

Smith, Ralph N - DNR

From: Dave Larsen <dlarsen@reiengineering.com>
Sent: Tuesday, May 30, 2017 4:18 PM
To: Smith, Ralph N - DNR
Cc: Robinson, John H - DNR
Subject: Falun Work
Attachments: 1160_001.pdf; 7679 GP Change Order.pdf; 7367 GP change order.pdf



Follow Up Flag: Follow up
Flag Status: Flagged

Ralph and John, REI has completed the drilling at Falun (Bob's and Hedlund) last week and we expanded the work at Hedlund due to unanticipated impacts.

Bob's approval was for 10 probes to 15' and we advanced 10 probes to 15'.

Hedlund approval was for 1 probe to 15' and we advanced 5 probes to 15'. The old tank bed appeared to be clean soil in backfill and also in samples we collected in native soils near tank bed, but groundwater was impacted. We did find additional soil and groundwater impact on Bob's property east of the Hedlund pump island. Initially it looked like Bob's was the source, but additional borings make it appear that the source was actually Hedlund. We haven't drawn up figures yet, but the additional borings were advanced near B-2 on the attached Ayres figure. Ralph – REI will need to modify the extent of soil impact figure provided in SIR. We will complete revision after we receive lab report. REI is still proposing a soil excavation as the preferred remedial option.

Additional work for Hedlund included the following:

- 45' soil boring
- 1 additional GW sample
- Temp well installation. There were too much sediment in open borehole and we had to install 1" temp wells to screen out sediment.
- 1 additional soil sample each for PVOC/N and lead
- Borehole abandonment charges

Additional charges for Bob's Service:

- Temp well installation. There were too much sediment in open borehole and we had to install 1" temp wells to screen out sediment.
 - Only collected 5 water samples (had approval for 10).

Bobs soil and groundwater appeared to be clean. Will have to wait until we get lab results, but we did not report any significant impact in either the soil or groundwater. Only real impact on Bob's property appeared to have migrated over from the Hedlund release.


Let me know if you have any questions or concerns.




Thank you,
David N. Larsen P.G
Hydrogeologist / Professional Geologist



David N. Larsen, P.G.
Hydrogeologist
Dlarsen@REIengineering.com

Tel: 877-734-7745
715-675-9784
Cell: 715-551-3434
Fax: 715-675-4060



Connect with us :   

Confidentiality Notice: This message is intended for the recipient only. If you have received this e-mail in error please disregard.

Usual and Customary Standardized Invoice #21

January 2017 - June 2017



RR-068A

PECFA #: 54810-9999-00
 BRRT's #: 03-07-000151
 Site Name: Hedlund DX
 Site Address: 10557 Hwy 70, Falun

Vendor Name: REI
 Invoice #:
 Invoice Date: 5/30/17 change order
 Check #:

U&C Total \$ 1,477.93
 Variance to U&C Total \$ -
 Grand Total \$ 1,477.93

TASK	TASK DESCRIPTION	SERVICES	ACTIVITY CODE	ACTIVITY REFERENCE CODE DESCRIPTION	UNIT	MAX UNIT COST	UNITS	TOTAL MAX
12	Direct Push	Consultant	DP05	0 - 24 ft bgs W/ Continuous Soil Sampling	Ft	\$ 5.36	45	\$ 241.20
12	Direct Push	Consultant	DP20	GW Sample Collection	Each	\$ 36.10	1	\$ 36.10
12	Direct Push	Consultant	DP25	Temporary Well Installation	Each	\$ 49.90	2	\$ 99.80
12	Direct Push	Commodity	DP35	0 - 24 ft bgs W/ Continuous Soil Sampling	Ft	\$ 6.93	45	\$ 311.85
12	Direct Push	Commodity	DP50	GW Sample Collection (cost for tubing)	Ft	\$ 0.42	40	\$ 16.80
12	Direct Push	Commodity	DP60	Borehole Abandonment	Ft	\$ 1.26	60	\$ 75.60
12	Direct Push	Commodity	DP70	GW Sample Collection	Each	\$ 39.27	2	\$ 78.54
12	Direct Push	Commodity	DP75	Temporary Well Installation	Ft	\$ 5.25	30	\$ 157.50
33	Schedule Of Laboratory Maximums	Commodity		Laboratory (see task 33 total on Lab Schedule)	Lab Schedule		1	\$ 78.76
36	Change Order Request		COR05	Change Order Request (cost cap exceedance requests)	Change Order	\$ 381.78	1	\$ 381.78



Usual and Customary Standardized Invoice #21

January 2017 - June 2017



RR-068A

PECFA #: 54872-8522-31
 BRRT's #: 03-07-000148
 Site Name: Bob's Service
 Site Address: 10545 State Highway 70, Falun

Vendor Name: REI Engineering, Inc.
 Invoice #:
 Invoice Date: Proposal Date 5-30-17
 Check #:

U&C Total \$ 1,025.03
 Variance to U&C Total \$ -
 Grand Total \$ 1,025.03

TASK	TASK DESCRIPTION	SERVICES	ACTIVITY CODE	ACTIVITY REFERENCE CODE DESCRIPTION	UNIT	MAX UNIT COST	UNITS	TOTAL MAX
12	Direct Push	Consultant	DP25	Temporary Well Installation	Each	\$ 49.90	5	\$ 249.50
12	Direct Push	Commodity	DP75	Temporary Well Installation	Ft	\$ 5.25	75	\$ 393.75
36	Change Order Request		COR05	Change Order Request (cost cap exceedance requests)	Change Order	\$ 381.78	1	\$ 381.78



Usual and Customary Standardized Invoice #21

January 2017 - June 2017



RR-068A

TOTAL LAB CHARGES \$	78.76	TASK 33	3	\$	78.76	TASK 24	0	\$	-
----------------------	-------	---------	---	----	-------	---------	---	----	---

MATRIX	REF CODE	REIMBURSABLE ANALYTE	UNITS	MAX COST	SAMPLES	TOTAL	MAX COST	SAMPLES	TOTAL
AIR	A1	Benzene	SAMPLE	\$ 44.94		\$ -			
AIR	A2	BETX	SAMPLE	\$ 49.46		\$ -			
AIR	A3	GRO	SAMPLE	\$ 46.10		\$ -			
AIR	A4	VOC's	SAMPLE	\$ 71.93		\$ -			
WATER	W1	GRO/PVOC	SAMPLE	\$ 29.19		\$ -			
WATER	W2	PVOC	SAMPLE	\$ 26.99		\$ -			
WATER	W3	PVOC + 1,2 DCA	SAMPLE	\$ 43.79		\$ -			
WATER	W4	PVOC + Naphthalene	SAMPLE	\$ 30.35	1	\$ 30.35			
WATER	W5	VOC	SAMPLE	\$ 71.93		\$ -			
WATER	W6	PAH	SAMPLE	\$ 72.98		\$ -			
WATER	W7	Lead	SAMPLE	\$ 12.39		\$ -			
WATER	W8	Cadmium	SAMPLE	\$ 13.55		\$ -			
WATER	W9	Hardness	SAMPLE	\$ 12.39		\$ -			
WATER	W10	BOD, Total	SAMPLE	\$ 23.63		\$ -			
WATER	W11	Nitrate	SAMPLE	\$ 11.24		\$ -			
WATER	W12	Total Kjeldahl	SAMPLE	\$ 20.27		\$ -			
WATER	W13	Ammonia	SAMPLE	\$ 16.91		\$ -			
WATER	W14	Sulfate	SAMPLE	\$ 10.19		\$ -			
WATER	W15	Iron	SAMPLE	\$ 10.19		\$ -			
WATER	W16	Manganese	SAMPLE	\$ 10.19		\$ -			
WATER	W17	Alkalinity	SAMPLE	\$ 10.19		\$ -			
WATER	W18	methane	SAMPLE	\$ 46.10		\$ -			
WATER	W19	Phosphorous	SAMPLE	\$ 18.06		\$ -			
WATER	W20	VOC Method 524.2	SAMPLE	\$ 176.30		\$ -			
WATER	W21	EDB Method 504	SAMPLE	\$ 95.45		\$ -			
SOILS	S1	GRO	SAMPLE	\$ 24.78		\$ -	\$ 24.78		\$ -
SOILS	S2	DRO	SAMPLE	\$ 30.35		\$ -	\$ 30.35		\$ -
SOILS	S3	GRO/PVOC	SAMPLE	\$ 28.14		\$ -	\$ 28.14		\$ -
SOILS	S4	PVOC	SAMPLE	\$ 25.83		\$ -	\$ 25.83		\$ -
SOILS	S5	PVOC + 1,2 DCA + Naphthalene	SAMPLE	\$ 49.46		\$ -	\$ 49.46		\$ -
SOILS	S6	PVOC + Naphthalene	SAMPLE	\$ 36.02	1	\$ 36.02	\$ 36.02		\$ -
SOILS	S7	VOC	SAMPLE	\$ 71.93		\$ -	\$ 71.93		\$ -
SOILS	S8	SPLP Extraction VOC only	SAMPLE	\$ 50.61		\$ -	\$ 50.61		\$ -
SOILS	S9	PAH	SAMPLE	\$ 72.98		\$ -	\$ 72.98		\$ -
SOILS	S10	Lead	SAMPLE	\$ 12.39	1	\$ 12.39	\$ 12.39		\$ -
SOILS	S11	Cadmium	SAMPLE	\$ 14.60		\$ -			
SOILS	S12	Free Liquid	SAMPLE	\$ 11.24		\$ -			
SOILS	S13	Flash Point	SAMPLE	\$ 25.83		\$ -			
SOILS	S14	Grain Size - dry	SAMPLE	\$ 42.74		\$ -			
SOILS	S15	Grain Size - wet	SAMPLE	\$ 57.33		\$ -			
SOILS	S16	Bulk Density	SAMPLE	\$ 13.55		\$ -			
							TASK 24 TOTAL \$ -		



MATRIX	REF CODE	REIMBURSABLE ANALYTE	UNITS	MAX COST	SAMPLES	TOTAL	MAX COST	SAMPLES	TOTAL
SOILS	S17	Permeability	SAMPLE	\$	41.58	\$	-		
SOILS	S18	Nitrogen as Total Kjeldahl	SAMPLE	\$	20.27	\$	-		
SOILS	S19	Nitrogen as Ammonia	SAMPLE	\$	16.91	\$	-		
SOILS	S20	% Organic Matter	SAMPLE	\$	29.19	\$	-		
SOILS	S21	TOC as NPOC	SAMPLE	\$	57.33	\$	-		
SOILS	S22	Soil Moisture Content	SAMPLE	\$	6.83	\$	-		
SOILS	S23	Air Filled Porosity	SAMPLE	\$	25.83	\$	-		
SOILS	S24	% Total Solids	SAMPLE	\$	6.83	\$	-		
SOILS	S25	Field Capacity	SAMPLE	\$	28.14	\$	-		
SOILS	S26	TCLP Lead	SAMPLE	\$	83.16	\$	-		
SOILS	S27	Cation Exchange (Ca, MG, & K)	SAMPLE	\$	26.99	\$	-		
SOILS	S28	TCLP Cadmium	SAMPLE	\$	83.16	\$	-		
SOILS	S29	TCLP Benzene	SAMPLE	\$	83.16	\$	-		
		Viscosity + Density							
LNAPL	LFPS01	Interfacial tension I (LNAPL/water [dyne/cm])	SAMPLE	\$	561.33	\$	-		
		Interfacial tension II (LNAPL/air [dyne/cm])							
		Interfacial tension III (water/air) [dyne/cm])							
				TASK 33 TOTAL		\$	78.76		

blb17bdr.dgn	DN = 1-63
gpcor.dgn	DN = 127.57
14.dgn	DN = 1-63



RECEIVED
MAY 30 2017
Remediation & Reconciliation

Smith, Ralph N - DNR

From: Dave Larsen <dlarsen@reiengineering.com>
Sent: Tuesday, April 25, 2017 9:56 AM
To: Smith, Ralph N - DNR
Subject: Bobs Service SOW Proposal
Attachments: 7679 GP SOW.pdf

Follow Up Flag: Follow up
Flag Status: Flagged

Ralph, proposed SOW includes 10 Geoprobe soil borings to 15' depth. Soil samples (2 per boring) to be analyzed for PVOC/N and lead. 1 GRO soil sample for landfill purposes, Also collect water samples (PVOC/N) from each borehole. Sample on-site potable well, dispose of all investigative waste and letter report to follow. Before we deploy for field work, I will coordinate with you on proposed GP locations. Will need to look at old SIR before proposing boring locations. If you have any questions, please let me know.

Thank you,

David N. Larsen P.G.

Hydrogeologist / Professional Geologist



David N. Larsen, P.G.
Hydrogeologist
Dlarsen@REIengineering.com

Tel: 877-734-7745
715-675-9784

Cell: 715-551-3434

Fax: 715-675-4060



Connect with us :   

Confidentiality Notice: This message is intended for the recipient only. If you have received this e-mail in error please disregard.

Usual and Customary Standardized Invoice #21

January 2017 - June 2017



RR-068A

PECFA #: 54872-8522-31
 BRRT's #: 03-07-000148
 Site Name: Bob's Service
 Site Address: 10545 State Highway 70, Falun

Vendor Name: REI Engineering, Inc.
 Invoice #:
 Invoice Date: Proposal Date 4-25-17
 Check #:

U&C Total \$ 7,563.26
 Variance to U&C Total \$ -
 Grand Total \$ 7,563.26

TASK	TASK DESCRIPTION	SERVICES	ACTIVITY CODE	ACTIVITY REFERENCE CODE DESCRIPTION	UNIT	MAX UNIT COST	UNITS	TOTAL MAX
1	GW Sampling		GS05	Sample Collection	Well	\$ 72.45	1	\$ 72.45
4	Waste Disposal	Consultant	WD05	Consultant Coordination	Site	\$ 137.13	1	\$ 137.13
4	Waste Disposal	Commodity	WD15	Drill Cuttings	Drum	\$ 108.15	1	\$ 108.15
4	Waste Disposal	Commodity	WD25	Primary Mob/Demob	Site	\$ 287.70	1	\$ 287.70
6	Letter Report/Addendum		LRA05	Letter Report/Addendum	Letter	\$ 1,039.29	1	\$ 1,039.29
12	Direct Push	Consultant	DP05	0 - 24 ft bgs W/ Continuous Soil Sampling	Ft	\$ 5.36	150	\$ 804.00
12	Direct Push	Consultant	DP20	GW Sample Collection	Each	\$ 36.10	10	\$ 361.00
12	Direct Push	Consultant	DP30	Primary Mob/Demob	Site	\$ 512.10	1	\$ 512.10
12	Direct Push	Commodity	DP35	0 - 24 ft bgs W/ Continuous Soil Sampling	Ft	\$ 6.93	150	\$ 1,039.50
12	Direct Push	Commodity	DP50	GW Sample Collection (cost for tubing)	Ft	\$ 0.42	200	\$ 84.00
12	Direct Push	Commodity	DP60	Borehole Abandonment	Ft	\$ 1.26	150	\$ 189.00
12	Direct Push	Commodity	DP65	Concrete Penetration	Each	\$ 20.10	5	\$ 100.50
12	Direct Push	Commodity	DP70	GW Sample Collection	Each	\$ 39.27	10	\$ 392.70
12	Direct Push	Commodity	DP80	Mob/Demob (Includes decon)	Site	\$ 526.05	1	\$ 526.05
15	Misc. Drilling Activities & Supplies		MDT21	Drum, 55 gal. DOT steel	Each	\$ 55.13	1	\$ 55.13
33	Schedule Of Laboratory Maximums	Commodity		Laboratory (see task 33 total on Lab Schedule)	Lab Schedule		52	\$ 1,472.78
36	Change Order Request		COR05	Change Order Request (cost cap exceedance requests)	Change Order	\$ 381.78	1	\$ 381.78

Usual and Customary Standardized Invoice #21

January 2017 - June 2017



RR-068A


TOTAL LAB CHARGES \$	1,472.78	TASK 33	52	\$	1,472.78	TASK 24	0	\$	-
----------------------	----------	---------	----	----	----------	---------	---	----	---

MATRIX	REF CODE	REIMBURSABLE ANALYTE	UNITS	MAX COST	SAMPLES	TOTAL	MAX COST	SAMPLES	TOTAL
AIR	A1	Benzene	SAMPLE	\$ 44.94		\$ -			
AIR	A2	BETX	SAMPLE	\$ 49.46		\$ -			
AIR	A3	GRO	SAMPLE	\$ 46.10		\$ -			
AIR	A4	VOC's	SAMPLE	\$ 71.93		\$ -			
WATER	W1	GRO/PVOC	SAMPLE	\$ 29.19		\$ -			
WATER	W2	PVOC	SAMPLE	\$ 26.99		\$ -			
WATER	W3	PVOC + 1,2 DCA	SAMPLE	\$ 43.79		\$ -			
WATER	W4	PVOC + Naphthalene	SAMPLE	\$ 30.35	10	\$ 303.50			
WATER	W5	VOC	SAMPLE	\$ 71.93		\$ -			
WATER	W6	PAH	SAMPLE	\$ 72.98		\$ -			
WATER	W7	Lead	SAMPLE	\$ 12.39		\$ -			
WATER	W8	Cadmium	SAMPLE	\$ 13.55		\$ -			
WATER	W9	Hardness	SAMPLE	\$ 12.39		\$ -			
WATER	W10	BOD, Total	SAMPLE	\$ 23.63		\$ -			
WATER	W11	Nitrate	SAMPLE	\$ 11.24		\$ -			
WATER	W12	Total Kjeldahl	SAMPLE	\$ 20.27		\$ -			
WATER	W13	Ammonia	SAMPLE	\$ 16.91		\$ -			
WATER	W14	Sulfate	SAMPLE	\$ 10.19		\$ -			
WATER	W15	Iron	SAMPLE	\$ 10.19		\$ -			
WATER	W16	Manganese	SAMPLE	\$ 10.19		\$ -			
WATER	W17	Alkalinity	SAMPLE	\$ 10.19		\$ -			
WATER	W18	methane	SAMPLE	\$ 46.10		\$ -			
WATER	W19	Phosphorous	SAMPLE	\$ 18.06		\$ -			
WATER	W20	VOC Method 524.2	SAMPLE	\$ 176.30	1	\$ 176.30			
WATER	W21	EDB Method 504	SAMPLE	\$ 95.45		\$ -			
SOILS	S1	GRO	SAMPLE	\$ 24.78	1	\$ 24.78	\$ 24.78		\$ -
SOILS	S2	DRO	SAMPLE	\$ 30.35		\$ -	\$ 30.35		\$ -
SOILS	S3	GRO/PVOC	SAMPLE	\$ 28.14		\$ -	\$ 28.14		\$ -
SOILS	S4	PVOC	SAMPLE	\$ 25.83		\$ -	\$ 25.83		\$ -
SOILS	S5	PVOC + 1,2 DCA + Naphthalene	SAMPLE	\$ 49.46		\$ -	\$ 49.46		\$ -
SOILS	S6	PVOC + Naphthalene	SAMPLE	\$ 36.02	20	\$ 720.40	\$ 36.02		\$ -
SOILS	S7	VOC	SAMPLE	\$ 71.93		\$ -	\$ 71.93		\$ -
SOILS	S8	SPLP Extraction VOC only	SAMPLE	\$ 50.61		\$ -	\$ 50.61		\$ -
SOILS	S9	PAH	SAMPLE	\$ 72.98		\$ -	\$ 72.98		\$ -
SOILS	S10	Lead	SAMPLE	\$ 12.39	20	\$ 247.80	\$ 12.39		\$ -
SOILS	S11	Cadmium	SAMPLE	\$ 14.60		\$ -			
SOILS	S12	Free Liquid	SAMPLE	\$ 11.24		\$ -			
SOILS	S13	Flash Point	SAMPLE	\$ 25.83		\$ -			
SOILS	S14	Grain Size - dry	SAMPLE	\$ 42.74		\$ -			
SOILS	S15	Grain Size - wet	SAMPLE	\$ 57.33		\$ -			
SOILS	S16	Bulk Density	SAMPLE	\$ 13.55		\$ -			
							TASK 24 TOTAL \$ -		

MATRIX	REF CODE	REIMBURSABLE ANALYTE	UNITS	MAX COST	SAMPLES	TOTAL	MAX COST	SAMPLES	TOTAL
SOILS	S17	Permeability	SAMPLE	\$	41.58	\$	-		
SOILS	S18	Nitrogen as Total Kjeldahl	SAMPLE	\$	20.27	\$	-		
SOILS	S19	Nitrogen as Ammonia	SAMPLE	\$	16.91	\$	-		
SOILS	S20	% Organic Matter	SAMPLE	\$	29.19	\$	-		
SOILS	S21	TOC as NPOC	SAMPLE	\$	57.33	\$	-		
SOILS	S22	Soil Moisture Content	SAMPLE	\$	6.83	\$	-		
SOILS	S23	Air Filled Porosity	SAMPLE	\$	25.83	\$	-		
SOILS	S24	% Total Solids	SAMPLE	\$	6.83	\$	-		
SOILS	S25	Field Capacity	SAMPLE	\$	28.14	\$	-		
SOILS	S26	TCLP Lead	SAMPLE	\$	83.16	\$	-		
SOILS	S27	Cation Exchange (Ca, MG, & K)	SAMPLE	\$	26.99	\$	-		
SOILS	S28	TCLP Cadmium	SAMPLE	\$	83.16	\$	-		
SOILS	S29	TCLP Benzene	SAMPLE	\$	83.16	\$	-		
		Viscosity + Density							
LNAPL	LFPS01	Interfacial tension I (LNAPL/water [dyne/cm])	SAMPLE	\$	561.33	\$	-		
		Interfacial tension II (LNAPL/air [dyne/cm])							
		Interfacial tension III (water/air) [dyne/cm])							
TASK 33 TOTAL						\$	1,472.78		

State of Wisconsin
DEPARTMENT OF NATURAL RESOURCES
Antigo Service Center
223 E Steinfest Rd
Antigo, WI 54409

Scott Walker, Governor
Cathy Stepp, Secretary
John Gozdzialski, Regional Director
Telephone 715-365-8900
FAX 715-365-8932
TTY Access via relay - 711



November 23, 2015

BURNETT COUNTY
7410 CTH K
SIREN WI 54872

SUBJECT: Transfer of Project Management
HEDLUND DX - FALUN 10557 STH 70 DANIELS WI
WDNR BRRTS # 03-07-000151

Greetings,

The WI Department of Natural Resources - Remediation and Redevelopment Program in the Northern Region is undergoing some changes to the distribution of workload among our staff.

This letter is to inform you that a new project manager has been assigned to the above mentioned case.

The new Project Manager for your case is:

Ralph Smith
WI DNR
101 S Webster St
PO Box 7921
Madison, WI 53703-7921
(608) 261-6543
Ralph.Smith@wisconsin.gov


Please inform your consultant of this change and direct all future submittals and/or inquiries regarding your case to your new project manager.

The Department appreciates your effort at cleaning up the environment at your site.

cc: File

State of Wisconsin
DEPARTMENT OF NATURAL RESOURCES
Antigo Service Center
223 E Steinfest Rd
Antigo, WI 54409

Scott Walker, Governor
Cathy Stepp, Secretary
John Gozdzialski, Regional Director
Telephone 715-365-8900
FAX 715-365-8932
TTY Access via relay - 711



November 23, 2015

ROBERT ANDERSON
10531 STH 70
SIREN WI 54872

SUBJECT: Transfer of Project Management
BOBS SERVICE STATION - FALUN 10545 STH 70 FALUN WI
WDNR BRRTS # 03-07-000148

Greetings,

The WI Department of Natural Resources - Remediation and Redevelopment Program in the Northern Region is undergoing some changes to the distribution of workload among our staff.

This letter is to inform you that a new project manager has been assigned to the above mentioned case.

The new Project Manager for your case is:

Ralph Smith
WI DNR
101 S Webster St
PO Box 7921
Madison, WI 53703-7921
(608) 261-6543
Ralph.Smith@wisconsin.gov

Please inform your consultant of this change and direct all future submittals and/or inquiries regarding your case to your new project manager.

The Department appreciates your effort at cleaning up the environment at your site.


cc: File

AYRES ASSOCIATES 3433 OAKWOOD HILLS PKWY, EAU CLAIRE WI 54701-7698

Halminiak, Brenda S - DNR

From: Halminiak, Brenda S - DNR
Sent: Wednesday, November 28, 2012 4:13 PM
To: Ron Anderson, METCO - Environmental Division
Cc: Halminiak, Brenda S - DNR
Subject: RE: Bobs Service Station - Falun - 03-07-000148

Hi, Ron. I haven't heard anything recently.

 **Brenda S. Halminiak, P.G.**

Hydrogeologist
Remediation and Redevelopment Program, Northern Region
Wisconsin Department of Natural Resources
107 Sutliff Avenue, Rhinelander, WI 54501
(☎) phone: (715) 365-8929
(☎) fax: (715) 365-8932
(✉) e-mail: Brenda.Halminiak@wisconsin.gov

*My office hours: Monday through Thursday: late afternoon
Friday all day*

From: Ron Anderson, METCO - Environmental Division [mailto:rona@metcohq.com]
Sent: Tuesday, November 27, 2012 9:18 AM
To: Halminiak, Brenda S - DNR
Subject: Re: Bobs Service Station - Falun - 03-07-000148

Good morning!!


I see on brrts that in October you and DSPS met with the RP. Was just wondering if there were any signs that they are ready to move ahead.

A while back, I spoke with both Bob's wife and son and sent them a followup letter....but never got any response. If you think they may be ready to move ahead, I would give them a call again.

ron

On 1/27/2012 2:47 PM, Halminiak, Brenda S - DNR wrote:

Hi Ron. We've been working with Dennis Legler at PECFA on these two sites (Bob's Service Station and Hedlund DX, for which the county is the RP) to try and get something going. However, with PECFA being in limbo right now, I'm not expecting anything to happen anytime soon. Feel free to check back with me periodically for updates.

 **Brenda S. Halminiak, P.G.**

Hydrogeologist
Remediation and Redevelopment Program, Northern Region
Wisconsin Department of Natural Resources
107 Sutliff Avenue, Rhinelander, WI 54501
(☎) phone: (715) 365-8929

(☎) fax: (715) 365-8932
(✉) e-mail: Brenda.Halminiak@wisconsin.gov

*My office hours: Monday through Thursday: late afternoon
Friday all day*

From: Ron Anderson, METCO - Environmental Division [<mailto:rona@metcohq.com>]
Sent: Friday, January 27, 2012 01:54 PM
To: Halminiak, Brenda S - DNR
Subject: Fwd: RE: Bobs Service Station - Falun - 03-07-000148

Hi Brenda....See below emails...thanks, ron - metco

----- Original Message -----

Subject: RE: Bobs Service Station - Falun - 03-07-000148
Date: Fri, 27 Jan 2012 13:26:06 -0600
From: Richard, Philip E - DNR <Philip.Richard@Wisconsin.gov>
To: Ron Anderson, METCO - Environmental Division <rona@metcohq.com>

Ron,

Brenda Halminiak is now the project manager for the site now.

Thanks

Philip E. Richard
Hydrogeologist
Remediation and Redevelopment Program
Wisconsin Department of Natural Resources
phone: 715 762 1352
fax: 715 762 4348
e-mail: philip.richard@wisconsin.gov

-----Original Message-----

From: Ron Anderson, METCO - Environmental Division
[<mailto:rona@metcohq.com>]
Sent: Friday, January 27, 2012 1:11 PM
To: Richard, Philip E - DNR
Subject: Re: Bobs Service Station - Falun - 03-07-000148

Good afternoon...See below emails...

I see on brrts that on 6/9/11 you sent out a NON and on 6/16/11 the RP said he didn't plan to move ahead until the adjacent site is cleaned up.

Is this adjacent site currently moving ahead?...and...Are you going to let this RP wait until the adjacent site is done?

btw...On 6/7/11, I sent Bob Anderson a detailed letter that I can help him get this moving ahead...However, he never responded.

thanks for your time...ron - metco

On 6/7/2011 3:56 PM, Richard, Philip E - DNR wrote:

> Ron,

>

> No response on this one.

>

>

> Philip E. Richard

> Hydrogeologist

> Remediation and Redevelopment Program

> Wisconsin Department of Natural Resources

> phone: 715 762 1352

> fax: 715 762 4348

> e-mail: philip.richard@wisconsin.gov

>

>

> -----Original Message-----

> From: Ron Anderson, METCO - Environmental Division

> [<mailto:rona@metcohq.com>]

> Sent: Tuesday, June 07, 2011 2:44 PM

> To: Richard, Philip E - DNR

> Subject: Re: Bobs Service Station - Falun - 03-07-000148

>

> Hi Phil...

>

> I see that you sent a "request for update" letter back in February. I just was wondering if you ever got any response.

>

> Thanks, Ron

>

> On 11/9/2010 10:46 AM, Richard, Philip E - DNR wrote:

>> Thanks for the update.

>>

>>

>> Philip E. Richard

>> Hydrogeologist

>> Remediation and Redevelopment Program Wisconsin Department of Natural

>> Resources

>> phone: 715 762 1352

>> fax: 715 762 4348

>> e-mail: philip.richard@wisconsin.gov

>>

>>

>> -----Original Message-----

>> From: Ron Anderson, METCO - Environmental Division

>> [<mailto:rona@metcohq.com>]

>> Sent: Tuesday, November 09, 2010 10:36 AM

>> To: Richard, Philip E - DNR

>> Subject: Bobs Service Station - Falun - 03-07-000148

>>

>> Howdy Phil...

>>

>> This is one of your files that I reviewed...

>>

>> I have had a couple of phone conversations with both Bob Andersons wife and son. They listened to what I had to say about the new pecfa tools, but both agreed that Bob isn't going to move ahead with this as he is still angry.

>>

>> Anyway, sorry I couldn't have been more help....If you ever
get this site back into compliance, I would welcome the
opportunity to assist.

>>

>> thanks, ron

>>

>>

>

Halminiak, Brenda S - DNR


From: Strous, Robert E Jr - DNR
Sent: Wednesday, November 14, 2012 1:24 PM
To: Halminiak, Brenda S - DNR
Subject: RE: Falun sites

Hi Brenda,

I spoke with Darsi and she was not encouraging. There isn't much we can do for Bob's Service. She questioned if we had any health threats that are driving the cleanups. Any vapor issues? Are we sure PECFA can't or won't fund these?
Bob

From: Halminiak, Brenda S - DNR
Sent: Thursday, November 08, 2012 4:31 PM
To: Strous, Robert E Jr - DNR
Subject: Falun sites

Hi, Bob. It was great meeting you this week. The two sites I was talking about are Hedlund DX, which is owned by Burnett County (BRRTS #03-07-000151), and Bob's Service Station, which is privately-owned (BRRTS #03-07-000148). Let me know what you find out about potential funding for Bob's. I'll contact the county and start the discussion about Ready for Reuse. Thanks.

 *Brenda S. Halminiak, P.G.*

Hydrogeologist
Remediation and Redevelopment Program, Northern Region
Wisconsin Department of Natural Resources
107 Sutliff Avenue, Rhineland, WI 54501
(☎) phone: (715) 365-8929
(☎) fax: (715) 365-8932
(✉) e-mail: Brenda.Halminiak@wisconsin.gov

*My office hours: Monday through Thursday: late afternoon
Friday all day*

Halminiak, Brenda S - DNR

From: Robinson, John H - DNR
Sent: Wednesday, August 08, 2012 7:01 AM
To: Halminiak, Brenda S - DNR
Subject: RE: Bob's Service Station, Falun


Dennis and I met with Bob in Rice Lake on October 20th of last year. We also met with the Burnett County Administrator and were going to try to combine Bob's with Headlund DX and see if the County would take the lead using an agent. We promised the County a letter outlining how the agent process would work but never sent it because of the PECFA moratorium. Once the Joint Committee on Finance approves the 13.10 request for additional funding for PECFA, which should happen soon, we should send the letter to the County. If the County elects not to proceed with agent status, they have a LGU exemption, we would look at trying to set up an agent agreement for Bob's. Please call with any questions.

John Robinson

Northern Region Team Supervisor
Bureau of Remediation & Redevelopment
Wisconsin Department of Natural Resources
(715) 359-8932

From: Halminiak, Brenda S - DNR
Sent: Tuesday, August 07, 2012 5:20 PM
To: Robinson, John H - DNR
Subject: Bob's Service Station, Falun

Hi John. When did you and Dennis meet with this RP? I'd like to update BRRTS but I didn't write down the date. Sorry for the inconvenience...

 *Brenda S. Halminiak, P.G.*


Hydrogeologist
Remediation and Redevelopment Program, Northern Region
Wisconsin Department of Natural Resources
107 Sutliff Avenue, Rhinelander, WI 54501
(☎) phone: (715) 365-8929
(☎) fax: (715) 365-8932
(✉) e-mail: Brenda.Halminiak@wisconsin.gov

*My office hours: Monday through Thursday: late afternoon
Friday all day*

Halminiak, Brenda S - DNR

From: Halminiak, Brenda S - DNR
Sent: Friday, January 27, 2012 2:47 PM
To: Ron Anderson, METCO - Environmental Division
Cc: Halminiak, Brenda S - DNR
Subject: RE: RE: Bobs Service Station - Falun - 03-07-000148

Hi Ron. We've been working with Dennis Legler at PECFA on these two sites (Bob's Service Station and Hedlund DX, for which the county is the RP) to try and get something going. However, with PECFA being in limbo right now, I'm not expecting anything to happen anytime soon. Feel free to check back with me periodically for updates.

 **Brenda S. Halminiak, P.G.**

Hydrogeologist
 Remediation and Redevelopment Program, Northern Region
 Wisconsin Department of Natural Resources
 107 Suttiff Avenue, Rhinelander, WI 54501
 (☎) phone: (715) 365-8929
 (☎) fax: (715) 365-8932
 (✉) e-mail: Brenda.Halminiak@wisconsin.gov

*My office hours: Monday through Thursday: late afternoon
 Friday all day*

From: Ron Anderson, METCO - Environmental Division [<mailto:rona@metcohq.com>]
Sent: Friday, January 27, 2012 01:54 PM
To: Halminiak, Brenda S - DNR
Subject: Fwd: RE: Bobs Service Station - Falun - 03-07-000148

Hi Brenda...See below emails...thanks, ron - metco

----- Original Message -----

Subject: RE: Bobs Service Station - Falun - 03-07-000148
Date: Fri, 27 Jan 2012 13:26:06 -0600
From: Richard, Philip E - DNR <Philip.Richard@Wisconsin.gov>
To: Ron Anderson, METCO - Environmental Division <rona@metcohq.com>

Ron,

Brenda Halminiak is now the project manager for the site now.

Thanks

Philip E. Richard
 Hydrogeologist
 Remediation and Redevelopment Program
 Wisconsin Department of Natural Resources
 phone: 715 762 1352
 fax: 715 762 4348
 e-mail: philip.richard@wisconsin.gov

-----Original Message-----

From: Ron Anderson, METCO - Environmental Division [<mailto:rona@metcohq.com>]
Sent: Friday, January 27, 2012 1:11 PM
To: Richard, Philip E - DNR
Subject: Re: Bobs Service Station - Falun - 03-07-000148

Good afternoon...See below emails...

I see on brtrts that on 6/9/11 you sent out a NON and on 6/16/11 the RP said he didn't plan to move ahead until the adjacent site is cle

Is this adjacent site currently moving ahead?...and...Are you going to let this RP wait until the adjacent site is done?

btw...On 6/7/11, I sent Bob Anderson a detailed letter that I can help him get this moving ahead...However, he never responded.

thanks for your time...ron - metco

On 6/7/2011 3:56 PM, Richard, Philip E - DNR wrote:

> Ron,

>

> No response on this one.

>

>

> Philip E. Richard

> Hydrogeologist

> Remediation and Redevelopment Program

> Wisconsin Department of Natural Resources

> phone: 715 762 1352

> fax: 715 762 4348

> e-mail: philip.richard@wisconsin.gov

>

> -----Original Message-----

> From: Ron Anderson, METCO - Environmental Division

01/27/2012

> [mailto:rona@metcohq.com]
> Sent: Tuesday, June 07, 2011 2:44 PM
> To: Richard, Philip E - DNR
> Subject: Re: Bobs Service Station - Falun - 03-07-000148
>
> Hi Phil...
>
> I see that you sent a "request for update" letter back in February. I just was wondering if you ever got any response.
>
> Thanks, Ron
>
> On 11/9/2010 10:46 AM, Richard, Philip E - DNR wrote:
>> Thanks for the update.
>>
>>
>> Philip E. Richard
>> Hydrogeologist
>> Remediation and Redevelopment Program Wisconsin Department of Natural
>> Resources
>> phone: 715 762 1352
>> fax: 715 762 4348
>> e-mail: philip.richard@wisconsin.gov
>>
>>
>> -----Original Message-----
>> From: Ron Anderson, METCO - Environmental Division
>> [mailto:rona@metcohq.com]
>> Sent: Tuesday, November 09, 2010 10:36 AM
>> To: Richard, Philip E - DNR
>> Subject: Bobs Service Station - Falun - 03-07-000148
>>
>> Howdy Phil...
>>
>> This is one of your files that I reviewed...
>>
>> I have had a couple of phone conversations with both Bob Andersons wife and son. They listened to what I had to say about the new p
>>
>> Anyway, sorry I couldn't have been more help....If you ever get this site back into compliance, I would welcome the opportunity to a
>>
>> thanks, ron
>>
>>
>

Halminiak, Brenda S - DNR

From: Robinson, John H - DNR
Sent: Wednesday, July 13, 2011 6:26 AM
To: Legler, Dennis - COMMERCE
Cc: Halminiak, Brenda S - DNR
Subject: RE: Jerry Remington

Dennis

Thanks for making the contact, it may be worthwhile for us to follow-up with Mr.. Anderson.

John

From: Legler, Dennis - COMMERCE
Sent: Tuesday, July 12, 2011 10:58 AM
To: Legler, Dennis - COMMERCE; Robinson, John H - DNR
Cc: Halminiak, Brenda S - DNR
Subject: RE: Jerry Remington

I also had a nice conversation with Bob Anderson. He said he would think about going the agent route, but I am not holding my breath. I told him I would be willing to investigate all 3 sites without any money out of his pocket, but that if cleanup was required at the other sites that might be something I couldn't justify, but I would take a look at our options.

Thank you,

*Dennis A Legler
Section Chief, PECFA Claim Review
608.267.7642
dennis.legler@wisconsin.gov*

From: Legler, Dennis - COMMERCE
Sent: Tuesday, July 12, 2011 10:29 AM
To: Robinson, John H - DNR
Cc: Halminiak, Brenda S - DNR
Subject: Jerry Remington

I talked to Jerry and he had been working with Joe Mentzer and wanted him to do the work. Joe works for Endpoint Solutions so they are going to see if Jerry wants to hire them to be his agent. Mark Penzkover will be calling you today.

Thank you,

*Dennis A Legler
Section Chief, PECFA Claim Review
608.267.7642
dennis.legler@wisconsin.gov*

07/14/2011

CORRESPONDENCE/MEMORANDUM

DATE: June 16, 2011 3:25 pm
TO: 03-07-000148 Bob's Service Station, Falun
FROM: Brenda S. Halminiak
SUBJECT: Telephone conference with Mr. Bob Anderson (715-689-2445)

Mr. Anderson called me in response to the NON he received. Mr. Anderson said that he isn't going to do anything at this site until the county cleans up their mess on the adjacent site. He said that someone from PECFA told him (years ago, I assume) that if he cleans up his site and contamination from the adjacent site migrates onto his property, he'll just have to clean up his site again.

I told Mr. Anderson that because of the LGU exemption, the county can't be forced to remediate contamination on the adjacent site. I also told Mr. Anderson that we understand there is likely contamination migrating onto his site from the adjacent site, but that he still has a responsibility to address the contamination that originated on his site. I encouraged Mr. Anderson to call Dennis Legler to discuss the options he has regarding PECFA funding to get this site moving again. Mr. Anderson said that he would call Dennis. I told Mr. Anderson that I would review the file and call him back regarding what additional work needs to be performed at the site.

Mr. Anderson said that he's 78 years old, and that he could just close the shop and walk away and the county would be stuck with another contaminated property. I told Mr. Anderson that I understood his frustration, and I again encouraged him to call Dennis Legler to discuss his options.

Mr. Anderson also said that the address of Bob's Service Station is 10545 Hwy 70, and his mailing address (at his home) is 10531 Hwy 70.

UNITED STATES POSTAL SERVICE

15 JUN 2011 PM 1 L

First-Class Mail
Postage & Fees Paid
USPS
Permit No. G-10

• Sender: Please print your name, address, and ZIP+4 in this box •

WDNR

107 Sutliff Ave.

Rhinelander, WI 54501

Attn: Brenda Helminiak

+3343



SENDER: COMPLETE THIS SECTION

- Complete items 1, 2, and 3. Also complete item 4 if Restricted Delivery is desired.
- Print your name and address on the reverse so that we can return the card to you.
- Attach this card to the back of the mailpiece, or on the front if space permits.

1. Article Addressed to:

Mr. Robert + Anderson
10531 Hwy 70
Siren, WI 54872

2. Article Number
(Transfer from service label)

7010 0290 0002 2868 2863

PS Form 3811, February 2004

Domestic Return Receipt

102595-02-M-1540

COMPLETE THIS SECTION ON DELIVERY

A. Signature

X *B. Anderson*

- ☐ Agent
☐ Addressee

B. Received by (Printed Name)

C. Date of Delivery

6/15/11

- D. Is delivery address different from item 1? ☐ Yes
If YES, enter delivery address below: ☐ No

ROBERT P ANDERSON

3. Service Type

- ☒ Certified Mail ☐ Express Mail
☐ Registered ☐ Return Receipt for Merchandise
☐ Insured Mail ☐ C.O.D.

4. Restricted Delivery? (Extra Fee)

- ☐ Yes

Halminiak, Brenda S - DNR

From: Robinson, John H - DNR
Sent: Thursday, June 09, 2011 2:47 PM
To: DeBrock Owens, Michelle - DNR; Legler, Dennis - COMMERCE
Cc: Halminiak, Brenda S - DNR
Subject: FW: NON for Bob's Service Station 03-07-000148

Attachments: 20110609153654255.pdf



2011060915365425

5.pdf (178 KB)...

Attached is a copy of the notice of noncompliance sent to Bob Anderson owner of Bob's Service Station in Faulin.

John Robinson
Northern Region Team Supervisor
Bureau of Remediation & Redevelopment
Wisconsin Department of Natural Resources
(715) 365-8976

U.S. Postal Service™
CERTIFIED MAIL™ RECEIPT
 (Domestic Mail Only; No Insurance Coverage Provided)

For delivery information visit our website at www.usps.com

OFFICIAL USE

Postage	\$ 0.44
Certified Fee	2.85
Return Receipt Fee (Endorsement Required)	2.30
Restricted Delivery Fee (Endorsement Required)	
Total Postage & Fees	\$ 5.59



Sent To Robert Anderson, Bob's Svc Sta.
 Street, Apt. No.,
 or PO Box No. 10531 Hwy 70
 City, State, ZIP+4 Siren, WI 54872

PS Form 3800, August 2006 See Reverse for Instructions

Rhinelander MPO
 Rhinelander, Wisconsin
 545019998
 5654840910 -0097
 06/09/2011 (800)275-8777 03:40:49 PM

Product Description	Sales Receipt Sale Qty Unit Price	Final Price
SIREN WI 54872 Zone-2		\$0.44
First-Class Letter		
0.60 oz.		
Expected Delivery: Sat 06/11/11		
Return Rcpt (Green Card)		\$2.30
Certified		\$2.85
Label #:	70100290000228682863	
Issue PVI:		\$5.59
Total:		\$5.59

Paid by:
 VISA
 Account #: XXXXXXXXXXXX6937
 Approval #: 013449
 Transaction #: 590
 23 903251197

Order stamps at USPS.com/shop or call 1-800-Stamp24. Go to USPS.com/clicknship to print shipping labels with postage. For other information call 1-800-ASK-USPS.

 Get your mail when and where you want it with a secure Post Office Box. Sign up for a box online at usps.com/poboxes.

Bill#: 1000302834543
 Clerk: 08

All sales final on stamps and postage
 Refunds for guaranteed services only
 Thank you for your business

 HELP US SERVE YOU BETTER

Go to: <https://postalexperience.com/Pos>

TELL US ABOUT YOUR RECENT
 POSTAL EXPERIENCE

YOUR OPINION COUNTS

Customer Copy

CORRESPONDENCE/MEMORANDUM

DATE: June 6, 2011 9:25 am
TO: Hedlund DX – Falun file #03-07-000151
FROM: Brenda S. Halminiak
SUBJECT: Telephone conference w/ Candace Fitzgerald, Burnett County Administrator / HR Director (715-349-2181 x3)

I called Candace Fitzgerald for an update on the Hedlund DX station in Falun. I asked if the County has done any work at the site since the work they did using a SAG grant in 2005. Ms. Fitzgerald said that the County has done no further work and has no plans to develop the property. She said it is a "useless piece of property." They removed the structures mainly for aesthetic reasons. She said they have no plans to sell the property, or to do any further site investigation or remediation regarding the LUST case.

State of Wisconsin
DEPARTMENT OF NATURAL RESOURCES
Northern Region Headquarters
107 Sutliff Avenue
Rhineland, WI 54501

Scott Walker, Governor
Cathy Stepp, Secretary
John Gozdziński, Regional Director
Telephone 715-635-2101
FAX 715-635-4105
TTY Access via relay - 711



file copy

June 3, 2011

sent via certified mail, return receipt requested

Mr. Robert Anderson
Bob's Service Station
10531 Hwy 70
Siren, WI 54872

SUBJECT: **NOTICE OF NONCOMPLIANCE**
Bob's Service Station, 10531 Hwy 70, Falun, WI
BRRTS # 03-07-000148 PECFA # 54872-8522-31

Dear Mr. Anderson:

This notice informs you that the Department of Natural Resources (the Department) believes the property listed above may not be in compliance with Wisconsin's hazardous substance discharge law.

Under Wisconsin Statutes §292.11(3), any person who possesses or controls a hazardous substance which is discharged, or who causes the discharge of a hazardous substance, must take the actions necessary to restore the environment and minimize the harmful effects from the discharge to the air, lands or waters of the State. In order to meet the requirements of §292.11(3), Wisc. Stats., you are required to define the degree and extent of contamination, and to remediate the effects of the contamination in a timely manner. It is the responsibility of the Department to ensure that these actions are completed.

On April 2, 1990, the Department issued a Responsible Party (RP) letter to you for this site. According to our files, it appears that no additional investigation or remedial measures have been performed at this site subsequent to the remedial investigation report submitted by Ayres Associates in May of 1996, despite numerous requests by Department staff for additional work.


The Department believes that your lack of response to the above-mentioned site is a violation of your responsibility under §292.11(3), Wisc. Stats. The Department requests that you submit written notification to the Department of any actions you have taken or are planning to take to fulfill your obligation under the spill law. The Department expects a **written response** to this notice **within 30 days**. Failure to submit this information will result in my referral of this case to the Department's Environmental Enforcement program for further enforcement actions.

Correspondence and questions regarding this site should be directed to Brenda Halminiak, 107 Sutliff Avenue, Rhineland, WI 54501, phone 715-365-8929, email Brenda.Halminiak@Wisconsin.gov.

As indicated in a letter to you from the Department dated February 18, 2011, you may have several options available to you going forward regarding PECFA funding. I strongly encourage you to contact Dennis Legler at the Department of Commerce at 608-267-7642 for more information about the PECFA program and about the options available to you for this site.

The Department appreciates your efforts thus far to restore the environment at this site, and we look forward to working with you in bringing this site to closure.

Sincerely,

A handwritten signature in black ink, appearing to read "John Robinson", is written over the typed name and title.

John Robinson
Northern Region Team Supervisor
Remediation & Redevelopment Program

Cc: Brenda Halminiak, WDNR (via email)
Michelle DeBrock Owens, WDNR EES (via email)
Dennis Legler, DCOMM (via email)

State of Wisconsin
DEPARTMENT OF NATURAL RESOURCES
Northern Region Headquarters
107 Sutliff Avenue
Rhineland, WI 54501

Scott Walker, Governor
Cathy Stepp, Secretary
John Gozdziński, Regional Director
Telephone 715-635-2101
FAX 715-635-4105
TTY Access via relay - 711



Copy

March 11, 2011

Mr. Robert Pearson
Wisconsin Department of Transportation
P.O. Box 7965, Room 451
Madison, WI 53707-7965

Subject: No Action Required Determination Regarding WDOT – Falun,
Highway 70 Right-of-Way, Falun, WI
Former WDNR BRRTS # 02-07-000098 / New BRRTS # 09-07-000098

Dear Mr. Pearson:

On August 5, 1993, Marsha Patelke with American Engineering, on behalf of the Wisconsin Department of Transportation, notified the Wisconsin Department of Natural Resources ("WDNR" or "the Department") that petroleum contamination had been detected at the site listed above. Based on the information that was initially submitted to the WDNR, you were sent a letter on September 1, 1993, explaining your obligations for restoring the environment at the referenced site under s. 292.11, Wisconsin Statutes.

This second letter is being sent to notify you that, based on an evaluation of all the information that is now available to the Department, you are not required to conduct an NR 716 site investigation for the site described above. Further evaluation of all information available for this site indicates that the petroleum contamination detected within the right-of-way is associated with a release on the adjacent **Bob's Service Station (BRRTS # 03-07-000148)** site and/or the Hedlund DX site (BRRTS # 03-07-000151).

The Bureau for Remediation and Redevelopment Tracking System ("BRRTS") will now show the status of the site described above as a "no action required" site. As part of this action, we assign the site a new identification number in our tracking system. PLEASE NOTE: Using the new BRRTS identification number, (09-07-000098), you may view the information related to your site at any time (<http://www.dnr.state.wi.us/org/aw/rr/brrts>) and use the feedback system to alert us to any errors in the data.


If you want a more detailed written response from the Department regarding the "no action required" status, please be advised that under NR 749, Wis. Adm. Code, a \$500.00 fee is required for the general liability clarification letter.

Further correspondence regarding this site should be sent to:

Brenda S. Halminiak
Remediation and Redevelopment Program
Wisconsin Department of Natural Resources
107 Sutliff Avenue
Rhineland, WI 54501

Thank you for your cooperation.

Sincerely,

A handwritten signature in black ink, reading "Brenda S. Halminiak". The signature is fluid and cursive, with the first name "Brenda" being the most prominent part.

Brenda S. Halminiak, P.G.
Hydrogeologist
Remediation & Redevelopment Program


cc: Bob's Service Station file
Hedlund DX file

Halminiak, Brenda S - DNR

From: Halminiak, Brenda S - DNR
Sent: Friday, February 25, 2011 1:50 PM
To: 'Dave Larsen'
Subject: RE: BRRTS Activity 03-07-000151

Hi Dave.

I haven't spoken to Mr. Anderson, but I recently sent him a status update request letter. To date I have not received a reply to that letter.

 **Brenda S. Halminiak, P.G.**

Hydrogeologist

Remediation and Redevelopment Program, Northern Region

Wisconsin Department of Natural Resources

(☎) phone: (715) 365-8929

(☎) fax: (715) 365-8932

(✉) e-mail: Brenda.Halminiak@wisconsin.gov

*My office hours: Monday and Thursday afternoon
Friday all day*

From: Dave Larsen [mailto:dlarsen@reiengineering.com]
Sent: Friday, February 25, 2011 08:25 AM
To: Halminiak, Brenda S - DNR
Subject: BRRTS Activity 03-07-000151

Hi Brenda, congrats on your move to the WDNR.

I was talking with Dennis Legler yesterday about the sites in Falan (Hedlund and Bob's) I tried to talk to Bob a few years back and he contends that Hedlund is the source for contamination reported on his property. He also said he would not do anything until Hedlund is completed. County took Hedlund, has a LGU and the County has no interest in moving it forward. Have you had any conversations with Bob?

Thank You,
David N. Larsen P.G.

David N. Larsen
Hydrogeologist/Professional Geologist
REI Engineering, Inc.
4080 N. 20th Ave.
Wausau, WI 54401

Phone: 715-675-9784
Fax: 715-675-4060

02/28/2011

Mobile: 715-551-3434
Email: dlarsen@reiengineering.com
Web: REIengineering.com



**CIVIL & ENVIRONMENTAL
ENGINEERING, SURVEYING**

*Providing practical solutions and exceeding client expectations in
civil engineering, land surveying, environmental and safety consulting.*

IMPORTANT NOTE:

Confidentiality Notice: This message and any attached documents may contain confidential information. The information is intended solely for the use of the individual or entity named above. If you have received this communication in error, please notify the sender immediately by e-mail or telephone, at (715) 675-9784 and delete this message. Thank you.



February 18, 2011

Mr. Robert Anderson
Bob's Service Station
10531 Hwy 70
Siren, WI 54872

Subject: Status Update Request for Petroleum Release at Bob's Service Station
BRRTS # 03-07-000148 PECFA # 54872-8522-31

Dear Mr. Anderson:

This letter is to inform you that I am now the Wisconsin Department of Natural Resources (Department) Project Manager for Bob's Service Station, an open petroleum-contaminated site located at 10531 Highway 70 in Falun, Wisconsin. This letter is also a notice and reminder of your responsibility to investigate, remediate and seek closure for the known contamination at this property.

Upon a review of our files, it appears that no additional investigation or remedial measures have been performed at this site since the remedial investigation report was submitted by Ayres Associates in May of 1996, despite numerous requests by Department staff for additional work. Please keep in mind that the Department believes you to be the responsible party for this clean-up under §292.11(3) Wisc. Statutes which states:

A person who possesses or controls a hazardous substance which is discharged or who causes the discharge of a hazardous substance shall take the actions necessary to restore the environment to the extent practicable and minimize the harmful effects from the discharge to the air, lands, or waters of the state.

I recently spoke with a representative from the PECFA program at the Wisconsin Department of Commerce (COMM) regarding the status of PECFA funding for this site. You may have several options available to you going forward. Some options you may want to consider include requesting a reduction in your deductible (which is based on income and ability to pay); requesting a waiver of deductible (which results in a lien being placed on your property for the amount of the deductible that you still owe); or your consultant may request agent status for this site (but your deductible must be satisfied first for this to be an option). Feel free to contact Dennis Legler at 608-267-7642 for more information about the PECFA program.

At this time, the Department is requesting an update **in writing** regarding the status of the investigation and clean-up efforts at this site. Please mail this information to Brenda Halminiak, Wisconsin DNR, 107 Sutliff Avenue, Rhineland, WI 54501, **by March 18, 2011**.

If you have questions, please contact me at 715-365-8929.

Sincerely,


Brenda S. Halminiak, P.G.
Hydrogeologist

cc: Dennis Legler, COMM (via email)
Dave Blair, COMM (via email)
Case file

Halminiak, Brenda S - DNR

From: Dickey, Renee - COMMERCE
Sent: Monday, February 14, 2011 6:28 AM
To: Blair, David E - COMMERCE; Halminiak, Brenda S - DNR
Subject: RE: Bob's Service Station, Falun 03-07-000148 PECFA #54872-8522-31

It does appear the deductible on this site would be capped at \$7500.


From: Blair, David E - COMMERCE
Sent: Friday, February 11, 2011 8:32 AM
To: Halminiak, Brenda S - DNR
Cc: Dickey, Renee - COMMERCE
Subject: RE: Bob's Service Station, Falun 03-07-000148 PECFA #54872-8522-31

Although Renee Dickey can make the official determination I think it sounds like it would be \$2500 + 5% up to \$7500 total.

From: Halminiak, Brenda S - DNR
Sent: Thursday, February 10, 2011 5:32 PM
To: Blair, David E - COMMERCE
Subject: RE: Bob's Service Station, Falun 03-07-000148 PECFA #54872-8522-31

Hi Dave.

The 1996 report includes a section entitled "Remedial Alternative Evaluations," as well as a "Recommendations" section. Based on this information, what would the deductible be for this site?

 **Brenda S. Halminiak, P.G.**

Hydrogeologist
Remediation and Redevelopment Program, Northern Region
Wisconsin Department of Natural Resources
(☎) phone: (715) 365-8929
(☎) fax: (715) 365-8932
(✉) e-mail: Brenda.Halminiak@wisconsin.gov

*My office hours: Monday and Thursday afternoon
Friday all day*

From: Blair, David E - COMMERCE
Sent: Tuesday, February 08, 2011 08:29 AM
To: Halminiak, Brenda S - DNR
Subject: RE: Bob's Service Station, Falun 03-07-000148 PECFA #54872-8522-31

Brenda

Just an FYI - I spoke with Renee Dickey she indicated that if Ayres May 1996 SIR included a RAP then their deductible would be capped at \$7500. I only have a few pages from that report so I'm not sure if it does or doesn't.

From: Blair, David E - COMMERCE
Sent: Monday, February 07, 2011 8:55 AM
To: Halminiak, Brenda S - DNR
Subject: RE: Bob's Service Station, Falun 03-07-000148 PECFA #54872-8522-31

Good to hear from you Brenda glad to hear you are at the DNR now -- it has been awhile since we've talked.

Regarding the site below I believe their deductible is being assessed at \$2500 + 5%. To date they have paid the \$2500 + about \$1500 on one \$33,000 dollar claim submitted in 1996 (total deductible paid about 4K). I do remember having conversations a couple of years ago on this one. I think they were hesitant to start work again mainly because they thought an adjacent property was contributing to contamination on their site. My file is pretty thin but I do have six or seven pages (attached) from a 1996 SIR produced by Ayres (at first glance those results seem to support RPs

assertion that much of the contamination might be coming from next door). I also have a few emails from 2008 I could send over but they don't say much beyond acknowledging that we are having trouble getting site moving.

RP can apply to have his deductible reduced - if he qualifies they usually reduce it to the amount spent to date. In order to do that he would need to contact Tanya Herranz (608)266-6796 here in our Madison office to get the application materials (also available on web). If he was to qualify he could start work again (possibly with agent consultant) and there would be no more out of pocket expenses - except for review/GIS fees.

Please give me a call (608) 261-2515 if you have time to discuss.


<< File: Bobs in Falun.pdf >>

From: Halminiak, Brenda S - DNR
Sent: Friday, February 04, 2011 4:48 PM
To: Blair, David E - COMMERCE
Subject: Bob's Service Station, Falun 03-07-000148 PECFA #54872-8522-31

Hi Dave! It's been a long time since I've spoken to you. Obviously, I work at DNR now. I'm a part-time LTE in the Rhinelander office--I took over Jill Zalesney's position.

I'd like to talk to you about the above site. One PECFA claim was filed in 1996, and there's basically been no work since. I'd like to discuss what the RP's deductible is going forward, and what other options might be available to the RP.

My normal office hours are listed below. However, for the week of Feb. 7th, I'll be in on Monday morning, Thursday afternoon, and all day on Friday. I'm looking forward to talking to you!

 *Brenda S. Halminiak, P.G.*

Hydrogeologist
Remediation and Redevelopment Program, Northern Region
Wisconsin Department of Natural Resources
(☎) phone: (715) 365-8929
(☎) fax: (715) 365-8932
(✉) e-mail: Brenda.Halminiak@wisconsin.gov

*My office hours: Monday and Thursday afternoon
Friday all day*

Richard, Philip E - DNR

From: Richard, Philip E - DNR
Sent: Thursday, May 06, 2010 1:51 PM
To: Zalesny, Jill A - DNR
Subject: FW: [Fwd: RE: File Reviews]

Rhinelanders

Jill,

I will be sending the Bob's Service and Hedlund Dx files back for your use. Enjoy!

Phil

Philip E. Richard
Hydrogeologist
Remediation and Redevelopment Program
Wisconsin Department of Natural Resources
phone: 715 762 1352
fax: 715 762 4348
e-mail: philip.richard@wisconsin.gov

-----Original Message-----

From: Ron Anderson, METCO - Environmental Division [mailto:rona@metcohq.com]
Sent: Monday, April 26, 2010 1:25 PM
To: Zalesny, Jill A - DNR
Cc: Richard, Philip E - DNR
Subject: [Fwd: RE: File Reviews]

Good afternoon Jill....I will be visiting Phil's office in Park Falls on May 5th or 6th to review a bunch of files....I also wanted to review the file for Bobs Service Station in Falun (03-07-000148), but understand that it is located at your office in Rhinelanders. Would it be possible to have this file sent to Park Falls so I do not need to drive all the way to Rhinelanders?

I would be very grateful....Thanks, Ron Anderson - METCO

Zalesny, Jill A - DNR

From: Zalesny, Jill A - DNR
Sent: Monday, October 20, 2008 2:04 PM
To: Blair, David E - COMMERCE
Cc: Richard, Philip E - DNR
Subject: Bob's Service Station

Attachments: AndersonPushLetter10172008.pdf; SaariLetters.pdf

Hello Dave,

I am forwarding you a copy of a letter I sent to Mr. Robert Anderson, RP for Bob's Service Station BRRTS 03-07-000148. I know Bob was in the PECFA program in the 90's and had some work done at this property. However, in order to close his site he needed to take additional action.

Would you work with me to review the PECFA history at this site? Specifically, I am wondering if PECFA would pay for additional work without any costs to Bob.

I look forward to hearing from you.



AndersonPushLetter10172008.pdf...



SaariLetters.pdf
(339 KB)

 *Jill A. Zalesny*

Environmental Enforcement Specialist/DOT Hydrogeologist
Wisconsin Department of Natural Resources
107 Sutliff Avenue
Rhineland, WI 54501


(☎) phone: (715) 365-8985

(☎) fax: (715) 365-8977

(✉) e-mail: Jill.Zalesny@dnr.state.wi.us

NOTICE OF CONFIDENTIALITY

This message may contain information that is privileged, confidential or exempt from disclosure under applicable laws. It is intended solely for the use of the addressee and should not be distributed. If you have received this message in error, please notify the sender by mail or telephone and immediately delete this message and all attachments.



State of Wisconsin \ DEPARTMENT OF NATURAL RESOURCES

Jim Doyle, Governor
Matthew J. Frank, Secretary
John Gozdziwski, Regional Director

Northern Region Headquarters
107 Sutliff Ave.
Rhinelander, Wisconsin 54501-3349
Telephone 715-365-8900
FAX 715-365-8932
TTY Access via relay - 711

October 20, 2008

Ms. Candice Fitzgerald
Burnett County Administrator
7410 County Road K
Siren, WI 54872

Subject: Wisconsin DNR Site Assessment Grants – Round 10


Dear Ms. Fitzgerald:

I understand Burnett County, WI completed demolition activities, asbestos abatement, and abandoned container removal at Hedlund DX, 10557 South Hwy 70, Falun, WI with money awarded through Wisconsin DNR Site Assessment Grants (SAG) - Round 6 (2005). I have included with this letter information about the SAG - Round 10 process. Please be aware that you are eligible to apply for additional SAG money which could be used for to further the investigation at the Hedlund DX site.

If you have any questions regarding the SAG program or would like to schedule a meeting to discuss opportunities available to Burnett County, please contact Danielle Wincentsen at 715-623-4190 ext. 3126 or myself 715-365-8985.

Sincerely,

Jill Zalesny
Bureau of Remediation and Redevelopment



State of Wisconsin \ DEPARTMENT OF NATURAL RESOURCES

Jim Doyle, Governor
Matthew J. Frank, Secretary
John Gozdzialski, Regional Director

Antigo Service Center
223 E. Steinfest Rd
Antigo, Wisconsin 54409
Telephone 715-623-4190
FAX 715-623-8773
TTY Access via relay - 711

WI DNR Site Assessment Grants – Round 10

Greetings:

The Department of Natural Resources – Remediation and Redevelopment Program - is proud to announce that the Brownfield Site Assessment Grant (SAG) program once again has money available to help local governments jump start the investigation of Brownfields in their communities. Small grants range from \$2,000 to \$30,000 and large grants range from \$30,000 to \$100,000. These grants can help you determine the environmental status of known or suspected contaminated properties and address some of the environmental issues associated with the properties in your community, whether privately or publicly owned, through:

- environmental assessments
- investigation of contaminants
- demolition of derelict structures
- removal of asbestos (with demolition)
- removal of abandoned containers and underground storage tanks

Since 1999, DNR has awarded \$13.3 million to 398 applicants in 187 communities for work on 1,400 acres of land. The smallest community to receive a grant had a population of 198!

Applications are due November 3, 2008

Our application form and instructions are available at <http://dnr.wi.gov/org/aw/rr/rbrownfields/sag.htm>. Be sure to use the round 10 application form and instructions. You can also contact DNR to have the forms mailed to you. ***Remember: each applicant can use their bonus points once each for a large and small grant application!***


I have provided you some information to help you determine the eligibility of applicants, sites, funding and match requirements.

If you have questions regarding the SAG program or how to apply it to a specific project, please don't hesitate to contact:

John Sager: John.Sager@Wisconsin.gov, 715-365-8959 or
Danielle Wincentzen: Danielle.Wincentzen@Wisconsin.gov, 715-623-4190 ext 3126

We are also available to meet with your community to discuss other Brownfields assistance programs and liability protection for local government units anytime!

Thanks for your time and consideration.



State of Wisconsin \ DEPARTMENT OF NATURAL RESOURCES

Jim Doyle, Governor
Scott Hassett, Secretary
John Gozdziński, Regional Director

Northern Region Headquarters
107 Sutliff Ave.
Rhinelander, Wisconsin 54501-3349
Telephone 715-365-8900
FAX 715-365-8932
TTY Access via relay - 711

October 17, 2008

Mr. Robert Anderson
Bob's Service Station
10531 Hwy 70
Siren, WI 54872

Subject: Status Update for Petroleum Release at Bob's Service Station
(BRRTS # 03-07-000148)

Dear Mr. Anderson,

This letter is to inform you that I am now the Wisconsin Department of Natural Resources (Department) Project Manager for Bob's Service Station, an open petroleum contaminated site located at 10531 Hwy 70, Falun, WI. This letter is also a notice and reminder of your responsibility to investigate, remediate and seek closure for the known contamination at this property.

Upon a review of our files, I understand Ayers Associates finalized a remedial investigation report for you in May, 1996. Since that time Department staff have contacted you, but we have not received additional information regarding work conducted at your site. For your review, I have attached a copy of two letters sent to you by Chris Saari, Department Hydrogeologist, in June, 1996. In response to my letter, I request you send information regarding the excavation and treatment of contaminated soil from the former UST location, proposed by Ayers Associates and supported by Mr. Saari, plus any other clean-up activities conducted at your site.

Please keep in mind, the Department believes you to be the responsible party for this clean-up under s. 292.11(3) Wis. Statutes which states:

A person who possesses or controls a hazardous substance which is discharged or who causes the discharge of a hazardous substance shall take the actions necessary to restore the environment to the extent practicable and minimize the harmful effects from the discharge to the air, lands, or waters of this state.

At this time the Department is requesting an update in writing as to the status of your investigation and clean-up efforts. Please mail this information to Jill Zalesny, Wisconsin Department of Natural Resources, 107 Sutliff Avenue, Rhinelander, WI 54501 before November 5, 2008.

If you have questions concerning this letter please call me at 715-365-8985.

Sincerely,

Jill Zalesny
Bureau of Remediation and Redevelopment

cc: File
✓ Dave Blair
Ayer Associates

Zalesny, Jill A - DNR

From: Wincentsen, Danielle A - DNR
Sent: Monday, April 07, 2008 9:58 AM
To: Zalesny, Jill A - DNR
Subject: RISK

Here is a Risk Description that I encourage people to hang on their bulletin boards.

Now I can put down 2 seconds for training:-)

RISK: Risk factors apply only to **petroleum** discharges from **underground and above-ground tank systems**, and are used to determine agency jurisdiction. Consultants send site investigation reports for sites with low and medium risk factors to the Department of Commerce for review. Jurisdiction for high risk sites, as well as for all sites where petroleum tank discharges are co-mingled with other contaminants, remains with the Department of Natural Resources. Risk factors are defined in s. NR 746.03, Wis. Admin. Code, and summarized here:

- confirmed contamination in a water supply well **above PAL**
- confirmed free petroleum product with a thickness of .01 feet or more,
- GW contamination **above ES** within 1000 ft of a **public** well
- GW contamination **above ES** within 100 feet of any other water supply well
- GW contamination **above ES** in fractured bedrock.

High Risk = any of the above are present

Medium Risk = GW contamination (of any level)

Low Risk = Soil only

N/A = other than UST/AST petroleum contamination

A comingled plume is NOT a high risk factor. It is not a risk factor at all. A site can be ranked as Med or Low risk but you also have to inform me that there is a co-mingled plume.

Case Number 03-07-000140	Case Title Bob's Service Station
Activity Bob Anderson	Date of Activity 5/15/08 - left message

Narrative

Bob's - Service + Towing

689-7445

10 545 State Rd 70 -

Bob Anderson - Home

10531 State Road 70


Siren, WI 5872-8551

715 689-2584

→ left message w/ Bob JR?

5/16/08 - spoke w/ Bob SR. Discussed site with Bob. He does not plan on doing anything at his site. He says nobody else is, so why should he. I discussed PERPA concerns also.

Reporting Phyllis E. Rhel	Date of Report 5/16/08	Exhibit Reference
------------------------------	---------------------------	-------------------



State of Wisconsin \ DEPARTMENT OF NATURAL RESOURCES

Jim Doyle, Governor
Scott Hassett, Secretary
John Gozdziński, Regional Director

Northern Region Headquarters
107 Sutliff Ave.
Rhinelander, Wisconsin 54501-3349
Telephone 715-365-8900
FAX 715-365-8932
TTY Access via relay - 711

March 27, 2006

Mr. Robert Anderson
10531 STH 70
Siren, WI 54872

Subject: Bob's Service Station, 10531 STH 70, Falun, WI
BRRTS # 03-07-000148

Dear Mr. Anderson:

A recent review of the file for the above-reference case has been completed by Remediation and Redevelopment program staff. The file contains no recent information about the investigation and/or clean up of the site. NR 706.17 states:

"The owner or operator of every UST system for which a response action has been taken to respond to the discharge of a hazardous substance that is related to the UST system shall annually report to the department on the status of all response activities undertaken to restore the environment to the extent practicable and to minimize the harmful effects to the environment of the discharge from the UST system. This annual report shall be on a form supplied by the department, and shall be submitted by June 30th of each year, until the case has been closed by the department in accordance with ch. NR 726."

Within 15 days of the date of this letter, you or your consultant must provide a written response to the Department indicating what specific work has been completed at the site. Please include copies of all samples analyses completed, monitoring wells installed, or other documentation as appropriate. Failure to provide the requested information may result in further enforcement actions.

Please call me if you have any questions at 715-365-8990.

Sincerely,
NORTHERN REGION

Janet Kazda
Remediation and Redevelopment Program

→ c: File
Phil Richard, Park Falls



State of Wisconsin \ DEPARTMENT OF NATURAL RESOURCES

Tommy G. Thompson, Governor
George E. Meyer, Secretary
William H. Smith, District Director

Brule Area Headquarters
6250 South Ranger Road
P.O. Box 125
Brule, WI 54820-0125
TELEPHONE 715-372-4866
TELEFAX 715-372-4836

June 21, 1996

FILE COPY

MR ROBERT ANDERSON
10531 STATE ROAD 70
SIREN WI 54872

Re: Petroleum Contamination at Bob's Service Station (NWD LUST Case #07-00148),
10545 STH 70, Village of Falun, Burnett County, Wisconsin

Dear Mr. Anderson:

I am writing to summarize the meeting we had on June 19, 1996 regarding the status of the cleanup at the above mentioned site. Hopefully, our discussion clarified your options for receiving reimbursement through the PECFA program, as well as your responsibilities to address the contamination from the former underground storage tanks (USTs) on your property.

During our meeting, I explained that your site was ranked as a "High priority" by the Department due to its proximity to the contaminated drinking water well at Andy's Bait Shop. I further explained that, based on my review of Ayres Associates' *Remedial Investigation* report, you have substantially defined the degree and extent of soil contamination from your former USTs. I informed you that the next step in this process would be to have your consultant prepare and submit a remedial action plan (RAP) to address the soil contamination. Once the RAP has been submitted, you would be eligible to file a Form 4-A application for reimbursement from PECFA, for completion of the site investigation/proposed remedial action milestone. This application should also allow you to be reimbursed for the emergency actions taken by Bay West in response to the spill which occurred here during the tank removals. However, as I pointed out in my June 7, 1996 letter to you and again yesterday, once the Form 4-A application for the site investigation/proposed remedial action milestone is filed, you may not be eligible for reimbursement of additional investigative activities, such as monitoring well installation and sampling, because the Form 4-A certifies that the site investigation has been completed. Finally, I explained that you would not be required to excavate and treat or dispose of the contaminated soil prior to filing this application; excavation and treatment of the soil would be reimbursed under the next PECFA application, for the remedial action milestone.


We also discussed the contamination on your property in relation to the known soil and groundwater contamination at the abandoned service station directly west of your property. Based on your consultant's investigation, it appears that contamination from the abandoned property may have migrated onto your property. Although the Department has the option to use our enforcement authority to bring about the necessary cleanup of the abandoned station, you informed us that due to the financial status of the property's owner, it is unlikely that the owner would be able to proceed with a cleanup. However, it is still your responsibility to complete the cleanup of contamination from your former USTs, regardless of the progress of the cleanup at the abandoned station. As we discussed, it may be possible for you to obtain closure of your site if you complete the remediation of soil contamination from your USTs. This would probably involve excavating and treating or disposing of the contaminated soil which was identified by Ayres Associates.

Mr. Robert Anderson - June 21, 1996

2

I hope our meeting helped to clarify some of the issues involved with cleaning up your site. If you feel that the above summary left out something from our discussion, or if you have any other questions, please write or call me at 715/372-4866.

Sincerely,

A handwritten signature in cursive script, reading "Christopher A. Saari". The signature is written in dark ink and is positioned below the word "Sincerely,". There is a faint red stamp in the background that reads "FILE COPY".

Christopher A. Saari
Hydrogeologist

cc: Gary LeRoy - DNR Spooner
Jan Smit - Ayres Associates, PO Box 1590, Eau Claire, WI 54702-1590



State of Wisconsin \ DEPARTMENT OF NATURAL RESOURCES

Tommy G. Thompson, Governor
George E. Meyer, Secretary
William H. Smith, District Director

Brule Area Headquarters
6250 South Ranger Road
P.O. Box 125
Brule, WI 54820-0125
TELEPHONE 715-372-4866
TELEFAX 715-372-4836

June 7, 1996

FILE COPY

MR ROBERT ANDERSON
10531 STH 70
SIREN WI 54872

Re: Petroleum Contamination at Bob's Service Station (NWD LUST Case #07-00148),
10545 STH 70, Village of Falun, Burnett County, Wisconsin

Dear Mr. Anderson:

On May 25, 1996, the Department received the *Remedial Investigation* report, prepared for the above named site by Ayres Associates and dated May 1996.

After reviewing the report, it appears that the investigation of soil contaminants has been substantially completed. However, the Department wishes to point out that, per ss. NR 708.09 (2) and NR 716.07 (4), Wis. Adm. Code, the potential for groundwater contamination resulting from the two underground storage tanks removed from this site in July 1993 may not have been adequately addressed. It is difficult to determine from your consultant's investigation whether contaminated soil here is in contact with, or has the potential to impact, groundwater. We also wish to point out that the longer you delay the remediation of the contaminated soil which exists in the former tank basin on your property, the more likely it will become that these contaminants will reach groundwater. You should note also that PECFA program staff may raise these same issues if you submit your Form 4-A application for reimbursement for the site investigation/remedial action plan milestone. If the claim is approved by PECFA, it is possible that any investigative activities performed after that point would be ineligible for reimbursement.

Based on the potential involvement of this site in the contamination detected in the drinking water well at Andy's Bait Shop in 1981, the Department has ranked your site as a "High priority". However, due to current workload and staffing levels, we will be unable to provide you with continuing oversight on this project. You should therefore proceed with the necessary investigative and remedial activities under the guidelines of the "Notice to Proceed" letter issued to you on December 15, 1994. If you have any questions concerning this letter or the project in general, please do not hesitate to write or call me at 715/372-4866.


Sincerely,

Christopher A. Saari
Hydrogeologist

cc: Jan Smit - Ayres Associates



May 23, 1996



Mr. Christopher A. Saari, Hydrogeologist
Wisconsin Department of Natural Resources
Route 2, Box 125
Brule, Wisconsin 54820

Re: Remedial Investigation Report
Bob's Service Station
Falun, Wisconsin
NWD LUST ID No. 148

Dear Mr. Saari:

The enclosed remedial investigation report documents the completion of work at Bob's Service Station as proposed in the remedial investigation work plan dated April 26, 1994, and the work plan addendum dated December 13, 1994. This report, together with supporting cost information, will be submitted to the Wisconsin Department of Industry, Labor, and Human Relations (DILHR) for cost reimbursement to the owner under the Wisconsin Petroleum Environmental Cleanup Fund Act (PECFA).

Soil contamination has been defined at the site. An evaluation of the remediation alternatives and opinions of their probable costs are included in this report. We recommend that the contaminated soil be excavated and hauled for disposal. We also recommend that this excavation be conducted on or after such time that the remediation of petroleum contamination from the Hedlund property is conducted. If Mr. Anderson remediates the contamination caused by his USTs before the Hedlund contamination is remediated, the Hedlund contamination could possibly spread into the clean backfill on Mr. Anderson's property.

If you have any questions, please contact either Jan Smit or me at (715) 834-3161. We look forward to your review.

Sincerely,

Owen Ayres & Associates, Inc.

Joseph F. Hoeme, E.I.T.
Environmental Engineer

JFH:cal

Enclosure

cc: Robert Anderson

PHONE CONVERSATION RECORD

DATE: 5/5/95
TIME: 1400 hrs.

CONVERSED WITH: Jan Smit / Bob Anderson
Ayres Assoc.

SUBJECT/PROJECT: Bob's Service Station

UNIQUE ID#.: LI # 148

Anderson called to ask me why Ayres was planning to install MW's. I explained to Anderson that I didn't see MW's in the work plan. Anderson was very upset with the whole process. Anderson asked me to call Jan Smit to clarify this work plan.

I then called Jan Smit. Smit said that he had spoken w/Anderson after I did; Smit explained that MW's were not part of the Work Plan. Smit also said that Anderson agreed to do the additional work, will sign the proposal soon. Smit offered to check banks to find additional PECFA financing; Anderson said his bank would approve additional financing.

Signature: Christopher D. Liao
(please write legibly)

PHONE CONVERSATION RECORD

DATE: 5/5/95
TIME: 1240 hrs.

CONVERSED WITH: Jan Smit
Ayres Assoc.
715/831-7656

SUBJECT/PROJECT: DeMeyer's Service LU#405
Bob's Service Station - Falm LU#148

UNIQUE ID#.: _____

Told Smit to prepare a short addendum to Close Out Form for the 6/6/95 Close Out Meeting. Smit also mentioned that DeMeyer was thinking of razing building; supposedly, DeMeyer had previously removed hydraulic piston and tank from Service bay. Smit wondered whether sampling would be required in this area. I told Smit that DeMeyer should only sample here if contamination was evident.

Bob's Service -

Told Smit that, after reviewing Work Plan, I didn't see any of the investigation that could be reduced/deleted from the Work Plan. Smit said he would contact Bob Anderson, try to convince Anderson to pursue additional PECFA financing. I told Smit that I hoped Anderson wouldn't decide to wait for a possible State-lead project @ Hedlund's next door, because Anderson may have to wait a long time.

Signature: Christopher L. Larr
(please write legibly)

3/27/95 0900 hrs

Jan Smit, Nyres Assoc. 715/831-7656

Re: Bob's Service, Falun #148

~~Emergency Action Denied~~

- DILHR denied Emergency Action for spill, because action was not approved in writing by DILHR. DILHR said RP can add those costs to regular claim
- Smit said he is faxing me copies of ILHR 47 (pertinent section); Smit was wondering if it would help for me to call Ron Britsbois @ PECA.

Smit also mentioned that RP (Anderson) may just decide to quit cleanup.

-5-

(11) "Discharge" means for the purposes of this chapter, spilling, leaking, pumping, pouring, emitting, or emptying. A discharge as a result of dumping is ineligible for a PECFA award.

(12) "DNR" means the Wisconsin department of natural resources.

(13) "Emergency" means a situation which requires an immediate response to protect health, safety or the environment. Simple removal of contaminated soils or financial hardship are not considered emergencies.

(14) "Entity" means any of the following:

(a) A person owning a home oil tank system;

Post-It™ brand fax transmittal memo 7671		# of pages > 3
To	Chris Saari	From
Co.	W DNR	Co.
Dept.	Brule	Phone #
Fax #	715-372-4836	Fax #
3/27/95		715-831-7500

ers compensation insurance

dependent of any other business ogram.

tal cleanup fund administered

th

Chris- you may want

No
gr
an
on
us

to discuss this
w. Bob Anderson
when you see him
on Tues., 3/28/95

s.

Jan

unc
to

ie conscious or reckless disregard for
ions or inactions.

meaning as under s. ILHR 10.01(43).

heating oil as petroleum that is No. 1,
-light, No. 5-heavy, and No. 6 technical
oils, including Navy Special Fuel Oil
kerosene when used as substitutes for
g purposes. Heating oil is typically
ment, boilers or furnaces.

ms" has the same meaning as under

ts., defines home heating oil as
for consumptive use on the premises
ng or dispensing system.

(19) "Investigation awards" means awards that are made for investigative activities when no discharge is found, if the owner, operator or person owning a home heating oil tank system has written direction from the department or DNR to conduct an investigation.

(20) "Occurrence" has the same meaning as under s. 101.143(1)(cs), Stats.

Note: Section 101.143(1)(cs), Stats., means a contiguous contaminated area resulting from one or more petroleum product discharges.

from 11/93 version of ILHR 97

-12-

ILHR 47.03 ADMINISTRATION. (1) FUND MANAGEMENT. As promulgated under s. 168.12, Stats., the department shall collect oil inspection fees to cover costs incurred by owners, operators or persons owning home oil tank systems for remediation of environmental pollution from petroleum product discharges. The department shall reserve a portion of this fund, not to exceed 20% of the amount annually appropriated under s. 20.445(1)(v), Stats., primarily for awards for emergency remedial actions and claims that exceed the claim amount initially anticipated. Any funds remaining in this segregated account at the end of the fiscal year may be used to make awards for other eligible claims.

(2) EMERGENCY AWARDS. The department may, after determining that an emergency exists, make an award in advance of claims received prior to the emergency claim. The finding of an emergency shall be made based upon an immediate need to protect human health, safety and the environment. The finding of an emergency may not be based upon financial hardship of the responsible party or its agent. A determination that no emergency exists may not be appealed to the department.

Subchapter II—Program Eligibility

ILHR 47.10 INITIAL CLAIM ELIGIBILITY. (1) GENERAL. (a) Responsible parties. Responsible parties may submit claims to the department, as specified under s. 101.143(4), Stats., for reimbursement of eligible costs incurred because of a petroleum product discharge or discharges from a petroleum product storage system or home oil tank system.

1. If a responsible party is not the sole owner of the site, an Owner Assignment Certification form (SBD-8079) must be filed with the department to establish one entity to submit the claim and receive the award under the scope of this chapter.

2. The responsible party, owner or operator, agent or an assignee, as established in subd. 1, may submit a claim if all of the following are performed:

a. Documentation that the source of a discharge or discharges is from a petroleum product storage system or home oil tank system;

b. Notification to the department, before conducting a site investigation or remedial action activity, of the potential for submitting a claim under this chapter, except in emergency situations as provided under s. 101.143(3)(g), Stats.;

c. Registration of the petroleum product storage system or the home oil tank system with the department under s. 101.09, Stats.;

d. Report of the discharge in a timely manner to the division of emergency government in the department of military affairs or to the DNR, according to the requirements under s. 144.76, Stats.;

e. Investigation of the degree and extent of environmental damage caused by the discharge from a petroleum product storage system or home oil tank system;

-32-

(3) PRIORITY PROCESSING. (a) Emergency remediations. The department may, after determining that an emergency exists, make an award in advance of claims received prior to the emergency claim. The finding of an emergency shall be made based upon an immediate need to protect human health, safety and the environment. The finding of an emergency may not be based on financial hardship or indigence of the responsible party or agent. The department shall be the sole determiner of whether an emergency exists and an appeal of the decision to the department is not allowed.

(b) Cost-effective remediations. If a responsible party is able to complete a remediation, at least up to the point of long-term monitoring or where passive bio-remediation is approved by the DNR, and the total costs incurred are equal to or less than \$50,000, the claim may receive priority processing. Claims received under this provision may be processed and awards made before other complete claims, except for claims as described in par. (a).

ILHR 47.36 THIRD-PARTY CLAIMS. (1) GENERAL. A responsible party may file a claim with the department for the reimbursement of an amount paid to third parties for personal injury to another individual or off-site property damage associated with a petroleum product discharge from an underground petroleum product storage tank system within the scope of this chapter. The existence of these claims shall be made known to the department, by the responsible party, no later than 30 calendar days from the date that they knew or could have reasonably have been expected to have known of the occurrence of the injury or personal property loss. Rules established by the office of the commissioner of insurance, as specified in s. Ins 6.35, concerning ineligible costs for third-party claims shall apply.

(2) THIRD-PARTY COMPENSATION FOR UNDERGROUND STORAGE TANKS. Costs incurred from environmental pollution and remediation actions, including compensation to third parties for property damage and individual bodily injury, may be deemed eligible costs as specified in s. ILHR 47.30(1).

Note #1: Liabilities which are excluded from coverage in liability insurance policies for bodily injury and liabilities which are excluded in liability insurance policies for property damage, for the purpose of this chapter, are defined by the state of Wisconsin commissioner of insurance, as specified in s. Ins 6.35, as required in s. 101.143(1m), Stats.

Note #2: If a person conducts a remedial action activity for a discharge from a petroleum product storage tank system or home oil tank system, whether or not the person files a claim under this chapter, the claim and remedial action activity conducted are not evidence of liability or an admission of liability for any potential or actual environmental pollution, as specified in s. 101.143 (7)(b), Stats.

Note #3: The owner or operator of an underground petroleum product storage system eligible for an award under the scope of this chapter, shall notify the department in writing of any action by a third party against the owner or operator for compensation. The department may intervene in any third-party actions against an owner or operator of an underground petroleum product storage tank system for compensation for bodily injury or property damage. The department of justice may assist the department in this intervention.

PHONE CONVERSATION RECORD

DATE: 2/23/95
TIME: _____

CONVERSED WITH: Bob Anderson
Fallen
715/689-2445 (8am - 5:30pm)

SUBJECT/PROJECT: ~~Let's Vanner property purchase~~
Bob's Service

UNIQUE ID#.: _____

Anderson told Ayres to stop doing any more work until
Anderson talks w/DNR.

Anderson feels that Ayres is "mucking" the project. Ayres
sent Anderson a bill for 8 hrs. to prepare a letter for the
DNR.

^{was}
~~Bob~~ Anderson ~~had~~ many complaints about the cleanup process.

Told him I'd try to meet w/him week of 3/6/95

Signature: _____

(please write legibly)

PHONE CONVERSATION RECORD

DATE: 1/25/95
TIME: 1515 hrs

CONVERSED WITH: Tam Smit
Hydrex Assoc.
715/831-7656 (7650?)

SUBJECT/PROJECT: Bob's Service Station - Falun

UNIQUE ID#.: M # 148

Smit said he talked w/ Bob Anderson (owner), bank won't approve much more for PEFA loan.

SNR hired BayWest to respond to spill, bill came to ~\$6,000, Anderson then paid us back. Tom K. told Smit that he would approve Form 4 for emergency action.


Smit mentioned that Anderson told him he's getting ready to retire, may decide to walk away from property.

12/13/94 SI WP → Horsch sent NTP

Neighbor (Hedlund) apparently abandoned his station, Anderson said contamination is migrating onto his property from Hedlund's property. Anderson wants to see if there is any way to cut corners on SI. — Smit asked me to review WP

Signature: _____

(please write legibly)



State of Wisconsin \ DEPARTMENT OF NATURAL RESOURCES

NORTHWEST DISTRICT HEADQUARTERS

P.O. Box 309

STH 70 West & First Street

Spooner, Wisconsin 54801

TELEPHONE 715-635-2101

TELEFAX 715-635-4260

December 20, 1994

Ayres Associates
3433 Oakwood Hills Pkwy
Eau Claire, Wi 54701

Burnett

Attn: Terry Hazelton

Per your request I have attached a copy of a check made payable to Baywest for work performed on emergency spill #SP840 at Bob's Service Station, Falun Wi. I have also attached copies of our Purchase Order NKD-85327 which authorizes the work to be performed and our voucher requesting payment.

I hope these copies are what you need. Please call if you need further assistance.

Sincerely,

Christopher D. Wilmot

Christopher D. Wilmot
Purchasing Agent - DNR NWD

attach;
cc: Jim Hosch - DNR CBL

To →

RECEIVED
DEC 20 1994
CUMMINGS AND
APLH HQ.



VOUCHER NO.

INVOICE VOUCHER

Form 9300-11

Rev. 8-91

State of Wisconsin

DEPARTMENT OF NATURAL RESOURCES

Our Order No.

Vendor's Invoice No.

Vend. Inv. Date

Gross Amount

Description of Transaction (35 characters)

EMERGENCY RESPONSE - SP840

Additional Description of Transaction - Optional

BAYWEST
5 EMPIRE DRIVE
ST. PAUL, MN 55103-1867

NKD 85327

00080042

11/11/93

\$6,474.58

Checkbook Description

SOLID WASTE

Total Gross Amount

\$6,474.58

Less: Cash Discount

Date Prepared

11/28/93

Date Due

12/18/93

Net Remittance

\$6474.58

EXPENDITURE INFORMATION

LIQUIDATING INFORMATION

E-Date MMYY	Check Book	Sub Unit	PMN	L	Class	Amount	Check Book	Sub Unit	PMN	L	Class	Reference	P/F	Amount
1193	SW62	ERP	SP840	S	3301	\$6,474.58						85327	F	
Total						\$6,474.58	Total							

I authorize payment for the materials and/or services claimed from the funds indicated above.

Signature

GERALD STAIR

Title

FIN. SUPV.

Other Approvals/Date

Audited pursuant to Chapter 16 of the Wisconsin Statutes and allowed in accordance with the provisions of Chapter 20 as shown above. Certified to the State Treasurer payable from fund shown above. Materials and/or services claimed certified as having been received or delivered.

Carol D. Besa
Secretary, Wisconsin Department of Natural Resources

Audited
District

Date

11/28

☐ SD☐ SE☐ LM☐ WD☐ NC☒ XNW

Audited

Finance

Date

FIELD/BUREAU

PHONE CONVERSATION RECORD

DATE: 12-19-94
TIME: 8:40

CONVERSED WITH: Bob Anderson

SUBJECT/PROJECT: Bob's Service

UNIQUE ID#.: _____

Anderson called w/ complaint regarding
DOT installed drain tile. Anderson stated
that DOT removed soil which was
contaminated up to their property line
then installed drain tile. Anderson
feels that site is leaching water (Hedlands)
into drain tile which is then going
into Wood River Creek.

Signature: _____

(please write legibly)

PHONE CONVERSATION RECORD

DATE: 12-19-94
TIME: 8:50

CONVERSED WITH: Bobo Anderson


SUBJECT/PROJECT: Bob's Service

UNIQUE ID#.: _____

Hosch sented that notice to proceed
issued, which allows them to go
forward with proposals.

Signature: _____

(please write legibly)



State of Wisconsin \ DEPARTMENT OF NATURAL RESOURCES

Cumberland Area Headquarters

December 15, 1994

Mr. Robert Anderson
Bob's Service Station
10531 State Road 70
Siren, WI 54872

P.O. Box 397
1341 2nd Ave.
Cumberland, WI 54829
Telephone 715-822-3590
Telefax 715-822-3592
NWD ID No.: 148

RE: Bob's Service Station - Falun, Rt. 1, Hwy 70, Daniels, Burnett, Wisconsin

Dear Mr. Anderson:

The Department has received the report titled "Work Plan Addendum" prepared by Owen Ayres & Associates, Inc., dated December 13, 1994. Currently, workload and staffing levels do not allow us to provide you with direct oversight at this time.

This letter serves as your "Notice to Proceed" with investigation and remediation of the site. All actions must comply with all applicable statutes, program guidance, standards and Administrative Rules. This letter is not an approval of your work plans and/or reports. They will be filed as public records until the Department is able to review them, or until site remediation is completed.

In order to assist you and your consultant in understanding what is required by the Department, I have attached a Remedial Investigation Checklist for your reference. This checklist was prepared by the Department as a summary of what needs to be done, the rules that need to be followed, and the standards which need to be met for complete assessment of a Leaking Underground Storage Tank (LUST) site. Wisconsin Administrative Codes NR 700 through NR 728 establish requirements for interim actions, public information, site investigations, design and operation of remedial action systems, and case closure. Wisconsin Administrative Code NR 140 establishes groundwater standards. Any samples, soil and/or groundwater, should be analyzed according to the parameters in the LUST Analytical Guidance publication. It is very important that your consultant understand and meet the standards established by the Department; however, you, as the responsible party, are ultimately responsible for the investigation and remediation that is required at your site, according to section 144.76, Wisconsin Statutes. Failure to follow guidance may result in delays when the site is reviewed for closure or reimbursement from PECFA.

The Department will continue to review soil disposal applications as they are submitted. Any well construction variances or WPDES permits, if applicable, should be obtained prior to construction, disposal or discharge. PECFA progress payment requests, along with necessary reports or closure documents, can still be submitted for review.


Effective the date of this letter, every 90 days, you or your consultant should provide the Department with a brief status report of one or two pages, providing an update on site activities and your proposed schedule. The Department should be notified immediately of any emergency actions and follow them up with a report. As workload and staff levels are adjusted, the status of this case may be changed and we may be able to review your consultant's work for completeness and acceptability. You will be informed, in writing, if the site status is changed.

If you are interested in obtaining the protection of limited liability under s. 144.765, Stats., please contact Mark Giesfeldt at (608) 267-7562 or Darsi Foss at (608) 267-6713, in the Department of Natural Resources' Madison office for more information. The liability exemption under s. 144.765, Stats., is available to persons who meet the definition of "purchaser" in s. 144.765 (1)(c) and receive Department approval for the response actions taken at the property undergoing cleanup. The Department will determine eligibility for this program on a case-by-case basis, prior to the "purchaser" developing a scope of work for conducting a ch. NR 716 site investigation at the property.

The Department will review your case when the full extent of contamination has been determined and appropriate clean-up has occurred.

If you should have any questions, please feel free to contact our office at 715/822-3590.

Sincerely,



James A. Hosch
Hydrogeologist

JAH:lml

cc: Joseph Hoeme - Owen Ayres & Associates, Inc., P.O. Box 1590, Eau Claire, WI 54702
Tom Kendzierski - DNR Spooner

P 837 892 082

Diase



Receipt for Certified Mail

No Insurance Coverage Provided
Do not use for International Mail
(See Reverse)

Sent to

Robert Anderson
Bob's Service Station

Street and No.

10531 State Rd 70

P.O., State and ZIP Code

Siren, WI 54872

Postage

\$29

Certified Fee

1.00

Special Delivery Fee

Restricted Delivery Fee

Return Receipt Showing
to Whom & Date DeliveredReturn Receipt Showing to Whom,
Date, and Addressee's Address

1.00

TOTAL Postage
& Fees

\$2.29

Postmark or Date

Sent 7-20-94

**STICK POSTAGE STAMPS TO ARTICLE TO COVER FIRST CLASS POSTAGE,
CERTIFIED MAIL FEE, AND CHARGES FOR ANY SELECTED OPTIONAL SERVICES (see front).**

1. If you want this receipt postmarked, stick the gummed stub to the right of the return address leaving the receipt attached and present the article at a post office service window or hand it to your rural carrier (no extra charge).
2. If you do not want this receipt postmarked, stick the gummed stub to the right of the return address of the article, date, detach and retain the receipt, and mail the article.
3. If you want a return receipt, write the certified mail number and your name and address on a return receipt card, Form 3811, and attach it to the front of the article by means of the gummed ends if space permits. Otherwise, affix to back of article. Endorse front of article **RETURN RECEIPT REQUESTED** adjacent to the number.
4. If you want delivery restricted to the addressee, or to an authorized agent of the addressee, endorse **RESTRICTED DELIVERY** on the front of the article.
5. Enter fees for the services requested in the appropriate spaces on the front of this receipt. If return receipt is requested, check the applicable blocks in item 1 of Form 3811.
6. Save this receipt and present it if you make inquiry.

102595-93-B-0290

SENDER:

- Complete items 1 and/or 2 for additional services.
- Complete items 3, and 4a & b.
- Print your name and address on the reverse of this form so that we can return this card to you.
- Attach this form to the front of the mailpiece, or on the back if space does not permit.
- Write "Return Receipt Requested" on the mailpiece below the article number.
- The Return Receipt will show to whom the article was delivered and the date delivered.

I also wish to receive the following services (for an extra fee):

1. ☐ Addressee's Address

2. ☐ Restricted Delivery

Consult postmaster for fee.

3. Article Addressed to:

Robert Anderson
Bob's Service Station
10531 State Rd 70
Green, WI 54872
[Signature]

4a. Article Number

P 837. 892 082

4b. Service Type

- ☐ Registered ☐ Insured
☒ Certified ☐ COD
☐ Express Mail ☒ Return Receipt for Merchandise

7. Date of Delivery

5. Signature (Addressee)

8. Addressee's Address (Only if requested and fee is paid)

6. Signature (Agent)


UNITED STATES POSTAL SERVICE

Official Business

RECEIVED

JUL 22 1994
CUMBERLAND
AREA HQ.

PENALTY FOR PRIVATE
USE TO AVOID PAYMENT
OF POSTAGE, \$300



Print your name, address and ZIP Code here

Department of Natural Resources
P.O. Box 397
Cumberland, WI 54829

Alise



State of Wisconsin \ DEPARTMENT OF NATURAL RESOURCES

Cumberland Area Headquarters

July 19, 1994

Mr. Robert Anderson
Bob's Service Station
10531 State Rd. 70
Siren, WI 54872

P.O. Box 397
1341 2nd Ave.
Cumberland, WI 54829
Telephone 715-822-3590
Telefax 715-822-3592
File Ref: 148

CERTIFIED MAIL P837 892 082
RETURN RECEIPT REQUESTED

SUBJECT: **SECOND NOTICE** - Reimbursement of costs associated with the spill (PMN SP 840) in Falun, Wisconsin

Dear Mr. Anderson:

Enclosed is a copy of a Baywest invoice which details Department expenses associated with the containment of the Bob's Service Station spill in Falun, Wisconsin, on July 4, 1993. As the owner of the station you are responsible for the cleanup of this spill.

Utilizing its authority under s. 144.76, Stats. the Department contracted with Baywest to contain the spill at a cost of \$6,474.58.

Under s. 144.76(7) (b), Stats., the Department has the authority to recover all actual and necessary expenses incurred in carrying out its duties under s. 144.76, Stats. This letter, and the enclosed invoice, constitute the Department's second formal request for reimbursement of the costs associated with cleanup of the spill. **Please remit the amount due in a check payable to the Department of Natural Resources within 30 days of this letter.** Failure to respond will result in referral to the Department of Justice for collection of all costs incurred.

Your immediate attention to this matter would be greatly appreciated. You may contact me at 715-822-3590 if you have any questions.

Sincerely,


James Hosch, Hydrogeologist
Cumberland Area

JAH:dc

Enclosure

cc: Mr. Tom Kendzierski - Spooner
Ms. Kim McCutcheon - SW/3
Attorney Deb Johnson

Handwritten red text: \$6,474.58, 8/19/94, 11:00 AM, 10/19/94



State of Wisconsin \ DEPARTMENT OF NATURAL RESOURCES

Cumberland Area Headquarters

June 8, 1994

Robert Anderson
Bob's Service Station
10531 State Rd. 70
Siren, WI 54872

P.O. Box 397
1341 2nd Ave.
Cumberland, WI 54829
Telephone 715-822-3590
Telefax 715-822-3592
NWD ID NO.: 148

RE: Bob's Service Station - Falun, Rt 1, Hwy 70, Daniels, Burnett, Wisconsin

Dear Mr. Anderson:

This Notice to Proceed was originally sent on April 28, 1994, and returned to our office indicating that the forwarding authorization had expired. The address that was shown on the letter was Rt 1. Box 719.

The Department has received the report entitled Remedial Investigation Work Plan prepared by Ayres Associates, dated April 26, 1994. Currently, workload and staffing levels do not allow us to provide you with direct oversight at this time.

This letter serves as your "Notice to Proceed" with investigation and remediation of the site. All actions must comply with all applicable statutes, program guidance, standards and Administrative Rules. This letter is not an approval of your work plans and/or reports. They will be filed as public records until the Department is able to review them, or until site remediation is completed.

In order to assist you and your consultant in understanding what is required by the Department, I have attached a Remedial Investigation Checklist for your reference. This checklist was prepared by the Department as a summary of what needs to be done, the rules that need to be followed, and the standards which need to be met for complete assessment of a LUST site.

Your consultant should follow the Department's "Guidance for Conducting Environmental Response Actions" (PUBL SW-1577-92). All samples should be analyzed according to the parameters in the "Leaking Underground Storage Tank (LUST) and Petroleum, Analytical and Quality Assurance Guidance" (PUBL-SW-130-93). It is very important that your consultant understand and meet the standards established by the Department; however, you, as the responsible party, are ultimately responsible for the investigation and remediation that is required at your site, according to Wisconsin Statute 144.76. Failure to follow guidance may result in delays when the site is reviewed for closure or reimbursement from PECFA.

Any well construction variances or WPDES permits, if applicable, should be obtained prior to construction, disposal or discharge. PECFA payment requests, along with necessary reports or closure documents, can still be submitted for review upon completion of milestones as detailed in ILHR 47 or as provided by s. ILHR 47.35(2)(b). Form 4's received by this office will be processed in order of the date that they were received.

Effective the date of this letter, every 90 days, you or your consultant should provide the Department with a brief status report of one or two pages, providing an update on site activities and your proposed schedule. The Department should be notified immediately of any emergency actions and follow them up with a report. As workload and staff levels are adjusted, the status of this case may be changed and we may be able to review your consultant's work for completeness and acceptability. You will be informed, in writing, if the site status is changed.

If you are interested in obtaining the protection of limited liability under s. 144.765, Stats., please contact Mark Giesfeldt at (608) 267-7562 or Darsi Foss at (608) 267-6713, in the Department of Natural Resources' Madison office for more information. The liability exemption under s. 144.765, Stats., is available to persons who meet the definition of "purchaser" in s. 144.765 (1)(c) and receive Department approval for the response actions taken at the property undergoing cleanup. The Department will determine eligibility for this program on a case-by-case basis, prior to the "purchaser" developing a scope of work for conducting a ch. NR 716 site investigation at the property.

The Department will review your case when the full extent of contamination has been determined and appropriate clean-up has occurred.

If you should have any questions, please feel free to contact our office at 715/822-3590.

Sincerely,



James A. Hosch
Hydrogeologist

JAH:dc

Attachment: Remedial Investigation Checklist

cc: Susan J. Vasey, Ayres Associates, PO Box 1590, Eau Claire, WI 54702-1590
Tom Kendzierski - DNR Spooner

PHONE CONVERSATION RECORD

DATE: 5-9-94
TIME: 2:58

CONVERSED WITH: Sue Vasey
Mrs. Asfor

SUBJECT/PROJECT: Bobs Falun

UNIQUE ID#.: _____

Vasey stated that new guidance requires analysis of Dichlorobenzene. Vasey asked Horsch if she needed to submit plans or if she could just submit addendums to her bill. Horsch stated that she could just submit bill. Vasey stated that they would call in septic hauler to pump out excavation on site, and that she would call to notify Horsch of site activities.

Signature: _____

(please write legibly)

State of Wisconsin



CUMBERLAND

54829-0397

DEPARTMENT OF NATURAL RESOURCES
BOX 397




Printed on
Recycled Paper



RETURN TO
SENDER
AUTHORIZED TIME FOR FORWARDING
HAS EXPIRED. THE ADDRESSEE'S
LAST KNOWN ADDRESS IS:
UNKNOWN
INDICATED BELOW

[Handwritten signature]

10531 State RD 70
SIREN, WI. 5348



State of Wisconsin \ DEPARTMENT OF NATURAL RESOURCES

Cumberland Area Headquarters

April 28, 1994

Robert Anderson
Bob's Service Station
Rt 1, Box 719
Siren, WI 54872

P.O. Box 397
1341 2nd Ave.
Cumberland, WI 54829
Telephone 715-822-3590
Telefax 715-822-3592
NWD ID NO.: 148

RE: Bob's Service Station - Falun, Rt 1, Hwy 70, Daniels, Burnett, Wisconsin

Dear Mr. Anderson:

The Department has received the report entitled Remedial Investigation Work Plan prepared by Ayres Associates, dated April 26, 1994. Currently, workload and staffing levels do not allow us to provide you with direct oversight at this time.

This letter serves as your **"Notice to Proceed"** with investigation and remediation of the site. All actions must comply with all applicable statutes, program guidance, standards and Administrative Rules. This letter is not an approval of your work plans and/or reports. They will be filed as public records until the Department is able to review them, or until site remediation is completed.

In order to assist you and your consultant in understanding what is required by the Department, I have attached a Remedial Investigation Checklist for your reference. This checklist was prepared by the Department as a summary of what needs to be done, the rules that need to be followed, and the standards which need to be met for complete assessment of a LUST site.

Your consultant should follow the Department's **"Guidance for Conducting Environmental Response Actions"** (PUBL SW-1577-92). All samples should be analyzed according to the parameters in the **"Leaking Underground Storage Tank (LUST) and Petroleum, Analytical and Quality Assurance Guidance"** (PUBL-SW-130-93). It is very important that your consultant understand and meet the standards established by the Department; however, you, as the responsible party, are ultimately responsible for the investigation and remediation that is required at your site, according to Wisconsin Statute 144.76. Failure to follow guidance may result in delays when the site is reviewed for closure or reimbursement from PECFA.

Any well construction variances or WPDES permits, if applicable, should be obtained prior to construction, disposal or discharge.

Mr. Robert Anderson

April 28, 1994

Page Two

PECFA payment requests, along with necessary reports or closure documents, can still be submitted for review upon completion of milestones as detailed in ILHR 47 or as provided by s. ILHR 47.35(2)(b). Form 4's received by this office will be processed in order of the date that they were received.

Effective the date of this letter, every 90 days, you or your consultant should provide the Department with a brief status report of one or two pages, providing an update on site activities and your proposed schedule. The Department should be notified immediately of any emergency actions and follow them up with a report. As workload and staff levels are adjusted, the status of this case may be changed and we may be able to review your consultant's work for completeness and acceptability. You will be informed, in writing, if the site status is changed.

The Department will review your case when the full extent of contamination has been determined and appropriate clean-up has occurred.

If you should have any questions, please feel free to contact our office at 715/822-3590.

Sincerely,



James A. Hosch
Hydrogeologist

JAH:d

Attachment: Remedial Investigation Checklist

cc: Susan J. Vasey, Ayres Associates, PO Box 1590, Eau Claire, WI 54702-1590
Tom Kendzierski - DNR Spooner

REMEDIAL INVESTIGATION CHECKLIST

This checklist was prepared by the Department of Natural Resources. It lists the necessary information to include in a remedial site investigation report for a Leaking Underground Storage Tank (LUST) site. If some of this information is not submitted the report should clearly state why it is omitted. More complete information regarding remedial site investigations is available in the Department's "Corrective Action Plan for the LUST Management Program".

The purpose of the remedial site investigation is to 1) define the extent and degree of contamination and 2) to provide a basis for choosing a remedial action alternative. The narrative portion of the investigation report should clearly identify these goals.

The Department strongly recommends that the remedial investigation report follow the sequence of information listed here. This will allow for a quick completeness check and more timely review of submittals. Incomplete reports will not be reviewed until all the necessary information has been received.

The following information should be included in the remedial investigation, (as appropriate to each case):

I. INTRODUCTION

- 1. Purpose
- 2. Client(s)
- 3. Author(s), with signatures
- 4. Scope of Services
- 5. Dates the work was performed
- 6. Date of report

II. BACKGROUND INFORMATION

A. Site History and Existing Conditions

1. Identify the owner/operator and/or person(s) responsible: (include all applicable)

- a. name
- b. address
- c. day phone number
- d. contact person (name)
- e. address
- f. phone number

2. Specify the site of contamination:

- a. name
- b. address (street address if applicable)
- c. phone number
- d. site description (1/4, 1/4, Section, Township, Range)
- e. specific location (street corner, miles from an intersection, etc)
- f. type of operation: gas station, tank farm, private residence, etc.

3. Site Location Map

- a. General Location Map
 - locate on a USGS topographic base map
 - locate on a plat map, if applicable
- b. Local: one map must be drawn to scale and include the following:
 - 1. scale
 - 2. North arrow
 - 3. legend
 - 4. location of (former) tank and pump islands and piping
 - 5. limits of excavation
 - 6. location of all soil borings and wells (monitoring wells and potable wells)
 - 7. locations of where PID screenings and lab confirmation samples were taken
 - 8. locations of public utilities, appropriately marked

- 9. property boundaries
- 10. nearby/neighbor structures and private wells (within map scale)
- 11. any nearby surface waters (within map scale)
- 12. location of all buildings on site
- 13. roads and paved areas

4. Site Background

- a. number of tanks
- b. volume of tanks
- c. tank contents, past and present
- d. tank age, installation dates
- e. tank construction materials
- f. leak detection
- g. general site construction history
- h. any past reports of spills, or other incidents
- i. records of testing, repair, removal or replacement, including dates
- j. periods of nonoperation
- k. type of operation, s.a. gas station, bulk plant, private, etc.
- l. proximity of sensitive sites s. a. schools, homes, private or public wells, etc.
- m. status of cleanup activities
- n. previous site activities
- o. other potential sources of contamination
- p. inventory record system data
- q. tank/line integrity testing
 - method
 - testing firm
 - dates
 - results

5. Description of Incident of Contamination

- a. type of substance spilled, lost
- b. approximate amount lost, spilled, etc.
- c. location of impact
- d. date of incident
- e. local problems associated with incident, s.a. vapors in homes, well contamination, etc.

6. Description of Tank and Soil Removal Activities

- a. description of soil conditions in the area of the tank excavation
- b. volume of (contaminated) soils removed from the excavation
- c. location of stockpiled contaminated soils
- d. type of impermeable base for stockpiled soils
- e. type of impermeable cover for stockpiled soils
- f. remediation method (to be) used for contaminated soil
- g. if excavation was backfilled, what was used as fill?
- h. if soils were disposed of, where and how were they used? (daily cover, buried waste, etc.)
- i. condition of tanks, lines, pumps? (corrosion, visible leaks, etc?)

B. Geologic and Hydrogeologic Setting

7. Geology

- a. types of bedrock, overlying soils
- b. thicknesses of various strata
- c. depth to bedrock
- d. geophysical characteristics
- e. soil types, variation
- f. geologic origins
- g. soil and geologic information references used
- h. other

8. Hydrogeology

- a. depth to water table
- b. flow directions
- c. horizontal and vertical gradients
- d. hydraulic characteristics:

- hydraulic conductivity, variation
- transmissivity
- storativity
- e. aquifer definition:
 - size
 - use
 - supply
 - presence of aquitards
 - connection to other aquifers
- f. regional hydrogeological information references used
- g. seasonal variation in depth to water table
- h. local recharge or discharge area(s)
- i. other

C. Risk Assessment

9. Potential Vapor Migration Pathways (include depth of burial and construction material)

- a. sewer lines
- b. storm sewers
- c. buried power cables
- d. buried telephone lines
- e. tile lines
- f. more permeable soil lenses
- g. water lines
- h. other

10. Potential Receptors of Contamination

- a. buildings on site
- b. neighboring basements
- c. nearby wells
- d. other

11. Potential Health Risks

- a. danger of explosion
- b. contaminated private wells
- c. contaminated public water supply wells
- d. exposure to vapors
- e. dermal exposure

III. RESULTS

1. Results (preferably in table form, followed by discussion of importance)

- soil chemistry results, per parameter, per location
- groundwater sample results, per parameter, per well
- soil vapor results, by parameter, per location

2. Sampling Methods Used

Describe or provide the following information:

a. Soil/Soil Vapor

- 1. Instrument type used
 - lamp strength
 - calibration
 - operating procedure
- 2. how the soil was exposed and/or collected
- 3. sample container
- 4. time and date of sample collection
- 5. time and date of sample analysis
- 6. temperature at which the sample was collected
- 7. time allowed for PID or FID samples to achieve at least 70 F, and location (see attachment 2)
- 8. sample preservation techniques
- 9. chain of custody forms
- 10. name and training of person collecting the samples

11. sample analysis results by parameter:
 - a. field screening results with locations
 - b. lab confirmation samples with locations
12. lab's minimum detection limit, with units
13. lab methodology
14. any indication of contamination of the soils encountered such as smell or staining
15. waste management (soil cuttings, contaminated soils)

b. Groundwater

1. method used to obtain sample
2. instruments used to obtain the sample
3. whether the well was purged or not, why and how, and amount removed
4. sample preservation method used
5. number of trip, field and sample blanks used, with results
6. any indication of contamination noticed in field
7. chain of custody forms
8. lab method used
9. time and date sample was obtained
10. time and date sample was received by the lab
11. time and date the sample was analyzed at the lab
12. instruments used to analyze the sample
13. name and training of person collecting the sample
14. drilling method used
15. monitoring well construction features
16. abandonment methods
 - a. boreholes
 - b. monitoring wells
 - c. excavations
17. survey methods
18. wastes management (contaminated water from excavations, borings, purge water, rinse waters from decontamination procedures, extra sample)

3. Documentation (DNR Form #)

- a. soil boring logs (4400-122)
- b. monitoring well construction logs (4400-113A)
- c. soil boring/well abandonment forms (3300-5B)
- d. chain of custody forms
- e. lab/chemistry results
- f. groundwater monitoring well information form (4400-89)
- g. monitoring well development form (4400-113B)
- h. variances for well construction

4. Quality Assurance/Quality Control

- a. name and address of laboratory
- b. field blanks
- c. trip blanks
- d. lab spikes
- e. split samples

IV. DISCUSSION

1. degree and extent of soil contamination
2. degree and extent of groundwater contamination
3. known or potential impacts to water supply wells
4. vapor migration potential
5. impacts from seepage into basements, utility lines, surface waters
6. difficulties experienced during the investigation
7. unanticipated or questionable results
8. details needing emphasis

V. CONCLUSIONS

clean site

- source and type of release defined
- soil and groundwater contamination adequately defined
- further study needed
- further remediation needed
- known or potential impacts from the release
- other

VI. RECOMMENDATIONS

Remedial Action Alternatives

- no action
- continued monitoring
- additional investigation
- soil removal and disposal
- soil venting
- product recovery
- groundwater treatment
- contaminated water supply replacement
- workplans for further action
- construction proposals for further action
- pilot study
- schedules for further actions
- required permits
 - air quality
 - wastewater discharge

VII. FIGURES

- 1. Site Maps
- 2. Groundwater Contour Map
- 3. Extent of Contamination in Soil
- 4. Extent of Contamination in Groundwater (Isoconcentration)
- 5. Location of Potential Receptors
- 6. Geologic Cross-Sections
 - a. geologic setting
 - b. boring location
 - c. soil classification
 - d. analytical sampling
 - e. monitoring well locations
 - f. water table
 - g. extent of contaminant plume
 - h. concentrations at referenced date and point
- 7. Photographs (NO black and white photocopies)

VIII. TABLES

- 1. Groundwater Chemistry Results
- 2. Soil Chemistry (FID/PID) Results
- 3. Analytical Methods Used
- 4.

IX. APPENDICES (up to the author)

- 1. Table giving data for compounds found, such as:
Chemical formula, Molecular weight, Ionic potential, Solubility,
Vapor pressure, Henry's Law Constant, Kow

NOTE: L.U.S.T. Trust Fund sites must also contain sections on:

- a. health and safety plan
- b. site access
- c. investigative wastes management
- d. public information plan

For further information, please refer to the "Corrective Action Plan for the L.U.S.T. Management Program".

WISCONSIN STATUTE 144.76

The main requirements to be aware of in the statutes are those regarding notification of the DNR for hazardous substance discharges, and that the person(s) responsible for the discharge are responsible for remediating the environment and minimizing the harmful effects of the discharge. This statute is the driving force for site clean-ups.

APPLICABLE ADMINISTRATIVE CODES AND POLICIES

1. NR 140 Groundwater Quality

This code contains the health and welfare related standards for groundwater known as enforcement standards (ESs) and preventive action limits or PALs. It is above the PAL at which the Department is authorized to require that action be taken to restore groundwater quality to below the PAL, if possible. The PAL is the goal for groundwater contamination cleanup. NR 140 also contains actions which the Department may require to achieve this goal (NR 140.24, .26), and the criteria which must be met in order to obtain a variance to the standards (NR 140.28). Groundwater sampling procedures and analysis requirements, including the requirement of using a certified laboratory are included in NR 140.16.

2. NR 141 Groundwater Monitoring Well Requirements

This code contains the requirements for construction, development, abandonment and documentation of these activities for monitoring wells and for abandonment and documentation for soil borings. Department provide forms are required for documentation. Variances to this code must be obtained prior to well construction. Common variances for this program include reduced annular space and top of filter pack seals for shallow water table wells and flush mounts. (This code is currently undergoing revision to address these, and other issues.) This code also contains a requirement for location maps (NR 140.065) which includes surveying the well tops to an accuracy of .01 foot, referenced to national geodetic survey datum.

3. Soil Cleanup Standards

Although cleanup levels are on a case-by-case basis, the goal of all soil cleanups is either to background levels, or a no-detect level for TPH and petroleum compounds.

4. NR 419 Control of Organic Compound Emissions

This code contains requirements, (section NR 419.07, Remediation of Contaminated Soil or Water) for approval of emission limits and other requirements for soil and groundwater remediation.

5. NR 445 Control of Hazardous Pollutants

This code contains the requirements for the emissions of hazardous compounds. These may be an issue at LULU sites in regards to benzene emissions, as well as for other organic compounds.

6. NR 200 Application for Discharge Permits

This code contains the requirements for obtaining a permit for the discharge of treated water, whether it had been contaminated groundwater or surface water. Other codes that may apply in obtaining a discharge permit include NR 102, 105, 106 and 207, depending on the discharge point and necessary discharge limits.

7. NR 149 Laboratory Certification and Registration

This code contains the requirements for laboratory certification or registration. Samples taken for compliance monitoring must be analyzed by a certified or registered laboratory.

8. NR 181 Hazardous Waste Management (soon to be NR 600 Series)

This code contains the requirements for handling and disposing of hazardous wastes. Chapter NR 181 requires that generators test all solid waste to determine if it is a hazardous waste. Hazardous waste must be stored, transported and disposed of by licensed hazardous waste contractors.

9. NR 500 Series Solid Waste Management

Solid waste must be disposed of in accordance with chs. NR 500-520.

P 837 891 851

Bob's Service Station**Receipt for
Certified Mail****No Insurance Coverage Provided
Do not use for International Mail
(See Reverse)**

Sent to

Mr. Robert Anderson

Street and No.

10531 State Rd 70

P.O., State and ZIP Code

Suren, WI 54872

Postage

\$ *29*

Certified Fee

1.00

Special Delivery Fee

Restricted Delivery Fee

Return Receipt Showing
to Whom & Date Delivered*1.00*Return Receipt Showing to Whom,
Date, and Addressee's AddressTOTAL Postage
& Fees\$ *2.29*

Postmark or Date

Sent 2-17-94
mx

**STICK POSTAGE STAMPS TO ARTICLE TO COVER FIRST CLASS POSTAGE,
CERTIFIED MAIL FEE, AND CHARGES FOR ANY SELECTED OPTIONAL SERVICES (see front).**

1. If you want this receipt postmarked, stick the gummed stub to the right of the return address leaving the receipt attached and present the article at a post office service window or hand it to your rural carrier (no extra charge).
2. If you do not want this receipt postmarked, stick the gummed stub to the right of the return address of the article, date, detach and retain the receipt, and mail the article.
3. If you want a return receipt, write the certified mail number and your name and address on a return receipt card, Form 3811, and attach it to the front of the article by means of the gummed ends if space permits. Otherwise, affix to back of article. Endorse front of article **RETURN RECEIPT REQUESTED** adjacent to the number.
4. If you want delivery restricted to the addressee, or to an authorized agent of the addressee, endorse **RESTRICTED DELIVERY** on the front of the article.
5. Enter fees for the services requested in the appropriate spaces on the front of this receipt. If return receipt is requested, check the applicable blocks in item 1 of Form 3811.
6. Save this receipt and present it if you make inquiry.

102595-93-B-0290

PS Form 3800, JUNE 1991 (Reverse)

UNITED STATES POSTAL SERVICE

Official Business



PENALTY FOR PRIVATE
USE TO AVOID PAYMENT
OF POSTAGE, \$300

1994

CUMBERLAND, WI
FEB 18



Print your name, address and ZIP Code here

Department of Natural Resources
P.O. Box 397
Cumberland, WI 54829

Miane

SENDER:

- Complete items 1 and/or 2 for additional services.
- Complete items 3, and 4a & b.
- Print your name and address on the reverse of this form so that we can return this card to you.
- Attach this form to the front of the mailpiece, or on the back if space does not permit.
- Write "Return Receipt Requested" on the mailpiece below the article number.
- The Return Receipt will show to whom the article was delivered and the date delivered.

I also wish to receive the following services (for an extra fee):

1. ☐ Addressee's Address

2. ☐ Restricted Delivery

Consult postmaster for fee.

3: Article Addressed to:

Mr. Robert Anderson
10531 State Rd 70
Siren, WI 54872

4a. Article Number

P 837 891 851

4b. Service Type

- | | |
|---|--|
| <input type="checkbox"/> Registered | <input type="checkbox"/> Insured |
| <input checked="" type="checkbox"/> Certified | <input type="checkbox"/> COD |
| <input type="checkbox"/> Express Mail | <input checked="" type="checkbox"/> Return Receipt for Merchandise |

7. Date of Delivery


2-18-94

5. Signature (Addressee)

J. Anderson

6. Signature (Agent)

8. Addressee's Address (Only if requested and fee is paid)



State of Wisconsin \ DEPARTMENT OF NATURAL RESOURCES

Cumberland Area Headquarters

February 17, 1994

Mr. Robert Anderson
Bob's Service Station
10531 State Rd. 70
Siren, WI 54872

P.O. Box 397
1341 2nd Ave.
Cumberland, WI 54829
Telephone 715-822-3590
Telefax 715-822-3592
File Ref: 148

CERTIFIED MAIL P837 891 851
RETURN RECEIPT REQUESTED

SUBJECT: Reimbursement of costs associated with the spill (PMN SP 840) in Falun, Wisconsin

Dear Mr. Anderson:


Enclosed is a copy of a Baywest invoice which details Department expenses associated with the containment of the Bob's Service Station spill in Falun, Wisconsin, on July 4, 1993. As the owner of the station you are responsible for the cleanup of this spill.

Utilizing its authority under s. 144.76, Stats. the Department contracted with Baywest to contain the spill at a cost of \$6,474.58.

Under s. 144.76(7) (b), Stats., the Department has the authority to recover all actual and necessary expenses incurred in carrying out its duties under s. 144.76, Stats. This letter, and the enclosed invoice, constitute the Department's formal request for reimbursement of the costs associated with cleanup of the spill. Please remit the amount due in a check payable to the Department of Natural Resources within 30 days of this letter. Failure to respond will result in referral to the Department of Justice for collection of all costs incurred.

Your immediate attention to this matter would be greatly appreciated. You may contact me at 715-822-3590 if you have any questions.

Sincerely,


James Hosch, Hydrogeologist
Cumberland Area

JAH:dc

Enclosure

cc: Tom Kendzierski - Spooner
Kim McCutcheon - SW/3



Five Empire Drive
St. Paul, Minnesota
55103-1867
612-291-0456

INVOICE

RECEIVED

PAGE 1

NOV 18 1993

CUMBERLAND
AREA HQ.

TO: WIS003
WDNR
PO BOX 397
CUMBERLAND, WI 54829
ATTN: MR. JAMES HOSCH

Invoice for Services Rendered

JOB #: 932900
BOBS SERVICE - EMERGENCY RESPONSE

Invoice 00080042
Date: 11/11/93

Description/Comments	DATE	EMPLOYEE	UNITS	RATE	AMOUNT
STAFF PROFESSIONAL II - DBL PROJECT COORDINATION	07/04/93	LINDTI	1.50	152.00	228.00
STAFF PROFESSIONAL III - DBL FIELD WORK	07/04/93	MADSSC	7.50	172.00	1,290.00
STAFF TECHNICIAN II-DBL FIELD WORK	07/04/93	SONAMA	7.50	120.00	900.00
STAFF TECHNICIAN I-DBL FIELD WORK	07/04/93	SMITDA	7.50	76.00	570.00
3M T-151 SORBENT SHEETS (200)	07/04/93	03	0.50	71.70	35.85
3M T-270 SORBENT BOOM	07/04/93	03	2.00	181.00	362.00
17H 55-GAL OPEN-TOP DRUM - NEW	07/04/93	03	7.00	33.70	235.90
NITRILE GLOVES	07/04/93	03	3.00	1.50	4.50
NOMEX CONVERALLS	07/04/93	03	2.00	25.00	50.00
FULL TURNOUT FIRE GEAR	07/04/93	03	1.00	100.00	100.00
OVAG HEPA RESPIRATOR CARTRIDGE	07/04/93	03	2.00	17.25	34.50
PERSONAL PROTECTION - LEVEL C	07/04/93	03	0.50	85.00	42.50
EXPLOSIMETER/TLV/01 METER	07/04/93	03	0.50	35.00	17.50
EMERGENCY RESPONSE VEHICLE	07/04/93	03	1.00	500.00	500.00
ONE-TON OR TWO-TON VEHICLE	07/04/93	03	1.00	80.00	80.00
VACUUM TRUCK	07/04/93	03	7.50	80.00	600.00
MILEAGE-LARGE VEHICLES	07/04/93	03	567.00	0.75	425.25
PREPAREDNESS FEE	07/04/93	03			500.00
STAFF TECHNICIAN II WORK ON LETTER/REPORT	07/05/93	SONAMA	2.00	60.00	120.00
STAFF PROFESSIONAL II TELEPHONE CALL WITH REGULATOR TELEPHONE CALL WITH CLIENT	07/06/93	LINDTI	0.40	76.00	30.40
STAFF PROFESSIONAL II TELEPHONE CALL WITH REGULATOR	07/08/93	LINDTI	0.20	76.00	15.20
STAFF PROFESSIONAL II TELEPHONE CALL WITH REGULATOR	07/15/93	LINDTI	0.20	76.00	15.20
STAFF PROFESSIONAL II WORK ON LETTER/REPORT	07/16/93	LINDTI	1.70	76.00	129.20

pay first

INVOICE

PAGE 2

Five Empire Drive
St. Paul, Minnesota
55103-1867
612-291-0456

WIS003

TO: WDNR
PO BOX 397
CUMBERLAND, WI 54829
ATTN: MR. JAMES HOSCH

Invoice for Services Rendered

JOB #: 932900
BOBS SERVICE - EMERGENCY RESPONSE

Invoice 00080042
Date: 11/11/93

Description/Comments	DATE	EMPLOYEE	UNITS	RATE	AMOUNT
INSURANCE					188.58

					6,474.58
					=====

NET ON RECEIPT - LATE PAYMENT OF 1½% AFTER 30 DAYS

PHONE CONVERSATION RECORD

DATE: 7-18-94
TIME: 2:32 pm

CONVERSED WITH: Bob Anderson
Bob's Service
Facun

SUBJECT/PROJECT: Bob's Service
Burnett

UNIQUE ID#.: #148

Anderson stated that he got Horsch's letter requesting payment. Anderson stated that he was waiting for eligibility letter from PECFA. Anderson was told that it would take about four weeks to get letter by DILHR. Horsch stated that he would like to know when he would receive check. Anderson stated that he didn't know that the Department could see him. Horsch stated that he just wanted to be kept in the loop. Anderson stated that he would call within 30 days. Horsch stated that it was acceptable.

Signature: James A. Horsch

(please write legibly)

State of Wisconsin



CUMBERLAND


54829-0397

DEPARTMENT OF NATURAL RESOURCES
BOX 397

AUTHORIZED TIME FOR FORWARDING
HAS EXPIRED. THE ADDRESSEE'S
LAST KNOWN ADDRESS IS:
UNKNOWN

INDICATED BELOW

10531 State RD 70
SIREN WI 54872



Mr. Robert Anderson
Bob's Service Station
Rt. 1, Box 719
Siren, WI 54872

RECEIVED

DEC 14 1993
CUMBERLAND
AREA HQ.



Resent
12/14/93



Printed on
Recycled Paper



PRINTED WITH
SOY INK

WISCONSIN NATURAL RESOURCES

Subscribe to your unique magazine of Wisconsin's resources,
environment and outdoor fun — in beautiful color.


☐ \$6.97 for ONE YEAR enclosed (payable to Wis. DNR)

☐ Bill me later

Name _____


Address _____

City - State - Zip _____



DENC

Clip and mail to: Wisconsin Natural Resources, P.O. Box 7191, Madison, WI 53707



State of Wisconsin \ DEPARTMENT OF NATURAL RESOURCES

Cumberland Area Headquarters

December 10, 1993

Mr. Robert Anderson
Bob's Service Station
Rt. 1, Box 719
Siren, WI 54872

P.O. Box 397
1341 2nd Ave.
Cumberland, WI 54829
Telephone 715-822-3590
Telefax 715-822-3592

File Ref: 148

CERTIFIED MAIL
RETURN RECEIPT REQUESTED

SUBJECT: Reimbursement of costs associated with the spill (PMN SP 840)
in Falun, Wisconsin

Dear Mr. Anderson:

Enclosed is a copy of a Baywest invoice which details Department expenses associated with the containment of the Bob's Service Station spill in Falun, Wisconsin, on July 4, 1993. As the owner of the station you are responsible for the cleanup of this spill.

Utilizing its authority under s. 144.76, Stats. the Department contracted with Baywest to contain the spill at a cost of \$6,474.58.

Under s. 144.76(7) (b), Stats., the Department has the authority to recover all actual and necessary expenses incurred in carrying out its duties under s. 144.76, Stats. This letter, and the enclosed invoice, constitute the Department's formal request for reimbursement of the costs associated with the cleanup of the spill. Please remit the amount due in a check payable to the Department of Natural Resources within 30 days of invoice date. Failure to respond will result in referral to the Department of Justice for collection of all costs incurred.

Your immediate attention to this matter would be greatly appreciated. You may contact me at 715-822-3590 if you have any questions.

Sincerely,

James Hosch, Hydrogeologist
Cumberland Area

JAH:dh

cc: Tom Kendzierski - Spooner
Kim McCutcheon - SW/3

c:\jah\lu930450



Five Empire Drive
St. Paul, Minnesota
55103-1867
612-291-0456

INVOICE

RECEIVED

PAGE 1

NOV 18 1993

CUMBERLAND
AREA HQ.

TO: WIS003
WDNR
PO BOX 397
CUMBERLAND, WI 54829
ATTN: MR. JAMES HOSCH

Invoice for Services Rendered

JOB #: 932900
BOBS SERVICE - EMERGENCY RESPONSE

Invoice 00080042
Date: 11/11/93

Description/Comments	DATE	EMPLOYEE	UNITS	RATE	AMOUNT
STAFF PROFESSIONAL II - DBL PROJECT COORDINATION	07/04/93	LINDTI	1.50	152.00	228.00
STAFF PROFESSIONAL III - DBL FIELD WORK	07/04/93	MADSSC	7.50	172.00	1,290.00
STAFF TECHNICIAN II-DBL FIELD WORK	07/04/93	SONAMA	7.50	120.00	900.00
STAFF TECHNICIAN I-DBL FIELD WORK	07/04/93	SMITDA	7.50	76.00	570.00
3M T-151 SORBENT SHEETS (200)	07/04/93	03	0.50	71.70	35.85
3M T-270 SORBENT BOOM	07/04/93	03	2.00	181.00	362.00
17H 55-GAL OPEN-TOP DRUM - NEW	07/04/93	03	7.00	33.70	235.90
NITRILE GLOVES	07/04/93	03	3.00	1.50	4.50
NOMEX CONVERALLS	07/04/93	03	2.00	25.00	50.00
FULL TURNOUT FIRE GEAR	07/04/93	03	1.00	100.00	100.00
OVAG HEPA RESPIRATOR CARTRIDGE	07/04/93	03	2.00	17.25	34.50
PERSONAL PROTECTION - LEVEL C	07/04/93	03	0.50	85.00	42.50
EXPLOSIMETER/TLV/01 METER	07/04/93	03	0.50	35.00	17.50
EMERGENCY RESPONSE VEHICLE	07/04/93	03	1.00	500.00	500.00
ONE-TON OR TWO-TON VEHICLE	07/04/93	03	1.00	80.00	80.00
VACUUM TRUCK	07/04/93	03	7.50	80.00	600.00
MILEAGE-LARGE VEHICLES	07/04/93	03	567.00	0.75	425.25
PREPAREDNESS FEE	07/04/93	03			500.00
STAFF TECHNICIAN II WORK ON LETTER/REPORT	07/05/93	SONAMA	2.00	60.00	120.00
STAFF PROFESSIONAL II TELEPHONE CALL WITH REGULATOR TELEPHONE CALL WITH CLIENT	07/06/93	LINDTI	0.40	76.00	30.40
STAFF PROFESSIONAL II TELEPHONE CALL WITH REGULATOR	07/08/93	LINDTI	0.20	76.00	15.20
STAFF PROFESSIONAL II TELEPHONE CALL WITH REGULATOR	07/15/93	LINDTI	0.20	76.00	15.20
STAFF PROFESSIONAL II WORK ON LETTER/REPORT	07/16/93	LINDTI	1.70	76.00	129.20

Five Empire Drive
St. Paul, Minnesota
55103-1867
612-291-0456

WIS003
TO: WDNR
PO BOX 397
CUMBERLAND, WI 54829
ATTN: MR. JAMES HOSCH

Invoice for Services Rendered

JOB #: 932900
BOBS SERVICE - EMERGENCY RESPONSE

Invoice 00080042
Date: 11/11/93

Description/Comments	DATE	EMPLOYEE	UNITS	RATE	AMOUNT
INSURANCE					188.58
					6,474.58
					=====

NET ON RECEIPT - LATE PAYMENT OF 1½% AFTER 30 DAYS

→ Jim Hosch - CBL

State of Wisconsin

CORRESPONDENCE/MEMORANDUM

Date: November 22, 1993
To: Susie Sutton - Spooner

RECEIVED
DEC 01 1993
CUMBERLAND
AREA HQ.

From: Jim Hosch - Cumberland *Jim*

Subject: Bob's Service Station, Falun, Burnett County

Please find attached an invoice from Baywest for the spill on July 4, 1993. It appears that the actions taken include three persons responding to the spill in level B protective gear, and containment of the spill using a vacuum truck, and sorbent booms and sheets. In addition to these activities it appears that the normal project coordination activities took place.

According to Warden Brian Fellrath these actions were taken to alleviate the fire hazard and potential exposure to the public. It is my understanding that Brian was relieved by Warden Mike Smith on this case.

If you need additional information please give me a call.

cc: Tom Kendzierski - Spooner

*Jim - WE SHOULD RECOVER THIS MONEY
FROM BOB. WE HAD TO SEND HIM
AN INVOICE OR A NOTICE THAT HAS
~~WILL NOT~~ PACK ELIGIBILITY WILL BE
A PROBLEM UNTIL IT IS PAID*

RECEIVED

NOV 23 1993

NORTHWEST DISTRICT
HEADQUARTERS

CORRESPONDENCE/MEMORANDUM

Date: November 22, 1993

To: Susie Sutton - Spooner

From: Jim Hosch - Cumberland



Subject: Bob's Service Station, Falun, Burnett County

Please find attached an invoice from Baywest for the spill on July 4, 1993. It appears that the actions taken include three persons responding to the spill in level B protective gear, and containment of the spill using a vacuum truck, and sorbent booms and sheets. In addition to these activities it appears that the normal project coordination activities took place.

According to Warden Brian Fellrath these actions were taken to alleviate the fire hazard and potential exposure to the public. It is my understanding that Brian was relieved by Warden Mike Smith on this case.

If you need additional information please give me a call.

cc: Tom Kendzierski - Spooner



Five Empire Drive
St. Paul, Minnesota
55103-1867
612-291-0456

INVOICE

RECEIVED

PAGE 1

NOV 18 1993
CUMBERLAND
AREA HQ.

WIS003
TO: WDNR
PO BOX 397
CUMBERLAND, WI 54829
ATTN: MR. JAMES HOSCH

Invoice for Services Rendered

JOB #: 932900
BOBS SERVICE - EMERGENCY RESPONSE

Invoice 00080042
Date: 11/11/93

Description/Comments	DATE	EMPLOYEE	UNITS	RATE	AMOUNT
STAFF PROFESSIONAL II - DBL PROJECT COORDINATION	07/04/93	LINDTI	1.50	152.00	228.00
STAFF PROFESSIONAL III - DBL FIELD WORK	07/04/93	MADSSC	7.50	172.00	1,290.00
STAFF TECHNICIAN II-DBL FIELD WORK	07/04/93	SONAMA	7.50	120.00	900.00
STAFF TECHNICIAN I-DBL FIELD WORK	07/04/93	SMITDA	7.50	76.00	570.00
3M T-151 SORBENT SHEETS (200)	07/04/93	03	0.50	71.70	35.85
3M T-270 SORBENT BOOM	07/04/93	03	2.00	181.00	362.00
17H 55-GAL OPEN-TOP DRUM - NEW	07/04/93	03	7.00	33.70	235.90
NITRILE GLOVES	07/04/93	03	3.00	1.50	4.50
NOMEX CONVERALLS	07/04/93	03	2.00	25.00	50.00
FULL TURNOUT FIRE GEAR	07/04/93	03	1.00	100.00	100.00
OVAG HEPA RESPIRATOR CARTRIDGE	07/04/93	03	2.00	17.25	34.50
PERSONAL PROTECTION - LEVEL C	07/04/93	03	0.50	85.00	42.50
EXPLOSIMETER/TLV/01 METER	07/04/93	03	0.50	35.00	17.50
EMERGENCY RESPONSE VEHICLE	07/04/93	03	1.00	500.00	500.00
ONE-TON OR TWO-TON VEHICLE	07/04/93	03	1.00	80.00	80.00
VACUUM TRUCK	07/04/93	03	7.50	80.00	600.00
MILEAGE-LARGE VEHICLES	07/04/93	03	567.00	0.75	425.25
PREPAREDNESS FEE	07/04/93	03			500.00
STAFF TECHNICIAN II WORK ON LETTER/REPORT	07/05/93	SONAMA	2.00	60.00	120.00
STAFF PROFESSIONAL II TELEPHONE CALL WITH REGULATOR TELEPHONE CALL WITH CLIENT	07/06/93	LINDTI	0.40	76.00	30.40
STAFF PROFESSIONAL II TELEPHONE CALL WITH REGULATOR	07/08/93	LINDTI	0.20	76.00	15.20
STAFF PROFESSIONAL II TELEPHONE CALL WITH REGULATOR	07/15/93	LINDTI	0.20	76.00	15.20
STAFF PROFESSIONAL II WORK ON LETTER/REPORT	07/16/93	LINDTI	1.70	76.00	129.20

NET ON RECEIPT - LATE PAYMENT OF 1½% AFTER 30 DAYS



INVOICE

PAGE 2

Five Empire Drive
St. Paul, Minnesota
55103-1867
612-291-0456

WIS003
TO: WDNR
PO BOX 397
CUMBERLAND, WI 54829
ATTN: MR. JAMES HOSCH

Invoice for Services Rendered

JOB #: 932900
BOBS SERVICE - EMERGENCY RESPONSE

Invoice 00080042
Date: 11/11/93

Description/Comments	DATE	EMPLOYEE	UNITS	RATE	AMOUNT
INSURANCE					188.58
					6,474.58
					=====

RECEIVED

NOV 22 1993
CUMBERLAND
AREA HQ.

FILE REF: 9300

DATE: 11/18/93

TO: Edie Grossen
~~Renee Sanford~~, Solid Waste Management Accountant, FN/1FROM: GARY LeRoy

SUBJECT: Creation of New Spill or LUST PMN/Time Code

Please validate the following PMN and time code: SP ⁸⁴⁰~~851~~ or LU _ _ _

The title should be:

SPILL Bob's Service - Falun _ _ _ _ _

LUST _ _ _ _ _

The effective date should be (month) 11 (year) 1993.

FOR LUST CODES ONLY Please check one:

- ☐ We anticipate spending more than 40 hours at the site and/or we anticipate using LUST trust fund monies.
- ☐ We anticipate spending less than 40 hours at this site and do not anticipate using LUST trust fund monies.
- ☐ Unclear at this time.

cc: State Response Unit Leader - SW/3

TO: Susie Sutton, NWD HQ

FROM: Jim Hosen, Cumberland

SUBJECT-MESSAGE

Bob's Service Station, Falun

B. Felkrath CALLED Baywest to respond to gasoline spill on July 4, 93. Felkrath stated that Dept. would pay if Bob's would not. Baywest skimmed petroleum off groundwater and pumped it into barrels. Bob is now refusing to pay.

REPLY

SIGNED

Jim Hosen

DATE

11-12-93

PHONE CONVERSATION RECORD

DATE: 11-12-93
TIME: 12:43


CONVERSED WITH: Tim Lindgren
Baywest

SUBJECT/PROJECT: Bob's Service Station

UNIQUE ID#.: _____

Lindgren asked Horsch if he had spoken with Brian Felrath. Horsch stated Felrath had indicated that the Department would pay for the emergency response.

Signature: James A. Horsch
(please write legibly)



TP-# - Proposed Test Pit

Figure 1
Site Plan

Project No.	Remarks <i>Not to scale</i>	Computation by <i>JJM</i>	Date <i>11/11/93</i>
Project Name <i>Proposal Bob's Service Station</i>	Checked by	Date	
Title/Item		Sheet	of

COOPER ENGINEERING COMPANY, INC.

100 West Orchard Beach Lane
RICE LAKE, WISCONSIN 54868

Telephone (715) 234-7008
FAX (715) 234-1025

LETTER OF TRANSMITTAL

TO DNR
PO Box 397
Cumberland WI 54829

DATE <u>10/7/93</u>	JOB NO.
ATTENTION <u>Jim Hosh</u>	
RE:	

WE ARE SENDING YOU ☒ Attached ☐ Under separate cover via _____ the following items:

- ☐ Shop drawings
 ☐ Prints
 ☐ Plans
 ☐ Samples
 ☐ Specifications
☐ Copy of letter
 ☐ Change order
 ☐ _____

COPIES	DATE	NO.	DESCRIPTION
<u>1</u>			<u>Tank closure report - Bob's Service</u>

THESE ARE TRANSMITTED as checked below:

- ☐ For approval
 ☐ Approved as submitted
 ☐ Resubmit _____ copies for approval
☐ For your use
 ☐ Approved as noted
 ☐ Submit _____ copies for distribution
☐ As requested
 ☐ Returned for corrections
 ☐ Return _____ corrected prints
☐ For review and comment
 ☐ _____
☐ FOR BIDS DUE _____ 19____
 ☐ PRINTS RETURNED AFTER LOAN TO US

REMARKS

COPY TO _____

SIGNED: _____

Pat Mahowald
CB

PHONE CONVERSATION RECORD

DATE: August 26, 1993

TIME: 8:29am

CONVERSED WITH: Bob Anderson,

SUBJECT/PROJECT: Bob's Service Falun
Burnett County

Anderson stated that on June 20, 1993 tanks floated. Anderson stated that the tanks were not leaking at that time. Anderson stated that State inspector could not make it till July 12. Anderson stated that on July 4 tanks rolled. Baywest siphoned 200 gallons at a cost of \$6502.

SIGNATURE: James A. Hirsch

PHONE CONVERSATION RECORD

DATE: August 10, 1993

TIME: 10:58am

CONVERSED WITH: Allan Erickson

SUBJECT/PROJECT: Bob's Service
Falun

Ericksosn stated that there is contaminated soil from Falun highway project on his property. Erickson stated that they scooped up soil and put on poly. Erickson asked if he had any liability. Hosch said Department could hold him responsible if it leaked. Erickson stated that they put marsh waste on his property. Hosch stated that Erickson should contact DOT project manager. Erickson asked if Superintendent cheif engineer Ruben Johnson would be able to take care of problem. Hosch stated that he should be able to do something to help him.

SIGNATURE: _____

James W. Hosch

PHONE CONVERSATION RECORD

DATE: July 22, 1993

TIME: 9:04am

CONVERSED WITH: Pat Mahowald
Cooper Engineering

SUBJECT/PROJECT: Bob's Service

Mahowald stated that there were 21 containers (55 gallon) from the site to be taken to Rice Lake wastewater treatment plant. Mahowald stated that he would like to use tanker to suck contaminated water from excavation because of close proximity of water supply wells. Hosch stated that Mahowald should call this an emergency action because of PECFA concerns.

SIGNATURE: James A. Hosch

RECEIVED → CUMBERLAND

JUL 19 1993

CUMBERLAND
AREA NO.

1:18 P.M.

7-16-93

(sp?)

REC'D A CALL FROM PAT MAHOLD
COOPER ENGINEERING REGARDING
BOB'S GARAGE TANKS IN FALLIN.
HE WANTED TO TAKE THE
CONTAMINATED H₂O FROM TANKS
AND PUT IT BACK IN THE EXCAV-
ATION! HE SAID THE EXCAVATION
IS CONTAMINATED ANYWAY.

I TOLD HIM NO, ALONG WITH
AN EXPLANATION ON HOW THEY
WOULD BE VIOLATING SPILL LAW, ETC.
I TOLD HIM I DIDN'T CARE HOW
CONTAMINATED THE EXCAVATION IS
"YOU DON'T MAKE THE SITUATION WORSE."
HE CLAIMS DNR WARDEN ALLOWED IT
TO BE DONE INITIALLY AT BOB'S.
I TOLD HIM I WASN'T INVOLVED
INITIALLY AND NOW THAT I AM IT
WON'T BE DONE AGAIN - IF IT WAS.
I SUGGESTED HE CONTAINERIZE,
ON-SITE ANALYZE FOR CHARACTERISTIC
H.W. AND I WOULD HELP GET AN
EMERGENCY EPA I.D. #. PAT SAID
HE WOULD BE CONTACTING WRTR
FOR DISPOSAL.

Dave Kofine

- A- High Priority
- B- Medium Priority
- C- Low Priority

Date: _____

DAILY TO DO LIST

Priority	Work Tasks	Completed
	1.	<input type="checkbox"/>
	2.	<input type="checkbox"/>
	3.	<input type="checkbox"/>
	4.	<input type="checkbox"/>
	5.	<input type="checkbox"/>
	6.	<input type="checkbox"/>
	7.	<input type="checkbox"/>
	8.	<input type="checkbox"/>
	9.	<input type="checkbox"/>
	10.	<input type="checkbox"/>
	11.	<input type="checkbox"/>
	12.	<input type="checkbox"/>
	13.	<input type="checkbox"/>
	14.	<input type="checkbox"/>
	15.	<input type="checkbox"/>

Comments or Notes

ERF #

UID Number:		FID Number:		PMN Number:	
County: <u>BURNETT</u>		Initial Contact Date: <u>7/4/93</u>			
Site Name: <u>BOB'S GARAGE</u>		Date RPLetter Sent: <u>7/8/93</u>			
Address: <u>HWY. 70</u>		Date Closure Approved: <u> </u>			
Municipality: <u>VILLAGE OF SIREN</u>		Person/Firm Reporting: <u>MIKE SMITH</u>			
Legal Descript.: <u>NW 1/4 NW 1/4 sec. 19 T 38 N R 17 (E/W)</u>		WARDEN			
Lat.: <u> </u> Long.: <u> </u>		Phone Number: <u>(715) 866-8201</u>			

Priority Screening	Scoring Criteria	Funding Source	Effective Date	LUST Trust Eligible
<u> </u> 1 = High	1. <u> </u>	<u>X</u> 1 = RP	<u> </u> / <u> </u> / <u> </u>	<u> </u> 1 = Federal
<u> </u> 2 = Medium	2. <u> </u>	<u> </u> 2 = LTF	<u> </u> / <u> </u> / <u> </u>	<u> </u> 2 = Non-Federal
<u> </u> 3 = Low	3. <u> </u>	<u> </u> 3 = EF	<u> </u> / <u> </u> / <u> </u>	
<u>X</u> 4 = Unknown	4. <u> </u>	<u> </u> 4 = Other	<u> </u> / <u> </u> / <u> </u>	
	5. <u> </u>			
Score: <u> </u> Init.: <u> </u> Date: <u> </u> / <u> </u> / <u> </u>				

Case Status

	Start Date	End Date
<u> </u> (F) Free Product Removal	<u> </u> / <u> </u> / <u> </u>	<u> </u> / <u> </u> / <u> </u>
<u>X</u> (E) RP Emergency Response	<u>7/4/93</u>	<u> </u> / <u> </u> / <u> </u>
<u> </u> (R) LTF Emergency Response	<u> </u> / <u> </u> / <u> </u>	<u> </u> / <u> </u> / <u> </u>
<u> </u> (L) Long Term Monitoring	<u> </u> / <u> </u> / <u> </u>	<u> </u> / <u> </u> / <u> </u>

Responsible Party Contact Person: <u>BOB ANDERSON</u> Company Name: <u>BOB'S GARAGE</u> Address: <u>HWY. 70</u> <u>SIREN, WI 54872</u> Phone Number: <u>()</u> CC's: <u> </u> <u> </u> <u> </u> <u> </u> <u> </u>	Impacts Enter "P" for potential and "K" for known <u> </u> (1) Fire/Explosion Threat <u> </u> (2) Contaminated Private Well(s) <u> </u> # of Wells <u> </u> (3) Contaminated Public Well <u>P</u> (4) Groundwater Contamination <u>K</u> (5) Soil Contamination <u> </u> (6) Other: <u> </u> <u> </u> (7) Surface Water Impacts <u> </u> (9) Floating Product
--	---

Consultant	Substances	# Tank(s)	Size
Contact Name: <u> </u>	<u> </u> (1) Leaded Gas	<u> </u>	<u> </u>
Company Name: <u>BAY WEST</u>	<u>X</u> (2) Unleaded Gas	<u> </u>	<u> </u>
Address: <u> </u>	<u> </u> (3) Diesel	<u> </u>	<u> </u>
Telephone: <u>()</u>	<u> </u> (4) Fuel Oil	<u> </u>	<u> </u>
	<u> </u> (5) Unkwn Hydrocrbn	<u> </u>	<u> </u>
	<u> </u> (8) Other	<u> </u>	<u> </u>
	<u> </u> (12) Waste Oil	<u> </u>	<u> </u>

PRIORITY SCREENING WORKSHEET

HIGH FACTORS: (DEFINITION: Any ☒ which presents an actual threat to human health, ☒ a high potential of causing a threat to human health and property; and/or any case which has caused or has a high potential of causing substantial impacts to the soil, waters and air of the State of Wisconsin).

EMERGENCY FACTORS:

- ☐ Contaminated private or public well >NR 140 enf. std.
- ☐ Explosive or toxic vapors in structures
- ☐ Threat of fire

HIGH FACTORS:

- ☐ Floating product (including sheen)
- ☐ GW contamination (>140 enf. std.)
- ☐ Impacted surface water - - wetland, trout stream, etc. impacted
- ☐ Saturated soil contamination posing a risk to groundwater

MEDIUM FACTORS: (DEFINITION: Any case which does not appear to be an immediate threat to human health or vital natural resources but which shows levels of contamination that may cause substantial environmental impacts if left unaddressed.)

- ☐ Moderate soil contamination with potential for impacting groundwater.
- ☐ Impacted surface water - - no critical habitat threats.
- ☐ Groundwater contamination >NR 140 PAL.

LOW FACTORS: (DEFINITION: Any case where contamination has been documented, but which presents limited potential for immediate threat to human health and vital natural resources.)

- ☐ Soil contamination which appears to have a limited potential for impacting groundwater.
- ☐ Initial Remedial action has substantially reduced environmental threat.

UNKNOWN FACTORS: (DEFINITION: Any case where some indication of contamination is present, but due to incomplete or inaccurate information the level of threat to human health or the environment can not be assessed at this time.)

- ☒ Inadequate information to assign a high, medium, or low ranking.

NUMERICAL LUST SCORING WORKSHEET

1. **GROUNDWATER & SOILS:**

POINTS:

- 20 Municipal well impacted
- 18 >6 private wells impacted
- 16 4 - 6 private wells impacted
- 14 2 - 3 private wells impacted
- 12 1 private well impacted

Points:

- 10 Major soil and/or gw >ES within 1200' of a public well
- 8 Major soil and/or gw >ES within 1200' of one or more private wells
- 6 Groundwater contamination >ES
- 4 Groundwater contamination <ES
- 2 Soil contamination

For purposes of this scoring, private well includes any non-municipal water supply system (e.g. non-community and other than municipal)

2. **EXPLOSIVE OR TOXIC VAPORS:**

POINTS: CONFIRMED

- 20
- 16
- 12

POTENTIAL

- 10
- 8
- 6

- Explosive levels in a residence or building
- Explosive levels in a sewer or other confined space
- Toxic levels in a residence or building

NOTE: Explosive levels determined to be >20% LEL as per an explosivity meter, toxicity levels are based on OSHA permissible exposure limits (PEL's)

3. **SURFACE WATER IMPACTS:**

POINTS: CONFIRMED

- 14
- 10
- 6

POTENTIAL

- 7
- 5
- 3

- Visible sheen or product on sensitive surface water environment (e.g. wetland, trout stream)
- Visible sheen or product on non-sensitive surface water area.
- Exceedance of NR 102, 103 or 104 surface water quality standards.

Request assistance from District Water Resources staff in evaluating surface water impacts.

4. **HYDROGEOLOGIC SETTING:**

Points:

- 12 Permeable stratigraphy (gravel, sand, fractured bedrock or utilities capable of intercepting and directing flow) and groundwater within 25 feet of the ground surface.
- 10 Permeable stratigraphy and groundwater greater than 25 feet below ground surface.
- 8 Moderately permeable stratigraphy (silty sands, silty gravel, clayey sands) and groundwater within 25 feet of ground surface.
- 6 Moderately permeable stratigraphy and groundwater greater than 25 feet below ground surface.
- 4 Low permeability stratigraphy (silt, clayey silt, sand clays) and groundwater within 25 feet of ground surface.
- 2 Low permeability stratigraphy and groundwater greater than 25 feet below ground surface.

5. **TYPE OF PRODUCT:**

POINTS: FREE PRODUCT

- 12
- 10
- 6

DISSOLVED PRODUCT

- 8
- 6
- 2

- Gasoline, mixture of gasoline and other products, other light petroleum products.
- Diesel, fuel oil.
- Bunker oil, other heavy oils or crude fractions.

Spill ID Number

Y Y M M D D 0-99

Date of Incident 07/04/93	Day of Week Sunday	Time of Incident 8:00	<input type="checkbox"/> A.M. <input checked="" type="checkbox"/> P.M.	Reported By (Name) Bob	Telephone Number (715) 689-2445
Date Reported 07/04/93	Day of Week Sunday	Time Reported 8:00	<input type="checkbox"/> A.M. <input checked="" type="checkbox"/> P.M.	Agency or Firm Reporting Bob's Garage	Reported thru Div. Emergen. Gov't. <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No
Substance Involved gas		Quantity 200	Units gallons	Person or Firm Responsible Bob Anderson	
Substance Involved		Quantity	Units	Contact Name Bob Anderson	Telephone Number (715) 689-2445
Physical Characteristics				Address — Street or Route State Road 70	
<input type="checkbox"/> Solid <input checked="" type="checkbox"/> Liquid Color _____				City, State, Zip Code Siren, Wisconsin 54872	
<input type="checkbox"/> Semisolid <input checked="" type="checkbox"/> Gas Odor gas					
Cause of Incident Storage tank floated and overturned				Action Taken By Spiller	
Exact Location Description (intersection, mileage, etc.) .1 mile east of "W" on Highway 70				<input type="checkbox"/> No Action Taken <input type="checkbox"/> No Notification <input type="checkbox"/> Investigate	
County Location 1/4, 1/4, Section, Town, Range Burnett				<input type="checkbox"/> Containment; Type _____	
N W, N W, 1 2, T 3 8 N, R 1 7 W				<input type="checkbox"/> Cleanup; Method _____	
DNR Dist NW	DNR Area CWB	Groundwaters Affected <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> Potential		<input type="checkbox"/> Amount Recovered _____	
Surface Waters Affected <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> Potential		Name of Surface Water Wood River		<input type="checkbox"/> Monitor _____	
Date District Notified 07/05/93	Day of Week Monday	Time District Notified 8:00		<input checked="" type="checkbox"/> Contractor Hired; Name Bay West	
District Person Notified Don Zabel		Telephone Number (715) 822-3590		<input type="checkbox"/> Other Action _____	
Date Investigated 07/04/93	Day of Week Sunday	Time Investigated 10:30		Spill Location	
Person Investigating Michael A. Smith		Telephone Number (715) 463-2900		<input type="checkbox"/> Industrial Facility/Paper Mill/Chem. Co.	
Action Taken By DNR				<input checked="" type="checkbox"/> Gas/Service Station/Garage, Auto Dealer, Repair Shop	
<input type="checkbox"/> No Action Taken <input type="checkbox"/> Investigation <input checked="" type="checkbox"/> Supervise/Conduct Cleanup				<input type="checkbox"/> Ag Coop/Facility/Cheese Factory/Creamery	
<input checked="" type="checkbox"/> Spiller Required to Take Action; Type Pay for clean up				<input type="checkbox"/> Other Small Business (bank, grocery, insurance co., etc.)	
<input checked="" type="checkbox"/> Contractor Hired By DNR; Name Bay West				<input type="checkbox"/> Public Property (city, county, state, church, school, etc.)	
<input type="checkbox"/> Amount Recovered _____				<input type="checkbox"/> Utility Co., Power Generating/Transfer Facility	
<input type="checkbox"/> 29.29 Enforcement				<input type="checkbox"/> Private Property (home/farm)	
Other Agencies on Scene				<input type="checkbox"/> Pipeline, Terminal, Tank Farm, Oil Jobber/Wholesaler	
Local Sheriff, Fire Department				<input type="checkbox"/> Transportation Accident, Fuel Supply Tank Spill	
State Warden Fellrath				<input type="checkbox"/> Transportation Accident, Load Spill	
Federal _____				<input type="checkbox"/> Construction, Excavation, Wrecking, Quarry, Mine	
Additional Comments:				<input checked="" type="checkbox"/> Other _____	
				Spilled Substance Destination	
				<input type="checkbox"/> Air	
				<input checked="" type="checkbox"/> Soil	
				<input type="checkbox"/> Groundwater	
				<input type="checkbox"/> Surface Water	
				<input type="checkbox"/> Storm Sewer	
				<input type="checkbox"/> Sanitary Sewer	
				<input type="checkbox"/> Contained/Recovered	
				<input type="checkbox"/> Other _____	
				Person Filing This Report (print name)	
				Michael A. Smith	
				Signature Michael A. Smith	
				Date Signed 7/7/93	



Bob's Service - File review - 10/16/90 - MVM.

- Aqua Tech January 1990 - Soils + grd water within the property are contaminated by Petro's Prod.
Phase II Env. Site
Assessment rpt. - Recommend ^{more} extensive monitoring - determine extent + type of remediation
 - monitor in coop with property owners after consult WDNR

Bob's:

- ① Active Vehicle repair + gas station
- ② 11-12 ft to Grd water - grdwaters may be flowing south
- ③ ^{old creamery site} 2 10,000 gall tanks installed in 1975 - (15 yrs old) ^{DILWR} inventoried
- ④ benzene over env. standard. of NR 140 = $4.3 \mu\text{g/l}$ *
 diesel contamination in soil boring B2 above $10 \mu\text{g/g}$ *
 remedial action level at $20 \mu\text{g/g}$ no diesel *

Aqua Tech recommended additional soil + grdwater monitoring be conducted to determine the most practical solution for remediation
 * found near or at grd level may indicate coming from DX site or off site

2-1-90 *


Kevin Gehrmann - DOT Risk Management Sup to Dale Murg DOT

states that phase III should be done by RP / If RP doesn't he said "we can conduct further studies on (Bob's + Hellands) to identify origin + respective responsibilities" -

no written reply to 4/2/90 RP letter from Bob Anderson.

- Did Bob Anderson contact T. Kendz as requested by letter?
- Did " " indicate if he intended to conduct invest?
- Next step - NOV + env. conf. request? Is it worth it to educate Bob Anderson to want to finance this invest or should ~~the~~ it be carried out by DNR/DOT - and we consider reimbursement?

Should DNR take offer?
 up on this offer?
 may be a quick way
 to find out what's
 going on - below properties
 4/2/90 -



CORRESPONDENCE/MEMORANDUM

DATE: October 8, 1990

TO: Bill Niemi
District Eight, DesignFROM: Julie White, Site Assessment Coordinator *JW*
Risk, Safety, and Hazardous Materials ManagementSubject: ENVIRONMENTAL SITE ASSESSMENT REPORT
Property: Bob's Service Station Site
Project ID# 8040-03-00

Attached are two copies of the report for the site assessment conducted on the above property.

The assessment concludes:

Soils at this site are contaminated by gasoline.
Groundwater is contaminated by petroleum products above WI action limits.
Sources of contamination are off WDOT right of way.

The assessment recommends:

Excavation and disposal of approximately 833 cubic yards of contaminated soil. Cost is estimated at \$62,500.

Aqua Tech also recommends a meeting between WDOT, WDNR and property owners to discuss specific clean up responsibilities and funding.

This site should be remediated by responsible parties prior to any right of way acquisition.

If you have any questions about the data contained within this report or need additional information, please contact me at (608) 266-1476.

cc: File ✓
DNR ✓

RECEIVED
OCT 11 1990
NORTHWEST DISTRICT
HEADQUARTERS


April 19, 1990

RECEIVED

APR 20 1990

NORTHWEST DISTRICT
HEADQUARTERS

TOM KENDZIERSKI
WIS. DEPT. OF NATURAL RESOURCES
P.O. BOX 309
SPOONER, WI, 54801



DEAR SIR -

IN RESPONSE TO YOUR REQUEST OF A PROGRESS REPORT
OF THE CONTAMINATION PROBLEM AT THE CARL A. HEDLUND
SERVICE STATION PROPERTY AT FALUN, WIS. -

DILITE HAS BEEN CONTACTED FOR A REIMBURSEMENT
APPLICATION PACKAGE.

THE CEDAR CORP, OF MENOMONIE HAS ALSO BEEN
CONTACTED AND THEY ARE PREPARING A CLEAN UP
PROPOSAL.

THERE ARE A FEW THINGS IN YOUR NOTIFICATION
LETTER THAT NEED TO BE CORRECTED IF THE LETTER IS
TO BE INCLUDED IN THE FILE OF THIS PROBLEM,
1ST THE NAME HEDLUND OIL CO SHOULD BE
REMOVED AS THEY ARE NOT THE OWNERS.

THEN, YOU STATE THAT THERE WAS OBSERVED
LEAKAGE AT THE TIME OF TANK REMOVAL. UNLESS
YOU HAVE A WITNESS TO THIS WE WANT THIS
REMOVED.

ALSO, YOU STATE THAT SIMILAR SOIL AND WATER
CONTAMINATION EXISTS AT THE ADJACENT PROPERTY
OF ROBERT P. ANDERSON. IN MY CONVERSATION
WITH ROBERT, I WAS TOLD THAT YOU SAID TO HIM
THAT THE CONTAMINATION ON THE WEST SIDE OF
MY FATHERS (CARL A. HEDLUND) STATION WAS FROM

CORROSION AND ON THE EAST SIDE ADJACENT TO
ROBERTS PROPERTY WAS FROM DIESEL FUEL. I
BELIEVE THAT THIS NEEDS TO BE CLARIFIED
AS THESE ARE CERTAINLY NOT SIMILAR.
WE WILL BE WAITING FOR A COPY OF THESE
REVISIONS.

THANK YOU -

Gerald Hallum

AGENT FOR MRS. CARL D. HEDGECOCK

2/14/90

PMN#: _____ FID#: 807055150

PROJECT MGR: TJK

SUPPORT PERSON: _____

DISTRICT: RII.D COUNTY: 07 Burnett HNDI: _____

SITE NAME: Bob's Service Station - Falon

ADDRESS: Rt 1 Hwy 70
Daniels LTN CITY_VIL

LEGAL DESC: NW 1/4 NW 1/4 SEC 19 T 8 R 17 E 10

DATE OF INITIAL CONTACT: 2/9/90
(mo day yr)

DATE OF RP LETTER: 4/2/90
(mo day yr)

DATE SITE CLOSURE APPROVED: ____/____/____
(mo day yr)

LUST TRUST ELIGIBLE: (X)

☒ 1 = FEDERAL
☐ 2 = NON-FEDERAL

STATUS: (X)

☐ 1 = STATE LEAD
☒ 2 = RP LEAD

PRIORITY SCREENING: (X)

☒ 1 = HIGH SCORE: 28
☐ 2 = MEDIUM
☐ 3 = LOW
☐ 4 = UNKNOWN

(see worksheet on back)

FUNDING SOURCE: (X)

☒ 1 = RESPONSIBLE PARTY
☐ 2 = LUST TRUST FUND
☐ 3 = ENVIRONMENTAL RESPONSE FUND
☐ 4 = SUPER FUND
☐ 5 = NONE
☐ 6 = OTHER

(X AS APPROPRIATE)

DATE INITIATED
(MO DAY YR)

DATE COMPLETED
(MO DAY YR)

COMMENTS:

☐ NO ACTION TAKEN
☐ EMERGENCY
☐ EMERGENCY RESPONSE
☒ FIELD INVESTIGATION
☐ REMEDIAL ACTION
☐ LONG TERM MONITORING

____/____/____
11/7/89
____/____/____
____/____/____

____/____/____
11/7/89
____/____/____
____/____/____

soil & groundwater samples collected from
soil borings

FIRM OR PERSON RESPONSIBLE: Bob's Service Station

CONTACT: Robert Anderson

ADDRESS: Rt 1 Box 719

Siren WI 54872

PHONE: 715/689-2445
(list additional on separate list & attach)

CONSULTANT: Agua-Tech Inc

CONTACT: Mitch Everson / Z. Vance Jackson Jr

ADDRESS: 140 S Park St Port Washington WI 53074

PHONE: 414/284-5746

AMOUNT COMMITTED: \$ ____ AMOUNT SPENT: \$ ____
(list additional on separate list & attach)

PECFA REVIEW REQUESTED: (X) ☐ YES ☐ NO

DATE PECFA REQUEST RECEIVED: (mo day yr) ____/____/____

KNOWN IMPACTS: (X) POTENTIAL IMPACTS: (X)

FIRE/EXPLOSION THREAT _____

CONTAMINATED PRIVATE WELL _____

CONTAMINATED PUBLIC WELL _____

GROUNDWATER CONTAMINATION ☒ _____

SOIL CONTAMINATION ☒ _____

OTHER: _____

SUBSTANCES: (X) QUANTITY DISCHARGED: (gals)

☒ LEADED GAS _____ VOCs _____

☒ UNLEADED GAS _____ PESTICIDE _____

☒ DIESEL _____

_____ FUEL OIL _____

_____ UNKNOWN HYDROCARBONS _____

_____ OTHER _____

ENFORCEMENT ACTION TAKEN

01=INF. CONTACT, RESP INITIATED
02=RP LETTER, RESP INITIATED
03=NTC OF NON COMPLIANCE

06=INSPECTION LETTER
07=RESPONSE RECEIVED
11=CLOSE OUT

14=NOTICE OF VIOLATION
18=ADMIN. ORDER FINAL
20=ADMIN. ORDER CANCELLED

23=REFERRAL TO DOJ
25=REFERRAL TO EPA
99=OTHER ACTION: _____

ACTION
(code from above)

DATE
(mo/day/yr)

COMMENT:

2

4/2/90

(for additional action codes see instructions/list additional on separate list and attach)

OVER ALL CASE COMMENT: Site is located East of known contamination sites at Andy's Bait
Shop, and Hedlund D.V. abandoned station. Site could be a contributing
source of contamination to private water supply at Andy's Bait

LUST CASE PRIORITY SCREENING WORKSHEET

HIGH FACTORS: (DEFINITION: Any case which presents an actual threat to human health, or has a high potential of causing a threat to human health and property; and/or any case which has caused or has a high potential of causing substantial impacts to the soil, waters and air of the State of Wisconsin)

HIGH FACTORS:

- ☐ Contaminated private or public well >NR140 enf. std.
☐ Explosive or toxic vapors in structures
☐ Threat of fire

HIGH OR MEDIUM FACTORS: (write in choice of high or medium)

- ☒ Floating product (medium if no receptors within 1 mile)
☒ Known gw contamination (private or public well <140 enf. std.)
☒ Impacted surface water--wetland, trout stream, etc. impacted saturated soil contamination

MEDIUM FACTORS: (DEFINITION: Any case which does not appear to be an immediate threat to human health or vital natural resources but which shows levels of contamination that may cause substantial environmental impacts if left unaddressed.)

- ☐ Moderate soil contamination with moderate potential for impacting groundwater.
☐ Impacted surface water--no critical habitat threats.

LOW FACTORS: (DEFINITION: Any case where contamination has been documented, but which presents limited potential for any immediate threat to human health and vital natural resources.)

- ☐ Soil contamination which appears to have a limited potential for impacting groundwater.
☐ Initial remedial action has substantially reduced environmental threat.

UNKNOWN FACTOR: (DEFINITION: Any case where some indication of contamination is present, but due to incomplete or inaccurate information the level of threat to human health or the environment can not be assessed at this time.)

- ☐ Inadequate information to assign a high, medium, or low ranking.

OVERALL RANKING: The screening rank for the site along with the date of ranking. This may be updated when additional information is received. Special circumstances for a particular case may be taken into account in the comment section. The District LUST coordinator may independently set the ranking of a site based upon "special circumstances."

Circle one & date, indicate in priority screening box opposite side 2/12/90 HIGH MEDIUM LOW UNKNOWN

COMMENT: _____

NUMERICAL LUST SCORING WORKSHEET (complete for LUST cases ranked HIGH)

1. **GROUNDWATER & SOILS:** (circle one)

POINTS	Documented Petroleum Contamination:	POINTS	
20	Municipal well	8	Soil & gw within 1200' of a public well
18	>6 private wells	6	Soil & gw within 1200' of one or more private wells
16	4 - 6 private wells	4	GW contamination, no wells within 1200'
14	2 - 3 private wells	2	Soil contamination
<u>12</u>	1 private well		

2. **EXPLOSIVE OR TOXIC VAPORS:** (circle one)

POINTS	CONFIRMED	POTENTIAL	
20	10		Explosive levels in a residence or building
16	8		Explosive levels in a sewer or structure
12	6		Toxic levels in a residence or building
Note: Explosive levels determined to be >20% LEL as per an explosivity meter; toxicity levels are based on OSHA permissible exposure limits (PEL)			

3. **HYDROGEOLOGIC SETTING:** (circle one)

POINTS	
12	Highly permeable sub-soils (gravel, well sorted sand, fractured bedrock or utilities capable of intercepting and directing flow) <u>and</u> groundwater within 25 feet of the ground surface.
10	Highly permeable sub-soils <u>and</u> groundwater more than 25 feet below ground surface.
<u>8</u>	Moderately permeable sub-soils (silty sands, silty gravel, clayey sands) <u>and</u> groundwater within 25 feet of ground surface
6	Moderately permeable sub-soils <u>and</u> groundwater greater than 25 feet below ground surface.
4	Low permeability sub-soils (silt, clayey silt, sand clays) <u>and</u> groundwater within 25 feet of ground surface.
2	Low permeability sub-soils <u>and</u> groundwater greater than 25 feet below ground surface.

4. **TYPE OF PRODUCT:** (circle one)

POINTS	NOTE: Add 4 points if free product is present. (score in parentheses)
<u>8</u> (12)	Gasoline, mixture of gasoline and other products, other light petroleum products.
6 (10)	Diesel, fuel oil
2 (6)	Bunker oil, other heavy oils or crude fractions

28 ^{KKm} TOTAL SCORE (indicate score in priority screening box on opposite side)

