



August 9, 2017

Wisconsin Department of Natural Resources

Attn: Mr. Ralph Smith
101 S. Webster Street
PO Box 7921
Madison, WI 53707



Subject:

Update Report
Bob's Service
10545 STH 70
Falun, WI 54840
BRRTS #03-07-000148
PECFA #54872-8522-31

Dear Mr. Smith:

Enclosed is the Update Report for the above-mentioned site. This report documents the completion of the soil and groundwater sampling via Geoprobe at the subject property. Minimal soil and groundwater contamination was encountered during the advancement of Geoprobe borings at the site.

The contamination does not appear to have originated at this property. The adjacent property to the west, open LUST site Hedlund DX (BRRTS#03-07-000151), appears to be responsible for the majority of the contamination observed at the Bob's Service site.

Please call me with questions or comments toll free at 877-734-7745 or contact me electronically at sblado@reiengineering.com.

Sincerely,
REI Engineering, Inc.

Scott J. Blado
Environmental Scientist

Enclosures

CC: Mr. Robert Anderson, 10531 STH 70, Siren, WI 54872



RESPONSIVE. EFFICIENT. INNOVATIVE.

4080 N. 20th Avenue Wausau, WI 54401
715-675-9784 REIengineering.com

p:\7600-7699\7679 - bob's service\reports\update\7679ual2.docx




REI

**CIVIL & ENVIRONMENTAL
ENGINEERING, SURVEYING**

UPDATE REPORT

**BOB'S SERVICE
10545 STH 70
FALUN, WI 54840**

**BRRTS#03-07-000148
PECFA#54872-8522-31**



**COMPREHENSIVE
SERVICES WITH
PRACTICAL
SOLUTIONS**



UPDATE REPORT

**BOB'S SERVICE
10545 STH 70
FALUN, WI 54840
BRRTS #03-07-000148**

**PECFA#54872-8522-31
REI #7679**



PREPARED FOR:

**Bob's Service
Mr. Robert Anderson
10531 STH 70
Siren, WI 54872**

AUGUST 2017

UPDATE REPORT

**BOB'S SERVICE
10545 STH 70
FALUN, WI 54840
BRRTS #03-07-000148**


**PECFA#54872-8522-31
REI #7679**

The recommendations contained in this report are based on the information obtained from our study of the site and were arrived at in accordance with accepted hydrogeologic and engineering practices at this time and location.

"I, Scott Blado, hereby certify that I am a scientist as that term is defined in s. NR 712.03 (3), Wis. Adm. Code, and that, to the best of my knowledge, all of the information contained in this document is correct and the document was prepared in compliance with all applicable requirements in chs. NR 700 to 726, Wis. Adm. Code."



Environmental Scientist



Date

"I, David N. Larsen, hereby certify that I am a registered Professional Geologist in the State of Wisconsin as defined in the Wisconsin Statutes Chapter 470.01. I am also a hydrogeologist as that term is defined in s. NR 712.03 (3), Wis. Adm. Code, and that, to the best of my knowledge, all of the information contained in this document is correct and the document was prepared in compliance with all applicable requirements in chs. NR 700 to 726, Wis. Adm. Code."



TABLE OF CONTENTS

- 1.0 Introduction
- 2.0 Summary of Activities
 - 2.1 Geoprobe Boring Advancement
 - 2.2 Discussion
- 3.0 Conclusion and Recommendations

LIST OF TABLES

- | | |
|-------------|--|
| Table 1a-1b | Summary of Groundwater Analytical Results |
| Table 2 | Summary of Soil Analytical Results - Geoprobes |

LIST OF FIGURES

- | | |
|----------|-------------------|
| Figure 1 | Site Vicinity Map |
| Figure 2 | Site Map |

LIST OF APPENDICES

- | | |
|------------|--|
| Appendix A | Investigative Waste Disposal Documentation |
| Appendix B | Soil and Groundwater Laboratory Reports |

UPDATE REPORT

**BOB'S SERVICE
10545 STH 70
FALUN, WI 54840
BRRTS #03-07-000148**

**PECFA#54872-8522-31
REI #7679**

1.0 INTRODUCTION

The Bob's Service property is located at 10545 STH 70, in the NW ¼ of the NW ¼ of Section 19 Township 38 North, Range 17 West, Town of Daniels, Burnett County, Wisconsin (Figure 1).

The Wisconsin Department of Natural Resources (WDNR) was notified of the release in 1990 following reconstruction of State Highway 70. The retail petroleum system was removed in 1993 and an environmental site investigation was initiated. A Site Investigation Report was submitted to the WDNR in 1996. The majority of the contamination identified on site was observed in the soil at a depth of five (5) to nine (9) feet and may have been related to groundwater impact rather than soil impacts. Additionally, the greatest soil impact was observed at TP3 from 7.5-9.5-foot depth and returned a benzene detection of 58.5 ppb. The neighboring Hedlund DX site, located immediately west of Bob's Service, is also a known petroleum impacted site and it was very probable that the Bob's Service site was being impacted from the release at the Hedlund DX site. Site work on Bob's Service stalled until the investigation at the Hedlund site was initiated. REI Engineering, Inc. (REI) was retained to complete the environmental investigation at the Hedlund DX site in 2015.

REI was retained to complete the Bob's Service investigation in 2017 and had approval for the advancement of ten (10) Geoprobe borings at the site to determine the degree and extent of the residual contamination and the preparation of a follow-up report.

2.0 SUMMARY OF ACTIVITIES

2.1 Geoprobe Boring Advancement

A total of ten (10) Geoprobe borings were advanced during the investigation. Two (2) soil samples were collected from each Geoprobe boring location. Groundwater samples were collected from five (5) locations where temporary monitoring wells were placed. Locations of the borings are presented on Figure 2.

Geoprobos were advanced based on estimated locations of former underground storage tanks and dispenser systems. A summary of groundwater analytical results is presented in Table 1 and a summary of soil sample analytical results are presented in Table 2. Investigative waste disposal documentation is included in Appendix A. Groundwater and soil samples were collected and submitted to a State certified laboratory for chemical analysis. Copies of the complete analytical chemistry reports are presented in Appendix B.

2.2 Discussion

Soil contamination exceeding NR140 Groundwater Pathway Protection levels was discovered in boring "B1" at a depth of eight to nine (8-9) feet. Boring location B3 also revealed a detection of benzene in soil exceeding the NR140 Groundwater Pathway Protection level. This detection was noted with a lab qualifier (J), meaning it was between the limit of detection (LOD) and the limit of quantification (LOQ) and should be considered an estimate.

In addition, groundwater contamination exceeding NR720 Enforcement Standards and Preventative Action Levels was observed in boring B1. These boring locations are located near the northern property boundary of the Bob's Service site. Aside from the groundwater sample from B10 which had detections of petroleum related compounds below all standards, all other boring locations were non-detect for all soil and groundwater parameters analyzed. Boring locations are depicted on Figure 2.

Open LUST site, Hedlund DX (BRRTS#03-07-000151) exist immediately adjacent to the Bob's Service site to the west. Extensive contamination has been documented at

the Hedlund DX site, and the limited identified soil contamination at the Bob's Service site is likely attributable to the release at the Hedlund DX site. Information specific to the Hedlund DX release has been provided to the WDNR and is publicly available for review.

3.0 CONCLUSION AND RECOMMENDATIONS

Based on soil and groundwater sampling results, it appears that the limited contamination identified at the Bob's Service site is attributable to the adjacent Hedlund DX open LUST site. Boring location B1 revealed levels of soil and groundwater contamination exceeding WDNR standards. Based on the vicinity of the identified contamination in relation to the adjacent site, it is likely that the contaminant source is the same for both properties.

It is the opinion of REI Engineering, Inc. that no further investigation is warranted into the Bob's Service site. Soil and groundwater sampling near the former UST basin and dispensers has indicated that identified contamination at the site is not resultant of the Bob's Service petroleum system. Soil and groundwater data collected during this investigation and the historical investigation scopes should be utilized to aid in defining the degree and extent of the contamination originating from the Hedlund DX site, adjacent to the west. REI recommends that the Bob's Service site should be submitted for closure.

Table 1a
Summary of Groundwater Analytical Results - Geoprobes
Bob's Service
10545 STH 70, Falun, WI

		Sample Location		B1	B2	B6	B7	B10
		PAL	Date	5/22/2017	5/22/2017	5/22/2017	5/22/2017	5/22/2017
VOC Parameters	ES		Units					
Benzene	5	0.5	µg/l	1,100	<0.40	<0.40	<0.40	<0.40
Toluene	800	160	µg/l	648	0.43J	<0.39	<0.39	<0.39
Ethylbenzene	700	140	µg/l	553	<0.39	<0.39	<0.39	0.84J
Xylenes (mixed isomers)	2,000	400	µg/l	<i>1,928</i>	<0.80	<0.80	<0.80	22.7
Methyl tert-Butyl Ether (MTBE)	60	12	µg/l	<i>12.1</i>	<0.48	<0.48	<0.48	<0.48
Trimethylbenzenes (mixed isomers)	480	96	µg/l	<i>380.8</i>	<0.42	<0.42	<0.42	19.4

Notes:

ES = NR140.10 Enforcement Standards

PAL = NR140.10 Preventive Action Limits

NA = Not Analyzed

Enforcement Standard exceeded

Preventive Action Limit exceeded

J = Estimated value, concentration between the Limit of Detection and the Limit of Quantitation

BOLD
<i>Italics</i>

Table 1b
Summary of Potable Water Analytical Results
Bob's Service
10545 STH 70, Falun, WI

			Potable
PARAMETER	ES	PAL	5/22/17
Detected VOC's (ug/L)			
Benzene	5	0.5	<0.086
Bromobenzene			<0.081
Bromochloromethane			<0.16
Bromodichloromethane	0.6	0.06	<0.090
Bromoform	4.4	0.44	<0.23
Bromomethane	10	1	<0.20
n-Butylbenzene			<0.081
sec-Butylbenzene			<0.063
tert-Butylbenzene			<0.097
Carbon Tetrachloride	5	0.5	<0.076
Chlorobenzene			<0.068
Chloroethane	400	80	<0.18
Chloroform	6	0.6	<0.10
Chloromethane	30	3	<0.21
2-Chlorotoluene			<0.11
4-Chlorotoluene			<0.10
1,2-Dibromo-3-chloropropane	0.2	0.02	<0.18
Dibromochloromethane	60	6	<0.13
1,2-Dibromoethane (EDB)	0.05	0.005	<0.091
Dibromomethane			<0.098
1,2-Dichlorobenzene	600	60	<0.10
1,3-Dichlorobenzene	600	120	<0.082
1,4-Dichlorobenzene	75	15	<0.075
Dichlorodifluoromethane	1,000	200	<0.16
1,1-Dichloroethane	850	85	<0.088
1,2-Dichloroethane	5	0.5	<0.092
1,1-Dichloroethene	7	0.7	<0.089
cis-1,2-Dichloroethene	70	7	<0.085
trans-1,2-Dichloroethene	100	20	<0.11
1,2-Dichloropropane	5	0.5	<0.084
1,3-Dichloropropane			<0.094
2,2-Dichloropropane			<0.097
1,1-Dichloropropene			<0.080
cis-1,3-Dichloropropene	0.4	0.04	<0.071
trans-1,3-Dichloropropene	0.4	0.04	<0.055
Ethylbenzene	700	140	<0.051
Hexachloro(1,3)butadiene			<0.11
Isopropylbenzene			<0.11
p-Isopropyltoluene			<0.083
Methylene Chloride	5	0.5	<0.20
Naphthalene	100	10	<0.064
n-Propylbenzene			<0.096
Styrene	100	10	<0.075
1,1,1,2 - Tetrachloroethane	70	7	<0.062
1,1,1,2-Tetrachloroethane	0.2	0.02	<0.11
Tetrachloroethene	5	0.5	<0.12
Toluene	800	160	<0.080
1,2,3-Trichlorobenzene			<0.10
1,2,4-Trichlorobenzene	70	14	<0.12
1,1,1-Trichloroethane	200	40	<0.10
1,1,2-Trichloroethane	5	0.5	<0.098
Trichloroethene	5	0.5	<0.044
Trichlorofluoromethane	3,490	698	<0.13
1,2,3-Trichloropropane	60	12	<0.073
Total Trimethylbenzenes	480	96	<0.083
Vinyl Chloride	0.2	0.02	<0.098
Total Xylenes	2,000	400	<0.073

PAL = Preventive Action Limit

ES = Enforcement Standards

Exceeds Enforcement Standard


Exceeds Preventative Action Limit

NA - Not Analyzed

< - Concentration less than listed detection limit

J - Estimated Value between detection limit and quantification limit

BOLD
<i>Italic</i>



CONTOUR INTERVAL 10 FEET

DOTTED LINES REPRESENT 5-FOOT CONTOURS
NATIONAL GEODETIC VERTICAL DATUM OF 1929



UTM GRID AND 1982 MAGNETIC NORTH
DECLINATION AT CENTER OF SHEET

FALUN, WIS.

SE/4 GRANTSBURG 15' QUADRANGLE
N4545-W9230/7.5

1982

DMA 2475 I SE-SERIES V861



QUADRANGLE LOCATION

REI Engineering, INC.


BOB'S SERVICE
10545 STATE HIGHWAY 70
FALUN, WISCONSIN 54872

FIGURE 1 : SITE VICINITY MAP

PROJECT NO.	7679
-------------	------

DRAWN BY:
AJG

DATE:
7/5/2017



APPENDIX A

INVESTIGATIVE WASTE DISPOSAL DOCUMENTATION



LINCOLN COUNTY LANDFILL 715-536-9636

Site: N4750 Landfill Lane, Merrill, WI 54452

Mailing: 801 N Sales St, Ste 201, Merrill, WI 54452

OPERATING HOURS:

Monday-Friday

SUMMER (May 1 - Sept. 30) 7:00 am - 4:00 pm

WINTER (Oct. 1 - Apr. 30) 8:00 am - 4:00 pm

1st and 3rd Sat. 8:00 am - Noon

DATE: 5/31/2017
Time In: 08:54 AM

TICKET #: 230390
Time Out: 08:54 AM

Vehicle #:

BILL TO: R.E.I.
HAULER : R.E.I.

JOB : 17 - 3 B - RE #7367axuc Hedlund DX, Falun
PO# : REI job #7367axuc

Continimated soil \$150 minimum (CON MIN) 1 un
Gross: 1 Tare: 0 Net Weight: 1

Scale Notes:

Charge Transaction

HAVE A NICE DAY!

Customer Signature _____
Weighed By: Administrator

I certify that the waste in this vehicle complies with the Wisconsin Recycling law and the landfill bans. I also agree to pay 1.5% per month Late payment charge after 30 days.

APPENDIX B

SOIL AND GROUNDWATER LABORATORY REPORTS



June 02, 2017

DAVID LARSEN
REI
4080 NORTH 20TH AVENUE
Wausau, WI 54401

RE: Project: 7679 BOB'S SERVICE
Pace Project No.: 40150524

Dear DAVID LARSEN:

Enclosed are the analytical results for sample(s) received by the laboratory on May 24, 2017. The results relate only to the samples included in this report. Results reported herein conform to the most current, applicable TNI/NELAC standards and the laboratory's Quality Assurance Manual, where applicable, unless otherwise noted in the body of the report.

If you have any questions concerning this report, please feel free to contact me.

Sincerely,



Brian Basten
brian.basten@pacelabs.com
(920)469-2436
Project Manager

Enclosures



REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

CERTIFICATIONS

Project: 7679 BOB'S SERVICE

Pace Project No.: 40150524

Minnesota Certification IDs

1700 Elm Street SE, Suite 200, Minneapolis, MN 55414

A2LA Certification #: 2926.01

Alabama Certification #: 40770

Alaska Contaminated Sites Certification #: UST-078

Alaska DW Certification #: MN00064

Arizona Certification #: AZ0014

Arkansas Certification #: 88-0680

California Certification #: MN00064

CNMI Saipan Certification #: MP0003

Colorado Certification #: MN00064

Connecticut Certification #: PH-0256

EPA Region 8 Certification #: 8TMS-L

Florida Certification #: E87605

Georgia Certification #: 959

Guam EPA Certification #: MN00064

Hawaii Certification #: MN00064

Idaho Certification #: MN00064

Illinois Certification #: 200011

Indiana Certification #: C-MN-01

Iowa Certification #: 368

Kansas Certification #: E-10167

Kentucky DW Certification #: 90062

Kentucky WW Certification #: 90062

Louisiana DEQ Certification #: 03086

Louisiana DW Certification #: MN00064

Maine Certification #: MN00064

Maryland Certification #: 322

Michigan Certification #: 9909

Minnesota Certification #: 027-053-137

Mississippi Certification #: MN00064

Montana Certification #: CERT0092

Nebraska Certification #: NE-OS-18-06

Nevada Certification #: MN00064

New Hampshire Certification #: 2081

New Jersey Certification #: MN002

New York Certification #: 11647

North Carolina DW Certification #: 27700

North Carolina WW Certification #: 530

North Dakota Certification #: R-036

Ohio DW Certification #: 41244

Ohio VAP Certification #: CL101

Oklahoma Certification #: 9507

Oregon NwTPH Certification #: MN300001

Oregon Secondary Certification #: MN200001

Pennsylvania Certification #: 68-00563

Puerto Rico Certification #: MN00064

South Carolina Certification #: 74003001

Tennessee Certification #: TN02818

Texas Certification #: T104704192

Utah Certification #: MN00064

Virginia Certification #: 460163

Washington Certification #: C486

West Virginia DW Certification #: 9952 C

West Virginia WW Certification #: 382

Wisconsin Certification #: 999407970

Wyoming via EPA Region 8 Certification #: 8TMS-L

Green Bay Certification IDs

1241 Bellevue Street, Green Bay, WI 54302

Florida/NELAP Certification #: E87948

Illinois Certification #: 200050

Kentucky UST Certification #: 82

Louisiana Certification #: 04168

Minnesota Certification #: 055-999-334

New York Certification #: 12064

North Dakota Certification #: R-150

Virginia VELAP ID: 460263

South Carolina Certification #: 83006001

Texas Certification #: T104704529-14-1

Wisconsin Certification #: 405132750

Wisconsin DATCP Certification #: 105-444

USDA Soil Permit #: P330-16-00157

Federal Fish & Wildlife Permit #: LE51774A-0

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

SAMPLE SUMMARY

Project: 7679 BOB'S SERVICE

Pace Project No.: 40150524

Lab ID	Sample ID	Matrix	Date Collected	Date Received
40150524001	B1	Water	05/22/17 15:35	05/24/17 09:00
40150524002	B2	Water	05/22/17 15:55	05/24/17 09:00
40150524003	B6	Water	05/22/17 17:35	05/24/17 09:00
40150524004	B7	Water	05/22/17 17:55	05/24/17 09:00
40150524005	B10	Water	05/22/17 19:00	05/24/17 09:00
40150524006	B1 @ 2-4'	Solid	05/22/17 14:38	05/24/17 09:00
40150524007	B1 @ 8-9'	Solid	05/22/17 14:44	05/24/17 09:00
40150524008	B2 @ 2-4'	Solid	05/22/17 15:09	05/24/17 09:00
40150524009	B2 @ 13-14'	Solid	05/22/17 15:18	05/24/17 09:00
40150524010	B3 @ 2-4'	Solid	05/22/17 15:40	05/24/17 09:00
40150524011	B3 @ 13-14'	Solid	05/22/17 15:45	05/24/17 09:00
40150524012	B4 @ 2-4'	Solid	05/22/17 16:02	05/24/17 09:00
40150524013	B4 @ 8-9'	Solid	05/22/17 16:08	05/24/17 09:00
40150524014	B5 @ 2-4'	Solid	05/22/17 16:30	05/24/17 09:00
40150524015	B5 @ 12-14'	Solid	05/22/17 16:35	05/24/17 09:00
40150524016	B6 @ 2-4'	Solid	05/22/17 16:55	05/24/17 09:00
40150524017	B6 @ 13-14'	Solid	05/22/17 17:05	05/24/17 09:00
40150524018	B7 @ 2-4'	Solid	05/22/17 17:26	05/24/17 09:00
40150524019	B7 @ 12-14'	Solid	05/22/17 17:34	05/24/17 09:00
40150524020	B8 @ 2-4'	Solid	05/22/17 17:44	05/24/17 09:00
40150524021	B8 @ 11-13'	Solid	05/22/17 18:00	05/24/17 09:00
40150524022	B9 @ 2-4'	Solid	05/22/17 18:20	05/24/17 09:00
40150524023	B9 @ 8-9'	Solid	05/22/17 18:25	05/24/17 09:00
40150524024	B10 @ 2-4'	Solid	05/22/17 18:38	05/24/17 09:00
40150524025	B10 @ 11-13'	Solid	05/22/17 18:47	05/24/17 09:00
40150524026	POTABLE	Water	05/22/17 16:10	05/24/17 09:00

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

SAMPLE ANALYTE COUNT

Project: 7679 BOB'S SERVICE

Pace Project No.: 40150524

Lab ID	Sample ID	Method	Analysts	Analytes Reported	Laboratory
40150524001	B1	WI MOD GRO	ALD	10	PASI-G
40150524002	B2	WI MOD GRO	ALD	10	PASI-G
40150524003	B6	WI MOD GRO	ALD	10	PASI-G
40150524004	B7	WI MOD GRO	ALD	10	PASI-G
40150524005	B10	WI MOD GRO	ALD	10	PASI-G
40150524006	B1 @ 2-4'	WI MOD GRO	PMS	10	PASI-G
		EPA 6010	DLB	1	PASI-G
		ASTM D2974-87	KTS	1	PASI-G
40150524007	B1 @ 8-9'	WI MOD GRO	PMS	10	PASI-G
		EPA 6010	DLB	1	PASI-G
		ASTM D2974-87	KTS	1	PASI-G
40150524008	B2 @ 2-4'	WI MOD GRO	PMS	10	PASI-G
		EPA 6010	DLB	1	PASI-G
		ASTM D2974-87	KTS	1	PASI-G
40150524009	B2 @ 13-14'	WI MOD GRO	PMS	10	PASI-G
		EPA 6010	DLB	1	PASI-G
		ASTM D2974-87	KTS	1	PASI-G
40150524010	B3 @ 2-4'	WI MOD GRO	PMS	10	PASI-G
		EPA 6010	DLB	1	PASI-G
		ASTM D2974-87	KTS	1	PASI-G
40150524011	B3 @ 13-14'	WI MOD GRO	PMS	10	PASI-G
		EPA 6010	DLB	1	PASI-G
		ASTM D2974-87	KTS	1	PASI-G
40150524012	B4 @ 2-4'	WI MOD GRO	PMS	10	PASI-G
		EPA 6010	DLB	1	PASI-G
		ASTM D2974-87	KTS	1	PASI-G
40150524013	B4 @ 8-9'	WI MOD GRO	PMS	10	PASI-G
		EPA 6010	DLB	1	PASI-G
		ASTM D2974-87	KTS	1	PASI-G
40150524014	B5 @ 2-4'	WI MOD GRO	PMS	10	PASI-G
		EPA 6010	DLB	1	PASI-G
		ASTM D2974-87	KTS	1	PASI-G
40150524015	B5 @ 12-14'	WI MOD GRO	PMS	10	PASI-G
		EPA 6010	DLB	1	PASI-G
		ASTM D2974-87	KTS	1	PASI-G
40150524016	B6 @ 2-4'	WI MOD GRO	PMS	10	PASI-G
		EPA 6010	DLB	1	PASI-G

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

SAMPLE ANALYTE COUNT

Project: 7679 BOB'S SERVICE

Pace Project No.: 40150524

Lab ID	Sample ID	Method	Analysts	Analytes Reported	Laboratory
40150524017	B6 @ 13-14'	ASTM D2974-87	KTS	1	PASI-G
		WI MOD GRO	PMS	10	PASI-G
		EPA 6010	DLB	1	PASI-G
40150524018	B7 @ 2-4'	ASTM D2974-87	KTS	1	PASI-G
		WI MOD GRO	PMS	10	PASI-G
		EPA 6010	DLB	1	PASI-G
40150524019	B7 @ 12-14'	ASTM D2974-87	KTS	1	PASI-G
		WI MOD GRO	PMS	10	PASI-G
		EPA 6010	DLB	1	PASI-G
40150524020	B8 @ 2-4'	ASTM D2974-87	KTS	1	PASI-G
		WI MOD GRO	PMS	10	PASI-G
		EPA 6010	DLB	1	PASI-G
40150524021	B8 @ 11-13'	ASTM D2974-87	KTS	1	PASI-G
		WI MOD GRO	PMS	10	PASI-G
		EPA 6010	DLB	1	PASI-G
40150524022	B9 @ 2-4'	ASTM D2974-87	KTS	1	PASI-G
		WI MOD GRO	PMS	10	PASI-G
		EPA 6010	DLB	1	PASI-G
40150524023	B9 @ 8-9'	ASTM D2974-87	KTS	1	PASI-G
		WI MOD GRO	PMS	10	PASI-G
		EPA 6010	DLB	1	PASI-G
40150524024	B10 @ 2-4'	ASTM D2974-87	KTS	1	PASI-G
		WI MOD GRO	PMS	10	PASI-G
		EPA 6010	DLB	1	PASI-G
40150524025	B10 @ 11-13'	ASTM D2974-87	KTS	1	PASI-G
		WI MOD GRO	ALD	10	PASI-G
		EPA 6010	DLB	1	PASI-G
40150524026	POTABLE	ASTM D2974-87	KTS	1	PASI-G
		EPA 524.2	DJB	63	PASI-M

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 7679 BOB'S SERVICE

Pace Project No.: 40150524

Sample: B1 Lab ID: 40150524001 Collected: 05/22/17 15:35 Received: 05/24/17 09:00 Matrix: Water									
Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
WIGRO GCV Analytical Method: WI MOD GRO									
Benzene	1100	ug/L	10.0	4.0	10		05/30/17 22:08	71-43-2	
Ethylbenzene	553	ug/L	10.0	3.9	10		05/30/17 22:08	100-41-4	
Methyl-tert-butyl ether	12.1	ug/L	10.0	4.8	10		05/30/17 22:08	1634-04-4	
Naphthalene	77.6	ug/L	10.0	4.2	10		05/30/17 22:08	91-20-3	
Toluene	648	ug/L	10.0	3.9	10		05/30/17 22:08	108-88-3	
1,2,4-Trimethylbenzene	307	ug/L	10.0	4.2	10		05/30/17 22:08	95-63-6	
1,3,5-Trimethylbenzene	73.8	ug/L	10.0	4.2	10		05/30/17 22:08	108-67-8	
m&p-Xylene	1380	ug/L	20.0	8.0	10		05/30/17 22:08	179601-23-1	
o-Xylene	548	ug/L	10.0	4.5	10		05/30/17 22:08	95-47-6	
Surrogates									
a,a,a-Trifluorotoluene (S)	103	%	80-120		10		05/30/17 22:08	98-08-8	

Sample: B2 Lab ID: 40150524002 Collected: 05/22/17 15:55 Received: 05/24/17 09:00 Matrix: Water									
Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
WIGRO GCV Analytical Method: WI MOD GRO									
Benzene	<0.40	ug/L	1.0	0.40	1		05/26/17 18:59	71-43-2	
Ethylbenzene	<0.39	ug/L	1.0	0.39	1		05/26/17 18:59	100-41-4	
Methyl-tert-butyl ether	<0.48	ug/L	1.0	0.48	1		05/26/17 18:59	1634-04-4	
Naphthalene	<0.42	ug/L	1.0	0.42	1		05/26/17 18:59	91-20-3	
Toluene	0.43J	ug/L	1.0	0.39	1		05/26/17 18:59	108-88-3	
1,2,4-Trimethylbenzene	<0.42	ug/L	1.0	0.42	1		05/26/17 18:59	95-63-6	
1,3,5-Trimethylbenzene	<0.42	ug/L	1.0	0.42	1		05/26/17 18:59	108-67-8	
m&p-Xylene	<0.80	ug/L	2.0	0.80	1		05/26/17 18:59	179601-23-1	
o-Xylene	<0.45	ug/L	1.0	0.45	1		05/26/17 18:59	95-47-6	
Surrogates									
a,a,a-Trifluorotoluene (S)	100	%	80-120		1		05/26/17 18:59	98-08-8	

Sample: B6 Lab ID: 40150524003 Collected: 05/22/17 17:35 Received: 05/24/17 09:00 Matrix: Water									
Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
WIGRO GCV Analytical Method: WI MOD GRO									
Benzene	<0.40	ug/L	1.0	0.40	1		05/26/17 19:25	71-43-2	
Ethylbenzene	<0.39	ug/L	1.0	0.39	1		05/26/17 19:25	100-41-4	
Methyl-tert-butyl ether	<0.48	ug/L	1.0	0.48	1		05/26/17 19:25	1634-04-4	
Naphthalene	<0.42	ug/L	1.0	0.42	1		05/26/17 19:25	91-20-3	
Toluene	<0.39	ug/L	1.0	0.39	1		05/26/17 19:25	108-88-3	
1,2,4-Trimethylbenzene	<0.42	ug/L	1.0	0.42	1		05/26/17 19:25	95-63-6	
1,3,5-Trimethylbenzene	<0.42	ug/L	1.0	0.42	1		05/26/17 19:25	108-67-8	
m&p-Xylene	<0.80	ug/L	2.0	0.80	1		05/26/17 19:25	179601-23-1	
o-Xylene	<0.45	ug/L	1.0	0.45	1		05/26/17 19:25	95-47-6	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 7679 BOB'S SERVICE

Pace Project No.: 40150524

Sample: B6		Lab ID: 40150524003		Collected: 05/22/17 17:35		Received: 05/24/17 09:00		Matrix: Water	
Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
WIGRO GCV		Analytical Method: WI MOD GRO							
Surrogates									
a,a,a-Trifluorotoluene (S)	100	%	80-120		1		05/26/17 19:25	98-08-8	

Sample: B7		Lab ID: 40150524004		Collected: 05/22/17 17:55		Received: 05/24/17 09:00		Matrix: Water	
Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
WIGRO GCV		Analytical Method: WI MOD GRO							
Benzene	<0.40	ug/L	1.0	0.40	1		05/26/17 19:50	71-43-2	
Ethylbenzene	<0.39	ug/L	1.0	0.39	1		05/26/17 19:50	100-41-4	
Methyl-tert-butyl ether	<0.48	ug/L	1.0	0.48	1		05/26/17 19:50	1634-04-4	
Naphthalene	<0.42	ug/L	1.0	0.42	1		05/26/17 19:50	91-20-3	
Toluene	<0.39	ug/L	1.0	0.39	1		05/26/17 19:50	108-88-3	
1,2,4-Trimethylbenzene	<0.42	ug/L	1.0	0.42	1		05/26/17 19:50	95-63-6	
1,3,5-Trimethylbenzene	<0.42	ug/L	1.0	0.42	1		05/26/17 19:50	108-67-8	
m&p-Xylene	<0.80	ug/L	2.0	0.80	1		05/26/17 19:50	179601-23-1	
o-Xylene	<0.45	ug/L	1.0	0.45	1		05/26/17 19:50	95-47-6	
Surrogates									
a,a,a-Trifluorotoluene (S)	101	%	80-120		1		05/26/17 19:50	98-08-8	

Sample: B10		Lab ID: 40150524005		Collected: 05/22/17 19:00		Received: 05/24/17 09:00		Matrix: Water	
Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
WIGRO GCV		Analytical Method: WI MOD GRO							
Benzene	<0.40	ug/L	1.0	0.40	1		05/26/17 18:08	71-43-2	
Ethylbenzene	0.84J	ug/L	1.0	0.39	1		05/26/17 18:08	100-41-4	
Methyl-tert-butyl ether	<0.48	ug/L	1.0	0.48	1		05/26/17 18:08	1634-04-4	
Naphthalene	2.3	ug/L	1.0	0.42	1		05/26/17 18:08	91-20-3	
Toluene	<0.39	ug/L	1.0	0.39	1		05/26/17 18:08	108-88-3	
1,2,4-Trimethylbenzene	17.1	ug/L	1.0	0.42	1		05/26/17 18:08	95-63-6	
1,3,5-Trimethylbenzene	2.3	ug/L	1.0	0.42	1		05/26/17 18:08	108-67-8	
m&p-Xylene	18.5	ug/L	2.0	0.80	1		05/26/17 18:08	179601-23-1	
o-Xylene	4.2	ug/L	1.0	0.45	1		05/26/17 18:08	95-47-6	
Surrogates									
a,a,a-Trifluorotoluene (S)	102	%	80-120		1		05/26/17 18:08	98-08-8	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 7679 BOB'S SERVICE

Pace Project No.: 40150524

Sample: B1 @ 2-4' **Lab ID: 40150524006** Collected: 05/22/17 14:38 Received: 05/24/17 09:00 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
WIGRO GCV Analytical Method: WI MOD GRO Preparation Method: TPH GRO/PVOC WI ext.									
Benzene	<26.3	ug/kg	63.2	26.3	1	05/26/17 08:00	05/26/17 10:40	71-43-2	W
Ethylbenzene	<26.3	ug/kg	63.2	26.3	1	05/26/17 08:00	05/26/17 10:40	100-41-4	W
Methyl-tert-butyl ether	<26.3	ug/kg	63.2	26.3	1	05/26/17 08:00	05/26/17 10:40	1634-04-4	W
Naphthalene	<26.3	ug/kg	63.2	26.3	1	05/26/17 08:00	05/26/17 10:40	91-20-3	W
Toluene	<26.3	ug/kg	63.2	26.3	1	05/26/17 08:00	05/26/17 10:40	108-88-3	W
1,2,4-Trimethylbenzene	<26.3	ug/kg	63.2	26.3	1	05/26/17 08:00	05/26/17 10:40	95-63-6	W
1,3,5-Trimethylbenzene	<26.3	ug/kg	63.2	26.3	1	05/26/17 08:00	05/26/17 10:40	108-67-8	W
m&p-Xylene	<52.6	ug/kg	126	52.6	1	05/26/17 08:00	05/26/17 10:40	179601-23-1	W
o-Xylene	<26.3	ug/kg	63.2	26.3	1	05/26/17 08:00	05/26/17 10:40	95-47-6	W
Surrogates									
a,a,a-Trifluorotoluene (S)	100	%	80-120		1	05/26/17 08:00	05/26/17 10:40	98-08-8	
6010 MET ICP Analytical Method: EPA 6010 Preparation Method: EPA 3050									
Lead	3.5	mg/kg	1.4	0.46	1	05/31/17 09:07	06/01/17 11:02	7439-92-1	
Percent Moisture Analytical Method: ASTM D2974-87									
Percent Moisture	9.2	%	0.10	0.10	1		05/26/17 14:48		

Sample: B1 @ 8-9' **Lab ID: 40150524007** Collected: 05/22/17 14:44 Received: 05/24/17 09:00 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
WIGRO GCV Analytical Method: WI MOD GRO Preparation Method: TPH GRO/PVOC WI ext.									
Benzene	11800	ug/kg	121	50.3	1	05/26/17 08:00	05/26/17 16:39	71-43-2	
Ethylbenzene	5910	ug/kg	121	50.3	1	05/26/17 08:00	05/26/17 16:39	100-41-4	
Methyl-tert-butyl ether	120J	ug/kg	121	50.3	1	05/26/17 08:00	05/26/17 16:39	1634-04-4	
Naphthalene	2150	ug/kg	121	50.3	1	05/26/17 08:00	05/26/17 16:39	91-20-3	
Toluene	8110	ug/kg	121	50.3	1	05/26/17 08:00	05/26/17 16:39	108-88-3	
1,2,4-Trimethylbenzene	7620	ug/kg	121	50.3	1	05/26/17 08:00	05/26/17 16:39	95-63-6	
1,3,5-Trimethylbenzene	2430	ug/kg	121	50.3	1	05/26/17 08:00	05/26/17 16:39	108-67-8	
m&p-Xylene	16200	ug/kg	242	101	1	05/26/17 08:00	05/26/17 16:39	179601-23-1	
o-Xylene	4890	ug/kg	121	50.3	1	05/26/17 08:00	05/26/17 16:39	95-47-6	
Surrogates									
a,a,a-Trifluorotoluene (S)	97	%	80-120		1	05/26/17 08:00	05/26/17 16:39	98-08-8	
6010 MET ICP Analytical Method: EPA 6010 Preparation Method: EPA 3050									
Lead	14.4	mg/kg	1.8	0.61	1	05/31/17 09:07	06/01/17 11:09	7439-92-1	
Percent Moisture Analytical Method: ASTM D2974-87									
Percent Moisture	29.1	%	0.10	0.10	1		05/26/17 15:36		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 7679 BOB'S SERVICE

Pace Project No.: 40150524

Sample: B2 @ 2-4' **Lab ID: 40150524008** Collected: 05/22/17 15:09 Received: 05/24/17 09:00 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
WIGRO GCV Analytical Method: WI MOD GRO Preparation Method: TPH GRO/PVOC WI ext.									
Benzene	<25.0	ug/kg	60.0	25.0	1	05/26/17 08:00	05/26/17 11:06	71-43-2	W
Ethylbenzene	<25.0	ug/kg	60.0	25.0	1	05/26/17 08:00	05/26/17 11:06	100-41-4	W
Methyl-tert-butyl ether	<25.0	ug/kg	60.0	25.0	1	05/26/17 08:00	05/26/17 11:06	1634-04-4	W
Naphthalene	<25.0	ug/kg	60.0	25.0	1	05/26/17 08:00	05/26/17 11:06	91-20-3	W
Toluene	<25.0	ug/kg	60.0	25.0	1	05/26/17 08:00	05/26/17 11:06	108-88-3	W
1,2,4-Trimethylbenzene	<25.0	ug/kg	60.0	25.0	1	05/26/17 08:00	05/26/17 11:06	95-63-6	W
1,3,5-Trimethylbenzene	<25.0	ug/kg	60.0	25.0	1	05/26/17 08:00	05/26/17 11:06	108-67-8	W
m&p-Xylene	<50.0	ug/kg	120	50.0	1	05/26/17 08:00	05/26/17 11:06	179601-23-1	W
o-Xylene	<25.0	ug/kg	60.0	25.0	1	05/26/17 08:00	05/26/17 11:06	95-47-6	W
Surrogates									
a,a,a-Trifluorotoluene (S)	101	%	80-120		1	05/26/17 08:00	05/26/17 11:06	98-08-8	
6010 MET ICP Analytical Method: EPA 6010 Preparation Method: EPA 3050									
Lead	10	mg/kg	1.7	0.58	1	05/31/17 09:07	06/01/17 11:12	7439-92-1	
Percent Moisture Analytical Method: ASTM D2974-87									
Percent Moisture	27.3	%	0.10	0.10	1		05/26/17 15:36		

Sample: B2 @ 13-14' **Lab ID: 40150524009** Collected: 05/22/17 15:18 Received: 05/24/17 09:00 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
WIGRO GCV Analytical Method: WI MOD GRO Preparation Method: TPH GRO/PVOC WI ext.									
Benzene	<25.0	ug/kg	60.0	25.0	1	05/26/17 08:00	05/26/17 11:32	71-43-2	W
Ethylbenzene	<25.0	ug/kg	60.0	25.0	1	05/26/17 08:00	05/26/17 11:32	100-41-4	W
Methyl-tert-butyl ether	<25.0	ug/kg	60.0	25.0	1	05/26/17 08:00	05/26/17 11:32	1634-04-4	W
Naphthalene	<25.0	ug/kg	60.0	25.0	1	05/26/17 08:00	05/26/17 11:32	91-20-3	W
Toluene	<25.0	ug/kg	60.0	25.0	1	05/26/17 08:00	05/26/17 11:32	108-88-3	W
1,2,4-Trimethylbenzene	<25.0	ug/kg	60.0	25.0	1	05/26/17 08:00	05/26/17 11:32	95-63-6	W
1,3,5-Trimethylbenzene	<25.0	ug/kg	60.0	25.0	1	05/26/17 08:00	05/26/17 11:32	108-67-8	W
m&p-Xylene	<50.0	ug/kg	120	50.0	1	05/26/17 08:00	05/26/17 11:32	179601-23-1	W
o-Xylene	<25.0	ug/kg	60.0	25.0	1	05/26/17 08:00	05/26/17 11:32	95-47-6	W
Surrogates									
a,a,a-Trifluorotoluene (S)	101	%	80-120		1	05/26/17 08:00	05/26/17 11:32	98-08-8	
6010 MET ICP Analytical Method: EPA 6010 Preparation Method: EPA 3050									
Lead	11.8	mg/kg	1.7	0.55	1	05/31/17 09:07	06/01/17 11:14	7439-92-1	
Percent Moisture Analytical Method: ASTM D2974-87									
Percent Moisture	22.2	%	0.10	0.10	1		05/26/17 15:37		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 7679 BOB'S SERVICE
Pace Project No.: 40150524

Sample: B3 @ 2-4' **Lab ID: 40150524010** Collected: 05/22/17 15:40 Received: 05/24/17 09:00 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
WIGRO GCV Analytical Method: WI MOD GRO Preparation Method: TPH GRO/PVOC WI ext.									
Benzene	<25.0	ug/kg	60.0	25.0	1	05/26/17 08:00	05/26/17 11:57	71-43-2	W
Ethylbenzene	<25.0	ug/kg	60.0	25.0	1	05/26/17 08:00	05/26/17 11:57	100-41-4	W
Methyl-tert-butyl ether	<25.0	ug/kg	60.0	25.0	1	05/26/17 08:00	05/26/17 11:57	1634-04-4	W
Naphthalene	<25.0	ug/kg	60.0	25.0	1	05/26/17 08:00	05/26/17 11:57	91-20-3	W
Toluene	<25.0	ug/kg	60.0	25.0	1	05/26/17 08:00	05/26/17 11:57	108-88-3	W
1,2,4-Trimethylbenzene	<25.0	ug/kg	60.0	25.0	1	05/26/17 08:00	05/26/17 11:57	95-63-6	W
1,3,5-Trimethylbenzene	<25.0	ug/kg	60.0	25.0	1	05/26/17 08:00	05/26/17 11:57	108-67-8	W
m&p-Xylene	<50.0	ug/kg	120	50.0	1	05/26/17 08:00	05/26/17 11:57	179601-23-1	W
o-Xylene	<25.0	ug/kg	60.0	25.0	1	05/26/17 08:00	05/26/17 11:57	95-47-6	W
Surrogates									
a,a,a-Trifluorotoluene (S)	102	%	80-120		1	05/26/17 08:00	05/26/17 11:57	98-08-8	
6010 MET ICP Analytical Method: EPA 6010 Preparation Method: EPA 3050									
Lead	6.7	mg/kg	1.5	0.50	1	05/31/17 09:07	06/01/17 11:17	7439-92-1	
Percent Moisture Analytical Method: ASTM D2974-87									
Percent Moisture	17.1	%	0.10	0.10	1		05/26/17 15:37		

Sample: B3 @ 13-14' **Lab ID: 40150524011** Collected: 05/22/17 15:45 Received: 05/24/17 09:00 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
WIGRO GCV Analytical Method: WI MOD GRO Preparation Method: TPH GRO/PVOC WI ext.									
Benzene	82.4J	ug/kg	86.4	36.0	1	05/26/17 08:00	05/26/17 12:23	71-43-2	
Ethylbenzene	<25.0	ug/kg	60.0	25.0	1	05/26/17 08:00	05/26/17 12:23	100-41-4	W
Methyl-tert-butyl ether	<25.0	ug/kg	60.0	25.0	1	05/26/17 08:00	05/26/17 12:23	1634-04-4	W
Naphthalene	<25.0	ug/kg	60.0	25.0	1	05/26/17 08:00	05/26/17 12:23	91-20-3	W
Toluene	<25.0	ug/kg	60.0	25.0	1	05/26/17 08:00	05/26/17 12:23	108-88-3	W
1,2,4-Trimethylbenzene	<25.0	ug/kg	60.0	25.0	1	05/26/17 08:00	05/26/17 12:23	95-63-6	W
1,3,5-Trimethylbenzene	<25.0	ug/kg	60.0	25.0	1	05/26/17 08:00	05/26/17 12:23	108-67-8	W
m&p-Xylene	<50.0	ug/kg	120	50.0	1	05/26/17 08:00	05/26/17 12:23	179601-23-1	W
o-Xylene	<25.0	ug/kg	60.0	25.0	1	05/26/17 08:00	05/26/17 12:23	95-47-6	W
Surrogates									
a,a,a-Trifluorotoluene (S)	101	%	80-120		1	05/26/17 08:00	05/26/17 12:23	98-08-8	
6010 MET ICP Analytical Method: EPA 6010 Preparation Method: EPA 3050									
Lead	15.4	mg/kg	1.8	0.60	1	05/31/17 09:07	06/01/17 11:19	7439-92-1	
Percent Moisture Analytical Method: ASTM D2974-87									
Percent Moisture	30.5	%	0.10	0.10	1		05/26/17 15:37		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 7679 BOB'S SERVICE

Pace Project No.: 40150524

Sample: B4 @ 2-4' **Lab ID: 40150524012** Collected: 05/22/17 16:02 Received: 05/24/17 09:00 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
WIGRO GCV Analytical Method: WI MOD GRO Preparation Method: TPH GRO/PVOC WI ext.									
Benzene	<25.0	ug/kg	60.0	25.0	1	05/26/17 08:00	05/26/17 12:48	71-43-2	W
Ethylbenzene	<25.0	ug/kg	60.0	25.0	1	05/26/17 08:00	05/26/17 12:48	100-41-4	W
Methyl-tert-butyl ether	<25.0	ug/kg	60.0	25.0	1	05/26/17 08:00	05/26/17 12:48	1634-04-4	W
Naphthalene	<25.0	ug/kg	60.0	25.0	1	05/26/17 08:00	05/26/17 12:48	91-20-3	W
Toluene	<25.0	ug/kg	60.0	25.0	1	05/26/17 08:00	05/26/17 12:48	108-88-3	W
1,2,4-Trimethylbenzene	<25.0	ug/kg	60.0	25.0	1	05/26/17 08:00	05/26/17 12:48	95-63-6	W
1,3,5-Trimethylbenzene	<25.0	ug/kg	60.0	25.0	1	05/26/17 08:00	05/26/17 12:48	108-67-8	W
m&p-Xylene	<50.0	ug/kg	120	50.0	1	05/26/17 08:00	05/26/17 12:48	179601-23-1	W
o-Xylene	<25.0	ug/kg	60.0	25.0	1	05/26/17 08:00	05/26/17 12:48	95-47-6	W
Surrogates									
a,a,a-Trifluorotoluene (S)	101	%	80-120		1	05/26/17 08:00	05/26/17 12:48	98-08-8	
6010 MET ICP Analytical Method: EPA 6010 Preparation Method: EPA 3050									
Lead	1.9	mg/kg	1.5	0.49	1	05/31/17 09:07	06/01/17 10:56	7439-92-1	
Percent Moisture Analytical Method: ASTM D2974-87									
Percent Moisture	11.9	%	0.10	0.10	1		05/26/17 15:37		

Sample: B4 @ 8-9' **Lab ID: 40150524013** Collected: 05/22/17 16:08 Received: 05/24/17 09:00 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
WIGRO GCV Analytical Method: WI MOD GRO Preparation Method: TPH GRO/PVOC WI ext.									
Benzene	<37.3	ug/kg	89.6	37.3	1	05/26/17 08:00	05/26/17 13:14	71-43-2	W
Ethylbenzene	<37.3	ug/kg	89.6	37.3	1	05/26/17 08:00	05/26/17 13:14	100-41-4	W
Methyl-tert-butyl ether	<37.3	ug/kg	89.6	37.3	1	05/26/17 08:00	05/26/17 13:14	1634-04-4	W
Naphthalene	<37.3	ug/kg	89.6	37.3	1	05/26/17 08:00	05/26/17 13:14	91-20-3	W
Toluene	<37.3	ug/kg	89.6	37.3	1	05/26/17 08:00	05/26/17 13:14	108-88-3	W
1,2,4-Trimethylbenzene	<37.3	ug/kg	89.6	37.3	1	05/26/17 08:00	05/26/17 13:14	95-63-6	W
1,3,5-Trimethylbenzene	<37.3	ug/kg	89.6	37.3	1	05/26/17 08:00	05/26/17 13:14	108-67-8	W
m&p-Xylene	<74.6	ug/kg	179	74.6	1	05/26/17 08:00	05/26/17 13:14	179601-23-1	W
o-Xylene	<37.3	ug/kg	89.6	37.3	1	05/26/17 08:00	05/26/17 13:14	95-47-6	W
Surrogates									
a,a,a-Trifluorotoluene (S)	101	%	80-120		1	05/26/17 08:00	05/26/17 13:14	98-08-8	
6010 MET ICP Analytical Method: EPA 6010 Preparation Method: EPA 3050									
Lead	2.2	mg/kg	1.5	0.50	1	05/31/17 09:07	06/01/17 11:21	7439-92-1	
Percent Moisture Analytical Method: ASTM D2974-87									
Percent Moisture	22.8	%	0.10	0.10	1		05/26/17 15:37		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 7679 BOB'S SERVICE
Pace Project No.: 40150524

Sample: B5 @ 2-4' **Lab ID: 40150524014** Collected: 05/22/17 16:30 Received: 05/24/17 09:00 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
WIGRO GCV Analytical Method: WI MOD GRO Preparation Method: TPH GRO/PVOC WI ext.									
Benzene	<25.0	ug/kg	60.0	25.0	1	05/26/17 08:00	05/26/17 13:40	71-43-2	W
Ethylbenzene	<25.0	ug/kg	60.0	25.0	1	05/26/17 08:00	05/26/17 13:40	100-41-4	W
Methyl-tert-butyl ether	<25.0	ug/kg	60.0	25.0	1	05/26/17 08:00	05/26/17 13:40	1634-04-4	W
Naphthalene	<25.0	ug/kg	60.0	25.0	1	05/26/17 08:00	05/26/17 13:40	91-20-3	W
Toluene	<25.0	ug/kg	60.0	25.0	1	05/26/17 08:00	05/26/17 13:40	108-88-3	W
1,2,4-Trimethylbenzene	<25.0	ug/kg	60.0	25.0	1	05/26/17 08:00	05/26/17 13:40	95-63-6	W
1,3,5-Trimethylbenzene	<25.0	ug/kg	60.0	25.0	1	05/26/17 08:00	05/26/17 13:40	108-67-8	W
m&p-Xylene	<50.0	ug/kg	120	50.0	1	05/26/17 08:00	05/26/17 13:40	179601-23-1	W
o-Xylene	<25.0	ug/kg	60.0	25.0	1	05/26/17 08:00	05/26/17 13:40	95-47-6	W
Surrogates									
a,a,a-Trifluorotoluene (S)	100	%	80-120		1	05/26/17 08:00	05/26/17 13:40	98-08-8	
6010 MET ICP Analytical Method: EPA 6010 Preparation Method: EPA 3050									
Lead	5.8	mg/kg	1.5	0.48	1	05/31/17 09:07	06/01/17 11:24	7439-92-1	
Percent Moisture Analytical Method: ASTM D2974-87									
Percent Moisture	11.6	%	0.10	0.10	1		05/26/17 15:37		

Sample: B5 @ 12-14' **Lab ID: 40150524015** Collected: 05/22/17 16:35 Received: 05/24/17 09:00 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
WIGRO GCV Analytical Method: WI MOD GRO Preparation Method: TPH GRO/PVOC WI ext.									
Benzene	<25.0	ug/kg	60.0	25.0	1	05/26/17 08:00	05/26/17 14:05	71-43-2	W
Ethylbenzene	<25.0	ug/kg	60.0	25.0	1	05/26/17 08:00	05/26/17 14:05	100-41-4	W
Methyl-tert-butyl ether	<25.0	ug/kg	60.0	25.0	1	05/26/17 08:00	05/26/17 14:05	1634-04-4	W
Naphthalene	<25.0	ug/kg	60.0	25.0	1	05/26/17 08:00	05/26/17 14:05	91-20-3	W
Toluene	<25.0	ug/kg	60.0	25.0	1	05/26/17 08:00	05/26/17 14:05	108-88-3	W
1,2,4-Trimethylbenzene	<25.0	ug/kg	60.0	25.0	1	05/26/17 08:00	05/26/17 14:05	95-63-6	W
1,3,5-Trimethylbenzene	<25.0	ug/kg	60.0	25.0	1	05/26/17 08:00	05/26/17 14:05	108-67-8	W
m&p-Xylene	<50.0	ug/kg	120	50.0	1	05/26/17 08:00	05/26/17 14:05	179601-23-1	W
o-Xylene	<25.0	ug/kg	60.0	25.0	1	05/26/17 08:00	05/26/17 14:05	95-47-6	W
Surrogates									
a,a,a-Trifluorotoluene (S)	101	%	80-120		1	05/26/17 08:00	05/26/17 14:05	98-08-8	
6010 MET ICP Analytical Method: EPA 6010 Preparation Method: EPA 3050									
Lead	14.4	mg/kg	1.6	0.55	1	05/31/17 09:07	06/01/17 11:26	7439-92-1	
Percent Moisture Analytical Method: ASTM D2974-87									
Percent Moisture	30.3	%	0.10	0.10	1		05/26/17 15:37		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 7679 BOB'S SERVICE

Pace Project No.: 40150524

Sample: B6 @ 2-4' **Lab ID: 40150524016** Collected: 05/22/17 16:55 Received: 05/24/17 09:00 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
WIGRO GCV Analytical Method: WI MOD GRO Preparation Method: TPH GRO/PVOC WI ext.									
Benzene	<26.3	ug/kg	63.2	26.3	1	05/26/17 08:00	05/26/17 20:03	71-43-2	W
Ethylbenzene	<26.3	ug/kg	63.2	26.3	1	05/26/17 08:00	05/26/17 20:03	100-41-4	W
Methyl-tert-butyl ether	<26.3	ug/kg	63.2	26.3	1	05/26/17 08:00	05/26/17 20:03	1634-04-4	W
Naphthalene	<26.3	ug/kg	63.2	26.3	1	05/26/17 08:00	05/26/17 20:03	91-20-3	W
Toluene	<26.3	ug/kg	63.2	26.3	1	05/26/17 08:00	05/26/17 20:03	108-88-3	W
1,2,4-Trimethylbenzene	<26.3	ug/kg	63.2	26.3	1	05/26/17 08:00	05/26/17 20:03	95-63-6	W
1,3,5-Trimethylbenzene	<26.3	ug/kg	63.2	26.3	1	05/26/17 08:00	05/26/17 20:03	108-67-8	W
m&p-Xylene	<52.6	ug/kg	126	52.6	1	05/26/17 08:00	05/26/17 20:03	179601-23-1	W
o-Xylene	<26.3	ug/kg	63.2	26.3	1	05/26/17 08:00	05/26/17 20:03	95-47-6	W
Surrogates									
a,a,a-Trifluorotoluene (S)	101	%	80-120		1	05/26/17 08:00	05/26/17 20:03	98-08-8	
6010 MET ICP Analytical Method: EPA 6010 Preparation Method: EPA 3050									
Lead	3.7	mg/kg	1.5	0.50	1	05/31/17 09:07	06/01/17 11:28	7439-92-1	
Percent Moisture Analytical Method: ASTM D2974-87									
Percent Moisture	15.6	%	0.10	0.10	1		05/26/17 15:37		

Sample: B6 @ 13-14' **Lab ID: 40150524017** Collected: 05/22/17 17:05 Received: 05/24/17 09:00 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
WIGRO GCV Analytical Method: WI MOD GRO Preparation Method: TPH GRO/PVOC WI ext.									
Benzene	<25.0	ug/kg	60.0	25.0	1	05/26/17 08:00	05/26/17 20:29	71-43-2	W
Ethylbenzene	<25.0	ug/kg	60.0	25.0	1	05/26/17 08:00	05/26/17 20:29	100-41-4	W
Methyl-tert-butyl ether	<25.0	ug/kg	60.0	25.0	1	05/26/17 08:00	05/26/17 20:29	1634-04-4	W
Naphthalene	<25.0	ug/kg	60.0	25.0	1	05/26/17 08:00	05/26/17 20:29	91-20-3	W
Toluene	<25.0	ug/kg	60.0	25.0	1	05/26/17 08:00	05/26/17 20:29	108-88-3	W
1,2,4-Trimethylbenzene	<25.0	ug/kg	60.0	25.0	1	05/26/17 08:00	05/26/17 20:29	95-63-6	W
1,3,5-Trimethylbenzene	<25.0	ug/kg	60.0	25.0	1	05/26/17 08:00	05/26/17 20:29	108-67-8	W
m&p-Xylene	<50.0	ug/kg	120	50.0	1	05/26/17 08:00	05/26/17 20:29	179601-23-1	W
o-Xylene	<25.0	ug/kg	60.0	25.0	1	05/26/17 08:00	05/26/17 20:29	95-47-6	W
Surrogates									
a,a,a-Trifluorotoluene (S)	101	%	80-120		1	05/26/17 08:00	05/26/17 20:29	98-08-8	
6010 MET ICP Analytical Method: EPA 6010 Preparation Method: EPA 3050									
Lead	14.0	mg/kg	1.7	0.58	1	05/31/17 09:07	06/01/17 11:31	7439-92-1	
Percent Moisture Analytical Method: ASTM D2974-87									
Percent Moisture	27.3	%	0.10	0.10	1		05/26/17 15:37		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 7679 BOB'S SERVICE

Pace Project No.: 40150524

Sample: B7 @ 2-4' **Lab ID: 40150524018** Collected: 05/22/17 17:26 Received: 05/24/17 09:00 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
WIGRO GCV Analytical Method: WI MOD GRO Preparation Method: TPH GRO/PVOC WI ext.									
Benzene	<25.0	ug/kg	60.0	25.0	1	05/26/17 08:00	05/26/17 20:54	71-43-2	W
Ethylbenzene	<25.0	ug/kg	60.0	25.0	1	05/26/17 08:00	05/26/17 20:54	100-41-4	W
Methyl-tert-butyl ether	<25.0	ug/kg	60.0	25.0	1	05/26/17 08:00	05/26/17 20:54	1634-04-4	W
Naphthalene	<25.0	ug/kg	60.0	25.0	1	05/26/17 08:00	05/26/17 20:54	91-20-3	W
Toluene	<25.0	ug/kg	60.0	25.0	1	05/26/17 08:00	05/26/17 20:54	108-88-3	W
1,2,4-Trimethylbenzene	<25.0	ug/kg	60.0	25.0	1	05/26/17 08:00	05/26/17 20:54	95-63-6	W
1,3,5-Trimethylbenzene	<25.0	ug/kg	60.0	25.0	1	05/26/17 08:00	05/26/17 20:54	108-67-8	W
m&p-Xylene	<50.0	ug/kg	120	50.0	1	05/26/17 08:00	05/26/17 20:54	179601-23-1	W
o-Xylene	<25.0	ug/kg	60.0	25.0	1	05/26/17 08:00	05/26/17 20:54	95-47-6	W
Surrogates									
a,a,a-Trifluorotoluene (S)	100	%	80-120		1	05/26/17 08:00	05/26/17 20:54	98-08-8	
6010 MET ICP Analytical Method: EPA 6010 Preparation Method: EPA 3050									
Lead	3.7	mg/kg	1.3	0.43	1	05/31/17 09:07	06/01/17 11:38	7439-92-1	
Percent Moisture Analytical Method: ASTM D2974-87									
Percent Moisture	11.2	%	0.10	0.10	1		05/26/17 15:37		

Sample: B7 @ 12-14' **Lab ID: 40150524019** Collected: 05/22/17 17:34 Received: 05/24/17 09:00 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
WIGRO GCV Analytical Method: WI MOD GRO Preparation Method: TPH GRO/PVOC WI ext.									
Benzene	<26.3	ug/kg	63.2	26.3	1	05/30/17 08:00	05/30/17 11:20	71-43-2	W
Ethylbenzene	<26.3	ug/kg	63.2	26.3	1	05/30/17 08:00	05/30/17 11:20	100-41-4	W
Methyl-tert-butyl ether	<26.3	ug/kg	63.2	26.3	1	05/30/17 08:00	05/30/17 11:20	1634-04-4	W
Naphthalene	<26.3	ug/kg	63.2	26.3	1	05/30/17 08:00	05/30/17 11:20	91-20-3	W
Toluene	<26.3	ug/kg	63.2	26.3	1	05/30/17 08:00	05/30/17 11:20	108-88-3	W
1,2,4-Trimethylbenzene	<26.3	ug/kg	63.2	26.3	1	05/30/17 08:00	05/30/17 11:20	95-63-6	W
1,3,5-Trimethylbenzene	<26.3	ug/kg	63.2	26.3	1	05/30/17 08:00	05/30/17 11:20	108-67-8	W
m&p-Xylene	<52.6	ug/kg	126	52.6	1	05/30/17 08:00	05/30/17 11:20	179601-23-1	W
o-Xylene	<26.3	ug/kg	63.2	26.3	1	05/30/17 08:00	05/30/17 11:20	95-47-6	W
Surrogates									
a,a,a-Trifluorotoluene (S)	101	%	80-120		1	05/30/17 08:00	05/30/17 11:20	98-08-8	
6010 MET ICP Analytical Method: EPA 6010 Preparation Method: EPA 3050									
Lead	14.9	mg/kg	1.7	0.57	1	05/31/17 09:07	06/01/17 11:40	7439-92-1	
Percent Moisture Analytical Method: ASTM D2974-87									
Percent Moisture	30.6	%	0.10	0.10	1		05/26/17 15:37		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 7679 BOB'S SERVICE

Pace Project No.: 40150524

Sample: B8 @ 2-4' **Lab ID: 40150524020** Collected: 05/22/17 17:44 Received: 05/24/17 09:00 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
WIGRO GCV Analytical Method: WI MOD GRO Preparation Method: TPH GRO/PVOC WI ext.									
Benzene	<25.0	ug/kg	60.0	25.0	1	05/30/17 08:00	05/30/17 11:45	71-43-2	W
Ethylbenzene	<25.0	ug/kg	60.0	25.0	1	05/30/17 08:00	05/30/17 11:45	100-41-4	W
Methyl-tert-butyl ether	<25.0	ug/kg	60.0	25.0	1	05/30/17 08:00	05/30/17 11:45	1634-04-4	W
Naphthalene	<25.0	ug/kg	60.0	25.0	1	05/30/17 08:00	05/30/17 11:45	91-20-3	W
Toluene	<25.0	ug/kg	60.0	25.0	1	05/30/17 08:00	05/30/17 11:45	108-88-3	W
1,2,4-Trimethylbenzene	<25.0	ug/kg	60.0	25.0	1	05/30/17 08:00	05/30/17 11:45	95-63-6	W
1,3,5-Trimethylbenzene	<25.0	ug/kg	60.0	25.0	1	05/30/17 08:00	05/30/17 11:45	108-67-8	W
m&p-Xylene	<50.0	ug/kg	120	50.0	1	05/30/17 08:00	05/30/17 11:45	179601-23-1	W
o-Xylene	<25.0	ug/kg	60.0	25.0	1	05/30/17 08:00	05/30/17 11:45	95-47-6	W
Surrogates									
a,a,a-Trifluorotoluene (S)	100	%	80-120		1	05/30/17 08:00	05/30/17 11:45	98-08-8	
6010 MET ICP Analytical Method: EPA 6010 Preparation Method: EPA 3050									
Lead	2.6	mg/kg	1.3	0.43	1	05/31/17 09:07	06/01/17 11:43	7439-92-1	
Percent Moisture Analytical Method: ASTM D2974-87									
Percent Moisture	12.0	%	0.10	0.10	1		05/26/17 15:37		

Sample: B8 @ 11-13' **Lab ID: 40150524021** Collected: 05/22/17 18:00 Received: 05/24/17 09:00 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
WIGRO GCV Analytical Method: WI MOD GRO Preparation Method: TPH GRO/PVOC WI ext.									
Benzene	<25.0	ug/kg	60.0	25.0	1	05/30/17 08:00	05/30/17 12:11	71-43-2	W
Ethylbenzene	<25.0	ug/kg	60.0	25.0	1	05/30/17 08:00	05/30/17 12:11	100-41-4	W
Methyl-tert-butyl ether	<25.0	ug/kg	60.0	25.0	1	05/30/17 08:00	05/30/17 12:11	1634-04-4	W
Naphthalene	<25.0	ug/kg	60.0	25.0	1	05/30/17 08:00	05/30/17 12:11	91-20-3	W
Toluene	<25.0	ug/kg	60.0	25.0	1	05/30/17 08:00	05/30/17 12:11	108-88-3	W
1,2,4-Trimethylbenzene	<25.0	ug/kg	60.0	25.0	1	05/30/17 08:00	05/30/17 12:11	95-63-6	W
1,3,5-Trimethylbenzene	<25.0	ug/kg	60.0	25.0	1	05/30/17 08:00	05/30/17 12:11	108-67-8	W
m&p-Xylene	<50.0	ug/kg	120	50.0	1	05/30/17 08:00	05/30/17 12:11	179601-23-1	W
o-Xylene	<25.0	ug/kg	60.0	25.0	1	05/30/17 08:00	05/30/17 12:11	95-47-6	W
Surrogates									
a,a,a-Trifluorotoluene (S)	99	%	80-120		1	05/30/17 08:00	05/30/17 12:11	98-08-8	
6010 MET ICP Analytical Method: EPA 6010 Preparation Method: EPA 3050									
Lead	14.6	mg/kg	1.7	0.57	1	05/31/17 09:07	06/01/17 11:45	7439-92-1	
Percent Moisture Analytical Method: ASTM D2974-87									
Percent Moisture	30.4	%	0.10	0.10	1		05/26/17 15:37		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 7679 BOB'S SERVICE

Pace Project No.: 40150524

Sample: B9 @ 2-4' **Lab ID: 40150524022** Collected: 05/22/17 18:20 Received: 05/24/17 09:00 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
WIGRO GCV Analytical Method: WI MOD GRO Preparation Method: TPH GRO/PVOC WI ext.									
Benzene	<25.0	ug/kg	60.0	25.0	1	05/30/17 08:00	05/30/17 12:37	71-43-2	W
Ethylbenzene	<25.0	ug/kg	60.0	25.0	1	05/30/17 08:00	05/30/17 12:37	100-41-4	W
Methyl-tert-butyl ether	<25.0	ug/kg	60.0	25.0	1	05/30/17 08:00	05/30/17 12:37	1634-04-4	W
Naphthalene	<25.0	ug/kg	60.0	25.0	1	05/30/17 08:00	05/30/17 12:37	91-20-3	W
Toluene	<25.0	ug/kg	60.0	25.0	1	05/30/17 08:00	05/30/17 12:37	108-88-3	W
1,2,4-Trimethylbenzene	<25.0	ug/kg	60.0	25.0	1	05/30/17 08:00	05/30/17 12:37	95-63-6	W
1,3,5-Trimethylbenzene	<25.0	ug/kg	60.0	25.0	1	05/30/17 08:00	05/30/17 12:37	108-67-8	W
m&p-Xylene	<50.0	ug/kg	120	50.0	1	05/30/17 08:00	05/30/17 12:37	179601-23-1	W
o-Xylene	<25.0	ug/kg	60.0	25.0	1	05/30/17 08:00	05/30/17 12:37	95-47-6	W
Surrogates									
a,a,a-Trifluorotoluene (S)	100	%	80-120		1	05/30/17 08:00	05/30/17 12:37	98-08-8	
6010 MET ICP Analytical Method: EPA 6010 Preparation Method: EPA 3050									
Lead	6.1	mg/kg	1.5	0.49	1	05/31/17 09:07	06/01/17 11:47	7439-92-1	
Percent Moisture Analytical Method: ASTM D2974-87									
Percent Moisture	19.6	%	0.10	0.10	1		05/26/17 15:37		

Sample: B9 @ 8-9' **Lab ID: 40150524023** Collected: 05/22/17 18:25 Received: 05/24/17 09:00 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
WIGRO GCV Analytical Method: WI MOD GRO Preparation Method: TPH GRO/PVOC WI ext.									
Benzene	<25.0	ug/kg	60.0	25.0	1	05/30/17 08:00	05/30/17 13:02	71-43-2	W
Ethylbenzene	<25.0	ug/kg	60.0	25.0	1	05/30/17 08:00	05/30/17 13:02	100-41-4	W
Methyl-tert-butyl ether	<25.0	ug/kg	60.0	25.0	1	05/30/17 08:00	05/30/17 13:02	1634-04-4	W
Naphthalene	<25.0	ug/kg	60.0	25.0	1	05/30/17 08:00	05/30/17 13:02	91-20-3	W
Toluene	<25.0	ug/kg	60.0	25.0	1	05/30/17 08:00	05/30/17 13:02	108-88-3	W
1,2,4-Trimethylbenzene	<25.0	ug/kg	60.0	25.0	1	05/30/17 08:00	05/30/17 13:02	95-63-6	W
1,3,5-Trimethylbenzene	<25.0	ug/kg	60.0	25.0	1	05/30/17 08:00	05/30/17 13:02	108-67-8	W
m&p-Xylene	<50.0	ug/kg	120	50.0	1	05/30/17 08:00	05/30/17 13:02	179601-23-1	W
o-Xylene	<25.0	ug/kg	60.0	25.0	1	05/30/17 08:00	05/30/17 13:02	95-47-6	W
Surrogates									
a,a,a-Trifluorotoluene (S)	100	%	80-120		1	05/30/17 08:00	05/30/17 13:02	98-08-8	
6010 MET ICP Analytical Method: EPA 6010 Preparation Method: EPA 3050									
Lead	2.3	mg/kg	1.5	0.50	1	05/31/17 09:07	06/01/17 11:50	7439-92-1	
Percent Moisture Analytical Method: ASTM D2974-87									
Percent Moisture	15.3	%	0.10	0.10	1		05/26/17 15:38		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 7679 BOB'S SERVICE

Pace Project No.: 40150524

Sample: B10 @ 2-4' **Lab ID: 40150524024** Collected: 05/22/17 18:38 Received: 05/24/17 09:00 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
WIGRO GCV Analytical Method: WI MOD GRO Preparation Method: TPH GRO/PVOC WI ext.									
Benzene	<25.0	ug/kg	60.0	25.0	1	05/30/17 08:00	05/30/17 13:28	71-43-2	W
Ethylbenzene	<25.0	ug/kg	60.0	25.0	1	05/30/17 08:00	05/30/17 13:28	100-41-4	W
Methyl-tert-butyl ether	<25.0	ug/kg	60.0	25.0	1	05/30/17 08:00	05/30/17 13:28	1634-04-4	W
Naphthalene	<25.0	ug/kg	60.0	25.0	1	05/30/17 08:00	05/30/17 13:28	91-20-3	W
Toluene	<25.0	ug/kg	60.0	25.0	1	05/30/17 08:00	05/30/17 13:28	108-88-3	W
1,2,4-Trimethylbenzene	<25.0	ug/kg	60.0	25.0	1	05/30/17 08:00	05/30/17 13:28	95-63-6	W
1,3,5-Trimethylbenzene	<25.0	ug/kg	60.0	25.0	1	05/30/17 08:00	05/30/17 13:28	108-67-8	W
m&p-Xylene	<50.0	ug/kg	120	50.0	1	05/30/17 08:00	05/30/17 13:28	179601-23-1	W
o-Xylene	<25.0	ug/kg	60.0	25.0	1	05/30/17 08:00	05/30/17 13:28	95-47-6	W
Surrogates									
a,a,a-Trifluorotoluene (S)	99	%	80-120		1	05/30/17 08:00	05/30/17 13:28	98-08-8	
6010 MET ICP Analytical Method: EPA 6010 Preparation Method: EPA 3050									
Lead	9.1	mg/kg	1.5	0.49	1	05/31/17 09:07	06/01/17 11:52	7439-92-1	
Percent Moisture Analytical Method: ASTM D2974-87									
Percent Moisture	19.7	%	0.10	0.10	1		05/26/17 14:48		

Sample: B10 @ 11-13' **Lab ID: 40150524025** Collected: 05/22/17 18:47 Received: 05/24/17 09:00 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
WIGRO GCV Analytical Method: WI MOD GRO Preparation Method: TPH GRO/PVOC WI ext.									
Benzene	<25.0	ug/kg	60.0	25.0	1	05/31/17 07:30	05/31/17 13:23	71-43-2	W
Ethylbenzene	<25.0	ug/kg	60.0	25.0	1	05/31/17 07:30	05/31/17 13:23	100-41-4	W
Methyl-tert-butyl ether	<25.0	ug/kg	60.0	25.0	1	05/31/17 07:30	05/31/17 13:23	1634-04-4	W
Naphthalene	<25.0	ug/kg	60.0	25.0	1	05/31/17 07:30	05/31/17 13:23	91-20-3	W
Toluene	<25.0	ug/kg	60.0	25.0	1	05/31/17 07:30	05/31/17 13:23	108-88-3	W
1,2,4-Trimethylbenzene	<25.0	ug/kg	60.0	25.0	1	05/31/17 07:30	05/31/17 13:23	95-63-6	W
1,3,5-Trimethylbenzene	<25.0	ug/kg	60.0	25.0	1	05/31/17 07:30	05/31/17 13:23	108-67-8	W
m&p-Xylene	<50.0	ug/kg	120	50.0	1	05/31/17 07:30	05/31/17 13:23	179601-23-1	W
o-Xylene	<25.0	ug/kg	60.0	25.0	1	05/31/17 07:30	05/31/17 13:23	95-47-6	W
Surrogates									
a,a,a-Trifluorotoluene (S)	98	%	80-120		1	05/31/17 07:30	05/31/17 13:23	98-08-8	1q,P4
6010 MET ICP Analytical Method: EPA 6010 Preparation Method: EPA 3050									
Lead	14.1	mg/kg	1.7	0.57	1	05/31/17 09:07	06/01/17 11:54	7439-92-1	
Percent Moisture Analytical Method: ASTM D2974-87									
Percent Moisture	26.5	%	0.10	0.10	1		05/26/17 15:38		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 7679 BOB'S SERVICE

Pace Project No.: 40150524

Sample: POTABLE **Lab ID: 40150524026** Collected: 05/22/17 16:10 Received: 05/24/17 09:00 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
524.2 MSV		Analytical Method: EPA 524.2							
Benzene	<0.086	ug/L	0.50	0.086	1		05/31/17 05:02	71-43-2	
Bromobenzene	<0.081	ug/L	0.50	0.081	1		05/31/17 05:02	108-86-1	
Bromochloromethane	<0.16	ug/L	1.0	0.16	1		05/31/17 05:02	74-97-5	
Bromodichloromethane	<0.090	ug/L	1.0	0.090	1		05/31/17 05:02	75-27-4	
Bromoform	<0.23	ug/L	4.0	0.23	1		05/31/17 05:02	75-25-2	
Bromomethane	<0.20	ug/L	4.0	0.20	1		05/31/17 05:02	74-83-9	
n-Butylbenzene	<0.081	ug/L	0.50	0.081	1		05/31/17 05:02	104-51-8	
sec-Butylbenzene	<0.063	ug/L	0.50	0.063	1		05/31/17 05:02	135-98-8	
tert-Butylbenzene	<0.097	ug/L	0.50	0.097	1		05/31/17 05:02	98-06-6	
Carbon tetrachloride	<0.076	ug/L	1.0	0.076	1		05/31/17 05:02	56-23-5	
Chlorobenzene	<0.068	ug/L	0.50	0.068	1		05/31/17 05:02	108-90-7	
Chloroethane	<0.18	ug/L	1.0	0.18	1		05/31/17 05:02	75-00-3	
Chloroform	<0.10	ug/L	1.0	0.10	1		05/31/17 05:02	67-66-3	
Chloromethane	<0.21	ug/L	4.0	0.21	1		05/31/17 05:02	74-87-3	L3
2-Chlorotoluene	<0.11	ug/L	0.50	0.11	1		05/31/17 05:02	95-49-8	
4-Chlorotoluene	<0.10	ug/L	0.50	0.10	1		05/31/17 05:02	106-43-4	
1,2-Dibromo-3-chloropropane	<0.18	ug/L	4.0	0.18	1		05/31/17 05:02	96-12-8	
Dibromochloromethane	<0.13	ug/L	0.50	0.13	1		05/31/17 05:02	124-48-1	
1,2-Dibromoethane (EDB)	<0.091	ug/L	0.50	0.091	1		05/31/17 05:02	106-93-4	
Dibromomethane	<0.098	ug/L	1.0	0.098	1		05/31/17 05:02	74-95-3	
1,2-Dichlorobenzene	<0.10	ug/L	0.50	0.10	1		05/31/17 05:02	95-50-1	
1,3-Dichlorobenzene	<0.082	ug/L	0.50	0.082	1		05/31/17 05:02	541-73-1	
1,4-Dichlorobenzene	<0.075	ug/L	0.50	0.075	1		05/31/17 05:02	106-46-7	
Dichlorodifluoromethane	<0.16	ug/L	1.0	0.16	1		05/31/17 05:02	75-71-8	
1,1-Dichloroethane	<0.088	ug/L	0.50	0.088	1		05/31/17 05:02	75-34-3	
1,2-Dichloroethane	<0.092	ug/L	0.50	0.092	1		05/31/17 05:02	107-06-2	
1,1-Dichloroethene	<0.089	ug/L	0.50	0.089	1		05/31/17 05:02	75-35-4	
cis-1,2-Dichloroethene	<0.085	ug/L	0.50	0.085	1		05/31/17 05:02	156-59-2	
trans-1,2-Dichloroethene	<0.11	ug/L	0.50	0.11	1		05/31/17 05:02	156-60-5	
1,2-Dichloropropane	<0.084	ug/L	4.0	0.084	1		05/31/17 05:02	78-87-5	
1,3-Dichloropropane	<0.094	ug/L	0.50	0.094	1		05/31/17 05:02	142-28-9	
2,2-Dichloropropane	<0.097	ug/L	1.0	0.097	1		05/31/17 05:02	594-20-7	
1,1-Dichloropropene	<0.080	ug/L	0.50	0.080	1		05/31/17 05:02	563-58-6	
cis-1,3-Dichloropropene	<0.071	ug/L	0.50	0.071	1		05/31/17 05:02	10061-01-5	
trans-1,3-Dichloropropene	<0.055	ug/L	0.50	0.055	1		05/31/17 05:02	10061-02-6	
Ethylbenzene	<0.051	ug/L	0.50	0.051	1		05/31/17 05:02	100-41-4	
Hexachloro-1,3-butadiene	<0.11	ug/L	1.0	0.11	1		05/31/17 05:02	87-68-3	
Isopropylbenzene (Cumene)	<0.11	ug/L	0.50	0.11	1		05/31/17 05:02	98-82-8	
p-Isopropyltoluene	<0.083	ug/L	0.50	0.083	1		05/31/17 05:02	99-87-6	
Methylene Chloride	<0.20	ug/L	4.0	0.20	1		05/31/17 05:02	75-09-2	
Naphthalene	<0.064	ug/L	1.0	0.064	1		05/31/17 05:02	91-20-3	
n-Propylbenzene	<0.096	ug/L	0.50	0.096	1		05/31/17 05:02	103-65-1	
Styrene	<0.075	ug/L	0.50	0.075	1		05/31/17 05:02	100-42-5	
1,1,1,2-Tetrachloroethane	<0.062	ug/L	0.50	0.062	1		05/31/17 05:02	630-20-6	
1,1,2,2-Tetrachloroethane	<0.11	ug/L	0.50	0.11	1		05/31/17 05:02	79-34-5	
Tetrachloroethene	<0.12	ug/L	0.50	0.12	1		05/31/17 05:02	127-18-4	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 7679 BOB'S SERVICE

Pace Project No.: 40150524

Sample: POTABLE **Lab ID: 40150524026** Collected: 05/22/17 16:10 Received: 05/24/17 09:00 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
524.2 MSV Analytical Method: EPA 524.2									
Toluene	<0.080	ug/L	0.50	0.080	1		05/31/17 05:02	108-88-3	
1,2,3-Trichlorobenzene	<0.10	ug/L	0.50	0.10	1		05/31/17 05:02	87-61-6	
1,2,4-Trichlorobenzene	<0.12	ug/L	0.50	0.12	1		05/31/17 05:02	120-82-1	
1,1,1-Trichloroethane	<0.10	ug/L	0.50	0.10	1		05/31/17 05:02	71-55-6	
1,1,2-Trichloroethane	<0.098	ug/L	0.50	0.098	1		05/31/17 05:02	79-00-5	
Trichloroethene	<0.044	ug/L	0.40	0.044	1		05/31/17 05:02	79-01-6	
Trichlorofluoromethane	<0.13	ug/L	0.50	0.13	1		05/31/17 05:02	75-69-4	
1,2,3-Trichloropropane	<0.073	ug/L	4.0	0.073	1		05/31/17 05:02	96-18-4	
1,2,4-Trimethylbenzene	<0.083	ug/L	0.50	0.083	1		05/31/17 05:02	95-63-6	
1,3,5-Trimethylbenzene	<0.078	ug/L	0.50	0.078	1		05/31/17 05:02	108-67-8	
Vinyl chloride	<0.098	ug/L	0.20	0.098	1		05/31/17 05:02	75-01-4	
Xylene (Total)	<0.073	ug/L	1.5	0.073	1		05/31/17 05:02	1330-20-7	
m&p-Xylene	<0.073	ug/L	1.0	0.073	1		05/31/17 05:02	179601-23-1	
o-Xylene	<0.073	ug/L	0.50	0.073	1		05/31/17 05:02	95-47-6	
Surrogates									
4-Bromofluorobenzene (S)	102	%.	75-125		1		05/31/17 05:02	460-00-4	
Toluene-d8 (S)	102	%.	75-125		1		05/31/17 05:02	2037-26-5	
1,2-Dichloroethane-d4 (S)	107	%.	75-125		1		05/31/17 05:02	17060-07-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: 7679 BOB'S SERVICE

Pace Project No.: 40150524

QC Batch:	256860	Analysis Method:	WI MOD GRO
QC Batch Method:	TPH GRO/PVOC WI ext.	Analysis Description:	WIGRO Solid GCV
Associated Lab Samples:	40150524006, 40150524007, 40150524008, 40150524009, 40150524010, 40150524011, 40150524012, 40150524013, 40150524014, 40150524015, 40150524016, 40150524017, 40150524018		

METHOD BLANK: 1513856 Matrix: Solid
Associated Lab Samples: 40150524006, 40150524007, 40150524008, 40150524009, 40150524010, 40150524011, 40150524012, 40150524013, 40150524014, 40150524015, 40150524016, 40150524017, 40150524018

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
1,2,4-Trimethylbenzene	ug/kg	<25.0	50.0	05/26/17 08:58	
1,3,5-Trimethylbenzene	ug/kg	<25.0	50.0	05/26/17 08:58	
Benzene	ug/kg	<25.0	50.0	05/26/17 08:58	
Ethylbenzene	ug/kg	<25.0	50.0	05/26/17 08:58	
m&p-Xylene	ug/kg	<50.0	100	05/26/17 08:58	
Methyl-tert-butyl ether	ug/kg	<25.0	50.0	05/26/17 08:58	
Naphthalene	ug/kg	<25.0	50.0	05/26/17 08:58	
o-Xylene	ug/kg	<25.0	50.0	05/26/17 08:58	
Toluene	ug/kg	<25.0	50.0	05/26/17 08:58	
a,a,a-Trifluorotoluene (S)	%	100	80-120	05/26/17 08:58	

LABORATORY CONTROL SAMPLE & LCSD:		1513857	1513858							
Parameter	Units	Spike Conc.	LCS Result	LCSD Result	LCS % Rec	LCSD % Rec	% Rec Limits	RPD	Max RPD	Qualifiers
1,2,4-Trimethylbenzene	ug/kg	1000	1090	1080	109	108	80-120	1	20	
1,3,5-Trimethylbenzene	ug/kg	1000	1070	1050	107	105	80-120	1	20	
Benzene	ug/kg	1000	1030	1020	103	102	80-120	1	20	
Ethylbenzene	ug/kg	1000	1060	1040	106	104	80-120	2	20	
m&p-Xylene	ug/kg	2000	2120	2080	106	104	80-120	2	20	
Methyl-tert-butyl ether	ug/kg	1000	991	998	99	100	80-120	1	20	
Naphthalene	ug/kg	1000	1080	1140	108	114	80-120	6	20	
o-Xylene	ug/kg	1000	1060	1040	106	104	80-120	1	20	
Toluene	ug/kg	1000	1040	1030	104	103	80-120	1	20	
a,a,a-Trifluorotoluene (S)	%				102	103	80-120			

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: 7679 BOB'S SERVICE

Pace Project No.: 40150524

QC Batch:	256994	Analysis Method:	WI MOD GRO
QC Batch Method:	TPH GRO/PVOC WI ext.	Analysis Description:	WIGRO Solid GCV
Associated Lab Samples: 40150524019, 40150524020, 40150524021, 40150524022, 40150524023, 40150524024			

METHOD BLANK:	1514829	Matrix:	Solid
Associated Lab Samples: 40150524019, 40150524020, 40150524021, 40150524022, 40150524023, 40150524024			

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
1,2,4-Trimethylbenzene	ug/kg	<25.0	50.0	05/30/17 09:16	
1,3,5-Trimethylbenzene	ug/kg	<25.0	50.0	05/30/17 09:16	
Benzene	ug/kg	<25.0	50.0	05/30/17 09:16	
Ethylbenzene	ug/kg	<25.0	50.0	05/30/17 09:16	
m&p-Xylene	ug/kg	<50.0	100	05/30/17 09:16	
Methyl-tert-butyl ether	ug/kg	<25.0	50.0	05/30/17 09:16	
Naphthalene	ug/kg	<25.0	50.0	05/30/17 09:16	
o-Xylene	ug/kg	<25.0	50.0	05/30/17 09:16	
Toluene	ug/kg	<25.0	50.0	05/30/17 09:16	
a,a,a-Trifluorotoluene (S)	%	100	80-120	05/30/17 09:16	

LABORATORY CONTROL SAMPLE & LCSD:		1514830	1514831							
Parameter	Units	Spike Conc.	LCS Result	LCSD Result	LCS % Rec	LCSD % Rec	% Rec Limits	RPD	Max RPD	Qualifiers
1,2,4-Trimethylbenzene	ug/kg	1000	1080	1060	108	106	80-120	2	20	
1,3,5-Trimethylbenzene	ug/kg	1000	1060	1040	106	104	80-120	2	20	
Benzene	ug/kg	1000	1010	990	101	99	80-120	2	20	
Ethylbenzene	ug/kg	1000	1050	1030	105	103	80-120	2	20	
m&p-Xylene	ug/kg	2000	2100	2060	105	103	80-120	2	20	
Methyl-tert-butyl ether	ug/kg	1000	999	964	100	96	80-120	4	20	
Naphthalene	ug/kg	1000	1110	1070	111	107	80-120	3	20	
o-Xylene	ug/kg	1000	1050	1030	105	103	80-120	2	20	
Toluene	ug/kg	1000	1030	1010	103	101	80-120	2	20	
a,a,a-Trifluorotoluene (S)	%				102	102	80-120			

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: 7679 BOB'S SERVICE

Pace Project No.: 40150524

QC Batch:	257157	Analysis Method:	WI MOD GRO
QC Batch Method:	TPH GRO/PVOC WI ext.	Analysis Description:	WIGRO Solid GCV
Associated Lab Samples:	40150524025		

METHOD BLANK: 1515331 Matrix: Solid

Associated Lab Samples: 40150524025

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
1,2,4-Trimethylbenzene	ug/kg	<25.0	50.0	05/31/17 09:07	
1,3,5-Trimethylbenzene	ug/kg	<25.0	50.0	05/31/17 09:07	
Benzene	ug/kg	<25.0	50.0	05/31/17 09:07	
Ethylbenzene	ug/kg	<25.0	50.0	05/31/17 09:07	
m&p-Xylene	ug/kg	<50.0	100	05/31/17 09:07	
Methyl-tert-butyl ether	ug/kg	<25.0	50.0	05/31/17 09:07	
Naphthalene	ug/kg	<25.0	50.0	05/31/17 09:07	
o-Xylene	ug/kg	<25.0	50.0	05/31/17 09:07	
Toluene	ug/kg	<25.0	50.0	05/31/17 09:07	
a,a,a-Trifluorotoluene (S)	%	97	80-120	05/31/17 09:07	

LABORATORY CONTROL SAMPLE & LCSD: 1515332

1515333

Parameter	Units	Spike Conc.	LCS Result	LCSD Result	LCS % Rec	LCSD % Rec	% Rec Limits	RPD	Max RPD	Qualifiers
1,2,4-Trimethylbenzene	ug/kg	1000	1080	1070	108	107	80-120	1	20	
1,3,5-Trimethylbenzene	ug/kg	1000	1050	1040	105	104	80-120	1	20	
Benzene	ug/kg	1000	989	1000	99	100	80-120	1	20	
Ethylbenzene	ug/kg	1000	1050	1040	105	104	80-120	0	20	
m&p-Xylene	ug/kg	2000	2080	2060	104	103	80-120	1	20	
Methyl-tert-butyl ether	ug/kg	1000	988	1010	99	101	80-120	2	20	
Naphthalene	ug/kg	1000	1140	1150	114	115	80-120	1	20	
o-Xylene	ug/kg	1000	1040	1040	104	104	80-120	1	20	
Toluene	ug/kg	1000	1010	1020	101	102	80-120	1	20	
a,a,a-Trifluorotoluene (S)	%				97	97	80-120			

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: 7679 BOB'S SERVICE
Pace Project No.: 40150524

QC Batch: 256856 Analysis Method: WI MOD GRO
QC Batch Method: WI MOD GRO Analysis Description: WIGRO GCV Water
Associated Lab Samples: 40150524001, 40150524002, 40150524003, 40150524004, 40150524005

METHOD BLANK: 1513837 Matrix: Water
Associated Lab Samples: 40150524001, 40150524002, 40150524003, 40150524004, 40150524005

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
1,2,4-Trimethylbenzene	ug/L	<0.42	1.0	05/26/17 08:39	
1,3,5-Trimethylbenzene	ug/L	<0.42	1.0	05/26/17 08:39	
Benzene	ug/L	<0.40	1.0	05/26/17 08:39	
Ethylbenzene	ug/L	<0.39	1.0	05/26/17 08:39	
m&p-Xylene	ug/L	<0.80	2.0	05/26/17 08:39	
Methyl-tert-butyl ether	ug/L	<0.48	1.0	05/26/17 08:39	
Naphthalene	ug/L	<0.42	1.0	05/26/17 08:39	
o-Xylene	ug/L	<0.45	1.0	05/26/17 08:39	
Toluene	ug/L	<0.39	1.0	05/26/17 08:39	
a,a,a-Trifluorotoluene (S)	%	101	80-120	05/26/17 08:39	

LABORATORY CONTROL SAMPLE & LCSD:		1513838	1513839							
Parameter	Units	Spike Conc.	LCS Result	LCSD Result	LCS % Rec	LCSD % Rec	% Rec Limits	RPD	Max RPD	Qualifiers
1,2,4-Trimethylbenzene	ug/L	20	21.3	21.5	106	107	80-120	1	20	
1,3,5-Trimethylbenzene	ug/L	20	20.6	20.8	103	104	80-120	1	20	
Benzene	ug/L	20	21.9	22.1	110	111	80-120	1	20	
Ethylbenzene	ug/L	20	22.1	22.3	110	111	80-120	1	20	
m&p-Xylene	ug/L	40	43.4	43.9	108	110	80-120	1	20	
Methyl-tert-butyl ether	ug/L	20	19.2	19.0	96	95	80-120	1	20	
Naphthalene	ug/L	20	21.6	22.0	108	110	80-120	2	20	
o-Xylene	ug/L	20	21.5	21.9	108	109	80-120	2	20	
Toluene	ug/L	20	21.7	21.9	109	110	80-120	1	20	
a,a,a-Trifluorotoluene (S)	%				100	101	80-120			

MATRIX SPIKE & MATRIX SPIKE DUPLICATE:			1514033	1514034								
Parameter	Units	40150522008	MS	MSD	MS	MSD	MS	MSD	% Rec	Max	Qual	
		Result	Spike	Spike								Result
1,2,4-Trimethylbenzene	ug/L	440	200	200	719	717	139	138	11-200	0	20	
1,3,5-Trimethylbenzene	ug/L	123	200	200	359	364	118	120	54-142	1	20	
Benzene	ug/L	177	200	200	368	372	96	97	66-140	1	20	
Ethylbenzene	ug/L	497	200	200	710	708	107	105	66-143	0	20	
m&p-Xylene	ug/L	813	400	400	1280	1280	117	117	60-141	0	20	
Methyl-tert-butyl ether	ug/L	6.8J	200	200	187	193	90	93	70-129	3	20	
Naphthalene	ug/L	62.7	200	200	271	279	104	108	64-129	3	20	
o-Xylene	ug/L	128	200	200	335	339	104	106	68-132	1	20	
Toluene	ug/L	167	200	200	371	374	102	104	76-130	1	20	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: 7679 BOB'S SERVICE

Pace Project No.: 40150524

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 1514033 1514034												
Parameter	Units	40150522008 Result	MS Spike Conc.	MSD Spike Conc.	MS Result	MSD Result	MS % Rec	MSD % Rec	% Rec Limits	Max RPD	RPD	Qual
a,a,a-Trifluorotoluene (S)	%						101	104	80-120			

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: 7679 BOB'S SERVICE

Pace Project No.: 40150524

QC Batch:	256926	Analysis Method:	EPA 6010
QC Batch Method:	EPA 3050	Analysis Description:	6010 MET
Associated Lab Samples:	40150524006, 40150524007, 40150524008, 40150524009, 40150524010, 40150524011, 40150524012, 40150524013, 40150524014, 40150524015, 40150524016, 40150524017, 40150524018, 40150524019, 40150524020, 40150524021, 40150524022, 40150524023, 40150524024, 40150524025		

METHOD BLANK:	1514232	Matrix:	Solid
Associated Lab Samples:	40150524006, 40150524007, 40150524008, 40150524009, 40150524010, 40150524011, 40150524012, 40150524013, 40150524014, 40150524015, 40150524016, 40150524017, 40150524018, 40150524019, 40150524020, 40150524021, 40150524022, 40150524023, 40150524024, 40150524025		

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
Lead	mg/kg	<0.43	1.3	06/01/17 10:51	

LABORATORY CONTROL SAMPLE: 1514233						
Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Lead	mg/kg	50	49.2	98	80-120	

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 1514234				1514235								
		40150524012	MS Spike	MSD Spike	MS	MSD	MS	MSD	% Rec		Max	
Parameter	Units	Result	Conc.	Conc.	Result	Result	% Rec	% Rec	Limits	RPD	RPD	Qual
Lead	mg/kg	1.9	56.5	56.7	56.4	58.9	96	100	75-125	4	20	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: 7679 BOB'S SERVICE
Pace Project No.: 40150524

QC Batch:	476839	Analysis Method:	EPA 524.2
QC Batch Method:	EPA 524.2	Analysis Description:	524.2 MSV
Associated Lab Samples:	40150524026		

METHOD BLANK:	2599376	Matrix:	Water
Associated Lab Samples:	40150524026		

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
1,1,1,2-Tetrachloroethane	ug/L	<0.062	0.50	05/31/17 01:24	
1,1,1-Trichloroethane	ug/L	<0.10	0.50	05/31/17 01:24	
1,1,2,2-Tetrachloroethane	ug/L	<0.11	0.50	05/31/17 01:24	
1,1,2-Trichloroethane	ug/L	<0.098	0.50	05/31/17 01:24	
1,1-Dichloroethane	ug/L	<0.088	0.50	05/31/17 01:24	
1,1-Dichloroethene	ug/L	<0.089	0.50	05/31/17 01:24	
1,1-Dichloropropene	ug/L	<0.080	0.50	05/31/17 01:24	
1,2,3-Trichlorobenzene	ug/L	<0.10	0.50	05/31/17 01:24	
1,2,3-Trichloropropane	ug/L	<0.073	4.0	05/31/17 01:24	
1,2,4-Trichlorobenzene	ug/L	<0.12	0.50	05/31/17 01:24	
1,2,4-Trimethylbenzene	ug/L	<0.083	0.50	05/31/17 01:24	
1,2-Dibromo-3-chloropropane	ug/L	<0.18	4.0	05/31/17 01:24	
1,2-Dibromoethane (EDB)	ug/L	<0.091	0.50	05/31/17 01:24	
1,2-Dichlorobenzene	ug/L	<0.10	0.50	05/31/17 01:24	
1,2-Dichloroethane	ug/L	<0.092	0.50	05/31/17 01:24	
1,2-Dichloropropane	ug/L	<0.084	4.0	05/31/17 01:24	
1,3,5-Trimethylbenzene	ug/L	<0.078	0.50	05/31/17 01:24	
1,3-Dichlorobenzene	ug/L	<0.082	0.50	05/31/17 01:24	
1,3-Dichloropropane	ug/L	<0.094	0.50	05/31/17 01:24	
1,4-Dichlorobenzene	ug/L	<0.075	0.50	05/31/17 01:24	
2,2-Dichloropropane	ug/L	<0.097	1.0	05/31/17 01:24	
2-Chlorotoluene	ug/L	<0.11	0.50	05/31/17 01:24	
4-Chlorotoluene	ug/L	<0.10	0.50	05/31/17 01:24	
Benzene	ug/L	<0.086	0.50	05/31/17 01:24	
Bromobenzene	ug/L	<0.081	0.50	05/31/17 01:24	
Bromochloromethane	ug/L	<0.16	1.0	05/31/17 01:24	
Bromodichloromethane	ug/L	<0.090	1.0	05/31/17 01:24	
Bromoform	ug/L	<0.23	4.0	05/31/17 01:24	
Bromomethane	ug/L	<0.20	4.0	05/31/17 01:24	
Carbon tetrachloride	ug/L	<0.076	1.0	05/31/17 01:24	
Chlorobenzene	ug/L	<0.068	0.50	05/31/17 01:24	
Chloroethane	ug/L	<0.18	1.0	05/31/17 01:24	
Chloroform	ug/L	<0.10	1.0	05/31/17 01:24	
Chloromethane	ug/L	<0.21	4.0	05/31/17 01:24	
cis-1,2-Dichloroethene	ug/L	<0.085	0.50	05/31/17 01:24	
cis-1,3-Dichloropropene	ug/L	<0.071	0.50	05/31/17 01:24	
Dibromochloromethane	ug/L	<0.13	0.50	05/31/17 01:24	
Dibromomethane	ug/L	<0.098	1.0	05/31/17 01:24	
Dichlorodifluoromethane	ug/L	<0.16	1.0	05/31/17 01:24	
Ethylbenzene	ug/L	<0.051	0.50	05/31/17 01:24	
Hexachloro-1,3-butadiene	ug/L	<0.11	1.0	05/31/17 01:24	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: 7679 BOB'S SERVICE
Pace Project No.: 40150524

METHOD BLANK: 2599376

Matrix: Water

Associated Lab Samples: 40150524026

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
Isopropylbenzene (Cumene)	ug/L	<0.11	0.50	05/31/17 01:24	
m&p-Xylene	ug/L	<0.073	1.0	05/31/17 01:24	
Methylene Chloride	ug/L	<0.20	4.0	05/31/17 01:24	
n-Butylbenzene	ug/L	<0.081	0.50	05/31/17 01:24	
n-Propylbenzene	ug/L	<0.096	0.50	05/31/17 01:24	
Naphthalene	ug/L	<0.064	1.0	05/31/17 01:24	
o-Xylene	ug/L	<0.073	0.50	05/31/17 01:24	
p-Isopropyltoluene	ug/L	<0.083	0.50	05/31/17 01:24	
sec-Butylbenzene	ug/L	<0.063	0.50	05/31/17 01:24	
Styrene	ug/L	<0.075	0.50	05/31/17 01:24	
tert-Butylbenzene	ug/L	<0.097	0.50	05/31/17 01:24	
Tetrachloroethene	ug/L	<0.12	0.50	05/31/17 01:24	
Toluene	ug/L	<0.080	0.50	05/31/17 01:24	
trans-1,2-Dichloroethene	ug/L	<0.11	0.50	05/31/17 01:24	
trans-1,3-Dichloropropene	ug/L	<0.055	0.50	05/31/17 01:24	
Trichloroethene	ug/L	<0.044	0.40	05/31/17 01:24	
Trichlorofluoromethane	ug/L	<0.13	0.50	05/31/17 01:24	
Vinyl chloride	ug/L	<0.098	0.20	05/31/17 01:24	
Xylene (Total)	ug/L	<0.073	1.5	05/31/17 01:24	
1,2-Dichloroethane-d4 (S)	%	109	75-125	05/31/17 01:24	
4-Bromofluorobenzene (S)	%	101	75-125	05/31/17 01:24	
Toluene-d8 (S)	%	101	75-125	05/31/17 01:24	

LABORATORY CONTROL SAMPLE & LCSD: 2599377

2599378

Parameter	Units	Spike Conc.	LCS Result	LCSD Result	LCS % Rec	LCSD % Rec	% Rec Limits	RPD	Max RPD	Qualifiers
1,1,1,2-Tetrachloroethane	ug/L	20	17.5	17.0	87	85	70-130	3	20	
1,1,1-Trichloroethane	ug/L	20	20.6	19.6	103	98	70-130	5	20	
1,1,2,2-Tetrachloroethane	ug/L	20	19.4	19.6	97	98	70-130	1	20	
1,1,2-Trichloroethane	ug/L	20	19.8	19.5	99	97	70-130	2	20	
1,1-Dichloroethane	ug/L	20	21.3	20.3	106	102	70-130	5	20	
1,1-Dichloroethene	ug/L	20	21.1	19.9	105	100	70-130	6	20	
1,1-Dichloropropene	ug/L	20	21.5	19.9	107	99	70-130	8	20	
1,2,3-Trichlorobenzene	ug/L	20	18.4	19.0	92	95	70-130	3	20	
1,2,3-Trichloropropane	ug/L	20	19.6	19.1	98	96	70-130	2	20	
1,2,4-Trichlorobenzene	ug/L	20	19.0	19.6	95	98	70-130	3	20	
1,2,4-Trimethylbenzene	ug/L	20	20.3	19.6	101	98	70-130	3	20	
1,2-Dibromo-3-chloropropane	ug/L	50	43.9	44.9	88	90	70-130	2	20	
1,2-Dibromoethane (EDB)	ug/L	20	19.3	19.3	96	96	70-130	0	20	
1,2-Dichlorobenzene	ug/L	20	20.2	19.8	101	99	70-130	2	20	
1,2-Dichloroethane	ug/L	20	19.4	18.9	97	95	70-130	2	20	
1,2-Dichloropropane	ug/L	20	19.9	19.4	99	97	70-130	2	20	
1,3,5-Trimethylbenzene	ug/L	20	20.0	19.6	100	98	70-130	2	20	
1,3-Dichlorobenzene	ug/L	20	20.0	19.5	100	97	70-130	3	20	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: 7679 BOB'S SERVICE

Pace Project No.: 40150524

LABORATORY CONTROL SAMPLE & LCSD: 2599377			2599378								
Parameter	Units	Spike Conc.	LCS Result	LCSD Result	LCS % Rec	LCSD % Rec	% Rec Limits	RPD	Max RPD	Qualifiers	
1,3-Dichloropropane	ug/L	20	20.0	19.3	100	97	70-130	3	20		
1,4-Dichlorobenzene	ug/L	20	18.8	18.8	94	94	70-130	0	20		
2,2-Dichloropropane	ug/L	20	17.9	17.0	90	85	70-130	5	20		
2-Chlorotoluene	ug/L	20	19.5	19.1	98	95	70-130	2	20		
4-Chlorotoluene	ug/L	20	19.9	19.5	99	97	70-130	2	20		
Benzene	ug/L	20	20.0	19.7	100	99	70-130	1	20		
Bromobenzene	ug/L	20	19.9	19.1	99	95	70-130	4	20		
Bromochloromethane	ug/L	20	21.9	21.3	110	106	70-130	3	20		
Bromodichloromethane	ug/L	20	17.8	17.1	89	85	70-130	4	20		
Bromoform	ug/L	20	14.4	14.3	72	71	70-130	1	20		
Bromomethane	ug/L	20	17.2	17.4	86	87	70-130	1	20		
Carbon tetrachloride	ug/L	20	16.3	15.9	82	80	70-130	2	20		
Chlorobenzene	ug/L	20	19.4	18.7	97	93	70-130	4	20		
Chloroethane	ug/L	20	22.3	21.2	111	106	70-130	5	20		
Chloroform	ug/L	20	20.9	19.9	105	100	70-130	5	20		
Chloromethane	ug/L	20	26.9	25.4	134	127	70-130	6	20	CH,L1	
cis-1,2-Dichloroethene	ug/L	20	21.0	20.3	105	101	70-130	4	20		
cis-1,3-Dichloropropene	ug/L	20	18.1	17.6	91	88	70-130	3	20		
Dibromochloromethane	ug/L	20	16.9	16.9	85	85	70-130	0	20		
Dibromomethane	ug/L	20	19.8	19.9	99	99	70-130	0	20		
Dichlorodifluoromethane	ug/L	20	23.3	22.1	116	111	70-130	5	20		
Ethylbenzene	ug/L	20	19.5	18.5	98	92	70-130	5	20		
Hexachloro-1,3-butadiene	ug/L	20	19.5	19.5	97	97	70-130	0	20		
Isopropylbenzene (Cumene)	ug/L	20	20.3	19.5	102	98	70-130	4	20		
m&p-Xylene	ug/L	40	41.5	39.6	104	99	70-130	5	20		
Methylene Chloride	ug/L	20	20.4	19.6	102	98	70-130	4	20		
n-Butylbenzene	ug/L	20	20.3	19.9	101	99	70-130	2	20		
n-Propylbenzene	ug/L	20	19.7	19.3	98	96	70-130	2	20		
Naphthalene	ug/L	20	17.6	18.4	88	92	70-130	4	20		
o-Xylene	ug/L	20	20.5	19.6	103	98	70-130	4	20		
p-Isopropyltoluene	ug/L	20	20.1	19.7	101	98	70-130	3	20		
sec-Butylbenzene	ug/L	20	20.1	19.5	101	98	70-130	3	20		
Styrene	ug/L	20	20.9	20.2	105	101	70-130	3	20		
tert-Butylbenzene	ug/L	20	20.2	19.4	101	97	70-130	4	20		
Tetrachloroethene	ug/L	20	18.9	17.9	94	89	70-130	5	20		
Toluene	ug/L	20	19.2	18.2	96	91	70-130	6	20		
trans-1,2-Dichloroethene	ug/L	20	21.6	20.9	108	105	70-130	3	20		
trans-1,3-Dichloropropene	ug/L	20	16.2	15.9	81	80	70-130	2	20		
Trichloroethene	ug/L	20	18.9	18.1	94	91	70-130	4	20		
Trichlorofluoromethane	ug/L	20	21.1	20.2	106	101	70-130	5	20		
Vinyl chloride	ug/L	20	24.2	23.6	121	118	70-130	2	20		
Xylene (Total)	ug/L	60	62.0	59.2	103	99	70-130	5	20		
1,2-Dichloroethane-d4 (S)	%.				107	104	75-125				
4-Bromofluorobenzene (S)	%.				99	101	75-125				
Toluene-d8 (S)	%.				104	102	75-125				

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: 7679 BOB'S SERVICE

Pace Project No.: 40150524

MATRIX SPIKE SAMPLE:		2599379	40150528001	Spike	MS	MS	% Rec	
Parameter	Units	Result	Conc.	Result	% Rec	Limits	Qualifiers	
1,1,1,2-Tetrachloroethane	ug/L	<0.062	20	16.5	83	70-130		
1,1,1-Trichloroethane	ug/L	<0.10	20	21.3	107	70-130		
1,1,2,2-Tetrachloroethane	ug/L	<0.11	20	19.2	96	70-130		
1,1,2-Trichloroethane	ug/L	<0.098	20	19.3	97	70-130		
1,1-Dichloroethane	ug/L	<0.088	20	21.5	107	70-130		
1,1-Dichloroethene	ug/L	<0.089	20	22.5	113	70-130		
1,1-Dichloropropene	ug/L	<0.080	20	21.8	109	70-130		
1,2,3-Trichlorobenzene	ug/L	<0.10	20	18.6	93	70-130		
1,2,3-Trichloropropane	ug/L	<0.073	20	19.0	95	70-130		
1,2,4-Trichlorobenzene	ug/L	<0.12	20	18.9	94	70-130		
1,2,4-Trimethylbenzene	ug/L	<0.083	20	19.7	98	70-130		
1,2-Dibromo-3-chloropropane	ug/L	<0.18	50	44.8	90	70-130		
1,2-Dibromoethane (EDB)	ug/L	<0.091	20	19.0	95	70-130		
1,2-Dichlorobenzene	ug/L	<0.10	20	19.3	96	70-130		
1,2-Dichloroethane	ug/L	<0.092	20	19.1	95	70-130		
1,2-Dichloropropane	ug/L	<0.084	20	19.4	97	70-130		
1,3,5-Trimethylbenzene	ug/L	<0.078	20	19.3	97	70-130		
1,3-Dichlorobenzene	ug/L	<0.082	20	19.4	97	70-130		
1,3-Dichloropropane	ug/L	<0.094	20	19.3	97	70-130		
1,4-Dichlorobenzene	ug/L	<0.075	20	18.4	92	70-130		
2,2-Dichloropropane	ug/L	<0.097	20	18.5	93	70-130		
2-Chlorotoluene	ug/L	<0.11	20	19.0	95	70-130		
4-Chlorotoluene	ug/L	<0.10	20	19.1	96	70-130		
Benzene	ug/L	<0.086	20	20.5	103	70-130		
Bromobenzene	ug/L	<0.081	20	18.8	94	70-130		
Bromochloromethane	ug/L	<0.16	20	21.7	108	70-130		
Bromodichloromethane	ug/L	<0.090	20	17.1	85	70-130		
Bromoform	ug/L	<0.23	20	13.4	67	70-130	M1	
Bromomethane	ug/L	<0.20	20	19.4	97	70-130		
Carbon tetrachloride	ug/L	<0.076	20	16.6	83	70-130		
Chlorobenzene	ug/L	<0.068	20	18.7	93	70-130		
Chloroethane	ug/L	<0.18	20	27.5	137	70-130	M1	
Chloroform	ug/L	<0.10	20	20.8	104	70-130		
Chloromethane	ug/L	<0.21	20	28.5	143	70-130	CH,M0	
cis-1,2-Dichloroethene	ug/L	<0.085	20	21.4	107	70-130		
cis-1,3-Dichloropropene	ug/L	<0.071	20	16.2	81	70-130		
Dibromochloromethane	ug/L	<0.13	20	15.7	78	70-130		
Dibromomethane	ug/L	<0.098	20	18.9	95	70-130		
Dichlorodifluoromethane	ug/L	<0.16	20	29.5	148	70-130	M1	
Ethylbenzene	ug/L	<0.051	20	18.8	94	70-130		
Hexachloro-1,3-butadiene	ug/L	<0.11	20	20.5	103	70-130		
Isopropylbenzene (Cumene)	ug/L	<0.11	20	20.0	100	70-130		
m&p-Xylene	ug/L	<0.073	40	40.2	100	70-130		
Methylene Chloride	ug/L	<0.20	20	20.0	100	70-130		
n-Butylbenzene	ug/L	<0.081	20	20.2	101	70-130		
n-Propylbenzene	ug/L	<0.096	20	19.2	96	70-130		
Naphthalene	ug/L	<0.064	20	18.2	91	70-130		

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: 7679 BOB'S SERVICE

Pace Project No.: 40150524

MATRIX SPIKE SAMPLE: 2599379		40150528001	Spike	MS	MS	% Rec	
Parameter	Units	Result	Conc.	Result	% Rec	Limits	Qualifiers
o-Xylene	ug/L	<0.073	20	19.8	99	70-130	
p-Isopropyltoluene	ug/L	<0.083	20	20.0	100	70-130	
sec-Butylbenzene	ug/L	<0.063	20	19.8	99	70-130	
Styrene	ug/L	<0.075	20	20.1	100	70-130	
tert-Butylbenzene	ug/L	<0.097	20	19.5	97	70-130	
Tetrachloroethene	ug/L	<0.12	20	18.6	93	70-130	
Toluene	ug/L	<0.080	20	18.4	92	70-130	
trans-1,2-Dichloroethene	ug/L	<0.11	20	22.5	112	70-130	
trans-1,3-Dichloropropene	ug/L	<0.055	20	14.6	73	70-130	
Trichloroethene	ug/L	<0.044	20	18.4	92	70-130	
Trichlorofluoromethane	ug/L	<0.13	20	25.4	127	70-130	
Vinyl chloride	ug/L	<0.098	20	27.2	136	70-130	M1
Xylene (Total)	ug/L	<0.073	60	59.9	100	70-130	
1,2-Dichloroethane-d4 (S)	%				106	75-125	
4-Bromofluorobenzene (S)	%				101	75-125	
Toluene-d8 (S)	%				103	75-125	

SAMPLE DUPLICATE: 2599380

Parameter	Units	40150528002	Dup	RPD	Max	
		Result	Result		RPD	Qualifiers
1,1,1,2-Tetrachloroethane	ug/L	<0.062	<0.062		20	
1,1,1-Trichloroethane	ug/L	<0.10	<0.10		20	
1,1,2,2-Tetrachloroethane	ug/L	<0.11	<0.11		20	
1,1,2-Trichloroethane	ug/L	<0.098	<0.098		20	
1,1-Dichloroethane	ug/L	<0.088	<0.088		20	
1,1-Dichloroethene	ug/L	<0.089	<0.089		20	
1,1-Dichloropropene	ug/L	<0.080	<0.080		20	
1,2,3-Trichlorobenzene	ug/L	<0.10	<0.10		20	
1,2,3-Trichloropropane	ug/L	<0.073	<0.073		20	
1,2,4-Trichlorobenzene	ug/L	<0.12	<0.12		20	
1,2,4-Trimethylbenzene	ug/L	<0.083	<0.083		20	
1,2-Dibromo-3-chloropropane	ug/L	<0.18	<0.18		20	
1,2-Dibromoethane (EDB)	ug/L	<0.091	<0.091		20	
1,2-Dichlorobenzene	ug/L	<0.10	<0.10		20	
1,2-Dichloroethane	ug/L	<0.092	<0.092		20	
1,2-Dichloropropane	ug/L	<0.084	<0.084		20	
1,3,5-Trimethylbenzene	ug/L	<0.078	<0.078		20	
1,3-Dichlorobenzene	ug/L	<0.082	<0.082		20	
1,3-Dichloropropane	ug/L	<0.094	<0.094		20	
1,4-Dichlorobenzene	ug/L	<0.075	<0.075		20	
2,2-Dichloropropane	ug/L	<0.097	<0.097		20	
2-Chlorotoluene	ug/L	<0.11	<0.11		20	
4-Chlorotoluene	ug/L	<0.10	<0.10		20	
Benzene	ug/L	<0.086	<0.086		20	
Bromobenzene	ug/L	<0.081	<0.081		20	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: 7679 BOB'S SERVICE

Pace Project No.: 40150524

SAMPLE DUPLICATE: 2599380

Parameter	Units	40150528002 Result	Dup Result	RPD	Max RPD	Qualifiers
Bromochloromethane	ug/L	<0.16	<0.16		20	
Bromodichloromethane	ug/L	3.0	3.2	6	20	
Bromoform	ug/L	<0.23	<0.23		20	
Bromomethane	ug/L	<0.20	<0.20		20	
Carbon tetrachloride	ug/L	<0.076	<0.076		20	
Chlorobenzene	ug/L	<0.068	<0.068		20	
Chloroethane	ug/L	<0.18	<0.18		20	
Chloroform	ug/L	19.8	21.2	7	20	
Chloromethane	ug/L	4.7	5.3	11	20	CH
cis-1,2-Dichloroethene	ug/L	<0.085	<0.085		20	
cis-1,3-Dichloropropene	ug/L	<0.071	<0.071		20	
Dibromochloromethane	ug/L	0.33J	0.38J		20	
Dibromomethane	ug/L	<0.098	<0.098		20	
Dichlorodifluoromethane	ug/L	<0.16	<0.16		20	
Ethylbenzene	ug/L	<0.051	<0.051		20	
Hexachloro-1,3-butadiene	ug/L	<0.11	<0.11		20	
Isopropylbenzene (Cumene)	ug/L	<0.11	<0.11		20	
m&p-Xylene	ug/L	<0.073	<0.073		20	
Methylene Chloride	ug/L	<0.20	<0.20		20	
n-Butylbenzene	ug/L	<0.081	<0.081		20	
n-Propylbenzene	ug/L	<0.096	<0.096		20	
Naphthalene	ug/L	<0.064	<0.064		20	
o-Xylene	ug/L	<0.073	<0.073		20	
p-Isopropyltoluene	ug/L	<0.083	<0.083		20	
sec-Butylbenzene	ug/L	<0.063	<0.063		20	
Styrene	ug/L	<0.075	<0.075		20	
tert-Butylbenzene	ug/L	<0.097	<0.097		20	
Tetrachloroethene	ug/L	<0.12	<0.12		20	
Toluene	ug/L	<0.080	<0.080		20	
trans-1,2-Dichloroethene	ug/L	<0.11	<0.11		20	
trans-1,3-Dichloropropene	ug/L	<0.055	<0.055		20	
Trichloroethene	ug/L	<0.044	<0.044		20	
Trichlorofluoromethane	ug/L	<0.13	<0.13		20	
Vinyl chloride	ug/L	<0.098	<0.098		20	
Xylene (Total)	ug/L	<0.073	<0.073		20	
1,2-Dichloroethane-d4 (S)	%	107	109	1		
4-Bromofluorobenzene (S)	%	100	100	1		
Toluene-d8 (S)	%	102	103	1		

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: 7679 BOB'S SERVICE

Pace Project No.: 40150524

QC Batch: 256948

Analysis Method: ASTM D2974-87

QC Batch Method: ASTM D2974-87

Analysis Description: Dry Weight/Percent Moisture

Associated Lab Samples: 40150524006, 40150524024

SAMPLE DUPLICATE: 1514324

Parameter	Units	40150524024 Result	Dup Result	RPD	Max RPD	Qualifiers
Percent Moisture	%	19.7	19.7	0	10	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: 7679 BOB'S SERVICE

Pace Project No.: 40150524

QC Batch:	256956	Analysis Method:	ASTM D2974-87
QC Batch Method:	ASTM D2974-87	Analysis Description:	Dry Weight/Percent Moisture
Associated Lab Samples:	40150524007, 40150524008, 40150524009, 40150524010, 40150524011, 40150524012, 40150524013, 40150524014, 40150524015, 40150524016, 40150524017, 40150524018, 40150524019, 40150524020, 40150524021, 40150524022, 40150524023, 40150524025		

SAMPLE DUPLICATE: 1514414

Parameter	Units	40150524007 Result	Dup Result	RPD	Max RPD	Qualifiers
Percent Moisture	%	29.1	29.0	0	10	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALIFIERS

Project: 7679 BOB'S SERVICE
Pace Project No.: 40150524

DEFINITIONS

DF - Dilution Factor, if reported, represents the factor applied to the reported data due to dilution of the sample aliquot.
 ND - Not Detected at or above LOD.
 J - Estimated concentration at or above the LOD and below the LOQ.
 LOD - Limit of Detection adjusted for dilution factor and percent moisture.
 LOQ - Limit of Quantitation adjusted for dilution factor and percent moisture.
 S - Surrogate
 1,2-Diphenylhydrazine decomposes to and cannot be separated from Azobenzene using Method 8270. The result for each analyte is a combined concentration.
 Consistent with EPA guidelines, unrounded data are displayed and have been used to calculate % recovery and RPD values.
 LCS(D) - Laboratory Control Sample (Duplicate)
 MS(D) - Matrix Spike (Duplicate)
 DUP - Sample Duplicate
 RPD - Relative Percent Difference
 NC - Not Calculable.
 SG - Silica Gel - Clean-Up
 U - Indicates the compound was analyzed for, but not detected at or above the adjusted LOD.
 N-Nitrosodiphenylamine decomposes and cannot be separated from Diphenylamine using Method 8270. The result reported for each analyte is a combined concentration.
 Pace Analytical is TNI accredited. Contact your Pace PM for the current list of accredited analytes.
 TNI - The NELAC Institute.

LABORATORIES

PASI-G Pace Analytical Services - Green Bay
 PASI-M Pace Analytical Services - Minneapolis

BATCH QUALIFIERS

Batch: 476839
 [M5] A matrix spike/matrix spike duplicate was not performed for this batch due to insufficient sample volume.

ANALYTE QUALIFIERS

1q Results are from sample aliquot taken from a jar with head space and preserved with MeOH in the laboratory.
 CH The continuing calibration for this compound is outside of Pace Analytical acceptance limits. The results may be biased high.
 L1 Analyte recovery in the laboratory control sample (LCS) was above QC limits. Results may be biased high.
 L3 Analyte recovery in the laboratory control sample (LCS) exceeded QC limits. Analyte presence below reporting limits in associated samples.
 M0 Matrix spike recovery and/or matrix spike duplicate recovery was outside laboratory control limits.
 M1 Matrix spike recovery exceeded QC limits. Batch accepted based on laboratory control sample (LCS) recovery.
 P4 Sample field preservation does not meet EPA or method recommendations for this analysis.
 W Non-detect results are reported on a wet weight basis.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
 without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA CROSS REFERENCE TABLE

Project: 7679 BOB'S SERVICE

Pace Project No.: 40150524

Lab ID	Sample ID	QC Batch Method	QC Batch	Analytical Method	Analytical Batch
40150524006	B1 @ 2-4'	TPH GRO/PVOC WI ext.	256860	WI MOD GRO	256979
40150524007	B1 @ 8-9'	TPH GRO/PVOC WI ext.	256860	WI MOD GRO	256979
40150524008	B2 @ 2-4'	TPH GRO/PVOC WI ext.	256860	WI MOD GRO	256979
40150524009	B2 @ 13-14'	TPH GRO/PVOC WI ext.	256860	WI MOD GRO	256979
40150524010	B3 @ 2-4'	TPH GRO/PVOC WI ext.	256860	WI MOD GRO	256979
40150524011	B3 @ 13-14'	TPH GRO/PVOC WI ext.	256860	WI MOD GRO	256979
40150524012	B4 @ 2-4'	TPH GRO/PVOC WI ext.	256860	WI MOD GRO	256979
40150524013	B4 @ 8-9'	TPH GRO/PVOC WI ext.	256860	WI MOD GRO	256979
40150524014	B5 @ 2-4'	TPH GRO/PVOC WI ext.	256860	WI MOD GRO	256979
40150524015	B5 @ 12-14'	TPH GRO/PVOC WI ext.	256860	WI MOD GRO	256979
40150524016	B6 @ 2-4'	TPH GRO/PVOC WI ext.	256860	WI MOD GRO	256979
40150524017	B6 @ 13-14'	TPH GRO/PVOC WI ext.	256860	WI MOD GRO	256979
40150524018	B7 @ 2-4'	TPH GRO/PVOC WI ext.	256860	WI MOD GRO	256979
40150524019	B7 @ 12-14'	TPH GRO/PVOC WI ext.	256994	WI MOD GRO	257051
40150524020	B8 @ 2-4'	TPH GRO/PVOC WI ext.	256994	WI MOD GRO	257051
40150524021	B8 @ 11-13'	TPH GRO/PVOC WI ext.	256994	WI MOD GRO	257051
40150524022	B9 @ 2-4'	TPH GRO/PVOC WI ext.	256994	WI MOD GRO	257051
40150524023	B9 @ 8-9'	TPH GRO/PVOC WI ext.	256994	WI MOD GRO	257051
40150524024	B10 @ 2-4'	TPH GRO/PVOC WI ext.	256994	WI MOD GRO	257051
40150524025	B10 @ 11-13'	TPH GRO/PVOC WI ext.	257157	WI MOD GRO	257162
40150524001	B1	WI MOD GRO	256856		
40150524002	B2	WI MOD GRO	256856		
40150524003	B6	WI MOD GRO	256856		
40150524004	B7	WI MOD GRO	256856		
40150524005	B10	WI MOD GRO	256856		
40150524006	B1 @ 2-4'	EPA 3050	256926	EPA 6010	257251
40150524007	B1 @ 8-9'	EPA 3050	256926	EPA 6010	257251
40150524008	B2 @ 2-4'	EPA 3050	256926	EPA 6010	257251
40150524009	B2 @ 13-14'	EPA 3050	256926	EPA 6010	257251
40150524010	B3 @ 2-4'	EPA 3050	256926	EPA 6010	257251
40150524011	B3 @ 13-14'	EPA 3050	256926	EPA 6010	257251
40150524012	B4 @ 2-4'	EPA 3050	256926	EPA 6010	257251
40150524013	B4 @ 8-9'	EPA 3050	256926	EPA 6010	257251
40150524014	B5 @ 2-4'	EPA 3050	256926	EPA 6010	257251
40150524015	B5 @ 12-14'	EPA 3050	256926	EPA 6010	257251
40150524016	B6 @ 2-4'	EPA 3050	256926	EPA 6010	257251
40150524017	B6 @ 13-14'	EPA 3050	256926	EPA 6010	257251
40150524018	B7 @ 2-4'	EPA 3050	256926	EPA 6010	257251
40150524019	B7 @ 12-14'	EPA 3050	256926	EPA 6010	257251
40150524020	B8 @ 2-4'	EPA 3050	256926	EPA 6010	257251
40150524021	B8 @ 11-13'	EPA 3050	256926	EPA 6010	257251
40150524022	B9 @ 2-4'	EPA 3050	256926	EPA 6010	257251
40150524023	B9 @ 8-9'	EPA 3050	256926	EPA 6010	257251
40150524024	B10 @ 2-4'	EPA 3050	256926	EPA 6010	257251
40150524025	B10 @ 11-13'	EPA 3050	256926	EPA 6010	257251
40150524026	POTABLE	EPA 524.2	476839		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA CROSS REFERENCE TABLE

Project: 7679 BOB'S SERVICE

Pace Project No.: 40150524

Lab ID	Sample ID	QC Batch Method	QC Batch	Analytical Method	Analytical Batch
40150524006	B1 @ 2-4'	ASTM D2974-87	256948		
40150524007	B1 @ 8-9'	ASTM D2974-87	256956		
40150524008	B2 @ 2-4'	ASTM D2974-87	256956		
40150524009	B2 @ 13-14'	ASTM D2974-87	256956		
40150524010	B3 @ 2-4'	ASTM D2974-87	256956		
40150524011	B3 @ 13-14'	ASTM D2974-87	256956		
40150524012	B4 @ 2-4'	ASTM D2974-87	256956		
40150524013	B4 @ 8-9'	ASTM D2974-87	256956		
40150524014	B5 @ 2-4'	ASTM D2974-87	256956		
40150524015	B5 @ 12-14'	ASTM D2974-87	256956		
40150524016	B6 @ 2-4'	ASTM D2974-87	256956		
40150524017	B6 @ 13-14'	ASTM D2974-87	256956		
40150524018	B7 @ 2-4'	ASTM D2974-87	256956		
40150524019	B7 @ 12-14'	ASTM D2974-87	256956		
40150524020	B8 @ 2-4'	ASTM D2974-87	256956		
40150524021	B8 @ 11-13'	ASTM D2974-87	256956		
40150524022	B9 @ 2-4'	ASTM D2974-87	256956		
40150524023	B9 @ 8-9'	ASTM D2974-87	256956		
40150524024	B10 @ 2-4'	ASTM D2974-87	256948		
40150524025	B10 @ 11-13'	ASTM D2974-87	256956		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Sample Condition Upon Receipt

Pace Analytical Services, LLC. - Green Bay WI
1241 Bellevue Street, Suite 9
Green Bay, WI 54302



Client Name: REI

Project #:

AFFIX WORKORDER LABEL HERE

Courier: ☐ Fed Ex ☐ UPS ☐ Client ☐ Pace Other: Waltco

Tracking #: 1380247

Custody Seal on Cooler/Box Present: ☐ yes ☒ no Seals intact: ☐ yes ☐ no

Custody Seal on Samples Present: ☐ yes ☒ no Seals intact: ☐ yes ☐ no

Packing Material: ☐ Bubble Wrap ☐ Bubble Bags ☐ None ☐ Other

Thermometer Used NA

Type of Ice: ☒ Wet ☒ Blue ☐ Dry ☐ None

☒ Samples on ice, cooling process has begun

Cooler Temperature Uncorr: ROI /Corr: ROI

Biological Tissue is Frozen: ☐ yes ☐ no

Temp Blank Present: ☐ yes ☒ no

Person examining contents:

Date: 5/31/17

Initials: MB

Temp should be above freezing to 6°C.

Biota Samples may be received at ≤ 0°C.

Comments:

Chain of Custody Present:	☒ Yes ☐ No ☐ N/A	1.
Chain of Custody Filled Out:	☒ Yes ☐ No ☐ N/A	2.
Chain of Custody Relinquished:	☒ Yes ☐ No ☐ N/A	3.
Sampler Name & Signature on COC:	☒ Yes ☐ No ☐ N/A	4.
Samples Arrived within Hold Time:	☒ Yes ☐ No ☐ N/A	5.
- VOA Samples frozen upon receipt	☐ Yes ☐ No	Date/Time:
Short Hold Time Analysis (<72hr):	☒ Yes ☐ No ☐ N/A	6.
Rush Turn Around Time Requested:	☐ Yes ☐ No ☐ N/A	7.
Sufficient Volume:	☒ Yes ☐ No ☐ N/A	8.
Correct Containers Used:	☒ Yes ☐ No ☐ N/A	9.
-Pace Containers Used:	☒ Yes ☐ No ☐ N/A	
-Pace IR Containers Used:	☐ Yes ☐ No ☐ N/A	
Containers Intact:	☒ Yes ☐ No ☐ N/A	10.
Filtered volume received for Dissolved tests	☐ Yes ☐ No ☐ N/A	11.
Sample Labels match COC:	☒ Yes ☐ No ☐ N/A	12.
-Includes date/time/ID/Analysis Matrix:	<u>S</u>	
All containers needing preservation have been checked. (Non-Compliance noted in 13.)	☐ Yes ☐ No ☒ N/A	13.
All containers needing preservation are found to be in compliance with EPA recommendation. (HNO3, H2SO4 ≤2; NaOH+ZnAct ≥9, NaOH ≥12)	☐ Yes ☐ No ☒ N/A	
exceptions: VOA, coliform, TOC, TOX, TOH, O&G, WIDROW, Phenolics, OTHER:	☐ Yes ☒ No	Initial when completed
		Lab Std #ID of preservative
		Date/Time:
Headspace in VOA Vials (>6mm):	☐ Yes ☐ No ☒ N/A	14.
Trip Blank Present:	☐ Yes ☐ No ☒ N/A	15.
Trip Blank Custody Seals Present	☐ Yes ☐ No ☒ N/A	
Pace Trip Blank Lot # (if purchased):		

Client Notification/ Resolution:

If checked, see attached form for additional comments ☐

Person Contacted:

Date/Time:

Comments/ Resolution: Mean volume for previous project 5/31/17

Project Manager Review:

Date:

5-31-17

Sample Condition Upon Receipt

Pace Analytical Services, LLC. - Green Bay WI
1241 Bellevue Street, Suite 9
Green Bay, WI 54302



Project #:

Client Name: REICourier: ☐ Fed Ex ☐ UPS ☐ Client ☐ Pace Other: WALCOTracking #: 13780797

AFFIX WORKORDER LABEL HERE

Custody Seal on Cooler/Box Present: ☐ yes ☒ no Seals intact: ☐ yes ☐ noCustody Seal on Samples Present: ☐ yes ☒ no Seals intact: ☐ yes ☐ noPacking Material: ☒ Bubble Wrap ☒ Bubble Bags ☐ None ☐ OtherThermometer Used S2-74Type of Ice: ☒ Wet ☐ Blue ☐ Dry ☐ None ☒ Samples on ice, cooling process has begunCooler Temperature Uncorr: 2°C / Corr: 3°CBiological Tissue is Frozen: ☐ yes ☐ noTemp Blank Present: ☐ yes ☒ no

Temp should be above freezing to 6°C.

Biota Samples may be received at ≤ 0°C.

Person examining contents:

Date: 5/26/17Initials: RMV

Comments:

Chain of Custody Present:	☒ Yes ☐ No ☐ N/A	1.
Chain of Custody Filled Out:	☒ Yes ☐ No ☐ N/A	2.
Chain of Custody Relinquished:	☒ Yes ☐ No ☐ N/A	3.
Sampler Name & Signature on COC:	☒ Yes ☐ No ☐ N/A	4.
Samples Arrived within Hold Time:	☒ Yes ☐ No ☐ N/A	5.
- VOA Samples frozen upon receipt	☐ Yes ☐ No	Date/Time:
Short Hold Time Analysis (<72hr):	☐ Yes ☒ No ☐ N/A	6.
Rush Turn Around Time Requested:	☐ Yes ☒ No ☐ N/A	7.
Sufficient Volume:	☒ Yes ☐ No ☐ N/A	8. missing volume vial <u>6110-8-9</u> sample <u>021</u>
Correct Containers Used:	☒ Yes ☐ No ☐ N/A	9.
-Pace Containers Used:	☒ Yes ☐ No ☐ N/A	
-Pace IR Containers Used:	☐ Yes ☐ No ☒ N/A	
Containers Intact:	☒ Yes ☐ No ☐ N/A	10.
Filtered volume received for Dissolved tests	☐ Yes ☒ No ☐ N/A	11.
Sample Labels match COC:	☐ Yes ☐ No ☐ N/A	12.
-Includes date/time/ID/Analysis Matrix: <u>S</u>		
All containers needing preservation have been checked. (Non-Compliance noted in 13.)	☐ Yes ☐ No ☒ N/A	13.
All containers needing preservation are found to be in compliance with EPA recommendation. (HNO ₃ , H ₂ SO ₄ ≤2; NaOH+ZnAct ≥9, NaOH ≥12) exceptions: (VOA) coliform, TOC, TOX, TOH, O&G, WIDROW, Phenolics, OTHER:	☐ Yes ☐ No ☒ N/A	☐ HNO ₃ ☐ H ₂ SO ₄ ☐ NaOH ☐ NaOH + ZnAct
Initial when completed	Lab Std #ID of preservative	Date/Time:
Headspace in VOA Vials (>6mm):	☐ Yes ☒ No ☐ N/A	14.
Trip Blank Present:	☐ Yes ☒ No ☐ N/A	15.
Trip Blank Custody Seals Present	☐ Yes ☒ No ☐ N/A	
Pace Trip Blank Lot # (if purchased):		

Client Notification/ Resolution:

If checked, see attached form for additional comments ☐

Person Contacted:

Date/Time:

Comments/ Resolution: still missing vial for 025RMV 5/26/17

Project Manager Review:

Date:

5-26-17

Sample Condition Upon Receipt

Pace Analytical Services, Inc.
1241 Bellevue Street, Suite 9
Green Bay, WI 54302

Pace Analytical™

Project #

WO#: 40150524



Client Name: REI

Courier: ☐ Fed Ex ☐ UPS ☐ Client ☐ Pace Other: Waltco

Tracking #: 1374888-2

Custody Seal on Cooler/Box Present: ☐ yes ☒ no Seals intact: ☐ yes ☐ no

Custody Seal on Samples Present: ☐ yes ☒ no Seals intact: ☐ yes ☐ no

Packing Material: ☒ Bubble Wrap ☒ Bubble Bags ☐ None ☐ Other

Thermometer Used: NA

Type of Ice: ☒ Wet ☒ Blue ☐ Dry ☐ None

☒ Samples on ice, cooling process has begun

Cooler Temperature: Uncorr: ROI / Corr: ROI

Biological Tissue is Frozen: ☐ yes ☐ no

Temp Blank Present: ☐ yes ☒ no

Temp should be above freezing to 6°C for all sample except Biota.

Frozen Biota Samples should be received ≤ 0°C.

Person examining contents:

Date: 5/24/17

Initials: RF

Comments:

Chain of Custody Present:	☒ Yes ☐ No ☐ N/A	1.
Chain of Custody Filled Out:	☐ Yes ☒ No ☐ N/A	2. 026 added by lab per RF 5/24/17 PM
Chain of Custody Relinquished:	☒ Yes ☐ No ☐ N/A	3.
Sampler Name & Signature on COC:	☐ Yes ☐ No ☐ N/A	4.
Samples Arrived within Hold Time:	☒ Yes ☐ No ☐ N/A	5.
- VOA Samples frozen upon receipt	☐ Yes ☐ No	Date/Time:
Short Hold Time Analysis (<72hr):	☐ Yes ☒ No ☐ N/A	6.
Rush Turn Around Time Requested:	☐ Yes ☒ No ☐ N/A	7. RF 5/24/17
Sufficient Volume:	☐ Yes ☒ No ☐ N/A	8. 015+021 no vial volume received
Correct Containers Used:	☒ Yes ☐ No ☐ N/A	9. 0 +025
-Pace Containers Used:	☒ Yes ☐ No ☐ N/A	
-Pace IR Containers Used:	☐ Yes ☐ No ☒ N/A	RF 5/24/17
Containers Intact:	☒ Yes ☐ No ☐ N/A	10.
Filtered volume received for Dissolved tests	☐ Yes ☐ No ☒ N/A	11.
Sample Labels match COC:	☐ Yes ☒ No ☐ N/A	12. 009 vial ID B8@13-14; 011 time 1547 all; 015 time 1640; 023 vial no time RF 5/24/17
-Includes date/time/ID/Analysis Matrix: <u>STU</u>		
All containers needing preservation have been checked. (Non-Compliance noted in 13.)	☐ Yes ☐ No ☒ N/A	13. ☐ HNO3 ☐ H2SO4 ☐ NaOH ☐ NaOH + ZnAct
All containers needing preservation are found to be in compliance with EPA recommendation. (HNO3, H2SO4 ≤2; NaOH+ZnAct ≥9, NaOH ≥12)	☐ Yes ☐ No ☒ N/A	
exceptions: (VOA, coliform, TOC, TOX, TOH, O&G, WIDROW, Phenolics, OTHER: <u>RF 5/24/17</u>)	☒ Yes ☐ No ☐ N/A	
Headspace in VOA Vials (>6mm):	☐ Yes ☐ No ☒ N/A	14.
Trip Blank Present:	☐ Yes ☒ No ☐ N/A	15.
Trip Blank Custody Seals Present	☐ Yes ☐ No ☒ N/A	
Pace Trip Blank Lot # (if purchased):		

Client Notification/ Resolution:

Person Contacted:

Date/Time:

If checked, see attached form for additional comments ☐

Comments/ Resolution: 015 vial ID G1P5@12-14, time 1640 placed by PM

RF 5/24/17

Project Manager Review:

Date: 5-25-17