

September 5, 2014

Mr. Keld Lauridsen
Hydrogeologist/Project Manager
WDNR-Northeast Region RR
2984 Shawano Avenue
Green Bay, WI 54313-6727

**RE: Former American Quality Fibers (02-71-208585) – Project Status Report
OMNI Invoice (Purchase Order No. 9IME0000003)**

Dear Keld:

Enclosed are three copies of OMNI's invoice and three copies of the *Invoice For Professional Services* form for services performed at the Former American Quality Fibers site. Invoice #63301 is for checking on the site, cutting down weeds, cutting down dead trees, applying insecticide, collecting groundwater samples, and correspondence.

Six dead trees were cut down and piled near the road for the City to chip (see attached photographs). We applied insecticide to see if it would help control the Cottonwood Borers. My son cut down the weeds again, which should get us through the remainder of the year.

I collected groundwater samples from monitoring well MW4 and piezometer P1 for VOC analysis (see attached laboratory report and groundwater summary tables). Analysis from monitoring well MW4 did not detect contamination above laboratory detection limits. Analysis from piezometer P1 detected trichloroethene at 1.19 µg/l. The groundwater samples were collected to determine if the monitoring points could be abandoned prior to patching the road.

We should set up a time to discuss the site, site maintenance, groundwater sampling, soil sampling, potential future use, and remaining budget.


If you have any questions regarding this invoice or the project in general, please contact me.

Very truly yours,
OMNI Associates, Inc.



Brian D. Wayner, P.E.
Environmental Manger

Enclosures



Legend

- ⊙ OMNNI Monitoring Well Location
- ⊙ OMNNI Piezometer Location
- ⊕ OMNNI Soil Boring Location
- Geoprobe Location
- 🌳 Tree Location
- ▭ Former Building Location
- ▭ Existing Buildings
- - - Property Line
- Edge of Road
- Power Pole
- T — Telephone Line
- E — Overhead Electric
- G — Gas Line
- Water Main
- Sanitary Sewer
- Storm Sewer
- Sanitary Manhole
- Storm Sewer Manhole
- CB Storm Inlet




FIGURE # SITE DETAIL MAP

**AMERICAN QUALITY FIBERS
204 RAILROAD STREET
MENASHA, WISCONSIN 54952**



ONE SYSTEMS DRIVE
APPLETON, WI 54914
PHONE (920) 735-6900
FAX (920) 830-6100

PROJECT MANAGER:	BDW	PROJECT NO:	N1645A00
PROJECT ENGINEER:	BDW	FILE NO:	Site Detail Map.MXD
DRAWN BY:	JCW	SCALE:	1" = 60'
REVIEWED BY:	BDW	DATE:	1/25/2007

Table 2 - Groundwater Sample Summary

		Detected VOCs, PVOCs (µg/L)																																	
		Acetone	Benzene	n-Butyl benzene	sec-Butyl benzene	Carbon tetra chloride	Chloro ethane	Chloroform	Chloro methane	1,2-Dibromoethane (EDB)	Dichloro difluoro methane	1,1-Dichloro ethane	1,2-Dichloro ethane	1,1-Dichloro ethene	cis-1,2-dichloro ethene	Trans-1,2-Dichloro ethene	Ethyl benzene	Isopropyl benzene	p-Isopropyl toluene	Methylene Chloride	Methyl Ethyl Ketone	Methyl Isobutyl Ketone	MTBE	Naphth alene	n-Propyl benzene	Styrene	Tetrachloro ethene (PCE)	Toluene	1,1,1-Trichloro ethane	1,1,2-Trichloro ethane	Trichloro ethene (TCE)	Trimethyl benzenes (total)	Vinyl Chloride	Xylenes (total)	
	NR 140 ES	9000	5			5	400	6	30	0.05	1,000	850	5	7	70	100	700			5	4,000	500	60	100		100	5	800	200	200	5	480	0.2	2,000	
	NR 140 PAL	1800	0.5			0.5	80	0.6	3.0	0.005	200	85	0.5	0.7	7	20	140			0.5	800	50	12	10		10	0.5	160	40	0.5	0.5	96	0.02	400	
MW1	Elevations msl:	8/13/98	60,000	3,800	8,600	6,400	<1000	<1000	<1000	<1000	<600	<1000	<1000	<1000	80,000	<600	54,000	<1000	6,300	<1000	30,000	38,000	<2000	26,000	<1000	4,000	12,000	120,000	11,000	<1000	160,000	7,300	2,700	67,000	
	Surface:	3/23/99	123,000	<2000	<4000	<4000	<4000	<4000	<2000	<2000	<4000	<4000	2,890	<2000	<4000	78,000	<2000	19,900	<4000	<4000	24,400	60,600	<4000	<4000	<2000	<2000	13,700	91,600	9,870	<2000	123,000	<8000	<4000	57,600	
		12/20/00	---	1,200	120 J	<100	<110	<30	<76	<220	<130	<74	2,200	<70	870	220,000	290	14,000	160 J	<88	1,400	---	---	<94	<110	200 J	---	1,200	84,000	16,000	<92	5,800	830	<40	51,000
	Top Casing:	2/20/01	<10,000	1,600 J	<1500	<1100	<1700	<1200	<1600	<1200	<3000	<1400	3800 J	<2000	<1800	410,000	<1200	19,000	<750	<1000	3,500 J	<8500	6,600 J	<2700	<3400	<900	<1100	4,100 J	120,000	13,000	<2800	17,000	<2500	<1200	61,000
		6/5/02	---	1,200	<170	<230	<280	<350	<280	<350	<240	<340	2,300	<270	490 J	180,000	420 J	10,000	<230	<200	1,700	---	---	<250	<700	190 J	---	7,300	100,000	24,000	<260	64,000	1,120	370	54,000
	Top Screen:	10/4/05	---	<520	<1220	<500	<500	<740	<1560	<2200	<1160	<400	<1820	<500	<400	47,600	<800	5,880	<1120	<1000	<1100	---	---	<720	<1700	<1120	---	3,180	17,600	7,020	<700	26,200	<2300	<320	23,240
		10/5/06	---	<940	<2200	<1520	<1040	<1080	<1220	<2000	<980	<1000	<1120	<1440	<600	77,000	<1900	3,900	<1980	<1620	<1380	---	---	<1040	<4400	<1220	---	1,120 J	13,600	5,400	<1000	7,500	<3180	<340	16,800
	Bottom Screen:	10/5/11	---	<1000	<1800	<2000	<940	<2800	<980	<3800	<1260	<3600	<1960	<1000	<1200	88,000	1780 J	<1560	<1840	<1840	<2200	---	---	<1600	<4200	<1180	---	<880	<1060	4,800 J	<940	1,700 J	<3080	<360	<3800
		8/14/12	---	<500	<900	<1000	<470	<1400	<490	<1900	<630	<1800	<980	<500	<600	58,000	<790	<780	<920	<920	<1100	---	---	<800	<2100	<590	---	1,760	<530	5,600	<1000	12,000	<1540	<180	<1900
	8/8/13	---	<240	<350	<330	<330	<630	<280	<810	<440	<440	480 J	<410	<400	66,000	<350	<550	<300	<310	<500	---	---	<230	<1700	<250	---	<330	900 J	3,800	<340	1,050	<3600	<180	1630 J	
MW2	Elevations msl:	8/13/98	<10	<0.30	<0.50	<0.50	2.5	<0.50	<0.50	<0.50	not detected	70	2.4	<0.50	9.1	<0.30	6.8	<0.50	<0.50	2.4	<10	<10	<1.0	2.7	<0.50	<0.50	50	10	79	26	82	16.7	<0.50	66	
	Surface:	3/23/99	12	<1	<2	<2	<2	1.5	<10	<1	<2	28	<1	<2	5.1	<1	7.4	<2	<2	<2	<10	<10	<2	4.4	<1	<1	33	11	16	7.4	12	2.4	<2	24.6	
		12/20/00	---	<0.39	<0.43	<0.48	1.1 J	<0.15	1.6	<1.1	<0.65	<0.37	50	0.56 J	<0.66	11	<0.43	<0.4	<0.38	<0.44	<0.57	---	---	<0.47	<0.53	<0.42	---	37	<0.37	14	6.4	5.2	<1.03	<0.2	<1.43
	Top Casing:	2/20/01	---	<0.39	<0.43	<0.48	<0.55	<0.15	1.2 J	<1.1	<0.65	<0.37	65	1.4	<0.66	6.6	<0.43	<0.4	<0.38	<0.44	<0.57	---	---	<0.47	<0.53	<0.42	---	37	<0.37	19	15	7.2	<1.03	<0.2	<1.43
		6/5/02	---	<2.2	<0.43	<2.3	<2.8	<3.5	<2.8	<3.5	<2.4	<3.4	82	<2.7	<2.9	<2.7	<3.0	<2.5	<2.3	<2.0	<3	---	---	<2.5	<7	<1.7	---	27	<3.2	17	22	4.1 J	<5.7	<0.6	<7.1
	Top Screen:	10/4/05	---	0.31 J	<0.61	<0.25	0.35 J	0.90 J	1.75 J	<1.1	<0.58	<0.2	83	2.6	0.49 J	15	0.45 J	<0.3	<0.56	<0.5	<0.55	---	---	<0.36	<0.85	<0.56	---	14	<0.52	14	12	5.8	<1.15	3.0	<1.17
		10/5/06	---	<0.47	<1.1	<0.76	<0.52	<0.54	1.53 J	<1	<0.49	<0.5	56	<0.72	<0.3	2.04 J	<0.95	<0.38	<0.99	<0.81	<0.69	---	---	<0.52	<2.2	<0.61	---	10.6	<0.59	13.3	5.2	3.8	<1.59	<0.17	<1.42
	Bottom Screen:	10/5/11	---	<0.5	<0.9	<1	<0.47	<1.4	0.69 "J"	<1.9	<0.63	<1.8	35	0.71 "J"	<0.6	1.45 "J"	<0.79	<0.78	<0.92	<0.92	<1.1	---	---	<0.8	<2.1	<0.59	---	15.1	<0.53	11.3	14.2	5.4	<1.54	<0.18	<1.9
		8/14/12	---	<0.5	<0.9	<1	<0.47	<1.4	0.81 "J"	<1.9	<0.63	<1.8	51	1.99	<0.6	2.6	<0.79	<0.78	<0.92	<0.92	<1.1	---	---	<0.8	<2.1	<0.59	---	25.4	<0.53	16.6	25.5	8.5	<1.54	0.6	<1.9
	MW3	Elevations msl:	8/13/98	<10	<0.30	<0.50	not detected	1.6	<0.50	6.2	<0.50	<0.50	not detected	200	<0.50	<0.50	21	<0.30	<0.30	<0.50	<0.50	<0.50	<10	<10	<1.0	<0.30	<0.50	<0.5	11	<0.50	18	<0.50	110	<1.0	<0.50
Surface:		3/23/99	<10	<1	<2	<2	6.0	1.0	<10	<1	<2	66	<1	<2	8.9	<1	1.6	<2	<2	<2	<10	<10	<2	<2	<1	<1	6.0	2.3	13	<1	24	<4	2.6	5.5	
		12/20/00	---	<0.39	<0.43	<0.48	1.7 J	1.7	6.6	<1.1	<0.65	<0.37	170	<0.35	0.77 J	24	0.8 J	<0.4	<0.38	<0.44	<0.57	---	---	<0.47	<0.53	<0.42	---	3.4	<0.37	35	<0.46	74	<1.03	0.37 J	<1.43
Top Casing:		2/20/01	---	<0.39	<0.43	<0.48	1.3 J	1.9	5.2	<1.1	<0.65	<0.37	160	<0.35	<0.66	17	0.8 J	<0.4	<0.38	<0.44	<0.57	---	---	<0.47	<0.53	<0.42	---	2.8	<0.37	12	<0.46	53	<1.03	<0.2	<1.43
		6/5/02	---	<2.2	<0.34	<0.46	<0.56	<0.69	<0.56	<0.69	<0.48	<0.68	19	<0.54	<0.57	3.5	<0.59	<0.49	<0.46	<0.39	<0.6	---	---	<0.49	<1.4	<0.34	---	5.9	<0.63	2.8	<0.52	2.8	<1.14	<0.12	<1.45
Top Screen:		10/4/05	---	<0.26	<0.61	<0.25	3.2	0.71 J	3.5	<1.1	<0.58	<0.2	117	<0.25	0.51 J	14	0.76 J	<0.3	<0.56	<0.5	<0.55	---	---	<0.36	<0.85	<0.56	---	1.8	<0.52	32	0.64 J	52	<1.15	1.5	<1.17
		10/5/06	---	<0.47	<1.1	<0.76	1.84	<0.54	3.7	<1	<0.49	<0.5	114	<0.72	<0.3	15.3	<0.95	<0.38	<0.99	<0.81	<0.69	---	---	<0.52	<2.2	<0.61	---	1.46 J	<0.59	40	0.63 J	55	<1.59	0.46 J	<1.42
Bottom Screen:		10/5/11	---	<0.5	<0.9	<1	<0.47	<1.4	1.68	<1.9	<0.63	<1.8	49	<0.5	<0.6	7.5	<0.79	<0.78	<0.92	<0.92	<1.1	---	---	<0.8	<2.1	<0.59	---	3.5	<0.53	10.5	0.6 "J"	30.6	<2.8	0.51 "J"	<1.9
		8/14/12	---	<0.5	<0.9	<1	<0.47	<1.4	1.38 "J"	<1.9	<0.63	<1.8	56	<0.5	<0.6	7.4	<0.79	<0.78	<0.92	<0.92	<1.1	---	---	<0.8	<2.1	<0.59	---	3.4	<0.53	8.7	<0.47	28.9	<1.54	0.69	<1.9
MW4		Elevations msl:	12/20/00	---	<0.39	<0.43	<0.48	<0.55	<0.15	<0.38	<1.1	<0.65	<0.37	<0.35	<0.66	<0.37	<0.43	<0.4	<0.38	<0.44	<0.57	---	---	<0.47	<0.53	<0.42	---	<0.34	<0.37	<0.54	<0.46	<0.46	<1.03	<0.2	<1.43
	Surface:	2/20/01	<2	<0.25	<0.29	<0.22	<0.33	<0.24	<0.32	<0.24	<0.6	<0.27	<0.34	<0.39	<0.36	<1	<0.23	<0.12	<0.15	<0.2	<0.35	<1.7	<0.88	<0.53	<0.68	<0.18	<0.21	<0.25	0.6 J	<0.29	<0.56	<0.36	<0.50	<0.23	<0.74
		6/5/02	---	<0.43	<0.																														

Table 2 - Groundwater Sample Summary

		Detected VOCs, PVOCs (µg/L)																																	
		Acetone	Benzene	n-Butyl benzene	sec-Butyl benzene	Carbon tetra chloride	Chloro ethane	Chloroform	Chloro methane	1,2-Dibromoethane (EDB)	Dichloro difluoro methane	1,1-Dichloro ethane	1,2-Dichloro ethane	1,1-Dichloro ethene	cis-1,2-dichloro ethene	Trans-1,2-Dichloro ethene	Ethyl benzene	Isopropyl benzene	p-Isopropyl toluene	Methylene Chloride	Methyl Ethyl Ketone	Methyl Isobutyl Ketone	MTBE	Naphth alene	n-Propyl benzene	Styrene	Tetrachloro ethene (PCE)	Toluene	1,1,1-Trichloro ethane	1,1,2-Trichloro ethane	Trichloro ethene (TCE)	Trimethyl benzenes (total)	Vinyl Chloride	Xylenes (total)	
	NR 140 ES	9000	5			5	400	6	30	0.05	1,000	850	5	7	70	100	700			5	4,000	500	60	100		100	5	800	200	5	5	96	0.2	2,000	
	NR 140 PAL	1800	0.5			0.5	80	0.6	3.0	0.005	200	85	0.5	0.7	7	20	140			0.5	800	50	12	10		10	0.5	160	40	0.5	0.5	96	0.02	400	
MW7	12/20/00	—	8.3	<0.43	<0.48	<0.55	58	<0.38	<1.1	<0.65	1.2 J	250	0.86 J	1.1 J	260	46	<0.4	<0.38	<0.44	<0.57	—	—	<0.47	<0.53	<0.42	—	<0.34	2.5	51	<0.46	28	<1.03	14	14.5	
	Elevations msl:	2/20/01	<40	66	<5.8	<4.4	<6.6	79	<6.4	<4.8	<12	<5.4	180	<7.8	<7.2	30 J	46	1,500	13	<4.0	<7.0	<34	<18	<11	<14	<3.6	16	<5	72	7.4 J	<11	<7.2	45	5.8 J	2,570
	Surface:	6/5/02	—	<2.2	<1.7	<2.3	<2.8	<3.5	<2.8	<3.5	<2.4	<3.4	94	<2.7	<2.9	63	<3	<2.3	<2.0	<3.0	—	—	<2.5	<7.0	<1.7	—	<2.5	<3.2	21	<2.6	19	<5.7	2	<7.1	
	Top Casing:	10/4/05	—	0.69 J	<0.61	<0.25	<0.25	<0.37	<0.78	<1.1	<0.58	<0.2	54	<0.25	<0.2	47	3.1	<0.3	<0.56	<0.5	<0.55	—	—	<0.36	<0.85	<0.56	—	<0.45	<0.52	25	<0.35	30	<1.15	1.9	<1.17
	Top Screen:	10/5/06	—	0.69 J	<1.1	<0.76	<0.52	<0.54	<0.61	<1	<0.49	<0.5	51	<0.72	<0.3	38	2.61 J	<0.38	<0.99	<0.81	<0.69	—	—	<0.52	<2.2	<0.61	—	<0.52	<0.59	24.1	<0.5	33	<1.59	6.6	<1.42
	Bottom Screen:	10/5/11	—	<0.5	<0.5	<0.9	<1	<0.47	<1.4	<0.49	<1.9	<0.63	<1.8	27.6	<0.6	6.6	<0.79	<0.78	<0.92	<0.92	<1.1	—	—	<0.8	<2.1	<0.59	—	<0.44	<0.53	10.2	<0.47	13.6	<1.56	0.61	<1.9
		8/14/12	—	<0.5	<0.9	<1	<0.47	<1.4	<0.49	<1.9	<0.63	<1.8	13.1	<5	<0.6	3.5	<0.79	<0.78	<0.92	<0.92	<1.1	—	—	<0.8	<2.1	<0.59	—	<0.44	<0.53	8.5	<0.47	11.3	<1.54	0.88	<1.9
MW8	12/20/00	—	190	28 J	<25	<28	42	<19	<55	<33	<25	450	<18	<33	6,600	140	21,000	410	<22	<29	—	—	<24	<27	170	—	1,200	96,000	130	<23	820	210	440	58,000	
	Elevations msl:	2/20/01	—	<200	<220	<240	<280	<75	<190	<550	<330	<190	370 J	<180	<330	9,300	<220	24,000	250 J	<220	<290	—	—	<240	<270	280 J	—	1,000	94,000	<270	<230	<230	<520	<100	78,000
	Surface:	6/5/02	—	<220	<170	<230	<280	<350	<280	<350	<240	<340	<290	<270	<290	5,600	<300	12,000	<230	<200	<300	—	—	<250	<700	<170	—	<250	35,000	<290	<260	<370	<570	<60	46,000
	Top Casing:	10/4/05	—	160 J	<305	<125	<125	<185	<390	<550	<290	<100	<455	<125	<100	3,700	<200	21,200	<280	<250	<275	—	—	<180	<425	<280	—	<225	56,000	<210	<175	<185	<575	185 J	57,900
	Top Screen:	10/5/06	—	<235	<550	<380	<260	<270	<305	<500	<245	<250	<280	<360	<150	2,440	<475	18,500	<495	<405	<345	—	—	<260	<1100	<305	—	<260	49,000	<250	<250	<220	<795	<85	60,900
	Bottom Screen:	10/5/11	—	<100	<180	<200	<94	400 "J"	<98	<380	<126	<360	218 "J"	<100	<120	770	<158	12,800	<184	<184	<220	—	—	<160	<420	<118	—	<88	25,000	<170	<94	<94	<560	256	48,300
		8/14/12	—	<100	<180	<200	<94	430 "J"	<98	<380	<126	<360	<196	<100	<120	232 "J"	<158	11,400	<184	<184	<220	—	—	<160	<420	<118	—	<88	22,100	<170	<94	<94	<308	152	45,500
	8/8/13	—	54 J	<70	<66	<66	600	<56	<162	<88	<88	186 J	<82	<80	232 J	<70	17,400	154 J	<62	<100	—	—	<46	<340	52 J	—	<66	24,200	<66	<68	<66	<720	82 J	66,300	
MW9	2/20/01	—	<20	74	41 J	<28	<7.5	<19	<55	<33	<19	77	<18	<33	410	<22	17,000	550	<22	<29	—	—	<24	<27	410	—	250	120	130	<23	260	720	23 J	40,600	
	Elevations msl:	6/5/02	—	<4.3	<3.4	<4.6	<5.6	<6.9	<5.6	<6.9	<4.8	<6.8	83	<5.4	<5.7	220	<5.9	110	8.5 J	<3.9	<6.0	—	—	<4.9	<14	5.6 J	—	<4.9	<6.3	89	<5.2	150	6.2 J	8.4	180
	Surface:	10/4/05	—	<2.6	<6.1	<2.5	<2.5	<3.7	<7.8	<11	<5.8	<2	528	<2.5	4.8 J	111	15	152	11 J	<5	<5.5	—	—	<3.6	<8.5	<5.6	—	<4.5	<5.2	108	<3.5	93	7.0 J	214	18 J
	Top Casing:	10/5/06	—	4.7 J	<11	<7.6	<5.2	7.4 J	<6.1	<10	<4.9	<5	790	<7.2	11.7	109	20.1 J	263	11 J	<8.1	<6.9	—	—	<5.2	<22	<6.1	—	<5.2	<5.9	164	<5	104	<15.9	540	47
	Top Screen:	10/5/11	—	<0.5	<0.9	<1	<0.47	2.93 "J"	<1.4	<0.49	<1.9	<0.63	112	<0.5	1.34 "J"	140	8.2	<0.78	<0.92	<0.92	<1.1	—	—	<0.8	<2.1	<0.59	—	7	<0.53	65	<0.47	138	<1.56	0.43 "J"	<1.9
	Bottom Screen:	8/14/12	—	<0.5	<0.9	<1	<0.47	2.3 "J"	<0.49	<1.9	<0.63	<1.8	147	<0.5	0.60 "J"	199	5.8	5	1.95 "J"	<0.92	<1.1	—	—	<0.8	<2.1	<0.59	—	5.5	<0.53	44	<0.47	113	<1.54	5	<1.9
		8/14/12	—	<0.5	<0.9	<1	<0.47	2.3 "J"	<0.49	<1.9	<0.63	<1.8	147	<0.5	0.60 "J"	199	5.8	5	1.95 "J"	<0.92	<1.1	—	—	<0.8	<2.1	<0.59	—	5.5	<0.53	44	<0.47	113	<1.54	5	<1.9
MW10	2/20/01	—	20 J	28 J	<24	<28	<7.5	<19	<55	<33	<19	100	<18	<33	2,400	67 J	10,000	150	<22	<29	—	—	<24	<27	130	—	710	5,400	46 J	<23	210	213	790	28,200	
	Elevations msl:	6/5/02	—	<22	<17	<23	<28	<35	<28	<35	<24	120	<27	<29	1,200	100	1,300	<23	<20	<30	—	—	<25	<70	19 J	—	<25	120	<29	<26	<33	<57	1,300	2,177	
	Surface:	10/4/05	—	<6.5	<15.25	<6.25	<6.25	<9.25	<19.5	<27.5	<14.5	<5	50 J	<6.25	<5	59	19 J	764	<14	<12.5	<13.75	—	—	<9	<21.25	<14	—	<11.25	19 J	11	<8.75	<9.25	8.5 J	44	749
	Top Casing:	10/5/06	—	<9.4	<22	<15.2	<10.4	29.2 J	<12.2	<20	<9.8	<10	17 J	<14.4	<6	<13.6	<19	490	<19.8	<16.2	<13.8	—	—	<10.4	<44	<12.2	—	<10.4	<11.8	<10	<10	<8.8	7.8 J	7.4 J	153
	Top Screen:	10/5/11	—	6	<0.9	<1	<0.47	20.1	<0.49	<1.9	<0.63	<1.8	54	<0.5	<0.6	6.2	8.9	<0.78	<0.92	1.52 "J"	<1.1	—	—	<0.8	<2.1	<0.59	—	<0.44	<0.53	7.8	<0.47	2.24	<1.56	8.4	<1.9
	Bottom Screen:	8/14/12	—	2.95	<0.9	<1	<0.47	19.7	<0.49	<1.9	<0.63	<1.8	20	<0.5	<0.6	3.6	3.9	<0.78	4.2	<0.92	<1.1	—	—	<0.8	<2.1	<0.59	—	<0.44	<0.53	2.1 "J"	<0.47	0.68 "J"	<1.54	7.2	<1.9
		8/14/12	—	2.95	<0.9	<1	<0.47	19.7	<0.49	<1.9	<0.63	<1.8	20	<0.5	<0.6	3.6	3.9	<0.78	4.2	<0.92	<1.1	—	—	<0.8	<2.1	<0.59	—	<0.44	<0.53	2.1 "J"	<0.47	0.68 "J"	<1.54	7.2	<1.9
MW11	6/18/01	—	91	<5.8	<4.4	<6.6	<4.8	<6.4	<4.8	<12	<5.4	230	<7.8	<7.2	550	17	1,700	22	<4.0	<7.0	—	—	<11	<14	<3.6	—	<5	1,000	34	<11	<7.2	13 J	570	2,770	
	Elevations msl:	6/5/02	—	82	<6.8	<9.2	<11	<14	<11	<14	<10	230	<11	<11	88	<12	3,000	42	<7.8	<12	—	—	<10	<28	19 J	—	<10	68	30 J	<10	<15	31	55	5,900	
	Surface:	10/4/05	—	61	<30.5	<12.5																													

Table 2 - Groundwater Sample Summary

		Detected VOCs, PVOCs (µg/L)																																		
		Acetone	Benzene	n-Butyl benzene	sec-Butyl benzene	Carbon tetra chloride	Chloro ethane	Chloroform	Chloro methane	1,2-Dibromoethane (EDB)	Dichloro difluoro methane	1,1-Dichloro ethane	1,2-Dichloro ethane	1,1-Dichloro ethene	cis-1,2-dichloro ethene	Trans-1,2-Dichloro ethene	Ethyl benzene	Isopropyl benzene	p-Isopropyl toluene	Methylene Chloride	Methyl Ethyl Ketone	Methyl Isobutyl Ketone	MTBE	Naphthalene	n-Propyl benzene	Styrene	Tetrachloro ethene (PCE)	Toluene	1,1,1-Trichloro ethane	1,1,2-Trichloro ethane	Trichloro ethene (TCE)	Trimethyl benzenes (total)	Vinyl Chloride	Xylenes (total)		
	NR 140 ES	9000	5			5	400	6	30	0.05	1,000	850	5	7	70	100	700			5	4,000	500	60	100												
	NR 140 PAL	1800	0.5			0.5	80	0.6	3.0	0.005	200	85	0.5	0.7	7	20	140			0.5	800	50	12	10												
MW13	6/5/02	---	3.7 J	<1.7	<2.3	<2.8	<3.5	<2.8	<3.5	<2.4	<3.4	<2.9	<2.7	<2.9	46	<3.0	<2.5	<2.3	<2.0	<3.0	---	---		<7.0	<1.7	---	<2.5	<3.2	6.4 J	<2.6	60	<5.7	<0.6	<7.1		
	Elevations msl:	10/4/05	---	<0.26	<0.61	<0.25	<0.37	<0.78	<1.1	<0.58	<0.2	3.1	<0.25	1.8	84	3.8	<0.3	<0.56	<0.5	<0.55	---	---	<0.36	<0.85	<0.56	---	1.2 J	<0.52	19	<0.35	124	<1.15	<0.16	<1.17		
	Surface:	10/5/06	---	<0.47	<1.1	<0.76	<0.52	<0.54	<0.61	<1	<0.49	<0.5	2.85	<0.72	1.65	62	3.02	<0.38	<0.81	<0.69	---	---	<0.52	<2.2	<0.61	---	3.8	<0.59	23.5	<0.5	155	<1.59	<0.17	<1.42		
		10/5/11	---	<25	<45	<50	<23.5	<70	<24.5	<95	<31.5	<90	<49	<25	<30	88 "J"	<39.5	<39	<46	<46	<55	---	---	<40	<105	<29.5	---	<22	<26.5	<42.5	<23.5	450	<77	<9	<95	
	Top Casing:	8/14/12	---	<5	<9	<10	<4.7	<14	<4.9	<19	<6.3	<18	<9.8	<5	<6	46	<7.9	<7.8	<9.2	<9.2	<11	---	---	<8	<21	<5.9	---	5.6 "J"	<5.3	27.2	<4.7	214	<15.6	3.3 "J"	<19	
Top Screen:																																				
Bottom Screen:																																				
MW14	6/5/02	---	<2.2	<1.7	<2.3	<2.8	<3.5	<2.8	<3.5	<2.4	<3.4	46	<2.7	<2.9	100	3.5 J	<2.5	<2.3	<2.0	<3.0	---	---	<2.5	<7.0	<1.7	---	<2.5	<3.2	8.9 J	<2.6	<3.7	<5.7	<0.6	<7.1		
	Elevations msl:	10/4/05	---	84	<30.5	<12.5	<12.5	119	<39	<55	<29	<10	<45.5	<12.5	<10	<13.5	<20	2,180	<28	<25	<27.5	---	---	<18	<42.5	<28	---	<22.5	<26	<21	<17.5	<18.5	28 J	<8	3,877	
	Surface:	10/5/06	---	<23.5	<55	<38	<26	<27	<30.5	<50	<24.5	<25	<28	<36	<15	52 J	<47.5	<19	<49.5	<40.5	<34.5	---	---	<26	<110	<30.5	---	<26	<29.5	<25	<25	<22	<79.5	<8.5	<71	
		10/5/11	---	<0.5	<0.9	<1	<0.47	<1.4	<0.49	<1.9	<0.63	<1.8	16.9	<0.5	<0.6	22.4	0.95 "J"	<0.78	<0.92	<0.92	<1.1	---	---	<0.8	<2.1	<0.59	---	<0.44	<0.53	5.7	<0.47	1.63	<1.56	0.46 "J"	<1.9	
	Top Casing:	8/14/12	---	<0.5	<0.9	<1	<0.47	<1.4	<0.49	<1.9	<0.63	<1.8	11.9	<0.5	<0.6	16.5	1.06 "J"	<0.78	<0.92	<0.92	<1.1	---	---	<0.8	<2.1	<0.59	---	<0.44	<0.53	4.4	<0.47	1.50	<1.54	0.76	<1.9	
Top Screen:																																				
Bottom Screen:																																				
MW15	6/5/02	---	1,400	<170	<230	<280	<350	<280	<350	<240	<340	3,200	<270	<290	61,000	<300	25,000	350 J	<200	<300	---	---	<250	<700	270 J	---	1,600	65,000	6,100	<260	5,300	460 J	630	76,000		
	Elevations msl:	10/4/05	---	580	<305	<125	<125	<185	<390	<550	<290	<100	1,770	<125	<100	34,000	585 J	15,600	<280	<250	<275	---	---	<180	<425	<280	---	400 J	35,300	3,780	<175	815	400 J	690	45,200	
	Surface:	10/5/06	---	<470	<1100	<760	<520	<540	<610	<1000	<490	<500	1,190 J	<720	<300	29,600	<950	7,300	<990	<810	<690	---	---	<520	<2200	<610	---	<520	26,400	4,000	<500	1,960	<1590	570	22,500	
		10/5/11	---	440	<180	<200	<94	350 "J"	<98	<380	<126	<360	1,650	<100	320 "J"	38,000	670	9,800	<184	<184	<220	---	---	<160	<420	<118	---	246 "J"	30,600	6,700	<94	2,280	518 "J"	1,020	30,800	
	Top Casing:	8/14/12	---	430	<180	<200	<94	<280	<98	<380	<126	<360	2,010	<100	154 "J"	40,000	176 "J"	10,800	<184	<184	<220	---	---	<160	<420	<118	---	316	34,000	6,200	<94	2,450	<608 "J"	1,070	33,700	
Top Screen:	8/8/13	---	290 J	<175	<165	<165	<315	<140	<405	<220	<220	700	<205	<200	22,900	215 J	9,700	<150	<155	<250	---	---	<115	<850	<125	---	<165	25,700	3,200	<170	520	<1800	340	30,800		
Bottom Screen:																																				
MW16	10/5/06	---	2.23	<1.1	<0.76	2.32	1.64 J	7.3	<1	<0.49	<0.5	40	<0.72	15.2	58	4.7	<0.38	<0.99	<0.81	<0.69	---	---	<0.52	<2.2	<0.61	---	1.59 J	<0.59	1.21 J	<0.5	190	<1.59	25.4	<1.42		
	Elevations msl:	10/5/11	---	1.0 "J"	<0.9	<1	<0.47	<1.4	<0.49	<1.9	<0.63	<1.8	27.4	<0.5	5.8	30.4	5.4	<0.78	<0.92	<0.92	<1.1	---	---	<0.8	<2.1	<0.59	---	10.9	<0.53	1.77 "J"	<0.47	102	<1.56	8.3	<1.9	
	Surface:	8/14/12	---	0.85 "J"	<0.9	<1	<0.47	<1.4	<0.49	<1.9	<0.63	<1.8	23.3	<0.5	4.2	26.2	4.7	<0.78	<0.92	<0.92	<1.1	---	---	<0.8	<2.1	<0.59	---	9.9	<0.53	1.74 "J"	<0.47	84	<1.54	8.0	<1.9	
	Top Casing:	8/8/13	---	0.38 J	<0.35	<0.33	<0.33	<0.63	<0.28	<0.81	<0.44	<0.44	22.6	<0.41	2.48	37	5.3	<0.55	<0.3	<0.31	<0.5	---	---	<0.23	<1.7	<0.25	---	10.8	<0.69	0.56 J	<0.34	55	<3.6	5.8	<1.32	
Top Screen:																																				
Bottom Screen:																																				
MW17	10/5/06	---	<0.47	<1.1	<0.76	<0.52	<0.54	8.2	<1	<0.49	<0.5	2.92	<0.72	<0.3	1.59 J	<0.95	<0.38	<0.99	<0.81	<0.69	---	---	<0.52	<2.2	<0.61	---	<0.52	<0.59	8.5	<0.5	13.4	<1.59	<0.17	<1.42		
	Elevations msl:	10/5/11	---	<0.5	<0.9	<1	<0.47	<1.4	15.8	<1.9	<0.63	<1.8	2.01 "J"	<0.5	<0.6	<0.74	<0.79	<0.78	<0.92	<0.92	<1.1	---	---	<0.8	<2.1	<0.59	---	<0.44	<0.53	6.7	<0.47	12.3	<1.56	<0.18	<1.9	
	Surface:	8/14/12	---	<0.5	<0.9	<1	<0.47	<1.4	11.4	<1.9	<0.63	<1.8	1.41 "J"	<0.5	<0.6	<0.74	<0.79	<0.78	<0.92	<0.92	<1.1	---	---	<0.8	<2.1	<0.59	---	<0.44	<0.53	6.3	<0.47	11.4	<1.54	<0.18	<1.9	
Top Casing:																																				
Top Screen:																																				
Bottom Screen:																																				
MW18	10/5/06	---	<0.47	<1.1	<0.76	<0.52	<0.54	<0.61	<1	<0.49	<0.5	<0.56	<0.72	<0.3	18.6 J	<0.95	<0.38	<0.99	<0.81	<0.69	---	---	<0.52	<2.2	<0.61	---	282	<0.59	<0.5	<0.5	12.7 J	<1.59	<0.17	<1.42		
	Elevations msl:	10/5/11	---	<25	<45	<50	<23.5	<70	<24.5	<95	<31.5	<90	<49	<25	<30	<37	<39.5	<39	<46	<46	<55	---	---	<40	<105	<29.5	---	430	<26.5	<42.5	<23.5	<23.5	<77	<9	<95	
	Surface:	8/14/12	---	<5	<9	<10	<4.7	<14	<4.9	<19	<6.3	<18	<9.8	<5	<6	10.5 "J"	<7.9	<7.8	&																	

Table 2 - Groundwater Sample Summary

		Detected VOCs, PVOCs (µg/L)																																		
		Acetone	Benzene	n-Butyl benzene	sec-Butyl benzene	Carbon tetra chloride	Chloro ethane	Chloroform	Chloro methane	1,2-Dibromoethane (EDB)	Dichloro difluoro methane	1,1-Dichloro ethane	1,2-Dichloro ethane	1,1-Dichloro ethene	cis-1,2-dichloro ethene	Trans-1,2-Dichloro ethene	Ethyl benzene	Isopropyl benzene	p-Isopropyl toluene	Methylene Chloride	Methyl Ethyl Ketone	Methyl Isobutyl Ketone	MTBE	Naphth alene	n-Propyl benzene	Styrene	Tetrachloro ethene (PCE)	Toluene	1,1,1-Trichloro ethane	1,1,2-Trichloro ethane	Trichloro ethene (TCE)	Trimethyl benzenes (total)	Vinyl Chloride	Xylenes (total)		
	NR 140 ES	9000	5			5	400	6	30	0.05	1,000	850	5	7	70	100	700			5	4,000	500	60	100		100	5	800	200	5	5	480	0.2	2,000		
	NR 140 PAL	1800	0.5			0.5	80	0.6	3.0	0.005	200	85	0.5	0.7	7	20	140			0.5	800	50	12	10		10	0.5	160	40	0.5	0.5	96	0.02	400		
P1	12/20/00	---	<0.39	<0.43	<0.48	<0.55	<0.15	<0.38	<1.1	<0.65	<0.37	<0.35	<0.35	<0.66	<0.37	<0.43	<0.4	<0.38	<0.44	<0.57	---	---	<0.47	<0.53	<0.42	---	<0.34	<0.37	<0.54	<0.46	<0.46	<1.03	<0.2	<1.43		
	2/20/01	---	<0.39	<0.43	<0.48	<0.55	<0.15	<0.38	<1.1	<0.65	<0.37	<0.35	<0.35	<0.66	<0.37	<0.43	<0.4	<0.38	<0.44	<0.57	---	---	<0.47	<0.53	<0.42	---	<0.34	<0.37	<0.54	<0.46	<0.46	<1.03	<0.2	<1.43		
	6/5/02	---	<0.43	<0.34	<0.46	<0.56	<0.69	<0.56	<0.69	<0.48	<0.68	<0.57	<0.54	<0.57	<0.53	<0.59	<0.49	<0.46	<0.39	<0.6	---	---	<0.49	<1.4	<0.34	---	<0.49	<0.63	<0.57	<0.52	2.8	<1.14	<0.12	<1.45		
	10/4/05	---	<0.26	<0.61	<0.25	<0.25	<0.37	<0.78	<1.1	<0.58	<0.2	<0.91	<0.25	<0.2	<0.27	<0.4	<0.3	<0.56	<0.5	<0.55	---	---	<0.36	<0.85	<0.56	---	<0.45	<0.52	<0.42	<0.35	1.1 J	<1.15	<0.16	<1.17		
	10/5/06	---	<0.47	<1.1	<0.76	<0.52	<0.54	<0.61	<1	<0.49	<0.5	<0.56	<0.72	<0.3	<0.68	<0.95	<0.38	<0.99	<0.81	<0.69	---	---	<0.52	<2.2	<0.61	---	<0.52	<0.59	<0.5	<0.5	1.1 J	<1.59	<0.17	<1.42		
	10/5/11	---	<0.5	<0.9	<1	<0.47	<1.4	<0.49	<1.9	<0.63	<1.8	<0.98	<0.5	<0.6	<0.74	<0.79	<0.78	<0.92	<0.92	<1.1	---	---	<0.8	<2.1	<0.59	---	<0.44	<0.53	<0.85	<0.47	2.35	<1.56	<0.18	<1.9		
	8/14/12	---	<0.5	<0.9	<1	<0.47	<1.4	<0.49	<1.9	<0.63	<1.8	<0.98	<0.5	<0.6	<0.74	<0.79	<0.78	<0.92	<0.92	<1.1	---	---	<0.8	<2.1	<0.59	---	<0.44	<0.53	<0.85	<0.47	1.60	<1.54	<0.18	<1.9		
	8/14/14	---	<0.24	<0.35	<0.33	<0.33	<0.63	<0.28	<0.81	---	<0.44	<0.3	<0.41	<0.4	<0.38	<0.35	<0.55	<0.3	<0.31	<0.5	---	---	<0.23	<1.7	<0.25	---	<0.33	<0.69	<0.33	<0.34	1.19	<3.6	<0.18	<1.32		
	Bottom Screen:																																			
		P2	12/20/00	---	110 J	87 J	<48	<55	<15	<38	<110	<65	<37	250	<35	<66	7,900	<43	15,000	330	<44	<57	---	---	<47	<53	300	---	1,800	13,000	170 J	<46	2,600	790	290	36,600
P2	2/20/01	1,600	110	<29	<22	<33	<24	<32	<24	<60	<27	280	<39	<36	8,800	24 J	14,000	360	<20	45 J	600	850	<53	<68	260	180	280	8,700	88 J	<56	100 J	990	790	31,000		
	6/5/02	---	<86	<68	<92	<110	<140	<110	<140	<100	<140	120 J	<110	<110	2,800	<120	5,500	180 J	<78	<120	---	---	<100	<280	140 J	---	<100	4,600	<110	<100	<150	210 J	180	13,200		
	10/4/05	---	57	<30.5	<12.5	<12.5	<18.5	<39	<55	<29	<10	202	<12.5	<10	1,830	40 J	2,760	67 J	<25	<27.5	---	---	<18	<42.5	41 J	---	<22.5	1,490	113	<17.5	<18.5	108	754	4,659		
	10/5/06	---	49 J	<55	<38	<26	<27	<30.5	<50	<24.5	<25	230	<36	<15	164	<47.5	2,980	87 J	<40.5	<34.5	---	---	<26	<110	48 J	---	<26	1,320	121	<25	<22	126	292	5,160		
	10/5/11	---	90	<45	<50	<23.5	<70	<24.5	<95	<31.5	<90	390	<25	<30	960	<39.5	3,700	89 "J"	<46	<55	---	---	<40	<105	46 "J"	---	<22	3,400	269	<23.5	<23.5	153 "J"	1,020	7,480		
	8/14/12	---	51 "J"	<45	<50	<23.5	<70	<24.5	<95	<31.5	<90	246	<25	<30	173	<39.5	1,780	50 "J"	<46	<55	---	---	<40	<105	32 "J"	---	<22	520	130 "J"	<23.5	<23.5	120 "J"	264	2,383		
	8/8/13	---	27.6	<7	<6.6	<6.6	<12.6	<5.6	<16.2	<8.8	<8.8	128	<8.2	<8	23.6 J	17 J	830	35	<6.2	<10	---	---	<4.6	<34	21	---	<6.6	<13.8	28.2	<6.8	<6.6	<72	<3.6	544		
	Bottom Screen:																																			
		P3	12/20/00	---	310	47 J	<48	<55	110	<38	<110	<65	<37	1,500	<35	<66	13,000	110 J	18,000	280	<44	<57	---	---	<47	<53	180	---	<34	34,000	510	<46	<46	430	2,000	49,000
	P3	2/20/01	---	<390	<430	<480	<550	<150	<380	<1100	<650	<370	900 J	<350	<660	5,800	<430	11,000	<380	<440	<570	---	---	<470	<530	<420	---	<340	32,000	<540	<460	<460	<1030	1,500	34,000	
6/5/02		---	190 J	<68	<92	<110	<140	<110	<140	<100	<140	<110	<110	<110	120 J	10,000	130 J	<78	<120	---	---	<100	<280	100 J	---	<100	11,000	<110	<100	<150	150 J	<24	28,000			
10/4/05		Snow Plow Destroyed Cover, PVC Was Not Found																																		
10/5/11		---	<25	<45	<50	<23.5	<70	<24.5	<95	<31.5	<90	<49	<25	<30	<37	<39.5	1,500	<46	<46	<55	---	---	<40	<105	<29.5	---	<22	114	<42.5	<23.5	<23.5	81 "J"	<9	3583 "J"		
Top Screen:																																				
Bottom Screen:																																				
		P4	2/20/01	<400	120 J	<58	<44	<66	240	<64	<48	<120	<54	<68	<78	<72	<200	<46	12,000	120	<40	<70	<340	<180	<110	<140	<36	160	<50	8,200	<58	<110	<72	380	<46	27,600
P4		6/5/02	---	100 J	<68	<92	<110	<140	<110	<140	<100	<140	<110	<110	<110	<120	5,200	<92	<78	<120	---	---	<100	<280	<68	---	<100	760	<110	<100	<150	<224	<24	13,300		
		10/4/05	---	30 J	<61	<25	<25	<37	<78	<110	<58	<20	<91	<25	<20	<27	<40	3,240	<56	<50	<55	---	---	<36	<185	<56	---	<45	<52	<42	<35	<37	48 J	<16	5,733	
		10/5/06	---	<47	<110	<76	<52	<54	<61	<100	<49	<50	<56	<72	<30	<68	<95	3,070	<99	<81	<69	---	---	<52	<220	<61	---	<52	<59	<50	<50	<44	50 J	<17	5,600	
	10/5/11	---	80	<45	<50	<23.5	<70	<24.5	<95	<31.5	<90	112 "J"	<25	<30	<37	<39.5	550	<46	<46	<55	---	---	<40	<105	<29.5	---	<22	36 "J"	<42.5	<23.5	<23.5	<77	<9	805 "J"		
	8/14/12	---	<25	<45	<50	<23.5	<70	<24.5	<95	<31.5	<90	<49	<25	<30	<37	<39.5	680	<46	<46	<55	---	---	<40	<105	<29.5	---	<22	68 "J"	<42.5	<23.5	<23.5	<77	14.5 "J"	775 "J"		
	Top Screen:																																			
	Bottom Screen:																																			
		P5	6/18/01	<2	<0.25	<0.29	<0.22	<0.33	<0.24	<0.32	<0.24	<0.6	<0.27	0.66 J	<0.39	<0.36	<1	<0.23	<0.12	<0.15	<0.2	<0.35	<1.7	<0.88	<0.53	<0.68	<0.18	<0.21	<0.25	0.45 J	<0.29	<0.56	<0.36	<0.50	24	<0.74
	P5	6/5/02	---	0.56 J	<0.34	<0.46	<0.56	<0.69	<0.56	<0.69	<0.48	<0.68	2.5	<0.54	<0.57	0.54 J	<0.59	<0.49	<0.46	<0.39	<0.60	---	---	<0.49	<1.4	<0.34	---	<0.49	<0.63							

Table 2 - Groundwater Sample Summary

		Detected VOCs, PVOCs (µg/L)																																	
		Acetone	Benzene	n-Butyl benzene	sec-Butyl benzene	Carbon tetra chloride	Chloro ethane	Chloroform	Chloro methane	1,2-Dibromoethane (EDB)	Dichloro difluoro methane	1,1-Dichloro ethane	1,2-Dichloro ethane	1,1-Dichloro ethene	cis-1,2-dichloro ethene	Trans-1,2-Dichloro ethene	Ethyl benzene	Isopropyl benzene	p-Isopropyl toluene	Methylene Chloride	Methyl Ethyl Ketone	Methyl Isobutyl Ketone	MTBE	Naphthalene	n-Propyl benzene	Styrene	Tetrachloro ethene (PCE)	Toluene	1,1,1-Trichloro ethane	1,1,2-Trichloro ethane	Trichloro ethene (TCE)	Trimethyl benzenes (total)	Vinyl Chloride	Xylenes (total)	
	NR 140 ES	9000	5			5	400	6	30	0.05	1,000	850	5	7	70	100	700			5	4,000	500	60	100		100	5	800	200	5	5	480	0.2	2,000	
	NR 140 PAL	1800	0.5			0.5	80	0.6	3.0	0.005	200	85	0.5	0.7	7	20	140			0.5	800	50	12	10		10	0.5	160	40	0.5	0.5	96	0.02	400	
P7	6/5/02	—	190 J	<68	<92	<110	<140	<110	<140	<100	<140	<110	<110	<110	<110	<120	4,500	100 J	<78	<120	—	—	<100	<280	<68	—	<100	11,000	<110	<100	<150	<224	<24	13,600	
	Elevations msl:	10/4/05	—	0.30 J	<0.61	<0.25	<0.25	<0.37	<0.78	<1.1	<0.58	<0.2	35	<0.25	<0.2	140	8.8	<0.3	<0.56	<0.5	<0.55	—	—	<0.36	<0.85	<0.56	—	<0.45	<0.52	6.7	<0.35	1.8	<1.15	1.3	<1.17
	Surface:	10/5/06	—	71	<22	<15.2	<10.4	52	<12.2	<20	<9.8	<10	<11.2	<14.4	<6	<13.6	<19	1,770	<19.8	<16.2	<13.8	—	—	<10.4	<44	<12.2	—	<10.4	<11.8	<10	<8.8	24.4 J	<3.4	3,387	
	Top Casing:	10/5/11	—	21.9	<0.9	<1	<0.47	34	<0.61	<1	<0.49	<0.5	24.3	<0.5	<0.6	<0.74	1.37 "J"	2.21 "J"	4.8	<0.92	<1.1	—	—	<0.8	<2.1	1.67 "J"	—	<0.44	<0.53	<0.85	<0.47	<0.47	2.26 "J"	<0.18	<10.5
	Bottom Screen:	8/14/12	—	46.0	<9	<10	<4.7	64	<4.9	<19	<6.3	<18	13.9 "J"	<5	<6	<7.4	<7.9	288	14.4 "J"	<9.2	<11	—	—	<8	<21	<5.9	—	<4.4	<5.3	<8.5	<4.7	<4.7	24.6 "J"	<1.8	741.5 "J"
P8	6/5/02	—	<0.43	<0.34	<0.46	<0.56	<0.69	<0.56	<0.69	<0.48	<0.68	<57	<0.54	<0.57	8.5	<0.59	<0.49	<0.46	<0.39	<0.60	—	—	<0.49	<1.4	<0.34	—	<0.49	<0.63	0.78 J	<0.52	6.2	<1.14	<12	<1.45	
Elevations msl:	10/4/05	—	<0.26	<0.61	<0.25	<0.25	<0.37	<0.78	<1.1	<0.58	<0.2	<0.91	<0.25	<0.2	1.8	<0.4	<0.3	<0.56	<0.5	<0.55	—	—	<0.36	<0.85	<0.56	—	<0.45	<0.52	0.60 J	<0.35	2.0	<1.15	<0.16	<1.17	
Surface:	10/5/06	—	<0.47	<1.1	<0.76	<0.52	<0.61	<1	<0.49	<0.5	<0.56	<0.72	<0.3	2.28	<0.95	<0.38	<0.99	<0.81	<0.69	—	—	<0.52	<2.2	<0.61	—	<0.52	<0.59	0.68 J	<0.5	2.3	<1.59	<0.17	<1.42		
Top Casing:	10/5/11	—	<0.5	<0.9	<1	<0.47	<1.4	<0.61	<1	<0.49	<0.5	<0.98	<0.5	<0.6	<0.74	<0.79	<0.78	<0.92	<0.92	<1.1	—	—	<0.8	<2.1	<0.59	—	<0.44	<0.53	<0.85	<0.47	<0.47	<1.56	<0.18	<1.9	
Bottom Screen:	8/14/12	—	<0.5	<0.9	<1	<0.47	<1.4	<0.49	<1.9	<0.63	<1.8	<0.98	<0.5	<0.6	<0.74	<0.79	<0.78	<0.92	<0.92	<1.1	—	—	<0.8	<2.1	<0.59	—	<0.44	<0.53	<0.85	<0.47	<0.47	<1.54	<0.18	<1.9	
P9	6/5/02	—	17	<3.4	<4.6	<5.6	<6.9	<5.6	<6.9	<4.8	<6.8	64	<5.4	<5.7	74	10 J	<4.9	<4.6	<3.9	<6.0	—	—	<4.9	<14	<3.4	—	<4.9	<6.3	<5.7	<5.2	60	<11.4	17	<14.5	
Elevations msl:	10/4/05	—	0.93	<0.61	<0.25	<0.25	<0.37	<0.78	<1.1	<0.58	<0.2	1.5 J	<0.25	<0.2	17	1.9	<0.3	<0.56	<0.5	<0.55	—	—	<0.36	<0.85	<0.56	—	<0.45	<0.52	3.4	<0.35	21	<1.15	2.7	<1.17	
Surface:	10/5/06	—	0.81 J	<1.1	<0.76	<0.52	<0.61	<1	<0.49	<0.5	1.92	<0.72	<0.3	22	1.71 J	<0.38	<0.99	<0.81	<0.69	—	—	<0.52	<2.2	<0.61	—	<0.52	<0.59	4.2	<0.5	21.9	<1.59	4.2	<1.42		
Top Casing:	10/5/11	—	52 "J"	<45	<50	<23.5	<70	<24.5	<95	<31.5	<90	194	<25	<30	199	<39.5	960	<46	<46	<55	—	—	<40	<105	<29.5	—	<22	<26.5	<42.5	<23.5	<23.5	<77	290	869 "J"	
Bottom Screen:	8/14/12	—	37	<9	<10	<4.7	<14	<4.9	<19	<6.3	<18	138	<5	<6	21 "J"	10.4 "J"	770	<9.2	<9.2	<11	—	—	<8	<21	<5.9	—	<4.4	<5.3	19.5 "J"	<4.7	<4.7	15.4 "J"	39	172.5 "J"	



CHAIN OF STUDY RECORD

Synergy

Environmental Lab, Inc.

1990 Prospect Ct. • Appleton, WI 54914
920-830-2455 • FAX 920-733-0631

Chain # No 2707
Page 1 of 1

Sample Handling Request
Rush Analysis Date Required
(Rushes accepted only with prior authorization)
 Normal Turn Around

Lab I.D. # _____ Quote No.: _____
Account No.: _____
Project #: N1164500-005
Sampler: (signature) *Brian D. Wayne*
Project (Name / Location): AMERICAN QUALITY FIBERS, MENASHA, WI
Reports To: BRIAN WAYNER
Company: OMINI ASSOCIATES
Address: ONE SYSTEMS DRIVE
City State Zip: APPLETON WI 54914
Phone: 920/830-6141
FAX: 920/830-6100

Invoice To: BRIAN WAYNER
Company: OMINI
Address: _____
City State Zip: _____
Phone: _____
FAX: _____

Lab I.D.	Sample I.D.	Collection Date	Time	Comp	Grab	Filtered Y/N	No. of Containers	Sample Type (Matrix)	Preservation
S02749A	TRIP	7/14	7:42	X	N	N	3	GW	HCL
B	MNA	7:35		I	I	I	3	I	I
C	PI	10:01					3		

Analysis Requested	Other Analysis
DRO (Mod DRO Sep 95)	
GRO (Mod GRO Sep 95)	
LEAD	
NITRATE/NITRITE	
OIL & GREASE	
PAH (EPA 8270)	
PCB	
PVOC (EPA 8021)	
PVOC + NAPHTHALENE	
SULFATE	
TOTAL SUSPENDED SOLIDS	
VOC DW (EPA 542.2)	
VOC (EPA 8260)	X X X
B-RGRA METALS	
PID/ FID	

Comments/Special Instructions (*Specify groundwater "GW", Drinking Water "DW", Waste Water "WW", Soil "S", Air "A", Oil, Sludge etc.)

Sample Integrity - To be completed by receiving lab.
Method of Shipment: *Client*
Temp. of Temp. Blank: _____ °C On Ice
Cooler seal intact upon receipt: Yes No

Relinquished By: (signature) *Brian D. Wayne* Date: 8/14/14
Received in Laboratory By: (signature) *[Signature]* Date: 8/14/14
Time: 12:26
Time: 12:26

Synergy Environmental Lab, INC.

1990 Prospect Ct., Appleton, WI 54914 *P 920-830-2455 * F 920-733-0631

BRIAN WAYNER
OMNNI ASSOCIATES INC
ONE SYSTEMS DRIVE
APPLETON WI 54914-1654

Report Date 04-Sep-14

Project Name AMERICAN QUALITY FIBERS
Project # N1645A00-005

Invoice # E27499

Lab Code 5027499A
Sample ID TRIP
Sample Matrix Water
Sample Date 8/14/2014

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.24	ug/l	0.24	0.77	1	8260B	8/15/2014	8/15/2014	CJR	1
Bromobenzene	< 0.32	ug/l	0.32	1	1	8260B	8/15/2014	8/15/2014	CJR	1
Bromodichloromethane	< 0.37	ug/l	0.37	1.2	1	8260B	8/15/2014	8/15/2014	CJR	1
Bromoform	< 0.35	ug/l	0.35	1.1	1	8260B	8/15/2014	8/15/2014	CJR	1
tert-Butylbenzene	< 0.36	ug/l	0.36	1.2	1	8260B	8/15/2014	8/15/2014	CJR	1
sec-Butylbenzene	< 0.33	ug/l	0.33	1	1	8260B	8/15/2014	8/15/2014	CJR	1
n-Butylbenzene	< 0.35	ug/l	0.35	1.1	1	8260B	8/15/2014	8/15/2014	CJR	1
Carbon Tetrachloride	< 0.33	ug/l	0.33	1.1	1	8260B	8/15/2014	8/15/2014	CJR	1
Chlorobenzene	< 0.24	ug/l	0.24	0.77	1	8260B	8/15/2014	8/15/2014	CJR	1
Chloroethane	< 0.63	ug/l	0.63	2	1	8260B	8/15/2014	8/15/2014	CJR	1
Chloroform	< 0.28	ug/l	0.28	0.88	1	8260B	8/15/2014	8/15/2014	CJR	1
Chloromethane	< 0.81	ug/l	0.81	2.6	1	8260B	8/15/2014	8/15/2014	CJR	1
2-Chlorotoluene	< 0.21	ug/l	0.21	0.66	1	8260B	8/15/2014	8/15/2014	CJR	1
4-Chlorotoluene	< 0.21	ug/l	0.21	0.68	1	8260B	8/15/2014	8/15/2014	CJR	1
1,2-Dibromo-3-chloropropane	< 0.88	ug/l	0.88	2.8	1	8260B	8/15/2014	8/15/2014	CJR	1
Dibromochloromethane	< 0.22	ug/l	0.22	0.7	1	8260B	8/15/2014	8/15/2014	CJR	1
1,4-Dichlorobenzene	< 0.3	ug/l	0.3	0.96	1	8260B	8/15/2014	8/15/2014	CJR	1
1,3-Dichlorobenzene	< 0.28	ug/l	0.28	0.89	1	8260B	8/15/2014	8/15/2014	CJR	1
1,2-Dichlorobenzene	< 0.36	ug/l	0.36	1.2	1	8260B	8/15/2014	8/15/2014	CJR	1
Dichlorodifluoromethane	< 0.44	ug/l	0.44	1.4	1	8260B	8/15/2014	8/15/2014	CJR	1
1,2-Dichloroethane	< 0.41	ug/l	0.41	1.3	1	8260B	8/15/2014	8/15/2014	CJR	1
1,1-Dichloroethane	< 0.3	ug/l	0.3	0.97	1	8260B	8/15/2014	8/15/2014	CJR	1
1,1-Dichloroethene	< 0.4	ug/l	0.4	1.3	1	8260B	8/15/2014	8/15/2014	CJR	1
cis-1,2-Dichloroethene	< 0.38	ug/l	0.38	1.2	1	8260B	8/15/2014	8/15/2014	CJR	1
trans-1,2-Dichloroethene	< 0.35	ug/l	0.35	1.1	1	8260B	8/15/2014	8/15/2014	CJR	1
1,2-Dichloropropane	< 0.32	ug/l	0.32	1	1	8260B	8/15/2014	8/15/2014	CJR	1
2,2-Dichloropropane	< 0.36	ug/l	0.36	1.2	1	8260B	8/15/2014	8/15/2014	CJR	4 8
1,3-Dichloropropane	< 0.33	ug/l	0.33	1	1	8260B	8/15/2014	8/15/2014	CJR	1
Di-isopropyl ether	< 0.23	ug/l	0.23	0.73	1	8260B	8/15/2014	8/15/2014	CJR	1
EDB (1,2-Dibromoethane)	< 0.44	ug/l	0.44	1.4	1	8260B	8/15/2014	8/15/2014	CJR	1
Ethylbenzene	< 0.55	ug/l	0.55	1.7	1	8260B	8/15/2014	8/15/2014	CJR	1
Hexachlorobutadiene	< 1.5	ug/l	1.5	4.8	1	8260B	8/15/2014	8/15/2014	CJR	1
Isopropylbenzene	< 0.3	ug/l	0.3	0.96	1	8260B	8/15/2014	8/15/2014	CJR	1

Project Name AMERICAN QUALITY FIBERS
Project # N1645A00-005

Invoice # E27499

Lab Code 5027499A
Sample ID TRIP
Sample Matrix Water
Sample Date 8/14/2014

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
p-Isopropyltoluene	< 0.31	ug/l	0.31	0.98	1	8260B		8/15/2014	CJR	1
Methylene chloride	< 0.5	ug/l	0.5	1.6	1	8260B		8/15/2014	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.23	ug/l	0.23	0.74	1	8260B		8/15/2014	CJR	4 8
Naphthalene	< 1.7	ug/l	1.7	5.5	1	8260B		8/15/2014	CJR	1
n-Propylbenzene	< 0.25	ug/l	0.25	0.81	1	8260B		8/15/2014	CJR	1
1,1,2,2-Tetrachloroethane	< 0.45	ug/l	0.45	1.4	1	8260B		8/15/2014	CJR	1
1,1,1,2-Tetrachloroethane	< 0.33	ug/l	0.33	1.1	1	8260B		8/15/2014	CJR	1
Tetrachloroethene	< 0.33	ug/l	0.33	1.1	1	8260B		8/15/2014	CJR	1
Toluene	< 0.69	ug/l	0.69	2.2	1	8260B		8/15/2014	CJR	1
1,2,4-Trichlorobenzene	< 0.98	ug/l	0.98	3.1	1	8260B		8/15/2014	CJR	1
1,2,3-Trichlorobenzene	< 1.8	ug/l	1.8	5.8	1	8260B		8/15/2014	CJR	1
1,1,1-Trichloroethane	< 0.33	ug/l	0.33	1	1	8260B		8/15/2014	CJR	1
1,1,2-Trichloroethane	< 0.34	ug/l	0.34	1.1	1	8260B		8/15/2014	CJR	1
Trichloroethene (TCE)	< 0.33	ug/l	0.33	1	1	8260B		8/15/2014	CJR	1
Trichlorofluoromethane	< 0.71	ug/l	0.71	2.3	1	8260B		8/15/2014	CJR	1
1,2,4-Trimethylbenzene	< 2.2	ug/l	2.2	6.9	1	8260B		8/15/2014	CJR	1
1,3,5-Trimethylbenzene	< 1.4	ug/l	1.4	4.5	1	8260B		8/15/2014	CJR	1
Vinyl Chloride	< 0.18	ug/l	0.18	0.57	1	8260B		8/15/2014	CJR	1
m&p-Xylene	< 0.69	ug/l	0.69	2.2	1	8260B		8/15/2014	CJR	1
o-Xylene	< 0.63	ug/l	0.63	2	1	8260B		8/15/2014	CJR	1
SUR - 4-Bromofluorobenzene	97	REC %			1	8260B		8/15/2014	CJR	1
SUR - Dibromofluoromethane	89	REC %			1	8260B		8/15/2014	CJR	1
SUR - Toluene-d8	98	REC %			1	8260B		8/15/2014	CJR	1
SUR - 1,2-Dichloroethane-d4	96	REC %			1	8260B		8/15/2014	CJR	1

Project Name AMERICAN QUALITY FIBERS
 Project # N1645A00-005

Invoice # E27499

Lab Code 5027499B
 Sample ID MW4
 Sample Matrix Water
 Sample Date 8/14/2014

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.24	ug/l	0.24	0.77	1	8260B		8/15/2014	CJR	1
Bromobenzene	< 0.32	ug/l	0.32	1	1	8260B		8/15/2014	CJR	1
Bromodichloromethane	< 0.37	ug/l	0.37	1.2	1	8260B		8/15/2014	CJR	1
Bromoform	< 0.35	ug/l	0.35	1.1	1	8260B		8/15/2014	CJR	1
tert-Butylbenzene	< 0.36	ug/l	0.36	1.2	1	8260B		8/15/2014	CJR	1
sec-Butylbenzene	< 0.33	ug/l	0.33	1	1	8260B		8/15/2014	CJR	1
n-Butylbenzene	< 0.35	ug/l	0.35	1.1	1	8260B		8/15/2014	CJR	1
Carbon Tetrachloride	< 0.33	ug/l	0.33	1.1	1	8260B		8/15/2014	CJR	1
Chlorobenzene	< 0.24	ug/l	0.24	0.77	1	8260B		8/15/2014	CJR	1
Chloroethane	< 0.63	ug/l	0.63	2	1	8260B		8/15/2014	CJR	1
Chloroform	< 0.28	ug/l	0.28	0.88	1	8260B		8/15/2014	CJR	1
Chloromethane	< 0.81	ug/l	0.81	2.6	1	8260B		8/15/2014	CJR	1
2-Chlorotoluene	< 0.21	ug/l	0.21	0.66	1	8260B		8/15/2014	CJR	1
4-Chlorotoluene	< 0.21	ug/l	0.21	0.68	1	8260B		8/15/2014	CJR	1
1,2-Dibromo-3-chloropropane	< 0.88	ug/l	0.88	2.8	1	8260B		8/15/2014	CJR	1
Dibromochloromethane	< 0.22	ug/l	0.22	0.7	1	8260B		8/15/2014	CJR	1
1,4-Dichlorobenzene	< 0.3	ug/l	0.3	0.96	1	8260B		8/15/2014	CJR	1
1,3-Dichlorobenzene	< 0.28	ug/l	0.28	0.89	1	8260B		8/15/2014	CJR	1
1,2-Dichlorobenzene	< 0.36	ug/l	0.36	1.2	1	8260B		8/15/2014	CJR	1
Dichlorodifluoromethane	< 0.44	ug/l	0.44	1.4	1	8260B		8/15/2014	CJR	1
1,2-Dichloroethane	< 0.41	ug/l	0.41	1.3	1	8260B		8/15/2014	CJR	1
1,1-Dichloroethane	< 0.3	ug/l	0.3	0.97	1	8260B		8/15/2014	CJR	1
1,1-Dichloroethene	< 0.4	ug/l	0.4	1.3	1	8260B		8/15/2014	CJR	1
cis-1,2-Dichloroethene	< 0.38	ug/l	0.38	1.2	1	8260B		8/15/2014	CJR	1
trans-1,2-Dichloroethene	< 0.35	ug/l	0.35	1.1	1	8260B		8/15/2014	CJR	1
1,2-Dichloropropane	< 0.32	ug/l	0.32	1	1	8260B		8/15/2014	CJR	1
2,2-Dichloropropane	< 0.36	ug/l	0.36	1.2	1	8260B		8/15/2014	CJR	4 8
1,3-Dichloropropane	< 0.33	ug/l	0.33	1	1	8260B		8/15/2014	CJR	1
Di-isopropyl ether	< 0.23	ug/l	0.23	0.73	1	8260B		8/15/2014	CJR	1
EDB (1,2-Dibromoethane)	< 0.44	ug/l	0.44	1.4	1	8260B		8/15/2014	CJR	1
Ethylbenzene	< 0.55	ug/l	0.55	1.7	1	8260B		8/15/2014	CJR	1
Hexachlorobutadiene	< 1.5	ug/l	1.5	4.8	1	8260B		8/15/2014	CJR	1
Isopropylbenzene	< 0.3	ug/l	0.3	0.96	1	8260B		8/15/2014	CJR	1
p-Isopropyltoluene	< 0.31	ug/l	0.31	0.98	1	8260B		8/15/2014	CJR	1
Methylene chloride	< 0.5	ug/l	0.5	1.6	1	8260B		8/15/2014	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.23	ug/l	0.23	0.74	1	8260B		8/15/2014	CJR	4 8
Naphthalene	< 1.7	ug/l	1.7	5.5	1	8260B		8/15/2014	CJR	1
n-Propylbenzene	< 0.25	ug/l	0.25	0.81	1	8260B		8/15/2014	CJR	1
1,1,2,2-Tetrachloroethane	< 0.45	ug/l	0.45	1.4	1	8260B		8/15/2014	CJR	1
1,1,1,2-Tetrachloroethane	< 0.33	ug/l	0.33	1.1	1	8260B		8/15/2014	CJR	1
Tetrachloroethene	< 0.33	ug/l	0.33	1.1	1	8260B		8/15/2014	CJR	1
Toluene	< 0.69	ug/l	0.69	2.2	1	8260B		8/15/2014	CJR	1
1,2,4-Trichlorobenzene	< 0.98	ug/l	0.98	3.1	1	8260B		8/15/2014	CJR	1
1,2,3-Trichlorobenzene	< 1.8	ug/l	1.8	5.8	1	8260B		8/15/2014	CJR	1
1,1,1-Trichloroethane	< 0.33	ug/l	0.33	1	1	8260B		8/15/2014	CJR	1
1,1,2-Trichloroethane	< 0.34	ug/l	0.34	1.1	1	8260B		8/15/2014	CJR	1
Trichloroethene (TCE)	< 0.33	ug/l	0.33	1	1	8260B		8/15/2014	CJR	1
Trichlorofluoromethane	< 0.71	ug/l	0.71	2.3	1	8260B		8/15/2014	CJR	1
1,2,4-Trimethylbenzene	< 2.2	ug/l	2.2	6.9	1	8260B		8/15/2014	CJR	1
1,3,5-Trimethylbenzene	< 1.4	ug/l	1.4	4.5	1	8260B		8/15/2014	CJR	1
Vinyl Chloride	< 0.18	ug/l	0.18	0.57	1	8260B		8/15/2014	CJR	1
m&p-Xylene	< 0.69	ug/l	0.69	2.2	1	8260B		8/15/2014	CJR	1
o-Xylene	< 0.63	ug/l	0.63	2	1	8260B		8/15/2014	CJR	1
SUR - 1,2-Dichloroethane-d4	101	REC %				8260B		8/15/2014	CJR	1
SUR - 4-Bromofluorobenzene	103	REC %				8260B		8/15/2014	CJR	1
SUR - Dibromofluoromethane	86	REC %				8260B		8/15/2014	CJR	1
SUR - Toluene-d8	98	REC %				8260B		8/15/2014	CJR	1

Project Name AMERICAN QUALITY FIBERS
 Project # N1645A00-005

Invoice # E27499

Lab Code 5027499C
 Sample ID P1
 Sample Matrix Water
 Sample Date 8/14/2014

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.24	ug/l	0.24	0.77	1	8260B		8/15/2014	CJR	1
Bromobenzene	< 0.32	ug/l	0.32	1	1	8260B		8/15/2014	CJR	1
Bromodichloromethane	< 0.37	ug/l	0.37	1.2	1	8260B		8/15/2014	CJR	1
Bromoform	< 0.35	ug/l	0.35	1.1	1	8260B		8/15/2014	CJR	1
tert-Butylbenzene	< 0.36	ug/l	0.36	1.2	1	8260B		8/15/2014	CJR	1
sec-Butylbenzene	< 0.33	ug/l	0.33	1	1	8260B		8/15/2014	CJR	1
n-Butylbenzene	< 0.35	ug/l	0.35	1.1	1	8260B		8/15/2014	CJR	1
Carbon Tetrachloride	< 0.33	ug/l	0.33	1.1	1	8260B		8/15/2014	CJR	1
Chlorobenzene	< 0.24	ug/l	0.24	0.77	1	8260B		8/15/2014	CJR	1
Chloroethane	< 0.63	ug/l	0.63	2	1	8260B		8/15/2014	CJR	1
Chloroform	< 0.28	ug/l	0.28	0.88	1	8260B		8/15/2014	CJR	1
Chloromethane	< 0.81	ug/l	0.81	2.6	1	8260B		8/15/2014	CJR	1
2-Chlorotoluene	< 0.21	ug/l	0.21	0.66	1	8260B		8/15/2014	CJR	1
4-Chlorotoluene	< 0.21	ug/l	0.21	0.68	1	8260B		8/15/2014	CJR	1
1,2-Dibromo-3-chloropropane	< 0.88	ug/l	0.88	2.8	1	8260B		8/15/2014	CJR	1
Dibromochloromethane	< 0.22	ug/l	0.22	0.7	1	8260B		8/15/2014	CJR	1
1,4-Dichlorobenzene	< 0.3	ug/l	0.3	0.96	1	8260B		8/15/2014	CJR	1
1,3-Dichlorobenzene	< 0.28	ug/l	0.28	0.89	1	8260B		8/15/2014	CJR	1
1,2-Dichlorobenzene	< 0.36	ug/l	0.36	1.2	1	8260B		8/15/2014	CJR	1
Dichlorodifluoromethane	< 0.44	ug/l	0.44	1.4	1	8260B		8/15/2014	CJR	1
1,2-Dichloroethane	< 0.41	ug/l	0.41	1.3	1	8260B		8/15/2014	CJR	1
1,1-Dichloroethane	< 0.3	ug/l	0.3	0.97	1	8260B		8/15/2014	CJR	1
1,1-Dichloroethene	< 0.4	ug/l	0.4	1.3	1	8260B		8/15/2014	CJR	1
cis-1,2-Dichloroethene	< 0.38	ug/l	0.38	1.2	1	8260B		8/15/2014	CJR	1
trans-1,2-Dichloroethene	< 0.35	ug/l	0.35	1.1	1	8260B		8/15/2014	CJR	1
1,2-Dichloropropane	< 0.32	ug/l	0.32	1	1	8260B		8/15/2014	CJR	1
2,2-Dichloropropane	< 0.36	ug/l	0.36	1.2	1	8260B		8/15/2014	CJR	4 8
1,3-Dichloropropane	< 0.33	ug/l	0.33	1	1	8260B		8/15/2014	CJR	1
Di-isopropyl ether	< 0.23	ug/l	0.23	0.73	1	8260B		8/15/2014	CJR	1
EDB (1,2-Dibromoethane)	< 0.44	ug/l	0.44	1.4	1	8260B		8/15/2014	CJR	1
Ethylbenzene	< 0.55	ug/l	0.55	1.7	1	8260B		8/15/2014	CJR	1
Hexachlorobutadiene	< 1.5	ug/l	1.5	4.8	1	8260B		8/15/2014	CJR	1
Isopropylbenzene	< 0.3	ug/l	0.3	0.96	1	8260B		8/15/2014	CJR	1
p-Isopropyltoluene	< 0.31	ug/l	0.31	0.98	1	8260B		8/15/2014	CJR	1
Methylene chloride	< 0.5	ug/l	0.5	1.6	1	8260B		8/15/2014	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.23	ug/l	0.23	0.74	1	8260B		8/15/2014	CJR	4 8
Naphthalene	< 1.7	ug/l	1.7	5.5	1	8260B		8/15/2014	CJR	1
n-Propylbenzene	< 0.25	ug/l	0.25	0.81	1	8260B		8/15/2014	CJR	1
1,1,2,2-Tetrachloroethane	< 0.45	ug/l	0.45	1.4	1	8260B		8/15/2014	CJR	1
1,1,1,2-Tetrachloroethane	< 0.33	ug/l	0.33	1.1	1	8260B		8/15/2014	CJR	1
Tetrachloroethene	< 0.33	ug/l	0.33	1.1	1	8260B		8/15/2014	CJR	1
Toluene	< 0.69	ug/l	0.69	2.2	1	8260B		8/15/2014	CJR	1
1,2,4-Trichlorobenzene	< 0.98	ug/l	0.98	3.1	1	8260B		8/15/2014	CJR	1
1,2,3-Trichlorobenzene	< 1.8	ug/l	1.8	5.8	1	8260B		8/15/2014	CJR	1
1,1,1-Trichloroethane	< 0.33	ug/l	0.33	1	1	8260B		8/15/2014	CJR	1
1,1,2-Trichloroethane	< 0.34	ug/l	0.34	1.1	1	8260B		8/15/2014	CJR	1
Trichloroethene (TCE)	1.19	ug/l	0.33	1	1	8260B		8/15/2014	CJR	1
Trichlorofluoromethane	< 0.71	ug/l	0.71	2.3	1	8260B		8/15/2014	CJR	1
1,2,4-Trimethylbenzene	< 2.2	ug/l	2.2	6.9	1	8260B		8/15/2014	CJR	1
1,3,5-Trimethylbenzene	< 1.4	ug/l	1.4	4.5	1	8260B		8/15/2014	CJR	1
Vinyl Chloride	< 0.18	ug/l	0.18	0.57	1	8260B		8/15/2014	CJR	1
m&p-Xylene	< 0.69	ug/l	0.69	2.2	1	8260B		8/15/2014	CJR	1
o-Xylene	< 0.63	ug/l	0.63	2	1	8260B		8/15/2014	CJR	1
SUR - Toluene-d8	99	REC %			1	8260B		8/15/2014	CJR	1
SUR - 1,2-Dichloroethane-d4	98	REC %			1	8260B		8/15/2014	CJR	1
SUR - 4-Bromofluorobenzene	99	REC %			1	8260B		8/15/2014	CJR	1
SUR - Dibromofluoromethane	88	REC %			1	8260B		8/15/2014	CJR	1

Project Name AMERICAN QUALITY FIBERS
Project # N1645A00-005

Invoice # E27499

"J" Flag: Analyte detected between LOD and LOQ


LOD Limit of Detection

LOQ Limit of Quantitation

<i>Code</i>	<i>Comment</i>
1	Laboratory QC within limits.
4	The continuing calibration standard not within established limits.
8	Closing calibration standard not within established limits.

All solid sample results reported on a dry weight basis unless otherwise indicated. All LOD's and LOQ's are adjusted for dilutions but not dry weight. Subcontracted results are denoted by SUB in the analyst field.

Authorized Signature



Michael J. Paul