

The following site is being submitted for inclusion into the GIS registry:

This is a:	New Submittal
BRRTS ID (no dashes):	0350000260
Comm # (no dashes):	54481531649
County:	Portage
Region:	Commerce
Site name:	Blue Top EZ Mart
Street Address:	3449 Church St
City:	Stevens Point
Closure Date	2000-12-21
Closure Conditions:	met
Offsite contamination?	Yes
Right-of-way contamination?	No
Contaminated media:	Groundwater
GPS Coordinates (meters in the WTM91 projection)	
Easting (X):	423876.75798 554864
Northing (Y):	430605.30438 447336
Submitted by:	Cheryl Nelson

Checklist

- ☒ Final Closure Letter
- ☒ Copy of recorded deed Instrument for any property with GW >NR140 ES
- ☒ General Location Map
- ☒ Detailed Location Map showing property boundaries, buildings, etc for properties with GW >NR140 ES
- ☒ Latest Map(s) showing extent or outline of current GW plume
- ☒ GW flow direction
- ☒ MW(s) and/or potable wells
- ☒ Latest Table of GW results



ENVIRONMENTAL & REGULATORY SERVICES
PECFA
2715 Post Road
Stevens Point, Wisconsin 54481

Tommy G. Thompson, Governor
Brenda J. Blanchard, Secretary

December 21, 2000

LaChapelle, Rushevics & Lloyd
Attn: Peter Lloyd, A/F Joan Meshak
1011 Eighth Street South
Wisconsin Rapids WI 54494

RE: CASE CLOSURE **Approved**
COMMERCE #54481-5316-49
Blue Top EZ Mart, 3449 Church Street, Stevens Point, WI

Dear Mr. Lloyd;

The Department is receipt of documentation that the conditions necessary for site closure detailed in the *CASE CLOSURE **CONDITIONAL UPON RECEIPT OF DOCUMENTATION*** letter dated September 5, 2000 have been met. The Department considers that no further action is necessary and has updated our database to reflect this closure.

Thank you for your efforts in restoring Wisconsin's environment. If you have any additional questions, please call the number listed below.

Sincerely,

A handwritten signature in cursive script that reads 'Dee Zoellner'.

Dee Zoellner
Site Reviewer
Bureau of PECFA
Phone 715-342-3802

cc. John Zajakowski - Envirogen

579697

Document Number

NOTICE OF CONTAMINATION TO
PROPERTY

REGISTER'S OFFICE
PORTAGE COUNTY, WI
RECEIVED FOR RECORD } ss

OCT 16 2000

TIME: 10:00 A M

Cynthia A. Wisniski
CYNTHIA A. WISNISKI REGISTER OF DEEDS
p 12-

Legal Description of the Property: In re:

Lot No. Two (2) of Certified Survey Map No. 2843, as recorded in Vol. 10 on pages 101 and 101A of Certified Survey Maps in the office of the Register of Deeds for Portage County, Wisconsin, EXCEPT parcel lying Southeasterly of Twenty-seven (27) foot easement shown on said Certified Survey Map, being part of the Southeast (SE 1/4) Quarter of Section Four (4), Township Twenty-three (23N) North of Range Eight (8E) East, together with perpetual easement for ingress and egress over said Twenty-seven (27) foot strip as shown on said Certified Survey Map, together with all inside light fixtures, walk-in cooler, and refrigeration for unit, and York Furnace in basement, which is considered part of the real estate. Subject to easements of record.

Recording Area

Name and Return Address

Peter C. Lloyd
1011 8th Street South
Wisconsin Rapids, WI 54494

STATE OF WISCONSIN)
COUNTY OF Portage) ss

281-2308-04-3013-01
Parcel Identification Number (PIN)

Section 1. William Schilling is the owner of the above-described property.

Section 2. One or more petroleum discharges have occurred at this property. Petroleum contaminated groundwater above NR 140 enforcement standards of the Wisconsin Administrative Code exists on this property.

Section 3. The owner hereby declares that all of the property described above is held and shall be held, conveyed or encumbered, leased, rented, used, occupied and improved subject to the following limitations and/or restrictions:

Anyone who proposes to construct or reconstruct a well on this property is required to contact the Department of Natural Resources' Bureau of Drinking Water and Groundwater, or its successor agency, to determine what specific prohibitions or requirements are applicable, prior to constructing or reconstructing a well on this property. No well may be constructed or reconstructed on this property unless applicable requirements are met.

Any person who is or becomes owner of the property described above may request that the Wisconsin Department of Commerce, or its successor, issue a determination that the restrictions set forth in this covenant are no longer required. That property owner shall provide any and all necessary information to the Department in order for the Department to be able to make a determination. Upon receipt of such a request, the Department shall determine whether or not the restrictions contained herein can be extinguished. Conditions under which a restriction may be extinguished will be determined in accordance with the site specific standards, rules and laws for this property. If the Department determines that the restrictions can be extinguished, an affidavit, with a copy of the Department's written determination, may be recorded to give notice that this restriction, or portions of this restriction are no longer binding. Any restriction placed upon this property shall not be extinguished without the Department's written determination.

580780

Document Number

NOTICE OF CONTAMINATION TO
PROPERTY

REGISTER'S OFFICE
PORTAGE COUNTY, WI
RECEIVED FOR RECORD } ss

NOV 13 2000

TIME: 10:00 A.M.

Cynthia A. Williams
CYNTHIA A. WILLIAMS, REGISTER OF DEEDS
pd 14-

Legal Description of the Property: In re:

Lot 1 of Portage County Certified Survey Map No. 4410 -15-205 & 205A, as recorded in Vol. 15 of Surveys, Pg. 205 (being part of the SE 1/4 SW 1/4, Section 4, T23N, R8E, City of Stevens Point, Portage County, Wisconsin), EXCEPT a parcel 40 feet wide by 134.49 feet located in the Northwest corner of the above described property, which said 40 feet borders U.S. Business Highway 51 as currently laid out on the above referred to survey map.

Recording Area

Name and Return Address

Peter C. Lloyd
1011 8th Street South
Wis. Rapids, WI 54494

STATE OF WISCONSIN)
COUNTY OF Portage) ss

281-2308-04-3014-15

Parcel Identification Number (PIN)

Section 1. Emeryck Zakrzewski is the owner of the above-described property.


Section 2. One or more petroleum discharges have occurred at this property. Petroleum contaminated groundwater above NR 140 enforcement standards and soils above NR 720 residual contaminant levels of the Wisconsin Administrative Code exists on this property.

Section 3. The owner hereby declares that all of the property described above is held and shall be held, conveyed or encumbered, leased, rented, used, occupied and improved subject to the following limitations and/or restrictions:

Anyone who proposes to construct or reconstruct a well on this property is required to contact the Department of Natural Resources' Bureau of Drinking Water and Groundwater, or its successor agency, to determine what specific prohibitions or requirements are applicable, prior to constructing or reconstructing a well on this property. No well may be constructed or reconstructed on this property unless applicable requirements are met.


Residual petroleum contaminated soil remains on this site. It has been shown that these levels are protective of health and the environment. If this contaminated soil is excavated in the future, it may be considered a solid waste and will need to be disposed in accordance with all applicable laws.

Any person who is or becomes owner of the property described above may request that the Wisconsin Department of Commerce, or its successor, issue a determination that the restrictions set forth in this covenant are no longer required. That property owner shall provide any and all necessary information to the Department in order for the Department to be



(USGS 1976)
WHITING QUADRANGLE

SCALE
1:24000



CONTOUR INTERVAL 10 FEET



LOCATION



ENVIROGEN

COST EFFECTIVE LEADERSHIP FOR A CLEANER ENVIRONMENT

2835 North Grandview Blvd.
Pewaukee, Wisconsin 53072-0090

SITE LOCATION MAP

MESHAK BLUE TOP EZ MART SITE
STEVENS POINT, WISCONSIN

FIGURE NO.


1

DRAWING NO.	90.143L1
DRAWN BY:	
RRT	
CHECKED BY:	DAC 7/18/00
APPROVED BY:	VW
REVISIONS:	
ENGINEER	
DATE	
ENGINEER	
DATE	



LEGEND

- ⊕ MONITORING WELL
- () CONCENTRATION IN ppb
- 5.0 ISOCONCENTRATION CONTOUR



TJ-5
(DESTROYED)
⊕



ENVIROGEN

COST EFFECTIVE LEADERSHIP FOR A CLEANER ENVIRONMENT

850 Hwy 153 Suite F
Mosinee, Wisconsin 54455

SCALE



POSTREMEDIAL GROUNDWATER BENZENE
DISTRIBUTION (11/15/99)

MESHAK BLUE TOP EZ MART SITE
STEVENS POINT, WISCONSIN

FIGURE NO.






12

DATE	
ENGINEER	
DATE	
ENGINEER	
REVISIONS:	
APPROVED BY:	VLL
DATE	7/1/00
CHECKED BY:	DAK
DATE	05/31/00
RRT	
DRAWN BY:	
DATE	90.143.12
DRAWING NO.	



LEGEND

- ⊕ MONITORING WELL
- () CONCENTRATION IN ppb
- (NA) NOT ANALYZED
- 40 ISOCONCENTRATION CONTOUR



CHURCH STREET

U. S. BUS. HWY 51

SIDEWALK

BLUE TOP
EZ MART

100

40

MW-3
(ABANDONED)

MW-2
(ABANDONED)

MW-1
(NA)

MW-4
(NA)

MW-7
(0.89)

MW-5
(350)

MW-6
(160)

TJ-1
(NA)

TJ-3
(NA)

TJ-2
(35)

TJ-4
(67)

TJ-5
(DESTROYED)



ENVIROGEN

COST EFFECTIVE LEADERSHIP FOR A CLEANER ENVIRONMENT

850 Hwy 153 Suite F
Mosinee, Wisconsin 54455

SCALE



POSTREMEDIAL GROUNDWATER NAPHTHALENE

DISTRIBUTION (11/15/99)

MESHAK BLUE TOP EZ MART SITE

STEVENS POINT, WISCONSIN

FIGURE NO.


11

DATE	ENGINEER	DATE	ENGINEER	REVISIONS:	APPROVED BY:	CHECKED BY:	RRT	DRAWN BY:	DRAWING NO.
					7/4/00	7/4/00			90.143.1.1



LEGEND

- ⊕ MONITORING WELL
- () CONCENTRATION IN ppb
- (NA) NOT ANALYZED
- 5.0 ISOCONCENTRATION CONTOUR



ENVIROGEN

COST EFFECTIVE LEADERSHIP FOR A CLEANER ENVIRONMENT

850 Hwy 153 Suite F
Mosinee, Wisconsin 54455

SCALE



REMEDIATION GROUNDWATER BENZENE DISTRIBUTION

(12/04/96)

MESHAK BLUE TOP EZ MART SITE
STEVENS POINT, WISCONSIN

FIGURE NO.







9

DATE	ENGINEER	DATE	ENGINEER	REVISIONS:	APPROVED BY:	CHECKED BY:	05/31/00	RRT	DRAWN BY:	90.143L9	DRAWING NO.
					VLL	DATE 7/14/00					



LEGEND

- ⊕ MONITORING WELL
- () ELEVATION IN FEET ABOVE MSL
- 1066.60 ISOELEVATION CONTOUR



ENVIROGEN

COST EFFECTIVE LEADERSHIP FOR A CLEANER ENVIRONMENT

850 Hwy 153 Suite F
Mosinee, Wisconsin 54455

SCALE



POSTREMEDIAL POTENTIOMETRIC SURFACE

(11/15/99)

MESHAK BLUE TOP EZ MART SITE
STEVENS POINT, WISCONSIN

FIGURE NO.

13

DATE	
ENGINEER	
DATE	
ENGINEER	
REVISIONS:	
APPROVED BY:	UL
CHECKED BY:	DTC
DRAWN BY:	RRT
DRAWING NO.	90.143L13

TABLE 5

Postremedial Groundwater Sample Laboratory Analytical Results
Meshak Blue Top EZ Mart Site
Stevens Point, Wisconsin

Well	Date	Benzene	Ethyl-benzene	Toluene	Xylenes	Total TMBs	MTBE	Naphthalene	Lead	GRO
MW-1	05/21/97	0.46	<0.22	<0.20	1.2	0.95	<0.16	NA	NA	270
	02/24/98	<0.13	<0.22	<0.20	<0.23	<0.51	<0.16	NA	NA	200
	08/06/98	<0.10	<0.25	<0.10	<0.25	<0.20	<0.25	<0.10	<0.89	98
	12/01/98	<0.13	0.31	<0.20	0.27	<0.51	<0.16	<0.46	<0.89	84
	02/17/99	<0.13	<0.22	<0.20	0.81	0.41	<0.16	NA	<1.2	120
	05/13/99	<0.26	2.0	<0.21	4.65	<1.40	<0.22	NA	<1.6	150
	11/15/99	<0.26	1.8	<0.21	4.7	1.52	<0.22	NA	<2.8	94
MW-4	05/21/97	<0.13	<0.22	<0.20	<0.23	<0.51	<0.16	NA	NA	<50
	02/24/98	<0.13	<0.22	<0.20	<0.23	<0.51	<0.16	NA	NA	<50
	08/06/98	<0.10	<0.25	<0.10	<0.25	<0.20	<0.25	<0.10	<0.89	<50
	12/01/98	<0.13	<0.22	<0.20	<0.23	<0.51	<0.16	<0.46	<0.89	<50
	02/17/99	<0.13	<0.22	<0.20	<0.23	<0.51	<0.16	NA	<1.2	<50
	05/13/99	<0.26	<0.24	<0.21	<1.34	<1.40	<0.22	NA	<1.6	<50
	11/15/99	<0.26	0.27	<0.21	<1.34	<1.40	<0.22	NA	<2.8	<50
MW-5	05/21/97	20	1,600	350	8,800	1,720	<1.6	NA	NA	20,000
	02/24/98	<1.3	1,200	190	6,400	1,230	<1.6	NA	NA	14,000
	08/06/98	<5.0	2,900	80	2,100	1,960	<12	460	5.8	12,000
	12/01/98	1.6	810	56	4,400	1,070	11	350	7.6	12,000
	02/17/99	4.6	540	21	3,100	710	<3.2	210	3.4	7,400
	05/13/99	<1.3	370	4.7	2,010	650	4.5	170	1.9	4,300
	11/15/99	<5.2	1,100	47	5,400	1,420	8.2	350	3.5	12,000
NR 140 ES		5.0	700	1,000	10,000	480	60	40	15	NS
NR 140 PAL		0.50	140	200	1,000	96	12	8.0	1.5	NS

(Continued)

Notes:

All results are reported in ppb unless otherwise noted.



Shading indicates value equals or exceeds the NR 140 enforcement standard



Cross hatching indicates value equals or exceeds the NR 140 preventive action limit

GRO: Gasoline range organics

ES: Enforcement standard

MTBE: Methyl t-butyl ether

PAL: Preventive action limit

TMB: Trimethylbenzene

NA: Not analyzed

NS: No standard

Checked by: DHApproved by: WU

TABLE 5 (Continued)

Postremedial Groundwater Sample Laboratory Analytical Results
Meshak Blue Top EZ Mart Site
Stevens Point, Wisconsin

Well	Date	Benzene	Ethyl-benzene	Toluene	Xylenes	Total TMBs	MTBE	Naphthalene	Lead	GRO
MW-6	05/21/97	39	380	43	2,000	331	<0.80	NA	NA	6,900
	02/24/98	<12	270	<13	1,200	113	<10	NA	NA	3,100
	08/06/98	<0.10	280	64	160	164	<0.25	80	4.0	3,000
	12/01/98	3.2	240	60	1,200	117	<0.80	82	1.9	3,100
	02/17/99	14	310	57	1,800	236	<3.2	110	2.7	5,700
	05/13/99	<0.65	130	42	630	74	7.7	34	<1.6	2,200
	11/15/99	2.6	720	230	3,600	272	16	160	5.2	8,500
MW-7	05/21/97	21	98	7.8	480	475	<0.80	NA	NA	3,900
	02/24/98	<2.6	210	<4.0	950	820	<3.2	NA	NA	4,100
	08/06/98	500	170	15	260	144	37	17	2.8	2,200
	12/01/98	3.1	110	<2.0	400	479	<1.6	58	58	2,900
	02/17/99	1.1	64	<1.0	210	472	<0.80	48	<1.2	2,900
	05/13/99	<0.65	94	<0.53	359	619	5.7	59	1.6	3,700
	11/15/99	<0.26	<0.24	<0.21	<1.34	1.3	<0.22	<0.89	<2.8	61
TJ-1	05/21/97	<0.13	<0.22	<0.20	<0.23	<0.51	<0.16	NA	NA	<50
	02/24/98	<0.13	<0.22	<0.20	<0.23	<0.51	<0.16	NA	NA	<50
	08/06/98	<0.10	<0.25	<0.10	<0.25	<0.20	<0.25	<0.10	<0.89	<50
	12/01/98	<0.13	0.47	<0.20	2.3	0.35	<0.16	<0.46	<0.89	<50
	02/17/99	<0.13	<0.22	<0.20	<0.23	<0.51	<0.16	NA	<1.2	<50
	05/13/99	<0.26	<0.24	<0.21	<1.34	<1.40	<0.22	NA	<1.6	<50
	11/15/99	<0.26	<0.24	<0.21	<1.34	<1.40	<0.22	NA	<2.8	<50
NR 140 ES		5.0	700	1,000	10,000	480	60	40	15	NS
NR 140 PAL		0.50	140	200	1,000	96	12	8.0	1.5	NS

Notes:

(Continued)

All results are reported in ppb unless otherwise noted.



Shading indicates value equals or exceeds the NR 140 enforcement standard



Cross hatching indicates value equals or exceeds the NR 140 preventive action limit

TMB: Trimethylbenzene

GRO: Gasoline range organics

MTBE: Methyl t-butyl ether

NA: Not analyzed

ES: Enforcement standard

NS: No standard

PAL: Preventive action limit

Checked by: DexApproved by: WU

TABLE 5 (Continued)

**Postremedial Groundwater Sample Laboratory Analytical Results
Meshak Blue Top EZ Mart Site
Stevens Point, Wisconsin**

Well	Date	Benzene	Ethylbenzene	Toluene	Xylenes	Total TMBs	MTBE	Naphthalene	Lead	GRO
TJ-2	05/21/97	27	97	<0.20	220	107	<0.16	NA	NA	3,200
	02/24/98	<1.3	130	<2.0	330	147	<1.6	NA	NA	2,900
	08/06/98	NS	NS	NS	NS	NS	NS	NS	NS	NS
	12/01/98	NS	NS	NS	NS	NS	NS	NS	NS	NS
	02/17/99	13	200	16	510	223	<3.2	57	0.0029	4,800
	05/13/99	<0.26	28	1.7	63	34.0	6.8	7.5	2.6	1,200
	11/15/99	<1.0	140	3.7	410	184	30	35	3.2	4,300
TJ-3	05/21/97	0.52	<0.22	<0.20	0.28	<0.51	<0.16	NA	NA	130
	02/24/98	<0.13	<0.22	<0.20	<0.23	3.2	<0.16	NA	NA	470
	08/06/98	<0.10	<0.25	<0.10	<0.25	7.57	<0.25	0.10	0.00097	270
	12/01/98	<1.3	3.1	4.2	<0.62	7.0	<0.55	0.94	<0.00089	920
	02/17/99	1.2	0.46	<0.20	0.39	5.05	0.52	<1.1	<0.0012	450
	05/13/99	<0.26	0.47	<0.21	2.53	27.5	8.0	1.2	2.4	910
	11/15/99	<0.26	1.1	<0.21	3.97	11.5	5.4	1.9	<2.8	440
TJ-4	05/21/97	24	110	<0.40	89	71	<0.32	NA	NA	2,500
	02/24/98	<0.65	150	<1.0	80	70.7	<0.80	NA	NA	1,400
	08/06/98	<0.50	85	<0.50	450	335	<1.2	38	0.0016	3,100
	12/01/98	<1.3	160	4.5	110	114	<7.4	30	<0.00089	2,700
	02/17/99	22	320	29	300	213	<16	68	<0.0012	5,700
	05/13/99	<0.65	300	12	297	157	23	57	12	4,600
	11/15/99	<1.0	220	8.7	184	235	42	67	<2.8	5,600
NR 140 ES		5.0	700	1,000	10,000	480	60	40	15	NS
NR 140 PAL		0.50	140	200	1,000	96	12	8.0	1.5	NS

(Continued)

Notes:

All results in ppb unless otherwise noted.



Shading indicates value equals or exceeds the NR 140 enforcement standard

Cross hatching indicates value equals or exceeds the NR 140 preventive action limit
 GRO: Gasoline range organics ES: Enforcement standard
 MTBE: Methyl t-butyl ether PAL: Preventive action limit
 TMB: Trimethylbenzene NA: Not analyzed
 NS: No standard/Not sampled

Checked by: DAKApproved by: MM

TABLE 5 (Continued)

**Postremedial Groundwater Sample Laboratory Analytical Results
Meshak Blue Top EZ Mart Site
Stevens Point, Wisconsin**

Well	Date	Benzene	Ethyl- benzene	Toluene	Xylenes	Total TMBs	MTBE	Naphthalene	Lead	GRO
TJ-5	05/21/97	<0.13	<0.22	<0.20	<0.23	<0.51	<0.16	NA	NA	<50
	02/24/98	<0.13	<0.22	<0.20	<0.23	<0.51	<0.16	NA	NA	<50
	08/06/98	<0.50	180	38	1,000	101	<1.2	38	<0.89	<50
	12/01/98	<0.13	<0.22	<0.20	<0.23	<0.51	<0.16	<0.46	<0.89	<50
	02/17/99	<0.13	<0.22	<0.20	<0.23	<0.51	<0.16	NA	<1.2	<50
	05/13/99	<0.26	0.64	3.2	11.4	7.9	2.3	NA	<1.6	570
	11/15/99	NS	NS	NS	NS	NS	NS	NS	NS	NS
NR 140 ES		5.0	700	1,000	10,000	480	60	40	15	NS
NR 140 PAL		0.50	140	200	1,000	96	12	8.0	1.5	NS

Notes:

All results in ppb unless otherwise noted.

 Cross hatching indicates value equals or exceeds the NR 140 preventive action limit

GRO: Gasoline range organics ES: Enforcement standard

MTBE: Methyl t-butyl ether PAL: Preventive action limit

TMB: Trimethylbenzene NA: Not analyzed

NS: No standard

Checked by: plk

Approved by: lll

TABLE 6

**Postremedial Natural Attenuation Groundwater Sample Laboratory Analytical Results
Meshak Blue Top EZ Mart Site
Stevens Point, Wisconsin**

Well	Date	Alkalinity	Nitrate-Nitrite	Sulfate	Diss. Iron	Diss. Manganese	Diss. Oxygen
MW-1	05/21/97	NA	NA	NA	NA	NA	NA
	02/24/98	41	1.5	6.5	0.39	0.17	0.77
	08/06/98	24	0.94	3.3	0.28	0.15	3.45
	12/01/98	NA	NA	NA	NA	NA	NA
	02/17/99	NA	NA	NA	NA	NA	3.90
	05/13/99	NA	NA	NA	NA	NA	3.71
	11/15/99	NA	NA	NA	NA	NA	NA
MW-4	05/21/97	NA	NA	NA	NA	NA	NA
	02/24/98	24	3.9	8.6	<0.019	<0.0063	7.04
	08/06/98	10	3.5	7.8	0.095	0.076	7.10
	12/01/98	<50	4.2	9.9	<0.019	0.025	NA
	02/17/99	21	5.2	11	<0.024	<0.0086	6.83
	05/13/99	23	4.4	7.6	<0.047	0.009	8.22
	11/15/99	18	3.2	<1.3	0.057	0.017	7.20
MW-5	05/21/97	36	0.28	4.9	8.6	NA	NA
	02/24/98	53	<0.017	5.9	5.5	1.7	0.12
	08/06/98	24	1.8	6.4	6.9	2.6	0.81
	12/01/98	<50	0.17	8.1	4.6	2.6	NA
	02/17/99	64	<0.017	7.4	4.1	2.1	0.70
	05/13/99	48	0.019	0.90	7.0	2.1	3.19
	11/15/99	40	0.088	<1.3	7.7	2.0	0.60

(Continued)

Notes:

All results in mg/L unless otherwise noted.

mg/L: milligrams per liter

NA: Not analyzed

Checked by: DIVApproved by: VU

TABLE 6 (Continued)

**Postremedial Natural Attenuation Groundwater Sample Laboratory Analytical Results
Meshak Blue Top EZ Mart Site
Stevens Point, Wisconsin**

Well	Date	Alkalinity	Nitrate+Nitrite	Sulfate	Diss. Iron	Diss. Manganese	Diss. Oxygen
MW-6	05/21/97	62	0.39	8.2	7.0	NA	NA
	02/24/98	43	0.60	5.4	4.7	1.1	NA
	08/06/98	26	0.70	6.0	7.5	1.5	0.51
	12/01/98	<50	0.86	6.8	5.9	1.5	NA
	02/17/99	<50	0.044	3.8	17	3.9	9.70
	05/13/99	34	0.36	3.3	6.9	1.9	1.48
	11/15/99	48	0.17	<1.3	7.7	1,900	0.79
MW-7	05/21/97	71	0.24	8.8	5.2	NA	NA
	02/24/98	48	0.054	5.5	1.4	0.53	0.10
	08/06/98	<20	1.0	4.6	3.9	0.52	0.33
	12/01/98	NA	NA	NA	NA	NA	NA
	02/17/99	NA	NA	NA	NA	NA	7.76
	05/13/99	NA	NA	NA	NA	NA	0.51
	11/15/99	NA	NA	NA	NA	NA	NA
TJ-1	05/21/97	NA	NA	NA	NA	NA	NA
	02/24/98	61	6.5	17	0.023	<0.0063	3.98
	08/06/98	48	4.0	18	<0.019	0.013	6.78
	12/01/98	<50	4.9	9.2	0.032	0.031	NA
	02/17/99	NA	NA	NA	NA	NA	6.33
	05/13/99	NA	NA	NA	NA	NA	4.17
	11/15/99	NA	NA	NA	NA	NA	NA

(Continued)

Notes:

All results in mg/L unless otherwise noted.

mg/L: milligrams per liter

NA: Not analyzed

Checked by: JMK

Approved by: vu

TABLE 6 (Continued)

**Postremedial Natural Attenuation Groundwater Sample Laboratory Analytical Results
Meshak Blue Top EZ Mart Site
Stevens Point, Wisconsin**

Well	Date	Alkalinity	Nitrate+Nitrite	Sulfate	Diss. Iron	Diss. Manganese	Diss. Oxygen
TJ-2	05/21/97	140	0.67	12	0.74	NA	NA
	02/24/98	99	<0.017	7.1	0.27	0.47	NA
	08/06/98	NS	NS	NS	NS	NS	NS
	12/01/98	NS	NS	NS	NS	NS	NS
	02/17/99	NA	NA	NA	NA	NA	1.38
	05/13/99	NA	NA	NA	NA	NA	0.16
	11/15/99	NA	NA	NA	NA	NA	NA
TJ-3	05/21/97	NA	NA	NA	NA	NA	NA
	02/24/98	100	0.39	9.8	0.083	0.053	0.10
	08/06/98	42	0.29	7.0	0.12	0.13	0.59
	12/01/98	NA	NA	NA	NA	NA	NA
	02/17/99	NA	NA	NA	NA	NA	2.55
	05/13/99	NA	NA	NA	NA	NA	0.40
	11/15/99	NA	NA	NA	NA	NA	NA
TJ-4	05/21/97	NA	NA	NA	NA	NA	NA
	02/24/98	120	<0.017	8.3	0.82	1.2	0.41
	08/06/98	52	0.029	5.4	3.7	0.68	0.38
	12/01/98	NA	NA	NA	NA	NA	NA
	02/17/99	110	0.070	18	3.6	1.7	1.73
	05/13/99	82	0.033	7.7	3.9	1.3	1.02
	11/15/99	94	0.081	<1.3	6.8	1,600	0.71

(Continued)

Notes:

All results in mg/L unless otherwise noted.

mg/L: milligrams per liter

NA: Not analyzed

NS: Not sampled

Checked by: DMLApproved by: WU

TABLE 6 (Continued)

**Postremedial Natural Attenuation Groundwater Sample Laboratory Analytical Results
Meshak Blue Top EZ Mart Site
Stevens Point, Wisconsin**

Well	Date	Alkalinity	Nitrate+Nitrite	Sulfate	Diss. Iron	Diss. Manganese	Diss. Oxygen
TJ-5	05/21/97	NA	NA	NA	NA	NA	NA
	02/24/98	97	2.1	18	0.019	<0.0063	1.06
	08/06/98	36	2.5	9.7	0.022	0.087	7.63
	12/01/98	NA	NA	NA	NA	NA	NA
	02/17/99	NA	NA	NA	NA	NA	1.14
	05/13/99	NA	NA	NA	NA	NA	0.87
	11/15/99	Monitoring Well destroyed during construction of Church Street					

Notes:

All results in mg/L unless otherwise noted.

mg/L: milligrams per liter

NA: Not analyzed

Checked by: DAK

Approved by: WA