

Letter of Transmittal

Submitted to:

Matthew Vitale

WI Dept. of Natural Resources
1300 W. Clairemont Ave
Eau Claire WI 54601

Date:

10/31/2018

Attached

Job:

Lloyd's Seneca Oasis/Tootsy's Bar

Under Separate Cover

Contents:

Well Abandonment Forms
BRRTS #: 03-72-000291
PECFA#: 54489-9716-85-A

Remarks:

Attached are the well abandonment forms as requested in your email dated 10/4/18. No investigative waste remains on-site. Once this information has been reviewed, please forward the "Final Closure" letter to the Responsible Party and copy METCO.

If you have any questions please call or email.

Signed: Jason Powell

cc: Heather Gehrt - Wood County
Treasurer

METCO
709 Gillette St., Ste 3
La Crosse, WI 54603-2382
(608)781-8879 fax (608)781-8893

Notice: Completion of this report is required by chs. 160, 281, 283, 289, 291-293, 295, and 299, Wis. Stats., and ch. NR 141, Wis. Adm. Code. In accordance with chs. 281, 289, 291-293, 295, and 299, Wis. Stats., failure to file this form may result in a forfeiture of between \$10-25,000, or imprisonment for up to one year, depending on the program and conduct involved. Personally identifiable information on this form is not intended to be used for any other purpose. Return form to the appropriate DNR office and bureau. See instructions on reverse for more information.

Verification Only of Fill and Seal

Route to:

Drinking Water Watershed/Wastewater Remediation/Redevelopment

Waste Management Other: _____

1. Well Location Information **2. Facility / Owner Information**

County WOOD	WI Unique Well # of Removed Well _____VN738_____	Hicap #	Facility Name Lloyd's Seneca Oasis Betty's B
Latitude / Longitude (Degrees and Minutes) 44 ° 26 ' N 89 ° 57 ' W	Method Code (see instructions)		Facility ID (FID or PWS) 772033130
¼¼ NW ¼ SW or Gov't Lot #	Section 30	Township 23 N	Range 5 <input checked="" type="checkbox"/> E <input type="checkbox"/> W
Well Street Address 186 CTH D			Original Well Owner Wood County
Well City, Village or Town Sigel			Present Well Owner Wood County
Well ZIP Code 54489-			Mailing Address of Present Owner 400 Market Street
Subdivision Name			City of Present Owner Wisconsin Rapids
			State WI
			ZIP Code 54494-

3. Well / Drillhole / Borehole Information **4. Pump, Liner, Screen, Casing & Sealing Material**

Reason For Removal From Service Sampling Complete	WI Unique Well # of Replacement Well	Pump and piping removed? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A
<input checked="" type="checkbox"/> Monitoring Well	Original Construction Date (mm/dd/yyyy) 8/31/2015	Liner(s) removed? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A
<input type="checkbox"/> Water Well	If a Well Construction Report is available, please attach.	Screen removed? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A
<input type="checkbox"/> Borehole / Drillhole		Casing left in place? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A
Construction Type: <input checked="" type="checkbox"/> Drilled <input type="checkbox"/> Driven (Sandpoint) <input type="checkbox"/> Dug <input type="checkbox"/> Other (specify): _____		Was casing cut off below surface? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A
Formation Type: <input type="checkbox"/> Unconsolidated Formation <input checked="" type="checkbox"/> Bedrock		Did sealing material rise to surface? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A
Total Well Depth From Ground Surface (ft.) 25	Casing Diameter (in.) 2.37	Did material settle after 24 hours? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A
Lower Drillhole Diameter (in.) 6	Casing Depth (ft.) 20	If yes, was hole retopped? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A
Was well annular space grouted? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> Unknown	Depth to Water (feet) 13.88	If bentonite chips were used, were they hydrated with water from a known safe source? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A
If yes, to what depth (feet)? 16		Required Method of Placing Sealing Material <input type="checkbox"/> Conductor Pipe-Gravity <input type="checkbox"/> Conductor Pipe-Pumped <input type="checkbox"/> Screened & Poured (Bentonite Chips) <input checked="" type="checkbox"/> Other (Explain): Gravity
5. Material Used To Fill Well / Drillhole		Sealing Materials <input type="checkbox"/> Neat Cement Grout <input type="checkbox"/> Clay-Sand Slurry (11 lb./gal. wt.) <input type="checkbox"/> Sand-Cement (Concrete) Grout <input type="checkbox"/> Bentonite-Sand Slurry " " <input type="checkbox"/> Concrete <input type="checkbox"/> Bentonite Chips
From (ft.)	To (ft.)	LBS
Bentonite Chips	Surface	25
		40

6. Comments

Piezometer PZ-1

7. Supervision of Work **DNR Use Only**

Name of Person or Firm Doing Filling & Sealing Tyler Woodke (METCO)	License #	Date of Filling & Sealing (mm/dd/yyyy) 10/29/2018	Date Received	Noted By
Street or Route 709 Gillette Street, Suite #3	Telephone Number (608) 781-8879	Comments		
City La Crosse	State WI	ZIP Code 54603-	Signature of Person Doing Work <i>Tyler Woodke</i>	Date Signed 10/29/2018

Notice: Completion of this report is required by chs. 160, 281, 283, 289, 291-293, 295, and 299, Wis. Stats., and ch. NR 141, Wis. Adm. Code. In accordance with chs. 281, 289, 291-293, 295, and 299, Wis. Stats., failure to file this form may result in a forfeiture of between \$10-25,000, or imprisonment for up to one year, depending on the program and conduct involved. Personally identifiable information on this form is not intended to be used for any other purpose. Return form to the appropriate DNR office and bureau. See instructions on reverse for more information.

[X] Verification Only of Fill and Seal

Route to:
 Drinking Water Watershed/Wastewater Remediation/Redevelopment
 Waste Management Other: _____

1. Well Location Information **2. Facility / Owner Information**

County: **WOOD** WI Unique Well # of Removed Well: **VN739** Hicap # _____
 Latitude / Longitude (Degrees and Minutes): **44** ° **26** ' N Method Code (see instructions) _____
89 ° **57** ' W
 1/4 NW 1/4 SW Section: **30** Township: **23 N** Range: **5** E W
 or Gov't Lot # _____
 Well Street Address: **186 CTH D**
 Well City, Village or Town: **Sigel** Well ZIP Code: **54489-**
 Subdivision Name _____ Lot # _____

Facility Name: **Lloyd's Seneca Oasis Betty's B**
 Facility ID (FID or PWS): **772033130**
 License/Permit/Monitoring # _____
 Original Well Owner: **Wood County**
 Present Well Owner: **Wood County**
 Mailing Address of Present Owner: **400 Market Street**
 City of Present Owner: **Wisconsin Rapids** State: **WI** ZIP Code: **54494-**

Reason For Removal From Service: **Sampling Complete** WI Unique Well # of Replacement Well _____

3. Well / Drillhole / Borehole Information
 Monitoring Well Original Construction Date (mm/dd/yyyy): **8/31/2015**
 Water Well
 Borehole / Drillhole If a Well Construction Report is available, please attach. _____

Construction Type:
 Drilled Driven (Sandpoint) Dug
 Other (specify): _____

Formation Type:
 Unconsolidated Formation Bedrock

Total Well Depth From Ground Surface (ft.): **25** Casing Diameter (in.): **2.37**
 Lower Drillhole Diameter (in.): **6** Casing Depth (ft.): **20**

Was well annular space grouted? Yes No Unknown
 If yes, to what depth (feet)? **2.5** Depth to Water (feet): **8.19**

4. Pump, Liner, Screen, Casing & Sealing Material
 Pump and piping removed? Yes No N/A
 Liner(s) removed? Yes No N/A
 Screen removed? Yes No N/A
 Casing left in place? Yes No N/A
 Was casing cut off below surface? Yes No N/A
 Did sealing material rise to surface? Yes No N/A
 Did material settle after 24 hours? Yes No N/A
 If yes, was hole retopped? Yes No N/A
 If bentonite chips were used, were they hydrated with water from a known safe source? Yes No N/A

Required Method of Placing Sealing Material
 Conductor Pipe-Gravity Conductor Pipe-Pumped
 Screened & Poured (Bentonite Chips) Other (Explain): **Gravity**

Sealing Materials
 Neat Cement Grout Clay-Sand Slurry (11 lb./gal. wt.)
 Sand-Cement (Concrete) Grout Bentonite-Sand Slurry " "
 Concrete Bentonite Chips

For Monitoring Wells and Monitoring Well Boreholes Only:
 Bentonite Chips Bentonite - Cement Grout
 Granular Bentonite Bentonite - Sand Slurry

5. Material Used To Fill Well / Drillhole	From (ft.)	To (ft.)	LBS
Bentonite Chips	Surface	13	21

6. Comments
 Monitoring Well MW-1

7. Supervision of Work **DNR Use Only**

Name of Person or Firm Doing Filling & Sealing: **Tyler Woodke (METCO)** License # _____ Date of Filling & Sealing (mm/dd/yyyy): **10/29/2018** Date Received _____ Noted By _____

Street or Route: **709 Gillette Street, Suite #3** Telephone Number: **(608) 781-8879** Comments _____

City: **La Crosse** State: **WI** ZIP Code: **54603-** Signature of Person Doing Work: *Tyler Woodke* Date Signed: **10/29/2018**

Notice: Completion of this report is required by chs. 160, 281, 283, 289, 291-293, 295, and 299, Wis. Stats., and ch. NR 141, Wis. Adm. Code. In accordance with chs. 281, 289, 291-293, 295, and 299, Wis. Stats., failure to file this form may result in a forfeiture of between \$10-25,000, or imprisonment for up to one year, depending on the program and conduct involved. Personally identifiable information on this form is not intended to be used for any other purpose. Return form to the appropriate DNR office and bureau. See instructions on reverse for more information.

[X] Verification Only of Fill and Seal

Route to:

Drinking Water Watershed/Wastewater **[X]** Remediation/Redevelopment

Waste Management Other: _____

1. Well Location Information **2. Facility / Owner Information**

County WOOD	WI Unique Well # of Removed Well VN740	Hicap #	Facility Name Lloyd's Seneca Oasis Betty's B
Latitude / Longitude (Degrees and Minutes) 44 ° 26 ' N 89 ° 57 ' W		Method Code (see instructions)	Facility ID (FID or PWS) 772033130
1/4 NW or Gov't Lot #	1/4 SW	Section 30	License/Permit/Monitoring #
Township 23 N		Range 5	Original Well Owner Wood County
Well Street Address 186 CTH D		Present Well Owner Wood County	Mailing Address of Present Owner 400 Market Street
Well City, Village or Town Sigel		Well ZIP Code 54489-	City of Present Owner Wisconsin Rapids
Subdivision Name		Lot #	State WI
Reason For Removal From Service Sampling Complete		WI Unique Well # of Replacement Well	ZIP Code 54494-

3. Well / Drillhole / Borehole Information **4. Pump, Liner, Screen, Casing & Sealing Material**

<input checked="" type="checkbox"/> Monitoring Well	Original Construction Date (mm/dd/yyyy) 8/31/2015	Pump and piping removed? <input type="checkbox"/> Yes <input type="checkbox"/> No [X] N/A
<input type="checkbox"/> Water Well	If a Well Construction Report is available, please attach.	Liner(s) removed? <input type="checkbox"/> Yes <input type="checkbox"/> No [X] N/A
<input type="checkbox"/> Borehole / Drillhole		Screen removed? <input type="checkbox"/> Yes [X] No <input type="checkbox"/> N/A
Construction Type: <input checked="" type="checkbox"/> Drilled <input type="checkbox"/> Driven (Sandpoint) <input type="checkbox"/> Dug		Casing left in place? [X] Yes <input type="checkbox"/> No <input type="checkbox"/> N/A
Formation Type: <input type="checkbox"/> Unconsolidated Formation [X] Bedrock		Was casing cut off below surface? [X] Yes <input type="checkbox"/> No <input type="checkbox"/> N/A
Total Well Depth From Ground Surface (ft.) 25	Casing Diameter (in.) 2.37	Did sealing material rise to surface? [X] Yes <input type="checkbox"/> No <input type="checkbox"/> N/A
Lower Drillhole Diameter (in.) 6	Casing Depth (ft.) 20	Did material settle after 24 hours? <input type="checkbox"/> Yes [X] No <input type="checkbox"/> N/A
Was well annular space grouted? [X] Yes <input type="checkbox"/> No <input type="checkbox"/> Unknown	Depth to Water (feet) 8.89	If yes, was hole retopped? <input type="checkbox"/> Yes <input type="checkbox"/> No [X] N/A
If yes, to what depth (feet)? 2.5		If bentonite chips were used, were they hydrated with water from a known safe source? [X] Yes <input type="checkbox"/> No <input type="checkbox"/> N/A
Required Method of Placing Sealing Material		
<input type="checkbox"/> Conductor Pipe-Gravity <input type="checkbox"/> Conductor Pipe-Pumped		
<input type="checkbox"/> Screened & Poured (Bentonite Chips) [X] Other (Explain): <u>Gravity</u>		
Sealing Materials		
<input type="checkbox"/> Neat Cement Grout <input type="checkbox"/> Clay-Sand Slurry (11 lb./gal. wt.)		
<input type="checkbox"/> Sand-Cement (Concrete) Grout <input type="checkbox"/> Bentonite-Sand Slurry " "		
<input type="checkbox"/> Concrete <input type="checkbox"/> Bentonite Chips		
For Monitoring Wells and Monitoring Well Boreholes Only:		
[X] Bentonite Chips <input type="checkbox"/> Bentonite - Cement Grout		
<input type="checkbox"/> Granular Bentonite <input type="checkbox"/> Bentonite - Sand Slurry		

5. Material Used To Fill Well / Drillhole	From (ft.)	To (ft.)	LBS
Bentonite Chips	Surface	13	21

6. Comments
Monitoring Well MW-2

7. Supervision of Work			DNR Use Only	
Name of Person or Firm Doing Filling & Sealing Tyler Woodke (METCO)	License #	Date of Filling & Sealing (mm/dd/yyyy) 10/29/2018	Date Received	Noted By
Street or Route 709 Gillette Street, Suite #3		Telephone Number (608) 781-8879	Comments	
City La Crosse	State WI	ZIP Code 54603-	Signature of Person Doing Work <i>Tyler Woodke</i>	Date Signed 10/29/2018

Notice: Completion of this report is required by chs. 160, 281, 283, 289, 291-293, 295, and 299, Wis. Stats., and ch. NR 141, Wis. Adm. Code. In accordance with chs. 281, 289, 291-293, 295, and 299, Wis. Stats., failure to file this form may result in a forfeiture of between \$10-25,000, or imprisonment for up to one year, depending on the program and conduct involved. Personally identifiable information on this form is not intended to be used for any other purpose. Return form to the appropriate DNR office and bureau. See instructions on reverse for more information.

[X] Verification Only of Fill and Seal

Route to:

Drinking Water Watershed/Wastewater **[X]** Remediation/Redevelopment

Waste Management Other: _____

1. Well Location Information **2. Facility / Owner Information**

County WOOD	WI Unique Well # of Removed Well _____ VN741 _____	Hicap #	Facility Name Lloyd's Seneca Oasis Betty's B
Latitude / Longitude (Degrees and Minutes) 44 ° 26 ' N 89 ° 57 ' W	Method Code (see instructions)	Facility ID (FID or PWS) 772033130	License/Permit/Monitoring #
¼/¼ NW ¼ SW Section 30 Township 23 N Range 5 <input checked="" type="checkbox"/> E <input type="checkbox"/> W	or Gov't Lot #	Original Well Owner Wood County	Present Well Owner Wood County
Well Street Address 186 CTH D	Well City, Village or Town Sigel	Well ZIP Code 54489-	Mailing Address of Present Owner 400 Market Street
Subdivision Name	Lot #	City of Present Owner Wisconsin Rapids	State WI
			ZIP Code 54494-

3. Well / Drillhole / Borehole Information **4. Pump, Liner, Screen, Casing & Sealing Material**

Reason For Removal From Service Sampling Complete	WI Unique Well # of Replacement Well	Pump and piping removed? <input type="checkbox"/> Yes <input type="checkbox"/> No [X] N/A
<input checked="" type="checkbox"/> Monitoring Well	Original Construction Date (mm/dd/yyyy) 8/31/2015	Liner(s) removed? <input type="checkbox"/> Yes <input type="checkbox"/> No [X] N/A
<input type="checkbox"/> Water Well	If a Well Construction Report is available, please attach.	Screen removed? <input type="checkbox"/> Yes [X] No <input type="checkbox"/> N/A
<input type="checkbox"/> Borehole / Drillhole		Casing left in place? [X] Yes <input type="checkbox"/> No <input type="checkbox"/> N/A
Construction Type: <input checked="" type="checkbox"/> Drilled <input type="checkbox"/> Driven (Sandpoint) <input type="checkbox"/> Dug		Was casing cut off below surface? [X] Yes <input type="checkbox"/> No <input type="checkbox"/> N/A
<input type="checkbox"/> Other (specify): _____		Did sealing material rise to surface? [X] Yes <input type="checkbox"/> No <input type="checkbox"/> N/A
Formation Type: <input type="checkbox"/> Unconsolidated Formation <input checked="" type="checkbox"/> Bedrock		Did material settle after 24 hours? <input type="checkbox"/> Yes [X] No <input type="checkbox"/> N/A
Total Well Depth From Ground Surface (ft.) 25	Casing Diameter (in.) 2.37	If yes, was hole retopped? <input type="checkbox"/> Yes <input type="checkbox"/> No [X] N/A
Lower Drillhole Diameter (in.) 6	Casing Depth (ft.) 20	If bentonite chips were used, were they hydrated with water from a known safe source? [X] Yes <input type="checkbox"/> No <input type="checkbox"/> N/A
Was well annular space grouted? [X] Yes <input type="checkbox"/> No <input type="checkbox"/> Unknown		Required Method of Placing Sealing Material
If yes, to what depth (feet)? 2.5	Depth to Water (feet) 4.11	<input type="checkbox"/> Conductor Pipe-Gravity <input type="checkbox"/> Conductor Pipe-Pumped
		<input type="checkbox"/> Screened & Poured (Bentonite Chips) [X] Other (Explain): Gravity
		Sealing Materials
		<input type="checkbox"/> Neat Cement Grout <input type="checkbox"/> Clay-Sand Slurry (11 lb./gal. wt.)
		<input type="checkbox"/> Sand-Cement (Concrete) Grout <input type="checkbox"/> Bentonite-Sand Slurry " "
		<input type="checkbox"/> Concrete <input type="checkbox"/> Bentonite Chips
		For Monitoring Wells and Monitoring Well Boreholes Only:
		[X] Bentonite Chips <input type="checkbox"/> Bentonite - Cement Grout
		<input type="checkbox"/> Granular Bentonite <input type="checkbox"/> Bentonite - Sand Slurry

5. Material Used To Fill Well / Drillhole	From (ft.)	To (ft.)	LBS
Bentonite Chips	Surface	13	21

6. Comments

Monitoring Well MW-3

7. Supervision of Work			DNR Use Only	
Name of Person or Firm Doing Filing & Sealing Tyler Woodke (METCO)	License #	Date of Filing & Sealing (mm/dd/yyyy) 10/29/2018	Date Received	Noted By
Street or Route 709 Gillette Street, Suite #3	Telephone Number (608) 781-8879	Signature of Person Doing Work <i>Tyler Woodke</i>	Comments	
City La Crosse	State WI	ZIP Code 54603-	Date Signed 10/29/2018	

Notice: Completion of this report is required by chs. 160, 281, 283, 289, 291-293, 295, and 299, Wis. Stats., and ch. NR 141, Wis. Adm. Code. In accordance with chs. 281, 289, 291-293, 295, and 299, Wis. Stats., failure to file this form may result in a forfeiture of between \$10-25,000, or imprisonment for up to one year, depending on the program and conduct involved. Personally identifiable information on this form is not intended to be used for any other purpose. Return form to the appropriate DNR office and bureau. See instructions on reverse for more information.

[X] Verification Only of Fill and Seal

Route to:

Drinking Water Watershed/Wastewater Remediation/Redevelopment

Waste Management Other: _____

1. Well Location Information			2. Facility / Owner Information		
County WOOD	WI Unique Well # of Removed Well VN742	Hicap #	Facility Name Lloyd's Seneca Oasis Betty's B		
Latitude / Longitude (Degrees and Minutes) 44 ° 26 ' N 89 ° 57 ' W		Method Code (see instructions)	Facility ID (FID or PWS) 772033130		
¼ / ¼ NW or Gov't Lot #	¼ SW	Section 30	Township 23 N	Range 5	Original Well Owner Wood County
Well Street Address 186 CTH D		Present Well Owner Wood County			
Well City, Village or Town Sigel		Mailing Address of Present Owner 400 Market Street			
Subdivision Name		Well ZIP Code 54489-		City of Present Owner Wisconsin Rapids	State WI
		Lot #		ZIP Code 54494-	

3. Well / Drillhole / Borehole Information		4. Pump, Liner, Screen, Casing & Sealing Material			
Reason For Removal From Service Sampling Complete	WI Unique Well # of Replacement Well	Pump and piping removed?		<input type="checkbox"/> Yes	<input type="checkbox"/> No
Original Construction Date (mm/dd/yyyy) 8/31/2015		Liner(s) removed?		<input type="checkbox"/> Yes	<input type="checkbox"/> No
If a Well Construction Report is available, please attach.		Screen removed?		<input type="checkbox"/> Yes	<input checked="" type="checkbox"/> No
Construction Type: <input checked="" type="checkbox"/> Drilled <input type="checkbox"/> Driven (Sandpoint) <input type="checkbox"/> Dug <input type="checkbox"/> Other (specify): _____		Casing left in place?		<input checked="" type="checkbox"/> Yes	<input type="checkbox"/> No
Formation Type: <input type="checkbox"/> Unconsolidated Formation <input checked="" type="checkbox"/> Bedrock		Was casing cut off below surface?		<input checked="" type="checkbox"/> Yes	<input type="checkbox"/> No
Total Well Depth From Ground Surface (ft.) 25		Did sealing material rise to surface?		<input checked="" type="checkbox"/> Yes	<input type="checkbox"/> No
Casing Diameter (in.) 2.37		Did material settle after 24 hours?		<input type="checkbox"/> Yes	<input checked="" type="checkbox"/> No
Lower Drillhole Diameter (in.) 6		If yes, was hole retopped?		<input type="checkbox"/> Yes	<input type="checkbox"/> No
Casing Depth (ft.) 20		If bentonite chips were used, were they hydrated with water from a known safe source?		<input checked="" type="checkbox"/> Yes	<input type="checkbox"/> No
Was well annular space grouted? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> Unknown		Required Method of Placing Sealing Material			
If yes, to what depth (feet)? 2.5		<input type="checkbox"/> Conductor Pipe-Gravity <input type="checkbox"/> Conductor Pipe-Pumped			
Depth to Water (feet) 9.85		<input type="checkbox"/> Screened & Poured (Bentonite Chips) <input checked="" type="checkbox"/> Other (Explain): <u>Gravity</u>			

5. Material Used To Fill Well / Drillhole		From (ft.)	To (ft.)	LBS
Bentonite Chips		Surface	13	21

6. Comments

Monitoring Well MW-4

7. Supervision of Work				DNR Use Only	
Name of Person or Firm Doing Filling & Sealing Tyler Woodke (METCO)	License #	Date of Filling & Sealing (mm/dd/yyyy) 10/29/2018	Date Received	Noted By	
Street or Route 709 Gillette Street, Suite #3		Telephone Number (608) 781-8879	Comments		
City La Crosse	State WI	ZIP Code 54603-	Signature of Person Doing Work <i>Tyler Woodke</i>	Date Signed 10/29/2018	

Notice: Completion of this report is required by chs. 160, 281, 283, 289, 291-293, 295, and 299, Wis. Stats., and ch. NR 141, Wis. Adm. Code. In accordance with chs. 281, 289, 291-293, 295, and 299, Wis. Stats., failure to file this form may result in a forfeiture of between \$10-25,000, or imprisonment for up to one year, depending on the program and conduct involved. Personally identifiable information on this form is not intended to be used for any other purpose. Return form to the appropriate DNR office and bureau. See instructions on reverse for more information.

[X] Verification Only of Fill and Seal

Route to:

Drinking Water Watershed/Wastewater **[X]** Remediation/Redevelopment

Waste Management Other: _____

1. Well Location Information				2. Facility / Owner Information			
County WOOD		WI Unique Well # of Removed Well VN743	Hicap #	Facility Name Lloyd's Seneca Oasis Betty's B		Facility ID (FID or PWS) 772033130	
Latitude / Longitude (Degrees and Minutes) 44 ° 26 ' N 89 ° 57 ' W		Method Code (see instructions)		License/Permit/Monitoring #			
¼/¼ NW	¼ SW	Section 30	Township 23 N	Range 5	<input checked="" type="checkbox"/> E <input type="checkbox"/> W		Original Well Owner Wood County
Well Street Address 186 CTH D		or Gov't Lot #		Present Well Owner Wood County			
Well City, Village or Town Sigel		Well ZIP Code 54489-		Mailing Address of Present Owner 400 Market Street			
Subdivision Name		Lot #		City of Present Owner Wisconsin Rapids		State WI	ZIP Code 54494-

3. Well / Drillhole / Borehole Information		4. Pump, Liner, Screen, Casing & Sealing Material			
Reason For Removal From Service Sampling Complete	WI Unique Well # of Replacement Well	Pump and piping removed?	<input type="checkbox"/> Yes	<input type="checkbox"/> No	<input checked="" type="checkbox"/> N/A
<input checked="" type="checkbox"/> Monitoring Well	Original Construction Date (mm/dd/yyyy) 8/31/2015	Liner(s) removed?	<input type="checkbox"/> Yes	<input type="checkbox"/> No	<input checked="" type="checkbox"/> N/A
<input type="checkbox"/> Water Well	If a Well Construction Report is available, please attach.	Screen removed?	<input type="checkbox"/> Yes	<input checked="" type="checkbox"/> No	<input type="checkbox"/> N/A
<input type="checkbox"/> Borehole / Drillhole		Casing left in place?	<input checked="" type="checkbox"/> Yes	<input type="checkbox"/> No	<input type="checkbox"/> N/A
Construction Type: <input checked="" type="checkbox"/> Drilled <input type="checkbox"/> Driven (Sandpoint) <input type="checkbox"/> Dug <input type="checkbox"/> Other (specify): _____		Was casing cut off below surface?	<input checked="" type="checkbox"/> Yes	<input type="checkbox"/> No	<input type="checkbox"/> N/A
Formation Type: <input type="checkbox"/> Unconsolidated Formation <input checked="" type="checkbox"/> Bedrock		Did sealing material rise to surface?	<input checked="" type="checkbox"/> Yes	<input type="checkbox"/> No	<input type="checkbox"/> N/A
Total Well Depth From Ground Surface (ft.) 25	Casing Diameter (in.) 2.37	Did material settle after 24 hours?	<input type="checkbox"/> Yes	<input checked="" type="checkbox"/> No	<input type="checkbox"/> N/A
Lower Drillhole Diameter (in.) 6	Casing Depth (ft.) 20	If yes, was hole retopped?	<input type="checkbox"/> Yes	<input type="checkbox"/> No	<input checked="" type="checkbox"/> N/A
Was well annular space grouted?	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> Unknown	If bentonite chips were used, were they hydrated with water from a known safe source?	<input checked="" type="checkbox"/> Yes	<input type="checkbox"/> No	<input type="checkbox"/> N/A
If yes, to what depth (feet)? 2.5	Depth to Water (feet) 4.21	Required Method of Placing Sealing Material			
5. Material Used To Fill Well / Drillhole		<input type="checkbox"/> Conductor Pipe-Gravity <input type="checkbox"/> Conductor Pipe-Pumped			
Bentonite Chips		<input type="checkbox"/> Screened & Poured (Bentonite Chips) <input checked="" type="checkbox"/> Other (Explain): Gravity			
		Sealing Materials			
		<input type="checkbox"/> Neat Cement Grout <input type="checkbox"/> Clay-Sand Slurry (11 lb./gal. wt.)			
		<input type="checkbox"/> Sand-Cement (Concrete) Grout <input type="checkbox"/> Bentonite-Sand Slurry " "			
		<input type="checkbox"/> Concrete <input type="checkbox"/> Bentonite Chips			
		For Monitoring Wells and Monitoring Well Boreholes Only:			
		<input checked="" type="checkbox"/> Bentonite Chips <input type="checkbox"/> Bentonite - Cement Grout			
		<input type="checkbox"/> Granular Bentonite <input type="checkbox"/> Bentonite - Sand Slurry			

5. Material Used To Fill Well / Drillhole			From (ft.)	To (ft.)	LBS
Bentonite Chips			Surface	13	21

6. Comments
Monitoring Well MW-5

7. Supervision of Work				DNR Use Only	
Name of Person or Firm Doing Filling & Sealing Tyler Woodke (METCO)	License #	Date of Filling & Sealing (mm/dd/yyyy) 10/29/2018	Date Received	Noted By	
Street or Route 709 Gillette Street, Suite #3	Telephone Number (608) 781-8879	Comments		Signature of Person Doing Work <i>Tyler Woodke</i>	
City La Crosse	State WI	ZIP Code 54603-	Date Signed 10/29/2018		