



TETRA TECH

1837 County Hwy OO
Chippewa Falls, WI 54729-6519

(715) 832-0282
Fax (715) 832-0541

September 19, 2008



Doug Schultz
WDNR
2501 Golf Course Road
Ashland, WI 54806

Re: Laboratory results from the on and off-site private drinking wells at the Moose Junction Lounge site, 13195 State Highway 35 S, Dairyland, Douglas County, Wisconsin.
WDNR BRRTS #03-16-000301. WDCOM #54830-9999-97A.
Tetra Tech Project #1158333355.

Dear Mr. Schultz:

Enclosed are the most recent laboratory results from on and off-site potable wells at the Moose Junction Lounge site. PW-1 is a sample collected from the Moose Junction Lounge and PW-2 is a sample collected from the Swenson Residence potable well.

No volatile organic compounds (VOCs) were detected in the Moose Junction Lounge well at concentrations exceeding laboratory detection limits.

No VOCs were detected in the Swenson well at concentrations exceeding laboratory detection limits.

If you have any questions I can be reached at 715-832-0282.

Sincerely,

Michael K. Neal, Professional Hydrologist
Geomorphologist



cc: ~~Chris Saari~~, WDNR, 2501 Golf Course Road, Ashland, WI 54806

Trent E. Sprague, 2116 16 1/2 Street, Rice Lake, WI 54868-9556

David E. Blair, WDCOM, P.O. Box 8044, Madison, WI 53708-8044

Conrad E. Swenson, 2794 E. Moose Road, Dairyland, WI 54830

File

MKN:mkn

SIEMENS

September 18, 2008

Tetra Tech., Inc.
1837 County Highway 00
Chippewa Falls, WI 54729

Attn: Michael Neal

REPORT NO.: 0809234

PROJECT NO.: 1158333355 Moose Junction Lounge


Please find enclosed the analytical report, including the Sample Summary, Sample Narrative and Chain of Custody for your sample set received September 12, 2008.

All analyses were performed in accordance with NELAC Standards using approved methods as indicated on this report.

If you have any questions about the results, please call. Thank you for using Siemens Water Technologies for your analytical needs.

Sincerely,


Siemens Water Technologies



James Salkowski
Lab Director
Enviroscan Analytical™ Services

I certify that the data contained in this report has been generated and reviewed in accordance with the Siemens Water Technologies Quality Assurance Program. Exceptions, if any, are discussed in the sample narrative. Samples will be retained for 30 days from the date of this report, then disposed in an appropriate manner. Siemens Water Technologies Corp. reserves the right to return samples identified as hazardous. Release of this Final Report is authorized as verified by the following signature.

Approved by: _____



Certifications:

Wisconsin 737053130
Minnesota 055-999-302
Illinois 100317



Siemens Water Technologies Corp.

301 West Military Road
Rothschild, WI 54474

Tel: 800-338-7226
Fax: 715-355-3221

www.siemens.com/enviroscan

SIEMENS

SAMPLE SUMMARY

<u>Lab Id</u>	<u>Client</u>	<u>Sample Id</u>	<u>Date/Time</u>	<u>Matrix</u>
0809234-01	PW-1		09/10/08 13:15	Drinking Water
0809234-02	PW-2		09/10/08 13:00	Drinking Water
0809234-03	Trip Blank		09/10/08 00:00	Water

SIEMENS

Tetra Tech., Inc.
1837 County Highway 00
Chippewa Falls, WI 54729

PROJECT NO. : 1158333355 Moose Junction Lounge
REPORT NO. : 0809234
DATE REC'D 09/12/08 16:44
REPORT DATE : 09/18/08 11:00
PREPARED BY : JRS

Attn: Michael Neal

Sample ID: PW-1

Matrix: Drinking Water

Sample Date/Time: 09/10/08 13:15

Lab No. : 0809234-01

	<u>Results</u>	<u>Units</u>	<u>LOD</u>	<u>LOQ</u>	<u>Dilution Factor</u>	<u>Qualifiers</u>	<u>Date Analyzed</u>	<u>Analyst</u>
EPA 524.2								
1,1,1,2-Tetrachloroethane	ND	ug/L	0.30	1.00	1		09/17/08	MPM
1,1,1-Trichloroethane	ND	ug/L	0.20	0.67	1		09/17/08	MPM
1,1,2,2-Tetrachloroethane	ND	ug/L	0.30	1.00	1		09/17/08	MPM
1,1,2-Trichloroethane	ND	ug/L	0.30	1.00	1		09/17/08	MPM
1,1-Dichloroethane	ND	ug/L	0.20	0.67	1		09/17/08	MPM
1,1-Dichloroethylene	ND	ug/L	0.40	1.30	1		09/17/08	MPM
1,1-Dichloropropylene	ND	ug/L	0.50	1.70	1		09/17/08	MPM
1,2,3-Trichloropropane	ND	ug/L	0.60	2.00	1		09/17/08	MPM
1,2,4-Trichlorobenzene	ND	ug/L	0.50	1.70	1		09/17/08	MPM
1,2,4-Trimethylbenzene	ND	ug/L	0.20	0.67	1		09/17/08	MPM
1,2-Dichlorobenzene	ND	ug/L	0.80	2.70	1		09/17/08	MPM
1,2-Dichloroethane	ND	ug/L	0.30	1.00	1		09/17/08	MPM
1,2-Dichloropropane	ND	ug/L	0.30	1.00	1		09/17/08	MPM
1,3,5-Trimethylbenzene	ND	ug/L	0.20	0.67	1		09/17/08	MPM
1,3-Dichlorobenzene	ND	ug/L	0.20	0.67	1		09/17/08	MPM
1,3-Dichloropropane	ND	ug/L	0.20	0.67	1		09/17/08	MPM
1,4-Dichlorobenzene	ND	ug/L	0.80	2.70	1		09/17/08	MPM
2,2-Dichloropropane	ND	ug/L	1.00	3.30	1		09/17/08	MPM
2-Chlorotoluene	ND	ug/L	0.30	1.00	1		09/17/08	MPM
4-Chlorotoluene	ND	ug/L	0.30	1.00	1		09/17/08	MPM
4-Isopropyltoluene	ND	ug/L	0.20	0.67	1		09/17/08	MPM
Benzene	ND	ug/L	0.20	0.67	1		09/17/08	MPM
Bromobenzene	ND	ug/L	0.20	0.67	1		09/17/08	MPM
Bromodichloromethane	ND	ug/L	0.40	1.30	1		09/17/08	MPM
Bromoform	ND	ug/L	0.20	0.67	1		09/17/08	MPM
Bromomethane	ND	ug/L	1.00	3.33	1		09/17/08	MPM
Carbon Tetrachloride	ND	ug/L	0.30	1.00	1		09/17/08	MPM
Chlorobenzene	ND	ug/L	0.10	0.50	1		09/17/08	MPM
Chloroethane	ND	ug/L	0.60	2.00	1		09/17/08	MPM
Chloroform	ND	ug/L	0.20	0.67	1		09/17/08	MPM
Chloromethane	ND	ug/L	0.40	1.30	1		09/17/08	MPM
cis-1,2-Dichloroethylene	ND	ug/L	0.30	1.00	1		09/17/08	MPM
cis-1,3-Dichloropropylene	ND	ug/L	0.20	0.67	1		09/17/08	MPM
Dibromochloromethane	ND	ug/L	0.20	0.67	1		09/17/08	MPM
Dibromomethane	ND	ug/L	0.30	1.00	1		09/17/08	MPM
Dichlorodifluoromethane	ND	ug/L	0.30	1.00	1		09/17/08	MPM

SIEMENS

Tetra Tech., Inc.
1837 County Highway 00
Chippewa Falls, WI 54729

PROJECT NO. : 1158333355 Moose Junction Lounge
REPORT NO. : 0809234
DATE REC'D 09/12/08 16:44
REPORT DATE : 09/18/08 11:00
PREPARED BY : JRS

Attn: Michael Neal

Sample ID: PW-1

Matrix: Drinking Water

Sample Date/Time: 09/10/08 13:15

Lab No. : 0809234-01

	<u>Results</u>	<u>Units</u>	<u>LOD</u>	<u>LOQ</u>	<u>Dilution</u> <u>Factor</u>	<u>Qualifiers</u>	<u>Date</u> <u>Analyzed</u>	<u>Analyst</u>
<u>EPA 524.2 Continued</u>								
Ethylbenzene	ND	ug/L	0.20	0.67	1		09/17/08	MPM
Hexachlorobutadiene	ND	ug/L	1.00	3.30	1		09/17/08	MPM
Isopropylbenzene (Cumene)	ND	ug/L	0.10	0.50	1		09/17/08	MPM
Methylene Chloride	ND	ug/L	0.40	1.30	1		09/17/08	MPM
Methyl-tert-Butyl Ether	ND	ug/L	0.50	1.70	1		09/17/08	MPM
Naphthalene	ND	ug/L	1.00	3.30	1		09/17/08	MPM
Styrene	ND	ug/L	0.10	0.50	1		09/17/08	MPM
Tetrachloroethene	ND	ug/L	0.30	1.00	1		09/17/08	MPM
Toluene	ND	ug/L	0.40	1.30	1		09/17/08	MPM
trans-1,2-Dichloroethylene	ND	ug/L	0.20	0.67	1		09/17/08	MPM
trans-1,3-Dichloropropylene	ND	ug/L	0.40	1.30	1		09/17/08	MPM
Trichloroethene	ND	ug/L	0.40	1.30	1		09/17/08	MPM
Vinyl chloride	ND	ug/L	0.20	0.67	1		09/17/08	MPM
Xylenes, (Total)	ND	ug/L	1.00	1.00	1		09/17/08	MPM

SIEMENS

Tetra Tech., Inc.
1837 County Highway 00
Chippewa Falls, WI 54729

PROJECT NO. : 1158333355 Moose Junction Lounge
REPORT NO. : 0809234
DATE REC'D 09/12/08 16:44
REPORT DATE : 09/18/08 11:00
PREPARED BY : JRS

Attn: Michael Neal

Sample ID: PW-2

Matrix: Drinking Water

Sample Date/Time: 09/10/08 13:00

Lab No. : 0809234-02

	<u>Results</u>	<u>Units</u>	<u>LOD</u>	<u>LOQ</u>	<u>Dilution</u> <u>Factor</u>	<u>Qualifiers</u>	<u>Date</u> <u>Analyzed</u>	<u>Analyst</u>
EPA 524.2								
1,1,1,2-Tetrachloroethane	ND	ug/L	0.30	1.00	1		09/17/08	MPM
1,1,1-Trichloroethane	ND	ug/L	0.20	0.67	1		09/17/08	MPM
1,1,2,2-Tetrachloroethane	ND	ug/L	0.30	1.00	1		09/17/08	MPM
1,1,2-Trichloroethane	ND	ug/L	0.30	1.00	1		09/17/08	MPM
1,1-Dichloroethane	ND	ug/L	0.20	0.67	1		09/17/08	MPM
1,1-Dichloroethylene	ND	ug/L	0.40	1.30	1		09/17/08	MPM
1,1-Dichloropropylene	ND	ug/L	0.50	1.70	1		09/17/08	MPM
1,2,3-Trichloropropane	ND	ug/L	0.60	2.00	1		09/17/08	MPM
1,2,4-Trichlorobenzene	ND	ug/L	0.50	1.70	1		09/17/08	MPM
1,2,4-Trimethylbenzene	ND	ug/L	0.20	0.67	1		09/17/08	MPM
1,2-Dichlorobenzene	ND	ug/L	0.80	2.70	1		09/17/08	MPM
1,2-Dichloroethane	ND	ug/L	0.30	1.00	1		09/17/08	MPM
1,2-Dichloropropane	ND	ug/L	0.30	1.00	1		09/17/08	MPM
1,3,5-Trimethylbenzene	ND	ug/L	0.20	0.67	1		09/17/08	MPM
1,3-Dichlorobenzene	ND	ug/L	0.20	0.67	1		09/17/08	MPM
1,3-Dichloropropane	ND	ug/L	0.20	0.67	1		09/17/08	MPM
1,4-Dichlorobenzene	ND	ug/L	0.80	2.70	1		09/17/08	MPM
2,2-Dichloropropane	ND	ug/L	1.00	3.30	1		09/17/08	MPM
2-Chlorotoluene	ND	ug/L	0.30	1.00	1		09/17/08	MPM
4-Chlorotoluene	ND	ug/L	0.30	1.00	1		09/17/08	MPM
4-Isopropyltoluene	ND	ug/L	0.20	0.67	1		09/17/08	MPM
Benzene	ND	ug/L	0.20	0.67	1		09/17/08	MPM
Bromobenzene	ND	ug/L	0.20	0.67	1		09/17/08	MPM
Bromodichloromethane	ND	ug/L	0.40	1.30	1		09/17/08	MPM
Bromoform	ND	ug/L	0.20	0.67	1		09/17/08	MPM
Bromomethane	ND	ug/L	1.00	3.33	1		09/17/08	MPM
Carbon Tetrachloride	ND	ug/L	0.30	1.00	1		09/17/08	MPM
Chlorobenzene	ND	ug/L	0.10	0.50	1		09/17/08	MPM
Chloroethane	ND	ug/L	0.60	2.00	1		09/17/08	MPM
Chloroform	ND	ug/L	0.20	0.67	1		09/17/08	MPM
Chloromethane	ND	ug/L	0.40	1.30	1		09/17/08	MPM
cis-1,2-Dichloroethylene	ND	ug/L	0.30	1.00	1		09/17/08	MPM
cis-1,3-Dichloropropylene	ND	ug/L	0.20	0.67	1		09/17/08	MPM
Dibromochloromethane	ND	ug/L	0.20	0.67	1		09/17/08	MPM
Dibromomethane	ND	ug/L	0.30	1.00	1		09/17/08	MPM
Dichlorodifluoromethane	ND	ug/L	0.30	1.00	1		09/17/08	MPM

SIEMENS

Tetra Tech., Inc.
 1837 County Highway 00
 Chippewa Falls, WI 54729

PROJECT NO. : 1158333355 Moose Junction Lounge
 REPORT NO. : 0809234
 DATE REC'D 09/12/08 16:44
 REPORT DATE : 09/18/08 11:00
 PREPARED BY : JRS

Attn: Michael Neal

Sample ID: PW-2

Matrix: Drinking Water

Sample Date/Time: 09/10/08 13:00

Lab No. : 0809234-02

	<u>Results</u>	<u>Units</u>	<u>LOD</u>	<u>LOQ</u>	<u>Dilution Factor</u>	<u>Qualifiers</u>	<u>Date Analyzed</u>	<u>Analyst</u>
<u>EPA 524.2 Continued</u>								
Ethylbenzene	ND	ug/L	0.20	0.67	1		09/17/08	MPM
Hexachlorobutadiene	ND	ug/L	1.00	3.30	1		09/17/08	MPM
Isopropylbenzene (Cumene)	ND	ug/L	0.10	0.50	1		09/17/08	MPM
Methylene Chloride	ND	ug/L	0.40	1.30	1		09/17/08	MPM
Methyl-tert-Butyl Ether	ND	ug/L	0.50	1.70	1		09/17/08	MPM
Naphthalene	ND	ug/L	1.00	3.30	1		09/17/08	MPM
Styrene	ND	ug/L	0.10	0.50	1		09/17/08	MPM
Tetrachloroethene	ND	ug/L	0.30	1.00	1		09/17/08	MPM
Toluene	ND	ug/L	0.40	1.30	1		09/17/08	MPM
trans-1,2-Dichloroethylene	ND	ug/L	0.20	0.67	1		09/17/08	MPM
trans-1,3-Dichloropropylene	ND	ug/L	0.40	1.30	1		09/17/08	MPM
Trichloroethene	ND	ug/L	0.40	1.30	1		09/17/08	MPM
Vinyl chloride	ND	ug/L	0.20	0.67	1		09/17/08	MPM
Xylenes, (Total)	ND	ug/L	1.00	1.00	1		09/17/08	MPM

SIEMENS

Tetra Tech., Inc.
1837 County Highway 00
Chippewa Falls, WI 54729

PROJECT NO. : 1158333355 Moose Junction Lounge
REPORT NO. : 0809234
DATE REC'D 09/12/08 16:44
REPORT DATE : 09/18/08 11:00
PREPARED BY : JRS

Attn: Michael Neal

Sample ID: Trip Blank

Matrix: Water

Sample Date/Time: 09/10/08 0:00

Lab No. : 0809234-03

	<u>Results</u>	<u>Units</u>	<u>LOD</u>	<u>LOQ</u>	<u>Dilution Factor</u>	<u>Qualifiers</u>	<u>Date Analyzed</u>	<u>Analyst</u>
EPA 524.2								
1,1,1,2-Tetrachloroethane	ND	ug/L	0.30	1.00	1		09/17/08	MPM
1,1,1-Trichloroethane	ND	ug/L	0.20	0.67	1		09/17/08	MPM
1,1,2,2-Tetrachloroethane	ND	ug/L	0.30	1.00	1		09/17/08	MPM
1,1,2-Trichloroethane	ND	ug/L	0.30	1.00	1		09/17/08	MPM
1,1-Dichloroethane	ND	ug/L	0.20	0.67	1		09/17/08	MPM
1,1-Dichloroethylene	ND	ug/L	0.40	1.30	1		09/17/08	MPM
1,1-Dichloropropylene	ND	ug/L	0.50	1.70	1		09/17/08	MPM
1,2,3-Trichloropropane	ND	ug/L	0.60	2.00	1		09/17/08	MPM
1,2,4-Trichlorobenzene	ND	ug/L	0.50	1.70	1		09/17/08	MPM
1,2,4-Trimethylbenzene	ND	ug/L	0.20	0.67	1		09/17/08	MPM
1,2-Dichlorobenzene	ND	ug/L	0.80	2.70	1		09/17/08	MPM
1,2-Dichloroethane	ND	ug/L	0.30	1.00	1		09/17/08	MPM
1,2-Dichloropropane	ND	ug/L	0.30	1.00	1		09/17/08	MPM
1,3,5-Trimethylbenzene	ND	ug/L	0.20	0.67	1		09/17/08	MPM
1,3-Dichlorobenzene	ND	ug/L	0.20	0.67	1		09/17/08	MPM
1,3-Dichloropropane	ND	ug/L	0.20	0.67	1		09/17/08	MPM
1,4-Dichlorobenzene	ND	ug/L	0.80	2.70	1		09/17/08	MPM
2,2-Dichloropropane	ND	ug/L	1.00	3.30	1		09/17/08	MPM
2-Chlorotoluene	ND	ug/L	0.30	1.00	1		09/17/08	MPM
4-Chlorotoluene	ND	ug/L	0.30	1.00	1		09/17/08	MPM
4-Isopropyltoluene	ND	ug/L	0.20	0.67	1		09/17/08	MPM
Benzene	ND	ug/L	0.20	0.67	1		09/17/08	MPM
Bromobenzene	ND	ug/L	0.20	0.67	1		09/17/08	MPM
Bromodichloromethane	ND	ug/L	0.40	1.30	1		09/17/08	MPM
Bromoform	ND	ug/L	0.20	0.67	1		09/17/08	MPM
Bromomethane	ND	ug/L	1.00	3.33	1		09/17/08	MPM
Carbon Tetrachloride	ND	ug/L	0.30	1.00	1		09/17/08	MPM
Chlorobenzene	ND	ug/L	0.10	0.50	1		09/17/08	MPM
Chloroethane	ND	ug/L	0.60	2.00	1		09/17/08	MPM
Chloroform	ND	ug/L	0.20	0.67	1		09/17/08	MPM
Chloromethane	ND	ug/L	0.40	1.30	1		09/17/08	MPM
cis-1,2-Dichloroethylene	ND	ug/L	0.30	1.00	1		09/17/08	MPM
cis-1,3-Dichloropropylene	ND	ug/L	0.20	0.67	1		09/17/08	MPM
Dibromochloromethane	ND	ug/L	0.20	0.67	1		09/17/08	MPM
Dibromomethane	ND	ug/L	0.30	1.00	1		09/17/08	MPM
Dichlorodifluoromethane	ND	ug/L	0.30	1.00	1		09/17/08	MPM

SIEMENS

Tetra Tech., Inc.
1837 County Highway 00
Chippewa Falls, WI 54729

PROJECT NO. : 1158333355 Moose Junction Lounge
REPORT NO. : 0809234
DATE REC'D 09/12/08 16:44
REPORT DATE : 09/18/08 11:00
PREPARED BY : JRS

Attn: Michael Neal

Sample ID: Trip Blank

Matrix: Water

Sample Date/Time: 09/10/08 0:00

Lab No. : 0809234-03

	<u>Results</u>	<u>Units</u>	<u>LOD</u>	<u>LOQ</u>	<u>Dilution Factor</u>	<u>Qualifiers</u>	<u>Date Analyzed</u>	<u>Analyst</u>
<u>EPA 524.2 Continued</u>								
Ethylbenzene	ND	ug/L	0.20	0.67	1		09/17/08	MPM
Hexachlorobutadiene	ND	ug/L	1.00	3.30	1		09/17/08	MPM
Isopropylbenzene (Cumene)	ND	ug/L	0.10	0.50	1		09/17/08	MPM
Methylene Chloride	ND	ug/L	0.40	1.30	1		09/17/08	MPM
Methyl-tert-Butyl Ether	ND	ug/L	0.50	1.70	1		09/17/08	MPM
Naphthalene	ND	ug/L	1.00	3.30	1		09/17/08	MPM
Styrene	ND	ug/L	0.10	0.50	1		09/17/08	MPM
Tetrachloroethene	ND	ug/L	0.30	1.00	1		09/17/08	MPM
Toluene	ND	ug/L	0.40	1.30	1		09/17/08	MPM
trans-1,2-Dichloroethylene	ND	ug/L	0.20	0.67	1		09/17/08	MPM
trans-1,3-Dichloropropylene	ND	ug/L	0.40	1.30	1		09/17/08	MPM
Trichloroethene	ND	ug/L	0.40	1.30	1		09/17/08	MPM
Vinyl chloride	ND	ug/L	0.20	0.67	1		09/17/08	MPM
Xylenes, (Total)	ND	ug/L	1.00	1.00	1		09/17/08	MPM

SIEMENS

Qualifier Descriptions

LOD = Limit of Detection (Dilution Corrected)
LOQ = Limit of Quantitation (Dilution Corrected)
ND = Not Detected
COMP = Complete
SUBCON = Subcontracted analysis
mv = millivolts
pci/L = picocuries per Liter
mL/L = milliliters per Liter
mg = milligram

When the word "dry" follows the units on the result page the sample results are dry weight corrected.

LODs and LOQs are dry weight corrected for all soils except WI GRO, EPA 8021 and WI DNR/EPA 8260B methanol and WI DNR methylene chloride preserved soils being reported to the State of Wisconsin.

Definitions

ug/l = Micrograms per Liter = parts per billion (ppb)
ug/kg = Micrograms per kilogram = parts per billion (ppb)
mg/l = Milligrams per liter = parts per million (ppm)
mg/kg = Milligrams per kilogram = parts per million (ppm)
NOT PRES = Not Present
ppth = Parts per thousand
* = Result outside established limits.
mg/m³ = Milligrams per meter cubed
ng/L = Nanograms per Liter = Parts per trillion (ppt)
> = Greater Than

State of Wisconsin Methanol Soils for WI GRO, WI DNR/EPA 8260B and EPA 8021 are reported to the LOQ.

SIEMENS

Company Name Tetra Tech	Project Moose Junction Lounge 115 833 3355	
Report Mailing Address 1837 cth 00 CF 54729	Contact Name, Phone, Fax, Email Michael Neal@tetratech.com	
Invoice Address	Purchase Order #	Invoice Contact and Phone No.

Matrix: Drinking Water Groundwater Wastewater Soil/Solid Other: _____

Wis. PECFA Project subject to U&C? Yes No

For Compliance Monitoring? Yes No State: _____
(If Yes, please specify Agency or Regulation) Agency/Reg.: _____

Turnaround Request: Normal (10 Bus. Days)
 Rush (Must be pre-approved by Lab and is subject to surcharges)
Date Needed: _____

WO No. 0809234

Analyses Requested										Lab Use Only		
UOC 5d4.d										Delivered by	Walk-in	Courier
										Ship. Cont. Ok?	<input checked="" type="checkbox"/> Y	<input type="checkbox"/> N NA
										Samples Leaking?	<input type="checkbox"/> Y	<input checked="" type="checkbox"/> N NA
										Seals OK?	<input checked="" type="checkbox"/> Y	<input type="checkbox"/> N NA
										Rec'd on Ice?	<input checked="" type="checkbox"/> Y	<input type="checkbox"/> N NA
Sample Receiving Comments: 2.4												
Comments												

Lab Use Only	Sample		No. of Containers		Sample ID							
	Date	Time	Comp	Grab								
-1	9/10/08	1:15		3	PW-1	X						30.26 t/c
-2	I	1:00		3	PW-2	X						↓
-3	I	-		2	Trip Blk	X						2.2 at t/c; Clients TB, no info

Chain of Custody Record

Relinquished By:	Date	Time	Received By:
<i>Michael Neal</i>	9/11/08	3:30	<i>Dunkley</i>
	9/24/08	1644	<i>Jessie Ascole</i>