



TETRA TECH

1837 County Hwy OO
Chippewa Falls, WI 54729-6519

(715) 832-0282
Fax (715) 832-0541



January 8, 2009

Doug Schultz
WDNR
2501 Golf Course Road
Ashland, WI 54806

Re: Laboratory results from the on and off-site private drinking wells at the Moose Junction Lounge site, 13195 State Highway 35 S, Dairyland, Douglas County, Wisconsin. **WDNR BRRTS #03-16-000301**. WDCOM #54830-9999-97A. Tetra Tech Project #1158333355.

Dear Mr. Schultz:

Enclosed are the most recent laboratory results from on and off-site potable wells at the Moose Junction Lounge site. PW-1 is a sample collected from the Moose Junction Lounge and PW-2 is a sample collected from the Swenson Residence potable well.

Chloromethane (0.45 parts per billion [ppb]) was detected in the Moose Junction Lounge well. This concentration is an estimated value below laboratory quantitation levels.

No volatile organic compounds (VOCs) were detected in the Swenson well at concentrations exceeding laboratory detection limits.

If you have any questions I can be reached at 715-832-0282.

Sincerely,

Michael K. Neal, Professional Hydrologist
Geomorphologist



cc: ~~Chris Saari, WDNR, 2501 Golf Course Road, Ashland, WI 54806~~

Trent E. Sprague, 2116 16 1/2 Street, Rice Lake, WI 54868-9556

David E. Blair, WDCOM, P.O. Box 8044, Madison, WI 53708-8044

Conrad E. Swenson, 2794 E. Moose Road, Dairyland, WI 54830

File

MKN:mkn

SIEMENS

January 07, 2009

Tetra Tech., Inc.
1837 County Highway 00
Chippewa Falls, WI 54729

Attn: Michael Neal

REPORT NO.: 0812462

PROJECT NO.: 1158333355 Moose Jnt Lounge


Please find enclosed the analytical report, including the Sample Summary, Sample Narrative and Chain of Custody for your sample set received December 30, 2008.

All analyses were performed in accordance with NELAC Standards using approved methods as indicated on this report.

If you have any questions about the results, please call. Thank you for using Siemens Water Technologies for your analytical needs.

Sincerely,


Siemens Water Technologies



James Salkowski
Lab Director
Enviroscan Analytical™ Services

I certify that the data contained in this report has been generated and reviewed in accordance with the Siemens Water Technologies Quality Assurance Program. Exceptions, if any, are discussed in the sample narrative. Samples will be retained for 30 days from the date of this report, then disposed in an appropriate manner. Siemens Water Technologies Corp. reserves the right to return samples identified as hazardous. Release of this Final Report is authorized as verified by the following signature.

Approved by: _____



Certifications:

Wisconsin 737053130
Minnesota 055-999-302
Illinois 100317



Siemens Water Technologies Corp.

301 West Military Road
Rothschild, WI 54474

Tel: 800-338-7226
Fax: 715-355-3221
www.siemens.com/enviroscan

SIEMENS

SAMPLE SUMMARY

<u>Lab Id</u>	<u>Client</u>	<u>Sample Id</u>	<u>Date/Time</u>	<u>Matrix</u>
0812462-01	PW-1		12/18/08 10:30	Drinking Water
0812462-02	PW-2		12/18/08 10:00	Drinking Water
0812462-03	Trip Blank		12/18/08 00:00	Water

SIEMENS

Tetra Tech., Inc.
1837 County Highway 00
Chippewa Falls, WI 54729

PROJECT NO. : 1158333355 Moose Jnt Lounge
REPORT NO. : 0812462
DATE REC'D 12/30/08 16:30
REPORT DATE : 01/07/09 10:53
PREPARED BY : JRS

Attn: Michael Neal

Sample ID: PW-1

Matrix: Drinking Water

Sample Date/Time: 12/18/08 10:30

Lab No. : 0812462-01

	<u>Results</u>	<u>Units</u>	<u>LOD</u>	<u>LOQ</u>	<u>Dilution</u> <u>Factor</u>	<u>Qualifiers</u>	<u>Date</u> <u>Analyzed</u>	<u>Analyst</u>
EPA 524.2								
1,1,1,2-Tetrachloroethane	ND	ug/L	0.30	1.00	1		01/05/09	MRD
1,1,1-Trichloroethane	ND	ug/L	0.20	0.67	1		01/05/09	MRD
1,1,2,2-Tetrachloroethane	ND	ug/L	0.30	1.00	1		01/05/09	MRD
1,1,2-Trichloroethane	ND	ug/L	0.30	1.00	1		01/05/09	MRD
1,1-Dichloroethane	ND	ug/L	0.20	0.67	1		01/05/09	MRD
1,1-Dichloroethylene	ND	ug/L	0.40	1.30	1		01/05/09	MRD
1,1-Dichloropropylene	ND	ug/L	0.50	1.70	1		01/05/09	MRD
1,2,3-Trichloropropane	ND	ug/L	0.60	2.00	1		01/05/09	MRD
1,2,4-Trichlorobenzene	ND	ug/L	0.50	1.70	1		01/05/09	MRD
1,2,4-Trimethylbenzene	ND	ug/L	0.20	0.67	1		01/05/09	MRD
1,2-Dichlorobenzene	ND	ug/L	0.80	2.70	1		01/05/09	MRD
1,2-Dichloroethane	ND	ug/L	0.30	1.00	1		01/05/09	MRD
1,2-Dichloropropane	ND	ug/L	0.30	1.00	1		01/05/09	MRD
1,3,5-Trimethylbenzene	ND	ug/L	0.20	0.67	1		01/05/09	MRD
1,3-Dichlorobenzene	ND	ug/L	0.20	0.67	1		01/05/09	MRD
1,3-Dichloropropane	ND	ug/L	0.20	0.67	1		01/05/09	MRD
1,4-Dichlorobenzene	ND	ug/L	0.80	2.70	1		01/05/09	MRD
2,2-Dichloropropane	ND	ug/L	1.00	3.30	1		01/05/09	MRD
2-Chlorotoluene	ND	ug/L	0.30	1.00	1		01/05/09	MRD
4-Chlorotoluene	ND	ug/L	0.30	1.00	1		01/05/09	MRD
4-Isopropyltoluene	ND	ug/L	0.20	0.67	1		01/05/09	MRD
Benzene	ND	ug/L	0.20	0.67	1		01/05/09	MRD
Bromobenzene	ND	ug/L	0.20	0.67	1		01/05/09	MRD
Bromodichloromethane	ND	ug/L	0.40	1.30	1		01/05/09	MRD
Bromoform	ND	ug/L	0.20	0.67	1		01/05/09	MRD
Bromomethane	ND	ug/L	1.00	3.33	1		01/05/09	MRD
Carbon Tetrachloride	ND	ug/L	0.30	1.00	1		01/05/09	MRD
Chlorobenzene	ND	ug/L	0.10	0.50	1		01/05/09	MRD
Chloroethane	ND	ug/L	0.60	2.00	1		01/05/09	MRD
Chloroform	ND	ug/L	0.20	0.67	1		01/05/09	MRD
Chloromethane	0.45	ug/L	0.40	1.30	1	J	01/05/09	MRD
cis-1,2-Dichloroethylene	ND	ug/L	0.30	1.00	1		01/05/09	MRD
cis-1,3-Dichloropropylene	ND	ug/L	0.20	0.67	1		01/05/09	MRD
Dibromochloromethane	ND	ug/L	0.20	0.67	1		01/05/09	MRD
Dibromomethane	ND	ug/L	0.30	1.00	1		01/05/09	MRD
Dichlorodifluoromethane	ND	ug/L	0.30	1.00	1		01/05/09	MRD

SIEMENS

Tetra Tech., Inc.
1837 County Highway 00
Chippewa Falls, WI 54729

PROJECT NO. : 1158333355 Moose Jnt Lounge
REPORT NO. : 0812462
DATE REC'D 12/30/08 16:30
REPORT DATE : 01/07/09 10:53
PREPARED BY : JRS

Attn: Michael Neal

Sample ID: PW-1

Matrix: Drinking Water

Sample Date/Time: 12/18/08 10:30

Lab No. : 0812462-01

	<u>Results</u>	<u>Units</u>	<u>LOD</u>	<u>LOQ</u>	<u>Dilution</u> <u>Factor</u>	<u>Qualifiers</u>	<u>Date</u> <u>Analyzed</u>	<u>Analyst</u>
<u>EPA 524.2 Continued</u>								
Ethylbenzene	ND	ug/L	0.20	0.67	1		01/05/09	MRD
Hexachlorobutadiene	ND	ug/L	1.00	3.30	1		01/05/09	MRD
Isopropylbenzene (Cumene)	ND	ug/L	0.10	0.50	1		01/05/09	MRD
Methylene Chloride	ND	ug/L	0.40	1.30	1		01/05/09	MRD
Methyl-tert-Butyl Ether	ND	ug/L	0.50	1.70	1		01/05/09	MRD
Naphthalene	ND	ug/L	1.00	3.30	1		01/05/09	MRD
Styrene	ND	ug/L	0.10	0.50	1		01/05/09	MRD
Tetrachloroethene	ND	ug/L	0.30	1.00	1		01/05/09	MRD
Toluene	ND	ug/L	0.40	1.30	1		01/05/09	MRD
trans-1,2-Dichloroethylene	ND	ug/L	0.20	0.67	1		01/05/09	MRD
trans-1,3-Dichloropropylene	ND	ug/L	0.40	1.30	1		01/05/09	MRD
Trichloroethene	ND	ug/L	0.40	1.30	1		01/05/09	MRD
Vinyl chloride	ND	ug/L	0.20	0.67	1		01/05/09	MRD
Xylenes, (Total)	ND	ug/L	1.00	1.00	1		01/05/09	MRD

SIEMENS

Tetra Tech., Inc.
1837 County Highway 00
Chippewa Falls, WI 54729

PROJECT NO. : 1158333355 Moose Jnt Lounge
REPORT NO. : 0812462
DATE REC'D 12/30/08 16:30
REPORT DATE : 01/07/09 10:53
PREPARED BY : JRS

Attn: Michael Neal

Sample ID: PW-2

Matrix: Drinking Water

Sample Date/Time: 12/18/08 10:00

Lab No. : 0812462-02

	<u>Results</u>	<u>Units</u>	<u>LOD</u>	<u>LOQ</u>	<u>Dilution Factor</u>	<u>Qualifiers</u>	<u>Date Analyzed</u>	<u>Analyst</u>
<u>EPA 524.2</u>								
1,1,1,2-Tetrachloroethane	ND	ug/L	0.30	1.00	1		01/05/09	MRD
1,1,1-Trichloroethane	ND	ug/L	0.20	0.67	1		01/05/09	MRD
1,1,2,2-Tetrachloroethane	ND	ug/L	0.30	1.00	1		01/05/09	MRD
1,1,2-Trichloroethane	ND	ug/L	0.30	1.00	1		01/05/09	MRD
1,1-Dichloroethane	ND	ug/L	0.20	0.67	1		01/05/09	MRD
1,1-Dichloroethylene	ND	ug/L	0.40	1.30	1		01/05/09	MRD
1,1-Dichloropropylene	ND	ug/L	0.50	1.70	1		01/05/09	MRD
1,2,3-Trichloropropane	ND	ug/L	0.60	2.00	1		01/05/09	MRD
1,2,4-Trichlorobenzene	ND	ug/L	0.50	1.70	1		01/05/09	MRD
1,2,4-Trimethylbenzene	ND	ug/L	0.20	0.67	1		01/05/09	MRD
1,2-Dichlorobenzene	ND	ug/L	0.80	2.70	1		01/05/09	MRD
1,2-Dichloroethane	ND	ug/L	0.30	1.00	1		01/05/09	MRD
1,2-Dichloropropane	ND	ug/L	0.30	1.00	1		01/05/09	MRD
1,3,5-Trimethylbenzene	ND	ug/L	0.20	0.67	1		01/05/09	MRD
1,3-Dichlorobenzene	ND	ug/L	0.20	0.67	1		01/05/09	MRD
1,3-Dichloropropane	ND	ug/L	0.20	0.67	1		01/05/09	MRD
1,4-Dichlorobenzene	ND	ug/L	0.80	2.70	1		01/05/09	MRD
2,2-Dichloropropane	ND	ug/L	1.00	3.30	1		01/05/09	MRD
2-Chlorotoluene	ND	ug/L	0.30	1.00	1		01/05/09	MRD
4-Chlorotoluene	ND	ug/L	0.30	1.00	1		01/05/09	MRD
4-Isopropyltoluene	ND	ug/L	0.20	0.67	1		01/05/09	MRD
Benzene	ND	ug/L	0.20	0.67	1		01/05/09	MRD
Bromobenzene	ND	ug/L	0.20	0.67	1		01/05/09	MRD
Bromodichloromethane	ND	ug/L	0.40	1.30	1		01/05/09	MRD
Bromoform	ND	ug/L	0.20	0.67	1		01/05/09	MRD
Bromomethane	ND	ug/L	1.00	3.33	1		01/05/09	MRD
Carbon Tetrachloride	ND	ug/L	0.30	1.00	1		01/05/09	MRD
Chlorobenzene	ND	ug/L	0.10	0.50	1		01/05/09	MRD
Chloroethane	ND	ug/L	0.60	2.00	1		01/05/09	MRD
Chloroform	ND	ug/L	0.20	0.67	1		01/05/09	MRD
Chloromethane	ND	ug/L	0.40	1.30	1		01/05/09	MRD
cis-1,2-Dichloroethylene	ND	ug/L	0.30	1.00	1		01/05/09	MRD
cis-1,3-Dichloropropylene	ND	ug/L	0.20	0.67	1		01/05/09	MRD
Dibromochloromethane	ND	ug/L	0.20	0.67	1		01/05/09	MRD
Dibromomethane	ND	ug/L	0.30	1.00	1		01/05/09	MRD
Dichlorodifluoromethane	ND	ug/L	0.30	1.00	1		01/05/09	MRD

SIEMENS

Tetra Tech., Inc.
1837 County Highway 00
Chippewa Falls, WI 54729

PROJECT NO. : 1158333355 Moose Jnt Lounge
REPORT NO. : 0812462
DATE REC'D 12/30/08 16:30
REPORT DATE : 01/07/09 10:53
PREPARED BY : JRS

Attn: Michael Neal

Sample ID: PW-2

Matrix: Drinking Water

Sample Date/Time: 12/18/08 10:00

Lab No. : 0812462-02

	<u>Results</u>	<u>Units</u>	<u>LOD</u>	<u>LOQ</u>	<u>Dilution</u> <u>Factor</u>	<u>Qualifiers</u>	<u>Date</u> <u>Analyzed</u>	<u>Analyst</u>
<u>EPA 524.2 Continued</u>								
Ethylbenzene	ND	ug/L	0.20	0.67	1		01/05/09	MRD
Hexachlorobutadiene	ND	ug/L	1.00	3.30	1		01/05/09	MRD
Isopropylbenzene (Cumene)	ND	ug/L	0.10	0.50	1		01/05/09	MRD
Methylene Chloride	ND	ug/L	0.40	1.30	1		01/05/09	MRD
Methyl-tert-Butyl Ether	ND	ug/L	0.50	1.70	1		01/05/09	MRD
Naphthalene	ND	ug/L	1.00	3.30	1		01/05/09	MRD
Styrene	ND	ug/L	0.10	0.50	1		01/05/09	MRD
Tetrachloroethene	ND	ug/L	0.30	1.00	1		01/05/09	MRD
Toluene	ND	ug/L	0.40	1.30	1		01/05/09	MRD
trans-1,2-Dichloroethylene	ND	ug/L	0.20	0.67	1		01/05/09	MRD
trans-1,3-Dichloropropylene	ND	ug/L	0.40	1.30	1		01/05/09	MRD
Trichloroethene	ND	ug/L	0.40	1.30	1		01/05/09	MRD
Vinyl chloride	ND	ug/L	0.20	0.67	1		01/05/09	MRD
Xylenes, (Total)	ND	ug/L	1.00	1.00	1		01/05/09	MRD

SIEMENS

Tetra Tech., Inc.
1837 County Highway 00
Chippewa Falls, WI 54729

PROJECT NO. : 1158333355 Moose Jnt Lounge
REPORT NO. : 0812462
DATE REC'D 12/30/08 16:30
REPORT DATE : 01/07/09 10:53
PREPARED BY : JRS

Attn: Michael Neal

Sample ID: Trip Blank

Matrix: Water

Sample Date/Time: 12/18/08 0:00

Lab No. : 0812462-03

	<u>Results</u>	<u>Units</u>	<u>LOD</u>	<u>LOQ</u>	<u>Dilution Factor</u>	<u>Qualifiers</u>	<u>Date Analyzed</u>	<u>Analyst</u>
<u>EPA 524.2</u>								
1,1,1,2-Tetrachloroethane	ND	ug/L	0.30	1.00	1		01/06/09	MRD
1,1,1-Trichloroethane	ND	ug/L	0.20	0.67	1		01/06/09	MRD
1,1,2,2-Tetrachloroethane	ND	ug/L	0.30	1.00	1		01/06/09	MRD
1,1,2-Trichloroethane	ND	ug/L	0.30	1.00	1		01/06/09	MRD
1,1-Dichloroethane	ND	ug/L	0.20	0.67	1		01/06/09	MRD
1,1-Dichloroethylene	ND	ug/L	0.40	1.30	1		01/06/09	MRD
1,1-Dichloropropylene	ND	ug/L	0.50	1.70	1		01/06/09	MRD
1,2,3-Trichloropropane	ND	ug/L	0.60	2.00	1		01/06/09	MRD
1,2,4-Trichlorobenzene	ND	ug/L	0.50	1.70	1		01/06/09	MRD
1,2,4-Trimethylbenzene	ND	ug/L	0.20	0.67	1		01/06/09	MRD
1,2-Dichlorobenzene	ND	ug/L	0.80	2.70	1		01/06/09	MRD
1,2-Dichloroethane	ND	ug/L	0.30	1.00	1		01/06/09	MRD
1,2-Dichloropropane	ND	ug/L	0.30	1.00	1		01/06/09	MRD
1,3,5-Trimethylbenzene	ND	ug/L	0.20	0.67	1		01/06/09	MRD
1,3-Dichlorobenzene	ND	ug/L	0.20	0.67	1		01/06/09	MRD
1,3-Dichloropropane	ND	ug/L	0.20	0.67	1		01/06/09	MRD
1,4-Dichlorobenzene	ND	ug/L	0.80	2.70	1		01/06/09	MRD
2,2-Dichloropropane	ND	ug/L	1.00	3.30	1		01/06/09	MRD
2-Chlorotoluene	ND	ug/L	0.30	1.00	1		01/06/09	MRD
4-Chlorotoluene	ND	ug/L	0.30	1.00	1		01/06/09	MRD
4-Isopropyltoluene	ND	ug/L	0.20	0.67	1		01/06/09	MRD
Benzene	ND	ug/L	0.20	0.67	1		01/06/09	MRD
Bromobenzene	ND	ug/L	0.20	0.67	1		01/06/09	MRD
Bromodichloromethane	ND	ug/L	0.40	1.30	1		01/06/09	MRD
Bromoform	ND	ug/L	0.20	0.67	1		01/06/09	MRD
Bromomethane	ND	ug/L	1.00	3.33	1		01/06/09	MRD
Carbon Tetrachloride	ND	ug/L	0.30	1.00	1		01/06/09	MRD
Chlorobenzene	ND	ug/L	0.10	0.50	1		01/06/09	MRD
Chloroethane	ND	ug/L	0.60	2.00	1		01/06/09	MRD
Chloroform	ND	ug/L	0.20	0.67	1		01/06/09	MRD
Chloromethane	ND	ug/L	0.40	1.30	1		01/06/09	MRD
cis-1,2-Dichloroethylene	ND	ug/L	0.30	1.00	1		01/06/09	MRD
cis-1,3-Dichloropropylene	ND	ug/L	0.20	0.67	1		01/06/09	MRD
Dibromochloromethane	ND	ug/L	0.20	0.67	1		01/06/09	MRD
Dibromomethane	ND	ug/L	0.30	1.00	1		01/06/09	MRD
Dichlorodifluoromethane	ND	ug/L	0.30	1.00	1		01/06/09	MRD

SIEMENS

Tetra Tech., Inc.
1837 County Highway 00
Chippewa Falls, WI 54729

PROJECT NO. : 1158333355 Moose Jnt Lounge
REPORT NO. : 0812462
DATE REC'D : 12/30/08 16:30
REPORT DATE : 01/07/09 10:53
PREPARED BY : JRS

Attn: Michael Neal

Sample ID: Trip Blank

Matrix: Water

Sample Date/Time: 12/18/08 0:00

Lab No. : 0812462-03

	<u>Results</u>	<u>Units</u>	<u>LOD</u>	<u>LOQ</u>	<u>Dilution</u> <u>Factor</u>	<u>Qualifiers</u>	<u>Date</u> <u>Analyzed</u>	<u>Analyst</u>
<u>EPA 524.2 Continued</u>								
Ethylbenzene	ND	ug/L	0.20	0.67	1		01/06/09	MRD
Hexachlorobutadiene	ND	ug/L	1.00	3.30	1		01/06/09	MRD
Isopropylbenzene (Cumene)	ND	ug/L	0.10	0.50	1		01/06/09	MRD
Methylene Chloride	ND	ug/L	0.40	1.30	1		01/06/09	MRD
Methyl-tert-Butyl Ether	ND	ug/L	0.50	1.70	1		01/06/09	MRD
Naphthalene	ND	ug/L	1.00	3.30	1		01/06/09	MRD
Styrene	ND	ug/L	0.10	0.50	1		01/06/09	MRD
Tetrachloroethene	ND	ug/L	0.30	1.00	1		01/06/09	MRD
Toluene	ND	ug/L	0.40	1.30	1		01/06/09	MRD
trans-1,2-Dichloroethylene	ND	ug/L	0.20	0.67	1		01/06/09	MRD
trans-1,3-Dichloropropylene	ND	ug/L	0.40	1.30	1		01/06/09	MRD
Trichloroethene	ND	ug/L	0.40	1.30	1		01/06/09	MRD
Vinyl chloride	ND	ug/L	0.20	0.67	1		01/06/09	MRD
Xylenes, (Total)	ND	ug/L	1.00	1.00	1		01/06/09	MRD

SIEMENS

Qualifier Descriptions

J Estimated concentration below laboratory quantitation level.

Definitions

LOD = Limit of Detection (Dilution Corrected)
LOQ = Limit of Quantitation (Dilution Corrected)
ND = Not Detected
COMP = Complete
SUBCON = Subcontracted analysis
mv = millivolts
pci/L = picocuries per Liter
mL/L = milliliters per Liter
mg = milligram

When the word "dry" follows the units on the result page the sample results are dry weight corrected.

LODs and LOQs are dry weight corrected for all soils except WI GRO, EPA 8021 and WI DNR/EPA 8260B methanol and WI DNR methylene chloride preserved soils being reported to the State of Wisconsin.

ug/l = Micrograms per Liter = parts per billion (ppb)
ug/kg = Micrograms per kilogram = parts per billion (ppb)
mg/l = Milligrams per liter = parts per million (ppm)
mg/kg = Milligrams per kilogram = parts per million (ppm)
NOT PRES = Not Present
ppth = Parts per thousand
* = Result outside established limits.
mg/m³ = Milligrams per meter cubed
ng/L = Nanograms per Liter = Parts per trillion (ppt)
> = Greater Than

State of Wisconsin Methanol Soils for WI GRO, WI DNR/EPA 8260B and EPA 8021 are reported to the LOQ.

SIEMENS

Company Name Tetra Tech	Project Moose Jnt Lunge 115 833 3355	
Report Mailing Address 1837 CT# 00 CF, WI 54729	Contact Name, Phone, Fax, Email Michael.Neal@tetratech	
Invoice Address	Purchase Order #	Invoice Contact and Phone No.

Matrix: Drinking Water Groundwater Wastewater Soil/Solid Other: _____

Wis. PECFA Project subject to U&C? Yes No

For Compliance Monitoring? Yes No State: _____
(If Yes, please specify Agency or Regulation) Agency/Reg.: _____

Turnaround Request: Normal (10 Bus. Days)
 Rush (Must be pre-approved by Lab and is subject to surcharges)

0812462 Date Needed: _____

WO No. ~~0812462~~ **5MA**

Analyses Requested										Lab Use Only		
P.H.P.S 5701 VOCs										Delivered by	Walk-in	<input checked="" type="radio"/> Courier
										Ship. Cont. Ok?	<input checked="" type="radio"/> Y	<input type="radio"/> N NA
										Samples Leaking?	<input checked="" type="radio"/> Y	<input checked="" type="radio"/> N NA
										Seals OK?	<input checked="" type="radio"/> Y	<input type="radio"/> N NA
										Rec'd on Ice?	<input checked="" type="radio"/> Y	<input type="radio"/> N NA
Sample Receiving Comments:										30		
Comments												

Lab Use Only	Sample		No. of Containers		Sample ID
	Date	Time	Comp	Grab	
-1	12/18-08	10:30		3	PW-1
-2	1	10:00		3	PW-2
-3	1	-		2	Trip Blank

Chain of Custody Record

Relinquished By	Date	Time	Received By
<i>Michael Neal</i>	12/29-08	400	Durham
	12/30-08	1630	Jess Andree