

April 8, 2020  
File No. 25218191.00

## MEMORANDUM

TO: Josie Schultz, Wisconsin Department of Natural Resources

FROM: Eric Oelkers and Robert Langdon, SCS Engineers

SUBJECT: Preliminary Site Evaluation  
One Hour Martinizing/Jim's Music Site 1233 South Military Road, Green Bay, Wisconsin  
BRRTS #02-05-217270

## NARRATIVE AND OBSERVATIONS

Eric Oelkers of SCS Engineers (SCS) mobilized to the One-Hour Martinizing/Jim's Music site in Green Bay at 9 a.m. on Thursday, April 2, 2020, under the Wisconsin Department of Natural Resources (WDNR) Emergency Response Zone Contract to evaluate the site for vapor intrusion concerns. Mr. Oelkers was joined by Josh Patzen and George McNeal of North Shore Environmental Construction (NSEC). The NSEC crew came equipped with a Gasmet Fourier Transform Infrared Spectroscopy meter and a portable air filtration unit. SCS was equipped with a ppbRAE photo-ionization detector calibrated to 10 parts per million (ppm) isobutylene.

Access to the building was coordinated by the property manager Jerry Bruley, 920-713-6311. Mr. Bruley left keys to units 1239 (Edward Jones) and 1235 (vacant space formerly occupied by Williams Tae Kwon Do). Units 1233 (dry cleaner), 1231 (Jim's Music annex), and 1219 (Jim's Music showroom) were open and staffed. The general building floorplan is shown on **Figure 1**. Individual unit floor plans are shown on **Figures 2** through **8**. SCS prepared the floor plans based on measurements made during our site visit. Selected photos taken during the inspection are included in the attached photo log.

NSEC measured initial Gasmet readings ranging from 0.13 to 0.22 ppm tetrachloroethylene (PCE) in outdoor ambient air in the parking lot in front of Jim's Music annex. Gasmet readings are summarized in the attached **Table 1**. Gasmet readings were collected after the instrument had been allowed to purge the sample tubing. Typically, multiple Gasmet measurements were made at each location with the sample probe at the floor, chest height and at the ceiling. Measurements made with SCS's ppbRAE are included in **Table 2**. SCS measurements were made at specific points in the building under various building conditions as documented in **Table 2**.

We started interior screening at Edward Jones, unit 1239. The HVAC unit is located behind an interior closet and is accessible only via a separate outside door. We did not access the HVAC room. This HVAC unit is the only one in the building that appears to have heating ducts running below the concrete floor slab in addition to ducts in the walls and ceiling.



# MEMORANDUM

April 8, 2020

Page 2

The former Williams Tae Kwon Do space (unit 1235) is vacant. This HVAC unit for this space is suspended from the ceiling in the back room and is connected to a row of vents along the south wall. This is a sealed combustion unit that draws combustion air from outside the building. The thermostat was set back and the heat was not running during the initial measurements. We turned the heat up temporarily to measure the air coming from the registers on the south wall.

The drycleaner was open for business when we made our inspection; however, no loads had been run through the dry-cleaning machine by 11 a.m. The space appeared to be fairly well maintained. The back door was propped open. There does not appear to be any air conditioning. According to the owner/operator, the process equipment provides sufficient heat during business hours. During off-hours, a gas-fired forced air unit is used for heating. Mr. Oelkers checked the vents on the roof with the PID while NSEC measured vapors at the rear of the dry cleaner. There is only one process vent on the drycleaner roof.

Jim's Music (and Jim's Music Annex) was open for limited hours on April 2 and April 3. EJ Dombrowski, the manager of Jim's music informed Mr. Oelkers that they would be "closing" temporarily due to the COVID-19 pandemic while they filled out paperwork to establish their essential status after a visit from the police on April 3, 2020. The front door of the 1219 unit was propped open for a limited time on April 2nd. The 1233 space has a ceiling mounted HVAC unit above the storage area in the rear of the building. This unit apparently pulls combustion air from inside the building and therefore has the potential to create negative pressure inside the building. A sealed combustion HVAC unit is located in the 1233 basement, with 2-inch white PVC combustion air inlet and exhaust pipes on the roof at the rear of the building.

Prior to their departure around 2:10 p.m., we briefly ran the air filtration unit supplied by NSEC. The unit was setup in Jim's Music near the front reception desk. Measurements at the intake and outlet are included in the summary tables. The readings showed some reduction in PCE; however, vapors were still well into the detectable range at the outlet.

Mr. Oelkers collected four 6-liter Summa can samples using 30-minute flow controllers from the ground floor of the 1235, 1231, and 1219 units, and the basement office of the 1219 unit. PID readings made before and after the can samples are included in **Table 2**. Prior to leaving the site at 4:20 p.m., Mr. Oelkers started the filtration unit.

Mr. Oelkers returned to the site at 1:15 on Friday April 3, 2020. The dry cleaner was not open. The filtration unit that NSEC installed in Jim's Music showroom the previous day was not running. Mr. Dombrowski of Jim's Music stated that he had turned the unit off for 5 minutes prior to Mr. Oelkers' arrival during a customer consultation as the unit was loud. Mr. Oelkers re-started the filtration unit at 1:26 p.m. and started collecting a Summa can sample at 1:27 p.m. A second summa can intended for the 1219 practice rooms turned out to have no vacuum, so this sample was not collected.

Mr. Oelkers made a more detailed inspection of the roof-top HVAC unit that serves the 1219 space. This unit is a combined heating and air conditioning package with the condenser attached. The unit is equipped with a damper that allows either return air from the building or external air to be drawn through the cooling coils or heater. This unit is the only HVAC appliance observed at the building that can pull outdoor air into the building.

## DISCUSSION OF FIELD OBSERVATIONS

1. The air ducts under the floor of the Edward Jones unit 1239 could provide a pathway for vapor migration into the building if they are not well sealed. These appear to be supply ducts, so they would be expected to be under pressure when the furnace is operating. Median indoor air Gasmeter PCE concentrations ranged from 0.14 to 0.25 ppm. These concentrations are significantly higher than the March 16, 2020 PCE laboratory result for indoor air sample AA6, reported at 0.043 ppm.
2. Median indoor air Gasmeter PCE concentrations for the former Tae Kwon Do studio in unit 1235 ranged from 0.18 to 0.21 ppm. These concentrations are consistent with the March 16, 2020 PCE laboratory result for indoor air sample AA8, reported at 0.210 ppm.
3. Field screening in and around the dry cleaner unit 1233 produced readings generally less than 1 ppm PCE. Median Gasmeter PCE concentrations ranged from 0.21 to 0.45 ppm. It is our understanding that indoor air samples for laboratory analysis have not been collected from the dry cleaner unit. There do not appear to be obvious above grade direct connections between the occupied spaces of the dry cleaner and the adjacent units. Based on what we observed, it appears unlikely that migration of vapors from the operating drycleaner is the primary source of vapor contamination at Jim's Music.
4. In the spaces occupied by Jim's Music and Annex units 1219 and 1233, the highest median PCE concentrations were observed in the annex basement (0.45 to 0.9 ppm), followed by the annex (0.33 to 0.43 ppm, with the highest concentrations over the on-grade portion of the floor slab), showroom (0.12 to 0.24), and the basement below the show room (0.14 to 0.17 ppm). Given the relatively low PCE readings obtained in the showroom basement, it is possible that the higher readings obtained from the showroom may be related to vapors migrating through the connecting door to the annex. In general, the indoor air Gasmeter PCE concentrations were higher than the March 16, 2020 PCE laboratory results for indoor air samples AA1 through AA5, which ranged from 0.050 to 0.145 ppm.
5. Neither of the basements in the 1219 or 1231 units are well sealed to prevent migration of vapors from the basements up to the ground floor. The stair opening to the basement of the 1219 building is 6 feet wide and 10.5 feet long and is not equipped with any kind of closure or fire door.
6. None of the sump lids appear to be particularly well sealed, although the sumps in the 1231 basement appear to be in worse condition than the 1219 sumps. All of the sumps are relying on duct tape to prevent migration of vapors from the sumps into the basement. Gasmeter readings were collected in the air space above the sumps, but no readings were collected within the sumps.
7. The basement below the 1231 unit extends only about 2/3 the width of the unit. Based on the high readings obtained at the un-sealed beam pocket in the south basement wall, it appears that PCE vapors are present in the soil directly below the floor slab of the southern 1/3 of Jim's Music annex. The highest Gasmeter readings in the annex were located closest to the south wall.

8. The basement exhaust fan in 1219 and the heating unit in 1231 may be contributing to negative pressure inside the buildings and may be helping to draw in vapors.
9. The ambient temperatures during our inspection were in the mid to upper 50s and the ground was most likely at least partially thawed, so vapor pathways and stack effects were likely different than when the previous sampling was completed in early March 2020.
10. The highest PID reading on the roof, by far (over 10,000 ppb), was obtained at a 4-inch plumbing vent on the roof of Jim's Music, unit 1219. This vent appears to originate at the restrooms at the rear of the building and may extend to the sewer in the basement. The source of these vapors was not conclusively identified, but may be related to sump pump discharges to the sanitary sewer in the basement.

## LABORATORY RESULTS

Five 6-liter Summa cans were submitted to Pace Analytical for analysis of chlorinated VOCs via TO-15. The lab received the samples on Tuesday, April 7, 2020. SCS will forward analytical results to the WDNR when they are available.

## RECOMMENDATIONS FOR INTERIM ACTIONS

1. Limit occupancy of the Jim's Annex (unit # 1231) and keep the connecting door closed.
2. Thoroughly seal the basement sump covers using methods appropriate for radon mitigation.
3. Seal the beam pocket opening in the south wall of the annex basement.
4. Repair as necessary, close, and to the extent possible, seal the doors in the stairs leading to the annex basement.
5. Monitor the operation and effectiveness of the carbon filtration unit in the showroom.
6. Conduct private utility locate to evaluate extent of underground utilities which may act as preferential pathways for contaminant migration.
7. Continue to operate the air filtration unit in Jim's Music (unit 1219).

## CONSIDERATIONS AND RECOMMENDATIONS FOR VAPOR MITIGATION

1. Consider internally sealing the heating ducts below the floor in the Edward Jones unit (#1239) using a process such as provided by Aroseal.
2. Complete sub-slab vapor mitigation in the buildings with basements will likely not be possible without additional dewatering because the basement floor, at least at the Jim's Annex, appears to be at the water table. Basement floor elevations should be compared to water levels measured in the monitoring wells to confirm that this is the case.
3. The un-excavated area below the southern 1/3 of unit 1231 may offer an opportunity for sub-slab vapor mitigation to cut off what could be a significant vapor migration pathway into the Jim's Annex.
4. If dewatering is attempted, or even in the case of the existing sump pump discharges, the solvent concentrations in the discharged water should be evaluated with respect to ability of the wastewater treatment facility to accept this contamination. Pre-treatment may be necessary.
5. Because of the logistical challenges and expense of mitigating vapor below a basement floor slab in contact with the water table, a combination of sub-slab mitigation of slabs at grade

MEMORANDUM

April 8, 2020

Page 5

combined with air sealing and heat recovery air exchange may be a more practical alternative.

Attachments:

Photo Log

Table 1 – Gasmet FTIR Survey of PCE in Ambient Air

Table 2 – Summary of PID Measurements

Figure 1 – Overall Building Floor Plan

Figure 2 – Edward Jones

Figure 3 – Former Williams Tae Kwon Do

Figure 4 – One Hour Martinizing

Figure 5 – Jim’s Music Annex

Figure 6 – Jim’s Music Annex Basement

Figure 7 – Jim’s Music

Figure 8 – Jim’s Music Basement

EO/AJR/REL

I:\25218191.00\Jim's music\200408\_Initial Inspection memo.docx

One Hour Martinizing  
1233 S Military Road, Green Bay, Wisconsin  
SCS Engineers Project #25218191.00



**Photo 1:** Edward Jones back office wall with floor register (4/2/20; 10:08).



**Photo 2:** Edward Jones back office with floor register (4/2/20; 10:08).

One Hour Martinizing  
1233 S Military Road, Green Bay, Wisconsin  
SCS Engineers Project #25218191.00



**Photo 3:** Edward Jones front reception area with floor register (4/2/20; 10:09).



**Photo 4:** Edward Jones wall registers outside HVAC room (4/2/20; 10:09).

One Hour Martinizing  
1233 S Military Road, Green Bay, Wisconsin  
SCS Engineers Project #25218191.00



**Photo 5:** Former Williams Tae Kwon Do (unit 1235) back and south walls with HVAC vents near ceiling (4/2/20; 10:50).



**Photo 6:** Unit 1235 - HVAC unit in back room. Bathroom is through door below HVAC unit (4/2/20; 10:15).



One Hour Martinizing  
1233 S Military Road, Green Bay, Wisconsin  
SCS Engineers Project #25218191.00



**Photo 7:** Back of dry cleaning machine in unit 1233 (4/2/20; 11:13).

One Hour Martinizing  
1233 S Military Road, Green Bay, Wisconsin  
SCS Engineers Project #25218191.00



**Photo 8:** Boiler at back of dry cleaner (unit 1233), (4/2/20; 11:13).

One Hour Martinizing  
1233 S Military Road, Green Bay, Wisconsin  
SCS Engineers Project #25218191.00



**Photo 9:** Back of drycleaner with Gasmet sampling in progress (4/2/20; 11:24).



**Photo 10:** Plumbing vents (black 2-inch ABS and white 4-inch cast iron) at rear bathroom, Jim's music (4/2/20; 12:29).

One Hour Martinizing  
1233 S Military Road, Green Bay, Wisconsin  
SCS Engineers Project #25218191.00



**Photo 11:** Interior view of plumbing vent with high PID result, Jim's Music (4/2/20; 12:30).



**Photo 12:** Stair opening to basement, Jim's Music (4/2/20; 12:39).

One Hour Martinizing  
1233 S Military Road, Green Bay, Wisconsin  
SCS Engineers Project #25218191.00



**Photo 13:** Sump at back wall of Jim's basement adjacent to water and sewer connections to street (4/2/20; 12:34).

One Hour Martinizing  
1233 S Military Road, Green Bay, Wisconsin  
SCS Engineers Project #25218191.00



**Photo 14:** Sump at NW corner of Jim's basement in office area (4/2/20; 12:51).




**Photo 15:** Floor drain in Jim's basement near stairwell (4/2/20; 13:01).

One Hour Martinizing  
1233 S Military Road, Green Bay, Wisconsin  
SCS Engineers Project #25218191.00



**Photo 16:** HVAC unit in ceiling of Jim's annex (4/2/20; 13:34).



**Photo 17:** Sump at back wall of Jim's annex (4/2/20; 13:37).

One Hour Martinizing  
1233 S Military Road, Green Bay, Wisconsin  
SCS Engineers Project #25218191.00



**Photo 18:** Sump near NE corner of Jim's annex basement (4/2/20; 13:53).



**Photo 19:** Water on floor in basement of Jim's annex (4/2/20; 13:52).



One Hour Martinizing  
1233 S Military Road, Green Bay, Wisconsin  
SCS Engineers Project #25218191.00



**Photo 20:** Beam pocket in south wall of Jim's annex basement 4/2/20; 13:53).

One Hour Martinizing  
1233 S Military Road, Green Bay, Wisconsin  
SCS Engineers Project #25218191.00



**Photo 21:** Heating unit in Jim's Annex basement (4/2/20; 13:57).

One Hour Martinizing  
1233 S Military Road, Green Bay, Wisconsin  
SCS Engineers Project #25218191.00



**Photo 22:** Summa can in unit 1235 (4/2/20; 15:14).



**Photo 23:** Summa can in Jim's annex (4/2/20; 15:26).

One Hour Martinizing  
1233 S Military Road, Green Bay, Wisconsin  
SCS Engineers Project #25218191.00




**Photo 24:** Summa can at Jim's sales counter (4/2/20; 15:32).



**Photo 25:** Air filtration unit near Jim's sales counter (4/2/20; 15:32).

One Hour Martinizing  
1233 S Military Road, Green Bay, Wisconsin  
SCS Engineers Project #25218191.00



**Photo 26:** Exhaust fan inlet and ducting in Jim's basement (4/2/20; 15:59).



**Photo 27:** Roof of dry cleaner showing boiler room chimney and cleaning machine vent (galvanized pipe), (4/3/20; 14:30).

One Hour Martinizing  
1233 S Military Road, Green Bay, Wisconsin  
SCS Engineers Project #25218191.00



**Photo 28:** Roof of 1235 and 1239 units (4/3/20; 14:30).



**Photo 29:** Roof of 1231 unit (4/3/20; 14:30).

One Hour Martinizing  
1233 S Military Road, Green Bay, Wisconsin  
SCS Engineers Project #25218191.00



**Photo 30:** Bathroom fan vents (rusty) and basement exhaust fan (gray) at common wall between 1231 and 1219 units (4/3/20; 14:32).



**Photo 31:** Plumbing vent in roof of 1219 unit with elevated PID reading (4/3/20; 14:36).

One Hour Martinizing  
1233 S Military Road, Green Bay, Wisconsin  
SCS Engineers Project #25218191.00



**Photo 32:** Roof-top HVAC unit at Jim's (unit 1219) showing damper for indoor return air (4/3/20; 14:45).



One Hour Martinizing  
1233 S Military Road, Green Bay, Wisconsin  
SCS Engineers Project #25218191.00



**Photo 33:** Roof top HVAC unit on Jim's Music (4/3/20; 14:55).

**Table 1 - Gasmet FTIR Survey of PCE in Ambient Air  
 One Hour Martinizing  
 1219 - 1239 South Military Road, Green Bay, Wisconsin  
 BRRTS #02-05-217270**

**Parking Lot at #1231**

<u>Date</u>	<u>Time</u>	<u>Carbon dioxide</u>	<u>Unit</u>	<u>Tetrachloroethylene</u>	<u>Unit</u>
4/2/2020	9:22 AM	194.77	ppm	0.22	ppm
4/2/2020	9:22 AM	333.32	ppm	0.13	ppm
4/2/2020	9:23 AM	353.84	ppm	0.14	ppm
4/2/2020	9:23 AM	357.29	ppm	0.14	ppm
4/2/2020	9:23 AM	360.64	ppm	0.15	ppm
4/2/2020	9:24 AM	360.66	ppm	0.15	ppm
4/2/2020	9:24 AM	364.84	ppm	0.13	ppm
			median	0.14	ppm

**Edward Jones Back Room**

<u>Date</u>	<u>Time</u>	<u>Carbon dioxide</u>	<u>Unit</u>	<u>Tetrachloroethylene</u>	<u>Unit</u>
4/2/2020	9:35 AM	444.13	ppm	0.72	ppm
4/2/2020	9:35 AM	479.84	ppm	0.35	ppm
4/2/2020	9:35 AM	508.91	ppm	0.27	ppm
4/2/2020	9:36 AM	583.22	ppm	0.25	ppm
4/2/2020	9:36 AM	592.13	ppm	0.25	ppm
4/2/2020	9:36 AM	496.68	ppm	0.25	ppm
4/2/2020	9:37 AM	479.35	ppm	0.23	ppm
4/2/2020	9:37 AM	470.63	ppm	0.23	ppm
4/2/2020	9:37 AM	480.29	ppm	0.21	ppm
			median	0.25	ppm

**Edward Jones Small Office**

<u>Date</u>	<u>Time</u>	<u>Carbon dioxide</u>	<u>Unit</u>	<u>Tetrachloroethylene</u>	<u>Unit</u>
4/2/2020	9:40 AM	476.98	ppm	0.18	ppm
4/2/2020	9:40 AM	459.52	ppm	0.19	ppm
4/2/2020	9:40 AM	461.76	ppm	0.18	ppm
4/2/2020	9:41 AM	481.39	ppm	0.18	ppm
4/2/2020	9:41 AM	546.57	ppm	0.18	ppm
4/2/2020	9:41 AM	577.2	ppm	0.18	ppm
4/2/2020	9:42 AM	503.09	ppm	0.17	ppm
4/2/2020	9:42 AM	563.31	ppm	0.16	ppm
4/2/2020	9:42 AM	532.05	ppm	0.16	ppm
			median	0.18	ppm

**Table 1 - Gasmet FTIR Survey of PCE in Ambient Air**  
**One Hour Martinizing**  
**1219 - 1239 South Military Road, Green Bay, Wisconsin**  
**BRRTS #02-05-217270**  
**Edward Jones Closet**

<u>Date</u>	<u>Time</u>	<u>Carbon dioxide</u>	<u>Unit</u>	<u>Tetrachloroethylene</u>	<u>Unit</u>
4/2/2020	9:44 AM	476.38	ppm	0.14	ppm
4/2/2020	9:45 AM	477.51	ppm	0.14	ppm
4/2/2020	9:45 AM	487.43	ppm	0.15	ppm
4/2/2020	9:45 AM	464.09	ppm	0.14	ppm
4/2/2020	9:46 AM	580.89	ppm	0.15	ppm
4/2/2020	9:46 AM	738.95	ppm	0.13	ppm
4/2/2020	9:46 AM	790.08	ppm	0.16	ppm
4/2/2020	9:47 AM	628.77	ppm	0.15	ppm
4/2/2020	9:47 AM	520.96	ppm	0.13	ppm
			median	0.14	ppm

**Edward Jones Bathroom**

<u>Date</u>	<u>Time</u>	<u>Carbon dioxide</u>	<u>Unit</u>	<u>Tetrachloroethylene</u>	<u>Unit</u>
4/2/2020	9:48 AM	539	ppm	0.15	ppm
4/2/2020	9:49 AM	549.01	ppm	0.16	ppm
4/2/2020	9:49 AM	624.41	ppm	0.17	ppm
4/2/2020	9:50 AM	586.85	ppm	0.14	ppm
4/2/2020	9:50 AM	703.19	ppm	0.16	ppm
4/2/2020	9:50 AM	787.21	ppm	0.15	ppm
4/2/2020	9:51 AM	707.3	ppm	0.14	ppm
4/2/2020	9:51 AM	752.26	ppm	0.14	ppm
			median	0.15	ppm

**Edward Jones Reception**

<u>Date</u>	<u>Time</u>	<u>Carbon dioxide</u>	<u>Unit</u>	<u>Tetrachloroethylene</u>	<u>Unit</u>
4/2/2020	9:59 AM	666.79	ppm	0.22	ppm
4/2/2020	9:59 AM	603.09	ppm	0.14	ppm
4/2/2020	9:59 AM	662.78	ppm	0.16	ppm
4/2/2020	10:00 AM	734.57	ppm	0.17	ppm
4/2/2020	10:00 AM	757.99	ppm	0.15	ppm
4/2/2020	10:01 AM	760.89	ppm	0.15	ppm
4/2/2020	10:01 AM	880.33	ppm	0.16	ppm
4/2/2020	10:01 AM	687.3	ppm	0.16	ppm
			median	0.16	ppm

**Table 1 - Gasmet FTIR Survey of PCE in Ambient Air**  
**One Hour Martinizing**  
**1219 - 1239 South Military Road, Green Bay, Wisconsin**  
**BRRTS #02-05-217270**  
**Edward Jones HVAC Register**

<u>Date</u>	<u>Time</u>	<u>Carbon dioxide</u>	<u>Unit</u>	<u>Tetrachloroethylene</u>	<u>Unit</u>
4/2/2020	10:04 AM	703.08	ppm	0.16	ppm
4/2/2020	10:04 AM	885.87	ppm	0.15	ppm
4/2/2020	10:05 AM	752.27	ppm	0.15	ppm
4/2/2020	10:05 AM	691.77	ppm	0.17	ppm
4/2/2020	10:06 AM	621.32	ppm	0.16	ppm
4/2/2020	10:06 AM	612.65	ppm	0.16	ppm
4/2/2020	10:06 AM	615.66	ppm	0.17	ppm
			median	0.16	ppm

**Edward Jones Front Door (Outside)**

<u>Date</u>	<u>Time</u>	<u>Carbon dioxide</u>	<u>Unit</u>	<u>Tetrachloroethylene</u>	<u>Unit</u>
4/2/2020	10:13 AM	475.26	ppm	0.73	ppm
4/2/2020	10:13 AM	382.19	ppm	0.25	ppm
4/2/2020	10:14 AM	365.19	ppm	0.1	ppm
4/2/2020	10:14 AM	363.89	ppm	0.08	ppm
4/2/2020	10:14 AM	364.32	ppm	0.08	ppm
4/2/2020	10:15 AM	363.26	ppm	0.08	ppm
			median	0.09	ppm

**Taekwondo Back Room**

<u>Date</u>	<u>Time</u>	<u>Carbon dioxide</u>	<u>Unit</u>	<u>Tetrachloroethylene</u>	<u>Unit</u>
4/2/2020	10:19 AM	388.45	ppm	0.13	ppm
4/2/2020	10:19 AM	408.36	ppm	0.17	ppm
4/2/2020	10:20 AM	440.92	ppm	0.18	ppm
4/2/2020	10:20 AM	490.32	ppm	0.18	ppm
4/2/2020	10:20 AM	561.26	ppm	0.19	ppm
4/2/2020	10:21 AM	493.76	ppm	0.17	ppm
4/2/2020	10:21 AM	453.58	ppm	0.18	ppm
4/2/2020	10:21 AM	444.84	ppm	0.2	ppm
4/2/2020	10:22 AM	455.35	ppm	0.2	ppm
			median	0.18	ppm

**Table 1 - Gasmet FTIR Survey of PCE in Ambient Air**  
**One Hour Martinizing**  
**1219 - 1239 South Military Road, Green Bay, Wisconsin**  
**BRRTS #02-05-217270**  
**Taekwondo Main**

<u>Date</u>	<u>Time</u>	<u>Carbon dioxide</u>	<u>Unit</u>	<u>Tetrachloroethylene</u>	<u>Unit</u>
4/2/2020	10:24 AM	430.7	ppm	0.19	ppm
4/2/2020	10:24 AM	405.9	ppm	0.18	ppm
4/2/2020	10:24 AM	426.5	ppm	0.17	ppm
4/2/2020	10:25 AM	448.79	ppm	0.17	ppm
4/2/2020	10:25 AM	434.86	ppm	0.18	ppm
4/2/2020	10:25 AM	427.24	ppm	0.17	ppm
4/2/2020	10:26 AM	410.55	ppm	0.18	ppm
4/2/2020	10:26 AM	404.27	ppm	0.17	ppm
			median	0.18	ppm

**Taekwondo Closet**

<u>Date</u>	<u>Time</u>	<u>Carbon dioxide</u>	<u>Unit</u>	<u>Tetrachloroethylene</u>	<u>Unit</u>
4/2/2020	10:39 AM	434.09	ppm	0.69	ppm
4/2/2020	10:39 AM	465.06	ppm	0.31	ppm
4/2/2020	10:40 AM	510.28	ppm	0.21	ppm
4/2/2020	10:40 AM	659.32	ppm	0.2	ppm
4/2/2020	10:40 AM	648.16	ppm	0.19	ppm
4/2/2020	10:41 AM	516.77	ppm	0.22	ppm
4/2/2020	10:41 AM	482.18	ppm	0.21	ppm
4/2/2020	10:41 AM	475.5	ppm	0.21	ppm
			median	0.21	ppm

**Taekwondo HVAC Register**

<u>Date</u>	<u>Time</u>	<u>Carbon dioxide</u>	<u>Unit</u>	<u>Tetrachloroethylene</u>	<u>Unit</u>
4/2/2020	10:43 AM	479.47	ppm	0.19	ppm
4/2/2020	10:43 AM	485.2	ppm	0.21	ppm
4/2/2020	10:43 AM	484.11	ppm	0.2	ppm
4/2/2020	10:44 AM	486.09	ppm	0.21	ppm
			median	0.21	ppm

**Table 1 - Gasmet FTIR Survey of PCE in Ambient Air**  
**One Hour Martinizing**  
**1219 - 1239 South Military Road, Green Bay, Wisconsin**  
**BRRTS #02-05-217270**  
**Taekwondo Front Door (Outside)**

<u>Date</u>	<u>Time</u>	<u>Carbon dioxide</u>	<u>Unit</u>	<u>Tetrachloroethylene</u>	<u>Unit</u>
4/2/2020	10:48 AM	414.82	ppm	0.23	ppm
4/2/2020	10:48 AM	351.48	ppm	0.13	ppm
4/2/2020	10:49 AM	338.46	ppm	0.09	ppm
4/2/2020	10:49 AM	336.39	ppm	0.12	ppm
4/2/2020	10:49 AM	338.22	ppm	0.12	ppm
4/2/2020	10:50 AM	337.03	ppm	0.11	ppm
4/2/2020	10:50 AM	338.66	ppm	0.09	ppm
			median	0.12	ppm

**Dry Cleaner Reception**

<u>Date</u>	<u>Time</u>	<u>Carbon dioxide</u>	<u>Unit</u>	<u>Tetrachloroethylene</u>	<u>Unit</u>
4/2/2020	10:54 AM	398.12	ppm	0.55	ppm
4/2/2020	10:55 AM	434.67	ppm	0.34	ppm
4/2/2020	10:55 AM	428.36	ppm	0.33	ppm
4/2/2020	10:55 AM	411.35	ppm	0.35	ppm
4/2/2020	10:56 AM	484.54	ppm	0.36	ppm
4/2/2020	10:56 AM	724.36	ppm	0.37	ppm
4/2/2020	10:57 AM	952.37	ppm	0.37	ppm
4/2/2020	10:57 AM	479.39	ppm	0.35	ppm
4/2/2020	10:57 AM	402.66	ppm	0.33	ppm
			median	0.35	ppm

**Dry Cleaner Main**

<u>Date</u>	<u>Time</u>	<u>Carbon dioxide</u>	<u>Unit</u>	<u>Tetrachloroethylene</u>	<u>Unit</u>
4/2/2020	11:00 AM	418.08	ppm	0.32	ppm
4/2/2020	11:01 AM	413.74	ppm	1.12	ppm
4/2/2020	11:02 AM	410.49	ppm	0.6	ppm
4/2/2020	11:02 AM	483.88	ppm	0.42	ppm
4/2/2020	11:02 AM	598.03	ppm	0.4	ppm
4/2/2020	11:03 AM	482.82	ppm	0.39	ppm
4/2/2020	11:03 AM	415.2	ppm	0.34	ppm
4/2/2020	11:03 AM	367.91	ppm	0.27	ppm
			ppm	0.40	ppm

**Table 1 - Gasmeter FTIR Survey of PCE in Ambient Air**  
**One Hour Martinizing**  
**1219 - 1239 South Military Road, Green Bay, Wisconsin**  
**BRRTS #02-05-217270**  
**Dry Cleaner Back Door (Inside)**

<u>Date</u>	<u>Time</u>	<u>Carbon dioxide</u>	<u>Unit</u>	<u>Tetrachloroethylene</u>	<u>Unit</u>
4/2/2020	11:07 AM	398.5	ppm	0.43	ppm
4/2/2020	11:07 AM	409.58	ppm	0.75	ppm
4/2/2020	11:07 AM	412.98	ppm	0.7	ppm
4/2/2020	11:08 AM	404.93	ppm	0.57	ppm
4/2/2020	11:08 AM	442.9	ppm	0.52	ppm
4/2/2020	11:08 AM	488.22	ppm	0.45	ppm
4/2/2020	11:09 AM	452.8	ppm	0.39	ppm
4/2/2020	11:09 AM	366.16	ppm	0.24	ppm
4/2/2020	11:09 AM	350.83	ppm	0.18	ppm
			median	0.45	ppm

**Dry Cleaner Boiler**

<u>Date</u>	<u>Time</u>	<u>Carbon dioxide</u>	<u>Unit</u>	<u>Tetrachloroethylene</u>	<u>Unit</u>
4/2/2020	11:19 AM	354.04	ppm	0.2	ppm
4/2/2020	11:20 AM	346.29	ppm	0.16	ppm
4/2/2020	11:20 AM	662.57	ppm	0.18	ppm
4/2/2020	11:21 AM	1139.71	ppm	0.3	ppm
4/2/2020	11:21 AM	1040.08	ppm	0.24	ppm
4/2/2020	11:21 AM	918.51	ppm	0.22	ppm
4/2/2020	11:22 AM	758.3	ppm	0.22	ppm
4/2/2020	11:22 AM	413.28	ppm	0.12	ppm
			median	0.21	ppm

**Dry Cleaner Door Vent Above Back Door**

<u>Date</u>	<u>Time</u>	<u>Carbon dioxide</u>	<u>Unit</u>	<u>Tetrachloroethylene</u>	<u>Unit</u>
4/2/2020	11:24 AM	383.99	ppm	0.19	ppm
4/2/2020	11:24 AM	401.35	ppm	0.34	ppm
4/2/2020	11:25 AM	412.22	ppm	0.39	ppm
4/2/2020	11:25 AM	412.11	ppm	0.4	ppm
4/2/2020	11:25 AM	422.72	ppm	0.41	ppm
			median	0.39	ppm

**Table 1 - Gasmet FTIR Survey of PCE in Ambient Air**  
**One Hour Martinizing**  
**1219 - 1239 South Military Road, Green Bay, Wisconsin**  
**BRRTS #02-05-217270**  
**Dry Cleaner Elbow Vent 6"**

<u>Date</u>	<u>Time</u>	<u>Carbon dioxide</u>	<u>Unit</u>	<u>Tetrachloroethylene</u>	<u>Unit</u>
4/2/2020	11:29 AM	370.02	ppm	0.29	ppm
4/2/2020	11:29 AM	336.05	ppm	0.17	ppm
4/2/2020	11:29 AM	329.92	ppm	0.12	ppm
4/2/2020	11:30 AM	329.2	ppm	0.1	ppm
4/2/2020	11:30 AM	333.07	ppm	0.1	ppm
			median	0.12	ppm

**Dry Cleaner Dryer Vent (small)**

<u>Date</u>	<u>Time</u>	<u>Carbon dioxide</u>	<u>Unit</u>	<u>Tetrachloroethylene</u>	<u>Unit</u>
4/2/2020	11:31 AM	331.34	ppm	0.1	ppm
4/2/2020	11:32 AM	334.17	ppm	0.13	ppm
4/2/2020	11:32 AM	351.97	ppm	0.38	ppm
4/2/2020	11:32 AM	358.27	ppm	0.58	ppm
4/2/2020	11:35 AM	338.92	ppm	0.27	ppm
4/2/2020	11:36 AM	350.26	ppm	0.46	ppm
4/2/2020	11:36 AM	347.02	ppm	0.49	ppm
4/2/2020	11:36 AM	345.03	ppm	0.53	ppm
4/2/2020	11:37 AM	340.77	ppm	0.47	ppm
			median	0.46	ppm

**Jim's Music Reception**

<u>Date</u>	<u>Time</u>	<u>Carbon dioxide</u>	<u>Unit</u>	<u>Tetrachloroethylene</u>	<u>Unit</u>
4/2/2020	11:56 AM	391.71	ppm	0.42	ppm
4/2/2020	11:56 AM	445.94	ppm	0.25	ppm
4/2/2020	11:57 AM	458.34	ppm	0.24	ppm
4/2/2020	11:57 AM	505.68	ppm	0.25	ppm
4/2/2020	11:57 AM	527.56	ppm	0.26	ppm
4/2/2020	11:58 AM	536.81	ppm	0.23	ppm
4/2/2020	11:58 AM	663.11	ppm	0.24	ppm
4/2/2020	11:58 AM	548.22	ppm	0.23	ppm
4/2/2020	11:59 AM	510.54	ppm	0.24	ppm
4/2/2020	11:59 AM	465.88	ppm	0.21	ppm
			median	0.24	ppm



**Table 1 - Gasmet FTIR Survey of PCE in Ambient Air**  
**One Hour Martinizing**  
**1219 - 1239 South Military Road, Green Bay, Wisconsin**  
**BRRTS #02-05-217270**  
**Jim's Music Back Counter**

<u>Date</u>	<u>Time</u>	<u>Carbon dioxide</u>	<u>Unit</u>	<u>Tetrachloroethylene</u>	<u>Unit</u>
4/2/2020	12:01 PM	452.88	ppm	0.22	ppm
4/2/2020	12:02 PM	453.66	ppm	0.23	ppm
4/2/2020	12:02 PM	495.34	ppm	0.23	ppm
4/2/2020	12:02 PM	599.07	ppm	0.21	ppm
4/2/2020	12:03 PM	665.13	ppm	0.17	ppm
4/2/2020	12:03 PM	694.11	ppm	0.15	ppm
4/2/2020	12:03 PM	743.53	ppm	0.16	ppm
4/2/2020	12:05 PM	468.44	ppm	0.15	ppm
4/2/2020	12:05 PM	472.92	ppm	0.16	ppm
			median	0.17	ppm

**Jim's Music Guitar Room**

<u>Date</u>	<u>Time</u>	<u>Carbon dioxide</u>	<u>Unit</u>	<u>Tetrachloroethylene</u>	<u>Unit</u>
4/2/2020	12:10 PM	465.52	ppm	0.17	ppm
4/2/2020	12:10 PM	461.92	ppm	0.16	ppm
4/2/2020	12:11 PM	471.62	ppm	0.17	ppm
4/2/2020	12:11 PM	500.76	ppm	0.17	ppm
4/2/2020	12:11 PM	552.96	ppm	0.17	ppm
4/2/2020	12:12 PM	613.21	ppm	0.18	ppm
4/2/2020	12:12 PM	643.7	ppm	0.18	ppm
4/2/2020	12:12 PM	502.08	ppm	0.17	ppm
4/2/2020	12:13 PM	472.04	ppm	0.17	ppm
4/2/2020	12:13 PM	465.6	ppm	0.18	ppm
4/2/2020	12:13 PM	456.88	ppm	0.17	ppm
			median	0.17	ppm

**Jim's Music Room 1**

<u>Date</u>	<u>Time</u>	<u>Carbon dioxide</u>	<u>Unit</u>	<u>Tetrachloroethylene</u>	<u>Unit</u>
4/2/2020	12:16 PM	451.63	ppm	0.19	ppm
4/2/2020	12:17 PM	523.78	ppm	0.19	ppm
4/2/2020	12:17 PM	678.28	ppm	0.18	ppm
4/2/2020	12:17 PM	495.01	ppm	0.22	ppm
4/2/2020	12:18 PM	436.77	ppm	0.2	ppm
4/2/2020	12:18 PM	424.23	ppm	0.21	ppm
			median	0.20	ppm

**Table 1 - Gasmet FTIR Survey of PCE in Ambient Air**  
**One Hour Martinizing**  
**1219 - 1239 South Military Road, Green Bay, Wisconsin**  
**BRRTS #02-05-217270**  
**Jim's Music Room 2**

<u>Date</u>	<u>Time</u>	<u>Carbon dioxide</u>	<u>Unit</u>	<u>Tetrachloroethylene</u>	<u>Unit</u>
4/2/2020	12:19 PM	464.65	ppm	0.21	ppm
4/2/2020	12:20 PM	525.09	ppm	0.17	ppm
4/2/2020	12:20 PM	525.09	ppm	0.2	ppm
4/2/2020	12:20 PM	461.23	ppm	0.18	ppm
4/2/2020	12:21 PM	445.34	ppm	0.21	ppm
4/2/2020	12:21 PM	440.95	ppm	0.18	ppm
			median	0.19	ppm

**Jim's Music Room 3**

<u>Date</u>	<u>Time</u>	<u>Carbon dioxide</u>	<u>Unit</u>	<u>Tetrachloroethylene</u>	<u>Unit</u>
4/2/2020	12:24 PM	490.47	ppm	0.17	ppm
4/2/2020	12:25 PM	524.09	ppm	0.19	ppm
4/2/2020	12:25 PM	507.21	ppm	0.18	ppm
			median	0.18	ppm

**Jim's Music Room 4**

<u>Date</u>	<u>Time</u>	<u>Carbon dioxide</u>	<u>Unit</u>	<u>Tetrachloroethylene</u>	<u>Unit</u>
4/2/2020	12:28 PM	518.37	ppm	0.18	ppm
4/2/2020	12:28 PM	597.7	ppm	0.16	ppm
4/2/2020	12:29 PM	589.61	ppm	0.18	ppm
			median	0.18	ppm

**Jim's Music Room 5**

<u>Date</u>	<u>Time</u>	<u>Carbon dioxide</u>	<u>Unit</u>	<u>Tetrachloroethylene</u>	<u>Unit</u>
4/2/2020	12:32 PM	509.29	ppm	0.17	ppm
4/2/2020	12:32 PM	551.07	ppm	0.17	ppm
4/2/2020	12:32 PM	502.98	ppm	0.17	ppm
			median	0.17	ppm

**Jim's Music Room 6**

<u>Date</u>	<u>Time</u>	<u>Carbon dioxide</u>	<u>Unit</u>	<u>Tetrachloroethylene</u>	<u>Unit</u>
4/2/2020	12:33 PM	549.35	ppm	0.18	ppm
4/2/2020	12:34 PM	614.2	ppm	0.17	ppm
4/2/2020	12:34 PM	778.4	ppm	0.17	ppm
			median	0.17	ppm

**Table 1 - Gasmeter FTIR Survey of PCE in Ambient Air**  
**One Hour Martinizing**  
**1219 - 1239 South Military Road, Green Bay, Wisconsin**  
**BRRTS #02-05-217270**  
**Jim's Music Room 7**

<u>Date</u>	<u>Time</u>	<u>Carbon dioxide</u>	<u>Unit</u>	<u>Tetrachloroethylene</u>	<u>Unit</u>
4/2/2020	12:35 PM	589.19	ppm	0.19	ppm
4/2/2020	12:35 PM	689.66	ppm	0.18	ppm
4/2/2020	12:36 PM	593.21	ppm	0.18	ppm
			median	0.18	ppm

**Jim's Music Room 8**

<u>Date</u>	<u>Time</u>	<u>Carbon dioxide</u>	<u>Unit</u>	<u>Tetrachloroethylene</u>	<u>Unit</u>
4/2/2020	12:30 PM	602.79	ppm	0.18	ppm
4/2/2020	12:30 PM	578.19	ppm	0.17	ppm
4/2/2020	12:31 PM	494.28	ppm	0.16	ppm
			median	0.17	ppm

**Jim's Music Room 9**

<u>Date</u>	<u>Time</u>	<u>Carbon dioxide</u>	<u>Unit</u>	<u>Tetrachloroethylene</u>	<u>Unit</u>
4/2/2020	12:26 PM	537.39	ppm	0.17	ppm
4/2/2020	12:26 PM	495.71	ppm	0.18	ppm
4/2/2020	12:26 PM	521.95	ppm	0.18	ppm
4/2/2020	12:27 PM	501.21	ppm	0.18	ppm
			median	0.18	ppm

**Jim's Music Room 10**

<u>Date</u>	<u>Time</u>	<u>Carbon dioxide</u>	<u>Unit</u>	<u>Tetrachloroethylene</u>	<u>Unit</u>
4/2/2020	12:22 PM	477.02	ppm	0.19	ppm
4/2/2020	12:23 PM	515.59	ppm	0.19	ppm
4/2/2020	12:23 PM	465.78	ppm	0.16	ppm
			median	0.19	ppm

**Jim's Music Room 11**

<u>Date</u>	<u>Time</u>	<u>Carbon dioxide</u>	<u>Unit</u>	<u>Tetrachloroethylene</u>	<u>Unit</u>
4/2/2020	12:38 PM	577.37	ppm	0.19	ppm
4/2/2020	12:39 PM	844.5	ppm	0.2	ppm
4/2/2020	12:39 PM	543.01	ppm	0.21	ppm
			median	0.20	ppm

**Table 1 - Gasmet FTIR Survey of PCE in Ambient Air**  
**One Hour Martinizing**  
**1219 - 1239 South Military Road, Green Bay, Wisconsin**  
**BRRTS #02-05-217270**  
**Jim's Music Room 12**

<u>Date</u>	<u>Time</u>	<u>Carbon dioxide</u>	<u>Unit</u>	<u>Tetrachloroethylene</u>	<u>Unit</u>
4/2/2020	12:40 PM	574.27	ppm	0.2	ppm
4/2/2020	12:40 PM	571.54	ppm	0.23	ppm
4/2/2020	12:41 PM	483.12	ppm	0.19	ppm
			median	0.20	ppm

**Jim's Music Storage**

<u>Date</u>	<u>Time</u>	<u>Carbon dioxide</u>	<u>Unit</u>	<u>Tetrachloroethylene</u>	<u>Unit</u>
4/2/2020	12:46 PM	638.09	ppm	0.79	ppm
4/2/2020	12:47 PM	734.48	ppm	0.34	ppm
4/2/2020	12:47 PM	695.11	ppm	0.2	ppm
4/2/2020	12:47 PM	634.22	ppm	0.18	ppm
4/2/2020	12:48 PM	552.75	ppm	0.18	ppm
4/2/2020	12:48 PM	518.27	ppm	0.19	ppm
4/2/2020	12:49 PM	479.88	ppm	0.18	ppm
			median	0.18	ppm

**Jim's Music Basement Stairs**

<u>Date</u>	<u>Time</u>	<u>Carbon dioxide</u>	<u>Unit</u>	<u>Tetrachloroethylene</u>	<u>Unit</u>
4/2/2020	12:51 PM	533.31	ppm	0.17	ppm
4/2/2020	12:51 PM	544.91	ppm	0.16	ppm
4/2/2020	12:52 PM	472.05	ppm	0.15	ppm
			median	0.16	ppm

**Jim's Music Sump 1**

<u>Date</u>	<u>Time</u>	<u>Carbon dioxide</u>	<u>Unit</u>	<u>Tetrachloroethylene</u>	<u>Unit</u>
4/2/2020	12:53 PM	477.94	ppm	0.15	ppm
4/2/2020	12:54 PM	542.59	ppm	0.16	ppm
4/2/2020	12:54 PM	541.5	ppm	0.15	ppm
4/2/2020	12:54 PM	575.15	ppm	0.14	ppm
			median	0.15	ppm

**Table 1 - Gasmet FTIR Survey of PCE in Ambient Air**  
**One Hour Martinizing**  
**1219 - 1239 South Military Road, Green Bay, Wisconsin**  
**BRRTS #02-05-217270**  
**Jim's Music Electrical Repair Room**

<u>Date</u>	<u>Time</u>	<u>Carbon dioxide</u>	<u>Unit</u>	<u>Tetrachloroethylene</u>	<u>Unit</u>
4/2/2020	12:57 PM	550.12	ppm	0.13	ppm
4/2/2020	12:57 PM	552.59	ppm	0.14	ppm
4/2/2020	12:57 PM	548.53	ppm	0.14	ppm
4/2/2020	12:58 PM	486.47	ppm	0.16	ppm
			median	0.14	ppm

**Jim's Music Basement Work Bench**

<u>Date</u>	<u>Time</u>	<u>Carbon dioxide</u>	<u>Unit</u>	<u>Tetrachloroethylene</u>	<u>Unit</u>
4/2/2020	1:00 PM	529.46	ppm	0.17	ppm
4/2/2020	1:00 PM	566.48	ppm	0.15	ppm
4/2/2020	1:00 PM	587.37	ppm	0.14	ppm
4/2/2020	1:01 PM	508.35	ppm	0.15	ppm
			median	0.15	ppm

**Jim's Music Basement Office**

<u>Date</u>	<u>Time</u>	<u>Carbon dioxide</u>	<u>Unit</u>	<u>Tetrachloroethylene</u>	<u>Unit</u>
4/2/2020	1:03 PM	522.78	ppm	0.15	ppm
4/2/2020	1:04 PM	620.1	ppm	0.17	ppm
4/2/2020	1:04 PM	587.16	ppm	0.16	ppm
4/2/2020	1:04 PM	502.98	ppm	0.17	ppm
			median	0.17	ppm

**Jim's Music Annex Room 1**

<u>Date</u>	<u>Time</u>	<u>Carbon dioxide</u>	<u>Unit</u>	<u>Tetrachloroethylene</u>	<u>Unit</u>
4/2/2020	1:11 PM	544.92	ppm	0.86	ppm
4/2/2020	1:13 PM	556.87	ppm	0.43	ppm
4/2/2020	1:13 PM	548.81	ppm	0.42	ppm
4/2/2020	1:13 PM	586.57	ppm	0.43	ppm
4/2/2020	1:14 PM	570.5	ppm	0.44	ppm
4/2/2020	1:14 PM	508.65	ppm	0.43	ppm
			median	0.43	ppm

**Table 1 - Gasmet FTIR Survey of PCE in Ambient Air**  
**One Hour Martinizing**  
**1219 - 1239 South Military Road, Green Bay, Wisconsin**  
**BRRTS #02-05-217270**  
**Jim's Music Annex Room 2**

<u>Date</u>	<u>Time</u>	<u>Carbon dioxide</u>	<u>Unit</u>	<u>Tetrachloroethylene</u>	<u>Unit</u>
4/2/2020	1:16 PM	526.57	ppm	0.44	ppm
4/2/2020	1:16 PM	517.71	ppm	0.42	ppm
4/2/2020	1:17 PM	446.58	ppm	0.4	ppm
4/2/2020	1:17 PM	432.52	ppm	0.41	ppm
			median	0.42	ppm

**Jim's Music Annex Room 3**

<u>Date</u>	<u>Time</u>	<u>Carbon dioxide</u>	<u>Unit</u>	<u>Tetrachloroethylene</u>	<u>Unit</u>
4/2/2020	1:19 PM	497.45	ppm	0.4	ppm
4/2/2020	1:19 PM	564.27	ppm	0.37	ppm
4/2/2020	1:19 PM	509.33	ppm	0.37	ppm
4/2/2020	1:20 PM	438.1	ppm	0.35	ppm
			median	0.37	ppm

**Jim's Music Annex Room 4**

<u>Date</u>	<u>Time</u>	<u>Carbon dioxide</u>	<u>Unit</u>	<u>Tetrachloroethylene</u>	<u>Unit</u>
4/2/2020	1:22 PM	448.2	ppm	0.37	ppm
4/2/2020	1:22 PM	508.87	ppm	0.37	ppm
4/2/2020	1:23 PM	501.12	ppm	0.36	ppm
4/2/2020	1:23 PM	444.86	ppm	0.38	ppm
			median	0.37	ppm

**Jim's Music Annex Bathroom**

<u>Date</u>	<u>Time</u>	<u>Carbon dioxide</u>	<u>Unit</u>	<u>Tetrachloroethylene</u>	<u>Unit</u>
4/2/2020	1:26 PM	478.33	ppm	0.4	ppm
4/2/2020	1:26 PM	567.45	ppm	0.36	ppm
4/2/2020	1:27 PM	529.96	ppm	0.34	ppm
			median	0.36	ppm

**Jim's Music Annex Closet**

<u>Date</u>	<u>Time</u>	<u>Carbon dioxide</u>	<u>Unit</u>	<u>Tetrachloroethylene</u>	<u>Unit</u>
4/2/2020	1:29 PM	526.53	ppm	0.33	ppm
4/2/2020	1:29 PM	744.89	ppm	0.33	ppm
4/2/2020	1:29 PM	606.68	ppm	0.33	ppm
			median	0.33	ppm

**Table 1 - Gasmet FTIR Survey of PCE in Ambient Air**  
**One Hour Martinizing**  
**1219 - 1239 South Military Road, Green Bay, Wisconsin**  
**BRRTS #02-05-217270**  
**Jim's Music Annex Basement**

<u>Date</u>	<u>Time</u>	<u>Carbon dioxide</u>	<u>Unit</u>	<u>Tetrachloroethylene</u>	<u>Unit</u>
4/2/2020	1:40 PM	498.96	ppm	0.37	ppm
4/2/2020	1:40 PM	579.94	ppm	0.39	ppm
4/2/2020	1:40 PM	485.97	ppm	0.4	ppm
4/2/2020	1:41 PM	414.74	ppm	0.39	ppm
			median	0.39	ppm

**Jim's Music Annex Basement, Sump 1**

<u>Date</u>	<u>Time</u>	<u>Carbon dioxide</u>	<u>Unit</u>	<u>Tetrachloroethylene</u>	<u>Unit</u>
4/2/2020	1:42 PM	411.4	ppm	0.39	ppm
4/2/2020	1:43 PM	416.15	ppm	0.43	ppm
4/2/2020	1:43 PM	408.49	ppm	0.51	ppm
4/2/2020	1:43 PM	406.82	ppm	0.58	ppm
4/2/2020	1:44 PM	407.14	ppm	0.58	ppm
			median	0.51	ppm

**Jim's Music Annex Basement, Sump 2**

<u>Date</u>	<u>Time</u>	<u>Carbon dioxide</u>	<u>Unit</u>	<u>Tetrachloroethylene</u>	<u>Unit</u>
4/2/2020	1:45 PM	520.26	ppm	0.56	ppm
4/2/2020	1:45 PM	627.63	ppm	0.46	ppm
4/2/2020	1:46 PM	640.3	ppm	0.43	ppm
4/2/2020	1:46 PM	652.34	ppm	0.43	ppm
			median	0.45	ppm

**Jim's Music Annex Basement, Beam Pocket**

<u>Date</u>	<u>Time</u>	<u>Carbon dioxide</u>	<u>Unit</u>	<u>Tetrachloroethylene</u>	<u>Unit</u>
4/2/2020	1:48 PM	621.81	ppm	0.48	ppm
4/2/2020	1:48 PM	676.56	ppm	0.81	ppm
4/2/2020	1:49 PM	677.1	ppm	1.01	ppm
4/2/2020	1:49 PM	623.92	ppm	0.98	ppm
			median	0.90	ppm

**Table 1 - Gasmet FTIR Survey of PCE in Ambient Air**  
**One Hour Martinizing**  
**1219 - 1239 South Military Road, Green Bay, Wisconsin**  
**BRRTS #02-05-217270**  
**Jim's Music Hepa Filer Inlet**

<u>Date</u>	<u>Time</u>	<u>Carbon dioxide</u>	<u>Unit</u>	<u>Tetrachloroethylene</u>	<u>Unit</u>
4/2/2020	2:04 PM	519.27	ppm	0.65	ppm
4/2/2020	2:04 PM	510.35	ppm	0.37	ppm
4/2/2020	2:04 PM	510.16	ppm	0.3	ppm
			median	0.37	ppm

**Jim's Music Hepa Filter Outlet**

<u>Date</u>	<u>Time</u>	<u>Carbon dioxide</u>	<u>Unit</u>	<u>Tetrachloroethylene</u>	<u>Unit</u>
4/2/2020	2:05 PM	513.77	ppm	0.27	ppm
4/2/2020	2:06 PM	512.43	ppm	0.26	ppm
4/2/2020	2:06 PM	514.46	ppm	0.22	ppm
			median	0.26	ppm



Table 2 - Summary of PID Measurements  
 One Hour Martinizing  
 1233 South Military Road Green Bay, Wisconsin  
 BRRTS #02-05-217270

Date	Time	Unit	Location	Result (ppb)	Comment
<b>Ground Floor &amp; Basement</b>					
4/2/2020	9:15	0:00	Outdoor ambient, by #1231	0	
4/2/2020	c 9:30	1239	Edward Jones outdoor	0	
4/2/2020	c 9:32	1239	Front desk	35	
4/2/2020	10:07	1239	Front desk	66	
4/2/2020		1235	main room	68	
4/2/2020	10:40	1235	floor of main room	95	
4/2/2020	10:43	1235	floor of main room	120	furnace running
4/2/2020	10:46	1235	floor of main room	132	furnace running
4/2/2020	10:48	1235	floor of main room	98	furnace running
4/2/2020	15:14	1235	floor of main room	228	start summa can
4/2/2020	15:44	1235	floor of main room	243	end summa can
4/2/2020	10:54	1233	reception	878	back door is open
4/2/2020	11:04	1233	reception	1004	back door is open
4/2/2020	11:14	1233	reception	790	back door is open
4/2/2020	14:02	1219	front counter	266	air filter unit inlet during 5 minute test
4/2/2020	14:02	1219	front counter	224	air filter unit outlet during 5 minute test
4/2/2020	c 14:45	1219	restroom 1	260	
4/2/2020	c 14:46	1219	restroom 2	278	
4/2/2020	c 14:50	1219	front counter	85	front door open
4/2/2020	c 14:50	1219	outside	0	
4/2/2020	15:31	1219	front counter	189	start summa can
4/2/2020	16:03	1219	front counter	214	end summa can
4/2/2020	15:25	1219	basement office	253	start summa can
4/2/2020	15:55	1219	basement office	267	end summa can
4/3/2020	13:27	1219	front counter	120	start summa can
4/3/2020	14:03	1219	front counter	131	end summa can
4/3/2020	13:30	1219	hall outside room 3	106	
4/3/2020		1219	bathroom 2	144	
4/3/2020		1219	basement stair	123	
4/3/2020		1219	basement instrument repair	173	exhaust fan is running
4/3/2020		1219	back room	156	
4/2/2020	15:22	1231	on piano	633	start summa can
4/2/2020	15:52	1231	on piano	817	end summa can
4/3/2020	c 13:45	1231	basement	452	

Table 2 - Summary of PID Measurements  
 One Hour Martinizing  
 1233 South Military Road Green Bay, Wisconsin  
 BRRTS #02-05-217270

Date	Time	Unit	Location	Result (ppb)	Comment
<b>Roof</b>					
4/2/2020	11:32	1233	8" roof vent (drycleaning unit)	479	
4/2/2020	11:33	1233	4" plumbing vent	55	
4/2/2020	11:34	1235	4" plumbing vent	0	
4/2/2020	11:36	1239	"chimney vent"	17	
4/2/2020	11:36	1231	4" plumbing vent	0	
4/2/2020	11:38	1231	4" metal furnace vent (from ceiling)	284	
4/2/2020	11:38	1231	2" PVC furnace vent from basement	19	
4/2/2020	11:39	1219	bathroom vent	127	
4/2/2020	11:39	1219	4" plumbing vent (CI)	0	
4/2/2020	11:40	1219	Basement fan vent	126	
4/2/2020	11:41	1219	4" plumbing vent (ABS)	>10,000	
4/3/2020	14:24	1233	8" roof vent (drycleaning unit)	3,718	
4/3/2020	14:25	1233	4" plumbing vent	518	
4/3/2020	14:26	1233	2" pipe near chimney	1,124	
4/3/2020	14:27	1235	4" plumbing vent	52	
4/3/2020	14:28	1235	bath fan vent	13	
4/3/2020	14:28	1239	bath fan vent	0	
4/3/2020	14:29	1239	4" plumbing vent	0	
4/3/2020	14:29	1239	"chimney vent"	0	
4/3/2020	14:32	1231	4" plumbing vent	0	
4/3/2020	14:31	1231	4" metal furnace vent	357	
4/3/2020	14:34	1219	bathroom vent	164	
4/3/2020	14:34	1219	4" plumbing vent (CI)	0	
4/3/2020	14:33	1219	Basement fan vent	160	
4/3/2020	14:36	1219	4" plumbing vent (ABS)	4,958	

Figure 1  
Overall Building Floor Plan  
1219 - 1239 South Military Road  
Green Bay, Wisconsin






Figure 2  
Edward Jones  
1239 South Military Road  
Green Bay, Wisconsin

Gasmeter FTIR  
PCE results  
shown in red (ppm)

1" = 5'





Gasmet FTIR  
PCE results  
shown in red (ppm)

Figure 3  
Former Williams Tae Kwon Do  
1235 South Military Road  
Green Bay, Wisconsin




Figure 4  
 One Hour Martinizing  
 1233 South Military Road  
 Green Bay, Wisconsin

1" = 10'


Gasmet FTIR  
PCE results  
shown in red (ppm)



Figure 5  
Jim's Music Annex  
1231 South Military Road  
Green Bay, Wisconsin

Figure 6  
Jim's Music Annex - Basement  
1232 South Military Road  
Green Bay, Wisconsin

1" = 10'








Figure 7 -Jim's Music  
1219 South Military Road  
Green Bay, Wisconsin

1" = 10'

Gasmet FTIR  
PCE results  
shown in red (ppm)




Figure 8  
Jim's Music - Basement  
1219 South Military Road  
Green Bay, Wisconsin