

July 24, 2014

Mr. Timothy F. Maertz, AIA  
RMA Architects, Inc.  
1050 South Grider Street  
Appleton, WI 54914

**Subject: Remedial Action Plan**  
Former OHM Main Street Property, 1923 Main Street, Green Bay, WI  
WDNR BRRTS # 02-05-217276

Dear Tim:

Fehr Graham Engineering & Environmental (Fehr Graham) proposes to conduct a remedial excavation with subsequent soil sampling and two quarters of post-excavation groundwater monitoring at the above referenced property. The purpose of this letter is to summarize findings from additional sampling completed at the site in 2012 after award of the Remedial Action to Alpha Terra Science (now Fehr Graham), and to present the remaining actions to be completed in the previously approved Remedial Action Plan (RAP) to bring this site to case closure.

### Site History

The former OHM Main Street facility is located on the north side of Main Street at 1923 Main Street. The property is irregularly shaped and consists of approximately 1.2 acres. The former trapezoidal building was slab on grade in a vacant small strip mall that formerly contained four stores with various businesses.

The property history is not fully known, but based on information from previous reports; a structure was built in approximately 1960, with expansions to the west in the mid 60's to 1970's. The drycleaner was always present on the western end of the building, and operated from 1979 to 2008. A dry-cleaning machine was present approximately 20 feet east of the west wall along the eastern edge of the dry-cleaning store space.

The dry-cleaning machine has been removed and the building has been razed. Former dry-cleaning operations utilized tetrachloroethene (PCE).

Soil samples were obtained in 1999, and a release to the environment was reported to the Wisconsin Department of Natural Resources (WDNR). Due to the presence of contamination, a site investigation was required to determine the degree and extent of contamination in the soil and groundwater.

The site investigation was completed primarily by STS, Inc. Green Bay, WI, with borings and wells installed from 1999 to 2001. Groundwater sampling occurred at the ten well monitoring network through 2007, including off-site wells to the west and south. In October 2010, an

additional round of groundwater samples and two soil borings were advanced to evaluate more recent conditions. The results have been compiled in reports that have been previously submitted to the WDNR.

As part of the remedial action that was won by competitive bid by Alpha Terra Science (now Fehr-Graham), soil borings and an additional round of groundwater samples were obtained in December 2012.

The above-grade structures of the building were demolished by the owner in 2013, and the building concrete floor and footings remain intact.

## Hydrogeology

Information from the Former OHM Main Street site investigation indicate the depth to water is approximately four to seven feet below grade (Table 1) and occurs in silty sand fill that extends to approximately five feet. Underlying native soils consist of sandy silt to silty clay. The groundwater flow direction is west (Figure 1). The wells typically bail dry and are relatively slow to recover, and the calculated horizontal advective groundwater velocity is very low, less than one foot per year. Vertical hydraulic gradients are downward.

The geologic deposits are mapped as glaciolacustrine deposits<sup>1</sup>, the depth to bedrock is mapped as being between 50 and 100 feet below grade<sup>2</sup>, and the bedrock is dolomite<sup>3</sup>.

## Soil and Groundwater Contamination Summary

### Soil Contamination

In an effort to delineate the historic soil contamination on the property, Alpha Terra Science, Inc. (now Fehr-Graham) collected 27 soil samples from 12 soil borings (B-10 to B-21) located within and outside the former building in December 2012. Groundwater samples from the ten site wells were also obtained in December 2012.

Soil chemistry results indicate relatively low concentrations of PCE are present in soil as there are no PCE concentrations that exceed the non-industrial direct contact Residual Contaminant Level (RCL) (Table 2). However, the PCE in soil presents a risk for leaching to groundwater at many locations on the property. Per WDNR, the generic concentration of PCE that can be present in soil and leach contaminants to the groundwater at levels above the NR 140 standards is only 4.54 micrograms per kilogram (ug/kg), which is the groundwater pathway soil RCL.

The most contaminated soil sample was obtained from boring HA-1, located under the floor of the building immediately west of the dry cleaning machine. In 1999, the soil at this location contained approximately 4,100 ug/kg PCE in soil from depths of approximately 1.5 to 2.5 feet below grade. In 2010, follow up soil samples were obtained from this location, with a detection of approximately 410 ug/kg PCE in soil from a depth of 3.5 to 4 feet below grade. The depth to water at this location is likely between 3 and 5 feet below grade.

---

<sup>1</sup> Hadley, D. W. , and Pelham, J.H., 1976, Glacial Deposits of Wisconsin, WGNHS Map 10

<sup>2</sup> Trotta, L.C., and Cotter, R. D., 1973, "Depth to Bedrock in Wisconsin", WGNHS Map

<sup>3</sup> Mudrey, et. al., 1982, Bedrock Geologic Map of Wisconsin, WGNHS Map

The highest detection of PCE in soil outside the building is from boring B-16, located just to the east of MW-3, which has the most contaminated groundwater levels at the site. Levels of PCE in soil outside the building footprint range up to 2,320 ug/kg PCE, which was detected at a depth of 4 to 4.5 feet. Soil at MW-3 contained 122 ug/kg PCE at a depth of 3 to 5 feet, so the extent of elevated PCE is not widespread.

The soil chemistry results are attached on Table 2 and Figure 2. The laboratory analytical report is included in Appendix A.

### Groundwater Contamination

The most recent groundwater samples from December 2012 indicate elevated PCE and TCE concentrations are present at levels above the NR140 Enforcement Standard (ES) at two locations, MW-1 and MW-3 (Table 3, Figure 3). The laboratory analytical report is included in Appendix A.

PCE concentrations are decreasing and relatively low (6.5 micrograms per liter [ug/l]) since the initial sample was obtained on June 17, 1999 (71.9 ug/l) at monitoring well MW-1, located immediately south of the building (Appendix B).

PCE and trichloroethene (TCE) concentrations are increasing at monitoring well MW-3 and are much higher (PCE - 13,700 ug/l & TCE - 1,500 ug/l) since the initial sample was obtained on June 17, 1999 (PCE - 2,600 ug/l & TCE - <35.3 ug/l) (Appendix B). This increase in groundwater concentrations indicates a more aggressive remedial action remedy is warranted.

Degradation of PCE to TCE and cis 1,2-dichloroethene has historically been observed in groundwater from MW-3, but not in any significant fashion. The high PCE/TCE concentrations at MW-3 are likely related to a source in soil near or upgradient from MW-3.

The vertical and horizontal extent of contamination has been defined based on groundwater chemistry results from further downgradient and deeper wells. The groundwater chemistry results are attached on Table 3 and Figure 3.

### **Proposed Revised Remedial Action Plan and Scope of Work**

The previously approved remedial action included excavation and landfill disposal of soil from the site. At the time of the remedial action bids in 2012, two areas were planned for excavation and an estimated volume of 540 tons of soil was assumed based on the available information at that time. Disposal tipping fees, hauling and excavation / backfill rates were estimated pending completion of additional soil borings to define the extent of contamination more thoroughly, and were then expected to be competitively bid using the updated soil chemistry information.

Based on the completed borings and more recent groundwater chemistry information, the revised proposed soil excavation will be from four areas to a depth of six feet, with a total estimated quantity of 550 tons of soil to be removed and landfilled. The proposed excavation limits are shown on Figure 4.

It is not economically practical to excavate all soil from the site that exceeds the groundwater RCL. The planned excavation is intended to remove the most contaminated soil from the site, with an overall objective to demonstrate stable or improving groundwater chemistry results over time following the excavation. An approximate soil RCL goal for the site is 200 ug/kg PCE, but this standard may not be met at all locations.

The proposed excavation includes an area of soil surrounding monitoring well MW-3, which is the most contaminated groundwater location on the property. Well MW-3 will be entirely removed in the excavation, and a sump will be installed as a replacement monitoring point in the backfill near MW-3 to a depth of approximately 15 feet below grade.

Based on the very similar total volume of soil proposed for removal, the tasks and costs from the original proposal need no significant revision. As a refresher, a detailed cost estimate for the RAP is shown on Table 4, and the tasks that remain to be completed from the previously outlined remedial action are summarized again below.

#### Task 3: Data Evaluation and Excavation Specifications, Bidding, Landfill Approval

The soil chemistry results have been tabulated, mapped, and interpreted in this submittal.

Figure 4 presents a drawing showing the proposed "hot-spot" excavation areas. Field and laboratory results indicate most of the soil contamination mass resides within the upper 6 feet of soil within the proposed excavation areas, which would result in the removal of approximately 550 tons of PCE contaminated soil. Fehr Graham has estimated the volume of soil and excavation / landfill / backfill costs based on estimates, and the actual tonnage of soil to be removed may vary based on actual soil density.

Upon WDNR/client agreement on the soil remediation details, a bid specification will be completed and sent to excavation contractors for bidding. Landfill pricing and disposal approval will be obtained from two potential landfill facilities, Waste Management in Whitelaw, and Advanced Disposal in Hilbert.

No vapor results have been obtained from the site. The building has been demolished, and testing for vapors is not necessary if there are no structures present on the property. Depending on the location of a new structure on this property, it may be prudent to install a subslab vapor mitigation system beneath any occupied structures.

#### Task 4: Excavation and Landfill Disposal, Backfill

Upon receipt of bids, a contractor will be selected, and the remedial excavation work will be completed.

Based on the historic groundwater chemistry results, there have been no detections of VOCs in groundwater from wells MW-2, MW-4, MW-5, MW-6, MW-8, and MW-9. These wells will be properly abandoned per WDNR procedures prior to the excavation.

The soil will be dug and hauled to the landfill. Concrete from the immediate area near the dry-cleaning machine will be broken up and included with the landfilled material, the remaining concrete floor from the building and the building footings can be handled as clean concrete for recycling purposes.

Utilities will be capped and properly decommissioned as required by code. Screening of soil around utility lines will be performed in the field using a Photo-Ionization Detector (PID) to evaluate if utility lines may have provided a conduit for contaminant migration.

To the extent possible, previous soil chemistry results will be used to document the remaining in place soil chemistry concentrations. An estimated 15 additional soil samples will be retained during the remedial excavation to document the final soil chemistry results from the excavation walls. A field PID will be used to help screen soils during the excavation. Floor samples will not be retained, as the floor will be below the water table surface, and the samples would not be representative of soil chemistry results. Fehr Graham staff will sample the sidewalls for VOCs.

The excavation is expected to extend slightly below the water table interface, and it is not clear how much water may enter the excavation during digging. If water ponds in the base of the excavation, some water removal may be needed prior to backfilling. An estimated 2,000 gallons of water removal has been included in the estimated cost.

Monitoring well MW-3 will be entirely removed during the excavation and replaced with a 4-inch diameter schedule 40 PVC sump. The replacement sump will be at the approximate location of MW-3, and will be installed in a test pit within "Excavation B" dug to a depth of roughly 15 feet (10-foot screen) during remedial excavation activities. The proposed MW-3 sump will be installed in the backfill for groundwater monitoring purposes.

Backfill will consist of compactable sand and gravel granular fill. Discussions will be held with the future building structural engineer to determine what material would be considered suitable for placement as backfill. Compaction will be performed in one-foot lifts using a vibratory compactor, but no compaction testing is proposed to document density.

The top foot of backfill may include a different material, such as base coarse to provide a hard traffic surface, or possibly coarse stone to provide a media for a potential future vapor mitigation efforts. The need for specific engineered fill will depend on the planned final use of the proposed excavation areas, and will need to be discussed further with the owner prior to implementation. Since the final site surface is not known at this time, backfill with granular fill and a foot of traffic bond to the ground surface is presumed to be acceptable. If asphalt patching is required on a portion of the proposed excavation, it is likely the cost for asphalt will not be eligible for reimbursement under DERF.

#### Task 5: Post-Excavation Groundwater Monitoring

Approximately six months and twelve months after excavation, Fehr Graham staff will monitor the groundwater chemistry for VOCs. Testing of the remaining four monitoring wells (MW-1, PZ-1, replacement sump at MW-3, MW-7) will be completed for VOCs. Sampling will be performed using standard sample procedures, with individually dedicated bailers for sampling.

#### Task 6: Data Evaluation and Documentation Report

Upon completion of the excavation activities and the first post-excavation groundwater sampling event, a brief summary report will be sent to the WDNR that documents the

completed actions. The report will include details regarding the excavation, backfill, well abandonments, and will summarize laboratory analytical results.

Discussions will be held with the WDNR regarding the results and whether case closure can be pursued. It is anticipated the report will conclude that the next sample event be completed in six months, and if those results appear favorable, closure could be considered.

#### Task 7: Data Evaluation and Groundwater Monitoring Status Report

Following the second post-excavation groundwater sampling event, a brief status report will be sent via e-mail to the WDNR. The laboratory analytical reports will be sent via hard copy for the files. The report will include updated data tables and figures, and a brief summary of the findings. If closure appears warranted, it will be prepared under Task 8. If additional groundwater samples appear necessary, they will be completed at the same per sample event unit cost as identified on our cost table.

#### Task 8: Data Evaluation and Closure Request, GIS Packet

Once the source areas of residual soil contamination have been removed, and groundwater contaminant levels are stable or declining, it will be possible to obtain case closure. Completely clean soil and groundwater is not the remedial objective, but demonstrated stable or declining contaminant concentrations at the source and downgradient from the site should allow the site to undergo case closure with no further remediation or testing requirements. A Geographic Information System (GIS) listing for residual soil and groundwater contamination will likely be necessary for this site.

If the contamination is not limited to one property, a notification letter will be sent to off-site property owners where groundwater contamination is present, per WDNR requirements. The City of Green Bay will be notified of potential contamination in the right of way, if warranted.

Fees charged by the WDNR for review of the closure request and placement on the GIS registry for the property are not eligible for reimbursement under DERF. In addition, fees charged to obtain copies of deeds for the closure packet are not reimbursable expenses. These anticipated charges are identified on Table 4.

Upon completion, the closure report will be sent to the WDNR, and conditional closure will be provided, contingent on abandonment of the remaining monitoring wells.

#### Task 9: Well Abandonment

Following receipt of conditional closure from the WDNR, the monitoring wells can be abandoned. The remaining four wells will be abandoned per the requirements of NR141, and Fehr Graham will send the well abandonment forms to the WDNR for documentation of proper abandonment.

#### Task 10: Dry Cleaner Environmental Response Fund (DERF) Claims

Periodically during the project, claims for reimbursement of funds from the DERF program will be prepared. The claim submittal charges are not an eligible expense, but the work is an

essential part of the project. To keep out of pocket, ineligible charges to a minimum, Fehr Graham will prepare DERF claims using a discounted hourly rate for time required to complete a claim. Typical claim preparation charges total less than \$500 per claim.

### Schedule

The anticipated project schedule is estimated below. The schedule will also depend on the length of time for agency review, laboratory turnaround, and other factors.

Activity	Estimated Start	Duration	Comments
Review and Approval of Revised Remediation Plan	August 2014	1 month	WDNR needs to approve scope, Client Needs to Approve and Execute Contract with Fehr Graham
Bid Soil Remedial Excavation	August 2014	1 month	
Soil Excavation, Partial Well Abandon	August 2014	3 - 4 days	
DERF Claim	September 2014		Get reimbursement for large remedial action expense
Post-Excavation Groundwater Sample	February 2015	1 Day	Wait 3 weeks for lab results
RA Doc Report with Initial Post-Excavation GW Chemistry	March 2015		See if Closure possible
Post-Excavation GW Sample Event Two	August 2015	1 Day	Wait 3 weeks for lab results
Status Report	October 2015		
Closure Request / GIS Packet	November 2015 or earlier?		DERF DNR Fees are Ineligible Charges
Final Well Abandonment	March 2016		
Final DERF Claim	April 2016		

### DERF Program

The site is in the DERF program, and thus far, Fehr Graham and other subcontractors have invoiced approximately \$13,120 in expenses on this project, with a total DERF approved remedial action budget of \$71,728.10.

Future charges are anticipated to be fully covered by DERF up to \$200,000, except for items identified on Table 4 as being ineligible for DERF reimbursement. Charges above \$200,000 are still eligible for DERF coverage, but an additional 8% deductible on charges above \$200,000 are not eligible for reimbursement.

Fehr Graham will comply with the DERF program requirements, and will not charge for items that are clearly ineligible, such as travel, mileage, food, mobilization, and accommodations. Fehr Graham will prepare DERF claims at periodic intervals during the project.

The DERF program has recently indicated up to \$15,000 of demolition costs can be considered eligible for reimbursement if the demolition is performed to access contamination as part of a remedial action. It would appear this site may qualify for that coverage, and further discussions with the WDNR should be performed to determine how to qualify for the \$15,000 in DERF demolition coverage.

Please let me know your thoughts on this matter, and call me at (920) 892-2444 if you have any questions or comments.

Sincerely,



Matt Dahlem, P.G.  
Senior Project Hydrogeologist



Kendrick Ebbott, P.G.  
Director of Remediation Services

Attachments:	Figure 1	Groundwater Flow Direction - December 12, 2012
	Figure 2	Pre-Remedial Soil Contamination - PCE Isoconcentration
	Figure 3	Groundwater Chemistry - December 12, 2012
	Figure 4	Proposed Remedial Excavation
	Table 1	Groundwater Elevation Data
	Table 2	Pre-Remedial Soil Analytical Table
	Table 3	Groundwater Analytical Results
	Table 4	Remedial Action Costs through June 30, 2014
	Appendix A	Laboratory Analytical Report
	Appendix B	Groundwater Contaminant Trend Analysis

cc: Kristin I. Dufresne, WDNR, via email



## Figures




Figure 1: Groundwater Flow Direction December 12, 2012



Figure 2: Pre- Remedial Soil Contamination - PCE Isoconcentration

Figure 3: Groundwater Chemistry December 12, 2012

Figure 4: Proposed Remedial Excavation

**LEGEND**

- HA-1 X Previous Hand Auger Boring
- B-5 X Previous Soil Borings
- MW-5  Monitoring Well
-  Groundwater Flow Direction
- 91.35 Groundwater Elevation (ft. msl)
- \*\* Not used in contouring
-  Former Dry Cleaning Machine





TITLE: <b>Groundwater Flow Direction</b> December 12, 2012		<b>FEHR GRAHAM</b> ENGINEERING & ENVIRONMENTAL	
SITE: OHM - Green Bay, WI		DWG #: Base Map - OHM.skf	
SCALE: 1" = 50'	ATS PROJECT NUMBER: RIC-2012-01	DATE: 12/10/12	FIGURE: 1
REV   DATE	DESCRIPTION: Excvn Limits	APPVD	DRAWN BY: MKH


# LEGEND

- HA-1 Previous Hand Auger Boring
- B-5 Previous Soil Borings
- MW-5 Monitoring Well
- B-16 Soil Boring 12/11/12
- Former Dry Cleaning Machine
- 1-3 Sample Depth (ft.)
- Note: B-10 to B-21 obtained 12/11/12
- All others obtained in 1999
- PCE Tetrachloroethene (ug/kg)
- TCE Trichloroethene (ug/kg)
- N Naphthalene (ug/kg)
- EB Ethylbenzene (ug/kg)
- X Xylenes (m-,o-,p-) (ug/kg)
- 124 1,2,4 Trimethylbenzene (ug/kg)
- 135 1,3,5 Trimethylbenzene (ug/kg)
- ND No Detectable Contaminants above limits
- ++ Exceeds EPA Protection of Groundwater Soil Screening Levels

MW-5



Estimated area of soil PCE contamination above Enforcement Standard.



TITLE: <b>Pre-Remedial Soil Contamination - PCE Isoconcentration</b>				<b>FEHR GRAHAM</b> ENGINEERING & ENVIRONMENTAL	
SITE: <b>OHM - Green Bay, WI</b>					
SCALE: 1" = 50'	ATS PROJECT NUMBER: RIC-2012-01		DATE: 12/10/12	DWG #: Base Map - OHM.skf	
REV [ ] DATE 9/20/13	DESCRIPTION: Excvn Limits	APPRD	DRAWN BY: MKH	FIGURE <b>2</b>	


MW-8  
 (PP)

**MAIN STREET**

# LEGEND

- HA-1 Previous Hand Auger Boring
- B-5 Previous Soil Borings
- MW-5 Monitoring Well
- Former Dry Cleaning Machine
- PCE Tetrachloroethene (ug/l)
- TCE Trichloroethene (ug/l)
- + Exceeds NR140 Preventive Action Limit
- ++ (**BOLD**) Exceeds NR140 Enforcement Standard
- ND No Detectable Compounds / Concentrations below limits

MW-5  
VOC ND



MW-6  
VOC ND

MW-4  
VOC ND

ASPHALT

GRAVEL

GRAVEL


MW-9  
VOC ND

MW-3  
PCE 13,700++  
TCE 1,500++

ASPHALT


GRASS

MW-7  
PCE 1.6+



ASPHALT

GRASS



office

MW-1 PZ-1  
PCE 6.5++  
VOC ND

MW-2  
VOC ND



SCALE: 1" = 30'

ASPHALT

MAIN STREET

GRASS

MW-8  
VOC ND  
**(PP)**



TITLE: <b>Groundwater Chemistry December 12, 2012</b>		<b>FEHR GRAHAM</b> ENGINEERING & ENVIRONMENTAL	
SITE: OHM - Green Bay, WI			
SCALE: 1" = 50'	ATS PROJECT NUMBER: RIC-2012-01	DATE: 12/10/12	DWG #: Base Map - OHM.skf
REV   DATE 9/20/13	DESCRIPTION: Excvn Limits	APPVD	DRAWN BY: MKH
			FIGURE <b>3</b>

# LEGEND

- HA-1 Previous Hand Auger Boring
  - B-5 Previous Soil Borings
  - MW-5 Monitoring Well
  - PCE Tetrachloroethene (ug/kg)
  - TCE Trichloroethene (ug/kg)
  - N Naphthalene (ug/kg)
  - EB Ethylbenzene (ug/kg)
  - X Xylenes (m-,o-,p-) (ug/kg)
  - 124 1,2,4 Trimethylbenzene (ug/kg)
  - 135 1,3,5 Trimethylbenzene (ug/kg)
  - ND No Detectable Contaminants above limits
  - ++ Exceeds EPA Protection of Groundwater Soil Screening Levels
- Former Dry Cleaning Machine
  - B-16 Soil Boring 12/11/12
  - 1-3 Sample Depth (ft.)
  - Note: B-10 to B-21 obtained 12/11/12
  - All others obtained in 1999
  - Proposed Excavation to 6 feet below ground surface
  - Proposed Sump

MW-5

**PROPOSED EXCAVATION**  
**550 TONS from FOUR AREAS**  
**A: 47 tons**  
**B: 172 tons**  
**C: 89 tons**  
**D: 242 tons**



TITLE: <b>Proposed Remedial Excavation</b>		<b>FEHR GRAHAM</b> ENGINEERING & ENVIRONMENTAL	
SITE: OHM - Green Bay, WI			
SCALE: 1" = 30'	ATS PROJECT NUMBER: RIC-2012-01	DATE: 12/10/12	DWG #: Base Map - OHM.skf
REV 9/20/13	DESCRIPTION: Excvn Limits	APPVD	DRAWN BY: MKH
			FIGURE <b>4</b>

## Tables

Table 1: Groundwater Elevation Data

Table 2: Pre-Remedial Soil Analytical Table

Table 3: Groundwater Analytical Results

Table 4: Remedial Action Costs through June 30, 2014

TABLE 1  
GROUNDWATER ELEVATION DATA  
One Hour Martinizing Dry Cleaning Facility 1923 Main St., Green Bay, WI

Well Identification	PZ-1	MW-1	MW-2	MW-3	MW-4
Top of Casing Elevation (ft MSL)	99.15	98.61	98.31	98.29	99.27
Stickup (ft)	-0.36	-0.40	-0.32	-0.42	-0.44
Total Depth (ft below TOC)	22.86	13.40	13.32	13.42	12.94
Screened Interval (ft bgs)	17-22	3-13	3-13	3-13	2.5-12.5
Well Identification	MW-5	MW-6	MW-7	MW-8	MW-9
Top of Casing Elevation (ft MSL)	98.92	97.65	97.83	98.91	97.43
Stickup (ft)	-0.27	-0.28	-0.30	-0.38	-0.34
Total Depth (ft below TOC)	13.27	12.78	12.80	13.38	13.84
Screened Interval (ft bgs)	3-13	2.5-12.5	2.5-12.5	3-13	3.5-13.5

NOTE: All Wells are Flush Mounted

Sample Date	PZ-1		MW-1		MW-2	
	Depth to Water (ft below PVC Lip)	GW Elev. (ft msl)	Depth to Water (ft below PVC Lip)	GW Elev. (ft msl)	Depth to Water (ft below PVC Lip)	GW Elev. (ft msl)
6/8/1999	12.64	86.51	4.83	93.78	4.81	93.50
1/3/2000	6.90	92.25	6.61	92.00	6.78	91.53
4/22/2004	5.20	93.95	3.98	94.63	4.76	93.55
7/22/2004	5.16	93.99	4.05	94.56	5.02	93.29
10/27/2004	5.92	93.23	5.07	93.54	5.65	92.66
1/25/2005	6.90	92.25	5.84	92.77	6.67	91.64
10/31/2006	5.07	94.08	4.10	94.51	4.91	93.40
4/30/2007	4.89	94.26	3.43	95.18	4.43	93.88
10/15/2010	5.29	93.86	3.98	94.63	4.80	93.51
12/12/2012	7.80	91.35	4.69	93.92	5.97	92.34

Sample Date	MW-3		MW-4		MW-5	
	Depth to Water (ft below PVC Lip)	GW Elev. (ft msl)	Depth to Water (ft below PVC Lip)	GW Elev. (ft msl)	Depth to Water (ft below PVC Lip)	GW Elev. (ft msl)
6/8/1999	2.65	95.64	2.84	96.43	No Data	
1/3/2000	4.94	93.35	5.25	94.02	4.83	94.09
4/22/2004	2.57	95.72	2.55	96.72	2.13	96.79
7/22/2004	2.78	95.51	No Data		No Data	
10/27/2004	3.74	94.55	4.08	95.19	3.64	95.28
1/25/2005	5.10	93.19	No Data		No Data	
10/31/2006	3.06	95.23	3.35	95.92	3.06	95.86
4/30/2007	2.21	96.08	No Data		No Data	
10/15/2010	3.19	95.10	3.28	95.99	2.96	95.96
12/12/2012	4.92	93.37	4.44	94.83	5.07	93.85

Sample Date	MW-6		MW-7		MW-8	
	Depth to Water (ft below PVC Lip)	GW Elev. (ft msl)	Depth to Water (ft below PVC Lip)	GW Elev. (ft msl)	Depth to Water (ft below PVC Lip)	GW Elev. (ft msl)
6/8/1999	No Data		No Data		No Data	
1/3/2000	4.94	92.71	6.61	91.22	6.41	92.50
4/22/2004	2.60	95.05	3.71	94.12	4.03	94.88
7/22/2004	No Data		No Data		No Data	
10/27/2004	3.74	93.91	4.91	92.92	5.26	93.65
1/25/2005	No Data		No Data		No Data	
10/31/2006	3.38	94.27	4.11	93.72	4.07	94.84
4/30/2007	No Data		No Data		No Data	
10/15/2010	3.39	94.26	4.19	93.64	3.89	95.02
12/12/2012	4.89	92.76	4.76	93.07	4.78	94.13

Sample Date	MW-9	
	Depth to Water (ft below PVC Lip)	GW Elev. (ft msl)
6/8/1999	No Data	
1/3/2000	No Data	
4/22/2004	4.31	93.12
7/22/2004	No Data	
10/27/2004	5.24	92.19
1/25/2005	No Data	
10/31/2006	4.00	93.43
4/30/2007	No Data	
10/15/2010	6.03	91.40
12/12/2012	6.74	90.69





**TABLE 3 GROUNDWATER ANALYTICAL RESULTS**

SELECTED VOC PARAMETERS

One Hour Martenizing Dry Cleaning Facility, 1923 Main St., Green Bay, WI

Sample ID	Sample Date	PETROLEUM VOCs						DRYCLEANING SOLVENT AND DEGRADATION PRODUCTS				
		Benzene (ug/l)	Ethyl benzene (ug/l)	Toluene (ug/l)	Xylenes (ug/l)	Naphth alene (ug/l)	Sum of TMB (ug/l)	PCE (ug/l)	TCE (ug/l)	cis 1,2 DCE (ug/l)	trans 1,2 DCE	VC (ug/l)
NR 140.10 PAL		0.5	140	160	400	10	96	0.5	0.5	7	20	0.02
NR 140.10 ES		5	700	800	2,000	100	480	5	5	70	100	0.2
STS Consultants												
HA-1	6/8/1999	<0.94	<0.97	<0.55	<2.85	<0.41	<4.05	84.7	1.79P	<0.93	NR	<0.70
MW-1	6/17/1999	<0.19	<0.19	0.14P	<0.57	<0.08	<0.81	71.9	0.29P	<0.19	NR	<0.14
MW-1	1/3/2000	<0.19	<0.19	<0.11	<0.39	<0.082	<0.81	20	<0.21	<0.19	NR	<0.14
MW-1	4/22/2004	<0.41	<0.54	<0.67	<2.63	<0.74	<1.80	16	<0.48	<0.83	NR	<0.18
MW-1	7/22/2004	<0.41	<0.54	<0.67	<2.63	<0.74	<1.80	21	<0.48	<0.83	NR	<0.18
MW-1	10/28/2004	<0.41	<0.54	<0.67	<2.63	<0.74	<1.80	22	0.52	<0.83	NR	<0.18
MW-1	1/25/2005	<0.41	<0.54	<0.67	<2.63	<0.74	<1.80	17	0.60	<0.83	NR	<0.18
MW-1	10/31/2006	<0.41	<0.54	<0.67	<2.63	<0.74	<1.80	16	<0.48	<0.83	NR	<0.18
MW-1	4/30/2007	<0.41	<0.54	<0.67	<2.63	<0.74	<1.80	16	<0.48	<0.83	NR	<0.18
MW-1	10/15/2010	<0.41	<0.54	<0.67	<2.63	<0.89	<1.80	19.9	<0.48	<0.83	NR	<0.18
MW-1 Dup	10/15/2010	<0.41	<0.54	<0.67	<2.63	<0.89	<1.80	17	<0.48	<0.83	NR	<0.18
MW-1	12/12/2012	<0.41	<0.54	<0.67	<2.63	<0.89	<1.80	6.5	<0.48	<0.83	<0.89	<0.18
PZ-1	6/17/1999	<0.19	<0.19	<0.11	<0.57	<0.08	<0.81	<0.34	<0.21	<0.19	NR	<0.14
PZ-1	1/3/2000	<0.19	<0.19	<0.11	<0.39	<0.082	<0.81	<0.34	<0.21	<0.19	NR	<0.14
PZ-1	4/22/2004	<0.41	<0.54	<0.67	<2.63	<0.74	<1.80	<0.45	<0.48	<0.83	NR	<0.18
PZ-1	7/22/2004	<0.41	<0.54	<0.67	<2.63	<0.74	<1.80	<0.45	<0.48	<0.83	NR	<0.18
PZ-1	10/28/2004	<0.41	<0.54	<0.67	<2.63	<0.74	<1.80	4.8	0.56	<0.83	NR	<0.18
PZ-1	1/25/2005	<0.41	<0.54	<0.67	<2.63	<0.74	<1.80	15	1.1	<0.83	NR	<0.18
PZ-1	10/31/2006	<0.41	<0.54	<0.67	<2.63	<0.74	<1.80	<0.45	<0.48	<0.83	NR	<0.18
PZ-1	4/30/2007	<0.41	<0.54	<0.67	<2.63	<0.74	<1.80	<0.45	<0.48	<0.83	NR	<0.18
PZ-1	10/15/2010	<0.41	<0.54	<0.67	<2.63	<0.89	<1.80	<0.45	<0.48	<0.83	NR	<0.18
PZ-1	12/12/2012	<0.41	<0.54	<0.67	<2.63	<0.89	<1.80	<0.45	<0.48	<0.83	<0.89	<0.18

**TABLE 3 GROUNDWATER ANALYTICAL RESULTS**

SELECTED VOC PARAMETERS

One Hour Martenizing Dry Cleaning Facility, 1923 Main St., Green Bay, WI

Sample ID	Sample Date	PETROLEUM VOCs						DRYCLEANING SOLVENT AND DEGRADATION PRODUCTS				
		Benzene (ug/l)	Ethyl benzene (ug/l)	Toluene (ug/l)	Xylenes (ug/l)	Naphth alene (ug/l)	Sum of TMB (ug/l)	PCE (ug/l)	TCE (ug/l)	cis 1,2 DCE (ug/l)	trans 1,2 DCE (ug/l)	VC (ug/l)
NR 140.10 PAL		<b>0.5</b>	140	160	400	10	96	<b>0.5</b>	<b>0.5</b>	7	20	<b>0.02</b>
NR 140.10 ES		<b>5</b>	700	800	2,000	100	480	<b>5</b>	<b>5</b>	70	100	<b>0.2</b>
MW-2	6/17/1999	<0.19	<0.19	<0.11	<0.57	<0.08	<0.81	<0.34	<0.21	<0.19	NR	<0.14
MW-2	1/3/2000	<0.19	<0.19	<0.11	<0.39	<0.082	<0.81	<0.34	<0.21	<0.19	NR	<0.14
MW-2	4/22/2004	<0.41	<0.54	<0.67	<2.63	<0.74	<1.80	<0.45	<0.48	<0.83	NR	<0.18
MW-2	7/22/2004	<0.41	<0.54	<0.67	<2.63	<0.74	<1.80	<0.45	<0.48	<0.83	NR	<0.18
MW-2	10/28/2004	<0.41	<0.54	<0.67	<2.63	<0.74	<1.80	<b>9.8</b>	<i>0.8</i>	<0.83	NR	<0.18
MW-2	1/25/2005	<0.41	<0.54	<0.67	<2.63	<0.74	<1.80	<b>15</b>	<i>1.2</i>	<0.83	NR	<0.18
MW-2	10/31/2006	<0.41	<0.54	<0.67	<2.63	<0.74	<1.80	<0.45	<0.48	<0.83	NR	<0.18
MW-2	4/30/2007	<0.41	<0.54	<0.67	<2.63	<0.74	<1.80	<0.45	<0.48	<0.83	NR	<0.18
MW-2	10/15/2010	<0.41	<0.54	<0.67	<2.63	<0.89	<1.80	<0.48	<0.48	<0.83	NR	<0.18
MW-2	12/12/2012	<0.41	<0.54	1.6	<2.63	<0.89	<1.80	<0.45	<0.48	<0.83	<0.89	<0.18
MW-3	6/17/1999	<31.3	<32.3	<18.3	<95	<13.7	<135	<b>2,600</b>	<35.3	<31	NR	<23.3
MW-3	1/3/2000	<0.19	<0.19	0.75	2.2	<0.082	5.4	<b>76</b>	<b>89</b>	1.6	NR	<b>1.2</b>
MW-3	4/22/2004	<10	<14	<17	<66	<18	<45	<b>4,400</b>	<b>190</b>	<21	NR	<4.5
MW-3	7/22/2004	<10	<14	<17	<66	<18	<45	<b>2,800</b>	<b>200</b>	<21	NR	<4.5
MW-3	10/28/2004	<41	<54	<67	<263	<74	<180	<b>10,000</b>	<b>450</b>	<83	NR	<18
MW-3	1/25/2005	<82	<110	<130	<530	<150	<360	<b>12,000</b>	<b>570</b>	<170	NR	<36
MW-3	10/31/2006	<20	<27	<34	<132	<37	<90	<b>4,700</b>	<b>360</b>	<42	NR	<9.0
MW-3	4/30/2007	<41	<54	<67	<263	<74	<180	<b>5,200</b>	<b>410</b>	<83	NR	<18
MW-3	10/15/2010	<2.0	<2.7	<3.4	<13.2	<4.4	<9.0	<b>602</b>	<b>191</b>	<i>34.4</i>	NR	<0.9
MW-3	12/12/2012	<102	<135	<168	<658	<222	<450	<b>13,700</b>	<b>1,500</b>	<208	<222	<45.0
MW-4	6/17/1999	<0.19	<0.19	<0.11	<0.57	<0.08	<0.81	<0.34	<0.21	<0.19	NR	<0.14
MW-4	1/3/2000	<0.19	<0.19	<0.11	<0.39	<0.082	<0.81	<0.34	<0.21	<0.19	NR	<0.14
MW-4	4/22/2004	<0.41	<0.54	<0.67	<2.63	<0.74	<1.80	<i>1.9</i>	<0.48	<0.83	NR	<0.18
MW-4	10/28/2004	<0.41	<0.54	<0.67	<2.63	<0.74	<1.80	<i>2.0</i>	<0.48	<0.83	NR	<0.18
MW-4	10/31/2006	<0.41	<0.54	<0.67	<2.63	<0.74	<1.80	<i>3.0</i>	<0.48	<0.83	NR	<0.18
MW-4	10/15/2010	<0.41	<0.54	<0.67	<2.63	<0.89	<1.80	<0.45	<0.48	<0.83	NR	<0.18
MW-4	12/12/2012	<0.41	<0.54	<0.67	<2.63	<0.89	<1.80	<0.45	<0.48	<0.83	<0.89	<0.18

**TABLE 3 GROUNDWATER ANALYTICAL RESULTS**

SELECTED VOC PARAMETERS

One Hour Martenizing Dry Cleaning Facility, 1923 Main St., Green Bay, WI

Sample ID	Sample Date	PETROLEUM VOCs						DRYCLEANING SOLVENT AND DEGRADATION PRODUCTS				
		Benzene (ug/l)	Ethyl benzene (ug/l)	Toluene (ug/l)	Xylenes (ug/l)	Naphth alene (ug/l)	Sum of TMB (ug/l)	PCE (ug/l)	TCE (ug/l)	cis 1,2 DCE (ug/l)	trans 1,2 DCE	VC (ug/l)
NR 140.10 PAL		0.5	140	160	400	10	96	0.5	0.5	7	20	0.02
NR 140.10 ES		5	700	800	2,000	100	480	5	5	70	100	0.2
MW-5	1/3/2000	<0.19	<0.19	<0.11	<0.39	<0.082	<0.81	<0.34	<0.21	<0.19	NR	<0.14
MW-5	4/22/2004	<0.41	<0.54	<0.67	<2.63	<0.74	<1.80	1.9	<0.48	<0.83	NR	<0.18
MW-5	10/28/2004	<0.41	<0.54	<0.67	<2.63	<0.74	<1.80	<0.45	<0.48	<0.83	NR	<0.18
MW-5	10/31/2006	<0.41	<0.54	<0.67	<2.63	<0.74	<1.80	<0.45	<0.48	<0.83	NR	<0.18
MW-5	10/15/2010	<0.41	<0.54	<0.67	<2.63	<0.89	<1.80	<0.45	<0.48	<0.83	NR	<0.18
MW-5	12/12/2012	<0.41	<0.54	<0.67	<2.63	<0.89	<1.80	<0.45	<0.48	<0.83	<0.89	<0.18
MW-6	1/3/2000	<0.19	<0.19	<0.11	<0.39	<0.082	<0.81	<0.34	<0.21	<0.19	NR	<0.14
MW-6	4/22/2004	<0.41	<0.54	<0.67	<2.63	<0.74	<1.80	<0.45	<0.48	<0.83	NR	<0.18
MW-6	10/28/2004	<0.41	<0.54	<0.67	<2.63	<0.74	<1.80	<0.45	<0.48	<0.83	NR	<0.18
MW-6	10/31/2006	<0.41	<0.54	<0.67	<2.63	<0.74	<1.80	<0.45	<0.48	<0.83	NR	<0.18
MW-6	10/15/2010	<0.41	<0.54	<0.67	<2.63	<0.89	<1.80	<0.45	<0.48	<0.83	NR	<0.18
MW-6	12/12/2012	<0.41	<0.54	<0.67	<2.63	<0.89	<1.80	<0.45	<0.48	<0.83	<0.89	<0.18
MW-7	1/3/2000	<0.19	<0.19	<0.11	<0.39	<0.082	<0.81	<0.34	<0.21	<0.19	NR	<0.14
MW-7	4/22/2004	<0.41	<0.54	<0.67	<2.63	<0.74	<1.80	<0.45	<0.48	<0.83	NR	<0.18
MW-7	10/28/2004	<0.41	<0.54	<0.67	<2.63	<0.74	<1.80	30	2.0	<0.83	NR	<0.18
MW-7	10/31/2006	<0.41	<0.54	<0.67	<2.63	<0.74	<1.80	<0.45	<0.48	<0.83	NR	<0.18
MW-7	10/15/2010	<0.41	<0.54	<0.67	<2.63	<0.89	<1.80	1.3	0.78J	2.2	NR	<0.18
MW-7	12/12/2012	<0.41	<0.54	<0.67	<2.63	<0.89	<1.80	1.6	<0.48	<0.83	<0.89	<0.18

**TABLE 3 GROUNDWATER ANALYTICAL RESULTS**  
**SELECTED VOC PARAMETERS**

One Hour Martenizing Dry Cleaning Facility, 1923 Main St., Green Bay, WI

Sample ID	Sample Date	PETROLEUM VOCs						DRYCLEANING SOLVENT AND DEGRADATION PRODUCTS				
		Benzene (ug/l)	Ethyl benzene (ug/l)	Toluene (ug/l)	Xylenes (ug/l)	Naphth alene (ug/l)	Sum of TMB (ug/l)	PCE (ug/l)	TCE (ug/l)	cis 1,2 DCE (ug/l)	trans 1,2 DCE	VC (ug/l)
NR 140.10 PAL		<b>0.5</b>	140	160	400	10	96	<b>0.5</b>	<b>0.5</b>	7	20	<b>0.02</b>
NR 140.10 ES		<b>5</b>	700	800	2,000	100	480	<b>5</b>	<b>5</b>	70	100	<b>0.2</b>
MW-8	1/3/2000	<0.19	<0.19	<0.11	<0.39	<0.082	<0.81	<0.34	<0.21	<0.19	NR	<0.14
MW-8	4/22/2004	<0.41	<0.54	<0.67	<2.63	<0.74	<1.80	<0.45	<0.48	<0.83	NR	<0.18
MW-8	10/28/2004	<0.41	<0.54	<0.67	<2.63	<0.74	<1.80	<0.45	<0.48	<0.83	NR	<0.18
MW-8	10/31/2006	<0.41	<0.54	<0.67	<2.63	<0.74	<1.80	<0.45	<0.48	<0.83	NR	<0.18
MW-8	10/15/2010	<0.41	<0.54	<0.67	<2.63	<0.89	<1.80	<0.45	<0.48	<0.83	NR	<0.18
MW-8	12/12/2012	<0.41	<0.54	<0.67	<2.63	<0.89	<1.80	<0.45	<0.48	<0.83	<0.89	<0.18
MW-9	8/28/2001	<0.19	<0.19	<0.11	<0.39	<0.082	<0.81	<0.34	<0.098	<0.19	NR	<23
MW-9	4/22/2004	<0.41	<0.54	<0.67	<2.63	<0.74	<1.80	<0.45	0.55	1.2	NR	<0.18
MW-9	10/28/2004	<0.41	<0.54	<0.67	<2.63	<0.74	<1.80	<0.45	2.6	3.4	NR	<0.18
MW-9	10/31/2006	<0.41	<0.54	<0.67	<2.63	<0.74	<1.80	<0.45	0.7	<0.83	NR	<0.18
MW-9	10/15/2010	<0.41	<0.54	<0.67	<2.63	<0.89	<1.80	<0.45	<0.48	<0.83	NR	<0.18
MW-9	12/12/2012	<0.41	<0.54	<0.67	<2.63	<0.89	<1.80	<0.45	<0.48	<0.83	<0.89	<0.18

Notes:

J: Result Between Lab Detection and Quantification Limits

PCE = Tetrachloroethene VC = Vinyl Chloride

TCE = Trichloroethene DCE = Dichloroethene

Xylenes reported as total of m-, o-, p-xylene

TMB is sum of 1,2,4- and 1,3,5-trimethylbenzene

NA= Not analyzed for parameter

NR = Not Reported

*ITALICS* exceeds NR 140 Preventive Action Limit (PAL)

**BOLD** exceeds NR 140.10 Enforcement Standard (ES)

TABLE 4: Remedial Action Costs through June 30, 2014  
 Consultant and Commodity Services Cost Estimate  
 OHM, 1923 Main Street, Green Bay, WI

ITEM DESCRIPTION	Unit Price	Quantity	Units	Total Cost	DERF INELIGIBLE	Total Invoiced	Remaining Budget
<b>CONSULTING SERVICES</b>							
<b>Task 1: RA Report, Access Agreement, Project Management 24 months</b>							
Sr. Hydrogeologist/ Engineer	\$100.00	50	hour	\$5,000.00			
Geologist	\$70.00	16	hour	\$1,120.00			
Drafting	\$55.00	6	hour	\$330.00			
Subtotal Task				\$6,450.00		\$2,903.75	\$3,546.25
<b>Task 2: Pre-Excavation Soil Borings (12) and Groundwater Sampling (10 wells), Well Repair</b>							
Sr. Hydrogeologist/ Engineer	\$100.00	6	hour	\$600.00			
Well Repairs, Survey	\$70.00	10	hour	\$700.00			
Technician/Geologist GW Sample All Wells	\$70.00	10	hour	\$700.00			
Technician/Geologist Drill / Sample	\$70.00	12	hour	\$840.00			
Sample Ship, Forms	\$70.00	4	hour	\$280.00			
PID	\$75.00	1	each	\$75.00			
Water Quality Meter, WL Probe, Survey	\$181.00	1	day	\$181.00			
Bailers with Rope	\$20.00	10	each	\$200.00			
Field Supplies - Expendables	\$50.00	1	lump	\$50.00			
Subtotal Task				\$3,626.00		\$3,636.83	(\$10.83)
<b>Task 3: Data Evaluation and Excavation Specifications, Bidding, Landfill Approval</b>							
Sr. Hydrogeologist/ Engineer	\$100.00	24	hour	\$2,400.00			
Geologist	\$70.00	12	hour	\$840.00			
Drafting	\$55.00	4	hour	\$220.00			
Subtotal Task				\$3,460.00		\$2,887.50	\$572.50
<b>Task 4 Excavation and Landfill Disposal, Backfill</b>							
Sr. Hydrogeologist Supervision	\$100.00	8	hour	\$800.00			
Sr Tech Field Supervision (2 days)	\$70.00	24	hour	\$1,680.00			
Sample Ship, Forms	\$70.00	2	hour	\$140.00			
PID	\$75.00	2	each	\$150.00			
Sump Materials	\$75.00	1	each	\$75.00			
Field Supplies - Expendables	\$25.00	2	lump	\$50.00			
Subtotal				\$2,895.00		\$0.00	\$2,895.00
<b>Task 5: Post Excavation Groundwater Monitoring (2 Events, 4 wells, over 12 Months)</b>							
<b>PER EVENT</b>							
Sr. Hydrogeologist	\$100.00	2	hour	\$200.00			
Sr. Tech. Water Levels, DO, ORP, etc.	\$70.00	3	hour	\$210.00			
Sr. Tech - Purge and Sample	\$70.00	6	hour	\$420.00			
Sample Ship, Forms	\$70.00	1	hour	\$70.00			
Bailers, Rope, tubing	\$20.00	4	each	\$80.00			
Multi-parameter meter (D.O., ORP, etc.)	\$125.00	1	day	\$125.00			
Field Supplies - Expendables	\$25.00	1	day	\$25.00			
WL Meter, Peristaltic	\$61.00	1	day	\$61.00			
Subtotal Task				\$1,191.00		\$0.00	\$2,382.00
EVENTS				2			
Subtotal Task				\$2,382.00		\$0.00	\$2,382.00
<b>Tasks 6 and 7: Data Evaluation and Documentation Report, Groundwater Monitoring Status Report</b>							
Sr. Hydrogeologist/ Eng Data Eval Doc Rept	\$100.00	32	hour	\$3,200.00			
Sr. Technician Data Eval (Ongoing)	\$70.00	24	hour	\$1,680.00			
Drafting (Ongoing)	\$55.00	12	hour	\$660.00			
Administrative	\$50.00	6	hour	\$300.00			
Subtotal Task				\$5,840.00		\$0.00	\$5,840.00
<b>Task 8: Data Evaluation and Closure Request, GIS Packet</b>							
Sr. Hydrogeologist	\$100.00	24	hour	\$2,400.00			
Sr. Technician	\$70.00	20	hour	\$1,400.00			
Drafting	\$55.00	8	hour	\$440.00			
Administrative	\$50.00	4	hour	\$200.00			
Deed Copies	\$30.00	1	lump	\$30.00	\$30.00		
DNR Closure Review Fee	\$1,050.00	1	lump	\$1,050.00	\$1,050.00		
DNR GIS Fees Soil	\$300.00	1	lump	\$300.00	\$300.00		
DNR GIS Fees Groundwater	\$350.00	1	lump	\$350.00	\$350.00		
Subtotal Task				\$6,170.00	\$0.00	\$0.00	\$4,440.00
<b>Task 9: Well Abandonment (10 wells, 6 during RA Dig, 4 End)</b>							
Sr. Hydrogeologist	\$100.00	3	hour	\$300.00			
Sr. Technician	\$70.00	12	hour	\$840.00			
Asphalt or Concrete	\$10.00	3	bags	\$30.00			
Bentonite	\$20.00	10	bag	\$200.00			
Subtotal Task				\$1,370.00		\$0.00	
<b>Task 10 DERF Claims (ineligible)</b>							
Sr. Hydrogeologist (2 estimated)	\$55.00	16	hour	\$880.00	\$880.00	\$0.00	\$0.00
Subtotal Task				\$880.00	\$880.00	\$0.00	\$0.00
<b>CONSULTING SERVICES TOTAL</b>				<b>\$33,073.00</b>		\$9,428.08	\$23,644.92
<b>COMMODITY SERVICES</b>							
<b>Task 2: Pre-Excavation Soil Borings (12) and Groundwater Sampling (10 wells), Well Repair</b>							
<b>Geoprobe Borings Excavation Limits Defn</b>							
Mobilization	\$500.00	1	lump	\$500.00			
Drill / Sample (12 @ 8')	\$9.00	96	foot	\$864.00			
Abandonment	\$1.00	96	ton	\$96.00			
Decon, Diggers, Etc.	\$150.00	1	lump	\$150.00			
Replacement Well Supplies and Assistance	\$250.00	1	lump	\$250.00			
Subtotal				\$1,860.00		\$1,785.00	\$75.00
<b>Laboratory</b>							
Soil VOCs (2 / hole = 24)	\$52.00	24	each	\$1,248.00			
Soil TOC	\$40.00	4	each	\$160.00			
GW VOC Pre-Excavation (10 wells plus dup)	\$50.00	11	each	\$550.00			
Subtotal				\$1,958.00		\$1,908.00	\$50.00
<b>TASK TOTAL</b>				<b>\$3,818.00</b>		\$3,693.00	\$125.00
<b>Task 4 Excavation and Landfill Disposal, Backfill Two Areas, 540 tons,</b>							
<b>Excavation Contractor</b>							
Mobilize	\$3,500.00	1	lump	\$3,500.00			
Concrete Removal and Haul Landfill (10' x 10')	\$40.00	5	tons	\$185.19			
Concrete Removal and Off-Site Recycle (20 x 60) - 100SF	\$12.00	51	tons	\$611.11			
Excavation Soil	\$2.00	540	ton	\$1,080.00			
Haul Soil to Landfill	\$9.00	540	ton	\$4,860.00			
Sump Installation	\$100.00	1	each	\$100.00			
Barriers / Secure Site	\$400.00	1	lump	\$400.00			
Vac Truck Dewater Excavation before backfill	\$500.00	1	lump	\$500.00			
Haul and Disposal Water	\$0.50	2000	gallon	\$1,000.00			
Backfill (Granular)	\$11.75	440	tons	\$5,170.00			
Base Coarse Top Foot	\$13.25	100	tons	\$1,325.00			
Asphalt (Alley)	\$2.00	500	SF	\$1,000.00	\$1,000.00	\$0.00	\$18,731.30
Subtotal				\$19,731.30		\$0.00	\$18,731.30
<b>Landfill Fees</b>							
Tipping Fee and Tax, Fuel Surcharge: Soil	\$32.77	540	ton	\$17,695.80			
Subtotal				\$17,695.80		\$0.00	\$520.00
<b>Laboratory</b>							
Soil VOCs	\$52.00	10	each	\$520.00		\$0.00	\$520.00
Subtotal				\$520.00		\$0.00	\$520.00
<b>TASK TOTAL</b>				<b>\$37,947.10</b>		\$0.00	\$37,947.10
<b>Task 5: Post Excavation Groundwater Monitoring (2 Events, 4 wells, over 12 Months)</b>							
<b>(two sumps, 11 wells)</b>							
<b>Laboratory per Event with Duplicate</b>							
Groundwater Samples 4 wells plus dup each event							
VOCs	\$50.00	5	each	\$250.00			
EVENTS				2			
Subtotal Task				\$500.00		\$0.00	\$500.00
<b>TASK TOTAL</b>				<b>\$90,899.14</b>		\$3,693.00	\$87,206.14
<b>CONTRACTOR SERVICES TOTAL</b>				<b>\$90,899.14</b>		\$3,693.00	\$87,206.14
<b>TOTAL CONTRACTOR</b>				<b>\$42,265.10</b>		\$3,693.00	\$38,572.10
<b>TOTAL CONSULTANT</b>				<b>\$33,073.00</b>		\$9,428.08	\$23,644.92
<b>ESTIMATED TOTAL PROJECT TO CLOSURE</b>				<b>\$75,338.10</b>	<b>\$3,610.00</b>		
Total Anticipated DERF Ineligible				\$3,610.00	\$3,610.00	Total Invoiced	Remaining Budget
Total Anticipated DERF Reimbursement				\$71,728.10		\$13,121.08	\$58,607.02

## Appendices

Appendix A: Laboratory Analytical Report

Appendix B: Groundwater Contaminant Trend Analysis

## **Appendix A**

Laboratory Analytical Report

December 24, 2012

Ken Ebbott  
Alpha Terra Science - Plymouth  
1237 South Pilgrim Rd  
Plymouth, WI 53073

RE: Project: RIL-2012-01 OHM GREEN BAY  
Pace Project No.: 4071763

Dear Ken Ebbott:

Enclosed are the analytical results for sample(s) received by the laboratory on December 11, 2012. The results relate only to the samples included in this report. Results reported herein conform to the most current TNI standards and the laboratory's Quality Assurance Manual, where applicable, unless otherwise noted in the body of the report.

If you have any questions concerning this report, please feel free to contact me.

Sincerely,



Kang Khang

kang.khang@pacelabs.com  
Project Manager

Enclosures



## REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, Inc..



## CERTIFICATIONS

Project: RIL-2012-01 OHM GREEN BAY

Pace Project No.: 4071763

---

### Green Bay Certification IDs

1241 Bellevue Street, Green Bay, WI 54302

Florida/NELAP Certification #: E87948

Illinois Certification #: 200050

Kentucky Certification #: 82

Louisiana Certification #: 04168

Minnesota Certification #: 055-999-334

New York Certification #: 11888

North Carolina Certification #: 503

North Dakota Certification #: R-150

South Carolina Certification #: 83006001

US Dept of Agriculture #: S-76505

Wisconsin Certification #: 405132750

---

## SAMPLE SUMMARY

Project: RIL-2012-01 OHM GREEN BAY

Pace Project No.: 4071763

Lab ID	Sample ID	Matrix	Date Collected	Date Received
4071763001	B10 2-3	Solid	12/11/12 09:10	12/11/12 15:50
4071763002	B10 3-4	Solid	12/11/12 09:13	12/11/12 15:50
4071763003	B11 2-3	Solid	12/11/12 09:45	12/11/12 15:50
4071763004	B11 3-4	Solid	12/11/12 09:50	12/11/12 15:50
4071763005	B11 5-6	Solid	12/11/12 10:00	12/11/12 15:50
4071763006	B12 2-3	Solid	12/11/12 10:50	12/11/12 15:50
4071763007	B12 4-5	Solid	12/11/12 10:55	12/11/12 15:50
4071763008	B12 3.5-4	Solid	12/11/12 10:51	12/11/12 15:50
4071763009	B13 2-3	Solid	12/11/12 10:45	12/11/12 15:50
4071763010	B13 4-5	Solid	12/11/12 10:47	12/11/12 15:50
4071763011	B14 2-3	Solid	12/11/12 10:10	12/11/12 15:50
4071763012	B14 4-5	Solid	12/11/12 10:13	12/11/12 15:50
4071763013	B15 2-3	Solid	12/11/12 10:28	12/11/12 15:50
4071763014	B15 5-6	Solid	12/11/12 10:30	12/11/12 15:50
4071763015	B16 2-3	Solid	12/11/12 12:00	12/11/12 15:50
4071763016	B16 4-4.5	Solid	12/11/12 12:02	12/11/12 15:50
4071763017	B17 1-2	Solid	12/11/12 12:19	12/11/12 15:50
4071763018	B17 2.5-3.5	Solid	12/11/12 12:20	12/11/12 15:50
4071763019	B18 2-3	Solid	12/11/12 13:05	12/11/12 15:50
4071763020	B18 3-4	Solid	12/11/12 13:06	12/11/12 15:50
4071763021	B19 2-3	Solid	12/11/12 12:55	12/11/12 15:50
4071763022	B19 4-4.75	Solid	12/11/12 12:58	12/11/12 15:50
4071763023	B20 1.5-2.5	Solid	12/11/12 12:45	12/11/12 15:50
4071763024	B20 4-5	Solid	12/11/12 12:48	12/11/12 15:50
4071763025	B20 4-4.5	Solid	12/11/12 12:48	12/11/12 15:50
4071763026	B21 2-3	Solid	12/11/12 12:40	12/11/12 15:50
4071763027	B21 4-4.5	Solid	12/11/12 12:42	12/11/12 15:50

## REPORT OF LABORATORY ANALYSIS

### SAMPLE ANALYTE COUNT

Project: RIL-2012-01 OHM GREEN BAY

Pace Project No.: 4071763

Lab ID	Sample ID	Method	Analysts	Analytes Reported	Laboratory
4071763001	B10 2-3	EPA 8260	SMT	64	PASI-G
		ASTM D2974-87	EMH	1	PASI-G
4071763002	B10 3-4	EPA 8260	SMT	64	PASI-G
		ASTM D2974-87	EMH	1	PASI-G
4071763003	B11 2-3	EPA 8260	SMT	64	PASI-G
		ASTM D2974-87	EMH	1	PASI-G
4071763004	B11 3-4	ASTM D2974-87	EMH	1	PASI-G
		EPA 9060 Modified	TJJ	4	PASI-G
4071763005	B11 5-6	EPA 8260	SMT	64	PASI-G
		ASTM D2974-87	EMH	1	PASI-G
4071763006	B12 2-3	EPA 8260	SMT	64	PASI-G
		ASTM D2974-87	EMH	1	PASI-G
4071763007	B12 4-5	EPA 8260	SMT	64	PASI-G
		ASTM D2974-87	EMH	1	PASI-G
4071763008	B12 3.5-4	ASTM D2974-87	EMH	1	PASI-G
		EPA 9060 Modified	TJJ	4	PASI-G
4071763009	B13 2-3	EPA 8260	SMT	64	PASI-G
		ASTM D2974-87	EMH	1	PASI-G
4071763010	B13 4-5	EPA 8260	SMT	64	PASI-G
		ASTM D2974-87	EMH	1	PASI-G
4071763011	B14 2-3	EPA 8260	SMT	64	PASI-G
		ASTM D2974-87	EMH	1	PASI-G
4071763012	B14 4-5	EPA 8260	SMT	64	PASI-G
		ASTM D2974-87	EMH	1	PASI-G
4071763013	B15 2-3	EPA 8260	SMT	64	PASI-G
		ASTM D2974-87	EMH	1	PASI-G
4071763014	B15 5-6	EPA 8260	SMT	64	PASI-G
		ASTM D2974-87	EMH	1	PASI-G
4071763015	B16 2-3	EPA 8260	SMT	64	PASI-G
		ASTM D2974-87	EMH	1	PASI-G
4071763016	B16 4-4.5	EPA 8260	SMT	64	PASI-G
		ASTM D2974-87	EMH	1	PASI-G
4071763017	B17 1-2	EPA 8260	SMT	64	PASI-G
		ASTM D2974-87	EMH	1	PASI-G
4071763018	B17 2.5-3.5	EPA 8260	SMT	64	PASI-G
		ASTM D2974-87	EMH	1	PASI-G
		EPA 9060 Modified	TJJ	4	PASI-G

### REPORT OF LABORATORY ANALYSIS

Page 4 of 68

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, Inc..

### SAMPLE ANALYTE COUNT

Project: RIL-2012-01 OHM GREEN BAY

Pace Project No.: 4071763

Lab ID	Sample ID	Method	Analysts	Analytes Reported	Laboratory
4071763019	B18 2-3	EPA 8260	SMT	64	PASI-G
		ASTM D2974-87	EMH	1	PASI-G
4071763020	B18 3-4	EPA 8260	SMT	64	PASI-G
		ASTM D2974-87	EMH	1	PASI-G
4071763021	B19 2-3	EPA 8260	SMT	64	PASI-G
		ASTM D2974-87	EMH	1	PASI-G
4071763022	B19 4-4.75	EPA 8260	SMT	64	PASI-G
		ASTM D2974-87	EMH	1	PASI-G
4071763023	B20 1.5-2.5	EPA 8260	SMT	64	PASI-G
		ASTM D2974-87	EMH	1	PASI-G
4071763024	B20 4-5	EPA 8260	SMT	64	PASI-G
		ASTM D2974-87	EMH	1	PASI-G
4071763025	B20 4-4.5	ASTM D2974-87	EMH	1	PASI-G
		EPA 9060 Modified	TJJ	4	PASI-G
4071763026	B21 2-3	EPA 8260	SMT	64	PASI-G
		ASTM D2974-87	EMH	1	PASI-G
4071763027	B21 4-4.5	EPA 8260	SMT	64	PASI-G
		ASTM D2974-87	EMH	1	PASI-G

### REPORT OF LABORATORY ANALYSIS

## ANALYTICAL RESULTS

Project: RIL-2012-01 OHM GREEN BAY

Pace Project No.: 4071763

Sample: **B10 2-3** Lab ID: **4071763001** Collected: 12/11/12 09:10 Received: 12/11/12 15:50 Matrix: Solid

Results reported on a "dry-weight" basis

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
<b>8260 MSV Med Level Normal List</b>									
Analytical Method: EPA 8260 Preparation Method: EPA 5035/5030B									
Benzene	<25.0	ug/kg	60.0	25.0	1	12/12/12 06:23	12/12/12 14:18	71-43-2	W
Bromobenzene	<25.0	ug/kg	60.0	25.0	1	12/12/12 06:23	12/12/12 14:18	108-86-1	W
Bromochloromethane	<25.0	ug/kg	60.0	25.0	1	12/12/12 06:23	12/12/12 14:18	74-97-5	W
Bromodichloromethane	<25.0	ug/kg	60.0	25.0	1	12/12/12 06:23	12/12/12 14:18	75-27-4	W
Bromoform	<25.9	ug/kg	60.0	25.9	1	12/12/12 06:23	12/12/12 14:18	75-25-2	W
Bromomethane	<25.0	ug/kg	60.0	25.0	1	12/12/12 06:23	12/12/12 14:18	74-83-9	W
n-Butylbenzene	<40.4	ug/kg	60.0	40.4	1	12/12/12 06:23	12/12/12 14:18	104-51-8	W
sec-Butylbenzene	<25.0	ug/kg	60.0	25.0	1	12/12/12 06:23	12/12/12 14:18	135-98-8	W
tert-Butylbenzene	<25.0	ug/kg	60.0	25.0	1	12/12/12 06:23	12/12/12 14:18	98-06-6	W
Carbon tetrachloride	<25.0	ug/kg	60.0	25.0	1	12/12/12 06:23	12/12/12 14:18	56-23-5	W
Chlorobenzene	<25.0	ug/kg	60.0	25.0	1	12/12/12 06:23	12/12/12 14:18	108-90-7	W
Chloroethane	<25.0	ug/kg	60.0	25.0	1	12/12/12 06:23	12/12/12 14:18	75-00-3	L3,W
Chloroform	<25.0	ug/kg	60.0	25.0	1	12/12/12 06:23	12/12/12 14:18	67-66-3	W
Chloromethane	<25.0	ug/kg	60.0	25.0	1	12/12/12 06:23	12/12/12 14:18	74-87-3	W
2-Chlorotoluene	<25.0	ug/kg	60.0	25.0	1	12/12/12 06:23	12/12/12 14:18	95-49-8	W
4-Chlorotoluene	<25.0	ug/kg	60.0	25.0	1	12/12/12 06:23	12/12/12 14:18	106-43-4	W
1,2-Dibromo-3-chloropropane	<82.3	ug/kg	250	82.3	1	12/12/12 06:23	12/12/12 14:18	96-12-8	W
Dibromochloromethane	<25.0	ug/kg	60.0	25.0	1	12/12/12 06:23	12/12/12 14:18	124-48-1	W
1,2-Dibromoethane (EDB)	<25.0	ug/kg	60.0	25.0	1	12/12/12 06:23	12/12/12 14:18	106-93-4	W
Dibromomethane	<25.0	ug/kg	60.0	25.0	1	12/12/12 06:23	12/12/12 14:18	74-95-3	W
1,2-Dichlorobenzene	<44.4	ug/kg	60.0	44.4	1	12/12/12 06:23	12/12/12 14:18	95-50-1	W
1,3-Dichlorobenzene	<25.0	ug/kg	60.0	25.0	1	12/12/12 06:23	12/12/12 14:18	541-73-1	W
1,4-Dichlorobenzene	<25.0	ug/kg	60.0	25.0	1	12/12/12 06:23	12/12/12 14:18	106-46-7	W
Dichlorodifluoromethane	<25.0	ug/kg	60.0	25.0	1	12/12/12 06:23	12/12/12 14:18	75-71-8	W
1,1-Dichloroethane	<25.0	ug/kg	60.0	25.0	1	12/12/12 06:23	12/12/12 14:18	75-34-3	W
1,2-Dichloroethane	<25.0	ug/kg	60.0	25.0	1	12/12/12 06:23	12/12/12 14:18	107-06-2	W
1,1-Dichloroethene	<25.0	ug/kg	60.0	25.0	1	12/12/12 06:23	12/12/12 14:18	75-35-4	W
cis-1,2-Dichloroethene	<25.0	ug/kg	60.0	25.0	1	12/12/12 06:23	12/12/12 14:18	156-59-2	W
trans-1,2-Dichloroethene	<25.0	ug/kg	60.0	25.0	1	12/12/12 06:23	12/12/12 14:18	156-60-5	W
1,2-Dichloropropane	<25.0	ug/kg	60.0	25.0	1	12/12/12 06:23	12/12/12 14:18	78-87-5	W
1,3-Dichloropropane	<25.0	ug/kg	60.0	25.0	1	12/12/12 06:23	12/12/12 14:18	142-28-9	W
2,2-Dichloropropane	<25.0	ug/kg	60.0	25.0	1	12/12/12 06:23	12/12/12 14:18	594-20-7	W
1,1-Dichloropropene	<25.0	ug/kg	60.0	25.0	1	12/12/12 06:23	12/12/12 14:18	563-58-6	W
cis-1,3-Dichloropropene	<25.0	ug/kg	60.0	25.0	1	12/12/12 06:23	12/12/12 14:18	10061-01-5	W
trans-1,3-Dichloropropene	<25.0	ug/kg	60.0	25.0	1	12/12/12 06:23	12/12/12 14:18	10061-02-6	W
Diisopropyl ether	<25.0	ug/kg	60.0	25.0	1	12/12/12 06:23	12/12/12 14:18	108-20-3	W
Ethylbenzene	<25.0	ug/kg	60.0	25.0	1	12/12/12 06:23	12/12/12 14:18	100-41-4	W
Hexachloro-1,3-butadiene	<26.4	ug/kg	60.0	26.4	1	12/12/12 06:23	12/12/12 14:18	87-68-3	W
Isopropylbenzene (Cumene)	<25.0	ug/kg	60.0	25.0	1	12/12/12 06:23	12/12/12 14:18	98-82-8	W
p-Isopropyltoluene	<25.0	ug/kg	60.0	25.0	1	12/12/12 06:23	12/12/12 14:18	99-87-6	W
Methylene Chloride	50.3J	ug/kg	67.7	28.2	1	12/12/12 06:23	12/12/12 14:18	75-09-2	B
Methyl-tert-butyl ether	<25.0	ug/kg	60.0	25.0	1	12/12/12 06:23	12/12/12 14:18	1634-04-4	W
Naphthalene	<25.0	ug/kg	60.0	25.0	1	12/12/12 06:23	12/12/12 14:18	91-20-3	W
n-Propylbenzene	<25.0	ug/kg	60.0	25.0	1	12/12/12 06:23	12/12/12 14:18	103-65-1	W
Styrene	<25.0	ug/kg	60.0	25.0	1	12/12/12 06:23	12/12/12 14:18	100-42-5	W

Date: 12/24/2012 12:39 PM

### REPORT OF LABORATORY ANALYSIS

Page 6 of 68

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, Inc..

## ANALYTICAL RESULTS

Project: RIL-2012-01 OHM GREEN BAY

Pace Project No.: 4071763

**Sample: B10 2-3**      **Lab ID: 4071763001**      Collected: 12/11/12 09:10      Received: 12/11/12 15:50      Matrix: Solid

*Results reported on a "dry-weight" basis*

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
<b>8260 MSV Med Level Normal List</b>		Analytical Method: EPA 8260 Preparation Method: EPA 5035/5030B							
1,1,1,2-Tetrachloroethane	<25.0	ug/kg	60.0	25.0	1	12/12/12 06:23	12/12/12 14:18	630-20-6	W
1,1,2,2-Tetrachloroethane	<25.0	ug/kg	60.0	25.0	1	12/12/12 06:23	12/12/12 14:18	79-34-5	W
Tetrachloroethene	195	ug/kg	67.7	28.2	1	12/12/12 06:23	12/12/12 14:18	127-18-4	
Toluene	<25.0	ug/kg	60.0	25.0	1	12/12/12 06:23	12/12/12 14:18	108-88-3	W
1,2,3-Trichlorobenzene	<25.0	ug/kg	60.0	25.0	1	12/12/12 06:23	12/12/12 14:18	87-61-6	W
1,2,4-Trichlorobenzene	<25.0	ug/kg	60.0	25.0	1	12/12/12 06:23	12/12/12 14:18	120-82-1	W
1,1,1-Trichloroethane	<25.0	ug/kg	60.0	25.0	1	12/12/12 06:23	12/12/12 14:18	71-55-6	W
1,1,2-Trichloroethane	<25.0	ug/kg	60.0	25.0	1	12/12/12 06:23	12/12/12 14:18	79-00-5	W
Trichloroethene	<25.0	ug/kg	60.0	25.0	1	12/12/12 06:23	12/12/12 14:18	79-01-6	W
Trichlorofluoromethane	<25.0	ug/kg	60.0	25.0	1	12/12/12 06:23	12/12/12 14:18	75-69-4	W
1,2,3-Trichloropropane	<25.0	ug/kg	60.0	25.0	1	12/12/12 06:23	12/12/12 14:18	96-18-4	W
1,2,4-Trimethylbenzene	<25.0	ug/kg	60.0	25.0	1	12/12/12 06:23	12/12/12 14:18	95-63-6	W
1,3,5-Trimethylbenzene	<25.0	ug/kg	60.0	25.0	1	12/12/12 06:23	12/12/12 14:18	108-67-8	W
Vinyl chloride	<25.0	ug/kg	60.0	25.0	1	12/12/12 06:23	12/12/12 14:18	75-01-4	W
m&p-Xylene	<50.0	ug/kg	120	50.0	1	12/12/12 06:23	12/12/12 14:18	179601-23-1	W
o-Xylene	<25.0	ug/kg	60.0	25.0	1	12/12/12 06:23	12/12/12 14:18	95-47-6	W
<b>Surrogates</b>									
Dibromofluoromethane (S)	94	%	57-130		1	12/12/12 06:23	12/12/12 14:18	1868-53-7	
Toluene-d8 (S)	110	%	54-133		1	12/12/12 06:23	12/12/12 14:18	2037-26-5	
4-Bromofluorobenzene (S)	104	%	49-130		1	12/12/12 06:23	12/12/12 14:18	460-00-4	
<b>Percent Moisture</b>		Analytical Method: ASTM D2974-87							
Percent Moisture	11.3	%	0.10	0.10	1		12/18/12 16:13		

## ANALYTICAL RESULTS

Project: RIL-2012-01 OHM GREEN BAY

Pace Project No.: 4071763

Sample: B10 3-4 Lab ID: 4071763002 Collected: 12/11/12 09:13 Received: 12/11/12 15:50 Matrix: Solid

Results reported on a "dry-weight" basis

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
<b>8260 MSV Med Level Normal List</b>									
Analytical Method: EPA 8260 Preparation Method: EPA 5035/5030B									
Benzene	<25.0	ug/kg	60.0	25.0	1	12/12/12 06:23	12/12/12 14:41	71-43-2	W
Bromobenzene	<25.0	ug/kg	60.0	25.0	1	12/12/12 06:23	12/12/12 14:41	108-86-1	W
Bromochloromethane	<25.0	ug/kg	60.0	25.0	1	12/12/12 06:23	12/12/12 14:41	74-97-5	W
Bromodichloromethane	<25.0	ug/kg	60.0	25.0	1	12/12/12 06:23	12/12/12 14:41	75-27-4	W
Bromoform	<25.9	ug/kg	60.0	25.9	1	12/12/12 06:23	12/12/12 14:41	75-25-2	W
Bromomethane	<25.0	ug/kg	60.0	25.0	1	12/12/12 06:23	12/12/12 14:41	74-83-9	W
n-Butylbenzene	<40.4	ug/kg	60.0	40.4	1	12/12/12 06:23	12/12/12 14:41	104-51-8	W
sec-Butylbenzene	<25.0	ug/kg	60.0	25.0	1	12/12/12 06:23	12/12/12 14:41	135-98-8	W
tert-Butylbenzene	<25.0	ug/kg	60.0	25.0	1	12/12/12 06:23	12/12/12 14:41	98-06-6	W
Carbon tetrachloride	<25.0	ug/kg	60.0	25.0	1	12/12/12 06:23	12/12/12 14:41	56-23-5	W
Chlorobenzene	<25.0	ug/kg	60.0	25.0	1	12/12/12 06:23	12/12/12 14:41	108-90-7	W
Chloroethane	<25.0	ug/kg	60.0	25.0	1	12/12/12 06:23	12/12/12 14:41	75-00-3	L3,W
Chloroform	<25.0	ug/kg	60.0	25.0	1	12/12/12 06:23	12/12/12 14:41	67-66-3	W
Chloromethane	<25.0	ug/kg	60.0	25.0	1	12/12/12 06:23	12/12/12 14:41	74-87-3	W
2-Chlorotoluene	<25.0	ug/kg	60.0	25.0	1	12/12/12 06:23	12/12/12 14:41	95-49-8	W
4-Chlorotoluene	<25.0	ug/kg	60.0	25.0	1	12/12/12 06:23	12/12/12 14:41	106-43-4	W
1,2-Dibromo-3-chloropropane	<82.3	ug/kg	250	82.3	1	12/12/12 06:23	12/12/12 14:41	96-12-8	W
Dibromochloromethane	<25.0	ug/kg	60.0	25.0	1	12/12/12 06:23	12/12/12 14:41	124-48-1	W
1,2-Dibromoethane (EDB)	<25.0	ug/kg	60.0	25.0	1	12/12/12 06:23	12/12/12 14:41	106-93-4	W
Dibromomethane	<25.0	ug/kg	60.0	25.0	1	12/12/12 06:23	12/12/12 14:41	74-95-3	W
1,2-Dichlorobenzene	<44.4	ug/kg	60.0	44.4	1	12/12/12 06:23	12/12/12 14:41	95-50-1	W
1,3-Dichlorobenzene	<25.0	ug/kg	60.0	25.0	1	12/12/12 06:23	12/12/12 14:41	541-73-1	W
1,4-Dichlorobenzene	<25.0	ug/kg	60.0	25.0	1	12/12/12 06:23	12/12/12 14:41	106-46-7	W
Dichlorodifluoromethane	<25.0	ug/kg	60.0	25.0	1	12/12/12 06:23	12/12/12 14:41	75-71-8	W
1,1-Dichloroethane	<25.0	ug/kg	60.0	25.0	1	12/12/12 06:23	12/12/12 14:41	75-34-3	W
1,2-Dichloroethane	<25.0	ug/kg	60.0	25.0	1	12/12/12 06:23	12/12/12 14:41	107-06-2	W
1,1-Dichloroethene	<25.0	ug/kg	60.0	25.0	1	12/12/12 06:23	12/12/12 14:41	75-35-4	W
cis-1,2-Dichloroethene	<25.0	ug/kg	60.0	25.0	1	12/12/12 06:23	12/12/12 14:41	156-59-2	W
trans-1,2-Dichloroethene	<25.0	ug/kg	60.0	25.0	1	12/12/12 06:23	12/12/12 14:41	156-60-5	W
1,2-Dichloropropane	<25.0	ug/kg	60.0	25.0	1	12/12/12 06:23	12/12/12 14:41	78-87-5	W
1,3-Dichloropropane	<25.0	ug/kg	60.0	25.0	1	12/12/12 06:23	12/12/12 14:41	142-28-9	W
2,2-Dichloropropane	<25.0	ug/kg	60.0	25.0	1	12/12/12 06:23	12/12/12 14:41	594-20-7	W
1,1-Dichloropropene	<25.0	ug/kg	60.0	25.0	1	12/12/12 06:23	12/12/12 14:41	563-58-6	W
cis-1,3-Dichloropropene	<25.0	ug/kg	60.0	25.0	1	12/12/12 06:23	12/12/12 14:41	10061-01-5	W
trans-1,3-Dichloropropene	<25.0	ug/kg	60.0	25.0	1	12/12/12 06:23	12/12/12 14:41	10061-02-6	W
Diisopropyl ether	<25.0	ug/kg	60.0	25.0	1	12/12/12 06:23	12/12/12 14:41	108-20-3	W
Ethylbenzene	<25.0	ug/kg	60.0	25.0	1	12/12/12 06:23	12/12/12 14:41	100-41-4	W
Hexachloro-1,3-butadiene	<26.4	ug/kg	60.0	26.4	1	12/12/12 06:23	12/12/12 14:41	87-68-3	W
Isopropylbenzene (Cumene)	<25.0	ug/kg	60.0	25.0	1	12/12/12 06:23	12/12/12 14:41	98-82-8	W
p-Isopropyltoluene	<25.0	ug/kg	60.0	25.0	1	12/12/12 06:23	12/12/12 14:41	99-87-6	W
Methylene Chloride	43.7J	ug/kg	74.6	31.1	1	12/12/12 06:23	12/12/12 14:41	75-09-2	B
Methyl-tert-butyl ether	<25.0	ug/kg	60.0	25.0	1	12/12/12 06:23	12/12/12 14:41	1634-04-4	W
Naphthalene	<25.0	ug/kg	60.0	25.0	1	12/12/12 06:23	12/12/12 14:41	91-20-3	W
n-Propylbenzene	<25.0	ug/kg	60.0	25.0	1	12/12/12 06:23	12/12/12 14:41	103-65-1	W
Styrene	<25.0	ug/kg	60.0	25.0	1	12/12/12 06:23	12/12/12 14:41	100-42-5	W

Date: 12/24/2012 12:39 PM

### REPORT OF LABORATORY ANALYSIS

Page 8 of 68

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, Inc..

## ANALYTICAL RESULTS

Project: RIL-2012-01 OHM GREEN BAY

Pace Project No.: 4071763

**Sample: B10 3-4**      **Lab ID: 4071763002**      Collected: 12/11/12 09:13      Received: 12/11/12 15:50      Matrix: Solid

*Results reported on a "dry-weight" basis*

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
<b>8260 MSV Med Level Normal List</b>		Analytical Method: EPA 8260 Preparation Method: EPA 5035/5030B							
1,1,1,2-Tetrachloroethane	<25.0	ug/kg	60.0	25.0	1	12/12/12 06:23	12/12/12 14:41	630-20-6	W
1,1,2,2-Tetrachloroethane	<25.0	ug/kg	60.0	25.0	1	12/12/12 06:23	12/12/12 14:41	79-34-5	W
Tetrachloroethene	58.4J	ug/kg	74.6	31.1	1	12/12/12 06:23	12/12/12 14:41	127-18-4	
Toluene	<25.0	ug/kg	60.0	25.0	1	12/12/12 06:23	12/12/12 14:41	108-88-3	W
1,2,3-Trichlorobenzene	<25.0	ug/kg	60.0	25.0	1	12/12/12 06:23	12/12/12 14:41	87-61-6	W
1,2,4-Trichlorobenzene	<25.0	ug/kg	60.0	25.0	1	12/12/12 06:23	12/12/12 14:41	120-82-1	W
1,1,1-Trichloroethane	<25.0	ug/kg	60.0	25.0	1	12/12/12 06:23	12/12/12 14:41	71-55-6	W
1,1,2-Trichloroethane	<25.0	ug/kg	60.0	25.0	1	12/12/12 06:23	12/12/12 14:41	79-00-5	W
Trichloroethene	<25.0	ug/kg	60.0	25.0	1	12/12/12 06:23	12/12/12 14:41	79-01-6	W
Trichlorofluoromethane	<25.0	ug/kg	60.0	25.0	1	12/12/12 06:23	12/12/12 14:41	75-69-4	W
1,2,3-Trichloropropane	<25.0	ug/kg	60.0	25.0	1	12/12/12 06:23	12/12/12 14:41	96-18-4	W
1,2,4-Trimethylbenzene	<25.0	ug/kg	60.0	25.0	1	12/12/12 06:23	12/12/12 14:41	95-63-6	W
1,3,5-Trimethylbenzene	<25.0	ug/kg	60.0	25.0	1	12/12/12 06:23	12/12/12 14:41	108-67-8	W
Vinyl chloride	<25.0	ug/kg	60.0	25.0	1	12/12/12 06:23	12/12/12 14:41	75-01-4	W
m&p-Xylene	<50.0	ug/kg	120	50.0	1	12/12/12 06:23	12/12/12 14:41	179601-23-1	W
o-Xylene	<25.0	ug/kg	60.0	25.0	1	12/12/12 06:23	12/12/12 14:41	95-47-6	W
<b>Surrogates</b>									
Dibromofluoromethane (S)	93 %		57-130		1	12/12/12 06:23	12/12/12 14:41	1868-53-7	
Toluene-d8 (S)	102 %		54-133		1	12/12/12 06:23	12/12/12 14:41	2037-26-5	
4-Bromofluorobenzene (S)	94 %		49-130		1	12/12/12 06:23	12/12/12 14:41	460-00-4	
<b>Percent Moisture</b>		Analytical Method: ASTM D2974-87							
Percent Moisture	19.5 %		0.10	0.10	1		12/18/12 16:14		



## ANALYTICAL RESULTS

Project: RIL-2012-01 OHM GREEN BAY

Pace Project No.: 4071763

Sample: B11 2-3 Lab ID: 4071763003 Collected: 12/11/12 09:45 Received: 12/11/12 15:50 Matrix: Solid

Results reported on a "dry-weight" basis

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
<b>8260 MSV Med Level Normal List</b>									
Analytical Method: EPA 8260 Preparation Method: EPA 5035/5030B									
Benzene	<25.0	ug/kg	60.0	25.0	1	12/12/12 06:23	12/12/12 15:04	71-43-2	W
Bromobenzene	<25.0	ug/kg	60.0	25.0	1	12/12/12 06:23	12/12/12 15:04	108-86-1	W
Bromochloromethane	<25.0	ug/kg	60.0	25.0	1	12/12/12 06:23	12/12/12 15:04	74-97-5	W
Bromodichloromethane	<25.0	ug/kg	60.0	25.0	1	12/12/12 06:23	12/12/12 15:04	75-27-4	W
Bromoform	<25.9	ug/kg	60.0	25.9	1	12/12/12 06:23	12/12/12 15:04	75-25-2	W
Bromomethane	<25.0	ug/kg	60.0	25.0	1	12/12/12 06:23	12/12/12 15:04	74-83-9	W
n-Butylbenzene	<40.4	ug/kg	60.0	40.4	1	12/12/12 06:23	12/12/12 15:04	104-51-8	W
sec-Butylbenzene	<25.0	ug/kg	60.0	25.0	1	12/12/12 06:23	12/12/12 15:04	135-98-8	W
tert-Butylbenzene	<25.0	ug/kg	60.0	25.0	1	12/12/12 06:23	12/12/12 15:04	98-06-6	W
Carbon tetrachloride	<25.0	ug/kg	60.0	25.0	1	12/12/12 06:23	12/12/12 15:04	56-23-5	W
Chlorobenzene	<25.0	ug/kg	60.0	25.0	1	12/12/12 06:23	12/12/12 15:04	108-90-7	W
Chloroethane	<25.0	ug/kg	60.0	25.0	1	12/12/12 06:23	12/12/12 15:04	75-00-3	L3,W
Chloroform	<25.0	ug/kg	60.0	25.0	1	12/12/12 06:23	12/12/12 15:04	67-66-3	W
Chloromethane	<25.0	ug/kg	60.0	25.0	1	12/12/12 06:23	12/12/12 15:04	74-87-3	W
2-Chlorotoluene	<25.0	ug/kg	60.0	25.0	1	12/12/12 06:23	12/12/12 15:04	95-49-8	W
4-Chlorotoluene	<25.0	ug/kg	60.0	25.0	1	12/12/12 06:23	12/12/12 15:04	106-43-4	W
1,2-Dibromo-3-chloropropane	<82.3	ug/kg	250	82.3	1	12/12/12 06:23	12/12/12 15:04	96-12-8	W
Dibromochloromethane	<25.0	ug/kg	60.0	25.0	1	12/12/12 06:23	12/12/12 15:04	124-48-1	W
1,2-Dibromoethane (EDB)	<25.0	ug/kg	60.0	25.0	1	12/12/12 06:23	12/12/12 15:04	106-93-4	W
Dibromomethane	<25.0	ug/kg	60.0	25.0	1	12/12/12 06:23	12/12/12 15:04	74-95-3	W
1,2-Dichlorobenzene	<44.4	ug/kg	60.0	44.4	1	12/12/12 06:23	12/12/12 15:04	95-50-1	W
1,3-Dichlorobenzene	<25.0	ug/kg	60.0	25.0	1	12/12/12 06:23	12/12/12 15:04	541-73-1	W
1,4-Dichlorobenzene	<25.0	ug/kg	60.0	25.0	1	12/12/12 06:23	12/12/12 15:04	106-46-7	W
Dichlorodifluoromethane	<25.0	ug/kg	60.0	25.0	1	12/12/12 06:23	12/12/12 15:04	75-71-8	W
1,1-Dichloroethane	<25.0	ug/kg	60.0	25.0	1	12/12/12 06:23	12/12/12 15:04	75-34-3	W
1,2-Dichloroethane	<25.0	ug/kg	60.0	25.0	1	12/12/12 06:23	12/12/12 15:04	107-06-2	W
1,1-Dichloroethene	<25.0	ug/kg	60.0	25.0	1	12/12/12 06:23	12/12/12 15:04	75-35-4	W
cis-1,2-Dichloroethene	<25.0	ug/kg	60.0	25.0	1	12/12/12 06:23	12/12/12 15:04	156-59-2	W
trans-1,2-Dichloroethene	<25.0	ug/kg	60.0	25.0	1	12/12/12 06:23	12/12/12 15:04	156-60-5	W
1,2-Dichloropropane	<25.0	ug/kg	60.0	25.0	1	12/12/12 06:23	12/12/12 15:04	78-87-5	W
1,3-Dichloropropane	<25.0	ug/kg	60.0	25.0	1	12/12/12 06:23	12/12/12 15:04	142-28-9	W
2,2-Dichloropropane	<25.0	ug/kg	60.0	25.0	1	12/12/12 06:23	12/12/12 15:04	594-20-7	W
1,1-Dichloropropene	<25.0	ug/kg	60.0	25.0	1	12/12/12 06:23	12/12/12 15:04	563-58-6	W
cis-1,3-Dichloropropene	<25.0	ug/kg	60.0	25.0	1	12/12/12 06:23	12/12/12 15:04	10061-01-5	W
trans-1,3-Dichloropropene	<25.0	ug/kg	60.0	25.0	1	12/12/12 06:23	12/12/12 15:04	10061-02-6	W
Diisopropyl ether	<25.0	ug/kg	60.0	25.0	1	12/12/12 06:23	12/12/12 15:04	108-20-3	W
Ethylbenzene	<25.0	ug/kg	60.0	25.0	1	12/12/12 06:23	12/12/12 15:04	100-41-4	W
Hexachloro-1,3-butadiene	<26.4	ug/kg	60.0	26.4	1	12/12/12 06:23	12/12/12 15:04	87-68-3	W
Isopropylbenzene (Cumene)	<25.0	ug/kg	60.0	25.0	1	12/12/12 06:23	12/12/12 15:04	98-82-8	W
p-Isopropyltoluene	<25.0	ug/kg	60.0	25.0	1	12/12/12 06:23	12/12/12 15:04	99-87-6	W
Methylene Chloride	72.5	ug/kg	67.2	28.0	1	12/12/12 06:23	12/12/12 15:04	75-09-2	B
Methyl-tert-butyl ether	<25.0	ug/kg	60.0	25.0	1	12/12/12 06:23	12/12/12 15:04	1634-04-4	W
Naphthalene	<25.0	ug/kg	60.0	25.0	1	12/12/12 06:23	12/12/12 15:04	91-20-3	W
n-Propylbenzene	<25.0	ug/kg	60.0	25.0	1	12/12/12 06:23	12/12/12 15:04	103-65-1	W
Styrene	<25.0	ug/kg	60.0	25.0	1	12/12/12 06:23	12/12/12 15:04	100-42-5	W

## ANALYTICAL RESULTS

Project: RIL-2012-01 OHM GREEN BAY

Pace Project No.: 4071763

**Sample: B11 2-3**      **Lab ID: 4071763003**      Collected: 12/11/12 09:45      Received: 12/11/12 15:50      Matrix: Solid

*Results reported on a "dry-weight" basis*

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
<b>8260 MSV Med Level Normal List</b>		Analytical Method: EPA 8260 Preparation Method: EPA 5035/5030B							
1,1,1,2-Tetrachloroethane	<25.0	ug/kg	60.0	25.0	1	12/12/12 06:23	12/12/12 15:04	630-20-6	W
1,1,2,2-Tetrachloroethane	<25.0	ug/kg	60.0	25.0	1	12/12/12 06:23	12/12/12 15:04	79-34-5	W
Tetrachloroethene	117	ug/kg	67.2	28.0	1	12/12/12 06:23	12/12/12 15:04	127-18-4	
Toluene	<25.0	ug/kg	60.0	25.0	1	12/12/12 06:23	12/12/12 15:04	108-88-3	W
1,2,3-Trichlorobenzene	<25.0	ug/kg	60.0	25.0	1	12/12/12 06:23	12/12/12 15:04	87-61-6	W
1,2,4-Trichlorobenzene	<25.0	ug/kg	60.0	25.0	1	12/12/12 06:23	12/12/12 15:04	120-82-1	W
1,1,1-Trichloroethane	<25.0	ug/kg	60.0	25.0	1	12/12/12 06:23	12/12/12 15:04	71-55-6	W
1,1,2-Trichloroethane	<25.0	ug/kg	60.0	25.0	1	12/12/12 06:23	12/12/12 15:04	79-00-5	W
Trichloroethene	<25.0	ug/kg	60.0	25.0	1	12/12/12 06:23	12/12/12 15:04	79-01-6	W
Trichlorofluoromethane	<25.0	ug/kg	60.0	25.0	1	12/12/12 06:23	12/12/12 15:04	75-69-4	W
1,2,3-Trichloropropane	<25.0	ug/kg	60.0	25.0	1	12/12/12 06:23	12/12/12 15:04	96-18-4	W
1,2,4-Trimethylbenzene	<25.0	ug/kg	60.0	25.0	1	12/12/12 06:23	12/12/12 15:04	95-63-6	W
1,3,5-Trimethylbenzene	<25.0	ug/kg	60.0	25.0	1	12/12/12 06:23	12/12/12 15:04	108-67-8	W
Vinyl chloride	<25.0	ug/kg	60.0	25.0	1	12/12/12 06:23	12/12/12 15:04	75-01-4	W
m&p-Xylene	<50.0	ug/kg	120	50.0	1	12/12/12 06:23	12/12/12 15:04	179601-23-1	W
o-Xylene	<25.0	ug/kg	60.0	25.0	1	12/12/12 06:23	12/12/12 15:04	95-47-6	W
<b>Surrogates</b>									
Dibromofluoromethane (S)	89	%	57-130		1	12/12/12 06:23	12/12/12 15:04	1868-53-7	1q
Toluene-d8 (S)	101	%	54-133		1	12/12/12 06:23	12/12/12 15:04	2037-26-5	
4-Bromofluorobenzene (S)	97	%	49-130		1	12/12/12 06:23	12/12/12 15:04	460-00-4	
<b>Percent Moisture</b>		Analytical Method: ASTM D2974-87							
Percent Moisture	10.7	%	0.10	0.10	1		12/18/12 16:14		

## ANALYTICAL RESULTS

Project: RIL-2012-01 OHM GREEN BAY

Pace Project No.: 4071763

---

**Sample: B11 3-4**      **Lab ID: 4071763004**      Collected: 12/11/12 09:50      Received: 12/11/12 15:50      Matrix: Solid

*Results reported on a "dry-weight" basis*

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
<b>Percent Moisture</b>	Analytical Method: ASTM D2974-87								
Percent Moisture	<b>13.5</b>	%	0.10	0.10	1		12/18/12 16:14		
<b>Total Organic Carbon</b>	Analytical Method: EPA 9060 Modified								
<b>Surrogates</b>									
RPD%	<b>8.0</b>	%			1		12/21/12 09:44		
Total Organic Carbon	<b>6880</b>	mg/kg	4760	1330	1		12/21/12 09:41	7440-44-0	
Total Organic Carbon	<b>7450</b>	mg/kg	4550	1270	1		12/21/12 09:44	7440-44-0	
Mean Total Organic Carbon	<b>7160</b>	mg/kg	4650	1300	1		12/21/12 09:44	7440-44-0	C4

## ANALYTICAL RESULTS

Project: RIL-2012-01 OHM GREEN BAY

Pace Project No.: 4071763

Sample: B11 5-6 Lab ID: 4071763005 Collected: 12/11/12 10:00 Received: 12/11/12 15:50 Matrix: Solid

Results reported on a "dry-weight" basis

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
<b>8260 MSV Med Level Normal List</b>									
Analytical Method: EPA 8260 Preparation Method: EPA 5035/5030B									
Benzene	<25.0	ug/kg	60.0	25.0	1	12/12/12 06:23	12/12/12 15:27	71-43-2	W
Bromobenzene	<25.0	ug/kg	60.0	25.0	1	12/12/12 06:23	12/12/12 15:27	108-86-1	W
Bromochloromethane	<25.0	ug/kg	60.0	25.0	1	12/12/12 06:23	12/12/12 15:27	74-97-5	W
Bromodichloromethane	<25.0	ug/kg	60.0	25.0	1	12/12/12 06:23	12/12/12 15:27	75-27-4	W
Bromoform	<25.9	ug/kg	60.0	25.9	1	12/12/12 06:23	12/12/12 15:27	75-25-2	W
Bromomethane	<25.0	ug/kg	60.0	25.0	1	12/12/12 06:23	12/12/12 15:27	74-83-9	W
n-Butylbenzene	<40.4	ug/kg	60.0	40.4	1	12/12/12 06:23	12/12/12 15:27	104-51-8	W
sec-Butylbenzene	<25.0	ug/kg	60.0	25.0	1	12/12/12 06:23	12/12/12 15:27	135-98-8	W
tert-Butylbenzene	<25.0	ug/kg	60.0	25.0	1	12/12/12 06:23	12/12/12 15:27	98-06-6	W
Carbon tetrachloride	<25.0	ug/kg	60.0	25.0	1	12/12/12 06:23	12/12/12 15:27	56-23-5	W
Chlorobenzene	<25.0	ug/kg	60.0	25.0	1	12/12/12 06:23	12/12/12 15:27	108-90-7	W
Chloroethane	<25.0	ug/kg	60.0	25.0	1	12/12/12 06:23	12/12/12 15:27	75-00-3	L3,W
Chloroform	<25.0	ug/kg	60.0	25.0	1	12/12/12 06:23	12/12/12 15:27	67-66-3	W
Chloromethane	<25.0	ug/kg	60.0	25.0	1	12/12/12 06:23	12/12/12 15:27	74-87-3	W
2-Chlorotoluene	<25.0	ug/kg	60.0	25.0	1	12/12/12 06:23	12/12/12 15:27	95-49-8	W
4-Chlorotoluene	<25.0	ug/kg	60.0	25.0	1	12/12/12 06:23	12/12/12 15:27	106-43-4	W
1,2-Dibromo-3-chloropropane	<82.3	ug/kg	250	82.3	1	12/12/12 06:23	12/12/12 15:27	96-12-8	W
Dibromochloromethane	<25.0	ug/kg	60.0	25.0	1	12/12/12 06:23	12/12/12 15:27	124-48-1	W
1,2-Dibromoethane (EDB)	<25.0	ug/kg	60.0	25.0	1	12/12/12 06:23	12/12/12 15:27	106-93-4	W
Dibromomethane	<25.0	ug/kg	60.0	25.0	1	12/12/12 06:23	12/12/12 15:27	74-95-3	W
1,2-Dichlorobenzene	<44.4	ug/kg	60.0	44.4	1	12/12/12 06:23	12/12/12 15:27	95-50-1	W
1,3-Dichlorobenzene	<25.0	ug/kg	60.0	25.0	1	12/12/12 06:23	12/12/12 15:27	541-73-1	W
1,4-Dichlorobenzene	<25.0	ug/kg	60.0	25.0	1	12/12/12 06:23	12/12/12 15:27	106-46-7	W
Dichlorodifluoromethane	<25.0	ug/kg	60.0	25.0	1	12/12/12 06:23	12/12/12 15:27	75-71-8	W
1,1-Dichloroethane	<25.0	ug/kg	60.0	25.0	1	12/12/12 06:23	12/12/12 15:27	75-34-3	W
1,2-Dichloroethane	<25.0	ug/kg	60.0	25.0	1	12/12/12 06:23	12/12/12 15:27	107-06-2	W
1,1-Dichloroethene	<25.0	ug/kg	60.0	25.0	1	12/12/12 06:23	12/12/12 15:27	75-35-4	W
cis-1,2-Dichloroethene	<25.0	ug/kg	60.0	25.0	1	12/12/12 06:23	12/12/12 15:27	156-59-2	W
trans-1,2-Dichloroethene	<25.0	ug/kg	60.0	25.0	1	12/12/12 06:23	12/12/12 15:27	156-60-5	W
1,2-Dichloropropane	<25.0	ug/kg	60.0	25.0	1	12/12/12 06:23	12/12/12 15:27	78-87-5	W
1,3-Dichloropropane	<25.0	ug/kg	60.0	25.0	1	12/12/12 06:23	12/12/12 15:27	142-28-9	W
2,2-Dichloropropane	<25.0	ug/kg	60.0	25.0	1	12/12/12 06:23	12/12/12 15:27	594-20-7	W
1,1-Dichloropropene	<25.0	ug/kg	60.0	25.0	1	12/12/12 06:23	12/12/12 15:27	563-58-6	W
cis-1,3-Dichloropropene	<25.0	ug/kg	60.0	25.0	1	12/12/12 06:23	12/12/12 15:27	10061-01-5	W
trans-1,3-Dichloropropene	<25.0	ug/kg	60.0	25.0	1	12/12/12 06:23	12/12/12 15:27	10061-02-6	W
Diisopropyl ether	<25.0	ug/kg	60.0	25.0	1	12/12/12 06:23	12/12/12 15:27	108-20-3	W
Ethylbenzene	<25.0	ug/kg	60.0	25.0	1	12/12/12 06:23	12/12/12 15:27	100-41-4	W
Hexachloro-1,3-butadiene	<26.4	ug/kg	60.0	26.4	1	12/12/12 06:23	12/12/12 15:27	87-68-3	W
Isopropylbenzene (Cumene)	<25.0	ug/kg	60.0	25.0	1	12/12/12 06:23	12/12/12 15:27	98-82-8	W
p-Isopropyltoluene	<25.0	ug/kg	60.0	25.0	1	12/12/12 06:23	12/12/12 15:27	99-87-6	W
Methylene Chloride	75.6	ug/kg	71.3	29.7	1	12/12/12 06:23	12/12/12 15:27	75-09-2	B
Methyl-tert-butyl ether	<25.0	ug/kg	60.0	25.0	1	12/12/12 06:23	12/12/12 15:27	1634-04-4	W
Naphthalene	<25.0	ug/kg	60.0	25.0	1	12/12/12 06:23	12/12/12 15:27	91-20-3	W
n-Propylbenzene	<25.0	ug/kg	60.0	25.0	1	12/12/12 06:23	12/12/12 15:27	103-65-1	W
Styrene	<25.0	ug/kg	60.0	25.0	1	12/12/12 06:23	12/12/12 15:27	100-42-5	W

## ANALYTICAL RESULTS

Project: RIL-2012-01 OHM GREEN BAY

Pace Project No.: 4071763

Sample: B11 5-6 Lab ID: 4071763005 Collected: 12/11/12 10:00 Received: 12/11/12 15:50 Matrix: Solid

Results reported on a "dry-weight" basis

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
<b>8260 MSV Med Level Normal List</b>									
Analytical Method: EPA 8260 Preparation Method: EPA 5035/5030B									
1,1,1,2-Tetrachloroethane	<25.0	ug/kg	60.0	25.0	1	12/12/12 06:23	12/12/12 15:27	630-20-6	W
1,1,2,2-Tetrachloroethane	<25.0	ug/kg	60.0	25.0	1	12/12/12 06:23	12/12/12 15:27	79-34-5	W
Tetrachloroethene	517	ug/kg	71.3	29.7	1	12/12/12 06:23	12/12/12 15:27	127-18-4	
Toluene	<25.0	ug/kg	60.0	25.0	1	12/12/12 06:23	12/12/12 15:27	108-88-3	W
1,2,3-Trichlorobenzene	<25.0	ug/kg	60.0	25.0	1	12/12/12 06:23	12/12/12 15:27	87-61-6	W
1,2,4-Trichlorobenzene	<25.0	ug/kg	60.0	25.0	1	12/12/12 06:23	12/12/12 15:27	120-82-1	W
1,1,1-Trichloroethane	<25.0	ug/kg	60.0	25.0	1	12/12/12 06:23	12/12/12 15:27	71-55-6	W
1,1,2-Trichloroethane	<25.0	ug/kg	60.0	25.0	1	12/12/12 06:23	12/12/12 15:27	79-00-5	W
Trichloroethene	<25.0	ug/kg	60.0	25.0	1	12/12/12 06:23	12/12/12 15:27	79-01-6	W
Trichlorofluoromethane	<25.0	ug/kg	60.0	25.0	1	12/12/12 06:23	12/12/12 15:27	75-69-4	W
1,2,3-Trichloropropane	<25.0	ug/kg	60.0	25.0	1	12/12/12 06:23	12/12/12 15:27	96-18-4	W
1,2,4-Trimethylbenzene	<25.0	ug/kg	60.0	25.0	1	12/12/12 06:23	12/12/12 15:27	95-63-6	W
1,3,5-Trimethylbenzene	<25.0	ug/kg	60.0	25.0	1	12/12/12 06:23	12/12/12 15:27	108-67-8	W
Vinyl chloride	<25.0	ug/kg	60.0	25.0	1	12/12/12 06:23	12/12/12 15:27	75-01-4	W
m&p-Xylene	<50.0	ug/kg	120	50.0	1	12/12/12 06:23	12/12/12 15:27	179601-23-1	W
o-Xylene	<25.0	ug/kg	60.0	25.0	1	12/12/12 06:23	12/12/12 15:27	95-47-6	W
<b>Surrogates</b>									
Dibromofluoromethane (S)	103	%	57-130		1	12/12/12 06:23	12/12/12 15:27	1868-53-7	
Toluene-d8 (S)	115	%	54-133		1	12/12/12 06:23	12/12/12 15:27	2037-26-5	
4-Bromofluorobenzene (S)	103	%	49-130		1	12/12/12 06:23	12/12/12 15:27	460-00-4	
<b>Percent Moisture</b>									
Analytical Method: ASTM D2974-87									
Percent Moisture	15.8	%	0.10	0.10	1		12/18/12 16:14		

## ANALYTICAL RESULTS

Project: RIL-2012-01 OHM GREEN BAY

Pace Project No.: 4071763

**Sample: B12 2-3**      **Lab ID: 4071763006**      Collected: 12/11/12 10:50      Received: 12/11/12 15:50      Matrix: Solid

*Results reported on a "dry-weight" basis*

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
<b>8260 MSV Med Level Normal List</b> Analytical Method: EPA 8260      Preparation Method: EPA 5035/5030B									
Benzene	<25.0	ug/kg	60.0	25.0	1	12/12/12 06:23	12/12/12 15:50	71-43-2	W
Bromobenzene	<25.0	ug/kg	60.0	25.0	1	12/12/12 06:23	12/12/12 15:50	108-86-1	W
Bromochloromethane	<25.0	ug/kg	60.0	25.0	1	12/12/12 06:23	12/12/12 15:50	74-97-5	W
Bromodichloromethane	<25.0	ug/kg	60.0	25.0	1	12/12/12 06:23	12/12/12 15:50	75-27-4	W
Bromoform	<25.9	ug/kg	60.0	25.9	1	12/12/12 06:23	12/12/12 15:50	75-25-2	W
Bromomethane	<25.0	ug/kg	60.0	25.0	1	12/12/12 06:23	12/12/12 15:50	74-83-9	W
n-Butylbenzene	<40.4	ug/kg	60.0	40.4	1	12/12/12 06:23	12/12/12 15:50	104-51-8	W
sec-Butylbenzene	<25.0	ug/kg	60.0	25.0	1	12/12/12 06:23	12/12/12 15:50	135-98-8	W
tert-Butylbenzene	<25.0	ug/kg	60.0	25.0	1	12/12/12 06:23	12/12/12 15:50	98-06-6	W
Carbon tetrachloride	<25.0	ug/kg	60.0	25.0	1	12/12/12 06:23	12/12/12 15:50	56-23-5	W
Chlorobenzene	<25.0	ug/kg	60.0	25.0	1	12/12/12 06:23	12/12/12 15:50	108-90-7	W
Chloroethane	<25.0	ug/kg	60.0	25.0	1	12/12/12 06:23	12/12/12 15:50	75-00-3	L3,W
Chloroform	<25.0	ug/kg	60.0	25.0	1	12/12/12 06:23	12/12/12 15:50	67-66-3	W
Chloromethane	<25.0	ug/kg	60.0	25.0	1	12/12/12 06:23	12/12/12 15:50	74-87-3	W
2-Chlorotoluene	<25.0	ug/kg	60.0	25.0	1	12/12/12 06:23	12/12/12 15:50	95-49-8	W
4-Chlorotoluene	<25.0	ug/kg	60.0	25.0	1	12/12/12 06:23	12/12/12 15:50	106-43-4	W
1,2-Dibromo-3-chloropropane	<82.3	ug/kg	250	82.3	1	12/12/12 06:23	12/12/12 15:50	96-12-8	W
Dibromochloromethane	<25.0	ug/kg	60.0	25.0	1	12/12/12 06:23	12/12/12 15:50	124-48-1	W
1,2-Dibromoethane (EDB)	<25.0	ug/kg	60.0	25.0	1	12/12/12 06:23	12/12/12 15:50	106-93-4	W
Dibromomethane	<25.0	ug/kg	60.0	25.0	1	12/12/12 06:23	12/12/12 15:50	74-95-3	W
1,2-Dichlorobenzene	<44.4	ug/kg	60.0	44.4	1	12/12/12 06:23	12/12/12 15:50	95-50-1	W
1,3-Dichlorobenzene	<25.0	ug/kg	60.0	25.0	1	12/12/12 06:23	12/12/12 15:50	541-73-1	W
1,4-Dichlorobenzene	<25.0	ug/kg	60.0	25.0	1	12/12/12 06:23	12/12/12 15:50	106-46-7	W
Dichlorodifluoromethane	<25.0	ug/kg	60.0	25.0	1	12/12/12 06:23	12/12/12 15:50	75-71-8	W
1,1-Dichloroethane	<25.0	ug/kg	60.0	25.0	1	12/12/12 06:23	12/12/12 15:50	75-34-3	W
1,2-Dichloroethane	<25.0	ug/kg	60.0	25.0	1	12/12/12 06:23	12/12/12 15:50	107-06-2	W
1,1-Dichloroethene	<25.0	ug/kg	60.0	25.0	1	12/12/12 06:23	12/12/12 15:50	75-35-4	W
cis-1,2-Dichloroethene	<25.0	ug/kg	60.0	25.0	1	12/12/12 06:23	12/12/12 15:50	156-59-2	W
trans-1,2-Dichloroethene	<25.0	ug/kg	60.0	25.0	1	12/12/12 06:23	12/12/12 15:50	156-60-5	W
1,2-Dichloropropane	<25.0	ug/kg	60.0	25.0	1	12/12/12 06:23	12/12/12 15:50	78-87-5	W
1,3-Dichloropropane	<25.0	ug/kg	60.0	25.0	1	12/12/12 06:23	12/12/12 15:50	142-28-9	W
2,2-Dichloropropane	<25.0	ug/kg	60.0	25.0	1	12/12/12 06:23	12/12/12 15:50	594-20-7	W
1,1-Dichloropropene	<25.0	ug/kg	60.0	25.0	1	12/12/12 06:23	12/12/12 15:50	563-58-6	W
cis-1,3-Dichloropropene	<25.0	ug/kg	60.0	25.0	1	12/12/12 06:23	12/12/12 15:50	10061-01-5	W
trans-1,3-Dichloropropene	<25.0	ug/kg	60.0	25.0	1	12/12/12 06:23	12/12/12 15:50	10061-02-6	W
Diisopropyl ether	<25.0	ug/kg	60.0	25.0	1	12/12/12 06:23	12/12/12 15:50	108-20-3	W
Ethylbenzene	<25.0	ug/kg	60.0	25.0	1	12/12/12 06:23	12/12/12 15:50	100-41-4	W
Hexachloro-1,3-butadiene	<26.4	ug/kg	60.0	26.4	1	12/12/12 06:23	12/12/12 15:50	87-68-3	W
Isopropylbenzene (Cumene)	<25.0	ug/kg	60.0	25.0	1	12/12/12 06:23	12/12/12 15:50	98-82-8	W
p-Isopropyltoluene	<25.0	ug/kg	60.0	25.0	1	12/12/12 06:23	12/12/12 15:50	99-87-6	W
Methylene Chloride	47.3J	ug/kg	64.7	27.0	1	12/12/12 06:23	12/12/12 15:50	75-09-2	B
Methyl-tert-butyl ether	<25.0	ug/kg	60.0	25.0	1	12/12/12 06:23	12/12/12 15:50	1634-04-4	W
Naphthalene	<25.0	ug/kg	60.0	25.0	1	12/12/12 06:23	12/12/12 15:50	91-20-3	W
n-Propylbenzene	<25.0	ug/kg	60.0	25.0	1	12/12/12 06:23	12/12/12 15:50	103-65-1	W
Styrene	<25.0	ug/kg	60.0	25.0	1	12/12/12 06:23	12/12/12 15:50	100-42-5	W

## ANALYTICAL RESULTS

Project: RIL-2012-01 OHM GREEN BAY

Pace Project No.: 4071763

**Sample: B12 2-3**      **Lab ID: 4071763006**      Collected: 12/11/12 10:50      Received: 12/11/12 15:50      Matrix: Solid

*Results reported on a "dry-weight" basis*

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
<b>8260 MSV Med Level Normal List</b>									
Analytical Method: EPA 8260 Preparation Method: EPA 5035/5030B									
1,1,1,2-Tetrachloroethane	<25.0	ug/kg	60.0	25.0	1	12/12/12 06:23	12/12/12 15:50	630-20-6	W
1,1,2,2-Tetrachloroethane	<25.0	ug/kg	60.0	25.0	1	12/12/12 06:23	12/12/12 15:50	79-34-5	W
Tetrachloroethene	261	ug/kg	64.7	27.0	1	12/12/12 06:23	12/12/12 15:50	127-18-4	
Toluene	<25.0	ug/kg	60.0	25.0	1	12/12/12 06:23	12/12/12 15:50	108-88-3	W
1,2,3-Trichlorobenzene	<25.0	ug/kg	60.0	25.0	1	12/12/12 06:23	12/12/12 15:50	87-61-6	W
1,2,4-Trichlorobenzene	<25.0	ug/kg	60.0	25.0	1	12/12/12 06:23	12/12/12 15:50	120-82-1	W
1,1,1-Trichloroethane	<25.0	ug/kg	60.0	25.0	1	12/12/12 06:23	12/12/12 15:50	71-55-6	W
1,1,2-Trichloroethane	<25.0	ug/kg	60.0	25.0	1	12/12/12 06:23	12/12/12 15:50	79-00-5	W
Trichloroethene	<25.0	ug/kg	60.0	25.0	1	12/12/12 06:23	12/12/12 15:50	79-01-6	W
Trichlorofluoromethane	<25.0	ug/kg	60.0	25.0	1	12/12/12 06:23	12/12/12 15:50	75-69-4	W
1,2,3-Trichloropropane	<25.0	ug/kg	60.0	25.0	1	12/12/12 06:23	12/12/12 15:50	96-18-4	W
1,2,4-Trimethylbenzene	<25.0	ug/kg	60.0	25.0	1	12/12/12 06:23	12/12/12 15:50	95-63-6	W
1,3,5-Trimethylbenzene	<25.0	ug/kg	60.0	25.0	1	12/12/12 06:23	12/12/12 15:50	108-67-8	W
Vinyl chloride	<25.0	ug/kg	60.0	25.0	1	12/12/12 06:23	12/12/12 15:50	75-01-4	W
m&p-Xylene	<50.0	ug/kg	120	50.0	1	12/12/12 06:23	12/12/12 15:50	179601-23-1	W
o-Xylene	<25.0	ug/kg	60.0	25.0	1	12/12/12 06:23	12/12/12 15:50	95-47-6	W
<b>Surrogates</b>									
Dibromofluoromethane (S)	98 %		57-130		1	12/12/12 06:23	12/12/12 15:50	1868-53-7	
Toluene-d8 (S)	109 %		54-133		1	12/12/12 06:23	12/12/12 15:50	2037-26-5	
4-Bromofluorobenzene (S)	99 %		49-130		1	12/12/12 06:23	12/12/12 15:50	460-00-4	
<b>Percent Moisture</b>									
Analytical Method: ASTM D2974-87									
Percent Moisture	7.3 %		0.10	0.10	1		12/18/12 16:14		

## ANALYTICAL RESULTS

Project: RIL-2012-01 OHM GREEN BAY

Pace Project No.: 4071763

Sample: B12 4-5 Lab ID: 4071763007 Collected: 12/11/12 10:55 Received: 12/11/12 15:50 Matrix: Solid

Results reported on a "dry-weight" basis

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
<b>8260 MSV Med Level Normal List</b>									
Analytical Method: EPA 8260 Preparation Method: EPA 5035/5030B									
Benzene	<25.0	ug/kg	60.0	25.0	1	12/12/12 06:23	12/12/12 16:12	71-43-2	W
Bromobenzene	<25.0	ug/kg	60.0	25.0	1	12/12/12 06:23	12/12/12 16:12	108-86-1	W
Bromochloromethane	<25.0	ug/kg	60.0	25.0	1	12/12/12 06:23	12/12/12 16:12	74-97-5	W
Bromodichloromethane	<25.0	ug/kg	60.0	25.0	1	12/12/12 06:23	12/12/12 16:12	75-27-4	W
Bromoform	<25.9	ug/kg	60.0	25.9	1	12/12/12 06:23	12/12/12 16:12	75-25-2	W
Bromomethane	<25.0	ug/kg	60.0	25.0	1	12/12/12 06:23	12/12/12 16:12	74-83-9	W
n-Butylbenzene	<40.4	ug/kg	60.0	40.4	1	12/12/12 06:23	12/12/12 16:12	104-51-8	W
sec-Butylbenzene	<25.0	ug/kg	60.0	25.0	1	12/12/12 06:23	12/12/12 16:12	135-98-8	W
tert-Butylbenzene	<25.0	ug/kg	60.0	25.0	1	12/12/12 06:23	12/12/12 16:12	98-06-6	W
Carbon tetrachloride	<25.0	ug/kg	60.0	25.0	1	12/12/12 06:23	12/12/12 16:12	56-23-5	W
Chlorobenzene	<25.0	ug/kg	60.0	25.0	1	12/12/12 06:23	12/12/12 16:12	108-90-7	W
Chloroethane	<25.0	ug/kg	60.0	25.0	1	12/12/12 06:23	12/12/12 16:12	75-00-3	L3,W
Chloroform	<25.0	ug/kg	60.0	25.0	1	12/12/12 06:23	12/12/12 16:12	67-66-3	W
Chloromethane	<25.0	ug/kg	60.0	25.0	1	12/12/12 06:23	12/12/12 16:12	74-87-3	W
2-Chlorotoluene	<25.0	ug/kg	60.0	25.0	1	12/12/12 06:23	12/12/12 16:12	95-49-8	W
4-Chlorotoluene	<25.0	ug/kg	60.0	25.0	1	12/12/12 06:23	12/12/12 16:12	106-43-4	W
1,2-Dibromo-3-chloropropane	<82.3	ug/kg	250	82.3	1	12/12/12 06:23	12/12/12 16:12	96-12-8	W
Dibromochloromethane	<25.0	ug/kg	60.0	25.0	1	12/12/12 06:23	12/12/12 16:12	124-48-1	W
1,2-Dibromoethane (EDB)	<25.0	ug/kg	60.0	25.0	1	12/12/12 06:23	12/12/12 16:12	106-93-4	W
Dibromomethane	<25.0	ug/kg	60.0	25.0	1	12/12/12 06:23	12/12/12 16:12	74-95-3	W
1,2-Dichlorobenzene	<44.4	ug/kg	60.0	44.4	1	12/12/12 06:23	12/12/12 16:12	95-50-1	W
1,3-Dichlorobenzene	<25.0	ug/kg	60.0	25.0	1	12/12/12 06:23	12/12/12 16:12	541-73-1	W
1,4-Dichlorobenzene	<25.0	ug/kg	60.0	25.0	1	12/12/12 06:23	12/12/12 16:12	106-46-7	W
Dichlorodifluoromethane	<25.0	ug/kg	60.0	25.0	1	12/12/12 06:23	12/12/12 16:12	75-71-8	W
1,1-Dichloroethane	<25.0	ug/kg	60.0	25.0	1	12/12/12 06:23	12/12/12 16:12	75-34-3	W
1,2-Dichloroethane	<25.0	ug/kg	60.0	25.0	1	12/12/12 06:23	12/12/12 16:12	107-06-2	W
1,1-Dichloroethene	<25.0	ug/kg	60.0	25.0	1	12/12/12 06:23	12/12/12 16:12	75-35-4	W
cis-1,2-Dichloroethene	<25.0	ug/kg	60.0	25.0	1	12/12/12 06:23	12/12/12 16:12	156-59-2	W
trans-1,2-Dichloroethene	<25.0	ug/kg	60.0	25.0	1	12/12/12 06:23	12/12/12 16:12	156-60-5	W
1,2-Dichloropropane	<25.0	ug/kg	60.0	25.0	1	12/12/12 06:23	12/12/12 16:12	78-87-5	W
1,3-Dichloropropane	<25.0	ug/kg	60.0	25.0	1	12/12/12 06:23	12/12/12 16:12	142-28-9	W
2,2-Dichloropropane	<25.0	ug/kg	60.0	25.0	1	12/12/12 06:23	12/12/12 16:12	594-20-7	W
1,1-Dichloropropene	<25.0	ug/kg	60.0	25.0	1	12/12/12 06:23	12/12/12 16:12	563-58-6	W
cis-1,3-Dichloropropene	<25.0	ug/kg	60.0	25.0	1	12/12/12 06:23	12/12/12 16:12	10061-01-5	W
trans-1,3-Dichloropropene	<25.0	ug/kg	60.0	25.0	1	12/12/12 06:23	12/12/12 16:12	10061-02-6	W
Diisopropyl ether	<25.0	ug/kg	60.0	25.0	1	12/12/12 06:23	12/12/12 16:12	108-20-3	W
Ethylbenzene	<25.0	ug/kg	60.0	25.0	1	12/12/12 06:23	12/12/12 16:12	100-41-4	W
Hexachloro-1,3-butadiene	<26.4	ug/kg	60.0	26.4	1	12/12/12 06:23	12/12/12 16:12	87-68-3	W
Isopropylbenzene (Cumene)	<25.0	ug/kg	60.0	25.0	1	12/12/12 06:23	12/12/12 16:12	98-82-8	W
p-Isopropyltoluene	<25.0	ug/kg	60.0	25.0	1	12/12/12 06:23	12/12/12 16:12	99-87-6	W
Methylene Chloride	55.6J	ug/kg	71.9	30.0	1	12/12/12 06:23	12/12/12 16:12	75-09-2	B
Methyl-tert-butyl ether	<25.0	ug/kg	60.0	25.0	1	12/12/12 06:23	12/12/12 16:12	1634-04-4	W
Naphthalene	<25.0	ug/kg	60.0	25.0	1	12/12/12 06:23	12/12/12 16:12	91-20-3	W
n-Propylbenzene	<25.0	ug/kg	60.0	25.0	1	12/12/12 06:23	12/12/12 16:12	103-65-1	W
Styrene	<25.0	ug/kg	60.0	25.0	1	12/12/12 06:23	12/12/12 16:12	100-42-5	W



## ANALYTICAL RESULTS

Project: RIL-2012-01 OHM GREEN BAY

Pace Project No.: 4071763

Sample: B12 4-5 Lab ID: 4071763007 Collected: 12/11/12 10:55 Received: 12/11/12 15:50 Matrix: Solid

Results reported on a "dry-weight" basis

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
<b>8260 MSV Med Level Normal List</b>									
Analytical Method: EPA 8260 Preparation Method: EPA 5035/5030B									
1,1,1,2-Tetrachloroethane	<25.0	ug/kg	60.0	25.0	1	12/12/12 06:23	12/12/12 16:12	630-20-6	W
1,1,2,2-Tetrachloroethane	<25.0	ug/kg	60.0	25.0	1	12/12/12 06:23	12/12/12 16:12	79-34-5	W
Tetrachloroethene	626	ug/kg	71.9	30.0	1	12/12/12 06:23	12/12/12 16:12	127-18-4	
Toluene	<25.0	ug/kg	60.0	25.0	1	12/12/12 06:23	12/12/12 16:12	108-88-3	W
1,2,3-Trichlorobenzene	<25.0	ug/kg	60.0	25.0	1	12/12/12 06:23	12/12/12 16:12	87-61-6	W
1,2,4-Trichlorobenzene	<25.0	ug/kg	60.0	25.0	1	12/12/12 06:23	12/12/12 16:12	120-82-1	W
1,1,1-Trichloroethane	<25.0	ug/kg	60.0	25.0	1	12/12/12 06:23	12/12/12 16:12	71-55-6	W
1,1,2-Trichloroethane	<25.0	ug/kg	60.0	25.0	1	12/12/12 06:23	12/12/12 16:12	79-00-5	W
Trichloroethene	<25.0	ug/kg	60.0	25.0	1	12/12/12 06:23	12/12/12 16:12	79-01-6	W
Trichlorofluoromethane	<25.0	ug/kg	60.0	25.0	1	12/12/12 06:23	12/12/12 16:12	75-69-4	W
1,2,3-Trichloropropane	<25.0	ug/kg	60.0	25.0	1	12/12/12 06:23	12/12/12 16:12	96-18-4	W
1,2,4-Trimethylbenzene	<25.0	ug/kg	60.0	25.0	1	12/12/12 06:23	12/12/12 16:12	95-63-6	W
1,3,5-Trimethylbenzene	<25.0	ug/kg	60.0	25.0	1	12/12/12 06:23	12/12/12 16:12	108-67-8	W
Vinyl chloride	<25.0	ug/kg	60.0	25.0	1	12/12/12 06:23	12/12/12 16:12	75-01-4	W
m&p-Xylene	<50.0	ug/kg	120	50.0	1	12/12/12 06:23	12/12/12 16:12	179601-23-1	W
o-Xylene	<25.0	ug/kg	60.0	25.0	1	12/12/12 06:23	12/12/12 16:12	95-47-6	W
<b>Surrogates</b>									
Dibromofluoromethane (S)	99 %		57-130		1	12/12/12 06:23	12/12/12 16:12	1868-53-7	
Toluene-d8 (S)	115 %		54-133		1	12/12/12 06:23	12/12/12 16:12	2037-26-5	
4-Bromofluorobenzene (S)	102 %		49-130		1	12/12/12 06:23	12/12/12 16:12	460-00-4	
<b>Percent Moisture</b>									
Analytical Method: ASTM D2974-87									
Percent Moisture	16.5 %		0.10	0.10	1		12/18/12 16:14		

## ANALYTICAL RESULTS

Project: RIL-2012-01 OHM GREEN BAY

Pace Project No.: 4071763

---

**Sample: B12 3.5-4**      **Lab ID: 4071763008**      Collected: 12/11/12 10:51      Received: 12/11/12 15:50      Matrix: Solid

*Results reported on a "dry-weight" basis*

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
<b>Percent Moisture</b>	Analytical Method: ASTM D2974-87								
Percent Moisture	<b>14.5</b>	%	0.10	0.10	1		12/18/12 16:14		
<b>Total Organic Carbon</b>	Analytical Method: EPA 9060 Modified								
<b>Surrogates</b>									
RPD%	<b>10.3</b>	%			1		12/21/12 09:51		
Total Organic Carbon	<b>4020</b>	mg/kg	2500	700	1		12/21/12 09:48	7440-44-0	
Total Organic Carbon	<b>4460</b>	mg/kg	2270	636	1		12/21/12 09:51	7440-44-0	
Mean Total Organic Carbon	<b>4240</b>	mg/kg	2390	668	1		12/21/12 09:51	7440-44-0	C4

## ANALYTICAL RESULTS

Project: RIL-2012-01 OHM GREEN BAY

Pace Project No.: 4071763

Sample: B13 2-3 Lab ID: 4071763009 Collected: 12/11/12 10:45 Received: 12/11/12 15:50 Matrix: Solid

Results reported on a "dry-weight" basis

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
<b>8260 MSV Med Level Normal List</b>									
Analytical Method: EPA 8260 Preparation Method: EPA 5035/5030B									
Benzene	<25.0	ug/kg	60.0	25.0	1	12/12/12 06:23	12/12/12 16:35	71-43-2	W
Bromobenzene	<25.0	ug/kg	60.0	25.0	1	12/12/12 06:23	12/12/12 16:35	108-86-1	W
Bromochloromethane	<25.0	ug/kg	60.0	25.0	1	12/12/12 06:23	12/12/12 16:35	74-97-5	W
Bromodichloromethane	<25.0	ug/kg	60.0	25.0	1	12/12/12 06:23	12/12/12 16:35	75-27-4	W
Bromoform	<25.9	ug/kg	60.0	25.9	1	12/12/12 06:23	12/12/12 16:35	75-25-2	W
Bromomethane	<25.0	ug/kg	60.0	25.0	1	12/12/12 06:23	12/12/12 16:35	74-83-9	W
n-Butylbenzene	<40.4	ug/kg	60.0	40.4	1	12/12/12 06:23	12/12/12 16:35	104-51-8	W
sec-Butylbenzene	<25.0	ug/kg	60.0	25.0	1	12/12/12 06:23	12/12/12 16:35	135-98-8	W
tert-Butylbenzene	<25.0	ug/kg	60.0	25.0	1	12/12/12 06:23	12/12/12 16:35	98-06-6	W
Carbon tetrachloride	<25.0	ug/kg	60.0	25.0	1	12/12/12 06:23	12/12/12 16:35	56-23-5	W
Chlorobenzene	<25.0	ug/kg	60.0	25.0	1	12/12/12 06:23	12/12/12 16:35	108-90-7	W
Chloroethane	<25.0	ug/kg	60.0	25.0	1	12/12/12 06:23	12/12/12 16:35	75-00-3	L3,W
Chloroform	<25.0	ug/kg	60.0	25.0	1	12/12/12 06:23	12/12/12 16:35	67-66-3	W
Chloromethane	<25.0	ug/kg	60.0	25.0	1	12/12/12 06:23	12/12/12 16:35	74-87-3	W
2-Chlorotoluene	<25.0	ug/kg	60.0	25.0	1	12/12/12 06:23	12/12/12 16:35	95-49-8	W
4-Chlorotoluene	<25.0	ug/kg	60.0	25.0	1	12/12/12 06:23	12/12/12 16:35	106-43-4	W
1,2-Dibromo-3-chloropropane	<82.3	ug/kg	250	82.3	1	12/12/12 06:23	12/12/12 16:35	96-12-8	W
Dibromochloromethane	<25.0	ug/kg	60.0	25.0	1	12/12/12 06:23	12/12/12 16:35	124-48-1	W
1,2-Dibromoethane (EDB)	<25.0	ug/kg	60.0	25.0	1	12/12/12 06:23	12/12/12 16:35	106-93-4	W
Dibromomethane	<25.0	ug/kg	60.0	25.0	1	12/12/12 06:23	12/12/12 16:35	74-95-3	W
1,2-Dichlorobenzene	<44.4	ug/kg	60.0	44.4	1	12/12/12 06:23	12/12/12 16:35	95-50-1	W
1,3-Dichlorobenzene	<25.0	ug/kg	60.0	25.0	1	12/12/12 06:23	12/12/12 16:35	541-73-1	W
1,4-Dichlorobenzene	<25.0	ug/kg	60.0	25.0	1	12/12/12 06:23	12/12/12 16:35	106-46-7	W
Dichlorodifluoromethane	<25.0	ug/kg	60.0	25.0	1	12/12/12 06:23	12/12/12 16:35	75-71-8	W
1,1-Dichloroethane	<25.0	ug/kg	60.0	25.0	1	12/12/12 06:23	12/12/12 16:35	75-34-3	W
1,2-Dichloroethane	<25.0	ug/kg	60.0	25.0	1	12/12/12 06:23	12/12/12 16:35	107-06-2	W
1,1-Dichloroethene	<25.0	ug/kg	60.0	25.0	1	12/12/12 06:23	12/12/12 16:35	75-35-4	W
cis-1,2-Dichloroethene	<25.0	ug/kg	60.0	25.0	1	12/12/12 06:23	12/12/12 16:35	156-59-2	W
trans-1,2-Dichloroethene	<25.0	ug/kg	60.0	25.0	1	12/12/12 06:23	12/12/12 16:35	156-60-5	W
1,2-Dichloropropane	<25.0	ug/kg	60.0	25.0	1	12/12/12 06:23	12/12/12 16:35	78-87-5	W
1,3-Dichloropropane	<25.0	ug/kg	60.0	25.0	1	12/12/12 06:23	12/12/12 16:35	142-28-9	W
2,2-Dichloropropane	<25.0	ug/kg	60.0	25.0	1	12/12/12 06:23	12/12/12 16:35	594-20-7	W
1,1-Dichloropropene	<25.0	ug/kg	60.0	25.0	1	12/12/12 06:23	12/12/12 16:35	563-58-6	W
cis-1,3-Dichloropropene	<25.0	ug/kg	60.0	25.0	1	12/12/12 06:23	12/12/12 16:35	10061-01-5	W
trans-1,3-Dichloropropene	<25.0	ug/kg	60.0	25.0	1	12/12/12 06:23	12/12/12 16:35	10061-02-6	W
Diisopropyl ether	<25.0	ug/kg	60.0	25.0	1	12/12/12 06:23	12/12/12 16:35	108-20-3	W
Ethylbenzene	<25.0	ug/kg	60.0	25.0	1	12/12/12 06:23	12/12/12 16:35	100-41-4	W
Hexachloro-1,3-butadiene	<26.4	ug/kg	60.0	26.4	1	12/12/12 06:23	12/12/12 16:35	87-68-3	W
Isopropylbenzene (Cumene)	<25.0	ug/kg	60.0	25.0	1	12/12/12 06:23	12/12/12 16:35	98-82-8	W
p-Isopropyltoluene	<25.0	ug/kg	60.0	25.0	1	12/12/12 06:23	12/12/12 16:35	99-87-6	W
Methylene Chloride	61.0J	ug/kg	73.8	30.8	1	12/12/12 06:23	12/12/12 16:35	75-09-2	B
Methyl-tert-butyl ether	<25.0	ug/kg	60.0	25.0	1	12/12/12 06:23	12/12/12 16:35	1634-04-4	W
Naphthalene	<25.0	ug/kg	60.0	25.0	1	12/12/12 06:23	12/12/12 16:35	91-20-3	W
n-Propylbenzene	<25.0	ug/kg	60.0	25.0	1	12/12/12 06:23	12/12/12 16:35	103-65-1	W
Styrene	<25.0	ug/kg	60.0	25.0	1	12/12/12 06:23	12/12/12 16:35	100-42-5	W

## ANALYTICAL RESULTS

Project: RIL-2012-01 OHM GREEN BAY

Pace Project No.: 4071763

**Sample: B13 2-3**      **Lab ID: 4071763009**      Collected: 12/11/12 10:45      Received: 12/11/12 15:50      Matrix: Solid

*Results reported on a "dry-weight" basis*

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
<b>8260 MSV Med Level Normal List</b>									
Analytical Method: EPA 8260 Preparation Method: EPA 5035/5030B									
1,1,1,2-Tetrachloroethane	<25.0	ug/kg	60.0	25.0	1	12/12/12 06:23	12/12/12 16:35	630-20-6	W
1,1,2,2-Tetrachloroethane	<25.0	ug/kg	60.0	25.0	1	12/12/12 06:23	12/12/12 16:35	79-34-5	W
Tetrachloroethene	191	ug/kg	73.8	30.8	1	12/12/12 06:23	12/12/12 16:35	127-18-4	
Toluene	<25.0	ug/kg	60.0	25.0	1	12/12/12 06:23	12/12/12 16:35	108-88-3	W
1,2,3-Trichlorobenzene	<25.0	ug/kg	60.0	25.0	1	12/12/12 06:23	12/12/12 16:35	87-61-6	W
1,2,4-Trichlorobenzene	<25.0	ug/kg	60.0	25.0	1	12/12/12 06:23	12/12/12 16:35	120-82-1	W
1,1,1-Trichloroethane	<25.0	ug/kg	60.0	25.0	1	12/12/12 06:23	12/12/12 16:35	71-55-6	W
1,1,2-Trichloroethane	<25.0	ug/kg	60.0	25.0	1	12/12/12 06:23	12/12/12 16:35	79-00-5	W
Trichloroethene	<25.0	ug/kg	60.0	25.0	1	12/12/12 06:23	12/12/12 16:35	79-01-6	W
Trichlorofluoromethane	<25.0	ug/kg	60.0	25.0	1	12/12/12 06:23	12/12/12 16:35	75-69-4	W
1,2,3-Trichloropropane	<25.0	ug/kg	60.0	25.0	1	12/12/12 06:23	12/12/12 16:35	96-18-4	W
1,2,4-Trimethylbenzene	<25.0	ug/kg	60.0	25.0	1	12/12/12 06:23	12/12/12 16:35	95-63-6	W
1,3,5-Trimethylbenzene	<25.0	ug/kg	60.0	25.0	1	12/12/12 06:23	12/12/12 16:35	108-67-8	W
Vinyl chloride	<25.0	ug/kg	60.0	25.0	1	12/12/12 06:23	12/12/12 16:35	75-01-4	W
m&p-Xylene	<50.0	ug/kg	120	50.0	1	12/12/12 06:23	12/12/12 16:35	179601-23-1	W
o-Xylene	<25.0	ug/kg	60.0	25.0	1	12/12/12 06:23	12/12/12 16:35	95-47-6	W
<b>Surrogates</b>									
Dibromofluoromethane (S)	85 %		57-130		1	12/12/12 06:23	12/12/12 16:35	1868-53-7	
Toluene-d8 (S)	97 %		54-133		1	12/12/12 06:23	12/12/12 16:35	2037-26-5	
4-Bromofluorobenzene (S)	85 %		49-130		1	12/12/12 06:23	12/12/12 16:35	460-00-4	
<b>Percent Moisture</b>									
Analytical Method: ASTM D2974-87									
Percent Moisture	18.7 %		0.10	0.10	1		12/18/12 16:14		

## ANALYTICAL RESULTS

Project: RIL-2012-01 OHM GREEN BAY

Pace Project No.: 4071763

Sample: B13 4-5 Lab ID: 4071763010 Collected: 12/11/12 10:47 Received: 12/11/12 15:50 Matrix: Solid

Results reported on a "dry-weight" basis

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
<b>8260 MSV Med Level Normal List</b>									
Analytical Method: EPA 8260 Preparation Method: EPA 5035/5030B									
Benzene	<25.0	ug/kg	60.0	25.0	1	12/12/12 06:23	12/12/12 16:58	71-43-2	W
Bromobenzene	<25.0	ug/kg	60.0	25.0	1	12/12/12 06:23	12/12/12 16:58	108-86-1	W
Bromochloromethane	<25.0	ug/kg	60.0	25.0	1	12/12/12 06:23	12/12/12 16:58	74-97-5	W
Bromodichloromethane	<25.0	ug/kg	60.0	25.0	1	12/12/12 06:23	12/12/12 16:58	75-27-4	W
Bromoform	<25.9	ug/kg	60.0	25.9	1	12/12/12 06:23	12/12/12 16:58	75-25-2	W
Bromomethane	<25.0	ug/kg	60.0	25.0	1	12/12/12 06:23	12/12/12 16:58	74-83-9	W
n-Butylbenzene	<40.4	ug/kg	60.0	40.4	1	12/12/12 06:23	12/12/12 16:58	104-51-8	W
sec-Butylbenzene	<25.0	ug/kg	60.0	25.0	1	12/12/12 06:23	12/12/12 16:58	135-98-8	W
tert-Butylbenzene	<25.0	ug/kg	60.0	25.0	1	12/12/12 06:23	12/12/12 16:58	98-06-6	W
Carbon tetrachloride	<25.0	ug/kg	60.0	25.0	1	12/12/12 06:23	12/12/12 16:58	56-23-5	W
Chlorobenzene	<25.0	ug/kg	60.0	25.0	1	12/12/12 06:23	12/12/12 16:58	108-90-7	W
Chloroethane	<25.0	ug/kg	60.0	25.0	1	12/12/12 06:23	12/12/12 16:58	75-00-3	L3,W
Chloroform	<25.0	ug/kg	60.0	25.0	1	12/12/12 06:23	12/12/12 16:58	67-66-3	W
Chloromethane	<25.0	ug/kg	60.0	25.0	1	12/12/12 06:23	12/12/12 16:58	74-87-3	W
2-Chlorotoluene	<25.0	ug/kg	60.0	25.0	1	12/12/12 06:23	12/12/12 16:58	95-49-8	W
4-Chlorotoluene	<25.0	ug/kg	60.0	25.0	1	12/12/12 06:23	12/12/12 16:58	106-43-4	W
1,2-Dibromo-3-chloropropane	<82.3	ug/kg	250	82.3	1	12/12/12 06:23	12/12/12 16:58	96-12-8	W
Dibromochloromethane	<25.0	ug/kg	60.0	25.0	1	12/12/12 06:23	12/12/12 16:58	124-48-1	W
1,2-Dibromoethane (EDB)	<25.0	ug/kg	60.0	25.0	1	12/12/12 06:23	12/12/12 16:58	106-93-4	W
Dibromomethane	<25.0	ug/kg	60.0	25.0	1	12/12/12 06:23	12/12/12 16:58	74-95-3	W
1,2-Dichlorobenzene	<44.4	ug/kg	60.0	44.4	1	12/12/12 06:23	12/12/12 16:58	95-50-1	W
1,3-Dichlorobenzene	<25.0	ug/kg	60.0	25.0	1	12/12/12 06:23	12/12/12 16:58	541-73-1	W
1,4-Dichlorobenzene	<25.0	ug/kg	60.0	25.0	1	12/12/12 06:23	12/12/12 16:58	106-46-7	W
Dichlorodifluoromethane	<25.0	ug/kg	60.0	25.0	1	12/12/12 06:23	12/12/12 16:58	75-71-8	W
1,1-Dichloroethane	<25.0	ug/kg	60.0	25.0	1	12/12/12 06:23	12/12/12 16:58	75-34-3	W
1,2-Dichloroethane	<25.0	ug/kg	60.0	25.0	1	12/12/12 06:23	12/12/12 16:58	107-06-2	W
1,1-Dichloroethene	<25.0	ug/kg	60.0	25.0	1	12/12/12 06:23	12/12/12 16:58	75-35-4	W
cis-1,2-Dichloroethene	<25.0	ug/kg	60.0	25.0	1	12/12/12 06:23	12/12/12 16:58	156-59-2	W
trans-1,2-Dichloroethene	<25.0	ug/kg	60.0	25.0	1	12/12/12 06:23	12/12/12 16:58	156-60-5	W
1,2-Dichloropropane	<25.0	ug/kg	60.0	25.0	1	12/12/12 06:23	12/12/12 16:58	78-87-5	W
1,3-Dichloropropane	<25.0	ug/kg	60.0	25.0	1	12/12/12 06:23	12/12/12 16:58	142-28-9	W
2,2-Dichloropropane	<25.0	ug/kg	60.0	25.0	1	12/12/12 06:23	12/12/12 16:58	594-20-7	W
1,1-Dichloropropene	<25.0	ug/kg	60.0	25.0	1	12/12/12 06:23	12/12/12 16:58	563-58-6	W
cis-1,3-Dichloropropene	<25.0	ug/kg	60.0	25.0	1	12/12/12 06:23	12/12/12 16:58	10061-01-5	W
trans-1,3-Dichloropropene	<25.0	ug/kg	60.0	25.0	1	12/12/12 06:23	12/12/12 16:58	10061-02-6	W
Diisopropyl ether	<25.0	ug/kg	60.0	25.0	1	12/12/12 06:23	12/12/12 16:58	108-20-3	W
Ethylbenzene	<25.0	ug/kg	60.0	25.0	1	12/12/12 06:23	12/12/12 16:58	100-41-4	W
Hexachloro-1,3-butadiene	<26.4	ug/kg	60.0	26.4	1	12/12/12 06:23	12/12/12 16:58	87-68-3	W
Isopropylbenzene (Cumene)	<25.0	ug/kg	60.0	25.0	1	12/12/12 06:23	12/12/12 16:58	98-82-8	W
p-Isopropyltoluene	<25.0	ug/kg	60.0	25.0	1	12/12/12 06:23	12/12/12 16:58	99-87-6	W
Methylene Chloride	66.5J	ug/kg	70.5	29.4	1	12/12/12 06:23	12/12/12 16:58	75-09-2	B
Methyl-tert-butyl ether	<25.0	ug/kg	60.0	25.0	1	12/12/12 06:23	12/12/12 16:58	1634-04-4	W
Naphthalene	<25.0	ug/kg	60.0	25.0	1	12/12/12 06:23	12/12/12 16:58	91-20-3	W
n-Propylbenzene	<25.0	ug/kg	60.0	25.0	1	12/12/12 06:23	12/12/12 16:58	103-65-1	W
Styrene	<25.0	ug/kg	60.0	25.0	1	12/12/12 06:23	12/12/12 16:58	100-42-5	W

## ANALYTICAL RESULTS

Project: RIL-2012-01 OHM GREEN BAY

Pace Project No.: 4071763

Sample: B13 4-5      Lab ID: 4071763010      Collected: 12/11/12 10:47      Received: 12/11/12 15:50      Matrix: Solid

Results reported on a "dry-weight" basis

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
<b>8260 MSV Med Level Normal List</b>		Analytical Method: EPA 8260 Preparation Method: EPA 5035/5030B							
1,1,1,2-Tetrachloroethane	<25.0	ug/kg	60.0	25.0	1	12/12/12 06:23	12/12/12 16:58	630-20-6	W
1,1,2,2-Tetrachloroethane	<25.0	ug/kg	60.0	25.0	1	12/12/12 06:23	12/12/12 16:58	79-34-5	W
Tetrachloroethene	676	ug/kg	70.5	29.4	1	12/12/12 06:23	12/12/12 16:58	127-18-4	
Toluene	<25.0	ug/kg	60.0	25.0	1	12/12/12 06:23	12/12/12 16:58	108-88-3	W
1,2,3-Trichlorobenzene	<25.0	ug/kg	60.0	25.0	1	12/12/12 06:23	12/12/12 16:58	87-61-6	W
1,2,4-Trichlorobenzene	<25.0	ug/kg	60.0	25.0	1	12/12/12 06:23	12/12/12 16:58	120-82-1	W
1,1,1-Trichloroethane	<25.0	ug/kg	60.0	25.0	1	12/12/12 06:23	12/12/12 16:58	71-55-6	W
1,1,2-Trichloroethane	<25.0	ug/kg	60.0	25.0	1	12/12/12 06:23	12/12/12 16:58	79-00-5	W
Trichloroethene	<25.0	ug/kg	60.0	25.0	1	12/12/12 06:23	12/12/12 16:58	79-01-6	W
Trichlorofluoromethane	<25.0	ug/kg	60.0	25.0	1	12/12/12 06:23	12/12/12 16:58	75-69-4	W
1,2,3-Trichloropropane	<25.0	ug/kg	60.0	25.0	1	12/12/12 06:23	12/12/12 16:58	96-18-4	W
1,2,4-Trimethylbenzene	<25.0	ug/kg	60.0	25.0	1	12/12/12 06:23	12/12/12 16:58	95-63-6	W
1,3,5-Trimethylbenzene	<25.0	ug/kg	60.0	25.0	1	12/12/12 06:23	12/12/12 16:58	108-67-8	W
Vinyl chloride	<25.0	ug/kg	60.0	25.0	1	12/12/12 06:23	12/12/12 16:58	75-01-4	W
m&p-Xylene	<50.0	ug/kg	120	50.0	1	12/12/12 06:23	12/12/12 16:58	179601-23-1	W
o-Xylene	<25.0	ug/kg	60.0	25.0	1	12/12/12 06:23	12/12/12 16:58	95-47-6	W
<b>Surrogates</b>									
Dibromofluoromethane (S)	97 %		57-130		1	12/12/12 06:23	12/12/12 16:58	1868-53-7	
Toluene-d8 (S)	109 %		54-133		1	12/12/12 06:23	12/12/12 16:58	2037-26-5	
4-Bromofluorobenzene (S)	95 %		49-130		1	12/12/12 06:23	12/12/12 16:58	460-00-4	
<b>Percent Moisture</b>		Analytical Method: ASTM D2974-87							
Percent Moisture	14.9 %		0.10	0.10	1		12/18/12 16:14		

## ANALYTICAL RESULTS

Project: RIL-2012-01 OHM GREEN BAY

Pace Project No.: 4071763

Sample: B14 2-3 Lab ID: 4071763011 Collected: 12/11/12 10:10 Received: 12/11/12 15:50 Matrix: Solid

Results reported on a "dry-weight" basis

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
<b>8260 MSV Med Level Normal List</b>									
Analytical Method: EPA 8260 Preparation Method: EPA 5035/5030B									
Benzene	<25.0	ug/kg	60.0	25.0	1	12/12/12 06:23	12/12/12 17:21	71-43-2	W
Bromobenzene	<25.0	ug/kg	60.0	25.0	1	12/12/12 06:23	12/12/12 17:21	108-86-1	W
Bromochloromethane	<25.0	ug/kg	60.0	25.0	1	12/12/12 06:23	12/12/12 17:21	74-97-5	W
Bromodichloromethane	<25.0	ug/kg	60.0	25.0	1	12/12/12 06:23	12/12/12 17:21	75-27-4	W
Bromoform	<25.9	ug/kg	60.0	25.9	1	12/12/12 06:23	12/12/12 17:21	75-25-2	W
Bromomethane	<25.0	ug/kg	60.0	25.0	1	12/12/12 06:23	12/12/12 17:21	74-83-9	W
n-Butylbenzene	<40.4	ug/kg	60.0	40.4	1	12/12/12 06:23	12/12/12 17:21	104-51-8	W
sec-Butylbenzene	<25.0	ug/kg	60.0	25.0	1	12/12/12 06:23	12/12/12 17:21	135-98-8	W
tert-Butylbenzene	<25.0	ug/kg	60.0	25.0	1	12/12/12 06:23	12/12/12 17:21	98-06-6	W
Carbon tetrachloride	<25.0	ug/kg	60.0	25.0	1	12/12/12 06:23	12/12/12 17:21	56-23-5	W
Chlorobenzene	<25.0	ug/kg	60.0	25.0	1	12/12/12 06:23	12/12/12 17:21	108-90-7	W
Chloroethane	<25.0	ug/kg	60.0	25.0	1	12/12/12 06:23	12/12/12 17:21	75-00-3	L3,W
Chloroform	<25.0	ug/kg	60.0	25.0	1	12/12/12 06:23	12/12/12 17:21	67-66-3	W
Chloromethane	<25.0	ug/kg	60.0	25.0	1	12/12/12 06:23	12/12/12 17:21	74-87-3	W
2-Chlorotoluene	<25.0	ug/kg	60.0	25.0	1	12/12/12 06:23	12/12/12 17:21	95-49-8	W
4-Chlorotoluene	<25.0	ug/kg	60.0	25.0	1	12/12/12 06:23	12/12/12 17:21	106-43-4	W
1,2-Dibromo-3-chloropropane	<82.3	ug/kg	250	82.3	1	12/12/12 06:23	12/12/12 17:21	96-12-8	W
Dibromochloromethane	<25.0	ug/kg	60.0	25.0	1	12/12/12 06:23	12/12/12 17:21	124-48-1	W
1,2-Dibromoethane (EDB)	<25.0	ug/kg	60.0	25.0	1	12/12/12 06:23	12/12/12 17:21	106-93-4	W
Dibromomethane	<25.0	ug/kg	60.0	25.0	1	12/12/12 06:23	12/12/12 17:21	74-95-3	W
1,2-Dichlorobenzene	<44.4	ug/kg	60.0	44.4	1	12/12/12 06:23	12/12/12 17:21	95-50-1	W
1,3-Dichlorobenzene	<25.0	ug/kg	60.0	25.0	1	12/12/12 06:23	12/12/12 17:21	541-73-1	W
1,4-Dichlorobenzene	<25.0	ug/kg	60.0	25.0	1	12/12/12 06:23	12/12/12 17:21	106-46-7	W
Dichlorodifluoromethane	<25.0	ug/kg	60.0	25.0	1	12/12/12 06:23	12/12/12 17:21	75-71-8	W
1,1-Dichloroethane	<25.0	ug/kg	60.0	25.0	1	12/12/12 06:23	12/12/12 17:21	75-34-3	W
1,2-Dichloroethane	<25.0	ug/kg	60.0	25.0	1	12/12/12 06:23	12/12/12 17:21	107-06-2	W
1,1-Dichloroethene	<25.0	ug/kg	60.0	25.0	1	12/12/12 06:23	12/12/12 17:21	75-35-4	W
cis-1,2-Dichloroethene	<25.0	ug/kg	60.0	25.0	1	12/12/12 06:23	12/12/12 17:21	156-59-2	W
trans-1,2-Dichloroethene	<25.0	ug/kg	60.0	25.0	1	12/12/12 06:23	12/12/12 17:21	156-60-5	W
1,2-Dichloropropane	<25.0	ug/kg	60.0	25.0	1	12/12/12 06:23	12/12/12 17:21	78-87-5	W
1,3-Dichloropropane	<25.0	ug/kg	60.0	25.0	1	12/12/12 06:23	12/12/12 17:21	142-28-9	W
2,2-Dichloropropane	<25.0	ug/kg	60.0	25.0	1	12/12/12 06:23	12/12/12 17:21	594-20-7	W
1,1-Dichloropropene	<25.0	ug/kg	60.0	25.0	1	12/12/12 06:23	12/12/12 17:21	563-58-6	W
cis-1,3-Dichloropropene	<25.0	ug/kg	60.0	25.0	1	12/12/12 06:23	12/12/12 17:21	10061-01-5	W
trans-1,3-Dichloropropene	<25.0	ug/kg	60.0	25.0	1	12/12/12 06:23	12/12/12 17:21	10061-02-6	W
Diisopropyl ether	<25.0	ug/kg	60.0	25.0	1	12/12/12 06:23	12/12/12 17:21	108-20-3	W
Ethylbenzene	<25.0	ug/kg	60.0	25.0	1	12/12/12 06:23	12/12/12 17:21	100-41-4	W
Hexachloro-1,3-butadiene	<26.4	ug/kg	60.0	26.4	1	12/12/12 06:23	12/12/12 17:21	87-68-3	W
Isopropylbenzene (Cumene)	<25.0	ug/kg	60.0	25.0	1	12/12/12 06:23	12/12/12 17:21	98-82-8	W
p-Isopropyltoluene	<25.0	ug/kg	60.0	25.0	1	12/12/12 06:23	12/12/12 17:21	99-87-6	W
Methylene Chloride	49.5J	ug/kg	68.6	28.6	1	12/12/12 06:23	12/12/12 17:21	75-09-2	B
Methyl-tert-butyl ether	<25.0	ug/kg	60.0	25.0	1	12/12/12 06:23	12/12/12 17:21	1634-04-4	W
Naphthalene	<25.0	ug/kg	60.0	25.0	1	12/12/12 06:23	12/12/12 17:21	91-20-3	W
n-Propylbenzene	<25.0	ug/kg	60.0	25.0	1	12/12/12 06:23	12/12/12 17:21	103-65-1	W
Styrene	<25.0	ug/kg	60.0	25.0	1	12/12/12 06:23	12/12/12 17:21	100-42-5	W

## ANALYTICAL RESULTS

Project: RIL-2012-01 OHM GREEN BAY  
Pace Project No.: 4071763

**Sample: B14 2-3**      **Lab ID: 4071763011**      Collected: 12/11/12 10:10      Received: 12/11/12 15:50      Matrix: Solid

*Results reported on a "dry-weight" basis*

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
<b>8260 MSV Med Level Normal List</b>									
Analytical Method: EPA 8260    Preparation Method: EPA 5035/5030B									
1,1,1,2-Tetrachloroethane	<25.0	ug/kg	60.0	25.0	1	12/12/12 06:23	12/12/12 17:21	630-20-6	W
1,1,2,2-Tetrachloroethane	<25.0	ug/kg	60.0	25.0	1	12/12/12 06:23	12/12/12 17:21	79-34-5	W
Tetrachloroethene	241	ug/kg	68.6	28.6	1	12/12/12 06:23	12/12/12 17:21	127-18-4	
Toluene	<25.0	ug/kg	60.0	25.0	1	12/12/12 06:23	12/12/12 17:21	108-88-3	W
1,2,3-Trichlorobenzene	<25.0	ug/kg	60.0	25.0	1	12/12/12 06:23	12/12/12 17:21	87-61-6	W
1,2,4-Trichlorobenzene	<25.0	ug/kg	60.0	25.0	1	12/12/12 06:23	12/12/12 17:21	120-82-1	W
1,1,1-Trichloroethane	<25.0	ug/kg	60.0	25.0	1	12/12/12 06:23	12/12/12 17:21	71-55-6	W
1,1,2-Trichloroethane	<25.0	ug/kg	60.0	25.0	1	12/12/12 06:23	12/12/12 17:21	79-00-5	W
Trichloroethene	<25.0	ug/kg	60.0	25.0	1	12/12/12 06:23	12/12/12 17:21	79-01-6	W
Trichlorofluoromethane	<25.0	ug/kg	60.0	25.0	1	12/12/12 06:23	12/12/12 17:21	75-69-4	W
1,2,3-Trichloropropane	<25.0	ug/kg	60.0	25.0	1	12/12/12 06:23	12/12/12 17:21	96-18-4	W
1,2,4-Trimethylbenzene	<25.0	ug/kg	60.0	25.0	1	12/12/12 06:23	12/12/12 17:21	95-63-6	W
1,3,5-Trimethylbenzene	<25.0	ug/kg	60.0	25.0	1	12/12/12 06:23	12/12/12 17:21	108-67-8	W
Vinyl chloride	<25.0	ug/kg	60.0	25.0	1	12/12/12 06:23	12/12/12 17:21	75-01-4	W
m&p-Xylene	<50.0	ug/kg	120	50.0	1	12/12/12 06:23	12/12/12 17:21	179601-23-1	W
o-Xylene	<25.0	ug/kg	60.0	25.0	1	12/12/12 06:23	12/12/12 17:21	95-47-6	W
<b>Surrogates</b>									
Dibromofluoromethane (S)	90	%	57-130		1	12/12/12 06:23	12/12/12 17:21	1868-53-7	
Toluene-d8 (S)	108	%	54-133		1	12/12/12 06:23	12/12/12 17:21	2037-26-5	
4-Bromofluorobenzene (S)	93	%	49-130		1	12/12/12 06:23	12/12/12 17:21	460-00-4	
<b>Percent Moisture</b>									
Analytical Method: ASTM D2974-87									
Percent Moisture	12.5	%	0.10	0.10	1		12/18/12 16:14		



## ANALYTICAL RESULTS

Project: RIL-2012-01 OHM GREEN BAY

Pace Project No.: 4071763

Sample: B14 4-5 Lab ID: 4071763012 Collected: 12/11/12 10:13 Received: 12/11/12 15:50 Matrix: Solid

Results reported on a "dry-weight" basis

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
<b>8260 MSV Med Level Normal List</b>									
Analytical Method: EPA 8260 Preparation Method: EPA 5035/5030B									
Benzene	<25.0	ug/kg	60.0	25.0	1	12/12/12 06:23	12/12/12 17:44	71-43-2	W
Bromobenzene	<25.0	ug/kg	60.0	25.0	1	12/12/12 06:23	12/12/12 17:44	108-86-1	W
Bromochloromethane	<25.0	ug/kg	60.0	25.0	1	12/12/12 06:23	12/12/12 17:44	74-97-5	W
Bromodichloromethane	<25.0	ug/kg	60.0	25.0	1	12/12/12 06:23	12/12/12 17:44	75-27-4	W
Bromoform	<25.9	ug/kg	60.0	25.9	1	12/12/12 06:23	12/12/12 17:44	75-25-2	W
Bromomethane	<25.0	ug/kg	60.0	25.0	1	12/12/12 06:23	12/12/12 17:44	74-83-9	W
n-Butylbenzene	<40.4	ug/kg	60.0	40.4	1	12/12/12 06:23	12/12/12 17:44	104-51-8	W
sec-Butylbenzene	<25.0	ug/kg	60.0	25.0	1	12/12/12 06:23	12/12/12 17:44	135-98-8	W
tert-Butylbenzene	<25.0	ug/kg	60.0	25.0	1	12/12/12 06:23	12/12/12 17:44	98-06-6	W
Carbon tetrachloride	<25.0	ug/kg	60.0	25.0	1	12/12/12 06:23	12/12/12 17:44	56-23-5	W
Chlorobenzene	<25.0	ug/kg	60.0	25.0	1	12/12/12 06:23	12/12/12 17:44	108-90-7	W
Chloroethane	<25.0	ug/kg	60.0	25.0	1	12/12/12 06:23	12/12/12 17:44	75-00-3	L3,W
Chloroform	<25.0	ug/kg	60.0	25.0	1	12/12/12 06:23	12/12/12 17:44	67-66-3	W
Chloromethane	<25.0	ug/kg	60.0	25.0	1	12/12/12 06:23	12/12/12 17:44	74-87-3	W
2-Chlorotoluene	<25.0	ug/kg	60.0	25.0	1	12/12/12 06:23	12/12/12 17:44	95-49-8	W
4-Chlorotoluene	<25.0	ug/kg	60.0	25.0	1	12/12/12 06:23	12/12/12 17:44	106-43-4	W
1,2-Dibromo-3-chloropropane	<82.3	ug/kg	250	82.3	1	12/12/12 06:23	12/12/12 17:44	96-12-8	W
Dibromochloromethane	<25.0	ug/kg	60.0	25.0	1	12/12/12 06:23	12/12/12 17:44	124-48-1	W
1,2-Dibromoethane (EDB)	<25.0	ug/kg	60.0	25.0	1	12/12/12 06:23	12/12/12 17:44	106-93-4	W
Dibromomethane	<25.0	ug/kg	60.0	25.0	1	12/12/12 06:23	12/12/12 17:44	74-95-3	W
1,2-Dichlorobenzene	<44.4	ug/kg	60.0	44.4	1	12/12/12 06:23	12/12/12 17:44	95-50-1	W
1,3-Dichlorobenzene	<25.0	ug/kg	60.0	25.0	1	12/12/12 06:23	12/12/12 17:44	541-73-1	W
1,4-Dichlorobenzene	<25.0	ug/kg	60.0	25.0	1	12/12/12 06:23	12/12/12 17:44	106-46-7	W
Dichlorodifluoromethane	<25.0	ug/kg	60.0	25.0	1	12/12/12 06:23	12/12/12 17:44	75-71-8	W
1,1-Dichloroethane	<25.0	ug/kg	60.0	25.0	1	12/12/12 06:23	12/12/12 17:44	75-34-3	W
1,2-Dichloroethane	<25.0	ug/kg	60.0	25.0	1	12/12/12 06:23	12/12/12 17:44	107-06-2	W
1,1-Dichloroethene	<25.0	ug/kg	60.0	25.0	1	12/12/12 06:23	12/12/12 17:44	75-35-4	W
cis-1,2-Dichloroethene	<25.0	ug/kg	60.0	25.0	1	12/12/12 06:23	12/12/12 17:44	156-59-2	W
trans-1,2-Dichloroethene	<25.0	ug/kg	60.0	25.0	1	12/12/12 06:23	12/12/12 17:44	156-60-5	W
1,2-Dichloropropane	<25.0	ug/kg	60.0	25.0	1	12/12/12 06:23	12/12/12 17:44	78-87-5	W
1,3-Dichloropropane	<25.0	ug/kg	60.0	25.0	1	12/12/12 06:23	12/12/12 17:44	142-28-9	W
2,2-Dichloropropane	<25.0	ug/kg	60.0	25.0	1	12/12/12 06:23	12/12/12 17:44	594-20-7	W
1,1-Dichloropropene	<25.0	ug/kg	60.0	25.0	1	12/12/12 06:23	12/12/12 17:44	563-58-6	W
cis-1,3-Dichloropropene	<25.0	ug/kg	60.0	25.0	1	12/12/12 06:23	12/12/12 17:44	10061-01-5	W
trans-1,3-Dichloropropene	<25.0	ug/kg	60.0	25.0	1	12/12/12 06:23	12/12/12 17:44	10061-02-6	W
Diisopropyl ether	<25.0	ug/kg	60.0	25.0	1	12/12/12 06:23	12/12/12 17:44	108-20-3	W
Ethylbenzene	<25.0	ug/kg	60.0	25.0	1	12/12/12 06:23	12/12/12 17:44	100-41-4	W
Hexachloro-1,3-butadiene	<26.4	ug/kg	60.0	26.4	1	12/12/12 06:23	12/12/12 17:44	87-68-3	W
Isopropylbenzene (Cumene)	<25.0	ug/kg	60.0	25.0	1	12/12/12 06:23	12/12/12 17:44	98-82-8	W
p-Isopropyltoluene	<25.0	ug/kg	60.0	25.0	1	12/12/12 06:23	12/12/12 17:44	99-87-6	W
Methylene Chloride	59.2J	ug/kg	68.0	28.3	1	12/12/12 06:23	12/12/12 17:44	75-09-2	B
Methyl-tert-butyl ether	<25.0	ug/kg	60.0	25.0	1	12/12/12 06:23	12/12/12 17:44	1634-04-4	W
Naphthalene	<25.0	ug/kg	60.0	25.0	1	12/12/12 06:23	12/12/12 17:44	91-20-3	W
n-Propylbenzene	<25.0	ug/kg	60.0	25.0	1	12/12/12 06:23	12/12/12 17:44	103-65-1	W
Styrene	<25.0	ug/kg	60.0	25.0	1	12/12/12 06:23	12/12/12 17:44	100-42-5	W

## ANALYTICAL RESULTS

Project: RIL-2012-01 OHM GREEN BAY  
Pace Project No.: 4071763

**Sample: B14 4-5**      **Lab ID: 4071763012**      Collected: 12/11/12 10:13      Received: 12/11/12 15:50      Matrix: Solid

*Results reported on a "dry-weight" basis*

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
<b>8260 MSV Med Level Normal List</b>									
Analytical Method: EPA 8260 Preparation Method: EPA 5035/5030B									
1,1,1,2-Tetrachloroethane	<25.0	ug/kg	60.0	25.0	1	12/12/12 06:23	12/12/12 17:44	630-20-6	W
1,1,2,2-Tetrachloroethane	<25.0	ug/kg	60.0	25.0	1	12/12/12 06:23	12/12/12 17:44	79-34-5	W
Tetrachloroethene	496	ug/kg	68.0	28.3	1	12/12/12 06:23	12/12/12 17:44	127-18-4	
Toluene	<25.0	ug/kg	60.0	25.0	1	12/12/12 06:23	12/12/12 17:44	108-88-3	W
1,2,3-Trichlorobenzene	<25.0	ug/kg	60.0	25.0	1	12/12/12 06:23	12/12/12 17:44	87-61-6	W
1,2,4-Trichlorobenzene	<25.0	ug/kg	60.0	25.0	1	12/12/12 06:23	12/12/12 17:44	120-82-1	W
1,1,1-Trichloroethane	<25.0	ug/kg	60.0	25.0	1	12/12/12 06:23	12/12/12 17:44	71-55-6	W
1,1,2-Trichloroethane	<25.0	ug/kg	60.0	25.0	1	12/12/12 06:23	12/12/12 17:44	79-00-5	W
Trichloroethene	<25.0	ug/kg	60.0	25.0	1	12/12/12 06:23	12/12/12 17:44	79-01-6	W
Trichlorofluoromethane	<25.0	ug/kg	60.0	25.0	1	12/12/12 06:23	12/12/12 17:44	75-69-4	W
1,2,3-Trichloropropane	<25.0	ug/kg	60.0	25.0	1	12/12/12 06:23	12/12/12 17:44	96-18-4	W
1,2,4-Trimethylbenzene	<25.0	ug/kg	60.0	25.0	1	12/12/12 06:23	12/12/12 17:44	95-63-6	W
1,3,5-Trimethylbenzene	<25.0	ug/kg	60.0	25.0	1	12/12/12 06:23	12/12/12 17:44	108-67-8	W
Vinyl chloride	<25.0	ug/kg	60.0	25.0	1	12/12/12 06:23	12/12/12 17:44	75-01-4	W
m&p-Xylene	<50.0	ug/kg	120	50.0	1	12/12/12 06:23	12/12/12 17:44	179601-23-1	W
o-Xylene	<25.0	ug/kg	60.0	25.0	1	12/12/12 06:23	12/12/12 17:44	95-47-6	W
<b>Surrogates</b>									
Dibromofluoromethane (S)	95	%	57-130		1	12/12/12 06:23	12/12/12 17:44	1868-53-7	
Toluene-d8 (S)	112	%	54-133		1	12/12/12 06:23	12/12/12 17:44	2037-26-5	
4-Bromofluorobenzene (S)	99	%	49-130		1	12/12/12 06:23	12/12/12 17:44	460-00-4	
<b>Percent Moisture</b>									
Analytical Method: ASTM D2974-87									
Percent Moisture	11.7	%	0.10	0.10	1		12/18/12 16:14		

## ANALYTICAL RESULTS

Project: RIL-2012-01 OHM GREEN BAY

Pace Project No.: 4071763

Sample: B15 2-3 Lab ID: 4071763013 Collected: 12/11/12 10:28 Received: 12/11/12 15:50 Matrix: Solid

Results reported on a "dry-weight" basis

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
<b>8260 MSV Med Level Normal List</b>									
Analytical Method: EPA 8260 Preparation Method: EPA 5035/5030B									
Benzene	<25.0	ug/kg	60.0	25.0	1	12/12/12 06:23	12/12/12 18:07	71-43-2	W
Bromobenzene	<25.0	ug/kg	60.0	25.0	1	12/12/12 06:23	12/12/12 18:07	108-86-1	W
Bromochloromethane	<25.0	ug/kg	60.0	25.0	1	12/12/12 06:23	12/12/12 18:07	74-97-5	W
Bromodichloromethane	<25.0	ug/kg	60.0	25.0	1	12/12/12 06:23	12/12/12 18:07	75-27-4	W
Bromoform	<25.9	ug/kg	60.0	25.9	1	12/12/12 06:23	12/12/12 18:07	75-25-2	W
Bromomethane	<25.0	ug/kg	60.0	25.0	1	12/12/12 06:23	12/12/12 18:07	74-83-9	W
n-Butylbenzene	<40.4	ug/kg	60.0	40.4	1	12/12/12 06:23	12/12/12 18:07	104-51-8	W
sec-Butylbenzene	<25.0	ug/kg	60.0	25.0	1	12/12/12 06:23	12/12/12 18:07	135-98-8	W
tert-Butylbenzene	<25.0	ug/kg	60.0	25.0	1	12/12/12 06:23	12/12/12 18:07	98-06-6	W
Carbon tetrachloride	<25.0	ug/kg	60.0	25.0	1	12/12/12 06:23	12/12/12 18:07	56-23-5	W
Chlorobenzene	<25.0	ug/kg	60.0	25.0	1	12/12/12 06:23	12/12/12 18:07	108-90-7	W
Chloroethane	<25.0	ug/kg	60.0	25.0	1	12/12/12 06:23	12/12/12 18:07	75-00-3	L3,W
Chloroform	<25.0	ug/kg	60.0	25.0	1	12/12/12 06:23	12/12/12 18:07	67-66-3	W
Chloromethane	<25.0	ug/kg	60.0	25.0	1	12/12/12 06:23	12/12/12 18:07	74-87-3	W
2-Chlorotoluene	<25.0	ug/kg	60.0	25.0	1	12/12/12 06:23	12/12/12 18:07	95-49-8	W
4-Chlorotoluene	<25.0	ug/kg	60.0	25.0	1	12/12/12 06:23	12/12/12 18:07	106-43-4	W
1,2-Dibromo-3-chloropropane	<82.3	ug/kg	250	82.3	1	12/12/12 06:23	12/12/12 18:07	96-12-8	W
Dibromochloromethane	<25.0	ug/kg	60.0	25.0	1	12/12/12 06:23	12/12/12 18:07	124-48-1	W
1,2-Dibromoethane (EDB)	<25.0	ug/kg	60.0	25.0	1	12/12/12 06:23	12/12/12 18:07	106-93-4	W
Dibromomethane	<25.0	ug/kg	60.0	25.0	1	12/12/12 06:23	12/12/12 18:07	74-95-3	W
1,2-Dichlorobenzene	<44.4	ug/kg	60.0	44.4	1	12/12/12 06:23	12/12/12 18:07	95-50-1	W
1,3-Dichlorobenzene	<25.0	ug/kg	60.0	25.0	1	12/12/12 06:23	12/12/12 18:07	541-73-1	W
1,4-Dichlorobenzene	<25.0	ug/kg	60.0	25.0	1	12/12/12 06:23	12/12/12 18:07	106-46-7	W
Dichlorodifluoromethane	<25.0	ug/kg	60.0	25.0	1	12/12/12 06:23	12/12/12 18:07	75-71-8	W
1,1-Dichloroethane	<25.0	ug/kg	60.0	25.0	1	12/12/12 06:23	12/12/12 18:07	75-34-3	W
1,2-Dichloroethane	<25.0	ug/kg	60.0	25.0	1	12/12/12 06:23	12/12/12 18:07	107-06-2	W
1,1-Dichloroethene	<25.0	ug/kg	60.0	25.0	1	12/12/12 06:23	12/12/12 18:07	75-35-4	W
cis-1,2-Dichloroethene	<25.0	ug/kg	60.0	25.0	1	12/12/12 06:23	12/12/12 18:07	156-59-2	W
trans-1,2-Dichloroethene	<25.0	ug/kg	60.0	25.0	1	12/12/12 06:23	12/12/12 18:07	156-60-5	W
1,2-Dichloropropane	<25.0	ug/kg	60.0	25.0	1	12/12/12 06:23	12/12/12 18:07	78-87-5	W
1,3-Dichloropropane	<25.0	ug/kg	60.0	25.0	1	12/12/12 06:23	12/12/12 18:07	142-28-9	W
2,2-Dichloropropane	<25.0	ug/kg	60.0	25.0	1	12/12/12 06:23	12/12/12 18:07	594-20-7	W
1,1-Dichloropropene	<25.0	ug/kg	60.0	25.0	1	12/12/12 06:23	12/12/12 18:07	563-58-6	W
cis-1,3-Dichloropropene	<25.0	ug/kg	60.0	25.0	1	12/12/12 06:23	12/12/12 18:07	10061-01-5	W
trans-1,3-Dichloropropene	<25.0	ug/kg	60.0	25.0	1	12/12/12 06:23	12/12/12 18:07	10061-02-6	W
Diisopropyl ether	<25.0	ug/kg	60.0	25.0	1	12/12/12 06:23	12/12/12 18:07	108-20-3	W
Ethylbenzene	<25.0	ug/kg	60.0	25.0	1	12/12/12 06:23	12/12/12 18:07	100-41-4	W
Hexachloro-1,3-butadiene	<26.4	ug/kg	60.0	26.4	1	12/12/12 06:23	12/12/12 18:07	87-68-3	W
Isopropylbenzene (Cumene)	<25.0	ug/kg	60.0	25.0	1	12/12/12 06:23	12/12/12 18:07	98-82-8	W
p-Isopropyltoluene	<25.0	ug/kg	60.0	25.0	1	12/12/12 06:23	12/12/12 18:07	99-87-6	W
Methylene Chloride	61.5J	ug/kg	67.0	27.9	1	12/12/12 06:23	12/12/12 18:07	75-09-2	B
Methyl-tert-butyl ether	<25.0	ug/kg	60.0	25.0	1	12/12/12 06:23	12/12/12 18:07	1634-04-4	W
Naphthalene	<25.0	ug/kg	60.0	25.0	1	12/12/12 06:23	12/12/12 18:07	91-20-3	W
n-Propylbenzene	<25.0	ug/kg	60.0	25.0	1	12/12/12 06:23	12/12/12 18:07	103-65-1	W
Styrene	<25.0	ug/kg	60.0	25.0	1	12/12/12 06:23	12/12/12 18:07	100-42-5	W

### ANALYTICAL RESULTS

Project: RIL-2012-01 OHM GREEN BAY  
Pace Project No.: 4071763

**Sample: B15 2-3**      **Lab ID: 4071763013**      Collected: 12/11/12 10:28      Received: 12/11/12 15:50      Matrix: Solid

*Results reported on a "dry-weight" basis*

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
<b>8260 MSV Med Level Normal List</b>		Analytical Method: EPA 8260 Preparation Method: EPA 5035/5030B							
1,1,1,2-Tetrachloroethane	<25.0	ug/kg	60.0	25.0	1	12/12/12 06:23	12/12/12 18:07	630-20-6	W
1,1,2,2-Tetrachloroethane	<25.0	ug/kg	60.0	25.0	1	12/12/12 06:23	12/12/12 18:07	79-34-5	W
Tetrachloroethene	331	ug/kg	67.0	27.9	1	12/12/12 06:23	12/12/12 18:07	127-18-4	
Toluene	<25.0	ug/kg	60.0	25.0	1	12/12/12 06:23	12/12/12 18:07	108-88-3	W
1,2,3-Trichlorobenzene	<25.0	ug/kg	60.0	25.0	1	12/12/12 06:23	12/12/12 18:07	87-61-6	W
1,2,4-Trichlorobenzene	<25.0	ug/kg	60.0	25.0	1	12/12/12 06:23	12/12/12 18:07	120-82-1	W
1,1,1-Trichloroethane	<25.0	ug/kg	60.0	25.0	1	12/12/12 06:23	12/12/12 18:07	71-55-6	W
1,1,2-Trichloroethane	<25.0	ug/kg	60.0	25.0	1	12/12/12 06:23	12/12/12 18:07	79-00-5	W
Trichloroethene	<25.0	ug/kg	60.0	25.0	1	12/12/12 06:23	12/12/12 18:07	79-01-6	W
Trichlorofluoromethane	<25.0	ug/kg	60.0	25.0	1	12/12/12 06:23	12/12/12 18:07	75-69-4	W
1,2,3-Trichloropropane	<25.0	ug/kg	60.0	25.0	1	12/12/12 06:23	12/12/12 18:07	96-18-4	W
1,2,4-Trimethylbenzene	<25.0	ug/kg	60.0	25.0	1	12/12/12 06:23	12/12/12 18:07	95-63-6	W
1,3,5-Trimethylbenzene	<25.0	ug/kg	60.0	25.0	1	12/12/12 06:23	12/12/12 18:07	108-67-8	W
Vinyl chloride	<25.0	ug/kg	60.0	25.0	1	12/12/12 06:23	12/12/12 18:07	75-01-4	W
m&p-Xylene	<50.0	ug/kg	120	50.0	1	12/12/12 06:23	12/12/12 18:07	179601-23-1	W
o-Xylene	<25.0	ug/kg	60.0	25.0	1	12/12/12 06:23	12/12/12 18:07	95-47-6	W
<b>Surrogates</b>									
Dibromofluoromethane (S)	92	%	57-130		1	12/12/12 06:23	12/12/12 18:07	1868-53-7	
Toluene-d8 (S)	102	%	54-133		1	12/12/12 06:23	12/12/12 18:07	2037-26-5	
4-Bromofluorobenzene (S)	93	%	49-130		1	12/12/12 06:23	12/12/12 18:07	460-00-4	
<b>Percent Moisture</b>		Analytical Method: ASTM D2974-87							
Percent Moisture	10.5	%	0.10	0.10	1		12/18/12 16:15		

## ANALYTICAL RESULTS

Project: RIL-2012-01 OHM GREEN BAY

Pace Project No.: 4071763

Sample: B15 5-6 Lab ID: 4071763014 Collected: 12/11/12 10:30 Received: 12/11/12 15:50 Matrix: Solid

Results reported on a "dry-weight" basis

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
<b>8260 MSV Med Level Normal List</b>									
Analytical Method: EPA 8260 Preparation Method: EPA 5035/5030B									
Benzene	<25.0	ug/kg	60.0	25.0	1	12/12/12 06:23	12/12/12 18:30	71-43-2	W
Bromobenzene	<25.0	ug/kg	60.0	25.0	1	12/12/12 06:23	12/12/12 18:30	108-86-1	W
Bromochloromethane	<25.0	ug/kg	60.0	25.0	1	12/12/12 06:23	12/12/12 18:30	74-97-5	W
Bromodichloromethane	<25.0	ug/kg	60.0	25.0	1	12/12/12 06:23	12/12/12 18:30	75-27-4	W
Bromoform	<25.9	ug/kg	60.0	25.9	1	12/12/12 06:23	12/12/12 18:30	75-25-2	W
Bromomethane	<25.0	ug/kg	60.0	25.0	1	12/12/12 06:23	12/12/12 18:30	74-83-9	W
n-Butylbenzene	<40.4	ug/kg	60.0	40.4	1	12/12/12 06:23	12/12/12 18:30	104-51-8	W
sec-Butylbenzene	<25.0	ug/kg	60.0	25.0	1	12/12/12 06:23	12/12/12 18:30	135-98-8	W
tert-Butylbenzene	<25.0	ug/kg	60.0	25.0	1	12/12/12 06:23	12/12/12 18:30	98-06-6	W
Carbon tetrachloride	<25.0	ug/kg	60.0	25.0	1	12/12/12 06:23	12/12/12 18:30	56-23-5	W
Chlorobenzene	<25.0	ug/kg	60.0	25.0	1	12/12/12 06:23	12/12/12 18:30	108-90-7	W
Chloroethane	<25.0	ug/kg	60.0	25.0	1	12/12/12 06:23	12/12/12 18:30	75-00-3	L3,W
Chloroform	<25.0	ug/kg	60.0	25.0	1	12/12/12 06:23	12/12/12 18:30	67-66-3	W
Chloromethane	<25.0	ug/kg	60.0	25.0	1	12/12/12 06:23	12/12/12 18:30	74-87-3	W
2-Chlorotoluene	<25.0	ug/kg	60.0	25.0	1	12/12/12 06:23	12/12/12 18:30	95-49-8	W
4-Chlorotoluene	<25.0	ug/kg	60.0	25.0	1	12/12/12 06:23	12/12/12 18:30	106-43-4	W
1,2-Dibromo-3-chloropropane	<82.3	ug/kg	250	82.3	1	12/12/12 06:23	12/12/12 18:30	96-12-8	W
Dibromochloromethane	<25.0	ug/kg	60.0	25.0	1	12/12/12 06:23	12/12/12 18:30	124-48-1	W
1,2-Dibromoethane (EDB)	<25.0	ug/kg	60.0	25.0	1	12/12/12 06:23	12/12/12 18:30	106-93-4	W
Dibromomethane	<25.0	ug/kg	60.0	25.0	1	12/12/12 06:23	12/12/12 18:30	74-95-3	W
1,2-Dichlorobenzene	<44.4	ug/kg	60.0	44.4	1	12/12/12 06:23	12/12/12 18:30	95-50-1	W
1,3-Dichlorobenzene	<25.0	ug/kg	60.0	25.0	1	12/12/12 06:23	12/12/12 18:30	541-73-1	W
1,4-Dichlorobenzene	<25.0	ug/kg	60.0	25.0	1	12/12/12 06:23	12/12/12 18:30	106-46-7	W
Dichlorodifluoromethane	<25.0	ug/kg	60.0	25.0	1	12/12/12 06:23	12/12/12 18:30	75-71-8	W
1,1-Dichloroethane	<25.0	ug/kg	60.0	25.0	1	12/12/12 06:23	12/12/12 18:30	75-34-3	W
1,2-Dichloroethane	<25.0	ug/kg	60.0	25.0	1	12/12/12 06:23	12/12/12 18:30	107-06-2	W
1,1-Dichloroethene	<25.0	ug/kg	60.0	25.0	1	12/12/12 06:23	12/12/12 18:30	75-35-4	W
cis-1,2-Dichloroethene	<25.0	ug/kg	60.0	25.0	1	12/12/12 06:23	12/12/12 18:30	156-59-2	W
trans-1,2-Dichloroethene	<25.0	ug/kg	60.0	25.0	1	12/12/12 06:23	12/12/12 18:30	156-60-5	W
1,2-Dichloropropane	<25.0	ug/kg	60.0	25.0	1	12/12/12 06:23	12/12/12 18:30	78-87-5	W
1,3-Dichloropropane	<25.0	ug/kg	60.0	25.0	1	12/12/12 06:23	12/12/12 18:30	142-28-9	W
2,2-Dichloropropane	<25.0	ug/kg	60.0	25.0	1	12/12/12 06:23	12/12/12 18:30	594-20-7	W
1,1-Dichloropropene	<25.0	ug/kg	60.0	25.0	1	12/12/12 06:23	12/12/12 18:30	563-58-6	W
cis-1,3-Dichloropropene	<25.0	ug/kg	60.0	25.0	1	12/12/12 06:23	12/12/12 18:30	10061-01-5	W
trans-1,3-Dichloropropene	<25.0	ug/kg	60.0	25.0	1	12/12/12 06:23	12/12/12 18:30	10061-02-6	W
Diisopropyl ether	<25.0	ug/kg	60.0	25.0	1	12/12/12 06:23	12/12/12 18:30	108-20-3	W
Ethylbenzene	<25.0	ug/kg	60.0	25.0	1	12/12/12 06:23	12/12/12 18:30	100-41-4	W
Hexachloro-1,3-butadiene	<26.4	ug/kg	60.0	26.4	1	12/12/12 06:23	12/12/12 18:30	87-68-3	W
Isopropylbenzene (Cumene)	<25.0	ug/kg	60.0	25.0	1	12/12/12 06:23	12/12/12 18:30	98-82-8	W
p-Isopropyltoluene	<25.0	ug/kg	60.0	25.0	1	12/12/12 06:23	12/12/12 18:30	99-87-6	W
Methylene Chloride	61.2J	ug/kg	70.9	29.5	1	12/12/12 06:23	12/12/12 18:30	75-09-2	B
Methyl-tert-butyl ether	<25.0	ug/kg	60.0	25.0	1	12/12/12 06:23	12/12/12 18:30	1634-04-4	W
Naphthalene	<25.0	ug/kg	60.0	25.0	1	12/12/12 06:23	12/12/12 18:30	91-20-3	W
n-Propylbenzene	<25.0	ug/kg	60.0	25.0	1	12/12/12 06:23	12/12/12 18:30	103-65-1	W
Styrene	<25.0	ug/kg	60.0	25.0	1	12/12/12 06:23	12/12/12 18:30	100-42-5	W

## ANALYTICAL RESULTS

Project: RIL-2012-01 OHM GREEN BAY

Pace Project No.: 4071763

**Sample: B15 5-6**      **Lab ID: 4071763014**      Collected: 12/11/12 10:30      Received: 12/11/12 15:50      Matrix: Solid

*Results reported on a "dry-weight" basis*

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
<b>8260 MSV Med Level Normal List</b>									
Analytical Method: EPA 8260 Preparation Method: EPA 5035/5030B									
1,1,1,2-Tetrachloroethane	<25.0	ug/kg	60.0	25.0	1	12/12/12 06:23	12/12/12 18:30	630-20-6	W
1,1,2,2-Tetrachloroethane	<25.0	ug/kg	60.0	25.0	1	12/12/12 06:23	12/12/12 18:30	79-34-5	W
Tetrachloroethene	464	ug/kg	70.9	29.5	1	12/12/12 06:23	12/12/12 18:30	127-18-4	
Toluene	<25.0	ug/kg	60.0	25.0	1	12/12/12 06:23	12/12/12 18:30	108-88-3	W
1,2,3-Trichlorobenzene	<25.0	ug/kg	60.0	25.0	1	12/12/12 06:23	12/12/12 18:30	87-61-6	W
1,2,4-Trichlorobenzene	<25.0	ug/kg	60.0	25.0	1	12/12/12 06:23	12/12/12 18:30	120-82-1	W
1,1,1-Trichloroethane	<25.0	ug/kg	60.0	25.0	1	12/12/12 06:23	12/12/12 18:30	71-55-6	W
1,1,2-Trichloroethane	<25.0	ug/kg	60.0	25.0	1	12/12/12 06:23	12/12/12 18:30	79-00-5	W
Trichloroethene	<25.0	ug/kg	60.0	25.0	1	12/12/12 06:23	12/12/12 18:30	79-01-6	W
Trichlorofluoromethane	<25.0	ug/kg	60.0	25.0	1	12/12/12 06:23	12/12/12 18:30	75-69-4	W
1,2,3-Trichloropropane	<25.0	ug/kg	60.0	25.0	1	12/12/12 06:23	12/12/12 18:30	96-18-4	W
1,2,4-Trimethylbenzene	<25.0	ug/kg	60.0	25.0	1	12/12/12 06:23	12/12/12 18:30	95-63-6	W
1,3,5-Trimethylbenzene	<25.0	ug/kg	60.0	25.0	1	12/12/12 06:23	12/12/12 18:30	108-67-8	W
Vinyl chloride	<25.0	ug/kg	60.0	25.0	1	12/12/12 06:23	12/12/12 18:30	75-01-4	W
m&p-Xylene	<50.0	ug/kg	120	50.0	1	12/12/12 06:23	12/12/12 18:30	179601-23-1	W
o-Xylene	<25.0	ug/kg	60.0	25.0	1	12/12/12 06:23	12/12/12 18:30	95-47-6	W
<b>Surrogates</b>									
Dibromofluoromethane (S)	92 %		57-130		1	12/12/12 06:23	12/12/12 18:30	1868-53-7	1q
Toluene-d8 (S)	107 %		54-133		1	12/12/12 06:23	12/12/12 18:30	2037-26-5	
4-Bromofluorobenzene (S)	96 %		49-130		1	12/12/12 06:23	12/12/12 18:30	460-00-4	
<b>Percent Moisture</b>									
Analytical Method: ASTM D2974-87									
Percent Moisture	15.4 %		0.10	0.10	1		12/18/12 16:15		

### ANALYTICAL RESULTS

Project: RIL-2012-01 OHM GREEN BAY

Pace Project No.: 4071763

Sample: **B16 2-3** Lab ID: **4071763015** Collected: 12/11/12 12:00 Received: 12/11/12 15:50 Matrix: Solid

Results reported on a "dry-weight" basis

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
<b>8260 MSV Med Level Normal List</b>									
Analytical Method: EPA 8260 Preparation Method: EPA 5035/5030B									
Benzene	<25.0	ug/kg	60.0	25.0	1	12/12/12 06:23	12/12/12 18:53	71-43-2	W
Bromobenzene	<25.0	ug/kg	60.0	25.0	1	12/12/12 06:23	12/12/12 18:53	108-86-1	W
Bromochloromethane	<25.0	ug/kg	60.0	25.0	1	12/12/12 06:23	12/12/12 18:53	74-97-5	W
Bromodichloromethane	<25.0	ug/kg	60.0	25.0	1	12/12/12 06:23	12/12/12 18:53	75-27-4	W
Bromoform	<25.9	ug/kg	60.0	25.9	1	12/12/12 06:23	12/12/12 18:53	75-25-2	W
Bromomethane	<25.0	ug/kg	60.0	25.0	1	12/12/12 06:23	12/12/12 18:53	74-83-9	W
n-Butylbenzene	<40.4	ug/kg	60.0	40.4	1	12/12/12 06:23	12/12/12 18:53	104-51-8	W
sec-Butylbenzene	<25.0	ug/kg	60.0	25.0	1	12/12/12 06:23	12/12/12 18:53	135-98-8	W
tert-Butylbenzene	<25.0	ug/kg	60.0	25.0	1	12/12/12 06:23	12/12/12 18:53	98-06-6	W
Carbon tetrachloride	<25.0	ug/kg	60.0	25.0	1	12/12/12 06:23	12/12/12 18:53	56-23-5	W
Chlorobenzene	<25.0	ug/kg	60.0	25.0	1	12/12/12 06:23	12/12/12 18:53	108-90-7	W
Chloroethane	<25.0	ug/kg	60.0	25.0	1	12/12/12 06:23	12/12/12 18:53	75-00-3	L3,W
Chloroform	<25.0	ug/kg	60.0	25.0	1	12/12/12 06:23	12/12/12 18:53	67-66-3	W
Chloromethane	<25.0	ug/kg	60.0	25.0	1	12/12/12 06:23	12/12/12 18:53	74-87-3	W
2-Chlorotoluene	<25.0	ug/kg	60.0	25.0	1	12/12/12 06:23	12/12/12 18:53	95-49-8	W
4-Chlorotoluene	<25.0	ug/kg	60.0	25.0	1	12/12/12 06:23	12/12/12 18:53	106-43-4	W
1,2-Dibromo-3-chloropropane	<82.3	ug/kg	250	82.3	1	12/12/12 06:23	12/12/12 18:53	96-12-8	W
Dibromochloromethane	<25.0	ug/kg	60.0	25.0	1	12/12/12 06:23	12/12/12 18:53	124-48-1	W
1,2-Dibromoethane (EDB)	<25.0	ug/kg	60.0	25.0	1	12/12/12 06:23	12/12/12 18:53	106-93-4	W
Dibromomethane	<25.0	ug/kg	60.0	25.0	1	12/12/12 06:23	12/12/12 18:53	74-95-3	W
1,2-Dichlorobenzene	<44.4	ug/kg	60.0	44.4	1	12/12/12 06:23	12/12/12 18:53	95-50-1	W
1,3-Dichlorobenzene	<25.0	ug/kg	60.0	25.0	1	12/12/12 06:23	12/12/12 18:53	541-73-1	W
1,4-Dichlorobenzene	<25.0	ug/kg	60.0	25.0	1	12/12/12 06:23	12/12/12 18:53	106-46-7	W
Dichlorodifluoromethane	<25.0	ug/kg	60.0	25.0	1	12/12/12 06:23	12/12/12 18:53	75-71-8	W
1,1-Dichloroethane	<25.0	ug/kg	60.0	25.0	1	12/12/12 06:23	12/12/12 18:53	75-34-3	W
1,2-Dichloroethane	<25.0	ug/kg	60.0	25.0	1	12/12/12 06:23	12/12/12 18:53	107-06-2	W
1,1-Dichloroethene	<25.0	ug/kg	60.0	25.0	1	12/12/12 06:23	12/12/12 18:53	75-35-4	W
cis-1,2-Dichloroethene	<25.0	ug/kg	60.0	25.0	1	12/12/12 06:23	12/12/12 18:53	156-59-2	W
trans-1,2-Dichloroethene	<25.0	ug/kg	60.0	25.0	1	12/12/12 06:23	12/12/12 18:53	156-60-5	W
1,2-Dichloropropane	<25.0	ug/kg	60.0	25.0	1	12/12/12 06:23	12/12/12 18:53	78-87-5	W
1,3-Dichloropropane	<25.0	ug/kg	60.0	25.0	1	12/12/12 06:23	12/12/12 18:53	142-28-9	W
2,2-Dichloropropane	<25.0	ug/kg	60.0	25.0	1	12/12/12 06:23	12/12/12 18:53	594-20-7	W
1,1-Dichloropropene	<25.0	ug/kg	60.0	25.0	1	12/12/12 06:23	12/12/12 18:53	563-58-6	W
cis-1,3-Dichloropropene	<25.0	ug/kg	60.0	25.0	1	12/12/12 06:23	12/12/12 18:53	10061-01-5	W
trans-1,3-Dichloropropene	<25.0	ug/kg	60.0	25.0	1	12/12/12 06:23	12/12/12 18:53	10061-02-6	W
Diisopropyl ether	<25.0	ug/kg	60.0	25.0	1	12/12/12 06:23	12/12/12 18:53	108-20-3	W
Ethylbenzene	<25.0	ug/kg	60.0	25.0	1	12/12/12 06:23	12/12/12 18:53	100-41-4	W
Hexachloro-1,3-butadiene	<26.4	ug/kg	60.0	26.4	1	12/12/12 06:23	12/12/12 18:53	87-68-3	W
Isopropylbenzene (Cumene)	<25.0	ug/kg	60.0	25.0	1	12/12/12 06:23	12/12/12 18:53	98-82-8	W
p-Isopropyltoluene	<25.0	ug/kg	60.0	25.0	1	12/12/12 06:23	12/12/12 18:53	99-87-6	W
Methylene Chloride	51.6J	ug/kg	67.6	28.1	1	12/12/12 06:23	12/12/12 18:53	75-09-2	B
Methyl-tert-butyl ether	<25.0	ug/kg	60.0	25.0	1	12/12/12 06:23	12/12/12 18:53	1634-04-4	W
Naphthalene	<25.0	ug/kg	60.0	25.0	1	12/12/12 06:23	12/12/12 18:53	91-20-3	W
n-Propylbenzene	<25.0	ug/kg	60.0	25.0	1	12/12/12 06:23	12/12/12 18:53	103-65-1	W
Styrene	<25.0	ug/kg	60.0	25.0	1	12/12/12 06:23	12/12/12 18:53	100-42-5	W

### ANALYTICAL RESULTS

Project: RIL-2012-01 OHM GREEN BAY

Pace Project No.: 4071763

**Sample: B16 2-3**      **Lab ID: 4071763015**      Collected: 12/11/12 12:00      Received: 12/11/12 15:50      Matrix: Solid

*Results reported on a "dry-weight" basis*

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
<b>8260 MSV Med Level Normal List</b>									
Analytical Method: EPA 8260    Preparation Method: EPA 5035/5030B									
1,1,1,2-Tetrachloroethane	<25.0	ug/kg	60.0	25.0	1	12/12/12 06:23	12/12/12 18:53	630-20-6	W
1,1,2,2-Tetrachloroethane	<25.0	ug/kg	60.0	25.0	1	12/12/12 06:23	12/12/12 18:53	79-34-5	W
Tetrachloroethene	510	ug/kg	67.6	28.1	1	12/12/12 06:23	12/12/12 18:53	127-18-4	
Toluene	<25.0	ug/kg	60.0	25.0	1	12/12/12 06:23	12/12/12 18:53	108-88-3	W
1,2,3-Trichlorobenzene	<25.0	ug/kg	60.0	25.0	1	12/12/12 06:23	12/12/12 18:53	87-61-6	W
1,2,4-Trichlorobenzene	<25.0	ug/kg	60.0	25.0	1	12/12/12 06:23	12/12/12 18:53	120-82-1	W
1,1,1-Trichloroethane	<25.0	ug/kg	60.0	25.0	1	12/12/12 06:23	12/12/12 18:53	71-55-6	W
1,1,2-Trichloroethane	<25.0	ug/kg	60.0	25.0	1	12/12/12 06:23	12/12/12 18:53	79-00-5	W
Trichloroethene	<25.0	ug/kg	60.0	25.0	1	12/12/12 06:23	12/12/12 18:53	79-01-6	W
Trichlorofluoromethane	<25.0	ug/kg	60.0	25.0	1	12/12/12 06:23	12/12/12 18:53	75-69-4	W
1,2,3-Trichloropropane	<25.0	ug/kg	60.0	25.0	1	12/12/12 06:23	12/12/12 18:53	96-18-4	W
1,2,4-Trimethylbenzene	<25.0	ug/kg	60.0	25.0	1	12/12/12 06:23	12/12/12 18:53	95-63-6	W
1,3,5-Trimethylbenzene	<25.0	ug/kg	60.0	25.0	1	12/12/12 06:23	12/12/12 18:53	108-67-8	W
Vinyl chloride	<25.0	ug/kg	60.0	25.0	1	12/12/12 06:23	12/12/12 18:53	75-01-4	W
m&p-Xylene	<50.0	ug/kg	120	50.0	1	12/12/12 06:23	12/12/12 18:53	179601-23-1	W
o-Xylene	<25.0	ug/kg	60.0	25.0	1	12/12/12 06:23	12/12/12 18:53	95-47-6	W
<b>Surrogates</b>									
Dibromofluoromethane (S)	97 %		57-130		1	12/12/12 06:23	12/12/12 18:53	1868-53-7	
Toluene-d8 (S)	105 %		54-133		1	12/12/12 06:23	12/12/12 18:53	2037-26-5	
4-Bromofluorobenzene (S)	102 %		49-130		1	12/12/12 06:23	12/12/12 18:53	460-00-4	
<b>Percent Moisture</b>									
Analytical Method: ASTM D2974-87									
Percent Moisture	11.2 %		0.10	0.10	1		12/18/12 16:15		



## ANALYTICAL RESULTS

Project: RIL-2012-01 OHM GREEN BAY

Pace Project No.: 4071763

Sample: **B16 4-4.5** Lab ID: **4071763016** Collected: 12/11/12 12:02 Received: 12/11/12 15:50 Matrix: Solid

Results reported on a "dry-weight" basis

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
<b>8260 MSV Med Level Normal List</b>									
Analytical Method: EPA 8260 Preparation Method: EPA 5035/5030B									
Benzene	<25.0	ug/kg	60.0	25.0	1	12/12/12 11:32	12/12/12 15:40	71-43-2	W
Bromobenzene	<25.0	ug/kg	60.0	25.0	1	12/12/12 11:32	12/12/12 15:40	108-86-1	W
Bromochloromethane	<25.0	ug/kg	60.0	25.0	1	12/12/12 11:32	12/12/12 15:40	74-97-5	W
Bromodichloromethane	<25.0	ug/kg	60.0	25.0	1	12/12/12 11:32	12/12/12 15:40	75-27-4	W
Bromoform	<25.9	ug/kg	60.0	25.9	1	12/12/12 11:32	12/12/12 15:40	75-25-2	W
Bromomethane	<25.0	ug/kg	60.0	25.0	1	12/12/12 11:32	12/12/12 15:40	74-83-9	W
n-Butylbenzene	<40.4	ug/kg	60.0	40.4	1	12/12/12 11:32	12/12/12 15:40	104-51-8	W
sec-Butylbenzene	<25.0	ug/kg	60.0	25.0	1	12/12/12 11:32	12/12/12 15:40	135-98-8	W
tert-Butylbenzene	<25.0	ug/kg	60.0	25.0	1	12/12/12 11:32	12/12/12 15:40	98-06-6	W
Carbon tetrachloride	<25.0	ug/kg	60.0	25.0	1	12/12/12 11:32	12/12/12 15:40	56-23-5	W
Chlorobenzene	<25.0	ug/kg	60.0	25.0	1	12/12/12 11:32	12/12/12 15:40	108-90-7	W
Chloroethane	<25.0	ug/kg	60.0	25.0	1	12/12/12 11:32	12/12/12 15:40	75-00-3	W
Chloroform	<25.0	ug/kg	60.0	25.0	1	12/12/12 11:32	12/12/12 15:40	67-66-3	W
Chloromethane	<25.0	ug/kg	60.0	25.0	1	12/12/12 11:32	12/12/12 15:40	74-87-3	W
2-Chlorotoluene	<25.0	ug/kg	60.0	25.0	1	12/12/12 11:32	12/12/12 15:40	95-49-8	W
4-Chlorotoluene	<25.0	ug/kg	60.0	25.0	1	12/12/12 11:32	12/12/12 15:40	106-43-4	W
1,2-Dibromo-3-chloropropane	<82.3	ug/kg	250	82.3	1	12/12/12 11:32	12/12/12 15:40	96-12-8	W
Dibromochloromethane	<25.0	ug/kg	60.0	25.0	1	12/12/12 11:32	12/12/12 15:40	124-48-1	W
1,2-Dibromoethane (EDB)	<25.0	ug/kg	60.0	25.0	1	12/12/12 11:32	12/12/12 15:40	106-93-4	W
Dibromomethane	<25.0	ug/kg	60.0	25.0	1	12/12/12 11:32	12/12/12 15:40	74-95-3	W
1,2-Dichlorobenzene	<44.4	ug/kg	60.0	44.4	1	12/12/12 11:32	12/12/12 15:40	95-50-1	W
1,3-Dichlorobenzene	<25.0	ug/kg	60.0	25.0	1	12/12/12 11:32	12/12/12 15:40	541-73-1	W
1,4-Dichlorobenzene	<25.0	ug/kg	60.0	25.0	1	12/12/12 11:32	12/12/12 15:40	106-46-7	W
Dichlorodifluoromethane	<25.0	ug/kg	60.0	25.0	1	12/12/12 11:32	12/12/12 15:40	75-71-8	W
1,1-Dichloroethane	<25.0	ug/kg	60.0	25.0	1	12/12/12 11:32	12/12/12 15:40	75-34-3	W
1,2-Dichloroethane	<25.0	ug/kg	60.0	25.0	1	12/12/12 11:32	12/12/12 15:40	107-06-2	W
1,1-Dichloroethene	<25.0	ug/kg	60.0	25.0	1	12/12/12 11:32	12/12/12 15:40	75-35-4	W
cis-1,2-Dichloroethene	<25.0	ug/kg	60.0	25.0	1	12/12/12 11:32	12/12/12 15:40	156-59-2	W
trans-1,2-Dichloroethene	<25.0	ug/kg	60.0	25.0	1	12/12/12 11:32	12/12/12 15:40	156-60-5	W
1,2-Dichloropropane	<25.0	ug/kg	60.0	25.0	1	12/12/12 11:32	12/12/12 15:40	78-87-5	W
1,3-Dichloropropane	<25.0	ug/kg	60.0	25.0	1	12/12/12 11:32	12/12/12 15:40	142-28-9	W
2,2-Dichloropropane	<25.0	ug/kg	60.0	25.0	1	12/12/12 11:32	12/12/12 15:40	594-20-7	W
1,1-Dichloropropene	<25.0	ug/kg	60.0	25.0	1	12/12/12 11:32	12/12/12 15:40	563-58-6	W
cis-1,3-Dichloropropene	<25.0	ug/kg	60.0	25.0	1	12/12/12 11:32	12/12/12 15:40	10061-01-5	W
trans-1,3-Dichloropropene	<25.0	ug/kg	60.0	25.0	1	12/12/12 11:32	12/12/12 15:40	10061-02-6	W
Diisopropyl ether	<25.0	ug/kg	60.0	25.0	1	12/12/12 11:32	12/12/12 15:40	108-20-3	W
Ethylbenzene	<25.0	ug/kg	60.0	25.0	1	12/12/12 11:32	12/12/12 15:40	100-41-4	W
Hexachloro-1,3-butadiene	<26.4	ug/kg	60.0	26.4	1	12/12/12 11:32	12/12/12 15:40	87-68-3	W
Isopropylbenzene (Cumene)	<25.0	ug/kg	60.0	25.0	1	12/12/12 11:32	12/12/12 15:40	98-82-8	W
p-Isopropyltoluene	<25.0	ug/kg	60.0	25.0	1	12/12/12 11:32	12/12/12 15:40	99-87-6	W
Methylene Chloride	41.1J	ug/kg	72.7	30.3	1	12/12/12 11:32	12/12/12 15:40	75-09-2	
Methyl-tert-butyl ether	<25.0	ug/kg	60.0	25.0	1	12/12/12 11:32	12/12/12 15:40	1634-04-4	W
Naphthalene	<25.0	ug/kg	60.0	25.0	1	12/12/12 11:32	12/12/12 15:40	91-20-3	W
n-Propylbenzene	<25.0	ug/kg	60.0	25.0	1	12/12/12 11:32	12/12/12 15:40	103-65-1	W
Styrene	<25.0	ug/kg	60.0	25.0	1	12/12/12 11:32	12/12/12 15:40	100-42-5	W

## ANALYTICAL RESULTS

Project: RIL-2012-01 OHM GREEN BAY

Pace Project No.: 4071763

Sample: **B16 4-4.5** Lab ID: **4071763016** Collected: 12/11/12 12:02 Received: 12/11/12 15:50 Matrix: Solid

Results reported on a "dry-weight" basis

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
<b>8260 MSV Med Level Normal List</b>									
Analytical Method: EPA 8260 Preparation Method: EPA 5035/5030B									
1,1,1,2-Tetrachloroethane	<25.0	ug/kg	60.0	25.0	1	12/12/12 11:32	12/12/12 15:40	630-20-6	W
1,1,2,2-Tetrachloroethane	<25.0	ug/kg	60.0	25.0	1	12/12/12 11:32	12/12/12 15:40	79-34-5	W
Tetrachloroethene	2320	ug/kg	72.7	30.3	1	12/12/12 11:32	12/12/12 15:40	127-18-4	
Toluene	<25.0	ug/kg	60.0	25.0	1	12/12/12 11:32	12/12/12 15:40	108-88-3	W
1,2,3-Trichlorobenzene	<25.0	ug/kg	60.0	25.0	1	12/12/12 11:32	12/12/12 15:40	87-61-6	W
1,2,4-Trichlorobenzene	<25.0	ug/kg	60.0	25.0	1	12/12/12 11:32	12/12/12 15:40	120-82-1	W
1,1,1-Trichloroethane	<25.0	ug/kg	60.0	25.0	1	12/12/12 11:32	12/12/12 15:40	71-55-6	W
1,1,2-Trichloroethane	<25.0	ug/kg	60.0	25.0	1	12/12/12 11:32	12/12/12 15:40	79-00-5	W
Trichloroethene	<25.0	ug/kg	60.0	25.0	1	12/12/12 11:32	12/12/12 15:40	79-01-6	W
Trichlorofluoromethane	<25.0	ug/kg	60.0	25.0	1	12/12/12 11:32	12/12/12 15:40	75-69-4	W
1,2,3-Trichloropropane	<25.0	ug/kg	60.0	25.0	1	12/12/12 11:32	12/12/12 15:40	96-18-4	W
1,2,4-Trimethylbenzene	<25.0	ug/kg	60.0	25.0	1	12/12/12 11:32	12/12/12 15:40	95-63-6	W
1,3,5-Trimethylbenzene	<25.0	ug/kg	60.0	25.0	1	12/12/12 11:32	12/12/12 15:40	108-67-8	W
Vinyl chloride	<25.0	ug/kg	60.0	25.0	1	12/12/12 11:32	12/12/12 15:40	75-01-4	W
m&p-Xylene	<50.0	ug/kg	120	50.0	1	12/12/12 11:32	12/12/12 15:40	179601-23-1	W
o-Xylene	<25.0	ug/kg	60.0	25.0	1	12/12/12 11:32	12/12/12 15:40	95-47-6	W
<b>Surrogates</b>									
Dibromofluoromethane (S)	96 %		57-130		1	12/12/12 11:32	12/12/12 15:40	1868-53-7	
Toluene-d8 (S)	97 %		54-133		1	12/12/12 11:32	12/12/12 15:40	2037-26-5	
4-Bromofluorobenzene (S)	92 %		49-130		1	12/12/12 11:32	12/12/12 15:40	460-00-4	
<b>Percent Moisture</b>									
Analytical Method: ASTM D2974-87									
Percent Moisture	17.5 %		0.10	0.10	1		12/18/12 16:15		

## ANALYTICAL RESULTS

Project: RIL-2012-01 OHM GREEN BAY

Pace Project No.: 4071763

Sample: B17 1-2 Lab ID: 4071763017 Collected: 12/11/12 12:19 Received: 12/11/12 15:50 Matrix: Solid

Results reported on a "dry-weight" basis

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
<b>8260 MSV Med Level Normal List</b>									
Analytical Method: EPA 8260 Preparation Method: EPA 5035/5030B									
Benzene	<25.0	ug/kg	60.0	25.0	1	12/12/12 11:32	12/12/12 16:03	71-43-2	W
Bromobenzene	<25.0	ug/kg	60.0	25.0	1	12/12/12 11:32	12/12/12 16:03	108-86-1	W
Bromochloromethane	<25.0	ug/kg	60.0	25.0	1	12/12/12 11:32	12/12/12 16:03	74-97-5	W
Bromodichloromethane	<25.0	ug/kg	60.0	25.0	1	12/12/12 11:32	12/12/12 16:03	75-27-4	W
Bromoform	<25.9	ug/kg	60.0	25.9	1	12/12/12 11:32	12/12/12 16:03	75-25-2	W
Bromomethane	<25.0	ug/kg	60.0	25.0	1	12/12/12 11:32	12/12/12 16:03	74-83-9	W
n-Butylbenzene	<40.4	ug/kg	60.0	40.4	1	12/12/12 11:32	12/12/12 16:03	104-51-8	W
sec-Butylbenzene	<25.0	ug/kg	60.0	25.0	1	12/12/12 11:32	12/12/12 16:03	135-98-8	W
tert-Butylbenzene	<25.0	ug/kg	60.0	25.0	1	12/12/12 11:32	12/12/12 16:03	98-06-6	W
Carbon tetrachloride	<25.0	ug/kg	60.0	25.0	1	12/12/12 11:32	12/12/12 16:03	56-23-5	W
Chlorobenzene	<25.0	ug/kg	60.0	25.0	1	12/12/12 11:32	12/12/12 16:03	108-90-7	W
Chloroethane	<25.0	ug/kg	60.0	25.0	1	12/12/12 11:32	12/12/12 16:03	75-00-3	W
Chloroform	<25.0	ug/kg	60.0	25.0	1	12/12/12 11:32	12/12/12 16:03	67-66-3	W
Chloromethane	<25.0	ug/kg	60.0	25.0	1	12/12/12 11:32	12/12/12 16:03	74-87-3	W
2-Chlorotoluene	<25.0	ug/kg	60.0	25.0	1	12/12/12 11:32	12/12/12 16:03	95-49-8	W
4-Chlorotoluene	<25.0	ug/kg	60.0	25.0	1	12/12/12 11:32	12/12/12 16:03	106-43-4	W
1,2-Dibromo-3-chloropropane	<82.3	ug/kg	250	82.3	1	12/12/12 11:32	12/12/12 16:03	96-12-8	W
Dibromochloromethane	<25.0	ug/kg	60.0	25.0	1	12/12/12 11:32	12/12/12 16:03	124-48-1	W
1,2-Dibromoethane (EDB)	<25.0	ug/kg	60.0	25.0	1	12/12/12 11:32	12/12/12 16:03	106-93-4	W
Dibromomethane	<25.0	ug/kg	60.0	25.0	1	12/12/12 11:32	12/12/12 16:03	74-95-3	W
1,2-Dichlorobenzene	<44.4	ug/kg	60.0	44.4	1	12/12/12 11:32	12/12/12 16:03	95-50-1	W
1,3-Dichlorobenzene	<25.0	ug/kg	60.0	25.0	1	12/12/12 11:32	12/12/12 16:03	541-73-1	W
1,4-Dichlorobenzene	<25.0	ug/kg	60.0	25.0	1	12/12/12 11:32	12/12/12 16:03	106-46-7	W
Dichlorodifluoromethane	<25.0	ug/kg	60.0	25.0	1	12/12/12 11:32	12/12/12 16:03	75-71-8	W
1,1-Dichloroethane	<25.0	ug/kg	60.0	25.0	1	12/12/12 11:32	12/12/12 16:03	75-34-3	W
1,2-Dichloroethane	<25.0	ug/kg	60.0	25.0	1	12/12/12 11:32	12/12/12 16:03	107-06-2	W
1,1-Dichloroethene	<25.0	ug/kg	60.0	25.0	1	12/12/12 11:32	12/12/12 16:03	75-35-4	W
cis-1,2-Dichloroethene	<25.0	ug/kg	60.0	25.0	1	12/12/12 11:32	12/12/12 16:03	156-59-2	W
trans-1,2-Dichloroethene	<25.0	ug/kg	60.0	25.0	1	12/12/12 11:32	12/12/12 16:03	156-60-5	W
1,2-Dichloropropane	<25.0	ug/kg	60.0	25.0	1	12/12/12 11:32	12/12/12 16:03	78-87-5	W
1,3-Dichloropropane	<25.0	ug/kg	60.0	25.0	1	12/12/12 11:32	12/12/12 16:03	142-28-9	W
2,2-Dichloropropane	<25.0	ug/kg	60.0	25.0	1	12/12/12 11:32	12/12/12 16:03	594-20-7	W
1,1-Dichloropropene	<25.0	ug/kg	60.0	25.0	1	12/12/12 11:32	12/12/12 16:03	563-58-6	W
cis-1,3-Dichloropropene	<25.0	ug/kg	60.0	25.0	1	12/12/12 11:32	12/12/12 16:03	10061-01-5	W
trans-1,3-Dichloropropene	<25.0	ug/kg	60.0	25.0	1	12/12/12 11:32	12/12/12 16:03	10061-02-6	W
Diisopropyl ether	<25.0	ug/kg	60.0	25.0	1	12/12/12 11:32	12/12/12 16:03	108-20-3	W
Ethylbenzene	<25.0	ug/kg	60.0	25.0	1	12/12/12 11:32	12/12/12 16:03	100-41-4	W
Hexachloro-1,3-butadiene	<26.4	ug/kg	60.0	26.4	1	12/12/12 11:32	12/12/12 16:03	87-68-3	W
Isopropylbenzene (Cumene)	<25.0	ug/kg	60.0	25.0	1	12/12/12 11:32	12/12/12 16:03	98-82-8	W
p-Isopropyltoluene	<25.0	ug/kg	60.0	25.0	1	12/12/12 11:32	12/12/12 16:03	99-87-6	W
Methylene Chloride	42.2J	ug/kg	66.8	27.8	1	12/12/12 11:32	12/12/12 16:03	75-09-2	
Methyl-tert-butyl ether	<25.0	ug/kg	60.0	25.0	1	12/12/12 11:32	12/12/12 16:03	1634-04-4	W
Naphthalene	<25.0	ug/kg	60.0	25.0	1	12/12/12 11:32	12/12/12 16:03	91-20-3	W
n-Propylbenzene	<25.0	ug/kg	60.0	25.0	1	12/12/12 11:32	12/12/12 16:03	103-65-1	W
Styrene	<25.0	ug/kg	60.0	25.0	1	12/12/12 11:32	12/12/12 16:03	100-42-5	W

## ANALYTICAL RESULTS

Project: RIL-2012-01 OHM GREEN BAY

Pace Project No.: 4071763

**Sample: B17 1-2**      **Lab ID: 4071763017**      Collected: 12/11/12 12:19      Received: 12/11/12 15:50      Matrix: Solid

*Results reported on a "dry-weight" basis*

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
<b>8260 MSV Med Level Normal List</b>									
Analytical Method: EPA 8260    Preparation Method: EPA 5035/5030B									
1,1,1,2-Tetrachloroethane	<25.0	ug/kg	60.0	25.0	1	12/12/12 11:32	12/12/12 16:03	630-20-6	W
1,1,2,2-Tetrachloroethane	<25.0	ug/kg	60.0	25.0	1	12/12/12 11:32	12/12/12 16:03	79-34-5	W
Tetrachloroethene	644	ug/kg	66.8	27.8	1	12/12/12 11:32	12/12/12 16:03	127-18-4	
Toluene	<25.0	ug/kg	60.0	25.0	1	12/12/12 11:32	12/12/12 16:03	108-88-3	W
1,2,3-Trichlorobenzene	<25.0	ug/kg	60.0	25.0	1	12/12/12 11:32	12/12/12 16:03	87-61-6	W
1,2,4-Trichlorobenzene	<25.0	ug/kg	60.0	25.0	1	12/12/12 11:32	12/12/12 16:03	120-82-1	W
1,1,1-Trichloroethane	<25.0	ug/kg	60.0	25.0	1	12/12/12 11:32	12/12/12 16:03	71-55-6	W
1,1,2-Trichloroethane	<25.0	ug/kg	60.0	25.0	1	12/12/12 11:32	12/12/12 16:03	79-00-5	W
Trichloroethene	<25.0	ug/kg	60.0	25.0	1	12/12/12 11:32	12/12/12 16:03	79-01-6	W
Trichlorofluoromethane	<25.0	ug/kg	60.0	25.0	1	12/12/12 11:32	12/12/12 16:03	75-69-4	W
1,2,3-Trichloropropane	<25.0	ug/kg	60.0	25.0	1	12/12/12 11:32	12/12/12 16:03	96-18-4	W
1,2,4-Trimethylbenzene	<25.0	ug/kg	60.0	25.0	1	12/12/12 11:32	12/12/12 16:03	95-63-6	W
1,3,5-Trimethylbenzene	<25.0	ug/kg	60.0	25.0	1	12/12/12 11:32	12/12/12 16:03	108-67-8	W
Vinyl chloride	<25.0	ug/kg	60.0	25.0	1	12/12/12 11:32	12/12/12 16:03	75-01-4	W
m&p-Xylene	<50.0	ug/kg	120	50.0	1	12/12/12 11:32	12/12/12 16:03	179601-23-1	W
o-Xylene	<25.0	ug/kg	60.0	25.0	1	12/12/12 11:32	12/12/12 16:03	95-47-6	W
<b>Surrogates</b>									
Dibromofluoromethane (S)	118	%	57-130		1	12/12/12 11:32	12/12/12 16:03	1868-53-7	
Toluene-d8 (S)	113	%	54-133		1	12/12/12 11:32	12/12/12 16:03	2037-26-5	
4-Bromofluorobenzene (S)	110	%	49-130		1	12/12/12 11:32	12/12/12 16:03	460-00-4	
<b>Percent Moisture</b>									
Analytical Method: ASTM D2974-87									
Percent Moisture	10.2	%	0.10	0.10	1		12/18/12 16:15		

## ANALYTICAL RESULTS

Project: RIL-2012-01 OHM GREEN BAY

Pace Project No.: 4071763

**Sample: B17 2.5-3.5**      **Lab ID: 4071763018**      Collected: 12/11/12 12:20      Received: 12/11/12 15:50      Matrix: Solid

*Results reported on a "dry-weight" basis*

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
<b>8260 MSV Med Level Normal List</b>									
Analytical Method: EPA 8260    Preparation Method: EPA 5035/5030B									
Benzene	<25.0	ug/kg	60.0	25.0	1	12/12/12 11:32	12/12/12 16:27	71-43-2	W
Bromobenzene	<25.0	ug/kg	60.0	25.0	1	12/12/12 11:32	12/12/12 16:27	108-86-1	W
Bromochloromethane	<25.0	ug/kg	60.0	25.0	1	12/12/12 11:32	12/12/12 16:27	74-97-5	W
Bromodichloromethane	<25.0	ug/kg	60.0	25.0	1	12/12/12 11:32	12/12/12 16:27	75-27-4	W
Bromoform	<25.9	ug/kg	60.0	25.9	1	12/12/12 11:32	12/12/12 16:27	75-25-2	W
Bromomethane	<25.0	ug/kg	60.0	25.0	1	12/12/12 11:32	12/12/12 16:27	74-83-9	W
n-Butylbenzene	<40.4	ug/kg	60.0	40.4	1	12/12/12 11:32	12/12/12 16:27	104-51-8	W
sec-Butylbenzene	<25.0	ug/kg	60.0	25.0	1	12/12/12 11:32	12/12/12 16:27	135-98-8	W
tert-Butylbenzene	<25.0	ug/kg	60.0	25.0	1	12/12/12 11:32	12/12/12 16:27	98-06-6	W
Carbon tetrachloride	<25.0	ug/kg	60.0	25.0	1	12/12/12 11:32	12/12/12 16:27	56-23-5	W
Chlorobenzene	<25.0	ug/kg	60.0	25.0	1	12/12/12 11:32	12/12/12 16:27	108-90-7	W
Chloroethane	<25.0	ug/kg	60.0	25.0	1	12/12/12 11:32	12/12/12 16:27	75-00-3	W
Chloroform	<25.0	ug/kg	60.0	25.0	1	12/12/12 11:32	12/12/12 16:27	67-66-3	W
Chloromethane	<25.0	ug/kg	60.0	25.0	1	12/12/12 11:32	12/12/12 16:27	74-87-3	W
2-Chlorotoluene	<25.0	ug/kg	60.0	25.0	1	12/12/12 11:32	12/12/12 16:27	95-49-8	W
4-Chlorotoluene	<25.0	ug/kg	60.0	25.0	1	12/12/12 11:32	12/12/12 16:27	106-43-4	W
1,2-Dibromo-3-chloropropane	<82.3	ug/kg	250	82.3	1	12/12/12 11:32	12/12/12 16:27	96-12-8	W
Dibromochloromethane	<25.0	ug/kg	60.0	25.0	1	12/12/12 11:32	12/12/12 16:27	124-48-1	W
1,2-Dibromoethane (EDB)	<25.0	ug/kg	60.0	25.0	1	12/12/12 11:32	12/12/12 16:27	106-93-4	W
Dibromomethane	<25.0	ug/kg	60.0	25.0	1	12/12/12 11:32	12/12/12 16:27	74-95-3	W
1,2-Dichlorobenzene	<44.4	ug/kg	60.0	44.4	1	12/12/12 11:32	12/12/12 16:27	95-50-1	W
1,3-Dichlorobenzene	<25.0	ug/kg	60.0	25.0	1	12/12/12 11:32	12/12/12 16:27	541-73-1	W
1,4-Dichlorobenzene	<25.0	ug/kg	60.0	25.0	1	12/12/12 11:32	12/12/12 16:27	106-46-7	W
Dichlorodifluoromethane	<25.0	ug/kg	60.0	25.0	1	12/12/12 11:32	12/12/12 16:27	75-71-8	W
1,1-Dichloroethane	<25.0	ug/kg	60.0	25.0	1	12/12/12 11:32	12/12/12 16:27	75-34-3	W
1,2-Dichloroethane	<25.0	ug/kg	60.0	25.0	1	12/12/12 11:32	12/12/12 16:27	107-06-2	W
1,1-Dichloroethene	<25.0	ug/kg	60.0	25.0	1	12/12/12 11:32	12/12/12 16:27	75-35-4	W
cis-1,2-Dichloroethene	<25.0	ug/kg	60.0	25.0	1	12/12/12 11:32	12/12/12 16:27	156-59-2	W
trans-1,2-Dichloroethene	<25.0	ug/kg	60.0	25.0	1	12/12/12 11:32	12/12/12 16:27	156-60-5	W
1,2-Dichloropropane	<25.0	ug/kg	60.0	25.0	1	12/12/12 11:32	12/12/12 16:27	78-87-5	W
1,3-Dichloropropane	<25.0	ug/kg	60.0	25.0	1	12/12/12 11:32	12/12/12 16:27	142-28-9	W
2,2-Dichloropropane	<25.0	ug/kg	60.0	25.0	1	12/12/12 11:32	12/12/12 16:27	594-20-7	W
1,1-Dichloropropene	<25.0	ug/kg	60.0	25.0	1	12/12/12 11:32	12/12/12 16:27	563-58-6	W
cis-1,3-Dichloropropene	<25.0	ug/kg	60.0	25.0	1	12/12/12 11:32	12/12/12 16:27	10061-01-5	W
trans-1,3-Dichloropropene	<25.0	ug/kg	60.0	25.0	1	12/12/12 11:32	12/12/12 16:27	10061-02-6	W
Diisopropyl ether	<25.0	ug/kg	60.0	25.0	1	12/12/12 11:32	12/12/12 16:27	108-20-3	W
Ethylbenzene	<25.0	ug/kg	60.0	25.0	1	12/12/12 11:32	12/12/12 16:27	100-41-4	W
Hexachloro-1,3-butadiene	<26.4	ug/kg	60.0	26.4	1	12/12/12 11:32	12/12/12 16:27	87-68-3	W
Isopropylbenzene (Cumene)	<25.0	ug/kg	60.0	25.0	1	12/12/12 11:32	12/12/12 16:27	98-82-8	W
p-Isopropyltoluene	<25.0	ug/kg	60.0	25.0	1	12/12/12 11:32	12/12/12 16:27	99-87-6	W
Methylene Chloride	37.1J	ug/kg	68.4	28.5	1	12/12/12 11:32	12/12/12 16:27	75-09-2	
Methyl-tert-butyl ether	<25.0	ug/kg	60.0	25.0	1	12/12/12 11:32	12/12/12 16:27	1634-04-4	W
Naphthalene	<25.0	ug/kg	60.0	25.0	1	12/12/12 11:32	12/12/12 16:27	91-20-3	W
n-Propylbenzene	<25.0	ug/kg	60.0	25.0	1	12/12/12 11:32	12/12/12 16:27	103-65-1	W
Styrene	<25.0	ug/kg	60.0	25.0	1	12/12/12 11:32	12/12/12 16:27	100-42-5	W

## ANALYTICAL RESULTS

Project: RIL-2012-01 OHM GREEN BAY

Pace Project No.: 4071763

**Sample: B17 2.5-3.5**      **Lab ID: 4071763018**      Collected: 12/11/12 12:20      Received: 12/11/12 15:50      Matrix: Solid

*Results reported on a "dry-weight" basis*

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
<b>8260 MSV Med Level Normal List</b>		Analytical Method: EPA 8260 Preparation Method: EPA 5035/5030B							
1,1,1,2-Tetrachloroethane	<25.0	ug/kg	60.0	25.0	1	12/12/12 11:32	12/12/12 16:27	630-20-6	W
1,1,2,2-Tetrachloroethane	<25.0	ug/kg	60.0	25.0	1	12/12/12 11:32	12/12/12 16:27	79-34-5	W
Tetrachloroethene	903	ug/kg	68.4	28.5	1	12/12/12 11:32	12/12/12 16:27	127-18-4	
Toluene	<25.0	ug/kg	60.0	25.0	1	12/12/12 11:32	12/12/12 16:27	108-88-3	W
1,2,3-Trichlorobenzene	<25.0	ug/kg	60.0	25.0	1	12/12/12 11:32	12/12/12 16:27	87-61-6	W
1,2,4-Trichlorobenzene	<25.0	ug/kg	60.0	25.0	1	12/12/12 11:32	12/12/12 16:27	120-82-1	W
1,1,1-Trichloroethane	<25.0	ug/kg	60.0	25.0	1	12/12/12 11:32	12/12/12 16:27	71-55-6	W
1,1,2-Trichloroethane	<25.0	ug/kg	60.0	25.0	1	12/12/12 11:32	12/12/12 16:27	79-00-5	W
Trichloroethene	<25.0	ug/kg	60.0	25.0	1	12/12/12 11:32	12/12/12 16:27	79-01-6	W
Trichlorofluoromethane	<25.0	ug/kg	60.0	25.0	1	12/12/12 11:32	12/12/12 16:27	75-69-4	W
1,2,3-Trichloropropane	<25.0	ug/kg	60.0	25.0	1	12/12/12 11:32	12/12/12 16:27	96-18-4	W
1,2,4-Trimethylbenzene	<25.0	ug/kg	60.0	25.0	1	12/12/12 11:32	12/12/12 16:27	95-63-6	W
1,3,5-Trimethylbenzene	<25.0	ug/kg	60.0	25.0	1	12/12/12 11:32	12/12/12 16:27	108-67-8	W
Vinyl chloride	<25.0	ug/kg	60.0	25.0	1	12/12/12 11:32	12/12/12 16:27	75-01-4	W
m&p-Xylene	<50.0	ug/kg	120	50.0	1	12/12/12 11:32	12/12/12 16:27	179601-23-1	W
o-Xylene	<25.0	ug/kg	60.0	25.0	1	12/12/12 11:32	12/12/12 16:27	95-47-6	W
<b>Surrogates</b>									
Dibromofluoromethane (S)	129	%	57-130		1	12/12/12 11:32	12/12/12 16:27	1868-53-7	
Toluene-d8 (S)	126	%	54-133		1	12/12/12 11:32	12/12/12 16:27	2037-26-5	
4-Bromofluorobenzene (S)	119	%	49-130		1	12/12/12 11:32	12/12/12 16:27	460-00-4	
<b>Percent Moisture</b>		Analytical Method: ASTM D2974-87							
Percent Moisture	12.3	%	0.10	0.10	1		12/18/12 16:15		
<b>Total Organic Carbon</b>		Analytical Method: EPA 9060 Modified							
<b>Surrogates</b>									
RPD%	22.3	%			1		12/21/12 10:16		
Total Organic Carbon	5800	mg/kg	3570	1000	1		12/21/12 10:12	7440-44-0	
Total Organic Carbon	4640	mg/kg	3700	1040	1		12/21/12 10:16	7440-44-0	
Mean Total Organic Carbon	5220	mg/kg	3640	1020	1		12/21/12 10:16	7440-44-0	C4

## ANALYTICAL RESULTS

Project: RIL-2012-01 OHM GREEN BAY

Pace Project No.: 4071763

Sample: **B18 2-3** Lab ID: **4071763019** Collected: 12/11/12 13:05 Received: 12/11/12 15:50 Matrix: Solid

Results reported on a "dry-weight" basis

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
<b>8260 MSV Med Level Normal List</b>									
Analytical Method: EPA 8260 Preparation Method: EPA 5035/5030B									
Benzene	<25.0	ug/kg	60.0	25.0	1	12/12/12 11:32	12/12/12 16:50	71-43-2	W
Bromobenzene	<25.0	ug/kg	60.0	25.0	1	12/12/12 11:32	12/12/12 16:50	108-86-1	W
Bromochloromethane	<25.0	ug/kg	60.0	25.0	1	12/12/12 11:32	12/12/12 16:50	74-97-5	W
Bromodichloromethane	<25.0	ug/kg	60.0	25.0	1	12/12/12 11:32	12/12/12 16:50	75-27-4	W
Bromoform	<25.9	ug/kg	60.0	25.9	1	12/12/12 11:32	12/12/12 16:50	75-25-2	W
Bromomethane	<25.0	ug/kg	60.0	25.0	1	12/12/12 11:32	12/12/12 16:50	74-83-9	W
n-Butylbenzene	<40.4	ug/kg	60.0	40.4	1	12/12/12 11:32	12/12/12 16:50	104-51-8	W
sec-Butylbenzene	<25.0	ug/kg	60.0	25.0	1	12/12/12 11:32	12/12/12 16:50	135-98-8	W
tert-Butylbenzene	<25.0	ug/kg	60.0	25.0	1	12/12/12 11:32	12/12/12 16:50	98-06-6	W
Carbon tetrachloride	<25.0	ug/kg	60.0	25.0	1	12/12/12 11:32	12/12/12 16:50	56-23-5	W
Chlorobenzene	<25.0	ug/kg	60.0	25.0	1	12/12/12 11:32	12/12/12 16:50	108-90-7	W
Chloroethane	<25.0	ug/kg	60.0	25.0	1	12/12/12 11:32	12/12/12 16:50	75-00-3	W
Chloroform	<25.0	ug/kg	60.0	25.0	1	12/12/12 11:32	12/12/12 16:50	67-66-3	W
Chloromethane	<25.0	ug/kg	60.0	25.0	1	12/12/12 11:32	12/12/12 16:50	74-87-3	W
2-Chlorotoluene	<25.0	ug/kg	60.0	25.0	1	12/12/12 11:32	12/12/12 16:50	95-49-8	W
4-Chlorotoluene	<25.0	ug/kg	60.0	25.0	1	12/12/12 11:32	12/12/12 16:50	106-43-4	W
1,2-Dibromo-3-chloropropane	<82.3	ug/kg	250	82.3	1	12/12/12 11:32	12/12/12 16:50	96-12-8	W
Dibromochloromethane	<25.0	ug/kg	60.0	25.0	1	12/12/12 11:32	12/12/12 16:50	124-48-1	W
1,2-Dibromoethane (EDB)	<25.0	ug/kg	60.0	25.0	1	12/12/12 11:32	12/12/12 16:50	106-93-4	W
Dibromomethane	<25.0	ug/kg	60.0	25.0	1	12/12/12 11:32	12/12/12 16:50	74-95-3	W
1,2-Dichlorobenzene	<44.4	ug/kg	60.0	44.4	1	12/12/12 11:32	12/12/12 16:50	95-50-1	W
1,3-Dichlorobenzene	<25.0	ug/kg	60.0	25.0	1	12/12/12 11:32	12/12/12 16:50	541-73-1	W
1,4-Dichlorobenzene	<25.0	ug/kg	60.0	25.0	1	12/12/12 11:32	12/12/12 16:50	106-46-7	W
Dichlorodifluoromethane	<25.0	ug/kg	60.0	25.0	1	12/12/12 11:32	12/12/12 16:50	75-71-8	W
1,1-Dichloroethane	<25.0	ug/kg	60.0	25.0	1	12/12/12 11:32	12/12/12 16:50	75-34-3	W
1,2-Dichloroethane	<25.0	ug/kg	60.0	25.0	1	12/12/12 11:32	12/12/12 16:50	107-06-2	W
1,1-Dichloroethene	<25.0	ug/kg	60.0	25.0	1	12/12/12 11:32	12/12/12 16:50	75-35-4	W
cis-1,2-Dichloroethene	<25.0	ug/kg	60.0	25.0	1	12/12/12 11:32	12/12/12 16:50	156-59-2	W
trans-1,2-Dichloroethene	<25.0	ug/kg	60.0	25.0	1	12/12/12 11:32	12/12/12 16:50	156-60-5	W
1,2-Dichloropropane	<25.0	ug/kg	60.0	25.0	1	12/12/12 11:32	12/12/12 16:50	78-87-5	W
1,3-Dichloropropane	<25.0	ug/kg	60.0	25.0	1	12/12/12 11:32	12/12/12 16:50	142-28-9	W
2,2-Dichloropropane	<25.0	ug/kg	60.0	25.0	1	12/12/12 11:32	12/12/12 16:50	594-20-7	W
1,1-Dichloropropene	<25.0	ug/kg	60.0	25.0	1	12/12/12 11:32	12/12/12 16:50	563-58-6	W
cis-1,3-Dichloropropene	<25.0	ug/kg	60.0	25.0	1	12/12/12 11:32	12/12/12 16:50	10061-01-5	W
trans-1,3-Dichloropropene	<25.0	ug/kg	60.0	25.0	1	12/12/12 11:32	12/12/12 16:50	10061-02-6	W
Diisopropyl ether	<25.0	ug/kg	60.0	25.0	1	12/12/12 11:32	12/12/12 16:50	108-20-3	W
Ethylbenzene	<25.0	ug/kg	60.0	25.0	1	12/12/12 11:32	12/12/12 16:50	100-41-4	W
Hexachloro-1,3-butadiene	<26.4	ug/kg	60.0	26.4	1	12/12/12 11:32	12/12/12 16:50	87-68-3	W
Isopropylbenzene (Cumene)	<25.0	ug/kg	60.0	25.0	1	12/12/12 11:32	12/12/12 16:50	98-82-8	W
p-Isopropyltoluene	<25.0	ug/kg	60.0	25.0	1	12/12/12 11:32	12/12/12 16:50	99-87-6	W
Methylene Chloride	31.0J	ug/kg	63.1	26.3	1	12/12/12 11:32	12/12/12 16:50	75-09-2	
Methyl-tert-butyl ether	<25.0	ug/kg	60.0	25.0	1	12/12/12 11:32	12/12/12 16:50	1634-04-4	W
Naphthalene	<25.0	ug/kg	60.0	25.0	1	12/12/12 11:32	12/12/12 16:50	91-20-3	W
n-Propylbenzene	<25.0	ug/kg	60.0	25.0	1	12/12/12 11:32	12/12/12 16:50	103-65-1	W
Styrene	<25.0	ug/kg	60.0	25.0	1	12/12/12 11:32	12/12/12 16:50	100-42-5	W

## ANALYTICAL RESULTS

Project: RIL-2012-01 OHM GREEN BAY

Pace Project No.: 4071763

**Sample: B18 2-3**      **Lab ID: 4071763019**      Collected: 12/11/12 13:05      Received: 12/11/12 15:50      Matrix: Solid

*Results reported on a "dry-weight" basis*

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
<b>8260 MSV Med Level Normal List</b>		Analytical Method: EPA 8260 Preparation Method: EPA 5035/5030B							
1,1,1,2-Tetrachloroethane	<25.0	ug/kg	60.0	25.0	1	12/12/12 11:32	12/12/12 16:50	630-20-6	W
1,1,2,2-Tetrachloroethane	<25.0	ug/kg	60.0	25.0	1	12/12/12 11:32	12/12/12 16:50	79-34-5	W
Tetrachloroethene	111	ug/kg	63.1	26.3	1	12/12/12 11:32	12/12/12 16:50	127-18-4	
Toluene	<25.0	ug/kg	60.0	25.0	1	12/12/12 11:32	12/12/12 16:50	108-88-3	W
1,2,3-Trichlorobenzene	<25.0	ug/kg	60.0	25.0	1	12/12/12 11:32	12/12/12 16:50	87-61-6	W
1,2,4-Trichlorobenzene	<25.0	ug/kg	60.0	25.0	1	12/12/12 11:32	12/12/12 16:50	120-82-1	W
1,1,1-Trichloroethane	<25.0	ug/kg	60.0	25.0	1	12/12/12 11:32	12/12/12 16:50	71-55-6	W
1,1,2-Trichloroethane	<25.0	ug/kg	60.0	25.0	1	12/12/12 11:32	12/12/12 16:50	79-00-5	W
Trichloroethene	<25.0	ug/kg	60.0	25.0	1	12/12/12 11:32	12/12/12 16:50	79-01-6	W
Trichlorofluoromethane	<25.0	ug/kg	60.0	25.0	1	12/12/12 11:32	12/12/12 16:50	75-69-4	W
1,2,3-Trichloropropane	<25.0	ug/kg	60.0	25.0	1	12/12/12 11:32	12/12/12 16:50	96-18-4	W
1,2,4-Trimethylbenzene	<25.0	ug/kg	60.0	25.0	1	12/12/12 11:32	12/12/12 16:50	95-63-6	W
1,3,5-Trimethylbenzene	<25.0	ug/kg	60.0	25.0	1	12/12/12 11:32	12/12/12 16:50	108-67-8	W
Vinyl chloride	<25.0	ug/kg	60.0	25.0	1	12/12/12 11:32	12/12/12 16:50	75-01-4	W
m&p-Xylene	<50.0	ug/kg	120	50.0	1	12/12/12 11:32	12/12/12 16:50	179601-23-1	W
o-Xylene	<25.0	ug/kg	60.0	25.0	1	12/12/12 11:32	12/12/12 16:50	95-47-6	W
<b>Surrogates</b>									
Dibromofluoromethane (S)	107	%	57-130		1	12/12/12 11:32	12/12/12 16:50	1868-53-7	
Toluene-d8 (S)	106	%	54-133		1	12/12/12 11:32	12/12/12 16:50	2037-26-5	
4-Bromofluorobenzene (S)	101	%	49-130		1	12/12/12 11:32	12/12/12 16:50	460-00-4	
<b>Percent Moisture</b>		Analytical Method: ASTM D2974-87							
Percent Moisture	5.0	%	0.10	0.10	1		12/18/12 16:15		



## ANALYTICAL RESULTS

Project: RIL-2012-01 OHM GREEN BAY

Pace Project No.: 4071763

**Sample: B18 3-4**      **Lab ID: 4071763020**      Collected: 12/11/12 13:06      Received: 12/11/12 15:50      Matrix: Solid

*Results reported on a "dry-weight" basis*

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
<b>8260 MSV Med Level Normal List</b>									
Analytical Method: EPA 8260    Preparation Method: EPA 5035/5030B									
Benzene	<25.0	ug/kg	60.0	25.0	1	12/12/12 11:32	12/12/12 17:13	71-43-2	W
Bromobenzene	<25.0	ug/kg	60.0	25.0	1	12/12/12 11:32	12/12/12 17:13	108-86-1	W
Bromochloromethane	<25.0	ug/kg	60.0	25.0	1	12/12/12 11:32	12/12/12 17:13	74-97-5	W
Bromodichloromethane	<25.0	ug/kg	60.0	25.0	1	12/12/12 11:32	12/12/12 17:13	75-27-4	W
Bromoform	<25.9	ug/kg	60.0	25.9	1	12/12/12 11:32	12/12/12 17:13	75-25-2	W
Bromomethane	<25.0	ug/kg	60.0	25.0	1	12/12/12 11:32	12/12/12 17:13	74-83-9	W
n-Butylbenzene	<40.4	ug/kg	60.0	40.4	1	12/12/12 11:32	12/12/12 17:13	104-51-8	W
sec-Butylbenzene	<25.0	ug/kg	60.0	25.0	1	12/12/12 11:32	12/12/12 17:13	135-98-8	W
tert-Butylbenzene	<25.0	ug/kg	60.0	25.0	1	12/12/12 11:32	12/12/12 17:13	98-06-6	W
Carbon tetrachloride	<25.0	ug/kg	60.0	25.0	1	12/12/12 11:32	12/12/12 17:13	56-23-5	W
Chlorobenzene	<25.0	ug/kg	60.0	25.0	1	12/12/12 11:32	12/12/12 17:13	108-90-7	W
Chloroethane	<25.0	ug/kg	60.0	25.0	1	12/12/12 11:32	12/12/12 17:13	75-00-3	W
Chloroform	<25.0	ug/kg	60.0	25.0	1	12/12/12 11:32	12/12/12 17:13	67-66-3	W
Chloromethane	<25.0	ug/kg	60.0	25.0	1	12/12/12 11:32	12/12/12 17:13	74-87-3	W
2-Chlorotoluene	<25.0	ug/kg	60.0	25.0	1	12/12/12 11:32	12/12/12 17:13	95-49-8	W
4-Chlorotoluene	<25.0	ug/kg	60.0	25.0	1	12/12/12 11:32	12/12/12 17:13	106-43-4	W
1,2-Dibromo-3-chloropropane	<82.3	ug/kg	250	82.3	1	12/12/12 11:32	12/12/12 17:13	96-12-8	W
Dibromochloromethane	<25.0	ug/kg	60.0	25.0	1	12/12/12 11:32	12/12/12 17:13	124-48-1	W
1,2-Dibromoethane (EDB)	<25.0	ug/kg	60.0	25.0	1	12/12/12 11:32	12/12/12 17:13	106-93-4	W
Dibromomethane	<25.0	ug/kg	60.0	25.0	1	12/12/12 11:32	12/12/12 17:13	74-95-3	W
1,2-Dichlorobenzene	<44.4	ug/kg	60.0	44.4	1	12/12/12 11:32	12/12/12 17:13	95-50-1	W
1,3-Dichlorobenzene	<25.0	ug/kg	60.0	25.0	1	12/12/12 11:32	12/12/12 17:13	541-73-1	W
1,4-Dichlorobenzene	<25.0	ug/kg	60.0	25.0	1	12/12/12 11:32	12/12/12 17:13	106-46-7	W
Dichlorodifluoromethane	<25.0	ug/kg	60.0	25.0	1	12/12/12 11:32	12/12/12 17:13	75-71-8	W
1,1-Dichloroethane	<25.0	ug/kg	60.0	25.0	1	12/12/12 11:32	12/12/12 17:13	75-34-3	W
1,2-Dichloroethane	<25.0	ug/kg	60.0	25.0	1	12/12/12 11:32	12/12/12 17:13	107-06-2	W
1,1-Dichloroethene	<25.0	ug/kg	60.0	25.0	1	12/12/12 11:32	12/12/12 17:13	75-35-4	W
cis-1,2-Dichloroethene	<25.0	ug/kg	60.0	25.0	1	12/12/12 11:32	12/12/12 17:13	156-59-2	W
trans-1,2-Dichloroethene	<25.0	ug/kg	60.0	25.0	1	12/12/12 11:32	12/12/12 17:13	156-60-5	W
1,2-Dichloropropane	<25.0	ug/kg	60.0	25.0	1	12/12/12 11:32	12/12/12 17:13	78-87-5	W
1,3-Dichloropropane	<25.0	ug/kg	60.0	25.0	1	12/12/12 11:32	12/12/12 17:13	142-28-9	W
2,2-Dichloropropane	<25.0	ug/kg	60.0	25.0	1	12/12/12 11:32	12/12/12 17:13	594-20-7	W
1,1-Dichloropropene	<25.0	ug/kg	60.0	25.0	1	12/12/12 11:32	12/12/12 17:13	563-58-6	W
cis-1,3-Dichloropropene	<25.0	ug/kg	60.0	25.0	1	12/12/12 11:32	12/12/12 17:13	10061-01-5	W
trans-1,3-Dichloropropene	<25.0	ug/kg	60.0	25.0	1	12/12/12 11:32	12/12/12 17:13	10061-02-6	W
Diisopropyl ether	<25.0	ug/kg	60.0	25.0	1	12/12/12 11:32	12/12/12 17:13	108-20-3	W
Ethylbenzene	<25.0	ug/kg	60.0	25.0	1	12/12/12 11:32	12/12/12 17:13	100-41-4	W
Hexachloro-1,3-butadiene	<26.4	ug/kg	60.0	26.4	1	12/12/12 11:32	12/12/12 17:13	87-68-3	W
Isopropylbenzene (Cumene)	<25.0	ug/kg	60.0	25.0	1	12/12/12 11:32	12/12/12 17:13	98-82-8	W
p-Isopropyltoluene	<25.0	ug/kg	60.0	25.0	1	12/12/12 11:32	12/12/12 17:13	99-87-6	W
Methylene Chloride	<25.0	ug/kg	60.0	25.0	1	12/12/12 11:32	12/12/12 17:13	75-09-2	W
Methyl-tert-butyl ether	<25.0	ug/kg	60.0	25.0	1	12/12/12 11:32	12/12/12 17:13	1634-04-4	W
Naphthalene	<25.0	ug/kg	60.0	25.0	1	12/12/12 11:32	12/12/12 17:13	91-20-3	W
n-Propylbenzene	<25.0	ug/kg	60.0	25.0	1	12/12/12 11:32	12/12/12 17:13	103-65-1	W
Styrene	<25.0	ug/kg	60.0	25.0	1	12/12/12 11:32	12/12/12 17:13	100-42-5	W

### ANALYTICAL RESULTS

Project: RIL-2012-01 OHM GREEN BAY

Pace Project No.: 4071763

**Sample: B18 3-4**      **Lab ID: 4071763020**      Collected: 12/11/12 13:06      Received: 12/11/12 15:50      Matrix: Solid

*Results reported on a "dry-weight" basis*

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
<b>8260 MSV Med Level Normal List</b>									
Analytical Method: EPA 8260    Preparation Method: EPA 5035/5030B									
1,1,1,2-Tetrachloroethane	<25.0	ug/kg	60.0	25.0	1	12/12/12 11:32	12/12/12 17:13	630-20-6	W
1,1,2,2-Tetrachloroethane	<25.0	ug/kg	60.0	25.0	1	12/12/12 11:32	12/12/12 17:13	79-34-5	W
Tetrachloroethene	505	ug/kg	66.0	27.5	1	12/12/12 11:32	12/12/12 17:13	127-18-4	
Toluene	<25.0	ug/kg	60.0	25.0	1	12/12/12 11:32	12/12/12 17:13	108-88-3	W
1,2,3-Trichlorobenzene	<25.0	ug/kg	60.0	25.0	1	12/12/12 11:32	12/12/12 17:13	87-61-6	W
1,2,4-Trichlorobenzene	<25.0	ug/kg	60.0	25.0	1	12/12/12 11:32	12/12/12 17:13	120-82-1	W
1,1,1-Trichloroethane	<25.0	ug/kg	60.0	25.0	1	12/12/12 11:32	12/12/12 17:13	71-55-6	W
1,1,2-Trichloroethane	<25.0	ug/kg	60.0	25.0	1	12/12/12 11:32	12/12/12 17:13	79-00-5	W
Trichloroethene	61.9J	ug/kg	66.0	27.5	1	12/12/12 11:32	12/12/12 17:13	79-01-6	
Trichlorofluoromethane	<25.0	ug/kg	60.0	25.0	1	12/12/12 11:32	12/12/12 17:13	75-69-4	W
1,2,3-Trichloropropane	<25.0	ug/kg	60.0	25.0	1	12/12/12 11:32	12/12/12 17:13	96-18-4	W
1,2,4-Trimethylbenzene	<25.0	ug/kg	60.0	25.0	1	12/12/12 11:32	12/12/12 17:13	95-63-6	W
1,3,5-Trimethylbenzene	<25.0	ug/kg	60.0	25.0	1	12/12/12 11:32	12/12/12 17:13	108-67-8	W
Vinyl chloride	<25.0	ug/kg	60.0	25.0	1	12/12/12 11:32	12/12/12 17:13	75-01-4	W
m&p-Xylene	<50.0	ug/kg	120	50.0	1	12/12/12 11:32	12/12/12 17:13	179601-23-1	W
o-Xylene	<25.0	ug/kg	60.0	25.0	1	12/12/12 11:32	12/12/12 17:13	95-47-6	W
<b>Surrogates</b>									
Dibromofluoromethane (S)	115	%	57-130		1	12/12/12 11:32	12/12/12 17:13	1868-53-7	
Toluene-d8 (S)	111	%	54-133		1	12/12/12 11:32	12/12/12 17:13	2037-26-5	
4-Bromofluorobenzene (S)	106	%	49-130		1	12/12/12 11:32	12/12/12 17:13	460-00-4	
<b>Percent Moisture</b>									
Analytical Method: ASTM D2974-87									
Percent Moisture	9.1	%	0.10	0.10	1		12/18/12 17:35		

## ANALYTICAL RESULTS

Project: RIL-2012-01 OHM GREEN BAY

Pace Project No.: 4071763

Sample: B19 2-3 Lab ID: 4071763021 Collected: 12/11/12 12:55 Received: 12/11/12 15:50 Matrix: Solid

Results reported on a "dry-weight" basis

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
<b>8260 MSV Med Level Normal List</b>									
Analytical Method: EPA 8260 Preparation Method: EPA 5035/5030B									
Benzene	<25.0	ug/kg	60.0	25.0	1	12/12/12 11:32	12/12/12 17:36	71-43-2	W
Bromobenzene	<25.0	ug/kg	60.0	25.0	1	12/12/12 11:32	12/12/12 17:36	108-86-1	W
Bromochloromethane	<25.0	ug/kg	60.0	25.0	1	12/12/12 11:32	12/12/12 17:36	74-97-5	W
Bromodichloromethane	<25.0	ug/kg	60.0	25.0	1	12/12/12 11:32	12/12/12 17:36	75-27-4	W
Bromoform	<25.9	ug/kg	60.0	25.9	1	12/12/12 11:32	12/12/12 17:36	75-25-2	W
Bromomethane	<25.0	ug/kg	60.0	25.0	1	12/12/12 11:32	12/12/12 17:36	74-83-9	W
n-Butylbenzene	<40.4	ug/kg	60.0	40.4	1	12/12/12 11:32	12/12/12 17:36	104-51-8	W
sec-Butylbenzene	<25.0	ug/kg	60.0	25.0	1	12/12/12 11:32	12/12/12 17:36	135-98-8	W
tert-Butylbenzene	<25.0	ug/kg	60.0	25.0	1	12/12/12 11:32	12/12/12 17:36	98-06-6	W
Carbon tetrachloride	<25.0	ug/kg	60.0	25.0	1	12/12/12 11:32	12/12/12 17:36	56-23-5	W
Chlorobenzene	<25.0	ug/kg	60.0	25.0	1	12/12/12 11:32	12/12/12 17:36	108-90-7	W
Chloroethane	<25.0	ug/kg	60.0	25.0	1	12/12/12 11:32	12/12/12 17:36	75-00-3	W
Chloroform	<25.0	ug/kg	60.0	25.0	1	12/12/12 11:32	12/12/12 17:36	67-66-3	W
Chloromethane	<25.0	ug/kg	60.0	25.0	1	12/12/12 11:32	12/12/12 17:36	74-87-3	W
2-Chlorotoluene	<25.0	ug/kg	60.0	25.0	1	12/12/12 11:32	12/12/12 17:36	95-49-8	W
4-Chlorotoluene	<25.0	ug/kg	60.0	25.0	1	12/12/12 11:32	12/12/12 17:36	106-43-4	W
1,2-Dibromo-3-chloropropane	<82.3	ug/kg	250	82.3	1	12/12/12 11:32	12/12/12 17:36	96-12-8	W
Dibromochloromethane	<25.0	ug/kg	60.0	25.0	1	12/12/12 11:32	12/12/12 17:36	124-48-1	W
1,2-Dibromoethane (EDB)	<25.0	ug/kg	60.0	25.0	1	12/12/12 11:32	12/12/12 17:36	106-93-4	W
Dibromomethane	<25.0	ug/kg	60.0	25.0	1	12/12/12 11:32	12/12/12 17:36	74-95-3	W
1,2-Dichlorobenzene	<44.4	ug/kg	60.0	44.4	1	12/12/12 11:32	12/12/12 17:36	95-50-1	W
1,3-Dichlorobenzene	<25.0	ug/kg	60.0	25.0	1	12/12/12 11:32	12/12/12 17:36	541-73-1	W
1,4-Dichlorobenzene	<25.0	ug/kg	60.0	25.0	1	12/12/12 11:32	12/12/12 17:36	106-46-7	W
Dichlorodifluoromethane	<25.0	ug/kg	60.0	25.0	1	12/12/12 11:32	12/12/12 17:36	75-71-8	W
1,1-Dichloroethane	<25.0	ug/kg	60.0	25.0	1	12/12/12 11:32	12/12/12 17:36	75-34-3	W
1,2-Dichloroethane	<25.0	ug/kg	60.0	25.0	1	12/12/12 11:32	12/12/12 17:36	107-06-2	W
1,1-Dichloroethene	<25.0	ug/kg	60.0	25.0	1	12/12/12 11:32	12/12/12 17:36	75-35-4	W
cis-1,2-Dichloroethene	<25.0	ug/kg	60.0	25.0	1	12/12/12 11:32	12/12/12 17:36	156-59-2	W
trans-1,2-Dichloroethene	<25.0	ug/kg	60.0	25.0	1	12/12/12 11:32	12/12/12 17:36	156-60-5	W
1,2-Dichloropropane	<25.0	ug/kg	60.0	25.0	1	12/12/12 11:32	12/12/12 17:36	78-87-5	W
1,3-Dichloropropane	<25.0	ug/kg	60.0	25.0	1	12/12/12 11:32	12/12/12 17:36	142-28-9	W
2,2-Dichloropropane	<25.0	ug/kg	60.0	25.0	1	12/12/12 11:32	12/12/12 17:36	594-20-7	W
1,1-Dichloropropene	<25.0	ug/kg	60.0	25.0	1	12/12/12 11:32	12/12/12 17:36	563-58-6	W
cis-1,3-Dichloropropene	<25.0	ug/kg	60.0	25.0	1	12/12/12 11:32	12/12/12 17:36	10061-01-5	W
trans-1,3-Dichloropropene	<25.0	ug/kg	60.0	25.0	1	12/12/12 11:32	12/12/12 17:36	10061-02-6	W
Diisopropyl ether	<25.0	ug/kg	60.0	25.0	1	12/12/12 11:32	12/12/12 17:36	108-20-3	W
Ethylbenzene	<25.0	ug/kg	60.0	25.0	1	12/12/12 11:32	12/12/12 17:36	100-41-4	W
Hexachloro-1,3-butadiene	<26.4	ug/kg	60.0	26.4	1	12/12/12 11:32	12/12/12 17:36	87-68-3	W
Isopropylbenzene (Cumene)	<25.0	ug/kg	60.0	25.0	1	12/12/12 11:32	12/12/12 17:36	98-82-8	W
p-Isopropyltoluene	<25.0	ug/kg	60.0	25.0	1	12/12/12 11:32	12/12/12 17:36	99-87-6	W
Methylene Chloride	29.2J	ug/kg	66.4	27.7	1	12/12/12 11:32	12/12/12 17:36	75-09-2	
Methyl-tert-butyl ether	<25.0	ug/kg	60.0	25.0	1	12/12/12 11:32	12/12/12 17:36	1634-04-4	W
Naphthalene	<25.0	ug/kg	60.0	25.0	1	12/12/12 11:32	12/12/12 17:36	91-20-3	W
n-Propylbenzene	<25.0	ug/kg	60.0	25.0	1	12/12/12 11:32	12/12/12 17:36	103-65-1	W
Styrene	<25.0	ug/kg	60.0	25.0	1	12/12/12 11:32	12/12/12 17:36	100-42-5	W

## ANALYTICAL RESULTS

Project: RIL-2012-01 OHM GREEN BAY

Pace Project No.: 4071763

**Sample: B19 2-3**      **Lab ID: 4071763021**      Collected: 12/11/12 12:55      Received: 12/11/12 15:50      Matrix: Solid

*Results reported on a "dry-weight" basis*

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
<b>8260 MSV Med Level Normal List</b>									
Analytical Method: EPA 8260 Preparation Method: EPA 5035/5030B									
1,1,1,2-Tetrachloroethane	<25.0	ug/kg	60.0	25.0	1	12/12/12 11:32	12/12/12 17:36	630-20-6	W
1,1,2,2-Tetrachloroethane	<25.0	ug/kg	60.0	25.0	1	12/12/12 11:32	12/12/12 17:36	79-34-5	W
Tetrachloroethene	<25.0	ug/kg	60.0	25.0	1	12/12/12 11:32	12/12/12 17:36	127-18-4	W
Toluene	<25.0	ug/kg	60.0	25.0	1	12/12/12 11:32	12/12/12 17:36	108-88-3	W
1,2,3-Trichlorobenzene	<25.0	ug/kg	60.0	25.0	1	12/12/12 11:32	12/12/12 17:36	87-61-6	W
1,2,4-Trichlorobenzene	<25.0	ug/kg	60.0	25.0	1	12/12/12 11:32	12/12/12 17:36	120-82-1	W
1,1,1-Trichloroethane	<25.0	ug/kg	60.0	25.0	1	12/12/12 11:32	12/12/12 17:36	71-55-6	W
1,1,2-Trichloroethane	<25.0	ug/kg	60.0	25.0	1	12/12/12 11:32	12/12/12 17:36	79-00-5	W
Trichloroethene	<25.0	ug/kg	60.0	25.0	1	12/12/12 11:32	12/12/12 17:36	79-01-6	W
Trichlorofluoromethane	<25.0	ug/kg	60.0	25.0	1	12/12/12 11:32	12/12/12 17:36	75-69-4	W
1,2,3-Trichloropropane	<25.0	ug/kg	60.0	25.0	1	12/12/12 11:32	12/12/12 17:36	96-18-4	W
1,2,4-Trimethylbenzene	<25.0	ug/kg	60.0	25.0	1	12/12/12 11:32	12/12/12 17:36	95-63-6	W
1,3,5-Trimethylbenzene	<25.0	ug/kg	60.0	25.0	1	12/12/12 11:32	12/12/12 17:36	108-67-8	W
Vinyl chloride	<25.0	ug/kg	60.0	25.0	1	12/12/12 11:32	12/12/12 17:36	75-01-4	W
m&p-Xylene	<50.0	ug/kg	120	50.0	1	12/12/12 11:32	12/12/12 17:36	179601-23-1	W
o-Xylene	<25.0	ug/kg	60.0	25.0	1	12/12/12 11:32	12/12/12 17:36	95-47-6	W
<b>Surrogates</b>									
Dibromofluoromethane (S)	106 %.		57-130		1	12/12/12 11:32	12/12/12 17:36	1868-53-7	
Toluene-d8 (S)	106 %.		54-133		1	12/12/12 11:32	12/12/12 17:36	2037-26-5	
4-Bromofluorobenzene (S)	99 %.		49-130		1	12/12/12 11:32	12/12/12 17:36	460-00-4	
<b>Percent Moisture</b>									
Analytical Method: ASTM D2974-87									
Percent Moisture	<b>9.6 %</b>		0.10	0.10	1		12/18/12 17:36		

## ANALYTICAL RESULTS

Project: RIL-2012-01 OHM GREEN BAY

Pace Project No.: 4071763

Sample: **B19 4-4.75** Lab ID: **4071763022** Collected: 12/11/12 12:58 Received: 12/11/12 15:50 Matrix: Solid

Results reported on a "dry-weight" basis

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
<b>8260 MSV Med Level Normal List</b>									
Analytical Method: EPA 8260 Preparation Method: EPA 5035/5030B									
Benzene	<25.0	ug/kg	60.0	25.0	1	12/12/12 11:32	12/12/12 17:59	71-43-2	W
Bromobenzene	<25.0	ug/kg	60.0	25.0	1	12/12/12 11:32	12/12/12 17:59	108-86-1	W
Bromochloromethane	<25.0	ug/kg	60.0	25.0	1	12/12/12 11:32	12/12/12 17:59	74-97-5	W
Bromodichloromethane	<25.0	ug/kg	60.0	25.0	1	12/12/12 11:32	12/12/12 17:59	75-27-4	W
Bromoform	<25.9	ug/kg	60.0	25.9	1	12/12/12 11:32	12/12/12 17:59	75-25-2	W
Bromomethane	<25.0	ug/kg	60.0	25.0	1	12/12/12 11:32	12/12/12 17:59	74-83-9	W
n-Butylbenzene	<40.4	ug/kg	60.0	40.4	1	12/12/12 11:32	12/12/12 17:59	104-51-8	W
sec-Butylbenzene	<25.0	ug/kg	60.0	25.0	1	12/12/12 11:32	12/12/12 17:59	135-98-8	W
tert-Butylbenzene	<25.0	ug/kg	60.0	25.0	1	12/12/12 11:32	12/12/12 17:59	98-06-6	W
Carbon tetrachloride	<25.0	ug/kg	60.0	25.0	1	12/12/12 11:32	12/12/12 17:59	56-23-5	W
Chlorobenzene	<25.0	ug/kg	60.0	25.0	1	12/12/12 11:32	12/12/12 17:59	108-90-7	W
Chloroethane	<25.0	ug/kg	60.0	25.0	1	12/12/12 11:32	12/12/12 17:59	75-00-3	W
Chloroform	<25.0	ug/kg	60.0	25.0	1	12/12/12 11:32	12/12/12 17:59	67-66-3	W
Chloromethane	<25.0	ug/kg	60.0	25.0	1	12/12/12 11:32	12/12/12 17:59	74-87-3	W
2-Chlorotoluene	<25.0	ug/kg	60.0	25.0	1	12/12/12 11:32	12/12/12 17:59	95-49-8	W
4-Chlorotoluene	<25.0	ug/kg	60.0	25.0	1	12/12/12 11:32	12/12/12 17:59	106-43-4	W
1,2-Dibromo-3-chloropropane	<82.3	ug/kg	250	82.3	1	12/12/12 11:32	12/12/12 17:59	96-12-8	W
Dibromochloromethane	<25.0	ug/kg	60.0	25.0	1	12/12/12 11:32	12/12/12 17:59	124-48-1	W
1,2-Dibromoethane (EDB)	<25.0	ug/kg	60.0	25.0	1	12/12/12 11:32	12/12/12 17:59	106-93-4	W
Dibromomethane	<25.0	ug/kg	60.0	25.0	1	12/12/12 11:32	12/12/12 17:59	74-95-3	W
1,2-Dichlorobenzene	<44.4	ug/kg	60.0	44.4	1	12/12/12 11:32	12/12/12 17:59	95-50-1	W
1,3-Dichlorobenzene	<25.0	ug/kg	60.0	25.0	1	12/12/12 11:32	12/12/12 17:59	541-73-1	W
1,4-Dichlorobenzene	<25.0	ug/kg	60.0	25.0	1	12/12/12 11:32	12/12/12 17:59	106-46-7	W
Dichlorodifluoromethane	<25.0	ug/kg	60.0	25.0	1	12/12/12 11:32	12/12/12 17:59	75-71-8	W
1,1-Dichloroethane	<25.0	ug/kg	60.0	25.0	1	12/12/12 11:32	12/12/12 17:59	75-34-3	W
1,2-Dichloroethane	<25.0	ug/kg	60.0	25.0	1	12/12/12 11:32	12/12/12 17:59	107-06-2	W
1,1-Dichloroethene	<25.0	ug/kg	60.0	25.0	1	12/12/12 11:32	12/12/12 17:59	75-35-4	W
cis-1,2-Dichloroethene	<25.0	ug/kg	60.0	25.0	1	12/12/12 11:32	12/12/12 17:59	156-59-2	W
trans-1,2-Dichloroethene	<25.0	ug/kg	60.0	25.0	1	12/12/12 11:32	12/12/12 17:59	156-60-5	W
1,2-Dichloropropane	<25.0	ug/kg	60.0	25.0	1	12/12/12 11:32	12/12/12 17:59	78-87-5	W
1,3-Dichloropropane	<25.0	ug/kg	60.0	25.0	1	12/12/12 11:32	12/12/12 17:59	142-28-9	W
2,2-Dichloropropane	<25.0	ug/kg	60.0	25.0	1	12/12/12 11:32	12/12/12 17:59	594-20-7	W
1,1-Dichloropropene	<25.0	ug/kg	60.0	25.0	1	12/12/12 11:32	12/12/12 17:59	563-58-6	W
cis-1,3-Dichloropropene	<25.0	ug/kg	60.0	25.0	1	12/12/12 11:32	12/12/12 17:59	10061-01-5	W
trans-1,3-Dichloropropene	<25.0	ug/kg	60.0	25.0	1	12/12/12 11:32	12/12/12 17:59	10061-02-6	W
Diisopropyl ether	<25.0	ug/kg	60.0	25.0	1	12/12/12 11:32	12/12/12 17:59	108-20-3	W
Ethylbenzene	<25.0	ug/kg	60.0	25.0	1	12/12/12 11:32	12/12/12 17:59	100-41-4	W
Hexachloro-1,3-butadiene	<26.4	ug/kg	60.0	26.4	1	12/12/12 11:32	12/12/12 17:59	87-68-3	W
Isopropylbenzene (Cumene)	<25.0	ug/kg	60.0	25.0	1	12/12/12 11:32	12/12/12 17:59	98-82-8	W
p-Isopropyltoluene	<25.0	ug/kg	60.0	25.0	1	12/12/12 11:32	12/12/12 17:59	99-87-6	W
Methylene Chloride	<25.0	ug/kg	60.0	25.0	1	12/12/12 11:32	12/12/12 17:59	75-09-2	W
Methyl-tert-butyl ether	<25.0	ug/kg	60.0	25.0	1	12/12/12 11:32	12/12/12 17:59	1634-04-4	W
Naphthalene	<25.0	ug/kg	60.0	25.0	1	12/12/12 11:32	12/12/12 17:59	91-20-3	W
n-Propylbenzene	<25.0	ug/kg	60.0	25.0	1	12/12/12 11:32	12/12/12 17:59	103-65-1	W
Styrene	<25.0	ug/kg	60.0	25.0	1	12/12/12 11:32	12/12/12 17:59	100-42-5	W

## ANALYTICAL RESULTS

Project: RIL-2012-01 OHM GREEN BAY

Pace Project No.: 4071763

Sample: B19 4-4.75 Lab ID: 4071763022 Collected: 12/11/12 12:58 Received: 12/11/12 15:50 Matrix: Solid

Results reported on a "dry-weight" basis

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
<b>8260 MSV Med Level Normal List</b>		Analytical Method: EPA 8260 Preparation Method: EPA 5035/5030B							
1,1,1,2-Tetrachloroethane	<25.0	ug/kg	60.0	25.0	1	12/12/12 11:32	12/12/12 17:59	630-20-6	W
1,1,2,2-Tetrachloroethane	<25.0	ug/kg	60.0	25.0	1	12/12/12 11:32	12/12/12 17:59	79-34-5	W
Tetrachloroethene	53.5J	ug/kg	72.8	30.3	1	12/12/12 11:32	12/12/12 17:59	127-18-4	
Toluene	<25.0	ug/kg	60.0	25.0	1	12/12/12 11:32	12/12/12 17:59	108-88-3	W
1,2,3-Trichlorobenzene	<25.0	ug/kg	60.0	25.0	1	12/12/12 11:32	12/12/12 17:59	87-61-6	W
1,2,4-Trichlorobenzene	<25.0	ug/kg	60.0	25.0	1	12/12/12 11:32	12/12/12 17:59	120-82-1	W
1,1,1-Trichloroethane	<25.0	ug/kg	60.0	25.0	1	12/12/12 11:32	12/12/12 17:59	71-55-6	W
1,1,2-Trichloroethane	<25.0	ug/kg	60.0	25.0	1	12/12/12 11:32	12/12/12 17:59	79-00-5	W
Trichloroethene	82.6	ug/kg	72.8	30.3	1	12/12/12 11:32	12/12/12 17:59	79-01-6	
Trichlorofluoromethane	<25.0	ug/kg	60.0	25.0	1	12/12/12 11:32	12/12/12 17:59	75-69-4	W
1,2,3-Trichloropropane	<25.0	ug/kg	60.0	25.0	1	12/12/12 11:32	12/12/12 17:59	96-18-4	W
1,2,4-Trimethylbenzene	<25.0	ug/kg	60.0	25.0	1	12/12/12 11:32	12/12/12 17:59	95-63-6	W
1,3,5-Trimethylbenzene	<25.0	ug/kg	60.0	25.0	1	12/12/12 11:32	12/12/12 17:59	108-67-8	W
Vinyl chloride	<25.0	ug/kg	60.0	25.0	1	12/12/12 11:32	12/12/12 17:59	75-01-4	W
m&p-Xylene	<50.0	ug/kg	120	50.0	1	12/12/12 11:32	12/12/12 17:59	179601-23-1	W
o-Xylene	<25.0	ug/kg	60.0	25.0	1	12/12/12 11:32	12/12/12 17:59	95-47-6	W
<b>Surrogates</b>									
Dibromofluoromethane (S)	108 %.		57-130		1	12/12/12 11:32	12/12/12 17:59	1868-53-7	
Toluene-d8 (S)	106 %.		54-133		1	12/12/12 11:32	12/12/12 17:59	2037-26-5	
4-Bromofluorobenzene (S)	99 %.		49-130		1	12/12/12 11:32	12/12/12 17:59	460-00-4	
<b>Percent Moisture</b>		Analytical Method: ASTM D2974-87							
Percent Moisture	17.6 %		0.10	0.10	1		12/18/12 17:36		

### ANALYTICAL RESULTS

Project: RIL-2012-01 OHM GREEN BAY

Pace Project No.: 4071763

**Sample: B20 1.5-2.5**      **Lab ID: 4071763023**      Collected: 12/11/12 12:45      Received: 12/11/12 15:50      Matrix: Solid

*Results reported on a "dry-weight" basis*

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
<b>8260 MSV Med Level Normal List</b>									
Analytical Method: EPA 8260 Preparation Method: EPA 5035/5030B									
Benzene	<25.0	ug/kg	60.0	25.0	1	12/12/12 11:32	12/12/12 18:22	71-43-2	W
Bromobenzene	<25.0	ug/kg	60.0	25.0	1	12/12/12 11:32	12/12/12 18:22	108-86-1	W
Bromochloromethane	<25.0	ug/kg	60.0	25.0	1	12/12/12 11:32	12/12/12 18:22	74-97-5	W
Bromodichloromethane	<25.0	ug/kg	60.0	25.0	1	12/12/12 11:32	12/12/12 18:22	75-27-4	W
Bromoform	<25.9	ug/kg	60.0	25.9	1	12/12/12 11:32	12/12/12 18:22	75-25-2	W
Bromomethane	<25.0	ug/kg	60.0	25.0	1	12/12/12 11:32	12/12/12 18:22	74-83-9	W
n-Butylbenzene	<40.4	ug/kg	60.0	40.4	1	12/12/12 11:32	12/12/12 18:22	104-51-8	W
sec-Butylbenzene	<25.0	ug/kg	60.0	25.0	1	12/12/12 11:32	12/12/12 18:22	135-98-8	W
tert-Butylbenzene	<25.0	ug/kg	60.0	25.0	1	12/12/12 11:32	12/12/12 18:22	98-06-6	W
Carbon tetrachloride	<25.0	ug/kg	60.0	25.0	1	12/12/12 11:32	12/12/12 18:22	56-23-5	W
Chlorobenzene	<25.0	ug/kg	60.0	25.0	1	12/12/12 11:32	12/12/12 18:22	108-90-7	W
Chloroethane	<25.0	ug/kg	60.0	25.0	1	12/12/12 11:32	12/12/12 18:22	75-00-3	W
Chloroform	<25.0	ug/kg	60.0	25.0	1	12/12/12 11:32	12/12/12 18:22	67-66-3	W
Chloromethane	<25.0	ug/kg	60.0	25.0	1	12/12/12 11:32	12/12/12 18:22	74-87-3	W
2-Chlorotoluene	<25.0	ug/kg	60.0	25.0	1	12/12/12 11:32	12/12/12 18:22	95-49-8	W
4-Chlorotoluene	<25.0	ug/kg	60.0	25.0	1	12/12/12 11:32	12/12/12 18:22	106-43-4	W
1,2-Dibromo-3-chloropropane	<82.3	ug/kg	250	82.3	1	12/12/12 11:32	12/12/12 18:22	96-12-8	W
Dibromochloromethane	<25.0	ug/kg	60.0	25.0	1	12/12/12 11:32	12/12/12 18:22	124-48-1	W
1,2-Dibromoethane (EDB)	<25.0	ug/kg	60.0	25.0	1	12/12/12 11:32	12/12/12 18:22	106-93-4	W
Dibromomethane	<25.0	ug/kg	60.0	25.0	1	12/12/12 11:32	12/12/12 18:22	74-95-3	W
1,2-Dichlorobenzene	<44.4	ug/kg	60.0	44.4	1	12/12/12 11:32	12/12/12 18:22	95-50-1	W
1,3-Dichlorobenzene	<25.0	ug/kg	60.0	25.0	1	12/12/12 11:32	12/12/12 18:22	541-73-1	W
1,4-Dichlorobenzene	<25.0	ug/kg	60.0	25.0	1	12/12/12 11:32	12/12/12 18:22	106-46-7	W
Dichlorodifluoromethane	<25.0	ug/kg	60.0	25.0	1	12/12/12 11:32	12/12/12 18:22	75-71-8	W
1,1-Dichloroethane	<25.0	ug/kg	60.0	25.0	1	12/12/12 11:32	12/12/12 18:22	75-34-3	W
1,2-Dichloroethane	<25.0	ug/kg	60.0	25.0	1	12/12/12 11:32	12/12/12 18:22	107-06-2	W
1,1-Dichloroethene	<25.0	ug/kg	60.0	25.0	1	12/12/12 11:32	12/12/12 18:22	75-35-4	W
cis-1,2-Dichloroethene	<25.0	ug/kg	60.0	25.0	1	12/12/12 11:32	12/12/12 18:22	156-59-2	W
trans-1,2-Dichloroethene	<25.0	ug/kg	60.0	25.0	1	12/12/12 11:32	12/12/12 18:22	156-60-5	W
1,2-Dichloropropane	<25.0	ug/kg	60.0	25.0	1	12/12/12 11:32	12/12/12 18:22	78-87-5	W
1,3-Dichloropropane	<25.0	ug/kg	60.0	25.0	1	12/12/12 11:32	12/12/12 18:22	142-28-9	W
2,2-Dichloropropane	<25.0	ug/kg	60.0	25.0	1	12/12/12 11:32	12/12/12 18:22	594-20-7	W
1,1-Dichloropropene	<25.0	ug/kg	60.0	25.0	1	12/12/12 11:32	12/12/12 18:22	563-58-6	W
cis-1,3-Dichloropropene	<25.0	ug/kg	60.0	25.0	1	12/12/12 11:32	12/12/12 18:22	10061-01-5	W
trans-1,3-Dichloropropene	<25.0	ug/kg	60.0	25.0	1	12/12/12 11:32	12/12/12 18:22	10061-02-6	W
Diisopropyl ether	<25.0	ug/kg	60.0	25.0	1	12/12/12 11:32	12/12/12 18:22	108-20-3	W
Ethylbenzene	<25.0	ug/kg	60.0	25.0	1	12/12/12 11:32	12/12/12 18:22	100-41-4	W
Hexachloro-1,3-butadiene	<26.4	ug/kg	60.0	26.4	1	12/12/12 11:32	12/12/12 18:22	87-68-3	W
Isopropylbenzene (Cumene)	<25.0	ug/kg	60.0	25.0	1	12/12/12 11:32	12/12/12 18:22	98-82-8	W
p-Isopropyltoluene	<25.0	ug/kg	60.0	25.0	1	12/12/12 11:32	12/12/12 18:22	99-87-6	W
Methylene Chloride	<25.0	ug/kg	60.0	25.0	1	12/12/12 11:32	12/12/12 18:22	75-09-2	W
Methyl-tert-butyl ether	<25.0	ug/kg	60.0	25.0	1	12/12/12 11:32	12/12/12 18:22	1634-04-4	W
Naphthalene	<25.0	ug/kg	60.0	25.0	1	12/12/12 11:32	12/12/12 18:22	91-20-3	W
n-Propylbenzene	<25.0	ug/kg	60.0	25.0	1	12/12/12 11:32	12/12/12 18:22	103-65-1	W
Styrene	<25.0	ug/kg	60.0	25.0	1	12/12/12 11:32	12/12/12 18:22	100-42-5	W

## ANALYTICAL RESULTS

Project: RIL-2012-01 OHM GREEN BAY  
Pace Project No.: 4071763

**Sample: B20 1.5-2.5**      **Lab ID: 4071763023**      Collected: 12/11/12 12:45      Received: 12/11/12 15:50      Matrix: Solid

*Results reported on a "dry-weight" basis*

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
<b>8260 MSV Med Level Normal List</b>									
Analytical Method: EPA 8260    Preparation Method: EPA 5035/5030B									
1,1,1,2-Tetrachloroethane	<25.0	ug/kg	60.0	25.0	1	12/12/12 11:32	12/12/12 18:22	630-20-6	W
1,1,2,2-Tetrachloroethane	<25.0	ug/kg	60.0	25.0	1	12/12/12 11:32	12/12/12 18:22	79-34-5	W
Tetrachloroethene	<25.0	ug/kg	60.0	25.0	1	12/12/12 11:32	12/12/12 18:22	127-18-4	W
Toluene	<25.0	ug/kg	60.0	25.0	1	12/12/12 11:32	12/12/12 18:22	108-88-3	W
1,2,3-Trichlorobenzene	<25.0	ug/kg	60.0	25.0	1	12/12/12 11:32	12/12/12 18:22	87-61-6	W
1,2,4-Trichlorobenzene	<25.0	ug/kg	60.0	25.0	1	12/12/12 11:32	12/12/12 18:22	120-82-1	W
1,1,1-Trichloroethane	<25.0	ug/kg	60.0	25.0	1	12/12/12 11:32	12/12/12 18:22	71-55-6	W
1,1,2-Trichloroethane	<25.0	ug/kg	60.0	25.0	1	12/12/12 11:32	12/12/12 18:22	79-00-5	W
Trichloroethene	<25.0	ug/kg	60.0	25.0	1	12/12/12 11:32	12/12/12 18:22	79-01-6	W
Trichlorofluoromethane	<25.0	ug/kg	60.0	25.0	1	12/12/12 11:32	12/12/12 18:22	75-69-4	W
1,2,3-Trichloropropane	<25.0	ug/kg	60.0	25.0	1	12/12/12 11:32	12/12/12 18:22	96-18-4	W
1,2,4-Trimethylbenzene	<25.0	ug/kg	60.0	25.0	1	12/12/12 11:32	12/12/12 18:22	95-63-6	W
1,3,5-Trimethylbenzene	<25.0	ug/kg	60.0	25.0	1	12/12/12 11:32	12/12/12 18:22	108-67-8	W
Vinyl chloride	<25.0	ug/kg	60.0	25.0	1	12/12/12 11:32	12/12/12 18:22	75-01-4	W
m&p-Xylene	<50.0	ug/kg	120	50.0	1	12/12/12 11:32	12/12/12 18:22	179601-23-1	W
o-Xylene	<25.0	ug/kg	60.0	25.0	1	12/12/12 11:32	12/12/12 18:22	95-47-6	W
<b>Surrogates</b>									
Dibromofluoromethane (S)	108 %		57-130		1	12/12/12 11:32	12/12/12 18:22	1868-53-7	
Toluene-d8 (S)	107 %		54-133		1	12/12/12 11:32	12/12/12 18:22	2037-26-5	
4-Bromofluorobenzene (S)	101 %		49-130		1	12/12/12 11:32	12/12/12 18:22	460-00-4	
<b>Percent Moisture</b>									
Analytical Method: ASTM D2974-87									
Percent Moisture	9.2 %		0.10	0.10	1		12/18/12 17:36		



## ANALYTICAL RESULTS

Project: RIL-2012-01 OHM GREEN BAY

Pace Project No.: 4071763

Sample: **B20 4-5** Lab ID: **4071763024** Collected: 12/11/12 12:48 Received: 12/11/12 15:50 Matrix: Solid

Results reported on a "dry-weight" basis

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
<b>8260 MSV Med Level Normal List</b>									
Analytical Method: EPA 8260 Preparation Method: EPA 5035/5030B									
Benzene	<25.0	ug/kg	60.0	25.0	1	12/12/12 11:32	12/12/12 18:45	71-43-2	W
Bromobenzene	<25.0	ug/kg	60.0	25.0	1	12/12/12 11:32	12/12/12 18:45	108-86-1	W
Bromochloromethane	<25.0	ug/kg	60.0	25.0	1	12/12/12 11:32	12/12/12 18:45	74-97-5	W
Bromodichloromethane	<25.0	ug/kg	60.0	25.0	1	12/12/12 11:32	12/12/12 18:45	75-27-4	W
Bromoform	<25.9	ug/kg	60.0	25.9	1	12/12/12 11:32	12/12/12 18:45	75-25-2	W
Bromomethane	<25.0	ug/kg	60.0	25.0	1	12/12/12 11:32	12/12/12 18:45	74-83-9	W
n-Butylbenzene	<40.4	ug/kg	60.0	40.4	1	12/12/12 11:32	12/12/12 18:45	104-51-8	W
sec-Butylbenzene	<25.0	ug/kg	60.0	25.0	1	12/12/12 11:32	12/12/12 18:45	135-98-8	W
tert-Butylbenzene	<25.0	ug/kg	60.0	25.0	1	12/12/12 11:32	12/12/12 18:45	98-06-6	W
Carbon tetrachloride	<25.0	ug/kg	60.0	25.0	1	12/12/12 11:32	12/12/12 18:45	56-23-5	W
Chlorobenzene	<25.0	ug/kg	60.0	25.0	1	12/12/12 11:32	12/12/12 18:45	108-90-7	W
Chloroethane	<25.0	ug/kg	60.0	25.0	1	12/12/12 11:32	12/12/12 18:45	75-00-3	W
Chloroform	<25.0	ug/kg	60.0	25.0	1	12/12/12 11:32	12/12/12 18:45	67-66-3	W
Chloromethane	<25.0	ug/kg	60.0	25.0	1	12/12/12 11:32	12/12/12 18:45	74-87-3	W
2-Chlorotoluene	<25.0	ug/kg	60.0	25.0	1	12/12/12 11:32	12/12/12 18:45	95-49-8	W
4-Chlorotoluene	<25.0	ug/kg	60.0	25.0	1	12/12/12 11:32	12/12/12 18:45	106-43-4	W
1,2-Dibromo-3-chloropropane	<82.3	ug/kg	250	82.3	1	12/12/12 11:32	12/12/12 18:45	96-12-8	W
Dibromochloromethane	<25.0	ug/kg	60.0	25.0	1	12/12/12 11:32	12/12/12 18:45	124-48-1	W
1,2-Dibromoethane (EDB)	<25.0	ug/kg	60.0	25.0	1	12/12/12 11:32	12/12/12 18:45	106-93-4	W
Dibromomethane	<25.0	ug/kg	60.0	25.0	1	12/12/12 11:32	12/12/12 18:45	74-95-3	W
1,2-Dichlorobenzene	<44.4	ug/kg	60.0	44.4	1	12/12/12 11:32	12/12/12 18:45	95-50-1	W
1,3-Dichlorobenzene	<25.0	ug/kg	60.0	25.0	1	12/12/12 11:32	12/12/12 18:45	541-73-1	W
1,4-Dichlorobenzene	<25.0	ug/kg	60.0	25.0	1	12/12/12 11:32	12/12/12 18:45	106-46-7	W
Dichlorodifluoromethane	<25.0	ug/kg	60.0	25.0	1	12/12/12 11:32	12/12/12 18:45	75-71-8	W
1,1-Dichloroethane	<25.0	ug/kg	60.0	25.0	1	12/12/12 11:32	12/12/12 18:45	75-34-3	W
1,2-Dichloroethane	<25.0	ug/kg	60.0	25.0	1	12/12/12 11:32	12/12/12 18:45	107-06-2	W
1,1-Dichloroethene	<25.0	ug/kg	60.0	25.0	1	12/12/12 11:32	12/12/12 18:45	75-35-4	W
cis-1,2-Dichloroethene	<25.0	ug/kg	60.0	25.0	1	12/12/12 11:32	12/12/12 18:45	156-59-2	W
trans-1,2-Dichloroethene	<25.0	ug/kg	60.0	25.0	1	12/12/12 11:32	12/12/12 18:45	156-60-5	W
1,2-Dichloropropane	<25.0	ug/kg	60.0	25.0	1	12/12/12 11:32	12/12/12 18:45	78-87-5	W
1,3-Dichloropropane	<25.0	ug/kg	60.0	25.0	1	12/12/12 11:32	12/12/12 18:45	142-28-9	W
2,2-Dichloropropane	<25.0	ug/kg	60.0	25.0	1	12/12/12 11:32	12/12/12 18:45	594-20-7	W
1,1-Dichloropropene	<25.0	ug/kg	60.0	25.0	1	12/12/12 11:32	12/12/12 18:45	563-58-6	W
cis-1,3-Dichloropropene	<25.0	ug/kg	60.0	25.0	1	12/12/12 11:32	12/12/12 18:45	10061-01-5	W
trans-1,3-Dichloropropene	<25.0	ug/kg	60.0	25.0	1	12/12/12 11:32	12/12/12 18:45	10061-02-6	W
Diisopropyl ether	<25.0	ug/kg	60.0	25.0	1	12/12/12 11:32	12/12/12 18:45	108-20-3	W
Ethylbenzene	<25.0	ug/kg	60.0	25.0	1	12/12/12 11:32	12/12/12 18:45	100-41-4	W
Hexachloro-1,3-butadiene	<26.4	ug/kg	60.0	26.4	1	12/12/12 11:32	12/12/12 18:45	87-68-3	W
Isopropylbenzene (Cumene)	<25.0	ug/kg	60.0	25.0	1	12/12/12 11:32	12/12/12 18:45	98-82-8	W
p-Isopropyltoluene	<25.0	ug/kg	60.0	25.0	1	12/12/12 11:32	12/12/12 18:45	99-87-6	W
Methylene Chloride	<25.0	ug/kg	60.0	25.0	1	12/12/12 11:32	12/12/12 18:45	75-09-2	W
Methyl-tert-butyl ether	<25.0	ug/kg	60.0	25.0	1	12/12/12 11:32	12/12/12 18:45	1634-04-4	W
Naphthalene	<25.0	ug/kg	60.0	25.0	1	12/12/12 11:32	12/12/12 18:45	91-20-3	W
n-Propylbenzene	<25.0	ug/kg	60.0	25.0	1	12/12/12 11:32	12/12/12 18:45	103-65-1	W
Styrene	<25.0	ug/kg	60.0	25.0	1	12/12/12 11:32	12/12/12 18:45	100-42-5	W

## ANALYTICAL RESULTS

Project: RIL-2012-01 OHM GREEN BAY

Pace Project No.: 4071763

**Sample: B20 4-5**      **Lab ID: 4071763024**      Collected: 12/11/12 12:48      Received: 12/11/12 15:50      Matrix: Solid

*Results reported on a "dry-weight" basis*

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
<b>8260 MSV Med Level Normal List</b>									
Analytical Method: EPA 8260    Preparation Method: EPA 5035/5030B									
1,1,1,2-Tetrachloroethane	<25.0	ug/kg	60.0	25.0	1	12/12/12 11:32	12/12/12 18:45	630-20-6	W
1,1,2,2-Tetrachloroethane	<25.0	ug/kg	60.0	25.0	1	12/12/12 11:32	12/12/12 18:45	79-34-5	W
Tetrachloroethene	<25.0	ug/kg	60.0	25.0	1	12/12/12 11:32	12/12/12 18:45	127-18-4	W
Toluene	<25.0	ug/kg	60.0	25.0	1	12/12/12 11:32	12/12/12 18:45	108-88-3	W
1,2,3-Trichlorobenzene	<25.0	ug/kg	60.0	25.0	1	12/12/12 11:32	12/12/12 18:45	87-61-6	W
1,2,4-Trichlorobenzene	<25.0	ug/kg	60.0	25.0	1	12/12/12 11:32	12/12/12 18:45	120-82-1	W
1,1,1-Trichloroethane	<25.0	ug/kg	60.0	25.0	1	12/12/12 11:32	12/12/12 18:45	71-55-6	W
1,1,2-Trichloroethane	<25.0	ug/kg	60.0	25.0	1	12/12/12 11:32	12/12/12 18:45	79-00-5	W
Trichloroethene	<25.0	ug/kg	60.0	25.0	1	12/12/12 11:32	12/12/12 18:45	79-01-6	W
Trichlorofluoromethane	<25.0	ug/kg	60.0	25.0	1	12/12/12 11:32	12/12/12 18:45	75-69-4	W
1,2,3-Trichloropropane	<25.0	ug/kg	60.0	25.0	1	12/12/12 11:32	12/12/12 18:45	96-18-4	W
1,2,4-Trimethylbenzene	<25.0	ug/kg	60.0	25.0	1	12/12/12 11:32	12/12/12 18:45	95-63-6	W
1,3,5-Trimethylbenzene	<25.0	ug/kg	60.0	25.0	1	12/12/12 11:32	12/12/12 18:45	108-67-8	W
Vinyl chloride	<25.0	ug/kg	60.0	25.0	1	12/12/12 11:32	12/12/12 18:45	75-01-4	W
m&p-Xylene	<50.0	ug/kg	120	50.0	1	12/12/12 11:32	12/12/12 18:45	179601-23-1	W
o-Xylene	<25.0	ug/kg	60.0	25.0	1	12/12/12 11:32	12/12/12 18:45	95-47-6	W
<b>Surrogates</b>									
Dibromofluoromethane (S)	105 %		57-130		1	12/12/12 11:32	12/12/12 18:45	1868-53-7	
Toluene-d8 (S)	106 %		54-133		1	12/12/12 11:32	12/12/12 18:45	2037-26-5	
4-Bromofluorobenzene (S)	99 %		49-130		1	12/12/12 11:32	12/12/12 18:45	460-00-4	
<b>Percent Moisture</b>									
Analytical Method: ASTM D2974-87									
Percent Moisture	17.4 %		0.10	0.10	1		12/18/12 17:36		

## ANALYTICAL RESULTS

Project: RIL-2012-01 OHM GREEN BAY

Pace Project No.: 4071763

---

**Sample: B20 4-4.5**      **Lab ID: 4071763025**      Collected: 12/11/12 12:48      Received: 12/11/12 15:50      Matrix: Solid

*Results reported on a "dry-weight" basis*

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
<b>Percent Moisture</b>	Analytical Method: ASTM D2974-87								
Percent Moisture	<b>15.3</b>	%	0.10	0.10	1		12/18/12 17:36		
<b>Total Organic Carbon</b>	Analytical Method: EPA 9060 Modified								
<b>Surrogates</b>									
RPD%	<b>0.44</b>	%			1		12/21/12 10:22		
Total Organic Carbon	<b>1790</b>	mg/kg	1280	359	1		12/21/12 10:19	7440-44-0	
Total Organic Carbon	<b>1780</b>	mg/kg	1350	378	1		12/21/12 10:22	7440-44-0	
Mean Total Organic Carbon	<b>1790</b>	mg/kg	1320	369	1		12/21/12 10:22	7440-44-0	C4

## ANALYTICAL RESULTS

Project: RIL-2012-01 OHM GREEN BAY

Pace Project No.: 4071763

Sample: B21 2-3 Lab ID: 4071763026 Collected: 12/11/12 12:40 Received: 12/11/12 15:50 Matrix: Solid

Results reported on a "dry-weight" basis

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
<b>8260 MSV Med Level Normal List</b>									
Analytical Method: EPA 8260 Preparation Method: EPA 5035/5030B									
Benzene	<25.0	ug/kg	60.0	25.0	1	12/12/12 11:32	12/12/12 19:08	71-43-2	W
Bromobenzene	<25.0	ug/kg	60.0	25.0	1	12/12/12 11:32	12/12/12 19:08	108-86-1	W
Bromochloromethane	<25.0	ug/kg	60.0	25.0	1	12/12/12 11:32	12/12/12 19:08	74-97-5	W
Bromodichloromethane	<25.0	ug/kg	60.0	25.0	1	12/12/12 11:32	12/12/12 19:08	75-27-4	W
Bromoform	<25.9	ug/kg	60.0	25.9	1	12/12/12 11:32	12/12/12 19:08	75-25-2	W
Bromomethane	<25.0	ug/kg	60.0	25.0	1	12/12/12 11:32	12/12/12 19:08	74-83-9	W
n-Butylbenzene	<40.4	ug/kg	60.0	40.4	1	12/12/12 11:32	12/12/12 19:08	104-51-8	W
sec-Butylbenzene	<25.0	ug/kg	60.0	25.0	1	12/12/12 11:32	12/12/12 19:08	135-98-8	W
tert-Butylbenzene	<25.0	ug/kg	60.0	25.0	1	12/12/12 11:32	12/12/12 19:08	98-06-6	W
Carbon tetrachloride	<25.0	ug/kg	60.0	25.0	1	12/12/12 11:32	12/12/12 19:08	56-23-5	W
Chlorobenzene	<25.0	ug/kg	60.0	25.0	1	12/12/12 11:32	12/12/12 19:08	108-90-7	W
Chloroethane	<25.0	ug/kg	60.0	25.0	1	12/12/12 11:32	12/12/12 19:08	75-00-3	W
Chloroform	<25.0	ug/kg	60.0	25.0	1	12/12/12 11:32	12/12/12 19:08	67-66-3	W
Chloromethane	<25.0	ug/kg	60.0	25.0	1	12/12/12 11:32	12/12/12 19:08	74-87-3	W
2-Chlorotoluene	<25.0	ug/kg	60.0	25.0	1	12/12/12 11:32	12/12/12 19:08	95-49-8	W
4-Chlorotoluene	<25.0	ug/kg	60.0	25.0	1	12/12/12 11:32	12/12/12 19:08	106-43-4	W
1,2-Dibromo-3-chloropropane	<82.3	ug/kg	250	82.3	1	12/12/12 11:32	12/12/12 19:08	96-12-8	W
Dibromochloromethane	<25.0	ug/kg	60.0	25.0	1	12/12/12 11:32	12/12/12 19:08	124-48-1	W
1,2-Dibromoethane (EDB)	<25.0	ug/kg	60.0	25.0	1	12/12/12 11:32	12/12/12 19:08	106-93-4	W
Dibromomethane	<25.0	ug/kg	60.0	25.0	1	12/12/12 11:32	12/12/12 19:08	74-95-3	W
1,2-Dichlorobenzene	<44.4	ug/kg	60.0	44.4	1	12/12/12 11:32	12/12/12 19:08	95-50-1	W
1,3-Dichlorobenzene	<25.0	ug/kg	60.0	25.0	1	12/12/12 11:32	12/12/12 19:08	541-73-1	W
1,4-Dichlorobenzene	<25.0	ug/kg	60.0	25.0	1	12/12/12 11:32	12/12/12 19:08	106-46-7	W
Dichlorodifluoromethane	<25.0	ug/kg	60.0	25.0	1	12/12/12 11:32	12/12/12 19:08	75-71-8	W
1,1-Dichloroethane	<25.0	ug/kg	60.0	25.0	1	12/12/12 11:32	12/12/12 19:08	75-34-3	W
1,2-Dichloroethane	<25.0	ug/kg	60.0	25.0	1	12/12/12 11:32	12/12/12 19:08	107-06-2	W
1,1-Dichloroethene	<25.0	ug/kg	60.0	25.0	1	12/12/12 11:32	12/12/12 19:08	75-35-4	W
cis-1,2-Dichloroethene	<25.0	ug/kg	60.0	25.0	1	12/12/12 11:32	12/12/12 19:08	156-59-2	W
trans-1,2-Dichloroethene	<25.0	ug/kg	60.0	25.0	1	12/12/12 11:32	12/12/12 19:08	156-60-5	W
1,2-Dichloropropane	<25.0	ug/kg	60.0	25.0	1	12/12/12 11:32	12/12/12 19:08	78-87-5	W
1,3-Dichloropropane	<25.0	ug/kg	60.0	25.0	1	12/12/12 11:32	12/12/12 19:08	142-28-9	W
2,2-Dichloropropane	<25.0	ug/kg	60.0	25.0	1	12/12/12 11:32	12/12/12 19:08	594-20-7	W
1,1-Dichloropropene	<25.0	ug/kg	60.0	25.0	1	12/12/12 11:32	12/12/12 19:08	563-58-6	W
cis-1,3-Dichloropropene	<25.0	ug/kg	60.0	25.0	1	12/12/12 11:32	12/12/12 19:08	10061-01-5	W
trans-1,3-Dichloropropene	<25.0	ug/kg	60.0	25.0	1	12/12/12 11:32	12/12/12 19:08	10061-02-6	W
Diisopropyl ether	<25.0	ug/kg	60.0	25.0	1	12/12/12 11:32	12/12/12 19:08	108-20-3	W
Ethylbenzene	<25.0	ug/kg	60.0	25.0	1	12/12/12 11:32	12/12/12 19:08	100-41-4	W
Hexachloro-1,3-butadiene	<26.4	ug/kg	60.0	26.4	1	12/12/12 11:32	12/12/12 19:08	87-68-3	W
Isopropylbenzene (Cumene)	<25.0	ug/kg	60.0	25.0	1	12/12/12 11:32	12/12/12 19:08	98-82-8	W
p-Isopropyltoluene	<25.0	ug/kg	60.0	25.0	1	12/12/12 11:32	12/12/12 19:08	99-87-6	W
Methylene Chloride	<25.0	ug/kg	60.0	25.0	1	12/12/12 11:32	12/12/12 19:08	75-09-2	W
Methyl-tert-butyl ether	<25.0	ug/kg	60.0	25.0	1	12/12/12 11:32	12/12/12 19:08	1634-04-4	W
Naphthalene	<25.0	ug/kg	60.0	25.0	1	12/12/12 11:32	12/12/12 19:08	91-20-3	W
n-Propylbenzene	<25.0	ug/kg	60.0	25.0	1	12/12/12 11:32	12/12/12 19:08	103-65-1	W
Styrene	<25.0	ug/kg	60.0	25.0	1	12/12/12 11:32	12/12/12 19:08	100-42-5	W

## ANALYTICAL RESULTS

Project: RIL-2012-01 OHM GREEN BAY

Pace Project No.: 4071763

Sample: B21 2-3 Lab ID: 4071763026 Collected: 12/11/12 12:40 Received: 12/11/12 15:50 Matrix: Solid

Results reported on a "dry-weight" basis

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
<b>8260 MSV Med Level Normal List</b>		Analytical Method: EPA 8260 Preparation Method: EPA 5035/5030B							
1,1,1,2-Tetrachloroethane	<25.0	ug/kg	60.0	25.0	1	12/12/12 11:32	12/12/12 19:08	630-20-6	W
1,1,2,2-Tetrachloroethane	<25.0	ug/kg	60.0	25.0	1	12/12/12 11:32	12/12/12 19:08	79-34-5	W
Tetrachloroethene	<25.0	ug/kg	60.0	25.0	1	12/12/12 11:32	12/12/12 19:08	127-18-4	W
Toluene	<25.0	ug/kg	60.0	25.0	1	12/12/12 11:32	12/12/12 19:08	108-88-3	W
1,2,3-Trichlorobenzene	<25.0	ug/kg	60.0	25.0	1	12/12/12 11:32	12/12/12 19:08	87-61-6	W
1,2,4-Trichlorobenzene	<25.0	ug/kg	60.0	25.0	1	12/12/12 11:32	12/12/12 19:08	120-82-1	W
1,1,1-Trichloroethane	<25.0	ug/kg	60.0	25.0	1	12/12/12 11:32	12/12/12 19:08	71-55-6	W
1,1,2-Trichloroethane	<25.0	ug/kg	60.0	25.0	1	12/12/12 11:32	12/12/12 19:08	79-00-5	W
Trichloroethene	<25.0	ug/kg	60.0	25.0	1	12/12/12 11:32	12/12/12 19:08	79-01-6	W
Trichlorofluoromethane	<25.0	ug/kg	60.0	25.0	1	12/12/12 11:32	12/12/12 19:08	75-69-4	W
1,2,3-Trichloropropane	<25.0	ug/kg	60.0	25.0	1	12/12/12 11:32	12/12/12 19:08	96-18-4	W
1,2,4-Trimethylbenzene	<25.0	ug/kg	60.0	25.0	1	12/12/12 11:32	12/12/12 19:08	95-63-6	W
1,3,5-Trimethylbenzene	<25.0	ug/kg	60.0	25.0	1	12/12/12 11:32	12/12/12 19:08	108-67-8	W
Vinyl chloride	<25.0	ug/kg	60.0	25.0	1	12/12/12 11:32	12/12/12 19:08	75-01-4	W
m&p-Xylene	<50.0	ug/kg	120	50.0	1	12/12/12 11:32	12/12/12 19:08	179601-23-1	W
o-Xylene	<25.0	ug/kg	60.0	25.0	1	12/12/12 11:32	12/12/12 19:08	95-47-6	W
<b>Surrogates</b>									
Dibromofluoromethane (S)	121	%	57-130		1	12/12/12 11:32	12/12/12 19:08	1868-53-7	
Toluene-d8 (S)	116	%	54-133		1	12/12/12 11:32	12/12/12 19:08	2037-26-5	
4-Bromofluorobenzene (S)	111	%	49-130		1	12/12/12 11:32	12/12/12 19:08	460-00-4	
<b>Percent Moisture</b>		Analytical Method: ASTM D2974-87							
Percent Moisture	6.3	%	0.10	0.10	1		12/18/12 17:37		

## ANALYTICAL RESULTS

Project: RIL-2012-01 OHM GREEN BAY

Pace Project No.: 4071763

**Sample: B21 4-4.5**      **Lab ID: 4071763027**      Collected: 12/11/12 12:42      Received: 12/11/12 15:50      Matrix: Solid

*Results reported on a "dry-weight" basis*

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
<b>8260 MSV Med Level Normal List</b>									
Analytical Method: EPA 8260 Preparation Method: EPA 5035/5030B									
Benzene	<25.0	ug/kg	60.0	25.0	1	12/12/12 11:32	12/12/12 19:31	71-43-2	W
Bromobenzene	<25.0	ug/kg	60.0	25.0	1	12/12/12 11:32	12/12/12 19:31	108-86-1	W
Bromochloromethane	<25.0	ug/kg	60.0	25.0	1	12/12/12 11:32	12/12/12 19:31	74-97-5	W
Bromodichloromethane	<25.0	ug/kg	60.0	25.0	1	12/12/12 11:32	12/12/12 19:31	75-27-4	W
Bromoform	<25.9	ug/kg	60.0	25.9	1	12/12/12 11:32	12/12/12 19:31	75-25-2	W
Bromomethane	<25.0	ug/kg	60.0	25.0	1	12/12/12 11:32	12/12/12 19:31	74-83-9	W
n-Butylbenzene	<40.4	ug/kg	60.0	40.4	1	12/12/12 11:32	12/12/12 19:31	104-51-8	W
sec-Butylbenzene	<25.0	ug/kg	60.0	25.0	1	12/12/12 11:32	12/12/12 19:31	135-98-8	W
tert-Butylbenzene	<25.0	ug/kg	60.0	25.0	1	12/12/12 11:32	12/12/12 19:31	98-06-6	W
Carbon tetrachloride	<25.0	ug/kg	60.0	25.0	1	12/12/12 11:32	12/12/12 19:31	56-23-5	W
Chlorobenzene	<25.0	ug/kg	60.0	25.0	1	12/12/12 11:32	12/12/12 19:31	108-90-7	W
Chloroethane	<25.0	ug/kg	60.0	25.0	1	12/12/12 11:32	12/12/12 19:31	75-00-3	W
Chloroform	<25.0	ug/kg	60.0	25.0	1	12/12/12 11:32	12/12/12 19:31	67-66-3	W
Chloromethane	<25.0	ug/kg	60.0	25.0	1	12/12/12 11:32	12/12/12 19:31	74-87-3	W
2-Chlorotoluene	<25.0	ug/kg	60.0	25.0	1	12/12/12 11:32	12/12/12 19:31	95-49-8	W
4-Chlorotoluene	<25.0	ug/kg	60.0	25.0	1	12/12/12 11:32	12/12/12 19:31	106-43-4	W
1,2-Dibromo-3-chloropropane	<82.3	ug/kg	250	82.3	1	12/12/12 11:32	12/12/12 19:31	96-12-8	W
Dibromochloromethane	<25.0	ug/kg	60.0	25.0	1	12/12/12 11:32	12/12/12 19:31	124-48-1	W
1,2-Dibromoethane (EDB)	<25.0	ug/kg	60.0	25.0	1	12/12/12 11:32	12/12/12 19:31	106-93-4	W
Dibromomethane	<25.0	ug/kg	60.0	25.0	1	12/12/12 11:32	12/12/12 19:31	74-95-3	W
1,2-Dichlorobenzene	<44.4	ug/kg	60.0	44.4	1	12/12/12 11:32	12/12/12 19:31	95-50-1	W
1,3-Dichlorobenzene	<25.0	ug/kg	60.0	25.0	1	12/12/12 11:32	12/12/12 19:31	541-73-1	W
1,4-Dichlorobenzene	<25.0	ug/kg	60.0	25.0	1	12/12/12 11:32	12/12/12 19:31	106-46-7	W
Dichlorodifluoromethane	<25.0	ug/kg	60.0	25.0	1	12/12/12 11:32	12/12/12 19:31	75-71-8	W
1,1-Dichloroethane	<25.0	ug/kg	60.0	25.0	1	12/12/12 11:32	12/12/12 19:31	75-34-3	W
1,2-Dichloroethane	<25.0	ug/kg	60.0	25.0	1	12/12/12 11:32	12/12/12 19:31	107-06-2	W
1,1-Dichloroethene	<25.0	ug/kg	60.0	25.0	1	12/12/12 11:32	12/12/12 19:31	75-35-4	W
cis-1,2-Dichloroethene	<25.0	ug/kg	60.0	25.0	1	12/12/12 11:32	12/12/12 19:31	156-59-2	W
trans-1,2-Dichloroethene	<25.0	ug/kg	60.0	25.0	1	12/12/12 11:32	12/12/12 19:31	156-60-5	W
1,2-Dichloropropane	<25.0	ug/kg	60.0	25.0	1	12/12/12 11:32	12/12/12 19:31	78-87-5	W
1,3-Dichloropropane	<25.0	ug/kg	60.0	25.0	1	12/12/12 11:32	12/12/12 19:31	142-28-9	W
2,2-Dichloropropane	<25.0	ug/kg	60.0	25.0	1	12/12/12 11:32	12/12/12 19:31	594-20-7	W
1,1-Dichloropropene	<25.0	ug/kg	60.0	25.0	1	12/12/12 11:32	12/12/12 19:31	563-58-6	W
cis-1,3-Dichloropropene	<25.0	ug/kg	60.0	25.0	1	12/12/12 11:32	12/12/12 19:31	10061-01-5	W
trans-1,3-Dichloropropene	<25.0	ug/kg	60.0	25.0	1	12/12/12 11:32	12/12/12 19:31	10061-02-6	W
Diisopropyl ether	<25.0	ug/kg	60.0	25.0	1	12/12/12 11:32	12/12/12 19:31	108-20-3	W
Ethylbenzene	<25.0	ug/kg	60.0	25.0	1	12/12/12 11:32	12/12/12 19:31	100-41-4	W
Hexachloro-1,3-butadiene	<26.4	ug/kg	60.0	26.4	1	12/12/12 11:32	12/12/12 19:31	87-68-3	W
Isopropylbenzene (Cumene)	<25.0	ug/kg	60.0	25.0	1	12/12/12 11:32	12/12/12 19:31	98-82-8	W
p-Isopropyltoluene	<25.0	ug/kg	60.0	25.0	1	12/12/12 11:32	12/12/12 19:31	99-87-6	W
Methylene Chloride	<25.0	ug/kg	60.0	25.0	1	12/12/12 11:32	12/12/12 19:31	75-09-2	W
Methyl-tert-butyl ether	<25.0	ug/kg	60.0	25.0	1	12/12/12 11:32	12/12/12 19:31	1634-04-4	W
Naphthalene	<25.0	ug/kg	60.0	25.0	1	12/12/12 11:32	12/12/12 19:31	91-20-3	W
n-Propylbenzene	<25.0	ug/kg	60.0	25.0	1	12/12/12 11:32	12/12/12 19:31	103-65-1	W
Styrene	<25.0	ug/kg	60.0	25.0	1	12/12/12 11:32	12/12/12 19:31	100-42-5	W

### ANALYTICAL RESULTS

Project: RIL-2012-01 OHM GREEN BAY

Pace Project No.: 4071763

**Sample: B21 4-4.5**      **Lab ID: 4071763027**      Collected: 12/11/12 12:42      Received: 12/11/12 15:50      Matrix: Solid

*Results reported on a "dry-weight" basis*

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
<b>8260 MSV Med Level Normal List</b>									
Analytical Method: EPA 8260    Preparation Method: EPA 5035/5030B									
1,1,1,2-Tetrachloroethane	<25.0	ug/kg	60.0	25.0	1	12/12/12 11:32	12/12/12 19:31	630-20-6	W
1,1,2,2-Tetrachloroethane	<25.0	ug/kg	60.0	25.0	1	12/12/12 11:32	12/12/12 19:31	79-34-5	W
Tetrachloroethene	<25.0	ug/kg	60.0	25.0	1	12/12/12 11:32	12/12/12 19:31	127-18-4	W
Toluene	<25.0	ug/kg	60.0	25.0	1	12/12/12 11:32	12/12/12 19:31	108-88-3	W
1,2,3-Trichlorobenzene	<25.0	ug/kg	60.0	25.0	1	12/12/12 11:32	12/12/12 19:31	87-61-6	W
1,2,4-Trichlorobenzene	<25.0	ug/kg	60.0	25.0	1	12/12/12 11:32	12/12/12 19:31	120-82-1	W
1,1,1-Trichloroethane	<25.0	ug/kg	60.0	25.0	1	12/12/12 11:32	12/12/12 19:31	71-55-6	W
1,1,2-Trichloroethane	<25.0	ug/kg	60.0	25.0	1	12/12/12 11:32	12/12/12 19:31	79-00-5	W
Trichloroethene	<25.0	ug/kg	60.0	25.0	1	12/12/12 11:32	12/12/12 19:31	79-01-6	W
Trichlorofluoromethane	<25.0	ug/kg	60.0	25.0	1	12/12/12 11:32	12/12/12 19:31	75-69-4	W
1,2,3-Trichloropropane	<25.0	ug/kg	60.0	25.0	1	12/12/12 11:32	12/12/12 19:31	96-18-4	W
1,2,4-Trimethylbenzene	<25.0	ug/kg	60.0	25.0	1	12/12/12 11:32	12/12/12 19:31	95-63-6	W
1,3,5-Trimethylbenzene	<25.0	ug/kg	60.0	25.0	1	12/12/12 11:32	12/12/12 19:31	108-67-8	W
Vinyl chloride	<25.0	ug/kg	60.0	25.0	1	12/12/12 11:32	12/12/12 19:31	75-01-4	W
m&p-Xylene	<50.0	ug/kg	120	50.0	1	12/12/12 11:32	12/12/12 19:31	179601-23-1	W
o-Xylene	<25.0	ug/kg	60.0	25.0	1	12/12/12 11:32	12/12/12 19:31	95-47-6	W
<b>Surrogates</b>									
Dibromofluoromethane (S)	108 %		57-130		1	12/12/12 11:32	12/12/12 19:31	1868-53-7	
Toluene-d8 (S)	103 %		54-133		1	12/12/12 11:32	12/12/12 19:31	2037-26-5	
4-Bromofluorobenzene (S)	97 %		49-130		1	12/12/12 11:32	12/12/12 19:31	460-00-4	
<b>Percent Moisture</b>									
Analytical Method: ASTM D2974-87									
Percent Moisture	12.8 %		0.10	0.10	1		12/18/12 17:37		

### QUALITY CONTROL DATA

Project: RIL-2012-01 OHM GREEN BAY  
Pace Project No.: 4071763

QC Batch: MSV/18052 Analysis Method: EPA 8260  
QC Batch Method: EPA 5035/5030B Analysis Description: 8260 MSV Med Level Normal List  
Associated Lab Samples: 4071763016, 4071763017, 4071763018, 4071763019, 4071763020, 4071763021, 4071763022, 4071763023, 4071763024, 4071763026, 4071763027

METHOD BLANK: 726120 Matrix: Solid  
Associated Lab Samples: 4071763016, 4071763017, 4071763018, 4071763019, 4071763020, 4071763021, 4071763022, 4071763023, 4071763024, 4071763026, 4071763027

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
1,1,1,2-Tetrachloroethane	ug/kg	<25.0	60.0	12/12/12 11:04	
1,1,1-Trichloroethane	ug/kg	<25.0	60.0	12/12/12 11:04	
1,1,2,2-Tetrachloroethane	ug/kg	<25.0	60.0	12/12/12 11:04	
1,1,2-Trichloroethane	ug/kg	<25.0	60.0	12/12/12 11:04	
1,1-Dichloroethane	ug/kg	<25.0	60.0	12/12/12 11:04	
1,1-Dichloroethene	ug/kg	<25.0	60.0	12/12/12 11:04	
1,1-Dichloropropene	ug/kg	<25.0	60.0	12/12/12 11:04	
1,2,3-Trichlorobenzene	ug/kg	<25.0	60.0	12/12/12 11:04	
1,2,3-Trichloropropane	ug/kg	<25.0	60.0	12/12/12 11:04	
1,2,4-Trichlorobenzene	ug/kg	<25.0	60.0	12/12/12 11:04	
1,2,4-Trimethylbenzene	ug/kg	<25.0	60.0	12/12/12 11:04	
1,2-Dibromo-3-chloropropane	ug/kg	<82.3	250	12/12/12 11:04	
1,2-Dibromoethane (EDB)	ug/kg	<25.0	60.0	12/12/12 11:04	
1,2-Dichlorobenzene	ug/kg	<44.4	60.0	12/12/12 11:04	
1,2-Dichloroethane	ug/kg	<25.0	60.0	12/12/12 11:04	
1,2-Dichloropropane	ug/kg	<25.0	60.0	12/12/12 11:04	
1,3,5-Trimethylbenzene	ug/kg	<25.0	60.0	12/12/12 11:04	
1,3-Dichlorobenzene	ug/kg	<25.0	60.0	12/12/12 11:04	
1,3-Dichloropropane	ug/kg	<25.0	60.0	12/12/12 11:04	
1,4-Dichlorobenzene	ug/kg	<25.0	60.0	12/12/12 11:04	
2,2-Dichloropropane	ug/kg	<25.0	60.0	12/12/12 11:04	
2-Chlorotoluene	ug/kg	<25.0	60.0	12/12/12 11:04	
4-Chlorotoluene	ug/kg	<25.0	60.0	12/12/12 11:04	
Benzene	ug/kg	<25.0	60.0	12/12/12 11:04	
Bromobenzene	ug/kg	<25.0	60.0	12/12/12 11:04	
Bromochloromethane	ug/kg	<25.0	60.0	12/12/12 11:04	
Bromodichloromethane	ug/kg	<25.0	60.0	12/12/12 11:04	
Bromoform	ug/kg	<25.9	60.0	12/12/12 11:04	
Bromomethane	ug/kg	<25.0	60.0	12/12/12 11:04	
Carbon tetrachloride	ug/kg	<25.0	60.0	12/12/12 11:04	
Chlorobenzene	ug/kg	<25.0	60.0	12/12/12 11:04	
Chloroethane	ug/kg	<25.0	60.0	12/12/12 11:04	
Chloroform	ug/kg	<25.0	60.0	12/12/12 11:04	
Chloromethane	ug/kg	<25.0	60.0	12/12/12 11:04	
cis-1,2-Dichloroethene	ug/kg	<25.0	60.0	12/12/12 11:04	
cis-1,3-Dichloropropene	ug/kg	<25.0	60.0	12/12/12 11:04	
Dibromochloromethane	ug/kg	<25.0	60.0	12/12/12 11:04	
Dibromomethane	ug/kg	<25.0	60.0	12/12/12 11:04	
Dichlorodifluoromethane	ug/kg	<25.0	60.0	12/12/12 11:04	
Diisopropyl ether	ug/kg	<25.0	60.0	12/12/12 11:04	
Ethylbenzene	ug/kg	<25.0	60.0	12/12/12 11:04	



### QUALITY CONTROL DATA

Project: RIL-2012-01 OHM GREEN BAY

Pace Project No.: 4071763

METHOD BLANK: 726120

Matrix: Solid

Associated Lab Samples: 4071763016, 4071763017, 4071763018, 4071763019, 4071763020, 4071763021, 4071763022, 4071763023, 4071763024, 4071763026, 4071763027

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
Hexachloro-1,3-butadiene	ug/kg	<26.4	60.0	12/12/12 11:04	
Isopropylbenzene (Cumene)	ug/kg	<25.0	60.0	12/12/12 11:04	
m&p-Xylene	ug/kg	<50.0	120	12/12/12 11:04	
Methyl-tert-butyl ether	ug/kg	<25.0	60.0	12/12/12 11:04	
Methylene Chloride	ug/kg	<25.0	60.0	12/12/12 11:04	
n-Butylbenzene	ug/kg	<40.4	60.0	12/12/12 11:04	
n-Propylbenzene	ug/kg	<25.0	60.0	12/12/12 11:04	
Naphthalene	ug/kg	<25.0	60.0	12/12/12 11:04	
o-Xylene	ug/kg	<25.0	60.0	12/12/12 11:04	
p-Isopropyltoluene	ug/kg	<25.0	60.0	12/12/12 11:04	
sec-Butylbenzene	ug/kg	<25.0	60.0	12/12/12 11:04	
Styrene	ug/kg	<25.0	60.0	12/12/12 11:04	
tert-Butylbenzene	ug/kg	<25.0	60.0	12/12/12 11:04	
Tetrachloroethene	ug/kg	<25.0	60.0	12/12/12 11:04	
Toluene	ug/kg	<25.0	60.0	12/12/12 11:04	
trans-1,2-Dichloroethene	ug/kg	<25.0	60.0	12/12/12 11:04	
trans-1,3-Dichloropropene	ug/kg	<25.0	60.0	12/12/12 11:04	
Trichloroethene	ug/kg	<25.0	60.0	12/12/12 11:04	
Trichlorofluoromethane	ug/kg	<25.0	60.0	12/12/12 11:04	
Vinyl chloride	ug/kg	<25.0	60.0	12/12/12 11:04	
4-Bromofluorobenzene (S)	%	110	49-130	12/12/12 11:04	
Dibromofluoromethane (S)	%	111	57-130	12/12/12 11:04	
Toluene-d8 (S)	%	112	54-133	12/12/12 11:04	

LABORATORY CONTROL SAMPLE & LCSD: 726121

726122

Parameter	Units	Spike Conc.	LCS Result	LCSD Result	LCS % Rec	LCSD % Rec	% Rec Limits	RPD	Max RPD	Qualifiers
1,1,1-Trichloroethane	ug/kg	2500	2660	2630	106	105	70-130	1	20	
1,1,2,2-Tetrachloroethane	ug/kg	2500	2260	2180	90	87	70-130	4	20	
1,1,2-Trichloroethane	ug/kg	2500	2450	2430	98	97	70-130	1	20	
1,1-Dichloroethane	ug/kg	2500	2590	2510	103	101	70-130	3	20	
1,1-Dichloroethene	ug/kg	2500	2580	2480	103	99	64-130	4	20	
1,2,4-Trichlorobenzene	ug/kg	2500	2220	2230	89	89	68-130	0	20	
1,2-Dibromo-3-chloropropane	ug/kg	2500	2080	2150	83	86	50-150	4	20	
1,2-Dibromoethane (EDB)	ug/kg	2500	2540	2470	102	99	70-130	3	20	
1,2-Dichlorobenzene	ug/kg	2500	2270	2220	91	89	70-130	2	20	
1,2-Dichloroethane	ug/kg	2500	2530	2560	101	102	70-130	1	20	
1,2-Dichloropropane	ug/kg	2500	2640	2530	106	101	70-130	4	20	
1,3-Dichlorobenzene	ug/kg	2500	2290	2220	92	89	70-130	3	20	
1,4-Dichlorobenzene	ug/kg	2500	2350	2270	94	91	70-130	3	20	
Benzene	ug/kg	2500	2290	2280	92	91	70-130	0	20	
Bromodichloromethane	ug/kg	2500	2650	2610	106	105	70-130	1	20	
Bromoform	ug/kg	2500	2820	2680	113	107	63-130	5	20	
Bromomethane	ug/kg	2500	2640	2750	105	110	41-142	4	20	

Date: 12/24/2012 12:39 PM

### REPORT OF LABORATORY ANALYSIS

Page 58 of 68

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, Inc..

### QUALITY CONTROL DATA

Project: RIL-2012-01 OHM GREEN BAY

Pace Project No.: 4071763

LABORATORY CONTROL SAMPLE & LCSD:		726121	726122								
Parameter	Units	Spike Conc.	LCS Result	LCSD Result	LCS % Rec	LCSD % Rec	% Rec Limits	RPD	Max RPD	Qualifiers	
Carbon tetrachloride	ug/kg	2500	2630	2600	105	104	70-130	1	20		
Chlorobenzene	ug/kg	2500	2450	2400	98	96	70-130	2	20		
Chloroethane	ug/kg	2500	2530	2380	101	95	57-130	6	20		
Chloroform	ug/kg	2500	2700	2740	108	109	70-130	1	20		
Chloromethane	ug/kg	2500	1570	1540	63	62	57-130	2	20		
cis-1,2-Dichloroethene	ug/kg	2500	2400	2380	96	95	70-130	1	20		
cis-1,3-Dichloropropene	ug/kg	2500	2520	2440	101	98	70-130	3	20		
Dibromochloromethane	ug/kg	2500	2590	2500	103	100	70-130	3	20		
Dichlorodifluoromethane	ug/kg	2500	1610	1600	64	64	31-150	1	20		
Ethylbenzene	ug/kg	2500	2510	2440	101	98	65-137	3	20		
Isopropylbenzene (Cumene)	ug/kg	2500	2520	2460	101	98	70-130	2	20		
m&p-Xylene	ug/kg	5000	5150	4950	103	99	64-139	4	20		
Methyl-tert-butyl ether	ug/kg	2500	2550	2500	102	100	69-130	2	20		
Methylene Chloride	ug/kg	2500	2450	2390	98	95	70-130	3	20		
o-Xylene	ug/kg	2500	2490	2470	100	99	63-135	1	20		
Styrene	ug/kg	2500	2370	2320	95	93	69-130	2	20		
Tetrachloroethene	ug/kg	2500	2650	2500	106	100	70-130	6	20		
Toluene	ug/kg	2500	2500	2410	100	96	70-130	4	20		
trans-1,2-Dichloroethene	ug/kg	2500	2500	2480	100	99	70-130	1	20		
trans-1,3-Dichloropropene	ug/kg	2500	2610	2540	104	102	70-130	3	20		
Trichloroethene	ug/kg	2500	2720	2590	109	104	70-130	5	20		
Trichlorofluoromethane	ug/kg	2500	2960	2970	118	119	50-150	0	20		
Vinyl chloride	ug/kg	2500	1870	1830	75	73	57-130	2	20		
4-Bromofluorobenzene (S)	%				109	108	49-130				
Dibromofluoromethane (S)	%				108	108	57-130				
Toluene-d8 (S)	%				108	107	54-133				

### QUALITY CONTROL DATA

Project: RIL-2012-01 OHM GREEN BAY

Pace Project No.: 4071763

QC Batch: MSV/18054 Analysis Method: EPA 8260  
 QC Batch Method: EPA 5035/5030B Analysis Description: 8260 MSV Med Level Normal List  
 Associated Lab Samples: 4071763001, 4071763002, 4071763003, 4071763005, 4071763006, 4071763007, 4071763009, 4071763010,  
 4071763011, 4071763012, 4071763013, 4071763014, 4071763015

METHOD BLANK: 726137 Matrix: Solid  
 Associated Lab Samples: 4071763001, 4071763002, 4071763003, 4071763005, 4071763006, 4071763007, 4071763009, 4071763010,  
 4071763011, 4071763012, 4071763013, 4071763014, 4071763015

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
1,1,1,2-Tetrachloroethane	ug/kg	<25.0	60.0	12/12/12 10:06	
1,1,1-Trichloroethane	ug/kg	<25.0	60.0	12/12/12 10:06	
1,1,2,2-Tetrachloroethane	ug/kg	<25.0	60.0	12/12/12 10:06	
1,1,2-Trichloroethane	ug/kg	<25.0	60.0	12/12/12 10:06	
1,1-Dichloroethane	ug/kg	<25.0	60.0	12/12/12 10:06	
1,1-Dichloroethene	ug/kg	<25.0	60.0	12/12/12 10:06	
1,1-Dichloropropene	ug/kg	<25.0	60.0	12/12/12 10:06	
1,2,3-Trichlorobenzene	ug/kg	<25.0	60.0	12/12/12 10:06	
1,2,3-Trichloropropane	ug/kg	<25.0	60.0	12/12/12 10:06	
1,2,4-Trichlorobenzene	ug/kg	<25.0	60.0	12/12/12 10:06	
1,2,4-Trimethylbenzene	ug/kg	<25.0	60.0	12/12/12 10:06	
1,2-Dibromo-3-chloropropane	ug/kg	<82.3	250	12/12/12 10:06	
1,2-Dibromoethane (EDB)	ug/kg	<25.0	60.0	12/12/12 10:06	
1,2-Dichlorobenzene	ug/kg	<44.4	60.0	12/12/12 10:06	
1,2-Dichloroethane	ug/kg	<25.0	60.0	12/12/12 10:06	
1,2-Dichloropropane	ug/kg	<25.0	60.0	12/12/12 10:06	
1,3,5-Trimethylbenzene	ug/kg	<25.0	60.0	12/12/12 10:06	
1,3-Dichlorobenzene	ug/kg	<25.0	60.0	12/12/12 10:06	
1,3-Dichloropropane	ug/kg	<25.0	60.0	12/12/12 10:06	
1,4-Dichlorobenzene	ug/kg	<25.0	60.0	12/12/12 10:06	
2,2-Dichloropropane	ug/kg	<25.0	60.0	12/12/12 10:06	
2-Chlorotoluene	ug/kg	<25.0	60.0	12/12/12 10:06	
4-Chlorotoluene	ug/kg	<25.0	60.0	12/12/12 10:06	
Benzene	ug/kg	<25.0	60.0	12/12/12 10:06	
Bromobenzene	ug/kg	<25.0	60.0	12/12/12 10:06	
Bromochloromethane	ug/kg	<25.0	60.0	12/12/12 10:06	
Bromodichloromethane	ug/kg	<25.0	60.0	12/12/12 10:06	
Bromoform	ug/kg	<25.9	60.0	12/12/12 10:06	
Bromomethane	ug/kg	<25.0	60.0	12/12/12 10:06	
Carbon tetrachloride	ug/kg	<25.0	60.0	12/12/12 10:06	
Chlorobenzene	ug/kg	<25.0	60.0	12/12/12 10:06	
Chloroethane	ug/kg	<25.0	60.0	12/12/12 10:06	
Chloroform	ug/kg	<25.0	60.0	12/12/12 10:06	
Chloromethane	ug/kg	<25.0	60.0	12/12/12 10:06	
cis-1,2-Dichloroethene	ug/kg	<25.0	60.0	12/12/12 10:06	
cis-1,3-Dichloropropene	ug/kg	<25.0	60.0	12/12/12 10:06	
Dibromochloromethane	ug/kg	<25.0	60.0	12/12/12 10:06	
Dibromomethane	ug/kg	<25.0	60.0	12/12/12 10:06	
Dichlorodifluoromethane	ug/kg	<25.0	60.0	12/12/12 10:06	
Diisopropyl ether	ug/kg	<25.0	60.0	12/12/12 10:06	
Ethylbenzene	ug/kg	<25.0	60.0	12/12/12 10:06	

### QUALITY CONTROL DATA

Project: RIL-2012-01 OHM GREEN BAY

Project No.: 4071763

METHOD BLANK: 726137

Matrix: Solid

Associated Lab Samples: 4071763001, 4071763002, 4071763003, 4071763005, 4071763006, 4071763007, 4071763009, 4071763010, 4071763011, 4071763012, 4071763013, 4071763014, 4071763015

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
Hexachloro-1,3-butadiene	ug/kg	<26.4	60.0	12/12/12 10:06	
Isopropylbenzene (Cumene)	ug/kg	<25.0	60.0	12/12/12 10:06	
m&p-Xylene	ug/kg	<50.0	120	12/12/12 10:06	
Methyl-tert-butyl ether	ug/kg	<25.0	60.0	12/12/12 10:06	
Methylene Chloride	ug/kg	28.7J	60.0	12/12/12 10:06	
n-Butylbenzene	ug/kg	<40.4	60.0	12/12/12 10:06	
n-Propylbenzene	ug/kg	<25.0	60.0	12/12/12 10:06	
Naphthalene	ug/kg	<25.0	60.0	12/12/12 10:06	
o-Xylene	ug/kg	<25.0	60.0	12/12/12 10:06	
p-Isopropyltoluene	ug/kg	<25.0	60.0	12/12/12 10:06	
sec-Butylbenzene	ug/kg	<25.0	60.0	12/12/12 10:06	
Styrene	ug/kg	<25.0	60.0	12/12/12 10:06	
tert-Butylbenzene	ug/kg	<25.0	60.0	12/12/12 10:06	
Tetrachloroethene	ug/kg	<25.0	60.0	12/12/12 10:06	
Toluene	ug/kg	<25.0	60.0	12/12/12 10:06	
trans-1,2-Dichloroethene	ug/kg	<25.0	60.0	12/12/12 10:06	
trans-1,3-Dichloropropene	ug/kg	<25.0	60.0	12/12/12 10:06	
Trichloroethene	ug/kg	<25.0	60.0	12/12/12 10:06	
Trichlorofluoromethane	ug/kg	<25.0	60.0	12/12/12 10:06	
Vinyl chloride	ug/kg	<25.0	60.0	12/12/12 10:06	
4-Bromofluorobenzene (S)	%	103	49-130	12/12/12 10:06	
Dibromofluoromethane (S)	%	97	57-130	12/12/12 10:06	
Toluene-d8 (S)	%	110	54-133	12/12/12 10:06	

LABORATORY CONTROL SAMPLE & LCSD: 726138

726139

Parameter	Units	Spike Conc.	LCS Result	LCSD Result	LCS % Rec	LCSD % Rec	% Rec Limits	RPD	Max RPD	Qualifiers
1,1,1-Trichloroethane	ug/kg	2500	2310	2440	93	97	70-130	5	20	
1,1,2,2-Tetrachloroethane	ug/kg	2500	2580	2610	103	104	70-130	1	20	
1,1,2-Trichloroethane	ug/kg	2500	2500	2490	100	100	70-130	1	20	
1,1-Dichloroethane	ug/kg	2500	2760	3020	111	121	70-130	9	20	
1,1-Dichloroethene	ug/kg	2500	2600	2650	104	106	64-130	2	20	
1,2,4-Trichlorobenzene	ug/kg	2500	2550	2710	102	108	68-130	6	20	
1,2-Dibromo-3-chloropropane	ug/kg	2500	2410	2430	96	97	50-150	1	20	
1,2-Dibromoethane (EDB)	ug/kg	2500	2630	2660	105	106	70-130	1	20	
1,2-Dichlorobenzene	ug/kg	2500	2640	2690	106	108	70-130	2	20	
1,2-Dichloroethane	ug/kg	2500	2610	2690	105	107	70-130	3	20	
1,2-Dichloropropane	ug/kg	2500	2460	2550	98	102	70-130	4	20	
1,3-Dichlorobenzene	ug/kg	2500	2550	2710	102	109	70-130	6	20	
1,4-Dichlorobenzene	ug/kg	2500	2620	2730	105	109	70-130	4	20	
Benzene	ug/kg	2500	2310	2510	93	100	70-130	8	20	
Bromodichloromethane	ug/kg	2500	2430	2410	97	96	70-130	1	20	
Bromoform	ug/kg	2500	2050	2080	82	83	63-130	2	20	
Bromomethane	ug/kg	2500	3320	3430	133	137	41-142	3	20	

Date: 12/24/2012 12:39 PM

### REPORT OF LABORATORY ANALYSIS

Page 61 of 68

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, Inc..

### QUALITY CONTROL DATA

Project: RIL-2012-01 OHM GREEN BAY

Pace Project No.: 4071763

LABORATORY CONTROL SAMPLE & LCSD:		726138	726139		LCS	LCSD	% Rec		Max	
Parameter	Units	Spike Conc.	LCS Result	LCSD Result	% Rec	% Rec	% Rec Limits	RPD	RPD	Qualifiers
Carbon tetrachloride	ug/kg	2500	2360	2400	95	96	70-130	2	20	
Chlorobenzene	ug/kg	2500	2590	2650	104	106	70-130	2	20	
Chloroethane	ug/kg	2500	3290	3490	131	140	57-130	6	20	L0
Chloroform	ug/kg	2500	2500	2570	100	103	70-130	3	20	
Chloromethane	ug/kg	2500	2150	2280	86	91	57-130	6	20	
cis-1,2-Dichloroethene	ug/kg	2500	2370	2460	95	98	70-130	4	20	
cis-1,3-Dichloropropene	ug/kg	2500	2270	2280	91	91	70-130	1	20	
Dibromochloromethane	ug/kg	2500	2390	2430	96	97	70-130	1	20	
Dichlorodifluoromethane	ug/kg	2500	1760	1840	70	74	31-150	4	20	
Ethylbenzene	ug/kg	2500	2550	2640	102	106	65-137	4	20	
Isopropylbenzene (Cumene)	ug/kg	2500	2610	2660	104	106	70-130	2	20	
m&p-Xylene	ug/kg	5000	5250	5400	105	108	64-139	3	20	
Methyl-tert-butyl ether	ug/kg	2500	2650	2790	106	112	69-130	5	20	
Methylene Chloride	ug/kg	2500	2760	2920	110	117	70-130	6	20	
o-Xylene	ug/kg	2500	2610	2640	104	106	63-135	1	20	
Styrene	ug/kg	2500	2480	2450	99	98	69-130	1	20	
Tetrachloroethene	ug/kg	2500	2580	2590	103	104	70-130	1	20	
Toluene	ug/kg	2500	2490	2550	99	102	70-130	2	20	
trans-1,2-Dichloroethene	ug/kg	2500	2660	2740	107	110	70-130	3	20	
trans-1,3-Dichloropropene	ug/kg	2500	2500	2550	100	102	70-130	2	20	
Trichloroethene	ug/kg	2500	2460	2600	98	104	70-130	6	20	
Trichlorofluoromethane	ug/kg	2500	2710	2810	108	113	50-150	4	20	
Vinyl chloride	ug/kg	2500	2220	2340	89	94	57-130	5	20	
4-Bromofluorobenzene (S)	%				102	108	49-130			
Dibromofluoromethane (S)	%				101	105	57-130			
Toluene-d8 (S)	%				107	110	54-133			

**QUALITY CONTROL DATA**

Project: RIL-2012-01 OHM GREEN BAY

Pace Project No.: 4071763

---

QC Batch:	PMST/8055	Analysis Method:	ASTM D2974-87
QC Batch Method:	ASTM D2974-87	Analysis Description:	Dry Weight/Percent Moisture
Associated Lab Samples:	4071763001, 4071763002, 4071763003, 4071763004, 4071763005, 4071763006, 4071763007, 4071763008, 4071763009, 4071763010, 4071763011, 4071763012, 4071763013, 4071763014, 4071763015, 4071763016, 4071763017, 4071763018, 4071763019		

---

SAMPLE DUPLICATE: 728964

Parameter	Units	4072034001 Result	Dup Result	RPD	Max RPD	Qualifiers
Percent Moisture	%	7.7	7.7	1	10	

**QUALITY CONTROL DATA**

Project: RIL-2012-01 OHM GREEN BAY  
Pace Project No.: 4071763

---

QC Batch: PMST/8056 Analysis Method: ASTM D2974-87  
QC Batch Method: ASTM D2974-87 Analysis Description: Dry Weight/Percent Moisture  
Associated Lab Samples: 4071763020, 4071763021, 4071763022, 4071763023, 4071763024, 4071763025, 4071763026, 4071763027

---

SAMPLE DUPLICATE: 729056

Parameter	Units	4071967025 Result	Dup Result	RPD	Max RPD	Qualifiers
Percent Moisture	%	13.9	13.4	4	10	

**QUALITY CONTROL DATA**

Project: RIL-2012-01 OHM GREEN BAY  
Pace Project No.: 4071763

QC Batch: WETA/15599 Analysis Method: EPA 9060 Modified  
QC Batch Method: EPA 9060 Modified Analysis Description: 9060 TOC Average  
Associated Lab Samples: 4071763004, 4071763008, 4071763018, 4071763025

METHOD BLANK: 728478 Matrix: Solid  
Associated Lab Samples: 4071763004, 4071763008, 4071763018, 4071763025

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
Mean Total Organic Carbon	mg/kg	<70.0	250	12/21/12 09:04	

LABORATORY CONTROL SAMPLE: 728479

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Mean Total Organic Carbon	mg/kg	1000	983	98	80-120	

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 728480 728481

Parameter	Units	728480		728481		MS % Rec	MSD % Rec	% Rec Limits	RPD	Max RPD	Qual
		4071763008 Result	MS Spike Conc.	MSD Spike Conc.	MS Result						
Mean Total Organic Carbon	mg/kg	4240	4830	4600	9120	8820	101	100	50-150	3	30



## QUALIFIERS

Project: RIL-2012-01 OHM GREEN BAY  
Pace Project No.: 4071763

---

### DEFINITIONS

DF - Dilution Factor, if reported, represents the factor applied to the reported data due to changes in sample preparation, dilution of the sample aliquot, or moisture content.

ND - Not Detected at or above adjusted reporting limit.

J - Estimated concentration above the adjusted method detection limit and below the adjusted reporting limit.

MDL - Adjusted Method Detection Limit.

PRL - Pace Reporting Limit.

RL - Reporting Limit.

S - Surrogate

1,2-Diphenylhydrazine (8270 listed analyte) decomposes to Azobenzene.

Consistent with EPA guidelines, unrounded data are displayed and have been used to calculate % recovery and RPD values.

LCS(D) - Laboratory Control Sample (Duplicate)

MS(D) - Matrix Spike (Duplicate)

DUP - Sample Duplicate

RPD - Relative Percent Difference

NC - Not Calculable.

SG - Silica Gel - Clean-Up

U - Indicates the compound was analyzed for, but not detected.

N-Nitrosodiphenylamine decomposes and cannot be separated from Diphenylamine using Method 8270. The result reported for each analyte is a combined concentration.

Pace Analytical is TNI accredited. Contact your Pace PM for the current list of accredited analytes.

TNI - The NELAC Institute.

### LABORATORIES

PASI-G Pace Analytical Services - Green Bay

### BATCH QUALIFIERS

Batch: MSV/18053

[1] A matrix spike duplicate was not performed for this batch due to insufficient sample volume.

Batch: MSV/18055

[M5] A matrix spike/matrix spike duplicate was not performed for this batch due to insufficient sample volume.

Batch: WETA/15599

[WB] Results reported on dry weight basis per cited method.

Batch: WETA/15600

[WB] Results reported on dry weight basis per cited method.

### ANALYTE QUALIFIERS

1q Sample was received with vial septa reversed, preventing an airtight seal. Analytical results should be considered minimum values.

B Analyte was detected in the associated method blank.

C4 Sample container did not meet EPA or method requirements.

L0 Analyte recovery in the laboratory control sample (LCS) was outside QC limits.

L3 Analyte recovery in the laboratory control sample (LCS) exceeded QC limits. Analyte presence below reporting limits in associated samples. Results unaffected by high bias.

W Non-detect results are reported on a wet weight basis.

### QUALITY CONTROL DATA CROSS REFERENCE TABLE

Project: RIL-2012-01 OHM GREEN BAY  
Pace Project No.: 4071763

Lab ID	Sample ID	QC Batch Method	QC Batch	Analytical Method	Analytical Batch
4071763001	B10 2-3	EPA 5035/5030B	MSV/18054	EPA 8260	MSV/18055
4071763002	B10 3-4	EPA 5035/5030B	MSV/18054	EPA 8260	MSV/18055
4071763003	B11 2-3	EPA 5035/5030B	MSV/18054	EPA 8260	MSV/18055
4071763005	B11 5-6	EPA 5035/5030B	MSV/18054	EPA 8260	MSV/18055
4071763006	B12 2-3	EPA 5035/5030B	MSV/18054	EPA 8260	MSV/18055
4071763007	B12 4-5	EPA 5035/5030B	MSV/18054	EPA 8260	MSV/18055
4071763009	B13 2-3	EPA 5035/5030B	MSV/18054	EPA 8260	MSV/18055
4071763010	B13 4-5	EPA 5035/5030B	MSV/18054	EPA 8260	MSV/18055
4071763011	B14 2-3	EPA 5035/5030B	MSV/18054	EPA 8260	MSV/18055
4071763012	B14 4-5	EPA 5035/5030B	MSV/18054	EPA 8260	MSV/18055
4071763013	B15 2-3	EPA 5035/5030B	MSV/18054	EPA 8260	MSV/18055
4071763014	B15 5-6	EPA 5035/5030B	MSV/18054	EPA 8260	MSV/18055
4071763015	B16 2-3	EPA 5035/5030B	MSV/18054	EPA 8260	MSV/18055
4071763016	B16 4-4.5	EPA 5035/5030B	MSV/18052	EPA 8260	MSV/18053
4071763017	B17 1-2	EPA 5035/5030B	MSV/18052	EPA 8260	MSV/18053
4071763018	B17 2.5-3.5	EPA 5035/5030B	MSV/18052	EPA 8260	MSV/18053
4071763019	B18 2-3	EPA 5035/5030B	MSV/18052	EPA 8260	MSV/18053
4071763020	B18 3-4	EPA 5035/5030B	MSV/18052	EPA 8260	MSV/18053
4071763021	B19 2-3	EPA 5035/5030B	MSV/18052	EPA 8260	MSV/18053
4071763022	B19 4-4.75	EPA 5035/5030B	MSV/18052	EPA 8260	MSV/18053
4071763023	B20 1.5-2.5	EPA 5035/5030B	MSV/18052	EPA 8260	MSV/18053
4071763024	B20 4-5	EPA 5035/5030B	MSV/18052	EPA 8260	MSV/18053
4071763026	B21 2-3	EPA 5035/5030B	MSV/18052	EPA 8260	MSV/18053
4071763027	B21 4-4.5	EPA 5035/5030B	MSV/18052	EPA 8260	MSV/18053
4071763001	B10 2-3	ASTM D2974-87	PMST/8055		
4071763002	B10 3-4	ASTM D2974-87	PMST/8055		
4071763003	B11 2-3	ASTM D2974-87	PMST/8055		
4071763004	B11 3-4	ASTM D2974-87	PMST/8055		
4071763005	B11 5-6	ASTM D2974-87	PMST/8055		
4071763006	B12 2-3	ASTM D2974-87	PMST/8055		
4071763007	B12 4-5	ASTM D2974-87	PMST/8055		
4071763008	B12 3.5-4	ASTM D2974-87	PMST/8055		
4071763009	B13 2-3	ASTM D2974-87	PMST/8055		
4071763010	B13 4-5	ASTM D2974-87	PMST/8055		
4071763011	B14 2-3	ASTM D2974-87	PMST/8055		
4071763012	B14 4-5	ASTM D2974-87	PMST/8055		
4071763013	B15 2-3	ASTM D2974-87	PMST/8055		
4071763014	B15 5-6	ASTM D2974-87	PMST/8055		
4071763015	B16 2-3	ASTM D2974-87	PMST/8055		
4071763016	B16 4-4.5	ASTM D2974-87	PMST/8055		
4071763017	B17 1-2	ASTM D2974-87	PMST/8055		
4071763018	B17 2.5-3.5	ASTM D2974-87	PMST/8055		
4071763019	B18 2-3	ASTM D2974-87	PMST/8055		
4071763020	B18 3-4	ASTM D2974-87	PMST/8056		
4071763021	B19 2-3	ASTM D2974-87	PMST/8056		
4071763022	B19 4-4.75	ASTM D2974-87	PMST/8056		
4071763023	B20 1.5-2.5	ASTM D2974-87	PMST/8056		

### QUALITY CONTROL DATA CROSS REFERENCE TABLE

Project: RIL-2012-01 OHM GREEN BAY

Pace Project No.: 4071763

Lab ID	Sample ID	QC Batch Method	QC Batch	Analytical Method	Analytical Batch
4071763024	B20 4-5	ASTM D2974-87	PMST/8056		
4071763025	B20 4-4.5	ASTM D2974-87	PMST/8056		
4071763026	B21 2-3	ASTM D2974-87	PMST/8056		
4071763027	B21 4-4.5	ASTM D2974-87	PMST/8056		
4071763004	B11 3-4	EPA 9060 Modified	WETA/15599		
4071763004	B11 3-4	EPA 9060 Modified	WETA/15600		
4071763008	B12 3.5-4	EPA 9060 Modified	WETA/15599		
4071763008	B12 3.5-4	EPA 9060 Modified	WETA/15600		
4071763018	B17 2.5-3.5	EPA 9060 Modified	WETA/15599		
4071763018	B17 2.5-3.5	EPA 9060 Modified	WETA/15600		
4071763025	B20 4-4.5	EPA 9060 Modified	WETA/15599		
4071763025	B20 4-4.5	EPA 9060 Modified	WETA/15600		

(Please Print Clearly)



# CHAIN OF CUSTODY

A=None B=HCL C=H2SO4 D=Preservation Codes  
 H=Sodium Bisulfate Solution I=Sodium Thiosulfate E=DI Water F=Methanol G=NaOH  
 J=Other

UPPER MIDWEST REGION  
 MN: 612-607-1700 WI: 920-469-2436

Company Name: APHA TERA SCIENCES  
 Branch/Location: PLY  
 Project Contact: KEVIN EBBOTT  
 Phone: 920-892-2444  
 Project Number: RIC-2012-01  
 Project Name: OHM GREEN BAY  
 Project State: WI  
 Sampled By (Print): ALEXANDR THURSEN  
 Sampled By (Sign): [Signature]  
 PO #: \_\_\_\_\_  
 Regulatory Program: \_\_\_\_\_

PAGE LAB #	CLIENT FIELD ID	COLLECTION DATE	TIME	MATRIX	Analyses Requested	
					V/N	Pick Letter
001	B10 2-3	12/11	910	S	X	VOL
002	B-10 3-4		913		X	TOL
003	B11 2-3		0945		X	
004	B11 3-4		0950		X	
005	B11 5-6		1000		X	
006	B12 2-3		1050		X	
007	B12 4-5		1055		X	
008	B12 3.5-4		1051		X	
009	B13 2-3		1045		X	
010	B13 4-5		1047		X	
011	B14 2-3		1010		X	
012	B14 4-5		1013		X	
013	B15 2-3		1025		X	

Rush Turnaround Time Requested - Prelims  
 (Rush TAT subject to approval/surcharge)  
 Date Needed: \_\_\_\_\_  
 Rushed By: [Signature] Date/Time: 12/12 1530  
 Received By: [Signature] Date/Time: 12/12 1550

Transmittal Prelim Rush Results by (complete what you want):  
 Email #1: \_\_\_\_\_ Date/Time: \_\_\_\_\_  
 Email #2: \_\_\_\_\_ Date/Time: \_\_\_\_\_  
 Telephone: \_\_\_\_\_ Date/Time: \_\_\_\_\_  
 Fax: \_\_\_\_\_ Date/Time: \_\_\_\_\_

Samples on HOLD are subject to special pricing and release of liability

Quote #: \_\_\_\_\_  
 Mail To Contact: \_\_\_\_\_  
 Mail To Company: \_\_\_\_\_  
 Mail To Address: \_\_\_\_\_  
 Invoice To Contact: \_\_\_\_\_  
 Invoice To Company: \_\_\_\_\_  
 Invoice To Address: \_\_\_\_\_  
 Invoice To Phone: \_\_\_\_\_  
 CLIENT COMMENTS: \_\_\_\_\_  
 LAB COMMENTS (Lab Use Only): \_\_\_\_\_  
 Profile #: \_\_\_\_\_

PACE Project No. 4071763  
 Receipt Temp = 20 °C  
 Sample Receipt pH OK / Adjusted  
 Cooler Custody Seal Present / Not Present  
 Intact / Not Intact

(Please Print Clearly)



www.pacelabs.com

UPPER MIDWEST REGION  
MN: 612-607-1700 WI: 920-469-2436

# CHAIN OF CUSTODY

**Preservation Codes**  
 A=None B=HCL C=H2SO4 D=HNO3 E=DI Water F=Methanol G=NaOH  
 H=Sodium Disulfate Solution I=Sodium Thiosulfate J=Other

Y/N	Pick Letter	ANALYSES REQUESTED
✓	F	VOC
✓	A	TOC

Company Name: APP4 Tenny Services  
 Branch/Location: \_\_\_\_\_  
 Project Contact: \_\_\_\_\_  
 Phone: \_\_\_\_\_  
 Project Number: RUC-2012-01  
 Project Name: \_\_\_\_\_  
 Project State: \_\_\_\_\_  
 Sampled By (Print): \_\_\_\_\_  
 Sampled By (Sign): \_\_\_\_\_  
 PO #: \_\_\_\_\_

**Data Package Options**  
 EPA Level III  
 EPA Level IV

**MS/MSD**  
 On your sample (billable)  
 NOT needed on your sample

**Matrix Codes**  
 A = Air W = Water  
 B = Biota DW = Drinking Water  
 C = Charcoal GW = Ground Water  
 O = Oil SW = Surface Water  
 S = Soil WW = Waste Water  
 Sl = Sludge WP = Waste

PAGE LAB #	CLIENT FIELD ID	DATE	TIME	COLLECTION	MATRIX	ANALYSES REQUESTED		CLIENT COMMENTS	LAB COMMENTS (Lab Use Only)	Profile #
						Y/N	Pick Letter			
014	B15 5-6	12/17	1030		S	✓				
015	B16 2-3				(200)	✓				
016	B16 4-4.5				(202)	✓				
017	B17 1-2				(219)	✓				
018	B17 2.5-3.5				(220)	✓				
019	B18 2-3				(305)	✓				
020	B18 3-4				(306)	✓				
021	B19 2-3				(255)	✓				
022	B19 4-4.75				(258)	✓				
023	B20 1.5-2.5				(245)	✓				
024	B20 4-8				(248)	✓				
025	B20 4-4.5				(248)	✓				
026	B21 2-3				(240)	✓				

Rush Turnaround Time Requested - Prelims  
 (Rush TAT subject to approval/surcharge)  
 Date Needed: \_\_\_\_\_

Transmit Prelim Rush Results By (complete what you want):  
 Email #1: \_\_\_\_\_  
 Email #2: \_\_\_\_\_  
 Telephone: \_\_\_\_\_  
 Fax: \_\_\_\_\_

Relinquished By: \_\_\_\_\_ Date/Time: \_\_\_\_\_  
 Relinquished By: \_\_\_\_\_ Date/Time: \_\_\_\_\_  
 Relinquished By: \_\_\_\_\_ Date/Time: \_\_\_\_\_

Received By: [Signature] Date/Time: 12/17/12 1550  
 Received By: \_\_\_\_\_ Date/Time: \_\_\_\_\_  
 Received By: \_\_\_\_\_ Date/Time: \_\_\_\_\_

Quote #: \_\_\_\_\_  
 Mail To Contact: \_\_\_\_\_  
 Mail To Company: \_\_\_\_\_  
 Mail To Address: \_\_\_\_\_  
 Invoice To Contact: \_\_\_\_\_  
 Invoice To Company: \_\_\_\_\_  
 Invoice To Address: \_\_\_\_\_  
 Invoice To Phone: \_\_\_\_\_  
 CLIENT COMMENTS: \_\_\_\_\_  
 LAB COMMENTS (Lab Use Only): 1-402p B 1-40 ml. C  
 Profile #: \_\_\_\_\_

Receipt Temp = 701 °C  
 Sample Receipt pH: \_\_\_\_\_  
 Cooler Custody Seal: \_\_\_\_\_  
 Present / Not Present: \_\_\_\_\_  
 Intact / Not Intact: \_\_\_\_\_





**Sample Condition Upon Receipt**

Client Name: Alpha Terra Project # 4671763

Courier:  Fed Ex  UPS  USPS  Client  Commercial  Pace Other \_\_\_\_\_

Tracking #: \_\_\_\_\_

Custody Seal on Cooler/Box Present:  yes  no Seals intact:  yes  no

Custody Seal on Samples Present:  yes  no Seals intact:  yes  no

Packing Material:  Bubble Wrap  Bubble Bags  None Other \_\_\_\_\_

Thermometer Used NA

Type of Ice:  Wet  Blue  Dry  None  Samples on ice, cooling process has begun.

Cooler Temperature ROI

Biological Tissue is Frozen:  yes  no

Temp Blank Present:  yes  no

Temp should be above freezing to 6°C for all sample except Biota.  
Biota Samples should be received ≤ 0°C.

Optional:  
Proj. Due Date  
Proj. Name

Person examining contents:  
Date: 12/11/12  
Initials: MA

Comments:

Chain of Custody Present:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	1.
Chain of Custody Filled Out:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	2.
Chain of Custody Relinquished:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	3.
Sampler Name & Signature on COC:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	4.
Samples Arrived within Hold Time:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	5.
Short Hold Time Analysis (<72hr):	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A	6.
Rush Turn Around Time Requested:	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A	7.
Sufficient Volume:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	8.
Correct Containers Used:	<input checked="" type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A	9. received 4ozp <sup>A</sup> for TOC. 12-11-12 BF
-Pace Containers Used:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	
Containers Intact:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	10.
Filtered volume received for Dissolved tests	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	11.
Sample Labels match COC:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	12.
-Includes date/time/ID/Analysis Matrix: <u>S</u>		
All containers needing preservation have been checked.	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	13.
All containers needing preservation are found to be in compliance with EPA recommendation.	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	
exceptions: VOA, coliform, TOC, O&G, WI-DRO (water)	<input type="checkbox"/> Yes <input type="checkbox"/> No	Initial when completed
		Lot # of added preservative
Samples checked for dechlorination:	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	14.
Headspace in VOA Vials (>6mm):	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	15.
Trip Blank Present:	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	16.
Trip Blank Custody Seals Present	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	
Pace Trip Blank Lot # (if purchased):		

Field Data Required? Y / N

**Client Notification/ Resolution:**

Person Contacted: \_\_\_\_\_ Date/Time: \_\_\_\_\_

Comments/ Resolution: CO3 + 014 vials have flipped septas. 12-11-12 BF  
tare weights on vials covered by client. 12-11-12 BF

Project Manager Review: \_\_\_\_\_

MA

Date: 12/12/12

Note: Whenever there is a discrepancy affecting North Carolina compliance samples, a copy of this form will be sent to the North Carolina DEHNR Certification Office (i.e. out of hold, incorrect preservative, out of temp, incorrect containers)

December 19, 2012

Ken Ebbott  
Alpha Terra Science - Plymouth  
1237 South Pilgrim Rd  
Plymouth, WI 53073

RE: Project: RIC-2012-01 OHM GREEN BAY  
Pace Project No.: 4071959

Dear Ken Ebbott:

Enclosed are the analytical results for sample(s) received by the laboratory on December 14, 2012. The results relate only to the samples included in this report. Results reported herein conform to the most current TNI standards and the laboratory's Quality Assurance Manual, where applicable, unless otherwise noted in the body of the report.

If you have any questions concerning this report, please feel free to contact me.

Sincerely,



Kang Khang

kang.khang@pacelabs.com  
Project Manager

Enclosures



## REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, Inc..



## CERTIFICATIONS

Project: RIC-2012-01 OHM GREEN BAY

Pace Project No.: 4071959

---

### Green Bay Certification IDs

1241 Bellevue Street, Green Bay, WI 54302

Florida/NELAP Certification #: E87948

Illinois Certification #: 200050

Kentucky Certification #: 82

Louisiana Certification #: 04168

Minnesota Certification #: 055-999-334

New York Certification #: 11888

North Carolina Certification #: 503

North Dakota Certification #: R-150

South Carolina Certification #: 83006001

US Dept of Agriculture #: S-76505

Wisconsin Certification #: 405132750

---

## SAMPLE SUMMARY

Project: RIC-2012-01 OHM GREEN BAY

Pace Project No.: 4071959

Lab ID	Sample ID	Matrix	Date Collected	Date Received
4071959001	MW-1	Water	12/12/12 12:50	12/14/12 14:55
4071959002	PZ-1	Water	12/12/12 12:40	12/14/12 14:55
4071959003	MW-2	Water	12/12/12 12:55	12/14/12 14:55
4071959004	MW-3	Water	12/12/12 13:45	12/14/12 14:55
4071959005	MW-4	Water	12/12/12 13:35	12/14/12 14:55
4071959006	MW-5	Water	12/12/12 13:25	12/14/12 14:55
4071959007	MW-6	Water	12/12/12 13:20	12/14/12 14:55
4071959008	MW-7	Water	12/12/12 13:05	12/14/12 14:55
4071959009	MW-8	Water	12/12/12 12:25	12/14/12 14:55
4071959010	MW-9	Water	12/12/12 13:10	12/14/12 14:55

## REPORT OF LABORATORY ANALYSIS

### SAMPLE ANALYTE COUNT

Project: RIC-2012-01 OHM GREEN BAY

Pace Project No.: 4071959

Lab ID	Sample ID	Method	Analysts	Analytes Reported	Laboratory
4071959001	MW-1	EPA 8260	SMT	64	PASI-G
4071959002	PZ-1	EPA 8260	SMT	64	PASI-G
4071959003	MW-2	EPA 8260	SMT	64	PASI-G
4071959004	MW-3	EPA 8260	SMT	64	PASI-G
4071959005	MW-4	EPA 8260	SMT	64	PASI-G
4071959006	MW-5	EPA 8260	SMT	64	PASI-G
4071959007	MW-6	EPA 8260	SMT	64	PASI-G
4071959008	MW-7	EPA 8260	SMT	64	PASI-G
4071959009	MW-8	EPA 8260	SMT	64	PASI-G
4071959010	MW-9	EPA 8260	SMT	64	PASI-G

### REPORT OF LABORATORY ANALYSIS

## ANALYTICAL RESULTS

Project: RIC-2012-01 OHM GREEN BAY

Pace Project No.: 4071959

**Sample: MW-1**      **Lab ID: 4071959001**      Collected: 12/12/12 12:50      Received: 12/14/12 14:55      Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
<b>8260 MSV</b>		Analytical Method: EPA 8260							
Benzene	<0.41	ug/L	1.0	0.41	1		12/18/12 21:23	71-43-2	
Bromobenzene	<0.82	ug/L	1.0	0.82	1		12/18/12 21:23	108-86-1	
Bromochloromethane	<0.97	ug/L	1.0	0.97	1		12/18/12 21:23	74-97-5	
Bromodichloromethane	<0.56	ug/L	1.0	0.56	1		12/18/12 21:23	75-27-4	
Bromoform	<0.94	ug/L	1.0	0.94	1		12/18/12 21:23	75-25-2	
Bromomethane	<0.91	ug/L	1.0	0.91	1		12/18/12 21:23	74-83-9	
n-Butylbenzene	<0.93	ug/L	1.0	0.93	1		12/18/12 21:23	104-51-8	
sec-Butylbenzene	<0.89	ug/L	5.0	0.89	1		12/18/12 21:23	135-98-8	
tert-Butylbenzene	<0.97	ug/L	1.0	0.97	1		12/18/12 21:23	98-06-6	
Carbon tetrachloride	<0.49	ug/L	1.0	0.49	1		12/18/12 21:23	56-23-5	
Chlorobenzene	<0.41	ug/L	1.0	0.41	1		12/18/12 21:23	108-90-7	
Chloroethane	<0.97	ug/L	1.0	0.97	1		12/18/12 21:23	75-00-3	
Chloroform	<1.3	ug/L	5.0	1.3	1		12/18/12 21:23	67-66-3	
Chloromethane	<0.24	ug/L	1.0	0.24	1		12/18/12 21:23	74-87-3	
2-Chlorotoluene	<0.85	ug/L	1.0	0.85	1		12/18/12 21:23	95-49-8	
4-Chlorotoluene	<0.74	ug/L	1.0	0.74	1		12/18/12 21:23	106-43-4	
1,2-Dibromo-3-chloropropane	<1.7	ug/L	5.0	1.7	1		12/18/12 21:23	96-12-8	
Dibromochloromethane	<0.81	ug/L	1.0	0.81	1		12/18/12 21:23	124-48-1	
1,2-Dibromoethane (EDB)	<0.56	ug/L	1.0	0.56	1		12/18/12 21:23	106-93-4	
Dibromomethane	<0.60	ug/L	1.0	0.60	1		12/18/12 21:23	74-95-3	
1,2-Dichlorobenzene	<0.83	ug/L	1.0	0.83	1		12/18/12 21:23	95-50-1	
1,3-Dichlorobenzene	<0.87	ug/L	1.0	0.87	1		12/18/12 21:23	541-73-1	
1,4-Dichlorobenzene	<0.95	ug/L	1.0	0.95	1		12/18/12 21:23	106-46-7	
Dichlorodifluoromethane	<0.99	ug/L	1.0	0.99	1		12/18/12 21:23	75-71-8	
1,1-Dichloroethane	<0.75	ug/L	1.0	0.75	1		12/18/12 21:23	75-34-3	
1,2-Dichloroethane	<0.36	ug/L	1.0	0.36	1		12/18/12 21:23	107-06-2	
1,1-Dichloroethene	<0.57	ug/L	1.0	0.57	1		12/18/12 21:23	75-35-4	
cis-1,2-Dichloroethene	<0.83	ug/L	1.0	0.83	1		12/18/12 21:23	156-59-2	
trans-1,2-Dichloroethene	<0.89	ug/L	1.0	0.89	1		12/18/12 21:23	156-60-5	
1,2-Dichloropropane	<0.49	ug/L	1.0	0.49	1		12/18/12 21:23	78-87-5	
1,3-Dichloropropane	<0.61	ug/L	1.0	0.61	1		12/18/12 21:23	142-28-9	
2,2-Dichloropropane	<0.62	ug/L	1.0	0.62	1		12/18/12 21:23	594-20-7	
1,1-Dichloropropene	<0.75	ug/L	1.0	0.75	1		12/18/12 21:23	563-58-6	
cis-1,3-Dichloropropene	<0.20	ug/L	1.0	0.20	1		12/18/12 21:23	10061-01-5	
trans-1,3-Dichloropropene	<0.19	ug/L	1.0	0.19	1		12/18/12 21:23	10061-02-6	
Diisopropyl ether	<0.76	ug/L	1.0	0.76	1		12/18/12 21:23	108-20-3	
Ethylbenzene	<0.54	ug/L	1.0	0.54	1		12/18/12 21:23	100-41-4	
Hexachloro-1,3-butadiene	<0.67	ug/L	5.0	0.67	1		12/18/12 21:23	87-68-3	
Isopropylbenzene (Cumene)	<0.59	ug/L	1.0	0.59	1		12/18/12 21:23	98-82-8	
p-Isopropyltoluene	<0.67	ug/L	1.0	0.67	1		12/18/12 21:23	99-87-6	
Methylene Chloride	<0.43	ug/L	1.0	0.43	1		12/18/12 21:23	75-09-2	
Methyl-tert-butyl ether	<0.61	ug/L	1.0	0.61	1		12/18/12 21:23	1634-04-4	
Naphthalene	<0.89	ug/L	5.0	0.89	1		12/18/12 21:23	91-20-3	
n-Propylbenzene	<0.81	ug/L	1.0	0.81	1		12/18/12 21:23	103-65-1	
Styrene	<0.86	ug/L	1.0	0.86	1		12/18/12 21:23	100-42-5	
1,1,1,2-Tetrachloroethane	<0.92	ug/L	1.0	0.92	1		12/18/12 21:23	630-20-6	

Date: 12/19/2012 05:07 PM

### REPORT OF LABORATORY ANALYSIS

Page 5 of 30

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, Inc..

## ANALYTICAL RESULTS

Project: RIC-2012-01 OHM GREEN BAY

Pace Project No.: 4071959

**Sample: MW-1**      **Lab ID: 4071959001**      Collected: 12/12/12 12:50      Received: 12/14/12 14:55      Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
<b>8260 MSV</b> Analytical Method: EPA 8260									
1,1,2,2-Tetrachloroethane	<0.20	ug/L	1.0	0.20	1		12/18/12 21:23	79-34-5	
Tetrachloroethene	6.5	ug/L	1.0	0.45	1		12/18/12 21:23	127-18-4	
Toluene	<0.67	ug/L	1.0	0.67	1		12/18/12 21:23	108-88-3	
1,2,3-Trichlorobenzene	<0.74	ug/L	1.0	0.74	1		12/18/12 21:23	87-61-6	
1,2,4-Trichlorobenzene	<0.97	ug/L	5.0	0.97	1		12/18/12 21:23	120-82-1	
1,1,1-Trichloroethane	<0.90	ug/L	1.0	0.90	1		12/18/12 21:23	71-55-6	
1,1,2-Trichloroethane	<0.42	ug/L	1.0	0.42	1		12/18/12 21:23	79-00-5	
Trichloroethene	<0.48	ug/L	1.0	0.48	1		12/18/12 21:23	79-01-6	
Trichlorofluoromethane	<0.79	ug/L	1.0	0.79	1		12/18/12 21:23	75-69-4	
1,2,3-Trichloropropane	<0.99	ug/L	1.0	0.99	1		12/18/12 21:23	96-18-4	
1,2,4-Trimethylbenzene	<0.97	ug/L	1.0	0.97	1		12/18/12 21:23	95-63-6	
1,3,5-Trimethylbenzene	<0.83	ug/L	1.0	0.83	1		12/18/12 21:23	108-67-8	
Vinyl chloride	<0.18	ug/L	1.0	0.18	1		12/18/12 21:23	75-01-4	
m&p-Xylene	<1.8	ug/L	2.0	1.8	1		12/18/12 21:23	179601-23-1	
o-Xylene	<0.83	ug/L	1.0	0.83	1		12/18/12 21:23	95-47-6	
<b>Surrogates</b>									
4-Bromofluorobenzene (S)	78	%	43-137		1		12/18/12 21:23	460-00-4	
Dibromofluoromethane (S)	95	%	70-130		1		12/18/12 21:23	1868-53-7	
Toluene-d8 (S)	86	%	55-137		1		12/18/12 21:23	2037-26-5	

## ANALYTICAL RESULTS

Project: RIC-2012-01 OHM GREEN BAY

Pace Project No.: 4071959

**Sample: PZ-1**      **Lab ID: 4071959002**      Collected: 12/12/12 12:40      Received: 12/14/12 14:55      Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
<b>8260 MSV</b>		Analytical Method: EPA 8260							
Benzene	<0.41	ug/L	1.0	0.41	1		12/18/12 21:45	71-43-2	
Bromobenzene	<0.82	ug/L	1.0	0.82	1		12/18/12 21:45	108-86-1	
Bromochloromethane	<0.97	ug/L	1.0	0.97	1		12/18/12 21:45	74-97-5	
Bromodichloromethane	<0.56	ug/L	1.0	0.56	1		12/18/12 21:45	75-27-4	
Bromoform	<0.94	ug/L	1.0	0.94	1		12/18/12 21:45	75-25-2	
Bromomethane	<0.91	ug/L	1.0	0.91	1		12/18/12 21:45	74-83-9	
n-Butylbenzene	<0.93	ug/L	1.0	0.93	1		12/18/12 21:45	104-51-8	
sec-Butylbenzene	<0.89	ug/L	5.0	0.89	1		12/18/12 21:45	135-98-8	
tert-Butylbenzene	<0.97	ug/L	1.0	0.97	1		12/18/12 21:45	98-06-6	
Carbon tetrachloride	<0.49	ug/L	1.0	0.49	1		12/18/12 21:45	56-23-5	
Chlorobenzene	<0.41	ug/L	1.0	0.41	1		12/18/12 21:45	108-90-7	
Chloroethane	<0.97	ug/L	1.0	0.97	1		12/18/12 21:45	75-00-3	
Chloroform	<1.3	ug/L	5.0	1.3	1		12/18/12 21:45	67-66-3	
Chloromethane	<0.24	ug/L	1.0	0.24	1		12/18/12 21:45	74-87-3	
2-Chlorotoluene	<0.85	ug/L	1.0	0.85	1		12/18/12 21:45	95-49-8	
4-Chlorotoluene	<0.74	ug/L	1.0	0.74	1		12/18/12 21:45	106-43-4	
1,2-Dibromo-3-chloropropane	<1.7	ug/L	5.0	1.7	1		12/18/12 21:45	96-12-8	
Dibromochloromethane	<0.81	ug/L	1.0	0.81	1		12/18/12 21:45	124-48-1	
1,2-Dibromoethane (EDB)	<0.56	ug/L	1.0	0.56	1		12/18/12 21:45	106-93-4	
Dibromomethane	<0.60	ug/L	1.0	0.60	1		12/18/12 21:45	74-95-3	
1,2-Dichlorobenzene	<0.83	ug/L	1.0	0.83	1		12/18/12 21:45	95-50-1	
1,3-Dichlorobenzene	<0.87	ug/L	1.0	0.87	1		12/18/12 21:45	541-73-1	
1,4-Dichlorobenzene	<0.95	ug/L	1.0	0.95	1		12/18/12 21:45	106-46-7	
Dichlorodifluoromethane	<0.99	ug/L	1.0	0.99	1		12/18/12 21:45	75-71-8	
1,1-Dichloroethane	<0.75	ug/L	1.0	0.75	1		12/18/12 21:45	75-34-3	
1,2-Dichloroethane	<0.36	ug/L	1.0	0.36	1		12/18/12 21:45	107-06-2	
1,1-Dichloroethene	<0.57	ug/L	1.0	0.57	1		12/18/12 21:45	75-35-4	
cis-1,2-Dichloroethene	<0.83	ug/L	1.0	0.83	1		12/18/12 21:45	156-59-2	
trans-1,2-Dichloroethene	<0.89	ug/L	1.0	0.89	1		12/18/12 21:45	156-60-5	
1,2-Dichloropropane	<0.49	ug/L	1.0	0.49	1		12/18/12 21:45	78-87-5	
1,3-Dichloropropane	<0.61	ug/L	1.0	0.61	1		12/18/12 21:45	142-28-9	
2,2-Dichloropropane	<0.62	ug/L	1.0	0.62	1		12/18/12 21:45	594-20-7	
1,1-Dichloropropene	<0.75	ug/L	1.0	0.75	1		12/18/12 21:45	563-58-6	
cis-1,3-Dichloropropene	<0.20	ug/L	1.0	0.20	1		12/18/12 21:45	10061-01-5	
trans-1,3-Dichloropropene	<0.19	ug/L	1.0	0.19	1		12/18/12 21:45	10061-02-6	
Diisopropyl ether	<0.76	ug/L	1.0	0.76	1		12/18/12 21:45	108-20-3	
Ethylbenzene	<0.54	ug/L	1.0	0.54	1		12/18/12 21:45	100-41-4	
Hexachloro-1,3-butadiene	<0.67	ug/L	5.0	0.67	1		12/18/12 21:45	87-68-3	
Isopropylbenzene (Cumene)	<0.59	ug/L	1.0	0.59	1		12/18/12 21:45	98-82-8	
p-Isopropyltoluene	<0.67	ug/L	1.0	0.67	1		12/18/12 21:45	99-87-6	
Methylene Chloride	<0.43	ug/L	1.0	0.43	1		12/18/12 21:45	75-09-2	
Methyl-tert-butyl ether	<0.61	ug/L	1.0	0.61	1		12/18/12 21:45	1634-04-4	
Naphthalene	<0.89	ug/L	5.0	0.89	1		12/18/12 21:45	91-20-3	
n-Propylbenzene	<0.81	ug/L	1.0	0.81	1		12/18/12 21:45	103-65-1	
Styrene	<0.86	ug/L	1.0	0.86	1		12/18/12 21:45	100-42-5	
1,1,1,2-Tetrachloroethane	<0.92	ug/L	1.0	0.92	1		12/18/12 21:45	630-20-6	

Date: 12/19/2012 05:07 PM

### REPORT OF LABORATORY ANALYSIS

Page 7 of 30

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, Inc..

## ANALYTICAL RESULTS

Project: RIC-2012-01 OHM GREEN BAY

Pace Project No.: 4071959

**Sample: PZ-1**      **Lab ID: 4071959002**      Collected: 12/12/12 12:40      Received: 12/14/12 14:55      Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
<b>8260 MSV</b>									
Analytical Method: EPA 8260									
1,1,2,2-Tetrachloroethane	<0.20	ug/L	1.0	0.20	1		12/18/12 21:45	79-34-5	
Tetrachloroethene	<0.45	ug/L	1.0	0.45	1		12/18/12 21:45	127-18-4	
Toluene	<0.67	ug/L	1.0	0.67	1		12/18/12 21:45	108-88-3	
1,2,3-Trichlorobenzene	<0.74	ug/L	1.0	0.74	1		12/18/12 21:45	87-61-6	
1,2,4-Trichlorobenzene	<0.97	ug/L	5.0	0.97	1		12/18/12 21:45	120-82-1	
1,1,1-Trichloroethane	<0.90	ug/L	1.0	0.90	1		12/18/12 21:45	71-55-6	
1,1,2-Trichloroethane	<0.42	ug/L	1.0	0.42	1		12/18/12 21:45	79-00-5	
Trichloroethene	<0.48	ug/L	1.0	0.48	1		12/18/12 21:45	79-01-6	
Trichlorofluoromethane	<0.79	ug/L	1.0	0.79	1		12/18/12 21:45	75-69-4	
1,2,3-Trichloropropane	<0.99	ug/L	1.0	0.99	1		12/18/12 21:45	96-18-4	
1,2,4-Trimethylbenzene	<0.97	ug/L	1.0	0.97	1		12/18/12 21:45	95-63-6	
1,3,5-Trimethylbenzene	<0.83	ug/L	1.0	0.83	1		12/18/12 21:45	108-67-8	
Vinyl chloride	<0.18	ug/L	1.0	0.18	1		12/18/12 21:45	75-01-4	
m&p-Xylene	<1.8	ug/L	2.0	1.8	1		12/18/12 21:45	179601-23-1	
o-Xylene	<0.83	ug/L	1.0	0.83	1		12/18/12 21:45	95-47-6	
<b>Surrogates</b>									
4-Bromofluorobenzene (S)	80 %.		43-137		1		12/18/12 21:45	460-00-4	
Dibromofluoromethane (S)	98 %.		70-130		1		12/18/12 21:45	1868-53-7	
Toluene-d8 (S)	85 %.		55-137		1		12/18/12 21:45	2037-26-5	

## ANALYTICAL RESULTS

Project: RIC-2012-01 OHM GREEN BAY

Pace Project No.: 4071959

**Sample: MW-2**      **Lab ID: 4071959003**      Collected: 12/12/12 12:55      Received: 12/14/12 14:55      Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
<b>8260 MSV</b>		Analytical Method: EPA 8260							
Benzene	<0.41	ug/L	1.0	0.41	1		12/18/12 22:08	71-43-2	
Bromobenzene	<0.82	ug/L	1.0	0.82	1		12/18/12 22:08	108-86-1	
Bromochloromethane	<0.97	ug/L	1.0	0.97	1		12/18/12 22:08	74-97-5	
Bromodichloromethane	<0.56	ug/L	1.0	0.56	1		12/18/12 22:08	75-27-4	
Bromoform	<0.94	ug/L	1.0	0.94	1		12/18/12 22:08	75-25-2	
Bromomethane	<0.91	ug/L	1.0	0.91	1		12/18/12 22:08	74-83-9	
n-Butylbenzene	<0.93	ug/L	1.0	0.93	1		12/18/12 22:08	104-51-8	
sec-Butylbenzene	<0.89	ug/L	5.0	0.89	1		12/18/12 22:08	135-98-8	
tert-Butylbenzene	<0.97	ug/L	1.0	0.97	1		12/18/12 22:08	98-06-6	
Carbon tetrachloride	<0.49	ug/L	1.0	0.49	1		12/18/12 22:08	56-23-5	
Chlorobenzene	<0.41	ug/L	1.0	0.41	1		12/18/12 22:08	108-90-7	
Chloroethane	<0.97	ug/L	1.0	0.97	1		12/18/12 22:08	75-00-3	
Chloroform	<1.3	ug/L	5.0	1.3	1		12/18/12 22:08	67-66-3	
Chloromethane	<0.24	ug/L	1.0	0.24	1		12/18/12 22:08	74-87-3	
2-Chlorotoluene	<0.85	ug/L	1.0	0.85	1		12/18/12 22:08	95-49-8	
4-Chlorotoluene	<0.74	ug/L	1.0	0.74	1		12/18/12 22:08	106-43-4	
1,2-Dibromo-3-chloropropane	<1.7	ug/L	5.0	1.7	1		12/18/12 22:08	96-12-8	
Dibromochloromethane	<0.81	ug/L	1.0	0.81	1		12/18/12 22:08	124-48-1	
1,2-Dibromoethane (EDB)	<0.56	ug/L	1.0	0.56	1		12/18/12 22:08	106-93-4	
Dibromomethane	<0.60	ug/L	1.0	0.60	1		12/18/12 22:08	74-95-3	
1,2-Dichlorobenzene	<0.83	ug/L	1.0	0.83	1		12/18/12 22:08	95-50-1	
1,3-Dichlorobenzene	<0.87	ug/L	1.0	0.87	1		12/18/12 22:08	541-73-1	
1,4-Dichlorobenzene	<0.95	ug/L	1.0	0.95	1		12/18/12 22:08	106-46-7	
Dichlorodifluoromethane	<0.99	ug/L	1.0	0.99	1		12/18/12 22:08	75-71-8	
1,1-Dichloroethane	<0.75	ug/L	1.0	0.75	1		12/18/12 22:08	75-34-3	
1,2-Dichloroethane	<0.36	ug/L	1.0	0.36	1		12/18/12 22:08	107-06-2	
1,1-Dichloroethene	<0.57	ug/L	1.0	0.57	1		12/18/12 22:08	75-35-4	
cis-1,2-Dichloroethene	<0.83	ug/L	1.0	0.83	1		12/18/12 22:08	156-59-2	
trans-1,2-Dichloroethene	<0.89	ug/L	1.0	0.89	1		12/18/12 22:08	156-60-5	
1,2-Dichloropropane	<0.49	ug/L	1.0	0.49	1		12/18/12 22:08	78-87-5	
1,3-Dichloropropane	<0.61	ug/L	1.0	0.61	1		12/18/12 22:08	142-28-9	
2,2-Dichloropropane	<0.62	ug/L	1.0	0.62	1		12/18/12 22:08	594-20-7	
1,1-Dichloropropene	<0.75	ug/L	1.0	0.75	1		12/18/12 22:08	563-58-6	
cis-1,3-Dichloropropene	<0.20	ug/L	1.0	0.20	1		12/18/12 22:08	10061-01-5	
trans-1,3-Dichloropropene	<0.19	ug/L	1.0	0.19	1		12/18/12 22:08	10061-02-6	
Diisopropyl ether	<0.76	ug/L	1.0	0.76	1		12/18/12 22:08	108-20-3	
Ethylbenzene	<0.54	ug/L	1.0	0.54	1		12/18/12 22:08	100-41-4	
Hexachloro-1,3-butadiene	<0.67	ug/L	5.0	0.67	1		12/18/12 22:08	87-68-3	
Isopropylbenzene (Cumene)	<0.59	ug/L	1.0	0.59	1		12/18/12 22:08	98-82-8	
p-Isopropyltoluene	<0.67	ug/L	1.0	0.67	1		12/18/12 22:08	99-87-6	
Methylene Chloride	<0.43	ug/L	1.0	0.43	1		12/18/12 22:08	75-09-2	
Methyl-tert-butyl ether	<0.61	ug/L	1.0	0.61	1		12/18/12 22:08	1634-04-4	
Naphthalene	<0.89	ug/L	5.0	0.89	1		12/18/12 22:08	91-20-3	
n-Propylbenzene	<0.81	ug/L	1.0	0.81	1		12/18/12 22:08	103-65-1	
Styrene	<0.86	ug/L	1.0	0.86	1		12/18/12 22:08	100-42-5	
1,1,1,2-Tetrachloroethane	<0.92	ug/L	1.0	0.92	1		12/18/12 22:08	630-20-6	

Date: 12/19/2012 05:07 PM

### REPORT OF LABORATORY ANALYSIS

Page 9 of 30

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, Inc..



## ANALYTICAL RESULTS

Project: RIC-2012-01 OHM GREEN BAY

Pace Project No.: 4071959

**Sample: MW-2**      **Lab ID: 4071959003**      Collected: 12/12/12 12:55      Received: 12/14/12 14:55      Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
<b>8260 MSV</b>									
Analytical Method: EPA 8260									
1,1,2,2-Tetrachloroethane	<0.20	ug/L	1.0	0.20	1		12/18/12 22:08	79-34-5	
Tetrachloroethene	<0.45	ug/L	1.0	0.45	1		12/18/12 22:08	127-18-4	
Toluene	1.6	ug/L	1.0	0.67	1		12/18/12 22:08	108-88-3	
1,2,3-Trichlorobenzene	<0.74	ug/L	1.0	0.74	1		12/18/12 22:08	87-61-6	
1,2,4-Trichlorobenzene	<0.97	ug/L	5.0	0.97	1		12/18/12 22:08	120-82-1	
1,1,1-Trichloroethane	<0.90	ug/L	1.0	0.90	1		12/18/12 22:08	71-55-6	
1,1,2-Trichloroethane	<0.42	ug/L	1.0	0.42	1		12/18/12 22:08	79-00-5	
Trichloroethene	<0.48	ug/L	1.0	0.48	1		12/18/12 22:08	79-01-6	
Trichlorofluoromethane	<0.79	ug/L	1.0	0.79	1		12/18/12 22:08	75-69-4	
1,2,3-Trichloropropane	<0.99	ug/L	1.0	0.99	1		12/18/12 22:08	96-18-4	
1,2,4-Trimethylbenzene	<0.97	ug/L	1.0	0.97	1		12/18/12 22:08	95-63-6	
1,3,5-Trimethylbenzene	<0.83	ug/L	1.0	0.83	1		12/18/12 22:08	108-67-8	
Vinyl chloride	<0.18	ug/L	1.0	0.18	1		12/18/12 22:08	75-01-4	
m&p-Xylene	<1.8	ug/L	2.0	1.8	1		12/18/12 22:08	179601-23-1	
o-Xylene	<0.83	ug/L	1.0	0.83	1		12/18/12 22:08	95-47-6	
<b>Surrogates</b>									
4-Bromofluorobenzene (S)	80	%	43-137		1		12/18/12 22:08	460-00-4	
Dibromofluoromethane (S)	91	%	70-130		1		12/18/12 22:08	1868-53-7	
Toluene-d8 (S)	86	%	55-137		1		12/18/12 22:08	2037-26-5	

## ANALYTICAL RESULTS

Project: RIC-2012-01 OHM GREEN BAY

Pace Project No.: 4071959

**Sample: MW-3**      **Lab ID: 4071959004**      Collected: 12/12/12 13:45      Received: 12/14/12 14:55      Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
<b>8260 MSV</b>		Analytical Method: EPA 8260							
Benzene	<102	ug/L	250	102	250		12/19/12 02:59	71-43-2	
Bromobenzene	<205	ug/L	250	205	250		12/19/12 02:59	108-86-1	
Bromochloromethane	<242	ug/L	250	242	250		12/19/12 02:59	74-97-5	
Bromodichloromethane	<140	ug/L	250	140	250		12/19/12 02:59	75-27-4	
Bromoform	<235	ug/L	250	235	250		12/19/12 02:59	75-25-2	
Bromomethane	<228	ug/L	250	228	250		12/19/12 02:59	74-83-9	
n-Butylbenzene	<232	ug/L	250	232	250		12/19/12 02:59	104-51-8	
sec-Butylbenzene	<222	ug/L	1250	222	250		12/19/12 02:59	135-98-8	
tert-Butylbenzene	<242	ug/L	250	242	250		12/19/12 02:59	98-06-6	
Carbon tetrachloride	<122	ug/L	250	122	250		12/19/12 02:59	56-23-5	
Chlorobenzene	<102	ug/L	250	102	250		12/19/12 02:59	108-90-7	
Chloroethane	<242	ug/L	250	242	250		12/19/12 02:59	75-00-3	
Chloroform	<325	ug/L	1250	325	250		12/19/12 02:59	67-66-3	
Chloromethane	<60.0	ug/L	250	60.0	250		12/19/12 02:59	74-87-3	
2-Chlorotoluene	<212	ug/L	250	212	250		12/19/12 02:59	95-49-8	
4-Chlorotoluene	<185	ug/L	250	185	250		12/19/12 02:59	106-43-4	
1,2-Dibromo-3-chloropropane	<420	ug/L	1250	420	250		12/19/12 02:59	96-12-8	
Dibromochloromethane	<202	ug/L	250	202	250		12/19/12 02:59	124-48-1	
1,2-Dibromoethane (EDB)	<140	ug/L	250	140	250		12/19/12 02:59	106-93-4	
Dibromomethane	<150	ug/L	250	150	250		12/19/12 02:59	74-95-3	
1,2-Dichlorobenzene	<208	ug/L	250	208	250		12/19/12 02:59	95-50-1	
1,3-Dichlorobenzene	<218	ug/L	250	218	250		12/19/12 02:59	541-73-1	
1,4-Dichlorobenzene	<238	ug/L	250	238	250		12/19/12 02:59	106-46-7	
Dichlorodifluoromethane	<248	ug/L	250	248	250		12/19/12 02:59	75-71-8	
1,1-Dichloroethane	<188	ug/L	250	188	250		12/19/12 02:59	75-34-3	
1,2-Dichloroethane	<90.0	ug/L	250	90.0	250		12/19/12 02:59	107-06-2	
1,1-Dichloroethene	<142	ug/L	250	142	250		12/19/12 02:59	75-35-4	
cis-1,2-Dichloroethene	<208	ug/L	250	208	250		12/19/12 02:59	156-59-2	
trans-1,2-Dichloroethene	<222	ug/L	250	222	250		12/19/12 02:59	156-60-5	
1,2-Dichloropropane	<122	ug/L	250	122	250		12/19/12 02:59	78-87-5	
1,3-Dichloropropane	<152	ug/L	250	152	250		12/19/12 02:59	142-28-9	
2,2-Dichloropropane	<155	ug/L	250	155	250		12/19/12 02:59	594-20-7	
1,1-Dichloropropene	<188	ug/L	250	188	250		12/19/12 02:59	563-58-6	
cis-1,3-Dichloropropene	<50.0	ug/L	250	50.0	250		12/19/12 02:59	10061-01-5	
trans-1,3-Dichloropropene	<47.5	ug/L	250	47.5	250		12/19/12 02:59	10061-02-6	
Diisopropyl ether	<190	ug/L	250	190	250		12/19/12 02:59	108-20-3	
Ethylbenzene	<135	ug/L	250	135	250		12/19/12 02:59	100-41-4	
Hexachloro-1,3-butadiene	<168	ug/L	1250	168	250		12/19/12 02:59	87-68-3	
Isopropylbenzene (Cumene)	<148	ug/L	250	148	250		12/19/12 02:59	98-82-8	
p-Isopropyltoluene	<168	ug/L	250	168	250		12/19/12 02:59	99-87-6	
Methylene Chloride	<108	ug/L	250	108	250		12/19/12 02:59	75-09-2	
Methyl-tert-butyl ether	<152	ug/L	250	152	250		12/19/12 02:59	1634-04-4	
Naphthalene	<222	ug/L	1250	222	250		12/19/12 02:59	91-20-3	
n-Propylbenzene	<202	ug/L	250	202	250		12/19/12 02:59	103-65-1	
Styrene	<215	ug/L	250	215	250		12/19/12 02:59	100-42-5	
1,1,1,2-Tetrachloroethane	<230	ug/L	250	230	250		12/19/12 02:59	630-20-6	

### ANALYTICAL RESULTS

Project: RIC-2012-01 OHM GREEN BAY

Pace Project No.: 4071959

**Sample: MW-3**      **Lab ID: 4071959004**      Collected: 12/12/12 13:45      Received: 12/14/12 14:55      Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
<b>8260 MSV</b> Analytical Method: EPA 8260									
1,1,2,2-Tetrachloroethane	<50.0	ug/L	250	50.0	250		12/19/12 02:59	79-34-5	
Tetrachloroethene	13700	ug/L	250	112	250		12/19/12 02:59	127-18-4	
Toluene	<168	ug/L	250	168	250		12/19/12 02:59	108-88-3	
1,2,3-Trichlorobenzene	<185	ug/L	250	185	250		12/19/12 02:59	87-61-6	
1,2,4-Trichlorobenzene	<242	ug/L	1250	242	250		12/19/12 02:59	120-82-1	
1,1,1-Trichloroethane	<225	ug/L	250	225	250		12/19/12 02:59	71-55-6	
1,1,2-Trichloroethane	<105	ug/L	250	105	250		12/19/12 02:59	79-00-5	
Trichloroethene	1500	ug/L	250	120	250		12/19/12 02:59	79-01-6	
Trichlorofluoromethane	<198	ug/L	250	198	250		12/19/12 02:59	75-69-4	
1,2,3-Trichloropropane	<248	ug/L	250	248	250		12/19/12 02:59	96-18-4	
1,2,4-Trimethylbenzene	<242	ug/L	250	242	250		12/19/12 02:59	95-63-6	
1,3,5-Trimethylbenzene	<208	ug/L	250	208	250		12/19/12 02:59	108-67-8	
Vinyl chloride	<45.0	ug/L	250	45.0	250		12/19/12 02:59	75-01-4	
m&p-Xylene	<450	ug/L	500	450	250		12/19/12 02:59	179601-23-1	
o-Xylene	<208	ug/L	250	208	250		12/19/12 02:59	95-47-6	
<b>Surrogates</b>									
4-Bromofluorobenzene (S)	79	%.	43-137		250		12/19/12 02:59	460-00-4	
Dibromofluoromethane (S)	94	%.	70-130		250		12/19/12 02:59	1868-53-7	
Toluene-d8 (S)	86	%.	55-137		250		12/19/12 02:59	2037-26-5	

## ANALYTICAL RESULTS

Project: RIC-2012-01 OHM GREEN BAY

Pace Project No.: 4071959

**Sample: MW-4**      **Lab ID: 4071959005**      Collected: 12/12/12 13:35      Received: 12/14/12 14:55      Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
<b>8260 MSV</b>		Analytical Method: EPA 8260							
Benzene	<0.41	ug/L	1.0	0.41	1		12/18/12 22:30	71-43-2	
Bromobenzene	<0.82	ug/L	1.0	0.82	1		12/18/12 22:30	108-86-1	
Bromochloromethane	<0.97	ug/L	1.0	0.97	1		12/18/12 22:30	74-97-5	
Bromodichloromethane	<0.56	ug/L	1.0	0.56	1		12/18/12 22:30	75-27-4	
Bromoform	<0.94	ug/L	1.0	0.94	1		12/18/12 22:30	75-25-2	
Bromomethane	<0.91	ug/L	1.0	0.91	1		12/18/12 22:30	74-83-9	
n-Butylbenzene	<0.93	ug/L	1.0	0.93	1		12/18/12 22:30	104-51-8	
sec-Butylbenzene	<0.89	ug/L	5.0	0.89	1		12/18/12 22:30	135-98-8	
tert-Butylbenzene	<0.97	ug/L	1.0	0.97	1		12/18/12 22:30	98-06-6	
Carbon tetrachloride	<0.49	ug/L	1.0	0.49	1		12/18/12 22:30	56-23-5	
Chlorobenzene	<0.41	ug/L	1.0	0.41	1		12/18/12 22:30	108-90-7	
Chloroethane	<0.97	ug/L	1.0	0.97	1		12/18/12 22:30	75-00-3	
Chloroform	<1.3	ug/L	5.0	1.3	1		12/18/12 22:30	67-66-3	
Chloromethane	<0.24	ug/L	1.0	0.24	1		12/18/12 22:30	74-87-3	
2-Chlorotoluene	<0.85	ug/L	1.0	0.85	1		12/18/12 22:30	95-49-8	
4-Chlorotoluene	<0.74	ug/L	1.0	0.74	1		12/18/12 22:30	106-43-4	
1,2-Dibromo-3-chloropropane	<1.7	ug/L	5.0	1.7	1		12/18/12 22:30	96-12-8	
Dibromochloromethane	<0.81	ug/L	1.0	0.81	1		12/18/12 22:30	124-48-1	
1,2-Dibromoethane (EDB)	<0.56	ug/L	1.0	0.56	1		12/18/12 22:30	106-93-4	
Dibromomethane	<0.60	ug/L	1.0	0.60	1		12/18/12 22:30	74-95-3	
1,2-Dichlorobenzene	<0.83	ug/L	1.0	0.83	1		12/18/12 22:30	95-50-1	
1,3-Dichlorobenzene	<0.87	ug/L	1.0	0.87	1		12/18/12 22:30	541-73-1	
1,4-Dichlorobenzene	<0.95	ug/L	1.0	0.95	1		12/18/12 22:30	106-46-7	
Dichlorodifluoromethane	<0.99	ug/L	1.0	0.99	1		12/18/12 22:30	75-71-8	
1,1-Dichloroethane	<0.75	ug/L	1.0	0.75	1		12/18/12 22:30	75-34-3	
1,2-Dichloroethane	<0.36	ug/L	1.0	0.36	1		12/18/12 22:30	107-06-2	
1,1-Dichloroethene	<0.57	ug/L	1.0	0.57	1		12/18/12 22:30	75-35-4	
cis-1,2-Dichloroethene	<0.83	ug/L	1.0	0.83	1		12/18/12 22:30	156-59-2	
trans-1,2-Dichloroethene	<0.89	ug/L	1.0	0.89	1		12/18/12 22:30	156-60-5	
1,2-Dichloropropane	<0.49	ug/L	1.0	0.49	1		12/18/12 22:30	78-87-5	
1,3-Dichloropropane	<0.61	ug/L	1.0	0.61	1		12/18/12 22:30	142-28-9	
2,2-Dichloropropane	<0.62	ug/L	1.0	0.62	1		12/18/12 22:30	594-20-7	
1,1-Dichloropropene	<0.75	ug/L	1.0	0.75	1		12/18/12 22:30	563-58-6	
cis-1,3-Dichloropropene	<0.20	ug/L	1.0	0.20	1		12/18/12 22:30	10061-01-5	
trans-1,3-Dichloropropene	<0.19	ug/L	1.0	0.19	1		12/18/12 22:30	10061-02-6	
Diisopropyl ether	<0.76	ug/L	1.0	0.76	1		12/18/12 22:30	108-20-3	
Ethylbenzene	<0.54	ug/L	1.0	0.54	1		12/18/12 22:30	100-41-4	
Hexachloro-1,3-butadiene	<0.67	ug/L	5.0	0.67	1		12/18/12 22:30	87-68-3	
Isopropylbenzene (Cumene)	<0.59	ug/L	1.0	0.59	1		12/18/12 22:30	98-82-8	
p-Isopropyltoluene	<0.67	ug/L	1.0	0.67	1		12/18/12 22:30	99-87-6	
Methylene Chloride	<0.43	ug/L	1.0	0.43	1		12/18/12 22:30	75-09-2	
Methyl-tert-butyl ether	<0.61	ug/L	1.0	0.61	1		12/18/12 22:30	1634-04-4	
Naphthalene	<0.89	ug/L	5.0	0.89	1		12/18/12 22:30	91-20-3	
n-Propylbenzene	<0.81	ug/L	1.0	0.81	1		12/18/12 22:30	103-65-1	
Styrene	<0.86	ug/L	1.0	0.86	1		12/18/12 22:30	100-42-5	
1,1,1,2-Tetrachloroethane	<0.92	ug/L	1.0	0.92	1		12/18/12 22:30	630-20-6	

## ANALYTICAL RESULTS

Project: RIC-2012-01 OHM GREEN BAY

Pace Project No.: 4071959

**Sample: MW-4**      **Lab ID: 4071959005**      Collected: 12/12/12 13:35      Received: 12/14/12 14:55      Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
<b>8260 MSV</b> Analytical Method: EPA 8260									
1,1,2,2-Tetrachloroethane	<0.20	ug/L	1.0	0.20	1		12/18/12 22:30	79-34-5	
Tetrachloroethene	<0.45	ug/L	1.0	0.45	1		12/18/12 22:30	127-18-4	
Toluene	<0.67	ug/L	1.0	0.67	1		12/18/12 22:30	108-88-3	
1,2,3-Trichlorobenzene	<0.74	ug/L	1.0	0.74	1		12/18/12 22:30	87-61-6	
1,2,4-Trichlorobenzene	<0.97	ug/L	5.0	0.97	1		12/18/12 22:30	120-82-1	
1,1,1-Trichloroethane	<0.90	ug/L	1.0	0.90	1		12/18/12 22:30	71-55-6	
1,1,2-Trichloroethane	<0.42	ug/L	1.0	0.42	1		12/18/12 22:30	79-00-5	
Trichloroethene	<0.48	ug/L	1.0	0.48	1		12/18/12 22:30	79-01-6	
Trichlorofluoromethane	<0.79	ug/L	1.0	0.79	1		12/18/12 22:30	75-69-4	
1,2,3-Trichloropropane	<0.99	ug/L	1.0	0.99	1		12/18/12 22:30	96-18-4	
1,2,4-Trimethylbenzene	<0.97	ug/L	1.0	0.97	1		12/18/12 22:30	95-63-6	
1,3,5-Trimethylbenzene	<0.83	ug/L	1.0	0.83	1		12/18/12 22:30	108-67-8	
Vinyl chloride	<0.18	ug/L	1.0	0.18	1		12/18/12 22:30	75-01-4	
m&p-Xylene	<1.8	ug/L	2.0	1.8	1		12/18/12 22:30	179601-23-1	
o-Xylene	<0.83	ug/L	1.0	0.83	1		12/18/12 22:30	95-47-6	
<b>Surrogates</b>									
4-Bromofluorobenzene (S)	79	%.	43-137		1		12/18/12 22:30	460-00-4	
Dibromofluoromethane (S)	94	%.	70-130		1		12/18/12 22:30	1868-53-7	
Toluene-d8 (S)	86	%.	55-137		1		12/18/12 22:30	2037-26-5	

## ANALYTICAL RESULTS

Project: RIC-2012-01 OHM GREEN BAY

Pace Project No.: 4071959

**Sample: MW-5**      **Lab ID: 4071959006**      Collected: 12/12/12 13:25      Received: 12/14/12 14:55      Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
<b>8260 MSV</b>		Analytical Method: EPA 8260							
Benzene	<0.41	ug/L	1.0	0.41	1		12/18/12 22:52	71-43-2	
Bromobenzene	<0.82	ug/L	1.0	0.82	1		12/18/12 22:52	108-86-1	
Bromochloromethane	<0.97	ug/L	1.0	0.97	1		12/18/12 22:52	74-97-5	
Bromodichloromethane	<0.56	ug/L	1.0	0.56	1		12/18/12 22:52	75-27-4	
Bromoform	<0.94	ug/L	1.0	0.94	1		12/18/12 22:52	75-25-2	
Bromomethane	<0.91	ug/L	1.0	0.91	1		12/18/12 22:52	74-83-9	
n-Butylbenzene	<0.93	ug/L	1.0	0.93	1		12/18/12 22:52	104-51-8	
sec-Butylbenzene	<0.89	ug/L	5.0	0.89	1		12/18/12 22:52	135-98-8	
tert-Butylbenzene	<0.97	ug/L	1.0	0.97	1		12/18/12 22:52	98-06-6	
Carbon tetrachloride	<0.49	ug/L	1.0	0.49	1		12/18/12 22:52	56-23-5	
Chlorobenzene	<0.41	ug/L	1.0	0.41	1		12/18/12 22:52	108-90-7	
Chloroethane	<0.97	ug/L	1.0	0.97	1		12/18/12 22:52	75-00-3	
Chloroform	<1.3	ug/L	5.0	1.3	1		12/18/12 22:52	67-66-3	
Chloromethane	<0.24	ug/L	1.0	0.24	1		12/18/12 22:52	74-87-3	
2-Chlorotoluene	<0.85	ug/L	1.0	0.85	1		12/18/12 22:52	95-49-8	
4-Chlorotoluene	<0.74	ug/L	1.0	0.74	1		12/18/12 22:52	106-43-4	
1,2-Dibromo-3-chloropropane	<1.7	ug/L	5.0	1.7	1		12/18/12 22:52	96-12-8	
Dibromochloromethane	<0.81	ug/L	1.0	0.81	1		12/18/12 22:52	124-48-1	
1,2-Dibromoethane (EDB)	<0.56	ug/L	1.0	0.56	1		12/18/12 22:52	106-93-4	
Dibromomethane	<0.60	ug/L	1.0	0.60	1		12/18/12 22:52	74-95-3	
1,2-Dichlorobenzene	<0.83	ug/L	1.0	0.83	1		12/18/12 22:52	95-50-1	
1,3-Dichlorobenzene	<0.87	ug/L	1.0	0.87	1		12/18/12 22:52	541-73-1	
1,4-Dichlorobenzene	<0.95	ug/L	1.0	0.95	1		12/18/12 22:52	106-46-7	
Dichlorodifluoromethane	<0.99	ug/L	1.0	0.99	1		12/18/12 22:52	75-71-8	
1,1-Dichloroethane	<0.75	ug/L	1.0	0.75	1		12/18/12 22:52	75-34-3	
1,2-Dichloroethane	<0.36	ug/L	1.0	0.36	1		12/18/12 22:52	107-06-2	
1,1-Dichloroethene	<0.57	ug/L	1.0	0.57	1		12/18/12 22:52	75-35-4	
cis-1,2-Dichloroethene	<0.83	ug/L	1.0	0.83	1		12/18/12 22:52	156-59-2	
trans-1,2-Dichloroethene	<0.89	ug/L	1.0	0.89	1		12/18/12 22:52	156-60-5	
1,2-Dichloropropane	<0.49	ug/L	1.0	0.49	1		12/18/12 22:52	78-87-5	
1,3-Dichloropropane	<0.61	ug/L	1.0	0.61	1		12/18/12 22:52	142-28-9	
2,2-Dichloropropane	<0.62	ug/L	1.0	0.62	1		12/18/12 22:52	594-20-7	
1,1-Dichloropropene	<0.75	ug/L	1.0	0.75	1		12/18/12 22:52	563-58-6	
cis-1,3-Dichloropropene	<0.20	ug/L	1.0	0.20	1		12/18/12 22:52	10061-01-5	
trans-1,3-Dichloropropene	<0.19	ug/L	1.0	0.19	1		12/18/12 22:52	10061-02-6	
Diisopropyl ether	<0.76	ug/L	1.0	0.76	1		12/18/12 22:52	108-20-3	
Ethylbenzene	<0.54	ug/L	1.0	0.54	1		12/18/12 22:52	100-41-4	
Hexachloro-1,3-butadiene	<0.67	ug/L	5.0	0.67	1		12/18/12 22:52	87-68-3	
Isopropylbenzene (Cumene)	<0.59	ug/L	1.0	0.59	1		12/18/12 22:52	98-82-8	
p-Isopropyltoluene	<0.67	ug/L	1.0	0.67	1		12/18/12 22:52	99-87-6	
Methylene Chloride	<0.43	ug/L	1.0	0.43	1		12/18/12 22:52	75-09-2	
Methyl-tert-butyl ether	<0.61	ug/L	1.0	0.61	1		12/18/12 22:52	1634-04-4	
Naphthalene	<0.89	ug/L	5.0	0.89	1		12/18/12 22:52	91-20-3	
n-Propylbenzene	<0.81	ug/L	1.0	0.81	1		12/18/12 22:52	103-65-1	
Styrene	<0.86	ug/L	1.0	0.86	1		12/18/12 22:52	100-42-5	
1,1,1,2-Tetrachloroethane	<0.92	ug/L	1.0	0.92	1		12/18/12 22:52	630-20-6	

## ANALYTICAL RESULTS

Project: RIC-2012-01 OHM GREEN BAY

Pace Project No.: 4071959

**Sample: MW-5**      **Lab ID: 4071959006**      Collected: 12/12/12 13:25      Received: 12/14/12 14:55      Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
<b>8260 MSV</b>									
Analytical Method: EPA 8260									
1,1,2,2-Tetrachloroethane	<0.20	ug/L	1.0	0.20	1		12/18/12 22:52	79-34-5	
Tetrachloroethene	<0.45	ug/L	1.0	0.45	1		12/18/12 22:52	127-18-4	
Toluene	<0.67	ug/L	1.0	0.67	1		12/18/12 22:52	108-88-3	
1,2,3-Trichlorobenzene	<0.74	ug/L	1.0	0.74	1		12/18/12 22:52	87-61-6	
1,2,4-Trichlorobenzene	<0.97	ug/L	5.0	0.97	1		12/18/12 22:52	120-82-1	
1,1,1-Trichloroethane	<0.90	ug/L	1.0	0.90	1		12/18/12 22:52	71-55-6	
1,1,2-Trichloroethane	<0.42	ug/L	1.0	0.42	1		12/18/12 22:52	79-00-5	
Trichloroethene	<0.48	ug/L	1.0	0.48	1		12/18/12 22:52	79-01-6	
Trichlorofluoromethane	<0.79	ug/L	1.0	0.79	1		12/18/12 22:52	75-69-4	
1,2,3-Trichloropropane	<0.99	ug/L	1.0	0.99	1		12/18/12 22:52	96-18-4	
1,2,4-Trimethylbenzene	<0.97	ug/L	1.0	0.97	1		12/18/12 22:52	95-63-6	
1,3,5-Trimethylbenzene	<0.83	ug/L	1.0	0.83	1		12/18/12 22:52	108-67-8	
Vinyl chloride	<0.18	ug/L	1.0	0.18	1		12/18/12 22:52	75-01-4	
m&p-Xylene	<1.8	ug/L	2.0	1.8	1		12/18/12 22:52	179601-23-1	
o-Xylene	<0.83	ug/L	1.0	0.83	1		12/18/12 22:52	95-47-6	
<b>Surrogates</b>									
4-Bromofluorobenzene (S)	80	%.	43-137		1		12/18/12 22:52	460-00-4	
Dibromofluoromethane (S)	94	%.	70-130		1		12/18/12 22:52	1868-53-7	
Toluene-d8 (S)	86	%.	55-137		1		12/18/12 22:52	2037-26-5	

## ANALYTICAL RESULTS

Project: RIC-2012-01 OHM GREEN BAY

Pace Project No.: 4071959

Sample: MW-6 Lab ID: 4071959007 Collected: 12/12/12 13:20 Received: 12/14/12 14:55 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
<b>8260 MSV</b>		Analytical Method: EPA 8260							
Benzene	<0.41	ug/L	1.0	0.41	1		12/19/12 09:32	71-43-2	
Bromobenzene	<0.82	ug/L	1.0	0.82	1		12/19/12 09:32	108-86-1	
Bromochloromethane	<0.97	ug/L	1.0	0.97	1		12/19/12 09:32	74-97-5	
Bromodichloromethane	<0.56	ug/L	1.0	0.56	1		12/19/12 09:32	75-27-4	
Bromoform	<0.94	ug/L	1.0	0.94	1		12/19/12 09:32	75-25-2	
Bromomethane	<0.91	ug/L	1.0	0.91	1		12/19/12 09:32	74-83-9	
n-Butylbenzene	<0.93	ug/L	1.0	0.93	1		12/19/12 09:32	104-51-8	
sec-Butylbenzene	<0.89	ug/L	5.0	0.89	1		12/19/12 09:32	135-98-8	
tert-Butylbenzene	<0.97	ug/L	1.0	0.97	1		12/19/12 09:32	98-06-6	
Carbon tetrachloride	<0.49	ug/L	1.0	0.49	1		12/19/12 09:32	56-23-5	
Chlorobenzene	<0.41	ug/L	1.0	0.41	1		12/19/12 09:32	108-90-7	
Chloroethane	<0.97	ug/L	1.0	0.97	1		12/19/12 09:32	75-00-3	
Chloroform	<1.3	ug/L	5.0	1.3	1		12/19/12 09:32	67-66-3	
Chloromethane	<0.24	ug/L	1.0	0.24	1		12/19/12 09:32	74-87-3	
2-Chlorotoluene	<0.85	ug/L	1.0	0.85	1		12/19/12 09:32	95-49-8	
4-Chlorotoluene	<0.74	ug/L	1.0	0.74	1		12/19/12 09:32	106-43-4	
1,2-Dibromo-3-chloropropane	<1.7	ug/L	5.0	1.7	1		12/19/12 09:32	96-12-8	
Dibromochloromethane	<0.81	ug/L	1.0	0.81	1		12/19/12 09:32	124-48-1	
1,2-Dibromoethane (EDB)	<0.56	ug/L	1.0	0.56	1		12/19/12 09:32	106-93-4	
Dibromomethane	<0.60	ug/L	1.0	0.60	1		12/19/12 09:32	74-95-3	
1,2-Dichlorobenzene	<0.83	ug/L	1.0	0.83	1		12/19/12 09:32	95-50-1	
1,3-Dichlorobenzene	<0.87	ug/L	1.0	0.87	1		12/19/12 09:32	541-73-1	
1,4-Dichlorobenzene	<0.95	ug/L	1.0	0.95	1		12/19/12 09:32	106-46-7	
Dichlorodifluoromethane	<0.99	ug/L	1.0	0.99	1		12/19/12 09:32	75-71-8	
1,1-Dichloroethane	<0.75	ug/L	1.0	0.75	1		12/19/12 09:32	75-34-3	
1,2-Dichloroethane	<0.36	ug/L	1.0	0.36	1		12/19/12 09:32	107-06-2	
1,1-Dichloroethene	<0.57	ug/L	1.0	0.57	1		12/19/12 09:32	75-35-4	
cis-1,2-Dichloroethene	<0.83	ug/L	1.0	0.83	1		12/19/12 09:32	156-59-2	
trans-1,2-Dichloroethene	<0.89	ug/L	1.0	0.89	1		12/19/12 09:32	156-60-5	
1,2-Dichloropropane	<0.49	ug/L	1.0	0.49	1		12/19/12 09:32	78-87-5	
1,3-Dichloropropane	<0.61	ug/L	1.0	0.61	1		12/19/12 09:32	142-28-9	
2,2-Dichloropropane	<0.62	ug/L	1.0	0.62	1		12/19/12 09:32	594-20-7	
1,1-Dichloropropene	<0.75	ug/L	1.0	0.75	1		12/19/12 09:32	563-58-6	
cis-1,3-Dichloropropene	<0.20	ug/L	1.0	0.20	1		12/19/12 09:32	10061-01-5	
trans-1,3-Dichloropropene	<0.19	ug/L	1.0	0.19	1		12/19/12 09:32	10061-02-6	
Diisopropyl ether	<0.76	ug/L	1.0	0.76	1		12/19/12 09:32	108-20-3	
Ethylbenzene	<0.54	ug/L	1.0	0.54	1		12/19/12 09:32	100-41-4	
Hexachloro-1,3-butadiene	<0.67	ug/L	5.0	0.67	1		12/19/12 09:32	87-68-3	
Isopropylbenzene (Cumene)	<0.59	ug/L	1.0	0.59	1		12/19/12 09:32	98-82-8	
p-Isopropyltoluene	<0.67	ug/L	1.0	0.67	1		12/19/12 09:32	99-87-6	
Methylene Chloride	<0.43	ug/L	1.0	0.43	1		12/19/12 09:32	75-09-2	
Methyl-tert-butyl ether	<0.61	ug/L	1.0	0.61	1		12/19/12 09:32	1634-04-4	
Naphthalene	<0.89	ug/L	5.0	0.89	1		12/19/12 09:32	91-20-3	
n-Propylbenzene	<0.81	ug/L	1.0	0.81	1		12/19/12 09:32	103-65-1	
Styrene	<0.86	ug/L	1.0	0.86	1		12/19/12 09:32	100-42-5	
1,1,1,2-Tetrachloroethane	<0.92	ug/L	1.0	0.92	1		12/19/12 09:32	630-20-6	



## ANALYTICAL RESULTS

Project: RIC-2012-01 OHM GREEN BAY

Pace Project No.: 4071959

**Sample: MW-6**      **Lab ID: 4071959007**      Collected: 12/12/12 13:20      Received: 12/14/12 14:55      Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
<b>8260 MSV</b>									
Analytical Method: EPA 8260									
1,1,2,2-Tetrachloroethane	<0.20	ug/L	1.0	0.20	1		12/19/12 09:32	79-34-5	
Tetrachloroethene	<0.45	ug/L	1.0	0.45	1		12/19/12 09:32	127-18-4	
Toluene	<0.67	ug/L	1.0	0.67	1		12/19/12 09:32	108-88-3	
1,2,3-Trichlorobenzene	<0.74	ug/L	1.0	0.74	1		12/19/12 09:32	87-61-6	
1,2,4-Trichlorobenzene	<0.97	ug/L	5.0	0.97	1		12/19/12 09:32	120-82-1	
1,1,1-Trichloroethane	<0.90	ug/L	1.0	0.90	1		12/19/12 09:32	71-55-6	
1,1,2-Trichloroethane	<0.42	ug/L	1.0	0.42	1		12/19/12 09:32	79-00-5	
Trichloroethene	<0.48	ug/L	1.0	0.48	1		12/19/12 09:32	79-01-6	
Trichlorofluoromethane	<0.79	ug/L	1.0	0.79	1		12/19/12 09:32	75-69-4	
1,2,3-Trichloropropane	<0.99	ug/L	1.0	0.99	1		12/19/12 09:32	96-18-4	
1,2,4-Trimethylbenzene	<0.97	ug/L	1.0	0.97	1		12/19/12 09:32	95-63-6	
1,3,5-Trimethylbenzene	<0.83	ug/L	1.0	0.83	1		12/19/12 09:32	108-67-8	
Vinyl chloride	<0.18	ug/L	1.0	0.18	1		12/19/12 09:32	75-01-4	
m&p-Xylene	<1.8	ug/L	2.0	1.8	1		12/19/12 09:32	179601-23-1	
o-Xylene	<0.83	ug/L	1.0	0.83	1		12/19/12 09:32	95-47-6	
<b>Surrogates</b>									
4-Bromofluorobenzene (S)	81	%.	43-137		1		12/19/12 09:32	460-00-4	
Dibromofluoromethane (S)	95	%.	70-130		1		12/19/12 09:32	1868-53-7	
Toluene-d8 (S)	85	%.	55-137		1		12/19/12 09:32	2037-26-5	

## ANALYTICAL RESULTS

Project: RIC-2012-01 OHM GREEN BAY

Pace Project No.: 4071959

**Sample: MW-7**      **Lab ID: 4071959008**      Collected: 12/12/12 13:05      Received: 12/14/12 14:55      Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
<b>8260 MSV</b>		Analytical Method: EPA 8260							
Benzene	<0.41	ug/L	1.0	0.41	1		12/19/12 09:54	71-43-2	
Bromobenzene	<0.82	ug/L	1.0	0.82	1		12/19/12 09:54	108-86-1	
Bromochloromethane	<0.97	ug/L	1.0	0.97	1		12/19/12 09:54	74-97-5	
Bromodichloromethane	<0.56	ug/L	1.0	0.56	1		12/19/12 09:54	75-27-4	
Bromoform	<0.94	ug/L	1.0	0.94	1		12/19/12 09:54	75-25-2	
Bromomethane	<0.91	ug/L	1.0	0.91	1		12/19/12 09:54	74-83-9	
n-Butylbenzene	<0.93	ug/L	1.0	0.93	1		12/19/12 09:54	104-51-8	
sec-Butylbenzene	<0.89	ug/L	5.0	0.89	1		12/19/12 09:54	135-98-8	
tert-Butylbenzene	<0.97	ug/L	1.0	0.97	1		12/19/12 09:54	98-06-6	
Carbon tetrachloride	<0.49	ug/L	1.0	0.49	1		12/19/12 09:54	56-23-5	
Chlorobenzene	<0.41	ug/L	1.0	0.41	1		12/19/12 09:54	108-90-7	
Chloroethane	<0.97	ug/L	1.0	0.97	1		12/19/12 09:54	75-00-3	
Chloroform	<1.3	ug/L	5.0	1.3	1		12/19/12 09:54	67-66-3	
Chloromethane	<0.24	ug/L	1.0	0.24	1		12/19/12 09:54	74-87-3	
2-Chlorotoluene	<0.85	ug/L	1.0	0.85	1		12/19/12 09:54	95-49-8	
4-Chlorotoluene	<0.74	ug/L	1.0	0.74	1		12/19/12 09:54	106-43-4	
1,2-Dibromo-3-chloropropane	<1.7	ug/L	5.0	1.7	1		12/19/12 09:54	96-12-8	
Dibromochloromethane	<0.81	ug/L	1.0	0.81	1		12/19/12 09:54	124-48-1	
1,2-Dibromoethane (EDB)	<0.56	ug/L	1.0	0.56	1		12/19/12 09:54	106-93-4	
Dibromomethane	<0.60	ug/L	1.0	0.60	1		12/19/12 09:54	74-95-3	
1,2-Dichlorobenzene	<0.83	ug/L	1.0	0.83	1		12/19/12 09:54	95-50-1	
1,3-Dichlorobenzene	<0.87	ug/L	1.0	0.87	1		12/19/12 09:54	541-73-1	
1,4-Dichlorobenzene	<0.95	ug/L	1.0	0.95	1		12/19/12 09:54	106-46-7	
Dichlorodifluoromethane	<0.99	ug/L	1.0	0.99	1		12/19/12 09:54	75-71-8	
1,1-Dichloroethane	<0.75	ug/L	1.0	0.75	1		12/19/12 09:54	75-34-3	
1,2-Dichloroethane	<0.36	ug/L	1.0	0.36	1		12/19/12 09:54	107-06-2	
1,1-Dichloroethene	<0.57	ug/L	1.0	0.57	1		12/19/12 09:54	75-35-4	
cis-1,2-Dichloroethene	<0.83	ug/L	1.0	0.83	1		12/19/12 09:54	156-59-2	
trans-1,2-Dichloroethene	<0.89	ug/L	1.0	0.89	1		12/19/12 09:54	156-60-5	
1,2-Dichloropropane	<0.49	ug/L	1.0	0.49	1		12/19/12 09:54	78-87-5	
1,3-Dichloropropane	<0.61	ug/L	1.0	0.61	1		12/19/12 09:54	142-28-9	
2,2-Dichloropropane	<0.62	ug/L	1.0	0.62	1		12/19/12 09:54	594-20-7	
1,1-Dichloropropene	<0.75	ug/L	1.0	0.75	1		12/19/12 09:54	563-58-6	
cis-1,3-Dichloropropene	<0.20	ug/L	1.0	0.20	1		12/19/12 09:54	10061-01-5	
trans-1,3-Dichloropropene	<0.19	ug/L	1.0	0.19	1		12/19/12 09:54	10061-02-6	
Diisopropyl ether	<0.76	ug/L	1.0	0.76	1		12/19/12 09:54	108-20-3	
Ethylbenzene	<0.54	ug/L	1.0	0.54	1		12/19/12 09:54	100-41-4	
Hexachloro-1,3-butadiene	<0.67	ug/L	5.0	0.67	1		12/19/12 09:54	87-68-3	
Isopropylbenzene (Cumene)	<0.59	ug/L	1.0	0.59	1		12/19/12 09:54	98-82-8	
p-Isopropyltoluene	<0.67	ug/L	1.0	0.67	1		12/19/12 09:54	99-87-6	
Methylene Chloride	<0.43	ug/L	1.0	0.43	1		12/19/12 09:54	75-09-2	
Methyl-tert-butyl ether	<0.61	ug/L	1.0	0.61	1		12/19/12 09:54	1634-04-4	
Naphthalene	<0.89	ug/L	5.0	0.89	1		12/19/12 09:54	91-20-3	
n-Propylbenzene	<0.81	ug/L	1.0	0.81	1		12/19/12 09:54	103-65-1	
Styrene	<0.86	ug/L	1.0	0.86	1		12/19/12 09:54	100-42-5	
1,1,1,2-Tetrachloroethane	<0.92	ug/L	1.0	0.92	1		12/19/12 09:54	630-20-6	

### ANALYTICAL RESULTS

Project: RIC-2012-01 OHM GREEN BAY

Pace Project No.: 4071959

**Sample: MW-7**      **Lab ID: 4071959008**      Collected: 12/12/12 13:05      Received: 12/14/12 14:55      Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
<b>8260 MSV</b>									
Analytical Method: EPA 8260									
1,1,2,2-Tetrachloroethane	<0.20	ug/L	1.0	0.20	1		12/19/12 09:54	79-34-5	
Tetrachloroethene	1.6	ug/L	1.0	0.45	1		12/19/12 09:54	127-18-4	
Toluene	<0.67	ug/L	1.0	0.67	1		12/19/12 09:54	108-88-3	
1,2,3-Trichlorobenzene	<0.74	ug/L	1.0	0.74	1		12/19/12 09:54	87-61-6	
1,2,4-Trichlorobenzene	<0.97	ug/L	5.0	0.97	1		12/19/12 09:54	120-82-1	
1,1,1-Trichloroethane	<0.90	ug/L	1.0	0.90	1		12/19/12 09:54	71-55-6	
1,1,2-Trichloroethane	<0.42	ug/L	1.0	0.42	1		12/19/12 09:54	79-00-5	
Trichloroethene	<0.48	ug/L	1.0	0.48	1		12/19/12 09:54	79-01-6	
Trichlorofluoromethane	<0.79	ug/L	1.0	0.79	1		12/19/12 09:54	75-69-4	
1,2,3-Trichloropropane	<0.99	ug/L	1.0	0.99	1		12/19/12 09:54	96-18-4	
1,2,4-Trimethylbenzene	<0.97	ug/L	1.0	0.97	1		12/19/12 09:54	95-63-6	
1,3,5-Trimethylbenzene	<0.83	ug/L	1.0	0.83	1		12/19/12 09:54	108-67-8	
Vinyl chloride	<0.18	ug/L	1.0	0.18	1		12/19/12 09:54	75-01-4	
m&p-Xylene	<1.8	ug/L	2.0	1.8	1		12/19/12 09:54	179601-23-1	
o-Xylene	<0.83	ug/L	1.0	0.83	1		12/19/12 09:54	95-47-6	
<b>Surrogates</b>									
4-Bromofluorobenzene (S)	81	%	43-137		1		12/19/12 09:54	460-00-4	
Dibromofluoromethane (S)	97	%	70-130		1		12/19/12 09:54	1868-53-7	
Toluene-d8 (S)	87	%	55-137		1		12/19/12 09:54	2037-26-5	

## ANALYTICAL RESULTS

Project: RIC-2012-01 OHM GREEN BAY

Pace Project No.: 4071959

**Sample: MW-8**      **Lab ID: 4071959009**      Collected: 12/12/12 12:25      Received: 12/14/12 14:55      Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
<b>8260 MSV</b>		Analytical Method: EPA 8260							
Benzene	<0.41	ug/L	1.0	0.41	1		12/18/12 23:15	71-43-2	
Bromobenzene	<0.82	ug/L	1.0	0.82	1		12/18/12 23:15	108-86-1	
Bromochloromethane	<0.97	ug/L	1.0	0.97	1		12/18/12 23:15	74-97-5	
Bromodichloromethane	<0.56	ug/L	1.0	0.56	1		12/18/12 23:15	75-27-4	
Bromoform	<0.94	ug/L	1.0	0.94	1		12/18/12 23:15	75-25-2	
Bromomethane	<0.91	ug/L	1.0	0.91	1		12/18/12 23:15	74-83-9	
n-Butylbenzene	<0.93	ug/L	1.0	0.93	1		12/18/12 23:15	104-51-8	
sec-Butylbenzene	<0.89	ug/L	5.0	0.89	1		12/18/12 23:15	135-98-8	
tert-Butylbenzene	<0.97	ug/L	1.0	0.97	1		12/18/12 23:15	98-06-6	
Carbon tetrachloride	<0.49	ug/L	1.0	0.49	1		12/18/12 23:15	56-23-5	
Chlorobenzene	<0.41	ug/L	1.0	0.41	1		12/18/12 23:15	108-90-7	
Chloroethane	<0.97	ug/L	1.0	0.97	1		12/18/12 23:15	75-00-3	
Chloroform	<1.3	ug/L	5.0	1.3	1		12/18/12 23:15	67-66-3	
Chloromethane	<0.24	ug/L	1.0	0.24	1		12/18/12 23:15	74-87-3	
2-Chlorotoluene	<0.85	ug/L	1.0	0.85	1		12/18/12 23:15	95-49-8	
4-Chlorotoluene	<0.74	ug/L	1.0	0.74	1		12/18/12 23:15	106-43-4	
1,2-Dibromo-3-chloropropane	<1.7	ug/L	5.0	1.7	1		12/18/12 23:15	96-12-8	
Dibromochloromethane	<0.81	ug/L	1.0	0.81	1		12/18/12 23:15	124-48-1	
1,2-Dibromoethane (EDB)	<0.56	ug/L	1.0	0.56	1		12/18/12 23:15	106-93-4	
Dibromomethane	<0.60	ug/L	1.0	0.60	1		12/18/12 23:15	74-95-3	
1,2-Dichlorobenzene	<0.83	ug/L	1.0	0.83	1		12/18/12 23:15	95-50-1	
1,3-Dichlorobenzene	<0.87	ug/L	1.0	0.87	1		12/18/12 23:15	541-73-1	
1,4-Dichlorobenzene	<0.95	ug/L	1.0	0.95	1		12/18/12 23:15	106-46-7	
Dichlorodifluoromethane	<0.99	ug/L	1.0	0.99	1		12/18/12 23:15	75-71-8	
1,1-Dichloroethane	<0.75	ug/L	1.0	0.75	1		12/18/12 23:15	75-34-3	
1,2-Dichloroethane	<0.36	ug/L	1.0	0.36	1		12/18/12 23:15	107-06-2	
1,1-Dichloroethene	<0.57	ug/L	1.0	0.57	1		12/18/12 23:15	75-35-4	
cis-1,2-Dichloroethene	<0.83	ug/L	1.0	0.83	1		12/18/12 23:15	156-59-2	
trans-1,2-Dichloroethene	<0.89	ug/L	1.0	0.89	1		12/18/12 23:15	156-60-5	
1,2-Dichloropropane	<0.49	ug/L	1.0	0.49	1		12/18/12 23:15	78-87-5	
1,3-Dichloropropane	<0.61	ug/L	1.0	0.61	1		12/18/12 23:15	142-28-9	
2,2-Dichloropropane	<0.62	ug/L	1.0	0.62	1		12/18/12 23:15	594-20-7	
1,1-Dichloropropene	<0.75	ug/L	1.0	0.75	1		12/18/12 23:15	563-58-6	
cis-1,3-Dichloropropene	<0.20	ug/L	1.0	0.20	1		12/18/12 23:15	10061-01-5	
trans-1,3-Dichloropropene	<0.19	ug/L	1.0	0.19	1		12/18/12 23:15	10061-02-6	
Diisopropyl ether	<0.76	ug/L	1.0	0.76	1		12/18/12 23:15	108-20-3	
Ethylbenzene	<0.54	ug/L	1.0	0.54	1		12/18/12 23:15	100-41-4	
Hexachloro-1,3-butadiene	<0.67	ug/L	5.0	0.67	1		12/18/12 23:15	87-68-3	
Isopropylbenzene (Cumene)	<0.59	ug/L	1.0	0.59	1		12/18/12 23:15	98-82-8	
p-Isopropyltoluene	<0.67	ug/L	1.0	0.67	1		12/18/12 23:15	99-87-6	
Methylene Chloride	<0.43	ug/L	1.0	0.43	1		12/18/12 23:15	75-09-2	
Methyl-tert-butyl ether	<0.61	ug/L	1.0	0.61	1		12/18/12 23:15	1634-04-4	
Naphthalene	<0.89	ug/L	5.0	0.89	1		12/18/12 23:15	91-20-3	
n-Propylbenzene	<0.81	ug/L	1.0	0.81	1		12/18/12 23:15	103-65-1	
Styrene	<0.86	ug/L	1.0	0.86	1		12/18/12 23:15	100-42-5	
1,1,1,2-Tetrachloroethane	<0.92	ug/L	1.0	0.92	1		12/18/12 23:15	630-20-6	

## ANALYTICAL RESULTS

Project: RIC-2012-01 OHM GREEN BAY

Pace Project No.: 4071959

**Sample: MW-8**      **Lab ID: 4071959009**      Collected: 12/12/12 12:25      Received: 12/14/12 14:55      Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
<b>8260 MSV</b>									
Analytical Method: EPA 8260									
1,1,2,2-Tetrachloroethane	<0.20	ug/L	1.0	0.20	1		12/18/12 23:15	79-34-5	
Tetrachloroethene	<0.45	ug/L	1.0	0.45	1		12/18/12 23:15	127-18-4	
Toluene	<0.67	ug/L	1.0	0.67	1		12/18/12 23:15	108-88-3	
1,2,3-Trichlorobenzene	<0.74	ug/L	1.0	0.74	1		12/18/12 23:15	87-61-6	
1,2,4-Trichlorobenzene	<0.97	ug/L	5.0	0.97	1		12/18/12 23:15	120-82-1	
1,1,1-Trichloroethane	<0.90	ug/L	1.0	0.90	1		12/18/12 23:15	71-55-6	
1,1,2-Trichloroethane	<0.42	ug/L	1.0	0.42	1		12/18/12 23:15	79-00-5	
Trichloroethene	<0.48	ug/L	1.0	0.48	1		12/18/12 23:15	79-01-6	
Trichlorofluoromethane	<0.79	ug/L	1.0	0.79	1		12/18/12 23:15	75-69-4	
1,2,3-Trichloropropane	<0.99	ug/L	1.0	0.99	1		12/18/12 23:15	96-18-4	
1,2,4-Trimethylbenzene	<0.97	ug/L	1.0	0.97	1		12/18/12 23:15	95-63-6	
1,3,5-Trimethylbenzene	<0.83	ug/L	1.0	0.83	1		12/18/12 23:15	108-67-8	
Vinyl chloride	<0.18	ug/L	1.0	0.18	1		12/18/12 23:15	75-01-4	
m&p-Xylene	<1.8	ug/L	2.0	1.8	1		12/18/12 23:15	179601-23-1	
o-Xylene	<0.83	ug/L	1.0	0.83	1		12/18/12 23:15	95-47-6	
<b>Surrogates</b>									
4-Bromofluorobenzene (S)	78	%.	43-137		1		12/18/12 23:15	460-00-4	
Dibromofluoromethane (S)	95	%.	70-130		1		12/18/12 23:15	1868-53-7	
Toluene-d8 (S)	86	%.	55-137		1		12/18/12 23:15	2037-26-5	

## ANALYTICAL RESULTS

Project: RIC-2012-01 OHM GREEN BAY

Pace Project No.: 4071959

**Sample: MW-9**      **Lab ID: 4071959010**      Collected: 12/12/12 13:10      Received: 12/14/12 14:55      Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
<b>8260 MSV</b>		Analytical Method: EPA 8260							
Benzene	<0.41	ug/L	1.0	0.41	1		12/18/12 23:37	71-43-2	
Bromobenzene	<0.82	ug/L	1.0	0.82	1		12/18/12 23:37	108-86-1	
Bromochloromethane	<0.97	ug/L	1.0	0.97	1		12/18/12 23:37	74-97-5	
Bromodichloromethane	<0.56	ug/L	1.0	0.56	1		12/18/12 23:37	75-27-4	
Bromoform	<0.94	ug/L	1.0	0.94	1		12/18/12 23:37	75-25-2	
Bromomethane	<0.91	ug/L	1.0	0.91	1		12/18/12 23:37	74-83-9	
n-Butylbenzene	<0.93	ug/L	1.0	0.93	1		12/18/12 23:37	104-51-8	
sec-Butylbenzene	<0.89	ug/L	5.0	0.89	1		12/18/12 23:37	135-98-8	
tert-Butylbenzene	<0.97	ug/L	1.0	0.97	1		12/18/12 23:37	98-06-6	
Carbon tetrachloride	<0.49	ug/L	1.0	0.49	1		12/18/12 23:37	56-23-5	
Chlorobenzene	<0.41	ug/L	1.0	0.41	1		12/18/12 23:37	108-90-7	
Chloroethane	<0.97	ug/L	1.0	0.97	1		12/18/12 23:37	75-00-3	
Chloroform	<1.3	ug/L	5.0	1.3	1		12/18/12 23:37	67-66-3	
Chloromethane	<0.24	ug/L	1.0	0.24	1		12/18/12 23:37	74-87-3	
2-Chlorotoluene	<0.85	ug/L	1.0	0.85	1		12/18/12 23:37	95-49-8	
4-Chlorotoluene	<0.74	ug/L	1.0	0.74	1		12/18/12 23:37	106-43-4	
1,2-Dibromo-3-chloropropane	<1.7	ug/L	5.0	1.7	1		12/18/12 23:37	96-12-8	
Dibromochloromethane	<0.81	ug/L	1.0	0.81	1		12/18/12 23:37	124-48-1	
1,2-Dibromoethane (EDB)	<0.56	ug/L	1.0	0.56	1		12/18/12 23:37	106-93-4	
Dibromomethane	<0.60	ug/L	1.0	0.60	1		12/18/12 23:37	74-95-3	
1,2-Dichlorobenzene	<0.83	ug/L	1.0	0.83	1		12/18/12 23:37	95-50-1	
1,3-Dichlorobenzene	<0.87	ug/L	1.0	0.87	1		12/18/12 23:37	541-73-1	
1,4-Dichlorobenzene	<0.95	ug/L	1.0	0.95	1		12/18/12 23:37	106-46-7	
Dichlorodifluoromethane	<0.99	ug/L	1.0	0.99	1		12/18/12 23:37	75-71-8	
1,1-Dichloroethane	<0.75	ug/L	1.0	0.75	1		12/18/12 23:37	75-34-3	
1,2-Dichloroethane	<0.36	ug/L	1.0	0.36	1		12/18/12 23:37	107-06-2	
1,1-Dichloroethene	<0.57	ug/L	1.0	0.57	1		12/18/12 23:37	75-35-4	
cis-1,2-Dichloroethene	<0.83	ug/L	1.0	0.83	1		12/18/12 23:37	156-59-2	
trans-1,2-Dichloroethene	<0.89	ug/L	1.0	0.89	1		12/18/12 23:37	156-60-5	
1,2-Dichloropropane	<0.49	ug/L	1.0	0.49	1		12/18/12 23:37	78-87-5	
1,3-Dichloropropane	<0.61	ug/L	1.0	0.61	1		12/18/12 23:37	142-28-9	
2,2-Dichloropropane	<0.62	ug/L	1.0	0.62	1		12/18/12 23:37	594-20-7	
1,1-Dichloropropene	<0.75	ug/L	1.0	0.75	1		12/18/12 23:37	563-58-6	
cis-1,3-Dichloropropene	<0.20	ug/L	1.0	0.20	1		12/18/12 23:37	10061-01-5	
trans-1,3-Dichloropropene	<0.19	ug/L	1.0	0.19	1		12/18/12 23:37	10061-02-6	
Diisopropyl ether	<0.76	ug/L	1.0	0.76	1		12/18/12 23:37	108-20-3	
Ethylbenzene	<0.54	ug/L	1.0	0.54	1		12/18/12 23:37	100-41-4	
Hexachloro-1,3-butadiene	<0.67	ug/L	5.0	0.67	1		12/18/12 23:37	87-68-3	
Isopropylbenzene (Cumene)	<0.59	ug/L	1.0	0.59	1		12/18/12 23:37	98-82-8	
p-Isopropyltoluene	<0.67	ug/L	1.0	0.67	1		12/18/12 23:37	99-87-6	
Methylene Chloride	<0.43	ug/L	1.0	0.43	1		12/18/12 23:37	75-09-2	
Methyl-tert-butyl ether	<0.61	ug/L	1.0	0.61	1		12/18/12 23:37	1634-04-4	
Naphthalene	<0.89	ug/L	5.0	0.89	1		12/18/12 23:37	91-20-3	
n-Propylbenzene	<0.81	ug/L	1.0	0.81	1		12/18/12 23:37	103-65-1	
Styrene	<0.86	ug/L	1.0	0.86	1		12/18/12 23:37	100-42-5	
1,1,1,2-Tetrachloroethane	<0.92	ug/L	1.0	0.92	1		12/18/12 23:37	630-20-6	

### ANALYTICAL RESULTS

Project: RIC-2012-01 OHM GREEN BAY

Pace Project No.: 4071959

**Sample: MW-9**      **Lab ID: 4071959010**      Collected: 12/12/12 13:10      Received: 12/14/12 14:55      Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
<b>8260 MSV</b>									
Analytical Method: EPA 8260									
1,1,2,2-Tetrachloroethane	<0.20	ug/L	1.0	0.20	1		12/18/12 23:37	79-34-5	
Tetrachloroethene	<0.45	ug/L	1.0	0.45	1		12/18/12 23:37	127-18-4	
Toluene	<0.67	ug/L	1.0	0.67	1		12/18/12 23:37	108-88-3	
1,2,3-Trichlorobenzene	<0.74	ug/L	1.0	0.74	1		12/18/12 23:37	87-61-6	
1,2,4-Trichlorobenzene	<0.97	ug/L	5.0	0.97	1		12/18/12 23:37	120-82-1	
1,1,1-Trichloroethane	<0.90	ug/L	1.0	0.90	1		12/18/12 23:37	71-55-6	
1,1,2-Trichloroethane	<0.42	ug/L	1.0	0.42	1		12/18/12 23:37	79-00-5	
Trichloroethene	<0.48	ug/L	1.0	0.48	1		12/18/12 23:37	79-01-6	
Trichlorofluoromethane	<0.79	ug/L	1.0	0.79	1		12/18/12 23:37	75-69-4	
1,2,3-Trichloropropane	<0.99	ug/L	1.0	0.99	1		12/18/12 23:37	96-18-4	
1,2,4-Trimethylbenzene	<0.97	ug/L	1.0	0.97	1		12/18/12 23:37	95-63-6	
1,3,5-Trimethylbenzene	<0.83	ug/L	1.0	0.83	1		12/18/12 23:37	108-67-8	
Vinyl chloride	<0.18	ug/L	1.0	0.18	1		12/18/12 23:37	75-01-4	
m&p-Xylene	<1.8	ug/L	2.0	1.8	1		12/18/12 23:37	179601-23-1	
o-Xylene	<0.83	ug/L	1.0	0.83	1		12/18/12 23:37	95-47-6	
<b>Surrogates</b>									
4-Bromofluorobenzene (S)	79	%.	43-137		1		12/18/12 23:37	460-00-4	
Dibromofluoromethane (S)	98	%.	70-130		1		12/18/12 23:37	1868-53-7	
Toluene-d8 (S)	87	%.	55-137		1		12/18/12 23:37	2037-26-5	

### QUALITY CONTROL DATA

Project: RIC-2012-01 OHM GREEN BAY

Pace Project No.: 4071959

QC Batch: MSV/18099 Analysis Method: EPA 8260  
 QC Batch Method: EPA 8260 Analysis Description: 8260 MSV  
 Associated Lab Samples: 4071959001, 4071959002, 4071959003, 4071959004, 4071959005, 4071959006, 4071959007, 4071959008, 4071959009, 4071959010

METHOD BLANK: 728347 Matrix: Water  
 Associated Lab Samples: 4071959001, 4071959002, 4071959003, 4071959004, 4071959005, 4071959006, 4071959007, 4071959008, 4071959009, 4071959010

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
1,1,1,2-Tetrachloroethane	ug/L	<0.92	1.0	12/18/12 16:54	
1,1,1-Trichloroethane	ug/L	<0.90	1.0	12/18/12 16:54	
1,1,2,2-Tetrachloroethane	ug/L	<0.20	1.0	12/18/12 16:54	
1,1,2-Trichloroethane	ug/L	<0.42	1.0	12/18/12 16:54	
1,1-Dichloroethane	ug/L	<0.75	1.0	12/18/12 16:54	
1,1-Dichloroethene	ug/L	<0.57	1.0	12/18/12 16:54	
1,1-Dichloropropene	ug/L	<0.75	1.0	12/18/12 16:54	
1,2,3-Trichlorobenzene	ug/L	<0.74	1.0	12/18/12 16:54	
1,2,3-Trichloropropane	ug/L	<0.99	1.0	12/18/12 16:54	
1,2,4-Trichlorobenzene	ug/L	<0.97	5.0	12/18/12 16:54	
1,2,4-Trimethylbenzene	ug/L	<0.97	1.0	12/18/12 16:54	
1,2-Dibromo-3-chloropropane	ug/L	<1.7	5.0	12/18/12 16:54	
1,2-Dibromoethane (EDB)	ug/L	<0.56	1.0	12/18/12 16:54	
1,2-Dichlorobenzene	ug/L	<0.83	1.0	12/18/12 16:54	
1,2-Dichloroethane	ug/L	<0.36	1.0	12/18/12 16:54	
1,2-Dichloropropane	ug/L	<0.49	1.0	12/18/12 16:54	
1,3,5-Trimethylbenzene	ug/L	<0.83	1.0	12/18/12 16:54	
1,3-Dichlorobenzene	ug/L	<0.87	1.0	12/18/12 16:54	
1,3-Dichloropropane	ug/L	<0.61	1.0	12/18/12 16:54	
1,4-Dichlorobenzene	ug/L	<0.95	1.0	12/18/12 16:54	
2,2-Dichloropropane	ug/L	<0.62	1.0	12/18/12 16:54	
2-Chlorotoluene	ug/L	<0.85	1.0	12/18/12 16:54	
4-Chlorotoluene	ug/L	<0.74	1.0	12/18/12 16:54	
Benzene	ug/L	<0.41	1.0	12/18/12 16:54	
Bromobenzene	ug/L	<0.82	1.0	12/18/12 16:54	
Bromochloromethane	ug/L	<0.97	1.0	12/18/12 16:54	
Bromodichloromethane	ug/L	<0.56	1.0	12/18/12 16:54	
Bromoform	ug/L	<0.94	1.0	12/18/12 16:54	
Bromomethane	ug/L	<0.91	1.0	12/18/12 16:54	
Carbon tetrachloride	ug/L	<0.49	1.0	12/18/12 16:54	
Chlorobenzene	ug/L	<0.41	1.0	12/18/12 16:54	
Chloroethane	ug/L	<0.97	1.0	12/18/12 16:54	
Chloroform	ug/L	<1.3	5.0	12/18/12 16:54	
Chloromethane	ug/L	<0.24	1.0	12/18/12 16:54	
cis-1,2-Dichloroethene	ug/L	<0.83	1.0	12/18/12 16:54	
cis-1,3-Dichloropropene	ug/L	<0.20	1.0	12/18/12 16:54	
Dibromochloromethane	ug/L	<0.81	1.0	12/18/12 16:54	
Dibromomethane	ug/L	<0.60	1.0	12/18/12 16:54	
Dichlorodifluoromethane	ug/L	<0.99	1.0	12/18/12 16:54	
Diisopropyl ether	ug/L	<0.76	1.0	12/18/12 16:54	
Ethylbenzene	ug/L	<0.54	1.0	12/18/12 16:54	



### QUALITY CONTROL DATA

Project: RIC-2012-01 OHM GREEN BAY

Pace Project No.: 4071959

METHOD BLANK: 728347

Matrix: Water

Associated Lab Samples: 4071959001, 4071959002, 4071959003, 4071959004, 4071959005, 4071959006, 4071959007, 4071959008, 4071959009, 4071959010

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
Hexachloro-1,3-butadiene	ug/L	<0.67	5.0	12/18/12 16:54	
Isopropylbenzene (Cumene)	ug/L	<0.59	1.0	12/18/12 16:54	
m&p-Xylene	ug/L	<1.8	2.0	12/18/12 16:54	
Methyl-tert-butyl ether	ug/L	<0.61	1.0	12/18/12 16:54	
Methylene Chloride	ug/L	<0.43	1.0	12/18/12 16:54	
n-Butylbenzene	ug/L	<0.93	1.0	12/18/12 16:54	
n-Propylbenzene	ug/L	<0.81	1.0	12/18/12 16:54	
Naphthalene	ug/L	<0.89	5.0	12/18/12 16:54	
o-Xylene	ug/L	<0.83	1.0	12/18/12 16:54	
p-Isopropyltoluene	ug/L	<0.67	1.0	12/18/12 16:54	
sec-Butylbenzene	ug/L	<0.89	5.0	12/18/12 16:54	
Styrene	ug/L	<0.86	1.0	12/18/12 16:54	
tert-Butylbenzene	ug/L	<0.97	1.0	12/18/12 16:54	
Tetrachloroethene	ug/L	<0.45	1.0	12/18/12 16:54	
Toluene	ug/L	<0.67	1.0	12/18/12 16:54	
trans-1,2-Dichloroethene	ug/L	<0.89	1.0	12/18/12 16:54	
trans-1,3-Dichloropropene	ug/L	<0.19	1.0	12/18/12 16:54	
Trichloroethene	ug/L	<0.48	1.0	12/18/12 16:54	
Trichlorofluoromethane	ug/L	<0.79	1.0	12/18/12 16:54	
Vinyl chloride	ug/L	<0.18	1.0	12/18/12 16:54	
4-Bromofluorobenzene (S)	%	79	43-137	12/18/12 16:54	
Dibromofluoromethane (S)	%	94	70-130	12/18/12 16:54	
Toluene-d8 (S)	%	85	55-137	12/18/12 16:54	

LABORATORY CONTROL SAMPLE & LCSD: 728348

728349

Parameter	Units	Spike Conc.	LCS Result	LCSD Result	LCS % Rec	LCSD % Rec	% Rec Limits	RPD	Max RPD	Qualifiers
1,1,1-Trichloroethane	ug/L	50	56.4	57.9	113	116	70-136	3	20	
1,1,2,2-Tetrachloroethane	ug/L	50	50.1	51.2	100	102	70-130	2	20	
1,1,2-Trichloroethane	ug/L	50	50.6	51.0	101	102	70-130	1	20	
1,1-Dichloroethane	ug/L	50	55.8	56.9	112	114	70-146	2	20	
1,1-Dichloroethene	ug/L	50	53.1	55.0	106	110	70-130	4	20	
1,2,4-Trichlorobenzene	ug/L	50	40.6	42.2	81	84	70-130	4	20	
1,2-Dibromo-3-chloropropane	ug/L	50	45.4	45.6	91	91	46-150	0	20	
1,2-Dibromoethane (EDB)	ug/L	50	50.1	51.2	100	102	70-130	2	20	
1,2-Dichlorobenzene	ug/L	50	47.5	49.4	95	99	70-130	4	20	
1,2-Dichloroethane	ug/L	50	56.4	57.5	113	115	70-144	2	20	
1,2-Dichloropropane	ug/L	50	50.9	52.0	102	104	70-136	2	20	
1,3-Dichlorobenzene	ug/L	50	45.6	46.0	91	92	70-130	1	20	
1,4-Dichlorobenzene	ug/L	50	45.5	47.1	91	94	70-130	4	20	
Benzene	ug/L	50	57.5	60.0	115	120	70-137	4	20	
Bromodichloromethane	ug/L	50	49.8	49.3	100	99	70-133	1	20	
Bromoform	ug/L	50	43.4	43.5	87	87	59-130	0	20	
Bromomethane	ug/L	50	28.5	34.7	57	69	41-148	20	20	

### QUALITY CONTROL DATA

Project: RIC-2012-01 OHM GREEN BAY

Pace Project No.: 4071959

LABORATORY CONTROL SAMPLE & LCSD:		728348	728349							
Parameter	Units	Spike Conc.	LCS Result	LCSD Result	LCS % Rec	LCSD % Rec	% Rec Limits	RPD	Max RPD	Qualifiers
Carbon tetrachloride	ug/L	50	55.8	56.3	112	113	70-154	1	20	
Chlorobenzene	ug/L	50	49.7	50.7	99	101	70-130	2	20	
Chloroethane	ug/L	50	50.0	51.6	100	103	70-139	3	20	
Chloroform	ug/L	50	59.2	59.2	118	118	70-130	0	20	
Chloromethane	ug/L	50	37.6	39.1	75	78	45-154	4	20	
cis-1,2-Dichloroethene	ug/L	50	52.8	56.2	106	112	70-130	6	20	
cis-1,3-Dichloropropene	ug/L	50	46.5	46.8	93	94	70-136	1	20	
Dibromochloromethane	ug/L	50	47.7	47.7	95	95	70-130	0	20	
Dichlorodifluoromethane	ug/L	50	33.9	34.5	68	69	20-157	2	20	
Ethylbenzene	ug/L	50	50.6	51.3	101	103	70-130	2	20	
Isopropylbenzene (Cumene)	ug/L	50	50.2	50.9	100	102	70-130	1	20	
m&p-Xylene	ug/L	100	101	102	101	102	70-130	2	20	
Methyl-tert-butyl ether	ug/L	50	51.8	53.7	104	107	59-141	4	20	
Methylene Chloride	ug/L	50	54.5	55.4	109	111	70-130	2	20	
o-Xylene	ug/L	50	50.8	51.1	102	102	70-130	1	20	
Styrene	ug/L	50	49.2	48.8	98	98	70-130	1	20	
Tetrachloroethene	ug/L	50	43.1	43.1	86	86	70-130	0	20	
Toluene	ug/L	50	51.5	51.9	103	104	70-130	1	20	
trans-1,2-Dichloroethene	ug/L	50	53.5	56.5	107	113	70-130	5	20	
trans-1,3-Dichloropropene	ug/L	50	46.8	48.4	94	97	55-135	3	20	
Trichloroethene	ug/L	50	51.2	52.1	102	104	70-130	2	20	
Trichlorofluoromethane	ug/L	50	52.2	54.8	104	110	50-150	5	20	
Vinyl chloride	ug/L	50	46.4	48.5	93	97	61-143	4	20	
4-Bromofluorobenzene (S)	%				83	84	43-137			
Dibromofluoromethane (S)	%				92	97	70-130			
Toluene-d8 (S)	%				86	87	55-137			

MATRIX SPIKE & MATRIX SPIKE DUPLICATE:		728934	728935									
Parameter	Units	4071962001	MS Spike Conc.	MSD Spike Conc.	MS Result	MSD Result	MS % Rec	MSD % Rec	% Rec Limits	RPD	Max RPD	Qual
		Result	Conc.	Conc.	Result	Result	% Rec	% Rec				
1,1,1-Trichloroethane	ug/L	1.6	50	50	59.5	58.7	116	114	70-136	1	20	
1,1,2,2-Tetrachloroethane	ug/L	<0.20	50	50	51.3	50.0	103	100	70-130	2	20	
1,1,2-Trichloroethane	ug/L	<0.42	50	50	50.6	48.4	101	97	70-130	4	20	
1,1-Dichloroethane	ug/L	<0.75	50	50	58.3	56.3	117	113	70-146	3	20	
1,1-Dichloroethene	ug/L	<0.57	50	50	55.3	53.6	111	107	70-130	3	20	
1,2,4-Trichlorobenzene	ug/L	<0.97	50	50	43.4	42.1	87	84	70-130	3	20	
1,2-Dibromo-3-chloropropane	ug/L	<1.7	50	50	47.2	43.9	94	88	46-150	7	20	
1,2-Dibromoethane (EDB)	ug/L	<0.56	50	50	49.3	48.7	99	97	70-130	1	20	
1,2-Dichlorobenzene	ug/L	<0.83	50	50	48.8	47.2	98	94	70-130	3	20	
1,2-Dichloroethane	ug/L	<0.36	50	50	57.2	55.1	114	110	70-146	4	20	
1,2-Dichloropropane	ug/L	<0.49	50	50	51.8	51.1	104	102	70-136	1	20	
1,3-Dichlorobenzene	ug/L	<0.87	50	50	47.6	47.4	95	95	70-130	0	20	
1,4-Dichlorobenzene	ug/L	<0.95	50	50	49.2	48.0	98	96	70-130	2	20	
Benzene	ug/L	<0.41	50	50	57.2	58.9	114	118	70-137	3	20	
Bromodichloromethane	ug/L	<0.56	50	50	50.5	49.9	101	100	70-133	1	20	
Bromoform	ug/L	<0.94	50	50	44.7	43.0	89	86	57-130	4	20	

Date: 12/19/2012 05:07 PM

### REPORT OF LABORATORY ANALYSIS

Page 27 of 30

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, Inc..

### QUALITY CONTROL DATA

Project: RIC-2012-01 OHM GREEN BAY

Pace Project No.: 4071959

Parameter	Units	4071962001		MS		MSD		MS		MSD		% Rec	Limits	RPD	Max RPD	Qual
		Result	Conc.	Spike Conc.	Result	Result	% Rec	% Rec								
Bromomethane	ug/L	<0.91	50	50	37.6	36.2	75	72	41-148	4	20					
Carbon tetrachloride	ug/L	<0.49	50	50	56.2	56.4	112	113	70-154	0	20					
Chlorobenzene	ug/L	<0.41	50	50	50.5	48.9	101	98	70-130	3	20					
Chloroethane	ug/L	<0.97	50	50	52.2	50.4	104	101	70-140	4	20					
Chloroform	ug/L	<1.3	50	50	60.1	58.6	120	117	70-130	3	20					
Chloromethane	ug/L	<0.24	50	50	38.9	37.8	78	76	45-154	3	20					
cis-1,2-Dichloroethene	ug/L	3.6	50	50	60.1	58.0	113	109	70-130	4	20					
cis-1,3-Dichloropropene	ug/L	<0.20	50	50	49.2	48.0	98	96	70-136	2	20					
Dibromochloromethane	ug/L	<0.81	50	50	47.6	45.9	95	92	70-130	4	20					
Dichlorodifluoromethane	ug/L	<0.99	50	50	34.8	34.2	70	68	10-157	2	20					
Ethylbenzene	ug/L	<0.54	50	50	51.9	49.3	104	99	70-130	5	20					
Isopropylbenzene (Cumene)	ug/L	<0.59	50	50	50.5	50.4	101	101	70-130	0	20					
m&p-Xylene	ug/L		100	100	104	99.8	103	99	70-130	4	20					
Methyl-tert-butyl ether	ug/L	<0.61	50	50	54.1	52.9	108	106	59-141	2	20					
Methylene Chloride	ug/L	<0.43	50	50	56.2	54.4	112	109	70-130	3	20					
o-Xylene	ug/L		50	50	51.2	50.1	102	100	70-130	2	20					
Styrene	ug/L	<0.86	50	50	48.6	48.0	97	96	35-164	1	20					
Tetrachloroethene	ug/L	9.1	50	50	52.4	52.4	87	87	70-130	0	20					
Toluene	ug/L	<0.67	50	50	50.6	49.8	101	100	70-130	2	20					
trans-1,2-Dichloroethene	ug/L	<0.89	50	50	56.8	54.1	114	108	70-130	5	20					
trans-1,3-Dichloropropene	ug/L	<0.19	50	50	48.6	46.3	97	93	55-137	5	20					
Trichloroethene	ug/L	8.3	50	50	59.9	60.8	103	105	70-130	1	20					
Trichlorofluoromethane	ug/L	<0.79	50	50	54.5	53.4	109	107	50-150	2	20					
Vinyl chloride	ug/L	<0.18	50	50	47.1	46.8	94	94	59-144	1	20					
4-Bromofluorobenzene (S)	%						85	84	43-137							
Dibromofluoromethane (S)	%						94	94	70-130							
Toluene-d8 (S)	%						83	85	55-137							

## QUALIFIERS

Project: RIC-2012-01 OHM GREEN BAY  
Pace Project No.: 4071959

---

### DEFINITIONS

DF - Dilution Factor, if reported, represents the factor applied to the reported data due to changes in sample preparation, dilution of the sample aliquot, or moisture content.

ND - Not Detected at or above adjusted reporting limit.

J - Estimated concentration above the adjusted method detection limit and below the adjusted reporting limit.

MDL - Adjusted Method Detection Limit.

PRL - Pace Reporting Limit.

RL - Reporting Limit.

S - Surrogate

1,2-Diphenylhydrazine (8270 listed analyte) decomposes to Azobenzene.

Consistent with EPA guidelines, unrounded data are displayed and have been used to calculate % recovery and RPD values.

LCS(D) - Laboratory Control Sample (Duplicate)

MS(D) - Matrix Spike (Duplicate)

DUP - Sample Duplicate

RPD - Relative Percent Difference

NC - Not Calculable.

SG - Silica Gel - Clean-Up

U - Indicates the compound was analyzed for, but not detected.

N-Nitrosodiphenylamine decomposes and cannot be separated from Diphenylamine using Method 8270. The result reported for each analyte is a combined concentration.

Pace Analytical is TNI accredited. Contact your Pace PM for the current list of accredited analytes.

TNI - The NELAC Institute.

### LABORATORIES

PASI-G Pace Analytical Services - Green Bay

### QUALITY CONTROL DATA CROSS REFERENCE TABLE

Project: RIC-2012-01 OHM GREEN BAY

Pace Project No.: 4071959

Lab ID	Sample ID	QC Batch Method	QC Batch	Analytical Method	Analytical Batch
4071959001	MW-1	EPA 8260	MSV/18099		
4071959002	PZ-1	EPA 8260	MSV/18099		
4071959003	MW-2	EPA 8260	MSV/18099		
4071959004	MW-3	EPA 8260	MSV/18099		
4071959005	MW-4	EPA 8260	MSV/18099		
4071959006	MW-5	EPA 8260	MSV/18099		
4071959007	MW-6	EPA 8260	MSV/18099		
4071959008	MW-7	EPA 8260	MSV/18099		
4071959009	MW-8	EPA 8260	MSV/18099		
4071959010	MW-9	EPA 8260	MSV/18099		

(Please Print Clearly)



Race Analytical  
www.raceanlab.com

UPPER MIDWEST REGION  
MN: 612-607-1700 WI: 920-469-2436

Page 1 of 4

## CHAIN OF CUSTODY

**Preservation Codes**  
 A=None B=HCl C=H2SO4 D=HNO3 E=DI Water F=Methanol G=NaOH  
 H=Sodium Bisulfate Solution I=Sodium Thiosulfate J=Other

4071959  
 KEN EBBOTT/MEGAN THURSEN

Company Name: ALMA TERRA SCIENCE  
 Branch/Location: PLY  
 Project Contact: KEN EBBOTT  
 Phone: 920-892-2444  
 Project Number: RIC-2012-01  
 Project Name: OHM GREEN BAY  
 Project State: WI  
 Sampled By (Print): MEGAN THURSEN  
 Sampled By (Sign): [Signature]  
 PO #: \_\_\_\_\_  
 Regulatory Program: \_\_\_\_\_

Matrix Codes  
 EPA Level III  
 EPA Level IV  
 On your sample (billable)  
 NOT needed on your sample

Y/N	Pick Letter	Filtered? (YES/NO)	Preservation (CODE)
N	B		

PAGE LAB #	CLIENT FIELD ID	COLLECTION		MATRIX	Analyses Requested
		DATE	TIME		
001	MW-1	12/12/12	1250	GW	X
002	P2-1		1240		
003	MW-2		1255		
004	MW-3		1345		
005	MW-4		1335		
006	MW-5		1325		
007	MW-6		1320		
008	MW-7		1305		
009	MW-8		1225		
010	MW-9		1310		
	TRIP BANK				

Quote #: ANVDR  
 Mail To Contact: KEN EBBOTT/MEGAN THURSEN  
 Mail To Company: ALMA TERRA SCIENCE  
 Mail To Address: 1237 PLAZA DR. PLYMOUTH, WI 53073  
 Invoice To Contact: TRM WHERTZ  
 Invoice To Company: RICE ENTERPRISES  
 Invoice To Address: e/o ATTS  
 Invoice To Phone: \_\_\_\_\_  
 CLIENT COMMENTS: \_\_\_\_\_  
 LAB COMMENTS (Lab Use Only): 3-400mB  
 Profile #: \_\_\_\_\_

Rush Turnaround Time Requested - Prelims (Rush TAT subject to approval/surcharge)  
 Date Needed: \_\_\_\_\_  
 Relinquished By: [Signature] Date/Time: 12/14/12 8:15  
 Relinquished By: [Signature] Date/Time: 12/14/12 14:55  
 Relinquished By: \_\_\_\_\_ Date/Time: \_\_\_\_\_  
 Received By: [Signature] Date/Time: 12/14/12 10:35  
 Received By: [Signature] Date/Time: 12/14/12 14:55  
 Received By: \_\_\_\_\_ Date/Time: \_\_\_\_\_  
 PACE Project No. 4871959  
 Receipt Temp = ROI °C  
 Sample Receipt pH OK / Adjusted  
 Cooler Custody Seal Present / Not Present  
 Intact / Not Intact



**Sample Condition Upon Receipt**

Client Name: Alpha Terra Project # 4071959

Courier:  Fed Ex  UPS  USPS  Client  Commercial  Pace Other \_\_\_\_\_

Tracking #: \_\_\_\_\_

Custody Seal on Cooler/Box Present:  yes  no Seals intact:  yes  no

Custody Seal on Samples Present:  yes  no Seals intact:  yes  no

Packing Material:  Bubble Wrap  Bubble Bags  None Other \_\_\_\_\_

Thermometer Used NA

Type of Ice:  Wet  Blue  Dry  None

Samples on ice, cooling process has begun.

Cooler Temperature ROZ

Biological Tissue is Frozen:  yes  no

Temp Blank Present:  yes  no

Temp should be above freezing to 6°C for all sample except Biota.  
Biota Samples should be received ≤ 0°C.

Optional
Proj. Due Date
Proj. Name

Person examining contents:  
Date: 12/14/12  
Initials: EMH

Comments:

Chain of Custody Present:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	1.
Chain of Custody Filled Out:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	2.
Chain of Custody Relinquished:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	3.
Sampler Name & Signature on COC:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	4.
Samples Arrived within Hold Time:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	5.
Short Hold Time Analysis (<72hr):	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A	6.
Rush Turn Around Time Requested:	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A	7.
Sufficient Volume:	<input checked="" type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A	8. Did not receive trip blank volume
Correct Containers Used:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	9. EMH 12/14/12
-Pace Containers Used:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	
Containers Intact:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	10.
Filtered volume received for Dissolved tests	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	11.
Sample Labels match COC:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	12.
-Includes date/time/ID/Analysis Matrix:	<u>W</u>	
All containers needing preservation have been checked.	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	13.
All containers needing preservation are found to be in compliance with EPA recommendation.	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	
exceptions: (VOA) coliform, TOC, O&G, WI-DRO (water)	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	Initial when completed
		Lot # of added preservative
Samples checked for dechlorination:	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	14.
Headspace in VOA Vials (>6mm):	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A	15.
Trip Blank Present:	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A	16. On COC, but did not receive EMH 12/14/12
Trip Blank Custody Seals Present	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	
Pace Trip Blank Lot # (if purchased):	_____	

Client Notification/ Resolution: \_\_\_\_\_ Date/Time: \_\_\_\_\_ Field Data Required? Y / N

Person Contacted: \_\_\_\_\_

Comments/ Resolution: \_\_\_\_\_

Project Manager Review: EMH Date: 12/17/12

Note: Whenever there is a discrepancy affecting North Carolina compliance samples, a copy of this form will be sent to the North Carolina DEHNR Certification Office (i.e. out of hold, incorrect preservative, out of temp, incorrect containers)

## Appendix B


### Groundwater Contaminant Trend Analysis



**Groundwater monitoring data (ug/l)**

MW 1

Groundwater ELEV. (ft)	93.78	92.00	94.63	94.56	93.54	92.77	94.51	95.18	94.63	93.92	Max	Min
Sampling Dates	6/17/1999	1/3/2000	4/22/2004	7/22/2004	10/28/2004	1/25/2005	10/31/2006	4/30/2007	10/15/2010	12/12/2012		
PCE (µg/l)	71.9	20.0	16.0	21.0	22.0	17.0	16.0	16.0	19.9	6.5	71.9	6.5
Log <sub>10</sub> [PCE(µg/l)]	1.9	1.3	1.2	1.3	1.3	1.2	1.2	1.2	1.3	0.8		




**Notes:**

The logarithm (to the base 10) of the total atrazine concentration data is plotted as a function of time.

The trend line is the semi-log<sub>10</sub>-transformed regression line.

Groundwater elevation data is superimposed on the concentration data.


\*For this graph, total atrazine concentrations appear to be increasing, and there seems to be an increasing water level with time as well.



**Groundwater monitoring data (ug/l)**

MW 3

Groundwater ELEV. (ft)	95.64	93.35	95.72	95.51	94.55	93.19	95.23	96.08	95.1	93.37	Max	Min
Sampling Dates	6/17/1999	1/3/2000	4/22/2004	7/22/2004	10/28/2004	1/25/2005	10/31/2006	4/30/2007	10/15/2010	12/12/2012		
PCE (µg/l)	2,600.0	76.0	4,400.0	2,800.0	10,000.0	12,000.0	4,700.0	5,200.0	602.0	13,700.0	13,700.0	76.0
Log <sub>10</sub> [PCE(µg/l)]	3.4	1.9	3.6	3.4	4.0	4.1	3.7	3.7	2.8	4.1		




**Notes:**

The logarithm (to the base 10) of the total atrazine concentration data is plotted as a function of time.

The trend line is the semi-log10-transformed regression line.

Groundwater elevation data is superimposed on the concentration data.


\*For this graph, total atrazine concentrations appear to be increasing, and there seems to be an increasing water level with time as well.



**Groundwater monitoring data (ug/l)**

MW 3

Groundwater ELEV. (ft)	95.64	93.35	95.72	95.51	94.55	93.19	95.23	96.08	95.1	93.37	Max	Min
Sampling Dates	6/17/1999	1/3/2000	4/22/2004	7/22/2004	10/28/2004	1/25/2005	10/31/2006	4/30/2007	10/15/2010	12/12/2012		
TCE (µg/l)	35.3	89.0	190.0	200.0	450.0	570.0	360.0	410.0	191.0	1,500.0	1,500.0	35.3
Log <sub>10</sub> [TCE(µg/l)]	1.5	1.9	2.3	2.3	2.7	2.8	2.6	2.6	2.3	3.2		



**Notes:**

The logarithm (to the base 10) of the total atrazine concentration data is plotted as a function of time.

The trend line is the semi-log<sub>10</sub>-transformed regression line.

Groundwater elevation data is superimposed on the concentration data.

\*For this graph, total atrazine concentrations appear to be increasing, and there seems to be an increasing water level with time as well.

