



September 18, 2015

Ted Warpinski  
Friebert, Finerty & St. John, S.C.  
Two Plaza East - Suite 1250  
330 East Kilbourn Avenue  
Milwaukee, WI 53202

**RE: Semi-Annual Groundwater Monitoring Report for the 1<sup>st</sup> and 2<sup>nd</sup> Quarters 2015  
Former Robinson's Dry Cleaners  
1838 West Court Street, Janesville, Wisconsin  
BRRTS# 02-54-221852  
EnviroForensics Project# 6155**

Dear Mr. Warpinski:

Environmental Forensic Investigations, Inc. (EnviroForensics) is pleased to submit this Semi-Annual Groundwater Monitoring Report for the former Robinson's Cleaners located at 1838 West Court Street, Janesville, Wisconsin (Site). The location of the Site is shown on **Figure 1**. This report includes data collected during the 1st and 2nd quarter 2015 groundwater monitoring events. The groundwater monitoring activities were conducted as part of the on-going investigation of the extent and degree of groundwater impacts and evaluation of the plume dynamics.

## **SITE BACKGROUND**

The Site was agricultural land previous to at least 1950. Commercial development of the Site as the Sunnyside Shopping Center and the Sunnyside Gasoline Service Station began sometime between 1950 and 1956. Structural additions to the west side of the shopping center in the early 1960s provided room for additional tenants, eventually including Robinson's Cleaners.

The former Robinson's Cleaners facility was located in the west end of the strip mall in a mixed residential/commercial area of west-central Janesville. A city park is located to the north of the property; single family residences are located to the northwest, northeast and east. Commercial use structures are located to the southeast, south, southwest, and west. The Site map showing the locations of all groundwater monitoring wells is presented on **Figure 2**.

*Document: 6155-1472*  
Environmental Forensic Investigations, Inc.  
N16 W23390 Stone Ridge Drive, Suite G  
Waukesha, WI 53188  
Phone: 262-290-4001 • Fax 317-972-7875

## Geology and Hydrogeology

The surface topography is relatively flat in the immediate vicinity of the Site. However, approximately 2,300 feet to the east and south of the Site, topography begins to slope downward towards the Rock River basin from an elevation of approximately 835 feet above mean sea level (AMSL) to approximately between 765 feet AMSL to the east and 750 feet AMSL to the south. The geology in the vicinity of the Site (north and west of the Rock River) has been historically shaped mainly by the erosional effects of pre-glacial streams and rivers, followed by additional glacial erosion and subsequent deposition of unconsolidated glacial and fluvial deposits. The ancestral Rock River valley extends up to 300 feet into the bedrock surface, and is now filled with glacial outwash and other fluvial deposits.

Data collected from soil borings at the Site indicate that there is between 8 to 10 feet of unconsolidated sand, silt, and clay deposits. The upper bedrock consists of the Ordovician-age Platteville-Galena Formation, which is described as limestone and dolomite, dense to porous, and having shale partings. The Platteville Formation is further described as vertically fractured with prominent bedding planes. Dissolution features occur along the fractures and bedding planes, increasing secondary and tertiary porosity in the Formation. Locally, the Formation is known as the Platteville Dolomite and is observed directly under the Site from approximately 10 to 48 feet below ground surface (bgs). The Platteville Dolomite has been eroded away just west of the Site and further to the south of the Site, where unconsolidated soil directly overlies the St. Peter Sandstone. Dolomite was not encountered at locations MW-34D, MW-38D, or PZ-42 (see **Figure 2**).

Underlying the Platteville Dolomite is the Ordovician St. Peter Formation, which is approximately 150 to 200 feet thick. The St. Peter Formation is sandstone comprised of fine to medium-grained, well rounded quartz sand with frosted surfaces. In some places the formation is greater than 99.5% quartz grains. The St. Peter Formation has silica cement and is loosely cemented in some places making it more easily erodible than the overlying dolomite formation. Locally, the Formation is known as the St. Peter Sandstone and is first encountered at a depth of 40 feet bgs at the Site; however, it is eroded away partially or completely by glacial action and the pre-glacial Rock River. The St. Peter Sandstone has been eroded away at some point between well clusters PZ-44 and PZ-47; and PZ-42 and PZ-46. At well clusters PZ-46 and PZ-47, the St. Peter Sandstone is absent. Dolomite of the Prairie du Chien Group was encountered at a depth of approximately 180 feet bgs at PZ-47, and at a depth of 221 feet bgs at PZ-46 (see **Figure 2**).

The unconsolidated deposits overlying the Platteville Dolomite at the Site are very thin, and groundwater is not typically encountered within these deposits. Groundwater elevation measurements in monitoring wells completed in both the Platteville Dolomite and the St. Peter Sandstone indicate two (2) separate water bearing units. Dolomite formations are typically massive and have very minimal primary porosity. Groundwater can only flow through this material where it has been fractured or weathered creating a higher secondary porosity.

Groundwater elevations in the Platteville dolomite near the Site suggest that groundwater flows toward the southwest into the valley fill, and then into the hydraulically connected St. Peter Sandstone. Groundwater within the dolomite can also leak directly into the St. Peter Sandstone at locations where vertical fractures completely penetrate the dolomite.

Groundwater within the St. Peter Sandstone, and in the unconsolidated deposits where the dolomite and sandstone bedrock has been eroded away, is unconfined and represents a deeper water table. The depth to groundwater in the sandstone varies within the current monitoring well network at approximately 43 to 56 feet bgs. Groundwater within the sandstone has been measured flowing towards the Rock River to the southeast.

## **GROUNDWATER MONITORING ACTIVITIES**

Groundwater monitoring activities included groundwater elevation measurements and sample collection. EnviroForensics personnel conducted the 1<sup>st</sup> and 2<sup>nd</sup> Quarter 2015 monitoring events during March 23-26 and June 1-9, respectively.

### **Groundwater Elevation Measurements**

During the first quarter 2015 monitoring event, groundwater elevation measurements were collected from new monitoring wells only (i.e., those wells installed between December 2014 and March 2015). During the second quarter 2015 monitoring event, groundwater elevation measurements were collected from all accessible wells at the Site, with the exception of those wells slated for abandonment and replacement (see **Table 1**). Depth to water was measured to the nearest 0.01 foot using an electronic water level indicator. The well caps were removed at least 15 minutes prior to measurement to allow equilibration with atmospheric pressure. The depth-to-water measurements were recorded in the project field book and on field sampling forms (**Attachment 1**).

### **Groundwater Sampling**

Samples were collected and analyzed from selected monitoring wells at the Site to monitor the nature and extent of dissolved phase contaminant concentrations. The list of wells from which samples were collected during the two (2) monitoring events is presented in **Table 1**.

Monitoring well sampling was completed following low-flow (minimal drawdown) groundwater sampling procedures. The procedure involves low volume groundwater purging rates while maintaining minimal drawdowns, typically less than 0.1 meters. EnviroForensics employed a submersible pump to evacuate water from the screened portion of the well to a surface flow-through cell apparatus with multi-parameter water quality probe. The probe measures groundwater geochemical parameters such as pH, oxidation-reduction potential (ORP), specific conductivity, temperature, turbidity, and dissolved oxygen. Water quality parameters were monitored during purging to verify stabilization prior to groundwater sample collection.

Equipment was calibrated prior to use. Data collected during the sampling activities were documented on field sampling forms provided in **Attachment 1**.

After the geochemical parameter readings stabilized, groundwater samples were collected by discharging directly into laboratory provided containers. Sample containers were placed into a cooler containing ice pending transport to a laboratory for analysis. Proper chain-of-custody documentation was maintained at all times. Groundwater samples were analyzed for volatile organic compounds (VOCs) according to EPA Method SW-846 8260.

Quality assurance/quality control (QA/QC) samples were collected in accordance with WAC Chapter NR 716, including one (1) duplicate sample and one (1) equipment blank sample for every ten (10) samples, and one (1) trip blank sample per cooler. Investigation-derived media (IDM), consisting of purge and decontamination fluids, were stored on-site in sealed and labeled 55-gallon steel drums.

Samples were also collected in passive diffusion bags (PDBs) from eight (8) monitoring wells in order to evaluate the efficacy of using PDBs for Site-wide groundwater sampling. PDBs were deployed in MW-3, MW-6, MW-13, MW-13D, MW-26, MW-30S, MW-30D, and MW-37D on May 19, 2015 and retrieved on June 1, 2015. The water in the PDBs was transferred directly into laboratory provided containers and submitted to a laboratory for VOC analysis.

## RESULTS

### Groundwater Elevation and Flow Direction

Groundwater elevation data associated with the 1<sup>st</sup> and 2<sup>nd</sup> quarter 2015 monitoring events are summarized in **Table 2**. Potentiometric surface contour maps for the Platteville dolomite and St. Peter Sandstone/unconsolidated during May 2015 are presented on **Figures 3a and 3b**, respectively. In general, groundwater elevations decreased compared to December 2014, which is likely indicative of the dryer than average winter. Furthermore, the potentiometric surface in the St. Peter Sandstone has decreased consistently over the past six (6) quarters of monitoring instead of fluctuating seasonally.

Groundwater is first encountered under the Site in the dolomite at a depth of approximately 17 to 19 feet bgs (monitoring well MW-20S). The potentiometric surface elevation drops by more than 23 feet from the Site to the most down-gradient dolomite well (MW-31S), a distance of approximately 450 feet, indicating a hydraulic gradient of 0.05 feet per foot. Groundwater in the dolomite flows toward the southwest and into the unconsolidated valley fill deposits.

The depth to groundwater in the sandstone/unconsolidated deposits varies within the current monitoring well network between approximately 23 feet bgs (PZ-47) and 62 feet bgs (MW-44S). The large difference in depth to groundwater is due, in part, to a decrease in surface topography from 825.04 feet AMSL at MW-44S to 784.38 feet AMSL at PZ-47. The potentiometric surface



elevation in the sandstone/unconsolidated deposits drops by approximately 19 feet within the monitored area, with a hydraulic gradient of approximately 0.005 feet per foot. The direction of groundwater flow in the sandstone/unconsolidated deposits is southeast towards the Rock River.

### **Low-Flow Groundwater Sample Analytical Results**

Groundwater sample analytical results are summarized in **Table 3**. The complete laboratory reports are provided in **Attachment 2**. VOC concentrations are compared to public health standards listed in Wisconsin Administrative Code (WAC) Chapter NR 140. Tetrachloroethene (PCE) isoconcentration maps for groundwater in the Platteville Dolomite and the St. Peter Sandstone/unconsolidated sediment units are presented on **Figures 4a** and **4b**.

Groundwater impacts are present in both units. Compounds that were detected at concentrations exceeding Wisconsin Administrative Code NR 140 Enforcement Standards (ESs) in one or more samples were PCE, trichloroethene (TCE), vinyl chloride, and unrelated petroleum compounds. Additionally, cis-1,2-dichloroethene (cis-1,2-DCE) was detected in several samples at concentrations above the preventive action limit (PAL).

PCE was the most commonly detected compound. PCE was detected in samples collected from 27 monitoring wells at concentrations exceeding the Enforcement Standard (ES). The highest concentrations of PCE were observed at MW-39S, a new well screened in the dolomite near the Site building; and sandstone wells MW-13 and MW-25D which are located southwest (down-gradient) of the Site. PCE was reported at 2,440 micrograms per liter ( $\mu\text{g/L}$ ) at MW-39S during the 2nd quarter monitoring event. The PCE concentration in St. Peter Sandstone wells MW-13 and MW-25D was 600  $\mu\text{g/L}$  during the 2nd quarter monitoring event.

TCE was detected at concentrations exceeding the ES (5  $\mu\text{g/L}$ ) in 12 monitoring wells, including MW-39S, the recently installed dolomite well near the source area, and down-gradient wells screened in the St. Peter Sandstone (MW-25D and MW-37D).

Petroleum compounds, unrelated to former Robinson's operations at the Site, were detected at monitoring well MW-17; however, the concentrations of all petroleum compounds were less than ESs. These compounds (benzene, ethylbenzene, naphthalene, trimethylbenzene, and xylenes) were historically detected in samples collected from MW-17, MW-17S and MW-18.

Duplicate and field blank results associated with this monitoring event confirmed sample integrity and analytical data quality.

### **Passive Diffusion Bag Sample Analytical Results**

The analytical results of the PDB samples are included in **Table 3**, and a comparison of the PDB and low-flow sample results is provided in **Table 4**. The low-flow samples were collected between two (2) and seven (7) days after the PDB samples were collected. However, a low-flow

sample could not be collected from MW-6 due to an insufficient volume of groundwater in the well.

No patterns or trends are evident when comparing the two data sets. Four (4) of the PDB samples had concentrations less than their associated low-flow sample, and three (3) of the PDB samples contained higher concentrations. In general, the analytical results of PDB and low-flow samples were more comparable in wells having lower CVOC impacts than in wells having higher impacts (i.e., at MW-3 and MW-26). The variability in results between the two sample collection methods may indicate that changes in contaminant concentrations can occur rapidly within the groundwater system (within a day, or so).

Historical data provided in **Table 3** show that VOC concentrations are highly variable at many wells. In all cases, the PDB sample results were within the historical range of concentrations detected at each well. Another set of comparison samples should be collected to confirm the suitability of the PDB sampling method at the Site. The low-flow samples should be collected immediately following removal of the PDB samplers at each well due to the potential for large changes in contaminant concentration over a short time frame.

### **Fate and Transport**

Residual soil impacts are present beneath the former drycleaner and adjacent business spaces as well as an area behind (north of) the former dry cleaner. It appears that vertical migration of PCE has occurred through the unsaturated portion of the Platteville Dolomite resulting in the currently observed distribution of dissolved phase impacts in both bedrock formations and in the unconsolidated sediment where bedrock has been eroded. VOCs have not been detected in samples collected from up-gradient monitoring wells, indicating there are no up-gradient contributions to the groundwater plume.

Contaminants released at the Site appear to have entered the Platteville Dolomite and migrated into the St. Peter Sandstone. In some places vertical fractures may completely penetrate the dolomite resulting in a direct migration pathway to the underlying St. Peter Sandstone. Contaminated groundwater in the dolomite migrates to the southwest in the direction of groundwater flow, potentially along horizontal bedding planes and other horizontally oriented fracture zones. Along this flow path where the fractures penetrate through the entire thickness of the dolomite, impacts can leak through into the underlying sandstone. Contaminated groundwater may also migrate within the dolomite to reach the valley fill located to the west. Here the dolomite has been eroded away and the water table resides within the St. Peter Sandstone. Water was observed during a downhole camera investigation on top of the dolomite flowing on the surface, which dips southwest (similar to groundwater flow in the dolomite) and enters the valley fill and sandstone aquifer. This transport mechanism is consistent with high concentrations of PCE in the sandstone southwest of the site.

As shown on **Figures 4a** and **4b**, the PCE plume extends a considerable lateral distance from the source area. The downgradient extent of impacts in concentrations above the groundwater ES has been defined in the sandstone/unconsolidated sediment by well nests PZ-44, PZ-46, and PZ-47 as shown on **Figure 4b**. Vertical migration has also occurred as evidenced by concentrations in down-gradient well nests. The middle or deepest monitored zone exhibits the highest PCE concentrations at the PZ-25 and PZ-42 well nests. The vertical expression is most likely attributable to the downward vertical gradient observed in the existing well nests.

Graphs depicting PCE concentration and groundwater elevation over time are presented in **Attachment 3**. The fluctuations in contaminant concentrations over time observed at several monitoring wells are expected due to storage of contaminant mass in the dolomite and overlying unconsolidated sediment at the Site. The release and movement of mass within the groundwater systems likely varies according to groundwater elevation and recharge conditions.

## RECOMMENDATIONS

Due to the expansion of the monitoring well network and historical data set available, EnviroForensics is planning the following activities during the remainder of 2015:

- Abandon MW-26S due to dry conditions in the unconsolidated sediment; and
- Abandon MW-32S, MW-33S, and MW-34S which have been dry for most of the sampling events (but have shown previous VOC detections), and replace with deeper monitoring wells screened within the unconsolidated sediment.

Additionally, EnviroForensics recommends continued quarterly groundwater monitoring as outlined on **Table 1**. The PDB sample comparison conducted during the 2<sup>nd</sup> quarter monitoring event should be repeated using the same monitoring wells during the 4<sup>th</sup> quarter monitoring event to better determine the applicability of the PDB method for long term monitoring. Low-flow sampling methods should be utilized at these locations immediately following the removal of the PDB samplers. Due to a low amount of water in well MW-6, a PDB sampler should not be deployed at this location.

We appreciate the opportunity to provide you with this information. If you have any questions or require additional information, please don't hesitate to contact us at 262-290-4001.

Sincerely,  
**Environmental Forensic Investigations, Inc.**

A handwritten signature in blue ink that reads "Wayne P. Fassbender".

Wayne Fassbender, PG, PMP  
*Senior Project Manager*

A handwritten signature in blue ink that reads "Brian Kappen".

Brian Kappen, PG  
*Project Manager*

cc: Andy Skwierawski, Friebert, Finerty & St. John S.C.  
Jeff Ackerman, Wisconsin Department of Natural Resources

## **ATTACHMENTS**

### **TABLES**

- 1 2015 Monitoring Well Sample List
- 2 Monitoring Well Information and Groundwater Elevation Data
- 3 Monitoring Well Groundwater Sample Analytical Results Summary
- 4 Comparison of Low-Flow and PDB Sample Analytical Results

### **FIGURES**

- 1 Site Location Map
- 2 Site Map Showing Monitoring Well Locations
- 3a Potentiometric Surface Contour Map – Platteville Dolomite – May 2015
- 3b Potentiometric Surface Contour Map – St. Peter Sandstone/Unconsolidated Sediment – May 2015
- 4a PCE Isoconcentration Map – Platteville Dolomite – May 2015
- 4b PCE Isoconcentration Map – St. Peter Sandstone/Unconsolidated Sediment – May 2015

### **ATTACHMENTS**

- 1 Groundwater Field Sampling Forms
- 2 Laboratory Analytical Reports
- 3 PCE Concentration Trend Graphs

## **Tables**

**TABLE 1**  
**2015 MONITORING WELL SAMPLE LIST**

Former Robinson's Cleaners  
1838 W. Court Street  
Janesville, Wisconsin

Monitoring Well ID	1st Quarter	2nd Quarter	3rd Quarter	4th Quarter	Screened Formation
MW-1		X		X	St. Peter Sandstone
MW-3		X		X	St. Peter Sandstone
MW-6		X		X	St. Peter Sandstone
MW-8		X		X	St. Peter Sandstone
MW-9		X		X	Platteville Dolomite/ St. Peter Sandstone
MW-9S	ABANDON				Platteville Dolomite
MW-11S		X		X	Platteville Dolomite
MW-11		X		X	Platteville Dolomite/ St. Peter Sandstone
MW-12		X		X	St. Peter Sandstone
MW-12S		X		X	Platteville Dolomite
MW-13		X		X	St. Peter Sandstone
MW-13D		X		X	St. Peter Sandstone
MW-14		X		X	St. Peter Sandstone
MW-17S	ABANDON				Platteville Dolomite
MW-17		X		X	St. Peter Sandstone
MW-18	ABANDON				Platteville Dolomite/ St. Peter Sandstone
MW-20S		X		X	Platteville Dolomite
MW-20D		X		X	St. Peter Sandstone
MW-25	X	X	X	X	St. Peter Sandstone
MW-25D	X	X	X	X	St. Peter Sandstone
PZ-25D2	X	X	X	X	St. Peter Sandstone
MW-26S	ABANDON				Platteville Dolomite
MW-26		X		X	St. Peter Sandstone
MW-27S		X		X	Platteville Dolomite
MW-27D		X		X	St. Peter Sandstone
MW-27DS		X		X	St. Peter Sandstone
MW-29S		X		X	Platteville Dolomite
MW-29		X		X	St. Peter Sandstone
MW-29D		X		X	St. Peter Sandstone
MW-30S		X		X	Platteville Dolomite
MW-30D	X	X	X	X	St. Peter Sandstone
PZ-30D2	X	X	X	X	St. Peter Sandstone
MW-31S		X		X	Platteville Dolomite
MW-31D		X		X	St. Peter Sandstone
MW-32S	RE-INSTALL and Sample 4 Quarters				Unconsolidated
MW-33S	RE-INSTALL and Sample 4 Quarters				Unconsolidated
MW-34S	RE-INSTALL and Sample 4 Quarters				Unconsolidated
MW-34D		X		X	Unconsolidated
MW-35S	ABANDON				Platteville Dolomite
MW-35D		X		X	St. Peter Sandstone



**TABLE 1**  
**2015 MONITORING WELL SAMPLE LIST**

Former Robinson's Cleaners  
1838 W. Court Street  
Janesville, Wisconsin

Monitoring Well ID	1st Quarter	2nd Quarter	3rd Quarter	4th Quarter	Screened Formation
MW-36S		X		X	Plattville Dolomite
MW-36D		X		X	St. Peter Sandstone
MW-37D		X		X	St. Peter Sandstone
MW-38D	X	X		X	St. Peter Sandstone
MW-39S	X	X	X	X	St. Peter Sandstone
MW-40S	X	X	X	X	St. Peter Sandstone
PZ-40D	X	X	X	X	St. Peter Sandstone
MW-41S	X	X	X	X	St. Peter Sandstone
PZ-42D1	X	X	X	X	St. Peter Sandstone
PZ-42D2	X	X	X	X	St. Peter Sandstone
PZ-42D3	X	X	X	X	St. Peter Sandstone
PZ-43D1	X	X	X	X	St. Peter Sandstone
PZ-43D2	X	X	X	X	St. Peter Sandstone
PZ-43D3	X	X	X	X	St. Peter Sandstone
PZ-44D1	X	X	X	X	St. Peter Sandstone
PZ-44D2	X	X	X	X	St. Peter Sandstone
PZ-44D3	X	X	X	X	St. Peter Sandstone
PZ-45D1	X	X	X	X	St. Peter Sandstone
PZ-45D2	X	X	X	X	St. Peter Sandstone
PZ-45D3	X	X	X	X	St. Peter Sandstone
PZ-46D1	X	X	X	X	St. Peter Sandstone
PZ-46D2	X	X	X	X	St. Peter Sandstone
PZ-46D3	X	X	X	X	St. Peter Sandstone
PZ-47D1	X	X	X	X	St. Peter Sandstone
PZ-47D2	X	X	X	X	St. Peter Sandstone
PZ-47D3	X	X	X	X	St. Peter Sandstone

**Table 2**  
**Monitoring Well Information and Groundwater Elevation Data**  
1838 W. Court Street  
Janesville, Wisconsin

Well ID	Date Constructed	Unconsolidated Sediments		Platteville Dolomite		St. Peter Sandstone	Well Screen		Screen Length (ft)	Screen Location	Well Depth (ft)	Ground Surface Elevation (ft)	Top of Casing Elevation (ft)	23-Mar-2015		20-May-2015	
		Depth to Top (ft)	Depth to Bottom (ft)	Depth to Top (ft)	Depth to Bottom (ft)	Depth to Top (ft)	Depth to Top (ft)	Depth to Bottom (ft)						Depth to Water (ft)	Groundwater Elevation (ft)	Depth to Water (ft)	Groundwater Elevation (ft)
MW-1	5/1/1996	0	9	9	56	56	55	65	10	Sandstone (inferred)	65	832.30	831.35	NM	57.51	773.84	
MW-3	5/3/1996	0	9.5	9.5	55	55	53	63	10	Sandstone (inferred)	63	832.10	831.55	NM	57.27	774.28	
MW-6	7/7/1997	0	10	10	50	50	50	60	10	Sandstone	60	830.90	830.61	NM	55.48	775.13	
MW-8	7/8/1997	0	10	10	50	50	53	63	10	Sandstone	63	831.50	831.12	NM	58.90	772.22	
MW-9	7/9/1997	0	8	8	52	52	50	60	10	Dolomite/ Sandstone	60	830.60	831.11	NM	56.03	775.08	
MW-9S	5/29/1998	0	8	8	40+	-	20	40	20	Dolomite	40	831.70	830.92	NM	26.54	804.38	
MW-11	1/7/1998	0	10	10	48	48	47	57	10	Dolomite/ Sandstone	57	830.00	829.57	NM	54.23	775.34	
MW-11S	5/26/1998	0	8.5	8.5	45+	-	25	45	20	Dolomite	45	830.00	829.49	NM	26.64	802.85	
MW-12S	5/27/1998	0	8.5	8.5	40+	-	20	40	20	Dolomite	40	829.70	829.33	NM	26.38	802.95	
MW-12	1/9/1998	0	8	8	43	43	46	56	10	Sandstone	56	829.60	829.14	NM	53.47	775.67	
MW-13	1/12/1998	0	8.5	8.5	42	42	48	58	10	Sandstone	58	829.67	829.16	NM	53.37	775.79	
MW-13D	8/14/2003	0	14	14	48	48	60	70	10	Sandstone	70	829.70	829.21	NM	53.39	775.82	
MW-14	1/15/1998	0	9	9	46	46	48	58	10	Sandstone	58	830.70	830.38	NM	54.76	775.62	
MW-17S	6/2/1998	0	10	10	35+	-	20	35	15	Dolomite	35	831.15	830.99	NM	27.02	803.97	
MW-17	6/2/1998	0	10	10	51	51	57	62	5	Sandstone	62	831.03	830.83	NM	58.01	772.82	
MW-18	9/13/1998	0	9.5	9.5	49.5	49.5	46.5	56.5	10	Dolomite/ Sandstone	56.5	830.30	829.97	NM	51.18	778.79	
MW-20S	8/14/2002	0	8	8	35+	-	20	35	15	Dolomite	35	830.36	830.03	NM	18.38	811.65	
MW-20D	8/14/2002	0	8	8	43	43	46	61	15	Sandstone	61	830.48	830.04	NM	52.90	777.14	
MW-25	Unknown	0	Unknown	Unknown	Unknown	Unknown	48	58	10	Sandstone (inferred)	58	826.61	825.96	NM	56.16	769.80	
MW-25D	8/14/2003	0	13	13	47	47	68	78	10	Sandstone	78	826.63	826.27	NM	56.42	769.85	
PZ-25D2	1/12/2015	0	9	9	48	48	147.5	152.5	5	Sandstone	152.5	825.92	825.70	56.42	769.28	56.43	769.27
MW-26	8/14/2003	0	27	27	47	47	52	62	10	Sandstone	62	829.62	829.07	NM	54.35	774.72	
MW-26S	8/14/2003	0	27	27	35+	-	20	35	15	Dolomite	35	829.43	829.05	NM	Dry		
MW-27D	8/14/2003	0	18	18	43	43	50	60	10	Sandstone	60	827.78	827.39	NM	50.34	777.05	
MW-27DS	2/18/2009	0	17	17	42	42	75	80	5	Sandstone	80	827.55	827.92	NM	44.62	783.30	
MW-27S	8/14/2003	0	18	18	40+	-	25	40	15	Dolomite	40	827.64	827.31	NM	33.22	794.09	
MW-29	10/9/2008	0	14	14	47	47	44.5	59.5	15	Sandstone	59.5	830.29	830.15	NM	53.48	776.67	
MW-29S	10/9/2008	0	14	14	24.6+	-	9.6	24.6	15	Dolomite	24.6	830.25	829.96	NM	22.52	807.44	
MW-29D	10/6/2011	0	10	10	48	48	145	150	5	Sandstone	150	830.28	829.77	NM	53.32	776.45	
MW-30S	12/18/2009	0	13	13	40+	-	25	40	15	Dolomite	40	828.43	828.11	NM	28.10	800.01	
MW-30D	12/18/2009	0	13	13	42	42	45	60	15	Sandstone	60	828.45	827.86	NM	49.98	777.88	
PZ-30D2	12/30/2014	0	13	13	42	42	146	151	5	Sandstone	151	827.95	827.49	NM	50.16	777.33	
MW-31D	12/18/2009	0	22	22	43	43	46	60	15	Sandstone	60	826.10	825.62	49.72	775.90	47.52	778.10
MW-31S	12/18/2009	0	22	22	38+	-	23	38	15	Dolomite	38	826.22	826.05	NM	37.40	788.65	
MW-32S	12/21/2009	0	45+	-	-	-	30	45	15	Unconsolidated	45	828.38	827.89	NM	Dry		
MW-33S	12/21/2009	0	40+	-	-	-	25	40	15	Unconsolidated	40	824.25	823.79	NM	Dry		

**Table 2**  
**Monitoring Well Information and Groundwater Elevation Data**  
1838 W. Court Street  
Janesville, Wisconsin

Well ID	Date Constructed	Unconsolidated Sediments		Platteville Dolomite		St. Peter Sandstone	Well Screen		Screen Length (ft)	Screen Location	Well Depth (ft)	Ground Surface Elevation (ft)	Top of Casing Elevation (ft)	23-Mar-2015		20-May-2015	
		Depth to Top (ft)	Depth to Bottom (ft)	Depth to Top (ft)	Depth to Bottom (ft)	Depth to Top (ft)	Depth to Top (ft)	Depth to Bottom (ft)						Depth to Water (ft)	Groundwater Elevation (ft)	Depth to Water (ft)	Groundwater Elevation (ft)
MW-34D	12/22/2009	0	66+	-	-	-	61	66	5	Unconsolidated	66	824.48	824.00	NM	47.20	776.80	
MW-34S	12/22/2009	0	45+	-	-	-	35	45	10	Unconsolidated	45	824.40	824.03	NM	Dry		
MW-35D	12/17/2009	0	27	27	48	48	52	62	10	Sandstone	62	826.73	826.63	NM	53.03	773.60	
MW-35S	12/17/2009	0	27	27	45+	-	30	45	15	Dolomite	45	827.15	826.79	NM	39.86	786.93	
MW-36S	10/4/2011	0	25	25	40+	-	35	40	5	Dolomite	40	829.83	828.75	NM	20.80	807.95	
MW-36D	10/5/2011	0	25	25	44	44	55	60	5	Sandstone	60	829.35	828.57	NM	50.72	777.85	
MW-37D	10/6/2011	0	8	8	48.5	48.8	55	60	5	Sandstone	60	828.79	828.38	NM	57.91	770.47	
MW-38D	6/2/2014	0	43	-	-	43	45	55	10	Sandstone	55	825.14	824.89	NM	46.02	778.87	
MW-39S	12/17/2014	0	9	9	28+	-	18	28	10	Dolomite	28	828.91	828.58	16.99	811.59	19.19	809.39
MW-40S	12/17/2014	0	5	5	33+	-	23	33	10	Dolomite	33	830.13	829.68	19.55	810.13	20.62	809.06
PZ-40D	12/17/2014	0	5	5	43	43	70	75	5	Sandstone	75	829.96	829.42	49.36	780.06	49.88	779.54
MW-41S	12/17/2014	0	9	9	26+	-	16	26	10	Dolomite	26	830.67	830.22	16.16	814.06	18.80	811.42
PZ-42D1	1/22/2015	0	64	-	-	64	84	89	5	Sandstone	89	811.69	811.32	49.54	761.78	49.10	762.22
PZ-42D2	1/22/2015	0	64	-	-	64	120	125	5	Sandstone	125	811.67	811.24	49.48	761.76	49.08	762.16
PZ-42D3	1/16/2015	0	68	-	-	68	149	154	5	Sandstone	154	811.54	811.05	49.32	761.73	48.87	762.18
MW-43S	1/28/2015	0	26	26	34	34	45	55	10	Sandstone	55	812.01	811.76	48.63	763.13	48.15	763.61
PZ-43D1	1/28/2015	0	26	26	34	34	90	95	5	Sandstone	95	812.40	812.15	49.00	763.15	48.56	763.59
PZ-43D2	1/20/2015	0	25	25	34	34	130	135	5	Sandstone	135	811.76	811.35	48.21	763.14	47.76	763.59
MW-44S	2/3/2015	0	68+	-	-	-	58	68	10	Unconsolidated	68	825.04	824.68	61.59	763.09	61.31	763.37
PZ-44D1	2/2/2015	0	95+	-	-	-	90	95	5	Unconsolidated	95	825.08	824.82	61.33	763.49	61.16	763.66
PZ-44D2	1/30/2015	0	124	-	-	124	122	127	5	Sandstone	127	825.08	824.55	61.01	763.54	60.84	763.71
MW-45S	3/4/2015	0	67+	-	-	-	57	67	10	Unconsolidated	67	811.96	811.65	50.38	761.27	50.01	761.64
PZ-45D1	3/6/2015	0	98.5+	-	-	-	93.5	98.5	5	Unconsolidated	98.5	811.61	811.17	49.88	761.29	49.52	761.65
PZ-45D2	3/5/2015	0	138+	-	-	-	133	138	5	Unconsolidated	138	811.78	811.41	50.14	761.27	49.73	761.68
PZ-46D1	3/18/2015	0	135+	-	-	-	130	135	5	Unconsolidated	135	819.62	819.25	59.03	760.22	58.62	760.63
PZ-46D2	3/16/2015	0	197.5+	-	-	-	192.5	197.5	5	Unconsolidated	197.5	820.25	819.84	59.28	760.56	58.88	760.96
PZ-46D3	3/17/2015	0	221*	-	-	-	218	223	5	Unconsolidated / Dolomite*	223	819.89	819.50	58.89	760.61	58.50	761.00
PZ-47D1	3/12/2015	0	103+	-	-	-	100.5	105.5	5	Unconsolidated	105.5	784.67	784.16	24.10	760.06	23.77	760.39
PZ-47D2	3/11/2015	0	126.5+	-	-	-	124	129	5	Unconsolidated	129	784.38	783.84	23.77	760.07	23.43	760.41
PZ-47D3	3/10/2015	0	180*	-	-	-	144	149	5	Unconsolidated	149	784.03	783.51	23.39	760.12	23.06	760.45

Notes:  
ft = feet  
Wells screened in Unconsolidated Glaciogenic Sediments  
Wells screened in Platteville Dolomite  
Wells screened in St. Peter Sandstone  
NM = Not Measured  
\* = Dolomite of the Prairie Du Chien group encountered













**TABLE 3**  
**MONITORING WELL GROUNDWATER SAMPLE ANALYTICAL RESULTS SUMMARY**

Former Robinson's Cleaners  
Janesville, Wisconsin

Monitoring Well ID	Sample Date	Tetrachloroethene	Trichloroethene	cis-1,2-Dichloroethene	trans-1,2-Dichloroethene	Vinyl chloride	Benzene	Toluene	Ethylbenzene	Isopropylbenzene	Methyl Ethyl Ketone	n-Butylbenzene	n-Propylbenzene	sec-butylbenzene	Xylenes	Naphthalene	Trimethylbenzenes	Chlorodibromomethane	Bromodichloromethane	Bromoform	Chloroform	Chloromethane	1,1,2,2-Tetrachloroethane	1,2-Dichloroethane	Methyl-tert-butyl-ether	
<b>Enforcement Standard</b>		5	5	70	100	0.2	5	1,000	700	NES	4,000	NES	NES	NES	10,000	100	480	60	0.6	4.4	6	3	0.2	5	60	
<b>Preventive Action Limit</b>		0.5	0.5	7	20	0.02	0.5	200	140	NES	800	NES	NES	NES	1,000	10	96	6	0.06	0.44	0.6	0.3	0.02	0.5	12	
MW-17S	6/3/1998	<100	<50	<200	NLRA	NLRA	124	NLRA	407	NLRA	NLRA	NLRA	NLRA	NLRA	735	NLRA	NLRA	NLRA	NLRA	NLRA	NLRA	NLRA	NLRA	NLRA	NLRA	
	2/21/2003	<16	<9.8	<20	NLRA	<2.8	<6.2	NLRA	120	110	NLRA	180	350	<0.16	37 Q	190	2,910	NLRA	<5.8	NLRA	NLRA	<6.8	<19	<14	<22	
	6/15/2006	3.6 Q	<0.8	<2	NLRA	<0.8	3.1	NLRA	4.2 Q	9.8	NLRA	<0.8	13	2.8 Q	2.7 Q	5.9	127.2	NLRA	<0.8	NLRA	NLRA	<0.8	<0.8	<2	<2	
	1/11/2010	2.7	<0.2	<0.5	<0.2	<0.2	0.21 Q	<0.5	<0.5	<0.2	NLRA	<0.2	<0.5	0.25 Q	<0.5	<0.25	0.79	<0.2	<0.2	<0.2	<0.2	<0.3	<0.2	<0.5	<0.5	
	4/14/2010	<0.5	<0.2	<0.5	<0.5	<0.2	3.8	<0.5	7.3	5.3	NLRA	<0.2	7.6	0.82 Q	1.1 Q	<0.97 Q	27	<0.2	<0.2	<0.2	<0.2	<0.3	<0.2	<0.5	<0.5	
	Dup 4/14/2010	<0.5	<0.2	<0.5	<0.5	<0.2	4.2	<0.5	8	5.5	NLRA	<0.2	7.6	0.81 Q	1.2 Q	<1.2 Q	28	<0.2	<0.2	<0.2	<0.2	<0.3	<0.2	<0.5	<0.5	
	10/13/2011	Dry																								
	11/14/2012	<0.5	<0.2	<0.5	<0.5	<0.2	0.37	<0.5	<0.5	<0.2	NA	<0.2	<0.5	<2.2	<0.5	<0.25	<4.5	<0.2	<0.2	<0.2	<0.2	<0.3	<0.2	<0.5	<0.5	
	3/20/2013	<0.17	<0.19	<0.12	<0.25	<0.10	<0.074	<0.11	<0.13	<0.17	NA	<0.13	<0.13	<0.15	<0.068	<0.16	<0.31	NA	<0.17	<0.28	<0.20	<0.18	<0.23	<0.28	<0.24	
	6/25/2013	<0.17	<0.19	<0.12	<0.25	<0.10	3.4	<0.11	1.2	1.5	<1.5	<0.13	1.3	3.4	0.40 J	<0.16	5.8	NA	<0.17	<0.28	<0.20	<0.18	<0.23	<0.28	<0.24	
	9/12/2013	<0.17	<0.19	<0.12	<0.25	<0.10	5.8	0.89	3.8	2.1	NA	<0.13	2.8	4.4	3.6	<0.16	4.5	NA	<0.17	<0.28	<0.20	<0.18	<0.23	<0.28	<0.24	
	12/13/2013**	<0.33	<0.33	<0.38	<0.35	<0.18	2.56	<0.69	2.78	0.78 J	NA	1.33	1.17	2.03	<0.69	<1.7	<2.2	NA	<0.37	<0.35	<0.28	<0.81	<0.45	<0.41	NA	
	3/18/2014	Not Sampled																								
	6/18/2014	Not Sampled																								
	9/15/2014	Not Sampled																								
12/2/2014	Not Sampled																									
MW-18	9/30/1999	<1.5	<4	<1.5	NLRA	NL	561	227	257	NLRA	NLRA	NLRA	NLRA	NLRA	1,872	NLRA	NLRA	NLRA	NLRA	NLRA	NLRA	NLRA	NLRA	NLRA	NLRA	
	2/21/2003	<3.2	<2	<4.1	NLRA	<0.55	280	130	460	18	NLRA	<3.2	23	NLRA	1,220	140	430	NLRA	<1.2	NLRA	NLRA	<1.4	<3.8	<2.8	63	
	6/13/2006	Not Sampled																								
	1/11/2010	<0.5	<0.2	0.58 Q	<0.5	<0.2	260	160	1,100	81	NLRA	31	160	NLRA	2,400	200	1,220	<0.2	<0.2	<0.2	<0.2	<0.3	<0.2	3.8	37	
	4/14/2010	<4	<4	<10	<4	<4	240	140	880	<4	NLRA	<4	90	NLRA	2,100	200	1,030	<4	<4	<4	<4	<6	<4	<10	28 Q	
	10/13/2011	Not Sampled																								
	11/12/2012	Not Sampled																								
	3/20/2013	<0.17	<0.19	<0.12	<0.25	<0.10	56	19	55	5.1	NA	<0.13	8.0	<0.15	870	140	610	NA	<0.17	<0.28	<0.20	<0.18	<0.23	<0.28	<0.24	
	6/24/2013	Not Sampled																								
	9/12/2013	<0.34	<0.38	<0.24	<0.50	<0.20	120	56	400	23	NA	13	40	1.8 J	1,100	150	780	NA	<0.34	<0.56	<0.40	<0.36	<0.46	<0.56	<0.24	
	12/13/2013	<3.3	<3.3	<3.8	<3.5	<1.8	138	85	870	63	NA	16.4	116	4.6 J	1,680	174	1,140	NA	<3.7	<3.5	<2.8	<8.1	<4.5	<4.1	NA	
	3/18/2014	Not Sampled																								
	6/18/2014	Not Sampled																								
	9/15/2014	Not Sampled																								
	12/2/2014	Not Sampled																								
MW-19	9/30/1999	<0.15	<0.4	NLRA	NLRA	NLRA	<0.15	<0.4	<0.5	NLRA	NLRA	NLRA	NLRA	NLRA	NLRA	NLRA	NLRA	NLRA	NLRA	NLRA	NLRA	NLRA	NLRA	NLRA	NLRA	
	6/19/2006	Abandoned																								
MW-20A	9/30/1999	<1.5	<4	NLRA	NLRA	NLRA	4.98	NLRA	1,060	NLRA	NLRA	NLRA	NLRA	NLRA	NLRA	NLRA	NLRA	NLRA	NLRA	NLRA	NLRA	NLRA	NLRA	NLRA	<0.4	
	6/13/2006	Abandoned																								
MW-20S	9/24/2002	3.3	1.8	19	NLRA	<0.11	NLRA	NLRA	NLRA	NLRA	NLRA	NLRA	NLRA	NLRA	NLRA	<0.63	NLRA	NLRA	NLRA	NLRA	NLRA	NLRA	NLRA	NLRA	NLRA	
	6/14/2006	1.8	0.47 Q	4.4	NLRA	<0.2	NLRA	NLRA	NLRA	NLRA	NLRA	NLRA	NLRA	NLRA	NLRA	<0.25	NLRA	NLRA	<0.2	NLRA	NLRA	NLRA	<0.2	NLRA	NLRA	
	1/4/2010	2.5	0.42 Q	3.4	<0.5	<0.2	<0.2	<0.5	<0.5	NLRA	NLRA	NLRA	NLRA	NLRA	<0.5	0.32 Q	<0.4	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.5	<0.5	
	4/13/2010	2.2	0.36 Q	3.8	<0.5	<0.2	<0.2	<0.5	<0.5	NLRA	NLRA	NLRA	NLRA	NLRA	<0.5	0.32	<0.4	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.5	<0.5	
	10/12/2011	1.7	<0.48	5.5	<0.89	<0.18	<0.41	<0.67	<0.54	NLRA	NLRA	NLRA	NLRA	NLRA	<1.8	<0.89	<1.8	NA	<0.56	<0.94	<1.3	<0.24	<0.2	<0.36	<0.61	
	11/13/2012	3.5	0.51	7.7	<0.89	<0.18	<0.41	<0.67	<0.54	NA	<0.13	<0.13	<0.13	<0.15	<1.8	<0.89	<1.8	NA	<0.56	<0.94	<1.3	<0.24	<0.2	<0.36	<0.61	
	3/19/2013	2.7	0.52	5.2	<0.21	<0.10	<0.074	<0.11	<0.13	<0.14	NA	<0.13	<0.13	<0.15	<0.068	<0.16	<1.8	NA	<0.17	<0.28	<0.20	<0.18	<0.23	<0.28	<0.24	
	6/24/2013	3.7	0.56	6.1	<0.25	<0.10	<0.074	<0.11	<0.13	<0.14	<1.5	<0.13	<0.13	<0.15	<0.068	<0.16	<0.18	NA	<0.17	<0.28	<0.20	<0.18	<0.23	<0.28	<0.24	
	9/10/2013	2.6	0.78	8.2	<0.25	<0.10	<0.074	<0.11	<0.13	<0.14	NA	<0.13	<0.13	<0.15	<0.068	<0.16	<0.18	NA	<0.17	<0.28	<0.20	<0.18	<0.23	<0.28	<0.24	
	12/9/2013	4.5	0.90 J	13.6	0.78 J	<0.18	<0.24	<0.69	<0.55	<0.3	NA	<0.35	<0.25	<0.33	<0.69	<1.7	<2.2	NA	<0.37	<0.35	<0.28	<0.81	<0.45	<0.41	NA	
	3/19/2014	7.7	2.08	10.5	0.73 J	<0.18	<0.24	<0.69	<0.55	<0.3	NA	<0.35	<0.25	<0.33	<1.32	<1.7	<3.6	NA	<0.37	<0.35	<0.28	<0.81	<0.45	<0.41	<0.23	
	6/17/2014	5.2	1.05	13	0.89 J	<0.18	<0.24	<0.69	<0.55	<0.3	NA	<0.35	<0.25	<0.33	<1.32	<1.7	<3.6	NA	<0.37	<0.35	<0.28	<0.81	<0.45	<0.41	<0.23	
	9/18/2014	4.2	0.73 J	11.4	0.74 J	<0.18	<0.24	<0.69	<0.55	<0.3	NA	<0.35	<0.25	<0.33	<1.32	<1.7	<3.6	NA	<0.37	<0.35	<0.28	<0.81	<0.45	<0.41	<0.23	
	12/1/2014	3.9	0.88 J	12.8	1.45	<0.18	<0.24	<0.69	<0.55	<0.3	NA	<0.35	<0.25	<0.33	<1.32	<1.7	<3.6	NA	<0.37	<0.35	<0.28	<0.81	<0.45	<0.41	<0.23	
	6/9/2015	4.4	1.15 J	13.3	0.98 J	<0.18	<0.24	<0.69	<0.55	<0.3	NA	<0.35	<0.25	<0.33	<1.32	<1.7	<3.6	NA	<0.37	<0.35	<0.28	<0.81	<0.45	<0.41	<0.23	

**TABLE 3**  
**MONITORING WELL GROUNDWATER SAMPLE ANALYTICAL RESULTS SUMMARY**

Former Robinson's Cleaners  
 Janesville, Wisconsin

Monitoring Well ID	Sample Date	Tetrachloroethene	Trichloroethene	cis-1,2-Dichloroethene	trans-1,2-Dichloroethene	Vinyl chloride	Benzene	Toluene	Ethylbenzene	Isopropylbenzene	Methyl Ethyl Ketone	n-Butylbenzene	n-Propylbenzene	sec-butylbenzene	Xylenes	Naphthalene	Trimethylbenzenes	Chlorodibromomethane	Bromodichloromethane	Bromoform	Chloroform	Chloromethane	1,1,2,2-Tetrachloroethane	1,2-Dichloroethane	Methyl-tert-butyl-ether	
<b>Enforcement Standard</b>		5	5	70	100	0.2	5	1,000	700	NES	4,000	NES	NES	NES	10,000	100	480	60	0.6	4.4	6	3	0.2	5	60	
<b>Preventive Action Limit</b>		0.5	0.5	7	20	0.02	0.5	200	140	NES	800	NES	NES	NES	1,000	10	96	6	0.06	0.44	0.6	0.3	0.02	0.5	12	
MW-20D	9/30/1999	<1.5	<4	<1.5	NLRA	NLRA	4.98	5.33	1,060	NLRA	NLRA	NLRA	NLRA	NLRA	373	<0.63	NLRA	NLRA	NLRA	NLRA	NLRA	NLRA	NLRA	NLRA	NLRA	
	9/24/2002	5.1	1.6	9.2	NLRA	NLRA	<0.25	<0.84	<0.53	NLRA	NLRA	NLRA	NLRA	NLRA	<1.83	<0.25	NLRA	NLRA	NLRA	NLRA	NLRA	NLRA	NLRA	NLRA	NLRA	
	Dup 9/24/2002	5	1.6	8.7	NLRA	NLRA	<0.25	<0.84	<0.53	NLRA	NLRA	NLRA	NLRA	NLRA	<1.83	0.32 Q	NLRA	NLRA	NLRA	NLRA	NLRA	NLRA	NLRA	NLRA	NLRA	
	6/14/2006	56	4.4	17	<0.5	<0.2	<0.2	0.26 Q	<0.5	NLRA	NLRA	NLRA	NLRA	NLRA	<0.5	0.32	NLRA	NLRA	<0.2	NLRA	NLRA	NLRA	<0.2	NLRA	NLRA	
	1/4/2010	170	8.9	21	0.71 Q	<0.2	<0.2	<0.5	<0.5	NLRA	NLRA	NLRA	NLRA	NLRA	<0.5	<0.89	<0.4	<0.2	<0.2	<0.2	<0.2	<0.2	<0.3	<0.2	<0.5	<0.5
	4/13/2010	130	8.0	21	0.69 J	<0.2	<0.2	<0.5	<0.5	NLRA	NLRA	NLRA	NLRA	NLRA	<0.5	<0.89	<0.4	<0.2	<0.2	<0.2	<0.2	<0.2	<0.3	<0.2	<0.5	<0.5
	10/12/2011	59.7	5.2	19.1	<0.19	<0.18	<0.41	<0.67	<0.54	NLRA	NLRA	NLRA	NLRA	NLRA	<1.8	<0.81	<1.8	NA	<0.56	<0.94	<1.3	<0.24	<0.2	<0.36	<0.61	
	11/13/2012	28	4.0	18	0.63 J	<0.18	<0.41	<0.67	<0.54	NLRA	NLRA	NLRA	NLRA	NLRA	<1.8	<0.81	<1.8	NA	<0.56	<0.94	<1.3	<0.24	<0.2	<0.36	<0.61	
	3/19/2013	41	1.0	4.2	<0.25	<10	<0.074	<0.11	<0.13	<0.14	NA	<0.13	<0.13	<0.15	<0.068	<0.16	<1.8	NA	<0.17	<0.28	<0.20	<0.18	<0.23	<0.28	<0.24	
	6/24/2013	120	2.8	11	<0.25	<0.10	<0.074	<0.11	<0.13	<0.14	<1.5	<0.13	<0.13	<0.15	<0.068	<0.16	<0.18	NA	<0.17	<0.28	<0.20	<0.18	<0.23	<0.28	<0.24	
	9/10/2013	50	4.3	16	<0.25	<0.10	<0.074	<0.11	<0.13	<0.14	NA	<0.13	<0.13	<0.15	<0.068	<0.16	<0.18	NA	<0.17	<0.28	<0.20	<0.18	<0.23	<0.28	<0.24	
	12/9/2013	35	4.8	18.3	0.59 J	<0.18	<0.24	<0.69	<0.55	<0.3	NA	<0.35	<0.25	<0.33	<0.69	<1.7	<2.2	NA	<0.37	<0.35	<0.28	<0.81	<0.45	<0.41	NA	
	3/19/2014	94	6.5	23.3	0.96 J	<0.18	<0.24	<0.69	<0.55	<0.3	NA	<0.35	<0.25	<0.33	<1.32	<1.7	<3.6	NA	<0.37	<0.35	<0.28	<0.81	<0.45	<0.41	<0.23	
	6/17/2014	53	4.9	19.5	0.66 J	<0.18	<0.24	<0.69	<0.55	<0.3	NA	<0.35	<0.25	<0.33	<1.32	<1.7	<3.6	NA	<0.37	<0.35	<0.28	<0.81	<0.45	<0.41	<0.23	
	9/18/2014	61	4.5	19.3	0.72 J	<0.18	<0.24	<0.69	<0.55	<0.3	NA	<0.35	<0.25	<0.33	<1.32	<1.7	<3.6	NA	<0.37	<0.35	<0.28	<0.81	<0.45	<0.41	<0.23	
12/2/2014	44	4.3	22.5	1.27	<0.18	<0.24	<0.69	<0.55	<0.3	NA	<0.35	<0.25	<0.33	<1.32	<1.7	<3.6	NA	<0.37	<0.35	<0.28	<0.81	<0.45	<0.41	<0.23		
6/9/2015	45	4.5	18.1	0.84 J	<0.18	<0.24	<0.69	<0.55	<0.3	NA	<0.35	<0.25	<0.33	<1.32	<1.7	<3.6	NA	<0.37	<0.35	<0.28	<0.81	<0.45	<0.41	<0.23		
MW-21	9/30/1999	<0.15	<0.4	NLRA	NLRA	NLRA	<0.15	<0.4	<0.5	NA	NA	NA	NA	NA	NLRA	NLRA	NLRA	NLRA	NLRA	NLRA	NLRA	NLRA	NLRA	NLRA	NLRA	
	6/19/2006	Abandoned																								
MW-22	9/30/1999	<0.15	<0.4	NLRA	NLRA	NLRA	<0.15	1.33	<0.5	NLRA	NLRA	NLRA	NLRA	NLRA	NLRA	NLRA	NLRA	NLRA	NLRA	NLRA	NLRA	NLRA	NLRA	NLRA	NLRA	
	6/15/2006	NS	NS	NS	NS	NS	NS	NS	NS	NLRA	NLRA	NLRA	NLRA	NLRA	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	
	6/19/2006	Abandoned																								
MW-23	2/7/2003	NLRA	NLRA	NLRA	NLRA	NLRA	<0.31	1.33	4.73	NLRA	NLRA	NLRA	NLRA	NLRA	NLRA	NLRA	NLRA	NLRA	NLRA	NLRA	NLRA	NLRA	NLRA	NLRA		
	6/19/2006	Abandoned																								
MW-24	2/7/2003	NLRA	NLRA	NLRA	NLRA	NLRA	469	5.92	32.1	NLRA	NLRA	NLRA	NLRA	NLRA	NLRA	NLRA	NLRA	NLRA	NLRA	NLRA	NLRA	NLRA	NLRA	NLRA		
	6/15/2006	1.4Q	0.71	NLRA	NLRA	<0.2	7.9	0.76	0.82Q	0.34 Q	NLRA	NLRA	NLRA	NLRA	NLRA	NLRA	0.26Q	NLRA	<0.2	NLRA	NLRA	NLRA	<0.2	NLRA		
	6/19/2006	Abandoned																								
MW-25	11/1/2002	9.22	6.55	0.73	NLRA	NLRA	0.87	NLRA	NLRA	NLRA	NLRA	NLRA	NLRA	NLRA	NLRA	NLRA	NLRA	NLRA	NLRA	NLRA	NLRA	NLRA	NLRA	NLRA		
	6/15/2006	28	30	4.2	0.89 Q	<0.2	0.52 Q	NLRA	NLRA	0.25 Q	NLRA	NLRA	NLRA	0.63 Q	NLRA	NLRA	NLRA	NLRA	<0.2	NLRA	NLRA	NLRA	<0.2	0.89 Q	6.6 Q	
	1/11/2010	10	1.9	<0.5	<0.5	<0.2	<0.2	<0.5	<0.5	<0.2	NLRA	NLRA	NLRA	0.25	<0.5	<0.5	<0.4	<0.2	<0.2	<0.2	<0.2	<0.3	<0.2	<0.5	0.66 Q	
	4/14/2010	3.2	0.46 Q	<0.5	<0.5	<0.2	<0.2	<0.5	<0.5	<0.2	NLRA	NLRA	NLRA	0.25	<0.5	<0.5	<0.4	<0.2	<0.2	<0.2	<0.2	<0.3	<0.2	<0.5	0.66	
	10/13/2011	6.4	0.62 J	<0.83	<0.36	<0.18	<0.41	<0.67	<0.54	<0.41	NLRA	NLRA	NLRA	0.86	<1.8	<0.89	<1.8	NA	<0.56	<0.94	<1.3	<0.24	<0.2	<0.36	1.6	
	11/12/2012	Dry																								
	3/18/2013	Dry																								
	6/25/2013	140	46	3.1	2.1	<0.10	0.32 J	<0.11	<0.13	<0.14	<1.5	<0.13	<0.13	<0.15	<0.068	<0.16	<0.18	NA	<0.17	<0.28	<0.20	<0.18	<0.23	<0.28	<0.24	
	9/12/2013	22	3.3	<0.12	<0.25	<0.10	<0.074	<0.11	<0.13	<0.14	NA	<0.13	<0.13	<0.15	<0.068	<0.16	<0.18	NA	<0.17	<0.28	<0.20	<0.18	<0.23	<0.28	<0.24	
	12/11/2013	51	11.2	0.81 J	<0.35	<0.18	<0.24	<0.69	<0.55	<0.3	NA	<0.35	<0.25	<0.33	<0.69	<1.7	<2.2	NA	<0.37	<0.35	<0.28	<0.81	<0.45	<0.41	NA	
	3/18/2014	Not Accessible																								
6/18/2014 ^	17.7	2.78	0.47 J	<0.35	<0.18	<0.24	<0.69	<0.55	<0.3	NA	<0.35	0.32 J	<0.33	<0.69	<1.7	<2.2	NA	<0.37	<0.35	<0.28	<0.81	<0.45	<0.41	0.23 J		
9/19/2014	42	4.6	0.48 J	<0.35	<0.18	<0.24	<0.69	<0.55	<0.3	NA	<0.35	<0.25	<0.33	<0.69	<1.7	<2.2	NA	<0.37	<0.35	<0.28	<0.81	<0.45	<0.41	<0.23		
12/5/2014	27.4	3.4	0.60 J	<0.35	<0.18	<0.24	<0.69	<0.55	<0.3	NA	<0.35	<0.25	<0.33	<0.69	<1.7	<2.2	NA	<0.37	<0.35	<0.28	<0.81	<0.45	<0.41	0.53 J		
6/8/2015	18.5	2.62	<0.45	<0.54	<0.17	<0.44	<0.44	<0.71	<0.82	<NA	<1	<0.77	<1.2	<3.1	<1.6	<3.1	NA	<0.46	<0.46	<0.43	<1.9	<0.52	<0.54	<11		

**TABLE 3**  
**MONITORING WELL GROUNDWATER SAMPLE ANALYTICAL RESULTS SUMMARY**

Former Robinson's Cleaners  
Janesville, Wisconsin

Monitoring Well ID	Sample Date	Tetrachloroethene	Trichloroethene	cis-1,2-Dichloroethene	trans-1,2-Dichloroethene	Vinyl chloride	Benzene	Toluene	Ethylbenzene	Isopropylbenzene	Methyl Ethyl Ketone	n-Butylbenzene	n-Propylbenzene	sec-butylbenzene	Xylenes	Naphthalene	Trimethylbenzenes	Chlorodibromomethane	Bromodichloromethane	Bromoform	Chloroform	Chloromethane	1,1,2,2-Tetrachloroethane	1,2-Dichloroethane	Methyl-tert-butyl-ether	
<b>Enforcement Standard</b>		5	5	70	100	0.2	5	1,000	700	NES	4,000	NES	NES	NES	10,000	100	480	60	0.6	4.4	6	3	0.2	5	60	
<b>Preventive Action Limit</b>		0.5	0.5	7	20	0.02	0.5	200	140	NES	800	NES	NES	NES	1,000	10	96	6	0.06	0.44	0.6	0.3	0.02	0.5	12	
MW-25D	10/2/2003	150	31	1.5 Q	NLRA	<0.18	0.83 Q	NLRA	NLRA	NLRA	NLRA	NLRA	NLRA	NLRA	NLRA	NLRA	NLRA	NLRA	<0.56	NLRA	NLRA	NLRA	<0.2	NLRA	1.9 Q	
	6/15/2006	510	6.3	2.1	NLRA	<0.2	<0.2	NLRA	NLRA	NLRA	NLRA	NLRA	NLRA	NLRA	NLRA	NLRA	NLRA	NLRA	<0.2	NLRA	NLRA	NLRA	<0.2	NLRA	<0.5	
	1/11/2010	980	40	<5	<5	<0.2	<0.2	<5	<5	NLRA	NLRA	NLRA	NLRA	NLRA	<5	<2.5	<4	<2	<0.2	<2	<2	<3	<0.2	<5	<5	
	4/14/2010	980	57	<8	<3.2	<0.2	<3.2	<8	<8	NLRA	NLRA	NLRA	NLRA	NLRA	<8	<4	<6.4	<3.2	<3.2	<3.2	<3.2	<4.8	<3.2	<8	<8	
	10/12/2011	767	144	8.9 J	<1.9	<1.8	<4.1	<6.7	<5.4	NLRA	NLRA	NLRA	NLRA	NLRA	<18	<8.9	<18	NA	<5.6	<9.4	<13	<2.4	<2	<3.6	<6.1	
	11/13/2012	1,100	51	2.0	0.95 J	<1.8	<4.1	<6.7	<5.4	NLRA	NLRA	NLRA	NLRA	NLRA	<18	<8.9	<18	NA	<5.6	<9.4	<13	<2.4	<2	<3.6	<6.1	
	DUP 11/13/2012	1,200	56	2.2	<1.9	<1.8	<4.1	<6.7	<5.4	<0.14	NA	<0.13	<0.13	<0.15	<18	<8.9	<18	NA	<5.6	<9.4	<13	<2.4	<2	<3.6	<6.1	
	3/20/2013	770	26	2.7	<0.50	<0.20	<0.15	<0.22	<0.26	<0.14	NA	<0.13	<0.13	<0.15	<0.14	<0.32	<0.28	NA	<0.34	<0.56	<0.40	<0.36	<0.46	<0.38	<0.48	
	DUP 3/20/2013	820	30	3.0	<0.25	<10	<0.074	<0.11	<0.13	<0.14	NA	<0.13	<0.13	<0.15	<0.068	<0.16	<0.18	NA	<0.17	<0.28	<0.20	<0.18	<0.23	<0.28	<0.24	
	6/25/2013	880	10	2.7	<0.25	<10	<0.074	<0.11	<0.13	<0.14	<1.5	<0.13	<0.13	<0.15	<0.068	<0.16	<0.18	NA	<0.17	<0.28	<0.20	<0.18	<0.23	<0.28	<0.24	
	9/12/2013	960	54	6.2	1.7 J	<10	<0.074	<0.11	<0.13	<0.14	NA	<0.13	<0.13	<0.15	<0.068	<0.16	<0.18	NA	<0.17	<0.28	<0.20	<0.18	<0.23	<0.28	<0.24	
	12/11/2013	710	23	4.9 J	<3.5	<1.8	<2.4	<6.9	<5.5	<3	NA	<3.5	<2.5	<3.3	<6.9	<17	<22	NA	<3.7	<3.5	<2.8	<8.1	<4.5	<4.1	NA	
	3/18/2014	Not Accessible																								
	6/18/2014	630	17.4	6.1 J	<3.5	<1.8	<2.4	<6.9	<5.5	<3	NA	<3.5	<2.5	<3.3	<6.9	<17	<22	NA	<3.7	<3.5	<2.8	<8.1	<4.5	<4.1	<2.3	
	DUP 6/18/14	760	19.9	6.5	<3.5	<1.8	<2.4	<6.9	<5.5	<3	NA	<3.5	<2.5	<3.3	<6.9	<17	<22	NA	<3.7	<3.5	<2.8	<8.1	<4.5	<4.1	<2.3	
	9/19/2014	510	14.7	5.3 J	<3.5	<1.8	<2.4	<6.9	<5.5	<3	NA	<3.5	<2.5	<3.3	<6.9	<17	<22	NA	<3.7	<3.5	<2.8	<8.1	<4.5	<4.1	<2.3	
	12/5/2014	710	17.2	8.7 J	<3.5	<1.8	<2.4	<6.9	<5.5	<3	NA	<3.5	<2.5	<3.3	<6.9	<17	<22	NA	<3.7	<3.5	<2.8	<8.1	<4.5	<4.1	<2.3	
6/8/2015	600	14.6 J	6.2 J	<5.4	<1.7	<4.4	<4.4	<7.1	<8.2	<NA	<10	<7.7	<12	<31	<17	<31	NA	<4.6	<4.6	<4.3	<1.9	<5.2	<5.4	<1.1		
PZ-25D2	3/24/2015	<0.74	<0.47	<0.45	<0.54	<0.17	<0.44	<0.44	<0.71	<0.82	<NA	<1	<0.77	<1.2	<3.1	<1.6	<3.1	NA	<0.46	<0.46	<0.43	<1.9	<0.52	<0.54	<1.1	
	6/8/2015	<0.74	<0.47	<0.45	<0.54	<0.17	<0.44	<0.44	<0.71	<0.82	<NA	<1	<0.77	<1.2	<3.1	<1.6	<3.1	NA	<0.46	<0.46	<0.43	<1.9	<0.52	<0.54	<1.1	
MW-26	10/2/2003	49	2.6	NLRA	NLRA	<0.18	NLRA	<0.70	NLRA	NLRA	NLRA	NLRA	NLRA	NLRA	NLRA	NLRA	NLRA	NLRA	<0.56	NLRA	<0.37	NLRA	NLRA	NLRA	NLRA	
	6/15/2006	51	2.4	NLRA	NLRA	<0.2	NLRA	<0.71	NLRA	NLRA	NLRA	NLRA	NLRA	NLRA	NLRA	NLRA	NLRA	NLRA	<0.2	NLRA	<0.2	NLRA	NLRA	NLRA	NLRA	
	Dup 6/15/2006	53	2.5	NLRA	NLRA	<0.2	NLRA	<0.72	NLRA	NLRA	NLRA	NLRA	NLRA	NLRA	NLRA	NLRA	NLRA	NLRA	<0.2 Q	NLRA	<0.2 Q	NLRA	NLRA	NLRA	NLRA	
	1/12/2010	12	0.42 Q	<0.5	<0.5	<0.2	<0.2	<0.73	<0.5	NLRA	NLRA	NLRA	NLRA	NLRA	<0.5	<0.25	<0.4	<0.2	0.4 Q	<0.2	0.21 Q	<0.3	<0.2	<0.5	<0.5	
	4/14/2010	19	0.59 Q	<0.5	<0.5	<0.2	<0.2	<0.74	<0.5	NLRA	NLRA	NLRA	NLRA	NLRA	<0.5	<0.25	<0.4	<0.2	0.6 Q	<0.2	0.53 Q	<0.3	<0.2	<0.5	<0.5	
	10/12/2011	0.92 J	<0.48	<0.83	<0.89	<0.18	<0.41	<0.75	<0.54	NLRA	NLRA	NLRA	NLRA	NLRA	<1.8	<0.89	<1.8	NA	1.1	<0.94	<0.41	<0.24	<0.2	<0.36	<0.61	
	11/14/2012	0.53 J	<0.48	<0.83	<0.89	<0.18	<0.41	<0.76	<0.54	<0.14	NA	<0.13	<0.13	<0.15	<1.8	<0.89	<1.8	NA	1.6	<0.94	1.3	<0.24	<0.2	<0.36	<0.61	
	3/18/2013	Not Sampled																								
	6/25/2013	1.7	<0.19	<0.12	<0.25	<10	<0.074	<0.11	<0.13	<0.14	<1.5	<0.13	<0.13	<0.15	<0.068	<0.16	<0.18	NA	1.3	<0.28	1.3	<0.18	<0.23	<0.28	<0.24	
	9/13/2013	2.1	<0.19	<0.12	<0.25	<10	<0.074	<0.11	<0.13	<0.14	NA	<0.13	<0.13	<0.15	<0.068	<0.16	<0.18	NA	0.88 J	<0.28	0.91 J	<0.18	<0.23	<0.28	<0.24	
	12/12/2013	2.08	<0.33	<0.38	<0.35	<0.18	<0.24	<0.69	<0.55	<0.3	NA	<0.35	<0.25	<0.33	<0.69	<1.7	<2.2	NA	1.72	<0.35	1.25	<0.81	<0.45	<0.41	NA	
	3/25/2014	1.54	<0.33	<0.38	<0.35	<0.18	<0.24	<0.69	<0.55	<0.3	NA	<0.35	<0.25	<0.33	<1.32	<1.7	<3.6	NA	1.72	<0.35	1.01	<0.63	<0.45	<0.41	<0.23	
	6/18/2014	2.51	<0.33	<0.38	<0.35	<0.18	<0.24	<0.69	<0.55	<0.3	NA	<0.35	<0.25	<0.33	<1.32	<1.7	<3.6	NA	1.23	<0.35	1.12	<0.63	<0.45	<0.41	<0.23	
	9/16/2014	4.5	<0.33	<0.38	<0.35	<0.18	<0.24	<0.69	<0.55	<0.3	NA	<0.35	<0.25	<0.33	<1.32	<1.7	<3.6	0.22 J	1.6	<0.35	0.68 J	<0.63	<0.45	<0.41	<0.23	
12/4/2014	7.1	<0.33	<0.38	<0.35	<0.18	<0.24	<0.69	<0.55	<0.3	NA	<0.35	<0.25	<0.33	<1.32	<1.7	<3.6	<0.22	1.14 J	<0.35	1.16	<0.63	<0.45	<0.41	<0.23		
6/1/2015(PDB)	36	<0.47	<0.45	<0.54	<0.17	<0.44	<0.44	<0.71	<0.82	<NA	<1	<0.77	<1.2	<3.1	<1.6	<3.1	NA	0.80 J	<0.46	0.69 J	<1.9	<0.52	<0.54	<1.1		
6/3/2015	30.2	<0.47	<0.45	<0.54	<0.17	<0.44	<0.44	<0.71	<0.82	<NA	<1	<0.77	<1.2	<3.1	<1.6	<3.1	NA	0.86 J	<0.46	0.70 J	<1.9	<0.52	<0.54	<1.1		
MW-26S	10/2/2003	Dry																								
	1/12/2010	Dry																								
	10/13/2011	Not Sampled																								
	11/12/2012	Not Sampled																								
	3/18/2013	Not Sampled																								
	6/24/2013	Not Sampled																								
	9/10/2013	Dry																								
	12/10/2013	Dry																								
	3/25/2014	Dry																								
	6/18/2014	Dry																								
9/15/2014	Dry																									
12/2/2014	Dry																									



**TABLE 3**  
**MONITORING WELL GROUNDWATER SAMPLE ANALYTICAL RESULTS SUMMARY**

Former Robinson's Cleaners  
Janesville, Wisconsin

Monitoring Well ID	Sample Date	Tetrachloroethene	Trichloroethene	cis-1,2-Dichloroethene	trans-1,2-Dichloroethene	Vinyl chloride	Benzene	Toluene	Ethylbenzene	Isopropylbenzene	Methyl Ethyl Ketone	n-Butylbenzene	n-Propylbenzene	sec-butylbenzene	Xylenes	Naphthalene	Trimethylbenzenes	Chlorodibromomethane	Bromodichloromethane	Bromoform	Chloroform	Chloromethane	1,1,2,2-Tetrachloroethane	1,2-Dichloroethane	Methyl-tert-butyl-ether	
<b>Enforcement Standard</b>		5	5	70	100	0.2	5	1,000	700	NES	4,000	NES	NES	NES	10,000	100	480	60	0.6	4.4	6	3	0.2	5	60	
<b>Preventive Action Limit</b>		0.5	0.5	7	20	0.02	0.5	200	140	NES	800	NES	NES	NES	1,000	10	96	6	0.06	0.44	0.6	0.3	0.02	0.5	12	
MW-27S	10/2/2003	530	110	77	NLRA	<0.95	NLRA	NLRA	NLRA	NLRA	NLRA	NLRA	NLRA	NLRA	NLRA	NLRA	NLRA	NLRA	<2.8	NLRA	NLRA	<1.2	<1	<1.8	NLRA	
	6/14/2006	240	22	27	NLRA	<0.2	NLRA	NLRA	NLRA	NLRA	NLRA	NLRA	NLRA	NLRA	NLRA	NLRA	NLRA	NLRA	<0.2	NLRA	NLRA	<0.2	<0.2	<0.5	NLRA	
	1/5/2010	500	17	15	<1	<0.4	<0.4	<1	<1	NLRA	NLRA	NLRA	NLRA	NLRA	<1	<0.5	<0.8	<0.4	<0.4	<0.4	<0.4	<0.6	<0.4	<1	<1	
	4/12/2010	250	9.6	11	<2	<0.8	<0.8	<2	<2	NLRA	NLRA	NLRA	NLRA	NLRA	<2	<1	<1.6	<0.8	<0.8	<0.8	<0.8	<1.2	<0.8	<2	<2	
	10/10/2011	449	21.5	26.5	<4.4	<0.9	<2	<3.4	<2.7	NLRA	NLRA	NLRA	NLRA	NLRA	<9	<4.4	<9	NA	<2.8	<4.7	<6.5	<1.2	<1	<1.8	<3	
	11/12/2012	100	5.8	8.6	<4.4	<0.9	<2	<3.4	<2.7	<0.14	NA	<0.13	<0.13	<0.15	<9	<4.4	<9	NA	<2.8	<4.7	<6.5	<1.2	<1	<1.8	<3	
	3/18/2013	Not Sampled																								
	6/24/2013	550	25	27	<0.25	<0.10	<0.074	<0.11	<0.13	<0.14	<1.5	<0.13	<0.13	<0.15	<0.068	<0.16	<0.18	NA	<0.17	<0.28	<0.20	<0.18	<0.23	<0.28	<0.24	
	9/11/2013	490	35	42	<0.25	<0.10	<0.074	3.0	<0.13	<0.14	NA	<0.13	<0.13	<0.15	<0.068	<0.16	<0.18	NA	<0.17	<0.28	<0.20	<0.18	<0.23	<0.28	NA	
	12/10/2013	370	50	64	<17.5	<9	<12	<34.5	<27.5	<15	NA	<17.5	<12.5	<16.5	<34.5	<85	<110	NA	<18.5	<17.5	<14	<40.5	<22.5	<20.5	NA	
	3/17/2014	Not Accessible																								
	6/18/2014	490	19.9	27.3	<3.5	<1.8	<2.4	<6.9	<5.5	<3	NA	<3.5	<2.5	<3.3	<6.9	<17	<22	NA	<3.7	<3.5	<2.8	<8.1	<4.5	<4.1	<2.3	
	9/17/2014	450	25.6	31.3	<3.5	<1.8	<2.4	<6.9	<5.5	<3	NA	<3.5	<2.5	<3.3	<6.9	<17	<22	NA	<3.7	<3.5	<2.8	<8.1	<4.5	<4.1	<2.3	
	12/3/2014	460	46	50	<3.5	<1.8	<2.4	<6.9	<5.5	<3	NA	<3.5	<2.5	<3.3	<6.9	<17	<22	NA	<3.7	<3.5	<2.8	<8.1	<4.5	<4.1	<2.3	
	6/2/2015	350	26.8	31.2	<5.4	<1.7	<4.4	<4.4	<7.1	<8.2	NA	<10	<7.7	<12	<31	<16	<31	NA	<4.6	<4.6	<4.3	<19	<5.2	<5.4	<11	
MW-27D	10/2/2003	820	9.2 Q	<8.3	NLRA	<1.8	<4.1	NLRA	NLRA	NLRA	NLRA	NLRA	NLRA	NLRA	NLRA	NLRA	NLRA	NLRA	<5.6	NLRA	NLRA	<2.4	<2	<3.6	NLRA	
	6/14/2006	1,300	16	13	NLRA	<0.2	<0.2	NLRA	NLRA	NLRA	NLRA	NLRA	NLRA	NLRA	NLRA	NLRA	NLRA	NLRA	<0.2	NLRA	NLRA	<0.2	<0.2	<0.5	NLRA	
	1/5/2010	210	6.5	2.4 Q	<1	<0.4	<0.4	<1	<1	NLRA	NLRA	NLRA	NLRA	NLRA	<1	<0.5	<0.8	<0.4	<0.4	<0.4	<0.6	<0.4	<1	<1		
	4/12/2010	130	5.0	1.8 Q	<1	<0.4	<0.4	<1	<1	NLRA	NLRA	NLRA	NLRA	NLRA	<1	<0.5	<0.8	<0.4	<0.4	<0.4	<0.6	<0.4	<1	<1		
	10/10/2011	132	4.6	1.2	<0.89	<0.18	<0.41	<0.67	<0.54	<0.14	NA	<0.13	<0.13	<0.15	<1.8	<0.89	<1.8	NA	<0.56	<0.94	<1.3	<0.24	<0.2	<0.36	<0.43	
	11/12/2012	620	9.5	4.1	<0.89	<0.18	<0.41	<0.67	<0.54	<0.14	NA	<0.13	<0.13	<0.15	<1.8	<0.89	<1.8	NA	<0.56	<0.94	<1.3	<0.24	<0.2	<0.36	<0.43	
	3/18/2013	Not Sampled																								
	6/24/2013	270	6.8	1.5	<0.25	<0.10	<0.074	<0.11	<0.13	<0.14	<1.5	<0.13	<0.13	<0.15	<0.068	<0.16	<0.18	NA	<0.17	<0.28	<0.20	<0.18	<0.23	<0.28	<0.24	
	9/10/2013	480	8.7	3.2	<0.25	<0.10	<0.074	<0.11	<0.13	<0.14	NA	<0.13	<0.13	<0.15	<0.068	<0.16	<0.18	NA	<0.17	<0.28	<0.20	<0.18	<0.23	<0.28	NA	
	12/10/2013	59	9.8	1.23	<0.35	<0.18	<0.24	<0.69	<0.55	<0.3	NA	<0.35	<0.25	<0.33	<0.69	<1.7	<2.2	NA	<0.37	<0.35	<0.28	<0.81	<0.45	<0.41	NA	
	3/17/2014	Not Accessible																								
	6/18/2014	700	12.6	5.9	<0.35	<0.18	<0.24	<0.69	<0.55	<0.3	NA	<0.35	<0.25	<0.33	<0.69	<1.7	<2.2	NA	<0.37	<0.35	<0.28	<0.81	<0.45	<0.41	<0.23	
	9/17/2014	760	11.2	4.7 J	<3.5	<1.8	<2.4	<6.9	<5.5	<3	NA	<3.5	<2.5	<3.3	<6.9	<17	<22	NA	<3.7	<3.5	<2.8	<8.1	<4.5	<4.1	<2.3	
	12/3/2014	670	10.8	6.3	<3.5	<1.8	<2.4	<6.9	<5.5	<3	NA	<3.5	<2.5	<3.3	<6.9	<17	<22	NA	<3.7	<3.5	<2.8	<8.1	<4.5	<4.1	<2.3	
	6/2/2015	430	6.4 J	<4.5	<5.4	<1.7	<4.4	<4.4	<7.1	<8.2	NA	<10	<7.7	<12	<31	<16	<31	NA	<4.6	<4.6	<4.3	<19	<5.2	<5.4	<11	
MW-27DS	1/5/2010	130	4.5	1.1 Q	<1	<0.4	<0.4	<1	<1	NLRA	NLRA	NLRA	NLRA	NLRA	<1	<0.5	<0.8	<0.4	<0.4	<0.4	<0.4	<0.6	<0.4	<1	<1	
	4/12/2010	90	2.9	<1	<1	<0.4	<0.4	3.4 Q	<1	NLRA	NLRA	NLRA	NLRA	NLRA	<1	<0.5	<0.8	<0.4	<0.4	<0.4	<0.4	<0.6	<0.4	<1	<1	
	1/13/2011	Not Sampled																								
	11/12/2012	Not Sampled																								
	3/18/2013	Not Sampled																								
	6/24/2013	1.3	<0.19	<0.12	<0.25	<0.10	<0.074	<0.11	<0.13	<0.14	<1.5	<0.13	<0.13	<0.15	<0.068	<0.16	<0.18	NA	<0.17	<0.28	<0.20	<0.18	<0.23	<0.28	<0.24	
	9/10/2013	94	4.3	<0.12	<0.25	<0.10	<0.074	<0.11	<0.13	<0.14	NA	<0.13	<0.13	<0.15	<0.068	<0.16	<0.18	NA	<0.17	<0.28	<0.20	<0.18	<0.23	<0.28	NA	
	12/10/2013	108	5.3	0.49 J	<0.35	<0.18	<0.24	<0.69	<0.55	<0.3	NA	<0.35	<0.25	<0.33	<0.69	<1.7	<2.2	NA	<0.37	<0.35	<0.28	<0.81	<0.45	<0.41	NA	
	3/17/2014	Not Accessible																								
	6/18/2014	152	4.9	0.74 J	<0.35	<0.18	<0.24	<0.69	<0.55	<0.3	NA	<0.35	<0.25	<0.33	<0.69	<1.7	<2.2	NA	<0.37	<0.35	<0.28	<0.81	<0.45	<0.41	<0.23	
	9/17/2014	147	4.6	0.56 J	<0.35	<0.18	<0.24	<0.69	<0.55	<0.3	NA	<0.35	<0.25	<0.33	<0.69	<1.7	<2.2	NA	<0.37	<0.35	<0.28	<0.81	<0.45	<0.41	<0.23	
	12/3/2014	133	5.9	0.68 J	<0.35	<0.18	<0.24	<0.69	<0.55	<0.3	NA	<0.35	<0.25	<0.33	<0.69	<1.7	<2.2	NA	<0.37	<0.35	<0.28	<0.81	<0.45	<0.41	<0.23	
	6/2/2015	106	3.02	0.94 J	<0.54	<0.17	<0.44	<0.44	<0.71	<0.82	<NA	<1	<0.77	<1.2	<3.1	<1.6	<3.1	NA	<0.46	<0.46	<0.43	<1.9	<0.52	<0.54	<1.1	
	MW-28S	1/27/2005	210	1.5 Q	NLRA	NLRA	<0.36	<0.82	NLRA	NLRA	NLRA	NLRA	NLRA	NLRA	NLRA	NLRA	NLRA	NLRA	NLRA	<1.1	NLRA	NLRA	<0.48	<0.4	<0.72	NLRA
		6/14/2006	13	0.27 Q	NLRA	NLRA	<0.2	<0.2 Q	NLRA	NLRA	NLRA	NLRA	NLRA	NLRA	NLRA	NLRA	NLRA	NLRA	NLRA	<0.2	NLRA	NLRA	<0.2	<0.2	<0.5	NLRA
10/13/2011		Abandoned																								
MW-28D	1/27/2005	1,700	13 Q	<21	<22	<4.5	<10	<17	NLRA	NLRA	NLRA	NLRA	NLRA	NLRA	NLRA	<18	NLRA	NLRA	<14	NLRA	NLRA	<6	<5	<9	<15	
	6/14/2006	1,000	17	<22	<0.5	<0.2	<0.2	0.2 Q	NLRA	NLRA	NLRA	NLRA	NLRA	NLRA	NLRA	<0.25	NLRA	NLRA	<0.2	NLRA	NLRA	<0.2	<0.2	<0.5	<0.5	
	11/12/2012	Abandoned																								





**TABLE 3**  
**MONITORING WELL GROUNDWATER SAMPLE ANALYTICAL RESULTS SUMMARY**

Former Robinson's Cleaners  
Janesville, Wisconsin

Monitoring Well ID	Sample Date	Tetrachloroethene	Trichloroethene	cis-1,2-Dichloroethene	trans-1,2-Dichloroethene	Vinyl chloride	Benzene	Toluene	Ethylbenzene	Isopropylbenzene	Methyl Ethyl Ketone	n-Butylbenzene	n-Propylbenzene	sec-butylbenzene	Xylenes	Naphthalene	Trimethylbenzenes	Chlorodibromomethane	Bromodichloromethane	Bromoform	Chloroform	Chloromethane	1,1,2,2-Tetrachloroethane	1,2-Dichloroethane	Methyl-tert-butyl-ether
<b>Enforcement Standard</b>		5	5	70	100	0.2	5	1,000	700	NES	4,000	NES	NES	NES	10,000	100	480	60	0.6	4.4	6	3	0.2	5	60
<b>Preventive Action Limit</b>		0.5	0.5	7	20	0.02	0.5	200	140	NES	800	NES	NES	NES	1,000	10	96	6	0.06	0.44	0.6	0.3	0.02	0.5	12
MW-30D	1/4/2010	150	2.2	0.87 Q	<0.5	<0.2	<0.2	<0.5	<0.5	NLRA	NLRA	NLRA	NLRA	NLRA	<0.5	<0.25	<0.4	<0.2	<0.2	<0.2	<0.2	<0.3	<0.2	<0.5	<0.5
	4/12/2010	90	1.3 Q	<1	<1	<0.4	<0.4	<1	<1	NLRA	NLRA	NLRA	NLRA	NLRA	<1	<0.5	<0.8	<0.4	<0.4	<0.4	<0.4	<0.6	<0.4	<1	<1
	10/10/2011	167	2.3 J	<2.1	<0.48	<0.45	<1	<1.7	<1.4	NLRA	NLRA	NLRA	NLRA	NLRA	<4.5	<2.2	<4.9	NA	<1.4	<2.4	<3.2	<0.6	<0.5	<0.9	<1.5
	11/12/2012	1,300	13	10	<0.48	<0.45	<1	<1.7	<1.4	<0.14	NA	<0.13	<0.13	<0.15	<4.5	<2.2	<4.9	NA	<1.4	<2.4	<3.2	<0.6	<0.5	<0.9	<1.5
	3/19/2013	270	2.6	2.6	<0.25	<0.1	<0.074	<0.11	<0.13	<0.14	NA	<0.13	<0.13	<0.15	<0.068	<1.6	<0.31	NA	<0.17	<0.28	<0.20	<0.18	<0.23	<0.28	<0.24
	DUP 3/19/13	240	2.8	2.7	<0.25	<0.10	<0.074	<0.11	<0.13	<0.14	NA	<0.13	<0.13	<0.15	<0.068	<0.16	<0.18	NA	<0.17	<0.28	<0.20	<0.18	<0.23	<0.28	<0.24
	6/28/2013	11	<0.19	<0.12	<0.25	<0.10	<0.074	<0.11	<0.13	<0.14	<1.5	<0.13	<0.13	<0.15	<0.068	<0.16	<0.18	NA	<0.17	<0.28	<0.20	<0.18	<0.23	<0.28	<0.24
	9/11/2013	400	4.0	2.7	<0.25	<0.10	<0.074	2.2	<0.13	<0.14	<1.5	<0.13	<0.13	<0.15	<0.068	<0.16	<0.18	NA	<0.17	<0.28	<0.20	<0.18	<0.23	<0.28	<0.24
	12/10/2013	810	<16.5	<19	<17.5	<9	<12	<34.5	<27.5	<15	NA	<17.5	<12.5	<16.5	<34.5	<85	<110	NA	<18.5	<17.5	<14	<40.5	<22.5	<20.5	NA
	DUP 3/21/2014	940	9.8 J	6.7 J	<3.5	<1.8	<2.4	<6.9	<5.5	<3	NA	<3.5	<2.5	<3.3	<13.2	<17	<36	NA	<3.7	<3.5	<2.8	<8.1	<4.5	<4.1	<2.3
	3/21/2014	940	11.2	11 J	<3.5	<1.8	<2.4	<6.9	<5.5	<3	NA	<3.5	<2.5	<3.3	<13.2	<17	<36	NA	<3.7	<3.5	<2.8	<8.1	<4.5	<4.1	<2.3
	6/20/2014	750	7.8 J	6.5 J	<3.5	<1.8	<2.4	<6.9	<5.5	<3	NA	<3.5	<2.5	<3.3	<13.2	<17	<36	NA	<3.7	<3.5	<2.8	<8.1	<4.5	<4.1	<2.3
	9/18/2014	760	7.9 J	5.3 J	<3.5	<1.8	<2.4	<6.9	<5.5	<3	NA	<3.5	<2.5	<3.3	<13.2	<17	<36	NA	<3.7	<3.5	<2.8	<8.1	<4.5	<4.1	<2.3
	12/2/2014	640	11.6	6.1 J	<3.5	<1.8	<2.4	<6.9	<5.5	<3	NA	<3.5	<2.5	<3.3	<13.2	<17	<36	NA	<3.7	<3.5	<2.8	<8.1	<4.5	<4.1	<2.3
6/1/2015(PDB)	73	<0.47	<0.45	<0.54	<0.17	<0.44	<0.44	<0.71	<0.82	<NA	<1	<0.77	<1.2	<3.1	<1.6	<3.1	NA	<0.46	<0.46	<0.43	<1.9	<0.52	<0.54	<1.1	
6/9/2015	253	<4.7	<4.5	<5.4	<1.7	<4.4	<4.4	<7.1	<8.2	NA	<10	<7.7	<12	<31	<16	<31	NA	<4.6	<4.6	<4.3	<1.9	<5.2	<5.4	<1.1	
PZ-30D2	3/24/2015	3.2	<0.47	<0.45	<0.54	<0.17	<0.44	<0.44	<0.71	<0.82	<NA	<1	<0.77	<1.2	<3.1	<1.6	<3.1	NA	<0.46	<0.46	<0.43	<1.9	<0.52	<0.54	<1.1
	6/9/2015	4.1	<0.47	<0.45	<0.54	<0.17	<0.44	<0.44	<0.71	<0.82	<NA	<1	<0.77	<1.2	<3.1	<1.6	<3.1	NA	<0.46	<0.46	<0.43	<1.9	<0.52	<0.54	<1.1
MW-31S	1/12/2010	Not Sampled																							
	4/14/2010	650	8.0	7.2	<0.5	<0.2	<0.2	<0.5	<0.5	NLRA	NLRA	NLRA	NLRA	NLRA	<0.5	<0.25	<0.4	<0.2	<0.2	<0.2	<0.2	<0.3	<0.2	<0.5	<0.5
	10/13/2011	Not Sampled																							
	11/12/2012	Not Sampled																							
	3/18/2013	Not Sampled																							
	6/24/2013	Not Sampled																							
	9/10/2013	Not Sampled																							
	12/10/2013	Not Sampled																							
	3/24/2014	Dry																							
	6/17/2018	Dry																							
9/15/2014	Dry																								
12/2/2014	Dry																								
6/3/2015	Dry																								
MW-31D	1/11/2010	450	8.0	6.2	<0.5	<0.2	<0.2	<0.5	<0.5	NLRA	NLRA	NLRA	NLRA	NLRA	<0.5	<0.25	<0.4	<0.2	<0.2	<0.2	<0.2	<0.3	<0.2	<0.5	<0.5
	4/14/2010	300	4.6 Q	2.6 Q	<1	<1	<1	<2.5	<2.5	NLRA	NLRA	NLRA	NLRA	NLRA	<2.5	<1.2	<2	<1	<1	<1	<1	<1.5	<1	<2.5	<2.5
	10/11/2011	425	6.4	2.5 J	<0.48	<0.45	<1	<1.7	<1.4	NLRA	NLRA	NLRA	NLRA	NLRA	<4.5	<2.2	<4.9	NA	<1.4	<2.4	<3.2	<0.6	<0.5	<0.9	<1.5
	11/12/2012	110	7.1	<2.1	<0.48	<0.45	<1	<1.7	<1.4	<0.14	NA	<0.13	<0.13	<0.15	<4.5	<2.2	<4.9	NA	<1.4	<2.4	<3.2	<0.6	<0.5	<0.9	<1.5
	3/18/2013	Not Sampled																							
	6/26/2013	70	0.74	<0.12	<0.25	<0.10	<0.074	<0.11	<0.13	<0.14	<1.5	<0.13	<0.13	<0.15	<0.068	<0.16	<0.18	NA	<0.17	<0.28	<0.20	<0.18	<0.23	<0.28	<0.24
	9/10/2013	270	3.8	<0.12	<0.25	<0.10	<0.074	<0.11	<0.13	<0.14	NA	<0.13	<0.13	<0.15	<0.068	<0.16	<0.18	NA	<0.17	<0.28	<0.20	<0.18	<0.23	<0.28	NA
	12/10/2013	410	<16.5	<19	<17.5	<9	<12	<34.5	<27.5	<15	NA	<17.5	<12.5	<16.5	<34.5	<85	<110	NA	<18.5	<17.5	<14	<40.5	<22.5	<20.5	NA
	DUP 3/24/2014	306	4.0 J	<3.8	<3.5	<1.8	<2.4	<6.9	<5.5	<3	NA	<3.5	<2.5	<3.3	<13.2	<17	27.8	NA	<3.7	<3.5	<2.8	<8.1	<3.3	<4.1	<2.3
	3/24/2014	313	5.2 J	<3.8	<3.5	<1.8	<2.4	<6.9	<5.5	<3	NA	<3.5	<2.5	<3.3	<13.2	<17	27.8	NA	<3.7	<3.5	<2.8	<8.1	<3.3	<4.1	<2.3
	6/17/2014	217	3.9	<0.38	<0.35	<0.18	<0.24	<0.69	<0.55	<0.3	NA	<0.35	<0.25	<0.33	<1.32	<1.7	<3.6	NA	0.27 J	<0.35	<0.28	<0.81	<0.33	<0.41	<0.23
9/15/2014	246	2.23	<0.38	<0.35	<0.18	<0.24	<0.69	<0.55	<0.3	NA	<0.35	<0.25	<0.33	<1.32	<1.7	<3.6	0.63 J	0.54 J	<0.35	0.32 J	<0.81	<0.33	<0.41	<0.23	
12/2/2014	185	<1.65	<1.9	<1.75	<0.9	<1.2	<3.45	<2.75	<1.5	NA	<1.75	<1.25	<1.65	<3.45	<8.5	<11	NA	<1.85	<1.75	<1.4	<4.05	<2.25	<2.05	<1.15	
6/2/2015	197	1.97	<0.45	<0.54	<0.17	<0.44	<0.44	<0.71	<0.82	<NA	<1	<0.77	<1.2	<3.1	<1.6	<3.1	NA	<0.46	<0.46	0.45	<1.9	<0.52	<0.54	<1.1	

**TABLE 3**  
**MONITORING WELL GROUNDWATER SAMPLE ANALYTICAL RESULTS SUMMARY**

Former Robinson's Cleaners  
Janesville, Wisconsin

Monitoring Well ID	Sample Date	Tetrachloroethene	Trichloroethene	cis-1,2-Dichloroethene	trans-1,2-Dichloroethene	Vinyl chloride	Benzene	Toluene	Ethylbenzene	Isopropylbenzene	Methyl Ethyl Ketone	n-Butylbenzene	n-Propylbenzene	sec-butylbenzene	Xylenes	Naphthalene	Trimethylbenzenes	Chlorodibromomethane	Bromodichloromethane	Bromoform	Chloroform	Chloromethane	1,1,2,2-Tetrachloroethane	1,2-Dichloroethane	Methyl-tert-butyl-ether
<b>Enforcement Standard</b>		5	5	70	100	0.2	5	1,000	700	NES	4,000	NES	NES	NES	10,000	100	480	60	0.6	4.4	6	3	0.2	5	60
<b>Preventive Action Limit</b>		0.5	0.5	7	20	0.02	0.5	200	140	NES	800	NES	NES	NES	1,000	10	96	6	0.06	0.44	0.6	0.3	0.02	0.5	12
MW-32S	1/12/2010	3.5	<0.2	<0.5	<0.5	<0.2	<0.2	<0.5	<0.5	NLRA	NLRA	NLRA	NLRA	NLRA	<0.5	<0.25	<0.4	<0.2	<0.2	<0.2	<0.2	<0.3	<0.2	<0.5	<0.5
	4/15/2010	0.92 Q	<0.2	<0.5	<0.5	<0.2	<0.2	<0.5	<0.5	NLRA	NLRA	NLRA	NLRA	NLRA	<0.5	<0.25	<0.4	<0.2	<0.2	<0.2	<0.2	<0.3	<0.2	<0.5	<0.5
	Dup 4/15/10	0.93 Q	<0.2	<0.5	<0.5	<0.2	<0.2	<0.5	<0.5	NLRA	NLRA	NLRA	NLRA	NLRA	<0.5	<0.25	<0.4	<0.2	<0.2	<0.2	<0.2	<0.3	<0.2	<0.5	<0.5
	10/13/2011	Dry																							
	11/12/2012	Dry																							
	3/18/2013	Dry																							
	6/24/2013	Dry																							
	9/10/2013	0.92 J	<0.19	<0.12	<0.25	<0.10	<0.074	<0.11	<0.13	<0.14	NA	<0.13	<0.13	<0.15	<0.068	<0.16	<0.18	NA	<0.17	<0.28	<0.20	<0.18	<0.23	<0.28	NA
	12/10/2013	Dry																							
	3/18/2014	Dry																							
	6/17/2014	Dry																							
	9/15/2014	Dry																							
12/2/2014	Dry																								
MW-33S	1/12/2010	<0.5	<0.2	<0.5	<0.5	<0.2	<0.2	<0.5	1.6 Q	NLRA	NLRA	NLRA	NLRA	NLRA	3.2	0.25 Q	0.75 Q	<0.2	<0.2	<0.2	<0.2	<0.3	<0.2	<0.5	<0.5
	4/15/2010	<0.5	<0.2	<0.5	<0.5	<0.2	<0.2	<0.5	<0.5	NLRA	NLRA	NLRA	NLRA	NLRA	<0.5	<0.25	<0.2	2.2	1.9 Q	1.2 Q	1.5 Q	<0.3	<0.2	<0.5	<0.5
	10/13/2011	Dry																							
	11/12/2012	Dry																							
	3/18/2013	Dry																							
	6/24/2013	Dry																							
	9/10/2013	<0.17	<0.19	<0.12	<0.25	<0.10	<0.074	<0.11	<0.13	<0.14	NA	<0.13	<0.13	<0.15	<0.068	<0.16	<0.18	NA	<0.17	<0.28	<0.20	<0.18	<0.23	<0.28	NA
	12/10/2013	Dry																							
	3/18/2014	Dry																							
	6/17/2014	Dry																							
	9/15/2014	Dry																							
	12/2/2014	Dry																							
MW-34S	1/12/2010	<0.5	<0.2	<0.5	<0.5	<0.2	<0.2	<0.5	0.64 Q	NLRA	NLRA	NLRA	NLRA	NLRA	1.4 Q	<0.25	0.5 Q	0.61 Q	0.79	<0.2	0.67	<0.3	<0.2	<0.5	<0.5
	Dup 1/12/10	<0.5	<0.2	<0.5	<0.5	<0.2	<0.2	<0.5	0.65 Q	NLRA	NLRA	NLRA	NLRA	NLRA	1.4 Q	<0.25	0.46 Q	0.57 Q	0.84	<0.2	0.72	<0.3	<0.2	<0.5	<0.5
	4/13/2010	3.9	<0.2	<0.5	<0.5	<0.2	<0.2	<0.5	<0.5	NLRA	NLRA	NLRA	NLRA	NLRA	<0.5	<0.25	<0.2	1.4 Q	1.4 Q	0.46 Q	1.2 Q	<0.3	<0.2	<0.5	<0.5
	10/11/2011	<0.45	<0.48	<0.83	<0.89	<0.18	<0.41	<0.67	<0.54	NLRA	NLRA	NLRA	NLRA	NLRA	<1.8	<0.89	<0.97	NA	1	<0.94	<1.3	<0.24	<0.20	<0.36	<0.61
	11/12/2012	Dry																							
	3/18/2013	Dry																							
	6/25/2013	<0.17	<0.19	<0.12	<0.25	<0.10	<0.074	<0.11	<0.13	<0.14	<1.5	<0.13	<0.13	<0.15	<0.068	<0.16	<0.18	NA	<0.17	<0.28	<0.20	<0.18	<0.23	<0.28	<0.24
	9/11/2013	<0.17	<0.19	<0.12	<0.25	<0.10	<0.074	1.7	<0.13	<0.14	NA	<0.13	<0.13	<0.15	<0.068	<0.16	<0.18	NA	<0.17	<0.28	<0.20	<0.18	<0.23	<0.28	NA
	12/10/2013	Dry																							
	3/18/2014	Dry																							
	6/17/2014	Dry																							
	9/15/2014	Dry																							
12/2/2014	Dry																								
MW-34D	1/12/2010	<0.5	<0.2	<0.5	<0.5	<0.2	<0.2	0.63 Q	<0.5	NLRA	NLRA	NLRA	NLRA	NLRA	<0.5	<0.25	<0.4	<0.2	<0.2	<0.2	<0.2	<0.3	<0.2	<0.5	<0.5
	4/13/2010	1.5 Q	<0.2	<0.5	<0.5	<0.2	<0.2	<0.5	<0.5	NLRA	NLRA	NLRA	NLRA	NLRA	<0.5	<0.25	<0.4	0.68 Q	0.63 Q	0.32 Q	0.68 Q	<0.3	<0.2	<0.5	<0.5
	10/11/2011	Not Sampled																							
	11/12/2012	Not Sampled																							
	3/19/2013	<0.17	<0.19	<0.12	<0.25	<0.10	<0.074	<0.11	<0.13	<0.14	NA	<0.13	<0.13	<0.15	<0.068	<1.6	<0.31	NA	<0.17	<0.28	<0.20	<0.18	<0.23	<0.28	<0.24
	6/25/2013	<0.17	<0.19	<0.12	<0.25	<0.10	<0.074	<0.11	<0.13	<0.14	<1.5	<0.13	<0.13	<0.15	<0.068	<0.16	<0.18	NA	<0.17	<0.28	<0.20	<0.18	<0.23	<0.28	<0.24
	9/11/2013	<0.17	<0.19	<0.12	<0.25	<0.10	<0.074	2.7	<0.13	<0.14	NA	<0.13	<0.13	<0.15	<0.068	<0.16	<0.18	NA	<0.17	<0.28	<0.20	<0.18	<0.23	<0.28	<0.24
	12/11/2013	<0.33	<0.33	<0.38	<0.35	<0.18	<0.24	<0.69	<0.55	<0.3	NA	<0.35	<0.25	<0.33	<0.69	<1.7	<2.2	NA	<0.37	<0.35	<0.28	<0.81	<0.45	<0.41	NA
	3/18/2014	<0.33	<0.33	<0.38	<0.35	<0.18	<0.24	<0.69	<0.55	<0.3	NA	<0.35	<0.25	<0.33	<1.32	<1.7	<3.6	NA	<0.37	<0.35	<0.28	<0.81	<0.33	<0.41	<0.23
	6/17/2014	<0.33	<0.33	<0.38	<0.35	<0.18	<0.24	<0.69	<0.55	<0.3	NA	<0.35	<0.25	<0.33	<1.32	<1.7	<3.6	NA	<0.37	<0.35	<0.28	<0.81	<0.33	<0.41	<0.23
	9/16/2014	<0.33	<0.33	<0.38	<0.35	<0.18	<0.24	<0.69	<0.55	<0.3	NA	<0.35	<0.25	<0.33	<1.32	<1.7	<3.6	NA	<0.37	<0.35	<0.28	<0.81	<0.33	<0.41	<0.23
	12/5/2014	<0.33	<0.33	<0.38	<0.35	<0.18	<0.24	<0.69	<0.55	<0.3	NA	<0.35	<0.25	<0.33	<1.32	<1.7	<3.6	NA	<0.37	<0.35	<0.28	<0.81	<0.33	<0.41	<0.23
6/3/2015	<0.74	<0.47	<0.45	<0.54	<0.17	<0.44	<0.44	<0.71	<0.82	<NA	<1	<0.77	<1.2	<3.1	<1.6	<3.1	NA	<0.46	<0.46	<0.43	<1.9	<0.52	<0.54	<1.1	





**TABLE 3**  
**MONITORING WELL GROUNDWATER SAMPLE ANALYTICAL RESULTS SUMMARY**

Former Robinson's Cleaners  
Janesville, Wisconsin

Monitoring Well ID	Sample Date	Tetrachloroethene	Trichloroethene	cis-1,2-Dichloroethene	trans-1,2-Dichloroethene	Vinyl chloride	Benzene	Toluene	Ethylbenzene	Isopropylbenzene	Methyl Ethyl Ketone	n-Butylbenzene	n-Propylbenzene	sec-butylbenzene	Xylenes	Naphthalene	Trimethylbenzenes	Chlorodibromomethane	Bromodichloromethane	Bromoform	Chloroform	Chloromethane	1,1,2,2-Tetrachloroethane	1,2-Dichloroethane	Methyl-tert-butyl-ether
Enforcement Standard		5	5	70	100	0.2	5	1,000	700	NES	4,000	NES	NES	NES	10,000	100	480	60	0.6	4.4	6	3	0.2	5	60
Preventive Action Limit		0.5	0.5	7	20	0.02	0.5	200	140	NES	800	NES	NES	NES	1,000	10	96	6	0.06	0.44	0.6	0.3	0.02	0.5	12
PZ-45D1	3/26/2015	<0.74	<0.47	<0.45	<0.54	<0.17	<0.44	<0.44	<0.71	<0.82	<NA	<1	<0.77	<1.2	<3.1	<1.6	<3.1	NA	<0.46	<0.46	<0.43	<1.9	<0.52	<0.54	<1.1
	6/8/2015	<0.74	<0.47	<0.45	<0.54	<0.17	<0.44	<0.44	<0.71	<0.82	<NA	<1	<0.77	<1.2	<3.1	<1.6	<3.1	NA	<0.46	<0.46	<0.43	<1.9	<0.52	<0.54	<1.1
PZ-45D2	3/26/2015	<0.74	<0.47	<0.45	<0.54	<0.17	<0.44	<0.44	<0.71	<0.82	<NA	<1	<0.77	<1.2	<3.1	<1.6	<3.1	NA	<0.46	<0.46	<0.43	<1.9	<0.52	<0.54	<1.1
	6/8/2015	<0.74	<0.47	<0.45	<0.54	<0.17	<0.44	<0.44	<0.71	<0.82	<NA	<1	<0.77	<1.2	<3.1	<1.6	<3.1	NA	<0.46	<0.46	<0.43	<1.9	<0.52	<0.54	<1.1
PZ-46D1	3/25/2015	<0.74	<0.47	<0.45	<0.54	<0.17	<0.44	<0.44	<0.71	<0.82	<NA	<1	<0.77	<1.2	<3.1	<1.6	<3.1	NA	<0.46	<0.46	<0.43	<1.9	<0.52	<0.54	<1.1
	6/8/2015	<0.74	<0.47	<0.45	<0.54	<0.17	<0.44	<0.44	<0.71	<0.82	<NA	<1	<0.77	<1.2	<3.1	<1.6	<3.1	NA	<0.46	<0.46	<0.43	<1.9	<0.52	<0.54	<1.1
PZ-46D2	3/26/2015	<0.74	<0.47	<0.45	<0.54	<0.17	<0.44	<0.44	<0.71	<0.82	<NA	<1	<0.77	<1.2	<3.1	<1.6	<3.1	NA	<0.46	<0.46	<0.43	<1.9	<0.52	<0.54	<1.1
	6/9/2015	<0.74	<0.47	<0.45	<0.54	<0.17	<0.44	<0.44	<0.71	<0.82	<NA	<1	<0.77	<1.2	<3.1	<1.6	<3.1	NA	<0.46	<0.46	<0.43	<1.9	<0.52	<0.54	<1.1
PZ-46D3	3/26/2015	<0.74	<0.47	<0.45	<0.54	<0.17	<0.44	<0.44	<0.71	<0.82	<NA	<1	<0.77	<1.2	<3.1	<1.6	<3.1	NA	<0.46	<0.46	<0.43	<1.9	<0.52	<0.54	<1.1
	6/9/2015	<0.74	<0.47	<0.45	<0.54	<0.17	<0.44	<0.44	<0.71	<0.82	<NA	<1	<0.77	<1.2	<3.1	<1.6	<3.1	NA	<0.46	<0.46	<0.43	<1.9	<0.52	<0.54	<1.1
PZ-47D1	3/25/2015	<0.74	<0.47	<0.45	<0.54	<0.17	<0.44	<0.44	<0.71	<0.82	<NA	<1	<0.77	<1.2	<3.1	<1.6	<3.1	NA	<0.46	<0.46	<0.43	<1.9	<0.52	<0.54	<1.1
	6/5/2015	<0.74	<0.47	<0.45	<0.54	<0.17	<0.44	<0.44	<0.71	<0.82	<NA	<1	<0.77	<1.2	<3.1	<1.6	<3.1	NA	<0.46	<0.46	<0.43	<1.9	<0.52	<0.54	<1.1
PZ-47D2	3/25/2015	<b>0.91 J</b>	<0.47	<0.45	<0.54	<0.17	<0.44	<0.44	<0.71	<0.82	<NA	<1	<0.77	<1.2	<3.1	<1.6	<3.1	NA	<0.46	<0.46	<0.43	<1.9	<0.52	<0.54	<1.1
	6/5/2015	<b>3.6</b>	<0.47	<0.45	<0.54	<0.17	<0.44	<0.44	<0.71	<0.82	<NA	<1	<0.77	<1.2	<3.1	<1.6	<3.1	NA	<0.46	<0.46	<0.43	<1.9	<0.52	<0.54	<1.1
PZ-47D3	3/25/2015	<0.74	<0.47	<0.45	<0.54	<0.17	<0.44	<0.44	<0.71	<0.82	<NA	<1	<0.77	<1.2	<3.1	<1.6	<3.1	NA	<0.46	<0.46	<0.43	<1.9	<0.52	<0.54	<1.1
	6/5/2015	<b>1.8 J</b>	<0.47	<0.45	<0.54	<0.17	<0.44	<0.44	<0.71	<0.82	<NA	<1	<0.77	<1.2	<3.1	<1.6	<3.1	NA	<0.46	<0.46	<0.43	<1.9	<0.52	<0.54	<1.1

**Notes:**

All concentrations reported in units of µg/L = micrograms per liter

Samples analyzed using EPA SW-846 Method 8260

VOCs = Volatile Organic Compounds

The former Robinson's Cleaners is not responsible for the presence of compounds unrelated to tetrachloroethene or its degradation products.

**Bolded** values are above detection limits

**Bolded and Shaded** values are above the Public Health Enforcement Standard

**Bolded and Shaded** values are above Public Health Preventive Action Limit

B = Analyte was deducted in the associated Method Blank

E = Compound response exceeded the response of the highest standard in the initial calibration range of the instrument

J = Analyte concentration detected between the laboratory Reporting Limit and the laboratory Method Detection Limit

Q = Results reported between the Method Detection Limit (MDL) and the Limit of Quantitation are less certain than results at or above the LOQ.

NA = Not analyzed

NLRA = No laboratory results available

NES = No Environmental Standard

\* = Well samples collected on these dates were inadvertently switched in the field based on past data and are correctly displayed in this table.

\*\* = p-Isopropyltoluene and/or di-isopropyl ether detected in this sample at concentrations below public health criteria



**TABLE 4**  
**COMPARISON OF LOW-FLOW AND PDB SAMPLE ANALYTICAL RESULTS**

Former Robinson's Cleaners  
 Janesville, Wisconsin

Monitoring Well ID	Sample Date	Tetrachloroethene	Trichloroethene	cis-1,2-Dichloroethene	trans-1,2-Dichloroethene	Vinyl chloride	Bromodichloromethane	Chloroform
<b>Enforcement Standard</b>		<b>5</b>	<b>5</b>	<b>70</b>	<b>100</b>	<b>0.2</b>	<b>0.6</b>	<b>6</b>
<b>Preventive Action Limit</b>		<b>0.5</b>	<b>0.5</b>	<b>7</b>	<b>20</b>	<b>0.02</b>	<b>0.06</b>	<b>0.6</b>
MW-3	6/1/2015 (PDB)	22.8	<0.47	<0.45	<0.54	<0.17	<0.46	<0.43
	6/3/2015	15.4	<0.47	<0.45	<0.54	<0.17	<0.46	<0.43
MW-6	6/1/2015 (PDB)	7.0	0.88 J	<0.45	<0.54	<0.17	<0.46	<0.43
	6/8/2015	DRY						
MW-13	6/1/2015 (PDB)	330	6.9 J	7.1 J	<5.4	<1.7	<4.6	<4.3
	6/8/2015	600	11.4 J	15.1	<0.54	<0.17	<0.46	<0.43
MW-13D	6/1/2015 (PDB)	123	5.5	0.53 J	<0.54	<0.17	<0.46	<0.43
	6/8/2015	62	4.8	1.28 J	<0.54	<0.17	<0.46	<0.43
MW-26	6/1/2015 (PDB)	36	<0.47	<0.45	<0.54	<0.17	0.80 J	0.69 J
	6/3/2015	30.2	<0.47	<0.45	<0.54	<0.17	0.86 J	0.70 J
MW-30S	6/1/2015 (PDB)	930	10.9 J	4.8 J	<5.4	<1.7	<4.6	<4.3
	6/8/2015	223	<9.4	<9	<5.4	<1.7	<4.6	<4.3
MW-30D	6/1/2015 (PDB)	73	<0.47	<0.45	<0.54	<0.17	<0.46	<0.43
	6/9/2015	253	<4.7	<4.5	<5.4	<1.7	<4.6	<4.3
MW-37D	6/1/2015 (PDB)	22.2	1.9	<0.45	<0.54	<0.17	<0.46	<0.43
	6/4/2015	105	19.2	4.8	0.87 J	<0.17	<0.46	<0.43

**Notes:**

All concentrations reported in units of ug/L = micrograms per liter

Samples analyzed using EPA SW-846 Method 8260

The former Robinson's Cleaners is not responsible for compounds unrelated to tetrachloroethene or its degradation products.

**Bolded** values are above detection limits


**Bolded and Shaded** values are above the Public Health Enforcement Standard

**Bolded and Shaded** values are above Public Health Preventive Action Limit


J = Estimated concentration between the laboratory Method Detection Limit and Reporting Limit

PDB = Passive Diffusion Bag

## **Figures**



Scale 1:24,000



Source: US Geological Survey, Janesville, Wisconsin Quadrangle, 7.5 Minute Series, 2013

No.	Date	Revision	Approved

**ENVIROforensics**  
 ENVIRONMENTAL FORENSIC INVESTIGATIONS, INC.  
 602 N Capitol Ave., Ste 210 • Indianapolis, IN 46204  
 EnviroForensics.com


Date:	02/25/11
Designed:	SP
Drawn:	SP
Checked:	KG
DWG file:	62720-11

**SITE LOCATION MAP**  
 Robinson Dry Cleaners  
 1838 West Court Street  
 Janesville, WI

Figure	1
Project	6155



- Legend**
- MW-325 ◆ Monitoring well (Unconsolidated)
  - MW-55 ◆ Monitoring well (Dolomite)
  - MW-90 ◆ Monitoring well (Sandstone)
  - MW-9 ◆ ◆ Monitoring well (Abandoned)



**SITE MAP SHOWING MONITORING WELL LOCATIONS**


Robinsons Dry Cleaners  
1838 West Court Street  
Janesville, WI

Date:	5/27/15
Designed:	EB
Drawn:	EB
Checked:	WF
DWG file:	6155-1337

**ENVIROforensics**  
ENVIRONMENTAL FORENSIC INVESTIGATIONS, INC.  
602 N. Capital Ave, Suite 210 • Indianapolis, IN 46204  
EnviroForensics.com

No.	Date	Revision	Approved

Figure	2
Project	6155




**Legend**

- Property boundary
- MW-9S Monitoring well (Dolomite)
- 780 Groundwater elevation contour
- 804.38 Groundwater elevation (ft above mean sea level)
- ← Approximate groundwater flow direction

**Note:**

1. \* = Monitoring well screened across both dolomite and sandstone
2. NM = Not Measured



**POTENTIOMETRIC SURFACE CONTOUR MAP  
PLATTEVILLE DOLOMITE  
MAY 2015  
Robinson Dry Cleaners  
1838 West Court Street  
Janesville, WI**

Date:	7/8/15	<p style="font-size: small; margin: 0;">ENVIRONMENTAL FORENSIC INVESTIGATIONS, INC. 602 N. Capitol Ave., Ste. 210 • Indianapolis, IN 46204 EnviroForensics.com</p>	Figure
Designed:	EB		3a
Drawn:	EB		Project
Checked:	BK		6155
DWG file:	6155-1493		



# Legend

- MW-32S Monitoring well (Unconsolidated)
- MW-9D Monitoring well (Sandstone)
- 761 Groundwater elevation contour
- 761.65 Groundwater elevation (feet above mean sea level)
- Approximate groundwater flow direction






Figure	3b	Project	6155
<b>POTENTIOMETRIC SURFACE CONTOUR MAP</b> <b>St. PETER SANDSTONE/UNCONSOLIDATED SEDIMENT</b> <b>MAY 2015</b> <b>Robinsons Dry Cleaners</b> <b>1838 West Court Street</b> <b>Janesville, WI</b>			
Date:	6/10/15	Designed:	EB
Drawn:	EB	Checked:	WF
		DWG file: 6155-1494	
ENVIRONMENTAL FORENSIC INVESTIGATIONS, INC. 602 N. Capital Ave, Suite 210 • Indianapolis, IN 46204 EnviroForensics.com			
No.	Date	Revision	Approved



**Legend**

- Property boundary
- MW-9S Monitoring well (Dolomite)
- 110 PCE Concentration ug/L
- PCE Isoconcentration >500
- PCE Isoconcentration >50
- PCE Isoconcentration >5

- Note:**
1. \* = Monitoring well screened across both dolomite and sandstone
  2. PCE = Tetrachloroethene
  3. Units are in micrograms per Liter ug/L
  4. NS = Not sampled



**PCE ISOCONCENTRATION MAP  
PLATTEVILLE DOLOMITE  
JUNE 2015  
Robinson Dry Cleaners  
1838 West Court Street  
Janesville, WI**

	Figure 4a
ENVIRONMENTAL FORENSIC INVESTIGATIONS, INC. 602 N. Capitol Ave., Ste. 210 • Indianapolis, IN 46204 EnviroForensics.com	Project 6155

Date:	7/8/15
Designed:	EB
Drawn:	EB
Checked:	BK
DWG file:	6155-1491



# Legend

- MW-32S Monitoring well (Unconsolidated)
- MW-9D Monitoring well (Sandstone)
- 110 PCE Concentration ug/L
- PCE Isoconcentration >500
- PCE Isoconcentration >50
- PCE Isoconcentration >5

- Note:
1. \* = Monitoring well screened across both dolomite and sandstone
  2. PCE = Tetrachloroethene
  3. Units are in micrograms per Liter ug/L
  4. NS = Not sampled
- Dashed boundaries are inferred




Figure	4b	Project	6155
<b>PCE ISOCONCENTRATION MAP</b> <b>St. PETER SANDSTONE/UNCONSOLIDATED SEDIMENT</b> <b>JUNE 2015</b> Robison Dry Cleaners 1838 West Court Street Janesville, WI			
Date:	7/8/15	Designed:	EB
Drawn:	EB	Checked:	BK
		DWG file: 6155-1492	
ENVIRONMENTAL FORENSIC INVESTIGATIONS, INC. 602 N. Capital Ave, Suite 210 • Indianapolis, IN 46204 EnviroForensics.com			
Approved		Revision	
Date			

## **Attachment 1**

### **Groundwater Field Sampling Forms**

602 N. Capital Ave  
 Indianapolis, IN 46204  
 T: 317-972-7870 F: 317-972-7875

PROJECT NAME Former Robinson's Cleaners Well/Surface Station I.D. 6155 - PZ - 25D2  
 LOCATION/ADDRESS 1838 W. Court Street Sample Designation PZ - 25D2  
Janesville, WI 53548  
 PROJECT NO. 6155.41A  
 CLIENT/CONTACT Ray Gehrig / 608-436-6277 Personnel K. Vander Heiden, A. Jablonski

**WATER LEVEL MEASUREMENTS DURING GAUGING:**

Well Depth 152.31'  
 Depth to Water 56.42'  
 Well Diameter 2 inches  
 Casing Volume \_\_\_\_\_ gallons  
 Volume Removed \_\_\_\_\_ gallons  
 Total No. of Casing Volumes Removed \_\_\_\_\_  
 Date 3/23/2015

Factor * Water Column Height Equals Gallons	
Factor	Diameter
0.163	2" Well
0.653	4" Well
1.469	6" Well
Conversions	
1 mL	= 0.0003 gal
1 gal	= 3,785 mL

**SAMPLING METHOD:**

Low-Flow X  
 Grab/No-purge \_\_\_\_\_  
 Bailer \_\_\_\_\_  
 Peristaltic pump \_\_\_\_\_  
 Submersible Pump X  
 Passive Diffusion Bag? \_\_\_\_\_  
 Other \_\_\_\_\_  
 Was drawdown greater than 0.3 ft? (y/n) \_\_\_\_\_  
 Pump Depth (ft below TOC) (if applicable) 149.81

**Stability Parameter Readings:**

Readings every five minutes for at least three readings to achieve stability for ALL parameters except as noted.

Start Time: <u>1427</u>	Temperature (Cels.us)	pH	Oxidation-Reduction Potential (mV)	Specific Conductance (umhos/cm)	Turbidity (NTU)	Dissolved Oxygen (mg/L)	Sampling DTW (ft)	Flow Rate (ml/min)	mL Removed
	+/- 3%	+/- 0.1	+/- 10mV*	+/- 3%	+/- 10%*	+/- 10%*	<0.3ft	<250	
<u>1432</u>	<u>9.52</u>	<u>7.74</u>	<u>296</u>	<u>0.952</u>	<u>385</u>	<u>8.71</u>	<u>51.44</u>	<u>125</u>	<u>625</u>
<u>1437</u>	<u>9.13</u>	<u>7.64</u>	<u>300</u>	<u>0.948</u>	<u>180</u>	<u>8</u>	<u>51.24</u>	<u>80</u>	<u>1025</u>
<u>1442</u>	<u>8.94</u>	<u>7.56</u>	<u>304</u>	<u>0.941</u>	<u>119</u>	<u>7.84</u>	<u>51.02</u>	<u>80</u>	<u>1425</u>
<u>1447</u>	<u>8.69</u>	<u>7.5</u>	<u>307</u>	<u>0.98</u>	<u>81.9</u>	<u>6.48</u>	<u>50.06</u>	<u>80</u>	<u>1825</u>
<u>1452</u>	<u>8.6</u>	<u>7.52</u>	<u>309</u>	<u>0.941</u>	<u>87.6</u>	<u>7.98</u>	<u>50</u>	<u>80</u>	<u>2225</u>

\* Only one (1) of these need to reach stability.

**PURGE:** Date \_\_\_\_\_ Time \_\_\_\_\_

**SAMPLING:** Date 3/24/2015 Time 1458

Sample Analysis	Volume	Type	Number of Containers	Preservative Type	Reaction (y/n)	Filter Type	Duplicate	MS/MSD
VOC-8260	40mL	VOA	3	HCL	N	None	na	--

**EQUIPMENT DECONTAMINATION PROCEDURES:**

DECONTAMINATION METHOD:  Non Phosphatic detergent wash/distilled water rinse  
 Methanol rinse

NOTES:  2 bladders and 192.81' tubing used

Sampler Signature: [Signature]

<sup>1</sup>Monitoring wells sampled with a bailer require at least 3 to 5 well volumes to be purged prior to sampling unless the well bails dry prior to the removal of three (3) well volumes. Wells bailed dry should be sampled upon sufficient recovery for collection of samples. Record the time of purging and the time of sampling on the Groundwater Sampling Form.  
<sup>2</sup>Include Date PDB Installed in well, and Date PDB removed and sampled in NOTES section.

602 N. Capital Ave  
 Indianapolis, IN 46204  
 T: 317-972-7870 F: 317-972-7875

PROJECT NAME Former Robinson's Cleaners Well/Surface Station I.D. 6155 - PZ - 30D2  
 LOCATION/ADDRESS 1838 W. Court Street Sample Designation PZ - 30D2  
Janesville, WI 53548  
 PROJECT NO. 615541A  
 CLIENT/CONTACT Ray Gehrig / 608-436-6277 Personnel K. Vander Heiden, A. Jablonski

**WATER LEVEL MEASUREMENTS DURING GAUGING:**

Well Depth 150.77  
 Depth to Water 49.72  
 Well Diameter 2 inches  
 Casing Volume \_\_\_\_\_ gallons  
 Volume Removed \_\_\_\_\_ gallons  
 Total No. of Casing Volumes Removed \_\_\_\_\_  
 Date 3/23/2015

Factor * Water Column Height Equals Gallons	
Factor	Diameter
0.163	2" Well
0.653	4" Well
1.469	6" Well
Conversions	
1 mL	= 0.0003 gal
1 gal	= 3,785 mL

**SAMPLING METHOD:**

Low-Flow \_\_\_\_\_ X  
 Grab/No-purge \_\_\_\_\_  
 Bailer \_\_\_\_\_  
 Peristaltic pump \_\_\_\_\_  
 Submersible Pump \_\_\_\_\_ X  
 Passive Diffusion Bag<sup>2</sup> \_\_\_\_\_  
 Other \_\_\_\_\_  
 Was drawdown greater than 0.3 ft? (y/n) \_\_\_\_\_  
 Pump Depth (ft below TOC) (if applicable) 148.27

**Stability Parameter Readings:**

Readings every five minutes for at least three readings to achieve stability for ALL parameters except as noted.

Start Time: <u>1238</u>	Temperature (Celsius) +/- 3%	pH +/- 0.1	Oxidation- Reduction Potential (mV) +/- 10mV*	Specific Conductance (umhos/cm) +/- 3%	Turbidity (NTU) +/- 10%*	Dissolved Oxygen (mg/L) +/- 10%*	Sampling DTW (ft) <0.3ft	Flow Rate (ml/min) <250	mL Removed
			<u>1243</u>	<u>9.6</u>	<u>7.76</u>	<u>294</u>	<u>0.782</u>	<u>35.7</u>	<u>3.99</u>
<u>1248</u>	<u>10.42</u>	<u>7.67</u>	<u>298</u>	<u>0.774</u>	<u>98.8</u>	<u>2.95</u>	<u>49.66</u>	<u>35</u>	<u>350</u>
<u>1253</u>	<u>10.6</u>	<u>7.6</u>	<u>302</u>	<u>0.786</u>	<u>290</u>	<u>2.31</u>	<u>49.64</u>	<u>50</u>	<u>600</u>
<u>1258</u>	<u>10.66</u>	<u>7.56</u>	<u>304</u>	<u>0.789</u>	<u>160</u>	<u>2.23</u>	<u>49.64</u>	<u>50</u>	<u>850</u>
<u>1303</u>	<u>10.6</u>	<u>7.51</u>	<u>306</u>	<u>0.796</u>	<u>124</u>	<u>2.35</u>	<u>49.64</u>	<u>50</u>	<u>1100</u>


\* Only one (1) of these need to reach stability.

<b>PURGE<sup>1</sup>:</b>	Date	Time							
<b>SAMPLING:</b>	Date	Time	Number	Preservative	Reaction	Filter	Duplicate	MS/MSD	
Sample Analysis	Volume	Type	of Containers	Type	(y/n)	Type			
VOC-8260	40mL	VOA	6	HCL	N	None	DUP - 1	-	

**EQUIPMENT DECONTAMINATION PROCEDURES:**

DECONTAMINATION METHOD:  Non Phosphatic detergent wash/distilled water rinse  
 Methanol rinse

NOTES: Needs to be re-developed \*\*DUP-1\*\*

Sampler Signature: 

<sup>1</sup>Monitoring wells sampled with a bailer require at least 3 to 5 well volumes to be purged prior to sampling unless the well bails dry prior to the removal of three (3) well volumes. Wells bailed dry should be sampled upon sufficient recovery for collection of samples.  
 Record the time of purging and the time of sampling on the Groundwater Sampling Form.  
<sup>2</sup>Include Date PDB Installed in well, and Date PDB removed and sampled in NOTES section.

602 N. Capital Ave  
Indianapolis, IN 46204  
T: 317-972-7870 F: 317-972-7875

PROJECT NAME Former Robinson's Cleaners Well/Surface Station I.D. 6155 - MW - 39S  
 LOCATION/ADDRESS 1838 W. Court Street Sample Designation MW - 39S  
Janesville, WI 53548  
 PROJECT NO. 6155.41A  
 CLIENT/CONTACT Ray Gehrig / 608-436-6277 Personnel K. Vander Heiden, A. Jablonski

**WATER LEVEL MEASUREMENTS DURING GAUGING:**

Well Depth 27.98  
 Depth to Water 16.99  
 Well Diameter 2 inches  
 Casing Volume \_\_\_\_\_ gallons  
 Volume Removed \_\_\_\_\_ gallons  
 Total No. of Casing Volumes Removed \_\_\_\_\_  
 Date 3/23/2015

Factor * Water Column Height Equals Gallons	
Factor	Diameter
0.163	2" Well
0.653	4" Well
1.469	6" Well
Conversions	
1 mL	= 0.0003 gal
1 gal	= 3,785 mL

**SAMPLING METHOD:**

Low-Flow X  
 Grab/No-purge \_\_\_\_\_  
 Bailer \_\_\_\_\_  
 Peristaltic pump \_\_\_\_\_  
 Submersible Pump X  
 Passive Diffusion Bag<sup>2</sup> \_\_\_\_\_  
 Other \_\_\_\_\_  
 Was drawdown greater than 0.3 ft? (y/n) \_\_\_\_\_  
 Pump Depth (ft below TOC) (if applicable) 32.98

**Stability Parameter Readings:**

Readings every five minutes for at least three readings to achieve stability for ALL parameters except as noted.

Start Time: <u>1152</u>	Temperature	pH	Oxidation-Reduction Potential (mV)	Specific Conductance (umhos/cm)	Turbidity (NTU)	Dissolved Oxygen (mg/L)	Sampling DTW (ft)	Flow Rate (ml/min)	mL Removed
	(Celsius)		Potential (mV)	(umhos/cm)	(NTU)	(mg/L)	(ft)	(ml/min)	Removed
<u>1157</u>	<u>9.15</u>	<u>7</u>	<u>321</u>	<u>1.87</u>	<u>290</u>	<u>2.6</u>	<u>17.54</u>	<u>100</u>	<u>500</u>
<u>1203</u>	<u>9.15</u>	<u>6.96</u>	<u>323</u>	<u>1.72</u>	<u>219</u>	<u>2.91</u>	<u>17.81</u>	<u>100</u>	<u>1000</u>
<u>1208</u>	<u>9.32</u>	<u>6.92</u>	<u>325</u>	<u>1.74</u>	<u>117</u>	<u>2.86</u>	<u>18.06</u>	<u>100</u>	<u>1500</u>
<u>1213</u>	<u>9.54</u>	<u>6.91</u>	<u>325</u>	<u>1.74</u>	<u>85.1</u>	<u>2.93</u>	<u>18.08</u>	<u>100</u>	<u>2000</u>

\* Only one (1) of these need to reach stability.

**PURGE:** Date \_\_\_\_\_ Time \_\_\_\_\_

**SAMPLING:** Date 3/24/2015 Time 1217

Sample Analysis	Volume	Type	Number of Containers	Preservative Type	Reaction (y/n)	Filter Type	Duplicate	MS/MSD
VOC-8260	40mL	VOA	3	HCL	N	None	na	--

**EQUIPMENT DECONTAMINATION PROCEDURES:**

DECONTAMINATION METHOD:  Non Phosphatic detergent wash/distilled water rinse  
 Methanol rinse

NOTES: 32.98' of tubing used

Sampler Signature: [Signature]

<sup>1</sup>Monitoring wells sampled with a bailer require at least 3 to 5 well volumes to be purged prior to sampling unless the well bails dry prior to the removal of three (3) well volumes. Wells bailed dry should be sampled upon sufficient recovery for collection of samples. Record the time of purging and the time of sampling on the Groundwater Sampling Form.  
<sup>2</sup>Include Date PDB installed in well, and Date PDB removed and sampled in NOTES section.

602 N. Capital Ave  
Indianapolis, IN 46204  
T: 317-972-7870 F: 317-972-7875

PROJECT NAME Former Robinson's Cleaners Well/Surface Station I.D. 6155 - MW - 40S  
 LOCATION/ADDRESS 1838 W. Court Street Sample Designation MW - 40S  
Janesville, WI 53548  
 PROJECT NO. 6155.41A  
 CLIENT/CONTACT Ray Gehrig / 608-436-6277 Personnel K. Vander Heiden, A. Jablonski

**WATER LEVEL MEASUREMENTS DURING GAUGING:**  
 Well Depth 32.76  
 Depth to Water 19.55  
 Well Diameter 2 inches  
 Casing Volume \_\_\_\_\_ gallons  
 Volume Removed \_\_\_\_\_ gallons  
 Total No. of Casing Volumes Removed \_\_\_\_\_  
 Date 3/23/2015

Factor * Water Column Height Equals Gallons	
Factor	Diameter
0.163	2" Well
0.653	4" Well
1.469	6" Well
Conversions	
1 mL =	0.0003 gal
1 gal =	3,785 mL

**SAMPLING METHOD:**

Low-Flow X  
 Grab/No-purge \_\_\_\_\_  
 Bailer \_\_\_\_\_  
 Peristaltic pump \_\_\_\_\_  
 Submersible Pump X  
 Passive Diffusion Bag \_\_\_\_\_  
 Other \_\_\_\_\_  
 Was drawdown greater than 0.3 ft? (y/n) YES  
 Pump Depth (ft below TOC) (if applicable) 27.76

**Stability Parameter Readings:** Readings every five minutes for at least three readings to achieve stability for ALL parameters except as noted.

Start Time: <u>1006</u>	Temperature	pH	Oxidation-Reduction Potential (mV)	Specific Conductance (umhos/cm)	Turbidity (NTU)	Dissolved Oxygen (mg/L)	Sampling DTW (ft)	Flow Rate (ml/min)	mL Removed
	(Celsius) +/- .3%	+/- 0.1	+/- 10mV*	+/- .3%	+/- 10%*	+/- 10%*	<.03ft	<250	
<u>1009</u>	<u>11.27</u>	<u>8.04</u>	<u>274</u>	<u>0.77</u>	<u>0</u>	<u>4.83</u>	<u>18.8</u>	<u>280</u>	<u>840</u>
<u>1012</u>	<u>11.47</u>	<u>7.82</u>	<u>284</u>	<u>0.74</u>	<u>0</u>	<u>7.75</u>	<u>19.13</u>	<u>240</u>	<u>1560</u>
<u>1015</u>	<u>11.49</u>	<u>7.84</u>	<u>284</u>	<u>0.737</u>	<u>0</u>	<u>7.69</u>	<u>19.71</u>	<u>240</u>	<u>2280</u>
<u>1018</u>	<u>11.47</u>	<u>7.8</u>	<u>286</u>	<u>0.736</u>	<u>0</u>	<u>7.5</u>	<u>21.76</u>	<u>240</u>	<u>3000</u>
<u>1020</u>	<u>11.3</u>	<u>7.81</u>	<u>284</u>	<u>0.73</u>	<u>0</u>	<u>7.46</u>	<u>21.81</u>	<u>240</u>	<u>3720</u>
<u>1023</u>	<u>11.27</u>	<u>7.85</u>	<u>283</u>	<u>0.73</u>	<u>0</u>	<u>7.42</u>	<u>21.78</u>	<u>240</u>	<u>4440</u>

\* Only one (1) of these need to reach stability.

**PURGE<sup>1</sup>:** Date \_\_\_\_\_ Time \_\_\_\_\_  
**SAMPLING:** Date 3/24/2015 Time 1026

Sample Analysis	Volume	Type	Number of Containers	Preservative Type	Reaction (y/n)	Filter Type	Duplicate	MS/MSD
<u>VOC-8260</u>	<u>40mL</u>	<u>VOA</u>	<u>3</u>	<u>HCL</u>	<u>N</u>	<u>None</u>	<u>na</u>	<u>--</u>

**EQUIPMENT DECONTAMINATION PROCEDURES:**

DECONTAMINATION METHOD:  Non Phosphatic detergent wash/distilled water rinse  
 Methanol rinse

NOTES: 45.76' of tubing used  
 Sampler Signature: [Signature]

<sup>1</sup>Monitoring wells sampled with a bailer require at least 3 to 5 well volumes to be purged prior to sampling unless the well bails dry prior to the removal of three (3) well volumes. Wells bailed dry should be sampled upon sufficient recovery for collection of samples. Record the time of purging and the time of sampling on the Groundwater Sampling Form.  
<sup>2</sup>Include Date PDB Installed in well, and Date PDB removed and sampled in NOTES section.



602 N. Capital Ave  
Indianapolis, IN 46204  
T: 317-972-7870 F: 317-972-7875

PROJECT NAME Former Robinson's Cleaners Well/Surface Station I.D. 6155 - PZ-40D  
 LOCATION/ADDRESS 1838 W. Court Street Sample Designation PZ-40D  
Janesville, WI 53548  
 PROJECT NO. 615541A  
 CLIENT/CONTACT Ray Gehrig / 608-436-6277 Personnel K. Vander Heiden, A. Jablonski

**WATER LEVEL MEASUREMENTS DURING GAUGING:**  
 Well Depth 74.87  
 Depth to Water 49.36  
 Well Diameter 2 inches  
 Casing Volume \_\_\_\_\_ gallons  
 Volume Removed \_\_\_\_\_ gallons  
 Total No. of Casing Volumes Removed \_\_\_\_\_  
 Date 3/23/2015

Factor * Water Column Height Equals Gallons	
Factor	Diameter
0.163	2" Well
0.653	4" Well
1.469	6" Well
Conversions	
1 mL	= 0.0003 gal
1 gal	= 3,785 mL

**SAMPLING METHOD:**  
 Low-Flow X  
 Grab/No-purge \_\_\_\_\_  
 Bailer \_\_\_\_\_  
 Peristaltic pump \_\_\_\_\_  
 Submersible Pump X  
 Passive Diffusion Bag \_\_\_\_\_  
 Other \_\_\_\_\_  
 Was drawdown greater than 0.3 ft? (y/n) \_\_\_\_\_  
 Pump Depth (ft below TOC) (if applicable) 72.37

**Stability Parameter Readings:** Readings every five minutes for at least three readings to achieve stability for ALL parameters except as noted.

Start Time: <u>1612</u>	Temperature		Oxidation-Reduction	Specific Conductance	Turbidity	Dissolved Oxygen	Sampling DTW	Flow Rate	mL Removed
	(Celsius)	pH	Potential (mV)	(umhos/cm)	(NTU)	(mg/L)	(ft)	(ml/min)	
	+/- 3%	+/- 0.1	+/- 10mV*	+/- 3%	+/- 10%*	+/- 10%*	<0.3ft	<250	
<u>1615</u>	<u>8.73</u>	<u>8.08</u>	<u>272</u>	<u>1.24</u>	<u>0</u>	<u>11.59</u>	<u>49.36</u>	<u>240</u>	<u>720</u>
<u>1618</u>	<u>9.07</u>	<u>7.99</u>	<u>278</u>	<u>1.24</u>	<u>800</u>	<u>11.32</u>	<u>49.34</u>	<u>240</u>	<u>1440</u>
<u>1621</u>	<u>9.71</u>	<u>7.78</u>	<u>287</u>	<u>1.24</u>	<u>630</u>	<u>11.3</u>	<u>49.43</u>	<u>240</u>	<u>2160</u>
<u>1624</u>	<u>9.76</u>	<u>7.65</u>	<u>293</u>	<u>1.23</u>	<u>357</u>	<u>11.08</u>	<u>49.38</u>	<u>240</u>	<u>2880</u>
<u>1627</u>	<u>10.15</u>	<u>7.62</u>	<u>295</u>	<u>1.23</u>	<u>244</u>	<u>11.11</u>	<u>49.41</u>	<u>240</u>	<u>3600</u>
<u>1630</u>	<u>10.4</u>	<u>7.57</u>	<u>297</u>	<u>1.23</u>	<u>223</u>	<u>11.01</u>	<u>49.44</u>	<u>240</u>	<u>4320</u>

\* Only one (1) of these need to reach stability.

**PURGE:** Date \_\_\_\_\_ Time \_\_\_\_\_  
**SAMPLING:** Date 3/23/2015 Time 1632

Sample Analysis	Volume	Type	Number of Containers	Preservative Type	Reaction (y/n)	Filter Type	Duplicate	MS/MSD
<u>VOC-8260</u>	<u>4cmL</u>	<u>VOA</u>	<u>3</u>	<u>HCL</u>	<u>N</u>	<u>None</u>	<u>na</u>	<u>--</u>

**EQUIPMENT DECONTAMINATION PROCEDURES:**

DECONTAMINATION METHOD:  Non Phosphatic detergent wash/distilled water rinse  
 Methanol rinse

NOTES: 90' of tubing used

Sampler Signature: [Signature]

<sup>1</sup>Monitoring wells sampled with a bailer require at least 3 to 5 well volumes to be purged prior to sampling unless the well bails dry prior to the removal of three (3) well volumes. Wells bailed dry should be sampled upon sufficient recovery for collection of samples.  
 Record the time of purging and the time of sampling on the Groundwater Sampling Form.  
<sup>2</sup>Include Date PDB Installed in well, and Date PDB removed and sampled in NOTES section.

602 N. Capital Ave  
Indianapolis, IN 46204  
T: 317-972-7870 F: 317-972-7875

PROJECT NAME Former Robinson's Cleaners Well/Surface Station I.D. 6155 - MW - 41S  
 LOCATION/ADDRESS 1838 W. Court Street Sample Designation MW - 40S  
Janesville, WI 53548  
 PROJECT NO. 6155.41A  
 CLIENT/CONTACT Ray Gehrig / 608-436-6277 Personnel K. Vander Heiden, A. Jablonski

**WATER LEVEL MEASUREMENTS DURING GAUGING:**

Well Depth 26.15  
 Depth to Water 16.16  
 Well Diameter 2"  
 Casing Volume \_\_\_\_\_ gallons  
 Volume Removed \_\_\_\_\_ gallons  
 Total No. of Casing Volumes Removed \_\_\_\_\_  
 Date 3/23/2015

Factor * Water Column Height Equals Gallons	
Factor	Diameter
<u>0.163</u>	<u>2" Well</u>
<u>0.653</u>	<u>4" Well</u>
<u>1.469</u>	<u>6" Well</u>
Conversions	
<u>1 mL</u>	<u>= 0.0003 gal</u>
<u>1 gal</u>	<u>= 3,785 mL</u>

**SAMPLING METHOD:**

Low-Flow \_\_\_\_\_ **X**  
 Grab/No-purge \_\_\_\_\_  
 Bailer \_\_\_\_\_  
 Peristaltic pump \_\_\_\_\_  
 Submersible Pump \_\_\_\_\_ **X**  
 Passive Diffusion Bag<sup>2</sup> \_\_\_\_\_  
 Other \_\_\_\_\_  
 Was drawdown greater than 0.3 ft? (y/n) \_\_\_\_\_  
 Pump Depth (ft below TOC) (if applicable) **21.15**

**Stability Parameter Readings:**

Readings every five minutes for at least three readings to achieve stability for ALL parameters except as noted.

Start Time: <u>1100</u>	Temperature (Celsius)	pH	Oxidation- Reduction Potential (mV)	Specific Conductance (umhos/cm)	Turbidity (NTU)	Dissolved Oxygen (mg/L)	Sampling DTW (ft)	Flow Rate (ml/min)	mL Removed
	+/- 3%	+/- 0.1	+/- 10mV*	+/- 3%	+/- 10%*	+/- 10%*	<0.3ft	<250	
<u>1105</u>	<u>10.99</u>	<u>7.08</u>	<u>317</u>	<u>2.17</u>	<u>147</u>	<u>4.31</u>	<u>16.25</u>	<u>255</u>	<u>1275</u>
<u>1110</u>	<u>10.36</u>	<u>7.05</u>	<u>319</u>	<u>2.04</u>	<u>114</u>	<u>1.49</u>	<u>16.39</u>	<u>95</u>	<u>1750</u>
<u>1115</u>	<u>9.48</u>	<u>7</u>	<u>321</u>	<u>2.05</u>	<u>131</u>	<u>0.96</u>	<u>16.55</u>	<u>95</u>	<u>2225</u>
<u>1120</u>	<u>9.02</u>	<u>6.96</u>	<u>323</u>	<u>2.1</u>	<u>109</u>	<u>0.88</u>	<u>16.68</u>	<u>95</u>	<u>2700</u>
<u>1125</u>	<u>8.93</u>	<u>6.95</u>	<u>323</u>	<u>2.15</u>	<u>94</u>	<u>0.8</u>	<u>16.85</u>	<u>95</u>	<u>3175</u>

\* Only one (1) of these need to reach stability.

**PURGE<sup>1</sup>:** Date \_\_\_\_\_ Time \_\_\_\_\_


**SAMPLING:** Date 3/24/2015 Time 1132

Sample Analysis	Volume	Type	Number of Containers	Preservative Type	Reaction (y/n)	Filter Type	Duplicate	MS/MSD
<u>VOC-8260</u>	<u>40mL</u>	<u>VOA</u>	<u>3</u>	<u>HCL</u>	<u>N</u>	<u>None</u>	<u>na</u>	<u>-</u>

**EQUIPMENT DECONTAMINATION PROCEDURES:**

DECONTAMINATION METHOD:  Non Phosphatic detergent wash/distilled water rinse  
 Methanol rinse

NOTES:

Sampler Signature: 

<sup>1</sup>Monitoring wells sampled with a bailer require at least 3 to 5 well volumes to be purged prior to sampling unless the well bails dry prior to the removal of three (3) well volumes. Wells bailed dry should be sampled upon sufficient recovery for collection of samples. Record the time of purging and the time of sampling on the Groundwater Sampling Form.  
<sup>2</sup>Include Date PDB Installed in well, and Date PDB removed and sampled in NOTES section.



GROUNDWATER SAMPLING FORM

602 N. Capital Ave
Indianapolis, IN 46204
T: 317-972-7870 F: 317-972-7875

PROJECT NAME Former Robinson's Cleaners Well/Surface Station I.D. 6155 - PZ - 42D1
LOCATION/ADDRESS 1838 W. Court Street Sample Designation PZ - 42D1
Janesville, WI 53548
PROJECT NO. 6155.41A
CLIENT/CONTACT Ray Gehrig / 608-436-6277 Personnel K. Vander Heiden, A. Jablonski

WATER LEVEL MEASUREMENTS DURING GAUGING:

Well Depth 88.98
Depth to Water 49.54
Well Diameter 2"
Casing Volume gallons
Volume Removed gallons
Total No. of Casing Volumes Removed
Date 3/23/2015

Table with columns: Factor, Water Column Height Equals Gallons, Diameter. Rows include conversion factors for 2", 4", and 6" wells, and conversion from mL to gal and gal to mL.

SAMPLING METHOD:

Low-Flow X
Grab/No-purge
Bailer
Peristaltic pump
Submersible Pump X
Passive Diffusion Bag
Other
Was drawdown greater than 0.3 ft? (y/n)
Pump Depth (ft below TOC) (if applicable) 86.48

Stability Parameter Readings:

Readings every five minutes for at least three readings to achieve stability for ALL parameters except as noted.

Table with columns: Start Time, Temperature (Celsius), pH, Oxidation-Reduction Potential (mV), Specific Conductance (umhos/cm), Turbidity (NTU), Dissolved Oxygen (mg/L), Sampling DTW (ft), Flow Rate (ml/min), mL Removed. Data rows for times 1007, 1012, 1017, and 1022.

\* Only one (1) of these need to reach stability.

PURGE: Date 3/25/2015 Time 1029
SAMPLING: Date 3/25/2015 Time 1029

Table with columns: Sample Analysis, Volume, Type, Number of Containers, Preservative Type, Reaction (y/n), Filter Type, Duplicate, MS/MSD. Row for VOC-8260, 40mL, VOA, 3, HCL, N, None, na, --.

EQUIPMENT DECONTAMINATION PROCEDURES:

DECONTAMINATION METHOD: [X] Non Phosphatic detergent wash/distilled water rinse
[Methanol rinse]

NOTES:

Sampler Signature: [Handwritten Signature]

Monitoring wells sampled with a bailer require at least 3 to 5 well volumes to be purged prior to sampling unless the well bails dry prior to the removal of three (3) well volumes. Wells bailed dry should be sampled upon sufficient recovery for collection of samples. Record the time of purging and the time of sampling on the Groundwater Sampling Form. Include Date PDB Installed in well, and Date PDB removed and sampled in NOTES section.

602 N. Capital Ave  
 Indianapolis, IN 46204  
 T: 317-972-7870 F: 317-972-7875

PROJECT NAME Former Robinson's Cleaners Well/Surface Station I.D. 6155 - PZ - 42D2  
 LOCATION/ADDRESS 1838 W. Court Street Sample Designation PZ - 42D2  
Janesville, WI 53548  
 PROJECT NO. 6155.41A  
 CLIENT/CONTACT Ray Gehrig / 608-436-6277 Personnel K. Vander Heiden, A. Jablonski

**WATER LEVEL MEASUREMENTS DURING GAUGING:**

Well Depth 124.64  
 Depth to Water 49.48  
 Well Diameter 2"  
 Casing Volume \_\_\_\_\_ gallons  
 Volume Removed \_\_\_\_\_ gallons  
 Total No. of Casing Volumes Removed \_\_\_\_\_  
 Date 3/23/2015

Factor * Water Column Height Equals Gallons	
Factor	Diameter
0.163	2" Well
0.653	4" Well
1.469	6" Well
Conversions	
1 mL	= 0.0003 gal
1 gal	= 3,785 mL

**SAMPLING METHOD:**

Low-Flow X  
 Grab/No-purge \_\_\_\_\_  
 Bailer \_\_\_\_\_  
 Peristaltic pump \_\_\_\_\_  
 Submersible Pump X  
 Passive Diffusion Bag \_\_\_\_\_  
 Other \_\_\_\_\_  
 Was drawdown greater than 0.3 ft? (y/n) \_\_\_\_\_  
 Pump Depth (ft below TOC) (if applicable) 122.14

**Stability Parameter Readings:**

Readings every five minutes for at least three readings to achieve stability for ALL parameters except as noted.

Start Time: <u>1105</u>	Temperature		Oxidation-Reduction Potential (mV)	Specific Conductance (umhos/cm)	Turbidity (NTU)	Dissolved Oxygen (mg/L)	Sampling DTW (ft)	Flow Rate (ml/min)	mL Removed
	(Celsius)	pH	Potential (mV)	(umhos/cm)	(NTU)	(mg/L)	(ft)	(ml/min)	Removed
	+/- 3%	+/- 0.1	+/- 10mV*	+/- 3%	+/- 10%*	+/- 10%*	<0.3ft	<250	
<u>1110</u>	<u>8.98</u>	<u>7</u>	<u>369</u>	<u>1.44</u>	<u>259</u>	<u>5.45</u>	<u>49.49</u>	<u>200</u>	<u>1000</u>
<u>1115</u>	<u>9.71</u>	<u>7.2</u>	<u>356</u>	<u>1.42</u>	<u>183</u>	<u>4.71</u>	<u>49.49</u>	<u>200</u>	<u>2000</u>
<u>1120</u>	<u>10</u>	<u>7.17</u>	<u>356</u>	<u>1.41</u>	<u>133</u>	<u>4.27</u>	<u>49.47</u>	<u>200</u>	<u>3000</u>
<u>1125</u>	<u>10.21</u>	<u>7.14</u>	<u>357</u>	<u>1.95</u>	<u>106</u>	<u>4.04</u>	<u>49.48</u>	<u>200</u>	<u>4000</u>
<u>1130</u>	<u>10.33</u>	<u>7.14</u>	<u>356</u>	<u>1.95</u>	<u>79.8</u>	<u>3.97</u>	<u>49.48</u>	<u>200</u>	<u>5000</u>

\* Only one (1) of these need to reach stability.

PURGE<sup>1</sup>: Date \_\_\_\_\_ Time \_\_\_\_\_  
 SAMPLING: Date 3/25/2015 Time 1136

Sample Analysis	Volume	Type	Number of Containers	Preservative	Reaction	Filter	Duplicate	MS/MSD
				Type	(y/n)	Type		
VOC-8260	40mL	VOA	6	HCL	N	None	DUP-2	--

**EQUIPMENT DECONTAMINATION PROCEDURES:**

DECONTAMINATION METHOD:  Non Phosphatic detergent wash/distilled water rinse  
 Methanol rinse

NOTES:

*[Handwritten Signature]*

**\*\*DUP-2\*\***

Sampler Signature:

<sup>1</sup>Monitoring wells sampled with a bailer require at least 3 to 5 well volumes to be purged prior to sampling unless the well bails dry prior to the removal of three (3) well volumes. Wells bailed dry should be sampled upon sufficient recovery for collection of samples. Record the time of purging and the time of sampling on the Groundwater Sampling Form.  
<sup>2</sup>Include Date PDB Installed in well, and Date PDB removed and sampled in NOTES section.

602 N. Capital Ave  
 Indianapolis, IN 46204  
 T: 317-972-7870 F: 317-972-7875

PROJECT NAME Former Robinson's Cleaners Well/Surface Station I.D. 6155 - PZ - 42D3  
 LOCATION/ADDRESS 1838 W. Court Street Sample Designation PZ - 42D3  
Janesville, WI 53548  
 PROJECT NO. 6155.41A  
 CLIENT/CONTACT Ray Gehrig / 608-436-6277 Personnel K. Vander Heiden, A. Jablonski

**WATER LEVEL MEASUREMENTS DURING GAUGING:**

Well Depth 153.93  
 Depth to Water 49.32  
 Well Diameter 2"  
 Casing Volume \_\_\_\_\_ gallons  
 Volume Removed \_\_\_\_\_ gallons  
 Total No. of Casing Volumes Removed \_\_\_\_\_  
 Date 3/23/2015

Factor * Water Column Height Equals Gallons	
Factor	Diameter
0.163	2" Well
0.653	4" Well
1.469	6" Well
Conversions	
1 mL	= 0.0003 gal
1 gal	= 3,785 mL

**SAMPLING METHOD:**

Low-Flow X  
 Grab/No-purge \_\_\_\_\_  
 Bailer \_\_\_\_\_  
 Peristaltic pump \_\_\_\_\_  
 Submersible Pump X  
 Passive Diffusion Bag<sup>2</sup> \_\_\_\_\_  
 Other \_\_\_\_\_  
 Was drawdown greater than 0.3 ft? (y/n) \_\_\_\_\_  
 Pump Depth (ft below TOC) (if applicable) 151.43

**Stability Parameter Readings:**

Readings every five minutes for at least three readings to achieve stability for ALL parameters except as noted.

Start Time: <u>1045</u>	Temperature	pH	Oxidation-Reduction Potential (mV)	Specific Conductance (umhos/cm)	Turbidity (NTU)	Dissolved Oxygen (mg/L)	Sampling DTW (ft)	Flow Rate (ml/min)	mL Removed
	(Celsius)		Potential (mV)	(umhos/cm)	(NTU)	(mg/L)	(ft)	(ml/min)	
<u>1050</u>	<u>7.06</u>	<u>7.54</u>	<u>355</u>	<u>0.77</u>	<u>58.7</u>	<u>6.17</u>	<u>49.24</u>	<u>100</u>	<u>500</u>
<u>1055</u>	<u>6.9</u>	<u>7.53</u>	<u>355</u>	<u>0.764</u>	<u>42.9</u>	<u>5.63</u>	<u>49.24</u>	<u>70</u>	<u>850</u>
<u>1100</u>	<u>6.71</u>	<u>7.47</u>	<u>355</u>	<u>0.773</u>	<u>55.4</u>	<u>5.21</u>	<u>49.26</u>	<u>60</u>	<u>1150</u>
<u>1105</u>	<u>6.74</u>	<u>7.45</u>	<u>355</u>	<u>0.774</u>	<u>122</u>	<u>5.08</u>	<u>49.26</u>	<u>50</u>	<u>1400</u>

\* Only one (1) of these need to reach stability.

**PURGE<sup>1</sup>:** Date \_\_\_\_\_ Time \_\_\_\_\_  
**SAMPLING:** Date 3/25/2015 Time 1110

Sample Analysis	Volume	Type	Number of Containers	Preservative Type	Reaction (y/n)	Filter Type	Duplicate	MS/MSD
<u>VOC-8260</u>	<u>40mL</u>	<u>VOA</u>	<u>3</u>	<u>HCL</u>	<u>N</u>	<u>None</u>	<u>na</u>	<u>--</u>

**EQUIPMENT DECONTAMINATION PROCEDURES:**

DECONTAMINATION METHOD:  Non Phosphatic detergent wash/distilled water rinse  
 Methanol rinse

**NOTES:**

Sampler Signature: 

<sup>1</sup>Monitoring wells sampled with a bailer require at least 3 to 5 well volumes to be purged prior to sampling unless the well bails dry prior to the removal of three (3) well volumes. Wells bailed dry should be sampled upon sufficient recovery for collection of samples. Record the time of purging and the time of sampling on the Groundwater Sampling Form.  
<sup>2</sup>Include Date PDB Installed in well, and Date PDB removed and sampled in NOTES section.

602 N. Capital Ave  
 Indianapolis, IN 46204  
 T: 317-972-7870 F: 317-972-7875

PROJECT NAME Former Robinson's Cleaners Well/Surface Station I.D. 6155 - MW - 43S  
 LOCATION/ADDRESS 1838 W. Court Street Sample Designation MW - 43S  
Janesville, WI 53548  
 PROJECT NO. 615541A  
 CLIENT/CONTACT Ray Gehrig / 608-436-6277 Personnel K. Vander Heiden, A. Jablonski

**WATER LEVEL MEASUREMENTS DURING GAUGING:**

Well Depth 54.34  
 Depth to Water 48.63  
 Well Diameter 2"  
 Casing Volume \_\_\_\_\_ gallons  
 Volume Removed \_\_\_\_\_ gallons  
 Total No. of Casing Volumes Removed \_\_\_\_\_  
 Date 3/23/2015

Factor * Water Column Height Equals Gallons	
Factor	Diameter
0.163	2" Well
0.653	4" Well
1.469	6" Well
Conversions	
1 mL	= 0.0003 gal
1 gal	= 3,785 mL

**SAMPLING METHOD:**

Low-Flow X  
 Grab/No-purge \_\_\_\_\_  
 Bailer \_\_\_\_\_  
 Peristaltic pump \_\_\_\_\_  
 Submersible Pump X  
 Passive Diffusion Bag \_\_\_\_\_  
 Other \_\_\_\_\_  
 Was drawdown greater than 0.3 ft? (y/n) \_\_\_\_\_  
 Pump Depth (ft below TOC) (if applicable) 51.54

**Stability Parameter Readings:**

Readings every five minutes for at least three readings to achieve stability for ALL parameters except as noted.

Start Time: <u>0855</u>	Temperature (Celsius)	pH	Oxidation-Reduction Potential (mV)	Specific Conductance (umhos/cm)	Turbidity (NTU)	Dissolved Oxygen (mg/L)	Sampling DTW (ft)	Flow Rate (ml/min)	mL Removed
			+/- 10mV*	+/- 3%	+/- 10%*	+/- 10%*	< 0.3ft	<250	
09 00	11.92	7.64	371	0.96	0	8.58	48.81	90	450
09 05	12.49	7.43	383	0.919	0	6.19	48.71	90	900
09 10	12.27	7.37	387	0.907	0	5.93	48.69	90	1350
09 15	11.44	7.29	391	0.909	800	5.57	48.67	90	1800
09 20	11.26	7.25	393	0.918	800	5.63	48.67	90	2250

\* Only one (1) of these need to reach stability.

PURGE<sup>1</sup>: Date 3/26/2015 Time 09 25  
 SAMPLING: Date 3/26/2015 Time 09 25

Sample Analysis	Volume	Type	Number of Containers	Preservative Type	Reaction (y/n)	Filter Type	Duplicate	MS/MSD
VOC-8260	40mL	VOA	3	HCL	N	None		--

**EQUIPMENT DECONTAMINATION PROCEDURES:**

DECONTAMINATION METHOD:  Non Phosphatic detergent wash/distilled water rinse  
 Methanol rinse

MICROPURGE SETTINGS  
 10 @ 70 psi  
 5

NOTES: 69.34' of tubing used and needs re-development

Sampler Signature: [Signature]

<sup>1</sup>Monitoring wells sampled with a bailer require at least 3 to 5 well volumes to be purged prior to sampling unless the well bails dry prior to the removal of three (3) well volumes. Wells bailed dry should be sampled upon sufficient recovery for collection of samples. Record the time of purging and the time of sampling on the Groundwater Sampling Form.  
<sup>2</sup>Include Date PDB Installed in well, and Date PDB removed and sampled in NOTES section.



602 N. Capital Ave  
Indianapolis, IN 46204  
T: 317-972-7870 F: 317-972-7875

PROJECT NAME Former Robinson's Cleaners Well/Surface Station I.D. 6155 - PZ - 43D1  
 LOCATION/ADDRESS 1838 W. Court Street Sample Designation PZ - 43D1  
Janesville, WI 53548  
 PROJECT NO. 6155.41A  
 CLIENT/CONTACT Ray Gehrig / 608-436-6277 Personnel K. Vander Heiden, A. Jablonski

**WATER LEVEL MEASUREMENTS DURING GAUGING:**

Well Depth 94.75  
 Depth to Water 49  
 Well Diameter 2"  
 Casing Volume \_\_\_\_\_ gallons  
 Volume Removed \_\_\_\_\_ gallons  
 Total No. of Casing Volumes Removed \_\_\_\_\_  
 Date 3/23/2015

Factor * Water Column Height	Equals Gallons	
Factor	Diameter	
<u>0.163</u>	<u>2" Well</u>	
<u>0.653</u>	<u>4" Well</u>	
<u>1.469</u>	<u>6" Well</u>	
Conversions		
<u>1 mL</u>	<u>= 0.0003 gal</u>	
<u>1 gal</u>	<u>= 3,785 mL</u>	

**SAMPLING METHOD:**

Low-Flow \_\_\_\_\_ **X**  
 Grab/No-purge \_\_\_\_\_  
 Bailer \_\_\_\_\_  
 Peristaltic pump \_\_\_\_\_  
 Submersible Pump \_\_\_\_\_ **X**  
 Passive Diffusion Bag<sup>2</sup> \_\_\_\_\_  
 Other \_\_\_\_\_  
 Was drawdown greater than 0.3 ft? (y/n) \_\_\_\_\_  
 Pump Depth (ft below TOC) (if applicable) 92.25

**Stability Parameter Readings:**

Readings every five minutes for at least three readings to achieve stability for ALL parameters except as noted.

Start Time: <u>0953</u>	Temperature (Celsius)	pH	Oxidation-Reduction Potential (mV)	Specific Conductance (umhos/cm)	Turbidity (NTU)	Dissolved Oxygen (mg/L)	Sampling DTW (ft)	Flow Rate (ml/min)	mL Removed
	+/- 3%	+/- 0.1	+/- 10mV*	+/- 3%	+/- 10%*	+/- 10%*	<0.3ft	<250	
<u>09 58</u>	<u>10.87</u>	<u>7.2</u>	<u>384</u>	<u>1.15</u>	<u>84.3</u>	<u>5.61</u>	<u>49.01</u>	<u>105</u>	<u>525</u>
<u>1003</u>	<u>11.26</u>	<u>7.19</u>	<u>385</u>	<u>1.16</u>	<u>75.3</u>	<u>5.7</u>	<u>49</u>	<u>105</u>	<u>1050</u>
<u>1008</u>	<u>11.08</u>	<u>7.22</u>	<u>385</u>	<u>1.15</u>	<u>69.5</u>	<u>5.47</u>	<u>49.01</u>	<u>105</u>	<u>1575</u>
<u>1013</u>	<u>11.44</u>	<u>7.24</u>	<u>384</u>	<u>1.15</u>	<u>64.4</u>	<u>5.44</u>	<u>49.02</u>	<u>105</u>	<u>2100</u>
<u>1018</u>	<u>11.7</u>	<u>7.28</u>	<u>382</u>	<u>1.16</u>	<u>60.1</u>	<u>5.37</u>	<u>49.02</u>	<u>105</u>	<u>2625</u>

\* Only one (1) of these need to reach stability.

**PURGE<sup>1</sup>:** Date \_\_\_\_\_ Time \_\_\_\_\_  
**SAMPLING:** Date 3/26/2015 Time 1026

Sample Analysis	Volume	Type	Number of Containers	Preservative Type	Reaction (y/n)	Filter Type	Duplicate	MS/MSD
<u>VOC-8260</u>	<u>40mL</u>	<u>VOA</u>	<u>6</u>	<u>HCL</u>	<u>N</u>	<u>None</u>	<u>DUP-3</u>	<u>-</u>

**EQUIPMENT DECONTAMINATION PROCEDURES:**

DECONTAMINATION METHOD:  Non Phosphatic detergent wash/distilled water rinse  
 Methanol rinse

MICROPURGE SETTINGS  
 10 @ 115psi  
 5

**NOTES:**

Sampler Signature: *[Handwritten Signature]*

**\*\*DUP - 3\*\***

<sup>1</sup>Monitoring wells sampled with a bailer require at least 3 to 5 well volumes to be purged prior to sampling unless the well bails dry prior to the removal of three (3) well volumes. Wells bailed dry should be sampled upon sufficient recovery for collection of samples.  
 Record the time of purging and the time of sampling on the Groundwater Sampling Form.  
<sup>2</sup>Include Date PDB Installed in well, and Date PDB removed and sampled in NOTES section.

602 N. Capital Ave  
Indianapolis, IN 46204  
T: 317-972-7870 F: 317-972-7875

PROJECT NAME Former Robinson's Cleaners Well/Surface Station I.D. 6155 - PZ - 43D2  
 LOCATION/ADDRESS 1838 W. Court Street Sample Designation PZ - 43D2  
Janesville, WI 53548  
 PROJECT NO. 6155.41A  
 CLIENT/CONTACT Ray Gehrig / 608-436-6277 Personnel K. Vander Heiden, A. Jablonski

**WATER LEVEL MEASUREMENTS DURING GAUGING:**

Well Depth 134.38  
 Depth to Water 48.21  
 Well Diameter 2"  
 Casing Volume \_\_\_\_\_ gallons  
 Volume Removed \_\_\_\_\_ gallons  
 Total No. of Casing Volumes Removed \_\_\_\_\_  
 Date 3/23/2015

Factor * Water Column Height Equals Gallons	
Factor	Diameter
0.163	2" Well
0.653	4" Well
1.469	6" Well
Conversions	
1 mL	= 0.0003 gal
1 gal	= 3,785 mL

**SAMPLING METHOD:**

Low-Flow X  
 Grab/No-purge \_\_\_\_\_  
 Bailer \_\_\_\_\_  
 Peristaltic pump \_\_\_\_\_  
 Submersible Pump X  
 Passive Diffusion Bag \_\_\_\_\_  
 Other \_\_\_\_\_  
 Was drawdown greater than 0.3 ft? (y/n) \_\_\_\_\_  
 Pump Depth (ft below TOC) (if applicable) 131.88

**Stability Parameter Readings:**

Readings every five minutes for at least three readings to achieve stability for ALL parameters except as noted.

Start Time	Temperature (Celsius)	pH	Oxidation-Reduction Potential (mV) +/- 10mV*	Specific Conductance (umhos/cm) +/- 3%	Turbidity (NTU) +/- 10%*	Dissolved Oxygen (mg/L) +/- 10%*	Sampling DTW (ft) < 0.3ft	Flow Rate (ml/min) < 250	mL Removed
09 30	10.93	7.16	392	0.942	569	6.6	48.13	100	500
09 35	11.2	7.09	389	0.946	232	7.67	48.15	100	1000
09 40	11.25	7.1	388	0.943	191	7.65	48.16	100	1500
09 45	11.22	7.13	387	0.943	171	10.61	48.18	100	2000
09 50	11.2	7.14	386	0.944	143	8.54	48.18	100	2500

\* Only one (1) of these need to reach stability.

PURGE<sup>1</sup>: Date 3/26/2015 Time 09 55

Sample Analysis	Volume	Type	Number of Containers	Preservative Type	Reaction (y/n)	Filter Type	Duplicate	MS/MSD
VOC-8260	40mL	VOA	3	HCL	N	None		

**EQUIPMENT DECONTAMINATION PROCEDURES:**

DECONTAMINATION METHOD:  Non Phosphatic detergent wash/distilled water rinse  
 Methanol rinse

MICROPURGE SETTINGS  
 20 @ 200 psi  
 10

NOTES:

Sampler Signature: [Handwritten Signature]

<sup>1</sup>Monitoring wells sampled with a bailer require at least 3 to 5 well volumes to be purged prior to sampling unless the well bails dry prior to the removal of three (3) well volumes. Wells bailed dry should be sampled upon sufficient recovery for collection of samples. Record the time of purging and the time of sampling on the Groundwater Sampling Form.  
<sup>2</sup>Include Date PDB Installed in well, and Date PDB removed and sampled in NOTES section.

602 N. Capital Ave  
Indianapolis, IN 46204  
T: 317-972-7870 F: 317-972-7875

PROJECT NAME Former Robinson's Cleaners Well/Surface Station I.D. 6155 - MW - 44S  
 LOCATION/ADDRESS 1838 W. Court Street Sample Designation MW - 44S  
Janesville, WI 53548  
 PROJECT NO. 6155.41A  
 CLIENT/CONTACT Ray Gehrig / 608-436-6277 Personnel K. Vander Heiden, A. Jablonski

**WATER LEVEL MEASUREMENTS DURING GAUGING:**

Well Depth 67.64  
 Depth to Water 61.59  
 Well Diameter 2"  
 Casing Volume \_\_\_\_\_ gallons  
 Volume Removed \_\_\_\_\_ gallons  
 Total No. of Casing Volumes Removed \_\_\_\_\_  
 Date 3/23/2015

Factor * Water Column Height Equals Gallons	
Factor	Diameter
0.163	2" Well
0.653	4" Well
1.469	6" Well
Conversions	
1 mL	= 0.0003 gal
1 gal	= 3,785 mL

**SAMPLING METHOD:**

Low-Flow X  
 Grab/No-purge \_\_\_\_\_  
 Bailer \_\_\_\_\_  
 Peristaltic pump \_\_\_\_\_  
 Submersible Pump X  
 Passive Diffusion Bag<sup>2</sup> \_\_\_\_\_  
 Other \_\_\_\_\_  
 Was drawdown greater than 0.3 ft? (y/n) \_\_\_\_\_  
 Pump Depth (ft below TOC) (if applicable) 65.14

**Stability Parameter Readings:** Readings every five minutes for at least three readings to achieve stability for ALL parameters except as noted.

Start Time: <u>1220</u>	Temperature (Celsius)	pH	Oxidation-Reduction Potential (mV)	Specific Conductance (umhos/cm)	Turbidity (NTU)	Dissolved Oxygen (mg/L)	Sampling DTW (ft)	Flow Rate (ml/min)	mL Removed
	+/- 3%	+/- 0.1	+/- 10mV*	+/- 3%	+/- 10%*	+/- 10%*	<0.3ft	<250	
<u>1225</u>	<u>9.77</u>	<u>7.89</u>	<u>325</u>	<u>0.506</u>	<u>0</u>	<u>12.39</u>	<u>61.95</u>	<u>160</u>	<u>800</u>
<u>1230</u>	<u>9.93</u>	<u>7.94</u>	<u>325</u>	<u>0.574</u>	<u>0</u>	<u>8.52</u>	<u>62.05</u>	<u>160</u>	<u>1600</u>
<u>1235</u>	<u>10.01</u>	<u>7.96</u>	<u>325</u>	<u>0.51</u>	<u>800</u>	<u>8.41</u>	<u>61.94</u>	<u>100</u>	<u>2100</u>
<u>1240</u>	<u>10.04</u>	<u>7.98</u>	<u>326</u>	<u>0.509</u>	<u>800</u>	<u>8.19</u>	<u>61.97</u>	<u>100</u>	<u>2600</u>
<u>1245</u>	<u>10.11</u>	<u>8</u>	<u>326</u>	<u>0.508</u>	<u>772</u>	<u>7.96</u>	<u>61.96</u>	<u>100</u>	<u>3100</u>

\* Only one (1) of these need to reach stability.

**PURGE<sup>1</sup>:** Date \_\_\_\_\_ Time \_\_\_\_\_  
**SAMPLING:** Date 3/25/2015 Time 1251

Sample Analysis	Volume	Type	Number of Containers	Preservative Type	Reaction (y/n)	Filter Type	Duplicate	MS/MSD
<u>VOC-8260</u>	<u>40mL</u>	<u>VOA</u>	<u>3</u>	<u>HCL</u>	<u>N</u>	<u>None</u>		<u>--</u>

**EQUIPMENT DECONTAMINATION PROCEDURES:**

DECONTAMINATION METHOD:  Non Phosphatic detergent wash/distilled water rinse  
 Methanol rinse

NOTES:  Needs re-development

Sampler Signature: 

<sup>1</sup>Monitoring wells sampled with a bailer require at least 3 to 5 well volumes to be purged prior to sampling unless the well bails dry prior to the removal of three (3) well volumes. Wells bailed dry should be sampled upon sufficient recovery for collection of samples. Record the time of purging and the time of sampling on the Groundwater Sampling Form.  
<sup>2</sup>Include Date PDB Installed in well, and Date PDB removed and sampled in NOTES section.

602 N. Capital Ave  
 Indianapolis, IN 46204  
 T: 317-972-7870 F: 317-972-7875

PROJECT NAME Former Robinson's Cleaners Well/Surface Station I.D. 6155 - PZ - 44D1  
 LOCATION/ADDRESS 1838 W. Court Street Sample Designation PZ - 44D1  
Janesville, WI 53548  
 PROJECT NO. 6155.41A  
 CLIENT/CONTACT Ray Gehrig / 608-436-6277 Personnel K. Vander Heiden, A. Jablonski

**WATER LEVEL MEASUREMENTS DURING GAUGING:**

Well Depth 94.83  
 Depth to Water 61.33  
 Well Diameter 2"  
 Casing Volume \_\_\_\_\_ gallons  
 Volume Removed \_\_\_\_\_ gallons  
 Total No. of Casing Volumes Removed \_\_\_\_\_  
 Date 3/23/2015

Factor * Water Column Height Equals Gallons	Factor	Diameter
	0.163	2" Well
	0.653	4" Well
	1.469	6" Well
Conversions		
	1 mL =	0.0003 gal
	1 gal =	3,785 mL

**SAMPLING METHOD:**

Low-Flow X  
 Grab/No-purge \_\_\_\_\_  
 Bailer \_\_\_\_\_  
 Peristaltic pump \_\_\_\_\_  
 Submersible Pump X  
 Passive Diffusion Bag<sup>2</sup> \_\_\_\_\_  
 Other \_\_\_\_\_  
 Was drawdown greater than 0.3 R? (y/n) \_\_\_\_\_  
 Pump Depth (ft below TOC) (if applicable) 92.33

**Stability Parameter Readings:**

Readings every five minutes for at least three readings to achieve stability for ALL parameters except as noted.

Start Time: <u>1329</u>	Temperature	pH	Oxidation-Reduction	Specific Conductance	Turbidity	Dissolved Oxygen	Sampling DTW	Flow Rate	mL Removed
	(Celsius)		Potential (mV)	(umhos/cm)	(NTU)	(mg/L)	(ft)	(ml/min)	
	+/- 3%	+/- 0.1	+/- 10mV*	+/- 3%	+/- 10%*	+/- 10%*	<0.3R	<250	
<u>1334</u>	<u>10.59</u>	<u>7.38</u>	<u>355</u>	<u>1.01</u>	<u>491</u>	<u>4.35</u>	<u>61.22</u>	<u>130</u>	<u>650</u>
<u>1339</u>	<u>10.42</u>	<u>7.32</u>	<u>358</u>	<u>1</u>	<u>397</u>	<u>4.53</u>	<u>61.23</u>	<u>130</u>	<u>1300</u>
<u>1344</u>	<u>10.29</u>	<u>7.3</u>	<u>360</u>	<u>1</u>	<u>298</u>	<u>4.34</u>	<u>61.25</u>	<u>130</u>	<u>1950</u>
<u>1349</u>	<u>10.31</u>	<u>7.28</u>	<u>362</u>	<u>1</u>	<u>246</u>	<u>4.57</u>	<u>61.25</u>	<u>130</u>	<u>2600</u>

\* Only one (1) of these need to reach stability.

PURGE!: Date \_\_\_\_\_ Time \_\_\_\_\_  
 SAMPLING: Date 3/25/2015 Time 1352

Sample Analysis	Volume	Type	Number of Containers	Preservative Type	Reaction (y/n)	Filter Type	Duplicate	MS/MSD
VOC-8260	40mL	VOA	3	HCL	N	None		--

**EQUIPMENT DECONTAMINATION PROCEDURES:**

DECONTAMINATION METHOD:  Non Phosphatic detergent wash/distilled water rinse  
 Methanol rinse

NOTES: 99.83' of tubing used

Sampler Signature: [Signature]

<sup>1</sup>Monitoring wells sampled with a bailer require at least 3 to 5 well volumes to be purged prior to sampling unless the well bails dry prior to the removal of three (3) well volumes. Wells bailed dry should be sampled upon sufficient recovery for collection of samples. Record the time of purging and the time of sampling on the Groundwater Sampling Form.

<sup>2</sup>include Date PDB Installed in well, and Date PDB removed and sampled in NOTES section.

602 N. Capital Ave  
Indianapolis, IN 46204  
T: 317-972-7870 F: 317-972-7875

PROJECT NAME Former Robinson's Cleaners Well/Surface Station I.D. 6155 - PZ - 44D2  
 LOCATION/ADDRESS 1838 W. Court Street Sample Designation PZ - 44D2  
Janesville, WI 53548  
 PROJECT NO. 6155.41A  
 CLIENT/CONTACT Ray Gehrig / 608-436-6277 Personnel K. Vander Heiden, A. Jablonski

**WATER LEVEL MEASUREMENTS DURING GAUGING:**

Well Depth 126.66  
 Depth to Water 61.01  
 Well Diameter 2"  
 Casing Volume \_\_\_\_\_ gallons  
 Volume Removed \_\_\_\_\_ gallons  
 Total No. of Casing Volumes Removed \_\_\_\_\_  
 Date 3/23/2015

Factor * Water Column Height Equals Gallons	
Factor	Diameter
0.163	2" Well
0.653	4" Well
1.469	6" Well
Conversions	
1 mL	= 0.0003 gal
1 gal	= 3,785 mL

**SAMPLING METHOD:**

Low-Flow X  
 Grab/No-purge \_\_\_\_\_  
 Bailer \_\_\_\_\_  
 Peristaltic pump \_\_\_\_\_  
 Submersible Pump X  
 Passive Diffusion Bag<sup>2</sup> \_\_\_\_\_  
 Other \_\_\_\_\_  
 Was drawdown greater than 0.3 ft? (y/n) \_\_\_\_\_  
 Pump Depth (ft below TOC) (if applicable) 124.16

**Stability Parameter Readings:** Readings every five minutes for at least three readings to achieve stability for ALL parameters except as noted.

Start Time: <u>1257</u>	Temperature (Celsius)	pH	Oxidation- Reduction Potential (mV)	Specific Conductance (umhos/cm)	Turbidity (NTU)	Dissolved Oxygen (mg/L)	Sampling DTW (ft)	Flow Rate (ml/min)	mL Removed
			+/- 10mV*	+/- 3%	+/- 10%*	+/- 10%*	<0.3ft	<250	
<u>1302</u>	<u>9.57</u>	<u>7.49</u>	<u>346</u>	<u>1.01</u>	<u>574</u>	<u>6.45</u>	<u>61.02</u>	<u>200</u>	<u>1000</u>
<u>1307</u>	<u>10.31</u>	<u>7.37</u>	<u>351</u>	<u>1.06</u>	<u>416</u>	<u>6.58</u>	<u>61.02</u>	<u>200</u>	<u>2000</u>
<u>1312</u>	<u>10.5</u>	<u>7.34</u>	<u>354</u>	<u>1.07</u>	<u>326</u>	<u>6.64</u>	<u>61.03</u>	<u>200</u>	<u>3000</u>
<u>1317</u>	<u>10.53</u>	<u>7.32</u>	<u>357</u>	<u>1.07</u>	<u>230</u>	<u>6.71</u>	<u>61.03</u>	<u>200</u>	<u>4000</u>
<u>1322</u>	<u>10.61</u>	<u>7.32</u>	<u>357</u>	<u>1.07</u>	<u>154</u>	<u>6.32</u>	<u>61.03</u>	<u>200</u>	<u>5000</u>

\* Only one (1) of these need to reach stability.

**PURGE<sup>1</sup>:** Date \_\_\_\_\_ Time \_\_\_\_\_

**SAMPLING:** Date 3/25/2015 Time 1323

Sample Analysis	Volume	Type	Number of Containers	Preservative	Reaction	Filter	Duplicate	MS/MSD
				Type	(y/n)	Type		
VOC-8260	40mL	VOA	3	HCL	N	None		--

**EQUIPMENT DECONTAMINATION PROCEDURES:**

DECONTAMINATION METHOD:  Non Phosphatic detergent wash/distilled water rinse  
 Methanol rinse

**NOTES:**

Sampler Signature: 

<sup>1</sup>Monitoring wells sampled with a bailer require at least 3 to 5 well volumes to be purged prior to sampling unless the well bails dry prior to the removal of three (3) well volumes. Wells bailed dry should be sampled upon sufficient recovery for collection of samples. Record the time of purging and the time of sampling on the Groundwater Sampling Form.  
<sup>2</sup>include Date PDB Installed in well, and Date PDB removed and sampled in NOTES section.

602 N. Capital Ave  
Indianapolis, IN 46204  
T: 317-972-7870 F: 317-972-7875

PROJECT NAME Former Robinson's Cleaners Well/Surface Station I.D. 6155 - MW - 45S  
 LOCATION/ADDRESS 1838 W. Court Street Sample Designation MW - 45S  
Janesville, WI 53548  
 PROJECT NO. 6155.41A  
 CLIENT/CONTACT Ray Gehrig / 608-436-6277 Personnel K. Vander Heiden, A. Jablonski

**WATER LEVEL MEASUREMENTS DURING GAUGING:**

Well Depth 66.9  
 Depth to Water 50.38  
 Well Diameter 2"  
 Casing Volume \_\_\_\_\_ gallons  
 Volume Removed \_\_\_\_\_ gallons  
 Total No. of Casing Volumes Removed \_\_\_\_\_  
 Date 3/23/2015

Factor * Water Column Height Equals Gallons	
Factor	Diameter
0.163	2" Well
0.653	4" Well
1.469	6" Well
Conversions	
1 mL	= 0.0003 gal
1 gal	= 3,785 mL

**SAMPLING METHOD:**

Low-Flow X  
 Grab/No-purge \_\_\_\_\_  
 Bailer \_\_\_\_\_  
 Peristaltic pump \_\_\_\_\_  
 Submersible Pump X  
 Passive Diffusion Bag \_\_\_\_\_  
 Other \_\_\_\_\_  
 Was drawdown greater than 0.3 ft? (y/n) \_\_\_\_\_  
 Pump Depth (ft below TOC) (if applicable) 61.9

**Stability Parameter Readings:**

Readings every five minutes for at least three readings to achieve stability for ALL parameters except as noted.

Start Time: <u>1703</u>	Temperature (Celsius)	pH	Oxidation-Reduction Potential (mV)	Specific Conductance (umhos/cm)	Turbidity (NTU)	Dissolved Oxygen (mg/L)	Sampling DTW (ft)	Flow Rate (ml/min)	mL Removed
			+/- 10mV*	+/- 3%	+/- 10%*	+/- 10%*	<.03ft	<250	
<u>1708</u>	<u>8.66</u>	<u>7.37</u>	<u>302</u>	<u>1.46</u>	<u>800</u>	<u>4.13</u>	<u>50.34</u>	<u>80</u>	<u>400</u>
<u>1713</u>	<u>8.37</u>	<u>7.39</u>	<u>363</u>	<u>1.47</u>	<u>754</u>	<u>3.94</u>	<u>50.34</u>	<u>80</u>	<u>800</u>
<u>1718</u>	<u>8.68</u>	<u>7.46</u>	<u>359</u>	<u>2.04</u>	<u>634</u>	<u>3.76</u>	<u>50.34</u>	<u>80</u>	<u>1200</u>
<u>1723</u>	<u>8.89</u>	<u>7.51</u>	<u>356</u>	<u>2.04</u>	<u>542</u>	<u>3.75</u>	<u>50.34</u>	<u>80</u>	<u>1600</u>
<u>1728</u>	<u>9.18</u>	<u>7.53</u>	<u>355</u>	<u>2.06</u>	<u>425</u>	<u>3.7</u>	<u>50.34</u>	<u>80</u>	<u>2000</u>

\* Only one (1) of these need to reach stability.

PURGE <sup>1</sup> :	Date	Time	SAMPLING:					
	<u>3/26/2015</u>	<u>1532</u>	Number of Containers	Preservative Type	Reaction (y/n)	Filter Type	Duplicate	MS/MSD
Sample Analysis	Volume	Type	<u>3</u>	<u>HCL</u>	<u>N</u>	<u>None</u>	<u> </u>	<u> </u>
<u>VOC-8260</u>	<u>40mL</u>	<u>VOA</u>					<u> </u>	<u> </u>

**EQUIPMENT DECONTAMINATION PROCEDURES:**

DECONTAMINATION METHOD:  Non Phosphatic detergent wash/distilled water rinse  
 Methanol rinse

MICROPURGE SETTINGS  
 10 @ 80 psi  
 5

**NOTES:**

Sampler Signature: *[Signature]*

<sup>1</sup>Monitoring wells sampled with a bailer require at least 3 to 5 well volumes to be purged prior to sampling unless the well bails dry prior to the removal of three (3) well volumes. Wells bailed dry should be sampled upon sufficient recovery for collection of samples. Record the time of purging and the time of sampling on the Groundwater Sampling Form.  
<sup>2</sup>Include Date PDB Installed in well, and Date PDB removed and sampled in NOTES section.



602 N. Capital Ave  
Indianapolis, IN 46204  
T: 317-972-7870 F: 317-972-7875

PROJECT NAME Former Robinson's Cleaners Well/Surface Station I.D. 6155 - PZ - 45D1

LOCATION/ADDRESS 1838 W. Court Street Sample Designation PZ - 45D1  
Janesville, WI 53548

PROJECT NO. 6155.41A

CLIENT/CONTACT Ray Gehrig / 608-436-6277 Personnel K. Vander Heiden, A. Jablonski

**WATER LEVEL MEASUREMENTS DURING GAUGING:**

Well Depth 98.08  
Depth to Water 49.88  
Well Diameter 2"  
Casing Volume \_\_\_\_\_ gallons  
Volume Removed \_\_\_\_\_ gallons  
Total No. of Casing Volumes Removed \_\_\_\_\_  
Date 3/23/2015

Factor * Water Column Height Equals Gallons	
Factor	Diameter
0.163	2" Well
0.653	4" Well
1.469	6" Well
Conversions	
1 mL	= 0.0003 gal
1 gal	= 3,785 mL

**SAMPLING METHOD:**

Low-Flow X  
Grab/No-purge \_\_\_\_\_  
Bailer \_\_\_\_\_  
Peristaltic pump \_\_\_\_\_  
Submersible Pump X  
Passive Diffusion Bag \_\_\_\_\_  
Other \_\_\_\_\_  
Was drawdown greater than 0.3 ft? (y/n) \_\_\_\_\_  
Pump Depth (ft below TOC) (if applicable) 95.58

**Stability Parameter Readings:**

Readings every five minutes for at least three readings to achieve stability for ALL parameters except as noted.

Start Time: <u>1530</u>	Temperature		Oxidation-Reduction	Specific Conductance	Turbidity	Dissolved Oxygen	Sampling DTW	Flow Rate	mL Removed
	(Celsius)	pH	Potential (mV)	(umhos/cm)	(NTU)	(mg/L)	(ft)	(ml/min)	
	+/- 3%	+/- 0.1	+/- 10mV*	+/- 3%	+/- 10%*	+/- 10%*	<0.3ft	<250	
<u>1535</u>	<u>8.15</u>	<u>7.41</u>	<u>384</u>	<u>1.14</u>	<u>146</u>	<u>8.33</u>	<u>49.84</u>	<u>170</u>	<u>850</u>
<u>1540</u>	<u>8.92</u>	<u>7.32</u>	<u>389</u>	<u>1.15</u>	<u>102</u>	<u>7.94</u>	<u>49.86</u>	<u>170</u>	<u>1700</u>
<u>1545</u>	<u>9.36</u>	<u>7.3</u>	<u>391</u>	<u>1.15</u>	<u>107</u>	<u>7.85</u>	<u>49.87</u>	<u>170</u>	<u>2550</u>
<u>1550</u>	<u>9.65</u>	<u>7.32</u>	<u>392</u>	<u>1.15</u>	<u>85.2</u>	<u>7.8</u>	<u>49.86</u>	<u>170</u>	<u>3400</u>

\* Only one (1) of these need to reach stability.

**PURGE<sup>1</sup>:** Date \_\_\_\_\_ Time \_\_\_\_\_  
**SAMPLING:** Date 3/26/2015 Time 1554

Sample Analysis	Volume	Type	Number of Containers	Preservative Type	Reaction (y/n)	Filter Type	Duplicate	MS/MSD
<u>VOC-8260</u>	<u>40mL</u>	<u>VOA</u>	<u>3</u>	<u>HCL</u>	<u>N</u>	<u>None</u>	<u>na</u>	<u>--</u>

**EQUIPMENT DECONTAMINATION PROCEDURES:**

DECONTAMINATION METHOD:  Non Phosphatic detergent wash/distilled water rinse  
 Methanol rinse

**MICROPURGE SETTINGS**

10 @ 80 psi  
5

**NOTES:**

Sampler Signature: [Signature]

<sup>1</sup>Monitoring wells sampled with a bailer require at least 3 to 5 well volumes to be purged prior to sampling unless the well bails dry prior to the removal of three (3) well volumes. Wells bailed dry should be sampled upon sufficient recovery for collection of samples. Record the time of purging and the time of sampling on the Groundwater Sampling Form.

<sup>2</sup>Include Date PDB Installed in well, and Date PDB removed and sampled in NOTES section.

602 N. Capital Ave  
Indianapolis, IN 46204  
T: 317-972-7870 F: 317-972-7875

PROJECT NAME Former Robinson's Cleaners Well/Surface Station I.D. 6155 - PZ - 45D2  
 LOCATION/ADDRESS 1838 W. Court Street Sample Designation PZ - 45D2  
Janesville, WI 53548  
 PROJECT NO. 615541A  
 CLIENT/CONTACT Ray Gehrig / 608-436-6277 Personnel K. Vander Heiden, A. Jablonski

**WATER LEVEL MEASUREMENTS DURING GAUGING:**

Well Depth 137.4  
 Depth to Water 50.14  
 Well Diameter 2"  
 Casing Volume \_\_\_\_\_ gallons  
 Volume Removed \_\_\_\_\_ gallons  
 Total No. of Casing Volumes Removed \_\_\_\_\_  
 Date 3/23/2015

Factor * Water Column Height Equals Gallons	
Factor	Diameter
0.163	2" Well
0.653	4" Well
1.469	6" Well
Conversions	
1 mL	= 0.0003 gal
1 gal	= 3,785 mL

**SAMPLING METHOD:**

Low-Flow X  
 Grab/No-purge \_\_\_\_\_  
 Bailer \_\_\_\_\_  
 Peristaltic pump \_\_\_\_\_  
 Submersible Pump X  
 Passive Diffusion Bag<sup>2</sup> \_\_\_\_\_  
 Other \_\_\_\_\_  
 Was drawdown greater than 0.3 ft? (y/n) \_\_\_\_\_  
 Pump Depth (ft below TOC) (if applicable) 134.9

**Stability Parameter Readings:** Readings every five minutes for at least three readings to achieve stability for ALL parameters except as noted.

Start Time: 1618	Temperature (Celsius)	pH	Oxidation-Reduction Potential (mV)	Specific Conductance (umhos/cm)	Turbidity (NTU)	Dissolved Oxygen (mg/L)	Sampling DTW (ft)	Flow Rate (ml/min)	mL Removed
	+/- .3%	+/- 0.1	+/- 10mV*	+/- .3%	+/- 10%*	+/- 10%*	< 0.3ft	< 250	
1623	8.86	7.57	373	1.03	32.9	7.62	50.17	210	1050
1628	9.67	7.45	375	1.03	40.4	5.87	50.17	210	2100
1633	9.82	7.43	373	1.03	36.8	4.44	50.18	210	3150
1638	9.95	7.4	371	1.04	39.8	4	50.18	210	4200
1643	9.92	7.37	369	4.06	31.8	2.45	50.19	210	5250
1648	9.94	7.36	367	1.07	30.5	1.57	50.18	210	6300

\* Only one (1) of these need to reach stability.

<b>PURGE:</b>	Date	Time						
<b>SAMPLING:</b>	Date	Time	Number	Preservative	Reaction	Filter	Duplicate	MS/MSD
Sample Analysis	Volume	Type	of Containers	Type	(y/n)	Type		
VOC-8260	40mL	VOA	3	HCL	N	None	na	--

**EQUIPMENT DECONTAMINATION PROCEDURES:**

DECONTAMINATION METHOD:  Non Phosphatic detergent wash/distilled water rinse  
 Methanol rinse

**MICROPURGE SETTINGS**  
 20 @ 175 psi  
 10

**NOTES:**

Sampler Signature: 

<sup>1</sup>Monitoring wells sampled with a bailer require at least 3 to 5 well volumes to be purged prior to sampling unless the well bails dry prior to the removal of three (3) well volumes. Wells bailed dry should be sampled upon sufficient recovery for collection of samples.  
 Record the time of purging and the time of sampling on the Groundwater Sampling Form.  
<sup>2</sup>Include Date PDB Installed in well, and Date PDB removed and sampled in NOTES section.

602 N. Capital Ave  
Indianapolis, IN 46204  
T: 317-972-7870 F: 317-972-7875

PROJECT NAME Former Robinson's Cleaners Well/Surface Station I.D. 6155 - PZ - 46D1  
 LOCATION/ADDRESS 1838 W. Court Street Sample Designation PZ - 46D1  
Janesville, WI 53548  
 PROJECT NO. 6155.41A  
 CLIENT/CONTACT Ray Gehrig / 608-436-6277 Personnel K. Vander Heiden, A. Jablonski

**WATER LEVEL MEASUREMENTS DURING GAUGING:**

Well Depth 134.58  
 Depth to Water 59.03  
 Well Diameter 2"  
 Casing Volume \_\_\_\_\_ gallons  
 Volume Removed \_\_\_\_\_ gallons  
 Total No. of Casing Volumes Removed \_\_\_\_\_  
 Date 3/23/2015

Factor * Water Column Height Equals Gallons	
Factor	Diameter
0.163	2" Well
0.653	4" Well
1.469	6" Well
Conversions	
1 mL	= 0.0003 gal
1 gal	= 3,785 mL

**SAMPLING METHOD:**

Low-Flow X  
 Grab/No-purge \_\_\_\_\_  
 Bailer \_\_\_\_\_  
 Peristaltic pump \_\_\_\_\_  
 Submersible Pump X  
 Passive Diffusion Bag<sup>2</sup> \_\_\_\_\_  
 Other \_\_\_\_\_  
 Was drawdown greater than 0.3 ft? (y/n) \_\_\_\_\_  
 Pump Depth (ft below TOC) (if applicable) 132.08

**Stability Parameter Readings:**

Readings every five minutes for at least three readings to achieve stability for ALL parameters except as noted.

Start Time: <u>0855</u>	Temperature (Celsius)	pH	Oxidation-Reduction Potential (mV)	Specific Conductance (umhos/cm)	Turbidity (NTU)	Dissolved Oxygen (mg/L)	Sampling DTW (ft)	Flow Rate (ml/min)	mL Removed
			+/- 10mV*	+/- 3%	+/- 10%*	+/- 10%*	< 0.3ft	< 250	
<u>09 00</u>	<u>12.75</u>	<u>7.9</u>	<u>318</u>	<u>1.45</u>	<u>0</u>	<u>12.25</u>	<u>59.03</u>	<u>200</u>	<u>1000</u>
<u>09 05</u>	<u>13.15</u>	<u>7.74</u>	<u>327</u>	<u>1.42</u>	<u>0</u>	<u>6.84</u>	<u>58.9</u>	<u>200</u>	<u>2000</u>
<u>09 10</u>	<u>12.4</u>	<u>7.66</u>	<u>332</u>	<u>1.48</u>	<u>0</u>	<u>5.89</u>	<u>58.9</u>	<u>200</u>	<u>3000</u>
<u>09 15</u>	<u>12.16</u>	<u>7.5</u>	<u>341</u>	<u>1.5</u>	<u>377</u>	<u>5.11</u>	<u>58.9</u>	<u>200</u>	<u>4000</u>
<u>09 20</u>	<u>12.04</u>	<u>7.43</u>	<u>345</u>	<u>1.51</u>	<u>245</u>	<u>4.95</u>	<u>58.91</u>	<u>200</u>	<u>5000</u>
<u>09 25</u>	<u>11.98</u>	<u>7.35</u>	<u>351</u>	<u>1.51</u>	<u>171</u>	<u>5.09</u>	<u>58.9</u>	<u>200</u>	<u>6000</u>

\* Only one (1) of these need to reach stability.


**PURGE<sup>1</sup>:** Date 3/25/2015 Time 09 28  
**SAMPLING:** Date 3/25/2015 Time 09 28

Sample Analysis	Volume	Type	Number of Containers	Preservative Type	Reaction (y/n)	Filter Type	Duplicate	MS/MSD
<u>VOC-8260</u>	<u>40mL</u>	<u>VOA</u>	<u>3</u>	<u>HCL</u>	<u>N</u>	<u>None</u>	<u>na</u>	<u>--</u>

**EQUIPMENT DECONTAMINATION PROCEDURES:**

DECONTAMINATION METHOD:  Non Phosphatic detergent wash/distilled water rinse  
 Methanol rinse

**NOTES:**

Sampler Signature: 

<sup>1</sup>Monitoring wells sampled with a bailer require at least 3 to 5 well volumes to be purged prior to sampling unless the well bails dry prior to the removal of three (3) well volumes. Wells bailed dry should be sampled upon sufficient recovery for collection of samples. Record the time of purging and the time of sampling on the Groundwater Sampling Form.  
<sup>2</sup>Include Date PDB Installed in well, and Date PDB removed and sampled in NOTES section.

602 N. Capital Ave  
 Indianapolis, IN 46204  
 T: 317-972-7870 F: 317-972-7875

PROJECT NAME Former Robinson's Cleaners Well/Surface Station I.D. 6155 - PZ - 46D2  
 LOCATION/ADDRESS 1838 W. Court Street Sample Designation PZ - 46D2  
Janesville, WI 53548  
 PROJECT NO. 6155.41A  
 CLIENT/CONTACT Ray Gehrig / 608-436-6277 Personnel K. Vander Heiden, A. Jablonski

**WATER LEVEL MEASUREMENTS DURING GAUGING:**

Well Depth 197.1  
 Depth to Water 59.28  
 Well Diameter 2"  
 Casing Volume \_\_\_\_\_ gallons  
 Volume Removed \_\_\_\_\_ gallons  
 Total No. of Casing Volumes Removed \_\_\_\_\_  
 Date 3/23/2015

Factor * Water Column Height Equals Gallons	
Factor	Diameter
0.163	2" Well
0.653	4" Well
1.469	6" Well
Conversions	
1 mL	= 0.0003 gal
1 gal	= 3,785 mL

**SAMPLING METHOD:**

Low-Flow X  
 Grab/No-purge \_\_\_\_\_  
 Bailer \_\_\_\_\_  
 Peristaltic pump \_\_\_\_\_  
 Submersible Pump X  
 Passive Diffusion Bag<sup>2</sup> \_\_\_\_\_  
 Other \_\_\_\_\_  
 Was drawdown greater than 0.3 ft? (y/n) \_\_\_\_\_  
 Pump Depth (ft below TOC) (if applicable) 178.1

**Stability Parameter Readings:**

Readings every five minutes for at least three readings to achieve stability for ALL parameters except as noted.

Start Time: <u>1259</u>	Temperature	pH	Oxidation-Reduction Potential (mV)	Specific Conductance (umhos/cm)	Turbidity (NTU)	Dissolved Oxygen (mg/L)	Sampling DTW (ft)	Flow Rate (ml/min)	mL Removed
	(Celsius)	+/- 0.1	+/- 10mV*	+/- 3%	+/- 10%*	+/- 10%*	<.03ft	<250	
<u>1304</u>	<u>8.44</u>	<u>7.9</u>	<u>360</u>	<u>1</u>	<u>575</u>	<u>7.69</u>	<u>59.19</u>	<u>30</u>	<u>150</u>
<u>1309</u>	<u>8.45</u>	<u>7.95</u>	<u>358</u>	<u>1</u>	<u>439</u>	<u>7.13</u>	<u>59.18</u>	<u>30</u>	<u>300</u>
<u>1314</u>	<u>8.44</u>	<u>7.93</u>	<u>361</u>	<u>1.01</u>	<u>334</u>	<u>6.94</u>	<u>59.17</u>	<u>30</u>	<u>450</u>
<u>1319</u>	<u>8.49</u>	<u>7.88</u>	<u>363</u>	<u>1.01</u>	<u>262</u>	<u>7.19</u>	<u>59.16</u>	<u>30</u>	<u>600</u>
<u>1324</u>	<u>8.55</u>	<u>7.85</u>	<u>364</u>	<u>1.01</u>	<u>195</u>	<u>7.12</u>	<u>59.16</u>	<u>30</u>	<u>750</u>

\* Only one (1) of these need to reach stability.

<b>PURGE<sup>1</sup>:</b>	Date <u>3/26/2015</u>	Time <u>1330</u>						
<b>SAMPLING:</b>	Date <u>3/26/2015</u>	Time <u>1330</u>	Number of Containers	Preservative Type	Reaction (y/n)	Filter Type	Duplicate	MS/MSD
Sample Analysis	Volume	Type						
<u>VOC-8260</u>	<u>40mL</u>	<u>VOA</u>	<u>3</u>	<u>HCL</u>	<u>N</u>	<u>None</u>	<u>na</u>	<u>--</u>

**EQUIPMENT DECONTAMINATION PROCEDURES:**

DECONTAMINATION METHOD:  Non Phosphatic detergent wash/distilled water rinse  
 Methanol rinse

NOTES: 431.1' of tubing used and 2 bladders

Sampler Signature: [Signature]

<sup>1</sup>Monitoring wells sampled with a bailer require at least 3 to 5 well volumes to be purged prior to sampling unless the well bails dry prior to the removal of three (3) well volumes. Wells bailed dry should be sampled upon sufficient recovery for collection of samples.  
 Record the time of purging and the time of sampling on the Groundwater Sampling Form.  
<sup>2</sup>Include Date PDB Installed in well, and Date PDB removed and sampled in NOTES section.

602 N. Capital Ave  
Indianapolis, IN 46204  
T: 317-972-7870 F: 317-972-7875

PROJECT NAME Former Robinson's Cleaners Well/Surface Station I.D. 6155 - PZ - 46D<sup>2</sup>  
 LOCATION/ADDRESS 1838 W. Court Street Sample Designation PZ - 46D<sup>3</sup>  
Janesville, WI 53548  
 PROJECT NO. 6155.41A  
 CLIENT/CONTACT Ray Gehrig / 608-436-6277 Personnel K. Vander Heiden, A. Jablonski

**WATER LEVEL MEASUREMENTS DURING GAUGING:**  
 Well Depth 222.78  
 Depth to Water 58.89  
 Well Diameter 2"  
 Casing Volume \_\_\_\_\_ gallons  
 Volume Removed \_\_\_\_\_ gallons  
 Total No. of Casing Volumes Removed \_\_\_\_\_  
 Date 3/23/2015

Factor * Water Column Height Equals Gallons	
Factor	Diameter
0.163	2" Well
0.653	4" Well
1.469	6" Well
Conversions	
1 mL	= 0.0003 gal
1 gal	= 3,785 mL

**SAMPLING METHOD:**

Low-Flow X  
 Grab/No-purge \_\_\_\_\_  
 Bailer \_\_\_\_\_  
 Peristaltic pump \_\_\_\_\_  
 Submersible Pump X  
 Passive Diffusion Bag<sup>2</sup> \_\_\_\_\_  
 Other \_\_\_\_\_  
 Was drawdown greater than 0.3 ft? (y/n) \_\_\_\_\_  
 Pump Depth (ft below TOC) (if applicable) 178.78

**Stability Parameter Readings:** Readings every five minutes for at least three readings to achieve stability for ALL parameters except as noted.

Start Time: <u>1414</u>	Temperature		Oxidation-Reduction Potential (mV)	Specific Conductance (umhos/cm)	Turbidity (NTU)	Dissolved Oxygen (mg/L)	Sampling DTW (ft)	Flow Rate (ml/min)	mL Removed
	(Celsius)	pH	+/- 10mV*	+/- 3%	+/- 10%*	+/- 10%*	<0.3ft	<250	
<u>1419</u>	<u>7.57</u>	<u>7.86</u>	<u>361</u>	<u>0.819</u>	<u>88.3</u>	<u>12.07</u>	<u>58.85</u>	<u>55</u>	<u>275</u>
<u>1424</u>	<u>7.5</u>	<u>7.84</u>	<u>364</u>	<u>0.818</u>	<u>88</u>	<u>8.19</u>	<u>58.85</u>	<u>55</u>	<u>550</u>
<u>1429</u>	<u>7.32</u>	<u>7.82</u>	<u>366</u>	<u>0.82</u>	<u>92</u>	<u>6.49</u>	<u>58.86</u>	<u>55</u>	<u>825</u>
<u>1434</u>	<u>7.15</u>	<u>7.76</u>	<u>370</u>	<u>0.823</u>	<u>57.4</u>	<u>6.45</u>	<u>58.87</u>	<u>55</u>	<u>1100</u>
<u>1439</u>	<u>7.04</u>	<u>7.73</u>	<u>372</u>	<u>0.823</u>	<u>59.3</u>	<u>5.95</u>	<u>58.88</u>	<u>55</u>	<u>1375</u>
<u>1444</u>	<u>6.99</u>	<u>7.69</u>	<u>374</u>	<u>0.822</u>	<u>35</u>	<u>6.12</u>	<u>58.88</u>	<u>55</u>	<u>1650</u>

\* Only one (1) of these need to reach stability.

**PURGE:** Date \_\_\_\_\_ Time \_\_\_\_\_

**SAMPLING:** Date 3/26/2015 Time 1449

Sample Analysis	Volume	Type	Number of Containers	Preservative Type	Reaction (y/n)	Filter Type	Duplicate	MS/MSD
<u>VOC-8260</u>	<u>4CmL</u>	<u>VOA</u>	<u>3</u>	<u>HCL</u>	<u>N</u>	<u>None</u>	<u>na</u>	<u>--</u>

**EQUIPMENT DECONTAMINATION PROCEDURES:**

DECONTAMINATION METHOD:  Non Phosphatic detergent wash/distilled water rinse  
 Methanol rinse

MICROPURGE SETTINGS  
 20 @ 230 psi  
 40

NOTES: 445.56' of tubing used and 2 bladders

Sampler Signature: [Signature]

<sup>1</sup>Monitoring wells sampled with a bailer require at least 3 to 5 well volumes to be purged prior to sampling unless the well bails dry prior to the removal of three (3) well volumes. Wells bailed dry should be sampled upon sufficient recovery for collection of samples. Record the time of purging and the time of sampling on the Groundwater Sampling Form.

<sup>2</sup>Include Date PDB Installed in well, and Date PDB removed and sampled in NOTES section.

602 N. Capital Ave  
 Indianapolis, IN 46204  
 T: 317-972-7870 F: 317-972-7875

PROJECT NAME Former Robinson's Cleaners Well/Surface Station I.D. 6155 - PZ - 47D1  
 LOCATION/ADDRESS 1838 W. Court Street Sample Designation PZ - 47D1  
Janesville, WI 53548  
 PROJECT NO. 615541A  
 CLIENT/CONTACT Ray Gehrig / 608-436-6277 Personnel K. Vander Heiden, A. Jablonski

**WATER LEVEL MEASUREMENTS DURING GAUGING:**  
 Well Depth 105.03  
 Depth to Water 24.1  
 Well Diameter 2"  
 Casing Volume \_\_\_\_\_ gallons  
 Volume Removed \_\_\_\_\_ gallons  
 Total No. of Casing Volumes Removed \_\_\_\_\_  
 Date 3/23/2015

Factor * Water Column Height Equals Gallons	
Factor	Diameter
0.163	2" Well
0.653	4" Well
1.469	6" Well
Conversions	
1 mL	= 0.0003 gal
1 gal	= 3,785 mL

**SAMPLING METHOD:**  
 Low-Flow X  
 Grab/No-purge \_\_\_\_\_  
 Bailer \_\_\_\_\_  
 Peristaltic pump \_\_\_\_\_  
 Submersible Pump X  
 Passive Diffusion Bag<sup>2</sup> \_\_\_\_\_  
 Other \_\_\_\_\_  
 Was drawdown greater than 0.3 ft? (y/n) \_\_\_\_\_  
 Pump Depth (ft below TOC) (if applicable) 102.53

**Stability Parameter Readings:** Readings every five minutes for at least three readings to achieve stability for ALL parameters except as noted.

Start Time	Temperature (Celsius)	pH	Oxidation-	Specific	Turbidity (NTU)	Dissolved	Sampling DTW (ft)	Flow Rate (ml/min)	mL Removed
			Reduction Potential (mV)	Conductance (umhos/cm)		Oxygen (mg/L)			
1546									
	+/- 3%	+/- 0.1	+/- 10mV*	+/- 3%	+/- 10%*	+/- 10%*	< 0.3ft	<250	
1551	<u>10.34</u>	<u>7.52</u>	<u>353</u>	<u>1.02</u>	<u>85.4</u>	<u>10.72</u>	<u>24.03</u>	<u>50</u>	<u>250</u>
1556	<u>10.17</u>	<u>7.46</u>	<u>348</u>	<u>1.02</u>	<u>51.2</u>	<u>2.85</u>	<u>24.04</u>	<u>100</u>	<u>750</u>
1401	<u>10.2</u>	<u>7.45</u>	<u>344</u>	<u>1.03</u>	<u>45</u>	<u>2.61</u>	<u>24.05</u>	<u>100</u>	<u>1250</u>
1406	<u>10.24</u>	<u>7.43</u>	<u>341</u>	<u>1.03</u>	<u>39.3</u>	<u>2.35</u>	<u>24.05</u>	<u>100</u>	<u>1750</u>

\* Only one (1) of these need to reach stability.

PURGE<sup>1</sup>: Date 3/25/2015 Time 1611  
 SAMPLING: Date 3/25/2015 Time 1611

Sample Analysis	Volume	Type	Number of Containers	Preservative Type	Reaction (y/n)	Filter Type	Duplicate	MS/MSD
VOC-8260	4mL	VOA	3	HCL	N	None	na	--

**EQUIPMENT DECONTAMINATION PROCEDURES:**

DECONTAMINATION METHOD:  Non Phosphatic detergent wash/distilled water rinse  
 Methanol rinse

NOTES:

Sampler Signature: [Handwritten Signature]

<sup>1</sup>Monitoring wells sampled with a bailer require at least 3 to 5 well volumes to be purged prior to sampling unless the well bails dry prior to the removal of three (3) well volumes. Wells bailed dry should be sampled upon sufficient recovery for collection of samples.  
 Record the time of purging and the time of sampling on the Groundwater Sampling Form.  
<sup>2</sup>Include Date PDB Installed in well, and Date PDB removed and sampled in NOTES section.

602 N. Capital Ave  
 Indianapolis, IN 46204  
 T: 317-972-7870 F: 317-972-7875

PROJECT NAME Former Robinson's Cleaners Well/Surface Station I.D. 6155 - PZ - 47D2  
 LOCATION/ADDRESS 1838 W. Court Street Sample Designation PZ - 47D2  
Janesville, WI 53548  
 PROJECT NO. 6155.41A  
 CLIENT/CONTACT Ray Gehrig / 608-436-6277 Personnel K. Vander Heiden, A. Jablonski

**WATER LEVEL MEASUREMENTS DURING GAUGING:**

Well Depth 128.73  
 Depth to Water 23.77  
 Well Diameter 2"  
 Casing Volume \_\_\_\_\_ gallons  
 Volume Removed \_\_\_\_\_ gallons  
 Total No. of Casing Volumes Removed \_\_\_\_\_  
 Date 3/23/2015

Factor * Water Column Height Equals Gallons	
Factor	Diameter
0.163	2" Well
0.653	4" Well
1.469	6" Well
Conversions	
1 mL	= 0.0003 gal
1 gal	= 3,785 mL

**SAMPLING METHOD:**

Low-Flow X  
 Grab/No-purge \_\_\_\_\_  
 Bailer \_\_\_\_\_  
 Peristaltic pump \_\_\_\_\_  
 Submersible Pump X  
 Passive Diffusion Bag \_\_\_\_\_  
 Other \_\_\_\_\_  
 Was drawdown greater than 0.3 ft? (y/n) \_\_\_\_\_  
 Pump Depth (ft below TOC) (if applicable) 126.23

**Stability Parameter Readings:**

Readings every five minutes for at least three readings to achieve stability for ALL parameters except as noted.

Start Time: <u>1653</u>	Temperature		Oxidation-Reduction Potential (mV)	Specific Conductance (umhos/cm)	Turbidity (NTU)	Dissolved Oxygen (mg/L)	Sampling DTW (ft)	Flow Rate (ml/min)	mL Removed
	(Celsius)	pH	+/ - 10mV*	+/ - 3%	+/ - 10%*	+/ - 10%*	<.0.3ft	<250	
<u>1658</u>	<u>9.9</u>	<u>7.51</u>	<u>343</u>	<u>1.01</u>	<u>368</u>	<u>5.69</u>	<u>23.13</u>	<u>75</u>	<u>375</u>
<u>1703</u>	<u>9.86</u>	<u>7.49</u>	<u>344</u>	<u>1.01</u>	<u>328</u>	<u>5.38</u>	<u>23.11</u>	<u>75</u>	<u>750</u>
<u>1708</u>	<u>9.79</u>	<u>7.47</u>	<u>346</u>	<u>1.01</u>	<u>269</u>	<u>5.54</u>	<u>23.09</u>	<u>75</u>	<u>1125</u>
<u>1713</u>	<u>9.74</u>	<u>7.46</u>	<u>346</u>	<u>1.01</u>	<u>239</u>	<u>5.3</u>	<u>23.08</u>	<u>75</u>	<u>1500</u>
<u>1718</u>	<u>9.71</u>	<u>7.45</u>	<u>347</u>	<u>1.02</u>	<u>196</u>	<u>5.25</u>	<u>23.07</u>	<u>75</u>	<u>1875</u>

\* Only one (1) of these need to reach stability.

**PURGE:**

Date \_\_\_\_\_ Time \_\_\_\_\_  
 Date 3/25/2015 Time 1722

**SAMPLING:**

Sample Analysis	Volume	Type	Number of Containers	Preservative Type	Reaction (y/n)	Filter Type	Duplicate	MS/MSD
VOC-8260	4cml	VOA	3	HCL	N	None	na	--

**EQUIPMENT DECONTAMINATION PROCEDURES:**

DECONTAMINATION METHOD:  Non Phosphatic detergent wash/distilled water rinse  
 Methanol rinse

**NOTES:**

138.23' of tubing used

**Sampler Signature:**

*[Handwritten Signature]*

<sup>1</sup>Monitoring wells sampled with a bailer require at least 3 to 5 well volumes to be purged prior to sampling unless the well bails dry prior to the removal of three (3) well volumes. Wells bailed dry should be sampled upon sufficient recovery for collection of samples. Record the time of purging and the time of sampling on the Groundwater Sampling Form.

<sup>2</sup>Include Date PDB Installed in well, and Date PDB removed and sampled in NOTES section.



602 N. Capital Ave  
Indianapolis, IN 46204  
T: 317-972-7870 F: 317-972-7875

PROJECT NAME Former Robinson's Cleaners Well/Surface Station I.D. 6155 - PZ - 47D3  
LOCATION/ADDRESS 1838 W. Court Street Sample Designation PZ - 47D2  
Janesville, WI 53548  
PROJECT NO. 615541A  
CLIENT/CONTACT Ray Gehrig / 608-436-6277 Personnel K. Vander Heiden, A. Jablonski

**WATER LEVEL MEASUREMENTS DURING GAUGING:**

Well Depth 149  
Depth to Water 23.39  
Well Diameter 2"  
Casing Volume \_\_\_\_\_ gallons  
Volume Removed \_\_\_\_\_ gallons  
Total No. of Casing Volumes Removed \_\_\_\_\_  
Date 3/23/2015

Factor * Water Column Height Equals Gallons	
Factor	Diameter
0.163	2" Well
0.653	4" Well
1.469	6" Well
Conversions	
1 mL	= 0.0003 gal
1 gal	= 3,785 mL

**SAMPLING METHOD:**

Low-Flow X  
Grab/No-purge \_\_\_\_\_  
Bailer \_\_\_\_\_  
Peristaltic pump \_\_\_\_\_  
Submersible Pump X  
Passive Diffusion Bag<sup>2</sup> \_\_\_\_\_  
Other \_\_\_\_\_  
Was drawdown greater than 0.3 ft? (y/n) \_\_\_\_\_  
Pump Depth (ft below TOC) (if applicable) 146.5

**Stability Parameter Readings:**

Readings every five minutes for at least three readings to achieve stability for ALL parameters except as noted.

Start Time: <u>1617</u>	Temperature	pH	Oxidation-Reduction Potential (mV)	Specific Conductance (umhos/cm)	Turbidity (NTU)	Dissolved Oxygen (mg/L)	Sampling DTW (ft)	Flow Rate (ml/min)	mL Removed
	(Celsius)	+/- 0.1	+/- 10mV*	+/- 3%	+/- 10%*	+/- 10%*	<.03ft	<250	
<u>1622</u>	<u>10.16</u>	<u>7.54</u>	<u>332</u>	<u>0.965</u>	<u>32.5</u>	<u>6.19</u>	<u>23.34</u>	<u>90</u>	<u>450</u>
<u>1627</u>	<u>10</u>	<u>7.48</u>	<u>336</u>	<u>0.972</u>	<u>33.9</u>	<u>6.07</u>	<u>23.34</u>	<u>90</u>	<u>900</u>
<u>1632</u>	<u>9.93</u>	<u>7.47</u>	<u>339</u>	<u>0.974</u>	<u>28.1</u>	<u>5.72</u>	<u>23.34</u>	<u>90</u>	<u>1350</u>
<u>1637</u>	<u>9.84</u>	<u>7.46</u>	<u>341</u>	<u>0.973</u>	<u>47.6</u>	<u>5.87</u>	<u>23.34</u>	<u>90</u>	<u>1800</u>
<u>1642</u>	<u>9.81</u>	<u>7.46</u>	<u>343</u>	<u>0.97</u>	<u>48</u>	<u>5.76</u>	<u>23.36</u>	<u>90</u>	<u>2250</u>

\* Only one (1) of these need to reach stability.

**PURGE:**

Date \_\_\_\_\_ Time \_\_\_\_\_  
Date 3/25/2015 Time 1652

**SAMPLING:**

Sample Analysis	Volume	Type	Number of Containers	Preservative Type	Reaction (y/n)	Filter Type	Duplicate	MS/MSD
<u>VOC-8260</u>	<u>40mL</u>	<u>VOA</u>	<u>3</u>	<u>HCL</u>	<u>N</u>	<u>None</u>	<u>na</u>	<u>-</u>

**EQUIPMENT DECONTAMINATION PROCEDURES:**

DECONTAMINATION METHOD:  Non Phosphatic detergent wash/distilled water rinse  
 Methanol rinse

**NOTES:**

Sampler Signature: [Signature]

<sup>1</sup>Monitoring wells sampled with a bailer require at least 3 to 5 well volumes to be purged prior to sampling unless the well bails dry prior to the removal of three (3) well volumes. Wells bailed dry should be sampled upon sufficient recovery for collection of samples. Record the time of purging and the time of sampling on the Groundwater Sampling Form.  
<sup>2</sup>Include Date PDB Installed in well, and Date PDB removed and sampled in NOTES section.

602 N. Capital Ave  
Indianapolis, IN 46204  
T: 317-972-7870 F: 317-972-7875

PROJECT NAME Former Robinson's Cleaners Well/Surface Station I.D. 6155- MW-1  
 LOCATION/ADDRESS 1838 W Court Street Sample Designation MW-1  
Janesville, WI 53548  
 PROJECT NO. 6155  
 CLIENT/CONTACT Ray Gehrig Personnel K. Heimstead, A Jablonski, K. Vander Heiden

**WATER LEVEL MEASUREMENTS DURING GAUGING:**

Well Depth 61.47 feet  
 Depth to Water 57.51 feet  
 Well Diameter \_\_\_\_\_ inches  
 Casing Volume \_\_\_\_\_ gallons  
 Volume Removed \_\_\_\_\_ gallons  
 Total No. of Casing Volumes Removed \_\_\_\_\_  
 Date 5/20/15

Factor * Water Column Height Equals Gallons	
Factor	Diameter
0.163	2" Well
0.653	4" Well
1.469	6" Well
Conversions	
1 mL	= 0.0003 gal
1 gal	= 3,785 mL

**SAMPLING METHOD:**

Low-Flow X  
 Grab/No-purge \_\_\_\_\_  
 Bailer \_\_\_\_\_  
 Peristaltic pump \_\_\_\_\_  
 Submersible Pump X  
 Passive Diffusion Bag<sup>2</sup> \_\_\_\_\_  
 Other \_\_\_\_\_  
 Was drawdown greater than 0.3 ft? (y/n) \_\_\_\_\_  
 Pump Depth (ft below TOC) (if applicable) \_\_\_\_\_

**Stability Parameter Readings:** Readings every five minutes for at least three readings to achieve stability for ALL parameters except as noted.

Start Time	Temperature (Celsius) +/- 3%	pH +/- 0.1	Oxidation-Reduction Potential (mV) +/- 10mV*	Specific Conductance (umhos/cm) +/- 3%	Turbidity (NTU) +/- 10%*	Dissolved Oxygen (mg/L) +/- 10%*	Sampling DTW (ft) <0.3ft	Flow Rate (ml/min) <250	mL Removed
<u>1415</u>									
<u>1420</u>	<u>21.34</u>	<u>7.14</u>	<u>132</u>	<u>1.35</u>	<u>100</u>	<u>6.19</u>	<u>57.77</u>	<u>~200</u>	<u>1000</u>
<u>1425</u>	<u>19.04</u>	<u>7.06</u>	<u>138</u>	<u>1.34</u>	<u>58.2</u>	<u>5.22</u>			<u>2000</u>
<u>1430</u>	<u>17.65</u>	<u>7.05</u>	<u>140</u>	<u>1.35</u>	<u>17.9</u>	<u>4.69</u>			<u>3000</u>
<u>1435</u>	<u>17.22</u>	<u>6.99</u>	<u>141</u>	<u>1.35</u>	<u>15.1</u>	<u>4.59</u>			<u>4000</u>
<u>1440</u>	<u>16.86</u>	<u>6.97</u>	<u>143</u>	<u>1.36</u>	<u>13.0</u>	<u>4.46</u>			<u>5000</u>
<u>1445</u>	<u>16.96</u>	<u>6.92</u>	<u>146</u>	<u>1.36</u>	<u>13.6</u>	<u>4.16</u>			

\* Only one (1) of these need to reach stability.

**PURGE<sup>1</sup>:** Date 6-3-15 Time \_\_\_\_\_  
**SAMPLING:** Date 6-3-15 Time 1450

Sample Analysis	Volume	Type	Number of Containers	Preservative Type	Reaction (y/n)	Filter Type	Duplicate	MS/MSD
<u>VOC 8260</u>	<u>40mL</u>	<u>VOA</u>	<u>3</u>	<u>HCL</u>	<u>N</u>	<u>NA</u>	<u>—</u>	<u>NA</u>

**EQUIPMENT DECONTAMINATION PROCEDURES:**

DECONTAMINATION METHOD:  Non Phosphatic detergent wash/distilled water rinse  
 Methanol rinse

**NOTES:**

Sampler Signature: [Signature]

<sup>1</sup>Monitoring wells sampled with a bailer require at least 3 to 5 well volumes to be purged prior to sampling unless the well bails dry prior to the removal of three (3) well volumes. Wells bailed dry should be sampled upon sufficient recovery for collection of samples. Record the time of purging and the time of sampling on the Groundwater Sampling Form.  
<sup>2</sup>Include Date PDB Installed in well, and Date PDB removed and sampled in NOTES section.

602 N. Capital Ave  
 Indianapolis, IN 46204  
 T: 317-972-7870 F: 317-972-7875

PROJECT NAME Former Robinson's Cleaners Well/Surface Station I.D. 6155- mw-3  
 LOCATION/ADDRESS 1838 W Court Street Sample Designation mw-3  
Janesville, WI 53548  
 PROJECT NO. 6155  
 CLIENT/CONTACT Ray Gehrig Personnel K. Heimstead, A Jablonski, K. Vander Heiden

WATER LEVEL MEASUREMENTS DURING GAUGING:  
 Well Depth 67.52 feet  
 Depth to Water 57.27 feet  
 Well Diameter \_\_\_\_\_ inches  
 Casing Volume \_\_\_\_\_ gallons  
 Volume Removed \_\_\_\_\_ gallons  
 Total No. of Casing Volumes Removed \_\_\_\_\_  
 Date 5/20/15

Factor * Water Column Height Equals Gallons	
Factor	Diameter
0.163	2" Well
0.653	4" Well
1.469	6" Well
Conversions	
1 mL	= 0.0003 gal
1 gal	= 3,785 mL

SAMPLING METHOD:  
 Low-Flow  X  
 Grab/No-purge \_\_\_\_\_  
 Bailer \_\_\_\_\_  
 Peristaltic pump \_\_\_\_\_  
 Submersible Pump  X  
 Passive Diffusion Bag<sup>2</sup> \_\_\_\_\_  
 Other \_\_\_\_\_  
 Was drawdown greater than 0.3 ft? (y/n) \_\_\_\_\_  
 Pump Depth (ft below TOC) (if applicable) \_\_\_\_\_

**Stability Parameter Readings:** Readings every five minutes for at least three readings to achieve stability for ALL parameters except as noted.

Start Time	Temperature (Celsius) +/- 3%	pH +/- 0.1	Oxidation-Reduction Potential (mV) +/- 10mV*	Specific Conductance (umhos/cm) +/- 3%	Turbidity (NTU) +/- 10%*	Dissolved Oxygen (mg/L) +/- 10%*	Sampling DTW (ft) < 0.3ft	Flow Rate (ml/min) < 250	mL Removed
<u>1305</u>	<u>19.77</u>	<u>7.23</u>	<u>153</u>	<u>1.36</u>	<u>0.00</u>	<u>4.90</u>	<u>57.29</u>	<u>~200</u>	<u>1000</u>
<u>1515</u>	<u>17.05</u>	<u>7.10</u>	<u>158</u>	<u>1.40</u>	<u>0.00</u>	<u>4.47</u>	↓	↓	<u>2000</u>
<u>1520</u>	<u>15.86</u>	<u>7.04</u>	<u>165</u>	<u>1.41</u>	<u>0.00</u>	<u>4.13</u>	↓	↓	<u>3000</u>
<u>1525</u>	<u>15.30</u>	<u>7.00</u>	<u>172</u>	<u>1.39</u>	<u>0.00</u>	<u>4.07</u>	↓	↓	<u>4000</u>
<u>1530</u>	<u>15.28</u>	<u>6.97</u>	<u>177</u>	<u>1.38</u>	<u>0.00</u>	<u>4.00</u>	↓	↓	<u>5000</u>
<u>1535</u>	<u>15.25</u>	<u>6.98</u>	<u>178</u>	<u>1.37</u>	<u>6.00</u>	<u>4.05</u>	↓	↓	<u>6000</u>

\* Only one (1) of these need to reach stability.

PURGE! Date 6-3-15 Time \_\_\_\_\_  
 SAMPLING: Date 6-3-15 Time 1546

Sample Analysis	Volume	Type	Number of Containers	Preservative Type	Reaction (y/n)	Filter Type	Duplicate	MS/MSD
VOC 8260	40mL	VOA	<u>3</u>	HCL	<u>N</u>	NA	<u>—</u>	NA

EQUIPMENT DECONTAMINATION PROCEDURES:  
 DECONTAMINATION METHOD:  Non Phosphatic detergent wash/distilled water rinse  
 Methanol rinse

NOTES:  
 Sampler Signature: [Signature]  
<sup>1</sup>Monitoring wells sampled with a bailer require at least 3 to 5 well volumes to be purged prior to sampling unless the well bails dry prior to the removal of three (3) well volumes. Wells bailed dry should be sampled upon sufficient recovery for collection of samples. Record the time of purging and the time of sampling on the Groundwater Sampling Form.  
<sup>2</sup>Include Date PDB Installed in well, and Date PDB removed and sampled in NOTES section.

602 N. Capital Ave  
Indianapolis, IN 46204  
T: 317-972-7870 F: 317-972-7875

PROJECT NAME Former Robinson's Cleaners Well/Surface Station I.D. 6155- MW-6

LOCATION/ADDRESS 1838 W Court Street Sample Designation MW-6  
Janesville, WI 53548

PROJECT NO. 6155

CLIENT/CONTACT Ray Gehrig Personnel K. Heimstead, A Jablonski, K. Vander Heiden

**WATER LEVEL MEASUREMENTS DURING GAUGING:**

Well Depth 59.60 feet  
Depth to Water 55.48 feet  
Well Diameter \_\_\_\_\_ inches  
Casing Volume \_\_\_\_\_ gallons  
Volume Removed \_\_\_\_\_ gallons  
Total No. of Casing Volumes Removed \_\_\_\_\_  
Date 5/22/15

Factor	* Water Column Height	Equals Gallons
Factor	Diameter	
0.163	2" Well	
0.653	4" Well	
1.469	6" Well	
Conversions		
1 mL	=	0.0003 gal
1 gal	=	3,785 mL

**SAMPLING METHOD:**

Low-Flow X  
Grab/No-purge \_\_\_\_\_  
Bailer X  
Peristaltic pump \_\_\_\_\_  
~~Submersible Pump~~ X  
Passive Diffusion Bag \_\_\_\_\_  
Other \_\_\_\_\_  
Was drawdown greater than 0.3 ft? (y/n) \_\_\_\_\_  
Pump Depth (ft below TOC) (if applicable) \_\_\_\_\_

**Stability Parameter Readings:** Readings every five minutes for at least three readings to achieve stability for ALL parameters except as noted.

Start Time	Temperature (Celsius)	pH	Oxidation- Reduction Potential (mV)	Specific Conductance (umhos/cm)	Turbidity (NTU)	Dissolved Oxygen (mg/L)	Sampling DTW (ft)	Flow Rate (ml/min)	mL Removed
	+/- 3%	+/- 0.1	+/- 10mV*	+/- 3%	+/- 10%*	+/- 10%*	<0.3ft	<250	
			- Not Enough for Purposes - Take Grab Sample						

\* Only one (1) of these need to reach stability.

PURGE:	Date	Time	SAMPLING:	Date	Time	Number of Containers	Preservative Type	Reaction (y/n)	Filter Type	Duplicate	MS/MSD
	<u>6/18/15</u>	<u>1009</u>				<u>3</u>	<u>HCL</u>	<u>N</u>	<u>NA</u>	<u>1</u>	<u>NA</u>
Sample Analysis	Volume	Type									
VOC 8260	40mL	VOA									

**EQUIPMENT DECONTAMINATION PROCEDURES:**

DECONTAMINATION METHOD:  Non Phosphatic detergent wash/distilled water rinse  
 Methanol rinse

**NOTES:**

Sampler Signature: [Signature]

<sup>1</sup>Monitoring wells sampled with a bailer require at least 3 to 5 well volumes to be purged prior to sampling unless the well bails dry prior to the removal of three (3) well volumes. Wells bailed dry should be sampled upon sufficient recovery for collection of samples. Record the time of purging and the time of sampling on the Groundwater Sampling Form.  
<sup>2</sup>Include Date PDB installed in well, and Date PDB removed and sampled in NOTES section.



GROUNDWATER SAMPLING FORM

602 N. Capital Ave  
Indianapolis, IN 46204  
T: 317-972-7870 F: 317-972-7875

PROJECT NAME Former Robinson's Cleaners Well/Surface Station I.D. 6155- MW-8

LOCATION/ADDRESS 1838 W Court Street Sample Designation MW-8  
Janesville, WI 53548

PROJECT NO. 6155

CLIENT/CONTACT Ray Gehrig Personnel K. Heimstead, A Jablonski, K. Vander Heiden

**WATER LEVEL MEASUREMENTS DURING GAUGING:**

Well Depth 62.5ft feet  
Depth to Water 58.90 feet  
Well Diameter \_\_\_\_\_ inches  
Casing Volume \_\_\_\_\_ gallons  
Volume Removed \_\_\_\_\_ gallons  
Total No. of Casing Volumes Removed \_\_\_\_\_  
Date 5/20/15

Factor * Water Column Height Equals Gallons	
Factor	Diameter
0.163	2" Well
0.653	4" Well
1.469	6" Well
Conversions	
1 mL	= 0.0003 gal
1 gal	= 3,785 mL

**SAMPLING METHOD:**

Low-Flow

Grab/No-purge \_\_\_\_\_

Bailer

Peristaltic pump \_\_\_\_\_

Submersible Pump

Passive Diffusion Bag

Other \_\_\_\_\_

Was drawdown greater than 0.3 ft? (y/n) \_\_\_\_\_

Pump Depth (ft below TOC) (if applicable) \_\_\_\_\_

**Stability Parameter Readings:** Readings every five minutes for at least three readings to achieve stability for ALL parameters except as noted.

Start Time	Temperature (Celsius)	pH	Oxidation-Reduction Potential (mV)	Specific Conductance (umhos/cm)	Turbidity (NTU)	Dissolved Oxygen (mg/L)	Sampling DTW (ft)	Flow Rate (ml/min)	mL Removed
			+/- 10mV*	+/- 3%	+/- 10%*	+/- 10%*	<0.3ft	<250	
			<b>No Parameters Bailed</b>						

\* Only one (1) of these need to reach stability.

**PURGE:** Date 6/6/15 Time 1017

**SAMPLING:** Date 6/6/15 Time 1017

Sample Analysis	Volume	Type	Number of Containers	Preservative Type	Reaction (y/n)	Filter Type	Duplicate	MS/MSD
VOC 8260	40mL	VOA	6	HCL	N	NA	DUP-1	NA

**EQUIPMENT DECONTAMINATION PROCEDURES:** Blockage @ 57' Bgs

DECONTAMINATION METHOD:  Non Phosphatic detergent wash/distilled water rinse  
 Methanol rinse

NOTES: \*DUP-1\*

Sampler Signature: [Signature]

<sup>1</sup>Monitoring wells sampled with a bailer require at least 3 to 5 well volumes to be purged prior to sampling unless the well bails dry prior to the removal of three (3) well volumes. Wells bailed dry should be sampled upon sufficient recovery for collection of samples. Record the time of purging and the time of sampling on the Groundwater Sampling Form.

<sup>2</sup>Include Date PDB Installed in well, and Date PDB removed and sampled in NOTES section.

602 N. Capital Ave  
Indianapolis, IN 46204  
T: 317-972-7870 F: 317-972-7875

PROJECT NAME Former Robnson's Cleaners Well/Surface Station I.D. 6155- MW-9  
 LOCATION/ADDRESS 1838 W Court Street Sample Designation MW-9  
Janesville, WI 53548  
 PROJECT NO. 6155  
 CLIENT/CONTACT Ray Gehrig Personnel K. Heimstead, A Jablonski, K. Vander Heiden

**WATER LEVEL MEASUREMENTS DURING GAUGING:**

Well Depth 59.07 feet  
 Depth to Water 56.03 feet  
 Well Diameter \_\_\_\_\_ inches  
 Casing Volume \_\_\_\_\_ gallons  
 Volume Removed \_\_\_\_\_ gallons  
 Total No. of Casing Volumes Removed \_\_\_\_\_  
 Date 5/20/15

Factor * Water Column Height Equals Gallons	
Factor	Diameter
0.163	2" Well
0.653	4" Well
1.469	6" Well
Conversions	
1 mL	= 0.0003 gal
1 gal	= 3,785 mL

**SAMPLING METHOD:**

Low-Flow X  
 Grab/No-purge \_\_\_\_\_  
 Bailor \_\_\_\_\_  
 Peristaltic pump \_\_\_\_\_  
 Submersible Pump X  
 Passive Diffusion Bag<sup>2</sup> \_\_\_\_\_  
 Other \_\_\_\_\_  
 Was drawdown greater than 0.3 ft? (y/n) \_\_\_\_\_  
 Pump Depth (ft below TOC) (if applicable) \_\_\_\_\_

**Stability Parameter Readings:**

Readings every five minutes for at least three readings to achieve stability for ALL parameters except as noted.

Start Time	Temperature (Cels.us) +/- 3%	pH +/- 0.1	Oxidation-Reduction	Specific Conductance	Turbidity	Dissolved Oxygen	Sampling DTW	Flow Rate	mL Removed
			Potential (mV) +/- 10mV*	(umhos/cm) +/- 3%	(NTU) +/- 10%*	(mg/L) +/- 10%*	(ft) <0.3ft	(ml/min) <250	
<u>810</u>	<u>14.34</u>	<u>7.35</u>	<u>286</u>	<u>1.57</u>	<u>774</u>	<u>3.57</u>	<u>56.40</u>	<u>~200</u>	<u>1000</u>
<u>815</u>	<u>14.58</u>	<u>6.90</u>	<u>199</u>	<u>1.98</u>	<u>464</u>	<u>4.65</u>	↓	↓	<u>2000</u>
<u>820</u>	<u>14.43</u>	<u>6.95</u>	<u>173</u>	<u>2.45</u>	<u>341</u>	<u>5.90</u>	↓	↓	<u>3000</u>
<u>825</u>	<u>14.48</u>	<u>6.97</u>	<u>160</u>	<u>2.59</u>	<u>318</u>	<u>6.02</u>	↓	↓	<u>4000</u>
<u>830</u>	<u>14.50</u>	<u>6.97</u>	<u>147</u>	<u>2.65</u>	<u>294</u>	<u>6.94</u>	↓	↓	<u>5000</u>
<u>835</u>	<u>14.65</u>	<u>6.96</u>	<u>144</u>	<u>2.67</u>	<u>274</u>	<u>7.67</u>	↓	↓	<u>6000</u>

\* Only one (1) of these need to reach stability.

PURGE: Date 6-3-15 Time \_\_\_\_\_  
 SAMPLING: Date 6-3-15 Time 8:15

Sample Analysis	Volume	Type	Number of Containers	Preservative Type	Reaction (y/n)	Filter Type	Duplicate	MS/MSD
VOC 8260	40mL	VOA	3	HCL	N	NA		NA

**EQUIPMENT DECONTAMINATION PROCEDURES:**

DECONTAMINATION METHOD:  Non Phosphatic detergent wash/distilled water rinse  
 Methanol rinse

**NOTES:**

Sampler Signature: [Signature]

<sup>1</sup>Monitoring wells sampled with a bailer require at least 3 to 5 well volumes to be purged prior to sampling unless the well bails dry prior to the removal of three (3) well volumes. Wells bailed dry should be sampled upon sufficient recovery for collection of samples.

Record the time of purging and the time of sampling on the Groundwater Sampling Form.

<sup>2</sup>include Date PDB Installed in well, and Date PDB removed and sampled in NOTES section.

602 N. Capital Ave  
 Indianapolis, IN 46204  
 T: 317-972-7870 F: 317-972-7875

PROJECT NAME Former Robinson's Cleaners Well/Surface Station I.D. 6155- MW-11S  
 LOCATION/ADDRESS 1838 W Court Street Sample Designation MW-11S  
Janesville, WI 53548  
 PROJECT NO. 6155  
 CLIENT/CONTACT Ray Gehrig Personnel K. Heimstead, A Jablonski, K. Vander Heiden

**WATER LEVEL MEASUREMENTS DURING GAUGING:**  
 Well Depth 44.15 feet  
 Depth to Water 26.84 feet  
 Well Diameter \_\_\_\_\_ inches  
 Casing Volume \_\_\_\_\_ gallons  
 Volume Removed \_\_\_\_\_ gallons  
 Total No. of Casing Volumes Removed \_\_\_\_\_  
 Date 5/20/15

Factor * Water Column Height Equals Gallons	
Factor	Diameter
0.163	2" Well
0.653	4" Well
1.469	6" Well
Conversions	
1 mL	= 0.0003 gal
1 gal	= 3,785 mL

**SAMPLING METHOD:**  
 Low-Flow X  
 Grab/No-purge \_\_\_\_\_  
 Bailer \_\_\_\_\_  
 Peristaltic pump \_\_\_\_\_  
 Submersible Pump X  
 Passive Diffusion Bag \_\_\_\_\_  
 Other \_\_\_\_\_  
 Was drawdown greater than 0.3 ft? (y/n) Y  
 Pump Depth (ft below TOC) (if applicable) \_\_\_\_\_

**Stability Parameter Readings:** Readings every five minutes for at least three readings to achieve stability for ALL parameters except as noted.

Start Time	Temperature (Celsius) +/- 3%	pH +/- 0.1	Oxidation-Reduction Potential (mV) +/- 10mV*	Specific Conductance (umhos/cm) +/- 3%	Turbidity (NTU) +/- 10%*	Dissolved Oxygen (mg/L) +/- 10%*	Sampling DTW (ft) <0.3ft	Flow Rate (ml/min) <250	mL Removed
<u>1215</u>									
<u>1220</u>	<u>17.22</u>	<u>6.77</u>	<u>98</u>	<u>2.99</u>	<u>407</u>	<u>7.20</u>	<u>26.98</u>	<u>~200</u>	<u>1000</u>
<u>1225</u>	<u>16.99</u>	<u>6.91</u>	<u>66</u>	<u>3.00</u>	<u>132</u>	<u>6.37</u>		<u>↓</u>	<u>2000</u>
<u>1230</u>	<u>16.94</u>	<u>6.90</u>	<u>66</u>	<u>3.07</u>	<u>369</u>	<u>5.84</u>		<u>↓</u>	<u>3000</u>
<u>1235</u>	<u>17.03</u>	<u>6.89</u>	<u>71</u>	<u>3.06</u>	<u>152</u>	<u>5.23</u>		<u>↓</u>	<u>4000</u>
<u>1240</u>	<u>17.08</u>	<u>6.88</u>	<u>76</u>	<u>3.05</u>	<u>7.08</u>	<u>4.55</u>		<u>↓</u>	<u>5000</u>
<u>1245</u>	<u>17.34</u>	<u>6.80</u>	<u>77</u>	<u>3.04</u>	<u>11.53</u>	<u>3.71</u>		<u>↓</u>	<u>6000</u>
<u>1250</u>	<u>17.48</u>	<u>6.88</u>	<u>59</u>	<u>3.03</u>	<u>4.89</u>	<u>3.83</u>			<u>700</u>

\* Only one (1) of these need to reach stability.

**PURGE:** Date 6-3-15 Time \_\_\_\_\_  
**SAMPLING:** Date 6-3-15 Time 1255

Sample Analysis	Volume	Type	Number of Containers	Preservative Type	Reaction (y/n)	Filter Type	Duplicate	MS/MSD
<u>VOC 8260</u>	<u>40mL</u>	<u>VOA</u>	<u>3</u>	<u>HCL</u>	<u>N</u>	<u>NA</u>	<u>—</u>	<u>NA</u>

**EQUIPMENT DECONTAMINATION PROCEDURES:**

DECONTAMINATION METHOD:  Non Phosphatic detergent wash/distilled water rinse  
 Methanol rinse

NOTES:  
 Sampler Signature: [Signature]

<sup>1</sup>Monitoring wells sampled with a bailer require at least 3 to 5 well volumes to be purged prior to sampling unless the well bails dry prior to the removal of three (3) well volumes. Wells bailed dry should be sampled upon sufficient recovery for collection of samples. Record the time of purging and the time of sampling on the Groundwater Sampling Form.  
<sup>2</sup>Include Date PDB Installed in well, and Date PDB removed and sampled in NOTES section.

602 N. Capital Ave  
Indianapolis, IN 46204  
T: 317-972-7870 F: 317-972-7875

PROJECT NAME Former Robinson's Cleaners Well/Surface Station I.D. 6155- MW-11  
 LOCATION/ADDRESS 1838 W Court Street Sample Designation MW-11  
Janesville, WI 53548  
 PROJECT NO. 6155  
 CLIENT/CONTACT Ray Gehrig Personnel K. Heimstead, A Jablonski, K. Vander Heiden

**WATER LEVEL MEASUREMENTS DURING GAUGING:**

Well Depth 56.15 feet  
 Depth to Water 54.23 feet  
 Well Diameter \_\_\_\_\_ inches  
 Casing Volume \_\_\_\_\_ gallons  
 Volume Removed \_\_\_\_\_ gallons  
 Total No. of Casing Volumes Removed \_\_\_\_\_  
 Date 5/20/15

Factor * Water Column Height Equals Gallons	
Factor	Diameter
0.163	2" Well
0.653	4" Well
1.469	6" Well
Conversions	
1 mL	= 0.0003 gal
1 gal	= 3,785 mL

**SAMPLING METHOD:**

Low-Flow \_\_\_\_\_ X  
 Grab/No-purge \_\_\_\_\_  
 Bailer \_\_\_\_\_  
 Peristaltic pump \_\_\_\_\_  
 Submersible Pump \_\_\_\_\_ X  
 Passive Diffusion Bag<sup>2</sup> \_\_\_\_\_  
 Other \_\_\_\_\_  
 Was drawdown greater than 0.3 ft? (y/n) \_\_\_\_\_  
 Pump Depth (ft below TOC) (if applicable) \_\_\_\_\_

**Stability Parameter Readings:**

Readings every five minutes for at least three readings to achieve stability for ALL parameters except as noted.

Start Time	Temperature (Celsius) +/- 3%	pH +/- 0.1	Oxidation-Reduction Potential (mV) +/- 10mV*	Specific Conductance (umhos/cm) +/- 3%	Turbidity (NTU) +/- 10%*	Dissolved Oxygen (mg/L) +/- 10%*	Sampling DTW (ft) <0.3ft	Flow Rate (ml/min) <250	mL Removed
1310									
<u>1315</u>	<u>20.60</u>	<u>7.10</u>	<u>5</u>	<u>1.91</u>	<u>165</u>	<u>2.29</u>	<u>455.15</u>	<u>-200</u>	<u>1000</u>
<u>1320</u>	<u>19.10</u>	<u>7.05</u>	<u>-13</u>	<u>1.91</u>	<u>34.7</u>	<u>4.67</u>	↓	↓	<u>2000</u>
<u>1325</u>	<u>17.56</u>	<u>7.03</u>	<u>-19</u>	<u>1.92</u>	<u>12.1</u>	<u>4.70</u>	↓	↓	<u>3000</u>
<u>1330</u>	<u>17.28</u>	<u>7.00</u>	<u>-19</u>	<u>1.93</u>	<u>8.92</u>	<u>4.60</u>	↓	↓	<u>4000</u>
<u>1335</u>	<u>17.23</u>	<u>7.01</u>	<u>-18</u>	<u>1.92</u>	<u>7.04</u>	<u>4.57</u>	↓	↓	<u>5000</u>
<u>1340</u>	<u>17.21</u>	<u>7.00</u>	<u>-18</u>	<u>1.92</u>	<u>5.11</u>	<u>4.55</u>	↓	↓	<u>6000</u>

\* Only one (1) of these need to reach stability.

**PURGE:** Date 6-3-15 Time \_\_\_\_\_  
**SAMPLING:** Date 6-3-15 Time 1345  

Sample Analysis	Volume	Type	Number of Containers	Preservative Type	Reaction (y/n)	Filter Type	Duplicate	MS/MSD
<u>VOC 8260</u>	<u>40mL</u>	<u>VOA</u>	<u>3</u>	<u>HCL</u>	<u>N</u>	<u>NA</u>	<u> </u>	<u>NA</u>

**EQUIPMENT DECONTAMINATION PROCEDURES:**

DECONTAMINATION METHOD:  Non Phosphatic detergent wash/distilled water rinse  
 Methanol rinse

**NOTES:**

Sampler Signature: [Signature]

<sup>1</sup>Monitoring wells sampled with a bailer require at least 3 to 5 well volumes to be purged prior to sampling unless the well bails dry prior to the removal of three (3) well volumes. Wells bailed dry should be sampled upon sufficient recovery for collection of samples. Record the time of purging and the time of sampling on the Groundwater Sampling Form.  
<sup>2</sup>Include Date PDB Installed in well, and Date PDB removed and sampled in NOTES section.



602 N. Capital Ave  
 Indianapolis, IN 46204  
 T: 317-972-7870 F: 317-972-7875

PROJECT NAME Former Robinson's Cleaners Well/Surface Station I.D. 6155- Mw-12  
 LOCATION/ADDRESS 1838 W Court Street Sample Designation MW-12  
Janesville, WI 53548  
 PROJECT NO. 6155  
 CLIENT/CONTACT Ray Gehrig Personnel K. Heimstead, A Jablonski, K. Vander Heiden

**WATER LEVEL MEASUREMENTS DURING GAUGING:**  
 Well Depth 55.24 feet  
 Depth to Water 53.47 feet  
 Well Diameter \_\_\_\_\_ inches  
 Casing Volume \_\_\_\_\_ gallons  
 Volume Removed \_\_\_\_\_ gallons  
 Total No. of Casing Volumes Removed \_\_\_\_\_  
 Date 5/20/15

Factor * Water Column Height Equals Gallons	
Factor	Diameter
0.163	2" Well
0.653	4" Well
1.469	6" Well
Conversions	
1 mL	= 0.0003 gal
1 gal	= 3,785 mL

**SAMPLING METHOD:**  
 Low-Flow \_\_\_\_\_ X  
 Grab/No-purge \_\_\_\_\_  
 Bailer \_\_\_\_\_  
 Peristaltic pump \_\_\_\_\_  
 Submersible Pump \_\_\_\_\_ X  
 Passive Diffusion Bag \_\_\_\_\_  
 Other \_\_\_\_\_  
 Was drawdown greater than 0.3 ft? (y/n) Y  
 Pump Depth (ft below TOC) (if applicable) \_\_\_\_\_

**Stability Parameter Readings:** Readings every five minutes for at least three readings to achieve stability for ALL parameters except as noted.

Start Time	Temperature	pH	Oxidation-Reduction Potential (mV)	Specific Conductance (umhos/cm)	Turbidity (NTU)	Dissolved Oxygen (mg/L)	Sampling DTW (ft)	Flow Rate (ml/min)	mL Removed
	(Celsius) +/- 3%	+/- 0.1	+/- 10mV*	+/- 3%	+/- 10%*	+/- 10%*	<0.3ft	<250	
<u>950</u>	<u>17.57</u>	<u>7.02</u>	<u>-7</u>	<u>2.76</u>	<u>0.00</u>	<u>7.81</u>	<u>53.59</u>	<u>~200</u>	<u>1000</u>
<u>1005</u>	<u>15.68</u>	<u>7.01</u>	<u>-7</u>	<u>2.00</u>	<u>1000</u>	<u>8.03</u>	<u>↓</u>	<u>↓</u>	<u>2000</u>
<u>1010</u>	<u>15.73</u>	<u>7.10</u>	<u>7</u>	<u>1.95</u>	<u>211</u>	<u>7.60</u>	<u>↓</u>	<u>↓</u>	<u>3000</u>
<u>1015</u>	<u>15.66</u>	<u>7.09</u>	<u>28</u>	<u>1.91</u>	<u>80.1</u>	<u>7.19</u>	<u>53.70</u>	<u>↓</u>	<u>4000</u>
<u>1020</u>	<u>15.67</u>	<u>7.08</u>	<u>41</u>	<u>1.90</u>	<u>51.0</u>	<u>7.12</u>	<u>↓</u>	<u>↓</u>	<u>5000</u>
<u>1025</u>	<u>15.61</u>	<u>7.06</u>	<u>55</u>	<u>1.90</u>	<u>34.7</u>	<u>7.46</u>	<u>↓</u>	<u>↓</u>	<u>6000</u>
<u>1030</u>	<u>15.68</u>	<u>7.09</u>	<u>69</u>	<u>1.89</u>	<u>23.3</u>	<u>6.89</u>			<u>7000</u>

\* Only one (1) of these need to reach stability.

PURGE: Date 6-3-15 Time \_\_\_\_\_  
 SAMPLING: Date 6-3-15 Time 1035

Sample Analysis	Volume	Type	Number of Containers	Preservative Type	Reaction (y/n)	Filter Type	Duplicate	MS/MSD
<u>VOC 8260</u>	<u>40mL</u>	<u>VOA</u>	<u>3</u>	<u>HCL</u>	<u>N</u>	<u>NA</u>	<u>—</u>	<u>NA</u>

**EQUIPMENT DECONTAMINATION PROCEDURES:**

DECONTAMINATION METHOD:  Non Phosphatic detergent wash/distilled water rinse  
 Methanol rinse

**NOTES:**

Sampler Signature: [Signature]

<sup>1</sup>Monitoring wells sampled with a bailer require at least 3 to 5 well volumes to be purged prior to sampling unless the well bails dry prior to the removal of three (3) well volumes. Wells bailed dry should be sampled upon sufficient recovery for collection of samples. Record the time of purging and the time of sampling on the Groundwater Sampling Form.  
<sup>2</sup>Include Date PDB Installed in well, and Date PDB removed and sampled in NOTES section.

602 N. Capital Ave  
Indianapolis, IN 46204  
T: 317-972-7870 F: 317-972-7875

PROJECT NAME Former Robinson's Cleaners Well/Surface Station I.D. 6155- mw-125  
 LOCATION/ADDRESS 1838 W Court Street Sample Designation mw-125  
Janesville, WI 53548  
 PROJECT NO. 6155  
 CLIENT/CONTACT Ray Gehrig Personnel K. Heimstead, A Jablonski, K. Vander Heiden

**WATER LEVEL MEASUREMENTS DURING GAUGING:**  
 Well Depth 30.45 feet  
 Depth to Water 26.38 feet  
 Well Diameter \_\_\_\_\_ inches  
 Casing Volume \_\_\_\_\_ gallons  
 Volume Removed \_\_\_\_\_ gallons  
 Total No. of Casing Volumes Removed \_\_\_\_\_  
 Date 5/20/15

Factor * Water Column Height Equals Gallons	
Factor	Diameter
0.163	2" Well
0.653	4" Well
1.469	6" Well
Conversions	
1 mL	= 0.0003 gal
1 gal	= 3,785 mL

**SAMPLING METHOD:**

Low-Flow X  
 Grab/No-purge \_\_\_\_\_  
 Bailer \_\_\_\_\_  
 Peristaltic pump \_\_\_\_\_  
 Submersible Pump X  
 Passive Diffusion Bag \_\_\_\_\_  
 Other \_\_\_\_\_  
 Was drawdown greater than 0.3 ft? (y/n) \_\_\_\_\_  
 Pump Depth (ft below TOC) (if applicable) \_\_\_\_\_

**Stability Parameter Readings:** Readings every five minutes for at least three readings to achieve stability for ALL parameters except as noted.

Start Time	Temperature (Celsius)	pH	Oxidation-Reduction Potential (mV)	Specific Conductance (umhos/cm)	Turbidity (NTU)	Dissolved Oxygen (mg/L)	Sampling DTW (ft)	Flow Rate (ml/min)	mL Removed
	+/- 3%	+/- 0.1	+/- 10mV*	+/- 3%	+/- 10%*	+/- 10%*	<0.3ft	<250	
<u>10:50</u>	<u>17.04</u>	<u>6.91</u>	<u>-7</u>	<u>1.87</u>	<u>915</u>	<u>0.16</u>	<u>25.98</u>	<u>-200</u>	<u>1000</u>
<u>10:55</u>	<u>15.87</u>	<u>6.84</u>	<u>-22</u>	<u>1.84</u>	<u>192</u>	<u>8.90</u>	↓	↓	<u>2000</u>
<u>11:00</u>	<u>15.13</u>	<u>6.83</u>	<u>-30</u>	<u>1.72</u>	<u>150</u>	<u>8.32</u>	↓	↓	<u>3000</u>
<u>11:05</u>	<u>15.06</u>	<u>6.84</u>	<u>-30</u>	<u>1.41</u>	<u>119</u>	<u>7.79</u>	↓	↓	<u>4000</u>
<u>11:10</u>	<u>14.92</u>	<u>6.87</u>	<u>-31</u>	<u>1.07</u>	<u>85.7</u>	<u>7.46</u>	↓	↓	<u>5000</u>
<u>11:15</u>	<u>14.80</u>	<u>6.93</u>	<u>-41</u>	<u>0.971</u>	<u>56.0</u>	<u>7.67</u>	↓	↓	<u>6000</u>
<u>11:20</u>	<u>14.77</u>	<u>6.91</u>	<u>-42</u>	<u>0.938</u>	<u>41.8</u>	<u>7.56</u>	↓	↓	

\* Only one (1) of these need to reach stability.

**PURGE:** Date 6-3-15 Time \_\_\_\_\_  
**SAMPLING:** Date 6-3-15 Time 11:25

Sample Analysis	Volume	Type	Number of Containers	Preservative Type	Reaction (y/n)	Filter Type	Duplicate	MS/MSD
<u>VOC 8260</u>	<u>40mL</u>	<u>VOA</u>	<u>3</u>	<u>HCL</u>	<u>N</u>	<u>NA</u>	<u>—</u>	<u>NA</u>

**EQUIPMENT DECONTAMINATION PROCEDURES:**

DECONTAMINATION METHOD:  Non Phosphatic detergent wash/distilled water rinse  
 Methanol rinse

NOTES:

Sampler Signature: [Signature]

<sup>1</sup>Monitoring wells sampled with a bailer require at least 3 to 5 well volumes to be purged prior to sampling unless the well bails dry prior to the removal of three (3) well volumes. Wells bailed dry should be sampled upon sufficient recovery for collection of samples. Record the time of purging and the time of sampling on the Groundwater Sampling Form.  
<sup>2</sup>Include Date PDB Installed in well, and Date PDB removed and sampled in NOTES section.

602 N. Capital Ave  
Indianapolis, IN 46204  
T: 317-972-7870 F: 317-972-7875

PROJECT NAME Former Robinson's Cleaners Well/Surface Station I.D. 6155- MW-13D  
 LOCATION/ADDRESS 1838 W Court Street Sample Designation MW-13D  
Janesville, WI 53548  
 PROJECT NO. 6155  
 CLIENT/CONTACT Ray Gehrig Personnel K. Heimstead, A Jablonski, K. Vander Heiden

**WATER LEVEL MEASUREMENTS DURING GAUGING:**  
 Well Depth 69.75 feet  
 Depth to Water 53.39 feet  
 Well Diameter \_\_\_\_\_ inches  
 Casing Volume \_\_\_\_\_ gallons  
 Volume Removed \_\_\_\_\_ gallons  
 Total No. of Casing Volumes Removed \_\_\_\_\_  
 Date 5/20/15

Factor	* Water Column Height Equals Gallons
0.163	2" Well
0.653	4" Well
1.469	6" Well

**CONVERSIONS**  
 1 mL = 0.0003 gal  
 1 gal = 3,785 mL

**SAMPLING METHOD:**  
 Low-Flow X  
 Grab/No-purge \_\_\_\_\_  
 Bailer \_\_\_\_\_  
 Peristaltic pump \_\_\_\_\_  
 Submersible Pump X  
 Passive Diffusion Bag<sup>2</sup> \_\_\_\_\_  
 Other \_\_\_\_\_  
 Was drawdown greater than 0.3 ft? (y/n) \_\_\_\_\_  
 Pump Depth (ft below TOC) (if applicable) 67.25

**Stability Parameter Readings:** Readings every five minutes for at least three readings to achieve stability for ALL parameters except as noted.

Start Time	Temperature (Celsius)	pH	Oxidation-Reduction Potential (mV)	Specific Conductance (umhos/cm)	Turbidity (NTU)	Dissolved Oxygen (mg/L)	Sampling DTW (ft)	Flow Rate (ml/min)	mL Removed
<u>1059</u>									
<u>1104</u>	<u>21.00</u>	<u>7.25</u>	<u>18</u>	<u>1.18</u>	<u>-</u>	<u>3.63</u>	<u>53.29</u>	<u>150</u>	
<u>1109</u>	<u>20.03</u>	<u>7.25</u>	<u>52</u>	<u>1.22</u>	<u>-</u>	<u>3.67</u>	<u>53.30</u>	<u>150</u>	
<u>1114</u>	<u>19.99</u>	<u>7.26</u>	<u>69</u>	<u>1.23</u>	<u>-</u>	<u>3.57</u>	<u>53.30</u>	<u>150</u>	
<u>1119</u>	<u>20.10</u>	<u>7.26</u>	<u>74</u>	<u>1.23</u>	<u>-</u>	<u>3.34</u>	<u>53.30</u>	<u>150</u>	
<u>1124</u>	<u>20.35</u>	<u>7.26</u>	<u>75</u>	<u>1.22</u>	<u>-</u>	<u>3.19</u>	<u>53.31</u>	<u>150</u>	

\* Only one (1) of these need to reach stability.

**PURGE:** Date \_\_\_\_\_ Time \_\_\_\_\_  
**SAMPLING:** Date 6/8 Time 1145

Sample Analysis	Volume	Type	Number of Containers	Preservative Type	Reaction (y/n)	Filter Type	Duplicate	MS/MSD
VOC 8260	40ml	VOA	<u>3</u>	HCL	<u>N</u>	NA	<u>DUP-2</u>	NA
Ethene, Ethane, Methane	40ml	VEA	<u>1</u>	HCL		N		
Sulfate Chloride	250ml		<u>1</u>	None		N		
Nitrate Nitrite	250ml		<u>1</u>	H2SO4		N		
Diss Fe						Y		
Total Fe						N		

**EQUIPMENT DECONTAMINATION PROCEDURES:**

DECONTAMINATION METHOD:  Non Phosphatic detergent wash/distilled water rinse  
 Methanol rinse

NOTES: PHE taken for \* DUP 2 \* KL

Sampler Signature: [Signature]

<sup>1</sup>Monitoring wells sampled with a bailer require at least 3 to 5 well volumes to be purged prior to sampling unless the well bails dry prior to the removal of three (3) well volumes. Wells bailed dry should be sampled upon sufficient recovery for collection of samples. Record the time of purging and the time of sampling on the Groundwater Sampling Form.

<sup>2</sup>Include Date PDB Installed in well, and Date PDB removed and sampled in NOTES section.

602 N. Capital Ave  
 Indianapolis, IN 46204  
 T: 317-972-7870 F: 317-972-7875

PROJECT NAME Former Robinson's Cleaners Well/Surface Station I.D. 6155- MW-13~~B~~  
 LOCATION/ADDRESS 1838 W Court Street Sample Designation MW-13~~B~~  
Janesville, WI 53548  
 PROJECT NO. 6155  
 CLIENT/CONTACT Ray Gehrig Personnel K. Heimstead, A Jablonski, K. Vander Heiden

**WATER LEVEL MEASUREMENTS DURING GAUGING:**  
 Well Depth 56.04 feet  
 Depth to Water 53.77 feet  
 Well Diameter \_\_\_\_\_ inches  
 Casing Volume \_\_\_\_\_ gallons  
 Volume Removed \_\_\_\_\_ gallons  
 Total No. of Casing Volumes Removed \_\_\_\_\_  
 Date 5/20/15

Factor * Water Column Height Equals Gallons	
Factor	Diameter
0.163	2" Well
0.653	4" Well
1.469	6" Well
Conversions	
1 mL	= 0.0003 gal
1 gal	= 3,785 mL

**SAMPLING METHOD:**

Low-Flow  X  
 Grab/No-purge \_\_\_\_\_  
 Bailer \_\_\_\_\_  
 Peristaltic pump \_\_\_\_\_  
 Submersible Pump  X  
 Passive Diffusion Bag<sup>2</sup> \_\_\_\_\_  
 Other \_\_\_\_\_  
 Was drawdown greater than 0.3 ft? (y/n) \_\_\_\_\_  
 Pump Depth (ft below TOC) (if applicable) 51.04

**Stability Parameter Readings:** Readings every five minutes for at least three readings to achieve stability for ALL parameters except as noted.

Start Time	Temperature (Celsius)	pH	Oxidation-Reduction Potential (mV)	Specific Conductance (umhos/cm)	Turbidity (NTU)	Dissolved Oxygen (mg/L)	Sampling DTW (ft)	Flow Rate (ml/min)	mL Removed
<u>1156</u>									
<u>1201</u>	<u>18.86</u>	<u>7.28</u>	<u>25</u>	<u>0.941</u>	<u>—</u>	<u>4.79</u>	<u>53.37</u>	<u>286</u>	
<u>1206</u>	<u>18.63</u>	<u>7.29</u>	<u>30</u>	<u>0.956</u>	<u>—</u>	<u>4.74</u>	<u>53.30</u>	<u>300</u>	
<u>1211</u>	<u>18.10</u>	<u>7.21</u>	<u>36</u>	<u>1.00</u>	<u>157</u>	<u>5.07</u>	<u>53.33</u>	<u>190</u>	
<u>1216</u>	<u>18.92</u>	<u>7.25</u>	<u>35</u>	<u>1.10</u>	<u>101</u>	<u>4.70</u>	<u>53.30</u>	<u>200</u>	
<u>1221</u>	<u>19.13</u>	<u>7.24</u>	<u>14</u>	<u>1.11</u>	<u>77.3</u>	<u>4.79</u>	<u>53.31</u>	<u>208</u>	
<u>1226</u>	<u>19.33</u>	<u>7.24</u>	<u>98</u>	<u>1.11</u>	<u>56.3</u>	<u>4.80</u>	<u>53.29</u>	<u>200</u>	

\* Only one (1) of these need to reach stability.

**PURGE<sup>1</sup>:** Date 6/8/15 Time 1248  
**SAMPLING:** Date 6/8/15 Time 1248

Sample Analysis	Volume	Type	Number of Containers	Preservative Type	Reaction (y/n)	Filter Type	Duplicate	MS/MSD
VOC 8260	40mL	VOA	<u>5</u>	HCL	<u>N</u>	NA	<u>—</u>	NA
<u>Ethanol, Methanol, Ethanol</u>	<u>40 mL</u>					<u>2</u>		
<u>Sr Beta Chloride</u>	<u>250</u>					<u>2</u>		
<u>Nitrate Nitrite</u>	<u>250</u>					<u>2</u>		
<u>Diss FC</u>	<u>250</u>					<u>2</u>		
<u>Total FC</u>	<u>250</u>					<u>2</u>		

**EQUIPMENT DECONTAMINATION PROCEDURES:**

DECONTAMINATION METHOD:  Non Phosphatic detergent wash/distilled water rinse  
 Methanol rinse

**NOTES:**

Sampler Signature: [Signature]  
<sup>1</sup>Monitoring wells sampled with a bailer require at least 3 to 5 well volumes to be purged prior to sampling unless the well bails dry prior to the removal of three (3) well volumes. Wells bailed dry should be sampled upon sufficient recovery for collection of samples. Record the time of purging and the time of sampling on the Groundwater Sampling Form.  
<sup>2</sup>Include Date PDB Installed in well, and Date PDB removed and sampled in NOTES section.

**\*DUP-2 T**

602 N. Capital Ave  
Indianapolis, IN 46204  
T: 317-972-7870 F: 317-972-7875

PROJECT NAME Former Robinson's Cleaners Well/Surface Station I.D. 6155- MW-14

LOCATION/ADDRESS 1838 W Court Street Sample Designation MW-14  
Janesville, WI 53548

PROJECT NO. 6155

CLIENT/CONTACT Ray Gehrig Personnel K. Heimstead, A Jablonski, K. Vander Heiden

**WATER LEVEL MEASUREMENTS DURING GAUGING:**

Well Depth 57.21 feet  
Depth to Water 54.76 feet  
Well Diameter \_\_\_\_\_ inches  
Casing Volume \_\_\_\_\_ gallons  
Volume Removed \_\_\_\_\_ gallons  
Total No. of Casing Volumes Removed \_\_\_\_\_  
Date 5/20/15

Factor * Water Column Height Equals Gallons	
Factor	Diameter
0.163	2" Well
0.653	4" Well
1.469	6" Well
Conversions	
1 mL	= 0.0003 gal
1 gal	= 3,785 mL

**SAMPLING METHOD:**

Low-Flow X  
Grab/No-purge \_\_\_\_\_  
Bailer \_\_\_\_\_  
Peristaltic pump \_\_\_\_\_  
Submersible Pump X  
Passive Diffusion Bag<sup>2</sup> \_\_\_\_\_  
Other \_\_\_\_\_  
Was drawdown greater than 0.3 ft? (y/n) \_\_\_\_\_  
Pump Depth (ft below TOC) (if applicable) \_\_\_\_\_

**Stability Parameter Readings:**

Readings every five minutes for at least three readings to achieve stability for ALL parameters except as noted.

Start Time	Temperature (Celsius)	pH	Oxidation- Reduction Potential (mV)	Specific Conductance (umhos/cm)	Turbidity (NTU)	Dissolved Oxygen (mg/L)	Sampling DTW (ft)	Flow Rate (ml/min)	mL Removed
	+/- 3%	+/- 0.1	+/- 10mV*	+/- 3%	+/- 10%*	+/- 10%*	<0.3ft	<250	
<u>9:00</u>	<u>16.72</u>	<u>7.46</u>	<u>211</u>	<u>1.61</u>	<u>1000</u>	<u>8.11</u>	<u>55.07</u>	<u>200</u>	<u>1000</u>
<u>9:05</u>	<u>15.40</u>	<u>7.36</u>	<u>225</u>	<u>1.34</u>	<u>564</u>	<u>8.26</u>			<u>2000</u>
<u>9:10</u>	<u>14.96</u>	<u>7.27</u>	<u>250</u>	<u>1.25</u>	<u>241</u>	<u>8.20</u>			<u>3000</u>
<u>9:20</u>	<u>15.01</u>	<u>7.24</u>	<u>261</u>	<u>1.22</u>	<u>171</u>	<u>8.01</u>			<u>4000</u>
<u>9:25</u>	<u>15.04</u>	<u>7.23</u>	<u>267</u>	<u>1.21</u>	<u>172</u>	<u>8.11</u>			<u>5000</u>
<u>9:30</u>	<u>15.00</u>	<u>7.23</u>	<u>269</u>	<u>1.19</u>	<u>125</u>	<u>8.02</u>			<u>6000</u>

\* Only one (1) of these need to reach stability.

PURGE: Date 6-2-15 Time \_\_\_\_\_  
SAMPLING: Date 6-3-15 Time 9:35

Sample Analysis	Volume	Type	Number of Containers	Preservative Type	Reaction (y/n)	Filter Type	Duplicate	MS/MSD
<u>VOC 8260</u>	<u>40mL</u>	<u>VOA</u>	<u>6</u>	<u>HCL</u>	<u>N</u>	<u>NA</u>	<u>DUP-3</u>	<u>NA</u>

**EQUIPMENT DECONTAMINATION PROCEDURES:**

DECONTAMINATION METHOD:  Non Phosphatic detergent wash/distilled water rinse  
 Methanol rinse

**NOTES:**

[Signature]

\* DUP-3 \*

Sampler Signature: \_\_\_\_\_

<sup>1</sup>Monitoring wells sampled with a bailer require at least 3 to 5 well volumes to be purged prior to sampling unless the well bails dry prior to the removal of three (3) well volumes. Wells bailed dry should be sampled upon sufficient recovery for collection of samples. Record the time of purging and the time of sampling on the Groundwater Sampling Form.

<sup>2</sup>Include Date PDB Installed in well, and Date PDB removed and sampled in NOTES section.

602 N. Capital Ave  
Indianapolis, IN 46204  
T: 317-972-7870 F: 317-972-7875

PROJECT NAME Former Robinson's Cleaners Well/Surface Station I.D. 6155- MW-17  
 LOCATION/ADDRESS 1838 W Court Street Sample Designation MW-17  
Janesville, WI 53548  
 PROJECT NO. 6155  
 CLIENT/CONTACT Ray Gehrig Personnel K. Heimstead, A Jablonski, K. Vander Heiden

**WATER LEVEL MEASUREMENTS DURING GAUGING:**  
 Well Depth 60.67 feet  
 Depth to Water 58.01 feet  
 Well Diameter \_\_\_\_\_ inches  
 Casing Volume \_\_\_\_\_ gallons  
 Volume Removed \_\_\_\_\_ gallons  
 Total No. of Casing Volumes Removed \_\_\_\_\_  
 Date 5/20/15

Factor * Water Column Height Equals Gallons	
Factor	Diameter
0.163	2" Well
0.653	4" Well
1.469	6" Well
Conversions	
1 mL	= 0.0003 gal
1 gal	= 3,785 mL

**SAMPLING METHOD:**  
 Low-Flow X  
 Grab/No-purge \_\_\_\_\_  
 Bailer \_\_\_\_\_  
 Peristaltic pump \_\_\_\_\_  
 Submersible Pump X  
 Passive Diffusion Bag<sup>2</sup> \_\_\_\_\_  
 Other \_\_\_\_\_  
 Was drawdown greater than 0.3 ft? (y/n) \_\_\_\_\_  
 Pump Depth (ft below TOC) (if applicable) \_\_\_\_\_

**Stability Parameter Readings:** Readings every five minutes for at least three readings to achieve stability for ALL parameters except as noted.

Start Time	Temperature (Celsius) +/- 3%	pH +/- 0.1	Oxidation-Reduction Potential (mV) +/- 10mV*	Specific Conductance (umhos/cm) +/- 3%	Turbidity (NTU) +/- 10%*	Dissolved Oxygen (mg/L) +/- 10%*	Sampling DTW (ft) < 0.3ft	Flow Rate (ml/min) < 250	ml Removed
910	<del>7.35</del>	<del>7.35</del>	<del>-65</del>	<del>0.119</del>	<del>0.00</del>	<del>2.65</del>	<del>59.30</del>	<del>~200</del>	<del>1000</del>
915	15.43	7.35	-65	0.119	0.00	2.65	59.30	↓	2000
920	15.20	7.22	-72	0.133	0.00	1.16	↓	↓	3000
925	15.00	7.17	-77	0.139	121	1.80	↓	↓	4000
930	14.82	7.15	-82	0.142	114	1.85	↓	↓	5000
935	14.73	7.16	-89	0.143	223	3.61	↓	↓	6000
940	14.67	7.12	-88	0.142	134	4.42	↓	↓	
945	14.62	7.11	-92	0.141	126	4.20	↓	↓	
950									

\* Only one (1) of these need to reach stability.

**PURGE:** Date 6-4-15 Time \_\_\_\_\_  
**SAMPLING:** Date 6-4-15 Time 955

Sample Analysis	Volume	Type	Number of Containers	Preservative Type	Reaction (y/n)	Filter Type	Duplicate	MS/MSD
VOC 8260	40mL	VOA	3	HCL	N	NA		NA

**EQUIPMENT DECONTAMINATION PROCEDURES:**

DECONTAMINATION METHOD:  Non Phosphatic detergent wash/distilled water rinse  
 Methanol rinse

**NOTES:**

Sampler Signature: [Signature]

<sup>1</sup>Monitoring wells sampled with a bailer require at least 3 to 5 well volumes to be purged prior to sampling unless the well bails dry prior to the removal of three (3) well volumes. Wells bailed dry should be sampled upon sufficient recovery for collection of samples. Record the time of purging and the time of sampling on the Groundwater Sampling Form.  
<sup>2</sup>Include Date PDB Installed in well, and Date PDB removed and sampled in NOTES section.

602 N. Capital Ave  
Indianapolis, IN 46204  
T: 317-972-7870 F: 317-972-7875

PROJECT NAME Former Robinson's Cleaners Well/Surface Station I.D. 6155- mw-205  
LOCATION/ADDRESS 1838 W Court Street Sample Designation mw-205  
Janesville, WI 53548  
PROJECT NO. 6155  
CLIENT/CONTACT Ray Gehrig Personnel K. Heimstead, A Jablonski, K. Vander Heiden

**WATER LEVEL MEASUREMENTS DURING GAUGING:**

Well Depth 18.38 feet  
Depth to Water 18.38 feet  
Well Diameter \_\_\_\_\_ inches  
Casing Volume \_\_\_\_\_ gallons  
Volume Removed \_\_\_\_\_ gallons  
Total No. of Casing Volumes Removed \_\_\_\_\_  
Date 5/20/15

Factor * Water Column Height Equals Gallons	
Factor	Diameter
0.163	2" Well
0.653	4" Well
1.469	6" Well
Conversions	
1 mL	= 0.0003 gal
1 gal	= 3,785 mL

**SAMPLING METHOD:**

Low-Flow X  
Grab/No-purge \_\_\_\_\_  
Bailer \_\_\_\_\_  
Peristaltic pump \_\_\_\_\_  
Submersible Pump X  
Passive Diffusion Bag \_\_\_\_\_  
Other \_\_\_\_\_  
Was drawdown greater than 0.3 ft? (y/n) N  
Pump Depth (ft below TOC) (if applicable) \_\_\_\_\_

**Stability Parameter Readings:** Readings every five minutes for at least three readings to achieve stability for ALL parameters except as noted.

Start Time	Temperature (Celsius) +/- 3%	pH +/- 0.1	Oxidation-Reduction Potential (mV) +/- 10mV*	Specific Conductance (umhos/cm) +/- 3%	Turbidity (NTU) +/- 10%*	Dissolved Oxygen (mg/L) +/- 10%*	Sampling DTW (ft) <0.3ft	Flow Rate (ml/min) <250	mL Removed
<u>500</u>	<u>18.88</u>	<u>6.97</u>	<u>267</u>	<u>1.10</u>	<u>0.00</u>	<u>5.00</u>	<u>16.28</u>	<u>~200</u>	<u>1000</u>
<u>505</u>	<u>17.63</u>	<u>6.87</u>	<u>267</u>	<u>1.14</u>	<u>604</u>	<u>4.61</u>	↓		<u>2000</u>
<u>510</u>	<u>16.83</u>	<u>6.81</u>	<u>267</u>	<u>1.17</u>	<u>382</u>	<u>3.26</u>	↓		<u>3000</u>
<u>515</u>	<u>16.80</u>	<u>6.79</u>	<u>267</u>	<u>1.16</u>	<u>371</u>	<u>3.80</u>	↓		<u>4000</u>
<u>520</u>	<u>16.81</u>	<u>6.80</u>	<u>266</u>	<u>1.16</u>	<u>365</u>	<u>3.78</u>	↓		<u>5000</u>

\* Only one (1) of these need to reach stability.

PURGE: Date \_\_\_\_\_ Time \_\_\_\_\_  
SAMPLING: Date 6-8-15 Time 535

Sample Analysis	Volume	Type	Number of Containers	Preservative Type	Reaction (y/n)	Filter Type	Duplicate	MS/MSD
VOC 8260	40mL	VOA	<u>3</u>	HCL	<u>N</u>	NA	<u>—</u>	NA

**EQUIPMENT DECONTAMINATION PROCEDURES:**

DECONTAMINATION METHOD:  Non Phosphatic detergent wash/distilled water rinse  
 Methanol rinse

**NOTES:**

Sampler Signature: [Signature]

<sup>1</sup>Monitoring wells sampled with a bailer require at least 3 to 5 well volumes to be purged prior to sampling unless the well bails dry prior to the removal of three (3) well volumes. Wells bailed dry should be sampled upon sufficient recovery for collection of samples. Record the time of purging and the time of sampling on the Groundwater Sampling Form.  
<sup>2</sup>Include Date PDB Installed in well, and Date PDB removed and sampled in NOTES section.

602 N. Capital Ave  
Indianapolis, IN 46204  
T: 317-972-7870 F: 317-972-7875

PROJECT NAME Former Robinson's Cleaners Well/Surface Station I.D. 6155- MW-20D  
 LOCATION/ADDRESS 1838 W Court Street Sample Designation MW-20D  
Janesville, WI 53548  
 PROJECT NO. 6155  
 CLIENT/CONTACT Ray Gehrig Personnel K. Heimstead, A Jablonski, K. Vander Heiden

**WATER LEVEL MEASUREMENTS DURING GAUGING:**  
 Well Depth 60.26 feet  
 Depth to Water 52.90 feet  
 Well Diameter \_\_\_\_\_ inches  
 Casing Volume \_\_\_\_\_ gallons  
 Volume Removed \_\_\_\_\_ gallons  
 Total No. of Casing Volumes Removed \_\_\_\_\_  
 Date 5/20/15

Factor	* Water Column Height Equals Gallons
0.163	2" Well
0.653	4" Well
1.469	6" Well
Conversions	
1 mL	= 0.0003 gal
1 gal	= 3,785 mL

**SAMPLING METHOD:**  
 Low-Flow X  
 Grab/No-purge \_\_\_\_\_  
 Bailer \_\_\_\_\_  
 Peristaltic pump \_\_\_\_\_  
 Submersible Pump X  
 Passive Diffusion Bag \_\_\_\_\_  
 Other \_\_\_\_\_  
 Was drawdown greater than 0.3 ft? (y/n) N  
 Pump Depth (ft below TOC) (if applicable) \_\_\_\_\_

**Stability Parameter Readings:** Readings every five minutes for at least three readings to achieve stability for ALL parameters except as noted.

Start Time	Temperature (Celsius)	pH	Oxidation-Reduction Potential (mV)	Specific Conductance (umhos/cm)	Turbidity (NTU)	Dissolved Oxygen (mg/L)	Sampling DTW (ft)	Flow Rate (ml/min)	mL Removed
<u>540</u>									
<u>545</u>	<u>19.16</u>	<u>7.30</u>	<u>243</u>	<u>0.828</u>	<u>905</u>	<u>8.30</u>	<u>53.01</u>	<u>~200</u>	<u>1000</u>
<u>550</u>	<u>17.02</u>	<u>7.12</u>	<u>256</u>	<u>0.820</u>	<u>810</u>	<u>8.97</u>	<u>↓</u>	<u>↓</u>	<u>2000</u>
<u>555</u>	<u>16.19</u>	<u>7.14</u>	<u>256</u>	<u>0.816</u>	<u>804</u>	<u>8.58</u>	<u>↓</u>	<u>↓</u>	<u>3000</u>
<u>600</u>	<u>16.99</u>	<u>7.20</u>	<u>256</u>	<u>0.824</u>	<u>737</u>	<u>8.12</u>	<u>↓</u>	<u>↓</u>	<u>4000</u>
<u>605</u>	<u>17.19</u>	<u>7.15</u>	<u>262</u>	<u>0.832</u>	<u>708</u>	<u>8.15</u>	<u>↓</u>	<u>↓</u>	<u>5000</u>
<u>610</u>	<u>17.29</u>	<u>7.09</u>	<u>269</u>	<u>0.836</u>	<u>671</u>	<u>8.16</u>	<u>↓</u>	<u>↓</u>	<u>6000</u>

\* Only one (1) of these need to reach stability.

**PURGE!:** Date 6-9-15 Time \_\_\_\_\_  
**SAMPLING:** Date 6-4-15 Time 6:15

Sample Analysis	Volume	Type	Number of Containers	Preservative Type	Reaction (y/n)	Filter Type	Duplicate	MS/MSD
VOC 8260	40mL	VOA	<u>3</u>	HCL	<u>N</u>	NA	<u>—</u>	NA

**EQUIPMENT DECONTAMINATION PROCEDURES:**  
 DECONTAMINATION METHOD:  Non Phosphatic detergent wash/distilled water rinse  
 Methanol rinse

NOTES:  
 Sampler Signature: [Signature]

<sup>1</sup>Monitoring wells sampled with a bailer require at least 3 to 5 well volumes to be purged prior to sampling unless the well bails dry prior to the removal of three (3) well volumes. Wells bailed dry should be sampled upon sufficient recovery for collection of samples. Record the time of purging and the time of sampling on the Groundwater Sampling Form.  
<sup>2</sup>Include Date PDB Installed in well, and Date PDB removed and sampled in NOTES section.



602 N. Capital Ave  
Indianapolis, IN 46204  
T: 317-972-7870 F: 317-972-7875

PROJECT NAME Former Robinson's Cleaners Well/Surface Station I.D. 6155-mw-25  
 LOCATION/ADDRESS 1838 W Court Street Sample Designation mw-25  
Janesville, WI 53548  
 PROJECT NO. 6155  
 CLIENT/CONTACT Ray Gehrig Personnel K. Heimstead, A Jablonski, K. Vander Heiden

**WATER LEVEL MEASUREMENTS DURING GAUGING:**  
 Well Depth 57.35 feet  
 Depth to Water 56.16 feet  
 Well Diameter \_\_\_\_\_ inches  
 Casing Volume \_\_\_\_\_ gallons  
 Volume Removed \_\_\_\_\_ gallons  
 Total No. of Casing Volumes Removed \_\_\_\_\_  
 Date 5/20/15

Factor * Water Column Height Equals Gallons	
Factor	Diameter
0.163	2" Well
0.653	4" Well
1.469	6" Well
Conversions	
1 mL	= 0.0003 gal
1 gal	= 3,785 mL

**SAMPLING METHOD:**

Low-Flow X  
 Grab/No-purge \_\_\_\_\_  
 Bailer \_\_\_\_\_  
 Peristaltic pump \_\_\_\_\_  
 Submersible Pump X  
 Passive Diffusion Bag<sup>2</sup> \_\_\_\_\_  
 Other \_\_\_\_\_  
 Was drawdown greater than 0.3 ft? (y/n) \_\_\_\_\_  
 Pump Depth (ft below TOC) (if applicable) 56.55

**Stability Parameter Readings:** Readings every five minutes for at least three readings to achieve stability for ALL parameters except as noted.

Start Time	Temperature (Celsius)	pH	Oxidation-Reduction Potential (mV) <sup>+/- 10mV<sup>2</sup></sup>	Specific Conductance (umhos/cm) <sup>+/- 3%</sup>	Turbidity (NTU) <sup>+/- 10%*</sup>	Dissolved Oxygen (mg/L) <sup>+/- 10%*</sup>	Sampling DTW (ft) <sup>&lt; 0.3ft</sup>	Flow Rate (ml/min) <sup>&lt; 250</sup>	mL Removed
<u>1813</u>	<u>25.89</u>	<u>8.42</u>	<u>148</u>	<u>0.001</u>	<u>13-</u>	<u>7.22</u>	<u>NA</u>	<u>190</u>	
<u>1818</u>	<u>24.16</u>	<u>7.49</u>	<u>14</u>	<u>0.982</u>	<u>238</u>	<u>5.68</u>	<u>NA</u>	<u>183</u>	
<u>1823</u>	<u>21.46</u>	<u>7.23</u>	<u>18</u>	<u>0.915</u>	<u>110</u>	<u>7.40</u>	<u>NA</u>	<u>160</u>	
<u>1828</u>	<u>20.84</u>	<u>7.24</u>	<u>17</u>	<u>0.936</u>	<u>32.1</u>	<u>7.43</u>	<u>NA</u>	<u>125</u>	
<u>1833</u>	<u>20.65</u>	<u>7.23</u>	<u>31</u>	<u>0.937</u>	<u>22.7</u>	<u>8.23</u>	<u>NA</u>	<u>125</u>	
<u>1838</u>	<u>19.95</u>	<u>7.23</u>	<u>44</u>	<u>0.765</u>	<u>21.5</u>	<u>8.27</u>	<u>NA</u>	<u>125</u>	

\* Only one (1) of these need to reach stability.

PURGE: Date 6/8 Time 1501  
 SAMPLING: Date 6/8 Time 1501

Sample Analysis	Volume	Type	Number of Containers	Preservative Type	Reaction (y/n)	Filter Type	Duplicate	MS/MSD
VOC 8260	40mL	VOA	<u>3</u>	HCL	<u>N</u>	NA	<u>—</u>	NA
<u>Ethene, Ethane Methan</u>	<u>40mL</u>				<u>N</u>	<u>N</u>		
<u>Sulfate chloride</u>	<u>750</u>			<u>None</u>	<u>N</u>	<u>N</u>		
<u>Nitrate, Nitrite</u>	<u>250</u>			<u>H2SO4</u>	<u>N</u>	<u>N</u>		
<u>Diss Fe</u>	<u>250</u>			<u>HNO3</u>	<u>N</u>	<u>Y</u>		
<u>Total Fe</u>	<u>250</u>			<u>HNO3</u>	<u>N</u>	<u>N</u>		

**EQUIPMENT DECONTAMINATION PROCEDURES:**

DECONTAMINATION METHOD:  Non Phosphatic detergent wash/distilled water rinse  
 Methanol rinse

**NOTES:**

Sampler Signature: [Signature]

<sup>1</sup>Monitoring wells sampled with a bailer require at least 3 to 5 well volumes to be purged prior to sampling unless the well bails dry prior to the removal of three (3) well volumes. Wells bailed dry should be sampled upon sufficient recovery for collection of samples. Record the time of purging and the time of sampling on the Groundwater Sampling Form.  
<sup>2</sup>Include Date PDB Installed in well, and Date PDB removed and sampled in NOTES section.

602 N. Capital Ave  
Indianapolis, IN 46204  
T: 317-972-7870 F: 317-972-7875

PROJECT NAME Former Robinson's Cleaners Well/Surface Station I.D. 6155- MW-25D  
 LOCATION/ADDRESS 1838 W Court Street Sample Designation MW-25D  
Janesville, WI 53548  
 PROJECT NO. 6155  
 CLIENT/CONTACT Ray Gehrig Personnel K. Heimstead, A Jablonski, K. Vander Heiden

**WATER LEVEL MEASUREMENTS DURING GAUGING:**

Well Depth 75.36 feet  
 Depth to Water 58.42 feet  
 Well Diameter \_\_\_\_\_ inches  
 Casing Volume \_\_\_\_\_ gallons  
 Volume Removed \_\_\_\_\_ gallons  
 Total No. of Casing Volumes Removed \_\_\_\_\_  
 Date 5/20/18

Factor * Water Column Height Equals Gallons	Factor	Diameter
0.163	2" Well	
0.653	4" Well	
1.469	6" Well	
Conversions		
1 mL	=	0.0003 gal
1 gal	=	3,785 mL

**SAMPLING METHOD:**

Low-Flow X  
 Grab/No-purge \_\_\_\_\_  
 Bailer \_\_\_\_\_  
 Peristaltic pump \_\_\_\_\_  
 Submersible Pump X  
 Passive Diffusion Bag<sup>2</sup> \_\_\_\_\_  
 Other \_\_\_\_\_  
 Was drawdown greater than 0.3 ft? (y/n) \_\_\_\_\_  
 Pump Depth (ft below TOC) (if applicable) 75-86

**Stability Parameter Readings:**

Readings every five minutes for at least three readings to achieve stability for ALL parameters except as noted.

Start Time	Temperature (Celsius)	pH	Oxidation-Reduction Potential (mV)	Specific Conductance (umhos/cm)	Turbidity (NTU)	Dissolved Oxygen (mg/L)	Sampling DTW (ft)	Flow Rate (ml/min)	mL Removed
	+/- 3%	+/- 0.1	+/- 10mV*	+/- 3%	+/- 10%*	+/- 10%*	< 0.3ft	< 250	
<u>1311</u>	<u>22.53</u>	<u>7.19</u>	<u>137</u>	<u>0.905</u>	<u>546</u>	<u>5.14</u>	<u>54.86</u>	<u>180</u>	
<u>1316</u>	<u>21.13</u>	<u>7.16</u>	<u>136</u>	<u>0.901</u>	<u>492</u>	<u>4.58</u>	<u>54.83</u>	<u>180</u>	
<u>1321</u>	<u>20.61</u>	<u>7.18</u>	<u>145</u>	<u>0.908</u>	<u>415</u>	<u>4.61</u>	<u>55.17</u>	<u>190</u>	
<u>1326</u>	<u>19.73</u>	<u>7.18</u>	<u>153</u>	<u>0.918</u>	<u>178</u>	<u>4.19</u>	<u>54.89</u>	<u>180</u>	
<u>1331</u>	<u>19.46</u>	<u>7.18</u>	<u>157</u>	<u>0.918</u>	<u>100</u>	<u>4.19</u>	<u>54.87</u>	<u>180</u>	
<u>1336</u>	<u>19.48</u>	<u>7.17</u>	<u>163</u>	<u>0.921</u>	<u>33.3</u>	<u>4.33</u>	<u>54.83</u>	<u>190</u>	

\* Only one (1) of these need to reach stability.

PURGE<sup>1</sup>: Date \_\_\_\_\_ Time \_\_\_\_\_  
 SAMPLING: Date 6-8-15 Time 13:41

Sample Analysis	Volume	Type	Number of Containers	Preservative Type	Reaction (y/n)	Filter Type	Duplicate	MS/MSD
VOC 8260	40mL	VOA	<u>6</u>	HCL	<u>N</u>	NA	<u>DUP-4</u>	NA
Ethanol, Ethyl, Methanol	<u>40mL</u>	<u>2</u>				<u>N</u>		
Sulfate Chloride	<u>250</u>	<u>2</u>		<u>None</u>		<u>N</u>		
Nitrate N, total	<u>250</u>	<u>1</u>		<u>H2SO4</u>		<u>N</u>		
diss Fe	<u>250</u>	<u>1</u>		<u>HNO3</u>		<u>Y</u>		
Total Fe	<u>250</u>	<u>1</u>		<u>HNO3</u>		<u>N</u>		

**EQUIPMENT DECONTAMINATION PROCEDURES:**

DECONTAMINATION METHOD:  Non Phosphatic detergent wash/distilled water rinse  
 Methanol rinse

*DHC Sample*

**NOTES:**

**\*DUP-4\***

Sampler Signature: [Signature]

<sup>1</sup>Monitoring wells sampled with a bailer require at least 3 to 5 well volumes to be purged prior to sampling unless the well bails dry prior to the removal of three (3) well volumes. Wells bailed dry should be sampled upon sufficient recovery for collection of samples. Record the time of purging and the time of sampling on the Groundwater Sampling Form.

<sup>2</sup>Include Date PDB Installed in well, and Date PDB removed and sampled in NOTES section.

602 N. Capital Ave  
Indianapolis, IN 46204  
T: 317-972-7870 F: 317-972-7875

PROJECT NAME Former Robinson's Cleaners Well/Surface Station I.D. 6155- PZ-2502  
 LOCATION/ADDRESS 1838 W Court Street Sample Designation PZ-2502  
Janesville, WI 53548  
 PROJECT NO. 6155  
 CLIENT/CONTACT Ray Gehrig Personnel K. Heimstead, A Jablonski, K. Vander Heiden

**WATER LEVEL MEASUREMENTS DURING GAUGING:**  
 Well Depth 152.5 feet  
 Depth to Water 56.43 feet  
 Well Diameter \_\_\_\_\_ inches  
 Casing Volume \_\_\_\_\_ gallons  
 Volume Removed \_\_\_\_\_ gallons  
 Total No. of Casing Volumes Removed \_\_\_\_\_  
 Date 5/22/15

Factor * Water Column Height Equals Gallons	
Factor	Diameter
0.163	2" Well
0.653	4" Well
1.469	6" Well
Conversions	
1 mL	= 0.0003 gal
1 gal	= 3,785 mL

**SAMPLING METHOD:**

Low-Flow X  
 Grab/No-purge \_\_\_\_\_  
 Bailer \_\_\_\_\_  
 Peristaltic pump \_\_\_\_\_  
 Submersible Pump X  
 Passive Diffusion Bag<sup>2</sup> \_\_\_\_\_  
 Other \_\_\_\_\_  
 Was drawdown greater than 0.3 ft? (y/n) \_\_\_\_\_  
 Pump Depth (ft below TOC) (if applicable) 149.8

**Stability Parameter Readings:** Readings every five minutes for at least three readings to achieve stability for ALL parameters except as noted.

Start Time	Temperature (Celsius)	pH	Oxidation-Reduction Potential (mV)	Specific Conductance (umhos/cm)	Turbidity (NTU)	Dissolved Oxygen (mg/L)	Sampling DTW (ft)	Flow Rate (ml/min)	mL Removed
<u>1326</u>	<u>25.17</u>	<u>8.10</u>	<u>146</u>	<u>0.872</u>	<u>57.6</u>	<u>8.31</u>	<u>56.99</u>	<u>175</u>	
<u>1336</u>	<u>21.32</u>	<u>7.92</u>	<u>162</u>	<u>0.707</u>	<u>0-</u>	<u>10.12</u>	<u>56.80</u>	<u>100</u>	
<u>1346</u>	<u>21.32</u>	<u>7.84</u>	<u>163</u>	<u>0.691</u>	<u>0-</u>	<u>9.85</u>	<u>56.80</u>	<u>125</u>	
<u>1351</u>	<u>20.96</u>	<u>7.78</u>	<u>171</u>	<u>0.692</u>	<u>0-</u>	<u>9.52</u>	<u>56.51</u>	<u>125</u>	
<u>1356</u>	<u>20.60</u>	<u>7.72</u>	<u>176</u>	<u>0.690</u>	<u>0-</u>	<u>10.11</u>	<u>56.93</u>	<u>100</u>	
<u>1401</u>	<u>20.14</u>	<u>7.64</u>	<u>183</u>	<u>0.695</u>	<u>903</u>	<u>9.71</u>	<u>56.52</u>	<u>100</u>	

\* Only one (1) of these need to reach stability.

**PURGE:** Date \_\_\_\_\_ Time 1402  
**SAMPLING:** Date 6-8-15 Time \_\_\_\_\_

Sample Analysis	Volume	Type	Number of Containers	Preservative Type	Reaction (y/n)	Filter Type	Duplicate	MS/MSD
VOC 8260	40mL	VOA	<u>3</u>	HCL	<u>N</u>	NA	<u>-</u>	NA

**EQUIPMENT DECONTAMINATION PROCEDURES:**

DECONTAMINATION METHOD:  Non Phosphatic detergent wash/distilled water rinse  
 Methanol rinse

**NOTES:**

Sampler Signature: [Signature]

<sup>1</sup>Monitoring wells sampled with a bailer require at least 3 to 5 well volumes to be purged prior to sampling unless the well bails dry prior to the removal of three (3) well volumes. Wells bailed dry should be sampled upon sufficient recovery for collection of samples. Record the time of purging and the time of sampling on the Groundwater Sampling Form.  
<sup>2</sup>Include Date PDB Installed in well, and Date PDB removed and sampled in NOTES section.

602 N. Capital Ave  
 Indianapolis, IN 46204  
 T: 317-972-7870 F: 317-972-7875

PROJECT NAME Former Robinson's Cleaners Well/Surface Station I.D. 6155- MW-26  
 LOCATION/ADDRESS 1838 W Court Street Sample Designation MW-26  
Janesville, WI 53548  
 PROJECT NO. 6155  
 CLIENT/CONTACT Ray Gehrig Personnel K. Heimstead, A Jablonski, K. Vander Heiden

**WATER LEVEL MEASUREMENTS DURING GAUGING:**  
 Well Depth 61.33 feet  
 Depth to Water 54.35 feet  
 Well Diameter \_\_\_\_\_ inches  
 Casing Volume \_\_\_\_\_ gallons  
 Volume Removed \_\_\_\_\_ gallons  
 Total No. of Casing Volumes Removed \_\_\_\_\_  
 Date 5/20/15

Factor * Water Column Height Equals Gallons	
Factor	Diameter
0.163	2" Well
0.653	4" Well
1.469	6" Well
Conversions	
1 mL	= 0.0003 gal
1 gal	= 3,785 mL

**SAMPLING METHOD:**  
 Low-Flow X  
 Grab/No-purge \_\_\_\_\_  
 Bailer \_\_\_\_\_  
 Peristaltic pump \_\_\_\_\_  
 Submersible Pump X  
 Passive Diffusion Bag \_\_\_\_\_  
 Other \_\_\_\_\_  
 Was drawdown greater than 0.3 ft? (y/n) \_\_\_\_\_  
 Pump Depth (ft below TOC) (if applicable) \_\_\_\_\_

**Stability Parameter Readings:** Readings every five minutes for at least three readings to achieve stability for ALL parameters except as noted.

Start Time	Temperature (Celsius)	pH	Oxidation-Reduction Potential (mV)	Specific Conductance (umhos/cm)	Turbidity (NTU)	Dissolved Oxygen (mg/L)	Sampling DTW (ft)	Flow Rate (ml/min)	mL Removed
<u>1650</u>									
<u>1655</u>	<u>19.44</u>	<u>7.22</u>	<u>193</u>	<u>1.02</u>	<u>402</u>	<u>6.80</u>	<u>54.37</u>	<u>~200</u>	<u>1000</u>
<u>1700</u>	<u>17.94</u>	<u>7.04</u>	<u>194</u>	<u>1.03</u>	<u>435</u>	<u>6.82</u>	↓	↓	<u>2000</u>
<u>1705</u>	<u>16.56</u>	<u>7.10</u>	<u>186</u>	<u>1.04</u>	<u>121</u>	<u>6.83</u>	↓	↓	<u>3000</u>
<u>1710</u>	<u>14.95</u>	<u>7.16</u>	<u>192</u>	<u>1.05</u>	<u>91.3</u>	<u>6.41</u>	↓	↓	<u>4000</u>
<u>1715</u>	<u>14.45</u>	<u>7.14</u>	<u>196</u>	<u>1.05</u>	<u>25.9</u>	<u>6.30</u>	↓	↓	<u>5000</u>
<u>1715</u>	<u>14.33</u>	<u>7.10</u>	<u>202</u>	<u>1.05</u>	<u>116</u>	<u>6.10</u>	↓	↓	<u>6000</u>

\* Only one (1) of these need to reach stability.

PURGE<sup>1</sup>: Date 6-3-15 Time \_\_\_\_\_  
 SAMPLING: Date 6-3-15 Time 1720

Sample Analysis	Volume	Type	Number of Containers	Preservative Type	Reaction (y/n)	Filter Type	Duplicate	MS/MSD
<u>VOC 8260</u>	<u>40mL</u>	<u>VOA</u>	<u>3</u>	<u>HCL</u>	<u>N</u>	<u>NA</u>	<u>—</u>	<u>NA</u>

**EQUIPMENT DECONTAMINATION PROCEDURES:**

DECONTAMINATION METHOD:  Non Phosphatic detergent wash/distilled water rinse  
 Methanol rinse

**NOTES:**

Sampler Signature: [Signature]

<sup>1</sup>Monitoring wells sampled with a bailer require at least 3 to 5 well volumes to be purged prior to sampling unless the well bails dry prior to the removal of three (3) well volumes. Wells bailed dry should be sampled upon sufficient recovery for collection of samples. Record the time of purging and the time of sampling on the Groundwater Sampling Form.  
<sup>2</sup>Include Date PDB Installed in well, and Date PDB removed and sampled in NOTES section.

602 N. Capital Ave  
Indianapolis, IN 46204  
T: 317-972-7870 F: 317-972-7875

PROJECT NAME Former Robinson's Cleaners Well/Surface Station I.D. 6155- MW-27S  
 LOCATION/ADDRESS 1838 W Court Street Sample Designation MW-27S  
Janesville, WI 53548  
 PROJECT NO. 6155  
 CLIENT/CONTACT Ray Gehrig Personnel K. Heimstead, A. Jablonski, K. Vander Heiden

**WATER LEVEL MEASUREMENTS DURING GAUGING:**  
 Well Depth 39.98 feet  
 Depth to Water 33.20 feet  
 Well Diameter \_\_\_\_\_ inches  
 Casing Volume \_\_\_\_\_ gallons  
 Volume Removed \_\_\_\_\_ gallons  
 Total No. of Casing Volumes Removed \_\_\_\_\_  
 Date 5/20/15

Factor * Water Column Height Equals Gallons	Factor	Diameter
0.163	2"	Well
0.653	4"	Well
1.469	6"	Well
Conversions		
1 mL	=	0.0003 gal
1 gal	=	3,785 mL

**SAMPLING METHOD:**

Low-Flow X  
 Grab/No-purge \_\_\_\_\_  
 Bailer \_\_\_\_\_  
 Peristaltic pump \_\_\_\_\_  
 Submersible Pump X  
 Passive Diffusion Bag<sup>2</sup> \_\_\_\_\_  
 Other \_\_\_\_\_  
 Was drawdown greater than 0.3 ft? (y/n) \_\_\_\_\_  
 Pump Depth (ft below TOC) (if applicable) \_\_\_\_\_

**Stability Parameter Readings:** Readings every five minutes for at least three readings to achieve stability for ALL parameters except as noted.

Start Time	Temperature (Celsius)	pH	Oxidation- Reduction Potential (mV)	Specific Conductance (umhos/cm)	Turbidity (NTU)	Dissolved Oxygen (mg/L)	Sampling DTW (ft)	Flow Rate (ml/min)	mL Removed
<u>13:40</u>									
<u>13:45</u>	<u>16.83</u>	<u>6.71</u>	<u>241</u>	<u>2.89</u>	<u>376</u>	<u>1.79</u>		<u>~200</u>	<u>1000</u>
<u>13:50</u>	<u>16.05</u>	<u>6.67</u>	<u>235</u>	<u>2.90</u>	<u>282</u>	<u>1.50</u>		↓	<u>2000</u>
<u>13:55</u>	<u>15.01</u>	<u>6.70</u>	<u>213</u>	<u>2.80</u>	<u>412</u>	<u>1.33</u>		↓	<u>3000</u>
<u>14:00</u>	<u>14.98</u>	<u>6.72</u>	<u>209</u>	<u>2.60</u>	<u>309</u>	<u>1.06</u>		↓	<u>4000</u>
<u>14:05</u>	<u>14.92</u>	<u>6.73</u>	<u>208</u>	<u>2.48</u>	<u>202</u>	<u>5.51</u>		↓	<u>5000</u>
<u>14:00</u>	<u>14.95</u>	<u>6.72</u>	<u>206</u>	<u>2.47</u>	<u>184</u>	<u>5.48</u>		↓	<u>6000</u>
<u>14:15</u>	<u>14.91</u>	<u>6.73</u>	<u>206</u>	<u>2.50</u>	<u>160</u>	<u>5.30</u>			

\* Only one (1) of these need to reach stability.

**PURGE:** Date 6-2-15 Time \_\_\_\_\_  
**SAMPLING:** Date 6-2-15 Time 1420

Sample Analysis	Volume	Type	Number of Containers	Preservative Type	Reaction (y/n)	Filter Type	Duplicate	MS/MSD
<u>VOC 8260</u>	<u>40mL</u>	<u>VOA</u>	<u>3</u>	<u>HCL</u>	<u>N</u>	<u>NA</u>		<u>NA</u>

**EQUIPMENT DECONTAMINATION PROCEDURES:**

DECONTAMINATION METHOD:  Non Phosphatic detergent wash/distilled water rinse  
 Methanol rinse

NOTES:

Sampler Signature: [Signature]

<sup>1</sup>Monitoring wells sampled with a bailer require at least 3 to 5 well volumes to be purged prior to sampling unless the well bails dry prior to the removal of three (3) well volumes. Wells bailed dry should be sampled upon sufficient recovery for collection of samples. Record the time of purging and the time of sampling on the Groundwater Sampling Form.  
<sup>2</sup>Include Date PDB Installed in well, and Date PDB removed and sampled in NOTES section.

602 N. Capital Ave  
 Indianapolis, IN 46204  
 T: 317-972-7870 F: 317-972-7875

PROJECT NAME Former Robinson's Cleaners Well/Surface Station I.D. 6155- MW-27D  
 LOCATION/ADDRESS 1838 W Court Street Sample Designation MW-27D  
Janesville, WI 53548  
 PROJECT NO. 6155  
 CLIENT/CONTACT Ray Gehrig Personnel K. Heimstead, A Jablonski, K. Vander Heiden

**WATER LEVEL MEASUREMENTS DURING GAUGING:**

Well Depth 57.31 feet  
 Depth to Water 50.34 feet  
 Well Diameter \_\_\_\_\_ inches  
 Casing Volume \_\_\_\_\_ gallons  
 Volume Removed \_\_\_\_\_ gallons  
 Total No. of Casing Volumes Removed \_\_\_\_\_  
 Date 5/20/15

Factor * Water Column Height Equals Gallons	
Factor	Diameter
0.163	2" Well
0.653	4" Well
1.469	6" Well
Conversions	
1 mL	= 0.0003 gal
1 gal	= 3,785 mL

**SAMPLING METHOD:**

Low-Flow  X  
 Grab/No-purge \_\_\_\_\_  
 Bailor \_\_\_\_\_  
 Peristaltic pump \_\_\_\_\_  
 Submersible Pump  X  
 Passive Diffusion Bag<sup>2</sup> \_\_\_\_\_  
 Other \_\_\_\_\_  
 Was drawdown greater than 0.3 ft? (y/n) \_\_\_\_\_  
 Pump Depth (ft below TOC) (if applicable) \_\_\_\_\_

**Stability Parameter Readings:** Readings every five minutes for at least three readings to achieve stability for ALL parameters except as noted.

Start Time	Temperature (Celsius)	pH	Oxidation-Reduction Potential (mV)	Specific Conductance (umhos/cm)	Turbidity (NTU)	Dissolved Oxygen (mg/L)	Sampling DTW (ft)	Flow Rate (ml/min)	mL Removed
<u>12:45</u>	<u>16.51</u>	<u>7.01</u>	<u>92</u>	<u>1.67</u>	<u>505</u>	<u>5.04</u>	<u>0.44</u>	<u>~200</u>	<u>1000</u>
<u>12:50</u>	<u>16.74</u>	<u>7.11</u>	<u>124</u>	<u>1.68</u>	<u>438</u>	<u>4.88</u>	↓	↓	<u>2000</u>
<u>13:00</u>	<u>17.15</u>	<u>7.07</u>	<u>149</u>	<u>1.68</u>	<u>451</u>	<u>4.84</u>	↓	↓	<u>3000</u>
<u>13:05</u>	<u>17.34</u>	<u>7.06</u>	<u>168</u>	<u>1.67</u>	<u>605</u>	<u>4.74</u>	↓	↓	<u>4000</u>
<u>13:10</u>	<u>17.54</u>	<u>7.02</u>	<u>178</u>	<u>1.67</u>	<u>677</u>	<u>4.70</u>	↓	↓	<u>5000</u>
<u>13:15</u>	<u>17.96</u>	<u>7.08</u>	<u>187</u>	<u>1.66</u>	<u>628</u>	<u>4.74</u>	↓	↓	<u>6000</u>

\* Only one (1) of these need to reach stability.

**PURGE:** Date 6-2-15 Time \_\_\_\_\_  
**SAMPLING:** Date 6-2-15 Time 1320

Sample Analysis	Volume	Type	Number of Containers	Preservative Type	Reaction (y/n)	Filter Type	Duplicate	MS/MSD
VOC 8260	40mL	VOA	3	HCL	N	NA	—	NA

**EQUIPMENT DECONTAMINATION PROCEDURES:**

DECONTAMINATION METHOD:  Non Phosphatic detergent wash/distilled water rinse  
 Methanol rinse

**NOTES:**

Sampler Signature: [Signature]

<sup>1</sup>Monitoring wells sampled with a bailer require at least 3 to 5 well volumes to be purged prior to sampling unless the well bails dry prior to the removal of three (3) well volumes. Wells bailed dry should be sampled upon sufficient recovery for collection of samples. Record the time of purging and the time of sampling on the Groundwater Sampling Form.  
<sup>2</sup>Include Date PDB Installed in well, and Date PDB removed and sampled in NOTES section.

602 N. Capital Ave  
Indianapolis, IN 46204  
T: 317-972-7870 F: 317-972-7875

PROJECT NAME Former Robinson's Cleaners Well/Surface Station I.D. 6155- MW-2705  
 LOCATION/ADDRESS 1838 W Court Street Sample Designation MW-2705  
Janesville, WI 53548  
 PROJECT NO. 6155  
 CLIENT/CONTACT Ray Gehrig Personnel K. Heimstead, A. Jablonski, K. Vander Heiden

**WATER LEVEL MEASUREMENTS DURING GAUGING:**  
 Well Depth 71.73 feet  
 Depth to Water 44.62 feet  
 Well Diameter \_\_\_\_\_ inches  
 Casing Volume \_\_\_\_\_ gallons  
 Volume Removed \_\_\_\_\_ gallons  
 Total No. of Casing Volumes Removed \_\_\_\_\_  
 Date 5/22/15

Factor * Water Column Height Equals Gallons	
Factor	Diameter
0.163	2" Well
0.653	4" Well
1.469	6" Well
Conversions	
1 mL	= 0.0003 gal
1 gal	= 3.785 mL

**SAMPLING METHOD:**  
 Low-Flow  X  
 Grab/No-purge \_\_\_\_\_  
 Bailor \_\_\_\_\_  
 Peristaltic pump \_\_\_\_\_  
 Submersible Pump  X  
 Passive Diffusion Bag \_\_\_\_\_  
 Other \_\_\_\_\_  
 Was drawdown greater than 0.3 ft? (y/n) N  
 Pump Depth (ft below TOC) (if applicable) \_\_\_\_\_

**Stability Parameter Readings:**

Readings every five minutes for at least three readings to achieve stability for ALL parameters except as noted

Start Time	Temperature (Celsius) +/- 3%	pH +/- 0.1	Oxidation-Reduction Potential (mV) +/- 10mV*	Specific Conductance (umhos/cm) +/- 3%	Turbidity (NTU) +/- 10%*	Dissolved Oxygen (mg/L) +/- 10%*	Sampling DTW (ft) < 0.3ft	Flow Rate (ml/min) < 250	mL Removed
<u>11:40</u>									
<u>11:45</u>	<u>20.78</u>	<u>7.66</u>	<u>138</u>	<u>0.357</u>	<u>513</u>	<u>1.26</u>	<u>75.21</u>	<u>~200</u>	<u>1000</u>
<u>11:50</u>	<u>17.09</u>	<u>7.18</u>	<u>1</u>	<u>0.491</u>	<u>324</u>	<u>0.63</u>	<u>↓</u>	<u>↓</u>	<u>2000</u>
<u>11:55</u>	<u>16.24</u>	<u>7.03</u>	<u>18</u>	<u>0.700</u>	<u>210</u>	<u>0.83</u>	<u>↓</u>	<u>↓</u>	<u>3000</u>
<u>12:00</u>	<u>16.19</u>	<u>6.99</u>	<u>22</u>	<u>0.777</u>	<u>191</u>	<u>1.04</u>	<u>↓</u>	<u>↓</u>	<u>4000</u>
<u>12:05</u>	<u>15.95</u>	<u>6.93</u>	<u>24</u>	<u>0.937</u>	<u>168</u>	<u>1.48</u>	<u>↓</u>	<u>↓</u>	<u>5000</u>
<u>12:10</u>	<u>15.97</u>	<u>6.89</u>	<u>23</u>	<u>0.969</u>	<u>172</u>	<u>1.58</u>			<u>6000</u>
<u>12:15</u>	<u>15.86</u>	<u>6.86</u>	<u>19</u>	<u>1.02</u>	<u>152</u>	<u>1.81</u>			<u>7000</u>

\* Only one (1) of these need to reach stability.

PURGE<sup>1</sup>: Date 6-2-15 Time \_\_\_\_\_  
 SAMPLING: Date 6-2-15 Time 12:20

Sample Analysis	Volume	Type	Number of Containers	Preservative Type	Reaction (y/n)	Filter Type	Duplicate	MS/MSD
<u>VOC 8260</u>	<u>40mL</u>	<u>VOA</u>	<u>3</u>	<u>HCL</u>	<u>N</u>	<u>NA</u>	<u>-</u>	<u>NA</u>

**EQUIPMENT DECONTAMINATION PROCEDURES:**

DECONTAMINATION METHOD:  Non Phosphatic detergent wash/distilled water rinse  
 Methanol rinse

**NOTES:**

Sampler Signature: [Signature]

<sup>1</sup>Monitoring wells sampled with a bailer require at least 3 to 5 well volumes to be purged prior to sampling unless the well bails dry prior to the removal of three (3) well volumes. Wells bailed dry should be sampled upon sufficient recovery for collection of samples. Record the time of purging and the time of sampling on the Groundwater Sampling Form.  
<sup>2</sup>Include Date PDB Installed in well, and Date PDB removed and sampled in NOTES section.

602 N. Capital Ave  
 Indianapolis, IN 46204  
 T: 317-972-7870 F: 317-972-7875

PROJECT NAME Former Robinson's Cleaners Well/Surface Station I.D. 6155- MW-29  
 LOCATION/ADDRESS 1838 W Court Street Sample Designation MW-29  
Janesville, WI 53548  
 PROJECT NO. 6155  
 CLIENT/CONTACT Ray Gehrig Personnel K. Heimstead, A Jablonski, K. Vander Heiden

**WATER LEVEL MEASUREMENTS DURING GAUGING:**  
 Well Depth 58.91 feet  
 Depth to Water 53.48 feet  
 Well Diameter \_\_\_\_\_ inches  
 Casing Volume \_\_\_\_\_ gallons  
 Volume Removed \_\_\_\_\_ gallons  
 Total No. of Casing Volumes Removed \_\_\_\_\_  
 Date 5/20/15

Factor * Water Column Height Equals Gallons	
Factor	Diameter
0.163	2" Well
0.653	4" Well
1.469	6" Well
Conversions	
1 mL	= 0.0003 gal
1 gal	= 3,785 mL

**SAMPLING METHOD:**

Low-Flow  X  
 Grab/No-purge \_\_\_\_\_  
 Bailer \_\_\_\_\_  
 Peristaltic pump \_\_\_\_\_  
 Submersible Pump  X  
 Passive Diffusion Bag<sup>2</sup> \_\_\_\_\_  
 Other \_\_\_\_\_  
 Was drawdown greater than 0.3 ft? (y/n) N  
 Pump Depth (ft below TOC) (if applicable) \_\_\_\_\_

**Stability Parameter Readings:** Readings every five minutes for at least three readings to achieve stability for ALL parameters except as noted.

Start Time	Temperature (Celsius) +/- 3%	pH +/- 0.1	Oxidation-Reduction Potential (mV) +/- 10mV*	Specific Conductance (umhos/cm) +/- 3%	Turbidity (NTU) +/- 10%*	Dissolved Oxygen (mg/L) +/- 10%*	Sampling DTW (ft) < 0.3ft	Flow Rate (ml/min) < 250	mL Removed
			<u>9:25</u>	<u>15.33</u>	<u>7.44</u>	<u>249</u>	<u>0.921</u>	<u>894</u>	<u>8.37</u>
<u>9:30</u>	<u>15.53</u>	<u>7.25</u>	<u>255</u>	<u>0.918</u>	<u>670</u>	<u>7.50</u>	<u>↓</u>	<u>↓</u>	<u>2000</u>
<u>9:35</u>	<u>15.47</u>	<u>7.17</u>	<u>265</u>	<u>0.924</u>	<u>391</u>	<u>7.27</u>	<u>↓</u>	<u>↓</u>	<u>3000</u>
<u>9:40</u>	<u>15.57</u>	<u>7.16</u>	<u>269</u>	<u>0.923</u>	<u>233</u>	<u>7.16</u>	<u>↓</u>	<u>↓</u>	<u>4000</u>
<u>9:45</u>	<u>15.60</u>	<u>7.18</u>	<u>270</u>	<u>0.920</u>	<u>165</u>	<u>7.12</u>	<u>↓</u>	<u>↓</u>	<u>5000</u>
<u>9:50</u>	<u>15.52</u>	<u>7.15</u>	<u>271</u>	<u>0.922</u>	<u>152</u>	<u>7.04</u>			<u>6000</u>

\* Only one (1) of these need to reach stability.

**PURGE<sup>1</sup>:** Date 6-2-15 Time \_\_\_\_\_  
**SAMPLING:** Date 6-2-15 Time 1000

Sample Analysis	Volume	Type	Number of Containers	Preservative Type	Reaction (y/n)	Filter Type	Duplicate	MS/MSD
VOC 8260	40mL	VOA	<u>3</u>	HCL	<u>N</u>	NA		NA

**EQUIPMENT DECONTAMINATION PROCEDURES:**

DECONTAMINATION METHOD:  Non Phosphatic detergent wash/distilled water rinse  
 Methanol rinse

**NOTES:**

Sampler Signature: [Signature]

<sup>1</sup>Monitoring wells sampled with a bailer require at least 3 to 5 well volumes to be purged prior to sampling unless the well bails dry prior to the removal of three (3) well volumes. Wells bailed dry should be sampled upon sufficient recovery for collection of samples. Record the time of purging and the time of sampling on the Groundwater Sampling Form.  
<sup>2</sup>Include Date PDB Installed in well, and Date PDB removed and sampled in NOTES section.



602 N. Capital Ave  
Indianapolis, IN 46204  
T: 317-972-7870 F: 317-972-7875

PROJECT NAME Former Robinson's Cleaners Well/Surface Station I.D. 6155- mw-295  
 LOCATION/ADDRESS 1838 W Court Street Sample Designation mw-295  
Janesville, WI 53548  
 PROJECT NO. 6155  
 CLIENT/CONTACT Ray Gehrig Personnel K. Heimstead, A. Jablonski, K. Vander Heiden

**WATER LEVEL MEASUREMENTS DURING GAUGING:**

Well Depth 24.34 feet  
 Depth to Water 22.50 feet  
 Well Diameter \_\_\_\_\_ inches  
 Casing Volume \_\_\_\_\_ gallons  
 Volume Removed \_\_\_\_\_ gallons  
 Total No. of Casing Volumes Removed \_\_\_\_\_  
 Date 5/20/15

Factor * Water Column Height Equals Gallons	
Factor	Diameter
0.163	2" Well
0.653	4" Well
1.469	6" Well
Conversions	
1 mL	= 0.0003 gal
1 gal	= 3,785 mL

**SAMPLING METHOD:**

Low-Flow X  
 Grab/No-purge \_\_\_\_\_  
 Bailer \_\_\_\_\_  
 Peristaltic pump \_\_\_\_\_  
 Submersible Pump X  
 Passive Diffusion Bag \_\_\_\_\_  
 Other \_\_\_\_\_  
 Was drawdown greater than 0.3 ft? (y/n) 1  
 Pump Depth (ft below TOC) (if applicable) \_\_\_\_\_

**Stability Parameter Readings:**

Readings every five minutes for at least three readings to achieve stability for ALL parameters except as noted.

Start Time	Temperature (Celsius)	pH	Oxidation-Reduction Potential (mV)	Specific Conductance (umhos/cm)	Turbidity (NTU)	Dissolved Oxygen (mg/L)	Sampling DTW (ft)	Flow Rate (ml/min)	mL Removed
			+/- 10mV*	+/- 3%	+/- 10%*	+/- 10%*	< 0.3ft	< 250	
<u>8:35</u>	<u>16.94</u>	<u>6.62</u>	<u>295</u>	<u>3.22</u>	<u>137</u>	<u>3.51</u>	<u>22.61</u>	<u>200</u>	
<u>8:40</u>	<u>16.16</u>	<u>6.52</u>	<u>291</u>	<u>3.22</u>	<u>47.1</u>	<u>2.99</u>			
<u>8:50</u>	<u>15.23</u>	<u>6.54</u>	<u>286</u>	<u>3.27</u>	<u>33.9</u>	<u>2.96</u>			
<u>8:55</u>	<u>14.99</u>	<u>6.60</u>	<u>279</u>	<u>3.27</u>	<u>30.3</u>	<u>2.87</u>			
<u>9:00</u>	<u>14.96</u>	<u>6.60</u>	<u>272</u>	<u>2.99</u>	<u>11.1</u>	<u>2.81</u>			
<u>9:05</u>	<u>14.97</u>	<u>6.68</u>	<u>270</u>	<u>2.87</u>	<u>8.76</u>	<u>2.77</u>			

\* Only one (1) of these need to reach stability.

**PURGE:** Date 6-2-15 Time \_\_\_\_\_  
**SAMPLING:** Date 6-2-15 Time 9:10

Sample Analysis	Volume	Type	Number of Containers	Preservative Type	Reaction (y/n)	Filter Type	Duplicate	MS/MSD
VOC 8260	40mL	VOA	<u>3</u>	HCL	<u>N</u>	NA		NA

**EQUIPMENT DECONTAMINATION PROCEDURES:**

DECONTAMINATION METHOD:  Non Phosphatic detergent wash/distilled water rinse  
 Methanol rinse

**NOTES:**

Sampler Signature: [Signature]

<sup>1</sup>Monitoring wells sampled with a bailer require at least 3 to 5 well volumes to be purged prior to sampling unless the well bails dry prior to the removal of three (3) well volumes. Wells bailed dry should be sampled upon sufficient recovery for collection of samples. Record the time of purging and the time of sampling on the Groundwater Sampling Form.

<sup>2</sup>Include Date PDB Installed in well, and Date PDB removed and sampled in NOTES section.

602 N. Capital Ave  
 Indianapolis, IN 46204  
 T: 317-972-7870 F: 317-972-7875

PROJECT NAME Former Robinson's Cleaners Well/Surface Station I.D. 6155- MW-29D  
 LOCATION/ADDRESS 1838 W Court Street Sample Designation MW-29D  
Janesville, WI 53548  
 PROJECT NO. 6155  
 CLIENT/CONTACT Ray Gehrig Personnel K. Heimstead, A Jablonski, K. Vander Heiden

**WATER LEVEL MEASUREMENTS DURING GAUGING:**

Well Depth 149.8 feet  
 Depth to Water 53.32 feet  
 Well Diameter \_\_\_\_\_ inches  
 Casing Volume \_\_\_\_\_ gallons  
 Volume Removed \_\_\_\_\_ gallons  
 Total No. of Casing Volumes Removed \_\_\_\_\_  
 Date 5/20/15

Factor * Water Column Height Equals Gallons	
Factor	Diameter
0.163	2" Well
0.653	4" Well
1.469	6" Well
Conversions	
1 mL	= 0.0003 gal
1 gal	= 3,785 mL

**SAMPLING METHOD:**

Low-Flow X  
 Grab/No-purge \_\_\_\_\_  
 Bailer \_\_\_\_\_  
 Peristaltic pump \_\_\_\_\_  
 Submersible Pump X  
 Passive Diffusion Bag<sup>2</sup> \_\_\_\_\_  
 Other \_\_\_\_\_  
 Was drawdown greater than 0.3 ft? (y/n) N  
 Pump Depth (ft below TOC) (if applicable) \_\_\_\_\_

**Stability Parameter Readings:**

Readings every five minutes for at least three readings to achieve stability for ALL parameters except as noted.

Start Time	Temperature (Celsius) +/- 3%	pH +/- 0.1	Oxidation-Reduction Potential (mV) +/- 10mV*	Specific Conductance (umhos/cm) +/- 3%	Turbidity (NTU) +/- 10%*	Dissolved Oxygen (mg/L) +/- 10%*	Sampling DTW (ft) <0.3ft	Flow Rate (ml/min) <250	mL Removed
<u>740</u>	<u>8.9</u>	<u>7.74</u>	<u>270</u>	<u>0.921</u>	<u>1413</u>	<u>14.38</u>	<u>53.49</u>	<u>&lt;150</u>	
<u>745</u>	<u>13.15</u>	<u>6.98</u>	<u>272</u>	<u>0.944</u>	<u>55.7</u>	<u>9.87</u>	<u>↓</u>	<u>↓</u>	
<u>750</u>	<u>13.24</u>	<u>6.99</u>	<u>273</u>	<u>0.914</u>	<u>122</u>	<u>9.36</u>	<u>↓</u>	<u>↓</u>	
<u>800</u>	<u>14.05</u>	<u>7.85</u>	<u>238</u>	<u>0.912</u>	<u>0.00</u>	<u>8.66</u>	<u>↓</u>	<u>↓</u>	
<u>805</u>	<u>14.16</u>	<u>7.22</u>	<u>228</u>	<u>0.910</u>	<u>0.00</u>	<u>8.55</u>	<u>↓</u>	<u>↓</u>	
<u>810</u>	<u>14.27</u>	<u>6.79</u>	<u>234</u>	<u>0.94</u>	<u>182</u>	<u>8.51</u>			<u>1 gal</u>

\* Only one (1) of these need to reach stability.

**PURGE:** Date 6-2-15 Time \_\_\_\_\_  
**SAMPLING:** Date 6-2-15 Time 815

Sample Analysis	Volume	Type	Number of Containers	Preservative Type	Reaction (y/n)	Filter Type	Duplicate	MS/MSD
<u>VOC 8260</u>	<u>40mL</u>	<u>VOA</u>	<u>3</u>	<u>HCL</u>	<u>N</u>	<u>NA</u>	<u>_____</u>	<u>NA</u>

**EQUIPMENT DECONTAMINATION PROCEDURES:**

DECONTAMINATION METHOD:  Non Phosphatic detergent wash/distilled water rinse  
 Methanol rinse

**NOTES:**

Sampler Signature: [Signature]

<sup>1</sup>Monitoring wells sampled with a bailer require at least 3 to 5 well volumes to be purged prior to sampling unless the well bails dry prior to the removal of three (3) well volumes. Wells bailed dry should be sampled upon sufficient recovery for collection of samples. Record the time of purging and the time of sampling on the Groundwater Sampling Form.

<sup>2</sup>Include Date PDB Installed in well, and Date PDB removed and sampled in NOTES section.

602 N. Capital Ave  
Indianapolis, IN 46204  
T: 317-972-7870 F: 317-972-7875

PROJECT NAME Former Robinson's Cleaners Well/Surface Station I.D. 6155- MW-30S  
 LOCATION/ADDRESS 1838 W Court Street Sample Designation MW-30S  
Janesville, WI 53548  
 PROJECT NO. 6155  
 CLIENT/CONTACT Ray Gehrig Personnel K. Heimstead, A Jablonski, K. Vander Heiden

**WATER LEVEL MEASUREMENTS DURING GAUGING:**  
 Well Depth 39.87 feet  
 Depth to Water 28.21 feet  
 Well Diameter \_\_\_\_\_ inches  
 Casing Volume \_\_\_\_\_ gallons  
 Volume Removed \_\_\_\_\_ gallons  
 Total No. of Casing Volumes Removed \_\_\_\_\_  
 Date 5/20/15

Factor * Water Column Height Equals Gallons	
Factor	Diameter
0.163	2" Well
0.653	4" Well
1.469	6" Well
Conversions	
1 mL	= 0.0003 gal
1 gal	= 3,785 mL

**SAMPLING METHOD:**

Low-Flow  X  
 Grab/No-purge \_\_\_\_\_  
 Bailer \_\_\_\_\_  
 Peristaltic pump \_\_\_\_\_  
 Submersible Pump  X  
 Passive Diffusion Bag<sup>2</sup> \_\_\_\_\_  
 Other \_\_\_\_\_  
 Was drawdown greater than 0.3 ft? (y/n) \_\_\_\_\_  
 Pump Depth (ft below TOC) (if applicable) 34.84

**Stability Parameter Readings:** Readings every five minutes for at least three readings to achieve stability for ALL parameters except as noted.

Start Time	Temperature (Celsius)	pH	Oxidation-Reduction Potential (mV)	Specific Conductance (umhos/cm)	Turbidity (NTU)	Dissolved Oxygen (mg/L)	Sampling DTW (ft)	Flow Rate (ml/min)	mL Removed
<u>1604</u>									
<u>1609</u>	<u>23.14</u>	<u>6.73</u>	<u>111</u>	<u>4.17</u>	<u>767</u>	<u>3.18</u>	<u>23.72</u>	<u>260</u>	
<u>1614</u>	<u>21.94</u>	<u>6.86</u>	<u>138</u>	<u>4.30</u>	<u>1000</u>	<u>5.12</u>	<u>23.69</u>	<u>190</u>	
<u>1619</u>	<u>20.84</u>	<u>6.93</u>	<u>184</u>	<u>4.35</u>	<u>871</u>	<u>5.96</u>	<u>24.41</u>	<u>200</u>	
<u>1624</u>	<u>20.25</u>	<u>6.95</u>	<u>164</u>	<u>4.29</u>	<u>758</u>	<u>6.57</u>	<u>24.31</u>	<u>190</u>	
<u>1629</u>	<u>19.87</u>	<u>6.97</u>	<u>171</u>	<u>4.28</u>	<u>634</u>	<u>6.93</u>	<u>24.41</u>	<u>190</u>	
<u>1634</u>	<u>19.60</u>	<u>6.98</u>	<u>176</u>	<u>4.27</u>	<u>549</u>	<u>7.10</u>	<u>24.63</u>	<u>190</u>	
<u>1639</u>	<u>19.57</u>	<u>6.95</u>	<u>181</u>	<u>4.32</u>	<u>398</u>	<u>6.90</u>	<u>24.83</u>	<u>190</u>	

\* Only one (1) of these need to reach stability.

**PURGE:** Date 6/8 Time 1652

Sample Analysis	Volume (mL)	Type	Number of Containers	Preservative Type	Reaction (y/n)	Filter Type	Duplicate	MS/MSD
VOC 8260	250	VOA	3	HCL	N	NA		NA
Fluoride	250		1	HCL		N		
Sulfate Chloride	250		1	None		N		
Nitrate Nitrite	250		1	H2SO4		N		
Diss Fe	250		1	None		Y		
Total Fe	250		1	None		N		

**EQUIPMENT DECONTAMINATION PROCEDURES:**

DECONTAMINATION METHOD:  Non Phosphatic detergent wash/distilled water rinse  
 Methanol rinse

*Handwritten note: No. attention PHE taken*

NOTES:  
 Sampler Signature: [Signature]

<sup>1</sup>Monitoring wells sampled with a bailer require at least 3 to 5 well volumes to be purged prior to sampling unless the well bails dry prior to the removal of three (3) well volumes. Wells bailed dry should be sampled upon sufficient recovery for collection of samples. Record the time of purging and the time of sampling on the Groundwater Sampling Form.  
<sup>2</sup>Include Date PDB Installed in well, and Date PDB removed and sampled in NOTES section.

602 N. Capital Ave  
Indianapolis, IN 46204  
T: 317-972-7870 F: 317-972-7875

PROJECT NAME Former Robinson's Cleaners  
LOCATION/ADDRESS 1838 W Court Street  
Janesville, WI 53548  
PROJECT NO. 6155  
CLIENT/CONTACT Ray Gehrig

Well/Surface Station I.D. 6155- MW-30D  
Sample Designation MW-30D  
Personnel K. Heimstead, A Jablonski, K. Vander Heiden

**WATER LEVEL MEASUREMENTS DURING GAUGING:**  
Well Depth 21.21 feet  
Depth to Water 19.98 feet  
Well Diameter 2 inches  
Casing Volume \_\_\_\_\_ gallons  
Volume Removed \_\_\_\_\_ gallons  
Total No. of Casing Volumes Removed \_\_\_\_\_  
Date 5/10/15

Factor * Water Column Height Equals Gallons	
Factor	Diameter
0.163	2" Well
0.653	4" Well
1.469	6" Well
Conversions	
1 mL	= 0.0003 gal
1 gal	= 3,785 mL

**SAMPLING METHOD:**

Low-Flow \_\_\_\_\_ X  
Grab/No-purge \_\_\_\_\_  
Bailer \_\_\_\_\_  
Peristaltic pump \_\_\_\_\_  
Submersible Pump \_\_\_\_\_ X  
Passive Diffusion Bag? \_\_\_\_\_  
Other \_\_\_\_\_  
Was drawdown greater than 0.3 ft? (y/n) \_\_\_\_\_ N  
Pump Depth (ft below TOC) (if applicable) \_\_\_\_\_

**Stability Parameter Readings:**

Readings every five minutes for at least three readings to achieve stability for ALL parameters except as noted.

Start Time	Temperature (Celsius)	pH	Oxidation-Reduction Potential (mV)	Specific Conductance (umhos/cm)	Turbidity (NTU)	Dissolved Oxygen (mg/L)	Sampling DTW (ft)	Flow Rate (ml/min)	mL Removed
	+/- 3%	+/- 0.1	+/- 10mV*	+/- 3%	+/- 10%*	+/- 10%*	<0.3ft	<250	
<u>6:30</u>									
<u>6:35</u>	<u>14.62</u>	<u>7.33</u>	<u>179</u>	<u>1.01</u>	<u>0.00</u>	<u>7.77</u>	<u>50.13</u>	<u>~200</u>	<u>1000</u>
<u>6:40</u>	<u>14.05</u>	<u>7.32</u>	<u>187</u>	<u>1.00</u>	<u>0.00</u>	<u>5.44</u>	<u>50.14</u>		<u>2000</u>
<u>6:45</u>	<u>13.96</u>	<u>7.32</u>	<u>190</u>	<u>1.00</u>	<u>0.00</u>	<u>5.09</u>	<u>50.14</u>		<u>3000</u>
<u>6:50</u>	<u>13.94</u>	<u>7.29</u>	<u>192</u>	<u>0.998</u>	<u>0.00</u>	<u>5.04</u>	<u>50.14</u>		<u>4000</u>
<u>6:55</u>	<u>13.90</u>	<u>7.33</u>	<u>191</u>	<u>0.997</u>	<u>0.00</u>	<u>4.97</u>	<u>50.14</u>		<u>5000</u>
<u>7:00</u>	<u>13.93</u>	<u>7.34</u>	<u>192</u>	<u>0.987</u>	<u>0.00</u>	<u>4.97</u>	<u>50.14</u>		<u>6000</u>

\* Only one (1) of these need to reach stability.

PURGE! Date 6-9-15 Time \_\_\_\_\_  
SAMPLING: Date 6-9-15 Time 7:05

Sample Analysis	Volume	Type	Number of Containers	Preservative Type	Reaction (y/n)	Filter Type	Duplicate	MS/MSD
VOC 8260	40mL	VOA	<u>6</u>	HCL	<u>N</u>	NA	<u>DUP-5</u>	NA
Ethene, Ethane, Methane	<u>20</u>	<u>VOA</u>	<u>1</u>	<u>HCL</u>	<u>N</u>	<u>NA</u>	<u>-</u>	<u>-</u>
Substrate Chloride	<u>250</u>	<u>NA</u>	<u>1</u>	<u>NONE</u>	<u>N</u>	<u>N</u>	<u>-</u>	<u>-</u>
Nitrate, Nitrite	<u>250</u>	<u>NA</u>	<u>1</u>	<u>H2SO4</u>	<u>Y</u>	<u>N</u>	<u>-</u>	<u>-</u>
Diss Fe + Mn	<u>250</u>	<u>NA</u>	<u>1</u>	<u>HNO3</u>	<u>Y</u>	<u>N</u>	<u>-</u>	<u>-</u>
Total Fe + Mn	<u>250</u>	<u>NA</u>	<u>1</u>	<u>HNO3</u>	<u>Y</u>	<u>N</u>	<u>-</u>	<u>-</u>

**EQUIPMENT DECONTAMINATION PROCEDURES:**

DECONTAMINATION METHOD:  Non Phosphatic detergent wash/distilled water rinse  
 Methanol rinse

**NOTES:**

DHC Sample 1000ml +DUP-5\*

Sampler Signature: [Signature]

<sup>1</sup>Monitoring wells sampled with a bailer require at least 3 to 5 well volumes to be purged prior to sampling unless the well bails dry prior to the removal of three (3) well volumes. Wells bailed dry should be sampled upon sufficient recovery for collection of samples.

Record the time of purging and the time of sampling on the Groundwater Sampling Form.

<sup>2</sup>Include Date PDB Installed in well, and Date PDB removed and sampled in NOTES section.

602 N. Capital Ave  
Indianapolis, IN 46204  
T: 317-972-7870 F: 317-972-7875

PROJECT NAME Former Robinson's Cleaners Well/Surface Station I.D. 6155- PZ-30D2  
 LOCATION/ADDRESS 1838 W Court Street Sample Designation PZ-30D2  
Janesville, WI 53548  
 PROJECT NO. 6155  
 CLIENT/CONTACT Ray Gehrig Personnel K. Heimstead, A Jablonski, K. Vander Heiden

**WATER LEVEL MEASUREMENTS DURING GAUGING:**  
 Well Depth 155.76 feet  
 Depth to Water 50.16 feet  
 Well Diameter \_\_\_\_\_ inches  
 Casing Volume \_\_\_\_\_ gallons  
 Volume Removed \_\_\_\_\_ gallons  
 Total No. of Casing Volumes Removed \_\_\_\_\_  
 Date 5/20/15

Factor * Water Column Height Equals Gallons	
Factor	Diameter
0.163	2" Well
0.653	4" Well
1.469	6" Well
Conversions	
1 mL	= 0.0003 gal
1 gal	= 3,785 mL

**SAMPLING METHOD:**

Low-Flow X  
 Grab/No-purge \_\_\_\_\_  
 Bailer \_\_\_\_\_  
 Peristaltic pump \_\_\_\_\_  
 Submersible Pump X  
 Passive Diffusion Bag \_\_\_\_\_  
 Other \_\_\_\_\_  
 Was drawdown greater than 0.3 ft? (y/n) \_\_\_\_\_  
 Pump Depth (ft below TOC) (if applicable) \_\_\_\_\_

**Stability Parameter Readings:** Readings every five minutes for at least three readings to achieve stability for ALL parameters except as noted.

Start Time	Temperature (Celsius) +/- 3%	pH +/- 0.1	Oxidation-Reduction Potential (mV) +/- 10mV*	Specific Conductance (umhos/cm) +/- 3%	Turbidity (NTU) +/- 10%*	Dissolved Oxygen (mg/L) +/- 10%*	Sampling DTW (ft) <0.3ft	Flow Rate (ml/min) <250	µL Removed
<u>730</u>	<u>16.58</u>	<u>7.80</u>	<u>191</u>	<u>0.576</u>	<u>143</u>	<u>3.45</u>	<u>50.24</u>	<u>140</u>	<u>140</u>
<u>735</u>	<u>16.01</u>	<u>7.52</u>	<u>196</u>	<u>0.587</u>	<u>0.00</u>	<u>1.88</u>	<u>↓</u>	<u>~140</u>	<u>280</u>
<u>740</u>	<u>15.92</u>	<u>7.50</u>	<u>185</u>	<u>0.583</u>	<u>0.00</u>	<u>2.15</u>	<u>↓</u>	<u>↓</u>	<u>470</u>
<u>745</u>	<u>15.98</u>	<u>7.47</u>	<u>181</u>	<u>0.584</u>	<u>0.00</u>	<u>2.28</u>	<u>↓</u>	<u>↓</u>	<u>560</u>
<u>750</u>	<u>15.82</u>	<u>7.50</u>	<u>178</u>	<u>0.583</u>	<u>0.00</u>	<u>2.31</u>	<u>↓</u>	<u>↓</u>	<u>700</u>

\* Only one (1) of these need to reach stability.

PURGE<sup>1</sup>: Date 6-9-15 Time \_\_\_\_\_  
 SAMPLING: Date 6-9-15 Time 800

Sample Analysis	Volume	Type	Number of Containers	Preservative Type	Reaction (y/n)	Filter Type	Duplicate	MS/MSD
VOC 8260	40mL	VOA	3	HCL	N	NA	-	NA
Nitrate nitrite	250mL	N	1	H2SO4	Y	NA	-	-
Sulfate Chloride	250mL	N	1	None	-	NA	-	-
Nathan, Ethanol, Ethane	40mL	VOA	1	HCL	-	NA	-	-
Diss. Fe, Mn				HNO3	Y	Y	-	-
Total Fe, Mn				HNO3	N	N	-	-

**EQUIPMENT DECONTAMINATION PROCEDURES:**

DECONTAMINATION METHOD:  Non Phosphatic detergent wash/distilled water rinse  
 Methanol rinse

**NOTES:**

Sampler Signature: [Signature]

DHK Sample 1000ml

<sup>1</sup>Monitoring wells sampled with a bailer require at least 3 to 5 well volumes to be purged prior to sampling unless the well bails dry prior to the removal of three (3) well volumes. Wells bailed dry should be sampled upon sufficient recovery for collection of samples. Record the time of purging and the time of sampling on the Groundwater Sampling Form.

<sup>2</sup>Include Date PDB Installed in well, and Date PDB removed and sampled in NOTES section.

602 N. Capital Ave  
 Indianapolis, IN 46204  
 T: 317-972-7870 F: 317-972-7875

PROJECT NAME Former Robinson's Cleaners Well/Surface Station I.D. 6155- MW-315  
 LOCATION/ADDRESS 1838 W Court Street Sample Designation MW-315  
Janesville, WI 53548  
 PROJECT NO. 6155  
 CLIENT/CONTACT Ray Gehrig Personnel K. Heimstead, A Jablonski, K. Vander Heiden

**WATER LEVEL MEASUREMENTS DURING GAUGING:**  
 Well Depth            feet  
 Depth to Water 37.40 feet  
 Well Diameter            inches  
 Casing Volume            gallons  
 Volume Removed            gallons  
 Total No. of Casing Volumes Removed             
 Date 5/22/15

Factor * Water Column Height Equals Gallons	
Factor      Diameter	
0.163      2" Well	
0.653      4" Well	
1.469      6" Well	
Conversions	
1 mL      =      0.0003 gal	
1 gal      =      3,785 mL	

**SAMPLING METHOD:**  
 Low-Flow              
 Grab/No-purge             
 Bailer             
 Peristaltic pump             
 Submersible Pump              
 Passive Diffusion Bag<sup>2</sup>             
 Other             
 Was drawdown greater than 0.3 ft? (y/n)             
 Pump Depth (ft below TOC) (if applicable)           

**Stability Parameter Readings:** Readings every five minutes for at least three readings to achieve stability for ALL parameters except as noted.

Start Time	Temperature (Celsius) +/- 3%	pH +/- 0.1	Oxidation-Reduction Potential (mV) +/- 10mV*	Specific Conductance (umhos/cm) +/- 3%	Turbidity (NTU) +/- 10%*	Dissolved Oxygen (mg/L) +/- 10%*	Sampling DTW (ft) <0.3ft	Flow Rate (ml/min) <250	mL Removed

\* Only one (1) of these need to reach stability.

**PURGE<sup>1</sup>:** Date            Time             
**SAMPLING:** Date            Time           

Sample Analysis	Volume	Type	Number of Containers	Preservative Type	Reaction (y/n)	Filter Type	Duplicate	MS/MSD
VOC 8260	40mL	VOA	3	HCL	N	NA		NA

**EQUIPMENT DECONTAMINATION PROCEDURES:**  
 DECONTAMINATION METHOD:  Non Phosphatic detergent wash/distilled water rinse  
 Methanol rinse

NOTES:  
 Sampler Signature: [Signature]  
<sup>1</sup>Monitoring wells sampled with a bailer require at least 3 to 5 well volumes to be purged prior to sampling unless the well bails dry prior to the removal of three (3) well volumes. Wells bailed dry should be sampled upon sufficient recovery for collection of samples.  
 Record the time of purging and the time of sampling on the Groundwater Sampling Form.  
<sup>2</sup>Include Date PDB Installed in well, and Date PDB removed and sampled in NOTES section.

602 N. Capital Ave  
 Indianapolis, IN 46204  
 T: 317-972-7870 F: 317-972-7875

PROJECT NAME Former Robinson's Cleaners Well/Surface Station I.D. 6155- MW-31D  
 LOCATION/ADDRESS 1838 W Court Street Sample Designation MW-31D  
Janesville, WI 53548  
 PROJECT NO. 6155  
 CLIENT/CONTACT Ray Gehrig Personnel K. Heimstead, A Jablonski, K. Vander Heiden

**WATER LEVEL MEASUREMENTS DURING GAUGING:**

Well Depth 59.29 feet  
 Depth to Water 47.52 feet  
 Well Diameter \_\_\_\_\_ inches  
 Casing Volume \_\_\_\_\_ gallons  
 Volume Removed \_\_\_\_\_ gallons  
 Total No. of Casing Volumes Removed \_\_\_\_\_  
 Date 5/20/15

Factor * Water Column Height Equals Gallons	
Factor	Diameter
0.163	2" Well
0.653	4" Well
1.469	6" Well
Conversions	
1 mL	= 0.0003 gal
1 gal	= 3,785 mL

**SAMPLING METHOD:**

Low-Flow X  
 Grab/No-purge \_\_\_\_\_  
 Bailer \_\_\_\_\_  
 Peristaltic pump \_\_\_\_\_  
 Submersible Pump X  
 Passive Diffusion Bag<sup>2</sup> \_\_\_\_\_  
 Other \_\_\_\_\_  
 Was drawdown greater than 0.3 ft? (y/n) N  
 Pump Depth (ft below TOC) (if applicable) \_\_\_\_\_

**Stability Parameter Readings:** Readings every five minutes for at least three readings to achieve stability for ALL parameters except as noted.

Start Time	Temperature (Celsius)	pH	Oxidation-Reduction Potential (mV)	Specific Conductance (umhos/cm)	Turbidity (NTU)	Dissolved Oxygen (mg/L)	Sampling DTW (ft)	Flow Rate (ml/min)	mL Removed
<u>1445</u>									
<u>1450</u>	<u>17.81</u>	<u>7.10</u>	<u>236</u>	<u>2.46</u>	<u>0.00</u>	<u>7.02</u>	<u>4780</u>	<u>~200</u>	<u>1000</u>
<u>1455</u>	<u>15.41</u>	<u>6.95</u>	<u>209</u>	<u>2.49</u>	<u>0.00</u>	<u>6.72</u>	↓	↓	<u>2000</u>
<u>1500</u>	<u>15.11</u>	<u>6.91</u>	<u>208</u>	<u>2.47</u>	<u>0.00</u>	<u>6.46</u>	↓	↓	<u>3000</u>
<u>1505</u>	<u>14.92</u>	<u>6.89</u>	<u>215</u>	<u>2.47</u>	<u>825</u>	<u>6.32</u>	↓	↓	<u>4000</u>
<u>1510</u>	<u>14.83</u>	<u>6.88</u>	<u>223</u>	<u>2.47</u>	<u>830</u>	<u>6.19</u>	↓	↓	<u>5000</u>
<u>1515</u>	<u>14.69</u>	<u>6.86</u>	<u>229</u>	<u>2.47</u>	<u>719</u>	<u>6.22</u>	↓	↓	<u>6000</u>
<u>1520</u>									<u>7000</u>

\* Only one (1) of these need to reach stability.

**PURGE:** Date 6-2-15 Time \_\_\_\_\_  
**SAMPLING:** Date 6-2-15 Time 1520

Sample Analysis	Volume	Type	Number of Containers	Preservative Type	Reaction (y/n)	Filter Type	Duplicate	MS/MSD
<u>VOC 8260</u>	<u>40mL</u>	<u>VOA</u>	<u>3</u>	<u>HCL</u>	<u>N</u>	<u>NA</u>	<u>1</u>	<u>NA</u>

**EQUIPMENT DECONTAMINATION PROCEDURES:**

DECONTAMINATION METHOD:  Non Phosphatic detergent wash/distilled water rinse  
 Methanol rinse

NOTES:

Sampler Signature: [Signature]

<sup>1</sup>Monitoring wells sampled with a bailer require at least 3 to 5 well volumes to be purged prior to sampling unless the well bails dry prior to the removal of three (3) well volumes. Wells bailed dry should be sampled upon sufficient recovery for collection of samples. Record the time of purging and the time of sampling on the Groundwater Sampling Form.  
<sup>2</sup>Include Date PDB Installed in well, and Date PDB removed and sampled in NOTES section.



# GROUNDWATER SAMPLING FORM

602 N. Capital Ave  
 Indianapolis, IN 46204  
 T: 317-972-7870 F: 317-972-7875

PROJECT NAME Former Robinson's Cleaners  
 LOCATION/ADDRESS 1838 W Court Street  
Janesville, WI 53548  
 PROJECT NO. 6155  
 CLIENT/CONTACT Ray Gehrig

Well/Surface Station I.D. 6155-MW-34D  
 Sample Designation MW-34D

Personnel K. Heimstead, A. Jablonski, K. Vander Heiden

**WATER LEVEL MEASUREMENTS DURING GAUGING:**

Well Depth 45.33 feet  
 Depth to Water 47.20 feet  
 Well Diameter \_\_\_\_\_ inches  
 Casing Volume \_\_\_\_\_ gallons  
 Volume Removed \_\_\_\_\_ gallons  
 Total No. of Casing Volumes Removed \_\_\_\_\_  
 Date 5/20/15

Factor * Water Column Height Equals Gallons	
Factor	Diameter
0.163	2" Well
0.653	4" Well
1.469	6" Well
Conversions	
1 mL	= 0.0003 gal
1 gal	= 3,785 mL

**SAMPLING METHOD:**

Low-Flow \_\_\_\_\_ X  
 Grab/No-purge \_\_\_\_\_  
 Bailer \_\_\_\_\_  
 Peristaltic pump \_\_\_\_\_  
 Submersible Pump \_\_\_\_\_ X  
 Passive Diffusion Bag \_\_\_\_\_  
 Other \_\_\_\_\_  
 Was drawdown greater than 0.3 ft? (y/n) \_\_\_\_\_  
 Pump Depth (ft below TOC) (if applicable) \_\_\_\_\_

**Stability Parameter Readings:** Readings every five minutes for at least three readings to achieve stability for ALL parameters except as noted.

Start Time	Temperature (Celsius) +/- 3%	pH +/- 0.1	Oxidation-Reduction Potential (mV) +/- 10mV*	Specific Conductance (umhos/cm) +/- 3%	Turbidity (NTU) +/- 10%*	Dissolved Oxygen (mg/L) +/- 10%*	Sampling DTW (ft) < 0.3ft	Flow Rate (ml/min) < 250	mL Removed
1600	16.01	7.36	165	1.01	810	8.81	48.25	~200	1000
1605	16.01	7.26	176	1.02	727	8.17	↓	↓	2000
1610	13.88	7.18	188	1.02	106	7.69	↓	↓	3000
1615	13.30	7.14	192	1.02	62.5	7.77	↓	↓	4000
1620	13.27	7.09	197	1.03	43.0	7.78	↓	↓	5000
1625	13.14	7.08	197	1.01	42.1	7.77	↓	↓	6000
1630	13.13								

\* Only one (1) of these need to reach stability.

PURGE! Date 6-3-15 Time 1635  
 SAMPLING: Date 6-3-15 Time \_\_\_\_\_  
 Sample Analysis VOC 8260 Volume 40mL Type VOA Number of Containers 3  
 Preservative Type HCL Reaction (y/n) N Filter Type NA Duplicate \_\_\_\_\_ MS/MSD NA

**EQUIPMENT DECONTAMINATION PROCEDURES:**

DECONTAMINATION METHOD:  Non Phosphatic detergent wash/distilled water rinse  
 Methanol rinse

**NOTES:**

Sampler Signature: [Signature]  
 \*Monitoring wells sampled with a bailer require at least 3 to 5 well volumes to be purged prior to sampling unless the well bails dry prior to the removal of three (3) well volumes. Wells bailed dry should be sampled upon sufficient recovery for collection of samples. Record the time of purging and the time of sampling on the Groundwater Sampling Form.  
 †Include Date PDB Installed in well, and Date PDB removed and sampled in NOTES section.



602 N. Capital Ave  
Indianapolis, IN 46204  
T: 317-972-7870 F: 317-972-7875

PROJECT NAME Former Robinson's Cleaners Well/Surface Station I.D. 6155- MW-35D  
 LOCATION/ADDRESS 1838 W Court Street Sample Designation mw-35D  
Janesville, WI 53548  
 PROJECT NO. 6155  
 CLIENT/CONTACT Ray Gehrig Personnel K. Heimstead, A Jablonski, K. Vander Heiden

**WATER LEVEL MEASUREMENTS DURING GAUGING:**

Well Depth 61.6 feet  
 Depth to Water 53.03 feet  
 Well Diameter \_\_\_\_\_ inches  
 Casing Volume \_\_\_\_\_ gallons  
 Volume Removed \_\_\_\_\_ gallons  
 Total No. of Casing Volumes Removed \_\_\_\_\_  
 Date 5/20/15

Factor * Water Column Height Equals Gallons	
Factor	Diameter
0.163	2" Well
0.653	4" Well
1.469	6" Well
Conversions	
1 mL	= 0.0003 gal
1 gal	= 3,785 mL

**SAMPLING METHOD:**

Low-Flow X  
 Grab/No-purge \_\_\_\_\_  
 Bailer \_\_\_\_\_  
 Peristaltic pump \_\_\_\_\_  
 Submersible Pump X  
 Passive Diffusion Bag<sup>2</sup> \_\_\_\_\_  
 Other \_\_\_\_\_  
 Was drawdown greater than 0.3 ft? (y/n) \_\_\_\_\_  
 Pump Depth (ft below TOC) (if applicable) \_\_\_\_\_

**Stability Parameter Readings:**

Readings every five minutes for at least three readings to achieve stability for ALL parameters except as noted.

Start Time	Temperature (Celsius)	pH	Oxidation-Reduction Potential (mV)	Specific Conductance (umhos/cm)	Turbidity (NTU)	Dissolved Oxygen (mg/L)	Sampling DTW (ft)	Flow Rate (ml/min)	mL Removed
			+/- 10mV*	+/- 3%	+/- 10%*	+/- 10%*	<0.3ft	<250	
<u>715</u>									
<u>720</u>	<u>14.27</u>	<u>6.84</u>	<u>280</u>	<u>0.748</u>	<u>0.00</u>	<u>8.54</u>	<u>53.06</u>	<u>-200</u>	<u>1000</u>
<u>725</u>	<u>13.17</u>	<u>6.96</u>	<u>103</u>	<u>0.752</u>	<u>0.00</u>	<u>6.65</u>	<u>↓</u>	<u>↓</u>	<u>2000</u>
<u>730</u>	<u>12.98</u>	<u>7.12</u>	<u>45</u>	<u>0.741</u>	<u>387</u>	<u>6.27</u>	<u>↓</u>	<u>↓</u>	<u>3000</u>
<u>735</u>	<u>13.10</u>	<u>7.12</u>	<u>56</u>	<u>0.733</u>	<u>326</u>	<u>6.29</u>	<u>↓</u>	<u>↓</u>	<u>4000</u>
<u>740</u>	<u>13.00</u>	<u>7.02</u>	<u>80</u>	<u>0.729</u>	<u>247</u>	<u>6.38</u>	<u>↓</u>	<u>↓</u>	<u>5000</u>
<u>745</u>	<u>13.06</u>	<u>7.01</u>	<u>88</u>	<u>0.728</u>	<u>232</u>	<u>6.40</u>	<u>↓</u>	<u>↓</u>	<u>6000</u>
<u>750</u>									
<u>755</u>									

\* Only one (1) of these need to reach stability.

PURGE<sup>1</sup>: Date 6-4-15 Time \_\_\_\_\_  
 SAMPLING: Date 6-4-15 Time 750

Sample Analysis	Volume	Type	Number of Containers	Preservative Type	Reaction (y/n)	Filter Type	Duplicate	MS/MSD
<u>VOC 8260</u>	<u>40mL</u>	<u>VOA</u>	<u>3</u>	<u>HCL</u>	<u>N</u>	<u>NA</u>	<u>—</u>	<u>NA</u>

**EQUIPMENT DECONTAMINATION PROCEDURES:**

DECONTAMINATION METHOD:  Non Phosphatic detergent wash/distilled water rinse  
 Methanol rinse

**NOTES:**

Sampler Signature: [Signature]

<sup>1</sup>Monitoring wells sampled with a bailer require at least 3 to 5 well volumes to be purged prior to sampling unless the well bails dry prior to the removal of three (3) well volumes. Wells bailed dry should be sampled upon sufficient recovery for collection of samples. Record the time of purging and the time of sampling on the Groundwater Sampling Form.

<sup>2</sup>Include Date PDB Installed in well, and Date PDB removed and sampled in NOTES section.

602 N. Capital Ave  
 Indianapolis, IN 46204  
 T: 317-972-7870 F: 317-972-7875

PROJECT NAME Former Robinson's Cleaners Well/Surface Station I.D. 6155-**mw-365**  
 LOCATION/ADDRESS 1838 W Court Street Sample Designation **mw-365**  
Janesville, WI 53548  
 PROJECT NO. 6155  
 CLIENT/CONTACT Ray Gehrig Personnel K. Heimstead, A Jablonski, K. Vander Heiden

**WATER LEVEL MEASUREMENTS DURING GAUGING:**  
 Well Depth 38.51 feet  
 Depth to Water 20.80 feet  
 Well Diameter \_\_\_\_\_ inches  
 Casing Volume \_\_\_\_\_ gallons  
 Volume Removed \_\_\_\_\_ gallons  
 Total No. of Casing Volumes Removed \_\_\_\_\_  
 Date 5/20/15

Factor * Water Column Height Equals Gallons	
Factor	Diameter
0.163	2" Well
0.653	4" Well
1.469	6" Well
Conversions	
1 mL	= 0.0003 gal
1 gal	= 3,785 mL

**SAMPLING METHOD:**

Low-Flow X  
 Grab/No-purge \_\_\_\_\_  
 Bailer \_\_\_\_\_  
 Peristaltic pump \_\_\_\_\_  
 Submersible Pump X  
 Passive Diffusion Bag \_\_\_\_\_  
 Other \_\_\_\_\_  
 Was drawdown greater than 0.3 ft? (y/n) N  
 Pump Depth (ft below TOC) (if applicable) \_\_\_\_\_

**Stability Parameter Readings:** Readings every five minutes for at least three readings to achieve stability for ALL parameters except as noted.

Start Time	Temperature (Celsius) +/- 3%	pH +/- 0.1	Oxidation-Reduction Potential (mV) +/- 10mV*	Specific Conductance (umhos/cm) +/- 3%	Turbidity (NTU) +/- 10%*	Dissolved Oxygen (mg/L) +/- 10%*	Sampling DTW (ft) <0.3ft	Flow Rate (ml/min) <250	mL Removed
<u>1550</u>									
<u>1555</u>	<u>20.83</u>	<u>7.14</u>	<u>64</u>	<u>0.916</u>	<u>0.00</u>	<u>0.43</u>	<u>19.79</u>	<u>~200</u>	<u>1000</u>
<u>1600</u>	<u>20.34</u>	<u>6.98</u>	<u>50</u>	<u>0.908</u>	<u>0.00</u>	<u>0.08</u>	<u>↓</u>	<u>↓</u>	<u>2000</u>
<u>1605</u>	<u>19.24</u>	<u>6.93</u>	<u>38</u>	<u>0.927</u>	<u>0.00</u>	<u>3.36</u>	<u>↓</u>	<u>↓</u>	<u>3000</u>
<u>1610</u>	<u>18.14</u>	<u>6.91</u>	<u>39</u>	<u>0.946</u>	<u>0.00</u>	<u>3.29</u>	<u>↓</u>	<u>↓</u>	<u>4000</u>
<u>1615</u>	<u>17.82</u>	<u>6.89</u>	<u>41</u>	<u>0.957</u>	<u>0.00</u>	<u>3.20</u>	<u>↓</u>	<u>↓</u>	<u>5000</u>
<u>1620</u>	<u>17.60</u>	<u>6.88</u>	<u>47</u>	<u>0.953</u>	<u>0.00</u>	<u>4.90</u>	<u>↓</u>	<u>↓</u>	<u>6000</u>

\* Only one (1) of these need to reach stability.

**PURGE<sup>1</sup>:** Date 6-1-15 Time \_\_\_\_\_  
**SAMPLING:** Date 6-1-15 Time 1625

Sample Analysis	Volume	Type	Number of Containers	Preservative Type	Reaction (y/n)	Filter Type	Duplicate	MS/MSD
<u>VOC 8260</u>	<u>40mL</u>	<u>VOA</u>	<u>3</u>	<u>HCL</u>	<u>N</u>	<u>NA</u>	<u>—</u>	<u>NA</u>

**EQUIPMENT DECONTAMINATION PROCEDURES:**

DECONTAMINATION METHOD:  Non Phosphatic detergent wash/distilled water rinse  
 Methanol rinse

**NOTES:**

Sampler Signature: [Signature]

<sup>1</sup>Monitoring wells sampled with a bailer require at least 3 to 5 well volumes to be purged prior to sampling unless the well bails dry prior to the removal of three (3) well volumes. Wells bailed dry should be sampled upon sufficient recovery for collection of samples. Record the time of purging and the time of sampling on the Groundwater Sampling Form.  
<sup>2</sup>Include Date PDB Installed in well, and Date PDB removed and sampled in NOTES section.

602 N. Capital Ave  
 Indianapolis, IN 46204  
 T: 317-972-7870 F: 317-972-7875

PROJECT NAME Former Robinson's Cleaners Well/Surface Station I.D. 6155- MW-36D  
 LOCATION/ADDRESS 1838 W Court Street Sample Designation mw-36D  
Janesville, WI 53548  
 PROJECT NO. 6155  
 CLIENT/CONTACT Ray Gehrig Personnel K. Heimstead, A Jablonski, K. Vander Heiden

**WATER LEVEL MEASUREMENTS DURING GAUGING:**  
 Well Depth 59.21 feet  
 Depth to Water 50.72 feet  
 Well Diameter \_\_\_\_\_ inches  
 Casing Volume \_\_\_\_\_ gallons  
 Volume Removed \_\_\_\_\_ gallons  
 Total No. of Casing Volumes Removed \_\_\_\_\_  
 Date 5/20/15

Factor * Water Column Height Equals Gallons	
Factor	Diameter
0.163	2" Well
0.653	4" Well
1.469	6" Well
Conversions	
1 mL	= 0.0003 gal
1 gal	= 3,785 mL

**SAMPLING METHOD:**

Low-Flow \_\_\_\_\_ X  
 Grab/No-purge \_\_\_\_\_  
 Bailer \_\_\_\_\_  
 Peristaltic pump \_\_\_\_\_  
 Submersible Pump \_\_\_\_\_ X  
 Passive Diffusion Bag \_\_\_\_\_  
 Other \_\_\_\_\_  
 Was drawdown greater than 0.3 ft? (y/n) N  
 Pump Depth (ft below TOC) (if applicable) \_\_\_\_\_

**Stability Parameter Readings:**

Readings every five minutes for at least three readings to achieve stability for ALL parameters except as noted.

Start Time	Temperature (Celsius)	pH	Oxidation-Reduction Potential (mV)	Specific Conductance (umhos/cm)	Turbidity (NTU)	Dissolved Oxygen (mg/L)	Sampling DTW (ft)	Flow Rate (ml/min)	mL Removed
			+/- 10mV*	+/- 3%	+/- 10%*	+/- 10%*	<0.3ft	<250	
<u>1500</u>	<u>19.68</u>	<u>7.28</u>	<u>31</u>	<u>0.859</u>	<u>0.00</u>	<u>7.02</u>	<u>50.84</u>	<u>~200</u>	<u>1000</u>
<u>1505</u>	<u>18.47</u>	<u>7.21</u>	<u>8</u>	<u>0.907</u>	<u>680</u>	<u>6.40</u>			<u>2000</u>
<u>1510</u>	<u>17.47</u>	<u>7.16</u>	<u>8</u>	<u>0.932</u>	<u>200</u>	<u>6.07</u>			<u>3000</u>
<u>1515</u>	<u>17.39</u>	<u>7.14</u>	<u>15</u>	<u>0.931</u>	<u>137</u>	<u>6.09</u>			<u>4000</u>
<u>1520</u>	<u>17.19</u>	<u>7.09</u>	<u>24</u>	<u>0.927</u>	<u>83.1</u>	<u>6.20</u>			<u>5000</u>
<u>1525</u>	<u>17.27</u>	<u>7.08</u>	<u>30</u>	<u>0.918</u>	<u>69.1</u>	<u>6.28</u>			

\* Only one (1) of these need to reach stability.

PURGE: Date 6-1-15 Time \_\_\_\_\_  
 SAMPLING: Date 6-1-15 Time 1530

Sample Analysis	Volume	Type	Number of Containers	Preservative Type	Reaction (y/n)	Filter Type	Duplicate	MS/MSD
<u>VOC 8260</u>	<u>40mL</u>	<u>VOA</u>	<u>3</u>	<u>HCL</u>	<u>N</u>	<u>NA</u>		<u>NA</u>

**EQUIPMENT DECONTAMINATION PROCEDURES:**

DECONTAMINATION METHOD:  Non Phosphatic detergent wash/distilled water rinse  
 Methanol rinse

**NOTES:**

Sampler Signature: [Signature]

<sup>1</sup>Monitoring wells sampled with a bailer require at least 3 to 5 well volumes to be purged prior to sampling unless the well bails dry prior to the removal of three (3) well volumes. Wells bailed dry should be sampled upon sufficient recovery for collection of samples. Record the time of purging and the time of sampling on the Groundwater Sampling Form.

<sup>2</sup>Include Date PDB Installed in well, and Date PDB removed and sampled in NOTES section.

602 N. Capital Ave  
 Indianapolis, IN 46204  
 T: 317-972-7870 F: 317-972-7875

PROJECT NAME Former Robinson's Cleaners Well/Surface Station I.D. 6155- MW-37D  
 LOCATION/ADDRESS 1838 W Court Street Sample Designation MW-37D  
Janesville, WI 53548  
 PROJECT NO. 6155  
 CLIENT/CONTACT Ray Gehrig Personnel K. Heimstead, A Jablonski, K. Vander Heiden

**WATER LEVEL MEASUREMENTS DURING GAUGING:**

Well Depth 60.84 feet  
 Depth to Water 50.72 feet  
 Well Diameter \_\_\_\_\_ inches  
 Casing Volume \_\_\_\_\_ gallons  
 Volume Removed \_\_\_\_\_ gallons  
 Total No. of Casing Volumes Removed \_\_\_\_\_  
 Date 5/20/15

Factor * Water Column Height Equals Gallons	
Factor	Diameter
0.163	2" Well
0.653	4" Well
1.469	6" Well
Conversions	
1 mL	= 0.0003 gal
1 gal	= 3,785 mL

**SAMPLING METHOD:**

Low-Flow X  
 Grab/No-purge \_\_\_\_\_  
 Bailer \_\_\_\_\_  
 Peristaltic pump \_\_\_\_\_  
 Submersible Pump X  
 Passive Diffusion Bag \_\_\_\_\_  
 Other \_\_\_\_\_  
 Was drawdown greater than 0.3 ft? (y/n) N  
 Pump Depth (ft below TOC) (if applicable) \_\_\_\_\_

**Stability Parameter Readings:** Readings every five minutes for at least three readings to achieve stability for ALL parameters except as noted.

Start Time	Temperature (Celsius)	pH	Oxidation-Reduction Potential (mV)	Specific Conductance (umhos/cm)	Turbidity (NTU)	Dissolved Oxygen (mg/L)	Sampling DTW (ft)	Flow Rate (ml/min)	mL Removed
	+/- 3%	+/- 0.1	+/- 10mV*	+/- 3%	+/- 10%*	+/- 10%*	< 0.3ft	< 250	
<u>1325</u>									
<u>1330</u>	<u>20.97</u>	<u>6.43</u>	<u>123</u>	<u>0.914</u>	<u>993</u>	<u>2.14</u>		<u>~200</u>	<u>1000</u>
<u>1335</u>	<u>17.92</u>	<u>6.22</u>	<u>121</u>	<u>0.917</u>	<u>565</u>	<u>3.76</u>			<u>2000</u>
<u>1340</u>	<u>17.03</u>	<u>6.07</u>	<u>111</u>	<u>0.896</u>	<u>160</u>	<u>3.12</u>			<u>3000</u>
<u>1345</u>	<u>17.00</u>	<u>6.00</u>	<u>111</u>	<u>0.882</u>	<u>64.7</u>	<u>3.16</u>			<u>4000</u>
<u>1350</u>	<u>16.69</u>	<u>5.97</u>	<u>106</u>	<u>0.878</u>	<u>44.5</u>	<u>3.02</u>			<u>5000</u>
<u>1355</u>	<u>16.57</u>	<u>5.96</u>	<u>104</u>	<u>0.874</u>	<u>36.3</u>	<u>2.87</u>			<u>6000</u>

\* Only one (1) of these need to reach stability.

PURGE: Date 6-4-15 Time \_\_\_\_\_  
 SAMPLING: Date 6-4-15 Time 1400

Sample Analysis	Volume	Type	Number of Containers	Preservative Type	Reaction (y/n)	Filter Type	Duplicate	MS/MSD
VOC 8260	40mL	VOA	<u>3</u>	HCL	<u>N</u>	NA	<u>-</u>	NA

**EQUIPMENT DECONTAMINATION PROCEDURES:**

DECONTAMINATION METHOD:  Non Phosphatic detergent wash/distilled water rinse  
 Methanol rinse

**NOTES:**

Sampler Signature: [Signature]

<sup>1</sup>Monitoring wells sampled with a bailer require at least 3 to 5 well volumes to be purged prior to sampling unless the well bails dry prior to the removal of three (3) well volumes. Wells bailed dry should be sampled upon sufficient recovery for collection of samples.

Record the time of purging and the time of sampling on the Groundwater Sampling Form.

<sup>2</sup>Include Date PDB Installed in well, and Date PDB removed and sampled in NOTES section.

602 N. Capital Ave  
 Indianapolis, IN 46204  
 T: 317-972-7870 F: 317-972-7875

PROJECT NAME Former Robinson's Cleaners Well/Surface Station I.D. 6155- mw-38D  
 LOCATION/ADDRESS 1838 W Court Street Sample Designation mw-38D  
Janesville, WI 53548  
 PROJECT NO. 6155  
 CLIENT/CONTACT Ray Gehrig Personnel K. Heimstead, A Jablonski, K. Vander Heiden

**WATER LEVEL MEASUREMENTS DURING GAUGING:**  
 Well Depth 54.86 feet  
 \*Depth to Water 46.02 feet  
 Well Diameter \_\_\_\_\_ inches  
 Casing Volume \_\_\_\_\_ gallons  
 Volume Removed \_\_\_\_\_ gallons  
 Total No. of Casing Volumes Removed \_\_\_\_\_  
 Date 5/20/15

Factor	* Water Column Height Equals Gallons
Factor	Diameter
0.163	2" Well
0.653	4" Well
1.469	6" Well
Conversions	
1 mL	= 0.0003 gal
1 gal	= 3,785 mL

**SAMPLING METHOD:**  
 Low-Flow  X  
 Grab/No-purge \_\_\_\_\_  
 Bailer \_\_\_\_\_  
 Peristaltic pump \_\_\_\_\_  
 Submersible Pump  X  
 Passive Diffusion Bag<sup>2</sup> \_\_\_\_\_  
 Other \_\_\_\_\_  
 Was drawdown greater than 0.3 ft? (y/n) N  
 Pump Depth (ft below TOC) (if applicable) \_\_\_\_\_

**Stability Parameter Readings:** Readings every five minutes for at least three readings to achieve stability for ALL parameters except as noted.

Start Time	Temperature (Celsius)	pH	Oxidation-Reduction Potential (mV)	Specific Conductance (umhos/cm)	Turbidity (NTU)	Dissolved Oxygen (mg/L)	Sampling DTW (ft)	Flow Rate (ml/min)	mL Removed
<u>1540</u>	<u>18.37</u>	<u>7.10</u>	<u>254</u>	<u>2.33</u>	<u>0.00</u>	<u>7.93</u>	<u>46.05</u>	<u>200</u>	<u>1000</u>
<u>1545</u>	<u>18.65</u>	<u>7.08</u>	<u>259</u>	<u>2.28</u>	<u>0.00</u>	<u>7.45</u>	↓	↓	<u>2000</u>
<u>1550</u>	<u>18.77</u>	<u>7.06</u>	<u>265</u>	<u>2.24</u>	<u>0.00</u>	<u>7.34</u>	↓	↓	<u>3000</u>
<u>1555</u>	<u>18.70</u>	<u>7.04</u>	<u>270</u>	<u>2.22</u>	<u>0.00</u>	<u>7.24</u>	↓	↓	<u>4000</u>
<u>1600</u>	<u>18.72</u>	<u>7.04</u>	<u>276</u>	<u>2.21</u>	<u>0.00</u>	<u>7.16</u>	↓	↓	<u>5000</u>
<u>1605</u>	<u>18.74</u>	<u>7.03</u>	<u>278</u>	<u>2.21</u>	<u>0.00</u>	<u>7.16</u>	↓	↓	<u>6000</u>
<u>1610</u>									

\* Only one (1) of these need to reach stability.

**PURGE!** Date 6-7-15 Time \_\_\_\_\_  
**SAMPLING:** Date 6-2-15 Time 1615

Sample Analysis	Volume	Type	Number of Containers	Preservative Type	Reaction (y/n)	Filter Type	Duplicate	MS/MSD
<u>VOC 8260</u>	<u>40mL</u>	<u>VOA</u>	<u>3</u>	<u>HCL</u>	<u>N</u>	<u>NA</u>	<u>-</u>	<u>NA</u>

**EQUIPMENT DECONTAMINATION PROCEDURES:**

DECONTAMINATION METHOD:  Non Phosphatic detergent wash/distilled water rinse  
 Methanol rinse

NOTES:

Sampler Signature: [Signature]

<sup>1</sup>Monitoring wells sampled with a bailer require at least 3 to 5 well volumes to be purged prior to sampling unless the well bails dry prior to the removal of three (3) well volumes. Wells bailed dry should be sampled upon sufficient recovery for collection of samples. Record the time of purging and the time of sampling on the Groundwater Sampling Form.

<sup>2</sup>include Date PDB Installed in well, and Date PDB removed and sampled in NOTES section.

602 N. Capital Ave  
 Indianapolis, IN 46204  
 T: 317-972-7870 F: 317-972-7875

PROJECT NAME Former Robinson's Cleaners

Well/Surface Station I.D. 6155-MW-39S

LOCATION/ADDRESS 1838 W Court Street  
Janesville, WI 53548

Sample Designation MW-39S

PROJECT NO. 6155

CLIENT/CONTACT Ray Gehrig

Personnel K. Heimstead, A Jablonski, K. Vander Heiden

**WATER LEVEL MEASUREMENTS DURING GAUGING:**

Well Depth 27.98 feet  
 Depth to Water 19.19 feet  
 Well Diameter \_\_\_\_\_ inches  
 Casing Volume \_\_\_\_\_ gallons  
 Volume Removed \_\_\_\_\_ gallons  
 Total No. of Casing Volumes Removed \_\_\_\_\_  
 Date 5/20/15

Factor * Water Column Height Equals Gallons	
Factor	Diameter
0.163	2" Well
0.653	4" Well
1.469	6" Well
Conversions	
1 mL	= 0.0003 gal
1 gal	= 3,785 mL

**SAMPLING METHOD:**

Low-Flow X  
 Grab/No-purge \_\_\_\_\_  
 Bailer \_\_\_\_\_  
 Peristaltic pump \_\_\_\_\_  
 Submersible Pump X  
 Passive Diffusion Bag \_\_\_\_\_  
 Other \_\_\_\_\_  
 Was drawdown greater than 0.3 ft? (y/n) N  
 Pump Depth (ft below TOC) (if applicable) \_\_\_\_\_

**Stability Parameter Readings:**

Readings every five minutes for at least three readings to achieve stability for ALL parameters except as noted.

Start Time	Temperature (Celsius) +/- 3%	pH +/- 0.1	Oxidation-Reduction Potential (mV) +/- 10mV*	Specific Conductance (umhos/cm) +/- 3%	Turbidity (NTU) +/- 10%*	Dissolved Oxygen (mg/L) +/- 10%*	Sampling DTW (ft) < 0.3ft	Flow Rate (ml/min) < 250	mL Removed
			<u>10:25</u>	<u>14.75</u>	<u>6.88</u>	<u>276</u>	<u>1.14</u>	<u>426</u>	<u>2.45</u>
<u>10:30</u>	<u>14.08</u>	<u>6.86</u>	<u>277</u>	<u>1.13</u>	<u>212</u>	<u>2.24</u>	<u>↓</u>	<u>↓</u>	<u>2000</u>
<u>10:35</u>	<u>13.70</u>	<u>6.85</u>	<u>278</u>	<u>1.13</u>	<u>163</u>	<u>2.13</u>	<u>↓</u>	<u>↓</u>	<u>3000</u>
<u>10:40</u>	<u>13.38</u>	<u>6.78</u>	<u>278</u>	<u>1.14</u>	<u>91.9</u>	<u>2.14</u>	<u>↓</u>	<u>↓</u>	<u>4000</u>
<u>10:45</u>	<u>13.29</u>	<u>6.73</u>	<u>280</u>	<u>1.15</u>	<u>49.5</u>	<u>2.96</u>	<u>↓</u>	<u>↓</u>	<u>5000</u>
<u>10:50</u>	<u>13.30</u>	<u>6.75</u>	<u>278</u>	<u>1.15</u>	<u>46.3</u>	<u>3.09</u>	<u>↓</u>	<u>↓</u>	<u>6000</u>
<u>10:55</u>	<u>13.22</u>	<u>6.79</u>	<u>276</u>	<u>1.15</u>	<u>40.6</u>	<u>3.17</u>	<u>↓</u>	<u>↓</u>	<u>7000</u>

\* Only one (1) of these need to reach stability.

**PURGE!** Date 6-2-15 Time \_\_\_\_\_  
**SAMPLING:** Date 6-2-15 Time 11:00

Sample Analysis	Volume	Type	Number of Containers	Preservative Type	Reaction (y/n)	Filter Type	Duplicate	MS/MSD
<u>VOC 8260</u>	<u>40mL</u>	<u>VOA</u>	<u>6</u>	<u>HCL</u>	<u>N</u>	<u>NA</u>	<u>DUP-6</u>	<u>NA</u>

**EQUIPMENT DECONTAMINATION PROCEDURES:**

**\* DUP-6\***

DECONTAMINATION METHOD:  Non Phosphatic detergent wash/distilled water rinse  
 Methanol rinse

**NOTES:**

Sampler Signature: [Signature]

<sup>1</sup>Monitoring wells sampled with a bailer require at least 3 to 5 well volumes to be purged prior to sampling unless the well bails dry prior to the removal of three (3) well volumes. Wells bailed dry should be sampled upon sufficient recovery for collection of samples.

Record the time of purging and the time of sampling on the Groundwater Sampling Form.

<sup>2</sup>Include Date PDB Installed in well, and Date PDB removed and sampled in NOTES section.

602 N. Capital Ave  
Indianapolis, IN 46204  
T: 317-972-7870 F: 317-972-7875

PZ-400

PROJECT NAME Former Robinson's Cleaners

Well/Surface Station I.D. 6155- ~~MDS-405~~

LOCATION/ADDRESS 1838 W Court Street  
Janesville, WI 53548

Sample Designation ~~MDS-405~~  
6155-PZ-400

PROJECT NO. 6155

CLIENT/CONTACT Ray Gehrig

Personnel K. Heimstead, A Jablonski, K. Vander Heiden

**WATER LEVEL MEASUREMENTS DURING GAUGING:**

Well Depth 74.87 feet  
Depth to Water 20.60 feet  
Well Diameter \_\_\_\_\_ inches  
Casing Volume \_\_\_\_\_ gallons  
Volume Removed \_\_\_\_\_ gallons  
Total No. of Casing Volumes Removed \_\_\_\_\_  
Date 5/20/15

Factor * Water Column Height Equals Gallons	
Factor	Diameter
0.163	2" Well
0.653	4" Well
1.469	6" Well
Conversions	
1 mL	= 0.0003 gal
1 gal	= 3,785 mL

**SAMPLING METHOD:**

Low-Flow \_\_\_\_\_ X  
Grab/No-purge \_\_\_\_\_  
Bailer \_\_\_\_\_  
Peristaltic pump \_\_\_\_\_  
Submersible Pump \_\_\_\_\_ X  
Passive Diffusion Bag<sup>2</sup> \_\_\_\_\_  
Other \_\_\_\_\_  
Was drawdown greater than 0.3 ft? (y/n) \_\_\_\_\_  
Pump Depth (ft below TOC) (if applicable) \_\_\_\_\_

**Stability Parameter Readings:**

Readings every five minutes for at least three readings to achieve stability for ALL parameters except as noted.

Start Time	Temperature (Celsius) +/- 3%	pH +/- 0.1	Oxidation-Reduction Potential (mV) +/- 10mV*	Specific Conductance (umhos/cm) +/- 3%	Turbidity (NTU) +/- 10%*	Dissolved Oxygen (mg/L) +/- 10%*	Sampling DTW (ft) < 0.3ft	Flow Rate (ml/min) < 250	mL Removed
1920	15.60	7.50	135	1.17	0.00	11.38	50.05	~200	1000
1925	15.17	7.31	158	1.16	872	9.93	↓	↓	2000
1930	14.32	7.09	198	1.15	559	10.35	↓	↓	3000
1935	14.91	7.17	208	1.15	452	10.15	↓	↓	4000
1940	14.82	7.22	203	1.15	439	10.10	↓	↓	5000
1945	14.80	6.97	215	1.15	395	10.09			6000

\* Only one (1) of these need to reach stability.

PURGE: Date \_\_\_\_\_ Time \_\_\_\_\_

SAMPLING: Date 6-8-15 Time 1955

Sample Analysis	Volume	Type	Number of Containers	Preservative Type	Reaction (y/n)	Filter Type	Duplicate	MS/MSD
VOC 8260	40mL	VOA	3	HCL	N	NA		NA

**EQUIPMENT DECONTAMINATION PROCEDURES:**

DECONTAMINATION METHOD:  Non Phosphatic detergent wash/distilled water rinse  
 Methanol rinse

**NOTES:**

Sampler Signature: [Signature]

<sup>1</sup>Monitoring wells sampled with a bailer require at least 3 to 5 well volumes to be purged prior to sampling unless the well bails dry prior to the removal of three (3) well volumes. Wells bailed dry should be sampled upon sufficient recovery for collection of samples.

Record the time of purging and the time of sampling on the Groundwater Sampling Form.

<sup>2</sup>Include Date PDB Installed in well, and Date PDB removed and sampled in NOTES section.

602 N. Capital Ave  
Indianapolis, IN 46204  
T: 317-972-7870 F: 317-972-7875

*MW-40s*

PROJECT NAME Former Robinson's Cleaners Well/Surface Station I.D. 6155-~~R234500~~

LOCATION/ADDRESS 1838 W Court Street Sample Designation ~~R234500~~  
Janesville, WI 53548 *6155-MW-40s*

PROJECT NO. 6155

CLIENT/CONTACT Ray Gehrig Personnel K. Heimstead, A Jablonski, K. Vander Heiden

**WATER LEVEL MEASUREMENTS DURING GAUGING:**

Well Depth 32.76 feet  
*22.26* Depth to Water ~~14.58~~ feet  
Well Diameter \_\_\_\_\_ inches  
Casing Volume \_\_\_\_\_ gallons  
Volume Removed \_\_\_\_\_ gallons  
Total No. of Casing Volumes Removed \_\_\_\_\_  
Date 5/20/15

Factor * Water Column Height Equals Gallons	
Factor	Diameter
0.163	2" Well
0.653	4" Well
1.469	6" Well
Conversions	
1 mL	= 0.0003 gal
1 gal	= 3,785 mL

**SAMPLING METHOD:**

Low-Flow X  
Grab/No-purge \_\_\_\_\_  
Bailer \_\_\_\_\_  
Peristaltic pump \_\_\_\_\_  
Submersible Pump X  
Passive Diffusion Bag \_\_\_\_\_  
Other \_\_\_\_\_  
Was drawdown greater than 0.3 ft? (y/n) N  
Pump Depth (ft below TOC) (if applicable) \_\_\_\_\_

**Stability Parameter Readings:**

Readings every five minutes for at least three readings to achieve stability for ALL parameters except as noted.

Start Time	Temperature (Celsius)	pH	Oxidation-Reduction Potential (mV)	Specific Conductance (umhos/cm)	Turbidity (NTU)	Dissolved Oxygen (mg/L)	Sampling DTW (ft)	Flow Rate (ml/min)	mL Removed
			+/- 10mV*	+/- 3%	+/- 10%*	+/- 10%*	<0.3ft	<250	
<i>2015</i>									
<i>2010</i>	<i>13.97</i>	<i>7.18</i>	<i>239</i>	<i>0.712</i>	<i>0.00</i>	<i>2.02</i>	<i>22.26</i>	<i>~200</i>	<i>1000</i>
<i>2015</i>	<i>13.14</i>	<i>7.26</i>	<i>234</i>	<i>0.708</i>	<i>0.00</i>	<i>1.37</i>			<i>2000</i>
<i>2020</i>	<i>12.68</i>	<i>7.22</i>	<i>235</i>	<i>0.717</i>	<i>0.00</i>	<i>1.23</i>			<i>3000</i>
<i>2025</i>	<i>12.60</i>	<i>7.21</i>	<i>232</i>	<i>0.713</i>	<i>743</i>	<i>3.34</i>			<i>4000</i>
<i>2030</i>	<i>12.49</i>	<i>7.29</i>	<i>226</i>	<i>0.713</i>	<i>153</i>	<i>3.62</i>	<i>N</i>		<i>5000</i>
<i>2035</i>	<i>12.50</i>	<i>7.20</i>	<i>227</i>	<i>0.712</i>	<i>143</i>	<i>3.33</i>			<i>6000</i>

\* Only one (1) of these need to reach stability.

**PURGE:**

Date \_\_\_\_\_ Time \_\_\_\_\_

**SAMPLING:**

Date	Volume	Type	Number of Containers	Preservative Type	Reaction (y/n)	Filter Type	Duplicate	MS/MSD
<i>5-2-15</i>	<i>40mL</i>	<i>VOA</i>	<i>3</i>	<i>HCL</i>	<i>N</i>	<i>NA</i>	<i>—</i>	<i>NA</i>

**EQUIPMENT DECONTAMINATION PROCEDURES:**

DECONTAMINATION METHOD:  Non Phosphatic detergent wash/distilled water rinse  
 Methanol rinse

**NOTES:**

Sampler Signature: *[Signature]*

<sup>1</sup>Monitoring wells sampled with a bailer require at least 3 to 5 well volumes to be purged prior to sampling unless the well bails dry prior to the removal of three (3) well volumes. Wells bailed dry should be sampled upon sufficient recovery for collection of samples. Record the time of purging and the time of sampling on the Groundwater Sampling Form.  
<sup>2</sup>Include Date PDB Installed in well, and Date PDB removed and sampled in NOTES section.



602 N. Capital Ave  
Indianapolis, IN 46204  
T: 317-972-7870 F: 317-972-7875

PROJECT NAME Former Robinson's Cleaners Well/Surface Station I.D. 6155- MW-415  
 LOCATION/ADDRESS 1838 W Court Street Sample Designation MW-415  
Janesville, WI 53548  
 PROJECT NO. 6155  
 CLIENT/CONTACT Ray Gehrig Personnel K. Heimstead, A Jablonski, K. Vander Heiden

**WATER LEVEL MEASUREMENTS DURING GAUGING:**  
 Well Depth 26.15 feet  
 Depth to Water 18.80 feet  
 Well Diameter \_\_\_\_\_ inches  
 Casing Volume \_\_\_\_\_ gallons  
 Volume Removed \_\_\_\_\_ gallons  
 Total No. of Casing Volumes Removed \_\_\_\_\_  
 Date 5/20/15

Factor * Water Column Height Equals Gallons	
Factor	Diameter
0.163	2" Well
0.653	4" Well
1.469	6" Well
Conversions	
1 mL	= 0.0003 gal
1 gal	= 3,785 mL

**SAMPLING METHOD:**

Low-Flow X  
 Grab/No-purge \_\_\_\_\_  
 Bailer \_\_\_\_\_  
 Peristaltic pump \_\_\_\_\_  
 Submersible Pump X  
 Passive Diffusion Bag \_\_\_\_\_  
 Other \_\_\_\_\_  
 Was drawdown greater than 0.3 ft? (y/n) \_\_\_\_\_  
 Pump Depth (ft below TOC) (if applicable) \_\_\_\_\_

**Stability Parameter Readings:**

Readings every five minutes for at least three readings to achieve stability for ALL parameters except as noted.

Start Time	Temperature (Celsius) +/- 3%	pH +/- 0.1	Oxidation-Reduction Potential (mV) +/- 10mV*	Specific Conductance (umhos/cm) +/- 3%	Turbidity (NTU) +/- 10%*	Dissolved Oxygen (mg/L) +/- 10%*	Sampling DTW (ft) <0.3ft	Flow Rate (ml/min) <250	mL Removed
1105	16.03	7.28	41	0.703	0.00	2.42	17.67	~200	1000
1115	16.36	7.02	59	0.717	0.00	1.86	↓	↓	2000
1120	12.68	6.90	71	0.721	731	1.63	↓	↓	2000
1125	12.44	6.82	88	0.721	624	1.55	↓	↓	4000
1130	12.84	6.86	95	0.701	171	1.63	↓	↓	5000
1135	12.29	6.85	100	0.710	167	1.62	↓	↓	6000

\* Only one (1) of these need to reach stability.

**PURGE:** Date 6-4-15 Time \_\_\_\_\_  
**SAMPLING:** Date 6-4-15 Time 1140

Sample Analysis	Volume	Type	Number of Containers	Preservative Type	Reaction (y/n)	Filter Type	Duplicate	MS/MSD
VOC 8260	40mL	VOA	3	HCL	N	NA	—	NA

**EQUIPMENT DECONTAMINATION PROCEDURES:**

DECONTAMINATION METHOD:  Non Phosphatic detergent wash/distilled water rinse  
 Methanol rinse

**NOTES:**

Sampler Signature: [Signature]

<sup>1</sup>Monitoring wells sampled with a bailer require at least 3 to 5 well volumes to be purged prior to sampling unless the well bails dry prior to the removal of three (3) well volumes. Wells bailed dry should be sampled upon sufficient recovery for collection of samples. Record the time of purging and the time of sampling on the Groundwater Sampling Form.  
<sup>2</sup>Include Date PDB Installed in well, and Date PDB removed and sampled in NOTES section.

602 N. Capital Ave  
Indianapolis, IN 46204  
T: 317-972-7870 F: 317-972-7875

PROJECT NAME Former Robinson's Cleaners Well/Surface Station I.D. 6155- PZ-42DI  
LOCATION/ADDRESS 1838 W Court Street Sample Designation PZ-42DI  
Janesville, WI 53548  
PROJECT NO. 6155  
CLIENT/CONTACT Ray Gehrig Personnel K. Heimstead, A Jablonski, K. Vander Heiden

**WATER LEVEL MEASUREMENTS DURING GAUGING:**  
Well Depth 88.97 feet  
Depth to Water 49.10 feet  
Well Diameter \_\_\_\_\_ inches  
Casing Volume \_\_\_\_\_ gallons  
Volume Removed \_\_\_\_\_ gallons  
Total No. of Casing Volumes Removed \_\_\_\_\_  
Date 5/20/15

Factor * Water Column Height Equals Gallons	
Factor	Diameter
0.163	2" Well
0.653	4" Well
1.469	6" Well
Conversions	
1 mL	= 0.0003 gal
1 gal	= 3,785 mL

**SAMPLING METHOD:**  
Low-Flow  X  
Grab/No-purge \_\_\_\_\_  
Bailer \_\_\_\_\_  
Peristaltic pump \_\_\_\_\_  
Submersible Pump  X  
Passive Diffusion Bag<sup>2</sup> \_\_\_\_\_  
Other \_\_\_\_\_  
Was drawdown greater than 0.3 ft? (y/n) \_\_\_\_\_  
Pump Depth (ft below TOC) (if applicable) 86.47

**Stability Parameter Readings:** Readings every five minutes for at least three readings to achieve stability for ALL parameters except as noted.

Start Time	Temperature (Celsius) +/- 3%	pH	Oxidation-Reduction Potential (mV) +/- 10%*	Specific Conductance (umhos/cm) +/- 2%*	Turbidity (NTU) +/- 10%*	Dissolved Oxygen (mg/L) +/- 10%*	Sampling DTW (ft) < 0.3ft	Flow Rate (ml/min) < 250	mL Removed
<u>0906</u>									
<u>0911</u>	<u>20.01</u>	<u>8.92</u>	<u>184</u>	<u>0.710</u>	<u>0-</u>	<u>6.49</u>	<u>49.33</u>	<u>220</u>	
<u>0916</u>	<u>15.85</u>	<u>7.31</u>	<u>203</u>	<u>0.740</u>	<u>792</u>	<u>6.17</u>	<u>49.38</u>	<u>220</u>	
<u>0921</u>	<u>14.89</u>	<u>7.31</u>	<u>205</u>	<u>0.749</u>	<u>529</u>	<u>5.80</u>	<u>49.40</u>	<u>210</u>	
<u>0926</u>	<u>14.45</u>	<u>7.31</u>	<u>208</u>	<u>0.762</u>	<u>359</u>	<u>6.02</u>	<u>49.40</u>	<u>210</u>	
<u>0931</u>	<u>14.33</u>	<u>7.22</u>	<u>211</u>	<u>0.769</u>	<u>275</u>	<u>5.96</u>	<u>49.34</u>	<u>210</u>	

\* Only one (1) of these need to reach stability.

**PURGE:** Date \_\_\_\_\_ Time \_\_\_\_\_  
**SAMPLING:** Date 6/9 Time 0941

Sample Analysis	Volume (L)	Type	Number of Containers	Preservative Type	Reaction (y/n)	Filter Type	Duplicate	MS/MSD
VOC 8260	40mL	VOA	3	HCL	N	NA		NA
Ethene & other pethers	40			HCl		N		
Sulfate chloride	250			HNO3		N		
Nitrate nitrite	250			H2SO4		N		
Diss Fe	250			HNO3		Y		
Total Fe	250			HNO3		N		

**EQUIPMENT DECONTAMINATION PROCEDURES:**  
DECONTAMINATION METHOD:  Non Phosphatic detergent wash/distilled water rinse  
 Methanol rinse

NOTES:  
Sampler Signature: [Signature]

<sup>1</sup>Monitoring wells sampled with a bailer require at least 3 to 5 well volumes to be purged prior to sampling unless the well bails dry prior to the removal of three (3) well volumes. Wells bailed dry should be sampled upon sufficient recovery for collection of samples. Record the time of purging and the time of sampling on the Groundwater Sampling Form.  
<sup>2</sup>Include Date PDB Installed in well, and Date PDB removed and sampled in NOTES section.

602 N. Capital Ave  
Indianapolis, IN 46204  
T: 317-972-7870 F: 317-972-7875

PROJECT NAME Former Robinson's Cleaners Well/Surface Station I.D. 6155- PZ-42102  
 LOCATION/ADDRESS 1838 W Court Street Sample Designation PZ-4202  
Janesville, WI 53548  
 PROJECT NO. 6155  
 CLIENT/CONTACT Ray Gehrig Personnel K. Heimstead, A Jablonski, K. Vander Heiden

**WATER LEVEL MEASUREMENTS DURING GAUGING:**  
 Well Depth 124.63 feet  
 Depth to Water 49.08 feet  
 Well Diameter \_\_\_\_\_ inches  
 Casing Volume \_\_\_\_\_ gallons  
 Volume Removed \_\_\_\_\_ gallons  
 Total No. of Casing Volumes Removed \_\_\_\_\_  
 Date 5/20/15

Factor	* Water Column Height Equals Gallons
0.163	2" Well
0.653	4" Well
1.469	6" Well
Conversions	
1 mL	= 0.0003 gal
1 gal	= 3,785 mL

**SAMPLING METHOD:**  
 Low-Flow X  
 Grab/No-purge \_\_\_\_\_  
 Bailer \_\_\_\_\_  
 Peristaltic pump \_\_\_\_\_  
 Submersible Pump X  
 Passive Diffusion Bag<sup>2</sup> \_\_\_\_\_  
 Other \_\_\_\_\_  
 Was drawdown greater than 0.3 ft? (y/n) \_\_\_\_\_  
 Pump Depth (ft below TOC) (if applicable) 122.13

**Stability Parameter Readings:** Readings every five minutes for at least three readings to achieve stability for ALL parameters except as noted.

Start Time	Temperature (Celsius)	pH	Oxidation-Reduction Potential (mV) +/- 10mV*	Specific Conductance (umhos/cm) +/- 2%	Turbidity (NTU) +/- 10%*	Dissolved Oxygen (mg/L) +/- 10%*	Sampling DTW (ft) < 0.3ft	Flow Rate (ml/min)	mL Removed
<u>1005</u>	<u>15.48</u>	<u>7.26</u>	<u>214</u>	<u>1.01</u>	<u>199</u>	<u>6.63</u>	<u>49.28</u>	<u>250</u>	
<u>1010</u>	<u>15.77</u>	<u>7.19</u>	<u>216</u>	<u>1.01</u>	<u>211</u>	<u>6.22</u>	<u>49.36</u>	<u>220</u>	
<u>1020</u>	<u>14.77</u>	<u>7.15</u>	<u>217</u>	<u>1.02</u>	<u>237</u>	<u>4.79</u>	<u>49.30</u>	<u>220</u>	
<u>1025</u>	<u>13.81</u>	<u>7.12</u>	<u>218</u>	<u>1.03</u>	<u>210</u>	<u>4.38</u>	<u>49.33</u>	<u>220</u>	
<u>1030</u>	<u>13.77</u>	<u>7.10</u>	<u>219</u>	<u>1.04</u>	<u>199</u>	<u>4.23</u>	<u>49.33</u>	<u>220</u>	

\* Only one (1) of these need to reach stability.

**PURGE:** Date 6/9 Time 1037  
**SAMPLING:** Date 6/9 Time 1037

Sample Analysis	Volume (mL)	Type	Number of Containers	Preservative Type	Reaction (y/n)	Filter Type	Duplicate	MS/MSD
VOC 8260	40mL	VOA	3	HCL	N	NA		NA
Ethane Ethene Methane	250			HCl		N		
Sulfate Chloride	250			None		N		
Nitrate Nitrite	250			H2SO4		N		
Diss Fe	250			HNO3		N		
Total Fe	250			HNO3		N		

**EQUIPMENT DECONTAMINATION PROCEDURES:**

DECONTAMINATION METHOD:  Non Phosphatic detergent wash/distilled water rinse  
 Methanol rinse

**NOTES:**

Sampler Signature: [Signature]

<sup>1</sup>Monitoring wells sampled with a bailer: require at least 3 to 5 well volumes to be purged prior to sampling unless the well bails dry prior to the removal of three (3) well volumes. Wells bailed dry should be sampled upon sufficient recovery for collection of samples. Record the time of purging and the time of sampling on the Groundwater Sampling Form.  
<sup>2</sup>Include Date PDB Installed in well, and Date PDB removed and sampled in NOTES section.

602 N. Capital Ave  
 Indianapolis, IN 46204  
 T: 317-972-7870 F: 317-972-7875

PROJECT NAME Former Robinson's Cleaners Well/Surface Station I.D. 6155- PZ-4203  
 LOCATION/ADDRESS 1838 W Court Street Sample Designation PZ-4203  
Janesville, WI 53548  
 PROJECT NO. 6155  
 CLIENT/CONTACT Ray Gehrig Personnel K. Heimstead, A Jablonski, K. Vander Heiden

**WATER LEVEL MEASUREMENTS DURING GAUGING:**  
 Well Depth 153.91 feet  
 Depth to Water 48.87 feet  
 Well Diameter \_\_\_\_\_ inches  
 Casing Volume \_\_\_\_\_ gallons  
 Volume Removed \_\_\_\_\_ gallons  
 Total No. of Casing Volumes Removed \_\_\_\_\_  
 Date 5/20/15

Factor	* Water Column Height	=	Equals Gallons
Factor	Diameter		
0.163	2" Well		
0.653	4" Well		
1.469	6" Well		
Conversions			
1 mL	=	0.0003 gal	
1 gal	=	3,785 mL	

**SAMPLING METHOD:**

Low-Flow  X  
 Grab/No-purge \_\_\_\_\_  
 Bailer \_\_\_\_\_  
 Peristaltic pump \_\_\_\_\_  
 Submersible Pump  X  
 Passive Diffusion Bag<sup>2</sup> \_\_\_\_\_  
 Other \_\_\_\_\_  
 Was drawdown greater than 0.3 ft? (y/n) \_\_\_\_\_  
 Pump Depth (ft below TOC) (if applicable) 151.42

**Stability Parameter Readings:** Readings every five minutes for at least three readings to achieve stability for ALL parameters except as noted.

Start Time	Temperature (Celsius)	pH	Oxidation-Reduction Potential (mV)	Specific Conductance (umhos/cm)	Turbidity (NTU)	Dissolved Oxygen (mg/L)	Sampling DTW (ft)	Flow Rate (ml/min)	mL Removed
<u>1102</u>									
<u>1107</u>	<u>23.96</u>	<u>7.41</u>	<u>212</u>	<u>0.123</u>	<u>47.6</u>	<u>4.02</u>	<u>49.13</u>	<u>50</u>	
<u>1112</u>	<u>21.72</u>	<u>7.47</u>	<u>210</u>	<u>0.554</u>	<u>58.7</u>	<u>3.26</u>	<u>49.15</u>	<u>100</u>	
<u>1117</u>	<u>19.95</u>	<u>7.45</u>	<u>205</u>	<u>0.553</u>	<u>0</u>	<u>2.88</u>	<u>49.15</u>	<u>150</u>	
<u>1122</u>	<u>18.47</u>	<u>7.43</u>	<u>115</u>	<u>0.527</u>	<u>62.8</u>	<u>2.67</u>	<u>49.30</u>	<u>145</u>	
<u>1127</u>	<u>17.1</u>	<u>7.44</u>	<u>89</u>	<u>0.535</u>	<u>41.5</u>	<u>2.56</u>	<u>49.28</u>	<u>145</u>	
<u>1132</u>	<u>17.32</u>	<u>7.49</u>	<u>85</u>	<u>0.537</u>	<u>31.0</u>	<u>2.63</u>	<u>49.31</u>	<u>145</u>	
<u>1137</u>	<u>17.13</u>	<u>7.47</u>	<u>88</u>	<u>0.542</u>	<u>26.7</u>	<u>2.55</u>	<u>49.32</u>	<u>145</u>	

\* Only one (1) of these need to reach stability.

**PURGE:** Date 5/19 Time 12:00  
**SAMPLING:** Date 5/19 Time 12:00

Sample Analysis	Volume (mL)	Type	Number of Containers	Preservative Type	Reaction (y/n)	Filter Type	Duplicate	MS/MSD
VOC 8260	40mL	VOA	3	HCL	✓	NA		NA
<del>Fluoride</del>	40							
<del>Sulfate</del>	250							
<del>Nitrate</del>	250							
Diss Fe	250			H <sub>2</sub> SO <sub>4</sub>				
Total Fe	250			HNO <sub>3</sub>				

**EQUIPMENT DECONTAMINATION PROCEDURES:**

DECONTAMINATION METHOD:  Non Phosphatic detergent wash/distilled water rinse  
 Methanol rinse

NOTES:  
 Sampler Signature: [Signature]

<sup>1</sup>Monitoring wells sampled with a bailer require at least 3 to 5 well volumes to be purged prior to sampling unless the well bails dry prior to the removal of three (3) well volumes. Wells bailed dry should be sampled upon sufficient recovery for collection of samples. Record the time of purging and the time of sampling on the Groundwater Sampling Form.  
<sup>2</sup>Include Date PDB Installed in well, and Date PDB removed and sampled in NOTES section.

602 N. Capital Ave  
Indianapolis, IN 46204  
T: 317-972-7870 F: 317-972-7875

PROJECT NAME Former Robinson's Cleaners Well/Surface Station I.D. 6155- MW-435  
 LOCATION/ADDRESS 1838 W Court Street Sample Designation MW-435  
Janesville, WI 53548  
 PROJECT NO. 6155  
 CLIENT/CONTACT Ray Gehrig Personnel K. Heimstead, A Jablonski, K. Vander Heiden

**WATER LEVEL MEASUREMENTS DURING GAUGING:**

Well Depth 54.34 feet  
 Depth to Water 18.16 feet  
 Well Diameter \_\_\_\_\_ inches  
 Casing Volume \_\_\_\_\_ gallons  
 Volume Removed \_\_\_\_\_ gallons  
 Total No. of Casing Volumes Removed \_\_\_\_\_  
 Date 2/20/15

Factor * Water Column Height Equals Gallons	
Factor	Diameter
0.163	2" Well
0.653	4" Well
1.469	6" Well
Conversions	
1 mL	= 0.0003 gal
1 gal	= 3,785 mL

**SAMPLING METHOD:**

Low-Flow \_\_\_\_\_ X  
 Grab/No-purge \_\_\_\_\_  
 Bailer \_\_\_\_\_  
 Peristaltic pump \_\_\_\_\_  
 Submersible Pump \_\_\_\_\_ X  
 Passive Diffusion Bag \_\_\_\_\_  
 Other \_\_\_\_\_  
 Was drawdown greater than 0.3 ft? (y/n) \_\_\_\_\_ N  
 Pump Depth (ft below TOC) (if applicable) \_\_\_\_\_

**Stability Parameter Readings:** Readings every five minutes for at least three readings to achieve stability for ALL parameters except as noted.

Start Time	Temperature (Celsius)	pH	Oxidation-Reduction Potential (mV)	Specific Conductance (umhos/cm)	Turbidity (NTU)	Dissolved Oxygen (mg/L)	Sampling DTW (ft)	Flow Rate (ml/min)	mL Removed
<u>5:20</u>									
<u>15:25</u>	<u>18.76</u>	<u>7.37</u>	<u>147</u>	<u>0.520</u>	<u>0.00</u>	<u>6.67</u>	<u>48.68</u>	<u>-200</u>	<u>1000</u>
<u>15:30</u>	<u>18.13</u>	<u>7.40</u>	<u>148</u>	<u>0.528</u>	<u>0.00</u>	<u>6.65</u>	↓	↓	<u>2000</u>
<u>15:35</u>	<u>14.19</u>	<u>7.35</u>	<u>155</u>	<u>0.532</u>	<u>0.00</u>	<u>6.36</u>	↓	↓	<u>3000</u>
<u>15:40</u>	<u>13.82</u>	<u>7.33</u>	<u>159</u>	<u>0.536</u>	<u>0.00</u>	<u>6.17</u>	↓	↓	<u>4000</u>
<u>15:45</u>	<u>13.59</u>	<u>7.29</u>	<u>166</u>	<u>0.541</u>	<u>0.00</u>	<u>5.97</u>	↓	↓	<u>5000</u>
<u>15:50</u>	<u>13.34</u>	<u>7.26</u>	<u>171</u>	<u>0.543</u>	<u>0.00</u>	<u>5.94</u>	↓	↓	<u>6000</u>

\* Only one (1) of these need to reach stability.

**PURGE<sup>1</sup>:** Date 6-4-15 Time \_\_\_\_\_  
**SAMPLING:** Date 6-4-15 Time 15:55

Sample Analysis	Volume	Type	Number of Containers	Preservative Type	Reaction (y/n)	Filter Type	Duplicate	MS/MSD
<u>VOC 8260</u>	<u>40mL</u>	<u>VOA</u>	<u>3</u>	<u>HCL</u>	<u>N</u>	<u>NA</u>	<u> </u>	<u>NA</u>

**EQUIPMENT DECONTAMINATION PROCEDURES:**

DECONTAMINATION METHOD:  Non Phosphatic detergent wash/distilled water rinse  
 Methanol rinse

**NOTES:**

Sampler Signature: [Signature]

<sup>1</sup>Monitoring wells sampled with a bailer require at least 3 to 5 well volumes to be purged prior to sampling unless the well bails dry prior to the removal of three (3) well volumes. Wells bailed dry should be sampled upon sufficient recovery for collection of samples. Record the time of purging and the time of sampling on the Groundwater Sampling Form.

<sup>2</sup>Include Date PDB Installed in well, and Date PDB removed and sampled in NOTES section.

602 N. Capital Ave  
 Indianapolis, IN 46204  
 T: 317-972-7870 F: 317-972-7875

PROJECT NAME Former Robinson's Cleaners Well/Surface Station I.D. 6155- PZ-43DI  
 LOCATION/ADDRESS 1838 W Court Street Sample Designation PZ-43DI  
Janesville, WI 53548  
 PROJECT NO. 6155  
 CLIENT/CONTACT Ray Gehrig Personnel K. Heimstead, A Jablonski, K. Vander Heiden

**WATER LEVEL MEASUREMENTS DURING GAUGING:**  
 Well Depth 94.74 feet  
 Depth to Water 48.56 feet  
 Well Diameter \_\_\_\_\_ inches  
 Casing Volume \_\_\_\_\_ gallons  
 Volume Removed \_\_\_\_\_ gallons  
 Total No. of Casing Volumes Removed \_\_\_\_\_  
 Date 5/20/15

Factor * Water Column Height Equals Gallons	
Factor	Diameter
0.163	2" Well
0.653	4" Well
1.469	6" Well
Conversions	
1 mL	= 0.0003 gal
1 gal	= 3,785 mL

**SAMPLING METHOD:**

Low-Flow X  
 Grab/No-purge \_\_\_\_\_  
 Bailer \_\_\_\_\_  
 Peristaltic pump \_\_\_\_\_  
 Submersible Pump X  
 Passive Diffusion Bag \_\_\_\_\_  
 Other \_\_\_\_\_  
 Was drawdown greater than 0.3 ft? (y/n) N  
 Pump Depth (ft below TOC) (if applicable) \_\_\_\_\_

**Stability Parameter Readings:** Readings every five minutes for at least three readings to achieve stability for ALL parameters except as noted.

Start Time	Temperature (Celsius)	pH	Oxidation-Reduction Potential (mV)	Specific Conductance (umhos/cm)	Turbidity (NTU)	Dissolved Oxygen (mg/L)	Sampling DTW (ft)	Flow Rate (ml/min)	mL Removed
<u>1425</u>	<u>20.71</u>	<u>7.13</u>	<u>129</u>	<u>0.587</u>	<u>782</u>	<u>5.40</u>	<u>48.78</u>	<u>150</u>	<u>750</u>
<u>1430</u>	<u>16.36</u>	<u>7.23</u>	<u>138</u>	<u>0.613</u>	<u>0.00</u>	<u>4.94</u>	<u>↓</u>	<u>↓</u>	<u>1500</u>
<u>1440</u>	<u>14.73</u>	<u>6.99</u>	<u>157</u>	<u>0.620</u>	<u>658</u>	<u>4.75</u>	<u>↓</u>	<u>↓</u>	<u>2250</u>
<u>1445</u>	<u>14.23</u>	<u>7.18</u>	<u>153</u>	<u>0.620</u>	<u>435</u>	<u>4.69</u>	<u>↓</u>	<u>↓</u>	<u>3000</u>
<u>1450</u>	<u>14.17</u>	<u>7.14</u>	<u>156</u>	<u>0.621</u>	<u>394</u>	<u>4.68</u>	<u>↓</u>	<u>↓</u>	<u>3750</u>
<u>1455</u>	<u>14.15</u>	<u>7.16</u>	<u>155</u>	<u>0.620</u>	<u>297</u>	<u>4.68</u>	<u>↓</u>	<u>↓</u>	<u>3500</u>

\* Only one (1) of these need to reach stability.

**PURGE<sup>1</sup>:** Date 6-4-15 Time \_\_\_\_\_  
**SAMPLING:** Date 6-4-15 Time 1500

Sample Analysis	Volume	Type	Number of Containers	Preservative Type	Reaction (y/n)	Filter Type	Duplicate	MS/MSD
VOC 8260	40mL	VOA	<u>3</u>	HCL	<u>N</u>	NA	<u>—</u>	NA

**EQUIPMENT DECONTAMINATION PROCEDURES:**

DECONTAMINATION METHOD:  Non Phosphatic detergent wash/distilled water rinse  
 Methanol rinse

**NOTES:**

Sampler Signature: [Signature]

<sup>1</sup>Monitoring wells sampled with a bailer require at least 3 to 5 well volumes to be purged prior to sampling unless the well bails dry prior to the removal of three (3) well volumes. Wells bailed dry should be sampled upon sufficient recovery for collection of samples. Record the time of purging and the time of sampling on the Groundwater Sampling Form.  
<sup>2</sup>Include Date PDB Installed in well, and Date PDB removed and sampled in NOTES section.

602 N. Capital Ave  
Indianapolis, IN 46204  
T: 317-972-7870 F: 317-972-7875

PROJECT NAME Former Robinson's Cleaners Well/Surface Station I.D. 6155- PZ-4302  
 LOCATION/ADDRESS 1838 W Court Street Sample Designation PZ-4302  
Janesville, WI 53548  
 PROJECT NO. 655  
 CLIENT/CONTACT Ray Gehrig Personnel K. Heimstead, A Jablonski, K. Vander Heiden

**WATER LEVEL MEASUREMENTS DURING GAUGING:**

Well Depth 104.38 feet  
 Depth to Water 97.76 feet  
 Well Diameter \_\_\_\_\_ inches  
 Casing Volume \_\_\_\_\_ gallons  
 Volume Removed \_\_\_\_\_ gallons  
 Total No. of Casing Volumes Removed \_\_\_\_\_  
 Date 5/20/15

Factor * Water Column Height Equals Gallons	
Factor	Diameter
0.163	2" Well
0.653	4" Well
1.469	6" Well
Conversions	
1 mL	= 0.0003 gal
1 gal	= 3,785 mL

**SAMPLING METHOD:**

Low-Flow X  
 Grab/No-purge \_\_\_\_\_  
 Bailer \_\_\_\_\_  
 Peristaltic pump \_\_\_\_\_  
 Submersible Pump X  
 Passive Diffusion Bag \_\_\_\_\_  
 Other \_\_\_\_\_  
 Was drawdown greater than 0.3 ft? (y/n) N  
 Pump Depth (ft below TOC) (if applicable) \_\_\_\_\_

**Stability Parameter Readings:** Readings every five minutes for at least three readings to achieve stability for ALL parameters except as noted.

Start Time	Temperature (Celsius)	pH	Oxidation-Reduction Potential (mV)	Specific Conductance (umhos/cm)	Turbidity (NTU)	Dissolved Oxygen (mg/L)	Sampling DTW (ft)	Flow Rate (ml/min)	mL Removed
	+/- 3%	+/- 0.1	+/- 10mV*	+/- 3%	+/- 10%*	+/- 10%*	<.03ft	<250	
<u>1620</u>									
<u>1635</u>	<u>18.67</u>	<u>7.57</u>	<u>158</u>	<u>0.506</u>	<u>0.00</u>	<u>5.62</u>	<u>47.91</u>	<u>-100</u>	<u>500</u>
<u>1640</u>	<u>16.24</u>	<u>7.38</u>	<u>162</u>	<u>0.514</u>	<u>0.00</u>	<u>4.81</u>	↓	↓	<u>1000</u>
<u>1645</u>	<u>15.52</u>	<u>7.32</u>	<u>171</u>	<u>0.516</u>	<u>0.00</u>	<u>5.33</u>	↓	↓	<u>1500</u>
<u>1650</u>	<u>15.06</u>	<u>7.29</u>	<u>177</u>	<u>0.523</u>	<u>0.00</u>	<u>5.49</u>	↓	↓	<u>2000</u>
<u>1655</u>	<u>15.22</u>	<u>7.26</u>	<u>1.81</u>	<u>0.522</u>	<u>0.00</u>	<u>5.70</u>	↓	↓	<u>2500</u>
<u>1700</u>	<u>15.29</u>	<u>7.25</u>	<u>1.80</u>	<u>0.523</u>	<u>0.00</u>	<u>5.94</u>	↓	↓	<u>3000</u>

\* Only one (1) of these need to reach stability.

**PURGE:** Date 6-4-15 Time \_\_\_\_\_  
**SAMPLING:** Date 6-4-15 Time 1705

Sample Analysis	Volume	Type	Number of Containers	Preservative Type	Reaction (y/n)	Filter Type	Duplicate	MS/MSD
VOC 8260	40mL	VOA	<u>3</u>	HCL	<u>N</u>	NA	—	NA

**EQUIPMENT DECONTAMINATION PROCEDURES:**

DECONTAMINATION METHOD:  Non Phosphatic detergent wash/distilled water rinse  
 Methanol rinse

NOTES:

Sampler Signature: [Signature]

\*Monitoring wells sampled with a bailer require at least 3 to 5 well volumes to be purged prior to sampling unless the well bails dry prior to the removal of three (3) well volumes. Wells bailed dry should be sampled upon sufficient recovery for collection of samples. Record the time of purging and the time of sampling on the Groundwater Sampling Form.  
 †Include Date PDB Installed in well, and Date PDB removed and sampled in NOTES section.

602 N. Capital Ave  
Indianapolis, IN 46204  
T: 317-972-7870 F: 317-972-7875

PROJECT NAME Former Robinson's Cleaners Well/Surface Station I.D. 6155- MW-445  
 LOCATION/ADDRESS 1838 W Court Street Sample Designation MW-445  
Janesville, WI 53548  
 PROJECT NO. 6155  
 CLIENT/CONTACT Ray Gehrig Personnel K. Heimstead, A Jablonski, K. Vander Heiden

**WATER LEVEL MEASUREMENTS DURING GAUGING:**

Well Depth 67.64 feet  
 Depth to Water 61.31 feet  
 Well Diameter \_\_\_\_\_ inches  
 Casing Volume \_\_\_\_\_ gallons  
 Volume Removed \_\_\_\_\_ gallons  
 Total No. of Casing Volumes Removed \_\_\_\_\_  
 Date 5/20/15

Factor * Water Column Height Equals Gallons	
Factor	Diameter
0.163	2" Well
0.653	4" Well
1.469	6" Well
Conversions	
1 mL	= 0.0003 gal
1 gal	= 3,785 mL

**SAMPLING METHOD:**

Low-Flow X  
 Grab/No-purge \_\_\_\_\_  
 Bailer \_\_\_\_\_  
 Peristaltic pump \_\_\_\_\_  
 Submersible Pump X  
 Passive Diffusion Bag<sup>2</sup> \_\_\_\_\_  
 Other \_\_\_\_\_  
 Was drawdown greater than 0.3 ft? (y/n) N  
 Pump Depth (ft below TOC) (if applicable) \_\_\_\_\_

**Stability Parameter Readings:** Readings every five minutes for at least three readings to achieve stability for ALL parameters except as noted.

Start Time	Temperature (Celsius) +/- 3%	pH +/- 0.1	Oxidation-Reduction Potential (mV) +/- 10mV*	Specific Conductance (umhos/cm) +/- 3%	Turbidity (NTU) +/- 10%*	Dissolved Oxygen (mg/L) +/- 10%*	Sampling DTW (ft) <0.3ft	Flow Rate (ml/min) <250	mL Removed
920									
925	17.29	7.78	224	0.330	0.00	6.35	62.37	4100	900
930	15.23	7.51	237	0.394	0.00	6.39	↓	↓	1000
935	14.35	7.58	231	0.386	0.00	6.51	↓	↓	1500
940	13.66	7.77	225	0.384	0.00	6.40	↓	↓	2000
945	13.82	7.84	223	0.381	0.00	6.47	↓	↓	2500
950	13.87	7.78	226	0.378	24.8	5.91			3000

\* Only one (1) of these need to reach stability.

**PURGE:** Date 6-5-15 Time \_\_\_\_\_  
**SAMPLING:** Date 6-5-15 Time 955

Sample Analysis	Volume	Type	Number of Containers	Preservative Type	Reaction (y/n)	Filter Type	Duplicate	MS/MSD
VOC 8260	40mL	VOA	3	HCL	N	NA		NA

**EQUIPMENT DECONTAMINATION PROCEDURES:**

DECONTAMINATION METHOD:  Non Phosphatic detergent wash/distilled water rinse  
 Methanol rinse

**NOTES:**

Sampler Signature: [Signature]

<sup>1</sup>Monitoring wells sampled with a bailer require at least 3 to 5 well volumes to be purged prior to sampling unless the well bails dry prior to the removal of three (3) well volumes. Wells bailed dry should be sampled upon sufficient recovery for collection of samples.

Record the time of purging and the time of sampling on the Groundwater Sampling Form.

<sup>2</sup>Include Date PDB Installed in well, and Date PDB removed and sampled in NOTES section.



602 N. Capital Ave  
 Indianapolis, IN 46204  
 T: 317-972-7870 F: 317-972-7875

PROJECT NAME Former Robinson's Cleaners

Well/Surface Station I.D. 6155- PZ-4401

LOCATION/ADDRESS 1838 W Court Street  
Janesville, WI 53548

Sample Designation PZ-4401

PROJECT NO. 6155

CLIENT/CONTACT Ray Gehrig

Personnel K. Heimstead, A Jablonski, K. Vander Heiden

**WATER LEVEL MEASUREMENTS DURING GAUGING:**

Well Depth 24.85 feet  
 Depth to Water 21.16 feet  
 Well Diameter \_\_\_\_\_ inches  
 Casing Volume \_\_\_\_\_ gallons  
 Volume Removed \_\_\_\_\_ gallons  
 Total No. of Casing Volumes Removed \_\_\_\_\_  
 Date 5/20/15

Factor * Water Column Height Equals Gallons	
Factor	Diameter
0.163	2" Well
0.653	4" Well
1.469	6" Well
Conversions	
1 mL	= 0.0003 gal
1 gal	= 3,785 mL

**SAMPLING METHOD:**

Low-Flow X  
 Grab/No-purge \_\_\_\_\_  
 Bailer \_\_\_\_\_  
 Peristaltic pump \_\_\_\_\_  
 Submersible Pump X  
 Passive Diffusion Bag \_\_\_\_\_  
 Other \_\_\_\_\_  
 Was drawdown greater than 0.3 ft? (y/n) N  
 Pump Depth (ft below TOC) (if applicable) \_\_\_\_\_

**Stability Parameter Readings:**

Readings every five minutes for at least three readings to achieve stability for ALL parameters except as noted.

Start Time	Temperature (Celsius) +/- 3%	pH +/- 0.1	Oxidation-Reduction	Specific Conductance	Turbidity	Dissolved Oxygen	Sampling DTW	Flow Rate	mL Removed
			Potential (mV) +/- 10mV*	(umhos/cm) +/- 3%	(NTU) +/- 10%*	(mg/L) +/- 10%*	(ft) <0.3ft	(ml/min) <250	
<u>820</u>	<u>16.19</u>	<u>7.18</u>	<u>239</u>	<u>0.731</u>	<u>0.00</u>	<u>5.39</u>	<u>61.87</u>	<u>1100</u>	<u>500</u>
<u>830</u>	<u>15.43</u>	<u>7.19</u>	<u>235</u>	<u>0.728</u>	<u>0.00</u>	<u>5.00</u>	<u>↓</u>	<u>↓</u>	<u>1500</u>
<u>835</u>	<u>14.62</u>	<u>7.15</u>	<u>231</u>	<u>0.725</u>	<u>0.00</u>	<u>4.45</u>	<u>↓</u>	<u>↓</u>	<u>2000</u>
<u>840</u>	<u>14.35</u>	<u>7.19</u>	<u>236</u>	<u>0.724</u>	<u>0.00</u>	<u>4.62</u>	<u>↓</u>	<u>↓</u>	<u>2500</u>
<u>845</u>	<u>13.46</u>	<u>7.17</u>	<u>237</u>	<u>0.733</u>	<u>0.00</u>	<u>4.55</u>	<u>↓</u>	<u>↓</u>	<u>3000</u>
<u>850</u>	<u>13.38</u>	<u>7.16</u>	<u>238</u>	<u>0.730</u>	<u>0.00</u>	<u>4.49</u>	<u>↓</u>	<u>↓</u>	<u>3500</u>

\* Only one (1) of these need to reach stability.

PURGE: Date 6-5-15 Time \_\_\_\_\_  
 SAMPLING: Date 6-5-15 Time 805

Sample Analysis	Volume	Type	Number of Containers	Preservative Type	Reaction (y/n)	Filter Type	Duplicate	MS/MSD
<u>VOC 8260</u>	<u>40mL</u>	<u>VOA</u>	<u>3</u>	<u>HCL</u>	<u>N</u>	<u>NA</u>	<u>—</u>	<u>NA</u>

**EQUIPMENT DECONTAMINATION PROCEDURES:**

DECONTAMINATION METHOD:  Non Phosphatic detergent wash/distilled water rinse  
 Methanol rinse

**NOTES:**

Sampler Signature: [Signature]

<sup>1</sup>Monitoring wells sampled with a bailer require at least 3 to 5 well volumes to be purged prior to sampling unless the well bails dry prior to the removal of three (3) well volumes. Wells bailed dry should be sampled upon sufficient recovery for collection of samples.

Record the time of purging and the time of sampling on the Groundwater Sampling Form.

<sup>2</sup>Include Date PDB Installed in well, and Date PDB removed and sampled in NOTES section.

602 N. Capital Ave  
 Indianapolis, IN 46204  
 T: 317-972-7870 F: 317-972-7875

PROJECT NAME Former Robinson's Cleaners Well/Surface Station I.D. 6155- PZ-4402  
 LOCATION/ADDRESS 1838 W Court Street Sample Designation PZ-4402  
Janesville, WI 53548  
 PROJECT NO. 6155  
 CLIENT/CONTACT Ray Gehrig Personnel K. Heimstead, A Jablonski, K. Vander Heiden

**WATER LEVEL MEASUREMENTS DURING GAUGING:**

Well Depth 126.65 feet  
 Depth to Water 63.84 feet  
 Well Diameter \_\_\_\_\_ inches  
 Casing Volume \_\_\_\_\_ gallons  
 Volume Removed \_\_\_\_\_ gallons  
 Total No. of Casing Volumes Removed \_\_\_\_\_  
 Date 5/20/15

Factor * Water Column Height Equals Gallons	
Factor	Diameter
0.163	2" Well
0.653	4" Well
1.469	6" Well
Conversions	
1 mL	= 0.0003 gal
1 gal	= 3,785 mL

**SAMPLING METHOD:**

Low-Flow X  
 Grab/No-purge \_\_\_\_\_  
 Bailer \_\_\_\_\_  
 Peristaltic pump \_\_\_\_\_  
 Submersible Pump X  
 Passive Diffusion Bag<sup>2</sup> \_\_\_\_\_  
 Other \_\_\_\_\_  
 Was drawdown greater than 0.3 ft? (y/n) N  
 Pump Depth (ft below TOC) (if applicable) \_\_\_\_\_

**Stability Parameter Readings:**

Readings every five minutes for at least three readings to achieve stability for ALL parameters except as noted.

Start Time	Temperature (Celsius)		pH	Oxidation-Reduction Potential (mV)	Specific Conductance (umhos/cm)	Turbidity (NTU)	Dissolved Oxygen (mg/L)	Sampling DTW (ft)	Flow Rate (ml/min)	mL Removed
	+/- 3%	+/- 0.1		+/- 10mV*	+/- 3%	+/- 10%*	+/- 10%*	<0.3ft	<250	
<u>730</u>										
<u>735</u>	<u>18.02</u>	<u>7.86</u>	<u>7.86</u>	<u>221</u>	<u>0.742</u>	<u>188</u>	<u>7.55</u>	<u>61.0</u>	<u>~100</u>	<u>500</u>
<u>740</u>	<u>14.32</u>	<u>7.20</u>	<u>7.20</u>	<u>228</u>	<u>0.769</u>	<u>21.3</u>	<u>6.90</u>	<u>↓</u>	<u>↓</u>	<u>1000</u>
<u>745</u>	<u>13.91</u>	<u>7.20</u>	<u>7.20</u>	<u>233</u>	<u>0.722</u>	<u>56.1</u>	<u>6.77</u>	<u>↓</u>	<u>↓</u>	<u>1500</u>
<u>750</u>	<u>13.58</u>	<u>7.19</u>	<u>7.19</u>	<u>233</u>	<u>0.776</u>	<u>41.8</u>	<u>6.74</u>	<u>↓</u>	<u>↓</u>	<u>2000</u>
<u>755</u>	<u>13.65</u>	<u>7.20</u>	<u>7.20</u>	<u>234</u>	<u>0.772</u>	<u>26.7</u>	<u>6.71</u>	<u>↓</u>	<u>↓</u>	<u>2500</u>
<u>800</u>	<u>13.52</u>	<u>7.17</u>	<u>7.17</u>	<u>235</u>	<u>0.774</u>	<u>31.5</u>	<u>6.79</u>	<u>↓</u>	<u>↓</u>	<u>3000</u>

\* Only one (1) of these need to reach stability.

**PURGE:** Date 6-5-15 Time \_\_\_\_\_  
**SAMPLING:** Date 6-5-15 Time 8:05

Sample Analysis	Volume	Type	Number of Containers	Preservative Type	Reaction (y/n)	Filter Type	Duplicate	MS/MSD
<u>VOC 8260</u>	<u>40mL</u>	<u>VOA</u>	<u>3</u>	<u>HCL</u>	<u>N</u>	<u>NA</u>	<u>—</u>	<u>NA</u>

**EQUIPMENT DECONTAMINATION PROCEDURES:**

DECONTAMINATION METHOD:  Non Phosphatic detergent wash/distilled water rinse  
 Methanol rinse

**NOTES:**

Sampler Signature: [Signature]

<sup>1</sup>Monitoring wells sampled with a bailer require at least 3 to 5 well volumes to be purged prior to sampling unless the well bails dry prior to the removal of three (3) well volumes. Wells bailed dry should be sampled upon sufficient recovery for collection of samples. Record the time of purging and the time of sampling on the Groundwater Sampling Form.  
<sup>2</sup>Include Date PDB Installed in well, and Date PDB removed and sampled in NOTES section.

602 N. Capital Ave  
 Indianapolis, IN 46204  
 T: 317-972-7870 F: 317-972-7875

PROJECT NAME Former Robinson's Cleaners Well/Surface Station I.D. 6155- MW-455  
 LOCATION/ADDRESS 1838 W Court Street Sample Designation MW-45 S  
Janesville, WI 53548  
 PROJECT NO. 6155  
 CLIENT/CONTACT Ray Gehrig Personnel K. Heimstead, A Jablonski, K. Vander Heiden

**WATER LEVEL MEASUREMENTS DURING GAUGING:**  
 Well Depth 60.91 feet  
 Depth to Water 50.01 feet  
 Well Diameter \_\_\_\_\_ inches  
 Casing Volume \_\_\_\_\_ gallons  
 Volume Removed \_\_\_\_\_ gallons  
 Total No. of Casing Volumes Removed \_\_\_\_\_  
 Date 5/20/15

Factor * Water Column Height Equals Gallons	
Factor	Diameter
0.163	2" Well
0.653	4" Well
1.469	6" Well
Conversions	
1 mL	= 0.0003 gal
1 gal	= 3,785 mL

**SAMPLING METHOD:**

Low-Flow X  
 Grab/No-purge \_\_\_\_\_  
 Bailer \_\_\_\_\_  
 Peristaltic pump \_\_\_\_\_  
 Submersible Pump X  
 Passive Diffusion Bag<sup>2</sup> \_\_\_\_\_  
 Other \_\_\_\_\_  
 Was drawdown greater than 0.3 ft? (y/n) \_\_\_\_\_  
 Pump Depth (ft below TOC) (if applicable) 61.91

**Stability Parameter Readings:** Readings every five minutes for at least three readings to achieve stability for ALL parameters except as noted.

Start Time	Temperature (Celsius)	pH	Oxidation-Reduction Potential (mV)	Specific Conductance (umhos/cm)	Turbidity (NTU)	Dissolved Oxygen (mg/L)	Sampling DTW (ft)	Flow Rate (ml/min)	mL Removed
<u>1837</u>	<u>18.84</u>	<u>7.25</u>	<u>173</u>	<u>0.867</u>	<u>0-</u>	<u>3.17</u>	<u>50.22</u>	<u>300</u>	
<u>1842</u>	<u>18.14</u>	<u>7.27</u>	<u>177</u>	<u>0.873</u>	<u>0-</u>	<u>3.16</u>	<u>50.22</u>	<u>240</u>	
<u>1847</u>	<u>17.87</u>	<u>7.27</u>	<u>179</u>	<u>0.874</u>	<u>0-</u>	<u>3.08</u>	<u>50.22</u>	<u>240</u>	
<u>1852</u>	<u>17.49</u>	<u>7.24</u>	<u>183</u>	<u>0.876</u>	<u>0-</u>	<u>3.13</u>	<u>50.20</u>	<u>240</u>	
<u>1857</u>	<u>17.52</u>	<u>7.24</u>	<u>184</u>	<u>0.876</u>	<u>0-</u>	<u>3.04</u>	<u>50.20</u>	<u>240</u>	
<u>1902</u>									

\* Only one (1) of these need to reach stability.

**PURGE:** Date 5/8 Time 1907

Sample Analysis	Volume	Type	Number of Containers	Preservative Type	Reaction (y/n)	Filter Type	Duplicate	MS/MSD
<u>VOC 8260</u>	<u>40mL</u>	<u>VOA</u>	<u>3</u>	<u>HCL</u>	<u>N</u>	<u>NA</u>	<u>—</u>	<u>NA</u>

**EQUIPMENT DECONTAMINATION PROCEDURES:**

DECONTAMINATION METHOD:  Non Phosphatic detergent wash/distilled water rinse  
 Methanol rinse

NOTES:

Sampler Signature: [Signature]

<sup>1</sup>Monitoring wells sampled with a bailer require at least 3 to 5 well volumes to be purged prior to sampling unless the well bails dry prior to the removal of three (3) well volumes. Wells bailed dry should be sampled upon sufficient recovery for collection of samples. Record the time of purging and the time of sampling on the Groundwater Sampling Form.  
<sup>2</sup>Include Date PDB Installed in well, and Date PDB removed and sampled in NOTES section.

602 N. Capital Ave  
 Indianapolis, IN 46204  
 T: 317-972-7870 F: 317-972-7875

PROJECT NAME Former Robinson's Cleaners Well/Surface Station I.D. 6155- PZ-45D1  
 LOCATION/ADDRESS 1838 W Court Street Sample Designation PZ-45D1  
Janesville, WI 53548  
 PROJECT NO. 6155  
 CLIENT/CONTACT Ray Gehrig Personnel K. Heimstead, A Jablonski, K. Vander Heiden

**WATER LEVEL MEASUREMENTS DURING GAUGING:**  
 Well Depth 28.08 feet  
 Depth to Water 49.52 feet  
 Well Diameter \_\_\_\_\_ inches  
 Casing Volume \_\_\_\_\_ gallons  
 Volume Removed \_\_\_\_\_ gallons  
 Total No. of Casing Volumes Removed \_\_\_\_\_  
 Date 5/20/15

Factor * Water Column Height Equals Gallons	
Factor	Diameter
0.163	2" Well
0.653	4" Well
1.469	6" Well
Conversions	
1 mL	= 0.0003 gal
1 gal	= 3,785 mL

**SAMPLING METHOD:**

Low-Flow X  
 Grab/No-purge \_\_\_\_\_  
 Bailer \_\_\_\_\_  
 Peristaltic pump \_\_\_\_\_  
 Submersible Pump X  
 Passive Diffusion Bag<sup>2</sup> \_\_\_\_\_  
 Other \_\_\_\_\_  
 Was drawdown greater than 0.3 ft? (y/n) \_\_\_\_\_  
 Pump Depth (ft below TOC) (if applicable) 95.58

**Stability Parameter Readings:** Readings every five minutes for at least three readings to achieve stability for ALL parameters except as noted.

Start Time	Temperature (Celsius)	pH	Oxidation-Reduction Potential (mV)	Specific Conductance (umhos/cm)	Turbidity (NTU)	Dissolved Oxygen (mg/L)	Sampling DTW (ft)	Flow Rate (ml/min)	mL Removed
	+/- 3%	+/- 0.1	+/- 10mV*	+/- 3%	+/- 10%*	+/- 10%*	< 0.3ft	< 250	
<u>1716</u>	<u>20.67</u>	<u>7.49</u>	<u>184</u>	<u>0.787</u>	<u>0-</u>	<u>6.12</u>	<u>49.72</u>	<u>330</u>	
<u>1726</u>	<u>18.41</u>	<u>7.41</u>	<u>189</u>	<u>0.765</u>	<u>0-</u>	<u>6.07</u>	<u>49.70</u>	<u>200</u>	
<u>1731</u>	<u>19.17</u>	<u>7.40</u>	<u>192</u>	<u>0.766</u>	<u>0-</u>	<u>5.99</u>	<u>49.70</u>	<u>200</u>	
<u>1738</u>	<u>17.17</u>	<u>7.40</u>	<u>195</u>	<u>0.776</u>	<u>647</u>	<u>6.32</u>	<u>49.71</u>	<u>200</u>	
<u>1741</u>	<u>16.48</u>	<u>7.40</u>	<u>197</u>	<u>0.788</u>	<u>449</u>	<u>6.19</u>	<u>49.71</u>	<u>200</u>	

\* Only one (1) of these need to reach stability.

**PURGE!** Date 6/8 Time 1745

**SAMPLING:** Date 6/8 Time 1745

Sample Analysis	Volume	Type	Number of Containers	Preservative Type	Reaction (y/n)	Filter Type	Duplicate	MS/MSD
<u>VOC 8260</u>	<u>40mL</u>	<u>VOA</u>	<u>3</u>	<u>HCL</u>	<u>N</u>	<u>NA</u>	<u>_____</u>	<u>NA</u>

**EQUIPMENT DECONTAMINATION PROCEDURES:**

DECONTAMINATION METHOD:  Non Phosphatic detergent wash/distilled water rinse  
 Methanol rinse

NOTES:

Sampler Signature: [Signature]

<sup>1</sup>Monitoring wells sampled with a bailer require at least 3 to 5 well volumes to be purged prior to sampling unless the well bails dry prior to the removal of three (3) well volumes. Wells bailed dry should be sampled upon sufficient recovery for collection of samples. Record the time of purging and the time of sampling on the Groundwater Sampling Form.  
<sup>2</sup>Include Date PDB Installed in well, and Date PDB removed and sampled in NOTES section.

602 N. Capital Ave  
 Indianapolis, IN 46204  
 T: 317-972-7870 F: 317-972-7875

PROJECT NAME Former Robinson's Cleaners Well/Surface Station I.D. 6155- PZ-45D2  
 LOCATION/ADDRESS 1838 W Court Street Sample Designation PZ-45D2  
Janesville, WI 53548  
 PROJECT NO. 6155  
 CLIENT/CONTACT Ray Gehrig Personnel K. Heimstead, A Jablonski, K. Vander Heiden

**WATER LEVEL MEASUREMENTS DURING GAUGING:**  
 Well Depth 134.45 feet  
 Depth to Water 49.73 feet  
 Well Diameter \_\_\_\_\_ inches  
 Casing Volume \_\_\_\_\_ gallons  
 Volume Removed \_\_\_\_\_ gallons  
 Total No. of Casing Volumes Removed \_\_\_\_\_  
 Date 5/20/15

Factor * Water Column Height Equals Gallons	
Factor	Diameter
0.163	2" Well
0.653	4" Well
1.469	6" Well
Conversions	
1 mL	= 0.0003 gal
1 gal	= 3,785 mL

**SAMPLING METHOD:**

Low-Flow X  
 Grab/No-purge \_\_\_\_\_  
 Bailer \_\_\_\_\_  
 Peristaltic pump \_\_\_\_\_  
 Submersible Pump X  
 Passive Diffusion Bag \_\_\_\_\_  
 Other \_\_\_\_\_  
 Was drawdown greater than 0.3 ft? (y/n) \_\_\_\_\_  
 Pump Depth (ft below TOC) (if applicable) 134.63

**Stability Parameter Readings:** Readings every five minutes for at least three readings to achieve stability for ALL parameters except as noted.

Start Time	Temperature (Celsius)	pH	Oxidation-Reduction Potential (mV)	Specific Conductance (umhos/cm)	Turbidity (NTU)	Dissolved Oxygen (mg/L)	Sampling DTW (ft)	Flow Rate (ml/min)	mL Removed
<u>1807</u>									
<u>1812</u>	<u>21.41</u>	<u>7.49</u>	<u>175</u>	<u>0.718</u>	<u>80.6</u>	<u>3.57</u>	<u>50.04</u>	<u>140</u>	
<u>1817</u>	<u>20.43</u>	<u>7.41</u>	<u>177</u>	<u>0.696</u>	<u>0-</u>	<u>1.78</u>	<u>50.09</u>	<u>140</u>	
<u>1822</u>	<u>19.32</u>	<u>7.35</u>	<u>177</u>	<u>0.713</u>	<u>0.02</u>	<u>0.38</u>	<u>50.11</u>	<u>140</u>	
<u>1827</u>	<u>19.21</u>	<u>7.32</u>	<u>174</u>	<u>0.713</u>	<u>92.5</u>	<u>0.38</u>	<u>50.10</u>	<u>140</u>	
<u>1832</u>	<u>18.07</u>	<u>7.32</u>	<u>174</u>	<u>0.712</u>	<u>91.4</u>	<u>0.31</u>	<u>50.10</u>	<u>140</u>	
<u>1837</u>	<u>18.10</u>	<u>7.31</u>	<u>174</u>	<u>0.706</u>	<u>82.1</u>	<u>0.25</u>	<u>50.10</u>		

\* Only one (1) of these need to reach stability.

PURGE: Date 6-8-15 Time \_\_\_\_\_  
 SAMPLING: Date 6-8-15 Time 1830

Sample Analysis	Volume	Type	Number of Containers	Preservative Type	Reaction (y/n)	Filter Type	Duplicate	MS/MSD
VOC 8260	40mL	VOA	3	HCL	N	NA		NA

**EQUIPMENT DECONTAMINATION PROCEDURES:**

DECONTAMINATION METHOD:  Non Phosphatic detergent wash/distilled water rinse  
 Methanol rinse

NOTES:  
 Sampler Signature: [Signature]

<sup>1</sup>Monitoring wells sampled with a bailer require at least 3 to 5 well volumes to be purged prior to sampling unless the well bails dry prior to the removal of three (3) well volumes. Wells bailed dry should be sampled upon sufficient recovery for collection of samples. Record the time of purging and the time of sampling on the Groundwater Sampling Form.  
<sup>2</sup>Include Date PDB Installed in well, and Date PDB removed and sampled in NOTES section.

602 N. Capital Ave  
Indianapolis, IN 46204  
T: 317-972-7870 F: 317-972-7875

PROJECT NAME Former Robinson's Cleaners Well/Surface Station I.D. 6155- PZ-46D1  
 LOCATION/ADDRESS 1838 W Court Street Sample Designation PZ-46D1  
Janesville, WI 53548  
 PROJECT NO. 6155  
 CLIENT/CONTACT Ray Gehrig Personnel K. Heimstead, A Jablonski, K. Vander Heiden

**WATER LEVEL MEASUREMENTS DURING GAUGING:**

Well Depth 137.69 feet  
 Depth to Water 58.62 feet  
 Well Diameter \_\_\_\_\_ inches  
 Casing Volume \_\_\_\_\_ gallons  
 Volume Removed \_\_\_\_\_ gallons  
 Total No. of Casing Volumes Removed \_\_\_\_\_  
 Date 5/20/15

Factor * Water Column Height Equals Gallons	
Factor	Diameter
0.163	2" Well
0.653	4" Well
1.469	6" Well
Conversions	
1 mL	= 0.0003 gal
1 gal	= 3,785 mL

**SAMPLING METHOD:**

Low-Flow X  
 Grab/No-purge \_\_\_\_\_  
 Bailer \_\_\_\_\_  
 Peristaltic pump \_\_\_\_\_  
 Submersible Pump X  
 Passive Diffusion Bag<sup>2</sup> \_\_\_\_\_  
 Other \_\_\_\_\_  
 Was drawdown greater than 0.3 ft? (y/n) \_\_\_\_\_  
 Pump Depth (ft below TOC) (if applicable) 132.10

**Stability Parameter Readings:**

Readings every five minutes for at least three readings to achieve stability for ALL parameters except as noted.

Start Time	Temperature (Celsius) +/- 3%	pH +/- 0.1	Oxidation-Reduction Potential (mV) +/- 10mV*	Specific Conductance (umhos/cm) +/- 3%	Turbidity (NTU) +/- 10%*	Dissolved Oxygen (mg/L) +/- 10%*	Sampling DTW (R) <0.3ft	Flow Rate (ml/min) <250	mL Removed
<u>1712</u>	<u>22.96</u>	<u>7.48</u>	<u>141</u>	<u>0.799</u>	<u>0-</u>	<u>4.20</u>	<u>58.80</u>	<u>150</u>	
<u>1722</u>	<u>20.88</u>	<u>7.46</u>	<u>151</u>	<u>0.778</u>	<u>0-</u>	<u>4.48</u>	<u>58.78</u>	<u>150</u>	
<u>1732</u>	<u>18.95</u>	<u>7.43</u>	<u>160</u>	<u>0.798</u>	<u>0-</u>	<u>4.71</u>	<u>58.77</u>	<u>150</u>	
<u>1732</u>	<u>18.05</u>	<u>7.42</u>	<u>166</u>	<u>0.812</u>	<u>949</u>	<u>5.52</u>	<u>58.77</u>	<u>140</u>	
<u>1732</u>	<u>17.85</u>	<u>7.42</u>	<u>174</u>	<u>0.810</u>	<u>829</u>	<u>5.96</u>	<u>58.79</u>	<u>150</u>	
<u>1742</u>	<u>17.61</u>	<u>7.42</u>	<u>177</u>	<u>0.812</u>	<u>671</u>	<u>6.07</u>	<u>58.80</u>	<u>150</u>	

\* Only one (1) of these need to reach stability.

PURGE <sup>1</sup> :	Date	Time	Number of Casing Volumes	Preservative Type	Reaction (y/n)	Filter Type	Duplicate	MS/MSD
SAMPLING:	<u>5/8</u>	<u>1745</u>	<u>6</u>	<u>HCL</u>	<u>X</u>	<u>NA</u>	<u>DUP-4</u>	<u>NA</u>

**EQUIPMENT DECONTAMINATION PROCEDURES:**

# DUP-4\*

DECONTAMINATION METHOD:  Non Phosphatic detergent wash/distilled water rinse  
 Methanol rinse

**NOTES:**

Sampler Signature: [Signature]

<sup>1</sup>Monitoring wells sampled with a bailer require at least 3 to 5 well volumes to be purged prior to sampling unless the well bails dry prior to the removal of three (3) well volumes. Wells bailed dry should be sampled upon sufficient recovery for collection of samples.

Record the time of purging and the time of sampling on the Groundwater Sampling Form.

<sup>2</sup>Include Date PDB Installed in well, and Date PDB removed and sampled in NOTES section.

602 N. Capital Ave  
 Indianapolis, IN 46204  
 T: 317-972-7870 F: 317-972-7875

PROJECT NAME Former Robinson's Cleaners Well/Surface Station I.D. 6155- PZ-4602  
 LOCATION/ADDRESS 1838 W Court Street Sample Designation PZ-4602  
Janesville, WI 53548  
 PROJECT NO. 6155  
 CLIENT/CONTACT Ray Gehrig Personnel K. Heimstead, A Jablonski, K. Vander Heiden

**WATER LEVEL MEASUREMENTS DURING GAUGING:**  
 Well Depth 177.11 feet  
 Depth to Water 58.88 feet  
 Well Diameter \_\_\_\_\_ inches  
 Casing Volume \_\_\_\_\_ gallons  
 Volume Removed \_\_\_\_\_ gallons  
 Total No. of Casing Volumes Removed \_\_\_\_\_  
 Date 5/20/15

Factor * Water Column Height Equals Gallons	
Factor	Diameter
0.163	2" Well
0.653	4" Well
1.469	6" Well
Conversions	
1 mL	= 0.0003 gal
1 gal	= 3,785 mL

**SAMPLING METHOD:**

Low-Flow X  
 Grab/No-purge \_\_\_\_\_  
 Bailer \_\_\_\_\_  
 Peristaltic pump \_\_\_\_\_  
 Submersible Pump X  
 Passive Diffusion Bag<sup>2</sup> \_\_\_\_\_  
 Other \_\_\_\_\_  
 Was drawdown greater than 0.3 ft? (y/n) \_\_\_\_\_  
 Pump Depth (ft below TOC) (if applicable) \_\_\_\_\_

**Stability Parameter Readings:** Readings every five minutes for at least three readings to achieve stability for ALL parameters except as noted.

Start Time	Temperature (Celsius)	pH	Oxidation-Reduction Potential (mV)	Specific Conductance (umhos/cm)	Turbidity (NTU)	Dissolved Oxygen (mg/L)	Sampling DTW (ft)	Flow Rate (ml/min)	mL Removed
			+/- 10mV*	+/- 3%	+/- 10%*	+/- 10%*	< 0.3ft	< 250	
<u>1345</u>	<u>23.32</u>	<u>7.34</u>	<u>166</u>	<u>0.656</u>	<u>64.1</u>	<u>4.56</u>	<u>59.09</u>	<u>170</u>	
<u>1350</u>	<u>23.53</u>	<u>7.32</u>	<u>148</u>	<u>0.692</u>	<u>0-</u>	<u>4.99</u>	<u>59.08</u>	<u>170</u>	
<u>1355</u>	<u>18.87</u>	<u>7.35</u>	<u>28</u>	<u>0.709</u>	<u>0-</u>	<u>5.05</u>	<u>59.06</u>	<u>170</u>	
<u>1600</u>	<u>18.60</u>	<u>7.33</u>	<u>32</u>	<u>0.704</u>	<u>0-</u>	<u>5.04</u>	<u>59.07</u>	<u>170</u>	
<u>1605</u>	<u>17.74</u>	<u>7.33</u>	<u>56</u>	<u>0.709</u>	<u>0-</u>	<u>5.17</u>	<u>59.07</u>	<u>170</u>	
<u>1610</u>	<u>17.42</u>	<u>7.31</u>	<u>75</u>	<u>0.716</u>	<u>1000</u>	<u>5.30</u>	<u>59.07</u>	<u>170</u>	
<u>1615</u>	<u>18.89</u>	<u>7.31</u>	<u>86</u>	<u>0.718</u>	<u>745</u>	<u>5.31</u>	<u>59.07</u>	<u>170</u>	
<u>1620</u>	<u>16.81</u>	<u>7.30</u>	<u>95</u>	<u>0.728</u>	<u>537</u>	<u>5.40</u>	<u>59.07</u>	<u>170</u>	

\* Only one (1) of these need to reach stability.

**PURGE<sup>1</sup>:** Date 6/9 Time 1418  
**SAMPLING:** Date 6/9 Time 1418

Sample Analysis	Volume	Type	Number of Containers	Preservative Type	Reaction (y/n)	Filter Type	Duplicate	MS/MSD
VOC 8260	40mL	VOA	<u>3</u>	HCL	<u>N</u>	NA	<u>-</u>	NA

**EQUIPMENT DECONTAMINATION PROCEDURES:**

GRUNDFOS PUMP

DECONTAMINATION METHOD:  Non Phosphatic detergent wash/distilled water rinse  
 Methanol rinse

**NOTES:**

Sampler Signature: [Signature]

<sup>1</sup>Monitoring wells sampled with a bailer require at least 3 to 5 well volumes to be purged prior to sampling unless the well bails dry prior to the removal of three (3) well volumes. Wells bailed dry should be sampled upon sufficient recovery for collection of samples. Record the time of purging and the time of sampling on the Groundwater Sampling Form.  
<sup>2</sup>Include Date PDB Installed in well, and Date PDB removed and sampled in NOTES section.

602 N. Capital Ave  
Indianapolis, IN 46204  
T: 317-972-7870 F: 317-972-7875

PROJECT NAME Former Robinson's Cleaners Well/Surface Station I.D. 6155- PZ-46D3

LOCATION/ADDRESS 1838 W Court Street Sample Designation PZ-46D3  
Janesville, WI 53548

PROJECT NO. 655

CLIENT/CONTACT Ray Gehrig Personnel K. Heimstead, A Jablonski, K. Vander Heiden

**WATER LEVEL MEASUREMENTS DURING GAUGING:**

Well Depth 219.79 feet  
Depth to Water 58.50 feet

Well Diameter \_\_\_\_\_ inches  
Casing Volume \_\_\_\_\_ gallons  
Volume Removed \_\_\_\_\_ gallons  
Total No. of Casing Volumes Removed \_\_\_\_\_

Date 5/20/15

Factor * Water Column Height Equals Gallons	
Factor	Diameter
0.163	2" Well
0.653	4" Well
1.469	6" Well
Conversions	
1 mL	= 0.0003 gal
1 gal	= 3,785 mL

**SAMPLING METHOD:**

Low-Flow X

Grab/No-purge \_\_\_\_\_

Bailer \_\_\_\_\_

Peristaltic pump \_\_\_\_\_

Submersible Pump X

Passive Diffusion Bag \_\_\_\_\_

Other \_\_\_\_\_

Was drawdown greater than 0.3 ft? (y/n) \_\_\_\_\_

Pump Depth (ft below TOC) (if applicable) \_\_\_\_\_

**Stability Parameter Readings:** Readings every five minutes for at least three readings to achieve stability for ALL parameters except as noted.

Start Time	Temperature (Celsius)	pH	Oxidation-Reduction Potential (mV)	Specific Conductance (umhos/cm)	Turbidity (NTU)	Dissolved Oxygen (mg/L)	Sampling DTW (ft)	Flow Rate (ml/min)	mL Removed
			+/- 10mV*	+/- 3%	+/- 10%*	+/- 10%*	<0.3ft	<250	
<u>1250</u>									
<u>1255</u>	<u>15.60</u>	<u>7.46</u>	<u>194</u>	<u>0.624</u>	<u>0.00</u>	<u>4.37</u>	<u>58.74</u>	<u>~200</u>	<u>1000</u>
<u>1300</u>	<u>20.35</u>	<u>7.54</u>	<u>175</u>	<u>0.639</u>	<u>2.60</u>	<u>2.41</u>	<u>58.74</u>		<u>2000</u>
<u>1305</u>	<u>21.14</u>	<u>7.56</u>	<u>161</u>	<u>0.638</u>	<u>5.32</u>	<u>2.46</u>	<u>58.75</u>		<u>3000</u>
<u>1310</u>	<u>21.71</u>	<u>7.56</u>	<u>149</u>	<u>0.626</u>	<u>3.45</u>	<u>2.43</u>	<u>58.75</u>		<u>4000</u>
<u>1315</u>	<u>21.98</u>	<u>7.56</u>	<u>140</u>	<u>0.623</u>	<u>2.74</u>	<u>2.45</u>	<u>58.74</u>		<u>5000</u>

\* Only one (1) of these need to reach stability.

**PURGE<sup>1</sup>:** Date 6-9-15 Time \_\_\_\_\_

**SAMPLING:** Date 6-3-15 Time 1320

Sample Analysis	Volume	Type	Number of Containers	Preservative Type	Reaction (y/n)	Filter Type	Duplicate	MS/MSD
VOC 8260	40mL	VOA	3	HCL	N	NA		NA

**EQUIPMENT DECONTAMINATION PROCEDURES:** **GRUNDIGS PUMP**

DECONTAMINATION METHOD:  Non Phosphatic detergent wash/distilled water rinse  
 Methanol rinse

NOTES:

Sampler Signature: [Signature]

<sup>1</sup>Monitoring wells sampled with a bailer require at least 3 to 5 well volumes to be purged prior to sampling unless the well bails dry prior to the removal of three (3) well volumes. Wells bailed dry should be sampled upon sufficient recovery for collection of samples. Record the time of purging and the time of sampling on the Groundwater Sampling Form.

<sup>2</sup>Include Date PDB Installed in well, and Date PDB removed and sampled in NOTES section.



602 N. Capital Ave  
Indianapolis, IN 46204  
T: 317-972-7870 F: 317-972-7875

PROJECT NAME Former Robinson's Cleaners Well/Surface Station I.D. 6155- PZ-4701  
 LOCATION/ADDRESS 1838 W Court Street Sample Designation PZ-4701  
Janesville, WI 53548  
 PROJECT NO. 6155  
 CLIENT/CONTACT Ray Gehrig Personnel K. Heimstead, A Jablonski, K. Vander Heiden

**WATER LEVEL MEASUREMENTS DURING GAUGING:**  
 Well Depth 105.27 feet  
 Depth to Water 23.77 feet  
 Well Diameter \_\_\_\_\_ inches  
 Casing Volume \_\_\_\_\_ gallons  
 Volume Removed \_\_\_\_\_ gallons  
 Total No. of Casing Volumes Removed \_\_\_\_\_  
 Date 5/20/15

Factor * Water Column Height Equals Gallons	
Factor	Diameter
0.163	2" Well
0.653	4" Well
1.469	6" Well
Conversions	
1 mL	= 0.0003 gal
1 gal	= 3,785 mL

**SAMPLING METHOD:**

Low-Flow X  
 Grab/No-purge \_\_\_\_\_  
 Bailer \_\_\_\_\_  
 Peristaltic pump \_\_\_\_\_  
 Submersible Pump X  
 Passive Diffusion Bag \_\_\_\_\_  
 Other \_\_\_\_\_  
 Was drawdown greater than 0.3 ft? (y/n) \_\_\_\_\_  
 Pump Depth (ft below TOC) (if applicable) \_\_\_\_\_

**Stability Parameter Readings:** Readings every five minutes for at least three readings to achieve stability for ALL parameters except as noted.

Start Time	Temperature (Celsius)	pH	Oxidation-Reduction Potential (mV)	Specific Conductance (umhos/cm)	Turbidity (NTU)	Dissolved Oxygen (mg/L)	Sampling DTW (ft)	Flow Rate (ml/min)	mL Removed
			+/- 10mV*	+/- 3%	+/- 10%*	+/- 10%*	<0.3ft	<250	
<u>1205</u>	<u>19.60</u>	<u>7.30</u>	<u>226</u>	<u>0.700</u>	<u>483</u>	<u>0.99</u>	<u>23.88</u>	<u>100</u>	<u>1000</u>
<u>1215</u>	<u>17.54</u>	<u>7.25</u>	<u>229</u>	<u>0.695</u>	<u>0.00</u>	<u>0.40</u>			<u>2000</u>
<u>1220</u>	<u>16.79</u>	<u>7.23</u>	<u>226</u>	<u>0.691</u>	<u>7.34</u>	<u>0.08</u>			<u>3000</u>
<u>1225</u>	<u>15.90</u>	<u>7.22</u>	<u>225</u>	<u>0.702</u>	<u>576</u>	<u>0.00</u>			<u>4000</u>
<u>1230</u>	<u>16.60</u>	<u>7.24</u>	<u>227</u>	<u>0.694</u>	<u>323</u>	<u>0.71</u>			<u>5000</u>
<u>1235</u>	<u>16.71</u>	<u>7.26</u>	<u>220</u>	<u>0.697</u>	<u>266</u>	<u>1.01</u>			<u>6000</u>

\* Only one (1) of these need to reach stability.

**PURGE<sup>1</sup>:** Date 6-5-15 Time \_\_\_\_\_  
**SAMPLING:** Date 6-5-15 Time 1240

Sample Analysis	Volume	Type	Number of Containers	Preservative Type	Reaction (y/n)	Filter Type	Duplicate	MS/MSD
<u>VOC 8260</u>	<u>40mL</u>	<u>VOA</u>	<u>3</u>	<u>HCL</u>	<u>N</u>	<u>NA</u>	<u>NA</u>	<u>NA</u>

**EQUIPMENT DECONTAMINATION PROCEDURES:**

DECONTAMINATION METHOD:  Non Phosphatic detergent wash/distilled water rinse  
 Methanol rinse

NOTES:  
 Sampler Signature: [Signature]

<sup>1</sup>Monitoring wells sampled with a bailer require at least 3 to 5 well volumes to be purged prior to sampling unless the well bails dry prior to the removal of three (3) well volumes. Wells bailed dry should be sampled upon sufficient recovery for collection of samples. Record the time of purging and the time of sampling on the Groundwater Sampling Form.  
<sup>2</sup>Include Date PDB installed in well, and Date PDB removed and sampled in NOTES section.

602 N. Capital Ave  
 Indianapolis, IN 46204  
 T: 317-972-7870 F: 317-972-7875

PROJECT NAME Former Robinson's Cleaners

Well/Surface Station I.D. 6155- PZ-471D2

LOCATION/ADDRESS 1838 W Court Street  
Janesville, WI 53548

Sample Designation PZ-471D2

PROJECT NO. 6155

CLIENT/CONTACT Ray Gehrig

Personnel K. Heimstead, A Jablonski, K. Vander Heiden

**WATER LEVEL MEASUREMENTS DURING GAUGING:**

Well Depth 28.73 feet  
 Depth to Water 23.43 feet  
 Well Diameter \_\_\_\_\_ inches  
 Casing Volume \_\_\_\_\_ gallons  
 Volume Removed \_\_\_\_\_ gallons  
 Total No. of Casing Volumes Removed \_\_\_\_\_  
 Date 5/28/15

Factor * Water Column Height Equals Gallons	
Factor	Diameter
0.163	2" Well
0.653	4" Well
1.469	6" Well
Conversions	
1 mL	= 0.0003 gal
1 gal	= 3,785 mL

**SAMPLING METHOD:**

Low-Flow X  
 Grab/No-purge \_\_\_\_\_  
 Bailer \_\_\_\_\_  
 Peristaltic pump \_\_\_\_\_  
 Submersible Pump X  
 Passive Diffusion Bag \_\_\_\_\_  
 Other \_\_\_\_\_  
 Was drawdown greater than 0.3 ft? (y/n) \_\_\_\_\_  
 Pump Depth (ft below TOC) (if applicable) \_\_\_\_\_

**Stability Parameter Readings:**

Readings every five minutes for at least three readings to achieve stability for ALL parameters except as noted.

Start Time	Temperature (Celsius) +/- 3%	pH +/- 0.1	Oxidation-Reduction Potential (mV) +/- 10mV*	Specific Conductance (umhos/cm) +/- 3%	Turbidity (NTU) +/- 10%*	Dissolved Oxygen (mg/L) +/- 10%*	Sampling DTW (ft) < 0.3ft	Flow Rate (ml/min) < 250	mL Removed
<u>1126</u>	<u>22.07</u>	<u>7.24</u>	<u>126</u>	<u>0.661</u>	<u>0.00</u>	<u>4.31</u>	<u>23.77</u>	<u>--100</u>	<u>500</u>
<u>1125</u>	<u>19.45</u>	<u>7.27</u>	<u>224</u>	<u>0.671</u>	<u>0.00</u>	<u>3.31</u>	<u>↓</u>	<u>↓</u>	<u>1000</u>
<u>1130</u>	<u>19.65</u>	<u>7.25</u>	<u>225</u>	<u>0.668</u>	<u>727</u>	<u>3.41</u>	<u>↓</u>	<u>↓</u>	<u>1500</u>
<u>1135</u>	<u>18.14</u>	<u>7.21</u>	<u>229</u>	<u>0.683</u>	<u>435</u>	<u>3.53</u>	<u>↓</u>	<u>↓</u>	<u>2000</u>
<u>1140</u>	<u>18.26</u>	<u>7.19</u>	<u>233</u>	<u>0.685</u>	<u>252</u>	<u>3.58</u>	<u>↓</u>	<u>↓</u>	<u>2500</u>
<u>1145</u>	<u>19.75</u>	<u>7.22</u>	<u>232</u>	<u>0.667</u>	<u>221</u>	<u>3.26</u>	<u>↓</u>	<u>↓</u>	<u>3000</u>
<u>1150</u>	<u>19.73</u>	<u>7.20</u>	<u>232</u>	<u>0.665</u>	<u>219</u>	<u>3.21</u>	<u>↓</u>	<u>↓</u>	<u>3500</u>

\* Only one (1) of these need to reach stability.

PURGE<sup>1</sup>: Date 6-5-15 Time \_\_\_\_\_  
 SAMPLING: Date 6-5-15 Time 1150

Sample Analysis	Volume	Type	Number of Containers	Preservative Type	Reaction (y/n)	Filter Type	Duplicate	MS/MSD
<u>VOC 8260</u>	<u>40mL</u>	<u>VOA</u>	<u>3</u>	<u>HCL</u>	<u>N</u>	<u>NA</u>	<u>---</u>	<u>NA</u>

**EQUIPMENT DECONTAMINATION PROCEDURES:**

DECONTAMINATION METHOD:  Non Phosphatic detergent wash/distilled water rinse  
 Methanol rinse

**NOTES:**

Sampler Signature: [Signature]

<sup>1</sup>Monitoring wells sampled with a bailer require at least 3 to 5 well volumes to be purged prior to sampling unless the well bails dry prior to the removal of three (3) well volumes. Wells bailed dry should be sampled upon sufficient recovery for collection of samples. Record the time of purging and the time of sampling on the Groundwater Sampling Form.  
<sup>2</sup>Include Date PDB Installed in well, and Date PDB removed and sampled in NOTES section.

602 N. Capital Ave  
Indianapolis, IN 46204  
T: 317-972-7870 F: 317-972-7875

PROJECT NAME Former Robinson's Cleaners Well/Surface Station I.D. 6155- PZ-47D3  
 LOCATION/ADDRESS 1838 W Court Street Sample Designation PZ-47D3  
Janesville, WI 53548  
 PROJECT NO. 6155  
 CLIENT/CONTACT Ray Gehrig Personnel K. Heimstead, A Jablonski, K. Vander Heiden

**WATER LEVEL MEASUREMENTS DURING GAUGING:**  
 Well Depth 149 feet  
 Depth to Water 23.06 feet  
 Well Diameter \_\_\_\_\_ inches  
 Casing Volume \_\_\_\_\_ gallons  
 Volume Removed \_\_\_\_\_ gallons  
 Total No. of Casing Volumes Removed \_\_\_\_\_  
 Date 5/20/15

Factor * Water Column Height Equals Gallons	
Factor	Diameter
0.163	2" Well
0.653	4" Well
1.469	6" Well
Conversions	
1 mL	= 0.0003 gal
1 gal	= 3,785 mL

**SAMPLING METHOD:**  
 Low-Flow  X  
 Grab/No-purge \_\_\_\_\_  
 Bailer \_\_\_\_\_  
 Peristaltic pump \_\_\_\_\_  
 Submersible Pump  X  
 Passive Diffusion Bag<sup>2</sup> \_\_\_\_\_  
 Other \_\_\_\_\_  
 Was drawdown greater than 0.3 ft? (y/n) N  
 Pump Depth (ft below TOC) (if applicable) \_\_\_\_\_

**Stability Parameter Readings:** Readings every five minutes for at least three readings to achieve stability for ALL parameters except as noted.

Start Time	Temperature (Celsius) +/- 3%	pH +/- 0.1	Oxidation-Reduction Potential (mV) +/- 10mV*	Specific Conductance (umhos/cm) +/- 3%	Turbidity (NTU) +/- 10%*	Dissolved Oxygen (mg/L) +/- 10%*	Sampling DTW (ft) <0.3ft	Flow Rate (ml/min) <250	mL Removed
<u>1020</u>	<u>21.32</u>	<u>7.46</u>	<u>225</u>	<u>0.707</u>	<u>19.0</u>	<u>4.18</u>	<u>23.18</u>	<u>&lt;100</u>	<u>500</u>
<u>1025</u>	<u>21.52</u>	<u>7.35</u>	<u>227</u>	<u>0.698</u>	<u>13.6</u>	<u>3.73</u>	↓	↓	<u>1000</u>
<u>1030</u>	<u>21.64</u>	<u>7.34</u>	<u>227</u>	<u>0.691</u>	<u>21.7</u>	<u>3.96</u>	↓	↓	<u>1500</u>
<u>1035</u>	<u>21.10</u>	<u>7.29</u>	<u>231</u>	<u>0.655</u>	<u>19.5</u>	<u>3.84</u>	↓	↓	<u>2000</u>
<u>1040</u>	<u>20.84</u>	<u>7.22</u>	<u>232</u>	<u>0.660</u>	<u>15.1</u>	<u>4.04</u>	↓	↓	<u>2500</u>
<u>1045</u>	<u>20.78</u>	<u>7.22</u>	<u>232</u>	<u>0.653</u>	<u>20.3</u>	<u>3.71</u>	↓	↓	<u>3000</u>
<u>1050</u>									<u>3500</u>

\* Only one (1) of these need to reach stability.

**PURGE<sup>1</sup>:** Date 6-5-15 Time \_\_\_\_\_  
**SAMPLING:** Date 6-5-15 Time 1055

Sample Analysis	Volume	Type	Number of Containers	Preservative Type	Reaction (y/n)	Filter Type	Duplicate	MS/MSD
VOC 8260	40mL	VOA	<u>3</u>	HCL	<u>N</u>	NA	<u>—</u>	NA

**EQUIPMENT DECONTAMINATION PROCEDURES:**

DECONTAMINATION METHOD:  Non Phosphatic detergent wash/distilled water rinse  
 Methanol rinse

**NOTES:**

Sampler Signature: [Signature]

<sup>1</sup>Monitoring wells sampled with a bailer require at least 3 to 5 well volumes to be purged prior to sampling unless the well bails dry prior to the removal of three (3) well volumes. Wells bailed dry should be sampled upon sufficient recovery for collection of samples. Record the time of purging and the time of sampling on the Groundwater Sampling Form.  
<sup>2</sup>Include Date PDB Installed in well, and Date PDB removed and sampled in NOTES section.

## **Attachment 2**

### **Laboratory Analytical Reports**

# Synergy Environmental Lab, INC.

1990 Prospect Ct., Appleton, WI 54914 \*P 920-830-2455 \* F 920-733-0631

WAYNE FASSBENDER  
ENVIROFORENSICS  
N16 W23390 STONE RIDGE DRIVE  
WAUKESHA, WI 53188

Report Date 02-Apr-15

Project Name FMR ROBINSON'S CLEANERS  
Project # 6155.41A

Invoice # E28691

Lab Code 5028691A  
Sample ID 6155-DUP-1  
Sample Matrix Water  
Sample Date 3/24/2015

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.44	ug/l	0.44	1.4	1	8260B	4/1/2015	4/1/2015	CJR	1
Bromobenzene	< 0.48	ug/l	0.48	1.5	1	8260B	4/1/2015	4/1/2015	CJR	1
Bromodichloromethane	< 0.46	ug/l	0.46	1.5	1	8260B	4/1/2015	4/1/2015	CJR	1
Bromoform	< 0.46	ug/l	0.46	1.5	1	8260B	4/1/2015	4/1/2015	CJR	1
tert-Butylbenzene	< 1.1	ug/l	1.1	3.4	1	8260B	4/1/2015	4/1/2015	CJR	1
sec-Butylbenzene	< 1.2	ug/l	1.2	3.8	1	8260B	4/1/2015	4/1/2015	CJR	1
n-Butylbenzene	< 1	ug/l	1	3.3	1	8260B	4/1/2015	4/1/2015	CJR	1
Carbon Tetrachloride	< 0.65	ug/l	0.65	2.1	1	8260B	4/1/2015	4/1/2015	CJR	1
Chlorobenzene	< 0.46	ug/l	0.46	1.4	1	8260B	4/1/2015	4/1/2015	CJR	1
Chloroethane	< 0.65	ug/l	0.65	2.1	1	8260B	4/1/2015	4/1/2015	CJR	1
Chloroform	< 0.43	ug/l	0.43	1.4	1	8260B	4/1/2015	4/1/2015	CJR	1
Chloromethane	< 1.9	ug/l	1.9	6	1	8260B	4/1/2015	4/1/2015	CJR	1
2-Chlorotoluene	< 0.4	ug/l	0.4	1.3	1	8260B	4/1/2015	4/1/2015	CJR	1
4-Chlorotoluene	< 0.63	ug/l	0.63	2	1	8260B	4/1/2015	4/1/2015	CJR	1
1,2-Dibromo-3-chloropropane	< 1.4	ug/l	1.4	4.5	1	8260B	4/1/2015	4/1/2015	CJR	1
Dibromochloromethane	< 0.45	ug/l	0.45	1.4	1	8260B	4/1/2015	4/1/2015	CJR	1
1,4-Dichlorobenzene	< 0.49	ug/l	0.49	1.6	1	8260B	4/1/2015	4/1/2015	CJR	1
1,3-Dichlorobenzene	< 0.52	ug/l	0.52	1.6	1	8260B	4/1/2015	4/1/2015	CJR	1
1,2-Dichlorobenzene	< 0.46	ug/l	0.46	1.5	1	8260B	4/1/2015	4/1/2015	CJR	1
Dichlorodifluoromethane	< 0.87	ug/l	0.87	2.8	1	8260B	4/1/2015	4/1/2015	CJR	1
1,2-Dichloroethane	< 0.54	ug/l	0.54	1.7	1	8260B	4/1/2015	4/1/2015	CJR	1
1,1-Dichloroethane	< 1.1	ug/l	1.1	3.6	1	8260B	4/1/2015	4/1/2015	CJR	1
1,1-Dichloroethene	< 0.65	ug/l	0.65	2.1	1	8260B	4/1/2015	4/1/2015	CJR	1
cis-1,2-Dichloroethene	< 0.45	ug/l	0.45	1.4	1	8260B	4/1/2015	4/1/2015	CJR	1
trans-1,2-Dichloroethene	< 0.54	ug/l	0.54	1.7	1	8260B	4/1/2015	4/1/2015	CJR	1
1,2-Dichloropropane	< 0.43	ug/l	0.43	1.37	1	8260B	4/1/2015	4/1/2015	CJR	1
2,2-Dichloropropane	< 3.1	ug/l	3.1	9.8	1	8260B	4/1/2015	4/1/2015	CJR	1
1,3-Dichloropropane	< 0.42	ug/l	0.42	1.3	1	8260B	4/1/2015	4/1/2015	CJR	1
Di-isopropyl ether	< 0.44	ug/l	0.44	1.4	1	8260B	4/1/2015	4/1/2015	CJR	1
EDB (1,2-Dibromoethane)	< 0.63	ug/l	0.63	2	1	8260B	4/1/2015	4/1/2015	CJR	1
Ethylbenzene	< 0.71	ug/l	0.71	2.3	1	8260B	4/1/2015	4/1/2015	CJR	1
Hexachlorobutadiene	< 2.2	ug/l	2.2	7.1	1	8260B	4/1/2015	4/1/2015	CJR	1
Isopropylbenzene	< 0.82	ug/l	0.82	2.6	1	8260B	4/1/2015	4/1/2015	CJR	1

**Project Name** FMR ROBINSON'S CLEANERS  
**Project #** 6155.41A

**Invoice #** E28691

**Lab Code** 5028691A  
**Sample ID** 6155-DUP-1  
**Sample Matrix** Water  
**Sample Date** 3/24/2015

	<b>Result</b>	<b>Unit</b>	<b>LOD</b>	<b>LOQ</b>	<b>Dil</b>	<b>Method</b>	<b>Ext Date</b>	<b>Run Date</b>	<b>Analyst</b>	<b>Code</b>
p-Isopropyltoluene	< 1.1	ug/l	1.1	3.5	1	8260B	4/1/2015	4/1/2015	CJR	1
Methylene chloride	< 1.3	ug/l	1.3	4.2	1	8260B	4/1/2015	4/1/2015	CJR	1
Methyl tert-butyl ether (MTBE)	< 1.1	ug/l	1.1	3.7	1	8260B	4/1/2015	4/1/2015	CJR	1
Naphthalene	< 1.6	ug/l	1.6	5.2	1	8260B	4/1/2015	4/1/2015	CJR	1
n-Propylbenzene	< 0.77	ug/l	0.77	2.4	1	8260B	4/1/2015	4/1/2015	CJR	1
1,1,2,2-Tetrachloroethane	< 0.52	ug/l	0.52	1.7	1	8260B	4/1/2015	4/1/2015	CJR	1
1,1,1,2-Tetrachloroethane	< 0.48	ug/l	0.48	1.5	1	8260B	4/1/2015	4/1/2015	CJR	1
Tetrachloroethene	3.3	ug/l	0.74	2.4	1	8260B	4/1/2015	4/1/2015	CJR	1
Toluene	< 0.44	ug/l	0.44	1.4	1	8260B	4/1/2015	4/1/2015	CJR	1
1,2,4-Trichlorobenzene	< 1.7	ug/l	1.7	5.6	1	8260B	4/1/2015	4/1/2015	CJR	1
1,2,3-Trichlorobenzene	< 2.7	ug/l	2.7	8.6	1	8260B	4/1/2015	4/1/2015	CJR	1
1,1,1-Trichloroethane	< 0.84	ug/l	0.84	2.7	1	8260B	4/1/2015	4/1/2015	CJR	1
1,1,2-Trichloroethane	< 0.48	ug/l	0.48	1.52	1	8260B	4/1/2015	4/1/2015	CJR	1
Trichloroethene (TCE)	< 0.47	ug/l	0.47	1.5	1	8260B	4/1/2015	4/1/2015	CJR	1
Trichlorofluoromethane	< 0.87	ug/l	0.87	2.8	1	8260B	4/1/2015	4/1/2015	CJR	1
1,2,4-Trimethylbenzene	< 1.6	ug/l	1.6	5	1	8260B	4/1/2015	4/1/2015	CJR	1
1,3,5-Trimethylbenzene	< 1.5	ug/l	1.5	4.8	1	8260B	4/1/2015	4/1/2015	CJR	1
Vinyl Chloride	< 0.17	ug/l	0.17	0.54	1	8260B	4/1/2015	4/1/2015	CJR	1
m&p-Xylene	< 2.2	ug/l	2.2	6.9	1	8260B	4/1/2015	4/1/2015	CJR	1
o-Xylene	< 0.9	ug/l	0.9	2.9	1	8260B	4/1/2015	4/1/2015	CJR	1
SUR - Dibromofluoromethane	93	REC %			1	8260B	4/1/2015	4/1/2015	CJR	1
SUR - Toluene-d8	101	REC %			1	8260B	4/1/2015	4/1/2015	CJR	1
SUR - 1,2-Dichloroethane-d4	81	REC %			1	8260B	4/1/2015	4/1/2015	CJR	1
SUR - 4-Bromofluorobenzene	98	REC %			1	8260B	4/1/2015	4/1/2015	CJR	1

**Project Name** FMR ROBINSON'S CLEANERS  
**Project #** 6155.41A

**Invoice #** E28691

**Lab Code** 5028691B  
**Sample ID** 6155-DUP-2  
**Sample Matrix** Water  
**Sample Date** 3/25/2015

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.44	ug/l	0.44	1.4	1	8260B		4/1/2015	CJR	1
Bromobenzene	< 0.48	ug/l	0.48	1.5	1	8260B		4/1/2015	CJR	1
Bromodichloromethane	< 0.46	ug/l	0.46	1.5	1	8260B		4/1/2015	CJR	1
Bromoform	< 0.46	ug/l	0.46	1.5	1	8260B		4/1/2015	CJR	1
tert-Butylbenzene	< 1.1	ug/l	1.1	3.4	1	8260B		4/1/2015	CJR	1
sec-Butylbenzene	< 1.2	ug/l	1.2	3.8	1	8260B		4/1/2015	CJR	1
n-Butylbenzene	< 1	ug/l	1	3.3	1	8260B		4/1/2015	CJR	1
Carbon Tetrachloride	< 0.65	ug/l	0.65	2.1	1	8260B		4/1/2015	CJR	1
Chlorobenzene	< 0.46	ug/l	0.46	1.4	1	8260B		4/1/2015	CJR	1
Chloroethane	< 0.65	ug/l	0.65	2.1	1	8260B		4/1/2015	CJR	1
Chloroform	< 0.43	ug/l	0.43	1.4	1	8260B		4/1/2015	CJR	1
Chloromethane	< 1.9	ug/l	1.9	6	1	8260B		4/1/2015	CJR	1
2-Chlorotoluene	< 0.4	ug/l	0.4	1.3	1	8260B		4/1/2015	CJR	1
4-Chlorotoluene	< 0.63	ug/l	0.63	2	1	8260B		4/1/2015	CJR	1
1,2-Dibromo-3-chloropropane	< 1.4	ug/l	1.4	4.5	1	8260B		4/1/2015	CJR	1
Dibromochloromethane	< 0.45	ug/l	0.45	1.4	1	8260B		4/1/2015	CJR	1
1,4-Dichlorobenzene	< 0.49	ug/l	0.49	1.6	1	8260B		4/1/2015	CJR	1
1,3-Dichlorobenzene	< 0.52	ug/l	0.52	1.6	1	8260B		4/1/2015	CJR	1
1,2-Dichlorobenzene	< 0.46	ug/l	0.46	1.5	1	8260B		4/1/2015	CJR	1
Dichlorodifluoromethane	< 0.87	ug/l	0.87	2.8	1	8260B		4/1/2015	CJR	1
1,2-Dichloroethane	< 0.54	ug/l	0.54	1.7	1	8260B		4/1/2015	CJR	1
1,1-Dichloroethane	< 1.1	ug/l	1.1	3.6	1	8260B		4/1/2015	CJR	1
1,1-Dichloroethene	< 0.65	ug/l	0.65	2.1	1	8260B		4/1/2015	CJR	1
cis-1,2-Dichloroethene	0.67 "J"	ug/l	0.45	1.4	1	8260B		4/1/2015	CJR	1
trans-1,2-Dichloroethene	< 0.54	ug/l	0.54	1.7	1	8260B		4/1/2015	CJR	1
1,2-Dichloropropane	< 0.43	ug/l	0.43	1.37	1	8260B		4/1/2015	CJR	1
2,2-Dichloropropane	< 3.1	ug/l	3.1	9.8	1	8260B		4/1/2015	CJR	1
1,3-Dichloropropane	< 0.42	ug/l	0.42	1.3	1	8260B		4/1/2015	CJR	1
Di-isopropyl ether	< 0.44	ug/l	0.44	1.4	1	8260B		4/1/2015	CJR	1
EDB (1,2-Dibromoethane)	< 0.63	ug/l	0.63	2	1	8260B		4/1/2015	CJR	1
Ethylbenzene	< 0.71	ug/l	0.71	2.3	1	8260B		4/1/2015	CJR	1
Hexachlorobutadiene	< 2.2	ug/l	2.2	7.1	1	8260B		4/1/2015	CJR	1
Isopropylbenzene	< 0.82	ug/l	0.82	2.6	1	8260B		4/1/2015	CJR	1
p-Isopropyltoluene	< 1.1	ug/l	1.1	3.5	1	8260B		4/1/2015	CJR	1
Methylene chloride	< 1.3	ug/l	1.3	4.2	1	8260B		4/1/2015	CJR	1
Methyl tert-butyl ether (MTBE)	2.5 "J"	ug/l	1.1	3.7	1	8260B		4/1/2015	CJR	1
Naphthalene	< 1.6	ug/l	1.6	5.2	1	8260B		4/1/2015	CJR	1
n-Propylbenzene	< 0.77	ug/l	0.77	2.4	1	8260B		4/1/2015	CJR	1
1,1,2,2-Tetrachloroethane	< 0.52	ug/l	0.52	1.7	1	8260B		4/1/2015	CJR	1
1,1,1,2-Tetrachloroethane	< 0.48	ug/l	0.48	1.5	1	8260B		4/1/2015	CJR	1
Tetrachloroethene	88	ug/l	0.74	2.4	1	8260B		4/1/2015	CJR	1
Toluene	< 0.44	ug/l	0.44	1.4	1	8260B		4/1/2015	CJR	1
1,2,4-Trichlorobenzene	< 1.7	ug/l	1.7	5.6	1	8260B		4/1/2015	CJR	1
1,2,3-Trichlorobenzene	< 2.7	ug/l	2.7	8.6	1	8260B		4/1/2015	CJR	1
1,1,1-Trichloroethane	< 0.84	ug/l	0.84	2.7	1	8260B		4/1/2015	CJR	1
1,1,2-Trichloroethane	< 0.48	ug/l	0.48	1.52	1	8260B		4/1/2015	CJR	1
Trichloroethene (TCE)	1.57	ug/l	0.47	1.5	1	8260B		4/1/2015	CJR	1
Trichlorofluoromethane	< 0.87	ug/l	0.87	2.8	1	8260B		4/1/2015	CJR	1
1,2,4-Trimethylbenzene	< 1.6	ug/l	1.6	5	1	8260B		4/1/2015	CJR	1
1,3,5-Trimethylbenzene	< 1.5	ug/l	1.5	4.8	1	8260B		4/1/2015	CJR	1
Vinyl Chloride	< 0.17	ug/l	0.17	0.54	1	8260B		4/1/2015	CJR	1
m&p-Xylene	< 2.2	ug/l	2.2	6.9	1	8260B		4/1/2015	CJR	1
o-Xylene	< 0.9	ug/l	0.9	2.9	1	8260B		4/1/2015	CJR	1
SUR - Dibromofluoromethane	101	REC %			1	8260B		4/1/2015	CJR	1
SUR - Toluene-d8	95	REC %			1	8260B		4/1/2015	CJR	1
SUR - 1,2-Dichloroethane-d4	101	REC %			1	8260B		4/1/2015	CJR	1
SUR - 4-Bromofluorobenzene	101	REC %			1	8260B		4/1/2015	CJR	1

**Project Name** FMR ROBINSON'S CLEANERS  
**Project #** 6155.41A

**Invoice #** E28691

**Lab Code** 5028691C  
**Sample ID** 6155-DUP-3  
**Sample Matrix** Water  
**Sample Date** 3/26/2015

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.44	ug/l	0.44	1.4	1	8260B		4/1/2015	CJR	1
Bromobenzene	< 0.48	ug/l	0.48	1.5	1	8260B		4/1/2015	CJR	1
Bromodichloromethane	< 0.46	ug/l	0.46	1.5	1	8260B		4/1/2015	CJR	1
Bromoform	< 0.46	ug/l	0.46	1.5	1	8260B		4/1/2015	CJR	1
tert-Butylbenzene	< 1.1	ug/l	1.1	3.4	1	8260B		4/1/2015	CJR	1
sec-Butylbenzene	< 1.2	ug/l	1.2	3.8	1	8260B		4/1/2015	CJR	1
n-Butylbenzene	< 1	ug/l	1	3.3	1	8260B		4/1/2015	CJR	1
Carbon Tetrachloride	< 0.65	ug/l	0.65	2.1	1	8260B		4/1/2015	CJR	1
Chlorobenzene	< 0.46	ug/l	0.46	1.4	1	8260B		4/1/2015	CJR	1
Chloroethane	< 0.65	ug/l	0.65	2.1	1	8260B		4/1/2015	CJR	1
Chloroform	< 0.43	ug/l	0.43	1.4	1	8260B		4/1/2015	CJR	1
Chloromethane	< 1.9	ug/l	1.9	6	1	8260B		4/1/2015	CJR	1
2-Chlorotoluene	< 0.4	ug/l	0.4	1.3	1	8260B		4/1/2015	CJR	1
4-Chlorotoluene	< 0.63	ug/l	0.63	2	1	8260B		4/1/2015	CJR	1
1,2-Dibromo-3-chloropropane	< 1.4	ug/l	1.4	4.5	1	8260B		4/1/2015	CJR	1
Dibromochloromethane	< 0.45	ug/l	0.45	1.4	1	8260B		4/1/2015	CJR	1
1,4-Dichlorobenzene	< 0.49	ug/l	0.49	1.6	1	8260B		4/1/2015	CJR	1
1,3-Dichlorobenzene	< 0.52	ug/l	0.52	1.6	1	8260B		4/1/2015	CJR	1
1,2-Dichlorobenzene	< 0.46	ug/l	0.46	1.5	1	8260B		4/1/2015	CJR	1
Dichlorodifluoromethane	< 0.87	ug/l	0.87	2.8	1	8260B		4/1/2015	CJR	1
1,2-Dichloroethane	< 0.54	ug/l	0.54	1.7	1	8260B		4/1/2015	CJR	1
1,1-Dichloroethane	< 1.1	ug/l	1.1	3.6	1	8260B		4/1/2015	CJR	1
1,1-Dichloroethene	< 0.65	ug/l	0.65	2.1	1	8260B		4/1/2015	CJR	1
cis-1,2-Dichloroethene	< 0.45	ug/l	0.45	1.4	1	8260B		4/1/2015	CJR	1
trans-1,2-Dichloroethene	< 0.54	ug/l	0.54	1.7	1	8260B		4/1/2015	CJR	1
1,2-Dichloropropane	< 0.43	ug/l	0.43	1.37	1	8260B		4/1/2015	CJR	1
2,2-Dichloropropane	< 3.1	ug/l	3.1	9.8	1	8260B		4/1/2015	CJR	1
1,3-Dichloropropane	< 0.42	ug/l	0.42	1.3	1	8260B		4/1/2015	CJR	1
Di-isopropyl ether	< 0.44	ug/l	0.44	1.4	1	8260B		4/1/2015	CJR	1
EDB (1,2-Dibromoethane)	< 0.63	ug/l	0.63	2	1	8260B		4/1/2015	CJR	1
Ethylbenzene	< 0.71	ug/l	0.71	2.3	1	8260B		4/1/2015	CJR	1
Hexachlorobutadiene	< 2.2	ug/l	2.2	7.1	1	8260B		4/1/2015	CJR	1
Isopropylbenzene	< 0.82	ug/l	0.82	2.6	1	8260B		4/1/2015	CJR	1
p-Isopropyltoluene	< 1.1	ug/l	1.1	3.5	1	8260B		4/1/2015	CJR	1
Methylene chloride	< 1.3	ug/l	1.3	4.2	1	8260B		4/1/2015	CJR	1
Methyl tert-butyl ether (MTBE)	< 1.1	ug/l	1.1	3.7	1	8260B		4/1/2015	CJR	1
Naphthalene	< 1.6	ug/l	1.6	5.2	1	8260B		4/1/2015	CJR	1
n-Propylbenzene	< 0.77	ug/l	0.77	2.4	1	8260B		4/1/2015	CJR	1
1,1,2,2-Tetrachloroethane	< 0.52	ug/l	0.52	1.7	1	8260B		4/1/2015	CJR	1
1,1,1,2-Tetrachloroethane	< 0.48	ug/l	0.48	1.5	1	8260B		4/1/2015	CJR	1
Tetrachloroethene	3.6	ug/l	0.74	2.4	1	8260B		4/1/2015	CJR	1
Toluene	< 0.44	ug/l	0.44	1.4	1	8260B		4/1/2015	CJR	1
1,2,4-Trichlorobenzene	< 1.7	ug/l	1.7	5.6	1	8260B		4/1/2015	CJR	1
1,2,3-Trichlorobenzene	< 2.7	ug/l	2.7	8.6	1	8260B		4/1/2015	CJR	1
1,1,1-Trichloroethane	< 0.84	ug/l	0.84	2.7	1	8260B		4/1/2015	CJR	1
1,1,2-Trichloroethane	< 0.48	ug/l	0.48	1.52	1	8260B		4/1/2015	CJR	1
Trichloroethene (TCE)	< 0.47	ug/l	0.47	1.5	1	8260B		4/1/2015	CJR	1
Trichlorofluoromethane	< 0.87	ug/l	0.87	2.8	1	8260B		4/1/2015	CJR	1
1,2,4-Trimethylbenzene	< 1.6	ug/l	1.6	5	1	8260B		4/1/2015	CJR	1
1,3,5-Trimethylbenzene	< 1.5	ug/l	1.5	4.8	1	8260B		4/1/2015	CJR	1
Vinyl Chloride	< 0.17	ug/l	0.17	0.54	1	8260B		4/1/2015	CJR	1
m&p-Xylene	< 2.2	ug/l	2.2	6.9	1	8260B		4/1/2015	CJR	1
o-Xylene	< 0.9	ug/l	0.9	2.9	1	8260B		4/1/2015	CJR	1
SUR - Dibromofluoromethane	95	REC %			1	8260B		4/1/2015	CJR	1
SUR - 4-Bromofluorobenzene	93	REC %			1	8260B		4/1/2015	CJR	1
SUR - 1,2-Dichloroethane-d4	98	REC %			1	8260B		4/1/2015	CJR	1
SUR - Toluene-d8	99	REC %			1	8260B		4/1/2015	CJR	1



**Project Name** FMR ROBINSON'S CLEANERS  
**Project #** 6155.41A

**Invoice #** E28691

**Lab Code** 5028691D  
**Sample ID** 6155-EB-1  
**Sample Matrix** Water  
**Sample Date** 3/25/2015

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.44	ug/l	0.44	1.4	1	8260B		3/30/2015	CJR	1
Bromobenzene	< 0.48	ug/l	0.48	1.5	1	8260B		3/30/2015	CJR	1
Bromodichloromethane	< 0.46	ug/l	0.46	1.5	1	8260B		3/30/2015	CJR	1
Bromoform	< 0.46	ug/l	0.46	1.5	1	8260B		3/30/2015	CJR	1
tert-Butylbenzene	< 1.1	ug/l	1.1	3.4	1	8260B		3/30/2015	CJR	1
sec-Butylbenzene	< 1.2	ug/l	1.2	3.8	1	8260B		3/30/2015	CJR	1
n-Butylbenzene	< 1	ug/l	1	3.3	1	8260B		3/30/2015	CJR	1
Carbon Tetrachloride	< 0.65	ug/l	0.65	2.1	1	8260B		3/30/2015	CJR	1
Chlorobenzene	< 0.46	ug/l	0.46	1.4	1	8260B		3/30/2015	CJR	1
Chloroethane	< 0.65	ug/l	0.65	2.1	1	8260B		3/30/2015	CJR	1
Chloroform	< 0.43	ug/l	0.43	1.4	1	8260B		3/30/2015	CJR	1
Chloromethane	< 1.9	ug/l	1.9	6	1	8260B		3/30/2015	CJR	1
2-Chlorotoluene	< 0.4	ug/l	0.4	1.3	1	8260B		3/30/2015	CJR	1
4-Chlorotoluene	< 0.63	ug/l	0.63	2	1	8260B		3/30/2015	CJR	1
1,2-Dibromo-3-chloropropane	< 1.4	ug/l	1.4	4.5	1	8260B		3/30/2015	CJR	1
Dibromochloromethane	< 0.45	ug/l	0.45	1.4	1	8260B		3/30/2015	CJR	1
1,4-Dichlorobenzene	< 0.49	ug/l	0.49	1.6	1	8260B		3/30/2015	CJR	1
1,3-Dichlorobenzene	< 0.52	ug/l	0.52	1.6	1	8260B		3/30/2015	CJR	1
1,2-Dichlorobenzene	< 0.46	ug/l	0.46	1.5	1	8260B		3/30/2015	CJR	1
Dichlorodifluoromethane	< 0.87	ug/l	0.87	2.8	1	8260B		3/30/2015	CJR	1
1,2-Dichloroethane	< 0.54	ug/l	0.54	1.7	1	8260B		3/30/2015	CJR	1
1,1-Dichloroethane	< 1.1	ug/l	1.1	3.6	1	8260B		3/30/2015	CJR	1
1,1-Dichloroethene	< 0.65	ug/l	0.65	2.1	1	8260B		3/30/2015	CJR	1
cis-1,2-Dichloroethene	< 0.45	ug/l	0.45	1.4	1	8260B		3/30/2015	CJR	1
trans-1,2-Dichloroethene	< 0.54	ug/l	0.54	1.7	1	8260B		3/30/2015	CJR	1
1,2-Dichloropropane	< 0.43	ug/l	0.43	1.37	1	8260B		3/30/2015	CJR	1
2,2-Dichloropropane	< 3.1	ug/l	3.1	9.8	1	8260B		3/30/2015	CJR	8
1,3-Dichloropropane	< 0.42	ug/l	0.42	1.3	1	8260B		3/30/2015	CJR	1
Di-isopropyl ether	< 0.44	ug/l	0.44	1.4	1	8260B		3/30/2015	CJR	1
EDB (1,2-Dibromoethane)	< 0.63	ug/l	0.63	2	1	8260B		3/30/2015	CJR	1
Ethylbenzene	< 0.71	ug/l	0.71	2.3	1	8260B		3/30/2015	CJR	1
Hexachlorobutadiene	< 2.2	ug/l	2.2	7.1	1	8260B		3/30/2015	CJR	1
Isopropylbenzene	< 0.82	ug/l	0.82	2.6	1	8260B		3/30/2015	CJR	1
p-Isopropyltoluene	< 1.1	ug/l	1.1	3.5	1	8260B		3/30/2015	CJR	1
Methylene chloride	< 1.3	ug/l	1.3	4.2	1	8260B		3/30/2015	CJR	1
Methyl tert-butyl ether (MTBE)	< 1.1	ug/l	1.1	3.7	1	8260B		3/30/2015	CJR	1
Naphthalene	< 1.6	ug/l	1.6	5.2	1	8260B		3/30/2015	CJR	1
n-Propylbenzene	< 0.77	ug/l	0.77	2.4	1	8260B		3/30/2015	CJR	1
1,1,2,2-Tetrachloroethane	< 0.52	ug/l	0.52	1.7	1	8260B		3/30/2015	CJR	1
1,1,1,2-Tetrachloroethane	< 0.48	ug/l	0.48	1.5	1	8260B		3/30/2015	CJR	1
Tetrachloroethene	< 0.74	ug/l	0.74	2.4	1	8260B		3/30/2015	CJR	1
Toluene	1.62	ug/l	0.44	1.4	1	8260B		3/30/2015	CJR	1
1,2,4-Trichlorobenzene	< 1.7	ug/l	1.7	5.6	1	8260B		3/30/2015	CJR	1
1,2,3-Trichlorobenzene	< 2.7	ug/l	2.7	8.6	1	8260B		3/30/2015	CJR	1
1,1,1-Trichloroethane	< 0.84	ug/l	0.84	2.7	1	8260B		3/30/2015	CJR	1
1,1,2-Trichloroethane	< 0.48	ug/l	0.48	1.52	1	8260B		3/30/2015	CJR	1
Trichloroethene (TCE)	< 0.47	ug/l	0.47	1.5	1	8260B		3/30/2015	CJR	1
Trichlorofluoromethane	< 0.87	ug/l	0.87	2.8	1	8260B		3/30/2015	CJR	1
1,2,4-Trimethylbenzene	< 1.6	ug/l	1.6	5	1	8260B		3/30/2015	CJR	1
1,3,5-Trimethylbenzene	< 1.5	ug/l	1.5	4.8	1	8260B		3/30/2015	CJR	1
Vinyl Chloride	< 0.17	ug/l	0.17	0.54	1	8260B		3/30/2015	CJR	1
m&p-Xylene	< 2.2	ug/l	2.2	6.9	1	8260B		3/30/2015	CJR	1
o-Xylene	< 0.9	ug/l	0.9	2.9	1	8260B		3/30/2015	CJR	1
SUR - Dibromofluoromethane	94	REC %			1	8260B		3/30/2015	CJR	1
SUR - Toluene-d8	101	REC %			1	8260B		3/30/2015	CJR	1
SUR - 1,2-Dichloroethane-d4	98	REC %			1	8260B		3/30/2015	CJR	1
SUR - 4-Bromofluorobenzene	102	REC %			1	8260B		3/30/2015	CJR	1

**Project Name** FMR ROBINSON'S CLEANERS  
**Project #** 6155.41A

**Invoice #** E28691

**Lab Code** 5028691E  
**Sample ID** 6155-EB-2  
**Sample Matrix** Water  
**Sample Date** 3/25/2015

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.44	ug/l	0.44	1.4	1	8260B		3/30/2015	CJR	1
Bromobenzene	< 0.48	ug/l	0.48	1.5	1	8260B		3/30/2015	CJR	1
Bromodichloromethane	< 0.46	ug/l	0.46	1.5	1	8260B		3/30/2015	CJR	1
Bromoform	< 0.46	ug/l	0.46	1.5	1	8260B		3/30/2015	CJR	1
tert-Butylbenzene	< 1.1	ug/l	1.1	3.4	1	8260B		3/30/2015	CJR	1
sec-Butylbenzene	< 1.2	ug/l	1.2	3.8	1	8260B		3/30/2015	CJR	1
n-Butylbenzene	< 1	ug/l	1	3.3	1	8260B		3/30/2015	CJR	1
Carbon Tetrachloride	< 0.65	ug/l	0.65	2.1	1	8260B		3/30/2015	CJR	1
Chlorobenzene	< 0.46	ug/l	0.46	1.4	1	8260B		3/30/2015	CJR	1
Chloroethane	< 0.65	ug/l	0.65	2.1	1	8260B		3/30/2015	CJR	1
Chloroform	< 0.43	ug/l	0.43	1.4	1	8260B		3/30/2015	CJR	1
Chloromethane	< 1.9	ug/l	1.9	6	1	8260B		3/30/2015	CJR	1
2-Chlorotoluene	< 0.4	ug/l	0.4	1.3	1	8260B		3/30/2015	CJR	1
4-Chlorotoluene	< 0.63	ug/l	0.63	2	1	8260B		3/30/2015	CJR	1
1,2-Dibromo-3-chloropropane	< 1.4	ug/l	1.4	4.5	1	8260B		3/30/2015	CJR	1
Dibromochloromethane	< 0.45	ug/l	0.45	1.4	1	8260B		3/30/2015	CJR	1
1,4-Dichlorobenzene	< 0.49	ug/l	0.49	1.6	1	8260B		3/30/2015	CJR	1
1,3-Dichlorobenzene	< 0.52	ug/l	0.52	1.6	1	8260B		3/30/2015	CJR	1
1,2-Dichlorobenzene	< 0.46	ug/l	0.46	1.5	1	8260B		3/30/2015	CJR	1
Dichlorodifluoromethane	< 0.87	ug/l	0.87	2.8	1	8260B		3/30/2015	CJR	1
1,2-Dichloroethane	< 0.54	ug/l	0.54	1.7	1	8260B		3/30/2015	CJR	1
1,1-Dichloroethane	< 1.1	ug/l	1.1	3.6	1	8260B		3/30/2015	CJR	1
1,1-Dichloroethene	< 0.65	ug/l	0.65	2.1	1	8260B		3/30/2015	CJR	1
cis-1,2-Dichloroethene	< 0.45	ug/l	0.45	1.4	1	8260B		3/30/2015	CJR	1
trans-1,2-Dichloroethene	< 0.54	ug/l	0.54	1.7	1	8260B		3/30/2015	CJR	1
1,2-Dichloropropane	< 0.43	ug/l	0.43	1.37	1	8260B		3/30/2015	CJR	1
2,2-Dichloropropane	< 3.1	ug/l	3.1	9.8	1	8260B		3/30/2015	CJR	8
1,3-Dichloropropane	< 0.42	ug/l	0.42	1.3	1	8260B		3/30/2015	CJR	1
Di-isopropyl ether	< 0.44	ug/l	0.44	1.4	1	8260B		3/30/2015	CJR	1
EDB (1,2-Dibromoethane)	< 0.63	ug/l	0.63	2	1	8260B		3/30/2015	CJR	1
Ethylbenzene	< 0.71	ug/l	0.71	2.3	1	8260B		3/30/2015	CJR	1
Hexachlorobutadiene	< 2.2	ug/l	2.2	7.1	1	8260B		3/30/2015	CJR	1
Isopropylbenzene	< 0.82	ug/l	0.82	2.6	1	8260B		3/30/2015	CJR	1
p-Isopropyltoluene	< 1.1	ug/l	1.1	3.5	1	8260B		3/30/2015	CJR	1
Methylene chloride	< 1.3	ug/l	1.3	4.2	1	8260B		3/30/2015	CJR	1
Methyl tert-butyl ether (MTBE)	< 1.1	ug/l	1.1	3.7	1	8260B		3/30/2015	CJR	1
Naphthalene	< 1.6	ug/l	1.6	5.2	1	8260B		3/30/2015	CJR	1
n-Propylbenzene	< 0.77	ug/l	0.77	2.4	1	8260B		3/30/2015	CJR	1
1,1,2,2-Tetrachloroethane	< 0.52	ug/l	0.52	1.7	1	8260B		3/30/2015	CJR	1
1,1,1,2-Tetrachloroethane	< 0.48	ug/l	0.48	1.5	1	8260B		3/30/2015	CJR	1
Tetrachloroethene	< 0.74	ug/l	0.74	2.4	1	8260B		3/30/2015	CJR	1
Toluene	0.47 "J"	ug/l	0.44	1.4	1	8260B		3/30/2015	CJR	1
1,2,4-Trichlorobenzene	< 1.7	ug/l	1.7	5.6	1	8260B		3/30/2015	CJR	1
1,2,3-Trichlorobenzene	< 2.7	ug/l	2.7	8.6	1	8260B		3/30/2015	CJR	1
1,1,1-Trichloroethane	< 0.84	ug/l	0.84	2.7	1	8260B		3/30/2015	CJR	1
1,1,2-Trichloroethane	< 0.48	ug/l	0.48	1.52	1	8260B		3/30/2015	CJR	1
Trichloroethene (TCE)	< 0.47	ug/l	0.47	1.5	1	8260B		3/30/2015	CJR	1
Trichlorofluoromethane	< 0.87	ug/l	0.87	2.8	1	8260B		3/30/2015	CJR	1
1,2,4-Trimethylbenzene	< 1.6	ug/l	1.6	5	1	8260B		3/30/2015	CJR	1
1,3,5-Trimethylbenzene	< 1.5	ug/l	1.5	4.8	1	8260B		3/30/2015	CJR	1
Vinyl Chloride	< 0.17	ug/l	0.17	0.54	1	8260B		3/30/2015	CJR	1
m&p-Xylene	< 2.2	ug/l	2.2	6.9	1	8260B		3/30/2015	CJR	1
o-Xylene	< 0.9	ug/l	0.9	2.9	1	8260B		3/30/2015	CJR	1
SUR - 4-Bromofluorobenzene	100	REC %			1	8260B		3/30/2015	CJR	1
SUR - Dibromofluoromethane	96	REC %			1	8260B		3/30/2015	CJR	1
SUR - Toluene-d8	102	REC %			1	8260B		3/30/2015	CJR	1
SUR - 1,2-Dichloroethane-d4	95	REC %			1	8260B		3/30/2015	CJR	1

Project Name FMR ROBINSON'S CLEANERS  
 Project # 6155.41A

Invoice # E28691

Lab Code 5028691F  
 Sample ID 6155-EB-3  
 Sample Matrix Water  
 Sample Date 3/26/2015

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.44	ug/l	0.44	1.4	1	8260B		3/30/2015	CJR	1
Bromobenzene	< 0.48	ug/l	0.48	1.5	1	8260B		3/30/2015	CJR	1
Bromodichloromethane	< 0.46	ug/l	0.46	1.5	1	8260B		3/30/2015	CJR	1
Bromoform	< 0.46	ug/l	0.46	1.5	1	8260B		3/30/2015	CJR	1
tert-Butylbenzene	< 1.1	ug/l	1.1	3.4	1	8260B		3/30/2015	CJR	1
sec-Butylbenzene	< 1.2	ug/l	1.2	3.8	1	8260B		3/30/2015	CJR	1
n-Butylbenzene	< 1	ug/l	1	3.3	1	8260B		3/30/2015	CJR	1
Carbon Tetrachloride	< 0.65	ug/l	0.65	2.1	1	8260B		3/30/2015	CJR	1
Chlorobenzene	< 0.46	ug/l	0.46	1.4	1	8260B		3/30/2015	CJR	1
Chloroethane	< 0.65	ug/l	0.65	2.1	1	8260B		3/30/2015	CJR	1
Chloroform	< 0.43	ug/l	0.43	1.4	1	8260B		3/30/2015	CJR	1
Chloromethane	< 1.9	ug/l	1.9	6	1	8260B		3/30/2015	CJR	1
2-Chlorotoluene	< 0.4	ug/l	0.4	1.3	1	8260B		3/30/2015	CJR	1
4-Chlorotoluene	< 0.63	ug/l	0.63	2	1	8260B		3/30/2015	CJR	1
1,2-Dibromo-3-chloropropane	< 1.4	ug/l	1.4	4.5	1	8260B		3/30/2015	CJR	1
Dibromochloromethane	< 0.45	ug/l	0.45	1.4	1	8260B		3/30/2015	CJR	1
1,4-Dichlorobenzene	< 0.49	ug/l	0.49	1.6	1	8260B		3/30/2015	CJR	1
1,3-Dichlorobenzene	< 0.52	ug/l	0.52	1.6	1	8260B		3/30/2015	CJR	1
1,2-Dichlorobenzene	< 0.46	ug/l	0.46	1.5	1	8260B		3/30/2015	CJR	1
Dichlorodifluoromethane	< 0.87	ug/l	0.87	2.8	1	8260B		3/30/2015	CJR	1
1,2-Dichloroethane	< 0.54	ug/l	0.54	1.7	1	8260B		3/30/2015	CJR	1
1,1-Dichloroethane	< 1.1	ug/l	1.1	3.6	1	8260B		3/30/2015	CJR	1
1,1-Dichloroethene	< 0.65	ug/l	0.65	2.1	1	8260B		3/30/2015	CJR	1
cis-1,2-Dichloroethene	< 0.45	ug/l	0.45	1.4	1	8260B		3/30/2015	CJR	1
trans-1,2-Dichloroethene	< 0.54	ug/l	0.54	1.7	1	8260B		3/30/2015	CJR	1
1,2-Dichloropropane	< 0.43	ug/l	0.43	1.37	1	8260B		3/30/2015	CJR	1
2,2-Dichloropropane	< 3.1	ug/l	3.1	9.8	1	8260B		3/30/2015	CJR	8
1,3-Dichloropropane	< 0.42	ug/l	0.42	1.3	1	8260B		3/30/2015	CJR	1
Di-isopropyl ether	< 0.44	ug/l	0.44	1.4	1	8260B		3/30/2015	CJR	1
EDB (1,2-Dibromoethane)	< 0.63	ug/l	0.63	2	1	8260B		3/30/2015	CJR	1
Ethylbenzene	< 0.71	ug/l	0.71	2.3	1	8260B		3/30/2015	CJR	1
Hexachlorobutadiene	< 2.2	ug/l	2.2	7.1	1	8260B		3/30/2015	CJR	1
Isopropylbenzene	< 0.82	ug/l	0.82	2.6	1	8260B		3/30/2015	CJR	1
p-Isopropyltoluene	< 1.1	ug/l	1.1	3.5	1	8260B		3/30/2015	CJR	1
Methylene chloride	< 1.3	ug/l	1.3	4.2	1	8260B		3/30/2015	CJR	1
Methyl tert-butyl ether (MTBE)	< 1.1	ug/l	1.1	3.7	1	8260B		3/30/2015	CJR	1
Naphthalene	< 1.6	ug/l	1.6	5.2	1	8260B		3/30/2015	CJR	1
n-Propylbenzene	< 0.77	ug/l	0.77	2.4	1	8260B		3/30/2015	CJR	1
1,1,2,2-Tetrachloroethane	< 0.52	ug/l	0.52	1.7	1	8260B		3/30/2015	CJR	1
1,1,1,2-Tetrachloroethane	< 0.48	ug/l	0.48	1.5	1	8260B		3/30/2015	CJR	1
Tetrachloroethene	< 0.74	ug/l	0.74	2.4	1	8260B		3/30/2015	CJR	1
Toluene	< 0.44	ug/l	0.44	1.4	1	8260B		3/30/2015	CJR	1
1,2,4-Trichlorobenzene	< 1.7	ug/l	1.7	5.6	1	8260B		3/30/2015	CJR	1
1,2,3-Trichlorobenzene	< 2.7	ug/l	2.7	8.6	1	8260B		3/30/2015	CJR	1
1,1,1-Trichloroethane	< 0.84	ug/l	0.84	2.7	1	8260B		3/30/2015	CJR	1
1,1,2-Trichloroethane	< 0.48	ug/l	0.48	1.52	1	8260B		3/30/2015	CJR	1
Trichloroethene (TCE)	< 0.47	ug/l	0.47	1.5	1	8260B		3/30/2015	CJR	1
Trichlorofluoromethane	< 0.87	ug/l	0.87	2.8	1	8260B		3/30/2015	CJR	1
1,2,4-Trimethylbenzene	< 1.6	ug/l	1.6	5	1	8260B		3/30/2015	CJR	1
1,3,5-Trimethylbenzene	< 1.5	ug/l	1.5	4.8	1	8260B		3/30/2015	CJR	1
Vinyl Chloride	< 0.17	ug/l	0.17	0.54	1	8260B		3/30/2015	CJR	1
m&p-Xylene	< 2.2	ug/l	2.2	6.9	1	8260B		3/30/2015	CJR	1
o-Xylene	< 0.9	ug/l	0.9	2.9	1	8260B		3/30/2015	CJR	1
SUR - Dibromofluoromethane	96	REC %			1	8260B		3/30/2015	CJR	1
SUR - 4-Bromofluorobenzene	102	REC %			1	8260B		3/30/2015	CJR	1
SUR - 1,2-Dichloroethane-d4	95	REC %			1	8260B		3/30/2015	CJR	1
SUR - Toluene-d8	101	REC %			1	8260B		3/30/2015	CJR	1

**Project Name** FMR ROBINSON'S CLEANERS  
**Project #** 6155.41A

**Invoice #** E28691

**Lab Code** 5028691G  
**Sample ID** 6155-TB-1  
**Sample Matrix** Water  
**Sample Date** 3/26/2015

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.44	ug/l	0.44	1.4	1	8260B		3/30/2015	CJR	1
Bromobenzene	< 0.48	ug/l	0.48	1.5	1	8260B		3/30/2015	CJR	1
Bromodichloromethane	< 0.46	ug/l	0.46	1.5	1	8260B		3/30/2015	CJR	1
Bromoform	< 0.46	ug/l	0.46	1.5	1	8260B		3/30/2015	CJR	1
tert-Butylbenzene	< 1.1	ug/l	1.1	3.4	1	8260B		3/30/2015	CJR	1
sec-Butylbenzene	< 1.2	ug/l	1.2	3.8	1	8260B		3/30/2015	CJR	1
n-Butylbenzene	< 1	ug/l	1	3.3	1	8260B		3/30/2015	CJR	1
Carbon Tetrachloride	< 0.65	ug/l	0.65	2.1	1	8260B		3/30/2015	CJR	1
Chlorobenzene	< 0.46	ug/l	0.46	1.4	1	8260B		3/30/2015	CJR	1
Chloroethane	< 0.65	ug/l	0.65	2.1	1	8260B		3/30/2015	CJR	1
Chloroform	< 0.43	ug/l	0.43	1.4	1	8260B		3/30/2015	CJR	1
Chloromethane	< 1.9	ug/l	1.9	6	1	8260B		3/30/2015	CJR	1
2-Chlorotoluene	< 0.4	ug/l	0.4	1.3	1	8260B		3/30/2015	CJR	1
4-Chlorotoluene	< 0.63	ug/l	0.63	2	1	8260B		3/30/2015	CJR	1
1,2-Dibromo-3-chloropropane	< 1.4	ug/l	1.4	4.5	1	8260B		3/30/2015	CJR	1
Dibromochloromethane	< 0.45	ug/l	0.45	1.4	1	8260B		3/30/2015	CJR	1
1,4-Dichlorobenzene	< 0.49	ug/l	0.49	1.6	1	8260B		3/30/2015	CJR	1
1,3-Dichlorobenzene	< 0.52	ug/l	0.52	1.6	1	8260B		3/30/2015	CJR	1
1,2-Dichlorobenzene	< 0.46	ug/l	0.46	1.5	1	8260B		3/30/2015	CJR	1
Dichlorodifluoromethane	< 0.87	ug/l	0.87	2.8	1	8260B		3/30/2015	CJR	1
1,2-Dichloroethane	< 0.54	ug/l	0.54	1.7	1	8260B		3/30/2015	CJR	1
1,1-Dichloroethane	< 1.1	ug/l	1.1	3.6	1	8260B		3/30/2015	CJR	1
1,1-Dichloroethene	< 0.65	ug/l	0.65	2.1	1	8260B		3/30/2015	CJR	1
cis-1,2-Dichloroethene	< 0.45	ug/l	0.45	1.4	1	8260B		3/30/2015	CJR	1
trans-1,2-Dichloroethene	< 0.54	ug/l	0.54	1.7	1	8260B		3/30/2015	CJR	1
1,2-Dichloropropane	< 0.43	ug/l	0.43	1.37	1	8260B		3/30/2015	CJR	1
2,2-Dichloropropane	< 3.1	ug/l	3.1	9.8	1	8260B		3/30/2015	CJR	8
1,3-Dichloropropane	< 0.42	ug/l	0.42	1.3	1	8260B		3/30/2015	CJR	1
Di-isopropyl ether	< 0.44	ug/l	0.44	1.4	1	8260B		3/30/2015	CJR	1
EDB (1,2-Dibromoethane)	< 0.63	ug/l	0.63	2	1	8260B		3/30/2015	CJR	1
Ethylbenzene	< 0.71	ug/l	0.71	2.3	1	8260B		3/30/2015	CJR	1
Hexachlorobutadiene	< 2.2	ug/l	2.2	7.1	1	8260B		3/30/2015	CJR	1
Isopropylbenzene	< 0.82	ug/l	0.82	2.6	1	8260B		3/30/2015	CJR	1
p-Isopropyltoluene	< 1.1	ug/l	1.1	3.5	1	8260B		3/30/2015	CJR	1
Methylene chloride	< 1.3	ug/l	1.3	4.2	1	8260B		3/30/2015	CJR	1
Methyl tert-butyl ether (MTBE)	< 1.1	ug/l	1.1	3.7	1	8260B		3/30/2015	CJR	1
Naphthalene	< 1.6	ug/l	1.6	5.2	1	8260B		3/30/2015	CJR	1
n-Propylbenzene	< 0.77	ug/l	0.77	2.4	1	8260B		3/30/2015	CJR	1
1,1,2,2-Tetrachloroethane	< 0.52	ug/l	0.52	1.7	1	8260B		3/30/2015	CJR	1
1,1,1,2-Tetrachloroethane	< 0.48	ug/l	0.48	1.5	1	8260B		3/30/2015	CJR	1
Tetrachloroethene	< 0.74	ug/l	0.74	2.4	1	8260B		3/30/2015	CJR	1
Toluene	< 0.44	ug/l	0.44	1.4	1	8260B		3/30/2015	CJR	1
1,2,4-Trichlorobenzene	< 1.7	ug/l	1.7	5.6	1	8260B		3/30/2015	CJR	1
1,2,3-Trichlorobenzene	< 2.7	ug/l	2.7	8.6	1	8260B		3/30/2015	CJR	1
1,1,1-Trichloroethane	< 0.84	ug/l	0.84	2.7	1	8260B		3/30/2015	CJR	1
1,1,2-Trichloroethane	< 0.48	ug/l	0.48	1.52	1	8260B		3/30/2015	CJR	1
Trichloroethene (TCE)	< 0.47	ug/l	0.47	1.5	1	8260B		3/30/2015	CJR	1
Trichlorofluoromethane	< 0.87	ug/l	0.87	2.8	1	8260B		3/30/2015	CJR	1
1,2,4-Trimethylbenzene	< 1.6	ug/l	1.6	5	1	8260B		3/30/2015	CJR	1
1,3,5-Trimethylbenzene	< 1.5	ug/l	1.5	4.8	1	8260B		3/30/2015	CJR	1
Vinyl Chloride	< 0.17	ug/l	0.17	0.54	1	8260B		3/30/2015	CJR	1
m&p-Xylene	< 2.2	ug/l	2.2	6.9	1	8260B		3/30/2015	CJR	1
o-Xylene	< 0.9	ug/l	0.9	2.9	1	8260B		3/30/2015	CJR	1
SUR - Dibromofluoromethane	105	REC %			1	8260B		3/30/2015	CJR	1
SUR - 4-Bromofluorobenzene	130	REC %			1	8260B		3/30/2015	CJR	6
SUR - 1,2-Dichloroethane-d4	115	REC %			1	8260B		3/30/2015	CJR	1
SUR - Toluene-d8	97	REC %			1	8260B		3/30/2015	CJR	1

**Project Name** FMR ROBINSON'S CLEANERS  
**Project #** 6155.41A

**Invoice #** E28691

**Lab Code** 5028691H  
**Sample ID** 6155-PZ-25D2  
**Sample Matrix** Water  
**Sample Date** 3/24/2015

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.44	ug/l	0.44	1.4	1	8260B		3/30/2015	CJR	1
Bromobenzene	< 0.48	ug/l	0.48	1.5	1	8260B		3/30/2015	CJR	1
Bromodichloromethane	< 0.46	ug/l	0.46	1.5	1	8260B		3/30/2015	CJR	1
Bromoform	< 0.46	ug/l	0.46	1.5	1	8260B		3/30/2015	CJR	1
tert-Butylbenzene	< 1.1	ug/l	1.1	3.4	1	8260B		3/30/2015	CJR	1
sec-Butylbenzene	< 1.2	ug/l	1.2	3.8	1	8260B		3/30/2015	CJR	1
n-Butylbenzene	< 1	ug/l	1	3.3	1	8260B		3/30/2015	CJR	1
Carbon Tetrachloride	< 0.65	ug/l	0.65	2.1	1	8260B		3/30/2015	CJR	1
Chlorobenzene	< 0.46	ug/l	0.46	1.4	1	8260B		3/30/2015	CJR	1
Chloroethane	< 0.65	ug/l	0.65	2.1	1	8260B		3/30/2015	CJR	1
Chloroform	< 0.43	ug/l	0.43	1.4	1	8260B		3/30/2015	CJR	1
Chloromethane	< 1.9	ug/l	1.9	6	1	8260B		3/30/2015	CJR	1
2-Chlorotoluene	< 0.4	ug/l	0.4	1.3	1	8260B		3/30/2015	CJR	1
4-Chlorotoluene	< 0.63	ug/l	0.63	2	1	8260B		3/30/2015	CJR	1
1,2-Dibromo-3-chloropropane	< 1.4	ug/l	1.4	4.5	1	8260B		3/30/2015	CJR	1
Dibromochloromethane	< 0.45	ug/l	0.45	1.4	1	8260B		3/30/2015	CJR	1
1,4-Dichlorobenzene	< 0.49	ug/l	0.49	1.6	1	8260B		3/30/2015	CJR	1
1,3-Dichlorobenzene	< 0.52	ug/l	0.52	1.6	1	8260B		3/30/2015	CJR	1
1,2-Dichlorobenzene	< 0.46	ug/l	0.46	1.5	1	8260B		3/30/2015	CJR	1
Dichlorodifluoromethane	< 0.87	ug/l	0.87	2.8	1	8260B		3/30/2015	CJR	1
1,2-Dichloroethane	< 0.54	ug/l	0.54	1.7	1	8260B		3/30/2015	CJR	1
1,1-Dichloroethane	< 1.1	ug/l	1.1	3.6	1	8260B		3/30/2015	CJR	1
1,1-Dichloroethene	< 0.65	ug/l	0.65	2.1	1	8260B		3/30/2015	CJR	1
cis-1,2-Dichloroethene	< 0.45	ug/l	0.45	1.4	1	8260B		3/30/2015	CJR	1
trans-1,2-Dichloroethene	< 0.54	ug/l	0.54	1.7	1	8260B		3/30/2015	CJR	1
1,2-Dichloropropane	< 0.43	ug/l	0.43	1.37	1	8260B		3/30/2015	CJR	1
2,2-Dichloropropane	< 3.1	ug/l	3.1	9.8	1	8260B		3/30/2015	CJR	8
1,3-Dichloropropane	< 0.42	ug/l	0.42	1.3	1	8260B		3/30/2015	CJR	1
Di-isopropyl ether	< 0.44	ug/l	0.44	1.4	1	8260B		3/30/2015	CJR	1
EDB (1,2-Dibromoethane)	< 0.63	ug/l	0.63	2	1	8260B		3/30/2015	CJR	1
Ethylbenzene	< 0.71	ug/l	0.71	2.3	1	8260B		3/30/2015	CJR	1
Hexachlorobutadiene	< 2.2	ug/l	2.2	7.1	1	8260B		3/30/2015	CJR	1
Isopropylbenzene	< 0.82	ug/l	0.82	2.6	1	8260B		3/30/2015	CJR	1
p-Isopropyltoluene	< 1.1	ug/l	1.1	3.5	1	8260B		3/30/2015	CJR	1
Methylene chloride	< 1.3	ug/l	1.3	4.2	1	8260B		3/30/2015	CJR	1
Methyl tert-butyl ether (MTBE)	< 1.1	ug/l	1.1	3.7	1	8260B		3/30/2015	CJR	1
Naphthalene	< 1.6	ug/l	1.6	5.2	1	8260B		3/30/2015	CJR	1
n-Propylbenzene	< 0.77	ug/l	0.77	2.4	1	8260B		3/30/2015	CJR	1
1,1,2,2-Tetrachloroethane	< 0.52	ug/l	0.52	1.7	1	8260B		3/30/2015	CJR	1
1,1,1,2-Tetrachloroethane	< 0.48	ug/l	0.48	1.5	1	8260B		3/30/2015	CJR	1
Tetrachloroethene	< 0.74	ug/l	0.74	2.4	1	8260B		3/30/2015	CJR	1
Toluene	< 0.44	ug/l	0.44	1.4	1	8260B		3/30/2015	CJR	1
1,2,4-Trichlorobenzene	< 1.7	ug/l	1.7	5.6	1	8260B		3/30/2015	CJR	1
1,2,3-Trichlorobenzene	< 2.7	ug/l	2.7	8.6	1	8260B		3/30/2015	CJR	1
1,1,1-Trichloroethane	< 0.84	ug/l	0.84	2.7	1	8260B		3/30/2015	CJR	1
1,1,2-Trichloroethane	< 0.48	ug/l	0.48	1.52	1	8260B		3/30/2015	CJR	1
Trichloroethene (TCE)	< 0.47	ug/l	0.47	1.5	1	8260B		3/30/2015	CJR	1
Trichlorofluoromethane	< 0.87	ug/l	0.87	2.8	1	8260B		3/30/2015	CJR	1
1,2,4-Trimethylbenzene	< 1.6	ug/l	1.6	5	1	8260B		3/30/2015	CJR	1
1,3,5-Trimethylbenzene	< 1.5	ug/l	1.5	4.8	1	8260B		3/30/2015	CJR	1
Vinyl Chloride	< 0.17	ug/l	0.17	0.54	1	8260B		3/30/2015	CJR	1
m&p-Xylene	< 2.2	ug/l	2.2	6.9	1	8260B		3/30/2015	CJR	1
o-Xylene	< 0.9	ug/l	0.9	2.9	1	8260B		3/30/2015	CJR	1
SUR - Dibromofluoromethane	101	REC %			1	8260B		3/30/2015	CJR	1
SUR - Toluene-d8	101	REC %			1	8260B		3/30/2015	CJR	1
SUR - 1,2-Dichloroethane-d4	97	REC %			1	8260B		3/30/2015	CJR	1
SUR - 4-Bromofluorobenzene	105	REC %			1	8260B		3/30/2015	CJR	1

**Project Name** FMR ROBINSON'S CLEANERS  
**Project #** 6155.41A

**Invoice #** E28691

**Lab Code** 5028691I  
**Sample ID** 6155-PZ-30D2  
**Sample Matrix** Water  
**Sample Date** 3/24/2015

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.44	ug/l	0.44	1.4	1	8260B		3/30/2015	CJR	1
Bromobenzene	< 0.48	ug/l	0.48	1.5	1	8260B		3/30/2015	CJR	1
Bromodichloromethane	< 0.46	ug/l	0.46	1.5	1	8260B		3/30/2015	CJR	1
Bromoform	< 0.46	ug/l	0.46	1.5	1	8260B		3/30/2015	CJR	1
tert-Butylbenzene	< 1.1	ug/l	1.1	3.4	1	8260B		3/30/2015	CJR	1
sec-Butylbenzene	< 1.2	ug/l	1.2	3.8	1	8260B		3/30/2015	CJR	1
n-Butylbenzene	< 1	ug/l	1	3.3	1	8260B		3/30/2015	CJR	1
Carbon Tetrachloride	< 0.65	ug/l	0.65	2.1	1	8260B		3/30/2015	CJR	1
Chlorobenzene	< 0.46	ug/l	0.46	1.4	1	8260B		3/30/2015	CJR	1
Chloroethane	< 0.65	ug/l	0.65	2.1	1	8260B		3/30/2015	CJR	1
Chloroform	< 0.43	ug/l	0.43	1.4	1	8260B		3/30/2015	CJR	1
Chloromethane	< 1.9	ug/l	1.9	6	1	8260B		3/30/2015	CJR	1
2-Chlorotoluene	< 0.4	ug/l	0.4	1.3	1	8260B		3/30/2015	CJR	1
4-Chlorotoluene	< 0.63	ug/l	0.63	2	1	8260B		3/30/2015	CJR	1
1,2-Dibromo-3-chloropropane	< 1.4	ug/l	1.4	4.5	1	8260B		3/30/2015	CJR	1
Dibromochloromethane	< 0.45	ug/l	0.45	1.4	1	8260B		3/30/2015	CJR	1
1,4-Dichlorobenzene	< 0.49	ug/l	0.49	1.6	1	8260B		3/30/2015	CJR	1
1,3-Dichlorobenzene	< 0.52	ug/l	0.52	1.6	1	8260B		3/30/2015	CJR	1
1,2-Dichlorobenzene	< 0.46	ug/l	0.46	1.5	1	8260B		3/30/2015	CJR	1
Dichlorodifluoromethane	< 0.87	ug/l	0.87	2.8	1	8260B		3/30/2015	CJR	1
1,2-Dichloroethane	< 0.54	ug/l	0.54	1.7	1	8260B		3/30/2015	CJR	1
1,1-Dichloroethane	< 1.1	ug/l	1.1	3.6	1	8260B		3/30/2015	CJR	1
1,1-Dichloroethene	< 0.65	ug/l	0.65	2.1	1	8260B		3/30/2015	CJR	1
cis-1,2-Dichloroethene	< 0.45	ug/l	0.45	1.4	1	8260B		3/30/2015	CJR	1
trans-1,2-Dichloroethene	< 0.54	ug/l	0.54	1.7	1	8260B		3/30/2015	CJR	1
1,2-Dichloropropane	< 0.43	ug/l	0.43	1.37	1	8260B		3/30/2015	CJR	1
2,2-Dichloropropane	< 3.1	ug/l	3.1	9.8	1	8260B		3/30/2015	CJR	8
1,3-Dichloropropane	< 0.42	ug/l	0.42	1.3	1	8260B		3/30/2015	CJR	1
Di-isopropyl ether	< 0.44	ug/l	0.44	1.4	1	8260B		3/30/2015	CJR	1
EDB (1,2-Dibromoethane)	< 0.63	ug/l	0.63	2	1	8260B		3/30/2015	CJR	1
Ethylbenzene	< 0.71	ug/l	0.71	2.3	1	8260B		3/30/2015	CJR	1
Hexachlorobutadiene	< 2.2	ug/l	2.2	7.1	1	8260B		3/30/2015	CJR	1
Isopropylbenzene	< 0.82	ug/l	0.82	2.6	1	8260B		3/30/2015	CJR	1
p-Isopropyltoluene	< 1.1	ug/l	1.1	3.5	1	8260B		3/30/2015	CJR	1
Methylene chloride	< 1.3	ug/l	1.3	4.2	1	8260B		3/30/2015	CJR	1
Methyl tert-butyl ether (MTBE)	< 1.1	ug/l	1.1	3.7	1	8260B		3/30/2015	CJR	1
Naphthalene	< 1.6	ug/l	1.6	5.2	1	8260B		3/30/2015	CJR	1
n-Propylbenzene	< 0.77	ug/l	0.77	2.4	1	8260B		3/30/2015	CJR	1
1,1,2,2-Tetrachloroethane	< 0.52	ug/l	0.52	1.7	1	8260B		3/30/2015	CJR	1
1,1,1,2-Tetrachloroethane	< 0.48	ug/l	0.48	1.5	1	8260B		3/30/2015	CJR	1
Tetrachloroethene	3.2	ug/l	0.74	2.4	1	8260B		3/30/2015	CJR	1
Toluene	< 0.44	ug/l	0.44	1.4	1	8260B		3/30/2015	CJR	1
1,2,4-Trichlorobenzene	< 1.7	ug/l	1.7	5.6	1	8260B		3/30/2015	CJR	1
1,2,3-Trichlorobenzene	< 2.7	ug/l	2.7	8.6	1	8260B		3/30/2015	CJR	1
1,1,1-Trichloroethane	< 0.84	ug/l	0.84	2.7	1	8260B		3/30/2015	CJR	1
1,1,2-Trichloroethane	< 0.48	ug/l	0.48	1.52	1	8260B		3/30/2015	CJR	1
Trichloroethene (TCE)	< 0.47	ug/l	0.47	1.5	1	8260B		3/30/2015	CJR	1
Trichlorofluoromethane	< 0.87	ug/l	0.87	2.8	1	8260B		3/30/2015	CJR	1
1,2,4-Trimethylbenzene	< 1.6	ug/l	1.6	5	1	8260B		3/30/2015	CJR	1
1,3,5-Trimethylbenzene	< 1.5	ug/l	1.5	4.8	1	8260B		3/30/2015	CJR	1
Vinyl Chloride	< 0.17	ug/l	0.17	0.54	1	8260B		3/30/2015	CJR	1
m&p-Xylene	< 2.2	ug/l	2.2	6.9	1	8260B		3/30/2015	CJR	1
o-Xylene	< 0.9	ug/l	0.9	2.9	1	8260B		3/30/2015	CJR	1
SUR - 4-Bromofluorobenzene	103	REC %			1	8260B		3/30/2015	CJR	1
SUR - Dibromofluoromethane	94	REC %			1	8260B		3/30/2015	CJR	1
SUR - Toluene-d8	100	REC %			1	8260B		3/30/2015	CJR	1
SUR - 1,2-Dichloroethane-d4	97	REC %			1	8260B		3/30/2015	CJR	1

**Project Name** FMR ROBINSON'S CLEANERS  
**Project #** 6155.41A

**Invoice #** E28691

**Lab Code** 5028691J  
**Sample ID** 6155-MW-39S  
**Sample Matrix** Water  
**Sample Date** 3/24/2015

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 8.8	ug/l	8.8	28	20	8260B		4/1/2015	CJR	1
Bromobenzene	< 9.6	ug/l	9.6	30	20	8260B		4/1/2015	CJR	1
Bromodichloromethane	< 9.2	ug/l	9.2	30	20	8260B		4/1/2015	CJR	1
Bromoform	< 9.2	ug/l	9.2	30	20	8260B		4/1/2015	CJR	1
tert-Butylbenzene	< 22	ug/l	22	68	20	8260B		4/1/2015	CJR	1
sec-Butylbenzene	< 24	ug/l	24	76	20	8260B		4/1/2015	CJR	1
n-Butylbenzene	< 20	ug/l	20	66	20	8260B		4/1/2015	CJR	1
Carbon Tetrachloride	< 13	ug/l	13	42	20	8260B		4/1/2015	CJR	1
Chlorobenzene	< 9.2	ug/l	9.2	28	20	8260B		4/1/2015	CJR	1
Chloroethane	< 13	ug/l	13	42	20	8260B		4/1/2015	CJR	1
Chloroform	< 8.6	ug/l	8.6	28	20	8260B		4/1/2015	CJR	1
Chloromethane	< 38	ug/l	38	120	20	8260B		4/1/2015	CJR	1
2-Chlorotoluene	< 8	ug/l	8	26	20	8260B		4/1/2015	CJR	1
4-Chlorotoluene	< 12.6	ug/l	12.6	40	20	8260B		4/1/2015	CJR	1
1,2-Dibromo-3-chloropropane	< 28	ug/l	28	90	20	8260B		4/1/2015	CJR	1
Dibromochloromethane	< 9	ug/l	9	28	20	8260B		4/1/2015	CJR	1
1,4-Dichlorobenzene	< 9.8	ug/l	9.8	32	20	8260B		4/1/2015	CJR	1
1,3-Dichlorobenzene	< 10.4	ug/l	10.4	32	20	8260B		4/1/2015	CJR	1
1,2-Dichlorobenzene	< 9.2	ug/l	9.2	30	20	8260B		4/1/2015	CJR	1
Dichlorodifluoromethane	< 17.4	ug/l	17.4	56	20	8260B		4/1/2015	CJR	1
1,2-Dichloroethane	< 10.8	ug/l	10.8	34	20	8260B		4/1/2015	CJR	1
1,1-Dichloroethane	< 22	ug/l	22	72	20	8260B		4/1/2015	CJR	1
1,1-Dichloroethene	< 13	ug/l	13	42	20	8260B		4/1/2015	CJR	1
cis-1,2-Dichloroethene	35	ug/l	9	28	20	8260B		4/1/2015	CJR	1
trans-1,2-Dichloroethene	< 10.8	ug/l	10.8	34	20	8260B		4/1/2015	CJR	1
1,2-Dichloropropane	< 8.6	ug/l	8.6	27.4	20	8260B		4/1/2015	CJR	1
2,2-Dichloropropane	< 62	ug/l	62	196	20	8260B		4/1/2015	CJR	1
1,3-Dichloropropane	< 8.4	ug/l	8.4	26	20	8260B		4/1/2015	CJR	1
Di-isopropyl ether	< 8.8	ug/l	8.8	28	20	8260B		4/1/2015	CJR	1
EDB (1,2-Dibromoethane)	< 12.6	ug/l	12.6	40	20	8260B		4/1/2015	CJR	1
Ethylbenzene	< 14.2	ug/l	14.2	46	20	8260B		4/1/2015	CJR	1
Hexachlorobutadiene	< 44	ug/l	44	142	20	8260B		4/1/2015	CJR	1
Isopropylbenzene	< 16.4	ug/l	16.4	52	20	8260B		4/1/2015	CJR	1
p-Isopropyltoluene	< 22	ug/l	22	70	20	8260B		4/1/2015	CJR	1
Methylene chloride	< 26	ug/l	26	84	20	8260B		4/1/2015	CJR	1
Methyl tert-butyl ether (MTBE)	< 22	ug/l	22	74	20	8260B		4/1/2015	CJR	1
Naphthalene	< 32	ug/l	32	104	20	8260B		4/1/2015	CJR	1
n-Propylbenzene	< 15.4	ug/l	15.4	48	20	8260B		4/1/2015	CJR	1
1,1,2,2-Tetrachloroethane	< 10.4	ug/l	10.4	34	20	8260B		4/1/2015	CJR	1
1,1,1,2-Tetrachloroethane	< 9.6	ug/l	9.6	30	20	8260B		4/1/2015	CJR	1
Tetrachloroethene	990	ug/l	14.8	48	20	8260B		4/1/2015	CJR	1
Toluene	< 8.8	ug/l	8.8	28	20	8260B		4/1/2015	CJR	1
1,2,4-Trichlorobenzene	< 34	ug/l	34	112	20	8260B		4/1/2015	CJR	1
1,2,3-Trichlorobenzene	< 54	ug/l	54	172	20	8260B		4/1/2015	CJR	1
1,1,1-Trichloroethane	< 16.8	ug/l	16.8	54	20	8260B		4/1/2015	CJR	1
1,1,2-Trichloroethane	< 9.6	ug/l	9.6	30.4	20	8260B		4/1/2015	CJR	1
Trichloroethene (TCE)	62	ug/l	9.4	30	20	8260B		4/1/2015	CJR	1
Trichlorofluoromethane	< 17.4	ug/l	17.4	56	20	8260B		4/1/2015	CJR	1
1,2,4-Trimethylbenzene	< 32	ug/l	32	100	20	8260B		4/1/2015	CJR	1
1,3,5-Trimethylbenzene	< 30	ug/l	30	96	20	8260B		4/1/2015	CJR	1
Vinyl Chloride	< 3.4	ug/l	3.4	10.8	20	8260B		4/1/2015	CJR	1
m&p-Xylene	< 44	ug/l	44	138	20	8260B		4/1/2015	CJR	1
o-Xylene	< 18	ug/l	18	58	20	8260B		4/1/2015	CJR	1
SUR - 4-Bromofluorobenzene	101	REC %				8260B		4/1/2015	CJR	1
SUR - Dibromofluoromethane	101	REC %				8260B		4/1/2015	CJR	1
SUR - Toluene-d8	101	REC %				8260B		4/1/2015	CJR	1
SUR - 1,2-Dichloroethane-d4	97	REC %				8260B		4/1/2015	CJR	1

**Project Name** FMR ROBINSON'S CLEANERS  
**Project #** 6155.41A

**Invoice #** E28691

**Lab Code** 5028691K  
**Sample ID** 6155-MW-40S  
**Sample Matrix** Water  
**Sample Date** 3/24/2015

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.44	ug/l	0.44	1.4	1	8260B		3/31/2015	CJR	1
Bromobenzene	< 0.48	ug/l	0.48	1.5	1	8260B		3/31/2015	CJR	1
Bromodichloromethane	< 0.46	ug/l	0.46	1.5	1	8260B		3/31/2015	CJR	1
Bromoform	< 0.46	ug/l	0.46	1.5	1	8260B		3/31/2015	CJR	1
tert-Butylbenzene	< 1.1	ug/l	1.1	3.4	1	8260B		3/31/2015	CJR	1
sec-Butylbenzene	< 1.2	ug/l	1.2	3.8	1	8260B		3/31/2015	CJR	1
n-Butylbenzene	< 1	ug/l	1	3.3	1	8260B		3/31/2015	CJR	1
Carbon Tetrachloride	< 0.65	ug/l	0.65	2.1	1	8260B		3/31/2015	CJR	1
Chlorobenzene	< 0.46	ug/l	0.46	1.4	1	8260B		3/31/2015	CJR	1
Chloroethane	< 0.65	ug/l	0.65	2.1	1	8260B		3/31/2015	CJR	1
Chloroform	< 0.43	ug/l	0.43	1.4	1	8260B		3/31/2015	CJR	1
Chloromethane	< 1.9	ug/l	1.9	6	1	8260B		3/31/2015	CJR	1
2-Chlorotoluene	< 0.4	ug/l	0.4	1.3	1	8260B		3/31/2015	CJR	1
4-Chlorotoluene	< 0.63	ug/l	0.63	2	1	8260B		3/31/2015	CJR	1
1,2-Dibromo-3-chloropropane	< 1.4	ug/l	1.4	4.5	1	8260B		3/31/2015	CJR	1
Dibromochloromethane	< 0.45	ug/l	0.45	1.4	1	8260B		3/31/2015	CJR	1
1,4-Dichlorobenzene	< 0.49	ug/l	0.49	1.6	1	8260B		3/31/2015	CJR	1
1,3-Dichlorobenzene	< 0.52	ug/l	0.52	1.6	1	8260B		3/31/2015	CJR	1
1,2-Dichlorobenzene	< 0.46	ug/l	0.46	1.5	1	8260B		3/31/2015	CJR	1
Dichlorodifluoromethane	< 0.87	ug/l	0.87	2.8	1	8260B		3/31/2015	CJR	1
1,2-Dichloroethane	< 0.54	ug/l	0.54	1.7	1	8260B		3/31/2015	CJR	1
1,1-Dichloroethane	< 1.1	ug/l	1.1	3.6	1	8260B		3/31/2015	CJR	1
1,1-Dichloroethene	< 0.65	ug/l	0.65	2.1	1	8260B		3/31/2015	CJR	1
cis-1,2-Dichloroethene	< 0.45	ug/l	0.45	1.4	1	8260B		3/31/2015	CJR	1
trans-1,2-Dichloroethene	< 0.54	ug/l	0.54	1.7	1	8260B		3/31/2015	CJR	1
1,2-Dichloropropane	< 0.43	ug/l	0.43	1.37	1	8260B		3/31/2015	CJR	1
2,2-Dichloropropane	< 3.1	ug/l	3.1	9.8	1	8260B		3/31/2015	CJR	1
1,3-Dichloropropane	< 0.42	ug/l	0.42	1.3	1	8260B		3/31/2015	CJR	1
Di-isopropyl ether	< 0.44	ug/l	0.44	1.4	1	8260B		3/31/2015	CJR	1
EDB (1,2-Dibromoethane)	< 0.63	ug/l	0.63	2	1	8260B		3/31/2015	CJR	1
Ethylbenzene	< 0.71	ug/l	0.71	2.3	1	8260B		3/31/2015	CJR	1
Hexachlorobutadiene	< 2.2	ug/l	2.2	7.1	1	8260B		3/31/2015	CJR	1
Isopropylbenzene	< 0.82	ug/l	0.82	2.6	1	8260B		3/31/2015	CJR	1
p-Isopropyltoluene	< 1.1	ug/l	1.1	3.5	1	8260B		3/31/2015	CJR	1
Methylene chloride	< 1.3	ug/l	1.3	4.2	1	8260B		3/31/2015	CJR	1
Methyl tert-butyl ether (MTBE)	< 1.1	ug/l	1.1	3.7	1	8260B		3/31/2015	CJR	1
Naphthalene	< 1.6	ug/l	1.6	5.2	1	8260B		3/31/2015	CJR	1
n-Propylbenzene	< 0.77	ug/l	0.77	2.4	1	8260B		3/31/2015	CJR	1
1,1,2,2-Tetrachloroethane	< 0.52	ug/l	0.52	1.7	1	8260B		3/31/2015	CJR	1
1,1,1,2-Tetrachloroethane	< 0.48	ug/l	0.48	1.5	1	8260B		3/31/2015	CJR	1
Tetrachloroethene	< 0.74	ug/l	0.74	2.4	1	8260B		3/31/2015	CJR	1
Toluene	< 0.44	ug/l	0.44	1.4	1	8260B		3/31/2015	CJR	1
1,2,4-Trichlorobenzene	< 1.7	ug/l	1.7	5.6	1	8260B		3/31/2015	CJR	1
1,2,3-Trichlorobenzene	< 2.7	ug/l	2.7	8.6	1	8260B		3/31/2015	CJR	1
1,1,1-Trichloroethane	< 0.84	ug/l	0.84	2.7	1	8260B		3/31/2015	CJR	1
1,1,2-Trichloroethane	< 0.48	ug/l	0.48	1.52	1	8260B		3/31/2015	CJR	1
Trichloroethene (TCE)	< 0.47	ug/l	0.47	1.5	1	8260B		3/31/2015	CJR	1
Trichlorofluoromethane	< 0.87	ug/l	0.87	2.8	1	8260B		3/31/2015	CJR	1
1,2,4-Trimethylbenzene	< 1.6	ug/l	1.6	5	1	8260B		3/31/2015	CJR	1
1,3,5-Trimethylbenzene	< 1.5	ug/l	1.5	4.8	1	8260B		3/31/2015	CJR	1
Vinyl Chloride	< 0.17	ug/l	0.17	0.54	1	8260B		3/31/2015	CJR	1
m&p-Xylene	< 2.2	ug/l	2.2	6.9	1	8260B		3/31/2015	CJR	1
o-Xylene	< 0.9	ug/l	0.9	2.9	1	8260B		3/31/2015	CJR	1
SUR - Dibromofluoromethane	98	REC %			1	8260B		3/31/2015	CJR	1
SUR - 4-Bromofluorobenzene	104	REC %			1	8260B		3/31/2015	CJR	1
SUR - 1,2-Dichloroethane-d4	102	REC %			1	8260B		3/31/2015	CJR	1
SUR - Toluene-d8	98	REC %			1	8260B		3/31/2015	CJR	1



**Project Name** FMR ROBINSON'S CLEANERS  
**Project #** 6155.41A

**Invoice #** E28691

**Lab Code** 5028691L  
**Sample ID** 6155-PZ-40D  
**Sample Matrix** Water  
**Sample Date** 3/23/2015

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.44	ug/l	0.44	1.4	1	8260B		3/31/2015	CJR	1
Bromobenzene	< 0.48	ug/l	0.48	1.5	1	8260B		3/31/2015	CJR	1
Bromodichloromethane	< 0.46	ug/l	0.46	1.5	1	8260B		3/31/2015	CJR	1
Bromoform	< 0.46	ug/l	0.46	1.5	1	8260B		3/31/2015	CJR	1
tert-Butylbenzene	< 1.1	ug/l	1.1	3.4	1	8260B		3/31/2015	CJR	1
sec-Butylbenzene	< 1.2	ug/l	1.2	3.8	1	8260B		3/31/2015	CJR	1
n-Butylbenzene	< 1	ug/l	1	3.3	1	8260B		3/31/2015	CJR	1
Carbon Tetrachloride	< 0.65	ug/l	0.65	2.1	1	8260B		3/31/2015	CJR	1
Chlorobenzene	< 0.46	ug/l	0.46	1.4	1	8260B		3/31/2015	CJR	1
Chloroethane	< 0.65	ug/l	0.65	2.1	1	8260B		3/31/2015	CJR	1
Chloroform	< 0.43	ug/l	0.43	1.4	1	8260B		3/31/2015	CJR	1
Chloromethane	< 1.9	ug/l	1.9	6	1	8260B		3/31/2015	CJR	1
2-Chlorotoluene	< 0.4	ug/l	0.4	1.3	1	8260B		3/31/2015	CJR	1
4-Chlorotoluene	< 0.63	ug/l	0.63	2	1	8260B		3/31/2015	CJR	1
1,2-Dibromo-3-chloropropane	< 1.4	ug/l	1.4	4.5	1	8260B		3/31/2015	CJR	1
Dibromochloromethane	< 0.45	ug/l	0.45	1.4	1	8260B		3/31/2015	CJR	1
1,4-Dichlorobenzene	< 0.49	ug/l	0.49	1.6	1	8260B		3/31/2015	CJR	1
1,3-Dichlorobenzene	< 0.52	ug/l	0.52	1.6	1	8260B		3/31/2015	CJR	1
1,2-Dichlorobenzene	< 0.46	ug/l	0.46	1.5	1	8260B		3/31/2015	CJR	1
Dichlorodifluoromethane	< 0.87	ug/l	0.87	2.8	1	8260B		3/31/2015	CJR	1
1,2-Dichloroethane	< 0.54	ug/l	0.54	1.7	1	8260B		3/31/2015	CJR	1
1,1-Dichloroethane	< 1.1	ug/l	1.1	3.6	1	8260B		3/31/2015	CJR	1
1,1-Dichloroethene	< 0.65	ug/l	0.65	2.1	1	8260B		3/31/2015	CJR	1
cis-1,2-Dichloroethene	< 0.45	ug/l	0.45	1.4	1	8260B		3/31/2015	CJR	1
trans-1,2-Dichloroethene	< 0.54	ug/l	0.54	1.7	1	8260B		3/31/2015	CJR	1
1,2-Dichloropropane	< 0.43	ug/l	0.43	1.37	1	8260B		3/31/2015	CJR	1
2,2-Dichloropropane	< 3.1	ug/l	3.1	9.8	1	8260B		3/31/2015	CJR	1
1,3-Dichloropropane	< 0.42	ug/l	0.42	1.3	1	8260B		3/31/2015	CJR	1
Di-isopropyl ether	< 0.44	ug/l	0.44	1.4	1	8260B		3/31/2015	CJR	1
EDB (1,2-Dibromoethane)	< 0.63	ug/l	0.63	2	1	8260B		3/31/2015	CJR	1
Ethylbenzene	< 0.71	ug/l	0.71	2.3	1	8260B		3/31/2015	CJR	1
Hexachlorobutadiene	< 2.2	ug/l	2.2	7.1	1	8260B		3/31/2015	CJR	1
Isopropylbenzene	< 0.82	ug/l	0.82	2.6	1	8260B		3/31/2015	CJR	1
p-Isopropyltoluene	< 1.1	ug/l	1.1	3.5	1	8260B		3/31/2015	CJR	1
Methylene chloride	< 1.3	ug/l	1.3	4.2	1	8260B		3/31/2015	CJR	1
Methyl tert-butyl ether (MTBE)	< 1.1	ug/l	1.1	3.7	1	8260B		3/31/2015	CJR	1
Naphthalene	< 1.6	ug/l	1.6	5.2	1	8260B		3/31/2015	CJR	1
n-Propylbenzene	< 0.77	ug/l	0.77	2.4	1	8260B		3/31/2015	CJR	1
1,1,2,2-Tetrachloroethane	< 0.52	ug/l	0.52	1.7	1	8260B		3/31/2015	CJR	1
1,1,1,2-Tetrachloroethane	< 0.48	ug/l	0.48	1.5	1	8260B		3/31/2015	CJR	1
Tetrachloroethene	< 0.74	ug/l	0.74	2.4	1	8260B		3/31/2015	CJR	1
Toluene	< 0.44	ug/l	0.44	1.4	1	8260B		3/31/2015	CJR	1
1,2,4-Trichlorobenzene	< 1.7	ug/l	1.7	5.6	1	8260B		3/31/2015	CJR	1
1,2,3-Trichlorobenzene	< 2.7	ug/l	2.7	8.6	1	8260B		3/31/2015	CJR	1
1,1,1-Trichloroethane	< 0.84	ug/l	0.84	2.7	1	8260B		3/31/2015	CJR	1
1,1,2-Trichloroethane	< 0.48	ug/l	0.48	1.52	1	8260B		3/31/2015	CJR	1
Trichloroethene (TCE)	< 0.47	ug/l	0.47	1.5	1	8260B		3/31/2015	CJR	1
Trichlorofluoromethane	< 0.87	ug/l	0.87	2.8	1	8260B		3/31/2015	CJR	1
1,2,4-Trimethylbenzene	< 1.6	ug/l	1.6	5	1	8260B		3/31/2015	CJR	1
1,3,5-Trimethylbenzene	< 1.5	ug/l	1.5	4.8	1	8260B		3/31/2015	CJR	1
Vinyl Chloride	< 0.17	ug/l	0.17	0.54	1	8260B		3/31/2015	CJR	1
m&p-Xylene	< 2.2	ug/l	2.2	6.9	1	8260B		3/31/2015	CJR	1
o-Xylene	< 0.9	ug/l	0.9	2.9	1	8260B		3/31/2015	CJR	1
SUR - Dibromofluoromethane	101	REC %			1	8260B		3/31/2015	CJR	1
SUR - 4-Bromofluorobenzene	98	REC %			1	8260B		3/31/2015	CJR	1
SUR - 1,2-Dichloroethane-d4	96	REC %			1	8260B		3/31/2015	CJR	1
SUR - Toluene-d8	98	REC %			1	8260B		3/31/2015	CJR	1

**Project Name** FMR ROBINSON'S CLEANERS  
**Project #** 6155.41A

**Invoice #** E28691

**Lab Code** 5028691M  
**Sample ID** 6155-PZ-42D1  
**Sample Matrix** Water  
**Sample Date** 3/25/2015

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.44	ug/l	0.44	1.4	1	8260B		3/30/2015	CJR	1
Bromobenzene	< 0.48	ug/l	0.48	1.5	1	8260B		3/30/2015	CJR	1
Bromodichloromethane	< 0.46	ug/l	0.46	1.5	1	8260B		3/30/2015	CJR	1
Bromoform	< 0.46	ug/l	0.46	1.5	1	8260B		3/30/2015	CJR	1
tert-Butylbenzene	< 1.1	ug/l	1.1	3.4	1	8260B		3/30/2015	CJR	1
sec-Butylbenzene	< 1.2	ug/l	1.2	3.8	1	8260B		3/30/2015	CJR	1
n-Butylbenzene	< 1	ug/l	1	3.3	1	8260B		3/30/2015	CJR	1
Carbon Tetrachloride	< 0.65	ug/l	0.65	2.1	1	8260B		3/30/2015	CJR	1
Chlorobenzene	< 0.46	ug/l	0.46	1.4	1	8260B		3/30/2015	CJR	1
Chloroethane	< 0.65	ug/l	0.65	2.1	1	8260B		3/30/2015	CJR	1
Chloroform	< 0.43	ug/l	0.43	1.4	1	8260B		3/30/2015	CJR	1
Chloromethane	< 1.9	ug/l	1.9	6	1	8260B		3/30/2015	CJR	1
2-Chlorotoluene	< 0.4	ug/l	0.4	1.3	1	8260B		3/30/2015	CJR	1
4-Chlorotoluene	< 0.63	ug/l	0.63	2	1	8260B		3/30/2015	CJR	1
1,2-Dibromo-3-chloropropane	< 1.4	ug/l	1.4	4.5	1	8260B		3/30/2015	CJR	1
Dibromochloromethane	< 0.45	ug/l	0.45	1.4	1	8260B		3/30/2015	CJR	1
1,4-Dichlorobenzene	< 0.49	ug/l	0.49	1.6	1	8260B		3/30/2015	CJR	1
1,3-Dichlorobenzene	< 0.52	ug/l	0.52	1.6	1	8260B		3/30/2015	CJR	1
1,2-Dichlorobenzene	< 0.46	ug/l	0.46	1.5	1	8260B		3/30/2015	CJR	1
Dichlorodifluoromethane	< 0.87	ug/l	0.87	2.8	1	8260B		3/30/2015	CJR	1
1,2-Dichloroethane	< 0.54	ug/l	0.54	1.7	1	8260B		3/30/2015	CJR	1
1,1-Dichloroethane	< 1.1	ug/l	1.1	3.6	1	8260B		3/30/2015	CJR	1
1,1-Dichloroethene	< 0.65	ug/l	0.65	2.1	1	8260B		3/30/2015	CJR	1
cis-1,2-Dichloroethene	< 0.45	ug/l	0.45	1.4	1	8260B		3/30/2015	CJR	1
trans-1,2-Dichloroethene	< 0.54	ug/l	0.54	1.7	1	8260B		3/30/2015	CJR	1
1,2-Dichloropropane	< 0.43	ug/l	0.43	1.37	1	8260B		3/30/2015	CJR	1
2,2-Dichloropropane	< 3.1	ug/l	3.1	9.8	1	8260B		3/30/2015	CJR	8
1,3-Dichloropropane	< 0.42	ug/l	0.42	1.3	1	8260B		3/30/2015	CJR	1
Di-isopropyl ether	< 0.44	ug/l	0.44	1.4	1	8260B		3/30/2015	CJR	1
EDB (1,2-Dibromoethane)	< 0.63	ug/l	0.63	2	1	8260B		3/30/2015	CJR	1
Ethylbenzene	< 0.71	ug/l	0.71	2.3	1	8260B		3/30/2015	CJR	1
Hexachlorobutadiene	< 2.2	ug/l	2.2	7.1	1	8260B		3/30/2015	CJR	1
Isopropylbenzene	< 0.82	ug/l	0.82	2.6	1	8260B		3/30/2015	CJR	1
p-Isopropyltoluene	< 1.1	ug/l	1.1	3.5	1	8260B		3/30/2015	CJR	1
Methylene chloride	< 1.3	ug/l	1.3	4.2	1	8260B		3/30/2015	CJR	1
Methyl tert-butyl ether (MTBE)	< 1.1	ug/l	1.1	3.7	1	8260B		3/30/2015	CJR	1
Naphthalene	< 1.6	ug/l	1.6	5.2	1	8260B		3/30/2015	CJR	1
n-Propylbenzene	< 0.77	ug/l	0.77	2.4	1	8260B		3/30/2015	CJR	1
1,1,2,2-Tetrachloroethane	< 0.52	ug/l	0.52	1.7	1	8260B		3/30/2015	CJR	1
1,1,1,2-Tetrachloroethane	< 0.48	ug/l	0.48	1.5	1	8260B		3/30/2015	CJR	1
Tetrachloroethene	16.7	ug/l	0.74	2.4	1	8260B		3/30/2015	CJR	1
Toluene	< 0.44	ug/l	0.44	1.4	1	8260B		3/30/2015	CJR	1
1,2,4-Trichlorobenzene	< 1.7	ug/l	1.7	5.6	1	8260B		3/30/2015	CJR	1
1,2,3-Trichlorobenzene	< 2.7	ug/l	2.7	8.6	1	8260B		3/30/2015	CJR	1
1,1,1-Trichloroethane	< 0.84	ug/l	0.84	2.7	1	8260B		3/30/2015	CJR	1
1,1,2-Trichloroethane	< 0.48	ug/l	0.48	1.52	1	8260B		3/30/2015	CJR	1
Trichloroethene (TCE)	< 0.47	ug/l	0.47	1.5	1	8260B		3/30/2015	CJR	1
Trichlorofluoromethane	< 0.87	ug/l	0.87	2.8	1	8260B		3/30/2015	CJR	1
1,2,4-Trimethylbenzene	< 1.6	ug/l	1.6	5	1	8260B		3/30/2015	CJR	1
1,3,5-Trimethylbenzene	< 1.5	ug/l	1.5	4.8	1	8260B		3/30/2015	CJR	1
Vinyl Chloride	< 0.17	ug/l	0.17	0.54	1	8260B		3/30/2015	CJR	1
m&p-Xylene	< 2.2	ug/l	2.2	6.9	1	8260B		3/30/2015	CJR	1
o-Xylene	< 0.9	ug/l	0.9	2.9	1	8260B		3/30/2015	CJR	1
SUR - 4-Bromofluorobenzene	103	REC %			1	8260B		3/30/2015	CJR	1
SUR - Dibromofluoromethane	102	REC %			1	8260B		3/30/2015	CJR	1
SUR - Toluene-d8	102	REC %			1	8260B		3/30/2015	CJR	1
SUR - 1,2-Dichloroethane-d4	96	REC %			1	8260B		3/30/2015	CJR	1

**Project Name** FMR ROBINSON'S CLEANERS  
**Project #** 6155.41A

**Invoice #** E28691

**Lab Code** 5028691N  
**Sample ID** 6155-PZ-42D2  
**Sample Matrix** Water  
**Sample Date** 3/25/2015

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.44	ug/l	0.44	1.4	1	8260B		3/30/2015	CJR	1
Bromobenzene	< 0.48	ug/l	0.48	1.5	1	8260B		3/30/2015	CJR	1
Bromodichloromethane	< 0.46	ug/l	0.46	1.5	1	8260B		3/30/2015	CJR	1
Bromoform	< 0.46	ug/l	0.46	1.5	1	8260B		3/30/2015	CJR	1
tert-Butylbenzene	< 1.1	ug/l	1.1	3.4	1	8260B		3/30/2015	CJR	1
sec-Butylbenzene	< 1.2	ug/l	1.2	3.8	1	8260B		3/30/2015	CJR	1
n-Butylbenzene	< 1	ug/l	1	3.3	1	8260B		3/30/2015	CJR	1
Carbon Tetrachloride	< 0.65	ug/l	0.65	2.1	1	8260B		3/30/2015	CJR	1
Chlorobenzene	< 0.46	ug/l	0.46	1.4	1	8260B		3/30/2015	CJR	1
Chloroethane	< 0.65	ug/l	0.65	2.1	1	8260B		3/30/2015	CJR	1
Chloroform	< 0.43	ug/l	0.43	1.4	1	8260B		3/30/2015	CJR	1
Chloromethane	< 1.9	ug/l	1.9	6	1	8260B		3/30/2015	CJR	1
2-Chlorotoluene	< 0.4	ug/l	0.4	1.3	1	8260B		3/30/2015	CJR	1
4-Chlorotoluene	< 0.63	ug/l	0.63	2	1	8260B		3/30/2015	CJR	1
1,2-Dibromo-3-chloropropane	< 1.4	ug/l	1.4	4.5	1	8260B		3/30/2015	CJR	1
Dibromochloromethane	< 0.45	ug/l	0.45	1.4	1	8260B		3/30/2015	CJR	1
1,4-Dichlorobenzene	< 0.49	ug/l	0.49	1.6	1	8260B		3/30/2015	CJR	1
1,3-Dichlorobenzene	< 0.52	ug/l	0.52	1.6	1	8260B		3/30/2015	CJR	1
1,2-Dichlorobenzene	< 0.46	ug/l	0.46	1.5	1	8260B		3/30/2015	CJR	1
Dichlorodifluoromethane	< 0.87	ug/l	0.87	2.8	1	8260B		3/30/2015	CJR	1
1,2-Dichloroethane	< 0.54	ug/l	0.54	1.7	1	8260B		3/30/2015	CJR	1
1,1-Dichloroethane	< 1.1	ug/l	1.1	3.6	1	8260B		3/30/2015	CJR	1
1,1-Dichloroethene	< 0.65	ug/l	0.65	2.1	1	8260B		3/30/2015	CJR	1
cis-1,2-Dichloroethene	0.74 "J"	ug/l	0.45	1.4	1	8260B		3/30/2015	CJR	1
trans-1,2-Dichloroethene	< 0.54	ug/l	0.54	1.7	1	8260B		3/30/2015	CJR	1
1,2-Dichloropropane	< 0.43	ug/l	0.43	1.37	1	8260B		3/30/2015	CJR	1
2,2-Dichloropropane	< 3.1	ug/l	3.1	9.8	1	8260B		3/30/2015	CJR	8
1,3-Dichloropropane	< 0.42	ug/l	0.42	1.3	1	8260B		3/30/2015	CJR	1
Di-isopropyl ether	< 0.44	ug/l	0.44	1.4	1	8260B		3/30/2015	CJR	1
EDB (1,2-Dibromoethane)	< 0.63	ug/l	0.63	2	1	8260B		3/30/2015	CJR	1
Ethylbenzene	< 0.71	ug/l	0.71	2.3	1	8260B		3/30/2015	CJR	1
Hexachlorobutadiene	< 2.2	ug/l	2.2	7.1	1	8260B		3/30/2015	CJR	1
Isopropylbenzene	< 0.82	ug/l	0.82	2.6	1	8260B		3/30/2015	CJR	1
p-Isopropyltoluene	< 1.1	ug/l	1.1	3.5	1	8260B		3/30/2015	CJR	1
Methylene chloride	< 1.3	ug/l	1.3	4.2	1	8260B		3/30/2015	CJR	1
Methyl tert-butyl ether (MTBE)	1.38 "J"	ug/l	1.1	3.7	1	8260B		3/30/2015	CJR	1
Naphthalene	< 1.6	ug/l	1.6	5.2	1	8260B		3/30/2015	CJR	1
n-Propylbenzene	< 0.77	ug/l	0.77	2.4	1	8260B		3/30/2015	CJR	1
1,1,2,2-Tetrachloroethane	< 0.52	ug/l	0.52	1.7	1	8260B		3/30/2015	CJR	1
1,1,1,2-Tetrachloroethane	< 0.48	ug/l	0.48	1.5	1	8260B		3/30/2015	CJR	1
Tetrachloroethene	94	ug/l	0.74	2.4	1	8260B		3/30/2015	CJR	1
Toluene	< 0.44	ug/l	0.44	1.4	1	8260B		3/30/2015	CJR	1
1,2,4-Trichlorobenzene	< 1.7	ug/l	1.7	5.6	1	8260B		3/30/2015	CJR	1
1,2,3-Trichlorobenzene	< 2.7	ug/l	2.7	8.6	1	8260B		3/30/2015	CJR	1
1,1,1-Trichloroethane	< 0.84	ug/l	0.84	2.7	1	8260B		3/30/2015	CJR	1
1,1,2-Trichloroethane	< 0.48	ug/l	0.48	1.52	1	8260B		3/30/2015	CJR	1
Trichloroethene (TCE)	1.93	ug/l	0.47	1.5	1	8260B		3/30/2015	CJR	1
Trichlorofluoromethane	< 0.87	ug/l	0.87	2.8	1	8260B		3/30/2015	CJR	1
1,2,4-Trimethylbenzene	< 1.6	ug/l	1.6	5	1	8260B		3/30/2015	CJR	1
1,3,5-Trimethylbenzene	< 1.5	ug/l	1.5	4.8	1	8260B		3/30/2015	CJR	1
Vinyl Chloride	< 0.17	ug/l	0.17	0.54	1	8260B		3/30/2015	CJR	1
m&p-Xylene	< 2.2	ug/l	2.2	6.9	1	8260B		3/30/2015	CJR	1
o-Xylene	< 0.9	ug/l	0.9	2.9	1	8260B		3/30/2015	CJR	1
SUR - Dibromofluoromethane	98	REC %			1	8260B		3/30/2015	CJR	1
SUR - 4-Bromofluorobenzene	103	REC %			1	8260B		3/30/2015	CJR	1
SUR - 1,2-Dichloroethane-d4	94	REC %			1	8260B		3/30/2015	CJR	1
SUR - Toluene-d8	99	REC %			1	8260B		3/30/2015	CJR	1

**Project Name** FMR ROBINSON'S CLEANERS  
**Project #** 6155.41A

**Invoice #** E28691

**Lab Code** 5028691O  
**Sample ID** 6155-PZ-42D3  
**Sample Matrix** Water  
**Sample Date** 3/25/2015

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.44	ug/l	0.44	1.4	1	8260B		3/30/2015	CJR	1
Bromobenzene	< 0.48	ug/l	0.48	1.5	1	8260B		3/30/2015	CJR	1
Bromodichloromethane	< 0.46	ug/l	0.46	1.5	1	8260B		3/30/2015	CJR	1
Bromoform	< 0.46	ug/l	0.46	1.5	1	8260B		3/30/2015	CJR	1
tert-Butylbenzene	< 1.1	ug/l	1.1	3.4	1	8260B		3/30/2015	CJR	1
sec-Butylbenzene	< 1.2	ug/l	1.2	3.8	1	8260B		3/30/2015	CJR	1
n-Butylbenzene	< 1	ug/l	1	3.3	1	8260B		3/30/2015	CJR	1
Carbon Tetrachloride	< 0.65	ug/l	0.65	2.1	1	8260B		3/30/2015	CJR	1
Chlorobenzene	< 0.46	ug/l	0.46	1.4	1	8260B		3/30/2015	CJR	1
Chloroethane	< 0.65	ug/l	0.65	2.1	1	8260B		3/30/2015	CJR	1
Chloroform	< 0.43	ug/l	0.43	1.4	1	8260B		3/30/2015	CJR	1
Chloromethane	< 1.9	ug/l	1.9	6	1	8260B		3/30/2015	CJR	1
2-Chlorotoluene	< 0.4	ug/l	0.4	1.3	1	8260B		3/30/2015	CJR	1
4-Chlorotoluene	< 0.63	ug/l	0.63	2	1	8260B		3/30/2015	CJR	1
1,2-Dibromo-3-chloropropane	< 1.4	ug/l	1.4	4.5	1	8260B		3/30/2015	CJR	1
Dibromochloromethane	< 0.45	ug/l	0.45	1.4	1	8260B		3/30/2015	CJR	1
1,4-Dichlorobenzene	< 0.49	ug/l	0.49	1.6	1	8260B		3/30/2015	CJR	1
1,3-Dichlorobenzene	< 0.52	ug/l	0.52	1.6	1	8260B		3/30/2015	CJR	1
1,2-Dichlorobenzene	< 0.46	ug/l	0.46	1.5	1	8260B		3/30/2015	CJR	1
Dichlorodifluoromethane	< 0.87	ug/l	0.87	2.8	1	8260B		3/30/2015	CJR	1
1,2-Dichloroethane	< 0.54	ug/l	0.54	1.7	1	8260B		3/30/2015	CJR	1
1,1-Dichloroethane	< 1.1	ug/l	1.1	3.6	1	8260B		3/30/2015	CJR	1
1,1-Dichloroethene	< 0.65	ug/l	0.65	2.1	1	8260B		3/30/2015	CJR	1
cis-1,2-Dichloroethene	< 0.45	ug/l	0.45	1.4	1	8260B		3/30/2015	CJR	1
trans-1,2-Dichloroethene	< 0.54	ug/l	0.54	1.7	1	8260B		3/30/2015	CJR	1
1,2-Dichloropropane	< 0.43	ug/l	0.43	1.37	1	8260B		3/30/2015	CJR	1
2,2-Dichloropropane	< 3.1	ug/l	3.1	9.8	1	8260B		3/30/2015	CJR	8
1,3-Dichloropropane	< 0.42	ug/l	0.42	1.3	1	8260B		3/30/2015	CJR	1
Di-isopropyl ether	< 0.44	ug/l	0.44	1.4	1	8260B		3/30/2015	CJR	1
EDB (1,2-Dibromoethane)	< 0.63	ug/l	0.63	2	1	8260B		3/30/2015	CJR	1
Ethylbenzene	< 0.71	ug/l	0.71	2.3	1	8260B		3/30/2015	CJR	1
Hexachlorobutadiene	< 2.2	ug/l	2.2	7.1	1	8260B		3/30/2015	CJR	1
Isopropylbenzene	< 0.82	ug/l	0.82	2.6	1	8260B		3/30/2015	CJR	1
p-Isopropyltoluene	< 1.1	ug/l	1.1	3.5	1	8260B		3/30/2015	CJR	1
Methylene chloride	< 1.3	ug/l	1.3	4.2	1	8260B		3/30/2015	CJR	1
Methyl tert-butyl ether (MTBE)	< 1.1	ug/l	1.1	3.7	1	8260B		3/30/2015	CJR	1
Naphthalene	< 1.6	ug/l	1.6	5.2	1	8260B		3/30/2015	CJR	1
n-Propylbenzene	< 0.77	ug/l	0.77	2.4	1	8260B		3/30/2015	CJR	1
1,1,2,2-Tetrachloroethane	< 0.52	ug/l	0.52	1.7	1	8260B		3/30/2015	CJR	1
1,1,1,2-Tetrachloroethane	< 0.48	ug/l	0.48	1.5	1	8260B		3/30/2015	CJR	1
Tetrachloroethene	< 0.74	ug/l	0.74	2.4	1	8260B		3/30/2015	CJR	1
Toluene	< 0.44	ug/l	0.44	1.4	1	8260B		3/30/2015	CJR	1
1,2,4-Trichlorobenzene	< 1.7	ug/l	1.7	5.6	1	8260B		3/30/2015	CJR	1
1,2,3-Trichlorobenzene	< 2.7	ug/l	2.7	8.6	1	8260B		3/30/2015	CJR	1
1,1,1-Trichloroethane	< 0.84	ug/l	0.84	2.7	1	8260B		3/30/2015	CJR	1
1,1,2-Trichloroethane	< 0.48	ug/l	0.48	1.52	1	8260B		3/30/2015	CJR	1
Trichloroethene (TCE)	< 0.47	ug/l	0.47	1.5	1	8260B		3/30/2015	CJR	1
Trichlorofluoromethane	< 0.87	ug/l	0.87	2.8	1	8260B		3/30/2015	CJR	1
1,2,4-Trimethylbenzene	< 1.6	ug/l	1.6	5	1	8260B		3/30/2015	CJR	1
1,3,5-Trimethylbenzene	< 1.5	ug/l	1.5	4.8	1	8260B		3/30/2015	CJR	1
Vinyl Chloride	< 0.17	ug/l	0.17	0.54	1	8260B		3/30/2015	CJR	1
m&p-Xylene	< 2.2	ug/l	2.2	6.9	1	8260B		3/30/2015	CJR	1
o-Xylene	< 0.9	ug/l	0.9	2.9	1	8260B		3/30/2015	CJR	1
SUR - Dibromofluoromethane	95	REC %			1	8260B		3/30/2015	CJR	1
SUR - 4-Bromofluorobenzene	104	REC %			1	8260B		3/30/2015	CJR	1
SUR - 1,2-Dichloroethane-d4	99	REC %			1	8260B		3/30/2015	CJR	1
SUR - Toluene-d8	102	REC %			1	8260B		3/30/2015	CJR	1

**Project Name** FMR ROBINSON'S CLEANERS  
**Project #** 6155.41A

**Invoice #** E28691

**Lab Code** 5028691P  
**Sample ID** 6155-MW-41S  
**Sample Matrix** Water  
**Sample Date** 3/24/2015

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.44	ug/l	0.44	1.4	1	8260B		3/31/2015	CJR	1
Bromobenzene	< 0.48	ug/l	0.48	1.5	1	8260B		3/31/2015	CJR	1
Bromodichloromethane	< 0.46	ug/l	0.46	1.5	1	8260B		3/31/2015	CJR	1
Bromoform	< 0.46	ug/l	0.46	1.5	1	8260B		3/31/2015	CJR	1
tert-Butylbenzene	< 1.1	ug/l	1.1	3.4	1	8260B		3/31/2015	CJR	1
sec-Butylbenzene	< 1.2	ug/l	1.2	3.8	1	8260B		3/31/2015	CJR	1
n-Butylbenzene	< 1	ug/l	1	3.3	1	8260B		3/31/2015	CJR	1
Carbon Tetrachloride	< 0.65	ug/l	0.65	2.1	1	8260B		3/31/2015	CJR	1
Chlorobenzene	< 0.46	ug/l	0.46	1.4	1	8260B		3/31/2015	CJR	1
Chloroethane	< 0.65	ug/l	0.65	2.1	1	8260B		3/31/2015	CJR	1
Chloroform	< 0.43	ug/l	0.43	1.4	1	8260B		3/31/2015	CJR	1
Chloromethane	< 1.9	ug/l	1.9	6	1	8260B		3/31/2015	CJR	1
2-Chlorotoluene	< 0.4	ug/l	0.4	1.3	1	8260B		3/31/2015	CJR	1
4-Chlorotoluene	< 0.63	ug/l	0.63	2	1	8260B		3/31/2015	CJR	1
1,2-Dibromo-3-chloropropane	< 1.4	ug/l	1.4	4.5	1	8260B		3/31/2015	CJR	1
Dibromochloromethane	< 0.45	ug/l	0.45	1.4	1	8260B		3/31/2015	CJR	1
1,4-Dichlorobenzene	< 0.49	ug/l	0.49	1.6	1	8260B		3/31/2015	CJR	1
1,3-Dichlorobenzene	< 0.52	ug/l	0.52	1.6	1	8260B		3/31/2015	CJR	1
1,2-Dichlorobenzene	< 0.46	ug/l	0.46	1.5	1	8260B		3/31/2015	CJR	1
Dichlorodifluoromethane	< 0.87	ug/l	0.87	2.8	1	8260B		3/31/2015	CJR	1
1,2-Dichloroethane	< 0.54	ug/l	0.54	1.7	1	8260B		3/31/2015	CJR	1
1,1-Dichloroethane	< 1.1	ug/l	1.1	3.6	1	8260B		3/31/2015	CJR	1
1,1-Dichloroethene	< 0.65	ug/l	0.65	2.1	1	8260B		3/31/2015	CJR	1
cis-1,2-Dichloroethene	< 0.45	ug/l	0.45	1.4	1	8260B		3/31/2015	CJR	1
trans-1,2-Dichloroethene	< 0.54	ug/l	0.54	1.7	1	8260B		3/31/2015	CJR	1
1,2-Dichloropropane	< 0.43	ug/l	0.43	1.37	1	8260B		3/31/2015	CJR	1
2,2-Dichloropropane	< 3.1	ug/l	3.1	9.8	1	8260B		3/31/2015	CJR	1
1,3-Dichloropropane	< 0.42	ug/l	0.42	1.3	1	8260B		3/31/2015	CJR	1
Di-isopropyl ether	< 0.44	ug/l	0.44	1.4	1	8260B		3/31/2015	CJR	1
EDB (1,2-Dibromoethane)	< 0.63	ug/l	0.63	2	1	8260B		3/31/2015	CJR	1
Ethylbenzene	< 0.71	ug/l	0.71	2.3	1	8260B		3/31/2015	CJR	1
Hexachlorobutadiene	< 2.2	ug/l	2.2	7.1	1	8260B		3/31/2015	CJR	1
Isopropylbenzene	< 0.82	ug/l	0.82	2.6	1	8260B		3/31/2015	CJR	1
p-Isopropyltoluene	< 1.1	ug/l	1.1	3.5	1	8260B		3/31/2015	CJR	1
Methylene chloride	< 1.3	ug/l	1.3	4.2	1	8260B		3/31/2015	CJR	1
Methyl tert-butyl ether (MTBE)	< 1.1	ug/l	1.1	3.7	1	8260B		3/31/2015	CJR	1
Naphthalene	< 1.6	ug/l	1.6	5.2	1	8260B		3/31/2015	CJR	1
n-Propylbenzene	< 0.77	ug/l	0.77	2.4	1	8260B		3/31/2015	CJR	1
1,1,2,2-Tetrachloroethane	< 0.52	ug/l	0.52	1.7	1	8260B		3/31/2015	CJR	1
1,1,1,2-Tetrachloroethane	< 0.48	ug/l	0.48	1.5	1	8260B		3/31/2015	CJR	1
Tetrachloroethene	< 0.74	ug/l	0.74	2.4	1	8260B		3/31/2015	CJR	1
Toluene	< 0.44	ug/l	0.44	1.4	1	8260B		3/31/2015	CJR	1
1,2,4-Trichlorobenzene	< 1.7	ug/l	1.7	5.6	1	8260B		3/31/2015	CJR	1
1,2,3-Trichlorobenzene	< 2.7	ug/l	2.7	8.6	1	8260B		3/31/2015	CJR	1
1,1,1-Trichloroethane	< 0.84	ug/l	0.84	2.7	1	8260B		3/31/2015	CJR	1
1,1,2-Trichloroethane	< 0.48	ug/l	0.48	1.52	1	8260B		3/31/2015	CJR	1
Trichloroethene (TCE)	< 0.47	ug/l	0.47	1.5	1	8260B		3/31/2015	CJR	1
Trichlorofluoromethane	< 0.87	ug/l	0.87	2.8	1	8260B		3/31/2015	CJR	1
1,2,4-Trimethylbenzene	< 1.6	ug/l	1.6	5	1	8260B		3/31/2015	CJR	1
1,3,5-Trimethylbenzene	< 1.5	ug/l	1.5	4.8	1	8260B		3/31/2015	CJR	1
Vinyl Chloride	< 0.17	ug/l	0.17	0.54	1	8260B		3/31/2015	CJR	1
m&p-Xylene	< 2.2	ug/l	2.2	6.9	1	8260B		3/31/2015	CJR	1
o-Xylene	< 0.9	ug/l	0.9	2.9	1	8260B		3/31/2015	CJR	1
SUR - Dibromofluoromethane	98	REC %			1	8260B		3/31/2015	CJR	1
SUR - Toluene-d8	100	REC %			1	8260B		3/31/2015	CJR	1
SUR - 1,2-Dichloroethane-d4	92	REC %			1	8260B		3/31/2015	CJR	1
SUR - 4-Bromofluorobenzene	95	REC %			1	8260B		3/31/2015	CJR	1

**Project Name** FMR ROBINSON'S CLEANERS  
**Project #** 6155.41A

**Invoice #** E28691

**Lab Code** 5028691Q  
**Sample ID** 6155-MW-43S  
**Sample Matrix** Water  
**Sample Date** 3/26/2015

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.44	ug/l	0.44	1.4	1	8260B		3/31/2015	CJR	1
Bromobenzene	< 0.48	ug/l	0.48	1.5	1	8260B		3/31/2015	CJR	1
Bromodichloromethane	< 0.46	ug/l	0.46	1.5	1	8260B		3/31/2015	CJR	1
Bromoform	< 0.46	ug/l	0.46	1.5	1	8260B		3/31/2015	CJR	1
tert-Butylbenzene	< 1.1	ug/l	1.1	3.4	1	8260B		3/31/2015	CJR	1
sec-Butylbenzene	< 1.2	ug/l	1.2	3.8	1	8260B		3/31/2015	CJR	1
n-Butylbenzene	< 1	ug/l	1	3.3	1	8260B		3/31/2015	CJR	1
Carbon Tetrachloride	< 0.65	ug/l	0.65	2.1	1	8260B		3/31/2015	CJR	1
Chlorobenzene	< 0.46	ug/l	0.46	1.4	1	8260B		3/31/2015	CJR	1
Chloroethane	< 0.65	ug/l	0.65	2.1	1	8260B		3/31/2015	CJR	1
Chloroform	< 0.43	ug/l	0.43	1.4	1	8260B		3/31/2015	CJR	1
Chloromethane	< 1.9	ug/l	1.9	6	1	8260B		3/31/2015	CJR	1
2-Chlorotoluene	< 0.4	ug/l	0.4	1.3	1	8260B		3/31/2015	CJR	1
4-Chlorotoluene	< 0.63	ug/l	0.63	2	1	8260B		3/31/2015	CJR	1
1,2-Dibromo-3-chloropropane	< 1.4	ug/l	1.4	4.5	1	8260B		3/31/2015	CJR	1
Dibromochloromethane	< 0.45	ug/l	0.45	1.4	1	8260B		3/31/2015	CJR	1
1,4-Dichlorobenzene	< 0.49	ug/l	0.49	1.6	1	8260B		3/31/2015	CJR	1
1,3-Dichlorobenzene	< 0.52	ug/l	0.52	1.6	1	8260B		3/31/2015	CJR	1
1,2-Dichlorobenzene	< 0.46	ug/l	0.46	1.5	1	8260B		3/31/2015	CJR	1
Dichlorodifluoromethane	< 0.87	ug/l	0.87	2.8	1	8260B		3/31/2015	CJR	1
1,2-Dichloroethane	< 0.54	ug/l	0.54	1.7	1	8260B		3/31/2015	CJR	1
1,1-Dichloroethane	< 1.1	ug/l	1.1	3.6	1	8260B		3/31/2015	CJR	1
1,1-Dichloroethene	< 0.65	ug/l	0.65	2.1	1	8260B		3/31/2015	CJR	1
cis-1,2-Dichloroethene	< 0.45	ug/l	0.45	1.4	1	8260B		3/31/2015	CJR	1
trans-1,2-Dichloroethene	< 0.54	ug/l	0.54	1.7	1	8260B		3/31/2015	CJR	1
1,2-Dichloropropane	< 0.43	ug/l	0.43	1.37	1	8260B		3/31/2015	CJR	1
2,2-Dichloropropane	< 3.1	ug/l	3.1	9.8	1	8260B		3/31/2015	CJR	1
1,3-Dichloropropane	< 0.42	ug/l	0.42	1.3	1	8260B		3/31/2015	CJR	1
Di-isopropyl ether	< 0.44	ug/l	0.44	1.4	1	8260B		3/31/2015	CJR	1
EDB (1,2-Dibromoethane)	< 0.63	ug/l	0.63	2	1	8260B		3/31/2015	CJR	1
Ethylbenzene	< 0.71	ug/l	0.71	2.3	1	8260B		3/31/2015	CJR	1
Hexachlorobutadiene	< 2.2	ug/l	2.2	7.1	1	8260B		3/31/2015	CJR	1
Isopropylbenzene	< 0.82	ug/l	0.82	2.6	1	8260B		3/31/2015	CJR	1
p-Isopropyltoluene	< 1.1	ug/l	1.1	3.5	1	8260B		3/31/2015	CJR	1
Methylene chloride	< 1.3	ug/l	1.3	4.2	1	8260B		3/31/2015	CJR	1
Methyl tert-butyl ether (MTBE)	< 1.1	ug/l	1.1	3.7	1	8260B		3/31/2015	CJR	1
Naphthalene	< 1.6	ug/l	1.6	5.2	1	8260B		3/31/2015	CJR	1
n-Propylbenzene	< 0.77	ug/l	0.77	2.4	1	8260B		3/31/2015	CJR	1
1,1,2,2-Tetrachloroethane	< 0.52	ug/l	0.52	1.7	1	8260B		3/31/2015	CJR	1
1,1,1,2-Tetrachloroethane	< 0.48	ug/l	0.48	1.5	1	8260B		3/31/2015	CJR	1
Tetrachloroethene	< 0.74	ug/l	0.74	2.4	1	8260B		3/31/2015	CJR	1
Toluene	< 0.44	ug/l	0.44	1.4	1	8260B		3/31/2015	CJR	1
1,2,4-Trichlorobenzene	< 1.7	ug/l	1.7	5.6	1	8260B		3/31/2015	CJR	1
1,2,3-Trichlorobenzene	< 2.7	ug/l	2.7	8.6	1	8260B		3/31/2015	CJR	1
1,1,1-Trichloroethane	< 0.84	ug/l	0.84	2.7	1	8260B		3/31/2015	CJR	1
1,1,2-Trichloroethane	< 0.48	ug/l	0.48	1.52	1	8260B		3/31/2015	CJR	1
Trichloroethene (TCE)	< 0.47	ug/l	0.47	1.5	1	8260B		3/31/2015	CJR	1
Trichlorofluoromethane	< 0.87	ug/l	0.87	2.8	1	8260B		3/31/2015	CJR	1
1,2,4-Trimethylbenzene	< 1.6	ug/l	1.6	5	1	8260B		3/31/2015	CJR	1
1,3,5-Trimethylbenzene	< 1.5	ug/l	1.5	4.8	1	8260B		3/31/2015	CJR	1
Vinyl Chloride	< 0.17	ug/l	0.17	0.54	1	8260B		3/31/2015	CJR	1
m&p-Xylene	< 2.2	ug/l	2.2	6.9	1	8260B		3/31/2015	CJR	1
o-Xylene	< 0.9	ug/l	0.9	2.9	1	8260B		3/31/2015	CJR	1
SUR - 4-Bromofluorobenzene	96	REC %			1	8260B		3/31/2015	CJR	1
SUR - Dibromofluoromethane	98	REC %			1	8260B		3/31/2015	CJR	1
SUR - Toluene-d8	100	REC %			1	8260B		3/31/2015	CJR	1
SUR - 1,2-Dichloroethane-d4	96	REC %			1	8260B		3/31/2015	CJR	1

Project Name FMR ROBINSON'S CLEANERS  
 Project # 6155.41A

Invoice # E28691

Lab Code 5028691R  
 Sample ID 6155-PZ-43D1  
 Sample Matrix Water  
 Sample Date 3/26/2015

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.44	ug/l	0.44	1.4	1	8260B		3/30/2015	CJR	1
Bromobenzene	< 0.48	ug/l	0.48	1.5	1	8260B		3/30/2015	CJR	1
Bromodichloromethane	< 0.46	ug/l	0.46	1.5	1	8260B		3/30/2015	CJR	1
Bromoform	< 0.46	ug/l	0.46	1.5	1	8260B		3/30/2015	CJR	1
tert-Butylbenzene	< 1.1	ug/l	1.1	3.4	1	8260B		3/30/2015	CJR	1
sec-Butylbenzene	< 1.2	ug/l	1.2	3.8	1	8260B		3/30/2015	CJR	1
n-Butylbenzene	< 1	ug/l	1	3.3	1	8260B		3/30/2015	CJR	1
Carbon Tetrachloride	< 0.65	ug/l	0.65	2.1	1	8260B		3/30/2015	CJR	1
Chlorobenzene	< 0.46	ug/l	0.46	1.4	1	8260B		3/30/2015	CJR	1
Chloroethane	< 0.65	ug/l	0.65	2.1	1	8260B		3/30/2015	CJR	1
Chloroform	< 0.43	ug/l	0.43	1.4	1	8260B		3/30/2015	CJR	1
Chloromethane	< 1.9	ug/l	1.9	6	1	8260B		3/30/2015	CJR	1
2-Chlorotoluene	< 0.4	ug/l	0.4	1.3	1	8260B		3/30/2015	CJR	1
4-Chlorotoluene	< 0.63	ug/l	0.63	2	1	8260B		3/30/2015	CJR	1
1,2-Dibromo-3-chloropropane	< 1.4	ug/l	1.4	4.5	1	8260B		3/30/2015	CJR	1
Dibromochloromethane	< 0.45	ug/l	0.45	1.4	1	8260B		3/30/2015	CJR	1
1,4-Dichlorobenzene	< 0.49	ug/l	0.49	1.6	1	8260B		3/30/2015	CJR	1
1,3-Dichlorobenzene	< 0.52	ug/l	0.52	1.6	1	8260B		3/30/2015	CJR	1
1,2-Dichlorobenzene	< 0.46	ug/l	0.46	1.5	1	8260B		3/30/2015	CJR	1
Dichlorodifluoromethane	< 0.87	ug/l	0.87	2.8	1	8260B		3/30/2015	CJR	1
1,2-Dichloroethane	< 0.54	ug/l	0.54	1.7	1	8260B		3/30/2015	CJR	1
1,1-Dichloroethane	< 1.1	ug/l	1.1	3.6	1	8260B		3/30/2015	CJR	1
1,1-Dichloroethene	< 0.65	ug/l	0.65	2.1	1	8260B		3/30/2015	CJR	1
cis-1,2-Dichloroethene	< 0.45	ug/l	0.45	1.4	1	8260B		3/30/2015	CJR	1
trans-1,2-Dichloroethene	< 0.54	ug/l	0.54	1.7	1	8260B		3/30/2015	CJR	1
1,2-Dichloropropane	< 0.43	ug/l	0.43	1.37	1	8260B		3/30/2015	CJR	1
2,2-Dichloropropane	< 3.1	ug/l	3.1	9.8	1	8260B		3/30/2015	CJR	8
1,3-Dichloropropane	< 0.42	ug/l	0.42	1.3	1	8260B		3/30/2015	CJR	1
Di-isopropyl ether	< 0.44	ug/l	0.44	1.4	1	8260B		3/30/2015	CJR	1
EDB (1,2-Dibromoethane)	< 0.63	ug/l	0.63	2	1	8260B		3/30/2015	CJR	1
Ethylbenzene	< 0.71	ug/l	0.71	2.3	1	8260B		3/30/2015	CJR	1
Hexachlorobutadiene	< 2.2	ug/l	2.2	7.1	1	8260B		3/30/2015	CJR	1
Isopropylbenzene	< 0.82	ug/l	0.82	2.6	1	8260B		3/30/2015	CJR	1
p-Isopropyltoluene	< 1.1	ug/l	1.1	3.5	1	8260B		3/30/2015	CJR	1
Methylene chloride	< 1.3	ug/l	1.3	4.2	1	8260B		3/30/2015	CJR	1
Methyl tert-butyl ether (MTBE)	< 1.1	ug/l	1.1	3.7	1	8260B		3/30/2015	CJR	1
Naphthalene	< 1.6	ug/l	1.6	5.2	1	8260B		3/30/2015	CJR	1
n-Propylbenzene	< 0.77	ug/l	0.77	2.4	1	8260B		3/30/2015	CJR	1
1,1,2,2-Tetrachloroethane	< 0.52	ug/l	0.52	1.7	1	8260B		3/30/2015	CJR	1
1,1,1,2-Tetrachloroethane	< 0.48	ug/l	0.48	1.5	1	8260B		3/30/2015	CJR	1
Tetrachloroethene	3.7	ug/l	0.74	2.4	1	8260B		3/30/2015	CJR	1
Toluene	< 0.44	ug/l	0.44	1.4	1	8260B		3/30/2015	CJR	1
1,2,4-Trichlorobenzene	< 1.7	ug/l	1.7	5.6	1	8260B		3/30/2015	CJR	1
1,2,3-Trichlorobenzene	< 2.7	ug/l	2.7	8.6	1	8260B		3/30/2015	CJR	1
1,1,1-Trichloroethane	< 0.84	ug/l	0.84	2.7	1	8260B		3/30/2015	CJR	1
1,1,2-Trichloroethane	< 0.48	ug/l	0.48	1.52	1	8260B		3/30/2015	CJR	1
Trichloroethene (TCE)	< 0.47	ug/l	0.47	1.5	1	8260B		3/30/2015	CJR	1
Trichlorofluoromethane	< 0.87	ug/l	0.87	2.8	1	8260B		3/30/2015	CJR	1
1,2,4-Trimethylbenzene	< 1.6	ug/l	1.6	5	1	8260B		3/30/2015	CJR	1
1,3,5-Trimethylbenzene	< 1.5	ug/l	1.5	4.8	1	8260B		3/30/2015	CJR	1
Vinyl Chloride	< 0.17	ug/l	0.17	0.54	1	8260B		3/30/2015	CJR	1
m&p-Xylene	< 2.2	ug/l	2.2	6.9	1	8260B		3/30/2015	CJR	1
o-Xylene	< 0.9	ug/l	0.9	2.9	1	8260B		3/30/2015	CJR	1
SUR - 4-Bromofluorobenzene	104	REC %			1	8260B		3/30/2015	CJR	1
SUR - Dibromofluoromethane	103	REC %			1	8260B		3/30/2015	CJR	1
SUR - Toluene-d8	102	REC %			1	8260B		3/30/2015	CJR	1
SUR - 1,2-Dichloroethane-d4	97	REC %			1	8260B		3/30/2015	CJR	1

**Project Name** FMR ROBINSON'S CLEANERS  
**Project #** 6155.41A

**Invoice #** E28691

**Lab Code** 5028691S  
**Sample ID** 6155-PZ-43D2  
**Sample Matrix** Water  
**Sample Date** 3/26/2015

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.44	ug/l	0.44	1.4	1	8260B		3/30/2015	CJR	1
Bromobenzene	< 0.48	ug/l	0.48	1.5	1	8260B		3/30/2015	CJR	1
Bromodichloromethane	< 0.46	ug/l	0.46	1.5	1	8260B		3/30/2015	CJR	1
Bromoform	< 0.46	ug/l	0.46	1.5	1	8260B		3/30/2015	CJR	1
tert-Butylbenzene	< 1.1	ug/l	1.1	3.4	1	8260B		3/30/2015	CJR	1
sec-Butylbenzene	< 1.2	ug/l	1.2	3.8	1	8260B		3/30/2015	CJR	1
n-Butylbenzene	< 1	ug/l	1	3.3	1	8260B		3/30/2015	CJR	1
Carbon Tetrachloride	< 0.65	ug/l	0.65	2.1	1	8260B		3/30/2015	CJR	1
Chlorobenzene	< 0.46	ug/l	0.46	1.4	1	8260B		3/30/2015	CJR	1
Chloroethane	< 0.65	ug/l	0.65	2.1	1	8260B		3/30/2015	CJR	1
Chloroform	< 0.43	ug/l	0.43	1.4	1	8260B		3/30/2015	CJR	1
Chloromethane	< 1.9	ug/l	1.9	6	1	8260B		3/30/2015	CJR	1
2-Chlorotoluene	< 0.4	ug/l	0.4	1.3	1	8260B		3/30/2015	CJR	1
4-Chlorotoluene	< 0.63	ug/l	0.63	2	1	8260B		3/30/2015	CJR	1
1,2-Dibromo-3-chloropropane	< 1.4	ug/l	1.4	4.5	1	8260B		3/30/2015	CJR	1
Dibromochloromethane	< 0.45	ug/l	0.45	1.4	1	8260B		3/30/2015	CJR	1
1,4-Dichlorobenzene	< 0.49	ug/l	0.49	1.6	1	8260B		3/30/2015	CJR	1
1,3-Dichlorobenzene	< 0.52	ug/l	0.52	1.6	1	8260B		3/30/2015	CJR	1
1,2-Dichlorobenzene	< 0.46	ug/l	0.46	1.5	1	8260B		3/30/2015	CJR	1
Dichlorodifluoromethane	< 0.87	ug/l	0.87	2.8	1	8260B		3/30/2015	CJR	1
1,2-Dichloroethane	< 0.54	ug/l	0.54	1.7	1	8260B		3/30/2015	CJR	1
1,1-Dichloroethane	< 1.1	ug/l	1.1	3.6	1	8260B		3/30/2015	CJR	1
1,1-Dichloroethene	< 0.65	ug/l	0.65	2.1	1	8260B		3/30/2015	CJR	1
cis-1,2-Dichloroethene	< 0.45	ug/l	0.45	1.4	1	8260B		3/30/2015	CJR	1
trans-1,2-Dichloroethene	< 0.54	ug/l	0.54	1.7	1	8260B		3/30/2015	CJR	1
1,2-Dichloropropane	< 0.43	ug/l	0.43	1.37	1	8260B		3/30/2015	CJR	1
2,2-Dichloropropane	< 3.1	ug/l	3.1	9.8	1	8260B		3/30/2015	CJR	8
1,3-Dichloropropane	< 0.42	ug/l	0.42	1.3	1	8260B		3/30/2015	CJR	1
Di-isopropyl ether	< 0.44	ug/l	0.44	1.4	1	8260B		3/30/2015	CJR	1
EDB (1,2-Dibromoethane)	< 0.63	ug/l	0.63	2	1	8260B		3/30/2015	CJR	1
Ethylbenzene	< 0.71	ug/l	0.71	2.3	1	8260B		3/30/2015	CJR	1
Hexachlorobutadiene	< 2.2	ug/l	2.2	7.1	1	8260B		3/30/2015	CJR	1
Isopropylbenzene	< 0.82	ug/l	0.82	2.6	1	8260B		3/30/2015	CJR	1
p-Isopropyltoluene	< 1.1	ug/l	1.1	3.5	1	8260B		3/30/2015	CJR	1
Methylene chloride	< 1.3	ug/l	1.3	4.2	1	8260B		3/30/2015	CJR	1
Methyl tert-butyl ether (MTBE)	< 1.1	ug/l	1.1	3.7	1	8260B		3/30/2015	CJR	1
Naphthalene	< 1.6	ug/l	1.6	5.2	1	8260B		3/30/2015	CJR	1
n-Propylbenzene	< 0.77	ug/l	0.77	2.4	1	8260B		3/30/2015	CJR	1
1,1,2,2-Tetrachloroethane	< 0.52	ug/l	0.52	1.7	1	8260B		3/30/2015	CJR	1
1,1,1,2-Tetrachloroethane	< 0.48	ug/l	0.48	1.5	1	8260B		3/30/2015	CJR	1
Tetrachloroethene	< 0.74	ug/l	0.74	2.4	1	8260B		3/30/2015	CJR	1
Toluene	< 0.44	ug/l	0.44	1.4	1	8260B		3/30/2015	CJR	1
1,2,4-Trichlorobenzene	< 1.7	ug/l	1.7	5.6	1	8260B		3/30/2015	CJR	1
1,2,3-Trichlorobenzene	< 2.7	ug/l	2.7	8.6	1	8260B		3/30/2015	CJR	1
1,1,1-Trichloroethane	< 0.84	ug/l	0.84	2.7	1	8260B		3/30/2015	CJR	1
1,1,2-Trichloroethane	< 0.48	ug/l	0.48	1.52	1	8260B		3/30/2015	CJR	1
Trichloroethene (TCE)	< 0.47	ug/l	0.47	1.5	1	8260B		3/30/2015	CJR	1
Trichlorofluoromethane	< 0.87	ug/l	0.87	2.8	1	8260B		3/30/2015	CJR	1
1,2,4-Trimethylbenzene	< 1.6	ug/l	1.6	5	1	8260B		3/30/2015	CJR	1
1,3,5-Trimethylbenzene	< 1.5	ug/l	1.5	4.8	1	8260B		3/30/2015	CJR	1
Vinyl Chloride	< 0.17	ug/l	0.17	0.54	1	8260B		3/30/2015	CJR	1
m&p-Xylene	< 2.2	ug/l	2.2	6.9	1	8260B		3/30/2015	CJR	1
o-Xylene	< 0.9	ug/l	0.9	2.9	1	8260B		3/30/2015	CJR	1
SUR - Dibromofluoromethane	102	REC %			1	8260B		3/30/2015	CJR	1
SUR - 4-Bromofluorobenzene	105	REC %			1	8260B		3/30/2015	CJR	1
SUR - 1,2-Dichloroethane-d4	101	REC %			1	8260B		3/30/2015	CJR	1
SUR - Toluene-d8	99	REC %			1	8260B		3/30/2015	CJR	1



**Project Name** FMR ROBINSON'S CLEANERS  
**Project #** 6155.41A

**Invoice #** E28691

**Lab Code** 5028691T  
**Sample ID** 6155-MW-44S  
**Sample Matrix** Water  
**Sample Date** 3/25/2015

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.44	ug/l	0.44	1.4	1	8260B		3/31/2015	CJR	1
Bromobenzene	< 0.48	ug/l	0.48	1.5	1	8260B		3/31/2015	CJR	1
Bromodichloromethane	< 0.46	ug/l	0.46	1.5	1	8260B		3/31/2015	CJR	1
Bromoform	< 0.46	ug/l	0.46	1.5	1	8260B		3/31/2015	CJR	1
tert-Butylbenzene	< 1.1	ug/l	1.1	3.4	1	8260B		3/31/2015	CJR	1
sec-Butylbenzene	< 1.2	ug/l	1.2	3.8	1	8260B		3/31/2015	CJR	1
n-Butylbenzene	< 1	ug/l	1	3.3	1	8260B		3/31/2015	CJR	1
Carbon Tetrachloride	< 0.65	ug/l	0.65	2.1	1	8260B		3/31/2015	CJR	1
Chlorobenzene	< 0.46	ug/l	0.46	1.4	1	8260B		3/31/2015	CJR	1
Chloroethane	< 0.65	ug/l	0.65	2.1	1	8260B		3/31/2015	CJR	1
Chloroform	< 0.43	ug/l	0.43	1.4	1	8260B		3/31/2015	CJR	1
Chloromethane	< 1.9	ug/l	1.9	6	1	8260B		3/31/2015	CJR	1
2-Chlorotoluene	< 0.4	ug/l	0.4	1.3	1	8260B		3/31/2015	CJR	1
4-Chlorotoluene	< 0.63	ug/l	0.63	2	1	8260B		3/31/2015	CJR	1
1,2-Dibromo-3-chloropropane	< 1.4	ug/l	1.4	4.5	1	8260B		3/31/2015	CJR	1
Dibromochloromethane	< 0.45	ug/l	0.45	1.4	1	8260B		3/31/2015	CJR	1
1,4-Dichlorobenzene	< 0.49	ug/l	0.49	1.6	1	8260B		3/31/2015	CJR	1
1,3-Dichlorobenzene	< 0.52	ug/l	0.52	1.6	1	8260B		3/31/2015	CJR	1
1,2-Dichlorobenzene	< 0.46	ug/l	0.46	1.5	1	8260B		3/31/2015	CJR	1
Dichlorodifluoromethane	< 0.87	ug/l	0.87	2.8	1	8260B		3/31/2015	CJR	1
1,2-Dichloroethane	< 0.54	ug/l	0.54	1.7	1	8260B		3/31/2015	CJR	1
1,1-Dichloroethane	< 1.1	ug/l	1.1	3.6	1	8260B		3/31/2015	CJR	1
1,1-Dichloroethene	< 0.65	ug/l	0.65	2.1	1	8260B		3/31/2015	CJR	1
cis-1,2-Dichloroethene	< 0.45	ug/l	0.45	1.4	1	8260B		3/31/2015	CJR	1
trans-1,2-Dichloroethene	< 0.54	ug/l	0.54	1.7	1	8260B		3/31/2015	CJR	1
1,2-Dichloropropane	< 0.43	ug/l	0.43	1.37	1	8260B		3/31/2015	CJR	1
2,2-Dichloropropane	< 3.1	ug/l	3.1	9.8	1	8260B		3/31/2015	CJR	1
1,3-Dichloropropane	< 0.42	ug/l	0.42	1.3	1	8260B		3/31/2015	CJR	1
Di-isopropyl ether	< 0.44	ug/l	0.44	1.4	1	8260B		3/31/2015	CJR	1
EDB (1,2-Dibromoethane)	< 0.63	ug/l	0.63	2	1	8260B		3/31/2015	CJR	1
Ethylbenzene	< 0.71	ug/l	0.71	2.3	1	8260B		3/31/2015	CJR	1
Hexachlorobutadiene	< 2.2	ug/l	2.2	7.1	1	8260B		3/31/2015	CJR	1
Isopropylbenzene	< 0.82	ug/l	0.82	2.6	1	8260B		3/31/2015	CJR	1
p-Isopropyltoluene	< 1.1	ug/l	1.1	3.5	1	8260B		3/31/2015	CJR	1
Methylene chloride	< 1.3	ug/l	1.3	4.2	1	8260B		3/31/2015	CJR	1
Methyl tert-butyl ether (MTBE)	< 1.1	ug/l	1.1	3.7	1	8260B		3/31/2015	CJR	1
Naphthalene	< 1.6	ug/l	1.6	5.2	1	8260B		3/31/2015	CJR	1
n-Propylbenzene	< 0.77	ug/l	0.77	2.4	1	8260B		3/31/2015	CJR	1
1,1,2,2-Tetrachloroethane	< 0.52	ug/l	0.52	1.7	1	8260B		3/31/2015	CJR	1
1,1,1,2-Tetrachloroethane	< 0.48	ug/l	0.48	1.5	1	8260B		3/31/2015	CJR	1
Tetrachloroethene	< 0.74	ug/l	0.74	2.4	1	8260B		3/31/2015	CJR	1
Toluene	< 0.44	ug/l	0.44	1.4	1	8260B		3/31/2015	CJR	1
1,2,4-Trichlorobenzene	< 1.7	ug/l	1.7	5.6	1	8260B		3/31/2015	CJR	1
1,2,3-Trichlorobenzene	< 2.7	ug/l	2.7	8.6	1	8260B		3/31/2015	CJR	1
1,1,1-Trichloroethane	< 0.84	ug/l	0.84	2.7	1	8260B		3/31/2015	CJR	1
1,1,2-Trichloroethane	< 0.48	ug/l	0.48	1.52	1	8260B		3/31/2015	CJR	1
Trichloroethene (TCE)	< 0.47	ug/l	0.47	1.5	1	8260B		3/31/2015	CJR	1
Trichlorofluoromethane	< 0.87	ug/l	0.87	2.8	1	8260B		3/31/2015	CJR	1
1,2,4-Trimethylbenzene	< 1.6	ug/l	1.6	5	1	8260B		3/31/2015	CJR	1
1,3,5-Trimethylbenzene	< 1.5	ug/l	1.5	4.8	1	8260B		3/31/2015	CJR	1
Vinyl Chloride	< 0.17	ug/l	0.17	0.54	1	8260B		3/31/2015	CJR	1
m&p-Xylene	< 2.2	ug/l	2.2	6.9	1	8260B		3/31/2015	CJR	1
o-Xylene	< 0.9	ug/l	0.9	2.9	1	8260B		3/31/2015	CJR	1
SUR - 4-Bromofluorobenzene	94	REC %			1	8260B		3/31/2015	CJR	1
SUR - Dibromofluoromethane	97	REC %			1	8260B		3/31/2015	CJR	1
SUR - Toluene-d8	99	REC %			1	8260B		3/31/2015	CJR	1
SUR - 1,2-Dichloroethane-d4	98	REC %			1	8260B		3/31/2015	CJR	1

**Project Name** FMR ROBINSON'S CLEANERS  
**Project #** 6155.41A

**Invoice #** E28691

**Lab Code** 5028691U  
**Sample ID** 6155-PZ-44D1  
**Sample Matrix** Water  
**Sample Date** 3/25/2015

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.44	ug/l	0.44	1.4	1	8260B		3/31/2015	CJR	1
Bromobenzene	< 0.48	ug/l	0.48	1.5	1	8260B		3/31/2015	CJR	1
Bromodichloromethane	< 0.46	ug/l	0.46	1.5	1	8260B		3/31/2015	CJR	1
Bromoform	< 0.46	ug/l	0.46	1.5	1	8260B		3/31/2015	CJR	1
tert-Butylbenzene	< 1.1	ug/l	1.1	3.4	1	8260B		3/31/2015	CJR	1
sec-Butylbenzene	< 1.2	ug/l	1.2	3.8	1	8260B		3/31/2015	CJR	1
n-Butylbenzene	< 1	ug/l	1	3.3	1	8260B		3/31/2015	CJR	1
Carbon Tetrachloride	< 0.65	ug/l	0.65	2.1	1	8260B		3/31/2015	CJR	1
Chlorobenzene	< 0.46	ug/l	0.46	1.4	1	8260B		3/31/2015	CJR	1
Chloroethane	< 0.65	ug/l	0.65	2.1	1	8260B		3/31/2015	CJR	1
Chloroform	< 0.43	ug/l	0.43	1.4	1	8260B		3/31/2015	CJR	1
Chloromethane	< 1.9	ug/l	1.9	6	1	8260B		3/31/2015	CJR	1
2-Chlorotoluene	< 0.4	ug/l	0.4	1.3	1	8260B		3/31/2015	CJR	1
4-Chlorotoluene	< 0.63	ug/l	0.63	2	1	8260B		3/31/2015	CJR	1
1,2-Dibromo-3-chloropropane	< 1.4	ug/l	1.4	4.5	1	8260B		3/31/2015	CJR	1
Dibromochloromethane	< 0.45	ug/l	0.45	1.4	1	8260B		3/31/2015	CJR	1
1,4-Dichlorobenzene	< 0.49	ug/l	0.49	1.6	1	8260B		3/31/2015	CJR	1
1,3-Dichlorobenzene	< 0.52	ug/l	0.52	1.6	1	8260B		3/31/2015	CJR	1
1,2-Dichlorobenzene	< 0.46	ug/l	0.46	1.5	1	8260B		3/31/2015	CJR	1
Dichlorodifluoromethane	< 0.87	ug/l	0.87	2.8	1	8260B		3/31/2015	CJR	1
1,2-Dichloroethane	< 0.54	ug/l	0.54	1.7	1	8260B		3/31/2015	CJR	1
1,1-Dichloroethane	< 1.1	ug/l	1.1	3.6	1	8260B		3/31/2015	CJR	1
1,1-Dichloroethene	< 0.65	ug/l	0.65	2.1	1	8260B		3/31/2015	CJR	1
cis-1,2-Dichloroethene	< 0.45	ug/l	0.45	1.4	1	8260B		3/31/2015	CJR	1
trans-1,2-Dichloroethene	< 0.54	ug/l	0.54	1.7	1	8260B		3/31/2015	CJR	1
1,2-Dichloropropane	< 0.43	ug/l	0.43	1.37	1	8260B		3/31/2015	CJR	1
2,2-Dichloropropane	< 3.1	ug/l	3.1	9.8	1	8260B		3/31/2015	CJR	1
1,3-Dichloropropane	< 0.42	ug/l	0.42	1.3	1	8260B		3/31/2015	CJR	1
Di-isopropyl ether	< 0.44	ug/l	0.44	1.4	1	8260B		3/31/2015	CJR	1
EDB (1,2-Dibromoethane)	< 0.63	ug/l	0.63	2	1	8260B		3/31/2015	CJR	1
Ethylbenzene	< 0.71	ug/l	0.71	2.3	1	8260B		3/31/2015	CJR	1
Hexachlorobutadiene	< 2.2	ug/l	2.2	7.1	1	8260B		3/31/2015	CJR	1
Isopropylbenzene	< 0.82	ug/l	0.82	2.6	1	8260B		3/31/2015	CJR	1
p-Isopropyltoluene	< 1.1	ug/l	1.1	3.5	1	8260B		3/31/2015	CJR	1
Methylene chloride	< 1.3	ug/l	1.3	4.2	1	8260B		3/31/2015	CJR	1
Methyl tert-butyl ether (MTBE)	< 1.1	ug/l	1.1	3.7	1	8260B		3/31/2015	CJR	1
Naphthalene	< 1.6	ug/l	1.6	5.2	1	8260B		3/31/2015	CJR	1
n-Propylbenzene	< 0.77	ug/l	0.77	2.4	1	8260B		3/31/2015	CJR	1
1,1,2,2-Tetrachloroethane	< 0.52	ug/l	0.52	1.7	1	8260B		3/31/2015	CJR	1
1,1,1,2-Tetrachloroethane	< 0.48	ug/l	0.48	1.5	1	8260B		3/31/2015	CJR	1
Tetrachloroethene	1.55 "J"	ug/l	0.74	2.4	1	8260B		3/31/2015	CJR	1
Toluene	< 0.44	ug/l	0.44	1.4	1	8260B		3/31/2015	CJR	1
1,2,4-Trichlorobenzene	< 1.7	ug/l	1.7	5.6	1	8260B		3/31/2015	CJR	1
1,2,3-Trichlorobenzene	< 2.7	ug/l	2.7	8.6	1	8260B		3/31/2015	CJR	1
1,1,1-Trichloroethane	< 0.84	ug/l	0.84	2.7	1	8260B		3/31/2015	CJR	1
1,1,2-Trichloroethane	< 0.48	ug/l	0.48	1.52	1	8260B		3/31/2015	CJR	1
Trichloroethene (TCE)	< 0.47	ug/l	0.47	1.5	1	8260B		3/31/2015	CJR	1
Trichlorofluoromethane	< 0.87	ug/l	0.87	2.8	1	8260B		3/31/2015	CJR	1
1,2,4-Trimethylbenzene	< 1.6	ug/l	1.6	5	1	8260B		3/31/2015	CJR	1
1,3,5-Trimethylbenzene	< 1.5	ug/l	1.5	4.8	1	8260B		3/31/2015	CJR	1
Vinyl Chloride	< 0.17	ug/l	0.17	0.54	1	8260B		3/31/2015	CJR	1
m&p-Xylene	< 2.2	ug/l	2.2	6.9	1	8260B		3/31/2015	CJR	1
o-Xylene	< 0.9	ug/l	0.9	2.9	1	8260B		3/31/2015	CJR	1
SUR - 4-Bromofluorobenzene	102	REC %			1	8260B		3/31/2015	CJR	1
SUR - Dibromofluoromethane	102	REC %			1	8260B		3/31/2015	CJR	1
SUR - Toluene-d8	98	REC %			1	8260B		3/31/2015	CJR	1
SUR - 1,2-Dichloroethane-d4	97	REC %			1	8260B		3/31/2015	CJR	1

**Project Name** FMR ROBINSON'S CLEANERS  
**Project #** 6155.41A

**Invoice #** E28691

**Lab Code** 5028691V  
**Sample ID** 6155-PZ-44D2  
**Sample Matrix** Water  
**Sample Date** 3/25/2015

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.44	ug/l	0.44	1.4	1	8260B		3/31/2015	CJR	1
Bromobenzene	< 0.48	ug/l	0.48	1.5	1	8260B		3/31/2015	CJR	1
Bromodichloromethane	< 0.46	ug/l	0.46	1.5	1	8260B		3/31/2015	CJR	1
Bromoform	< 0.46	ug/l	0.46	1.5	1	8260B		3/31/2015	CJR	1
tert-Butylbenzene	< 1.1	ug/l	1.1	3.4	1	8260B		3/31/2015	CJR	1
sec-Butylbenzene	< 1.2	ug/l	1.2	3.8	1	8260B		3/31/2015	CJR	1
n-Butylbenzene	< 1	ug/l	1	3.3	1	8260B		3/31/2015	CJR	1
Carbon Tetrachloride	< 0.65	ug/l	0.65	2.1	1	8260B		3/31/2015	CJR	1
Chlorobenzene	< 0.46	ug/l	0.46	1.4	1	8260B		3/31/2015	CJR	1
Chloroethane	< 0.65	ug/l	0.65	2.1	1	8260B		3/31/2015	CJR	1
Chloroform	< 0.43	ug/l	0.43	1.4	1	8260B		3/31/2015	CJR	1
Chloromethane	< 1.9	ug/l	1.9	6	1	8260B		3/31/2015	CJR	1
2-Chlorotoluene	< 0.4	ug/l	0.4	1.3	1	8260B		3/31/2015	CJR	1
4-Chlorotoluene	< 0.63	ug/l	0.63	2	1	8260B		3/31/2015	CJR	1
1,2-Dibromo-3-chloropropane	< 1.4	ug/l	1.4	4.5	1	8260B		3/31/2015	CJR	1
Dibromochloromethane	< 0.45	ug/l	0.45	1.4	1	8260B		3/31/2015	CJR	1
1,4-Dichlorobenzene	< 0.49	ug/l	0.49	1.6	1	8260B		3/31/2015	CJR	1
1,3-Dichlorobenzene	< 0.52	ug/l	0.52	1.6	1	8260B		3/31/2015	CJR	1
1,2-Dichlorobenzene	< 0.46	ug/l	0.46	1.5	1	8260B		3/31/2015	CJR	1
Dichlorodifluoromethane	< 0.87	ug/l	0.87	2.8	1	8260B		3/31/2015	CJR	1
1,2-Dichloroethane	< 0.54	ug/l	0.54	1.7	1	8260B		3/31/2015	CJR	1
1,1-Dichloroethane	< 1.1	ug/l	1.1	3.6	1	8260B		3/31/2015	CJR	1
1,1-Dichloroethene	< 0.65	ug/l	0.65	2.1	1	8260B		3/31/2015	CJR	1
cis-1,2-Dichloroethene	< 0.45	ug/l	0.45	1.4	1	8260B		3/31/2015	CJR	1
trans-1,2-Dichloroethene	< 0.54	ug/l	0.54	1.7	1	8260B		3/31/2015	CJR	1
1,2-Dichloropropane	< 0.43	ug/l	0.43	1.37	1	8260B		3/31/2015	CJR	1
2,2-Dichloropropane	< 3.1	ug/l	3.1	9.8	1	8260B		3/31/2015	CJR	1
1,3-Dichloropropane	< 0.42	ug/l	0.42	1.3	1	8260B		3/31/2015	CJR	1
Di-isopropyl ether	< 0.44	ug/l	0.44	1.4	1	8260B		3/31/2015	CJR	1
EDB (1,2-Dibromoethane)	< 0.63	ug/l	0.63	2	1	8260B		3/31/2015	CJR	1
Ethylbenzene	< 0.71	ug/l	0.71	2.3	1	8260B		3/31/2015	CJR	1
Hexachlorobutadiene	< 2.2	ug/l	2.2	7.1	1	8260B		3/31/2015	CJR	1
Isopropylbenzene	< 0.82	ug/l	0.82	2.6	1	8260B		3/31/2015	CJR	1
p-Isopropyltoluene	< 1.1	ug/l	1.1	3.5	1	8260B		3/31/2015	CJR	1
Methylene chloride	< 1.3	ug/l	1.3	4.2	1	8260B		3/31/2015	CJR	1
Methyl tert-butyl ether (MTBE)	< 1.1	ug/l	1.1	3.7	1	8260B		3/31/2015	CJR	1
Naphthalene	< 1.6	ug/l	1.6	5.2	1	8260B		3/31/2015	CJR	1
n-Propylbenzene	< 0.77	ug/l	0.77	2.4	1	8260B		3/31/2015	CJR	1
1,1,2,2-Tetrachloroethane	< 0.52	ug/l	0.52	1.7	1	8260B		3/31/2015	CJR	1
1,1,1,2-Tetrachloroethane	< 0.48	ug/l	0.48	1.5	1	8260B		3/31/2015	CJR	1
Tetrachloroethene	3.8	ug/l	0.74	2.4	1	8260B		3/31/2015	CJR	1
Toluene	< 0.44	ug/l	0.44	1.4	1	8260B		3/31/2015	CJR	1
1,2,4-Trichlorobenzene	< 1.7	ug/l	1.7	5.6	1	8260B		3/31/2015	CJR	1
1,2,3-Trichlorobenzene	< 2.7	ug/l	2.7	8.6	1	8260B		3/31/2015	CJR	1
1,1,1-Trichloroethane	< 0.84	ug/l	0.84	2.7	1	8260B		3/31/2015	CJR	1
1,1,2-Trichloroethane	< 0.48	ug/l	0.48	1.52	1	8260B		3/31/2015	CJR	1
Trichloroethene (TCE)	< 0.47	ug/l	0.47	1.5	1	8260B		3/31/2015	CJR	1
Trichlorofluoromethane	< 0.87	ug/l	0.87	2.8	1	8260B		3/31/2015	CJR	1
1,2,4-Trimethylbenzene	< 1.6	ug/l	1.6	5	1	8260B		3/31/2015	CJR	1
1,3,5-Trimethylbenzene	< 1.5	ug/l	1.5	4.8	1	8260B		3/31/2015	CJR	1
Vinyl Chloride	< 0.17	ug/l	0.17	0.54	1	8260B		3/31/2015	CJR	1
m&p-Xylene	< 2.2	ug/l	2.2	6.9	1	8260B		3/31/2015	CJR	1
o-Xylene	< 0.9	ug/l	0.9	2.9	1	8260B		3/31/2015	CJR	1
SUR - 1,2-Dichloroethane-d4	104	REC %			1	8260B		3/31/2015	CJR	1
SUR - 4-Bromofluorobenzene	97	REC %			1	8260B		3/31/2015	CJR	1
SUR - Dibromofluoromethane	98	REC %			1	8260B		3/31/2015	CJR	1
SUR - Toluene-d8	93	REC %			1	8260B		3/31/2015	CJR	1

**Project Name** FMR ROBINSON'S CLEANERS  
**Project #** 6155.41A

**Invoice #** E28691

**Lab Code** 5028691W  
**Sample ID** 6155-MW-45S  
**Sample Matrix** Water  
**Sample Date** 3/26/2015

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.44	ug/l	0.44	1.4	1	8260B		3/31/2015	CJR	1
Bromobenzene	< 0.48	ug/l	0.48	1.5	1	8260B		3/31/2015	CJR	1
Bromodichloromethane	< 0.46	ug/l	0.46	1.5	1	8260B		3/31/2015	CJR	1
Bromoform	< 0.46	ug/l	0.46	1.5	1	8260B		3/31/2015	CJR	1
tert-Butylbenzene	< 1.1	ug/l	1.1	3.4	1	8260B		3/31/2015	CJR	1
sec-Butylbenzene	< 1.2	ug/l	1.2	3.8	1	8260B		3/31/2015	CJR	1
n-Butylbenzene	< 1	ug/l	1	3.3	1	8260B		3/31/2015	CJR	1
Carbon Tetrachloride	< 0.65	ug/l	0.65	2.1	1	8260B		3/31/2015	CJR	1
Chlorobenzene	< 0.46	ug/l	0.46	1.4	1	8260B		3/31/2015	CJR	1
Chloroethane	< 0.65	ug/l	0.65	2.1	1	8260B		3/31/2015	CJR	1
Chloroform	< 0.43	ug/l	0.43	1.4	1	8260B		3/31/2015	CJR	1
Chloromethane	< 1.9	ug/l	1.9	6	1	8260B		3/31/2015	CJR	1
2-Chlorotoluene	< 0.4	ug/l	0.4	1.3	1	8260B		3/31/2015	CJR	1
4-Chlorotoluene	< 0.63	ug/l	0.63	2	1	8260B		3/31/2015	CJR	1
1,2-Dibromo-3-chloropropane	< 1.4	ug/l	1.4	4.5	1	8260B		3/31/2015	CJR	1
Dibromochloromethane	< 0.45	ug/l	0.45	1.4	1	8260B		3/31/2015	CJR	1
1,4-Dichlorobenzene	< 0.49	ug/l	0.49	1.6	1	8260B		3/31/2015	CJR	1
1,3-Dichlorobenzene	< 0.52	ug/l	0.52	1.6	1	8260B		3/31/2015	CJR	1
1,2-Dichlorobenzene	< 0.46	ug/l	0.46	1.5	1	8260B		3/31/2015	CJR	1
Dichlorodifluoromethane	< 0.87	ug/l	0.87	2.8	1	8260B		3/31/2015	CJR	1
1,2-Dichloroethane	< 0.54	ug/l	0.54	1.7	1	8260B		3/31/2015	CJR	1
1,1-Dichloroethane	< 1.1	ug/l	1.1	3.6	1	8260B		3/31/2015	CJR	1
1,1-Dichloroethene	< 0.65	ug/l	0.65	2.1	1	8260B		3/31/2015	CJR	1
cis-1,2-Dichloroethene	< 0.45	ug/l	0.45	1.4	1	8260B		3/31/2015	CJR	1
trans-1,2-Dichloroethene	< 0.54	ug/l	0.54	1.7	1	8260B		3/31/2015	CJR	1
1,2-Dichloropropane	< 0.43	ug/l	0.43	1.37	1	8260B		3/31/2015	CJR	1
2,2-Dichloropropane	< 3.1	ug/l	3.1	9.8	1	8260B		3/31/2015	CJR	1
1,3-Dichloropropane	< 0.42	ug/l	0.42	1.3	1	8260B		3/31/2015	CJR	1
Di-isopropyl ether	< 0.44	ug/l	0.44	1.4	1	8260B		3/31/2015	CJR	1
EDB (1,2-Dibromoethane)	< 0.63	ug/l	0.63	2	1	8260B		3/31/2015	CJR	1
Ethylbenzene	< 0.71	ug/l	0.71	2.3	1	8260B		3/31/2015	CJR	1
Hexachlorobutadiene	< 2.2	ug/l	2.2	7.1	1	8260B		3/31/2015	CJR	1
Isopropylbenzene	< 0.82	ug/l	0.82	2.6	1	8260B		3/31/2015	CJR	1
p-Isopropyltoluene	< 1.1	ug/l	1.1	3.5	1	8260B		3/31/2015	CJR	1
Methylene chloride	< 1.3	ug/l	1.3	4.2	1	8260B		3/31/2015	CJR	1
Methyl tert-butyl ether (MTBE)	< 1.1	ug/l	1.1	3.7	1	8260B		3/31/2015	CJR	1
Naphthalene	< 1.6	ug/l	1.6	5.2	1	8260B		3/31/2015	CJR	1
n-Propylbenzene	< 0.77	ug/l	0.77	2.4	1	8260B		3/31/2015	CJR	1
1,1,2,2-Tetrachloroethane	< 0.52	ug/l	0.52	1.7	1	8260B		3/31/2015	CJR	1
1,1,1,2-Tetrachloroethane	< 0.48	ug/l	0.48	1.5	1	8260B		3/31/2015	CJR	1
Tetrachloroethene	< 0.74	ug/l	0.74	2.4	1	8260B		3/31/2015	CJR	1
Toluene	< 0.44	ug/l	0.44	1.4	1	8260B		3/31/2015	CJR	1
1,2,4-Trichlorobenzene	< 1.7	ug/l	1.7	5.6	1	8260B		3/31/2015	CJR	1
1,2,3-Trichlorobenzene	< 2.7	ug/l	2.7	8.6	1	8260B		3/31/2015	CJR	1
1,1,1-Trichloroethane	< 0.84	ug/l	0.84	2.7	1	8260B		3/31/2015	CJR	1
1,1,2-Trichloroethane	< 0.48	ug/l	0.48	1.52	1	8260B		3/31/2015	CJR	1
Trichloroethene (TCE)	< 0.47	ug/l	0.47	1.5	1	8260B		3/31/2015	CJR	1
Trichlorofluoromethane	< 0.87	ug/l	0.87	2.8	1	8260B		3/31/2015	CJR	1
1,2,4-Trimethylbenzene	< 1.6	ug/l	1.6	5	1	8260B		3/31/2015	CJR	1
1,3,5-Trimethylbenzene	< 1.5	ug/l	1.5	4.8	1	8260B		3/31/2015	CJR	1
Vinyl Chloride	< 0.17	ug/l	0.17	0.54	1	8260B		3/31/2015	CJR	1
m&p-Xylene	< 2.2	ug/l	2.2	6.9	1	8260B		3/31/2015	CJR	1
o-Xylene	< 0.9	ug/l	0.9	2.9	1	8260B		3/31/2015	CJR	1
SUR - 4-Bromofluorobenzene	100	REC %			1	8260B		3/31/2015	CJR	1
SUR - Dibromofluoromethane	99	REC %			1	8260B		3/31/2015	CJR	1
SUR - 1,2-Dichloroethane-d4	93	REC %			1	8260B		3/31/2015	CJR	1
SUR - Toluene-d8	95	REC %			1	8260B		3/31/2015	CJR	1

**Project Name** FMR ROBINSON'S CLEANERS  
**Project #** 6155.41A

**Invoice #** E28691

**Lab Code** 5028691X  
**Sample ID** 6155-PZ-45D1  
**Sample Matrix** Water  
**Sample Date** 3/26/2015

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.44	ug/l	0.44	1.4	1	8260B		3/31/2015	CJR	1
Bromobenzene	< 0.48	ug/l	0.48	1.5	1	8260B		3/31/2015	CJR	1
Bromodichloromethane	< 0.46	ug/l	0.46	1.5	1	8260B		3/31/2015	CJR	1
Bromoform	< 0.46	ug/l	0.46	1.5	1	8260B		3/31/2015	CJR	1
tert-Butylbenzene	< 1.1	ug/l	1.1	3.4	1	8260B		3/31/2015	CJR	1
sec-Butylbenzene	< 1.2	ug/l	1.2	3.8	1	8260B		3/31/2015	CJR	1
n-Butylbenzene	< 1	ug/l	1	3.3	1	8260B		3/31/2015	CJR	1
Carbon Tetrachloride	< 0.65	ug/l	0.65	2.1	1	8260B		3/31/2015	CJR	1
Chlorobenzene	< 0.46	ug/l	0.46	1.4	1	8260B		3/31/2015	CJR	1
Chloroethane	< 0.65	ug/l	0.65	2.1	1	8260B		3/31/2015	CJR	1
Chloroform	< 0.43	ug/l	0.43	1.4	1	8260B		3/31/2015	CJR	1
Chloromethane	< 1.9	ug/l	1.9	6	1	8260B		3/31/2015	CJR	1
2-Chlorotoluene	< 0.4	ug/l	0.4	1.3	1	8260B		3/31/2015	CJR	1
4-Chlorotoluene	< 0.63	ug/l	0.63	2	1	8260B		3/31/2015	CJR	1
1,2-Dibromo-3-chloropropane	< 1.4	ug/l	1.4	4.5	1	8260B		3/31/2015	CJR	1
Dibromochloromethane	< 0.45	ug/l	0.45	1.4	1	8260B		3/31/2015	CJR	1
1,4-Dichlorobenzene	< 0.49	ug/l	0.49	1.6	1	8260B		3/31/2015	CJR	1
1,3-Dichlorobenzene	< 0.52	ug/l	0.52	1.6	1	8260B		3/31/2015	CJR	1
1,2-Dichlorobenzene	< 0.46	ug/l	0.46	1.5	1	8260B		3/31/2015	CJR	1
Dichlorodifluoromethane	< 0.87	ug/l	0.87	2.8	1	8260B		3/31/2015	CJR	1
1,2-Dichloroethane	< 0.54	ug/l	0.54	1.7	1	8260B		3/31/2015	CJR	1
1,1-Dichloroethane	< 1.1	ug/l	1.1	3.6	1	8260B		3/31/2015	CJR	1
1,1-Dichloroethene	< 0.65	ug/l	0.65	2.1	1	8260B		3/31/2015	CJR	1
cis-1,2-Dichloroethene	< 0.45	ug/l	0.45	1.4	1	8260B		3/31/2015	CJR	1
trans-1,2-Dichloroethene	< 0.54	ug/l	0.54	1.7	1	8260B		3/31/2015	CJR	1
1,2-Dichloropropane	< 0.43	ug/l	0.43	1.37	1	8260B		3/31/2015	CJR	1
2,2-Dichloropropane	< 3.1	ug/l	3.1	9.8	1	8260B		3/31/2015	CJR	1
1,3-Dichloropropane	< 0.42	ug/l	0.42	1.3	1	8260B		3/31/2015	CJR	1
Di-isopropyl ether	< 0.44	ug/l	0.44	1.4	1	8260B		3/31/2015	CJR	1
EDB (1,2-Dibromoethane)	< 0.63	ug/l	0.63	2	1	8260B		3/31/2015	CJR	1
Ethylbenzene	< 0.71	ug/l	0.71	2.3	1	8260B		3/31/2015	CJR	1
Hexachlorobutadiene	< 2.2	ug/l	2.2	7.1	1	8260B		3/31/2015	CJR	1
Isopropylbenzene	< 0.82	ug/l	0.82	2.6	1	8260B		3/31/2015	CJR	1
p-Isopropyltoluene	< 1.1	ug/l	1.1	3.5	1	8260B		3/31/2015	CJR	1
Methylene chloride	< 1.3	ug/l	1.3	4.2	1	8260B		3/31/2015	CJR	1
Methyl tert-butyl ether (MTBE)	< 1.1	ug/l	1.1	3.7	1	8260B		3/31/2015	CJR	1
Naphthalene	< 1.6	ug/l	1.6	5.2	1	8260B		3/31/2015	CJR	1
n-Propylbenzene	< 0.77	ug/l	0.77	2.4	1	8260B		3/31/2015	CJR	1
1,1,2,2-Tetrachloroethane	< 0.52	ug/l	0.52	1.7	1	8260B		3/31/2015	CJR	1
1,1,1,2-Tetrachloroethane	< 0.48	ug/l	0.48	1.5	1	8260B		3/31/2015	CJR	1
Tetrachloroethene	< 0.74	ug/l	0.74	2.4	1	8260B		3/31/2015	CJR	1
Toluene	< 0.44	ug/l	0.44	1.4	1	8260B		3/31/2015	CJR	1
1,2,4-Trichlorobenzene	< 1.7	ug/l	1.7	5.6	1	8260B		3/31/2015	CJR	1
1,2,3-Trichlorobenzene	< 2.7	ug/l	2.7	8.6	1	8260B		3/31/2015	CJR	1
1,1,1-Trichloroethane	< 0.84	ug/l	0.84	2.7	1	8260B		3/31/2015	CJR	1
1,1,2-Trichloroethane	< 0.48	ug/l	0.48	1.52	1	8260B		3/31/2015	CJR	1
Trichloroethene (TCE)	< 0.47	ug/l	0.47	1.5	1	8260B		3/31/2015	CJR	1
Trichlorofluoromethane	< 0.87	ug/l	0.87	2.8	1	8260B		3/31/2015	CJR	1
1,2,4-Trimethylbenzene	< 1.6	ug/l	1.6	5	1	8260B		3/31/2015	CJR	1
1,3,5-Trimethylbenzene	< 1.5	ug/l	1.5	4.8	1	8260B		3/31/2015	CJR	1
Vinyl Chloride	< 0.17	ug/l	0.17	0.54	1	8260B		3/31/2015	CJR	1
m&p-Xylene	< 2.2	ug/l	2.2	6.9	1	8260B		3/31/2015	CJR	1
o-Xylene	< 0.9	ug/l	0.9	2.9	1	8260B		3/31/2015	CJR	1
SUR - 1,2-Dichloroethane-d4	97	REC %			1	8260B		3/31/2015	CJR	1
SUR - 4-Bromofluorobenzene	97	REC %			1	8260B		3/31/2015	CJR	1
SUR - Dibromofluoromethane	100	REC %			1	8260B		3/31/2015	CJR	1
SUR - Toluene-d8	97	REC %			1	8260B		3/31/2015	CJR	1

**Project Name** FMR ROBINSON'S CLEANERS  
**Project #** 6155.41A

**Invoice #** E28691

**Lab Code** 5028691Y  
**Sample ID** 6155-PZ-45D2  
**Sample Matrix** Water  
**Sample Date** 3/26/2015

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.44	ug/l	0.44	1.4	1	8260B		3/31/2015	CJR	1
Bromobenzene	< 0.48	ug/l	0.48	1.5	1	8260B		3/31/2015	CJR	1
Bromodichloromethane	< 0.46	ug/l	0.46	1.5	1	8260B		3/31/2015	CJR	1
Bromoform	< 0.46	ug/l	0.46	1.5	1	8260B		3/31/2015	CJR	1
tert-Butylbenzene	< 1.1	ug/l	1.1	3.4	1	8260B		3/31/2015	CJR	1
sec-Butylbenzene	< 1.2	ug/l	1.2	3.8	1	8260B		3/31/2015	CJR	1
n-Butylbenzene	< 1	ug/l	1	3.3	1	8260B		3/31/2015	CJR	1
Carbon Tetrachloride	< 0.65	ug/l	0.65	2.1	1	8260B		3/31/2015	CJR	1
Chlorobenzene	< 0.46	ug/l	0.46	1.4	1	8260B		3/31/2015	CJR	1
Chloroethane	< 0.65	ug/l	0.65	2.1	1	8260B		3/31/2015	CJR	1
Chloroform	< 0.43	ug/l	0.43	1.4	1	8260B		3/31/2015	CJR	1
Chloromethane	< 1.9	ug/l	1.9	6	1	8260B		3/31/2015	CJR	1
2-Chlorotoluene	< 0.4	ug/l	0.4	1.3	1	8260B		3/31/2015	CJR	1
4-Chlorotoluene	< 0.63	ug/l	0.63	2	1	8260B		3/31/2015	CJR	1
1,2-Dibromo-3-chloropropane	< 1.4	ug/l	1.4	4.5	1	8260B		3/31/2015	CJR	1
Dibromochloromethane	< 0.45	ug/l	0.45	1.4	1	8260B		3/31/2015	CJR	1
1,4-Dichlorobenzene	< 0.49	ug/l	0.49	1.6	1	8260B		3/31/2015	CJR	1
1,3-Dichlorobenzene	< 0.52	ug/l	0.52	1.6	1	8260B		3/31/2015	CJR	1
1,2-Dichlorobenzene	< 0.46	ug/l	0.46	1.5	1	8260B		3/31/2015	CJR	1
Dichlorodifluoromethane	< 0.87	ug/l	0.87	2.8	1	8260B		3/31/2015	CJR	1
1,2-Dichloroethane	< 0.54	ug/l	0.54	1.7	1	8260B		3/31/2015	CJR	1
1,1-Dichloroethane	< 1.1	ug/l	1.1	3.6	1	8260B		3/31/2015	CJR	1
1,1-Dichloroethene	< 0.65	ug/l	0.65	2.1	1	8260B		3/31/2015	CJR	1
cis-1,2-Dichloroethene	< 0.45	ug/l	0.45	1.4	1	8260B		3/31/2015	CJR	1
trans-1,2-Dichloroethene	< 0.54	ug/l	0.54	1.7	1	8260B		3/31/2015	CJR	1
1,2-Dichloropropane	< 0.43	ug/l	0.43	1.37	1	8260B		3/31/2015	CJR	1
2,2-Dichloropropane	< 3.1	ug/l	3.1	9.8	1	8260B		3/31/2015	CJR	1
1,3-Dichloropropane	< 0.42	ug/l	0.42	1.3	1	8260B		3/31/2015	CJR	1
Di-isopropyl ether	< 0.44	ug/l	0.44	1.4	1	8260B		3/31/2015	CJR	1
EDB (1,2-Dibromoethane)	< 0.63	ug/l	0.63	2	1	8260B		3/31/2015	CJR	1
Ethylbenzene	< 0.71	ug/l	0.71	2.3	1	8260B		3/31/2015	CJR	1
Hexachlorobutadiene	< 2.2	ug/l	2.2	7.1	1	8260B		3/31/2015	CJR	1
Isopropylbenzene	< 0.82	ug/l	0.82	2.6	1	8260B		3/31/2015	CJR	1
p-Isopropyltoluene	< 1.1	ug/l	1.1	3.5	1	8260B		3/31/2015	CJR	1
Methylene chloride	< 1.3	ug/l	1.3	4.2	1	8260B		3/31/2015	CJR	1
Methyl tert-butyl ether (MTBE)	< 1.1	ug/l	1.1	3.7	1	8260B		3/31/2015	CJR	1
Naphthalene	< 1.6	ug/l	1.6	5.2	1	8260B		3/31/2015	CJR	1
n-Propylbenzene	< 0.77	ug/l	0.77	2.4	1	8260B		3/31/2015	CJR	1
1,1,2,2-Tetrachloroethane	< 0.52	ug/l	0.52	1.7	1	8260B		3/31/2015	CJR	1
1,1,1,2-Tetrachloroethane	< 0.48	ug/l	0.48	1.5	1	8260B		3/31/2015	CJR	1
Tetrachloroethene	< 0.74	ug/l	0.74	2.4	1	8260B		3/31/2015	CJR	1
Toluene	< 0.44	ug/l	0.44	1.4	1	8260B		3/31/2015	CJR	1
1,2,4-Trichlorobenzene	< 1.7	ug/l	1.7	5.6	1	8260B		3/31/2015	CJR	1
1,2,3-Trichlorobenzene	< 2.7	ug/l	2.7	8.6	1	8260B		3/31/2015	CJR	1
1,1,1-Trichloroethane	< 0.84	ug/l	0.84	2.7	1	8260B		3/31/2015	CJR	1
1,1,2-Trichloroethane	< 0.48	ug/l	0.48	1.52	1	8260B		3/31/2015	CJR	1
Trichloroethene (TCE)	< 0.47	ug/l	0.47	1.5	1	8260B		3/31/2015	CJR	1
Trichlorofluoromethane	< 0.87	ug/l	0.87	2.8	1	8260B		3/31/2015	CJR	1
1,2,4-Trimethylbenzene	< 1.6	ug/l	1.6	5	1	8260B		3/31/2015	CJR	1
1,3,5-Trimethylbenzene	< 1.5	ug/l	1.5	4.8	1	8260B		3/31/2015	CJR	1
Vinyl Chloride	< 0.17	ug/l	0.17	0.54	1	8260B		3/31/2015	CJR	1
m&p-Xylene	< 2.2	ug/l	2.2	6.9	1	8260B		3/31/2015	CJR	1
o-Xylene	< 0.9	ug/l	0.9	2.9	1	8260B		3/31/2015	CJR	1
SUR - 1,2-Dichloroethane-d4	92	REC %			1	8260B		3/31/2015	CJR	1
SUR - Toluene-d8	96	REC %			1	8260B		3/31/2015	CJR	1
SUR - Dibromofluoromethane	98	REC %			1	8260B		3/31/2015	CJR	1
SUR - 4-Bromofluorobenzene	101	REC %			1	8260B		3/31/2015	CJR	1

**Project Name** FMR ROBINSON'S CLEANERS  
**Project #** 6155.41A

**Invoice #** E28691

**Lab Code** 5028691Z  
**Sample ID** 6155-PZ-46D1  
**Sample Matrix** Water  
**Sample Date** 3/25/2015

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.44	ug/l	0.44	1.4	1	8260B		3/31/2015	CJR	1
Bromobenzene	< 0.48	ug/l	0.48	1.5	1	8260B		3/31/2015	CJR	1
Bromodichloromethane	< 0.46	ug/l	0.46	1.5	1	8260B		3/31/2015	CJR	1
Bromoform	< 0.46	ug/l	0.46	1.5	1	8260B		3/31/2015	CJR	1
tert-Butylbenzene	< 1.1	ug/l	1.1	3.4	1	8260B		3/31/2015	CJR	1
sec-Butylbenzene	< 1.2	ug/l	1.2	3.8	1	8260B		3/31/2015	CJR	1
n-Butylbenzene	< 1	ug/l	1	3.3	1	8260B		3/31/2015	CJR	1
Carbon Tetrachloride	< 0.65	ug/l	0.65	2.1	1	8260B		3/31/2015	CJR	1
Chlorobenzene	< 0.46	ug/l	0.46	1.4	1	8260B		3/31/2015	CJR	1
Chloroethane	< 0.65	ug/l	0.65	2.1	1	8260B		3/31/2015	CJR	1
Chloroform	< 0.43	ug/l	0.43	1.4	1	8260B		3/31/2015	CJR	1
Chloromethane	< 1.9	ug/l	1.9	6	1	8260B		3/31/2015	CJR	1
2-Chlorotoluene	< 0.4	ug/l	0.4	1.3	1	8260B		3/31/2015	CJR	1
4-Chlorotoluene	< 0.63	ug/l	0.63	2	1	8260B		3/31/2015	CJR	1
1,2-Dibromo-3-chloropropane	< 1.4	ug/l	1.4	4.5	1	8260B		3/31/2015	CJR	1
Dibromochloromethane	< 0.45	ug/l	0.45	1.4	1	8260B		3/31/2015	CJR	1
1,4-Dichlorobenzene	< 0.49	ug/l	0.49	1.6	1	8260B		3/31/2015	CJR	1
1,3-Dichlorobenzene	< 0.52	ug/l	0.52	1.6	1	8260B		3/31/2015	CJR	1
1,2-Dichlorobenzene	< 0.46	ug/l	0.46	1.5	1	8260B		3/31/2015	CJR	1
Dichlorodifluoromethane	< 0.87	ug/l	0.87	2.8	1	8260B		3/31/2015	CJR	1
1,2-Dichloroethane	< 0.54	ug/l	0.54	1.7	1	8260B		3/31/2015	CJR	1
1,1-Dichloroethane	< 1.1	ug/l	1.1	3.6	1	8260B		3/31/2015	CJR	1
1,1-Dichloroethene	< 0.65	ug/l	0.65	2.1	1	8260B		3/31/2015	CJR	1
cis-1,2-Dichloroethene	< 0.45	ug/l	0.45	1.4	1	8260B		3/31/2015	CJR	1
trans-1,2-Dichloroethene	< 0.54	ug/l	0.54	1.7	1	8260B		3/31/2015	CJR	1
1,2-Dichloropropane	< 0.43	ug/l	0.43	1.37	1	8260B		3/31/2015	CJR	1
2,2-Dichloropropane	< 3.1	ug/l	3.1	9.8	1	8260B		3/31/2015	CJR	1
1,3-Dichloropropane	< 0.42	ug/l	0.42	1.3	1	8260B		3/31/2015	CJR	1
Di-isopropyl ether	< 0.44	ug/l	0.44	1.4	1	8260B		3/31/2015	CJR	1
EDB (1,2-Dibromoethane)	< 0.63	ug/l	0.63	2	1	8260B		3/31/2015	CJR	1
Ethylbenzene	< 0.71	ug/l	0.71	2.3	1	8260B		3/31/2015	CJR	1
Hexachlorobutadiene	< 2.2	ug/l	2.2	7.1	1	8260B		3/31/2015	CJR	1
Isopropylbenzene	< 0.82	ug/l	0.82	2.6	1	8260B		3/31/2015	CJR	1
p-Isopropyltoluene	< 1.1	ug/l	1.1	3.5	1	8260B		3/31/2015	CJR	1
Methylene chloride	< 1.3	ug/l	1.3	4.2	1	8260B		3/31/2015	CJR	1
Methyl tert-butyl ether (MTBE)	< 1.1	ug/l	1.1	3.7	1	8260B		3/31/2015	CJR	1
Naphthalene	< 1.6	ug/l	1.6	5.2	1	8260B		3/31/2015	CJR	1
n-Propylbenzene	< 0.77	ug/l	0.77	2.4	1	8260B		3/31/2015	CJR	1
1,1,2,2-Tetrachloroethane	< 0.52	ug/l	0.52	1.7	1	8260B		3/31/2015	CJR	1
1,1,1,2-Tetrachloroethane	< 0.48	ug/l	0.48	1.5	1	8260B		3/31/2015	CJR	1
Tetrachloroethene	< 0.74	ug/l	0.74	2.4	1	8260B		3/31/2015	CJR	1
Toluene	< 0.44	ug/l	0.44	1.4	1	8260B		3/31/2015	CJR	1
1,2,4-Trichlorobenzene	< 1.7	ug/l	1.7	5.6	1	8260B		3/31/2015	CJR	1
1,2,3-Trichlorobenzene	< 2.7	ug/l	2.7	8.6	1	8260B		3/31/2015	CJR	1
1,1,1-Trichloroethane	< 0.84	ug/l	0.84	2.7	1	8260B		3/31/2015	CJR	1
1,1,2-Trichloroethane	< 0.48	ug/l	0.48	1.52	1	8260B		3/31/2015	CJR	1
Trichloroethene (TCE)	< 0.47	ug/l	0.47	1.5	1	8260B		3/31/2015	CJR	1
Trichlorofluoromethane	< 0.87	ug/l	0.87	2.8	1	8260B		3/31/2015	CJR	1
1,2,4-Trimethylbenzene	< 1.6	ug/l	1.6	5	1	8260B		3/31/2015	CJR	1
1,3,5-Trimethylbenzene	< 1.5	ug/l	1.5	4.8	1	8260B		3/31/2015	CJR	1
Vinyl Chloride	< 0.17	ug/l	0.17	0.54	1	8260B		3/31/2015	CJR	1
m&p-Xylene	< 2.2	ug/l	2.2	6.9	1	8260B		3/31/2015	CJR	1
o-Xylene	< 0.9	ug/l	0.9	2.9	1	8260B		3/31/2015	CJR	1
SUR - Toluene-d8	100	REC %			1	8260B		3/31/2015	CJR	1
SUR - 1,2-Dichloroethane-d4	94	REC %			1	8260B		3/31/2015	CJR	1
SUR - 4-Bromofluorobenzene	101	REC %			1	8260B		3/31/2015	CJR	1
SUR - Dibromofluoromethane	95	REC %			1	8260B		3/31/2015	CJR	1

**Project Name** FMR ROBINSON'S CLEANERS  
**Project #** 6155.41A

**Invoice #** E28691

**Lab Code** 528691AA  
**Sample ID** 6155-PZ-46D2  
**Sample Matrix** Water  
**Sample Date** 3/26/2015

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.44	ug/l	0.44	1.4	1	8260B		4/1/2015	CJR	1
Bromobenzene	< 0.48	ug/l	0.48	1.5	1	8260B		4/1/2015	CJR	1
Bromodichloromethane	< 0.46	ug/l	0.46	1.5	1	8260B		4/1/2015	CJR	1
Bromoform	< 0.46	ug/l	0.46	1.5	1	8260B		4/1/2015	CJR	1
tert-Butylbenzene	< 1.1	ug/l	1.1	3.4	1	8260B		4/1/2015	CJR	1
sec-Butylbenzene	< 1.2	ug/l	1.2	3.8	1	8260B		4/1/2015	CJR	1
n-Butylbenzene	< 1	ug/l	1	3.3	1	8260B		4/1/2015	CJR	1
Carbon Tetrachloride	< 0.65	ug/l	0.65	2.1	1	8260B		4/1/2015	CJR	1
Chlorobenzene	< 0.46	ug/l	0.46	1.4	1	8260B		4/1/2015	CJR	1
Chloroethane	< 0.65	ug/l	0.65	2.1	1	8260B		4/1/2015	CJR	1
Chloroform	< 0.43	ug/l	0.43	1.4	1	8260B		4/1/2015	CJR	1
Chloromethane	< 1.9	ug/l	1.9	6	1	8260B		4/1/2015	CJR	1
2-Chlorotoluene	< 0.4	ug/l	0.4	1.3	1	8260B		4/1/2015	CJR	1
4-Chlorotoluene	< 0.63	ug/l	0.63	2	1	8260B		4/1/2015	CJR	1
1,2-Dibromo-3-chloropropane	< 1.4	ug/l	1.4	4.5	1	8260B		4/1/2015	CJR	1
Dibromochloromethane	< 0.45	ug/l	0.45	1.4	1	8260B		4/1/2015	CJR	1
1,4-Dichlorobenzene	< 0.49	ug/l	0.49	1.6	1	8260B		4/1/2015	CJR	1
1,3-Dichlorobenzene	< 0.52	ug/l	0.52	1.6	1	8260B		4/1/2015	CJR	1
1,2-Dichlorobenzene	< 0.46	ug/l	0.46	1.5	1	8260B		4/1/2015	CJR	1
Dichlorodifluoromethane	< 0.87	ug/l	0.87	2.8	1	8260B		4/1/2015	CJR	1
1,2-Dichloroethane	< 0.54	ug/l	0.54	1.7	1	8260B		4/1/2015	CJR	1
1,1-Dichloroethane	< 1.1	ug/l	1.1	3.6	1	8260B		4/1/2015	CJR	1
1,1-Dichloroethene	< 0.65	ug/l	0.65	2.1	1	8260B		4/1/2015	CJR	1
cis-1,2-Dichloroethene	< 0.45	ug/l	0.45	1.4	1	8260B		4/1/2015	CJR	1
trans-1,2-Dichloroethene	< 0.54	ug/l	0.54	1.7	1	8260B		4/1/2015	CJR	1
1,2-Dichloropropane	< 0.43	ug/l	0.43	1.37	1	8260B		4/1/2015	CJR	1
2,2-Dichloropropane	< 3.1	ug/l	3.1	9.8	1	8260B		4/1/2015	CJR	1
1,3-Dichloropropane	< 0.42	ug/l	0.42	1.3	1	8260B		4/1/2015	CJR	1
Di-isopropyl ether	< 0.44	ug/l	0.44	1.4	1	8260B		4/1/2015	CJR	1
EDB (1,2-Dibromoethane)	< 0.63	ug/l	0.63	2	1	8260B		4/1/2015	CJR	1
Ethylbenzene	< 0.71	ug/l	0.71	2.3	1	8260B		4/1/2015	CJR	1
Hexachlorobutadiene	< 2.2	ug/l	2.2	7.1	1	8260B		4/1/2015	CJR	1
Isopropylbenzene	< 0.82	ug/l	0.82	2.6	1	8260B		4/1/2015	CJR	1
p-Isopropyltoluene	< 1.1	ug/l	1.1	3.5	1	8260B		4/1/2015	CJR	1
Methylene chloride	< 1.3	ug/l	1.3	4.2	1	8260B		4/1/2015	CJR	1
Methyl tert-butyl ether (MTBE)	< 1.1	ug/l	1.1	3.7	1	8260B		4/1/2015	CJR	1
Naphthalene	< 1.6	ug/l	1.6	5.2	1	8260B		4/1/2015	CJR	1
n-Propylbenzene	< 0.77	ug/l	0.77	2.4	1	8260B		4/1/2015	CJR	1
1,1,2,2-Tetrachloroethane	< 0.52	ug/l	0.52	1.7	1	8260B		4/1/2015	CJR	1
1,1,1,2-Tetrachloroethane	< 0.48	ug/l	0.48	1.5	1	8260B		4/1/2015	CJR	1
Tetrachloroethene	< 0.74	ug/l	0.74	2.4	1	8260B		4/1/2015	CJR	1
Toluene	< 0.44	ug/l	0.44	1.4	1	8260B		4/1/2015	CJR	1
1,2,4-Trichlorobenzene	< 1.7	ug/l	1.7	5.6	1	8260B		4/1/2015	CJR	1
1,2,3-Trichlorobenzene	< 2.7	ug/l	2.7	8.6	1	8260B		4/1/2015	CJR	1
1,1,1-Trichloroethane	< 0.84	ug/l	0.84	2.7	1	8260B		4/1/2015	CJR	1
1,1,2-Trichloroethane	< 0.48	ug/l	0.48	1.52	1	8260B		4/1/2015	CJR	1
Trichloroethene (TCE)	< 0.47	ug/l	0.47	1.5	1	8260B		4/1/2015	CJR	1
Trichlorofluoromethane	< 0.87	ug/l	0.87	2.8	1	8260B		4/1/2015	CJR	1
1,2,4-Trimethylbenzene	< 1.6	ug/l	1.6	5	1	8260B		4/1/2015	CJR	1
1,3,5-Trimethylbenzene	< 1.5	ug/l	1.5	4.8	1	8260B		4/1/2015	CJR	1
Vinyl Chloride	< 0.17	ug/l	0.17	0.54	1	8260B		4/1/2015	CJR	1
m&p-Xylene	< 2.2	ug/l	2.2	6.9	1	8260B		4/1/2015	CJR	1
o-Xylene	< 0.9	ug/l	0.9	2.9	1	8260B		4/1/2015	CJR	1
SUR - 1,2-Dichloroethane-d4	93	REC %			1	8260B		4/1/2015	CJR	1
SUR - 4-Bromofluorobenzene	95	REC %			1	8260B		4/1/2015	CJR	1
SUR - Dibromofluoromethane	95	REC %			1	8260B		4/1/2015	CJR	1
SUR - Toluene-d8	97	REC %			1	8260B		4/1/2015	CJR	1



**Project Name** FMR ROBINSON'S CLEANERS  
**Project #** 6155.41A

**Invoice #** E28691

**Lab Code** 528691BB  
**Sample ID** 6155-PZ-46D3  
**Sample Matrix** Water  
**Sample Date** 3/26/2015

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.44	ug/l	0.44	1.4	1	8260B		4/1/2015	CJR	1
Bromobenzene	< 0.48	ug/l	0.48	1.5	1	8260B		4/1/2015	CJR	1
Bromodichloromethane	< 0.46	ug/l	0.46	1.5	1	8260B		4/1/2015	CJR	1
Bromoform	< 0.46	ug/l	0.46	1.5	1	8260B		4/1/2015	CJR	1
tert-Butylbenzene	< 1.1	ug/l	1.1	3.4	1	8260B		4/1/2015	CJR	1
sec-Butylbenzene	< 1.2	ug/l	1.2	3.8	1	8260B		4/1/2015	CJR	1
n-Butylbenzene	< 1	ug/l	1	3.3	1	8260B		4/1/2015	CJR	1
Carbon Tetrachloride	< 0.65	ug/l	0.65	2.1	1	8260B		4/1/2015	CJR	1
Chlorobenzene	< 0.46	ug/l	0.46	1.4	1	8260B		4/1/2015	CJR	1
Chloroethane	< 0.65	ug/l	0.65	2.1	1	8260B		4/1/2015	CJR	1
Chloroform	< 0.43	ug/l	0.43	1.4	1	8260B		4/1/2015	CJR	1
Chloromethane	< 1.9	ug/l	1.9	6	1	8260B		4/1/2015	CJR	1
2-Chlorotoluene	< 0.4	ug/l	0.4	1.3	1	8260B		4/1/2015	CJR	1
4-Chlorotoluene	< 0.63	ug/l	0.63	2	1	8260B		4/1/2015	CJR	1
1,2-Dibromo-3-chloropropane	< 1.4	ug/l	1.4	4.5	1	8260B		4/1/2015	CJR	1
Dibromochloromethane	< 0.45	ug/l	0.45	1.4	1	8260B		4/1/2015	CJR	1
1,4-Dichlorobenzene	< 0.49	ug/l	0.49	1.6	1	8260B		4/1/2015	CJR	1
1,3-Dichlorobenzene	< 0.52	ug/l	0.52	1.6	1	8260B		4/1/2015	CJR	1
1,2-Dichlorobenzene	< 0.46	ug/l	0.46	1.5	1	8260B		4/1/2015	CJR	1
Dichlorodifluoromethane	< 0.87	ug/l	0.87	2.8	1	8260B		4/1/2015	CJR	1
1,2-Dichloroethane	< 0.54	ug/l	0.54	1.7	1	8260B		4/1/2015	CJR	1
1,1-Dichloroethane	< 1.1	ug/l	1.1	3.6	1	8260B		4/1/2015	CJR	1
1,1-Dichloroethene	< 0.65	ug/l	0.65	2.1	1	8260B		4/1/2015	CJR	1
cis-1,2-Dichloroethene	< 0.45	ug/l	0.45	1.4	1	8260B		4/1/2015	CJR	1
trans-1,2-Dichloroethene	< 0.54	ug/l	0.54	1.7	1	8260B		4/1/2015	CJR	1
1,2-Dichloropropane	< 0.43	ug/l	0.43	1.37	1	8260B		4/1/2015	CJR	1
2,2-Dichloropropane	< 3.1	ug/l	3.1	9.8	1	8260B		4/1/2015	CJR	1
1,3-Dichloropropane	< 0.42	ug/l	0.42	1.3	1	8260B		4/1/2015	CJR	1
Di-isopropyl ether	< 0.44	ug/l	0.44	1.4	1	8260B		4/1/2015	CJR	1
EDB (1,2-Dibromoethane)	< 0.63	ug/l	0.63	2	1	8260B		4/1/2015	CJR	1
Ethylbenzene	< 0.71	ug/l	0.71	2.3	1	8260B		4/1/2015	CJR	1
Hexachlorobutadiene	< 2.2	ug/l	2.2	7.1	1	8260B		4/1/2015	CJR	1
Isopropylbenzene	< 0.82	ug/l	0.82	2.6	1	8260B		4/1/2015	CJR	1
p-Isopropyltoluene	< 1.1	ug/l	1.1	3.5	1	8260B		4/1/2015	CJR	1
Methylene chloride	< 1.3	ug/l	1.3	4.2	1	8260B		4/1/2015	CJR	1
Methyl tert-butyl ether (MTBE)	< 1.1	ug/l	1.1	3.7	1	8260B		4/1/2015	CJR	1
Naphthalene	< 1.6	ug/l	1.6	5.2	1	8260B		4/1/2015	CJR	1
n-Propylbenzene	< 0.77	ug/l	0.77	2.4	1	8260B		4/1/2015	CJR	1
1,1,2,2-Tetrachloroethane	< 0.52	ug/l	0.52	1.7	1	8260B		4/1/2015	CJR	1
1,1,1,2-Tetrachloroethane	< 0.48	ug/l	0.48	1.5	1	8260B		4/1/2015	CJR	1
Tetrachloroethene	< 0.74	ug/l	0.74	2.4	1	8260B		4/1/2015	CJR	1
Toluene	< 0.44	ug/l	0.44	1.4	1	8260B		4/1/2015	CJR	1
1,2,4-Trichlorobenzene	< 1.7	ug/l	1.7	5.6	1	8260B		4/1/2015	CJR	1
1,2,3-Trichlorobenzene	< 2.7	ug/l	2.7	8.6	1	8260B		4/1/2015	CJR	1
1,1,1-Trichloroethane	< 0.84	ug/l	0.84	2.7	1	8260B		4/1/2015	CJR	1
1,1,2-Trichloroethane	< 0.48	ug/l	0.48	1.52	1	8260B		4/1/2015	CJR	1
Trichloroethene (TCE)	< 0.47	ug/l	0.47	1.5	1	8260B		4/1/2015	CJR	1
Trichlorofluoromethane	< 0.87	ug/l	0.87	2.8	1	8260B		4/1/2015	CJR	1
1,2,4-Trimethylbenzene	< 1.6	ug/l	1.6	5	1	8260B		4/1/2015	CJR	1
1,3,5-Trimethylbenzene	< 1.5	ug/l	1.5	4.8	1	8260B		4/1/2015	CJR	1
Vinyl Chloride	< 0.17	ug/l	0.17	0.54	1	8260B		4/1/2015	CJR	1
m&p-Xylene	< 2.2	ug/l	2.2	6.9	1	8260B		4/1/2015	CJR	1
o-Xylene	< 0.9	ug/l	0.9	2.9	1	8260B		4/1/2015	CJR	1
SUR - 4-Bromofluorobenzene	101	REC %			1	8260B		4/1/2015	CJR	1
SUR - Dibromofluoromethane	99	REC %			1	8260B		4/1/2015	CJR	1
SUR - Toluene-d8	98	REC %			1	8260B		4/1/2015	CJR	1
SUR - 1,2-Dichloroethane-d4	90	REC %			1	8260B		4/1/2015	CJR	1

**Project Name** FMR ROBINSON'S CLEANERS  
**Project #** 6155.41A

**Invoice #** E28691

**Lab Code** 528691CC  
**Sample ID** 6155-PZ-47D1  
**Sample Matrix** Water  
**Sample Date** 3/25/2015

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.44	ug/l	0.44	1.4	1	8260B		4/1/2015	CJR	1
Bromobenzene	< 0.48	ug/l	0.48	1.5	1	8260B		4/1/2015	CJR	1
Bromodichloromethane	< 0.46	ug/l	0.46	1.5	1	8260B		4/1/2015	CJR	1
Bromoform	< 0.46	ug/l	0.46	1.5	1	8260B		4/1/2015	CJR	1
tert-Butylbenzene	< 1.1	ug/l	1.1	3.4	1	8260B		4/1/2015	CJR	1
sec-Butylbenzene	< 1.2	ug/l	1.2	3.8	1	8260B		4/1/2015	CJR	1
n-Butylbenzene	< 1	ug/l	1	3.3	1	8260B		4/1/2015	CJR	1
Carbon Tetrachloride	< 0.65	ug/l	0.65	2.1	1	8260B		4/1/2015	CJR	1
Chlorobenzene	< 0.46	ug/l	0.46	1.4	1	8260B		4/1/2015	CJR	1
Chloroethane	< 0.65	ug/l	0.65	2.1	1	8260B		4/1/2015	CJR	1
Chloroform	< 0.43	ug/l	0.43	1.4	1	8260B		4/1/2015	CJR	1
Chloromethane	< 1.9	ug/l	1.9	6	1	8260B		4/1/2015	CJR	1
2-Chlorotoluene	< 0.4	ug/l	0.4	1.3	1	8260B		4/1/2015	CJR	1
4-Chlorotoluene	< 0.63	ug/l	0.63	2	1	8260B		4/1/2015	CJR	1
1,2-Dibromo-3-chloropropane	< 1.4	ug/l	1.4	4.5	1	8260B		4/1/2015	CJR	1
Dibromochloromethane	< 0.45	ug/l	0.45	1.4	1	8260B		4/1/2015	CJR	1
1,4-Dichlorobenzene	< 0.49	ug/l	0.49	1.6	1	8260B		4/1/2015	CJR	1
1,3-Dichlorobenzene	< 0.52	ug/l	0.52	1.6	1	8260B		4/1/2015	CJR	1
1,2-Dichlorobenzene	< 0.46	ug/l	0.46	1.5	1	8260B		4/1/2015	CJR	1
Dichlorodifluoromethane	< 0.87	ug/l	0.87	2.8	1	8260B		4/1/2015	CJR	1
1,2-Dichloroethane	< 0.54	ug/l	0.54	1.7	1	8260B		4/1/2015	CJR	1
1,1-Dichloroethane	< 1.1	ug/l	1.1	3.6	1	8260B		4/1/2015	CJR	1
1,1-Dichloroethene	< 0.65	ug/l	0.65	2.1	1	8260B		4/1/2015	CJR	1
cis-1,2-Dichloroethene	< 0.45	ug/l	0.45	1.4	1	8260B		4/1/2015	CJR	1
trans-1,2-Dichloroethene	< 0.54	ug/l	0.54	1.7	1	8260B		4/1/2015	CJR	1
1,2-Dichloropropane	< 0.43	ug/l	0.43	1.37	1	8260B		4/1/2015	CJR	1
2,2-Dichloropropane	< 3.1	ug/l	3.1	9.8	1	8260B		4/1/2015	CJR	1
1,3-Dichloropropane	< 0.42	ug/l	0.42	1.3	1	8260B		4/1/2015	CJR	1
Di-isopropyl ether	< 0.44	ug/l	0.44	1.4	1	8260B		4/1/2015	CJR	1
EDB (1,2-Dibromoethane)	< 0.63	ug/l	0.63	2	1	8260B		4/1/2015	CJR	1
Ethylbenzene	< 0.71	ug/l	0.71	2.3	1	8260B		4/1/2015	CJR	1
Hexachlorobutadiene	< 2.2	ug/l	2.2	7.1	1	8260B		4/1/2015	CJR	1
Isopropylbenzene	< 0.82	ug/l	0.82	2.6	1	8260B		4/1/2015	CJR	1
p-Isopropyltoluene	< 1.1	ug/l	1.1	3.5	1	8260B		4/1/2015	CJR	1
Methylene chloride	< 1.3	ug/l	1.3	4.2	1	8260B		4/1/2015	CJR	1
Methyl tert-butyl ether (MTBE)	< 1.1	ug/l	1.1	3.7	1	8260B		4/1/2015	CJR	1
Naphthalene	< 1.6	ug/l	1.6	5.2	1	8260B		4/1/2015	CJR	1
n-Propylbenzene	< 0.77	ug/l	0.77	2.4	1	8260B		4/1/2015	CJR	1
1,1,2,2-Tetrachloroethane	< 0.52	ug/l	0.52	1.7	1	8260B		4/1/2015	CJR	1
1,1,1,2-Tetrachloroethane	< 0.48	ug/l	0.48	1.5	1	8260B		4/1/2015	CJR	1
Tetrachloroethene	< 0.74	ug/l	0.74	2.4	1	8260B		4/1/2015	CJR	1
Toluene	< 0.44	ug/l	0.44	1.4	1	8260B		4/1/2015	CJR	1
1,2,4-Trichlorobenzene	< 1.7	ug/l	1.7	5.6	1	8260B		4/1/2015	CJR	1
1,2,3-Trichlorobenzene	< 2.7	ug/l	2.7	8.6	1	8260B		4/1/2015	CJR	1
1,1,1-Trichloroethane	< 0.84	ug/l	0.84	2.7	1	8260B		4/1/2015	CJR	1
1,1,2-Trichloroethane	< 0.48	ug/l	0.48	1.52	1	8260B		4/1/2015	CJR	1
Trichloroethene (TCE)	< 0.47	ug/l	0.47	1.5	1	8260B		4/1/2015	CJR	1
Trichlorofluoromethane	< 0.87	ug/l	0.87	2.8	1	8260B		4/1/2015	CJR	1
1,2,4-Trimethylbenzene	< 1.6	ug/l	1.6	5	1	8260B		4/1/2015	CJR	1
1,3,5-Trimethylbenzene	< 1.5	ug/l	1.5	4.8	1	8260B		4/1/2015	CJR	1
Vinyl Chloride	< 0.17	ug/l	0.17	0.54	1	8260B		4/1/2015	CJR	1
m&p-Xylene	< 2.2	ug/l	2.2	6.9	1	8260B		4/1/2015	CJR	1
o-Xylene	< 0.9	ug/l	0.9	2.9	1	8260B		4/1/2015	CJR	1
SUR - 1,2-Dichloroethane-d4	91	REC %			1	8260B		4/1/2015	CJR	1
SUR - 4-Bromofluorobenzene	102	REC %			1	8260B		4/1/2015	CJR	1
SUR - Dibromofluoromethane	95	REC %			1	8260B		4/1/2015	CJR	1
SUR - Toluene-d8	97	REC %			1	8260B		4/1/2015	CJR	1

Project Name FMR ROBINSON'S CLEANERS  
 Project # 6155.41A

Invoice # E28691

Lab Code 528691DD  
 Sample ID 6155-PZ-47D2  
 Sample Matrix Water  
 Sample Date 3/25/2015

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.44	ug/l	0.44	1.4	1	8260B		4/1/2015	CJR	1
Bromobenzene	< 0.48	ug/l	0.48	1.5	1	8260B		4/1/2015	CJR	1
Bromodichloromethane	< 0.46	ug/l	0.46	1.5	1	8260B		4/1/2015	CJR	1
Bromoform	< 0.46	ug/l	0.46	1.5	1	8260B		4/1/2015	CJR	1
tert-Butylbenzene	< 1.1	ug/l	1.1	3.4	1	8260B		4/1/2015	CJR	1
sec-Butylbenzene	< 1.2	ug/l	1.2	3.8	1	8260B		4/1/2015	CJR	1
n-Butylbenzene	< 1	ug/l	1	3.3	1	8260B		4/1/2015	CJR	1
Carbon Tetrachloride	< 0.65	ug/l	0.65	2.1	1	8260B		4/1/2015	CJR	1
Chlorobenzene	< 0.46	ug/l	0.46	1.4	1	8260B		4/1/2015	CJR	1
Chloroethane	< 0.65	ug/l	0.65	2.1	1	8260B		4/1/2015	CJR	1
Chloroform	< 0.43	ug/l	0.43	1.4	1	8260B		4/1/2015	CJR	1
Chloromethane	< 1.9	ug/l	1.9	6	1	8260B		4/1/2015	CJR	1
2-Chlorotoluene	< 0.4	ug/l	0.4	1.3	1	8260B		4/1/2015	CJR	1
4-Chlorotoluene	< 0.63	ug/l	0.63	2	1	8260B		4/1/2015	CJR	1
1,2-Dibromo-3-chloropropane	< 1.4	ug/l	1.4	4.5	1	8260B		4/1/2015	CJR	1
Dibromochloromethane	< 0.45	ug/l	0.45	1.4	1	8260B		4/1/2015	CJR	1
1,4-Dichlorobenzene	< 0.49	ug/l	0.49	1.6	1	8260B		4/1/2015	CJR	1
1,3-Dichlorobenzene	< 0.52	ug/l	0.52	1.6	1	8260B		4/1/2015	CJR	1
1,2-Dichlorobenzene	< 0.46	ug/l	0.46	1.5	1	8260B		4/1/2015	CJR	1
Dichlorodifluoromethane	< 0.87	ug/l	0.87	2.8	1	8260B		4/1/2015	CJR	1
1,2-Dichloroethane	< 0.54	ug/l	0.54	1.7	1	8260B		4/1/2015	CJR	1
1,1-Dichloroethane	< 1.1	ug/l	1.1	3.6	1	8260B		4/1/2015	CJR	1
1,1-Dichloroethene	< 0.65	ug/l	0.65	2.1	1	8260B		4/1/2015	CJR	1
cis-1,2-Dichloroethene	< 0.45	ug/l	0.45	1.4	1	8260B		4/1/2015	CJR	1
trans-1,2-Dichloroethene	< 0.54	ug/l	0.54	1.7	1	8260B		4/1/2015	CJR	1
1,2-Dichloropropane	< 0.43	ug/l	0.43	1.37	1	8260B		4/1/2015	CJR	1
2,2-Dichloropropane	< 3.1	ug/l	3.1	9.8	1	8260B		4/1/2015	CJR	1
1,3-Dichloropropane	< 0.42	ug/l	0.42	1.3	1	8260B		4/1/2015	CJR	1
Di-isopropyl ether	< 0.44	ug/l	0.44	1.4	1	8260B		4/1/2015	CJR	1
EDB (1,2-Dibromoethane)	< 0.63	ug/l	0.63	2	1	8260B		4/1/2015	CJR	1
Ethylbenzene	< 0.71	ug/l	0.71	2.3	1	8260B		4/1/2015	CJR	1
Hexachlorobutadiene	< 2.2	ug/l	2.2	7.1	1	8260B		4/1/2015	CJR	1
Isopropylbenzene	< 0.82	ug/l	0.82	2.6	1	8260B		4/1/2015	CJR	1
p-Isopropyltoluene	< 1.1	ug/l	1.1	3.5	1	8260B		4/1/2015	CJR	1
Methylene chloride	< 1.3	ug/l	1.3	4.2	1	8260B		4/1/2015	CJR	1
Methyl tert-butyl ether (MTBE)	< 1.1	ug/l	1.1	3.7	1	8260B		4/1/2015	CJR	1
Naphthalene	< 1.6	ug/l	1.6	5.2	1	8260B		4/1/2015	CJR	1
n-Propylbenzene	< 0.77	ug/l	0.77	2.4	1	8260B		4/1/2015	CJR	1
1,1,2,2-Tetrachloroethane	< 0.52	ug/l	0.52	1.7	1	8260B		4/1/2015	CJR	1
1,1,1,2-Tetrachloroethane	< 0.48	ug/l	0.48	1.5	1	8260B		4/1/2015	CJR	1
Tetrachloroethene	0.91 "J"	ug/l	0.74	2.4	1	8260B		4/1/2015	CJR	1
Toluene	< 0.44	ug/l	0.44	1.4	1	8260B		4/1/2015	CJR	1
1,2,4-Trichlorobenzene	< 1.7	ug/l	1.7	5.6	1	8260B		4/1/2015	CJR	1
1,2,3-Trichlorobenzene	< 2.7	ug/l	2.7	8.6	1	8260B		4/1/2015	CJR	1
1,1,1-Trichloroethane	< 0.84	ug/l	0.84	2.7	1	8260B		4/1/2015	CJR	1
1,1,2-Trichloroethane	< 0.48	ug/l	0.48	1.52	1	8260B		4/1/2015	CJR	1
Trichloroethene (TCE)	< 0.47	ug/l	0.47	1.5	1	8260B		4/1/2015	CJR	1
Trichlorofluoromethane	< 0.87	ug/l	0.87	2.8	1	8260B		4/1/2015	CJR	1
1,2,4-Trimethylbenzene	< 1.6	ug/l	1.6	5	1	8260B		4/1/2015	CJR	1
1,3,5-Trimethylbenzene	< 1.5	ug/l	1.5	4.8	1	8260B		4/1/2015	CJR	1
Vinyl Chloride	< 0.17	ug/l	0.17	0.54	1	8260B		4/1/2015	CJR	1
m&p-Xylene	< 2.2	ug/l	2.2	6.9	1	8260B		4/1/2015	CJR	1
o-Xylene	< 0.9	ug/l	0.9	2.9	1	8260B		4/1/2015	CJR	1
SUR - Toluene-d8	96	REC %			1	8260B		4/1/2015	CJR	1
SUR - Dibromofluoromethane	96	REC %			1	8260B		4/1/2015	CJR	1
SUR - 1,2-Dichloroethane-d4	93	REC %			1	8260B		4/1/2015	CJR	1
SUR - 4-Bromofluorobenzene	99	REC %			1	8260B		4/1/2015	CJR	1

**Project Name** FMR ROBINSON'S CLEANERS  
**Project #** 6155.41A

**Invoice #** E28691

**Lab Code** 528691EE  
**Sample ID** 6155-PZ-47D3  
**Sample Matrix** Water  
**Sample Date** 3/25/2015

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.44	ug/l	0.44	1.4	1	8260B		4/1/2015	CJR	1
Bromobenzene	< 0.48	ug/l	0.48	1.5	1	8260B		4/1/2015	CJR	1
Bromodichloromethane	< 0.46	ug/l	0.46	1.5	1	8260B		4/1/2015	CJR	1
Bromoform	< 0.46	ug/l	0.46	1.5	1	8260B		4/1/2015	CJR	1
tert-Butylbenzene	< 1.1	ug/l	1.1	3.4	1	8260B		4/1/2015	CJR	1
sec-Butylbenzene	< 1.2	ug/l	1.2	3.8	1	8260B		4/1/2015	CJR	1
n-Butylbenzene	< 1	ug/l	1	3.3	1	8260B		4/1/2015	CJR	1
Carbon Tetrachloride	< 0.65	ug/l	0.65	2.1	1	8260B		4/1/2015	CJR	1
Chlorobenzene	< 0.46	ug/l	0.46	1.4	1	8260B		4/1/2015	CJR	1
Chloroethane	< 0.65	ug/l	0.65	2.1	1	8260B		4/1/2015	CJR	1
Chloroform	< 0.43	ug/l	0.43	1.4	1	8260B		4/1/2015	CJR	1
Chloromethane	< 1.9	ug/l	1.9	6	1	8260B		4/1/2015	CJR	1
2-Chlorotoluene	< 0.4	ug/l	0.4	1.3	1	8260B		4/1/2015	CJR	1
4-Chlorotoluene	< 0.63	ug/l	0.63	2	1	8260B		4/1/2015	CJR	1
1,2-Dibromo-3-chloropropane	< 1.4	ug/l	1.4	4.5	1	8260B		4/1/2015	CJR	1
Dibromochloromethane	< 0.45	ug/l	0.45	1.4	1	8260B		4/1/2015	CJR	1
1,4-Dichlorobenzene	< 0.49	ug/l	0.49	1.6	1	8260B		4/1/2015	CJR	1
1,3-Dichlorobenzene	< 0.52	ug/l	0.52	1.6	1	8260B		4/1/2015	CJR	1
1,2-Dichlorobenzene	< 0.46	ug/l	0.46	1.5	1	8260B		4/1/2015	CJR	1
Dichlorodifluoromethane	< 0.87	ug/l	0.87	2.8	1	8260B		4/1/2015	CJR	1
1,2-Dichloroethane	< 0.54	ug/l	0.54	1.7	1	8260B		4/1/2015	CJR	1
1,1-Dichloroethane	< 1.1	ug/l	1.1	3.6	1	8260B		4/1/2015	CJR	1
1,1-Dichloroethene	< 0.65	ug/l	0.65	2.1	1	8260B		4/1/2015	CJR	1
cis-1,2-Dichloroethene	< 0.45	ug/l	0.45	1.4	1	8260B		4/1/2015	CJR	1
trans-1,2-Dichloroethene	< 0.54	ug/l	0.54	1.7	1	8260B		4/1/2015	CJR	1
1,2-Dichloropropane	< 0.43	ug/l	0.43	1.37	1	8260B		4/1/2015	CJR	1
2,2-Dichloropropane	< 3.1	ug/l	3.1	9.8	1	8260B		4/1/2015	CJR	1
1,3-Dichloropropane	< 0.42	ug/l	0.42	1.3	1	8260B		4/1/2015	CJR	1
Di-isopropyl ether	< 0.44	ug/l	0.44	1.4	1	8260B		4/1/2015	CJR	1
EDB (1,2-Dibromoethane)	< 0.63	ug/l	0.63	2	1	8260B		4/1/2015	CJR	1
Ethylbenzene	< 0.71	ug/l	0.71	2.3	1	8260B		4/1/2015	CJR	1
Hexachlorobutadiene	< 2.2	ug/l	2.2	7.1	1	8260B		4/1/2015	CJR	1
Isopropylbenzene	< 0.82	ug/l	0.82	2.6	1	8260B		4/1/2015	CJR	1
p-Isopropyltoluene	< 1.1	ug/l	1.1	3.5	1	8260B		4/1/2015	CJR	1
Methylene chloride	< 1.3	ug/l	1.3	4.2	1	8260B		4/1/2015	CJR	1
Methyl tert-butyl ether (MTBE)	< 1.1	ug/l	1.1	3.7	1	8260B		4/1/2015	CJR	1
Naphthalene	< 1.6	ug/l	1.6	5.2	1	8260B		4/1/2015	CJR	1
n-Propylbenzene	< 0.77	ug/l	0.77	2.4	1	8260B		4/1/2015	CJR	1
1,1,2,2-Tetrachloroethane	< 0.52	ug/l	0.52	1.7	1	8260B		4/1/2015	CJR	1
1,1,1,2-Tetrachloroethane	< 0.48	ug/l	0.48	1.5	1	8260B		4/1/2015	CJR	1
Tetrachloroethene	< 0.74	ug/l	0.74	2.4	1	8260B		4/1/2015	CJR	1
Toluene	< 0.44	ug/l	0.44	1.4	1	8260B		4/1/2015	CJR	1
1,2,4-Trichlorobenzene	< 1.7	ug/l	1.7	5.6	1	8260B		4/1/2015	CJR	1
1,2,3-Trichlorobenzene	< 2.7	ug/l	2.7	8.6	1	8260B		4/1/2015	CJR	1
1,1,1-Trichloroethane	< 0.84	ug/l	0.84	2.7	1	8260B		4/1/2015	CJR	1
1,1,2-Trichloroethane	< 0.48	ug/l	0.48	1.52	1	8260B		4/1/2015	CJR	1
Trichloroethene (TCE)	< 0.47	ug/l	0.47	1.5	1	8260B		4/1/2015	CJR	1
Trichlorofluoromethane	< 0.87	ug/l	0.87	2.8	1	8260B		4/1/2015	CJR	1
1,2,4-Trimethylbenzene	< 1.6	ug/l	1.6	5	1	8260B		4/1/2015	CJR	1
1,3,5-Trimethylbenzene	< 1.5	ug/l	1.5	4.8	1	8260B		4/1/2015	CJR	1
Vinyl Chloride	< 0.17	ug/l	0.17	0.54	1	8260B		4/1/2015	CJR	1
m&p-Xylene	< 2.2	ug/l	2.2	6.9	1	8260B		4/1/2015	CJR	1
o-Xylene	< 0.9	ug/l	0.9	2.9	1	8260B		4/1/2015	CJR	1
SUR - Toluene-d8	97	REC %			1	8260B		4/1/2015	CJR	1
SUR - 1,2-Dichloroethane-d4	90	REC %			1	8260B		4/1/2015	CJR	1
SUR - 4-Bromofluorobenzene	97	REC %			1	8260B		4/1/2015	CJR	1
SUR - Dibromofluoromethane	93	REC %			1	8260B		4/1/2015	CJR	1

"J" Flag: Analyte detected between LOD and LOQ

LOD Limit of Detection

LOQ Limit of Quantitation

***Code***      ***Comment***

- 1            Laboratory QC within limits.
- 6            The surrogate recovery not within established limits.
- 8            Closing calibration standard not within established limits.

All solid sample results reported on a dry weight basis unless otherwise indicated. All LOD's and LOQ's are adjusted for dilutions but not dry weight. Subcontracted results are denoted by SUB in the analyst field.

**Authorized Signature**



A handwritten signature in blue ink, appearing to read "Michael J. Steel", is written over a horizontal line.

## Environmental Lab, Inc.

1990 Prospect Ct. • Appleton, WI 54914  
920-830-2455 • FAX 920-733-0631

**Sample Handling Request**  
 Rush Analysis Date Required \_\_\_\_\_  
 (Rushes accepted only with prior authorization)  
 Normal Turn Around

Lab I.D. # \_\_\_\_\_  
 Account No. : \_\_\_\_\_ Quote No.: \_\_\_\_\_  
 Project #: **6155.41A**  
 Sampler: (signature) *[Signature]*

Project (Name / Location): **Former Robinson's Cleaners / Janesville WI**  
 Reports To: **W. Fassbender** Invoice To: \_\_\_\_\_  
 Company: **Enviro Forensics** Company: \_\_\_\_\_  
 Address: **N16 W23390 Stone Ridge Dr** Address: \_\_\_\_\_  
 City State Zip: **Waukesha, WI 53188** City State Zip: \_\_\_\_\_  
 Phone: **317.972.7870** Phone: \_\_\_\_\_  
 FAX: \_\_\_\_\_ FAX: \_\_\_\_\_

Analysis Requested										Other Analysis											
DRO (Mod DRO Sep 95)	GRO (Mod GRO Sep 95)	LEAD	NITRATE/NITRITE	OIL & GREASE	PAH (EPA 8270)	PCB	PVOC (EPA 8021) <del>Dry Cleaner List</del>	PVOC + NAPHTHALENE	SULFATE	TOTAL SUSPENDED SOLIDS	VOC DW (EPA 542.2)	VOC (EPA 8260) <del>Dry Cleaner List</del>	8-PCRA METALS							PID/ FID	

Lab I.D.	Sample I.D.	Collection Date	Time	Comp	Grab	Filtered Y/N	No. of Containers	Sample Type (Matrix)*	Preservation
<b>5028691A</b>	<b>6155-DUP-1</b>	<b>3/24</b>	<b>---</b>		<b>X</b>	<b>N</b>	<b>3</b>	<b>GW</b>	<b>HCL</b>
<b>B</b>	<b>6155-DUP-2</b>	<b>3/25</b>	<b>---</b>		<b>X</b>	<b>N</b>	<b>3</b>	<b>GW</b>	<b>HCL</b>
<b>C</b>	<b>6155-DUP-3</b>	<b>3/26</b>	<b>---</b>		<b>X</b>	<b>N</b>	<b>3</b>	<b>GW</b>	<b>HCL</b>
<b>D</b>	<b>6155-EB-1</b>	<b>3/25</b>	<b>1140</b>		<b>X</b>	<b>N</b>	<b>2</b>	<b>GW</b>	<b>HCL</b>
<b>E</b>	<b>6155-EB-2</b>	<b>3/25</b>	<b>1619</b>		<b>X</b>	<b>N</b>	<b>2</b>	<b>GW</b>	<b>HCL</b>
<b>F</b>	<b>6155-EB-3</b>	<b>3/26</b>	<b>1534</b>		<b>X</b>	<b>N</b>	<b>2</b>	<b>GW</b>	<b>HCL</b>
<b>G</b>	<b>6155-TB-1</b>	<b>---</b>	<b>---</b>		<b>X</b>	<b>N</b>	<b>1</b>	<b>GW</b>	<b>HCL</b>

Comments/Special Instructions (\*Specify groundwater "GW", Drinking Water "DW", Waste Water "WW", Soil "S", Air "A", Oil, Sludge etc.)  
**Full VOC List**  
~~except Dry Cleaner list only~~

Sample Integrity - To be completed by receiving lab.  
 Method of Shipment: **Dunkum**  
 Temp. of Temp. Blank \_\_\_\_\_ °C On Ice:   
 Cooler seal intact upon receipt:  Yes  No

Relinquished By: (sign) *[Signature]* Time **1400** Date **3/27/15**  
 Received By: (sign) *[Signature]* Time **2:12** Date **3/27/15**

Received in Laboratory By: *[Signature]* Time: **10:00** Date: **3/28/15**



## Environmental Lab, Inc.

1990 Prospect Ct. • Appleton, WI 54914  
920-830-2455 • FAX 920-733-0631

**Sample Handling Request**

Rush Analysis Date Required \_\_\_\_\_  
(Rushes accepted only with prior authorization)

Normal Turn Around

Lab I.D. # \_\_\_\_\_  
Account No. : \_\_\_\_\_ Quote No.: \_\_\_\_\_  
Project #: G155.41A  
Sampler: (signature) [Signature]

Project (Name / Location): Former Robinson's Cleaners / Janesville, WI  
Reports To: W. Passbender Invoice To: \_\_\_\_\_  
Company: EnviroForensics Company: \_\_\_\_\_  
Address: N16 W23390 Stone Ridge Dr Address: \_\_\_\_\_  
City State Zip: Waukesha, WI City State Zip: \_\_\_\_\_  
Phone: 317.972.7870 Phone: \_\_\_\_\_  
FAX: \_\_\_\_\_ FAX: \_\_\_\_\_

**Analysis Requested**

**Other Analysis**

Lab I.D.	Sample I.D.	Collection Date	Time	Comp	Grab	Filtered Y/N	No. of Containers	Sample Type (Matrix)*	Preservation	DRO (Mod DRO Sep 95)	GRO (Mod GRO Sep 95)	LEAD	NITRATE/NITRITE	OIL & GREASE	PAH (EPA 8270)	PCB	PVOC (EPA 8021)	PVOC + NAPHTHALENE	SULFATE	TOTAL SUSPENDED SOLIDS	VOC DW (EPA 542.2)	VOC (EPA 8260) <del>8-parameter list</del>	8-PCRA METALS	PID/ FID
<u>5028691 H</u>	<u>G155-P2-25D2</u>	<u>3/24</u>	<u>1458</u>		<u>X</u>	<u>N</u>	<u>3</u>	<u>GW</u>	<u>HCL</u>													<u>X</u>		
<u>I</u>	<u>G155-P2-30D2</u>	<u>3/24</u>	<u>1314</u>		<u>X</u>	<u>N</u>	<u>3</u>	<u>GW</u>	<u>HCL</u>													<u>X</u>		
<u>J</u>	<u>G155-mw-39S</u>	<u>3/24</u>	<u>1217</u>		<u>X</u>	<u>N</u>	<u>3</u>	<u>GW</u>	<u>HCL</u>													<u>X</u>		
<u>K</u>	<u>G155-mw-40S</u>	<u>3/24</u>	<u>1026</u>		<u>X</u>	<u>N</u>	<u>3</u>	<u>GW</u>	<u>HCL</u>													<u>X</u>		
<u>L</u>	<u>G155-P2-40D</u>	<u>3/23</u>	<u>1632</u>		<u>X</u>	<u>N</u>	<u>3</u>	<u>GW</u>	<u>HCL</u>													<u>X</u>		
<u>M</u>	<u>G155-P2-42D1</u>	<u>3/25</u>	<u>1029</u>		<u>X</u>	<u>N</u>	<u>3</u>	<u>GW</u>	<u>HCL</u>													<u>X</u>		
<u>N</u>	<u>G155-P2-42D2</u>	<u>3/25</u>	<u>1136</u>		<u>X</u>	<u>N</u>	<u>3</u>	<u>GW</u>	<u>HCL</u>													<u>X</u>		
<u>O</u>	<u>G155-P2-42D3</u>	<u>3/25</u>	<u>1110</u>		<u>X</u>	<u>N</u>	<u>3</u>	<u>GW</u>	<u>HCL</u>													<u>X</u>		

Comments/Special Instructions (\*Specify groundwater "GW", Drinking Water "DW", Waste Water "WW", Soil "S", Air "A", Oil, Sludge etc.)

Full VOC List  
Dry cleaner list only C10C → EPA 8260

Sample Integrity - To be completed by receiving lab.  
Method of Shipment: Dry Ice  
Temp. of Temp. Blank \_\_\_\_\_ °C On Ice:   
Cooler seal intact upon receipt:  Yes  No

Relinquished By: (sign) [Signature] Time 144 Date 3/27/15  
Received By: (sign) [Signature] Time 2:12 Date 3/27/15

Received in Laboratory By: [Signature] Time: 10:00 Date: 3/28/15



## Environmental Lab, Inc.

1990 Prospect Ct. • Appleton, WI 54914  
920-830-2455 • FAX 920-733-0631

### Sample Handling Request

Rush Analysis Date Required \_\_\_\_\_  
(Rushes accepted only with prior authorization)

Normal Turn Around

Lab I.D. # \_\_\_\_\_  
Account No. : \_\_\_\_\_ Quote No.: \_\_\_\_\_  
Project #: 6155-41A  
Sampler: (signature) [Signature]

Project (Name / Location): Former Robinson's cleaners / Janesville

Reports To: W. Fassbender Invoice To: \_\_\_\_\_  
Company: Enviro Forensics Company: \_\_\_\_\_  
Address: N16 W 23390 Stone Ridge Dr suite 6 Address: \_\_\_\_\_  
City State Zip: Waukesha WI 53188 City State Zip: \_\_\_\_\_  
Phone: 317-972-7870 Phone: \_\_\_\_\_  
FAX: \_\_\_\_\_ FAX: \_\_\_\_\_

### Analysis Requested

### Other Analysis

Lab I.D.	Sample I.D.	Collection		Comp	Grab	Filtered Y/N	No. of Containers	Sample Type (Matrix)*	Preservation	DRO (Mod DRO Sep 95)	GRO (Mod GRO Sep 95)	LEAD	NITRATE/NITRITE	OIL & GREASE	PAH (EPA 8270)	PCB	PVOC (EPA 8021)	PVOC + NAPHTHALENE	SULFATE	TOTAL SUSPENDED SOLIDS	VOC DW (EPA 542.2)	VOC (EPA 8260) <u>dry cleaner list</u>	8-PCRA METALS	PID/ FID	
		Date	Time																						
<u>5028691P</u>	<u>6155-mw-41S</u>	<u>3/24</u>	<u>1132</u>		<u>x</u>	<u>N</u>	<u>3</u>	<u>GW</u>	<u>HCL</u>																
<u>Q</u>	<u>6155-mw-43S</u>	<u>3/26</u>	<u>0925</u>		<u>x</u>	<u>N</u>	<u>3</u>	<u>GW</u>	<u>HCL</u>													<u>X</u>			
<u>R</u>	<u>6155-PZ-43D1</u>	<u>3/26</u>	<u>1026</u>		<u>x</u>	<u>N</u>	<u>3</u>	<u>GW</u>	<u>HCL</u>													<u>X</u>			
<u>S</u>	<u>6155-PZ-43D2</u>	<u>3/26</u>	<u>0955</u>		<u>x</u>	<u>N</u>	<u>3</u>	<u>GW</u>	<u>HCL</u>													<u>X</u>			
<u>T</u>	<u>6155-mw-44S</u>	<u>3/25</u>	<u>1251</u>		<u>x</u>	<u>N</u>	<u>3</u>	<u>GW</u>	<u>HCL</u>													<u>X</u>			
<u>U</u>	<u>6155-PZ-44D1</u>	<u>3/25</u>	<u>1352</u>		<u>x</u>	<u>N</u>	<u>3</u>	<u>GW</u>	<u>HCL</u>													<u>X</u>			
<u>V</u>	<u>6155-PZ-44D2</u>	<u>3/25</u>	<u>1323</u>		<u>x</u>	<u>N</u>	<u>3</u>	<u>GW</u>	<u>HCL</u>													<u>X</u>			
<u>W</u>	<u>6155-mw-45S</u>	<u>3/26</u>	<u>1532</u>		<u>x</u>	<u>N</u>	<u>3</u>	<u>GW</u>	<u>HCL</u>													<u>X</u>			

Comments/Special Instructions (\*Specify groundwater "GW", Drinking Water "DW", Waste Water "WW", Soil "S", Air "A", Oil, Sludge etc.)

Full VOC list  
dry cleaner list (CVOC's) only

Sample Integrity - To be completed by receiving lab.  
Method of Shipment: Durban  
Temp. of Temp. Blank \_\_\_\_\_ °C On Ice:   
Cooler seal intact upon receipt:  Yes \_\_\_\_\_ No

Relinquished By: (sign) [Signature] Time 1411 Date 3/27/15  
Received By: (sign) [Signature] Time 2:12 Date 3/27/15

Received in Laboratory By: [Signature] Time: 1000 Date: 3/28/15



## Environmental Lab, Inc.

1990 Prospect Ct. • Appleton, WI 54914  
920-830-2455 • FAX 920-733-0631

**Sample Handling Request**

Rush Analysis Date Required \_\_\_\_\_  
(Rushes accepted only with prior authorization)

Normal Turn Around

Lab I.D. # \_\_\_\_\_  
Account No. : \_\_\_\_\_ Quote No.: \_\_\_\_\_  
Project #: **6155.41A**  
Sampler: (signature) *[Signature]*

Project (Name / Location): **Former Robinson's Cleaners / Janesville WI**

Reports To: **W. Fausbender** Invoice To: \_\_\_\_\_  
Company: **Enviro Forensics** Company: \_\_\_\_\_  
Address: **N16 W23390 Stone Ridge Dr G** Address: \_\_\_\_\_  
City State Zip: **Waukesha WI 53188** City State Zip: \_\_\_\_\_  
Phone: **317-972-7870** Phone: \_\_\_\_\_  
FAX: \_\_\_\_\_ FAX: \_\_\_\_\_

**Analysis Requested**

**Other Analysis**

Lab I.D.	Sample I.D.	Collection		Comp	Grab	Filtered Y/N	No. of Containers	Sample Type (Matrix)*	Preservation	DRO (Mod DRO Sep 95)	GRO (Mod GRO Sep 95)	LEAD	NITRATE/NITRITE	OIL & GREASE	PAH (EPA 8270)	PCB	PVOC (EPA 8021)	PVOC + NAPHTHALENE	SULFATE	TOTAL SUSPENDED SOLIDS	VOC DW (EPA 542.2)	VOC (EPA 8260) <i>list only</i>	8-PCRA METALS	PID/ FID	
		Date	Time																						
<b>502867IX</b>	<b>6155-P2-45D1</b>	<b>3/26</b>	<b>1554</b>		<b>X</b>	<b>N</b>	<b>3</b>	<b>GW</b>	<b>HCL</b>																
<b>Y</b>	<b>6155-P2-45D2</b>	<b>3/26</b>	<b>1651</b>		<b>X</b>	<b>N</b>	<b>3</b>	<b>GW</b>	<b>HCL</b>																
<b>Z</b>	<b>6155-P2-46D1</b>	<b>3/25</b>	<b>0928</b>		<b>X</b>	<b>N</b>	<b>3</b>	<b>GW</b>	<b>HCL</b>																
<b>AA</b>	<b>6155-P2-46D2</b>	<b>3/26</b>	<b>1330</b>		<b>X</b>	<b>N</b>	<b>3</b>	<b>GW</b>	<b>HCL</b>																
<b>BB</b>	<b>6155-P2-46D3</b>	<b>3/26</b>	<b>1449</b>		<b>X</b>	<b>N</b>	<b>3</b>	<b>GW</b>	<b>HCL</b>																
<b>CC</b>	<b>6155-P2-47D1</b>	<b>3/25</b>	<b>1611</b>		<b>X</b>	<b>N</b>	<b>3</b>	<b>GW</b>	<b>HCL</b>																
<b>DD</b>	<b>6155-P2-47D2</b>	<b>3/25</b>	<b>1722</b>		<b>X</b>	<b>N</b>	<b>3</b>	<b>GW</b>	<b>HCL</b>																
<b>EE</b>	<b>6155-P2-47D3</b>	<b>3/25</b>	<b>1652</b>		<b>X</b>	<b>N</b>	<b>3</b>	<b>GW</b>	<b>HCL</b>																

Comments/Special Instructions ("Specify groundwater "GW", Drinking Water "DW", Waste Water "WW", Soil "S", Air "A", Oil, Sludge etc.)

*Fall VOC list  
(VOCs) Dry cleaner list only*

Sample Integrity - To be completed by receiving lab.  
Method of Shipment: **Dunkum**  
Temp. of Temp. Blank \_\_\_\_\_ °C On Ice:   
Cooler seal intact upon receipt:  Yes \_\_\_\_\_ No

Relinquished By: (sign) *[Signature]* Time **1111** Date **3/27/15**  
Received By: (sign) *[Signature]* Time **2:12** Date **3/27/15**

Received in Laboratory By: *[Signature]* Time: **10:00** Date: **3/30/15**

# Synergy Environmental Lab, INC.

1990 Prospect Ct., Appleton, WI 54914 \*P 920-830-2455 \* F 920-733-0631

WAYNE FASSBENDER  
ENVIROFORENSICS  
N16 W23390 STONE RIDGE DRIVE  
WAUKESHA, WI 53188

Report Date 10-Jun-15

Project Name FMR ROBINSON'S CLEANERS  
Project # 6155 PO2015466

Invoice # E29038

Lab Code 5029038A  
Sample ID 6155-MW-30D(PDB)  
Sample Matrix Water  
Sample Date 6/1/2015

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.44	ug/l	0.44	1.4	1	8260B	6/9/2015	6/9/2015	CJR	1
Bromobenzene	< 0.48	ug/l	0.48	1.5	1	8260B	6/9/2015	6/9/2015	CJR	1
Bromodichloromethane	< 0.46	ug/l	0.46	1.5	1	8260B	6/9/2015	6/9/2015	CJR	1
Bromoform	< 0.46	ug/l	0.46	1.5	1	8260B	6/9/2015	6/9/2015	CJR	1
tert-Butylbenzene	< 1.1	ug/l	1.1	3.4	1	8260B	6/9/2015	6/9/2015	CJR	1
sec-Butylbenzene	< 1.2	ug/l	1.2	3.8	1	8260B	6/9/2015	6/9/2015	CJR	1
n-Butylbenzene	< 1	ug/l	1	3.3	1	8260B	6/9/2015	6/9/2015	CJR	1
Carbon Tetrachloride	< 0.65	ug/l	0.65	2.1	1	8260B	6/9/2015	6/9/2015	CJR	1
Chlorobenzene	< 0.46	ug/l	0.46	1.4	1	8260B	6/9/2015	6/9/2015	CJR	1
Chloroethane	< 0.65	ug/l	0.65	2.1	1	8260B	6/9/2015	6/9/2015	CJR	1
Chloroform	< 0.43	ug/l	0.43	1.4	1	8260B	6/9/2015	6/9/2015	CJR	1
Chloromethane	< 1.9	ug/l	1.9	6	1	8260B	6/9/2015	6/9/2015	CJR	1
2-Chlorotoluene	< 0.4	ug/l	0.4	1.3	1	8260B	6/9/2015	6/9/2015	CJR	1
4-Chlorotoluene	< 0.63	ug/l	0.63	2	1	8260B	6/9/2015	6/9/2015	CJR	1
1,2-Dibromo-3-chloropropane	< 1.4	ug/l	1.4	4.5	1	8260B	6/9/2015	6/9/2015	CJR	1
Dibromochloromethane	< 0.45	ug/l	0.45	1.4	1	8260B	6/9/2015	6/9/2015	CJR	1
1,4-Dichlorobenzene	< 0.49	ug/l	0.49	1.6	1	8260B	6/9/2015	6/9/2015	CJR	1
1,3-Dichlorobenzene	< 0.52	ug/l	0.52	1.6	1	8260B	6/9/2015	6/9/2015	CJR	1
1,2-Dichlorobenzene	< 0.46	ug/l	0.46	1.5	1	8260B	6/9/2015	6/9/2015	CJR	1
Dichlorodifluoromethane	< 0.87	ug/l	0.87	2.8	1	8260B	6/9/2015	6/9/2015	CJR	1
1,2-Dichloroethane	< 0.54	ug/l	0.54	1.7	1	8260B	6/9/2015	6/9/2015	CJR	1
1,1-Dichloroethane	< 1.1	ug/l	1.1	3.6	1	8260B	6/9/2015	6/9/2015	CJR	1
1,1-Dichloroethene	< 0.65	ug/l	0.65	2.1	1	8260B	6/9/2015	6/9/2015	CJR	1
cis-1,2-Dichloroethene	< 0.45	ug/l	0.45	1.4	1	8260B	6/9/2015	6/9/2015	CJR	1
trans-1,2-Dichloroethene	< 0.54	ug/l	0.54	1.7	1	8260B	6/9/2015	6/9/2015	CJR	1
1,2-Dichloropropane	< 0.43	ug/l	0.43	1.37	1	8260B	6/9/2015	6/9/2015	CJR	1
2,2-Dichloropropane	< 3.1	ug/l	3.1	9.8	1	8260B	6/9/2015	6/9/2015	CJR	4 8
1,3-Dichloropropane	< 0.42	ug/l	0.42	1.3	1	8260B	6/9/2015	6/9/2015	CJR	1
Di-isopropyl ether	< 0.44	ug/l	0.44	1.4	1	8260B	6/9/2015	6/9/2015	CJR	1
EDB (1,2-Dibromoethane)	< 0.63	ug/l	0.63	2	1	8260B	6/9/2015	6/9/2015	CJR	1
Ethylbenzene	< 0.71	ug/l	0.71	2.3	1	8260B	6/9/2015	6/9/2015	CJR	1
Hexachlorobutadiene	< 2.2	ug/l	2.2	7.1	1	8260B	6/9/2015	6/9/2015	CJR	1
Isopropylbenzene	< 0.82	ug/l	0.82	2.6	1	8260B	6/9/2015	6/9/2015	CJR	1

**Project Name** FMR ROBINSON'S CLEANERS  
**Project #** 6155 PO2015466

**Invoice #** E29038

**Lab Code** 5029038A  
**Sample ID** 6155-MW-30D(PDB)  
**Sample Matrix** Water  
**Sample Date** 6/1/2015

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
p-Isopropyltoluene	< 1.1	ug/l	1.1	3.5	1	8260B	6/9/2015	6/9/2015	CJR	1
Methylene chloride	< 1.3	ug/l	1.3	4.2	1	8260B	6/9/2015	6/9/2015	CJR	1
Methyl tert-butyl ether (MTBE)	< 1.1	ug/l	1.1	3.7	1	8260B	6/9/2015	6/9/2015	CJR	1
Naphthalene	< 1.6	ug/l	1.6	5.2	1	8260B	6/9/2015	6/9/2015	CJR	1
n-Propylbenzene	< 0.77	ug/l	0.77	2.4	1	8260B	6/9/2015	6/9/2015	CJR	1
1,1,2,2-Tetrachloroethane	< 0.52	ug/l	0.52	1.7	1	8260B	6/9/2015	6/9/2015	CJR	1
1,1,1,2-Tetrachloroethane	< 0.48	ug/l	0.48	1.5	1	8260B	6/9/2015	6/9/2015	CJR	1
Tetrachloroethane	73	ug/l	0.74	2.4	1	8260B	6/9/2015	6/9/2015	CJR	1
Toluene	< 0.44	ug/l	0.44	1.4	1	8260B	6/9/2015	6/9/2015	CJR	1
1,2,4-Trichlorobenzene	< 1.7	ug/l	1.7	5.6	1	8260B	6/9/2015	6/9/2015	CJR	1
1,2,3-Trichlorobenzene	< 2.7	ug/l	2.7	8.6	1	8260B	6/9/2015	6/9/2015	CJR	1
1,1,1-Trichloroethane	< 0.84	ug/l	0.84	2.7	1	8260B	6/9/2015	6/9/2015	CJR	1
1,1,2-Trichloroethane	< 0.48	ug/l	0.48	1.52	1	8260B	6/9/2015	6/9/2015	CJR	1
Trichloroethene (TCE)	< 0.47	ug/l	0.47	1.5	1	8260B	6/9/2015	6/9/2015	CJR	1
Trichlorofluoromethane	< 0.87	ug/l	0.87	2.8	1	8260B	6/9/2015	6/9/2015	CJR	1
1,2,4-Trimethylbenzene	< 1.6	ug/l	1.6	5	1	8260B	6/9/2015	6/9/2015	CJR	1
1,3,5-Trimethylbenzene	< 1.5	ug/l	1.5	4.8	1	8260B	6/9/2015	6/9/2015	CJR	1
Vinyl Chloride	< 0.17	ug/l	0.17	0.54	1	8260B	6/9/2015	6/9/2015	CJR	1
m&p-Xylene	< 2.2	ug/l	2.2	6.9	1	8260B	6/9/2015	6/9/2015	CJR	1
o-Xylene	< 0.9	ug/l	0.9	2.9	1	8260B	6/9/2015	6/9/2015	CJR	1
SUR - Dibromofluoromethane	102	REC %			1	8260B	6/9/2015	6/9/2015	CJR	1
SUR - Toluene-d8	100	REC %			1	8260B	6/9/2015	6/9/2015	CJR	1
SUR - 4-Bromofluorobenzene	105	REC %			1	8260B	6/9/2015	6/9/2015	CJR	1
SUR - 1,2-Dichloroethane-d4	100	REC %			1	8260B	6/9/2015	6/9/2015	CJR	1

**Project Name** FMR ROBINSON'S CLEANERS  
**Project #** 6155 PO2015466

**Invoice #** E29038

**Lab Code** 5029038B  
**Sample ID** 6155-MW-30S(PDB)  
**Sample Matrix** Water  
**Sample Date** 6/1/2015

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 4.4	ug/l	4.4	14	10	8260B		6/9/2015	CJR	1
Bromobenzene	< 4.8	ug/l	4.8	15	10	8260B		6/9/2015	CJR	1
Bromodichloromethane	< 4.6	ug/l	4.6	15	10	8260B		6/9/2015	CJR	1
Bromoform	< 4.6	ug/l	4.6	15	10	8260B		6/9/2015	CJR	1
tert-Butylbenzene	< 11	ug/l	11	34	10	8260B		6/9/2015	CJR	1
sec-Butylbenzene	< 12	ug/l	12	38	10	8260B		6/9/2015	CJR	1
n-Butylbenzene	< 10	ug/l	10	33	10	8260B		6/9/2015	CJR	1
Carbon Tetrachloride	< 6.5	ug/l	6.5	21	10	8260B		6/9/2015	CJR	1
Chlorobenzene	< 4.6	ug/l	4.6	14	10	8260B		6/9/2015	CJR	1
Chloroethane	< 6.5	ug/l	6.5	21	10	8260B		6/9/2015	CJR	1
Chloroform	< 4.3	ug/l	4.3	14	10	8260B		6/9/2015	CJR	1
Chloromethane	< 19	ug/l	19	60	10	8260B		6/9/2015	CJR	1
2-Chlorotoluene	< 4	ug/l	4	13	10	8260B		6/9/2015	CJR	1
4-Chlorotoluene	< 6.3	ug/l	6.3	20	10	8260B		6/9/2015	CJR	1
1,2-Dibromo-3-chloropropane	< 14	ug/l	14	45	10	8260B		6/9/2015	CJR	1
Dibromochloromethane	< 4.5	ug/l	4.5	14	10	8260B		6/9/2015	CJR	1
1,4-Dichlorobenzene	< 4.9	ug/l	4.9	16	10	8260B		6/9/2015	CJR	1
1,3-Dichlorobenzene	< 5.2	ug/l	5.2	16	10	8260B		6/9/2015	CJR	1
1,2-Dichlorobenzene	< 4.6	ug/l	4.6	15	10	8260B		6/9/2015	CJR	1
Dichlorodifluoromethane	< 8.7	ug/l	8.7	28	10	8260B		6/9/2015	CJR	1
1,2-Dichloroethane	< 5.4	ug/l	5.4	17	10	8260B		6/9/2015	CJR	1
1,1-Dichloroethane	< 11	ug/l	11	36	10	8260B		6/9/2015	CJR	1
1,1-Dichloroethene	< 6.5	ug/l	6.5	21	10	8260B		6/9/2015	CJR	1
cis-1,2-Dichloroethene	4.8 "J"	ug/l	4.5	14	10	8260B		6/9/2015	CJR	1
trans-1,2-Dichloroethene	< 5.4	ug/l	5.4	17	10	8260B		6/9/2015	CJR	1
1,2-Dichloropropane	< 4.3	ug/l	4.3	13.7	10	8260B		6/9/2015	CJR	1
2,2-Dichloropropane	< 31	ug/l	31	98	10	8260B		6/9/2015	CJR	4 8
1,3-Dichloropropane	< 4.2	ug/l	4.2	13	10	8260B		6/9/2015	CJR	1
Di-isopropyl ether	< 4.4	ug/l	4.4	14	10	8260B		6/9/2015	CJR	1
EDB (1,2-Dibromoethane)	< 6.3	ug/l	6.3	20	10	8260B		6/9/2015	CJR	1
Ethylbenzene	< 7.1	ug/l	7.1	23	10	8260B		6/9/2015	CJR	1
Hexachlorobutadiene	< 22	ug/l	22	71	10	8260B		6/9/2015	CJR	1
Isopropylbenzene	< 8.2	ug/l	8.2	26	10	8260B		6/9/2015	CJR	1
p-Isopropyltoluene	< 11	ug/l	11	35	10	8260B		6/9/2015	CJR	1
Methylene chloride	< 13	ug/l	13	42	10	8260B		6/9/2015	CJR	1
Methyl tert-butyl ether (MTBE)	< 11	ug/l	11	37	10	8260B		6/9/2015	CJR	1
Naphthalene	< 16	ug/l	16	52	10	8260B		6/9/2015	CJR	1
n-Propylbenzene	< 7.7	ug/l	7.7	24	10	8260B		6/9/2015	CJR	1
1,1,2,2-Tetrachloroethane	< 5.2	ug/l	5.2	17	10	8260B		6/9/2015	CJR	1
1,1,1,2-Tetrachloroethane	< 4.8	ug/l	4.8	15	10	8260B		6/9/2015	CJR	1
Tetrachloroethene	930	ug/l	7.4	24	10	8260B		6/9/2015	CJR	1
Toluene	< 4.4	ug/l	4.4	14	10	8260B		6/9/2015	CJR	1
1,2,4-Trichlorobenzene	< 17	ug/l	17	56	10	8260B		6/9/2015	CJR	1
1,2,3-Trichlorobenzene	< 27	ug/l	27	86	10	8260B		6/9/2015	CJR	1
1,1,1-Trichloroethane	< 8.4	ug/l	8.4	27	10	8260B		6/9/2015	CJR	1
1,1,2-Trichloroethane	< 4.8	ug/l	4.8	15.2	10	8260B		6/9/2015	CJR	1
Trichloroethene (TCE)	10.9 "J"	ug/l	4.7	15	10	8260B		6/9/2015	CJR	1
Trichlorofluoromethane	< 8.7	ug/l	8.7	28	10	8260B		6/9/2015	CJR	1
1,2,4-Trimethylbenzene	< 16	ug/l	16	50	10	8260B		6/9/2015	CJR	1
1,3,5-Trimethylbenzene	< 15	ug/l	15	48	10	8260B		6/9/2015	CJR	1
Vinyl Chloride	< 1.7	ug/l	1.7	5.4	10	8260B		6/9/2015	CJR	1
m&p-Xylene	< 22	ug/l	22	69	10	8260B		6/9/2015	CJR	1
o-Xylene	< 9	ug/l	9	29	10	8260B		6/9/2015	CJR	1
SUR - 4-Bromofluorobenzene	103	REC %				8260B		6/9/2015	CJR	1
SUR - Dibromofluoromethane	96	REC %				8260B		6/9/2015	CJR	1
SUR - Toluene-d8	103	REC %				8260B		6/9/2015	CJR	1
SUR - 1,2-Dichloroethane-d4	93	REC %				8260B		6/9/2015	CJR	1

Project Name FMR ROBINSON'S CLEANERS  
 Project # 6155 PO2015466

Invoice # E29038

Lab Code 5029038C  
 Sample ID 6155-MW-13D(PDB)  
 Sample Matrix Water  
 Sample Date 6/1/2015

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.44	ug/l	0.44	1.4	1	8260B		6/8/2015	CJR	1
Bromobenzene	< 0.48	ug/l	0.48	1.5	1	8260B		6/8/2015	CJR	1
Bromodichloromethane	< 0.46	ug/l	0.46	1.5	1	8260B		6/8/2015	CJR	1
Bromoform	< 0.46	ug/l	0.46	1.5	1	8260B		6/8/2015	CJR	1
tert-Butylbenzene	< 1.1	ug/l	1.1	3.4	1	8260B		6/8/2015	CJR	1
sec-Butylbenzene	< 1.2	ug/l	1.2	3.8	1	8260B		6/8/2015	CJR	1
n-Butylbenzene	< 1	ug/l	1	3.3	1	8260B		6/8/2015	CJR	1
Carbon Tetrachloride	< 0.65	ug/l	0.65	2.1	1	8260B		6/8/2015	CJR	1
Chlorobenzene	< 0.46	ug/l	0.46	1.4	1	8260B		6/8/2015	CJR	1
Chloroethane	< 0.65	ug/l	0.65	2.1	1	8260B		6/8/2015	CJR	1
Chloroform	< 0.43	ug/l	0.43	1.4	1	8260B		6/8/2015	CJR	1
Chloromethane	< 1.9	ug/l	1.9	6	1	8260B		6/8/2015	CJR	1
2-Chlorotoluene	< 0.4	ug/l	0.4	1.3	1	8260B		6/8/2015	CJR	1
4-Chlorotoluene	< 0.63	ug/l	0.63	2	1	8260B		6/8/2015	CJR	1
1,2-Dibromo-3-chloropropane	< 1.4	ug/l	1.4	4.5	1	8260B		6/8/2015	CJR	1
Dibromochloromethane	< 0.45	ug/l	0.45	1.4	1	8260B		6/8/2015	CJR	1
1,4-Dichlorobenzene	< 0.49	ug/l	0.49	1.6	1	8260B		6/8/2015	CJR	1
1,3-Dichlorobenzene	< 0.52	ug/l	0.52	1.6	1	8260B		6/8/2015	CJR	1
1,2-Dichlorobenzene	< 0.46	ug/l	0.46	1.5	1	8260B		6/8/2015	CJR	1
Dichlorodifluoromethane	< 0.87	ug/l	0.87	2.8	1	8260B		6/8/2015	CJR	1
1,2-Dichloroethane	< 0.54	ug/l	0.54	1.7	1	8260B		6/8/2015	CJR	1
1,1-Dichloroethane	< 1.1	ug/l	1.1	3.6	1	8260B		6/8/2015	CJR	1
1,1-Dichloroethene	< 0.65	ug/l	0.65	2.1	1	8260B		6/8/2015	CJR	1
cis-1,2-Dichloroethene	0.53 "J"	ug/l	0.45	1.4	1	8260B		6/8/2015	CJR	1
trans-1,2-Dichloroethene	< 0.54	ug/l	0.54	1.7	1	8260B		6/8/2015	CJR	1
1,2-Dichloropropane	< 0.43	ug/l	0.43	1.37	1	8260B		6/8/2015	CJR	1
2,2-Dichloropropane	< 3.1	ug/l	3.1	9.8	1	8260B		6/8/2015	CJR	4 8
1,3-Dichloropropane	< 0.42	ug/l	0.42	1.3	1	8260B		6/8/2015	CJR	1
Di-isopropyl ether	< 0.44	ug/l	0.44	1.4	1	8260B		6/8/2015	CJR	1
EDB (1,2-Dibromoethane)	< 0.63	ug/l	0.63	2	1	8260B		6/8/2015	CJR	1
Ethylbenzene	< 0.71	ug/l	0.71	2.3	1	8260B		6/8/2015	CJR	1
Hexachlorobutadiene	< 2.2	ug/l	2.2	7.1	1	8260B		6/8/2015	CJR	1
Isopropylbenzene	< 0.82	ug/l	0.82	2.6	1	8260B		6/8/2015	CJR	1
p-Isopropyltoluene	< 1.1	ug/l	1.1	3.5	1	8260B		6/8/2015	CJR	1
Methylene chloride	< 1.3	ug/l	1.3	4.2	1	8260B		6/8/2015	CJR	1
Methyl tert-butyl ether (MTBE)	< 1.1	ug/l	1.1	3.7	1	8260B		6/8/2015	CJR	1
Naphthalene	< 1.6	ug/l	1.6	5.2	1	8260B		6/8/2015	CJR	1
n-Propylbenzene	< 0.77	ug/l	0.77	2.4	1	8260B		6/8/2015	CJR	1
1,1,2,2-Tetrachloroethane	< 0.52	ug/l	0.52	1.7	1	8260B		6/8/2015	CJR	1
1,1,1,2-Tetrachloroethane	< 0.48	ug/l	0.48	1.5	1	8260B		6/8/2015	CJR	1
Tetrachloroethene	123	ug/l	0.74	2.4	1	8260B		6/8/2015	CJR	1
Toluene	< 0.44	ug/l	0.44	1.4	1	8260B		6/8/2015	CJR	1
1,2,4-Trichlorobenzene	< 1.7	ug/l	1.7	5.6	1	8260B		6/8/2015	CJR	1
1,2,3-Trichlorobenzene	< 2.7	ug/l	2.7	8.6	1	8260B		6/8/2015	CJR	1
1,1,1-Trichloroethane	< 0.84	ug/l	0.84	2.7	1	8260B		6/8/2015	CJR	1
1,1,2-Trichloroethane	< 0.48	ug/l	0.48	1.52	1	8260B		6/8/2015	CJR	1
Trichloroethene (TCE)	5.5	ug/l	0.47	1.5	1	8260B		6/8/2015	CJR	1
Trichlorofluoromethane	< 0.87	ug/l	0.87	2.8	1	8260B		6/8/2015	CJR	1
1,2,4-Trimethylbenzene	< 1.6	ug/l	1.6	5	1	8260B		6/8/2015	CJR	1
1,3,5-Trimethylbenzene	< 1.5	ug/l	1.5	4.8	1	8260B		6/8/2015	CJR	1
Vinyl Chloride	< 0.17	ug/l	0.17	0.54	1	8260B		6/8/2015	CJR	1
m&p-Xylene	< 2.2	ug/l	2.2	6.9	1	8260B		6/8/2015	CJR	1
o-Xylene	< 0.9	ug/l	0.9	2.9	1	8260B		6/8/2015	CJR	1
SUR - 1,2-Dichloroethane-d4	103	REC %			1	8260B		6/8/2015	CJR	1
SUR - Toluene-d8	101	REC %			1	8260B		6/8/2015	CJR	1
SUR - 4-Bromofluorobenzene	105	REC %			1	8260B		6/8/2015	CJR	1
SUR - Dibromofluoromethane	98	REC %			1	8260B		6/8/2015	CJR	1

**Project Name** FMR ROBINSON'S CLEANERS  
**Project #** 6155 PO2015466

**Invoice #** E29038

**Lab Code** 5029038D  
**Sample ID** 6155-MW-13(PDB)  
**Sample Matrix** Water  
**Sample Date** 6/1/2015

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 4.4	ug/l	4.4	14	10	8260B		6/9/2015	CJR	1
Bromobenzene	< 4.8	ug/l	4.8	15	10	8260B		6/9/2015	CJR	1
Bromodichloromethane	< 4.6	ug/l	4.6	15	10	8260B		6/9/2015	CJR	1
Bromoform	< 4.6	ug/l	4.6	15	10	8260B		6/9/2015	CJR	1
tert-Butylbenzene	< 11	ug/l	11	34	10	8260B		6/9/2015	CJR	1
sec-Butylbenzene	< 12	ug/l	12	38	10	8260B		6/9/2015	CJR	1
n-Butylbenzene	< 10	ug/l	10	33	10	8260B		6/9/2015	CJR	1
Carbon Tetrachloride	< 6.5	ug/l	6.5	21	10	8260B		6/9/2015	CJR	1
Chlorobenzene	< 4.6	ug/l	4.6	14	10	8260B		6/9/2015	CJR	1
Chloroethane	< 6.5	ug/l	6.5	21	10	8260B		6/9/2015	CJR	1
Chloroform	< 4.3	ug/l	4.3	14	10	8260B		6/9/2015	CJR	1
Chloromethane	< 19	ug/l	19	60	10	8260B		6/9/2015	CJR	1
2-Chlorotoluene	< 4	ug/l	4	13	10	8260B		6/9/2015	CJR	1
4-Chlorotoluene	< 6.3	ug/l	6.3	20	10	8260B		6/9/2015	CJR	1
1,2-Dibromo-3-chloropropane	< 14	ug/l	14	45	10	8260B		6/9/2015	CJR	1
Dibromochloromethane	< 4.5	ug/l	4.5	14	10	8260B		6/9/2015	CJR	1
1,4-Dichlorobenzene	< 4.9	ug/l	4.9	16	10	8260B		6/9/2015	CJR	1
1,3-Dichlorobenzene	< 5.2	ug/l	5.2	16	10	8260B		6/9/2015	CJR	1
1,2-Dichlorobenzene	< 4.6	ug/l	4.6	15	10	8260B		6/9/2015	CJR	1
Dichlorodifluoromethane	< 8.7	ug/l	8.7	28	10	8260B		6/9/2015	CJR	1
1,2-Dichloroethane	< 5.4	ug/l	5.4	17	10	8260B		6/9/2015	CJR	1
1,1-Dichloroethane	< 11	ug/l	11	36	10	8260B		6/9/2015	CJR	1
1,1-Dichloroethene	< 6.5	ug/l	6.5	21	10	8260B		6/9/2015	CJR	1
cis-1,2-Dichloroethene	7.1 "J"	ug/l	4.5	14	10	8260B		6/9/2015	CJR	1
trans-1,2-Dichloroethene	< 5.4	ug/l	5.4	17	10	8260B		6/9/2015	CJR	1
1,2-Dichloropropane	< 4.3	ug/l	4.3	13.7	10	8260B		6/9/2015	CJR	1
2,2-Dichloropropane	< 31	ug/l	31	98	10	8260B		6/9/2015	CJR	4 8
1,3-Dichloropropane	< 4.2	ug/l	4.2	13	10	8260B		6/9/2015	CJR	1
Di-isopropyl ether	< 4.4	ug/l	4.4	14	10	8260B		6/9/2015	CJR	1
EDB (1,2-Dibromoethane)	< 6.3	ug/l	6.3	20	10	8260B		6/9/2015	CJR	1
Ethylbenzene	< 7.1	ug/l	7.1	23	10	8260B		6/9/2015	CJR	1
Hexachlorobutadiene	< 22	ug/l	22	71	10	8260B		6/9/2015	CJR	1
Isopropylbenzene	< 8.2	ug/l	8.2	26	10	8260B		6/9/2015	CJR	1
p-Isopropyltoluene	< 11	ug/l	11	35	10	8260B		6/9/2015	CJR	1
Methylene chloride	< 13	ug/l	13	42	10	8260B		6/9/2015	CJR	1
Methyl tert-butyl ether (MTBE)	< 11	ug/l	11	37	10	8260B		6/9/2015	CJR	1
Naphthalene	< 16	ug/l	16	52	10	8260B		6/9/2015	CJR	1
n-Propylbenzene	< 7.7	ug/l	7.7	24	10	8260B		6/9/2015	CJR	1
1,1,2,2-Tetrachloroethane	< 5.2	ug/l	5.2	17	10	8260B		6/9/2015	CJR	1
1,1,1,2-Tetrachloroethane	< 4.8	ug/l	4.8	15	10	8260B		6/9/2015	CJR	1
Tetrachloroethene	330	ug/l	7.4	24	10	8260B		6/9/2015	CJR	1
Toluene	< 4.4	ug/l	4.4	14	10	8260B		6/9/2015	CJR	1
1,2,4-Trichlorobenzene	< 17	ug/l	17	56	10	8260B		6/9/2015	CJR	1
1,2,3-Trichlorobenzene	< 27	ug/l	27	86	10	8260B		6/9/2015	CJR	1
1,1,1-Trichloroethane	< 8.4	ug/l	8.4	27	10	8260B		6/9/2015	CJR	1
1,1,2-Trichloroethane	< 4.8	ug/l	4.8	15.2	10	8260B		6/9/2015	CJR	1
Trichloroethene (TCE)	6.9 "J"	ug/l	4.7	15	10	8260B		6/9/2015	CJR	1
Trichlorofluoromethane	< 8.7	ug/l	8.7	28	10	8260B		6/9/2015	CJR	1
1,2,4-Trimethylbenzene	< 16	ug/l	16	50	10	8260B		6/9/2015	CJR	1
1,3,5-Trimethylbenzene	< 15	ug/l	15	48	10	8260B		6/9/2015	CJR	1
Vinyl Chloride	< 1.7	ug/l	1.7	5.4	10	8260B		6/9/2015	CJR	1
m&p-Xylene	< 22	ug/l	22	69	10	8260B		6/9/2015	CJR	1
o-Xylene	< 9	ug/l	9	29	10	8260B		6/9/2015	CJR	1
SUR - Toluene-d8	99	REC %				8260B		6/9/2015	CJR	1
SUR - Dibromofluoromethane	95	REC %				8260B		6/9/2015	CJR	1
SUR - 4-Bromofluorobenzene	102	REC %				8260B		6/9/2015	CJR	1
SUR - 1,2-Dichloroethane-d4	100	REC %				8260B		6/9/2015	CJR	1

**Project Name** FMR ROBINSON'S CLEANERS  
**Project #** 6155 PO2015466

**Invoice #** E29038

**Lab Code** 5029038E  
**Sample ID** 6155-MW-6(PDB)  
**Sample Matrix** Water  
**Sample Date** 6/1/2015

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.44	ug/l	0.44	1.4	1	8260B		6/8/2015	CJR	1
Bromobenzene	< 0.48	ug/l	0.48	1.5	1	8260B		6/8/2015	CJR	1
Bromodichloromethane	< 0.46	ug/l	0.46	1.5	1	8260B		6/8/2015	CJR	1
Bromoform	< 0.46	ug/l	0.46	1.5	1	8260B		6/8/2015	CJR	1
tert-Butylbenzene	< 1.1	ug/l	1.1	3.4	1	8260B		6/8/2015	CJR	1
sec-Butylbenzene	< 1.2	ug/l	1.2	3.8	1	8260B		6/8/2015	CJR	1
n-Butylbenzene	< 1	ug/l	1	3.3	1	8260B		6/8/2015	CJR	1
Carbon Tetrachloride	< 0.65	ug/l	0.65	2.1	1	8260B		6/8/2015	CJR	1
Chlorobenzene	< 0.46	ug/l	0.46	1.4	1	8260B		6/8/2015	CJR	1
Chloroethane	< 0.65	ug/l	0.65	2.1	1	8260B		6/8/2015	CJR	1
Chloroform	< 0.43	ug/l	0.43	1.4	1	8260B		6/8/2015	CJR	1
Chloromethane	< 1.9	ug/l	1.9	6	1	8260B		6/8/2015	CJR	1
2-Chlorotoluene	< 0.4	ug/l	0.4	1.3	1	8260B		6/8/2015	CJR	1
4-Chlorotoluene	< 0.63	ug/l	0.63	2	1	8260B		6/8/2015	CJR	1
1,2-Dibromo-3-chloropropane	< 1.4	ug/l	1.4	4.5	1	8260B		6/8/2015	CJR	1
Dibromochloromethane	< 0.45	ug/l	0.45	1.4	1	8260B		6/8/2015	CJR	1
1,4-Dichlorobenzene	< 0.49	ug/l	0.49	1.6	1	8260B		6/8/2015	CJR	1
1,3-Dichlorobenzene	< 0.52	ug/l	0.52	1.6	1	8260B		6/8/2015	CJR	1
1,2-Dichlorobenzene	< 0.46	ug/l	0.46	1.5	1	8260B		6/8/2015	CJR	1
Dichlorodifluoromethane	< 0.87	ug/l	0.87	2.8	1	8260B		6/8/2015	CJR	1
1,2-Dichloroethane	< 0.54	ug/l	0.54	1.7	1	8260B		6/8/2015	CJR	1
1,1-Dichloroethane	< 1.1	ug/l	1.1	3.6	1	8260B		6/8/2015	CJR	1
1,1-Dichloroethene	< 0.65	ug/l	0.65	2.1	1	8260B		6/8/2015	CJR	1
cis-1,2-Dichloroethene	< 0.45	ug/l	0.45	1.4	1	8260B		6/8/2015	CJR	1
trans-1,2-Dichloroethene	< 0.54	ug/l	0.54	1.7	1	8260B		6/8/2015	CJR	1
1,2-Dichloropropane	< 0.43	ug/l	0.43	1.37	1	8260B		6/8/2015	CJR	1
2,2-Dichloropropane	< 3.1	ug/l	3.1	9.8	1	8260B		6/8/2015	CJR	4 8
1,3-Dichloropropane	< 0.42	ug/l	0.42	1.3	1	8260B		6/8/2015	CJR	1
Di-isopropyl ether	< 0.44	ug/l	0.44	1.4	1	8260B		6/8/2015	CJR	1
EDB (1,2-Dibromoethane)	< 0.63	ug/l	0.63	2	1	8260B		6/8/2015	CJR	1
Ethylbenzene	< 0.71	ug/l	0.71	2.3	1	8260B		6/8/2015	CJR	1
Hexachlorobutadiene	< 2.2	ug/l	2.2	7.1	1	8260B		6/8/2015	CJR	1
Isopropylbenzene	< 0.82	ug/l	0.82	2.6	1	8260B		6/8/2015	CJR	1
p-Isopropyltoluene	< 1.1	ug/l	1.1	3.5	1	8260B		6/8/2015	CJR	1
Methylene chloride	< 1.3	ug/l	1.3	4.2	1	8260B		6/8/2015	CJR	1
Methyl tert-butyl ether (MTBE)	< 1.1	ug/l	1.1	3.7	1	8260B		6/8/2015	CJR	1
Naphthalene	< 1.6	ug/l	1.6	5.2	1	8260B		6/8/2015	CJR	1
n-Propylbenzene	< 0.77	ug/l	0.77	2.4	1	8260B		6/8/2015	CJR	1
1,1,2,2-Tetrachloroethane	< 0.52	ug/l	0.52	1.7	1	8260B		6/8/2015	CJR	1
1,1,1,2-Tetrachloroethane	< 0.48	ug/l	0.48	1.5	1	8260B		6/8/2015	CJR	1
Tetrachloroethene	7.0	ug/l	0.74	2.4	1	8260B		6/8/2015	CJR	1
Toluene	< 0.44	ug/l	0.44	1.4	1	8260B		6/8/2015	CJR	1
1,2,4-Trichlorobenzene	< 1.7	ug/l	1.7	5.6	1	8260B		6/8/2015	CJR	1
1,2,3-Trichlorobenzene	< 2.7	ug/l	2.7	8.6	1	8260B		6/8/2015	CJR	1
1,1,1-Trichloroethane	< 0.84	ug/l	0.84	2.7	1	8260B		6/8/2015	CJR	1
1,1,2-Trichloroethane	< 0.48	ug/l	0.48	1.52	1	8260B		6/8/2015	CJR	1
Trichloroethene (TCE)	0.88 "J"	ug/l	0.47	1.5	1	8260B		6/8/2015	CJR	1
Trichlorofluoromethane	< 0.87	ug/l	0.87	2.8	1	8260B		6/8/2015	CJR	1
1,2,4-Trimethylbenzene	< 1.6	ug/l	1.6	5	1	8260B		6/8/2015	CJR	1
1,3,5-Trimethylbenzene	< 1.5	ug/l	1.5	4.8	1	8260B		6/8/2015	CJR	1
Vinyl Chloride	< 0.17	ug/l	0.17	0.54	1	8260B		6/8/2015	CJR	1
m&p-Xylene	< 2.2	ug/l	2.2	6.9	1	8260B		6/8/2015	CJR	1
o-Xylene	< 0.9	ug/l	0.9	2.9	1	8260B		6/8/2015	CJR	1
SUR - 4-Bromofluorobenzene	102	REC %			1	8260B		6/8/2015	CJR	1
SUR - Dibromofluoromethane	97	REC %			1	8260B		6/8/2015	CJR	1
SUR - Toluene-d8	104	REC %			1	8260B		6/8/2015	CJR	1
SUR - 1,2-Dichloroethane-d4	97	REC %			1	8260B		6/8/2015	CJR	1

**Project Name** FMR ROBINSON'S CLEANERS  
**Project #** 6155 PO2015466

**Invoice #** E29038

**Lab Code** 5029038F  
**Sample ID** 6155-MW-3(PDB)  
**Sample Matrix** Water  
**Sample Date** 6/1/2015

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.44	ug/l	0.44	1.4	1	8260B		6/8/2015	CJR	1
Bromobenzene	< 0.48	ug/l	0.48	1.5	1	8260B		6/8/2015	CJR	1
Bromodichloromethane	< 0.46	ug/l	0.46	1.5	1	8260B		6/8/2015	CJR	1
Bromoform	< 0.46	ug/l	0.46	1.5	1	8260B		6/8/2015	CJR	1
tert-Butylbenzene	< 1.1	ug/l	1.1	3.4	1	8260B		6/8/2015	CJR	1
sec-Butylbenzene	< 1.2	ug/l	1.2	3.8	1	8260B		6/8/2015	CJR	1
n-Butylbenzene	< 1	ug/l	1	3.3	1	8260B		6/8/2015	CJR	1
Carbon Tetrachloride	< 0.65	ug/l	0.65	2.1	1	8260B		6/8/2015	CJR	1
Chlorobenzene	< 0.46	ug/l	0.46	1.4	1	8260B		6/8/2015	CJR	1
Chloroethane	< 0.65	ug/l	0.65	2.1	1	8260B		6/8/2015	CJR	1
Chloroform	< 0.43	ug/l	0.43	1.4	1	8260B		6/8/2015	CJR	1
Chloromethane	< 1.9	ug/l	1.9	6	1	8260B		6/8/2015	CJR	1
2-Chlorotoluene	< 0.4	ug/l	0.4	1.3	1	8260B		6/8/2015	CJR	1
4-Chlorotoluene	< 0.63	ug/l	0.63	2	1	8260B		6/8/2015	CJR	1
1,2-Dibromo-3-chloropropane	< 1.4	ug/l	1.4	4.5	1	8260B		6/8/2015	CJR	1
Dibromochloromethane	< 0.45	ug/l	0.45	1.4	1	8260B		6/8/2015	CJR	1
1,4-Dichlorobenzene	< 0.49	ug/l	0.49	1.6	1	8260B		6/8/2015	CJR	1
1,3-Dichlorobenzene	< 0.52	ug/l	0.52	1.6	1	8260B		6/8/2015	CJR	1
1,2-Dichlorobenzene	< 0.46	ug/l	0.46	1.5	1	8260B		6/8/2015	CJR	1
Dichlorodifluoromethane	< 0.87	ug/l	0.87	2.8	1	8260B		6/8/2015	CJR	1
1,2-Dichloroethane	< 0.54	ug/l	0.54	1.7	1	8260B		6/8/2015	CJR	1
1,1-Dichloroethane	< 1.1	ug/l	1.1	3.6	1	8260B		6/8/2015	CJR	1
1,1-Dichloroethene	< 0.65	ug/l	0.65	2.1	1	8260B		6/8/2015	CJR	1
cis-1,2-Dichloroethene	< 0.45	ug/l	0.45	1.4	1	8260B		6/8/2015	CJR	1
trans-1,2-Dichloroethene	< 0.54	ug/l	0.54	1.7	1	8260B		6/8/2015	CJR	1
1,2-Dichloropropane	< 0.43	ug/l	0.43	1.37	1	8260B		6/8/2015	CJR	1
2,2-Dichloropropane	< 3.1	ug/l	3.1	9.8	1	8260B		6/8/2015	CJR	4 8
1,3-Dichloropropane	< 0.42	ug/l	0.42	1.3	1	8260B		6/8/2015	CJR	1
Di-isopropyl ether	< 0.44	ug/l	0.44	1.4	1	8260B		6/8/2015	CJR	1
EDB (1,2-Dibromoethane)	< 0.63	ug/l	0.63	2	1	8260B		6/8/2015	CJR	1
Ethylbenzene	< 0.71	ug/l	0.71	2.3	1	8260B		6/8/2015	CJR	1
Hexachlorobutadiene	< 2.2	ug/l	2.2	7.1	1	8260B		6/8/2015	CJR	1
Isopropylbenzene	< 0.82	ug/l	0.82	2.6	1	8260B		6/8/2015	CJR	1
p-Isopropyltoluene	< 1.1	ug/l	1.1	3.5	1	8260B		6/8/2015	CJR	1
Methylene chloride	< 1.3	ug/l	1.3	4.2	1	8260B		6/8/2015	CJR	1
Methyl tert-butyl ether (MTBE)	< 1.1	ug/l	1.1	3.7	1	8260B		6/8/2015	CJR	1
Naphthalene	< 1.6	ug/l	1.6	5.2	1	8260B		6/8/2015	CJR	1
n-Propylbenzene	< 0.77	ug/l	0.77	2.4	1	8260B		6/8/2015	CJR	1
1,1,2,2-Tetrachloroethane	< 0.52	ug/l	0.52	1.7	1	8260B		6/8/2015	CJR	1
1,1,1,2-Tetrachloroethane	< 0.48	ug/l	0.48	1.5	1	8260B		6/8/2015	CJR	1
Tetrachloroethene	22.8	ug/l	0.74	2.4	1	8260B		6/8/2015	CJR	1
Toluene	< 0.44	ug/l	0.44	1.4	1	8260B		6/8/2015	CJR	1
1,2,4-Trichlorobenzene	< 1.7	ug/l	1.7	5.6	1	8260B		6/8/2015	CJR	1
1,2,3-Trichlorobenzene	< 2.7	ug/l	2.7	8.6	1	8260B		6/8/2015	CJR	1
1,1,1-Trichloroethane	< 0.84	ug/l	0.84	2.7	1	8260B		6/8/2015	CJR	1
1,1,2-Trichloroethane	< 0.48	ug/l	0.48	1.52	1	8260B		6/8/2015	CJR	1
Trichloroethene (TCE)	< 0.47	ug/l	0.47	1.5	1	8260B		6/8/2015	CJR	1
Trichlorofluoromethane	< 0.87	ug/l	0.87	2.8	1	8260B		6/8/2015	CJR	1
1,2,4-Trimethylbenzene	< 1.6	ug/l	1.6	5	1	8260B		6/8/2015	CJR	1
1,3,5-Trimethylbenzene	< 1.5	ug/l	1.5	4.8	1	8260B		6/8/2015	CJR	1
Vinyl Chloride	< 0.17	ug/l	0.17	0.54	1	8260B		6/8/2015	CJR	1
m&p-Xylene	< 2.2	ug/l	2.2	6.9	1	8260B		6/8/2015	CJR	1
o-Xylene	< 0.9	ug/l	0.9	2.9	1	8260B		6/8/2015	CJR	1
SUR - 1,2-Dichloroethane-d4	104	REC %			1	8260B		6/8/2015	CJR	1
SUR - 4-Bromofluorobenzene	102	REC %			1	8260B		6/8/2015	CJR	1
SUR - Dibromofluoromethane	98	REC %			1	8260B		6/8/2015	CJR	1
SUR - Toluene-d8	99	REC %			1	8260B		6/8/2015	CJR	1



Project Name FMR ROBINSON'S CLEANERS  
 Project # 6155 PO2015466

Invoice # E29038

Lab Code 5029038G  
 Sample ID 6155-MW-26(PDB)  
 Sample Matrix Water  
 Sample Date 6/1/2015

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.44	ug/l	0.44	1.4	1	8260B		6/8/2015	CJR	1
Bromobenzene	< 0.48	ug/l	0.48	1.5	1	8260B		6/8/2015	CJR	1
Bromodichloromethane	0.80 "J"	ug/l	0.46	1.5	1	8260B		6/8/2015	CJR	1
Bromoform	< 0.46	ug/l	0.46	1.5	1	8260B		6/8/2015	CJR	1
tert-Butylbenzene	< 1.1	ug/l	1.1	3.4	1	8260B		6/8/2015	CJR	1
sec-Butylbenzene	< 1.2	ug/l	1.2	3.8	1	8260B		6/8/2015	CJR	1
n-Butylbenzene	< 1	ug/l	1	3.3	1	8260B		6/8/2015	CJR	1
Carbon Tetrachloride	< 0.65	ug/l	0.65	2.1	1	8260B		6/8/2015	CJR	1
Chlorobenzene	< 0.46	ug/l	0.46	1.4	1	8260B		6/8/2015	CJR	1
Chloroethane	< 0.65	ug/l	0.65	2.1	1	8260B		6/8/2015	CJR	1
Chloroform	0.69 "J"	ug/l	0.43	1.4	1	8260B		6/8/2015	CJR	1
Chloromethane	< 1.9	ug/l	1.9	6	1	8260B		6/8/2015	CJR	1
2-Chlorotoluene	< 0.4	ug/l	0.4	1.3	1	8260B		6/8/2015	CJR	1
4-Chlorotoluene	< 0.63	ug/l	0.63	2	1	8260B		6/8/2015	CJR	1
1,2-Dibromo-3-chloropropane	< 1.4	ug/l	1.4	4.5	1	8260B		6/8/2015	CJR	1
Dibromochloromethane	< 0.45	ug/l	0.45	1.4	1	8260B		6/8/2015	CJR	1
1,4-Dichlorobenzene	< 0.49	ug/l	0.49	1.6	1	8260B		6/8/2015	CJR	1
1,3-Dichlorobenzene	< 0.52	ug/l	0.52	1.6	1	8260B		6/8/2015	CJR	1
1,2-Dichlorobenzene	< 0.46	ug/l	0.46	1.5	1	8260B		6/8/2015	CJR	1
Dichlorodifluoromethane	< 0.87	ug/l	0.87	2.8	1	8260B		6/8/2015	CJR	1
1,2-Dichloroethane	< 0.54	ug/l	0.54	1.7	1	8260B		6/8/2015	CJR	1
1,1-Dichloroethane	< 1.1	ug/l	1.1	3.6	1	8260B		6/8/2015	CJR	1
1,1-Dichloroethene	< 0.65	ug/l	0.65	2.1	1	8260B		6/8/2015	CJR	1
cis-1,2-Dichloroethene	< 0.45	ug/l	0.45	1.4	1	8260B		6/8/2015	CJR	1
trans-1,2-Dichloroethene	< 0.54	ug/l	0.54	1.7	1	8260B		6/8/2015	CJR	1
1,2-Dichloropropane	< 0.43	ug/l	0.43	1.37	1	8260B		6/8/2015	CJR	1
2,2-Dichloropropane	< 3.1	ug/l	3.1	9.8	1	8260B		6/8/2015	CJR	4 8
1,3-Dichloropropane	< 0.42	ug/l	0.42	1.3	1	8260B		6/8/2015	CJR	1
Di-isopropyl ether	< 0.44	ug/l	0.44	1.4	1	8260B		6/8/2015	CJR	1
EDB (1,2-Dibromoethane)	< 0.63	ug/l	0.63	2	1	8260B		6/8/2015	CJR	1
Ethylbenzene	< 0.71	ug/l	0.71	2.3	1	8260B		6/8/2015	CJR	1
Hexachlorobutadiene	< 2.2	ug/l	2.2	7.1	1	8260B		6/8/2015	CJR	1
Isopropylbenzene	< 0.82	ug/l	0.82	2.6	1	8260B		6/8/2015	CJR	1
p-Isopropyltoluene	< 1.1	ug/l	1.1	3.5	1	8260B		6/8/2015	CJR	1
Methylene chloride	< 1.3	ug/l	1.3	4.2	1	8260B		6/8/2015	CJR	1
Methyl tert-butyl ether (MTBE)	< 1.1	ug/l	1.1	3.7	1	8260B		6/8/2015	CJR	1
Naphthalene	< 1.6	ug/l	1.6	5.2	1	8260B		6/8/2015	CJR	1
n-Propylbenzene	< 0.77	ug/l	0.77	2.4	1	8260B		6/8/2015	CJR	1
1,1,2,2-Tetrachloroethane	< 0.52	ug/l	0.52	1.7	1	8260B		6/8/2015	CJR	1
1,1,1,2-Tetrachloroethane	< 0.48	ug/l	0.48	1.5	1	8260B		6/8/2015	CJR	1
Tetrachloroethene	36	ug/l	0.74	2.4	1	8260B		6/8/2015	CJR	1
Toluene	< 0.44	ug/l	0.44	1.4	1	8260B		6/8/2015	CJR	1
1,2,4-Trichlorobenzene	< 1.7	ug/l	1.7	5.6	1	8260B		6/8/2015	CJR	1
1,2,3-Trichlorobenzene	< 2.7	ug/l	2.7	8.6	1	8260B		6/8/2015	CJR	1
1,1,1-Trichloroethane	< 0.84	ug/l	0.84	2.7	1	8260B		6/8/2015	CJR	1
1,1,2-Trichloroethane	< 0.48	ug/l	0.48	1.52	1	8260B		6/8/2015	CJR	1
Trichloroethene (TCE)	< 0.47	ug/l	0.47	1.5	1	8260B		6/8/2015	CJR	1
Trichlorofluoromethane	< 0.87	ug/l	0.87	2.8	1	8260B		6/8/2015	CJR	1
1,2,4-Trimethylbenzene	< 1.6	ug/l	1.6	5	1	8260B		6/8/2015	CJR	1
1,3,5-Trimethylbenzene	< 1.5	ug/l	1.5	4.8	1	8260B		6/8/2015	CJR	1
Vinyl Chloride	< 0.17	ug/l	0.17	0.54	1	8260B		6/8/2015	CJR	1
m&p-Xylene	< 2.2	ug/l	2.2	6.9	1	8260B		6/8/2015	CJR	1
o-Xylene	< 0.9	ug/l	0.9	2.9	1	8260B		6/8/2015	CJR	1
SUR - 1,2-Dichloroethane-d4	104	REC %			1	8260B		6/8/2015	CJR	1
SUR - 4-Bromofluorobenzene	101	REC %			1	8260B		6/8/2015	CJR	1
SUR - Dibromofluoromethane	99	REC %			1	8260B		6/8/2015	CJR	1
SUR - Toluene-d8	100	REC %			1	8260B		6/8/2015	CJR	1

**Project Name** FMR ROBINSON'S CLEANERS  
**Project #** 6155 PO2015466

**Invoice #** E29038

**Lab Code** 5029038H  
**Sample ID** 6155-MW-37D(PDB)  
**Sample Matrix** Water  
**Sample Date** 6/1/2015

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.44	ug/l	0.44	1.4	1	8260B		6/9/2015	CJR	1
Bromobenzene	< 0.48	ug/l	0.48	1.5	1	8260B		6/9/2015	CJR	1
Bromodichloromethane	< 0.46	ug/l	0.46	1.5	1	8260B		6/9/2015	CJR	1
Bromoform	< 0.46	ug/l	0.46	1.5	1	8260B		6/9/2015	CJR	1
tert-Butylbenzene	< 1.1	ug/l	1.1	3.4	1	8260B		6/9/2015	CJR	1
sec-Butylbenzene	< 1.2	ug/l	1.2	3.8	1	8260B		6/9/2015	CJR	1
n-Butylbenzene	< 1	ug/l	1	3.3	1	8260B		6/9/2015	CJR	1
Carbon Tetrachloride	< 0.65	ug/l	0.65	2.1	1	8260B		6/9/2015	CJR	1
Chlorobenzene	< 0.46	ug/l	0.46	1.4	1	8260B		6/9/2015	CJR	1
Chloroethane	< 0.65	ug/l	0.65	2.1	1	8260B		6/9/2015	CJR	1
Chloroform	< 0.43	ug/l	0.43	1.4	1	8260B		6/9/2015	CJR	1
Chloromethane	< 1.9	ug/l	1.9	6	1	8260B		6/9/2015	CJR	1
2-Chlorotoluene	< 0.4	ug/l	0.4	1.3	1	8260B		6/9/2015	CJR	1
4-Chlorotoluene	< 0.63	ug/l	0.63	2	1	8260B		6/9/2015	CJR	1
1,2-Dibromo-3-chloropropane	< 1.4	ug/l	1.4	4.5	1	8260B		6/9/2015	CJR	1
Dibromochloromethane	< 0.45	ug/l	0.45	1.4	1	8260B		6/9/2015	CJR	1
1,4-Dichlorobenzene	< 0.49	ug/l	0.49	1.6	1	8260B		6/9/2015	CJR	1
1,3-Dichlorobenzene	< 0.52	ug/l	0.52	1.6	1	8260B		6/9/2015	CJR	1
1,2-Dichlorobenzene	< 0.46	ug/l	0.46	1.5	1	8260B		6/9/2015	CJR	1
Dichlorodifluoromethane	< 0.87	ug/l	0.87	2.8	1	8260B		6/9/2015	CJR	1
1,2-Dichloroethane	< 0.54	ug/l	0.54	1.7	1	8260B		6/9/2015	CJR	1
1,1-Dichloroethane	< 1.1	ug/l	1.1	3.6	1	8260B		6/9/2015	CJR	1
1,1-Dichloroethene	< 0.65	ug/l	0.65	2.1	1	8260B		6/9/2015	CJR	1
cis-1,2-Dichloroethene	< 0.45	ug/l	0.45	1.4	1	8260B		6/9/2015	CJR	1
trans-1,2-Dichloroethene	< 0.54	ug/l	0.54	1.7	1	8260B		6/9/2015	CJR	1
1,2-Dichloropropane	< 0.43	ug/l	0.43	1.37	1	8260B		6/9/2015	CJR	1
2,2-Dichloropropane	< 3.1	ug/l	3.1	9.8	1	8260B		6/9/2015	CJR	4 8
1,3-Dichloropropane	< 0.42	ug/l	0.42	1.3	1	8260B		6/9/2015	CJR	1
Di-isopropyl ether	< 0.44	ug/l	0.44	1.4	1	8260B		6/9/2015	CJR	1
EDB (1,2-Dibromoethane)	< 0.63	ug/l	0.63	2	1	8260B		6/9/2015	CJR	1
Ethylbenzene	< 0.71	ug/l	0.71	2.3	1	8260B		6/9/2015	CJR	1
Hexachlorobutadiene	< 2.2	ug/l	2.2	7.1	1	8260B		6/9/2015	CJR	1
Isopropylbenzene	< 0.82	ug/l	0.82	2.6	1	8260B		6/9/2015	CJR	1
p-Isopropyltoluene	< 1.1	ug/l	1.1	3.5	1	8260B		6/9/2015	CJR	1
Methylene chloride	< 1.3	ug/l	1.3	4.2	1	8260B		6/9/2015	CJR	1
Methyl tert-butyl ether (MTBE)	< 1.1	ug/l	1.1	3.7	1	8260B		6/9/2015	CJR	1
Naphthalene	< 1.6	ug/l	1.6	5.2	1	8260B		6/9/2015	CJR	1
n-Propylbenzene	< 0.77	ug/l	0.77	2.4	1	8260B		6/9/2015	CJR	1
1,1,2,2-Tetrachloroethane	< 0.52	ug/l	0.52	1.7	1	8260B		6/9/2015	CJR	1
1,1,1,2-Tetrachloroethane	< 0.48	ug/l	0.48	1.5	1	8260B		6/9/2015	CJR	1
Tetrachloroethene	22.2	ug/l	0.74	2.4	1	8260B		6/9/2015	CJR	1
Toluene	< 0.44	ug/l	0.44	1.4	1	8260B		6/9/2015	CJR	1
1,2,4-Trichlorobenzene	< 1.7	ug/l	1.7	5.6	1	8260B		6/9/2015	CJR	1
1,2,3-Trichlorobenzene	< 2.7	ug/l	2.7	8.6	1	8260B		6/9/2015	CJR	1
1,1,1-Trichloroethane	< 0.84	ug/l	0.84	2.7	1	8260B		6/9/2015	CJR	1
1,1,2-Trichloroethane	< 0.48	ug/l	0.48	1.52	1	8260B		6/9/2015	CJR	1
Trichloroethene (TCE)	1.9	ug/l	0.47	1.5	1	8260B		6/9/2015	CJR	1
Trichlorofluoromethane	< 0.87	ug/l	0.87	2.8	1	8260B		6/9/2015	CJR	1
1,2,4-Trimethylbenzene	< 1.6	ug/l	1.6	5	1	8260B		6/9/2015	CJR	1
1,3,5-Trimethylbenzene	< 1.5	ug/l	1.5	4.8	1	8260B		6/9/2015	CJR	1
Vinyl Chloride	< 0.17	ug/l	0.17	0.54	1	8260B		6/9/2015	CJR	1
m&p-Xylene	< 2.2	ug/l	2.2	6.9	1	8260B		6/9/2015	CJR	1
o-Xylene	< 0.9	ug/l	0.9	2.9	1	8260B		6/9/2015	CJR	1
SUR - Toluene-d8	101	REC %			1	8260B		6/9/2015	CJR	1
SUR - 1,2-Dichloroethane-d4	99	REC %			1	8260B		6/9/2015	CJR	1
SUR - 4-Bromofluorobenzene	103	REC %			1	8260B		6/9/2015	CJR	1
SUR - Dibromofluoromethane	103	REC %			1	8260B		6/9/2015	CJR	1

Project Name FMR ROBINSON'S CLEANERS  
 Project # 6155 PO2015466

Invoice # E29038

Lab Code 5029038I  
 Sample ID 6155-MW-DUP-1(PDB)  
 Sample Matrix Water  
 Sample Date 6/1/2015

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 4.4	ug/l	4.4	14	10	8260B		6/9/2015	CJR	1
Bromobenzene	< 4.8	ug/l	4.8	15	10	8260B		6/9/2015	CJR	1
Bromodichloromethane	< 4.6	ug/l	4.6	15	10	8260B		6/9/2015	CJR	1
Bromoform	< 4.6	ug/l	4.6	15	10	8260B		6/9/2015	CJR	1
tert-Butylbenzene	< 11	ug/l	11	34	10	8260B		6/9/2015	CJR	1
sec-Butylbenzene	< 12	ug/l	12	38	10	8260B		6/9/2015	CJR	1
n-Butylbenzene	< 10	ug/l	10	33	10	8260B		6/9/2015	CJR	1
Carbon Tetrachloride	< 6.5	ug/l	6.5	21	10	8260B		6/9/2015	CJR	1
Chlorobenzene	< 4.6	ug/l	4.6	14	10	8260B		6/9/2015	CJR	1
Chloroethane	< 6.5	ug/l	6.5	21	10	8260B		6/9/2015	CJR	1
Chloroform	< 4.3	ug/l	4.3	14	10	8260B		6/9/2015	CJR	1
Chloromethane	< 19	ug/l	19	60	10	8260B		6/9/2015	CJR	1
2-Chlorotoluene	< 4	ug/l	4	13	10	8260B		6/9/2015	CJR	1
4-Chlorotoluene	< 6.3	ug/l	6.3	20	10	8260B		6/9/2015	CJR	1
1,2-Dibromo-3-chloropropane	< 14	ug/l	14	45	10	8260B		6/9/2015	CJR	1
Dibromochloromethane	< 4.5	ug/l	4.5	14	10	8260B		6/9/2015	CJR	1
1,4-Dichlorobenzene	< 4.9	ug/l	4.9	16	10	8260B		6/9/2015	CJR	1
1,3-Dichlorobenzene	< 5.2	ug/l	5.2	16	10	8260B		6/9/2015	CJR	1
1,2-Dichlorobenzene	< 4.6	ug/l	4.6	15	10	8260B		6/9/2015	CJR	1
Dichlorodifluoromethane	< 8.7	ug/l	8.7	28	10	8260B		6/9/2015	CJR	1
1,2-Dichloroethane	< 5.4	ug/l	5.4	17	10	8260B		6/9/2015	CJR	1
1,1-Dichloroethane	< 11	ug/l	11	36	10	8260B		6/9/2015	CJR	1
1,1-Dichloroethene	< 6.5	ug/l	6.5	21	10	8260B		6/9/2015	CJR	1
cis-1,2-Dichloroethene	< 4.5	ug/l	4.5	14	10	8260B		6/9/2015	CJR	1
trans-1,2-Dichloroethene	< 5.4	ug/l	5.4	17	10	8260B		6/9/2015	CJR	1
1,2-Dichloropropane	< 4.3	ug/l	4.3	13.7	10	8260B		6/9/2015	CJR	1
2,2-Dichloropropane	< 31	ug/l	31	98	10	8260B		6/9/2015	CJR	4 8
1,3-Dichloropropane	< 4.2	ug/l	4.2	13	10	8260B		6/9/2015	CJR	1
Di-isopropyl ether	< 4.4	ug/l	4.4	14	10	8260B		6/9/2015	CJR	1
EDB (1,2-Dibromoethane)	< 6.3	ug/l	6.3	20	10	8260B		6/9/2015	CJR	1
Ethylbenzene	< 7.1	ug/l	7.1	23	10	8260B		6/9/2015	CJR	1
Hexachlorobutadiene	< 22	ug/l	22	71	10	8260B		6/9/2015	CJR	1
Isopropylbenzene	< 8.2	ug/l	8.2	26	10	8260B		6/9/2015	CJR	1
p-Isopropyltoluene	< 11	ug/l	11	35	10	8260B		6/9/2015	CJR	1
Methylene chloride	< 13	ug/l	13	42	10	8260B		6/9/2015	CJR	1
Methyl tert-butyl ether (MTBE)	< 11	ug/l	11	37	10	8260B		6/9/2015	CJR	1
Naphthalene	< 16	ug/l	16	52	10	8260B		6/9/2015	CJR	1
n-Propylbenzene	< 7.7	ug/l	7.7	24	10	8260B		6/9/2015	CJR	1
1,1,2,2-Tetrachloroethane	< 5.2	ug/l	5.2	17	10	8260B		6/9/2015	CJR	1
1,1,1,2-Tetrachloroethane	< 4.8	ug/l	4.8	15	10	8260B		6/9/2015	CJR	1
Tetrachloroethene	830	ug/l	7.4	24	10	8260B		6/9/2015	CJR	1
Toluene	< 4.4	ug/l	4.4	14	10	8260B		6/9/2015	CJR	1
1,2,4-Trichlorobenzene	< 17	ug/l	17	56	10	8260B		6/9/2015	CJR	1
1,2,3-Trichlorobenzene	< 27	ug/l	27	86	10	8260B		6/9/2015	CJR	1
1,1,1-Trichloroethane	< 8.4	ug/l	8.4	27	10	8260B		6/9/2015	CJR	1
1,1,2-Trichloroethane	< 4.8	ug/l	4.8	15.2	10	8260B		6/9/2015	CJR	1
Trichloroethene (TCE)	10 "J"	ug/l	4.7	15	10	8260B		6/9/2015	CJR	1
Trichlorofluoromethane	< 8.7	ug/l	8.7	28	10	8260B		6/9/2015	CJR	1
1,2,4-Trimethylbenzene	< 16	ug/l	16	50	10	8260B		6/9/2015	CJR	1
1,3,5-Trimethylbenzene	< 15	ug/l	15	48	10	8260B		6/9/2015	CJR	1
Vinyl Chloride	< 1.7	ug/l	1.7	5.4	10	8260B		6/9/2015	CJR	1
m&p-Xylene	< 22	ug/l	22	69	10	8260B		6/9/2015	CJR	1
o-Xylene	< 9	ug/l	9	29	10	8260B		6/9/2015	CJR	1
SUR - Toluene-d8	92	REC %				10 8260B		6/9/2015	CJR	1
SUR - 1,2-Dichloroethane-d4	102	REC %				10 8260B		6/9/2015	CJR	1
SUR - 4-Bromofluorobenzene	109	REC %				10 8260B		6/9/2015	CJR	1
SUR - Dibromofluoromethane	96	REC %				10 8260B		6/9/2015	CJR	1

"J" Flag: Analyte detected between LOD and LOQ

LOD Limit of Detection

LOQ Limit of Quantitation

***Code***      ***Comment***

- 1      Laboratory QC within limits.
- 4      The continuing calibration standard not within established limits.
- 8      Closing calibration standard not within established limits.

All solid sample results reported on a dry weight basis unless otherwise indicated. All LOD's and LOQ's are adjusted for dilutions but not dry weight. Subcontracted results are denoted by SUB in the analyst field.

**Authorized Signature**



A handwritten signature in blue ink, appearing to read "Michael J. Steel", is written over a horizontal line.

PO # 2015466

LOPF

## Environmental Lab, Inc.

1990 Prospect Ct. • Appleton, WI 54914  
920-830-2455 • FAX 920-733-0631

**Sample Handling Request**

Rush Analysis Date Required \_\_\_\_\_  
(Rushes accepted only with prior authorization)

Normal Turn Around

Lab I.D. #	
Account No. :	Quote No.:
Project #: 6155	
Sampler: (signature) <i>[Signature]</i>	

Project (Name / Location): *Former Robinsons Cleaners / Janesville, WI*

**Analysis Requested**

**Other Analysis**

Reports To: *W. Fassbender / K. Heimstead* Invoice To:

Company *EnviroForensics* Company:

Address *N16 W23390 Stone Ridge Dr.* Address:

City State Zip *Waukesha WI 53188* City State Zip:

Phone *317-972-7870* Phone:

FAX FAX:

DRO (Mod DRO Sep 95)	GRO (Mod GRO Sep 95)	LEAD	NITRATE/NITRITE	OIL & GREASE	PAH (EPA 8270)	PVOC (EPA 8021)	PVOC + NAPHTHALENE	SULFATE	TOTAL SUSPENDED SOLIDS	VOC DW (EPA 542.2)	VOC (EPA 8260)	8-RCRA METALS	PID/FID

Lab I.D.	Sample I.D.	Collection Date	Time	Comp	Grab	Filtered Y/N	No. of Containers	Sample Type (Matrix)*	Preservation
<i>5029038A</i>	<i>6155-MW-30D(PDB)</i>	<i>6-1-15</i>	<i>910</i>		<i>X</i>	<i>N</i>	<i>3</i>	<i>GW</i>	<i>HCL</i>
<i>B</i>	<i>6155-MW-30S(PDB)</i>	<i>6-1-15</i>	<i>920</i>		<i>L</i>	<i>N</i>	<i>3</i>	<i>GW</i>	<i>HCL</i>
<i>C</i>	<i>6155-MW-13D(PDB)</i>	<i>6-1-15</i>	<i>955</i>		<i>L</i>	<i>N</i>	<i>3</i>	<i>GW</i>	<i>HCL</i>
<i>D</i>	<i>6155-MW-13(PDB)</i>	<i>6-1-15</i>	<i>940</i>		<i>X</i>	<i>N</i>	<i>3</i>	<i>GW</i>	<i>HCL</i>
<i>E</i>	<i>6155-MW-6(PDB)</i>	<i>6-1-15</i>	<i>1015</i>		<i>L</i>	<i>N</i>	<i>3</i>	<i>GW</i>	<i>HCL</i>
<i>F</i>	<i>6155-MW-3(PDB)</i>	<i>6-1-15</i>	<i>1030</i>		<i>L</i>	<i>N</i>	<i>3</i>	<i>GW</i>	<i>HCL</i>
<i>G</i>	<i>6155-MW-26(PDB)</i>	<i>6-1-15</i>	<i>1045</i>		<i>X</i>	<i>N</i>	<i>3</i>	<i>GW</i>	<i>HCL</i>
<i>H</i>	<i>6155-MW-37D(PDB)</i>	<i>6-1-15</i>	<i>1105</i>		<i>X</i>	<i>N</i>	<i>3</i>	<i>GW</i>	<i>HCL</i>
<i>I</i>	<i>6155-Dup-1(PDB)</i>	<i>6-1-15</i>	<i>-</i>		<i>X</i>	<i>N</i>	<i>3</i>	<i>GW</i>	<i>HCL</i>

Comments/Special Instructions (\*Specify groundwater "GW", Drinking Water "DW", Waste Water "WW", Soil "S", Air "A", Oil, Sludge etc.)  
*Put P.O. on invoice*

Sample Integrity - To be completed by receiving lab.  
Method of Shipment: *[Signature]*  
Temp. of Temp. Blank \_\_\_\_\_ °C On Ice:   
Cooler seal intact upon receipt:  Yes \_\_\_\_\_ No

Relinquished By: (sign) <i>[Signature]</i>	Time <i>6:50</i>	Date <i>3:30</i>	Received By: (sign) <i>[Signature]</i>	Time <i>3:30</i>	Date <i>6/5/15</i>
Received in Laboratory By: <i>[Signature]</i> Time: <i>10:00</i> Date: <i>6/6/15</i>					

# Synergy Environmental Lab, INC.

1990 Prospect Ct., Appleton, WI 54914 \*P 920-830-2455 \* F 920-733-0631

WAYNE FASSBENDER  
ENVIROFORENSICS  
N16 W23390 STONE RIDGE DRIVE  
WAUKESHA, WI 53188

Report Date 22-Jun-15

Project Name FMR ROBINSON'S CLEANERS  
Project # 6155 PO2015465

Invoice # E29039

Lab Code 5029039A  
Sample ID 6155-MW-1  
Sample Matrix Water  
Sample Date 6/3/2015

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.44	ug/l	0.44	1.4	1	8260B	6/9/2015	6/9/2015	CJR	1
Bromobenzene	< 0.48	ug/l	0.48	1.5	1	8260B	6/9/2015	6/9/2015	CJR	1
Bromodichloromethane	< 0.46	ug/l	0.46	1.5	1	8260B	6/9/2015	6/9/2015	CJR	1
Bromoform	< 0.46	ug/l	0.46	1.5	1	8260B	6/9/2015	6/9/2015	CJR	1
tert-Butylbenzene	< 1.1	ug/l	1.1	3.4	1	8260B	6/9/2015	6/9/2015	CJR	1
sec-Butylbenzene	< 1.2	ug/l	1.2	3.8	1	8260B	6/9/2015	6/9/2015	CJR	1
n-Butylbenzene	< 1	ug/l	1	3.3	1	8260B	6/9/2015	6/9/2015	CJR	1
Carbon Tetrachloride	< 0.65	ug/l	0.65	2.1	1	8260B	6/9/2015	6/9/2015	CJR	1
Chlorobenzene	< 0.46	ug/l	0.46	1.4	1	8260B	6/9/2015	6/9/2015	CJR	1
Chloroethane	< 0.65	ug/l	0.65	2.1	1	8260B	6/9/2015	6/9/2015	CJR	1
Chloroform	< 0.43	ug/l	0.43	1.4	1	8260B	6/9/2015	6/9/2015	CJR	1
Chloromethane	< 1.9	ug/l	1.9	6	1	8260B	6/9/2015	6/9/2015	CJR	1
2-Chlorotoluene	< 0.4	ug/l	0.4	1.3	1	8260B	6/9/2015	6/9/2015	CJR	1
4-Chlorotoluene	< 0.63	ug/l	0.63	2	1	8260B	6/9/2015	6/9/2015	CJR	1
1,2-Dibromo-3-chloropropane	< 1.4	ug/l	1.4	4.5	1	8260B	6/9/2015	6/9/2015	CJR	1
Dibromochloromethane	< 0.45	ug/l	0.45	1.4	1	8260B	6/9/2015	6/9/2015	CJR	1
1,4-Dichlorobenzene	< 0.49	ug/l	0.49	1.6	1	8260B	6/9/2015	6/9/2015	CJR	1
1,3-Dichlorobenzene	< 0.52	ug/l	0.52	1.6	1	8260B	6/9/2015	6/9/2015	CJR	1
1,2-Dichlorobenzene	< 0.46	ug/l	0.46	1.5	1	8260B	6/9/2015	6/9/2015	CJR	1
Dichlorodifluoromethane	< 0.87	ug/l	0.87	2.8	1	8260B	6/9/2015	6/9/2015	CJR	1
1,2-Dichloroethane	< 0.54	ug/l	0.54	1.7	1	8260B	6/9/2015	6/9/2015	CJR	1
1,1-Dichloroethane	< 1.1	ug/l	1.1	3.6	1	8260B	6/9/2015	6/9/2015	CJR	1
1,1-Dichloroethene	< 0.65	ug/l	0.65	2.1	1	8260B	6/9/2015	6/9/2015	CJR	1
cis-1,2-Dichloroethene	< 0.45	ug/l	0.45	1.4	1	8260B	6/9/2015	6/9/2015	CJR	1
trans-1,2-Dichloroethene	< 0.54	ug/l	0.54	1.7	1	8260B	6/9/2015	6/9/2015	CJR	1
1,2-Dichloropropane	< 0.43	ug/l	0.43	1.37	1	8260B	6/9/2015	6/9/2015	CJR	1
2,2-Dichloropropane	< 3.1	ug/l	3.1	9.8	1	8260B	6/9/2015	6/9/2015	CJR	4 8
1,3-Dichloropropane	< 0.42	ug/l	0.42	1.3	1	8260B	6/9/2015	6/9/2015	CJR	1
Di-isopropyl ether	< 0.44	ug/l	0.44	1.4	1	8260B	6/9/2015	6/9/2015	CJR	1
EDB (1,2-Dibromoethane)	< 0.63	ug/l	0.63	2	1	8260B	6/9/2015	6/9/2015	CJR	1
Ethylbenzene	< 0.71	ug/l	0.71	2.3	1	8260B	6/9/2015	6/9/2015	CJR	1
Hexachlorobutadiene	< 2.2	ug/l	2.2	7.1	1	8260B	6/9/2015	6/9/2015	CJR	1
Isopropylbenzene	< 0.82	ug/l	0.82	2.6	1	8260B	6/9/2015	6/9/2015	CJR	1

**Project Name** FMR ROBINSON'S CLEANERS  
**Project #** 6155 PO2015465

**Invoice #** E29039

**Lab Code** 5029039A  
**Sample ID** 6155-MW-1  
**Sample Matrix** Water  
**Sample Date** 6/3/2015

	<b>Result</b>	<b>Unit</b>	<b>LOD</b>	<b>LOQ</b>	<b>Dil</b>	<b>Method</b>	<b>Ext Date</b>	<b>Run Date</b>	<b>Analyst</b>	<b>Code</b>
p-Isopropyltoluene	< 1.1	ug/l	1.1	3.5	1	8260B	6/9/2015	6/9/2015	CJR	1
Methylene chloride	< 1.3	ug/l	1.3	4.2	1	8260B	6/9/2015	6/9/2015	CJR	1
Methyl tert-butyl ether (MTBE)	< 1.1	ug/l	1.1	3.7	1	8260B	6/9/2015	6/9/2015	CJR	1
Naphthalene	< 1.6	ug/l	1.6	5.2	1	8260B	6/9/2015	6/9/2015	CJR	1
n-Propylbenzene	< 0.77	ug/l	0.77	2.4	1	8260B	6/9/2015	6/9/2015	CJR	1
1,1,2,2-Tetrachloroethane	< 0.52	ug/l	0.52	1.7	1	8260B	6/9/2015	6/9/2015	CJR	1
1,1,1,2-Tetrachloroethane	< 0.48	ug/l	0.48	1.5	1	8260B	6/9/2015	6/9/2015	CJR	1
Tetrachloroethene	12.1	ug/l	0.74	2.4	1	8260B	6/9/2015	6/9/2015	CJR	1
Toluene	< 0.44	ug/l	0.44	1.4	1	8260B	6/9/2015	6/9/2015	CJR	1
1,2,4-Trichlorobenzene	< 1.7	ug/l	1.7	5.6	1	8260B	6/9/2015	6/9/2015	CJR	1
1,2,3-Trichlorobenzene	< 2.7	ug/l	2.7	8.6	1	8260B	6/9/2015	6/9/2015	CJR	1
1,1,1-Trichloroethane	< 0.84	ug/l	0.84	2.7	1	8260B	6/9/2015	6/9/2015	CJR	1
1,1,2-Trichloroethane	< 0.48	ug/l	0.48	1.52	1	8260B	6/9/2015	6/9/2015	CJR	1
Trichloroethene (TCE)	< 0.47	ug/l	0.47	1.5	1	8260B	6/9/2015	6/9/2015	CJR	1
Trichlorofluoromethane	< 0.87	ug/l	0.87	2.8	1	8260B	6/9/2015	6/9/2015	CJR	1
1,2,4-Trimethylbenzene	< 1.6	ug/l	1.6	5	1	8260B	6/9/2015	6/9/2015	CJR	1
1,3,5-Trimethylbenzene	< 1.5	ug/l	1.5	4.8	1	8260B	6/9/2015	6/9/2015	CJR	1
Vinyl Chloride	< 0.17	ug/l	0.17	0.54	1	8260B	6/9/2015	6/9/2015	CJR	1
m&p-Xylene	< 2.2	ug/l	2.2	6.9	1	8260B	6/9/2015	6/9/2015	CJR	1
o-Xylene	< 0.9	ug/l	0.9	2.9	1	8260B	6/9/2015	6/9/2015	CJR	1
SUR - 4-Bromofluorobenzene	102	REC %			1	8260B	6/9/2015	6/9/2015	CJR	1
SUR - Dibromofluoromethane	110	REC %			1	8260B	6/9/2015	6/9/2015	CJR	1
SUR - Toluene-d8	101	REC %			1	8260B	6/9/2015	6/9/2015	CJR	1
SUR - 1,2-Dichloroethane-d4	100	REC %			1	8260B	6/9/2015	6/9/2015	CJR	1

**Project Name** FMR ROBINSON'S CLEANERS  
**Project #** 6155 PO2015465

**Invoice #** E29039

**Lab Code** 5029039B  
**Sample ID** 6155-MW-3  
**Sample Matrix** Water  
**Sample Date** 6/3/2015

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.44	ug/l	0.44	1.4	1	8260B		6/9/2015	CJR	1
Bromobenzene	< 0.48	ug/l	0.48	1.5	1	8260B		6/9/2015	CJR	1
Bromodichloromethane	< 0.46	ug/l	0.46	1.5	1	8260B		6/9/2015	CJR	1
Bromoform	< 0.46	ug/l	0.46	1.5	1	8260B		6/9/2015	CJR	1
tert-Butylbenzene	< 1.1	ug/l	1.1	3.4	1	8260B		6/9/2015	CJR	1
sec-Butylbenzene	< 1.2	ug/l	1.2	3.8	1	8260B		6/9/2015	CJR	1
n-Butylbenzene	< 1	ug/l	1	3.3	1	8260B		6/9/2015	CJR	1
Carbon Tetrachloride	< 0.65	ug/l	0.65	2.1	1	8260B		6/9/2015	CJR	1
Chlorobenzene	< 0.46	ug/l	0.46	1.4	1	8260B		6/9/2015	CJR	1
Chloroethane	< 0.65	ug/l	0.65	2.1	1	8260B		6/9/2015	CJR	1
Chloroform	< 0.43	ug/l	0.43	1.4	1	8260B		6/9/2015	CJR	1
Chloromethane	< 1.9	ug/l	1.9	6	1	8260B		6/9/2015	CJR	1
2-Chlorotoluene	< 0.4	ug/l	0.4	1.3	1	8260B		6/9/2015	CJR	1
4-Chlorotoluene	< 0.63	ug/l	0.63	2	1	8260B		6/9/2015	CJR	1
1,2-Dibromo-3-chloropropane	< 1.4	ug/l	1.4	4.5	1	8260B		6/9/2015	CJR	1
Dibromochloromethane	< 0.45	ug/l	0.45	1.4	1	8260B		6/9/2015	CJR	1
1,4-Dichlorobenzene	< 0.49	ug/l	0.49	1.6	1	8260B		6/9/2015	CJR	1
1,3-Dichlorobenzene	< 0.52	ug/l	0.52	1.6	1	8260B		6/9/2015	CJR	1
1,2-Dichlorobenzene	< 0.46	ug/l	0.46	1.5	1	8260B		6/9/2015	CJR	1
Dichlorodifluoromethane	< 0.87	ug/l	0.87	2.8	1	8260B		6/9/2015	CJR	1
1,2-Dichloroethane	< 0.54	ug/l	0.54	1.7	1	8260B		6/9/2015	CJR	1
1,1-Dichloroethane	< 1.1	ug/l	1.1	3.6	1	8260B		6/9/2015	CJR	1
1,1-Dichloroethene	< 0.65	ug/l	0.65	2.1	1	8260B		6/9/2015	CJR	1
cis-1,2-Dichloroethene	< 0.45	ug/l	0.45	1.4	1	8260B		6/9/2015	CJR	1
trans-1,2-Dichloroethene	< 0.54	ug/l	0.54	1.7	1	8260B		6/9/2015	CJR	1
1,2-Dichloropropane	< 0.43	ug/l	0.43	1.37	1	8260B		6/9/2015	CJR	1
2,2-Dichloropropane	< 3.1	ug/l	3.1	9.8	1	8260B		6/9/2015	CJR	4 8
1,3-Dichloropropane	< 0.42	ug/l	0.42	1.3	1	8260B		6/9/2015	CJR	1
Di-isopropyl ether	< 0.44	ug/l	0.44	1.4	1	8260B		6/9/2015	CJR	1
EDB (1,2-Dibromoethane)	< 0.63	ug/l	0.63	2	1	8260B		6/9/2015	CJR	1
Ethylbenzene	< 0.71	ug/l	0.71	2.3	1	8260B		6/9/2015	CJR	1
Hexachlorobutadiene	< 2.2	ug/l	2.2	7.1	1	8260B		6/9/2015	CJR	1
Isopropylbenzene	< 0.82	ug/l	0.82	2.6	1	8260B		6/9/2015	CJR	1
p-Isopropyltoluene	< 1.1	ug/l	1.1	3.5	1	8260B		6/9/2015	CJR	1
Methylene chloride	< 1.3	ug/l	1.3	4.2	1	8260B		6/9/2015	CJR	1
Methyl tert-butyl ether (MTBE)	< 1.1	ug/l	1.1	3.7	1	8260B		6/9/2015	CJR	1
Naphthalene	< 1.6	ug/l	1.6	5.2	1	8260B		6/9/2015	CJR	1
n-Propylbenzene	< 0.77	ug/l	0.77	2.4	1	8260B		6/9/2015	CJR	1
1,1,2,2-Tetrachloroethane	< 0.52	ug/l	0.52	1.7	1	8260B		6/9/2015	CJR	1
1,1,1,2-Tetrachloroethane	< 0.48	ug/l	0.48	1.5	1	8260B		6/9/2015	CJR	1
Tetrachloroethene	15.4	ug/l	0.74	2.4	1	8260B		6/9/2015	CJR	1
Toluene	< 0.44	ug/l	0.44	1.4	1	8260B		6/9/2015	CJR	1
1,2,4-Trichlorobenzene	< 1.7	ug/l	1.7	5.6	1	8260B		6/9/2015	CJR	1
1,2,3-Trichlorobenzene	< 2.7	ug/l	2.7	8.6	1	8260B		6/9/2015	CJR	1
1,1,1-Trichloroethane	< 0.84	ug/l	0.84	2.7	1	8260B		6/9/2015	CJR	1
1,1,2-Trichloroethane	< 0.48	ug/l	0.48	1.52	1	8260B		6/9/2015	CJR	1
Trichloroethene (TCE)	< 0.47	ug/l	0.47	1.5	1	8260B		6/9/2015	CJR	1
Trichlorofluoromethane	< 0.87	ug/l	0.87	2.8	1	8260B		6/9/2015	CJR	1
1,2,4-Trimethylbenzene	< 1.6	ug/l	1.6	5	1	8260B		6/9/2015	CJR	1
1,3,5-Trimethylbenzene	< 1.5	ug/l	1.5	4.8	1	8260B		6/9/2015	CJR	1
Vinyl Chloride	< 0.17	ug/l	0.17	0.54	1	8260B		6/9/2015	CJR	1
m&p-Xylene	< 2.2	ug/l	2.2	6.9	1	8260B		6/9/2015	CJR	1
o-Xylene	< 0.9	ug/l	0.9	2.9	1	8260B		6/9/2015	CJR	1
SUR - 1,2-Dichloroethane-d4	102	REC %			1	8260B		6/9/2015	CJR	1
SUR - Toluene-d8	101	REC %			1	8260B		6/9/2015	CJR	1
SUR - Dibromofluoromethane	99	REC %			1	8260B		6/9/2015	CJR	1
SUR - 4-Bromofluorobenzene	106	REC %			1	8260B		6/9/2015	CJR	1



**Project Name** FMR ROBINSON'S CLEANERS  
**Project #** 6155 PO2015465

**Invoice #** E29039

**Lab Code** 5029039C  
**Sample ID** 6155-MW-9  
**Sample Matrix** Water  
**Sample Date** 6/3/2015

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.44	ug/l	0.44	1.4	1	8260B		6/9/2015	CJR	1
Bromobenzene	< 0.48	ug/l	0.48	1.5	1	8260B		6/9/2015	CJR	1
Bromodichloromethane	< 0.46	ug/l	0.46	1.5	1	8260B		6/9/2015	CJR	1
Bromoform	< 0.46	ug/l	0.46	1.5	1	8260B		6/9/2015	CJR	1
tert-Butylbenzene	< 1.1	ug/l	1.1	3.4	1	8260B		6/9/2015	CJR	1
sec-Butylbenzene	< 1.2	ug/l	1.2	3.8	1	8260B		6/9/2015	CJR	1
n-Butylbenzene	< 1	ug/l	1	3.3	1	8260B		6/9/2015	CJR	1
Carbon Tetrachloride	< 0.65	ug/l	0.65	2.1	1	8260B		6/9/2015	CJR	1
Chlorobenzene	< 0.46	ug/l	0.46	1.4	1	8260B		6/9/2015	CJR	1
Chloroethane	< 0.65	ug/l	0.65	2.1	1	8260B		6/9/2015	CJR	1
Chloroform	< 0.43	ug/l	0.43	1.4	1	8260B		6/9/2015	CJR	1
Chloromethane	< 1.9	ug/l	1.9	6	1	8260B		6/9/2015	CJR	1
2-Chlorotoluene	< 0.4	ug/l	0.4	1.3	1	8260B		6/9/2015	CJR	1
4-Chlorotoluene	< 0.63	ug/l	0.63	2	1	8260B		6/9/2015	CJR	1
1,2-Dibromo-3-chloropropane	< 1.4	ug/l	1.4	4.5	1	8260B		6/9/2015	CJR	1
Dibromochloromethane	< 0.45	ug/l	0.45	1.4	1	8260B		6/9/2015	CJR	1
1,4-Dichlorobenzene	< 0.49	ug/l	0.49	1.6	1	8260B		6/9/2015	CJR	1
1,3-Dichlorobenzene	< 0.52	ug/l	0.52	1.6	1	8260B		6/9/2015	CJR	1
1,2-Dichlorobenzene	< 0.46	ug/l	0.46	1.5	1	8260B		6/9/2015	CJR	1
Dichlorodifluoromethane	< 0.87	ug/l	0.87	2.8	1	8260B		6/9/2015	CJR	1
1,2-Dichloroethane	< 0.54	ug/l	0.54	1.7	1	8260B		6/9/2015	CJR	1
1,1-Dichloroethane	< 1.1	ug/l	1.1	3.6	1	8260B		6/9/2015	CJR	1
1,1-Dichloroethene	< 0.65	ug/l	0.65	2.1	1	8260B		6/9/2015	CJR	1
cis-1,2-Dichloroethene	< 0.45	ug/l	0.45	1.4	1	8260B		6/9/2015	CJR	1
trans-1,2-Dichloroethene	< 0.54	ug/l	0.54	1.7	1	8260B		6/9/2015	CJR	1
1,2-Dichloropropane	< 0.43	ug/l	0.43	1.37	1	8260B		6/9/2015	CJR	1
2,2-Dichloropropane	< 3.1	ug/l	3.1	9.8	1	8260B		6/9/2015	CJR	4 8
1,3-Dichloropropane	< 0.42	ug/l	0.42	1.3	1	8260B		6/9/2015	CJR	1
Di-isopropyl ether	< 0.44	ug/l	0.44	1.4	1	8260B		6/9/2015	CJR	1
EDB (1,2-Dibromoethane)	< 0.63	ug/l	0.63	2	1	8260B		6/9/2015	CJR	1
Ethylbenzene	< 0.71	ug/l	0.71	2.3	1	8260B		6/9/2015	CJR	1
Hexachlorobutadiene	< 2.2	ug/l	2.2	7.1	1	8260B		6/9/2015	CJR	1
Isopropylbenzene	< 0.82	ug/l	0.82	2.6	1	8260B		6/9/2015	CJR	1
p-Isopropyltoluene	< 1.1	ug/l	1.1	3.5	1	8260B		6/9/2015	CJR	1
Methylene chloride	< 1.3	ug/l	1.3	4.2	1	8260B		6/9/2015	CJR	1
Methyl tert-butyl ether (MTBE)	< 1.1	ug/l	1.1	3.7	1	8260B		6/9/2015	CJR	1
Naphthalene	< 1.6	ug/l	1.6	5.2	1	8260B		6/9/2015	CJR	1
n-Propylbenzene	< 0.77	ug/l	0.77	2.4	1	8260B		6/9/2015	CJR	1
1,1,2,2-Tetrachloroethane	< 0.52	ug/l	0.52	1.7	1	8260B		6/9/2015	CJR	1
1,1,1,2-Tetrachloroethane	< 0.48	ug/l	0.48	1.5	1	8260B		6/9/2015	CJR	1
Tetrachloroethene	< 0.74	ug/l	0.74	2.4	1	8260B		6/9/2015	CJR	1
Toluene	< 0.44	ug/l	0.44	1.4	1	8260B		6/9/2015	CJR	1
1,2,4-Trichlorobenzene	< 1.7	ug/l	1.7	5.6	1	8260B		6/9/2015	CJR	1
1,2,3-Trichlorobenzene	< 2.7	ug/l	2.7	8.6	1	8260B		6/9/2015	CJR	1
1,1,1-Trichloroethane	< 0.84	ug/l	0.84	2.7	1	8260B		6/9/2015	CJR	1
1,1,2-Trichloroethane	< 0.48	ug/l	0.48	1.52	1	8260B		6/9/2015	CJR	1
Trichloroethene (TCE)	< 0.47	ug/l	0.47	1.5	1	8260B		6/9/2015	CJR	1
Trichlorofluoromethane	< 0.87	ug/l	0.87	2.8	1	8260B		6/9/2015	CJR	1
1,2,4-Trimethylbenzene	< 1.6	ug/l	1.6	5	1	8260B		6/9/2015	CJR	1
1,3,5-Trimethylbenzene	< 1.5	ug/l	1.5	4.8	1	8260B		6/9/2015	CJR	1
Vinyl Chloride	< 0.17	ug/l	0.17	0.54	1	8260B		6/9/2015	CJR	1
m&p-Xylene	< 2.2	ug/l	2.2	6.9	1	8260B		6/9/2015	CJR	1
o-Xylene	< 0.9	ug/l	0.9	2.9	1	8260B		6/9/2015	CJR	1
SUR - 1,2-Dichloroethane-d4	98	REC %			1	8260B		6/9/2015	CJR	1
SUR - 4-Bromofluorobenzene	107	REC %			1	8260B		6/9/2015	CJR	1
SUR - Dibromofluoromethane	95	REC %			1	8260B		6/9/2015	CJR	1
SUR - Toluene-d8	101	REC %			1	8260B		6/9/2015	CJR	1

**Project Name** FMR ROBINSON'S CLEANERS  
**Project #** 6155 PO2015465

**Invoice #** E29039

**Lab Code** 5029039D  
**Sample ID** 6155-MW-11S  
**Sample Matrix** Water  
**Sample Date** 6/3/2015

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.44	ug/l	0.44	1.4	1	8260B		6/9/2015	CJR	1
Bromobenzene	< 0.48	ug/l	0.48	1.5	1	8260B		6/9/2015	CJR	1
Bromodichloromethane	< 0.46	ug/l	0.46	1.5	1	8260B		6/9/2015	CJR	1
Bromoform	< 0.46	ug/l	0.46	1.5	1	8260B		6/9/2015	CJR	1
tert-Butylbenzene	< 1.1	ug/l	1.1	3.4	1	8260B		6/9/2015	CJR	1
sec-Butylbenzene	< 1.2	ug/l	1.2	3.8	1	8260B		6/9/2015	CJR	1
n-Butylbenzene	< 1	ug/l	1	3.3	1	8260B		6/9/2015	CJR	1
Carbon Tetrachloride	< 0.65	ug/l	0.65	2.1	1	8260B		6/9/2015	CJR	1
Chlorobenzene	< 0.46	ug/l	0.46	1.4	1	8260B		6/9/2015	CJR	1
Chloroethane	< 0.65	ug/l	0.65	2.1	1	8260B		6/9/2015	CJR	1
Chloroform	< 0.43	ug/l	0.43	1.4	1	8260B		6/9/2015	CJR	1
Chloromethane	< 1.9	ug/l	1.9	6	1	8260B		6/9/2015	CJR	1
2-Chlorotoluene	< 0.4	ug/l	0.4	1.3	1	8260B		6/9/2015	CJR	1
4-Chlorotoluene	< 0.63	ug/l	0.63	2	1	8260B		6/9/2015	CJR	1
1,2-Dibromo-3-chloropropane	< 1.4	ug/l	1.4	4.5	1	8260B		6/9/2015	CJR	1
Dibromochloromethane	< 0.45	ug/l	0.45	1.4	1	8260B		6/9/2015	CJR	1
1,4-Dichlorobenzene	< 0.49	ug/l	0.49	1.6	1	8260B		6/9/2015	CJR	1
1,3-Dichlorobenzene	< 0.52	ug/l	0.52	1.6	1	8260B		6/9/2015	CJR	1
1,2-Dichlorobenzene	< 0.46	ug/l	0.46	1.5	1	8260B		6/9/2015	CJR	1
Dichlorodifluoromethane	< 0.87	ug/l	0.87	2.8	1	8260B		6/9/2015	CJR	1
1,2-Dichloroethane	< 0.54	ug/l	0.54	1.7	1	8260B		6/9/2015	CJR	1
1,1-Dichloroethane	< 1.1	ug/l	1.1	3.6	1	8260B		6/9/2015	CJR	1
1,1-Dichloroethene	< 0.65	ug/l	0.65	2.1	1	8260B		6/9/2015	CJR	1
cis-1,2-Dichloroethene	< 0.45	ug/l	0.45	1.4	1	8260B		6/9/2015	CJR	1
trans-1,2-Dichloroethene	< 0.54	ug/l	0.54	1.7	1	8260B		6/9/2015	CJR	1
1,2-Dichloropropane	< 0.43	ug/l	0.43	1.37	1	8260B		6/9/2015	CJR	1
2,2-Dichloropropane	< 3.1	ug/l	3.1	9.8	1	8260B		6/9/2015	CJR	4 8
1,3-Dichloropropane	< 0.42	ug/l	0.42	1.3	1	8260B		6/9/2015	CJR	1
Di-isopropyl ether	< 0.44	ug/l	0.44	1.4	1	8260B		6/9/2015	CJR	1
EDB (1,2-Dibromoethane)	< 0.63	ug/l	0.63	2	1	8260B		6/9/2015	CJR	1
Ethylbenzene	< 0.71	ug/l	0.71	2.3	1	8260B		6/9/2015	CJR	1
Hexachlorobutadiene	< 2.2	ug/l	2.2	7.1	1	8260B		6/9/2015	CJR	1
Isopropylbenzene	< 0.82	ug/l	0.82	2.6	1	8260B		6/9/2015	CJR	1
p-Isopropyltoluene	< 1.1	ug/l	1.1	3.5	1	8260B		6/9/2015	CJR	1
Methylene chloride	< 1.3	ug/l	1.3	4.2	1	8260B		6/9/2015	CJR	1
Methyl tert-butyl ether (MTBE)	< 1.1	ug/l	1.1	3.7	1	8260B		6/9/2015	CJR	1
Naphthalene	< 1.6	ug/l	1.6	5.2	1	8260B		6/9/2015	CJR	1
n-Propylbenzene	1.05 "J"	ug/l	0.77	2.4	1	8260B		6/9/2015	CJR	1
1,1,2,2-Tetrachloroethane	< 0.52	ug/l	0.52	1.7	1	8260B		6/9/2015	CJR	1
1,1,1,2-Tetrachloroethane	< 0.48	ug/l	0.48	1.5	1	8260B		6/9/2015	CJR	1
Tetrachloroethene	< 0.74	ug/l	0.74	2.4	1	8260B		6/9/2015	CJR	1
Toluene	< 0.44	ug/l	0.44	1.4	1	8260B		6/9/2015	CJR	1
1,2,4-Trichlorobenzene	< 1.7	ug/l	1.7	5.6	1	8260B		6/9/2015	CJR	1
1,2,3-Trichlorobenzene	< 2.7	ug/l	2.7	8.6	1	8260B		6/9/2015	CJR	1
1,1,1-Trichloroethane	< 0.84	ug/l	0.84	2.7	1	8260B		6/9/2015	CJR	1
1,1,2-Trichloroethane	< 0.48	ug/l	0.48	1.52	1	8260B		6/9/2015	CJR	1
Trichloroethene (TCE)	< 0.47	ug/l	0.47	1.5	1	8260B		6/9/2015	CJR	1
Trichlorofluoromethane	< 0.87	ug/l	0.87	2.8	1	8260B		6/9/2015	CJR	1
1,2,4-Trimethylbenzene	4.8 "J"	ug/l	1.6	5	1	8260B		6/9/2015	CJR	1
1,3,5-Trimethylbenzene	< 1.5	ug/l	1.5	4.8	1	8260B		6/9/2015	CJR	1
Vinyl Chloride	< 0.17	ug/l	0.17	0.54	1	8260B		6/9/2015	CJR	1
m&p-Xylene	< 2.2	ug/l	2.2	6.9	1	8260B		6/9/2015	CJR	1
o-Xylene	< 0.9	ug/l	0.9	2.9	1	8260B		6/9/2015	CJR	1
SUR - 1,2-Dichloroethane-d4	110	REC %			1	8260B		6/9/2015	CJR	1
SUR - 4-Bromofluorobenzene	103	REC %			1	8260B		6/9/2015	CJR	1
SUR - Dibromofluoromethane	100	REC %			1	8260B		6/9/2015	CJR	1
SUR - Toluene-d8	95	REC %			1	8260B		6/9/2015	CJR	1

**Project Name** FMR ROBINSON'S CLEANERS  
**Project #** 6155 PO2015465

**Invoice #** E29039

**Lab Code** 5029039E  
**Sample ID** 6155-MW-11  
**Sample Matrix** Water  
**Sample Date** 6/3/2015

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.44	ug/l	0.44	1.4	1	8260B		6/9/2015	CJR	1
Bromobenzene	< 0.48	ug/l	0.48	1.5	1	8260B		6/9/2015	CJR	1
Bromodichloromethane	< 0.46	ug/l	0.46	1.5	1	8260B		6/9/2015	CJR	1
Bromoform	< 0.46	ug/l	0.46	1.5	1	8260B		6/9/2015	CJR	1
tert-Butylbenzene	< 1.1	ug/l	1.1	3.4	1	8260B		6/9/2015	CJR	1
sec-Butylbenzene	< 1.2	ug/l	1.2	3.8	1	8260B		6/9/2015	CJR	1
n-Butylbenzene	< 1	ug/l	1	3.3	1	8260B		6/9/2015	CJR	1
Carbon Tetrachloride	< 0.65	ug/l	0.65	2.1	1	8260B		6/9/2015	CJR	1
Chlorobenzene	< 0.46	ug/l	0.46	1.4	1	8260B		6/9/2015	CJR	1
Chloroethane	< 0.65	ug/l	0.65	2.1	1	8260B		6/9/2015	CJR	1
Chloroform	< 0.43	ug/l	0.43	1.4	1	8260B		6/9/2015	CJR	1
Chloromethane	< 1.9	ug/l	1.9	6	1	8260B		6/9/2015	CJR	1
2-Chlorotoluene	< 0.4	ug/l	0.4	1.3	1	8260B		6/9/2015	CJR	1
4-Chlorotoluene	< 0.63	ug/l	0.63	2	1	8260B		6/9/2015	CJR	1
1,2-Dibromo-3-chloropropane	< 1.4	ug/l	1.4	4.5	1	8260B		6/9/2015	CJR	1
Dibromochloromethane	< 0.45	ug/l	0.45	1.4	1	8260B		6/9/2015	CJR	1
1,4-Dichlorobenzene	< 0.49	ug/l	0.49	1.6	1	8260B		6/9/2015	CJR	1
1,3-Dichlorobenzene	< 0.52	ug/l	0.52	1.6	1	8260B		6/9/2015	CJR	1
1,2-Dichlorobenzene	< 0.46	ug/l	0.46	1.5	1	8260B		6/9/2015	CJR	1
Dichlorodifluoromethane	< 0.87	ug/l	0.87	2.8	1	8260B		6/9/2015	CJR	1
1,2-Dichloroethane	< 0.54	ug/l	0.54	1.7	1	8260B		6/9/2015	CJR	1
1,1-Dichloroethane	< 1.1	ug/l	1.1	3.6	1	8260B		6/9/2015	CJR	1
1,1-Dichloroethene	< 0.65	ug/l	0.65	2.1	1	8260B		6/9/2015	CJR	1
cis-1,2-Dichloroethene	10.1	ug/l	0.45	1.4	1	8260B		6/9/2015	CJR	1
trans-1,2-Dichloroethene	< 0.54	ug/l	0.54	1.7	1	8260B		6/9/2015	CJR	1
1,2-Dichloropropane	< 0.43	ug/l	0.43	1.37	1	8260B		6/9/2015	CJR	1
2,2-Dichloropropane	< 3.1	ug/l	3.1	9.8	1	8260B		6/9/2015	CJR	4 8
1,3-Dichloropropane	< 0.42	ug/l	0.42	1.3	1	8260B		6/9/2015	CJR	1
Di-isopropyl ether	0.80 "J"	ug/l	0.44	1.4	1	8260B		6/9/2015	CJR	1
EDB (1,2-Dibromoethane)	< 0.63	ug/l	0.63	2	1	8260B		6/9/2015	CJR	1
Ethylbenzene	< 0.71	ug/l	0.71	2.3	1	8260B		6/9/2015	CJR	1
Hexachlorobutadiene	< 2.2	ug/l	2.2	7.1	1	8260B		6/9/2015	CJR	1
Isopropylbenzene	< 0.82	ug/l	0.82	2.6	1	8260B		6/9/2015	CJR	1
p-Isopropyltoluene	< 1.1	ug/l	1.1	3.5	1	8260B		6/9/2015	CJR	1
Methylene chloride	< 1.3	ug/l	1.3	4.2	1	8260B		6/9/2015	CJR	1
Methyl tert-butyl ether (MTBE)	< 1.1	ug/l	1.1	3.7	1	8260B		6/9/2015	CJR	1
Naphthalene	< 1.6	ug/l	1.6	5.2	1	8260B		6/9/2015	CJR	1
n-Propylbenzene	< 0.77	ug/l	0.77	2.4	1	8260B		6/9/2015	CJR	1
1,1,2,2-Tetrachloroethane	< 0.52	ug/l	0.52	1.7	1	8260B		6/9/2015	CJR	1
1,1,1,2-Tetrachloroethane	< 0.48	ug/l	0.48	1.5	1	8260B		6/9/2015	CJR	1
Tetrachloroethene	< 0.74	ug/l	0.74	2.4	1	8260B		6/9/2015	CJR	1
Toluene	< 0.44	ug/l	0.44	1.4	1	8260B		6/9/2015	CJR	1
1,2,4-Trichlorobenzene	< 1.7	ug/l	1.7	5.6	1	8260B		6/9/2015	CJR	1
1,2,3-Trichlorobenzene	< 2.7	ug/l	2.7	8.6	1	8260B		6/9/2015	CJR	1
1,1,1-Trichloroethane	< 0.84	ug/l	0.84	2.7	1	8260B		6/9/2015	CJR	1
1,1,2-Trichloroethane	< 0.48	ug/l	0.48	1.52	1	8260B		6/9/2015	CJR	1
Trichloroethene (TCE)	3.5	ug/l	0.47	1.5	1	8260B		6/9/2015	CJR	1
Trichlorofluoromethane	< 0.87	ug/l	0.87	2.8	1	8260B		6/9/2015	CJR	1
1,2,4-Trimethylbenzene	< 1.6	ug/l	1.6	5	1	8260B		6/9/2015	CJR	1
1,3,5-Trimethylbenzene	< 1.5	ug/l	1.5	4.8	1	8260B		6/9/2015	CJR	1
Vinyl Chloride	1.98	ug/l	0.17	0.54	1	8260B		6/9/2015	CJR	1
m&p-Xylene	< 2.2	ug/l	2.2	6.9	1	8260B		6/9/2015	CJR	1
o-Xylene	< 0.9	ug/l	0.9	2.9	1	8260B		6/9/2015	CJR	1
SUR - 1,2-Dichloroethane-d4	107	REC %			1	8260B		6/9/2015	CJR	1
SUR - 4-Bromofluorobenzene	102	REC %			1	8260B		6/9/2015	CJR	1
SUR - Dibromofluoromethane	97	REC %			1	8260B		6/9/2015	CJR	1
SUR - Toluene-d8	100	REC %			1	8260B		6/9/2015	CJR	1

**Project Name** FMR ROBINSON'S CLEANERS  
**Project #** 6155 PO2015465

**Invoice #** E29039

**Lab Code** 5029039F  
**Sample ID** 6155-MW-12  
**Sample Matrix** Water  
**Sample Date** 6/3/2015

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.44	ug/l	0.44	1.4	1	8260B		6/9/2015	CJR	1
Bromobenzene	< 0.48	ug/l	0.48	1.5	1	8260B		6/9/2015	CJR	1
Bromodichloromethane	< 0.46	ug/l	0.46	1.5	1	8260B		6/9/2015	CJR	1
Bromoform	< 0.46	ug/l	0.46	1.5	1	8260B		6/9/2015	CJR	1
tert-Butylbenzene	< 1.1	ug/l	1.1	3.4	1	8260B		6/9/2015	CJR	1
sec-Butylbenzene	< 1.2	ug/l	1.2	3.8	1	8260B		6/9/2015	CJR	1
n-Butylbenzene	< 1	ug/l	1	3.3	1	8260B		6/9/2015	CJR	1
Carbon Tetrachloride	< 0.65	ug/l	0.65	2.1	1	8260B		6/9/2015	CJR	1
Chlorobenzene	< 0.46	ug/l	0.46	1.4	1	8260B		6/9/2015	CJR	1
Chloroethane	< 0.65	ug/l	0.65	2.1	1	8260B		6/9/2015	CJR	1
Chloroform	< 0.43	ug/l	0.43	1.4	1	8260B		6/9/2015	CJR	1
Chloromethane	< 1.9	ug/l	1.9	6	1	8260B		6/9/2015	CJR	1
2-Chlorotoluene	< 0.4	ug/l	0.4	1.3	1	8260B		6/9/2015	CJR	1
4-Chlorotoluene	< 0.63	ug/l	0.63	2	1	8260B		6/9/2015	CJR	1
1,2-Dibromo-3-chloropropane	< 1.4	ug/l	1.4	4.5	1	8260B		6/9/2015	CJR	1
Dibromochloromethane	< 0.45	ug/l	0.45	1.4	1	8260B		6/9/2015	CJR	1
1,4-Dichlorobenzene	< 0.49	ug/l	0.49	1.6	1	8260B		6/9/2015	CJR	1
1,3-Dichlorobenzene	< 0.52	ug/l	0.52	1.6	1	8260B		6/9/2015	CJR	1
1,2-Dichlorobenzene	< 0.46	ug/l	0.46	1.5	1	8260B		6/9/2015	CJR	1
Dichlorodifluoromethane	< 0.87	ug/l	0.87	2.8	1	8260B		6/9/2015	CJR	1
1,2-Dichloroethane	< 0.54	ug/l	0.54	1.7	1	8260B		6/9/2015	CJR	1
1,1-Dichloroethane	< 1.1	ug/l	1.1	3.6	1	8260B		6/9/2015	CJR	1
1,1-Dichloroethene	< 0.65	ug/l	0.65	2.1	1	8260B		6/9/2015	CJR	1
cis-1,2-Dichloroethene	26.8	ug/l	0.45	1.4	1	8260B		6/9/2015	CJR	1
trans-1,2-Dichloroethene	< 0.54	ug/l	0.54	1.7	1	8260B		6/9/2015	CJR	1
1,2-Dichloropropane	< 0.43	ug/l	0.43	1.37	1	8260B		6/9/2015	CJR	1
2,2-Dichloropropane	< 3.1	ug/l	3.1	9.8	1	8260B		6/9/2015	CJR	4 8
1,3-Dichloropropane	< 0.42	ug/l	0.42	1.3	1	8260B		6/9/2015	CJR	1
Di-isopropyl ether	< 0.44	ug/l	0.44	1.4	1	8260B		6/9/2015	CJR	1
EDB (1,2-Dibromoethane)	< 0.63	ug/l	0.63	2	1	8260B		6/9/2015	CJR	1
Ethylbenzene	< 0.71	ug/l	0.71	2.3	1	8260B		6/9/2015	CJR	1
Hexachlorobutadiene	< 2.2	ug/l	2.2	7.1	1	8260B		6/9/2015	CJR	1
Isopropylbenzene	< 0.82	ug/l	0.82	2.6	1	8260B		6/9/2015	CJR	1
p-Isopropyltoluene	< 1.1	ug/l	1.1	3.5	1	8260B		6/9/2015	CJR	1
Methylene chloride	< 1.3	ug/l	1.3	4.2	1	8260B		6/9/2015	CJR	1
Methyl tert-butyl ether (MTBE)	< 1.1	ug/l	1.1	3.7	1	8260B		6/9/2015	CJR	1
Naphthalene	< 1.6	ug/l	1.6	5.2	1	8260B		6/9/2015	CJR	1
n-Propylbenzene	< 0.77	ug/l	0.77	2.4	1	8260B		6/9/2015	CJR	1
1,1,2,2-Tetrachloroethane	< 0.52	ug/l	0.52	1.7	1	8260B		6/9/2015	CJR	1
1,1,1,2-Tetrachloroethane	< 0.48	ug/l	0.48	1.5	1	8260B		6/9/2015	CJR	1
Tetrachloroethene	340	ug/l	7.4	24	10	8260B		6/10/2015	CJR	1
Toluene	< 0.44	ug/l	0.44	1.4	1	8260B		6/9/2015	CJR	1
1,2,4-Trichlorobenzene	< 1.7	ug/l	1.7	5.6	1	8260B		6/9/2015	CJR	1
1,2,3-Trichlorobenzene	< 2.7	ug/l	2.7	8.6	1	8260B		6/9/2015	CJR	1
1,1,1-Trichloroethane	< 0.84	ug/l	0.84	2.7	1	8260B		6/9/2015	CJR	1
1,1,2-Trichloroethane	< 0.48	ug/l	0.48	1.52	1	8260B		6/9/2015	CJR	1
Trichloroethene (TCE)	25.8	ug/l	0.47	1.5	1	8260B		6/9/2015	CJR	1
Trichlorofluoromethane	< 0.87	ug/l	0.87	2.8	1	8260B		6/9/2015	CJR	1
1,2,4-Trimethylbenzene	< 1.6	ug/l	1.6	5	1	8260B		6/9/2015	CJR	1
1,3,5-Trimethylbenzene	< 1.5	ug/l	1.5	4.8	1	8260B		6/9/2015	CJR	1
Vinyl Chloride	< 0.17	ug/l	0.17	0.54	1	8260B		6/9/2015	CJR	1
m&p-Xylene	< 2.2	ug/l	2.2	6.9	1	8260B		6/9/2015	CJR	1
o-Xylene	< 0.9	ug/l	0.9	2.9	1	8260B		6/9/2015	CJR	1
SUR - Toluene-d8	107	REC %			1	8260B		6/9/2015	CJR	1
SUR - 1,2-Dichloroethane-d4	97	REC %			1	8260B		6/9/2015	CJR	1
SUR - 4-Bromofluorobenzene	104	REC %			1	8260B		6/9/2015	CJR	1
SUR - Dibromofluoromethane	97	REC %			1	8260B		6/9/2015	CJR	1

**Project Name** FMR ROBINSON'S CLEANERS  
**Project #** 6155 PO2015465

**Invoice #** E29039

**Lab Code** 5029039G  
**Sample ID** 6155-MW-12S  
**Sample Matrix** Water  
**Sample Date** 6/3/2015

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.44	ug/l	0.44	1.4	1	8260B		6/9/2015	CJR	1
Bromobenzene	< 0.48	ug/l	0.48	1.5	1	8260B		6/9/2015	CJR	1
Bromodichloromethane	< 0.46	ug/l	0.46	1.5	1	8260B		6/9/2015	CJR	1
Bromoform	< 0.46	ug/l	0.46	1.5	1	8260B		6/9/2015	CJR	1
tert-Butylbenzene	< 1.1	ug/l	1.1	3.4	1	8260B		6/9/2015	CJR	1
sec-Butylbenzene	2.66 "J"	ug/l	1.2	3.8	1	8260B		6/9/2015	CJR	1
n-Butylbenzene	5.4	ug/l	1	3.3	1	8260B		6/9/2015	CJR	1
Carbon Tetrachloride	< 0.65	ug/l	0.65	2.1	1	8260B		6/9/2015	CJR	1
Chlorobenzene	< 0.46	ug/l	0.46	1.4	1	8260B		6/9/2015	CJR	1
Chloroethane	< 0.65	ug/l	0.65	2.1	1	8260B		6/9/2015	CJR	1
Chloroform	< 0.43	ug/l	0.43	1.4	1	8260B		6/9/2015	CJR	1
Chloromethane	< 1.9	ug/l	1.9	6	1	8260B		6/9/2015	CJR	1
2-Chlorotoluene	< 0.4	ug/l	0.4	1.3	1	8260B		6/9/2015	CJR	1
4-Chlorotoluene	< 0.63	ug/l	0.63	2	1	8260B		6/9/2015	CJR	1
1,2-Dibromo-3-chloropropane	< 1.4	ug/l	1.4	4.5	1	8260B		6/9/2015	CJR	1
Dibromochloromethane	< 0.45	ug/l	0.45	1.4	1	8260B		6/9/2015	CJR	1
1,4-Dichlorobenzene	< 0.49	ug/l	0.49	1.6	1	8260B		6/9/2015	CJR	1
1,3-Dichlorobenzene	< 0.52	ug/l	0.52	1.6	1	8260B		6/9/2015	CJR	1
1,2-Dichlorobenzene	< 0.46	ug/l	0.46	1.5	1	8260B		6/9/2015	CJR	1
Dichlorodifluoromethane	< 0.87	ug/l	0.87	2.8	1	8260B		6/9/2015	CJR	1
1,2-Dichloroethane	< 0.54	ug/l	0.54	1.7	1	8260B		6/9/2015	CJR	1
1,1-Dichloroethane	< 1.1	ug/l	1.1	3.6	1	8260B		6/9/2015	CJR	1
1,1-Dichloroethene	< 0.65	ug/l	0.65	2.1	1	8260B		6/9/2015	CJR	1
cis-1,2-Dichloroethene	5.0	ug/l	0.45	1.4	1	8260B		6/9/2015	CJR	1
trans-1,2-Dichloroethene	< 0.54	ug/l	0.54	1.7	1	8260B		6/9/2015	CJR	1
1,2-Dichloropropane	< 0.43	ug/l	0.43	1.37	1	8260B		6/9/2015	CJR	1
2,2-Dichloropropane	< 3.1	ug/l	3.1	9.8	1	8260B		6/9/2015	CJR	4 8
1,3-Dichloropropane	< 0.42	ug/l	0.42	1.3	1	8260B		6/9/2015	CJR	1
Di-isopropyl ether	< 0.44	ug/l	0.44	1.4	1	8260B		6/9/2015	CJR	1
EDB (1,2-Dibromoethane)	< 0.63	ug/l	0.63	2	1	8260B		6/9/2015	CJR	1
Ethylbenzene	< 0.71	ug/l	0.71	2.3	1	8260B		6/9/2015	CJR	1
Hexachlorobutadiene	< 2.2	ug/l	2.2	7.1	1	8260B		6/9/2015	CJR	1
Isopropylbenzene	7.4	ug/l	0.82	2.6	1	8260B		6/9/2015	CJR	1
p-Isopropyltoluene	2.59 "J"	ug/l	1.1	3.5	1	8260B		6/9/2015	CJR	1
Methylene chloride	< 1.3	ug/l	1.3	4.2	1	8260B		6/9/2015	CJR	1
Methyl tert-butyl ether (MTBE)	< 1.1	ug/l	1.1	3.7	1	8260B		6/9/2015	CJR	1
Naphthalene	< 1.6	ug/l	1.6	5.2	1	8260B		6/9/2015	CJR	1
n-Propylbenzene	3.5	ug/l	0.77	2.4	1	8260B		6/9/2015	CJR	1
1,1,2,2-Tetrachloroethane	< 0.52	ug/l	0.52	1.7	1	8260B		6/9/2015	CJR	1
1,1,1,2-Tetrachloroethane	< 0.48	ug/l	0.48	1.5	1	8260B		6/9/2015	CJR	1
Tetrachloroethene	187	ug/l	0.74	2.4	1	8260B		6/9/2015	CJR	1
Toluene	< 0.44	ug/l	0.44	1.4	1	8260B		6/9/2015	CJR	1
1,2,4-Trichlorobenzene	< 1.7	ug/l	1.7	5.6	1	8260B		6/9/2015	CJR	1
1,2,3-Trichlorobenzene	< 2.7	ug/l	2.7	8.6	1	8260B		6/9/2015	CJR	1
1,1,1-Trichloroethane	< 0.84	ug/l	0.84	2.7	1	8260B		6/9/2015	CJR	1
1,1,2-Trichloroethane	< 0.48	ug/l	0.48	1.52	1	8260B		6/9/2015	CJR	1
Trichloroethene (TCE)	7.6	ug/l	0.47	1.5	1	8260B		6/9/2015	CJR	1
Trichlorofluoromethane	< 0.87	ug/l	0.87	2.8	1	8260B		6/9/2015	CJR	1
1,2,4-Trimethylbenzene	29.6	ug/l	1.6	5	1	8260B		6/9/2015	CJR	1
1,3,5-Trimethylbenzene	< 1.5	ug/l	1.5	4.8	1	8260B		6/9/2015	CJR	1
Vinyl Chloride	0.28 "J"	ug/l	0.17	0.54	1	8260B		6/9/2015	CJR	1
m&p-Xylene	< 2.2	ug/l	2.2	6.9	1	8260B		6/9/2015	CJR	1
o-Xylene	< 0.9	ug/l	0.9	2.9	1	8260B		6/9/2015	CJR	1
SUR - 4-Bromofluorobenzene	111	REC %			1	8260B		6/9/2015	CJR	1
SUR - Dibromofluoromethane	92	REC %			1	8260B		6/9/2015	CJR	1
SUR - 1,2-Dichloroethane-d4	95	REC %			1	8260B		6/9/2015	CJR	1
SUR - Toluene-d8	107	REC %			1	8260B		6/9/2015	CJR	1

**Project Name** FMR ROBINSON'S CLEANERS  
**Project #** 6155 PO2015465

**Invoice #** E29039

**Lab Code** 5029039H  
**Sample ID** 6155-MW-14  
**Sample Matrix** Water  
**Sample Date** 6/3/2015

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 4.4	ug/l	4.4	14	10	8260B		6/9/2015	CJR	1
Bromobenzene	< 4.8	ug/l	4.8	15	10	8260B		6/9/2015	CJR	1
Bromodichloromethane	< 4.6	ug/l	4.6	15	10	8260B		6/9/2015	CJR	1
Bromoform	< 4.6	ug/l	4.6	15	10	8260B		6/9/2015	CJR	1
tert-Butylbenzene	< 11	ug/l	11	34	10	8260B		6/9/2015	CJR	1
sec-Butylbenzene	< 12	ug/l	12	38	10	8260B		6/9/2015	CJR	1
n-Butylbenzene	< 10	ug/l	10	33	10	8260B		6/9/2015	CJR	1
Carbon Tetrachloride	< 6.5	ug/l	6.5	21	10	8260B		6/9/2015	CJR	1
Chlorobenzene	< 4.6	ug/l	4.6	14	10	8260B		6/9/2015	CJR	1
Chloroethane	< 6.5	ug/l	6.5	21	10	8260B		6/9/2015	CJR	1
Chloroform	< 4.3	ug/l	4.3	14	10	8260B		6/9/2015	CJR	1
Chloromethane	< 19	ug/l	19	60	10	8260B		6/9/2015	CJR	1
2-Chlorotoluene	< 4	ug/l	4	13	10	8260B		6/9/2015	CJR	1
4-Chlorotoluene	< 6.3	ug/l	6.3	20	10	8260B		6/9/2015	CJR	1
1,2-Dibromo-3-chloropropane	< 14	ug/l	14	45	10	8260B		6/9/2015	CJR	1
Dibromochloromethane	< 4.5	ug/l	4.5	14	10	8260B		6/9/2015	CJR	1
1,4-Dichlorobenzene	< 4.9	ug/l	4.9	16	10	8260B		6/9/2015	CJR	1
1,3-Dichlorobenzene	< 5.2	ug/l	5.2	16	10	8260B		6/9/2015	CJR	1
1,2-Dichlorobenzene	< 4.6	ug/l	4.6	15	10	8260B		6/9/2015	CJR	1
Dichlorodifluoromethane	< 8.7	ug/l	8.7	28	10	8260B		6/9/2015	CJR	1
1,2-Dichloroethane	< 5.4	ug/l	5.4	17	10	8260B		6/9/2015	CJR	1
1,1-Dichloroethane	< 11	ug/l	11	36	10	8260B		6/9/2015	CJR	1
1,1-Dichloroethene	< 6.5	ug/l	6.5	21	10	8260B		6/9/2015	CJR	1
cis-1,2-Dichloroethene	8.6 "J"	ug/l	4.5	14	10	8260B		6/9/2015	CJR	1
trans-1,2-Dichloroethene	< 5.4	ug/l	5.4	17	10	8260B		6/9/2015	CJR	1
1,2-Dichloropropane	< 4.3	ug/l	4.3	13.7	10	8260B		6/9/2015	CJR	1
2,2-Dichloropropane	< 31	ug/l	31	98	10	8260B		6/9/2015	CJR	4 8
1,3-Dichloropropane	< 4.2	ug/l	4.2	13	10	8260B		6/9/2015	CJR	1
Di-isopropyl ether	< 4.4	ug/l	4.4	14	10	8260B		6/9/2015	CJR	1
EDB (1,2-Dibromoethane)	< 6.3	ug/l	6.3	20	10	8260B		6/9/2015	CJR	1
Ethylbenzene	< 7.1	ug/l	7.1	23	10	8260B		6/9/2015	CJR	1
Hexachlorobutadiene	< 22	ug/l	22	71	10	8260B		6/9/2015	CJR	1
Isopropylbenzene	< 8.2	ug/l	8.2	26	10	8260B		6/9/2015	CJR	1
p-Isopropyltoluene	< 11	ug/l	11	35	10	8260B		6/9/2015	CJR	1
Methylene chloride	< 13	ug/l	13	42	10	8260B		6/9/2015	CJR	1
Methyl tert-butyl ether (MTBE)	< 11	ug/l	11	37	10	8260B		6/9/2015	CJR	1
Naphthalene	< 16	ug/l	16	52	10	8260B		6/9/2015	CJR	1
n-Propylbenzene	< 7.7	ug/l	7.7	24	10	8260B		6/9/2015	CJR	1
1,1,2,2-Tetrachloroethane	< 5.2	ug/l	5.2	17	10	8260B		6/9/2015	CJR	1
1,1,1,2-Tetrachloroethane	< 4.8	ug/l	4.8	15	10	8260B		6/9/2015	CJR	1
Tetrachloroethene	440	ug/l	7.4	24	10	8260B		6/9/2015	CJR	1
Toluene	< 4.4	ug/l	4.4	14	10	8260B		6/9/2015	CJR	1
1,2,4-Trichlorobenzene	< 17	ug/l	17	56	10	8260B		6/9/2015	CJR	1
1,2,3-Trichlorobenzene	< 27	ug/l	27	86	10	8260B		6/9/2015	CJR	1
1,1,1-Trichloroethane	< 8.4	ug/l	8.4	27	10	8260B		6/9/2015	CJR	1
1,1,2-Trichloroethane	< 4.8	ug/l	4.8	15.2	10	8260B		6/9/2015	CJR	1
Trichloroethene (TCE)	6.8 "J"	ug/l	4.7	15	10	8260B		6/9/2015	CJR	1
Trichlorofluoromethane	< 8.7	ug/l	8.7	28	10	8260B		6/9/2015	CJR	1
1,2,4-Trimethylbenzene	< 16	ug/l	16	50	10	8260B		6/9/2015	CJR	1
1,3,5-Trimethylbenzene	< 15	ug/l	15	48	10	8260B		6/9/2015	CJR	1
Vinyl Chloride	< 1.7	ug/l	1.7	5.4	10	8260B		6/9/2015	CJR	1
m&p-Xylene	< 22	ug/l	22	69	10	8260B		6/9/2015	CJR	1
o-Xylene	< 9	ug/l	9	29	10	8260B		6/9/2015	CJR	1
SUR - 1,2-Dichloroethane-d4	94	REC %				8260B		6/9/2015	CJR	1
SUR - Toluene-d8	100	REC %				8260B		6/9/2015	CJR	1
SUR - 4-Bromofluorobenzene	107	REC %				8260B		6/9/2015	CJR	1
SUR - Dibromofluoromethane	97	REC %				8260B		6/9/2015	CJR	1

**Project Name** FMR ROBINSON'S CLEANERS  
**Project #** 6155 PO2015465

**Invoice #** E29039

**Lab Code** 5029039I  
**Sample ID** 6155-MW-17  
**Sample Matrix** Water  
**Sample Date** 6/4/2015

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	1.65	ug/l	0.44	1.4	1	8260B		6/10/2015	CJR	1
Bromobenzene	< 0.48	ug/l	0.48	1.5	1	8260B		6/10/2015	CJR	1
Bromodichloromethane	< 0.46	ug/l	0.46	1.5	1	8260B		6/10/2015	CJR	1
Bromoform	< 0.46	ug/l	0.46	1.5	1	8260B		6/10/2015	CJR	1
tert-Butylbenzene	< 1.1	ug/l	1.1	3.4	1	8260B		6/10/2015	CJR	1
sec-Butylbenzene	< 1.2	ug/l	1.2	3.8	1	8260B		6/10/2015	CJR	1
n-Butylbenzene	< 1	ug/l	1	3.3	1	8260B		6/10/2015	CJR	1
Carbon Tetrachloride	< 0.65	ug/l	0.65	2.1	1	8260B		6/10/2015	CJR	1
Chlorobenzene	< 0.46	ug/l	0.46	1.4	1	8260B		6/10/2015	CJR	1
Chloroethane	< 0.65	ug/l	0.65	2.1	1	8260B		6/10/2015	CJR	1
Chloroform	< 0.43	ug/l	0.43	1.4	1	8260B		6/10/2015	CJR	1
Chloromethane	< 1.9	ug/l	1.9	6	1	8260B		6/10/2015	CJR	1
2-Chlorotoluene	< 0.4	ug/l	0.4	1.3	1	8260B		6/10/2015	CJR	1
4-Chlorotoluene	< 0.63	ug/l	0.63	2	1	8260B		6/10/2015	CJR	1
1,2-Dibromo-3-chloropropane	< 1.4	ug/l	1.4	4.5	1	8260B		6/10/2015	CJR	1
Dibromochloromethane	< 0.45	ug/l	0.45	1.4	1	8260B		6/10/2015	CJR	1
1,4-Dichlorobenzene	< 0.49	ug/l	0.49	1.6	1	8260B		6/10/2015	CJR	1
1,3-Dichlorobenzene	< 0.52	ug/l	0.52	1.6	1	8260B		6/10/2015	CJR	1
1,2-Dichlorobenzene	< 0.46	ug/l	0.46	1.5	1	8260B		6/10/2015	CJR	1
Dichlorodifluoromethane	< 0.87	ug/l	0.87	2.8	1	8260B		6/10/2015	CJR	1
1,2-Dichloroethane	< 0.54	ug/l	0.54	1.7	1	8260B		6/10/2015	CJR	1
1,1-Dichloroethane	< 1.1	ug/l	1.1	3.6	1	8260B		6/10/2015	CJR	1
1,1-Dichloroethene	< 0.65	ug/l	0.65	2.1	1	8260B		6/10/2015	CJR	1
cis-1,2-Dichloroethene	< 0.45	ug/l	0.45	1.4	1	8260B		6/10/2015	CJR	1
trans-1,2-Dichloroethene	< 0.54	ug/l	0.54	1.7	1	8260B		6/10/2015	CJR	1
1,2-Dichloropropane	< 0.43	ug/l	0.43	1.37	1	8260B		6/10/2015	CJR	1
2,2-Dichloropropane	< 3.1	ug/l	3.1	9.8	1	8260B		6/10/2015	CJR	4
1,3-Dichloropropane	< 0.42	ug/l	0.42	1.3	1	8260B		6/10/2015	CJR	1
Di-isopropyl ether	< 0.44	ug/l	0.44	1.4	1	8260B		6/10/2015	CJR	1
EDB (1,2-Dibromoethane)	< 0.63	ug/l	0.63	2	1	8260B		6/10/2015	CJR	1
Ethylbenzene	2.01 "J"	ug/l	0.71	2.3	1	8260B		6/10/2015	CJR	1
Hexachlorobutadiene	< 2.2	ug/l	2.2	7.1	1	8260B		6/10/2015	CJR	1
Isopropylbenzene	< 0.82	ug/l	0.82	2.6	1	8260B		6/10/2015	CJR	1
p-Isopropyltoluene	< 1.1	ug/l	1.1	3.5	1	8260B		6/10/2015	CJR	1
Methylene chloride	< 1.3	ug/l	1.3	4.2	1	8260B		6/10/2015	CJR	1
Methyl tert-butyl ether (MTBE)	< 1.1	ug/l	1.1	3.7	1	8260B		6/10/2015	CJR	1
Naphthalene	< 1.6	ug/l	1.6	5.2	1	8260B		6/10/2015	CJR	1
n-Propylbenzene	< 0.77	ug/l	0.77	2.4	1	8260B		6/10/2015	CJR	1
1,1,2,2-Tetrachloroethane	< 0.52	ug/l	0.52	1.7	1	8260B		6/10/2015	CJR	1
1,1,1,2-Tetrachloroethane	< 0.48	ug/l	0.48	1.5	1	8260B		6/10/2015	CJR	1
Tetrachloroethene	< 0.74	ug/l	0.74	2.4	1	8260B		6/10/2015	CJR	1
Toluene	< 0.44	ug/l	0.44	1.4	1	8260B		6/10/2015	CJR	1
1,2,4-Trichlorobenzene	< 1.7	ug/l	1.7	5.6	1	8260B		6/10/2015	CJR	1
1,2,3-Trichlorobenzene	< 2.7	ug/l	2.7	8.6	1	8260B		6/10/2015	CJR	1
1,1,1-Trichloroethane	< 0.84	ug/l	0.84	2.7	1	8260B		6/10/2015	CJR	1
1,1,2-Trichloroethane	< 0.48	ug/l	0.48	1.52	1	8260B		6/10/2015	CJR	1
Trichloroethene (TCE)	< 0.47	ug/l	0.47	1.5	1	8260B		6/10/2015	CJR	1
Trichlorofluoromethane	< 0.87	ug/l	0.87	2.8	1	8260B		6/10/2015	CJR	1
1,2,4-Trimethylbenzene	< 1.6	ug/l	1.6	5	1	8260B		6/10/2015	CJR	1
1,3,5-Trimethylbenzene	< 1.5	ug/l	1.5	4.8	1	8260B		6/10/2015	CJR	1
Vinyl Chloride	< 0.17	ug/l	0.17	0.54	1	8260B		6/10/2015	CJR	1
m&p-Xylene	< 2.2	ug/l	2.2	6.9	1	8260B		6/10/2015	CJR	1
o-Xylene	< 0.9	ug/l	0.9	2.9	1	8260B		6/10/2015	CJR	1
SUR - 4-Bromofluorobenzene	109	REC %			1	8260B		6/10/2015	CJR	1
SUR - Dibromofluoromethane	94	REC %			1	8260B		6/10/2015	CJR	1
SUR - Toluene-d8	105	REC %			1	8260B		6/10/2015	CJR	1
SUR - 1,2-Dichloroethane-d4	100	REC %			1	8260B		6/10/2015	CJR	1

**Project Name** FMR ROBINSON'S CLEANERS  
**Project #** 6155 PO2015465

**Invoice #** E29039

**Lab Code** 5029039L  
**Sample ID** 6155-MW-26  
**Sample Matrix** Water  
**Sample Date** 6/3/2015

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.44	ug/l	0.44	1.4	1	8260B		6/10/2015	CJR	1
Bromobenzene	< 0.48	ug/l	0.48	1.5	1	8260B		6/10/2015	CJR	1
Bromodichloromethane	0.86 "J"	ug/l	0.46	1.5	1	8260B		6/10/2015	CJR	1
Bromoform	< 0.46	ug/l	0.46	1.5	1	8260B		6/10/2015	CJR	1
tert-Butylbenzene	< 1.1	ug/l	1.1	3.4	1	8260B		6/10/2015	CJR	1
sec-Butylbenzene	< 1.2	ug/l	1.2	3.8	1	8260B		6/10/2015	CJR	1
n-Butylbenzene	< 1	ug/l	1	3.3	1	8260B		6/10/2015	CJR	1
Carbon Tetrachloride	< 0.65	ug/l	0.65	2.1	1	8260B		6/10/2015	CJR	1
Chlorobenzene	< 0.46	ug/l	0.46	1.4	1	8260B		6/10/2015	CJR	1
Chloroethane	< 0.65	ug/l	0.65	2.1	1	8260B		6/10/2015	CJR	1
Chloroform	0.70 "J"	ug/l	0.43	1.4	1	8260B		6/10/2015	CJR	1
Chloromethane	< 1.9	ug/l	1.9	6	1	8260B		6/10/2015	CJR	1
2-Chlorotoluene	< 0.4	ug/l	0.4	1.3	1	8260B		6/10/2015	CJR	1
4-Chlorotoluene	< 0.63	ug/l	0.63	2	1	8260B		6/10/2015	CJR	1
1,2-Dibromo-3-chloropropane	< 1.4	ug/l	1.4	4.5	1	8260B		6/10/2015	CJR	1
Dibromochloromethane	< 0.45	ug/l	0.45	1.4	1	8260B		6/10/2015	CJR	1
1,4-Dichlorobenzene	< 0.49	ug/l	0.49	1.6	1	8260B		6/10/2015	CJR	1
1,3-Dichlorobenzene	< 0.52	ug/l	0.52	1.6	1	8260B		6/10/2015	CJR	1
1,2-Dichlorobenzene	< 0.46	ug/l	0.46	1.5	1	8260B		6/10/2015	CJR	1
Dichlorodifluoromethane	< 0.87	ug/l	0.87	2.8	1	8260B		6/10/2015	CJR	1
1,2-Dichloroethane	< 0.54	ug/l	0.54	1.7	1	8260B		6/10/2015	CJR	1
1,1-Dichloroethane	< 1.1	ug/l	1.1	3.6	1	8260B		6/10/2015	CJR	1
1,1-Dichloroethene	< 0.65	ug/l	0.65	2.1	1	8260B		6/10/2015	CJR	1
cis-1,2-Dichloroethene	< 0.45	ug/l	0.45	1.4	1	8260B		6/10/2015	CJR	1
trans-1,2-Dichloroethene	< 0.54	ug/l	0.54	1.7	1	8260B		6/10/2015	CJR	1
1,2-Dichloropropane	< 0.43	ug/l	0.43	1.37	1	8260B		6/10/2015	CJR	1
2,2-Dichloropropane	< 3.1	ug/l	3.1	9.8	1	8260B		6/10/2015	CJR	4
1,3-Dichloropropane	< 0.42	ug/l	0.42	1.3	1	8260B		6/10/2015	CJR	1
Di-isopropyl ether	< 0.44	ug/l	0.44	1.4	1	8260B		6/10/2015	CJR	1
EDB (1,2-Dibromoethane)	< 0.63	ug/l	0.63	2	1	8260B		6/10/2015	CJR	1
Ethylbenzene	< 0.71	ug/l	0.71	2.3	1	8260B		6/10/2015	CJR	1
Hexachlorobutadiene	< 2.2	ug/l	2.2	7.1	1	8260B		6/10/2015	CJR	1
Isopropylbenzene	< 0.82	ug/l	0.82	2.6	1	8260B		6/10/2015	CJR	1
p-Isopropyltoluene	< 1.1	ug/l	1.1	3.5	1	8260B		6/10/2015	CJR	1
Methylene chloride	< 1.3	ug/l	1.3	4.2	1	8260B		6/10/2015	CJR	1
Methyl tert-butyl ether (MTBE)	< 1.1	ug/l	1.1	3.7	1	8260B		6/10/2015	CJR	1
Naphthalene	< 1.6	ug/l	1.6	5.2	1	8260B		6/10/2015	CJR	1
n-Propylbenzene	< 0.77	ug/l	0.77	2.4	1	8260B		6/10/2015	CJR	1
1,1,2,2-Tetrachloroethane	< 0.52	ug/l	0.52	1.7	1	8260B		6/10/2015	CJR	1
1,1,1,2-Tetrachloroethane	< 0.48	ug/l	0.48	1.5	1	8260B		6/10/2015	CJR	1
Tetrachloroethene	30.2	ug/l	0.74	2.4	1	8260B		6/10/2015	CJR	1
Toluene	< 0.44	ug/l	0.44	1.4	1	8260B		6/10/2015	CJR	1
1,2,4-Trichlorobenzene	< 1.7	ug/l	1.7	5.6	1	8260B		6/10/2015	CJR	1
1,2,3-Trichlorobenzene	< 2.7	ug/l	2.7	8.6	1	8260B		6/10/2015	CJR	1
1,1,1-Trichloroethane	< 0.84	ug/l	0.84	2.7	1	8260B		6/10/2015	CJR	1
1,1,2-Trichloroethane	< 0.48	ug/l	0.48	1.52	1	8260B		6/10/2015	CJR	1
Trichloroethene (TCE)	< 0.47	ug/l	0.47	1.5	1	8260B		6/10/2015	CJR	1
Trichlorofluoromethane	< 0.87	ug/l	0.87	2.8	1	8260B		6/10/2015	CJR	1
1,2,4-Trimethylbenzene	< 1.6	ug/l	1.6	5	1	8260B		6/10/2015	CJR	1
1,3,5-Trimethylbenzene	< 1.5	ug/l	1.5	4.8	1	8260B		6/10/2015	CJR	1
Vinyl Chloride	< 0.17	ug/l	0.17	0.54	1	8260B		6/10/2015	CJR	1
m&p-Xylene	< 2.2	ug/l	2.2	6.9	1	8260B		6/10/2015	CJR	1
o-Xylene	< 0.9	ug/l	0.9	2.9	1	8260B		6/10/2015	CJR	1
SUR - 1,2-Dichloroethane-d4	94	REC %			1	8260B		6/10/2015	CJR	1
SUR - 4-Bromofluorobenzene	113	REC %			1	8260B		6/10/2015	CJR	1
SUR - Dibromofluoromethane	94	REC %			1	8260B		6/10/2015	CJR	1
SUR - Toluene-d8	104	REC %			1	8260B		6/10/2015	CJR	1



**Project Name** FMR ROBINSON'S CLEANERS  
**Project #** 6155 PO2015465

**Invoice #** E29039

**Lab Code** 5029039M  
**Sample ID** 6155-MW-27S  
**Sample Matrix** Water  
**Sample Date** 6/2/2015

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 4.4	ug/l	4.4	14	10	8260B		6/12/2015	CJR	1
Bromobenzene	< 4.8	ug/l	4.8	15	10	8260B		6/12/2015	CJR	1
Bromodichloromethane	< 4.6	ug/l	4.6	15	10	8260B		6/12/2015	CJR	1
Bromoform	< 4.6	ug/l	4.6	15	10	8260B		6/12/2015	CJR	1
tert-Butylbenzene	< 11	ug/l	11	34	10	8260B		6/12/2015	CJR	1
sec-Butylbenzene	< 12	ug/l	12	38	10	8260B		6/12/2015	CJR	1
n-Butylbenzene	< 10	ug/l	10	33	10	8260B		6/12/2015	CJR	1
Carbon Tetrachloride	< 6.5	ug/l	6.5	21	10	8260B		6/12/2015	CJR	1
Chlorobenzene	< 4.6	ug/l	4.6	14	10	8260B		6/12/2015	CJR	1
Chloroethane	< 6.5	ug/l	6.5	21	10	8260B		6/12/2015	CJR	1
Chloroform	< 4.3	ug/l	4.3	14	10	8260B		6/12/2015	CJR	1
Chloromethane	< 19	ug/l	19	60	10	8260B		6/12/2015	CJR	1
2-Chlorotoluene	< 4	ug/l	4	13	10	8260B		6/12/2015	CJR	1
4-Chlorotoluene	< 6.3	ug/l	6.3	20	10	8260B		6/12/2015	CJR	1
1,2-Dibromo-3-chloropropane	< 14	ug/l	14	45	10	8260B		6/12/2015	CJR	1
Dibromochloromethane	< 4.5	ug/l	4.5	14	10	8260B		6/12/2015	CJR	1
1,4-Dichlorobenzene	< 4.9	ug/l	4.9	16	10	8260B		6/12/2015	CJR	1
1,3-Dichlorobenzene	< 5.2	ug/l	5.2	16	10	8260B		6/12/2015	CJR	1
1,2-Dichlorobenzene	< 4.6	ug/l	4.6	15	10	8260B		6/12/2015	CJR	1
Dichlorodifluoromethane	< 8.7	ug/l	8.7	28	10	8260B		6/12/2015	CJR	1
1,2-Dichloroethane	< 5.4	ug/l	5.4	17	10	8260B		6/12/2015	CJR	1
1,1-Dichloroethane	< 11	ug/l	11	36	10	8260B		6/12/2015	CJR	1
1,1-Dichloroethene	< 6.5	ug/l	6.5	21	10	8260B		6/12/2015	CJR	1
cis-1,2-Dichloroethene	31.2	ug/l	4.5	14	10	8260B		6/12/2015	CJR	1
trans-1,2-Dichloroethene	< 5.4	ug/l	5.4	17	10	8260B		6/12/2015	CJR	1
1,2-Dichloropropane	< 4.3	ug/l	4.3	13.7	10	8260B		6/12/2015	CJR	1
2,2-Dichloropropane	< 31	ug/l	31	98	10	8260B		6/12/2015	CJR	1
1,3-Dichloropropane	< 4.2	ug/l	4.2	13	10	8260B		6/12/2015	CJR	1
Di-isopropyl ether	< 4.4	ug/l	4.4	14	10	8260B		6/12/2015	CJR	1
EDB (1,2-Dibromoethane)	< 6.3	ug/l	6.3	20	10	8260B		6/12/2015	CJR	1
Ethylbenzene	< 7.1	ug/l	7.1	23	10	8260B		6/12/2015	CJR	1
Hexachlorobutadiene	< 22	ug/l	22	71	10	8260B		6/12/2015	CJR	1
Isopropylbenzene	< 8.2	ug/l	8.2	26	10	8260B		6/12/2015	CJR	1
p-Isopropyltoluene	< 11	ug/l	11	35	10	8260B		6/12/2015	CJR	1
Methylene chloride	< 13	ug/l	13	42	10	8260B		6/12/2015	CJR	1
Methyl tert-butyl ether (MTBE)	< 11	ug/l	11	37	10	8260B		6/12/2015	CJR	1
Naphthalene	< 16	ug/l	16	52	10	8260B		6/12/2015	CJR	1
n-Propylbenzene	< 7.7	ug/l	7.7	24	10	8260B		6/12/2015	CJR	1
1,1,2,2-Tetrachloroethane	< 5.2	ug/l	5.2	17	10	8260B		6/12/2015	CJR	1
1,1,1,2-Tetrachloroethane	< 4.8	ug/l	4.8	15	10	8260B		6/12/2015	CJR	1
Tetrachloroethene	350	ug/l	7.4	24	10	8260B		6/12/2015	CJR	1
Toluene	< 4.4	ug/l	4.4	14	10	8260B		6/12/2015	CJR	1
1,2,4-Trichlorobenzene	< 17	ug/l	17	56	10	8260B		6/12/2015	CJR	1
1,2,3-Trichlorobenzene	< 27	ug/l	27	86	10	8260B		6/12/2015	CJR	1
1,1,1-Trichloroethane	< 8.4	ug/l	8.4	27	10	8260B		6/12/2015	CJR	1
1,1,2-Trichloroethane	< 4.8	ug/l	4.8	15.2	10	8260B		6/12/2015	CJR	1
Trichloroethene (TCE)	26.8	ug/l	4.7	15	10	8260B		6/12/2015	CJR	1
Trichlorofluoromethane	< 8.7	ug/l	8.7	28	10	8260B		6/12/2015	CJR	1
1,2,4-Trimethylbenzene	< 16	ug/l	16	50	10	8260B		6/12/2015	CJR	1
1,3,5-Trimethylbenzene	< 15	ug/l	15	48	10	8260B		6/12/2015	CJR	1
Vinyl Chloride	< 1.7	ug/l	1.7	5.4	10	8260B		6/12/2015	CJR	1
m&p-Xylene	< 22	ug/l	22	69	10	8260B		6/12/2015	CJR	1
o-Xylene	< 9	ug/l	9	29	10	8260B		6/12/2015	CJR	1
SUR - 1,2-Dichloroethane-d4	97	REC %				8260B		6/12/2015	CJR	1
SUR - 4-Bromofluorobenzene	100	REC %				8260B		6/12/2015	CJR	1
SUR - Dibromofluoromethane	99	REC %				8260B		6/12/2015	CJR	1
SUR - Toluene-d8	103	REC %				8260B		6/12/2015	CJR	1

Project Name FMR ROBINSON'S CLEANERS  
 Project # 6155 PO2015465

Invoice # E29039

Lab Code 5029039N  
 Sample ID 6155-MW-27D  
 Sample Matrix Water  
 Sample Date 6/2/2015

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 4.4	ug/l	4.4	14	10	8260B		6/12/2015	CJR	1
Bromobenzene	< 4.8	ug/l	4.8	15	10	8260B		6/12/2015	CJR	1
Bromodichloromethane	< 4.6	ug/l	4.6	15	10	8260B		6/12/2015	CJR	1
Bromoform	< 4.6	ug/l	4.6	15	10	8260B		6/12/2015	CJR	1
tert-Butylbenzene	< 11	ug/l	11	34	10	8260B		6/12/2015	CJR	1
sec-Butylbenzene	< 12	ug/l	12	38	10	8260B		6/12/2015	CJR	1
n-Butylbenzene	< 10	ug/l	10	33	10	8260B		6/12/2015	CJR	1
Carbon Tetrachloride	< 6.5	ug/l	6.5	21	10	8260B		6/12/2015	CJR	1
Chlorobenzene	< 4.6	ug/l	4.6	14	10	8260B		6/12/2015	CJR	1
Chloroethane	< 6.5	ug/l	6.5	21	10	8260B		6/12/2015	CJR	1
Chloroform	< 4.3	ug/l	4.3	14	10	8260B		6/12/2015	CJR	1
Chloromethane	< 19	ug/l	19	60	10	8260B		6/12/2015	CJR	1
2-Chlorotoluene	< 4	ug/l	4	13	10	8260B		6/12/2015	CJR	1
4-Chlorotoluene	< 6.3	ug/l	6.3	20	10	8260B		6/12/2015	CJR	1
1,2-Dibromo-3-chloropropane	< 14	ug/l	14	45	10	8260B		6/12/2015	CJR	1
Dibromochloromethane	< 4.5	ug/l	4.5	14	10	8260B		6/12/2015	CJR	1
1,4-Dichlorobenzene	< 4.9	ug/l	4.9	16	10	8260B		6/12/2015	CJR	1
1,3-Dichlorobenzene	< 5.2	ug/l	5.2	16	10	8260B		6/12/2015	CJR	1
1,2-Dichlorobenzene	< 4.6	ug/l	4.6	15	10	8260B		6/12/2015	CJR	1
Dichlorodifluoromethane	< 8.7	ug/l	8.7	28	10	8260B		6/12/2015	CJR	1
1,2-Dichloroethane	< 5.4	ug/l	5.4	17	10	8260B		6/12/2015	CJR	1
1,1-Dichloroethane	< 11	ug/l	11	36	10	8260B		6/12/2015	CJR	1
1,1-Dichloroethene	< 6.5	ug/l	6.5	21	10	8260B		6/12/2015	CJR	1
cis-1,2-Dichloroethene	< 4.5	ug/l	4.5	14	10	8260B		6/12/2015	CJR	1
trans-1,2-Dichloroethene	< 5.4	ug/l	5.4	17	10	8260B		6/12/2015	CJR	1
1,2-Dichloropropane	< 4.3	ug/l	4.3	13.7	10	8260B		6/12/2015	CJR	1
2,2-Dichloropropane	< 31	ug/l	31	98	10	8260B		6/12/2015	CJR	1
1,3-Dichloropropane	< 4.2	ug/l	4.2	13	10	8260B		6/12/2015	CJR	1
Di-isopropyl ether	< 4.4	ug/l	4.4	14	10	8260B		6/12/2015	CJR	1
EDB (1,2-Dibromoethane)	< 6.3	ug/l	6.3	20	10	8260B		6/12/2015	CJR	1
Ethylbenzene	< 7.1	ug/l	7.1	23	10	8260B		6/12/2015	CJR	1
Hexachlorobutadiene	< 22	ug/l	22	71	10	8260B		6/12/2015	CJR	1
Isopropylbenzene	< 8.2	ug/l	8.2	26	10	8260B		6/12/2015	CJR	1
p-Isopropyltoluene	< 11	ug/l	11	35	10	8260B		6/12/2015	CJR	1
Methylene chloride	< 13	ug/l	13	42	10	8260B		6/12/2015	CJR	1
Methyl tert-butyl ether (MTBE)	< 11	ug/l	11	37	10	8260B		6/12/2015	CJR	1
Naphthalene	< 16	ug/l	16	52	10	8260B		6/12/2015	CJR	1
n-Propylbenzene	< 7.7	ug/l	7.7	24	10	8260B		6/12/2015	CJR	1
1,1,2,2-Tetrachloroethane	< 5.2	ug/l	5.2	17	10	8260B		6/12/2015	CJR	1
1,1,1,2-Tetrachloroethane	< 4.8	ug/l	4.8	15	10	8260B		6/12/2015	CJR	1
Tetrachloroethene	430	ug/l	7.4	24	10	8260B		6/12/2015	CJR	1
Toluene	< 4.4	ug/l	4.4	14	10	8260B		6/12/2015	CJR	1
1,2,4-Trichlorobenzene	< 17	ug/l	17	56	10	8260B		6/12/2015	CJR	1
1,2,3-Trichlorobenzene	< 27	ug/l	27	86	10	8260B		6/12/2015	CJR	1
1,1,1-Trichloroethane	< 8.4	ug/l	8.4	27	10	8260B		6/12/2015	CJR	1
1,1,2-Trichloroethane	< 4.8	ug/l	4.8	15.2	10	8260B		6/12/2015	CJR	1
Trichloroethene (TCE)	6.4 "J"	ug/l	4.7	15	10	8260B		6/12/2015	CJR	1
Trichlorofluoromethane	< 8.7	ug/l	8.7	28	10	8260B		6/12/2015	CJR	1
1,2,4-Trimethylbenzene	< 16	ug/l	16	50	10	8260B		6/12/2015	CJR	1
1,3,5-Trimethylbenzene	< 15	ug/l	15	48	10	8260B		6/12/2015	CJR	1
Vinyl Chloride	< 1.7	ug/l	1.7	5.4	10	8260B		6/12/2015	CJR	1
m&p-Xylene	< 22	ug/l	22	69	10	8260B		6/12/2015	CJR	1
o-Xylene	< 9	ug/l	9	29	10	8260B		6/12/2015	CJR	1
SUR - Toluene-d8	106	REC %				8260B		6/12/2015	CJR	1
SUR - Dibromofluoromethane	97	REC %				8260B		6/12/2015	CJR	1
SUR - 4-Bromofluorobenzene	104	REC %				8260B		6/12/2015	CJR	1
SUR - 1,2-Dichloroethane-d4	88	REC %				8260B		6/12/2015	CJR	1

Project Name FMR ROBINSON'S CLEANERS  
 Project # 6155 PO2015465

Invoice # E29039

Lab Code 50290390  
 Sample ID 6155-MW-27DS  
 Sample Matrix Water  
 Sample Date 6/2/2015

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.44	ug/l	0.44	1.4	1	8260B		6/10/2015	CJR	1
Bromobenzene	< 0.48	ug/l	0.48	1.5	1	8260B		6/10/2015	CJR	1
Bromodichloromethane	< 0.46	ug/l	0.46	1.5	1	8260B		6/10/2015	CJR	1
Bromoform	< 0.46	ug/l	0.46	1.5	1	8260B		6/10/2015	CJR	1
tert-Butylbenzene	< 1.1	ug/l	1.1	3.4	1	8260B		6/10/2015	CJR	1
sec-Butylbenzene	< 1.2	ug/l	1.2	3.8	1	8260B		6/10/2015	CJR	1
n-Butylbenzene	< 1	ug/l	1	3.3	1	8260B		6/10/2015	CJR	1
Carbon Tetrachloride	< 0.65	ug/l	0.65	2.1	1	8260B		6/10/2015	CJR	1
Chlorobenzene	< 0.46	ug/l	0.46	1.4	1	8260B		6/10/2015	CJR	1
Chloroethane	< 0.65	ug/l	0.65	2.1	1	8260B		6/10/2015	CJR	1
Chloroform	< 0.43	ug/l	0.43	1.4	1	8260B		6/10/2015	CJR	1
Chloromethane	< 1.9	ug/l	1.9	6	1	8260B		6/10/2015	CJR	1
2-Chlorotoluene	< 0.4	ug/l	0.4	1.3	1	8260B		6/10/2015	CJR	1
4-Chlorotoluene	< 0.63	ug/l	0.63	2	1	8260B		6/10/2015	CJR	1
1,2-Dibromo-3-chloropropane	< 1.4	ug/l	1.4	4.5	1	8260B		6/10/2015	CJR	1
Dibromochloromethane	< 0.45	ug/l	0.45	1.4	1	8260B		6/10/2015	CJR	1
1,4-Dichlorobenzene	< 0.49	ug/l	0.49	1.6	1	8260B		6/10/2015	CJR	1
1,3-Dichlorobenzene	< 0.52	ug/l	0.52	1.6	1	8260B		6/10/2015	CJR	1
1,2-Dichlorobenzene	< 0.46	ug/l	0.46	1.5	1	8260B		6/10/2015	CJR	1
Dichlorodifluoromethane	< 0.87	ug/l	0.87	2.8	1	8260B		6/10/2015	CJR	1
1,2-Dichloroethane	< 0.54	ug/l	0.54	1.7	1	8260B		6/10/2015	CJR	1
1,1-Dichloroethane	< 1.1	ug/l	1.1	3.6	1	8260B		6/10/2015	CJR	1
1,1-Dichloroethene	< 0.65	ug/l	0.65	2.1	1	8260B		6/10/2015	CJR	1
cis-1,2-Dichloroethene	0.94 "J"	ug/l	0.45	1.4	1	8260B		6/10/2015	CJR	1
trans-1,2-Dichloroethene	< 0.54	ug/l	0.54	1.7	1	8260B		6/10/2015	CJR	1
1,2-Dichloropropane	< 0.43	ug/l	0.43	1.37	1	8260B		6/10/2015	CJR	1
2,2-Dichloropropane	< 3.1	ug/l	3.1	9.8	1	8260B		6/10/2015	CJR	4
1,3-Dichloropropane	< 0.42	ug/l	0.42	1.3	1	8260B		6/10/2015	CJR	1
Di-isopropyl ether	< 0.44	ug/l	0.44	1.4	1	8260B		6/10/2015	CJR	1
EDB (1,2-Dibromoethane)	< 0.63	ug/l	0.63	2	1	8260B		6/10/2015	CJR	1
Ethylbenzene	< 0.71	ug/l	0.71	2.3	1	8260B		6/10/2015	CJR	1
Hexachlorobutadiene	< 2.2	ug/l	2.2	7.1	1	8260B		6/10/2015	CJR	1
Isopropylbenzene	< 0.82	ug/l	0.82	2.6	1	8260B		6/10/2015	CJR	1
p-Isopropyltoluene	< 1.1	ug/l	1.1	3.5	1	8260B		6/10/2015	CJR	1
Methylene chloride	< 1.3	ug/l	1.3	4.2	1	8260B		6/10/2015	CJR	1
Methyl tert-butyl ether (MTBE)	< 1.1	ug/l	1.1	3.7	1	8260B		6/10/2015	CJR	1
Naphthalene	< 1.6	ug/l	1.6	5.2	1	8260B		6/10/2015	CJR	1
n-Propylbenzene	< 0.77	ug/l	0.77	2.4	1	8260B		6/10/2015	CJR	1
1,1,2,2-Tetrachloroethane	< 0.52	ug/l	0.52	1.7	1	8260B		6/10/2015	CJR	1
1,1,1,2-Tetrachloroethane	< 0.48	ug/l	0.48	1.5	1	8260B		6/10/2015	CJR	1
Tetrachloroethene	106	ug/l	0.74	2.4	1	8260B		6/10/2015	CJR	1
Toluene	< 0.44	ug/l	0.44	1.4	1	8260B		6/10/2015	CJR	1
1,2,4-Trichlorobenzene	< 1.7	ug/l	1.7	5.6	1	8260B		6/10/2015	CJR	1
1,2,3-Trichlorobenzene	< 2.7	ug/l	2.7	8.6	1	8260B		6/10/2015	CJR	1
1,1,1-Trichloroethane	< 0.84	ug/l	0.84	2.7	1	8260B		6/10/2015	CJR	1
1,1,2-Trichloroethane	< 0.48	ug/l	0.48	1.52	1	8260B		6/10/2015	CJR	1
Trichloroethene (TCE)	3.02	ug/l	0.47	1.5	1	8260B		6/10/2015	CJR	1
Trichlorofluoromethane	< 0.87	ug/l	0.87	2.8	1	8260B		6/10/2015	CJR	1
1,2,4-Trimethylbenzene	< 1.6	ug/l	1.6	5	1	8260B		6/10/2015	CJR	1
1,3,5-Trimethylbenzene	< 1.5	ug/l	1.5	4.8	1	8260B		6/10/2015	CJR	1
Vinyl Chloride	< 0.17	ug/l	0.17	0.54	1	8260B		6/10/2015	CJR	1
m&p-Xylene	< 2.2	ug/l	2.2	6.9	1	8260B		6/10/2015	CJR	1
o-Xylene	< 0.9	ug/l	0.9	2.9	1	8260B		6/10/2015	CJR	1
SUR - Toluene-d8	103	REC %			1	8260B		6/10/2015	CJR	1
SUR - Dibromofluoromethane	91	REC %			1	8260B		6/10/2015	CJR	1
SUR - 4-Bromofluorobenzene	120	REC %			1	8260B		6/10/2015	CJR	1
SUR - 1,2-Dichloroethane-d4	102	REC %			1	8260B		6/10/2015	CJR	1

**Project Name** FMR ROBINSON'S CLEANERS  
**Project #** 6155 PO2015465

**Invoice #** E29039

**Lab Code** 5029039P  
**Sample ID** 6155-MW-29  
**Sample Matrix** Water  
**Sample Date** 6/2/2015

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 2.2	ug/l	2.2	7	5	8260B		6/13/2015	CJR	1
Bromobenzene	< 2.4	ug/l	2.4	7.5	5	8260B		6/13/2015	CJR	1
Bromodichloromethane	< 2.3	ug/l	2.3	7.5	5	8260B		6/13/2015	CJR	1
Bromoform	< 2.3	ug/l	2.3	7.5	5	8260B		6/13/2015	CJR	1
tert-Butylbenzene	< 5.5	ug/l	5.5	17	5	8260B		6/13/2015	CJR	1
sec-Butylbenzene	< 6	ug/l	6	19	5	8260B		6/13/2015	CJR	1
n-Butylbenzene	< 5	ug/l	5	16.5	5	8260B		6/13/2015	CJR	1
Carbon Tetrachloride	< 3.25	ug/l	3.25	10.5	5	8260B		6/13/2015	CJR	1
Chlorobenzene	< 2.3	ug/l	2.3	7	5	8260B		6/13/2015	CJR	1
Chloroethane	< 3.25	ug/l	3.25	10.5	5	8260B		6/13/2015	CJR	1
Chloroform	< 2.15	ug/l	2.15	7	5	8260B		6/13/2015	CJR	1
Chloromethane	< 9.5	ug/l	9.5	30	5	8260B		6/13/2015	CJR	1
2-Chlorotoluene	< 2	ug/l	2	6.5	5	8260B		6/13/2015	CJR	1
4-Chlorotoluene	< 3.15	ug/l	3.15	10	5	8260B		6/13/2015	CJR	1
1,2-Dibromo-3-chloropropane	< 7	ug/l	7	22.5	5	8260B		6/13/2015	CJR	1
Dibromochloromethane	< 2.25	ug/l	2.25	7	5	8260B		6/13/2015	CJR	1
1,4-Dichlorobenzene	< 2.45	ug/l	2.45	8	5	8260B		6/13/2015	CJR	1
1,3-Dichlorobenzene	< 2.6	ug/l	2.6	8	5	8260B		6/13/2015	CJR	1
1,2-Dichlorobenzene	< 2.3	ug/l	2.3	7.5	5	8260B		6/13/2015	CJR	1
Dichlorodifluoromethane	< 4.35	ug/l	4.35	14	5	8260B		6/13/2015	CJR	1
1,2-Dichloroethane	< 2.7	ug/l	2.7	8.5	5	8260B		6/13/2015	CJR	1
1,1-Dichloroethane	< 5.5	ug/l	5.5	18	5	8260B		6/13/2015	CJR	1
1,1-Dichloroethene	< 3.25	ug/l	3.25	10.5	5	8260B		6/13/2015	CJR	1
cis-1,2-Dichloroethene	< 2.25	ug/l	2.25	7	5	8260B		6/13/2015	CJR	1
trans-1,2-Dichloroethene	< 2.7	ug/l	2.7	8.5	5	8260B		6/13/2015	CJR	1
1,2-Dichloropropane	< 2.15	ug/l	2.15	6.85	5	8260B		6/13/2015	CJR	1
2,2-Dichloropropane	< 15.5	ug/l	15.5	49	5	8260B		6/13/2015	CJR	1
1,3-Dichloropropane	< 2.1	ug/l	2.1	6.5	5	8260B		6/13/2015	CJR	1
Di-isopropyl ether	< 2.2	ug/l	2.2	7	5	8260B		6/13/2015	CJR	1
EDB (1,2-Dibromoethane)	< 3.15	ug/l	3.15	10	5	8260B		6/13/2015	CJR	1
Ethylbenzene	< 3.55	ug/l	3.55	11.5	5	8260B		6/13/2015	CJR	1
Hexachlorobutadiene	< 11	ug/l	11	35.5	5	8260B		6/13/2015	CJR	1
Isopropylbenzene	< 4.1	ug/l	4.1	13	5	8260B		6/13/2015	CJR	1
p-Isopropyltoluene	< 5.5	ug/l	5.5	17.5	5	8260B		6/13/2015	CJR	1
Methylene chloride	< 6.5	ug/l	6.5	21	5	8260B		6/13/2015	CJR	1
Methyl tert-butyl ether (MTBE)	< 5.5	ug/l	5.5	18.5	5	8260B		6/13/2015	CJR	1
Naphthalene	< 8	ug/l	8	26	5	8260B		6/13/2015	CJR	1
n-Propylbenzene	< 3.85	ug/l	3.85	12	5	8260B		6/13/2015	CJR	1
1,1,2,2-Tetrachloroethane	< 2.6	ug/l	2.6	8.5	5	8260B		6/13/2015	CJR	1
1,1,1,2-Tetrachloroethane	< 2.4	ug/l	2.4	7.5	5	8260B		6/13/2015	CJR	1
Tetrachloroethene	66	ug/l	3.7	12	5	8260B		6/13/2015	CJR	1
Toluene	< 2.2	ug/l	2.2	7	5	8260B		6/13/2015	CJR	1
1,2,4-Trichlorobenzene	< 8.5	ug/l	8.5	28	5	8260B		6/13/2015	CJR	1
1,2,3-Trichlorobenzene	< 13.5	ug/l	13.5	43	5	8260B		6/13/2015	CJR	1
1,1,1-Trichloroethane	< 4.2	ug/l	4.2	13.5	5	8260B		6/13/2015	CJR	1
1,1,2-Trichloroethane	< 2.4	ug/l	2.4	7.6	5	8260B		6/13/2015	CJR	1
Trichloroethene (TCE)	< 2.35	ug/l	2.35	7.5	5	8260B		6/13/2015	CJR	1
Trichlorofluoromethane	< 4.35	ug/l	4.35	14	5	8260B		6/13/2015	CJR	1
1,2,4-Trimethylbenzene	< 8	ug/l	8	25	5	8260B		6/13/2015	CJR	1
1,3,5-Trimethylbenzene	< 7.5	ug/l	7.5	24	5	8260B		6/13/2015	CJR	1
Vinyl Chloride	< 0.85	ug/l	0.85	2.7	5	8260B		6/13/2015	CJR	1
m&p-Xylene	< 11	ug/l	11	34.5	5	8260B		6/13/2015	CJR	1
o-Xylene	< 4.5	ug/l	4.5	14.5	5	8260B		6/13/2015	CJR	1
SUR - Toluene-d8	99	REC %			5	8260B		6/13/2015	CJR	1
SUR - Dibromofluoromethane	98	REC %			5	8260B		6/13/2015	CJR	1
SUR - 4-Bromofluorobenzene	97	REC %			5	8260B		6/13/2015	CJR	1
SUR - 1,2-Dichloroethane-d4	97	REC %			5	8260B		6/13/2015	CJR	1

**Project Name** FMR ROBINSON'S CLEANERS  
**Project #** 6155 PO2015465

**Invoice #** E29039

**Lab Code** 5029039Q  
**Sample ID** 6155-MW-29S  
**Sample Matrix** Water  
**Sample Date** 6/2/2015

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.44	ug/l	0.44	1.4	1	8260B		6/10/2015	CJR	1
Bromobenzene	< 0.48	ug/l	0.48	1.5	1	8260B		6/10/2015	CJR	1
Bromodichloromethane	< 0.46	ug/l	0.46	1.5	1	8260B		6/10/2015	CJR	1
Bromoform	< 0.46	ug/l	0.46	1.5	1	8260B		6/10/2015	CJR	1
tert-Butylbenzene	< 1.1	ug/l	1.1	3.4	1	8260B		6/10/2015	CJR	1
sec-Butylbenzene	< 1.2	ug/l	1.2	3.8	1	8260B		6/10/2015	CJR	1
n-Butylbenzene	< 1	ug/l	1	3.3	1	8260B		6/10/2015	CJR	1
Carbon Tetrachloride	< 0.65	ug/l	0.65	2.1	1	8260B		6/10/2015	CJR	1
Chlorobenzene	< 0.46	ug/l	0.46	1.4	1	8260B		6/10/2015	CJR	1
Chloroethane	< 0.65	ug/l	0.65	2.1	1	8260B		6/10/2015	CJR	1
Chloroform	< 0.43	ug/l	0.43	1.4	1	8260B		6/10/2015	CJR	1
Chloromethane	< 1.9	ug/l	1.9	6	1	8260B		6/10/2015	CJR	1
2-Chlorotoluene	< 0.4	ug/l	0.4	1.3	1	8260B		6/10/2015	CJR	1
4-Chlorotoluene	< 0.63	ug/l	0.63	2	1	8260B		6/10/2015	CJR	1
1,2-Dibromo-3-chloropropane	< 1.4	ug/l	1.4	4.5	1	8260B		6/10/2015	CJR	1
Dibromochloromethane	< 0.45	ug/l	0.45	1.4	1	8260B		6/10/2015	CJR	1
1,4-Dichlorobenzene	< 0.49	ug/l	0.49	1.6	1	8260B		6/10/2015	CJR	1
1,3-Dichlorobenzene	< 0.52	ug/l	0.52	1.6	1	8260B		6/10/2015	CJR	1
1,2-Dichlorobenzene	< 0.46	ug/l	0.46	1.5	1	8260B		6/10/2015	CJR	1
Dichlorodifluoromethane	< 0.87	ug/l	0.87	2.8	1	8260B		6/10/2015	CJR	1
1,2-Dichloroethane	< 0.54	ug/l	0.54	1.7	1	8260B		6/10/2015	CJR	1
1,1-Dichloroethane	< 1.1	ug/l	1.1	3.6	1	8260B		6/10/2015	CJR	1
1,1-Dichloroethene	< 0.65	ug/l	0.65	2.1	1	8260B		6/10/2015	CJR	1
cis-1,2-Dichloroethene	6.8	ug/l	0.45	1.4	1	8260B		6/10/2015	CJR	1
trans-1,2-Dichloroethene	< 0.54	ug/l	0.54	1.7	1	8260B		6/10/2015	CJR	1
1,2-Dichloropropane	< 0.43	ug/l	0.43	1.37	1	8260B		6/10/2015	CJR	1
2,2-Dichloropropane	< 3.1	ug/l	3.1	9.8	1	8260B		6/10/2015	CJR	4
1,3-Dichloropropane	< 0.42	ug/l	0.42	1.3	1	8260B		6/10/2015	CJR	1
Di-isopropyl ether	< 0.44	ug/l	0.44	1.4	1	8260B		6/10/2015	CJR	1
EDB (1,2-Dibromoethane)	< 0.63	ug/l	0.63	2	1	8260B		6/10/2015	CJR	1
Ethylbenzene	< 0.71	ug/l	0.71	2.3	1	8260B		6/10/2015	CJR	1
Hexachlorobutadiene	< 2.2	ug/l	2.2	7.1	1	8260B		6/10/2015	CJR	1
Isopropylbenzene	< 0.82	ug/l	0.82	2.6	1	8260B		6/10/2015	CJR	1
p-Isopropyltoluene	< 1.1	ug/l	1.1	3.5	1	8260B		6/10/2015	CJR	1
Methylene chloride	< 1.3	ug/l	1.3	4.2	1	8260B		6/10/2015	CJR	1
Methyl tert-butyl ether (MTBE)	< 1.1	ug/l	1.1	3.7	1	8260B		6/10/2015	CJR	1
Naphthalene	< 1.6	ug/l	1.6	5.2	1	8260B		6/10/2015	CJR	1
n-Propylbenzene	< 0.77	ug/l	0.77	2.4	1	8260B		6/10/2015	CJR	1
1,1,2,2-Tetrachloroethane	< 0.52	ug/l	0.52	1.7	1	8260B		6/10/2015	CJR	1
1,1,1,2-Tetrachloroethane	< 0.48	ug/l	0.48	1.5	1	8260B		6/10/2015	CJR	1
Tetrachloroethene	155	ug/l	0.74	2.4	1	8260B		6/10/2015	CJR	1
Toluene	< 0.44	ug/l	0.44	1.4	1	8260B		6/10/2015	CJR	1
1,2,4-Trichlorobenzene	< 1.7	ug/l	1.7	5.6	1	8260B		6/10/2015	CJR	1
1,2,3-Trichlorobenzene	< 2.7	ug/l	2.7	8.6	1	8260B		6/10/2015	CJR	1
1,1,1-Trichloroethane	< 0.84	ug/l	0.84	2.7	1	8260B		6/10/2015	CJR	1
1,1,2-Trichloroethane	< 0.48	ug/l	0.48	1.52	1	8260B		6/10/2015	CJR	1
Trichloroethene (TCE)	5.8	ug/l	0.47	1.5	1	8260B		6/10/2015	CJR	1
Trichlorofluoromethane	< 0.87	ug/l	0.87	2.8	1	8260B		6/10/2015	CJR	1
1,2,4-Trimethylbenzene	< 1.6	ug/l	1.6	5	1	8260B		6/10/2015	CJR	1
1,3,5-Trimethylbenzene	< 1.5	ug/l	1.5	4.8	1	8260B		6/10/2015	CJR	1
Vinyl Chloride	< 0.17	ug/l	0.17	0.54	1	8260B		6/10/2015	CJR	1
m&p-Xylene	< 2.2	ug/l	2.2	6.9	1	8260B		6/10/2015	CJR	1
o-Xylene	< 0.9	ug/l	0.9	2.9	1	8260B		6/10/2015	CJR	1
SUR - 1,2-Dichloroethane-d4	97	REC %			1	8260B		6/10/2015	CJR	1
SUR - 4-Bromofluorobenzene	116	REC %			1	8260B		6/10/2015	CJR	1
SUR - Dibromofluoromethane	95	REC %			1	8260B		6/10/2015	CJR	1
SUR - Toluene-d8	101	REC %			1	8260B		6/10/2015	CJR	1

**Project Name** FMR ROBINSON'S CLEANERS  
**Project #** 6155 PO2015465

**Invoice #** E29039

**Lab Code** 5029039R  
**Sample ID** 6155-MW-29D  
**Sample Matrix** Water  
**Sample Date** 6/2/2015

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.44	ug/l	0.44	1.4	1	8260B		6/10/2015	CJR	1
Bromobenzene	< 0.48	ug/l	0.48	1.5	1	8260B		6/10/2015	CJR	1
Bromodichloromethane	< 0.46	ug/l	0.46	1.5	1	8260B		6/10/2015	CJR	1
Bromoform	< 0.46	ug/l	0.46	1.5	1	8260B		6/10/2015	CJR	1
tert-Butylbenzene	< 1.1	ug/l	1.1	3.4	1	8260B		6/10/2015	CJR	1
sec-Butylbenzene	< 1.2	ug/l	1.2	3.8	1	8260B		6/10/2015	CJR	1
n-Butylbenzene	< 1	ug/l	1	3.3	1	8260B		6/10/2015	CJR	1
Carbon Tetrachloride	< 0.65	ug/l	0.65	2.1	1	8260B		6/10/2015	CJR	1
Chlorobenzene	< 0.46	ug/l	0.46	1.4	1	8260B		6/10/2015	CJR	1
Chloroethane	< 0.65	ug/l	0.65	2.1	1	8260B		6/10/2015	CJR	1
Chloroform	< 0.43	ug/l	0.43	1.4	1	8260B		6/10/2015	CJR	1
Chloromethane	< 1.9	ug/l	1.9	6	1	8260B		6/10/2015	CJR	1
2-Chlorotoluene	< 0.4	ug/l	0.4	1.3	1	8260B		6/10/2015	CJR	1
4-Chlorotoluene	< 0.63	ug/l	0.63	2	1	8260B		6/10/2015	CJR	1
1,2-Dibromo-3-chloropropane	< 1.4	ug/l	1.4	4.5	1	8260B		6/10/2015	CJR	1
Dibromochloromethane	< 0.45	ug/l	0.45	1.4	1	8260B		6/10/2015	CJR	1
1,4-Dichlorobenzene	< 0.49	ug/l	0.49	1.6	1	8260B		6/10/2015	CJR	1
1,3-Dichlorobenzene	< 0.52	ug/l	0.52	1.6	1	8260B		6/10/2015	CJR	1
1,2-Dichlorobenzene	< 0.46	ug/l	0.46	1.5	1	8260B		6/10/2015	CJR	1
Dichlorodifluoromethane	< 0.87	ug/l	0.87	2.8	1	8260B		6/10/2015	CJR	1
1,2-Dichloroethane	< 0.54	ug/l	0.54	1.7	1	8260B		6/10/2015	CJR	1
1,1-Dichloroethane	< 1.1	ug/l	1.1	3.6	1	8260B		6/10/2015	CJR	1
1,1-Dichloroethene	< 0.65	ug/l	0.65	2.1	1	8260B		6/10/2015	CJR	1
cis-1,2-Dichloroethene	< 0.45	ug/l	0.45	1.4	1	8260B		6/10/2015	CJR	1
trans-1,2-Dichloroethene	< 0.54	ug/l	0.54	1.7	1	8260B		6/10/2015	CJR	1
1,2-Dichloropropane	< 0.43	ug/l	0.43	1.37	1	8260B		6/10/2015	CJR	1
2,2-Dichloropropane	< 3.1	ug/l	3.1	9.8	1	8260B		6/10/2015	CJR	4
1,3-Dichloropropane	< 0.42	ug/l	0.42	1.3	1	8260B		6/10/2015	CJR	1
Di-isopropyl ether	< 0.44	ug/l	0.44	1.4	1	8260B		6/10/2015	CJR	1
EDB (1,2-Dibromoethane)	< 0.63	ug/l	0.63	2	1	8260B		6/10/2015	CJR	1
Ethylbenzene	< 0.71	ug/l	0.71	2.3	1	8260B		6/10/2015	CJR	1
Hexachlorobutadiene	< 2.2	ug/l	2.2	7.1	1	8260B		6/10/2015	CJR	1
Isopropylbenzene	< 0.82	ug/l	0.82	2.6	1	8260B		6/10/2015	CJR	1
p-Isopropyltoluene	< 1.1	ug/l	1.1	3.5	1	8260B		6/10/2015	CJR	1
Methylene chloride	< 1.3	ug/l	1.3	4.2	1	8260B		6/10/2015	CJR	1
Methyl tert-butyl ether (MTBE)	< 1.1	ug/l	1.1	3.7	1	8260B		6/10/2015	CJR	1
Naphthalene	< 1.6	ug/l	1.6	5.2	1	8260B		6/10/2015	CJR	1
n-Propylbenzene	< 0.77	ug/l	0.77	2.4	1	8260B		6/10/2015	CJR	1
1,1,2,2-Tetrachloroethane	< 0.52	ug/l	0.52	1.7	1	8260B		6/10/2015	CJR	1
1,1,1,2-Tetrachloroethane	< 0.48	ug/l	0.48	1.5	1	8260B		6/10/2015	CJR	1
Tetrachloroethene	< 0.74	ug/l	0.74	2.4	1	8260B		6/10/2015	CJR	1
Toluene	< 0.44	ug/l	0.44	1.4	1	8260B		6/10/2015	CJR	1
1,2,4-Trichlorobenzene	< 1.7	ug/l	1.7	5.6	1	8260B		6/10/2015	CJR	1
1,2,3-Trichlorobenzene	< 2.7	ug/l	2.7	8.6	1	8260B		6/10/2015	CJR	1
1,1,1-Trichloroethane	< 0.84	ug/l	0.84	2.7	1	8260B		6/10/2015	CJR	1
1,1,2-Trichloroethane	< 0.48	ug/l	0.48	1.52	1	8260B		6/10/2015	CJR	1
Trichloroethene (TCE)	< 0.47	ug/l	0.47	1.5	1	8260B		6/10/2015	CJR	1
Trichlorofluoromethane	< 0.87	ug/l	0.87	2.8	1	8260B		6/10/2015	CJR	1
1,2,4-Trimethylbenzene	< 1.6	ug/l	1.6	5	1	8260B		6/10/2015	CJR	1
1,3,5-Trimethylbenzene	< 1.5	ug/l	1.5	4.8	1	8260B		6/10/2015	CJR	1
Vinyl Chloride	< 0.17	ug/l	0.17	0.54	1	8260B		6/10/2015	CJR	1
m&p-Xylene	< 2.2	ug/l	2.2	6.9	1	8260B		6/10/2015	CJR	1
o-Xylene	< 0.9	ug/l	0.9	2.9	1	8260B		6/10/2015	CJR	1
SUR - 1,2-Dichloroethane-d4	101	REC %			1	8260B		6/10/2015	CJR	1
SUR - 4-Bromofluorobenzene	110	REC %			1	8260B		6/10/2015	CJR	1
SUR - Dibromofluoromethane	92	REC %			1	8260B		6/10/2015	CJR	1
SUR - Toluene-d8	104	REC %			1	8260B		6/10/2015	CJR	1

**Project Name** FMR ROBINSON'S CLEANERS  
**Project #** 6155 PO2015465

**Invoice #** E29039

**Lab Code** 5029039S  
**Sample ID** 6155-MW-31D  
**Sample Matrix** Water  
**Sample Date** 6/2/2015

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.44	ug/l	0.44	1.4	1	8260B		6/11/2015	CJR	1
Bromobenzene	< 0.48	ug/l	0.48	1.5	1	8260B		6/11/2015	CJR	1
Bromodichloromethane	< 0.46	ug/l	0.46	1.5	1	8260B		6/11/2015	CJR	1
Bromoform	< 0.46	ug/l	0.46	1.5	1	8260B		6/11/2015	CJR	1
tert-Butylbenzene	< 1.1	ug/l	1.1	3.4	1	8260B		6/11/2015	CJR	1
sec-Butylbenzene	< 1.2	ug/l	1.2	3.8	1	8260B		6/11/2015	CJR	1
n-Butylbenzene	< 1	ug/l	1	3.3	1	8260B		6/11/2015	CJR	1
Carbon Tetrachloride	< 0.65	ug/l	0.65	2.1	1	8260B		6/11/2015	CJR	1
Chlorobenzene	< 0.46	ug/l	0.46	1.4	1	8260B		6/11/2015	CJR	1
Chloroethane	< 0.65	ug/l	0.65	2.1	1	8260B		6/11/2015	CJR	1
Chloroform	0.45 "J"	ug/l	0.43	1.4	1	8260B		6/11/2015	CJR	1
Chloromethane	< 1.9	ug/l	1.9	6	1	8260B		6/11/2015	CJR	1
2-Chlorotoluene	< 0.4	ug/l	0.4	1.3	1	8260B		6/11/2015	CJR	1
4-Chlorotoluene	< 0.63	ug/l	0.63	2	1	8260B		6/11/2015	CJR	1
1,2-Dibromo-3-chloropropane	< 1.4	ug/l	1.4	4.5	1	8260B		6/11/2015	CJR	1
Dibromochloromethane	< 0.45	ug/l	0.45	1.4	1	8260B		6/11/2015	CJR	1
1,4-Dichlorobenzene	< 0.49	ug/l	0.49	1.6	1	8260B		6/11/2015	CJR	1
1,3-Dichlorobenzene	< 0.52	ug/l	0.52	1.6	1	8260B		6/11/2015	CJR	1
1,2-Dichlorobenzene	< 0.46	ug/l	0.46	1.5	1	8260B		6/11/2015	CJR	1
Dichlorodifluoromethane	< 0.87	ug/l	0.87	2.8	1	8260B		6/11/2015	CJR	1
1,2-Dichloroethane	< 0.54	ug/l	0.54	1.7	1	8260B		6/11/2015	CJR	1
1,1-Dichloroethane	< 1.1	ug/l	1.1	3.6	1	8260B		6/11/2015	CJR	1
1,1-Dichloroethene	< 0.65	ug/l	0.65	2.1	1	8260B		6/11/2015	CJR	1
cis-1,2-Dichloroethene	< 0.45	ug/l	0.45	1.4	1	8260B		6/11/2015	CJR	1
trans-1,2-Dichloroethene	< 0.54	ug/l	0.54	1.7	1	8260B		6/11/2015	CJR	1
1,2-Dichloropropane	< 0.43	ug/l	0.43	1.37	1	8260B		6/11/2015	CJR	1
2,2-Dichloropropane	< 3.1	ug/l	3.1	9.8	1	8260B		6/11/2015	CJR	4
1,3-Dichloropropane	< 0.42	ug/l	0.42	1.3	1	8260B		6/11/2015	CJR	1
Di-isopropyl ether	< 0.44	ug/l	0.44	1.4	1	8260B		6/11/2015	CJR	1
EDB (1,2-Dibromoethane)	< 0.63	ug/l	0.63	2	1	8260B		6/11/2015	CJR	1
Ethylbenzene	< 0.71	ug/l	0.71	2.3	1	8260B		6/11/2015	CJR	1
Hexachlorobutadiene	< 2.2	ug/l	2.2	7.1	1	8260B		6/11/2015	CJR	1
Isopropylbenzene	< 0.82	ug/l	0.82	2.6	1	8260B		6/11/2015	CJR	1
p-Isopropyltoluene	< 1.1	ug/l	1.1	3.5	1	8260B		6/11/2015	CJR	1
Methylene chloride	< 1.3	ug/l	1.3	4.2	1	8260B		6/11/2015	CJR	1
Methyl tert-butyl ether (MTBE)	< 1.1	ug/l	1.1	3.7	1	8260B		6/11/2015	CJR	1
Naphthalene	< 1.6	ug/l	1.6	5.2	1	8260B		6/11/2015	CJR	1
n-Propylbenzene	< 0.77	ug/l	0.77	2.4	1	8260B		6/11/2015	CJR	1
1,1,2,2-Tetrachloroethane	< 0.52	ug/l	0.52	1.7	1	8260B		6/11/2015	CJR	1
1,1,1,2-Tetrachloroethane	< 0.48	ug/l	0.48	1.5	1	8260B		6/11/2015	CJR	1
Tetrachloroethene	197	ug/l	7.4	24	10	8260B		6/13/2015	CJR	1
Toluene	< 0.44	ug/l	0.44	1.4	1	8260B		6/11/2015	CJR	1
1,2,4-Trichlorobenzene	< 1.7	ug/l	1.7	5.6	1	8260B		6/11/2015	CJR	1
1,2,3-Trichlorobenzene	< 2.7	ug/l	2.7	8.6	1	8260B		6/11/2015	CJR	1
1,1,1-Trichloroethane	< 0.84	ug/l	0.84	2.7	1	8260B		6/11/2015	CJR	1
1,1,2-Trichloroethane	< 0.48	ug/l	0.48	1.52	1	8260B		6/11/2015	CJR	1
Trichloroethene (TCE)	1.97	ug/l	0.47	1.5	1	8260B		6/11/2015	CJR	1
Trichlorofluoromethane	< 0.87	ug/l	0.87	2.8	1	8260B		6/11/2015	CJR	1
1,2,4-Trimethylbenzene	< 1.6	ug/l	1.6	5	1	8260B		6/11/2015	CJR	1
1,3,5-Trimethylbenzene	< 1.5	ug/l	1.5	4.8	1	8260B		6/11/2015	CJR	1
Vinyl Chloride	< 0.17	ug/l	0.17	0.54	1	8260B		6/11/2015	CJR	1
m&p-Xylene	< 2.2	ug/l	2.2	6.9	1	8260B		6/11/2015	CJR	1
o-Xylene	< 0.9	ug/l	0.9	2.9	1	8260B		6/11/2015	CJR	1
SUR - 1,2-Dichloroethane-d4	97	REC %			1	8260B		6/11/2015	CJR	1
SUR - 4-Bromofluorobenzene	111	REC %			1	8260B		6/11/2015	CJR	1
SUR - Dibromofluoromethane	96	REC %			1	8260B		6/11/2015	CJR	1
SUR - Toluene-d8	103	REC %			1	8260B		6/11/2015	CJR	1

**Project Name** FMR ROBINSON'S CLEANERS  
**Project #** 6155 PO2015465

**Invoice #** E29039

**Lab Code** 5029039T  
**Sample ID** 6155-MW-34D  
**Sample Matrix** Water  
**Sample Date** 6/3/2015

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.44	ug/l	0.44	1.4	1	8260B		6/10/2015	CJR	1
Bromobenzene	< 0.48	ug/l	0.48	1.5	1	8260B		6/10/2015	CJR	1
Bromodichloromethane	< 0.46	ug/l	0.46	1.5	1	8260B		6/10/2015	CJR	1
Bromoform	< 0.46	ug/l	0.46	1.5	1	8260B		6/10/2015	CJR	1
tert-Butylbenzene	< 1.1	ug/l	1.1	3.4	1	8260B		6/10/2015	CJR	1
sec-Butylbenzene	< 1.2	ug/l	1.2	3.8	1	8260B		6/10/2015	CJR	1
n-Butylbenzene	< 1	ug/l	1	3.3	1	8260B		6/10/2015	CJR	1
Carbon Tetrachloride	< 0.65	ug/l	0.65	2.1	1	8260B		6/10/2015	CJR	1
Chlorobenzene	< 0.46	ug/l	0.46	1.4	1	8260B		6/10/2015	CJR	1
Chloroethane	< 0.65	ug/l	0.65	2.1	1	8260B		6/10/2015	CJR	1
Chloroform	< 0.43	ug/l	0.43	1.4	1	8260B		6/10/2015	CJR	1
Chloromethane	< 1.9	ug/l	1.9	6	1	8260B		6/10/2015	CJR	1
2-Chlorotoluene	< 0.4	ug/l	0.4	1.3	1	8260B		6/10/2015	CJR	1
4-Chlorotoluene	< 0.63	ug/l	0.63	2	1	8260B		6/10/2015	CJR	1
1,2-Dibromo-3-chloropropane	< 1.4	ug/l	1.4	4.5	1	8260B		6/10/2015	CJR	1
Dibromochloromethane	< 0.45	ug/l	0.45	1.4	1	8260B		6/10/2015	CJR	1
1,4-Dichlorobenzene	< 0.49	ug/l	0.49	1.6	1	8260B		6/10/2015	CJR	1
1,3-Dichlorobenzene	< 0.52	ug/l	0.52	1.6	1	8260B		6/10/2015	CJR	1
1,2-Dichlorobenzene	< 0.46	ug/l	0.46	1.5	1	8260B		6/10/2015	CJR	1
Dichlorodifluoromethane	< 0.87	ug/l	0.87	2.8	1	8260B		6/10/2015	CJR	1
1,2-Dichloroethane	< 0.54	ug/l	0.54	1.7	1	8260B		6/10/2015	CJR	1
1,1-Dichloroethane	< 1.1	ug/l	1.1	3.6	1	8260B		6/10/2015	CJR	1
1,1-Dichloroethene	< 0.65	ug/l	0.65	2.1	1	8260B		6/10/2015	CJR	1
cis-1,2-Dichloroethene	< 0.45	ug/l	0.45	1.4	1	8260B		6/10/2015	CJR	1
trans-1,2-Dichloroethene	< 0.54	ug/l	0.54	1.7	1	8260B		6/10/2015	CJR	1
1,2-Dichloropropane	< 0.43	ug/l	0.43	1.37	1	8260B		6/10/2015	CJR	1
2,2-Dichloropropane	< 3.1	ug/l	3.1	9.8	1	8260B		6/10/2015	CJR	4
1,3-Dichloropropane	< 0.42	ug/l	0.42	1.3	1	8260B		6/10/2015	CJR	1
Di-isopropyl ether	< 0.44	ug/l	0.44	1.4	1	8260B		6/10/2015	CJR	1
EDB (1,2-Dibromoethane)	< 0.63	ug/l	0.63	2	1	8260B		6/10/2015	CJR	1
Ethylbenzene	< 0.71	ug/l	0.71	2.3	1	8260B		6/10/2015	CJR	1
Hexachlorobutadiene	< 2.2	ug/l	2.2	7.1	1	8260B		6/10/2015	CJR	1
Isopropylbenzene	< 0.82	ug/l	0.82	2.6	1	8260B		6/10/2015	CJR	1
p-Isopropyltoluene	< 1.1	ug/l	1.1	3.5	1	8260B		6/10/2015	CJR	1
Methylene chloride	< 1.3	ug/l	1.3	4.2	1	8260B		6/10/2015	CJR	1
Methyl tert-butyl ether (MTBE)	< 1.1	ug/l	1.1	3.7	1	8260B		6/10/2015	CJR	1
Naphthalene	< 1.6	ug/l	1.6	5.2	1	8260B		6/10/2015	CJR	1
n-Propylbenzene	< 0.77	ug/l	0.77	2.4	1	8260B		6/10/2015	CJR	1
1,1,2,2-Tetrachloroethane	< 0.52	ug/l	0.52	1.7	1	8260B		6/10/2015	CJR	1
1,1,1,2-Tetrachloroethane	< 0.48	ug/l	0.48	1.5	1	8260B		6/10/2015	CJR	1
Tetrachloroethene	< 0.74	ug/l	0.74	2.4	1	8260B		6/10/2015	CJR	1
Toluene	< 0.44	ug/l	0.44	1.4	1	8260B		6/10/2015	CJR	1
1,2,4-Trichlorobenzene	< 1.7	ug/l	1.7	5.6	1	8260B		6/10/2015	CJR	1
1,2,3-Trichlorobenzene	< 2.7	ug/l	2.7	8.6	1	8260B		6/10/2015	CJR	1
1,1,1-Trichloroethane	< 0.84	ug/l	0.84	2.7	1	8260B		6/10/2015	CJR	1
1,1,2-Trichloroethane	< 0.48	ug/l	0.48	1.52	1	8260B		6/10/2015	CJR	1
Trichloroethene (TCE)	< 0.47	ug/l	0.47	1.5	1	8260B		6/10/2015	CJR	1
Trichlorofluoromethane	< 0.87	ug/l	0.87	2.8	1	8260B		6/10/2015	CJR	1
1,2,4-Trimethylbenzene	< 1.6	ug/l	1.6	5	1	8260B		6/10/2015	CJR	1
1,3,5-Trimethylbenzene	< 1.5	ug/l	1.5	4.8	1	8260B		6/10/2015	CJR	1
Vinyl Chloride	< 0.17	ug/l	0.17	0.54	1	8260B		6/10/2015	CJR	1
m&p-Xylene	< 2.2	ug/l	2.2	6.9	1	8260B		6/10/2015	CJR	1
o-Xylene	< 0.9	ug/l	0.9	2.9	1	8260B		6/10/2015	CJR	1
SUR - Toluene-d8	101	REC %			1	8260B		6/10/2015	CJR	1
SUR - 1,2-Dichloroethane-d4	97	REC %			1	8260B		6/10/2015	CJR	1
SUR - 4-Bromofluorobenzene	121	REC %			1	8260B		6/10/2015	CJR	6
SUR - Dibromofluoromethane	94	REC %			1	8260B		6/10/2015	CJR	1



**Project Name** FMR ROBINSON'S CLEANERS  
**Project #** 6155 PO2015465

**Invoice #** E29039

**Lab Code** 5029039U  
**Sample ID** 6155-MW-35D  
**Sample Matrix** Water  
**Sample Date** 6/4/2015

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.44	ug/l	0.44	1.4	1	8260B		6/10/2015	CJR	1
Bromobenzene	< 0.48	ug/l	0.48	1.5	1	8260B		6/10/2015	CJR	1
Bromodichloromethane	< 0.46	ug/l	0.46	1.5	1	8260B		6/10/2015	CJR	1
Bromoform	< 0.46	ug/l	0.46	1.5	1	8260B		6/10/2015	CJR	1
tert-Butylbenzene	< 1.1	ug/l	1.1	3.4	1	8260B		6/10/2015	CJR	1
sec-Butylbenzene	< 1.2	ug/l	1.2	3.8	1	8260B		6/10/2015	CJR	1
n-Butylbenzene	< 1	ug/l	1	3.3	1	8260B		6/10/2015	CJR	1
Carbon Tetrachloride	< 0.65	ug/l	0.65	2.1	1	8260B		6/10/2015	CJR	1
Chlorobenzene	< 0.46	ug/l	0.46	1.4	1	8260B		6/10/2015	CJR	1
Chloroethane	< 0.65	ug/l	0.65	2.1	1	8260B		6/10/2015	CJR	1
Chloroform	< 0.43	ug/l	0.43	1.4	1	8260B		6/10/2015	CJR	1
Chloromethane	< 1.9	ug/l	1.9	6	1	8260B		6/10/2015	CJR	1
2-Chlorotoluene	< 0.4	ug/l	0.4	1.3	1	8260B		6/10/2015	CJR	1
4-Chlorotoluene	< 0.63	ug/l	0.63	2	1	8260B		6/10/2015	CJR	1
1,2-Dibromo-3-chloropropane	< 1.4	ug/l	1.4	4.5	1	8260B		6/10/2015	CJR	1
Dibromochloromethane	< 0.45	ug/l	0.45	1.4	1	8260B		6/10/2015	CJR	1
1,4-Dichlorobenzene	< 0.49	ug/l	0.49	1.6	1	8260B		6/10/2015	CJR	1
1,3-Dichlorobenzene	< 0.52	ug/l	0.52	1.6	1	8260B		6/10/2015	CJR	1
1,2-Dichlorobenzene	< 0.46	ug/l	0.46	1.5	1	8260B		6/10/2015	CJR	1
Dichlorodifluoromethane	< 0.87	ug/l	0.87	2.8	1	8260B		6/10/2015	CJR	1
1,2-Dichloroethane	< 0.54	ug/l	0.54	1.7	1	8260B		6/10/2015	CJR	1
1,1-Dichloroethane	< 1.1	ug/l	1.1	3.6	1	8260B		6/10/2015	CJR	1
1,1-Dichloroethene	< 0.65	ug/l	0.65	2.1	1	8260B		6/10/2015	CJR	1
cis-1,2-Dichloroethene	< 0.45	ug/l	0.45	1.4	1	8260B		6/10/2015	CJR	1
trans-1,2-Dichloroethene	< 0.54	ug/l	0.54	1.7	1	8260B		6/10/2015	CJR	1
1,2-Dichloropropane	< 0.43	ug/l	0.43	1.37	1	8260B		6/10/2015	CJR	1
2,2-Dichloropropane	< 3.1	ug/l	3.1	9.8	1	8260B		6/10/2015	CJR	4
1,3-Dichloropropane	< 0.42	ug/l	0.42	1.3	1	8260B		6/10/2015	CJR	1
Di-isopropyl ether	< 0.44	ug/l	0.44	1.4	1	8260B		6/10/2015	CJR	1
EDB (1,2-Dibromoethane)	< 0.63	ug/l	0.63	2	1	8260B		6/10/2015	CJR	1
Ethylbenzene	< 0.71	ug/l	0.71	2.3	1	8260B		6/10/2015	CJR	1
Hexachlorobutadiene	< 2.2	ug/l	2.2	7.1	1	8260B		6/10/2015	CJR	1
Isopropylbenzene	< 0.82	ug/l	0.82	2.6	1	8260B		6/10/2015	CJR	1
p-Isopropyltoluene	< 1.1	ug/l	1.1	3.5	1	8260B		6/10/2015	CJR	1
Methylene chloride	< 1.3	ug/l	1.3	4.2	1	8260B		6/10/2015	CJR	1
Methyl tert-butyl ether (MTBE)	< 1.1	ug/l	1.1	3.7	1	8260B		6/10/2015	CJR	1
Naphthalene	< 1.6	ug/l	1.6	5.2	1	8260B		6/10/2015	CJR	1
n-Propylbenzene	< 0.77	ug/l	0.77	2.4	1	8260B		6/10/2015	CJR	1
1,1,2,2-Tetrachloroethane	< 0.52	ug/l	0.52	1.7	1	8260B		6/10/2015	CJR	1
1,1,1,2-Tetrachloroethane	< 0.48	ug/l	0.48	1.5	1	8260B		6/10/2015	CJR	1
Tetrachloroethene	0.76 "J"	ug/l	0.74	2.4	1	8260B		6/10/2015	CJR	1
Toluene	< 0.44	ug/l	0.44	1.4	1	8260B		6/10/2015	CJR	1
1,2,4-Trichlorobenzene	< 1.7	ug/l	1.7	5.6	1	8260B		6/10/2015	CJR	1
1,2,3-Trichlorobenzene	< 2.7	ug/l	2.7	8.6	1	8260B		6/10/2015	CJR	1
1,1,1-Trichloroethane	< 0.84	ug/l	0.84	2.7	1	8260B		6/10/2015	CJR	1
1,1,2-Trichloroethane	< 0.48	ug/l	0.48	1.52	1	8260B		6/10/2015	CJR	1
Trichloroethene (TCE)	< 0.47	ug/l	0.47	1.5	1	8260B		6/10/2015	CJR	1
Trichlorofluoromethane	< 0.87	ug/l	0.87	2.8	1	8260B		6/10/2015	CJR	1
1,2,4-Trimethylbenzene	< 1.6	ug/l	1.6	5	1	8260B		6/10/2015	CJR	1
1,3,5-Trimethylbenzene	< 1.5	ug/l	1.5	4.8	1	8260B		6/10/2015	CJR	1
Vinyl Chloride	< 0.17	ug/l	0.17	0.54	1	8260B		6/10/2015	CJR	1
m&p-Xylene	< 2.2	ug/l	2.2	6.9	1	8260B		6/10/2015	CJR	1
o-Xylene	< 0.9	ug/l	0.9	2.9	1	8260B		6/10/2015	CJR	1
SUR - Dibromofluoromethane	97	REC %			1	8260B		6/10/2015	CJR	1
SUR - Toluene-d8	99	REC %			1	8260B		6/10/2015	CJR	1
SUR - 4-Bromofluorobenzene	117	REC %			1	8260B		6/10/2015	CJR	1
SUR - 1,2-Dichloroethane-d4	111	REC %			1	8260B		6/10/2015	CJR	1

**Project Name** FMR ROBINSON'S CLEANERS  
**Project #** 6155 PO2015465

**Invoice #** E29039

**Lab Code** 5029039V  
**Sample ID** 6155-MW-36S  
**Sample Matrix** Water  
**Sample Date** 6/1/2015

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.44	ug/l	0.44	1.4	1	8260B		6/10/2015	CJR	1
Bromobenzene	< 0.48	ug/l	0.48	1.5	1	8260B		6/10/2015	CJR	1
Bromodichloromethane	< 0.46	ug/l	0.46	1.5	1	8260B		6/10/2015	CJR	1
Bromoform	< 0.46	ug/l	0.46	1.5	1	8260B		6/10/2015	CJR	1
tert-Butylbenzene	< 1.1	ug/l	1.1	3.4	1	8260B		6/10/2015	CJR	1
sec-Butylbenzene	< 1.2	ug/l	1.2	3.8	1	8260B		6/10/2015	CJR	1
n-Butylbenzene	< 1	ug/l	1	3.3	1	8260B		6/10/2015	CJR	1
Carbon Tetrachloride	< 0.65	ug/l	0.65	2.1	1	8260B		6/10/2015	CJR	1
Chlorobenzene	< 0.46	ug/l	0.46	1.4	1	8260B		6/10/2015	CJR	1
Chloroethane	< 0.65	ug/l	0.65	2.1	1	8260B		6/10/2015	CJR	1
Chloroform	< 0.43	ug/l	0.43	1.4	1	8260B		6/10/2015	CJR	1
Chloromethane	< 1.9	ug/l	1.9	6	1	8260B		6/10/2015	CJR	1
2-Chlorotoluene	< 0.4	ug/l	0.4	1.3	1	8260B		6/10/2015	CJR	1
4-Chlorotoluene	< 0.63	ug/l	0.63	2	1	8260B		6/10/2015	CJR	1
1,2-Dibromo-3-chloropropane	< 1.4	ug/l	1.4	4.5	1	8260B		6/10/2015	CJR	1
Dibromochloromethane	< 0.45	ug/l	0.45	1.4	1	8260B		6/10/2015	CJR	1
1,4-Dichlorobenzene	< 0.49	ug/l	0.49	1.6	1	8260B		6/10/2015	CJR	1
1,3-Dichlorobenzene	< 0.52	ug/l	0.52	1.6	1	8260B		6/10/2015	CJR	1
1,2-Dichlorobenzene	< 0.46	ug/l	0.46	1.5	1	8260B		6/10/2015	CJR	1
Dichlorodifluoromethane	< 0.87	ug/l	0.87	2.8	1	8260B		6/10/2015	CJR	1
1,2-Dichloroethane	< 0.54	ug/l	0.54	1.7	1	8260B		6/10/2015	CJR	1
1,1-Dichloroethane	< 1.1	ug/l	1.1	3.6	1	8260B		6/10/2015	CJR	1
1,1-Dichloroethene	< 0.65	ug/l	0.65	2.1	1	8260B		6/10/2015	CJR	1
cis-1,2-Dichloroethene	24.3	ug/l	0.45	1.4	1	8260B		6/10/2015	CJR	1
trans-1,2-Dichloroethene	0.55 "J"	ug/l	0.54	1.7	1	8260B		6/10/2015	CJR	1
1,2-Dichloropropane	< 0.43	ug/l	0.43	1.37	1	8260B		6/10/2015	CJR	1
2,2-Dichloropropane	< 3.1	ug/l	3.1	9.8	1	8260B		6/10/2015	CJR	4
1,3-Dichloropropane	< 0.42	ug/l	0.42	1.3	1	8260B		6/10/2015	CJR	1
Di-isopropyl ether	< 0.44	ug/l	0.44	1.4	1	8260B		6/10/2015	CJR	1
EDB (1,2-Dibromoethane)	< 0.63	ug/l	0.63	2	1	8260B		6/10/2015	CJR	1
Ethylbenzene	< 0.71	ug/l	0.71	2.3	1	8260B		6/10/2015	CJR	1
Hexachlorobutadiene	< 2.2	ug/l	2.2	7.1	1	8260B		6/10/2015	CJR	1
Isopropylbenzene	< 0.82	ug/l	0.82	2.6	1	8260B		6/10/2015	CJR	1
p-Isopropyltoluene	< 1.1	ug/l	1.1	3.5	1	8260B		6/10/2015	CJR	1
Methylene chloride	< 1.3	ug/l	1.3	4.2	1	8260B		6/10/2015	CJR	1
Methyl tert-butyl ether (MTBE)	< 1.1	ug/l	1.1	3.7	1	8260B		6/10/2015	CJR	1
Naphthalene	< 1.6	ug/l	1.6	5.2	1	8260B		6/10/2015	CJR	1
n-Propylbenzene	< 0.77	ug/l	0.77	2.4	1	8260B		6/10/2015	CJR	1
1,1,2,2-Tetrachloroethane	< 0.52	ug/l	0.52	1.7	1	8260B		6/10/2015	CJR	1
1,1,1,2-Tetrachloroethane	< 0.48	ug/l	0.48	1.5	1	8260B		6/10/2015	CJR	1
Tetrachloroethene	162	ug/l	0.74	2.4	1	8260B		6/10/2015	CJR	1
Toluene	< 0.44	ug/l	0.44	1.4	1	8260B		6/10/2015	CJR	1
1,2,4-Trichlorobenzene	< 1.7	ug/l	1.7	5.6	1	8260B		6/10/2015	CJR	1
1,2,3-Trichlorobenzene	< 2.7	ug/l	2.7	8.6	1	8260B		6/10/2015	CJR	1
1,1,1-Trichloroethane	< 0.84	ug/l	0.84	2.7	1	8260B		6/10/2015	CJR	1
1,1,2-Trichloroethane	< 0.48	ug/l	0.48	1.52	1	8260B		6/10/2015	CJR	1
Trichloroethene (TCE)	32	ug/l	0.47	1.5	1	8260B		6/10/2015	CJR	1
Trichlorofluoromethane	< 0.87	ug/l	0.87	2.8	1	8260B		6/10/2015	CJR	1
1,2,4-Trimethylbenzene	< 1.6	ug/l	1.6	5	1	8260B		6/10/2015	CJR	1
1,3,5-Trimethylbenzene	< 1.5	ug/l	1.5	4.8	1	8260B		6/10/2015	CJR	1
Vinyl Chloride	0.51 "J"	ug/l	0.17	0.54	1	8260B		6/10/2015	CJR	1
m&p-Xylene	< 2.2	ug/l	2.2	6.9	1	8260B		6/10/2015	CJR	1
o-Xylene	< 0.9	ug/l	0.9	2.9	1	8260B		6/10/2015	CJR	1
SUR - 1,2-Dichloroethane-d4	103	REC %			1	8260B		6/10/2015	CJR	1
SUR - Toluene-d8	104	REC %			1	8260B		6/10/2015	CJR	1
SUR - 4-Bromofluorobenzene	117	REC %			1	8260B		6/10/2015	CJR	1
SUR - Dibromofluoromethane	91	REC %			1	8260B		6/10/2015	CJR	1

**Project Name** FMR ROBINSON'S CLEANERS  
**Project #** 6155 PO2015465

**Invoice #** E29039

**Lab Code** 5029039W  
**Sample ID** 6155-MW-36D  
**Sample Matrix** Water  
**Sample Date** 6/1/2015

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.44	ug/l	0.44	1.4	1	8260B		6/11/2015	CJR	1
Bromobenzene	< 0.48	ug/l	0.48	1.5	1	8260B		6/11/2015	CJR	1
Bromodichloromethane	< 0.46	ug/l	0.46	1.5	1	8260B		6/11/2015	CJR	1
Bromoform	< 0.46	ug/l	0.46	1.5	1	8260B		6/11/2015	CJR	1
tert-Butylbenzene	< 1.1	ug/l	1.1	3.4	1	8260B		6/11/2015	CJR	1
sec-Butylbenzene	< 1.2	ug/l	1.2	3.8	1	8260B		6/11/2015	CJR	1
n-Butylbenzene	< 1	ug/l	1	3.3	1	8260B		6/11/2015	CJR	1
Carbon Tetrachloride	< 0.65	ug/l	0.65	2.1	1	8260B		6/11/2015	CJR	1
Chlorobenzene	< 0.46	ug/l	0.46	1.4	1	8260B		6/11/2015	CJR	1
Chloroethane	< 0.65	ug/l	0.65	2.1	1	8260B		6/11/2015	CJR	1
Chloroform	< 0.43	ug/l	0.43	1.4	1	8260B		6/11/2015	CJR	1
Chloromethane	< 1.9	ug/l	1.9	6	1	8260B		6/11/2015	CJR	1
2-Chlorotoluene	< 0.4	ug/l	0.4	1.3	1	8260B		6/11/2015	CJR	1
4-Chlorotoluene	< 0.63	ug/l	0.63	2	1	8260B		6/11/2015	CJR	1
1,2-Dibromo-3-chloropropane	< 1.4	ug/l	1.4	4.5	1	8260B		6/11/2015	CJR	1
Dibromochloromethane	< 0.45	ug/l	0.45	1.4	1	8260B		6/11/2015	CJR	1
1,4-Dichlorobenzene	< 0.49	ug/l	0.49	1.6	1	8260B		6/11/2015	CJR	1
1,3-Dichlorobenzene	< 0.52	ug/l	0.52	1.6	1	8260B		6/11/2015	CJR	1
1,2-Dichlorobenzene	< 0.46	ug/l	0.46	1.5	1	8260B		6/11/2015	CJR	1
Dichlorodifluoromethane	< 0.87	ug/l	0.87	2.8	1	8260B		6/11/2015	CJR	1
1,2-Dichloroethane	< 0.54	ug/l	0.54	1.7	1	8260B		6/11/2015	CJR	1
1,1-Dichloroethane	< 1.1	ug/l	1.1	3.6	1	8260B		6/11/2015	CJR	1
1,1-Dichloroethene	< 0.65	ug/l	0.65	2.1	1	8260B		6/11/2015	CJR	1
cis-1,2-Dichloroethene	< 0.45	ug/l	0.45	1.4	1	8260B		6/11/2015	CJR	1
trans-1,2-Dichloroethene	< 0.54	ug/l	0.54	1.7	1	8260B		6/11/2015	CJR	1
1,2-Dichloropropane	< 0.43	ug/l	0.43	1.37	1	8260B		6/11/2015	CJR	1
2,2-Dichloropropane	< 3.1	ug/l	3.1	9.8	1	8260B		6/11/2015	CJR	4
1,3-Dichloropropane	< 0.42	ug/l	0.42	1.3	1	8260B		6/11/2015	CJR	1
Di-isopropyl ether	< 0.44	ug/l	0.44	1.4	1	8260B		6/11/2015	CJR	1
EDB (1,2-Dibromoethane)	< 0.63	ug/l	0.63	2	1	8260B		6/11/2015	CJR	1
Ethylbenzene	< 0.71	ug/l	0.71	2.3	1	8260B		6/11/2015	CJR	1
Hexachlorobutadiene	< 2.2	ug/l	2.2	7.1	1	8260B		6/11/2015	CJR	1
Isopropylbenzene	< 0.82	ug/l	0.82	2.6	1	8260B		6/11/2015	CJR	1
p-Isopropyltoluene	< 1.1	ug/l	1.1	3.5	1	8260B		6/11/2015	CJR	1
Methylene chloride	< 1.3	ug/l	1.3	4.2	1	8260B		6/11/2015	CJR	1
Methyl tert-butyl ether (MTBE)	< 1.1	ug/l	1.1	3.7	1	8260B		6/11/2015	CJR	1
Naphthalene	< 1.6	ug/l	1.6	5.2	1	8260B		6/11/2015	CJR	1
n-Propylbenzene	< 0.77	ug/l	0.77	2.4	1	8260B		6/11/2015	CJR	1
1,1,2,2-Tetrachloroethane	< 0.52	ug/l	0.52	1.7	1	8260B		6/11/2015	CJR	1
1,1,1,2-Tetrachloroethane	< 0.48	ug/l	0.48	1.5	1	8260B		6/11/2015	CJR	1
Tetrachloroethene	< 0.74	ug/l	0.74	2.4	1	8260B		6/11/2015	CJR	1
Toluene	< 0.44	ug/l	0.44	1.4	1	8260B		6/11/2015	CJR	1
1,2,4-Trichlorobenzene	< 1.7	ug/l	1.7	5.6	1	8260B		6/11/2015	CJR	1
1,2,3-Trichlorobenzene	< 2.7	ug/l	2.7	8.6	1	8260B		6/11/2015	CJR	1
1,1,1-Trichloroethane	< 0.84	ug/l	0.84	2.7	1	8260B		6/11/2015	CJR	1
1,1,2-Trichloroethane	< 0.48	ug/l	0.48	1.52	1	8260B		6/11/2015	CJR	1
Trichloroethene (TCE)	< 0.47	ug/l	0.47	1.5	1	8260B		6/11/2015	CJR	1
Trichlorofluoromethane	< 0.87	ug/l	0.87	2.8	1	8260B		6/11/2015	CJR	1
1,2,4-Trimethylbenzene	< 1.6	ug/l	1.6	5	1	8260B		6/11/2015	CJR	1
1,3,5-Trimethylbenzene	< 1.5	ug/l	1.5	4.8	1	8260B		6/11/2015	CJR	1
Vinyl Chloride	< 0.17	ug/l	0.17	0.54	1	8260B		6/11/2015	CJR	1
m&p-Xylene	< 2.2	ug/l	2.2	6.9	1	8260B		6/11/2015	CJR	1
o-Xylene	< 0.9	ug/l	0.9	2.9	1	8260B		6/11/2015	CJR	1
SUR - Toluene-d8	103	REC %			1	8260B		6/11/2015	CJR	1
SUR - Dibromofluoromethane	92	REC %			1	8260B		6/11/2015	CJR	1
SUR - 1,2-Dichloroethane-d4	93	REC %			1	8260B		6/11/2015	CJR	1
SUR - 4-Bromofluorobenzene	117	REC %			1	8260B		6/11/2015	CJR	1

**Project Name** FMR ROBINSON'S CLEANERS  
**Project #** 6155 PO2015465

**Invoice #** E29039

**Lab Code** 5029039X  
**Sample ID** 6155-MW-37D  
**Sample Matrix** Water  
**Sample Date** 6/4/2015

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.44	ug/l	0.44	1.4	1	8260B		6/11/2015	CJR	1
Bromobenzene	< 0.48	ug/l	0.48	1.5	1	8260B		6/11/2015	CJR	1
Bromodichloromethane	< 0.46	ug/l	0.46	1.5	1	8260B		6/11/2015	CJR	1
Bromoform	< 0.46	ug/l	0.46	1.5	1	8260B		6/11/2015	CJR	1
tert-Butylbenzene	< 1.1	ug/l	1.1	3.4	1	8260B		6/11/2015	CJR	1
sec-Butylbenzene	< 1.2	ug/l	1.2	3.8	1	8260B		6/11/2015	CJR	1
n-Butylbenzene	< 1	ug/l	1	3.3	1	8260B		6/11/2015	CJR	1
Carbon Tetrachloride	< 0.65	ug/l	0.65	2.1	1	8260B		6/11/2015	CJR	1
Chlorobenzene	< 0.46	ug/l	0.46	1.4	1	8260B		6/11/2015	CJR	1
Chloroethane	< 0.65	ug/l	0.65	2.1	1	8260B		6/11/2015	CJR	1
Chloroform	< 0.43	ug/l	0.43	1.4	1	8260B		6/11/2015	CJR	1
Chloromethane	< 1.9	ug/l	1.9	6	1	8260B		6/11/2015	CJR	1
2-Chlorotoluene	< 0.4	ug/l	0.4	1.3	1	8260B		6/11/2015	CJR	1
4-Chlorotoluene	< 0.63	ug/l	0.63	2	1	8260B		6/11/2015	CJR	1
1,2-Dibromo-3-chloropropane	< 1.4	ug/l	1.4	4.5	1	8260B		6/11/2015	CJR	1
Dibromochloromethane	< 0.45	ug/l	0.45	1.4	1	8260B		6/11/2015	CJR	1
1,4-Dichlorobenzene	< 0.49	ug/l	0.49	1.6	1	8260B		6/11/2015	CJR	1
1,3-Dichlorobenzene	< 0.52	ug/l	0.52	1.6	1	8260B		6/11/2015	CJR	1
1,2-Dichlorobenzene	< 0.46	ug/l	0.46	1.5	1	8260B		6/11/2015	CJR	1
Dichlorodifluoromethane	< 0.87	ug/l	0.87	2.8	1	8260B		6/11/2015	CJR	1
1,2-Dichloroethane	< 0.54	ug/l	0.54	1.7	1	8260B		6/11/2015	CJR	1
1,1-Dichloroethane	< 1.1	ug/l	1.1	3.6	1	8260B		6/11/2015	CJR	1
1,1-Dichloroethene	< 0.65	ug/l	0.65	2.1	1	8260B		6/11/2015	CJR	1
cis-1,2-Dichloroethene	4.8	ug/l	0.45	1.4	1	8260B		6/11/2015	CJR	1
trans-1,2-Dichloroethene	0.87 "J"	ug/l	0.54	1.7	1	8260B		6/11/2015	CJR	1
1,2-Dichloropropane	< 0.43	ug/l	0.43	1.37	1	8260B		6/11/2015	CJR	1
2,2-Dichloropropane	< 3.1	ug/l	3.1	9.8	1	8260B		6/11/2015	CJR	4
1,3-Dichloropropane	< 0.42	ug/l	0.42	1.3	1	8260B		6/11/2015	CJR	1
Di-isopropyl ether	< 0.44	ug/l	0.44	1.4	1	8260B		6/11/2015	CJR	1
EDB (1,2-Dibromoethane)	< 0.63	ug/l	0.63	2	1	8260B		6/11/2015	CJR	1
Ethylbenzene	< 0.71	ug/l	0.71	2.3	1	8260B		6/11/2015	CJR	1
Hexachlorobutadiene	< 2.2	ug/l	2.2	7.1	1	8260B		6/11/2015	CJR	1
Isopropylbenzene	< 0.82	ug/l	0.82	2.6	1	8260B		6/11/2015	CJR	1
p-Isopropyltoluene	< 1.1	ug/l	1.1	3.5	1	8260B		6/11/2015	CJR	1
Methylene chloride	< 1.3	ug/l	1.3	4.2	1	8260B		6/11/2015	CJR	1
Methyl tert-butyl ether (MTBE)	< 1.1	ug/l	1.1	3.7	1	8260B		6/11/2015	CJR	1
Naphthalene	< 1.6	ug/l	1.6	5.2	1	8260B		6/11/2015	CJR	1
n-Propylbenzene	< 0.77	ug/l	0.77	2.4	1	8260B		6/11/2015	CJR	1
1,1,2,2-Tetrachloroethane	< 0.52	ug/l	0.52	1.7	1	8260B		6/11/2015	CJR	1
1,1,1,2-Tetrachloroethane	< 0.48	ug/l	0.48	1.5	1	8260B		6/11/2015	CJR	1
Tetrachloroethene	105	ug/l	0.74	2.4	1	8260B		6/11/2015	CJR	1
Toluene	< 0.44	ug/l	0.44	1.4	1	8260B		6/11/2015	CJR	1
1,2,4-Trichlorobenzene	< 1.7	ug/l	1.7	5.6	1	8260B		6/11/2015	CJR	1
1,2,3-Trichlorobenzene	< 2.7	ug/l	2.7	8.6	1	8260B		6/11/2015	CJR	1
1,1,1-Trichloroethane	< 0.84	ug/l	0.84	2.7	1	8260B		6/11/2015	CJR	1
1,1,2-Trichloroethane	< 0.48	ug/l	0.48	1.52	1	8260B		6/11/2015	CJR	1
Trichloroethene (TCE)	19.2	ug/l	0.47	1.5	1	8260B		6/11/2015	CJR	1
Trichlorofluoromethane	< 0.87	ug/l	0.87	2.8	1	8260B		6/11/2015	CJR	1
1,2,4-Trimethylbenzene	< 1.6	ug/l	1.6	5	1	8260B		6/11/2015	CJR	1
1,3,5-Trimethylbenzene	< 1.5	ug/l	1.5	4.8	1	8260B		6/11/2015	CJR	1
Vinyl Chloride	< 0.17	ug/l	0.17	0.54	1	8260B		6/11/2015	CJR	1
m&p-Xylene	< 2.2	ug/l	2.2	6.9	1	8260B		6/11/2015	CJR	1
o-Xylene	< 0.9	ug/l	0.9	2.9	1	8260B		6/11/2015	CJR	1
SUR - 1,2-Dichloroethane-d4	101	REC %			1	8260B		6/11/2015	CJR	1
SUR - 4-Bromofluorobenzene	117	REC %			1	8260B		6/11/2015	CJR	1
SUR - Dibromofluoromethane	95	REC %			1	8260B		6/11/2015	CJR	1
SUR - Toluene-d8	105	REC %			1	8260B		6/11/2015	CJR	1

**Project Name** FMR ROBINSON'S CLEANERS  
**Project #** 6155 PO2015465

**Invoice #** E29039

**Lab Code** 5029039Y  
**Sample ID** 6155-MW-38D  
**Sample Matrix** Water  
**Sample Date** 6/2/2015

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.44	ug/l	0.44	1.4	1	8260B		6/11/2015	CJR	1
Bromobenzene	< 0.48	ug/l	0.48	1.5	1	8260B		6/11/2015	CJR	1
Bromodichloromethane	< 0.46	ug/l	0.46	1.5	1	8260B		6/11/2015	CJR	1
Bromoform	< 0.46	ug/l	0.46	1.5	1	8260B		6/11/2015	CJR	1
tert-Butylbenzene	< 1.1	ug/l	1.1	3.4	1	8260B		6/11/2015	CJR	1
sec-Butylbenzene	< 1.2	ug/l	1.2	3.8	1	8260B		6/11/2015	CJR	1
n-Butylbenzene	< 1	ug/l	1	3.3	1	8260B		6/11/2015	CJR	1
Carbon Tetrachloride	< 0.65	ug/l	0.65	2.1	1	8260B		6/11/2015	CJR	1
Chlorobenzene	< 0.46	ug/l	0.46	1.4	1	8260B		6/11/2015	CJR	1
Chloroethane	< 0.65	ug/l	0.65	2.1	1	8260B		6/11/2015	CJR	1
Chloroform	< 0.43	ug/l	0.43	1.4	1	8260B		6/11/2015	CJR	1
Chloromethane	< 1.9	ug/l	1.9	6	1	8260B		6/11/2015	CJR	1
2-Chlorotoluene	< 0.4	ug/l	0.4	1.3	1	8260B		6/11/2015	CJR	1
4-Chlorotoluene	< 0.63	ug/l	0.63	2	1	8260B		6/11/2015	CJR	1
1,2-Dibromo-3-chloropropane	< 1.4	ug/l	1.4	4.5	1	8260B		6/11/2015	CJR	1
Dibromochloromethane	< 0.45	ug/l	0.45	1.4	1	8260B		6/11/2015	CJR	1
1,4-Dichlorobenzene	< 0.49	ug/l	0.49	1.6	1	8260B		6/11/2015	CJR	1
1,3-Dichlorobenzene	< 0.52	ug/l	0.52	1.6	1	8260B		6/11/2015	CJR	1
1,2-Dichlorobenzene	< 0.46	ug/l	0.46	1.5	1	8260B		6/11/2015	CJR	1
Dichlorodifluoromethane	< 0.87	ug/l	0.87	2.8	1	8260B		6/11/2015	CJR	1
1,2-Dichloroethane	< 0.54	ug/l	0.54	1.7	1	8260B		6/11/2015	CJR	1
1,1-Dichloroethane	< 1.1	ug/l	1.1	3.6	1	8260B		6/11/2015	CJR	1
1,1-Dichloroethene	< 0.65	ug/l	0.65	2.1	1	8260B		6/11/2015	CJR	1
cis-1,2-Dichloroethene	< 0.45	ug/l	0.45	1.4	1	8260B		6/11/2015	CJR	1
trans-1,2-Dichloroethene	< 0.54	ug/l	0.54	1.7	1	8260B		6/11/2015	CJR	1
1,2-Dichloropropane	< 0.43	ug/l	0.43	1.37	1	8260B		6/11/2015	CJR	1
2,2-Dichloropropane	< 3.1	ug/l	3.1	9.8	1	8260B		6/11/2015	CJR	4
1,3-Dichloropropane	< 0.42	ug/l	0.42	1.3	1	8260B		6/11/2015	CJR	1
Di-isopropyl ether	< 0.44	ug/l	0.44	1.4	1	8260B		6/11/2015	CJR	1
EDB (1,2-Dibromoethane)	< 0.63	ug/l	0.63	2	1	8260B		6/11/2015	CJR	1
Ethylbenzene	< 0.71	ug/l	0.71	2.3	1	8260B		6/11/2015	CJR	1
Hexachlorobutadiene	< 2.2	ug/l	2.2	7.1	1	8260B		6/11/2015	CJR	1
Isopropylbenzene	< 0.82	ug/l	0.82	2.6	1	8260B		6/11/2015	CJR	1
p-Isopropyltoluene	< 1.1	ug/l	1.1	3.5	1	8260B		6/11/2015	CJR	1
Methylene chloride	< 1.3	ug/l	1.3	4.2	1	8260B		6/11/2015	CJR	1
Methyl tert-butyl ether (MTBE)	< 1.1	ug/l	1.1	3.7	1	8260B		6/11/2015	CJR	1
Naphthalene	< 1.6	ug/l	1.6	5.2	1	8260B		6/11/2015	CJR	1
n-Propylbenzene	< 0.77	ug/l	0.77	2.4	1	8260B		6/11/2015	CJR	1
1,1,2,2-Tetrachloroethane	< 0.52	ug/l	0.52	1.7	1	8260B		6/11/2015	CJR	1
1,1,1,2-Tetrachloroethane	< 0.48	ug/l	0.48	1.5	1	8260B		6/11/2015	CJR	1
Tetrachloroethene	42	ug/l	0.74	2.4	1	8260B		6/11/2015	CJR	1
Toluene	< 0.44	ug/l	0.44	1.4	1	8260B		6/11/2015	CJR	1
1,2,4-Trichlorobenzene	< 1.7	ug/l	1.7	5.6	1	8260B		6/11/2015	CJR	1
1,2,3-Trichlorobenzene	< 2.7	ug/l	2.7	8.6	1	8260B		6/11/2015	CJR	1
1,1,1-Trichloroethane	< 0.84	ug/l	0.84	2.7	1	8260B		6/11/2015	CJR	1
1,1,2-Trichloroethane	< 0.48	ug/l	0.48	1.52	1	8260B		6/11/2015	CJR	1
Trichloroethene (TCE)	< 0.47	ug/l	0.47	1.5	1	8260B		6/11/2015	CJR	1
Trichlorofluoromethane	< 0.87	ug/l	0.87	2.8	1	8260B		6/11/2015	CJR	1
1,2,4-Trimethylbenzene	< 1.6	ug/l	1.6	5	1	8260B		6/11/2015	CJR	1
1,3,5-Trimethylbenzene	< 1.5	ug/l	1.5	4.8	1	8260B		6/11/2015	CJR	1
Vinyl Chloride	< 0.17	ug/l	0.17	0.54	1	8260B		6/11/2015	CJR	1
m&p-Xylene	< 2.2	ug/l	2.2	6.9	1	8260B		6/11/2015	CJR	1
o-Xylene	< 0.9	ug/l	0.9	2.9	1	8260B		6/11/2015	CJR	1
SUR - 1,2-Dichloroethane-d4	104	REC %			1	8260B		6/11/2015	CJR	1
SUR - 4-Bromofluorobenzene	116	REC %			1	8260B		6/11/2015	CJR	1
SUR - Dibromofluoromethane	92	REC %			1	8260B		6/11/2015	CJR	1
SUR - Toluene-d8	101	REC %			1	8260B		6/11/2015	CJR	1

Lab Code 5029039Z  
 Sample ID 6155-MW-39S  
 Sample Matrix Water  
 Sample Date 6/2/2015

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 4.4	ug/l	4.4	14	10	8260B		6/13/2015	CJR	1
Bromobenzene	< 4.8	ug/l	4.8	15	10	8260B		6/13/2015	CJR	1
Bromodichloromethane	< 4.6	ug/l	4.6	15	10	8260B		6/13/2015	CJR	1
Bromoform	< 4.6	ug/l	4.6	15	10	8260B		6/13/2015	CJR	1
tert-Butylbenzene	< 11	ug/l	11	34	10	8260B		6/13/2015	CJR	1
sec-Butylbenzene	< 12	ug/l	12	38	10	8260B		6/13/2015	CJR	1
n-Butylbenzene	< 10	ug/l	10	33	10	8260B		6/13/2015	CJR	1
Carbon Tetrachloride	< 6.5	ug/l	6.5	21	10	8260B		6/13/2015	CJR	1
Chlorobenzene	< 4.6	ug/l	4.6	14	10	8260B		6/13/2015	CJR	1
Chloroethane	< 6.5	ug/l	6.5	21	10	8260B		6/13/2015	CJR	1
Chloroform	< 4.3	ug/l	4.3	14	10	8260B		6/13/2015	CJR	1
Chloromethane	< 19	ug/l	19	60	10	8260B		6/13/2015	CJR	3
2-Chlorotoluene	< 4	ug/l	4	13	10	8260B		6/13/2015	CJR	1
4-Chlorotoluene	< 6.3	ug/l	6.3	20	10	8260B		6/13/2015	CJR	1
1,2-Dibromo-3-chloropropane	< 14	ug/l	14	45	10	8260B		6/13/2015	CJR	1
Dibromochloromethane	< 4.5	ug/l	4.5	14	10	8260B		6/13/2015	CJR	1
1,4-Dichlorobenzene	< 4.9	ug/l	4.9	16	10	8260B		6/13/2015	CJR	1
1,3-Dichlorobenzene	< 5.2	ug/l	5.2	16	10	8260B		6/13/2015	CJR	1
1,2-Dichlorobenzene	< 4.6	ug/l	4.6	15	10	8260B		6/13/2015	CJR	1
Dichlorodifluoromethane	< 8.7	ug/l	8.7	28	10	8260B		6/13/2015	CJR	1
1,2-Dichloroethane	< 5.4	ug/l	5.4	17	10	8260B		6/13/2015	CJR	1
1,1-Dichloroethane	< 11	ug/l	11	36	10	8260B		6/13/2015	CJR	1
1,1-Dichloroethene	< 6.5	ug/l	6.5	21	10	8260B		6/13/2015	CJR	1
cis-1,2-Dichloroethene	69	ug/l	4.5	14	10	8260B		6/13/2015	CJR	1
trans-1,2-Dichloroethene	< 5.4	ug/l	5.4	17	10	8260B		6/13/2015	CJR	1
1,2-Dichloropropane	< 4.3	ug/l	4.3	13.7	10	8260B		6/13/2015	CJR	1
2,2-Dichloropropane	< 31	ug/l	31	98	10	8260B		6/13/2015	CJR	1
1,3-Dichloropropane	< 4.2	ug/l	4.2	13	10	8260B		6/13/2015	CJR	1
Di-isopropyl ether	< 4.4	ug/l	4.4	14	10	8260B		6/13/2015	CJR	1
EDB (1,2-Dibromoethane)	< 6.3	ug/l	6.3	20	10	8260B		6/13/2015	CJR	1
Ethylbenzene	< 7.1	ug/l	7.1	23	10	8260B		6/13/2015	CJR	1
Hexachlorobutadiene	< 22	ug/l	22	71	10	8260B		6/13/2015	CJR	1
Isopropylbenzene	< 8.2	ug/l	8.2	26	10	8260B		6/13/2015	CJR	1
p-Isopropyltoluene	< 11	ug/l	11	35	10	8260B		6/13/2015	CJR	1
Methylene chloride	< 13	ug/l	13	42	10	8260B		6/13/2015	CJR	1
Methyl tert-butyl ether (MTBE)	< 11	ug/l	11	37	10	8260B		6/13/2015	CJR	1
Naphthalene	< 16	ug/l	16	52	10	8260B		6/13/2015	CJR	1
n-Propylbenzene	< 7.7	ug/l	7.7	24	10	8260B		6/13/2015	CJR	1
1,1,2,2-Tetrachloroethane	< 5.2	ug/l	5.2	17	10	8260B		6/13/2015	CJR	1
1,1,1,2-Tetrachloroethane	< 4.8	ug/l	4.8	15	10	8260B		6/13/2015	CJR	1
Tetrachloroethene	2440	ug/l	74	240	100	8260B		6/15/2015	CJR	1
Toluene	< 4.4	ug/l	4.4	14	10	8260B		6/13/2015	CJR	1
1,2,4-Trichlorobenzene	< 17	ug/l	17	56	10	8260B		6/13/2015	CJR	1
1,2,3-Trichlorobenzene	< 27	ug/l	27	86	10	8260B		6/13/2015	CJR	1
1,1,1-Trichloroethane	< 8.4	ug/l	8.4	27	10	8260B		6/13/2015	CJR	1
1,1,2-Trichloroethane	< 4.8	ug/l	4.8	15.2	10	8260B		6/13/2015	CJR	1
Trichloroethene (TCE)	194	ug/l	4.7	15	10	8260B		6/13/2015	CJR	1
Trichlorofluoromethane	< 8.7	ug/l	8.7	28	10	8260B		6/13/2015	CJR	1
1,2,4-Trimethylbenzene	< 16	ug/l	16	50	10	8260B		6/13/2015	CJR	1
1,3,5-Trimethylbenzene	< 15	ug/l	15	48	10	8260B		6/13/2015	CJR	1
Vinyl Chloride	3.0 "J"	ug/l	1.7	5.4	10	8260B		6/13/2015	CJR	1
m&p-Xylene	< 22	ug/l	22	69	10	8260B		6/13/2015	CJR	1
o-Xylene	< 9	ug/l	9	29	10	8260B		6/13/2015	CJR	1
SUR - 1,2-Dichloroethane-d4	102	REC %				8260B		6/13/2015	CJR	1
SUR - 4-Bromofluorobenzene	102	REC %				8260B		6/13/2015	CJR	1
SUR - Dibromofluoromethane	103	REC %				8260B		6/13/2015	CJR	1
SUR - Toluene-d8	100	REC %				8260B		6/13/2015	CJR	1

**Project Name** FMR ROBINSON'S CLEANERS  
**Project #** 6155 PO2015465

**Invoice #** E29039

**Lab Code** 529039CC  
**Sample ID** 6155-PZ-41S  
**Sample Matrix** Water  
**Sample Date** 6/4/2015

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.44	ug/l	0.44	1.4	1	8260B		6/11/2015	CJR	1
Bromobenzene	< 0.48	ug/l	0.48	1.5	1	8260B		6/11/2015	CJR	1
Bromodichloromethane	< 0.46	ug/l	0.46	1.5	1	8260B		6/11/2015	CJR	1
Bromoform	< 0.46	ug/l	0.46	1.5	1	8260B		6/11/2015	CJR	1
tert-Butylbenzene	< 1.1	ug/l	1.1	3.4	1	8260B		6/11/2015	CJR	1
sec-Butylbenzene	< 1.2	ug/l	1.2	3.8	1	8260B		6/11/2015	CJR	1
n-Butylbenzene	< 1	ug/l	1	3.3	1	8260B		6/11/2015	CJR	1
Carbon Tetrachloride	< 0.65	ug/l	0.65	2.1	1	8260B		6/11/2015	CJR	1
Chlorobenzene	< 0.46	ug/l	0.46	1.4	1	8260B		6/11/2015	CJR	1
Chloroethane	< 0.65	ug/l	0.65	2.1	1	8260B		6/11/2015	CJR	1
Chloroform	< 0.43	ug/l	0.43	1.4	1	8260B		6/11/2015	CJR	1
Chloromethane	< 1.9	ug/l	1.9	6	1	8260B		6/11/2015	CJR	1
2-Chlorotoluene	< 0.4	ug/l	0.4	1.3	1	8260B		6/11/2015	CJR	1
4-Chlorotoluene	< 0.63	ug/l	0.63	2	1	8260B		6/11/2015	CJR	1
1,2-Dibromo-3-chloropropane	< 1.4	ug/l	1.4	4.5	1	8260B		6/11/2015	CJR	1
Dibromochloromethane	< 0.45	ug/l	0.45	1.4	1	8260B		6/11/2015	CJR	1
1,4-Dichlorobenzene	< 0.49	ug/l	0.49	1.6	1	8260B		6/11/2015	CJR	1
1,3-Dichlorobenzene	< 0.52	ug/l	0.52	1.6	1	8260B		6/11/2015	CJR	1
1,2-Dichlorobenzene	< 0.46	ug/l	0.46	1.5	1	8260B		6/11/2015	CJR	1
Dichlorodifluoromethane	< 0.87	ug/l	0.87	2.8	1	8260B		6/11/2015	CJR	1
1,2-Dichloroethane	< 0.54	ug/l	0.54	1.7	1	8260B		6/11/2015	CJR	1
1,1-Dichloroethane	< 1.1	ug/l	1.1	3.6	1	8260B		6/11/2015	CJR	1
1,1-Dichloroethene	< 0.65	ug/l	0.65	2.1	1	8260B		6/11/2015	CJR	1
cis-1,2-Dichloroethene	< 0.45	ug/l	0.45	1.4	1	8260B		6/11/2015	CJR	1
trans-1,2-Dichloroethene	< 0.54	ug/l	0.54	1.7	1	8260B		6/11/2015	CJR	1
1,2-Dichloropropane	< 0.43	ug/l	0.43	1.37	1	8260B		6/11/2015	CJR	1
2,2-Dichloropropane	< 3.1	ug/l	3.1	9.8	1	8260B		6/11/2015	CJR	4
1,3-Dichloropropane	< 0.42	ug/l	0.42	1.3	1	8260B		6/11/2015	CJR	1
Di-isopropyl ether	< 0.44	ug/l	0.44	1.4	1	8260B		6/11/2015	CJR	1
EDB (1,2-Dibromoethane)	< 0.63	ug/l	0.63	2	1	8260B		6/11/2015	CJR	1
Ethylbenzene	< 0.71	ug/l	0.71	2.3	1	8260B		6/11/2015	CJR	1
Hexachlorobutadiene	< 2.2	ug/l	2.2	7.1	1	8260B		6/11/2015	CJR	1
Isopropylbenzene	< 0.82	ug/l	0.82	2.6	1	8260B		6/11/2015	CJR	1
p-Isopropyltoluene	< 1.1	ug/l	1.1	3.5	1	8260B		6/11/2015	CJR	1
Methylene chloride	< 1.3	ug/l	1.3	4.2	1	8260B		6/11/2015	CJR	1
Methyl tert-butyl ether (MTBE)	< 1.1	ug/l	1.1	3.7	1	8260B		6/11/2015	CJR	1
Naphthalene	< 1.6	ug/l	1.6	5.2	1	8260B		6/11/2015	CJR	1
n-Propylbenzene	< 0.77	ug/l	0.77	2.4	1	8260B		6/11/2015	CJR	1
1,1,2,2-Tetrachloroethane	< 0.52	ug/l	0.52	1.7	1	8260B		6/11/2015	CJR	1
1,1,1,2-Tetrachloroethane	< 0.48	ug/l	0.48	1.5	1	8260B		6/11/2015	CJR	1
Tetrachloroethene	< 0.74	ug/l	0.74	2.4	1	8260B		6/11/2015	CJR	1
Toluene	< 0.44	ug/l	0.44	1.4	1	8260B		6/11/2015	CJR	1
1,2,4-Trichlorobenzene	< 1.7	ug/l	1.7	5.6	1	8260B		6/11/2015	CJR	1
1,2,3-Trichlorobenzene	< 2.7	ug/l	2.7	8.6	1	8260B		6/11/2015	CJR	1
1,1,1-Trichloroethane	< 0.84	ug/l	0.84	2.7	1	8260B		6/11/2015	CJR	1
1,1,2-Trichloroethane	< 0.48	ug/l	0.48	1.52	1	8260B		6/11/2015	CJR	1
Trichloroethene (TCE)	< 0.47	ug/l	0.47	1.5	1	8260B		6/11/2015	CJR	1
Trichlorofluoromethane	< 0.87	ug/l	0.87	2.8	1	8260B		6/11/2015	CJR	1
1,2,4-Trimethylbenzene	< 1.6	ug/l	1.6	5	1	8260B		6/11/2015	CJR	1
1,3,5-Trimethylbenzene	< 1.5	ug/l	1.5	4.8	1	8260B		6/11/2015	CJR	1
Vinyl Chloride	< 0.17	ug/l	0.17	0.54	1	8260B		6/11/2015	CJR	1
m&p-Xylene	< 2.2	ug/l	2.2	6.9	1	8260B		6/11/2015	CJR	1
o-Xylene	< 0.9	ug/l	0.9	2.9	1	8260B		6/11/2015	CJR	1
SUR - Toluene-d8	103	REC %			1	8260B		6/11/2015	CJR	1
SUR - Dibromofluoromethane	93	REC %			1	8260B		6/11/2015	CJR	1
SUR - 4-Bromofluorobenzene	116	REC %			1	8260B		6/11/2015	CJR	1
SUR - 1,2-Dichloroethane-d4	103	REC %			1	8260B		6/11/2015	CJR	1

**Project Name** FMR ROBINSON'S CLEANERS  
**Project #** 6155 PO2015465

**Invoice #** E29039

**Lab Code** 529039DD  
**Sample ID** 6155-PZ-43S  
**Sample Matrix** Water  
**Sample Date** 6/4/2015

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.44	ug/l	0.44	1.4	1	8260B		6/11/2015	CJR	1
Bromobenzene	< 0.48	ug/l	0.48	1.5	1	8260B		6/11/2015	CJR	1
Bromodichloromethane	< 0.46	ug/l	0.46	1.5	1	8260B		6/11/2015	CJR	1
Bromoform	< 0.46	ug/l	0.46	1.5	1	8260B		6/11/2015	CJR	1
tert-Butylbenzene	< 1.1	ug/l	1.1	3.4	1	8260B		6/11/2015	CJR	1
sec-Butylbenzene	< 1.2	ug/l	1.2	3.8	1	8260B		6/11/2015	CJR	1
n-Butylbenzene	< 1	ug/l	1	3.3	1	8260B		6/11/2015	CJR	1
Carbon Tetrachloride	< 0.65	ug/l	0.65	2.1	1	8260B		6/11/2015	CJR	1
Chlorobenzene	< 0.46	ug/l	0.46	1.4	1	8260B		6/11/2015	CJR	1
Chloroethane	< 0.65	ug/l	0.65	2.1	1	8260B		6/11/2015	CJR	1
Chloroform	< 0.43	ug/l	0.43	1.4	1	8260B		6/11/2015	CJR	1
Chloromethane	< 1.9	ug/l	1.9	6	1	8260B		6/11/2015	CJR	1
2-Chlorotoluene	< 0.4	ug/l	0.4	1.3	1	8260B		6/11/2015	CJR	1
4-Chlorotoluene	< 0.63	ug/l	0.63	2	1	8260B		6/11/2015	CJR	1
1,2-Dibromo-3-chloropropane	< 1.4	ug/l	1.4	4.5	1	8260B		6/11/2015	CJR	1
Dibromochloromethane	< 0.45	ug/l	0.45	1.4	1	8260B		6/11/2015	CJR	1
1,4-Dichlorobenzene	< 0.49	ug/l	0.49	1.6	1	8260B		6/11/2015	CJR	1
1,3-Dichlorobenzene	< 0.52	ug/l	0.52	1.6	1	8260B		6/11/2015	CJR	1
1,2-Dichlorobenzene	< 0.46	ug/l	0.46	1.5	1	8260B		6/11/2015	CJR	1
Dichlorodifluoromethane	< 0.87	ug/l	0.87	2.8	1	8260B		6/11/2015	CJR	1
1,2-Dichloroethane	< 0.54	ug/l	0.54	1.7	1	8260B		6/11/2015	CJR	1
1,1-Dichloroethane	< 1.1	ug/l	1.1	3.6	1	8260B		6/11/2015	CJR	1
1,1-Dichloroethene	< 0.65	ug/l	0.65	2.1	1	8260B		6/11/2015	CJR	1
cis-1,2-Dichloroethene	< 0.45	ug/l	0.45	1.4	1	8260B		6/11/2015	CJR	1
trans-1,2-Dichloroethene	< 0.54	ug/l	0.54	1.7	1	8260B		6/11/2015	CJR	1
1,2-Dichloropropane	< 0.43	ug/l	0.43	1.37	1	8260B		6/11/2015	CJR	1
2,2-Dichloropropane	< 3.1	ug/l	3.1	9.8	1	8260B		6/11/2015	CJR	4
1,3-Dichloropropane	< 0.42	ug/l	0.42	1.3	1	8260B		6/11/2015	CJR	1
Di-isopropyl ether	< 0.44	ug/l	0.44	1.4	1	8260B		6/11/2015	CJR	1
EDB (1,2-Dibromoethane)	< 0.63	ug/l	0.63	2	1	8260B		6/11/2015	CJR	1
Ethylbenzene	< 0.71	ug/l	0.71	2.3	1	8260B		6/11/2015	CJR	1
Hexachlorobutadiene	< 2.2	ug/l	2.2	7.1	1	8260B		6/11/2015	CJR	1
Isopropylbenzene	< 0.82	ug/l	0.82	2.6	1	8260B		6/11/2015	CJR	1
p-Isopropyltoluene	< 1.1	ug/l	1.1	3.5	1	8260B		6/11/2015	CJR	1
Methylene chloride	< 1.3	ug/l	1.3	4.2	1	8260B		6/11/2015	CJR	1
Methyl tert-butyl ether (MTBE)	< 1.1	ug/l	1.1	3.7	1	8260B		6/11/2015	CJR	1
Naphthalene	< 1.6	ug/l	1.6	5.2	1	8260B		6/11/2015	CJR	1
n-Propylbenzene	< 0.77	ug/l	0.77	2.4	1	8260B		6/11/2015	CJR	1
1,1,2,2-Tetrachloroethane	< 0.52	ug/l	0.52	1.7	1	8260B		6/11/2015	CJR	1
1,1,1,2-Tetrachloroethane	< 0.48	ug/l	0.48	1.5	1	8260B		6/11/2015	CJR	1
Tetrachloroethene	< 0.74	ug/l	0.74	2.4	1	8260B		6/11/2015	CJR	1
Toluene	< 0.44	ug/l	0.44	1.4	1	8260B		6/11/2015	CJR	1
1,2,4-Trichlorobenzene	< 1.7	ug/l	1.7	5.6	1	8260B		6/11/2015	CJR	1
1,2,3-Trichlorobenzene	< 2.7	ug/l	2.7	8.6	1	8260B		6/11/2015	CJR	1
1,1,1-Trichloroethane	< 0.84	ug/l	0.84	2.7	1	8260B		6/11/2015	CJR	1
1,1,2-Trichloroethane	< 0.48	ug/l	0.48	1.52	1	8260B		6/11/2015	CJR	1
Trichloroethene (TCE)	< 0.47	ug/l	0.47	1.5	1	8260B		6/11/2015	CJR	1
Trichlorofluoromethane	< 0.87	ug/l	0.87	2.8	1	8260B		6/11/2015	CJR	1
1,2,4-Trimethylbenzene	< 1.6	ug/l	1.6	5	1	8260B		6/11/2015	CJR	1
1,3,5-Trimethylbenzene	< 1.5	ug/l	1.5	4.8	1	8260B		6/11/2015	CJR	1
Vinyl Chloride	< 0.17	ug/l	0.17	0.54	1	8260B		6/11/2015	CJR	1
m&p-Xylene	< 2.2	ug/l	2.2	6.9	1	8260B		6/11/2015	CJR	1
o-Xylene	< 0.9	ug/l	0.9	2.9	1	8260B		6/11/2015	CJR	1
SUR - Toluene-d8	101	REC %			1	8260B		6/11/2015	CJR	1
SUR - 1,2-Dichloroethane-d4	97	REC %			1	8260B		6/11/2015	CJR	1
SUR - 4-Bromofluorobenzene	116	REC %			1	8260B		6/11/2015	CJR	1
SUR - Dibromofluoromethane	96	REC %			1	8260B		6/11/2015	CJR	1



**Project Name** FMR ROBINSON'S CLEANERS  
**Project #** 6155 PO2015465

**Invoice #** E29039

**Lab Code** 529039EE  
**Sample ID** 6155-PZ-43D1  
**Sample Matrix** Water  
**Sample Date** 6/4/2015

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.44	ug/l	0.44	1.4	1	8260B		6/12/2015	CJR	1
Bromobenzene	< 0.48	ug/l	0.48	1.5	1	8260B		6/12/2015	CJR	1
Bromodichloromethane	< 0.46	ug/l	0.46	1.5	1	8260B		6/12/2015	CJR	1
Bromoform	< 0.46	ug/l	0.46	1.5	1	8260B		6/12/2015	CJR	1
tert-Butylbenzene	< 1.1	ug/l	1.1	3.4	1	8260B		6/12/2015	CJR	1
sec-Butylbenzene	< 1.2	ug/l	1.2	3.8	1	8260B		6/12/2015	CJR	1
n-Butylbenzene	< 1	ug/l	1	3.3	1	8260B		6/12/2015	CJR	1
Carbon Tetrachloride	< 0.65	ug/l	0.65	2.1	1	8260B		6/12/2015	CJR	1
Chlorobenzene	< 0.46	ug/l	0.46	1.4	1	8260B		6/12/2015	CJR	1
Chloroethane	< 0.65	ug/l	0.65	2.1	1	8260B		6/12/2015	CJR	1
Chloroform	< 0.43	ug/l	0.43	1.4	1	8260B		6/12/2015	CJR	1
Chloromethane	< 1.9	ug/l	1.9	6	1	8260B		6/12/2015	CJR	1
2-Chlorotoluene	< 0.4	ug/l	0.4	1.3	1	8260B		6/12/2015	CJR	1
4-Chlorotoluene	< 0.63	ug/l	0.63	2	1	8260B		6/12/2015	CJR	1
1,2-Dibromo-3-chloropropane	< 1.4	ug/l	1.4	4.5	1	8260B		6/12/2015	CJR	1
Dibromochloromethane	< 0.45	ug/l	0.45	1.4	1	8260B		6/12/2015	CJR	1
1,4-Dichlorobenzene	< 0.49	ug/l	0.49	1.6	1	8260B		6/12/2015	CJR	1
1,3-Dichlorobenzene	< 0.52	ug/l	0.52	1.6	1	8260B		6/12/2015	CJR	1
1,2-Dichlorobenzene	< 0.46	ug/l	0.46	1.5	1	8260B		6/12/2015	CJR	1
Dichlorodifluoromethane	< 0.87	ug/l	0.87	2.8	1	8260B		6/12/2015	CJR	1
1,2-Dichloroethane	< 0.54	ug/l	0.54	1.7	1	8260B		6/12/2015	CJR	1
1,1-Dichloroethane	< 1.1	ug/l	1.1	3.6	1	8260B		6/12/2015	CJR	1
1,1-Dichloroethene	< 0.65	ug/l	0.65	2.1	1	8260B		6/12/2015	CJR	1
cis-1,2-Dichloroethene	< 0.45	ug/l	0.45	1.4	1	8260B		6/12/2015	CJR	1
trans-1,2-Dichloroethene	< 0.54	ug/l	0.54	1.7	1	8260B		6/12/2015	CJR	1
1,2-Dichloropropane	< 0.43	ug/l	0.43	1.37	1	8260B		6/12/2015	CJR	1
2,2-Dichloropropane	< 3.1	ug/l	3.1	9.8	1	8260B		6/12/2015	CJR	1
1,3-Dichloropropane	< 0.42	ug/l	0.42	1.3	1	8260B		6/12/2015	CJR	1
Di-isopropyl ether	< 0.44	ug/l	0.44	1.4	1	8260B		6/12/2015	CJR	1
EDB (1,2-Dibromoethane)	< 0.63	ug/l	0.63	2	1	8260B		6/12/2015	CJR	1
Ethylbenzene	< 0.71	ug/l	0.71	2.3	1	8260B		6/12/2015	CJR	1
Hexachlorobutadiene	< 2.2	ug/l	2.2	7.1	1	8260B		6/12/2015	CJR	1
Isopropylbenzene	< 0.82	ug/l	0.82	2.6	1	8260B		6/12/2015	CJR	1
p-Isopropyltoluene	< 1.1	ug/l	1.1	3.5	1	8260B		6/12/2015	CJR	1
Methylene chloride	< 1.3	ug/l	1.3	4.2	1	8260B		6/12/2015	CJR	1
Methyl tert-butyl ether (MTBE)	< 1.1	ug/l	1.1	3.7	1	8260B		6/12/2015	CJR	1
Naphthalene	< 1.6	ug/l	1.6	5.2	1	8260B		6/12/2015	CJR	1
n-Propylbenzene	< 0.77	ug/l	0.77	2.4	1	8260B		6/12/2015	CJR	1
1,1,2,2-Tetrachloroethane	< 0.52	ug/l	0.52	1.7	1	8260B		6/12/2015	CJR	1
1,1,1,2-Tetrachloroethane	< 0.48	ug/l	0.48	1.5	1	8260B		6/12/2015	CJR	1
Tetrachloroethene	4.7	ug/l	0.74	2.4	1	8260B		6/12/2015	CJR	1
Toluene	< 0.44	ug/l	0.44	1.4	1	8260B		6/12/2015	CJR	1
1,2,4-Trichlorobenzene	< 1.7	ug/l	1.7	5.6	1	8260B		6/12/2015	CJR	1
1,2,3-Trichlorobenzene	< 2.7	ug/l	2.7	8.6	1	8260B		6/12/2015	CJR	1
1,1,1-Trichloroethane	< 0.84	ug/l	0.84	2.7	1	8260B		6/12/2015	CJR	1
1,1,2-Trichloroethane	< 0.48	ug/l	0.48	1.52	1	8260B		6/12/2015	CJR	1
Trichloroethene (TCE)	< 0.47	ug/l	0.47	1.5	1	8260B		6/12/2015	CJR	1
Trichlorofluoromethane	< 0.87	ug/l	0.87	2.8	1	8260B		6/12/2015	CJR	1
1,2,4-Trimethylbenzene	< 1.6	ug/l	1.6	5	1	8260B		6/12/2015	CJR	1
1,3,5-Trimethylbenzene	< 1.5	ug/l	1.5	4.8	1	8260B		6/12/2015	CJR	1
Vinyl Chloride	< 0.17	ug/l	0.17	0.54	1	8260B		6/12/2015	CJR	1
m&p-Xylene	< 2.2	ug/l	2.2	6.9	1	8260B		6/12/2015	CJR	1
o-Xylene	< 0.9	ug/l	0.9	2.9	1	8260B		6/12/2015	CJR	1
SUR - 1,2-Dichloroethane-d4	97	REC %			1	8260B		6/12/2015	CJR	1
SUR - 4-Bromofluorobenzene	105	REC %			1	8260B		6/12/2015	CJR	1
SUR - Dibromofluoromethane	98	REC %			1	8260B		6/12/2015	CJR	1
SUR - Toluene-d8	106	REC %			1	8260B		6/12/2015	CJR	1

**Project Name** FMR ROBINSON'S CLEANERS  
**Project #** 6155 PO2015465

**Invoice #** E29039

**Lab Code** 529039FF  
**Sample ID** 6155-PZ-43D2  
**Sample Matrix** Water  
**Sample Date** 6/4/2015

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.44	ug/l	0.44	1.4	1	8260B		6/12/2015	CJR	1
Bromobenzene	< 0.48	ug/l	0.48	1.5	1	8260B		6/12/2015	CJR	1
Bromodichloromethane	< 0.46	ug/l	0.46	1.5	1	8260B		6/12/2015	CJR	1
Bromoform	< 0.46	ug/l	0.46	1.5	1	8260B		6/12/2015	CJR	1
tert-Butylbenzene	< 1.1	ug/l	1.1	3.4	1	8260B		6/12/2015	CJR	1
sec-Butylbenzene	< 1.2	ug/l	1.2	3.8	1	8260B		6/12/2015	CJR	1
n-Butylbenzene	< 1	ug/l	1	3.3	1	8260B		6/12/2015	CJR	1
Carbon Tetrachloride	< 0.65	ug/l	0.65	2.1	1	8260B		6/12/2015	CJR	1
Chlorobenzene	< 0.46	ug/l	0.46	1.4	1	8260B		6/12/2015	CJR	1
Chloroethane	< 0.65	ug/l	0.65	2.1	1	8260B		6/12/2015	CJR	1
Chloroform	< 0.43	ug/l	0.43	1.4	1	8260B		6/12/2015	CJR	1
Chloromethane	< 1.9	ug/l	1.9	6	1	8260B		6/12/2015	CJR	1
2-Chlorotoluene	< 0.4	ug/l	0.4	1.3	1	8260B		6/12/2015	CJR	1
4-Chlorotoluene	< 0.63	ug/l	0.63	2	1	8260B		6/12/2015	CJR	1
1,2-Dibromo-3-chloropropane	< 1.4	ug/l	1.4	4.5	1	8260B		6/12/2015	CJR	1
Dibromochloromethane	< 0.45	ug/l	0.45	1.4	1	8260B		6/12/2015	CJR	1
1,4-Dichlorobenzene	< 0.49	ug/l	0.49	1.6	1	8260B		6/12/2015	CJR	1
1,3-Dichlorobenzene	< 0.52	ug/l	0.52	1.6	1	8260B		6/12/2015	CJR	1
1,2-Dichlorobenzene	< 0.46	ug/l	0.46	1.5	1	8260B		6/12/2015	CJR	1
Dichlorodifluoromethane	< 0.87	ug/l	0.87	2.8	1	8260B		6/12/2015	CJR	1
1,2-Dichloroethane	< 0.54	ug/l	0.54	1.7	1	8260B		6/12/2015	CJR	1
1,1-Dichloroethane	< 1.1	ug/l	1.1	3.6	1	8260B		6/12/2015	CJR	1
1,1-Dichloroethene	< 0.65	ug/l	0.65	2.1	1	8260B		6/12/2015	CJR	1
cis-1,2-Dichloroethene	< 0.45	ug/l	0.45	1.4	1	8260B		6/12/2015	CJR	1
trans-1,2-Dichloroethene	< 0.54	ug/l	0.54	1.7	1	8260B		6/12/2015	CJR	1
1,2-Dichloropropane	< 0.43	ug/l	0.43	1.37	1	8260B		6/12/2015	CJR	1
2,2-Dichloropropane	< 3.1	ug/l	3.1	9.8	1	8260B		6/12/2015	CJR	1
1,3-Dichloropropane	< 0.42	ug/l	0.42	1.3	1	8260B		6/12/2015	CJR	1
Di-isopropyl ether	< 0.44	ug/l	0.44	1.4	1	8260B		6/12/2015	CJR	1
EDB (1,2-Dibromoethane)	< 0.63	ug/l	0.63	2	1	8260B		6/12/2015	CJR	1
Ethylbenzene	< 0.71	ug/l	0.71	2.3	1	8260B		6/12/2015	CJR	1
Hexachlorobutadiene	< 2.2	ug/l	2.2	7.1	1	8260B		6/12/2015	CJR	1
Isopropylbenzene	< 0.82	ug/l	0.82	2.6	1	8260B		6/12/2015	CJR	1
p-Isopropyltoluene	< 1.1	ug/l	1.1	3.5	1	8260B		6/12/2015	CJR	1
Methylene chloride	< 1.3	ug/l	1.3	4.2	1	8260B		6/12/2015	CJR	1
Methyl tert-butyl ether (MTBE)	< 1.1	ug/l	1.1	3.7	1	8260B		6/12/2015	CJR	1
Naphthalene	< 1.6	ug/l	1.6	5.2	1	8260B		6/12/2015	CJR	1
n-Propylbenzene	< 0.77	ug/l	0.77	2.4	1	8260B		6/12/2015	CJR	1
1,1,2,2-Tetrachloroethane	< 0.52	ug/l	0.52	1.7	1	8260B		6/12/2015	CJR	1
1,1,1,2-Tetrachloroethane	< 0.48	ug/l	0.48	1.5	1	8260B		6/12/2015	CJR	1
Tetrachloroethene	< 0.74	ug/l	0.74	2.4	1	8260B		6/12/2015	CJR	1
Toluene	< 0.44	ug/l	0.44	1.4	1	8260B		6/12/2015	CJR	1
1,2,4-Trichlorobenzene	< 1.7	ug/l	1.7	5.6	1	8260B		6/12/2015	CJR	1
1,2,3-Trichlorobenzene	< 2.7	ug/l	2.7	8.6	1	8260B		6/12/2015	CJR	1
1,1,1-Trichloroethane	< 0.84	ug/l	0.84	2.7	1	8260B		6/12/2015	CJR	1
1,1,2-Trichloroethane	< 0.48	ug/l	0.48	1.52	1	8260B		6/12/2015	CJR	1
Trichloroethene (TCE)	< 0.47	ug/l	0.47	1.5	1	8260B		6/12/2015	CJR	1
Trichlorofluoromethane	< 0.87	ug/l	0.87	2.8	1	8260B		6/12/2015	CJR	1
1,2,4-Trimethylbenzene	< 1.6	ug/l	1.6	5	1	8260B		6/12/2015	CJR	1
1,3,5-Trimethylbenzene	< 1.5	ug/l	1.5	4.8	1	8260B		6/12/2015	CJR	1
Vinyl Chloride	< 0.17	ug/l	0.17	0.54	1	8260B		6/12/2015	CJR	1
m&p-Xylene	< 2.2	ug/l	2.2	6.9	1	8260B		6/12/2015	CJR	1
o-Xylene	< 0.9	ug/l	0.9	2.9	1	8260B		6/12/2015	CJR	1
SUR - 1,2-Dichloroethane-d4	96	REC %			1	8260B		6/12/2015	CJR	1
SUR - 4-Bromofluorobenzene	105	REC %			1	8260B		6/12/2015	CJR	1
SUR - Dibromofluoromethane	99	REC %			1	8260B		6/12/2015	CJR	1
SUR - Toluene-d8	105	REC %			1	8260B		6/12/2015	CJR	1

**Project Name** FMR ROBINSON'S CLEANERS  
**Project #** 6155 PO2015465

**Invoice #** E29039

**Lab Code** 529039GG  
**Sample ID** 6155-MW-44S  
**Sample Matrix** Water  
**Sample Date** 6/5/2015

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.44	ug/l	0.44	1.4	1	8260B		6/12/2015	CJR	1
Bromobenzene	< 0.48	ug/l	0.48	1.5	1	8260B		6/12/2015	CJR	1
Bromodichloromethane	< 0.46	ug/l	0.46	1.5	1	8260B		6/12/2015	CJR	1
Bromoform	< 0.46	ug/l	0.46	1.5	1	8260B		6/12/2015	CJR	1
tert-Butylbenzene	< 1.1	ug/l	1.1	3.4	1	8260B		6/12/2015	CJR	1
sec-Butylbenzene	< 1.2	ug/l	1.2	3.8	1	8260B		6/12/2015	CJR	1
n-Butylbenzene	< 1	ug/l	1	3.3	1	8260B		6/12/2015	CJR	1
Carbon Tetrachloride	< 0.65	ug/l	0.65	2.1	1	8260B		6/12/2015	CJR	1
Chlorobenzene	< 0.46	ug/l	0.46	1.4	1	8260B		6/12/2015	CJR	1
Chloroethane	< 0.65	ug/l	0.65	2.1	1	8260B		6/12/2015	CJR	1
Chloroform	< 0.43	ug/l	0.43	1.4	1	8260B		6/12/2015	CJR	1
Chloromethane	< 1.9	ug/l	1.9	6	1	8260B		6/12/2015	CJR	1
2-Chlorotoluene	< 0.4	ug/l	0.4	1.3	1	8260B		6/12/2015	CJR	1
4-Chlorotoluene	< 0.63	ug/l	0.63	2	1	8260B		6/12/2015	CJR	1
1,2-Dibromo-3-chloropropane	< 1.4	ug/l	1.4	4.5	1	8260B		6/12/2015	CJR	1
Dibromochloromethane	< 0.45	ug/l	0.45	1.4	1	8260B		6/12/2015	CJR	1
1,4-Dichlorobenzene	< 0.49	ug/l	0.49	1.6	1	8260B		6/12/2015	CJR	1
1,3-Dichlorobenzene	< 0.52	ug/l	0.52	1.6	1	8260B		6/12/2015	CJR	1
1,2-Dichlorobenzene	< 0.46	ug/l	0.46	1.5	1	8260B		6/12/2015	CJR	1
Dichlorodifluoromethane	< 0.87	ug/l	0.87	2.8	1	8260B		6/12/2015	CJR	1
1,2-Dichloroethane	< 0.54	ug/l	0.54	1.7	1	8260B		6/12/2015	CJR	1
1,1-Dichloroethane	< 1.1	ug/l	1.1	3.6	1	8260B		6/12/2015	CJR	1
1,1-Dichloroethene	< 0.65	ug/l	0.65	2.1	1	8260B		6/12/2015	CJR	1
cis-1,2-Dichloroethene	< 0.45	ug/l	0.45	1.4	1	8260B		6/12/2015	CJR	1
trans-1,2-Dichloroethene	< 0.54	ug/l	0.54	1.7	1	8260B		6/12/2015	CJR	1
1,2-Dichloropropane	< 0.43	ug/l	0.43	1.37	1	8260B		6/12/2015	CJR	1
2,2-Dichloropropane	< 3.1	ug/l	3.1	9.8	1	8260B		6/12/2015	CJR	1
1,3-Dichloropropane	< 0.42	ug/l	0.42	1.3	1	8260B		6/12/2015	CJR	1
Di-isopropyl ether	< 0.44	ug/l	0.44	1.4	1	8260B		6/12/2015	CJR	1
EDB (1,2-Dibromoethane)	< 0.63	ug/l	0.63	2	1	8260B		6/12/2015	CJR	1
Ethylbenzene	< 0.71	ug/l	0.71	2.3	1	8260B		6/12/2015	CJR	1
Hexachlorobutadiene	< 2.2	ug/l	2.2	7.1	1	8260B		6/12/2015	CJR	1
Isopropylbenzene	< 0.82	ug/l	0.82	2.6	1	8260B		6/12/2015	CJR	1
p-Isopropyltoluene	< 1.1	ug/l	1.1	3.5	1	8260B		6/12/2015	CJR	1
Methylene chloride	< 1.3	ug/l	1.3	4.2	1	8260B		6/12/2015	CJR	1
Methyl tert-butyl ether (MTBE)	< 1.1	ug/l	1.1	3.7	1	8260B		6/12/2015	CJR	1
Naphthalene	< 1.6	ug/l	1.6	5.2	1	8260B		6/12/2015	CJR	1
n-Propylbenzene	< 0.77	ug/l	0.77	2.4	1	8260B		6/12/2015	CJR	1
1,1,2,2-Tetrachloroethane	< 0.52	ug/l	0.52	1.7	1	8260B		6/12/2015	CJR	1
1,1,1,2-Tetrachloroethane	< 0.48	ug/l	0.48	1.5	1	8260B		6/12/2015	CJR	1
Tetrachloroethene	< 0.74	ug/l	0.74	2.4	1	8260B		6/12/2015	CJR	1
Toluene	< 0.44	ug/l	0.44	1.4	1	8260B		6/12/2015	CJR	1
1,2,4-Trichlorobenzene	< 1.7	ug/l	1.7	5.6	1	8260B		6/12/2015	CJR	1
1,2,3-Trichlorobenzene	< 2.7	ug/l	2.7	8.6	1	8260B		6/12/2015	CJR	1
1,1,1-Trichloroethane	< 0.84	ug/l	0.84	2.7	1	8260B		6/12/2015	CJR	1
1,1,2-Trichloroethane	< 0.48	ug/l	0.48	1.52	1	8260B		6/12/2015	CJR	1
Trichloroethene (TCE)	< 0.47	ug/l	0.47	1.5	1	8260B		6/12/2015	CJR	1
Trichlorofluoromethane	< 0.87	ug/l	0.87	2.8	1	8260B		6/12/2015	CJR	1
1,2,4-Trimethylbenzene	< 1.6	ug/l	1.6	5	1	8260B		6/12/2015	CJR	1
1,3,5-Trimethylbenzene	< 1.5	ug/l	1.5	4.8	1	8260B		6/12/2015	CJR	1
Vinyl Chloride	< 0.17	ug/l	0.17	0.54	1	8260B		6/12/2015	CJR	1
m&p-Xylene	< 2.2	ug/l	2.2	6.9	1	8260B		6/12/2015	CJR	1
o-Xylene	< 0.9	ug/l	0.9	2.9	1	8260B		6/12/2015	CJR	1
SUR - 1,2-Dichloroethane-d4	100	REC %			1	8260B		6/12/2015	CJR	1
SUR - 4-Bromofluorobenzene	103	REC %			1	8260B		6/12/2015	CJR	1
SUR - Dibromofluoromethane	99	REC %			1	8260B		6/12/2015	CJR	1
SUR - Toluene-d8	106	REC %			1	8260B		6/12/2015	CJR	1

**Project Name** FMR ROBINSON'S CLEANERS  
**Project #** 6155 PO2015465

**Invoice #** E29039

**Lab Code** 529039HH  
**Sample ID** 6155-PZ-44D1  
**Sample Matrix** Water  
**Sample Date** 6/5/2015

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.44	ug/l	0.44	1.4	1	8260B		6/12/2015	CJR	1
Bromobenzene	< 0.48	ug/l	0.48	1.5	1	8260B		6/12/2015	CJR	1
Bromodichloromethane	< 0.46	ug/l	0.46	1.5	1	8260B		6/12/2015	CJR	1
Bromoform	< 0.46	ug/l	0.46	1.5	1	8260B		6/12/2015	CJR	1
tert-Butylbenzene	< 1.1	ug/l	1.1	3.4	1	8260B		6/12/2015	CJR	1
sec-Butylbenzene	< 1.2	ug/l	1.2	3.8	1	8260B		6/12/2015	CJR	1
n-Butylbenzene	< 1	ug/l	1	3.3	1	8260B		6/12/2015	CJR	1
Carbon Tetrachloride	< 0.65	ug/l	0.65	2.1	1	8260B		6/12/2015	CJR	1
Chlorobenzene	< 0.46	ug/l	0.46	1.4	1	8260B		6/12/2015	CJR	1
Chloroethane	< 0.65	ug/l	0.65	2.1	1	8260B		6/12/2015	CJR	1
Chloroform	< 0.43	ug/l	0.43	1.4	1	8260B		6/12/2015	CJR	1
Chloromethane	< 1.9	ug/l	1.9	6	1	8260B		6/12/2015	CJR	1
2-Chlorotoluene	< 0.4	ug/l	0.4	1.3	1	8260B		6/12/2015	CJR	1
4-Chlorotoluene	< 0.63	ug/l	0.63	2	1	8260B		6/12/2015	CJR	1
1,2-Dibromo-3-chloropropane	< 1.4	ug/l	1.4	4.5	1	8260B		6/12/2015	CJR	1
Dibromochloromethane	< 0.45	ug/l	0.45	1.4	1	8260B		6/12/2015	CJR	1
1,4-Dichlorobenzene	< 0.49	ug/l	0.49	1.6	1	8260B		6/12/2015	CJR	1
1,3-Dichlorobenzene	< 0.52	ug/l	0.52	1.6	1	8260B		6/12/2015	CJR	1
1,2-Dichlorobenzene	< 0.46	ug/l	0.46	1.5	1	8260B		6/12/2015	CJR	1
Dichlorodifluoromethane	< 0.87	ug/l	0.87	2.8	1	8260B		6/12/2015	CJR	1
1,2-Dichloroethane	< 0.54	ug/l	0.54	1.7	1	8260B		6/12/2015	CJR	1
1,1-Dichloroethane	< 1.1	ug/l	1.1	3.6	1	8260B		6/12/2015	CJR	1
1,1-Dichloroethene	< 0.65	ug/l	0.65	2.1	1	8260B		6/12/2015	CJR	1
cis-1,2-Dichloroethene	< 0.45	ug/l	0.45	1.4	1	8260B		6/12/2015	CJR	1
trans-1,2-Dichloroethene	< 0.54	ug/l	0.54	1.7	1	8260B		6/12/2015	CJR	1
1,2-Dichloropropane	< 0.43	ug/l	0.43	1.37	1	8260B		6/12/2015	CJR	1
2,2-Dichloropropane	< 3.1	ug/l	3.1	9.8	1	8260B		6/12/2015	CJR	1
1,3-Dichloropropane	< 0.42	ug/l	0.42	1.3	1	8260B		6/12/2015	CJR	1
Di-isopropyl ether	< 0.44	ug/l	0.44	1.4	1	8260B		6/12/2015	CJR	1
EDB (1,2-Dibromoethane)	< 0.63	ug/l	0.63	2	1	8260B		6/12/2015	CJR	1
Ethylbenzene	< 0.71	ug/l	0.71	2.3	1	8260B		6/12/2015	CJR	1
Hexachlorobutadiene	< 2.2	ug/l	2.2	7.1	1	8260B		6/12/2015	CJR	1
Isopropylbenzene	< 0.82	ug/l	0.82	2.6	1	8260B		6/12/2015	CJR	1
p-Isopropyltoluene	< 1.1	ug/l	1.1	3.5	1	8260B		6/12/2015	CJR	1
Methylene chloride	< 1.3	ug/l	1.3	4.2	1	8260B		6/12/2015	CJR	1
Methyl tert-butyl ether (MTBE)	< 1.1	ug/l	1.1	3.7	1	8260B		6/12/2015	CJR	1
Naphthalene	< 1.6	ug/l	1.6	5.2	1	8260B		6/12/2015	CJR	1
n-Propylbenzene	< 0.77	ug/l	0.77	2.4	1	8260B		6/12/2015	CJR	1
1,1,2,2-Tetrachloroethane	< 0.52	ug/l	0.52	1.7	1	8260B		6/12/2015	CJR	1
1,1,1,2-Tetrachloroethane	< 0.48	ug/l	0.48	1.5	1	8260B		6/12/2015	CJR	1
Tetrachloroethene	2.07 "J"	ug/l	0.74	2.4	1	8260B		6/12/2015	CJR	1
Toluene	< 0.44	ug/l	0.44	1.4	1	8260B		6/12/2015	CJR	1
1,2,4-Trichlorobenzene	< 1.7	ug/l	1.7	5.6	1	8260B		6/12/2015	CJR	1
1,2,3-Trichlorobenzene	< 2.7	ug/l	2.7	8.6	1	8260B		6/12/2015	CJR	1
1,1,1-Trichloroethane	< 0.84	ug/l	0.84	2.7	1	8260B		6/12/2015	CJR	1
1,1,2-Trichloroethane	< 0.48	ug/l	0.48	1.52	1	8260B		6/12/2015	CJR	1
Trichloroethene (TCE)	< 0.47	ug/l	0.47	1.5	1	8260B		6/12/2015	CJR	1
Trichlorofluoromethane	< 0.87	ug/l	0.87	2.8	1	8260B		6/12/2015	CJR	1
1,2,4-Trimethylbenzene	< 1.6	ug/l	1.6	5	1	8260B		6/12/2015	CJR	1
1,3,5-Trimethylbenzene	< 1.5	ug/l	1.5	4.8	1	8260B		6/12/2015	CJR	1
Vinyl Chloride	< 0.17	ug/l	0.17	0.54	1	8260B		6/12/2015	CJR	1
m&p-Xylene	< 2.2	ug/l	2.2	6.9	1	8260B		6/12/2015	CJR	1
o-Xylene	< 0.9	ug/l	0.9	2.9	1	8260B		6/12/2015	CJR	1
SUR - Toluene-d8	105	REC %			1	8260B		6/12/2015	CJR	1
SUR - 1,2-Dichloroethane-d4	86	REC %			1	8260B		6/12/2015	CJR	1
SUR - 4-Bromofluorobenzene	106	REC %			1	8260B		6/12/2015	CJR	1
SUR - Dibromofluoromethane	95	REC %			1	8260B		6/12/2015	CJR	1

**Project Name** FMR ROBINSON'S CLEANERS  
**Project #** 6155 PO2015465

**Invoice #** E29039

**Lab Code** 529039II  
**Sample ID** 6155-PZ-44D2  
**Sample Matrix** Water  
**Sample Date** 6/5/2015

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.44	ug/l	0.44	1.4	1	8260B		6/12/2015	CJR	1
Bromobenzene	< 0.48	ug/l	0.48	1.5	1	8260B		6/12/2015	CJR	1
Bromodichloromethane	< 0.46	ug/l	0.46	1.5	1	8260B		6/12/2015	CJR	1
Bromoform	< 0.46	ug/l	0.46	1.5	1	8260B		6/12/2015	CJR	1
tert-Butylbenzene	< 1.1	ug/l	1.1	3.4	1	8260B		6/12/2015	CJR	1
sec-Butylbenzene	< 1.2	ug/l	1.2	3.8	1	8260B		6/12/2015	CJR	1
n-Butylbenzene	< 1	ug/l	1	3.3	1	8260B		6/12/2015	CJR	1
Carbon Tetrachloride	< 0.65	ug/l	0.65	2.1	1	8260B		6/12/2015	CJR	1
Chlorobenzene	< 0.46	ug/l	0.46	1.4	1	8260B		6/12/2015	CJR	1
Chloroethane	< 0.65	ug/l	0.65	2.1	1	8260B		6/12/2015	CJR	1
Chloroform	< 0.43	ug/l	0.43	1.4	1	8260B		6/12/2015	CJR	1
Chloromethane	< 1.9	ug/l	1.9	6	1	8260B		6/12/2015	CJR	1
2-Chlorotoluene	< 0.4	ug/l	0.4	1.3	1	8260B		6/12/2015	CJR	1
4-Chlorotoluene	< 0.63	ug/l	0.63	2	1	8260B		6/12/2015	CJR	1
1,2-Dibromo-3-chloropropane	< 1.4	ug/l	1.4	4.5	1	8260B		6/12/2015	CJR	1
Dibromochloromethane	< 0.45	ug/l	0.45	1.4	1	8260B		6/12/2015	CJR	1
1,4-Dichlorobenzene	< 0.49	ug/l	0.49	1.6	1	8260B		6/12/2015	CJR	1
1,3-Dichlorobenzene	< 0.52	ug/l	0.52	1.6	1	8260B		6/12/2015	CJR	1
1,2-Dichlorobenzene	< 0.46	ug/l	0.46	1.5	1	8260B		6/12/2015	CJR	1
Dichlorodifluoromethane	< 0.87	ug/l	0.87	2.8	1	8260B		6/12/2015	CJR	1
1,2-Dichloroethane	< 0.54	ug/l	0.54	1.7	1	8260B		6/12/2015	CJR	1
1,1-Dichloroethane	< 1.1	ug/l	1.1	3.6	1	8260B		6/12/2015	CJR	1
1,1-Dichloroethene	< 0.65	ug/l	0.65	2.1	1	8260B		6/12/2015	CJR	1
cis-1,2-Dichloroethene	< 0.45	ug/l	0.45	1.4	1	8260B		6/12/2015	CJR	1
trans-1,2-Dichloroethene	< 0.54	ug/l	0.54	1.7	1	8260B		6/12/2015	CJR	1
1,2-Dichloropropane	< 0.43	ug/l	0.43	1.37	1	8260B		6/12/2015	CJR	1
2,2-Dichloropropane	< 3.1	ug/l	3.1	9.8	1	8260B		6/12/2015	CJR	1
1,3-Dichloropropane	< 0.42	ug/l	0.42	1.3	1	8260B		6/12/2015	CJR	1
Di-isopropyl ether	< 0.44	ug/l	0.44	1.4	1	8260B		6/12/2015	CJR	1
EDB (1,2-Dibromoethane)	< 0.63	ug/l	0.63	2	1	8260B		6/12/2015	CJR	1
Ethylbenzene	< 0.71	ug/l	0.71	2.3	1	8260B		6/12/2015	CJR	1
Hexachlorobutadiene	< 2.2	ug/l	2.2	7.1	1	8260B		6/12/2015	CJR	1
Isopropylbenzene	< 0.82	ug/l	0.82	2.6	1	8260B		6/12/2015	CJR	1
p-Isopropyltoluene	< 1.1	ug/l	1.1	3.5	1	8260B		6/12/2015	CJR	1
Methylene chloride	< 1.3	ug/l	1.3	4.2	1	8260B		6/12/2015	CJR	1
Methyl tert-butyl ether (MTBE)	< 1.1	ug/l	1.1	3.7	1	8260B		6/12/2015	CJR	1
Naphthalene	< 1.6	ug/l	1.6	5.2	1	8260B		6/12/2015	CJR	1
n-Propylbenzene	< 0.77	ug/l	0.77	2.4	1	8260B		6/12/2015	CJR	1
1,1,2,2-Tetrachloroethane	< 0.52	ug/l	0.52	1.7	1	8260B		6/12/2015	CJR	1
1,1,1,2-Tetrachloroethane	< 0.48	ug/l	0.48	1.5	1	8260B		6/12/2015	CJR	1
Tetrachloroethene	4.0	ug/l	0.74	2.4	1	8260B		6/12/2015	CJR	1
Toluene	< 0.44	ug/l	0.44	1.4	1	8260B		6/12/2015	CJR	1
1,2,4-Trichlorobenzene	< 1.7	ug/l	1.7	5.6	1	8260B		6/12/2015	CJR	1
1,2,3-Trichlorobenzene	< 2.7	ug/l	2.7	8.6	1	8260B		6/12/2015	CJR	1
1,1,1-Trichloroethane	< 0.84	ug/l	0.84	2.7	1	8260B		6/12/2015	CJR	1
1,1,2-Trichloroethane	< 0.48	ug/l	0.48	1.52	1	8260B		6/12/2015	CJR	1
Trichloroethene (TCE)	< 0.47	ug/l	0.47	1.5	1	8260B		6/12/2015	CJR	1
Trichlorofluoromethane	< 0.87	ug/l	0.87	2.8	1	8260B		6/12/2015	CJR	1
1,2,4-Trimethylbenzene	< 1.6	ug/l	1.6	5	1	8260B		6/12/2015	CJR	1
1,3,5-Trimethylbenzene	< 1.5	ug/l	1.5	4.8	1	8260B		6/12/2015	CJR	1
Vinyl Chloride	< 0.17	ug/l	0.17	0.54	1	8260B		6/12/2015	CJR	1
m&p-Xylene	< 2.2	ug/l	2.2	6.9	1	8260B		6/12/2015	CJR	1
o-Xylene	< 0.9	ug/l	0.9	2.9	1	8260B		6/12/2015	CJR	1
SUR - 4-Bromofluorobenzene	106	REC %			1	8260B		6/12/2015	CJR	1
SUR - Dibromofluoromethane	96	REC %			1	8260B		6/12/2015	CJR	1
SUR - 1,2-Dichloroethane-d4	94	REC %			1	8260B		6/12/2015	CJR	1
SUR - Toluene-d8	104	REC %			1	8260B		6/12/2015	CJR	1

**Project Name** FMR ROBINSON'S CLEANERS  
**Project #** 6155 PO2015465

**Invoice #** E29039

**Lab Code** 529039JJ  
**Sample ID** 6155-PZ-47D1  
**Sample Matrix** Water  
**Sample Date** 6/5/2015

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.44	ug/l	0.44	1.4	1	8260B		6/12/2015	CJR	1
Bromobenzene	< 0.48	ug/l	0.48	1.5	1	8260B		6/12/2015	CJR	1
Bromodichloromethane	< 0.46	ug/l	0.46	1.5	1	8260B		6/12/2015	CJR	1
Bromoform	< 0.46	ug/l	0.46	1.5	1	8260B		6/12/2015	CJR	1
tert-Butylbenzene	< 1.1	ug/l	1.1	3.4	1	8260B		6/12/2015	CJR	1
sec-Butylbenzene	< 1.2	ug/l	1.2	3.8	1	8260B		6/12/2015	CJR	1
n-Butylbenzene	< 1	ug/l	1	3.3	1	8260B		6/12/2015	CJR	1
Carbon Tetrachloride	< 0.65	ug/l	0.65	2.1	1	8260B		6/12/2015	CJR	1
Chlorobenzene	< 0.46	ug/l	0.46	1.4	1	8260B		6/12/2015	CJR	1
Chloroethane	< 0.65	ug/l	0.65	2.1	1	8260B		6/12/2015	CJR	1
Chloroform	< 0.43	ug/l	0.43	1.4	1	8260B		6/12/2015	CJR	1
Chloromethane	< 1.9	ug/l	1.9	6	1	8260B		6/12/2015	CJR	1
2-Chlorotoluene	< 0.4	ug/l	0.4	1.3	1	8260B		6/12/2015	CJR	1
4-Chlorotoluene	< 0.63	ug/l	0.63	2	1	8260B		6/12/2015	CJR	1
1,2-Dibromo-3-chloropropane	< 1.4	ug/l	1.4	4.5	1	8260B		6/12/2015	CJR	1
Dibromochloromethane	< 0.45	ug/l	0.45	1.4	1	8260B		6/12/2015	CJR	1
1,4-Dichlorobenzene	< 0.49	ug/l	0.49	1.6	1	8260B		6/12/2015	CJR	1
1,3-Dichlorobenzene	< 0.52	ug/l	0.52	1.6	1	8260B		6/12/2015	CJR	1
1,2-Dichlorobenzene	< 0.46	ug/l	0.46	1.5	1	8260B		6/12/2015	CJR	1
Dichlorodifluoromethane	< 0.87	ug/l	0.87	2.8	1	8260B		6/12/2015	CJR	1
1,2-Dichloroethane	< 0.54	ug/l	0.54	1.7	1	8260B		6/12/2015	CJR	1
1,1-Dichloroethane	< 1.1	ug/l	1.1	3.6	1	8260B		6/12/2015	CJR	1
1,1-Dichloroethene	< 0.65	ug/l	0.65	2.1	1	8260B		6/12/2015	CJR	1
cis-1,2-Dichloroethene	< 0.45	ug/l	0.45	1.4	1	8260B		6/12/2015	CJR	1
trans-1,2-Dichloroethene	< 0.54	ug/l	0.54	1.7	1	8260B		6/12/2015	CJR	1
1,2-Dichloropropane	< 0.43	ug/l	0.43	1.37	1	8260B		6/12/2015	CJR	1
2,2-Dichloropropane	< 3.1	ug/l	3.1	9.8	1	8260B		6/12/2015	CJR	1
1,3-Dichloropropane	< 0.42	ug/l	0.42	1.3	1	8260B		6/12/2015	CJR	1
Di-isopropyl ether	< 0.44	ug/l	0.44	1.4	1	8260B		6/12/2015	CJR	1
EDB (1,2-Dibromoethane)	< 0.63	ug/l	0.63	2	1	8260B		6/12/2015	CJR	1
Ethylbenzene	< 0.71	ug/l	0.71	2.3	1	8260B		6/12/2015	CJR	1
Hexachlorobutadiene	< 2.2	ug/l	2.2	7.1	1	8260B		6/12/2015	CJR	1
Isopropylbenzene	< 0.82	ug/l	0.82	2.6	1	8260B		6/12/2015	CJR	1
p-Isopropyltoluene	< 1.1	ug/l	1.1	3.5	1	8260B		6/12/2015	CJR	1
Methylene chloride	< 1.3	ug/l	1.3	4.2	1	8260B		6/12/2015	CJR	1
Methyl tert-butyl ether (MTBE)	< 1.1	ug/l	1.1	3.7	1	8260B		6/12/2015	CJR	1
Naphthalene	< 1.6	ug/l	1.6	5.2	1	8260B		6/12/2015	CJR	1
n-Propylbenzene	< 0.77	ug/l	0.77	2.4	1	8260B		6/12/2015	CJR	1
1,1,2,2-Tetrachloroethane	< 0.52	ug/l	0.52	1.7	1	8260B		6/12/2015	CJR	1
1,1,1,2-Tetrachloroethane	< 0.48	ug/l	0.48	1.5	1	8260B		6/12/2015	CJR	1
Tetrachloroethene	< 0.74	ug/l	0.74	2.4	1	8260B		6/12/2015	CJR	1
Toluene	< 0.44	ug/l	0.44	1.4	1	8260B		6/12/2015	CJR	1
1,2,4-Trichlorobenzene	< 1.7	ug/l	1.7	5.6	1	8260B		6/12/2015	CJR	1
1,2,3-Trichlorobenzene	< 2.7	ug/l	2.7	8.6	1	8260B		6/12/2015	CJR	1
1,1,1-Trichloroethane	< 0.84	ug/l	0.84	2.7	1	8260B		6/12/2015	CJR	1
1,1,2-Trichloroethane	< 0.48	ug/l	0.48	1.52	1	8260B		6/12/2015	CJR	1
Trichloroethene (TCE)	< 0.47	ug/l	0.47	1.5	1	8260B		6/12/2015	CJR	1
Trichlorofluoromethane	< 0.87	ug/l	0.87	2.8	1	8260B		6/12/2015	CJR	1
1,2,4-Trimethylbenzene	< 1.6	ug/l	1.6	5	1	8260B		6/12/2015	CJR	1
1,3,5-Trimethylbenzene	< 1.5	ug/l	1.5	4.8	1	8260B		6/12/2015	CJR	1
Vinyl Chloride	< 0.17	ug/l	0.17	0.54	1	8260B		6/12/2015	CJR	1
m&p-Xylene	< 2.2	ug/l	2.2	6.9	1	8260B		6/12/2015	CJR	1
o-Xylene	< 0.9	ug/l	0.9	2.9	1	8260B		6/12/2015	CJR	1
SUR - Toluene-d8	105	REC %			1	8260B		6/12/2015	CJR	1
SUR - Dibromofluoromethane	98	REC %			1	8260B		6/12/2015	CJR	1
SUR - 1,2-Dichloroethane-d4	101	REC %			1	8260B		6/12/2015	CJR	1
SUR - 4-Bromofluorobenzene	105	REC %			1	8260B		6/12/2015	CJR	1

**Project Name** FMR ROBINSON'S CLEANERS  
**Project #** 6155 PO2015465

**Invoice #** E29039

**Lab Code** 529039KK  
**Sample ID** 6155-PZ-47D2  
**Sample Matrix** Water  
**Sample Date** 6/5/2015

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.44	ug/l	0.44	1.4	1	8260B		6/12/2015	CJR	1
Bromobenzene	< 0.48	ug/l	0.48	1.5	1	8260B		6/12/2015	CJR	1
Bromodichloromethane	< 0.46	ug/l	0.46	1.5	1	8260B		6/12/2015	CJR	1
Bromoform	< 0.46	ug/l	0.46	1.5	1	8260B		6/12/2015	CJR	1
tert-Butylbenzene	< 1.1	ug/l	1.1	3.4	1	8260B		6/12/2015	CJR	1
sec-Butylbenzene	< 1.2	ug/l	1.2	3.8	1	8260B		6/12/2015	CJR	1
n-Butylbenzene	< 1	ug/l	1	3.3	1	8260B		6/12/2015	CJR	1
Carbon Tetrachloride	< 0.65	ug/l	0.65	2.1	1	8260B		6/12/2015	CJR	1
Chlorobenzene	< 0.46	ug/l	0.46	1.4	1	8260B		6/12/2015	CJR	1
Chloroethane	< 0.65	ug/l	0.65	2.1	1	8260B		6/12/2015	CJR	1
Chloroform	< 0.43	ug/l	0.43	1.4	1	8260B		6/12/2015	CJR	1
Chloromethane	< 1.9	ug/l	1.9	6	1	8260B		6/12/2015	CJR	1
2-Chlorotoluene	< 0.4	ug/l	0.4	1.3	1	8260B		6/12/2015	CJR	1
4-Chlorotoluene	< 0.63	ug/l	0.63	2	1	8260B		6/12/2015	CJR	1
1,2-Dibromo-3-chloropropane	< 1.4	ug/l	1.4	4.5	1	8260B		6/12/2015	CJR	1
Dibromochloromethane	< 0.45	ug/l	0.45	1.4	1	8260B		6/12/2015	CJR	1
1,4-Dichlorobenzene	< 0.49	ug/l	0.49	1.6	1	8260B		6/12/2015	CJR	1
1,3-Dichlorobenzene	< 0.52	ug/l	0.52	1.6	1	8260B		6/12/2015	CJR	1
1,2-Dichlorobenzene	< 0.46	ug/l	0.46	1.5	1	8260B		6/12/2015	CJR	1
Dichlorodifluoromethane	< 0.87	ug/l	0.87	2.8	1	8260B		6/12/2015	CJR	1
1,2-Dichloroethane	< 0.54	ug/l	0.54	1.7	1	8260B		6/12/2015	CJR	1
1,1-Dichloroethane	< 1.1	ug/l	1.1	3.6	1	8260B		6/12/2015	CJR	1
1,1-Dichloroethene	< 0.65	ug/l	0.65	2.1	1	8260B		6/12/2015	CJR	1
cis-1,2-Dichloroethene	< 0.45	ug/l	0.45	1.4	1	8260B		6/12/2015	CJR	1
trans-1,2-Dichloroethene	< 0.54	ug/l	0.54	1.7	1	8260B		6/12/2015	CJR	1
1,2-Dichloropropane	< 0.43	ug/l	0.43	1.37	1	8260B		6/12/2015	CJR	1
2,2-Dichloropropane	< 3.1	ug/l	3.1	9.8	1	8260B		6/12/2015	CJR	1
1,3-Dichloropropane	< 0.42	ug/l	0.42	1.3	1	8260B		6/12/2015	CJR	1
Di-isopropyl ether	< 0.44	ug/l	0.44	1.4	1	8260B		6/12/2015	CJR	1
EDB (1,2-Dibromoethane)	< 0.63	ug/l	0.63	2	1	8260B		6/12/2015	CJR	1
Ethylbenzene	< 0.71	ug/l	0.71	2.3	1	8260B		6/12/2015	CJR	1
Hexachlorobutadiene	< 2.2	ug/l	2.2	7.1	1	8260B		6/12/2015	CJR	1
Isopropylbenzene	< 0.82	ug/l	0.82	2.6	1	8260B		6/12/2015	CJR	1
p-Isopropyltoluene	< 1.1	ug/l	1.1	3.5	1	8260B		6/12/2015	CJR	1
Methylene chloride	< 1.3	ug/l	1.3	4.2	1	8260B		6/12/2015	CJR	1
Methyl tert-butyl ether (MTBE)	< 1.1	ug/l	1.1	3.7	1	8260B		6/12/2015	CJR	1
Naphthalene	< 1.6	ug/l	1.6	5.2	1	8260B		6/12/2015	CJR	1
n-Propylbenzene	< 0.77	ug/l	0.77	2.4	1	8260B		6/12/2015	CJR	1
1,1,2,2-Tetrachloroethane	< 0.52	ug/l	0.52	1.7	1	8260B		6/12/2015	CJR	1
1,1,1,2-Tetrachloroethane	< 0.48	ug/l	0.48	1.5	1	8260B		6/12/2015	CJR	1
Tetrachloroethene	3.6	ug/l	0.74	2.4	1	8260B		6/12/2015	CJR	1
Toluene	< 0.44	ug/l	0.44	1.4	1	8260B		6/12/2015	CJR	1
1,2,4-Trichlorobenzene	< 1.7	ug/l	1.7	5.6	1	8260B		6/12/2015	CJR	1
1,2,3-Trichlorobenzene	< 2.7	ug/l	2.7	8.6	1	8260B		6/12/2015	CJR	1
1,1,1-Trichloroethane	< 0.84	ug/l	0.84	2.7	1	8260B		6/12/2015	CJR	1
1,1,2-Trichloroethane	< 0.48	ug/l	0.48	1.52	1	8260B		6/12/2015	CJR	1
Trichloroethene (TCE)	< 0.47	ug/l	0.47	1.5	1	8260B		6/12/2015	CJR	1
Trichlorofluoromethane	< 0.87	ug/l	0.87	2.8	1	8260B		6/12/2015	CJR	1
1,2,4-Trimethylbenzene	< 1.6	ug/l	1.6	5	1	8260B		6/12/2015	CJR	1
1,3,5-Trimethylbenzene	< 1.5	ug/l	1.5	4.8	1	8260B		6/12/2015	CJR	1
Vinyl Chloride	< 0.17	ug/l	0.17	0.54	1	8260B		6/12/2015	CJR	1
m&p-Xylene	< 2.2	ug/l	2.2	6.9	1	8260B		6/12/2015	CJR	1
o-Xylene	< 0.9	ug/l	0.9	2.9	1	8260B		6/12/2015	CJR	1
SUR - 1,2-Dichloroethane-d4	98	REC %			1	8260B		6/12/2015	CJR	1
SUR - 4-Bromofluorobenzene	101	REC %			1	8260B		6/12/2015	CJR	1
SUR - Dibromofluoromethane	94	REC %			1	8260B		6/12/2015	CJR	1
SUR - Toluene-d8	106	REC %			1	8260B		6/12/2015	CJR	1

Project Name FMR ROBINSON'S CLEANERS  
 Project # 6155 PO2015465

Invoice # E29039

Lab Code 529039LL  
 Sample ID 6155-PZ-47D3  
 Sample Matrix Water  
 Sample Date 6/5/2015

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.44	ug/l	0.44	1.4	1	8260B		6/15/2015	CJR	1
Bromobenzene	< 0.48	ug/l	0.48	1.5	1	8260B		6/15/2015	CJR	1
Bromodichloromethane	< 0.46	ug/l	0.46	1.5	1	8260B		6/15/2015	CJR	1
Bromoform	< 0.46	ug/l	0.46	1.5	1	8260B		6/15/2015	CJR	1
tert-Butylbenzene	< 1.1	ug/l	1.1	3.4	1	8260B		6/15/2015	CJR	1
sec-Butylbenzene	< 1.2	ug/l	1.2	3.8	1	8260B		6/15/2015	CJR	1
n-Butylbenzene	< 1	ug/l	1	3.3	1	8260B		6/15/2015	CJR	1
Carbon Tetrachloride	< 0.65	ug/l	0.65	2.1	1	8260B		6/15/2015	CJR	1
Chlorobenzene	< 0.46	ug/l	0.46	1.4	1	8260B		6/15/2015	CJR	1
Chloroethane	< 0.65	ug/l	0.65	2.1	1	8260B		6/15/2015	CJR	1
Chloroform	< 0.43	ug/l	0.43	1.4	1	8260B		6/15/2015	CJR	1
Chloromethane	< 1.9	ug/l	1.9	6	1	8260B		6/15/2015	CJR	1
2-Chlorotoluene	< 0.4	ug/l	0.4	1.3	1	8260B		6/15/2015	CJR	1
4-Chlorotoluene	< 0.63	ug/l	0.63	2	1	8260B		6/15/2015	CJR	1
1,2-Dibromo-3-chloropropane	< 1.4	ug/l	1.4	4.5	1	8260B		6/15/2015	CJR	1
Dibromochloromethane	< 0.45	ug/l	0.45	1.4	1	8260B		6/15/2015	CJR	1
1,4-Dichlorobenzene	< 0.49	ug/l	0.49	1.6	1	8260B		6/15/2015	CJR	1
1,3-Dichlorobenzene	< 0.52	ug/l	0.52	1.6	1	8260B		6/15/2015	CJR	1
1,2-Dichlorobenzene	< 0.46	ug/l	0.46	1.5	1	8260B		6/15/2015	CJR	1
Dichlorodifluoromethane	< 0.87	ug/l	0.87	2.8	1	8260B		6/15/2015	CJR	1
1,2-Dichloroethane	< 0.54	ug/l	0.54	1.7	1	8260B		6/15/2015	CJR	1
1,1-Dichloroethane	< 1.1	ug/l	1.1	3.6	1	8260B		6/15/2015	CJR	1
1,1-Dichloroethene	< 0.65	ug/l	0.65	2.1	1	8260B		6/15/2015	CJR	1
cis-1,2-Dichloroethene	< 0.45	ug/l	0.45	1.4	1	8260B		6/15/2015	CJR	1
trans-1,2-Dichloroethene	< 0.54	ug/l	0.54	1.7	1	8260B		6/15/2015	CJR	1
1,2-Dichloropropane	< 0.43	ug/l	0.43	1.37	1	8260B		6/15/2015	CJR	1
2,2-Dichloropropane	< 3.1	ug/l	3.1	9.8	1	8260B		6/15/2015	CJR	1
1,3-Dichloropropane	< 0.42	ug/l	0.42	1.3	1	8260B		6/15/2015	CJR	1
Di-isopropyl ether	< 0.44	ug/l	0.44	1.4	1	8260B		6/15/2015	CJR	1
EDB (1,2-Dibromoethane)	< 0.63	ug/l	0.63	2	1	8260B		6/15/2015	CJR	1
Ethylbenzene	< 0.71	ug/l	0.71	2.3	1	8260B		6/15/2015	CJR	1
Hexachlorobutadiene	< 2.2	ug/l	2.2	7.1	1	8260B		6/15/2015	CJR	1
Isopropylbenzene	< 0.82	ug/l	0.82	2.6	1	8260B		6/15/2015	CJR	1
p-Isopropyltoluene	< 1.1	ug/l	1.1	3.5	1	8260B		6/15/2015	CJR	1
Methylene chloride	< 1.3	ug/l	1.3	4.2	1	8260B		6/15/2015	CJR	1
Methyl tert-butyl ether (MTBE)	< 1.1	ug/l	1.1	3.7	1	8260B		6/15/2015	CJR	1
Naphthalene	< 1.6	ug/l	1.6	5.2	1	8260B		6/15/2015	CJR	1
n-Propylbenzene	< 0.77	ug/l	0.77	2.4	1	8260B		6/15/2015	CJR	1
1,1,2,2-Tetrachloroethane	< 0.52	ug/l	0.52	1.7	1	8260B		6/15/2015	CJR	1
1,1,1,2-Tetrachloroethane	< 0.48	ug/l	0.48	1.5	1	8260B		6/15/2015	CJR	1
Tetrachloroethene	1.8 "J"	ug/l	0.74	2.4	1	8260B		6/15/2015	CJR	1
Toluene	< 0.44	ug/l	0.44	1.4	1	8260B		6/15/2015	CJR	1
1,2,4-Trichlorobenzene	< 1.7	ug/l	1.7	5.6	1	8260B		6/15/2015	CJR	1
1,2,3-Trichlorobenzene	< 2.7	ug/l	2.7	8.6	1	8260B		6/15/2015	CJR	1
1,1,1-Trichloroethane	< 0.84	ug/l	0.84	2.7	1	8260B		6/15/2015	CJR	1
1,1,2-Trichloroethane	< 0.48	ug/l	0.48	1.52	1	8260B		6/15/2015	CJR	1
Trichloroethene (TCE)	< 0.47	ug/l	0.47	1.5	1	8260B		6/15/2015	CJR	1
Trichlorofluoromethane	< 0.87	ug/l	0.87	2.8	1	8260B		6/15/2015	CJR	1
1,2,4-Trimethylbenzene	< 1.6	ug/l	1.6	5	1	8260B		6/15/2015	CJR	1
1,3,5-Trimethylbenzene	< 1.5	ug/l	1.5	4.8	1	8260B		6/15/2015	CJR	1
Vinyl Chloride	< 0.17	ug/l	0.17	0.54	1	8260B		6/15/2015	CJR	1
m&p-Xylene	< 2.2	ug/l	2.2	6.9	1	8260B		6/15/2015	CJR	1
o-Xylene	< 0.9	ug/l	0.9	2.9	1	8260B		6/15/2015	CJR	1
SUR - 1,2-Dichloroethane-d4	93	REC %			1	8260B		6/15/2015	CJR	1
SUR - 4-Bromofluorobenzene	101	REC %			1	8260B		6/15/2015	CJR	1
SUR - Dibromofluoromethane	97	REC %			1	8260B		6/15/2015	CJR	1
SUR - Toluene-d8	103	REC %			1	8260B		6/15/2015	CJR	1



**Project Name** FMR ROBINSON'S CLEANERS  
**Project #** 6155 PO2015465

**Invoice #** E29039

**Lab Code** 529039MM  
**Sample ID** 6155-DUP-3  
**Sample Matrix** Water  
**Sample Date** 6/3/2015

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 4.4	ug/l	4.4	14	10	8260B		6/12/2015	CJR	1
Bromobenzene	< 4.8	ug/l	4.8	15	10	8260B		6/12/2015	CJR	1
Bromodichloromethane	< 4.6	ug/l	4.6	15	10	8260B		6/12/2015	CJR	1
Bromoform	< 4.6	ug/l	4.6	15	10	8260B		6/12/2015	CJR	1
tert-Butylbenzene	< 11	ug/l	11	34	10	8260B		6/12/2015	CJR	1
sec-Butylbenzene	< 12	ug/l	12	38	10	8260B		6/12/2015	CJR	1
n-Butylbenzene	< 10	ug/l	10	33	10	8260B		6/12/2015	CJR	1
Carbon Tetrachloride	< 6.5	ug/l	6.5	21	10	8260B		6/12/2015	CJR	1
Chlorobenzene	< 4.6	ug/l	4.6	14	10	8260B		6/12/2015	CJR	1
Chloroethane	< 6.5	ug/l	6.5	21	10	8260B		6/12/2015	CJR	1
Chloroform	< 4.3	ug/l	4.3	14	10	8260B		6/12/2015	CJR	1
Chloromethane	< 19	ug/l	19	60	10	8260B		6/12/2015	CJR	1
2-Chlorotoluene	< 4	ug/l	4	13	10	8260B		6/12/2015	CJR	1
4-Chlorotoluene	< 6.3	ug/l	6.3	20	10	8260B		6/12/2015	CJR	1
1,2-Dibromo-3-chloropropane	< 14	ug/l	14	45	10	8260B		6/12/2015	CJR	1
Dibromochloromethane	< 4.5	ug/l	4.5	14	10	8260B		6/12/2015	CJR	1
1,4-Dichlorobenzene	< 4.9	ug/l	4.9	16	10	8260B		6/12/2015	CJR	1
1,3-Dichlorobenzene	< 5.2	ug/l	5.2	16	10	8260B		6/12/2015	CJR	1
1,2-Dichlorobenzene	< 4.6	ug/l	4.6	15	10	8260B		6/12/2015	CJR	1
Dichlorodifluoromethane	< 8.7	ug/l	8.7	28	10	8260B		6/12/2015	CJR	1
1,2-Dichloroethane	< 5.4	ug/l	5.4	17	10	8260B		6/12/2015	CJR	1
1,1-Dichloroethane	< 11	ug/l	11	36	10	8260B		6/12/2015	CJR	1
1,1-Dichloroethene	< 6.5	ug/l	6.5	21	10	8260B		6/12/2015	CJR	1
cis-1,2-Dichloroethene	6.8 "J"	ug/l	4.5	14	10	8260B		6/12/2015	CJR	1
trans-1,2-Dichloroethene	< 5.4	ug/l	5.4	17	10	8260B		6/12/2015	CJR	1
1,2-Dichloropropane	< 4.3	ug/l	4.3	13.7	10	8260B		6/12/2015	CJR	1
2,2-Dichloropropane	< 31	ug/l	31	98	10	8260B		6/12/2015	CJR	1
1,3-Dichloropropane	< 4.2	ug/l	4.2	13	10	8260B		6/12/2015	CJR	1
Di-isopropyl ether	< 4.4	ug/l	4.4	14	10	8260B		6/12/2015	CJR	1
EDB (1,2-Dibromoethane)	< 6.3	ug/l	6.3	20	10	8260B		6/12/2015	CJR	1
Ethylbenzene	< 7.1	ug/l	7.1	23	10	8260B		6/12/2015	CJR	1
Hexachlorobutadiene	< 22	ug/l	22	71	10	8260B		6/12/2015	CJR	1
Isopropylbenzene	< 8.2	ug/l	8.2	26	10	8260B		6/12/2015	CJR	1
p-Isopropyltoluene	< 11	ug/l	11	35	10	8260B		6/12/2015	CJR	1
Methylene chloride	< 13	ug/l	13	42	10	8260B		6/12/2015	CJR	1
Methyl tert-butyl ether (MTBE)	< 11	ug/l	11	37	10	8260B		6/12/2015	CJR	1
Naphthalene	< 16	ug/l	16	52	10	8260B		6/12/2015	CJR	1
n-Propylbenzene	< 7.7	ug/l	7.7	24	10	8260B		6/12/2015	CJR	1
1,1,2,2-Tetrachloroethane	< 5.2	ug/l	5.2	17	10	8260B		6/12/2015	CJR	1
1,1,1,2-Tetrachloroethane	< 4.8	ug/l	4.8	15	10	8260B		6/12/2015	CJR	1
Tetrachloroethene	390	ug/l	7.4	24	10	8260B		6/12/2015	CJR	1
Toluene	< 4.4	ug/l	4.4	14	10	8260B		6/12/2015	CJR	1
1,2,4-Trichlorobenzene	< 17	ug/l	17	56	10	8260B		6/12/2015	CJR	1
1,2,3-Trichlorobenzene	< 27	ug/l	27	86	10	8260B		6/12/2015	CJR	1
1,1,1-Trichloroethane	< 8.4	ug/l	8.4	27	10	8260B		6/12/2015	CJR	1
1,1,2-Trichloroethane	< 4.8	ug/l	4.8	15.2	10	8260B		6/12/2015	CJR	1
Trichloroethene (TCE)	10 "J"	ug/l	4.7	15	10	8260B		6/12/2015	CJR	1
Trichlorofluoromethane	< 8.7	ug/l	8.7	28	10	8260B		6/12/2015	CJR	1
1,2,4-Trimethylbenzene	< 16	ug/l	16	50	10	8260B		6/12/2015	CJR	1
1,3,5-Trimethylbenzene	< 15	ug/l	15	48	10	8260B		6/12/2015	CJR	1
Vinyl Chloride	< 1.7	ug/l	1.7	5.4	10	8260B		6/12/2015	CJR	1
m&p-Xylene	< 22	ug/l	22	69	10	8260B		6/12/2015	CJR	1
o-Xylene	< 9	ug/l	9	29	10	8260B		6/12/2015	CJR	1
SUR - 1,2-Dichloroethane-d4	101	REC %				8260B		6/12/2015	CJR	1
SUR - 4-Bromofluorobenzene	103	REC %				8260B		6/12/2015	CJR	1
SUR - Dibromofluoromethane	91	REC %				8260B		6/12/2015	CJR	1
SUR - Toluene-d8	105	REC %				8260B		6/12/2015	CJR	1

Project Name FMR ROBINSON'S CLEANERS  
 Project # 6155 PO2015465

Invoice # E29039

Lab Code 529039NN  
 Sample ID 6155-DUP-6  
 Sample Matrix Water  
 Sample Date 6/3/2015

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 22	ug/l	22	70	50	8260B		6/12/2015	CJR	1
Bromobenzene	< 24	ug/l	24	75	50	8260B		6/12/2015	CJR	1
Bromodichloromethane	< 23	ug/l	23	75	50	8260B		6/12/2015	CJR	1
Bromoform	< 23	ug/l	23	75	50	8260B		6/12/2015	CJR	1
tert-Butylbenzene	< 55	ug/l	55	170	50	8260B		6/12/2015	CJR	1
sec-Butylbenzene	< 60	ug/l	60	190	50	8260B		6/12/2015	CJR	1
n-Butylbenzene	< 50	ug/l	50	165	50	8260B		6/12/2015	CJR	1
Carbon Tetrachloride	< 32.5	ug/l	32.5	105	50	8260B		6/12/2015	CJR	1
Chlorobenzene	< 23	ug/l	23	70	50	8260B		6/12/2015	CJR	1
Chloroethane	< 32.5	ug/l	32.5	105	50	8260B		6/12/2015	CJR	1
Chloroform	< 21.5	ug/l	21.5	70	50	8260B		6/12/2015	CJR	1
Chloromethane	< 95	ug/l	95	300	50	8260B		6/12/2015	CJR	1
2-Chlorotoluene	< 20	ug/l	20	65	50	8260B		6/12/2015	CJR	1
4-Chlorotoluene	< 31.5	ug/l	31.5	100	50	8260B		6/12/2015	CJR	1
1,2-Dibromo-3-chloropropane	< 70	ug/l	70	225	50	8260B		6/12/2015	CJR	1
Dibromochloromethane	< 22.5	ug/l	22.5	70	50	8260B		6/12/2015	CJR	1
1,4-Dichlorobenzene	< 24.5	ug/l	24.5	80	50	8260B		6/12/2015	CJR	1
1,3-Dichlorobenzene	< 26	ug/l	26	80	50	8260B		6/12/2015	CJR	1
1,2-Dichlorobenzene	< 23	ug/l	23	75	50	8260B		6/12/2015	CJR	1
Dichlorodifluoromethane	< 43.5	ug/l	43.5	140	50	8260B		6/12/2015	CJR	1
1,2-Dichloroethane	< 27	ug/l	27	85	50	8260B		6/12/2015	CJR	1
1,1-Dichloroethane	< 55	ug/l	55	180	50	8260B		6/12/2015	CJR	1
1,1-Dichloroethene	< 32.5	ug/l	32.5	105	50	8260B		6/12/2015	CJR	1
cis-1,2-Dichloroethene	57 "J"	ug/l	22.5	70	50	8260B		6/12/2015	CJR	1
trans-1,2-Dichloroethene	< 27	ug/l	27	85	50	8260B		6/12/2015	CJR	1
1,2-Dichloropropane	< 21.5	ug/l	21.5	68.5	50	8260B		6/12/2015	CJR	1
2,2-Dichloropropane	< 155	ug/l	155	490	50	8260B		6/12/2015	CJR	1
1,3-Dichloropropane	< 21	ug/l	21	65	50	8260B		6/12/2015	CJR	1
Di-isopropyl ether	< 22	ug/l	22	70	50	8260B		6/12/2015	CJR	1
EDB (1,2-Dibromoethane)	< 31.5	ug/l	31.5	100	50	8260B		6/12/2015	CJR	1
Ethylbenzene	< 35.5	ug/l	35.5	115	50	8260B		6/12/2015	CJR	1
Hexachlorobutadiene	< 110	ug/l	110	355	50	8260B		6/12/2015	CJR	1
Isopropylbenzene	< 41	ug/l	41	130	50	8260B		6/12/2015	CJR	1
p-Isopropyltoluene	< 55	ug/l	55	175	50	8260B		6/12/2015	CJR	1
Methylene chloride	< 65	ug/l	65	210	50	8260B		6/12/2015	CJR	1
Methyl tert-butyl ether (MTBE)	< 55	ug/l	55	185	50	8260B		6/12/2015	CJR	1
Naphthalene	< 80	ug/l	80	260	50	8260B		6/12/2015	CJR	1
n-Propylbenzene	< 38.5	ug/l	38.5	120	50	8260B		6/12/2015	CJR	1
1,1,2,2-Tetrachloroethane	< 26	ug/l	26	85	50	8260B		6/12/2015	CJR	1
1,1,1,2-Tetrachloroethane	< 24	ug/l	24	75	50	8260B		6/12/2015	CJR	1
Tetrachloroethene	2300	ug/l	37	120	50	8260B		6/12/2015	CJR	1
Toluene	< 22	ug/l	22	70	50	8260B		6/12/2015	CJR	1
1,2,4-Trichlorobenzene	< 85	ug/l	85	280	50	8260B		6/12/2015	CJR	1
1,2,3-Trichlorobenzene	< 135	ug/l	135	430	50	8260B		6/12/2015	CJR	1
1,1,1-Trichloroethane	< 42	ug/l	42	135	50	8260B		6/12/2015	CJR	1
1,1,2-Trichloroethane	< 24	ug/l	24	76	50	8260B		6/12/2015	CJR	1
Trichloroethene (TCE)	196	ug/l	23.5	75	50	8260B		6/12/2015	CJR	1
Trichlorofluoromethane	< 43.5	ug/l	43.5	140	50	8260B		6/12/2015	CJR	1
1,2,4-Trimethylbenzene	< 80	ug/l	80	250	50	8260B		6/12/2015	CJR	1
1,3,5-Trimethylbenzene	< 75	ug/l	75	240	50	8260B		6/12/2015	CJR	1
Vinyl Chloride	< 8.5	ug/l	8.5	27	50	8260B		6/12/2015	CJR	1
m&p-Xylene	< 110	ug/l	110	345	50	8260B		6/12/2015	CJR	1
o-Xylene	< 45	ug/l	45	145	50	8260B		6/12/2015	CJR	1
SUR - Dibromofluoromethane	98	REC %				8260B		6/12/2015	CJR	1
SUR - Toluene-d8	106	REC %				8260B		6/12/2015	CJR	1
SUR - 1,2-Dichloroethane-d4	98	REC %				8260B		6/12/2015	CJR	1
SUR - 4-Bromofluorobenzene	98	REC %				8260B		6/12/2015	CJR	1

**Project Name** FMR ROBINSON'S CLEANERS  
**Project #** 6155 PO2015465

**Invoice #** E29039

**Lab Code** 52903900  
**Sample ID** 6155-EB-1  
**Sample Matrix** Water  
**Sample Date** 6/1/2015

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.44	ug/l	0.44	1.4	1	8260B		6/12/2015	CJR	1
Bromobenzene	< 0.48	ug/l	0.48	1.5	1	8260B		6/12/2015	CJR	1
Bromodichloromethane	< 0.46	ug/l	0.46	1.5	1	8260B		6/12/2015	CJR	1
Bromoform	< 0.46	ug/l	0.46	1.5	1	8260B		6/12/2015	CJR	1
tert-Butylbenzene	< 1.1	ug/l	1.1	3.4	1	8260B		6/12/2015	CJR	1
sec-Butylbenzene	< 1.2	ug/l	1.2	3.8	1	8260B		6/12/2015	CJR	1
n-Butylbenzene	< 1	ug/l	1	3.3	1	8260B		6/12/2015	CJR	1
Carbon Tetrachloride	< 0.65	ug/l	0.65	2.1	1	8260B		6/12/2015	CJR	1
Chlorobenzene	< 0.46	ug/l	0.46	1.4	1	8260B		6/12/2015	CJR	1
Chloroethane	< 0.65	ug/l	0.65	2.1	1	8260B		6/12/2015	CJR	1
Chloroform	< 0.43	ug/l	0.43	1.4	1	8260B		6/12/2015	CJR	1
Chloromethane	< 1.9	ug/l	1.9	6	1	8260B		6/12/2015	CJR	1
2-Chlorotoluene	< 0.4	ug/l	0.4	1.3	1	8260B		6/12/2015	CJR	1
4-Chlorotoluene	< 0.63	ug/l	0.63	2	1	8260B		6/12/2015	CJR	1
1,2-Dibromo-3-chloropropane	< 1.4	ug/l	1.4	4.5	1	8260B		6/12/2015	CJR	1
Dibromochloromethane	< 0.45	ug/l	0.45	1.4	1	8260B		6/12/2015	CJR	1
1,4-Dichlorobenzene	< 0.49	ug/l	0.49	1.6	1	8260B		6/12/2015	CJR	1
1,3-Dichlorobenzene	< 0.52	ug/l	0.52	1.6	1	8260B		6/12/2015	CJR	1
1,2-Dichlorobenzene	< 0.46	ug/l	0.46	1.5	1	8260B		6/12/2015	CJR	1
Dichlorodifluoromethane	< 0.87	ug/l	0.87	2.8	1	8260B		6/12/2015	CJR	1
1,2-Dichloroethane	< 0.54	ug/l	0.54	1.7	1	8260B		6/12/2015	CJR	1
1,1-Dichloroethane	< 1.1	ug/l	1.1	3.6	1	8260B		6/12/2015	CJR	1
1,1-Dichloroethene	< 0.65	ug/l	0.65	2.1	1	8260B		6/12/2015	CJR	1
cis-1,2-Dichloroethene	< 0.45	ug/l	0.45	1.4	1	8260B		6/12/2015	CJR	1
trans-1,2-Dichloroethene	< 0.54	ug/l	0.54	1.7	1	8260B		6/12/2015	CJR	1
1,2-Dichloropropane	< 0.43	ug/l	0.43	1.37	1	8260B		6/12/2015	CJR	1
2,2-Dichloropropane	< 3.1	ug/l	3.1	9.8	1	8260B		6/12/2015	CJR	1
1,3-Dichloropropane	< 0.42	ug/l	0.42	1.3	1	8260B		6/12/2015	CJR	1
Di-isopropyl ether	< 0.44	ug/l	0.44	1.4	1	8260B		6/12/2015	CJR	1
EDB (1,2-Dibromoethane)	< 0.63	ug/l	0.63	2	1	8260B		6/12/2015	CJR	1
Ethylbenzene	< 0.71	ug/l	0.71	2.3	1	8260B		6/12/2015	CJR	1
Hexachlorobutadiene	< 2.2	ug/l	2.2	7.1	1	8260B		6/12/2015	CJR	1
Isopropylbenzene	< 0.82	ug/l	0.82	2.6	1	8260B		6/12/2015	CJR	1
p-Isopropyltoluene	< 1.1	ug/l	1.1	3.5	1	8260B		6/12/2015	CJR	1
Methylene chloride	< 1.3	ug/l	1.3	4.2	1	8260B		6/12/2015	CJR	1
Methyl tert-butyl ether (MTBE)	< 1.1	ug/l	1.1	3.7	1	8260B		6/12/2015	CJR	1
Naphthalene	< 1.6	ug/l	1.6	5.2	1	8260B		6/12/2015	CJR	1
n-Propylbenzene	< 0.77	ug/l	0.77	2.4	1	8260B		6/12/2015	CJR	1
1,1,2,2-Tetrachloroethane	< 0.52	ug/l	0.52	1.7	1	8260B		6/12/2015	CJR	1
1,1,1,2-Tetrachloroethane	< 0.48	ug/l	0.48	1.5	1	8260B		6/12/2015	CJR	1
Tetrachloroethene	< 0.74	ug/l	0.74	2.4	1	8260B		6/12/2015	CJR	1
Toluene	< 0.44	ug/l	0.44	1.4	1	8260B		6/12/2015	CJR	1
1,2,4-Trichlorobenzene	< 1.7	ug/l	1.7	5.6	1	8260B		6/12/2015	CJR	1
1,2,3-Trichlorobenzene	< 2.7	ug/l	2.7	8.6	1	8260B		6/12/2015	CJR	1
1,1,1-Trichloroethane	< 0.84	ug/l	0.84	2.7	1	8260B		6/12/2015	CJR	1
1,1,2-Trichloroethane	< 0.48	ug/l	0.48	1.52	1	8260B		6/12/2015	CJR	1
Trichloroethene (TCE)	< 0.47	ug/l	0.47	1.5	1	8260B		6/12/2015	CJR	1
Trichlorofluoromethane	< 0.87	ug/l	0.87	2.8	1	8260B		6/12/2015	CJR	1
1,2,4-Trimethylbenzene	< 1.6	ug/l	1.6	5	1	8260B		6/12/2015	CJR	1
1,3,5-Trimethylbenzene	< 1.5	ug/l	1.5	4.8	1	8260B		6/12/2015	CJR	1
Vinyl Chloride	< 0.17	ug/l	0.17	0.54	1	8260B		6/12/2015	CJR	1
m&p-Xylene	< 2.2	ug/l	2.2	6.9	1	8260B		6/12/2015	CJR	1
o-Xylene	< 0.9	ug/l	0.9	2.9	1	8260B		6/12/2015	CJR	1
SUR - Dibromofluoromethane	95	REC %			1	8260B		6/12/2015	CJR	1
SUR - 4-Bromofluorobenzene	109	REC %			1	8260B		6/12/2015	CJR	1
SUR - 1,2-Dichloroethane-d4	103	REC %			1	8260B		6/12/2015	CJR	1
SUR - Toluene-d8	104	REC %			1	8260B		6/12/2015	CJR	1

**Project Name** FMR ROBINSON'S CLEANERS  
**Project #** 6155 PO2015465

**Invoice #** E29039

**Lab Code** 529039PP  
**Sample ID** 6155-EB-2  
**Sample Matrix** Water  
**Sample Date** 6/2/2015

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.44	ug/l	0.44	1.4	1	8260B		6/15/2015	CJR	1
Bromobenzene	< 0.48	ug/l	0.48	1.5	1	8260B		6/15/2015	CJR	1
Bromodichloromethane	< 0.46	ug/l	0.46	1.5	1	8260B		6/15/2015	CJR	1
Bromoform	< 0.46	ug/l	0.46	1.5	1	8260B		6/15/2015	CJR	1
tert-Butylbenzene	< 1.1	ug/l	1.1	3.4	1	8260B		6/15/2015	CJR	1
sec-Butylbenzene	< 1.2	ug/l	1.2	3.8	1	8260B		6/15/2015	CJR	1
n-Butylbenzene	< 1	ug/l	1	3.3	1	8260B		6/15/2015	CJR	1
Carbon Tetrachloride	< 0.65	ug/l	0.65	2.1	1	8260B		6/15/2015	CJR	1
Chlorobenzene	< 0.46	ug/l	0.46	1.4	1	8260B		6/15/2015	CJR	1
Chloroethane	< 0.65	ug/l	0.65	2.1	1	8260B		6/15/2015	CJR	1
Chloroform	< 0.43	ug/l	0.43	1.4	1	8260B		6/15/2015	CJR	1
Chloromethane	< 1.9	ug/l	1.9	6	1	8260B		6/15/2015	CJR	1
2-Chlorotoluene	< 0.4	ug/l	0.4	1.3	1	8260B		6/15/2015	CJR	1
4-Chlorotoluene	< 0.63	ug/l	0.63	2	1	8260B		6/15/2015	CJR	1
1,2-Dibromo-3-chloropropane	< 1.4	ug/l	1.4	4.5	1	8260B		6/15/2015	CJR	1
Dibromochloromethane	< 0.45	ug/l	0.45	1.4	1	8260B		6/15/2015	CJR	1
1,4-Dichlorobenzene	< 0.49	ug/l	0.49	1.6	1	8260B		6/15/2015	CJR	1
1,3-Dichlorobenzene	< 0.52	ug/l	0.52	1.6	1	8260B		6/15/2015	CJR	1
1,2-Dichlorobenzene	< 0.46	ug/l	0.46	1.5	1	8260B		6/15/2015	CJR	1
Dichlorodifluoromethane	< 0.87	ug/l	0.87	2.8	1	8260B		6/15/2015	CJR	1
1,2-Dichloroethane	< 0.54	ug/l	0.54	1.7	1	8260B		6/15/2015	CJR	1
1,1-Dichloroethane	< 1.1	ug/l	1.1	3.6	1	8260B		6/15/2015	CJR	1
1,1-Dichloroethene	< 0.65	ug/l	0.65	2.1	1	8260B		6/15/2015	CJR	1
cis-1,2-Dichloroethene	< 0.45	ug/l	0.45	1.4	1	8260B		6/15/2015	CJR	1
trans-1,2-Dichloroethene	< 0.54	ug/l	0.54	1.7	1	8260B		6/15/2015	CJR	1
1,2-Dichloropropane	< 0.43	ug/l	0.43	1.37	1	8260B		6/15/2015	CJR	1
2,2-Dichloropropane	< 3.1	ug/l	3.1	9.8	1	8260B		6/15/2015	CJR	1
1,3-Dichloropropane	< 0.42	ug/l	0.42	1.3	1	8260B		6/15/2015	CJR	1
Di-isopropyl ether	< 0.44	ug/l	0.44	1.4	1	8260B		6/15/2015	CJR	1
EDB (1,2-Dibromoethane)	< 0.63	ug/l	0.63	2	1	8260B		6/15/2015	CJR	1
Ethylbenzene	< 0.71	ug/l	0.71	2.3	1	8260B		6/15/2015	CJR	1
Hexachlorobutadiene	< 2.2	ug/l	2.2	7.1	1	8260B		6/15/2015	CJR	1
Isopropylbenzene	< 0.82	ug/l	0.82	2.6	1	8260B		6/15/2015	CJR	1
p-Isopropyltoluene	< 1.1	ug/l	1.1	3.5	1	8260B		6/15/2015	CJR	1
Methylene chloride	< 1.3	ug/l	1.3	4.2	1	8260B		6/15/2015	CJR	1
Methyl tert-butyl ether (MTBE)	< 1.1	ug/l	1.1	3.7	1	8260B		6/15/2015	CJR	1
Naphthalene	< 1.6	ug/l	1.6	5.2	1	8260B		6/15/2015	CJR	1
n-Propylbenzene	< 0.77	ug/l	0.77	2.4	1	8260B		6/15/2015	CJR	1
1,1,2,2-Tetrachloroethane	< 0.52	ug/l	0.52	1.7	1	8260B		6/15/2015	CJR	1
1,1,1,2-Tetrachloroethane	< 0.48	ug/l	0.48	1.5	1	8260B		6/15/2015	CJR	1
Tetrachloroethene	< 0.74	ug/l	0.74	2.4	1	8260B		6/15/2015	CJR	1
Toluene	< 0.44	ug/l	0.44	1.4	1	8260B		6/15/2015	CJR	1
1,2,4-Trichlorobenzene	< 1.7	ug/l	1.7	5.6	1	8260B		6/15/2015	CJR	1
1,2,3-Trichlorobenzene	< 2.7	ug/l	2.7	8.6	1	8260B		6/15/2015	CJR	1
1,1,1-Trichloroethane	< 0.84	ug/l	0.84	2.7	1	8260B		6/15/2015	CJR	1
1,1,2-Trichloroethane	< 0.48	ug/l	0.48	1.52	1	8260B		6/15/2015	CJR	1
Trichloroethene (TCE)	< 0.47	ug/l	0.47	1.5	1	8260B		6/15/2015	CJR	1
Trichlorofluoromethane	< 0.87	ug/l	0.87	2.8	1	8260B		6/15/2015	CJR	1
1,2,4-Trimethylbenzene	< 1.6	ug/l	1.6	5	1	8260B		6/15/2015	CJR	1
1,3,5-Trimethylbenzene	< 1.5	ug/l	1.5	4.8	1	8260B		6/15/2015	CJR	1
Vinyl Chloride	< 0.17	ug/l	0.17	0.54	1	8260B		6/15/2015	CJR	1
m&p-Xylene	< 2.2	ug/l	2.2	6.9	1	8260B		6/15/2015	CJR	1
o-Xylene	< 0.9	ug/l	0.9	2.9	1	8260B		6/15/2015	CJR	1
SUR - Toluene-d8	100	REC %			1	8260B		6/15/2015	CJR	1
SUR - Dibromofluoromethane	101	REC %			1	8260B		6/15/2015	CJR	1
SUR - 4-Bromofluorobenzene	107	REC %			1	8260B		6/15/2015	CJR	1
SUR - 1,2-Dichloroethane-d4	95	REC %			1	8260B		6/15/2015	CJR	1

**Project Name** FMR ROBINSON'S CLEANERS  
**Project #** 6155 PO2015465

**Invoice #** E29039

**Lab Code** 529039QQ  
**Sample ID** 6155-EB-3  
**Sample Matrix** Water  
**Sample Date** 6/4/2015

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.44	ug/l	0.44	1.4	1	8260B		6/15/2015	CJR	1
Bromobenzene	< 0.48	ug/l	0.48	1.5	1	8260B		6/15/2015	CJR	1
Bromodichloromethane	< 0.46	ug/l	0.46	1.5	1	8260B		6/15/2015	CJR	1
Bromoform	< 0.46	ug/l	0.46	1.5	1	8260B		6/15/2015	CJR	1
tert-Butylbenzene	< 1.1	ug/l	1.1	3.4	1	8260B		6/15/2015	CJR	1
sec-Butylbenzene	< 1.2	ug/l	1.2	3.8	1	8260B		6/15/2015	CJR	1
n-Butylbenzene	< 1	ug/l	1	3.3	1	8260B		6/15/2015	CJR	1
Carbon Tetrachloride	< 0.65	ug/l	0.65	2.1	1	8260B		6/15/2015	CJR	1
Chlorobenzene	< 0.46	ug/l	0.46	1.4	1	8260B		6/15/2015	CJR	1
Chloroethane	< 0.65	ug/l	0.65	2.1	1	8260B		6/15/2015	CJR	1
Chloroform	< 0.43	ug/l	0.43	1.4	1	8260B		6/15/2015	CJR	1
Chloromethane	< 1.9	ug/l	1.9	6	1	8260B		6/15/2015	CJR	1
2-Chlorotoluene	< 0.4	ug/l	0.4	1.3	1	8260B		6/15/2015	CJR	1
4-Chlorotoluene	< 0.63	ug/l	0.63	2	1	8260B		6/15/2015	CJR	1
1,2-Dibromo-3-chloropropane	< 1.4	ug/l	1.4	4.5	1	8260B		6/15/2015	CJR	1
Dibromochloromethane	< 0.45	ug/l	0.45	1.4	1	8260B		6/15/2015	CJR	1
1,4-Dichlorobenzene	< 0.49	ug/l	0.49	1.6	1	8260B		6/15/2015	CJR	1
1,3-Dichlorobenzene	< 0.52	ug/l	0.52	1.6	1	8260B		6/15/2015	CJR	1
1,2-Dichlorobenzene	< 0.46	ug/l	0.46	1.5	1	8260B		6/15/2015	CJR	1
Dichlorodifluoromethane	< 0.87	ug/l	0.87	2.8	1	8260B		6/15/2015	CJR	1
1,2-Dichloroethane	< 0.54	ug/l	0.54	1.7	1	8260B		6/15/2015	CJR	1
1,1-Dichloroethane	< 1.1	ug/l	1.1	3.6	1	8260B		6/15/2015	CJR	1
1,1-Dichloroethene	< 0.65	ug/l	0.65	2.1	1	8260B		6/15/2015	CJR	1
cis-1,2-Dichloroethene	< 0.45	ug/l	0.45	1.4	1	8260B		6/15/2015	CJR	1
trans-1,2-Dichloroethene	< 0.54	ug/l	0.54	1.7	1	8260B		6/15/2015	CJR	1
1,2-Dichloropropane	< 0.43	ug/l	0.43	1.37	1	8260B		6/15/2015	CJR	1
2,2-Dichloropropane	< 3.1	ug/l	3.1	9.8	1	8260B		6/15/2015	CJR	1
1,3-Dichloropropane	< 0.42	ug/l	0.42	1.3	1	8260B		6/15/2015	CJR	1
Di-isopropyl ether	< 0.44	ug/l	0.44	1.4	1	8260B		6/15/2015	CJR	1
EDB (1,2-Dibromoethane)	< 0.63	ug/l	0.63	2	1	8260B		6/15/2015	CJR	1
Ethylbenzene	< 0.71	ug/l	0.71	2.3	1	8260B		6/15/2015	CJR	1
Hexachlorobutadiene	< 2.2	ug/l	2.2	7.1	1	8260B		6/15/2015	CJR	1
Isopropylbenzene	< 0.82	ug/l	0.82	2.6	1	8260B		6/15/2015	CJR	1
p-Isopropyltoluene	< 1.1	ug/l	1.1	3.5	1	8260B		6/15/2015	CJR	1
Methylene chloride	< 1.3	ug/l	1.3	4.2	1	8260B		6/15/2015	CJR	1
Methyl tert-butyl ether (MTBE)	< 1.1	ug/l	1.1	3.7	1	8260B		6/15/2015	CJR	1
Naphthalene	< 1.6	ug/l	1.6	5.2	1	8260B		6/15/2015	CJR	1
n-Propylbenzene	< 0.77	ug/l	0.77	2.4	1	8260B		6/15/2015	CJR	1
1,1,2,2-Tetrachloroethane	< 0.52	ug/l	0.52	1.7	1	8260B		6/15/2015	CJR	1
1,1,1,2-Tetrachloroethane	< 0.48	ug/l	0.48	1.5	1	8260B		6/15/2015	CJR	1
Tetrachloroethene	< 0.74	ug/l	0.74	2.4	1	8260B		6/15/2015	CJR	1
Toluene	1.23 "J"	ug/l	0.44	1.4	1	8260B		6/15/2015	CJR	1
1,2,4-Trichlorobenzene	< 1.7	ug/l	1.7	5.6	1	8260B		6/15/2015	CJR	1
1,2,3-Trichlorobenzene	< 2.7	ug/l	2.7	8.6	1	8260B		6/15/2015	CJR	1
1,1,1-Trichloroethane	< 0.84	ug/l	0.84	2.7	1	8260B		6/15/2015	CJR	1
1,1,2-Trichloroethane	< 0.48	ug/l	0.48	1.52	1	8260B		6/15/2015	CJR	1
Trichloroethene (TCE)	< 0.47	ug/l	0.47	1.5	1	8260B		6/15/2015	CJR	1
Trichlorofluoromethane	< 0.87	ug/l	0.87	2.8	1	8260B		6/15/2015	CJR	1
1,2,4-Trimethylbenzene	< 1.6	ug/l	1.6	5	1	8260B		6/15/2015	CJR	1
1,3,5-Trimethylbenzene	< 1.5	ug/l	1.5	4.8	1	8260B		6/15/2015	CJR	1
Vinyl Chloride	< 0.17	ug/l	0.17	0.54	1	8260B		6/15/2015	CJR	1
m&p-Xylene	< 2.2	ug/l	2.2	6.9	1	8260B		6/15/2015	CJR	1
o-Xylene	< 0.9	ug/l	0.9	2.9	1	8260B		6/15/2015	CJR	1
SUR - 1,2-Dichloroethane-d4	94	REC %			1	8260B		6/15/2015	CJR	1
SUR - 4-Bromofluorobenzene	98	REC %			1	8260B		6/15/2015	CJR	1
SUR - Dibromofluoromethane	99	REC %			1	8260B		6/15/2015	CJR	1
SUR - Toluene-d8	101	REC %			1	8260B		6/15/2015	CJR	1

Project Name FMR ROBINSON'S CLEANERS  
 Project # 6155 PO2015465

Invoice # E29039

Lab Code 529039RR  
 Sample ID 6155-EB-4  
 Sample Matrix Water  
 Sample Date 6/5/2015

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.44	ug/l	0.44	1.4	1	8260B		6/15/2015	CJR	1
Bromobenzene	< 0.48	ug/l	0.48	1.5	1	8260B		6/15/2015	CJR	1
Bromodichloromethane	< 0.46	ug/l	0.46	1.5	1	8260B		6/15/2015	CJR	1
Bromoform	< 0.46	ug/l	0.46	1.5	1	8260B		6/15/2015	CJR	1
tert-Butylbenzene	< 1.1	ug/l	1.1	3.4	1	8260B		6/15/2015	CJR	1
sec-Butylbenzene	< 1.2	ug/l	1.2	3.8	1	8260B		6/15/2015	CJR	1
n-Butylbenzene	< 1	ug/l	1	3.3	1	8260B		6/15/2015	CJR	1
Carbon Tetrachloride	< 0.65	ug/l	0.65	2.1	1	8260B		6/15/2015	CJR	1
Chlorobenzene	< 0.46	ug/l	0.46	1.4	1	8260B		6/15/2015	CJR	1
Chloroethane	< 0.65	ug/l	0.65	2.1	1	8260B		6/15/2015	CJR	1
Chloroform	< 0.43	ug/l	0.43	1.4	1	8260B		6/15/2015	CJR	1
Chloromethane	< 1.9	ug/l	1.9	6	1	8260B		6/15/2015	CJR	1
2-Chlorotoluene	< 0.4	ug/l	0.4	1.3	1	8260B		6/15/2015	CJR	1
4-Chlorotoluene	< 0.63	ug/l	0.63	2	1	8260B		6/15/2015	CJR	1
1,2-Dibromo-3-chloropropane	< 1.4	ug/l	1.4	4.5	1	8260B		6/15/2015	CJR	1
Dibromochloromethane	< 0.45	ug/l	0.45	1.4	1	8260B		6/15/2015	CJR	1
1,4-Dichlorobenzene	< 0.49	ug/l	0.49	1.6	1	8260B		6/15/2015	CJR	1
1,3-Dichlorobenzene	< 0.52	ug/l	0.52	1.6	1	8260B		6/15/2015	CJR	1
1,2-Dichlorobenzene	< 0.46	ug/l	0.46	1.5	1	8260B		6/15/2015	CJR	1
Dichlorodifluoromethane	< 0.87	ug/l	0.87	2.8	1	8260B		6/15/2015	CJR	1
1,2-Dichloroethane	< 0.54	ug/l	0.54	1.7	1	8260B		6/15/2015	CJR	1
1,1-Dichloroethane	< 1.1	ug/l	1.1	3.6	1	8260B		6/15/2015	CJR	1
1,1-Dichloroethene	< 0.65	ug/l	0.65	2.1	1	8260B		6/15/2015	CJR	1
cis-1,2-Dichloroethene	< 0.45	ug/l	0.45	1.4	1	8260B		6/15/2015	CJR	1
trans-1,2-Dichloroethene	< 0.54	ug/l	0.54	1.7	1	8260B		6/15/2015	CJR	1
1,2-Dichloropropane	< 0.43	ug/l	0.43	1.37	1	8260B		6/15/2015	CJR	1
2,2-Dichloropropane	< 3.1	ug/l	3.1	9.8	1	8260B		6/15/2015	CJR	1
1,3-Dichloropropane	< 0.42	ug/l	0.42	1.3	1	8260B		6/15/2015	CJR	1
Di-isopropyl ether	< 0.44	ug/l	0.44	1.4	1	8260B		6/15/2015	CJR	1
EDB (1,2-Dibromoethane)	< 0.63	ug/l	0.63	2	1	8260B		6/15/2015	CJR	1
Ethylbenzene	< 0.71	ug/l	0.71	2.3	1	8260B		6/15/2015	CJR	1
Hexachlorobutadiene	< 2.2	ug/l	2.2	7.1	1	8260B		6/15/2015	CJR	1
Isopropylbenzene	< 0.82	ug/l	0.82	2.6	1	8260B		6/15/2015	CJR	1
p-Isopropyltoluene	< 1.1	ug/l	1.1	3.5	1	8260B		6/15/2015	CJR	1
Methylene chloride	< 1.3	ug/l	1.3	4.2	1	8260B		6/15/2015	CJR	1
Methyl tert-butyl ether (MTBE)	< 1.1	ug/l	1.1	3.7	1	8260B		6/15/2015	CJR	1
Naphthalene	< 1.6	ug/l	1.6	5.2	1	8260B		6/15/2015	CJR	1
n-Propylbenzene	< 0.77	ug/l	0.77	2.4	1	8260B		6/15/2015	CJR	1
1,1,2,2-Tetrachloroethane	< 0.52	ug/l	0.52	1.7	1	8260B		6/15/2015	CJR	1
1,1,1,2-Tetrachloroethane	< 0.48	ug/l	0.48	1.5	1	8260B		6/15/2015	CJR	1
Tetrachloroethene	< 0.74	ug/l	0.74	2.4	1	8260B		6/15/2015	CJR	1
Toluene	0.99 "J"	ug/l	0.44	1.4	1	8260B		6/15/2015	CJR	1
1,2,4-Trichlorobenzene	< 1.7	ug/l	1.7	5.6	1	8260B		6/15/2015	CJR	1
1,2,3-Trichlorobenzene	< 2.7	ug/l	2.7	8.6	1	8260B		6/15/2015	CJR	1
1,1,1-Trichloroethane	< 0.84	ug/l	0.84	2.7	1	8260B		6/15/2015	CJR	1
1,1,2-Trichloroethane	< 0.48	ug/l	0.48	1.52	1	8260B		6/15/2015	CJR	1
Trichloroethene (TCE)	< 0.47	ug/l	0.47	1.5	1	8260B		6/15/2015	CJR	1
Trichlorofluoromethane	< 0.87	ug/l	0.87	2.8	1	8260B		6/15/2015	CJR	1
1,2,4-Trimethylbenzene	< 1.6	ug/l	1.6	5	1	8260B		6/15/2015	CJR	1
1,3,5-Trimethylbenzene	< 1.5	ug/l	1.5	4.8	1	8260B		6/15/2015	CJR	1
Vinyl Chloride	< 0.17	ug/l	0.17	0.54	1	8260B		6/15/2015	CJR	1
m&p-Xylene	< 2.2	ug/l	2.2	6.9	1	8260B		6/15/2015	CJR	1
o-Xylene	< 0.9	ug/l	0.9	2.9	1	8260B		6/15/2015	CJR	1
SUR - 1,2-Dichloroethane-d4	92	REC %			1	8260B		6/15/2015	CJR	1
SUR - 4-Bromofluorobenzene	100	REC %			1	8260B		6/15/2015	CJR	1
SUR - Dibromofluoromethane	102	REC %			1	8260B		6/15/2015	CJR	1
SUR - Toluene-d8	100	REC %			1	8260B		6/15/2015	CJR	1

**Project Name** FMR ROBINSON'S CLEANERS  
**Project #** 6155 PO2015465

**Invoice #** E29039

**Lab Code** 529039SS  
**Sample ID** 6155-EB-5  
**Sample Matrix** Water  
**Sample Date** 6/5/2015

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.44	ug/l	0.44	1.4	1	8260B		6/15/2015	CJR	1
Bromobenzene	< 0.48	ug/l	0.48	1.5	1	8260B		6/15/2015	CJR	1
Bromodichloromethane	< 0.46	ug/l	0.46	1.5	1	8260B		6/15/2015	CJR	1
Bromoform	< 0.46	ug/l	0.46	1.5	1	8260B		6/15/2015	CJR	1
tert-Butylbenzene	< 1.1	ug/l	1.1	3.4	1	8260B		6/15/2015	CJR	1
sec-Butylbenzene	< 1.2	ug/l	1.2	3.8	1	8260B		6/15/2015	CJR	1
n-Butylbenzene	< 1	ug/l	1	3.3	1	8260B		6/15/2015	CJR	1
Carbon Tetrachloride	< 0.65	ug/l	0.65	2.1	1	8260B		6/15/2015	CJR	1
Chlorobenzene	< 0.46	ug/l	0.46	1.4	1	8260B		6/15/2015	CJR	1
Chloroethane	< 0.65	ug/l	0.65	2.1	1	8260B		6/15/2015	CJR	1
Chloroform	< 0.43	ug/l	0.43	1.4	1	8260B		6/15/2015	CJR	1
Chloromethane	< 1.9	ug/l	1.9	6	1	8260B		6/15/2015	CJR	1
2-Chlorotoluene	< 0.4	ug/l	0.4	1.3	1	8260B		6/15/2015	CJR	1
4-Chlorotoluene	< 0.63	ug/l	0.63	2	1	8260B		6/15/2015	CJR	1
1,2-Dibromo-3-chloropropane	< 1.4	ug/l	1.4	4.5	1	8260B		6/15/2015	CJR	1
Dibromochloromethane	< 0.45	ug/l	0.45	1.4	1	8260B		6/15/2015	CJR	1
1,4-Dichlorobenzene	< 0.49	ug/l	0.49	1.6	1	8260B		6/15/2015	CJR	1
1,3-Dichlorobenzene	< 0.52	ug/l	0.52	1.6	1	8260B		6/15/2015	CJR	1
1,2-Dichlorobenzene	< 0.46	ug/l	0.46	1.5	1	8260B		6/15/2015	CJR	1
Dichlorodifluoromethane	< 0.87	ug/l	0.87	2.8	1	8260B		6/15/2015	CJR	1
1,2-Dichloroethane	< 0.54	ug/l	0.54	1.7	1	8260B		6/15/2015	CJR	1
1,1-Dichloroethane	< 1.1	ug/l	1.1	3.6	1	8260B		6/15/2015	CJR	1
1,1-Dichloroethene	< 0.65	ug/l	0.65	2.1	1	8260B		6/15/2015	CJR	1
cis-1,2-Dichloroethene	< 0.45	ug/l	0.45	1.4	1	8260B		6/15/2015	CJR	1
trans-1,2-Dichloroethene	< 0.54	ug/l	0.54	1.7	1	8260B		6/15/2015	CJR	1
1,2-Dichloropropane	< 0.43	ug/l	0.43	1.37	1	8260B		6/15/2015	CJR	1
2,2-Dichloropropane	< 3.1	ug/l	3.1	9.8	1	8260B		6/15/2015	CJR	1
1,3-Dichloropropane	< 0.42	ug/l	0.42	1.3	1	8260B		6/15/2015	CJR	1
Di-isopropyl ether	< 0.44	ug/l	0.44	1.4	1	8260B		6/15/2015	CJR	1
EDB (1,2-Dibromoethane)	< 0.63	ug/l	0.63	2	1	8260B		6/15/2015	CJR	1
Ethylbenzene	< 0.71	ug/l	0.71	2.3	1	8260B		6/15/2015	CJR	1
Hexachlorobutadiene	< 2.2	ug/l	2.2	7.1	1	8260B		6/15/2015	CJR	1
Isopropylbenzene	< 0.82	ug/l	0.82	2.6	1	8260B		6/15/2015	CJR	1
p-Isopropyltoluene	< 1.1	ug/l	1.1	3.5	1	8260B		6/15/2015	CJR	1
Methylene chloride	< 1.3	ug/l	1.3	4.2	1	8260B		6/15/2015	CJR	1
Methyl tert-butyl ether (MTBE)	< 1.1	ug/l	1.1	3.7	1	8260B		6/15/2015	CJR	1
Naphthalene	< 1.6	ug/l	1.6	5.2	1	8260B		6/15/2015	CJR	1
n-Propylbenzene	< 0.77	ug/l	0.77	2.4	1	8260B		6/15/2015	CJR	1
1,1,2,2-Tetrachloroethane	< 0.52	ug/l	0.52	1.7	1	8260B		6/15/2015	CJR	1
1,1,1,2-Tetrachloroethane	< 0.48	ug/l	0.48	1.5	1	8260B		6/15/2015	CJR	1
Tetrachloroethene	< 0.74	ug/l	0.74	2.4	1	8260B		6/15/2015	CJR	1
Toluene	0.92 "J"	ug/l	0.44	1.4	1	8260B		6/15/2015	CJR	1
1,2,4-Trichlorobenzene	< 1.7	ug/l	1.7	5.6	1	8260B		6/15/2015	CJR	1
1,2,3-Trichlorobenzene	< 2.7	ug/l	2.7	8.6	1	8260B		6/15/2015	CJR	1
1,1,1-Trichloroethane	< 0.84	ug/l	0.84	2.7	1	8260B		6/15/2015	CJR	1
1,1,2-Trichloroethane	< 0.48	ug/l	0.48	1.52	1	8260B		6/15/2015	CJR	1
Trichloroethene (TCE)	< 0.47	ug/l	0.47	1.5	1	8260B		6/15/2015	CJR	1
Trichlorofluoromethane	< 0.87	ug/l	0.87	2.8	1	8260B		6/15/2015	CJR	1
1,2,4-Trimethylbenzene	< 1.6	ug/l	1.6	5	1	8260B		6/15/2015	CJR	1
1,3,5-Trimethylbenzene	< 1.5	ug/l	1.5	4.8	1	8260B		6/15/2015	CJR	1
Vinyl Chloride	< 0.17	ug/l	0.17	0.54	1	8260B		6/15/2015	CJR	1
m&p-Xylene	< 2.2	ug/l	2.2	6.9	1	8260B		6/15/2015	CJR	1
o-Xylene	< 0.9	ug/l	0.9	2.9	1	8260B		6/15/2015	CJR	1
SUR - 1,2-Dichloroethane-d4	100	REC %			1	8260B		6/15/2015	CJR	1
SUR - 4-Bromofluorobenzene	107	REC %			1	8260B		6/15/2015	CJR	1
SUR - Dibromofluoromethane	98	REC %			1	8260B		6/15/2015	CJR	1
SUR - Toluene-d8	102	REC %			1	8260B		6/15/2015	CJR	1

**Project Name** FMR ROBINSON'S CLEANERS  
**Project #** 6155 PO2015465

**Invoice #** E29039

**Lab Code** 529039TT  
**Sample ID** TRIP BLANK  
**Sample Matrix** Water  
**Sample Date** 6/5/2015

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.44	ug/l	0.44	1.4	1	8260B		6/15/2015	CJR	1
Bromobenzene	< 0.48	ug/l	0.48	1.5	1	8260B		6/15/2015	CJR	1
Bromodichloromethane	< 0.46	ug/l	0.46	1.5	1	8260B		6/15/2015	CJR	1
Bromoform	< 0.46	ug/l	0.46	1.5	1	8260B		6/15/2015	CJR	1
tert-Butylbenzene	< 1.1	ug/l	1.1	3.4	1	8260B		6/15/2015	CJR	1
sec-Butylbenzene	< 1.2	ug/l	1.2	3.8	1	8260B		6/15/2015	CJR	1
n-Butylbenzene	< 1	ug/l	1	3.3	1	8260B		6/15/2015	CJR	1
Carbon Tetrachloride	< 0.65	ug/l	0.65	2.1	1	8260B		6/15/2015	CJR	1
Chlorobenzene	< 0.46	ug/l	0.46	1.4	1	8260B		6/15/2015	CJR	1
Chloroethane	< 0.65	ug/l	0.65	2.1	1	8260B		6/15/2015	CJR	1
Chloroform	< 0.43	ug/l	0.43	1.4	1	8260B		6/15/2015	CJR	1
Chloromethane	< 1.9	ug/l	1.9	6	1	8260B		6/15/2015	CJR	1
2-Chlorotoluene	< 0.4	ug/l	0.4	1.3	1	8260B		6/15/2015	CJR	1
4-Chlorotoluene	< 0.63	ug/l	0.63	2	1	8260B		6/15/2015	CJR	1
1,2-Dibromo-3-chloropropane	< 1.4	ug/l	1.4	4.5	1	8260B		6/15/2015	CJR	1
Dibromochloromethane	< 0.45	ug/l	0.45	1.4	1	8260B		6/15/2015	CJR	1
1,4-Dichlorobenzene	< 0.49	ug/l	0.49	1.6	1	8260B		6/15/2015	CJR	1
1,3-Dichlorobenzene	< 0.52	ug/l	0.52	1.6	1	8260B		6/15/2015	CJR	1
1,2-Dichlorobenzene	< 0.46	ug/l	0.46	1.5	1	8260B		6/15/2015	CJR	1
Dichlorodifluoromethane	< 0.87	ug/l	0.87	2.8	1	8260B		6/15/2015	CJR	1
1,2-Dichloroethane	< 0.54	ug/l	0.54	1.7	1	8260B		6/15/2015	CJR	1
1,1-Dichloroethane	< 1.1	ug/l	1.1	3.6	1	8260B		6/15/2015	CJR	1
1,1-Dichloroethene	< 0.65	ug/l	0.65	2.1	1	8260B		6/15/2015	CJR	1
cis-1,2-Dichloroethene	< 0.45	ug/l	0.45	1.4	1	8260B		6/15/2015	CJR	1
trans-1,2-Dichloroethene	< 0.54	ug/l	0.54	1.7	1	8260B		6/15/2015	CJR	1
1,2-Dichloropropane	< 0.43	ug/l	0.43	1.37	1	8260B		6/15/2015	CJR	1
2,2-Dichloropropane	< 3.1	ug/l	3.1	9.8	1	8260B		6/15/2015	CJR	1
1,3-Dichloropropane	< 0.42	ug/l	0.42	1.3	1	8260B		6/15/2015	CJR	1
Di-isopropyl ether	< 0.44	ug/l	0.44	1.4	1	8260B		6/15/2015	CJR	1
EDB (1,2-Dibromoethane)	< 0.63	ug/l	0.63	2	1	8260B		6/15/2015	CJR	1
Ethylbenzene	< 0.71	ug/l	0.71	2.3	1	8260B		6/15/2015	CJR	1
Hexachlorobutadiene	< 2.2	ug/l	2.2	7.1	1	8260B		6/15/2015	CJR	1
Isopropylbenzene	< 0.82	ug/l	0.82	2.6	1	8260B		6/15/2015	CJR	1
p-Isopropyltoluene	< 1.1	ug/l	1.1	3.5	1	8260B		6/15/2015	CJR	1
Methylene chloride	< 1.3	ug/l	1.3	4.2	1	8260B		6/15/2015	CJR	1
Methyl tert-butyl ether (MTBE)	< 1.1	ug/l	1.1	3.7	1	8260B		6/15/2015	CJR	1
Naphthalene	< 1.6	ug/l	1.6	5.2	1	8260B		6/15/2015	CJR	1
n-Propylbenzene	< 0.77	ug/l	0.77	2.4	1	8260B		6/15/2015	CJR	1
1,1,2,2-Tetrachloroethane	< 0.52	ug/l	0.52	1.7	1	8260B		6/15/2015	CJR	1
1,1,1,2-Tetrachloroethane	< 0.48	ug/l	0.48	1.5	1	8260B		6/15/2015	CJR	1
Tetrachloroethene	< 0.74	ug/l	0.74	2.4	1	8260B		6/15/2015	CJR	1
Toluene	< 0.44	ug/l	0.44	1.4	1	8260B		6/15/2015	CJR	1
1,2,4-Trichlorobenzene	< 1.7	ug/l	1.7	5.6	1	8260B		6/15/2015	CJR	1
1,2,3-Trichlorobenzene	< 2.7	ug/l	2.7	8.6	1	8260B		6/15/2015	CJR	1
1,1,1-Trichloroethane	< 0.84	ug/l	0.84	2.7	1	8260B		6/15/2015	CJR	1
1,1,2-Trichloroethane	< 0.48	ug/l	0.48	1.52	1	8260B		6/15/2015	CJR	1
Trichloroethene (TCE)	< 0.47	ug/l	0.47	1.5	1	8260B		6/15/2015	CJR	1
Trichlorofluoromethane	< 0.87	ug/l	0.87	2.8	1	8260B		6/15/2015	CJR	1
1,2,4-Trimethylbenzene	< 1.6	ug/l	1.6	5	1	8260B		6/15/2015	CJR	1
1,3,5-Trimethylbenzene	< 1.5	ug/l	1.5	4.8	1	8260B		6/15/2015	CJR	1
Vinyl Chloride	< 0.17	ug/l	0.17	0.54	1	8260B		6/15/2015	CJR	1
m&p-Xylene	< 2.2	ug/l	2.2	6.9	1	8260B		6/15/2015	CJR	1
o-Xylene	< 0.9	ug/l	0.9	2.9	1	8260B		6/15/2015	CJR	1
SUR - Toluene-d8	105	REC %			1	8260B		6/15/2015	CJR	1
SUR - 1,2-Dichloroethane-d4	95	REC %			1	8260B		6/15/2015	CJR	1
SUR - 4-Bromofluorobenzene	106	REC %			1	8260B		6/15/2015	CJR	1
SUR - Dibromofluoromethane	103	REC %			1	8260B		6/15/2015	CJR	1



"J" Flag: Analyte detected between LOD and LOQ

LOD Limit of Detection

LOQ Limit of Quantitation

<i>Code</i>	<i>Comment</i>
1	Laboratory QC within limits.
3	The matrix spike not within established limits.
4	The continuing calibration standard not within established limits.
6	The surrogate recovery not within established limits.
8	Closing calibration standard not within established limits.

All solid sample results reported on a dry weight basis unless otherwise indicated. All LOD's and LOQ's are adjusted for dilutions but not dry weight. Subcontracted results are denoted by SUB in the analyst field.

**Authorized Signature**



---

PO # 2015465

WAF

## Environmental Lab, Inc.

1990 Prospect Ct. • Appleton, WI 54914  
920-830-2455 • FAX 920-733-0631

**Sample Handling Request**

Rush Analysis Date Required \_\_\_\_\_  
(Rushes accepted only with prior authorization)  
 Normal Turn Around

Lab I.D. # \_\_\_\_\_  
Account No. : \_\_\_\_\_ Quote No.: \_\_\_\_\_  
Project #: 6155  
Sampler: (signature) [Signature]

Project (Name / Location): Former Robinson Cleaners / Janesville WI

Reports To: W. Fassbender / K. Heinstead Invoice To: \_\_\_\_\_  
Company: EnviroForensics Company: \_\_\_\_\_  
Address: 216 W 733rd Street Ridge Dr. Address: \_\_\_\_\_  
City State Zip: Waukesha WI 53188 City State Zip: \_\_\_\_\_  
Phone: 317-972-7870 Phone: \_\_\_\_\_  
FAX: \_\_\_\_\_ FAX: \_\_\_\_\_

**Analysis Requested** **Other Analysis**

Lab I.D.	Sample I.D.	Collection Date	Time	Comp	Grab	Filtered Y/N	No. of Containers	Sample Type (Matrix)*	Preservation	DRO (Mod DRO Sep 95)	GRO (Mod GRO Sep 95)	LEAD	NITRATE/NITRITE	OIL & GREASE	PAH (EPA 8270)	PVOC (EPA 8021)	PVOC + NAPHTHALENE	SULFATE	TOTAL SUSPENDED SOLIDS	VOC DW (EPA 542.2)	VOC (EPA 8260)	8-RCRA METALS	PID/ FID	
5029059A	6155-MW-1	6-3-15	1450		X	N	3	GW	HCL															
B	6155-MW-3	6-3-15	1540		X	N	3	GW	HCL													X		
	<del>6155-MW-95</del>	<del>6-3-15</del>	<del>755</del>		<del>X</del>	<del>N</del>	<del>3</del>	<del>GW</del>	<del>HCL</del>													<del>X</del>		
C	6155-MW-9	6-3-15	845		X	N	3	GW	HCL													X		
D	6155-MW-115	6-3-15	1255		X	N	3	GW	HCL													X		
E	6155-MW-11	6-3-15	1345		X	N	3	GW	HCL													X		
F	6155-MW-12	6-3-15	1035		X	N	3	GW	HCL													X		
G	6155-MW-123	6-3-15	1125		X	N	3	GW	HCL													X		
H	6155-MW-14	6-3-15	935		X	N	3	GW	HCL													X		
I	6155-MW-17	6-4-15	955		X	N	3	GW	HCL													X		

Comments/Special Instructions (\*Specify groundwater "GW", Drinking Water "DW", Waste Water "WW", Soil "S", Air "A", Oil, Sludge etc.)  
Put P.O. on invoice.  
Cancel MW-205 and PZ-405 - no vials received per K. Heinstead - CSR 6/8/15  
cancel MW-205 and MW-405 - 6 vials received for each sent. Heinstead - CSR 6/8/15

Sample Integrity - To be completed by receiving lab.  
Method of Shipment: Delivery  
Temp. of Temp. Blank \_\_\_\_\_ °C On Ice   
Cooler seal intact upon receipt:  Yes  No

Relinquished By: (sign) [Signature] Time 3:30 Date 6-5-15  
Received By: (sign) [Signature] Time 3:30 Date 6/5/15

Received in Laboratory By: [Signature] Time: 10:00 Date: 6/6/15



PO# 201465

## Environmental Lab, Inc.

1990 Prospect Ct. • Appleton, WI 54914  
920-830-2455 • FAX 920-733-0631

**Sample Handling Request**

Rush Analysis Date Required \_\_\_\_\_  
(Rushes accepted only with prior authorization)  
 Normal Turn Around

Lab I.D. # \_\_\_\_\_  
Account No. : \_\_\_\_\_ Quote No.: \_\_\_\_\_  
Project #: 6155  
Sampler: (signature) *[Signature]*

Project (Name / Location): *Former Robinson Cleaners / Janesville WI*  
Reports To: *W. Fastbender / M. Kimstead* Invoice To: \_\_\_\_\_  
Company: *Enviro-Forensics* Company: \_\_\_\_\_  
Address: *NW W23390 Stone Ridge Dr* Address: \_\_\_\_\_  
City State Zip: *Waukesha WI 53188* City State Zip: \_\_\_\_\_  
Phone: *317-972-7870* Phone: \_\_\_\_\_  
FAX: \_\_\_\_\_ FAX: \_\_\_\_\_

Analysis Requested										Other Analysis											
DRO (Mod DRO Sep 95)	GRO (Mod GRO Sep 95)	LEAD	NITRATE/NITRITE	OIL & GREASE	PAH (EPA 8270)	PVOC (EPA 8021)	PVOC + NAPHTHALENE	SULFATE	TOTAL SUSPENDED SOLIDS	VOC DW (EPA 542.2)	VOC (EPA 8260)	8-PCRA METALS								PID/FID	

Lab I.D.	Sample I.D.	Collection Date	Time	Comp	Grab	Filtered Y/N	No. of Containers	Sample Type (Matrix)*	Preservation
<del>502 903</del>	<del>6155-MW-175</del>	<del>6-4-15</del>	<del>1045</del>		X	N	3	GW	
	<del>6155-MW-18</del>	<del>6-4-15</del>	<del>1305</del>		X	N	3	GW	
J	6155-MW-20S	6-1-15	1440		X	N	3	GW	
k	6155-MW-20D	6-1-15	1355		X	N	3	GW	
L	6155-MW-26	6-3-15	1720		X	N	3	GW	
m	6155-MW-27S	6-2-15	1420		X	N	3	GW	
N	6155-MW-27D	6-2-15	1320		X	N	3	GW	
O	6155-MW-27DS	6-2-15	1220		X	N	3	GW	
P	6155-MW-29	6-2-15	1000		X	N	3	GW	
Q	6155-MW-29S	6-2-15	910		X	N	3	GW	

Comments/Special Instructions (\*Specify groundwater "GW", Drinking Water "DW", Waste Water "WW", Soil "S", Air "A", Oil, Sludge etc.)

*Put P.O. on invoice.*

Sample Integrity - To be completed by receiving lab.  
Method of Shipment: *[Signature]*  
Temp. of Temp. Blank \_\_\_\_\_ °C On Ice:   
Cooler seal intact upon receipt:  Yes \_\_\_\_\_ No

Relinquished By: (sign) *[Signature]* Time: *3:30* Date: *6-5-15*  
Received By: (sign) *[Signature]* Time: *3:30* Date: *6/5/15*  
Received in Laboratory By: *[Signature]* Time: *10:00* Date: *6/5/15*



pg# 295465

WOPF Page 3 of 6

## Environmental Lab, Inc.

1990 Prospect Ct. • Appleton, WI 54914  
920-830-2455 • FAX 920-733-0631

**Sample Handling Request**  
 Rush Analysis Date Required \_\_\_\_\_  
 (Rushes accepted only with prior authorization)  
 Normal Turn Around

Lab I.D. # \_\_\_\_\_  
 Account No. : \_\_\_\_\_ Quote No.: \_\_\_\_\_  
 Project #: 6155  
 Sampler: (signature) [Signature]

Project (Name / Location): Former Robinson Cleaners / Janesville WI  
 Reports To: W. Frisband / K. Heinsternd Invoice To: \_\_\_\_\_  
 Company EnviroForensics Company \_\_\_\_\_  
 Address N16W23370 Skne Ridge Dr. Address \_\_\_\_\_  
 City State Zip Waukesha WI 53188 City State Zip \_\_\_\_\_  
 Phone 317-972-7870 Phone \_\_\_\_\_  
 FAX \_\_\_\_\_ FAX \_\_\_\_\_

Analysis Requested										Other Analysis											
DRO (Mod DRO Sep 95)	GRO (Mod GRO Sep 95)	LEAD	NITRATE/NITRITE	OIL & GREASE	PAH (EPA 8270)	PVOC (EPA 8021)	PVOC + NAPHTHALENE	SULFATE	TOTAL SUSPENDED SOLIDS	VOC DW (EPA 542.2)	VOC (EPA 8260)	8-RCRA METALS								PID/ FID	

Lab I.D.	Sample I.D.	Collection Date	Time	Comp	Grab	Filtered Y/N	No. of Containers	Sample Type (Matrix)*	Preservation
<u>5029039H</u>	<u>6155-MW-29D</u>	<u>6-2-15</u>	<u>815</u>		<u>X</u>	<u>N</u>	<u>3</u>	<u>GW</u>	<u>HCl</u>
<u>S</u>	<u>6155-MW-31D</u>	<u>6-2-15</u>	<u>1520</u>		<u>X</u>	<u>N</u>	<u>3</u>	<u>GW</u>	<u>HCl</u>
<u>T</u>	<u>6155-MW-34D</u>	<u>6-3-15</u>	<u>1635</u>		<u>X</u>	<u>N</u>	<u>3</u>	<u>GW</u>	<u>HCl</u>
	<del><u>6155-MW-35S</u></del>	<del><u>6-4-15</u></del>	<del><u>850</u></del>		<del><u>X</u></del>	<del><u>N</u></del>	<del><u>3</u></del>	<del><u>GW</u></del>	<del><u>HCl</u></del>
<u>U</u>	<u>6155-MW-35D</u>	<u>6-4-15</u>	<u>750</u>		<u>X</u>	<u>N</u>	<u>3</u>	<u>GW</u>	<u>HCl</u>
<u>V</u>	<u>6155-MW-36S</u>	<u>6-1-15</u>	<u>1625</u>		<u>X</u>	<u>N</u>	<u>3</u>	<u>GW</u>	<u>HCl</u>
<u>W</u>	<u>6155-MW-36D</u>	<u>6-1-15</u>	<u>1530</u>		<u>X</u>	<u>N</u>	<u>3</u>	<u>GW</u>	<u>HCl</u>
<u>X</u>	<u>6155-MW-37D</u>	<u>6-4-15</u>	<u>1400</u>		<u>X</u>	<u>N</u>	<u>3</u>	<u>GW</u>	<u>HCl</u>
<u>Y</u>	<u>6155-MW-38D</u>	<u>6-2-15</u>	<u>1615</u>		<u>X</u>	<u>N</u>	<u>3</u>	<u>GW</u>	<u>HCl</u>
<u>Z</u>	<u>6155-MW-39S</u>	<u>6-2-15</u>	<u>1100</u>		<u>X</u>	<u>N</u>	<u>3</u>	<u>GW</u>	<u>HCl</u>

Comments/Special Instructions (\*Specify groundwater "GW", Drinking Water "DW", Waste Water "WW", Soil "S", Air "A", Oil, Sludge etc.)

Sample Integrity - To be completed by receiving lab.  
 Method of Shipment: Air  
 Temp. of Temp. Blank \_\_\_\_\_ °C On Ice   
 Cooler seal intact upon receipt:  Yes  No

Relinquished By: (sign) [Signature] Time 3:30 Date 6-5-15  
 Received By: (sign) [Signature] Time 3:30 Date 6/5/15

Received in Laboratory By: [Signature] Time: 10:00 Date: 6/4/15













# Synergy Environmental Lab, INC.

1990 Prospect Ct., Appleton, WI 54914 \*P 920-830-2455 \* F 920-733-0631

WAYNE FASSBENDER  
ENVIROFORENSICS  
N16 W23390 STONE RIDGE DRIVE  
WAUKESHA, WI 53188

Report Date 26-Jun-15

Project Name FMR ROBINSON DRY CLEANER  
Project # 6155 PO#2015465

Invoice # E29064

Lab Code 5029064A  
Sample ID 6155 MW-8  
Sample Matrix Water  
Sample Date 6/8/2015

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.44	ug/l	0.44	1.4	1	8260B	6/17/2015	6/17/2015	CJR	1
Bromobenzene	< 0.48	ug/l	0.48	1.5	1	8260B	6/17/2015	6/17/2015	CJR	1
Bromodichloromethane	< 0.46	ug/l	0.46	1.5	1	8260B	6/17/2015	6/17/2015	CJR	1
Bromoform	< 0.46	ug/l	0.46	1.5	1	8260B	6/17/2015	6/17/2015	CJR	1
tert-Butylbenzene	< 1.1	ug/l	1.1	3.4	1	8260B	6/17/2015	6/17/2015	CJR	1
sec-Butylbenzene	< 1.2	ug/l	1.2	3.8	1	8260B	6/17/2015	6/17/2015	CJR	1
n-Butylbenzene	< 1	ug/l	1	3.3	1	8260B	6/17/2015	6/17/2015	CJR	1
Carbon Tetrachloride	< 0.65	ug/l	0.65	2.1	1	8260B	6/17/2015	6/17/2015	CJR	1
Chlorobenzene	< 0.46	ug/l	0.46	1.4	1	8260B	6/17/2015	6/17/2015	CJR	1
Chloroethane	< 0.65	ug/l	0.65	2.1	1	8260B	6/17/2015	6/17/2015	CJR	1
Chloroform	< 0.43	ug/l	0.43	1.4	1	8260B	6/17/2015	6/17/2015	CJR	1
Chloromethane	< 1.9	ug/l	1.9	6	1	8260B	6/17/2015	6/17/2015	CJR	1
2-Chlorotoluene	< 0.4	ug/l	0.4	1.3	1	8260B	6/17/2015	6/17/2015	CJR	1
4-Chlorotoluene	< 0.63	ug/l	0.63	2	1	8260B	6/17/2015	6/17/2015	CJR	1
1,2-Dibromo-3-chloropropane	< 1.4	ug/l	1.4	4.5	1	8260B	6/17/2015	6/17/2015	CJR	1
Dibromochloromethane	< 0.45	ug/l	0.45	1.4	1	8260B	6/17/2015	6/17/2015	CJR	1
1,4-Dichlorobenzene	< 0.49	ug/l	0.49	1.6	1	8260B	6/17/2015	6/17/2015	CJR	1
1,3-Dichlorobenzene	< 0.52	ug/l	0.52	1.6	1	8260B	6/17/2015	6/17/2015	CJR	1
1,2-Dichlorobenzene	< 0.46	ug/l	0.46	1.5	1	8260B	6/17/2015	6/17/2015	CJR	1
Dichlorodifluoromethane	< 0.87	ug/l	0.87	2.8	1	8260B	6/17/2015	6/17/2015	CJR	1
1,2-Dichloroethane	< 0.54	ug/l	0.54	1.7	1	8260B	6/17/2015	6/17/2015	CJR	1
1,1-Dichloroethane	< 1.1	ug/l	1.1	3.6	1	8260B	6/17/2015	6/17/2015	CJR	1
1,1-Dichloroethene	< 0.65	ug/l	0.65	2.1	1	8260B	6/17/2015	6/17/2015	CJR	1
cis-1,2-Dichloroethene	1.39 "J"	ug/l	0.45	1.4	1	8260B	6/17/2015	6/17/2015	CJR	1
trans-1,2-Dichloroethene	< 0.54	ug/l	0.54	1.7	1	8260B	6/17/2015	6/17/2015	CJR	1
1,2-Dichloropropane	< 0.43	ug/l	0.43	1.37	1	8260B	6/17/2015	6/17/2015	CJR	1
2,2-Dichloropropane	< 3.1	ug/l	3.1	9.8	1	8260B	6/17/2015	6/17/2015	CJR	1
1,3-Dichloropropane	< 0.42	ug/l	0.42	1.3	1	8260B	6/17/2015	6/17/2015	CJR	1
Di-isopropyl ether	< 0.44	ug/l	0.44	1.4	1	8260B	6/17/2015	6/17/2015	CJR	1
EDB (1,2-Dibromoethane)	< 0.63	ug/l	0.63	2	1	8260B	6/17/2015	6/17/2015	CJR	1
Ethylbenzene	< 0.71	ug/l	0.71	2.3	1	8260B	6/17/2015	6/17/2015	CJR	1
Hexachlorobutadiene	< 2.2	ug/l	2.2	7.1	1	8260B	6/17/2015	6/17/2015	CJR	1
Isopropylbenzene	< 0.82	ug/l	0.82	2.6	1	8260B	6/17/2015	6/17/2015	CJR	1



**Project Name** FMR ROBINSON DRY CLEANER  
**Project #** 6155 PO#2015465

**Invoice #** E29064

**Lab Code** 5029064A  
**Sample ID** 6155 MW-8  
**Sample Matrix** Water  
**Sample Date** 6/8/2015

	<b>Result</b>	<b>Unit</b>	<b>LOD</b>	<b>LOQ</b>	<b>Dil</b>	<b>Method</b>	<b>Ext Date</b>	<b>Run Date</b>	<b>Analyst</b>	<b>Code</b>
p-Isopropyltoluene	< 1.1	ug/l	1.1	3.5	1	8260B		6/17/2015	CJR	1
Methylene chloride	< 1.3	ug/l	1.3	4.2	1	8260B		6/17/2015	CJR	1
Methyl tert-butyl ether (MTBE)	< 1.1	ug/l	1.1	3.7	1	8260B		6/17/2015	CJR	1
Naphthalene	< 1.6	ug/l	1.6	5.2	1	8260B		6/17/2015	CJR	4
n-Propylbenzene	< 0.77	ug/l	0.77	2.4	1	8260B		6/17/2015	CJR	1
1,1,2,2-Tetrachloroethane	< 0.52	ug/l	0.52	1.7	1	8260B		6/17/2015	CJR	1
1,1,1,2-Tetrachloroethane	< 0.48	ug/l	0.48	1.5	1	8260B		6/17/2015	CJR	1
Tetrachloroethene	104	ug/l	0.74	2.4	1	8260B		6/17/2015	CJR	1
Toluene	< 0.44	ug/l	0.44	1.4	1	8260B		6/17/2015	CJR	1
1,2,4-Trichlorobenzene	< 1.7	ug/l	1.7	5.6	1	8260B		6/17/2015	CJR	1
1,2,3-Trichlorobenzene	< 2.7	ug/l	2.7	8.6	1	8260B		6/17/2015	CJR	1
1,1,1-Trichloroethane	< 0.84	ug/l	0.84	2.7	1	8260B		6/17/2015	CJR	1
1,1,2-Trichloroethane	< 0.48	ug/l	0.48	1.52	1	8260B		6/17/2015	CJR	1
Trichloroethene (TCE)	4.8	ug/l	0.47	1.5	1	8260B		6/17/2015	CJR	1
Trichlorofluoromethane	< 0.87	ug/l	0.87	2.8	1	8260B		6/17/2015	CJR	1
1,2,4-Trimethylbenzene	< 1.6	ug/l	1.6	5	1	8260B		6/17/2015	CJR	1
1,3,5-Trimethylbenzene	< 1.5	ug/l	1.5	4.8	1	8260B		6/17/2015	CJR	1
Vinyl Chloride	< 0.17	ug/l	0.17	0.54	1	8260B		6/17/2015	CJR	1
m&p-Xylene	< 2.2	ug/l	2.2	6.9	1	8260B		6/17/2015	CJR	1
o-Xylene	< 0.9	ug/l	0.9	2.9	1	8260B		6/17/2015	CJR	1
SUR - 1,2-Dichloroethane-d4	96	REC %			1	8260B		6/17/2015	CJR	1
SUR - 4-Bromofluorobenzene	102	REC %			1	8260B		6/17/2015	CJR	1
SUR - Dibromofluoromethane	102	REC %			1	8260B		6/17/2015	CJR	1
SUR - Toluene-d8	100	REC %			1	8260B		6/17/2015	CJR	1

**Project Name** FMR ROBINSON DRY CLEANER  
**Project #** 6155 PO#2015465

**Invoice #** E29064

**Lab Code** 5029064B  
**Sample ID** 6155 MW-13D  
**Sample Matrix** Water  
**Sample Date** 6/8/2015

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Inorganic										
Metals										
Iron, Dissolved	0.51	mg/l	0.02	0.7	1	200.7		6/16/2015	CWT	1
Iron, Total	3.54	mg/l	0.02	0.7	1	200.7		6/16/2015	CWT	1
Manganese, Dissolved	42.5	ug/L	4.5	14.4	1	200.7		6/16/2015	CWT	1
Manganese, Total	159	ug/L	4.5	14.4	1	200.7		6/16/2015	CWT	1
Organic										
GASES										
Ethane	< 0.5	ug/l	0.5	1.5	1	8015		6/25/2015	MJR	1
Ethene	< 0.5	ug/l	0.5	1.5	1	8015		6/25/2015	MJR	1
Methane	< 1	ug/l	1	3	1	8015		6/25/2015	MJR	1
VOC's										
Benzene	< 0.44	ug/l	0.44	1.4	1	8260B		6/17/2015	CJR	1
Bromobenzene	< 0.48	ug/l	0.48	1.5	1	8260B		6/17/2015	CJR	1
Bromodichloromethane	< 0.46	ug/l	0.46	1.5	1	8260B		6/17/2015	CJR	1
Bromoform	< 0.46	ug/l	0.46	1.5	1	8260B		6/17/2015	CJR	1
tert-Butylbenzene	< 1.1	ug/l	1.1	3.4	1	8260B		6/17/2015	CJR	1
sec-Butylbenzene	< 1.2	ug/l	1.2	3.8	1	8260B		6/17/2015	CJR	1
n-Butylbenzene	< 1	ug/l	1	3.3	1	8260B		6/17/2015	CJR	1
Carbon Tetrachloride	< 0.65	ug/l	0.65	2.1	1	8260B		6/17/2015	CJR	1
Chlorobenzene	< 0.46	ug/l	0.46	1.4	1	8260B		6/17/2015	CJR	1
Chloroethane	< 0.65	ug/l	0.65	2.1	1	8260B		6/17/2015	CJR	1
Chloroform	< 0.43	ug/l	0.43	1.4	1	8260B		6/17/2015	CJR	1
Chloromethane	< 1.9	ug/l	1.9	6	1	8260B		6/17/2015	CJR	1
2-Chlorotoluene	< 0.4	ug/l	0.4	1.3	1	8260B		6/17/2015	CJR	1
4-Chlorotoluene	< 0.63	ug/l	0.63	2	1	8260B		6/17/2015	CJR	1
1,2-Dibromo-3-chloropropane	< 1.4	ug/l	1.4	4.5	1	8260B		6/17/2015	CJR	1
Dibromochloromethane	< 0.45	ug/l	0.45	1.4	1	8260B		6/17/2015	CJR	1
1,4-Dichlorobenzene	< 0.49	ug/l	0.49	1.6	1	8260B		6/17/2015	CJR	1
1,3-Dichlorobenzene	< 0.52	ug/l	0.52	1.6	1	8260B		6/17/2015	CJR	1
1,2-Dichlorobenzene	< 0.46	ug/l	0.46	1.5	1	8260B		6/17/2015	CJR	1
Dichlorodifluoromethane	< 0.87	ug/l	0.87	2.8	1	8260B		6/17/2015	CJR	1
1,2-Dichloroethane	< 0.54	ug/l	0.54	1.7	1	8260B		6/17/2015	CJR	1
1,1-Dichloroethane	< 1.1	ug/l	1.1	3.6	1	8260B		6/17/2015	CJR	1
1,1-Dichloroethene	< 0.65	ug/l	0.65	2.1	1	8260B		6/17/2015	CJR	1
cis-1,2-Dichloroethene	1.28 "J"	ug/l	0.45	1.4	1	8260B		6/17/2015	CJR	1
trans-1,2-Dichloroethene	< 0.54	ug/l	0.54	1.7	1	8260B		6/17/2015	CJR	1
1,2-Dichloropropane	< 0.43	ug/l	0.43	1.37	1	8260B		6/17/2015	CJR	1
2,2-Dichloropropane	< 3.1	ug/l	3.1	9.8	1	8260B		6/17/2015	CJR	1
1,3-Dichloropropane	< 0.42	ug/l	0.42	1.3	1	8260B		6/17/2015	CJR	1
Di-isopropyl ether	< 0.44	ug/l	0.44	1.4	1	8260B		6/17/2015	CJR	1
EDB (1,2-Dibromoethane)	< 0.63	ug/l	0.63	2	1	8260B		6/17/2015	CJR	1
Ethylbenzene	< 0.71	ug/l	0.71	2.3	1	8260B		6/17/2015	CJR	1
Hexachlorobutadiene	< 2.2	ug/l	2.2	7.1	1	8260B		6/17/2015	CJR	1
Isopropylbenzene	< 0.82	ug/l	0.82	2.6	1	8260B		6/17/2015	CJR	1
p-Isopropyltoluene	< 1.1	ug/l	1.1	3.5	1	8260B		6/17/2015	CJR	1
Methylene chloride	< 1.3	ug/l	1.3	4.2	1	8260B		6/17/2015	CJR	1
Methyl tert-butyl ether (MTBE)	< 1.1	ug/l	1.1	3.7	1	8260B		6/17/2015	CJR	1
Naphthalene	< 1.6	ug/l	1.6	5.2	1	8260B		6/17/2015	CJR	4
n-Propylbenzene	< 0.77	ug/l	0.77	2.4	1	8260B		6/17/2015	CJR	1
1,1,2,2-Tetrachloroethane	< 0.52	ug/l	0.52	1.7	1	8260B		6/17/2015	CJR	1
1,1,1,2-Tetrachloroethane	< 0.48	ug/l	0.48	1.5	1	8260B		6/17/2015	CJR	1
Tetrachloroethene	62	ug/l	0.74	2.4	1	8260B		6/17/2015	CJR	1
Toluene	< 0.44	ug/l	0.44	1.4	1	8260B		6/17/2015	CJR	1
1,2,4-Trichlorobenzene	< 1.7	ug/l	1.7	5.6	1	8260B		6/17/2015	CJR	1
1,2,3-Trichlorobenzene	< 2.7	ug/l	2.7	8.6	1	8260B		6/17/2015	CJR	1
1,1,1-Trichloroethane	< 0.84	ug/l	0.84	2.7	1	8260B		6/17/2015	CJR	1
1,1,2-Trichloroethane	< 0.48	ug/l	0.48	1.52	1	8260B		6/17/2015	CJR	1

**Project Name** FMR ROBINSON DRY CLEANER  
**Project #** 6155 PO#2015465

**Invoice #** E29064

**Lab Code** 5029064B  
**Sample ID** 6155 MW-13D  
**Sample Matrix** Water  
**Sample Date** 6/8/2015

	<b>Result</b>	<b>Unit</b>	<b>LOD</b>	<b>LOQ</b>	<b>Dil</b>	<b>Method</b>	<b>Ext Date</b>	<b>Run Date</b>	<b>Analyst</b>	<b>Code</b>
Trichloroethene (TCE)	4.8	ug/l	0.47	1.5	1	8260B		6/17/2015	CJR	1
Trichlorofluoromethane	< 0.87	ug/l	0.87	2.8	1	8260B		6/17/2015	CJR	1
1,2,4-Trimethylbenzene	< 1.6	ug/l	1.6	5	1	8260B		6/17/2015	CJR	1
1,3,5-Trimethylbenzene	< 1.5	ug/l	1.5	4.8	1	8260B		6/17/2015	CJR	1
Vinyl Chloride	< 0.17	ug/l	0.17	0.54	1	8260B		6/17/2015	CJR	1
m&p-Xylene	< 2.2	ug/l	2.2	6.9	1	8260B		6/17/2015	CJR	1
o-Xylene	< 0.9	ug/l	0.9	2.9	1	8260B		6/17/2015	CJR	1
SUR - 4-Bromofluorobenzene	104	REC %			1	8260B		6/17/2015	CJR	1
SUR - Dibromofluoromethane	103	REC %			1	8260B		6/17/2015	CJR	1
SUR - Toluene-d8	98	REC %			1	8260B		6/17/2015	CJR	1
SUR - 1,2-Dichloroethane-d4	106	REC %			1	8260B		6/17/2015	CJR	1
<b>Wet Chemistry</b>										
<b>General</b>										
Nitrite Plus Nitrate	3.02	mg/l	0.13	0.43	1	353.2		6/25/2015	MDK	1
Sulfate, Filtered	38.2	mg/l	9.45	30.05	5	ASTM D516-90,		6/24/2015	MDK	1
Chlorides, Unfiltered	271	mg/l	3.8	12.2	2	SM 4500CL		6/11/2015	MDK	1

**Project Name** FMR ROBINSON DRY CLEANER  
**Project #** 6155 PO#2015465

**Invoice #** E29064

**Lab Code** 5029064C  
**Sample ID** 6155 MW-13  
**Sample Matrix** Water  
**Sample Date** 6/8/2015

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Inorganic										
Metals										
Iron, Dissolved	0.05 "J"	mg/l	0.02	0.7	1	200.7		6/18/2015	CWT	1
Iron, Total	0.3 "J"	mg/l	0.02	0.7	1	200.7		6/18/2015	CWT	1
Manganese, Dissolved	< 4.5	ug/L	4.5	14.4	1	200.7		6/18/2015	CWT	1
Manganese, Total	< 4.5	ug/L	4.5	14.4	1	200.7		6/18/2015	CWT	1
Organic										
GASES										
Ethane	< 0.5	ug/l	0.5	1.5	1	8015		6/25/2015	MJR	1
Ethene	< 0.5	ug/l	0.5	1.5	1	8015		6/25/2015	MJR	1
Methane	< 1	ug/l	1	3	1	8015		6/25/2015	MJR	1
VOC's										
Benzene	< 4.4	ug/l	4.4	14	10	8260B		6/17/2015	CJR	1
Bromobenzene	< 4.8	ug/l	4.8	15	10	8260B		6/17/2015	CJR	1
Bromodichloromethane	< 4.6	ug/l	4.6	15	10	8260B		6/17/2015	CJR	1
Bromoform	< 4.6	ug/l	4.6	15	10	8260B		6/17/2015	CJR	1
tert-Butylbenzene	< 11	ug/l	11	34	10	8260B		6/17/2015	CJR	1
sec-Butylbenzene	< 12	ug/l	12	38	10	8260B		6/17/2015	CJR	1
n-Butylbenzene	< 10	ug/l	10	33	10	8260B		6/17/2015	CJR	1
Carbon Tetrachloride	< 6.5	ug/l	6.5	21	10	8260B		6/17/2015	CJR	1
Chlorobenzene	< 4.6	ug/l	4.6	14	10	8260B		6/17/2015	CJR	1
Chloroethane	< 6.5	ug/l	6.5	21	10	8260B		6/17/2015	CJR	1
Chloroform	< 4.3	ug/l	4.3	14	10	8260B		6/17/2015	CJR	1
Chloromethane	< 19	ug/l	19	60	10	8260B		6/17/2015	CJR	1
2-Chlorotoluene	< 4	ug/l	4	13	10	8260B		6/17/2015	CJR	1
4-Chlorotoluene	< 6.3	ug/l	6.3	20	10	8260B		6/17/2015	CJR	1
1,2-Dibromo-3-chloropropane	< 14	ug/l	14	45	10	8260B		6/17/2015	CJR	1
Dibromochloromethane	< 4.5	ug/l	4.5	14	10	8260B		6/17/2015	CJR	1
1,4-Dichlorobenzene	< 4.9	ug/l	4.9	16	10	8260B		6/17/2015	CJR	1
1,3-Dichlorobenzene	< 5.2	ug/l	5.2	16	10	8260B		6/17/2015	CJR	1
1,2-Dichlorobenzene	< 4.6	ug/l	4.6	15	10	8260B		6/17/2015	CJR	1
Dichlorodifluoromethane	< 8.7	ug/l	8.7	28	10	8260B		6/17/2015	CJR	1
1,2-Dichloroethane	< 5.4	ug/l	5.4	17	10	8260B		6/17/2015	CJR	1
1,1-Dichloroethane	< 11	ug/l	11	36	10	8260B		6/17/2015	CJR	1
1,1-Dichloroethene	< 6.5	ug/l	6.5	21	10	8260B		6/17/2015	CJR	1
cis-1,2-Dichloroethene	15.1	ug/l	4.5	14	10	8260B		6/17/2015	CJR	1
trans-1,2-Dichloroethene	< 5.4	ug/l	5.4	17	10	8260B		6/17/2015	CJR	1
1,2-Dichloropropane	< 4.3	ug/l	4.3	13.7	10	8260B		6/17/2015	CJR	1
2,2-Dichloropropane	< 31	ug/l	31	98	10	8260B		6/17/2015	CJR	1
1,3-Dichloropropane	< 4.2	ug/l	4.2	13	10	8260B		6/17/2015	CJR	1
Di-isopropyl ether	< 4.4	ug/l	4.4	14	10	8260B		6/17/2015	CJR	1
EDB (1,2-Dibromoethane)	< 6.3	ug/l	6.3	20	10	8260B		6/17/2015	CJR	1
Ethylbenzene	< 7.1	ug/l	7.1	23	10	8260B		6/17/2015	CJR	1
Hexachlorobutadiene	< 22	ug/l	22	71	10	8260B		6/17/2015	CJR	1
Isopropylbenzene	< 8.2	ug/l	8.2	26	10	8260B		6/17/2015	CJR	1
p-Isopropyltoluene	< 11	ug/l	11	35	10	8260B		6/17/2015	CJR	1
Methylene chloride	< 13	ug/l	13	42	10	8260B		6/17/2015	CJR	1
Methyl tert-butyl ether (MTBE)	< 11	ug/l	11	37	10	8260B		6/17/2015	CJR	1
Naphthalene	< 16	ug/l	16	52	10	8260B		6/17/2015	CJR	1
n-Propylbenzene	< 7.7	ug/l	7.7	24	10	8260B		6/17/2015	CJR	1
1,1,2,2-Tetrachloroethane	< 5.2	ug/l	5.2	17	10	8260B		6/17/2015	CJR	1
1,1,1,2-Tetrachloroethane	< 4.8	ug/l	4.8	15	10	8260B		6/17/2015	CJR	1
Tetrachloroethene	600	ug/l	7.4	24	10	8260B		6/17/2015	CJR	1
Toluene	< 4.4	ug/l	4.4	14	10	8260B		6/17/2015	CJR	1
1,2,4-Trichlorobenzene	< 17	ug/l	17	56	10	8260B		6/17/2015	CJR	1
1,2,3-Trichlorobenzene	< 27	ug/l	27	86	10	8260B		6/17/2015	CJR	1
1,1,1-Trichloroethane	< 8.4	ug/l	8.4	27	10	8260B		6/17/2015	CJR	1
1,1,2-Trichloroethane	< 4.8	ug/l	4.8	15.2	10	8260B		6/17/2015	CJR	1

**Project Name** FMR ROBINSON DRY CLEANER  
**Project #** 6155 PO#2015465

**Invoice #** E29064

**Lab Code** 5029064C  
**Sample ID** 6155 MW-13  
**Sample Matrix** Water  
**Sample Date** 6/8/2015

	<b>Result</b>	<b>Unit</b>	<b>LOD</b>	<b>LOQ</b>	<b>Dil</b>	<b>Method</b>	<b>Ext Date</b>	<b>Run Date</b>	<b>Analyst</b>	<b>Code</b>
Trichloroethene (TCE)	11.4 "J"	ug/l	4.7	15	10	8260B		6/17/2015	CJR	1
Trichlorofluoromethane	< 8.7	ug/l	8.7	28	10	8260B		6/17/2015	CJR	1
1,2,4-Trimethylbenzene	< 16	ug/l	16	50	10	8260B		6/17/2015	CJR	1
1,3,5-Trimethylbenzene	< 15	ug/l	15	48	10	8260B		6/17/2015	CJR	1
Vinyl Chloride	< 1.7	ug/l	1.7	5.4	10	8260B		6/17/2015	CJR	1
m&p-Xylene	< 22	ug/l	22	69	10	8260B		6/17/2015	CJR	1
o-Xylene	< 9	ug/l	9	29	10	8260B		6/17/2015	CJR	1
SUR - 1,2-Dichloroethane-d4	102	REC %			10	8260B		6/17/2015	CJR	1
SUR - 4-Bromofluorobenzene	108	REC %			10	8260B		6/17/2015	CJR	1
SUR - Dibromofluoromethane	99	REC %			10	8260B		6/17/2015	CJR	1
SUR - Toluene-d8	105	REC %			10	8260B		6/17/2015	CJR	1
<b>Wet Chemistry</b>										
<b>General</b>										
Nitrite Plus Nitrate	3.10	mg/l	0.13	0.43	1	353.2		6/25/2015	MDK	1
Sulfate, Filtered	35.7	mg/l	9.45	30.05	5	ASTM D516-90,		6/24/2015	MDK	1
Chlorides, Unfiltered	210	mg/l	3.8	12.2	2	SM 4500CL		6/11/2015	MDK	1

**Project Name** FMR ROBINSON DRY CLEANER  
**Project #** 6155 PO#2015465

**Invoice #** E29064

**Lab Code** 5029064D  
**Sample ID** 6155 MW-25  
**Sample Matrix** Water  
**Sample Date** 6/8/2015

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Inorganic										
Metals										
Iron, Dissolved	0.13	mg/l	0.02	0.7	1	200.7		6/16/2015	CWT	1
Iron, Total	0.46	mg/l	0.02	0.7	1	200.7		6/16/2015	CWT	1
Manganese, Dissolved	< 4.5	ug/L	4.5	14.4	1	200.7		6/16/2015	CWT	1
Manganese, Total	< 4.5	ug/L	4.5	14.4	1	200.7		6/16/2015	CWT	1
Organic										
GASES										
Ethane	< 0.5	ug/l	0.5	1.5	1	8015		6/25/2015	MJR	1
Ethene	< 0.5	ug/l	0.5	1.5	1	8015		6/25/2015	MJR	1
Methane	< 1	ug/l	1	3	1	8015		6/25/2015	MJR	1
VOC's										
Benzene	< 0.44	ug/l	0.44	1.4	1	8260B		6/17/2015	CJR	1
Bromobenzene	< 0.48	ug/l	0.48	1.5	1	8260B		6/17/2015	CJR	1
Bromodichloromethane	< 0.46	ug/l	0.46	1.5	1	8260B		6/17/2015	CJR	1
Bromoform	< 0.46	ug/l	0.46	1.5	1	8260B		6/17/2015	CJR	1
tert-Butylbenzene	< 1.1	ug/l	1.1	3.4	1	8260B		6/17/2015	CJR	1
sec-Butylbenzene	< 1.2	ug/l	1.2	3.8	1	8260B		6/17/2015	CJR	1
n-Butylbenzene	< 1	ug/l	1	3.3	1	8260B		6/17/2015	CJR	1
Carbon Tetrachloride	< 0.65	ug/l	0.65	2.1	1	8260B		6/17/2015	CJR	1
Chlorobenzene	< 0.46	ug/l	0.46	1.4	1	8260B		6/17/2015	CJR	1
Chloroethane	< 0.65	ug/l	0.65	2.1	1	8260B		6/17/2015	CJR	1
Chloroform	< 0.43	ug/l	0.43	1.4	1	8260B		6/17/2015	CJR	1
Chloromethane	< 1.9	ug/l	1.9	6	1	8260B		6/17/2015	CJR	1
2-Chlorotoluene	< 0.4	ug/l	0.4	1.3	1	8260B		6/17/2015	CJR	1
4-Chlorotoluene	< 0.63	ug/l	0.63	2	1	8260B		6/17/2015	CJR	1
1,2-Dibromo-3-chloropropane	< 1.4	ug/l	1.4	4.5	1	8260B		6/17/2015	CJR	1
Dibromochloromethane	< 0.45	ug/l	0.45	1.4	1	8260B		6/17/2015	CJR	1
1,4-Dichlorobenzene	< 0.49	ug/l	0.49	1.6	1	8260B		6/17/2015	CJR	1
1,3-Dichlorobenzene	< 0.52	ug/l	0.52	1.6	1	8260B		6/17/2015	CJR	1
1,2-Dichlorobenzene	< 0.46	ug/l	0.46	1.5	1	8260B		6/17/2015	CJR	1
Dichlorodifluoromethane	< 0.87	ug/l	0.87	2.8	1	8260B		6/17/2015	CJR	1
1,2-Dichloroethane	< 0.54	ug/l	0.54	1.7	1	8260B		6/17/2015	CJR	1
1,1-Dichloroethane	< 1.1	ug/l	1.1	3.6	1	8260B		6/17/2015	CJR	1
1,1-Dichloroethene	< 0.65	ug/l	0.65	2.1	1	8260B		6/17/2015	CJR	1
cis-1,2-Dichloroethene	< 0.45	ug/l	0.45	1.4	1	8260B		6/17/2015	CJR	1
trans-1,2-Dichloroethene	< 0.54	ug/l	0.54	1.7	1	8260B		6/17/2015	CJR	1
1,2-Dichloropropane	< 0.43	ug/l	0.43	1.37	1	8260B		6/17/2015	CJR	1
2,2-Dichloropropane	< 3.1	ug/l	3.1	9.8	1	8260B		6/17/2015	CJR	1
1,3-Dichloropropane	< 0.42	ug/l	0.42	1.3	1	8260B		6/17/2015	CJR	1
Di-isopropyl ether	< 0.44	ug/l	0.44	1.4	1	8260B		6/17/2015	CJR	1
EDB (1,2-Dibromoethane)	< 0.63	ug/l	0.63	2	1	8260B		6/17/2015	CJR	1
Ethylbenzene	< 0.71	ug/l	0.71	2.3	1	8260B		6/17/2015	CJR	1
Hexachlorobutadiene	< 2.2	ug/l	2.2	7.1	1	8260B		6/17/2015	CJR	1
Isopropylbenzene	< 0.82	ug/l	0.82	2.6	1	8260B		6/17/2015	CJR	1
p-Isopropyltoluene	< 1.1	ug/l	1.1	3.5	1	8260B		6/17/2015	CJR	1
Methylene chloride	< 1.3	ug/l	1.3	4.2	1	8260B		6/17/2015	CJR	1
Methyl tert-butyl ether (MTBE)	< 1.1	ug/l	1.1	3.7	1	8260B		6/17/2015	CJR	1
Naphthalene	< 1.6	ug/l	1.6	5.2	1	8260B		6/17/2015	CJR	4
n-Propylbenzene	< 0.77	ug/l	0.77	2.4	1	8260B		6/17/2015	CJR	1
1,1,2,2-Tetrachloroethane	< 0.52	ug/l	0.52	1.7	1	8260B		6/17/2015	CJR	1
1,1,1,2-Tetrachloroethane	< 0.48	ug/l	0.48	1.5	1	8260B		6/17/2015	CJR	1
Tetrachloroethene	18.5	ug/l	0.74	2.4	1	8260B		6/17/2015	CJR	1
Toluene	< 0.44	ug/l	0.44	1.4	1	8260B		6/17/2015	CJR	1
1,2,4-Trichlorobenzene	< 1.7	ug/l	1.7	5.6	1	8260B		6/17/2015	CJR	1
1,2,3-Trichlorobenzene	< 2.7	ug/l	2.7	8.6	1	8260B		6/17/2015	CJR	1
1,1,1-Trichloroethane	< 0.84	ug/l	0.84	2.7	1	8260B		6/17/2015	CJR	1
1,1,2-Trichloroethane	< 0.48	ug/l	0.48	1.52	1	8260B		6/17/2015	CJR	1

**Project Name** FMR ROBINSON DRY CLEANER  
**Project #** 6155 PO#2015465

**Invoice #** E29064

**Lab Code** 5029064D  
**Sample ID** 6155 MW-25  
**Sample Matrix** Water  
**Sample Date** 6/8/2015

	<b>Result</b>	<b>Unit</b>	<b>LOD</b>	<b>LOQ</b>	<b>Dil</b>	<b>Method</b>	<b>Ext Date</b>	<b>Run Date</b>	<b>Analyst</b>	<b>Code</b>
Trichloroethene (TCE)	2.62	ug/l	0.47	1.5	1	8260B		6/17/2015	CJR	1
Trichlorofluoromethane	< 0.87	ug/l	0.87	2.8	1	8260B		6/17/2015	CJR	1
1,2,4-Trimethylbenzene	< 1.6	ug/l	1.6	5	1	8260B		6/17/2015	CJR	1
1,3,5-Trimethylbenzene	< 1.5	ug/l	1.5	4.8	1	8260B		6/17/2015	CJR	1
Vinyl Chloride	< 0.17	ug/l	0.17	0.54	1	8260B		6/17/2015	CJR	1
m&p-Xylene	< 2.2	ug/l	2.2	6.9	1	8260B		6/17/2015	CJR	1
o-Xylene	< 0.9	ug/l	0.9	2.9	1	8260B		6/17/2015	CJR	1
SUR - 1,2-Dichloroethane-d4	92	REC %			1	8260B		6/17/2015	CJR	1
SUR - 4-Bromofluorobenzene	105	REC %			1	8260B		6/17/2015	CJR	1
SUR - Dibromofluoromethane	100	REC %			1	8260B		6/17/2015	CJR	1
SUR - Toluene-d8	99	REC %			1	8260B		6/17/2015	CJR	1

**Wet Chemistry**

**General**

Nitrite Plus Nitrate	2.59	mg/l	0.13	0.43	1	353.2		6/25/2015	MDK	1
Sulfate, Filtered	192	mg/l	18.9	60.1	10	ASTM D516-90,		6/24/2015	MDK	1
Chlorides, Unfiltered	103	mg/l	1.9	6.1	1	SM 4500CL		6/11/2015	MDK	1

**Project Name** FMR ROBINSON DRY CLEANER  
**Project #** 6155 PO#2015465

**Invoice #** E29064

**Lab Code** 5029064E  
**Sample ID** 6155 MW-25D  
**Sample Matrix** Water  
**Sample Date** 6/8/2015

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Inorganic										
Metals										
Iron, Dissolved	< 0.02	mg/l	0.02	0.7	1	200.7		6/16/2015	CWT	1
Iron, Total	0.12 "J"	mg/l	0.02	0.7	1	200.7		6/16/2015	CWT	1
Manganese, Dissolved	< 4.5	ug/L	4.5	14.4	1	200.7		6/16/2015	CWT	1
Manganese, Total	< 4.5	ug/L	4.5	14.4	1	200.7		6/16/2015	CWT	1
Organic										
GASES										
Ethane	< 0.5	ug/l	0.5	1.5	1	8015		6/25/2015	MJR	1
Ethene	< 0.5	ug/l	0.5	1.5	1	8015		6/25/2015	MJR	1
Methane	< 1	ug/l	1	3	1	8015		6/25/2015	MJR	1
VOC's										
Benzene	< 4.4	ug/l	4.4	14	10	8260B		6/17/2015	CJR	1
Bromobenzene	< 4.8	ug/l	4.8	15	10	8260B		6/17/2015	CJR	1
Bromodichloromethane	< 4.6	ug/l	4.6	15	10	8260B		6/17/2015	CJR	1
Bromoform	< 4.6	ug/l	4.6	15	10	8260B		6/17/2015	CJR	1
tert-Butylbenzene	< 11	ug/l	11	34	10	8260B		6/17/2015	CJR	1
sec-Butylbenzene	< 12	ug/l	12	38	10	8260B		6/17/2015	CJR	1
n-Butylbenzene	< 10	ug/l	10	33	10	8260B		6/17/2015	CJR	1
Carbon Tetrachloride	< 6.5	ug/l	6.5	21	10	8260B		6/17/2015	CJR	1
Chlorobenzene	< 4.6	ug/l	4.6	14	10	8260B		6/17/2015	CJR	1
Chloroethane	< 6.5	ug/l	6.5	21	10	8260B		6/17/2015	CJR	1
Chloroform	< 4.3	ug/l	4.3	14	10	8260B		6/17/2015	CJR	1
Chloromethane	< 19	ug/l	19	60	10	8260B		6/17/2015	CJR	1
2-Chlorotoluene	< 4	ug/l	4	13	10	8260B		6/17/2015	CJR	1
4-Chlorotoluene	< 6.3	ug/l	6.3	20	10	8260B		6/17/2015	CJR	1
1,2-Dibromo-3-chloropropane	< 14	ug/l	14	45	10	8260B		6/17/2015	CJR	1
Dibromochloromethane	< 4.5	ug/l	4.5	14	10	8260B		6/17/2015	CJR	1
1,4-Dichlorobenzene	< 4.9	ug/l	4.9	16	10	8260B		6/17/2015	CJR	1
1,3-Dichlorobenzene	< 5.2	ug/l	5.2	16	10	8260B		6/17/2015	CJR	1
1,2-Dichlorobenzene	< 4.6	ug/l	4.6	15	10	8260B		6/17/2015	CJR	1
Dichlorodifluoromethane	< 8.7	ug/l	8.7	28	10	8260B		6/17/2015	CJR	1
1,2-Dichloroethane	< 5.4	ug/l	5.4	17	10	8260B		6/17/2015	CJR	1
1,1-Dichloroethane	< 11	ug/l	11	36	10	8260B		6/17/2015	CJR	1
1,1-Dichloroethene	< 6.5	ug/l	6.5	21	10	8260B		6/17/2015	CJR	1
cis-1,2-Dichloroethene	6.2 "J"	ug/l	4.5	14	10	8260B		6/17/2015	CJR	1
trans-1,2-Dichloroethene	< 5.4	ug/l	5.4	17	10	8260B		6/17/2015	CJR	1
1,2-Dichloropropane	< 4.3	ug/l	4.3	13.7	10	8260B		6/17/2015	CJR	1
2,2-Dichloropropane	< 31	ug/l	31	98	10	8260B		6/17/2015	CJR	1
1,3-Dichloropropane	< 4.2	ug/l	4.2	13	10	8260B		6/17/2015	CJR	1
Di-isopropyl ether	< 4.4	ug/l	4.4	14	10	8260B		6/17/2015	CJR	1
EDB (1,2-Dibromoethane)	< 6.3	ug/l	6.3	20	10	8260B		6/17/2015	CJR	1
Ethylbenzene	< 7.1	ug/l	7.1	23	10	8260B		6/17/2015	CJR	1
Hexachlorobutadiene	< 22	ug/l	22	71	10	8260B		6/17/2015	CJR	1
Isopropylbenzene	< 8.2	ug/l	8.2	26	10	8260B		6/17/2015	CJR	1
p-Isopropyltoluene	< 11	ug/l	11	35	10	8260B		6/17/2015	CJR	1
Methylene chloride	< 13	ug/l	13	42	10	8260B		6/17/2015	CJR	1
Methyl tert-butyl ether (MTBE)	< 11	ug/l	11	37	10	8260B		6/17/2015	CJR	1
Naphthalene	< 16	ug/l	16	52	10	8260B		6/17/2015	CJR	1
n-Propylbenzene	< 7.7	ug/l	7.7	24	10	8260B		6/17/2015	CJR	1
1,1,2,2-Tetrachloroethane	< 5.2	ug/l	5.2	17	10	8260B		6/17/2015	CJR	1
1,1,1,2-Tetrachloroethane	< 4.8	ug/l	4.8	15	10	8260B		6/17/2015	CJR	1
Tetrachloroethene	600	ug/l	7.4	24	10	8260B		6/17/2015	CJR	1
Toluene	< 4.4	ug/l	4.4	14	10	8260B		6/17/2015	CJR	1
1,2,4-Trichlorobenzene	< 17	ug/l	17	56	10	8260B		6/17/2015	CJR	1
1,2,3-Trichlorobenzene	< 27	ug/l	27	86	10	8260B		6/17/2015	CJR	1
1,1,1-Trichloroethane	< 8.4	ug/l	8.4	27	10	8260B		6/17/2015	CJR	1
1,1,2-Trichloroethane	< 4.8	ug/l	4.8	15.2	10	8260B		6/17/2015	CJR	1



**Project Name** FMR ROBINSON DRY CLEANER  
**Project #** 6155 PO#2015465

**Invoice #** E29064

**Lab Code** 5029064E  
**Sample ID** 6155 MW-25D  
**Sample Matrix** Water  
**Sample Date** 6/8/2015

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Trichloroethene (TCE)	14.6 "J"	ug/l	4.7	15	10	8260B		6/17/2015	CJR	1
Trichlorofluoromethane	< 8.7	ug/l	8.7	28	10	8260B		6/17/2015	CJR	1
1,2,4-Trimethylbenzene	< 16	ug/l	16	50	10	8260B		6/17/2015	CJR	1
1,3,5-Trimethylbenzene	< 15	ug/l	15	48	10	8260B		6/17/2015	CJR	1
Vinyl Chloride	< 1.7	ug/l	1.7	5.4	10	8260B		6/17/2015	CJR	1
m&p-Xylene	< 22	ug/l	22	69	10	8260B		6/17/2015	CJR	1
o-Xylene	< 9	ug/l	9	29	10	8260B		6/17/2015	CJR	1
SUR - 1,2-Dichloroethane-d4	98	REC %				10 8260B		6/17/2015	CJR	1
SUR - 4-Bromofluorobenzene	91	REC %				10 8260B		6/17/2015	CJR	1
SUR - Dibromofluoromethane	103	REC %				10 8260B		6/17/2015	CJR	1
SUR - Toluene-d8	104	REC %				10 8260B		6/17/2015	CJR	1

**Wet Chemistry**

**General**

Nitrite Plus Nitrate	3.35	mg/l	0.13	0.43	1	353.2		6/25/2015	MDK	1
Sulfate, Filtered	48.2	mg/l	9.45	30.05	5	ASTM D516-90,		6/24/2015	MDK	1
Chlorides, Unfiltered	181	mg/l	3.8	12.2	2	SM 4500CL		6/11/2015	MDK	1

**Project Name** FMR ROBINSON DRY CLEANER  
**Project #** 6155 PO#2015465

**Invoice #** E29064

**Lab Code** 5029064F  
**Sample ID** 6155 MW-25D2  
**Sample Matrix** Water  
**Sample Date** 6/8/2015

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.44	ug/l	0.44	1.4	1	8260B		6/17/2015	CJR	1
Bromobenzene	< 0.48	ug/l	0.48	1.5	1	8260B		6/17/2015	CJR	1
Bromodichloromethane	< 0.46	ug/l	0.46	1.5	1	8260B		6/17/2015	CJR	1
Bromoform	< 0.46	ug/l	0.46	1.5	1	8260B		6/17/2015	CJR	1
tert-Butylbenzene	< 1.1	ug/l	1.1	3.4	1	8260B		6/17/2015	CJR	1
sec-Butylbenzene	< 1.2	ug/l	1.2	3.8	1	8260B		6/17/2015	CJR	1
n-Butylbenzene	< 1	ug/l	1	3.3	1	8260B		6/17/2015	CJR	1
Carbon Tetrachloride	< 0.65	ug/l	0.65	2.1	1	8260B		6/17/2015	CJR	1
Chlorobenzene	< 0.46	ug/l	0.46	1.4	1	8260B		6/17/2015	CJR	1
Chloroethane	< 0.65	ug/l	0.65	2.1	1	8260B		6/17/2015	CJR	1
Chloroform	< 0.43	ug/l	0.43	1.4	1	8260B		6/17/2015	CJR	1
Chloromethane	< 1.9	ug/l	1.9	6	1	8260B		6/17/2015	CJR	1
2-Chlorotoluene	< 0.4	ug/l	0.4	1.3	1	8260B		6/17/2015	CJR	1
4-Chlorotoluene	< 0.63	ug/l	0.63	2	1	8260B		6/17/2015	CJR	1
1,2-Dibromo-3-chloropropane	< 1.4	ug/l	1.4	4.5	1	8260B		6/17/2015	CJR	1
Dibromochloromethane	< 0.45	ug/l	0.45	1.4	1	8260B		6/17/2015	CJR	1
1,4-Dichlorobenzene	< 0.49	ug/l	0.49	1.6	1	8260B		6/17/2015	CJR	1
1,3-Dichlorobenzene	< 0.52	ug/l	0.52	1.6	1	8260B		6/17/2015	CJR	1
1,2-Dichlorobenzene	< 0.46	ug/l	0.46	1.5	1	8260B		6/17/2015	CJR	1
Dichlorodifluoromethane	< 0.87	ug/l	0.87	2.8	1	8260B		6/17/2015	CJR	1
1,2-Dichloroethane	< 0.54	ug/l	0.54	1.7	1	8260B		6/17/2015	CJR	1
1,1-Dichloroethane	< 1.1	ug/l	1.1	3.6	1	8260B		6/17/2015	CJR	1
1,1-Dichloroethene	< 0.65	ug/l	0.65	2.1	1	8260B		6/17/2015	CJR	1
cis-1,2-Dichloroethene	< 0.45	ug/l	0.45	1.4	1	8260B		6/17/2015	CJR	1
trans-1,2-Dichloroethene	< 0.54	ug/l	0.54	1.7	1	8260B		6/17/2015	CJR	1
1,2-Dichloropropane	< 0.43	ug/l	0.43	1.37	1	8260B		6/17/2015	CJR	1
2,2-Dichloropropane	< 3.1	ug/l	3.1	9.8	1	8260B		6/17/2015	CJR	1
1,3-Dichloropropane	< 0.42	ug/l	0.42	1.3	1	8260B		6/17/2015	CJR	1
Di-isopropyl ether	< 0.44	ug/l	0.44	1.4	1	8260B		6/17/2015	CJR	1
EDB (1,2-Dibromoethane)	< 0.63	ug/l	0.63	2	1	8260B		6/17/2015	CJR	1
Ethylbenzene	< 0.71	ug/l	0.71	2.3	1	8260B		6/17/2015	CJR	1
Hexachlorobutadiene	< 2.2	ug/l	2.2	7.1	1	8260B		6/17/2015	CJR	1
Isopropylbenzene	< 0.82	ug/l	0.82	2.6	1	8260B		6/17/2015	CJR	1
p-Isopropyltoluene	< 1.1	ug/l	1.1	3.5	1	8260B		6/17/2015	CJR	1
Methylene chloride	< 1.3	ug/l	1.3	4.2	1	8260B		6/17/2015	CJR	1
Methyl tert-butyl ether (MTBE)	< 1.1	ug/l	1.1	3.7	1	8260B		6/17/2015	CJR	1
Naphthalene	< 1.6	ug/l	1.6	5.2	1	8260B		6/17/2015	CJR	1
n-Propylbenzene	< 0.77	ug/l	0.77	2.4	1	8260B		6/17/2015	CJR	1
1,1,2,2-Tetrachloroethane	< 0.52	ug/l	0.52	1.7	1	8260B		6/17/2015	CJR	1
1,1,1,2-Tetrachloroethane	< 0.48	ug/l	0.48	1.5	1	8260B		6/17/2015	CJR	1
Tetrachloroethene	< 0.74	ug/l	0.74	2.4	1	8260B		6/17/2015	CJR	1
Toluene	< 0.44	ug/l	0.44	1.4	1	8260B		6/17/2015	CJR	1
1,2,4-Trichlorobenzene	< 1.7	ug/l	1.7	5.6	1	8260B		6/17/2015	CJR	1
1,2,3-Trichlorobenzene	< 2.7	ug/l	2.7	8.6	1	8260B		6/17/2015	CJR	1
1,1,1-Trichloroethane	< 0.84	ug/l	0.84	2.7	1	8260B		6/17/2015	CJR	1
1,1,2-Trichloroethane	< 0.48	ug/l	0.48	1.52	1	8260B		6/17/2015	CJR	1
Trichloroethene (TCE)	< 0.47	ug/l	0.47	1.5	1	8260B		6/17/2015	CJR	1
Trichlorofluoromethane	< 0.87	ug/l	0.87	2.8	1	8260B		6/17/2015	CJR	1
1,2,4-Trimethylbenzene	< 1.6	ug/l	1.6	5	1	8260B		6/17/2015	CJR	1
1,3,5-Trimethylbenzene	< 1.5	ug/l	1.5	4.8	1	8260B		6/17/2015	CJR	1
Vinyl Chloride	< 0.17	ug/l	0.17	0.54	1	8260B		6/17/2015	CJR	1
m&p-Xylene	< 2.2	ug/l	2.2	6.9	1	8260B		6/17/2015	CJR	1
o-Xylene	< 0.9	ug/l	0.9	2.9	1	8260B		6/17/2015	CJR	1
SUR - Toluene-d8	102	REC %			1	8260B		6/17/2015	CJR	1
SUR - 1,2-Dichloroethane-d4	109	REC %			1	8260B		6/17/2015	CJR	1
SUR - 4-Bromofluorobenzene	112	REC %			1	8260B		6/17/2015	CJR	1
SUR - Dibromofluoromethane	101	REC %			1	8260B		6/17/2015	CJR	1

**Project Name** FMR ROBINSON DRY CLEANER  
**Project #** 6155 PO#2015465

**Invoice #** E29064

**Lab Code** 5029064G  
**Sample ID** 6155 MW-30S  
**Sample Matrix** Water  
**Sample Date** 6/8/2015

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
<b>Inorganic</b>										
<b>Metals</b>										
Iron, Dissolved	0.15	mg/l	0.02	0.7	1	200.7		6/16/2015	CWT	1
Iron, Total	0.80	mg/l	0.02	0.7	1	200.7		6/16/2015	CWT	1
Manganese, Dissolved	61.3	ug/L	4.5	14.4	1	200.7		6/16/2015	CWT	1
Manganese, Total	199	ug/L	4.5	14.4	1	200.7		6/16/2015	CWT	1
<b>Organic</b>										
<b>GASES</b>										
Ethane	< 0.5	ug/l	0.5	1.5	1	8015		6/25/2015	MJR	1
Ethene	< 0.5	ug/l	0.5	1.5	1	8015		6/25/2015	MJR	1
Methane	< 1	ug/l	1	3	1	8015		6/25/2015	MJR	1
<b>VOC's</b>										
Benzene	< 8.8	ug/l	8.8	28	20	8260B		6/17/2015	CJR	1
Bromobenzene	< 9.6	ug/l	9.6	30	20	8260B		6/17/2015	CJR	1
Bromodichloromethane	< 9.2	ug/l	9.2	30	20	8260B		6/17/2015	CJR	1
Bromoform	< 9.2	ug/l	9.2	30	20	8260B		6/17/2015	CJR	1
tert-Butylbenzene	< 22	ug/l	22	68	20	8260B		6/17/2015	CJR	1
sec-Butylbenzene	< 24	ug/l	24	76	20	8260B		6/17/2015	CJR	1
n-Butylbenzene	< 20	ug/l	20	66	20	8260B		6/17/2015	CJR	1
Carbon Tetrachloride	< 13	ug/l	13	42	20	8260B		6/17/2015	CJR	1
Chlorobenzene	< 9.2	ug/l	9.2	28	20	8260B		6/17/2015	CJR	1
Chloroethane	< 13	ug/l	13	42	20	8260B		6/17/2015	CJR	1
Chloroform	< 8.6	ug/l	8.6	28	20	8260B		6/17/2015	CJR	1
Chloromethane	< 38	ug/l	38	120	20	8260B		6/17/2015	CJR	1
2-Chlorotoluene	< 8	ug/l	8	26	20	8260B		6/17/2015	CJR	1
4-Chlorotoluene	< 12.6	ug/l	12.6	40	20	8260B		6/17/2015	CJR	1
1,2-Dibromo-3-chloropropane	< 28	ug/l	28	90	20	8260B		6/17/2015	CJR	1
Dibromochloromethane	< 9	ug/l	9	28	20	8260B		6/17/2015	CJR	1
1,4-Dichlorobenzene	< 9.8	ug/l	9.8	32	20	8260B		6/17/2015	CJR	1
1,3-Dichlorobenzene	< 10.4	ug/l	10.4	32	20	8260B		6/17/2015	CJR	1
1,2-Dichlorobenzene	< 9.2	ug/l	9.2	30	20	8260B		6/17/2015	CJR	1
Dichlorodifluoromethane	< 17.4	ug/l	17.4	56	20	8260B		6/17/2015	CJR	1
1,2-Dichloroethane	< 10.8	ug/l	10.8	34	20	8260B		6/17/2015	CJR	1
1,1-Dichloroethane	< 22	ug/l	22	72	20	8260B		6/17/2015	CJR	1
1,1-Dichloroethene	< 13	ug/l	13	42	20	8260B		6/17/2015	CJR	1
cis-1,2-Dichloroethene	< 9	ug/l	9	28	20	8260B		6/17/2015	CJR	1
trans-1,2-Dichloroethene	< 10.8	ug/l	10.8	34	20	8260B		6/17/2015	CJR	1
1,2-Dichloropropane	< 8.6	ug/l	8.6	27.4	20	8260B		6/17/2015	CJR	1
2,2-Dichloropropane	< 62	ug/l	62	196	20	8260B		6/17/2015	CJR	1
1,3-Dichloropropane	< 8.4	ug/l	8.4	26	20	8260B		6/17/2015	CJR	1
Di-isopropyl ether	< 8.8	ug/l	8.8	28	20	8260B		6/17/2015	CJR	1
EDB (1,2-Dibromoethane)	< 12.6	ug/l	12.6	40	20	8260B		6/17/2015	CJR	1
Ethylbenzene	< 14.2	ug/l	14.2	46	20	8260B		6/17/2015	CJR	1
Hexachlorobutadiene	< 44	ug/l	44	142	20	8260B		6/17/2015	CJR	1
Isopropylbenzene	< 16.4	ug/l	16.4	52	20	8260B		6/17/2015	CJR	1
p-Isopropyltoluene	< 22	ug/l	22	70	20	8260B		6/17/2015	CJR	1
Methylene chloride	< 26	ug/l	26	84	20	8260B		6/17/2015	CJR	1
Methyl tert-butyl ether (MTBE)	< 22	ug/l	22	74	20	8260B		6/17/2015	CJR	1
Naphthalene	< 32	ug/l	32	104	20	8260B		6/17/2015	CJR	1
n-Propylbenzene	< 15.4	ug/l	15.4	48	20	8260B		6/17/2015	CJR	1
1,1,2,2-Tetrachloroethane	< 10.4	ug/l	10.4	34	20	8260B		6/17/2015	CJR	1
1,1,1,2-Tetrachloroethane	< 9.6	ug/l	9.6	30	20	8260B		6/17/2015	CJR	1
Tetrachloroethene	223	ug/l	14.8	48	20	8260B		6/17/2015	CJR	1
Toluene	< 8.8	ug/l	8.8	28	20	8260B		6/17/2015	CJR	1
1,2,4-Trichlorobenzene	< 34	ug/l	34	112	20	8260B		6/17/2015	CJR	1
1,2,3-Trichlorobenzene	< 54	ug/l	54	172	20	8260B		6/17/2015	CJR	1
1,1,1-Trichloroethane	< 16.8	ug/l	16.8	54	20	8260B		6/17/2015	CJR	1
1,1,2-Trichloroethane	< 9.6	ug/l	9.6	30.4	20	8260B		6/17/2015	CJR	1

**Project Name** FMR ROBINSON DRY CLEANER  
**Project #** 6155 PO#2015465

**Invoice #** E29064

**Lab Code** 5029064G  
**Sample ID** 6155 MW-30S  
**Sample Matrix** Water  
**Sample Date** 6/8/2015

	<b>Result</b>	<b>Unit</b>	<b>LOD</b>	<b>LOQ</b>	<b>Dil</b>	<b>Method</b>	<b>Ext Date</b>	<b>Run Date</b>	<b>Analyst</b>	<b>Code</b>
Trichloroethene (TCE)	< 9.4	ug/l	9.4	30	20	8260B		6/17/2015	CJR	1
Trichlorofluoromethane	< 17.4	ug/l	17.4	56	20	8260B		6/17/2015	CJR	1
1,2,4-Trimethylbenzene	< 32	ug/l	32	100	20	8260B		6/17/2015	CJR	1
1,3,5-Trimethylbenzene	< 30	ug/l	30	96	20	8260B		6/17/2015	CJR	1
Vinyl Chloride	< 3.4	ug/l	3.4	10.8	20	8260B		6/17/2015	CJR	1
m&p-Xylene	< 44	ug/l	44	138	20	8260B		6/17/2015	CJR	1
o-Xylene	< 18	ug/l	18	58	20	8260B		6/17/2015	CJR	1
SUR - 1,2-Dichloroethane-d4	100	REC %			20	8260B		6/17/2015	CJR	1
SUR - 4-Bromofluorobenzene	101	REC %			20	8260B		6/17/2015	CJR	1
SUR - Dibromofluoromethane	104	REC %			20	8260B		6/17/2015	CJR	1
SUR - Toluene-d8	103	REC %			20	8260B		6/17/2015	CJR	1
<b>Wet Chemistry</b>										
<b>General</b>										
Nitrite Plus Nitrate	4.48	mg/l	0.13	0.43	1	353.2		6/25/2015	MDK	1
Sulfate, Filtered	69.4	mg/l	9.45	30.05	5	ASTM D516-90,		6/24/2015	MDK	1
Chlorides, Unfiltered	1420	mg/l	19	61	10	SM 4500CL		6/11/2015	MDK	1

**Project Name** FMR ROBINSON DRY CLEANER  
**Project #** 6155 PO#2015465

**Invoice #** E29064

**Lab Code** 5029064H  
**Sample ID** 6155 MW-30D  
**Sample Matrix** Water  
**Sample Date** 6/9/2015

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Inorganic										
Metals										
Iron, Dissolved	0.10 "J"	mg/l	0.02	0.7	1	200.7		6/16/2015	CWT	1
Iron, Total	1.61	mg/l	0.02	0.7	1	200.7		6/16/2015	CWT	1
Manganese, Dissolved	8.44 "J"	ug/L	4.5	14.4	1	200.7		6/16/2015	CWT	1
Manganese, Total	52.6	ug/L	4.5	14.4	1	200.7		6/16/2015	CWT	1
Organic										
GASES										
Ethane	< 0.5	ug/l	0.5	1.5	1	8015		6/25/2015	MJR	1
Ethene	< 0.5	ug/l	0.5	1.5	1	8015		6/25/2015	MJR	1
Methane	< 1	ug/l	1	3	1	8015		6/25/2015	MJR	1
VOC's										
Benzene	< 4.4	ug/l	4.4	14	10	8260B		6/17/2015	CJR	1
Bromobenzene	< 4.8	ug/l	4.8	15	10	8260B		6/17/2015	CJR	1
Bromodichloromethane	< 4.6	ug/l	4.6	15	10	8260B		6/17/2015	CJR	1
Bromoform	< 4.6	ug/l	4.6	15	10	8260B		6/17/2015	CJR	1
tert-Butylbenzene	< 11	ug/l	11	34	10	8260B		6/17/2015	CJR	1
sec-Butylbenzene	< 12	ug/l	12	38	10	8260B		6/17/2015	CJR	1
n-Butylbenzene	< 10	ug/l	10	33	10	8260B		6/17/2015	CJR	1
Carbon Tetrachloride	< 6.5	ug/l	6.5	21	10	8260B		6/17/2015	CJR	1
Chlorobenzene	< 4.6	ug/l	4.6	14	10	8260B		6/17/2015	CJR	1
Chloroethane	< 6.5	ug/l	6.5	21	10	8260B		6/17/2015	CJR	1
Chloroform	< 4.3	ug/l	4.3	14	10	8260B		6/17/2015	CJR	1
Chloromethane	< 19	ug/l	19	60	10	8260B		6/17/2015	CJR	1
2-Chlorotoluene	< 4	ug/l	4	13	10	8260B		6/17/2015	CJR	1
4-Chlorotoluene	< 6.3	ug/l	6.3	20	10	8260B		6/17/2015	CJR	1
1,2-Dibromo-3-chloropropane	< 14	ug/l	14	45	10	8260B		6/17/2015	CJR	1
Dibromochloromethane	< 4.5	ug/l	4.5	14	10	8260B		6/17/2015	CJR	1
1,4-Dichlorobenzene	< 4.9	ug/l	4.9	16	10	8260B		6/17/2015	CJR	1
1,3-Dichlorobenzene	< 5.2	ug/l	5.2	16	10	8260B		6/17/2015	CJR	1
1,2-Dichlorobenzene	< 4.6	ug/l	4.6	15	10	8260B		6/17/2015	CJR	1
Dichlorodifluoromethane	< 8.7	ug/l	8.7	28	10	8260B		6/17/2015	CJR	1
1,2-Dichloroethane	< 5.4	ug/l	5.4	17	10	8260B		6/17/2015	CJR	1
1,1-Dichloroethane	< 11	ug/l	11	36	10	8260B		6/17/2015	CJR	1
1,1-Dichloroethene	< 6.5	ug/l	6.5	21	10	8260B		6/17/2015	CJR	1
cis-1,2-Dichloroethene	< 4.5	ug/l	4.5	14	10	8260B		6/17/2015	CJR	1
trans-1,2-Dichloroethene	< 5.4	ug/l	5.4	17	10	8260B		6/17/2015	CJR	1
1,2-Dichloropropane	< 4.3	ug/l	4.3	13.7	10	8260B		6/17/2015	CJR	1
2,2-Dichloropropane	< 31	ug/l	31	98	10	8260B		6/17/2015	CJR	1
1,3-Dichloropropane	< 4.2	ug/l	4.2	13	10	8260B		6/17/2015	CJR	1
Di-isopropyl ether	< 4.4	ug/l	4.4	14	10	8260B		6/17/2015	CJR	1
EDB (1,2-Dibromoethane)	< 6.3	ug/l	6.3	20	10	8260B		6/17/2015	CJR	1
Ethylbenzene	< 7.1	ug/l	7.1	23	10	8260B		6/17/2015	CJR	1
Hexachlorobutadiene	< 22	ug/l	22	71	10	8260B		6/17/2015	CJR	1
Isopropylbenzene	< 8.2	ug/l	8.2	26	10	8260B		6/17/2015	CJR	1
p-Isopropyltoluene	< 11	ug/l	11	35	10	8260B		6/17/2015	CJR	1
Methylene chloride	< 13	ug/l	13	42	10	8260B		6/17/2015	CJR	1
Methyl tert-butyl ether (MTBE)	< 11	ug/l	11	37	10	8260B		6/17/2015	CJR	1
Naphthalene	< 16	ug/l	16	52	10	8260B		6/17/2015	CJR	1
n-Propylbenzene	< 7.7	ug/l	7.7	24	10	8260B		6/17/2015	CJR	1
1,1,2,2-Tetrachloroethane	< 5.2	ug/l	5.2	17	10	8260B		6/17/2015	CJR	1
1,1,1,2-Tetrachloroethane	< 4.8	ug/l	4.8	15	10	8260B		6/17/2015	CJR	1
Tetrachloroethene	253	ug/l	7.4	24	10	8260B		6/17/2015	CJR	1
Toluene	< 4.4	ug/l	4.4	14	10	8260B		6/17/2015	CJR	1
1,2,4-Trichlorobenzene	< 17	ug/l	17	56	10	8260B		6/17/2015	CJR	1
1,2,3-Trichlorobenzene	< 27	ug/l	27	86	10	8260B		6/17/2015	CJR	1
1,1,1-Trichloroethane	< 8.4	ug/l	8.4	27	10	8260B		6/17/2015	CJR	1
1,1,2-Trichloroethane	< 4.8	ug/l	4.8	15.2	10	8260B		6/17/2015	CJR	1

**Project Name** FMR ROBINSON DRY CLEANER  
**Project #** 6155 PO#2015465

**Invoice #** E29064

**Lab Code** 5029064H  
**Sample ID** 6155 MW-30D  
**Sample Matrix** Water  
**Sample Date** 6/9/2015

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Trichloroethene (TCE)	< 4.7	ug/l	4.7	15	10	8260B		6/17/2015	CJR	1
Trichlorofluoromethane	< 8.7	ug/l	8.7	28	10	8260B		6/17/2015	CJR	1
1,2,4-Trimethylbenzene	< 16	ug/l	16	50	10	8260B		6/17/2015	CJR	1
1,3,5-Trimethylbenzene	< 15	ug/l	15	48	10	8260B		6/17/2015	CJR	1
Vinyl Chloride	< 1.7	ug/l	1.7	5.4	10	8260B		6/17/2015	CJR	1
m&p-Xylene	< 22	ug/l	22	69	10	8260B		6/17/2015	CJR	1
o-Xylene	< 9	ug/l	9	29	10	8260B		6/17/2015	CJR	1
SUR - Toluene-d8	105	REC %				10 8260B		6/17/2015	CJR	1
SUR - 1,2-Dichloroethane-d4	93	REC %				10 8260B		6/17/2015	CJR	1
SUR - 4-Bromofluorobenzene	102	REC %				10 8260B		6/17/2015	CJR	1
SUR - Dibromofluoromethane	104	REC %				10 8260B		6/17/2015	CJR	1

**Wet Chemistry**

**General**

Nitrite Plus Nitrate	3.93	mg/l	0.13	0.43	1	353.2		6/25/2015	MDK	1
Sulfate, Filtered	46.2	mg/l	9.45	30.05	5	ASTM D516-90,		6/24/2015	MDK	1
Chlorides, Unfiltered	218	mg/l	3.8	12.2	2	SM 4500CL		6/11/2015	MDK	1

**Project Name** FMR ROBINSON DRY CLEANER  
**Project #** 6155 PO#2015465

**Invoice #** E29064

**Lab Code** 5029064I  
**Sample ID** 6155 PZ-30D2  
**Sample Matrix** Water  
**Sample Date** 6/9/2015

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Inorganic										
Metals										
Iron, Dissolved	0.03 "J"	mg/l	0.02	0.7	1	200.7		6/16/2015	CWT	1
Iron, Total	4.22	mg/l	0.02	0.7	1	200.7		6/16/2015	CWT	1
Manganese, Dissolved	27.9	ug/L	4.5	14.4	1	200.7		6/16/2015	CWT	1
Manganese, Total	407	ug/L	4.5	14.4	1	200.7		6/16/2015	CWT	1
Organic										
GASES										
Ethane	1.55	ug/l	0.5	1.5	1	8015		6/25/2015	MJR	1
Ethene	< 0.5	ug/l	0.5	1.5	1	8015		6/25/2015	MJR	1
Methane	1.03 "J"	ug/l	1	3	1	8015		6/25/2015	MJR	1
VOC's										
Benzene	< 0.44	ug/l	0.44	1.4	1	8260B		6/17/2015	CJR	1
Bromobenzene	< 0.48	ug/l	0.48	1.5	1	8260B		6/17/2015	CJR	1
Bromodichloromethane	< 0.46	ug/l	0.46	1.5	1	8260B		6/17/2015	CJR	1
Bromoform	< 0.46	ug/l	0.46	1.5	1	8260B		6/17/2015	CJR	1
tert-Butylbenzene	< 1.1	ug/l	1.1	3.4	1	8260B		6/17/2015	CJR	1
sec-Butylbenzene	< 1.2	ug/l	1.2	3.8	1	8260B		6/17/2015	CJR	1
n-Butylbenzene	< 1	ug/l	1	3.3	1	8260B		6/17/2015	CJR	1
Carbon Tetrachloride	< 0.65	ug/l	0.65	2.1	1	8260B		6/17/2015	CJR	1
Chlorobenzene	< 0.46	ug/l	0.46	1.4	1	8260B		6/17/2015	CJR	1
Chloroethane	< 0.65	ug/l	0.65	2.1	1	8260B		6/17/2015	CJR	1
Chloroform	< 0.43	ug/l	0.43	1.4	1	8260B		6/17/2015	CJR	1
Chloromethane	< 1.9	ug/l	1.9	6	1	8260B		6/17/2015	CJR	1
2-Chlorotoluene	< 0.4	ug/l	0.4	1.3	1	8260B		6/17/2015	CJR	1
4-Chlorotoluene	< 0.63	ug/l	0.63	2	1	8260B		6/17/2015	CJR	1
1,2-Dibromo-3-chloropropane	< 1.4	ug/l	1.4	4.5	1	8260B		6/17/2015	CJR	1
Dibromochloromethane	< 0.45	ug/l	0.45	1.4	1	8260B		6/17/2015	CJR	1
1,4-Dichlorobenzene	< 0.49	ug/l	0.49	1.6	1	8260B		6/17/2015	CJR	1
1,3-Dichlorobenzene	< 0.52	ug/l	0.52	1.6	1	8260B		6/17/2015	CJR	1
1,2-Dichlorobenzene	< 0.46	ug/l	0.46	1.5	1	8260B		6/17/2015	CJR	1
Dichlorodifluoromethane	< 0.87	ug/l	0.87	2.8	1	8260B		6/17/2015	CJR	1
1,2-Dichloroethane	< 0.54	ug/l	0.54	1.7	1	8260B		6/17/2015	CJR	1
1,1-Dichloroethane	< 1.1	ug/l	1.1	3.6	1	8260B		6/17/2015	CJR	1
1,1-Dichloroethene	< 0.65	ug/l	0.65	2.1	1	8260B		6/17/2015	CJR	1
cis-1,2-Dichloroethene	< 0.45	ug/l	0.45	1.4	1	8260B		6/17/2015	CJR	1
trans-1,2-Dichloroethene	< 0.54	ug/l	0.54	1.7	1	8260B		6/17/2015	CJR	1
1,2-Dichloropropane	< 0.43	ug/l	0.43	1.37	1	8260B		6/17/2015	CJR	1
2,2-Dichloropropane	< 3.1	ug/l	3.1	9.8	1	8260B		6/17/2015	CJR	1
1,3-Dichloropropane	< 0.42	ug/l	0.42	1.3	1	8260B		6/17/2015	CJR	1
Di-isopropyl ether	< 0.44	ug/l	0.44	1.4	1	8260B		6/17/2015	CJR	1
EDB (1,2-Dibromoethane)	< 0.63	ug/l	0.63	2	1	8260B		6/17/2015	CJR	1
Ethylbenzene	< 0.71	ug/l	0.71	2.3	1	8260B		6/17/2015	CJR	1
Hexachlorobutadiene	< 2.2	ug/l	2.2	7.1	1	8260B		6/17/2015	CJR	1
Isopropylbenzene	< 0.82	ug/l	0.82	2.6	1	8260B		6/17/2015	CJR	1
p-Isopropyltoluene	< 1.1	ug/l	1.1	3.5	1	8260B		6/17/2015	CJR	1
Methylene chloride	< 1.3	ug/l	1.3	4.2	1	8260B		6/17/2015	CJR	1
Methyl tert-butyl ether (MTBE)	< 1.1	ug/l	1.1	3.7	1	8260B		6/17/2015	CJR	1
Naphthalene	< 1.6	ug/l	1.6	5.2	1	8260B		6/17/2015	CJR	4
n-Propylbenzene	< 0.77	ug/l	0.77	2.4	1	8260B		6/17/2015	CJR	1
1,1,2,2-Tetrachloroethane	< 0.52	ug/l	0.52	1.7	1	8260B		6/17/2015	CJR	1
1,1,1,2-Tetrachloroethane	< 0.48	ug/l	0.48	1.5	1	8260B		6/17/2015	CJR	1
Tetrachloroethene	4.1	ug/l	0.74	2.4	1	8260B		6/17/2015	CJR	1
Toluene	< 0.44	ug/l	0.44	1.4	1	8260B		6/17/2015	CJR	1
1,2,4-Trichlorobenzene	< 1.7	ug/l	1.7	5.6	1	8260B		6/17/2015	CJR	1
1,2,3-Trichlorobenzene	< 2.7	ug/l	2.7	8.6	1	8260B		6/17/2015	CJR	1
1,1,1-Trichloroethane	< 0.84	ug/l	0.84	2.7	1	8260B		6/17/2015	CJR	1
1,1,2-Trichloroethane	< 0.48	ug/l	0.48	1.52	1	8260B		6/17/2015	CJR	1

**Project Name** FMR ROBINSON DRY CLEANER  
**Project #** 6155 PO#2015465

**Invoice #** E29064

**Lab Code** 5029064I  
**Sample ID** 6155 PZ-30D2  
**Sample Matrix** Water  
**Sample Date** 6/9/2015

	<b>Result</b>	<b>Unit</b>	<b>LOD</b>	<b>LOQ</b>	<b>Dil</b>	<b>Method</b>	<b>Ext Date</b>	<b>Run Date</b>	<b>Analyst</b>	<b>Code</b>
Trichloroethene (TCE)	< 0.47	ug/l	0.47	1.5	1	8260B		6/17/2015	CJR	1
Trichlorofluoromethane	< 0.87	ug/l	0.87	2.8	1	8260B		6/17/2015	CJR	1
1,2,4-Trimethylbenzene	< 1.6	ug/l	1.6	5	1	8260B		6/17/2015	CJR	1
1,3,5-Trimethylbenzene	< 1.5	ug/l	1.5	4.8	1	8260B		6/17/2015	CJR	1
Vinyl Chloride	< 0.17	ug/l	0.17	0.54	1	8260B		6/17/2015	CJR	1
m&p-Xylene	< 2.2	ug/l	2.2	6.9	1	8260B		6/17/2015	CJR	1
o-Xylene	< 0.9	ug/l	0.9	2.9	1	8260B		6/17/2015	CJR	1
SUR - 1,2-Dichloroethane-d4	102	REC %			1	8260B		6/17/2015	CJR	1
SUR - 4-Bromofluorobenzene	108	REC %			1	8260B		6/17/2015	CJR	1
SUR - Dibromofluoromethane	104	REC %			1	8260B		6/17/2015	CJR	1
SUR - Toluene-d8	101	REC %			1	8260B		6/17/2015	CJR	1
<b>Wet Chemistry</b>										
<b>General</b>										
Nitrite Plus Nitrate	7.57	mg/l	0.13	0.43	1	353.2		6/25/2015	MDK	1
Sulfate, Filtered	59.1	mg/l	9.45	30.05	5	ASTM D516-90,		6/24/2015	MDK	1
Chlorides, Unfiltered	15.9	mg/l	1.9	6.1	1	SM 4500CL		6/11/2015	MDK	1



**Project Name** FMR ROBINSON DRY CLEANER  
**Project #** 6155 PO#2015465

**Invoice #** E29064

**Lab Code** 5029064J  
**Sample ID** 6155 PZ-42 D1  
**Sample Matrix** Water  
**Sample Date** 6/9/2015

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
<b>Inorganic</b>										
<b>Metals</b>										
Iron, Dissolved	< 0.02	mg/l	0.02	0.7	1	200.7		6/16/2015	CWT	1
Iron, Total	0.20 "J"	mg/l	0.02	0.7	1	200.7		6/16/2015	CWT	1
Manganese, Dissolved	33.7	ug/L	4.5	14.4	1	200.7		6/16/2015	CWT	1
Manganese, Total	86.0	ug/L	4.5	14.4	1	200.7		6/16/2015	CWT	1
<b>Organic</b>										
<b>GASES</b>										
Ethane	< 0.5	ug/l	0.5	1.5	1	8015		6/25/2015	MJR	1
Ethene	< 0.5	ug/l	0.5	1.5	1	8015		6/25/2015	MJR	1
Methane	< 1	ug/l	1	3	1	8015		6/25/2015	MJR	1
<b>VOC's</b>										
Benzene	< 0.44	ug/l	0.44	1.4	1	8260B		6/17/2015	CJR	1
Bromobenzene	< 0.48	ug/l	0.48	1.5	1	8260B		6/17/2015	CJR	1
Bromodichloromethane	< 0.46	ug/l	0.46	1.5	1	8260B		6/17/2015	CJR	1
Bromoform	< 0.46	ug/l	0.46	1.5	1	8260B		6/17/2015	CJR	1
tert-Butylbenzene	< 1.1	ug/l	1.1	3.4	1	8260B		6/17/2015	CJR	1
sec-Butylbenzene	< 1.2	ug/l	1.2	3.8	1	8260B		6/17/2015	CJR	1
n-Butylbenzene	< 1	ug/l	1	3.3	1	8260B		6/17/2015	CJR	1
Carbon Tetrachloride	< 0.65	ug/l	0.65	2.1	1	8260B		6/17/2015	CJR	1
Chlorobenzene	< 0.46	ug/l	0.46	1.4	1	8260B		6/17/2015	CJR	1
Chloroethane	< 0.65	ug/l	0.65	2.1	1	8260B		6/17/2015	CJR	1
Chloroform	< 0.43	ug/l	0.43	1.4	1	8260B		6/17/2015	CJR	1
Chloromethane	< 1.9	ug/l	1.9	6	1	8260B		6/17/2015	CJR	1
2-Chlorotoluene	< 0.4	ug/l	0.4	1.3	1	8260B		6/17/2015	CJR	1
4-Chlorotoluene	< 0.63	ug/l	0.63	2	1	8260B		6/17/2015	CJR	1
1,2-Dibromo-3-chloropropane	< 1.4	ug/l	1.4	4.5	1	8260B		6/17/2015	CJR	1
Dibromochloromethane	< 0.45	ug/l	0.45	1.4	1	8260B		6/17/2015	CJR	1
1,4-Dichlorobenzene	< 0.49	ug/l	0.49	1.6	1	8260B		6/17/2015	CJR	1
1,3-Dichlorobenzene	< 0.52	ug/l	0.52	1.6	1	8260B		6/17/2015	CJR	1
1,2-Dichlorobenzene	< 0.46	ug/l	0.46	1.5	1	8260B		6/17/2015	CJR	1
Dichlorodifluoromethane	< 0.87	ug/l	0.87	2.8	1	8260B		6/17/2015	CJR	1
1,2-Dichloroethane	< 0.54	ug/l	0.54	1.7	1	8260B		6/17/2015	CJR	1
1,1-Dichloroethane	< 1.1	ug/l	1.1	3.6	1	8260B		6/17/2015	CJR	1
1,1-Dichloroethene	< 0.65	ug/l	0.65	2.1	1	8260B		6/17/2015	CJR	1
cis-1,2-Dichloroethene	< 0.45	ug/l	0.45	1.4	1	8260B		6/17/2015	CJR	1
trans-1,2-Dichloroethene	< 0.54	ug/l	0.54	1.7	1	8260B		6/17/2015	CJR	1
1,2-Dichloropropane	< 0.43	ug/l	0.43	1.37	1	8260B		6/17/2015	CJR	1
2,2-Dichloropropane	< 3.1	ug/l	3.1	9.8	1	8260B		6/17/2015	CJR	1
1,3-Dichloropropane	< 0.42	ug/l	0.42	1.3	1	8260B		6/17/2015	CJR	1
Di-isopropyl ether	< 0.44	ug/l	0.44	1.4	1	8260B		6/17/2015	CJR	1
EDB (1,2-Dibromoethane)	< 0.63	ug/l	0.63	2	1	8260B		6/17/2015	CJR	1
Ethylbenzene	< 0.71	ug/l	0.71	2.3	1	8260B		6/17/2015	CJR	1
Hexachlorobutadiene	< 2.2	ug/l	2.2	7.1	1	8260B		6/17/2015	CJR	1
Isopropylbenzene	< 0.82	ug/l	0.82	2.6	1	8260B		6/17/2015	CJR	1
p-Isopropyltoluene	< 1.1	ug/l	1.1	3.5	1	8260B		6/17/2015	CJR	1
Methylene chloride	< 1.3	ug/l	1.3	4.2	1	8260B		6/17/2015	CJR	1
Methyl tert-butyl ether (MTBE)	< 1.1	ug/l	1.1	3.7	1	8260B		6/17/2015	CJR	1
Naphthalene	< 1.6	ug/l	1.6	5.2	1	8260B		6/17/2015	CJR	4
n-Propylbenzene	< 0.77	ug/l	0.77	2.4	1	8260B		6/17/2015	CJR	1
1,1,2,2-Tetrachloroethane	< 0.52	ug/l	0.52	1.7	1	8260B		6/17/2015	CJR	1
1,1,1,2-Tetrachloroethane	< 0.48	ug/l	0.48	1.5	1	8260B		6/17/2015	CJR	1
Tetrachloroethene	29.4	ug/l	0.74	2.4	1	8260B		6/17/2015	CJR	1
Toluene	< 0.44	ug/l	0.44	1.4	1	8260B		6/17/2015	CJR	1
1,2,4-Trichlorobenzene	< 1.7	ug/l	1.7	5.6	1	8260B		6/17/2015	CJR	1
1,2,3-Trichlorobenzene	< 2.7	ug/l	2.7	8.6	1	8260B		6/17/2015	CJR	1
1,1,1-Trichloroethane	< 0.84	ug/l	0.84	2.7	1	8260B		6/17/2015	CJR	1
1,1,2-Trichloroethane	< 0.48	ug/l	0.48	1.52	1	8260B		6/17/2015	CJR	1

**Project Name** FMR ROBINSON DRY CLEANER  
**Project #** 6155 PO#2015465

**Invoice #** E29064

**Lab Code** 5029064J  
**Sample ID** 6155 PZ-42 D1  
**Sample Matrix** Water  
**Sample Date** 6/9/2015

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Trichloroethene (TCE)	0.53 "J"	ug/l	0.47	1.5	1	8260B		6/17/2015	CJR	1
Trichlorofluoromethane	< 0.87	ug/l	0.87	2.8	1	8260B		6/17/2015	CJR	1
1,2,4-Trimethylbenzene	< 1.6	ug/l	1.6	5	1	8260B		6/17/2015	CJR	1
1,3,5-Trimethylbenzene	< 1.5	ug/l	1.5	4.8	1	8260B		6/17/2015	CJR	1
Vinyl Chloride	< 0.17	ug/l	0.17	0.54	1	8260B		6/17/2015	CJR	1
m&p-Xylene	< 2.2	ug/l	2.2	6.9	1	8260B		6/17/2015	CJR	1
o-Xylene	< 0.9	ug/l	0.9	2.9	1	8260B		6/17/2015	CJR	1
SUR - 1,2-Dichloroethane-d4	103	REC %			1	8260B		6/17/2015	CJR	1
SUR - 4-Bromofluorobenzene	101	REC %			1	8260B		6/17/2015	CJR	1
SUR - Dibromofluoromethane	103	REC %			1	8260B		6/17/2015	CJR	1
SUR - Toluene-d8	98	REC %			1	8260B		6/17/2015	CJR	1
<b>Wet Chemistry</b>										
<b>General</b>										
Nitrite Plus Nitrate	7.03	mg/l	0.13	0.43	1	353.2		6/25/2015	MDK	1
Sulfate, Filtered	8060	mg/l	1890	6010	1000	ASTM D516-90,		6/24/2015	MDK	1
Chlorides, Unfiltered	76.3	mg/l	1.9	6.1	1	SM 4500CL		6/11/2015	MDK	1

**Project Name** FMR ROBINSON DRY CLEANER  
**Project #** 6155 PO#2015465

**Invoice #** E29064

**Lab Code** 5029064K  
**Sample ID** 6155-PZ-42D2  
**Sample Matrix** Water  
**Sample Date** 6/9/2015

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Inorganic										
Metals										
Iron, Dissolved	0.25 "J"	mg/l	0.02	0.7	1	200.7		6/18/2015	CWT	1
Iron, Total	< 0.02	mg/l	0.02	0.7	1	200.7		6/18/2015	CWT	1
Manganese, Dissolved	37.7	ug/L	4.5	14.4	1	200.7		6/18/2015	CWT	1
Manganese, Total	23.9	ug/L	4.5	14.4	1	200.7		6/18/2015	CWT	1
Organic										
GASES										
Ethane	< 0.5	ug/l	0.5	1.5	1	8015		6/25/2015	MJR	1
Ethene	< 0.5	ug/l	0.5	1.5	1	8015		6/25/2015	MJR	1
Methane	< 1	ug/l	1	3	1	8015		6/25/2015	MJR	1
VOC's										
Benzene	< 0.44	ug/l	0.44	1.4	1	8260B		6/17/2015	CJR	1
Bromobenzene	< 0.48	ug/l	0.48	1.5	1	8260B		6/17/2015	CJR	1
Bromodichloromethane	< 0.46	ug/l	0.46	1.5	1	8260B		6/17/2015	CJR	1
Bromoform	< 0.46	ug/l	0.46	1.5	1	8260B		6/17/2015	CJR	1
tert-Butylbenzene	< 1.1	ug/l	1.1	3.4	1	8260B		6/17/2015	CJR	1
sec-Butylbenzene	< 1.2	ug/l	1.2	3.8	1	8260B		6/17/2015	CJR	1
n-Butylbenzene	< 1	ug/l	1	3.3	1	8260B		6/17/2015	CJR	1
Carbon Tetrachloride	< 0.65	ug/l	0.65	2.1	1	8260B		6/17/2015	CJR	1
Chlorobenzene	< 0.46	ug/l	0.46	1.4	1	8260B		6/17/2015	CJR	1
Chloroethane	< 0.65	ug/l	0.65	2.1	1	8260B		6/17/2015	CJR	1
Chloroform	< 0.43	ug/l	0.43	1.4	1	8260B		6/17/2015	CJR	1
Chloromethane	< 1.9	ug/l	1.9	6	1	8260B		6/17/2015	CJR	1
2-Chlorotoluene	< 0.4	ug/l	0.4	1.3	1	8260B		6/17/2015	CJR	1
4-Chlorotoluene	< 0.63	ug/l	0.63	2	1	8260B		6/17/2015	CJR	1
1,2-Dibromo-3-chloropropane	< 1.4	ug/l	1.4	4.5	1	8260B		6/17/2015	CJR	1
Dibromochloromethane	< 0.45	ug/l	0.45	1.4	1	8260B		6/17/2015	CJR	1
1,4-Dichlorobenzene	< 0.49	ug/l	0.49	1.6	1	8260B		6/17/2015	CJR	1
1,3-Dichlorobenzene	< 0.52	ug/l	0.52	1.6	1	8260B		6/17/2015	CJR	1
1,2-Dichlorobenzene	< 0.46	ug/l	0.46	1.5	1	8260B		6/17/2015	CJR	1
Dichlorodifluoromethane	< 0.87	ug/l	0.87	2.8	1	8260B		6/17/2015	CJR	1
1,2-Dichloroethane	< 0.54	ug/l	0.54	1.7	1	8260B		6/17/2015	CJR	1
1,1-Dichloroethane	< 1.1	ug/l	1.1	3.6	1	8260B		6/17/2015	CJR	1
1,1-Dichloroethene	< 0.65	ug/l	0.65	2.1	1	8260B		6/17/2015	CJR	1
cis-1,2-Dichloroethene	0.59 "J"	ug/l	0.45	1.4	1	8260B		6/17/2015	CJR	1
trans-1,2-Dichloroethene	< 0.54	ug/l	0.54	1.7	1	8260B		6/17/2015	CJR	1
1,2-Dichloropropane	< 0.43	ug/l	0.43	1.37	1	8260B		6/17/2015	CJR	1
2,2-Dichloropropane	< 3.1	ug/l	3.1	9.8	1	8260B		6/17/2015	CJR	1
1,3-Dichloropropane	< 0.42	ug/l	0.42	1.3	1	8260B		6/17/2015	CJR	1
Di-isopropyl ether	< 0.44	ug/l	0.44	1.4	1	8260B		6/17/2015	CJR	1
EDB (1,2-Dibromoethane)	< 0.63	ug/l	0.63	2	1	8260B		6/17/2015	CJR	1
Ethylbenzene	< 0.71	ug/l	0.71	2.3	1	8260B		6/17/2015	CJR	1
Hexachlorobutadiene	< 2.2	ug/l	2.2	7.1	1	8260B		6/17/2015	CJR	1
Isopropylbenzene	< 0.82	ug/l	0.82	2.6	1	8260B		6/17/2015	CJR	1
p-Isopropyltoluene	< 1.1	ug/l	1.1	3.5	1	8260B		6/17/2015	CJR	1
Methylene chloride	< 1.3	ug/l	1.3	4.2	1	8260B		6/17/2015	CJR	1
Methyl tert-butyl ether (MTBE)	2.57 "J"	ug/l	1.1	3.7	1	8260B		6/17/2015	CJR	1
Naphthalene	< 1.6	ug/l	1.6	5.2	1	8260B		6/17/2015	CJR	4
n-Propylbenzene	< 0.77	ug/l	0.77	2.4	1	8260B		6/17/2015	CJR	1
1,1,2,2-Tetrachloroethane	< 0.52	ug/l	0.52	1.7	1	8260B		6/17/2015	CJR	1
1,1,1,2-Tetrachloroethane	< 0.48	ug/l	0.48	1.5	1	8260B		6/17/2015	CJR	1
Tetrachloroethene	100	ug/l	0.74	2.4	1	8260B		6/17/2015	CJR	1
Toluene	< 0.44	ug/l	0.44	1.4	1	8260B		6/17/2015	CJR	1
1,2,4-Trichlorobenzene	< 1.7	ug/l	1.7	5.6	1	8260B		6/17/2015	CJR	1
1,2,3-Trichlorobenzene	< 2.7	ug/l	2.7	8.6	1	8260B		6/17/2015	CJR	1
1,1,1-Trichloroethane	< 0.84	ug/l	0.84	2.7	1	8260B		6/17/2015	CJR	1
1,1,2-Trichloroethane	< 0.48	ug/l	0.48	1.52	1	8260B		6/17/2015	CJR	1

**Project Name** FMR ROBINSON DRY CLEANER  
**Project #** 6155 PO#2015465

**Invoice #** E29064

**Lab Code** 5029064K  
**Sample ID** 6155-PZ-42D2  
**Sample Matrix** Water  
**Sample Date** 6/9/2015

	<b>Result</b>	<b>Unit</b>	<b>LOD</b>	<b>LOQ</b>	<b>Dil</b>	<b>Method</b>	<b>Ext Date</b>	<b>Run Date</b>	<b>Analyst</b>	<b>Code</b>
Trichloroethene (TCE)	1.93	ug/l	0.47	1.5	1	8260B		6/17/2015	CJR	1
Trichlorofluoromethane	< 0.87	ug/l	0.87	2.8	1	8260B		6/17/2015	CJR	1
1,2,4-Trimethylbenzene	< 1.6	ug/l	1.6	5	1	8260B		6/17/2015	CJR	1
1,3,5-Trimethylbenzene	< 1.5	ug/l	1.5	4.8	1	8260B		6/17/2015	CJR	1
Vinyl Chloride	< 0.17	ug/l	0.17	0.54	1	8260B		6/17/2015	CJR	1
m&p-Xylene	< 2.2	ug/l	2.2	6.9	1	8260B		6/17/2015	CJR	1
o-Xylene	< 0.9	ug/l	0.9	2.9	1	8260B		6/17/2015	CJR	1
SUR - Toluene-d8	101	REC %			1	8260B		6/17/2015	CJR	1
SUR - Dibromofluoromethane	101	REC %			1	8260B		6/17/2015	CJR	1
SUR - 1,2-Dichloroethane-d4	96	REC %			1	8260B		6/17/2015	CJR	1
SUR - 4-Bromofluorobenzene	100	REC %			1	8260B		6/17/2015	CJR	1

**Wet Chemistry**

**General**

Nitrite Plus Nitrate	4.31	mg/l	0.13	0.43	1	353.2		6/25/2015	MDK	1
Sulfate, Filtered	287	mg/l	37.8	120.2	20	ASTM D516-90,		6/24/2015	MDK	1
Chlorides, Unfiltered	139	mg/l	1.9	6.1	1	SM 4500CL		6/11/2015	MDK	1

**Project Name** FMR ROBINSON DRY CLEANER  
**Project #** 6155 PO#2015465

**Invoice #** E29064

**Lab Code** 5029064L  
**Sample ID** 6155-PZ-42D3  
**Sample Matrix** Water  
**Sample Date** 6/9/2015

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
<b>Inorganic</b>										
<b>Metals</b>										
Iron, Dissolved	< 0.02	mg/l	0.02	0.7	1	200.7		6/16/2015	CWT	1
Iron, Total	0.28 "J"	mg/l	0.02	0.7	1	200.7		6/16/2015	CWT	1
Manganese, Dissolved	42.2	ug/L	4.5	14.4	1	200.7		6/16/2015	CWT	1
Manganese, Total	62.7	ug/L	4.5	14.4	1	200.7		6/16/2015	CWT	1
<b>Organic</b>										
<b>GASES</b>										
Ethane	1.08 "J"	ug/l	0.5	1.5	1	8015		6/25/2015	MJR	1
Ethene	< 0.5	ug/l	0.5	1.5	1	8015		6/25/2015	MJR	1
Methane	< 1	ug/l	1	3	1	8015		6/25/2015	MJR	1
<b>VOC's</b>										
Benzene	< 0.44	ug/l	0.44	1.4	1	8260B		6/17/2015	CJR	1
Bromobenzene	< 0.48	ug/l	0.48	1.5	1	8260B		6/17/2015	CJR	1
Bromodichloromethane	< 0.46	ug/l	0.46	1.5	1	8260B		6/17/2015	CJR	1
Bromoform	< 0.46	ug/l	0.46	1.5	1	8260B		6/17/2015	CJR	1
tert-Butylbenzene	< 1.1	ug/l	1.1	3.4	1	8260B		6/17/2015	CJR	1
sec-Butylbenzene	< 1.2	ug/l	1.2	3.8	1	8260B		6/17/2015	CJR	1
n-Butylbenzene	< 1	ug/l	1	3.3	1	8260B		6/17/2015	CJR	1
Carbon Tetrachloride	< 0.65	ug/l	0.65	2.1	1	8260B		6/17/2015	CJR	1
Chlorobenzene	< 0.46	ug/l	0.46	1.4	1	8260B		6/17/2015	CJR	1
Chloroethane	< 0.65	ug/l	0.65	2.1	1	8260B		6/17/2015	CJR	1
Chloroform	< 0.43	ug/l	0.43	1.4	1	8260B		6/17/2015	CJR	1
Chloromethane	< 1.9	ug/l	1.9	6	1	8260B		6/17/2015	CJR	1
2-Chlorotoluene	< 0.4	ug/l	0.4	1.3	1	8260B		6/17/2015	CJR	1
4-Chlorotoluene	< 0.63	ug/l	0.63	2	1	8260B		6/17/2015	CJR	1
1,2-Dibromo-3-chloropropane	< 1.4	ug/l	1.4	4.5	1	8260B		6/17/2015	CJR	1
Dibromochloromethane	< 0.45	ug/l	0.45	1.4	1	8260B		6/17/2015	CJR	1
1,4-Dichlorobenzene	< 0.49	ug/l	0.49	1.6	1	8260B		6/17/2015	CJR	1
1,3-Dichlorobenzene	< 0.52	ug/l	0.52	1.6	1	8260B		6/17/2015	CJR	1
1,2-Dichlorobenzene	< 0.46	ug/l	0.46	1.5	1	8260B		6/17/2015	CJR	1
Dichlorodifluoromethane	< 0.87	ug/l	0.87	2.8	1	8260B		6/17/2015	CJR	1
1,2-Dichloroethane	< 0.54	ug/l	0.54	1.7	1	8260B		6/17/2015	CJR	1
1,1-Dichloroethane	< 1.1	ug/l	1.1	3.6	1	8260B		6/17/2015	CJR	1
1,1-Dichloroethene	< 0.65	ug/l	0.65	2.1	1	8260B		6/17/2015	CJR	1
cis-1,2-Dichloroethene	< 0.45	ug/l	0.45	1.4	1	8260B		6/17/2015	CJR	1
trans-1,2-Dichloroethene	< 0.54	ug/l	0.54	1.7	1	8260B		6/17/2015	CJR	1
1,2-Dichloropropane	< 0.43	ug/l	0.43	1.37	1	8260B		6/17/2015	CJR	1
2,2-Dichloropropane	< 3.1	ug/l	3.1	9.8	1	8260B		6/17/2015	CJR	1
1,3-Dichloropropane	< 0.42	ug/l	0.42	1.3	1	8260B		6/17/2015	CJR	1
Di-isopropyl ether	< 0.44	ug/l	0.44	1.4	1	8260B		6/17/2015	CJR	1
EDB (1,2-Dibromoethane)	< 0.63	ug/l	0.63	2	1	8260B		6/17/2015	CJR	1
Ethylbenzene	< 0.71	ug/l	0.71	2.3	1	8260B		6/17/2015	CJR	1
Hexachlorobutadiene	< 2.2	ug/l	2.2	7.1	1	8260B		6/17/2015	CJR	1
Isopropylbenzene	< 0.82	ug/l	0.82	2.6	1	8260B		6/17/2015	CJR	1
p-Isopropyltoluene	< 1.1	ug/l	1.1	3.5	1	8260B		6/17/2015	CJR	1
Methylene chloride	< 1.3	ug/l	1.3	4.2	1	8260B		6/17/2015	CJR	1
Methyl tert-butyl ether (MTBE)	< 1.1	ug/l	1.1	3.7	1	8260B		6/17/2015	CJR	1
Naphthalene	< 1.6	ug/l	1.6	5.2	1	8260B		6/17/2015	CJR	4
n-Propylbenzene	< 0.77	ug/l	0.77	2.4	1	8260B		6/17/2015	CJR	1
1,1,2,2-Tetrachloroethane	< 0.52	ug/l	0.52	1.7	1	8260B		6/17/2015	CJR	1
1,1,1,2-Tetrachloroethane	< 0.48	ug/l	0.48	1.5	1	8260B		6/17/2015	CJR	1
Tetrachloroethene	< 0.74	ug/l	0.74	2.4	1	8260B		6/17/2015	CJR	1
Toluene	< 0.44	ug/l	0.44	1.4	1	8260B		6/17/2015	CJR	1
1,2,4-Trichlorobenzene	< 1.7	ug/l	1.7	5.6	1	8260B		6/17/2015	CJR	1
1,2,3-Trichlorobenzene	< 2.7	ug/l	2.7	8.6	1	8260B		6/17/2015	CJR	1
1,1,1-Trichloroethane	< 0.84	ug/l	0.84	2.7	1	8260B		6/17/2015	CJR	1
1,1,2-Trichloroethane	< 0.48	ug/l	0.48	1.52	1	8260B		6/17/2015	CJR	1

**Project Name** FMR ROBINSON DRY CLEANER  
**Project #** 6155 PO#2015465

**Invoice #** E29064

**Lab Code** 5029064L  
**Sample ID** 6155-PZ-42D3  
**Sample Matrix** Water  
**Sample Date** 6/9/2015

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Trichloroethene (TCE)	< 0.47	ug/l	0.47	1.5	1	8260B		6/17/2015	CJR	1
Trichlorofluoromethane	< 0.87	ug/l	0.87	2.8	1	8260B		6/17/2015	CJR	1
1,2,4-Trimethylbenzene	< 1.6	ug/l	1.6	5	1	8260B		6/17/2015	CJR	1
1,3,5-Trimethylbenzene	< 1.5	ug/l	1.5	4.8	1	8260B		6/17/2015	CJR	1
Vinyl Chloride	< 0.17	ug/l	0.17	0.54	1	8260B		6/17/2015	CJR	1
m&p-Xylene	< 2.2	ug/l	2.2	6.9	1	8260B		6/17/2015	CJR	1
o-Xylene	< 0.9	ug/l	0.9	2.9	1	8260B		6/17/2015	CJR	1
SUR - 1,2-Dichloroethane-d4	86	REC %			1	8260B		6/17/2015	CJR	1
SUR - 4-Bromofluorobenzene	103	REC %			1	8260B		6/17/2015	CJR	1
SUR - Dibromofluoromethane	100	REC %			1	8260B		6/17/2015	CJR	1
SUR - Toluene-d8	99	REC %			1	8260B		6/17/2015	CJR	1
<b>Wet Chemistry</b>										
<b>General</b>										
Nitrite Plus Nitrate	4.87	mg/l	0.13	0.43	1	353.2		6/25/2015	MDK	1
Sulfate, Filtered	68.3	mg/l	9.45	30.05	5	ASTM D516-90,		6/24/2015	MDK	1
Chlorides, Unfiltered	17.3	mg/l	1.9	6.1	1	SM 4500CL		6/11/2015	MDK	1

**Project Name** FMR ROBINSON DRY CLEANER  
**Project #** 6155 PO#2015465

**Invoice #** E29064

**Lab Code** 5029064M  
**Sample ID** 6155-MW-45S  
**Sample Matrix** Water  
**Sample Date** 6/8/2015

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.44	ug/l	0.44	1.4	1	8260B		6/17/2015	CJR	1
Bromobenzene	< 0.48	ug/l	0.48	1.5	1	8260B		6/17/2015	CJR	1
Bromodichloromethane	< 0.46	ug/l	0.46	1.5	1	8260B		6/17/2015	CJR	1
Bromoform	< 0.46	ug/l	0.46	1.5	1	8260B		6/17/2015	CJR	1
tert-Butylbenzene	< 1.1	ug/l	1.1	3.4	1	8260B		6/17/2015	CJR	1
sec-Butylbenzene	< 1.2	ug/l	1.2	3.8	1	8260B		6/17/2015	CJR	1
n-Butylbenzene	< 1	ug/l	1	3.3	1	8260B		6/17/2015	CJR	1
Carbon Tetrachloride	< 0.65	ug/l	0.65	2.1	1	8260B		6/17/2015	CJR	1
Chlorobenzene	< 0.46	ug/l	0.46	1.4	1	8260B		6/17/2015	CJR	1
Chloroethane	< 0.65	ug/l	0.65	2.1	1	8260B		6/17/2015	CJR	1
Chloroform	< 0.43	ug/l	0.43	1.4	1	8260B		6/17/2015	CJR	1
Chloromethane	< 1.9	ug/l	1.9	6	1	8260B		6/17/2015	CJR	1
2-Chlorotoluene	< 0.4	ug/l	0.4	1.3	1	8260B		6/17/2015	CJR	1
4-Chlorotoluene	< 0.63	ug/l	0.63	2	1	8260B		6/17/2015	CJR	1
1,2-Dibromo-3-chloropropane	< 1.4	ug/l	1.4	4.5	1	8260B		6/17/2015	CJR	1
Dibromochloromethane	< 0.45	ug/l	0.45	1.4	1	8260B		6/17/2015	CJR	1
1,4-Dichlorobenzene	< 0.49	ug/l	0.49	1.6	1	8260B		6/17/2015	CJR	1
1,3-Dichlorobenzene	< 0.52	ug/l	0.52	1.6	1	8260B		6/17/2015	CJR	1
1,2-Dichlorobenzene	< 0.46	ug/l	0.46	1.5	1	8260B		6/17/2015	CJR	1
Dichlorodifluoromethane	< 0.87	ug/l	0.87	2.8	1	8260B		6/17/2015	CJR	1
1,2-Dichloroethane	< 0.54	ug/l	0.54	1.7	1	8260B		6/17/2015	CJR	1
1,1-Dichloroethane	< 1.1	ug/l	1.1	3.6	1	8260B		6/17/2015	CJR	1
1,1-Dichloroethene	< 0.65	ug/l	0.65	2.1	1	8260B		6/17/2015	CJR	1
cis-1,2-Dichloroethene	< 0.45	ug/l	0.45	1.4	1	8260B		6/17/2015	CJR	1
trans-1,2-Dichloroethene	< 0.54	ug/l	0.54	1.7	1	8260B		6/17/2015	CJR	1
1,2-Dichloropropane	< 0.43	ug/l	0.43	1.37	1	8260B		6/17/2015	CJR	1
2,2-Dichloropropane	< 3.1	ug/l	3.1	9.8	1	8260B		6/17/2015	CJR	1
1,3-Dichloropropane	< 0.42	ug/l	0.42	1.3	1	8260B		6/17/2015	CJR	1
Di-isopropyl ether	< 0.44	ug/l	0.44	1.4	1	8260B		6/17/2015	CJR	1
EDB (1,2-Dibromoethane)	< 0.63	ug/l	0.63	2	1	8260B		6/17/2015	CJR	1
Ethylbenzene	< 0.71	ug/l	0.71	2.3	1	8260B		6/17/2015	CJR	1
Hexachlorobutadiene	< 2.2	ug/l	2.2	7.1	1	8260B		6/17/2015	CJR	1
Isopropylbenzene	< 0.82	ug/l	0.82	2.6	1	8260B		6/17/2015	CJR	1
p-Isopropyltoluene	< 1.1	ug/l	1.1	3.5	1	8260B		6/17/2015	CJR	1
Methylene chloride	< 1.3	ug/l	1.3	4.2	1	8260B		6/17/2015	CJR	1
Methyl tert-butyl ether (MTBE)	< 1.1	ug/l	1.1	3.7	1	8260B		6/17/2015	CJR	1
Naphthalene	< 1.6	ug/l	1.6	5.2	1	8260B		6/17/2015	CJR	4
n-Propylbenzene	< 0.77	ug/l	0.77	2.4	1	8260B		6/17/2015	CJR	1
1,1,2,2-Tetrachloroethane	< 0.52	ug/l	0.52	1.7	1	8260B		6/17/2015	CJR	1
1,1,1,2-Tetrachloroethane	< 0.48	ug/l	0.48	1.5	1	8260B		6/17/2015	CJR	1
Tetrachloroethene	< 0.74	ug/l	0.74	2.4	1	8260B		6/17/2015	CJR	1
Toluene	< 0.44	ug/l	0.44	1.4	1	8260B		6/17/2015	CJR	1
1,2,4-Trichlorobenzene	< 1.7	ug/l	1.7	5.6	1	8260B		6/17/2015	CJR	1
1,2,3-Trichlorobenzene	< 2.7	ug/l	2.7	8.6	1	8260B		6/17/2015	CJR	1
1,1,1-Trichloroethane	< 0.84	ug/l	0.84	2.7	1	8260B		6/17/2015	CJR	1
1,1,2-Trichloroethane	< 0.48	ug/l	0.48	1.52	1	8260B		6/17/2015	CJR	1
Trichloroethene (TCE)	< 0.47	ug/l	0.47	1.5	1	8260B		6/17/2015	CJR	1
Trichlorofluoromethane	< 0.87	ug/l	0.87	2.8	1	8260B		6/17/2015	CJR	1
1,2,4-Trimethylbenzene	< 1.6	ug/l	1.6	5	1	8260B		6/17/2015	CJR	1
1,3,5-Trimethylbenzene	< 1.5	ug/l	1.5	4.8	1	8260B		6/17/2015	CJR	1
Vinyl Chloride	< 0.17	ug/l	0.17	0.54	1	8260B		6/17/2015	CJR	1
m&p-Xylene	< 2.2	ug/l	2.2	6.9	1	8260B		6/17/2015	CJR	1
o-Xylene	< 0.9	ug/l	0.9	2.9	1	8260B		6/17/2015	CJR	1
SUR - 1,2-Dichloroethane-d4	99	REC %			1	8260B		6/17/2015	CJR	1
SUR - 4-Bromofluorobenzene	98	REC %			1	8260B		6/17/2015	CJR	1
SUR - Dibromofluoromethane	102	REC %			1	8260B		6/17/2015	CJR	1
SUR - Toluene-d8	100	REC %			1	8260B		6/17/2015	CJR	1

**Project Name** FMR ROBINSON DRY CLEANER  
**Project #** 6155 PO#2015465

**Invoice #** E29064

**Lab Code** 5029064N  
**Sample ID** 6155-PZ-45D1  
**Sample Matrix** Water  
**Sample Date** 6/8/2015

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.44	ug/l	0.44	1.4	1	8260B		6/17/2015	CJR	1
Bromobenzene	< 0.48	ug/l	0.48	1.5	1	8260B		6/17/2015	CJR	1
Bromodichloromethane	< 0.46	ug/l	0.46	1.5	1	8260B		6/17/2015	CJR	1
Bromoform	< 0.46	ug/l	0.46	1.5	1	8260B		6/17/2015	CJR	1
tert-Butylbenzene	< 1.1	ug/l	1.1	3.4	1	8260B		6/17/2015	CJR	1
sec-Butylbenzene	< 1.2	ug/l	1.2	3.8	1	8260B		6/17/2015	CJR	1
n-Butylbenzene	< 1	ug/l	1	3.3	1	8260B		6/17/2015	CJR	1
Carbon Tetrachloride	< 0.65	ug/l	0.65	2.1	1	8260B		6/17/2015	CJR	1
Chlorobenzene	< 0.46	ug/l	0.46	1.4	1	8260B		6/17/2015	CJR	1
Chloroethane	< 0.65	ug/l	0.65	2.1	1	8260B		6/17/2015	CJR	1
Chloroform	< 0.43	ug/l	0.43	1.4	1	8260B		6/17/2015	CJR	1
Chloromethane	< 1.9	ug/l	1.9	6	1	8260B		6/17/2015	CJR	1
2-Chlorotoluene	< 0.4	ug/l	0.4	1.3	1	8260B		6/17/2015	CJR	1
4-Chlorotoluene	< 0.63	ug/l	0.63	2	1	8260B		6/17/2015	CJR	1
1,2-Dibromo-3-chloropropane	< 1.4	ug/l	1.4	4.5	1	8260B		6/17/2015	CJR	1
Dibromochloromethane	< 0.45	ug/l	0.45	1.4	1	8260B		6/17/2015	CJR	1
1,4-Dichlorobenzene	< 0.49	ug/l	0.49	1.6	1	8260B		6/17/2015	CJR	1
1,3-Dichlorobenzene	< 0.52	ug/l	0.52	1.6	1	8260B		6/17/2015	CJR	1
1,2-Dichlorobenzene	< 0.46	ug/l	0.46	1.5	1	8260B		6/17/2015	CJR	1
Dichlorodifluoromethane	< 0.87	ug/l	0.87	2.8	1	8260B		6/17/2015	CJR	1
1,2-Dichloroethane	< 0.54	ug/l	0.54	1.7	1	8260B		6/17/2015	CJR	1
1,1-Dichloroethane	< 1.1	ug/l	1.1	3.6	1	8260B		6/17/2015	CJR	1
1,1-Dichloroethene	< 0.65	ug/l	0.65	2.1	1	8260B		6/17/2015	CJR	1
cis-1,2-Dichloroethene	< 0.45	ug/l	0.45	1.4	1	8260B		6/17/2015	CJR	1
trans-1,2-Dichloroethene	< 0.54	ug/l	0.54	1.7	1	8260B		6/17/2015	CJR	1
1,2-Dichloropropane	< 0.43	ug/l	0.43	1.37	1	8260B		6/17/2015	CJR	1
2,2-Dichloropropane	< 3.1	ug/l	3.1	9.8	1	8260B		6/17/2015	CJR	1
1,3-Dichloropropane	< 0.42	ug/l	0.42	1.3	1	8260B		6/17/2015	CJR	1
Di-isopropyl ether	< 0.44	ug/l	0.44	1.4	1	8260B		6/17/2015	CJR	1
EDB (1,2-Dibromoethane)	< 0.63	ug/l	0.63	2	1	8260B		6/17/2015	CJR	1
Ethylbenzene	< 0.71	ug/l	0.71	2.3	1	8260B		6/17/2015	CJR	1
Hexachlorobutadiene	< 2.2	ug/l	2.2	7.1	1	8260B		6/17/2015	CJR	1
Isopropylbenzene	< 0.82	ug/l	0.82	2.6	1	8260B		6/17/2015	CJR	1
p-Isopropyltoluene	< 1.1	ug/l	1.1	3.5	1	8260B		6/17/2015	CJR	1
Methylene chloride	< 1.3	ug/l	1.3	4.2	1	8260B		6/17/2015	CJR	1
Methyl tert-butyl ether (MTBE)	< 1.1	ug/l	1.1	3.7	1	8260B		6/17/2015	CJR	1
Naphthalene	< 1.6	ug/l	1.6	5.2	1	8260B		6/17/2015	CJR	4
n-Propylbenzene	< 0.77	ug/l	0.77	2.4	1	8260B		6/17/2015	CJR	1
1,1,2,2-Tetrachloroethane	< 0.52	ug/l	0.52	1.7	1	8260B		6/17/2015	CJR	1
1,1,1,2-Tetrachloroethane	< 0.48	ug/l	0.48	1.5	1	8260B		6/17/2015	CJR	1
Tetrachloroethene	< 0.74	ug/l	0.74	2.4	1	8260B		6/17/2015	CJR	1
Toluene	< 0.44	ug/l	0.44	1.4	1	8260B		6/17/2015	CJR	1
1,2,4-Trichlorobenzene	< 1.7	ug/l	1.7	5.6	1	8260B		6/17/2015	CJR	1
1,2,3-Trichlorobenzene	< 2.7	ug/l	2.7	8.6	1	8260B		6/17/2015	CJR	1
1,1,1-Trichloroethane	< 0.84	ug/l	0.84	2.7	1	8260B		6/17/2015	CJR	1
1,1,2-Trichloroethane	< 0.48	ug/l	0.48	1.52	1	8260B		6/17/2015	CJR	1
Trichloroethene (TCE)	< 0.47	ug/l	0.47	1.5	1	8260B		6/17/2015	CJR	1
Trichlorofluoromethane	< 0.87	ug/l	0.87	2.8	1	8260B		6/17/2015	CJR	1
1,2,4-Trimethylbenzene	< 1.6	ug/l	1.6	5	1	8260B		6/17/2015	CJR	1
1,3,5-Trimethylbenzene	< 1.5	ug/l	1.5	4.8	1	8260B		6/17/2015	CJR	1
Vinyl Chloride	< 0.17	ug/l	0.17	0.54	1	8260B		6/17/2015	CJR	1
m&p-Xylene	< 2.2	ug/l	2.2	6.9	1	8260B		6/17/2015	CJR	1
o-Xylene	< 0.9	ug/l	0.9	2.9	1	8260B		6/17/2015	CJR	1
SUR - Toluene-d8	98	REC %			1	8260B		6/17/2015	CJR	1
SUR - 1,2-Dichloroethane-d4	106	REC %			1	8260B		6/17/2015	CJR	1
SUR - 4-Bromofluorobenzene	103	REC %			1	8260B		6/17/2015	CJR	1
SUR - Dibromofluoromethane	106	REC %			1	8260B		6/17/2015	CJR	1



**Project Name** FMR ROBINSON DRY CLEANER  
**Project #** 6155 PO#2015465

**Invoice #** E29064

**Lab Code** 50290640  
**Sample ID** 6155-PZ-45D2  
**Sample Matrix** Water  
**Sample Date** 6/8/2015

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.44	ug/l	0.44	1.4	1	8260B		6/17/2015	CJR	1
Bromobenzene	< 0.48	ug/l	0.48	1.5	1	8260B		6/17/2015	CJR	1
Bromodichloromethane	< 0.46	ug/l	0.46	1.5	1	8260B		6/17/2015	CJR	1
Bromoform	< 0.46	ug/l	0.46	1.5	1	8260B		6/17/2015	CJR	1
tert-Butylbenzene	< 1.1	ug/l	1.1	3.4	1	8260B		6/17/2015	CJR	1
sec-Butylbenzene	< 1.2	ug/l	1.2	3.8	1	8260B		6/17/2015	CJR	1
n-Butylbenzene	< 1	ug/l	1	3.3	1	8260B		6/17/2015	CJR	1
Carbon Tetrachloride	< 0.65	ug/l	0.65	2.1	1	8260B		6/17/2015	CJR	1
Chlorobenzene	< 0.46	ug/l	0.46	1.4	1	8260B		6/17/2015	CJR	1
Chloroethane	< 0.65	ug/l	0.65	2.1	1	8260B		6/17/2015	CJR	1
Chloroform	< 0.43	ug/l	0.43	1.4	1	8260B		6/17/2015	CJR	1
Chloromethane	< 1.9	ug/l	1.9	6	1	8260B		6/17/2015	CJR	1
2-Chlorotoluene	< 0.4	ug/l	0.4	1.3	1	8260B		6/17/2015	CJR	1
4-Chlorotoluene	< 0.63	ug/l	0.63	2	1	8260B		6/17/2015	CJR	1
1,2-Dibromo-3-chloropropane	< 1.4	ug/l	1.4	4.5	1	8260B		6/17/2015	CJR	1
Dibromochloromethane	< 0.45	ug/l	0.45	1.4	1	8260B		6/17/2015	CJR	1
1,4-Dichlorobenzene	< 0.49	ug/l	0.49	1.6	1	8260B		6/17/2015	CJR	1
1,3-Dichlorobenzene	< 0.52	ug/l	0.52	1.6	1	8260B		6/17/2015	CJR	1
1,2-Dichlorobenzene	< 0.46	ug/l	0.46	1.5	1	8260B		6/17/2015	CJR	1
Dichlorodifluoromethane	< 0.87	ug/l	0.87	2.8	1	8260B		6/17/2015	CJR	1
1,2-Dichloroethane	< 0.54	ug/l	0.54	1.7	1	8260B		6/17/2015	CJR	1
1,1-Dichloroethane	< 1.1	ug/l	1.1	3.6	1	8260B		6/17/2015	CJR	1
1,1-Dichloroethene	< 0.65	ug/l	0.65	2.1	1	8260B		6/17/2015	CJR	1
cis-1,2-Dichloroethene	< 0.45	ug/l	0.45	1.4	1	8260B		6/17/2015	CJR	1
trans-1,2-Dichloroethene	< 0.54	ug/l	0.54	1.7	1	8260B		6/17/2015	CJR	1
1,2-Dichloropropane	< 0.43	ug/l	0.43	1.37	1	8260B		6/17/2015	CJR	1
2,2-Dichloropropane	< 3.1	ug/l	3.1	9.8	1	8260B		6/17/2015	CJR	1
1,3-Dichloropropane	< 0.42	ug/l	0.42	1.3	1	8260B		6/17/2015	CJR	1
Di-isopropyl ether	< 0.44	ug/l	0.44	1.4	1	8260B		6/17/2015	CJR	1
EDB (1,2-Dibromoethane)	< 0.63	ug/l	0.63	2	1	8260B		6/17/2015	CJR	1
Ethylbenzene	< 0.71	ug/l	0.71	2.3	1	8260B		6/17/2015	CJR	1
Hexachlorobutadiene	< 2.2	ug/l	2.2	7.1	1	8260B		6/17/2015	CJR	1
Isopropylbenzene	< 0.82	ug/l	0.82	2.6	1	8260B		6/17/2015	CJR	1
p-Isopropyltoluene	< 1.1	ug/l	1.1	3.5	1	8260B		6/17/2015	CJR	1
Methylene chloride	< 1.3	ug/l	1.3	4.2	1	8260B		6/17/2015	CJR	1
Methyl tert-butyl ether (MTBE)	< 1.1	ug/l	1.1	3.7	1	8260B		6/17/2015	CJR	1
Naphthalene	< 1.6	ug/l	1.6	5.2	1	8260B		6/17/2015	CJR	4
n-Propylbenzene	< 0.77	ug/l	0.77	2.4	1	8260B		6/17/2015	CJR	1
1,1,2,2-Tetrachloroethane	< 0.52	ug/l	0.52	1.7	1	8260B		6/17/2015	CJR	1
1,1,1,2-Tetrachloroethane	< 0.48	ug/l	0.48	1.5	1	8260B		6/17/2015	CJR	1
Tetrachloroethene	< 0.74	ug/l	0.74	2.4	1	8260B		6/17/2015	CJR	1
Toluene	< 0.44	ug/l	0.44	1.4	1	8260B		6/17/2015	CJR	1
1,2,4-Trichlorobenzene	< 1.7	ug/l	1.7	5.6	1	8260B		6/17/2015	CJR	1
1,2,3-Trichlorobenzene	< 2.7	ug/l	2.7	8.6	1	8260B		6/17/2015	CJR	1
1,1,1-Trichloroethane	< 0.84	ug/l	0.84	2.7	1	8260B		6/17/2015	CJR	1
1,1,2-Trichloroethane	< 0.48	ug/l	0.48	1.52	1	8260B		6/17/2015	CJR	1
Trichloroethene (TCE)	< 0.47	ug/l	0.47	1.5	1	8260B		6/17/2015	CJR	1
Trichlorofluoromethane	< 0.87	ug/l	0.87	2.8	1	8260B		6/17/2015	CJR	1
1,2,4-Trimethylbenzene	< 1.6	ug/l	1.6	5	1	8260B		6/17/2015	CJR	1
1,3,5-Trimethylbenzene	< 1.5	ug/l	1.5	4.8	1	8260B		6/17/2015	CJR	1
Vinyl Chloride	< 0.17	ug/l	0.17	0.54	1	8260B		6/17/2015	CJR	1
m&p-Xylene	< 2.2	ug/l	2.2	6.9	1	8260B		6/17/2015	CJR	1
o-Xylene	< 0.9	ug/l	0.9	2.9	1	8260B		6/17/2015	CJR	1
SUR - Dibromofluoromethane	103	REC %			1	8260B		6/17/2015	CJR	1
SUR - 4-Bromofluorobenzene	104	REC %			1	8260B		6/17/2015	CJR	1
SUR - 1,2-Dichloroethane-d4	96	REC %			1	8260B		6/17/2015	CJR	1
SUR - Toluene-d8	100	REC %			1	8260B		6/17/2015	CJR	1

**Project Name** FMR ROBINSON DRY CLEANER  
**Project #** 6155 PO#2015465

**Invoice #** E29064

**Lab Code** 5029064P  
**Sample ID** 6155-PZ-46D1  
**Sample Matrix** Water  
**Sample Date** 6/8/2015

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.44	ug/l	0.44	1.4	1	8260B		6/17/2015	CJR	1
Bromobenzene	< 0.48	ug/l	0.48	1.5	1	8260B		6/17/2015	CJR	1
Bromodichloromethane	< 0.46	ug/l	0.46	1.5	1	8260B		6/17/2015	CJR	1
Bromoform	< 0.46	ug/l	0.46	1.5	1	8260B		6/17/2015	CJR	1
tert-Butylbenzene	< 1.1	ug/l	1.1	3.4	1	8260B		6/17/2015	CJR	1
sec-Butylbenzene	< 1.2	ug/l	1.2	3.8	1	8260B		6/17/2015	CJR	1
n-Butylbenzene	< 1	ug/l	1	3.3	1	8260B		6/17/2015	CJR	1
Carbon Tetrachloride	< 0.65	ug/l	0.65	2.1	1	8260B		6/17/2015	CJR	1
Chlorobenzene	< 0.46	ug/l	0.46	1.4	1	8260B		6/17/2015	CJR	1
Chloroethane	< 0.65	ug/l	0.65	2.1	1	8260B		6/17/2015	CJR	1
Chloroform	< 0.43	ug/l	0.43	1.4	1	8260B		6/17/2015	CJR	1
Chloromethane	< 1.9	ug/l	1.9	6	1	8260B		6/17/2015	CJR	1
2-Chlorotoluene	< 0.4	ug/l	0.4	1.3	1	8260B		6/17/2015	CJR	1
4-Chlorotoluene	< 0.63	ug/l	0.63	2	1	8260B		6/17/2015	CJR	1
1,2-Dibromo-3-chloropropane	< 1.4	ug/l	1.4	4.5	1	8260B		6/17/2015	CJR	1
Dibromochloromethane	< 0.45	ug/l	0.45	1.4	1	8260B		6/17/2015	CJR	1
1,4-Dichlorobenzene	< 0.49	ug/l	0.49	1.6	1	8260B		6/17/2015	CJR	1
1,3-Dichlorobenzene	< 0.52	ug/l	0.52	1.6	1	8260B		6/17/2015	CJR	1
1,2-Dichlorobenzene	< 0.46	ug/l	0.46	1.5	1	8260B		6/17/2015	CJR	1
Dichlorodifluoromethane	< 0.87	ug/l	0.87	2.8	1	8260B		6/17/2015	CJR	1
1,2-Dichloroethane	< 0.54	ug/l	0.54	1.7	1	8260B		6/17/2015	CJR	1
1,1-Dichloroethane	< 1.1	ug/l	1.1	3.6	1	8260B		6/17/2015	CJR	1
1,1-Dichloroethene	< 0.65	ug/l	0.65	2.1	1	8260B		6/17/2015	CJR	1
cis-1,2-Dichloroethene	< 0.45	ug/l	0.45	1.4	1	8260B		6/17/2015	CJR	1
trans-1,2-Dichloroethene	< 0.54	ug/l	0.54	1.7	1	8260B		6/17/2015	CJR	1
1,2-Dichloropropane	< 0.43	ug/l	0.43	1.37	1	8260B		6/17/2015	CJR	1
2,2-Dichloropropane	< 3.1	ug/l	3.1	9.8	1	8260B		6/17/2015	CJR	1
1,3-Dichloropropane	< 0.42	ug/l	0.42	1.3	1	8260B		6/17/2015	CJR	1
Di-isopropyl ether	< 0.44	ug/l	0.44	1.4	1	8260B		6/17/2015	CJR	1
EDB (1,2-Dibromoethane)	< 0.63	ug/l	0.63	2	1	8260B		6/17/2015	CJR	1
Ethylbenzene	< 0.71	ug/l	0.71	2.3	1	8260B		6/17/2015	CJR	1
Hexachlorobutadiene	< 2.2	ug/l	2.2	7.1	1	8260B		6/17/2015	CJR	1
Isopropylbenzene	< 0.82	ug/l	0.82	2.6	1	8260B		6/17/2015	CJR	1
p-Isopropyltoluene	< 1.1	ug/l	1.1	3.5	1	8260B		6/17/2015	CJR	1
Methylene chloride	< 1.3	ug/l	1.3	4.2	1	8260B		6/17/2015	CJR	1
Methyl tert-butyl ether (MTBE)	< 1.1	ug/l	1.1	3.7	1	8260B		6/17/2015	CJR	1
Naphthalene	< 1.6	ug/l	1.6	5.2	1	8260B		6/17/2015	CJR	4
n-Propylbenzene	< 0.77	ug/l	0.77	2.4	1	8260B		6/17/2015	CJR	1
1,1,2,2-Tetrachloroethane	< 0.52	ug/l	0.52	1.7	1	8260B		6/17/2015	CJR	1
1,1,1,2-Tetrachloroethane	< 0.48	ug/l	0.48	1.5	1	8260B		6/17/2015	CJR	1
Tetrachloroethene	< 0.74	ug/l	0.74	2.4	1	8260B		6/17/2015	CJR	1
Toluene	< 0.44	ug/l	0.44	1.4	1	8260B		6/17/2015	CJR	1
1,2,4-Trichlorobenzene	< 1.7	ug/l	1.7	5.6	1	8260B		6/17/2015	CJR	1
1,2,3-Trichlorobenzene	< 2.7	ug/l	2.7	8.6	1	8260B		6/17/2015	CJR	1
1,1,1-Trichloroethane	< 0.84	ug/l	0.84	2.7	1	8260B		6/17/2015	CJR	1
1,1,2-Trichloroethane	< 0.48	ug/l	0.48	1.52	1	8260B		6/17/2015	CJR	1
Trichloroethene (TCE)	< 0.47	ug/l	0.47	1.5	1	8260B		6/17/2015	CJR	1
Trichlorofluoromethane	< 0.87	ug/l	0.87	2.8	1	8260B		6/17/2015	CJR	1
1,2,4-Trimethylbenzene	< 1.6	ug/l	1.6	5	1	8260B		6/17/2015	CJR	1
1,3,5-Trimethylbenzene	< 1.5	ug/l	1.5	4.8	1	8260B		6/17/2015	CJR	1
Vinyl Chloride	< 0.17	ug/l	0.17	0.54	1	8260B		6/17/2015	CJR	1
m&p-Xylene	< 2.2	ug/l	2.2	6.9	1	8260B		6/17/2015	CJR	1
o-Xylene	< 0.9	ug/l	0.9	2.9	1	8260B		6/17/2015	CJR	1
SUR - Toluene-d8	102	REC %			1	8260B		6/17/2015	CJR	1
SUR - Dibromofluoromethane	99	REC %			1	8260B		6/17/2015	CJR	1
SUR - 4-Bromofluorobenzene	105	REC %			1	8260B		6/17/2015	CJR	1
SUR - 1,2-Dichloroethane-d4	99	REC %			1	8260B		6/17/2015	CJR	1

**Project Name** FMR ROBINSON DRY CLEANER  
**Project #** 6155 PO#2015465

**Invoice #** E29064

**Lab Code** 5029064Q  
**Sample ID** 6155-PZ-46D2  
**Sample Matrix** Water  
**Sample Date** 6/9/2015

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.44	ug/l	0.44	1.4	1	8260B		6/17/2015	CJR	1
Bromobenzene	< 0.48	ug/l	0.48	1.5	1	8260B		6/17/2015	CJR	1
Bromodichloromethane	< 0.46	ug/l	0.46	1.5	1	8260B		6/17/2015	CJR	1
Bromoform	< 0.46	ug/l	0.46	1.5	1	8260B		6/17/2015	CJR	1
tert-Butylbenzene	< 1.1	ug/l	1.1	3.4	1	8260B		6/17/2015	CJR	1
sec-Butylbenzene	< 1.2	ug/l	1.2	3.8	1	8260B		6/17/2015	CJR	1
n-Butylbenzene	< 1	ug/l	1	3.3	1	8260B		6/17/2015	CJR	1
Carbon Tetrachloride	< 0.65	ug/l	0.65	2.1	1	8260B		6/17/2015	CJR	1
Chlorobenzene	< 0.46	ug/l	0.46	1.4	1	8260B		6/17/2015	CJR	1
Chloroethane	< 0.65	ug/l	0.65	2.1	1	8260B		6/17/2015	CJR	1
Chloroform	< 0.43	ug/l	0.43	1.4	1	8260B		6/17/2015	CJR	1
Chloromethane	< 1.9	ug/l	1.9	6	1	8260B		6/17/2015	CJR	1
2-Chlorotoluene	< 0.4	ug/l	0.4	1.3	1	8260B		6/17/2015	CJR	1
4-Chlorotoluene	< 0.63	ug/l	0.63	2	1	8260B		6/17/2015	CJR	1
1,2-Dibromo-3-chloropropane	< 1.4	ug/l	1.4	4.5	1	8260B		6/17/2015	CJR	1
Dibromochloromethane	< 0.45	ug/l	0.45	1.4	1	8260B		6/17/2015	CJR	1
1,4-Dichlorobenzene	< 0.49	ug/l	0.49	1.6	1	8260B		6/17/2015	CJR	1
1,3-Dichlorobenzene	< 0.52	ug/l	0.52	1.6	1	8260B		6/17/2015	CJR	1
1,2-Dichlorobenzene	< 0.46	ug/l	0.46	1.5	1	8260B		6/17/2015	CJR	1
Dichlorodifluoromethane	< 0.87	ug/l	0.87	2.8	1	8260B		6/17/2015	CJR	1
1,2-Dichloroethane	< 0.54	ug/l	0.54	1.7	1	8260B		6/17/2015	CJR	1
1,1-Dichloroethane	< 1.1	ug/l	1.1	3.6	1	8260B		6/17/2015	CJR	1
1,1-Dichloroethene	< 0.65	ug/l	0.65	2.1	1	8260B		6/17/2015	CJR	1
cis-1,2-Dichloroethene	< 0.45	ug/l	0.45	1.4	1	8260B		6/17/2015	CJR	1
trans-1,2-Dichloroethene	< 0.54	ug/l	0.54	1.7	1	8260B		6/17/2015	CJR	1
1,2-Dichloropropane	< 0.43	ug/l	0.43	1.37	1	8260B		6/17/2015	CJR	1
2,2-Dichloropropane	< 3.1	ug/l	3.1	9.8	1	8260B		6/17/2015	CJR	1
1,3-Dichloropropane	< 0.42	ug/l	0.42	1.3	1	8260B		6/17/2015	CJR	1
Di-isopropyl ether	< 0.44	ug/l	0.44	1.4	1	8260B		6/17/2015	CJR	1
EDB (1,2-Dibromoethane)	< 0.63	ug/l	0.63	2	1	8260B		6/17/2015	CJR	1
Ethylbenzene	< 0.71	ug/l	0.71	2.3	1	8260B		6/17/2015	CJR	1
Hexachlorobutadiene	< 2.2	ug/l	2.2	7.1	1	8260B		6/17/2015	CJR	1
Isopropylbenzene	< 0.82	ug/l	0.82	2.6	1	8260B		6/17/2015	CJR	1
p-Isopropyltoluene	< 1.1	ug/l	1.1	3.5	1	8260B		6/17/2015	CJR	1
Methylene chloride	< 1.3	ug/l	1.3	4.2	1	8260B		6/17/2015	CJR	1
Methyl tert-butyl ether (MTBE)	< 1.1	ug/l	1.1	3.7	1	8260B		6/17/2015	CJR	1
Naphthalene	< 1.6	ug/l	1.6	5.2	1	8260B		6/17/2015	CJR	4
n-Propylbenzene	< 0.77	ug/l	0.77	2.4	1	8260B		6/17/2015	CJR	1
1,1,2,2-Tetrachloroethane	< 0.52	ug/l	0.52	1.7	1	8260B		6/17/2015	CJR	1
1,1,1,2-Tetrachloroethane	< 0.48	ug/l	0.48	1.5	1	8260B		6/17/2015	CJR	1
Tetrachloroethene	< 0.74	ug/l	0.74	2.4	1	8260B		6/17/2015	CJR	1
Toluene	< 0.44	ug/l	0.44	1.4	1	8260B		6/17/2015	CJR	1
1,2,4-Trichlorobenzene	< 1.7	ug/l	1.7	5.6	1	8260B		6/17/2015	CJR	1
1,2,3-Trichlorobenzene	< 2.7	ug/l	2.7	8.6	1	8260B		6/17/2015	CJR	1
1,1,1-Trichloroethane	< 0.84	ug/l	0.84	2.7	1	8260B		6/17/2015	CJR	1
1,1,2-Trichloroethane	< 0.48	ug/l	0.48	1.52	1	8260B		6/17/2015	CJR	1
Trichloroethene (TCE)	< 0.47	ug/l	0.47	1.5	1	8260B		6/17/2015	CJR	1
Trichlorofluoromethane	< 0.87	ug/l	0.87	2.8	1	8260B		6/17/2015	CJR	1
1,2,4-Trimethylbenzene	< 1.6	ug/l	1.6	5	1	8260B		6/17/2015	CJR	1
1,3,5-Trimethylbenzene	< 1.5	ug/l	1.5	4.8	1	8260B		6/17/2015	CJR	1
Vinyl Chloride	< 0.17	ug/l	0.17	0.54	1	8260B		6/17/2015	CJR	1
m&p-Xylene	< 2.2	ug/l	2.2	6.9	1	8260B		6/17/2015	CJR	1
o-Xylene	< 0.9	ug/l	0.9	2.9	1	8260B		6/17/2015	CJR	1
SUR - 1,2-Dichloroethane-d4	103	REC %			1	8260B		6/17/2015	CJR	1
SUR - 4-Bromofluorobenzene	104	REC %			1	8260B		6/17/2015	CJR	1
SUR - Dibromofluoromethane	101	REC %			1	8260B		6/17/2015	CJR	1
SUR - Toluene-d8	101	REC %			1	8260B		6/17/2015	CJR	1

Project Name FMR ROBINSON DRY CLEANER  
 Project # 6155 PO#2015465

Invoice # E29064

Lab Code 5029064R  
 Sample ID 6155-PZ-46D3  
 Sample Matrix Water  
 Sample Date 6/9/2015

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.44	ug/l	0.44	1.4	1	8260B		6/17/2015	CJR	1
Bromobenzene	< 0.48	ug/l	0.48	1.5	1	8260B		6/17/2015	CJR	1
Bromodichloromethane	< 0.46	ug/l	0.46	1.5	1	8260B		6/17/2015	CJR	1
Bromoform	< 0.46	ug/l	0.46	1.5	1	8260B		6/17/2015	CJR	1
tert-Butylbenzene	< 1.1	ug/l	1.1	3.4	1	8260B		6/17/2015	CJR	1
sec-Butylbenzene	< 1.2	ug/l	1.2	3.8	1	8260B		6/17/2015	CJR	1
n-Butylbenzene	< 1	ug/l	1	3.3	1	8260B		6/17/2015	CJR	1
Carbon Tetrachloride	< 0.65	ug/l	0.65	2.1	1	8260B		6/17/2015	CJR	1
Chlorobenzene	< 0.46	ug/l	0.46	1.4	1	8260B		6/17/2015	CJR	1
Chloroethane	< 0.65	ug/l	0.65	2.1	1	8260B		6/17/2015	CJR	1
Chloroform	< 0.43	ug/l	0.43	1.4	1	8260B		6/17/2015	CJR	1
Chloromethane	< 1.9	ug/l	1.9	6	1	8260B		6/17/2015	CJR	1
2-Chlorotoluene	< 0.4	ug/l	0.4	1.3	1	8260B		6/17/2015	CJR	1
4-Chlorotoluene	< 0.63	ug/l	0.63	2	1	8260B		6/17/2015	CJR	1
1,2-Dibromo-3-chloropropane	< 1.4	ug/l	1.4	4.5	1	8260B		6/17/2015	CJR	1
Dibromochloromethane	< 0.45	ug/l	0.45	1.4	1	8260B		6/17/2015	CJR	1
1,4-Dichlorobenzene	< 0.49	ug/l	0.49	1.6	1	8260B		6/17/2015	CJR	1
1,3-Dichlorobenzene	< 0.52	ug/l	0.52	1.6	1	8260B		6/17/2015	CJR	1
1,2-Dichlorobenzene	< 0.46	ug/l	0.46	1.5	1	8260B		6/17/2015	CJR	1
Dichlorodifluoromethane	< 0.87	ug/l	0.87	2.8	1	8260B		6/17/2015	CJR	1
1,2-Dichloroethane	< 0.54	ug/l	0.54	1.7	1	8260B		6/17/2015	CJR	1
1,1-Dichloroethane	< 1.1	ug/l	1.1	3.6	1	8260B		6/17/2015	CJR	1
1,1-Dichloroethene	< 0.65	ug/l	0.65	2.1	1	8260B		6/17/2015	CJR	1
cis-1,2-Dichloroethene	< 0.45	ug/l	0.45	1.4	1	8260B		6/17/2015	CJR	1
trans-1,2-Dichloroethene	< 0.54	ug/l	0.54	1.7	1	8260B		6/17/2015	CJR	1
1,2-Dichloropropane	< 0.43	ug/l	0.43	1.37	1	8260B		6/17/2015	CJR	1
2,2-Dichloropropane	< 3.1	ug/l	3.1	9.8	1	8260B		6/17/2015	CJR	1
1,3-Dichloropropane	< 0.42	ug/l	0.42	1.3	1	8260B		6/17/2015	CJR	1
Di-isopropyl ether	< 0.44	ug/l	0.44	1.4	1	8260B		6/17/2015	CJR	1
EDB (1,2-Dibromoethane)	< 0.63	ug/l	0.63	2	1	8260B		6/17/2015	CJR	1
Ethylbenzene	< 0.71	ug/l	0.71	2.3	1	8260B		6/17/2015	CJR	1
Hexachlorobutadiene	< 2.2	ug/l	2.2	7.1	1	8260B		6/17/2015	CJR	1
Isopropylbenzene	< 0.82	ug/l	0.82	2.6	1	8260B		6/17/2015	CJR	1
p-Isopropyltoluene	< 1.1	ug/l	1.1	3.5	1	8260B		6/17/2015	CJR	1
Methylene chloride	< 1.3	ug/l	1.3	4.2	1	8260B		6/17/2015	CJR	1
Methyl tert-butyl ether (MTBE)	< 1.1	ug/l	1.1	3.7	1	8260B		6/17/2015	CJR	1
Naphthalene	< 1.6	ug/l	1.6	5.2	1	8260B		6/17/2015	CJR	4
n-Propylbenzene	< 0.77	ug/l	0.77	2.4	1	8260B		6/17/2015	CJR	1
1,1,2,2-Tetrachloroethane	< 0.52	ug/l	0.52	1.7	1	8260B		6/17/2015	CJR	1
1,1,1,2-Tetrachloroethane	< 0.48	ug/l	0.48	1.5	1	8260B		6/17/2015	CJR	1
Tetrachloroethene	< 0.74	ug/l	0.74	2.4	1	8260B		6/17/2015	CJR	1
Toluene	< 0.44	ug/l	0.44	1.4	1	8260B		6/17/2015	CJR	1
1,2,4-Trichlorobenzene	< 1.7	ug/l	1.7	5.6	1	8260B		6/17/2015	CJR	1
1,2,3-Trichlorobenzene	< 2.7	ug/l	2.7	8.6	1	8260B		6/17/2015	CJR	1
1,1,1-Trichloroethane	< 0.84	ug/l	0.84	2.7	1	8260B		6/17/2015	CJR	1
1,1,2-Trichloroethane	< 0.48	ug/l	0.48	1.52	1	8260B		6/17/2015	CJR	1
Trichloroethene (TCE)	< 0.47	ug/l	0.47	1.5	1	8260B		6/17/2015	CJR	1
Trichlorofluoromethane	< 0.87	ug/l	0.87	2.8	1	8260B		6/17/2015	CJR	1
1,2,4-Trimethylbenzene	< 1.6	ug/l	1.6	5	1	8260B		6/17/2015	CJR	1
1,3,5-Trimethylbenzene	< 1.5	ug/l	1.5	4.8	1	8260B		6/17/2015	CJR	1
Vinyl Chloride	< 0.17	ug/l	0.17	0.54	1	8260B		6/17/2015	CJR	1
m&p-Xylene	< 2.2	ug/l	2.2	6.9	1	8260B		6/17/2015	CJR	1
o-Xylene	< 0.9	ug/l	0.9	2.9	1	8260B		6/17/2015	CJR	1
SUR - 1,2-Dichloroethane-d4	102	REC %			1	8260B		6/17/2015	CJR	1
SUR - 4-Bromofluorobenzene	106	REC %			1	8260B		6/17/2015	CJR	1
SUR - Dibromofluoromethane	106	REC %			1	8260B		6/17/2015	CJR	1
SUR - Toluene-d8	97	REC %			1	8260B		6/17/2015	CJR	1

Project Name FMR ROBINSON DRY CLEANER  
 Project # 6155 PO#2015465

Invoice # E29064

Lab Code 5029064S  
 Sample ID 6155-EB-5  
 Sample Matrix Water  
 Sample Date 6/8/2015

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.44	ug/l	0.44	1.4	1	8260B		6/17/2015	CJR	1
Bromobenzene	< 0.48	ug/l	0.48	1.5	1	8260B		6/17/2015	CJR	1
Bromodichloromethane	< 0.46	ug/l	0.46	1.5	1	8260B		6/17/2015	CJR	1
Bromoform	< 0.46	ug/l	0.46	1.5	1	8260B		6/17/2015	CJR	1
tert-Butylbenzene	< 1.1	ug/l	1.1	3.4	1	8260B		6/17/2015	CJR	1
sec-Butylbenzene	< 1.2	ug/l	1.2	3.8	1	8260B		6/17/2015	CJR	1
n-Butylbenzene	< 1	ug/l	1	3.3	1	8260B		6/17/2015	CJR	1
Carbon Tetrachloride	< 0.65	ug/l	0.65	2.1	1	8260B		6/17/2015	CJR	1
Chlorobenzene	< 0.46	ug/l	0.46	1.4	1	8260B		6/17/2015	CJR	1
Chloroethane	< 0.65	ug/l	0.65	2.1	1	8260B		6/17/2015	CJR	1
Chloroform	< 0.43	ug/l	0.43	1.4	1	8260B		6/17/2015	CJR	1
Chloromethane	< 1.9	ug/l	1.9	6	1	8260B		6/17/2015	CJR	1
2-Chlorotoluene	< 0.4	ug/l	0.4	1.3	1	8260B		6/17/2015	CJR	1
4-Chlorotoluene	< 0.63	ug/l	0.63	2	1	8260B		6/17/2015	CJR	1
1,2-Dibromo-3-chloropropane	< 1.4	ug/l	1.4	4.5	1	8260B		6/17/2015	CJR	1
Dibromochloromethane	< 0.45	ug/l	0.45	1.4	1	8260B		6/17/2015	CJR	1
1,4-Dichlorobenzene	< 0.49	ug/l	0.49	1.6	1	8260B		6/17/2015	CJR	1
1,3-Dichlorobenzene	< 0.52	ug/l	0.52	1.6	1	8260B		6/17/2015	CJR	1
1,2-Dichlorobenzene	< 0.46	ug/l	0.46	1.5	1	8260B		6/17/2015	CJR	1
Dichlorodifluoromethane	< 0.87	ug/l	0.87	2.8	1	8260B		6/17/2015	CJR	1
1,2-Dichloroethane	< 0.54	ug/l	0.54	1.7	1	8260B		6/17/2015	CJR	1
1,1-Dichloroethane	< 1.1	ug/l	1.1	3.6	1	8260B		6/17/2015	CJR	1
1,1-Dichloroethene	< 0.65	ug/l	0.65	2.1	1	8260B		6/17/2015	CJR	1
cis-1,2-Dichloroethene	< 0.45	ug/l	0.45	1.4	1	8260B		6/17/2015	CJR	1
trans-1,2-Dichloroethene	< 0.54	ug/l	0.54	1.7	1	8260B		6/17/2015	CJR	1
1,2-Dichloropropane	< 0.43	ug/l	0.43	1.37	1	8260B		6/17/2015	CJR	1
2,2-Dichloropropane	< 3.1	ug/l	3.1	9.8	1	8260B		6/17/2015	CJR	1
1,3-Dichloropropane	< 0.42	ug/l	0.42	1.3	1	8260B		6/17/2015	CJR	1
Di-isopropyl ether	< 0.44	ug/l	0.44	1.4	1	8260B		6/17/2015	CJR	1
EDB (1,2-Dibromoethane)	< 0.63	ug/l	0.63	2	1	8260B		6/17/2015	CJR	1
Ethylbenzene	< 0.71	ug/l	0.71	2.3	1	8260B		6/17/2015	CJR	1
Hexachlorobutadiene	< 2.2	ug/l	2.2	7.1	1	8260B		6/17/2015	CJR	1
Isopropylbenzene	< 0.82	ug/l	0.82	2.6	1	8260B		6/17/2015	CJR	1
p-Isopropyltoluene	< 1.1	ug/l	1.1	3.5	1	8260B		6/17/2015	CJR	1
Methylene chloride	< 1.3	ug/l	1.3	4.2	1	8260B		6/17/2015	CJR	1
Methyl tert-butyl ether (MTBE)	< 1.1	ug/l	1.1	3.7	1	8260B		6/17/2015	CJR	1
Naphthalene	< 1.6	ug/l	1.6	5.2	1	8260B		6/17/2015	CJR	4
n-Propylbenzene	< 0.77	ug/l	0.77	2.4	1	8260B		6/17/2015	CJR	1
1,1,2,2-Tetrachloroethane	< 0.52	ug/l	0.52	1.7	1	8260B		6/17/2015	CJR	1
1,1,1,2-Tetrachloroethane	< 0.48	ug/l	0.48	1.5	1	8260B		6/17/2015	CJR	1
Tetrachloroethene	< 0.74	ug/l	0.74	2.4	1	8260B		6/17/2015	CJR	1
Toluene	1.23 "J"	ug/l	0.44	1.4	1	8260B		6/17/2015	CJR	1
1,2,4-Trichlorobenzene	< 1.7	ug/l	1.7	5.6	1	8260B		6/17/2015	CJR	1
1,2,3-Trichlorobenzene	< 2.7	ug/l	2.7	8.6	1	8260B		6/17/2015	CJR	1
1,1,1-Trichloroethane	< 0.84	ug/l	0.84	2.7	1	8260B		6/17/2015	CJR	1
1,1,2-Trichloroethane	< 0.48	ug/l	0.48	1.52	1	8260B		6/17/2015	CJR	1
Trichloroethene (TCE)	< 0.47	ug/l	0.47	1.5	1	8260B		6/17/2015	CJR	1
Trichlorofluoromethane	< 0.87	ug/l	0.87	2.8	1	8260B		6/17/2015	CJR	1
1,2,4-Trimethylbenzene	< 1.6	ug/l	1.6	5	1	8260B		6/17/2015	CJR	1
1,3,5-Trimethylbenzene	< 1.5	ug/l	1.5	4.8	1	8260B		6/17/2015	CJR	1
Vinyl Chloride	< 0.17	ug/l	0.17	0.54	1	8260B		6/17/2015	CJR	1
m&p-Xylene	< 2.2	ug/l	2.2	6.9	1	8260B		6/17/2015	CJR	1
o-Xylene	< 0.9	ug/l	0.9	2.9	1	8260B		6/17/2015	CJR	1
SUR - 1,2-Dichloroethane-d4	95	REC %			1	8260B		6/17/2015	CJR	1
SUR - 4-Bromofluorobenzene	105	REC %			1	8260B		6/17/2015	CJR	1
SUR - Dibromofluoromethane	99	REC %			1	8260B		6/17/2015	CJR	1
SUR - Toluene-d8	100	REC %			1	8260B		6/17/2015	CJR	1

**Project Name** FMR ROBINSON DRY CLEANER  
**Project #** 6155 PO#2015465

**Invoice #** E29064

**Lab Code** 5029064T  
**Sample ID** 6155-EB-6  
**Sample Matrix** Water  
**Sample Date** 6/9/2015

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.44	ug/l	0.44	1.4	1	8260B		6/16/2015	CJR	1
Bromobenzene	< 0.48	ug/l	0.48	1.5	1	8260B		6/16/2015	CJR	1
Bromodichloromethane	< 0.46	ug/l	0.46	1.5	1	8260B		6/16/2015	CJR	1
Bromoform	< 0.46	ug/l	0.46	1.5	1	8260B		6/16/2015	CJR	1
tert-Butylbenzene	< 1.1	ug/l	1.1	3.4	1	8260B		6/16/2015	CJR	1
sec-Butylbenzene	< 1.2	ug/l	1.2	3.8	1	8260B		6/16/2015	CJR	1
n-Butylbenzene	< 1	ug/l	1	3.3	1	8260B		6/16/2015	CJR	1
Carbon Tetrachloride	< 0.65	ug/l	0.65	2.1	1	8260B		6/16/2015	CJR	1
Chlorobenzene	< 0.46	ug/l	0.46	1.4	1	8260B		6/16/2015	CJR	1
Chloroethane	< 0.65	ug/l	0.65	2.1	1	8260B		6/16/2015	CJR	1
Chloroform	< 0.43	ug/l	0.43	1.4	1	8260B		6/16/2015	CJR	1
Chloromethane	< 1.9	ug/l	1.9	6	1	8260B		6/16/2015	CJR	1
2-Chlorotoluene	< 0.4	ug/l	0.4	1.3	1	8260B		6/16/2015	CJR	1
4-Chlorotoluene	< 0.63	ug/l	0.63	2	1	8260B		6/16/2015	CJR	1
1,2-Dibromo-3-chloropropane	< 1.4	ug/l	1.4	4.5	1	8260B		6/16/2015	CJR	1
Dibromochloromethane	< 0.45	ug/l	0.45	1.4	1	8260B		6/16/2015	CJR	1
1,4-Dichlorobenzene	< 0.49	ug/l	0.49	1.6	1	8260B		6/16/2015	CJR	1
1,3-Dichlorobenzene	< 0.52	ug/l	0.52	1.6	1	8260B		6/16/2015	CJR	1
1,2-Dichlorobenzene	< 0.46	ug/l	0.46	1.5	1	8260B		6/16/2015	CJR	1
Dichlorodifluoromethane	< 0.87	ug/l	0.87	2.8	1	8260B		6/16/2015	CJR	1
1,2-Dichloroethane	< 0.54	ug/l	0.54	1.7	1	8260B		6/16/2015	CJR	1
1,1-Dichloroethane	< 1.1	ug/l	1.1	3.6	1	8260B		6/16/2015	CJR	1
1,1-Dichloroethene	< 0.65	ug/l	0.65	2.1	1	8260B		6/16/2015	CJR	1
cis-1,2-Dichloroethene	< 0.45	ug/l	0.45	1.4	1	8260B		6/16/2015	CJR	1
trans-1,2-Dichloroethene	< 0.54	ug/l	0.54	1.7	1	8260B		6/16/2015	CJR	1
1,2-Dichloropropane	< 0.43	ug/l	0.43	1.37	1	8260B		6/16/2015	CJR	1
2,2-Dichloropropane	< 3.1	ug/l	3.1	9.8	1	8260B		6/16/2015	CJR	1
1,3-Dichloropropane	< 0.42	ug/l	0.42	1.3	1	8260B		6/16/2015	CJR	1
Di-isopropyl ether	< 0.44	ug/l	0.44	1.4	1	8260B		6/16/2015	CJR	1
EDB (1,2-Dibromoethane)	< 0.63	ug/l	0.63	2	1	8260B		6/16/2015	CJR	1
Ethylbenzene	< 0.71	ug/l	0.71	2.3	1	8260B		6/16/2015	CJR	1
Hexachlorobutadiene	< 2.2	ug/l	2.2	7.1	1	8260B		6/16/2015	CJR	1
Isopropylbenzene	< 0.82	ug/l	0.82	2.6	1	8260B		6/16/2015	CJR	1
p-Isopropyltoluene	< 1.1	ug/l	1.1	3.5	1	8260B		6/16/2015	CJR	1
Methylene chloride	< 1.3	ug/l	1.3	4.2	1	8260B		6/16/2015	CJR	1
Methyl tert-butyl ether (MTBE)	< 1.1	ug/l	1.1	3.7	1	8260B		6/16/2015	CJR	1
Naphthalene	< 1.6	ug/l	1.6	5.2	1	8260B		6/16/2015	CJR	1
n-Propylbenzene	< 0.77	ug/l	0.77	2.4	1	8260B		6/16/2015	CJR	1
1,1,2,2-Tetrachloroethane	< 0.52	ug/l	0.52	1.7	1	8260B		6/16/2015	CJR	1
1,1,1,2-Tetrachloroethane	< 0.48	ug/l	0.48	1.5	1	8260B		6/16/2015	CJR	1
Tetrachloroethene	< 0.74	ug/l	0.74	2.4	1	8260B		6/16/2015	CJR	1
Toluene	< 0.44	ug/l	0.44	1.4	1	8260B		6/16/2015	CJR	1
1,2,4-Trichlorobenzene	< 1.7	ug/l	1.7	5.6	1	8260B		6/16/2015	CJR	1
1,2,3-Trichlorobenzene	< 2.7	ug/l	2.7	8.6	1	8260B		6/16/2015	CJR	1
1,1,1-Trichloroethane	< 0.84	ug/l	0.84	2.7	1	8260B		6/16/2015	CJR	1
1,1,2-Trichloroethane	< 0.48	ug/l	0.48	1.52	1	8260B		6/16/2015	CJR	1
Trichloroethene (TCE)	< 0.47	ug/l	0.47	1.5	1	8260B		6/16/2015	CJR	1
Trichlorofluoromethane	< 0.87	ug/l	0.87	2.8	1	8260B		6/16/2015	CJR	1
1,2,4-Trimethylbenzene	< 1.6	ug/l	1.6	5	1	8260B		6/16/2015	CJR	1
1,3,5-Trimethylbenzene	< 1.5	ug/l	1.5	4.8	1	8260B		6/16/2015	CJR	1
Vinyl Chloride	< 0.17	ug/l	0.17	0.54	1	8260B		6/16/2015	CJR	1
m&p-Xylene	< 2.2	ug/l	2.2	6.9	1	8260B		6/16/2015	CJR	1
o-Xylene	< 0.9	ug/l	0.9	2.9	1	8260B		6/16/2015	CJR	1
SUR - 4-Bromofluorobenzene	104	REC %			1	8260B		6/16/2015	CJR	1
SUR - Dibromofluoromethane	102	REC %			1	8260B		6/16/2015	CJR	1
SUR - 1,2-Dichloroethane-d4	102	REC %			1	8260B		6/16/2015	CJR	1
SUR - Toluene-d8	99	REC %			1	8260B		6/16/2015	CJR	1

Project Name FMR ROBINSON DRY CLEANER  
 Project # 6155 PO#2015465

Invoice # E29064

Lab Code 5029064U  
 Sample ID 6155-PZ-40D  
 Sample Matrix Water  
 Sample Date 6/8/2015

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.44	ug/l	0.44	1.4	1	8260B		6/16/2015	CJR	1
Bromobenzene	< 0.48	ug/l	0.48	1.5	1	8260B		6/16/2015	CJR	1
Bromodichloromethane	< 0.46	ug/l	0.46	1.5	1	8260B		6/16/2015	CJR	1
Bromoform	< 0.46	ug/l	0.46	1.5	1	8260B		6/16/2015	CJR	1
tert-Butylbenzene	< 1.1	ug/l	1.1	3.4	1	8260B		6/16/2015	CJR	1
sec-Butylbenzene	< 1.2	ug/l	1.2	3.8	1	8260B		6/16/2015	CJR	1
n-Butylbenzene	< 1	ug/l	1	3.3	1	8260B		6/16/2015	CJR	1
Carbon Tetrachloride	< 0.65	ug/l	0.65	2.1	1	8260B		6/16/2015	CJR	1
Chlorobenzene	< 0.46	ug/l	0.46	1.4	1	8260B		6/16/2015	CJR	1
Chloroethane	< 0.65	ug/l	0.65	2.1	1	8260B		6/16/2015	CJR	1
Chloroform	< 0.43	ug/l	0.43	1.4	1	8260B		6/16/2015	CJR	1
Chloromethane	< 1.9	ug/l	1.9	6	1	8260B		6/16/2015	CJR	1
2-Chlorotoluene	< 0.4	ug/l	0.4	1.3	1	8260B		6/16/2015	CJR	1
4-Chlorotoluene	< 0.63	ug/l	0.63	2	1	8260B		6/16/2015	CJR	1
1,2-Dibromo-3-chloropropane	< 1.4	ug/l	1.4	4.5	1	8260B		6/16/2015	CJR	1
Dibromochloromethane	< 0.45	ug/l	0.45	1.4	1	8260B		6/16/2015	CJR	1
1,4-Dichlorobenzene	< 0.49	ug/l	0.49	1.6	1	8260B		6/16/2015	CJR	1
1,3-Dichlorobenzene	< 0.52	ug/l	0.52	1.6	1	8260B		6/16/2015	CJR	1
1,2-Dichlorobenzene	< 0.46	ug/l	0.46	1.5	1	8260B		6/16/2015	CJR	1
Dichlorodifluoromethane	< 0.87	ug/l	0.87	2.8	1	8260B		6/16/2015	CJR	1
1,2-Dichloroethane	< 0.54	ug/l	0.54	1.7	1	8260B		6/16/2015	CJR	1
1,1-Dichloroethane	< 1.1	ug/l	1.1	3.6	1	8260B		6/16/2015	CJR	1
1,1-Dichloroethene	< 0.65	ug/l	0.65	2.1	1	8260B		6/16/2015	CJR	1
cis-1,2-Dichloroethene	< 0.45	ug/l	0.45	1.4	1	8260B		6/16/2015	CJR	1
trans-1,2-Dichloroethene	< 0.54	ug/l	0.54	1.7	1	8260B		6/16/2015	CJR	1
1,2-Dichloropropane	< 0.43	ug/l	0.43	1.37	1	8260B		6/16/2015	CJR	1
2,2-Dichloropropane	< 3.1	ug/l	3.1	9.8	1	8260B		6/16/2015	CJR	1
1,3-Dichloropropane	< 0.42	ug/l	0.42	1.3	1	8260B		6/16/2015	CJR	1
Di-isopropyl ether	< 0.44	ug/l	0.44	1.4	1	8260B		6/16/2015	CJR	1
EDB (1,2-Dibromoethane)	< 0.63	ug/l	0.63	2	1	8260B		6/16/2015	CJR	1
Ethylbenzene	< 0.71	ug/l	0.71	2.3	1	8260B		6/16/2015	CJR	1
Hexachlorobutadiene	< 2.2	ug/l	2.2	7.1	1	8260B		6/16/2015	CJR	1
Isopropylbenzene	< 0.82	ug/l	0.82	2.6	1	8260B		6/16/2015	CJR	1
p-Isopropyltoluene	< 1.1	ug/l	1.1	3.5	1	8260B		6/16/2015	CJR	1
Methylene chloride	< 1.3	ug/l	1.3	4.2	1	8260B		6/16/2015	CJR	1
Methyl tert-butyl ether (MTBE)	< 1.1	ug/l	1.1	3.7	1	8260B		6/16/2015	CJR	1
Naphthalene	< 1.6	ug/l	1.6	5.2	1	8260B		6/16/2015	CJR	1
n-Propylbenzene	< 0.77	ug/l	0.77	2.4	1	8260B		6/16/2015	CJR	1
1,1,2,2-Tetrachloroethane	< 0.52	ug/l	0.52	1.7	1	8260B		6/16/2015	CJR	1
1,1,1,2-Tetrachloroethane	< 0.48	ug/l	0.48	1.5	1	8260B		6/16/2015	CJR	1
Tetrachloroethene	< 0.74	ug/l	0.74	2.4	1	8260B		6/16/2015	CJR	1
Toluene	< 0.44	ug/l	0.44	1.4	1	8260B		6/16/2015	CJR	1
1,2,4-Trichlorobenzene	< 1.7	ug/l	1.7	5.6	1	8260B		6/16/2015	CJR	1
1,2,3-Trichlorobenzene	< 2.7	ug/l	2.7	8.6	1	8260B		6/16/2015	CJR	1
1,1,1-Trichloroethane	< 0.84	ug/l	0.84	2.7	1	8260B		6/16/2015	CJR	1
1,1,2-Trichloroethane	< 0.48	ug/l	0.48	1.52	1	8260B		6/16/2015	CJR	1
Trichloroethene (TCE)	< 0.47	ug/l	0.47	1.5	1	8260B		6/16/2015	CJR	1
Trichlorofluoromethane	< 0.87	ug/l	0.87	2.8	1	8260B		6/16/2015	CJR	1
1,2,4-Trimethylbenzene	< 1.6	ug/l	1.6	5	1	8260B		6/16/2015	CJR	1
1,3,5-Trimethylbenzene	< 1.5	ug/l	1.5	4.8	1	8260B		6/16/2015	CJR	1
Vinyl Chloride	< 0.17	ug/l	0.17	0.54	1	8260B		6/16/2015	CJR	1
m&p-Xylene	< 2.2	ug/l	2.2	6.9	1	8260B		6/16/2015	CJR	1
o-Xylene	< 0.9	ug/l	0.9	2.9	1	8260B		6/16/2015	CJR	1
SUR - 1,2-Dichloroethane-d4	110	REC %			1	8260B		6/16/2015	CJR	1
SUR - Toluene-d8	99	REC %			1	8260B		6/16/2015	CJR	1
SUR - 4-Bromofluorobenzene	107	REC %			1	8260B		6/16/2015	CJR	1
SUR - Dibromofluoromethane	106	REC %			1	8260B		6/16/2015	CJR	1

**Project Name** FMR ROBINSON DRY CLEANER  
**Project #** 6155 PO#2015465

**Invoice #** E29064

**Lab Code** 5029064V  
**Sample ID** 6155-MW-40S  
**Sample Matrix** Water  
**Sample Date** 6/8/2015

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.44	ug/l	0.44	1.4	1	8260B		6/16/2015	CJR	1
Bromobenzene	< 0.48	ug/l	0.48	1.5	1	8260B		6/16/2015	CJR	1
Bromodichloromethane	< 0.46	ug/l	0.46	1.5	1	8260B		6/16/2015	CJR	1
Bromoform	< 0.46	ug/l	0.46	1.5	1	8260B		6/16/2015	CJR	1
tert-Butylbenzene	< 1.1	ug/l	1.1	3.4	1	8260B		6/16/2015	CJR	1
sec-Butylbenzene	< 1.2	ug/l	1.2	3.8	1	8260B		6/16/2015	CJR	1
n-Butylbenzene	< 1	ug/l	1	3.3	1	8260B		6/16/2015	CJR	1
Carbon Tetrachloride	< 0.65	ug/l	0.65	2.1	1	8260B		6/16/2015	CJR	1
Chlorobenzene	< 0.46	ug/l	0.46	1.4	1	8260B		6/16/2015	CJR	1
Chloroethane	< 0.65	ug/l	0.65	2.1	1	8260B		6/16/2015	CJR	1
Chloroform	< 0.43	ug/l	0.43	1.4	1	8260B		6/16/2015	CJR	1
Chloromethane	< 1.9	ug/l	1.9	6	1	8260B		6/16/2015	CJR	1
2-Chlorotoluene	< 0.4	ug/l	0.4	1.3	1	8260B		6/16/2015	CJR	1
4-Chlorotoluene	< 0.63	ug/l	0.63	2	1	8260B		6/16/2015	CJR	1
1,2-Dibromo-3-chloropropane	< 1.4	ug/l	1.4	4.5	1	8260B		6/16/2015	CJR	1
Dibromochloromethane	< 0.45	ug/l	0.45	1.4	1	8260B		6/16/2015	CJR	1
1,4-Dichlorobenzene	< 0.49	ug/l	0.49	1.6	1	8260B		6/16/2015	CJR	1
1,3-Dichlorobenzene	< 0.52	ug/l	0.52	1.6	1	8260B		6/16/2015	CJR	1
1,2-Dichlorobenzene	< 0.46	ug/l	0.46	1.5	1	8260B		6/16/2015	CJR	1
Dichlorodifluoromethane	< 0.87	ug/l	0.87	2.8	1	8260B		6/16/2015	CJR	1
1,2-Dichloroethane	< 0.54	ug/l	0.54	1.7	1	8260B		6/16/2015	CJR	1
1,1-Dichloroethane	< 1.1	ug/l	1.1	3.6	1	8260B		6/16/2015	CJR	1
1,1-Dichloroethene	< 0.65	ug/l	0.65	2.1	1	8260B		6/16/2015	CJR	1
cis-1,2-Dichloroethene	< 0.45	ug/l	0.45	1.4	1	8260B		6/16/2015	CJR	1
trans-1,2-Dichloroethene	< 0.54	ug/l	0.54	1.7	1	8260B		6/16/2015	CJR	1
1,2-Dichloropropane	< 0.43	ug/l	0.43	1.37	1	8260B		6/16/2015	CJR	1
2,2-Dichloropropane	< 3.1	ug/l	3.1	9.8	1	8260B		6/16/2015	CJR	1
1,3-Dichloropropane	< 0.42	ug/l	0.42	1.3	1	8260B		6/16/2015	CJR	1
Di-isopropyl ether	< 0.44	ug/l	0.44	1.4	1	8260B		6/16/2015	CJR	1
EDB (1,2-Dibromoethane)	< 0.63	ug/l	0.63	2	1	8260B		6/16/2015	CJR	1
Ethylbenzene	< 0.71	ug/l	0.71	2.3	1	8260B		6/16/2015	CJR	1
Hexachlorobutadiene	< 2.2	ug/l	2.2	7.1	1	8260B		6/16/2015	CJR	1
Isopropylbenzene	< 0.82	ug/l	0.82	2.6	1	8260B		6/16/2015	CJR	1
p-Isopropyltoluene	< 1.1	ug/l	1.1	3.5	1	8260B		6/16/2015	CJR	1
Methylene chloride	< 1.3	ug/l	1.3	4.2	1	8260B		6/16/2015	CJR	1
Methyl tert-butyl ether (MTBE)	< 1.1	ug/l	1.1	3.7	1	8260B		6/16/2015	CJR	1
Naphthalene	< 1.6	ug/l	1.6	5.2	1	8260B		6/16/2015	CJR	1
n-Propylbenzene	< 0.77	ug/l	0.77	2.4	1	8260B		6/16/2015	CJR	1
1,1,2,2-Tetrachloroethane	< 0.52	ug/l	0.52	1.7	1	8260B		6/16/2015	CJR	1
1,1,1,2-Tetrachloroethane	< 0.48	ug/l	0.48	1.5	1	8260B		6/16/2015	CJR	1
Tetrachloroethene	< 0.74	ug/l	0.74	2.4	1	8260B		6/16/2015	CJR	1
Toluene	< 0.44	ug/l	0.44	1.4	1	8260B		6/16/2015	CJR	1
1,2,4-Trichlorobenzene	< 1.7	ug/l	1.7	5.6	1	8260B		6/16/2015	CJR	1
1,2,3-Trichlorobenzene	< 2.7	ug/l	2.7	8.6	1	8260B		6/16/2015	CJR	1
1,1,1-Trichloroethane	< 0.84	ug/l	0.84	2.7	1	8260B		6/16/2015	CJR	1
1,1,2-Trichloroethane	< 0.48	ug/l	0.48	1.52	1	8260B		6/16/2015	CJR	1
Trichloroethene (TCE)	< 0.47	ug/l	0.47	1.5	1	8260B		6/16/2015	CJR	1
Trichlorofluoromethane	< 0.87	ug/l	0.87	2.8	1	8260B		6/16/2015	CJR	1
1,2,4-Trimethylbenzene	< 1.6	ug/l	1.6	5	1	8260B		6/16/2015	CJR	1
1,3,5-Trimethylbenzene	< 1.5	ug/l	1.5	4.8	1	8260B		6/16/2015	CJR	1
Vinyl Chloride	< 0.17	ug/l	0.17	0.54	1	8260B		6/16/2015	CJR	1
m&p-Xylene	< 2.2	ug/l	2.2	6.9	1	8260B		6/16/2015	CJR	1
o-Xylene	< 0.9	ug/l	0.9	2.9	1	8260B		6/16/2015	CJR	1
SUR - 4-Bromofluorobenzene	102	REC %			1	8260B		6/16/2015	CJR	1
SUR - Dibromofluoromethane	98	REC %			1	8260B		6/16/2015	CJR	1
SUR - Toluene-d8	102	REC %			1	8260B		6/16/2015	CJR	1
SUR - 1,2-Dichloroethane-d4	100	REC %			1	8260B		6/16/2015	CJR	1



**Project Name** FMR ROBINSON DRY CLEANER  
**Project #** 6155 PO#2015465

**Invoice #** E29064

**Lab Code** 5029064W  
**Sample ID** 6155-MW-20S  
**Sample Matrix** Water  
**Sample Date** 6/9/2015

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.44	ug/l	0.44	1.4	1	8260B		6/16/2015	CJR	1
Bromobenzene	< 0.48	ug/l	0.48	1.5	1	8260B		6/16/2015	CJR	1
Bromodichloromethane	< 0.46	ug/l	0.46	1.5	1	8260B		6/16/2015	CJR	1
Bromoform	< 0.46	ug/l	0.46	1.5	1	8260B		6/16/2015	CJR	1
tert-Butylbenzene	< 1.1	ug/l	1.1	3.4	1	8260B		6/16/2015	CJR	1
sec-Butylbenzene	< 1.2	ug/l	1.2	3.8	1	8260B		6/16/2015	CJR	1
n-Butylbenzene	< 1	ug/l	1	3.3	1	8260B		6/16/2015	CJR	1
Carbon Tetrachloride	< 0.65	ug/l	0.65	2.1	1	8260B		6/16/2015	CJR	1
Chlorobenzene	< 0.46	ug/l	0.46	1.4	1	8260B		6/16/2015	CJR	1
Chloroethane	< 0.65	ug/l	0.65	2.1	1	8260B		6/16/2015	CJR	1
Chloroform	< 0.43	ug/l	0.43	1.4	1	8260B		6/16/2015	CJR	1
Chloromethane	< 1.9	ug/l	1.9	6	1	8260B		6/16/2015	CJR	1
2-Chlorotoluene	< 0.4	ug/l	0.4	1.3	1	8260B		6/16/2015	CJR	1
4-Chlorotoluene	< 0.63	ug/l	0.63	2	1	8260B		6/16/2015	CJR	1
1,2-Dibromo-3-chloropropane	< 1.4	ug/l	1.4	4.5	1	8260B		6/16/2015	CJR	1
Dibromochloromethane	< 0.45	ug/l	0.45	1.4	1	8260B		6/16/2015	CJR	1
1,4-Dichlorobenzene	< 0.49	ug/l	0.49	1.6	1	8260B		6/16/2015	CJR	1
1,3-Dichlorobenzene	< 0.52	ug/l	0.52	1.6	1	8260B		6/16/2015	CJR	1
1,2-Dichlorobenzene	< 0.46	ug/l	0.46	1.5	1	8260B		6/16/2015	CJR	1
Dichlorodifluoromethane	< 0.87	ug/l	0.87	2.8	1	8260B		6/16/2015	CJR	1
1,2-Dichloroethane	< 0.54	ug/l	0.54	1.7	1	8260B		6/16/2015	CJR	1
1,1-Dichloroethane	< 1.1	ug/l	1.1	3.6	1	8260B		6/16/2015	CJR	1
1,1-Dichloroethene	< 0.65	ug/l	0.65	2.1	1	8260B		6/16/2015	CJR	1
cis-1,2-Dichloroethene	13.3	ug/l	0.45	1.4	1	8260B		6/16/2015	CJR	1
trans-1,2-Dichloroethene	0.98 "J"	ug/l	0.54	1.7	1	8260B		6/16/2015	CJR	1
1,2-Dichloropropane	< 0.43	ug/l	0.43	1.37	1	8260B		6/16/2015	CJR	1
2,2-Dichloropropane	< 3.1	ug/l	3.1	9.8	1	8260B		6/16/2015	CJR	1
1,3-Dichloropropane	< 0.42	ug/l	0.42	1.3	1	8260B		6/16/2015	CJR	1
Di-isopropyl ether	< 0.44	ug/l	0.44	1.4	1	8260B		6/16/2015	CJR	1
EDB (1,2-Dibromoethane)	< 0.63	ug/l	0.63	2	1	8260B		6/16/2015	CJR	1
Ethylbenzene	< 0.71	ug/l	0.71	2.3	1	8260B		6/16/2015	CJR	1
Hexachlorobutadiene	< 2.2	ug/l	2.2	7.1	1	8260B		6/16/2015	CJR	1
Isopropylbenzene	< 0.82	ug/l	0.82	2.6	1	8260B		6/16/2015	CJR	1
p-Isopropyltoluene	< 1.1	ug/l	1.1	3.5	1	8260B		6/16/2015	CJR	1
Methylene chloride	< 1.3	ug/l	1.3	4.2	1	8260B		6/16/2015	CJR	1
Methyl tert-butyl ether (MTBE)	< 1.1	ug/l	1.1	3.7	1	8260B		6/16/2015	CJR	1
Naphthalene	< 1.6	ug/l	1.6	5.2	1	8260B		6/16/2015	CJR	1
n-Propylbenzene	< 0.77	ug/l	0.77	2.4	1	8260B		6/16/2015	CJR	1
1,1,2,2-Tetrachloroethane	< 0.52	ug/l	0.52	1.7	1	8260B		6/16/2015	CJR	1
1,1,1,2-Tetrachloroethane	< 0.48	ug/l	0.48	1.5	1	8260B		6/16/2015	CJR	1
Tetrachloroethene	4.4	ug/l	0.74	2.4	1	8260B		6/16/2015	CJR	1
Toluene	< 0.44	ug/l	0.44	1.4	1	8260B		6/16/2015	CJR	1
1,2,4-Trichlorobenzene	< 1.7	ug/l	1.7	5.6	1	8260B		6/16/2015	CJR	1
1,2,3-Trichlorobenzene	< 2.7	ug/l	2.7	8.6	1	8260B		6/16/2015	CJR	1
1,1,1-Trichloroethane	< 0.84	ug/l	0.84	2.7	1	8260B		6/16/2015	CJR	1
1,1,2-Trichloroethane	< 0.48	ug/l	0.48	1.52	1	8260B		6/16/2015	CJR	1
Trichloroethene (TCE)	1.15 "J"	ug/l	0.47	1.5	1	8260B		6/16/2015	CJR	1
Trichlorofluoromethane	< 0.87	ug/l	0.87	2.8	1	8260B		6/16/2015	CJR	1
1,2,4-Trimethylbenzene	< 1.6	ug/l	1.6	5	1	8260B		6/16/2015	CJR	1
1,3,5-Trimethylbenzene	< 1.5	ug/l	1.5	4.8	1	8260B		6/16/2015	CJR	1
Vinyl Chloride	< 0.17	ug/l	0.17	0.54	1	8260B		6/16/2015	CJR	1
m&p-Xylene	< 2.2	ug/l	2.2	6.9	1	8260B		6/16/2015	CJR	1
o-Xylene	< 0.9	ug/l	0.9	2.9	1	8260B		6/16/2015	CJR	1
SUR - 1,2-Dichloroethane-d4	96	REC %			1	8260B		6/16/2015	CJR	1
SUR - 4-Bromofluorobenzene	107	REC %			1	8260B		6/16/2015	CJR	1
SUR - Dibromofluoromethane	101	REC %			1	8260B		6/16/2015	CJR	1
SUR - Toluene-d8	104	REC %			1	8260B		6/16/2015	CJR	1

Project Name FMR ROBINSON DRY CLEANER  
 Project # 6155 PO#2015465

Invoice # E29064

Lab Code 5029064X  
 Sample ID 6155-MW-20D  
 Sample Matrix Water  
 Sample Date 6/9/2015

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.44	ug/l	0.44	1.4	1	8260B		6/17/2015	CJR	1
Bromobenzene	< 0.48	ug/l	0.48	1.5	1	8260B		6/17/2015	CJR	1
Bromodichloromethane	< 0.46	ug/l	0.46	1.5	1	8260B		6/17/2015	CJR	1
Bromoform	< 0.46	ug/l	0.46	1.5	1	8260B		6/17/2015	CJR	1
tert-Butylbenzene	< 1.1	ug/l	1.1	3.4	1	8260B		6/17/2015	CJR	1
sec-Butylbenzene	< 1.2	ug/l	1.2	3.8	1	8260B		6/17/2015	CJR	1
n-Butylbenzene	< 1	ug/l	1	3.3	1	8260B		6/17/2015	CJR	1
Carbon Tetrachloride	< 0.65	ug/l	0.65	2.1	1	8260B		6/17/2015	CJR	1
Chlorobenzene	< 0.46	ug/l	0.46	1.4	1	8260B		6/17/2015	CJR	1
Chloroethane	< 0.65	ug/l	0.65	2.1	1	8260B		6/17/2015	CJR	1
Chloroform	< 0.43	ug/l	0.43	1.4	1	8260B		6/17/2015	CJR	1
Chloromethane	< 1.9	ug/l	1.9	6	1	8260B		6/17/2015	CJR	1
2-Chlorotoluene	< 0.4	ug/l	0.4	1.3	1	8260B		6/17/2015	CJR	1
4-Chlorotoluene	< 0.63	ug/l	0.63	2	1	8260B		6/17/2015	CJR	1
1,2-Dibromo-3-chloropropane	< 1.4	ug/l	1.4	4.5	1	8260B		6/17/2015	CJR	1
Dibromochloromethane	< 0.45	ug/l	0.45	1.4	1	8260B		6/17/2015	CJR	1
1,4-Dichlorobenzene	< 0.49	ug/l	0.49	1.6	1	8260B		6/17/2015	CJR	1
1,3-Dichlorobenzene	< 0.52	ug/l	0.52	1.6	1	8260B		6/17/2015	CJR	1
1,2-Dichlorobenzene	< 0.46	ug/l	0.46	1.5	1	8260B		6/17/2015	CJR	1
Dichlorodifluoromethane	< 0.87	ug/l	0.87	2.8	1	8260B		6/17/2015	CJR	1
1,2-Dichloroethane	< 0.54	ug/l	0.54	1.7	1	8260B		6/17/2015	CJR	1
1,1-Dichloroethane	< 1.1	ug/l	1.1	3.6	1	8260B		6/17/2015	CJR	1
1,1-Dichloroethene	< 0.65	ug/l	0.65	2.1	1	8260B		6/17/2015	CJR	1
cis-1,2-Dichloroethene	18.1	ug/l	0.45	1.4	1	8260B		6/17/2015	CJR	1
trans-1,2-Dichloroethene	0.84 "J"	ug/l	0.54	1.7	1	8260B		6/17/2015	CJR	1
1,2-Dichloropropane	< 0.43	ug/l	0.43	1.37	1	8260B		6/17/2015	CJR	1
2,2-Dichloropropane	< 3.1	ug/l	3.1	9.8	1	8260B		6/17/2015	CJR	1
1,3-Dichloropropane	< 0.42	ug/l	0.42	1.3	1	8260B		6/17/2015	CJR	1
Di-isopropyl ether	< 0.44	ug/l	0.44	1.4	1	8260B		6/17/2015	CJR	1
EDB (1,2-Dibromoethane)	< 0.63	ug/l	0.63	2	1	8260B		6/17/2015	CJR	1
Ethylbenzene	< 0.71	ug/l	0.71	2.3	1	8260B		6/17/2015	CJR	1
Hexachlorobutadiene	< 2.2	ug/l	2.2	7.1	1	8260B		6/17/2015	CJR	1
Isopropylbenzene	< 0.82	ug/l	0.82	2.6	1	8260B		6/17/2015	CJR	1
p-Isopropyltoluene	< 1.1	ug/l	1.1	3.5	1	8260B		6/17/2015	CJR	1
Methylene chloride	< 1.3	ug/l	1.3	4.2	1	8260B		6/17/2015	CJR	1
Methyl tert-butyl ether (MTBE)	< 1.1	ug/l	1.1	3.7	1	8260B		6/17/2015	CJR	1
Naphthalene	< 1.6	ug/l	1.6	5.2	1	8260B		6/17/2015	CJR	4
n-Propylbenzene	< 0.77	ug/l	0.77	2.4	1	8260B		6/17/2015	CJR	1
1,1,2,2-Tetrachloroethane	< 0.52	ug/l	0.52	1.7	1	8260B		6/17/2015	CJR	1
1,1,1,2-Tetrachloroethane	< 0.48	ug/l	0.48	1.5	1	8260B		6/17/2015	CJR	1
Tetrachloroethene	45	ug/l	0.74	2.4	1	8260B		6/17/2015	CJR	1
Toluene	< 0.44	ug/l	0.44	1.4	1	8260B		6/17/2015	CJR	1
1,2,4-Trichlorobenzene	< 1.7	ug/l	1.7	5.6	1	8260B		6/17/2015	CJR	1
1,2,3-Trichlorobenzene	< 2.7	ug/l	2.7	8.6	1	8260B		6/17/2015	CJR	1
1,1,1-Trichloroethane	< 0.84	ug/l	0.84	2.7	1	8260B		6/17/2015	CJR	1
1,1,2-Trichloroethane	< 0.48	ug/l	0.48	1.52	1	8260B		6/17/2015	CJR	1
Trichloroethene (TCE)	4.5	ug/l	0.47	1.5	1	8260B		6/17/2015	CJR	1
Trichlorofluoromethane	< 0.87	ug/l	0.87	2.8	1	8260B		6/17/2015	CJR	1
1,2,4-Trimethylbenzene	< 1.6	ug/l	1.6	5	1	8260B		6/17/2015	CJR	1
1,3,5-Trimethylbenzene	< 1.5	ug/l	1.5	4.8	1	8260B		6/17/2015	CJR	1
Vinyl Chloride	< 0.17	ug/l	0.17	0.54	1	8260B		6/17/2015	CJR	1
m&p-Xylene	< 2.2	ug/l	2.2	6.9	1	8260B		6/17/2015	CJR	1
o-Xylene	< 0.9	ug/l	0.9	2.9	1	8260B		6/17/2015	CJR	1
SUR - 1,2-Dichloroethane-d4	102	REC %			1	8260B		6/17/2015	CJR	1
SUR - 4-Bromofluorobenzene	103	REC %			1	8260B		6/17/2015	CJR	1
SUR - Dibromofluoromethane	104	REC %			1	8260B		6/17/2015	CJR	1
SUR - Toluene-d8	100	REC %			1	8260B		6/17/2015	CJR	1

Project Name FMR ROBINSON DRY CLEANER  
 Project # 6155 PO#2015465

Invoice # E29064

Lab Code 5029064Y  
 Sample ID 6155-DUP-1  
 Sample Matrix Water  
 Sample Date 6/8/2015

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 22	ug/l	22	70	50	8260B		6/16/2015	CJR	1
Bromobenzene	< 24	ug/l	24	75	50	8260B		6/16/2015	CJR	1
Bromodichloromethane	< 23	ug/l	23	75	50	8260B		6/16/2015	CJR	1
Bromoform	< 23	ug/l	23	75	50	8260B		6/16/2015	CJR	1
tert-Butylbenzene	< 55	ug/l	55	170	50	8260B		6/16/2015	CJR	1
sec-Butylbenzene	< 60	ug/l	60	190	50	8260B		6/16/2015	CJR	1
n-Butylbenzene	< 50	ug/l	50	165	50	8260B		6/16/2015	CJR	1
Carbon Tetrachloride	< 32.5	ug/l	32.5	105	50	8260B		6/16/2015	CJR	1
Chlorobenzene	< 23	ug/l	23	70	50	8260B		6/16/2015	CJR	1
Chloroethane	< 32.5	ug/l	32.5	105	50	8260B		6/16/2015	CJR	1
Chloroform	< 21.5	ug/l	21.5	70	50	8260B		6/16/2015	CJR	1
Chloromethane	< 95	ug/l	95	300	50	8260B		6/16/2015	CJR	1
2-Chlorotoluene	< 20	ug/l	20	65	50	8260B		6/16/2015	CJR	1
4-Chlorotoluene	< 31.5	ug/l	31.5	100	50	8260B		6/16/2015	CJR	1
1,2-Dibromo-3-chloropropane	< 70	ug/l	70	225	50	8260B		6/16/2015	CJR	1
Dibromochloromethane	< 22.5	ug/l	22.5	70	50	8260B		6/16/2015	CJR	1
1,4-Dichlorobenzene	< 24.5	ug/l	24.5	80	50	8260B		6/16/2015	CJR	1
1,3-Dichlorobenzene	< 26	ug/l	26	80	50	8260B		6/16/2015	CJR	1
1,2-Dichlorobenzene	< 23	ug/l	23	75	50	8260B		6/16/2015	CJR	1
Dichlorodifluoromethane	< 43.5	ug/l	43.5	140	50	8260B		6/16/2015	CJR	1
1,2-Dichloroethane	< 27	ug/l	27	85	50	8260B		6/16/2015	CJR	1
1,1-Dichloroethane	< 55	ug/l	55	180	50	8260B		6/16/2015	CJR	1
1,1-Dichloroethene	< 32.5	ug/l	32.5	105	50	8260B		6/16/2015	CJR	1
cis-1,2-Dichloroethene	< 22.5	ug/l	22.5	70	50	8260B		6/16/2015	CJR	1
trans-1,2-Dichloroethene	< 27	ug/l	27	85	50	8260B		6/16/2015	CJR	1
1,2-Dichloropropane	< 21.5	ug/l	21.5	68.5	50	8260B		6/16/2015	CJR	1
2,2-Dichloropropane	< 155	ug/l	155	490	50	8260B		6/16/2015	CJR	1
1,3-Dichloropropane	< 21	ug/l	21	65	50	8260B		6/16/2015	CJR	1
Di-isopropyl ether	< 22	ug/l	22	70	50	8260B		6/16/2015	CJR	1
EDB (1,2-Dibromoethane)	< 31.5	ug/l	31.5	100	50	8260B		6/16/2015	CJR	1
Ethylbenzene	< 35.5	ug/l	35.5	115	50	8260B		6/16/2015	CJR	1
Hexachlorobutadiene	< 110	ug/l	110	355	50	8260B		6/16/2015	CJR	1
Isopropylbenzene	< 41	ug/l	41	130	50	8260B		6/16/2015	CJR	1
p-Isopropyltoluene	< 55	ug/l	55	175	50	8260B		6/16/2015	CJR	1
Methylene chloride	< 65	ug/l	65	210	50	8260B		6/16/2015	CJR	1
Methyl tert-butyl ether (MTBE)	< 55	ug/l	55	185	50	8260B		6/16/2015	CJR	1
Naphthalene	< 80	ug/l	80	260	50	8260B		6/16/2015	CJR	1
n-Propylbenzene	< 38.5	ug/l	38.5	120	50	8260B		6/16/2015	CJR	1
1,1,2,2-Tetrachloroethane	< 26	ug/l	26	85	50	8260B		6/16/2015	CJR	1
1,1,1,2-Tetrachloroethane	< 24	ug/l	24	75	50	8260B		6/16/2015	CJR	1
Tetrachloroethene	114 "J"	ug/l	37	120	50	8260B		6/16/2015	CJR	3
Toluene	< 22	ug/l	22	70	50	8260B		6/16/2015	CJR	1
1,2,4-Trichlorobenzene	< 85	ug/l	85	280	50	8260B		6/16/2015	CJR	1
1,2,3-Trichlorobenzene	< 135	ug/l	135	430	50	8260B		6/16/2015	CJR	1
1,1,1-Trichloroethane	< 42	ug/l	42	135	50	8260B		6/16/2015	CJR	1
1,1,2-Trichloroethane	< 24	ug/l	24	76	50	8260B		6/16/2015	CJR	1
Trichloroethene (TCE)	< 23.5	ug/l	23.5	75	50	8260B		6/16/2015	CJR	1
Trichlorofluoromethane	< 43.5	ug/l	43.5	140	50	8260B		6/16/2015	CJR	1
1,2,4-Trimethylbenzene	< 80	ug/l	80	250	50	8260B		6/16/2015	CJR	1
1,3,5-Trimethylbenzene	< 75	ug/l	75	240	50	8260B		6/16/2015	CJR	1
Vinyl Chloride	< 8.5	ug/l	8.5	27	50	8260B		6/16/2015	CJR	1
m&p-Xylene	< 110	ug/l	110	345	50	8260B		6/16/2015	CJR	1
o-Xylene	< 45	ug/l	45	145	50	8260B		6/16/2015	CJR	1
SUR - 1,2-Dichloroethane-d4	103	REC %				8260B		6/16/2015	CJR	1
SUR - Toluene-d8	100	REC %				8260B		6/16/2015	CJR	1
SUR - Dibromofluoromethane	102	REC %				8260B		6/16/2015	CJR	1
SUR - 4-Bromofluorobenzene	102	REC %				8260B		6/16/2015	CJR	1

**Project Name** FMR ROBINSON DRY CLEANER  
**Project #** 6155 PO#2015465

**Invoice #** E29064

**Lab Code** 5029064Z  
**Sample ID** 6155-DUP-2  
**Sample Matrix** Water  
**Sample Date** 6/8/2015

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Inorganic										
Metals										
Iron, Dissolved	0.24 "J"	mg/l	0.02	0.7	1	200.7		6/16/2015	CWT	1
Iron, Total	0.05 "J"	mg/l	0.02	0.7	1	200.7		6/16/2015	CWT	1
Manganese, Dissolved	< 4.5	ug/L	4.5	14.4	1	200.7		6/16/2015	CWT	1
Manganese, Total	< 4.5	ug/L	4.5	14.4	1	200.7		6/16/2015	CWT	1
Organic										
GASES										
Ethane	< 0.5	ug/l	0.5	1.5	1	8015		6/25/2015	MJR	1
Ethene	< 0.5	ug/l	0.5	1.5	1	8015		6/25/2015	MJR	1
Methane	< 1	ug/l	1	3	1	8015		6/25/2015	MJR	1
VOC's										
Benzene	< 4.4	ug/l	4.4	14	10	8260B		6/17/2015	CJR	1
Bromobenzene	< 4.8	ug/l	4.8	15	10	8260B		6/17/2015	CJR	1
Bromodichloromethane	< 4.6	ug/l	4.6	15	10	8260B		6/17/2015	CJR	1
Bromoform	< 4.6	ug/l	4.6	15	10	8260B		6/17/2015	CJR	1
tert-Butylbenzene	< 11	ug/l	11	34	10	8260B		6/17/2015	CJR	1
sec-Butylbenzene	< 12	ug/l	12	38	10	8260B		6/17/2015	CJR	1
n-Butylbenzene	< 10	ug/l	10	33	10	8260B		6/17/2015	CJR	1
Carbon Tetrachloride	< 6.5	ug/l	6.5	21	10	8260B		6/17/2015	CJR	1
Chlorobenzene	< 4.6	ug/l	4.6	14	10	8260B		6/17/2015	CJR	1
Chloroethane	< 6.5	ug/l	6.5	21	10	8260B		6/17/2015	CJR	1
Chloroform	< 4.3	ug/l	4.3	14	10	8260B		6/17/2015	CJR	1
Chloromethane	< 19	ug/l	19	60	10	8260B		6/17/2015	CJR	1
2-Chlorotoluene	< 4	ug/l	4	13	10	8260B		6/17/2015	CJR	1
4-Chlorotoluene	< 6.3	ug/l	6.3	20	10	8260B		6/17/2015	CJR	1
1,2-Dibromo-3-chloropropane	< 14	ug/l	14	45	10	8260B		6/17/2015	CJR	1
Dibromochloromethane	< 4.5	ug/l	4.5	14	10	8260B		6/17/2015	CJR	1
1,4-Dichlorobenzene	< 4.9	ug/l	4.9	16	10	8260B		6/17/2015	CJR	1
1,3-Dichlorobenzene	< 5.2	ug/l	5.2	16	10	8260B		6/17/2015	CJR	1
1,2-Dichlorobenzene	< 4.6	ug/l	4.6	15	10	8260B		6/17/2015	CJR	1
Dichlorodifluoromethane	< 8.7	ug/l	8.7	28	10	8260B		6/17/2015	CJR	1
1,2-Dichloroethane	< 5.4	ug/l	5.4	17	10	8260B		6/17/2015	CJR	1
1,1-Dichloroethane	< 11	ug/l	11	36	10	8260B		6/17/2015	CJR	1
1,1-Dichloroethene	< 6.5	ug/l	6.5	21	10	8260B		6/17/2015	CJR	1
cis-1,2-Dichloroethene	15.1	ug/l	4.5	14	10	8260B		6/17/2015	CJR	1
trans-1,2-Dichloroethene	< 5.4	ug/l	5.4	17	10	8260B		6/17/2015	CJR	1
1,2-Dichloropropane	< 4.3	ug/l	4.3	13.7	10	8260B		6/17/2015	CJR	1
2,2-Dichloropropane	< 31	ug/l	31	98	10	8260B		6/17/2015	CJR	1
1,3-Dichloropropane	< 4.2	ug/l	4.2	13	10	8260B		6/17/2015	CJR	1
Di-isopropyl ether	< 4.4	ug/l	4.4	14	10	8260B		6/17/2015	CJR	1
EDB (1,2-Dibromoethane)	< 6.3	ug/l	6.3	20	10	8260B		6/17/2015	CJR	1
Ethylbenzene	< 7.1	ug/l	7.1	23	10	8260B		6/17/2015	CJR	1
Hexachlorobutadiene	< 22	ug/l	22	71	10	8260B		6/17/2015	CJR	1
Isopropylbenzene	< 8.2	ug/l	8.2	26	10	8260B		6/17/2015	CJR	1
p-Isopropyltoluene	< 11	ug/l	11	35	10	8260B		6/17/2015	CJR	1
Methylene chloride	< 13	ug/l	13	42	10	8260B		6/17/2015	CJR	1
Methyl tert-butyl ether (MTBE)	< 11	ug/l	11	37	10	8260B		6/17/2015	CJR	1
Naphthalene	< 16	ug/l	16	52	10	8260B		6/17/2015	CJR	1
n-Propylbenzene	< 7.7	ug/l	7.7	24	10	8260B		6/17/2015	CJR	1
1,1,2,2-Tetrachloroethane	< 5.2	ug/l	5.2	17	10	8260B		6/17/2015	CJR	1
1,1,1,2-Tetrachloroethane	< 4.8	ug/l	4.8	15	10	8260B		6/17/2015	CJR	1
Tetrachloroethene	620	ug/l	7.4	24	10	8260B		6/17/2015	CJR	1
Toluene	< 4.4	ug/l	4.4	14	10	8260B		6/17/2015	CJR	1
1,2,4-Trichlorobenzene	< 17	ug/l	17	56	10	8260B		6/17/2015	CJR	1
1,2,3-Trichlorobenzene	< 27	ug/l	27	86	10	8260B		6/17/2015	CJR	1
1,1,1-Trichloroethane	< 8.4	ug/l	8.4	27	10	8260B		6/17/2015	CJR	1
1,1,2-Trichloroethane	< 4.8	ug/l	4.8	15.2	10	8260B		6/17/2015	CJR	1

**Project Name** FMR ROBINSON DRY CLEANER  
**Project #** 6155 PO#2015465

**Invoice #** E29064

**Lab Code** 5029064Z  
**Sample ID** 6155-DUP-2  
**Sample Matrix** Water  
**Sample Date** 6/8/2015

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Trichloroethene (TCE)	12.7 "J"	ug/l	4.7	15	10	8260B		6/17/2015	CJR	1
Trichlorofluoromethane	< 8.7	ug/l	8.7	28	10	8260B		6/17/2015	CJR	1
1,2,4-Trimethylbenzene	< 16	ug/l	16	50	10	8260B		6/17/2015	CJR	1
1,3,5-Trimethylbenzene	< 15	ug/l	15	48	10	8260B		6/17/2015	CJR	1
Vinyl Chloride	< 1.7	ug/l	1.7	5.4	10	8260B		6/17/2015	CJR	1
m&p-Xylene	< 22	ug/l	22	69	10	8260B		6/17/2015	CJR	1
o-Xylene	< 9	ug/l	9	29	10	8260B		6/17/2015	CJR	1
SUR - 1,2-Dichloroethane-d4	94	REC %			10	8260B		6/17/2015	CJR	1
SUR - 4-Bromofluorobenzene	107	REC %			10	8260B		6/17/2015	CJR	1
SUR - Dibromofluoromethane	99	REC %			10	8260B		6/17/2015	CJR	1
SUR - Toluene-d8	109	REC %			10	8260B		6/17/2015	CJR	1
<b>Wet Chemistry</b>										
<b>General</b>										
Nitrite Plus Nitrate	3.23	mg/l	0.13	0.43	1	353.2		6/25/2015	MDK	1
Sulfate, Filtered	39.0	mg/l	9.45	30.05	5	ASTM D516-90,		6/24/2015	MDK	1
Chlorides, Unfiltered	215	mg/l	3.8	12.2	2	SM 4500CL		6/11/2015	MDK	1

Project Name FMR ROBINSON DRY CLEANER  
 Project # 6155 PO#2015465

Invoice # E29064

Lab Code 529064AA  
 Sample ID 6155-DUP-4  
 Sample Matrix Water  
 Sample Date 6/8/2015

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.44	ug/l	0.44	1.4	1	8260B		6/17/2015	CJR	1
Bromobenzene	< 0.48	ug/l	0.48	1.5	1	8260B		6/17/2015	CJR	1
Bromodichloromethane	< 0.46	ug/l	0.46	1.5	1	8260B		6/17/2015	CJR	1
Bromoform	< 0.46	ug/l	0.46	1.5	1	8260B		6/17/2015	CJR	1
tert-Butylbenzene	< 1.1	ug/l	1.1	3.4	1	8260B		6/17/2015	CJR	1
sec-Butylbenzene	< 1.2	ug/l	1.2	3.8	1	8260B		6/17/2015	CJR	1
n-Butylbenzene	< 1	ug/l	1	3.3	1	8260B		6/17/2015	CJR	1
Carbon Tetrachloride	< 0.65	ug/l	0.65	2.1	1	8260B		6/17/2015	CJR	1
Chlorobenzene	< 0.46	ug/l	0.46	1.4	1	8260B		6/17/2015	CJR	1
Chloroethane	< 0.65	ug/l	0.65	2.1	1	8260B		6/17/2015	CJR	1
Chloroform	< 0.43	ug/l	0.43	1.4	1	8260B		6/17/2015	CJR	1
Chloromethane	< 1.9	ug/l	1.9	6	1	8260B		6/17/2015	CJR	1
2-Chlorotoluene	< 0.4	ug/l	0.4	1.3	1	8260B		6/17/2015	CJR	1
4-Chlorotoluene	< 0.63	ug/l	0.63	2	1	8260B		6/17/2015	CJR	1
1,2-Dibromo-3-chloropropane	< 1.4	ug/l	1.4	4.5	1	8260B		6/17/2015	CJR	1
Dibromochloromethane	< 0.45	ug/l	0.45	1.4	1	8260B		6/17/2015	CJR	1
1,4-Dichlorobenzene	< 0.49	ug/l	0.49	1.6	1	8260B		6/17/2015	CJR	1
1,3-Dichlorobenzene	< 0.52	ug/l	0.52	1.6	1	8260B		6/17/2015	CJR	1
1,2-Dichlorobenzene	< 0.46	ug/l	0.46	1.5	1	8260B		6/17/2015	CJR	1
Dichlorodifluoromethane	< 0.87	ug/l	0.87	2.8	1	8260B		6/17/2015	CJR	1
1,2-Dichloroethane	< 0.54	ug/l	0.54	1.7	1	8260B		6/17/2015	CJR	1
1,1-Dichloroethane	< 1.1	ug/l	1.1	3.6	1	8260B		6/17/2015	CJR	1
1,1-Dichloroethene	< 0.65	ug/l	0.65	2.1	1	8260B		6/17/2015	CJR	1
cis-1,2-Dichloroethene	< 0.45	ug/l	0.45	1.4	1	8260B		6/17/2015	CJR	1
trans-1,2-Dichloroethene	< 0.54	ug/l	0.54	1.7	1	8260B		6/17/2015	CJR	1
1,2-Dichloropropane	< 0.43	ug/l	0.43	1.37	1	8260B		6/17/2015	CJR	1
2,2-Dichloropropane	< 3.1	ug/l	3.1	9.8	1	8260B		6/17/2015	CJR	1
1,3-Dichloropropane	< 0.42	ug/l	0.42	1.3	1	8260B		6/17/2015	CJR	1
Di-isopropyl ether	< 0.44	ug/l	0.44	1.4	1	8260B		6/17/2015	CJR	1
EDB (1,2-Dibromoethane)	< 0.63	ug/l	0.63	2	1	8260B		6/17/2015	CJR	1
Ethylbenzene	< 0.71	ug/l	0.71	2.3	1	8260B		6/17/2015	CJR	1
Hexachlorobutadiene	< 2.2	ug/l	2.2	7.1	1	8260B		6/17/2015	CJR	1
Isopropylbenzene	< 0.82	ug/l	0.82	2.6	1	8260B		6/17/2015	CJR	1
p-Isopropyltoluene	< 1.1	ug/l	1.1	3.5	1	8260B		6/17/2015	CJR	1
Methylene chloride	< 1.3	ug/l	1.3	4.2	1	8260B		6/17/2015	CJR	1
Methyl tert-butyl ether (MTBE)	< 1.1	ug/l	1.1	3.7	1	8260B		6/17/2015	CJR	1
Naphthalene	< 1.6	ug/l	1.6	5.2	1	8260B		6/17/2015	CJR	1
n-Propylbenzene	< 0.77	ug/l	0.77	2.4	1	8260B		6/17/2015	CJR	1
1,1,2,2-Tetrachloroethane	< 0.52	ug/l	0.52	1.7	1	8260B		6/17/2015	CJR	1
1,1,1,2-Tetrachloroethane	< 0.48	ug/l	0.48	1.5	1	8260B		6/17/2015	CJR	1
Tetrachloroethene	< 0.74	ug/l	0.74	2.4	1	8260B		6/17/2015	CJR	1
Toluene	< 0.44	ug/l	0.44	1.4	1	8260B		6/17/2015	CJR	1
1,2,4-Trichlorobenzene	< 1.7	ug/l	1.7	5.6	1	8260B		6/17/2015	CJR	1
1,2,3-Trichlorobenzene	< 2.7	ug/l	2.7	8.6	1	8260B		6/17/2015	CJR	1
1,1,1-Trichloroethane	< 0.84	ug/l	0.84	2.7	1	8260B		6/17/2015	CJR	1
1,1,2-Trichloroethane	< 0.48	ug/l	0.48	1.52	1	8260B		6/17/2015	CJR	1
Trichloroethene (TCE)	< 0.47	ug/l	0.47	1.5	1	8260B		6/17/2015	CJR	1
Trichlorofluoromethane	< 0.87	ug/l	0.87	2.8	1	8260B		6/17/2015	CJR	1
1,2,4-Trimethylbenzene	< 1.6	ug/l	1.6	5	1	8260B		6/17/2015	CJR	1
1,3,5-Trimethylbenzene	< 1.5	ug/l	1.5	4.8	1	8260B		6/17/2015	CJR	1
Vinyl Chloride	< 0.17	ug/l	0.17	0.54	1	8260B		6/17/2015	CJR	1
m&p-Xylene	< 2.2	ug/l	2.2	6.9	1	8260B		6/17/2015	CJR	1
o-Xylene	< 0.9	ug/l	0.9	2.9	1	8260B		6/17/2015	CJR	1
SUR - 1,2-Dichloroethane-d4	100	REC %			1	8260B		6/17/2015	CJR	1
SUR - 4-Bromofluorobenzene	105	REC %			1	8260B		6/17/2015	CJR	1
SUR - Dibromofluoromethane	102	REC %			1	8260B		6/17/2015	CJR	1
SUR - Toluene-d8	104	REC %			1	8260B		6/17/2015	CJR	1

**Project Name** FMR ROBINSON DRY CLEANER  
**Project #** 6155 PO#2015465

**Invoice #** E29064

**Lab Code** 529064BB  
**Sample ID** 6155-DUP-5  
**Sample Matrix** Water  
**Sample Date** 6/9/2015

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 4.4	ug/l	4.4	14	10	8260B		6/17/2015	CJR	1
Bromobenzene	< 4.8	ug/l	4.8	15	10	8260B		6/17/2015	CJR	1
Bromodichloromethane	< 4.6	ug/l	4.6	15	10	8260B		6/17/2015	CJR	1
Bromoform	< 4.6	ug/l	4.6	15	10	8260B		6/17/2015	CJR	1
tert-Butylbenzene	< 11	ug/l	11	34	10	8260B		6/17/2015	CJR	1
sec-Butylbenzene	< 12	ug/l	12	38	10	8260B		6/17/2015	CJR	1
n-Butylbenzene	< 10	ug/l	10	33	10	8260B		6/17/2015	CJR	1
Carbon Tetrachloride	< 6.5	ug/l	6.5	21	10	8260B		6/17/2015	CJR	1
Chlorobenzene	< 4.6	ug/l	4.6	14	10	8260B		6/17/2015	CJR	1
Chloroethane	< 6.5	ug/l	6.5	21	10	8260B		6/17/2015	CJR	1
Chloroform	< 4.3	ug/l	4.3	14	10	8260B		6/17/2015	CJR	1
Chloromethane	< 19	ug/l	19	60	10	8260B		6/17/2015	CJR	1
2-Chlorotoluene	< 4	ug/l	4	13	10	8260B		6/17/2015	CJR	1
4-Chlorotoluene	< 6.3	ug/l	6.3	20	10	8260B		6/17/2015	CJR	1
1,2-Dibromo-3-chloropropane	< 14	ug/l	14	45	10	8260B		6/17/2015	CJR	1
Dibromochloromethane	< 4.5	ug/l	4.5	14	10	8260B		6/17/2015	CJR	1
1,4-Dichlorobenzene	< 4.9	ug/l	4.9	16	10	8260B		6/17/2015	CJR	1
1,3-Dichlorobenzene	< 5.2	ug/l	5.2	16	10	8260B		6/17/2015	CJR	1
1,2-Dichlorobenzene	< 4.6	ug/l	4.6	15	10	8260B		6/17/2015	CJR	1
Dichlorodifluoromethane	< 8.7	ug/l	8.7	28	10	8260B		6/17/2015	CJR	1
1,2-Dichloroethane	< 5.4	ug/l	5.4	17	10	8260B		6/17/2015	CJR	1
1,1-Dichloroethane	< 11	ug/l	11	36	10	8260B		6/17/2015	CJR	1
1,1-Dichloroethene	< 6.5	ug/l	6.5	21	10	8260B		6/17/2015	CJR	1
cis-1,2-Dichloroethene	< 4.5	ug/l	4.5	14	10	8260B		6/17/2015	CJR	1
trans-1,2-Dichloroethene	< 5.4	ug/l	5.4	17	10	8260B		6/17/2015	CJR	1
1,2-Dichloropropane	< 4.3	ug/l	4.3	13.7	10	8260B		6/17/2015	CJR	1
2,2-Dichloropropane	< 31	ug/l	31	98	10	8260B		6/17/2015	CJR	1
1,3-Dichloropropane	< 4.2	ug/l	4.2	13	10	8260B		6/17/2015	CJR	1
Di-isopropyl ether	< 4.4	ug/l	4.4	14	10	8260B		6/17/2015	CJR	1
EDB (1,2-Dibromoethane)	< 6.3	ug/l	6.3	20	10	8260B		6/17/2015	CJR	1
Ethylbenzene	< 7.1	ug/l	7.1	23	10	8260B		6/17/2015	CJR	1
Hexachlorobutadiene	< 22	ug/l	22	71	10	8260B		6/17/2015	CJR	1
Isopropylbenzene	< 8.2	ug/l	8.2	26	10	8260B		6/17/2015	CJR	1
p-Isopropyltoluene	< 11	ug/l	11	35	10	8260B		6/17/2015	CJR	1
Methylene chloride	< 13	ug/l	13	42	10	8260B		6/17/2015	CJR	1
Methyl tert-butyl ether (MTBE)	< 11	ug/l	11	37	10	8260B		6/17/2015	CJR	1
Naphthalene	< 16	ug/l	16	52	10	8260B		6/17/2015	CJR	1
n-Propylbenzene	< 7.7	ug/l	7.7	24	10	8260B		6/17/2015	CJR	1
1,1,2,2-Tetrachloroethane	< 5.2	ug/l	5.2	17	10	8260B		6/17/2015	CJR	1
1,1,1,2-Tetrachloroethane	< 4.8	ug/l	4.8	15	10	8260B		6/17/2015	CJR	1
Tetrachloroethene	330	ug/l	7.4	24	10	8260B		6/17/2015	CJR	1
Toluene	< 4.4	ug/l	4.4	14	10	8260B		6/17/2015	CJR	1
1,2,4-Trichlorobenzene	< 17	ug/l	17	56	10	8260B		6/17/2015	CJR	1
1,2,3-Trichlorobenzene	< 27	ug/l	27	86	10	8260B		6/17/2015	CJR	1
1,1,1-Trichloroethane	< 8.4	ug/l	8.4	27	10	8260B		6/17/2015	CJR	1
1,1,2-Trichloroethane	< 4.8	ug/l	4.8	15.2	10	8260B		6/17/2015	CJR	1
Trichloroethene (TCE)	< 4.7	ug/l	4.7	15	10	8260B		6/17/2015	CJR	1
Trichlorofluoromethane	< 8.7	ug/l	8.7	28	10	8260B		6/17/2015	CJR	1
1,2,4-Trimethylbenzene	< 16	ug/l	16	50	10	8260B		6/17/2015	CJR	1
1,3,5-Trimethylbenzene	< 15	ug/l	15	48	10	8260B		6/17/2015	CJR	1
Vinyl Chloride	< 1.7	ug/l	1.7	5.4	10	8260B		6/17/2015	CJR	1
m&p-Xylene	< 22	ug/l	22	69	10	8260B		6/17/2015	CJR	1
o-Xylene	< 9	ug/l	9	29	10	8260B		6/17/2015	CJR	1
SUR - 1,2-Dichloroethane-d4	100	REC %				8260B		6/17/2015	CJR	1
SUR - 4-Bromofluorobenzene	105	REC %				8260B		6/17/2015	CJR	1
SUR - Dibromofluoromethane	101	REC %				8260B		6/17/2015	CJR	1
SUR - Toluene-d8	113	REC %				8260B		6/17/2015	CJR	1

**Project Name** FMR ROBINSON DRY CLEANER  
**Project #** 6155 PO#2015465

**Invoice #** E29064

**Lab Code** 529064CC  
**Sample ID** TRIP BLANK  
**Sample Matrix** Water  
**Sample Date** 6/9/2015

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.44	ug/l	0.44	1.4	1	8260B		6/17/2015	CJR	1
Bromobenzene	< 0.48	ug/l	0.48	1.5	1	8260B		6/17/2015	CJR	1
Bromodichloromethane	< 0.46	ug/l	0.46	1.5	1	8260B		6/17/2015	CJR	1
Bromoform	< 0.46	ug/l	0.46	1.5	1	8260B		6/17/2015	CJR	1
tert-Butylbenzene	< 1.1	ug/l	1.1	3.4	1	8260B		6/17/2015	CJR	1
sec-Butylbenzene	< 1.2	ug/l	1.2	3.8	1	8260B		6/17/2015	CJR	1
n-Butylbenzene	< 1	ug/l	1	3.3	1	8260B		6/17/2015	CJR	1
Carbon Tetrachloride	< 0.65	ug/l	0.65	2.1	1	8260B		6/17/2015	CJR	1
Chlorobenzene	< 0.46	ug/l	0.46	1.4	1	8260B		6/17/2015	CJR	1
Chloroethane	< 0.65	ug/l	0.65	2.1	1	8260B		6/17/2015	CJR	1
Chloroform	< 0.43	ug/l	0.43	1.4	1	8260B		6/17/2015	CJR	1
Chloromethane	< 1.9	ug/l	1.9	6	1	8260B		6/17/2015	CJR	1
2-Chlorotoluene	< 0.4	ug/l	0.4	1.3	1	8260B		6/17/2015	CJR	1
4-Chlorotoluene	< 0.63	ug/l	0.63	2	1	8260B		6/17/2015	CJR	1
1,2-Dibromo-3-chloropropane	< 1.4	ug/l	1.4	4.5	1	8260B		6/17/2015	CJR	1
Dibromochloromethane	< 0.45	ug/l	0.45	1.4	1	8260B		6/17/2015	CJR	1
1,4-Dichlorobenzene	< 0.49	ug/l	0.49	1.6	1	8260B		6/17/2015	CJR	1
1,3-Dichlorobenzene	< 0.52	ug/l	0.52	1.6	1	8260B		6/17/2015	CJR	1
1,2-Dichlorobenzene	< 0.46	ug/l	0.46	1.5	1	8260B		6/17/2015	CJR	1
Dichlorodifluoromethane	< 0.87	ug/l	0.87	2.8	1	8260B		6/17/2015	CJR	1
1,2-Dichloroethane	< 0.54	ug/l	0.54	1.7	1	8260B		6/17/2015	CJR	1
1,1-Dichloroethane	< 1.1	ug/l	1.1	3.6	1	8260B		6/17/2015	CJR	1
1,1-Dichloroethene	< 0.65	ug/l	0.65	2.1	1	8260B		6/17/2015	CJR	1
cis-1,2-Dichloroethene	< 0.45	ug/l	0.45	1.4	1	8260B		6/17/2015	CJR	1
trans-1,2-Dichloroethene	< 0.54	ug/l	0.54	1.7	1	8260B		6/17/2015	CJR	1
1,2-Dichloropropane	< 0.43	ug/l	0.43	1.37	1	8260B		6/17/2015	CJR	1
2,2-Dichloropropane	< 3.1	ug/l	3.1	9.8	1	8260B		6/17/2015	CJR	1
1,3-Dichloropropane	< 0.42	ug/l	0.42	1.3	1	8260B		6/17/2015	CJR	1
Di-isopropyl ether	< 0.44	ug/l	0.44	1.4	1	8260B		6/17/2015	CJR	1
EDB (1,2-Dibromoethane)	< 0.63	ug/l	0.63	2	1	8260B		6/17/2015	CJR	1
Ethylbenzene	< 0.71	ug/l	0.71	2.3	1	8260B		6/17/2015	CJR	1
Hexachlorobutadiene	< 2.2	ug/l	2.2	7.1	1	8260B		6/17/2015	CJR	1
Isopropylbenzene	< 0.82	ug/l	0.82	2.6	1	8260B		6/17/2015	CJR	1
p-Isopropyltoluene	< 1.1	ug/l	1.1	3.5	1	8260B		6/17/2015	CJR	1
Methylene chloride	< 1.3	ug/l	1.3	4.2	1	8260B		6/17/2015	CJR	1
Methyl tert-butyl ether (MTBE)	< 1.1	ug/l	1.1	3.7	1	8260B		6/17/2015	CJR	1
Naphthalene	< 1.6	ug/l	1.6	5.2	1	8260B		6/17/2015	CJR	4
n-Propylbenzene	< 0.77	ug/l	0.77	2.4	1	8260B		6/17/2015	CJR	1
1,1,2,2-Tetrachloroethane	< 0.52	ug/l	0.52	1.7	1	8260B		6/17/2015	CJR	1
1,1,1,2-Tetrachloroethane	< 0.48	ug/l	0.48	1.5	1	8260B		6/17/2015	CJR	1
Tetrachloroethene	< 0.74	ug/l	0.74	2.4	1	8260B		6/17/2015	CJR	1
Toluene	< 0.44	ug/l	0.44	1.4	1	8260B		6/17/2015	CJR	1
1,2,4-Trichlorobenzene	< 1.7	ug/l	1.7	5.6	1	8260B		6/17/2015	CJR	1
1,2,3-Trichlorobenzene	< 2.7	ug/l	2.7	8.6	1	8260B		6/17/2015	CJR	1
1,1,1-Trichloroethane	< 0.84	ug/l	0.84	2.7	1	8260B		6/17/2015	CJR	1
1,1,2-Trichloroethane	< 0.48	ug/l	0.48	1.52	1	8260B		6/17/2015	CJR	1
Trichloroethene (TCE)	< 0.47	ug/l	0.47	1.5	1	8260B		6/17/2015	CJR	1
Trichlorofluoromethane	< 0.87	ug/l	0.87	2.8	1	8260B		6/17/2015	CJR	1
1,2,4-Trimethylbenzene	< 1.6	ug/l	1.6	5	1	8260B		6/17/2015	CJR	1
1,3,5-Trimethylbenzene	< 1.5	ug/l	1.5	4.8	1	8260B		6/17/2015	CJR	1
Vinyl Chloride	< 0.17	ug/l	0.17	0.54	1	8260B		6/17/2015	CJR	1
m&p-Xylene	< 2.2	ug/l	2.2	6.9	1	8260B		6/17/2015	CJR	1
o-Xylene	< 0.9	ug/l	0.9	2.9	1	8260B		6/17/2015	CJR	1
SUR - Toluene-d8	99	REC %			1	8260B		6/17/2015	CJR	1
SUR - 1,2-Dichloroethane-d4	99	REC %			1	8260B		6/17/2015	CJR	1
SUR - 4-Bromofluorobenzene	101	REC %			1	8260B		6/17/2015	CJR	1
SUR - Dibromofluoromethane	102	REC %			1	8260B		6/17/2015	CJR	1



"J" Flag: Analyte detected between LOD and LOQ

LOD Limit of Detection

LOQ Limit of Quantitation

***Code***      ***Comment***

- 1            Laboratory QC within limits.
- 3            The matrix spike not within established limits.
- 4            The continuing calibration standard not within established limits.

CWT denotes sub contract lab - Certification #445126660

All solid sample results reported on a dry weight basis unless otherwise indicated. All LOD's and LOQ's are adjusted for dilutions but not dry weight. Subcontracted results are denoted by SUB in the analyst field.

**Authorized Signature**



A handwritten signature in blue ink, appearing to read "Michael J. [unreadable]", is written over a horizontal line.

## Environmental Lab, Inc.

1990 Prospect Ct. • Appleton, WI 54914  
920-830-2455 • FAX 920-733-0631

**Sample Handling Request**

Rush Analysis Date Required \_\_\_\_\_  
(Rushes accepted only with prior authorization)  
 Normal Turn Around

Lab I.D. # \_\_\_\_\_  
Account No. : \_\_\_\_\_ Quote No.: \_\_\_\_\_  
Project #: **6155**  
Sampler: (signature) *[Signature]*

Project (Name / Location): **Former Robinson Dry Clean / Janesville, WI**  
Reports To: **W. Fossbender / K. Humstead** Invoice To: \_\_\_\_\_  
Company: **EnviroForensics** Company: \_\_\_\_\_  
Address: **116 W 23300 Stone Ridge Dr** Address: \_\_\_\_\_  
City State Zip: **Jawkesha WI 53888** City State Zip: \_\_\_\_\_  
Phone: **317-972-7870** Phone: \_\_\_\_\_  
FAX: \_\_\_\_\_ FAX: \_\_\_\_\_

Analysis Requested										Other Analysis										
DRO (Mod DRO Sep 95)	GRO (Mod GRO Sep 95)	LEAD	NITRATE/NITRITE	OIL & GREASE	PAH (EPA 8270)	PCB	PVOC (EPA 8021)	PVOC + NAPHTHALENE	SULFATE	TOTAL SUSPENDED SOLIDS	VOC DW (EPA 542.2)	VOC (EPA 8260)	8-RCRA METALS	Ethene, Ethane, Propane	Sulfate, Chloride	Nitrate, Nitrite	Diss Fe, Mn (Filtered)	Total Fe, Mn (Non-Filtered)	PID/ FID	

Lab I.D.	Sample I.D.	Collection Date	Time	Comp	Grab	Filtered Y/N	No. of Containers	Sample Type (Matrix)*	Preservation
5029064 A	6155-MW-8	6/8/15	1017		X	N	3	GW	HCL
B	6155-MW-13D	6/8/15	1145		X	Y/N	8	GW	Multiple
C	6155-MW-13	6/8/15	1248		X	Y/N	8	GW	Multiple
D	6155-MW-25	6/8/15	1501		X	Y/N	8	GW	Multiple
E	6155-MW-25D	6-8-15	1341		X	Y/N	8	GW	Multiple
F	6155-MW-25D2	6-8-15	1402		X	N	3	GW	HCL
G	6155-MW-30S	6-8-15	1652		X	Y/N	8	GW	Multiple
H	6155-MW-30D	6-9-15	705		X	Y/N	8	GW	Multiple
I	6155-PZ-30D2	6-9-15	800		X	Y/N	8	GW	Multiple
J	6155-PZ-42 D1	6-9-15	941		X	Y/N	8	GW	Multiple

Comments/Special Instructions (\*Specify groundwater "GW", Drinking Water "DW", Waste Water "WW", Soil "S", Air "A", Oil, Sludge etc.)

PO# 2015465 All samples for VOC analysis were not filtered.  
MW 30S no sulfate/acid for read - CIR 6/14/15  
PZ 42D2 no total metals for read  
Use samples received preserve

Sample Integrity - To be completed by receiving lab.  
Method of Shipment: Dunnham  
Temp. of Temp. Blank \_\_\_\_\_ °C On Ice:   
Cooler seal intact upon receipt:  Yes  No

Relinquished By: (sign) *[Signature]* Time: 2:00 Date: 6/10/15  
Received By: (sign) *[Signature]* Time: 2:00 Date: 6/10/15  
Received in Laboratory By: *[Signature]* Time: 8:00 Date: 6/11/15



## Environmental Lab, Inc.

1990 Prospect Ct. • Appleton, WI 54914  
920-830-2455 • FAX 920-733-0631

WPF

### Sample Handling Request

Rush Analysis Date Required \_\_\_\_\_  
(Rushes accepted only with prior authorization)  
 Normal Turn Around

Lab I.D. # \_\_\_\_\_  
Account No.: \_\_\_\_\_ Quote No.: \_\_\_\_\_  
Project #: 6155  
Sampler: (signature) [Signature]

Project (Name / Location): Former Robinson Dry Cleaner / Janesville, WI  
Reports To: W. Fassbender / K. Hunstetter Invoice To: \_\_\_\_\_  
Company: EnviroForensics Company: \_\_\_\_\_  
Address: 116 W23590 Skunk Ridge Dr Address: \_\_\_\_\_  
City State Zip: Waukesha WI 53158 City State Zip: \_\_\_\_\_  
Phone: 317-972-7870 Phone: \_\_\_\_\_  
FAX: \_\_\_\_\_ FAX: \_\_\_\_\_

										Analysis Requested										Other Analysis									
Lab I.D.	Sample I.D.	Collection Date	Time	Comp	Grab	Filtered Y/N	No. of Containers	Sample Type (Matrix)*	Preservation	DRO (Mod DRO Sep 95)	GRO (Mod GRO Sep 95)	LEAD	NITRATE/NITRITE	OIL & GREASE	PAH (EPA 8270)	PCB	PVOC (EPA 8021)	PVOC + NAPHTHALENE	SULFATE	TOTAL SUSPENDED SOLIDS	VOC DW (EPA 542.2)	VOC (EPA 8260)	8-RCRA METALS	Ethanol, Ethoxy, Methoxy	Sulfate, Chloride	Nitrate, Nitrite	Diss. Fe, Mn (Filtered)	Total Fe, Mn (non-Filtered)	PID/ FID
5021064 k	6155-P2-42D2	6-9-15	1037		X	Y/N	8	GW	Multiple														X	X	X	X	X	X	
L	6155-P2-42D3	6-9-15	1200		X	Y/N	8	GW	Multiple														X	X	X	X	X	X	
M	6155-MW-45S	6-8-15	1907		X	N	3	GW	HCL														X						
N	6155-P2-45D1	6-8-15	1945		X	N	3	GW	HCL														X						
O	6155-P2-45D2	6-8-15	1830		X	N	3	GW	HCL														X						
P	6155-P2-46D1	6-8-15	1745		X	N	3	GW	HCL														X						
Q	6155-P2-46D2	6-9-15	1418		X	N	3	GW	HCL														X						
R	6155-P2-46D3	6-9-15	1320		X	N	3	GW	HCL														X						
S	6155-EB-5	6-8-15	-		X	N	3	GW	HCL														X						
T	6155-EB-6	6-9-15	-		X	N	3	GW	HCL														X						

Comments/Special Instructions (\*Specify groundwater "GW", Drinking Water "DW", Waste Water "WW", Soil "S", Air "A", Oil, Sludge etc.)

*All samples for VOC analysis's were not filtered.*

Sample Integrity - To be completed by receiving lab.

Method of Shipment: Refrigerated

Temp. of Temp. Blank \_\_\_\_\_ °C On Ice

Cooler seal intact upon receipt:  Yes  No

Relinquished By: (sign) [Signature] Time 2:00 Date 6/10/15  
Received By: (sign) [Signature] Time 2:00 Date 6/10/15  
Received in Laboratory By: [Signature] Time: 8:00 Date: 6/11/15



## Environmental Lab, Inc.

1990 Prospect Ct. • Appleton, WI 54914  
920-830-2455 • FAX 920-733-0631

**Sample Handling Request**

Rush Analysis Date Required \_\_\_\_\_  
(Rushes accepted only with prior authorization)

Normal Turn Around

Lab I.D. # \_\_\_\_\_  
Account No. : \_\_\_\_\_ Quote No.: \_\_\_\_\_  
Project #: **6155**  
Sampler: (signature) *[Signature]*

Project (Name / Location): **Former Robinson Dry Cleaner**

Reports To: **W. Fassbender / H. Himmstein** Invoice To: \_\_\_\_\_  
Company: **Enviro Forensics** Company: \_\_\_\_\_  
Address: **116 W23390 Stone Ridge Dr** Address: \_\_\_\_\_  
City State Zip: **Waukesha WI 53189** City State Zip: \_\_\_\_\_  
Phone: **317-972-7870** Phone: \_\_\_\_\_  
FAX: \_\_\_\_\_ FAX: \_\_\_\_\_

**Analysis Requested**

**Other Analysis**

Lab I.D.	Sample I.D.	Collection Date	Time	Comp	Grab	Filtered Y/N	No. of Containers	Sample Type (Matrix)*	Preservation	DRO (Mod DRO Sep 95)	GRO (Mod GRO Sep 95)	LEAD	NITRATE/NITRITE	OIL & GREASE	PAH (EPA 8270)	PCB	PVOC (EPA 8021)	PVOC + NAPHTHALENE	SULFATE	TOTAL SUSPENDED SOLIDS	VOC DW (EPA 542.2)	VOC (EPA 8260)	8-RCRA METALS	Ethene, Ethane, Methane	Sulfate, Chloride	Nitrate, Nitrite	Diss. Fluoride (Filtered)	Total Fluoride (Filtered)	PID/ FID		
S02 910644	6155-P2-40D	6-9-15	1955		X	N	3	GW	HCL																						
	<del>6155-P2</del>																														
Y	6155-MW-40S	6-8-15	2040		X	N	3	GW	HCL																						
W	6155-MW-20S	6-9-15	535		X	N	3	GW	HCL																						
X	6155-MW-20D	6-9-15	615		X	N	3	GW	HCL																						
Y	6155-Dup-1	6-9-15	-		X	N	3	GW	HCL																						
Z	6155-Dup-2	6-8-15	-		X	N	8	GW	Multiple																X	X	X	X	X		
MA	6155-Dup-4	4/8/15	-		X	N	3	GW	HCL																						
BB	6155-Dup-5	6-9-15	-		X	N	3	GW	HCL																						
CC	TRIP BLANK						1																								

Comments/Special Instructions (\*Specify groundwater "GW", Drinking Water "DW", Waste Water "WW", Soil "S", Air "A", Oil, Sludge etc.)

*VOC samples were not filtered.*

Sample Integrity - To be completed by receiving lab.  
Method of Shipment: *[Signature]*  
Temp. of Temp. Blank \_\_\_\_\_ °C On Ice   
Cooler seal intact upon receipt:  Yes \_\_\_\_\_ No

Relinquished By: (sign) *[Signature]* Time **2:00** Date **6/10/15**  
Received By: (sign) *[Signature]* Time **2:00** Date **6/10/15**


Received in Laboratory By: *[Signature]* Time: **8:00** Date: **6/11/15**

## **Attachment 3**

### **PCE Concentration Trend Graphs**


# MW-1

## PCE Concentration & Groundwater Elevation vs. Time




# MW-12S

## PCE Concentration & Groundwater Elevation vs. Time



# MW-12


## PCE Concentration & Groundwater Elevation vs. Time



# MW-13




# PCE Concentration & Groundwater Elevation vs. Time




# MW-13D

## PCE Concentration & Groundwater Elevation vs. Time




# MW-25D

## PCE Concentration & Groundwater Elevation vs. Time




# MW-26

## PCE Concentration & Groundwater Elevation vs. Time




# MW-27DS

# PCE Concentration & Groundwater Elevation vs. Time




# MW-27D

## PCE Concentration & Groundwater Elevation vs. Time




# MW-29S

## PCE Concentration & Groundwater Elevation vs. Time



# MW-29


## PCE Concentration & Groundwater Elevation vs. Time



# MW-30S




### PCE Concentration & Groundwater Elevation vs. Time




# MW-30D

## PCE Concentration & Groundwater Elevation vs. Time



# MW-36S

## PCE Concentration & Groundwater Elevation vs. Time



# MW-37D

## PCE Concentration & Groundwater Elevation vs. Time

