



August 19, 2020

O'Leary Revocable Trust
KORO Revocable Trust
1711 Royal Oaks Dr
Janesville, WI 53548

Subject: Environmental Investigation Sampling Results
BRRTS#: 02-54-221852

Dear Property Owner:

In accordance with the executed Agreement to Provide Access for Sampling Activities, and in accordance with Wisconsin Department of Natural Resources (WDNR) regulation NR 716.14, EnviroForensics LLC (EnviroForensics) is providing the results of environmental sample collected from your property located at 2004 W. Court Street in Janesville, Wisconsin. A groundwater sample was collected from monitoring well MW-38D on July 27, 2020. The location of the monitoring well is depicted in **Figure 1**. The sampling activities are part of an environmental investigation being performed for the Robinson's Dry Cleaners facility formerly located at 1838 West Court Street in Janesville at the direction of the WDNR. The chemicals of concern for the investigation are the dry cleaning solvent tetrachloroethene (PCE) and its associated breakdown products.

The Responsible Party is:

RayChris
5110 N. Connor Road
Janesville, WI 53548

Sampling Results

The analytical results of the groundwater sample are summarized and compared to public health criteria in the attached **Table 1**. An excerpt from the laboratory report that relates to the groundwater sample collected from MW-38D is also attached. PCE was detected in sample MW-38D at a concentration of 55 micrograms per liter ($\mu\text{g/L}$), which is above the WDNR public health enforcement standard (ES) of 5 $\mu\text{g/L}$. Trichloroethene was also detected in the MW-38D sample at a concentration below its ES.

We may continue to conduct groundwater monitoring in the future, which could include sample collection from the monitoring well on your property. If you have any questions or concerns, please contact me at 262-290-4001 or by email at wfassbender@enviroforensics.com. The WDNR project manager, Jeff Ackerman, can be reached at 608-275-3323. We greatly appreciate your help and patience with this matter.

Sincerely,
EnviroForensics LLC

A handwritten signature in black ink that reads "Wayne P. Fassbender".

Wayne Fassbender, PG, PMP
Senior Project Manager


Copy: Jeff Ackerman, Wisconsin Department of Natural Resources

Attachments:

Monitoring Well Location Map
Groundwater Analytical Results Summary
Groundwater Laboratory Analytical Report Excerpt

Legend

- WTR — Underground water utility line
- - - — Underground storm utility line
- SAN — Underground sanitary utility line
- UGT — Underground telephone utility line
- GAS — Underground gas utility line
- UGE — Underground electrical utility line
- OHD — Overhead electrical utility line
- ◆ MW-9D — Monitoring well (Sandstone)



MONITORING WELL LOCATIONS

Robinson Dry Cleaners
1838 West Court Street
Janesville, WI

	Figure 1
ENVIRONMENTAL FORENSIC INVESTIGATIONS, INC. 602 N. Capitol Ave., Ste. 210 • Indianapolis, IN 46204 EnviroForensics.com	Project 6155

Date:	1/19/15
Designed:	EB
Drawn:	EB
Checked:	BK
DWG file:	6155-1178

TABLE 1
SUMMARY OF GROUNDWATER SAMPLE ANALYTICAL RESULTS

Former Robinson's Cleaners
 1838 W. Court Street
 Janesville, Wisconsin

Monitoring Well ID	Sample ID	Sample Date	Sample Method	Tetrachloroethene	Trichloroethene	cis-1,2-Dichloroethene	trans-1,2-Dichloroethene	Vinyl chloride
Enforcement Standard				5	5	70	100	0.2
Preventive Action Limit				0.5	0.5	7	20	0.02
MW-38D	6155-MW-38D	6/17/2014	Low Flow	119	0.72 J	<0.38	<0.35	<0.18
		9/16/2014	Low Flow	58	0.34 J	<0.38	<0.35	<0.18
		12/2/2014	Low Flow	58	<0.33	<0.38	<0.35	<0.18
		6/2/2015	Low Flow	42	<0.47	<0.45	<0.54	<0.17
		12/15/2015	Low Flow	61	<0.47	<0.45	<0.54	<0.17
		6/15/2016	PDB	35	<0.47	<0.45	<0.54	<0.17
		7/27/2020	PDB	55	1.3 J	<0.39	<0.37	<0.2

Notes:

All concentrations reported in units of µg/L = micrograms per liter

Samples analyzed using EPA SW-846 Method 8260

Bolded values are above detection limits

Bolded and Shaded Orange values are above the Public Health Enforcement Standard

Bolded and Shaded Blue values are above Public Health Preventive Action Limit

J = Analyte concentration detected between the laboratory Reporting Limit and Method Detection Limit

PDB = Passive Diffusion Bag used as Sampling Method

Low Flow = Standard Low Flow Sampling Method using Bladder Pump

Project Name FMR ROBINSONS CLEANERS
Project # 6155 PO#2020-1772

Invoice # E38267

Lab Code 538267DD
Sample ID 6155 MW-38D
Sample Matrix Water
Sample Date 7/27/2020

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.33	ug/l	0.33		1	8260B		8/5/2020	CJR	1
Bromobenzene	< 0.26	ug/l	0.26	0.84	1	8260B		8/5/2020	CJR	1
Bromodichloromethane	< 0.33	ug/l	0.33		1	8260B		8/5/2020	CJR	1
Bromoform	< 0.65	ug/l	0.65	2.1	1	8260B		8/5/2020	CJR	1
tert-Butylbenzene	< 0.61	ug/l	0.61	1.9	1	8260B		8/5/2020	CJR	1
sec-Butylbenzene	< 0.32	ug/l	0.32		1	8260B		8/5/2020	CJR	1
n-Butylbenzene	< 0.28	ug/l	0.28	0.89	1	8260B		8/5/2020	CJR	1
Carbon Tetrachloride	< 0.31	ug/l	0.31	0.98	1	8260B		8/5/2020	CJR	1
Chlorobenzene	< 0.39	ug/l	0.39	1.2	1	8260B		8/5/2020	CJR	1
Chloroethane	< 1.1	ug/l	1.1	3.6	1	8260B		8/5/2020	CJR	1
Chloroform	< 0.44	ug/l	0.44	1.4	1	8260B		8/5/2020	CJR	1
Chloromethane	< 0.8	ug/l	0.8	2.5	1	8260B		8/5/2020	CJR	1
2-Chlorotoluene	< 0.32	ug/l	0.32		1	8260B		8/5/2020	CJR	1
4-Chlorotoluene	< 0.3	ug/l	0.3	0.96	1	8260B		8/5/2020	CJR	1
1,2-Dibromo-3-chloropropane	< 0.82	ug/l	0.82	2.6	1	8260B		8/5/2020	CJR	1
Dibromochloromethane	< 0.23	ug/l	0.23	0.74	1	8260B		8/5/2020	CJR	1
1,4-Dichlorobenzene	< 0.36	ug/l	0.36	1.1	1	8260B		8/5/2020	CJR	1
1,3-Dichlorobenzene	< 0.31	ug/l	0.31	0.98	1	8260B		8/5/2020	CJR	1
1,2-Dichlorobenzene	< 0.32	ug/l	0.32		1	8260B		8/5/2020	CJR	1
Dichlorodifluoromethane	< 0.45	ug/l	0.45	1.4	1	8260B		8/5/2020	CJR	1
1,2-Dichloroethane	< 0.39	ug/l	0.39	1.3	1	8260B		8/5/2020	CJR	1
1,1-Dichloroethane	< 0.46	ug/l	0.46	1.5	1	8260B		8/5/2020	CJR	1
1,1-Dichloroethene	< 0.5	ug/l	0.5	1.6	1	8260B		8/5/2020	CJR	1
cis-1,2-Dichloroethene	< 0.39	ug/l	0.39	1.2	1	8260B		8/5/2020	CJR	1
trans-1,2-Dichloroethene	< 0.37	ug/l	0.37	1.2	1	8260B		8/5/2020	CJR	1
1,2-Dichloropropane	< 0.38	ug/l	0.38	1.2	1	8260B		8/5/2020	CJR	1
1,3-Dichloropropane	< 0.35	ug/l	0.35	1.1	1	8260B		8/5/2020	CJR	1
trans-1,3-Dichloropropene	< 0.3	ug/l	0.3	0.94	1	8260B		8/5/2020	CJR	1
cis-1,3-Dichloropropene	< 0.36	ug/l	0.36	1.1	1	8260B		8/5/2020	CJR	1
Di-isopropyl ether	< 0.34	ug/l	0.34	1.1	1	8260B		8/5/2020	CJR	1
EDB (1,2-Dibromoethane)	< 0.24	ug/l	0.24	0.75	1	8260B		8/5/2020	CJR	1
Ethylbenzene	< 0.32	ug/l	0.32		1	8260B		8/5/2020	CJR	1
Hexachlorobutadiene	< 0.72	ug/l	0.72	2.3	1	8260B		8/5/2020	CJR	1
Isopropylbenzene	< 0.32	ug/l	0.32		1	8260B		8/5/2020	CJR	1
p-Isopropyltoluene	< 0.47	ug/l	0.47	1.5	1	8260B		8/5/2020	CJR	1
Methylene chloride	< 1.32	ug/l	1.32	4.21	1	8260B		8/5/2020	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.47	ug/l	0.47	1.5	1	8260B		8/5/2020	CJR	1
Naphthalene	< 1.1	ug/l	1.1	3.6	1	8260B		8/5/2020	CJR	1
n-Propylbenzene	< 0.33	ug/l	0.33	1.1	1	8260B		8/5/2020	CJR	1
1,1,2,2-Tetrachloroethane	< 0.37	ug/l	0.37	1.2	1	8260B		8/5/2020	CJR	1
1,1,1,2-Tetrachloroethane	< 0.88	ug/l	0.88	3.3	1	8260B		8/5/2020	CJR	1
Tetrachloroethene	55	ug/l	0.33		1	8260B		8/5/2020	CJR	1
Toluene	< 0.26	ug/l	0.26	0.83	1	8260B		8/5/2020	CJR	1
1,2,4-Trichlorobenzene	< 0.44	ug/l	0.44	1.4	1	8260B		8/5/2020	CJR	1

Project Name FMR ROBINSONS CLEANERS
Project # 6155 PO#2020-1772

Invoice # E38267

Lab Code 538267DD
Sample ID 6155 MW-38D
Sample Matrix Water
Sample Date 7/27/2020

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 1	ug/l	1	3.2	1	8260B		8/5/2020	CJR	1
1,1,1-Trichloroethane	< 0.3	ug/l	0.3	0.95	1	8260B		8/5/2020	CJR	1
1,1,2-Trichloroethane	< 0.36	ug/l	0.36	1.1	1	8260B		8/5/2020	CJR	1
Trichloroethene (TCE)	1.3 "J"	ug/l	0.47	1.5	1	8260B		8/5/2020	CJR	1
Trichlorofluoromethane	< 0.42	ug/l	0.42	1.3	1	8260B		8/5/2020	CJR	1
1,2,4-Trimethylbenzene	< 0.3	ug/l	0.3	0.96	1	8260B		8/5/2020	CJR	1
1,3,5-Trimethylbenzene	< 0.32	ug/l	0.32	1	1	8260B		8/5/2020	CJR	1
Vinyl Chloride	< 0.2	ug/l	0.2	0.65	1	8260B		8/5/2020	CJR	1
m&p-Xylene	< 1.1	ug/l	1.1	3.3	1	8260B		8/5/2020	CJR	1
o-Xylene	< 0.38	ug/l	0.38	1.2	1	8260B		8/5/2020	CJR	1
SUR - Toluene-d8	109	REC %			1	8260B		8/5/2020	CJR	1
SUR - 1,2-Dichloroethane-d4	101	REC %			1	8260B		8/5/2020	CJR	1
SUR - 4-Bromofluorobenzene	109	REC %			1	8260B		8/5/2020	CJR	1
SUR - Dibromofluoromethane	98	REC %			1	8260B		8/5/2020	CJR	1

Environmental Lab, Inc.

1990 Prospect Ct. • Appleton, WI 54914
920-830-2455 • FAX 920-733-0631

Sample Handling Request
 Rush Analysis Date Required _____
 (Rushes accepted only with prior authorization)
 Normal Turn Around

Lab I.D. # _____
 Account No.: _____ Quote No.: **8242**
 Project #: **6155**
 Sampler: (signature) *B. J. Ryan*

Project (Name / Location): _____
 Reports To: _____ Invoice To: _____
 Company: _____ Company: _____
 Address: _____ Address: _____
 City State Zip: _____ City State Zip: _____
 Phone: _____ Phone: _____
 FAX: _____ FAX: _____

										Analysis Requested										Other Analysis					
Lab I.D.	Sample I.D.	Collection Date	Time	Comp	Grab	Filtered Y/N	No. of Containers	Sample Type (Matrix)*	Preservation	DRO (Mod DRO Sep 95)	GRO (Mod GRO Sep 95)	LEAD	NITRATE/NITRITE	OIL & GREASE	PAH (EPA 8270)	PCB	PVOC (EPA 8021)	PVOC + NAPHTHALENE	SULFATE	TOTAL SUSPENDED SOLIDS	VOC DW (EPA 524.2)	VOC (EPA 8260)	8-RCRA METALS	PID/FID	
6038267U	6155-MW-30S	7/27/20	1005		X	N	3	GW	HCl																
V	6155-MW-30D		1010																						
W	6155-MW-30D3		1018																						
X	6155-MW-31D		1300																						
Y	6155-MW-32		1345																						
Z	6155-MW-35D		1610																						
AA	6155-MW-36S		935																						
BB	6155-MW-36D		940																						
CC	6155-MW-37D		1700																						
DD	6155-MW-38D		1335																						

Comments/Special Instructions (*Specify groundwater "GW", Drinking Water "DW", Waste Water "WW", Soil "S", Air "A", Oil, Sludge etc.)

Sample Integrity - To be completed by receiving lab.
 Method of Shipment: _____
 Temp. of Temp. Blank _____ °C On Ice
 Cooler seal intact upon receipt: Yes _____ No

Relinquished By: (sign) *B. J. Ryan* Time 1215 Date 7/29/20
 Received By: (sign) *Gold Cross* Time _____ Date _____
 Received in Laboratory By: *[Signature]* Time: 8:00 Date: 7/31/20



August 19, 2020

A & J Enterprises of Janesville, LLC
1831 West Court Street
Janesville, WI 53548

Subject: Environmental Investigation Sampling Results
BRRTS#: 02-54-221852

Dear Property Owner:

In accordance with the executed Agreement to Provide Access for Sampling Activities, and in accordance with Wisconsin Department of Natural Resources (WDNR) regulation NR 716.14, EnviroForensics LLC (EnviroForensics) is providing the result of an environmental sample collected from 1831 West Court Street in Janesville, Wisconsin. The groundwater sample was collected from monitoring well MW-26 on July 27, 2020. The location of the well is shown on **Figure 1**. The sampling activities were conducted at the direction of the WDNR as part of an environmental investigation being performed for Robinson's Cleaners formerly located at 1838 West Court Street in Janesville, Wisconsin. The chemicals of concern for the investigation are the dry cleaning solvent tetrachloroethene (PCE) and its associated breakdown products.

The Responsible Party is:

RayChris, Inc.
5110 N. Connor Road
Janesville, WI 53548

Sampling Results

The analytical results of the groundwater sample are summarized and compared to public health criteria in the attached **Table 1**. An excerpt from the laboratory report that relates to the groundwater sample collected from the monitoring well is also attached.

PCE was detected in MW-26 at an estimated concentration of 0.77 micrograms per liter ($\mu\text{g/L}$), which is less than the WDNR enforcement standard (ES) of 5 $\mu\text{g/L}$. No other compounds were detected in the sample collected from MW-26.

We may continue to conduct groundwater monitoring activities in the future, which could include the monitoring well on your property.

Document: 6155-3323
EnviroForensics LLC
N16 W23390 Stone Ridge Dr, Suite G, Waukesha, WI 53188
Phone: 262-290-4001 • Fax 317-972-7875



If you have any questions or concerns, please contact me at 262-290-4001 or by email at wfassbender@enviroforensics.com. The WDNR project manager, Jeff Ackerman, can be reached at 608-275-3323. We greatly appreciate your help and patience with this matter.

Sincerely,
EnviroForensics LLC


A handwritten signature in black ink that reads "Wayne P. Fassbender".

Wayne Fassbender, PG, PMP
Senior Project Manager

Copy: Jeff Ackerman, Wisconsin Department of Natural Resources

Attachments:

Monitoring Well Location Map
Groundwater Analytical Results Summary
Groundwater Laboratory Analytical Report Excerpt



Legend

- WTR — Underground water utility line
- - - — Underground storm utility line
- SAN — Underground sanitary utility line
- UGT — Underground telephone utility line
- GAS — Underground gas utility line
- UGE — Underground electrical utility line
- OHD — Overhead electrical utility line
- ◆ MW-26 — Monitoring well (Sandstone)
- ◆ MW-26S — Monitoring well (Abandoned)

MONITORING WELL LOCATIONS	
Robinson Dry Cleaners 1838 West Court Street Janesville, WI	
	Figure 1
<small>ENVIRONMENTAL FORENSIC INVESTIGATIONS, INC. 602 N. Capitol Ave., Ste. 210 • Indianapolis, IN 46204 EnviroForensics.com</small>	Project 6155

Date:	1/19/15
Designed:	EB
Drawn:	EB
Checked:	BK
DWG file:	6155-1178

TABLE 1
SUMMARY OF GROUNDWATER SAMPLE ANALYTICAL RESULTS

Former Robinson's Cleaners
1838 W. Court Street
Janesville, Wisconsin

Monitoring Well ID	Sample ID	Sample Date	Sample Method	Tetrachloroethene	Trichloroethene	cis-1,2-Dichloroethene	trans-1,2-Dichloroethene	Vinyl chloride
Enforcement Standard				5	5	70	100	0.2
Preventive Action Limit				0.5	0.5	7	20	0.02
MW-26	6155-MW-26	7/27/2020	PDB	0.77 J	<0.47	<0.39	<0.37	<0.2

Notes:

All concentrations reported in units of µg/L = micrograms per liter

Samples analyzed using EPA SW-846 Method 8260

Bolded values are above detection limits

Bolded and Shaded Orange values are above the Public Health Enforcement Standard

Bolded and Shaded Blue values are above Public Health Preventive Action Limit

J = Analyte concentration detected between the laboratory Reporting Limit and Method Detection Limit

PDB = Passive Diffusion Bag used as Sampling Method

Low Flow = Standard Low Flow Sampling Method using Bladder Pump

Project Name FMR ROBINSONS CLEANERS
Project # 6155 PO#2020-1772

Invoice # E38267

Lab Code 50382670
Sample ID 6155 MW-26
Sample Matrix Water
Sample Date 7/27/2020

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.33	ug/l	0.33		1	8260B		8/4/2020	CJR	1
Bromobenzene	< 0.26	ug/l	0.26	0.84	1	8260B		8/4/2020	CJR	1
Bromodichloromethane	< 0.33	ug/l	0.33		1	8260B		8/4/2020	CJR	1
Bromoform	< 0.65	ug/l	0.65	2.1	1	8260B		8/4/2020	CJR	1
tert-Butylbenzene	< 0.61	ug/l	0.61	1.9	1	8260B		8/4/2020	CJR	1
sec-Butylbenzene	< 0.32	ug/l	0.32		1	8260B		8/4/2020	CJR	1
n-Butylbenzene	< 0.28	ug/l	0.28	0.89	1	8260B		8/4/2020	CJR	1
Carbon Tetrachloride	< 0.31	ug/l	0.31	0.98	1	8260B		8/4/2020	CJR	1
Chlorobenzene	< 0.39	ug/l	0.39	1.2	1	8260B		8/4/2020	CJR	1
Chloroethane	< 1.1	ug/l	1.1	3.6	1	8260B		8/4/2020	CJR	1
Chloroform	< 0.44	ug/l	0.44	1.4	1	8260B		8/4/2020	CJR	1
Chloromethane	< 0.8	ug/l	0.8	2.5	1	8260B		8/4/2020	CJR	1
2-Chlorotoluene	< 0.32	ug/l	0.32		1	8260B		8/4/2020	CJR	1
4-Chlorotoluene	< 0.3	ug/l	0.3	0.96	1	8260B		8/4/2020	CJR	1
1,2-Dibromo-3-chloropropane	< 0.82	ug/l	0.82	2.6	1	8260B		8/4/2020	CJR	1
Dibromochloromethane	< 0.23	ug/l	0.23	0.74	1	8260B		8/4/2020	CJR	1
1,4-Dichlorobenzene	< 0.36	ug/l	0.36	1.1	1	8260B		8/4/2020	CJR	1
1,3-Dichlorobenzene	< 0.31	ug/l	0.31	0.98	1	8260B		8/4/2020	CJR	1
1,2-Dichlorobenzene	< 0.32	ug/l	0.32		1	8260B		8/4/2020	CJR	1
Dichlorodifluoromethane	< 0.45	ug/l	0.45	1.4	1	8260B		8/4/2020	CJR	1
1,2-Dichloroethane	< 0.39	ug/l	0.39	1.3	1	8260B		8/4/2020	CJR	1
1,1-Dichloroethane	< 0.46	ug/l	0.46	1.5	1	8260B		8/4/2020	CJR	1
1,1-Dichloroethene	< 0.5	ug/l	0.5	1.6	1	8260B		8/4/2020	CJR	1
cis-1,2-Dichloroethene	< 0.39	ug/l	0.39	1.2	1	8260B		8/4/2020	CJR	1
trans-1,2-Dichloroethene	< 0.37	ug/l	0.37	1.2	1	8260B		8/4/2020	CJR	1
1,2-Dichloropropane	< 0.38	ug/l	0.38	1.2	1	8260B		8/4/2020	CJR	1
1,3-Dichloropropane	< 0.35	ug/l	0.35	1.1	1	8260B		8/4/2020	CJR	1
trans-1,3-Dichloropropene	< 0.3	ug/l	0.3	0.94	1	8260B		8/4/2020	CJR	1
cis-1,3-Dichloropropene	< 0.36	ug/l	0.36	1.1	1	8260B		8/4/2020	CJR	1
Di-isopropyl ether	< 0.34	ug/l	0.34	1.1	1	8260B		8/4/2020	CJR	1
EDB (1,2-Dibromoethane)	< 0.24	ug/l	0.24	0.75	1	8260B		8/4/2020	CJR	1
Ethylbenzene	< 0.32	ug/l	0.32		1	8260B		8/4/2020	CJR	1
Hexachlorobutadiene	< 0.72	ug/l	0.72	2.3	1	8260B		8/4/2020	CJR	1
Isopropylbenzene	< 0.32	ug/l	0.32		1	8260B		8/4/2020	CJR	1
p-Isopropyltoluene	< 0.47	ug/l	0.47	1.5	1	8260B		8/4/2020	CJR	1
Methylene chloride	< 1.32	ug/l	1.32	4.21	1	8260B		8/4/2020	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.47	ug/l	0.47	1.5	1	8260B		8/4/2020	CJR	1
Naphthalene	< 1.1	ug/l	1.1	3.6	1	8260B		8/4/2020	CJR	1
n-Propylbenzene	< 0.33	ug/l	0.33	1.1	1	8260B		8/4/2020	CJR	1
1,1,2,2-Tetrachloroethane	< 0.37	ug/l	0.37	1.2	1	8260B		8/4/2020	CJR	1
1,1,1,2-Tetrachloroethane	< 0.88	ug/l	0.88	3.3	1	8260B		8/4/2020	CJR	1
Tetrachloroethene	0.77 "J"	ug/l	0.33		1	8260B		8/4/2020	CJR	1
Toluene	< 0.26	ug/l	0.26	0.83	1	8260B		8/4/2020	CJR	1
1,2,4-Trichlorobenzene	< 0.44	ug/l	0.44	1.4	1	8260B		8/4/2020	CJR	1

Project Name FMR ROBINSONS CLEANERS
Project # 6155 PO#2020-1772

Invoice # E38267

Lab Code 50382670
Sample ID 6155 MW-26
Sample Matrix Water
Sample Date 7/27/2020

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 1	ug/l	1	3.2	1	8260B		8/4/2020	CJR	1
1,1,1-Trichloroethane	< 0.3	ug/l	0.3	0.95	1	8260B		8/4/2020	CJR	1
1,1,2-Trichloroethane	< 0.36	ug/l	0.36	1.1	1	8260B		8/4/2020	CJR	1
Trichloroethene (TCE)	< 0.47	ug/l	0.47	1.5	1	8260B		8/4/2020	CJR	1
Trichlorofluoromethane	< 0.42	ug/l	0.42	1.3	1	8260B		8/4/2020	CJR	1
1,2,4-Trimethylbenzene	< 0.3	ug/l	0.3	0.96	1	8260B		8/4/2020	CJR	1
1,3,5-Trimethylbenzene	< 0.32	ug/l	0.32	1	1	8260B		8/4/2020	CJR	1
Vinyl Chloride	< 0.2	ug/l	0.2	0.65	1	8260B		8/4/2020	CJR	1
m&p-Xylene	< 1.1	ug/l	1.1	3.3	1	8260B		8/4/2020	CJR	1
o-Xylene	< 0.38	ug/l	0.38	1.2	1	8260B		8/4/2020	CJR	1
SUR - Toluene-d8	104	REC %				8260B		8/4/2020	CJR	1
SUR - 1,2-Dichloroethane-d4	101	REC %				8260B		8/4/2020	CJR	1
SUR - 4-Bromofluorobenzene	108	REC %				8260B		8/4/2020	CJR	1
SUR - Dibromofluoromethane	96	REC %				8260B		8/4/2020	CJR	1

Environmental Lab, Inc.

1990 Prospect Ct. • Appleton, WI 54914
920-830-2455 • FAX 920-733-0631

Sample Handling Request

Rush Analysis Date Required _____
(Rushes accepted only with prior authorization)

Normal Turn Around

Lab I.D. # _____
Account No. : _____ Quote No.: 8242
Project #: 6155
Sampler: (signature) [Signature]

Project (Name / Location): _____

Reports To:	Invoice To:
Company	Company
Address	Address
City State Zip	City State Zip
Phone	Phone
FAX	FAX

Analysis Requested **Other Analysis**

Lab I.D.	Sample I.D.	Collection Date	Time	Comp	Grab	Filtered Y/N	No. of Containers	Sample Type (Matrix)*	Preservation	DRO (Mod DRO Sep 95)	GRO (Mod GRO Sep 95)	LEAD	NITRATE/NITRITE	OIL & GREASE	PAH (EPA 8270)	PCB	PVOC (EPA 8021)	PVOC + NAPHTHALENE	SULFATE	TOTAL SUSPENDED SOLIDS	VOC DW (EPA 524-2)	VOC (EPA 8260)	8-PCRA METALS	PID/FID	
<u>S038267k</u>	<u>6155-P2-1702</u>	<u>7/27/20</u>	<u>1455</u>		<u>X</u>	<u>N</u>	<u>3</u>	<u>GW</u>	<u>HCl</u>																
<u>L</u>	<u>6155-MW-25D</u>		<u>1535</u>																						
<u>M</u>	<u>6155-PZ-25D2</u>		<u>1530</u>																						
<u>N</u>	<u>6155-PZ-25D3</u>		<u>1525</u>																						
<u>O</u>	<u>6155-MW-26</u>		<u>1555</u>																						
<u>P</u>	<u>6155-MW-27S</u>		<u>1230</u>																						
<u>Q</u>	<u>6155-MW-27D</u>		<u>1235</u>																						
<u>R</u>	<u>6155-MW-27DS</u>		<u>1240</u>																						
<u>S</u>	<u>6155-MW-29S</u>		<u>1030</u>																						
<u>T</u>	<u>6155-MW-29</u>		<u>1035</u>																						

Comments/Special Instructions (*Specify groundwater "GW", Drinking Water "DW", Waste Water "WW", Soil "S", Air "A", Oil, Sludge etc.)

Sample Integrity - To be completed by receiving lab. Method of Shipment: <u>GC</u> Temp. of Temp. Blank _____ °C On Ice <input checked="" type="checkbox"/> Cooler seal intact upon receipt: <input checked="" type="checkbox"/> Yes _____ No	Relinquished By: (sign) <u>[Signature]</u>	Time <u>1215</u>	Date <u>7/29/20</u>	Received By: (sign) <u>Gold Cross</u>	Time <u>1215</u>	Date <u>7/29/20</u>
	Received in Laboratory By: <u>[Signature]</u>	Time <u>8:00</u>	Date <u>7/31/20</u>			



August 19, 2020

Doug Kelly
Janesville Brick and Tile
1801 West Court Street
Janesville, Wisconsin 53548

Subject: Environmental Investigation Sampling Results
BRRTS#: 02-13-551928

Dear Mr. Kelly:

In accordance with the executed Agreement to Provide Access for Sampling Activities, and in accordance with Wisconsin Department of Natural Resources (WDNR) regulation NR 716.14, EnviroForensics, LLC (EnviroForensics) is providing the results of groundwater samples collected from your property located at 1801 West Court Street in Janesville, Wisconsin. The groundwater samples were collected from three (3) monitoring wells (MW-17D1, MW-17D2, and MW-35D) on July 27-28, 2020. The locations of the monitoring wells can be seen on the attached **Figure 1**.

The sampling activities were conducted at the direction of the WDNR as part of an environmental investigation being performed for Robinson's Cleaners, formerly located at 1838 West Court Street, Janesville, Wisconsin. The chemicals of concern for the investigation are the dry cleaning solvent tetrachloroethene (PCE) and its associated breakdown products which are classified as chlorinated volatile organic compounds (CVOCs).

The Responsible Party is:

RayChris, Inc.
5110 N. Connor Road
Janesville, WI 53548

Sampling Results

The analytical results are summarized and compared to public health criteria in the attached **Table 1**. An excerpt from the laboratory report that relates to the groundwater samples collected from the monitoring wells is also attached. As can be seen in the table, PCE was detected in the samples collected from monitoring well PZ-17D1 [1,290 micrograms per liter ($\mu\text{g/L}$)] and MW-35D (30.6 $\mu\text{g/L}$). Trichloroethene (TCE) was also detected in the PZ-17D1 sample at an

estimated concentration of 10.5 µg/L. These concentrations exceed the WDNR Enforcement Standards (ESs) for PCE and TCE of 5 µg/L. No CVOCs were detected in the groundwater sample collected from PZ-17D2.

We may continue to conduct periodic groundwater monitoring of some or all of the wells on your property to track chemical changes. If you have any questions or concerns, please contact me at 414-982-3988 or by email at wfassbender@enviroforensics.com. The WDNR project manager, Jeff Ackerman, can be reached at 608-275-3323. We greatly appreciate your help and patience with this matter.

Sincerely,
EnviroForensics LLC

A handwritten signature in black ink that reads "Wayne P. Fassbender".

Wayne Fassbender, PG, PMP
Senior Project Manager


Copy: Jeff Ackerman, Wisconsin Department of Natural Resources

Attachments:

Figure 1: Monitoring Well Locations
Table 1: Summary of Groundwater Analytical Results
Groundwater Laboratory Analytical Report Excerpt

Legend

- WTR — Underground water utility line
- - - Underground storm utility line
- SAN — Underground sanitary utility line
- UGT — Underground telephone utility line
- GAS — Underground gas utility line
- UGE — Underground electrical utility line
- OHD — Overhead electrical utility line
- MW-32S Monitoring well (Unconsolidated)
- MW-9S Monitoring well (Dolomite)
- MW-9D Monitoring well (Sandstone)
- MW-9 Monitoring well (Abandoned)



MONITORING WELL LOCATIONS	
MW-21	
Robinson Dry Cleaners 1838 West Court Street Janesville, WI	
	Figure 1
ENVIRONMENTAL FORENSIC INVESTIGATIONS, INC. 602 N. Capitol Ave., Ste. 210 • Indianapolis, IN 46204 EnviroForensics.com	Project 6155

Date:	1/19/15
Designed:	EB
Drawn:	Trees EB
Checked:	BK
DWG file:	6155-1178

TABLE 1
SUMMARY OF GROUNDWATER SAMPLE ANALYTICAL RESULTS

Former Robinson's Cleaners
1838 W. Court Street
Janesville, Wisconsin

Monitoring Well ID	Sample ID	Sample Date	Sample Method	Tetrachloroethene	Trichloroethene	cis-1,2-Dichloroethene	trans-1,2-Dichloroethene	Vinyl chloride
Enforcement Standard				5	5	70	100	0.2
Preventive Action Limit				0.5	0.5	7	20	0.02
PZ-17D1	6155-PZ-17D1	7/28/2020	PDB	1,290	10.5 J	<3.9	<3.7	<2
PZ-17D2	6155-PZ-17D2	7/27/2020	PDB	<0.33	<0.47	<0.39	<0.37	<0.2
MW-35D	6155-MW-35D	7/27/2020	PDB	30.6	<0.47	<0.39	<0.37	<0.2

Notes:

All concentrations reported in units of µg/L = micrograms per liter

Samples analyzed using EPA SW-846 Method 8260

Bolded values are above detection limits

Bolded and Shaded Orange values are above the Public Health Enforcement Standard

Bolded and Shaded Blue values are above Public Health Preventive Action Limit

J = Analyte concentration detected between the laboratory Reporting Limit and Method Detection Limit

PDB = Passive Diffusion Bag used as Sampling Method

Low Flow = Standard Low Flow Sampling Method using Bladder Pump

Project Name FMR ROBINSONS CLEANERS
Project # 6155 PO#2020-1772

Invoice # E38267

Lab Code 5038267J
Sample ID 6155 PZ-17D1
Sample Matrix Water
Sample Date 7/28/2020

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 3.3	ug/l	3.3	10	10	8260B		8/4/2020	CJR	1
Bromobenzene	< 2.6	ug/l	2.6	8.4	10	8260B		8/4/2020	CJR	1
Bromodichloromethane	< 3.3	ug/l	3.3	10	10	8260B		8/4/2020	CJR	1
Bromoform	< 6.5	ug/l	6.5	21	10	8260B		8/4/2020	CJR	1
tert-Butylbenzene	< 6.1	ug/l	6.1	19	10	8260B		8/4/2020	CJR	1
sec-Butylbenzene	< 3.2	ug/l	3.2	10	10	8260B		8/4/2020	CJR	1
n-Butylbenzene	< 2.8	ug/l	2.8	8.9	10	8260B		8/4/2020	CJR	1
Carbon Tetrachloride	< 3.1	ug/l	3.1	9.8	10	8260B		8/4/2020	CJR	1
Chlorobenzene	< 3.9	ug/l	3.9	12	10	8260B		8/4/2020	CJR	1
Chloroethane	< 11	ug/l	11	36	10	8260B		8/4/2020	CJR	1
Chloroform	< 4.4	ug/l	4.4	14	10	8260B		8/4/2020	CJR	1
Chloromethane	< 8	ug/l	8	25	10	8260B		8/4/2020	CJR	1
2-Chlorotoluene	< 3.2	ug/l	3.2	10	10	8260B		8/4/2020	CJR	1
4-Chlorotoluene	< 3	ug/l	3	9.6	10	8260B		8/4/2020	CJR	1
1,2-Dibromo-3-chloropropane	< 8.2	ug/l	8.2	26	10	8260B		8/4/2020	CJR	1
Dibromochloromethane	< 2.3	ug/l	2.3	7.4	10	8260B		8/4/2020	CJR	1
1,4-Dichlorobenzene	< 3.6	ug/l	3.6	11	10	8260B		8/4/2020	CJR	1
1,3-Dichlorobenzene	< 3.1	ug/l	3.1	9.8	10	8260B		8/4/2020	CJR	1
1,2-Dichlorobenzene	< 3.2	ug/l	3.2	10	10	8260B		8/4/2020	CJR	1
Dichlorodifluoromethane	< 4.5	ug/l	4.5	14	10	8260B		8/4/2020	CJR	1
1,2-Dichloroethane	< 3.9	ug/l	3.9	13	10	8260B		8/4/2020	CJR	1
1,1-Dichloroethane	< 4.6	ug/l	4.6	15	10	8260B		8/4/2020	CJR	1
1,1-Dichloroethene	< 5	ug/l	5	16	10	8260B		8/4/2020	CJR	1
cis-1,2-Dichloroethene	< 3.9	ug/l	3.9	12	10	8260B		8/4/2020	CJR	1
trans-1,2-Dichloroethene	< 3.7	ug/l	3.7	12	10	8260B		8/4/2020	CJR	1
1,2-Dichloropropane	< 3.8	ug/l	3.8	12	10	8260B		8/4/2020	CJR	1
1,3-Dichloropropane	< 3.5	ug/l	3.5	11	10	8260B		8/4/2020	CJR	1
trans-1,3-Dichloropropene	< 3	ug/l	3	9.4	10	8260B		8/4/2020	CJR	1
cis-1,3-Dichloropropene	< 3.6	ug/l	3.6	11	10	8260B		8/4/2020	CJR	1
Di-isopropyl ether	< 3.4	ug/l	3.4	11	10	8260B		8/4/2020	CJR	1
EDB (1,2-Dibromoethane)	< 2.4	ug/l	2.4	7.5	10	8260B		8/4/2020	CJR	1
Ethylbenzene	< 3.2	ug/l	3.2	10	10	8260B		8/4/2020	CJR	1
Hexachlorobutadiene	< 7.2	ug/l	7.2	23	10	8260B		8/4/2020	CJR	1
Isopropylbenzene	< 3.2	ug/l	3.2	10	10	8260B		8/4/2020	CJR	1
p-Isopropyltoluene	< 4.7	ug/l	4.7	15	10	8260B		8/4/2020	CJR	1
Methylene chloride	< 13.2	ug/l	13.2	42.1	10	8260B		8/4/2020	CJR	1
Methyl tert-butyl ether (MTBE)	< 4.7	ug/l	4.7	15	10	8260B		8/4/2020	CJR	1
Naphthalene	< 11	ug/l	11	36	10	8260B		8/4/2020	CJR	1
n-Propylbenzene	< 3.3	ug/l	3.3	11	10	8260B		8/4/2020	CJR	1
1,1,2,2-Tetrachloroethane	< 3.7	ug/l	3.7	12	10	8260B		8/4/2020	CJR	1
1,1,1,2-Tetrachloroethane	< 8.8	ug/l	8.8	33	10	8260B		8/4/2020	CJR	1
Tetrachloroethene	1290	ug/l	3.3	10	10	8260B		8/4/2020	CJR	1
Toluene	< 2.6	ug/l	2.6	8.3	10	8260B		8/4/2020	CJR	1
1,2,4-Trichlorobenzene	< 4.4	ug/l	4.4	14	10	8260B		8/4/2020	CJR	1

Project Name FMR ROBINSONS CLEANERS
Project # 6155 PO#2020-1772

Invoice # E38267

Lab Code 5038267J
Sample ID 6155 PZ-17D1
Sample Matrix Water
Sample Date 7/28/2020

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 10	ug/l	10	32	10	8260B		8/4/2020	CJR	1
1,1,1-Trichloroethane	< 3	ug/l	3	9.5	10	8260B		8/4/2020	CJR	1
1,1,2-Trichloroethane	< 3.6	ug/l	3.6	11	10	8260B		8/4/2020	CJR	1
Trichloroethene (TCE)	10.5 "J"	ug/l	4.7	15	10	8260B		8/4/2020	CJR	1
Trichlorofluoromethane	< 4.2	ug/l	4.2	13	10	8260B		8/4/2020	CJR	1
1,2,4-Trimethylbenzene	< 3	ug/l	3	9.6	10	8260B		8/4/2020	CJR	1
1,3,5-Trimethylbenzene	< 3.2	ug/l	3.2	10	10	8260B		8/4/2020	CJR	1
Vinyl Chloride	< 2	ug/l	2	6.5	10	8260B		8/4/2020	CJR	1
m&p-Xylene	< 11	ug/l	11	33	10	8260B		8/4/2020	CJR	1
o-Xylene	< 3.8	ug/l	3.8	12	10	8260B		8/4/2020	CJR	1
SUR - 1,2-Dichloroethane-d4	102	REC %			10	8260B		8/4/2020	CJR	1
SUR - 4-Bromofluorobenzene	99	REC %			10	8260B		8/4/2020	CJR	1
SUR - Dibromofluoromethane	97	REC %			10	8260B		8/4/2020	CJR	1
SUR - Toluene-d8	106	REC %			10	8260B		8/4/2020	CJR	1

Project Name FMR ROBINSONS CLEANERS
Project # 6155 PO#2020-1772

Invoice # E38267

Lab Code 5038267K
Sample ID 6155 PZ-17D2
Sample Matrix Water
Sample Date 7/27/2020

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.33	ug/l	0.33		1	8260B		8/5/2020	CJR	1
Bromobenzene	< 0.26	ug/l	0.26	0.84	1	8260B		8/5/2020	CJR	1
Bromodichloromethane	< 0.33	ug/l	0.33		1	8260B		8/5/2020	CJR	1
Bromoform	< 0.65	ug/l	0.65	2.1	1	8260B		8/5/2020	CJR	1
tert-Butylbenzene	< 0.61	ug/l	0.61	1.9	1	8260B		8/5/2020	CJR	1
sec-Butylbenzene	< 0.32	ug/l	0.32		1	8260B		8/5/2020	CJR	1
n-Butylbenzene	< 0.28	ug/l	0.28	0.89	1	8260B		8/5/2020	CJR	1
Carbon Tetrachloride	< 0.31	ug/l	0.31	0.98	1	8260B		8/5/2020	CJR	1
Chlorobenzene	< 0.39	ug/l	0.39	1.2	1	8260B		8/5/2020	CJR	1
Chloroethane	< 1.1	ug/l	1.1	3.6	1	8260B		8/5/2020	CJR	1
Chloroform	< 0.44	ug/l	0.44	1.4	1	8260B		8/5/2020	CJR	1
Chloromethane	< 0.8	ug/l	0.8	2.5	1	8260B		8/5/2020	CJR	1
2-Chlorotoluene	< 0.32	ug/l	0.32		1	8260B		8/5/2020	CJR	1
4-Chlorotoluene	< 0.3	ug/l	0.3	0.96	1	8260B		8/5/2020	CJR	1
1,2-Dibromo-3-chloropropane	< 0.82	ug/l	0.82	2.6	1	8260B		8/5/2020	CJR	1
Dibromochloromethane	< 0.23	ug/l	0.23	0.74	1	8260B		8/5/2020	CJR	1
1,4-Dichlorobenzene	< 0.36	ug/l	0.36	1.1	1	8260B		8/5/2020	CJR	1
1,3-Dichlorobenzene	< 0.31	ug/l	0.31	0.98	1	8260B		8/5/2020	CJR	1
1,2-Dichlorobenzene	< 0.32	ug/l	0.32		1	8260B		8/5/2020	CJR	1
Dichlorodifluoromethane	< 0.45	ug/l	0.45	1.4	1	8260B		8/5/2020	CJR	1
1,2-Dichloroethane	< 0.39	ug/l	0.39	1.3	1	8260B		8/5/2020	CJR	1
1,1-Dichloroethane	< 0.46	ug/l	0.46	1.5	1	8260B		8/5/2020	CJR	1
1,1-Dichloroethene	< 0.5	ug/l	0.5	1.6	1	8260B		8/5/2020	CJR	1
cis-1,2-Dichloroethene	< 0.39	ug/l	0.39	1.2	1	8260B		8/5/2020	CJR	1
trans-1,2-Dichloroethene	< 0.37	ug/l	0.37	1.2	1	8260B		8/5/2020	CJR	1
1,2-Dichloropropane	< 0.38	ug/l	0.38	1.2	1	8260B		8/5/2020	CJR	1
1,3-Dichloropropane	< 0.35	ug/l	0.35	1.1	1	8260B		8/5/2020	CJR	1
trans-1,3-Dichloropropene	< 0.3	ug/l	0.3	0.94	1	8260B		8/5/2020	CJR	1
cis-1,3-Dichloropropene	< 0.36	ug/l	0.36	1.1	1	8260B		8/5/2020	CJR	1
Di-isopropyl ether	< 0.34	ug/l	0.34	1.1	1	8260B		8/5/2020	CJR	1
EDB (1,2-Dibromoethane)	< 0.24	ug/l	0.24	0.75	1	8260B		8/5/2020	CJR	1
Ethylbenzene	< 0.32	ug/l	0.32		1	8260B		8/5/2020	CJR	1
Hexachlorobutadiene	< 0.72	ug/l	0.72	2.3	1	8260B		8/5/2020	CJR	1
Isopropylbenzene	< 0.32	ug/l	0.32		1	8260B		8/5/2020	CJR	1
p-Isopropyltoluene	< 0.47	ug/l	0.47	1.5	1	8260B		8/5/2020	CJR	1
Methylene chloride	< 1.32	ug/l	1.32	4.21	1	8260B		8/5/2020	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.47	ug/l	0.47	1.5	1	8260B		8/5/2020	CJR	1
Naphthalene	< 1.1	ug/l	1.1	3.6	1	8260B		8/5/2020	CJR	1
n-Propylbenzene	< 0.33	ug/l	0.33	1.1	1	8260B		8/5/2020	CJR	1
1,1,2,2-Tetrachloroethane	< 0.37	ug/l	0.37	1.2	1	8260B		8/5/2020	CJR	1
1,1,1,2-Tetrachloroethane	< 0.88	ug/l	0.88	3.3	1	8260B		8/5/2020	CJR	1
Tetrachloroethene	< 0.33	ug/l	0.33		1	8260B		8/5/2020	CJR	1
Toluene	< 0.26	ug/l	0.26	0.83	1	8260B		8/5/2020	CJR	1
1,2,4-Trichlorobenzene	< 0.44	ug/l	0.44	1.4	1	8260B		8/5/2020	CJR	1

Project Name FMR ROBINSONS CLEANERS
Project # 6155 PO#2020-1772

Invoice # E38267

Lab Code 5038267K
Sample ID 6155 PZ-17D2
Sample Matrix Water
Sample Date 7/27/2020

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 1	ug/l	1	3.2	1	8260B		8/5/2020	CJR	1
1,1,1-Trichloroethane	< 0.3	ug/l	0.3	0.95	1	8260B		8/5/2020	CJR	1
1,1,2-Trichloroethane	< 0.36	ug/l	0.36	1.1	1	8260B		8/5/2020	CJR	1
Trichloroethene (TCE)	< 0.47	ug/l	0.47	1.5	1	8260B		8/5/2020	CJR	1
Trichlorofluoromethane	< 0.42	ug/l	0.42	1.3	1	8260B		8/5/2020	CJR	1
1,2,4-Trimethylbenzene	< 0.3	ug/l	0.3	0.96	1	8260B		8/5/2020	CJR	1
1,3,5-Trimethylbenzene	< 0.32	ug/l	0.32	1	1	8260B		8/5/2020	CJR	1
Vinyl Chloride	< 0.2	ug/l	0.2	0.65	1	8260B		8/5/2020	CJR	1
m&p-Xylene	< 1.1	ug/l	1.1	3.3	1	8260B		8/5/2020	CJR	1
o-Xylene	< 0.38	ug/l	0.38	1.2	1	8260B		8/5/2020	CJR	1
SUR - 1,2-Dichloroethane-d4	118	REC %			1	8260B		8/5/2020	CJR	1
SUR - 4-Bromofluorobenzene	100	REC %			1	8260B		8/5/2020	CJR	1
SUR - Dibromofluoromethane	108	REC %			1	8260B		8/5/2020	CJR	1
SUR - Toluene-d8	112	REC %			1	8260B		8/5/2020	CJR	1

Project Name FMR ROBINSONS CLEANERS
Project # 6155 PO#2020-1772

Invoice # E38267

Lab Code 5038267Z
Sample ID 6155 MW-35D
Sample Matrix Water
Sample Date 7/27/2020

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.33	ug/l	0.33		1	8260B		8/4/2020	CJR	1
Bromobenzene	< 0.26	ug/l	0.26	0.84	1	8260B		8/4/2020	CJR	1
Bromodichloromethane	< 0.33	ug/l	0.33		1	8260B		8/4/2020	CJR	1
Bromoform	< 0.65	ug/l	0.65	2.1	1	8260B		8/4/2020	CJR	1
tert-Butylbenzene	< 0.61	ug/l	0.61	1.9	1	8260B		8/4/2020	CJR	1
sec-Butylbenzene	< 0.32	ug/l	0.32		1	8260B		8/4/2020	CJR	1
n-Butylbenzene	< 0.28	ug/l	0.28	0.89	1	8260B		8/4/2020	CJR	1
Carbon Tetrachloride	< 0.31	ug/l	0.31	0.98	1	8260B		8/4/2020	CJR	1
Chlorobenzene	< 0.39	ug/l	0.39	1.2	1	8260B		8/4/2020	CJR	1
Chloroethane	< 1.1	ug/l	1.1	3.6	1	8260B		8/4/2020	CJR	1
Chloroform	< 0.44	ug/l	0.44	1.4	1	8260B		8/4/2020	CJR	1
Chloromethane	< 0.8	ug/l	0.8	2.5	1	8260B		8/4/2020	CJR	1
2-Chlorotoluene	< 0.32	ug/l	0.32		1	8260B		8/4/2020	CJR	1
4-Chlorotoluene	< 0.3	ug/l	0.3	0.96	1	8260B		8/4/2020	CJR	1
1,2-Dibromo-3-chloropropane	< 0.82	ug/l	0.82	2.6	1	8260B		8/4/2020	CJR	1
Dibromochloromethane	< 0.23	ug/l	0.23	0.74	1	8260B		8/4/2020	CJR	1
1,4-Dichlorobenzene	< 0.36	ug/l	0.36	1.1	1	8260B		8/4/2020	CJR	1
1,3-Dichlorobenzene	< 0.31	ug/l	0.31	0.98	1	8260B		8/4/2020	CJR	1
1,2-Dichlorobenzene	< 0.32	ug/l	0.32		1	8260B		8/4/2020	CJR	1
Dichlorodifluoromethane	< 0.45	ug/l	0.45	1.4	1	8260B		8/4/2020	CJR	1
1,2-Dichloroethane	< 0.39	ug/l	0.39	1.3	1	8260B		8/4/2020	CJR	1
1,1-Dichloroethane	< 0.46	ug/l	0.46	1.5	1	8260B		8/4/2020	CJR	1
1,1-Dichloroethene	< 0.5	ug/l	0.5	1.6	1	8260B		8/4/2020	CJR	1
cis-1,2-Dichloroethene	< 0.39	ug/l	0.39	1.2	1	8260B		8/4/2020	CJR	1
trans-1,2-Dichloroethene	< 0.37	ug/l	0.37	1.2	1	8260B		8/4/2020	CJR	1
1,2-Dichloropropane	< 0.38	ug/l	0.38	1.2	1	8260B		8/4/2020	CJR	1
1,3-Dichloropropane	< 0.35	ug/l	0.35	1.1	1	8260B		8/4/2020	CJR	1
trans-1,3-Dichloropropene	< 0.3	ug/l	0.3	0.94	1	8260B		8/4/2020	CJR	1
cis-1,3-Dichloropropene	< 0.36	ug/l	0.36	1.1	1	8260B		8/4/2020	CJR	1
Di-isopropyl ether	< 0.34	ug/l	0.34	1.1	1	8260B		8/4/2020	CJR	1
EDB (1,2-Dibromoethane)	< 0.24	ug/l	0.24	0.75	1	8260B		8/4/2020	CJR	1
Ethylbenzene	< 0.32	ug/l	0.32		1	8260B		8/4/2020	CJR	1
Hexachlorobutadiene	< 0.72	ug/l	0.72	2.3	1	8260B		8/4/2020	CJR	1
Isopropylbenzene	< 0.32	ug/l	0.32		1	8260B		8/4/2020	CJR	1
p-Isopropyltoluene	< 0.47	ug/l	0.47	1.5	1	8260B		8/4/2020	CJR	1
Methylene chloride	< 1.32	ug/l	1.32	4.21	1	8260B		8/4/2020	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.47	ug/l	0.47	1.5	1	8260B		8/4/2020	CJR	1
Naphthalene	< 1.1	ug/l	1.1	3.6	1	8260B		8/4/2020	CJR	1
n-Propylbenzene	< 0.33	ug/l	0.33	1.1	1	8260B		8/4/2020	CJR	1
1,1,2,2-Tetrachloroethane	< 0.37	ug/l	0.37	1.2	1	8260B		8/4/2020	CJR	1
1,1,1,2-Tetrachloroethane	< 0.88	ug/l	0.88	3.3	1	8260B		8/4/2020	CJR	1
Tetrachloroethene	30.6	ug/l	0.33		1	8260B		8/4/2020	CJR	1
Toluene	< 0.26	ug/l	0.26	0.83	1	8260B		8/4/2020	CJR	1
1,2,4-Trichlorobenzene	< 0.44	ug/l	0.44	1.4	1	8260B		8/4/2020	CJR	1

Project Name FMR ROBINSONS CLEANERS
Project # 6155 PO#2020-1772

Invoice # E38267

Lab Code 5038267Z
Sample ID 6155 MW-35D
Sample Matrix Water
Sample Date 7/27/2020

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 1	ug/l	1	3.2	1	8260B		8/4/2020	CJR	1
1,1,1-Trichloroethane	< 0.3	ug/l	0.3	0.95	1	8260B		8/4/2020	CJR	1
1,1,2-Trichloroethane	< 0.36	ug/l	0.36	1.1	1	8260B		8/4/2020	CJR	1
Trichloroethene (TCE)	< 0.47	ug/l	0.47	1.5	1	8260B		8/4/2020	CJR	1
Trichlorofluoromethane	< 0.42	ug/l	0.42	1.3	1	8260B		8/4/2020	CJR	1
1,2,4-Trimethylbenzene	< 0.3	ug/l	0.3	0.96	1	8260B		8/4/2020	CJR	1
1,3,5-Trimethylbenzene	< 0.32	ug/l	0.32	1	1	8260B		8/4/2020	CJR	1
Vinyl Chloride	< 0.2	ug/l	0.2	0.65	1	8260B		8/4/2020	CJR	1
m&p-Xylene	< 1.1	ug/l	1.1	3.3	1	8260B		8/4/2020	CJR	1
o-Xylene	< 0.38	ug/l	0.38	1.2	1	8260B		8/4/2020	CJR	1
SUR - Toluene-d8	111	REC %			1	8260B		8/4/2020	CJR	1
SUR - 1,2-Dichloroethane-d4	101	REC %			1	8260B		8/4/2020	CJR	1
SUR - 4-Bromofluorobenzene	112	REC %			1	8260B		8/4/2020	CJR	1
SUR - Dibromofluoromethane	112	REC %			1	8260B		8/4/2020	CJR	1

Environmental Lab, Inc.

1990 Prospect Ct. • Appleton, WI 54914
920-830-2455 • FAX 920-733-0631

Sample Handling Request

Rush Analysis Date Required _____
(Rushes accepted only with prior authorization)

Normal Turn Around

Lab I.D. # _____
Account No. : _____ Quote No.: **8242**
Project #: **6155**
Sampler: (signature) *B. J. Kappen / Melody Che*

Project (Name / Location): **Fmr Robinson's Cleaners - Court St**
Reports To: **B. Kappen** Invoice To: **Accounts Payable**
Company: **Enviroforensics LLC** Company: **Enviroforensics LLC**
Address: **bkappen@enviroforensics.com** Address: **accounts payable@enviroforensics.com**
City State Zip: _____ City State Zip: _____
Phone: **262-745-5054** Phone: **317-972-7870**
FAX: _____ FAX: _____

Analysis Requested **Other Analysis**

Lab I.D.	Sample I.D.	Collection		Comp	Grab	Filtered Y/N	No. of Containers	Sample Type (Matrix)*	Preservation	DRO (Mod DRO Sep 95)	GRO (Mod GRO Sep 95)	LEAD	NITRATE/NITRITE	OIL & GREASE	PAH (EPA 8270)	PCB	PVOC (EPA 8021)	PVOC + NAPHTHALENE	SULFATE	TOTAL SUSPENDED SOLIDS	VOC DW (EPA 524.2)	VOC (EPA 8260)	8-RCRA METALS	PID/FID	
		Date	Time																						
5038267A	6155-MW-1	7/27/20	1120		X	N	3	GW	HCl																
B	6155-MW-6		1200																			X			
C	6155-MW-8		1650																			X			
D	6155-MW-9		1135																			X			
E	6155-MW-11		1425																			X			
F	6155-MW-12		1210																			X			
G	6155-MW-13		1410																			X			
H	6155-MW-14		1150																			X			
I	6155-MW-20D		1105																			X			
J	6155-PZ-17D1	7/29/20	1150																			X			

Comments/Special Instructions (*Specify groundwater "GW", Drinking Water "DW", Waste Water "WW", Soil "S", Air "A", Oil, Sludge etc.)

PO# 2020-1772

Sample Integrity - To be completed by receiving lab.
Method of Shipment: **Ge**
Temp. of Temp. Blank _____ °C On Ice
Cooler seal intact upon receipt: Yes No

Relinquished By: (sign) *B. J. Kappen* Time **1215** Date **7/29/20** Received By: (sign) *Gold Cross* Time **1215** Date **7/29/20**
Received in Laboratory By: *[Signature]* Time: **8:00** Date: **7/31/20**

Environmental Lab, Inc.

1990 Prospect Ct. • Appleton, WI 54914
920-830-2455 • FAX 920-733-0631

Sample Handling Request

Rush Analysis Date Required _____
(Rushes accepted only with prior authorization)

Normal Turn Around

Lab I.D. # _____
Account No. : _____ Quote No.: 8242
Project #: 6155
Sampler: (signature) [Signature]

Project (Name / Location): _____
Reports To: _____ Invoice To: _____
Company: _____ Company: _____
Address: _____ Address: _____
City State Zip: _____ City State Zip: _____
Phone: _____ Phone: _____
FAX: _____ FAX: _____

Analysis Requested **Other Analysis**

Lab I.D.	Sample I.D.	Collection Date	Time	Comp	Grab	Filtered Y/N	No. of Containers	Sample Type (Matrix)*	Preservation	DRO (Mod DRO Sep 95)	GRO (Mod GRO Sep 95)	LEAD	NITRATE/NITRITE	OIL & GREASE	PAH (EPA 8270)	PCB	PVOC (EPA 8021)	PVOC + NAPHTHALENE	SULFATE	TOTAL SUSPENDED SOLIDS	VOC DW (EPA 524-2)	VOC (EPA 8260)	8-PCRA METALS	PID/FID
<u>S038267k</u>	<u>6155-P2-1702</u>	<u>7/27/20</u>	<u>1455</u>		<u>X</u>	<u>N</u>	<u>3</u>	<u>GW</u>	<u>HCl</u>															
<u>L</u>	<u>6155-MW-25D</u>		<u>1535</u>																			<u>X</u>		
<u>M</u>	<u>6155-PZ-25D2</u>		<u>1530</u>																			<u>X</u>		
<u>N</u>	<u>6155-PZ-25D3</u>		<u>1525</u>																			<u>X</u>		
<u>O</u>	<u>6155-MW-26</u>		<u>1555</u>																			<u>X</u>		
<u>P</u>	<u>6155-MW-27S</u>		<u>1230</u>																			<u>X</u>		
<u>Q</u>	<u>6155-MW-27D</u>		<u>1235</u>																			<u>X</u>		
<u>R</u>	<u>6155-MW-27DS</u>		<u>1240</u>																			<u>X</u>		
<u>S</u>	<u>6155-MW-29S</u>		<u>1030</u>																			<u>X</u>		
<u>T</u>	<u>6155-MW-29</u>		<u>1035</u>																			<u>X</u>		

Comments/Special Instructions (*Specify groundwater "GW", Drinking Water "DW", Waste Water "WW", Soil "S", Air "A", Oil, Sludge etc.)

Sample Integrity - To be completed by receiving lab.
Method of Shipment: GC
Temp. of Temp. Blank _____ °C On Ice
Cooler seal intact upon receipt: Yes _____ No

Relinquished By: (sign) [Signature] Time 1215 Date 7/29/20
Received By: (sign) Gold Cross Time 1215 Date 7/29/20

Received in Laboratory By: [Signature] Time: 8:00 Date: 7/31/20

Environmental Lab, Inc.

1990 Prospect Ct. • Appleton, WI 54914
920-830-2455 • FAX 920-733-0631

Sample Handling Request

Rush Analysis Date Required _____
(Rushes accepted only with prior authorization)

Normal Turn Around

Lab I.D. # _____

Account No.: _____ Quote No.: **8242**

Project #: **6155**

Sampler: (signature) *B. J. Ryan*

Project (Name / Location): _____

Reports To: _____ Invoice To: _____

Company: _____ Company: _____

Address: _____ Address: _____

City State Zip: _____ City State Zip: _____

Phone: _____ Phone: _____

FAX: _____ FAX: _____

										Analysis Requested										Other Analysis				
Lab I.D.	Sample I.D.	Collection Date	Time	Comp	Grab	Filtered Y/N	No. of Containers	Sample Type (Matrix)*	Preservation	DRO (Mod DRO Sep 95)	GRO (Mod GRO Sep 95)	LEAD	NITRATE/NITRITE	OIL & GREASE	PAH (EPA 8270)	PCB	PVOC (EPA 8021)	PVOC + NAPHTHALENE	SULFATE	TOTAL SUSPENDED SOLIDS	VOC DW (EPA 524.2)	VOC (EPA 8260)	8-RCRA METALS	PID/FID
6038267U	6155-MW-30S	7/27/20	1005		X	N	3	GW	HCl															
V	6155-MW-30D		1010																			X		
W	6155-MW-30D3		1018																			X		
X	6155-MW-31D		1300																			X		
Y	6155-MW-32		1345																			X		
Z	6155-MW-35D		1610																			X		
AA	6155-MW-36S		935																			X		
BB	6155-MW-36D		940																			X		
CC	6155-MW-37D		1700																			X		
DD	6155-MW-38D		1335																			X		

Comments/Special Instructions (*Specify groundwater "GW", Drinking Water "DW", Waste Water "WW", Soil "S", Air "A", Oil, Sludge etc.)

Sample Integrity - To be completed by receiving lab.

Method of Shipment: *☐*

Temp. of Temp. Blank _____ °C On Ice

Cooler seal intact upon receipt: Yes _____ No

Relinquished By: (sign) *B. J. Ryan* Time **1215** Date **7/29/20**

Received By: (sign) *Gold Cross* Time _____ Date _____

Received in Laboratory By: *[Signature]* Time: **8:00** Date: **7/31/20**



August 19, 2020

Elizabeth A. Seltzer, VP
Environmental Health & Safety Manager
JP Morgan Chase & Co.
10 South Dearborn Ave., 25th floor
Chicago, IL 60603-2300

Subject: Environmental Investigation Sampling Results
BRRTS#: 02-54-221852

Dear Ms. Seltzer:

In accordance with the executed Agreement to Provide Access for Sampling Activities, and in accordance with Wisconsin Department of Natural Resources (WDNR) regulation NR 716.14, EnviroForensics, LLC (EnviroForensics) is providing the results of environmental samples collected from the Chase Bank property located at 18 North Arch Street in Janesville, Wisconsin. Groundwater samples were collected from monitoring wells MW-30S, MW-30D, and PZ-30D3 on July 27, 2020. The well locations are shown on the attached **Figure 1**.

The sampling activities were conducted as part of remedial monitoring being performed for Robinson's Cleaners formerly located at 1838 West Court Street in Janesville, Wisconsin. The chemicals of concern (COCs) are the dry cleaning solvent tetrachloroethene (PCE) and its associated breakdown products.

The Responsible Party is:

RayChris, Inc.
5110 N. Conner Road
Janesville, WI 53548

Sampling Results

The sample analytical results relating to the COCs are summarized and compared to public health criteria in the attached **Table 1**. An excerpt of the laboratory report that relates to the groundwater samples collected from the monitoring wells is also attached.

As can be seen in the attached **Table 1**, the groundwater samples collected from MW-30S and MW-30D contained PCE at concentrations that exceeds the WDNR public health enforcement

standards (ESs). Trichloroethene (TCE) was detected in the MW-30S sample at an estimated concentration exceeding the ES. MW-30S also contained a concentration of cis-1,2 Dichloroethene (DCE) at a concentration below its preventive action limit (PAL). The No other COCs were detected at concentrations above public health criteria. TCE and DCE are products of the natural breakdown of PCE.

We may continue to conduct periodic groundwater monitoring activities in the future, which could include sampling one or more wells on the Chase Bank property. If you have any questions or concerns, please contact me at 414-982-3988 or by email at wfassbender@enviroforensics.com. The WDNR project manager, Jeff Ackerman, can be reached at 608-275-3323. We greatly appreciate your help and patience with this matter.

Sincerely,
EnviroForensics, LLC

A handwritten signature in cursive script that reads "Wayne P. Fassbender".

Wayne Fassbender, PG, PMP
Senior Project Manager


Copy: Jeff Ackerman, Wisconsin Department of Natural Resources

Attachments:

- Figure 1: Monitoring Well Locations
- Table 1: Summary of Groundwater Analytical Results
- Groundwater Laboratory Analytical Report Excerpt

Legend

- WTR — Underground water utility line
- - - Underground storm utility line
- SAN — Underground sanitary utility line
- UGT — Underground telephone utility line
- GAS — Underground gas utility line
- UGE — Underground electrical utility line
- OHD — Overhead electrical utility line
- ◆ MW-30S ◆ Monitoring well (Dolomite)
- ◆ MW-30D ◆ Monitoring well (Sandstone)
- ◆ MW-30D2 ◆ Monitoring well (Abandoned)



MONITORING WELL LOCATIONS	
Robinson Dry Cleaners 1838 West Court Street Janesville, WI	
	Figure 1
<small>ENVIRONMENTAL FORENSIC INVESTIGATIONS, INC. 602 N. Capitol Ave., Ste. 210 • Indianapolis, IN 46204 EnviroForensics.com</small>	Project 6155

Date:	1/19/15
Designed:	EB
Drawn:	EB
Checked:	BK
DWG file:	6155-1178

TABLE 1
SUMMARY OF GROUNDWATER SAMPLE ANALYTICAL RESULTS

Former Robinson's Cleaners
1838 W. Court Street
Janesville, Wisconsin

Monitoring Well ID	Sample ID	Sample Date	Sample Method	Tetrachloroethene	Trichloroethene	cis-1,2-Dichloroethene	trans-1,2-Dichloroethene	Vinyl chloride
Enforcement Standard				5	5	70	100	0.2
Preventive Action Limit				0.5	0.5	7	20	0.02
MW-30S	6155-MW-30S	7/27/2020	PDB	2,020	12.1 J	4.4 J	<3.7	<2
MW-30D	6155-MW-30D	7/27/2020	PDB	31.6	<0.47	<0.39	<0.37	<0.2
PZ-30D3	6155-PZ-30D3	7/27/2020	PDB	<0.33	<0.47	<0.39	<0.37	<0.2

Notes:

All concentrations reported in units of µg/L = micrograms per liter

Samples analyzed using EPA SW-846 Method 8260

Bolded values are above detection limits

Bolded and Shaded Orange values are above the Public Health Enforcement Standard

Bolded and Shaded Blue values are above Public Health Preventive Action Limit

J = Analyte concentration detected between the laboratory Reporting Limit and Method Detection Limit

PDB = Passive Diffusion Bag used as Sampling Method

Low Flow = Standard Low Flow Sampling Method using Bladder Pump

Project Name FMR ROBINSONS CLEANERS
Project # 6155 PO#2020-1772

Invoice # E38267

Lab Code 5038267U
Sample ID 6155 MW-30S
Sample Matrix Water
Sample Date 7/27/2020

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 3.3	ug/l	3.3	10	10	8260B		8/4/2020	CJR	1
Bromobenzene	< 2.6	ug/l	2.6	8.4	10	8260B		8/4/2020	CJR	1
Bromodichloromethane	< 3.3	ug/l	3.3	10	10	8260B		8/4/2020	CJR	1
Bromoform	< 6.5	ug/l	6.5	21	10	8260B		8/4/2020	CJR	1
tert-Butylbenzene	< 6.1	ug/l	6.1	19	10	8260B		8/4/2020	CJR	1
sec-Butylbenzene	< 3.2	ug/l	3.2	10	10	8260B		8/4/2020	CJR	1
n-Butylbenzene	< 2.8	ug/l	2.8	8.9	10	8260B		8/4/2020	CJR	1
Carbon Tetrachloride	< 3.1	ug/l	3.1	9.8	10	8260B		8/4/2020	CJR	1
Chlorobenzene	< 3.9	ug/l	3.9	12	10	8260B		8/4/2020	CJR	1
Chloroethane	< 11	ug/l	11	36	10	8260B		8/4/2020	CJR	1
Chloroform	< 4.4	ug/l	4.4	14	10	8260B		8/4/2020	CJR	1
Chloromethane	< 8	ug/l	8	25	10	8260B		8/4/2020	CJR	1
2-Chlorotoluene	< 3.2	ug/l	3.2	10	10	8260B		8/4/2020	CJR	1
4-Chlorotoluene	< 3	ug/l	3	9.6	10	8260B		8/4/2020	CJR	1
1,2-Dibromo-3-chloropropane	< 8.2	ug/l	8.2	26	10	8260B		8/4/2020	CJR	1
Dibromochloromethane	< 2.3	ug/l	2.3	7.4	10	8260B		8/4/2020	CJR	1
1,4-Dichlorobenzene	< 3.6	ug/l	3.6	11	10	8260B		8/4/2020	CJR	1
1,3-Dichlorobenzene	< 3.1	ug/l	3.1	9.8	10	8260B		8/4/2020	CJR	1
1,2-Dichlorobenzene	< 3.2	ug/l	3.2	10	10	8260B		8/4/2020	CJR	1
Dichlorodifluoromethane	< 4.5	ug/l	4.5	14	10	8260B		8/4/2020	CJR	1
1,2-Dichloroethane	< 3.9	ug/l	3.9	13	10	8260B		8/4/2020	CJR	1
1,1-Dichloroethane	< 4.6	ug/l	4.6	15	10	8260B		8/4/2020	CJR	1
1,1-Dichloroethene	< 5	ug/l	5	16	10	8260B		8/4/2020	CJR	1
cis-1,2-Dichloroethene	4.4 "J"	ug/l	3.9	12	10	8260B		8/4/2020	CJR	1
trans-1,2-Dichloroethene	< 3.7	ug/l	3.7	12	10	8260B		8/4/2020	CJR	1
1,2-Dichloropropane	< 3.8	ug/l	3.8	12	10	8260B		8/4/2020	CJR	1
1,3-Dichloropropane	< 3.5	ug/l	3.5	11	10	8260B		8/4/2020	CJR	1
trans-1,3-Dichloropropene	< 3	ug/l	3	9.4	10	8260B		8/4/2020	CJR	1
cis-1,3-Dichloropropene	< 3.6	ug/l	3.6	11	10	8260B		8/4/2020	CJR	1
Di-isopropyl ether	< 3.4	ug/l	3.4	11	10	8260B		8/4/2020	CJR	1
EDB (1,2-Dibromoethane)	< 2.4	ug/l	2.4	7.5	10	8260B		8/4/2020	CJR	1
Ethylbenzene	< 3.2	ug/l	3.2	10	10	8260B		8/4/2020	CJR	1
Hexachlorobutadiene	< 7.2	ug/l	7.2	23	10	8260B		8/4/2020	CJR	1
Isopropylbenzene	< 3.2	ug/l	3.2	10	10	8260B		8/4/2020	CJR	1
p-Isopropyltoluene	< 4.7	ug/l	4.7	15	10	8260B		8/4/2020	CJR	1
Methylene chloride	< 13.2	ug/l	13.2	42.1	10	8260B		8/4/2020	CJR	1
Methyl tert-butyl ether (MTBE)	< 4.7	ug/l	4.7	15	10	8260B		8/4/2020	CJR	1
Naphthalene	< 11	ug/l	11	36	10	8260B		8/4/2020	CJR	1
n-Propylbenzene	< 3.3	ug/l	3.3	11	10	8260B		8/4/2020	CJR	1
1,1,2,2-Tetrachloroethane	< 3.7	ug/l	3.7	12	10	8260B		8/4/2020	CJR	1
1,1,1,2-Tetrachloroethane	< 8.8	ug/l	8.8	33	10	8260B		8/4/2020	CJR	1
Tetrachloroethene	2020	ug/l	6.6	20	20	8260B		8/6/2020	CJR	1
Toluene	< 2.6	ug/l	2.6	8.3	10	8260B		8/4/2020	CJR	1
1,2,4-Trichlorobenzene	< 4.4	ug/l	4.4	14	10	8260B		8/4/2020	CJR	1

Project Name FMR ROBINSONS CLEANERS
Project # 6155 PO#2020-1772

Invoice # E38267

Lab Code 5038267U
Sample ID 6155 MW-30S
Sample Matrix Water
Sample Date 7/27/2020

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 10	ug/l	10	32	10	8260B		8/4/2020	CJR	1
1,1,1-Trichloroethane	< 3	ug/l	3	9.5	10	8260B		8/4/2020	CJR	1
1,1,2-Trichloroethane	< 3.6	ug/l	3.6	11	10	8260B		8/4/2020	CJR	1
Trichloroethene (TCE)	12.1 "J"	ug/l	4.7	15	10	8260B		8/4/2020	CJR	1
Trichlorofluoromethane	< 4.2	ug/l	4.2	13	10	8260B		8/4/2020	CJR	1
1,2,4-Trimethylbenzene	< 3	ug/l	3	9.6	10	8260B		8/4/2020	CJR	1
1,3,5-Trimethylbenzene	< 3.2	ug/l	3.2	10	10	8260B		8/4/2020	CJR	1
Vinyl Chloride	< 2	ug/l	2	6.5	10	8260B		8/4/2020	CJR	1
m&p-Xylene	< 11	ug/l	11	33	10	8260B		8/4/2020	CJR	1
o-Xylene	< 3.8	ug/l	3.8	12	10	8260B		8/4/2020	CJR	1
SUR - 4-Bromofluorobenzene	99	REC %			10	8260B		8/4/2020	CJR	1
SUR - Dibromofluoromethane	94	REC %			10	8260B		8/4/2020	CJR	1
SUR - Toluene-d8	109	REC %			10	8260B		8/4/2020	CJR	1
SUR - 1,2-Dichloroethane-d4	101	REC %			10	8260B		8/4/2020	CJR	1

Project Name FMR ROBINSONS CLEANERS
Project # 6155 PO#2020-1772

Invoice # E38267

Lab Code 5038267V
Sample ID 6155 MW-30D
Sample Matrix Water
Sample Date 7/27/2020

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.33	ug/l	0.33		1	8260B		8/5/2020	CJR	1
Bromobenzene	< 0.26	ug/l	0.26	0.84	1	8260B		8/5/2020	CJR	1
Bromodichloromethane	< 0.33	ug/l	0.33		1	8260B		8/5/2020	CJR	1
Bromoform	< 0.65	ug/l	0.65	2.1	1	8260B		8/5/2020	CJR	1
tert-Butylbenzene	< 0.61	ug/l	0.61	1.9	1	8260B		8/5/2020	CJR	1
sec-Butylbenzene	< 0.32	ug/l	0.32		1	8260B		8/5/2020	CJR	1
n-Butylbenzene	< 0.28	ug/l	0.28	0.89	1	8260B		8/5/2020	CJR	1
Carbon Tetrachloride	< 0.31	ug/l	0.31	0.98	1	8260B		8/5/2020	CJR	1
Chlorobenzene	< 0.39	ug/l	0.39	1.2	1	8260B		8/5/2020	CJR	1
Chloroethane	< 1.1	ug/l	1.1	3.6	1	8260B		8/5/2020	CJR	1
Chloroform	< 0.44	ug/l	0.44	1.4	1	8260B		8/5/2020	CJR	1
Chloromethane	< 0.8	ug/l	0.8	2.5	1	8260B		8/5/2020	CJR	1
2-Chlorotoluene	< 0.32	ug/l	0.32		1	8260B		8/5/2020	CJR	1
4-Chlorotoluene	< 0.3	ug/l	0.3	0.96	1	8260B		8/5/2020	CJR	1
1,2-Dibromo-3-chloropropane	< 0.82	ug/l	0.82	2.6	1	8260B		8/5/2020	CJR	1
Dibromochloromethane	< 0.23	ug/l	0.23	0.74	1	8260B		8/5/2020	CJR	1
1,4-Dichlorobenzene	< 0.36	ug/l	0.36	1.1	1	8260B		8/5/2020	CJR	1
1,3-Dichlorobenzene	< 0.31	ug/l	0.31	0.98	1	8260B		8/5/2020	CJR	1
1,2-Dichlorobenzene	< 0.32	ug/l	0.32		1	8260B		8/5/2020	CJR	1
Dichlorodifluoromethane	< 0.45	ug/l	0.45	1.4	1	8260B		8/5/2020	CJR	1
1,2-Dichloroethane	< 0.39	ug/l	0.39	1.3	1	8260B		8/5/2020	CJR	1
1,1-Dichloroethane	< 0.46	ug/l	0.46	1.5	1	8260B		8/5/2020	CJR	1
1,1-Dichloroethene	< 0.5	ug/l	0.5	1.6	1	8260B		8/5/2020	CJR	1
cis-1,2-Dichloroethene	< 0.39	ug/l	0.39	1.2	1	8260B		8/5/2020	CJR	1
trans-1,2-Dichloroethene	< 0.37	ug/l	0.37	1.2	1	8260B		8/5/2020	CJR	1
1,2-Dichloropropane	< 0.38	ug/l	0.38	1.2	1	8260B		8/5/2020	CJR	1
1,3-Dichloropropane	< 0.35	ug/l	0.35	1.1	1	8260B		8/5/2020	CJR	1
trans-1,3-Dichloropropene	< 0.3	ug/l	0.3	0.94	1	8260B		8/5/2020	CJR	1
cis-1,3-Dichloropropene	< 0.36	ug/l	0.36	1.1	1	8260B		8/5/2020	CJR	1
Di-isopropyl ether	< 0.34	ug/l	0.34	1.1	1	8260B		8/5/2020	CJR	1
EDB (1,2-Dibromoethane)	< 0.24	ug/l	0.24	0.75	1	8260B		8/5/2020	CJR	1
Ethylbenzene	< 0.32	ug/l	0.32		1	8260B		8/5/2020	CJR	1
Hexachlorobutadiene	< 0.72	ug/l	0.72	2.3	1	8260B		8/5/2020	CJR	1
Isopropylbenzene	< 0.32	ug/l	0.32		1	8260B		8/5/2020	CJR	1
p-Isopropyltoluene	< 0.47	ug/l	0.47	1.5	1	8260B		8/5/2020	CJR	1
Methylene chloride	< 1.32	ug/l	1.32	4.21	1	8260B		8/5/2020	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.47	ug/l	0.47	1.5	1	8260B		8/5/2020	CJR	1
Naphthalene	< 1.1	ug/l	1.1	3.6	1	8260B		8/5/2020	CJR	1
n-Propylbenzene	< 0.33	ug/l	0.33	1.1	1	8260B		8/5/2020	CJR	1
1,1,2,2-Tetrachloroethane	< 0.37	ug/l	0.37	1.2	1	8260B		8/5/2020	CJR	1
1,1,1,2-Tetrachloroethane	< 0.88	ug/l	0.88	3.3	1	8260B		8/5/2020	CJR	1
Tetrachloroethene	31.6	ug/l	0.33		1	8260B		8/5/2020	CJR	1
Toluene	< 0.26	ug/l	0.26	0.83	1	8260B		8/5/2020	CJR	1
1,2,4-Trichlorobenzene	< 0.44	ug/l	0.44	1.4	1	8260B		8/5/2020	CJR	1

Project Name FMR ROBINSONS CLEANERS
Project # 6155 PO#2020-1772

Invoice # E38267

Lab Code 5038267V
Sample ID 6155 MW-30D
Sample Matrix Water
Sample Date 7/27/2020

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 1	ug/l	1	3.2	1	8260B		8/5/2020	CJR	1
1,1,1-Trichloroethane	< 0.3	ug/l	0.3	0.95	1	8260B		8/5/2020	CJR	1
1,1,2-Trichloroethane	< 0.36	ug/l	0.36	1.1	1	8260B		8/5/2020	CJR	1
Trichloroethene (TCE)	< 0.47	ug/l	0.47	1.5	1	8260B		8/5/2020	CJR	1
Trichlorofluoromethane	< 0.42	ug/l	0.42	1.3	1	8260B		8/5/2020	CJR	1
1,2,4-Trimethylbenzene	< 0.3	ug/l	0.3	0.96	1	8260B		8/5/2020	CJR	1
1,3,5-Trimethylbenzene	< 0.32	ug/l	0.32	1	1	8260B		8/5/2020	CJR	1
Vinyl Chloride	< 0.2	ug/l	0.2	0.65	1	8260B		8/5/2020	CJR	1
m&p-Xylene	< 1.1	ug/l	1.1	3.3	1	8260B		8/5/2020	CJR	1
o-Xylene	< 0.38	ug/l	0.38	1.2	1	8260B		8/5/2020	CJR	1
SUR - 1,2-Dichloroethane-d4	102	REC %			1	8260B		8/5/2020	CJR	1
SUR - 4-Bromofluorobenzene	110	REC %			1	8260B		8/5/2020	CJR	1
SUR - Dibromofluoromethane	99	REC %			1	8260B		8/5/2020	CJR	1
SUR - Toluene-d8	106	REC %			1	8260B		8/5/2020	CJR	1

Project Name FMR ROBINSONS CLEANERS
Project # 6155 PO#2020-1772

Invoice # E38267

Lab Code 5038267W
Sample ID 6155 MW-30D3
Sample Matrix Water
Sample Date 7/27/2020

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.33	ug/l	0.33		1	8260B		8/4/2020	CJR	1
Bromobenzene	< 0.26	ug/l	0.26	0.84	1	8260B		8/4/2020	CJR	1
Bromodichloromethane	< 0.33	ug/l	0.33		1	8260B		8/4/2020	CJR	1
Bromoform	< 0.65	ug/l	0.65	2.1	1	8260B		8/4/2020	CJR	1
tert-Butylbenzene	< 0.61	ug/l	0.61	1.9	1	8260B		8/4/2020	CJR	1
sec-Butylbenzene	< 0.32	ug/l	0.32		1	8260B		8/4/2020	CJR	1
n-Butylbenzene	< 0.28	ug/l	0.28	0.89	1	8260B		8/4/2020	CJR	1
Carbon Tetrachloride	< 0.31	ug/l	0.31	0.98	1	8260B		8/4/2020	CJR	1
Chlorobenzene	< 0.39	ug/l	0.39	1.2	1	8260B		8/4/2020	CJR	1
Chloroethane	< 1.1	ug/l	1.1	3.6	1	8260B		8/4/2020	CJR	1
Chloroform	< 0.44	ug/l	0.44	1.4	1	8260B		8/4/2020	CJR	1
Chloromethane	< 0.8	ug/l	0.8	2.5	1	8260B		8/4/2020	CJR	1
2-Chlorotoluene	< 0.32	ug/l	0.32		1	8260B		8/4/2020	CJR	1
4-Chlorotoluene	< 0.3	ug/l	0.3	0.96	1	8260B		8/4/2020	CJR	1
1,2-Dibromo-3-chloropropane	< 0.82	ug/l	0.82	2.6	1	8260B		8/4/2020	CJR	1
Dibromochloromethane	< 0.23	ug/l	0.23	0.74	1	8260B		8/4/2020	CJR	1
1,4-Dichlorobenzene	< 0.36	ug/l	0.36	1.1	1	8260B		8/4/2020	CJR	1
1,3-Dichlorobenzene	< 0.31	ug/l	0.31	0.98	1	8260B		8/4/2020	CJR	1
1,2-Dichlorobenzene	< 0.32	ug/l	0.32		1	8260B		8/4/2020	CJR	1
Dichlorodifluoromethane	< 0.45	ug/l	0.45	1.4	1	8260B		8/4/2020	CJR	1
1,2-Dichloroethane	< 0.39	ug/l	0.39	1.3	1	8260B		8/4/2020	CJR	1
1,1-Dichloroethane	< 0.46	ug/l	0.46	1.5	1	8260B		8/4/2020	CJR	1
1,1-Dichloroethene	< 0.5	ug/l	0.5	1.6	1	8260B		8/4/2020	CJR	1
cis-1,2-Dichloroethene	< 0.39	ug/l	0.39	1.2	1	8260B		8/4/2020	CJR	1
trans-1,2-Dichloroethene	< 0.37	ug/l	0.37	1.2	1	8260B		8/4/2020	CJR	1
1,2-Dichloropropane	< 0.38	ug/l	0.38	1.2	1	8260B		8/4/2020	CJR	1
1,3-Dichloropropane	< 0.35	ug/l	0.35	1.1	1	8260B		8/4/2020	CJR	1
trans-1,3-Dichloropropene	< 0.3	ug/l	0.3	0.94	1	8260B		8/4/2020	CJR	1
cis-1,3-Dichloropropene	< 0.36	ug/l	0.36	1.1	1	8260B		8/4/2020	CJR	1
Di-isopropyl ether	< 0.34	ug/l	0.34	1.1	1	8260B		8/4/2020	CJR	1
EDB (1,2-Dibromoethane)	< 0.24	ug/l	0.24	0.75	1	8260B		8/4/2020	CJR	1
Ethylbenzene	< 0.32	ug/l	0.32		1	8260B		8/4/2020	CJR	1
Hexachlorobutadiene	< 0.72	ug/l	0.72	2.3	1	8260B		8/4/2020	CJR	1
Isopropylbenzene	< 0.32	ug/l	0.32		1	8260B		8/4/2020	CJR	1
p-Isopropyltoluene	< 0.47	ug/l	0.47	1.5	1	8260B		8/4/2020	CJR	1
Methylene chloride	< 1.32	ug/l	1.32	4.21	1	8260B		8/4/2020	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.47	ug/l	0.47	1.5	1	8260B		8/4/2020	CJR	1
Naphthalene	< 1.1	ug/l	1.1	3.6	1	8260B		8/4/2020	CJR	1
n-Propylbenzene	< 0.33	ug/l	0.33	1.1	1	8260B		8/4/2020	CJR	1
1,1,2,2-Tetrachloroethane	< 0.37	ug/l	0.37	1.2	1	8260B		8/4/2020	CJR	1
1,1,1,2-Tetrachloroethane	< 0.88	ug/l	0.88	3.3	1	8260B		8/4/2020	CJR	1
Tetrachloroethene	< 0.33	ug/l	0.33		1	8260B		8/4/2020	CJR	1
Toluene	< 0.26	ug/l	0.26	0.83	1	8260B		8/4/2020	CJR	1
1,2,4-Trichlorobenzene	< 0.44	ug/l	0.44	1.4	1	8260B		8/4/2020	CJR	1

Project Name FMR ROBINSONS CLEANERS
Project # 6155 PO#2020-1772

Invoice # E38267

Lab Code 5038267W
Sample ID 6155 MW-30D3
Sample Matrix Water
Sample Date 7/27/2020

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 1	ug/l	1	3.2	1	8260B		8/4/2020	CJR	1
1,1,1-Trichloroethane	< 0.3	ug/l	0.3	0.95	1	8260B		8/4/2020	CJR	1
1,1,2-Trichloroethane	< 0.36	ug/l	0.36	1.1	1	8260B		8/4/2020	CJR	1
Trichloroethene (TCE)	< 0.47	ug/l	0.47	1.5	1	8260B		8/4/2020	CJR	1
Trichlorofluoromethane	< 0.42	ug/l	0.42	1.3	1	8260B		8/4/2020	CJR	1
1,2,4-Trimethylbenzene	< 0.3	ug/l	0.3	0.96	1	8260B		8/4/2020	CJR	1
1,3,5-Trimethylbenzene	< 0.32	ug/l	0.32	1	1	8260B		8/4/2020	CJR	1
Vinyl Chloride	< 0.2	ug/l	0.2	0.65	1	8260B		8/4/2020	CJR	1
m&p-Xylene	< 1.1	ug/l	1.1	3.3	1	8260B		8/4/2020	CJR	1
o-Xylene	< 0.38	ug/l	0.38	1.2	1	8260B		8/4/2020	CJR	1
SUR - Toluene-d8	105	REC %			1	8260B		8/4/2020	CJR	1
SUR - Dibromofluoromethane	107	REC %			1	8260B		8/4/2020	CJR	1
SUR - 4-Bromofluorobenzene	104	REC %			1	8260B		8/4/2020	CJR	1
SUR - 1,2-Dichloroethane-d4	107	REC %			1	8260B		8/4/2020	CJR	1

Environmental Lab, Inc.

1990 Prospect Ct. • Appleton, WI 54914
920-830-2455 • FAX 920-733-0631

Sample Handling Request
 Rush Analysis Date Required _____
 (Rushes accepted only with prior authorization)
 Normal Turn Around

Lab I.D. # _____
 Account No.: _____ Quote No.: **8242**
 Project #: **6155**
 Sampler: (signature) *B. J. Ryan*

Project (Name / Location): _____
 Reports To: _____ Invoice To: _____
 Company: _____ Company: _____
 Address: _____ Address: _____
 City State Zip: _____ City State Zip: _____
 Phone: _____ Phone: _____
 FAX: _____ FAX: _____

										Analysis Requested										Other Analysis					
Lab I.D.	Sample I.D.	Collection Date	Time	Comp	Grab	Filtered Y/N	No. of Containers	Sample Type (Matrix)*	Preservation	DRO (Mod DRO Sep 95)	GRO (Mod GRO Sep 95)	LEAD	NITRATE/NITRITE	OIL & GREASE	PAH (EPA 8270)	PCB	PVOC (EPA 8021)	PVOC + NAPHTHALENE	SULFATE	TOTAL SUSPENDED SOLIDS	VOC DW (EPA 524.2)	VOC (EPA 8260)	8-RCRA METALS	PID/FID	
6038267U	6155-MW-30S	7/27/20	1005		X	N	3	GW	HCl																
V	6155-MW-30D		1010																						
W	6155-MW-30D3		1018																						
X	6155-MW-31D		1300																						
Y	6155-MW-32		1345																						
Z	6155-MW-35D		1610																						
AA	6155-MW-36S		935																						
BB	6155-MW-36D		940																						
CC	6155-MW-37D		1700																						
DD	6155-MW-38D		1335																						

Comments/Special Instructions (*Specify groundwater "GW", Drinking Water "DW", Waste Water "WW", Soil "S", Air "A", Oil, Sludge etc.)

Sample Integrity - To be completed by receiving lab.
 Method of Shipment:
 Temp. of Temp. Blank _____ °C On Ice
 Cooler seal intact upon receipt: Yes _____ No

Relinquished By: (sign) *B. J. Ryan* Time 1215 Date 7/29/20
 Received By: (sign) *Gold Cross* Time 1215 Date 7/29/20
 Received in Laboratory By: *[Signature]* Time: 8:00 Date: 7/31/20



August 19, 2020

Ms. Karissa Chapman, Civil Engineer
City of Janesville Engineering Department
P.O. Box 5005
Janesville, Wisconsin 53547-5005

Subject: Environmental Investigation Sampling Results
BRRTS#: 02-54-221852

Dear Ms. Chapman:

In accordance with the executed Agreement to Provide Access for Sampling Activities, and in accordance with Wisconsin Department of Natural Resources (WDNR) regulation NR 716.14, EnviroForensics, LLC. (EnviroForensics) is providing the results of groundwater samples collected from 25 monitoring wells located in the City of Janesville public right-of-way. The samples were collected on July 27-28, 2020.

The monitoring well locations are depicted on the attached **Figure 1**. The sampling activities were conducted at the direction of the WDNR as part of an environmental investigation being performed for Robinson's Cleaners formerly located at 1838 West Court Street in Janesville, Wisconsin. The WDNR has assigned the following identification to the former cleaning facility: BRRTS# 02-54-221852. The chemicals of concern (COCs) for the investigation are the dry cleaning solvent tetrachloroethene (PCE) and its associated breakdown products.

The Responsible Party is:

RayChris, Inc.
5110 N. Conner Road
Janesville, WI 53548

Sampling Results

The laboratory results are summarized and compared to public health criteria in the attached **Table 1**. An excerpt from the laboratory report that relates to the groundwater samples collected from the monitoring wells is also attached.

As can be seen in **Table 1**, PCE was detected at concentrations exceeding the WDNR enforcement standard (ES) in groundwater samples collected from monitoring wells PZ-42D1,

Document: 6155-3187
EnviroForensics, LLC
N16 W23390 Stone Ridge Dr, Suite G, Waukesha, WI 53188
Phone: 262-290-4001 • Fax 317-972-7875

PZ-42D2, PZ-43D1, PZ-48D1, PZ-48D2, and PZ-49D1 through PZ-49D4. PCE and TCE were detected in several other monitoring wells at concentrations above the WDNR preventive action limit (PAL), but below the ESs of 5 micrograms per liter ($\mu\text{g/L}$). Cis-1,2-dichloroethene (DCE) was also detected in the PZ-48D1 sample at a concentrations above its PAL. No other COCs were detected at concentrations above public health criteria.

We may continue to conduct periodic groundwater monitoring activities in the future, which could include some or all of the monitoring wells on City of Janesville right-of-way property.

If you have any questions or concerns, please contact me at 414-982-3988 or by email at wfassbender@enviroforensics.com. The WDNR project manager, Jeff Ackerman, can be reached at 608-275-3323. We greatly appreciate your help and patience with this matter.

Sincerely,
EnviroForensics, LLC

A handwritten signature in black ink that reads "Wayne P. Fassbender".



Wayne Fassbender, PG, PMP
Senior Project Manager

Copy: Jeff Ackerman, Wisconsin Department of Natural Resources

Attachments:

Figure 1: City of Janesville Monitoring Well Locations
Table 1: Summary of Groundwater Analytical Results
Groundwater Laboratory Analytical Report Excerpt

- Legend**
- MW-415 ⬮ Monitoring well (Unconsolidated)
 - MW-515 ⬮ Monitoring well (Dolomite)
 - MW-400 ⬮ Monitoring well (Sandstone)
 - MW-5324 ⬮ Monitoring well (Abandoned)



CITY OF JANESVILLE MONITORING WELL LOCATIONS

Figure	1
Project	6155

Date:	1/11/16
Designed:	EB
Drawn:	EB
Checked:	WF
DWG file:	6155-1800

envirofrensic
 ENVIRONMENTAL FORENSIC INVESTIGATIONS, INC.
 602 N. Capital Ave, Suite 210 • Indianapolis, IN 46204
 EnviroForensics.com

No.	Date	Revision	Approved

Robinson's Dry Cleaners
 1838 West Court Street
 Janesville, WI

TABLE 1
SUMMARY OF GROUNDWATER SAMPLE ANALYTICAL RESULTS

Former Robinson's Cleaners
 1838 W. Court Street
 Janesville, Wisconsin

Monitoring Well ID	Sample ID	Sample Date	Sample Method	Tetrachloroethene	Trichloroethene	cis-1,2-Dichloroethene	trans-1,2-Dichloroethene	Vinyl chloride
Enforcement Standard				5	5	70	100	0.2
Preventive Action Limit				0.5	0.5	7	20	0.02
PZ-42D1	6155-PZ-42D1	7/28/2020	PDB	185	3.08	0.6 J	<0.37	<0.2
PZ-42D2	6155-PZ-42D2	7/28/2020	PDB	420	3.5 J	<1.95	<1.85	<1
PZ-42D3	6155-PZ-42D3	7/28/2020	PDB	4.2	<0.47	<0.39	<0.37	<0.2
PZ-43D1	6155-PZ-43D1	7/27/2020	PDB	24.7	<0.47	<0.39	<0.37	<0.2
MW-44S	6155-MW-44S	7/27/2020	PDB	<0.33	<0.47	<0.39	<0.37	<0.2
PZ-44D1	6155-PZ-44D1	7/27/2020	PDB	3.40	<0.47	<0.39	<0.37	<0.2
PZ-44D2	6155-PZ-44D2	7/27/2020	PDB	1.07	<0.47	<0.39	<0.37	<0.2
PZ-46D1	6155-PZ-46D1	7/27/2020	PDB	<0.33	<0.47	<0.39	<0.37	<0.2
PZ-46D2	6155-PZ-46D2	7/27/2020	PDB	<0.33	<0.47	<0.39	<0.37	<0.2
PZ-46D3	6155-PZ-46D3	7/27/2020	PDB	<0.33	<0.47	<0.39	<0.37	<0.2
PZ-47D1	6155-PZ-47D1	7/27/2020	PDB	<0.33	<0.47	<0.39	<0.37	<0.2
PZ-47D2	6155-PZ-47D2	7/27/2020	PDB	<0.33	<0.47	<0.39	<0.37	<0.2
PZ-47D3	6155-PZ-47D3	7/27/2020	PDB	0.49 J	<0.47	<0.39	<0.37	<0.2
PZ-48D1	6155-DUP-5	7/28/2020	PDB	1,320	58	16 J	<7.4	<4
PZ-48D2	6155-PZ-48D2	7/28/2020	PDB	198	5.9	<0.39	0.54 J	<0.2
PZ-48D3	6155-PZ-48D3	7/28/2020	PDB	0.45 J	<0.47	<0.37	<0.39	<0.2
PZ-49D1	6155-PZ-49D1	7/27/2020	PDB	14.6	<0.47	<0.37	<0.39	<0.2
PZ-49D2	6155-PZ-49D2	7/27/2020	PDB	47	<0.47	<0.37	<0.39	<0.2
PZ-49D3	6155-PZ-49D3	7/27/2020	PDB	7.0	<0.47	<0.37	<0.39	<0.2
PZ-49D4	6155-PZ-49D4	7/27/2020	PDB	9.2	<0.47	<0.37	<0.39	<0.2
MW-51S	6155-MW-51S	7/27/2020	PDB	0.37 J	<0.47	<0.37	<0.39	<0.2
PZ-52D1	6155-PZ-52D1	7/27/2020	PDB	<0.33	<0.47	<0.37	<0.39	<0.2
PZ-52D2	6155-PZ-52D2	7/27/2020	PDB	<0.33	<0.47	<0.37	<0.39	<0.2
PZ-52D3	6155-PZ-52D3	7/27/2020	PDB	<0.33	<0.47	<0.37	<0.39	<0.2
PZ-53D2	6155-PZ-53D2	7/28/2020	Low Flow	4.4	<0.47	<0.37	<0.39	<0.2

Notes:

All concentrations reported in units of µg/L = micrograms per liter

Samples analyzed using EPA SW-846 Method 8260

Bolded values are above detection limits

Bolded and Shaded Orange values are above the Public Health Enforcement Standard

Bolded and Shaded Blue values are above Public Health Preventive Action Limit

J = Analyte concentration detected between the laboratory Reporting Limit and Method Detection Limit

PDB = Passive Diffusion Bag used as Sampling Method

Low Flow = Standard Low Flow Sampling Method using Bladder Pump

Project Name FMR ROBINSONS CLEANERS
Project # 6155 PO#2020-1772

Invoice # E38267

Lab Code 538267FF
Sample ID 6155 PZ-42D1
Sample Matrix Water
Sample Date 7/28/2020

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.33	ug/l	0.33		1	8260B		8/5/2020	CJR	1
Bromobenzene	< 0.26	ug/l	0.26	0.84	1	8260B		8/5/2020	CJR	1
Bromodichloromethane	< 0.33	ug/l	0.33		1	8260B		8/5/2020	CJR	1
Bromoform	< 0.65	ug/l	0.65	2.1	1	8260B		8/5/2020	CJR	1
tert-Butylbenzene	< 0.61	ug/l	0.61	1.9	1	8260B		8/5/2020	CJR	1
sec-Butylbenzene	< 0.32	ug/l	0.32		1	8260B		8/5/2020	CJR	1
n-Butylbenzene	< 0.28	ug/l	0.28	0.89	1	8260B		8/5/2020	CJR	1
Carbon Tetrachloride	< 0.31	ug/l	0.31	0.98	1	8260B		8/5/2020	CJR	1
Chlorobenzene	< 0.39	ug/l	0.39	1.2	1	8260B		8/5/2020	CJR	1
Chloroethane	< 1.1	ug/l	1.1	3.6	1	8260B		8/5/2020	CJR	1
Chloroform	< 0.44	ug/l	0.44	1.4	1	8260B		8/5/2020	CJR	1
Chloromethane	< 0.8	ug/l	0.8	2.5	1	8260B		8/5/2020	CJR	1
2-Chlorotoluene	< 0.32	ug/l	0.32		1	8260B		8/5/2020	CJR	1
4-Chlorotoluene	< 0.3	ug/l	0.3	0.96	1	8260B		8/5/2020	CJR	1
1,2-Dibromo-3-chloropropane	< 0.82	ug/l	0.82	2.6	1	8260B		8/5/2020	CJR	1
Dibromochloromethane	< 0.23	ug/l	0.23	0.74	1	8260B		8/5/2020	CJR	1
1,4-Dichlorobenzene	< 0.36	ug/l	0.36	1.1	1	8260B		8/5/2020	CJR	1
1,3-Dichlorobenzene	< 0.31	ug/l	0.31	0.98	1	8260B		8/5/2020	CJR	1
1,2-Dichlorobenzene	< 0.32	ug/l	0.32		1	8260B		8/5/2020	CJR	1
Dichlorodifluoromethane	< 0.45	ug/l	0.45	1.4	1	8260B		8/5/2020	CJR	1
1,2-Dichloroethane	< 0.39	ug/l	0.39	1.3	1	8260B		8/5/2020	CJR	1
1,1-Dichloroethane	< 0.46	ug/l	0.46	1.5	1	8260B		8/5/2020	CJR	1
1,1-Dichloroethene	< 0.5	ug/l	0.5	1.6	1	8260B		8/5/2020	CJR	1
cis-1,2-Dichloroethene	0.6 "J"	ug/l	0.39	1.2	1	8260B		8/5/2020	CJR	1
trans-1,2-Dichloroethene	< 0.37	ug/l	0.37	1.2	1	8260B		8/5/2020	CJR	1
1,2-Dichloropropane	< 0.38	ug/l	0.38	1.2	1	8260B		8/5/2020	CJR	1
1,3-Dichloropropane	< 0.35	ug/l	0.35	1.1	1	8260B		8/5/2020	CJR	1
trans-1,3-Dichloropropene	< 0.3	ug/l	0.3	0.94	1	8260B		8/5/2020	CJR	1
cis-1,3-Dichloropropene	< 0.36	ug/l	0.36	1.1	1	8260B		8/5/2020	CJR	1
Di-isopropyl ether	< 0.34	ug/l	0.34	1.1	1	8260B		8/5/2020	CJR	1
EDB (1,2-Dibromoethane)	< 0.24	ug/l	0.24	0.75	1	8260B		8/5/2020	CJR	1
Ethylbenzene	< 0.32	ug/l	0.32		1	8260B		8/5/2020	CJR	1
Hexachlorobutadiene	< 0.72	ug/l	0.72	2.3	1	8260B		8/5/2020	CJR	1
Isopropylbenzene	< 0.32	ug/l	0.32		1	8260B		8/5/2020	CJR	1
p-Isopropyltoluene	< 0.47	ug/l	0.47	1.5	1	8260B		8/5/2020	CJR	1
Methylene chloride	< 1.32	ug/l	1.32	4.21	1	8260B		8/5/2020	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.47	ug/l	0.47	1.5	1	8260B		8/5/2020	CJR	1
Naphthalene	< 1.1	ug/l	1.1	3.6	1	8260B		8/5/2020	CJR	1
n-Propylbenzene	< 0.33	ug/l	0.33	1.1	1	8260B		8/5/2020	CJR	1
1,1,2,2-Tetrachloroethane	< 0.37	ug/l	0.37	1.2	1	8260B		8/5/2020	CJR	1
1,1,1,2-Tetrachloroethane	< 0.88	ug/l	0.88	3.3	1	8260B		8/5/2020	CJR	1
Tetrachloroethene	185	ug/l	0.33		1	8260B		8/5/2020	CJR	1
Toluene	< 0.26	ug/l	0.26	0.83	1	8260B		8/5/2020	CJR	1
1,2,4-Trichlorobenzene	< 0.44	ug/l	0.44	1.4	1	8260B		8/5/2020	CJR	1

Project Name FMR ROBINSONS CLEANERS
Project # 6155 PO#2020-1772

Invoice # E38267

Lab Code 538267FF
Sample ID 6155 PZ-42D1
Sample Matrix Water
Sample Date 7/28/2020

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 1	ug/l	1	3.2	1	8260B		8/5/2020	CJR	1
1,1,1-Trichloroethane	< 0.3	ug/l	0.3	0.95	1	8260B		8/5/2020	CJR	1
1,1,2-Trichloroethane	< 0.36	ug/l	0.36	1.1	1	8260B		8/5/2020	CJR	1
Trichloroethene (TCE)	3.08	ug/l	0.47	1.5	1	8260B		8/5/2020	CJR	1
Trichlorofluoromethane	< 0.42	ug/l	0.42	1.3	1	8260B		8/5/2020	CJR	1
1,2,4-Trimethylbenzene	< 0.3	ug/l	0.3	0.96	1	8260B		8/5/2020	CJR	1
1,3,5-Trimethylbenzene	< 0.32	ug/l	0.32	1	1	8260B		8/5/2020	CJR	1
Vinyl Chloride	< 0.2	ug/l	0.2	0.65	1	8260B		8/5/2020	CJR	1
m&p-Xylene	< 1.1	ug/l	1.1	3.3	1	8260B		8/5/2020	CJR	1
o-Xylene	< 0.38	ug/l	0.38	1.2	1	8260B		8/5/2020	CJR	1
SUR - 1,2-Dichloroethane-d4	97	REC %			1	8260B		8/5/2020	CJR	1
SUR - 4-Bromofluorobenzene	111	REC %			1	8260B		8/5/2020	CJR	1
SUR - Dibromofluoromethane	109	REC %			1	8260B		8/5/2020	CJR	1
SUR - Toluene-d8	107	REC %			1	8260B		8/5/2020	CJR	1

Project Name FMR ROBINSONS CLEANERS
Project # 6155 PO#2020-1772

Invoice # E38267

Lab Code 538267GG
Sample ID 6155 PZ-42D2
Sample Matrix Water
Sample Date 7/28/2020

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 1.65	ug/l	1.65	5	5	8260B		8/5/2020	CJR	1
Bromobenzene	< 1.3	ug/l	1.3	4.2	5	8260B		8/5/2020	CJR	1
Bromodichloromethane	< 1.65	ug/l	1.65	5	5	8260B		8/5/2020	CJR	1
Bromoform	< 3.25	ug/l	3.25	10.5	5	8260B		8/5/2020	CJR	1
tert-Butylbenzene	< 3.05	ug/l	3.05	9.5	5	8260B		8/5/2020	CJR	1
sec-Butylbenzene	< 1.6	ug/l	1.6	5	5	8260B		8/5/2020	CJR	1
n-Butylbenzene	< 1.4	ug/l	1.4	4.45	5	8260B		8/5/2020	CJR	1
Carbon Tetrachloride	< 1.55	ug/l	1.55	4.9	5	8260B		8/5/2020	CJR	1
Chlorobenzene	< 1.95	ug/l	1.95	6	5	8260B		8/5/2020	CJR	1
Chloroethane	< 5.5	ug/l	5.5	18	5	8260B		8/5/2020	CJR	1
Chloroform	< 2.2	ug/l	2.2	7	5	8260B		8/5/2020	CJR	1
Chloromethane	< 4	ug/l	4	12.5	5	8260B		8/5/2020	CJR	1
2-Chlorotoluene	< 1.6	ug/l	1.6	5	5	8260B		8/5/2020	CJR	1
4-Chlorotoluene	< 1.5	ug/l	1.5	4.8	5	8260B		8/5/2020	CJR	1
1,2-Dibromo-3-chloropropane	< 4.1	ug/l	4.1	13	5	8260B		8/5/2020	CJR	1
Dibromochloromethane	< 1.15	ug/l	1.15	3.7	5	8260B		8/5/2020	CJR	1
1,4-Dichlorobenzene	< 1.8	ug/l	1.8	5.5	5	8260B		8/5/2020	CJR	1
1,3-Dichlorobenzene	< 1.55	ug/l	1.55	4.9	5	8260B		8/5/2020	CJR	1
1,2-Dichlorobenzene	< 1.6	ug/l	1.6	5	5	8260B		8/5/2020	CJR	1
Dichlorodifluoromethane	< 2.25	ug/l	2.25	7	5	8260B		8/5/2020	CJR	1
1,2-Dichloroethane	< 1.95	ug/l	1.95	6.5	5	8260B		8/5/2020	CJR	1
1,1-Dichloroethane	< 2.3	ug/l	2.3	7.5	5	8260B		8/5/2020	CJR	1
1,1-Dichloroethene	< 2.5	ug/l	2.5	8	5	8260B		8/5/2020	CJR	1
cis-1,2-Dichloroethene	< 1.95	ug/l	1.95	6	5	8260B		8/5/2020	CJR	1
trans-1,2-Dichloroethene	< 1.85	ug/l	1.85	6	5	8260B		8/5/2020	CJR	1
1,2-Dichloropropane	< 1.9	ug/l	1.9	6	5	8260B		8/5/2020	CJR	1
1,3-Dichloropropane	< 1.75	ug/l	1.75	5.5	5	8260B		8/5/2020	CJR	1
trans-1,3-Dichloropropene	< 1.5	ug/l	1.5	4.7	5	8260B		8/5/2020	CJR	1
cis-1,3-Dichloropropene	< 1.8	ug/l	1.8	5.5	5	8260B		8/5/2020	CJR	1
Di-isopropyl ether	< 1.7	ug/l	1.7	5.5	5	8260B		8/5/2020	CJR	1
EDB (1,2-Dibromoethane)	< 1.2	ug/l	1.2	3.75	5	8260B		8/5/2020	CJR	1
Ethylbenzene	< 1.6	ug/l	1.6	5	5	8260B		8/5/2020	CJR	1
Hexachlorobutadiene	< 3.6	ug/l	3.6	11.5	5	8260B		8/5/2020	CJR	1
Isopropylbenzene	< 1.6	ug/l	1.6	5	5	8260B		8/5/2020	CJR	1
p-Isopropyltoluene	< 2.35	ug/l	2.35	7.5	5	8260B		8/5/2020	CJR	1
Methylene chloride	< 6.6	ug/l	6.6	21.05	5	8260B		8/5/2020	CJR	1
Methyl tert-butyl ether (MTBE)	< 2.35	ug/l	2.35	7.5	5	8260B		8/5/2020	CJR	1
Naphthalene	< 5.5	ug/l	5.5	18	5	8260B		8/5/2020	CJR	1
n-Propylbenzene	< 1.65	ug/l	1.65	5.5	5	8260B		8/5/2020	CJR	1
1,1,2,2-Tetrachloroethane	< 1.85	ug/l	1.85	6	5	8260B		8/5/2020	CJR	1
1,1,1,2-Tetrachloroethane	< 4.4	ug/l	4.4	16.5	5	8260B		8/5/2020	CJR	1
Tetrachloroethene	420	ug/l	1.65	5	5	8260B		8/5/2020	CJR	1
Toluene	< 1.3	ug/l	1.3	4.15	5	8260B		8/5/2020	CJR	1
1,2,4-Trichlorobenzene	< 2.2	ug/l	2.2	7	5	8260B		8/5/2020	CJR	1

Project Name FMR ROBINSONS CLEANERS
Project # 6155 PO#2020-1772

Invoice # E38267

Lab Code 538267GG
Sample ID 6155 PZ-42D2
Sample Matrix Water
Sample Date 7/28/2020

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 5	ug/l	5	16	5	8260B		8/5/2020	CJR	1
1,1,1-Trichloroethane	< 1.5	ug/l	1.5	4.75	5	8260B		8/5/2020	CJR	1
1,1,2-Trichloroethane	< 1.8	ug/l	1.8	5.5	5	8260B		8/5/2020	CJR	1
Trichloroethene (TCE)	3.5 "J"	ug/l	2.35	7.5	5	8260B		8/5/2020	CJR	1
Trichlorofluoromethane	< 2.1	ug/l	2.1	6.5	5	8260B		8/5/2020	CJR	1
1,2,4-Trimethylbenzene	< 1.5	ug/l	1.5	4.8	5	8260B		8/5/2020	CJR	1
1,3,5-Trimethylbenzene	< 1.6	ug/l	1.6	5	5	8260B		8/5/2020	CJR	1
Vinyl Chloride	< 1	ug/l	1	3.25	5	8260B		8/5/2020	CJR	1
m&p-Xylene	< 5.5	ug/l	5.5	16.5	5	8260B		8/5/2020	CJR	1
o-Xylene	< 1.9	ug/l	1.9	6	5	8260B		8/5/2020	CJR	1
SUR - Toluene-d8	114	REC %			5	8260B		8/5/2020	CJR	1
SUR - 1,2-Dichloroethane-d4	112	REC %			5	8260B		8/5/2020	CJR	1
SUR - 4-Bromofluorobenzene	99	REC %			5	8260B		8/5/2020	CJR	1
SUR - Dibromofluoromethane	99	REC %			5	8260B		8/5/2020	CJR	1

Project Name FMR ROBINSONS CLEANERS
Project # 6155 PO#2020-1772

Invoice # E38267

Lab Code 538267HH
Sample ID 6155 PZ-42D3
Sample Matrix Water
Sample Date 7/28/2020

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.33	ug/l	0.33		1	8260B		8/5/2020	CJR	1
Bromobenzene	< 0.26	ug/l	0.26	0.84	1	8260B		8/5/2020	CJR	1
Bromodichloromethane	< 0.33	ug/l	0.33		1	8260B		8/5/2020	CJR	1
Bromoform	< 0.65	ug/l	0.65	2.1	1	8260B		8/5/2020	CJR	1
tert-Butylbenzene	< 0.61	ug/l	0.61	1.9	1	8260B		8/5/2020	CJR	1
sec-Butylbenzene	< 0.32	ug/l	0.32		1	8260B		8/5/2020	CJR	1
n-Butylbenzene	< 0.28	ug/l	0.28	0.89	1	8260B		8/5/2020	CJR	1
Carbon Tetrachloride	< 0.31	ug/l	0.31	0.98	1	8260B		8/5/2020	CJR	1
Chlorobenzene	< 0.39	ug/l	0.39	1.2	1	8260B		8/5/2020	CJR	1
Chloroethane	< 1.1	ug/l	1.1	3.6	1	8260B		8/5/2020	CJR	1
Chloroform	< 0.44	ug/l	0.44	1.4	1	8260B		8/5/2020	CJR	1
Chloromethane	< 0.8	ug/l	0.8	2.5	1	8260B		8/5/2020	CJR	1
2-Chlorotoluene	< 0.32	ug/l	0.32		1	8260B		8/5/2020	CJR	1
4-Chlorotoluene	< 0.3	ug/l	0.3	0.96	1	8260B		8/5/2020	CJR	1
1,2-Dibromo-3-chloropropane	< 0.82	ug/l	0.82	2.6	1	8260B		8/5/2020	CJR	1
Dibromochloromethane	< 0.23	ug/l	0.23	0.74	1	8260B		8/5/2020	CJR	1
1,4-Dichlorobenzene	< 0.36	ug/l	0.36	1.1	1	8260B		8/5/2020	CJR	1
1,3-Dichlorobenzene	< 0.31	ug/l	0.31	0.98	1	8260B		8/5/2020	CJR	1
1,2-Dichlorobenzene	< 0.32	ug/l	0.32		1	8260B		8/5/2020	CJR	1
Dichlorodifluoromethane	< 0.45	ug/l	0.45	1.4	1	8260B		8/5/2020	CJR	1
1,2-Dichloroethane	< 0.39	ug/l	0.39	1.3	1	8260B		8/5/2020	CJR	1
1,1-Dichloroethane	< 0.46	ug/l	0.46	1.5	1	8260B		8/5/2020	CJR	1
1,1-Dichloroethene	< 0.5	ug/l	0.5	1.6	1	8260B		8/5/2020	CJR	1
cis-1,2-Dichloroethene	< 0.39	ug/l	0.39	1.2	1	8260B		8/5/2020	CJR	1
trans-1,2-Dichloroethene	< 0.37	ug/l	0.37	1.2	1	8260B		8/5/2020	CJR	1
1,2-Dichloropropane	< 0.38	ug/l	0.38	1.2	1	8260B		8/5/2020	CJR	1
1,3-Dichloropropane	< 0.35	ug/l	0.35	1.1	1	8260B		8/5/2020	CJR	1
trans-1,3-Dichloropropene	< 0.3	ug/l	0.3	0.94	1	8260B		8/5/2020	CJR	1
cis-1,3-Dichloropropene	< 0.36	ug/l	0.36	1.1	1	8260B		8/5/2020	CJR	1
Di-isopropyl ether	< 0.34	ug/l	0.34	1.1	1	8260B		8/5/2020	CJR	1
EDB (1,2-Dibromoethane)	< 0.24	ug/l	0.24	0.75	1	8260B		8/5/2020	CJR	1
Ethylbenzene	< 0.32	ug/l	0.32		1	8260B		8/5/2020	CJR	1
Hexachlorobutadiene	< 0.72	ug/l	0.72	2.3	1	8260B		8/5/2020	CJR	1
Isopropylbenzene	< 0.32	ug/l	0.32		1	8260B		8/5/2020	CJR	1
p-Isopropyltoluene	< 0.47	ug/l	0.47	1.5	1	8260B		8/5/2020	CJR	1
Methylene chloride	< 1.32	ug/l	1.32	4.21	1	8260B		8/5/2020	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.47	ug/l	0.47	1.5	1	8260B		8/5/2020	CJR	1
Naphthalene	< 1.1	ug/l	1.1	3.6	1	8260B		8/5/2020	CJR	1
n-Propylbenzene	< 0.33	ug/l	0.33	1.1	1	8260B		8/5/2020	CJR	1
1,1,2,2-Tetrachloroethane	< 0.37	ug/l	0.37	1.2	1	8260B		8/5/2020	CJR	1
1,1,1,2-Tetrachloroethane	< 0.88	ug/l	0.88	3.3	1	8260B		8/5/2020	CJR	1
Tetrachloroethene	4.2	ug/l	0.33		1	8260B		8/5/2020	CJR	1
Toluene	< 0.26	ug/l	0.26	0.83	1	8260B		8/5/2020	CJR	1
1,2,4-Trichlorobenzene	< 0.44	ug/l	0.44	1.4	1	8260B		8/5/2020	CJR	1

Project Name FMR ROBINSONS CLEANERS
Project # 6155 PO#2020-1772

Invoice # E38267

Lab Code 538267HH
Sample ID 6155 PZ-42D3
Sample Matrix Water
Sample Date 7/28/2020

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 1	ug/l	1	3.2	1	8260B		8/5/2020	CJR	1
1,1,1-Trichloroethane	< 0.3	ug/l	0.3	0.95	1	8260B		8/5/2020	CJR	1
1,1,2-Trichloroethane	< 0.36	ug/l	0.36	1.1	1	8260B		8/5/2020	CJR	1
Trichloroethene (TCE)	< 0.47	ug/l	0.47	1.5	1	8260B		8/5/2020	CJR	1
Trichlorofluoromethane	< 0.42	ug/l	0.42	1.3	1	8260B		8/5/2020	CJR	1
1,2,4-Trimethylbenzene	< 0.3	ug/l	0.3	0.96	1	8260B		8/5/2020	CJR	1
1,3,5-Trimethylbenzene	< 0.32	ug/l	0.32	1	1	8260B		8/5/2020	CJR	1
Vinyl Chloride	< 0.2	ug/l	0.2	0.65	1	8260B		8/5/2020	CJR	1
m&p-Xylene	< 1.1	ug/l	1.1	3.3	1	8260B		8/5/2020	CJR	1
o-Xylene	< 0.38	ug/l	0.38	1.2	1	8260B		8/5/2020	CJR	1
SUR - 4-Bromofluorobenzene	107	REC %			1	8260B		8/5/2020	CJR	1
SUR - Dibromofluoromethane	97	REC %			1	8260B		8/5/2020	CJR	1
SUR - 1,2-Dichloroethane-d4	101	REC %			1	8260B		8/5/2020	CJR	1
SUR - Toluene-d8	105	REC %			1	8260B		8/5/2020	CJR	1

Project Name FMR ROBINSONS CLEANERS
Project # 6155 PO#2020-1772

Invoice # E38267

Lab Code 538267II
Sample ID 6155 PZ-43D1
Sample Matrix Water
Sample Date 7/27/2020

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.33	ug/l	0.33		1	8260B		8/5/2020	CJR	1
Bromobenzene	< 0.26	ug/l	0.26	0.84	1	8260B		8/5/2020	CJR	1
Bromodichloromethane	< 0.33	ug/l	0.33		1	8260B		8/5/2020	CJR	1
Bromoform	< 0.65	ug/l	0.65	2.1	1	8260B		8/5/2020	CJR	1
tert-Butylbenzene	< 0.61	ug/l	0.61	1.9	1	8260B		8/5/2020	CJR	1
sec-Butylbenzene	< 0.32	ug/l	0.32		1	8260B		8/5/2020	CJR	1
n-Butylbenzene	< 0.28	ug/l	0.28	0.89	1	8260B		8/5/2020	CJR	1
Carbon Tetrachloride	< 0.31	ug/l	0.31	0.98	1	8260B		8/5/2020	CJR	1
Chlorobenzene	< 0.39	ug/l	0.39	1.2	1	8260B		8/5/2020	CJR	1
Chloroethane	< 1.1	ug/l	1.1	3.6	1	8260B		8/5/2020	CJR	1
Chloroform	< 0.44	ug/l	0.44	1.4	1	8260B		8/5/2020	CJR	1
Chloromethane	< 0.8	ug/l	0.8	2.5	1	8260B		8/5/2020	CJR	1
2-Chlorotoluene	< 0.32	ug/l	0.32		1	8260B		8/5/2020	CJR	1
4-Chlorotoluene	< 0.3	ug/l	0.3	0.96	1	8260B		8/5/2020	CJR	1
1,2-Dibromo-3-chloropropane	< 0.82	ug/l	0.82	2.6	1	8260B		8/5/2020	CJR	1
Dibromochloromethane	< 0.23	ug/l	0.23	0.74	1	8260B		8/5/2020	CJR	1
1,4-Dichlorobenzene	< 0.36	ug/l	0.36	1.1	1	8260B		8/5/2020	CJR	1
1,3-Dichlorobenzene	< 0.31	ug/l	0.31	0.98	1	8260B		8/5/2020	CJR	1
1,2-Dichlorobenzene	< 0.32	ug/l	0.32		1	8260B		8/5/2020	CJR	1
Dichlorodifluoromethane	< 0.45	ug/l	0.45	1.4	1	8260B		8/5/2020	CJR	1
1,2-Dichloroethane	< 0.39	ug/l	0.39	1.3	1	8260B		8/5/2020	CJR	1
1,1-Dichloroethane	< 0.46	ug/l	0.46	1.5	1	8260B		8/5/2020	CJR	1
1,1-Dichloroethene	< 0.5	ug/l	0.5	1.6	1	8260B		8/5/2020	CJR	1
cis-1,2-Dichloroethene	< 0.39	ug/l	0.39	1.2	1	8260B		8/5/2020	CJR	1
trans-1,2-Dichloroethene	< 0.37	ug/l	0.37	1.2	1	8260B		8/5/2020	CJR	1
1,2-Dichloropropane	< 0.38	ug/l	0.38	1.2	1	8260B		8/5/2020	CJR	1
1,3-Dichloropropane	< 0.35	ug/l	0.35	1.1	1	8260B		8/5/2020	CJR	1
trans-1,3-Dichloropropene	< 0.3	ug/l	0.3	0.94	1	8260B		8/5/2020	CJR	1
cis-1,3-Dichloropropene	< 0.36	ug/l	0.36	1.1	1	8260B		8/5/2020	CJR	1
Di-isopropyl ether	< 0.34	ug/l	0.34	1.1	1	8260B		8/5/2020	CJR	1
EDB (1,2-Dibromoethane)	< 0.24	ug/l	0.24	0.75	1	8260B		8/5/2020	CJR	1
Ethylbenzene	< 0.32	ug/l	0.32		1	8260B		8/5/2020	CJR	1
Hexachlorobutadiene	< 0.72	ug/l	0.72	2.3	1	8260B		8/5/2020	CJR	1
Isopropylbenzene	< 0.32	ug/l	0.32		1	8260B		8/5/2020	CJR	1
p-Isopropyltoluene	< 0.47	ug/l	0.47	1.5	1	8260B		8/5/2020	CJR	1
Methylene chloride	< 1.32	ug/l	1.32	4.21	1	8260B		8/5/2020	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.47	ug/l	0.47	1.5	1	8260B		8/5/2020	CJR	1
Naphthalene	< 1.1	ug/l	1.1	3.6	1	8260B		8/5/2020	CJR	1
n-Propylbenzene	< 0.33	ug/l	0.33	1.1	1	8260B		8/5/2020	CJR	1
1,1,2,2-Tetrachloroethane	< 0.37	ug/l	0.37	1.2	1	8260B		8/5/2020	CJR	1
1,1,1,2-Tetrachloroethane	< 0.88	ug/l	0.88	3.3	1	8260B		8/5/2020	CJR	1
Tetrachloroethene	24.7	ug/l	0.33		1	8260B		8/5/2020	CJR	1
Toluene	< 0.26	ug/l	0.26	0.83	1	8260B		8/5/2020	CJR	1
1,2,4-Trichlorobenzene	< 0.44	ug/l	0.44	1.4	1	8260B		8/5/2020	CJR	1

Project Name FMR ROBINSONS CLEANERS
Project # 6155 PO#2020-1772

Invoice # E38267

Lab Code 538267II
Sample ID 6155 PZ-43D1
Sample Matrix Water
Sample Date 7/27/2020

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 1	ug/l	1	3.2	1	8260B		8/5/2020	CJR	1
1,1,1-Trichloroethane	< 0.3	ug/l	0.3	0.95	1	8260B		8/5/2020	CJR	1
1,1,2-Trichloroethane	< 0.36	ug/l	0.36	1.1	1	8260B		8/5/2020	CJR	1
Trichloroethene (TCE)	< 0.47	ug/l	0.47	1.5	1	8260B		8/5/2020	CJR	1
Trichlorofluoromethane	< 0.42	ug/l	0.42	1.3	1	8260B		8/5/2020	CJR	1
1,2,4-Trimethylbenzene	< 0.3	ug/l	0.3	0.96	1	8260B		8/5/2020	CJR	1
1,3,5-Trimethylbenzene	< 0.32	ug/l	0.32	1	1	8260B		8/5/2020	CJR	1
Vinyl Chloride	< 0.2	ug/l	0.2	0.65	1	8260B		8/5/2020	CJR	1
m&p-Xylene	< 1.1	ug/l	1.1	3.3	1	8260B		8/5/2020	CJR	1
o-Xylene	< 0.38	ug/l	0.38	1.2	1	8260B		8/5/2020	CJR	1
SUR - 4-Bromofluorobenzene	110	REC %			1	8260B		8/5/2020	CJR	1
SUR - Dibromofluoromethane	98	REC %			1	8260B		8/5/2020	CJR	1
SUR - Toluene-d8	106	REC %			1	8260B		8/5/2020	CJR	1
SUR - 1,2-Dichloroethane-d4	102	REC %			1	8260B		8/5/2020	CJR	1

Project Name FMR ROBINSONS CLEANERS
Project # 6155 PO#2020-1772

Invoice # E38267

Lab Code 538267JJ
Sample ID 6155 MW-44S
Sample Matrix Water
Sample Date 7/27/2020

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.33	ug/l	0.33		1	8260B		8/5/2020	CJR	1
Bromobenzene	< 0.26	ug/l	0.26	0.84	1	8260B		8/5/2020	CJR	1
Bromodichloromethane	< 0.33	ug/l	0.33		1	8260B		8/5/2020	CJR	1
Bromoform	< 0.65	ug/l	0.65	2.1	1	8260B		8/5/2020	CJR	1
tert-Butylbenzene	< 0.61	ug/l	0.61	1.9	1	8260B		8/5/2020	CJR	1
sec-Butylbenzene	< 0.32	ug/l	0.32		1	8260B		8/5/2020	CJR	1
n-Butylbenzene	< 0.28	ug/l	0.28	0.89	1	8260B		8/5/2020	CJR	1
Carbon Tetrachloride	< 0.31	ug/l	0.31	0.98	1	8260B		8/5/2020	CJR	1
Chlorobenzene	< 0.39	ug/l	0.39	1.2	1	8260B		8/5/2020	CJR	1
Chloroethane	< 1.1	ug/l	1.1	3.6	1	8260B		8/5/2020	CJR	1
Chloroform	< 0.44	ug/l	0.44	1.4	1	8260B		8/5/2020	CJR	1
Chloromethane	< 0.8	ug/l	0.8	2.5	1	8260B		8/5/2020	CJR	1
2-Chlorotoluene	< 0.32	ug/l	0.32		1	8260B		8/5/2020	CJR	1
4-Chlorotoluene	< 0.3	ug/l	0.3	0.96	1	8260B		8/5/2020	CJR	1
1,2-Dibromo-3-chloropropane	< 0.82	ug/l	0.82	2.6	1	8260B		8/5/2020	CJR	1
Dibromochloromethane	< 0.23	ug/l	0.23	0.74	1	8260B		8/5/2020	CJR	1
1,4-Dichlorobenzene	< 0.36	ug/l	0.36	1.1	1	8260B		8/5/2020	CJR	1
1,3-Dichlorobenzene	< 0.31	ug/l	0.31	0.98	1	8260B		8/5/2020	CJR	1
1,2-Dichlorobenzene	< 0.32	ug/l	0.32		1	8260B		8/5/2020	CJR	1
Dichlorodifluoromethane	< 0.45	ug/l	0.45	1.4	1	8260B		8/5/2020	CJR	1
1,2-Dichloroethane	< 0.39	ug/l	0.39	1.3	1	8260B		8/5/2020	CJR	1
1,1-Dichloroethane	< 0.46	ug/l	0.46	1.5	1	8260B		8/5/2020	CJR	1
1,1-Dichloroethene	< 0.5	ug/l	0.5	1.6	1	8260B		8/5/2020	CJR	1
cis-1,2-Dichloroethene	< 0.39	ug/l	0.39	1.2	1	8260B		8/5/2020	CJR	1
trans-1,2-Dichloroethene	< 0.37	ug/l	0.37	1.2	1	8260B		8/5/2020	CJR	1
1,2-Dichloropropane	< 0.38	ug/l	0.38	1.2	1	8260B		8/5/2020	CJR	1
1,3-Dichloropropane	< 0.35	ug/l	0.35	1.1	1	8260B		8/5/2020	CJR	1
trans-1,3-Dichloropropene	< 0.3	ug/l	0.3	0.94	1	8260B		8/5/2020	CJR	1
cis-1,3-Dichloropropene	< 0.36	ug/l	0.36	1.1	1	8260B		8/5/2020	CJR	1
Di-isopropyl ether	< 0.34	ug/l	0.34	1.1	1	8260B		8/5/2020	CJR	1
EDB (1,2-Dibromoethane)	< 0.24	ug/l	0.24	0.75	1	8260B		8/5/2020	CJR	1
Ethylbenzene	< 0.32	ug/l	0.32		1	8260B		8/5/2020	CJR	1
Hexachlorobutadiene	< 0.72	ug/l	0.72	2.3	1	8260B		8/5/2020	CJR	1
Isopropylbenzene	< 0.32	ug/l	0.32		1	8260B		8/5/2020	CJR	1
p-Isopropyltoluene	< 0.47	ug/l	0.47	1.5	1	8260B		8/5/2020	CJR	1
Methylene chloride	< 1.32	ug/l	1.32	4.21	1	8260B		8/5/2020	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.47	ug/l	0.47	1.5	1	8260B		8/5/2020	CJR	1
Naphthalene	< 1.1	ug/l	1.1	3.6	1	8260B		8/5/2020	CJR	1
n-Propylbenzene	< 0.33	ug/l	0.33	1.1	1	8260B		8/5/2020	CJR	1
1,1,2,2-Tetrachloroethane	< 0.37	ug/l	0.37	1.2	1	8260B		8/5/2020	CJR	1
1,1,1,2-Tetrachloroethane	< 0.88	ug/l	0.88	3.3	1	8260B		8/5/2020	CJR	1
Tetrachloroethene	< 0.33	ug/l	0.33		1	8260B		8/5/2020	CJR	1
Toluene	< 0.26	ug/l	0.26	0.83	1	8260B		8/5/2020	CJR	1
1,2,4-Trichlorobenzene	< 0.44	ug/l	0.44	1.4	1	8260B		8/5/2020	CJR	1

Project Name FMR ROBINSONS CLEANERS
Project # 6155 PO#2020-1772

Invoice # E38267

Lab Code 538267JJ
Sample ID 6155 MW-44S
Sample Matrix Water
Sample Date 7/27/2020

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 1	ug/l	1	3.2	1	8260B		8/5/2020	CJR	1
1,1,1-Trichloroethane	< 0.3	ug/l	0.3	0.95	1	8260B		8/5/2020	CJR	1
1,1,2-Trichloroethane	< 0.36	ug/l	0.36	1.1	1	8260B		8/5/2020	CJR	1
Trichloroethene (TCE)	< 0.47	ug/l	0.47	1.5	1	8260B		8/5/2020	CJR	1
Trichlorofluoromethane	< 0.42	ug/l	0.42	1.3	1	8260B		8/5/2020	CJR	1
1,2,4-Trimethylbenzene	< 0.3	ug/l	0.3	0.96	1	8260B		8/5/2020	CJR	1
1,3,5-Trimethylbenzene	< 0.32	ug/l	0.32	1	1	8260B		8/5/2020	CJR	1
Vinyl Chloride	< 0.2	ug/l	0.2	0.65	1	8260B		8/5/2020	CJR	1
m&p-Xylene	< 1.1	ug/l	1.1	3.3	1	8260B		8/5/2020	CJR	1
o-Xylene	< 0.38	ug/l	0.38	1.2	1	8260B		8/5/2020	CJR	1
SUR - 1,2-Dichloroethane-d4	106	REC %			1	8260B		8/5/2020	CJR	1
SUR - 4-Bromofluorobenzene	106	REC %			1	8260B		8/5/2020	CJR	1
SUR - Dibromofluoromethane	99	REC %			1	8260B		8/5/2020	CJR	1
SUR - Toluene-d8	106	REC %			1	8260B		8/5/2020	CJR	1

Project Name FMR ROBINSONS CLEANERS
Project # 6155 PO#2020-1772

Invoice # E38267

Lab Code 538267KK
Sample ID 6155 PZ-44D1
Sample Matrix Water
Sample Date 7/27/2020

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.33	ug/l	0.33		1	8260B		8/5/2020	CJR	1
Bromobenzene	< 0.26	ug/l	0.26	0.84	1	8260B		8/5/2020	CJR	1
Bromodichloromethane	< 0.33	ug/l	0.33		1	8260B		8/5/2020	CJR	1
Bromoform	< 0.65	ug/l	0.65	2.1	1	8260B		8/5/2020	CJR	1
tert-Butylbenzene	< 0.61	ug/l	0.61	1.9	1	8260B		8/5/2020	CJR	1
sec-Butylbenzene	< 0.32	ug/l	0.32		1	8260B		8/5/2020	CJR	1
n-Butylbenzene	< 0.28	ug/l	0.28	0.89	1	8260B		8/5/2020	CJR	1
Carbon Tetrachloride	< 0.31	ug/l	0.31	0.98	1	8260B		8/5/2020	CJR	1
Chlorobenzene	< 0.39	ug/l	0.39	1.2	1	8260B		8/5/2020	CJR	1
Chloroethane	< 1.1	ug/l	1.1	3.6	1	8260B		8/5/2020	CJR	1
Chloroform	< 0.44	ug/l	0.44	1.4	1	8260B		8/5/2020	CJR	1
Chloromethane	< 0.8	ug/l	0.8	2.5	1	8260B		8/5/2020	CJR	1
2-Chlorotoluene	< 0.32	ug/l	0.32		1	8260B		8/5/2020	CJR	1
4-Chlorotoluene	< 0.3	ug/l	0.3	0.96	1	8260B		8/5/2020	CJR	1
1,2-Dibromo-3-chloropropane	< 0.82	ug/l	0.82	2.6	1	8260B		8/5/2020	CJR	1
Dibromochloromethane	< 0.23	ug/l	0.23	0.74	1	8260B		8/5/2020	CJR	1
1,4-Dichlorobenzene	< 0.36	ug/l	0.36	1.1	1	8260B		8/5/2020	CJR	1
1,3-Dichlorobenzene	< 0.31	ug/l	0.31	0.98	1	8260B		8/5/2020	CJR	1
1,2-Dichlorobenzene	< 0.32	ug/l	0.32		1	8260B		8/5/2020	CJR	1
Dichlorodifluoromethane	< 0.45	ug/l	0.45	1.4	1	8260B		8/5/2020	CJR	1
1,2-Dichloroethane	< 0.39	ug/l	0.39	1.3	1	8260B		8/5/2020	CJR	1
1,1-Dichloroethane	< 0.46	ug/l	0.46	1.5	1	8260B		8/5/2020	CJR	1
1,1-Dichloroethene	< 0.5	ug/l	0.5	1.6	1	8260B		8/5/2020	CJR	1
cis-1,2-Dichloroethene	< 0.39	ug/l	0.39	1.2	1	8260B		8/5/2020	CJR	1
trans-1,2-Dichloroethene	< 0.37	ug/l	0.37	1.2	1	8260B		8/5/2020	CJR	1
1,2-Dichloropropane	< 0.38	ug/l	0.38	1.2	1	8260B		8/5/2020	CJR	1
1,3-Dichloropropane	< 0.35	ug/l	0.35	1.1	1	8260B		8/5/2020	CJR	1
trans-1,3-Dichloropropene	< 0.3	ug/l	0.3	0.94	1	8260B		8/5/2020	CJR	1
cis-1,3-Dichloropropene	< 0.36	ug/l	0.36	1.1	1	8260B		8/5/2020	CJR	1
Di-isopropyl ether	< 0.34	ug/l	0.34	1.1	1	8260B		8/5/2020	CJR	1
EDB (1,2-Dibromoethane)	< 0.24	ug/l	0.24	0.75	1	8260B		8/5/2020	CJR	1
Ethylbenzene	< 0.32	ug/l	0.32		1	8260B		8/5/2020	CJR	1
Hexachlorobutadiene	< 0.72	ug/l	0.72	2.3	1	8260B		8/5/2020	CJR	1
Isopropylbenzene	< 0.32	ug/l	0.32		1	8260B		8/5/2020	CJR	1
p-Isopropyltoluene	< 0.47	ug/l	0.47	1.5	1	8260B		8/5/2020	CJR	1
Methylene chloride	< 1.32	ug/l	1.32	4.21	1	8260B		8/5/2020	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.47	ug/l	0.47	1.5	1	8260B		8/5/2020	CJR	1
Naphthalene	< 1.1	ug/l	1.1	3.6	1	8260B		8/5/2020	CJR	1
n-Propylbenzene	< 0.33	ug/l	0.33	1.1	1	8260B		8/5/2020	CJR	1
1,1,2,2-Tetrachloroethane	< 0.37	ug/l	0.37	1.2	1	8260B		8/5/2020	CJR	1
1,1,1,2-Tetrachloroethane	< 0.88	ug/l	0.88	3.3	1	8260B		8/5/2020	CJR	1
Tetrachloroethene	3.4	ug/l	0.33		1	8260B		8/5/2020	CJR	1
Toluene	< 0.26	ug/l	0.26	0.83	1	8260B		8/5/2020	CJR	1
1,2,4-Trichlorobenzene	< 0.44	ug/l	0.44	1.4	1	8260B		8/5/2020	CJR	1

Project Name FMR ROBINSONS CLEANERS
Project # 6155 PO#2020-1772

Invoice # E38267

Lab Code 538267KK
Sample ID 6155 PZ-44D1
Sample Matrix Water
Sample Date 7/27/2020

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 1	ug/l	1	3.2	1	8260B		8/5/2020	CJR	1
1,1,1-Trichloroethane	< 0.3	ug/l	0.3	0.95	1	8260B		8/5/2020	CJR	1
1,1,2-Trichloroethane	< 0.36	ug/l	0.36	1.1	1	8260B		8/5/2020	CJR	1
Trichloroethene (TCE)	< 0.47	ug/l	0.47	1.5	1	8260B		8/5/2020	CJR	1
Trichlorofluoromethane	< 0.42	ug/l	0.42	1.3	1	8260B		8/5/2020	CJR	1
1,2,4-Trimethylbenzene	< 0.3	ug/l	0.3	0.96	1	8260B		8/5/2020	CJR	1
1,3,5-Trimethylbenzene	< 0.32	ug/l	0.32	1	1	8260B		8/5/2020	CJR	1
Vinyl Chloride	< 0.2	ug/l	0.2	0.65	1	8260B		8/5/2020	CJR	1
m&p-Xylene	< 1.1	ug/l	1.1	3.3	1	8260B		8/5/2020	CJR	1
o-Xylene	< 0.38	ug/l	0.38	1.2	1	8260B		8/5/2020	CJR	1
SUR - Toluene-d8	111	REC %			1	8260B		8/5/2020	CJR	1
SUR - 1,2-Dichloroethane-d4	103	REC %			1	8260B		8/5/2020	CJR	1
SUR - 4-Bromofluorobenzene	117	REC %			1	8260B		8/5/2020	CJR	1
SUR - Dibromofluoromethane	103	REC %			1	8260B		8/5/2020	CJR	1

Project Name FMR ROBINSONS CLEANERS
Project # 6155 PO#2020-1772

Invoice # E38267

Lab Code 538267LL
Sample ID 6155 PZ-44D2
Sample Matrix Water
Sample Date 7/27/2020

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.33	ug/l	0.33		1	8260B		8/5/2020	CJR	1
Bromobenzene	< 0.26	ug/l	0.26	0.84	1	8260B		8/5/2020	CJR	1
Bromodichloromethane	< 0.33	ug/l	0.33		1	8260B		8/5/2020	CJR	1
Bromoform	< 0.65	ug/l	0.65	2.1	1	8260B		8/5/2020	CJR	1
tert-Butylbenzene	< 0.61	ug/l	0.61	1.9	1	8260B		8/5/2020	CJR	1
sec-Butylbenzene	< 0.32	ug/l	0.32		1	8260B		8/5/2020	CJR	1
n-Butylbenzene	< 0.28	ug/l	0.28	0.89	1	8260B		8/5/2020	CJR	1
Carbon Tetrachloride	< 0.31	ug/l	0.31	0.98	1	8260B		8/5/2020	CJR	1
Chlorobenzene	< 0.39	ug/l	0.39	1.2	1	8260B		8/5/2020	CJR	1
Chloroethane	< 1.1	ug/l	1.1	3.6	1	8260B		8/5/2020	CJR	1
Chloroform	< 0.44	ug/l	0.44	1.4	1	8260B		8/5/2020	CJR	1
Chloromethane	< 0.8	ug/l	0.8	2.5	1	8260B		8/5/2020	CJR	1
2-Chlorotoluene	< 0.32	ug/l	0.32		1	8260B		8/5/2020	CJR	1
4-Chlorotoluene	< 0.3	ug/l	0.3	0.96	1	8260B		8/5/2020	CJR	1
1,2-Dibromo-3-chloropropane	< 0.82	ug/l	0.82	2.6	1	8260B		8/5/2020	CJR	1
Dibromochloromethane	< 0.23	ug/l	0.23	0.74	1	8260B		8/5/2020	CJR	1
1,4-Dichlorobenzene	< 0.36	ug/l	0.36	1.1	1	8260B		8/5/2020	CJR	1
1,3-Dichlorobenzene	< 0.31	ug/l	0.31	0.98	1	8260B		8/5/2020	CJR	1
1,2-Dichlorobenzene	< 0.32	ug/l	0.32		1	8260B		8/5/2020	CJR	1
Dichlorodifluoromethane	< 0.45	ug/l	0.45	1.4	1	8260B		8/5/2020	CJR	1
1,2-Dichloroethane	< 0.39	ug/l	0.39	1.3	1	8260B		8/5/2020	CJR	1
1,1-Dichloroethane	< 0.46	ug/l	0.46	1.5	1	8260B		8/5/2020	CJR	1
1,1-Dichloroethene	< 0.5	ug/l	0.5	1.6	1	8260B		8/5/2020	CJR	1
cis-1,2-Dichloroethene	< 0.39	ug/l	0.39	1.2	1	8260B		8/5/2020	CJR	1
trans-1,2-Dichloroethene	< 0.37	ug/l	0.37	1.2	1	8260B		8/5/2020	CJR	1
1,2-Dichloropropane	< 0.38	ug/l	0.38	1.2	1	8260B		8/5/2020	CJR	1
1,3-Dichloropropane	< 0.35	ug/l	0.35	1.1	1	8260B		8/5/2020	CJR	1
trans-1,3-Dichloropropene	< 0.3	ug/l	0.3	0.94	1	8260B		8/5/2020	CJR	1
cis-1,3-Dichloropropene	< 0.36	ug/l	0.36	1.1	1	8260B		8/5/2020	CJR	1
Di-isopropyl ether	< 0.34	ug/l	0.34	1.1	1	8260B		8/5/2020	CJR	1
EDB (1,2-Dibromoethane)	< 0.24	ug/l	0.24	0.75	1	8260B		8/5/2020	CJR	1
Ethylbenzene	< 0.32	ug/l	0.32		1	8260B		8/5/2020	CJR	1
Hexachlorobutadiene	< 0.72	ug/l	0.72	2.3	1	8260B		8/5/2020	CJR	1
Isopropylbenzene	< 0.32	ug/l	0.32		1	8260B		8/5/2020	CJR	1
p-Isopropyltoluene	< 0.47	ug/l	0.47	1.5	1	8260B		8/5/2020	CJR	1
Methylene chloride	< 1.32	ug/l	1.32	4.21	1	8260B		8/5/2020	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.47	ug/l	0.47	1.5	1	8260B		8/5/2020	CJR	1
Naphthalene	< 1.1	ug/l	1.1	3.6	1	8260B		8/5/2020	CJR	1
n-Propylbenzene	< 0.33	ug/l	0.33	1.1	1	8260B		8/5/2020	CJR	1
1,1,2,2-Tetrachloroethane	< 0.37	ug/l	0.37	1.2	1	8260B		8/5/2020	CJR	1
1,1,1,2-Tetrachloroethane	< 0.88	ug/l	0.88	3.3	1	8260B		8/5/2020	CJR	1
Tetrachloroethene	1.07	ug/l	0.33		1	8260B		8/5/2020	CJR	1
Toluene	< 0.26	ug/l	0.26	0.83	1	8260B		8/5/2020	CJR	1
1,2,4-Trichlorobenzene	< 0.44	ug/l	0.44	1.4	1	8260B		8/5/2020	CJR	1

Project Name FMR ROBINSONS CLEANERS
Project # 6155 PO#2020-1772

Invoice # E38267

Lab Code 538267LL
Sample ID 6155 PZ-44D2
Sample Matrix Water
Sample Date 7/27/2020

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 1	ug/l	1	3.2	1	8260B		8/5/2020	CJR	1
1,1,1-Trichloroethane	< 0.3	ug/l	0.3	0.95	1	8260B		8/5/2020	CJR	1
1,1,2-Trichloroethane	< 0.36	ug/l	0.36	1.1	1	8260B		8/5/2020	CJR	1
Trichloroethene (TCE)	< 0.47	ug/l	0.47	1.5	1	8260B		8/5/2020	CJR	1
Trichlorofluoromethane	< 0.42	ug/l	0.42	1.3	1	8260B		8/5/2020	CJR	1
1,2,4-Trimethylbenzene	< 0.3	ug/l	0.3	0.96	1	8260B		8/5/2020	CJR	1
1,3,5-Trimethylbenzene	< 0.32	ug/l	0.32	1	1	8260B		8/5/2020	CJR	1
Vinyl Chloride	< 0.2	ug/l	0.2	0.65	1	8260B		8/5/2020	CJR	1
m&p-Xylene	< 1.1	ug/l	1.1	3.3	1	8260B		8/5/2020	CJR	1
o-Xylene	< 0.38	ug/l	0.38	1.2	1	8260B		8/5/2020	CJR	1
SUR - 1,2-Dichloroethane-d4	100	REC %			1	8260B		8/5/2020	CJR	1
SUR - Toluene-d8	109	REC %			1	8260B		8/5/2020	CJR	1
SUR - Dibromofluoromethane	98	REC %			1	8260B		8/5/2020	CJR	1
SUR - 4-Bromofluorobenzene	106	REC %			1	8260B		8/5/2020	CJR	1

Project Name FMR ROBINSONS CLEANERS
Project # 6155 PO#2020-1772

Invoice # E38267

Lab Code 538267MM
Sample ID 6155 PZ-46D1
Sample Matrix Water
Sample Date 7/27/2020

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.33	ug/l	0.33		1	8260B		8/5/2020	CJR	1
Bromobenzene	< 0.26	ug/l	0.26	0.84	1	8260B		8/5/2020	CJR	1
Bromodichloromethane	< 0.33	ug/l	0.33		1	8260B		8/5/2020	CJR	1
Bromoform	< 0.65	ug/l	0.65	2.1	1	8260B		8/5/2020	CJR	1
tert-Butylbenzene	< 0.61	ug/l	0.61	1.9	1	8260B		8/5/2020	CJR	1
sec-Butylbenzene	< 0.32	ug/l	0.32		1	8260B		8/5/2020	CJR	1
n-Butylbenzene	< 0.28	ug/l	0.28	0.89	1	8260B		8/5/2020	CJR	1
Carbon Tetrachloride	< 0.31	ug/l	0.31	0.98	1	8260B		8/5/2020	CJR	1
Chlorobenzene	< 0.39	ug/l	0.39	1.2	1	8260B		8/5/2020	CJR	1
Chloroethane	< 1.1	ug/l	1.1	3.6	1	8260B		8/5/2020	CJR	1
Chloroform	< 0.44	ug/l	0.44	1.4	1	8260B		8/5/2020	CJR	1
Chloromethane	< 0.8	ug/l	0.8	2.5	1	8260B		8/5/2020	CJR	1
2-Chlorotoluene	< 0.32	ug/l	0.32		1	8260B		8/5/2020	CJR	1
4-Chlorotoluene	< 0.3	ug/l	0.3	0.96	1	8260B		8/5/2020	CJR	1
1,2-Dibromo-3-chloropropane	< 0.82	ug/l	0.82	2.6	1	8260B		8/5/2020	CJR	1
Dibromochloromethane	< 0.23	ug/l	0.23	0.74	1	8260B		8/5/2020	CJR	1
1,4-Dichlorobenzene	< 0.36	ug/l	0.36	1.1	1	8260B		8/5/2020	CJR	1
1,3-Dichlorobenzene	< 0.31	ug/l	0.31	0.98	1	8260B		8/5/2020	CJR	1
1,2-Dichlorobenzene	< 0.32	ug/l	0.32		1	8260B		8/5/2020	CJR	1
Dichlorodifluoromethane	< 0.45	ug/l	0.45	1.4	1	8260B		8/5/2020	CJR	1
1,2-Dichloroethane	< 0.39	ug/l	0.39	1.3	1	8260B		8/5/2020	CJR	1
1,1-Dichloroethane	< 0.46	ug/l	0.46	1.5	1	8260B		8/5/2020	CJR	1
1,1-Dichloroethene	< 0.5	ug/l	0.5	1.6	1	8260B		8/5/2020	CJR	1
cis-1,2-Dichloroethene	< 0.39	ug/l	0.39	1.2	1	8260B		8/5/2020	CJR	1
trans-1,2-Dichloroethene	< 0.37	ug/l	0.37	1.2	1	8260B		8/5/2020	CJR	1
1,2-Dichloropropane	< 0.38	ug/l	0.38	1.2	1	8260B		8/5/2020	CJR	1
1,3-Dichloropropane	< 0.35	ug/l	0.35	1.1	1	8260B		8/5/2020	CJR	1
trans-1,3-Dichloropropene	< 0.3	ug/l	0.3	0.94	1	8260B		8/5/2020	CJR	1
cis-1,3-Dichloropropene	< 0.36	ug/l	0.36	1.1	1	8260B		8/5/2020	CJR	1
Di-isopropyl ether	< 0.34	ug/l	0.34	1.1	1	8260B		8/5/2020	CJR	1
EDB (1,2-Dibromoethane)	< 0.24	ug/l	0.24	0.75	1	8260B		8/5/2020	CJR	1
Ethylbenzene	< 0.32	ug/l	0.32		1	8260B		8/5/2020	CJR	1
Hexachlorobutadiene	< 0.72	ug/l	0.72	2.3	1	8260B		8/5/2020	CJR	1
Isopropylbenzene	< 0.32	ug/l	0.32		1	8260B		8/5/2020	CJR	1
p-Isopropyltoluene	< 0.47	ug/l	0.47	1.5	1	8260B		8/5/2020	CJR	1
Methylene chloride	< 1.32	ug/l	1.32	4.21	1	8260B		8/5/2020	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.47	ug/l	0.47	1.5	1	8260B		8/5/2020	CJR	1
Naphthalene	< 1.1	ug/l	1.1	3.6	1	8260B		8/5/2020	CJR	1
n-Propylbenzene	< 0.33	ug/l	0.33	1.1	1	8260B		8/5/2020	CJR	1
1,1,2,2-Tetrachloroethane	< 0.37	ug/l	0.37	1.2	1	8260B		8/5/2020	CJR	1
1,1,1,2-Tetrachloroethane	< 0.88	ug/l	0.88	3.3	1	8260B		8/5/2020	CJR	1
Tetrachloroethene	< 0.33	ug/l	0.33		1	8260B		8/5/2020	CJR	1
Toluene	< 0.26	ug/l	0.26	0.83	1	8260B		8/5/2020	CJR	1
1,2,4-Trichlorobenzene	< 0.44	ug/l	0.44	1.4	1	8260B		8/5/2020	CJR	1

Project Name FMR ROBINSONS CLEANERS
Project # 6155 PO#2020-1772

Invoice # E38267

Lab Code 538267MM
Sample ID 6155 PZ-46D1
Sample Matrix Water
Sample Date 7/27/2020

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 1	ug/l	1	3.2	1	8260B		8/5/2020	CJR	1
1,1,1-Trichloroethane	< 0.3	ug/l	0.3	0.95	1	8260B		8/5/2020	CJR	1
1,1,2-Trichloroethane	< 0.36	ug/l	0.36	1.1	1	8260B		8/5/2020	CJR	1
Trichloroethene (TCE)	< 0.47	ug/l	0.47	1.5	1	8260B		8/5/2020	CJR	1
Trichlorofluoromethane	< 0.42	ug/l	0.42	1.3	1	8260B		8/5/2020	CJR	1
1,2,4-Trimethylbenzene	< 0.3	ug/l	0.3	0.96	1	8260B		8/5/2020	CJR	1
1,3,5-Trimethylbenzene	< 0.32	ug/l	0.32	1	1	8260B		8/5/2020	CJR	1
Vinyl Chloride	< 0.2	ug/l	0.2	0.65	1	8260B		8/5/2020	CJR	1
m&p-Xylene	< 1.1	ug/l	1.1	3.3	1	8260B		8/5/2020	CJR	1
o-Xylene	< 0.38	ug/l	0.38	1.2	1	8260B		8/5/2020	CJR	1
SUR - 1,2-Dichloroethane-d4	104	REC %			1	8260B		8/5/2020	CJR	1
SUR - 4-Bromofluorobenzene	105	REC %			1	8260B		8/5/2020	CJR	1
SUR - Dibromofluoromethane	103	REC %			1	8260B		8/5/2020	CJR	1
SUR - Toluene-d8	107	REC %			1	8260B		8/5/2020	CJR	1

Project Name FMR ROBINSONS CLEANERS
Project # 6155 PO#2020-1772

Invoice # E38267

Lab Code 538267NN
Sample ID 6155 PZ-46D2
Sample Matrix Water
Sample Date 7/27/2020

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.33	ug/l	0.33		1	8260B		8/5/2020	CJR	1
Bromobenzene	< 0.26	ug/l	0.26	0.84	1	8260B		8/5/2020	CJR	1
Bromodichloromethane	< 0.33	ug/l	0.33		1	8260B		8/5/2020	CJR	1
Bromoform	< 0.65	ug/l	0.65	2.1	1	8260B		8/5/2020	CJR	1
tert-Butylbenzene	< 0.61	ug/l	0.61	1.9	1	8260B		8/5/2020	CJR	1
sec-Butylbenzene	< 0.32	ug/l	0.32		1	8260B		8/5/2020	CJR	1
n-Butylbenzene	< 0.28	ug/l	0.28	0.89	1	8260B		8/5/2020	CJR	1
Carbon Tetrachloride	< 0.31	ug/l	0.31	0.98	1	8260B		8/5/2020	CJR	1
Chlorobenzene	< 0.39	ug/l	0.39	1.2	1	8260B		8/5/2020	CJR	1
Chloroethane	< 1.1	ug/l	1.1	3.6	1	8260B		8/5/2020	CJR	1
Chloroform	< 0.44	ug/l	0.44	1.4	1	8260B		8/5/2020	CJR	1
Chloromethane	< 0.8	ug/l	0.8	2.5	1	8260B		8/5/2020	CJR	1
2-Chlorotoluene	< 0.32	ug/l	0.32		1	8260B		8/5/2020	CJR	1
4-Chlorotoluene	< 0.3	ug/l	0.3	0.96	1	8260B		8/5/2020	CJR	1
1,2-Dibromo-3-chloropropane	< 0.82	ug/l	0.82	2.6	1	8260B		8/5/2020	CJR	1
Dibromochloromethane	< 0.23	ug/l	0.23	0.74	1	8260B		8/5/2020	CJR	1
1,4-Dichlorobenzene	< 0.36	ug/l	0.36	1.1	1	8260B		8/5/2020	CJR	1
1,3-Dichlorobenzene	< 0.31	ug/l	0.31	0.98	1	8260B		8/5/2020	CJR	1
1,2-Dichlorobenzene	< 0.32	ug/l	0.32		1	8260B		8/5/2020	CJR	1
Dichlorodifluoromethane	< 0.45	ug/l	0.45	1.4	1	8260B		8/5/2020	CJR	1
1,2-Dichloroethane	< 0.39	ug/l	0.39	1.3	1	8260B		8/5/2020	CJR	1
1,1-Dichloroethane	< 0.46	ug/l	0.46	1.5	1	8260B		8/5/2020	CJR	1
1,1-Dichloroethene	< 0.5	ug/l	0.5	1.6	1	8260B		8/5/2020	CJR	1
cis-1,2-Dichloroethene	< 0.39	ug/l	0.39	1.2	1	8260B		8/5/2020	CJR	1
trans-1,2-Dichloroethene	< 0.37	ug/l	0.37	1.2	1	8260B		8/5/2020	CJR	1
1,2-Dichloropropane	< 0.38	ug/l	0.38	1.2	1	8260B		8/5/2020	CJR	1
1,3-Dichloropropane	< 0.35	ug/l	0.35	1.1	1	8260B		8/5/2020	CJR	1
trans-1,3-Dichloropropene	< 0.3	ug/l	0.3	0.94	1	8260B		8/5/2020	CJR	1
cis-1,3-Dichloropropene	< 0.36	ug/l	0.36	1.1	1	8260B		8/5/2020	CJR	1
Di-isopropyl ether	< 0.34	ug/l	0.34	1.1	1	8260B		8/5/2020	CJR	1
EDB (1,2-Dibromoethane)	< 0.24	ug/l	0.24	0.75	1	8260B		8/5/2020	CJR	1
Ethylbenzene	< 0.32	ug/l	0.32		1	8260B		8/5/2020	CJR	1
Hexachlorobutadiene	< 0.72	ug/l	0.72	2.3	1	8260B		8/5/2020	CJR	1
Isopropylbenzene	< 0.32	ug/l	0.32		1	8260B		8/5/2020	CJR	1
p-Isopropyltoluene	< 0.47	ug/l	0.47	1.5	1	8260B		8/5/2020	CJR	1
Methylene chloride	< 1.32	ug/l	1.32	4.21	1	8260B		8/5/2020	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.47	ug/l	0.47	1.5	1	8260B		8/5/2020	CJR	1
Naphthalene	< 1.1	ug/l	1.1	3.6	1	8260B		8/5/2020	CJR	1
n-Propylbenzene	< 0.33	ug/l	0.33	1.1	1	8260B		8/5/2020	CJR	1
1,1,2,2-Tetrachloroethane	< 0.37	ug/l	0.37	1.2	1	8260B		8/5/2020	CJR	1
1,1,1,2-Tetrachloroethane	< 0.88	ug/l	0.88	3.3	1	8260B		8/5/2020	CJR	1
Tetrachloroethene	< 0.33	ug/l	0.33		1	8260B		8/5/2020	CJR	1
Toluene	< 0.26	ug/l	0.26	0.83	1	8260B		8/5/2020	CJR	1
1,2,4-Trichlorobenzene	< 0.44	ug/l	0.44	1.4	1	8260B		8/5/2020	CJR	1

Project Name FMR ROBINSONS CLEANERS
Project # 6155 PO#2020-1772

Invoice # E38267

Lab Code 538267NN
Sample ID 6155 PZ-46D2
Sample Matrix Water
Sample Date 7/27/2020

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 1	ug/l	1	3.2	1	8260B		8/5/2020	CJR	1
1,1,1-Trichloroethane	< 0.3	ug/l	0.3	0.95	1	8260B		8/5/2020	CJR	1
1,1,2-Trichloroethane	< 0.36	ug/l	0.36	1.1	1	8260B		8/5/2020	CJR	1
Trichloroethene (TCE)	< 0.47	ug/l	0.47	1.5	1	8260B		8/5/2020	CJR	1
Trichlorofluoromethane	< 0.42	ug/l	0.42	1.3	1	8260B		8/5/2020	CJR	1
1,2,4-Trimethylbenzene	< 0.3	ug/l	0.3	0.96	1	8260B		8/5/2020	CJR	1
1,3,5-Trimethylbenzene	< 0.32	ug/l	0.32	1	1	8260B		8/5/2020	CJR	1
Vinyl Chloride	< 0.2	ug/l	0.2	0.65	1	8260B		8/5/2020	CJR	1
m&p-Xylene	< 1.1	ug/l	1.1	3.3	1	8260B		8/5/2020	CJR	1
o-Xylene	< 0.38	ug/l	0.38	1.2	1	8260B		8/5/2020	CJR	1
SUR - 1,2-Dichloroethane-d4	102	REC %			1	8260B		8/5/2020	CJR	1
SUR - 4-Bromofluorobenzene	105	REC %			1	8260B		8/5/2020	CJR	1
SUR - Dibromofluoromethane	97	REC %			1	8260B		8/5/2020	CJR	1
SUR - Toluene-d8	110	REC %			1	8260B		8/5/2020	CJR	1

Project Name FMR ROBINSONS CLEANERS
 Project # 6155 PO#2020-1772

Invoice # E38267

Lab Code 53826700
 Sample ID 6155 PZ-46D3
 Sample Matrix Water
 Sample Date 7/27/2020

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.33	ug/l	0.33		1	8260B		8/5/2020	CJR	1
Bromobenzene	< 0.26	ug/l	0.26	0.84	1	8260B		8/5/2020	CJR	1
Bromodichloromethane	< 0.33	ug/l	0.33		1	8260B		8/5/2020	CJR	1
Bromoform	< 0.65	ug/l	0.65	2.1	1	8260B		8/5/2020	CJR	1
tert-Butylbenzene	< 0.61	ug/l	0.61	1.9	1	8260B		8/5/2020	CJR	1
sec-Butylbenzene	< 0.32	ug/l	0.32		1	8260B		8/5/2020	CJR	1
n-Butylbenzene	< 0.28	ug/l	0.28	0.89	1	8260B		8/5/2020	CJR	1
Carbon Tetrachloride	< 0.31	ug/l	0.31	0.98	1	8260B		8/5/2020	CJR	1
Chlorobenzene	< 0.39	ug/l	0.39	1.2	1	8260B		8/5/2020	CJR	1
Chloroethane	< 1.1	ug/l	1.1	3.6	1	8260B		8/5/2020	CJR	1
Chloroform	< 0.44	ug/l	0.44	1.4	1	8260B		8/5/2020	CJR	1
Chloromethane	< 0.8	ug/l	0.8	2.5	1	8260B		8/5/2020	CJR	1
2-Chlorotoluene	< 0.32	ug/l	0.32		1	8260B		8/5/2020	CJR	1
4-Chlorotoluene	< 0.3	ug/l	0.3	0.96	1	8260B		8/5/2020	CJR	1
1,2-Dibromo-3-chloropropane	< 0.82	ug/l	0.82	2.6	1	8260B		8/5/2020	CJR	1
Dibromochloromethane	< 0.23	ug/l	0.23	0.74	1	8260B		8/5/2020	CJR	1
1,4-Dichlorobenzene	< 0.36	ug/l	0.36	1.1	1	8260B		8/5/2020	CJR	1
1,3-Dichlorobenzene	< 0.31	ug/l	0.31	0.98	1	8260B		8/5/2020	CJR	1
1,2-Dichlorobenzene	< 0.32	ug/l	0.32		1	8260B		8/5/2020	CJR	1
Dichlorodifluoromethane	< 0.45	ug/l	0.45	1.4	1	8260B		8/5/2020	CJR	1
1,2-Dichloroethane	< 0.39	ug/l	0.39	1.3	1	8260B		8/5/2020	CJR	1
1,1-Dichloroethane	< 0.46	ug/l	0.46	1.5	1	8260B		8/5/2020	CJR	1
1,1-Dichloroethene	< 0.5	ug/l	0.5	1.6	1	8260B		8/5/2020	CJR	1
cis-1,2-Dichloroethene	< 0.39	ug/l	0.39	1.2	1	8260B		8/5/2020	CJR	1
trans-1,2-Dichloroethene	< 0.37	ug/l	0.37	1.2	1	8260B		8/5/2020	CJR	1
1,2-Dichloropropane	< 0.38	ug/l	0.38	1.2	1	8260B		8/5/2020	CJR	1
1,3-Dichloropropane	< 0.35	ug/l	0.35	1.1	1	8260B		8/5/2020	CJR	1
trans-1,3-Dichloropropene	< 0.3	ug/l	0.3	0.94	1	8260B		8/5/2020	CJR	1
cis-1,3-Dichloropropene	< 0.36	ug/l	0.36	1.1	1	8260B		8/5/2020	CJR	1
Di-isopropyl ether	< 0.34	ug/l	0.34	1.1	1	8260B		8/5/2020	CJR	1
EDB (1,2-Dibromoethane)	< 0.24	ug/l	0.24	0.75	1	8260B		8/5/2020	CJR	1
Ethylbenzene	< 0.32	ug/l	0.32		1	8260B		8/5/2020	CJR	1
Hexachlorobutadiene	< 0.72	ug/l	0.72	2.3	1	8260B		8/5/2020	CJR	1
Isopropylbenzene	< 0.32	ug/l	0.32		1	8260B		8/5/2020	CJR	1
p-Isopropyltoluene	< 0.47	ug/l	0.47	1.5	1	8260B		8/5/2020	CJR	1
Methylene chloride	< 1.32	ug/l	1.32	4.21	1	8260B		8/5/2020	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.47	ug/l	0.47	1.5	1	8260B		8/5/2020	CJR	1
Naphthalene	< 1.1	ug/l	1.1	3.6	1	8260B		8/5/2020	CJR	1
n-Propylbenzene	< 0.33	ug/l	0.33	1.1	1	8260B		8/5/2020	CJR	1
1,1,2,2-Tetrachloroethane	< 0.37	ug/l	0.37	1.2	1	8260B		8/5/2020	CJR	1
1,1,1,2-Tetrachloroethane	< 0.88	ug/l	0.88	3.3	1	8260B		8/5/2020	CJR	1
Tetrachloroethene	< 0.33	ug/l	0.33		1	8260B		8/5/2020	CJR	1
Toluene	< 0.26	ug/l	0.26	0.83	1	8260B		8/5/2020	CJR	1
1,2,4-Trichlorobenzene	< 0.44	ug/l	0.44	1.4	1	8260B		8/5/2020	CJR	1

Project Name FMR ROBINSONS CLEANERS
Project # 6155 PO#2020-1772

Invoice # E38267

Lab Code 53826700
Sample ID 6155 PZ-46D3
Sample Matrix Water
Sample Date 7/27/2020

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 1	ug/l	1	3.2	1	8260B		8/5/2020	CJR	1
1,1,1-Trichloroethane	< 0.3	ug/l	0.3	0.95	1	8260B		8/5/2020	CJR	1
1,1,2-Trichloroethane	< 0.36	ug/l	0.36	1.1	1	8260B		8/5/2020	CJR	1
Trichloroethene (TCE)	< 0.47	ug/l	0.47	1.5	1	8260B		8/5/2020	CJR	1
Trichlorofluoromethane	< 0.42	ug/l	0.42	1.3	1	8260B		8/5/2020	CJR	1
1,2,4-Trimethylbenzene	< 0.3	ug/l	0.3	0.96	1	8260B		8/5/2020	CJR	1
1,3,5-Trimethylbenzene	< 0.32	ug/l	0.32	1	1	8260B		8/5/2020	CJR	1
Vinyl Chloride	< 0.2	ug/l	0.2	0.65	1	8260B		8/5/2020	CJR	1
m&p-Xylene	< 1.1	ug/l	1.1	3.3	1	8260B		8/5/2020	CJR	1
o-Xylene	< 0.38	ug/l	0.38	1.2	1	8260B		8/5/2020	CJR	1
SUR - Dibromofluoromethane	114	REC %			1	8260B		8/5/2020	CJR	1
SUR - Toluene-d8	109	REC %			1	8260B		8/5/2020	CJR	1
SUR - 4-Bromofluorobenzene	111	REC %			1	8260B		8/5/2020	CJR	1
SUR - 1,2-Dichloroethane-d4	116	REC %			1	8260B		8/5/2020	CJR	1

Project Name FMR ROBINSONS CLEANERS
Project # 6155 PO#2020-1772

Invoice # E38267

Lab Code 538267PP
Sample ID 6155 PZ-47D1
Sample Matrix Water
Sample Date 7/27/2020

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.33	ug/l	0.33		1	8260B		8/5/2020	CJR	1
Bromobenzene	< 0.26	ug/l	0.26	0.84	1	8260B		8/5/2020	CJR	1
Bromodichloromethane	< 0.33	ug/l	0.33		1	8260B		8/5/2020	CJR	1
Bromoform	< 0.65	ug/l	0.65	2.1	1	8260B		8/5/2020	CJR	1
tert-Butylbenzene	< 0.61	ug/l	0.61	1.9	1	8260B		8/5/2020	CJR	1
sec-Butylbenzene	< 0.32	ug/l	0.32		1	8260B		8/5/2020	CJR	1
n-Butylbenzene	< 0.28	ug/l	0.28	0.89	1	8260B		8/5/2020	CJR	1
Carbon Tetrachloride	< 0.31	ug/l	0.31	0.98	1	8260B		8/5/2020	CJR	1
Chlorobenzene	< 0.39	ug/l	0.39	1.2	1	8260B		8/5/2020	CJR	1
Chloroethane	< 1.1	ug/l	1.1	3.6	1	8260B		8/5/2020	CJR	1
Chloroform	< 0.44	ug/l	0.44	1.4	1	8260B		8/5/2020	CJR	1
Chloromethane	< 0.8	ug/l	0.8	2.5	1	8260B		8/5/2020	CJR	1
2-Chlorotoluene	< 0.32	ug/l	0.32		1	8260B		8/5/2020	CJR	1
4-Chlorotoluene	< 0.3	ug/l	0.3	0.96	1	8260B		8/5/2020	CJR	1
1,2-Dibromo-3-chloropropane	< 0.82	ug/l	0.82	2.6	1	8260B		8/5/2020	CJR	1
Dibromochloromethane	< 0.23	ug/l	0.23	0.74	1	8260B		8/5/2020	CJR	1
1,4-Dichlorobenzene	< 0.36	ug/l	0.36	1.1	1	8260B		8/5/2020	CJR	1
1,3-Dichlorobenzene	< 0.31	ug/l	0.31	0.98	1	8260B		8/5/2020	CJR	1
1,2-Dichlorobenzene	< 0.32	ug/l	0.32		1	8260B		8/5/2020	CJR	1
Dichlorodifluoromethane	< 0.45	ug/l	0.45	1.4	1	8260B		8/5/2020	CJR	1
1,2-Dichloroethane	< 0.39	ug/l	0.39	1.3	1	8260B		8/5/2020	CJR	1
1,1-Dichloroethane	< 0.46	ug/l	0.46	1.5	1	8260B		8/5/2020	CJR	1
1,1-Dichloroethene	< 0.5	ug/l	0.5	1.6	1	8260B		8/5/2020	CJR	1
cis-1,2-Dichloroethene	< 0.39	ug/l	0.39	1.2	1	8260B		8/5/2020	CJR	1
trans-1,2-Dichloroethene	< 0.37	ug/l	0.37	1.2	1	8260B		8/5/2020	CJR	1
1,2-Dichloropropane	< 0.38	ug/l	0.38	1.2	1	8260B		8/5/2020	CJR	1
1,3-Dichloropropane	< 0.35	ug/l	0.35	1.1	1	8260B		8/5/2020	CJR	1
trans-1,3-Dichloropropene	< 0.3	ug/l	0.3	0.94	1	8260B		8/5/2020	CJR	1
cis-1,3-Dichloropropene	< 0.36	ug/l	0.36	1.1	1	8260B		8/5/2020	CJR	1
Di-isopropyl ether	< 0.34	ug/l	0.34	1.1	1	8260B		8/5/2020	CJR	1
EDB (1,2-Dibromoethane)	< 0.24	ug/l	0.24	0.75	1	8260B		8/5/2020	CJR	1
Ethylbenzene	< 0.32	ug/l	0.32		1	8260B		8/5/2020	CJR	1
Hexachlorobutadiene	< 0.72	ug/l	0.72	2.3	1	8260B		8/5/2020	CJR	1
Isopropylbenzene	< 0.32	ug/l	0.32		1	8260B		8/5/2020	CJR	1
p-Isopropyltoluene	< 0.47	ug/l	0.47	1.5	1	8260B		8/5/2020	CJR	1
Methylene chloride	< 1.32	ug/l	1.32	4.21	1	8260B		8/5/2020	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.47	ug/l	0.47	1.5	1	8260B		8/5/2020	CJR	1
Naphthalene	< 1.1	ug/l	1.1	3.6	1	8260B		8/5/2020	CJR	1
n-Propylbenzene	< 0.33	ug/l	0.33	1.1	1	8260B		8/5/2020	CJR	1
1,1,2,2-Tetrachloroethane	< 0.37	ug/l	0.37	1.2	1	8260B		8/5/2020	CJR	1
1,1,1,2-Tetrachloroethane	< 0.88	ug/l	0.88	3.3	1	8260B		8/5/2020	CJR	1
Tetrachloroethene	< 0.33	ug/l	0.33		1	8260B		8/5/2020	CJR	1
Toluene	< 0.26	ug/l	0.26	0.83	1	8260B		8/5/2020	CJR	1
1,2,4-Trichlorobenzene	< 0.44	ug/l	0.44	1.4	1	8260B		8/5/2020	CJR	1

Project Name FMR ROBINSONS CLEANERS
Project # 6155 PO#2020-1772

Invoice # E38267

Lab Code 538267PP
Sample ID 6155 PZ-47D1
Sample Matrix Water
Sample Date 7/27/2020

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 1	ug/l	1	3.2	1	8260B		8/5/2020	CJR	1
1,1,1-Trichloroethane	< 0.3	ug/l	0.3	0.95	1	8260B		8/5/2020	CJR	1
1,1,2-Trichloroethane	< 0.36	ug/l	0.36	1.1	1	8260B		8/5/2020	CJR	1
Trichloroethene (TCE)	< 0.47	ug/l	0.47	1.5	1	8260B		8/5/2020	CJR	1
Trichlorofluoromethane	< 0.42	ug/l	0.42	1.3	1	8260B		8/5/2020	CJR	1
1,2,4-Trimethylbenzene	< 0.3	ug/l	0.3	0.96	1	8260B		8/5/2020	CJR	1
1,3,5-Trimethylbenzene	< 0.32	ug/l	0.32	1	1	8260B		8/5/2020	CJR	1
Vinyl Chloride	< 0.2	ug/l	0.2	0.65	1	8260B		8/5/2020	CJR	1
m&p-Xylene	< 1.1	ug/l	1.1	3.3	1	8260B		8/5/2020	CJR	1
o-Xylene	< 0.38	ug/l	0.38	1.2	1	8260B		8/5/2020	CJR	1
SUR - 4-Bromofluorobenzene	111	REC %			1	8260B		8/5/2020	CJR	1
SUR - Dibromofluoromethane	109	REC %			1	8260B		8/5/2020	CJR	1
SUR - Toluene-d8	111	REC %			1	8260B		8/5/2020	CJR	1
SUR - 1,2-Dichloroethane-d4	105	REC %			1	8260B		8/5/2020	CJR	1

Project Name FMR ROBINSONS CLEANERS
Project # 6155 PO#2020-1772

Invoice # E38267

Lab Code 538267QQ
Sample ID 6155 PZ-47D2
Sample Matrix Water
Sample Date 7/27/2020

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.33	ug/l	0.33		1	8260B		8/5/2020	CJR	1
Bromobenzene	< 0.26	ug/l	0.26	0.84	1	8260B		8/5/2020	CJR	1
Bromodichloromethane	< 0.33	ug/l	0.33		1	8260B		8/5/2020	CJR	1
Bromoform	< 0.65	ug/l	0.65	2.1	1	8260B		8/5/2020	CJR	1
tert-Butylbenzene	< 0.61	ug/l	0.61	1.9	1	8260B		8/5/2020	CJR	1
sec-Butylbenzene	< 0.32	ug/l	0.32		1	8260B		8/5/2020	CJR	1
n-Butylbenzene	< 0.28	ug/l	0.28	0.89	1	8260B		8/5/2020	CJR	1
Carbon Tetrachloride	< 0.31	ug/l	0.31	0.98	1	8260B		8/5/2020	CJR	1
Chlorobenzene	< 0.39	ug/l	0.39	1.2	1	8260B		8/5/2020	CJR	1
Chloroethane	< 1.1	ug/l	1.1	3.6	1	8260B		8/5/2020	CJR	1
Chloroform	< 0.44	ug/l	0.44	1.4	1	8260B		8/5/2020	CJR	1
Chloromethane	< 0.8	ug/l	0.8	2.5	1	8260B		8/5/2020	CJR	1
2-Chlorotoluene	< 0.32	ug/l	0.32		1	8260B		8/5/2020	CJR	1
4-Chlorotoluene	< 0.3	ug/l	0.3	0.96	1	8260B		8/5/2020	CJR	1
1,2-Dibromo-3-chloropropane	< 0.82	ug/l	0.82	2.6	1	8260B		8/5/2020	CJR	1
Dibromochloromethane	< 0.23	ug/l	0.23	0.74	1	8260B		8/5/2020	CJR	1
1,4-Dichlorobenzene	< 0.36	ug/l	0.36	1.1	1	8260B		8/5/2020	CJR	1
1,3-Dichlorobenzene	< 0.31	ug/l	0.31	0.98	1	8260B		8/5/2020	CJR	1
1,2-Dichlorobenzene	< 0.32	ug/l	0.32		1	8260B		8/5/2020	CJR	1
Dichlorodifluoromethane	< 0.45	ug/l	0.45	1.4	1	8260B		8/5/2020	CJR	1
1,2-Dichloroethane	< 0.39	ug/l	0.39	1.3	1	8260B		8/5/2020	CJR	1
1,1-Dichloroethane	< 0.46	ug/l	0.46	1.5	1	8260B		8/5/2020	CJR	1
1,1-Dichloroethene	< 0.5	ug/l	0.5	1.6	1	8260B		8/5/2020	CJR	1
cis-1,2-Dichloroethene	< 0.39	ug/l	0.39	1.2	1	8260B		8/5/2020	CJR	1
trans-1,2-Dichloroethene	< 0.37	ug/l	0.37	1.2	1	8260B		8/5/2020	CJR	1
1,2-Dichloropropane	< 0.38	ug/l	0.38	1.2	1	8260B		8/5/2020	CJR	1
1,3-Dichloropropane	< 0.35	ug/l	0.35	1.1	1	8260B		8/5/2020	CJR	1
trans-1,3-Dichloropropene	< 0.3	ug/l	0.3	0.94	1	8260B		8/5/2020	CJR	1
cis-1,3-Dichloropropene	< 0.36	ug/l	0.36	1.1	1	8260B		8/5/2020	CJR	1
Di-isopropyl ether	< 0.34	ug/l	0.34	1.1	1	8260B		8/5/2020	CJR	1
EDB (1,2-Dibromoethane)	< 0.24	ug/l	0.24	0.75	1	8260B		8/5/2020	CJR	1
Ethylbenzene	< 0.32	ug/l	0.32		1	8260B		8/5/2020	CJR	1
Hexachlorobutadiene	< 0.72	ug/l	0.72	2.3	1	8260B		8/5/2020	CJR	1
Isopropylbenzene	< 0.32	ug/l	0.32		1	8260B		8/5/2020	CJR	1
p-Isopropyltoluene	< 0.47	ug/l	0.47	1.5	1	8260B		8/5/2020	CJR	1
Methylene chloride	< 1.32	ug/l	1.32	4.21	1	8260B		8/5/2020	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.47	ug/l	0.47	1.5	1	8260B		8/5/2020	CJR	1
Naphthalene	< 1.1	ug/l	1.1	3.6	1	8260B		8/5/2020	CJR	1
n-Propylbenzene	< 0.33	ug/l	0.33	1.1	1	8260B		8/5/2020	CJR	1
1,1,2,2-Tetrachloroethane	< 0.37	ug/l	0.37	1.2	1	8260B		8/5/2020	CJR	1
1,1,1,2-Tetrachloroethane	< 0.88	ug/l	0.88	3.3	1	8260B		8/5/2020	CJR	1
Tetrachloroethene	< 0.33	ug/l	0.33		1	8260B		8/5/2020	CJR	1
Toluene	< 0.26	ug/l	0.26	0.83	1	8260B		8/5/2020	CJR	1
1,2,4-Trichlorobenzene	< 0.44	ug/l	0.44	1.4	1	8260B		8/5/2020	CJR	1

Project Name FMR ROBINSONS CLEANERS
Project # 6155 PO#2020-1772

Invoice # E38267

Lab Code 538267QQ
Sample ID 6155 PZ-47D2
Sample Matrix Water
Sample Date 7/27/2020

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 1	ug/l	1	3.2	1	8260B		8/5/2020	CJR	1
1,1,1-Trichloroethane	< 0.3	ug/l	0.3	0.95	1	8260B		8/5/2020	CJR	1
1,1,2-Trichloroethane	< 0.36	ug/l	0.36	1.1	1	8260B		8/5/2020	CJR	1
Trichloroethene (TCE)	< 0.47	ug/l	0.47	1.5	1	8260B		8/5/2020	CJR	1
Trichlorofluoromethane	< 0.42	ug/l	0.42	1.3	1	8260B		8/5/2020	CJR	1
1,2,4-Trimethylbenzene	< 0.3	ug/l	0.3	0.96	1	8260B		8/5/2020	CJR	1
1,3,5-Trimethylbenzene	< 0.32	ug/l	0.32	1	1	8260B		8/5/2020	CJR	1
Vinyl Chloride	< 0.2	ug/l	0.2	0.65	1	8260B		8/5/2020	CJR	1
m&p-Xylene	< 1.1	ug/l	1.1	3.3	1	8260B		8/5/2020	CJR	1
o-Xylene	< 0.38	ug/l	0.38	1.2	1	8260B		8/5/2020	CJR	1
SUR - 1,2-Dichloroethane-d4	102	REC %			1	8260B		8/5/2020	CJR	1
SUR - 4-Bromofluorobenzene	106	REC %			1	8260B		8/5/2020	CJR	1
SUR - Dibromofluoromethane	98	REC %			1	8260B		8/5/2020	CJR	1
SUR - Toluene-d8	109	REC %			1	8260B		8/5/2020	CJR	1

Project Name FMR ROBINSONS CLEANERS
Project # 6155 PO#2020-1772

Invoice # E38267

Lab Code 538267RR
Sample ID 6155 PZ-47D3
Sample Matrix Water
Sample Date 7/27/2020

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.33	ug/l	0.33		1	8260B		8/5/2020	CJR	1
Bromobenzene	< 0.26	ug/l	0.26	0.84	1	8260B		8/5/2020	CJR	1
Bromodichloromethane	< 0.33	ug/l	0.33		1	8260B		8/5/2020	CJR	1
Bromoform	< 0.65	ug/l	0.65	2.1	1	8260B		8/5/2020	CJR	1
tert-Butylbenzene	< 0.61	ug/l	0.61	1.9	1	8260B		8/5/2020	CJR	1
sec-Butylbenzene	< 0.32	ug/l	0.32		1	8260B		8/5/2020	CJR	1
n-Butylbenzene	< 0.28	ug/l	0.28	0.89	1	8260B		8/5/2020	CJR	1
Carbon Tetrachloride	< 0.31	ug/l	0.31	0.98	1	8260B		8/5/2020	CJR	1
Chlorobenzene	< 0.39	ug/l	0.39	1.2	1	8260B		8/5/2020	CJR	1
Chloroethane	< 1.1	ug/l	1.1	3.6	1	8260B		8/5/2020	CJR	1
Chloroform	< 0.44	ug/l	0.44	1.4	1	8260B		8/5/2020	CJR	1
Chloromethane	< 0.8	ug/l	0.8	2.5	1	8260B		8/5/2020	CJR	1
2-Chlorotoluene	< 0.32	ug/l	0.32		1	8260B		8/5/2020	CJR	1
4-Chlorotoluene	< 0.3	ug/l	0.3	0.96	1	8260B		8/5/2020	CJR	1
1,2-Dibromo-3-chloropropane	< 0.82	ug/l	0.82	2.6	1	8260B		8/5/2020	CJR	1
Dibromochloromethane	< 0.23	ug/l	0.23	0.74	1	8260B		8/5/2020	CJR	1
1,4-Dichlorobenzene	< 0.36	ug/l	0.36	1.1	1	8260B		8/5/2020	CJR	1
1,3-Dichlorobenzene	< 0.31	ug/l	0.31	0.98	1	8260B		8/5/2020	CJR	1
1,2-Dichlorobenzene	< 0.32	ug/l	0.32		1	8260B		8/5/2020	CJR	1
Dichlorodifluoromethane	< 0.45	ug/l	0.45	1.4	1	8260B		8/5/2020	CJR	1
1,2-Dichloroethane	< 0.39	ug/l	0.39	1.3	1	8260B		8/5/2020	CJR	1
1,1-Dichloroethane	< 0.46	ug/l	0.46	1.5	1	8260B		8/5/2020	CJR	1
1,1-Dichloroethene	< 0.5	ug/l	0.5	1.6	1	8260B		8/5/2020	CJR	1
cis-1,2-Dichloroethene	< 0.39	ug/l	0.39	1.2	1	8260B		8/5/2020	CJR	1
trans-1,2-Dichloroethene	< 0.37	ug/l	0.37	1.2	1	8260B		8/5/2020	CJR	1
1,2-Dichloropropane	< 0.38	ug/l	0.38	1.2	1	8260B		8/5/2020	CJR	1
1,3-Dichloropropane	< 0.35	ug/l	0.35	1.1	1	8260B		8/5/2020	CJR	1
trans-1,3-Dichloropropene	< 0.3	ug/l	0.3	0.94	1	8260B		8/5/2020	CJR	1
cis-1,3-Dichloropropene	< 0.36	ug/l	0.36	1.1	1	8260B		8/5/2020	CJR	1
Di-isopropyl ether	< 0.34	ug/l	0.34	1.1	1	8260B		8/5/2020	CJR	1
EDB (1,2-Dibromoethane)	< 0.24	ug/l	0.24	0.75	1	8260B		8/5/2020	CJR	1
Ethylbenzene	< 0.32	ug/l	0.32		1	8260B		8/5/2020	CJR	1
Hexachlorobutadiene	< 0.72	ug/l	0.72	2.3	1	8260B		8/5/2020	CJR	1
Isopropylbenzene	< 0.32	ug/l	0.32		1	8260B		8/5/2020	CJR	1
p-Isopropyltoluene	< 0.47	ug/l	0.47	1.5	1	8260B		8/5/2020	CJR	1
Methylene chloride	< 1.32	ug/l	1.32	4.21	1	8260B		8/5/2020	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.47	ug/l	0.47	1.5	1	8260B		8/5/2020	CJR	1
Naphthalene	< 1.1	ug/l	1.1	3.6	1	8260B		8/5/2020	CJR	1
n-Propylbenzene	< 0.33	ug/l	0.33	1.1	1	8260B		8/5/2020	CJR	1
1,1,2,2-Tetrachloroethane	< 0.37	ug/l	0.37	1.2	1	8260B		8/5/2020	CJR	1
1,1,1,2-Tetrachloroethane	< 0.88	ug/l	0.88	3.3	1	8260B		8/5/2020	CJR	1
Tetrachloroethene	0.49 "J"	ug/l	0.33		1	8260B		8/5/2020	CJR	1
Toluene	< 0.26	ug/l	0.26	0.83	1	8260B		8/5/2020	CJR	1
1,2,4-Trichlorobenzene	< 0.44	ug/l	0.44	1.4	1	8260B		8/5/2020	CJR	1

Project Name FMR ROBINSONS CLEANERS
Project # 6155 PO#2020-1772

Invoice # E38267

Lab Code 538267RR
Sample ID 6155 PZ-47D3
Sample Matrix Water
Sample Date 7/27/2020

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 1	ug/l	1	3.2	1	8260B		8/5/2020	CJR	1
1,1,1-Trichloroethane	< 0.3	ug/l	0.3	0.95	1	8260B		8/5/2020	CJR	1
1,1,2-Trichloroethane	< 0.36	ug/l	0.36	1.1	1	8260B		8/5/2020	CJR	1
Trichloroethene (TCE)	< 0.47	ug/l	0.47	1.5	1	8260B		8/5/2020	CJR	1
Trichlorofluoromethane	< 0.42	ug/l	0.42	1.3	1	8260B		8/5/2020	CJR	1
1,2,4-Trimethylbenzene	< 0.3	ug/l	0.3	0.96	1	8260B		8/5/2020	CJR	1
1,3,5-Trimethylbenzene	< 0.32	ug/l	0.32	1	1	8260B		8/5/2020	CJR	1
Vinyl Chloride	< 0.2	ug/l	0.2	0.65	1	8260B		8/5/2020	CJR	1
m&p-Xylene	< 1.1	ug/l	1.1	3.3	1	8260B		8/5/2020	CJR	1
o-Xylene	< 0.38	ug/l	0.38	1.2	1	8260B		8/5/2020	CJR	1
SUR - Toluene-d8	109	REC %			1	8260B		8/5/2020	CJR	1
SUR - 1,2-Dichloroethane-d4	108	REC %			1	8260B		8/5/2020	CJR	1
SUR - 4-Bromofluorobenzene	106	REC %			1	8260B		8/5/2020	CJR	1
SUR - Dibromofluoromethane	101	REC %			1	8260B		8/5/2020	CJR	1

Project Name FMR ROBINSONS CLEANERS
Project # 6155 PO#2020-1772

Invoice # E38267

Lab Code 538267SS
Sample ID 6155 PZ-48D1
Sample Matrix Water
Sample Date 7/28/2020

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 3.3	ug/l	3.3	10	10	8260B		8/6/2020	CJR	1
Bromobenzene	< 2.6	ug/l	2.6	8.4	10	8260B		8/6/2020	CJR	1
Bromodichloromethane	< 3.3	ug/l	3.3	10	10	8260B		8/6/2020	CJR	1
Bromoform	< 6.5	ug/l	6.5	21	10	8260B		8/6/2020	CJR	1
tert-Butylbenzene	< 6.1	ug/l	6.1	19	10	8260B		8/6/2020	CJR	1
sec-Butylbenzene	< 3.2	ug/l	3.2	10	10	8260B		8/6/2020	CJR	1
n-Butylbenzene	< 2.8	ug/l	2.8	8.9	10	8260B		8/6/2020	CJR	1
Carbon Tetrachloride	< 3.1	ug/l	3.1	9.8	10	8260B		8/6/2020	CJR	1
Chlorobenzene	< 3.9	ug/l	3.9	12	10	8260B		8/6/2020	CJR	1
Chloroethane	< 11	ug/l	11	36	10	8260B		8/6/2020	CJR	1
Chloroform	< 4.4	ug/l	4.4	14	10	8260B		8/6/2020	CJR	1
Chloromethane	< 8	ug/l	8	25	10	8260B		8/6/2020	CJR	1
2-Chlorotoluene	< 3.2	ug/l	3.2	10	10	8260B		8/6/2020	CJR	1
4-Chlorotoluene	< 3	ug/l	3	9.6	10	8260B		8/6/2020	CJR	1
1,2-Dibromo-3-chloropropane	< 8.2	ug/l	8.2	26	10	8260B		8/6/2020	CJR	1
Dibromochloromethane	< 2.3	ug/l	2.3	7.4	10	8260B		8/6/2020	CJR	1
1,4-Dichlorobenzene	< 3.6	ug/l	3.6	11	10	8260B		8/6/2020	CJR	1
1,3-Dichlorobenzene	< 3.1	ug/l	3.1	9.8	10	8260B		8/6/2020	CJR	1
1,2-Dichlorobenzene	< 3.2	ug/l	3.2	10	10	8260B		8/6/2020	CJR	1
Dichlorodifluoromethane	< 4.5	ug/l	4.5	14	10	8260B		8/6/2020	CJR	1
1,2-Dichloroethane	< 3.9	ug/l	3.9	13	10	8260B		8/6/2020	CJR	1
1,1-Dichloroethane	< 4.6	ug/l	4.6	15	10	8260B		8/6/2020	CJR	1
1,1-Dichloroethene	< 5	ug/l	5	16	10	8260B		8/6/2020	CJR	1
cis-1,2-Dichloroethene	19.2	ug/l	3.9	12	10	8260B		8/6/2020	CJR	1
trans-1,2-Dichloroethene	< 3.7	ug/l	3.7	12	10	8260B		8/6/2020	CJR	1
1,2-Dichloropropane	< 3.8	ug/l	3.8	12	10	8260B		8/6/2020	CJR	1
1,3-Dichloropropane	< 3.5	ug/l	3.5	11	10	8260B		8/6/2020	CJR	1
trans-1,3-Dichloropropene	< 3	ug/l	3	9.4	10	8260B		8/6/2020	CJR	1
cis-1,3-Dichloropropene	< 3.6	ug/l	3.6	11	10	8260B		8/6/2020	CJR	1
Di-isopropyl ether	< 3.4	ug/l	3.4	11	10	8260B		8/6/2020	CJR	1
EDB (1,2-Dibromoethane)	< 2.4	ug/l	2.4	7.5	10	8260B		8/6/2020	CJR	1
Ethylbenzene	< 3.2	ug/l	3.2	10	10	8260B		8/6/2020	CJR	1
Hexachlorobutadiene	< 7.2	ug/l	7.2	23	10	8260B		8/6/2020	CJR	1
Isopropylbenzene	< 3.2	ug/l	3.2	10	10	8260B		8/6/2020	CJR	1
p-Isopropyltoluene	< 4.7	ug/l	4.7	15	10	8260B		8/6/2020	CJR	1
Methylene chloride	< 13.2	ug/l	13.2	42.1	10	8260B		8/6/2020	CJR	1
Methyl tert-butyl ether (MTBE)	< 4.7	ug/l	4.7	15	10	8260B		8/6/2020	CJR	1
Naphthalene	< 11	ug/l	11	36	10	8260B		8/6/2020	CJR	1
n-Propylbenzene	< 3.3	ug/l	3.3	11	10	8260B		8/6/2020	CJR	1
1,1,2,2-Tetrachloroethane	< 3.7	ug/l	3.7	12	10	8260B		8/6/2020	CJR	1
1,1,1,2-Tetrachloroethane	< 8.8	ug/l	8.8	33	10	8260B		8/6/2020	CJR	1
Tetrachloroethene	1360	ug/l	3.3	10	10	8260B		8/6/2020	CJR	1
Toluene	< 2.6	ug/l	2.6	8.3	10	8260B		8/6/2020	CJR	1
1,2,4-Trichlorobenzene	< 4.4	ug/l	4.4	14	10	8260B		8/6/2020	CJR	1

Project Name FMR ROBINSONS CLEANERS
Project # 6155 PO#2020-1772

Invoice # E38267

Lab Code 538267SS
Sample ID 6155 PZ-48D1
Sample Matrix Water
Sample Date 7/28/2020

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 10	ug/l	10	32	10	8260B		8/6/2020	CJR	1
1,1,1-Trichloroethane	< 3	ug/l	3	9.5	10	8260B		8/6/2020	CJR	1
1,1,2-Trichloroethane	< 3.6	ug/l	3.6	11	10	8260B		8/6/2020	CJR	1
Trichloroethene (TCE)	54	ug/l	4.7	15	10	8260B		8/6/2020	CJR	1
Trichlorofluoromethane	< 4.2	ug/l	4.2	13	10	8260B		8/6/2020	CJR	1
1,2,4-Trimethylbenzene	< 3	ug/l	3	9.6	10	8260B		8/6/2020	CJR	1
1,3,5-Trimethylbenzene	< 3.2	ug/l	3.2	10	10	8260B		8/6/2020	CJR	1
Vinyl Chloride	< 2	ug/l	2	6.5	10	8260B		8/6/2020	CJR	1
m&p-Xylene	< 11	ug/l	11	33	10	8260B		8/6/2020	CJR	1
o-Xylene	< 3.8	ug/l	3.8	12	10	8260B		8/6/2020	CJR	1
SUR - 1,2-Dichloroethane-d4	101	REC %			10	8260B		8/6/2020	CJR	1
SUR - Toluene-d8	111	REC %			10	8260B		8/6/2020	CJR	1
SUR - Dibromofluoromethane	100	REC %			10	8260B		8/6/2020	CJR	1
SUR - 4-Bromofluorobenzene	116	REC %			10	8260B		8/6/2020	CJR	1

Project Name FMR ROBINSONS CLEANERS
Project # 6155 PO#2020-1772

Invoice # E38267

Lab Code 538267TT
Sample ID 6155 PZ-48D2
Sample Matrix Water
Sample Date 7/28/2020

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.33	ug/l	0.33		1	8260B		8/6/2020	CJR	1
Bromobenzene	< 0.26	ug/l	0.26	0.84	1	8260B		8/6/2020	CJR	1
Bromodichloromethane	< 0.33	ug/l	0.33		1	8260B		8/6/2020	CJR	1
Bromoform	< 0.65	ug/l	0.65	2.1	1	8260B		8/6/2020	CJR	1
tert-Butylbenzene	< 0.61	ug/l	0.61	1.9	1	8260B		8/6/2020	CJR	1
sec-Butylbenzene	< 0.32	ug/l	0.32		1	8260B		8/6/2020	CJR	1
n-Butylbenzene	< 0.28	ug/l	0.28	0.89	1	8260B		8/6/2020	CJR	1
Carbon Tetrachloride	< 0.31	ug/l	0.31	0.98	1	8260B		8/6/2020	CJR	1
Chlorobenzene	< 0.39	ug/l	0.39	1.2	1	8260B		8/6/2020	CJR	1
Chloroethane	< 1.1	ug/l	1.1	3.6	1	8260B		8/6/2020	CJR	1
Chloroform	< 0.44	ug/l	0.44	1.4	1	8260B		8/6/2020	CJR	1
Chloromethane	< 0.8	ug/l	0.8	2.5	1	8260B		8/6/2020	CJR	1
2-Chlorotoluene	< 0.32	ug/l	0.32		1	8260B		8/6/2020	CJR	1
4-Chlorotoluene	< 0.3	ug/l	0.3	0.96	1	8260B		8/6/2020	CJR	1
1,2-Dibromo-3-chloropropane	< 0.82	ug/l	0.82	2.6	1	8260B		8/6/2020	CJR	1
Dibromochloromethane	< 0.23	ug/l	0.23	0.74	1	8260B		8/6/2020	CJR	1
1,4-Dichlorobenzene	< 0.36	ug/l	0.36	1.1	1	8260B		8/6/2020	CJR	1
1,3-Dichlorobenzene	< 0.31	ug/l	0.31	0.98	1	8260B		8/6/2020	CJR	1
1,2-Dichlorobenzene	< 0.32	ug/l	0.32		1	8260B		8/6/2020	CJR	1
Dichlorodifluoromethane	< 0.45	ug/l	0.45	1.4	1	8260B		8/6/2020	CJR	1
1,2-Dichloroethane	< 0.39	ug/l	0.39	1.3	1	8260B		8/6/2020	CJR	1
1,1-Dichloroethane	< 0.46	ug/l	0.46	1.5	1	8260B		8/6/2020	CJR	1
1,1-Dichloroethene	< 0.5	ug/l	0.5	1.6	1	8260B		8/6/2020	CJR	1
cis-1,2-Dichloroethene	< 0.39	ug/l	0.39	1.2	1	8260B		8/6/2020	CJR	1
trans-1,2-Dichloroethene	0.54 "J"	ug/l	0.37	1.2	1	8260B		8/6/2020	CJR	1
1,2-Dichloropropane	< 0.38	ug/l	0.38	1.2	1	8260B		8/6/2020	CJR	1
1,3-Dichloropropane	< 0.35	ug/l	0.35	1.1	1	8260B		8/6/2020	CJR	1
trans-1,3-Dichloropropene	< 0.3	ug/l	0.3	0.94	1	8260B		8/6/2020	CJR	1
cis-1,3-Dichloropropene	< 0.36	ug/l	0.36	1.1	1	8260B		8/6/2020	CJR	1
Di-isopropyl ether	< 0.34	ug/l	0.34	1.1	1	8260B		8/6/2020	CJR	1
EDB (1,2-Dibromoethane)	< 0.24	ug/l	0.24	0.75	1	8260B		8/6/2020	CJR	1
Ethylbenzene	< 0.32	ug/l	0.32		1	8260B		8/6/2020	CJR	1
Hexachlorobutadiene	< 0.72	ug/l	0.72	2.3	1	8260B		8/6/2020	CJR	1
Isopropylbenzene	< 0.32	ug/l	0.32		1	8260B		8/6/2020	CJR	1
p-Isopropyltoluene	< 0.47	ug/l	0.47	1.5	1	8260B		8/6/2020	CJR	1
Methylene chloride	< 1.32	ug/l	1.32	4.21	1	8260B		8/6/2020	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.47	ug/l	0.47	1.5	1	8260B		8/6/2020	CJR	1
Naphthalene	< 1.1	ug/l	1.1	3.6	1	8260B		8/6/2020	CJR	1
n-Propylbenzene	< 0.33	ug/l	0.33	1.1	1	8260B		8/6/2020	CJR	1
1,1,2,2-Tetrachloroethane	< 0.37	ug/l	0.37	1.2	1	8260B		8/6/2020	CJR	1
1,1,1,2-Tetrachloroethane	< 0.88	ug/l	0.88	3.3	1	8260B		8/6/2020	CJR	1
Tetrachloroethene	198	ug/l	0.33		1	8260B		8/6/2020	CJR	1
Toluene	< 0.26	ug/l	0.26	0.83	1	8260B		8/6/2020	CJR	1
1,2,4-Trichlorobenzene	< 0.44	ug/l	0.44	1.4	1	8260B		8/6/2020	CJR	1

Project Name FMR ROBINSONS CLEANERS
Project # 6155 PO#2020-1772

Invoice # E38267

Lab Code 538267TT
Sample ID 6155 PZ-48D2
Sample Matrix Water
Sample Date 7/28/2020

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 1	ug/l	1	3.2	1	8260B		8/6/2020	CJR	1
1,1,1-Trichloroethane	< 0.3	ug/l	0.3	0.95	1	8260B		8/6/2020	CJR	1
1,1,2-Trichloroethane	< 0.36	ug/l	0.36	1.1	1	8260B		8/6/2020	CJR	1
Trichloroethene (TCE)	5.9	ug/l	0.47	1.5	1	8260B		8/6/2020	CJR	1
Trichlorofluoromethane	< 0.42	ug/l	0.42	1.3	1	8260B		8/6/2020	CJR	1
1,2,4-Trimethylbenzene	< 0.3	ug/l	0.3	0.96	1	8260B		8/6/2020	CJR	1
1,3,5-Trimethylbenzene	< 0.32	ug/l	0.32	1	1	8260B		8/6/2020	CJR	1
Vinyl Chloride	< 0.2	ug/l	0.2	0.65	1	8260B		8/6/2020	CJR	1
m&p-Xylene	< 1.1	ug/l	1.1	3.3	1	8260B		8/6/2020	CJR	1
o-Xylene	< 0.38	ug/l	0.38	1.2	1	8260B		8/6/2020	CJR	1
SUR - 1,2-Dichloroethane-d4	99	REC %			1	8260B		8/6/2020	CJR	1
SUR - 4-Bromofluorobenzene	107	REC %			1	8260B		8/6/2020	CJR	1
SUR - Dibromofluoromethane	106	REC %			1	8260B		8/6/2020	CJR	1
SUR - Toluene-d8	109	REC %			1	8260B		8/6/2020	CJR	1

Project Name FMR ROBINSONS CLEANERS
Project # 6155 PO#2020-1772

Invoice # E38267

Lab Code 538267UU
Sample ID 6155 PZ-48D3
Sample Matrix Water
Sample Date 7/28/2020

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.33	ug/l	0.33		1	8260B		8/5/2020	CJR	1
Bromobenzene	< 0.26	ug/l	0.26	0.84	1	8260B		8/5/2020	CJR	1
Bromodichloromethane	< 0.33	ug/l	0.33		1	8260B		8/5/2020	CJR	1
Bromoform	< 0.65	ug/l	0.65	2.1	1	8260B		8/5/2020	CJR	1
tert-Butylbenzene	< 0.61	ug/l	0.61	1.9	1	8260B		8/5/2020	CJR	1
sec-Butylbenzene	< 0.32	ug/l	0.32		1	8260B		8/5/2020	CJR	1
n-Butylbenzene	< 0.28	ug/l	0.28	0.89	1	8260B		8/5/2020	CJR	1
Carbon Tetrachloride	< 0.31	ug/l	0.31	0.98	1	8260B		8/5/2020	CJR	1
Chlorobenzene	< 0.39	ug/l	0.39	1.2	1	8260B		8/5/2020	CJR	1
Chloroethane	< 1.1	ug/l	1.1	3.6	1	8260B		8/5/2020	CJR	1
Chloroform	< 0.44	ug/l	0.44	1.4	1	8260B		8/5/2020	CJR	1
Chloromethane	< 0.8	ug/l	0.8	2.5	1	8260B		8/5/2020	CJR	1
2-Chlorotoluene	< 0.32	ug/l	0.32		1	8260B		8/5/2020	CJR	1
4-Chlorotoluene	< 0.3	ug/l	0.3	0.96	1	8260B		8/5/2020	CJR	1
1,2-Dibromo-3-chloropropane	< 0.82	ug/l	0.82	2.6	1	8260B		8/5/2020	CJR	1
Dibromochloromethane	< 0.23	ug/l	0.23	0.74	1	8260B		8/5/2020	CJR	1
1,4-Dichlorobenzene	< 0.36	ug/l	0.36	1.1	1	8260B		8/5/2020	CJR	1
1,3-Dichlorobenzene	< 0.31	ug/l	0.31	0.98	1	8260B		8/5/2020	CJR	1
1,2-Dichlorobenzene	< 0.32	ug/l	0.32		1	8260B		8/5/2020	CJR	1
Dichlorodifluoromethane	< 0.45	ug/l	0.45	1.4	1	8260B		8/5/2020	CJR	1
1,2-Dichloroethane	< 0.39	ug/l	0.39	1.3	1	8260B		8/5/2020	CJR	1
1,1-Dichloroethane	< 0.46	ug/l	0.46	1.5	1	8260B		8/5/2020	CJR	1
1,1-Dichloroethene	< 0.5	ug/l	0.5	1.6	1	8260B		8/5/2020	CJR	1
cis-1,2-Dichloroethene	< 0.39	ug/l	0.39	1.2	1	8260B		8/5/2020	CJR	1
trans-1,2-Dichloroethene	< 0.37	ug/l	0.37	1.2	1	8260B		8/5/2020	CJR	1
1,2-Dichloropropane	< 0.38	ug/l	0.38	1.2	1	8260B		8/5/2020	CJR	1
1,3-Dichloropropane	< 0.35	ug/l	0.35	1.1	1	8260B		8/5/2020	CJR	1
trans-1,3-Dichloropropene	< 0.3	ug/l	0.3	0.94	1	8260B		8/5/2020	CJR	1
cis-1,3-Dichloropropene	< 0.36	ug/l	0.36	1.1	1	8260B		8/5/2020	CJR	1
Di-isopropyl ether	< 0.34	ug/l	0.34	1.1	1	8260B		8/5/2020	CJR	1
EDB (1,2-Dibromoethane)	< 0.24	ug/l	0.24	0.75	1	8260B		8/5/2020	CJR	1
Ethylbenzene	< 0.32	ug/l	0.32		1	8260B		8/5/2020	CJR	1
Hexachlorobutadiene	< 0.72	ug/l	0.72	2.3	1	8260B		8/5/2020	CJR	1
Isopropylbenzene	< 0.32	ug/l	0.32		1	8260B		8/5/2020	CJR	1
p-Isopropyltoluene	< 0.47	ug/l	0.47	1.5	1	8260B		8/5/2020	CJR	1
Methylene chloride	< 1.32	ug/l	1.32	4.21	1	8260B		8/5/2020	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.47	ug/l	0.47	1.5	1	8260B		8/5/2020	CJR	1
Naphthalene	< 1.1	ug/l	1.1	3.6	1	8260B		8/5/2020	CJR	1
n-Propylbenzene	< 0.33	ug/l	0.33	1.1	1	8260B		8/5/2020	CJR	1
1,1,2,2-Tetrachloroethane	< 0.37	ug/l	0.37	1.2	1	8260B		8/5/2020	CJR	1
1,1,1,2-Tetrachloroethane	< 0.88	ug/l	0.88	3.3	1	8260B		8/5/2020	CJR	1
Tetrachloroethene	0.45 "J"	ug/l	0.33		1	8260B		8/5/2020	CJR	1
Toluene	< 0.26	ug/l	0.26	0.83	1	8260B		8/5/2020	CJR	1
1,2,4-Trichlorobenzene	< 0.44	ug/l	0.44	1.4	1	8260B		8/5/2020	CJR	1

Project Name FMR ROBINSONS CLEANERS
Project # 6155 PO#2020-1772

Invoice # E38267

Lab Code 538267UU
Sample ID 6155 PZ-48D3
Sample Matrix Water
Sample Date 7/28/2020

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 1	ug/l	1	3.2	1	8260B		8/5/2020	CJR	1
1,1,1-Trichloroethane	< 0.3	ug/l	0.3	0.95	1	8260B		8/5/2020	CJR	1
1,1,2-Trichloroethane	< 0.36	ug/l	0.36	1.1	1	8260B		8/5/2020	CJR	1
Trichloroethene (TCE)	< 0.47	ug/l	0.47	1.5	1	8260B		8/5/2020	CJR	1
Trichlorofluoromethane	< 0.42	ug/l	0.42	1.3	1	8260B		8/5/2020	CJR	1
1,2,4-Trimethylbenzene	< 0.3	ug/l	0.3	0.96	1	8260B		8/5/2020	CJR	1
1,3,5-Trimethylbenzene	< 0.32	ug/l	0.32	1	1	8260B		8/5/2020	CJR	1
Vinyl Chloride	< 0.2	ug/l	0.2	0.65	1	8260B		8/5/2020	CJR	1
m&p-Xylene	< 1.1	ug/l	1.1	3.3	1	8260B		8/5/2020	CJR	1
o-Xylene	< 0.38	ug/l	0.38	1.2	1	8260B		8/5/2020	CJR	1
SUR - 1,2-Dichloroethane-d4	104	REC %			1	8260B		8/5/2020	CJR	1
SUR - 4-Bromofluorobenzene	109	REC %			1	8260B		8/5/2020	CJR	1
SUR - Dibromofluoromethane	97	REC %			1	8260B		8/5/2020	CJR	1
SUR - Toluene-d8	107	REC %			1	8260B		8/5/2020	CJR	1

Project Name FMR ROBINSONS CLEANERS
Project # 6155 PO#2020-1772

Invoice # E38267

Lab Code 538267VV
Sample ID 6155 PZ-49D1
Sample Matrix Water
Sample Date 7/27/2020

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.33	ug/l	0.33		1	8260B		8/5/2020	CJR	1
Bromobenzene	< 0.26	ug/l	0.26	0.84	1	8260B		8/5/2020	CJR	1
Bromodichloromethane	< 0.33	ug/l	0.33		1	8260B		8/5/2020	CJR	1
Bromoform	< 0.65	ug/l	0.65	2.1	1	8260B		8/5/2020	CJR	1
tert-Butylbenzene	< 0.61	ug/l	0.61	1.9	1	8260B		8/5/2020	CJR	1
sec-Butylbenzene	< 0.32	ug/l	0.32		1	8260B		8/5/2020	CJR	1
n-Butylbenzene	< 0.28	ug/l	0.28	0.89	1	8260B		8/5/2020	CJR	1
Carbon Tetrachloride	< 0.31	ug/l	0.31	0.98	1	8260B		8/5/2020	CJR	1
Chlorobenzene	< 0.39	ug/l	0.39	1.2	1	8260B		8/5/2020	CJR	1
Chloroethane	< 1.1	ug/l	1.1	3.6	1	8260B		8/5/2020	CJR	1
Chloroform	< 0.44	ug/l	0.44	1.4	1	8260B		8/5/2020	CJR	1
Chloromethane	< 0.8	ug/l	0.8	2.5	1	8260B		8/5/2020	CJR	1
2-Chlorotoluene	< 0.32	ug/l	0.32		1	8260B		8/5/2020	CJR	1
4-Chlorotoluene	< 0.3	ug/l	0.3	0.96	1	8260B		8/5/2020	CJR	1
1,2-Dibromo-3-chloropropane	< 0.82	ug/l	0.82	2.6	1	8260B		8/5/2020	CJR	1
Dibromochloromethane	< 0.23	ug/l	0.23	0.74	1	8260B		8/5/2020	CJR	1
1,4-Dichlorobenzene	< 0.36	ug/l	0.36	1.1	1	8260B		8/5/2020	CJR	1
1,3-Dichlorobenzene	< 0.31	ug/l	0.31	0.98	1	8260B		8/5/2020	CJR	1
1,2-Dichlorobenzene	< 0.32	ug/l	0.32		1	8260B		8/5/2020	CJR	1
Dichlorodifluoromethane	< 0.45	ug/l	0.45	1.4	1	8260B		8/5/2020	CJR	1
1,2-Dichloroethane	< 0.39	ug/l	0.39	1.3	1	8260B		8/5/2020	CJR	1
1,1-Dichloroethane	< 0.46	ug/l	0.46	1.5	1	8260B		8/5/2020	CJR	1
1,1-Dichloroethene	< 0.5	ug/l	0.5	1.6	1	8260B		8/5/2020	CJR	1
cis-1,2-Dichloroethene	< 0.39	ug/l	0.39	1.2	1	8260B		8/5/2020	CJR	1
trans-1,2-Dichloroethene	< 0.37	ug/l	0.37	1.2	1	8260B		8/5/2020	CJR	1
1,2-Dichloropropane	< 0.38	ug/l	0.38	1.2	1	8260B		8/5/2020	CJR	1
1,3-Dichloropropane	< 0.35	ug/l	0.35	1.1	1	8260B		8/5/2020	CJR	1
trans-1,3-Dichloropropene	< 0.3	ug/l	0.3	0.94	1	8260B		8/5/2020	CJR	1
cis-1,3-Dichloropropene	< 0.36	ug/l	0.36	1.1	1	8260B		8/5/2020	CJR	1
Di-isopropyl ether	< 0.34	ug/l	0.34	1.1	1	8260B		8/5/2020	CJR	1
EDB (1,2-Dibromoethane)	< 0.24	ug/l	0.24	0.75	1	8260B		8/5/2020	CJR	1
Ethylbenzene	< 0.32	ug/l	0.32		1	8260B		8/5/2020	CJR	1
Hexachlorobutadiene	< 0.72	ug/l	0.72	2.3	1	8260B		8/5/2020	CJR	1
Isopropylbenzene	< 0.32	ug/l	0.32		1	8260B		8/5/2020	CJR	1
p-Isopropyltoluene	< 0.47	ug/l	0.47	1.5	1	8260B		8/5/2020	CJR	1
Methylene chloride	< 1.32	ug/l	1.32	4.21	1	8260B		8/5/2020	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.47	ug/l	0.47	1.5	1	8260B		8/5/2020	CJR	1
Naphthalene	< 1.1	ug/l	1.1	3.6	1	8260B		8/5/2020	CJR	1
n-Propylbenzene	< 0.33	ug/l	0.33	1.1	1	8260B		8/5/2020	CJR	1
1,1,2,2-Tetrachloroethane	< 0.37	ug/l	0.37	1.2	1	8260B		8/5/2020	CJR	1
1,1,1,2-Tetrachloroethane	< 0.88	ug/l	0.88	3.3	1	8260B		8/5/2020	CJR	1
Tetrachloroethene	14.6	ug/l	0.33		1	8260B		8/5/2020	CJR	1
Toluene	< 0.26	ug/l	0.26	0.83	1	8260B		8/5/2020	CJR	1
1,2,4-Trichlorobenzene	< 0.44	ug/l	0.44	1.4	1	8260B		8/5/2020	CJR	1

Project Name FMR ROBINSONS CLEANERS
Project # 6155 PO#2020-1772

Invoice # E38267

Lab Code 538267VV
Sample ID 6155 PZ-49D1
Sample Matrix Water
Sample Date 7/27/2020

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 1	ug/l	1	3.2	1	8260B		8/5/2020	CJR	1
1,1,1-Trichloroethane	< 0.3	ug/l	0.3	0.95	1	8260B		8/5/2020	CJR	1
1,1,2-Trichloroethane	< 0.36	ug/l	0.36	1.1	1	8260B		8/5/2020	CJR	1
Trichloroethene (TCE)	< 0.47	ug/l	0.47	1.5	1	8260B		8/5/2020	CJR	1
Trichlorofluoromethane	< 0.42	ug/l	0.42	1.3	1	8260B		8/5/2020	CJR	1
1,2,4-Trimethylbenzene	< 0.3	ug/l	0.3	0.96	1	8260B		8/5/2020	CJR	1
1,3,5-Trimethylbenzene	< 0.32	ug/l	0.32	1	1	8260B		8/5/2020	CJR	1
Vinyl Chloride	< 0.2	ug/l	0.2	0.65	1	8260B		8/5/2020	CJR	1
m&p-Xylene	< 1.1	ug/l	1.1	3.3	1	8260B		8/5/2020	CJR	1
o-Xylene	< 0.38	ug/l	0.38	1.2	1	8260B		8/5/2020	CJR	1
SUR - Dibromofluoromethane	98	REC %				8260B		8/5/2020	CJR	1
SUR - Toluene-d8	106	REC %				8260B		8/5/2020	CJR	1
SUR - 4-Bromofluorobenzene	108	REC %				8260B		8/5/2020	CJR	1
SUR - 1,2-Dichloroethane-d4	100	REC %				8260B		8/5/2020	CJR	1

Project Name FMR ROBINSONS CLEANERS
Project # 6155 PO#2020-1772

Invoice # E38267

Lab Code 538267WW
Sample ID 6155 PZ-49D2
Sample Matrix Water
Sample Date 7/27/2020

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.33	ug/l	0.33		1	8260B		8/5/2020	CJR	1
Bromobenzene	< 0.26	ug/l	0.26	0.84	1	8260B		8/5/2020	CJR	1
Bromodichloromethane	< 0.33	ug/l	0.33		1	8260B		8/5/2020	CJR	1
Bromoform	< 0.65	ug/l	0.65	2.1	1	8260B		8/5/2020	CJR	1
tert-Butylbenzene	< 0.61	ug/l	0.61	1.9	1	8260B		8/5/2020	CJR	1
sec-Butylbenzene	< 0.32	ug/l	0.32		1	8260B		8/5/2020	CJR	1
n-Butylbenzene	< 0.28	ug/l	0.28	0.89	1	8260B		8/5/2020	CJR	1
Carbon Tetrachloride	< 0.31	ug/l	0.31	0.98	1	8260B		8/5/2020	CJR	1
Chlorobenzene	< 0.39	ug/l	0.39	1.2	1	8260B		8/5/2020	CJR	1
Chloroethane	< 1.1	ug/l	1.1	3.6	1	8260B		8/5/2020	CJR	1
Chloroform	< 0.44	ug/l	0.44	1.4	1	8260B		8/5/2020	CJR	1
Chloromethane	< 0.8	ug/l	0.8	2.5	1	8260B		8/5/2020	CJR	1
2-Chlorotoluene	< 0.32	ug/l	0.32		1	8260B		8/5/2020	CJR	1
4-Chlorotoluene	< 0.3	ug/l	0.3	0.96	1	8260B		8/5/2020	CJR	1
1,2-Dibromo-3-chloropropane	< 0.82	ug/l	0.82	2.6	1	8260B		8/5/2020	CJR	1
Dibromochloromethane	< 0.23	ug/l	0.23	0.74	1	8260B		8/5/2020	CJR	1
1,4-Dichlorobenzene	< 0.36	ug/l	0.36	1.1	1	8260B		8/5/2020	CJR	1
1,3-Dichlorobenzene	< 0.31	ug/l	0.31	0.98	1	8260B		8/5/2020	CJR	1
1,2-Dichlorobenzene	< 0.32	ug/l	0.32		1	8260B		8/5/2020	CJR	1
Dichlorodifluoromethane	< 0.45	ug/l	0.45	1.4	1	8260B		8/5/2020	CJR	1
1,2-Dichloroethane	< 0.39	ug/l	0.39	1.3	1	8260B		8/5/2020	CJR	1
1,1-Dichloroethane	< 0.46	ug/l	0.46	1.5	1	8260B		8/5/2020	CJR	1
1,1-Dichloroethene	< 0.5	ug/l	0.5	1.6	1	8260B		8/5/2020	CJR	1
cis-1,2-Dichloroethene	< 0.39	ug/l	0.39	1.2	1	8260B		8/5/2020	CJR	1
trans-1,2-Dichloroethene	< 0.37	ug/l	0.37	1.2	1	8260B		8/5/2020	CJR	1
1,2-Dichloropropane	< 0.38	ug/l	0.38	1.2	1	8260B		8/5/2020	CJR	1
1,3-Dichloropropane	< 0.35	ug/l	0.35	1.1	1	8260B		8/5/2020	CJR	1
trans-1,3-Dichloropropene	< 0.3	ug/l	0.3	0.94	1	8260B		8/5/2020	CJR	1
cis-1,3-Dichloropropene	< 0.36	ug/l	0.36	1.1	1	8260B		8/5/2020	CJR	1
Di-isopropyl ether	< 0.34	ug/l	0.34	1.1	1	8260B		8/5/2020	CJR	1
EDB (1,2-Dibromoethane)	< 0.24	ug/l	0.24	0.75	1	8260B		8/5/2020	CJR	1
Ethylbenzene	< 0.32	ug/l	0.32		1	8260B		8/5/2020	CJR	1
Hexachlorobutadiene	< 0.72	ug/l	0.72	2.3	1	8260B		8/5/2020	CJR	1
Isopropylbenzene	< 0.32	ug/l	0.32		1	8260B		8/5/2020	CJR	1
p-Isopropyltoluene	< 0.47	ug/l	0.47	1.5	1	8260B		8/5/2020	CJR	1
Methylene chloride	< 1.32	ug/l	1.32	4.21	1	8260B		8/5/2020	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.47	ug/l	0.47	1.5	1	8260B		8/5/2020	CJR	1
Naphthalene	< 1.1	ug/l	1.1	3.6	1	8260B		8/5/2020	CJR	1
n-Propylbenzene	< 0.33	ug/l	0.33	1.1	1	8260B		8/5/2020	CJR	1
1,1,2,2-Tetrachloroethane	< 0.37	ug/l	0.37	1.2	1	8260B		8/5/2020	CJR	1
1,1,1,2-Tetrachloroethane	< 0.88	ug/l	0.88	3.3	1	8260B		8/5/2020	CJR	1
Tetrachloroethene	47	ug/l	0.33		1	8260B		8/5/2020	CJR	1
Toluene	< 0.26	ug/l	0.26	0.83	1	8260B		8/5/2020	CJR	1
1,2,4-Trichlorobenzene	< 0.44	ug/l	0.44	1.4	1	8260B		8/5/2020	CJR	1

Project Name FMR ROBINSONS CLEANERS
Project # 6155 PO#2020-1772

Invoice # E38267

Lab Code 538267WW
Sample ID 6155 PZ-49D2
Sample Matrix Water
Sample Date 7/27/2020

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 1	ug/l	1	3.2	1	8260B		8/5/2020	CJR	1
1,1,1-Trichloroethane	< 0.3	ug/l	0.3	0.95	1	8260B		8/5/2020	CJR	1
1,1,2-Trichloroethane	< 0.36	ug/l	0.36	1.1	1	8260B		8/5/2020	CJR	1
Trichloroethene (TCE)	< 0.47	ug/l	0.47	1.5	1	8260B		8/5/2020	CJR	1
Trichlorofluoromethane	< 0.42	ug/l	0.42	1.3	1	8260B		8/5/2020	CJR	1
1,2,4-Trimethylbenzene	< 0.3	ug/l	0.3	0.96	1	8260B		8/5/2020	CJR	1
1,3,5-Trimethylbenzene	< 0.32	ug/l	0.32	1	1	8260B		8/5/2020	CJR	1
Vinyl Chloride	< 0.2	ug/l	0.2	0.65	1	8260B		8/5/2020	CJR	1
m&p-Xylene	< 1.1	ug/l	1.1	3.3	1	8260B		8/5/2020	CJR	1
o-Xylene	< 0.38	ug/l	0.38	1.2	1	8260B		8/5/2020	CJR	1
SUR - Toluene-d8	107	REC %				1 8260B		8/5/2020	CJR	1
SUR - Dibromofluoromethane	113	REC %				1 8260B		8/5/2020	CJR	1
SUR - 1,2-Dichloroethane-d4	116	REC %				1 8260B		8/5/2020	CJR	1
SUR - 4-Bromofluorobenzene	106	REC %				1 8260B		8/5/2020	CJR	1

Project Name FMR ROBINSONS CLEANERS
Project # 6155 PO#2020-1772

Invoice # E38267

Lab Code 538267XX
Sample ID 6155 PZ-49D3
Sample Matrix Water
Sample Date 7/27/2020

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.33	ug/l	0.33		1	8260B		8/6/2020	CJR	1
Bromobenzene	< 0.26	ug/l	0.26	0.84	1	8260B		8/6/2020	CJR	1
Bromodichloromethane	< 0.33	ug/l	0.33		1	8260B		8/6/2020	CJR	1
Bromoform	< 0.65	ug/l	0.65	2.1	1	8260B		8/6/2020	CJR	1
tert-Butylbenzene	< 0.61	ug/l	0.61	1.9	1	8260B		8/6/2020	CJR	1
sec-Butylbenzene	< 0.32	ug/l	0.32		1	8260B		8/6/2020	CJR	1
n-Butylbenzene	< 0.28	ug/l	0.28	0.89	1	8260B		8/6/2020	CJR	1
Carbon Tetrachloride	< 0.31	ug/l	0.31	0.98	1	8260B		8/6/2020	CJR	1
Chlorobenzene	< 0.39	ug/l	0.39	1.2	1	8260B		8/6/2020	CJR	1
Chloroethane	< 1.1	ug/l	1.1	3.6	1	8260B		8/6/2020	CJR	1
Chloroform	< 0.44	ug/l	0.44	1.4	1	8260B		8/6/2020	CJR	1
Chloromethane	< 0.8	ug/l	0.8	2.5	1	8260B		8/6/2020	CJR	1
2-Chlorotoluene	< 0.32	ug/l	0.32		1	8260B		8/6/2020	CJR	1
4-Chlorotoluene	< 0.3	ug/l	0.3	0.96	1	8260B		8/6/2020	CJR	1
1,2-Dibromo-3-chloropropane	< 0.82	ug/l	0.82	2.6	1	8260B		8/6/2020	CJR	1
Dibromochloromethane	< 0.23	ug/l	0.23	0.74	1	8260B		8/6/2020	CJR	1
1,4-Dichlorobenzene	< 0.36	ug/l	0.36	1.1	1	8260B		8/6/2020	CJR	1
1,3-Dichlorobenzene	< 0.31	ug/l	0.31	0.98	1	8260B		8/6/2020	CJR	1
1,2-Dichlorobenzene	< 0.32	ug/l	0.32		1	8260B		8/6/2020	CJR	1
Dichlorodifluoromethane	< 0.45	ug/l	0.45	1.4	1	8260B		8/6/2020	CJR	1
1,2-Dichloroethane	< 0.39	ug/l	0.39	1.3	1	8260B		8/6/2020	CJR	1
1,1-Dichloroethane	< 0.46	ug/l	0.46	1.5	1	8260B		8/6/2020	CJR	1
1,1-Dichloroethene	< 0.5	ug/l	0.5	1.6	1	8260B		8/6/2020	CJR	1
cis-1,2-Dichloroethene	< 0.39	ug/l	0.39	1.2	1	8260B		8/6/2020	CJR	1
trans-1,2-Dichloroethene	< 0.37	ug/l	0.37	1.2	1	8260B		8/6/2020	CJR	1
1,2-Dichloropropane	< 0.38	ug/l	0.38	1.2	1	8260B		8/6/2020	CJR	1
1,3-Dichloropropane	< 0.35	ug/l	0.35	1.1	1	8260B		8/6/2020	CJR	1
trans-1,3-Dichloropropene	< 0.3	ug/l	0.3	0.94	1	8260B		8/6/2020	CJR	1
cis-1,3-Dichloropropene	< 0.36	ug/l	0.36	1.1	1	8260B		8/6/2020	CJR	1
Di-isopropyl ether	< 0.34	ug/l	0.34	1.1	1	8260B		8/6/2020	CJR	1
EDB (1,2-Dibromoethane)	< 0.24	ug/l	0.24	0.75	1	8260B		8/6/2020	CJR	1
Ethylbenzene	< 0.32	ug/l	0.32		1	8260B		8/6/2020	CJR	1
Hexachlorobutadiene	< 0.72	ug/l	0.72	2.3	1	8260B		8/6/2020	CJR	1
Isopropylbenzene	< 0.32	ug/l	0.32		1	8260B		8/6/2020	CJR	1
p-Isopropyltoluene	< 0.47	ug/l	0.47	1.5	1	8260B		8/6/2020	CJR	1
Methylene chloride	< 1.32	ug/l	1.32	4.21	1	8260B		8/6/2020	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.47	ug/l	0.47	1.5	1	8260B		8/6/2020	CJR	1
Naphthalene	< 1.1	ug/l	1.1	3.6	1	8260B		8/6/2020	CJR	1
n-Propylbenzene	< 0.33	ug/l	0.33	1.1	1	8260B		8/6/2020	CJR	1
1,1,2,2-Tetrachloroethane	< 0.37	ug/l	0.37	1.2	1	8260B		8/6/2020	CJR	1
1,1,1,2-Tetrachloroethane	< 0.88	ug/l	0.88	3.3	1	8260B		8/6/2020	CJR	1
Tetrachloroethene	7	ug/l	0.33		1	8260B		8/6/2020	CJR	1
Toluene	< 0.26	ug/l	0.26	0.83	1	8260B		8/6/2020	CJR	1
1,2,4-Trichlorobenzene	< 0.44	ug/l	0.44	1.4	1	8260B		8/6/2020	CJR	1

Project Name FMR ROBINSONS CLEANERS
Project # 6155 PO#2020-1772

Invoice # E38267

Lab Code 538267XX
Sample ID 6155 PZ-49D3
Sample Matrix Water
Sample Date 7/27/2020

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 1	ug/l	1	3.2	1	8260B		8/6/2020	CJR	1
1,1,1-Trichloroethane	< 0.3	ug/l	0.3	0.95	1	8260B		8/6/2020	CJR	1
1,1,2-Trichloroethane	< 0.36	ug/l	0.36	1.1	1	8260B		8/6/2020	CJR	1
Trichloroethene (TCE)	< 0.47	ug/l	0.47	1.5	1	8260B		8/6/2020	CJR	1
Trichlorofluoromethane	< 0.42	ug/l	0.42	1.3	1	8260B		8/6/2020	CJR	1
1,2,4-Trimethylbenzene	< 0.3	ug/l	0.3	0.96	1	8260B		8/6/2020	CJR	1
1,3,5-Trimethylbenzene	< 0.32	ug/l	0.32	1	1	8260B		8/6/2020	CJR	1
Vinyl Chloride	< 0.2	ug/l	0.2	0.65	1	8260B		8/6/2020	CJR	1
m&p-Xylene	< 1.1	ug/l	1.1	3.3	1	8260B		8/6/2020	CJR	1
o-Xylene	< 0.38	ug/l	0.38	1.2	1	8260B		8/6/2020	CJR	1
SUR - 1,2-Dichloroethane-d4	104	REC %			1	8260B		8/6/2020	CJR	1
SUR - 4-Bromofluorobenzene	105	REC %			1	8260B		8/6/2020	CJR	1
SUR - Dibromofluoromethane	100	REC %			1	8260B		8/6/2020	CJR	1
SUR - Toluene-d8	107	REC %			1	8260B		8/6/2020	CJR	1

Project Name FMR ROBINSONS CLEANERS
Project # 6155 PO#2020-1772

Invoice # E38267

Lab Code 538267YY
Sample ID 6155 PZ-49D4
Sample Matrix Water
Sample Date 7/27/2020

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.33	ug/l	0.33		1	8260B		8/6/2020	CJR	1
Bromobenzene	< 0.26	ug/l	0.26	0.84	1	8260B		8/6/2020	CJR	1
Bromodichloromethane	< 0.33	ug/l	0.33		1	8260B		8/6/2020	CJR	1
Bromoform	< 0.65	ug/l	0.65	2.1	1	8260B		8/6/2020	CJR	1
tert-Butylbenzene	< 0.61	ug/l	0.61	1.9	1	8260B		8/6/2020	CJR	1
sec-Butylbenzene	< 0.32	ug/l	0.32		1	8260B		8/6/2020	CJR	1
n-Butylbenzene	< 0.28	ug/l	0.28	0.89	1	8260B		8/6/2020	CJR	1
Carbon Tetrachloride	< 0.31	ug/l	0.31	0.98	1	8260B		8/6/2020	CJR	1
Chlorobenzene	< 0.39	ug/l	0.39	1.2	1	8260B		8/6/2020	CJR	1
Chloroethane	< 1.1	ug/l	1.1	3.6	1	8260B		8/6/2020	CJR	1
Chloroform	< 0.44	ug/l	0.44	1.4	1	8260B		8/6/2020	CJR	1
Chloromethane	< 0.8	ug/l	0.8	2.5	1	8260B		8/6/2020	CJR	1
2-Chlorotoluene	< 0.32	ug/l	0.32		1	8260B		8/6/2020	CJR	1
4-Chlorotoluene	< 0.3	ug/l	0.3	0.96	1	8260B		8/6/2020	CJR	1
1,2-Dibromo-3-chloropropane	< 0.82	ug/l	0.82	2.6	1	8260B		8/6/2020	CJR	1
Dibromochloromethane	< 0.23	ug/l	0.23	0.74	1	8260B		8/6/2020	CJR	1
1,4-Dichlorobenzene	< 0.36	ug/l	0.36	1.1	1	8260B		8/6/2020	CJR	1
1,3-Dichlorobenzene	< 0.31	ug/l	0.31	0.98	1	8260B		8/6/2020	CJR	1
1,2-Dichlorobenzene	< 0.32	ug/l	0.32		1	8260B		8/6/2020	CJR	1
Dichlorodifluoromethane	< 0.45	ug/l	0.45	1.4	1	8260B		8/6/2020	CJR	1
1,2-Dichloroethane	< 0.39	ug/l	0.39	1.3	1	8260B		8/6/2020	CJR	1
1,1-Dichloroethane	< 0.46	ug/l	0.46	1.5	1	8260B		8/6/2020	CJR	1
1,1-Dichloroethene	< 0.5	ug/l	0.5	1.6	1	8260B		8/6/2020	CJR	1
cis-1,2-Dichloroethene	< 0.39	ug/l	0.39	1.2	1	8260B		8/6/2020	CJR	1
trans-1,2-Dichloroethene	< 0.37	ug/l	0.37	1.2	1	8260B		8/6/2020	CJR	1
1,2-Dichloropropane	< 0.38	ug/l	0.38	1.2	1	8260B		8/6/2020	CJR	1
1,3-Dichloropropane	< 0.35	ug/l	0.35	1.1	1	8260B		8/6/2020	CJR	1
trans-1,3-Dichloropropene	< 0.3	ug/l	0.3	0.94	1	8260B		8/6/2020	CJR	1
cis-1,3-Dichloropropene	< 0.36	ug/l	0.36	1.1	1	8260B		8/6/2020	CJR	1
Di-isopropyl ether	< 0.34	ug/l	0.34	1.1	1	8260B		8/6/2020	CJR	1
EDB (1,2-Dibromoethane)	< 0.24	ug/l	0.24	0.75	1	8260B		8/6/2020	CJR	1
Ethylbenzene	< 0.32	ug/l	0.32		1	8260B		8/6/2020	CJR	1
Hexachlorobutadiene	< 0.72	ug/l	0.72	2.3	1	8260B		8/6/2020	CJR	1
Isopropylbenzene	< 0.32	ug/l	0.32		1	8260B		8/6/2020	CJR	1
p-Isopropyltoluene	< 0.47	ug/l	0.47	1.5	1	8260B		8/6/2020	CJR	1
Methylene chloride	< 1.32	ug/l	1.32	4.21	1	8260B		8/6/2020	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.47	ug/l	0.47	1.5	1	8260B		8/6/2020	CJR	1
Naphthalene	< 1.1	ug/l	1.1	3.6	1	8260B		8/6/2020	CJR	1
n-Propylbenzene	< 0.33	ug/l	0.33	1.1	1	8260B		8/6/2020	CJR	1
1,1,2,2-Tetrachloroethane	< 0.37	ug/l	0.37	1.2	1	8260B		8/6/2020	CJR	1
1,1,1,2-Tetrachloroethane	< 0.88	ug/l	0.88	3.3	1	8260B		8/6/2020	CJR	1
Tetrachloroethene	9.2	ug/l	0.33		1	8260B		8/6/2020	CJR	1
Toluene	< 0.26	ug/l	0.26	0.83	1	8260B		8/6/2020	CJR	1
1,2,4-Trichlorobenzene	< 0.44	ug/l	0.44	1.4	1	8260B		8/6/2020	CJR	1

Project Name FMR ROBINSONS CLEANERS
Project # 6155 PO#2020-1772

Invoice # E38267

Lab Code 538267YY
Sample ID 6155 PZ-49D4
Sample Matrix Water
Sample Date 7/27/2020

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 1	ug/l	1	3.2	1	8260B		8/6/2020	CJR	1
1,1,1-Trichloroethane	< 0.3	ug/l	0.3	0.95	1	8260B		8/6/2020	CJR	1
1,1,2-Trichloroethane	< 0.36	ug/l	0.36	1.1	1	8260B		8/6/2020	CJR	1
Trichloroethene (TCE)	< 0.47	ug/l	0.47	1.5	1	8260B		8/6/2020	CJR	1
Trichlorofluoromethane	< 0.42	ug/l	0.42	1.3	1	8260B		8/6/2020	CJR	1
1,2,4-Trimethylbenzene	< 0.3	ug/l	0.3	0.96	1	8260B		8/6/2020	CJR	1
1,3,5-Trimethylbenzene	< 0.32	ug/l	0.32	1	1	8260B		8/6/2020	CJR	1
Vinyl Chloride	< 0.2	ug/l	0.2	0.65	1	8260B		8/6/2020	CJR	1
m&p-Xylene	< 1.1	ug/l	1.1	3.3	1	8260B		8/6/2020	CJR	1
o-Xylene	< 0.38	ug/l	0.38	1.2	1	8260B		8/6/2020	CJR	1
SUR - 1,2-Dichloroethane-d4	104	REC %			1	8260B		8/6/2020	CJR	1
SUR - 4-Bromofluorobenzene	108	REC %			1	8260B		8/6/2020	CJR	1
SUR - Dibromofluoromethane	96	REC %			1	8260B		8/6/2020	CJR	1
SUR - Toluene-d8	105	REC %			1	8260B		8/6/2020	CJR	1

Project Name FMR ROBINSONS CLEANERS
Project # 6155 PO#2020-1772

Invoice # E38267

Lab Code 538267ZZ
Sample ID 6155 MW-51S
Sample Matrix Water
Sample Date 7/27/2020

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.33	ug/l	0.33		1	8260B		8/6/2020	CJR	1
Bromobenzene	< 0.26	ug/l	0.26	0.84	1	8260B		8/6/2020	CJR	1
Bromodichloromethane	< 0.33	ug/l	0.33		1	8260B		8/6/2020	CJR	1
Bromoform	< 0.65	ug/l	0.65	2.1	1	8260B		8/6/2020	CJR	1
tert-Butylbenzene	< 0.61	ug/l	0.61	1.9	1	8260B		8/6/2020	CJR	1
sec-Butylbenzene	< 0.32	ug/l	0.32		1	8260B		8/6/2020	CJR	1
n-Butylbenzene	< 0.28	ug/l	0.28	0.89	1	8260B		8/6/2020	CJR	1
Carbon Tetrachloride	< 0.31	ug/l	0.31	0.98	1	8260B		8/6/2020	CJR	1
Chlorobenzene	< 0.39	ug/l	0.39	1.2	1	8260B		8/6/2020	CJR	1
Chloroethane	< 1.1	ug/l	1.1	3.6	1	8260B		8/6/2020	CJR	1
Chloroform	< 0.44	ug/l	0.44	1.4	1	8260B		8/6/2020	CJR	1
Chloromethane	< 0.8	ug/l	0.8	2.5	1	8260B		8/6/2020	CJR	1
2-Chlorotoluene	< 0.32	ug/l	0.32		1	8260B		8/6/2020	CJR	1
4-Chlorotoluene	< 0.3	ug/l	0.3	0.96	1	8260B		8/6/2020	CJR	1
1,2-Dibromo-3-chloropropane	< 0.82	ug/l	0.82	2.6	1	8260B		8/6/2020	CJR	1
Dibromochloromethane	< 0.23	ug/l	0.23	0.74	1	8260B		8/6/2020	CJR	1
1,4-Dichlorobenzene	< 0.36	ug/l	0.36	1.1	1	8260B		8/6/2020	CJR	1
1,3-Dichlorobenzene	< 0.31	ug/l	0.31	0.98	1	8260B		8/6/2020	CJR	1
1,2-Dichlorobenzene	< 0.32	ug/l	0.32		1	8260B		8/6/2020	CJR	1
Dichlorodifluoromethane	< 0.45	ug/l	0.45	1.4	1	8260B		8/6/2020	CJR	1
1,2-Dichloroethane	< 0.39	ug/l	0.39	1.3	1	8260B		8/6/2020	CJR	1
1,1-Dichloroethane	< 0.46	ug/l	0.46	1.5	1	8260B		8/6/2020	CJR	1
1,1-Dichloroethene	< 0.5	ug/l	0.5	1.6	1	8260B		8/6/2020	CJR	1
cis-1,2-Dichloroethene	< 0.39	ug/l	0.39	1.2	1	8260B		8/6/2020	CJR	1
trans-1,2-Dichloroethene	< 0.37	ug/l	0.37	1.2	1	8260B		8/6/2020	CJR	1
1,2-Dichloropropane	< 0.38	ug/l	0.38	1.2	1	8260B		8/6/2020	CJR	1
1,3-Dichloropropane	< 0.35	ug/l	0.35	1.1	1	8260B		8/6/2020	CJR	1
trans-1,3-Dichloropropene	< 0.3	ug/l	0.3	0.94	1	8260B		8/6/2020	CJR	1
cis-1,3-Dichloropropene	< 0.36	ug/l	0.36	1.1	1	8260B		8/6/2020	CJR	1
Di-isopropyl ether	< 0.34	ug/l	0.34	1.1	1	8260B		8/6/2020	CJR	1
EDB (1,2-Dibromoethane)	< 0.24	ug/l	0.24	0.75	1	8260B		8/6/2020	CJR	1
Ethylbenzene	< 0.32	ug/l	0.32		1	8260B		8/6/2020	CJR	1
Hexachlorobutadiene	< 0.72	ug/l	0.72	2.3	1	8260B		8/6/2020	CJR	1
Isopropylbenzene	< 0.32	ug/l	0.32		1	8260B		8/6/2020	CJR	1
p-Isopropyltoluene	< 0.47	ug/l	0.47	1.5	1	8260B		8/6/2020	CJR	1
Methylene chloride	< 1.32	ug/l	1.32	4.21	1	8260B		8/6/2020	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.47	ug/l	0.47	1.5	1	8260B		8/6/2020	CJR	1
Naphthalene	< 1.1	ug/l	1.1	3.6	1	8260B		8/6/2020	CJR	1
n-Propylbenzene	< 0.33	ug/l	0.33	1.1	1	8260B		8/6/2020	CJR	1
1,1,2,2-Tetrachloroethane	< 0.37	ug/l	0.37	1.2	1	8260B		8/6/2020	CJR	1
1,1,1,2-Tetrachloroethane	< 0.88	ug/l	0.88	3.3	1	8260B		8/6/2020	CJR	1
Tetrachloroethene	0.37 "J"	ug/l	0.33		1	8260B		8/6/2020	CJR	1
Toluene	< 0.26	ug/l	0.26	0.83	1	8260B		8/6/2020	CJR	1
1,2,4-Trichlorobenzene	< 0.44	ug/l	0.44	1.4	1	8260B		8/6/2020	CJR	1

Project Name FMR ROBINSONS CLEANERS
Project # 6155 PO#2020-1772

Invoice # E38267

Lab Code 538267ZZ
Sample ID 6155 MW-51S
Sample Matrix Water
Sample Date 7/27/2020

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 1	ug/l	1	3.2	1	8260B		8/6/2020	CJR	1
1,1,1-Trichloroethane	< 0.3	ug/l	0.3	0.95	1	8260B		8/6/2020	CJR	1
1,1,2-Trichloroethane	< 0.36	ug/l	0.36	1.1	1	8260B		8/6/2020	CJR	1
Trichloroethene (TCE)	< 0.47	ug/l	0.47	1.5	1	8260B		8/6/2020	CJR	1
Trichlorofluoromethane	< 0.42	ug/l	0.42	1.3	1	8260B		8/6/2020	CJR	1
1,2,4-Trimethylbenzene	< 0.3	ug/l	0.3	0.96	1	8260B		8/6/2020	CJR	1
1,3,5-Trimethylbenzene	< 0.32	ug/l	0.32	1	1	8260B		8/6/2020	CJR	1
Vinyl Chloride	< 0.2	ug/l	0.2	0.65	1	8260B		8/6/2020	CJR	1
m&p-Xylene	< 1.1	ug/l	1.1	3.3	1	8260B		8/6/2020	CJR	1
o-Xylene	< 0.38	ug/l	0.38	1.2	1	8260B		8/6/2020	CJR	1
SUR - 4-Bromofluorobenzene	108	REC %			1	8260B		8/6/2020	CJR	1
SUR - Dibromofluoromethane	99	REC %			1	8260B		8/6/2020	CJR	1
SUR - Toluene-d8	110	REC %			1	8260B		8/6/2020	CJR	1
SUR - 1,2-Dichloroethane-d4	99	REC %			1	8260B		8/6/2020	CJR	1

Project Name FMR ROBINSONS CLEANERS
Project # 6155 PO#2020-1772

Invoice # E38267

Lab Code 58267AAA
Sample ID 6155 PZ-52D1
Sample Matrix Water
Sample Date 7/27/2020

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.33	ug/l	0.33		1	8260B		8/6/2020	CJR	1
Bromobenzene	< 0.26	ug/l	0.26	0.84	1	8260B		8/6/2020	CJR	1
Bromodichloromethane	< 0.33	ug/l	0.33		1	8260B		8/6/2020	CJR	1
Bromoform	< 0.65	ug/l	0.65	2.1	1	8260B		8/6/2020	CJR	1
tert-Butylbenzene	< 0.61	ug/l	0.61	1.9	1	8260B		8/6/2020	CJR	1
sec-Butylbenzene	< 0.32	ug/l	0.32		1	8260B		8/6/2020	CJR	1
n-Butylbenzene	< 0.28	ug/l	0.28	0.89	1	8260B		8/6/2020	CJR	1
Carbon Tetrachloride	< 0.31	ug/l	0.31	0.98	1	8260B		8/6/2020	CJR	1
Chlorobenzene	< 0.39	ug/l	0.39	1.2	1	8260B		8/6/2020	CJR	1
Chloroethane	< 1.1	ug/l	1.1	3.6	1	8260B		8/6/2020	CJR	1
Chloroform	< 0.44	ug/l	0.44	1.4	1	8260B		8/6/2020	CJR	1
Chloromethane	< 0.8	ug/l	0.8	2.5	1	8260B		8/6/2020	CJR	1
2-Chlorotoluene	< 0.32	ug/l	0.32		1	8260B		8/6/2020	CJR	1
4-Chlorotoluene	< 0.3	ug/l	0.3	0.96	1	8260B		8/6/2020	CJR	1
1,2-Dibromo-3-chloropropane	< 0.82	ug/l	0.82	2.6	1	8260B		8/6/2020	CJR	1
Dibromochloromethane	< 0.23	ug/l	0.23	0.74	1	8260B		8/6/2020	CJR	1
1,4-Dichlorobenzene	< 0.36	ug/l	0.36	1.1	1	8260B		8/6/2020	CJR	1
1,3-Dichlorobenzene	< 0.31	ug/l	0.31	0.98	1	8260B		8/6/2020	CJR	1
1,2-Dichlorobenzene	< 0.32	ug/l	0.32		1	8260B		8/6/2020	CJR	1
Dichlorodifluoromethane	< 0.45	ug/l	0.45	1.4	1	8260B		8/6/2020	CJR	1
1,2-Dichloroethane	< 0.39	ug/l	0.39	1.3	1	8260B		8/6/2020	CJR	1
1,1-Dichloroethane	< 0.46	ug/l	0.46	1.5	1	8260B		8/6/2020	CJR	1
1,1-Dichloroethene	< 0.5	ug/l	0.5	1.6	1	8260B		8/6/2020	CJR	1
cis-1,2-Dichloroethene	< 0.39	ug/l	0.39	1.2	1	8260B		8/6/2020	CJR	1
trans-1,2-Dichloroethene	< 0.37	ug/l	0.37	1.2	1	8260B		8/6/2020	CJR	1
1,2-Dichloropropane	< 0.38	ug/l	0.38	1.2	1	8260B		8/6/2020	CJR	1
1,3-Dichloropropane	< 0.35	ug/l	0.35	1.1	1	8260B		8/6/2020	CJR	1
trans-1,3-Dichloropropene	< 0.3	ug/l	0.3	0.94	1	8260B		8/6/2020	CJR	1
cis-1,3-Dichloropropene	< 0.36	ug/l	0.36	1.1	1	8260B		8/6/2020	CJR	1
Di-isopropyl ether	< 0.34	ug/l	0.34	1.1	1	8260B		8/6/2020	CJR	1
EDB (1,2-Dibromoethane)	< 0.24	ug/l	0.24	0.75	1	8260B		8/6/2020	CJR	1
Ethylbenzene	< 0.32	ug/l	0.32		1	8260B		8/6/2020	CJR	1
Hexachlorobutadiene	< 0.72	ug/l	0.72	2.3	1	8260B		8/6/2020	CJR	1
Isopropylbenzene	< 0.32	ug/l	0.32		1	8260B		8/6/2020	CJR	1
p-Isopropyltoluene	< 0.47	ug/l	0.47	1.5	1	8260B		8/6/2020	CJR	1
Methylene chloride	< 1.32	ug/l	1.32	4.21	1	8260B		8/6/2020	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.47	ug/l	0.47	1.5	1	8260B		8/6/2020	CJR	1
Naphthalene	< 1.1	ug/l	1.1	3.6	1	8260B		8/6/2020	CJR	1
n-Propylbenzene	< 0.33	ug/l	0.33	1.1	1	8260B		8/6/2020	CJR	1
1,1,2,2-Tetrachloroethane	< 0.37	ug/l	0.37	1.2	1	8260B		8/6/2020	CJR	1
1,1,1,2-Tetrachloroethane	< 0.88	ug/l	0.88	3.3	1	8260B		8/6/2020	CJR	1
Tetrachloroethene	< 0.33	ug/l	0.33		1	8260B		8/6/2020	CJR	1
Toluene	< 0.26	ug/l	0.26	0.83	1	8260B		8/6/2020	CJR	1
1,2,4-Trichlorobenzene	< 0.44	ug/l	0.44	1.4	1	8260B		8/6/2020	CJR	1

Project Name FMR ROBINSONS CLEANERS
Project # 6155 PO#2020-1772

Invoice # E38267

Lab Code 58267AAA
Sample ID 6155 PZ-52D1
Sample Matrix Water
Sample Date 7/27/2020

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 1	ug/l	1	3.2	1	8260B		8/6/2020	CJR	1
1,1,1-Trichloroethane	< 0.3	ug/l	0.3	0.95	1	8260B		8/6/2020	CJR	1
1,1,2-Trichloroethane	< 0.36	ug/l	0.36	1.1	1	8260B		8/6/2020	CJR	1
Trichloroethene (TCE)	< 0.47	ug/l	0.47	1.5	1	8260B		8/6/2020	CJR	1
Trichlorofluoromethane	< 0.42	ug/l	0.42	1.3	1	8260B		8/6/2020	CJR	1
1,2,4-Trimethylbenzene	< 0.3	ug/l	0.3	0.96	1	8260B		8/6/2020	CJR	1
1,3,5-Trimethylbenzene	< 0.32	ug/l	0.32	1	1	8260B		8/6/2020	CJR	1
Vinyl Chloride	< 0.2	ug/l	0.2	0.65	1	8260B		8/6/2020	CJR	1
m&p-Xylene	< 1.1	ug/l	1.1	3.3	1	8260B		8/6/2020	CJR	1
o-Xylene	< 0.38	ug/l	0.38	1.2	1	8260B		8/6/2020	CJR	1
SUR - Toluene-d8	107	REC %			1	8260B		8/6/2020	CJR	1
SUR - Dibromofluoromethane	106	REC %			1	8260B		8/6/2020	CJR	1
SUR - 4-Bromofluorobenzene	114	REC %			1	8260B		8/6/2020	CJR	1
SUR - 1,2-Dichloroethane-d4	103	REC %			1	8260B		8/6/2020	CJR	1

Project Name FMR ROBINSONS CLEANERS
Project # 6155 PO#2020-1772

Invoice # E38267

Lab Code 58267BBB
Sample ID 6155 PZ-52D2
Sample Matrix Water
Sample Date 7/27/2020

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.33	ug/l	0.33		1	8260B		8/6/2020	CJR	1
Bromobenzene	< 0.26	ug/l	0.26	0.84	1	8260B		8/6/2020	CJR	1
Bromodichloromethane	< 0.33	ug/l	0.33		1	8260B		8/6/2020	CJR	1
Bromoform	< 0.65	ug/l	0.65	2.1	1	8260B		8/6/2020	CJR	1
tert-Butylbenzene	< 0.61	ug/l	0.61	1.9	1	8260B		8/6/2020	CJR	1
sec-Butylbenzene	< 0.32	ug/l	0.32		1	8260B		8/6/2020	CJR	1
n-Butylbenzene	< 0.28	ug/l	0.28	0.89	1	8260B		8/6/2020	CJR	1
Carbon Tetrachloride	< 0.31	ug/l	0.31	0.98	1	8260B		8/6/2020	CJR	1
Chlorobenzene	< 0.39	ug/l	0.39	1.2	1	8260B		8/6/2020	CJR	1
Chloroethane	< 1.1	ug/l	1.1	3.6	1	8260B		8/6/2020	CJR	1
Chloroform	< 0.44	ug/l	0.44	1.4	1	8260B		8/6/2020	CJR	1
Chloromethane	< 0.8	ug/l	0.8	2.5	1	8260B		8/6/2020	CJR	1
2-Chlorotoluene	< 0.32	ug/l	0.32		1	8260B		8/6/2020	CJR	1
4-Chlorotoluene	< 0.3	ug/l	0.3	0.96	1	8260B		8/6/2020	CJR	1
1,2-Dibromo-3-chloropropane	< 0.82	ug/l	0.82	2.6	1	8260B		8/6/2020	CJR	1
Dibromochloromethane	< 0.23	ug/l	0.23	0.74	1	8260B		8/6/2020	CJR	1
1,4-Dichlorobenzene	< 0.36	ug/l	0.36	1.1	1	8260B		8/6/2020	CJR	1
1,3-Dichlorobenzene	< 0.31	ug/l	0.31	0.98	1	8260B		8/6/2020	CJR	1
1,2-Dichlorobenzene	< 0.32	ug/l	0.32		1	8260B		8/6/2020	CJR	1
Dichlorodifluoromethane	< 0.45	ug/l	0.45	1.4	1	8260B		8/6/2020	CJR	1
1,2-Dichloroethane	< 0.39	ug/l	0.39	1.3	1	8260B		8/6/2020	CJR	1
1,1-Dichloroethane	< 0.46	ug/l	0.46	1.5	1	8260B		8/6/2020	CJR	1
1,1-Dichloroethene	< 0.5	ug/l	0.5	1.6	1	8260B		8/6/2020	CJR	1
cis-1,2-Dichloroethene	< 0.39	ug/l	0.39	1.2	1	8260B		8/6/2020	CJR	1
trans-1,2-Dichloroethene	< 0.37	ug/l	0.37	1.2	1	8260B		8/6/2020	CJR	1
1,2-Dichloropropane	< 0.38	ug/l	0.38	1.2	1	8260B		8/6/2020	CJR	1
1,3-Dichloropropane	< 0.35	ug/l	0.35	1.1	1	8260B		8/6/2020	CJR	1
trans-1,3-Dichloropropene	< 0.3	ug/l	0.3	0.94	1	8260B		8/6/2020	CJR	1
cis-1,3-Dichloropropene	< 0.36	ug/l	0.36	1.1	1	8260B		8/6/2020	CJR	1
Di-isopropyl ether	< 0.34	ug/l	0.34	1.1	1	8260B		8/6/2020	CJR	1
EDB (1,2-Dibromoethane)	< 0.24	ug/l	0.24	0.75	1	8260B		8/6/2020	CJR	1
Ethylbenzene	< 0.32	ug/l	0.32		1	8260B		8/6/2020	CJR	1
Hexachlorobutadiene	< 0.72	ug/l	0.72	2.3	1	8260B		8/6/2020	CJR	1
Isopropylbenzene	< 0.32	ug/l	0.32		1	8260B		8/6/2020	CJR	1
p-Isopropyltoluene	< 0.47	ug/l	0.47	1.5	1	8260B		8/6/2020	CJR	1
Methylene chloride	< 1.32	ug/l	1.32	4.21	1	8260B		8/6/2020	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.47	ug/l	0.47	1.5	1	8260B		8/6/2020	CJR	1
Naphthalene	< 1.1	ug/l	1.1	3.6	1	8260B		8/6/2020	CJR	1
n-Propylbenzene	< 0.33	ug/l	0.33	1.1	1	8260B		8/6/2020	CJR	1
1,1,2,2-Tetrachloroethane	< 0.37	ug/l	0.37	1.2	1	8260B		8/6/2020	CJR	1
1,1,1,2-Tetrachloroethane	< 0.88	ug/l	0.88	3.3	1	8260B		8/6/2020	CJR	1
Tetrachloroethene	< 0.33	ug/l	0.33		1	8260B		8/6/2020	CJR	1
Toluene	< 0.26	ug/l	0.26	0.83	1	8260B		8/6/2020	CJR	1
1,2,4-Trichlorobenzene	< 0.44	ug/l	0.44	1.4	1	8260B		8/6/2020	CJR	1

Project Name FMR ROBINSONS CLEANERS
Project # 6155 PO#2020-1772

Invoice # E38267

Lab Code 58267BBB
Sample ID 6155 PZ-52D2
Sample Matrix Water
Sample Date 7/27/2020

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 1	ug/l	1	3.2	1	8260B		8/6/2020	CJR	1
1,1,1-Trichloroethane	< 0.3	ug/l	0.3	0.95	1	8260B		8/6/2020	CJR	1
1,1,2-Trichloroethane	< 0.36	ug/l	0.36	1.1	1	8260B		8/6/2020	CJR	1
Trichloroethene (TCE)	< 0.47	ug/l	0.47	1.5	1	8260B		8/6/2020	CJR	1
Trichlorofluoromethane	< 0.42	ug/l	0.42	1.3	1	8260B		8/6/2020	CJR	1
1,2,4-Trimethylbenzene	< 0.3	ug/l	0.3	0.96	1	8260B		8/6/2020	CJR	1
1,3,5-Trimethylbenzene	< 0.32	ug/l	0.32	1	1	8260B		8/6/2020	CJR	1
Vinyl Chloride	< 0.2	ug/l	0.2	0.65	1	8260B		8/6/2020	CJR	1
m&p-Xylene	< 1.1	ug/l	1.1	3.3	1	8260B		8/6/2020	CJR	1
o-Xylene	< 0.38	ug/l	0.38	1.2	1	8260B		8/6/2020	CJR	1
SUR - 1,2-Dichloroethane-d4	108	REC %			1	8260B		8/6/2020	CJR	1
SUR - 4-Bromofluorobenzene	101	REC %			1	8260B		8/6/2020	CJR	1
SUR - Dibromofluoromethane	99	REC %			1	8260B		8/6/2020	CJR	1
SUR - Toluene-d8	108	REC %			1	8260B		8/6/2020	CJR	1

Project Name FMR ROBINSONS CLEANERS
Project # 6155 PO#2020-1772

Invoice # E38267

Lab Code 58267CCC
Sample ID 6155 PZ-52D3
Sample Matrix Water
Sample Date 7/27/2020

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.33	ug/l	0.33		1	8260B		8/6/2020	CJR	1
Bromobenzene	< 0.26	ug/l	0.26	0.84	1	8260B		8/6/2020	CJR	1
Bromodichloromethane	< 0.33	ug/l	0.33		1	8260B		8/6/2020	CJR	1
Bromoform	< 0.65	ug/l	0.65	2.1	1	8260B		8/6/2020	CJR	1
tert-Butylbenzene	< 0.61	ug/l	0.61	1.9	1	8260B		8/6/2020	CJR	1
sec-Butylbenzene	< 0.32	ug/l	0.32		1	8260B		8/6/2020	CJR	1
n-Butylbenzene	< 0.28	ug/l	0.28	0.89	1	8260B		8/6/2020	CJR	1
Carbon Tetrachloride	< 0.31	ug/l	0.31	0.98	1	8260B		8/6/2020	CJR	1
Chlorobenzene	< 0.39	ug/l	0.39	1.2	1	8260B		8/6/2020	CJR	1
Chloroethane	< 1.1	ug/l	1.1	3.6	1	8260B		8/6/2020	CJR	1
Chloroform	< 0.44	ug/l	0.44	1.4	1	8260B		8/6/2020	CJR	1
Chloromethane	< 0.8	ug/l	0.8	2.5	1	8260B		8/6/2020	CJR	1
2-Chlorotoluene	< 0.32	ug/l	0.32		1	8260B		8/6/2020	CJR	1
4-Chlorotoluene	< 0.3	ug/l	0.3	0.96	1	8260B		8/6/2020	CJR	1
1,2-Dibromo-3-chloropropane	< 0.82	ug/l	0.82	2.6	1	8260B		8/6/2020	CJR	1
Dibromochloromethane	< 0.23	ug/l	0.23	0.74	1	8260B		8/6/2020	CJR	1
1,4-Dichlorobenzene	< 0.36	ug/l	0.36	1.1	1	8260B		8/6/2020	CJR	1
1,3-Dichlorobenzene	< 0.31	ug/l	0.31	0.98	1	8260B		8/6/2020	CJR	1
1,2-Dichlorobenzene	< 0.32	ug/l	0.32		1	8260B		8/6/2020	CJR	1
Dichlorodifluoromethane	< 0.45	ug/l	0.45	1.4	1	8260B		8/6/2020	CJR	1
1,2-Dichloroethane	< 0.39	ug/l	0.39	1.3	1	8260B		8/6/2020	CJR	1
1,1-Dichloroethane	< 0.46	ug/l	0.46	1.5	1	8260B		8/6/2020	CJR	1
1,1-Dichloroethene	< 0.5	ug/l	0.5	1.6	1	8260B		8/6/2020	CJR	1
cis-1,2-Dichloroethene	< 0.39	ug/l	0.39	1.2	1	8260B		8/6/2020	CJR	1
trans-1,2-Dichloroethene	< 0.37	ug/l	0.37	1.2	1	8260B		8/6/2020	CJR	1
1,2-Dichloropropane	< 0.38	ug/l	0.38	1.2	1	8260B		8/6/2020	CJR	1
1,3-Dichloropropane	< 0.35	ug/l	0.35	1.1	1	8260B		8/6/2020	CJR	1
trans-1,3-Dichloropropene	< 0.3	ug/l	0.3	0.94	1	8260B		8/6/2020	CJR	1
cis-1,3-Dichloropropene	< 0.36	ug/l	0.36	1.1	1	8260B		8/6/2020	CJR	1
Di-isopropyl ether	< 0.34	ug/l	0.34	1.1	1	8260B		8/6/2020	CJR	1
EDB (1,2-Dibromoethane)	< 0.24	ug/l	0.24	0.75	1	8260B		8/6/2020	CJR	1
Ethylbenzene	< 0.32	ug/l	0.32		1	8260B		8/6/2020	CJR	1
Hexachlorobutadiene	< 0.72	ug/l	0.72	2.3	1	8260B		8/6/2020	CJR	1
Isopropylbenzene	< 0.32	ug/l	0.32		1	8260B		8/6/2020	CJR	1
p-Isopropyltoluene	< 0.47	ug/l	0.47	1.5	1	8260B		8/6/2020	CJR	1
Methylene chloride	< 1.32	ug/l	1.32	4.21	1	8260B		8/6/2020	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.47	ug/l	0.47	1.5	1	8260B		8/6/2020	CJR	1
Naphthalene	< 1.1	ug/l	1.1	3.6	1	8260B		8/6/2020	CJR	1
n-Propylbenzene	< 0.33	ug/l	0.33	1.1	1	8260B		8/6/2020	CJR	1
1,1,2,2-Tetrachloroethane	< 0.37	ug/l	0.37	1.2	1	8260B		8/6/2020	CJR	1
1,1,1,2-Tetrachloroethane	< 0.88	ug/l	0.88	3.3	1	8260B		8/6/2020	CJR	1
Tetrachloroethene	< 0.33	ug/l	0.33		1	8260B		8/6/2020	CJR	1
Toluene	< 0.26	ug/l	0.26	0.83	1	8260B		8/6/2020	CJR	1
1,2,4-Trichlorobenzene	< 0.44	ug/l	0.44	1.4	1	8260B		8/6/2020	CJR	1

Project Name FMR ROBINSONS CLEANERS
Project # 6155 PO#2020-1772

Invoice # E38267

Lab Code 58267CCC
Sample ID 6155 PZ-52D3
Sample Matrix Water
Sample Date 7/27/2020

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 1	ug/l	1	3.2	1	8260B		8/6/2020	CJR	1
1,1,1-Trichloroethane	< 0.3	ug/l	0.3	0.95	1	8260B		8/6/2020	CJR	1
1,1,2-Trichloroethane	< 0.36	ug/l	0.36	1.1	1	8260B		8/6/2020	CJR	1
Trichloroethene (TCE)	< 0.47	ug/l	0.47	1.5	1	8260B		8/6/2020	CJR	1
Trichlorofluoromethane	< 0.42	ug/l	0.42	1.3	1	8260B		8/6/2020	CJR	1
1,2,4-Trimethylbenzene	< 0.3	ug/l	0.3	0.96	1	8260B		8/6/2020	CJR	1
1,3,5-Trimethylbenzene	< 0.32	ug/l	0.32	1	1	8260B		8/6/2020	CJR	1
Vinyl Chloride	< 0.2	ug/l	0.2	0.65	1	8260B		8/6/2020	CJR	1
m&p-Xylene	< 1.1	ug/l	1.1	3.3	1	8260B		8/6/2020	CJR	1
o-Xylene	< 0.38	ug/l	0.38	1.2	1	8260B		8/6/2020	CJR	1
SUR - Toluene-d8	109	REC %			1	8260B		8/6/2020	CJR	1
SUR - 1,2-Dichloroethane-d4	106	REC %			1	8260B		8/6/2020	CJR	1
SUR - 4-Bromofluorobenzene	106	REC %			1	8260B		8/6/2020	CJR	1
SUR - Dibromofluoromethane	94	REC %			1	8260B		8/6/2020	CJR	1

Project Name FMR ROBINSONS CLEANERS
Project # 6155 PO#2020-1772

Invoice # E38267

Lab Code 58267DDD
Sample ID 6155 PZ-53D2
Sample Matrix Water
Sample Date 7/28/2020

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.33	ug/l	0.33		1	8260B		8/6/2020	CJR	1
Bromobenzene	< 0.26	ug/l	0.26	0.84	1	8260B		8/6/2020	CJR	1
Bromodichloromethane	< 0.33	ug/l	0.33		1	8260B		8/6/2020	CJR	1
Bromoform	< 0.65	ug/l	0.65	2.1	1	8260B		8/6/2020	CJR	1
tert-Butylbenzene	< 0.61	ug/l	0.61	1.9	1	8260B		8/6/2020	CJR	1
sec-Butylbenzene	< 0.32	ug/l	0.32		1	8260B		8/6/2020	CJR	1
n-Butylbenzene	< 0.28	ug/l	0.28	0.89	1	8260B		8/6/2020	CJR	1
Carbon Tetrachloride	< 0.31	ug/l	0.31	0.98	1	8260B		8/6/2020	CJR	1
Chlorobenzene	< 0.39	ug/l	0.39	1.2	1	8260B		8/6/2020	CJR	1
Chloroethane	< 1.1	ug/l	1.1	3.6	1	8260B		8/6/2020	CJR	1
Chloroform	< 0.44	ug/l	0.44	1.4	1	8260B		8/6/2020	CJR	1
Chloromethane	< 0.8	ug/l	0.8	2.5	1	8260B		8/6/2020	CJR	1
2-Chlorotoluene	< 0.32	ug/l	0.32		1	8260B		8/6/2020	CJR	1
4-Chlorotoluene	< 0.3	ug/l	0.3	0.96	1	8260B		8/6/2020	CJR	1
1,2-Dibromo-3-chloropropane	< 0.82	ug/l	0.82	2.6	1	8260B		8/6/2020	CJR	1
Dibromochloromethane	< 0.23	ug/l	0.23	0.74	1	8260B		8/6/2020	CJR	1
1,4-Dichlorobenzene	< 0.36	ug/l	0.36	1.1	1	8260B		8/6/2020	CJR	1
1,3-Dichlorobenzene	< 0.31	ug/l	0.31	0.98	1	8260B		8/6/2020	CJR	1
1,2-Dichlorobenzene	< 0.32	ug/l	0.32		1	8260B		8/6/2020	CJR	1
Dichlorodifluoromethane	< 0.45	ug/l	0.45	1.4	1	8260B		8/6/2020	CJR	1
1,2-Dichloroethane	< 0.39	ug/l	0.39	1.3	1	8260B		8/6/2020	CJR	1
1,1-Dichloroethane	< 0.46	ug/l	0.46	1.5	1	8260B		8/6/2020	CJR	1
1,1-Dichloroethene	< 0.5	ug/l	0.5	1.6	1	8260B		8/6/2020	CJR	1
cis-1,2-Dichloroethene	< 0.39	ug/l	0.39	1.2	1	8260B		8/6/2020	CJR	1
trans-1,2-Dichloroethene	< 0.37	ug/l	0.37	1.2	1	8260B		8/6/2020	CJR	1
1,2-Dichloropropane	< 0.38	ug/l	0.38	1.2	1	8260B		8/6/2020	CJR	1
1,3-Dichloropropane	< 0.35	ug/l	0.35	1.1	1	8260B		8/6/2020	CJR	1
trans-1,3-Dichloropropene	< 0.3	ug/l	0.3	0.94	1	8260B		8/6/2020	CJR	1
cis-1,3-Dichloropropene	< 0.36	ug/l	0.36	1.1	1	8260B		8/6/2020	CJR	1
Di-isopropyl ether	< 0.34	ug/l	0.34	1.1	1	8260B		8/6/2020	CJR	1
EDB (1,2-Dibromoethane)	< 0.24	ug/l	0.24	0.75	1	8260B		8/6/2020	CJR	1
Ethylbenzene	< 0.32	ug/l	0.32		1	8260B		8/6/2020	CJR	1
Hexachlorobutadiene	< 0.72	ug/l	0.72	2.3	1	8260B		8/6/2020	CJR	1
Isopropylbenzene	< 0.32	ug/l	0.32		1	8260B		8/6/2020	CJR	1
p-Isopropyltoluene	< 0.47	ug/l	0.47	1.5	1	8260B		8/6/2020	CJR	1
Methylene chloride	< 1.32	ug/l	1.32	4.21	1	8260B		8/6/2020	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.47	ug/l	0.47	1.5	1	8260B		8/6/2020	CJR	1
Naphthalene	< 1.1	ug/l	1.1	3.6	1	8260B		8/6/2020	CJR	1
n-Propylbenzene	< 0.33	ug/l	0.33	1.1	1	8260B		8/6/2020	CJR	1
1,1,2,2-Tetrachloroethane	< 0.37	ug/l	0.37	1.2	1	8260B		8/6/2020	CJR	1
1,1,1,2-Tetrachloroethane	< 0.88	ug/l	0.88	3.3	1	8260B		8/6/2020	CJR	1
Tetrachloroethene	4.4	ug/l	0.33		1	8260B		8/6/2020	CJR	1
Toluene	< 0.26	ug/l	0.26	0.83	1	8260B		8/6/2020	CJR	1
1,2,4-Trichlorobenzene	< 0.44	ug/l	0.44	1.4	1	8260B		8/6/2020	CJR	1

Project Name FMR ROBINSONS CLEANERS
Project # 6155 PO#2020-1772

Invoice # E38267

Lab Code 58267DDD
Sample ID 6155 PZ-53D2
Sample Matrix Water
Sample Date 7/28/2020

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 1	ug/l	1	3.2	1	8260B		8/6/2020	CJR	1
1,1,1-Trichloroethane	< 0.3	ug/l	0.3	0.95	1	8260B		8/6/2020	CJR	1
1,1,2-Trichloroethane	< 0.36	ug/l	0.36	1.1	1	8260B		8/6/2020	CJR	1
Trichloroethene (TCE)	< 0.47	ug/l	0.47	1.5	1	8260B		8/6/2020	CJR	1
Trichlorofluoromethane	< 0.42	ug/l	0.42	1.3	1	8260B		8/6/2020	CJR	1
1,2,4-Trimethylbenzene	< 0.3	ug/l	0.3	0.96	1	8260B		8/6/2020	CJR	1
1,3,5-Trimethylbenzene	< 0.32	ug/l	0.32	1	1	8260B		8/6/2020	CJR	1
Vinyl Chloride	< 0.2	ug/l	0.2	0.65	1	8260B		8/6/2020	CJR	1
m&p-Xylene	< 1.1	ug/l	1.1	3.3	1	8260B		8/6/2020	CJR	1
o-Xylene	< 0.38	ug/l	0.38	1.2	1	8260B		8/6/2020	CJR	1
SUR - 1,2-Dichloroethane-d4	102	REC %			1	8260B		8/6/2020	CJR	1
SUR - Toluene-d8	108	REC %			1	8260B		8/6/2020	CJR	1
SUR - 4-Bromofluorobenzene	109	REC %			1	8260B		8/6/2020	CJR	1
SUR - Dibromofluoromethane	96	REC %			1	8260B		8/6/2020	CJR	1

Environmental Lab, Inc.

1990 Prospect Ct. • Appleton, WI 54914
920-830-2455 • FAX 920-733-0631

Sample Handling Request

Rush Analysis Date Required _____
(Rushes accepted only with prior authorization)
 Normal Turn Around

Lab I.D. # _____
Account No. : _____ Quote No.: **3242**
Project #: **6155**
Sampler: (signature) *B. J. Kyp*

Project (Name / Location): _____
Reports To: _____ Invoice To: _____
Company: _____ Company: _____
Address: _____ Address: _____
City State Zip: _____ City State Zip: _____
Phone: _____ Phone: _____
FAX: _____ FAX: _____

Analysis Requested

Other Analysis

Lab I.D.	Sample I.D.	Collection Date	Time	Comp	Grab	Filtered Y/N	No. of Containers	Sample Type (Matrix)*	Preservation	DRO (Mod DRO Sep 95)	GRO (Mod GRO Sep 95)	LEAD	NITRATE/NITRITE	OIL & GREASE	PAH (EPA 8270)	PCB	PVOC (EPA 8021)	PVOC + NAPHTHALENE	SULFATE	TOTAL SUSPENDED SOLIDS	VOC DW (EPA 524.2)	VOC (EPA 8260)	8-RCRA METALS	PID/FID
53826FE	6155-MW-39S	7/27/20	910		X	N	3	GW	HC1															
FF	6155-PZ-42D1	7/28/20	1030																					
GG	6155-PZ-42D2	7/28/20	920																					
HH	6155-PZ-42D3	7/29/20	1010																					
FI	6155-PZ-43D1	7/27/20	1715																					
JJ	6155-MW-44S		1220																					
KK	6155-PZ-44D1		1230																					
LL	6155-PZ-44D2		1240																					
MM	6155-PZ-46D1		1540																					
NN	6155-PZ-46D2		1610																					

Comments/Special Instructions (*Specify groundwater "GW", Drinking Water "DW", Waste Water "WW", Soil "S", Air "A", Oil, Sludge etc.)

Sample Integrity - To be completed by receiving lab.
Method of Shipment: *Ge*
Temp. of Temp. Blank _____ °C On Ice
Cooler seal intact upon receipt: Yes _____ No

Relinquished By: (sign) *B. J. Kyp* Time *1215* Date *7/29/20*
Received By: (sign) *Gold Cross* Time *1215* Date *7/29/20*

Received in Laboratory By: *[Signature]* Time: *8:00* Date: *7/31/20*

Environmental Lab, Inc.

1990 Prospect Ct. • Appleton, WI 54914
920-830-2455 • FAX 920-733-0631

Sample Handling Request
Rush Analysis Date Required _____
(Rushes accepted only with prior authorization)
 Normal Turn Around

Lab I.D. # _____
Account No. : _____ Quote No.: **8242**
Project #: **6155**
Sampler: (signature) *B. J. Ryan*

Project (Name / Location): _____
Reports To: _____ Invoice To: _____
Company: _____ Company: _____
Address: _____ Address: _____
City State Zip: _____ City State Zip: _____
Phone: _____ Phone: _____
FAX: _____ FAX: _____

										Analysis Requested										Other Analysis					
Lab I.D.	Sample I.D.	Collection Date	Time	Comp	Grab	Filtered Y/N	No. of Containers	Sample Type (Matrix)*	Preservation	DRO (Mod DRO Sep 95)	GRO (Mod GRO Sep 95)	LEAD	NITRATE/NITRITE	OIL & GREASE	PAH (EPA 8270)	PCB	PVOC (EPA 8021)	PVOC + NAPHTHALENE	SULFATE	TOTAL SUSPENDED SOLIDS	VOC DW (EPA 524.2)	VOC (EPA 8260)	8-PCRA METALS	PID/ FID	
S3826700	6155-PZ-46D3	7/27/20	1620		X	N	3	GW	HCl																
	PP 6155-PZ-47D1		1010																						
	QG 6155-PZ-47D2		1020																						
	RR 6155-PZ-47D3		1030																						
	SS 6155-PZ-48D1	7/28/20	750																						
	TT 6155-PZ-48D2	7/28/20	745																						
	UU 6155-PZ-48D3	7/28/20	750																						
	VV 6155-PZ-49D1	7/27/20	1415																						
	WW 6155-PZ-49D2		1430																						
	XX 6155-PZ-49D3		1450																						

Comments/Special Instructions (*Specify groundwater "GW", Drinking Water "DW", Waste Water "WW", Soil "S", Air "A", Oil, Sludge etc.)

Sample Integrity - To be completed by receiving lab.
Method of Shipment: GC
Temp. of Temp. Blank _____ °C On Ice
Cooler seal intact upon receipt: Yes _____ No

Relinquished By: (sign) *B. J. Ryan* Time 1215 Date 7/29/20
Received By: (sign) *Gold Cross* Time _____ Date _____

Received in Laboratory By: *[Signature]* Time 8:00 Date: 7/31/20

Environmental Lab, Inc.

1990 Prospect Ct. • Appleton, WI 54914
920-830-2455 • FAX 920-733-0631

Sample Handling Request

Rush Analysis Date Required _____
(Rushes accepted only with prior authorization)

Normal Turn Around

Lab I.D. # _____
Account No. : _____ Quote No.: **8242**
Project #: **6155**
Sampler: (signature) *B. J. [unclear]*

Project (Name / Location): _____
Reports To: _____ Invoice To: _____
Company: _____ Company: _____
Address: _____ Address: _____
City State Zip: _____ City State Zip: _____
Phone: _____ Phone: _____
FAX: _____ FAX: _____

Analysis Requested

Other Analysis

Lab I.D.	Sample I.D.	Collection Date	Time	Comp	Grab	Filtered Y/N	No. of Containers	Sample Type (Matrix)*	Preservation	DRO (Mod DRO Sep 95)	GRO (Mod GRO Sep 95)	LEAD	NITRATE/NITRITE	OIL & GREASE	PAH (EPA 8270)	PCB	PVOC (EPA 8021)	PVOC + NAPHTHALENE	SULFATE	TOTAL SUSPENDED SOLIDS	VOC DW (EPA 524.2)	VOC (EPA 8260)	8-PCRA METALS	PID/FID	
53826744	6155-PZ-49D4	7/27/20	1500		<input checked="" type="checkbox"/>	N	3	GW	HCl																
ZZ	6155-MW-515	↓	1620		↓	↓	↓	↓	↓																
AAA	6155-PZ-52D1	↓	1120		↓	↓	↓	↓	↓																
BBB	6155-PZ-52D2	↓	1130		↓	↓	↓	↓	↓																
CCC	6155-PZ-52D3	↓	1140		↓	↓	↓	↓	↓																
DDD	6155-PZ-53D2	7/29/20	1448		↓	↓	↓	↓	↓																
EEE	6155-DUP-1	7/27/20			↓	↓	↓	↓	↓																
FFF	6155-DUP-2	↓			↓	↓	X 2	↓	↓																
GGG	6155-DUP-3	↓			↓	↓	↓	↓	↓																
HHH	6155-DUP-4	↓	1200		↓	↓	↓	↓	↓																

Comments/Special Instructions (*Specify groundwater "GW", Drinking Water "DW", Waste Water "WW", Soil "S", Air "A", Oil, Sludge etc.)

Sample Integrity - To be completed by receiving lab.
Method of Shipment: GC
Temp. of Temp. Blank _____ °C On Ice:
Cooler seal intact upon receipt: Yes _____ No

Relinquished By: (sign) *B. J. [unclear]* Time 1215 Date 7/29/20
Received By: (sign) Gold Cross Time 1215 Date 7/29/20

Received in Laboratory By: *[Signature]* Time: 8:00 Date: 7/31/20



August 19, 2020

David Fancher
Dave's Auto Service Inc.
554 North Oakhill Ave
Janesville, WI 53548

Subject: Environmental Investigation Sampling Results
BRRTS#: 02-54-221852

Dear Mr. Fancher:

In accordance with the executed Agreement to Provide Access for Sampling Activities, and in accordance with Wisconsin Department of Natural Resources (WDNR) regulation NR 716.14, EnviroForensics LLC (EnviroForensics) is providing the results of environmental samples collected from your property located at 1806 West Court Street in Janesville, Wisconsin. Groundwater samples were collected from one (1) monitoring well designated MW-1 on July 27, 2020. The locations of monitoring wells on your property are shown on attached **Figure 1**. The sampling activities were conducted at the direction of the WDNR as part of an environmental investigation being performed for Robinson's Cleaners formerly located at 1838 West Court Street. The chemicals of concern for the investigation are the dry cleaning solvent tetrachloroethene (PCE) and its associated breakdown products.

The Responsible Party is:

RayChris
5110 N. Connor Road
Janesville, WI 53548

Sampling Results

The analytical results of the groundwater sample are summarized and compared to public health criteria in the attached **Table 1**. An excerpt from the laboratory report that relates to the groundwater samples collected from the monitoring wells are also attached.

PCE was detected in the sample collected from MW-1 at a concentration of 37 micrograms per liter ($\mu\text{g/L}$). This concentration exceeds the WDNR public health enforcement standard of 5 $\mu\text{g/L}$ for PCE. Trichloroethene (TCE) was detected at an estimated concentration of 0.49 $\mu\text{g/L}$, which is less than its public health criteria for TCE. No other chemicals of concern were detected in the sample.

Document: 6155-3321
EnviroForensics LLC
N16 W23390 Stone Ridge Dr, Suite G, Waukesha, WI 53188
Phone: 262-290-4001 • Fax 317-972-7875

If you have any questions or concerns, please contact me at 262-290-4001 or by email at wfassbender@enviroforensics.com. The WDNR project manager, Jeff Ackerman, can be reached at 608-275-3323. We greatly appreciate your help and patience with this matter.

Sincerely,
EnviroForensics LLC

A handwritten signature in black ink that reads "Wayne P. Fassbender".

Wayne Fassbender, PG, PMP
Senior Project Manager


Copy: Jeff Ackerman, Wisconsin Department of Natural Resources

Attachments:

Monitoring Well Location Map
Groundwater Analytical Results Summary
Groundwater Laboratory Analytical Report Excerpt

Legend

- WTR — Underground water utility line
- - - — Underground storm utility line
- SAN — Underground sanitary utility line
- UGT — Underground telephone utility line
- GAS — Underground gas utility line
- UGE — Underground electrical utility line
- OHD — Overhead electrical utility line
- ◆ MW-3 — Monitoring well (Sandstone)
- ◆ MW-2 — Monitoring well (Abandoned)



MONITORING WELL LOCATIONS

Robinson Dry Cleaners
1838 West Court Street
Janesville, WI

Date: 1/19/15	 ENVIRONMENTAL FORENSIC INVESTIGATIONS, INC. 602 N. Capitol Ave., Ste. 210 • Indianapolis, IN 46204 EnviroForensics.com
Designed: EB	
Drawn: EB	
Checked: BK	
DWG file: 6155-1178	

Figure	1
Project	6155

TABLE 1
SUMMARY OF GROUNDWATER SAMPLE ANALYTICAL RESULTS

Former Robinson's Cleaners
1838 W. Court Street
Janesville, Wisconsin

Monitoring Well ID	Sample ID	Sample Date	Sample Method	Tetrachloroethene	Trichloroethene	cis-1,2-Dichloroethene	trans-1,2-Dichloroethene	Vinyl chloride
Enforcement Standard				5	5	70	100	0.2
Preventive Action Limit				0.5	0.5	7	20	0.02
MW-1	6155-MW-1	7/27/2020	PDB	37	0.49 J	<0.39	<0.37	<0.2

Notes:

All concentrations reported in units of µg/L = micrograms per liter

Samples analyzed using EPA SW-846 Method 8260

VOCs = Volatile Organic Compounds

Bolded values are above detection limits

Bolded and Shaded Orange values are above the Public Health Enforcement Standard

Bolded and Shaded Blue values are above Public Health Preventive Action Limit

J = Analyte concentration detected between the laboratory Reporting Limit and Method Detection Limit

PDB = Passive Diffusion Bag used as Sampling Method

Low Flow = Standard Low Flow Sampling Method using Bladder Pump

Synergy Environmental Lab, INC

1990 Prospect Ct., Appleton, WI 54914 *P 920-830-2455 * F 920-733-0631

BRIAN KAPPEN
ENVIROFORENSICS
N16 W 23390 STONERIDGE DR
WAUKESHA WI 53188

Report Date 13-Aug-20

Project Name FMR ROBINSONS CLEANERS
Project # 6155 PO#2020-1772

Invoice # E38267

Lab Code 5038267A
Sample ID 6155 MW-1
Sample Matrix Water
Sample Date 7/27/2020

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.33	ug/l	0.33		1	8260B		7/31/2020	CJR	1
Bromobenzene	< 0.26	ug/l	0.26	0.84	1	8260B		7/31/2020	CJR	1
Bromodichloromethane	< 0.33	ug/l	0.33		1	8260B		7/31/2020	CJR	1
Bromoform	< 0.65	ug/l	0.65	2.1	1	8260B		7/31/2020	CJR	1
tert-Butylbenzene	< 0.61	ug/l	0.61	1.9	1	8260B		7/31/2020	CJR	1
sec-Butylbenzene	< 0.32	ug/l	0.32		1	8260B		7/31/2020	CJR	1
n-Butylbenzene	< 0.28	ug/l	0.28	0.89	1	8260B		7/31/2020	CJR	1
Carbon Tetrachloride	< 0.31	ug/l	0.31	0.98	1	8260B		7/31/2020	CJR	1
Chlorobenzene	< 0.39	ug/l	0.39	1.2	1	8260B		7/31/2020	CJR	1
Chloroethane	< 1.1	ug/l	1.1	3.6	1	8260B		7/31/2020	CJR	1
Chloroform	< 0.44	ug/l	0.44	1.4	1	8260B		7/31/2020	CJR	1
Chloromethane	< 0.8	ug/l	0.8	2.5	1	8260B		7/31/2020	CJR	1
2-Chlorotoluene	< 0.32	ug/l	0.32		1	8260B		7/31/2020	CJR	1
4-Chlorotoluene	< 0.3	ug/l	0.3	0.96	1	8260B		7/31/2020	CJR	1
1,2-Dibromo-3-chloropropane	< 0.82	ug/l	0.82	2.6	1	8260B		7/31/2020	CJR	1
Dibromochloromethane	< 0.23	ug/l	0.23	0.74	1	8260B		7/31/2020	CJR	1
1,4-Dichlorobenzene	< 0.36	ug/l	0.36	1.1	1	8260B		7/31/2020	CJR	1
1,3-Dichlorobenzene	< 0.31	ug/l	0.31	0.98	1	8260B		7/31/2020	CJR	1
1,2-Dichlorobenzene	< 0.32	ug/l	0.32		1	8260B		7/31/2020	CJR	1
Dichlorodifluoromethane	< 0.45	ug/l	0.45	1.4	1	8260B		7/31/2020	CJR	1
1,2-Dichloroethane	< 0.39	ug/l	0.39	1.3	1	8260B		7/31/2020	CJR	1
1,1-Dichloroethane	< 0.46	ug/l	0.46	1.5	1	8260B		7/31/2020	CJR	1
1,1-Dichloroethene	< 0.5	ug/l	0.5	1.6	1	8260B		7/31/2020	CJR	1
cis-1,2-Dichloroethene	< 0.39	ug/l	0.39	1.2	1	8260B		7/31/2020	CJR	1
trans-1,2-Dichloroethene	< 0.37	ug/l	0.37	1.2	1	8260B		7/31/2020	CJR	1

Project Name FMR ROBINSONS CLEANERS
Project # 6155 PO#2020-1772

Invoice # E38267

Lab Code 5038267A
Sample ID 6155 MW-1
Sample Matrix Water
Sample Date 7/27/2020

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2-Dichloropropane	< 0.38	ug/l	0.38	1.2	1	8260B		7/31/2020	CJR	1
1,3-Dichloropropane	< 0.35	ug/l	0.35	1.1	1	8260B		7/31/2020	CJR	1
trans-1,3-Dichloropropene	< 0.3	ug/l	0.3	0.94	1	8260B		7/31/2020	CJR	1
cis-1,3-Dichloropropene	< 0.36	ug/l	0.36	1.1	1	8260B		7/31/2020	CJR	1
Di-isopropyl ether	< 0.34	ug/l	0.34	1.1	1	8260B		7/31/2020	CJR	1
EDB (1,2-Dibromoethane)	< 0.24	ug/l	0.24	0.75	1	8260B		7/31/2020	CJR	1
Ethylbenzene	< 0.32	ug/l	0.32	1	1	8260B		7/31/2020	CJR	1
Hexachlorobutadiene	< 0.72	ug/l	0.72	2.3	1	8260B		7/31/2020	CJR	1
Isopropylbenzene	< 0.32	ug/l	0.32	1	1	8260B		7/31/2020	CJR	1
p-Isopropyltoluene	< 0.47	ug/l	0.47	1.5	1	8260B		7/31/2020	CJR	1
Methylene chloride	< 1.32	ug/l	1.32	4.21	1	8260B		7/31/2020	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.47	ug/l	0.47	1.5	1	8260B		7/31/2020	CJR	1
Naphthalene	< 1.1	ug/l	1.1	3.6	1	8260B		7/31/2020	CJR	1
n-Propylbenzene	< 0.33	ug/l	0.33	1.1	1	8260B		7/31/2020	CJR	1
1,1,2,2-Tetrachloroethane	< 0.37	ug/l	0.37	1.2	1	8260B		7/31/2020	CJR	1
1,1,1,2-Tetrachloroethane	< 0.88	ug/l	0.88	3.3	1	8260B		7/31/2020	CJR	1
Tetrachloroethene	37	ug/l	0.33	1	1	8260B		7/31/2020	CJR	1
Toluene	< 0.26	ug/l	0.26	0.83	1	8260B		7/31/2020	CJR	1
1,2,4-Trichlorobenzene	< 0.44	ug/l	0.44	1.4	1	8260B		7/31/2020	CJR	1
1,2,3-Trichlorobenzene	< 1	ug/l	1	3.2	1	8260B		7/31/2020	CJR	1
1,1,1-Trichloroethane	< 0.3	ug/l	0.3	0.95	1	8260B		7/31/2020	CJR	1
1,1,2-Trichloroethane	< 0.36	ug/l	0.36	1.1	1	8260B		7/31/2020	CJR	1
Trichloroethene (TCE)	0.49 "J"	ug/l	0.47	1.5	1	8260B		7/31/2020	CJR	1
Trichlorofluoromethane	< 0.42	ug/l	0.42	1.3	1	8260B		7/31/2020	CJR	1
1,2,4-Trimethylbenzene	< 0.3	ug/l	0.3	0.96	1	8260B		7/31/2020	CJR	1
1,3,5-Trimethylbenzene	< 0.32	ug/l	0.32	1	1	8260B		7/31/2020	CJR	1
Vinyl Chloride	< 0.2	ug/l	0.2	0.65	1	8260B		7/31/2020	CJR	1
m&p-Xylene	< 1.1	ug/l	1.1	3.3	1	8260B		7/31/2020	CJR	1
o-Xylene	< 0.38	ug/l	0.38	1.2	1	8260B		7/31/2020	CJR	1
SUR - 1,2-Dichloroethane-d4	93	REC %			1	8260B		7/31/2020	CJR	1
SUR - Toluene-d8	113	REC %			1	8260B		7/31/2020	CJR	1
SUR - Dibromofluoromethane	102	REC %			1	8260B		7/31/2020	CJR	1
SUR - 4-Bromofluorobenzene	140	REC %			1	8260B		7/31/2020	CJR	1

Environmental Lab, Inc.

1990 Prospect Ct. • Appleton, WI 54914
920-830-2455 • FAX 920-733-0631

Sample Handling Request

Rush Analysis Date Required _____
(Rushes accepted only with prior authorization)

Normal Turn Around

Lab I.D. # _____
Account No. : _____ Quote No.: **8242**
Project #: **6155**
Sampler: (signature) *B. J. Kappen / Melody Che*

Project (Name / Location): **Fmr Robinson's Cleaners - Court St**
Reports To: **B. Kappen** Invoice To: **Accounts Payable**
Company: **Enviroforensics LLC** Company: **Enviroforensics LLC**
Address: **bkappen@enviroforensics.com** Address: **accounts payable@enviroforensics.com**
City State Zip: _____ City State Zip: _____
Phone: **262-745-5054** Phone: **317-972-7870**
FAX: _____ FAX: _____

Analysis Requested **Other Analysis**

Lab I.D.	Sample I.D.	Collection		Comp	Grab	Filtered Y/N	No. of Containers	Sample Type (Matrix)*	Preservation	DRO (Mod DRO Sep 95)	GRO (Mod GRO Sep 95)	LEAD	NITRATE/NITRITE	OIL & GREASE	PAH (EPA 8270)	PCB	PVOC (EPA 8021)	PVOC + NAPHTHALENE	SULFATE	TOTAL SUSPENDED SOLIDS	VOC DW (EPA 524.2)	VOC (EPA 8260)	8-RCRA METALS	PID/ FID
		Date	Time																					
5038267A	6155-MW-1	7/27/20	1120		X	N	3	GW	HCl													X		
B	6155-MW-6		1200																			X		
C	6155-MW-8		1650																			X		
D	6155-MW-9		1135																			X		
E	6155-MW-11		1425																			X		
F	6155-MW-12		1210																			X		
G	6155-MW-13		1410																			X		
H	6155-MW-14		1150																			X		
I	6155-MW-20D		1105																			X		
J	6155-PZ-17D1	7/29/20	1150																			X		

Comments/Special Instructions (*Specify groundwater "GW", Drinking Water "DW", Waste Water "WW", Soil "S", Air "A", Oil, Sludge etc.)

PO# 2020-1772

Sample Integrity - To be completed by receiving lab.
Method of Shipment: **GC**
Temp. of Temp. Blank _____ °C On Ice
Cooler seal intact upon receipt: Yes No

Relinquished By: (sign) *B. J. Kappen* Time **1215** Date **7/29/20** Received By: (sign) *Gold Cross* Time **1215** Date **7/29/20**
Received in Laboratory By: *[Signature]* Time: **8:00** Date: **7/31/20**



August 19, 2020

O'Reilly Automotive, Inc.
Store #2049
P.O. Box 9167
Springfield, MO 65801-9167

Subject: Environmental Investigation Sampling Results
BRRTS#: 02-54-221852

Dear Madam or Sir:

In accordance with the executed Agreement to Provide Access for Sampling Activities, and in accordance with Wisconsin Department of Natural Resources (WDNR) regulation NR 716.14, EnviroForensics, LLC (EnviroForensics) is providing the results of an environmental sample collected at the O'Reilly Automotive property located at 1930 West Court Street in Janesville, Wisconsin.

A groundwater sample was collected from monitoring well MW-31D on July 27, 2020. The location of the well is shown on the attached **Figure 1**. The sampling activities were conducted as part of remedial monitoring being performed for Robinson's Cleaners formerly located at 1838 West Court Street in Janesville, Wisconsin. The chemicals of concern (COCs) are the dry cleaning solvent tetrachloroethene (PCE) and its associated breakdown products.

The Responsible Party is:

RayChris, Inc.
5110 N. Conner Road
Janesville, WI 53548

Sampling Results

The sample analytical results are summarized and compared to public health criteria in the attached **Table 1**. An excerpt from the laboratory report that relates to the groundwater sample is also attached.


As can be seen in the attached **Table 1**, PCE and trichloroethene (TCE) were detected in the MW-31D sample at concentrations above their WDNR enforcement standards. In addition, cis-1,2-dichloroethene (DCE) was detected at a concentration below public health criteria. No other COCs were detected at concentrations exceeding laboratory detection limits.

Document: 6155-3328
EnviroForensics, LLC
N16 W23390 Stone Ridge Dr, Suite G, Waukesha, WI 53188
Phone: 262-290-4001 • Fax 317-972-7875

We may continue to conduct periodic groundwater monitoring activities in the future, which could include the monitoring wells on the O'Reilly Automotive property.

If you have any questions or concerns, please contact me at 414-982-3988 or by email at wfassbender@enviroforensics.com. The WDNR project manager, Jeff Ackerman, can be reached at 608-275-3323. We greatly appreciate your help and patience with this matter.

Sincerely,
EnviroForensics, LLC


A handwritten signature in black ink that reads "Wayne P. Fassbender".

Wayne Fassbender, PG, PMP
Senior Project Manager

Copy: Jeff Ackerman, Wisconsin Department of Natural Resources

Attachments:

Figure 1: Monitoring Well Location
Table 1: Summary of Groundwater Analytical Results
Groundwater Laboratory Analytical Report Excerpt



Legend

- WTR — Underground water utility line
- - - Underground storm utility line
- SAN — Underground sanitary utility line
- UGT — Underground telephone utility line
- GAS — Underground gas utility line
- UGE — Underground electrical utility line
- OHD — Overhead electrical utility line
- ◆ MW-3S Monitoring well (Dolomite)
- ◆ MW-9D Monitoring well (Sandstone)

MONITORING WELL LOCATIONS	
Robinson Dry Cleaners 1838 West Court Street Janesville, WI	
	Figure 1
<small>ENVIRONMENTAL FORENSIC INVESTIGATIONS, INC. 602 N. Capitol Ave., Ste. 210 • Indianapolis, IN 46204 EnviroForensics.com</small>	Project 6155

Date:	1/19/15
Designed:	EB
Drawn:	EB
Checked:	BK
DWG file:	6155-1178

TABLE 1
SUMMARY OF GROUNDWATER SAMPLE ANALYTICAL RESULTS

Former Robinson's Cleaners
1838 W. Court Street
Janesville, Wisconsin

Monitoring Well ID	Sample ID	Sample Date	Sample Method	Tetrachloroethene	Trichloroethene	cis-1,2-Dichloroethene	trans-1,2-Dichloroethene	Vinyl chloride
Enforcement Standard				5	5	70	100	0.2
Preventive Action Limit				0.5	0.5	7	20	0.02
MW-31D	6155-MW-31D	7/27/2020	PDB	340	6.4	1.22 J	<0.74	<0.4

Notes:

All concentrations reported in units of µg/L = micrograms per liter

Samples analyzed using EPA SW-846 Method 8260

Bolded values are above detection limits

Bolded and Shaded Orange values are above the Public Health Enforcement Standard

Bolded and Shaded Blue values are above Public Health Preventive Action Limit

J = Analyte concentration detected between the laboratory Reporting Limit and Method Detection Limit

PDB = Passive Diffusion Bag used as Sampling Method

Low Flow = Standard Low Flow Sampling Method using Bladder Pump

Project Name FMR ROBINSONS CLEANERS
Project # 6155 PO#2020-1772

Invoice # E38267

Lab Code 5038267X
Sample ID 6155 MW-31D
Sample Matrix Water
Sample Date 7/27/2020

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.66	ug/l	0.66		2	2	8260B	8/4/2020	CJR	1
Bromobenzene	< 0.52	ug/l	0.52	1.68	2	2	8260B	8/4/2020	CJR	1
Bromodichloromethane	< 0.66	ug/l	0.66		2	2	8260B	8/4/2020	CJR	1
Bromoform	< 1.3	ug/l	1.3	4.2	2	2	8260B	8/4/2020	CJR	1
tert-Butylbenzene	< 1.22	ug/l	1.22	3.8	2	2	8260B	8/4/2020	CJR	1
sec-Butylbenzene	< 0.64	ug/l	0.64		2	2	8260B	8/4/2020	CJR	1
n-Butylbenzene	< 0.56	ug/l	0.56	1.78	2	2	8260B	8/4/2020	CJR	1
Carbon Tetrachloride	< 0.62	ug/l	0.62	1.96	2	2	8260B	8/4/2020	CJR	1
Chlorobenzene	< 0.78	ug/l	0.78	2.4	2	2	8260B	8/4/2020	CJR	1
Chloroethane	< 2.2	ug/l	2.2	7.2	2	2	8260B	8/4/2020	CJR	1
Chloroform	< 0.88	ug/l	0.88	2.8	2	2	8260B	8/4/2020	CJR	1
Chloromethane	< 1.6	ug/l	1.6	5	2	2	8260B	8/4/2020	CJR	1
2-Chlorotoluene	< 0.64	ug/l	0.64		2	2	8260B	8/4/2020	CJR	1
4-Chlorotoluene	< 0.6	ug/l	0.6	1.92	2	2	8260B	8/4/2020	CJR	1
1,2-Dibromo-3-chloropropane	< 1.64	ug/l	1.64	5.2	2	2	8260B	8/4/2020	CJR	1
Dibromochloromethane	< 0.46	ug/l	0.46	1.48	2	2	8260B	8/4/2020	CJR	1
1,4-Dichlorobenzene	< 0.72	ug/l	0.72	2.2	2	2	8260B	8/4/2020	CJR	1
1,3-Dichlorobenzene	< 0.62	ug/l	0.62	1.96	2	2	8260B	8/4/2020	CJR	1
1,2-Dichlorobenzene	< 0.64	ug/l	0.64		2	2	8260B	8/4/2020	CJR	1
Dichlorodifluoromethane	< 0.9	ug/l	0.9	2.8	2	2	8260B	8/4/2020	CJR	1
1,2-Dichloroethane	< 0.78	ug/l	0.78	2.6	2	2	8260B	8/4/2020	CJR	1
1,1-Dichloroethane	< 0.92	ug/l	0.92	3	2	2	8260B	8/4/2020	CJR	1
1,1-Dichloroethene	< 1	ug/l	1	3.2	2	2	8260B	8/4/2020	CJR	1
cis-1,2-Dichloroethene	1.22 "J"	ug/l	0.78	2.4	2	2	8260B	8/4/2020	CJR	1
trans-1,2-Dichloroethene	< 0.74	ug/l	0.74	2.4	2	2	8260B	8/4/2020	CJR	1
1,2-Dichloropropane	< 0.76	ug/l	0.76	2.4	2	2	8260B	8/4/2020	CJR	1
1,3-Dichloropropane	< 0.7	ug/l	0.7	2.2	2	2	8260B	8/4/2020	CJR	1
trans-1,3-Dichloropropene	< 0.6	ug/l	0.6	1.88	2	2	8260B	8/4/2020	CJR	1
cis-1,3-Dichloropropene	< 0.72	ug/l	0.72	2.2	2	2	8260B	8/4/2020	CJR	1
Di-isopropyl ether	< 0.68	ug/l	0.68	2.2	2	2	8260B	8/4/2020	CJR	1
EDB (1,2-Dibromoethane)	< 0.48	ug/l	0.48	1.5	2	2	8260B	8/4/2020	CJR	1
Ethylbenzene	< 0.64	ug/l	0.64		2	2	8260B	8/4/2020	CJR	1
Hexachlorobutadiene	< 1.44	ug/l	1.44	4.6	2	2	8260B	8/4/2020	CJR	1
Isopropylbenzene	< 0.64	ug/l	0.64		2	2	8260B	8/4/2020	CJR	1
p-Isopropyltoluene	< 0.94	ug/l	0.94	3	2	2	8260B	8/4/2020	CJR	1
Methylene chloride	< 2.64	ug/l	2.64	8.42	2	2	8260B	8/4/2020	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.94	ug/l	0.94	3	2	2	8260B	8/4/2020	CJR	1
Naphthalene	< 2.2	ug/l	2.2	7.2	2	2	8260B	8/4/2020	CJR	1
n-Propylbenzene	< 0.66	ug/l	0.66	2.2	2	2	8260B	8/4/2020	CJR	1
1,1,2,2-Tetrachloroethane	< 0.74	ug/l	0.74	2.4	2	2	8260B	8/4/2020	CJR	1
1,1,1,2-Tetrachloroethane	< 1.76	ug/l	1.76	6.6	2	2	8260B	8/4/2020	CJR	1
Tetrachloroethene	340	ug/l	0.66		2	2	8260B	8/4/2020	CJR	1
Toluene	< 0.52	ug/l	0.52	1.66	2	2	8260B	8/4/2020	CJR	1
1,2,4-Trichlorobenzene	< 0.88	ug/l	0.88	2.8	2	2	8260B	8/4/2020	CJR	1

Project Name FMR ROBINSONS CLEANERS
Project # 6155 PO#2020-1772

Invoice # E38267

Lab Code 5038267X
Sample ID 6155 MW-31D
Sample Matrix Water
Sample Date 7/27/2020

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 2	ug/l	2	6.4	2	8260B		8/4/2020	CJR	1
1,1,1-Trichloroethane	< 0.6	ug/l	0.6	1.9	2	8260B		8/4/2020	CJR	1
1,1,2-Trichloroethane	< 0.72	ug/l	0.72	2.2	2	8260B		8/4/2020	CJR	1
Trichloroethene (TCE)	6.4	ug/l	0.94	3	2	8260B		8/4/2020	CJR	1
Trichlorofluoromethane	< 0.84	ug/l	0.84	2.6	2	8260B		8/4/2020	CJR	1
1,2,4-Trimethylbenzene	< 0.6	ug/l	0.6	1.92	2	8260B		8/4/2020	CJR	1
1,3,5-Trimethylbenzene	< 0.64	ug/l	0.64	2	2	8260B		8/4/2020	CJR	1
Vinyl Chloride	< 0.4	ug/l	0.4	1.3	2	8260B		8/4/2020	CJR	1
m&p-Xylene	< 2.2	ug/l	2.2	6.6	2	8260B		8/4/2020	CJR	1
o-Xylene	< 0.76	ug/l	0.76	2.4	2	8260B		8/4/2020	CJR	1
SUR - 1,2-Dichloroethane-d4	105	REC %			2	8260B		8/4/2020	CJR	1
SUR - 4-Bromofluorobenzene	99	REC %			2	8260B		8/4/2020	CJR	1
SUR - Dibromofluoromethane	94	REC %			2	8260B		8/4/2020	CJR	1
SUR - Toluene-d8	109	REC %			2	8260B		8/4/2020	CJR	1

Environmental Lab, Inc.

1990 Prospect Ct. • Appleton, WI 54914
920-830-2455 • FAX 920-733-0631

Sample Handling Request
 Rush Analysis Date Required _____
 (Rushes accepted only with prior authorization)
 Normal Turn Around

Lab I.D. # _____
 Account No. : _____ Quote No.: **8242**
 Project #: **6155**
 Sampler: (signature) *B. J. Ryan*

Project (Name / Location): _____
 Reports To: _____ Invoice To: _____
 Company: _____ Company: _____
 Address: _____ Address: _____
 City State Zip: _____ City State Zip: _____
 Phone: _____ Phone: _____
 FAX: _____ FAX: _____

										Analysis Requested										Other Analysis					
Lab I.D.	Sample I.D.	Collection Date	Time	Comp	Grab	Filtered Y/N	No. of Containers	Sample Type (Matrix)*	Preservation	DRO (Mod DRO Sep 95)	GRO (Mod GRO Sep 95)	LEAD	NITRATE/NITRITE	OIL & GREASE	PAH (EPA 8270)	PCB	PVOC (EPA 8021)	PVOC + NAPHTHALENE	SULFATE	TOTAL SUSPENDED SOLIDS	VOC DW (EPA 524.2)	VOC (EPA 8260)	8-RCRA METALS	PID/FID	
6038267U	6155-MW-30S	7/27/20	1005		X	N	3	GW	HCl																
V	6155-MW-30D		1010																						
W	6155-MW-30D3		1018																						
X	6155-MW-31D		1300																						
Y	6155-MW-32		1345																						
Z	6155-MW-35D		1610																						
AA	6155-MW-36S		935																						
BB	6155-MW-36D		940																						
CC	6155-MW-37D		1700																						
DD	6155-MW-38D		1335																						

Comments/Special Instructions (*Specify groundwater "GW", Drinking Water "DW", Waste Water "WW", Soil "S", Air "A", Oil, Sludge etc.)

Sample Integrity - To be completed by receiving lab.
 Method of Shipment:
 Temp. of Temp. Blank _____ °C On Ice
 Cooler seal intact upon receipt: Yes _____ No

Relinquished By: (sign) *B. J. Ryan* Time 1215 Date 7/29/20
 Received By: (sign) *Gold Cross* Time 1215 Date 7/29/20
 Received in Laboratory By: *[Signature]* Time: 8:00 Date: 7/31/20



August 19, 2020

Jessica Miedema
Matanky Realty Group, Inc.
200 N LaSalle St #2350,
Chicago, IL 60601

**Subject: Environmental Investigation Sampling Results
BRRTS#: 02-54-221852**

Dear Ms. Miedema:

In accordance with the executed Agreement to Provide Access for Sampling Activities, and in accordance with Wisconsin Department of Natural Resources (WDNR) regulation NR 716.14, EnviroForensics, LLC (EnviroForensics) is providing the results of environmental samples collected at the Sunnyside Shopping Center located at 1820 West Court Street in Janesville, Wisconsin.

Groundwater samples were collected from 15 monitoring wells on July 27, 2020. The locations of all monitoring wells on the property are shown on attached **Figure 1**, and the list of sampled wells is provided on **Table 1** (attached). The sampling activities were conducted as part of remedial monitoring being performed for the Robinson's Cleaners formerly located at 1838 West Court Street in Janesville, Wisconsin. The chemicals of concern (COCs) are the dry cleaning solvent tetrachloroethene (PCE) and its associated breakdown products.

The Responsible Party is:

RayChris, Inc.
5110 N. Connor Road
Janesville, WI 53548

Sampling Results

The most recent analytes detected in the groundwater samples collected from the monitoring wells are summarized and compared to public health criteria in the attached **Table 1**. An excerpt of the laboratory report that relates to the groundwater samples collected from the monitoring wells is also attached.

As can be seen in the attached **Table 1**, the groundwater samples collected from 11 wells contained PCE and/or trichloroethene (TCE) at concentrations that exceed the WDNR public health enforcement standards (ESs) for those compounds. Additionally, samples collected from wells MW-6 and MW-11 contained cis-1,2-Dichloroethene (DCE) and/or vinyl chloride at concentrations that exceed the ESs for those compounds. TCE, DCE, and vinyl chloride are natural breakdown products of PCE.

We may continue to conduct periodic groundwater monitoring activities in the future. If you have any questions or concerns, please contact me at 414-982-3988 or by email at wfassbender@enviroforensics.com. The WDNR project manager, Jeff Ackerman, can be reached at 608-275-3323. We greatly appreciate your help and patience with this matter.

Sincerely,
EnviroForensics, LLC

A handwritten signature in black ink that reads "Wayne P. Fassbender".










Wayne Fassbender, PG, PMP
Senior Project Manager


Copy: Jeff Ackerman, Wisconsin Department of Natural Resources

Attachments:

- Figure 1: Monitoring Well Locations
- Table 1: Summary of Groundwater Analytical Results
- Groundwater Laboratory Analytical Report Excerpt

Legend

-  WTR — Underground water utility line
-  SAN — Underground sanitary utility line
-  UGT — Underground telephone utility line
-  GAS — Underground gas utility line
-  UGE — Underground electrical utility line
-  OHD — Overhead electrical utility line
-  MW-9S — Monitoring well (Dolomite)
-  MW-9D — Monitoring well (Sandstone)
-  MW-9 — Monitoring well (Abandoned)



MONITORING WELL LOCATIONS	
Robinson Dry Cleaners 1838 West Court Street Janesville, WI	
	Figure 1
ENVIRONMENTAL FORENSIC INVESTIGATIONS, INC. 602 N. Capitol Ave., Ste. 210 • Indianapolis, IN 46204 EnviroForensics.com	Project 6155

Date:	1/19/15
Designed:	EB
Drawn:	EB
Checked:	BK
DWG file:	6155-1178

TABLE 1
SUMMARY OF GROUNDWATER SAMPLE ANALYTICAL RESULTS

Former Robinson's Cleaners
1838 W. Court Street
Janesville, Wisconsin

Monitoring Well ID	Sample ID	Sample Date	Sample Method	Tetrachloroethene	Trichloroethene	cis-1,2-Dichloroethene	trans-1,2-Dichloroethene	Vinyl chloride
Enforcement Standard				5	5	70	100	0.2
Preventive Action Limit				0.5	0.5	7	20	0.02
MW-6	6155-MW-6	7/27/2020	PDB	<1.65	55	490	6.5	46
MW-9	6155-MW-9	7/27/2020	PDB	<0.33	0.51 J	0.93 J	<0.37	<0.2
MW-11	6155-MW-11	7/27/2020	PDB	<0.33	<0.47	7.6	<0.37	3.4
MW-12	6155-MW-12	7/27/2020	PDB	450	17	14.9	<1.85	<1
MW-13	6155-MW-13	7/27/2020	PDB	910	6.2 J	4.7 J	<3.7	<2
MW-14	6155-MW-14	7/27/2020	PDB	117	3.13	2.66	<0.37	<0.2
MW-20D	6155-MW-20D	7/27/2020	PDB	3,040	44 J	25.5 J	<18.5	<10
MW-27S	6155-MW-27S	7/27/2020	PDB	740	25.9	24	<1.85	<1
MW-27D	6155-MW-27D	7/27/2020	PDB	470	4.7	2.04	<0.37	<0.2
MW-27DS	6155-MW-27DS	7/27/2020	PDB	136	1.71	0.49 J	<0.37	<0.2
MW-29	6155-MW-29	7/27/2020	PDB	3.3	<0.47	<0.39	<0.37	<0.2
MW-29S	6155-MW-29S	7/27/2020	PDB	40	0.95 J	1.99	<0.37	<0.2
MW-36S	6155-MW-36S	7/27/2020	PDB	570	34	23.1	<1.85	<1
MW-36D	6155-MW-36D	7/27/2020	PDB	<0.33	<0.47	<0.39	<0.37	<0.2
MW-39S	6155-MW-39S	7/27/2020	PDB	7,000	264	48 J	<18.5	<10

Notes:

All concentrations reported in units of µg/L = micrograms per liter

Samples analyzed using EPA SW-846 Method 8260

Bolded values are above detection limits

Bolded and Shaded Orange values are above the Public Health Enforcement Standard

Bolded and Shaded Blue values are above Public Health Preventive Action Limit

J = Analyte concentration detected between the laboratory Reporting Limit and Method Detection Limit

PDB = Passive Diffusion Bag used as Sampling Method

Low Flow = Standard Low Flow Sampling Method using Bladder Pump

Project Name FMR ROBINSONS CLEANERS
 Project # 6155 PO#2020-1772

Invoice # E38267

Lab Code 5038267B
 Sample ID 6155 MW-6
 Sample Matrix Water
 Sample Date 7/27/2020

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 1.65	ug/l	1.65	5	5	8260B		8/4/2020	CJR	1
Bromobenzene	< 1.3	ug/l	1.3	4.2	5	8260B		8/4/2020	CJR	1
Bromodichloromethane	< 1.65	ug/l	1.65	5	5	8260B		8/4/2020	CJR	1
Bromoform	< 3.25	ug/l	3.25	10.5	5	8260B		8/4/2020	CJR	1
tert-Butylbenzene	< 3.05	ug/l	3.05	9.5	5	8260B		8/4/2020	CJR	1
sec-Butylbenzene	< 1.6	ug/l	1.6	5	5	8260B		8/4/2020	CJR	1
n-Butylbenzene	1.6 "J"	ug/l	1.4	4.45	5	8260B		8/4/2020	CJR	1
Carbon Tetrachloride	< 1.55	ug/l	1.55	4.9	5	8260B		8/4/2020	CJR	1
Chlorobenzene	< 1.95	ug/l	1.95	6	5	8260B		8/4/2020	CJR	1
Chloroethane	< 5.5	ug/l	5.5	18	5	8260B		8/4/2020	CJR	1
Chloroform	< 2.2	ug/l	2.2	7	5	8260B		8/4/2020	CJR	1
Chloromethane	< 4	ug/l	4	12.5	5	8260B		8/4/2020	CJR	1
2-Chlorotoluene	< 1.6	ug/l	1.6	5	5	8260B		8/4/2020	CJR	1
4-Chlorotoluene	< 1.5	ug/l	1.5	4.8	5	8260B		8/4/2020	CJR	1
1,2-Dibromo-3-chloropropane	< 4.1	ug/l	4.1	13	5	8260B		8/4/2020	CJR	1
Dibromochloromethane	< 1.15	ug/l	1.15	3.7	5	8260B		8/4/2020	CJR	1
1,4-Dichlorobenzene	< 1.8	ug/l	1.8	5.5	5	8260B		8/4/2020	CJR	1
1,3-Dichlorobenzene	< 1.55	ug/l	1.55	4.9	5	8260B		8/4/2020	CJR	1
1,2-Dichlorobenzene	< 1.6	ug/l	1.6	5	5	8260B		8/4/2020	CJR	1
Dichlorodifluoromethane	< 2.25	ug/l	2.25	7	5	8260B		8/4/2020	CJR	1
1,2-Dichloroethane	< 1.95	ug/l	1.95	6.5	5	8260B		8/4/2020	CJR	1
1,1-Dichloroethane	< 2.3	ug/l	2.3	7.5	5	8260B		8/4/2020	CJR	1
1,1-Dichloroethene	< 2.5	ug/l	2.5	8	5	8260B		8/4/2020	CJR	1
cis-1,2-Dichloroethene	490	ug/l	1.95	6	5	8260B		8/4/2020	CJR	1
trans-1,2-Dichloroethene	6.5	ug/l	1.85	6	5	8260B		8/4/2020	CJR	1
1,2-Dichloropropane	< 1.9	ug/l	1.9	6	5	8260B		8/4/2020	CJR	1
1,3-Dichloropropane	< 1.75	ug/l	1.75	5.5	5	8260B		8/4/2020	CJR	1
trans-1,3-Dichloropropene	< 1.5	ug/l	1.5	4.7	5	8260B		8/4/2020	CJR	1
cis-1,3-Dichloropropene	< 1.8	ug/l	1.8	5.5	5	8260B		8/4/2020	CJR	1
Di-isopropyl ether	< 1.7	ug/l	1.7	5.5	5	8260B		8/4/2020	CJR	1
EDB (1,2-Dibromoethane)	< 1.2	ug/l	1.2	3.75	5	8260B		8/4/2020	CJR	1
Ethylbenzene	< 1.6	ug/l	1.6	5	5	8260B		8/4/2020	CJR	1
Hexachlorobutadiene	< 3.6	ug/l	3.6	11.5	5	8260B		8/4/2020	CJR	1
Isopropylbenzene	< 1.6	ug/l	1.6	5	5	8260B		8/4/2020	CJR	1
p-Isopropyltoluene	< 2.35	ug/l	2.35	7.5	5	8260B		8/4/2020	CJR	1
Methylene chloride	< 6.6	ug/l	6.6	21.05	5	8260B		8/4/2020	CJR	1
Methyl tert-butyl ether (MTBE)	< 2.35	ug/l	2.35	7.5	5	8260B		8/4/2020	CJR	1
Naphthalene	< 5.5	ug/l	5.5	18	5	8260B		8/4/2020	CJR	1
n-Propylbenzene	< 1.65	ug/l	1.65	5.5	5	8260B		8/4/2020	CJR	1
1,1,2,2-Tetrachloroethane	< 1.85	ug/l	1.85	6	5	8260B		8/4/2020	CJR	1
1,1,1,2-Tetrachloroethane	< 4.4	ug/l	4.4	16.5	5	8260B		8/4/2020	CJR	1
Tetrachloroethene	< 1.65	ug/l	1.65	5	5	8260B		8/4/2020	CJR	1
Toluene	< 1.3	ug/l	1.3	4.15	5	8260B		8/4/2020	CJR	1
1,2,4-Trichlorobenzene	< 2.2	ug/l	2.2	7	5	8260B		8/4/2020	CJR	1

Project Name FMR ROBINSONS CLEANERS
Project # 6155 PO#2020-1772

Invoice # E38267

Lab Code 5038267B
Sample ID 6155 MW-6
Sample Matrix Water
Sample Date 7/27/2020

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 5	ug/l	5	16	5	8260B		8/4/2020	CJR	1
1,1,1-Trichloroethane	< 1.5	ug/l	1.5	4.75	5	8260B		8/4/2020	CJR	1
1,1,2-Trichloroethane	< 1.8	ug/l	1.8	5.5	5	8260B		8/4/2020	CJR	1
Trichloroethene (TCE)	55	ug/l	2.35	7.5	5	8260B		8/4/2020	CJR	1
Trichlorofluoromethane	< 2.1	ug/l	2.1	6.5	5	8260B		8/4/2020	CJR	1
1,2,4-Trimethylbenzene	< 1.5	ug/l	1.5	4.8	5	8260B		8/4/2020	CJR	1
1,3,5-Trimethylbenzene	< 1.6	ug/l	1.6	5	5	8260B		8/4/2020	CJR	1
Vinyl Chloride	46	ug/l	1	3.25	5	8260B		8/4/2020	CJR	1
m&p-Xylene	< 5.5	ug/l	5.5	16.5	5	8260B		8/4/2020	CJR	1
o-Xylene	< 1.9	ug/l	1.9	6	5	8260B		8/4/2020	CJR	1
SUR - 1,2-Dichloroethane-d4	114	REC %			5	8260B		8/4/2020	CJR	1
SUR - 4-Bromofluorobenzene	96	REC %			5	8260B		8/4/2020	CJR	1
SUR - Dibromofluoromethane	107	REC %			5	8260B		8/4/2020	CJR	1
SUR - Toluene-d8	104	REC %			5	8260B		8/4/2020	CJR	1

Project Name FMR ROBINSONS CLEANERS
Project # 6155 PO#2020-1772

Invoice # E38267

Lab Code 5038267D
Sample ID 6155 MW-9
Sample Matrix Water
Sample Date 7/27/2020

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.33	ug/l	0.33		1	8260B		8/5/2020	CJR	1
Bromobenzene	< 0.26	ug/l	0.26	0.84	1	8260B		8/5/2020	CJR	1
Bromodichloromethane	< 0.33	ug/l	0.33		1	8260B		8/5/2020	CJR	1
Bromoform	< 0.65	ug/l	0.65	2.1	1	8260B		8/5/2020	CJR	1
tert-Butylbenzene	< 0.61	ug/l	0.61	1.9	1	8260B		8/5/2020	CJR	1
sec-Butylbenzene	0.9 "J"	ug/l	0.32		1	8260B		8/5/2020	CJR	1
n-Butylbenzene	< 0.28	ug/l	0.28	0.89	1	8260B		8/5/2020	CJR	1
Carbon Tetrachloride	< 0.31	ug/l	0.31	0.98	1	8260B		8/5/2020	CJR	1
Chlorobenzene	< 0.39	ug/l	0.39	1.2	1	8260B		8/5/2020	CJR	1
Chloroethane	< 1.1	ug/l	1.1	3.6	1	8260B		8/5/2020	CJR	1
Chloroform	< 0.44	ug/l	0.44	1.4	1	8260B		8/5/2020	CJR	1
Chloromethane	< 0.8	ug/l	0.8	2.5	1	8260B		8/5/2020	CJR	1
2-Chlorotoluene	< 0.32	ug/l	0.32		1	8260B		8/5/2020	CJR	1
4-Chlorotoluene	< 0.3	ug/l	0.3	0.96	1	8260B		8/5/2020	CJR	1
1,2-Dibromo-3-chloropropane	< 0.82	ug/l	0.82	2.6	1	8260B		8/5/2020	CJR	1
Dibromochloromethane	< 0.23	ug/l	0.23	0.74	1	8260B		8/5/2020	CJR	1
1,4-Dichlorobenzene	< 0.36	ug/l	0.36	1.1	1	8260B		8/5/2020	CJR	1
1,3-Dichlorobenzene	< 0.31	ug/l	0.31	0.98	1	8260B		8/5/2020	CJR	1
1,2-Dichlorobenzene	< 0.32	ug/l	0.32		1	8260B		8/5/2020	CJR	1
Dichlorodifluoromethane	< 0.45	ug/l	0.45	1.4	1	8260B		8/5/2020	CJR	1
1,2-Dichloroethane	< 0.39	ug/l	0.39	1.3	1	8260B		8/5/2020	CJR	1
1,1-Dichloroethane	< 0.46	ug/l	0.46	1.5	1	8260B		8/5/2020	CJR	1
1,1-Dichloroethene	< 0.5	ug/l	0.5	1.6	1	8260B		8/5/2020	CJR	1
cis-1,2-Dichloroethene	0.93 "J"	ug/l	0.39	1.2	1	8260B		8/5/2020	CJR	1
trans-1,2-Dichloroethene	< 0.37	ug/l	0.37	1.2	1	8260B		8/5/2020	CJR	1
1,2-Dichloropropane	< 0.38	ug/l	0.38	1.2	1	8260B		8/5/2020	CJR	1
1,3-Dichloropropane	< 0.35	ug/l	0.35	1.1	1	8260B		8/5/2020	CJR	1
trans-1,3-Dichloropropene	< 0.3	ug/l	0.3	0.94	1	8260B		8/5/2020	CJR	1
cis-1,3-Dichloropropene	< 0.36	ug/l	0.36	1.1	1	8260B		8/5/2020	CJR	1
Di-isopropyl ether	< 0.34	ug/l	0.34	1.1	1	8260B		8/5/2020	CJR	1
EDB (1,2-Dibromoethane)	< 0.24	ug/l	0.24	0.75	1	8260B		8/5/2020	CJR	1
Ethylbenzene	< 0.32	ug/l	0.32		1	8260B		8/5/2020	CJR	1
Hexachlorobutadiene	< 0.72	ug/l	0.72	2.3	1	8260B		8/5/2020	CJR	1
Isopropylbenzene	< 0.32	ug/l	0.32		1	8260B		8/5/2020	CJR	1
p-Isopropyltoluene	< 0.47	ug/l	0.47	1.5	1	8260B		8/5/2020	CJR	1
Methylene chloride	< 1.32	ug/l	1.32	4.21	1	8260B		8/5/2020	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.47	ug/l	0.47	1.5	1	8260B		8/5/2020	CJR	1
Naphthalene	< 1.1	ug/l	1.1	3.6	1	8260B		8/5/2020	CJR	1
n-Propylbenzene	< 0.33	ug/l	0.33	1.1	1	8260B		8/5/2020	CJR	1
1,1,2,2-Tetrachloroethane	< 0.37	ug/l	0.37	1.2	1	8260B		8/5/2020	CJR	1
1,1,1,2-Tetrachloroethane	< 0.88	ug/l	0.88	3.3	1	8260B		8/5/2020	CJR	1
Tetrachloroethene	< 0.33	ug/l	0.33		1	8260B		8/5/2020	CJR	1
Toluene	< 0.26	ug/l	0.26	0.83	1	8260B		8/5/2020	CJR	1
1,2,4-Trichlorobenzene	< 0.44	ug/l	0.44	1.4	1	8260B		8/5/2020	CJR	1

Project Name FMR ROBINSONS CLEANERS
Project # 6155 PO#2020-1772

Invoice # E38267

Lab Code 5038267D
Sample ID 6155 MW-9
Sample Matrix Water
Sample Date 7/27/2020

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 1	ug/l	1	3.2	1	8260B		8/5/2020	CJR	1
1,1,1-Trichloroethane	< 0.3	ug/l	0.3	0.95	1	8260B		8/5/2020	CJR	1
1,1,2-Trichloroethane	< 0.36	ug/l	0.36	1.1	1	8260B		8/5/2020	CJR	1
Trichloroethene (TCE)	0.51 "J"	ug/l	0.47	1.5	1	8260B		8/5/2020	CJR	1
Trichlorofluoromethane	< 0.42	ug/l	0.42	1.3	1	8260B		8/5/2020	CJR	1
1,2,4-Trimethylbenzene	< 0.3	ug/l	0.3	0.96	1	8260B		8/5/2020	CJR	1
1,3,5-Trimethylbenzene	< 0.32	ug/l	0.32	1	1	8260B		8/5/2020	CJR	1
Vinyl Chloride	< 0.2	ug/l	0.2	0.65	1	8260B		8/5/2020	CJR	1
m&p-Xylene	< 1.1	ug/l	1.1	3.3	1	8260B		8/5/2020	CJR	1
o-Xylene	< 0.38	ug/l	0.38	1.2	1	8260B		8/5/2020	CJR	1
SUR - Dibromofluoromethane	100	REC %				8260B		8/5/2020	CJR	1
SUR - Toluene-d8	112	REC %				8260B		8/5/2020	CJR	1
SUR - 4-Bromofluorobenzene	98	REC %				8260B		8/5/2020	CJR	1
SUR - 1,2-Dichloroethane-d4	110	REC %				8260B		8/5/2020	CJR	1

Project Name FMR ROBINSONS CLEANERS
Project # 6155 PO#2020-1772

Invoice # E38267

Lab Code 5038267E
Sample ID 6155 MW-11
Sample Matrix Water
Sample Date 7/27/2020

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	0.43 "J"	ug/l	0.33		1	8260B		8/5/2020	CJR	1
Bromobenzene	< 0.26	ug/l	0.26	0.84	1	8260B		8/5/2020	CJR	1
Bromodichloromethane	< 0.33	ug/l	0.33	1	1	8260B		8/5/2020	CJR	1
Bromoform	< 0.65	ug/l	0.65	2.1	1	8260B		8/5/2020	CJR	1
tert-Butylbenzene	< 0.61	ug/l	0.61	1.9	1	8260B		8/5/2020	CJR	1
sec-Butylbenzene	1.49	ug/l	0.32	1	1	8260B		8/5/2020	CJR	1
n-Butylbenzene	0.52 "J"	ug/l	0.28	0.89	1	8260B		8/5/2020	CJR	1
Carbon Tetrachloride	< 0.31	ug/l	0.31	0.98	1	8260B		8/5/2020	CJR	1
Chlorobenzene	< 0.39	ug/l	0.39	1.2	1	8260B		8/5/2020	CJR	1
Chloroethane	< 1.1	ug/l	1.1	3.6	1	8260B		8/5/2020	CJR	1
Chloroform	< 0.44	ug/l	0.44	1.4	1	8260B		8/5/2020	CJR	1
Chloromethane	< 0.8	ug/l	0.8	2.5	1	8260B		8/5/2020	CJR	1
2-Chlorotoluene	< 0.32	ug/l	0.32	1	1	8260B		8/5/2020	CJR	1
4-Chlorotoluene	< 0.3	ug/l	0.3	0.96	1	8260B		8/5/2020	CJR	1
1,2-Dibromo-3-chloropropane	< 0.82	ug/l	0.82	2.6	1	8260B		8/5/2020	CJR	1
Dibromochloromethane	< 0.23	ug/l	0.23	0.74	1	8260B		8/5/2020	CJR	1
1,4-Dichlorobenzene	< 0.36	ug/l	0.36	1.1	1	8260B		8/5/2020	CJR	1
1,3-Dichlorobenzene	< 0.31	ug/l	0.31	0.98	1	8260B		8/5/2020	CJR	1
1,2-Dichlorobenzene	< 0.32	ug/l	0.32	1	1	8260B		8/5/2020	CJR	1
Dichlorodifluoromethane	< 0.45	ug/l	0.45	1.4	1	8260B		8/5/2020	CJR	1
1,2-Dichloroethane	< 0.39	ug/l	0.39	1.3	1	8260B		8/5/2020	CJR	1
1,1-Dichloroethane	< 0.46	ug/l	0.46	1.5	1	8260B		8/5/2020	CJR	1
1,1-Dichloroethene	< 0.5	ug/l	0.5	1.6	1	8260B		8/5/2020	CJR	1
cis-1,2-Dichloroethene	7.6	ug/l	0.39	1.2	1	8260B		8/5/2020	CJR	1
trans-1,2-Dichloroethene	< 0.37	ug/l	0.37	1.2	1	8260B		8/5/2020	CJR	1
1,2-Dichloropropane	< 0.38	ug/l	0.38	1.2	1	8260B		8/5/2020	CJR	1
1,3-Dichloropropane	< 0.35	ug/l	0.35	1.1	1	8260B		8/5/2020	CJR	1
trans-1,3-Dichloropropene	< 0.3	ug/l	0.3	0.94	1	8260B		8/5/2020	CJR	1
cis-1,3-Dichloropropene	< 0.36	ug/l	0.36	1.1	1	8260B		8/5/2020	CJR	1
Di-isopropyl ether	0.7 "J"	ug/l	0.34	1.1	1	8260B		8/5/2020	CJR	1
EDB (1,2-Dibromoethane)	< 0.24	ug/l	0.24	0.75	1	8260B		8/5/2020	CJR	1
Ethylbenzene	< 0.32	ug/l	0.32	1	1	8260B		8/5/2020	CJR	1
Hexachlorobutadiene	< 0.72	ug/l	0.72	2.3	1	8260B		8/5/2020	CJR	1
Isopropylbenzene	0.59 "J"	ug/l	0.32	1	1	8260B		8/5/2020	CJR	1
p-Isopropyltoluene	< 0.47	ug/l	0.47	1.5	1	8260B		8/5/2020	CJR	1
Methylene chloride	< 1.32	ug/l	1.32	4.21	1	8260B		8/5/2020	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.47	ug/l	0.47	1.5	1	8260B		8/5/2020	CJR	1
Naphthalene	< 1.1	ug/l	1.1	3.6	1	8260B		8/5/2020	CJR	1
n-Propylbenzene	< 0.33	ug/l	0.33	1.1	1	8260B		8/5/2020	CJR	1
1,1,2,2-Tetrachloroethane	< 0.37	ug/l	0.37	1.2	1	8260B		8/5/2020	CJR	1
1,1,1,2-Tetrachloroethane	< 0.88	ug/l	0.88	3.3	1	8260B		8/5/2020	CJR	1
Tetrachloroethene	< 0.33	ug/l	0.33	1	1	8260B		8/5/2020	CJR	1
Toluene	< 0.26	ug/l	0.26	0.83	1	8260B		8/5/2020	CJR	1
1,2,4-Trichlorobenzene	< 0.44	ug/l	0.44	1.4	1	8260B		8/5/2020	CJR	1

Project Name FMR ROBINSONS CLEANERS
Project # 6155 PO#2020-1772

Invoice # E38267

Lab Code 5038267E
Sample ID 6155 MW-11
Sample Matrix Water
Sample Date 7/27/2020

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 1	ug/l	1	3.2	1	8260B		8/5/2020	CJR	1
1,1,1-Trichloroethane	< 0.3	ug/l	0.3	0.95	1	8260B		8/5/2020	CJR	1
1,1,2-Trichloroethane	< 0.36	ug/l	0.36	1.1	1	8260B		8/5/2020	CJR	1
Trichloroethene (TCE)	< 0.47	ug/l	0.47	1.5	1	8260B		8/5/2020	CJR	1
Trichlorofluoromethane	< 0.42	ug/l	0.42	1.3	1	8260B		8/5/2020	CJR	1
1,2,4-Trimethylbenzene	< 0.3	ug/l	0.3	0.96	1	8260B		8/5/2020	CJR	1
1,3,5-Trimethylbenzene	< 0.32	ug/l	0.32	1	1	8260B		8/5/2020	CJR	1
Vinyl Chloride	3.4	ug/l	0.2	0.65	1	8260B		8/5/2020	CJR	1
m&p-Xylene	< 1.1	ug/l	1.1	3.3	1	8260B		8/5/2020	CJR	1
o-Xylene	< 0.38	ug/l	0.38	1.2	1	8260B		8/5/2020	CJR	1
SUR - Toluene-d8	112	REC %			1	8260B		8/5/2020	CJR	1
SUR - Dibromofluoromethane	97	REC %			1	8260B		8/5/2020	CJR	1
SUR - 1,2-Dichloroethane-d4	108	REC %			1	8260B		8/5/2020	CJR	1
SUR - 4-Bromofluorobenzene	97	REC %			1	8260B		8/5/2020	CJR	1

Project Name FMR ROBINSONS CLEANERS
 Project # 6155 PO#2020-1772

Invoice # E38267

Lab Code 5038267F
 Sample ID 6155 MW-12
 Sample Matrix Water
 Sample Date 7/27/2020

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 1.65	ug/l	1.65	5	5	8260B		8/4/2020	CJR	1
Bromobenzene	< 1.3	ug/l	1.3	4.2	5	8260B		8/4/2020	CJR	1
Bromodichloromethane	< 1.65	ug/l	1.65	5	5	8260B		8/4/2020	CJR	1
Bromoform	< 3.25	ug/l	3.25	10.5	5	8260B		8/4/2020	CJR	1
tert-Butylbenzene	< 3.05	ug/l	3.05	9.5	5	8260B		8/4/2020	CJR	1
sec-Butylbenzene	< 1.6	ug/l	1.6	5	5	8260B		8/4/2020	CJR	1
n-Butylbenzene	< 1.4	ug/l	1.4	4.45	5	8260B		8/4/2020	CJR	1
Carbon Tetrachloride	< 1.55	ug/l	1.55	4.9	5	8260B		8/4/2020	CJR	1
Chlorobenzene	< 1.95	ug/l	1.95	6	5	8260B		8/4/2020	CJR	1
Chloroethane	< 5.5	ug/l	5.5	18	5	8260B		8/4/2020	CJR	1
Chloroform	< 2.2	ug/l	2.2	7	5	8260B		8/4/2020	CJR	1
Chloromethane	< 4	ug/l	4	12.5	5	8260B		8/4/2020	CJR	1
2-Chlorotoluene	< 1.6	ug/l	1.6	5	5	8260B		8/4/2020	CJR	1
4-Chlorotoluene	< 1.5	ug/l	1.5	4.8	5	8260B		8/4/2020	CJR	1
1,2-Dibromo-3-chloropropane	< 4.1	ug/l	4.1	13	5	8260B		8/4/2020	CJR	1
Dibromochloromethane	< 1.15	ug/l	1.15	3.7	5	8260B		8/4/2020	CJR	1
1,4-Dichlorobenzene	< 1.8	ug/l	1.8	5.5	5	8260B		8/4/2020	CJR	1
1,3-Dichlorobenzene	< 1.55	ug/l	1.55	4.9	5	8260B		8/4/2020	CJR	1
1,2-Dichlorobenzene	< 1.6	ug/l	1.6	5	5	8260B		8/4/2020	CJR	1
Dichlorodifluoromethane	< 2.25	ug/l	2.25	7	5	8260B		8/4/2020	CJR	1
1,2-Dichloroethane	< 1.95	ug/l	1.95	6.5	5	8260B		8/4/2020	CJR	1
1,1-Dichloroethane	< 2.3	ug/l	2.3	7.5	5	8260B		8/4/2020	CJR	1
1,1-Dichloroethene	< 2.5	ug/l	2.5	8	5	8260B		8/4/2020	CJR	1
cis-1,2-Dichloroethene	14.9	ug/l	1.95	6	5	8260B		8/4/2020	CJR	1
trans-1,2-Dichloroethene	< 1.85	ug/l	1.85	6	5	8260B		8/4/2020	CJR	1
1,2-Dichloropropane	< 1.9	ug/l	1.9	6	5	8260B		8/4/2020	CJR	1
1,3-Dichloropropane	< 1.75	ug/l	1.75	5.5	5	8260B		8/4/2020	CJR	1
trans-1,3-Dichloropropene	< 1.5	ug/l	1.5	4.7	5	8260B		8/4/2020	CJR	1
cis-1,3-Dichloropropene	< 1.8	ug/l	1.8	5.5	5	8260B		8/4/2020	CJR	1
Di-isopropyl ether	< 1.7	ug/l	1.7	5.5	5	8260B		8/4/2020	CJR	1
EDB (1,2-Dibromoethane)	< 1.2	ug/l	1.2	3.75	5	8260B		8/4/2020	CJR	1
Ethylbenzene	< 1.6	ug/l	1.6	5	5	8260B		8/4/2020	CJR	1
Hexachlorobutadiene	< 3.6	ug/l	3.6	11.5	5	8260B		8/4/2020	CJR	1
Isopropylbenzene	< 1.6	ug/l	1.6	5	5	8260B		8/4/2020	CJR	1
p-Isopropyltoluene	< 2.35	ug/l	2.35	7.5	5	8260B		8/4/2020	CJR	1
Methylene chloride	< 6.6	ug/l	6.6	21.05	5	8260B		8/4/2020	CJR	1
Methyl tert-butyl ether (MTBE)	< 2.35	ug/l	2.35	7.5	5	8260B		8/4/2020	CJR	1
Naphthalene	< 5.5	ug/l	5.5	18	5	8260B		8/4/2020	CJR	1
n-Propylbenzene	< 1.65	ug/l	1.65	5.5	5	8260B		8/4/2020	CJR	1
1,1,2,2-Tetrachloroethane	< 1.85	ug/l	1.85	6	5	8260B		8/4/2020	CJR	1
1,1,1,2-Tetrachloroethane	< 4.4	ug/l	4.4	16.5	5	8260B		8/4/2020	CJR	1
Tetrachloroethene	450	ug/l	1.65	5	5	8260B		8/4/2020	CJR	1
Toluene	< 1.3	ug/l	1.3	4.15	5	8260B		8/4/2020	CJR	1
1,2,4-Trichlorobenzene	< 2.2	ug/l	2.2	7	5	8260B		8/4/2020	CJR	1

Project Name FMR ROBINSONS CLEANERS
Project # 6155 PO#2020-1772

Invoice # E38267

Lab Code 5038267F
Sample ID 6155 MW-12
Sample Matrix Water
Sample Date 7/27/2020

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 5	ug/l	5	16	5	8260B		8/4/2020	CJR	1
1,1,1-Trichloroethane	< 1.5	ug/l	1.5	4.75	5	8260B		8/4/2020	CJR	1
1,1,2-Trichloroethane	< 1.8	ug/l	1.8	5.5	5	8260B		8/4/2020	CJR	1
Trichloroethene (TCE)	17	ug/l	2.35	7.5	5	8260B		8/4/2020	CJR	1
Trichlorofluoromethane	< 2.1	ug/l	2.1	6.5	5	8260B		8/4/2020	CJR	1
1,2,4-Trimethylbenzene	< 1.5	ug/l	1.5	4.8	5	8260B		8/4/2020	CJR	1
1,3,5-Trimethylbenzene	< 1.6	ug/l	1.6	5	5	8260B		8/4/2020	CJR	1
Vinyl Chloride	< 1	ug/l	1	3.25	5	8260B		8/4/2020	CJR	1
m&p-Xylene	< 5.5	ug/l	5.5	16.5	5	8260B		8/4/2020	CJR	1
o-Xylene	< 1.9	ug/l	1.9	6	5	8260B		8/4/2020	CJR	1
SUR - 1,2-Dichloroethane-d4	111	REC %			5	8260B		8/4/2020	CJR	1
SUR - 4-Bromofluorobenzene	97	REC %			5	8260B		8/4/2020	CJR	1
SUR - Dibromofluoromethane	103	REC %			5	8260B		8/4/2020	CJR	1
SUR - Toluene-d8	101	REC %			5	8260B		8/4/2020	CJR	1

Project Name FMR ROBINSONS CLEANERS
Project # 6155 PO#2020-1772

Invoice # E38267

Lab Code 5038267G
Sample ID 6155 MW-13
Sample Matrix Water
Sample Date 7/27/2020

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 3.3	ug/l	3.3	10	10	8260B		8/4/2020	CJR	1
Bromobenzene	< 2.6	ug/l	2.6	8.4	10	8260B		8/4/2020	CJR	1
Bromodichloromethane	< 3.3	ug/l	3.3	10	10	8260B		8/4/2020	CJR	1
Bromoform	< 6.5	ug/l	6.5	21	10	8260B		8/4/2020	CJR	1
tert-Butylbenzene	< 6.1	ug/l	6.1	19	10	8260B		8/4/2020	CJR	1
sec-Butylbenzene	< 3.2	ug/l	3.2	10	10	8260B		8/4/2020	CJR	1
n-Butylbenzene	< 2.8	ug/l	2.8	8.9	10	8260B		8/4/2020	CJR	1
Carbon Tetrachloride	< 3.1	ug/l	3.1	9.8	10	8260B		8/4/2020	CJR	1
Chlorobenzene	< 3.9	ug/l	3.9	12	10	8260B		8/4/2020	CJR	1
Chloroethane	< 11	ug/l	11	36	10	8260B		8/4/2020	CJR	1
Chloroform	< 4.4	ug/l	4.4	14	10	8260B		8/4/2020	CJR	1
Chloromethane	< 8	ug/l	8	25	10	8260B		8/4/2020	CJR	1
2-Chlorotoluene	< 3.2	ug/l	3.2	10	10	8260B		8/4/2020	CJR	1
4-Chlorotoluene	< 3	ug/l	3	9.6	10	8260B		8/4/2020	CJR	1
1,2-Dibromo-3-chloropropane	< 8.2	ug/l	8.2	26	10	8260B		8/4/2020	CJR	1
Dibromochloromethane	< 2.3	ug/l	2.3	7.4	10	8260B		8/4/2020	CJR	1
1,4-Dichlorobenzene	< 3.6	ug/l	3.6	11	10	8260B		8/4/2020	CJR	1
1,3-Dichlorobenzene	< 3.1	ug/l	3.1	9.8	10	8260B		8/4/2020	CJR	1
1,2-Dichlorobenzene	< 3.2	ug/l	3.2	10	10	8260B		8/4/2020	CJR	1
Dichlorodifluoromethane	< 4.5	ug/l	4.5	14	10	8260B		8/4/2020	CJR	1
1,2-Dichloroethane	< 3.9	ug/l	3.9	13	10	8260B		8/4/2020	CJR	1
1,1-Dichloroethane	< 4.6	ug/l	4.6	15	10	8260B		8/4/2020	CJR	1
1,1-Dichloroethene	< 5	ug/l	5	16	10	8260B		8/4/2020	CJR	1
cis-1,2-Dichloroethene	4.7 "J"	ug/l	3.9	12	10	8260B		8/4/2020	CJR	1
trans-1,2-Dichloroethene	< 3.7	ug/l	3.7	12	10	8260B		8/4/2020	CJR	1
1,2-Dichloropropane	< 3.8	ug/l	3.8	12	10	8260B		8/4/2020	CJR	1
1,3-Dichloropropane	< 3.5	ug/l	3.5	11	10	8260B		8/4/2020	CJR	1
trans-1,3-Dichloropropene	< 3	ug/l	3	9.4	10	8260B		8/4/2020	CJR	1
cis-1,3-Dichloropropene	< 3.6	ug/l	3.6	11	10	8260B		8/4/2020	CJR	1
Di-isopropyl ether	< 3.4	ug/l	3.4	11	10	8260B		8/4/2020	CJR	1
EDB (1,2-Dibromoethane)	< 2.4	ug/l	2.4	7.5	10	8260B		8/4/2020	CJR	1
Ethylbenzene	< 3.2	ug/l	3.2	10	10	8260B		8/4/2020	CJR	1
Hexachlorobutadiene	< 7.2	ug/l	7.2	23	10	8260B		8/4/2020	CJR	1
Isopropylbenzene	< 3.2	ug/l	3.2	10	10	8260B		8/4/2020	CJR	1
p-Isopropyltoluene	< 4.7	ug/l	4.7	15	10	8260B		8/4/2020	CJR	1
Methylene chloride	< 13.2	ug/l	13.2	42.1	10	8260B		8/4/2020	CJR	1
Methyl tert-butyl ether (MTBE)	< 4.7	ug/l	4.7	15	10	8260B		8/4/2020	CJR	1
Naphthalene	< 11	ug/l	11	36	10	8260B		8/4/2020	CJR	1
n-Propylbenzene	< 3.3	ug/l	3.3	11	10	8260B		8/4/2020	CJR	1
1,1,2,2-Tetrachloroethane	< 3.7	ug/l	3.7	12	10	8260B		8/4/2020	CJR	1
1,1,1,2-Tetrachloroethane	< 8.8	ug/l	8.8	33	10	8260B		8/4/2020	CJR	1
Tetrachloroethene	910	ug/l	3.3	10	10	8260B		8/4/2020	CJR	1
Toluene	< 2.6	ug/l	2.6	8.3	10	8260B		8/4/2020	CJR	1
1,2,4-Trichlorobenzene	< 4.4	ug/l	4.4	14	10	8260B		8/4/2020	CJR	1

Project Name FMR ROBINSONS CLEANERS
Project # 6155 PO#2020-1772

Invoice # E38267

Lab Code 5038267G
Sample ID 6155 MW-13
Sample Matrix Water
Sample Date 7/27/2020

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 10	ug/l	10	32	10	8260B		8/4/2020	CJR	1
1,1,1-Trichloroethane	< 3	ug/l	3	9.5	10	8260B		8/4/2020	CJR	1
1,1,2-Trichloroethane	< 3.6	ug/l	3.6	11	10	8260B		8/4/2020	CJR	1
Trichloroethene (TCE)	6.2 "J"	ug/l	4.7	15	10	8260B		8/4/2020	CJR	1
Trichlorofluoromethane	< 4.2	ug/l	4.2	13	10	8260B		8/4/2020	CJR	1
1,2,4-Trimethylbenzene	< 3	ug/l	3	9.6	10	8260B		8/4/2020	CJR	1
1,3,5-Trimethylbenzene	< 3.2	ug/l	3.2	10	10	8260B		8/4/2020	CJR	1
Vinyl Chloride	< 2	ug/l	2	6.5	10	8260B		8/4/2020	CJR	1
m&p-Xylene	< 11	ug/l	11	33	10	8260B		8/4/2020	CJR	1
o-Xylene	< 3.8	ug/l	3.8	12	10	8260B		8/4/2020	CJR	1
SUR - 1,2-Dichloroethane-d4	111	REC %			10	8260B		8/4/2020	CJR	1
SUR - 4-Bromofluorobenzene	98	REC %			10	8260B		8/4/2020	CJR	1
SUR - Dibromofluoromethane	106	REC %			10	8260B		8/4/2020	CJR	1
SUR - Toluene-d8	102	REC %			10	8260B		8/4/2020	CJR	1

Project Name FMR ROBINSONS CLEANERS
 Project # 6155 PO#2020-1772

Invoice # E38267

Lab Code 5038267H
 Sample ID 6155 MW-14
 Sample Matrix Water
 Sample Date 7/27/2020

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.33	ug/l	0.33		1	8260B		8/5/2020	CJR	1
Bromobenzene	< 0.26	ug/l	0.26	0.84	1	8260B		8/5/2020	CJR	1
Bromodichloromethane	< 0.33	ug/l	0.33		1	8260B		8/5/2020	CJR	1
Bromoform	< 0.65	ug/l	0.65	2.1	1	8260B		8/5/2020	CJR	1
tert-Butylbenzene	< 0.61	ug/l	0.61	1.9	1	8260B		8/5/2020	CJR	1
sec-Butylbenzene	< 0.32	ug/l	0.32		1	8260B		8/5/2020	CJR	1
n-Butylbenzene	< 0.28	ug/l	0.28	0.89	1	8260B		8/5/2020	CJR	1
Carbon Tetrachloride	< 0.31	ug/l	0.31	0.98	1	8260B		8/5/2020	CJR	1
Chlorobenzene	< 0.39	ug/l	0.39	1.2	1	8260B		8/5/2020	CJR	1
Chloroethane	< 1.1	ug/l	1.1	3.6	1	8260B		8/5/2020	CJR	1
Chloroform	< 0.44	ug/l	0.44	1.4	1	8260B		8/5/2020	CJR	1
Chloromethane	< 0.8	ug/l	0.8	2.5	1	8260B		8/5/2020	CJR	1
2-Chlorotoluene	< 0.32	ug/l	0.32		1	8260B		8/5/2020	CJR	1
4-Chlorotoluene	< 0.3	ug/l	0.3	0.96	1	8260B		8/5/2020	CJR	1
1,2-Dibromo-3-chloropropane	< 0.82	ug/l	0.82	2.6	1	8260B		8/5/2020	CJR	1
Dibromochloromethane	< 0.23	ug/l	0.23	0.74	1	8260B		8/5/2020	CJR	1
1,4-Dichlorobenzene	< 0.36	ug/l	0.36	1.1	1	8260B		8/5/2020	CJR	1
1,3-Dichlorobenzene	< 0.31	ug/l	0.31	0.98	1	8260B		8/5/2020	CJR	1
1,2-Dichlorobenzene	< 0.32	ug/l	0.32		1	8260B		8/5/2020	CJR	1
Dichlorodifluoromethane	< 0.45	ug/l	0.45	1.4	1	8260B		8/5/2020	CJR	1
1,2-Dichloroethane	< 0.39	ug/l	0.39	1.3	1	8260B		8/5/2020	CJR	1
1,1-Dichloroethane	< 0.46	ug/l	0.46	1.5	1	8260B		8/5/2020	CJR	1
1,1-Dichloroethene	< 0.5	ug/l	0.5	1.6	1	8260B		8/5/2020	CJR	1
cis-1,2-Dichloroethene	2.66	ug/l	0.39	1.2	1	8260B		8/5/2020	CJR	1
trans-1,2-Dichloroethene	< 0.37	ug/l	0.37	1.2	1	8260B		8/5/2020	CJR	1
1,2-Dichloropropane	< 0.38	ug/l	0.38	1.2	1	8260B		8/5/2020	CJR	1
1,3-Dichloropropane	< 0.35	ug/l	0.35	1.1	1	8260B		8/5/2020	CJR	1
trans-1,3-Dichloropropene	< 0.3	ug/l	0.3	0.94	1	8260B		8/5/2020	CJR	1
cis-1,3-Dichloropropene	< 0.36	ug/l	0.36	1.1	1	8260B		8/5/2020	CJR	1
Di-isopropyl ether	< 0.34	ug/l	0.34	1.1	1	8260B		8/5/2020	CJR	1
EDB (1,2-Dibromoethane)	< 0.24	ug/l	0.24	0.75	1	8260B		8/5/2020	CJR	1
Ethylbenzene	< 0.32	ug/l	0.32		1	8260B		8/5/2020	CJR	1
Hexachlorobutadiene	< 0.72	ug/l	0.72	2.3	1	8260B		8/5/2020	CJR	1
Isopropylbenzene	< 0.32	ug/l	0.32		1	8260B		8/5/2020	CJR	1
p-Isopropyltoluene	< 0.47	ug/l	0.47	1.5	1	8260B		8/5/2020	CJR	1
Methylene chloride	< 1.32	ug/l	1.32	4.21	1	8260B		8/5/2020	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.47	ug/l	0.47	1.5	1	8260B		8/5/2020	CJR	1
Naphthalene	< 1.1	ug/l	1.1	3.6	1	8260B		8/5/2020	CJR	1
n-Propylbenzene	< 0.33	ug/l	0.33	1.1	1	8260B		8/5/2020	CJR	1
1,1,2,2-Tetrachloroethane	< 0.37	ug/l	0.37	1.2	1	8260B		8/5/2020	CJR	1
1,1,1,2-Tetrachloroethane	< 0.88	ug/l	0.88	3.3	1	8260B		8/5/2020	CJR	1
Tetrachloroethene	117	ug/l	0.33		1	8260B		8/5/2020	CJR	1
Toluene	< 0.26	ug/l	0.26	0.83	1	8260B		8/5/2020	CJR	1
1,2,4-Trichlorobenzene	< 0.44	ug/l	0.44	1.4	1	8260B		8/5/2020	CJR	1

Project Name FMR ROBINSONS CLEANERS
Project # 6155 PO#2020-1772

Invoice # E38267

Lab Code 5038267H
Sample ID 6155 MW-14
Sample Matrix Water
Sample Date 7/27/2020

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 1	ug/l	1	3.2	1	8260B		8/5/2020	CJR	1
1,1,1-Trichloroethane	< 0.3	ug/l	0.3	0.95	1	8260B		8/5/2020	CJR	1
1,1,2-Trichloroethane	< 0.36	ug/l	0.36	1.1	1	8260B		8/5/2020	CJR	1
Trichloroethene (TCE)	3.13	ug/l	0.47	1.5	1	8260B		8/5/2020	CJR	1
Trichlorofluoromethane	< 0.42	ug/l	0.42	1.3	1	8260B		8/5/2020	CJR	1
1,2,4-Trimethylbenzene	< 0.3	ug/l	0.3	0.96	1	8260B		8/5/2020	CJR	1
1,3,5-Trimethylbenzene	< 0.32	ug/l	0.32	1	1	8260B		8/5/2020	CJR	1
Vinyl Chloride	< 0.2	ug/l	0.2	0.65	1	8260B		8/5/2020	CJR	1
m&p-Xylene	< 1.1	ug/l	1.1	3.3	1	8260B		8/5/2020	CJR	1
o-Xylene	< 0.38	ug/l	0.38	1.2	1	8260B		8/5/2020	CJR	1
SUR - Toluene-d8	108	REC %			1	8260B		8/5/2020	CJR	1
SUR - Dibromofluoromethane	98	REC %			1	8260B		8/5/2020	CJR	1
SUR - 4-Bromofluorobenzene	108	REC %			1	8260B		8/5/2020	CJR	1
SUR - 1,2-Dichloroethane-d4	101	REC %			1	8260B		8/5/2020	CJR	1

Project Name FMR ROBINSONS CLEANERS
Project # 6155 PO#2020-1772

Invoice # E38267

Lab Code 5038267I
Sample ID 6155 MW-20D
Sample Matrix Water
Sample Date 7/27/2020

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 16.5	ug/l	16.5	50	50	8260B		8/4/2020	CJR	1
Bromobenzene	< 13	ug/l	13	42	50	8260B		8/4/2020	CJR	1
Bromodichloromethane	< 16.5	ug/l	16.5	50	50	8260B		8/4/2020	CJR	1
Bromoform	< 32.5	ug/l	32.5	105	50	8260B		8/4/2020	CJR	1
tert-Butylbenzene	< 30.5	ug/l	30.5	95	50	8260B		8/4/2020	CJR	1
sec-Butylbenzene	< 16	ug/l	16	50	50	8260B		8/4/2020	CJR	1
n-Butylbenzene	< 14	ug/l	14	44.5	50	8260B		8/4/2020	CJR	1
Carbon Tetrachloride	< 15.5	ug/l	15.5	49	50	8260B		8/4/2020	CJR	1
Chlorobenzene	< 19.5	ug/l	19.5	60	50	8260B		8/4/2020	CJR	1
Chloroethane	< 55	ug/l	55	180	50	8260B		8/4/2020	CJR	1
Chloroform	< 22	ug/l	22	70	50	8260B		8/4/2020	CJR	1
Chloromethane	< 40	ug/l	40	125	50	8260B		8/4/2020	CJR	1
2-Chlorotoluene	< 16	ug/l	16	50	50	8260B		8/4/2020	CJR	1
4-Chlorotoluene	< 15	ug/l	15	48	50	8260B		8/4/2020	CJR	1
1,2-Dibromo-3-chloropropane	< 41	ug/l	41	130	50	8260B		8/4/2020	CJR	1
Dibromochloromethane	< 11.5	ug/l	11.5	37	50	8260B		8/4/2020	CJR	1
1,4-Dichlorobenzene	< 18	ug/l	18	55	50	8260B		8/4/2020	CJR	1
1,3-Dichlorobenzene	< 15.5	ug/l	15.5	49	50	8260B		8/4/2020	CJR	1
1,2-Dichlorobenzene	< 16	ug/l	16	50	50	8260B		8/4/2020	CJR	1
Dichlorodifluoromethane	< 22.5	ug/l	22.5	70	50	8260B		8/4/2020	CJR	1
1,2-Dichloroethane	< 19.5	ug/l	19.5	65	50	8260B		8/4/2020	CJR	1
1,1-Dichloroethane	< 23	ug/l	23	75	50	8260B		8/4/2020	CJR	1
1,1-Dichloroethene	< 25	ug/l	25	80	50	8260B		8/4/2020	CJR	1
cis-1,2-Dichloroethene	25.5 "J"	ug/l	19.5	60	50	8260B		8/4/2020	CJR	1
trans-1,2-Dichloroethene	< 18.5	ug/l	18.5	60	50	8260B		8/4/2020	CJR	1
1,2-Dichloropropane	< 19	ug/l	19	60	50	8260B		8/4/2020	CJR	1
1,3-Dichloropropane	< 17.5	ug/l	17.5	55	50	8260B		8/4/2020	CJR	1
trans-1,3-Dichloropropene	< 15	ug/l	15	47	50	8260B		8/4/2020	CJR	1
cis-1,3-Dichloropropene	< 18	ug/l	18	55	50	8260B		8/4/2020	CJR	1
Di-isopropyl ether	< 17	ug/l	17	55	50	8260B		8/4/2020	CJR	1
EDB (1,2-Dibromoethane)	< 12	ug/l	12	37.5	50	8260B		8/4/2020	CJR	1
Ethylbenzene	< 16	ug/l	16	50	50	8260B		8/4/2020	CJR	1
Hexachlorobutadiene	< 36	ug/l	36	115	50	8260B		8/4/2020	CJR	1
Isopropylbenzene	< 16	ug/l	16	50	50	8260B		8/4/2020	CJR	1
p-Isopropyltoluene	< 23.5	ug/l	23.5	75	50	8260B		8/4/2020	CJR	1
Methylene chloride	< 66	ug/l	66	210.5	50	8260B		8/4/2020	CJR	1
Methyl tert-butyl ether (MTBE)	< 23.5	ug/l	23.5	75	50	8260B		8/4/2020	CJR	1
Naphthalene	< 55	ug/l	55	180	50	8260B		8/4/2020	CJR	1
n-Propylbenzene	< 16.5	ug/l	16.5	55	50	8260B		8/4/2020	CJR	1
1,1,2,2-Tetrachloroethane	< 18.5	ug/l	18.5	60	50	8260B		8/4/2020	CJR	1
1,1,1,2-Tetrachloroethane	< 44	ug/l	44	165	50	8260B		8/4/2020	CJR	1
Tetrachloroethene	3040	ug/l	16.5	50	50	8260B		8/4/2020	CJR	1
Toluene	< 13	ug/l	13	41.5	50	8260B		8/4/2020	CJR	1
1,2,4-Trichlorobenzene	< 22	ug/l	22	70	50	8260B		8/4/2020	CJR	1

Project Name FMR ROBINSONS CLEANERS
Project # 6155 PO#2020-1772

Invoice # E38267

Lab Code 5038267I
Sample ID 6155 MW-20D
Sample Matrix Water
Sample Date 7/27/2020

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 50	ug/l	50	160	50	8260B		8/4/2020	CJR	1
1,1,1-Trichloroethane	< 15	ug/l	15	47.5	50	8260B		8/4/2020	CJR	1
1,1,2-Trichloroethane	< 18	ug/l	18	55	50	8260B		8/4/2020	CJR	1
Trichloroethene (TCE)	44 "J"	ug/l	23.5	75	50	8260B		8/4/2020	CJR	1
Trichlorofluoromethane	< 21	ug/l	21	65	50	8260B		8/4/2020	CJR	1
1,2,4-Trimethylbenzene	< 15	ug/l	15	48	50	8260B		8/4/2020	CJR	1
1,3,5-Trimethylbenzene	< 16	ug/l	16	50	50	8260B		8/4/2020	CJR	1
Vinyl Chloride	< 10	ug/l	10	32.5	50	8260B		8/4/2020	CJR	1
m&p-Xylene	< 55	ug/l	55	165	50	8260B		8/4/2020	CJR	1
o-Xylene	< 19	ug/l	19	60	50	8260B		8/4/2020	CJR	1
SUR - Toluene-d8	105	REC %			50	8260B		8/4/2020	CJR	1
SUR - Dibromofluoromethane	100	REC %			50	8260B		8/4/2020	CJR	1
SUR - 4-Bromofluorobenzene	99	REC %			50	8260B		8/4/2020	CJR	1
SUR - 1,2-Dichloroethane-d4	109	REC %			50	8260B		8/4/2020	CJR	1

Project Name FMR ROBINSONS CLEANERS
Project # 6155 PO#2020-1772

Invoice # E38267

Lab Code 5038267P
Sample ID 6155 MW-27S
Sample Matrix Water
Sample Date 7/27/2020

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 1.65	ug/l	1.65	5	5	8260B		8/4/2020	CJR	1
Bromobenzene	< 1.3	ug/l	1.3	4.2	5	8260B		8/4/2020	CJR	1
Bromodichloromethane	< 1.65	ug/l	1.65	5	5	8260B		8/4/2020	CJR	1
Bromoform	< 3.25	ug/l	3.25	10.5	5	8260B		8/4/2020	CJR	1
tert-Butylbenzene	< 3.05	ug/l	3.05	9.5	5	8260B		8/4/2020	CJR	1
sec-Butylbenzene	< 1.6	ug/l	1.6	5	5	8260B		8/4/2020	CJR	1
n-Butylbenzene	< 1.4	ug/l	1.4	4.45	5	8260B		8/4/2020	CJR	1
Carbon Tetrachloride	< 1.55	ug/l	1.55	4.9	5	8260B		8/4/2020	CJR	1
Chlorobenzene	< 1.95	ug/l	1.95	6	5	8260B		8/4/2020	CJR	1
Chloroethane	< 5.5	ug/l	5.5	18	5	8260B		8/4/2020	CJR	1
Chloroform	< 2.2	ug/l	2.2	7	5	8260B		8/4/2020	CJR	1
Chloromethane	< 4	ug/l	4	12.5	5	8260B		8/4/2020	CJR	1
2-Chlorotoluene	< 1.6	ug/l	1.6	5	5	8260B		8/4/2020	CJR	1
4-Chlorotoluene	< 1.5	ug/l	1.5	4.8	5	8260B		8/4/2020	CJR	1
1,2-Dibromo-3-chloropropane	< 4.1	ug/l	4.1	13	5	8260B		8/4/2020	CJR	1
Dibromochloromethane	< 1.15	ug/l	1.15	3.7	5	8260B		8/4/2020	CJR	1
1,4-Dichlorobenzene	< 1.8	ug/l	1.8	5.5	5	8260B		8/4/2020	CJR	1
1,3-Dichlorobenzene	< 1.55	ug/l	1.55	4.9	5	8260B		8/4/2020	CJR	1
1,2-Dichlorobenzene	< 1.6	ug/l	1.6	5	5	8260B		8/4/2020	CJR	1
Dichlorodifluoromethane	< 2.25	ug/l	2.25	7	5	8260B		8/4/2020	CJR	1
1,2-Dichloroethane	< 1.95	ug/l	1.95	6.5	5	8260B		8/4/2020	CJR	1
1,1-Dichloroethane	< 2.3	ug/l	2.3	7.5	5	8260B		8/4/2020	CJR	1
1,1-Dichloroethene	< 2.5	ug/l	2.5	8	5	8260B		8/4/2020	CJR	1
cis-1,2-Dichloroethene	24	ug/l	1.95	6	5	8260B		8/4/2020	CJR	1
trans-1,2-Dichloroethene	< 1.85	ug/l	1.85	6	5	8260B		8/4/2020	CJR	1
1,2-Dichloropropane	< 1.9	ug/l	1.9	6	5	8260B		8/4/2020	CJR	1
1,3-Dichloropropane	< 1.75	ug/l	1.75	5.5	5	8260B		8/4/2020	CJR	1
trans-1,3-Dichloropropene	< 1.5	ug/l	1.5	4.7	5	8260B		8/4/2020	CJR	1
cis-1,3-Dichloropropene	< 1.8	ug/l	1.8	5.5	5	8260B		8/4/2020	CJR	1
Di-isopropyl ether	< 1.7	ug/l	1.7	5.5	5	8260B		8/4/2020	CJR	1
EDB (1,2-Dibromoethane)	< 1.2	ug/l	1.2	3.75	5	8260B		8/4/2020	CJR	1
Ethylbenzene	< 1.6	ug/l	1.6	5	5	8260B		8/4/2020	CJR	1
Hexachlorobutadiene	< 3.6	ug/l	3.6	11.5	5	8260B		8/4/2020	CJR	1
Isopropylbenzene	< 1.6	ug/l	1.6	5	5	8260B		8/4/2020	CJR	1
p-Isopropyltoluene	< 2.35	ug/l	2.35	7.5	5	8260B		8/4/2020	CJR	1
Methylene chloride	< 6.6	ug/l	6.6	21.05	5	8260B		8/4/2020	CJR	1
Methyl tert-butyl ether (MTBE)	< 2.35	ug/l	2.35	7.5	5	8260B		8/4/2020	CJR	1
Naphthalene	< 5.5	ug/l	5.5	18	5	8260B		8/4/2020	CJR	1
n-Propylbenzene	< 1.65	ug/l	1.65	5.5	5	8260B		8/4/2020	CJR	1
1,1,2,2-Tetrachloroethane	< 1.85	ug/l	1.85	6	5	8260B		8/4/2020	CJR	1
1,1,1,2-Tetrachloroethane	< 4.4	ug/l	4.4	16.5	5	8260B		8/4/2020	CJR	1
Tetrachloroethene	740	ug/l	1.65	5	5	8260B		8/4/2020	CJR	1
Toluene	< 1.3	ug/l	1.3	4.15	5	8260B		8/4/2020	CJR	1
1,2,4-Trichlorobenzene	< 2.2	ug/l	2.2	7	5	8260B		8/4/2020	CJR	1

Project Name FMR ROBINSONS CLEANERS
Project # 6155 PO#2020-1772

Invoice # E38267

Lab Code 5038267P
Sample ID 6155 MW-27S
Sample Matrix Water
Sample Date 7/27/2020

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 5	ug/l	5	16	5	8260B		8/4/2020	CJR	1
1,1,1-Trichloroethane	< 1.5	ug/l	1.5	4.75	5	8260B		8/4/2020	CJR	1
1,1,2-Trichloroethane	< 1.8	ug/l	1.8	5.5	5	8260B		8/4/2020	CJR	1
Trichloroethene (TCE)	25.9	ug/l	2.35	7.5	5	8260B		8/4/2020	CJR	1
Trichlorofluoromethane	< 2.1	ug/l	2.1	6.5	5	8260B		8/4/2020	CJR	1
1,2,4-Trimethylbenzene	< 1.5	ug/l	1.5	4.8	5	8260B		8/4/2020	CJR	1
1,3,5-Trimethylbenzene	< 1.6	ug/l	1.6	5	5	8260B		8/4/2020	CJR	1
Vinyl Chloride	< 1	ug/l	1	3.25	5	8260B		8/4/2020	CJR	1
m&p-Xylene	< 5.5	ug/l	5.5	16.5	5	8260B		8/4/2020	CJR	1
o-Xylene	< 1.9	ug/l	1.9	6	5	8260B		8/4/2020	CJR	1
SUR - Dibromofluoromethane	99	REC %			5	8260B		8/4/2020	CJR	1
SUR - 4-Bromofluorobenzene	97	REC %			5	8260B		8/4/2020	CJR	1
SUR - 1,2-Dichloroethane-d4	107	REC %			5	8260B		8/4/2020	CJR	1
SUR - Toluene-d8	109	REC %			5	8260B		8/4/2020	CJR	1

Project Name FMR ROBINSONS CLEANERS
Project # 6155 PO#2020-1772

Invoice # E38267

Lab Code 5038267Q
Sample ID 6155 MW-27D
Sample Matrix Water
Sample Date 7/27/2020

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.33	ug/l	0.33		1	8260B		8/4/2020	CJR	1
Bromobenzene	< 0.26	ug/l	0.26	0.84	1	8260B		8/4/2020	CJR	1
Bromodichloromethane	< 0.33	ug/l	0.33		1	8260B		8/4/2020	CJR	1
Bromoform	< 0.65	ug/l	0.65	2.1	1	8260B		8/4/2020	CJR	1
tert-Butylbenzene	< 0.61	ug/l	0.61	1.9	1	8260B		8/4/2020	CJR	1
sec-Butylbenzene	< 0.32	ug/l	0.32		1	8260B		8/4/2020	CJR	1
n-Butylbenzene	< 0.28	ug/l	0.28	0.89	1	8260B		8/4/2020	CJR	1
Carbon Tetrachloride	< 0.31	ug/l	0.31	0.98	1	8260B		8/4/2020	CJR	1
Chlorobenzene	< 0.39	ug/l	0.39	1.2	1	8260B		8/4/2020	CJR	1
Chloroethane	< 1.1	ug/l	1.1	3.6	1	8260B		8/4/2020	CJR	1
Chloroform	< 0.44	ug/l	0.44	1.4	1	8260B		8/4/2020	CJR	1
Chloromethane	< 0.8	ug/l	0.8	2.5	1	8260B		8/4/2020	CJR	1
2-Chlorotoluene	< 0.32	ug/l	0.32		1	8260B		8/4/2020	CJR	1
4-Chlorotoluene	< 0.3	ug/l	0.3	0.96	1	8260B		8/4/2020	CJR	1
1,2-Dibromo-3-chloropropane	< 0.82	ug/l	0.82	2.6	1	8260B		8/4/2020	CJR	1
Dibromochloromethane	< 0.23	ug/l	0.23	0.74	1	8260B		8/4/2020	CJR	1
1,4-Dichlorobenzene	< 0.36	ug/l	0.36	1.1	1	8260B		8/4/2020	CJR	1
1,3-Dichlorobenzene	< 0.31	ug/l	0.31	0.98	1	8260B		8/4/2020	CJR	1
1,2-Dichlorobenzene	< 0.32	ug/l	0.32		1	8260B		8/4/2020	CJR	1
Dichlorodifluoromethane	< 0.45	ug/l	0.45	1.4	1	8260B		8/4/2020	CJR	1
1,2-Dichloroethane	< 0.39	ug/l	0.39	1.3	1	8260B		8/4/2020	CJR	1
1,1-Dichloroethane	< 0.46	ug/l	0.46	1.5	1	8260B		8/4/2020	CJR	1
1,1-Dichloroethene	< 0.5	ug/l	0.5	1.6	1	8260B		8/4/2020	CJR	1
cis-1,2-Dichloroethene	2.04	ug/l	0.39	1.2	1	8260B		8/4/2020	CJR	1
trans-1,2-Dichloroethene	< 0.37	ug/l	0.37	1.2	1	8260B		8/4/2020	CJR	1
1,2-Dichloropropane	< 0.38	ug/l	0.38	1.2	1	8260B		8/4/2020	CJR	1
1,3-Dichloropropane	< 0.35	ug/l	0.35	1.1	1	8260B		8/4/2020	CJR	1
trans-1,3-Dichloropropene	< 0.3	ug/l	0.3	0.94	1	8260B		8/4/2020	CJR	1
cis-1,3-Dichloropropene	< 0.36	ug/l	0.36	1.1	1	8260B		8/4/2020	CJR	1
Di-isopropyl ether	< 0.34	ug/l	0.34	1.1	1	8260B		8/4/2020	CJR	1
EDB (1,2-Dibromoethane)	< 0.24	ug/l	0.24	0.75	1	8260B		8/4/2020	CJR	1
Ethylbenzene	< 0.32	ug/l	0.32		1	8260B		8/4/2020	CJR	1
Hexachlorobutadiene	< 0.72	ug/l	0.72	2.3	1	8260B		8/4/2020	CJR	1
Isopropylbenzene	< 0.32	ug/l	0.32		1	8260B		8/4/2020	CJR	1
p-Isopropyltoluene	< 0.47	ug/l	0.47	1.5	1	8260B		8/4/2020	CJR	1
Methylene chloride	< 1.32	ug/l	1.32	4.21	1	8260B		8/4/2020	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.47	ug/l	0.47	1.5	1	8260B		8/4/2020	CJR	1
Naphthalene	< 1.1	ug/l	1.1	3.6	1	8260B		8/4/2020	CJR	1
n-Propylbenzene	< 0.33	ug/l	0.33	1.1	1	8260B		8/4/2020	CJR	1
1,1,2,2-Tetrachloroethane	< 0.37	ug/l	0.37	1.2	1	8260B		8/4/2020	CJR	1
1,1,1,2-Tetrachloroethane	< 0.88	ug/l	0.88	3.3	1	8260B		8/4/2020	CJR	1
Tetrachloroethene	470	ug/l	3.3	10	10	8260B		8/6/2020	CJR	1
Toluene	< 0.26	ug/l	0.26	0.83	1	8260B		8/4/2020	CJR	1
1,2,4-Trichlorobenzene	< 0.44	ug/l	0.44	1.4	1	8260B		8/4/2020	CJR	1

Project Name FMR ROBINSONS CLEANERS
Project # 6155 PO#2020-1772

Invoice # E38267

Lab Code 5038267Q
Sample ID 6155 MW-27D
Sample Matrix Water
Sample Date 7/27/2020

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 1	ug/l	1	3.2	1	8260B		8/4/2020	CJR	1
1,1,1-Trichloroethane	< 0.3	ug/l	0.3	0.95	1	8260B		8/4/2020	CJR	1
1,1,2-Trichloroethane	< 0.36	ug/l	0.36	1.1	1	8260B		8/4/2020	CJR	1
Trichloroethene (TCE)	4.7	ug/l	0.47	1.5	1	8260B		8/4/2020	CJR	1
Trichlorofluoromethane	< 0.42	ug/l	0.42	1.3	1	8260B		8/4/2020	CJR	1
1,2,4-Trimethylbenzene	< 0.3	ug/l	0.3	0.96	1	8260B		8/4/2020	CJR	1
1,3,5-Trimethylbenzene	< 0.32	ug/l	0.32	1	1	8260B		8/4/2020	CJR	1
Vinyl Chloride	< 0.2	ug/l	0.2	0.65	1	8260B		8/4/2020	CJR	1
m&p-Xylene	< 1.1	ug/l	1.1	3.3	1	8260B		8/4/2020	CJR	1
o-Xylene	< 0.38	ug/l	0.38	1.2	1	8260B		8/4/2020	CJR	1
SUR - 1,2-Dichloroethane-d4	101	REC %			1	8260B		8/4/2020	CJR	1
SUR - 4-Bromofluorobenzene	106	REC %			1	8260B		8/4/2020	CJR	1
SUR - Dibromofluoromethane	101	REC %			1	8260B		8/4/2020	CJR	1
SUR - Toluene-d8	105	REC %			1	8260B		8/4/2020	CJR	1

Project Name FMR ROBINSONS CLEANERS
Project # 6155 PO#2020-1772

Invoice # E38267

Lab Code 5038267R
Sample ID 6155 MW-27DS
Sample Matrix Water
Sample Date 7/27/2020

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.33	ug/l	0.33		1	8260B		8/4/2020	CJR	1
Bromobenzene	< 0.26	ug/l	0.26	0.84	1	8260B		8/4/2020	CJR	1
Bromodichloromethane	< 0.33	ug/l	0.33		1	8260B		8/4/2020	CJR	1
Bromoform	< 0.65	ug/l	0.65	2.1	1	8260B		8/4/2020	CJR	1
tert-Butylbenzene	< 0.61	ug/l	0.61	1.9	1	8260B		8/4/2020	CJR	1
sec-Butylbenzene	< 0.32	ug/l	0.32		1	8260B		8/4/2020	CJR	1
n-Butylbenzene	< 0.28	ug/l	0.28	0.89	1	8260B		8/4/2020	CJR	1
Carbon Tetrachloride	< 0.31	ug/l	0.31	0.98	1	8260B		8/4/2020	CJR	1
Chlorobenzene	< 0.39	ug/l	0.39	1.2	1	8260B		8/4/2020	CJR	1
Chloroethane	< 1.1	ug/l	1.1	3.6	1	8260B		8/4/2020	CJR	1
Chloroform	< 0.44	ug/l	0.44	1.4	1	8260B		8/4/2020	CJR	1
Chloromethane	< 0.8	ug/l	0.8	2.5	1	8260B		8/4/2020	CJR	1
2-Chlorotoluene	< 0.32	ug/l	0.32		1	8260B		8/4/2020	CJR	1
4-Chlorotoluene	< 0.3	ug/l	0.3	0.96	1	8260B		8/4/2020	CJR	1
1,2-Dibromo-3-chloropropane	< 0.82	ug/l	0.82	2.6	1	8260B		8/4/2020	CJR	1
Dibromochloromethane	0.26 "J"	ug/l	0.23	0.74	1	8260B		8/4/2020	CJR	1
1,4-Dichlorobenzene	< 0.36	ug/l	0.36	1.1	1	8260B		8/4/2020	CJR	1
1,3-Dichlorobenzene	< 0.31	ug/l	0.31	0.98	1	8260B		8/4/2020	CJR	1
1,2-Dichlorobenzene	< 0.32	ug/l	0.32		1	8260B		8/4/2020	CJR	1
Dichlorodifluoromethane	< 0.45	ug/l	0.45	1.4	1	8260B		8/4/2020	CJR	1
1,2-Dichloroethane	< 0.39	ug/l	0.39	1.3	1	8260B		8/4/2020	CJR	1
1,1-Dichloroethane	< 0.46	ug/l	0.46	1.5	1	8260B		8/4/2020	CJR	1
1,1-Dichloroethene	< 0.5	ug/l	0.5	1.6	1	8260B		8/4/2020	CJR	1
cis-1,2-Dichloroethene	0.49 "J"	ug/l	0.39	1.2	1	8260B		8/4/2020	CJR	1
trans-1,2-Dichloroethene	< 0.37	ug/l	0.37	1.2	1	8260B		8/4/2020	CJR	1
1,2-Dichloropropane	< 0.38	ug/l	0.38	1.2	1	8260B		8/4/2020	CJR	1
1,3-Dichloropropane	< 0.35	ug/l	0.35	1.1	1	8260B		8/4/2020	CJR	1
trans-1,3-Dichloropropene	< 0.3	ug/l	0.3	0.94	1	8260B		8/4/2020	CJR	1
cis-1,3-Dichloropropene	< 0.36	ug/l	0.36	1.1	1	8260B		8/4/2020	CJR	1
Di-isopropyl ether	< 0.34	ug/l	0.34	1.1	1	8260B		8/4/2020	CJR	1
EDB (1,2-Dibromoethane)	< 0.24	ug/l	0.24	0.75	1	8260B		8/4/2020	CJR	1
Ethylbenzene	< 0.32	ug/l	0.32		1	8260B		8/4/2020	CJR	1
Hexachlorobutadiene	< 0.72	ug/l	0.72	2.3	1	8260B		8/4/2020	CJR	1
Isopropylbenzene	< 0.32	ug/l	0.32		1	8260B		8/4/2020	CJR	1
p-Isopropyltoluene	< 0.47	ug/l	0.47	1.5	1	8260B		8/4/2020	CJR	1
Methylene chloride	< 1.32	ug/l	1.32	4.21	1	8260B		8/4/2020	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.47	ug/l	0.47	1.5	1	8260B		8/4/2020	CJR	1
Naphthalene	< 1.1	ug/l	1.1	3.6	1	8260B		8/4/2020	CJR	1
n-Propylbenzene	< 0.33	ug/l	0.33	1.1	1	8260B		8/4/2020	CJR	1
1,1,2,2-Tetrachloroethane	< 0.37	ug/l	0.37	1.2	1	8260B		8/4/2020	CJR	1
1,1,1,2-Tetrachloroethane	< 0.88	ug/l	0.88	3.3	1	8260B		8/4/2020	CJR	1
Tetrachloroethene	136	ug/l	0.33		1	8260B		8/4/2020	CJR	1
Toluene	< 0.26	ug/l	0.26	0.83	1	8260B		8/4/2020	CJR	1
1,2,4-Trichlorobenzene	< 0.44	ug/l	0.44	1.4	1	8260B		8/4/2020	CJR	1

Project Name FMR ROBINSONS CLEANERS
Project # 6155 PO#2020-1772

Invoice # E38267

Lab Code 5038267R
Sample ID 6155 MW-27DS
Sample Matrix Water
Sample Date 7/27/2020

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 1	ug/l	1	3.2	1	8260B		8/4/2020	CJR	1
1,1,1-Trichloroethane	< 0.3	ug/l	0.3	0.95	1	8260B		8/4/2020	CJR	1
1,1,2-Trichloroethane	< 0.36	ug/l	0.36	1.1	1	8260B		8/4/2020	CJR	1
Trichloroethene (TCE)	1.71	ug/l	0.47	1.5	1	8260B		8/4/2020	CJR	1
Trichlorofluoromethane	< 0.42	ug/l	0.42	1.3	1	8260B		8/4/2020	CJR	1
1,2,4-Trimethylbenzene	< 0.3	ug/l	0.3	0.96	1	8260B		8/4/2020	CJR	1
1,3,5-Trimethylbenzene	< 0.32	ug/l	0.32	1	1	8260B		8/4/2020	CJR	1
Vinyl Chloride	< 0.2	ug/l	0.2	0.65	1	8260B		8/4/2020	CJR	1
m&p-Xylene	< 1.1	ug/l	1.1	3.3	1	8260B		8/4/2020	CJR	1
o-Xylene	< 0.38	ug/l	0.38	1.2	1	8260B		8/4/2020	CJR	1
SUR - 1,2-Dichloroethane-d4	98	REC %			1	8260B		8/4/2020	CJR	1
SUR - 4-Bromofluorobenzene	105	REC %			1	8260B		8/4/2020	CJR	1
SUR - Dibromofluoromethane	97	REC %			1	8260B		8/4/2020	CJR	1
SUR - Toluene-d8	106	REC %			1	8260B		8/4/2020	CJR	1

Project Name FMR ROBINSONS CLEANERS
Project # 6155 PO#2020-1772

Invoice # E38267

Lab Code 5038267S
Sample ID 6155 MW-29S
Sample Matrix Water
Sample Date 7/27/2020

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.33	ug/l	0.33		1	8260B		8/4/2020	CJR	1
Bromobenzene	< 0.26	ug/l	0.26	0.84	1	8260B		8/4/2020	CJR	1
Bromodichloromethane	< 0.33	ug/l	0.33		1	8260B		8/4/2020	CJR	1
Bromoform	< 0.65	ug/l	0.65	2.1	1	8260B		8/4/2020	CJR	1
tert-Butylbenzene	< 0.61	ug/l	0.61	1.9	1	8260B		8/4/2020	CJR	1
sec-Butylbenzene	< 0.32	ug/l	0.32		1	8260B		8/4/2020	CJR	1
n-Butylbenzene	< 0.28	ug/l	0.28	0.89	1	8260B		8/4/2020	CJR	1
Carbon Tetrachloride	< 0.31	ug/l	0.31	0.98	1	8260B		8/4/2020	CJR	1
Chlorobenzene	< 0.39	ug/l	0.39	1.2	1	8260B		8/4/2020	CJR	1
Chloroethane	< 1.1	ug/l	1.1	3.6	1	8260B		8/4/2020	CJR	1
Chloroform	< 0.44	ug/l	0.44	1.4	1	8260B		8/4/2020	CJR	1
Chloromethane	< 0.8	ug/l	0.8	2.5	1	8260B		8/4/2020	CJR	1
2-Chlorotoluene	< 0.32	ug/l	0.32		1	8260B		8/4/2020	CJR	1
4-Chlorotoluene	< 0.3	ug/l	0.3	0.96	1	8260B		8/4/2020	CJR	1
1,2-Dibromo-3-chloropropane	< 0.82	ug/l	0.82	2.6	1	8260B		8/4/2020	CJR	1
Dibromochloromethane	< 0.23	ug/l	0.23	0.74	1	8260B		8/4/2020	CJR	1
1,4-Dichlorobenzene	< 0.36	ug/l	0.36	1.1	1	8260B		8/4/2020	CJR	1
1,3-Dichlorobenzene	< 0.31	ug/l	0.31	0.98	1	8260B		8/4/2020	CJR	1
1,2-Dichlorobenzene	< 0.32	ug/l	0.32		1	8260B		8/4/2020	CJR	1
Dichlorodifluoromethane	< 0.45	ug/l	0.45	1.4	1	8260B		8/4/2020	CJR	1
1,2-Dichloroethane	< 0.39	ug/l	0.39	1.3	1	8260B		8/4/2020	CJR	1
1,1-Dichloroethane	< 0.46	ug/l	0.46	1.5	1	8260B		8/4/2020	CJR	1
1,1-Dichloroethene	< 0.5	ug/l	0.5	1.6	1	8260B		8/4/2020	CJR	1
cis-1,2-Dichloroethene	1.99	ug/l	0.39	1.2	1	8260B		8/4/2020	CJR	1
trans-1,2-Dichloroethene	< 0.37	ug/l	0.37	1.2	1	8260B		8/4/2020	CJR	1
1,2-Dichloropropane	< 0.38	ug/l	0.38	1.2	1	8260B		8/4/2020	CJR	1
1,3-Dichloropropane	< 0.35	ug/l	0.35	1.1	1	8260B		8/4/2020	CJR	1
trans-1,3-Dichloropropene	< 0.3	ug/l	0.3	0.94	1	8260B		8/4/2020	CJR	1
cis-1,3-Dichloropropene	< 0.36	ug/l	0.36	1.1	1	8260B		8/4/2020	CJR	1
Di-isopropyl ether	< 0.34	ug/l	0.34	1.1	1	8260B		8/4/2020	CJR	1
EDB (1,2-Dibromoethane)	< 0.24	ug/l	0.24	0.75	1	8260B		8/4/2020	CJR	1
Ethylbenzene	< 0.32	ug/l	0.32		1	8260B		8/4/2020	CJR	1
Hexachlorobutadiene	< 0.72	ug/l	0.72	2.3	1	8260B		8/4/2020	CJR	1
Isopropylbenzene	< 0.32	ug/l	0.32		1	8260B		8/4/2020	CJR	1
p-Isopropyltoluene	< 0.47	ug/l	0.47	1.5	1	8260B		8/4/2020	CJR	1
Methylene chloride	< 1.32	ug/l	1.32	4.21	1	8260B		8/4/2020	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.47	ug/l	0.47	1.5	1	8260B		8/4/2020	CJR	1
Naphthalene	< 1.1	ug/l	1.1	3.6	1	8260B		8/4/2020	CJR	1
n-Propylbenzene	< 0.33	ug/l	0.33	1.1	1	8260B		8/4/2020	CJR	1
1,1,2,2-Tetrachloroethane	< 0.37	ug/l	0.37	1.2	1	8260B		8/4/2020	CJR	1
1,1,1,2-Tetrachloroethane	< 0.88	ug/l	0.88	3.3	1	8260B		8/4/2020	CJR	1
Tetrachloroethene	40	ug/l	0.33		1	8260B		8/4/2020	CJR	1
Toluene	< 0.26	ug/l	0.26	0.83	1	8260B		8/4/2020	CJR	1
1,2,4-Trichlorobenzene	< 0.44	ug/l	0.44	1.4	1	8260B		8/4/2020	CJR	1

Project Name FMR ROBINSONS CLEANERS
Project # 6155 PO#2020-1772

Invoice # E38267

Lab Code 5038267S
Sample ID 6155 MW-29S
Sample Matrix Water
Sample Date 7/27/2020

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 1	ug/l	1	3.2	1	8260B		8/4/2020	CJR	1
1,1,1-Trichloroethane	< 0.3	ug/l	0.3	0.95	1	8260B		8/4/2020	CJR	1
1,1,2-Trichloroethane	< 0.36	ug/l	0.36	1.1	1	8260B		8/4/2020	CJR	1
Trichloroethene (TCE)	0.95 "J"	ug/l	0.47	1.5	1	8260B		8/4/2020	CJR	1
Trichlorofluoromethane	< 0.42	ug/l	0.42	1.3	1	8260B		8/4/2020	CJR	1
1,2,4-Trimethylbenzene	< 0.3	ug/l	0.3	0.96	1	8260B		8/4/2020	CJR	1
1,3,5-Trimethylbenzene	< 0.32	ug/l	0.32	1	1	8260B		8/4/2020	CJR	1
Vinyl Chloride	< 0.2	ug/l	0.2	0.65	1	8260B		8/4/2020	CJR	1
m&p-Xylene	< 1.1	ug/l	1.1	3.3	1	8260B		8/4/2020	CJR	1
o-Xylene	< 0.38	ug/l	0.38	1.2	1	8260B		8/4/2020	CJR	1
SUR - Dibromofluoromethane	111	REC %			1	8260B		8/4/2020	CJR	1
SUR - Toluene-d8	108	REC %			1	8260B		8/4/2020	CJR	1
SUR - 4-Bromofluorobenzene	112	REC %			1	8260B		8/4/2020	CJR	1
SUR - 1,2-Dichloroethane-d4	106	REC %			1	8260B		8/4/2020	CJR	1

Project Name FMR ROBINSONS CLEANERS
Project # 6155 PO#2020-1772

Invoice # E38267

Lab Code 5038267T
Sample ID 6155 MW-29
Sample Matrix Water
Sample Date 7/27/2020

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.33	ug/l	0.33		1	8260B		8/4/2020	CJR	1
Bromobenzene	< 0.26	ug/l	0.26	0.84	1	8260B		8/4/2020	CJR	1
Bromodichloromethane	< 0.33	ug/l	0.33		1	8260B		8/4/2020	CJR	1
Bromoform	< 0.65	ug/l	0.65	2.1	1	8260B		8/4/2020	CJR	1
tert-Butylbenzene	< 0.61	ug/l	0.61	1.9	1	8260B		8/4/2020	CJR	1
sec-Butylbenzene	< 0.32	ug/l	0.32		1	8260B		8/4/2020	CJR	1
n-Butylbenzene	< 0.28	ug/l	0.28	0.89	1	8260B		8/4/2020	CJR	1
Carbon Tetrachloride	< 0.31	ug/l	0.31	0.98	1	8260B		8/4/2020	CJR	1
Chlorobenzene	< 0.39	ug/l	0.39	1.2	1	8260B		8/4/2020	CJR	1
Chloroethane	< 1.1	ug/l	1.1	3.6	1	8260B		8/4/2020	CJR	1
Chloroform	< 0.44	ug/l	0.44	1.4	1	8260B		8/4/2020	CJR	1
Chloromethane	< 0.8	ug/l	0.8	2.5	1	8260B		8/4/2020	CJR	1
2-Chlorotoluene	< 0.32	ug/l	0.32		1	8260B		8/4/2020	CJR	1
4-Chlorotoluene	< 0.3	ug/l	0.3	0.96	1	8260B		8/4/2020	CJR	1
1,2-Dibromo-3-chloropropane	< 0.82	ug/l	0.82	2.6	1	8260B		8/4/2020	CJR	1
Dibromochloromethane	< 0.23	ug/l	0.23	0.74	1	8260B		8/4/2020	CJR	1
1,4-Dichlorobenzene	< 0.36	ug/l	0.36	1.1	1	8260B		8/4/2020	CJR	1
1,3-Dichlorobenzene	< 0.31	ug/l	0.31	0.98	1	8260B		8/4/2020	CJR	1
1,2-Dichlorobenzene	< 0.32	ug/l	0.32		1	8260B		8/4/2020	CJR	1
Dichlorodifluoromethane	< 0.45	ug/l	0.45	1.4	1	8260B		8/4/2020	CJR	1
1,2-Dichloroethane	< 0.39	ug/l	0.39	1.3	1	8260B		8/4/2020	CJR	1
1,1-Dichloroethane	< 0.46	ug/l	0.46	1.5	1	8260B		8/4/2020	CJR	1
1,1-Dichloroethene	< 0.5	ug/l	0.5	1.6	1	8260B		8/4/2020	CJR	1
cis-1,2-Dichloroethene	< 0.39	ug/l	0.39	1.2	1	8260B		8/4/2020	CJR	1
trans-1,2-Dichloroethene	< 0.37	ug/l	0.37	1.2	1	8260B		8/4/2020	CJR	1
1,2-Dichloropropane	< 0.38	ug/l	0.38	1.2	1	8260B		8/4/2020	CJR	1
1,3-Dichloropropane	< 0.35	ug/l	0.35	1.1	1	8260B		8/4/2020	CJR	1
trans-1,3-Dichloropropene	< 0.3	ug/l	0.3	0.94	1	8260B		8/4/2020	CJR	1
cis-1,3-Dichloropropene	< 0.36	ug/l	0.36	1.1	1	8260B		8/4/2020	CJR	1
Di-isopropyl ether	< 0.34	ug/l	0.34	1.1	1	8260B		8/4/2020	CJR	1
EDB (1,2-Dibromoethane)	< 0.24	ug/l	0.24	0.75	1	8260B		8/4/2020	CJR	1
Ethylbenzene	< 0.32	ug/l	0.32		1	8260B		8/4/2020	CJR	1
Hexachlorobutadiene	< 0.72	ug/l	0.72	2.3	1	8260B		8/4/2020	CJR	1
Isopropylbenzene	< 0.32	ug/l	0.32		1	8260B		8/4/2020	CJR	1
p-Isopropyltoluene	< 0.47	ug/l	0.47	1.5	1	8260B		8/4/2020	CJR	1
Methylene chloride	< 1.32	ug/l	1.32	4.21	1	8260B		8/4/2020	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.47	ug/l	0.47	1.5	1	8260B		8/4/2020	CJR	1
Naphthalene	< 1.1	ug/l	1.1	3.6	1	8260B		8/4/2020	CJR	1
n-Propylbenzene	< 0.33	ug/l	0.33	1.1	1	8260B		8/4/2020	CJR	1
1,1,2,2-Tetrachloroethane	< 0.37	ug/l	0.37	1.2	1	8260B		8/4/2020	CJR	1
1,1,1,2-Tetrachloroethane	< 0.88	ug/l	0.88	3.3	1	8260B		8/4/2020	CJR	1
Tetrachloroethene	3.3	ug/l	0.33		1	8260B		8/4/2020	CJR	1
Toluene	< 0.26	ug/l	0.26	0.83	1	8260B		8/4/2020	CJR	1
1,2,4-Trichlorobenzene	< 0.44	ug/l	0.44	1.4	1	8260B		8/4/2020	CJR	1

Project Name FMR ROBINSONS CLEANERS
Project # 6155 PO#2020-1772

Invoice # E38267

Lab Code 5038267T
Sample ID 6155 MW-29
Sample Matrix Water
Sample Date 7/27/2020

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 1	ug/l	1	3.2	1	8260B		8/4/2020	CJR	1
1,1,1-Trichloroethane	< 0.3	ug/l	0.3	0.95	1	8260B		8/4/2020	CJR	1
1,1,2-Trichloroethane	< 0.36	ug/l	0.36	1.1	1	8260B		8/4/2020	CJR	1
Trichloroethene (TCE)	< 0.47	ug/l	0.47	1.5	1	8260B		8/4/2020	CJR	1
Trichlorofluoromethane	< 0.42	ug/l	0.42	1.3	1	8260B		8/4/2020	CJR	1
1,2,4-Trimethylbenzene	< 0.3	ug/l	0.3	0.96	1	8260B		8/4/2020	CJR	1
1,3,5-Trimethylbenzene	< 0.32	ug/l	0.32	1	1	8260B		8/4/2020	CJR	1
Vinyl Chloride	< 0.2	ug/l	0.2	0.65	1	8260B		8/4/2020	CJR	1
m&p-Xylene	< 1.1	ug/l	1.1	3.3	1	8260B		8/4/2020	CJR	1
o-Xylene	< 0.38	ug/l	0.38	1.2	1	8260B		8/4/2020	CJR	1
SUR - 1,2-Dichloroethane-d4	107	REC %			1	8260B		8/4/2020	CJR	1
SUR - Toluene-d8	105	REC %			1	8260B		8/4/2020	CJR	1
SUR - 4-Bromofluorobenzene	111	REC %			1	8260B		8/4/2020	CJR	1
SUR - Dibromofluoromethane	105	REC %			1	8260B		8/4/2020	CJR	1

Project Name FMR ROBINSONS CLEANERS
Project # 6155 PO#2020-1772

Invoice # E38267

Lab Code 538267AA
Sample ID 6155 MW-36S
Sample Matrix Water
Sample Date 7/27/2020

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 1.65	ug/l	1.65	5	5	8260B		8/4/2020	CJR	1
Bromobenzene	< 1.3	ug/l	1.3	4.2	5	8260B		8/4/2020	CJR	1
Bromodichloromethane	< 1.65	ug/l	1.65	5	5	8260B		8/4/2020	CJR	1
Bromoform	< 3.25	ug/l	3.25	10.5	5	8260B		8/4/2020	CJR	1
tert-Butylbenzene	< 3.05	ug/l	3.05	9.5	5	8260B		8/4/2020	CJR	1
sec-Butylbenzene	< 1.6	ug/l	1.6	5	5	8260B		8/4/2020	CJR	1
n-Butylbenzene	< 1.4	ug/l	1.4	4.45	5	8260B		8/4/2020	CJR	1
Carbon Tetrachloride	< 1.55	ug/l	1.55	4.9	5	8260B		8/4/2020	CJR	1
Chlorobenzene	< 1.95	ug/l	1.95	6	5	8260B		8/4/2020	CJR	1
Chloroethane	< 5.5	ug/l	5.5	18	5	8260B		8/4/2020	CJR	1
Chloroform	< 2.2	ug/l	2.2	7	5	8260B		8/4/2020	CJR	1
Chloromethane	< 4	ug/l	4	12.5	5	8260B		8/4/2020	CJR	1
2-Chlorotoluene	< 1.6	ug/l	1.6	5	5	8260B		8/4/2020	CJR	1
4-Chlorotoluene	< 1.5	ug/l	1.5	4.8	5	8260B		8/4/2020	CJR	1
1,2-Dibromo-3-chloropropane	< 4.1	ug/l	4.1	13	5	8260B		8/4/2020	CJR	1
Dibromochloromethane	< 1.15	ug/l	1.15	3.7	5	8260B		8/4/2020	CJR	1
1,4-Dichlorobenzene	< 1.8	ug/l	1.8	5.5	5	8260B		8/4/2020	CJR	1
1,3-Dichlorobenzene	< 1.55	ug/l	1.55	4.9	5	8260B		8/4/2020	CJR	1
1,2-Dichlorobenzene	< 1.6	ug/l	1.6	5	5	8260B		8/4/2020	CJR	1
Dichlorodifluoromethane	< 2.25	ug/l	2.25	7	5	8260B		8/4/2020	CJR	1
1,2-Dichloroethane	< 1.95	ug/l	1.95	6.5	5	8260B		8/4/2020	CJR	1
1,1-Dichloroethane	< 2.3	ug/l	2.3	7.5	5	8260B		8/4/2020	CJR	1
1,1-Dichloroethene	< 2.5	ug/l	2.5	8	5	8260B		8/4/2020	CJR	1
cis-1,2-Dichloroethene	23.1	ug/l	1.95	6	5	8260B		8/4/2020	CJR	1
trans-1,2-Dichloroethene	< 1.85	ug/l	1.85	6	5	8260B		8/4/2020	CJR	1
1,2-Dichloropropane	< 1.9	ug/l	1.9	6	5	8260B		8/4/2020	CJR	1
1,3-Dichloropropane	< 1.75	ug/l	1.75	5.5	5	8260B		8/4/2020	CJR	1
trans-1,3-Dichloropropene	< 1.5	ug/l	1.5	4.7	5	8260B		8/4/2020	CJR	1
cis-1,3-Dichloropropene	< 1.8	ug/l	1.8	5.5	5	8260B		8/4/2020	CJR	1
Di-isopropyl ether	< 1.7	ug/l	1.7	5.5	5	8260B		8/4/2020	CJR	1
EDB (1,2-Dibromoethane)	< 1.2	ug/l	1.2	3.75	5	8260B		8/4/2020	CJR	1
Ethylbenzene	< 1.6	ug/l	1.6	5	5	8260B		8/4/2020	CJR	1
Hexachlorobutadiene	< 3.6	ug/l	3.6	11.5	5	8260B		8/4/2020	CJR	1
Isopropylbenzene	< 1.6	ug/l	1.6	5	5	8260B		8/4/2020	CJR	1
p-Isopropyltoluene	< 2.35	ug/l	2.35	7.5	5	8260B		8/4/2020	CJR	1
Methylene chloride	< 6.6	ug/l	6.6	21.05	5	8260B		8/4/2020	CJR	1
Methyl tert-butyl ether (MTBE)	< 2.35	ug/l	2.35	7.5	5	8260B		8/4/2020	CJR	1
Naphthalene	< 5.5	ug/l	5.5	18	5	8260B		8/4/2020	CJR	1
n-Propylbenzene	< 1.65	ug/l	1.65	5.5	5	8260B		8/4/2020	CJR	1
1,1,2,2-Tetrachloroethane	< 1.85	ug/l	1.85	6	5	8260B		8/4/2020	CJR	1
1,1,1,2-Tetrachloroethane	< 4.4	ug/l	4.4	16.5	5	8260B		8/4/2020	CJR	1
Tetrachloroethene	570	ug/l	1.65	5	5	8260B		8/4/2020	CJR	1
Toluene	< 1.3	ug/l	1.3	4.15	5	8260B		8/4/2020	CJR	1
1,2,4-Trichlorobenzene	< 2.2	ug/l	2.2	7	5	8260B		8/4/2020	CJR	1

Project Name FMR ROBINSONS CLEANERS
Project # 6155 PO#2020-1772

Invoice # E38267

Lab Code 538267AA
Sample ID 6155 MW-36S
Sample Matrix Water
Sample Date 7/27/2020

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 5	ug/l	5	16	5	8260B		8/4/2020	CJR	1
1,1,1-Trichloroethane	< 1.5	ug/l	1.5	4.75	5	8260B		8/4/2020	CJR	1
1,1,2-Trichloroethane	< 1.8	ug/l	1.8	5.5	5	8260B		8/4/2020	CJR	1
Trichloroethene (TCE)	34	ug/l	2.35	7.5	5	8260B		8/4/2020	CJR	1
Trichlorofluoromethane	< 2.1	ug/l	2.1	6.5	5	8260B		8/4/2020	CJR	1
1,2,4-Trimethylbenzene	< 1.5	ug/l	1.5	4.8	5	8260B		8/4/2020	CJR	1
1,3,5-Trimethylbenzene	< 1.6	ug/l	1.6	5	5	8260B		8/4/2020	CJR	1
Vinyl Chloride	< 1	ug/l	1	3.25	5	8260B		8/4/2020	CJR	1
m&p-Xylene	< 5.5	ug/l	5.5	16.5	5	8260B		8/4/2020	CJR	1
o-Xylene	< 1.9	ug/l	1.9	6	5	8260B		8/4/2020	CJR	1
SUR - 4-Bromofluorobenzene	99	REC %			5	8260B		8/4/2020	CJR	1
SUR - Dibromofluoromethane	96	REC %			5	8260B		8/4/2020	CJR	1
SUR - 1,2-Dichloroethane-d4	108	REC %			5	8260B		8/4/2020	CJR	1
SUR - Toluene-d8	110	REC %			5	8260B		8/4/2020	CJR	1

Project Name FMR ROBINSONS CLEANERS
Project # 6155 PO#2020-1772

Invoice # E38267

Lab Code 538267BB
Sample ID 6155 MW-36D
Sample Matrix Water
Sample Date 7/27/2020

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.33	ug/l	0.33		1	8260B		8/4/2020	CJR	1
Bromobenzene	< 0.26	ug/l	0.26	0.84	1	8260B		8/4/2020	CJR	1
Bromodichloromethane	< 0.33	ug/l	0.33		1	8260B		8/4/2020	CJR	1
Bromoform	< 0.65	ug/l	0.65	2.1	1	8260B		8/4/2020	CJR	1
tert-Butylbenzene	< 0.61	ug/l	0.61	1.9	1	8260B		8/4/2020	CJR	1
sec-Butylbenzene	< 0.32	ug/l	0.32		1	8260B		8/4/2020	CJR	1
n-Butylbenzene	< 0.28	ug/l	0.28	0.89	1	8260B		8/4/2020	CJR	1
Carbon Tetrachloride	< 0.31	ug/l	0.31	0.98	1	8260B		8/4/2020	CJR	1
Chlorobenzene	< 0.39	ug/l	0.39	1.2	1	8260B		8/4/2020	CJR	1
Chloroethane	< 1.1	ug/l	1.1	3.6	1	8260B		8/4/2020	CJR	1
Chloroform	< 0.44	ug/l	0.44	1.4	1	8260B		8/4/2020	CJR	1
Chloromethane	< 0.8	ug/l	0.8	2.5	1	8260B		8/4/2020	CJR	1
2-Chlorotoluene	< 0.32	ug/l	0.32		1	8260B		8/4/2020	CJR	1
4-Chlorotoluene	< 0.3	ug/l	0.3	0.96	1	8260B		8/4/2020	CJR	1
1,2-Dibromo-3-chloropropane	< 0.82	ug/l	0.82	2.6	1	8260B		8/4/2020	CJR	1
Dibromochloromethane	< 0.23	ug/l	0.23	0.74	1	8260B		8/4/2020	CJR	1
1,4-Dichlorobenzene	< 0.36	ug/l	0.36	1.1	1	8260B		8/4/2020	CJR	1
1,3-Dichlorobenzene	< 0.31	ug/l	0.31	0.98	1	8260B		8/4/2020	CJR	1
1,2-Dichlorobenzene	< 0.32	ug/l	0.32		1	8260B		8/4/2020	CJR	1
Dichlorodifluoromethane	< 0.45	ug/l	0.45	1.4	1	8260B		8/4/2020	CJR	1
1,2-Dichloroethane	< 0.39	ug/l	0.39	1.3	1	8260B		8/4/2020	CJR	1
1,1-Dichloroethane	< 0.46	ug/l	0.46	1.5	1	8260B		8/4/2020	CJR	1
1,1-Dichloroethene	< 0.5	ug/l	0.5	1.6	1	8260B		8/4/2020	CJR	1
cis-1,2-Dichloroethene	< 0.39	ug/l	0.39	1.2	1	8260B		8/4/2020	CJR	1
trans-1,2-Dichloroethene	< 0.37	ug/l	0.37	1.2	1	8260B		8/4/2020	CJR	1
1,2-Dichloropropane	< 0.38	ug/l	0.38	1.2	1	8260B		8/4/2020	CJR	1
1,3-Dichloropropane	< 0.35	ug/l	0.35	1.1	1	8260B		8/4/2020	CJR	1
trans-1,3-Dichloropropene	< 0.3	ug/l	0.3	0.94	1	8260B		8/4/2020	CJR	1
cis-1,3-Dichloropropene	< 0.36	ug/l	0.36	1.1	1	8260B		8/4/2020	CJR	1
Di-isopropyl ether	< 0.34	ug/l	0.34	1.1	1	8260B		8/4/2020	CJR	1
EDB (1,2-Dibromoethane)	< 0.24	ug/l	0.24	0.75	1	8260B		8/4/2020	CJR	1
Ethylbenzene	< 0.32	ug/l	0.32		1	8260B		8/4/2020	CJR	1
Hexachlorobutadiene	< 0.72	ug/l	0.72	2.3	1	8260B		8/4/2020	CJR	1
Isopropylbenzene	< 0.32	ug/l	0.32		1	8260B		8/4/2020	CJR	1
p-Isopropyltoluene	< 0.47	ug/l	0.47	1.5	1	8260B		8/4/2020	CJR	1
Methylene chloride	< 1.32	ug/l	1.32	4.21	1	8260B		8/4/2020	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.47	ug/l	0.47	1.5	1	8260B		8/4/2020	CJR	1
Naphthalene	< 1.1	ug/l	1.1	3.6	1	8260B		8/4/2020	CJR	1
n-Propylbenzene	< 0.33	ug/l	0.33	1.1	1	8260B		8/4/2020	CJR	1
1,1,2,2-Tetrachloroethane	< 0.37	ug/l	0.37	1.2	1	8260B		8/4/2020	CJR	1
1,1,1,2-Tetrachloroethane	< 0.88	ug/l	0.88	3.3	1	8260B		8/4/2020	CJR	1
Tetrachloroethene	< 0.33	ug/l	0.33		1	8260B		8/4/2020	CJR	1
Toluene	< 0.26	ug/l	0.26	0.83	1	8260B		8/4/2020	CJR	1
1,2,4-Trichlorobenzene	< 0.44	ug/l	0.44	1.4	1	8260B		8/4/2020	CJR	1

Project Name FMR ROBINSONS CLEANERS
Project # 6155 PO#2020-1772

Invoice # E38267

Lab Code 538267BB
Sample ID 6155 MW-36D
Sample Matrix Water
Sample Date 7/27/2020

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 1	ug/l	1	3.2	1	8260B		8/4/2020	CJR	1
1,1,1-Trichloroethane	< 0.3	ug/l	0.3	0.95	1	8260B		8/4/2020	CJR	1
1,1,2-Trichloroethane	< 0.36	ug/l	0.36	1.1	1	8260B		8/4/2020	CJR	1
Trichloroethene (TCE)	< 0.47	ug/l	0.47	1.5	1	8260B		8/4/2020	CJR	1
Trichlorofluoromethane	< 0.42	ug/l	0.42	1.3	1	8260B		8/4/2020	CJR	1
1,2,4-Trimethylbenzene	< 0.3	ug/l	0.3	0.96	1	8260B		8/4/2020	CJR	1
1,3,5-Trimethylbenzene	< 0.32	ug/l	0.32	1	1	8260B		8/4/2020	CJR	1
Vinyl Chloride	< 0.2	ug/l	0.2	0.65	1	8260B		8/4/2020	CJR	1
m&p-Xylene	< 1.1	ug/l	1.1	3.3	1	8260B		8/4/2020	CJR	1
o-Xylene	< 0.38	ug/l	0.38	1.2	1	8260B		8/4/2020	CJR	1
SUR - 4-Bromofluorobenzene	106	REC %			1	8260B		8/4/2020	CJR	1
SUR - Dibromofluoromethane	102	REC %			1	8260B		8/4/2020	CJR	1
SUR - Toluene-d8	105	REC %			1	8260B		8/4/2020	CJR	1
SUR - 1,2-Dichloroethane-d4	102	REC %			1	8260B		8/4/2020	CJR	1

Project Name FMR ROBINSONS CLEANERS
Project # 6155 PO#2020-1772

Invoice # E38267

Lab Code 538267EE
Sample ID 6155 MW-39S
Sample Matrix Water
Sample Date 7/27/2020

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 16.5	ug/l	16.5	50	50	8260B		8/5/2020	CJR	1
Bromobenzene	< 13	ug/l	13	42	50	8260B		8/5/2020	CJR	1
Bromodichloromethane	< 16.5	ug/l	16.5	50	50	8260B		8/5/2020	CJR	1
Bromoform	< 32.5	ug/l	32.5	105	50	8260B		8/5/2020	CJR	1
tert-Butylbenzene	< 30.5	ug/l	30.5	95	50	8260B		8/5/2020	CJR	1
sec-Butylbenzene	< 16	ug/l	16	50	50	8260B		8/5/2020	CJR	1
n-Butylbenzene	< 14	ug/l	14	44.5	50	8260B		8/5/2020	CJR	1
Carbon Tetrachloride	< 15.5	ug/l	15.5	49	50	8260B		8/5/2020	CJR	1
Chlorobenzene	< 19.5	ug/l	19.5	60	50	8260B		8/5/2020	CJR	1
Chloroethane	< 55	ug/l	55	180	50	8260B		8/5/2020	CJR	1
Chloroform	< 22	ug/l	22	70	50	8260B		8/5/2020	CJR	1
Chloromethane	< 40	ug/l	40	125	50	8260B		8/5/2020	CJR	1
2-Chlorotoluene	< 16	ug/l	16	50	50	8260B		8/5/2020	CJR	1
4-Chlorotoluene	< 15	ug/l	15	48	50	8260B		8/5/2020	CJR	1
1,2-Dibromo-3-chloropropane	< 41	ug/l	41	130	50	8260B		8/5/2020	CJR	1
Dibromochloromethane	< 11.5	ug/l	11.5	37	50	8260B		8/5/2020	CJR	1
1,4-Dichlorobenzene	< 18	ug/l	18	55	50	8260B		8/5/2020	CJR	1
1,3-Dichlorobenzene	< 15.5	ug/l	15.5	49	50	8260B		8/5/2020	CJR	1
1,2-Dichlorobenzene	< 16	ug/l	16	50	50	8260B		8/5/2020	CJR	1
Dichlorodifluoromethane	< 22.5	ug/l	22.5	70	50	8260B		8/5/2020	CJR	1
1,2-Dichloroethane	< 19.5	ug/l	19.5	65	50	8260B		8/5/2020	CJR	1
1,1-Dichloroethane	< 23	ug/l	23	75	50	8260B		8/5/2020	CJR	1
1,1-Dichloroethene	< 25	ug/l	25	80	50	8260B		8/5/2020	CJR	1
cis-1,2-Dichloroethene	48 "J"	ug/l	19.5	60	50	8260B		8/5/2020	CJR	1
trans-1,2-Dichloroethene	< 18.5	ug/l	18.5	60	50	8260B		8/5/2020	CJR	1
1,2-Dichloropropane	< 19	ug/l	19	60	50	8260B		8/5/2020	CJR	1
1,3-Dichloropropane	< 17.5	ug/l	17.5	55	50	8260B		8/5/2020	CJR	1
trans-1,3-Dichloropropene	< 15	ug/l	15	47	50	8260B		8/5/2020	CJR	1
cis-1,3-Dichloropropene	< 18	ug/l	18	55	50	8260B		8/5/2020	CJR	1
Di-isopropyl ether	< 17	ug/l	17	55	50	8260B		8/5/2020	CJR	1
EDB (1,2-Dibromoethane)	< 12	ug/l	12	37.5	50	8260B		8/5/2020	CJR	1
Ethylbenzene	< 16	ug/l	16	50	50	8260B		8/5/2020	CJR	1
Hexachlorobutadiene	< 36	ug/l	36	115	50	8260B		8/5/2020	CJR	1
Isopropylbenzene	< 16	ug/l	16	50	50	8260B		8/5/2020	CJR	1
p-Isopropyltoluene	< 23.5	ug/l	23.5	75	50	8260B		8/5/2020	CJR	1
Methylene chloride	< 66	ug/l	66	210.5	50	8260B		8/5/2020	CJR	1
Methyl tert-butyl ether (MTBE)	< 23.5	ug/l	23.5	75	50	8260B		8/5/2020	CJR	1
Naphthalene	< 55	ug/l	55	180	50	8260B		8/5/2020	CJR	1
n-Propylbenzene	< 16.5	ug/l	16.5	55	50	8260B		8/5/2020	CJR	1
1,1,2,2-Tetrachloroethane	< 18.5	ug/l	18.5	60	50	8260B		8/5/2020	CJR	1
1,1,1,2-Tetrachloroethane	< 44	ug/l	44	165	50	8260B		8/5/2020	CJR	1
Tetrachloroethene	7000	ug/l	16.5	50	50	8260B		8/5/2020	CJR	1
Toluene	< 13	ug/l	13	41.5	50	8260B		8/5/2020	CJR	1
1,2,4-Trichlorobenzene	< 22	ug/l	22	70	50	8260B		8/5/2020	CJR	1

Project Name FMR ROBINSONS CLEANERS
Project # 6155 PO#2020-1772

Invoice # E38267

Lab Code 538267EE
Sample ID 6155 MW-39S
Sample Matrix Water
Sample Date 7/27/2020

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 50	ug/l	50	160	50	8260B		8/5/2020	CJR	1
1,1,1-Trichloroethane	< 15	ug/l	15	47.5	50	8260B		8/5/2020	CJR	1
1,1,2-Trichloroethane	< 18	ug/l	18	55	50	8260B		8/5/2020	CJR	1
Trichloroethene (TCE)	264	ug/l	23.5	75	50	8260B		8/5/2020	CJR	1
Trichlorofluoromethane	< 21	ug/l	21	65	50	8260B		8/5/2020	CJR	1
1,2,4-Trimethylbenzene	< 15	ug/l	15	48	50	8260B		8/5/2020	CJR	1
1,3,5-Trimethylbenzene	< 16	ug/l	16	50	50	8260B		8/5/2020	CJR	1
Vinyl Chloride	< 10	ug/l	10	32.5	50	8260B		8/5/2020	CJR	1
m&p-Xylene	< 55	ug/l	55	165	50	8260B		8/5/2020	CJR	1
o-Xylene	< 19	ug/l	19	60	50	8260B		8/5/2020	CJR	1
SUR - 1,2-Dichloroethane-d4	100	REC %			50	8260B		8/5/2020	CJR	1
SUR - Toluene-d8	113	REC %			50	8260B		8/5/2020	CJR	1
SUR - Dibromofluoromethane	94	REC %			50	8260B		8/5/2020	CJR	1
SUR - 4-Bromofluorobenzene	97	REC %			50	8260B		8/5/2020	CJR	1

Environmental Lab, Inc.

1990 Prospect Ct. • Appleton, WI 54914
920-830-2455 • FAX 920-733-0631

Sample Handling Request

Rush Analysis Date Required _____
(Rushes accepted only with prior authorization)

Normal Turn Around

Lab I.D. # _____
Account No. : _____ Quote No.: **8242**
Project #: **6155**
Sampler: (signature) *B. J. Kappen / Melody Che*

Project (Name / Location): **Fmr Robinson's Cleaners - Court St**
Reports To: **B. Kappen** Invoice To: **Accounts Payable**
Company: **Enviroforensics LLC** Company: **Enviroforensics LLC**
Address: **bkappen@enviroforensics.com** Address: **accounts payable@enviroforensics.com**
City State Zip: _____ City State Zip: _____
Phone: **262-745-5054** Phone: **317-972-7870**
FAX: _____ FAX: _____

Analysis Requested **Other Analysis**

Lab I.D.	Sample I.D.	Collection		Comp	Grab	Filtered Y/N	No. of Containers	Sample Type (Matrix)*	Preservation	DRO (Mod DRO Sep 95)	GRO (Mod GRO Sep 95)	LEAD	NITRATE/NITRITE	OIL & GREASE	PAH (EPA 8270)	PCB	PVOC (EPA 8021)	PVOC + NAPHTHALENE	SULFATE	TOTAL SUSPENDED SOLIDS	VOC DW (EPA 524.2)	VOC (EPA 8260)	8-RCRA METALS	PID/FID	
		Date	Time																						
5038267A	6155-MW-1	7/27/20	1120		X	N	3	GW	HCl																
B	6155-MW-6		1200																						
C	6155-MW-8		1650																						
D	6155-MW-9		1135																						
E	6155-MW-11		1425																						
F	6155-MW-12		1210																						
G	6155-MW-13		1410																						
H	6155-MW-14		1150																						
I	6155-MW-20D		1105																						
J	6155-PZ-17D1	7/29/20	1150																						

Comments/Special Instructions (*Specify groundwater "GW", Drinking Water "DW", Waste Water "WW", Soil "S", Air "A", Oil, Sludge etc.)

PO# 2020-1772

Sample Integrity - To be completed by receiving lab.
Method of Shipment: Ge
Temp. of Temp. Blank _____ °C On Ice
Cooler seal intact upon receipt: Yes No

Relinquished By: (sign) *B. J. Kappen* Time 1215 Date 7/29/20
Received By: (sign) *Gold Cross* Time 1215 Date 7/29/20
Received in Laboratory By: *[Signature]* Time: 8:00 Date: 7/31/20

Environmental Lab, Inc.

1990 Prospect Ct. • Appleton, WI 54914
920-830-2455 • FAX 920-733-0631

Sample Handling Request

Rush Analysis Date Required _____
(Rushes accepted only with prior authorization)

Normal Turn Around

Lab I.D. # _____
Account No. : _____ Quote No.: 8242
Project #: 6155
Sampler: (signature) [Signature]

Project (Name / Location): _____

Reports To:	Invoice To:
Company	Company
Address	Address
City State Zip	City State Zip
Phone	Phone
FAX	FAX

Analysis Requested **Other Analysis**

Lab I.D.	Sample I.D.	Collection Date	Time	Comp	Grab	Filtered Y/N	No. of Containers	Sample Type (Matrix)*	Preservation	DRO (Mod DRO Sep 95)	GRO (Mod GRO Sep 95)	LEAD	NITRATE/NITRITE	OIL & GREASE	PAH (EPA 8270)	PCB	PVOC (EPA 8021)	PVOC + NAPHTHALENE	SULFATE	TOTAL SUSPENDED SOLIDS	VOC DW (EPA 524-2)	VOC (EPA 8260)	8-PCRA METALS	PID/FID	
<u>S038267k</u>	<u>6155-P2-1702</u>	<u>7/27/20</u>	<u>1455</u>		<u>X</u>	<u>N</u>	<u>3</u>	<u>GW</u>	<u>HCl</u>																
<u>L</u>	<u>6155-MW-25D</u>		<u>1535</u>																			<u>X</u>			
<u>M</u>	<u>6155-PZ-25D2</u>		<u>1530</u>																			<u>X</u>			
<u>N</u>	<u>6155-PZ-25D3</u>		<u>1525</u>																			<u>X</u>			
<u>O</u>	<u>6155-MW-26</u>		<u>1555</u>																			<u>X</u>			
<u>P</u>	<u>6155-MW-27S</u>		<u>1230</u>																			<u>X</u>			
<u>Q</u>	<u>6155-MW-27D</u>		<u>1235</u>																			<u>X</u>			
<u>R</u>	<u>6155-MW-27DS</u>		<u>1240</u>																			<u>X</u>			
<u>S</u>	<u>6155-MW-29S</u>		<u>1030</u>																			<u>X</u>			
<u>T</u>	<u>6155-MW-29</u>		<u>1035</u>																			<u>X</u>			

Comments/Special Instructions (*Specify groundwater "GW", Drinking Water "DW", Waste Water "WW", Soil "S", Air "A", Oil, Sludge etc.)

Sample Integrity - To be completed by receiving lab. Method of Shipment: <u>GC</u> Temp. of Temp. Blank _____ °C On Ice <input checked="" type="checkbox"/> Cooler seal intact upon receipt: <input checked="" type="checkbox"/> Yes _____ No	Relinquished By: (sign) <u>[Signature]</u>	Time <u>1215</u>	Date <u>7/29/20</u>	Received By: (sign) <u>Gold Cross</u>	Time <u>1215</u>	Date <u>7/29/20</u>
	Received in Laboratory By: <u>[Signature]</u>	Time <u>8:00</u>	Date <u>7/31/20</u>			

Environmental Lab, Inc.

1990 Prospect Ct. • Appleton, WI 54914
920-830-2455 • FAX 920-733-0631

Sample Handling Request
 Rush Analysis Date Required _____
 (Rushes accepted only with prior authorization)
 Normal Turn Around

Lab I.D. # _____
 Account No. : _____ Quote No.: **8242**
 Project #: **6155**
 Sampler: (signature) *B. J. Ryan*

Project (Name / Location): _____
 Reports To: _____ Invoice To: _____
 Company: _____ Company: _____
 Address: _____ Address: _____
 City State Zip: _____ City State Zip: _____
 Phone: _____ Phone: _____
 FAX: _____ FAX: _____

										Analysis Requested										Other Analysis					
Lab I.D.	Sample I.D.	Collection Date	Time	Comp	Grab	Filtered Y/N	No. of Containers	Sample Type (Matrix)*	Preservation	DRO (Mod DRO Sep 95)	GRO (Mod GRO Sep 95)	LEAD	NITRATE/NITRITE	OIL & GREASE	PAH (EPA 8270)	PCB	PVOC (EPA 8021)	PVOC + NAPHTHALENE	SULFATE	TOTAL SUSPENDED SOLIDS	VOC DW (EPA 524.2)	VOC (EPA 8260)	8-RCRA METALS	PID/FID	
6038267U	6155-MW-30S	7/27/20	1005		X	N	3	GW	HCl																
V	6155-MW-30D		1010																						
W	6155-MW-30D3		1018																						
X	6155-MW-31D		1300																						
Y	6155-MW-32		1345																						
Z	6155-MW-35D		1610																						
AA	6155-MW-36S		935																						
BB	6155-MW-36D		940																						
CC	6155-MW-37D		1700																						
DD	6155-MW-38D		1335																						

Comments/Special Instructions (*Specify groundwater "GW", Drinking Water "DW", Waste Water "WW", Soil "S", Air "A", Oil, Sludge etc.)

Sample Integrity - To be completed by receiving lab.
 Method of Shipment:
 Temp. of Temp. Blank _____ °C On Ice
 Cooler seal intact upon receipt: Yes _____ No

Relinquished By: (sign) *B. J. Ryan* Time 1215 Date 7/29/20
 Received By: (sign) *Gold Cross* Time 1215 Date 7/29/20
 Received in Laboratory By: *[Signature]* Time: 8:00 Date: 7/31/20

Environmental Lab, Inc.

1990 Prospect Ct. • Appleton, WI 54914
920-830-2455 • FAX 920-733-0631

Sample Handling Request

Rush Analysis Date Required _____
(Rushes accepted only with prior authorization)
 Normal Turn Around

Lab I.D. # _____
Account No. : _____ Quote No.: **3242**
Project #: **6155**
Sampler: (signature) *B. J. Kyp*

Project (Name / Location): _____
Reports To: _____ Invoice To: _____
Company: _____ Company: _____
Address: _____ Address: _____
City State Zip: _____ City State Zip: _____
Phone: _____ Phone: _____
FAX: _____ FAX: _____

Analysis Requested

Other Analysis

Lab I.D.	Sample I.D.	Collection Date	Time	Comp	Grab	Filtered Y/N	No. of Containers	Sample Type (Matrix)*	Preservation	DRO (Mod DRO Sep 95)	GRO (Mod GRO Sep 95)	LEAD	NITRATE/NITRITE	OIL & GREASE	PAH (EPA 8270)	PCB	PVOC (EPA 8021)	PVOC + NAPHTHALENE	SULFATE	TOTAL SUSPENDED SOLIDS	VOC DW (EPA 524.2)	VOC (EPA 8260)	8-RCRA METALS	PID/FID
53826FE	6155-MW-39S	7/27/20	910		X	N	3	GW	HC1															
FF	6155-PZ-42D1	7/28/20	1030																			X		
GG	6155-PZ-42D2	7/28/20	920																			X		
HH	6155-PZ-42D3	7/29/20	1010																			X		
FI	6155-PZ-43D1	7/27/20	1715																			X		
JJ	6155-MW-44S		1220																			X		
KK	6155-PZ-44D1		1230																			X		
LL	6155-PZ-44D2		1240																			X		
MM	6155-PZ-46D1		1540																			X		
NN	6155-PZ-46D2		1610																			X		

Comments/Special Instructions (*Specify groundwater "GW", Drinking Water "DW", Waste Water "WW", Soil "S", Air "A", Oil, Sludge etc.)

Sample Integrity - To be completed by receiving lab.
Method of Shipment: Ge
Temp. of Temp. Blank _____ °C On Ice
Cooler seal intact upon receipt: Yes _____ No

Relinquished By: (sign) *B. J. Kyp* Time 1215 Date 7/29/20
Received By: (sign) Gold Cross Time 1215 Date 7/29/20

Received in Laboratory By: *[Signature]* Time: 8:00 Date: 7/31/20



August 19, 2020

Carol Turner
Turner Properties LLC
2016 West Court Street
Janesville, WI 53548

Subject: Environmental Investigation Sampling Results
BRRTS#: 02-54-221852

Dear Ms. Turner:

In accordance with the executed Agreement to Provide Access for Sampling Activities, and in accordance with Wisconsin Department of Natural Resources (WDNR) regulation NR 716.14, EnviroForensics, LLC (EnviroForensics) is providing the results of an environmental sample collected from your property located at 2016 West Court Street in Janesville, Wisconsin. One (1) groundwater sample was collected from monitoring well MW-32 on July 27, 2020. The location of the well is shown on attached **Figure 1**. The sampling activities were conducted as part of remedial monitoring being performed for Robinson's Cleaners formerly located at 1838 West Court Street in Janesville, Wisconsin. The chemicals of concern (COCs) are the dry cleaning solvent tetrachloroethene (PCE) and its associated breakdown products.

The Responsible Party is:

RayChris, Inc.
5110 N. Conner Road
Janesville, WI 53548

Sampling Results

The results of the sample analysis are summarized and compared to WDNR standards in the attached **Table 1**. An excerpt from the laboratory report that relates to the groundwater sample collected from the monitoring well is also attached. As can be seen in **Table 1**, the COCs were not detected in the groundwater sample collected from MW-32 on July 27.

We may continue to conduct periodic groundwater monitoring activities in the future, which could include the monitoring well on your property.

If you have any questions or concerns, please contact me at 414-982-3988 or by email at wfassbender@enviroforensics.com. The WDNR project manager, Jeff Ackerman, can be reached at 608-275-3323. We greatly appreciate your help and patience with this matter.

Sincerely,
EnviroForensics, LLC


A handwritten signature in black ink that reads "Wayne P. Fassbender".

Wayne Fassbender, PG, PMP
Senior Project Manager

Copy: Jeff Ackerman, Wisconsin Department of Natural Resources

Attachments:

- Figure 1: Monitoring Well Location Map
- Table 1: Summary of Groundwater Analytical Results
- Groundwater Laboratory Analytical Report Excerpt



Legend

- Property boundary
- WTR Underground water utility line
- Underground storm utility line
- SAN Underground sanitary utility line
- UGT Underground telephone utility line
- GAS Underground gas utility line
- UGE Underground electrical utility line
- OWHD Overhead electrical utility line
- MW-32 Monitoring well (Unconsolidated)

MONITORING WELL LOCATION

Robinson Dry Cleaners
1838 West Court Street
Janesville, WI

Date:	1/19/15
Designed:	EB
Drawn: Trees	EB
Checked:	BK
DWG file:	6155-1178

ENVIROforensics
ENVIRONMENTAL FORENSIC INVESTIGATIONS, INC.
602 N. Capitol Ave., Ste. 210 • Indianapolis, IN 46204
EnviroForensics.com

Figure	1
Project	6155

TABLE 1
SUMMARY OF GROUNDWATER SAMPLE ANALYTICAL RESULTS

Former Robinson's Cleaners
1838 W. Court Street
Janesville, Wisconsin

Monitoring Well ID	Sample ID	Sample Date	Sample Method	Tetrachloroethene	Trichloroethene	cis-1,2-Dichloroethene	trans-1,2-Dichloroethene	Vinyl chloride
Enforcement Standard				5	5	70	100	0.2
Preventive Action Limit				0.5	0.5	7	20	0.02
MW-32	6155-MW-32	8/29/2017	PDB	5.2	<0.45	<0.41	<0.35	<0.19
		5/1/2018	PDB	11.4	0.36 J	<0.37	<0.34	<0.2
		10/31/2018	PDB	7.2	<0.3	<0.37	<0.34	<0.2
		6/18/2019	PDB	7.5	<0.3	<0.37	<0.34	<0.2
		12/17/2019	PDB	2.08	<0.3	<0.37	<0.34	<0.2
		7/27/2020	PDB	<0.33	<0.47	<0.39	<0.37	<0.2

Notes:

All concentrations reported in units of µg/L = micrograms per liter

Samples analyzed using EPA SW-846 Method 8260

Bolded values are above detection limits

Bolded and Shaded Orange values are above the Public Health Enforcement Standard

Bolded and Shaded Blue values are above Public Health Preventive Action Limit

J = Analyte concentration detected between the laboratory Reporting Limit and Method Detection Limit

PDB = Passive Diffusion Bag used as Sampling Method

Low Flow = Standard Low Flow Sampling Method using Bladder Pump

Project Name FMR ROBINSONS CLEANERS
Project # 6155 PO#2020-1772

Invoice # E38267

Lab Code 5038267Y
Sample ID 6155 MW-32
Sample Matrix Water
Sample Date 7/27/2020

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.33	ug/l	0.33		1	8260B		8/4/2020	CJR	1
Bromobenzene	< 0.26	ug/l	0.26	0.84	1	8260B		8/4/2020	CJR	1
Bromodichloromethane	< 0.33	ug/l	0.33		1	8260B		8/4/2020	CJR	1
Bromoform	< 0.65	ug/l	0.65	2.1	1	8260B		8/4/2020	CJR	1
tert-Butylbenzene	< 0.61	ug/l	0.61	1.9	1	8260B		8/4/2020	CJR	1
sec-Butylbenzene	< 0.32	ug/l	0.32		1	8260B		8/4/2020	CJR	1
n-Butylbenzene	< 0.28	ug/l	0.28	0.89	1	8260B		8/4/2020	CJR	1
Carbon Tetrachloride	< 0.31	ug/l	0.31	0.98	1	8260B		8/4/2020	CJR	1
Chlorobenzene	< 0.39	ug/l	0.39	1.2	1	8260B		8/4/2020	CJR	1
Chloroethane	< 1.1	ug/l	1.1	3.6	1	8260B		8/4/2020	CJR	1
Chloroform	< 0.44	ug/l	0.44	1.4	1	8260B		8/4/2020	CJR	1
Chloromethane	< 0.8	ug/l	0.8	2.5	1	8260B		8/4/2020	CJR	1
2-Chlorotoluene	< 0.32	ug/l	0.32		1	8260B		8/4/2020	CJR	1
4-Chlorotoluene	< 0.3	ug/l	0.3	0.96	1	8260B		8/4/2020	CJR	1
1,2-Dibromo-3-chloropropane	< 0.82	ug/l	0.82	2.6	1	8260B		8/4/2020	CJR	1
Dibromochloromethane	< 0.23	ug/l	0.23	0.74	1	8260B		8/4/2020	CJR	1
1,4-Dichlorobenzene	< 0.36	ug/l	0.36	1.1	1	8260B		8/4/2020	CJR	1
1,3-Dichlorobenzene	< 0.31	ug/l	0.31	0.98	1	8260B		8/4/2020	CJR	1
1,2-Dichlorobenzene	< 0.32	ug/l	0.32		1	8260B		8/4/2020	CJR	1
Dichlorodifluoromethane	< 0.45	ug/l	0.45	1.4	1	8260B		8/4/2020	CJR	1
1,2-Dichloroethane	< 0.39	ug/l	0.39	1.3	1	8260B		8/4/2020	CJR	1
1,1-Dichloroethane	< 0.46	ug/l	0.46	1.5	1	8260B		8/4/2020	CJR	1
1,1-Dichloroethene	< 0.5	ug/l	0.5	1.6	1	8260B		8/4/2020	CJR	1
cis-1,2-Dichloroethene	< 0.39	ug/l	0.39	1.2	1	8260B		8/4/2020	CJR	1
trans-1,2-Dichloroethene	< 0.37	ug/l	0.37	1.2	1	8260B		8/4/2020	CJR	1
1,2-Dichloropropane	< 0.38	ug/l	0.38	1.2	1	8260B		8/4/2020	CJR	1
1,3-Dichloropropane	< 0.35	ug/l	0.35	1.1	1	8260B		8/4/2020	CJR	1
trans-1,3-Dichloropropene	< 0.3	ug/l	0.3	0.94	1	8260B		8/4/2020	CJR	1
cis-1,3-Dichloropropene	< 0.36	ug/l	0.36	1.1	1	8260B		8/4/2020	CJR	1
Di-isopropyl ether	< 0.34	ug/l	0.34	1.1	1	8260B		8/4/2020	CJR	1
EDB (1,2-Dibromoethane)	< 0.24	ug/l	0.24	0.75	1	8260B		8/4/2020	CJR	1
Ethylbenzene	< 0.32	ug/l	0.32		1	8260B		8/4/2020	CJR	1
Hexachlorobutadiene	< 0.72	ug/l	0.72	2.3	1	8260B		8/4/2020	CJR	1
Isopropylbenzene	< 0.32	ug/l	0.32		1	8260B		8/4/2020	CJR	1
p-Isopropyltoluene	< 0.47	ug/l	0.47	1.5	1	8260B		8/4/2020	CJR	1
Methylene chloride	< 1.32	ug/l	1.32	4.21	1	8260B		8/4/2020	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.47	ug/l	0.47	1.5	1	8260B		8/4/2020	CJR	1
Naphthalene	< 1.1	ug/l	1.1	3.6	1	8260B		8/4/2020	CJR	1
n-Propylbenzene	< 0.33	ug/l	0.33	1.1	1	8260B		8/4/2020	CJR	1
1,1,2,2-Tetrachloroethane	< 0.37	ug/l	0.37	1.2	1	8260B		8/4/2020	CJR	1
1,1,1,2-Tetrachloroethane	< 0.88	ug/l	0.88	3.3	1	8260B		8/4/2020	CJR	1
Tetrachloroethene	< 0.33	ug/l	0.33		1	8260B		8/4/2020	CJR	1
Toluene	< 0.26	ug/l	0.26	0.83	1	8260B		8/4/2020	CJR	1
1,2,4-Trichlorobenzene	< 0.44	ug/l	0.44	1.4	1	8260B		8/4/2020	CJR	1

Project Name FMR ROBINSONS CLEANERS
Project # 6155 PO#2020-1772

Invoice # E38267

Lab Code 5038267Y
Sample ID 6155 MW-32
Sample Matrix Water
Sample Date 7/27/2020

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 1	ug/l	1	3.2	1	8260B		8/4/2020	CJR	1
1,1,1-Trichloroethane	< 0.3	ug/l	0.3	0.95	1	8260B		8/4/2020	CJR	1
1,1,2-Trichloroethane	< 0.36	ug/l	0.36	1.1	1	8260B		8/4/2020	CJR	1
Trichloroethene (TCE)	< 0.47	ug/l	0.47	1.5	1	8260B		8/4/2020	CJR	1
Trichlorofluoromethane	< 0.42	ug/l	0.42	1.3	1	8260B		8/4/2020	CJR	1
1,2,4-Trimethylbenzene	< 0.3	ug/l	0.3	0.96	1	8260B		8/4/2020	CJR	1
1,3,5-Trimethylbenzene	< 0.32	ug/l	0.32	1	1	8260B		8/4/2020	CJR	1
Vinyl Chloride	< 0.2	ug/l	0.2	0.65	1	8260B		8/4/2020	CJR	1
m&p-Xylene	< 1.1	ug/l	1.1	3.3	1	8260B		8/4/2020	CJR	1
o-Xylene	< 0.38	ug/l	0.38	1.2	1	8260B		8/4/2020	CJR	1
SUR - 1,2-Dichloroethane-d4	101	REC %			1	8260B		8/4/2020	CJR	1
SUR - 4-Bromofluorobenzene	105	REC %			1	8260B		8/4/2020	CJR	1
SUR - Dibromofluoromethane	99	REC %			1	8260B		8/4/2020	CJR	1
SUR - Toluene-d8	105	REC %			1	8260B		8/4/2020	CJR	1

Environmental Lab, Inc.

1990 Prospect Ct. • Appleton, WI 54914
920-830-2455 • FAX 920-733-0631

Sample Handling Request
 Rush Analysis Date Required _____
 (Rushes accepted only with prior authorization)
 Normal Turn Around

Lab I.D. # _____
 Account No.: _____ Quote No.: **8242**
 Project #: **6155**
 Sampler: (signature) *B. J. Ryan*

Project (Name / Location):										Analysis Requested										Other Analysis				
Reports To:					Invoice To:					DRO (Mod DRO Sep 95)	GRO (Mod GRO Sep 95)	LEAD	NITRATE/NITRITE	OIL & GREASE	PAH (EPA 8270)	PCB	PVOC (EPA 8021)	PVOC + NAPHTHALENE	SULFATE	TOTAL SUSPENDED SOLIDS	VOC DW (EPA 524.2)	VOC (EPA 8260)	8-RCRA METALS	PID/ FID
Company					Company																			
Address					Address																			
City State Zip					City State Zip																			
Phone					Phone																			
FAX					FAX																			
Lab I.D.	Sample I.D.	Collection Date	Time	Comp	Grab	Filtered Y/N	No. of Containers	Sample Type (Matrix)*	Preservation															
5038267U	6155-MW-30S	7/27/20	1005		X	N	3	GW	HCl															
V	6155-MW-30D		1010																					
W	6155-MW-30D3		1018																					
X	6155-MW-31D		1300																					
Y	6155-MW-32		1345																					
Z	6155-MW-35D		1610																					
AA	6155-MW-36S		935																					
BB	6155-MW-36D		940																					
CC	6155-MW-37D		1700																					
DD	6155-MW-38D		1335																					

Comments/Special Instructions (*Specify groundwater "GW", Drinking Water "DW", Waste Water "WW", Soil "S", Air "A", Oil, Sludge etc.)

Sample Integrity - To be completed by receiving lab.
 Method of Shipment: _____
 Temp. of Temp. Blank _____ °C On Ice
 Cooler seal intact upon receipt: Yes _____ No

Relinquished By: (sign) *B. J. Ryan* Time **1215** Date **7/29/20** Received By: (sign) *Gold Cross* Time **1215** Date **7/29/20**

Received in Laboratory By: *[Signature]* Time: **8:00** Date: **7/31/20**



August 19, 2020

Alan J. Utzig
Utzig CarStar Collision Service
1715 West Court Street
Janesville, WI 53548

Subject: Environmental Investigation Sampling Results
BRRTS#: 02-54-221852

Dear Mr. Utzig:

In accordance with the executed Agreement to Provide Access for Sampling Activities, and in accordance with Wisconsin Department of Natural Resources (WDNR) regulation NR 716.14, EnviroForensics, LLC (EnviroForensics) is providing the results of environmental samples collected from your property located at 1715 West Court Street in Janesville, Wisconsin. Groundwater samples were collected from monitoring wells MW-8, MW-25D, PZ-25D2, PZ-25D3, and MW-37D on July 27, 2020. The locations of monitoring wells on your property are shown on the attached **Figure 1**. The sampling activities were conducted at the direction of the WDNR as part of an environmental investigation being performed for Robinson's Cleaners formerly located at 1838 West Court Street, Janesville, Wisconsin. The chemicals of concern (COCs) for the investigation are the dry cleaning solvent tetrachloroethene (PCE) and its associated breakdown products.

The Responsible Party is:

Ray Chris, Inc.
5110 N. Conner Road
Janesville, WI 53548

Sampling Results


The analytical results of the groundwater samples are summarized and compared to public health criteria in the attached **Table 1**. An excerpt from the laboratory report that relates to the groundwater samples collected from the monitoring wells is also attached. As can be seen in **Table 1**, samples collected from each of the five (5) monitoring wells contained PCE at concentrations ranging from 0.39 to 600 micrograms per liter ($\mu\text{g/L}$). Trichloroethene (TCE) was detected in three (3) samples and dichloroethene compounds were detected in one (1) or more samples. WDNR Enforcement Standards (ESs) were exceeded in samples collected from monitoring wells MW-8, MW-25D, and MW-37D.

Document: 6155-3322
EnviroForensics, LLC
N16 W23390 Stone Ridge Dr, Suite G, Waukesha, WI 53188
Phone: 262-290-4001 • Fax 317-972-7875

We may continue to conduct periodic groundwater monitoring activities in the future, which may include some or all of the monitoring wells on your property.

If you have any questions or concerns, please contact me at 414-982-3988 or by email at wfassbender@enviroforensics.com. The WDNR project manager, Jeff Ackerman, can be reached at 608-275-3323. We greatly appreciate your help and patience with this matter.

Sincerely,
EnviroForensics LLC


A handwritten signature in black ink that reads "Wayne P. Fassbender".

Wayne Fassbender, PG, PMP
Senior Project Manager

Copy: Jeff Ackerman, Wisconsin Department of Natural Resources

Attachments:

- Figure 1: Monitoring Well Location Map
- Table 1: Summary of Groundwater Analytical Results
- Groundwater Laboratory Analytical Report Excerpt



Legend

- WTR — Underground water utility line
- - - — Underground storm utility line
- SAN — Underground sanitary utility line
- UGT — Underground telephone utility line
- GAS — Underground gas utility line
- UGE — Underground electrical utility line
- OHD — Overhead electrical utility line
- ◆ MW-18 — Monitoring well (Sandstone)

MONITORING WELL LOCATIONS

Robinson Dry Cleaners
1838 West Court Street
Janesville, WI

<table border="1" style="width: 100%; border-collapse: collapse;"> <tr><td style="padding: 2px;">Date:</td><td style="padding: 2px;">1/19/15</td></tr> <tr><td style="padding: 2px;">Designed:</td><td style="padding: 2px;">EB</td></tr> <tr><td style="padding: 2px;">Drawn:</td><td style="padding: 2px;">EB</td></tr> <tr><td style="padding: 2px;">Checked:</td><td style="padding: 2px;">BK</td></tr> <tr><td style="padding: 2px;">DWG file:</td><td style="padding: 2px;">6155-1178</td></tr> </table>	Date:	1/19/15	Designed:	EB	Drawn:	EB	Checked:	BK	DWG file:	6155-1178	<p style="font-size: 8px; margin-top: 5px;">ENVIRONMENTAL FORENSIC INVESTIGATIONS, INC. 602 N. Capitol Ave., Ste. 210 • Indianapolis, IN 46204 EnviroForensics.com</p>
Date:	1/19/15										
Designed:	EB										
Drawn:	EB										
Checked:	BK										
DWG file:	6155-1178										
Figure	1										
Project	6155										

TABLE 1
SUMMARY OF GROUNDWATER SAMPLE ANALYTICAL RESULTS

Former Robinson's Cleaners
1838 W. Court Street
Janesville, Wisconsin

Monitoring Well ID	Sample ID	Sample Date	Sample Method	Tetrachloroethene	Trichloroethene	cis-1,2-Dichloroethene	trans-1,2-Dichloroethene	Vinyl chloride
Enforcement Standard				5	5	70	100	0.2
Preventive Action Limit				0.5	0.5	7	20	0.02
MW-8	6155-MW-8	7/27/2020	PDB	68	1.27 J	<0.39	<0.37	<0.2
MW-25D	6155-MW-25D	7/27/2020	PDB	600	111	7.5 J	<3.7	<2
PZ-25D2	6155-PZ-25D2	7/27/2020	PDB	0.39 J	<0.47	<0.39	<0.37	<0.2
PZ-25D3	6155-PZ-25D3	7/27/2020	PDB	2.17	<0.47	<0.39	<0.37	<0.2
MW-37D	6155-MW-37D	7/27/2020	PDB	216	24	5.5	0.81 J	<0.2

Notes:

All concentrations reported in units of µg/L = micrograms per liter

Samples analyzed using EPA SW-846 Method 8260

Bolded values are above detection limits

Bolded and Shaded Orange values are above the Public Health Enforcement Standard

Bolded and Shaded Blue values are above Public Health Preventive Action Limit

J = Analyte concentration detected between the laboratory Reporting Limit and Method Detection Limit

PDB = Passive Diffusion Bag used as Sampling Method

Low Flow = Standard Low Flow Sampling Method using Bladder Pump

Project Name FMR ROBINSONS CLEANERS
Project # 6155 PO#2020-1772

Invoice # E38267

Lab Code 5038267C
Sample ID 6155 MW-8
Sample Matrix Water
Sample Date 7/27/2020

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.33	ug/l	0.33		1	8260B		8/5/2020	CJR	1
Bromobenzene	< 0.26	ug/l	0.26	0.84	1	8260B		8/5/2020	CJR	1
Bromodichloromethane	< 0.33	ug/l	0.33		1	8260B		8/5/2020	CJR	1
Bromoform	< 0.65	ug/l	0.65	2.1	1	8260B		8/5/2020	CJR	1
tert-Butylbenzene	< 0.61	ug/l	0.61	1.9	1	8260B		8/5/2020	CJR	1
sec-Butylbenzene	< 0.32	ug/l	0.32		1	8260B		8/5/2020	CJR	1
n-Butylbenzene	< 0.28	ug/l	0.28	0.89	1	8260B		8/5/2020	CJR	1
Carbon Tetrachloride	< 0.31	ug/l	0.31	0.98	1	8260B		8/5/2020	CJR	1
Chlorobenzene	< 0.39	ug/l	0.39	1.2	1	8260B		8/5/2020	CJR	1
Chloroethane	< 1.1	ug/l	1.1	3.6	1	8260B		8/5/2020	CJR	1
Chloroform	< 0.44	ug/l	0.44	1.4	1	8260B		8/5/2020	CJR	1
Chloromethane	< 0.8	ug/l	0.8	2.5	1	8260B		8/5/2020	CJR	1
2-Chlorotoluene	< 0.32	ug/l	0.32		1	8260B		8/5/2020	CJR	1
4-Chlorotoluene	< 0.3	ug/l	0.3	0.96	1	8260B		8/5/2020	CJR	1
1,2-Dibromo-3-chloropropane	< 0.82	ug/l	0.82	2.6	1	8260B		8/5/2020	CJR	1
Dibromochloromethane	< 0.23	ug/l	0.23	0.74	1	8260B		8/5/2020	CJR	1
1,4-Dichlorobenzene	< 0.36	ug/l	0.36	1.1	1	8260B		8/5/2020	CJR	1
1,3-Dichlorobenzene	< 0.31	ug/l	0.31	0.98	1	8260B		8/5/2020	CJR	1
1,2-Dichlorobenzene	< 0.32	ug/l	0.32		1	8260B		8/5/2020	CJR	1
Dichlorodifluoromethane	< 0.45	ug/l	0.45	1.4	1	8260B		8/5/2020	CJR	1
1,2-Dichloroethane	< 0.39	ug/l	0.39	1.3	1	8260B		8/5/2020	CJR	1
1,1-Dichloroethane	< 0.46	ug/l	0.46	1.5	1	8260B		8/5/2020	CJR	1
1,1-Dichloroethene	< 0.5	ug/l	0.5	1.6	1	8260B		8/5/2020	CJR	1
cis-1,2-Dichloroethene	< 0.39	ug/l	0.39	1.2	1	8260B		8/5/2020	CJR	1
trans-1,2-Dichloroethene	< 0.37	ug/l	0.37	1.2	1	8260B		8/5/2020	CJR	1
1,2-Dichloropropane	< 0.38	ug/l	0.38	1.2	1	8260B		8/5/2020	CJR	1
1,3-Dichloropropane	< 0.35	ug/l	0.35	1.1	1	8260B		8/5/2020	CJR	1
trans-1,3-Dichloropropene	< 0.3	ug/l	0.3	0.94	1	8260B		8/5/2020	CJR	1
cis-1,3-Dichloropropene	< 0.36	ug/l	0.36	1.1	1	8260B		8/5/2020	CJR	1
Di-isopropyl ether	< 0.34	ug/l	0.34	1.1	1	8260B		8/5/2020	CJR	1
EDB (1,2-Dibromoethane)	< 0.24	ug/l	0.24	0.75	1	8260B		8/5/2020	CJR	1
Ethylbenzene	< 0.32	ug/l	0.32		1	8260B		8/5/2020	CJR	1
Hexachlorobutadiene	< 0.72	ug/l	0.72	2.3	1	8260B		8/5/2020	CJR	1
Isopropylbenzene	< 0.32	ug/l	0.32		1	8260B		8/5/2020	CJR	1
p-Isopropyltoluene	< 0.47	ug/l	0.47	1.5	1	8260B		8/5/2020	CJR	1
Methylene chloride	< 1.32	ug/l	1.32	4.21	1	8260B		8/5/2020	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.47	ug/l	0.47	1.5	1	8260B		8/5/2020	CJR	1
Naphthalene	< 1.1	ug/l	1.1	3.6	1	8260B		8/5/2020	CJR	1
n-Propylbenzene	< 0.33	ug/l	0.33	1.1	1	8260B		8/5/2020	CJR	1
1,1,2,2-Tetrachloroethane	< 0.37	ug/l	0.37	1.2	1	8260B		8/5/2020	CJR	1
1,1,1,2-Tetrachloroethane	< 0.88	ug/l	0.88	3.3	1	8260B		8/5/2020	CJR	1
Tetrachloroethene	68	ug/l	0.33		1	8260B		8/5/2020	CJR	1
Toluene	< 0.26	ug/l	0.26	0.83	1	8260B		8/5/2020	CJR	1
1,2,4-Trichlorobenzene	< 0.44	ug/l	0.44	1.4	1	8260B		8/5/2020	CJR	1

Project Name FMR ROBINSONS CLEANERS
Project # 6155 PO#2020-1772

Invoice # E38267

Lab Code 5038267C
Sample ID 6155 MW-8
Sample Matrix Water
Sample Date 7/27/2020

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 1	ug/l	1	3.2	1	8260B		8/5/2020	CJR	1
1,1,1-Trichloroethane	< 0.3	ug/l	0.3	0.95	1	8260B		8/5/2020	CJR	1
1,1,2-Trichloroethane	< 0.36	ug/l	0.36	1.1	1	8260B		8/5/2020	CJR	1
Trichloroethene (TCE)	1.27 "J"	ug/l	0.47	1.5	1	8260B		8/5/2020	CJR	1
Trichlorofluoromethane	< 0.42	ug/l	0.42	1.3	1	8260B		8/5/2020	CJR	1
1,2,4-Trimethylbenzene	< 0.3	ug/l	0.3	0.96	1	8260B		8/5/2020	CJR	1
1,3,5-Trimethylbenzene	< 0.32	ug/l	0.32	1	1	8260B		8/5/2020	CJR	1
Vinyl Chloride	< 0.2	ug/l	0.2	0.65	1	8260B		8/5/2020	CJR	1
m&p-Xylene	< 1.1	ug/l	1.1	3.3	1	8260B		8/5/2020	CJR	1
o-Xylene	< 0.38	ug/l	0.38	1.2	1	8260B		8/5/2020	CJR	1
SUR - 1,2-Dichloroethane-d4	108	REC %			1	8260B		8/5/2020	CJR	1
SUR - 4-Bromofluorobenzene	96	REC %			1	8260B		8/5/2020	CJR	1
SUR - Dibromofluoromethane	95	REC %			1	8260B		8/5/2020	CJR	1
SUR - Toluene-d8	110	REC %			1	8260B		8/5/2020	CJR	1

Project Name FMR ROBINSONS CLEANERS
Project # 6155 PO#2020-1772

Invoice # E38267

Lab Code 5038267L
Sample ID 6155 MW-25D
Sample Matrix Water
Sample Date 7/27/2020

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 3.3	ug/l	3.3	10	10	8260B		8/4/2020	CJR	1
Bromobenzene	< 2.6	ug/l	2.6	8.4	10	8260B		8/4/2020	CJR	1
Bromodichloromethane	< 3.3	ug/l	3.3	10	10	8260B		8/4/2020	CJR	1
Bromoform	< 6.5	ug/l	6.5	21	10	8260B		8/4/2020	CJR	1
tert-Butylbenzene	< 6.1	ug/l	6.1	19	10	8260B		8/4/2020	CJR	1
sec-Butylbenzene	< 3.2	ug/l	3.2	10	10	8260B		8/4/2020	CJR	1
n-Butylbenzene	< 2.8	ug/l	2.8	8.9	10	8260B		8/4/2020	CJR	1
Carbon Tetrachloride	< 3.1	ug/l	3.1	9.8	10	8260B		8/4/2020	CJR	1
Chlorobenzene	< 3.9	ug/l	3.9	12	10	8260B		8/4/2020	CJR	1
Chloroethane	< 11	ug/l	11	36	10	8260B		8/4/2020	CJR	1
Chloroform	< 4.4	ug/l	4.4	14	10	8260B		8/4/2020	CJR	1
Chloromethane	< 8	ug/l	8	25	10	8260B		8/4/2020	CJR	1
2-Chlorotoluene	< 3.2	ug/l	3.2	10	10	8260B		8/4/2020	CJR	1
4-Chlorotoluene	< 3	ug/l	3	9.6	10	8260B		8/4/2020	CJR	1
1,2-Dibromo-3-chloropropane	< 8.2	ug/l	8.2	26	10	8260B		8/4/2020	CJR	1
Dibromochloromethane	< 2.3	ug/l	2.3	7.4	10	8260B		8/4/2020	CJR	1
1,4-Dichlorobenzene	< 3.6	ug/l	3.6	11	10	8260B		8/4/2020	CJR	1
1,3-Dichlorobenzene	< 3.1	ug/l	3.1	9.8	10	8260B		8/4/2020	CJR	1
1,2-Dichlorobenzene	< 3.2	ug/l	3.2	10	10	8260B		8/4/2020	CJR	1
Dichlorodifluoromethane	< 4.5	ug/l	4.5	14	10	8260B		8/4/2020	CJR	1
1,2-Dichloroethane	< 3.9	ug/l	3.9	13	10	8260B		8/4/2020	CJR	1
1,1-Dichloroethane	< 4.6	ug/l	4.6	15	10	8260B		8/4/2020	CJR	1
1,1-Dichloroethene	< 5	ug/l	5	16	10	8260B		8/4/2020	CJR	1
cis-1,2-Dichloroethene	7.5 "J"	ug/l	3.9	12	10	8260B		8/4/2020	CJR	1
trans-1,2-Dichloroethene	< 3.7	ug/l	3.7	12	10	8260B		8/4/2020	CJR	1
1,2-Dichloropropane	< 3.8	ug/l	3.8	12	10	8260B		8/4/2020	CJR	1
1,3-Dichloropropane	< 3.5	ug/l	3.5	11	10	8260B		8/4/2020	CJR	1
trans-1,3-Dichloropropene	< 3	ug/l	3	9.4	10	8260B		8/4/2020	CJR	1
cis-1,3-Dichloropropene	< 3.6	ug/l	3.6	11	10	8260B		8/4/2020	CJR	1
Di-isopropyl ether	< 3.4	ug/l	3.4	11	10	8260B		8/4/2020	CJR	1
EDB (1,2-Dibromoethane)	< 2.4	ug/l	2.4	7.5	10	8260B		8/4/2020	CJR	1
Ethylbenzene	< 3.2	ug/l	3.2	10	10	8260B		8/4/2020	CJR	1
Hexachlorobutadiene	< 7.2	ug/l	7.2	23	10	8260B		8/4/2020	CJR	1
Isopropylbenzene	< 3.2	ug/l	3.2	10	10	8260B		8/4/2020	CJR	1
p-Isopropyltoluene	< 4.7	ug/l	4.7	15	10	8260B		8/4/2020	CJR	1
Methylene chloride	< 13.2	ug/l	13.2	42.1	10	8260B		8/4/2020	CJR	1
Methyl tert-butyl ether (MTBE)	< 4.7	ug/l	4.7	15	10	8260B		8/4/2020	CJR	1
Naphthalene	< 11	ug/l	11	36	10	8260B		8/4/2020	CJR	1
n-Propylbenzene	< 3.3	ug/l	3.3	11	10	8260B		8/4/2020	CJR	1
1,1,2,2-Tetrachloroethane	< 3.7	ug/l	3.7	12	10	8260B		8/4/2020	CJR	1
1,1,1,2-Tetrachloroethane	< 8.8	ug/l	8.8	33	10	8260B		8/4/2020	CJR	1
Tetrachloroethene	600	ug/l	3.3	10	10	8260B		8/4/2020	CJR	1
Toluene	< 2.6	ug/l	2.6	8.3	10	8260B		8/4/2020	CJR	1
1,2,4-Trichlorobenzene	< 4.4	ug/l	4.4	14	10	8260B		8/4/2020	CJR	1

Project Name FMR ROBINSONS CLEANERS
Project # 6155 PO#2020-1772

Invoice # E38267

Lab Code 5038267L
Sample ID 6155 MW-25D
Sample Matrix Water
Sample Date 7/27/2020

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 10	ug/l	10	32	10	8260B		8/4/2020	CJR	1
1,1,1-Trichloroethane	< 3	ug/l	3	9.5	10	8260B		8/4/2020	CJR	1
1,1,2-Trichloroethane	< 3.6	ug/l	3.6	11	10	8260B		8/4/2020	CJR	1
Trichloroethene (TCE)	111	ug/l	4.7	15	10	8260B		8/4/2020	CJR	1
Trichlorofluoromethane	< 4.2	ug/l	4.2	13	10	8260B		8/4/2020	CJR	1
1,2,4-Trimethylbenzene	< 3	ug/l	3	9.6	10	8260B		8/4/2020	CJR	1
1,3,5-Trimethylbenzene	< 3.2	ug/l	3.2	10	10	8260B		8/4/2020	CJR	1
Vinyl Chloride	< 2	ug/l	2	6.5	10	8260B		8/4/2020	CJR	1
m&p-Xylene	< 11	ug/l	11	33	10	8260B		8/4/2020	CJR	1
o-Xylene	< 3.8	ug/l	3.8	12	10	8260B		8/4/2020	CJR	1
SUR - 4-Bromofluorobenzene	97	REC %			10	8260B		8/4/2020	CJR	1
SUR - Dibromofluoromethane	106	REC %			10	8260B		8/4/2020	CJR	1
SUR - 1,2-Dichloroethane-d4	115	REC %			10	8260B		8/4/2020	CJR	1
SUR - Toluene-d8	106	REC %			10	8260B		8/4/2020	CJR	1

Project Name FMR ROBINSONS CLEANERS
Project # 6155 PO#2020-1772

Invoice # E38267

Lab Code 5038267M
Sample ID 6155 PZ-25D2
Sample Matrix Water
Sample Date 7/27/2020

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.33	ug/l	0.33		1	8260B		8/5/2020	CJR	1
Bromobenzene	< 0.26	ug/l	0.26	0.84	1	8260B		8/5/2020	CJR	1
Bromodichloromethane	< 0.33	ug/l	0.33		1	8260B		8/5/2020	CJR	1
Bromoform	< 0.65	ug/l	0.65	2.1	1	8260B		8/5/2020	CJR	1
tert-Butylbenzene	< 0.61	ug/l	0.61	1.9	1	8260B		8/5/2020	CJR	1
sec-Butylbenzene	< 0.32	ug/l	0.32		1	8260B		8/5/2020	CJR	1
n-Butylbenzene	< 0.28	ug/l	0.28	0.89	1	8260B		8/5/2020	CJR	1
Carbon Tetrachloride	< 0.31	ug/l	0.31	0.98	1	8260B		8/5/2020	CJR	1
Chlorobenzene	< 0.39	ug/l	0.39	1.2	1	8260B		8/5/2020	CJR	1
Chloroethane	< 1.1	ug/l	1.1	3.6	1	8260B		8/5/2020	CJR	1
Chloroform	< 0.44	ug/l	0.44	1.4	1	8260B		8/5/2020	CJR	1
Chloromethane	< 0.8	ug/l	0.8	2.5	1	8260B		8/5/2020	CJR	1
2-Chlorotoluene	< 0.32	ug/l	0.32		1	8260B		8/5/2020	CJR	1
4-Chlorotoluene	< 0.3	ug/l	0.3	0.96	1	8260B		8/5/2020	CJR	1
1,2-Dibromo-3-chloropropane	< 0.82	ug/l	0.82	2.6	1	8260B		8/5/2020	CJR	1
Dibromochloromethane	< 0.23	ug/l	0.23	0.74	1	8260B		8/5/2020	CJR	1
1,4-Dichlorobenzene	< 0.36	ug/l	0.36	1.1	1	8260B		8/5/2020	CJR	1
1,3-Dichlorobenzene	< 0.31	ug/l	0.31	0.98	1	8260B		8/5/2020	CJR	1
1,2-Dichlorobenzene	< 0.32	ug/l	0.32		1	8260B		8/5/2020	CJR	1
Dichlorodifluoromethane	< 0.45	ug/l	0.45	1.4	1	8260B		8/5/2020	CJR	1
1,2-Dichloroethane	< 0.39	ug/l	0.39	1.3	1	8260B		8/5/2020	CJR	1
1,1-Dichloroethane	< 0.46	ug/l	0.46	1.5	1	8260B		8/5/2020	CJR	1
1,1-Dichloroethene	< 0.5	ug/l	0.5	1.6	1	8260B		8/5/2020	CJR	1
cis-1,2-Dichloroethene	< 0.39	ug/l	0.39	1.2	1	8260B		8/5/2020	CJR	1
trans-1,2-Dichloroethene	< 0.37	ug/l	0.37	1.2	1	8260B		8/5/2020	CJR	1
1,2-Dichloropropane	< 0.38	ug/l	0.38	1.2	1	8260B		8/5/2020	CJR	1
1,3-Dichloropropane	< 0.35	ug/l	0.35	1.1	1	8260B		8/5/2020	CJR	1
trans-1,3-Dichloropropene	< 0.3	ug/l	0.3	0.94	1	8260B		8/5/2020	CJR	1
cis-1,3-Dichloropropene	< 0.36	ug/l	0.36	1.1	1	8260B		8/5/2020	CJR	1
Di-isopropyl ether	< 0.34	ug/l	0.34	1.1	1	8260B		8/5/2020	CJR	1
EDB (1,2-Dibromoethane)	< 0.24	ug/l	0.24	0.75	1	8260B		8/5/2020	CJR	1
Ethylbenzene	< 0.32	ug/l	0.32		1	8260B		8/5/2020	CJR	1
Hexachlorobutadiene	< 0.72	ug/l	0.72	2.3	1	8260B		8/5/2020	CJR	1
Isopropylbenzene	< 0.32	ug/l	0.32		1	8260B		8/5/2020	CJR	1
p-Isopropyltoluene	< 0.47	ug/l	0.47	1.5	1	8260B		8/5/2020	CJR	1
Methylene chloride	< 1.32	ug/l	1.32	4.21	1	8260B		8/5/2020	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.47	ug/l	0.47	1.5	1	8260B		8/5/2020	CJR	1
Naphthalene	< 1.1	ug/l	1.1	3.6	1	8260B		8/5/2020	CJR	1
n-Propylbenzene	< 0.33	ug/l	0.33	1.1	1	8260B		8/5/2020	CJR	1
1,1,2,2-Tetrachloroethane	< 0.37	ug/l	0.37	1.2	1	8260B		8/5/2020	CJR	1
1,1,1,2-Tetrachloroethane	< 0.88	ug/l	0.88	3.3	1	8260B		8/5/2020	CJR	1
Tetrachloroethene	0.39 "J"	ug/l	0.33		1	8260B		8/5/2020	CJR	1
Toluene	< 0.26	ug/l	0.26	0.83	1	8260B		8/5/2020	CJR	1
1,2,4-Trichlorobenzene	< 0.44	ug/l	0.44	1.4	1	8260B		8/5/2020	CJR	1

Project Name FMR ROBINSONS CLEANERS
Project # 6155 PO#2020-1772

Invoice # E38267

Lab Code 5038267M
Sample ID 6155 PZ-25D2
Sample Matrix Water
Sample Date 7/27/2020

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 1	ug/l	1	3.2	1	8260B		8/5/2020	CJR	1
1,1,1-Trichloroethane	< 0.3	ug/l	0.3	0.95	1	8260B		8/5/2020	CJR	1
1,1,2-Trichloroethane	< 0.36	ug/l	0.36	1.1	1	8260B		8/5/2020	CJR	1
Trichloroethene (TCE)	< 0.47	ug/l	0.47	1.5	1	8260B		8/5/2020	CJR	1
Trichlorofluoromethane	< 0.42	ug/l	0.42	1.3	1	8260B		8/5/2020	CJR	1
1,2,4-Trimethylbenzene	< 0.3	ug/l	0.3	0.96	1	8260B		8/5/2020	CJR	1
1,3,5-Trimethylbenzene	< 0.32	ug/l	0.32	1	1	8260B		8/5/2020	CJR	1
Vinyl Chloride	< 0.2	ug/l	0.2	0.65	1	8260B		8/5/2020	CJR	1
m&p-Xylene	< 1.1	ug/l	1.1	3.3	1	8260B		8/5/2020	CJR	1
o-Xylene	< 0.38	ug/l	0.38	1.2	1	8260B		8/5/2020	CJR	1
SUR - Toluene-d8	113	REC %			1	8260B		8/5/2020	CJR	1
SUR - Dibromofluoromethane	99	REC %			1	8260B		8/5/2020	CJR	1
SUR - 1,2-Dichloroethane-d4	112	REC %			1	8260B		8/5/2020	CJR	1
SUR - 4-Bromofluorobenzene	96	REC %			1	8260B		8/5/2020	CJR	1

Project Name FMR ROBINSONS CLEANERS
Project # 6155 PO#2020-1772

Invoice # E38267

Lab Code 5038267N
Sample ID 6155 PZ-25D3
Sample Matrix Water
Sample Date 7/27/2020

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.33	ug/l	0.33		1	8260B		8/5/2020	CJR	1
Bromobenzene	< 0.26	ug/l	0.26	0.84	1	8260B		8/5/2020	CJR	1
Bromodichloromethane	< 0.33	ug/l	0.33		1	8260B		8/5/2020	CJR	1
Bromoform	< 0.65	ug/l	0.65	2.1	1	8260B		8/5/2020	CJR	1
tert-Butylbenzene	< 0.61	ug/l	0.61	1.9	1	8260B		8/5/2020	CJR	1
sec-Butylbenzene	< 0.32	ug/l	0.32		1	8260B		8/5/2020	CJR	1
n-Butylbenzene	< 0.28	ug/l	0.28	0.89	1	8260B		8/5/2020	CJR	1
Carbon Tetrachloride	< 0.31	ug/l	0.31	0.98	1	8260B		8/5/2020	CJR	1
Chlorobenzene	< 0.39	ug/l	0.39	1.2	1	8260B		8/5/2020	CJR	1
Chloroethane	< 1.1	ug/l	1.1	3.6	1	8260B		8/5/2020	CJR	1
Chloroform	< 0.44	ug/l	0.44	1.4	1	8260B		8/5/2020	CJR	1
Chloromethane	< 0.8	ug/l	0.8	2.5	1	8260B		8/5/2020	CJR	1
2-Chlorotoluene	< 0.32	ug/l	0.32		1	8260B		8/5/2020	CJR	1
4-Chlorotoluene	< 0.3	ug/l	0.3	0.96	1	8260B		8/5/2020	CJR	1
1,2-Dibromo-3-chloropropane	< 0.82	ug/l	0.82	2.6	1	8260B		8/5/2020	CJR	1
Dibromochloromethane	< 0.23	ug/l	0.23	0.74	1	8260B		8/5/2020	CJR	1
1,4-Dichlorobenzene	< 0.36	ug/l	0.36	1.1	1	8260B		8/5/2020	CJR	1
1,3-Dichlorobenzene	< 0.31	ug/l	0.31	0.98	1	8260B		8/5/2020	CJR	1
1,2-Dichlorobenzene	< 0.32	ug/l	0.32		1	8260B		8/5/2020	CJR	1
Dichlorodifluoromethane	< 0.45	ug/l	0.45	1.4	1	8260B		8/5/2020	CJR	1
1,2-Dichloroethane	< 0.39	ug/l	0.39	1.3	1	8260B		8/5/2020	CJR	1
1,1-Dichloroethane	< 0.46	ug/l	0.46	1.5	1	8260B		8/5/2020	CJR	1
1,1-Dichloroethene	< 0.5	ug/l	0.5	1.6	1	8260B		8/5/2020	CJR	1
cis-1,2-Dichloroethene	< 0.39	ug/l	0.39	1.2	1	8260B		8/5/2020	CJR	1
trans-1,2-Dichloroethene	< 0.37	ug/l	0.37	1.2	1	8260B		8/5/2020	CJR	1
1,2-Dichloropropane	< 0.38	ug/l	0.38	1.2	1	8260B		8/5/2020	CJR	1
1,3-Dichloropropane	< 0.35	ug/l	0.35	1.1	1	8260B		8/5/2020	CJR	1
trans-1,3-Dichloropropene	< 0.3	ug/l	0.3	0.94	1	8260B		8/5/2020	CJR	1
cis-1,3-Dichloropropene	< 0.36	ug/l	0.36	1.1	1	8260B		8/5/2020	CJR	1
Di-isopropyl ether	< 0.34	ug/l	0.34	1.1	1	8260B		8/5/2020	CJR	1
EDB (1,2-Dibromoethane)	< 0.24	ug/l	0.24	0.75	1	8260B		8/5/2020	CJR	1
Ethylbenzene	< 0.32	ug/l	0.32		1	8260B		8/5/2020	CJR	1
Hexachlorobutadiene	< 0.72	ug/l	0.72	2.3	1	8260B		8/5/2020	CJR	1
Isopropylbenzene	< 0.32	ug/l	0.32		1	8260B		8/5/2020	CJR	1
p-Isopropyltoluene	< 0.47	ug/l	0.47	1.5	1	8260B		8/5/2020	CJR	1
Methylene chloride	< 1.32	ug/l	1.32	4.21	1	8260B		8/5/2020	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.47	ug/l	0.47	1.5	1	8260B		8/5/2020	CJR	1
Naphthalene	< 1.1	ug/l	1.1	3.6	1	8260B		8/5/2020	CJR	1
n-Propylbenzene	< 0.33	ug/l	0.33	1.1	1	8260B		8/5/2020	CJR	1
1,1,2,2-Tetrachloroethane	< 0.37	ug/l	0.37	1.2	1	8260B		8/5/2020	CJR	1
1,1,1,2-Tetrachloroethane	< 0.88	ug/l	0.88	3.3	1	8260B		8/5/2020	CJR	1
Tetrachloroethene	2.17	ug/l	0.33		1	8260B		8/5/2020	CJR	1
Toluene	< 0.26	ug/l	0.26	0.83	1	8260B		8/5/2020	CJR	1
1,2,4-Trichlorobenzene	< 0.44	ug/l	0.44	1.4	1	8260B		8/5/2020	CJR	1

Project Name FMR ROBINSONS CLEANERS
Project # 6155 PO#2020-1772

Invoice # E38267

Lab Code 5038267N
Sample ID 6155 PZ-25D3
Sample Matrix Water
Sample Date 7/27/2020

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 1	ug/l	1	3.2	1	8260B		8/5/2020	CJR	1
1,1,1-Trichloroethane	< 0.3	ug/l	0.3	0.95	1	8260B		8/5/2020	CJR	1
1,1,2-Trichloroethane	< 0.36	ug/l	0.36	1.1	1	8260B		8/5/2020	CJR	1
Trichloroethene (TCE)	< 0.47	ug/l	0.47	1.5	1	8260B		8/5/2020	CJR	1
Trichlorofluoromethane	< 0.42	ug/l	0.42	1.3	1	8260B		8/5/2020	CJR	1
1,2,4-Trimethylbenzene	< 0.3	ug/l	0.3	0.96	1	8260B		8/5/2020	CJR	1
1,3,5-Trimethylbenzene	< 0.32	ug/l	0.32	1	1	8260B		8/5/2020	CJR	1
Vinyl Chloride	< 0.2	ug/l	0.2	0.65	1	8260B		8/5/2020	CJR	1
m&p-Xylene	< 1.1	ug/l	1.1	3.3	1	8260B		8/5/2020	CJR	1
o-Xylene	< 0.38	ug/l	0.38	1.2	1	8260B		8/5/2020	CJR	1
SUR - 1,2-Dichloroethane-d4	113	REC %			1	8260B		8/5/2020	CJR	1
SUR - 4-Bromofluorobenzene	98	REC %			1	8260B		8/5/2020	CJR	1
SUR - Dibromofluoromethane	98	REC %			1	8260B		8/5/2020	CJR	1
SUR - Toluene-d8	113	REC %			1	8260B		8/5/2020	CJR	1

Project Name FMR ROBINSONS CLEANERS
 Project # 6155 PO#2020-1772

Invoice # E38267

Lab Code 538267CC
 Sample ID 6155 MW-37D
 Sample Matrix Water
 Sample Date 7/27/2020

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.33	ug/l	0.33		1	8260B		8/5/2020	CJR	1
Bromobenzene	< 0.26	ug/l	0.26	0.84	1	8260B		8/5/2020	CJR	1
Bromodichloromethane	< 0.33	ug/l	0.33		1	8260B		8/5/2020	CJR	1
Bromoform	< 0.65	ug/l	0.65	2.1	1	8260B		8/5/2020	CJR	1
tert-Butylbenzene	< 0.61	ug/l	0.61	1.9	1	8260B		8/5/2020	CJR	1
sec-Butylbenzene	< 0.32	ug/l	0.32		1	8260B		8/5/2020	CJR	1
n-Butylbenzene	< 0.28	ug/l	0.28	0.89	1	8260B		8/5/2020	CJR	1
Carbon Tetrachloride	< 0.31	ug/l	0.31	0.98	1	8260B		8/5/2020	CJR	1
Chlorobenzene	< 0.39	ug/l	0.39	1.2	1	8260B		8/5/2020	CJR	1
Chloroethane	< 1.1	ug/l	1.1	3.6	1	8260B		8/5/2020	CJR	1
Chloroform	< 0.44	ug/l	0.44	1.4	1	8260B		8/5/2020	CJR	1
Chloromethane	< 0.8	ug/l	0.8	2.5	1	8260B		8/5/2020	CJR	1
2-Chlorotoluene	< 0.32	ug/l	0.32		1	8260B		8/5/2020	CJR	1
4-Chlorotoluene	< 0.3	ug/l	0.3	0.96	1	8260B		8/5/2020	CJR	1
1,2-Dibromo-3-chloropropane	< 0.82	ug/l	0.82	2.6	1	8260B		8/5/2020	CJR	1
Dibromochloromethane	< 0.23	ug/l	0.23	0.74	1	8260B		8/5/2020	CJR	1
1,4-Dichlorobenzene	< 0.36	ug/l	0.36	1.1	1	8260B		8/5/2020	CJR	1
1,3-Dichlorobenzene	< 0.31	ug/l	0.31	0.98	1	8260B		8/5/2020	CJR	1
1,2-Dichlorobenzene	< 0.32	ug/l	0.32		1	8260B		8/5/2020	CJR	1
Dichlorodifluoromethane	< 0.45	ug/l	0.45	1.4	1	8260B		8/5/2020	CJR	1
1,2-Dichloroethane	< 0.39	ug/l	0.39	1.3	1	8260B		8/5/2020	CJR	1
1,1-Dichloroethane	< 0.46	ug/l	0.46	1.5	1	8260B		8/5/2020	CJR	1
1,1-Dichloroethene	< 0.5	ug/l	0.5	1.6	1	8260B		8/5/2020	CJR	1
cis-1,2-Dichloroethene	5.5	ug/l	0.39	1.2	1	8260B		8/5/2020	CJR	1
trans-1,2-Dichloroethene	0.81 "J"	ug/l	0.37	1.2	1	8260B		8/5/2020	CJR	1
1,2-Dichloropropane	< 0.38	ug/l	0.38	1.2	1	8260B		8/5/2020	CJR	1
1,3-Dichloropropane	< 0.35	ug/l	0.35	1.1	1	8260B		8/5/2020	CJR	1
trans-1,3-Dichloropropene	< 0.3	ug/l	0.3	0.94	1	8260B		8/5/2020	CJR	1
cis-1,3-Dichloropropene	< 0.36	ug/l	0.36	1.1	1	8260B		8/5/2020	CJR	1
Di-isopropyl ether	< 0.34	ug/l	0.34	1.1	1	8260B		8/5/2020	CJR	1
EDB (1,2-Dibromoethane)	< 0.24	ug/l	0.24	0.75	1	8260B		8/5/2020	CJR	1
Ethylbenzene	< 0.32	ug/l	0.32		1	8260B		8/5/2020	CJR	1
Hexachlorobutadiene	< 0.72	ug/l	0.72	2.3	1	8260B		8/5/2020	CJR	1
Isopropylbenzene	< 0.32	ug/l	0.32		1	8260B		8/5/2020	CJR	1
p-Isopropyltoluene	< 0.47	ug/l	0.47	1.5	1	8260B		8/5/2020	CJR	1
Methylene chloride	< 1.32	ug/l	1.32	4.21	1	8260B		8/5/2020	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.47	ug/l	0.47	1.5	1	8260B		8/5/2020	CJR	1
Naphthalene	< 1.1	ug/l	1.1	3.6	1	8260B		8/5/2020	CJR	1
n-Propylbenzene	< 0.33	ug/l	0.33	1.1	1	8260B		8/5/2020	CJR	1
1,1,2,2-Tetrachloroethane	< 0.37	ug/l	0.37	1.2	1	8260B		8/5/2020	CJR	1
1,1,1,2-Tetrachloroethane	< 0.88	ug/l	0.88	3.3	1	8260B		8/5/2020	CJR	1
Tetrachloroethene	216	ug/l	3.3	10	10	8260B		8/6/2020	CJR	1
Toluene	< 0.26	ug/l	0.26	0.83	1	8260B		8/5/2020	CJR	1
1,2,4-Trichlorobenzene	< 0.44	ug/l	0.44	1.4	1	8260B		8/5/2020	CJR	1

Project Name FMR ROBINSONS CLEANERS
Project # 6155 PO#2020-1772

Invoice # E38267

Lab Code 538267CC
Sample ID 6155 MW-37D
Sample Matrix Water
Sample Date 7/27/2020

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 1	ug/l	1	3.2	1	8260B		8/5/2020	CJR	1
1,1,1-Trichloroethane	< 0.3	ug/l	0.3	0.95	1	8260B		8/5/2020	CJR	1
1,1,2-Trichloroethane	< 0.36	ug/l	0.36	1.1	1	8260B		8/5/2020	CJR	1
Trichloroethene (TCE)	24	ug/l	0.47	1.5	1	8260B		8/5/2020	CJR	1
Trichlorofluoromethane	< 0.42	ug/l	0.42	1.3	1	8260B		8/5/2020	CJR	1
1,2,4-Trimethylbenzene	< 0.3	ug/l	0.3	0.96	1	8260B		8/5/2020	CJR	1
1,3,5-Trimethylbenzene	< 0.32	ug/l	0.32	1	1	8260B		8/5/2020	CJR	1
Vinyl Chloride	< 0.2	ug/l	0.2	0.65	1	8260B		8/5/2020	CJR	1
m&p-Xylene	< 1.1	ug/l	1.1	3.3	1	8260B		8/5/2020	CJR	1
o-Xylene	< 0.38	ug/l	0.38	1.2	1	8260B		8/5/2020	CJR	1
SUR - 1,2-Dichloroethane-d4	104	REC %			1	8260B		8/5/2020	CJR	1
SUR - 4-Bromofluorobenzene	110	REC %			1	8260B		8/5/2020	CJR	1
SUR - Dibromofluoromethane	104	REC %			1	8260B		8/5/2020	CJR	1
SUR - Toluene-d8	110	REC %			1	8260B		8/5/2020	CJR	1

Environmental Lab, Inc.

1990 Prospect Ct. • Appleton, WI 54914
920-830-2455 • FAX 920-733-0631

Sample Handling Request

Rush Analysis Date Required _____
(Rushes accepted only with prior authorization)

Normal Turn Around

Lab I.D. # _____
Account No. : _____ Quote No.: **8242**
Project #: **6155**
Sampler: (signature) *B. J. Kappen / Melody Che*

Project (Name / Location): **Fmr Robinson's Cleaners - Court St**
Reports To: **B. Kappen** Invoice To: **Accounts Payable**
Company: **Enviroforensics LLC** Company: **Enviroforensics LLC**
Address: **bkappen@enviroforensics.com** Address: **accounts payable@enviroforensics.com**
City State Zip: _____ City State Zip: _____
Phone: **262-745-5054** Phone: **317-972-7870**
FAX: _____ FAX: _____

Analysis Requested **Other Analysis**

Lab I.D.	Sample I.D.	Collection		Comp	Grab	Filtered Y/N	No. of Containers	Sample Type (Matrix)*	Preservation	DRO (Mod DRO Sep 95)	GRO (Mod GRO Sep 95)	LEAD	NITRATE/NITRITE	OIL & GREASE	PAH (EPA 8270)	PCB	PVOC (EPA 8021)	PVOC + NAPHTHALENE	SULFATE	TOTAL SUSPENDED SOLIDS	VOC DW (EPA 524.2)	VOC (EPA 8260)	8-RCRA METALS	PID/FID	
		Date	Time																						
5038267A	6155-MW-1	7/27/20	1120		X	N	3	GW	HCl																
B	6155-MW-6		1200																			X			
C	6155-MW-8		1650																			X			
D	6155-MW-9		1135																			X			
E	6155-MW-11		1425																			X			
F	6155-MW-12		1210																			X			
G	6155-MW-13		1410																			X			
H	6155-MW-14		1150																			X			
I	6155-MW-20D		1105																			X			
J	6155-PZ-17D1	7/29/20	1150																			X			

Comments/Special Instructions (*Specify groundwater "GW", Drinking Water "DW", Waste Water "WW", Soil "S", Air "A", Oil, Sludge etc.)

PO# 2020-1772

Sample Integrity - To be completed by receiving lab.
Method of Shipment: **Ge**
Temp. of Temp. Blank _____ °C On Ice
Cooler seal intact upon receipt: Yes No

Relinquished By: (sign) *B. J. Kappen* Time **1215** Date **7/29/20** Received By: (sign) *Gold Cross* Time **1215** Date **7/29/20**
Received in Laboratory By: *[Signature]* Time: **8:00** Date: **7/31/20**

Environmental Lab, Inc.

1990 Prospect Ct. • Appleton, WI 54914
920-830-2455 • FAX 920-733-0631

Sample Handling Request

Rush Analysis Date Required _____
(Rushes accepted only with prior authorization)

Normal Turn Around

Lab I.D. # _____
Account No. : _____ Quote No.: 8242
Project #: 6155
Sampler: (signature) [Signature]

Project (Name / Location): _____

Reports To:	Invoice To:
Company	Company
Address	Address
City State Zip	City State Zip
Phone	Phone
FAX	FAX

Analysis Requested **Other Analysis**

Lab I.D.	Sample I.D.	Collection Date	Time	Comp	Grab	Filtered Y/N	No. of Containers	Sample Type (Matrix)*	Preservation	DRO (Mod DRO Sep 95)	GRO (Mod GRO Sep 95)	LEAD	NITRATE/NITRITE	OIL & GREASE	PAH (EPA 8270)	PCB	PVOC (EPA 8021)	PVOC + NAPHTHALENE	SULFATE	TOTAL SUSPENDED SOLIDS	VOC DW (EPA 524-2)	VOC (EPA 8260)	8-PCRA METALS	PID/FID	
<u>S038267k</u>	<u>6155-P2-1702</u>	<u>7/27/20</u>	<u>1455</u>		<u>X</u>	<u>N</u>	<u>3</u>	<u>GW</u>	<u>HCl</u>																
<u>L</u>	<u>6155-MW-25D</u>		<u>1535</u>																						
<u>M</u>	<u>6155-PZ-25D2</u>		<u>1530</u>																						
<u>N</u>	<u>6155-PZ-25D3</u>		<u>1525</u>																						
<u>O</u>	<u>6155-MW-26</u>		<u>1555</u>																						
<u>P</u>	<u>6155-MW-27S</u>		<u>1230</u>																						
<u>Q</u>	<u>6155-MW-27D</u>		<u>1235</u>																						
<u>R</u>	<u>6155-MW-27DS</u>		<u>1240</u>																						
<u>S</u>	<u>6155-MW-29S</u>		<u>1030</u>																						
<u>T</u>	<u>6155-MW-29</u>		<u>1035</u>																						

Comments/Special Instructions (*Specify groundwater "GW", Drinking Water "DW", Waste Water "WW", Soil "S", Air "A", Oil, Sludge etc.)

Sample Integrity - To be completed by receiving lab. Method of Shipment: <u>GC</u> Temp. of Temp. Blank _____ °C On Ice <input checked="" type="checkbox"/> Cooler seal intact upon receipt: <input checked="" type="checkbox"/> Yes _____ No	Relinquished By: (sign) <u>[Signature]</u>	Time <u>1215</u>	Date <u>7/29/20</u>	Received By: (sign) <u>Gold Cross</u>	Time <u>1215</u>	Date <u>7/29/20</u>
	Received in Laboratory By: <u>[Signature]</u>	Time <u>8:00</u>	Date <u>7/31/20</u>			

Environmental Lab, Inc.

1990 Prospect Ct. • Appleton, WI 54914
920-830-2455 • FAX 920-733-0631

Sample Handling Request
 Rush Analysis Date Required _____
 (Rushes accepted only with prior authorization)
 Normal Turn Around

Lab I.D. # _____
 Account No. : _____ Quote No.: **8242**
 Project #: **6155**
 Sampler: (signature) *B. J. Ryan*

Project (Name / Location): _____
 Reports To: _____ Invoice To: _____
 Company: _____ Company: _____
 Address: _____ Address: _____
 City State Zip: _____ City State Zip: _____
 Phone: _____ Phone: _____
 FAX: _____ FAX: _____

										Analysis Requested										Other Analysis					
Lab I.D.	Sample I.D.	Collection Date	Time	Comp	Grab	Filtered Y/N	No. of Containers	Sample Type (Matrix)*	Preservation	DRO (Mod DRO Sep 95)	GRO (Mod GRO Sep 95)	LEAD	NITRATE/NITRITE	OIL & GREASE	PAH (EPA 8270)	PCB	PVOC (EPA 8021)	PVOC + NAPHTHALENE	SULFATE	TOTAL SUSPENDED SOLIDS	VOC DW (EPA 524.2)	VOC (EPA 8260)	8-RCRA METALS	PID/FID	
6038267U	6155-MW-30S	7/27/20	1005		X	N	3	GW	HCl																
V	6155-MW-30D		1010																						
W	6155-MW-30D3		1018																						
X	6155-MW-31D		1300																						
Y	6155-MW-32		1345																						
Z	6155-MW-35D		1610																						
AA	6155-MW-36S		935																						
BB	6155-MW-36D		940																						
CC	6155-MW-37D		1700																						
DD	6155-MW-38D		1335																						

Comments/Special Instructions (*Specify groundwater "GW", Drinking Water "DW", Waste Water "WW", Soil "S", Air "A", Oil, Sludge etc.)

Sample Integrity - To be completed by receiving lab.
 Method of Shipment:
 Temp. of Temp. Blank _____ °C On Ice
 Cooler seal intact upon receipt: Yes _____ No

Relinquished By: (sign) *B. J. Ryan* Time 1215 Date 7/29/20
 Received By: (sign) *Gold Cross* Time 1215 Date 7/29/20
 Received in Laboratory By: *[Signature]* Time: 8:00 Date: 7/31/20