



May 3, 2021

Jeff Ackerman
Wisconsin Department of Natural Resources
3911 Fish Hatchery Rd
Fitchburg, WI 53711

**Subject: Groundwater Sampling Update and Preliminary Site Evaluation for Case Closure
Former Robinson's Cleaners
1838 W. Court Street, Janesville, WI
BRRTS #02-54-221852**

Dear Mr. Ackerman:

EnviroForensics is providing this report to present additional post-remediation groundwater monitoring data collected in 2020 and to request that WDNR review and provide technical assistance regarding our evaluation of continued site actions and our recommendation to proceed with case closure. A summary of past work is included in this report for review and decision-making purposes. The appropriate technical assistance review fee has been submitted by mail to your program assistant.

Summary of Past Investigations and Extent of Impacts

Site investigations were begun in 1999 by others and completed under the direction of EnviroForensics from 2010 through 2016. The source of chlorinated volatile organic compound (CVOC) contamination was determined to be floor spills of the dry cleaning solvent tetrachloroethene (PCE) that made their way to the subsurface through leaking sections of a floor drain lateral and leakage from filters disposed of in an outside dumpster in the back of the building (north end of building). The PCE entered the unconsolidated glacial deposits consisting of alternating layers of silt clay and sand and gravel having a thickness of approximately eight (8) feet in the source area and migrated vertically into underlying dolomite of the Platteville Formation. The lateral extent of impacts within the unsaturated soil was determined as seen on **Figure 1**. The extent and magnitude of groundwater impacts within the dolomite can be seen on **Figure 2**.

The Platteville Dolomite forms a lobe of material covering the underlying sandstone of the St. Peter Formation in the vicinity of the site but is eroded to the south, east, and west. It pinches

Document: 6155-0751

out a few hundred feet to the south in the down-gradient direction of groundwater flow. The dolomite is heavily fractured and weathered with many of the fractures filled with clay. Groundwater within the dolomite flows to the southwest. Impacts within the dolomite were transported into the underlying St. Peter Sandstone through the contaminated fracture matrix. As the dolomite pinches out to the south, the overlying unconsolidated soil increases in thickness. (refer to the cross-section transect map **Figure 3**, and geologic cross-sections **Figures 4** and **5**).

Ancestral pre- and pro-glacial rivers have cut deeply into the sandstone creating a sandstone ridge as can be seen on **Figures 4** and **5**. These ancestral river valleys have been filled with fluvial and glacio-fluvial soil. The valley fill consists of clayey sand and gravel glacial outwash within the upper 60 feet, and finer sand and gravel outwash and glaciofluvial deposits overlying sandstone bedrock to a depth of 200 feet. Groundwater flow within the sandstone is toward the southeast. Groundwater moves through a zone of valley fill but does not appear to divert or significantly affect the direction of groundwater movement towards the Rock River. The directions of groundwater flow within each unit (dolomite and sandstone) have not changed significantly over time or with changes in season. The directions of groundwater flow in the dolomite and sandstone can be seen on **Figures 6** and **7**, respectively. Measurements of water elevations between piezometer clusters indicate that there is downward flow out of the dolomite and into the sandstone as shown on **Figure 4**. Groundwater flow is then mainly horizontal within the sandstone. Upward flow gradients begin to develop at the approximate location of well cluster PZ-42 and continue upward at the furthest downgradient well cluster PZ-53. These upward vertical flow gradients become stronger with closer proximity to the Rock River indicating that discharge of groundwater likely occurs to the Rock River. This data is in agreement with previously reported U.S. Geological Survey and City of Janesville information which indicates that the Rock River is a receiving stream and forms a groundwater divide in this area.

Groundwater impacts within the sandstone have resulted in a long, curvilinear plume, the lateral extent and magnitude of which is shown on **Figures 8a** (2016) and **8b** (2020). The plume sinks deeper in the down-gradient direction of groundwater flow primarily due to a downward vertical hydraulic gradient. As previously mentioned, the gradient becomes upward closer to the Rock River, which is the receiving surface water body for groundwater discharge. A group of three (3) down-gradient sentinel piezometers (PZ-53 group) located within 650-700 feet of the Rock River have contained PCE and trichloroethene (TCE) at concentrations exceeding the groundwater preventative action limit (PAL) for these compounds; however, as shown on **Figures 8a** and **8b**, the concentrations of PCE in these wells have not exceeded the groundwater enforcement standard (ES) over a monitoring period of five (5) years.

A soil gas survey and sub-slab vapor sampling program was performed to determine the risk of vapor intrusion to nearby buildings. Sub-slab vapor samples were collected two (2) times from buildings near the source area (see **Figures 9 and 10**) and paired indoor air samples were collected during the 2013 sampling event (**Figure 11**). The Chase Bank building located directly west of the source area was found to be at risk of vapor intrusion and an active sub-slab depressurization system was installed in the basement of that building. The site building and adjacent commercial spaces within the Sunnyside strip mall did not have sub-slab vapor concentrations posing a vapor risk. In addition, soil vapor concentrations were found to decrease dramatically with distance to the south (down-gradient to the direction of plume migration) as shown on **Figure 12**.

Risks to Human Health and the Environment

- There are currently no direct contact risks, since residual CVOC impacts are deeper than four (4) feet and have migrated vertically through unsaturated soil to the dolomite interface.
- The utility corridor has been investigated and found to not act as a transport conduit for migration of vapor impacts;
- Other than the nearby Chase Bank, which has a basement, no other structures in the vicinity are at risk for vapor intrusion due to the depth of groundwater, which is the transport medium for the CVOC impacts. The vapor risk to Chase Bank has been mitigated through the installation of an active sub-slab depressurization system.
- The source of potable water for the entire area is from City of Janesville municipal wells, which are not located near the plume of groundwater impacts and are protected from the impacts by a groundwater divide imposed by the Rock River. The City of Janesville has an ordinance in place which prohibits residents from obtaining or maintaining private water supply wells.
- Groundwater flow is to the Rock River in the area of impacts and is the only surface water body that could receive the CVOC impacts. Groundwater sampling from monitoring wells and piezometers located approximately 700 feet up-gradient of groundwater flow to the Rock River have shown impacts above the PAL, but below the ES.

Site Remedial Actions Implemented

A limited area of soil impacts was excavated down to the dolomite interface in the rear of the building by others as shown on **Figure 1**. The majority of hazardous and highly contaminated soil was removed during this remedial action.

Further remedial actions were explored to lower CVOC concentrations within the dolomite unit. Various active exploration and remote sensing geophysical methods were employed in an attempt to determine the fracture characteristics. These methods included bedrock core sampling, azimuthal resistivity survey, and borehole geophysics. In addition, a pumping test of the sandstone was performed, along with some limited salt tracer testing of the dolomite to determine groundwater flow characteristics. The results of these tests indicated the dolomite to be highly fractured with two prominent vertical fracture orientations and numerous bedding planes. Approximately 80% of the fractures were narrow and filled with clay; however, large apertures were also observed during coring and borehole geophysics. The results of tracer testing were inconclusive.

We concluded from this data that targeting the dolomite for active remediation would not be effective because it was likely that much of the solvent impacts were adsorbed to clay materials occupying much of the fracture matrix. It was felt that injecting remedial solutions, pumping of groundwater, or venting of vapors would likely short circuit along larger, open, apertures that do not likely contain the bulk of contaminants.

Instead, a remedial injection program was designed to establish a horizontal barrier beneath the dolomite bedrock and within the upper zone of sandstone to intercept and capture aqueous phase contamination seeping out of the dolomite and into the sandstone. The product injected (PlumeStop®) consisted of micro-fine activated carbon particles suspended within an organic polymer base. This product was diluted with potable water and injected below the dolomite within the source area in March-April of 2018. The injection area is shown on **Figure 13**.

Summary of Remedial Monitoring Results to Date

Two groundwater monitoring events were performed in 2020 as recommended in our latest remedial progress update report dated March 9, 2020. **Figures 2** and **8b** have been updated with this data. The laboratory reports are in **Attachment 1**. Although CVOC concentrations have fluctuated, these fluctuations have not caused a significant affect on the extent of the groundwater plume, or the distribution of CVOC impacts.

As can be seen on **Figure 2**, the concentrations of CVOCs in the dolomite have fluctuated, but have not changed significantly over time. Some biological breakdown of PCE is occurring through de-halogenation as witnessed by the production of daughter products TCE and cis-1,2-dichloroethene (DCE). Vinyl chloride has been largely absent, except for an occasional appearance in dolomite well MW-39S, which has had the highest concentrations of CVOCs, and in sandstone well MW-6 (**Figures 8a** and **8b**) which is within an area of past petroleum release

where aquifer conditions may be more reducing and a food source (petroleum) remains that allows more complete dehalogenation through the mechanics of co-metabolism.

The process of injecting remedial fluids within the upper zone of sandstone appears to have had mixed results. **Figure 8b** shows the analytical results from the last monitoring event prior to remedial injections completed in March and April of 2018, and all monitoring events following the remedial injections. It also contains iso-concentration lines for PCE concentrations detected during the monitoring event performed in late December 2019 and early January 2020. As seen on **Figure 8b**, it appears that two (2) of the sandstone wells near the source area had increases in CVOC concentrations after injections were performed in March and April of 2018. This effect appears in wells MW-13 and MW-20D. It is likely that the increases in concentrations seen are temporary and due to displacement of some contaminated water within the plume during the injection process.

Positive results have been seen in sandstone wells within the source area, where the PCE plume appears to be shrinking or becoming cut off from the source area as originally planned (compare plume geometries from pre-remedial conditions (**Figure 8a**) to post-remedial conditions (**Figure 8b**)). Also, side-gradient off-site well MW-32, which resides within unconsolidated valley fill at the eroded edge of the dolomite cap, has had historical concentrations of PCE always above the ES, but have consistently dropped with concentrations now below the ES and PAL.

Further down-gradient, concentrations of CVOCs within the center of the plume have also fluctuated but have been relatively stable during EnviroForensics years of monitoring. Monitoring wells both east and west along the plume edges and the furthest down-gradient wells have had stable, decreasing, or non-detectable concentrations of CVOCs. These wells include: western side-gradient well clusters MW-34, PZ-44, and PZ-52; eastern side-gradient well clusters PZ-43, PZ-45, and PZ-46; and down-gradient well clusters PZ-47 and PZ-53.

Most wells within the sandstone plume have had detections of the daughter products of dehalogenation including TCE and DCE. Vinyl chloride has been largely absent except for a few detections in wells MW-6, MW-11, and MW-25D. The production of daughter products is a strong line of evidence that some biodegradation is occurring.

Compound-specific Isotope Analysis

EnviroForensics collected samples for compound-specific isotope analysis (CSIA) with the objective of adding further evidence that biodegradation of the plume will continue to occur even if no additional remediation is implemented. CSIA compares the ratio of the two stable isotopes

of carbon (^{13}C and ^{12}C) of a contaminant. The results are expressed as a deviation from an international standard in parts per thousand ($\delta^{13}\text{C}$ ‰). The result is a negative number, so as the amount of ^{13}C increases relative to the amount of ^{12}C , the value gets larger (or less negative). In microbial degradation processes, the lighter ^{12}C isotope reacts more rapidly, so the ratio of $^{13}\text{C}/^{12}\text{C}$ of a contaminant increases. Therefore, an increase in the isotopic ratio over time or distance can indicate the contaminant is degrading. The EPA guide for assessing biodegradation using CSIA recommends that an increase of 2‰ be considered the minimum criterion for positive identification of degradation.

Samples were collected on July 28, 2020 from four (4) monitoring wells within the core of the plume (in sequence of moving from nearer to the source area to a downgradient position): MW-17D1, MW-25D, PZ-48D1, and PZ-42D2. The samples were analyzed for carbon isotope ratios of both PCE and TCE. The laboratory report is included in **Attachment 2**. The results for PCE ranged from -22.7 to -27.1 $\delta^{13}\text{C}$ ‰, however, the data did not display a consistent trend in the downgradient direction. Additionally, all of the PCE sample results were within the $^{13}\text{C}/^{12}\text{C}$ range for raw manufactured PCE of -39.4 to -21.9 (with a 2 ‰ uncertainty factor), though they fall close to the heavier end of the range. Since the actual carbon isotope ratio of the PCE used for dry cleaning at the site is unknown, no conclusions regarding changes relative to the source material can be made. The TCE results were likewise inconclusive.

Samples for CSIA were collected again during December 2020 from previously sampled monitoring wells including additional samples from dolomite source area well MW-39S and sandstone source area well MW-20D (refer to laboratory reports in **Attachment 2**). Samples were collected from these two (2) wells so that the carbon isotope ratios could be used as baseline values representing the raw PCE to which to compare values from downgradient locations.

The only identifiable trend in the December 2020 CSIA results can be seen among sandstone wells MW-20D (presumed PCE source material), MW-12, and MW-25D. The PCE analysis results for sandstone well samples are plotted versus distance from the source area (see chart in **Attachment 3**). The $\delta^{13}\text{C}$ value increases from -26.6 to -23.8, a difference of 2.8 ‰ which exceeds the minimum criterion and provides additional evidence that degradation is occurring along the flow path. As shown on the chart in **Attachment 3**, the result from MW-17D1 does not fit the trend; however, that individual point does not invalidate the conclusion. Mole fraction VOC pie charts created using December 2020 data are also shown to visually illustrate the breakdown of PCE to TCE and cis-1,2-DCE between MW-20D and MW-25D.

Additional Action Options

Active Remediation

It is not cost effective to further attempt active remediation of the dolomite source area or the large down-gradient plume. Contaminants in the dolomite source area are likely retained in mud filled fine to medium fractures within the dolomite and are not practical to extract. It would also not be practical from a technical or cost perspective to treat the large lateral and vertical expanse of the dilute groundwater plume. The depth of the plume would require extensive drilling and the installation of injection wells.

In addition, the groundwater system is under oxidizing conditions, becoming slightly less oxidizing with depth. It is not technically feasible to induce large scale reducing conditions to stimulate reductive de-chlorination over such a large expanse. Due to very low colony counts of dehalococoides microbes measured during past investigations, any attempt to reach complete de-chlorination would require the addition of these microbes. Therefore, the large expanse of the plume prohibits anything but a localized application. It may be possible to inject oxidants to destroy the CVOCs, but again, the large expanse of the plume minimizes the extent to which treatment can be applied.

Past MODFLOW and MT3D modeling provided us with valuable and accurate data to predict plume geometry and allowed for accurate placement of groundwater monitoring wells. In addition, predictive outputs from MT3D showed plume advancement to the Rock River after approximately 35 years following initial release. However, we know that the dry cleaning operations began in the early to mid 1960's which is more than 50 years ago. The model takes into account mechanical dispersion, but not abiotic or biological degradation. The fact that there are daughter products of de-halogenation detected in most wells throughout the plume indicate that biological activity along with dispersion is occurring to attenuate the plume. This is likely why we are not seeing concentrations of CVOCs above enforcement standards within our furthest downgradient sentinel wells which are located approximately 650-700 feet from the Rock River.

Further Groundwater Monitoring

We do not feel that further groundwater monitoring is justified. The cost for further groundwater monitoring is high given the vast network and depth of wells across the site. Additionally, the concentrations have not significantly changed in down-gradient wells over the past several years of sampling, indicating the plume is stabilized.

Case Closure and Future Costs

EnviroForensics was able to fully investigate this site on behalf of the responsible party using insurance funding. An eventual insurance settlement allowed for remedial action planning, design, and the implementation of an in-situ treatment. To date, a total of \$3,316,000 has been spent during EnviroForensics' involvement in this case to fully investigate the site and perform remedial actions. Our most recent budget analysis has shown that there is only enough insurance funding left to proceed through the case closure process. We anticipate that the closure process will be complicated by:

- The number of groundwater use notifications that will need to be prepared and mailed (between 85-100). (We would like to discuss with you a possible alternative notification method that may be more practical to implement.);
- A cap maintenance plan, which will be required for the area in back of the former Robinson Cleaners tenant space;
- The effort needed to abandon all 86 existing groundwater monitoring wells and 25 groundwater injection wells, most of which will require tremie grouting.

The anticipated cost to complete the case closure process and abandon groundwater monitoring and injection wells is estimated at between \$110,000 to \$130,000.

Requests for Variance


1. As part of the closure process, we are requesting a variance from the deed and parcel information requirements in Chapter NR 716.11(4). Acquiring this information would be burdensome and costly, and would basically just provide a property owner with a copy of their own deed; and
2. We request a variance from using the typical data table formats required for use in the case closure documents. We currently use a color-coded format that allows much easier identification of standard exceedances and since the Department is no longer requiring paper copies that are then scanned in black and white, there is no need to use the old format. In addition, there is an abundance of data for this Site and it is not deemed necessary or practical to revise all of the data tables to fit the past black and white closure format.

We request your technical assistance in review of our recommendations for case closure and welcome further discussions regarding a practical path to closure for this site.

Please contact me at (414) 982-3988 with any questions you may have regarding this submittal and request.

Sincerely,

EnviroForensics LLC



Wayne P. Fassbender, P.G.
Senior Project Manager

Attachments:

NR 712 Certifications

Figure 1: Soil Sample Analytical Results and Excavation Area

Figure 2: Pre and Post Remediation Extent of CVOC Impacts in Platteville Dolomite with PCE Iso-concentration Lines

Figure 3: Investigation Area Cross-section Transect Map

Figure 4: Investigation Area Cross-section A-A'

Figure 5: Geologic Cross-section B-B'

Figure 6: Potentiometric Surface Contour Map, Platteville Dolomite, June 2016

Figure 7: Potentiometric Surface Contour Map, St. Peter Sandstone, June 2016

Figure 8a: Extent of Impacts Within the St. Peter Sandstone and Valley Fill During March 2016

Figure 8b: Pre and Post Remediation Extent of CVOC Impacts Within the St. Peter Sandstone/Valley Fill With PCE Isoconcentration Lines

Figure 9: EnviroForensics Sub-slab Vapor Sample Locations – 2011

Figure 10: EnviroForensics Sub-slab Vapor Sample Locations – 2013

Figure 11: Indoor Air Sample Analytical Results Summary

Figure 12: Soil Gas Sample Analytical Results Summary

Figure 13: Full-scale Injection Point Layout Map Showing Approximate Area of Plumestop Dispersion in Sandstone and Gallons injected at Each Point

Attachment 1: CVOC Laboratory Analytical Results Reports

Attachment 2: PCE and TCE Carbon Isotope Analysis Results Reports

Attachment 3: Mole Fraction VOC Chart Showing Percentage of Daughter Products With Down-gradient Distance

CERTIFICATIONS

I, Robert Fedorchak, hereby certify that I am a registered professional engineer in the State of Wisconsin, registered in accordance with the requirements of ch. A-E 4, Wis. Adm. Code; that this document has been prepared in accordance with the Rules of Professional Conduct in ch. A-E 8, Wis. Adm. Code; and that, to the best of my knowledge, all information contained in this document is correct and the document was prepared in compliance with all applicable requirements in chs. NR 700 to 726, Wis. Adm. Code.




Senior Engineer, Lic. No. E-47469

Signature, title and P.E. number



I, Wayne Fassbender, hereby certify that I am a hydrogeologist as that term is defined in s. NR 712.03 (1), Wis. Adm. Code, am registered in accordance with the requirements of ch. GHSS 2, Wis. Adm. Code, or licensed in accordance with the requirements of ch. GHSS 3, Wis. Adm. Code, and that, to the best of my knowledge, all of the information contained in this document is correct and the document was prepared in compliance with all applicable requirements in chs. NR 700 to 726, Wis. Adm. Code.



Senior Project Manager

Signature and title

5/3/21
Date



Legend


Analytes (µg/kg)	Soil Residual Contaminant Level (RCL)		
	Industrial Direct Contact	Non-Industrial Direct Contact	Soil to Groundwater
PCE	145,000	33,000	2.3
TCE	8,410	1,300	1.8
cis-1,2-DCE	2,340,000	156,000	41.2
trans-1,2-DCE	1,850,000	1,560,000	62.6
1,1-DCE	1,190,000	320,000	5.0
MC	1,150,000	61,800	2.6
Naph	24,100	5,520	658.2

Notes:

1. Bold, shaded orange values are above WDNR
2. Non-Industrial Direct Contact RCL
3. Bold, shaded green values are above WDNR Industrial Direct Contact RCL
4. Direct Contact RCL
5. Bold, shaded blue values are above WDNR Soil to Groundwater RCL
6. Groundwater RCL
7. Bold values exceed laboratory detection levels.
8. J = Estimated concentration above the adjusted method detection limit and below the adjusted reporting limit.
9. Samples analyzed using EPA SW-846 Method 8260 with Prep Method 5030B
10. µg/kg = micrograms per liter = parts per billion (ppb)
11. PCE = Tetrachloroethene
12. TCE = Trichloroethene
13. cis-1,2-DCE = cis-1,2-Dichloroethene
14. trans-1,2-DCE = trans-1,2-Dichloroethene
15. 1,1-DCE = 1,1-Dichloroethene
16. MC = Methyl Chloride
17. Naph = Napthalene

- Property boundary
- WTR --- Underground water utility line
- SAN --- Underground sanitary utility line
- UGT --- Underground telephone utility line
- GAS --- Underground gas utility line
- UGE --- Underground electrical utility line
- OVHD --- Overhead electrical utility line

- Excavation area
- MW-9S Monitoring well (Dolomite)
- GP-1 Soil boring sample location, 2008
- GP-23 Soil boring sample location, 2009
- DP-1 Soil boring sample location, 2011



Approximate Scale in Feet


SOIL SAMPLE ANALYTICAL RESULTS AND EXCAVATION AREA
 Robinson Dry Cleaners
 1838 West Court Street
 Janesville, WI

Date:	12/11/12
Designed:	MMM
Drawn:	MMM
Checked:	KG
DWG file:	66628-12



825 North Capitol Avenue • Indianapolis, IN 46204
 EnviroForensics.com

Figure	1
Project	6155



MW-40S	6/15/16
CVOCs	ND

MW-36S	6/17/16	6/18/19	12/17/19	7/27/20
PCE	830	296	199	570
TCE	114	140	184	34
cis-1,2-DCE	44	76	36	23.1
Vinyl Chloride	1.75 J	<2	<2	<1

MW-20S	6/13/16
PCE	4.1
TCE	0.56 J
cis-1,2-DCE	9.4
trans-1,2-DCE	0.72 J

MW-41S	6/14/16
CVOCs	ND

MW-29S	9/13/16	6/18/19	12/17/19	7/27/20
PCE	24.1	24.1	102	40
TCE	<0.47	<0.47	4	0.95 J
cis-1,2-DCE	<0.45	<0.47	7.0	1.99
trans-1,2-DCE	<0.54	<0.54	0.67 J	<0.37

MW-39S	8/29/17	5/1/18	12/17/19	7/27/20	12/2/20
PCE	3,100	380	4,900	7,000	4,600
TCE	144	102	236	264	283
cis-1,2-DCE	44	84	61	48 J	76

MW-30S	6/14/16	6/18/19	12/17/19	7/27/20	12/2/20
PCE	1,370	1,790	3,300	2,020	4,800
TCE	<23.5	9.3 J	17.2	12.1 J	20.2 J
cis-1,2-DCE	<22.5	5.6 J	8.4 J	4.4 J	15.8 J

MW-27S	9/13/16	6/18/19	12/17/19	7/27/20	12/2/20
PCE	200	440	470	740	190
TCE	6.6 J	18.8	21.1	25.9	45
cis-1,2-DCE	5.4 J	22.4	23.6	24	57

MW-51S	8/27/17	5/1/18	12/18/19	2/27/20
PCE	0.71 J	2.85	0.48 J	0.37 J

MW-35S	6/16/16
CVOCs	ND

Legend

- Property boundary
- Monitoring well (Dolomite)
- PCE Isoconcentration >500
- PCE Isoconcentration >50
- PCE Isoconcentration >5
- Dashed boundaries are inferred


Approximate extent of Dolomite

Analytes	Public Health Enforcement Standard	Public Health Preventive Action Limit
PCE	5	0.5
TCE	5	0.5
cis-1,2-DCE	70	7
trans-1,2-DCE	100	20
Vinyl Chloride	0.2	0.02

- Notes:
1. Bold, shaded blue values are above Public Health Preventive Action Limits
 2. Bold, shaded orange values are above Public Health Enforcement Standards
 3. Results reported in micrograms per Liter (ug/L)
 4. PCE = Tetrachloroethene
 5. TCE = Trichloroethene
 6. cis-1,2-DCE = cis-1,2-Dichloroethene
 8. trans-1,2-DCE = trans-1,2-Dichloroethene
 9. ND = CVOCs not detected
 10. J = Estimated concentration below reporting limit
 11. NS = Not sampled



APPROXIMATE SCALE: 1" = 100'




PRE AND POST REMEDIATION EXTENT OF CVOC IMPACTS
IN PLATTEVILLE DOLOMITE WITH PCE
ISO-CONCENTRATION LINES
Robinson Dry Cleaners
1838 West Court Street
Janesville, WI

Date:	3/17/21
Designed:	EB
Drawn:	EB
Checked:	WF
DWG file:	6155-3388



825 North Capitol Avenue • Indianapolis, IN 46204
EnviroForensics.com

Figure	2
Project	6155




Legend

- Unconsolidated
- Plattville Dolomite
- St. Peter Sandstone
- Silt
- Prairie Du Chien Dolomite

- Monitoring well screen

----- Dashed boundaries are inferred

Inferred groundwater flow direction



ST. PETER SANDSTONE/VALLEY FILL CVOC PLUME FENCE
DIAGRAM


Robinson Dry Cleaners
1838 West Court Street
Janesville, WI

Date:	7/21/16
Designed:	EB
Drawn:	EB
Checked:	WF
DWG file:	6155-2192











825 North Capitol Avenue • Indianapolis, IN 46204
EnviroForensics.com


Figure	4
Project	6155





Legend

-  Unconsolidated
-  St. Peter Sandstone
-  Monitoring well screen
-  Dashed boundaries are inferred

- Groundwater results:
-  Non Detect
 -  PCE/TCE Detection > Preventative Action Level (0.5ug/L)
 -  PCE/TCE Detection > Enforcement Standard (5ug/L)
 -  5 ug/L PCE/TCE Isoconcentration line



<p>INVESTIGATION AREA CROSS-SECTION B-B'</p> <p>Robinson Dry Cleaners 1838 West Court Street Janesville, WI</p>		<p>Figure 5 Project 6155</p>										
												
<p>825 North Capitol Avenue • Indianapolis, IN 46204 EnviroForensics.com</p>												
<table border="1" style="width: 100%; border-collapse: collapse;"> <tr><td>Date:</td><td>7/21/16</td></tr> <tr><td>Designed:</td><td>EB</td></tr> <tr><td>Drawn:</td><td>EB</td></tr> <tr><td>Checked:</td><td>WF</td></tr> <tr><td>DWG file:</td><td>6155-2192</td></tr> </table>	Date:	7/21/16	Designed:	EB	Drawn:	EB	Checked:	WF	DWG file:	6155-2192		
Date:	7/21/16											
Designed:	EB											
Drawn:	EB											
Checked:	WF											
DWG file:	6155-2192											




Legend

- Property boundary
- MW-9S Monitoring well (Dolomite)
- 790 Groundwater elevation contour
- 805.35 Groundwater elevation (ft above mean sea level)

Note:

1. * = Monitoring well screened across both dolomite and sandstone
2. NM = Not Measured




POTENTIOMETRIC SURFACE CONTOUR MAP
PLATTEVILLE DOLOMITE
 JUNE 2016
 Robinson Dry Cleaners
 1838 West Court Street
 Janesville, WI

Date: 2/25/16		Figure
Designed: EB		6
Drawn: EB		Project
Checked: BK		6155
DWG file: 6155-1883		<small>825 North Capitol Avenue • Indianapolis, IN 46204 EnviroForensics.com</small>

Legend

- MW-32S Monitoring well (Unconsolidated)
- MW-9D Monitoring well (Sandstone)
- 761 Groundwater elevation contour
- 773.98 Groundwater elevation (feet above mean sea level)



POTENTIOMETRIC SURFACE CONTOUR MAP
 ST. PETER SANDSTONE
 JUNE 2016
 Robinsons Dry Cleaners
 1838 West Court Street
 Janesville, WI

Date:	7/21/16
Designed:	EB
Drawn:	EB
Checked:	WF
DWG file:	6155-2191

No.	Date	Revision	Approved

Figure	7
Project	6155






Figure	8a	Date	4/5/16
Project	Robinsons Dry Cleaners 1838 West Court Street Janesville, WI	Designed:	EB
6155		Drawn:	EB
		Checked:	WF
		DWG file:	6155-1971

Approved	
Revision	
Date	
No.	

ENVIROforensics
 ENVIRONMENTAL FORENSIC INVESTIGATIONS, INC.
 602 N. Capital Ave, Suite 210 • Indianapolis, IN 46204
 EnviroForensics.com





Legend

Analyte	Public Health Enforcement Standard	Public Health Preventive Action Limit
PCE	5	0.5
TCE	7	0.5
cis-1,2-DCE	7	7
trans-1,2-DCE	100	20

- Notes:
1. Bold, shaded blue values are above Public Health Preventive Action Limits
 2. Bold, shaded orange values are above Public Health Enforcement Standards
 3. Results reported in micrograms per Liter (ug/L)
 4. PCE = Tetrachloroethene
 5. TCE = Trichloroethene
 6. cis-1,2-DCE = cis-1,2-Dichloroethene
 7. trans-1,2-DCE = trans-1,2-Dichloroethene
 8. * = Monitoring well screened across both dolomite and sandstone
 9. ND = CVOCs not detected
 10. J = Estimated concentration below reporting limit
 11. NS = Not sampled
 12. NS = Not sampled

- PCE concentration >500
- PCE concentration >50
- PCE concentration >5
- - - Dashed boundaries are inferred
- Sandstone injection area

PRE AND POST REMEDIATION EXTENT OF CVOC IMPACTS WITHIN THE ST. PETER SANDSTONE/VALLEY FILL WITH PCE ISOCONCENTRATION LINES

Figure 8b
Project: Robinsons Dry Cleaners
1838 West Court Street
Janesville, WI

Date: 3/17/21
Designed: EJB
Drawn: EJB
Checked: WF
DWG file: 6155-3389



No.	Date	Revision	Approved




Legend

Analytes (ug/m3)	Small Commercial Vapor Risk Screening Level
PCE	6,000
TCE	290

Notes:

1. Bold values exceed laboratory detection levels.
2. PCE = Tetrachloroethene
3. TCE = Trichloroethene
4. ND = No Analytes Above Laboratory Detection Limits
5. Results reported in micrograms per meter cubed = $\mu\text{g}/\text{m}^3$

- Property boundary
- SS-1 ● Sub-slab Vapor sample location



SS-1 (8 hr)	9/28/11
PCE	777
TCE	39.20

SS-2 (8 hr)	9/28/11
PCE	49.5

SS-3 (8 hr)	9/28/11
PCE	56.3

SS-5 (8 hr)	9/28/11
PCE	848
TCE	41.9

SS-4 (8 hr)	9/28/11
PCE	3,790

SS-6 (8 hr)	9/28/11
PCE	1,300


SS-7 (8 hr)	9/28/11
TCE	49.4

SS-11 (8 hr)	10/13/11
PCE	134
TCE	105

SS-10 (8 hr)	10/13/11
TCE	142

SS-8 (8 hr)	9/28/11
TCE	79.4

SS-9 (8 hr)	9/28/11
VOCs	ND



Approximate Scale in Feet

ENVIROFORENSICS SUB-SLAB VAPOR SAMPLE LOCATIONS - 2011
 Robinson Dry Cleaners
 1838 West Court Street
 Janesville, WI

Date:	12/11/12
Designed:	SP
Drawn:	MMM
Checked:	KG
DWG file:	66628-12



825 North Capitol Avenue • Indianapolis, IN 46204
 EnviroForensics.com


Figure	9
Project	6155

Analytes (ug/m3)	Vapor Risk Screening Levels	
	Commercial	Sub-Slab
PCE	6,000	
TCE	290	

- Notes:
1. Bolded and shaded values exceed the Vapor Action Level
 2. Bolded values are above detection limits
 3. Samples analyzed using US EPA Method TO-15
 4. Units in micrograms per cubic meter = ug/m3
 5. PCE = Tetrachloroethene
 6. TCE = Trichloroethene
 7. The Vapor Risk Screening Levels are based on US EPA Regional Screening Levels (RSLs) for industrial indoor air with an attenuation factor of 0.01 for sub-slab samples and with a 0.1 adjustment for 1 x 10⁻⁵ lifetime cancer risk for carcinogens


Legend

- Property boundary
- WTR --- Underground water utility line
- SAN --- Underground storm utility line
- UGT --- Underground telephone utility line
- GAS --- Underground gas utility line
- UGE --- Underground electrical utility line
- OPHD --- Overhead electrical utility line
- SSV-18-1 Sub-slab vapor sample location



N. ARCH AVENUE

W. COURT STREET



Approximate Scale in Feet

ENVIROFORENSICS SUB-SLAB VAPOR SAMPLE LOCATIONS - 2013


Robinson Dry Cleaners
1838 West Court Street
Janesville, WI

Date:	7/24/13
Designed:	MMM
Drawn:	MMM
Checked:	KG
DWG file:	62539-11

Figure	10
Project	6155


Analytes (ug/m3)	Vapor Action Level
	Commercial Indoor air
PCE	180
TCE	8.8

- Notes:**
1. Bolded and shaded values exceed the Vapor Action Level
 2. Bolded values are above detection limits
 3. Samples analyzed using US EPA Method TO-15
 4. Units in micrograms per cubic meter = ug/m3
 5. PCE = Tetrachloroethene
 6. TCE = Trichloroethene
 7. The Vapor Risk Screening Levels are based on US EPA Regional Screening Levels (RSLs) for industrial indoor air with a 0.1 adjustment for 1 x 10⁻⁵ lifetime cancer risk for carcinogens



Legend

- Property boundary
- WTR --- Underground water utility line
- --- Underground storm utility line
- SAN --- Underground sanitary utility line
- UGT --- Underground telephone utility line
- GAS --- Underground gas utility line
- UGE --- Underground electrical utility line
- OWH --- Overhead electrical utility line
- ▲ IA-1820-1 Indoor air sample location
- OA-1 Outdoor air sample location



INDOOR AIR SAMPLE ANALYTICAL RESULTS SUMMARY

Robinson Dry Cleaners
1838 West Court Street
Janesville, WI

Date:	7/24/13
Designed:	MMM
Drawn:	MMM
Checked:	KG
DWG file:	62539-11

Figure	11
Project	6155

ENVIROforensics

825 North Capitol Avenue • Indianapolis, IN 46204
EnviroForensics.com

OA-2	5/1/13
PCE	<1.4
TCE	<1.1

OA-1	5/1/13
PCE	<1.4
TCE	<1.1

IA-1902-1	5/1/13
PCE	<1.4
TCE	<1.1

IA-1902-2	5/1/13
PCE	<1.4
TCE	<1.1

IA-18N-B-1A	5/23/16	11/29/16
PCE	<3.19	<3.19
TCE	<1.07	<1.07

OA-18N-1A	5/23/13	11/29/16
PCE	<3.19	<3.19
TCE	<1.07	<1.07

IA-18N-B-2A	5/23/16	11/29/16
PCE	<3.19	<3.19
TCE	<1.07	<1.07

IA-1838-2	5/1/13
PCE	3.5
TCE	<1.1

IA-1832-2	5/1/13
PCE	<1.4
TCE	<1.1

IA-1824-2	5/1/13
PCE	<1.4
TCE	<1.1

IA-1822-2	5/1/13
PCE	<1.4
TCE	<1.1

IA-1820-2	5/1/13
PCE	<1.4
TCE	<1.1


IA-1820-1	5/1/13
PCE	10.0
TCE	2.0

IA-1838-1	5/1/13
PCE	<1.4
TCE	<1.1

IA-1832-1	5/1/13
PCE	<1.4
TCE	<1.1

IA-1824-1	5/1/13
PCE	<1.4
TCE	<1.1

IA-1822-1	5/1/13
PCE	<1.4
TCE	<1.1



Legend

- Property boundary
- WTR --- Underground water utility line
- Underground storm utility line
- SAN --- Underground sanitary utility line
- Underground telephone utility line
- GAS --- Underground gas utility line
- Underground electrical utility line
- OVE/OVEHD --- Overhead electrical utility line
- SG-13 ⊙ Soil gas sample point
- SGU-1 ● Utility soil gas sample location
- SG-1 ⊗ Nested soil gas sample location

Analytes	Vapor Risk Screening Levels			
	Non-Residential Deep	Non-Residential Shallow	Residential Deep	Residential Shallow
PCE	18,000	6,000	4,200	1,400
TCE	880	290	210	70

- Notes:**
- Bolded and shaded values exceed the applicable action level
 - Bolded values are above detection limits
 - Samples analyzed using US EPA Method TO-15
 - Units in micrograms per cubic meter = $\mu\text{g}/\text{m}^3$
 - PCE = Tetrachloroethene
 - TCE = Trichloroethene
 - The Vapor Risk Screening Levels are based on US EPA Regional Screening Levels (RSLs) for indoor air with an attenuation factor of 0.01 or 0.03 for soil gas samples and a 0.1 adjustment for 1×10^{-5} lifetime cancer risk for carcinogens
 - Deep soil gas samples are defined as those collected more than 5 feet below the building foundation

SG-7s/SG-7d		5/9/13	
Depth	6 ft	30 ft	
PCE	29	1,000	
TCE	<11	<11	

SG-8s/SG-8d		5/8/13	
Depth	6 ft	20 ft	
PCE	<14	450	
TCE	<11	<11	

SG-9s/SG-9d		5/8/13	
Depth	6 ft	20 ft	
PCE	<14	20	
TCE	<11	<9.8	

SG-10s/SG-10d		5/8/13	
Depth	6 ft	23 ft	
PCE	25	57	
TCE	<11	<11	

SG-11s/SG-11d		5/8/13	
Depth	6 ft	15 ft	
PCE	260	470	
TCE	<11	<11	

SG-12		5/8/13	
Depth	6 ft		
PCE	94		
TCE	<11		

SG-16		9/17/14	
Depth	9 ft		
PCE	1,050		

SG-15		9/17/14	
Depth	12 ft		
PCE	120		

SOIL GAS SAMPLE ANALYTICAL RESULTS SUMMARY


Robinson Dry Cleaners
1838 West Court Street
Janesville, WI

Date:	7/28/14
Designed:	EB
Drawn:	EB
Checked:	BK
DWG file:	6155-0746



825 North Capitol Avenue • Indianapolis, IN 46204
EnviroForensics.com

Figure	12
Project	6155





ATTACHMENT 1

Laboratory Analytical Results Reports

Synergy Environmental Lab, INC

1990 Prospect Ct., Appleton, WI 54914 *P 920-830-2455 * F 920-733-0631

BRIAN KAPPEN
ENVIROFORENSICS
N16 W 23390 STONERIDGE DR
WAUKESHA WI 53188

Report Date 13-Aug-20

Project Name FMR ROBINSONS CLEANERS
Project # 6155 PO#2020-1772

Invoice # E38267

Lab Code 5038267A
Sample ID 6155 MW-1
Sample Matrix Water
Sample Date 7/27/2020

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.33	ug/l	0.33		1	8260B		7/31/2020	CJR	1
Bromobenzene	< 0.26	ug/l	0.26	0.84	1	8260B		7/31/2020	CJR	1
Bromodichloromethane	< 0.33	ug/l	0.33		1	8260B		7/31/2020	CJR	1
Bromoform	< 0.65	ug/l	0.65	2.1	1	8260B		7/31/2020	CJR	1
tert-Butylbenzene	< 0.61	ug/l	0.61	1.9	1	8260B		7/31/2020	CJR	1
sec-Butylbenzene	< 0.32	ug/l	0.32		1	8260B		7/31/2020	CJR	1
n-Butylbenzene	< 0.28	ug/l	0.28	0.89	1	8260B		7/31/2020	CJR	1
Carbon Tetrachloride	< 0.31	ug/l	0.31	0.98	1	8260B		7/31/2020	CJR	1
Chlorobenzene	< 0.39	ug/l	0.39	1.2	1	8260B		7/31/2020	CJR	1
Chloroethane	< 1.1	ug/l	1.1	3.6	1	8260B		7/31/2020	CJR	1
Chloroform	< 0.44	ug/l	0.44	1.4	1	8260B		7/31/2020	CJR	1
Chloromethane	< 0.8	ug/l	0.8	2.5	1	8260B		7/31/2020	CJR	1
2-Chlorotoluene	< 0.32	ug/l	0.32		1	8260B		7/31/2020	CJR	1
4-Chlorotoluene	< 0.3	ug/l	0.3	0.96	1	8260B		7/31/2020	CJR	1
1,2-Dibromo-3-chloropropane	< 0.82	ug/l	0.82	2.6	1	8260B		7/31/2020	CJR	1
Dibromochloromethane	< 0.23	ug/l	0.23	0.74	1	8260B		7/31/2020	CJR	1
1,4-Dichlorobenzene	< 0.36	ug/l	0.36	1.1	1	8260B		7/31/2020	CJR	1
1,3-Dichlorobenzene	< 0.31	ug/l	0.31	0.98	1	8260B		7/31/2020	CJR	1
1,2-Dichlorobenzene	< 0.32	ug/l	0.32		1	8260B		7/31/2020	CJR	1
Dichlorodifluoromethane	< 0.45	ug/l	0.45	1.4	1	8260B		7/31/2020	CJR	1
1,2-Dichloroethane	< 0.39	ug/l	0.39	1.3	1	8260B		7/31/2020	CJR	1
1,1-Dichloroethane	< 0.46	ug/l	0.46	1.5	1	8260B		7/31/2020	CJR	1
1,1-Dichloroethene	< 0.5	ug/l	0.5	1.6	1	8260B		7/31/2020	CJR	1
cis-1,2-Dichloroethene	< 0.39	ug/l	0.39	1.2	1	8260B		7/31/2020	CJR	1
trans-1,2-Dichloroethene	< 0.37	ug/l	0.37	1.2	1	8260B		7/31/2020	CJR	1

Project Name FMR ROBINSONS CLEANERS
Project # 6155 PO#2020-1772

Invoice # E38267

Lab Code 5038267A
Sample ID 6155 MW-1
Sample Matrix Water
Sample Date 7/27/2020

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2-Dichloropropane	< 0.38	ug/l	0.38	1.2	1	8260B		7/31/2020	CJR	1
1,3-Dichloropropane	< 0.35	ug/l	0.35	1.1	1	8260B		7/31/2020	CJR	1
trans-1,3-Dichloropropene	< 0.3	ug/l	0.3	0.94	1	8260B		7/31/2020	CJR	1
cis-1,3-Dichloropropene	< 0.36	ug/l	0.36	1.1	1	8260B		7/31/2020	CJR	1
Di-isopropyl ether	< 0.34	ug/l	0.34	1.1	1	8260B		7/31/2020	CJR	1
EDB (1,2-Dibromoethane)	< 0.24	ug/l	0.24	0.75	1	8260B		7/31/2020	CJR	1
Ethylbenzene	< 0.32	ug/l	0.32	1	1	8260B		7/31/2020	CJR	1
Hexachlorobutadiene	< 0.72	ug/l	0.72	2.3	1	8260B		7/31/2020	CJR	1
Isopropylbenzene	< 0.32	ug/l	0.32	1	1	8260B		7/31/2020	CJR	1
p-Isopropyltoluene	< 0.47	ug/l	0.47	1.5	1	8260B		7/31/2020	CJR	1
Methylene chloride	< 1.32	ug/l	1.32	4.21	1	8260B		7/31/2020	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.47	ug/l	0.47	1.5	1	8260B		7/31/2020	CJR	1
Naphthalene	< 1.1	ug/l	1.1	3.6	1	8260B		7/31/2020	CJR	1
n-Propylbenzene	< 0.33	ug/l	0.33	1.1	1	8260B		7/31/2020	CJR	1
1,1,2,2-Tetrachloroethane	< 0.37	ug/l	0.37	1.2	1	8260B		7/31/2020	CJR	1
1,1,1,2-Tetrachloroethane	< 0.88	ug/l	0.88	3.3	1	8260B		7/31/2020	CJR	1
Tetrachloroethene	37	ug/l	0.33	1	1	8260B		7/31/2020	CJR	1
Toluene	< 0.26	ug/l	0.26	0.83	1	8260B		7/31/2020	CJR	1
1,2,4-Trichlorobenzene	< 0.44	ug/l	0.44	1.4	1	8260B		7/31/2020	CJR	1
1,2,3-Trichlorobenzene	< 1	ug/l	1	3.2	1	8260B		7/31/2020	CJR	1
1,1,1-Trichloroethane	< 0.3	ug/l	0.3	0.95	1	8260B		7/31/2020	CJR	1
1,1,2-Trichloroethane	< 0.36	ug/l	0.36	1.1	1	8260B		7/31/2020	CJR	1
Trichloroethene (TCE)	0.49 "J"	ug/l	0.47	1.5	1	8260B		7/31/2020	CJR	1
Trichlorofluoromethane	< 0.42	ug/l	0.42	1.3	1	8260B		7/31/2020	CJR	1
1,2,4-Trimethylbenzene	< 0.3	ug/l	0.3	0.96	1	8260B		7/31/2020	CJR	1
1,3,5-Trimethylbenzene	< 0.32	ug/l	0.32	1	1	8260B		7/31/2020	CJR	1
Vinyl Chloride	< 0.2	ug/l	0.2	0.65	1	8260B		7/31/2020	CJR	1
m&p-Xylene	< 1.1	ug/l	1.1	3.3	1	8260B		7/31/2020	CJR	1
o-Xylene	< 0.38	ug/l	0.38	1.2	1	8260B		7/31/2020	CJR	1
SUR - 1,2-Dichloroethane-d4	93	REC %			1	8260B		7/31/2020	CJR	1
SUR - Toluene-d8	113	REC %			1	8260B		7/31/2020	CJR	1
SUR - Dibromofluoromethane	102	REC %			1	8260B		7/31/2020	CJR	1
SUR - 4-Bromofluorobenzene	140	REC %			1	8260B		7/31/2020	CJR	1

Project Name FMR ROBINSONS CLEANERS
Project # 6155 PO#2020-1772

Invoice # E38267

Lab Code 5038267B
Sample ID 6155 MW-6
Sample Matrix Water
Sample Date 7/27/2020

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 1.65	ug/l	1.65	5	5	8260B		8/4/2020	CJR	1
Bromobenzene	< 1.3	ug/l	1.3	4.2	5	8260B		8/4/2020	CJR	1
Bromodichloromethane	< 1.65	ug/l	1.65	5	5	8260B		8/4/2020	CJR	1
Bromoform	< 3.25	ug/l	3.25	10.5	5	8260B		8/4/2020	CJR	1
tert-Butylbenzene	< 3.05	ug/l	3.05	9.5	5	8260B		8/4/2020	CJR	1
sec-Butylbenzene	< 1.6	ug/l	1.6	5	5	8260B		8/4/2020	CJR	1
n-Butylbenzene	1.6 "J"	ug/l	1.4	4.45	5	8260B		8/4/2020	CJR	1
Carbon Tetrachloride	< 1.55	ug/l	1.55	4.9	5	8260B		8/4/2020	CJR	1
Chlorobenzene	< 1.95	ug/l	1.95	6	5	8260B		8/4/2020	CJR	1
Chloroethane	< 5.5	ug/l	5.5	18	5	8260B		8/4/2020	CJR	1
Chloroform	< 2.2	ug/l	2.2	7	5	8260B		8/4/2020	CJR	1
Chloromethane	< 4	ug/l	4	12.5	5	8260B		8/4/2020	CJR	1
2-Chlorotoluene	< 1.6	ug/l	1.6	5	5	8260B		8/4/2020	CJR	1
4-Chlorotoluene	< 1.5	ug/l	1.5	4.8	5	8260B		8/4/2020	CJR	1
1,2-Dibromo-3-chloropropane	< 4.1	ug/l	4.1	13	5	8260B		8/4/2020	CJR	1
Dibromochloromethane	< 1.15	ug/l	1.15	3.7	5	8260B		8/4/2020	CJR	1
1,4-Dichlorobenzene	< 1.8	ug/l	1.8	5.5	5	8260B		8/4/2020	CJR	1
1,3-Dichlorobenzene	< 1.55	ug/l	1.55	4.9	5	8260B		8/4/2020	CJR	1
1,2-Dichlorobenzene	< 1.6	ug/l	1.6	5	5	8260B		8/4/2020	CJR	1
Dichlorodifluoromethane	< 2.25	ug/l	2.25	7	5	8260B		8/4/2020	CJR	1
1,2-Dichloroethane	< 1.95	ug/l	1.95	6.5	5	8260B		8/4/2020	CJR	1
1,1-Dichloroethane	< 2.3	ug/l	2.3	7.5	5	8260B		8/4/2020	CJR	1
1,1-Dichloroethene	< 2.5	ug/l	2.5	8	5	8260B		8/4/2020	CJR	1
cis-1,2-Dichloroethene	490	ug/l	1.95	6	5	8260B		8/4/2020	CJR	1
trans-1,2-Dichloroethene	6.5	ug/l	1.85	6	5	8260B		8/4/2020	CJR	1
1,2-Dichloropropane	< 1.9	ug/l	1.9	6	5	8260B		8/4/2020	CJR	1
1,3-Dichloropropane	< 1.75	ug/l	1.75	5.5	5	8260B		8/4/2020	CJR	1
trans-1,3-Dichloropropene	< 1.5	ug/l	1.5	4.7	5	8260B		8/4/2020	CJR	1
cis-1,3-Dichloropropene	< 1.8	ug/l	1.8	5.5	5	8260B		8/4/2020	CJR	1
Di-isopropyl ether	< 1.7	ug/l	1.7	5.5	5	8260B		8/4/2020	CJR	1
EDB (1,2-Dibromoethane)	< 1.2	ug/l	1.2	3.75	5	8260B		8/4/2020	CJR	1
Ethylbenzene	< 1.6	ug/l	1.6	5	5	8260B		8/4/2020	CJR	1
Hexachlorobutadiene	< 3.6	ug/l	3.6	11.5	5	8260B		8/4/2020	CJR	1
Isopropylbenzene	< 1.6	ug/l	1.6	5	5	8260B		8/4/2020	CJR	1
p-Isopropyltoluene	< 2.35	ug/l	2.35	7.5	5	8260B		8/4/2020	CJR	1
Methylene chloride	< 6.6	ug/l	6.6	21.05	5	8260B		8/4/2020	CJR	1
Methyl tert-butyl ether (MTBE)	< 2.35	ug/l	2.35	7.5	5	8260B		8/4/2020	CJR	1
Naphthalene	< 5.5	ug/l	5.5	18	5	8260B		8/4/2020	CJR	1
n-Propylbenzene	< 1.65	ug/l	1.65	5.5	5	8260B		8/4/2020	CJR	1
1,1,2,2-Tetrachloroethane	< 1.85	ug/l	1.85	6	5	8260B		8/4/2020	CJR	1
1,1,1,2-Tetrachloroethane	< 4.4	ug/l	4.4	16.5	5	8260B		8/4/2020	CJR	1
Tetrachloroethene	< 1.65	ug/l	1.65	5	5	8260B		8/4/2020	CJR	1
Toluene	< 1.3	ug/l	1.3	4.15	5	8260B		8/4/2020	CJR	1
1,2,4-Trichlorobenzene	< 2.2	ug/l	2.2	7	5	8260B		8/4/2020	CJR	1

Project Name FMR ROBINSONS CLEANERS
Project # 6155 PO#2020-1772

Invoice # E38267

Lab Code 5038267B
Sample ID 6155 MW-6
Sample Matrix Water
Sample Date 7/27/2020

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 5	ug/l	5	16	5	8260B		8/4/2020	CJR	1
1,1,1-Trichloroethane	< 1.5	ug/l	1.5	4.75	5	8260B		8/4/2020	CJR	1
1,1,2-Trichloroethane	< 1.8	ug/l	1.8	5.5	5	8260B		8/4/2020	CJR	1
Trichloroethene (TCE)	55	ug/l	2.35	7.5	5	8260B		8/4/2020	CJR	1
Trichlorofluoromethane	< 2.1	ug/l	2.1	6.5	5	8260B		8/4/2020	CJR	1
1,2,4-Trimethylbenzene	< 1.5	ug/l	1.5	4.8	5	8260B		8/4/2020	CJR	1
1,3,5-Trimethylbenzene	< 1.6	ug/l	1.6	5	5	8260B		8/4/2020	CJR	1
Vinyl Chloride	46	ug/l	1	3.25	5	8260B		8/4/2020	CJR	1
m&p-Xylene	< 5.5	ug/l	5.5	16.5	5	8260B		8/4/2020	CJR	1
o-Xylene	< 1.9	ug/l	1.9	6	5	8260B		8/4/2020	CJR	1
SUR - 1,2-Dichloroethane-d4	114	REC %			5	8260B		8/4/2020	CJR	1
SUR - 4-Bromofluorobenzene	96	REC %			5	8260B		8/4/2020	CJR	1
SUR - Dibromofluoromethane	107	REC %			5	8260B		8/4/2020	CJR	1
SUR - Toluene-d8	104	REC %			5	8260B		8/4/2020	CJR	1

Project Name FMR ROBINSONS CLEANERS
Project # 6155 PO#2020-1772

Invoice # E38267

Lab Code 5038267C
Sample ID 6155 MW-8
Sample Matrix Water
Sample Date 7/27/2020

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.33	ug/l	0.33		1	8260B		8/5/2020	CJR	1
Bromobenzene	< 0.26	ug/l	0.26	0.84	1	8260B		8/5/2020	CJR	1
Bromodichloromethane	< 0.33	ug/l	0.33		1	8260B		8/5/2020	CJR	1
Bromoform	< 0.65	ug/l	0.65	2.1	1	8260B		8/5/2020	CJR	1
tert-Butylbenzene	< 0.61	ug/l	0.61	1.9	1	8260B		8/5/2020	CJR	1
sec-Butylbenzene	< 0.32	ug/l	0.32		1	8260B		8/5/2020	CJR	1
n-Butylbenzene	< 0.28	ug/l	0.28	0.89	1	8260B		8/5/2020	CJR	1
Carbon Tetrachloride	< 0.31	ug/l	0.31	0.98	1	8260B		8/5/2020	CJR	1
Chlorobenzene	< 0.39	ug/l	0.39	1.2	1	8260B		8/5/2020	CJR	1
Chloroethane	< 1.1	ug/l	1.1	3.6	1	8260B		8/5/2020	CJR	1
Chloroform	< 0.44	ug/l	0.44	1.4	1	8260B		8/5/2020	CJR	1
Chloromethane	< 0.8	ug/l	0.8	2.5	1	8260B		8/5/2020	CJR	1
2-Chlorotoluene	< 0.32	ug/l	0.32		1	8260B		8/5/2020	CJR	1
4-Chlorotoluene	< 0.3	ug/l	0.3	0.96	1	8260B		8/5/2020	CJR	1
1,2-Dibromo-3-chloropropane	< 0.82	ug/l	0.82	2.6	1	8260B		8/5/2020	CJR	1
Dibromochloromethane	< 0.23	ug/l	0.23	0.74	1	8260B		8/5/2020	CJR	1
1,4-Dichlorobenzene	< 0.36	ug/l	0.36	1.1	1	8260B		8/5/2020	CJR	1
1,3-Dichlorobenzene	< 0.31	ug/l	0.31	0.98	1	8260B		8/5/2020	CJR	1
1,2-Dichlorobenzene	< 0.32	ug/l	0.32		1	8260B		8/5/2020	CJR	1
Dichlorodifluoromethane	< 0.45	ug/l	0.45	1.4	1	8260B		8/5/2020	CJR	1
1,2-Dichloroethane	< 0.39	ug/l	0.39	1.3	1	8260B		8/5/2020	CJR	1
1,1-Dichloroethane	< 0.46	ug/l	0.46	1.5	1	8260B		8/5/2020	CJR	1
1,1-Dichloroethene	< 0.5	ug/l	0.5	1.6	1	8260B		8/5/2020	CJR	1
cis-1,2-Dichloroethene	< 0.39	ug/l	0.39	1.2	1	8260B		8/5/2020	CJR	1
trans-1,2-Dichloroethene	< 0.37	ug/l	0.37	1.2	1	8260B		8/5/2020	CJR	1
1,2-Dichloropropane	< 0.38	ug/l	0.38	1.2	1	8260B		8/5/2020	CJR	1
1,3-Dichloropropane	< 0.35	ug/l	0.35	1.1	1	8260B		8/5/2020	CJR	1
trans-1,3-Dichloropropene	< 0.3	ug/l	0.3	0.94	1	8260B		8/5/2020	CJR	1
cis-1,3-Dichloropropene	< 0.36	ug/l	0.36	1.1	1	8260B		8/5/2020	CJR	1
Di-isopropyl ether	< 0.34	ug/l	0.34	1.1	1	8260B		8/5/2020	CJR	1
EDB (1,2-Dibromoethane)	< 0.24	ug/l	0.24	0.75	1	8260B		8/5/2020	CJR	1
Ethylbenzene	< 0.32	ug/l	0.32		1	8260B		8/5/2020	CJR	1
Hexachlorobutadiene	< 0.72	ug/l	0.72	2.3	1	8260B		8/5/2020	CJR	1
Isopropylbenzene	< 0.32	ug/l	0.32		1	8260B		8/5/2020	CJR	1
p-Isopropyltoluene	< 0.47	ug/l	0.47	1.5	1	8260B		8/5/2020	CJR	1
Methylene chloride	< 1.32	ug/l	1.32	4.21	1	8260B		8/5/2020	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.47	ug/l	0.47	1.5	1	8260B		8/5/2020	CJR	1
Naphthalene	< 1.1	ug/l	1.1	3.6	1	8260B		8/5/2020	CJR	1
n-Propylbenzene	< 0.33	ug/l	0.33	1.1	1	8260B		8/5/2020	CJR	1
1,1,2,2-Tetrachloroethane	< 0.37	ug/l	0.37	1.2	1	8260B		8/5/2020	CJR	1
1,1,1,2-Tetrachloroethane	< 0.88	ug/l	0.88	3.3	1	8260B		8/5/2020	CJR	1
Tetrachloroethene	68	ug/l	0.33		1	8260B		8/5/2020	CJR	1
Toluene	< 0.26	ug/l	0.26	0.83	1	8260B		8/5/2020	CJR	1
1,2,4-Trichlorobenzene	< 0.44	ug/l	0.44	1.4	1	8260B		8/5/2020	CJR	1

Project Name FMR ROBINSONS CLEANERS
Project # 6155 PO#2020-1772

Invoice # E38267

Lab Code 5038267C
Sample ID 6155 MW-8
Sample Matrix Water
Sample Date 7/27/2020

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 1	ug/l	1	3.2	1	8260B		8/5/2020	CJR	1
1,1,1-Trichloroethane	< 0.3	ug/l	0.3	0.95	1	8260B		8/5/2020	CJR	1
1,1,2-Trichloroethane	< 0.36	ug/l	0.36	1.1	1	8260B		8/5/2020	CJR	1
Trichloroethene (TCE)	1.27 "J"	ug/l	0.47	1.5	1	8260B		8/5/2020	CJR	1
Trichlorofluoromethane	< 0.42	ug/l	0.42	1.3	1	8260B		8/5/2020	CJR	1
1,2,4-Trimethylbenzene	< 0.3	ug/l	0.3	0.96	1	8260B		8/5/2020	CJR	1
1,3,5-Trimethylbenzene	< 0.32	ug/l	0.32	1	1	8260B		8/5/2020	CJR	1
Vinyl Chloride	< 0.2	ug/l	0.2	0.65	1	8260B		8/5/2020	CJR	1
m&p-Xylene	< 1.1	ug/l	1.1	3.3	1	8260B		8/5/2020	CJR	1
o-Xylene	< 0.38	ug/l	0.38	1.2	1	8260B		8/5/2020	CJR	1
SUR - 1,2-Dichloroethane-d4	108	REC %			1	8260B		8/5/2020	CJR	1
SUR - 4-Bromofluorobenzene	96	REC %			1	8260B		8/5/2020	CJR	1
SUR - Dibromofluoromethane	95	REC %			1	8260B		8/5/2020	CJR	1
SUR - Toluene-d8	110	REC %			1	8260B		8/5/2020	CJR	1

Project Name FMR ROBINSONS CLEANERS
Project # 6155 PO#2020-1772

Invoice # E38267

Lab Code 5038267D
Sample ID 6155 MW-9
Sample Matrix Water
Sample Date 7/27/2020

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.33	ug/l	0.33		1	8260B		8/5/2020	CJR	1
Bromobenzene	< 0.26	ug/l	0.26	0.84	1	8260B		8/5/2020	CJR	1
Bromodichloromethane	< 0.33	ug/l	0.33		1	8260B		8/5/2020	CJR	1
Bromoform	< 0.65	ug/l	0.65	2.1	1	8260B		8/5/2020	CJR	1
tert-Butylbenzene	< 0.61	ug/l	0.61	1.9	1	8260B		8/5/2020	CJR	1
sec-Butylbenzene	0.9 "J"	ug/l	0.32		1	8260B		8/5/2020	CJR	1
n-Butylbenzene	< 0.28	ug/l	0.28	0.89	1	8260B		8/5/2020	CJR	1
Carbon Tetrachloride	< 0.31	ug/l	0.31	0.98	1	8260B		8/5/2020	CJR	1
Chlorobenzene	< 0.39	ug/l	0.39	1.2	1	8260B		8/5/2020	CJR	1
Chloroethane	< 1.1	ug/l	1.1	3.6	1	8260B		8/5/2020	CJR	1
Chloroform	< 0.44	ug/l	0.44	1.4	1	8260B		8/5/2020	CJR	1
Chloromethane	< 0.8	ug/l	0.8	2.5	1	8260B		8/5/2020	CJR	1
2-Chlorotoluene	< 0.32	ug/l	0.32		1	8260B		8/5/2020	CJR	1
4-Chlorotoluene	< 0.3	ug/l	0.3	0.96	1	8260B		8/5/2020	CJR	1
1,2-Dibromo-3-chloropropane	< 0.82	ug/l	0.82	2.6	1	8260B		8/5/2020	CJR	1
Dibromochloromethane	< 0.23	ug/l	0.23	0.74	1	8260B		8/5/2020	CJR	1
1,4-Dichlorobenzene	< 0.36	ug/l	0.36	1.1	1	8260B		8/5/2020	CJR	1
1,3-Dichlorobenzene	< 0.31	ug/l	0.31	0.98	1	8260B		8/5/2020	CJR	1
1,2-Dichlorobenzene	< 0.32	ug/l	0.32		1	8260B		8/5/2020	CJR	1
Dichlorodifluoromethane	< 0.45	ug/l	0.45	1.4	1	8260B		8/5/2020	CJR	1
1,2-Dichloroethane	< 0.39	ug/l	0.39	1.3	1	8260B		8/5/2020	CJR	1
1,1-Dichloroethane	< 0.46	ug/l	0.46	1.5	1	8260B		8/5/2020	CJR	1
1,1-Dichloroethene	< 0.5	ug/l	0.5	1.6	1	8260B		8/5/2020	CJR	1
cis-1,2-Dichloroethene	0.93 "J"	ug/l	0.39	1.2	1	8260B		8/5/2020	CJR	1
trans-1,2-Dichloroethene	< 0.37	ug/l	0.37	1.2	1	8260B		8/5/2020	CJR	1
1,2-Dichloropropane	< 0.38	ug/l	0.38	1.2	1	8260B		8/5/2020	CJR	1
1,3-Dichloropropane	< 0.35	ug/l	0.35	1.1	1	8260B		8/5/2020	CJR	1
trans-1,3-Dichloropropene	< 0.3	ug/l	0.3	0.94	1	8260B		8/5/2020	CJR	1
cis-1,3-Dichloropropene	< 0.36	ug/l	0.36	1.1	1	8260B		8/5/2020	CJR	1
Di-isopropyl ether	< 0.34	ug/l	0.34	1.1	1	8260B		8/5/2020	CJR	1
EDB (1,2-Dibromoethane)	< 0.24	ug/l	0.24	0.75	1	8260B		8/5/2020	CJR	1
Ethylbenzene	< 0.32	ug/l	0.32		1	8260B		8/5/2020	CJR	1
Hexachlorobutadiene	< 0.72	ug/l	0.72	2.3	1	8260B		8/5/2020	CJR	1
Isopropylbenzene	< 0.32	ug/l	0.32		1	8260B		8/5/2020	CJR	1
p-Isopropyltoluene	< 0.47	ug/l	0.47	1.5	1	8260B		8/5/2020	CJR	1
Methylene chloride	< 1.32	ug/l	1.32	4.21	1	8260B		8/5/2020	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.47	ug/l	0.47	1.5	1	8260B		8/5/2020	CJR	1
Naphthalene	< 1.1	ug/l	1.1	3.6	1	8260B		8/5/2020	CJR	1
n-Propylbenzene	< 0.33	ug/l	0.33	1.1	1	8260B		8/5/2020	CJR	1
1,1,2,2-Tetrachloroethane	< 0.37	ug/l	0.37	1.2	1	8260B		8/5/2020	CJR	1
1,1,1,2-Tetrachloroethane	< 0.88	ug/l	0.88	3.3	1	8260B		8/5/2020	CJR	1
Tetrachloroethene	< 0.33	ug/l	0.33		1	8260B		8/5/2020	CJR	1
Toluene	< 0.26	ug/l	0.26	0.83	1	8260B		8/5/2020	CJR	1
1,2,4-Trichlorobenzene	< 0.44	ug/l	0.44	1.4	1	8260B		8/5/2020	CJR	1

Project Name FMR ROBINSONS CLEANERS
Project # 6155 PO#2020-1772

Invoice # E38267

Lab Code 5038267D
Sample ID 6155 MW-9
Sample Matrix Water
Sample Date 7/27/2020

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 1	ug/l	1	3.2	1	8260B		8/5/2020	CJR	1
1,1,1-Trichloroethane	< 0.3	ug/l	0.3	0.95	1	8260B		8/5/2020	CJR	1
1,1,2-Trichloroethane	< 0.36	ug/l	0.36	1.1	1	8260B		8/5/2020	CJR	1
Trichloroethene (TCE)	0.51 "J"	ug/l	0.47	1.5	1	8260B		8/5/2020	CJR	1
Trichlorofluoromethane	< 0.42	ug/l	0.42	1.3	1	8260B		8/5/2020	CJR	1
1,2,4-Trimethylbenzene	< 0.3	ug/l	0.3	0.96	1	8260B		8/5/2020	CJR	1
1,3,5-Trimethylbenzene	< 0.32	ug/l	0.32	1	1	8260B		8/5/2020	CJR	1
Vinyl Chloride	< 0.2	ug/l	0.2	0.65	1	8260B		8/5/2020	CJR	1
m&p-Xylene	< 1.1	ug/l	1.1	3.3	1	8260B		8/5/2020	CJR	1
o-Xylene	< 0.38	ug/l	0.38	1.2	1	8260B		8/5/2020	CJR	1
SUR - Dibromofluoromethane	100	REC %			1	8260B		8/5/2020	CJR	1
SUR - Toluene-d8	112	REC %			1	8260B		8/5/2020	CJR	1
SUR - 4-Bromofluorobenzene	98	REC %			1	8260B		8/5/2020	CJR	1
SUR - 1,2-Dichloroethane-d4	110	REC %			1	8260B		8/5/2020	CJR	1

Project Name FMR ROBINSONS CLEANERS
Project # 6155 PO#2020-1772

Invoice # E38267

Lab Code 5038267E
Sample ID 6155 MW-11
Sample Matrix Water
Sample Date 7/27/2020

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	0.43 "J"	ug/l	0.33		1	8260B		8/5/2020	CJR	1
Bromobenzene	< 0.26	ug/l	0.26	0.84	1	8260B		8/5/2020	CJR	1
Bromodichloromethane	< 0.33	ug/l	0.33	1	1	8260B		8/5/2020	CJR	1
Bromoform	< 0.65	ug/l	0.65	2.1	1	8260B		8/5/2020	CJR	1
tert-Butylbenzene	< 0.61	ug/l	0.61	1.9	1	8260B		8/5/2020	CJR	1
sec-Butylbenzene	1.49	ug/l	0.32	1	1	8260B		8/5/2020	CJR	1
n-Butylbenzene	0.52 "J"	ug/l	0.28	0.89	1	8260B		8/5/2020	CJR	1
Carbon Tetrachloride	< 0.31	ug/l	0.31	0.98	1	8260B		8/5/2020	CJR	1
Chlorobenzene	< 0.39	ug/l	0.39	1.2	1	8260B		8/5/2020	CJR	1
Chloroethane	< 1.1	ug/l	1.1	3.6	1	8260B		8/5/2020	CJR	1
Chloroform	< 0.44	ug/l	0.44	1.4	1	8260B		8/5/2020	CJR	1
Chloromethane	< 0.8	ug/l	0.8	2.5	1	8260B		8/5/2020	CJR	1
2-Chlorotoluene	< 0.32	ug/l	0.32	1	1	8260B		8/5/2020	CJR	1
4-Chlorotoluene	< 0.3	ug/l	0.3	0.96	1	8260B		8/5/2020	CJR	1
1,2-Dibromo-3-chloropropane	< 0.82	ug/l	0.82	2.6	1	8260B		8/5/2020	CJR	1
Dibromochloromethane	< 0.23	ug/l	0.23	0.74	1	8260B		8/5/2020	CJR	1
1,4-Dichlorobenzene	< 0.36	ug/l	0.36	1.1	1	8260B		8/5/2020	CJR	1
1,3-Dichlorobenzene	< 0.31	ug/l	0.31	0.98	1	8260B		8/5/2020	CJR	1
1,2-Dichlorobenzene	< 0.32	ug/l	0.32	1	1	8260B		8/5/2020	CJR	1
Dichlorodifluoromethane	< 0.45	ug/l	0.45	1.4	1	8260B		8/5/2020	CJR	1
1,2-Dichloroethane	< 0.39	ug/l	0.39	1.3	1	8260B		8/5/2020	CJR	1
1,1-Dichloroethane	< 0.46	ug/l	0.46	1.5	1	8260B		8/5/2020	CJR	1
1,1-Dichloroethene	< 0.5	ug/l	0.5	1.6	1	8260B		8/5/2020	CJR	1
cis-1,2-Dichloroethene	7.6	ug/l	0.39	1.2	1	8260B		8/5/2020	CJR	1
trans-1,2-Dichloroethene	< 0.37	ug/l	0.37	1.2	1	8260B		8/5/2020	CJR	1
1,2-Dichloropropane	< 0.38	ug/l	0.38	1.2	1	8260B		8/5/2020	CJR	1
1,3-Dichloropropane	< 0.35	ug/l	0.35	1.1	1	8260B		8/5/2020	CJR	1
trans-1,3-Dichloropropene	< 0.3	ug/l	0.3	0.94	1	8260B		8/5/2020	CJR	1
cis-1,3-Dichloropropene	< 0.36	ug/l	0.36	1.1	1	8260B		8/5/2020	CJR	1
Di-isopropyl ether	0.7 "J"	ug/l	0.34	1.1	1	8260B		8/5/2020	CJR	1
EDB (1,2-Dibromoethane)	< 0.24	ug/l	0.24	0.75	1	8260B		8/5/2020	CJR	1
Ethylbenzene	< 0.32	ug/l	0.32	1	1	8260B		8/5/2020	CJR	1
Hexachlorobutadiene	< 0.72	ug/l	0.72	2.3	1	8260B		8/5/2020	CJR	1
Isopropylbenzene	0.59 "J"	ug/l	0.32	1	1	8260B		8/5/2020	CJR	1
p-Isopropyltoluene	< 0.47	ug/l	0.47	1.5	1	8260B		8/5/2020	CJR	1
Methylene chloride	< 1.32	ug/l	1.32	4.21	1	8260B		8/5/2020	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.47	ug/l	0.47	1.5	1	8260B		8/5/2020	CJR	1
Naphthalene	< 1.1	ug/l	1.1	3.6	1	8260B		8/5/2020	CJR	1
n-Propylbenzene	< 0.33	ug/l	0.33	1.1	1	8260B		8/5/2020	CJR	1
1,1,2,2-Tetrachloroethane	< 0.37	ug/l	0.37	1.2	1	8260B		8/5/2020	CJR	1
1,1,1,2-Tetrachloroethane	< 0.88	ug/l	0.88	3.3	1	8260B		8/5/2020	CJR	1
Tetrachloroethene	< 0.33	ug/l	0.33	1	1	8260B		8/5/2020	CJR	1
Toluene	< 0.26	ug/l	0.26	0.83	1	8260B		8/5/2020	CJR	1
1,2,4-Trichlorobenzene	< 0.44	ug/l	0.44	1.4	1	8260B		8/5/2020	CJR	1

Project Name FMR ROBINSONS CLEANERS
Project # 6155 PO#2020-1772

Invoice # E38267

Lab Code 5038267E
Sample ID 6155 MW-11
Sample Matrix Water
Sample Date 7/27/2020

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 1	ug/l	1	3.2	1	8260B		8/5/2020	CJR	1
1,1,1-Trichloroethane	< 0.3	ug/l	0.3	0.95	1	8260B		8/5/2020	CJR	1
1,1,2-Trichloroethane	< 0.36	ug/l	0.36	1.1	1	8260B		8/5/2020	CJR	1
Trichloroethene (TCE)	< 0.47	ug/l	0.47	1.5	1	8260B		8/5/2020	CJR	1
Trichlorofluoromethane	< 0.42	ug/l	0.42	1.3	1	8260B		8/5/2020	CJR	1
1,2,4-Trimethylbenzene	< 0.3	ug/l	0.3	0.96	1	8260B		8/5/2020	CJR	1
1,3,5-Trimethylbenzene	< 0.32	ug/l	0.32	1	1	8260B		8/5/2020	CJR	1
Vinyl Chloride	3.4	ug/l	0.2	0.65	1	8260B		8/5/2020	CJR	1
m&p-Xylene	< 1.1	ug/l	1.1	3.3	1	8260B		8/5/2020	CJR	1
o-Xylene	< 0.38	ug/l	0.38	1.2	1	8260B		8/5/2020	CJR	1
SUR - Toluene-d8	112	REC %			1	8260B		8/5/2020	CJR	1
SUR - Dibromofluoromethane	97	REC %			1	8260B		8/5/2020	CJR	1
SUR - 1,2-Dichloroethane-d4	108	REC %			1	8260B		8/5/2020	CJR	1
SUR - 4-Bromofluorobenzene	97	REC %			1	8260B		8/5/2020	CJR	1

Project Name FMR ROBINSONS CLEANERS
Project # 6155 PO#2020-1772

Invoice # E38267

Lab Code 5038267F
Sample ID 6155 MW-12
Sample Matrix Water
Sample Date 7/27/2020

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 1.65	ug/l	1.65	5	5	8260B		8/4/2020	CJR	1
Bromobenzene	< 1.3	ug/l	1.3	4.2	5	8260B		8/4/2020	CJR	1
Bromodichloromethane	< 1.65	ug/l	1.65	5	5	8260B		8/4/2020	CJR	1
Bromoform	< 3.25	ug/l	3.25	10.5	5	8260B		8/4/2020	CJR	1
tert-Butylbenzene	< 3.05	ug/l	3.05	9.5	5	8260B		8/4/2020	CJR	1
sec-Butylbenzene	< 1.6	ug/l	1.6	5	5	8260B		8/4/2020	CJR	1
n-Butylbenzene	< 1.4	ug/l	1.4	4.45	5	8260B		8/4/2020	CJR	1
Carbon Tetrachloride	< 1.55	ug/l	1.55	4.9	5	8260B		8/4/2020	CJR	1
Chlorobenzene	< 1.95	ug/l	1.95	6	5	8260B		8/4/2020	CJR	1
Chloroethane	< 5.5	ug/l	5.5	18	5	8260B		8/4/2020	CJR	1
Chloroform	< 2.2	ug/l	2.2	7	5	8260B		8/4/2020	CJR	1
Chloromethane	< 4	ug/l	4	12.5	5	8260B		8/4/2020	CJR	1
2-Chlorotoluene	< 1.6	ug/l	1.6	5	5	8260B		8/4/2020	CJR	1
4-Chlorotoluene	< 1.5	ug/l	1.5	4.8	5	8260B		8/4/2020	CJR	1
1,2-Dibromo-3-chloropropane	< 4.1	ug/l	4.1	13	5	8260B		8/4/2020	CJR	1
Dibromochloromethane	< 1.15	ug/l	1.15	3.7	5	8260B		8/4/2020	CJR	1
1,4-Dichlorobenzene	< 1.8	ug/l	1.8	5.5	5	8260B		8/4/2020	CJR	1
1,3-Dichlorobenzene	< 1.55	ug/l	1.55	4.9	5	8260B		8/4/2020	CJR	1
1,2-Dichlorobenzene	< 1.6	ug/l	1.6	5	5	8260B		8/4/2020	CJR	1
Dichlorodifluoromethane	< 2.25	ug/l	2.25	7	5	8260B		8/4/2020	CJR	1
1,2-Dichloroethane	< 1.95	ug/l	1.95	6.5	5	8260B		8/4/2020	CJR	1
1,1-Dichloroethane	< 2.3	ug/l	2.3	7.5	5	8260B		8/4/2020	CJR	1
1,1-Dichloroethene	< 2.5	ug/l	2.5	8	5	8260B		8/4/2020	CJR	1
cis-1,2-Dichloroethene	14.9	ug/l	1.95	6	5	8260B		8/4/2020	CJR	1
trans-1,2-Dichloroethene	< 1.85	ug/l	1.85	6	5	8260B		8/4/2020	CJR	1
1,2-Dichloropropane	< 1.9	ug/l	1.9	6	5	8260B		8/4/2020	CJR	1
1,3-Dichloropropane	< 1.75	ug/l	1.75	5.5	5	8260B		8/4/2020	CJR	1
trans-1,3-Dichloropropene	< 1.5	ug/l	1.5	4.7	5	8260B		8/4/2020	CJR	1
cis-1,3-Dichloropropene	< 1.8	ug/l	1.8	5.5	5	8260B		8/4/2020	CJR	1
Di-isopropyl ether	< 1.7	ug/l	1.7	5.5	5	8260B		8/4/2020	CJR	1
EDB (1,2-Dibromoethane)	< 1.2	ug/l	1.2	3.75	5	8260B		8/4/2020	CJR	1
Ethylbenzene	< 1.6	ug/l	1.6	5	5	8260B		8/4/2020	CJR	1
Hexachlorobutadiene	< 3.6	ug/l	3.6	11.5	5	8260B		8/4/2020	CJR	1
Isopropylbenzene	< 1.6	ug/l	1.6	5	5	8260B		8/4/2020	CJR	1
p-Isopropyltoluene	< 2.35	ug/l	2.35	7.5	5	8260B		8/4/2020	CJR	1
Methylene chloride	< 6.6	ug/l	6.6	21.05	5	8260B		8/4/2020	CJR	1
Methyl tert-butyl ether (MTBE)	< 2.35	ug/l	2.35	7.5	5	8260B		8/4/2020	CJR	1
Naphthalene	< 5.5	ug/l	5.5	18	5	8260B		8/4/2020	CJR	1
n-Propylbenzene	< 1.65	ug/l	1.65	5.5	5	8260B		8/4/2020	CJR	1
1,1,2,2-Tetrachloroethane	< 1.85	ug/l	1.85	6	5	8260B		8/4/2020	CJR	1
1,1,1,2-Tetrachloroethane	< 4.4	ug/l	4.4	16.5	5	8260B		8/4/2020	CJR	1
Tetrachloroethene	450	ug/l	1.65	5	5	8260B		8/4/2020	CJR	1
Toluene	< 1.3	ug/l	1.3	4.15	5	8260B		8/4/2020	CJR	1
1,2,4-Trichlorobenzene	< 2.2	ug/l	2.2	7	5	8260B		8/4/2020	CJR	1

Project Name FMR ROBINSONS CLEANERS
Project # 6155 PO#2020-1772

Invoice # E38267

Lab Code 5038267F
Sample ID 6155 MW-12
Sample Matrix Water
Sample Date 7/27/2020

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 5	ug/l	5	16	5	8260B		8/4/2020	CJR	1
1,1,1-Trichloroethane	< 1.5	ug/l	1.5	4.75	5	8260B		8/4/2020	CJR	1
1,1,2-Trichloroethane	< 1.8	ug/l	1.8	5.5	5	8260B		8/4/2020	CJR	1
Trichloroethene (TCE)	17	ug/l	2.35	7.5	5	8260B		8/4/2020	CJR	1
Trichlorofluoromethane	< 2.1	ug/l	2.1	6.5	5	8260B		8/4/2020	CJR	1
1,2,4-Trimethylbenzene	< 1.5	ug/l	1.5	4.8	5	8260B		8/4/2020	CJR	1
1,3,5-Trimethylbenzene	< 1.6	ug/l	1.6	5	5	8260B		8/4/2020	CJR	1
Vinyl Chloride	< 1	ug/l	1	3.25	5	8260B		8/4/2020	CJR	1
m&p-Xylene	< 5.5	ug/l	5.5	16.5	5	8260B		8/4/2020	CJR	1
o-Xylene	< 1.9	ug/l	1.9	6	5	8260B		8/4/2020	CJR	1
SUR - 1,2-Dichloroethane-d4	111	REC %			5	8260B		8/4/2020	CJR	1
SUR - 4-Bromofluorobenzene	97	REC %			5	8260B		8/4/2020	CJR	1
SUR - Dibromofluoromethane	103	REC %			5	8260B		8/4/2020	CJR	1
SUR - Toluene-d8	101	REC %			5	8260B		8/4/2020	CJR	1

Project Name FMR ROBINSONS CLEANERS
Project # 6155 PO#2020-1772

Invoice # E38267

Lab Code 5038267G
Sample ID 6155 MW-13
Sample Matrix Water
Sample Date 7/27/2020

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 3.3	ug/l	3.3	10	10	8260B		8/4/2020	CJR	1
Bromobenzene	< 2.6	ug/l	2.6	8.4	10	8260B		8/4/2020	CJR	1
Bromodichloromethane	< 3.3	ug/l	3.3	10	10	8260B		8/4/2020	CJR	1
Bromoform	< 6.5	ug/l	6.5	21	10	8260B		8/4/2020	CJR	1
tert-Butylbenzene	< 6.1	ug/l	6.1	19	10	8260B		8/4/2020	CJR	1
sec-Butylbenzene	< 3.2	ug/l	3.2	10	10	8260B		8/4/2020	CJR	1
n-Butylbenzene	< 2.8	ug/l	2.8	8.9	10	8260B		8/4/2020	CJR	1
Carbon Tetrachloride	< 3.1	ug/l	3.1	9.8	10	8260B		8/4/2020	CJR	1
Chlorobenzene	< 3.9	ug/l	3.9	12	10	8260B		8/4/2020	CJR	1
Chloroethane	< 11	ug/l	11	36	10	8260B		8/4/2020	CJR	1
Chloroform	< 4.4	ug/l	4.4	14	10	8260B		8/4/2020	CJR	1
Chloromethane	< 8	ug/l	8	25	10	8260B		8/4/2020	CJR	1
2-Chlorotoluene	< 3.2	ug/l	3.2	10	10	8260B		8/4/2020	CJR	1
4-Chlorotoluene	< 3	ug/l	3	9.6	10	8260B		8/4/2020	CJR	1
1,2-Dibromo-3-chloropropane	< 8.2	ug/l	8.2	26	10	8260B		8/4/2020	CJR	1
Dibromochloromethane	< 2.3	ug/l	2.3	7.4	10	8260B		8/4/2020	CJR	1
1,4-Dichlorobenzene	< 3.6	ug/l	3.6	11	10	8260B		8/4/2020	CJR	1
1,3-Dichlorobenzene	< 3.1	ug/l	3.1	9.8	10	8260B		8/4/2020	CJR	1
1,2-Dichlorobenzene	< 3.2	ug/l	3.2	10	10	8260B		8/4/2020	CJR	1
Dichlorodifluoromethane	< 4.5	ug/l	4.5	14	10	8260B		8/4/2020	CJR	1
1,2-Dichloroethane	< 3.9	ug/l	3.9	13	10	8260B		8/4/2020	CJR	1
1,1-Dichloroethane	< 4.6	ug/l	4.6	15	10	8260B		8/4/2020	CJR	1
1,1-Dichloroethene	< 5	ug/l	5	16	10	8260B		8/4/2020	CJR	1
cis-1,2-Dichloroethene	4.7 "J"	ug/l	3.9	12	10	8260B		8/4/2020	CJR	1
trans-1,2-Dichloroethene	< 3.7	ug/l	3.7	12	10	8260B		8/4/2020	CJR	1
1,2-Dichloropropane	< 3.8	ug/l	3.8	12	10	8260B		8/4/2020	CJR	1
1,3-Dichloropropane	< 3.5	ug/l	3.5	11	10	8260B		8/4/2020	CJR	1
trans-1,3-Dichloropropene	< 3	ug/l	3	9.4	10	8260B		8/4/2020	CJR	1
cis-1,3-Dichloropropene	< 3.6	ug/l	3.6	11	10	8260B		8/4/2020	CJR	1
Di-isopropyl ether	< 3.4	ug/l	3.4	11	10	8260B		8/4/2020	CJR	1
EDB (1,2-Dibromoethane)	< 2.4	ug/l	2.4	7.5	10	8260B		8/4/2020	CJR	1
Ethylbenzene	< 3.2	ug/l	3.2	10	10	8260B		8/4/2020	CJR	1
Hexachlorobutadiene	< 7.2	ug/l	7.2	23	10	8260B		8/4/2020	CJR	1
Isopropylbenzene	< 3.2	ug/l	3.2	10	10	8260B		8/4/2020	CJR	1
p-Isopropyltoluene	< 4.7	ug/l	4.7	15	10	8260B		8/4/2020	CJR	1
Methylene chloride	< 13.2	ug/l	13.2	42.1	10	8260B		8/4/2020	CJR	1
Methyl tert-butyl ether (MTBE)	< 4.7	ug/l	4.7	15	10	8260B		8/4/2020	CJR	1
Naphthalene	< 11	ug/l	11	36	10	8260B		8/4/2020	CJR	1
n-Propylbenzene	< 3.3	ug/l	3.3	11	10	8260B		8/4/2020	CJR	1
1,1,2,2-Tetrachloroethane	< 3.7	ug/l	3.7	12	10	8260B		8/4/2020	CJR	1
1,1,1,2-Tetrachloroethane	< 8.8	ug/l	8.8	33	10	8260B		8/4/2020	CJR	1
Tetrachloroethene	910	ug/l	3.3	10	10	8260B		8/4/2020	CJR	1
Toluene	< 2.6	ug/l	2.6	8.3	10	8260B		8/4/2020	CJR	1
1,2,4-Trichlorobenzene	< 4.4	ug/l	4.4	14	10	8260B		8/4/2020	CJR	1

Project Name FMR ROBINSONS CLEANERS
Project # 6155 PO#2020-1772

Invoice # E38267

Lab Code 5038267G
Sample ID 6155 MW-13
Sample Matrix Water
Sample Date 7/27/2020

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 10	ug/l	10	32	10	8260B		8/4/2020	CJR	1
1,1,1-Trichloroethane	< 3	ug/l	3	9.5	10	8260B		8/4/2020	CJR	1
1,1,2-Trichloroethane	< 3.6	ug/l	3.6	11	10	8260B		8/4/2020	CJR	1
Trichloroethene (TCE)	6.2 "J"	ug/l	4.7	15	10	8260B		8/4/2020	CJR	1
Trichlorofluoromethane	< 4.2	ug/l	4.2	13	10	8260B		8/4/2020	CJR	1
1,2,4-Trimethylbenzene	< 3	ug/l	3	9.6	10	8260B		8/4/2020	CJR	1
1,3,5-Trimethylbenzene	< 3.2	ug/l	3.2	10	10	8260B		8/4/2020	CJR	1
Vinyl Chloride	< 2	ug/l	2	6.5	10	8260B		8/4/2020	CJR	1
m&p-Xylene	< 11	ug/l	11	33	10	8260B		8/4/2020	CJR	1
o-Xylene	< 3.8	ug/l	3.8	12	10	8260B		8/4/2020	CJR	1
SUR - 1,2-Dichloroethane-d4	111	REC %			10	8260B		8/4/2020	CJR	1
SUR - 4-Bromofluorobenzene	98	REC %			10	8260B		8/4/2020	CJR	1
SUR - Dibromofluoromethane	106	REC %			10	8260B		8/4/2020	CJR	1
SUR - Toluene-d8	102	REC %			10	8260B		8/4/2020	CJR	1

Project Name FMR ROBINSONS CLEANERS
Project # 6155 PO#2020-1772

Invoice # E38267

Lab Code 5038267H
Sample ID 6155 MW-14
Sample Matrix Water
Sample Date 7/27/2020

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.33	ug/l	0.33		1	8260B		8/5/2020	CJR	1
Bromobenzene	< 0.26	ug/l	0.26	0.84	1	8260B		8/5/2020	CJR	1
Bromodichloromethane	< 0.33	ug/l	0.33		1	8260B		8/5/2020	CJR	1
Bromoform	< 0.65	ug/l	0.65	2.1	1	8260B		8/5/2020	CJR	1
tert-Butylbenzene	< 0.61	ug/l	0.61	1.9	1	8260B		8/5/2020	CJR	1
sec-Butylbenzene	< 0.32	ug/l	0.32		1	8260B		8/5/2020	CJR	1
n-Butylbenzene	< 0.28	ug/l	0.28	0.89	1	8260B		8/5/2020	CJR	1
Carbon Tetrachloride	< 0.31	ug/l	0.31	0.98	1	8260B		8/5/2020	CJR	1
Chlorobenzene	< 0.39	ug/l	0.39	1.2	1	8260B		8/5/2020	CJR	1
Chloroethane	< 1.1	ug/l	1.1	3.6	1	8260B		8/5/2020	CJR	1
Chloroform	< 0.44	ug/l	0.44	1.4	1	8260B		8/5/2020	CJR	1
Chloromethane	< 0.8	ug/l	0.8	2.5	1	8260B		8/5/2020	CJR	1
2-Chlorotoluene	< 0.32	ug/l	0.32		1	8260B		8/5/2020	CJR	1
4-Chlorotoluene	< 0.3	ug/l	0.3	0.96	1	8260B		8/5/2020	CJR	1
1,2-Dibromo-3-chloropropane	< 0.82	ug/l	0.82	2.6	1	8260B		8/5/2020	CJR	1
Dibromochloromethane	< 0.23	ug/l	0.23	0.74	1	8260B		8/5/2020	CJR	1
1,4-Dichlorobenzene	< 0.36	ug/l	0.36	1.1	1	8260B		8/5/2020	CJR	1
1,3-Dichlorobenzene	< 0.31	ug/l	0.31	0.98	1	8260B		8/5/2020	CJR	1
1,2-Dichlorobenzene	< 0.32	ug/l	0.32		1	8260B		8/5/2020	CJR	1
Dichlorodifluoromethane	< 0.45	ug/l	0.45	1.4	1	8260B		8/5/2020	CJR	1
1,2-Dichloroethane	< 0.39	ug/l	0.39	1.3	1	8260B		8/5/2020	CJR	1
1,1-Dichloroethane	< 0.46	ug/l	0.46	1.5	1	8260B		8/5/2020	CJR	1
1,1-Dichloroethene	< 0.5	ug/l	0.5	1.6	1	8260B		8/5/2020	CJR	1
cis-1,2-Dichloroethene	2.66	ug/l	0.39	1.2	1	8260B		8/5/2020	CJR	1
trans-1,2-Dichloroethene	< 0.37	ug/l	0.37	1.2	1	8260B		8/5/2020	CJR	1
1,2-Dichloropropane	< 0.38	ug/l	0.38	1.2	1	8260B		8/5/2020	CJR	1
1,3-Dichloropropane	< 0.35	ug/l	0.35	1.1	1	8260B		8/5/2020	CJR	1
trans-1,3-Dichloropropene	< 0.3	ug/l	0.3	0.94	1	8260B		8/5/2020	CJR	1
cis-1,3-Dichloropropene	< 0.36	ug/l	0.36	1.1	1	8260B		8/5/2020	CJR	1
Di-isopropyl ether	< 0.34	ug/l	0.34	1.1	1	8260B		8/5/2020	CJR	1
EDB (1,2-Dibromoethane)	< 0.24	ug/l	0.24	0.75	1	8260B		8/5/2020	CJR	1
Ethylbenzene	< 0.32	ug/l	0.32		1	8260B		8/5/2020	CJR	1
Hexachlorobutadiene	< 0.72	ug/l	0.72	2.3	1	8260B		8/5/2020	CJR	1
Isopropylbenzene	< 0.32	ug/l	0.32		1	8260B		8/5/2020	CJR	1
p-Isopropyltoluene	< 0.47	ug/l	0.47	1.5	1	8260B		8/5/2020	CJR	1
Methylene chloride	< 1.32	ug/l	1.32	4.21	1	8260B		8/5/2020	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.47	ug/l	0.47	1.5	1	8260B		8/5/2020	CJR	1
Naphthalene	< 1.1	ug/l	1.1	3.6	1	8260B		8/5/2020	CJR	1
n-Propylbenzene	< 0.33	ug/l	0.33	1.1	1	8260B		8/5/2020	CJR	1
1,1,2,2-Tetrachloroethane	< 0.37	ug/l	0.37	1.2	1	8260B		8/5/2020	CJR	1
1,1,1,2-Tetrachloroethane	< 0.88	ug/l	0.88	3.3	1	8260B		8/5/2020	CJR	1
Tetrachloroethene	117	ug/l	0.33		1	8260B		8/5/2020	CJR	1
Toluene	< 0.26	ug/l	0.26	0.83	1	8260B		8/5/2020	CJR	1
1,2,4-Trichlorobenzene	< 0.44	ug/l	0.44	1.4	1	8260B		8/5/2020	CJR	1

Project Name FMR ROBINSONS CLEANERS
Project # 6155 PO#2020-1772

Invoice # E38267

Lab Code 5038267H
Sample ID 6155 MW-14
Sample Matrix Water
Sample Date 7/27/2020

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 1	ug/l	1	3.2	1	8260B		8/5/2020	CJR	1
1,1,1-Trichloroethane	< 0.3	ug/l	0.3	0.95	1	8260B		8/5/2020	CJR	1
1,1,2-Trichloroethane	< 0.36	ug/l	0.36	1.1	1	8260B		8/5/2020	CJR	1
Trichloroethene (TCE)	3.13	ug/l	0.47	1.5	1	8260B		8/5/2020	CJR	1
Trichlorofluoromethane	< 0.42	ug/l	0.42	1.3	1	8260B		8/5/2020	CJR	1
1,2,4-Trimethylbenzene	< 0.3	ug/l	0.3	0.96	1	8260B		8/5/2020	CJR	1
1,3,5-Trimethylbenzene	< 0.32	ug/l	0.32	1	1	8260B		8/5/2020	CJR	1
Vinyl Chloride	< 0.2	ug/l	0.2	0.65	1	8260B		8/5/2020	CJR	1
m&p-Xylene	< 1.1	ug/l	1.1	3.3	1	8260B		8/5/2020	CJR	1
o-Xylene	< 0.38	ug/l	0.38	1.2	1	8260B		8/5/2020	CJR	1
SUR - Toluene-d8	108	REC %				8260B		8/5/2020	CJR	1
SUR - Dibromofluoromethane	98	REC %				8260B		8/5/2020	CJR	1
SUR - 4-Bromofluorobenzene	108	REC %				8260B		8/5/2020	CJR	1
SUR - 1,2-Dichloroethane-d4	101	REC %				8260B		8/5/2020	CJR	1

Project Name FMR ROBINSONS CLEANERS
Project # 6155 PO#2020-1772

Invoice # E38267

Lab Code 5038267I
Sample ID 6155 MW-20D
Sample Matrix Water
Sample Date 7/27/2020

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 16.5	ug/l	16.5	50	50	8260B		8/4/2020	CJR	1
Bromobenzene	< 13	ug/l	13	42	50	8260B		8/4/2020	CJR	1
Bromodichloromethane	< 16.5	ug/l	16.5	50	50	8260B		8/4/2020	CJR	1
Bromoform	< 32.5	ug/l	32.5	105	50	8260B		8/4/2020	CJR	1
tert-Butylbenzene	< 30.5	ug/l	30.5	95	50	8260B		8/4/2020	CJR	1
sec-Butylbenzene	< 16	ug/l	16	50	50	8260B		8/4/2020	CJR	1
n-Butylbenzene	< 14	ug/l	14	44.5	50	8260B		8/4/2020	CJR	1
Carbon Tetrachloride	< 15.5	ug/l	15.5	49	50	8260B		8/4/2020	CJR	1
Chlorobenzene	< 19.5	ug/l	19.5	60	50	8260B		8/4/2020	CJR	1
Chloroethane	< 55	ug/l	55	180	50	8260B		8/4/2020	CJR	1
Chloroform	< 22	ug/l	22	70	50	8260B		8/4/2020	CJR	1
Chloromethane	< 40	ug/l	40	125	50	8260B		8/4/2020	CJR	1
2-Chlorotoluene	< 16	ug/l	16	50	50	8260B		8/4/2020	CJR	1
4-Chlorotoluene	< 15	ug/l	15	48	50	8260B		8/4/2020	CJR	1
1,2-Dibromo-3-chloropropane	< 41	ug/l	41	130	50	8260B		8/4/2020	CJR	1
Dibromochloromethane	< 11.5	ug/l	11.5	37	50	8260B		8/4/2020	CJR	1
1,4-Dichlorobenzene	< 18	ug/l	18	55	50	8260B		8/4/2020	CJR	1
1,3-Dichlorobenzene	< 15.5	ug/l	15.5	49	50	8260B		8/4/2020	CJR	1
1,2-Dichlorobenzene	< 16	ug/l	16	50	50	8260B		8/4/2020	CJR	1
Dichlorodifluoromethane	< 22.5	ug/l	22.5	70	50	8260B		8/4/2020	CJR	1
1,2-Dichloroethane	< 19.5	ug/l	19.5	65	50	8260B		8/4/2020	CJR	1
1,1-Dichloroethane	< 23	ug/l	23	75	50	8260B		8/4/2020	CJR	1
1,1-Dichloroethene	< 25	ug/l	25	80	50	8260B		8/4/2020	CJR	1
cis-1,2-Dichloroethene	25.5 "J"	ug/l	19.5	60	50	8260B		8/4/2020	CJR	1
trans-1,2-Dichloroethene	< 18.5	ug/l	18.5	60	50	8260B		8/4/2020	CJR	1
1,2-Dichloropropane	< 19	ug/l	19	60	50	8260B		8/4/2020	CJR	1
1,3-Dichloropropane	< 17.5	ug/l	17.5	55	50	8260B		8/4/2020	CJR	1
trans-1,3-Dichloropropene	< 15	ug/l	15	47	50	8260B		8/4/2020	CJR	1
cis-1,3-Dichloropropene	< 18	ug/l	18	55	50	8260B		8/4/2020	CJR	1
Di-isopropyl ether	< 17	ug/l	17	55	50	8260B		8/4/2020	CJR	1
EDB (1,2-Dibromoethane)	< 12	ug/l	12	37.5	50	8260B		8/4/2020	CJR	1
Ethylbenzene	< 16	ug/l	16	50	50	8260B		8/4/2020	CJR	1
Hexachlorobutadiene	< 36	ug/l	36	115	50	8260B		8/4/2020	CJR	1
Isopropylbenzene	< 16	ug/l	16	50	50	8260B		8/4/2020	CJR	1
p-Isopropyltoluene	< 23.5	ug/l	23.5	75	50	8260B		8/4/2020	CJR	1
Methylene chloride	< 66	ug/l	66	210.5	50	8260B		8/4/2020	CJR	1
Methyl tert-butyl ether (MTBE)	< 23.5	ug/l	23.5	75	50	8260B		8/4/2020	CJR	1
Naphthalene	< 55	ug/l	55	180	50	8260B		8/4/2020	CJR	1
n-Propylbenzene	< 16.5	ug/l	16.5	55	50	8260B		8/4/2020	CJR	1
1,1,2,2-Tetrachloroethane	< 18.5	ug/l	18.5	60	50	8260B		8/4/2020	CJR	1
1,1,1,2-Tetrachloroethane	< 44	ug/l	44	165	50	8260B		8/4/2020	CJR	1
Tetrachloroethene	3040	ug/l	16.5	50	50	8260B		8/4/2020	CJR	1
Toluene	< 13	ug/l	13	41.5	50	8260B		8/4/2020	CJR	1
1,2,4-Trichlorobenzene	< 22	ug/l	22	70	50	8260B		8/4/2020	CJR	1

Project Name FMR ROBINSONS CLEANERS
Project # 6155 PO#2020-1772

Invoice # E38267

Lab Code 5038267I
Sample ID 6155 MW-20D
Sample Matrix Water
Sample Date 7/27/2020

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 50	ug/l	50	160	50	8260B		8/4/2020	CJR	1
1,1,1-Trichloroethane	< 15	ug/l	15	47.5	50	8260B		8/4/2020	CJR	1
1,1,2-Trichloroethane	< 18	ug/l	18	55	50	8260B		8/4/2020	CJR	1
Trichloroethene (TCE)	44 "J"	ug/l	23.5	75	50	8260B		8/4/2020	CJR	1
Trichlorofluoromethane	< 21	ug/l	21	65	50	8260B		8/4/2020	CJR	1
1,2,4-Trimethylbenzene	< 15	ug/l	15	48	50	8260B		8/4/2020	CJR	1
1,3,5-Trimethylbenzene	< 16	ug/l	16	50	50	8260B		8/4/2020	CJR	1
Vinyl Chloride	< 10	ug/l	10	32.5	50	8260B		8/4/2020	CJR	1
m&p-Xylene	< 55	ug/l	55	165	50	8260B		8/4/2020	CJR	1
o-Xylene	< 19	ug/l	19	60	50	8260B		8/4/2020	CJR	1
SUR - Toluene-d8	105	REC %			50	8260B		8/4/2020	CJR	1
SUR - Dibromofluoromethane	100	REC %			50	8260B		8/4/2020	CJR	1
SUR - 4-Bromofluorobenzene	99	REC %			50	8260B		8/4/2020	CJR	1
SUR - 1,2-Dichloroethane-d4	109	REC %			50	8260B		8/4/2020	CJR	1

Project Name FMR ROBINSONS CLEANERS
Project # 6155 PO#2020-1772

Invoice # E38267

Lab Code 5038267J
Sample ID 6155 PZ-17D1
Sample Matrix Water
Sample Date 7/28/2020

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 3.3	ug/l	3.3	10	10	8260B		8/4/2020	CJR	1
Bromobenzene	< 2.6	ug/l	2.6	8.4	10	8260B		8/4/2020	CJR	1
Bromodichloromethane	< 3.3	ug/l	3.3	10	10	8260B		8/4/2020	CJR	1
Bromoform	< 6.5	ug/l	6.5	21	10	8260B		8/4/2020	CJR	1
tert-Butylbenzene	< 6.1	ug/l	6.1	19	10	8260B		8/4/2020	CJR	1
sec-Butylbenzene	< 3.2	ug/l	3.2	10	10	8260B		8/4/2020	CJR	1
n-Butylbenzene	< 2.8	ug/l	2.8	8.9	10	8260B		8/4/2020	CJR	1
Carbon Tetrachloride	< 3.1	ug/l	3.1	9.8	10	8260B		8/4/2020	CJR	1
Chlorobenzene	< 3.9	ug/l	3.9	12	10	8260B		8/4/2020	CJR	1
Chloroethane	< 11	ug/l	11	36	10	8260B		8/4/2020	CJR	1
Chloroform	< 4.4	ug/l	4.4	14	10	8260B		8/4/2020	CJR	1
Chloromethane	< 8	ug/l	8	25	10	8260B		8/4/2020	CJR	1
2-Chlorotoluene	< 3.2	ug/l	3.2	10	10	8260B		8/4/2020	CJR	1
4-Chlorotoluene	< 3	ug/l	3	9.6	10	8260B		8/4/2020	CJR	1
1,2-Dibromo-3-chloropropane	< 8.2	ug/l	8.2	26	10	8260B		8/4/2020	CJR	1
Dibromochloromethane	< 2.3	ug/l	2.3	7.4	10	8260B		8/4/2020	CJR	1
1,4-Dichlorobenzene	< 3.6	ug/l	3.6	11	10	8260B		8/4/2020	CJR	1
1,3-Dichlorobenzene	< 3.1	ug/l	3.1	9.8	10	8260B		8/4/2020	CJR	1
1,2-Dichlorobenzene	< 3.2	ug/l	3.2	10	10	8260B		8/4/2020	CJR	1
Dichlorodifluoromethane	< 4.5	ug/l	4.5	14	10	8260B		8/4/2020	CJR	1
1,2-Dichloroethane	< 3.9	ug/l	3.9	13	10	8260B		8/4/2020	CJR	1
1,1-Dichloroethane	< 4.6	ug/l	4.6	15	10	8260B		8/4/2020	CJR	1
1,1-Dichloroethene	< 5	ug/l	5	16	10	8260B		8/4/2020	CJR	1
cis-1,2-Dichloroethene	< 3.9	ug/l	3.9	12	10	8260B		8/4/2020	CJR	1
trans-1,2-Dichloroethene	< 3.7	ug/l	3.7	12	10	8260B		8/4/2020	CJR	1
1,2-Dichloropropane	< 3.8	ug/l	3.8	12	10	8260B		8/4/2020	CJR	1
1,3-Dichloropropane	< 3.5	ug/l	3.5	11	10	8260B		8/4/2020	CJR	1
trans-1,3-Dichloropropene	< 3	ug/l	3	9.4	10	8260B		8/4/2020	CJR	1
cis-1,3-Dichloropropene	< 3.6	ug/l	3.6	11	10	8260B		8/4/2020	CJR	1
Di-isopropyl ether	< 3.4	ug/l	3.4	11	10	8260B		8/4/2020	CJR	1
EDB (1,2-Dibromoethane)	< 2.4	ug/l	2.4	7.5	10	8260B		8/4/2020	CJR	1
Ethylbenzene	< 3.2	ug/l	3.2	10	10	8260B		8/4/2020	CJR	1
Hexachlorobutadiene	< 7.2	ug/l	7.2	23	10	8260B		8/4/2020	CJR	1
Isopropylbenzene	< 3.2	ug/l	3.2	10	10	8260B		8/4/2020	CJR	1
p-Isopropyltoluene	< 4.7	ug/l	4.7	15	10	8260B		8/4/2020	CJR	1
Methylene chloride	< 13.2	ug/l	13.2	42.1	10	8260B		8/4/2020	CJR	1
Methyl tert-butyl ether (MTBE)	< 4.7	ug/l	4.7	15	10	8260B		8/4/2020	CJR	1
Naphthalene	< 11	ug/l	11	36	10	8260B		8/4/2020	CJR	1
n-Propylbenzene	< 3.3	ug/l	3.3	11	10	8260B		8/4/2020	CJR	1
1,1,2,2-Tetrachloroethane	< 3.7	ug/l	3.7	12	10	8260B		8/4/2020	CJR	1
1,1,1,2-Tetrachloroethane	< 8.8	ug/l	8.8	33	10	8260B		8/4/2020	CJR	1
Tetrachloroethene	1290	ug/l	3.3	10	10	8260B		8/4/2020	CJR	1
Toluene	< 2.6	ug/l	2.6	8.3	10	8260B		8/4/2020	CJR	1
1,2,4-Trichlorobenzene	< 4.4	ug/l	4.4	14	10	8260B		8/4/2020	CJR	1

Project Name FMR ROBINSONS CLEANERS
Project # 6155 PO#2020-1772

Invoice # E38267

Lab Code 5038267J
Sample ID 6155 PZ-17D1
Sample Matrix Water
Sample Date 7/28/2020

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 10	ug/l	10	32	10	8260B		8/4/2020	CJR	1
1,1,1-Trichloroethane	< 3	ug/l	3	9.5	10	8260B		8/4/2020	CJR	1
1,1,2-Trichloroethane	< 3.6	ug/l	3.6	11	10	8260B		8/4/2020	CJR	1
Trichloroethene (TCE)	10.5 "J"	ug/l	4.7	15	10	8260B		8/4/2020	CJR	1
Trichlorofluoromethane	< 4.2	ug/l	4.2	13	10	8260B		8/4/2020	CJR	1
1,2,4-Trimethylbenzene	< 3	ug/l	3	9.6	10	8260B		8/4/2020	CJR	1
1,3,5-Trimethylbenzene	< 3.2	ug/l	3.2	10	10	8260B		8/4/2020	CJR	1
Vinyl Chloride	< 2	ug/l	2	6.5	10	8260B		8/4/2020	CJR	1
m&p-Xylene	< 11	ug/l	11	33	10	8260B		8/4/2020	CJR	1
o-Xylene	< 3.8	ug/l	3.8	12	10	8260B		8/4/2020	CJR	1
SUR - 1,2-Dichloroethane-d4	102	REC %			10	8260B		8/4/2020	CJR	1
SUR - 4-Bromofluorobenzene	99	REC %			10	8260B		8/4/2020	CJR	1
SUR - Dibromofluoromethane	97	REC %			10	8260B		8/4/2020	CJR	1
SUR - Toluene-d8	106	REC %			10	8260B		8/4/2020	CJR	1

Project Name FMR ROBINSONS CLEANERS
Project # 6155 PO#2020-1772

Invoice # E38267

Lab Code 5038267K
Sample ID 6155 PZ-17D2
Sample Matrix Water
Sample Date 7/27/2020

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.33	ug/l	0.33		1	8260B		8/5/2020	CJR	1
Bromobenzene	< 0.26	ug/l	0.26	0.84	1	8260B		8/5/2020	CJR	1
Bromodichloromethane	< 0.33	ug/l	0.33		1	8260B		8/5/2020	CJR	1
Bromoform	< 0.65	ug/l	0.65	2.1	1	8260B		8/5/2020	CJR	1
tert-Butylbenzene	< 0.61	ug/l	0.61	1.9	1	8260B		8/5/2020	CJR	1
sec-Butylbenzene	< 0.32	ug/l	0.32		1	8260B		8/5/2020	CJR	1
n-Butylbenzene	< 0.28	ug/l	0.28	0.89	1	8260B		8/5/2020	CJR	1
Carbon Tetrachloride	< 0.31	ug/l	0.31	0.98	1	8260B		8/5/2020	CJR	1
Chlorobenzene	< 0.39	ug/l	0.39	1.2	1	8260B		8/5/2020	CJR	1
Chloroethane	< 1.1	ug/l	1.1	3.6	1	8260B		8/5/2020	CJR	1
Chloroform	< 0.44	ug/l	0.44	1.4	1	8260B		8/5/2020	CJR	1
Chloromethane	< 0.8	ug/l	0.8	2.5	1	8260B		8/5/2020	CJR	1
2-Chlorotoluene	< 0.32	ug/l	0.32		1	8260B		8/5/2020	CJR	1
4-Chlorotoluene	< 0.3	ug/l	0.3	0.96	1	8260B		8/5/2020	CJR	1
1,2-Dibromo-3-chloropropane	< 0.82	ug/l	0.82	2.6	1	8260B		8/5/2020	CJR	1
Dibromochloromethane	< 0.23	ug/l	0.23	0.74	1	8260B		8/5/2020	CJR	1
1,4-Dichlorobenzene	< 0.36	ug/l	0.36	1.1	1	8260B		8/5/2020	CJR	1
1,3-Dichlorobenzene	< 0.31	ug/l	0.31	0.98	1	8260B		8/5/2020	CJR	1
1,2-Dichlorobenzene	< 0.32	ug/l	0.32		1	8260B		8/5/2020	CJR	1
Dichlorodifluoromethane	< 0.45	ug/l	0.45	1.4	1	8260B		8/5/2020	CJR	1
1,2-Dichloroethane	< 0.39	ug/l	0.39	1.3	1	8260B		8/5/2020	CJR	1
1,1-Dichloroethane	< 0.46	ug/l	0.46	1.5	1	8260B		8/5/2020	CJR	1
1,1-Dichloroethene	< 0.5	ug/l	0.5	1.6	1	8260B		8/5/2020	CJR	1
cis-1,2-Dichloroethene	< 0.39	ug/l	0.39	1.2	1	8260B		8/5/2020	CJR	1
trans-1,2-Dichloroethene	< 0.37	ug/l	0.37	1.2	1	8260B		8/5/2020	CJR	1
1,2-Dichloropropane	< 0.38	ug/l	0.38	1.2	1	8260B		8/5/2020	CJR	1
1,3-Dichloropropane	< 0.35	ug/l	0.35	1.1	1	8260B		8/5/2020	CJR	1
trans-1,3-Dichloropropene	< 0.3	ug/l	0.3	0.94	1	8260B		8/5/2020	CJR	1
cis-1,3-Dichloropropene	< 0.36	ug/l	0.36	1.1	1	8260B		8/5/2020	CJR	1
Di-isopropyl ether	< 0.34	ug/l	0.34	1.1	1	8260B		8/5/2020	CJR	1
EDB (1,2-Dibromoethane)	< 0.24	ug/l	0.24	0.75	1	8260B		8/5/2020	CJR	1
Ethylbenzene	< 0.32	ug/l	0.32		1	8260B		8/5/2020	CJR	1
Hexachlorobutadiene	< 0.72	ug/l	0.72	2.3	1	8260B		8/5/2020	CJR	1
Isopropylbenzene	< 0.32	ug/l	0.32		1	8260B		8/5/2020	CJR	1
p-Isopropyltoluene	< 0.47	ug/l	0.47	1.5	1	8260B		8/5/2020	CJR	1
Methylene chloride	< 1.32	ug/l	1.32	4.21	1	8260B		8/5/2020	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.47	ug/l	0.47	1.5	1	8260B		8/5/2020	CJR	1
Naphthalene	< 1.1	ug/l	1.1	3.6	1	8260B		8/5/2020	CJR	1
n-Propylbenzene	< 0.33	ug/l	0.33	1.1	1	8260B		8/5/2020	CJR	1
1,1,2,2-Tetrachloroethane	< 0.37	ug/l	0.37	1.2	1	8260B		8/5/2020	CJR	1
1,1,1,2-Tetrachloroethane	< 0.88	ug/l	0.88	3.3	1	8260B		8/5/2020	CJR	1
Tetrachloroethene	< 0.33	ug/l	0.33		1	8260B		8/5/2020	CJR	1
Toluene	< 0.26	ug/l	0.26	0.83	1	8260B		8/5/2020	CJR	1
1,2,4-Trichlorobenzene	< 0.44	ug/l	0.44	1.4	1	8260B		8/5/2020	CJR	1

Project Name FMR ROBINSONS CLEANERS
Project # 6155 PO#2020-1772

Invoice # E38267

Lab Code 5038267K
Sample ID 6155 PZ-17D2
Sample Matrix Water
Sample Date 7/27/2020

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 1	ug/l	1	3.2	1	8260B		8/5/2020	CJR	1
1,1,1-Trichloroethane	< 0.3	ug/l	0.3	0.95	1	8260B		8/5/2020	CJR	1
1,1,2-Trichloroethane	< 0.36	ug/l	0.36	1.1	1	8260B		8/5/2020	CJR	1
Trichloroethene (TCE)	< 0.47	ug/l	0.47	1.5	1	8260B		8/5/2020	CJR	1
Trichlorofluoromethane	< 0.42	ug/l	0.42	1.3	1	8260B		8/5/2020	CJR	1
1,2,4-Trimethylbenzene	< 0.3	ug/l	0.3	0.96	1	8260B		8/5/2020	CJR	1
1,3,5-Trimethylbenzene	< 0.32	ug/l	0.32	1	1	8260B		8/5/2020	CJR	1
Vinyl Chloride	< 0.2	ug/l	0.2	0.65	1	8260B		8/5/2020	CJR	1
m&p-Xylene	< 1.1	ug/l	1.1	3.3	1	8260B		8/5/2020	CJR	1
o-Xylene	< 0.38	ug/l	0.38	1.2	1	8260B		8/5/2020	CJR	1
SUR - 1,2-Dichloroethane-d4	118	REC %			1	8260B		8/5/2020	CJR	1
SUR - 4-Bromofluorobenzene	100	REC %			1	8260B		8/5/2020	CJR	1
SUR - Dibromofluoromethane	108	REC %			1	8260B		8/5/2020	CJR	1
SUR - Toluene-d8	112	REC %			1	8260B		8/5/2020	CJR	1

Project Name FMR ROBINSONS CLEANERS
Project # 6155 PO#2020-1772

Invoice # E38267

Lab Code 5038267L
Sample ID 6155 MW-25D
Sample Matrix Water
Sample Date 7/27/2020

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 3.3	ug/l	3.3	10	10	8260B		8/4/2020	CJR	1
Bromobenzene	< 2.6	ug/l	2.6	8.4	10	8260B		8/4/2020	CJR	1
Bromodichloromethane	< 3.3	ug/l	3.3	10	10	8260B		8/4/2020	CJR	1
Bromoform	< 6.5	ug/l	6.5	21	10	8260B		8/4/2020	CJR	1
tert-Butylbenzene	< 6.1	ug/l	6.1	19	10	8260B		8/4/2020	CJR	1
sec-Butylbenzene	< 3.2	ug/l	3.2	10	10	8260B		8/4/2020	CJR	1
n-Butylbenzene	< 2.8	ug/l	2.8	8.9	10	8260B		8/4/2020	CJR	1
Carbon Tetrachloride	< 3.1	ug/l	3.1	9.8	10	8260B		8/4/2020	CJR	1
Chlorobenzene	< 3.9	ug/l	3.9	12	10	8260B		8/4/2020	CJR	1
Chloroethane	< 11	ug/l	11	36	10	8260B		8/4/2020	CJR	1
Chloroform	< 4.4	ug/l	4.4	14	10	8260B		8/4/2020	CJR	1
Chloromethane	< 8	ug/l	8	25	10	8260B		8/4/2020	CJR	1
2-Chlorotoluene	< 3.2	ug/l	3.2	10	10	8260B		8/4/2020	CJR	1
4-Chlorotoluene	< 3	ug/l	3	9.6	10	8260B		8/4/2020	CJR	1
1,2-Dibromo-3-chloropropane	< 8.2	ug/l	8.2	26	10	8260B		8/4/2020	CJR	1
Dibromochloromethane	< 2.3	ug/l	2.3	7.4	10	8260B		8/4/2020	CJR	1
1,4-Dichlorobenzene	< 3.6	ug/l	3.6	11	10	8260B		8/4/2020	CJR	1
1,3-Dichlorobenzene	< 3.1	ug/l	3.1	9.8	10	8260B		8/4/2020	CJR	1
1,2-Dichlorobenzene	< 3.2	ug/l	3.2	10	10	8260B		8/4/2020	CJR	1
Dichlorodifluoromethane	< 4.5	ug/l	4.5	14	10	8260B		8/4/2020	CJR	1
1,2-Dichloroethane	< 3.9	ug/l	3.9	13	10	8260B		8/4/2020	CJR	1
1,1-Dichloroethane	< 4.6	ug/l	4.6	15	10	8260B		8/4/2020	CJR	1
1,1-Dichloroethene	< 5	ug/l	5	16	10	8260B		8/4/2020	CJR	1
cis-1,2-Dichloroethene	7.5 "J"	ug/l	3.9	12	10	8260B		8/4/2020	CJR	1
trans-1,2-Dichloroethene	< 3.7	ug/l	3.7	12	10	8260B		8/4/2020	CJR	1
1,2-Dichloropropane	< 3.8	ug/l	3.8	12	10	8260B		8/4/2020	CJR	1
1,3-Dichloropropane	< 3.5	ug/l	3.5	11	10	8260B		8/4/2020	CJR	1
trans-1,3-Dichloropropene	< 3	ug/l	3	9.4	10	8260B		8/4/2020	CJR	1
cis-1,3-Dichloropropene	< 3.6	ug/l	3.6	11	10	8260B		8/4/2020	CJR	1
Di-isopropyl ether	< 3.4	ug/l	3.4	11	10	8260B		8/4/2020	CJR	1
EDB (1,2-Dibromoethane)	< 2.4	ug/l	2.4	7.5	10	8260B		8/4/2020	CJR	1
Ethylbenzene	< 3.2	ug/l	3.2	10	10	8260B		8/4/2020	CJR	1
Hexachlorobutadiene	< 7.2	ug/l	7.2	23	10	8260B		8/4/2020	CJR	1
Isopropylbenzene	< 3.2	ug/l	3.2	10	10	8260B		8/4/2020	CJR	1
p-Isopropyltoluene	< 4.7	ug/l	4.7	15	10	8260B		8/4/2020	CJR	1
Methylene chloride	< 13.2	ug/l	13.2	42.1	10	8260B		8/4/2020	CJR	1
Methyl tert-butyl ether (MTBE)	< 4.7	ug/l	4.7	15	10	8260B		8/4/2020	CJR	1
Naphthalene	< 11	ug/l	11	36	10	8260B		8/4/2020	CJR	1
n-Propylbenzene	< 3.3	ug/l	3.3	11	10	8260B		8/4/2020	CJR	1
1,1,2,2-Tetrachloroethane	< 3.7	ug/l	3.7	12	10	8260B		8/4/2020	CJR	1
1,1,1,2-Tetrachloroethane	< 8.8	ug/l	8.8	33	10	8260B		8/4/2020	CJR	1
Tetrachloroethene	600	ug/l	3.3	10	10	8260B		8/4/2020	CJR	1
Toluene	< 2.6	ug/l	2.6	8.3	10	8260B		8/4/2020	CJR	1
1,2,4-Trichlorobenzene	< 4.4	ug/l	4.4	14	10	8260B		8/4/2020	CJR	1

Project Name FMR ROBINSONS CLEANERS
Project # 6155 PO#2020-1772

Invoice # E38267

Lab Code 5038267L
Sample ID 6155 MW-25D
Sample Matrix Water
Sample Date 7/27/2020

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 10	ug/l	10	32	10	8260B		8/4/2020	CJR	1
1,1,1-Trichloroethane	< 3	ug/l	3	9.5	10	8260B		8/4/2020	CJR	1
1,1,2-Trichloroethane	< 3.6	ug/l	3.6	11	10	8260B		8/4/2020	CJR	1
Trichloroethene (TCE)	111	ug/l	4.7	15	10	8260B		8/4/2020	CJR	1
Trichlorofluoromethane	< 4.2	ug/l	4.2	13	10	8260B		8/4/2020	CJR	1
1,2,4-Trimethylbenzene	< 3	ug/l	3	9.6	10	8260B		8/4/2020	CJR	1
1,3,5-Trimethylbenzene	< 3.2	ug/l	3.2	10	10	8260B		8/4/2020	CJR	1
Vinyl Chloride	< 2	ug/l	2	6.5	10	8260B		8/4/2020	CJR	1
m&p-Xylene	< 11	ug/l	11	33	10	8260B		8/4/2020	CJR	1
o-Xylene	< 3.8	ug/l	3.8	12	10	8260B		8/4/2020	CJR	1
SUR - 4-Bromofluorobenzene	97	REC %			10	8260B		8/4/2020	CJR	1
SUR - Dibromofluoromethane	106	REC %			10	8260B		8/4/2020	CJR	1
SUR - 1,2-Dichloroethane-d4	115	REC %			10	8260B		8/4/2020	CJR	1
SUR - Toluene-d8	106	REC %			10	8260B		8/4/2020	CJR	1

Project Name FMR ROBINSONS CLEANERS
Project # 6155 PO#2020-1772

Invoice # E38267

Lab Code 5038267M
Sample ID 6155 PZ-25D2
Sample Matrix Water
Sample Date 7/27/2020

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.33	ug/l	0.33		1	8260B		8/5/2020	CJR	1
Bromobenzene	< 0.26	ug/l	0.26	0.84	1	8260B		8/5/2020	CJR	1
Bromodichloromethane	< 0.33	ug/l	0.33		1	8260B		8/5/2020	CJR	1
Bromoform	< 0.65	ug/l	0.65	2.1	1	8260B		8/5/2020	CJR	1
tert-Butylbenzene	< 0.61	ug/l	0.61	1.9	1	8260B		8/5/2020	CJR	1
sec-Butylbenzene	< 0.32	ug/l	0.32		1	8260B		8/5/2020	CJR	1
n-Butylbenzene	< 0.28	ug/l	0.28	0.89	1	8260B		8/5/2020	CJR	1
Carbon Tetrachloride	< 0.31	ug/l	0.31	0.98	1	8260B		8/5/2020	CJR	1
Chlorobenzene	< 0.39	ug/l	0.39	1.2	1	8260B		8/5/2020	CJR	1
Chloroethane	< 1.1	ug/l	1.1	3.6	1	8260B		8/5/2020	CJR	1
Chloroform	< 0.44	ug/l	0.44	1.4	1	8260B		8/5/2020	CJR	1
Chloromethane	< 0.8	ug/l	0.8	2.5	1	8260B		8/5/2020	CJR	1
2-Chlorotoluene	< 0.32	ug/l	0.32		1	8260B		8/5/2020	CJR	1
4-Chlorotoluene	< 0.3	ug/l	0.3	0.96	1	8260B		8/5/2020	CJR	1
1,2-Dibromo-3-chloropropane	< 0.82	ug/l	0.82	2.6	1	8260B		8/5/2020	CJR	1
Dibromochloromethane	< 0.23	ug/l	0.23	0.74	1	8260B		8/5/2020	CJR	1
1,4-Dichlorobenzene	< 0.36	ug/l	0.36	1.1	1	8260B		8/5/2020	CJR	1
1,3-Dichlorobenzene	< 0.31	ug/l	0.31	0.98	1	8260B		8/5/2020	CJR	1
1,2-Dichlorobenzene	< 0.32	ug/l	0.32		1	8260B		8/5/2020	CJR	1
Dichlorodifluoromethane	< 0.45	ug/l	0.45	1.4	1	8260B		8/5/2020	CJR	1
1,2-Dichloroethane	< 0.39	ug/l	0.39	1.3	1	8260B		8/5/2020	CJR	1
1,1-Dichloroethane	< 0.46	ug/l	0.46	1.5	1	8260B		8/5/2020	CJR	1
1,1-Dichloroethene	< 0.5	ug/l	0.5	1.6	1	8260B		8/5/2020	CJR	1
cis-1,2-Dichloroethene	< 0.39	ug/l	0.39	1.2	1	8260B		8/5/2020	CJR	1
trans-1,2-Dichloroethene	< 0.37	ug/l	0.37	1.2	1	8260B		8/5/2020	CJR	1
1,2-Dichloropropane	< 0.38	ug/l	0.38	1.2	1	8260B		8/5/2020	CJR	1
1,3-Dichloropropane	< 0.35	ug/l	0.35	1.1	1	8260B		8/5/2020	CJR	1
trans-1,3-Dichloropropene	< 0.3	ug/l	0.3	0.94	1	8260B		8/5/2020	CJR	1
cis-1,3-Dichloropropene	< 0.36	ug/l	0.36	1.1	1	8260B		8/5/2020	CJR	1
Di-isopropyl ether	< 0.34	ug/l	0.34	1.1	1	8260B		8/5/2020	CJR	1
EDB (1,2-Dibromoethane)	< 0.24	ug/l	0.24	0.75	1	8260B		8/5/2020	CJR	1
Ethylbenzene	< 0.32	ug/l	0.32		1	8260B		8/5/2020	CJR	1
Hexachlorobutadiene	< 0.72	ug/l	0.72	2.3	1	8260B		8/5/2020	CJR	1
Isopropylbenzene	< 0.32	ug/l	0.32		1	8260B		8/5/2020	CJR	1
p-Isopropyltoluene	< 0.47	ug/l	0.47	1.5	1	8260B		8/5/2020	CJR	1
Methylene chloride	< 1.32	ug/l	1.32	4.21	1	8260B		8/5/2020	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.47	ug/l	0.47	1.5	1	8260B		8/5/2020	CJR	1
Naphthalene	< 1.1	ug/l	1.1	3.6	1	8260B		8/5/2020	CJR	1
n-Propylbenzene	< 0.33	ug/l	0.33	1.1	1	8260B		8/5/2020	CJR	1
1,1,2,2-Tetrachloroethane	< 0.37	ug/l	0.37	1.2	1	8260B		8/5/2020	CJR	1
1,1,1,2-Tetrachloroethane	< 0.88	ug/l	0.88	3.3	1	8260B		8/5/2020	CJR	1
Tetrachloroethene	0.39 "J"	ug/l	0.33		1	8260B		8/5/2020	CJR	1
Toluene	< 0.26	ug/l	0.26	0.83	1	8260B		8/5/2020	CJR	1
1,2,4-Trichlorobenzene	< 0.44	ug/l	0.44	1.4	1	8260B		8/5/2020	CJR	1

Project Name FMR ROBINSONS CLEANERS
Project # 6155 PO#2020-1772

Invoice # E38267

Lab Code 5038267M
Sample ID 6155 PZ-25D2
Sample Matrix Water
Sample Date 7/27/2020

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 1	ug/l	1	3.2	1	8260B		8/5/2020	CJR	1
1,1,1-Trichloroethane	< 0.3	ug/l	0.3	0.95	1	8260B		8/5/2020	CJR	1
1,1,2-Trichloroethane	< 0.36	ug/l	0.36	1.1	1	8260B		8/5/2020	CJR	1
Trichloroethene (TCE)	< 0.47	ug/l	0.47	1.5	1	8260B		8/5/2020	CJR	1
Trichlorofluoromethane	< 0.42	ug/l	0.42	1.3	1	8260B		8/5/2020	CJR	1
1,2,4-Trimethylbenzene	< 0.3	ug/l	0.3	0.96	1	8260B		8/5/2020	CJR	1
1,3,5-Trimethylbenzene	< 0.32	ug/l	0.32	1	1	8260B		8/5/2020	CJR	1
Vinyl Chloride	< 0.2	ug/l	0.2	0.65	1	8260B		8/5/2020	CJR	1
m&p-Xylene	< 1.1	ug/l	1.1	3.3	1	8260B		8/5/2020	CJR	1
o-Xylene	< 0.38	ug/l	0.38	1.2	1	8260B		8/5/2020	CJR	1
SUR - Toluene-d8	113	REC %			1	8260B		8/5/2020	CJR	1
SUR - Dibromofluoromethane	99	REC %			1	8260B		8/5/2020	CJR	1
SUR - 1,2-Dichloroethane-d4	112	REC %			1	8260B		8/5/2020	CJR	1
SUR - 4-Bromofluorobenzene	96	REC %			1	8260B		8/5/2020	CJR	1

Project Name FMR ROBINSONS CLEANERS
Project # 6155 PO#2020-1772

Invoice # E38267

Lab Code 5038267N
Sample ID 6155 PZ-25D3
Sample Matrix Water
Sample Date 7/27/2020

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.33	ug/l	0.33		1	8260B		8/5/2020	CJR	1
Bromobenzene	< 0.26	ug/l	0.26	0.84	1	8260B		8/5/2020	CJR	1
Bromodichloromethane	< 0.33	ug/l	0.33		1	8260B		8/5/2020	CJR	1
Bromoform	< 0.65	ug/l	0.65	2.1	1	8260B		8/5/2020	CJR	1
tert-Butylbenzene	< 0.61	ug/l	0.61	1.9	1	8260B		8/5/2020	CJR	1
sec-Butylbenzene	< 0.32	ug/l	0.32		1	8260B		8/5/2020	CJR	1
n-Butylbenzene	< 0.28	ug/l	0.28	0.89	1	8260B		8/5/2020	CJR	1
Carbon Tetrachloride	< 0.31	ug/l	0.31	0.98	1	8260B		8/5/2020	CJR	1
Chlorobenzene	< 0.39	ug/l	0.39	1.2	1	8260B		8/5/2020	CJR	1
Chloroethane	< 1.1	ug/l	1.1	3.6	1	8260B		8/5/2020	CJR	1
Chloroform	< 0.44	ug/l	0.44	1.4	1	8260B		8/5/2020	CJR	1
Chloromethane	< 0.8	ug/l	0.8	2.5	1	8260B		8/5/2020	CJR	1
2-Chlorotoluene	< 0.32	ug/l	0.32		1	8260B		8/5/2020	CJR	1
4-Chlorotoluene	< 0.3	ug/l	0.3	0.96	1	8260B		8/5/2020	CJR	1
1,2-Dibromo-3-chloropropane	< 0.82	ug/l	0.82	2.6	1	8260B		8/5/2020	CJR	1
Dibromochloromethane	< 0.23	ug/l	0.23	0.74	1	8260B		8/5/2020	CJR	1
1,4-Dichlorobenzene	< 0.36	ug/l	0.36	1.1	1	8260B		8/5/2020	CJR	1
1,3-Dichlorobenzene	< 0.31	ug/l	0.31	0.98	1	8260B		8/5/2020	CJR	1
1,2-Dichlorobenzene	< 0.32	ug/l	0.32		1	8260B		8/5/2020	CJR	1
Dichlorodifluoromethane	< 0.45	ug/l	0.45	1.4	1	8260B		8/5/2020	CJR	1
1,2-Dichloroethane	< 0.39	ug/l	0.39	1.3	1	8260B		8/5/2020	CJR	1
1,1-Dichloroethane	< 0.46	ug/l	0.46	1.5	1	8260B		8/5/2020	CJR	1
1,1-Dichloroethene	< 0.5	ug/l	0.5	1.6	1	8260B		8/5/2020	CJR	1
cis-1,2-Dichloroethene	< 0.39	ug/l	0.39	1.2	1	8260B		8/5/2020	CJR	1
trans-1,2-Dichloroethene	< 0.37	ug/l	0.37	1.2	1	8260B		8/5/2020	CJR	1
1,2-Dichloropropane	< 0.38	ug/l	0.38	1.2	1	8260B		8/5/2020	CJR	1
1,3-Dichloropropane	< 0.35	ug/l	0.35	1.1	1	8260B		8/5/2020	CJR	1
trans-1,3-Dichloropropene	< 0.3	ug/l	0.3	0.94	1	8260B		8/5/2020	CJR	1
cis-1,3-Dichloropropene	< 0.36	ug/l	0.36	1.1	1	8260B		8/5/2020	CJR	1
Di-isopropyl ether	< 0.34	ug/l	0.34	1.1	1	8260B		8/5/2020	CJR	1
EDB (1,2-Dibromoethane)	< 0.24	ug/l	0.24	0.75	1	8260B		8/5/2020	CJR	1
Ethylbenzene	< 0.32	ug/l	0.32		1	8260B		8/5/2020	CJR	1
Hexachlorobutadiene	< 0.72	ug/l	0.72	2.3	1	8260B		8/5/2020	CJR	1
Isopropylbenzene	< 0.32	ug/l	0.32		1	8260B		8/5/2020	CJR	1
p-Isopropyltoluene	< 0.47	ug/l	0.47	1.5	1	8260B		8/5/2020	CJR	1
Methylene chloride	< 1.32	ug/l	1.32	4.21	1	8260B		8/5/2020	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.47	ug/l	0.47	1.5	1	8260B		8/5/2020	CJR	1
Naphthalene	< 1.1	ug/l	1.1	3.6	1	8260B		8/5/2020	CJR	1
n-Propylbenzene	< 0.33	ug/l	0.33	1.1	1	8260B		8/5/2020	CJR	1
1,1,2,2-Tetrachloroethane	< 0.37	ug/l	0.37	1.2	1	8260B		8/5/2020	CJR	1
1,1,1,2-Tetrachloroethane	< 0.88	ug/l	0.88	3.3	1	8260B		8/5/2020	CJR	1
Tetrachloroethene	2.17	ug/l	0.33		1	8260B		8/5/2020	CJR	1
Toluene	< 0.26	ug/l	0.26	0.83	1	8260B		8/5/2020	CJR	1
1,2,4-Trichlorobenzene	< 0.44	ug/l	0.44	1.4	1	8260B		8/5/2020	CJR	1

Project Name FMR ROBINSONS CLEANERS
Project # 6155 PO#2020-1772

Invoice # E38267

Lab Code 5038267N
Sample ID 6155 PZ-25D3
Sample Matrix Water
Sample Date 7/27/2020

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 1	ug/l	1	3.2	1	8260B		8/5/2020	CJR	1
1,1,1-Trichloroethane	< 0.3	ug/l	0.3	0.95	1	8260B		8/5/2020	CJR	1
1,1,2-Trichloroethane	< 0.36	ug/l	0.36	1.1	1	8260B		8/5/2020	CJR	1
Trichloroethene (TCE)	< 0.47	ug/l	0.47	1.5	1	8260B		8/5/2020	CJR	1
Trichlorofluoromethane	< 0.42	ug/l	0.42	1.3	1	8260B		8/5/2020	CJR	1
1,2,4-Trimethylbenzene	< 0.3	ug/l	0.3	0.96	1	8260B		8/5/2020	CJR	1
1,3,5-Trimethylbenzene	< 0.32	ug/l	0.32	1	1	8260B		8/5/2020	CJR	1
Vinyl Chloride	< 0.2	ug/l	0.2	0.65	1	8260B		8/5/2020	CJR	1
m&p-Xylene	< 1.1	ug/l	1.1	3.3	1	8260B		8/5/2020	CJR	1
o-Xylene	< 0.38	ug/l	0.38	1.2	1	8260B		8/5/2020	CJR	1
SUR - 1,2-Dichloroethane-d4	113	REC %			1	8260B		8/5/2020	CJR	1
SUR - 4-Bromofluorobenzene	98	REC %			1	8260B		8/5/2020	CJR	1
SUR - Dibromofluoromethane	98	REC %			1	8260B		8/5/2020	CJR	1
SUR - Toluene-d8	113	REC %			1	8260B		8/5/2020	CJR	1

Project Name FMR ROBINSONS CLEANERS
Project # 6155 PO#2020-1772

Invoice # E38267

Lab Code 50382670
Sample ID 6155 MW-26
Sample Matrix Water
Sample Date 7/27/2020

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.33	ug/l	0.33		1	8260B		8/4/2020	CJR	1
Bromobenzene	< 0.26	ug/l	0.26	0.84	1	8260B		8/4/2020	CJR	1
Bromodichloromethane	< 0.33	ug/l	0.33		1	8260B		8/4/2020	CJR	1
Bromoform	< 0.65	ug/l	0.65	2.1	1	8260B		8/4/2020	CJR	1
tert-Butylbenzene	< 0.61	ug/l	0.61	1.9	1	8260B		8/4/2020	CJR	1
sec-Butylbenzene	< 0.32	ug/l	0.32		1	8260B		8/4/2020	CJR	1
n-Butylbenzene	< 0.28	ug/l	0.28	0.89	1	8260B		8/4/2020	CJR	1
Carbon Tetrachloride	< 0.31	ug/l	0.31	0.98	1	8260B		8/4/2020	CJR	1
Chlorobenzene	< 0.39	ug/l	0.39	1.2	1	8260B		8/4/2020	CJR	1
Chloroethane	< 1.1	ug/l	1.1	3.6	1	8260B		8/4/2020	CJR	1
Chloroform	< 0.44	ug/l	0.44	1.4	1	8260B		8/4/2020	CJR	1
Chloromethane	< 0.8	ug/l	0.8	2.5	1	8260B		8/4/2020	CJR	1
2-Chlorotoluene	< 0.32	ug/l	0.32		1	8260B		8/4/2020	CJR	1
4-Chlorotoluene	< 0.3	ug/l	0.3	0.96	1	8260B		8/4/2020	CJR	1
1,2-Dibromo-3-chloropropane	< 0.82	ug/l	0.82	2.6	1	8260B		8/4/2020	CJR	1
Dibromochloromethane	< 0.23	ug/l	0.23	0.74	1	8260B		8/4/2020	CJR	1
1,4-Dichlorobenzene	< 0.36	ug/l	0.36	1.1	1	8260B		8/4/2020	CJR	1
1,3-Dichlorobenzene	< 0.31	ug/l	0.31	0.98	1	8260B		8/4/2020	CJR	1
1,2-Dichlorobenzene	< 0.32	ug/l	0.32		1	8260B		8/4/2020	CJR	1
Dichlorodifluoromethane	< 0.45	ug/l	0.45	1.4	1	8260B		8/4/2020	CJR	1
1,2-Dichloroethane	< 0.39	ug/l	0.39	1.3	1	8260B		8/4/2020	CJR	1
1,1-Dichloroethane	< 0.46	ug/l	0.46	1.5	1	8260B		8/4/2020	CJR	1
1,1-Dichloroethene	< 0.5	ug/l	0.5	1.6	1	8260B		8/4/2020	CJR	1
cis-1,2-Dichloroethene	< 0.39	ug/l	0.39	1.2	1	8260B		8/4/2020	CJR	1
trans-1,2-Dichloroethene	< 0.37	ug/l	0.37	1.2	1	8260B		8/4/2020	CJR	1
1,2-Dichloropropane	< 0.38	ug/l	0.38	1.2	1	8260B		8/4/2020	CJR	1
1,3-Dichloropropane	< 0.35	ug/l	0.35	1.1	1	8260B		8/4/2020	CJR	1
trans-1,3-Dichloropropene	< 0.3	ug/l	0.3	0.94	1	8260B		8/4/2020	CJR	1
cis-1,3-Dichloropropene	< 0.36	ug/l	0.36	1.1	1	8260B		8/4/2020	CJR	1
Di-isopropyl ether	< 0.34	ug/l	0.34	1.1	1	8260B		8/4/2020	CJR	1
EDB (1,2-Dibromoethane)	< 0.24	ug/l	0.24	0.75	1	8260B		8/4/2020	CJR	1
Ethylbenzene	< 0.32	ug/l	0.32		1	8260B		8/4/2020	CJR	1
Hexachlorobutadiene	< 0.72	ug/l	0.72	2.3	1	8260B		8/4/2020	CJR	1
Isopropylbenzene	< 0.32	ug/l	0.32		1	8260B		8/4/2020	CJR	1
p-Isopropyltoluene	< 0.47	ug/l	0.47	1.5	1	8260B		8/4/2020	CJR	1
Methylene chloride	< 1.32	ug/l	1.32	4.21	1	8260B		8/4/2020	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.47	ug/l	0.47	1.5	1	8260B		8/4/2020	CJR	1
Naphthalene	< 1.1	ug/l	1.1	3.6	1	8260B		8/4/2020	CJR	1
n-Propylbenzene	< 0.33	ug/l	0.33	1.1	1	8260B		8/4/2020	CJR	1
1,1,2,2-Tetrachloroethane	< 0.37	ug/l	0.37	1.2	1	8260B		8/4/2020	CJR	1
1,1,1,2-Tetrachloroethane	< 0.88	ug/l	0.88	3.3	1	8260B		8/4/2020	CJR	1
Tetrachloroethene	0.77 "J"	ug/l	0.33		1	8260B		8/4/2020	CJR	1
Toluene	< 0.26	ug/l	0.26	0.83	1	8260B		8/4/2020	CJR	1
1,2,4-Trichlorobenzene	< 0.44	ug/l	0.44	1.4	1	8260B		8/4/2020	CJR	1

Project Name FMR ROBINSONS CLEANERS
Project # 6155 PO#2020-1772

Invoice # E38267

Lab Code 50382670
Sample ID 6155 MW-26
Sample Matrix Water
Sample Date 7/27/2020

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 1	ug/l	1	3.2	1	8260B		8/4/2020	CJR	1
1,1,1-Trichloroethane	< 0.3	ug/l	0.3	0.95	1	8260B		8/4/2020	CJR	1
1,1,2-Trichloroethane	< 0.36	ug/l	0.36	1.1	1	8260B		8/4/2020	CJR	1
Trichloroethene (TCE)	< 0.47	ug/l	0.47	1.5	1	8260B		8/4/2020	CJR	1
Trichlorofluoromethane	< 0.42	ug/l	0.42	1.3	1	8260B		8/4/2020	CJR	1
1,2,4-Trimethylbenzene	< 0.3	ug/l	0.3	0.96	1	8260B		8/4/2020	CJR	1
1,3,5-Trimethylbenzene	< 0.32	ug/l	0.32	1	1	8260B		8/4/2020	CJR	1
Vinyl Chloride	< 0.2	ug/l	0.2	0.65	1	8260B		8/4/2020	CJR	1
m&p-Xylene	< 1.1	ug/l	1.1	3.3	1	8260B		8/4/2020	CJR	1
o-Xylene	< 0.38	ug/l	0.38	1.2	1	8260B		8/4/2020	CJR	1
SUR - Toluene-d8	104	REC %				1	8260B	8/4/2020	CJR	1
SUR - 1,2-Dichloroethane-d4	101	REC %				1	8260B	8/4/2020	CJR	1
SUR - 4-Bromofluorobenzene	108	REC %				1	8260B	8/4/2020	CJR	1
SUR - Dibromofluoromethane	96	REC %				1	8260B	8/4/2020	CJR	1

Project Name FMR ROBINSONS CLEANERS
Project # 6155 PO#2020-1772

Invoice # E38267

Lab Code 5038267P
Sample ID 6155 MW-27S
Sample Matrix Water
Sample Date 7/27/2020

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 1.65	ug/l	1.65	5	5	8260B		8/4/2020	CJR	1
Bromobenzene	< 1.3	ug/l	1.3	4.2	5	8260B		8/4/2020	CJR	1
Bromodichloromethane	< 1.65	ug/l	1.65	5	5	8260B		8/4/2020	CJR	1
Bromoform	< 3.25	ug/l	3.25	10.5	5	8260B		8/4/2020	CJR	1
tert-Butylbenzene	< 3.05	ug/l	3.05	9.5	5	8260B		8/4/2020	CJR	1
sec-Butylbenzene	< 1.6	ug/l	1.6	5	5	8260B		8/4/2020	CJR	1
n-Butylbenzene	< 1.4	ug/l	1.4	4.45	5	8260B		8/4/2020	CJR	1
Carbon Tetrachloride	< 1.55	ug/l	1.55	4.9	5	8260B		8/4/2020	CJR	1
Chlorobenzene	< 1.95	ug/l	1.95	6	5	8260B		8/4/2020	CJR	1
Chloroethane	< 5.5	ug/l	5.5	18	5	8260B		8/4/2020	CJR	1
Chloroform	< 2.2	ug/l	2.2	7	5	8260B		8/4/2020	CJR	1
Chloromethane	< 4	ug/l	4	12.5	5	8260B		8/4/2020	CJR	1
2-Chlorotoluene	< 1.6	ug/l	1.6	5	5	8260B		8/4/2020	CJR	1
4-Chlorotoluene	< 1.5	ug/l	1.5	4.8	5	8260B		8/4/2020	CJR	1
1,2-Dibromo-3-chloropropane	< 4.1	ug/l	4.1	13	5	8260B		8/4/2020	CJR	1
Dibromochloromethane	< 1.15	ug/l	1.15	3.7	5	8260B		8/4/2020	CJR	1
1,4-Dichlorobenzene	< 1.8	ug/l	1.8	5.5	5	8260B		8/4/2020	CJR	1
1,3-Dichlorobenzene	< 1.55	ug/l	1.55	4.9	5	8260B		8/4/2020	CJR	1
1,2-Dichlorobenzene	< 1.6	ug/l	1.6	5	5	8260B		8/4/2020	CJR	1
Dichlorodifluoromethane	< 2.25	ug/l	2.25	7	5	8260B		8/4/2020	CJR	1
1,2-Dichloroethane	< 1.95	ug/l	1.95	6.5	5	8260B		8/4/2020	CJR	1
1,1-Dichloroethane	< 2.3	ug/l	2.3	7.5	5	8260B		8/4/2020	CJR	1
1,1-Dichloroethene	< 2.5	ug/l	2.5	8	5	8260B		8/4/2020	CJR	1
cis-1,2-Dichloroethene	24	ug/l	1.95	6	5	8260B		8/4/2020	CJR	1
trans-1,2-Dichloroethene	< 1.85	ug/l	1.85	6	5	8260B		8/4/2020	CJR	1
1,2-Dichloropropane	< 1.9	ug/l	1.9	6	5	8260B		8/4/2020	CJR	1
1,3-Dichloropropane	< 1.75	ug/l	1.75	5.5	5	8260B		8/4/2020	CJR	1
trans-1,3-Dichloropropene	< 1.5	ug/l	1.5	4.7	5	8260B		8/4/2020	CJR	1
cis-1,3-Dichloropropene	< 1.8	ug/l	1.8	5.5	5	8260B		8/4/2020	CJR	1
Di-isopropyl ether	< 1.7	ug/l	1.7	5.5	5	8260B		8/4/2020	CJR	1
EDB (1,2-Dibromoethane)	< 1.2	ug/l	1.2	3.75	5	8260B		8/4/2020	CJR	1
Ethylbenzene	< 1.6	ug/l	1.6	5	5	8260B		8/4/2020	CJR	1
Hexachlorobutadiene	< 3.6	ug/l	3.6	11.5	5	8260B		8/4/2020	CJR	1
Isopropylbenzene	< 1.6	ug/l	1.6	5	5	8260B		8/4/2020	CJR	1
p-Isopropyltoluene	< 2.35	ug/l	2.35	7.5	5	8260B		8/4/2020	CJR	1
Methylene chloride	< 6.6	ug/l	6.6	21.05	5	8260B		8/4/2020	CJR	1
Methyl tert-butyl ether (MTBE)	< 2.35	ug/l	2.35	7.5	5	8260B		8/4/2020	CJR	1
Naphthalene	< 5.5	ug/l	5.5	18	5	8260B		8/4/2020	CJR	1
n-Propylbenzene	< 1.65	ug/l	1.65	5.5	5	8260B		8/4/2020	CJR	1
1,1,2,2-Tetrachloroethane	< 1.85	ug/l	1.85	6	5	8260B		8/4/2020	CJR	1
1,1,1,2-Tetrachloroethane	< 4.4	ug/l	4.4	16.5	5	8260B		8/4/2020	CJR	1
Tetrachloroethene	740	ug/l	1.65	5	5	8260B		8/4/2020	CJR	1
Toluene	< 1.3	ug/l	1.3	4.15	5	8260B		8/4/2020	CJR	1
1,2,4-Trichlorobenzene	< 2.2	ug/l	2.2	7	5	8260B		8/4/2020	CJR	1

Project Name FMR ROBINSONS CLEANERS
Project # 6155 PO#2020-1772

Invoice # E38267

Lab Code 5038267P
Sample ID 6155 MW-27S
Sample Matrix Water
Sample Date 7/27/2020

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 5	ug/l	5	16	5	8260B		8/4/2020	CJR	1
1,1,1-Trichloroethane	< 1.5	ug/l	1.5	4.75	5	8260B		8/4/2020	CJR	1
1,1,2-Trichloroethane	< 1.8	ug/l	1.8	5.5	5	8260B		8/4/2020	CJR	1
Trichloroethene (TCE)	25.9	ug/l	2.35	7.5	5	8260B		8/4/2020	CJR	1
Trichlorofluoromethane	< 2.1	ug/l	2.1	6.5	5	8260B		8/4/2020	CJR	1
1,2,4-Trimethylbenzene	< 1.5	ug/l	1.5	4.8	5	8260B		8/4/2020	CJR	1
1,3,5-Trimethylbenzene	< 1.6	ug/l	1.6	5	5	8260B		8/4/2020	CJR	1
Vinyl Chloride	< 1	ug/l	1	3.25	5	8260B		8/4/2020	CJR	1
m&p-Xylene	< 5.5	ug/l	5.5	16.5	5	8260B		8/4/2020	CJR	1
o-Xylene	< 1.9	ug/l	1.9	6	5	8260B		8/4/2020	CJR	1
SUR - Dibromofluoromethane	99	REC %			5	8260B		8/4/2020	CJR	1
SUR - 4-Bromofluorobenzene	97	REC %			5	8260B		8/4/2020	CJR	1
SUR - 1,2-Dichloroethane-d4	107	REC %			5	8260B		8/4/2020	CJR	1
SUR - Toluene-d8	109	REC %			5	8260B		8/4/2020	CJR	1

Project Name FMR ROBINSONS CLEANERS
Project # 6155 PO#2020-1772

Invoice # E38267

Lab Code 5038267Q
Sample ID 6155 MW-27D
Sample Matrix Water
Sample Date 7/27/2020

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.33	ug/l	0.33		1	8260B		8/4/2020	CJR	1
Bromobenzene	< 0.26	ug/l	0.26	0.84	1	8260B		8/4/2020	CJR	1
Bromodichloromethane	< 0.33	ug/l	0.33		1	8260B		8/4/2020	CJR	1
Bromoform	< 0.65	ug/l	0.65	2.1	1	8260B		8/4/2020	CJR	1
tert-Butylbenzene	< 0.61	ug/l	0.61	1.9	1	8260B		8/4/2020	CJR	1
sec-Butylbenzene	< 0.32	ug/l	0.32		1	8260B		8/4/2020	CJR	1
n-Butylbenzene	< 0.28	ug/l	0.28	0.89	1	8260B		8/4/2020	CJR	1
Carbon Tetrachloride	< 0.31	ug/l	0.31	0.98	1	8260B		8/4/2020	CJR	1
Chlorobenzene	< 0.39	ug/l	0.39	1.2	1	8260B		8/4/2020	CJR	1
Chloroethane	< 1.1	ug/l	1.1	3.6	1	8260B		8/4/2020	CJR	1
Chloroform	< 0.44	ug/l	0.44	1.4	1	8260B		8/4/2020	CJR	1
Chloromethane	< 0.8	ug/l	0.8	2.5	1	8260B		8/4/2020	CJR	1
2-Chlorotoluene	< 0.32	ug/l	0.32		1	8260B		8/4/2020	CJR	1
4-Chlorotoluene	< 0.3	ug/l	0.3	0.96	1	8260B		8/4/2020	CJR	1
1,2-Dibromo-3-chloropropane	< 0.82	ug/l	0.82	2.6	1	8260B		8/4/2020	CJR	1
Dibromochloromethane	< 0.23	ug/l	0.23	0.74	1	8260B		8/4/2020	CJR	1
1,4-Dichlorobenzene	< 0.36	ug/l	0.36	1.1	1	8260B		8/4/2020	CJR	1
1,3-Dichlorobenzene	< 0.31	ug/l	0.31	0.98	1	8260B		8/4/2020	CJR	1
1,2-Dichlorobenzene	< 0.32	ug/l	0.32		1	8260B		8/4/2020	CJR	1
Dichlorodifluoromethane	< 0.45	ug/l	0.45	1.4	1	8260B		8/4/2020	CJR	1
1,2-Dichloroethane	< 0.39	ug/l	0.39	1.3	1	8260B		8/4/2020	CJR	1
1,1-Dichloroethane	< 0.46	ug/l	0.46	1.5	1	8260B		8/4/2020	CJR	1
1,1-Dichloroethene	< 0.5	ug/l	0.5	1.6	1	8260B		8/4/2020	CJR	1
cis-1,2-Dichloroethene	2.04	ug/l	0.39	1.2	1	8260B		8/4/2020	CJR	1
trans-1,2-Dichloroethene	< 0.37	ug/l	0.37	1.2	1	8260B		8/4/2020	CJR	1
1,2-Dichloropropane	< 0.38	ug/l	0.38	1.2	1	8260B		8/4/2020	CJR	1
1,3-Dichloropropane	< 0.35	ug/l	0.35	1.1	1	8260B		8/4/2020	CJR	1
trans-1,3-Dichloropropene	< 0.3	ug/l	0.3	0.94	1	8260B		8/4/2020	CJR	1
cis-1,3-Dichloropropene	< 0.36	ug/l	0.36	1.1	1	8260B		8/4/2020	CJR	1
Di-isopropyl ether	< 0.34	ug/l	0.34	1.1	1	8260B		8/4/2020	CJR	1
EDB (1,2-Dibromoethane)	< 0.24	ug/l	0.24	0.75	1	8260B		8/4/2020	CJR	1
Ethylbenzene	< 0.32	ug/l	0.32		1	8260B		8/4/2020	CJR	1
Hexachlorobutadiene	< 0.72	ug/l	0.72	2.3	1	8260B		8/4/2020	CJR	1
Isopropylbenzene	< 0.32	ug/l	0.32		1	8260B		8/4/2020	CJR	1
p-Isopropyltoluene	< 0.47	ug/l	0.47	1.5	1	8260B		8/4/2020	CJR	1
Methylene chloride	< 1.32	ug/l	1.32	4.21	1	8260B		8/4/2020	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.47	ug/l	0.47	1.5	1	8260B		8/4/2020	CJR	1
Naphthalene	< 1.1	ug/l	1.1	3.6	1	8260B		8/4/2020	CJR	1
n-Propylbenzene	< 0.33	ug/l	0.33	1.1	1	8260B		8/4/2020	CJR	1
1,1,2,2-Tetrachloroethane	< 0.37	ug/l	0.37	1.2	1	8260B		8/4/2020	CJR	1
1,1,1,2-Tetrachloroethane	< 0.88	ug/l	0.88	3.3	1	8260B		8/4/2020	CJR	1
Tetrachloroethene	470	ug/l	3.3	10	10	8260B		8/6/2020	CJR	1
Toluene	< 0.26	ug/l	0.26	0.83	1	8260B		8/4/2020	CJR	1
1,2,4-Trichlorobenzene	< 0.44	ug/l	0.44	1.4	1	8260B		8/4/2020	CJR	1

Project Name FMR ROBINSONS CLEANERS
Project # 6155 PO#2020-1772

Invoice # E38267

Lab Code 5038267Q
Sample ID 6155 MW-27D
Sample Matrix Water
Sample Date 7/27/2020

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 1	ug/l	1	3.2	1	8260B		8/4/2020	CJR	1
1,1,1-Trichloroethane	< 0.3	ug/l	0.3	0.95	1	8260B		8/4/2020	CJR	1
1,1,2-Trichloroethane	< 0.36	ug/l	0.36	1.1	1	8260B		8/4/2020	CJR	1
Trichloroethene (TCE)	4.7	ug/l	0.47	1.5	1	8260B		8/4/2020	CJR	1
Trichlorofluoromethane	< 0.42	ug/l	0.42	1.3	1	8260B		8/4/2020	CJR	1
1,2,4-Trimethylbenzene	< 0.3	ug/l	0.3	0.96	1	8260B		8/4/2020	CJR	1
1,3,5-Trimethylbenzene	< 0.32	ug/l	0.32	1	1	8260B		8/4/2020	CJR	1
Vinyl Chloride	< 0.2	ug/l	0.2	0.65	1	8260B		8/4/2020	CJR	1
m&p-Xylene	< 1.1	ug/l	1.1	3.3	1	8260B		8/4/2020	CJR	1
o-Xylene	< 0.38	ug/l	0.38	1.2	1	8260B		8/4/2020	CJR	1
SUR - 1,2-Dichloroethane-d4	101	REC %			1	8260B		8/4/2020	CJR	1
SUR - 4-Bromofluorobenzene	106	REC %			1	8260B		8/4/2020	CJR	1
SUR - Dibromofluoromethane	101	REC %			1	8260B		8/4/2020	CJR	1
SUR - Toluene-d8	105	REC %			1	8260B		8/4/2020	CJR	1

Project Name FMR ROBINSONS CLEANERS
Project # 6155 PO#2020-1772

Invoice # E38267

Lab Code 5038267R
Sample ID 6155 MW-27DS
Sample Matrix Water
Sample Date 7/27/2020

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.33	ug/l	0.33		1	8260B		8/4/2020	CJR	1
Bromobenzene	< 0.26	ug/l	0.26	0.84	1	8260B		8/4/2020	CJR	1
Bromodichloromethane	< 0.33	ug/l	0.33		1	8260B		8/4/2020	CJR	1
Bromoform	< 0.65	ug/l	0.65	2.1	1	8260B		8/4/2020	CJR	1
tert-Butylbenzene	< 0.61	ug/l	0.61	1.9	1	8260B		8/4/2020	CJR	1
sec-Butylbenzene	< 0.32	ug/l	0.32		1	8260B		8/4/2020	CJR	1
n-Butylbenzene	< 0.28	ug/l	0.28	0.89	1	8260B		8/4/2020	CJR	1
Carbon Tetrachloride	< 0.31	ug/l	0.31	0.98	1	8260B		8/4/2020	CJR	1
Chlorobenzene	< 0.39	ug/l	0.39	1.2	1	8260B		8/4/2020	CJR	1
Chloroethane	< 1.1	ug/l	1.1	3.6	1	8260B		8/4/2020	CJR	1
Chloroform	< 0.44	ug/l	0.44	1.4	1	8260B		8/4/2020	CJR	1
Chloromethane	< 0.8	ug/l	0.8	2.5	1	8260B		8/4/2020	CJR	1
2-Chlorotoluene	< 0.32	ug/l	0.32		1	8260B		8/4/2020	CJR	1
4-Chlorotoluene	< 0.3	ug/l	0.3	0.96	1	8260B		8/4/2020	CJR	1
1,2-Dibromo-3-chloropropane	< 0.82	ug/l	0.82	2.6	1	8260B		8/4/2020	CJR	1
Dibromochloromethane	0.26 "J"	ug/l	0.23	0.74	1	8260B		8/4/2020	CJR	1
1,4-Dichlorobenzene	< 0.36	ug/l	0.36	1.1	1	8260B		8/4/2020	CJR	1
1,3-Dichlorobenzene	< 0.31	ug/l	0.31	0.98	1	8260B		8/4/2020	CJR	1
1,2-Dichlorobenzene	< 0.32	ug/l	0.32		1	8260B		8/4/2020	CJR	1
Dichlorodifluoromethane	< 0.45	ug/l	0.45	1.4	1	8260B		8/4/2020	CJR	1
1,2-Dichloroethane	< 0.39	ug/l	0.39	1.3	1	8260B		8/4/2020	CJR	1
1,1-Dichloroethane	< 0.46	ug/l	0.46	1.5	1	8260B		8/4/2020	CJR	1
1,1-Dichloroethene	< 0.5	ug/l	0.5	1.6	1	8260B		8/4/2020	CJR	1
cis-1,2-Dichloroethene	0.49 "J"	ug/l	0.39	1.2	1	8260B		8/4/2020	CJR	1
trans-1,2-Dichloroethene	< 0.37	ug/l	0.37	1.2	1	8260B		8/4/2020	CJR	1
1,2-Dichloropropane	< 0.38	ug/l	0.38	1.2	1	8260B		8/4/2020	CJR	1
1,3-Dichloropropane	< 0.35	ug/l	0.35	1.1	1	8260B		8/4/2020	CJR	1
trans-1,3-Dichloropropene	< 0.3	ug/l	0.3	0.94	1	8260B		8/4/2020	CJR	1
cis-1,3-Dichloropropene	< 0.36	ug/l	0.36	1.1	1	8260B		8/4/2020	CJR	1
Di-isopropyl ether	< 0.34	ug/l	0.34	1.1	1	8260B		8/4/2020	CJR	1
EDB (1,2-Dibromoethane)	< 0.24	ug/l	0.24	0.75	1	8260B		8/4/2020	CJR	1
Ethylbenzene	< 0.32	ug/l	0.32		1	8260B		8/4/2020	CJR	1
Hexachlorobutadiene	< 0.72	ug/l	0.72	2.3	1	8260B		8/4/2020	CJR	1
Isopropylbenzene	< 0.32	ug/l	0.32		1	8260B		8/4/2020	CJR	1
p-Isopropyltoluene	< 0.47	ug/l	0.47	1.5	1	8260B		8/4/2020	CJR	1
Methylene chloride	< 1.32	ug/l	1.32	4.21	1	8260B		8/4/2020	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.47	ug/l	0.47	1.5	1	8260B		8/4/2020	CJR	1
Naphthalene	< 1.1	ug/l	1.1	3.6	1	8260B		8/4/2020	CJR	1
n-Propylbenzene	< 0.33	ug/l	0.33	1.1	1	8260B		8/4/2020	CJR	1
1,1,2,2-Tetrachloroethane	< 0.37	ug/l	0.37	1.2	1	8260B		8/4/2020	CJR	1
1,1,1,2-Tetrachloroethane	< 0.88	ug/l	0.88	3.3	1	8260B		8/4/2020	CJR	1
Tetrachloroethene	136	ug/l	0.33		1	8260B		8/4/2020	CJR	1
Toluene	< 0.26	ug/l	0.26	0.83	1	8260B		8/4/2020	CJR	1
1,2,4-Trichlorobenzene	< 0.44	ug/l	0.44	1.4	1	8260B		8/4/2020	CJR	1

Project Name FMR ROBINSONS CLEANERS
Project # 6155 PO#2020-1772

Invoice # E38267

Lab Code 5038267R
Sample ID 6155 MW-27DS
Sample Matrix Water
Sample Date 7/27/2020

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 1	ug/l	1	3.2	1	8260B		8/4/2020	CJR	1
1,1,1-Trichloroethane	< 0.3	ug/l	0.3	0.95	1	8260B		8/4/2020	CJR	1
1,1,2-Trichloroethane	< 0.36	ug/l	0.36	1.1	1	8260B		8/4/2020	CJR	1
Trichloroethene (TCE)	1.71	ug/l	0.47	1.5	1	8260B		8/4/2020	CJR	1
Trichlorofluoromethane	< 0.42	ug/l	0.42	1.3	1	8260B		8/4/2020	CJR	1
1,2,4-Trimethylbenzene	< 0.3	ug/l	0.3	0.96	1	8260B		8/4/2020	CJR	1
1,3,5-Trimethylbenzene	< 0.32	ug/l	0.32	1	1	8260B		8/4/2020	CJR	1
Vinyl Chloride	< 0.2	ug/l	0.2	0.65	1	8260B		8/4/2020	CJR	1
m&p-Xylene	< 1.1	ug/l	1.1	3.3	1	8260B		8/4/2020	CJR	1
o-Xylene	< 0.38	ug/l	0.38	1.2	1	8260B		8/4/2020	CJR	1
SUR - 1,2-Dichloroethane-d4	98	REC %			1	8260B		8/4/2020	CJR	1
SUR - 4-Bromofluorobenzene	105	REC %			1	8260B		8/4/2020	CJR	1
SUR - Dibromofluoromethane	97	REC %			1	8260B		8/4/2020	CJR	1
SUR - Toluene-d8	106	REC %			1	8260B		8/4/2020	CJR	1

Project Name FMR ROBINSONS CLEANERS
Project # 6155 PO#2020-1772

Invoice # E38267

Lab Code 5038267S
Sample ID 6155 MW-29S
Sample Matrix Water
Sample Date 7/27/2020

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.33	ug/l	0.33		1	8260B		8/4/2020	CJR	1
Bromobenzene	< 0.26	ug/l	0.26	0.84	1	8260B		8/4/2020	CJR	1
Bromodichloromethane	< 0.33	ug/l	0.33		1	8260B		8/4/2020	CJR	1
Bromoform	< 0.65	ug/l	0.65	2.1	1	8260B		8/4/2020	CJR	1
tert-Butylbenzene	< 0.61	ug/l	0.61	1.9	1	8260B		8/4/2020	CJR	1
sec-Butylbenzene	< 0.32	ug/l	0.32		1	8260B		8/4/2020	CJR	1
n-Butylbenzene	< 0.28	ug/l	0.28	0.89	1	8260B		8/4/2020	CJR	1
Carbon Tetrachloride	< 0.31	ug/l	0.31	0.98	1	8260B		8/4/2020	CJR	1
Chlorobenzene	< 0.39	ug/l	0.39	1.2	1	8260B		8/4/2020	CJR	1
Chloroethane	< 1.1	ug/l	1.1	3.6	1	8260B		8/4/2020	CJR	1
Chloroform	< 0.44	ug/l	0.44	1.4	1	8260B		8/4/2020	CJR	1
Chloromethane	< 0.8	ug/l	0.8	2.5	1	8260B		8/4/2020	CJR	1
2-Chlorotoluene	< 0.32	ug/l	0.32		1	8260B		8/4/2020	CJR	1
4-Chlorotoluene	< 0.3	ug/l	0.3	0.96	1	8260B		8/4/2020	CJR	1
1,2-Dibromo-3-chloropropane	< 0.82	ug/l	0.82	2.6	1	8260B		8/4/2020	CJR	1
Dibromochloromethane	< 0.23	ug/l	0.23	0.74	1	8260B		8/4/2020	CJR	1
1,4-Dichlorobenzene	< 0.36	ug/l	0.36	1.1	1	8260B		8/4/2020	CJR	1
1,3-Dichlorobenzene	< 0.31	ug/l	0.31	0.98	1	8260B		8/4/2020	CJR	1
1,2-Dichlorobenzene	< 0.32	ug/l	0.32		1	8260B		8/4/2020	CJR	1
Dichlorodifluoromethane	< 0.45	ug/l	0.45	1.4	1	8260B		8/4/2020	CJR	1
1,2-Dichloroethane	< 0.39	ug/l	0.39	1.3	1	8260B		8/4/2020	CJR	1
1,1-Dichloroethane	< 0.46	ug/l	0.46	1.5	1	8260B		8/4/2020	CJR	1
1,1-Dichloroethene	< 0.5	ug/l	0.5	1.6	1	8260B		8/4/2020	CJR	1
cis-1,2-Dichloroethene	1.99	ug/l	0.39	1.2	1	8260B		8/4/2020	CJR	1
trans-1,2-Dichloroethene	< 0.37	ug/l	0.37	1.2	1	8260B		8/4/2020	CJR	1
1,2-Dichloropropane	< 0.38	ug/l	0.38	1.2	1	8260B		8/4/2020	CJR	1
1,3-Dichloropropane	< 0.35	ug/l	0.35	1.1	1	8260B		8/4/2020	CJR	1
trans-1,3-Dichloropropene	< 0.3	ug/l	0.3	0.94	1	8260B		8/4/2020	CJR	1
cis-1,3-Dichloropropene	< 0.36	ug/l	0.36	1.1	1	8260B		8/4/2020	CJR	1
Di-isopropyl ether	< 0.34	ug/l	0.34	1.1	1	8260B		8/4/2020	CJR	1
EDB (1,2-Dibromoethane)	< 0.24	ug/l	0.24	0.75	1	8260B		8/4/2020	CJR	1
Ethylbenzene	< 0.32	ug/l	0.32		1	8260B		8/4/2020	CJR	1
Hexachlorobutadiene	< 0.72	ug/l	0.72	2.3	1	8260B		8/4/2020	CJR	1
Isopropylbenzene	< 0.32	ug/l	0.32		1	8260B		8/4/2020	CJR	1
p-Isopropyltoluene	< 0.47	ug/l	0.47	1.5	1	8260B		8/4/2020	CJR	1
Methylene chloride	< 1.32	ug/l	1.32	4.21	1	8260B		8/4/2020	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.47	ug/l	0.47	1.5	1	8260B		8/4/2020	CJR	1
Naphthalene	< 1.1	ug/l	1.1	3.6	1	8260B		8/4/2020	CJR	1
n-Propylbenzene	< 0.33	ug/l	0.33	1.1	1	8260B		8/4/2020	CJR	1
1,1,2,2-Tetrachloroethane	< 0.37	ug/l	0.37	1.2	1	8260B		8/4/2020	CJR	1
1,1,1,2-Tetrachloroethane	< 0.88	ug/l	0.88	3.3	1	8260B		8/4/2020	CJR	1
Tetrachloroethene	40	ug/l	0.33		1	8260B		8/4/2020	CJR	1
Toluene	< 0.26	ug/l	0.26	0.83	1	8260B		8/4/2020	CJR	1
1,2,4-Trichlorobenzene	< 0.44	ug/l	0.44	1.4	1	8260B		8/4/2020	CJR	1

Project Name FMR ROBINSONS CLEANERS
Project # 6155 PO#2020-1772

Invoice # E38267

Lab Code 5038267S
Sample ID 6155 MW-29S
Sample Matrix Water
Sample Date 7/27/2020

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 1	ug/l	1	3.2	1	8260B		8/4/2020	CJR	1
1,1,1-Trichloroethane	< 0.3	ug/l	0.3	0.95	1	8260B		8/4/2020	CJR	1
1,1,2-Trichloroethane	< 0.36	ug/l	0.36	1.1	1	8260B		8/4/2020	CJR	1
Trichloroethene (TCE)	0.95 "J"	ug/l	0.47	1.5	1	8260B		8/4/2020	CJR	1
Trichlorofluoromethane	< 0.42	ug/l	0.42	1.3	1	8260B		8/4/2020	CJR	1
1,2,4-Trimethylbenzene	< 0.3	ug/l	0.3	0.96	1	8260B		8/4/2020	CJR	1
1,3,5-Trimethylbenzene	< 0.32	ug/l	0.32	1	1	8260B		8/4/2020	CJR	1
Vinyl Chloride	< 0.2	ug/l	0.2	0.65	1	8260B		8/4/2020	CJR	1
m&p-Xylene	< 1.1	ug/l	1.1	3.3	1	8260B		8/4/2020	CJR	1
o-Xylene	< 0.38	ug/l	0.38	1.2	1	8260B		8/4/2020	CJR	1
SUR - Dibromofluoromethane	111	REC %			1	8260B		8/4/2020	CJR	1
SUR - Toluene-d8	108	REC %			1	8260B		8/4/2020	CJR	1
SUR - 4-Bromofluorobenzene	112	REC %			1	8260B		8/4/2020	CJR	1
SUR - 1,2-Dichloroethane-d4	106	REC %			1	8260B		8/4/2020	CJR	1

Project Name FMR ROBINSONS CLEANERS
 Project # 6155 PO#2020-1772

Invoice # E38267

Lab Code 5038267T
 Sample ID 6155 MW-29
 Sample Matrix Water
 Sample Date 7/27/2020

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.33	ug/l	0.33		1	8260B		8/4/2020	CJR	1
Bromobenzene	< 0.26	ug/l	0.26	0.84	1	8260B		8/4/2020	CJR	1
Bromodichloromethane	< 0.33	ug/l	0.33		1	8260B		8/4/2020	CJR	1
Bromoform	< 0.65	ug/l	0.65	2.1	1	8260B		8/4/2020	CJR	1
tert-Butylbenzene	< 0.61	ug/l	0.61	1.9	1	8260B		8/4/2020	CJR	1
sec-Butylbenzene	< 0.32	ug/l	0.32		1	8260B		8/4/2020	CJR	1
n-Butylbenzene	< 0.28	ug/l	0.28	0.89	1	8260B		8/4/2020	CJR	1
Carbon Tetrachloride	< 0.31	ug/l	0.31	0.98	1	8260B		8/4/2020	CJR	1
Chlorobenzene	< 0.39	ug/l	0.39	1.2	1	8260B		8/4/2020	CJR	1
Chloroethane	< 1.1	ug/l	1.1	3.6	1	8260B		8/4/2020	CJR	1
Chloroform	< 0.44	ug/l	0.44	1.4	1	8260B		8/4/2020	CJR	1
Chloromethane	< 0.8	ug/l	0.8	2.5	1	8260B		8/4/2020	CJR	1
2-Chlorotoluene	< 0.32	ug/l	0.32		1	8260B		8/4/2020	CJR	1
4-Chlorotoluene	< 0.3	ug/l	0.3	0.96	1	8260B		8/4/2020	CJR	1
1,2-Dibromo-3-chloropropane	< 0.82	ug/l	0.82	2.6	1	8260B		8/4/2020	CJR	1
Dibromochloromethane	< 0.23	ug/l	0.23	0.74	1	8260B		8/4/2020	CJR	1
1,4-Dichlorobenzene	< 0.36	ug/l	0.36	1.1	1	8260B		8/4/2020	CJR	1
1,3-Dichlorobenzene	< 0.31	ug/l	0.31	0.98	1	8260B		8/4/2020	CJR	1
1,2-Dichlorobenzene	< 0.32	ug/l	0.32		1	8260B		8/4/2020	CJR	1
Dichlorodifluoromethane	< 0.45	ug/l	0.45	1.4	1	8260B		8/4/2020	CJR	1
1,2-Dichloroethane	< 0.39	ug/l	0.39	1.3	1	8260B		8/4/2020	CJR	1
1,1-Dichloroethane	< 0.46	ug/l	0.46	1.5	1	8260B		8/4/2020	CJR	1
1,1-Dichloroethene	< 0.5	ug/l	0.5	1.6	1	8260B		8/4/2020	CJR	1
cis-1,2-Dichloroethene	< 0.39	ug/l	0.39	1.2	1	8260B		8/4/2020	CJR	1
trans-1,2-Dichloroethene	< 0.37	ug/l	0.37	1.2	1	8260B		8/4/2020	CJR	1
1,2-Dichloropropane	< 0.38	ug/l	0.38	1.2	1	8260B		8/4/2020	CJR	1
1,3-Dichloropropane	< 0.35	ug/l	0.35	1.1	1	8260B		8/4/2020	CJR	1
trans-1,3-Dichloropropene	< 0.3	ug/l	0.3	0.94	1	8260B		8/4/2020	CJR	1
cis-1,3-Dichloropropene	< 0.36	ug/l	0.36	1.1	1	8260B		8/4/2020	CJR	1
Di-isopropyl ether	< 0.34	ug/l	0.34	1.1	1	8260B		8/4/2020	CJR	1
EDB (1,2-Dibromoethane)	< 0.24	ug/l	0.24	0.75	1	8260B		8/4/2020	CJR	1
Ethylbenzene	< 0.32	ug/l	0.32		1	8260B		8/4/2020	CJR	1
Hexachlorobutadiene	< 0.72	ug/l	0.72	2.3	1	8260B		8/4/2020	CJR	1
Isopropylbenzene	< 0.32	ug/l	0.32		1	8260B		8/4/2020	CJR	1
p-Isopropyltoluene	< 0.47	ug/l	0.47	1.5	1	8260B		8/4/2020	CJR	1
Methylene chloride	< 1.32	ug/l	1.32	4.21	1	8260B		8/4/2020	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.47	ug/l	0.47	1.5	1	8260B		8/4/2020	CJR	1
Naphthalene	< 1.1	ug/l	1.1	3.6	1	8260B		8/4/2020	CJR	1
n-Propylbenzene	< 0.33	ug/l	0.33	1.1	1	8260B		8/4/2020	CJR	1
1,1,2,2-Tetrachloroethane	< 0.37	ug/l	0.37	1.2	1	8260B		8/4/2020	CJR	1
1,1,1,2-Tetrachloroethane	< 0.88	ug/l	0.88	3.3	1	8260B		8/4/2020	CJR	1
Tetrachloroethene	3.3	ug/l	0.33		1	8260B		8/4/2020	CJR	1
Toluene	< 0.26	ug/l	0.26	0.83	1	8260B		8/4/2020	CJR	1
1,2,4-Trichlorobenzene	< 0.44	ug/l	0.44	1.4	1	8260B		8/4/2020	CJR	1

Project Name FMR ROBINSONS CLEANERS
Project # 6155 PO#2020-1772

Invoice # E38267

Lab Code 5038267T
Sample ID 6155 MW-29
Sample Matrix Water
Sample Date 7/27/2020

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 1	ug/l	1	3.2	1	8260B		8/4/2020	CJR	1
1,1,1-Trichloroethane	< 0.3	ug/l	0.3	0.95	1	8260B		8/4/2020	CJR	1
1,1,2-Trichloroethane	< 0.36	ug/l	0.36	1.1	1	8260B		8/4/2020	CJR	1
Trichloroethene (TCE)	< 0.47	ug/l	0.47	1.5	1	8260B		8/4/2020	CJR	1
Trichlorofluoromethane	< 0.42	ug/l	0.42	1.3	1	8260B		8/4/2020	CJR	1
1,2,4-Trimethylbenzene	< 0.3	ug/l	0.3	0.96	1	8260B		8/4/2020	CJR	1
1,3,5-Trimethylbenzene	< 0.32	ug/l	0.32	1	1	8260B		8/4/2020	CJR	1
Vinyl Chloride	< 0.2	ug/l	0.2	0.65	1	8260B		8/4/2020	CJR	1
m&p-Xylene	< 1.1	ug/l	1.1	3.3	1	8260B		8/4/2020	CJR	1
o-Xylene	< 0.38	ug/l	0.38	1.2	1	8260B		8/4/2020	CJR	1
SUR - 1,2-Dichloroethane-d4	107	REC %			1	8260B		8/4/2020	CJR	1
SUR - Toluene-d8	105	REC %			1	8260B		8/4/2020	CJR	1
SUR - 4-Bromofluorobenzene	111	REC %			1	8260B		8/4/2020	CJR	1
SUR - Dibromofluoromethane	105	REC %			1	8260B		8/4/2020	CJR	1

Project Name FMR ROBINSONS CLEANERS
Project # 6155 PO#2020-1772

Invoice # E38267

Lab Code 5038267U
Sample ID 6155 MW-30S
Sample Matrix Water
Sample Date 7/27/2020

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 3.3	ug/l	3.3	10	10	8260B		8/4/2020	CJR	1
Bromobenzene	< 2.6	ug/l	2.6	8.4	10	8260B		8/4/2020	CJR	1
Bromodichloromethane	< 3.3	ug/l	3.3	10	10	8260B		8/4/2020	CJR	1
Bromoform	< 6.5	ug/l	6.5	21	10	8260B		8/4/2020	CJR	1
tert-Butylbenzene	< 6.1	ug/l	6.1	19	10	8260B		8/4/2020	CJR	1
sec-Butylbenzene	< 3.2	ug/l	3.2	10	10	8260B		8/4/2020	CJR	1
n-Butylbenzene	< 2.8	ug/l	2.8	8.9	10	8260B		8/4/2020	CJR	1
Carbon Tetrachloride	< 3.1	ug/l	3.1	9.8	10	8260B		8/4/2020	CJR	1
Chlorobenzene	< 3.9	ug/l	3.9	12	10	8260B		8/4/2020	CJR	1
Chloroethane	< 11	ug/l	11	36	10	8260B		8/4/2020	CJR	1
Chloroform	< 4.4	ug/l	4.4	14	10	8260B		8/4/2020	CJR	1
Chloromethane	< 8	ug/l	8	25	10	8260B		8/4/2020	CJR	1
2-Chlorotoluene	< 3.2	ug/l	3.2	10	10	8260B		8/4/2020	CJR	1
4-Chlorotoluene	< 3	ug/l	3	9.6	10	8260B		8/4/2020	CJR	1
1,2-Dibromo-3-chloropropane	< 8.2	ug/l	8.2	26	10	8260B		8/4/2020	CJR	1
Dibromochloromethane	< 2.3	ug/l	2.3	7.4	10	8260B		8/4/2020	CJR	1
1,4-Dichlorobenzene	< 3.6	ug/l	3.6	11	10	8260B		8/4/2020	CJR	1
1,3-Dichlorobenzene	< 3.1	ug/l	3.1	9.8	10	8260B		8/4/2020	CJR	1
1,2-Dichlorobenzene	< 3.2	ug/l	3.2	10	10	8260B		8/4/2020	CJR	1
Dichlorodifluoromethane	< 4.5	ug/l	4.5	14	10	8260B		8/4/2020	CJR	1
1,2-Dichloroethane	< 3.9	ug/l	3.9	13	10	8260B		8/4/2020	CJR	1
1,1-Dichloroethane	< 4.6	ug/l	4.6	15	10	8260B		8/4/2020	CJR	1
1,1-Dichloroethene	< 5	ug/l	5	16	10	8260B		8/4/2020	CJR	1
cis-1,2-Dichloroethene	4.4 "J"	ug/l	3.9	12	10	8260B		8/4/2020	CJR	1
trans-1,2-Dichloroethene	< 3.7	ug/l	3.7	12	10	8260B		8/4/2020	CJR	1
1,2-Dichloropropane	< 3.8	ug/l	3.8	12	10	8260B		8/4/2020	CJR	1
1,3-Dichloropropane	< 3.5	ug/l	3.5	11	10	8260B		8/4/2020	CJR	1
trans-1,3-Dichloropropene	< 3	ug/l	3	9.4	10	8260B		8/4/2020	CJR	1
cis-1,3-Dichloropropene	< 3.6	ug/l	3.6	11	10	8260B		8/4/2020	CJR	1
Di-isopropyl ether	< 3.4	ug/l	3.4	11	10	8260B		8/4/2020	CJR	1
EDB (1,2-Dibromoethane)	< 2.4	ug/l	2.4	7.5	10	8260B		8/4/2020	CJR	1
Ethylbenzene	< 3.2	ug/l	3.2	10	10	8260B		8/4/2020	CJR	1
Hexachlorobutadiene	< 7.2	ug/l	7.2	23	10	8260B		8/4/2020	CJR	1
Isopropylbenzene	< 3.2	ug/l	3.2	10	10	8260B		8/4/2020	CJR	1
p-Isopropyltoluene	< 4.7	ug/l	4.7	15	10	8260B		8/4/2020	CJR	1
Methylene chloride	< 13.2	ug/l	13.2	42.1	10	8260B		8/4/2020	CJR	1
Methyl tert-butyl ether (MTBE)	< 4.7	ug/l	4.7	15	10	8260B		8/4/2020	CJR	1
Naphthalene	< 11	ug/l	11	36	10	8260B		8/4/2020	CJR	1
n-Propylbenzene	< 3.3	ug/l	3.3	11	10	8260B		8/4/2020	CJR	1
1,1,2,2-Tetrachloroethane	< 3.7	ug/l	3.7	12	10	8260B		8/4/2020	CJR	1
1,1,1,2-Tetrachloroethane	< 8.8	ug/l	8.8	33	10	8260B		8/4/2020	CJR	1
Tetrachloroethene	2020	ug/l	6.6	20	20	8260B		8/6/2020	CJR	1
Toluene	< 2.6	ug/l	2.6	8.3	10	8260B		8/4/2020	CJR	1
1,2,4-Trichlorobenzene	< 4.4	ug/l	4.4	14	10	8260B		8/4/2020	CJR	1

Project Name FMR ROBINSONS CLEANERS
Project # 6155 PO#2020-1772

Invoice # E38267

Lab Code 5038267U
Sample ID 6155 MW-30S
Sample Matrix Water
Sample Date 7/27/2020

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 10	ug/l	10	32	10	8260B		8/4/2020	CJR	1
1,1,1-Trichloroethane	< 3	ug/l	3	9.5	10	8260B		8/4/2020	CJR	1
1,1,2-Trichloroethane	< 3.6	ug/l	3.6	11	10	8260B		8/4/2020	CJR	1
Trichloroethene (TCE)	12.1 "J"	ug/l	4.7	15	10	8260B		8/4/2020	CJR	1
Trichlorofluoromethane	< 4.2	ug/l	4.2	13	10	8260B		8/4/2020	CJR	1
1,2,4-Trimethylbenzene	< 3	ug/l	3	9.6	10	8260B		8/4/2020	CJR	1
1,3,5-Trimethylbenzene	< 3.2	ug/l	3.2	10	10	8260B		8/4/2020	CJR	1
Vinyl Chloride	< 2	ug/l	2	6.5	10	8260B		8/4/2020	CJR	1
m&p-Xylene	< 11	ug/l	11	33	10	8260B		8/4/2020	CJR	1
o-Xylene	< 3.8	ug/l	3.8	12	10	8260B		8/4/2020	CJR	1
SUR - 4-Bromofluorobenzene	99	REC %			10	8260B		8/4/2020	CJR	1
SUR - Dibromofluoromethane	94	REC %			10	8260B		8/4/2020	CJR	1
SUR - Toluene-d8	109	REC %			10	8260B		8/4/2020	CJR	1
SUR - 1,2-Dichloroethane-d4	101	REC %			10	8260B		8/4/2020	CJR	1

Project Name FMR ROBINSONS CLEANERS
Project # 6155 PO#2020-1772

Invoice # E38267

Lab Code 5038267V
Sample ID 6155 MW-30D
Sample Matrix Water
Sample Date 7/27/2020

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.33	ug/l	0.33		1	8260B		8/5/2020	CJR	1
Bromobenzene	< 0.26	ug/l	0.26	0.84	1	8260B		8/5/2020	CJR	1
Bromodichloromethane	< 0.33	ug/l	0.33		1	8260B		8/5/2020	CJR	1
Bromoform	< 0.65	ug/l	0.65	2.1	1	8260B		8/5/2020	CJR	1
tert-Butylbenzene	< 0.61	ug/l	0.61	1.9	1	8260B		8/5/2020	CJR	1
sec-Butylbenzene	< 0.32	ug/l	0.32		1	8260B		8/5/2020	CJR	1
n-Butylbenzene	< 0.28	ug/l	0.28	0.89	1	8260B		8/5/2020	CJR	1
Carbon Tetrachloride	< 0.31	ug/l	0.31	0.98	1	8260B		8/5/2020	CJR	1
Chlorobenzene	< 0.39	ug/l	0.39	1.2	1	8260B		8/5/2020	CJR	1
Chloroethane	< 1.1	ug/l	1.1	3.6	1	8260B		8/5/2020	CJR	1
Chloroform	< 0.44	ug/l	0.44	1.4	1	8260B		8/5/2020	CJR	1
Chloromethane	< 0.8	ug/l	0.8	2.5	1	8260B		8/5/2020	CJR	1
2-Chlorotoluene	< 0.32	ug/l	0.32		1	8260B		8/5/2020	CJR	1
4-Chlorotoluene	< 0.3	ug/l	0.3	0.96	1	8260B		8/5/2020	CJR	1
1,2-Dibromo-3-chloropropane	< 0.82	ug/l	0.82	2.6	1	8260B		8/5/2020	CJR	1
Dibromochloromethane	< 0.23	ug/l	0.23	0.74	1	8260B		8/5/2020	CJR	1
1,4-Dichlorobenzene	< 0.36	ug/l	0.36	1.1	1	8260B		8/5/2020	CJR	1
1,3-Dichlorobenzene	< 0.31	ug/l	0.31	0.98	1	8260B		8/5/2020	CJR	1
1,2-Dichlorobenzene	< 0.32	ug/l	0.32		1	8260B		8/5/2020	CJR	1
Dichlorodifluoromethane	< 0.45	ug/l	0.45	1.4	1	8260B		8/5/2020	CJR	1
1,2-Dichloroethane	< 0.39	ug/l	0.39	1.3	1	8260B		8/5/2020	CJR	1
1,1-Dichloroethane	< 0.46	ug/l	0.46	1.5	1	8260B		8/5/2020	CJR	1
1,1-Dichloroethene	< 0.5	ug/l	0.5	1.6	1	8260B		8/5/2020	CJR	1
cis-1,2-Dichloroethene	< 0.39	ug/l	0.39	1.2	1	8260B		8/5/2020	CJR	1
trans-1,2-Dichloroethene	< 0.37	ug/l	0.37	1.2	1	8260B		8/5/2020	CJR	1
1,2-Dichloropropane	< 0.38	ug/l	0.38	1.2	1	8260B		8/5/2020	CJR	1
1,3-Dichloropropane	< 0.35	ug/l	0.35	1.1	1	8260B		8/5/2020	CJR	1
trans-1,3-Dichloropropene	< 0.3	ug/l	0.3	0.94	1	8260B		8/5/2020	CJR	1
cis-1,3-Dichloropropene	< 0.36	ug/l	0.36	1.1	1	8260B		8/5/2020	CJR	1
Di-isopropyl ether	< 0.34	ug/l	0.34	1.1	1	8260B		8/5/2020	CJR	1
EDB (1,2-Dibromoethane)	< 0.24	ug/l	0.24	0.75	1	8260B		8/5/2020	CJR	1
Ethylbenzene	< 0.32	ug/l	0.32		1	8260B		8/5/2020	CJR	1
Hexachlorobutadiene	< 0.72	ug/l	0.72	2.3	1	8260B		8/5/2020	CJR	1
Isopropylbenzene	< 0.32	ug/l	0.32		1	8260B		8/5/2020	CJR	1
p-Isopropyltoluene	< 0.47	ug/l	0.47	1.5	1	8260B		8/5/2020	CJR	1
Methylene chloride	< 1.32	ug/l	1.32	4.21	1	8260B		8/5/2020	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.47	ug/l	0.47	1.5	1	8260B		8/5/2020	CJR	1
Naphthalene	< 1.1	ug/l	1.1	3.6	1	8260B		8/5/2020	CJR	1
n-Propylbenzene	< 0.33	ug/l	0.33	1.1	1	8260B		8/5/2020	CJR	1
1,1,2,2-Tetrachloroethane	< 0.37	ug/l	0.37	1.2	1	8260B		8/5/2020	CJR	1
1,1,1,2-Tetrachloroethane	< 0.88	ug/l	0.88	3.3	1	8260B		8/5/2020	CJR	1
Tetrachloroethene	31.6	ug/l	0.33		1	8260B		8/5/2020	CJR	1
Toluene	< 0.26	ug/l	0.26	0.83	1	8260B		8/5/2020	CJR	1
1,2,4-Trichlorobenzene	< 0.44	ug/l	0.44	1.4	1	8260B		8/5/2020	CJR	1

Project Name FMR ROBINSONS CLEANERS
Project # 6155 PO#2020-1772

Invoice # E38267

Lab Code 5038267V
Sample ID 6155 MW-30D
Sample Matrix Water
Sample Date 7/27/2020

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 1	ug/l	1	3.2	1	8260B		8/5/2020	CJR	1
1,1,1-Trichloroethane	< 0.3	ug/l	0.3	0.95	1	8260B		8/5/2020	CJR	1
1,1,2-Trichloroethane	< 0.36	ug/l	0.36	1.1	1	8260B		8/5/2020	CJR	1
Trichloroethene (TCE)	< 0.47	ug/l	0.47	1.5	1	8260B		8/5/2020	CJR	1
Trichlorofluoromethane	< 0.42	ug/l	0.42	1.3	1	8260B		8/5/2020	CJR	1
1,2,4-Trimethylbenzene	< 0.3	ug/l	0.3	0.96	1	8260B		8/5/2020	CJR	1
1,3,5-Trimethylbenzene	< 0.32	ug/l	0.32	1	1	8260B		8/5/2020	CJR	1
Vinyl Chloride	< 0.2	ug/l	0.2	0.65	1	8260B		8/5/2020	CJR	1
m&p-Xylene	< 1.1	ug/l	1.1	3.3	1	8260B		8/5/2020	CJR	1
o-Xylene	< 0.38	ug/l	0.38	1.2	1	8260B		8/5/2020	CJR	1
SUR - 1,2-Dichloroethane-d4	102	REC %			1	8260B		8/5/2020	CJR	1
SUR - 4-Bromofluorobenzene	110	REC %			1	8260B		8/5/2020	CJR	1
SUR - Dibromofluoromethane	99	REC %			1	8260B		8/5/2020	CJR	1
SUR - Toluene-d8	106	REC %			1	8260B		8/5/2020	CJR	1

Project Name FMR ROBINSONS CLEANERS
Project # 6155 PO#2020-1772

Invoice # E38267

Lab Code 5038267W
Sample ID 6155 MW-30D3
Sample Matrix Water
Sample Date 7/27/2020

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.33	ug/l	0.33		1	8260B		8/4/2020	CJR	1
Bromobenzene	< 0.26	ug/l	0.26	0.84	1	8260B		8/4/2020	CJR	1
Bromodichloromethane	< 0.33	ug/l	0.33		1	8260B		8/4/2020	CJR	1
Bromoform	< 0.65	ug/l	0.65	2.1	1	8260B		8/4/2020	CJR	1
tert-Butylbenzene	< 0.61	ug/l	0.61	1.9	1	8260B		8/4/2020	CJR	1
sec-Butylbenzene	< 0.32	ug/l	0.32		1	8260B		8/4/2020	CJR	1
n-Butylbenzene	< 0.28	ug/l	0.28	0.89	1	8260B		8/4/2020	CJR	1
Carbon Tetrachloride	< 0.31	ug/l	0.31	0.98	1	8260B		8/4/2020	CJR	1
Chlorobenzene	< 0.39	ug/l	0.39	1.2	1	8260B		8/4/2020	CJR	1
Chloroethane	< 1.1	ug/l	1.1	3.6	1	8260B		8/4/2020	CJR	1
Chloroform	< 0.44	ug/l	0.44	1.4	1	8260B		8/4/2020	CJR	1
Chloromethane	< 0.8	ug/l	0.8	2.5	1	8260B		8/4/2020	CJR	1
2-Chlorotoluene	< 0.32	ug/l	0.32		1	8260B		8/4/2020	CJR	1
4-Chlorotoluene	< 0.3	ug/l	0.3	0.96	1	8260B		8/4/2020	CJR	1
1,2-Dibromo-3-chloropropane	< 0.82	ug/l	0.82	2.6	1	8260B		8/4/2020	CJR	1
Dibromochloromethane	< 0.23	ug/l	0.23	0.74	1	8260B		8/4/2020	CJR	1
1,4-Dichlorobenzene	< 0.36	ug/l	0.36	1.1	1	8260B		8/4/2020	CJR	1
1,3-Dichlorobenzene	< 0.31	ug/l	0.31	0.98	1	8260B		8/4/2020	CJR	1
1,2-Dichlorobenzene	< 0.32	ug/l	0.32		1	8260B		8/4/2020	CJR	1
Dichlorodifluoromethane	< 0.45	ug/l	0.45	1.4	1	8260B		8/4/2020	CJR	1
1,2-Dichloroethane	< 0.39	ug/l	0.39	1.3	1	8260B		8/4/2020	CJR	1
1,1-Dichloroethane	< 0.46	ug/l	0.46	1.5	1	8260B		8/4/2020	CJR	1
1,1-Dichloroethene	< 0.5	ug/l	0.5	1.6	1	8260B		8/4/2020	CJR	1
cis-1,2-Dichloroethene	< 0.39	ug/l	0.39	1.2	1	8260B		8/4/2020	CJR	1
trans-1,2-Dichloroethene	< 0.37	ug/l	0.37	1.2	1	8260B		8/4/2020	CJR	1
1,2-Dichloropropane	< 0.38	ug/l	0.38	1.2	1	8260B		8/4/2020	CJR	1
1,3-Dichloropropane	< 0.35	ug/l	0.35	1.1	1	8260B		8/4/2020	CJR	1
trans-1,3-Dichloropropene	< 0.3	ug/l	0.3	0.94	1	8260B		8/4/2020	CJR	1
cis-1,3-Dichloropropene	< 0.36	ug/l	0.36	1.1	1	8260B		8/4/2020	CJR	1
Di-isopropyl ether	< 0.34	ug/l	0.34	1.1	1	8260B		8/4/2020	CJR	1
EDB (1,2-Dibromoethane)	< 0.24	ug/l	0.24	0.75	1	8260B		8/4/2020	CJR	1
Ethylbenzene	< 0.32	ug/l	0.32		1	8260B		8/4/2020	CJR	1
Hexachlorobutadiene	< 0.72	ug/l	0.72	2.3	1	8260B		8/4/2020	CJR	1
Isopropylbenzene	< 0.32	ug/l	0.32		1	8260B		8/4/2020	CJR	1
p-Isopropyltoluene	< 0.47	ug/l	0.47	1.5	1	8260B		8/4/2020	CJR	1
Methylene chloride	< 1.32	ug/l	1.32	4.21	1	8260B		8/4/2020	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.47	ug/l	0.47	1.5	1	8260B		8/4/2020	CJR	1
Naphthalene	< 1.1	ug/l	1.1	3.6	1	8260B		8/4/2020	CJR	1
n-Propylbenzene	< 0.33	ug/l	0.33	1.1	1	8260B		8/4/2020	CJR	1
1,1,2,2-Tetrachloroethane	< 0.37	ug/l	0.37	1.2	1	8260B		8/4/2020	CJR	1
1,1,1,2-Tetrachloroethane	< 0.88	ug/l	0.88	3.3	1	8260B		8/4/2020	CJR	1
Tetrachloroethene	< 0.33	ug/l	0.33		1	8260B		8/4/2020	CJR	1
Toluene	< 0.26	ug/l	0.26	0.83	1	8260B		8/4/2020	CJR	1
1,2,4-Trichlorobenzene	< 0.44	ug/l	0.44	1.4	1	8260B		8/4/2020	CJR	1

Project Name FMR ROBINSONS CLEANERS
Project # 6155 PO#2020-1772

Invoice # E38267

Lab Code 5038267W
Sample ID 6155 MW-30D3
Sample Matrix Water
Sample Date 7/27/2020

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 1	ug/l	1	3.2	1	8260B		8/4/2020	CJR	1
1,1,1-Trichloroethane	< 0.3	ug/l	0.3	0.95	1	8260B		8/4/2020	CJR	1
1,1,2-Trichloroethane	< 0.36	ug/l	0.36	1.1	1	8260B		8/4/2020	CJR	1
Trichloroethene (TCE)	< 0.47	ug/l	0.47	1.5	1	8260B		8/4/2020	CJR	1
Trichlorofluoromethane	< 0.42	ug/l	0.42	1.3	1	8260B		8/4/2020	CJR	1
1,2,4-Trimethylbenzene	< 0.3	ug/l	0.3	0.96	1	8260B		8/4/2020	CJR	1
1,3,5-Trimethylbenzene	< 0.32	ug/l	0.32	1	1	8260B		8/4/2020	CJR	1
Vinyl Chloride	< 0.2	ug/l	0.2	0.65	1	8260B		8/4/2020	CJR	1
m&p-Xylene	< 1.1	ug/l	1.1	3.3	1	8260B		8/4/2020	CJR	1
o-Xylene	< 0.38	ug/l	0.38	1.2	1	8260B		8/4/2020	CJR	1
SUR - Toluene-d8	105	REC %				1	8260B	8/4/2020	CJR	1
SUR - Dibromofluoromethane	107	REC %				1	8260B	8/4/2020	CJR	1
SUR - 4-Bromofluorobenzene	104	REC %				1	8260B	8/4/2020	CJR	1
SUR - 1,2-Dichloroethane-d4	107	REC %				1	8260B	8/4/2020	CJR	1

Project Name FMR ROBINSONS CLEANERS
Project # 6155 PO#2020-1772

Invoice # E38267

Lab Code 5038267X
Sample ID 6155 MW-31D
Sample Matrix Water
Sample Date 7/27/2020

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.66	ug/l	0.66		2	2	8260B	8/4/2020	CJR	1
Bromobenzene	< 0.52	ug/l	0.52	1.68	2	2	8260B	8/4/2020	CJR	1
Bromodichloromethane	< 0.66	ug/l	0.66		2	2	8260B	8/4/2020	CJR	1
Bromoform	< 1.3	ug/l	1.3	4.2	2	2	8260B	8/4/2020	CJR	1
tert-Butylbenzene	< 1.22	ug/l	1.22	3.8	2	2	8260B	8/4/2020	CJR	1
sec-Butylbenzene	< 0.64	ug/l	0.64		2	2	8260B	8/4/2020	CJR	1
n-Butylbenzene	< 0.56	ug/l	0.56	1.78	2	2	8260B	8/4/2020	CJR	1
Carbon Tetrachloride	< 0.62	ug/l	0.62	1.96	2	2	8260B	8/4/2020	CJR	1
Chlorobenzene	< 0.78	ug/l	0.78	2.4	2	2	8260B	8/4/2020	CJR	1
Chloroethane	< 2.2	ug/l	2.2	7.2	2	2	8260B	8/4/2020	CJR	1
Chloroform	< 0.88	ug/l	0.88	2.8	2	2	8260B	8/4/2020	CJR	1
Chloromethane	< 1.6	ug/l	1.6	5	2	2	8260B	8/4/2020	CJR	1
2-Chlorotoluene	< 0.64	ug/l	0.64		2	2	8260B	8/4/2020	CJR	1
4-Chlorotoluene	< 0.6	ug/l	0.6	1.92	2	2	8260B	8/4/2020	CJR	1
1,2-Dibromo-3-chloropropane	< 1.64	ug/l	1.64	5.2	2	2	8260B	8/4/2020	CJR	1
Dibromochloromethane	< 0.46	ug/l	0.46	1.48	2	2	8260B	8/4/2020	CJR	1
1,4-Dichlorobenzene	< 0.72	ug/l	0.72	2.2	2	2	8260B	8/4/2020	CJR	1
1,3-Dichlorobenzene	< 0.62	ug/l	0.62	1.96	2	2	8260B	8/4/2020	CJR	1
1,2-Dichlorobenzene	< 0.64	ug/l	0.64		2	2	8260B	8/4/2020	CJR	1
Dichlorodifluoromethane	< 0.9	ug/l	0.9	2.8	2	2	8260B	8/4/2020	CJR	1
1,2-Dichloroethane	< 0.78	ug/l	0.78	2.6	2	2	8260B	8/4/2020	CJR	1
1,1-Dichloroethane	< 0.92	ug/l	0.92	3	2	2	8260B	8/4/2020	CJR	1
1,1-Dichloroethene	< 1	ug/l	1	3.2	2	2	8260B	8/4/2020	CJR	1
cis-1,2-Dichloroethene	1.22 "J"	ug/l	0.78	2.4	2	2	8260B	8/4/2020	CJR	1
trans-1,2-Dichloroethene	< 0.74	ug/l	0.74	2.4	2	2	8260B	8/4/2020	CJR	1
1,2-Dichloropropane	< 0.76	ug/l	0.76	2.4	2	2	8260B	8/4/2020	CJR	1
1,3-Dichloropropane	< 0.7	ug/l	0.7	2.2	2	2	8260B	8/4/2020	CJR	1
trans-1,3-Dichloropropene	< 0.6	ug/l	0.6	1.88	2	2	8260B	8/4/2020	CJR	1
cis-1,3-Dichloropropene	< 0.72	ug/l	0.72	2.2	2	2	8260B	8/4/2020	CJR	1
Di-isopropyl ether	< 0.68	ug/l	0.68	2.2	2	2	8260B	8/4/2020	CJR	1
EDB (1,2-Dibromoethane)	< 0.48	ug/l	0.48	1.5	2	2	8260B	8/4/2020	CJR	1
Ethylbenzene	< 0.64	ug/l	0.64		2	2	8260B	8/4/2020	CJR	1
Hexachlorobutadiene	< 1.44	ug/l	1.44	4.6	2	2	8260B	8/4/2020	CJR	1
Isopropylbenzene	< 0.64	ug/l	0.64		2	2	8260B	8/4/2020	CJR	1
p-Isopropyltoluene	< 0.94	ug/l	0.94	3	2	2	8260B	8/4/2020	CJR	1
Methylene chloride	< 2.64	ug/l	2.64	8.42	2	2	8260B	8/4/2020	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.94	ug/l	0.94	3	2	2	8260B	8/4/2020	CJR	1
Naphthalene	< 2.2	ug/l	2.2	7.2	2	2	8260B	8/4/2020	CJR	1
n-Propylbenzene	< 0.66	ug/l	0.66	2.2	2	2	8260B	8/4/2020	CJR	1
1,1,2,2-Tetrachloroethane	< 0.74	ug/l	0.74	2.4	2	2	8260B	8/4/2020	CJR	1
1,1,1,2-Tetrachloroethane	< 1.76	ug/l	1.76	6.6	2	2	8260B	8/4/2020	CJR	1
Tetrachloroethene	340	ug/l	0.66		2	2	8260B	8/4/2020	CJR	1
Toluene	< 0.52	ug/l	0.52	1.66	2	2	8260B	8/4/2020	CJR	1
1,2,4-Trichlorobenzene	< 0.88	ug/l	0.88	2.8	2	2	8260B	8/4/2020	CJR	1

Project Name FMR ROBINSONS CLEANERS
Project # 6155 PO#2020-1772

Invoice # E38267

Lab Code 5038267X
Sample ID 6155 MW-31D
Sample Matrix Water
Sample Date 7/27/2020

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 2	ug/l	2	6.4	2	8260B		8/4/2020	CJR	1
1,1,1-Trichloroethane	< 0.6	ug/l	0.6	1.9	2	8260B		8/4/2020	CJR	1
1,1,2-Trichloroethane	< 0.72	ug/l	0.72	2.2	2	8260B		8/4/2020	CJR	1
Trichloroethene (TCE)	6.4	ug/l	0.94	3	2	8260B		8/4/2020	CJR	1
Trichlorofluoromethane	< 0.84	ug/l	0.84	2.6	2	8260B		8/4/2020	CJR	1
1,2,4-Trimethylbenzene	< 0.6	ug/l	0.6	1.92	2	8260B		8/4/2020	CJR	1
1,3,5-Trimethylbenzene	< 0.64	ug/l	0.64	2	2	8260B		8/4/2020	CJR	1
Vinyl Chloride	< 0.4	ug/l	0.4	1.3	2	8260B		8/4/2020	CJR	1
m&p-Xylene	< 2.2	ug/l	2.2	6.6	2	8260B		8/4/2020	CJR	1
o-Xylene	< 0.76	ug/l	0.76	2.4	2	8260B		8/4/2020	CJR	1
SUR - 1,2-Dichloroethane-d4	105	REC %			2	8260B		8/4/2020	CJR	1
SUR - 4-Bromofluorobenzene	99	REC %			2	8260B		8/4/2020	CJR	1
SUR - Dibromofluoromethane	94	REC %			2	8260B		8/4/2020	CJR	1
SUR - Toluene-d8	109	REC %			2	8260B		8/4/2020	CJR	1

Project Name FMR ROBINSONS CLEANERS
Project # 6155 PO#2020-1772

Invoice # E38267

Lab Code 5038267Y
Sample ID 6155 MW-32
Sample Matrix Water
Sample Date 7/27/2020

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.33	ug/l	0.33		1	8260B		8/4/2020	CJR	1
Bromobenzene	< 0.26	ug/l	0.26	0.84	1	8260B		8/4/2020	CJR	1
Bromodichloromethane	< 0.33	ug/l	0.33		1	8260B		8/4/2020	CJR	1
Bromoform	< 0.65	ug/l	0.65	2.1	1	8260B		8/4/2020	CJR	1
tert-Butylbenzene	< 0.61	ug/l	0.61	1.9	1	8260B		8/4/2020	CJR	1
sec-Butylbenzene	< 0.32	ug/l	0.32		1	8260B		8/4/2020	CJR	1
n-Butylbenzene	< 0.28	ug/l	0.28	0.89	1	8260B		8/4/2020	CJR	1
Carbon Tetrachloride	< 0.31	ug/l	0.31	0.98	1	8260B		8/4/2020	CJR	1
Chlorobenzene	< 0.39	ug/l	0.39	1.2	1	8260B		8/4/2020	CJR	1
Chloroethane	< 1.1	ug/l	1.1	3.6	1	8260B		8/4/2020	CJR	1
Chloroform	< 0.44	ug/l	0.44	1.4	1	8260B		8/4/2020	CJR	1
Chloromethane	< 0.8	ug/l	0.8	2.5	1	8260B		8/4/2020	CJR	1
2-Chlorotoluene	< 0.32	ug/l	0.32		1	8260B		8/4/2020	CJR	1
4-Chlorotoluene	< 0.3	ug/l	0.3	0.96	1	8260B		8/4/2020	CJR	1
1,2-Dibromo-3-chloropropane	< 0.82	ug/l	0.82	2.6	1	8260B		8/4/2020	CJR	1
Dibromochloromethane	< 0.23	ug/l	0.23	0.74	1	8260B		8/4/2020	CJR	1
1,4-Dichlorobenzene	< 0.36	ug/l	0.36	1.1	1	8260B		8/4/2020	CJR	1
1,3-Dichlorobenzene	< 0.31	ug/l	0.31	0.98	1	8260B		8/4/2020	CJR	1
1,2-Dichlorobenzene	< 0.32	ug/l	0.32		1	8260B		8/4/2020	CJR	1
Dichlorodifluoromethane	< 0.45	ug/l	0.45	1.4	1	8260B		8/4/2020	CJR	1
1,2-Dichloroethane	< 0.39	ug/l	0.39	1.3	1	8260B		8/4/2020	CJR	1
1,1-Dichloroethane	< 0.46	ug/l	0.46	1.5	1	8260B		8/4/2020	CJR	1
1,1-Dichloroethene	< 0.5	ug/l	0.5	1.6	1	8260B		8/4/2020	CJR	1
cis-1,2-Dichloroethene	< 0.39	ug/l	0.39	1.2	1	8260B		8/4/2020	CJR	1
trans-1,2-Dichloroethene	< 0.37	ug/l	0.37	1.2	1	8260B		8/4/2020	CJR	1
1,2-Dichloropropane	< 0.38	ug/l	0.38	1.2	1	8260B		8/4/2020	CJR	1
1,3-Dichloropropane	< 0.35	ug/l	0.35	1.1	1	8260B		8/4/2020	CJR	1
trans-1,3-Dichloropropene	< 0.3	ug/l	0.3	0.94	1	8260B		8/4/2020	CJR	1
cis-1,3-Dichloropropene	< 0.36	ug/l	0.36	1.1	1	8260B		8/4/2020	CJR	1
Di-isopropyl ether	< 0.34	ug/l	0.34	1.1	1	8260B		8/4/2020	CJR	1
EDB (1,2-Dibromoethane)	< 0.24	ug/l	0.24	0.75	1	8260B		8/4/2020	CJR	1
Ethylbenzene	< 0.32	ug/l	0.32		1	8260B		8/4/2020	CJR	1
Hexachlorobutadiene	< 0.72	ug/l	0.72	2.3	1	8260B		8/4/2020	CJR	1
Isopropylbenzene	< 0.32	ug/l	0.32		1	8260B		8/4/2020	CJR	1
p-Isopropyltoluene	< 0.47	ug/l	0.47	1.5	1	8260B		8/4/2020	CJR	1
Methylene chloride	< 1.32	ug/l	1.32	4.21	1	8260B		8/4/2020	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.47	ug/l	0.47	1.5	1	8260B		8/4/2020	CJR	1
Naphthalene	< 1.1	ug/l	1.1	3.6	1	8260B		8/4/2020	CJR	1
n-Propylbenzene	< 0.33	ug/l	0.33	1.1	1	8260B		8/4/2020	CJR	1
1,1,2,2-Tetrachloroethane	< 0.37	ug/l	0.37	1.2	1	8260B		8/4/2020	CJR	1
1,1,1,2-Tetrachloroethane	< 0.88	ug/l	0.88	3.3	1	8260B		8/4/2020	CJR	1
Tetrachloroethene	< 0.33	ug/l	0.33		1	8260B		8/4/2020	CJR	1
Toluene	< 0.26	ug/l	0.26	0.83	1	8260B		8/4/2020	CJR	1
1,2,4-Trichlorobenzene	< 0.44	ug/l	0.44	1.4	1	8260B		8/4/2020	CJR	1

Project Name FMR ROBINSONS CLEANERS
Project # 6155 PO#2020-1772

Invoice # E38267

Lab Code 5038267Y
Sample ID 6155 MW-32
Sample Matrix Water
Sample Date 7/27/2020

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 1	ug/l	1	3.2	1	8260B		8/4/2020	CJR	1
1,1,1-Trichloroethane	< 0.3	ug/l	0.3	0.95	1	8260B		8/4/2020	CJR	1
1,1,2-Trichloroethane	< 0.36	ug/l	0.36	1.1	1	8260B		8/4/2020	CJR	1
Trichloroethene (TCE)	< 0.47	ug/l	0.47	1.5	1	8260B		8/4/2020	CJR	1
Trichlorofluoromethane	< 0.42	ug/l	0.42	1.3	1	8260B		8/4/2020	CJR	1
1,2,4-Trimethylbenzene	< 0.3	ug/l	0.3	0.96	1	8260B		8/4/2020	CJR	1
1,3,5-Trimethylbenzene	< 0.32	ug/l	0.32	1	1	8260B		8/4/2020	CJR	1
Vinyl Chloride	< 0.2	ug/l	0.2	0.65	1	8260B		8/4/2020	CJR	1
m&p-Xylene	< 1.1	ug/l	1.1	3.3	1	8260B		8/4/2020	CJR	1
o-Xylene	< 0.38	ug/l	0.38	1.2	1	8260B		8/4/2020	CJR	1
SUR - 1,2-Dichloroethane-d4	101	REC %			1	8260B		8/4/2020	CJR	1
SUR - 4-Bromofluorobenzene	105	REC %			1	8260B		8/4/2020	CJR	1
SUR - Dibromofluoromethane	99	REC %			1	8260B		8/4/2020	CJR	1
SUR - Toluene-d8	105	REC %			1	8260B		8/4/2020	CJR	1

Project Name FMR ROBINSONS CLEANERS
Project # 6155 PO#2020-1772

Invoice # E38267

Lab Code 5038267Z
Sample ID 6155 MW-35D
Sample Matrix Water
Sample Date 7/27/2020

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.33	ug/l	0.33		1	8260B		8/4/2020	CJR	1
Bromobenzene	< 0.26	ug/l	0.26	0.84	1	8260B		8/4/2020	CJR	1
Bromodichloromethane	< 0.33	ug/l	0.33		1	8260B		8/4/2020	CJR	1
Bromoform	< 0.65	ug/l	0.65	2.1	1	8260B		8/4/2020	CJR	1
tert-Butylbenzene	< 0.61	ug/l	0.61	1.9	1	8260B		8/4/2020	CJR	1
sec-Butylbenzene	< 0.32	ug/l	0.32		1	8260B		8/4/2020	CJR	1
n-Butylbenzene	< 0.28	ug/l	0.28	0.89	1	8260B		8/4/2020	CJR	1
Carbon Tetrachloride	< 0.31	ug/l	0.31	0.98	1	8260B		8/4/2020	CJR	1
Chlorobenzene	< 0.39	ug/l	0.39	1.2	1	8260B		8/4/2020	CJR	1
Chloroethane	< 1.1	ug/l	1.1	3.6	1	8260B		8/4/2020	CJR	1
Chloroform	< 0.44	ug/l	0.44	1.4	1	8260B		8/4/2020	CJR	1
Chloromethane	< 0.8	ug/l	0.8	2.5	1	8260B		8/4/2020	CJR	1
2-Chlorotoluene	< 0.32	ug/l	0.32		1	8260B		8/4/2020	CJR	1
4-Chlorotoluene	< 0.3	ug/l	0.3	0.96	1	8260B		8/4/2020	CJR	1
1,2-Dibromo-3-chloropropane	< 0.82	ug/l	0.82	2.6	1	8260B		8/4/2020	CJR	1
Dibromochloromethane	< 0.23	ug/l	0.23	0.74	1	8260B		8/4/2020	CJR	1
1,4-Dichlorobenzene	< 0.36	ug/l	0.36	1.1	1	8260B		8/4/2020	CJR	1
1,3-Dichlorobenzene	< 0.31	ug/l	0.31	0.98	1	8260B		8/4/2020	CJR	1
1,2-Dichlorobenzene	< 0.32	ug/l	0.32		1	8260B		8/4/2020	CJR	1
Dichlorodifluoromethane	< 0.45	ug/l	0.45	1.4	1	8260B		8/4/2020	CJR	1
1,2-Dichloroethane	< 0.39	ug/l	0.39	1.3	1	8260B		8/4/2020	CJR	1
1,1-Dichloroethane	< 0.46	ug/l	0.46	1.5	1	8260B		8/4/2020	CJR	1
1,1-Dichloroethene	< 0.5	ug/l	0.5	1.6	1	8260B		8/4/2020	CJR	1
cis-1,2-Dichloroethene	< 0.39	ug/l	0.39	1.2	1	8260B		8/4/2020	CJR	1
trans-1,2-Dichloroethene	< 0.37	ug/l	0.37	1.2	1	8260B		8/4/2020	CJR	1
1,2-Dichloropropane	< 0.38	ug/l	0.38	1.2	1	8260B		8/4/2020	CJR	1
1,3-Dichloropropane	< 0.35	ug/l	0.35	1.1	1	8260B		8/4/2020	CJR	1
trans-1,3-Dichloropropene	< 0.3	ug/l	0.3	0.94	1	8260B		8/4/2020	CJR	1
cis-1,3-Dichloropropene	< 0.36	ug/l	0.36	1.1	1	8260B		8/4/2020	CJR	1
Di-isopropyl ether	< 0.34	ug/l	0.34	1.1	1	8260B		8/4/2020	CJR	1
EDB (1,2-Dibromoethane)	< 0.24	ug/l	0.24	0.75	1	8260B		8/4/2020	CJR	1
Ethylbenzene	< 0.32	ug/l	0.32		1	8260B		8/4/2020	CJR	1
Hexachlorobutadiene	< 0.72	ug/l	0.72	2.3	1	8260B		8/4/2020	CJR	1
Isopropylbenzene	< 0.32	ug/l	0.32		1	8260B		8/4/2020	CJR	1
p-Isopropyltoluene	< 0.47	ug/l	0.47	1.5	1	8260B		8/4/2020	CJR	1
Methylene chloride	< 1.32	ug/l	1.32	4.21	1	8260B		8/4/2020	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.47	ug/l	0.47	1.5	1	8260B		8/4/2020	CJR	1
Naphthalene	< 1.1	ug/l	1.1	3.6	1	8260B		8/4/2020	CJR	1
n-Propylbenzene	< 0.33	ug/l	0.33	1.1	1	8260B		8/4/2020	CJR	1
1,1,2,2-Tetrachloroethane	< 0.37	ug/l	0.37	1.2	1	8260B		8/4/2020	CJR	1
1,1,1,2-Tetrachloroethane	< 0.88	ug/l	0.88	3.3	1	8260B		8/4/2020	CJR	1
Tetrachloroethene	30.6	ug/l	0.33		1	8260B		8/4/2020	CJR	1
Toluene	< 0.26	ug/l	0.26	0.83	1	8260B		8/4/2020	CJR	1
1,2,4-Trichlorobenzene	< 0.44	ug/l	0.44	1.4	1	8260B		8/4/2020	CJR	1

Project Name FMR ROBINSONS CLEANERS
Project # 6155 PO#2020-1772

Invoice # E38267

Lab Code 5038267Z
Sample ID 6155 MW-35D
Sample Matrix Water
Sample Date 7/27/2020

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 1	ug/l	1	3.2	1	8260B		8/4/2020	CJR	1
1,1,1-Trichloroethane	< 0.3	ug/l	0.3	0.95	1	8260B		8/4/2020	CJR	1
1,1,2-Trichloroethane	< 0.36	ug/l	0.36	1.1	1	8260B		8/4/2020	CJR	1
Trichloroethene (TCE)	< 0.47	ug/l	0.47	1.5	1	8260B		8/4/2020	CJR	1
Trichlorofluoromethane	< 0.42	ug/l	0.42	1.3	1	8260B		8/4/2020	CJR	1
1,2,4-Trimethylbenzene	< 0.3	ug/l	0.3	0.96	1	8260B		8/4/2020	CJR	1
1,3,5-Trimethylbenzene	< 0.32	ug/l	0.32	1	1	8260B		8/4/2020	CJR	1
Vinyl Chloride	< 0.2	ug/l	0.2	0.65	1	8260B		8/4/2020	CJR	1
m&p-Xylene	< 1.1	ug/l	1.1	3.3	1	8260B		8/4/2020	CJR	1
o-Xylene	< 0.38	ug/l	0.38	1.2	1	8260B		8/4/2020	CJR	1
SUR - Toluene-d8	111	REC %			1	8260B		8/4/2020	CJR	1
SUR - 1,2-Dichloroethane-d4	101	REC %			1	8260B		8/4/2020	CJR	1
SUR - 4-Bromofluorobenzene	112	REC %			1	8260B		8/4/2020	CJR	1
SUR - Dibromofluoromethane	112	REC %			1	8260B		8/4/2020	CJR	1

Project Name FMR ROBINSONS CLEANERS
Project # 6155 PO#2020-1772

Invoice # E38267

Lab Code 538267AA
Sample ID 6155 MW-36S
Sample Matrix Water
Sample Date 7/27/2020

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 1.65	ug/l	1.65	5	5	8260B		8/4/2020	CJR	1
Bromobenzene	< 1.3	ug/l	1.3	4.2	5	8260B		8/4/2020	CJR	1
Bromodichloromethane	< 1.65	ug/l	1.65	5	5	8260B		8/4/2020	CJR	1
Bromoform	< 3.25	ug/l	3.25	10.5	5	8260B		8/4/2020	CJR	1
tert-Butylbenzene	< 3.05	ug/l	3.05	9.5	5	8260B		8/4/2020	CJR	1
sec-Butylbenzene	< 1.6	ug/l	1.6	5	5	8260B		8/4/2020	CJR	1
n-Butylbenzene	< 1.4	ug/l	1.4	4.45	5	8260B		8/4/2020	CJR	1
Carbon Tetrachloride	< 1.55	ug/l	1.55	4.9	5	8260B		8/4/2020	CJR	1
Chlorobenzene	< 1.95	ug/l	1.95	6	5	8260B		8/4/2020	CJR	1
Chloroethane	< 5.5	ug/l	5.5	18	5	8260B		8/4/2020	CJR	1
Chloroform	< 2.2	ug/l	2.2	7	5	8260B		8/4/2020	CJR	1
Chloromethane	< 4	ug/l	4	12.5	5	8260B		8/4/2020	CJR	1
2-Chlorotoluene	< 1.6	ug/l	1.6	5	5	8260B		8/4/2020	CJR	1
4-Chlorotoluene	< 1.5	ug/l	1.5	4.8	5	8260B		8/4/2020	CJR	1
1,2-Dibromo-3-chloropropane	< 4.1	ug/l	4.1	13	5	8260B		8/4/2020	CJR	1
Dibromochloromethane	< 1.15	ug/l	1.15	3.7	5	8260B		8/4/2020	CJR	1
1,4-Dichlorobenzene	< 1.8	ug/l	1.8	5.5	5	8260B		8/4/2020	CJR	1
1,3-Dichlorobenzene	< 1.55	ug/l	1.55	4.9	5	8260B		8/4/2020	CJR	1
1,2-Dichlorobenzene	< 1.6	ug/l	1.6	5	5	8260B		8/4/2020	CJR	1
Dichlorodifluoromethane	< 2.25	ug/l	2.25	7	5	8260B		8/4/2020	CJR	1
1,2-Dichloroethane	< 1.95	ug/l	1.95	6.5	5	8260B		8/4/2020	CJR	1
1,1-Dichloroethane	< 2.3	ug/l	2.3	7.5	5	8260B		8/4/2020	CJR	1
1,1-Dichloroethene	< 2.5	ug/l	2.5	8	5	8260B		8/4/2020	CJR	1
cis-1,2-Dichloroethene	23.1	ug/l	1.95	6	5	8260B		8/4/2020	CJR	1
trans-1,2-Dichloroethene	< 1.85	ug/l	1.85	6	5	8260B		8/4/2020	CJR	1
1,2-Dichloropropane	< 1.9	ug/l	1.9	6	5	8260B		8/4/2020	CJR	1
1,3-Dichloropropane	< 1.75	ug/l	1.75	5.5	5	8260B		8/4/2020	CJR	1
trans-1,3-Dichloropropene	< 1.5	ug/l	1.5	4.7	5	8260B		8/4/2020	CJR	1
cis-1,3-Dichloropropene	< 1.8	ug/l	1.8	5.5	5	8260B		8/4/2020	CJR	1
Di-isopropyl ether	< 1.7	ug/l	1.7	5.5	5	8260B		8/4/2020	CJR	1
EDB (1,2-Dibromoethane)	< 1.2	ug/l	1.2	3.75	5	8260B		8/4/2020	CJR	1
Ethylbenzene	< 1.6	ug/l	1.6	5	5	8260B		8/4/2020	CJR	1
Hexachlorobutadiene	< 3.6	ug/l	3.6	11.5	5	8260B		8/4/2020	CJR	1
Isopropylbenzene	< 1.6	ug/l	1.6	5	5	8260B		8/4/2020	CJR	1
p-Isopropyltoluene	< 2.35	ug/l	2.35	7.5	5	8260B		8/4/2020	CJR	1
Methylene chloride	< 6.6	ug/l	6.6	21.05	5	8260B		8/4/2020	CJR	1
Methyl tert-butyl ether (MTBE)	< 2.35	ug/l	2.35	7.5	5	8260B		8/4/2020	CJR	1
Naphthalene	< 5.5	ug/l	5.5	18	5	8260B		8/4/2020	CJR	1
n-Propylbenzene	< 1.65	ug/l	1.65	5.5	5	8260B		8/4/2020	CJR	1
1,1,2,2-Tetrachloroethane	< 1.85	ug/l	1.85	6	5	8260B		8/4/2020	CJR	1
1,1,1,2-Tetrachloroethane	< 4.4	ug/l	4.4	16.5	5	8260B		8/4/2020	CJR	1
Tetrachloroethene	570	ug/l	1.65	5	5	8260B		8/4/2020	CJR	1
Toluene	< 1.3	ug/l	1.3	4.15	5	8260B		8/4/2020	CJR	1
1,2,4-Trichlorobenzene	< 2.2	ug/l	2.2	7	5	8260B		8/4/2020	CJR	1

Project Name FMR ROBINSONS CLEANERS
Project # 6155 PO#2020-1772

Invoice # E38267

Lab Code 538267AA
Sample ID 6155 MW-36S
Sample Matrix Water
Sample Date 7/27/2020

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 5	ug/l	5	16	5	8260B		8/4/2020	CJR	1
1,1,1-Trichloroethane	< 1.5	ug/l	1.5	4.75	5	8260B		8/4/2020	CJR	1
1,1,2-Trichloroethane	< 1.8	ug/l	1.8	5.5	5	8260B		8/4/2020	CJR	1
Trichloroethene (TCE)	34	ug/l	2.35	7.5	5	8260B		8/4/2020	CJR	1
Trichlorofluoromethane	< 2.1	ug/l	2.1	6.5	5	8260B		8/4/2020	CJR	1
1,2,4-Trimethylbenzene	< 1.5	ug/l	1.5	4.8	5	8260B		8/4/2020	CJR	1
1,3,5-Trimethylbenzene	< 1.6	ug/l	1.6	5	5	8260B		8/4/2020	CJR	1
Vinyl Chloride	< 1	ug/l	1	3.25	5	8260B		8/4/2020	CJR	1
m&p-Xylene	< 5.5	ug/l	5.5	16.5	5	8260B		8/4/2020	CJR	1
o-Xylene	< 1.9	ug/l	1.9	6	5	8260B		8/4/2020	CJR	1
SUR - 4-Bromofluorobenzene	99	REC %			5	8260B		8/4/2020	CJR	1
SUR - Dibromofluoromethane	96	REC %			5	8260B		8/4/2020	CJR	1
SUR - 1,2-Dichloroethane-d4	108	REC %			5	8260B		8/4/2020	CJR	1
SUR - Toluene-d8	110	REC %			5	8260B		8/4/2020	CJR	1

Project Name FMR ROBINSONS CLEANERS
Project # 6155 PO#2020-1772

Invoice # E38267

Lab Code 538267BB
Sample ID 6155 MW-36D
Sample Matrix Water
Sample Date 7/27/2020

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.33	ug/l	0.33		1	8260B		8/4/2020	CJR	1
Bromobenzene	< 0.26	ug/l	0.26	0.84	1	8260B		8/4/2020	CJR	1
Bromodichloromethane	< 0.33	ug/l	0.33		1	8260B		8/4/2020	CJR	1
Bromoform	< 0.65	ug/l	0.65	2.1	1	8260B		8/4/2020	CJR	1
tert-Butylbenzene	< 0.61	ug/l	0.61	1.9	1	8260B		8/4/2020	CJR	1
sec-Butylbenzene	< 0.32	ug/l	0.32		1	8260B		8/4/2020	CJR	1
n-Butylbenzene	< 0.28	ug/l	0.28	0.89	1	8260B		8/4/2020	CJR	1
Carbon Tetrachloride	< 0.31	ug/l	0.31	0.98	1	8260B		8/4/2020	CJR	1
Chlorobenzene	< 0.39	ug/l	0.39	1.2	1	8260B		8/4/2020	CJR	1
Chloroethane	< 1.1	ug/l	1.1	3.6	1	8260B		8/4/2020	CJR	1
Chloroform	< 0.44	ug/l	0.44	1.4	1	8260B		8/4/2020	CJR	1
Chloromethane	< 0.8	ug/l	0.8	2.5	1	8260B		8/4/2020	CJR	1
2-Chlorotoluene	< 0.32	ug/l	0.32		1	8260B		8/4/2020	CJR	1
4-Chlorotoluene	< 0.3	ug/l	0.3	0.96	1	8260B		8/4/2020	CJR	1
1,2-Dibromo-3-chloropropane	< 0.82	ug/l	0.82	2.6	1	8260B		8/4/2020	CJR	1
Dibromochloromethane	< 0.23	ug/l	0.23	0.74	1	8260B		8/4/2020	CJR	1
1,4-Dichlorobenzene	< 0.36	ug/l	0.36	1.1	1	8260B		8/4/2020	CJR	1
1,3-Dichlorobenzene	< 0.31	ug/l	0.31	0.98	1	8260B		8/4/2020	CJR	1
1,2-Dichlorobenzene	< 0.32	ug/l	0.32		1	8260B		8/4/2020	CJR	1
Dichlorodifluoromethane	< 0.45	ug/l	0.45	1.4	1	8260B		8/4/2020	CJR	1
1,2-Dichloroethane	< 0.39	ug/l	0.39	1.3	1	8260B		8/4/2020	CJR	1
1,1-Dichloroethane	< 0.46	ug/l	0.46	1.5	1	8260B		8/4/2020	CJR	1
1,1-Dichloroethene	< 0.5	ug/l	0.5	1.6	1	8260B		8/4/2020	CJR	1
cis-1,2-Dichloroethene	< 0.39	ug/l	0.39	1.2	1	8260B		8/4/2020	CJR	1
trans-1,2-Dichloroethene	< 0.37	ug/l	0.37	1.2	1	8260B		8/4/2020	CJR	1
1,2-Dichloropropane	< 0.38	ug/l	0.38	1.2	1	8260B		8/4/2020	CJR	1
1,3-Dichloropropane	< 0.35	ug/l	0.35	1.1	1	8260B		8/4/2020	CJR	1
trans-1,3-Dichloropropene	< 0.3	ug/l	0.3	0.94	1	8260B		8/4/2020	CJR	1
cis-1,3-Dichloropropene	< 0.36	ug/l	0.36	1.1	1	8260B		8/4/2020	CJR	1
Di-isopropyl ether	< 0.34	ug/l	0.34	1.1	1	8260B		8/4/2020	CJR	1
EDB (1,2-Dibromoethane)	< 0.24	ug/l	0.24	0.75	1	8260B		8/4/2020	CJR	1
Ethylbenzene	< 0.32	ug/l	0.32		1	8260B		8/4/2020	CJR	1
Hexachlorobutadiene	< 0.72	ug/l	0.72	2.3	1	8260B		8/4/2020	CJR	1
Isopropylbenzene	< 0.32	ug/l	0.32		1	8260B		8/4/2020	CJR	1
p-Isopropyltoluene	< 0.47	ug/l	0.47	1.5	1	8260B		8/4/2020	CJR	1
Methylene chloride	< 1.32	ug/l	1.32	4.21	1	8260B		8/4/2020	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.47	ug/l	0.47	1.5	1	8260B		8/4/2020	CJR	1
Naphthalene	< 1.1	ug/l	1.1	3.6	1	8260B		8/4/2020	CJR	1
n-Propylbenzene	< 0.33	ug/l	0.33	1.1	1	8260B		8/4/2020	CJR	1
1,1,2,2-Tetrachloroethane	< 0.37	ug/l	0.37	1.2	1	8260B		8/4/2020	CJR	1
1,1,1,2-Tetrachloroethane	< 0.88	ug/l	0.88	3.3	1	8260B		8/4/2020	CJR	1
Tetrachloroethene	< 0.33	ug/l	0.33		1	8260B		8/4/2020	CJR	1
Toluene	< 0.26	ug/l	0.26	0.83	1	8260B		8/4/2020	CJR	1
1,2,4-Trichlorobenzene	< 0.44	ug/l	0.44	1.4	1	8260B		8/4/2020	CJR	1

Project Name FMR ROBINSONS CLEANERS
Project # 6155 PO#2020-1772

Invoice # E38267

Lab Code 538267BB
Sample ID 6155 MW-36D
Sample Matrix Water
Sample Date 7/27/2020

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 1	ug/l	1	3.2	1	8260B		8/4/2020	CJR	1
1,1,1-Trichloroethane	< 0.3	ug/l	0.3	0.95	1	8260B		8/4/2020	CJR	1
1,1,2-Trichloroethane	< 0.36	ug/l	0.36	1.1	1	8260B		8/4/2020	CJR	1
Trichloroethene (TCE)	< 0.47	ug/l	0.47	1.5	1	8260B		8/4/2020	CJR	1
Trichlorofluoromethane	< 0.42	ug/l	0.42	1.3	1	8260B		8/4/2020	CJR	1
1,2,4-Trimethylbenzene	< 0.3	ug/l	0.3	0.96	1	8260B		8/4/2020	CJR	1
1,3,5-Trimethylbenzene	< 0.32	ug/l	0.32	1	1	8260B		8/4/2020	CJR	1
Vinyl Chloride	< 0.2	ug/l	0.2	0.65	1	8260B		8/4/2020	CJR	1
m&p-Xylene	< 1.1	ug/l	1.1	3.3	1	8260B		8/4/2020	CJR	1
o-Xylene	< 0.38	ug/l	0.38	1.2	1	8260B		8/4/2020	CJR	1
SUR - 4-Bromofluorobenzene	106	REC %			1	8260B		8/4/2020	CJR	1
SUR - Dibromofluoromethane	102	REC %			1	8260B		8/4/2020	CJR	1
SUR - Toluene-d8	105	REC %			1	8260B		8/4/2020	CJR	1
SUR - 1,2-Dichloroethane-d4	102	REC %			1	8260B		8/4/2020	CJR	1

Project Name FMR ROBINSONS CLEANERS
Project # 6155 PO#2020-1772

Invoice # E38267

Lab Code 538267CC
Sample ID 6155 MW-37D
Sample Matrix Water
Sample Date 7/27/2020

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.33	ug/l	0.33		1	8260B		8/5/2020	CJR	1
Bromobenzene	< 0.26	ug/l	0.26	0.84	1	8260B		8/5/2020	CJR	1
Bromodichloromethane	< 0.33	ug/l	0.33		1	8260B		8/5/2020	CJR	1
Bromoform	< 0.65	ug/l	0.65	2.1	1	8260B		8/5/2020	CJR	1
tert-Butylbenzene	< 0.61	ug/l	0.61	1.9	1	8260B		8/5/2020	CJR	1
sec-Butylbenzene	< 0.32	ug/l	0.32		1	8260B		8/5/2020	CJR	1
n-Butylbenzene	< 0.28	ug/l	0.28	0.89	1	8260B		8/5/2020	CJR	1
Carbon Tetrachloride	< 0.31	ug/l	0.31	0.98	1	8260B		8/5/2020	CJR	1
Chlorobenzene	< 0.39	ug/l	0.39	1.2	1	8260B		8/5/2020	CJR	1
Chloroethane	< 1.1	ug/l	1.1	3.6	1	8260B		8/5/2020	CJR	1
Chloroform	< 0.44	ug/l	0.44	1.4	1	8260B		8/5/2020	CJR	1
Chloromethane	< 0.8	ug/l	0.8	2.5	1	8260B		8/5/2020	CJR	1
2-Chlorotoluene	< 0.32	ug/l	0.32		1	8260B		8/5/2020	CJR	1
4-Chlorotoluene	< 0.3	ug/l	0.3	0.96	1	8260B		8/5/2020	CJR	1
1,2-Dibromo-3-chloropropane	< 0.82	ug/l	0.82	2.6	1	8260B		8/5/2020	CJR	1
Dibromochloromethane	< 0.23	ug/l	0.23	0.74	1	8260B		8/5/2020	CJR	1
1,4-Dichlorobenzene	< 0.36	ug/l	0.36	1.1	1	8260B		8/5/2020	CJR	1
1,3-Dichlorobenzene	< 0.31	ug/l	0.31	0.98	1	8260B		8/5/2020	CJR	1
1,2-Dichlorobenzene	< 0.32	ug/l	0.32		1	8260B		8/5/2020	CJR	1
Dichlorodifluoromethane	< 0.45	ug/l	0.45	1.4	1	8260B		8/5/2020	CJR	1
1,2-Dichloroethane	< 0.39	ug/l	0.39	1.3	1	8260B		8/5/2020	CJR	1
1,1-Dichloroethane	< 0.46	ug/l	0.46	1.5	1	8260B		8/5/2020	CJR	1
1,1-Dichloroethene	< 0.5	ug/l	0.5	1.6	1	8260B		8/5/2020	CJR	1
cis-1,2-Dichloroethene	5.5	ug/l	0.39	1.2	1	8260B		8/5/2020	CJR	1
trans-1,2-Dichloroethene	0.81 "J"	ug/l	0.37	1.2	1	8260B		8/5/2020	CJR	1
1,2-Dichloropropane	< 0.38	ug/l	0.38	1.2	1	8260B		8/5/2020	CJR	1
1,3-Dichloropropane	< 0.35	ug/l	0.35	1.1	1	8260B		8/5/2020	CJR	1
trans-1,3-Dichloropropene	< 0.3	ug/l	0.3	0.94	1	8260B		8/5/2020	CJR	1
cis-1,3-Dichloropropene	< 0.36	ug/l	0.36	1.1	1	8260B		8/5/2020	CJR	1
Di-isopropyl ether	< 0.34	ug/l	0.34	1.1	1	8260B		8/5/2020	CJR	1
EDB (1,2-Dibromoethane)	< 0.24	ug/l	0.24	0.75	1	8260B		8/5/2020	CJR	1
Ethylbenzene	< 0.32	ug/l	0.32		1	8260B		8/5/2020	CJR	1
Hexachlorobutadiene	< 0.72	ug/l	0.72	2.3	1	8260B		8/5/2020	CJR	1
Isopropylbenzene	< 0.32	ug/l	0.32		1	8260B		8/5/2020	CJR	1
p-Isopropyltoluene	< 0.47	ug/l	0.47	1.5	1	8260B		8/5/2020	CJR	1
Methylene chloride	< 1.32	ug/l	1.32	4.21	1	8260B		8/5/2020	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.47	ug/l	0.47	1.5	1	8260B		8/5/2020	CJR	1
Naphthalene	< 1.1	ug/l	1.1	3.6	1	8260B		8/5/2020	CJR	1
n-Propylbenzene	< 0.33	ug/l	0.33	1.1	1	8260B		8/5/2020	CJR	1
1,1,2,2-Tetrachloroethane	< 0.37	ug/l	0.37	1.2	1	8260B		8/5/2020	CJR	1
1,1,1,2-Tetrachloroethane	< 0.88	ug/l	0.88	3.3	1	8260B		8/5/2020	CJR	1
Tetrachloroethene	216	ug/l	3.3	10	10	8260B		8/6/2020	CJR	1
Toluene	< 0.26	ug/l	0.26	0.83	1	8260B		8/5/2020	CJR	1
1,2,4-Trichlorobenzene	< 0.44	ug/l	0.44	1.4	1	8260B		8/5/2020	CJR	1

Project Name FMR ROBINSONS CLEANERS
Project # 6155 PO#2020-1772

Invoice # E38267

Lab Code 538267CC
Sample ID 6155 MW-37D
Sample Matrix Water
Sample Date 7/27/2020

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 1	ug/l	1	3.2	1	8260B		8/5/2020	CJR	1
1,1,1-Trichloroethane	< 0.3	ug/l	0.3	0.95	1	8260B		8/5/2020	CJR	1
1,1,2-Trichloroethane	< 0.36	ug/l	0.36	1.1	1	8260B		8/5/2020	CJR	1
Trichloroethene (TCE)	24	ug/l	0.47	1.5	1	8260B		8/5/2020	CJR	1
Trichlorofluoromethane	< 0.42	ug/l	0.42	1.3	1	8260B		8/5/2020	CJR	1
1,2,4-Trimethylbenzene	< 0.3	ug/l	0.3	0.96	1	8260B		8/5/2020	CJR	1
1,3,5-Trimethylbenzene	< 0.32	ug/l	0.32	1	1	8260B		8/5/2020	CJR	1
Vinyl Chloride	< 0.2	ug/l	0.2	0.65	1	8260B		8/5/2020	CJR	1
m&p-Xylene	< 1.1	ug/l	1.1	3.3	1	8260B		8/5/2020	CJR	1
o-Xylene	< 0.38	ug/l	0.38	1.2	1	8260B		8/5/2020	CJR	1
SUR - 1,2-Dichloroethane-d4	104	REC %			1	8260B		8/5/2020	CJR	1
SUR - 4-Bromofluorobenzene	110	REC %			1	8260B		8/5/2020	CJR	1
SUR - Dibromofluoromethane	104	REC %			1	8260B		8/5/2020	CJR	1
SUR - Toluene-d8	110	REC %			1	8260B		8/5/2020	CJR	1

Project Name FMR ROBINSONS CLEANERS
 Project # 6155 PO#2020-1772

Invoice # E38267

Lab Code 538267DD
 Sample ID 6155 MW-38D
 Sample Matrix Water
 Sample Date 7/27/2020

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.33	ug/l	0.33		1	8260B		8/5/2020	CJR	1
Bromobenzene	< 0.26	ug/l	0.26	0.84	1	8260B		8/5/2020	CJR	1
Bromodichloromethane	< 0.33	ug/l	0.33		1	8260B		8/5/2020	CJR	1
Bromoform	< 0.65	ug/l	0.65	2.1	1	8260B		8/5/2020	CJR	1
tert-Butylbenzene	< 0.61	ug/l	0.61	1.9	1	8260B		8/5/2020	CJR	1
sec-Butylbenzene	< 0.32	ug/l	0.32		1	8260B		8/5/2020	CJR	1
n-Butylbenzene	< 0.28	ug/l	0.28	0.89	1	8260B		8/5/2020	CJR	1
Carbon Tetrachloride	< 0.31	ug/l	0.31	0.98	1	8260B		8/5/2020	CJR	1
Chlorobenzene	< 0.39	ug/l	0.39	1.2	1	8260B		8/5/2020	CJR	1
Chloroethane	< 1.1	ug/l	1.1	3.6	1	8260B		8/5/2020	CJR	1
Chloroform	< 0.44	ug/l	0.44	1.4	1	8260B		8/5/2020	CJR	1
Chloromethane	< 0.8	ug/l	0.8	2.5	1	8260B		8/5/2020	CJR	1
2-Chlorotoluene	< 0.32	ug/l	0.32		1	8260B		8/5/2020	CJR	1
4-Chlorotoluene	< 0.3	ug/l	0.3	0.96	1	8260B		8/5/2020	CJR	1
1,2-Dibromo-3-chloropropane	< 0.82	ug/l	0.82	2.6	1	8260B		8/5/2020	CJR	1
Dibromochloromethane	< 0.23	ug/l	0.23	0.74	1	8260B		8/5/2020	CJR	1
1,4-Dichlorobenzene	< 0.36	ug/l	0.36	1.1	1	8260B		8/5/2020	CJR	1
1,3-Dichlorobenzene	< 0.31	ug/l	0.31	0.98	1	8260B		8/5/2020	CJR	1
1,2-Dichlorobenzene	< 0.32	ug/l	0.32		1	8260B		8/5/2020	CJR	1
Dichlorodifluoromethane	< 0.45	ug/l	0.45	1.4	1	8260B		8/5/2020	CJR	1
1,2-Dichloroethane	< 0.39	ug/l	0.39	1.3	1	8260B		8/5/2020	CJR	1
1,1-Dichloroethane	< 0.46	ug/l	0.46	1.5	1	8260B		8/5/2020	CJR	1
1,1-Dichloroethene	< 0.5	ug/l	0.5	1.6	1	8260B		8/5/2020	CJR	1
cis-1,2-Dichloroethene	< 0.39	ug/l	0.39	1.2	1	8260B		8/5/2020	CJR	1
trans-1,2-Dichloroethene	< 0.37	ug/l	0.37	1.2	1	8260B		8/5/2020	CJR	1
1,2-Dichloropropane	< 0.38	ug/l	0.38	1.2	1	8260B		8/5/2020	CJR	1
1,3-Dichloropropane	< 0.35	ug/l	0.35	1.1	1	8260B		8/5/2020	CJR	1
trans-1,3-Dichloropropene	< 0.3	ug/l	0.3	0.94	1	8260B		8/5/2020	CJR	1
cis-1,3-Dichloropropene	< 0.36	ug/l	0.36	1.1	1	8260B		8/5/2020	CJR	1
Di-isopropyl ether	< 0.34	ug/l	0.34	1.1	1	8260B		8/5/2020	CJR	1
EDB (1,2-Dibromoethane)	< 0.24	ug/l	0.24	0.75	1	8260B		8/5/2020	CJR	1
Ethylbenzene	< 0.32	ug/l	0.32		1	8260B		8/5/2020	CJR	1
Hexachlorobutadiene	< 0.72	ug/l	0.72	2.3	1	8260B		8/5/2020	CJR	1
Isopropylbenzene	< 0.32	ug/l	0.32		1	8260B		8/5/2020	CJR	1
p-Isopropyltoluene	< 0.47	ug/l	0.47	1.5	1	8260B		8/5/2020	CJR	1
Methylene chloride	< 1.32	ug/l	1.32	4.21	1	8260B		8/5/2020	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.47	ug/l	0.47	1.5	1	8260B		8/5/2020	CJR	1
Naphthalene	< 1.1	ug/l	1.1	3.6	1	8260B		8/5/2020	CJR	1
n-Propylbenzene	< 0.33	ug/l	0.33	1.1	1	8260B		8/5/2020	CJR	1
1,1,2,2-Tetrachloroethane	< 0.37	ug/l	0.37	1.2	1	8260B		8/5/2020	CJR	1
1,1,1,2-Tetrachloroethane	< 0.88	ug/l	0.88	3.3	1	8260B		8/5/2020	CJR	1
Tetrachloroethene	55	ug/l	0.33		1	8260B		8/5/2020	CJR	1
Toluene	< 0.26	ug/l	0.26	0.83	1	8260B		8/5/2020	CJR	1
1,2,4-Trichlorobenzene	< 0.44	ug/l	0.44	1.4	1	8260B		8/5/2020	CJR	1

Project Name FMR ROBINSONS CLEANERS
Project # 6155 PO#2020-1772

Invoice # E38267

Lab Code 538267DD
Sample ID 6155 MW-38D
Sample Matrix Water
Sample Date 7/27/2020

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 1	ug/l	1	3.2	1	8260B		8/5/2020	CJR	1
1,1,1-Trichloroethane	< 0.3	ug/l	0.3	0.95	1	8260B		8/5/2020	CJR	1
1,1,2-Trichloroethane	< 0.36	ug/l	0.36	1.1	1	8260B		8/5/2020	CJR	1
Trichloroethene (TCE)	1.3 "J"	ug/l	0.47	1.5	1	8260B		8/5/2020	CJR	1
Trichlorofluoromethane	< 0.42	ug/l	0.42	1.3	1	8260B		8/5/2020	CJR	1
1,2,4-Trimethylbenzene	< 0.3	ug/l	0.3	0.96	1	8260B		8/5/2020	CJR	1
1,3,5-Trimethylbenzene	< 0.32	ug/l	0.32	1	1	8260B		8/5/2020	CJR	1
Vinyl Chloride	< 0.2	ug/l	0.2	0.65	1	8260B		8/5/2020	CJR	1
m&p-Xylene	< 1.1	ug/l	1.1	3.3	1	8260B		8/5/2020	CJR	1
o-Xylene	< 0.38	ug/l	0.38	1.2	1	8260B		8/5/2020	CJR	1
SUR - Toluene-d8	109	REC %			1	8260B		8/5/2020	CJR	1
SUR - 1,2-Dichloroethane-d4	101	REC %			1	8260B		8/5/2020	CJR	1
SUR - 4-Bromofluorobenzene	109	REC %			1	8260B		8/5/2020	CJR	1
SUR - Dibromofluoromethane	98	REC %			1	8260B		8/5/2020	CJR	1

Project Name FMR ROBINSONS CLEANERS
Project # 6155 PO#2020-1772

Invoice # E38267

Lab Code 538267EE
Sample ID 6155 MW-39S
Sample Matrix Water
Sample Date 7/27/2020

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 16.5	ug/l	16.5	50	50	8260B		8/5/2020	CJR	1
Bromobenzene	< 13	ug/l	13	42	50	8260B		8/5/2020	CJR	1
Bromodichloromethane	< 16.5	ug/l	16.5	50	50	8260B		8/5/2020	CJR	1
Bromoform	< 32.5	ug/l	32.5	105	50	8260B		8/5/2020	CJR	1
tert-Butylbenzene	< 30.5	ug/l	30.5	95	50	8260B		8/5/2020	CJR	1
sec-Butylbenzene	< 16	ug/l	16	50	50	8260B		8/5/2020	CJR	1
n-Butylbenzene	< 14	ug/l	14	44.5	50	8260B		8/5/2020	CJR	1
Carbon Tetrachloride	< 15.5	ug/l	15.5	49	50	8260B		8/5/2020	CJR	1
Chlorobenzene	< 19.5	ug/l	19.5	60	50	8260B		8/5/2020	CJR	1
Chloroethane	< 55	ug/l	55	180	50	8260B		8/5/2020	CJR	1
Chloroform	< 22	ug/l	22	70	50	8260B		8/5/2020	CJR	1
Chloromethane	< 40	ug/l	40	125	50	8260B		8/5/2020	CJR	1
2-Chlorotoluene	< 16	ug/l	16	50	50	8260B		8/5/2020	CJR	1
4-Chlorotoluene	< 15	ug/l	15	48	50	8260B		8/5/2020	CJR	1
1,2-Dibromo-3-chloropropane	< 41	ug/l	41	130	50	8260B		8/5/2020	CJR	1
Dibromochloromethane	< 11.5	ug/l	11.5	37	50	8260B		8/5/2020	CJR	1
1,4-Dichlorobenzene	< 18	ug/l	18	55	50	8260B		8/5/2020	CJR	1
1,3-Dichlorobenzene	< 15.5	ug/l	15.5	49	50	8260B		8/5/2020	CJR	1
1,2-Dichlorobenzene	< 16	ug/l	16	50	50	8260B		8/5/2020	CJR	1
Dichlorodifluoromethane	< 22.5	ug/l	22.5	70	50	8260B		8/5/2020	CJR	1
1,2-Dichloroethane	< 19.5	ug/l	19.5	65	50	8260B		8/5/2020	CJR	1
1,1-Dichloroethane	< 23	ug/l	23	75	50	8260B		8/5/2020	CJR	1
1,1-Dichloroethene	< 25	ug/l	25	80	50	8260B		8/5/2020	CJR	1
cis-1,2-Dichloroethene	48 "J"	ug/l	19.5	60	50	8260B		8/5/2020	CJR	1
trans-1,2-Dichloroethene	< 18.5	ug/l	18.5	60	50	8260B		8/5/2020	CJR	1
1,2-Dichloropropane	< 19	ug/l	19	60	50	8260B		8/5/2020	CJR	1
1,3-Dichloropropane	< 17.5	ug/l	17.5	55	50	8260B		8/5/2020	CJR	1
trans-1,3-Dichloropropene	< 15	ug/l	15	47	50	8260B		8/5/2020	CJR	1
cis-1,3-Dichloropropene	< 18	ug/l	18	55	50	8260B		8/5/2020	CJR	1
Di-isopropyl ether	< 17	ug/l	17	55	50	8260B		8/5/2020	CJR	1
EDB (1,2-Dibromoethane)	< 12	ug/l	12	37.5	50	8260B		8/5/2020	CJR	1
Ethylbenzene	< 16	ug/l	16	50	50	8260B		8/5/2020	CJR	1
Hexachlorobutadiene	< 36	ug/l	36	115	50	8260B		8/5/2020	CJR	1
Isopropylbenzene	< 16	ug/l	16	50	50	8260B		8/5/2020	CJR	1
p-Isopropyltoluene	< 23.5	ug/l	23.5	75	50	8260B		8/5/2020	CJR	1
Methylene chloride	< 66	ug/l	66	210.5	50	8260B		8/5/2020	CJR	1
Methyl tert-butyl ether (MTBE)	< 23.5	ug/l	23.5	75	50	8260B		8/5/2020	CJR	1
Naphthalene	< 55	ug/l	55	180	50	8260B		8/5/2020	CJR	1
n-Propylbenzene	< 16.5	ug/l	16.5	55	50	8260B		8/5/2020	CJR	1
1,1,2,2-Tetrachloroethane	< 18.5	ug/l	18.5	60	50	8260B		8/5/2020	CJR	1
1,1,1,2-Tetrachloroethane	< 44	ug/l	44	165	50	8260B		8/5/2020	CJR	1
Tetrachloroethene	7000	ug/l	16.5	50	50	8260B		8/5/2020	CJR	1
Toluene	< 13	ug/l	13	41.5	50	8260B		8/5/2020	CJR	1
1,2,4-Trichlorobenzene	< 22	ug/l	22	70	50	8260B		8/5/2020	CJR	1

Project Name FMR ROBINSONS CLEANERS
Project # 6155 PO#2020-1772

Invoice # E38267

Lab Code 538267EE
Sample ID 6155 MW-39S
Sample Matrix Water
Sample Date 7/27/2020

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 50	ug/l	50	160	50	8260B		8/5/2020	CJR	1
1,1,1-Trichloroethane	< 15	ug/l	15	47.5	50	8260B		8/5/2020	CJR	1
1,1,2-Trichloroethane	< 18	ug/l	18	55	50	8260B		8/5/2020	CJR	1
Trichloroethene (TCE)	264	ug/l	23.5	75	50	8260B		8/5/2020	CJR	1
Trichlorofluoromethane	< 21	ug/l	21	65	50	8260B		8/5/2020	CJR	1
1,2,4-Trimethylbenzene	< 15	ug/l	15	48	50	8260B		8/5/2020	CJR	1
1,3,5-Trimethylbenzene	< 16	ug/l	16	50	50	8260B		8/5/2020	CJR	1
Vinyl Chloride	< 10	ug/l	10	32.5	50	8260B		8/5/2020	CJR	1
m&p-Xylene	< 55	ug/l	55	165	50	8260B		8/5/2020	CJR	1
o-Xylene	< 19	ug/l	19	60	50	8260B		8/5/2020	CJR	1
SUR - 1,2-Dichloroethane-d4	100	REC %			50	8260B		8/5/2020	CJR	1
SUR - Toluene-d8	113	REC %			50	8260B		8/5/2020	CJR	1
SUR - Dibromofluoromethane	94	REC %			50	8260B		8/5/2020	CJR	1
SUR - 4-Bromofluorobenzene	97	REC %			50	8260B		8/5/2020	CJR	1

Project Name FMR ROBINSONS CLEANERS
Project # 6155 PO#2020-1772

Invoice # E38267

Lab Code 538267FF
Sample ID 6155 PZ-42D1
Sample Matrix Water
Sample Date 7/28/2020

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.33	ug/l	0.33		1	8260B		8/5/2020	CJR	1
Bromobenzene	< 0.26	ug/l	0.26	0.84	1	8260B		8/5/2020	CJR	1
Bromodichloromethane	< 0.33	ug/l	0.33		1	8260B		8/5/2020	CJR	1
Bromoform	< 0.65	ug/l	0.65	2.1	1	8260B		8/5/2020	CJR	1
tert-Butylbenzene	< 0.61	ug/l	0.61	1.9	1	8260B		8/5/2020	CJR	1
sec-Butylbenzene	< 0.32	ug/l	0.32		1	8260B		8/5/2020	CJR	1
n-Butylbenzene	< 0.28	ug/l	0.28	0.89	1	8260B		8/5/2020	CJR	1
Carbon Tetrachloride	< 0.31	ug/l	0.31	0.98	1	8260B		8/5/2020	CJR	1
Chlorobenzene	< 0.39	ug/l	0.39	1.2	1	8260B		8/5/2020	CJR	1
Chloroethane	< 1.1	ug/l	1.1	3.6	1	8260B		8/5/2020	CJR	1
Chloroform	< 0.44	ug/l	0.44	1.4	1	8260B		8/5/2020	CJR	1
Chloromethane	< 0.8	ug/l	0.8	2.5	1	8260B		8/5/2020	CJR	1
2-Chlorotoluene	< 0.32	ug/l	0.32		1	8260B		8/5/2020	CJR	1
4-Chlorotoluene	< 0.3	ug/l	0.3	0.96	1	8260B		8/5/2020	CJR	1
1,2-Dibromo-3-chloropropane	< 0.82	ug/l	0.82	2.6	1	8260B		8/5/2020	CJR	1
Dibromochloromethane	< 0.23	ug/l	0.23	0.74	1	8260B		8/5/2020	CJR	1
1,4-Dichlorobenzene	< 0.36	ug/l	0.36	1.1	1	8260B		8/5/2020	CJR	1
1,3-Dichlorobenzene	< 0.31	ug/l	0.31	0.98	1	8260B		8/5/2020	CJR	1
1,2-Dichlorobenzene	< 0.32	ug/l	0.32		1	8260B		8/5/2020	CJR	1
Dichlorodifluoromethane	< 0.45	ug/l	0.45	1.4	1	8260B		8/5/2020	CJR	1
1,2-Dichloroethane	< 0.39	ug/l	0.39	1.3	1	8260B		8/5/2020	CJR	1
1,1-Dichloroethane	< 0.46	ug/l	0.46	1.5	1	8260B		8/5/2020	CJR	1
1,1-Dichloroethene	< 0.5	ug/l	0.5	1.6	1	8260B		8/5/2020	CJR	1
cis-1,2-Dichloroethene	0.6 "J"	ug/l	0.39	1.2	1	8260B		8/5/2020	CJR	1
trans-1,2-Dichloroethene	< 0.37	ug/l	0.37	1.2	1	8260B		8/5/2020	CJR	1
1,2-Dichloropropane	< 0.38	ug/l	0.38	1.2	1	8260B		8/5/2020	CJR	1
1,3-Dichloropropane	< 0.35	ug/l	0.35	1.1	1	8260B		8/5/2020	CJR	1
trans-1,3-Dichloropropene	< 0.3	ug/l	0.3	0.94	1	8260B		8/5/2020	CJR	1
cis-1,3-Dichloropropene	< 0.36	ug/l	0.36	1.1	1	8260B		8/5/2020	CJR	1
Di-isopropyl ether	< 0.34	ug/l	0.34	1.1	1	8260B		8/5/2020	CJR	1
EDB (1,2-Dibromoethane)	< 0.24	ug/l	0.24	0.75	1	8260B		8/5/2020	CJR	1
Ethylbenzene	< 0.32	ug/l	0.32		1	8260B		8/5/2020	CJR	1
Hexachlorobutadiene	< 0.72	ug/l	0.72	2.3	1	8260B		8/5/2020	CJR	1
Isopropylbenzene	< 0.32	ug/l	0.32		1	8260B		8/5/2020	CJR	1
p-Isopropyltoluene	< 0.47	ug/l	0.47	1.5	1	8260B		8/5/2020	CJR	1
Methylene chloride	< 1.32	ug/l	1.32	4.21	1	8260B		8/5/2020	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.47	ug/l	0.47	1.5	1	8260B		8/5/2020	CJR	1
Naphthalene	< 1.1	ug/l	1.1	3.6	1	8260B		8/5/2020	CJR	1
n-Propylbenzene	< 0.33	ug/l	0.33	1.1	1	8260B		8/5/2020	CJR	1
1,1,2,2-Tetrachloroethane	< 0.37	ug/l	0.37	1.2	1	8260B		8/5/2020	CJR	1
1,1,1,2-Tetrachloroethane	< 0.88	ug/l	0.88	3.3	1	8260B		8/5/2020	CJR	1
Tetrachloroethene	185	ug/l	0.33		1	8260B		8/5/2020	CJR	1
Toluene	< 0.26	ug/l	0.26	0.83	1	8260B		8/5/2020	CJR	1
1,2,4-Trichlorobenzene	< 0.44	ug/l	0.44	1.4	1	8260B		8/5/2020	CJR	1

Project Name FMR ROBINSONS CLEANERS
Project # 6155 PO#2020-1772

Invoice # E38267

Lab Code 538267FF
Sample ID 6155 PZ-42D1
Sample Matrix Water
Sample Date 7/28/2020

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 1	ug/l	1	3.2	1	8260B		8/5/2020	CJR	1
1,1,1-Trichloroethane	< 0.3	ug/l	0.3	0.95	1	8260B		8/5/2020	CJR	1
1,1,2-Trichloroethane	< 0.36	ug/l	0.36	1.1	1	8260B		8/5/2020	CJR	1
Trichloroethene (TCE)	3.08	ug/l	0.47	1.5	1	8260B		8/5/2020	CJR	1
Trichlorofluoromethane	< 0.42	ug/l	0.42	1.3	1	8260B		8/5/2020	CJR	1
1,2,4-Trimethylbenzene	< 0.3	ug/l	0.3	0.96	1	8260B		8/5/2020	CJR	1
1,3,5-Trimethylbenzene	< 0.32	ug/l	0.32	1	1	8260B		8/5/2020	CJR	1
Vinyl Chloride	< 0.2	ug/l	0.2	0.65	1	8260B		8/5/2020	CJR	1
m&p-Xylene	< 1.1	ug/l	1.1	3.3	1	8260B		8/5/2020	CJR	1
o-Xylene	< 0.38	ug/l	0.38	1.2	1	8260B		8/5/2020	CJR	1
SUR - 1,2-Dichloroethane-d4	97	REC %			1	8260B		8/5/2020	CJR	1
SUR - 4-Bromofluorobenzene	111	REC %			1	8260B		8/5/2020	CJR	1
SUR - Dibromofluoromethane	109	REC %			1	8260B		8/5/2020	CJR	1
SUR - Toluene-d8	107	REC %			1	8260B		8/5/2020	CJR	1

Project Name FMR ROBINSONS CLEANERS
Project # 6155 PO#2020-1772

Invoice # E38267

Lab Code 538267GG
Sample ID 6155 PZ-42D2
Sample Matrix Water
Sample Date 7/28/2020

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 1.65	ug/l	1.65	5	5	8260B		8/5/2020	CJR	1
Bromobenzene	< 1.3	ug/l	1.3	4.2	5	8260B		8/5/2020	CJR	1
Bromodichloromethane	< 1.65	ug/l	1.65	5	5	8260B		8/5/2020	CJR	1
Bromoform	< 3.25	ug/l	3.25	10.5	5	8260B		8/5/2020	CJR	1
tert-Butylbenzene	< 3.05	ug/l	3.05	9.5	5	8260B		8/5/2020	CJR	1
sec-Butylbenzene	< 1.6	ug/l	1.6	5	5	8260B		8/5/2020	CJR	1
n-Butylbenzene	< 1.4	ug/l	1.4	4.45	5	8260B		8/5/2020	CJR	1
Carbon Tetrachloride	< 1.55	ug/l	1.55	4.9	5	8260B		8/5/2020	CJR	1
Chlorobenzene	< 1.95	ug/l	1.95	6	5	8260B		8/5/2020	CJR	1
Chloroethane	< 5.5	ug/l	5.5	18	5	8260B		8/5/2020	CJR	1
Chloroform	< 2.2	ug/l	2.2	7	5	8260B		8/5/2020	CJR	1
Chloromethane	< 4	ug/l	4	12.5	5	8260B		8/5/2020	CJR	1
2-Chlorotoluene	< 1.6	ug/l	1.6	5	5	8260B		8/5/2020	CJR	1
4-Chlorotoluene	< 1.5	ug/l	1.5	4.8	5	8260B		8/5/2020	CJR	1
1,2-Dibromo-3-chloropropane	< 4.1	ug/l	4.1	13	5	8260B		8/5/2020	CJR	1
Dibromochloromethane	< 1.15	ug/l	1.15	3.7	5	8260B		8/5/2020	CJR	1
1,4-Dichlorobenzene	< 1.8	ug/l	1.8	5.5	5	8260B		8/5/2020	CJR	1
1,3-Dichlorobenzene	< 1.55	ug/l	1.55	4.9	5	8260B		8/5/2020	CJR	1
1,2-Dichlorobenzene	< 1.6	ug/l	1.6	5	5	8260B		8/5/2020	CJR	1
Dichlorodifluoromethane	< 2.25	ug/l	2.25	7	5	8260B		8/5/2020	CJR	1
1,2-Dichloroethane	< 1.95	ug/l	1.95	6.5	5	8260B		8/5/2020	CJR	1
1,1-Dichloroethane	< 2.3	ug/l	2.3	7.5	5	8260B		8/5/2020	CJR	1
1,1-Dichloroethene	< 2.5	ug/l	2.5	8	5	8260B		8/5/2020	CJR	1
cis-1,2-Dichloroethene	< 1.95	ug/l	1.95	6	5	8260B		8/5/2020	CJR	1
trans-1,2-Dichloroethene	< 1.85	ug/l	1.85	6	5	8260B		8/5/2020	CJR	1
1,2-Dichloropropane	< 1.9	ug/l	1.9	6	5	8260B		8/5/2020	CJR	1
1,3-Dichloropropane	< 1.75	ug/l	1.75	5.5	5	8260B		8/5/2020	CJR	1
trans-1,3-Dichloropropene	< 1.5	ug/l	1.5	4.7	5	8260B		8/5/2020	CJR	1
cis-1,3-Dichloropropene	< 1.8	ug/l	1.8	5.5	5	8260B		8/5/2020	CJR	1
Di-isopropyl ether	< 1.7	ug/l	1.7	5.5	5	8260B		8/5/2020	CJR	1
EDB (1,2-Dibromoethane)	< 1.2	ug/l	1.2	3.75	5	8260B		8/5/2020	CJR	1
Ethylbenzene	< 1.6	ug/l	1.6	5	5	8260B		8/5/2020	CJR	1
Hexachlorobutadiene	< 3.6	ug/l	3.6	11.5	5	8260B		8/5/2020	CJR	1
Isopropylbenzene	< 1.6	ug/l	1.6	5	5	8260B		8/5/2020	CJR	1
p-Isopropyltoluene	< 2.35	ug/l	2.35	7.5	5	8260B		8/5/2020	CJR	1
Methylene chloride	< 6.6	ug/l	6.6	21.05	5	8260B		8/5/2020	CJR	1
Methyl tert-butyl ether (MTBE)	< 2.35	ug/l	2.35	7.5	5	8260B		8/5/2020	CJR	1
Naphthalene	< 5.5	ug/l	5.5	18	5	8260B		8/5/2020	CJR	1
n-Propylbenzene	< 1.65	ug/l	1.65	5.5	5	8260B		8/5/2020	CJR	1
1,1,2,2-Tetrachloroethane	< 1.85	ug/l	1.85	6	5	8260B		8/5/2020	CJR	1
1,1,1,2-Tetrachloroethane	< 4.4	ug/l	4.4	16.5	5	8260B		8/5/2020	CJR	1
Tetrachloroethene	420	ug/l	1.65	5	5	8260B		8/5/2020	CJR	1
Toluene	< 1.3	ug/l	1.3	4.15	5	8260B		8/5/2020	CJR	1
1,2,4-Trichlorobenzene	< 2.2	ug/l	2.2	7	5	8260B		8/5/2020	CJR	1

Project Name FMR ROBINSONS CLEANERS
Project # 6155 PO#2020-1772

Invoice # E38267

Lab Code 538267GG
Sample ID 6155 PZ-42D2
Sample Matrix Water
Sample Date 7/28/2020

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 5	ug/l	5	16	5	8260B		8/5/2020	CJR	1
1,1,1-Trichloroethane	< 1.5	ug/l	1.5	4.75	5	8260B		8/5/2020	CJR	1
1,1,2-Trichloroethane	< 1.8	ug/l	1.8	5.5	5	8260B		8/5/2020	CJR	1
Trichloroethene (TCE)	3.5 "J"	ug/l	2.35	7.5	5	8260B		8/5/2020	CJR	1
Trichlorofluoromethane	< 2.1	ug/l	2.1	6.5	5	8260B		8/5/2020	CJR	1
1,2,4-Trimethylbenzene	< 1.5	ug/l	1.5	4.8	5	8260B		8/5/2020	CJR	1
1,3,5-Trimethylbenzene	< 1.6	ug/l	1.6	5	5	8260B		8/5/2020	CJR	1
Vinyl Chloride	< 1	ug/l	1	3.25	5	8260B		8/5/2020	CJR	1
m&p-Xylene	< 5.5	ug/l	5.5	16.5	5	8260B		8/5/2020	CJR	1
o-Xylene	< 1.9	ug/l	1.9	6	5	8260B		8/5/2020	CJR	1
SUR - Toluene-d8	114	REC %			5	8260B		8/5/2020	CJR	1
SUR - 1,2-Dichloroethane-d4	112	REC %			5	8260B		8/5/2020	CJR	1
SUR - 4-Bromofluorobenzene	99	REC %			5	8260B		8/5/2020	CJR	1
SUR - Dibromofluoromethane	99	REC %			5	8260B		8/5/2020	CJR	1

Project Name FMR ROBINSONS CLEANERS
Project # 6155 PO#2020-1772

Invoice # E38267

Lab Code 538267HH
Sample ID 6155 PZ-42D3
Sample Matrix Water
Sample Date 7/28/2020

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.33	ug/l	0.33		1	8260B		8/5/2020	CJR	1
Bromobenzene	< 0.26	ug/l	0.26	0.84	1	8260B		8/5/2020	CJR	1
Bromodichloromethane	< 0.33	ug/l	0.33		1	8260B		8/5/2020	CJR	1
Bromoform	< 0.65	ug/l	0.65	2.1	1	8260B		8/5/2020	CJR	1
tert-Butylbenzene	< 0.61	ug/l	0.61	1.9	1	8260B		8/5/2020	CJR	1
sec-Butylbenzene	< 0.32	ug/l	0.32		1	8260B		8/5/2020	CJR	1
n-Butylbenzene	< 0.28	ug/l	0.28	0.89	1	8260B		8/5/2020	CJR	1
Carbon Tetrachloride	< 0.31	ug/l	0.31	0.98	1	8260B		8/5/2020	CJR	1
Chlorobenzene	< 0.39	ug/l	0.39	1.2	1	8260B		8/5/2020	CJR	1
Chloroethane	< 1.1	ug/l	1.1	3.6	1	8260B		8/5/2020	CJR	1
Chloroform	< 0.44	ug/l	0.44	1.4	1	8260B		8/5/2020	CJR	1
Chloromethane	< 0.8	ug/l	0.8	2.5	1	8260B		8/5/2020	CJR	1
2-Chlorotoluene	< 0.32	ug/l	0.32		1	8260B		8/5/2020	CJR	1
4-Chlorotoluene	< 0.3	ug/l	0.3	0.96	1	8260B		8/5/2020	CJR	1
1,2-Dibromo-3-chloropropane	< 0.82	ug/l	0.82	2.6	1	8260B		8/5/2020	CJR	1
Dibromochloromethane	< 0.23	ug/l	0.23	0.74	1	8260B		8/5/2020	CJR	1
1,4-Dichlorobenzene	< 0.36	ug/l	0.36	1.1	1	8260B		8/5/2020	CJR	1
1,3-Dichlorobenzene	< 0.31	ug/l	0.31	0.98	1	8260B		8/5/2020	CJR	1
1,2-Dichlorobenzene	< 0.32	ug/l	0.32		1	8260B		8/5/2020	CJR	1
Dichlorodifluoromethane	< 0.45	ug/l	0.45	1.4	1	8260B		8/5/2020	CJR	1
1,2-Dichloroethane	< 0.39	ug/l	0.39	1.3	1	8260B		8/5/2020	CJR	1
1,1-Dichloroethane	< 0.46	ug/l	0.46	1.5	1	8260B		8/5/2020	CJR	1
1,1-Dichloroethene	< 0.5	ug/l	0.5	1.6	1	8260B		8/5/2020	CJR	1
cis-1,2-Dichloroethene	< 0.39	ug/l	0.39	1.2	1	8260B		8/5/2020	CJR	1
trans-1,2-Dichloroethene	< 0.37	ug/l	0.37	1.2	1	8260B		8/5/2020	CJR	1
1,2-Dichloropropane	< 0.38	ug/l	0.38	1.2	1	8260B		8/5/2020	CJR	1
1,3-Dichloropropane	< 0.35	ug/l	0.35	1.1	1	8260B		8/5/2020	CJR	1
trans-1,3-Dichloropropene	< 0.3	ug/l	0.3	0.94	1	8260B		8/5/2020	CJR	1
cis-1,3-Dichloropropene	< 0.36	ug/l	0.36	1.1	1	8260B		8/5/2020	CJR	1
Di-isopropyl ether	< 0.34	ug/l	0.34	1.1	1	8260B		8/5/2020	CJR	1
EDB (1,2-Dibromoethane)	< 0.24	ug/l	0.24	0.75	1	8260B		8/5/2020	CJR	1
Ethylbenzene	< 0.32	ug/l	0.32		1	8260B		8/5/2020	CJR	1
Hexachlorobutadiene	< 0.72	ug/l	0.72	2.3	1	8260B		8/5/2020	CJR	1
Isopropylbenzene	< 0.32	ug/l	0.32		1	8260B		8/5/2020	CJR	1
p-Isopropyltoluene	< 0.47	ug/l	0.47	1.5	1	8260B		8/5/2020	CJR	1
Methylene chloride	< 1.32	ug/l	1.32	4.21	1	8260B		8/5/2020	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.47	ug/l	0.47	1.5	1	8260B		8/5/2020	CJR	1
Naphthalene	< 1.1	ug/l	1.1	3.6	1	8260B		8/5/2020	CJR	1
n-Propylbenzene	< 0.33	ug/l	0.33	1.1	1	8260B		8/5/2020	CJR	1
1,1,2,2-Tetrachloroethane	< 0.37	ug/l	0.37	1.2	1	8260B		8/5/2020	CJR	1
1,1,1,2-Tetrachloroethane	< 0.88	ug/l	0.88	3.3	1	8260B		8/5/2020	CJR	1
Tetrachloroethene	4.2	ug/l	0.33		1	8260B		8/5/2020	CJR	1
Toluene	< 0.26	ug/l	0.26	0.83	1	8260B		8/5/2020	CJR	1
1,2,4-Trichlorobenzene	< 0.44	ug/l	0.44	1.4	1	8260B		8/5/2020	CJR	1

Project Name FMR ROBINSONS CLEANERS
Project # 6155 PO#2020-1772

Invoice # E38267

Lab Code 538267HH
Sample ID 6155 PZ-42D3
Sample Matrix Water
Sample Date 7/28/2020

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 1	ug/l	1	3.2	1	8260B		8/5/2020	CJR	1
1,1,1-Trichloroethane	< 0.3	ug/l	0.3	0.95	1	8260B		8/5/2020	CJR	1
1,1,2-Trichloroethane	< 0.36	ug/l	0.36	1.1	1	8260B		8/5/2020	CJR	1
Trichloroethene (TCE)	< 0.47	ug/l	0.47	1.5	1	8260B		8/5/2020	CJR	1
Trichlorofluoromethane	< 0.42	ug/l	0.42	1.3	1	8260B		8/5/2020	CJR	1
1,2,4-Trimethylbenzene	< 0.3	ug/l	0.3	0.96	1	8260B		8/5/2020	CJR	1
1,3,5-Trimethylbenzene	< 0.32	ug/l	0.32	1	1	8260B		8/5/2020	CJR	1
Vinyl Chloride	< 0.2	ug/l	0.2	0.65	1	8260B		8/5/2020	CJR	1
m&p-Xylene	< 1.1	ug/l	1.1	3.3	1	8260B		8/5/2020	CJR	1
o-Xylene	< 0.38	ug/l	0.38	1.2	1	8260B		8/5/2020	CJR	1
SUR - 4-Bromofluorobenzene	107	REC %			1	8260B		8/5/2020	CJR	1
SUR - Dibromofluoromethane	97	REC %			1	8260B		8/5/2020	CJR	1
SUR - 1,2-Dichloroethane-d4	101	REC %			1	8260B		8/5/2020	CJR	1
SUR - Toluene-d8	105	REC %			1	8260B		8/5/2020	CJR	1

Project Name FMR ROBINSONS CLEANERS
Project # 6155 PO#2020-1772

Invoice # E38267

Lab Code 538267II
Sample ID 6155 PZ-43D1
Sample Matrix Water
Sample Date 7/27/2020

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.33	ug/l	0.33		1	8260B		8/5/2020	CJR	1
Bromobenzene	< 0.26	ug/l	0.26	0.84	1	8260B		8/5/2020	CJR	1
Bromodichloromethane	< 0.33	ug/l	0.33		1	8260B		8/5/2020	CJR	1
Bromoform	< 0.65	ug/l	0.65	2.1	1	8260B		8/5/2020	CJR	1
tert-Butylbenzene	< 0.61	ug/l	0.61	1.9	1	8260B		8/5/2020	CJR	1
sec-Butylbenzene	< 0.32	ug/l	0.32		1	8260B		8/5/2020	CJR	1
n-Butylbenzene	< 0.28	ug/l	0.28	0.89	1	8260B		8/5/2020	CJR	1
Carbon Tetrachloride	< 0.31	ug/l	0.31	0.98	1	8260B		8/5/2020	CJR	1
Chlorobenzene	< 0.39	ug/l	0.39	1.2	1	8260B		8/5/2020	CJR	1
Chloroethane	< 1.1	ug/l	1.1	3.6	1	8260B		8/5/2020	CJR	1
Chloroform	< 0.44	ug/l	0.44	1.4	1	8260B		8/5/2020	CJR	1
Chloromethane	< 0.8	ug/l	0.8	2.5	1	8260B		8/5/2020	CJR	1
2-Chlorotoluene	< 0.32	ug/l	0.32		1	8260B		8/5/2020	CJR	1
4-Chlorotoluene	< 0.3	ug/l	0.3	0.96	1	8260B		8/5/2020	CJR	1
1,2-Dibromo-3-chloropropane	< 0.82	ug/l	0.82	2.6	1	8260B		8/5/2020	CJR	1
Dibromochloromethane	< 0.23	ug/l	0.23	0.74	1	8260B		8/5/2020	CJR	1
1,4-Dichlorobenzene	< 0.36	ug/l	0.36	1.1	1	8260B		8/5/2020	CJR	1
1,3-Dichlorobenzene	< 0.31	ug/l	0.31	0.98	1	8260B		8/5/2020	CJR	1
1,2-Dichlorobenzene	< 0.32	ug/l	0.32		1	8260B		8/5/2020	CJR	1
Dichlorodifluoromethane	< 0.45	ug/l	0.45	1.4	1	8260B		8/5/2020	CJR	1
1,2-Dichloroethane	< 0.39	ug/l	0.39	1.3	1	8260B		8/5/2020	CJR	1
1,1-Dichloroethane	< 0.46	ug/l	0.46	1.5	1	8260B		8/5/2020	CJR	1
1,1-Dichloroethene	< 0.5	ug/l	0.5	1.6	1	8260B		8/5/2020	CJR	1
cis-1,2-Dichloroethene	< 0.39	ug/l	0.39	1.2	1	8260B		8/5/2020	CJR	1
trans-1,2-Dichloroethene	< 0.37	ug/l	0.37	1.2	1	8260B		8/5/2020	CJR	1
1,2-Dichloropropane	< 0.38	ug/l	0.38	1.2	1	8260B		8/5/2020	CJR	1
1,3-Dichloropropane	< 0.35	ug/l	0.35	1.1	1	8260B		8/5/2020	CJR	1
trans-1,3-Dichloropropene	< 0.3	ug/l	0.3	0.94	1	8260B		8/5/2020	CJR	1
cis-1,3-Dichloropropene	< 0.36	ug/l	0.36	1.1	1	8260B		8/5/2020	CJR	1
Di-isopropyl ether	< 0.34	ug/l	0.34	1.1	1	8260B		8/5/2020	CJR	1
EDB (1,2-Dibromoethane)	< 0.24	ug/l	0.24	0.75	1	8260B		8/5/2020	CJR	1
Ethylbenzene	< 0.32	ug/l	0.32		1	8260B		8/5/2020	CJR	1
Hexachlorobutadiene	< 0.72	ug/l	0.72	2.3	1	8260B		8/5/2020	CJR	1
Isopropylbenzene	< 0.32	ug/l	0.32		1	8260B		8/5/2020	CJR	1
p-Isopropyltoluene	< 0.47	ug/l	0.47	1.5	1	8260B		8/5/2020	CJR	1
Methylene chloride	< 1.32	ug/l	1.32	4.21	1	8260B		8/5/2020	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.47	ug/l	0.47	1.5	1	8260B		8/5/2020	CJR	1
Naphthalene	< 1.1	ug/l	1.1	3.6	1	8260B		8/5/2020	CJR	1
n-Propylbenzene	< 0.33	ug/l	0.33	1.1	1	8260B		8/5/2020	CJR	1
1,1,2,2-Tetrachloroethane	< 0.37	ug/l	0.37	1.2	1	8260B		8/5/2020	CJR	1
1,1,1,2-Tetrachloroethane	< 0.88	ug/l	0.88	3.3	1	8260B		8/5/2020	CJR	1
Tetrachloroethene	24.7	ug/l	0.33		1	8260B		8/5/2020	CJR	1
Toluene	< 0.26	ug/l	0.26	0.83	1	8260B		8/5/2020	CJR	1
1,2,4-Trichlorobenzene	< 0.44	ug/l	0.44	1.4	1	8260B		8/5/2020	CJR	1

Project Name FMR ROBINSONS CLEANERS
Project # 6155 PO#2020-1772

Invoice # E38267

Lab Code 538267II
Sample ID 6155 PZ-43D1
Sample Matrix Water
Sample Date 7/27/2020

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 1	ug/l	1	3.2	1	8260B		8/5/2020	CJR	1
1,1,1-Trichloroethane	< 0.3	ug/l	0.3	0.95	1	8260B		8/5/2020	CJR	1
1,1,2-Trichloroethane	< 0.36	ug/l	0.36	1.1	1	8260B		8/5/2020	CJR	1
Trichloroethene (TCE)	< 0.47	ug/l	0.47	1.5	1	8260B		8/5/2020	CJR	1
Trichlorofluoromethane	< 0.42	ug/l	0.42	1.3	1	8260B		8/5/2020	CJR	1
1,2,4-Trimethylbenzene	< 0.3	ug/l	0.3	0.96	1	8260B		8/5/2020	CJR	1
1,3,5-Trimethylbenzene	< 0.32	ug/l	0.32	1	1	8260B		8/5/2020	CJR	1
Vinyl Chloride	< 0.2	ug/l	0.2	0.65	1	8260B		8/5/2020	CJR	1
m&p-Xylene	< 1.1	ug/l	1.1	3.3	1	8260B		8/5/2020	CJR	1
o-Xylene	< 0.38	ug/l	0.38	1.2	1	8260B		8/5/2020	CJR	1
SUR - 4-Bromofluorobenzene	110	REC %			1	8260B		8/5/2020	CJR	1
SUR - Dibromofluoromethane	98	REC %			1	8260B		8/5/2020	CJR	1
SUR - Toluene-d8	106	REC %			1	8260B		8/5/2020	CJR	1
SUR - 1,2-Dichloroethane-d4	102	REC %			1	8260B		8/5/2020	CJR	1

Project Name FMR ROBINSONS CLEANERS
Project # 6155 PO#2020-1772

Invoice # E38267

Lab Code 538267JJ
Sample ID 6155 MW-44S
Sample Matrix Water
Sample Date 7/27/2020

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.33	ug/l	0.33		1	8260B		8/5/2020	CJR	1
Bromobenzene	< 0.26	ug/l	0.26	0.84	1	8260B		8/5/2020	CJR	1
Bromodichloromethane	< 0.33	ug/l	0.33		1	8260B		8/5/2020	CJR	1
Bromoform	< 0.65	ug/l	0.65	2.1	1	8260B		8/5/2020	CJR	1
tert-Butylbenzene	< 0.61	ug/l	0.61	1.9	1	8260B		8/5/2020	CJR	1
sec-Butylbenzene	< 0.32	ug/l	0.32		1	8260B		8/5/2020	CJR	1
n-Butylbenzene	< 0.28	ug/l	0.28	0.89	1	8260B		8/5/2020	CJR	1
Carbon Tetrachloride	< 0.31	ug/l	0.31	0.98	1	8260B		8/5/2020	CJR	1
Chlorobenzene	< 0.39	ug/l	0.39	1.2	1	8260B		8/5/2020	CJR	1
Chloroethane	< 1.1	ug/l	1.1	3.6	1	8260B		8/5/2020	CJR	1
Chloroform	< 0.44	ug/l	0.44	1.4	1	8260B		8/5/2020	CJR	1
Chloromethane	< 0.8	ug/l	0.8	2.5	1	8260B		8/5/2020	CJR	1
2-Chlorotoluene	< 0.32	ug/l	0.32		1	8260B		8/5/2020	CJR	1
4-Chlorotoluene	< 0.3	ug/l	0.3	0.96	1	8260B		8/5/2020	CJR	1
1,2-Dibromo-3-chloropropane	< 0.82	ug/l	0.82	2.6	1	8260B		8/5/2020	CJR	1
Dibromochloromethane	< 0.23	ug/l	0.23	0.74	1	8260B		8/5/2020	CJR	1
1,4-Dichlorobenzene	< 0.36	ug/l	0.36	1.1	1	8260B		8/5/2020	CJR	1
1,3-Dichlorobenzene	< 0.31	ug/l	0.31	0.98	1	8260B		8/5/2020	CJR	1
1,2-Dichlorobenzene	< 0.32	ug/l	0.32		1	8260B		8/5/2020	CJR	1
Dichlorodifluoromethane	< 0.45	ug/l	0.45	1.4	1	8260B		8/5/2020	CJR	1
1,2-Dichloroethane	< 0.39	ug/l	0.39	1.3	1	8260B		8/5/2020	CJR	1
1,1-Dichloroethane	< 0.46	ug/l	0.46	1.5	1	8260B		8/5/2020	CJR	1
1,1-Dichloroethene	< 0.5	ug/l	0.5	1.6	1	8260B		8/5/2020	CJR	1
cis-1,2-Dichloroethene	< 0.39	ug/l	0.39	1.2	1	8260B		8/5/2020	CJR	1
trans-1,2-Dichloroethene	< 0.37	ug/l	0.37	1.2	1	8260B		8/5/2020	CJR	1
1,2-Dichloropropane	< 0.38	ug/l	0.38	1.2	1	8260B		8/5/2020	CJR	1
1,3-Dichloropropane	< 0.35	ug/l	0.35	1.1	1	8260B		8/5/2020	CJR	1
trans-1,3-Dichloropropene	< 0.3	ug/l	0.3	0.94	1	8260B		8/5/2020	CJR	1
cis-1,3-Dichloropropene	< 0.36	ug/l	0.36	1.1	1	8260B		8/5/2020	CJR	1
Di-isopropyl ether	< 0.34	ug/l	0.34	1.1	1	8260B		8/5/2020	CJR	1
EDB (1,2-Dibromoethane)	< 0.24	ug/l	0.24	0.75	1	8260B		8/5/2020	CJR	1
Ethylbenzene	< 0.32	ug/l	0.32		1	8260B		8/5/2020	CJR	1
Hexachlorobutadiene	< 0.72	ug/l	0.72	2.3	1	8260B		8/5/2020	CJR	1
Isopropylbenzene	< 0.32	ug/l	0.32		1	8260B		8/5/2020	CJR	1
p-Isopropyltoluene	< 0.47	ug/l	0.47	1.5	1	8260B		8/5/2020	CJR	1
Methylene chloride	< 1.32	ug/l	1.32	4.21	1	8260B		8/5/2020	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.47	ug/l	0.47	1.5	1	8260B		8/5/2020	CJR	1
Naphthalene	< 1.1	ug/l	1.1	3.6	1	8260B		8/5/2020	CJR	1
n-Propylbenzene	< 0.33	ug/l	0.33	1.1	1	8260B		8/5/2020	CJR	1
1,1,2,2-Tetrachloroethane	< 0.37	ug/l	0.37	1.2	1	8260B		8/5/2020	CJR	1
1,1,1,2-Tetrachloroethane	< 0.88	ug/l	0.88	3.3	1	8260B		8/5/2020	CJR	1
Tetrachloroethene	< 0.33	ug/l	0.33		1	8260B		8/5/2020	CJR	1
Toluene	< 0.26	ug/l	0.26	0.83	1	8260B		8/5/2020	CJR	1
1,2,4-Trichlorobenzene	< 0.44	ug/l	0.44	1.4	1	8260B		8/5/2020	CJR	1

Project Name FMR ROBINSONS CLEANERS
Project # 6155 PO#2020-1772

Invoice # E38267

Lab Code 538267JJ
Sample ID 6155 MW-44S
Sample Matrix Water
Sample Date 7/27/2020

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 1	ug/l	1	3.2	1	8260B		8/5/2020	CJR	1
1,1,1-Trichloroethane	< 0.3	ug/l	0.3	0.95	1	8260B		8/5/2020	CJR	1
1,1,2-Trichloroethane	< 0.36	ug/l	0.36	1.1	1	8260B		8/5/2020	CJR	1
Trichloroethene (TCE)	< 0.47	ug/l	0.47	1.5	1	8260B		8/5/2020	CJR	1
Trichlorofluoromethane	< 0.42	ug/l	0.42	1.3	1	8260B		8/5/2020	CJR	1
1,2,4-Trimethylbenzene	< 0.3	ug/l	0.3	0.96	1	8260B		8/5/2020	CJR	1
1,3,5-Trimethylbenzene	< 0.32	ug/l	0.32	1	1	8260B		8/5/2020	CJR	1
Vinyl Chloride	< 0.2	ug/l	0.2	0.65	1	8260B		8/5/2020	CJR	1
m&p-Xylene	< 1.1	ug/l	1.1	3.3	1	8260B		8/5/2020	CJR	1
o-Xylene	< 0.38	ug/l	0.38	1.2	1	8260B		8/5/2020	CJR	1
SUR - 1,2-Dichloroethane-d4	106	REC %			1	8260B		8/5/2020	CJR	1
SUR - 4-Bromofluorobenzene	106	REC %			1	8260B		8/5/2020	CJR	1
SUR - Dibromofluoromethane	99	REC %			1	8260B		8/5/2020	CJR	1
SUR - Toluene-d8	106	REC %			1	8260B		8/5/2020	CJR	1

Project Name FMR ROBINSONS CLEANERS
Project # 6155 PO#2020-1772

Invoice # E38267

Lab Code 538267KK
Sample ID 6155 PZ-44D1
Sample Matrix Water
Sample Date 7/27/2020

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.33	ug/l	0.33		1	8260B		8/5/2020	CJR	1
Bromobenzene	< 0.26	ug/l	0.26	0.84	1	8260B		8/5/2020	CJR	1
Bromodichloromethane	< 0.33	ug/l	0.33		1	8260B		8/5/2020	CJR	1
Bromoform	< 0.65	ug/l	0.65	2.1	1	8260B		8/5/2020	CJR	1
tert-Butylbenzene	< 0.61	ug/l	0.61	1.9	1	8260B		8/5/2020	CJR	1
sec-Butylbenzene	< 0.32	ug/l	0.32		1	8260B		8/5/2020	CJR	1
n-Butylbenzene	< 0.28	ug/l	0.28	0.89	1	8260B		8/5/2020	CJR	1
Carbon Tetrachloride	< 0.31	ug/l	0.31	0.98	1	8260B		8/5/2020	CJR	1
Chlorobenzene	< 0.39	ug/l	0.39	1.2	1	8260B		8/5/2020	CJR	1
Chloroethane	< 1.1	ug/l	1.1	3.6	1	8260B		8/5/2020	CJR	1
Chloroform	< 0.44	ug/l	0.44	1.4	1	8260B		8/5/2020	CJR	1
Chloromethane	< 0.8	ug/l	0.8	2.5	1	8260B		8/5/2020	CJR	1
2-Chlorotoluene	< 0.32	ug/l	0.32		1	8260B		8/5/2020	CJR	1
4-Chlorotoluene	< 0.3	ug/l	0.3	0.96	1	8260B		8/5/2020	CJR	1
1,2-Dibromo-3-chloropropane	< 0.82	ug/l	0.82	2.6	1	8260B		8/5/2020	CJR	1
Dibromochloromethane	< 0.23	ug/l	0.23	0.74	1	8260B		8/5/2020	CJR	1
1,4-Dichlorobenzene	< 0.36	ug/l	0.36	1.1	1	8260B		8/5/2020	CJR	1
1,3-Dichlorobenzene	< 0.31	ug/l	0.31	0.98	1	8260B		8/5/2020	CJR	1
1,2-Dichlorobenzene	< 0.32	ug/l	0.32		1	8260B		8/5/2020	CJR	1
Dichlorodifluoromethane	< 0.45	ug/l	0.45	1.4	1	8260B		8/5/2020	CJR	1
1,2-Dichloroethane	< 0.39	ug/l	0.39	1.3	1	8260B		8/5/2020	CJR	1
1,1-Dichloroethane	< 0.46	ug/l	0.46	1.5	1	8260B		8/5/2020	CJR	1
1,1-Dichloroethene	< 0.5	ug/l	0.5	1.6	1	8260B		8/5/2020	CJR	1
cis-1,2-Dichloroethene	< 0.39	ug/l	0.39	1.2	1	8260B		8/5/2020	CJR	1
trans-1,2-Dichloroethene	< 0.37	ug/l	0.37	1.2	1	8260B		8/5/2020	CJR	1
1,2-Dichloropropane	< 0.38	ug/l	0.38	1.2	1	8260B		8/5/2020	CJR	1
1,3-Dichloropropane	< 0.35	ug/l	0.35	1.1	1	8260B		8/5/2020	CJR	1
trans-1,3-Dichloropropene	< 0.3	ug/l	0.3	0.94	1	8260B		8/5/2020	CJR	1
cis-1,3-Dichloropropene	< 0.36	ug/l	0.36	1.1	1	8260B		8/5/2020	CJR	1
Di-isopropyl ether	< 0.34	ug/l	0.34	1.1	1	8260B		8/5/2020	CJR	1
EDB (1,2-Dibromoethane)	< 0.24	ug/l	0.24	0.75	1	8260B		8/5/2020	CJR	1
Ethylbenzene	< 0.32	ug/l	0.32		1	8260B		8/5/2020	CJR	1
Hexachlorobutadiene	< 0.72	ug/l	0.72	2.3	1	8260B		8/5/2020	CJR	1
Isopropylbenzene	< 0.32	ug/l	0.32		1	8260B		8/5/2020	CJR	1
p-Isopropyltoluene	< 0.47	ug/l	0.47	1.5	1	8260B		8/5/2020	CJR	1
Methylene chloride	< 1.32	ug/l	1.32	4.21	1	8260B		8/5/2020	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.47	ug/l	0.47	1.5	1	8260B		8/5/2020	CJR	1
Naphthalene	< 1.1	ug/l	1.1	3.6	1	8260B		8/5/2020	CJR	1
n-Propylbenzene	< 0.33	ug/l	0.33	1.1	1	8260B		8/5/2020	CJR	1
1,1,2,2-Tetrachloroethane	< 0.37	ug/l	0.37	1.2	1	8260B		8/5/2020	CJR	1
1,1,1,2-Tetrachloroethane	< 0.88	ug/l	0.88	3.3	1	8260B		8/5/2020	CJR	1
Tetrachloroethene	3.4	ug/l	0.33		1	8260B		8/5/2020	CJR	1
Toluene	< 0.26	ug/l	0.26	0.83	1	8260B		8/5/2020	CJR	1
1,2,4-Trichlorobenzene	< 0.44	ug/l	0.44	1.4	1	8260B		8/5/2020	CJR	1

Project Name FMR ROBINSONS CLEANERS
Project # 6155 PO#2020-1772

Invoice # E38267

Lab Code 538267KK
Sample ID 6155 PZ-44D1
Sample Matrix Water
Sample Date 7/27/2020

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 1	ug/l	1	3.2	1	8260B		8/5/2020	CJR	1
1,1,1-Trichloroethane	< 0.3	ug/l	0.3	0.95	1	8260B		8/5/2020	CJR	1
1,1,2-Trichloroethane	< 0.36	ug/l	0.36	1.1	1	8260B		8/5/2020	CJR	1
Trichloroethene (TCE)	< 0.47	ug/l	0.47	1.5	1	8260B		8/5/2020	CJR	1
Trichlorofluoromethane	< 0.42	ug/l	0.42	1.3	1	8260B		8/5/2020	CJR	1
1,2,4-Trimethylbenzene	< 0.3	ug/l	0.3	0.96	1	8260B		8/5/2020	CJR	1
1,3,5-Trimethylbenzene	< 0.32	ug/l	0.32	1	1	8260B		8/5/2020	CJR	1
Vinyl Chloride	< 0.2	ug/l	0.2	0.65	1	8260B		8/5/2020	CJR	1
m&p-Xylene	< 1.1	ug/l	1.1	3.3	1	8260B		8/5/2020	CJR	1
o-Xylene	< 0.38	ug/l	0.38	1.2	1	8260B		8/5/2020	CJR	1
SUR - Toluene-d8	111	REC %			1	8260B		8/5/2020	CJR	1
SUR - 1,2-Dichloroethane-d4	103	REC %			1	8260B		8/5/2020	CJR	1
SUR - 4-Bromofluorobenzene	117	REC %			1	8260B		8/5/2020	CJR	1
SUR - Dibromofluoromethane	103	REC %			1	8260B		8/5/2020	CJR	1

Project Name FMR ROBINSONS CLEANERS
Project # 6155 PO#2020-1772

Invoice # E38267

Lab Code 538267LL
Sample ID 6155 PZ-44D2
Sample Matrix Water
Sample Date 7/27/2020

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.33	ug/l	0.33		1	8260B		8/5/2020	CJR	1
Bromobenzene	< 0.26	ug/l	0.26	0.84	1	8260B		8/5/2020	CJR	1
Bromodichloromethane	< 0.33	ug/l	0.33		1	8260B		8/5/2020	CJR	1
Bromoform	< 0.65	ug/l	0.65	2.1	1	8260B		8/5/2020	CJR	1
tert-Butylbenzene	< 0.61	ug/l	0.61	1.9	1	8260B		8/5/2020	CJR	1
sec-Butylbenzene	< 0.32	ug/l	0.32		1	8260B		8/5/2020	CJR	1
n-Butylbenzene	< 0.28	ug/l	0.28	0.89	1	8260B		8/5/2020	CJR	1
Carbon Tetrachloride	< 0.31	ug/l	0.31	0.98	1	8260B		8/5/2020	CJR	1
Chlorobenzene	< 0.39	ug/l	0.39	1.2	1	8260B		8/5/2020	CJR	1
Chloroethane	< 1.1	ug/l	1.1	3.6	1	8260B		8/5/2020	CJR	1
Chloroform	< 0.44	ug/l	0.44	1.4	1	8260B		8/5/2020	CJR	1
Chloromethane	< 0.8	ug/l	0.8	2.5	1	8260B		8/5/2020	CJR	1
2-Chlorotoluene	< 0.32	ug/l	0.32		1	8260B		8/5/2020	CJR	1
4-Chlorotoluene	< 0.3	ug/l	0.3	0.96	1	8260B		8/5/2020	CJR	1
1,2-Dibromo-3-chloropropane	< 0.82	ug/l	0.82	2.6	1	8260B		8/5/2020	CJR	1
Dibromochloromethane	< 0.23	ug/l	0.23	0.74	1	8260B		8/5/2020	CJR	1
1,4-Dichlorobenzene	< 0.36	ug/l	0.36	1.1	1	8260B		8/5/2020	CJR	1
1,3-Dichlorobenzene	< 0.31	ug/l	0.31	0.98	1	8260B		8/5/2020	CJR	1
1,2-Dichlorobenzene	< 0.32	ug/l	0.32		1	8260B		8/5/2020	CJR	1
Dichlorodifluoromethane	< 0.45	ug/l	0.45	1.4	1	8260B		8/5/2020	CJR	1
1,2-Dichloroethane	< 0.39	ug/l	0.39	1.3	1	8260B		8/5/2020	CJR	1
1,1-Dichloroethane	< 0.46	ug/l	0.46	1.5	1	8260B		8/5/2020	CJR	1
1,1-Dichloroethene	< 0.5	ug/l	0.5	1.6	1	8260B		8/5/2020	CJR	1
cis-1,2-Dichloroethene	< 0.39	ug/l	0.39	1.2	1	8260B		8/5/2020	CJR	1
trans-1,2-Dichloroethene	< 0.37	ug/l	0.37	1.2	1	8260B		8/5/2020	CJR	1
1,2-Dichloropropane	< 0.38	ug/l	0.38	1.2	1	8260B		8/5/2020	CJR	1
1,3-Dichloropropane	< 0.35	ug/l	0.35	1.1	1	8260B		8/5/2020	CJR	1
trans-1,3-Dichloropropene	< 0.3	ug/l	0.3	0.94	1	8260B		8/5/2020	CJR	1
cis-1,3-Dichloropropene	< 0.36	ug/l	0.36	1.1	1	8260B		8/5/2020	CJR	1
Di-isopropyl ether	< 0.34	ug/l	0.34	1.1	1	8260B		8/5/2020	CJR	1
EDB (1,2-Dibromoethane)	< 0.24	ug/l	0.24	0.75	1	8260B		8/5/2020	CJR	1
Ethylbenzene	< 0.32	ug/l	0.32		1	8260B		8/5/2020	CJR	1
Hexachlorobutadiene	< 0.72	ug/l	0.72	2.3	1	8260B		8/5/2020	CJR	1
Isopropylbenzene	< 0.32	ug/l	0.32		1	8260B		8/5/2020	CJR	1
p-Isopropyltoluene	< 0.47	ug/l	0.47	1.5	1	8260B		8/5/2020	CJR	1
Methylene chloride	< 1.32	ug/l	1.32	4.21	1	8260B		8/5/2020	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.47	ug/l	0.47	1.5	1	8260B		8/5/2020	CJR	1
Naphthalene	< 1.1	ug/l	1.1	3.6	1	8260B		8/5/2020	CJR	1
n-Propylbenzene	< 0.33	ug/l	0.33	1.1	1	8260B		8/5/2020	CJR	1
1,1,2,2-Tetrachloroethane	< 0.37	ug/l	0.37	1.2	1	8260B		8/5/2020	CJR	1
1,1,1,2-Tetrachloroethane	< 0.88	ug/l	0.88	3.3	1	8260B		8/5/2020	CJR	1
Tetrachloroethene	1.07	ug/l	0.33		1	8260B		8/5/2020	CJR	1
Toluene	< 0.26	ug/l	0.26	0.83	1	8260B		8/5/2020	CJR	1
1,2,4-Trichlorobenzene	< 0.44	ug/l	0.44	1.4	1	8260B		8/5/2020	CJR	1

Project Name FMR ROBINSONS CLEANERS
Project # 6155 PO#2020-1772

Invoice # E38267

Lab Code 538267LL
Sample ID 6155 PZ-44D2
Sample Matrix Water
Sample Date 7/27/2020

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 1	ug/l	1	3.2	1	8260B		8/5/2020	CJR	1
1,1,1-Trichloroethane	< 0.3	ug/l	0.3	0.95	1	8260B		8/5/2020	CJR	1
1,1,2-Trichloroethane	< 0.36	ug/l	0.36	1.1	1	8260B		8/5/2020	CJR	1
Trichloroethene (TCE)	< 0.47	ug/l	0.47	1.5	1	8260B		8/5/2020	CJR	1
Trichlorofluoromethane	< 0.42	ug/l	0.42	1.3	1	8260B		8/5/2020	CJR	1
1,2,4-Trimethylbenzene	< 0.3	ug/l	0.3	0.96	1	8260B		8/5/2020	CJR	1
1,3,5-Trimethylbenzene	< 0.32	ug/l	0.32	1	1	8260B		8/5/2020	CJR	1
Vinyl Chloride	< 0.2	ug/l	0.2	0.65	1	8260B		8/5/2020	CJR	1
m&p-Xylene	< 1.1	ug/l	1.1	3.3	1	8260B		8/5/2020	CJR	1
o-Xylene	< 0.38	ug/l	0.38	1.2	1	8260B		8/5/2020	CJR	1
SUR - 1,2-Dichloroethane-d4	100	REC %			1	8260B		8/5/2020	CJR	1
SUR - Toluene-d8	109	REC %			1	8260B		8/5/2020	CJR	1
SUR - Dibromofluoromethane	98	REC %			1	8260B		8/5/2020	CJR	1
SUR - 4-Bromofluorobenzene	106	REC %			1	8260B		8/5/2020	CJR	1

Project Name FMR ROBINSONS CLEANERS
Project # 6155 PO#2020-1772

Invoice # E38267

Lab Code 538267MM
Sample ID 6155 PZ-46D1
Sample Matrix Water
Sample Date 7/27/2020

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.33	ug/l	0.33		1	8260B		8/5/2020	CJR	1
Bromobenzene	< 0.26	ug/l	0.26	0.84	1	8260B		8/5/2020	CJR	1
Bromodichloromethane	< 0.33	ug/l	0.33		1	8260B		8/5/2020	CJR	1
Bromoform	< 0.65	ug/l	0.65	2.1	1	8260B		8/5/2020	CJR	1
tert-Butylbenzene	< 0.61	ug/l	0.61	1.9	1	8260B		8/5/2020	CJR	1
sec-Butylbenzene	< 0.32	ug/l	0.32		1	8260B		8/5/2020	CJR	1
n-Butylbenzene	< 0.28	ug/l	0.28	0.89	1	8260B		8/5/2020	CJR	1
Carbon Tetrachloride	< 0.31	ug/l	0.31	0.98	1	8260B		8/5/2020	CJR	1
Chlorobenzene	< 0.39	ug/l	0.39	1.2	1	8260B		8/5/2020	CJR	1
Chloroethane	< 1.1	ug/l	1.1	3.6	1	8260B		8/5/2020	CJR	1
Chloroform	< 0.44	ug/l	0.44	1.4	1	8260B		8/5/2020	CJR	1
Chloromethane	< 0.8	ug/l	0.8	2.5	1	8260B		8/5/2020	CJR	1
2-Chlorotoluene	< 0.32	ug/l	0.32		1	8260B		8/5/2020	CJR	1
4-Chlorotoluene	< 0.3	ug/l	0.3	0.96	1	8260B		8/5/2020	CJR	1
1,2-Dibromo-3-chloropropane	< 0.82	ug/l	0.82	2.6	1	8260B		8/5/2020	CJR	1
Dibromochloromethane	< 0.23	ug/l	0.23	0.74	1	8260B		8/5/2020	CJR	1
1,4-Dichlorobenzene	< 0.36	ug/l	0.36	1.1	1	8260B		8/5/2020	CJR	1
1,3-Dichlorobenzene	< 0.31	ug/l	0.31	0.98	1	8260B		8/5/2020	CJR	1
1,2-Dichlorobenzene	< 0.32	ug/l	0.32		1	8260B		8/5/2020	CJR	1
Dichlorodifluoromethane	< 0.45	ug/l	0.45	1.4	1	8260B		8/5/2020	CJR	1
1,2-Dichloroethane	< 0.39	ug/l	0.39	1.3	1	8260B		8/5/2020	CJR	1
1,1-Dichloroethane	< 0.46	ug/l	0.46	1.5	1	8260B		8/5/2020	CJR	1
1,1-Dichloroethene	< 0.5	ug/l	0.5	1.6	1	8260B		8/5/2020	CJR	1
cis-1,2-Dichloroethene	< 0.39	ug/l	0.39	1.2	1	8260B		8/5/2020	CJR	1
trans-1,2-Dichloroethene	< 0.37	ug/l	0.37	1.2	1	8260B		8/5/2020	CJR	1
1,2-Dichloropropane	< 0.38	ug/l	0.38	1.2	1	8260B		8/5/2020	CJR	1
1,3-Dichloropropane	< 0.35	ug/l	0.35	1.1	1	8260B		8/5/2020	CJR	1
trans-1,3-Dichloropropene	< 0.3	ug/l	0.3	0.94	1	8260B		8/5/2020	CJR	1
cis-1,3-Dichloropropene	< 0.36	ug/l	0.36	1.1	1	8260B		8/5/2020	CJR	1
Di-isopropyl ether	< 0.34	ug/l	0.34	1.1	1	8260B		8/5/2020	CJR	1
EDB (1,2-Dibromoethane)	< 0.24	ug/l	0.24	0.75	1	8260B		8/5/2020	CJR	1
Ethylbenzene	< 0.32	ug/l	0.32		1	8260B		8/5/2020	CJR	1
Hexachlorobutadiene	< 0.72	ug/l	0.72	2.3	1	8260B		8/5/2020	CJR	1
Isopropylbenzene	< 0.32	ug/l	0.32		1	8260B		8/5/2020	CJR	1
p-Isopropyltoluene	< 0.47	ug/l	0.47	1.5	1	8260B		8/5/2020	CJR	1
Methylene chloride	< 1.32	ug/l	1.32	4.21	1	8260B		8/5/2020	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.47	ug/l	0.47	1.5	1	8260B		8/5/2020	CJR	1
Naphthalene	< 1.1	ug/l	1.1	3.6	1	8260B		8/5/2020	CJR	1
n-Propylbenzene	< 0.33	ug/l	0.33	1.1	1	8260B		8/5/2020	CJR	1
1,1,2,2-Tetrachloroethane	< 0.37	ug/l	0.37	1.2	1	8260B		8/5/2020	CJR	1
1,1,1,2-Tetrachloroethane	< 0.88	ug/l	0.88	3.3	1	8260B		8/5/2020	CJR	1
Tetrachloroethene	< 0.33	ug/l	0.33		1	8260B		8/5/2020	CJR	1
Toluene	< 0.26	ug/l	0.26	0.83	1	8260B		8/5/2020	CJR	1
1,2,4-Trichlorobenzene	< 0.44	ug/l	0.44	1.4	1	8260B		8/5/2020	CJR	1

Project Name FMR ROBINSONS CLEANERS
Project # 6155 PO#2020-1772

Invoice # E38267

Lab Code 538267MM
Sample ID 6155 PZ-46D1
Sample Matrix Water
Sample Date 7/27/2020

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 1	ug/l	1	3.2	1	8260B		8/5/2020	CJR	1
1,1,1-Trichloroethane	< 0.3	ug/l	0.3	0.95	1	8260B		8/5/2020	CJR	1
1,1,2-Trichloroethane	< 0.36	ug/l	0.36	1.1	1	8260B		8/5/2020	CJR	1
Trichloroethene (TCE)	< 0.47	ug/l	0.47	1.5	1	8260B		8/5/2020	CJR	1
Trichlorofluoromethane	< 0.42	ug/l	0.42	1.3	1	8260B		8/5/2020	CJR	1
1,2,4-Trimethylbenzene	< 0.3	ug/l	0.3	0.96	1	8260B		8/5/2020	CJR	1
1,3,5-Trimethylbenzene	< 0.32	ug/l	0.32	1	1	8260B		8/5/2020	CJR	1
Vinyl Chloride	< 0.2	ug/l	0.2	0.65	1	8260B		8/5/2020	CJR	1
m&p-Xylene	< 1.1	ug/l	1.1	3.3	1	8260B		8/5/2020	CJR	1
o-Xylene	< 0.38	ug/l	0.38	1.2	1	8260B		8/5/2020	CJR	1
SUR - 1,2-Dichloroethane-d4	104	REC %			1	8260B		8/5/2020	CJR	1
SUR - 4-Bromofluorobenzene	105	REC %			1	8260B		8/5/2020	CJR	1
SUR - Dibromofluoromethane	103	REC %			1	8260B		8/5/2020	CJR	1
SUR - Toluene-d8	107	REC %			1	8260B		8/5/2020	CJR	1

Project Name FMR ROBINSONS CLEANERS
Project # 6155 PO#2020-1772

Invoice # E38267

Lab Code 538267NN
Sample ID 6155 PZ-46D2
Sample Matrix Water
Sample Date 7/27/2020

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.33	ug/l	0.33		1	8260B		8/5/2020	CJR	1
Bromobenzene	< 0.26	ug/l	0.26	0.84	1	8260B		8/5/2020	CJR	1
Bromodichloromethane	< 0.33	ug/l	0.33		1	8260B		8/5/2020	CJR	1
Bromoform	< 0.65	ug/l	0.65	2.1	1	8260B		8/5/2020	CJR	1
tert-Butylbenzene	< 0.61	ug/l	0.61	1.9	1	8260B		8/5/2020	CJR	1
sec-Butylbenzene	< 0.32	ug/l	0.32		1	8260B		8/5/2020	CJR	1
n-Butylbenzene	< 0.28	ug/l	0.28	0.89	1	8260B		8/5/2020	CJR	1
Carbon Tetrachloride	< 0.31	ug/l	0.31	0.98	1	8260B		8/5/2020	CJR	1
Chlorobenzene	< 0.39	ug/l	0.39	1.2	1	8260B		8/5/2020	CJR	1
Chloroethane	< 1.1	ug/l	1.1	3.6	1	8260B		8/5/2020	CJR	1
Chloroform	< 0.44	ug/l	0.44	1.4	1	8260B		8/5/2020	CJR	1
Chloromethane	< 0.8	ug/l	0.8	2.5	1	8260B		8/5/2020	CJR	1
2-Chlorotoluene	< 0.32	ug/l	0.32		1	8260B		8/5/2020	CJR	1
4-Chlorotoluene	< 0.3	ug/l	0.3	0.96	1	8260B		8/5/2020	CJR	1
1,2-Dibromo-3-chloropropane	< 0.82	ug/l	0.82	2.6	1	8260B		8/5/2020	CJR	1
Dibromochloromethane	< 0.23	ug/l	0.23	0.74	1	8260B		8/5/2020	CJR	1
1,4-Dichlorobenzene	< 0.36	ug/l	0.36	1.1	1	8260B		8/5/2020	CJR	1
1,3-Dichlorobenzene	< 0.31	ug/l	0.31	0.98	1	8260B		8/5/2020	CJR	1
1,2-Dichlorobenzene	< 0.32	ug/l	0.32		1	8260B		8/5/2020	CJR	1
Dichlorodifluoromethane	< 0.45	ug/l	0.45	1.4	1	8260B		8/5/2020	CJR	1
1,2-Dichloroethane	< 0.39	ug/l	0.39	1.3	1	8260B		8/5/2020	CJR	1
1,1-Dichloroethane	< 0.46	ug/l	0.46	1.5	1	8260B		8/5/2020	CJR	1
1,1-Dichloroethene	< 0.5	ug/l	0.5	1.6	1	8260B		8/5/2020	CJR	1
cis-1,2-Dichloroethene	< 0.39	ug/l	0.39	1.2	1	8260B		8/5/2020	CJR	1
trans-1,2-Dichloroethene	< 0.37	ug/l	0.37	1.2	1	8260B		8/5/2020	CJR	1
1,2-Dichloropropane	< 0.38	ug/l	0.38	1.2	1	8260B		8/5/2020	CJR	1
1,3-Dichloropropane	< 0.35	ug/l	0.35	1.1	1	8260B		8/5/2020	CJR	1
trans-1,3-Dichloropropene	< 0.3	ug/l	0.3	0.94	1	8260B		8/5/2020	CJR	1
cis-1,3-Dichloropropene	< 0.36	ug/l	0.36	1.1	1	8260B		8/5/2020	CJR	1
Di-isopropyl ether	< 0.34	ug/l	0.34	1.1	1	8260B		8/5/2020	CJR	1
EDB (1,2-Dibromoethane)	< 0.24	ug/l	0.24	0.75	1	8260B		8/5/2020	CJR	1
Ethylbenzene	< 0.32	ug/l	0.32		1	8260B		8/5/2020	CJR	1
Hexachlorobutadiene	< 0.72	ug/l	0.72	2.3	1	8260B		8/5/2020	CJR	1
Isopropylbenzene	< 0.32	ug/l	0.32		1	8260B		8/5/2020	CJR	1
p-Isopropyltoluene	< 0.47	ug/l	0.47	1.5	1	8260B		8/5/2020	CJR	1
Methylene chloride	< 1.32	ug/l	1.32	4.21	1	8260B		8/5/2020	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.47	ug/l	0.47	1.5	1	8260B		8/5/2020	CJR	1
Naphthalene	< 1.1	ug/l	1.1	3.6	1	8260B		8/5/2020	CJR	1
n-Propylbenzene	< 0.33	ug/l	0.33	1.1	1	8260B		8/5/2020	CJR	1
1,1,2,2-Tetrachloroethane	< 0.37	ug/l	0.37	1.2	1	8260B		8/5/2020	CJR	1
1,1,1,2-Tetrachloroethane	< 0.88	ug/l	0.88	3.3	1	8260B		8/5/2020	CJR	1
Tetrachloroethene	< 0.33	ug/l	0.33		1	8260B		8/5/2020	CJR	1
Toluene	< 0.26	ug/l	0.26	0.83	1	8260B		8/5/2020	CJR	1
1,2,4-Trichlorobenzene	< 0.44	ug/l	0.44	1.4	1	8260B		8/5/2020	CJR	1

Project Name FMR ROBINSONS CLEANERS
Project # 6155 PO#2020-1772

Invoice # E38267

Lab Code 538267NN
Sample ID 6155 PZ-46D2
Sample Matrix Water
Sample Date 7/27/2020

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 1	ug/l	1	3.2	1	8260B		8/5/2020	CJR	1
1,1,1-Trichloroethane	< 0.3	ug/l	0.3	0.95	1	8260B		8/5/2020	CJR	1
1,1,2-Trichloroethane	< 0.36	ug/l	0.36	1.1	1	8260B		8/5/2020	CJR	1
Trichloroethene (TCE)	< 0.47	ug/l	0.47	1.5	1	8260B		8/5/2020	CJR	1
Trichlorofluoromethane	< 0.42	ug/l	0.42	1.3	1	8260B		8/5/2020	CJR	1
1,2,4-Trimethylbenzene	< 0.3	ug/l	0.3	0.96	1	8260B		8/5/2020	CJR	1
1,3,5-Trimethylbenzene	< 0.32	ug/l	0.32	1	1	8260B		8/5/2020	CJR	1
Vinyl Chloride	< 0.2	ug/l	0.2	0.65	1	8260B		8/5/2020	CJR	1
m&p-Xylene	< 1.1	ug/l	1.1	3.3	1	8260B		8/5/2020	CJR	1
o-Xylene	< 0.38	ug/l	0.38	1.2	1	8260B		8/5/2020	CJR	1
SUR - 1,2-Dichloroethane-d4	102	REC %			1	8260B		8/5/2020	CJR	1
SUR - 4-Bromofluorobenzene	105	REC %			1	8260B		8/5/2020	CJR	1
SUR - Dibromofluoromethane	97	REC %			1	8260B		8/5/2020	CJR	1
SUR - Toluene-d8	110	REC %			1	8260B		8/5/2020	CJR	1

Project Name FMR ROBINSONS CLEANERS
Project # 6155 PO#2020-1772

Invoice # E38267

Lab Code 53826700
Sample ID 6155 PZ-46D3
Sample Matrix Water
Sample Date 7/27/2020

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.33	ug/l	0.33		1	8260B		8/5/2020	CJR	1
Bromobenzene	< 0.26	ug/l	0.26	0.84	1	8260B		8/5/2020	CJR	1
Bromodichloromethane	< 0.33	ug/l	0.33		1	8260B		8/5/2020	CJR	1
Bromoform	< 0.65	ug/l	0.65	2.1	1	8260B		8/5/2020	CJR	1
tert-Butylbenzene	< 0.61	ug/l	0.61	1.9	1	8260B		8/5/2020	CJR	1
sec-Butylbenzene	< 0.32	ug/l	0.32		1	8260B		8/5/2020	CJR	1
n-Butylbenzene	< 0.28	ug/l	0.28	0.89	1	8260B		8/5/2020	CJR	1
Carbon Tetrachloride	< 0.31	ug/l	0.31	0.98	1	8260B		8/5/2020	CJR	1
Chlorobenzene	< 0.39	ug/l	0.39	1.2	1	8260B		8/5/2020	CJR	1
Chloroethane	< 1.1	ug/l	1.1	3.6	1	8260B		8/5/2020	CJR	1
Chloroform	< 0.44	ug/l	0.44	1.4	1	8260B		8/5/2020	CJR	1
Chloromethane	< 0.8	ug/l	0.8	2.5	1	8260B		8/5/2020	CJR	1
2-Chlorotoluene	< 0.32	ug/l	0.32		1	8260B		8/5/2020	CJR	1
4-Chlorotoluene	< 0.3	ug/l	0.3	0.96	1	8260B		8/5/2020	CJR	1
1,2-Dibromo-3-chloropropane	< 0.82	ug/l	0.82	2.6	1	8260B		8/5/2020	CJR	1
Dibromochloromethane	< 0.23	ug/l	0.23	0.74	1	8260B		8/5/2020	CJR	1
1,4-Dichlorobenzene	< 0.36	ug/l	0.36	1.1	1	8260B		8/5/2020	CJR	1
1,3-Dichlorobenzene	< 0.31	ug/l	0.31	0.98	1	8260B		8/5/2020	CJR	1
1,2-Dichlorobenzene	< 0.32	ug/l	0.32		1	8260B		8/5/2020	CJR	1
Dichlorodifluoromethane	< 0.45	ug/l	0.45	1.4	1	8260B		8/5/2020	CJR	1
1,2-Dichloroethane	< 0.39	ug/l	0.39	1.3	1	8260B		8/5/2020	CJR	1
1,1-Dichloroethane	< 0.46	ug/l	0.46	1.5	1	8260B		8/5/2020	CJR	1
1,1-Dichloroethene	< 0.5	ug/l	0.5	1.6	1	8260B		8/5/2020	CJR	1
cis-1,2-Dichloroethene	< 0.39	ug/l	0.39	1.2	1	8260B		8/5/2020	CJR	1
trans-1,2-Dichloroethene	< 0.37	ug/l	0.37	1.2	1	8260B		8/5/2020	CJR	1
1,2-Dichloropropane	< 0.38	ug/l	0.38	1.2	1	8260B		8/5/2020	CJR	1
1,3-Dichloropropane	< 0.35	ug/l	0.35	1.1	1	8260B		8/5/2020	CJR	1
trans-1,3-Dichloropropene	< 0.3	ug/l	0.3	0.94	1	8260B		8/5/2020	CJR	1
cis-1,3-Dichloropropene	< 0.36	ug/l	0.36	1.1	1	8260B		8/5/2020	CJR	1
Di-isopropyl ether	< 0.34	ug/l	0.34	1.1	1	8260B		8/5/2020	CJR	1
EDB (1,2-Dibromoethane)	< 0.24	ug/l	0.24	0.75	1	8260B		8/5/2020	CJR	1
Ethylbenzene	< 0.32	ug/l	0.32		1	8260B		8/5/2020	CJR	1
Hexachlorobutadiene	< 0.72	ug/l	0.72	2.3	1	8260B		8/5/2020	CJR	1
Isopropylbenzene	< 0.32	ug/l	0.32		1	8260B		8/5/2020	CJR	1
p-Isopropyltoluene	< 0.47	ug/l	0.47	1.5	1	8260B		8/5/2020	CJR	1
Methylene chloride	< 1.32	ug/l	1.32	4.21	1	8260B		8/5/2020	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.47	ug/l	0.47	1.5	1	8260B		8/5/2020	CJR	1
Naphthalene	< 1.1	ug/l	1.1	3.6	1	8260B		8/5/2020	CJR	1
n-Propylbenzene	< 0.33	ug/l	0.33	1.1	1	8260B		8/5/2020	CJR	1
1,1,2,2-Tetrachloroethane	< 0.37	ug/l	0.37	1.2	1	8260B		8/5/2020	CJR	1
1,1,1,2-Tetrachloroethane	< 0.88	ug/l	0.88	3.3	1	8260B		8/5/2020	CJR	1
Tetrachloroethene	< 0.33	ug/l	0.33		1	8260B		8/5/2020	CJR	1
Toluene	< 0.26	ug/l	0.26	0.83	1	8260B		8/5/2020	CJR	1
1,2,4-Trichlorobenzene	< 0.44	ug/l	0.44	1.4	1	8260B		8/5/2020	CJR	1

Project Name FMR ROBINSONS CLEANERS
Project # 6155 PO#2020-1772

Invoice # E38267

Lab Code 53826700
Sample ID 6155 PZ-46D3
Sample Matrix Water
Sample Date 7/27/2020

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 1	ug/l	1	3.2	1	8260B		8/5/2020	CJR	1
1,1,1-Trichloroethane	< 0.3	ug/l	0.3	0.95	1	8260B		8/5/2020	CJR	1
1,1,2-Trichloroethane	< 0.36	ug/l	0.36	1.1	1	8260B		8/5/2020	CJR	1
Trichloroethene (TCE)	< 0.47	ug/l	0.47	1.5	1	8260B		8/5/2020	CJR	1
Trichlorofluoromethane	< 0.42	ug/l	0.42	1.3	1	8260B		8/5/2020	CJR	1
1,2,4-Trimethylbenzene	< 0.3	ug/l	0.3	0.96	1	8260B		8/5/2020	CJR	1
1,3,5-Trimethylbenzene	< 0.32	ug/l	0.32	1	1	8260B		8/5/2020	CJR	1
Vinyl Chloride	< 0.2	ug/l	0.2	0.65	1	8260B		8/5/2020	CJR	1
m&p-Xylene	< 1.1	ug/l	1.1	3.3	1	8260B		8/5/2020	CJR	1
o-Xylene	< 0.38	ug/l	0.38	1.2	1	8260B		8/5/2020	CJR	1
SUR - Dibromofluoromethane	114	REC %			1	8260B		8/5/2020	CJR	1
SUR - Toluene-d8	109	REC %			1	8260B		8/5/2020	CJR	1
SUR - 4-Bromofluorobenzene	111	REC %			1	8260B		8/5/2020	CJR	1
SUR - 1,2-Dichloroethane-d4	116	REC %			1	8260B		8/5/2020	CJR	1

Project Name FMR ROBINSONS CLEANERS
Project # 6155 PO#2020-1772

Invoice # E38267

Lab Code 538267PP
Sample ID 6155 PZ-47D1
Sample Matrix Water
Sample Date 7/27/2020

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.33	ug/l	0.33		1	8260B		8/5/2020	CJR	1
Bromobenzene	< 0.26	ug/l	0.26	0.84	1	8260B		8/5/2020	CJR	1
Bromodichloromethane	< 0.33	ug/l	0.33		1	8260B		8/5/2020	CJR	1
Bromoform	< 0.65	ug/l	0.65	2.1	1	8260B		8/5/2020	CJR	1
tert-Butylbenzene	< 0.61	ug/l	0.61	1.9	1	8260B		8/5/2020	CJR	1
sec-Butylbenzene	< 0.32	ug/l	0.32		1	8260B		8/5/2020	CJR	1
n-Butylbenzene	< 0.28	ug/l	0.28	0.89	1	8260B		8/5/2020	CJR	1
Carbon Tetrachloride	< 0.31	ug/l	0.31	0.98	1	8260B		8/5/2020	CJR	1
Chlorobenzene	< 0.39	ug/l	0.39	1.2	1	8260B		8/5/2020	CJR	1
Chloroethane	< 1.1	ug/l	1.1	3.6	1	8260B		8/5/2020	CJR	1
Chloroform	< 0.44	ug/l	0.44	1.4	1	8260B		8/5/2020	CJR	1
Chloromethane	< 0.8	ug/l	0.8	2.5	1	8260B		8/5/2020	CJR	1
2-Chlorotoluene	< 0.32	ug/l	0.32		1	8260B		8/5/2020	CJR	1
4-Chlorotoluene	< 0.3	ug/l	0.3	0.96	1	8260B		8/5/2020	CJR	1
1,2-Dibromo-3-chloropropane	< 0.82	ug/l	0.82	2.6	1	8260B		8/5/2020	CJR	1
Dibromochloromethane	< 0.23	ug/l	0.23	0.74	1	8260B		8/5/2020	CJR	1
1,4-Dichlorobenzene	< 0.36	ug/l	0.36	1.1	1	8260B		8/5/2020	CJR	1
1,3-Dichlorobenzene	< 0.31	ug/l	0.31	0.98	1	8260B		8/5/2020	CJR	1
1,2-Dichlorobenzene	< 0.32	ug/l	0.32		1	8260B		8/5/2020	CJR	1
Dichlorodifluoromethane	< 0.45	ug/l	0.45	1.4	1	8260B		8/5/2020	CJR	1
1,2-Dichloroethane	< 0.39	ug/l	0.39	1.3	1	8260B		8/5/2020	CJR	1
1,1-Dichloroethane	< 0.46	ug/l	0.46	1.5	1	8260B		8/5/2020	CJR	1
1,1-Dichloroethene	< 0.5	ug/l	0.5	1.6	1	8260B		8/5/2020	CJR	1
cis-1,2-Dichloroethene	< 0.39	ug/l	0.39	1.2	1	8260B		8/5/2020	CJR	1
trans-1,2-Dichloroethene	< 0.37	ug/l	0.37	1.2	1	8260B		8/5/2020	CJR	1
1,2-Dichloropropane	< 0.38	ug/l	0.38	1.2	1	8260B		8/5/2020	CJR	1
1,3-Dichloropropane	< 0.35	ug/l	0.35	1.1	1	8260B		8/5/2020	CJR	1
trans-1,3-Dichloropropene	< 0.3	ug/l	0.3	0.94	1	8260B		8/5/2020	CJR	1
cis-1,3-Dichloropropene	< 0.36	ug/l	0.36	1.1	1	8260B		8/5/2020	CJR	1
Di-isopropyl ether	< 0.34	ug/l	0.34	1.1	1	8260B		8/5/2020	CJR	1
EDB (1,2-Dibromoethane)	< 0.24	ug/l	0.24	0.75	1	8260B		8/5/2020	CJR	1
Ethylbenzene	< 0.32	ug/l	0.32		1	8260B		8/5/2020	CJR	1
Hexachlorobutadiene	< 0.72	ug/l	0.72	2.3	1	8260B		8/5/2020	CJR	1
Isopropylbenzene	< 0.32	ug/l	0.32		1	8260B		8/5/2020	CJR	1
p-Isopropyltoluene	< 0.47	ug/l	0.47	1.5	1	8260B		8/5/2020	CJR	1
Methylene chloride	< 1.32	ug/l	1.32	4.21	1	8260B		8/5/2020	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.47	ug/l	0.47	1.5	1	8260B		8/5/2020	CJR	1
Naphthalene	< 1.1	ug/l	1.1	3.6	1	8260B		8/5/2020	CJR	1
n-Propylbenzene	< 0.33	ug/l	0.33	1.1	1	8260B		8/5/2020	CJR	1
1,1,2,2-Tetrachloroethane	< 0.37	ug/l	0.37	1.2	1	8260B		8/5/2020	CJR	1
1,1,1,2-Tetrachloroethane	< 0.88	ug/l	0.88	3.3	1	8260B		8/5/2020	CJR	1
Tetrachloroethene	< 0.33	ug/l	0.33		1	8260B		8/5/2020	CJR	1
Toluene	< 0.26	ug/l	0.26	0.83	1	8260B		8/5/2020	CJR	1
1,2,4-Trichlorobenzene	< 0.44	ug/l	0.44	1.4	1	8260B		8/5/2020	CJR	1

Project Name FMR ROBINSONS CLEANERS
Project # 6155 PO#2020-1772

Invoice # E38267

Lab Code 538267PP
Sample ID 6155 PZ-47D1
Sample Matrix Water
Sample Date 7/27/2020

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 1	ug/l	1	3.2	1	8260B		8/5/2020	CJR	1
1,1,1-Trichloroethane	< 0.3	ug/l	0.3	0.95	1	8260B		8/5/2020	CJR	1
1,1,2-Trichloroethane	< 0.36	ug/l	0.36	1.1	1	8260B		8/5/2020	CJR	1
Trichloroethene (TCE)	< 0.47	ug/l	0.47	1.5	1	8260B		8/5/2020	CJR	1
Trichlorofluoromethane	< 0.42	ug/l	0.42	1.3	1	8260B		8/5/2020	CJR	1
1,2,4-Trimethylbenzene	< 0.3	ug/l	0.3	0.96	1	8260B		8/5/2020	CJR	1
1,3,5-Trimethylbenzene	< 0.32	ug/l	0.32	1	1	8260B		8/5/2020	CJR	1
Vinyl Chloride	< 0.2	ug/l	0.2	0.65	1	8260B		8/5/2020	CJR	1
m&p-Xylene	< 1.1	ug/l	1.1	3.3	1	8260B		8/5/2020	CJR	1
o-Xylene	< 0.38	ug/l	0.38	1.2	1	8260B		8/5/2020	CJR	1
SUR - 4-Bromofluorobenzene	111	REC %			1	8260B		8/5/2020	CJR	1
SUR - Dibromofluoromethane	109	REC %			1	8260B		8/5/2020	CJR	1
SUR - Toluene-d8	111	REC %			1	8260B		8/5/2020	CJR	1
SUR - 1,2-Dichloroethane-d4	105	REC %			1	8260B		8/5/2020	CJR	1

Project Name FMR ROBINSONS CLEANERS
Project # 6155 PO#2020-1772

Invoice # E38267

Lab Code 538267QQ
Sample ID 6155 PZ-47D2
Sample Matrix Water
Sample Date 7/27/2020

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.33	ug/l	0.33		1	8260B		8/5/2020	CJR	1
Bromobenzene	< 0.26	ug/l	0.26	0.84	1	8260B		8/5/2020	CJR	1
Bromodichloromethane	< 0.33	ug/l	0.33		1	8260B		8/5/2020	CJR	1
Bromoform	< 0.65	ug/l	0.65	2.1	1	8260B		8/5/2020	CJR	1
tert-Butylbenzene	< 0.61	ug/l	0.61	1.9	1	8260B		8/5/2020	CJR	1
sec-Butylbenzene	< 0.32	ug/l	0.32		1	8260B		8/5/2020	CJR	1
n-Butylbenzene	< 0.28	ug/l	0.28	0.89	1	8260B		8/5/2020	CJR	1
Carbon Tetrachloride	< 0.31	ug/l	0.31	0.98	1	8260B		8/5/2020	CJR	1
Chlorobenzene	< 0.39	ug/l	0.39	1.2	1	8260B		8/5/2020	CJR	1
Chloroethane	< 1.1	ug/l	1.1	3.6	1	8260B		8/5/2020	CJR	1
Chloroform	< 0.44	ug/l	0.44	1.4	1	8260B		8/5/2020	CJR	1
Chloromethane	< 0.8	ug/l	0.8	2.5	1	8260B		8/5/2020	CJR	1
2-Chlorotoluene	< 0.32	ug/l	0.32		1	8260B		8/5/2020	CJR	1
4-Chlorotoluene	< 0.3	ug/l	0.3	0.96	1	8260B		8/5/2020	CJR	1
1,2-Dibromo-3-chloropropane	< 0.82	ug/l	0.82	2.6	1	8260B		8/5/2020	CJR	1
Dibromochloromethane	< 0.23	ug/l	0.23	0.74	1	8260B		8/5/2020	CJR	1
1,4-Dichlorobenzene	< 0.36	ug/l	0.36	1.1	1	8260B		8/5/2020	CJR	1
1,3-Dichlorobenzene	< 0.31	ug/l	0.31	0.98	1	8260B		8/5/2020	CJR	1
1,2-Dichlorobenzene	< 0.32	ug/l	0.32		1	8260B		8/5/2020	CJR	1
Dichlorodifluoromethane	< 0.45	ug/l	0.45	1.4	1	8260B		8/5/2020	CJR	1
1,2-Dichloroethane	< 0.39	ug/l	0.39	1.3	1	8260B		8/5/2020	CJR	1
1,1-Dichloroethane	< 0.46	ug/l	0.46	1.5	1	8260B		8/5/2020	CJR	1
1,1-Dichloroethene	< 0.5	ug/l	0.5	1.6	1	8260B		8/5/2020	CJR	1
cis-1,2-Dichloroethene	< 0.39	ug/l	0.39	1.2	1	8260B		8/5/2020	CJR	1
trans-1,2-Dichloroethene	< 0.37	ug/l	0.37	1.2	1	8260B		8/5/2020	CJR	1
1,2-Dichloropropane	< 0.38	ug/l	0.38	1.2	1	8260B		8/5/2020	CJR	1
1,3-Dichloropropane	< 0.35	ug/l	0.35	1.1	1	8260B		8/5/2020	CJR	1
trans-1,3-Dichloropropene	< 0.3	ug/l	0.3	0.94	1	8260B		8/5/2020	CJR	1
cis-1,3-Dichloropropene	< 0.36	ug/l	0.36	1.1	1	8260B		8/5/2020	CJR	1
Di-isopropyl ether	< 0.34	ug/l	0.34	1.1	1	8260B		8/5/2020	CJR	1
EDB (1,2-Dibromoethane)	< 0.24	ug/l	0.24	0.75	1	8260B		8/5/2020	CJR	1
Ethylbenzene	< 0.32	ug/l	0.32		1	8260B		8/5/2020	CJR	1
Hexachlorobutadiene	< 0.72	ug/l	0.72	2.3	1	8260B		8/5/2020	CJR	1
Isopropylbenzene	< 0.32	ug/l	0.32		1	8260B		8/5/2020	CJR	1
p-Isopropyltoluene	< 0.47	ug/l	0.47	1.5	1	8260B		8/5/2020	CJR	1
Methylene chloride	< 1.32	ug/l	1.32	4.21	1	8260B		8/5/2020	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.47	ug/l	0.47	1.5	1	8260B		8/5/2020	CJR	1
Naphthalene	< 1.1	ug/l	1.1	3.6	1	8260B		8/5/2020	CJR	1
n-Propylbenzene	< 0.33	ug/l	0.33	1.1	1	8260B		8/5/2020	CJR	1
1,1,2,2-Tetrachloroethane	< 0.37	ug/l	0.37	1.2	1	8260B		8/5/2020	CJR	1
1,1,1,2-Tetrachloroethane	< 0.88	ug/l	0.88	3.3	1	8260B		8/5/2020	CJR	1
Tetrachloroethene	< 0.33	ug/l	0.33		1	8260B		8/5/2020	CJR	1
Toluene	< 0.26	ug/l	0.26	0.83	1	8260B		8/5/2020	CJR	1
1,2,4-Trichlorobenzene	< 0.44	ug/l	0.44	1.4	1	8260B		8/5/2020	CJR	1

Project Name FMR ROBINSONS CLEANERS
Project # 6155 PO#2020-1772

Invoice # E38267

Lab Code 538267QQ
Sample ID 6155 PZ-47D2
Sample Matrix Water
Sample Date 7/27/2020

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 1	ug/l	1	3.2	1	8260B		8/5/2020	CJR	1
1,1,1-Trichloroethane	< 0.3	ug/l	0.3	0.95	1	8260B		8/5/2020	CJR	1
1,1,2-Trichloroethane	< 0.36	ug/l	0.36	1.1	1	8260B		8/5/2020	CJR	1
Trichloroethene (TCE)	< 0.47	ug/l	0.47	1.5	1	8260B		8/5/2020	CJR	1
Trichlorofluoromethane	< 0.42	ug/l	0.42	1.3	1	8260B		8/5/2020	CJR	1
1,2,4-Trimethylbenzene	< 0.3	ug/l	0.3	0.96	1	8260B		8/5/2020	CJR	1
1,3,5-Trimethylbenzene	< 0.32	ug/l	0.32	1	1	8260B		8/5/2020	CJR	1
Vinyl Chloride	< 0.2	ug/l	0.2	0.65	1	8260B		8/5/2020	CJR	1
m&p-Xylene	< 1.1	ug/l	1.1	3.3	1	8260B		8/5/2020	CJR	1
o-Xylene	< 0.38	ug/l	0.38	1.2	1	8260B		8/5/2020	CJR	1
SUR - 1,2-Dichloroethane-d4	102	REC %			1	8260B		8/5/2020	CJR	1
SUR - 4-Bromofluorobenzene	106	REC %			1	8260B		8/5/2020	CJR	1
SUR - Dibromofluoromethane	98	REC %			1	8260B		8/5/2020	CJR	1
SUR - Toluene-d8	109	REC %			1	8260B		8/5/2020	CJR	1

Project Name FMR ROBINSONS CLEANERS
Project # 6155 PO#2020-1772

Invoice # E38267

Lab Code 538267RR
Sample ID 6155 PZ-47D3
Sample Matrix Water
Sample Date 7/27/2020

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.33	ug/l	0.33		1	8260B		8/5/2020	CJR	1
Bromobenzene	< 0.26	ug/l	0.26	0.84	1	8260B		8/5/2020	CJR	1
Bromodichloromethane	< 0.33	ug/l	0.33		1	8260B		8/5/2020	CJR	1
Bromoform	< 0.65	ug/l	0.65	2.1	1	8260B		8/5/2020	CJR	1
tert-Butylbenzene	< 0.61	ug/l	0.61	1.9	1	8260B		8/5/2020	CJR	1
sec-Butylbenzene	< 0.32	ug/l	0.32		1	8260B		8/5/2020	CJR	1
n-Butylbenzene	< 0.28	ug/l	0.28	0.89	1	8260B		8/5/2020	CJR	1
Carbon Tetrachloride	< 0.31	ug/l	0.31	0.98	1	8260B		8/5/2020	CJR	1
Chlorobenzene	< 0.39	ug/l	0.39	1.2	1	8260B		8/5/2020	CJR	1
Chloroethane	< 1.1	ug/l	1.1	3.6	1	8260B		8/5/2020	CJR	1
Chloroform	< 0.44	ug/l	0.44	1.4	1	8260B		8/5/2020	CJR	1
Chloromethane	< 0.8	ug/l	0.8	2.5	1	8260B		8/5/2020	CJR	1
2-Chlorotoluene	< 0.32	ug/l	0.32		1	8260B		8/5/2020	CJR	1
4-Chlorotoluene	< 0.3	ug/l	0.3	0.96	1	8260B		8/5/2020	CJR	1
1,2-Dibromo-3-chloropropane	< 0.82	ug/l	0.82	2.6	1	8260B		8/5/2020	CJR	1
Dibromochloromethane	< 0.23	ug/l	0.23	0.74	1	8260B		8/5/2020	CJR	1
1,4-Dichlorobenzene	< 0.36	ug/l	0.36	1.1	1	8260B		8/5/2020	CJR	1
1,3-Dichlorobenzene	< 0.31	ug/l	0.31	0.98	1	8260B		8/5/2020	CJR	1
1,2-Dichlorobenzene	< 0.32	ug/l	0.32		1	8260B		8/5/2020	CJR	1
Dichlorodifluoromethane	< 0.45	ug/l	0.45	1.4	1	8260B		8/5/2020	CJR	1
1,2-Dichloroethane	< 0.39	ug/l	0.39	1.3	1	8260B		8/5/2020	CJR	1
1,1-Dichloroethane	< 0.46	ug/l	0.46	1.5	1	8260B		8/5/2020	CJR	1
1,1-Dichloroethene	< 0.5	ug/l	0.5	1.6	1	8260B		8/5/2020	CJR	1
cis-1,2-Dichloroethene	< 0.39	ug/l	0.39	1.2	1	8260B		8/5/2020	CJR	1
trans-1,2-Dichloroethene	< 0.37	ug/l	0.37	1.2	1	8260B		8/5/2020	CJR	1
1,2-Dichloropropane	< 0.38	ug/l	0.38	1.2	1	8260B		8/5/2020	CJR	1
1,3-Dichloropropane	< 0.35	ug/l	0.35	1.1	1	8260B		8/5/2020	CJR	1
trans-1,3-Dichloropropene	< 0.3	ug/l	0.3	0.94	1	8260B		8/5/2020	CJR	1
cis-1,3-Dichloropropene	< 0.36	ug/l	0.36	1.1	1	8260B		8/5/2020	CJR	1
Di-isopropyl ether	< 0.34	ug/l	0.34	1.1	1	8260B		8/5/2020	CJR	1
EDB (1,2-Dibromoethane)	< 0.24	ug/l	0.24	0.75	1	8260B		8/5/2020	CJR	1
Ethylbenzene	< 0.32	ug/l	0.32		1	8260B		8/5/2020	CJR	1
Hexachlorobutadiene	< 0.72	ug/l	0.72	2.3	1	8260B		8/5/2020	CJR	1
Isopropylbenzene	< 0.32	ug/l	0.32		1	8260B		8/5/2020	CJR	1
p-Isopropyltoluene	< 0.47	ug/l	0.47	1.5	1	8260B		8/5/2020	CJR	1
Methylene chloride	< 1.32	ug/l	1.32	4.21	1	8260B		8/5/2020	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.47	ug/l	0.47	1.5	1	8260B		8/5/2020	CJR	1
Naphthalene	< 1.1	ug/l	1.1	3.6	1	8260B		8/5/2020	CJR	1
n-Propylbenzene	< 0.33	ug/l	0.33	1.1	1	8260B		8/5/2020	CJR	1
1,1,2,2-Tetrachloroethane	< 0.37	ug/l	0.37	1.2	1	8260B		8/5/2020	CJR	1
1,1,1,2-Tetrachloroethane	< 0.88	ug/l	0.88	3.3	1	8260B		8/5/2020	CJR	1
Tetrachloroethene	0.49 "J"	ug/l	0.33		1	8260B		8/5/2020	CJR	1
Toluene	< 0.26	ug/l	0.26	0.83	1	8260B		8/5/2020	CJR	1
1,2,4-Trichlorobenzene	< 0.44	ug/l	0.44	1.4	1	8260B		8/5/2020	CJR	1

Project Name FMR ROBINSONS CLEANERS
Project # 6155 PO#2020-1772

Invoice # E38267

Lab Code 538267RR
Sample ID 6155 PZ-47D3
Sample Matrix Water
Sample Date 7/27/2020

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 1	ug/l	1	3.2	1	8260B		8/5/2020	CJR	1
1,1,1-Trichloroethane	< 0.3	ug/l	0.3	0.95	1	8260B		8/5/2020	CJR	1
1,1,2-Trichloroethane	< 0.36	ug/l	0.36	1.1	1	8260B		8/5/2020	CJR	1
Trichloroethene (TCE)	< 0.47	ug/l	0.47	1.5	1	8260B		8/5/2020	CJR	1
Trichlorofluoromethane	< 0.42	ug/l	0.42	1.3	1	8260B		8/5/2020	CJR	1
1,2,4-Trimethylbenzene	< 0.3	ug/l	0.3	0.96	1	8260B		8/5/2020	CJR	1
1,3,5-Trimethylbenzene	< 0.32	ug/l	0.32	1	1	8260B		8/5/2020	CJR	1
Vinyl Chloride	< 0.2	ug/l	0.2	0.65	1	8260B		8/5/2020	CJR	1
m&p-Xylene	< 1.1	ug/l	1.1	3.3	1	8260B		8/5/2020	CJR	1
o-Xylene	< 0.38	ug/l	0.38	1.2	1	8260B		8/5/2020	CJR	1
SUR - Toluene-d8	109	REC %			1	8260B		8/5/2020	CJR	1
SUR - 1,2-Dichloroethane-d4	108	REC %			1	8260B		8/5/2020	CJR	1
SUR - 4-Bromofluorobenzene	106	REC %			1	8260B		8/5/2020	CJR	1
SUR - Dibromofluoromethane	101	REC %			1	8260B		8/5/2020	CJR	1

Project Name FMR ROBINSONS CLEANERS
Project # 6155 PO#2020-1772

Invoice # E38267

Lab Code 538267SS
Sample ID 6155 PZ-48D1
Sample Matrix Water
Sample Date 7/28/2020

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 3.3	ug/l	3.3	10	10	8260B		8/6/2020	CJR	1
Bromobenzene	< 2.6	ug/l	2.6	8.4	10	8260B		8/6/2020	CJR	1
Bromodichloromethane	< 3.3	ug/l	3.3	10	10	8260B		8/6/2020	CJR	1
Bromoform	< 6.5	ug/l	6.5	21	10	8260B		8/6/2020	CJR	1
tert-Butylbenzene	< 6.1	ug/l	6.1	19	10	8260B		8/6/2020	CJR	1
sec-Butylbenzene	< 3.2	ug/l	3.2	10	10	8260B		8/6/2020	CJR	1
n-Butylbenzene	< 2.8	ug/l	2.8	8.9	10	8260B		8/6/2020	CJR	1
Carbon Tetrachloride	< 3.1	ug/l	3.1	9.8	10	8260B		8/6/2020	CJR	1
Chlorobenzene	< 3.9	ug/l	3.9	12	10	8260B		8/6/2020	CJR	1
Chloroethane	< 11	ug/l	11	36	10	8260B		8/6/2020	CJR	1
Chloroform	< 4.4	ug/l	4.4	14	10	8260B		8/6/2020	CJR	1
Chloromethane	< 8	ug/l	8	25	10	8260B		8/6/2020	CJR	1
2-Chlorotoluene	< 3.2	ug/l	3.2	10	10	8260B		8/6/2020	CJR	1
4-Chlorotoluene	< 3	ug/l	3	9.6	10	8260B		8/6/2020	CJR	1
1,2-Dibromo-3-chloropropane	< 8.2	ug/l	8.2	26	10	8260B		8/6/2020	CJR	1
Dibromochloromethane	< 2.3	ug/l	2.3	7.4	10	8260B		8/6/2020	CJR	1
1,4-Dichlorobenzene	< 3.6	ug/l	3.6	11	10	8260B		8/6/2020	CJR	1
1,3-Dichlorobenzene	< 3.1	ug/l	3.1	9.8	10	8260B		8/6/2020	CJR	1
1,2-Dichlorobenzene	< 3.2	ug/l	3.2	10	10	8260B		8/6/2020	CJR	1
Dichlorodifluoromethane	< 4.5	ug/l	4.5	14	10	8260B		8/6/2020	CJR	1
1,2-Dichloroethane	< 3.9	ug/l	3.9	13	10	8260B		8/6/2020	CJR	1
1,1-Dichloroethane	< 4.6	ug/l	4.6	15	10	8260B		8/6/2020	CJR	1
1,1-Dichloroethene	< 5	ug/l	5	16	10	8260B		8/6/2020	CJR	1
cis-1,2-Dichloroethene	19.2	ug/l	3.9	12	10	8260B		8/6/2020	CJR	1
trans-1,2-Dichloroethene	< 3.7	ug/l	3.7	12	10	8260B		8/6/2020	CJR	1
1,2-Dichloropropane	< 3.8	ug/l	3.8	12	10	8260B		8/6/2020	CJR	1
1,3-Dichloropropane	< 3.5	ug/l	3.5	11	10	8260B		8/6/2020	CJR	1
trans-1,3-Dichloropropene	< 3	ug/l	3	9.4	10	8260B		8/6/2020	CJR	1
cis-1,3-Dichloropropene	< 3.6	ug/l	3.6	11	10	8260B		8/6/2020	CJR	1
Di-isopropyl ether	< 3.4	ug/l	3.4	11	10	8260B		8/6/2020	CJR	1
EDB (1,2-Dibromoethane)	< 2.4	ug/l	2.4	7.5	10	8260B		8/6/2020	CJR	1
Ethylbenzene	< 3.2	ug/l	3.2	10	10	8260B		8/6/2020	CJR	1
Hexachlorobutadiene	< 7.2	ug/l	7.2	23	10	8260B		8/6/2020	CJR	1
Isopropylbenzene	< 3.2	ug/l	3.2	10	10	8260B		8/6/2020	CJR	1
p-Isopropyltoluene	< 4.7	ug/l	4.7	15	10	8260B		8/6/2020	CJR	1
Methylene chloride	< 13.2	ug/l	13.2	42.1	10	8260B		8/6/2020	CJR	1
Methyl tert-butyl ether (MTBE)	< 4.7	ug/l	4.7	15	10	8260B		8/6/2020	CJR	1
Naphthalene	< 11	ug/l	11	36	10	8260B		8/6/2020	CJR	1
n-Propylbenzene	< 3.3	ug/l	3.3	11	10	8260B		8/6/2020	CJR	1
1,1,2,2-Tetrachloroethane	< 3.7	ug/l	3.7	12	10	8260B		8/6/2020	CJR	1
1,1,1,2-Tetrachloroethane	< 8.8	ug/l	8.8	33	10	8260B		8/6/2020	CJR	1
Tetrachloroethene	1360	ug/l	3.3	10	10	8260B		8/6/2020	CJR	1
Toluene	< 2.6	ug/l	2.6	8.3	10	8260B		8/6/2020	CJR	1
1,2,4-Trichlorobenzene	< 4.4	ug/l	4.4	14	10	8260B		8/6/2020	CJR	1

Project Name FMR ROBINSONS CLEANERS
Project # 6155 PO#2020-1772

Invoice # E38267

Lab Code 538267SS
Sample ID 6155 PZ-48D1
Sample Matrix Water
Sample Date 7/28/2020

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 10	ug/l	10	32	10	8260B		8/6/2020	CJR	1
1,1,1-Trichloroethane	< 3	ug/l	3	9.5	10	8260B		8/6/2020	CJR	1
1,1,2-Trichloroethane	< 3.6	ug/l	3.6	11	10	8260B		8/6/2020	CJR	1
Trichloroethene (TCE)	54	ug/l	4.7	15	10	8260B		8/6/2020	CJR	1
Trichlorofluoromethane	< 4.2	ug/l	4.2	13	10	8260B		8/6/2020	CJR	1
1,2,4-Trimethylbenzene	< 3	ug/l	3	9.6	10	8260B		8/6/2020	CJR	1
1,3,5-Trimethylbenzene	< 3.2	ug/l	3.2	10	10	8260B		8/6/2020	CJR	1
Vinyl Chloride	< 2	ug/l	2	6.5	10	8260B		8/6/2020	CJR	1
m&p-Xylene	< 11	ug/l	11	33	10	8260B		8/6/2020	CJR	1
o-Xylene	< 3.8	ug/l	3.8	12	10	8260B		8/6/2020	CJR	1
SUR - 1,2-Dichloroethane-d4	101	REC %			10	8260B		8/6/2020	CJR	1
SUR - Toluene-d8	111	REC %			10	8260B		8/6/2020	CJR	1
SUR - Dibromofluoromethane	100	REC %			10	8260B		8/6/2020	CJR	1
SUR - 4-Bromofluorobenzene	116	REC %			10	8260B		8/6/2020	CJR	1

Project Name FMR ROBINSONS CLEANERS
Project # 6155 PO#2020-1772

Invoice # E38267

Lab Code 538267TT
Sample ID 6155 PZ-48D2
Sample Matrix Water
Sample Date 7/28/2020

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.33	ug/l	0.33		1	8260B		8/6/2020	CJR	1
Bromobenzene	< 0.26	ug/l	0.26	0.84	1	8260B		8/6/2020	CJR	1
Bromodichloromethane	< 0.33	ug/l	0.33		1	8260B		8/6/2020	CJR	1
Bromoform	< 0.65	ug/l	0.65	2.1	1	8260B		8/6/2020	CJR	1
tert-Butylbenzene	< 0.61	ug/l	0.61	1.9	1	8260B		8/6/2020	CJR	1
sec-Butylbenzene	< 0.32	ug/l	0.32		1	8260B		8/6/2020	CJR	1
n-Butylbenzene	< 0.28	ug/l	0.28	0.89	1	8260B		8/6/2020	CJR	1
Carbon Tetrachloride	< 0.31	ug/l	0.31	0.98	1	8260B		8/6/2020	CJR	1
Chlorobenzene	< 0.39	ug/l	0.39	1.2	1	8260B		8/6/2020	CJR	1
Chloroethane	< 1.1	ug/l	1.1	3.6	1	8260B		8/6/2020	CJR	1
Chloroform	< 0.44	ug/l	0.44	1.4	1	8260B		8/6/2020	CJR	1
Chloromethane	< 0.8	ug/l	0.8	2.5	1	8260B		8/6/2020	CJR	1
2-Chlorotoluene	< 0.32	ug/l	0.32		1	8260B		8/6/2020	CJR	1
4-Chlorotoluene	< 0.3	ug/l	0.3	0.96	1	8260B		8/6/2020	CJR	1
1,2-Dibromo-3-chloropropane	< 0.82	ug/l	0.82	2.6	1	8260B		8/6/2020	CJR	1
Dibromochloromethane	< 0.23	ug/l	0.23	0.74	1	8260B		8/6/2020	CJR	1
1,4-Dichlorobenzene	< 0.36	ug/l	0.36	1.1	1	8260B		8/6/2020	CJR	1
1,3-Dichlorobenzene	< 0.31	ug/l	0.31	0.98	1	8260B		8/6/2020	CJR	1
1,2-Dichlorobenzene	< 0.32	ug/l	0.32		1	8260B		8/6/2020	CJR	1
Dichlorodifluoromethane	< 0.45	ug/l	0.45	1.4	1	8260B		8/6/2020	CJR	1
1,2-Dichloroethane	< 0.39	ug/l	0.39	1.3	1	8260B		8/6/2020	CJR	1
1,1-Dichloroethane	< 0.46	ug/l	0.46	1.5	1	8260B		8/6/2020	CJR	1
1,1-Dichloroethene	< 0.5	ug/l	0.5	1.6	1	8260B		8/6/2020	CJR	1
cis-1,2-Dichloroethene	< 0.39	ug/l	0.39	1.2	1	8260B		8/6/2020	CJR	1
trans-1,2-Dichloroethene	0.54 "J"	ug/l	0.37	1.2	1	8260B		8/6/2020	CJR	1
1,2-Dichloropropane	< 0.38	ug/l	0.38	1.2	1	8260B		8/6/2020	CJR	1
1,3-Dichloropropane	< 0.35	ug/l	0.35	1.1	1	8260B		8/6/2020	CJR	1
trans-1,3-Dichloropropene	< 0.3	ug/l	0.3	0.94	1	8260B		8/6/2020	CJR	1
cis-1,3-Dichloropropene	< 0.36	ug/l	0.36	1.1	1	8260B		8/6/2020	CJR	1
Di-isopropyl ether	< 0.34	ug/l	0.34	1.1	1	8260B		8/6/2020	CJR	1
EDB (1,2-Dibromoethane)	< 0.24	ug/l	0.24	0.75	1	8260B		8/6/2020	CJR	1
Ethylbenzene	< 0.32	ug/l	0.32		1	8260B		8/6/2020	CJR	1
Hexachlorobutadiene	< 0.72	ug/l	0.72	2.3	1	8260B		8/6/2020	CJR	1
Isopropylbenzene	< 0.32	ug/l	0.32		1	8260B		8/6/2020	CJR	1
p-Isopropyltoluene	< 0.47	ug/l	0.47	1.5	1	8260B		8/6/2020	CJR	1
Methylene chloride	< 1.32	ug/l	1.32	4.21	1	8260B		8/6/2020	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.47	ug/l	0.47	1.5	1	8260B		8/6/2020	CJR	1
Naphthalene	< 1.1	ug/l	1.1	3.6	1	8260B		8/6/2020	CJR	1
n-Propylbenzene	< 0.33	ug/l	0.33	1.1	1	8260B		8/6/2020	CJR	1
1,1,2,2-Tetrachloroethane	< 0.37	ug/l	0.37	1.2	1	8260B		8/6/2020	CJR	1
1,1,1,2-Tetrachloroethane	< 0.88	ug/l	0.88	3.3	1	8260B		8/6/2020	CJR	1
Tetrachloroethene	198	ug/l	0.33		1	8260B		8/6/2020	CJR	1
Toluene	< 0.26	ug/l	0.26	0.83	1	8260B		8/6/2020	CJR	1
1,2,4-Trichlorobenzene	< 0.44	ug/l	0.44	1.4	1	8260B		8/6/2020	CJR	1

Project Name FMR ROBINSONS CLEANERS
Project # 6155 PO#2020-1772

Invoice # E38267

Lab Code 538267TT
Sample ID 6155 PZ-48D2
Sample Matrix Water
Sample Date 7/28/2020

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 1	ug/l	1	3.2	1	8260B		8/6/2020	CJR	1
1,1,1-Trichloroethane	< 0.3	ug/l	0.3	0.95	1	8260B		8/6/2020	CJR	1
1,1,2-Trichloroethane	< 0.36	ug/l	0.36	1.1	1	8260B		8/6/2020	CJR	1
Trichloroethene (TCE)	5.9	ug/l	0.47	1.5	1	8260B		8/6/2020	CJR	1
Trichlorofluoromethane	< 0.42	ug/l	0.42	1.3	1	8260B		8/6/2020	CJR	1
1,2,4-Trimethylbenzene	< 0.3	ug/l	0.3	0.96	1	8260B		8/6/2020	CJR	1
1,3,5-Trimethylbenzene	< 0.32	ug/l	0.32	1	1	8260B		8/6/2020	CJR	1
Vinyl Chloride	< 0.2	ug/l	0.2	0.65	1	8260B		8/6/2020	CJR	1
m&p-Xylene	< 1.1	ug/l	1.1	3.3	1	8260B		8/6/2020	CJR	1
o-Xylene	< 0.38	ug/l	0.38	1.2	1	8260B		8/6/2020	CJR	1
SUR - 1,2-Dichloroethane-d4	99	REC %			1	8260B		8/6/2020	CJR	1
SUR - 4-Bromofluorobenzene	107	REC %			1	8260B		8/6/2020	CJR	1
SUR - Dibromofluoromethane	106	REC %			1	8260B		8/6/2020	CJR	1
SUR - Toluene-d8	109	REC %			1	8260B		8/6/2020	CJR	1

Project Name FMR ROBINSONS CLEANERS
Project # 6155 PO#2020-1772

Invoice # E38267

Lab Code 538267UU
Sample ID 6155 PZ-48D3
Sample Matrix Water
Sample Date 7/28/2020

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.33	ug/l	0.33		1	8260B		8/5/2020	CJR	1
Bromobenzene	< 0.26	ug/l	0.26	0.84	1	8260B		8/5/2020	CJR	1
Bromodichloromethane	< 0.33	ug/l	0.33		1	8260B		8/5/2020	CJR	1
Bromoform	< 0.65	ug/l	0.65	2.1	1	8260B		8/5/2020	CJR	1
tert-Butylbenzene	< 0.61	ug/l	0.61	1.9	1	8260B		8/5/2020	CJR	1
sec-Butylbenzene	< 0.32	ug/l	0.32		1	8260B		8/5/2020	CJR	1
n-Butylbenzene	< 0.28	ug/l	0.28	0.89	1	8260B		8/5/2020	CJR	1
Carbon Tetrachloride	< 0.31	ug/l	0.31	0.98	1	8260B		8/5/2020	CJR	1
Chlorobenzene	< 0.39	ug/l	0.39	1.2	1	8260B		8/5/2020	CJR	1
Chloroethane	< 1.1	ug/l	1.1	3.6	1	8260B		8/5/2020	CJR	1
Chloroform	< 0.44	ug/l	0.44	1.4	1	8260B		8/5/2020	CJR	1
Chloromethane	< 0.8	ug/l	0.8	2.5	1	8260B		8/5/2020	CJR	1
2-Chlorotoluene	< 0.32	ug/l	0.32		1	8260B		8/5/2020	CJR	1
4-Chlorotoluene	< 0.3	ug/l	0.3	0.96	1	8260B		8/5/2020	CJR	1
1,2-Dibromo-3-chloropropane	< 0.82	ug/l	0.82	2.6	1	8260B		8/5/2020	CJR	1
Dibromochloromethane	< 0.23	ug/l	0.23	0.74	1	8260B		8/5/2020	CJR	1
1,4-Dichlorobenzene	< 0.36	ug/l	0.36	1.1	1	8260B		8/5/2020	CJR	1
1,3-Dichlorobenzene	< 0.31	ug/l	0.31	0.98	1	8260B		8/5/2020	CJR	1
1,2-Dichlorobenzene	< 0.32	ug/l	0.32		1	8260B		8/5/2020	CJR	1
Dichlorodifluoromethane	< 0.45	ug/l	0.45	1.4	1	8260B		8/5/2020	CJR	1
1,2-Dichloroethane	< 0.39	ug/l	0.39	1.3	1	8260B		8/5/2020	CJR	1
1,1-Dichloroethane	< 0.46	ug/l	0.46	1.5	1	8260B		8/5/2020	CJR	1
1,1-Dichloroethene	< 0.5	ug/l	0.5	1.6	1	8260B		8/5/2020	CJR	1
cis-1,2-Dichloroethene	< 0.39	ug/l	0.39	1.2	1	8260B		8/5/2020	CJR	1
trans-1,2-Dichloroethene	< 0.37	ug/l	0.37	1.2	1	8260B		8/5/2020	CJR	1
1,2-Dichloropropane	< 0.38	ug/l	0.38	1.2	1	8260B		8/5/2020	CJR	1
1,3-Dichloropropane	< 0.35	ug/l	0.35	1.1	1	8260B		8/5/2020	CJR	1
trans-1,3-Dichloropropene	< 0.3	ug/l	0.3	0.94	1	8260B		8/5/2020	CJR	1
cis-1,3-Dichloropropene	< 0.36	ug/l	0.36	1.1	1	8260B		8/5/2020	CJR	1
Di-isopropyl ether	< 0.34	ug/l	0.34	1.1	1	8260B		8/5/2020	CJR	1
EDB (1,2-Dibromoethane)	< 0.24	ug/l	0.24	0.75	1	8260B		8/5/2020	CJR	1
Ethylbenzene	< 0.32	ug/l	0.32		1	8260B		8/5/2020	CJR	1
Hexachlorobutadiene	< 0.72	ug/l	0.72	2.3	1	8260B		8/5/2020	CJR	1
Isopropylbenzene	< 0.32	ug/l	0.32		1	8260B		8/5/2020	CJR	1
p-Isopropyltoluene	< 0.47	ug/l	0.47	1.5	1	8260B		8/5/2020	CJR	1
Methylene chloride	< 1.32	ug/l	1.32	4.21	1	8260B		8/5/2020	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.47	ug/l	0.47	1.5	1	8260B		8/5/2020	CJR	1
Naphthalene	< 1.1	ug/l	1.1	3.6	1	8260B		8/5/2020	CJR	1
n-Propylbenzene	< 0.33	ug/l	0.33	1.1	1	8260B		8/5/2020	CJR	1
1,1,2,2-Tetrachloroethane	< 0.37	ug/l	0.37	1.2	1	8260B		8/5/2020	CJR	1
1,1,1,2-Tetrachloroethane	< 0.88	ug/l	0.88	3.3	1	8260B		8/5/2020	CJR	1
Tetrachloroethene	0.45 "J"	ug/l	0.33		1	8260B		8/5/2020	CJR	1
Toluene	< 0.26	ug/l	0.26	0.83	1	8260B		8/5/2020	CJR	1
1,2,4-Trichlorobenzene	< 0.44	ug/l	0.44	1.4	1	8260B		8/5/2020	CJR	1

Project Name FMR ROBINSONS CLEANERS
Project # 6155 PO#2020-1772

Invoice # E38267

Lab Code 538267UU
Sample ID 6155 PZ-48D3
Sample Matrix Water
Sample Date 7/28/2020

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 1	ug/l	1	3.2	1	8260B		8/5/2020	CJR	1
1,1,1-Trichloroethane	< 0.3	ug/l	0.3	0.95	1	8260B		8/5/2020	CJR	1
1,1,2-Trichloroethane	< 0.36	ug/l	0.36	1.1	1	8260B		8/5/2020	CJR	1
Trichloroethene (TCE)	< 0.47	ug/l	0.47	1.5	1	8260B		8/5/2020	CJR	1
Trichlorofluoromethane	< 0.42	ug/l	0.42	1.3	1	8260B		8/5/2020	CJR	1
1,2,4-Trimethylbenzene	< 0.3	ug/l	0.3	0.96	1	8260B		8/5/2020	CJR	1
1,3,5-Trimethylbenzene	< 0.32	ug/l	0.32	1	1	8260B		8/5/2020	CJR	1
Vinyl Chloride	< 0.2	ug/l	0.2	0.65	1	8260B		8/5/2020	CJR	1
m&p-Xylene	< 1.1	ug/l	1.1	3.3	1	8260B		8/5/2020	CJR	1
o-Xylene	< 0.38	ug/l	0.38	1.2	1	8260B		8/5/2020	CJR	1
SUR - 1,2-Dichloroethane-d4	104	REC %			1	8260B		8/5/2020	CJR	1
SUR - 4-Bromofluorobenzene	109	REC %			1	8260B		8/5/2020	CJR	1
SUR - Dibromofluoromethane	97	REC %			1	8260B		8/5/2020	CJR	1
SUR - Toluene-d8	107	REC %			1	8260B		8/5/2020	CJR	1

Project Name FMR ROBINSONS CLEANERS
Project # 6155 PO#2020-1772

Invoice # E38267

Lab Code 538267VV
Sample ID 6155 PZ-49D1
Sample Matrix Water
Sample Date 7/27/2020

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.33	ug/l	0.33		1	8260B		8/5/2020	CJR	1
Bromobenzene	< 0.26	ug/l	0.26	0.84	1	8260B		8/5/2020	CJR	1
Bromodichloromethane	< 0.33	ug/l	0.33		1	8260B		8/5/2020	CJR	1
Bromoform	< 0.65	ug/l	0.65	2.1	1	8260B		8/5/2020	CJR	1
tert-Butylbenzene	< 0.61	ug/l	0.61	1.9	1	8260B		8/5/2020	CJR	1
sec-Butylbenzene	< 0.32	ug/l	0.32		1	8260B		8/5/2020	CJR	1
n-Butylbenzene	< 0.28	ug/l	0.28	0.89	1	8260B		8/5/2020	CJR	1
Carbon Tetrachloride	< 0.31	ug/l	0.31	0.98	1	8260B		8/5/2020	CJR	1
Chlorobenzene	< 0.39	ug/l	0.39	1.2	1	8260B		8/5/2020	CJR	1
Chloroethane	< 1.1	ug/l	1.1	3.6	1	8260B		8/5/2020	CJR	1
Chloroform	< 0.44	ug/l	0.44	1.4	1	8260B		8/5/2020	CJR	1
Chloromethane	< 0.8	ug/l	0.8	2.5	1	8260B		8/5/2020	CJR	1
2-Chlorotoluene	< 0.32	ug/l	0.32		1	8260B		8/5/2020	CJR	1
4-Chlorotoluene	< 0.3	ug/l	0.3	0.96	1	8260B		8/5/2020	CJR	1
1,2-Dibromo-3-chloropropane	< 0.82	ug/l	0.82	2.6	1	8260B		8/5/2020	CJR	1
Dibromochloromethane	< 0.23	ug/l	0.23	0.74	1	8260B		8/5/2020	CJR	1
1,4-Dichlorobenzene	< 0.36	ug/l	0.36	1.1	1	8260B		8/5/2020	CJR	1
1,3-Dichlorobenzene	< 0.31	ug/l	0.31	0.98	1	8260B		8/5/2020	CJR	1
1,2-Dichlorobenzene	< 0.32	ug/l	0.32		1	8260B		8/5/2020	CJR	1
Dichlorodifluoromethane	< 0.45	ug/l	0.45	1.4	1	8260B		8/5/2020	CJR	1
1,2-Dichloroethane	< 0.39	ug/l	0.39	1.3	1	8260B		8/5/2020	CJR	1
1,1-Dichloroethane	< 0.46	ug/l	0.46	1.5	1	8260B		8/5/2020	CJR	1
1,1-Dichloroethene	< 0.5	ug/l	0.5	1.6	1	8260B		8/5/2020	CJR	1
cis-1,2-Dichloroethene	< 0.39	ug/l	0.39	1.2	1	8260B		8/5/2020	CJR	1
trans-1,2-Dichloroethene	< 0.37	ug/l	0.37	1.2	1	8260B		8/5/2020	CJR	1
1,2-Dichloropropane	< 0.38	ug/l	0.38	1.2	1	8260B		8/5/2020	CJR	1
1,3-Dichloropropane	< 0.35	ug/l	0.35	1.1	1	8260B		8/5/2020	CJR	1
trans-1,3-Dichloropropene	< 0.3	ug/l	0.3	0.94	1	8260B		8/5/2020	CJR	1
cis-1,3-Dichloropropene	< 0.36	ug/l	0.36	1.1	1	8260B		8/5/2020	CJR	1
Di-isopropyl ether	< 0.34	ug/l	0.34	1.1	1	8260B		8/5/2020	CJR	1
EDB (1,2-Dibromoethane)	< 0.24	ug/l	0.24	0.75	1	8260B		8/5/2020	CJR	1
Ethylbenzene	< 0.32	ug/l	0.32		1	8260B		8/5/2020	CJR	1
Hexachlorobutadiene	< 0.72	ug/l	0.72	2.3	1	8260B		8/5/2020	CJR	1
Isopropylbenzene	< 0.32	ug/l	0.32		1	8260B		8/5/2020	CJR	1
p-Isopropyltoluene	< 0.47	ug/l	0.47	1.5	1	8260B		8/5/2020	CJR	1
Methylene chloride	< 1.32	ug/l	1.32	4.21	1	8260B		8/5/2020	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.47	ug/l	0.47	1.5	1	8260B		8/5/2020	CJR	1
Naphthalene	< 1.1	ug/l	1.1	3.6	1	8260B		8/5/2020	CJR	1
n-Propylbenzene	< 0.33	ug/l	0.33	1.1	1	8260B		8/5/2020	CJR	1
1,1,2,2-Tetrachloroethane	< 0.37	ug/l	0.37	1.2	1	8260B		8/5/2020	CJR	1
1,1,1,2-Tetrachloroethane	< 0.88	ug/l	0.88	3.3	1	8260B		8/5/2020	CJR	1
Tetrachloroethene	14.6	ug/l	0.33		1	8260B		8/5/2020	CJR	1
Toluene	< 0.26	ug/l	0.26	0.83	1	8260B		8/5/2020	CJR	1
1,2,4-Trichlorobenzene	< 0.44	ug/l	0.44	1.4	1	8260B		8/5/2020	CJR	1

Project Name FMR ROBINSONS CLEANERS
Project # 6155 PO#2020-1772

Invoice # E38267

Lab Code 538267VV
Sample ID 6155 PZ-49D1
Sample Matrix Water
Sample Date 7/27/2020

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 1	ug/l	1	3.2	1	8260B		8/5/2020	CJR	1
1,1,1-Trichloroethane	< 0.3	ug/l	0.3	0.95	1	8260B		8/5/2020	CJR	1
1,1,2-Trichloroethane	< 0.36	ug/l	0.36	1.1	1	8260B		8/5/2020	CJR	1
Trichloroethene (TCE)	< 0.47	ug/l	0.47	1.5	1	8260B		8/5/2020	CJR	1
Trichlorofluoromethane	< 0.42	ug/l	0.42	1.3	1	8260B		8/5/2020	CJR	1
1,2,4-Trimethylbenzene	< 0.3	ug/l	0.3	0.96	1	8260B		8/5/2020	CJR	1
1,3,5-Trimethylbenzene	< 0.32	ug/l	0.32	1	1	8260B		8/5/2020	CJR	1
Vinyl Chloride	< 0.2	ug/l	0.2	0.65	1	8260B		8/5/2020	CJR	1
m&p-Xylene	< 1.1	ug/l	1.1	3.3	1	8260B		8/5/2020	CJR	1
o-Xylene	< 0.38	ug/l	0.38	1.2	1	8260B		8/5/2020	CJR	1
SUR - Dibromofluoromethane	98	REC %				8260B		8/5/2020	CJR	1
SUR - Toluene-d8	106	REC %				8260B		8/5/2020	CJR	1
SUR - 4-Bromofluorobenzene	108	REC %				8260B		8/5/2020	CJR	1
SUR - 1,2-Dichloroethane-d4	100	REC %				8260B		8/5/2020	CJR	1

Project Name FMR ROBINSONS CLEANERS
Project # 6155 PO#2020-1772

Invoice # E38267

Lab Code 538267WW
Sample ID 6155 PZ-49D2
Sample Matrix Water
Sample Date 7/27/2020

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.33	ug/l	0.33		1	8260B		8/5/2020	CJR	1
Bromobenzene	< 0.26	ug/l	0.26	0.84	1	8260B		8/5/2020	CJR	1
Bromodichloromethane	< 0.33	ug/l	0.33		1	8260B		8/5/2020	CJR	1
Bromoform	< 0.65	ug/l	0.65	2.1	1	8260B		8/5/2020	CJR	1
tert-Butylbenzene	< 0.61	ug/l	0.61	1.9	1	8260B		8/5/2020	CJR	1
sec-Butylbenzene	< 0.32	ug/l	0.32		1	8260B		8/5/2020	CJR	1
n-Butylbenzene	< 0.28	ug/l	0.28	0.89	1	8260B		8/5/2020	CJR	1
Carbon Tetrachloride	< 0.31	ug/l	0.31	0.98	1	8260B		8/5/2020	CJR	1
Chlorobenzene	< 0.39	ug/l	0.39	1.2	1	8260B		8/5/2020	CJR	1
Chloroethane	< 1.1	ug/l	1.1	3.6	1	8260B		8/5/2020	CJR	1
Chloroform	< 0.44	ug/l	0.44	1.4	1	8260B		8/5/2020	CJR	1
Chloromethane	< 0.8	ug/l	0.8	2.5	1	8260B		8/5/2020	CJR	1
2-Chlorotoluene	< 0.32	ug/l	0.32		1	8260B		8/5/2020	CJR	1
4-Chlorotoluene	< 0.3	ug/l	0.3	0.96	1	8260B		8/5/2020	CJR	1
1,2-Dibromo-3-chloropropane	< 0.82	ug/l	0.82	2.6	1	8260B		8/5/2020	CJR	1
Dibromochloromethane	< 0.23	ug/l	0.23	0.74	1	8260B		8/5/2020	CJR	1
1,4-Dichlorobenzene	< 0.36	ug/l	0.36	1.1	1	8260B		8/5/2020	CJR	1
1,3-Dichlorobenzene	< 0.31	ug/l	0.31	0.98	1	8260B		8/5/2020	CJR	1
1,2-Dichlorobenzene	< 0.32	ug/l	0.32		1	8260B		8/5/2020	CJR	1
Dichlorodifluoromethane	< 0.45	ug/l	0.45	1.4	1	8260B		8/5/2020	CJR	1
1,2-Dichloroethane	< 0.39	ug/l	0.39	1.3	1	8260B		8/5/2020	CJR	1
1,1-Dichloroethane	< 0.46	ug/l	0.46	1.5	1	8260B		8/5/2020	CJR	1
1,1-Dichloroethene	< 0.5	ug/l	0.5	1.6	1	8260B		8/5/2020	CJR	1
cis-1,2-Dichloroethene	< 0.39	ug/l	0.39	1.2	1	8260B		8/5/2020	CJR	1
trans-1,2-Dichloroethene	< 0.37	ug/l	0.37	1.2	1	8260B		8/5/2020	CJR	1
1,2-Dichloropropane	< 0.38	ug/l	0.38	1.2	1	8260B		8/5/2020	CJR	1
1,3-Dichloropropane	< 0.35	ug/l	0.35	1.1	1	8260B		8/5/2020	CJR	1
trans-1,3-Dichloropropene	< 0.3	ug/l	0.3	0.94	1	8260B		8/5/2020	CJR	1
cis-1,3-Dichloropropene	< 0.36	ug/l	0.36	1.1	1	8260B		8/5/2020	CJR	1
Di-isopropyl ether	< 0.34	ug/l	0.34	1.1	1	8260B		8/5/2020	CJR	1
EDB (1,2-Dibromoethane)	< 0.24	ug/l	0.24	0.75	1	8260B		8/5/2020	CJR	1
Ethylbenzene	< 0.32	ug/l	0.32		1	8260B		8/5/2020	CJR	1
Hexachlorobutadiene	< 0.72	ug/l	0.72	2.3	1	8260B		8/5/2020	CJR	1
Isopropylbenzene	< 0.32	ug/l	0.32		1	8260B		8/5/2020	CJR	1
p-Isopropyltoluene	< 0.47	ug/l	0.47	1.5	1	8260B		8/5/2020	CJR	1
Methylene chloride	< 1.32	ug/l	1.32	4.21	1	8260B		8/5/2020	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.47	ug/l	0.47	1.5	1	8260B		8/5/2020	CJR	1
Naphthalene	< 1.1	ug/l	1.1	3.6	1	8260B		8/5/2020	CJR	1
n-Propylbenzene	< 0.33	ug/l	0.33	1.1	1	8260B		8/5/2020	CJR	1
1,1,2,2-Tetrachloroethane	< 0.37	ug/l	0.37	1.2	1	8260B		8/5/2020	CJR	1
1,1,1,2-Tetrachloroethane	< 0.88	ug/l	0.88	3.3	1	8260B		8/5/2020	CJR	1
Tetrachloroethene	47	ug/l	0.33		1	8260B		8/5/2020	CJR	1
Toluene	< 0.26	ug/l	0.26	0.83	1	8260B		8/5/2020	CJR	1
1,2,4-Trichlorobenzene	< 0.44	ug/l	0.44	1.4	1	8260B		8/5/2020	CJR	1

Project Name FMR ROBINSONS CLEANERS
Project # 6155 PO#2020-1772

Invoice # E38267

Lab Code 538267WW
Sample ID 6155 PZ-49D2
Sample Matrix Water
Sample Date 7/27/2020

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 1	ug/l	1	3.2	1	8260B		8/5/2020	CJR	1
1,1,1-Trichloroethane	< 0.3	ug/l	0.3	0.95	1	8260B		8/5/2020	CJR	1
1,1,2-Trichloroethane	< 0.36	ug/l	0.36	1.1	1	8260B		8/5/2020	CJR	1
Trichloroethene (TCE)	< 0.47	ug/l	0.47	1.5	1	8260B		8/5/2020	CJR	1
Trichlorofluoromethane	< 0.42	ug/l	0.42	1.3	1	8260B		8/5/2020	CJR	1
1,2,4-Trimethylbenzene	< 0.3	ug/l	0.3	0.96	1	8260B		8/5/2020	CJR	1
1,3,5-Trimethylbenzene	< 0.32	ug/l	0.32	1	1	8260B		8/5/2020	CJR	1
Vinyl Chloride	< 0.2	ug/l	0.2	0.65	1	8260B		8/5/2020	CJR	1
m&p-Xylene	< 1.1	ug/l	1.1	3.3	1	8260B		8/5/2020	CJR	1
o-Xylene	< 0.38	ug/l	0.38	1.2	1	8260B		8/5/2020	CJR	1
SUR - Toluene-d8	107	REC %			1	8260B		8/5/2020	CJR	1
SUR - Dibromofluoromethane	113	REC %			1	8260B		8/5/2020	CJR	1
SUR - 1,2-Dichloroethane-d4	116	REC %			1	8260B		8/5/2020	CJR	1
SUR - 4-Bromofluorobenzene	106	REC %			1	8260B		8/5/2020	CJR	1

Project Name FMR ROBINSONS CLEANERS
Project # 6155 PO#2020-1772

Invoice # E38267

Lab Code 538267XX
Sample ID 6155 PZ-49D3
Sample Matrix Water
Sample Date 7/27/2020

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.33	ug/l	0.33		1	8260B		8/6/2020	CJR	1
Bromobenzene	< 0.26	ug/l	0.26	0.84	1	8260B		8/6/2020	CJR	1
Bromodichloromethane	< 0.33	ug/l	0.33		1	8260B		8/6/2020	CJR	1
Bromoform	< 0.65	ug/l	0.65	2.1	1	8260B		8/6/2020	CJR	1
tert-Butylbenzene	< 0.61	ug/l	0.61	1.9	1	8260B		8/6/2020	CJR	1
sec-Butylbenzene	< 0.32	ug/l	0.32		1	8260B		8/6/2020	CJR	1
n-Butylbenzene	< 0.28	ug/l	0.28	0.89	1	8260B		8/6/2020	CJR	1
Carbon Tetrachloride	< 0.31	ug/l	0.31	0.98	1	8260B		8/6/2020	CJR	1
Chlorobenzene	< 0.39	ug/l	0.39	1.2	1	8260B		8/6/2020	CJR	1
Chloroethane	< 1.1	ug/l	1.1	3.6	1	8260B		8/6/2020	CJR	1
Chloroform	< 0.44	ug/l	0.44	1.4	1	8260B		8/6/2020	CJR	1
Chloromethane	< 0.8	ug/l	0.8	2.5	1	8260B		8/6/2020	CJR	1
2-Chlorotoluene	< 0.32	ug/l	0.32		1	8260B		8/6/2020	CJR	1
4-Chlorotoluene	< 0.3	ug/l	0.3	0.96	1	8260B		8/6/2020	CJR	1
1,2-Dibromo-3-chloropropane	< 0.82	ug/l	0.82	2.6	1	8260B		8/6/2020	CJR	1
Dibromochloromethane	< 0.23	ug/l	0.23	0.74	1	8260B		8/6/2020	CJR	1
1,4-Dichlorobenzene	< 0.36	ug/l	0.36	1.1	1	8260B		8/6/2020	CJR	1
1,3-Dichlorobenzene	< 0.31	ug/l	0.31	0.98	1	8260B		8/6/2020	CJR	1
1,2-Dichlorobenzene	< 0.32	ug/l	0.32		1	8260B		8/6/2020	CJR	1
Dichlorodifluoromethane	< 0.45	ug/l	0.45	1.4	1	8260B		8/6/2020	CJR	1
1,2-Dichloroethane	< 0.39	ug/l	0.39	1.3	1	8260B		8/6/2020	CJR	1
1,1-Dichloroethane	< 0.46	ug/l	0.46	1.5	1	8260B		8/6/2020	CJR	1
1,1-Dichloroethene	< 0.5	ug/l	0.5	1.6	1	8260B		8/6/2020	CJR	1
cis-1,2-Dichloroethene	< 0.39	ug/l	0.39	1.2	1	8260B		8/6/2020	CJR	1
trans-1,2-Dichloroethene	< 0.37	ug/l	0.37	1.2	1	8260B		8/6/2020	CJR	1
1,2-Dichloropropane	< 0.38	ug/l	0.38	1.2	1	8260B		8/6/2020	CJR	1
1,3-Dichloropropane	< 0.35	ug/l	0.35	1.1	1	8260B		8/6/2020	CJR	1
trans-1,3-Dichloropropene	< 0.3	ug/l	0.3	0.94	1	8260B		8/6/2020	CJR	1
cis-1,3-Dichloropropene	< 0.36	ug/l	0.36	1.1	1	8260B		8/6/2020	CJR	1
Di-isopropyl ether	< 0.34	ug/l	0.34	1.1	1	8260B		8/6/2020	CJR	1
EDB (1,2-Dibromoethane)	< 0.24	ug/l	0.24	0.75	1	8260B		8/6/2020	CJR	1
Ethylbenzene	< 0.32	ug/l	0.32		1	8260B		8/6/2020	CJR	1
Hexachlorobutadiene	< 0.72	ug/l	0.72	2.3	1	8260B		8/6/2020	CJR	1
Isopropylbenzene	< 0.32	ug/l	0.32		1	8260B		8/6/2020	CJR	1
p-Isopropyltoluene	< 0.47	ug/l	0.47	1.5	1	8260B		8/6/2020	CJR	1
Methylene chloride	< 1.32	ug/l	1.32	4.21	1	8260B		8/6/2020	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.47	ug/l	0.47	1.5	1	8260B		8/6/2020	CJR	1
Naphthalene	< 1.1	ug/l	1.1	3.6	1	8260B		8/6/2020	CJR	1
n-Propylbenzene	< 0.33	ug/l	0.33	1.1	1	8260B		8/6/2020	CJR	1
1,1,2,2-Tetrachloroethane	< 0.37	ug/l	0.37	1.2	1	8260B		8/6/2020	CJR	1
1,1,1,2-Tetrachloroethane	< 0.88	ug/l	0.88	3.3	1	8260B		8/6/2020	CJR	1
Tetrachloroethene	7	ug/l	0.33		1	8260B		8/6/2020	CJR	1
Toluene	< 0.26	ug/l	0.26	0.83	1	8260B		8/6/2020	CJR	1
1,2,4-Trichlorobenzene	< 0.44	ug/l	0.44	1.4	1	8260B		8/6/2020	CJR	1

Project Name FMR ROBINSONS CLEANERS
Project # 6155 PO#2020-1772

Invoice # E38267

Lab Code 538267XX
Sample ID 6155 PZ-49D3
Sample Matrix Water
Sample Date 7/27/2020

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 1	ug/l	1	3.2	1	8260B		8/6/2020	CJR	1
1,1,1-Trichloroethane	< 0.3	ug/l	0.3	0.95	1	8260B		8/6/2020	CJR	1
1,1,2-Trichloroethane	< 0.36	ug/l	0.36	1.1	1	8260B		8/6/2020	CJR	1
Trichloroethene (TCE)	< 0.47	ug/l	0.47	1.5	1	8260B		8/6/2020	CJR	1
Trichlorofluoromethane	< 0.42	ug/l	0.42	1.3	1	8260B		8/6/2020	CJR	1
1,2,4-Trimethylbenzene	< 0.3	ug/l	0.3	0.96	1	8260B		8/6/2020	CJR	1
1,3,5-Trimethylbenzene	< 0.32	ug/l	0.32	1	1	8260B		8/6/2020	CJR	1
Vinyl Chloride	< 0.2	ug/l	0.2	0.65	1	8260B		8/6/2020	CJR	1
m&p-Xylene	< 1.1	ug/l	1.1	3.3	1	8260B		8/6/2020	CJR	1
o-Xylene	< 0.38	ug/l	0.38	1.2	1	8260B		8/6/2020	CJR	1
SUR - 1,2-Dichloroethane-d4	104	REC %			1	8260B		8/6/2020	CJR	1
SUR - 4-Bromofluorobenzene	105	REC %			1	8260B		8/6/2020	CJR	1
SUR - Dibromofluoromethane	100	REC %			1	8260B		8/6/2020	CJR	1
SUR - Toluene-d8	107	REC %			1	8260B		8/6/2020	CJR	1

Project Name FMR ROBINSONS CLEANERS
Project # 6155 PO#2020-1772

Invoice # E38267

Lab Code 538267YY
Sample ID 6155 PZ-49D4
Sample Matrix Water
Sample Date 7/27/2020

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.33	ug/l	0.33		1	8260B		8/6/2020	CJR	1
Bromobenzene	< 0.26	ug/l	0.26	0.84	1	8260B		8/6/2020	CJR	1
Bromodichloromethane	< 0.33	ug/l	0.33		1	8260B		8/6/2020	CJR	1
Bromoform	< 0.65	ug/l	0.65	2.1	1	8260B		8/6/2020	CJR	1
tert-Butylbenzene	< 0.61	ug/l	0.61	1.9	1	8260B		8/6/2020	CJR	1
sec-Butylbenzene	< 0.32	ug/l	0.32		1	8260B		8/6/2020	CJR	1
n-Butylbenzene	< 0.28	ug/l	0.28	0.89	1	8260B		8/6/2020	CJR	1
Carbon Tetrachloride	< 0.31	ug/l	0.31	0.98	1	8260B		8/6/2020	CJR	1
Chlorobenzene	< 0.39	ug/l	0.39	1.2	1	8260B		8/6/2020	CJR	1
Chloroethane	< 1.1	ug/l	1.1	3.6	1	8260B		8/6/2020	CJR	1
Chloroform	< 0.44	ug/l	0.44	1.4	1	8260B		8/6/2020	CJR	1
Chloromethane	< 0.8	ug/l	0.8	2.5	1	8260B		8/6/2020	CJR	1
2-Chlorotoluene	< 0.32	ug/l	0.32		1	8260B		8/6/2020	CJR	1
4-Chlorotoluene	< 0.3	ug/l	0.3	0.96	1	8260B		8/6/2020	CJR	1
1,2-Dibromo-3-chloropropane	< 0.82	ug/l	0.82	2.6	1	8260B		8/6/2020	CJR	1
Dibromochloromethane	< 0.23	ug/l	0.23	0.74	1	8260B		8/6/2020	CJR	1
1,4-Dichlorobenzene	< 0.36	ug/l	0.36	1.1	1	8260B		8/6/2020	CJR	1
1,3-Dichlorobenzene	< 0.31	ug/l	0.31	0.98	1	8260B		8/6/2020	CJR	1
1,2-Dichlorobenzene	< 0.32	ug/l	0.32		1	8260B		8/6/2020	CJR	1
Dichlorodifluoromethane	< 0.45	ug/l	0.45	1.4	1	8260B		8/6/2020	CJR	1
1,2-Dichloroethane	< 0.39	ug/l	0.39	1.3	1	8260B		8/6/2020	CJR	1
1,1-Dichloroethane	< 0.46	ug/l	0.46	1.5	1	8260B		8/6/2020	CJR	1
1,1-Dichloroethene	< 0.5	ug/l	0.5	1.6	1	8260B		8/6/2020	CJR	1
cis-1,2-Dichloroethene	< 0.39	ug/l	0.39	1.2	1	8260B		8/6/2020	CJR	1
trans-1,2-Dichloroethene	< 0.37	ug/l	0.37	1.2	1	8260B		8/6/2020	CJR	1
1,2-Dichloropropane	< 0.38	ug/l	0.38	1.2	1	8260B		8/6/2020	CJR	1
1,3-Dichloropropane	< 0.35	ug/l	0.35	1.1	1	8260B		8/6/2020	CJR	1
trans-1,3-Dichloropropene	< 0.3	ug/l	0.3	0.94	1	8260B		8/6/2020	CJR	1
cis-1,3-Dichloropropene	< 0.36	ug/l	0.36	1.1	1	8260B		8/6/2020	CJR	1
Di-isopropyl ether	< 0.34	ug/l	0.34	1.1	1	8260B		8/6/2020	CJR	1
EDB (1,2-Dibromoethane)	< 0.24	ug/l	0.24	0.75	1	8260B		8/6/2020	CJR	1
Ethylbenzene	< 0.32	ug/l	0.32		1	8260B		8/6/2020	CJR	1
Hexachlorobutadiene	< 0.72	ug/l	0.72	2.3	1	8260B		8/6/2020	CJR	1
Isopropylbenzene	< 0.32	ug/l	0.32		1	8260B		8/6/2020	CJR	1
p-Isopropyltoluene	< 0.47	ug/l	0.47	1.5	1	8260B		8/6/2020	CJR	1
Methylene chloride	< 1.32	ug/l	1.32	4.21	1	8260B		8/6/2020	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.47	ug/l	0.47	1.5	1	8260B		8/6/2020	CJR	1
Naphthalene	< 1.1	ug/l	1.1	3.6	1	8260B		8/6/2020	CJR	1
n-Propylbenzene	< 0.33	ug/l	0.33	1.1	1	8260B		8/6/2020	CJR	1
1,1,2,2-Tetrachloroethane	< 0.37	ug/l	0.37	1.2	1	8260B		8/6/2020	CJR	1
1,1,1,2-Tetrachloroethane	< 0.88	ug/l	0.88	3.3	1	8260B		8/6/2020	CJR	1
Tetrachloroethene	9.2	ug/l	0.33		1	8260B		8/6/2020	CJR	1
Toluene	< 0.26	ug/l	0.26	0.83	1	8260B		8/6/2020	CJR	1
1,2,4-Trichlorobenzene	< 0.44	ug/l	0.44	1.4	1	8260B		8/6/2020	CJR	1

Project Name FMR ROBINSONS CLEANERS
Project # 6155 PO#2020-1772

Invoice # E38267

Lab Code 538267YY
Sample ID 6155 PZ-49D4
Sample Matrix Water
Sample Date 7/27/2020

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 1	ug/l	1	3.2	1	8260B		8/6/2020	CJR	1
1,1,1-Trichloroethane	< 0.3	ug/l	0.3	0.95	1	8260B		8/6/2020	CJR	1
1,1,2-Trichloroethane	< 0.36	ug/l	0.36	1.1	1	8260B		8/6/2020	CJR	1
Trichloroethene (TCE)	< 0.47	ug/l	0.47	1.5	1	8260B		8/6/2020	CJR	1
Trichlorofluoromethane	< 0.42	ug/l	0.42	1.3	1	8260B		8/6/2020	CJR	1
1,2,4-Trimethylbenzene	< 0.3	ug/l	0.3	0.96	1	8260B		8/6/2020	CJR	1
1,3,5-Trimethylbenzene	< 0.32	ug/l	0.32	1	1	8260B		8/6/2020	CJR	1
Vinyl Chloride	< 0.2	ug/l	0.2	0.65	1	8260B		8/6/2020	CJR	1
m&p-Xylene	< 1.1	ug/l	1.1	3.3	1	8260B		8/6/2020	CJR	1
o-Xylene	< 0.38	ug/l	0.38	1.2	1	8260B		8/6/2020	CJR	1
SUR - 1,2-Dichloroethane-d4	104	REC %			1	8260B		8/6/2020	CJR	1
SUR - 4-Bromofluorobenzene	108	REC %			1	8260B		8/6/2020	CJR	1
SUR - Dibromofluoromethane	96	REC %			1	8260B		8/6/2020	CJR	1
SUR - Toluene-d8	105	REC %			1	8260B		8/6/2020	CJR	1

Project Name FMR ROBINSONS CLEANERS
Project # 6155 PO#2020-1772

Invoice # E38267

Lab Code 538267ZZ
Sample ID 6155 MW-51S
Sample Matrix Water
Sample Date 7/27/2020

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.33	ug/l	0.33		1	8260B		8/6/2020	CJR	1
Bromobenzene	< 0.26	ug/l	0.26	0.84	1	8260B		8/6/2020	CJR	1
Bromodichloromethane	< 0.33	ug/l	0.33		1	8260B		8/6/2020	CJR	1
Bromoform	< 0.65	ug/l	0.65	2.1	1	8260B		8/6/2020	CJR	1
tert-Butylbenzene	< 0.61	ug/l	0.61	1.9	1	8260B		8/6/2020	CJR	1
sec-Butylbenzene	< 0.32	ug/l	0.32		1	8260B		8/6/2020	CJR	1
n-Butylbenzene	< 0.28	ug/l	0.28	0.89	1	8260B		8/6/2020	CJR	1
Carbon Tetrachloride	< 0.31	ug/l	0.31	0.98	1	8260B		8/6/2020	CJR	1
Chlorobenzene	< 0.39	ug/l	0.39	1.2	1	8260B		8/6/2020	CJR	1
Chloroethane	< 1.1	ug/l	1.1	3.6	1	8260B		8/6/2020	CJR	1
Chloroform	< 0.44	ug/l	0.44	1.4	1	8260B		8/6/2020	CJR	1
Chloromethane	< 0.8	ug/l	0.8	2.5	1	8260B		8/6/2020	CJR	1
2-Chlorotoluene	< 0.32	ug/l	0.32		1	8260B		8/6/2020	CJR	1
4-Chlorotoluene	< 0.3	ug/l	0.3	0.96	1	8260B		8/6/2020	CJR	1
1,2-Dibromo-3-chloropropane	< 0.82	ug/l	0.82	2.6	1	8260B		8/6/2020	CJR	1
Dibromochloromethane	< 0.23	ug/l	0.23	0.74	1	8260B		8/6/2020	CJR	1
1,4-Dichlorobenzene	< 0.36	ug/l	0.36	1.1	1	8260B		8/6/2020	CJR	1
1,3-Dichlorobenzene	< 0.31	ug/l	0.31	0.98	1	8260B		8/6/2020	CJR	1
1,2-Dichlorobenzene	< 0.32	ug/l	0.32		1	8260B		8/6/2020	CJR	1
Dichlorodifluoromethane	< 0.45	ug/l	0.45	1.4	1	8260B		8/6/2020	CJR	1
1,2-Dichloroethane	< 0.39	ug/l	0.39	1.3	1	8260B		8/6/2020	CJR	1
1,1-Dichloroethane	< 0.46	ug/l	0.46	1.5	1	8260B		8/6/2020	CJR	1
1,1-Dichloroethene	< 0.5	ug/l	0.5	1.6	1	8260B		8/6/2020	CJR	1
cis-1,2-Dichloroethene	< 0.39	ug/l	0.39	1.2	1	8260B		8/6/2020	CJR	1
trans-1,2-Dichloroethene	< 0.37	ug/l	0.37	1.2	1	8260B		8/6/2020	CJR	1
1,2-Dichloropropane	< 0.38	ug/l	0.38	1.2	1	8260B		8/6/2020	CJR	1
1,3-Dichloropropane	< 0.35	ug/l	0.35	1.1	1	8260B		8/6/2020	CJR	1
trans-1,3-Dichloropropene	< 0.3	ug/l	0.3	0.94	1	8260B		8/6/2020	CJR	1
cis-1,3-Dichloropropene	< 0.36	ug/l	0.36	1.1	1	8260B		8/6/2020	CJR	1
Di-isopropyl ether	< 0.34	ug/l	0.34	1.1	1	8260B		8/6/2020	CJR	1
EDB (1,2-Dibromoethane)	< 0.24	ug/l	0.24	0.75	1	8260B		8/6/2020	CJR	1
Ethylbenzene	< 0.32	ug/l	0.32		1	8260B		8/6/2020	CJR	1
Hexachlorobutadiene	< 0.72	ug/l	0.72	2.3	1	8260B		8/6/2020	CJR	1
Isopropylbenzene	< 0.32	ug/l	0.32		1	8260B		8/6/2020	CJR	1
p-Isopropyltoluene	< 0.47	ug/l	0.47	1.5	1	8260B		8/6/2020	CJR	1
Methylene chloride	< 1.32	ug/l	1.32	4.21	1	8260B		8/6/2020	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.47	ug/l	0.47	1.5	1	8260B		8/6/2020	CJR	1
Naphthalene	< 1.1	ug/l	1.1	3.6	1	8260B		8/6/2020	CJR	1
n-Propylbenzene	< 0.33	ug/l	0.33	1.1	1	8260B		8/6/2020	CJR	1
1,1,2,2-Tetrachloroethane	< 0.37	ug/l	0.37	1.2	1	8260B		8/6/2020	CJR	1
1,1,1,2-Tetrachloroethane	< 0.88	ug/l	0.88	3.3	1	8260B		8/6/2020	CJR	1
Tetrachloroethene	0.37 "J"	ug/l	0.33		1	8260B		8/6/2020	CJR	1
Toluene	< 0.26	ug/l	0.26	0.83	1	8260B		8/6/2020	CJR	1
1,2,4-Trichlorobenzene	< 0.44	ug/l	0.44	1.4	1	8260B		8/6/2020	CJR	1

Project Name FMR ROBINSONS CLEANERS
Project # 6155 PO#2020-1772

Invoice # E38267

Lab Code 538267ZZ
Sample ID 6155 MW-51S
Sample Matrix Water
Sample Date 7/27/2020

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 1	ug/l	1	3.2	1	8260B		8/6/2020	CJR	1
1,1,1-Trichloroethane	< 0.3	ug/l	0.3	0.95	1	8260B		8/6/2020	CJR	1
1,1,2-Trichloroethane	< 0.36	ug/l	0.36	1.1	1	8260B		8/6/2020	CJR	1
Trichloroethene (TCE)	< 0.47	ug/l	0.47	1.5	1	8260B		8/6/2020	CJR	1
Trichlorofluoromethane	< 0.42	ug/l	0.42	1.3	1	8260B		8/6/2020	CJR	1
1,2,4-Trimethylbenzene	< 0.3	ug/l	0.3	0.96	1	8260B		8/6/2020	CJR	1
1,3,5-Trimethylbenzene	< 0.32	ug/l	0.32	1	1	8260B		8/6/2020	CJR	1
Vinyl Chloride	< 0.2	ug/l	0.2	0.65	1	8260B		8/6/2020	CJR	1
m&p-Xylene	< 1.1	ug/l	1.1	3.3	1	8260B		8/6/2020	CJR	1
o-Xylene	< 0.38	ug/l	0.38	1.2	1	8260B		8/6/2020	CJR	1
SUR - 4-Bromofluorobenzene	108	REC %			1	8260B		8/6/2020	CJR	1
SUR - Dibromofluoromethane	99	REC %			1	8260B		8/6/2020	CJR	1
SUR - Toluene-d8	110	REC %			1	8260B		8/6/2020	CJR	1
SUR - 1,2-Dichloroethane-d4	99	REC %			1	8260B		8/6/2020	CJR	1

Project Name FMR ROBINSONS CLEANERS
Project # 6155 PO#2020-1772

Invoice # E38267

Lab Code 58267AAA
Sample ID 6155 PZ-52D1
Sample Matrix Water
Sample Date 7/27/2020

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.33	ug/l	0.33		1	8260B		8/6/2020	CJR	1
Bromobenzene	< 0.26	ug/l	0.26	0.84	1	8260B		8/6/2020	CJR	1
Bromodichloromethane	< 0.33	ug/l	0.33		1	8260B		8/6/2020	CJR	1
Bromoform	< 0.65	ug/l	0.65	2.1	1	8260B		8/6/2020	CJR	1
tert-Butylbenzene	< 0.61	ug/l	0.61	1.9	1	8260B		8/6/2020	CJR	1
sec-Butylbenzene	< 0.32	ug/l	0.32		1	8260B		8/6/2020	CJR	1
n-Butylbenzene	< 0.28	ug/l	0.28	0.89	1	8260B		8/6/2020	CJR	1
Carbon Tetrachloride	< 0.31	ug/l	0.31	0.98	1	8260B		8/6/2020	CJR	1
Chlorobenzene	< 0.39	ug/l	0.39	1.2	1	8260B		8/6/2020	CJR	1
Chloroethane	< 1.1	ug/l	1.1	3.6	1	8260B		8/6/2020	CJR	1
Chloroform	< 0.44	ug/l	0.44	1.4	1	8260B		8/6/2020	CJR	1
Chloromethane	< 0.8	ug/l	0.8	2.5	1	8260B		8/6/2020	CJR	1
2-Chlorotoluene	< 0.32	ug/l	0.32		1	8260B		8/6/2020	CJR	1
4-Chlorotoluene	< 0.3	ug/l	0.3	0.96	1	8260B		8/6/2020	CJR	1
1,2-Dibromo-3-chloropropane	< 0.82	ug/l	0.82	2.6	1	8260B		8/6/2020	CJR	1
Dibromochloromethane	< 0.23	ug/l	0.23	0.74	1	8260B		8/6/2020	CJR	1
1,4-Dichlorobenzene	< 0.36	ug/l	0.36	1.1	1	8260B		8/6/2020	CJR	1
1,3-Dichlorobenzene	< 0.31	ug/l	0.31	0.98	1	8260B		8/6/2020	CJR	1
1,2-Dichlorobenzene	< 0.32	ug/l	0.32		1	8260B		8/6/2020	CJR	1
Dichlorodifluoromethane	< 0.45	ug/l	0.45	1.4	1	8260B		8/6/2020	CJR	1
1,2-Dichloroethane	< 0.39	ug/l	0.39	1.3	1	8260B		8/6/2020	CJR	1
1,1-Dichloroethane	< 0.46	ug/l	0.46	1.5	1	8260B		8/6/2020	CJR	1
1,1-Dichloroethene	< 0.5	ug/l	0.5	1.6	1	8260B		8/6/2020	CJR	1
cis-1,2-Dichloroethene	< 0.39	ug/l	0.39	1.2	1	8260B		8/6/2020	CJR	1
trans-1,2-Dichloroethene	< 0.37	ug/l	0.37	1.2	1	8260B		8/6/2020	CJR	1
1,2-Dichloropropane	< 0.38	ug/l	0.38	1.2	1	8260B		8/6/2020	CJR	1
1,3-Dichloropropane	< 0.35	ug/l	0.35	1.1	1	8260B		8/6/2020	CJR	1
trans-1,3-Dichloropropene	< 0.3	ug/l	0.3	0.94	1	8260B		8/6/2020	CJR	1
cis-1,3-Dichloropropene	< 0.36	ug/l	0.36	1.1	1	8260B		8/6/2020	CJR	1
Di-isopropyl ether	< 0.34	ug/l	0.34	1.1	1	8260B		8/6/2020	CJR	1
EDB (1,2-Dibromoethane)	< 0.24	ug/l	0.24	0.75	1	8260B		8/6/2020	CJR	1
Ethylbenzene	< 0.32	ug/l	0.32		1	8260B		8/6/2020	CJR	1
Hexachlorobutadiene	< 0.72	ug/l	0.72	2.3	1	8260B		8/6/2020	CJR	1
Isopropylbenzene	< 0.32	ug/l	0.32		1	8260B		8/6/2020	CJR	1
p-Isopropyltoluene	< 0.47	ug/l	0.47	1.5	1	8260B		8/6/2020	CJR	1
Methylene chloride	< 1.32	ug/l	1.32	4.21	1	8260B		8/6/2020	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.47	ug/l	0.47	1.5	1	8260B		8/6/2020	CJR	1
Naphthalene	< 1.1	ug/l	1.1	3.6	1	8260B		8/6/2020	CJR	1
n-Propylbenzene	< 0.33	ug/l	0.33	1.1	1	8260B		8/6/2020	CJR	1
1,1,2,2-Tetrachloroethane	< 0.37	ug/l	0.37	1.2	1	8260B		8/6/2020	CJR	1
1,1,1,2-Tetrachloroethane	< 0.88	ug/l	0.88	3.3	1	8260B		8/6/2020	CJR	1
Tetrachloroethene	< 0.33	ug/l	0.33		1	8260B		8/6/2020	CJR	1
Toluene	< 0.26	ug/l	0.26	0.83	1	8260B		8/6/2020	CJR	1
1,2,4-Trichlorobenzene	< 0.44	ug/l	0.44	1.4	1	8260B		8/6/2020	CJR	1

Project Name FMR ROBINSONS CLEANERS
Project # 6155 PO#2020-1772

Invoice # E38267

Lab Code 58267AAA
Sample ID 6155 PZ-52D1
Sample Matrix Water
Sample Date 7/27/2020

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 1	ug/l	1	3.2	1	8260B		8/6/2020	CJR	1
1,1,1-Trichloroethane	< 0.3	ug/l	0.3	0.95	1	8260B		8/6/2020	CJR	1
1,1,2-Trichloroethane	< 0.36	ug/l	0.36	1.1	1	8260B		8/6/2020	CJR	1
Trichloroethene (TCE)	< 0.47	ug/l	0.47	1.5	1	8260B		8/6/2020	CJR	1
Trichlorofluoromethane	< 0.42	ug/l	0.42	1.3	1	8260B		8/6/2020	CJR	1
1,2,4-Trimethylbenzene	< 0.3	ug/l	0.3	0.96	1	8260B		8/6/2020	CJR	1
1,3,5-Trimethylbenzene	< 0.32	ug/l	0.32	1	1	8260B		8/6/2020	CJR	1
Vinyl Chloride	< 0.2	ug/l	0.2	0.65	1	8260B		8/6/2020	CJR	1
m&p-Xylene	< 1.1	ug/l	1.1	3.3	1	8260B		8/6/2020	CJR	1
o-Xylene	< 0.38	ug/l	0.38	1.2	1	8260B		8/6/2020	CJR	1
SUR - Toluene-d8	107	REC %				1 8260B		8/6/2020	CJR	1
SUR - Dibromofluoromethane	106	REC %				1 8260B		8/6/2020	CJR	1
SUR - 4-Bromofluorobenzene	114	REC %				1 8260B		8/6/2020	CJR	1
SUR - 1,2-Dichloroethane-d4	103	REC %				1 8260B		8/6/2020	CJR	1

Project Name FMR ROBINSONS CLEANERS
Project # 6155 PO#2020-1772

Invoice # E38267

Lab Code 58267BBB
Sample ID 6155 PZ-52D2
Sample Matrix Water
Sample Date 7/27/2020

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.33	ug/l	0.33		1	8260B		8/6/2020	CJR	1
Bromobenzene	< 0.26	ug/l	0.26	0.84	1	8260B		8/6/2020	CJR	1
Bromodichloromethane	< 0.33	ug/l	0.33		1	8260B		8/6/2020	CJR	1
Bromoform	< 0.65	ug/l	0.65	2.1	1	8260B		8/6/2020	CJR	1
tert-Butylbenzene	< 0.61	ug/l	0.61	1.9	1	8260B		8/6/2020	CJR	1
sec-Butylbenzene	< 0.32	ug/l	0.32		1	8260B		8/6/2020	CJR	1
n-Butylbenzene	< 0.28	ug/l	0.28	0.89	1	8260B		8/6/2020	CJR	1
Carbon Tetrachloride	< 0.31	ug/l	0.31	0.98	1	8260B		8/6/2020	CJR	1
Chlorobenzene	< 0.39	ug/l	0.39	1.2	1	8260B		8/6/2020	CJR	1
Chloroethane	< 1.1	ug/l	1.1	3.6	1	8260B		8/6/2020	CJR	1
Chloroform	< 0.44	ug/l	0.44	1.4	1	8260B		8/6/2020	CJR	1
Chloromethane	< 0.8	ug/l	0.8	2.5	1	8260B		8/6/2020	CJR	1
2-Chlorotoluene	< 0.32	ug/l	0.32		1	8260B		8/6/2020	CJR	1
4-Chlorotoluene	< 0.3	ug/l	0.3	0.96	1	8260B		8/6/2020	CJR	1
1,2-Dibromo-3-chloropropane	< 0.82	ug/l	0.82	2.6	1	8260B		8/6/2020	CJR	1
Dibromochloromethane	< 0.23	ug/l	0.23	0.74	1	8260B		8/6/2020	CJR	1
1,4-Dichlorobenzene	< 0.36	ug/l	0.36	1.1	1	8260B		8/6/2020	CJR	1
1,3-Dichlorobenzene	< 0.31	ug/l	0.31	0.98	1	8260B		8/6/2020	CJR	1
1,2-Dichlorobenzene	< 0.32	ug/l	0.32		1	8260B		8/6/2020	CJR	1
Dichlorodifluoromethane	< 0.45	ug/l	0.45	1.4	1	8260B		8/6/2020	CJR	1
1,2-Dichloroethane	< 0.39	ug/l	0.39	1.3	1	8260B		8/6/2020	CJR	1
1,1-Dichloroethane	< 0.46	ug/l	0.46	1.5	1	8260B		8/6/2020	CJR	1
1,1-Dichloroethene	< 0.5	ug/l	0.5	1.6	1	8260B		8/6/2020	CJR	1
cis-1,2-Dichloroethene	< 0.39	ug/l	0.39	1.2	1	8260B		8/6/2020	CJR	1
trans-1,2-Dichloroethene	< 0.37	ug/l	0.37	1.2	1	8260B		8/6/2020	CJR	1
1,2-Dichloropropane	< 0.38	ug/l	0.38	1.2	1	8260B		8/6/2020	CJR	1
1,3-Dichloropropane	< 0.35	ug/l	0.35	1.1	1	8260B		8/6/2020	CJR	1
trans-1,3-Dichloropropene	< 0.3	ug/l	0.3	0.94	1	8260B		8/6/2020	CJR	1
cis-1,3-Dichloropropene	< 0.36	ug/l	0.36	1.1	1	8260B		8/6/2020	CJR	1
Di-isopropyl ether	< 0.34	ug/l	0.34	1.1	1	8260B		8/6/2020	CJR	1
EDB (1,2-Dibromoethane)	< 0.24	ug/l	0.24	0.75	1	8260B		8/6/2020	CJR	1
Ethylbenzene	< 0.32	ug/l	0.32		1	8260B		8/6/2020	CJR	1
Hexachlorobutadiene	< 0.72	ug/l	0.72	2.3	1	8260B		8/6/2020	CJR	1
Isopropylbenzene	< 0.32	ug/l	0.32		1	8260B		8/6/2020	CJR	1
p-Isopropyltoluene	< 0.47	ug/l	0.47	1.5	1	8260B		8/6/2020	CJR	1
Methylene chloride	< 1.32	ug/l	1.32	4.21	1	8260B		8/6/2020	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.47	ug/l	0.47	1.5	1	8260B		8/6/2020	CJR	1
Naphthalene	< 1.1	ug/l	1.1	3.6	1	8260B		8/6/2020	CJR	1
n-Propylbenzene	< 0.33	ug/l	0.33	1.1	1	8260B		8/6/2020	CJR	1
1,1,2,2-Tetrachloroethane	< 0.37	ug/l	0.37	1.2	1	8260B		8/6/2020	CJR	1
1,1,1,2-Tetrachloroethane	< 0.88	ug/l	0.88	3.3	1	8260B		8/6/2020	CJR	1
Tetrachloroethene	< 0.33	ug/l	0.33		1	8260B		8/6/2020	CJR	1
Toluene	< 0.26	ug/l	0.26	0.83	1	8260B		8/6/2020	CJR	1
1,2,4-Trichlorobenzene	< 0.44	ug/l	0.44	1.4	1	8260B		8/6/2020	CJR	1

Project Name FMR ROBINSONS CLEANERS
Project # 6155 PO#2020-1772

Invoice # E38267

Lab Code 58267BBB
Sample ID 6155 PZ-52D2
Sample Matrix Water
Sample Date 7/27/2020

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 1	ug/l	1	3.2	1	8260B		8/6/2020	CJR	1
1,1,1-Trichloroethane	< 0.3	ug/l	0.3	0.95	1	8260B		8/6/2020	CJR	1
1,1,2-Trichloroethane	< 0.36	ug/l	0.36	1.1	1	8260B		8/6/2020	CJR	1
Trichloroethene (TCE)	< 0.47	ug/l	0.47	1.5	1	8260B		8/6/2020	CJR	1
Trichlorofluoromethane	< 0.42	ug/l	0.42	1.3	1	8260B		8/6/2020	CJR	1
1,2,4-Trimethylbenzene	< 0.3	ug/l	0.3	0.96	1	8260B		8/6/2020	CJR	1
1,3,5-Trimethylbenzene	< 0.32	ug/l	0.32	1	1	8260B		8/6/2020	CJR	1
Vinyl Chloride	< 0.2	ug/l	0.2	0.65	1	8260B		8/6/2020	CJR	1
m&p-Xylene	< 1.1	ug/l	1.1	3.3	1	8260B		8/6/2020	CJR	1
o-Xylene	< 0.38	ug/l	0.38	1.2	1	8260B		8/6/2020	CJR	1
SUR - 1,2-Dichloroethane-d4	108	REC %			1	8260B		8/6/2020	CJR	1
SUR - 4-Bromofluorobenzene	101	REC %			1	8260B		8/6/2020	CJR	1
SUR - Dibromofluoromethane	99	REC %			1	8260B		8/6/2020	CJR	1
SUR - Toluene-d8	108	REC %			1	8260B		8/6/2020	CJR	1

Project Name FMR ROBINSONS CLEANERS
Project # 6155 PO#2020-1772

Invoice # E38267

Lab Code 58267CCC
Sample ID 6155 PZ-52D3
Sample Matrix Water
Sample Date 7/27/2020

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.33	ug/l	0.33		1	8260B		8/6/2020	CJR	1
Bromobenzene	< 0.26	ug/l	0.26	0.84	1	8260B		8/6/2020	CJR	1
Bromodichloromethane	< 0.33	ug/l	0.33		1	8260B		8/6/2020	CJR	1
Bromoform	< 0.65	ug/l	0.65	2.1	1	8260B		8/6/2020	CJR	1
tert-Butylbenzene	< 0.61	ug/l	0.61	1.9	1	8260B		8/6/2020	CJR	1
sec-Butylbenzene	< 0.32	ug/l	0.32		1	8260B		8/6/2020	CJR	1
n-Butylbenzene	< 0.28	ug/l	0.28	0.89	1	8260B		8/6/2020	CJR	1
Carbon Tetrachloride	< 0.31	ug/l	0.31	0.98	1	8260B		8/6/2020	CJR	1
Chlorobenzene	< 0.39	ug/l	0.39	1.2	1	8260B		8/6/2020	CJR	1
Chloroethane	< 1.1	ug/l	1.1	3.6	1	8260B		8/6/2020	CJR	1
Chloroform	< 0.44	ug/l	0.44	1.4	1	8260B		8/6/2020	CJR	1
Chloromethane	< 0.8	ug/l	0.8	2.5	1	8260B		8/6/2020	CJR	1
2-Chlorotoluene	< 0.32	ug/l	0.32		1	8260B		8/6/2020	CJR	1
4-Chlorotoluene	< 0.3	ug/l	0.3	0.96	1	8260B		8/6/2020	CJR	1
1,2-Dibromo-3-chloropropane	< 0.82	ug/l	0.82	2.6	1	8260B		8/6/2020	CJR	1
Dibromochloromethane	< 0.23	ug/l	0.23	0.74	1	8260B		8/6/2020	CJR	1
1,4-Dichlorobenzene	< 0.36	ug/l	0.36	1.1	1	8260B		8/6/2020	CJR	1
1,3-Dichlorobenzene	< 0.31	ug/l	0.31	0.98	1	8260B		8/6/2020	CJR	1
1,2-Dichlorobenzene	< 0.32	ug/l	0.32		1	8260B		8/6/2020	CJR	1
Dichlorodifluoromethane	< 0.45	ug/l	0.45	1.4	1	8260B		8/6/2020	CJR	1
1,2-Dichloroethane	< 0.39	ug/l	0.39	1.3	1	8260B		8/6/2020	CJR	1
1,1-Dichloroethane	< 0.46	ug/l	0.46	1.5	1	8260B		8/6/2020	CJR	1
1,1-Dichloroethene	< 0.5	ug/l	0.5	1.6	1	8260B		8/6/2020	CJR	1
cis-1,2-Dichloroethene	< 0.39	ug/l	0.39	1.2	1	8260B		8/6/2020	CJR	1
trans-1,2-Dichloroethene	< 0.37	ug/l	0.37	1.2	1	8260B		8/6/2020	CJR	1
1,2-Dichloropropane	< 0.38	ug/l	0.38	1.2	1	8260B		8/6/2020	CJR	1
1,3-Dichloropropane	< 0.35	ug/l	0.35	1.1	1	8260B		8/6/2020	CJR	1
trans-1,3-Dichloropropene	< 0.3	ug/l	0.3	0.94	1	8260B		8/6/2020	CJR	1
cis-1,3-Dichloropropene	< 0.36	ug/l	0.36	1.1	1	8260B		8/6/2020	CJR	1
Di-isopropyl ether	< 0.34	ug/l	0.34	1.1	1	8260B		8/6/2020	CJR	1
EDB (1,2-Dibromoethane)	< 0.24	ug/l	0.24	0.75	1	8260B		8/6/2020	CJR	1
Ethylbenzene	< 0.32	ug/l	0.32		1	8260B		8/6/2020	CJR	1
Hexachlorobutadiene	< 0.72	ug/l	0.72	2.3	1	8260B		8/6/2020	CJR	1
Isopropylbenzene	< 0.32	ug/l	0.32		1	8260B		8/6/2020	CJR	1
p-Isopropyltoluene	< 0.47	ug/l	0.47	1.5	1	8260B		8/6/2020	CJR	1
Methylene chloride	< 1.32	ug/l	1.32	4.21	1	8260B		8/6/2020	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.47	ug/l	0.47	1.5	1	8260B		8/6/2020	CJR	1
Naphthalene	< 1.1	ug/l	1.1	3.6	1	8260B		8/6/2020	CJR	1
n-Propylbenzene	< 0.33	ug/l	0.33	1.1	1	8260B		8/6/2020	CJR	1
1,1,2,2-Tetrachloroethane	< 0.37	ug/l	0.37	1.2	1	8260B		8/6/2020	CJR	1
1,1,1,2-Tetrachloroethane	< 0.88	ug/l	0.88	3.3	1	8260B		8/6/2020	CJR	1
Tetrachloroethene	< 0.33	ug/l	0.33		1	8260B		8/6/2020	CJR	1
Toluene	< 0.26	ug/l	0.26	0.83	1	8260B		8/6/2020	CJR	1
1,2,4-Trichlorobenzene	< 0.44	ug/l	0.44	1.4	1	8260B		8/6/2020	CJR	1

Project Name FMR ROBINSONS CLEANERS
Project # 6155 PO#2020-1772

Invoice # E38267

Lab Code 58267CCC
Sample ID 6155 PZ-52D3
Sample Matrix Water
Sample Date 7/27/2020

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 1	ug/l	1	3.2	1	8260B		8/6/2020	CJR	1
1,1,1-Trichloroethane	< 0.3	ug/l	0.3	0.95	1	8260B		8/6/2020	CJR	1
1,1,2-Trichloroethane	< 0.36	ug/l	0.36	1.1	1	8260B		8/6/2020	CJR	1
Trichloroethene (TCE)	< 0.47	ug/l	0.47	1.5	1	8260B		8/6/2020	CJR	1
Trichlorofluoromethane	< 0.42	ug/l	0.42	1.3	1	8260B		8/6/2020	CJR	1
1,2,4-Trimethylbenzene	< 0.3	ug/l	0.3	0.96	1	8260B		8/6/2020	CJR	1
1,3,5-Trimethylbenzene	< 0.32	ug/l	0.32	1	1	8260B		8/6/2020	CJR	1
Vinyl Chloride	< 0.2	ug/l	0.2	0.65	1	8260B		8/6/2020	CJR	1
m&p-Xylene	< 1.1	ug/l	1.1	3.3	1	8260B		8/6/2020	CJR	1
o-Xylene	< 0.38	ug/l	0.38	1.2	1	8260B		8/6/2020	CJR	1
SUR - Toluene-d8	109	REC %			1	8260B		8/6/2020	CJR	1
SUR - 1,2-Dichloroethane-d4	106	REC %			1	8260B		8/6/2020	CJR	1
SUR - 4-Bromofluorobenzene	106	REC %			1	8260B		8/6/2020	CJR	1
SUR - Dibromofluoromethane	94	REC %			1	8260B		8/6/2020	CJR	1

Project Name FMR ROBINSONS CLEANERS
Project # 6155 PO#2020-1772

Invoice # E38267

Lab Code 58267DDD
Sample ID 6155 PZ-53D2
Sample Matrix Water
Sample Date 7/28/2020

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.33	ug/l	0.33		1	8260B		8/6/2020	CJR	1
Bromobenzene	< 0.26	ug/l	0.26	0.84	1	8260B		8/6/2020	CJR	1
Bromodichloromethane	< 0.33	ug/l	0.33		1	8260B		8/6/2020	CJR	1
Bromoform	< 0.65	ug/l	0.65	2.1	1	8260B		8/6/2020	CJR	1
tert-Butylbenzene	< 0.61	ug/l	0.61	1.9	1	8260B		8/6/2020	CJR	1
sec-Butylbenzene	< 0.32	ug/l	0.32		1	8260B		8/6/2020	CJR	1
n-Butylbenzene	< 0.28	ug/l	0.28	0.89	1	8260B		8/6/2020	CJR	1
Carbon Tetrachloride	< 0.31	ug/l	0.31	0.98	1	8260B		8/6/2020	CJR	1
Chlorobenzene	< 0.39	ug/l	0.39	1.2	1	8260B		8/6/2020	CJR	1
Chloroethane	< 1.1	ug/l	1.1	3.6	1	8260B		8/6/2020	CJR	1
Chloroform	< 0.44	ug/l	0.44	1.4	1	8260B		8/6/2020	CJR	1
Chloromethane	< 0.8	ug/l	0.8	2.5	1	8260B		8/6/2020	CJR	1
2-Chlorotoluene	< 0.32	ug/l	0.32		1	8260B		8/6/2020	CJR	1
4-Chlorotoluene	< 0.3	ug/l	0.3	0.96	1	8260B		8/6/2020	CJR	1
1,2-Dibromo-3-chloropropane	< 0.82	ug/l	0.82	2.6	1	8260B		8/6/2020	CJR	1
Dibromochloromethane	< 0.23	ug/l	0.23	0.74	1	8260B		8/6/2020	CJR	1
1,4-Dichlorobenzene	< 0.36	ug/l	0.36	1.1	1	8260B		8/6/2020	CJR	1
1,3-Dichlorobenzene	< 0.31	ug/l	0.31	0.98	1	8260B		8/6/2020	CJR	1
1,2-Dichlorobenzene	< 0.32	ug/l	0.32		1	8260B		8/6/2020	CJR	1
Dichlorodifluoromethane	< 0.45	ug/l	0.45	1.4	1	8260B		8/6/2020	CJR	1
1,2-Dichloroethane	< 0.39	ug/l	0.39	1.3	1	8260B		8/6/2020	CJR	1
1,1-Dichloroethane	< 0.46	ug/l	0.46	1.5	1	8260B		8/6/2020	CJR	1
1,1-Dichloroethene	< 0.5	ug/l	0.5	1.6	1	8260B		8/6/2020	CJR	1
cis-1,2-Dichloroethene	< 0.39	ug/l	0.39	1.2	1	8260B		8/6/2020	CJR	1
trans-1,2-Dichloroethene	< 0.37	ug/l	0.37	1.2	1	8260B		8/6/2020	CJR	1
1,2-Dichloropropane	< 0.38	ug/l	0.38	1.2	1	8260B		8/6/2020	CJR	1
1,3-Dichloropropane	< 0.35	ug/l	0.35	1.1	1	8260B		8/6/2020	CJR	1
trans-1,3-Dichloropropene	< 0.3	ug/l	0.3	0.94	1	8260B		8/6/2020	CJR	1
cis-1,3-Dichloropropene	< 0.36	ug/l	0.36	1.1	1	8260B		8/6/2020	CJR	1
Di-isopropyl ether	< 0.34	ug/l	0.34	1.1	1	8260B		8/6/2020	CJR	1
EDB (1,2-Dibromoethane)	< 0.24	ug/l	0.24	0.75	1	8260B		8/6/2020	CJR	1
Ethylbenzene	< 0.32	ug/l	0.32		1	8260B		8/6/2020	CJR	1
Hexachlorobutadiene	< 0.72	ug/l	0.72	2.3	1	8260B		8/6/2020	CJR	1
Isopropylbenzene	< 0.32	ug/l	0.32		1	8260B		8/6/2020	CJR	1
p-Isopropyltoluene	< 0.47	ug/l	0.47	1.5	1	8260B		8/6/2020	CJR	1
Methylene chloride	< 1.32	ug/l	1.32	4.21	1	8260B		8/6/2020	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.47	ug/l	0.47	1.5	1	8260B		8/6/2020	CJR	1
Naphthalene	< 1.1	ug/l	1.1	3.6	1	8260B		8/6/2020	CJR	1
n-Propylbenzene	< 0.33	ug/l	0.33	1.1	1	8260B		8/6/2020	CJR	1
1,1,2,2-Tetrachloroethane	< 0.37	ug/l	0.37	1.2	1	8260B		8/6/2020	CJR	1
1,1,1,2-Tetrachloroethane	< 0.88	ug/l	0.88	3.3	1	8260B		8/6/2020	CJR	1
Tetrachloroethene	4.4	ug/l	0.33		1	8260B		8/6/2020	CJR	1
Toluene	< 0.26	ug/l	0.26	0.83	1	8260B		8/6/2020	CJR	1
1,2,4-Trichlorobenzene	< 0.44	ug/l	0.44	1.4	1	8260B		8/6/2020	CJR	1

Project Name FMR ROBINSONS CLEANERS
Project # 6155 PO#2020-1772

Invoice # E38267

Lab Code 58267DDD
Sample ID 6155 PZ-53D2
Sample Matrix Water
Sample Date 7/28/2020

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 1	ug/l	1	3.2	1	8260B		8/6/2020	CJR	1
1,1,1-Trichloroethane	< 0.3	ug/l	0.3	0.95	1	8260B		8/6/2020	CJR	1
1,1,2-Trichloroethane	< 0.36	ug/l	0.36	1.1	1	8260B		8/6/2020	CJR	1
Trichloroethene (TCE)	< 0.47	ug/l	0.47	1.5	1	8260B		8/6/2020	CJR	1
Trichlorofluoromethane	< 0.42	ug/l	0.42	1.3	1	8260B		8/6/2020	CJR	1
1,2,4-Trimethylbenzene	< 0.3	ug/l	0.3	0.96	1	8260B		8/6/2020	CJR	1
1,3,5-Trimethylbenzene	< 0.32	ug/l	0.32	1	1	8260B		8/6/2020	CJR	1
Vinyl Chloride	< 0.2	ug/l	0.2	0.65	1	8260B		8/6/2020	CJR	1
m&p-Xylene	< 1.1	ug/l	1.1	3.3	1	8260B		8/6/2020	CJR	1
o-Xylene	< 0.38	ug/l	0.38	1.2	1	8260B		8/6/2020	CJR	1
SUR - 1,2-Dichloroethane-d4	102	REC %			1	8260B		8/6/2020	CJR	1
SUR - Toluene-d8	108	REC %			1	8260B		8/6/2020	CJR	1
SUR - 4-Bromofluorobenzene	109	REC %			1	8260B		8/6/2020	CJR	1
SUR - Dibromofluoromethane	96	REC %			1	8260B		8/6/2020	CJR	1

Project Name FMR ROBINSONS CLEANERS
Project # 6155 PO#2020-1772

Invoice # E38267

Lab Code 58267EEE
Sample ID 6155 DUP-1
Sample Matrix Water
Sample Date 7/27/2020

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 6.6	ug/l	6.6	20	20	8260B		8/6/2020	CJR	1
Bromobenzene	< 5.2	ug/l	5.2	16.8	20	8260B		8/6/2020	CJR	1
Bromodichloromethane	< 6.6	ug/l	6.6	20	20	8260B		8/6/2020	CJR	1
Bromoform	< 13	ug/l	13	42	20	8260B		8/6/2020	CJR	1
tert-Butylbenzene	< 12.2	ug/l	12.2	38	20	8260B		8/6/2020	CJR	1
sec-Butylbenzene	< 6.4	ug/l	6.4	20	20	8260B		8/6/2020	CJR	1
n-Butylbenzene	< 5.6	ug/l	5.6	17.8	20	8260B		8/6/2020	CJR	1
Carbon Tetrachloride	< 6.2	ug/l	6.2	19.6	20	8260B		8/6/2020	CJR	1
Chlorobenzene	< 7.8	ug/l	7.8	24	20	8260B		8/6/2020	CJR	1
Chloroethane	< 22	ug/l	22	72	20	8260B		8/6/2020	CJR	1
Chloroform	< 8.8	ug/l	8.8	28	20	8260B		8/6/2020	CJR	1
Chloromethane	< 16	ug/l	16	50	20	8260B		8/6/2020	CJR	1
2-Chlorotoluene	< 6.4	ug/l	6.4	20	20	8260B		8/6/2020	CJR	1
4-Chlorotoluene	< 6	ug/l	6	19.2	20	8260B		8/6/2020	CJR	1
1,2-Dibromo-3-chloropropane	< 16.4	ug/l	16.4	52	20	8260B		8/6/2020	CJR	1
Dibromochloromethane	< 4.6	ug/l	4.6	14.8	20	8260B		8/6/2020	CJR	1
1,4-Dichlorobenzene	< 7.2	ug/l	7.2	22	20	8260B		8/6/2020	CJR	1
1,3-Dichlorobenzene	< 6.2	ug/l	6.2	19.6	20	8260B		8/6/2020	CJR	1
1,2-Dichlorobenzene	< 6.4	ug/l	6.4	20	20	8260B		8/6/2020	CJR	1
Dichlorodifluoromethane	< 9	ug/l	9	28	20	8260B		8/6/2020	CJR	1
1,2-Dichloroethane	< 7.8	ug/l	7.8	26	20	8260B		8/6/2020	CJR	1
1,1-Dichloroethane	< 9.2	ug/l	9.2	30	20	8260B		8/6/2020	CJR	1
1,1-Dichloroethene	< 10	ug/l	10	32	20	8260B		8/6/2020	CJR	1
cis-1,2-Dichloroethene	< 7.8	ug/l	7.8	24	20	8260B		8/6/2020	CJR	1
trans-1,2-Dichloroethene	< 7.4	ug/l	7.4	24	20	8260B		8/6/2020	CJR	1
1,2-Dichloropropane	< 7.6	ug/l	7.6	24	20	8260B		8/6/2020	CJR	1
1,3-Dichloropropane	< 7	ug/l	7	22	20	8260B		8/6/2020	CJR	1
trans-1,3-Dichloropropene	< 6	ug/l	6	18.8	20	8260B		8/6/2020	CJR	1
cis-1,3-Dichloropropene	< 7.2	ug/l	7.2	22	20	8260B		8/6/2020	CJR	1
Di-isopropyl ether	< 6.8	ug/l	6.8	22	20	8260B		8/6/2020	CJR	1
EDB (1,2-Dibromoethane)	< 4.8	ug/l	4.8	15	20	8260B		8/6/2020	CJR	1
Ethylbenzene	< 6.4	ug/l	6.4	20	20	8260B		8/6/2020	CJR	1
Hexachlorobutadiene	< 14.4	ug/l	14.4	46	20	8260B		8/6/2020	CJR	1
Isopropylbenzene	< 6.4	ug/l	6.4	20	20	8260B		8/6/2020	CJR	1
p-Isopropyltoluene	< 9.4	ug/l	9.4	30	20	8260B		8/6/2020	CJR	1
Methylene chloride	< 26.4	ug/l	26.4	84.2	20	8260B		8/6/2020	CJR	1
Methyl tert-butyl ether (MTBE)	< 9.4	ug/l	9.4	30	20	8260B		8/6/2020	CJR	1
Naphthalene	< 22	ug/l	22	72	20	8260B		8/6/2020	CJR	1
n-Propylbenzene	< 6.6	ug/l	6.6	22	20	8260B		8/6/2020	CJR	1
1,1,2,2-Tetrachloroethane	< 7.4	ug/l	7.4	24	20	8260B		8/6/2020	CJR	1
1,1,1,2-Tetrachloroethane	< 17.6	ug/l	17.6	66	20	8260B		8/6/2020	CJR	1
Tetrachloroethene	< 6.6	ug/l	6.6	20	20	8260B		8/6/2020	CJR	1
Toluene	< 5.2	ug/l	5.2	16.6	20	8260B		8/6/2020	CJR	1
1,2,4-Trichlorobenzene	< 8.8	ug/l	8.8	28	20	8260B		8/6/2020	CJR	1

Project Name FMR ROBINSONS CLEANERS
Project # 6155 PO#2020-1772

Invoice # E38267

Lab Code 58267EEE
Sample ID 6155 DUP-1
Sample Matrix Water
Sample Date 7/27/2020

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 20	ug/l	20	64	20	8260B		8/6/2020	CJR	1
1,1,1-Trichloroethane	< 6	ug/l	6	19	20	8260B		8/6/2020	CJR	1
1,1,2-Trichloroethane	< 7.2	ug/l	7.2	22	20	8260B		8/6/2020	CJR	1
Trichloroethene (TCE)	< 9.4	ug/l	9.4	30	20	8260B		8/6/2020	CJR	1
Trichlorofluoromethane	< 8.4	ug/l	8.4	26	20	8260B		8/6/2020	CJR	1
1,2,4-Trimethylbenzene	< 6	ug/l	6	19.2	20	8260B		8/6/2020	CJR	1
1,3,5-Trimethylbenzene	< 6.4	ug/l	6.4	20	20	8260B		8/6/2020	CJR	1
Vinyl Chloride	< 4	ug/l	4	13	20	8260B		8/6/2020	CJR	1
m&p-Xylene	< 22	ug/l	22	66	20	8260B		8/6/2020	CJR	1
o-Xylene	< 7.6	ug/l	7.6	24	20	8260B		8/6/2020	CJR	1
SUR - 4-Bromofluorobenzene	106	REC %			20	8260B		8/6/2020	CJR	1
SUR - Dibromofluoromethane	98	REC %			20	8260B		8/6/2020	CJR	1
SUR - Toluene-d8	100	REC %			20	8260B		8/6/2020	CJR	1
SUR - 1,2-Dichloroethane-d4	105	REC %			20	8260B		8/6/2020	CJR	1

Project Name FMR ROBINSONS CLEANERS
Project # 6155 PO#2020-1772

Invoice # E38267

Lab Code 58267FFF
Sample ID 6155 DUP-2
Sample Matrix Water
Sample Date 7/27/2020

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 6.6	ug/l	6.6	20	20	8260B		8/6/2020	CJR	1
Bromobenzene	< 5.2	ug/l	5.2	16.8	20	8260B		8/6/2020	CJR	1
Bromodichloromethane	< 6.6	ug/l	6.6	20	20	8260B		8/6/2020	CJR	1
Bromoform	< 13	ug/l	13	42	20	8260B		8/6/2020	CJR	1
tert-Butylbenzene	< 12.2	ug/l	12.2	38	20	8260B		8/6/2020	CJR	1
sec-Butylbenzene	< 6.4	ug/l	6.4	20	20	8260B		8/6/2020	CJR	1
n-Butylbenzene	< 5.6	ug/l	5.6	17.8	20	8260B		8/6/2020	CJR	1
Carbon Tetrachloride	< 6.2	ug/l	6.2	19.6	20	8260B		8/6/2020	CJR	1
Chlorobenzene	< 7.8	ug/l	7.8	24	20	8260B		8/6/2020	CJR	1
Chloroethane	< 22	ug/l	22	72	20	8260B		8/6/2020	CJR	1
Chloroform	< 8.8	ug/l	8.8	28	20	8260B		8/6/2020	CJR	1
Chloromethane	< 16	ug/l	16	50	20	8260B		8/6/2020	CJR	1
2-Chlorotoluene	< 6.4	ug/l	6.4	20	20	8260B		8/6/2020	CJR	1
4-Chlorotoluene	< 6	ug/l	6	19.2	20	8260B		8/6/2020	CJR	1
1,2-Dibromo-3-chloropropane	< 16.4	ug/l	16.4	52	20	8260B		8/6/2020	CJR	1
Dibromochloromethane	< 4.6	ug/l	4.6	14.8	20	8260B		8/6/2020	CJR	1
1,4-Dichlorobenzene	< 7.2	ug/l	7.2	22	20	8260B		8/6/2020	CJR	1
1,3-Dichlorobenzene	< 6.2	ug/l	6.2	19.6	20	8260B		8/6/2020	CJR	1
1,2-Dichlorobenzene	< 6.4	ug/l	6.4	20	20	8260B		8/6/2020	CJR	1
Dichlorodifluoromethane	< 9	ug/l	9	28	20	8260B		8/6/2020	CJR	1
1,2-Dichloroethane	< 7.8	ug/l	7.8	26	20	8260B		8/6/2020	CJR	1
1,1-Dichloroethane	< 9.2	ug/l	9.2	30	20	8260B		8/6/2020	CJR	1
1,1-Dichloroethene	< 10	ug/l	10	32	20	8260B		8/6/2020	CJR	1
cis-1,2-Dichloroethene	< 7.8	ug/l	7.8	24	20	8260B		8/6/2020	CJR	1
trans-1,2-Dichloroethene	< 7.4	ug/l	7.4	24	20	8260B		8/6/2020	CJR	1
1,2-Dichloropropane	< 7.6	ug/l	7.6	24	20	8260B		8/6/2020	CJR	1
1,3-Dichloropropane	< 7	ug/l	7	22	20	8260B		8/6/2020	CJR	1
trans-1,3-Dichloropropene	< 6	ug/l	6	18.8	20	8260B		8/6/2020	CJR	1
cis-1,3-Dichloropropene	< 7.2	ug/l	7.2	22	20	8260B		8/6/2020	CJR	1
Di-isopropyl ether	< 6.8	ug/l	6.8	22	20	8260B		8/6/2020	CJR	1
EDB (1,2-Dibromoethane)	< 4.8	ug/l	4.8	15	20	8260B		8/6/2020	CJR	1
Ethylbenzene	< 6.4	ug/l	6.4	20	20	8260B		8/6/2020	CJR	1
Hexachlorobutadiene	< 14.4	ug/l	14.4	46	20	8260B		8/6/2020	CJR	1
Isopropylbenzene	< 6.4	ug/l	6.4	20	20	8260B		8/6/2020	CJR	1
p-Isopropyltoluene	< 9.4	ug/l	9.4	30	20	8260B		8/6/2020	CJR	1
Methylene chloride	< 26.4	ug/l	26.4	84.2	20	8260B		8/6/2020	CJR	1
Methyl tert-butyl ether (MTBE)	< 9.4	ug/l	9.4	30	20	8260B		8/6/2020	CJR	1
Naphthalene	< 22	ug/l	22	72	20	8260B		8/6/2020	CJR	1
n-Propylbenzene	< 6.6	ug/l	6.6	22	20	8260B		8/6/2020	CJR	1
1,1,2,2-Tetrachloroethane	< 7.4	ug/l	7.4	24	20	8260B		8/6/2020	CJR	1
1,1,1,2-Tetrachloroethane	< 17.6	ug/l	17.6	66	20	8260B		8/6/2020	CJR	1
Tetrachloroethene	780	ug/l	6.6	20	20	8260B		8/6/2020	CJR	1
Toluene	< 5.2	ug/l	5.2	16.6	20	8260B		8/6/2020	CJR	1
1,2,4-Trichlorobenzene	< 8.8	ug/l	8.8	28	20	8260B		8/6/2020	CJR	1

Project Name FMR ROBINSONS CLEANERS
Project # 6155 PO#2020-1772

Invoice # E38267

Lab Code 58267FFF
Sample ID 6155 DUP-2
Sample Matrix Water
Sample Date 7/27/2020

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 20	ug/l	20	64	20	8260B		8/6/2020	CJR	1
1,1,1-Trichloroethane	< 6	ug/l	6	19	20	8260B		8/6/2020	CJR	1
1,1,2-Trichloroethane	< 7.2	ug/l	7.2	22	20	8260B		8/6/2020	CJR	1
Trichloroethene (TCE)	< 9.4	ug/l	9.4	30	20	8260B		8/6/2020	CJR	1
Trichlorofluoromethane	< 8.4	ug/l	8.4	26	20	8260B		8/6/2020	CJR	1
1,2,4-Trimethylbenzene	< 6	ug/l	6	19.2	20	8260B		8/6/2020	CJR	1
1,3,5-Trimethylbenzene	< 6.4	ug/l	6.4	20	20	8260B		8/6/2020	CJR	1
Vinyl Chloride	< 4	ug/l	4	13	20	8260B		8/6/2020	CJR	1
m&p-Xylene	< 22	ug/l	22	66	20	8260B		8/6/2020	CJR	1
o-Xylene	< 7.6	ug/l	7.6	24	20	8260B		8/6/2020	CJR	1
SUR - 1,2-Dichloroethane-d4	105	REC %			20	8260B		8/6/2020	CJR	1
SUR - 4-Bromofluorobenzene	109	REC %			20	8260B		8/6/2020	CJR	1
SUR - Dibromofluoromethane	97	REC %			20	8260B		8/6/2020	CJR	1
SUR - Toluene-d8	104	REC %			20	8260B		8/6/2020	CJR	1

Project Name FMR ROBINSONS CLEANERS
Project # 6155 PO#2020-1772

Invoice # E38267

Lab Code 58267GGG
Sample ID 6155 DUP-3
Sample Matrix Water
Sample Date 7/27/2020

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 6.6	ug/l	6.6	20	20	8260B		8/6/2020	CJR	1
Bromobenzene	< 5.2	ug/l	5.2	16.8	20	8260B		8/6/2020	CJR	1
Bromodichloromethane	< 6.6	ug/l	6.6	20	20	8260B		8/6/2020	CJR	1
Bromoform	< 13	ug/l	13	42	20	8260B		8/6/2020	CJR	1
tert-Butylbenzene	< 12.2	ug/l	12.2	38	20	8260B		8/6/2020	CJR	1
sec-Butylbenzene	< 6.4	ug/l	6.4	20	20	8260B		8/6/2020	CJR	1
n-Butylbenzene	< 5.6	ug/l	5.6	17.8	20	8260B		8/6/2020	CJR	1
Carbon Tetrachloride	< 6.2	ug/l	6.2	19.6	20	8260B		8/6/2020	CJR	1
Chlorobenzene	< 7.8	ug/l	7.8	24	20	8260B		8/6/2020	CJR	1
Chloroethane	< 22	ug/l	22	72	20	8260B		8/6/2020	CJR	1
Chloroform	< 8.8	ug/l	8.8	28	20	8260B		8/6/2020	CJR	1
Chloromethane	< 16	ug/l	16	50	20	8260B		8/6/2020	CJR	1
2-Chlorotoluene	< 6.4	ug/l	6.4	20	20	8260B		8/6/2020	CJR	1
4-Chlorotoluene	< 6	ug/l	6	19.2	20	8260B		8/6/2020	CJR	1
1,2-Dibromo-3-chloropropane	< 16.4	ug/l	16.4	52	20	8260B		8/6/2020	CJR	1
Dibromochloromethane	< 4.6	ug/l	4.6	14.8	20	8260B		8/6/2020	CJR	1
1,4-Dichlorobenzene	< 7.2	ug/l	7.2	22	20	8260B		8/6/2020	CJR	1
1,3-Dichlorobenzene	< 6.2	ug/l	6.2	19.6	20	8260B		8/6/2020	CJR	1
1,2-Dichlorobenzene	< 6.4	ug/l	6.4	20	20	8260B		8/6/2020	CJR	1
Dichlorodifluoromethane	< 9	ug/l	9	28	20	8260B		8/6/2020	CJR	1
1,2-Dichloroethane	< 7.8	ug/l	7.8	26	20	8260B		8/6/2020	CJR	1
1,1-Dichloroethane	< 9.2	ug/l	9.2	30	20	8260B		8/6/2020	CJR	1
1,1-Dichloroethene	< 10	ug/l	10	32	20	8260B		8/6/2020	CJR	1
cis-1,2-Dichloroethene	< 7.8	ug/l	7.8	24	20	8260B		8/6/2020	CJR	1
trans-1,2-Dichloroethene	< 7.4	ug/l	7.4	24	20	8260B		8/6/2020	CJR	1
1,2-Dichloropropane	< 7.6	ug/l	7.6	24	20	8260B		8/6/2020	CJR	1
1,3-Dichloropropane	< 7	ug/l	7	22	20	8260B		8/6/2020	CJR	1
trans-1,3-Dichloropropene	< 6	ug/l	6	18.8	20	8260B		8/6/2020	CJR	1
cis-1,3-Dichloropropene	< 7.2	ug/l	7.2	22	20	8260B		8/6/2020	CJR	1
Di-isopropyl ether	< 6.8	ug/l	6.8	22	20	8260B		8/6/2020	CJR	1
EDB (1,2-Dibromoethane)	< 4.8	ug/l	4.8	15	20	8260B		8/6/2020	CJR	1
Ethylbenzene	< 6.4	ug/l	6.4	20	20	8260B		8/6/2020	CJR	1
Hexachlorobutadiene	< 14.4	ug/l	14.4	46	20	8260B		8/6/2020	CJR	1
Isopropylbenzene	< 6.4	ug/l	6.4	20	20	8260B		8/6/2020	CJR	1
p-Isopropyltoluene	< 9.4	ug/l	9.4	30	20	8260B		8/6/2020	CJR	1
Methylene chloride	< 26.4	ug/l	26.4	84.2	20	8260B		8/6/2020	CJR	1
Methyl tert-butyl ether (MTBE)	< 9.4	ug/l	9.4	30	20	8260B		8/6/2020	CJR	1
Naphthalene	< 22	ug/l	22	72	20	8260B		8/6/2020	CJR	1
n-Propylbenzene	< 6.6	ug/l	6.6	22	20	8260B		8/6/2020	CJR	1
1,1,2,2-Tetrachloroethane	< 7.4	ug/l	7.4	24	20	8260B		8/6/2020	CJR	1
1,1,1,2-Tetrachloroethane	< 17.6	ug/l	17.6	66	20	8260B		8/6/2020	CJR	1
Tetrachloroethene	< 6.6	ug/l	6.6	20	20	8260B		8/6/2020	CJR	1
Toluene	< 5.2	ug/l	5.2	16.6	20	8260B		8/6/2020	CJR	1
1,2,4-Trichlorobenzene	< 8.8	ug/l	8.8	28	20	8260B		8/6/2020	CJR	1

Project Name FMR ROBINSONS CLEANERS
Project # 6155 PO#2020-1772

Invoice # E38267

Lab Code 58267GGG
Sample ID 6155 DUP-3
Sample Matrix Water
Sample Date 7/27/2020

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 20	ug/l	20	64	20	8260B		8/6/2020	CJR	1
1,1,1-Trichloroethane	< 6	ug/l	6	19	20	8260B		8/6/2020	CJR	1
1,1,2-Trichloroethane	< 7.2	ug/l	7.2	22	20	8260B		8/6/2020	CJR	1
Trichloroethene (TCE)	< 9.4	ug/l	9.4	30	20	8260B		8/6/2020	CJR	1
Trichlorofluoromethane	< 8.4	ug/l	8.4	26	20	8260B		8/6/2020	CJR	1
1,2,4-Trimethylbenzene	< 6	ug/l	6	19.2	20	8260B		8/6/2020	CJR	1
1,3,5-Trimethylbenzene	< 6.4	ug/l	6.4	20	20	8260B		8/6/2020	CJR	1
Vinyl Chloride	< 4	ug/l	4	13	20	8260B		8/6/2020	CJR	1
m&p-Xylene	< 22	ug/l	22	66	20	8260B		8/6/2020	CJR	1
o-Xylene	< 7.6	ug/l	7.6	24	20	8260B		8/6/2020	CJR	1
SUR - Toluene-d8	103	REC %			20	8260B		8/6/2020	CJR	1
SUR - Dibromofluoromethane	103	REC %			20	8260B		8/6/2020	CJR	1
SUR - 4-Bromofluorobenzene	114	REC %			20	8260B		8/6/2020	CJR	1
SUR - 1,2-Dichloroethane-d4	98	REC %			20	8260B		8/6/2020	CJR	1

Project Name FMR ROBINSONS CLEANERS
Project # 6155 PO#2020-1772

Invoice # E38267

Lab Code 58267HHH
Sample ID 6155 DUP-4
Sample Matrix Water
Sample Date 7/27/2020

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 6.6	ug/l	6.6	20	20	8260B		8/6/2020	CJR	1
Bromobenzene	< 5.2	ug/l	5.2	16.8	20	8260B		8/6/2020	CJR	1
Bromodichloromethane	< 6.6	ug/l	6.6	20	20	8260B		8/6/2020	CJR	1
Bromoform	< 13	ug/l	13	42	20	8260B		8/6/2020	CJR	1
tert-Butylbenzene	< 12.2	ug/l	12.2	38	20	8260B		8/6/2020	CJR	1
sec-Butylbenzene	< 6.4	ug/l	6.4	20	20	8260B		8/6/2020	CJR	1
n-Butylbenzene	< 5.6	ug/l	5.6	17.8	20	8260B		8/6/2020	CJR	1
Carbon Tetrachloride	< 6.2	ug/l	6.2	19.6	20	8260B		8/6/2020	CJR	1
Chlorobenzene	< 7.8	ug/l	7.8	24	20	8260B		8/6/2020	CJR	1
Chloroethane	< 22	ug/l	22	72	20	8260B		8/6/2020	CJR	1
Chloroform	< 8.8	ug/l	8.8	28	20	8260B		8/6/2020	CJR	1
Chloromethane	< 16	ug/l	16	50	20	8260B		8/6/2020	CJR	1
2-Chlorotoluene	< 6.4	ug/l	6.4	20	20	8260B		8/6/2020	CJR	1
4-Chlorotoluene	< 6	ug/l	6	19.2	20	8260B		8/6/2020	CJR	1
1,2-Dibromo-3-chloropropane	< 16.4	ug/l	16.4	52	20	8260B		8/6/2020	CJR	1
Dibromochloromethane	< 4.6	ug/l	4.6	14.8	20	8260B		8/6/2020	CJR	1
1,4-Dichlorobenzene	< 7.2	ug/l	7.2	22	20	8260B		8/6/2020	CJR	1
1,3-Dichlorobenzene	< 6.2	ug/l	6.2	19.6	20	8260B		8/6/2020	CJR	1
1,2-Dichlorobenzene	< 6.4	ug/l	6.4	20	20	8260B		8/6/2020	CJR	1
Dichlorodifluoromethane	< 9	ug/l	9	28	20	8260B		8/6/2020	CJR	1
1,2-Dichloroethane	< 7.8	ug/l	7.8	26	20	8260B		8/6/2020	CJR	1
1,1-Dichloroethane	< 9.2	ug/l	9.2	30	20	8260B		8/6/2020	CJR	1
1,1-Dichloroethene	< 10	ug/l	10	32	20	8260B		8/6/2020	CJR	1
cis-1,2-Dichloroethene	< 7.8	ug/l	7.8	24	20	8260B		8/6/2020	CJR	1
trans-1,2-Dichloroethene	< 7.4	ug/l	7.4	24	20	8260B		8/6/2020	CJR	1
1,2-Dichloropropane	< 7.6	ug/l	7.6	24	20	8260B		8/6/2020	CJR	1
1,3-Dichloropropane	< 7	ug/l	7	22	20	8260B		8/6/2020	CJR	1
trans-1,3-Dichloropropene	< 6	ug/l	6	18.8	20	8260B		8/6/2020	CJR	1
cis-1,3-Dichloropropene	< 7.2	ug/l	7.2	22	20	8260B		8/6/2020	CJR	1
Di-isopropyl ether	< 6.8	ug/l	6.8	22	20	8260B		8/6/2020	CJR	1
EDB (1,2-Dibromoethane)	< 4.8	ug/l	4.8	15	20	8260B		8/6/2020	CJR	1
Ethylbenzene	< 6.4	ug/l	6.4	20	20	8260B		8/6/2020	CJR	1
Hexachlorobutadiene	< 14.4	ug/l	14.4	46	20	8260B		8/6/2020	CJR	1
Isopropylbenzene	< 6.4	ug/l	6.4	20	20	8260B		8/6/2020	CJR	1
p-Isopropyltoluene	< 9.4	ug/l	9.4	30	20	8260B		8/6/2020	CJR	1
Methylene chloride	< 26.4	ug/l	26.4	84.2	20	8260B		8/6/2020	CJR	1
Methyl tert-butyl ether (MTBE)	< 9.4	ug/l	9.4	30	20	8260B		8/6/2020	CJR	1
Naphthalene	< 22	ug/l	22	72	20	8260B		8/6/2020	CJR	1
n-Propylbenzene	< 6.6	ug/l	6.6	22	20	8260B		8/6/2020	CJR	1
1,1,2,2-Tetrachloroethane	< 7.4	ug/l	7.4	24	20	8260B		8/6/2020	CJR	1
1,1,1,2-Tetrachloroethane	< 17.6	ug/l	17.6	66	20	8260B		8/6/2020	CJR	1
Tetrachloroethene	39	ug/l	6.6	20	20	8260B		8/6/2020	CJR	1
Toluene	< 5.2	ug/l	5.2	16.6	20	8260B		8/6/2020	CJR	1
1,2,4-Trichlorobenzene	< 8.8	ug/l	8.8	28	20	8260B		8/6/2020	CJR	1

Project Name FMR ROBINSONS CLEANERS
Project # 6155 PO#2020-1772

Invoice # E38267

Lab Code 58267HHH
Sample ID 6155 DUP-4
Sample Matrix Water
Sample Date 7/27/2020

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 20	ug/l	20	64	20	8260B		8/6/2020	CJR	1
1,1,1-Trichloroethane	< 6	ug/l	6	19	20	8260B		8/6/2020	CJR	1
1,1,2-Trichloroethane	< 7.2	ug/l	7.2	22	20	8260B		8/6/2020	CJR	1
Trichloroethene (TCE)	< 9.4	ug/l	9.4	30	20	8260B		8/6/2020	CJR	1
Trichlorofluoromethane	< 8.4	ug/l	8.4	26	20	8260B		8/6/2020	CJR	1
1,2,4-Trimethylbenzene	< 6	ug/l	6	19.2	20	8260B		8/6/2020	CJR	1
1,3,5-Trimethylbenzene	< 6.4	ug/l	6.4	20	20	8260B		8/6/2020	CJR	1
Vinyl Chloride	< 4	ug/l	4	13	20	8260B		8/6/2020	CJR	1
m&p-Xylene	< 22	ug/l	22	66	20	8260B		8/6/2020	CJR	1
o-Xylene	< 7.6	ug/l	7.6	24	20	8260B		8/6/2020	CJR	1
SUR - 1,2-Dichloroethane-d4	107	REC %			20	8260B		8/6/2020	CJR	1
SUR - Toluene-d8	105	REC %			20	8260B		8/6/2020	CJR	1
SUR - Dibromofluoromethane	99	REC %			20	8260B		8/6/2020	CJR	1
SUR - 4-Bromofluorobenzene	105	REC %			20	8260B		8/6/2020	CJR	1

Project Name FMR ROBINSONS CLEANERS
 Project # 6155 PO#2020-1772

Invoice # E38267

Lab Code 58267III
 Sample ID 6155 DUP-5
 Sample Matrix Water
 Sample Date 7/28/2020

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 6.6	ug/l	6.6	20	20	8260B		8/6/2020	CJR	1
Bromobenzene	< 5.2	ug/l	5.2	16.8	20	8260B		8/6/2020	CJR	1
Bromodichloromethane	< 6.6	ug/l	6.6	20	20	8260B		8/6/2020	CJR	1
Bromoform	< 13	ug/l	13	42	20	8260B		8/6/2020	CJR	1
tert-Butylbenzene	< 12.2	ug/l	12.2	38	20	8260B		8/6/2020	CJR	1
sec-Butylbenzene	< 6.4	ug/l	6.4	20	20	8260B		8/6/2020	CJR	1
n-Butylbenzene	< 5.6	ug/l	5.6	17.8	20	8260B		8/6/2020	CJR	1
Carbon Tetrachloride	< 6.2	ug/l	6.2	19.6	20	8260B		8/6/2020	CJR	1
Chlorobenzene	< 7.8	ug/l	7.8	24	20	8260B		8/6/2020	CJR	1
Chloroethane	< 22	ug/l	22	72	20	8260B		8/6/2020	CJR	1
Chloroform	< 8.8	ug/l	8.8	28	20	8260B		8/6/2020	CJR	1
Chloromethane	< 16	ug/l	16	50	20	8260B		8/6/2020	CJR	1
2-Chlorotoluene	< 6.4	ug/l	6.4	20	20	8260B		8/6/2020	CJR	1
4-Chlorotoluene	< 6	ug/l	6	19.2	20	8260B		8/6/2020	CJR	1
1,2-Dibromo-3-chloropropane	< 16.4	ug/l	16.4	52	20	8260B		8/6/2020	CJR	1
Dibromochloromethane	< 4.6	ug/l	4.6	14.8	20	8260B		8/6/2020	CJR	1
1,4-Dichlorobenzene	< 7.2	ug/l	7.2	22	20	8260B		8/6/2020	CJR	1
1,3-Dichlorobenzene	< 6.2	ug/l	6.2	19.6	20	8260B		8/6/2020	CJR	1
1,2-Dichlorobenzene	< 6.4	ug/l	6.4	20	20	8260B		8/6/2020	CJR	1
Dichlorodifluoromethane	< 9	ug/l	9	28	20	8260B		8/6/2020	CJR	1
1,2-Dichloroethane	< 7.8	ug/l	7.8	26	20	8260B		8/6/2020	CJR	1
1,1-Dichloroethane	< 9.2	ug/l	9.2	30	20	8260B		8/6/2020	CJR	1
1,1-Dichloroethene	< 10	ug/l	10	32	20	8260B		8/6/2020	CJR	1
cis-1,2-Dichloroethene	16 "J"	ug/l	7.8	24	20	8260B		8/6/2020	CJR	1
trans-1,2-Dichloroethene	< 7.4	ug/l	7.4	24	20	8260B		8/6/2020	CJR	1
1,2-Dichloropropane	< 7.6	ug/l	7.6	24	20	8260B		8/6/2020	CJR	1
1,3-Dichloropropane	< 7	ug/l	7	22	20	8260B		8/6/2020	CJR	1
trans-1,3-Dichloropropene	< 6	ug/l	6	18.8	20	8260B		8/6/2020	CJR	1
cis-1,3-Dichloropropene	< 7.2	ug/l	7.2	22	20	8260B		8/6/2020	CJR	1
Di-isopropyl ether	< 6.8	ug/l	6.8	22	20	8260B		8/6/2020	CJR	1
EDB (1,2-Dibromoethane)	< 4.8	ug/l	4.8	15	20	8260B		8/6/2020	CJR	1
Ethylbenzene	< 6.4	ug/l	6.4	20	20	8260B		8/6/2020	CJR	1
Hexachlorobutadiene	< 14.4	ug/l	14.4	46	20	8260B		8/6/2020	CJR	1
Isopropylbenzene	< 6.4	ug/l	6.4	20	20	8260B		8/6/2020	CJR	1
p-Isopropyltoluene	< 9.4	ug/l	9.4	30	20	8260B		8/6/2020	CJR	1
Methylene chloride	< 26.4	ug/l	26.4	84.2	20	8260B		8/6/2020	CJR	1
Methyl tert-butyl ether (MTBE)	< 9.4	ug/l	9.4	30	20	8260B		8/6/2020	CJR	1
Naphthalene	< 22	ug/l	22	72	20	8260B		8/6/2020	CJR	1
n-Propylbenzene	< 6.6	ug/l	6.6	22	20	8260B		8/6/2020	CJR	1
1,1,2,2-Tetrachloroethane	< 7.4	ug/l	7.4	24	20	8260B		8/6/2020	CJR	1
1,1,1,2-Tetrachloroethane	< 17.6	ug/l	17.6	66	20	8260B		8/6/2020	CJR	1
Tetrachloroethene	1320	ug/l	6.6	20	20	8260B		8/6/2020	CJR	1
Toluene	< 5.2	ug/l	5.2	16.6	20	8260B		8/6/2020	CJR	1
1,2,4-Trichlorobenzene	< 8.8	ug/l	8.8	28	20	8260B		8/6/2020	CJR	1

Project Name FMR ROBINSONS CLEANERS
Project # 6155 PO#2020-1772

Invoice # E38267

Lab Code 58267III
Sample ID 6155 DUP-5
Sample Matrix Water
Sample Date 7/28/2020

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 20	ug/l	20	64	20	8260B		8/6/2020	CJR	1
1,1,1-Trichloroethane	< 6	ug/l	6	19	20	8260B		8/6/2020	CJR	1
1,1,2-Trichloroethane	< 7.2	ug/l	7.2	22	20	8260B		8/6/2020	CJR	1
Trichloroethene (TCE)	58	ug/l	9.4	30	20	8260B		8/6/2020	CJR	1
Trichlorofluoromethane	< 8.4	ug/l	8.4	26	20	8260B		8/6/2020	CJR	1
1,2,4-Trimethylbenzene	< 6	ug/l	6	19.2	20	8260B		8/6/2020	CJR	1
1,3,5-Trimethylbenzene	< 6.4	ug/l	6.4	20	20	8260B		8/6/2020	CJR	1
Vinyl Chloride	< 4	ug/l	4	13	20	8260B		8/6/2020	CJR	1
m&p-Xylene	< 22	ug/l	22	66	20	8260B		8/6/2020	CJR	1
o-Xylene	< 7.6	ug/l	7.6	24	20	8260B		8/6/2020	CJR	1
SUR - 1,2-Dichloroethane-d4	100	REC %			20	8260B		8/6/2020	CJR	1
SUR - 4-Bromofluorobenzene	107	REC %			20	8260B		8/6/2020	CJR	1
SUR - Dibromofluoromethane	100	REC %			20	8260B		8/6/2020	CJR	1
SUR - Toluene-d8	104	REC %			20	8260B		8/6/2020	CJR	1

Project Name FMR ROBINSONS CLEANERS
 Project # 6155 PO#2020-1772

Invoice # E38267

Lab Code 58267JJJ
 Sample ID 6155 TB-1
 Sample Matrix Water
 Sample Date 7/27/2020

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.33	ug/l	0.33		1	8260B		8/6/2020	CJR	1
Bromobenzene	< 0.26	ug/l	0.26	0.84	1	8260B		8/6/2020	CJR	1
Bromodichloromethane	< 0.33	ug/l	0.33		1	8260B		8/6/2020	CJR	1
Bromoform	< 0.65	ug/l	0.65	2.1	1	8260B		8/6/2020	CJR	1
tert-Butylbenzene	< 0.61	ug/l	0.61	1.9	1	8260B		8/6/2020	CJR	1
sec-Butylbenzene	< 0.32	ug/l	0.32		1	8260B		8/6/2020	CJR	1
n-Butylbenzene	< 0.28	ug/l	0.28	0.89	1	8260B		8/6/2020	CJR	1
Carbon Tetrachloride	< 0.31	ug/l	0.31	0.98	1	8260B		8/6/2020	CJR	1
Chlorobenzene	< 0.39	ug/l	0.39	1.2	1	8260B		8/6/2020	CJR	1
Chloroethane	< 1.1	ug/l	1.1	3.6	1	8260B		8/6/2020	CJR	1
Chloroform	< 0.44	ug/l	0.44	1.4	1	8260B		8/6/2020	CJR	1
Chloromethane	< 0.8	ug/l	0.8	2.5	1	8260B		8/6/2020	CJR	1
2-Chlorotoluene	< 0.32	ug/l	0.32		1	8260B		8/6/2020	CJR	1
4-Chlorotoluene	< 0.3	ug/l	0.3	0.96	1	8260B		8/6/2020	CJR	1
1,2-Dibromo-3-chloropropane	< 0.82	ug/l	0.82	2.6	1	8260B		8/6/2020	CJR	1
Dibromochloromethane	< 0.23	ug/l	0.23	0.74	1	8260B		8/6/2020	CJR	1
1,4-Dichlorobenzene	< 0.36	ug/l	0.36	1.1	1	8260B		8/6/2020	CJR	1
1,3-Dichlorobenzene	< 0.31	ug/l	0.31	0.98	1	8260B		8/6/2020	CJR	1
1,2-Dichlorobenzene	< 0.32	ug/l	0.32		1	8260B		8/6/2020	CJR	1
Dichlorodifluoromethane	< 0.45	ug/l	0.45	1.4	1	8260B		8/6/2020	CJR	1
1,2-Dichloroethane	< 0.39	ug/l	0.39	1.3	1	8260B		8/6/2020	CJR	1
1,1-Dichloroethane	< 0.46	ug/l	0.46	1.5	1	8260B		8/6/2020	CJR	1
1,1-Dichloroethene	< 0.5	ug/l	0.5	1.6	1	8260B		8/6/2020	CJR	1
cis-1,2-Dichloroethene	< 0.39	ug/l	0.39	1.2	1	8260B		8/6/2020	CJR	1
trans-1,2-Dichloroethene	< 0.37	ug/l	0.37	1.2	1	8260B		8/6/2020	CJR	1
1,2-Dichloropropane	< 0.38	ug/l	0.38	1.2	1	8260B		8/6/2020	CJR	1
1,3-Dichloropropane	< 0.35	ug/l	0.35	1.1	1	8260B		8/6/2020	CJR	1
trans-1,3-Dichloropropene	< 0.3	ug/l	0.3	0.94	1	8260B		8/6/2020	CJR	1
cis-1,3-Dichloropropene	< 0.36	ug/l	0.36	1.1	1	8260B		8/6/2020	CJR	1
Di-isopropyl ether	< 0.34	ug/l	0.34	1.1	1	8260B		8/6/2020	CJR	1
EDB (1,2-Dibromoethane)	< 0.24	ug/l	0.24	0.75	1	8260B		8/6/2020	CJR	1
Ethylbenzene	< 0.32	ug/l	0.32		1	8260B		8/6/2020	CJR	1
Hexachlorobutadiene	< 0.72	ug/l	0.72	2.3	1	8260B		8/6/2020	CJR	1
Isopropylbenzene	< 0.32	ug/l	0.32		1	8260B		8/6/2020	CJR	1
p-Isopropyltoluene	< 0.47	ug/l	0.47	1.5	1	8260B		8/6/2020	CJR	1
Methylene chloride	< 1.32	ug/l	1.32	4.21	1	8260B		8/6/2020	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.47	ug/l	0.47	1.5	1	8260B		8/6/2020	CJR	1
Naphthalene	< 1.1	ug/l	1.1	3.6	1	8260B		8/6/2020	CJR	1
n-Propylbenzene	< 0.33	ug/l	0.33	1.1	1	8260B		8/6/2020	CJR	1
1,1,2,2-Tetrachloroethane	< 0.37	ug/l	0.37	1.2	1	8260B		8/6/2020	CJR	1
1,1,1,2-Tetrachloroethane	< 0.88	ug/l	0.88	3.3	1	8260B		8/6/2020	CJR	1
Tetrachloroethene	< 0.33	ug/l	0.33		1	8260B		8/6/2020	CJR	1
Toluene	< 0.26	ug/l	0.26	0.83	1	8260B		8/6/2020	CJR	1
1,2,4-Trichlorobenzene	< 0.44	ug/l	0.44	1.4	1	8260B		8/6/2020	CJR	1

Project Name FMR ROBINSONS CLEANERS
Project # 6155 PO#2020-1772

Invoice # E38267

Lab Code 58267JJJ
Sample ID 6155 TB-1
Sample Matrix Water
Sample Date 7/27/2020

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 1	ug/l	1	3.2	1	8260B		8/6/2020	CJR	1
1,1,1-Trichloroethane	< 0.3	ug/l	0.3	0.95	1	8260B		8/6/2020	CJR	1
1,1,2-Trichloroethane	< 0.36	ug/l	0.36	1.1	1	8260B		8/6/2020	CJR	1
Trichloroethene (TCE)	< 0.47	ug/l	0.47	1.5	1	8260B		8/6/2020	CJR	1
Trichlorofluoromethane	< 0.42	ug/l	0.42	1.3	1	8260B		8/6/2020	CJR	1
1,2,4-Trimethylbenzene	< 0.3	ug/l	0.3	0.96	1	8260B		8/6/2020	CJR	1
1,3,5-Trimethylbenzene	< 0.32	ug/l	0.32	1	1	8260B		8/6/2020	CJR	1
Vinyl Chloride	< 0.2	ug/l	0.2	0.65	1	8260B		8/6/2020	CJR	1
m&p-Xylene	< 1.1	ug/l	1.1	3.3	1	8260B		8/6/2020	CJR	1
o-Xylene	< 0.38	ug/l	0.38	1.2	1	8260B		8/6/2020	CJR	1
SUR - 1,2-Dichloroethane-d4	97	REC %			1	8260B		8/6/2020	CJR	1
SUR - 4-Bromofluorobenzene	104	REC %			1	8260B		8/6/2020	CJR	1
SUR - Dibromofluoromethane	97	REC %			1	8260B		8/6/2020	CJR	1
SUR - Toluene-d8	107	REC %			1	8260B		8/6/2020	CJR	1

Project Name FMR ROBINSONS CLEANERS
Project # 6155 PO#2020-1772

Invoice # E38267

Lab Code 58267KKK
Sample ID 6155 TB-2
Sample Matrix Water
Sample Date 7/27/2020

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.33	ug/l	0.33		1	8260B		8/6/2020	CJR	1
Bromobenzene	< 0.26	ug/l	0.26	0.84	1	8260B		8/6/2020	CJR	1
Bromodichloromethane	< 0.33	ug/l	0.33		1	8260B		8/6/2020	CJR	1
Bromoform	< 0.65	ug/l	0.65	2.1	1	8260B		8/6/2020	CJR	1
tert-Butylbenzene	< 0.61	ug/l	0.61	1.9	1	8260B		8/6/2020	CJR	1
sec-Butylbenzene	< 0.32	ug/l	0.32		1	8260B		8/6/2020	CJR	1
n-Butylbenzene	< 0.28	ug/l	0.28	0.89	1	8260B		8/6/2020	CJR	1
Carbon Tetrachloride	< 0.31	ug/l	0.31	0.98	1	8260B		8/6/2020	CJR	1
Chlorobenzene	< 0.39	ug/l	0.39	1.2	1	8260B		8/6/2020	CJR	1
Chloroethane	< 1.1	ug/l	1.1	3.6	1	8260B		8/6/2020	CJR	1
Chloroform	< 0.44	ug/l	0.44	1.4	1	8260B		8/6/2020	CJR	1
Chloromethane	< 0.8	ug/l	0.8	2.5	1	8260B		8/6/2020	CJR	1
2-Chlorotoluene	< 0.32	ug/l	0.32		1	8260B		8/6/2020	CJR	1
4-Chlorotoluene	< 0.3	ug/l	0.3	0.96	1	8260B		8/6/2020	CJR	1
1,2-Dibromo-3-chloropropane	< 0.82	ug/l	0.82	2.6	1	8260B		8/6/2020	CJR	1
Dibromochloromethane	< 0.23	ug/l	0.23	0.74	1	8260B		8/6/2020	CJR	1
1,4-Dichlorobenzene	< 0.36	ug/l	0.36	1.1	1	8260B		8/6/2020	CJR	1
1,3-Dichlorobenzene	< 0.31	ug/l	0.31	0.98	1	8260B		8/6/2020	CJR	1
1,2-Dichlorobenzene	< 0.32	ug/l	0.32		1	8260B		8/6/2020	CJR	1
Dichlorodifluoromethane	< 0.45	ug/l	0.45	1.4	1	8260B		8/6/2020	CJR	1
1,2-Dichloroethane	< 0.39	ug/l	0.39	1.3	1	8260B		8/6/2020	CJR	1
1,1-Dichloroethane	< 0.46	ug/l	0.46	1.5	1	8260B		8/6/2020	CJR	1
1,1-Dichloroethene	< 0.5	ug/l	0.5	1.6	1	8260B		8/6/2020	CJR	1
cis-1,2-Dichloroethene	< 0.39	ug/l	0.39	1.2	1	8260B		8/6/2020	CJR	1
trans-1,2-Dichloroethene	< 0.37	ug/l	0.37	1.2	1	8260B		8/6/2020	CJR	1
1,2-Dichloropropane	< 0.38	ug/l	0.38	1.2	1	8260B		8/6/2020	CJR	1
1,3-Dichloropropane	< 0.35	ug/l	0.35	1.1	1	8260B		8/6/2020	CJR	1
trans-1,3-Dichloropropene	< 0.3	ug/l	0.3	0.94	1	8260B		8/6/2020	CJR	1
cis-1,3-Dichloropropene	< 0.36	ug/l	0.36	1.1	1	8260B		8/6/2020	CJR	1
Di-isopropyl ether	< 0.34	ug/l	0.34	1.1	1	8260B		8/6/2020	CJR	1
EDB (1,2-Dibromoethane)	< 0.24	ug/l	0.24	0.75	1	8260B		8/6/2020	CJR	1
Ethylbenzene	< 0.32	ug/l	0.32		1	8260B		8/6/2020	CJR	1
Hexachlorobutadiene	< 0.72	ug/l	0.72	2.3	1	8260B		8/6/2020	CJR	1
Isopropylbenzene	< 0.32	ug/l	0.32		1	8260B		8/6/2020	CJR	1
p-Isopropyltoluene	< 0.47	ug/l	0.47	1.5	1	8260B		8/6/2020	CJR	1
Methylene chloride	< 1.32	ug/l	1.32	4.21	1	8260B		8/6/2020	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.47	ug/l	0.47	1.5	1	8260B		8/6/2020	CJR	1
Naphthalene	< 1.1	ug/l	1.1	3.6	1	8260B		8/6/2020	CJR	1
n-Propylbenzene	< 0.33	ug/l	0.33	1.1	1	8260B		8/6/2020	CJR	1
1,1,2,2-Tetrachloroethane	< 0.37	ug/l	0.37	1.2	1	8260B		8/6/2020	CJR	1
1,1,1,2-Tetrachloroethane	< 0.88	ug/l	0.88	3.3	1	8260B		8/6/2020	CJR	1
Tetrachloroethene	< 0.33	ug/l	0.33		1	8260B		8/6/2020	CJR	1
Toluene	< 0.26	ug/l	0.26	0.83	1	8260B		8/6/2020	CJR	1
1,2,4-Trichlorobenzene	< 0.44	ug/l	0.44	1.4	1	8260B		8/6/2020	CJR	1

Project Name FMR ROBINSONS CLEANERS
Project # 6155 PO#2020-1772

Invoice # E38267

Lab Code 58267KKK
Sample ID 6155 TB-2
Sample Matrix Water
Sample Date 7/27/2020

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 1	ug/l	1	3.2	1	8260B		8/6/2020	CJR	1
1,1,1-Trichloroethane	< 0.3	ug/l	0.3	0.95	1	8260B		8/6/2020	CJR	1
1,1,2-Trichloroethane	< 0.36	ug/l	0.36	1.1	1	8260B		8/6/2020	CJR	1
Trichloroethene (TCE)	< 0.47	ug/l	0.47	1.5	1	8260B		8/6/2020	CJR	1
Trichlorofluoromethane	< 0.42	ug/l	0.42	1.3	1	8260B		8/6/2020	CJR	1
1,2,4-Trimethylbenzene	< 0.3	ug/l	0.3	0.96	1	8260B		8/6/2020	CJR	1
1,3,5-Trimethylbenzene	< 0.32	ug/l	0.32	1	1	8260B		8/6/2020	CJR	1
Vinyl Chloride	< 0.2	ug/l	0.2	0.65	1	8260B		8/6/2020	CJR	1
m&p-Xylene	< 1.1	ug/l	1.1	3.3	1	8260B		8/6/2020	CJR	1
o-Xylene	< 0.38	ug/l	0.38	1.2	1	8260B		8/6/2020	CJR	1
SUR - Toluene-d8	104	REC %				1	8260B	8/6/2020	CJR	1
SUR - 1,2-Dichloroethane-d4	102	REC %				1	8260B	8/6/2020	CJR	1
SUR - 4-Bromofluorobenzene	108	REC %				1	8260B	8/6/2020	CJR	1
SUR - Dibromofluoromethane	95	REC %				1	8260B	8/6/2020	CJR	1

"J" Flag: Analyte detected between LOD and LOQ

LOD Limit of Detection

LOQ Limit of Quantitation

Code **Comment**

1 Laboratory QC within limits.

All solid sample results reported on a dry weight basis unless otherwise indicated. All LOD's and LOQ's are adjusted for dilutions but not dry weight. Subcontracted results are denoted by SUB in the analyst field.

Authorized Signature

Environmental Lab, Inc.

1990 Prospect Ct. • Appleton, WI 54914
920-830-2455 • FAX 920-733-0631

Sample Handling Request

Rush Analysis Date Required _____
(Rushes accepted only with prior authorization)

Normal Turn Around

Lab I.D. # _____
Account No. : _____ Quote No.: **8242**
Project #: **6155**
Sampler: (signature) *B. J. Kappen / Melody Che*

Project (Name / Location): **Fmr Robinson's Cleaners - Court St**
Reports To: **B. Kappen** Invoice To: **Accounts Payable**
Company: **Enviroforensics LLC** Company: **Enviroforensics LLC**
Address: **bkappen@enviroforensics.com** Address: **accounts payable@enviroforensics.com**
City State Zip: _____ City State Zip: _____
Phone: **262-745-5054** Phone: **317-972-7870**
FAX: _____ FAX: _____

Analysis Requested **Other Analysis**

Lab I.D.	Sample I.D.	Collection		Comp	Grab	Filtered Y/N	No. of Containers	Sample Type (Matrix)*	Preservation	DRO (Mod DRO Sep 95)	GRO (Mod GRO Sep 95)	LEAD	NITRATE/NITRITE	OIL & GREASE	PAH (EPA 8270)	PCB	PVOC (EPA 8021)	PVOC + NAPHTHALENE	SULFATE	TOTAL SUSPENDED SOLIDS	VOC DW (EPA 524.2)	VOC (EPA 8260)	8-RCRA METALS	PID/FID	
		Date	Time																						
5038267A	6155-MW-1	7/27/20	1120		X	N	3	GW	HCl																
B	6155-MW-6		1200																			X			
C	6155-MW-8		1650																			X			
D	6155-MW-9		1135																			X			
E	6155-MW-11		1425																			X			
F	6155-MW-12		1210																			X			
G	6155-MW-13		1410																			X			
H	6155-MW-14		1150																			X			
I	6155-MW-20D		1105																			X			
J	6155-PZ-17D1	7/29/20	1150																			X			

Comments/Special Instructions (*Specify groundwater "GW", Drinking Water "DW", Waste Water "WW", Soil "S", Air "A", Oil, Sludge etc.)

PO# 2020-1772

Sample Integrity - To be completed by receiving lab.
Method of Shipment: Ge
Temp. of Temp. Blank _____ °C On Ice
Cooler seal intact upon receipt: Yes No

Relinquished By: (sign) *B. J. Kappen* Time 1215 Date 7/29/20
Received By: (sign) Gold Cross Time 1215 Date 7/29/20
Received in Laboratory By: *[Signature]* Time: 8:00 Date: 7/31/20

Environmental Lab, Inc.

1990 Prospect Ct. • Appleton, WI 54914
920-830-2455 • FAX 920-733-0631

Sample Handling Request

Rush Analysis Date Required _____
(Rushes accepted only with prior authorization)

Normal Turn Around

Lab I.D. # _____
Account No. : _____ Quote No.: 8242
Project #: 6155
Sampler: (signature) [Signature]

Project (Name / Location): _____

Reports To:	Invoice To:
Company	Company
Address	Address
City State Zip	City State Zip
Phone	Phone
FAX	FAX

Analysis Requested **Other Analysis**

Lab I.D.	Sample I.D.	Collection Date	Time	Comp	Grab	Filtered Y/N	No. of Containers	Sample Type (Matrix)*	Preservation	DRO (Mod DRO Sep 95)	GRO (Mod GRO Sep 95)	LEAD	NITRATE/NITRITE	OIL & GREASE	PAH (EPA 8270)	PCB	PVOC (EPA 8021)	PVOC + NAPHTHALENE	SULFATE	TOTAL SUSPENDED SOLIDS	VOC DW (EPA 524-2)	VOC (EPA 8260)	8-PCRA METALS	PID/FID
<u>S038267k</u>	<u>6155-P2-1702</u>	<u>7/27/20</u>	<u>1455</u>		<u>X</u>	<u>N</u>	<u>3</u>	<u>GW</u>	<u>HCl</u>															
<u>L</u>	<u>6155-MW-25D</u>		<u>1535</u>																			<u>X</u>		
<u>M</u>	<u>6155-PZ-25D2</u>		<u>1530</u>																			<u>X</u>		
<u>N</u>	<u>6155-PZ-25D3</u>		<u>1525</u>																			<u>X</u>		
<u>O</u>	<u>6155-MW-26</u>		<u>1555</u>																			<u>X</u>		
<u>P</u>	<u>6155-MW-27S</u>		<u>1230</u>																			<u>X</u>		
<u>Q</u>	<u>6155-MW-27D</u>		<u>1235</u>																			<u>X</u>		
<u>R</u>	<u>6155-MW-27DS</u>		<u>1240</u>																			<u>X</u>		
<u>S</u>	<u>6155-MW-29S</u>		<u>1030</u>																			<u>X</u>		
<u>T</u>	<u>6155-MW-29</u>		<u>1035</u>																			<u>X</u>		

Comments/Special Instructions (*Specify groundwater "GW", Drinking Water "DW", Waste Water "WW", Soil "S", Air "A", Oil, Sludge etc.)

Sample Integrity - To be completed by receiving lab.
Method of Shipment: GC
Temp. of Temp. Blank _____ °C On Ice
Cooler seal intact upon receipt: Yes _____ No

Relinquished By: (sign) [Signature] Time 1215 Date 7/29/20
Received By: (sign) Gold Cross Time 1215 Date 7/29/20
Received in Laboratory By: [Signature] Time: 8:00 Date: 7/31/20

Environmental Lab, Inc.

1990 Prospect Ct. • Appleton, WI 54914
920-830-2455 • FAX 920-733-0631

Sample Handling Request

Rush Analysis Date Required _____
(Rushes accepted only with prior authorization)

Normal Turn Around

Lab I.D. #	
Account No. :	Quote No.: 8242
Project #:	6155
Sampler: (signature)	<i>B. J. Ryan</i>

Project (Name / Location):

Reports To:	Invoice To:
Company:	Company:
Address:	Address:
City State Zip:	City State Zip:
Phone:	Phone:
FAX:	FAX:

Analysis Requested										Other Analysis														
Lab I.D.	Sample I.D.	Collection Date	Time	Comp	Grab	Filtered Y/N	No. of Containers	Sample Type (Matrix)*	Preservation	DRO (Mod DRO Sep 95)	GRO (Mod GRO Sep 95)	LEAD	NITRATE/NITRITE	OIL & GREASE	PAH (EPA 8270)	PCB	PVOC (EPA 8021)	PVOC + NAPHTHALENE	SULFATE	TOTAL SUSPENDED SOLIDS	VOC DW (EPA 524.2)	VOC (EPA 8260)	8-RCRA METALS	PID/FID
5038267U	6155-MW-30S	7/27/20	1005		X	N	3	GW	HCl													X		
V	6155-MW-30D		1010																			X		
W	6155-MW-30D3		1018																			X		
X	6155-MW-31D		1300																			X		
Y	6155-MW-32		1345																			X		
Z	6155-MW-35D		1610																			X		
AA	6155-MW-36S		935																			X		
BB	6155-MW-36D		940																			X		
CC	6155-MW-37D		1700																			X		
DD	6155-MW-38D		1335																			X		

Comments/Special Instructions (*Specify groundwater "GW", Drinking Water "DW", Waste Water "WW", Soil "S", Air "A", Oil, Sludge etc.)

Sample Integrity - To be completed by receiving lab.

Method of Shipment:

Temp. of Temp. Blank _____ °C On Ice

Cooler seal intact upon receipt: Yes _____ No

Relinquished By: (sign)	Time	Date	Received By: (sign)	Time	Date
<i>B. J. Ryan</i>	1215	7/29/20	<i>Gold Cross</i>	1215	7/29/20
Received in Laboratory By: <i> </i>	Time: 8:00	Date: 7/31/20			

Environmental Lab, Inc.

1990 Prospect Ct. • Appleton, WI 54914
920-830-2455 • FAX 920-733-0631

Sample Handling Request

Rush Analysis Date Required _____
(Rushes accepted only with prior authorization)

Normal Turn Around

Lab I.D. # _____
Account No. : _____ Quote No.: **3242**
Project #: **6155**
Sampler: (signature) *B. J. Kyp*

Project (Name / Location): _____
Reports To: _____ Invoice To: _____
Company: _____ Company: _____
Address: _____ Address: _____
City State Zip: _____ City State Zip: _____
Phone: _____ Phone: _____
FAX: _____ FAX: _____

Analysis Requested

Other Analysis

Lab I.D.	Sample I.D.	Collection Date	Time	Comp	Grab	Filtered Y/N	No. of Containers	Sample Type (Matrix)*	Preservation	DRO (Mod DRO Sep 95)	GRO (Mod GRO Sep 95)	LEAD	NITRATE/NITRITE	OIL & GREASE	PAH (EPA 8270)	PCB	PVOC (EPA 8021)	PVOC + NAPHTHALENE	SULFATE	TOTAL SUSPENDED SOLIDS	VOC DW (EPA 524.2)	VOC (EPA 8260)	8-RCRA METALS	PID/FID
53826FE	6155-MW-39S	7/27/20	910		X	N	3	GW	HC1															
FF	6155-PZ-42D1	7/28/20	1030																					
GG	6155-PZ-42D2	7/28/20	920																					
HH	6155-PZ-42D3	7/29/20	1010																					
FI	6155-PZ-43D1	7/27/20	1715																					
JJ	6155-MW-44S		1220																					
KK	6155-PZ-44D1		1230																					
LL	6155-PZ-44D2		1240																					
MM	6155-PZ-46D1		1540																					
NN	6155-PZ-46D2		1610																					

Comments/Special Instructions (*Specify groundwater "GW", Drinking Water "DW", Waste Water "WW", Soil "S", Air "A", Oil, Sludge etc.)

Sample Integrity - To be completed by receiving lab.
Method of Shipment: Ge
Temp. of Temp. Blank _____ °C On Ice
Cooler seal intact upon receipt: Yes _____ No

Relinquished By: (sign) *B. J. Kyp* Time 1215 Date 7/29/20
Received By: (sign) Gold Cross Time 1215 Date 7/29/20

Received in Laboratory By: *[Signature]* Time: 8:00 Date: 7/31/20

Environmental Lab, Inc.

1990 Prospect Ct. • Appleton, WI 54914
920-830-2455 • FAX 920-733-0631

Sample Handling Request
Rush Analysis Date Required _____
(Rushes accepted only with prior authorization)
 Normal Turn Around

Lab I.D. # _____
Account No. : _____ Quote No.: **8242**
Project #: **6155**
Sampler: (signature) *B. J. Ryan*

Project (Name / Location): _____
Reports To: _____ Invoice To: _____
Company: _____ Company: _____
Address: _____ Address: _____
City State Zip: _____ City State Zip: _____
Phone: _____ Phone: _____
FAX: _____ FAX: _____

										Analysis Requested										Other Analysis					
Lab I.D.	Sample I.D.	Collection Date	Time	Comp	Grab	Filtered Y/N	No. of Containers	Sample Type (Matrix)*	Preservation	DRO (Mod DRO Sep 95)	GRO (Mod GRO Sep 95)	LEAD	NITRATE/NITRITE	OIL & GREASE	PAH (EPA 8270)	PCB	PVOC (EPA 8021)	PVOC + NAPHTHALENE	SULFATE	TOTAL SUSPENDED SOLIDS	VOC DW (EPA 524.2)	VOC (EPA 8260)	8-PCRA METALS	PID/ FID	
53826700	6155-PZ-46D3	7/27/20	1620		X	N	3	GW	HCl																
	PP 6155-PZ-47D1		1010																						
	QG 6155-PZ-47D2		1020																						
	RR 6155-PZ-47D3		1030																						
	SS 6155-PZ-48D1	7/28/20	750																						
	TT 6155-PZ-48D2	7/28/20	745																						
	UU 6155-PZ-48D3	7/28/20	750																						
	VV 6155-PZ-49D1	7/27/20	1415																						
	WW 6155-PZ-49D2		1430																						
	XX 6155-PZ-49D3		1450																						

Comments/Special Instructions (*Specify groundwater "GW", Drinking Water "DW", Waste Water "WW", Soil "S", Air "A", Oil, Sludge etc.)

Sample Integrity - To be completed by receiving lab.
Method of Shipment: GC
Temp. of Temp. Blank _____ °C On Ice
Cooler seal intact upon receipt: Yes _____ No

Relinquished By: (sign) *B. J. Ryan* Time 1215 Date 7/29/20
Received By: (sign) *Gold Cross* Time _____ Date _____

Received in Laboratory By: *[Signature]* Time 8:00 Date: 7/31/20

Environmental Lab, Inc.

1990 Prospect Ct. • Appleton, WI 54914
920-830-2455 • FAX 920-733-0631

Sample Handling Request

Rush Analysis Date Required _____
(Rushes accepted only with prior authorization)

Normal Turn Around

Lab I.D. # _____
Account No. : _____ Quote No.: **8242**
Project #: **6155**
Sampler: (signature) *B. J. [unclear]*

Project (Name / Location): _____
Reports To: _____ Invoice To: _____
Company: _____ Company: _____
Address: _____ Address: _____
City State Zip: _____ City State Zip: _____
Phone: _____ Phone: _____
FAX: _____ FAX: _____

Analysis Requested **Other Analysis**

Lab I.D.	Sample I.D.	Collection Date	Time	Comp	Grab	Filtered Y/N	No. of Containers	Sample Type (Matrix)*	Preservation	DRO (Mod DRO Sep 95)	GRO (Mod GRO Sep 95)	LEAD	NITRATE/NITRITE	OIL & GREASE	PAH (EPA 8270)	PCB	PVOC (EPA 8021)	PVOC + NAPHTHALENE	SULFATE	TOTAL SUSPENDED SOLIDS	VOC DW (EPA 524.2)	VOC (EPA 8260)	8-PCRA METALS	PID/FID	
S3826744	6155-PZ-49D4	7/27/20	1500		X	N	3	GW	HCl																
	ZZ	6155-MW-515	↓		↓	↓	↓	↓	↓													X	X		
	AAA	6155-PZ-52D1	↓		↓	↓	↓	↓	↓													X	X		
	BBB	6155-PZ-52D2	↓		↓	↓	↓	↓	↓													X	X		
	CCC	6155-PZ-52D3	↓		↓	↓	↓	↓	↓													X	X		
	DDD	6155-PZ-53D2	7/29/20		↓	↓	↓	↓	↓													X	X		
	EEE	6155-DUP-1	7/27/20		↓	↓	↓	↓	↓													X	X		
	FFF	6155-DUP-2	↓		↓	↓	X 2	↓	↓													X	X		
	GGG	6155-DUP-3	↓		↓	↓	↓	↓	↓													X	X		
	HHH	6155-DUP-4	↓		↓	↓	↓	↓	↓													X	X		

Comments/Special Instructions (*Specify groundwater "GW", Drinking Water "DW", Waste Water "WW", Soil "S", Air "A", Oil, Sludge etc.)

Sample Integrity - To be completed by receiving lab.
Method of Shipment: GC
Temp. of Temp. Blank _____ °C On Ice:
Cooler seal intact upon receipt: Yes _____ No

Relinquished By: (sign) *B. J. [unclear]* Time 1215 Date 7/29/20
Received By: (sign) Gold Cross Time _____ Date _____
Received in Laboratory By: *[Signature]* Time: 8:00 Date: 7/31/20

Environmental Lab, Inc.

1990 Prospect Ct. • Appleton, WI 54914
920-830-2455 • FAX 920-733-0631

Sample Handling Request
 Rush Analysis Date Required _____
 (Rushes accepted only with prior authorization)
 Normal Turn Around

Lab I.D. # _____
 Account No.: _____ Quote No.: **8242**
 Project #: **6155**
 Sampler: (signature) *Bijoy*

Project (Name / Location): _____
 Reports To: _____ Invoice To: _____
 Company: _____ Company: _____
 Address: _____ Address: _____
 City State Zip: _____ City State Zip: _____
 Phone: _____ Phone: _____
 FAX: _____ FAX: _____

										Analysis Requested										Other Analysis					
Lab I.D.	Sample I.D.	Collection Date	Time	Comp	Grab	Filtered Y/N	No. of Containers	Sample Type (Matrix)*	Preservation	DRO (Mod DRO Sep 95)	GRO (Mod GRO Sep 95)	LEAD	NITRATE/NITRITE	OIL & GREASE	PAH (EPA 8270)	PCB	PVOC (EPA 8021)	PVOC + NAPHTHALENE	SULFATE	TOTAL SUSPENDED SOLIDS	VOC DW (EPA 524.2)	VOC (EPA 8260)	8-PCRA METALS	PID/FID	
S8267IIII	6155-DUP-5	7/28/20	1200		X	N	3	GW	HCl																
JII	6155-TB-1	7/27/20				↓	↓		↓													X	X		
kkk	6155-TB-2	↓				↓	↓		↓													X	X		

Comments/Special Instructions (*Specify groundwater "GW", Drinking Water "DW", Waste Water "WW", Soil "S", Air "A", Oil, Sludge etc.)

Sample Integrity - To be completed by receiving lab.
 Method of Shipment: *GC*
 Temp. of Temp. Blank _____ °C On Ice:
 Cooler seal intact upon receipt: Yes _____ No

Relinquished By: (sign) *Bijoy* Time 1215 Date 7/29/20
 Received By: (sign) *Gold Cross* Time 1215 Date 7/29/20
 Received in Laboratory By: *[Signature]* Time: 8:00 Date: 7/31/20

Synergy Environmental Lab, INC

1990 Prospect Ct., Appleton, WI 54914 *P 920-830-2455 * F 920-733-0631

BRIAN KAPPEN
ENVIROFORENSICS
N16 W 23390 STONERIDGE DR
WAUKESHA WI 53188

Report Date 15-Dec-20

Project Name ROBINSON'S CLEANERS
Project # 6155 PO#2020-2129

Invoice # E38879

Lab Code 5038879A
Sample ID 6155 PZ-53D3
Sample Matrix Water
Sample Date 12/2/2020

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.33	ug/l	0.33		1	8260B		12/11/2020	CJR	1
Bromobenzene	< 0.26	ug/l	0.26	0.84	1	8260B		12/11/2020	CJR	1
Bromodichloromethane	< 0.33	ug/l	0.33		1	8260B		12/11/2020	CJR	1
Bromoform	< 0.65	ug/l	0.65	2.1	1	8260B		12/11/2020	CJR	1
tert-Butylbenzene	< 0.61	ug/l	0.61	1.9	1	8260B		12/11/2020	CJR	1
sec-Butylbenzene	< 0.32	ug/l	0.32		1	8260B		12/11/2020	CJR	1
n-Butylbenzene	< 0.28	ug/l	0.28	0.89	1	8260B		12/11/2020	CJR	1
Carbon Tetrachloride	< 0.31	ug/l	0.31	0.98	1	8260B		12/11/2020	CJR	1
Chlorobenzene	< 0.39	ug/l	0.39	1.2	1	8260B		12/11/2020	CJR	1
Chloroethane	< 1.1	ug/l	1.1	3.6	1	8260B		12/11/2020	CJR	1
Chloroform	< 0.44	ug/l	0.44	1.4	1	8260B		12/11/2020	CJR	1
Chloromethane	< 0.8	ug/l	0.8	2.5	1	8260B		12/11/2020	CJR	1
2-Chlorotoluene	< 0.32	ug/l	0.32		1	8260B		12/11/2020	CJR	1
4-Chlorotoluene	< 0.3	ug/l	0.3	0.96	1	8260B		12/11/2020	CJR	1
1,2-Dibromo-3-chloropropane	< 0.82	ug/l	0.82	2.6	1	8260B		12/11/2020	CJR	1
Dibromochloromethane	< 0.23	ug/l	0.23	0.74	1	8260B		12/11/2020	CJR	1
1,4-Dichlorobenzene	< 0.36	ug/l	0.36	1.1	1	8260B		12/11/2020	CJR	1
1,3-Dichlorobenzene	< 0.31	ug/l	0.31	0.98	1	8260B		12/11/2020	CJR	1
1,2-Dichlorobenzene	< 0.32	ug/l	0.32		1	8260B		12/11/2020	CJR	1
Dichlorodifluoromethane	< 0.45	ug/l	0.45	1.4	1	8260B		12/11/2020	CJR	1
1,2-Dichloroethane	< 0.39	ug/l	0.39	1.3	1	8260B		12/11/2020	CJR	1
1,1-Dichloroethane	< 0.46	ug/l	0.46	1.5	1	8260B		12/11/2020	CJR	1
1,1-Dichloroethene	< 0.5	ug/l	0.5	1.6	1	8260B		12/11/2020	CJR	1
cis-1,2-Dichloroethene	< 0.39	ug/l	0.39	1.2	1	8260B		12/11/2020	CJR	1
trans-1,2-Dichloroethene	< 0.37	ug/l	0.37	1.2	1	8260B		12/11/2020	CJR	1

Project Name ROBINSON'S CLEANERS
Project # 6155 PO#2020-2129

Invoice # E38879

Lab Code 5038879A
Sample ID 6155 PZ-53D3
Sample Matrix Water
Sample Date 12/2/2020

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2-Dichloropropane	< 0.38	ug/l	0.38	1.2	1	8260B		12/11/2020	CJR	1
1,3-Dichloropropane	< 0.35	ug/l	0.35	1.1	1	8260B		12/11/2020	CJR	1
trans-1,3-Dichloropropene	< 0.3	ug/l	0.3	0.94	1	8260B		12/11/2020	CJR	1
cis-1,3-Dichloropropene	< 0.36	ug/l	0.36	1.1	1	8260B		12/11/2020	CJR	1
Di-isopropyl ether	< 0.34	ug/l	0.34	1.1	1	8260B		12/11/2020	CJR	1
EDB (1,2-Dibromoethane)	< 0.24	ug/l	0.24	0.75	1	8260B		12/11/2020	CJR	1
Ethylbenzene	< 0.32	ug/l	0.32	1	1	8260B		12/11/2020	CJR	1
Hexachlorobutadiene	< 0.72	ug/l	0.72	2.3	1	8260B		12/11/2020	CJR	1
Isopropylbenzene	< 0.32	ug/l	0.32	1	1	8260B		12/11/2020	CJR	1
p-Isopropyltoluene	< 0.47	ug/l	0.47	1.5	1	8260B		12/11/2020	CJR	1
Methylene chloride	< 1.32	ug/l	1.32	4.21	1	8260B		12/11/2020	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.47	ug/l	0.47	1.5	1	8260B		12/11/2020	CJR	1
Naphthalene	< 1.1	ug/l	1.1	3.6	1	8260B		12/11/2020	CJR	1
n-Propylbenzene	< 0.33	ug/l	0.33	1.1	1	8260B		12/11/2020	CJR	1
1,1,2,2-Tetrachloroethane	< 0.37	ug/l	0.37	1.2	1	8260B		12/11/2020	CJR	1
1,1,1,2-Tetrachloroethane	< 0.88	ug/l	0.88	3.3	1	8260B		12/11/2020	CJR	1
Tetrachloroethene	1.23	ug/l	0.33	1	1	8260B		12/11/2020	CJR	1
Toluene	< 0.26	ug/l	0.26	0.83	1	8260B		12/11/2020	CJR	1
1,2,4-Trichlorobenzene	< 0.44	ug/l	0.44	1.4	1	8260B		12/11/2020	CJR	1
1,2,3-Trichlorobenzene	< 1	ug/l	1	3.2	1	8260B		12/11/2020	CJR	1
1,1,1-Trichloroethane	< 0.3	ug/l	0.3	0.95	1	8260B		12/11/2020	CJR	1
1,1,2-Trichloroethane	< 0.36	ug/l	0.36	1.1	1	8260B		12/11/2020	CJR	1
Trichloroethene (TCE)	< 0.47	ug/l	0.47	1.5	1	8260B		12/11/2020	CJR	1
Trichlorofluoromethane	< 0.42	ug/l	0.42	1.3	1	8260B		12/11/2020	CJR	1
1,2,4-Trimethylbenzene	< 0.3	ug/l	0.3	0.96	1	8260B		12/11/2020	CJR	1
1,3,5-Trimethylbenzene	< 0.32	ug/l	0.32	1	1	8260B		12/11/2020	CJR	1
Vinyl Chloride	< 0.2	ug/l	0.2	0.65	1	8260B		12/11/2020	CJR	1
m&p-Xylene	< 1.1	ug/l	1.1	3.3	1	8260B		12/11/2020	CJR	1
o-Xylene	< 0.38	ug/l	0.38	1.2	1	8260B		12/11/2020	CJR	1
SUR - 1,2-Dichloroethane-d4	98	REC %			1	8260B		12/11/2020	CJR	1
SUR - 4-Bromofluorobenzene	97	REC %			1	8260B		12/11/2020	CJR	1
SUR - Dibromofluoromethane	102	REC %			1	8260B		12/11/2020	CJR	1
SUR - Toluene-d8	95	REC %			1	8260B		12/11/2020	CJR	1

Project Name ROBINSON'S CLEANERS
Project # 6155 PO#2020-2129

Invoice # E38879

Lab Code 5038879B
Sample ID 6155 MW-30S
Sample Matrix Water
Sample Date 12/2/2020

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
GASES										
Ethane	< 0.5	ug/l	0.5	1.5	1	8015		12/14/2020	MJR	1
Ethene	< 0.5	ug/l	0.5	1.5	1	8015		12/14/2020	MJR	1
Methane	1.45 "J"	ug/l	1	3	1	8015		12/14/2020	MJR	1
VOC's										
Benzene	< 6.6	ug/l	6.6	20	20	8260B		12/11/2020	CJR	1
Bromobenzene	< 5.2	ug/l	5.2	16.8	20	8260B		12/11/2020	CJR	1
Bromodichloromethane	< 6.6	ug/l	6.6	20	20	8260B		12/11/2020	CJR	1
Bromoform	< 13	ug/l	13	42	20	8260B		12/11/2020	CJR	1
tert-Butylbenzene	< 12.2	ug/l	12.2	38	20	8260B		12/11/2020	CJR	1
sec-Butylbenzene	< 6.4	ug/l	6.4	20	20	8260B		12/11/2020	CJR	1
n-Butylbenzene	< 5.6	ug/l	5.6	17.8	20	8260B		12/11/2020	CJR	1
Carbon Tetrachloride	< 6.2	ug/l	6.2	19.6	20	8260B		12/11/2020	CJR	1
Chlorobenzene	< 7.8	ug/l	7.8	24	20	8260B		12/11/2020	CJR	1
Chloroethane	< 22	ug/l	22	72	20	8260B		12/11/2020	CJR	1
Chloroform	< 8.8	ug/l	8.8	28	20	8260B		12/11/2020	CJR	1
Chloromethane	< 16	ug/l	16	50	20	8260B		12/11/2020	CJR	1
2-Chlorotoluene	< 6.4	ug/l	6.4	20	20	8260B		12/11/2020	CJR	1
4-Chlorotoluene	< 6	ug/l	6	19.2	20	8260B		12/11/2020	CJR	1
1,2-Dibromo-3-chloropropane	< 16.4	ug/l	16.4	52	20	8260B		12/11/2020	CJR	1
Dibromochloromethane	< 4.6	ug/l	4.6	14.8	20	8260B		12/11/2020	CJR	1
1,4-Dichlorobenzene	< 7.2	ug/l	7.2	22	20	8260B		12/11/2020	CJR	1
1,3-Dichlorobenzene	< 6.2	ug/l	6.2	19.6	20	8260B		12/11/2020	CJR	1
1,2-Dichlorobenzene	< 6.4	ug/l	6.4	20	20	8260B		12/11/2020	CJR	1
Dichlorodifluoromethane	< 9	ug/l	9	28	20	8260B		12/11/2020	CJR	1
1,2-Dichloroethane	< 7.8	ug/l	7.8	26	20	8260B		12/11/2020	CJR	1
1,1-Dichloroethane	< 9.2	ug/l	9.2	30	20	8260B		12/11/2020	CJR	1
1,1-Dichloroethene	< 10	ug/l	10	32	20	8260B		12/11/2020	CJR	1
cis-1,2-Dichloroethene	15.8 "J"	ug/l	7.8	24	20	8260B		12/11/2020	CJR	1
trans-1,2-Dichloroethene	< 7.4	ug/l	7.4	24	20	8260B		12/11/2020	CJR	1
1,2-Dichloropropane	< 7.6	ug/l	7.6	24	20	8260B		12/11/2020	CJR	1
1,3-Dichloropropane	< 7	ug/l	7	22	20	8260B		12/11/2020	CJR	1
trans-1,3-Dichloropropene	< 6	ug/l	6	18.8	20	8260B		12/11/2020	CJR	1
cis-1,3-Dichloropropene	< 7.2	ug/l	7.2	22	20	8260B		12/11/2020	CJR	1
Di-isopropyl ether	< 6.8	ug/l	6.8	22	20	8260B		12/11/2020	CJR	1
EDB (1,2-Dibromoethane)	< 4.8	ug/l	4.8	15	20	8260B		12/11/2020	CJR	1
Ethylbenzene	< 6.4	ug/l	6.4	20	20	8260B		12/11/2020	CJR	1
Hexachlorobutadiene	< 14.4	ug/l	14.4	46	20	8260B		12/11/2020	CJR	1
Isopropylbenzene	< 6.4	ug/l	6.4	20	20	8260B		12/11/2020	CJR	1
p-Isopropyltoluene	< 9.4	ug/l	9.4	30	20	8260B		12/11/2020	CJR	1
Methylene chloride	< 26.4	ug/l	26.4	84.2	20	8260B		12/11/2020	CJR	1
Methyl tert-butyl ether (MTBE)	< 9.4	ug/l	9.4	30	20	8260B		12/11/2020	CJR	1
Naphthalene	< 22	ug/l	22	72	20	8260B		12/11/2020	CJR	1
n-Propylbenzene	< 6.6	ug/l	6.6	22	20	8260B		12/11/2020	CJR	1
1,1,2,2-Tetrachloroethane	< 7.4	ug/l	7.4	24	20	8260B		12/11/2020	CJR	1

Project Name ROBINSON'S CLEANERS
Project # 6155 PO#2020-2129

Invoice # E38879

Lab Code 5038879B
Sample ID 6155 MW-30S
Sample Matrix Water
Sample Date 12/2/2020

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,1,1,2-Tetrachloroethane	< 17.6	ug/l	17.6	66	20	8260B		12/11/2020	CJR	1
Tetrachloroethene	4800	ug/l	16.5	50	50	8260B		12/14/2020	CJR	1
Toluene	< 5.2	ug/l	5.2	16.6	20	8260B		12/11/2020	CJR	1
1,2,4-Trichlorobenzene	< 8.8	ug/l	8.8	28	20	8260B		12/11/2020	CJR	1
1,2,3-Trichlorobenzene	< 20	ug/l	20	64	20	8260B		12/11/2020	CJR	1
1,1,1-Trichloroethane	< 6	ug/l	6	19	20	8260B		12/11/2020	CJR	1
1,1,2-Trichloroethane	< 7.2	ug/l	7.2	22	20	8260B		12/11/2020	CJR	1
Trichloroethene (TCE)	20.2 "J"	ug/l	9.4	30	20	8260B		12/11/2020	CJR	1
Trichlorofluoromethane	< 8.4	ug/l	8.4	26	20	8260B		12/11/2020	CJR	1
1,2,4-Trimethylbenzene	< 6	ug/l	6	19.2	20	8260B		12/11/2020	CJR	1
1,3,5-Trimethylbenzene	< 6.4	ug/l	6.4	20	20	8260B		12/11/2020	CJR	1
Vinyl Chloride	< 4	ug/l	4	13	20	8260B		12/11/2020	CJR	1
m&p-Xylene	< 22	ug/l	22	66	20	8260B		12/11/2020	CJR	1
o-Xylene	< 7.6	ug/l	7.6	24	20	8260B		12/11/2020	CJR	1
SUR - 1,2-Dichloroethane-d4	102	REC %			20	8260B		12/11/2020	CJR	1
SUR - 4-Bromofluorobenzene	98	REC %			20	8260B		12/11/2020	CJR	1
SUR - Dibromofluoromethane	106	REC %			20	8260B		12/11/2020	CJR	1
SUR - Toluene-d8	97	REC %			20	8260B		12/11/2020	CJR	1

Project Name ROBINSON'S CLEANERS
Project # 6155 PO#2020-2129

Invoice # E38879

Lab Code 5038879C
Sample ID 6155 MW-39S
Sample Matrix Water
Sample Date 12/2/2020

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
GASES										
Ethane	< 0.5	ug/l	0.5	1.5	1	8015		12/14/2020	MJR	1
Ethene	< 0.5	ug/l	0.5	1.5	1	8015		12/14/2020	MJR	1
Methane	2.53 "J"	ug/l	1	3	1	8015		12/14/2020	MJR	1
VOC's										
Benzene	< 1.65	ug/l	1.65	5	5	8260B		12/11/2020	CJR	1
Bromobenzene	< 1.3	ug/l	1.3	4.2	5	8260B		12/11/2020	CJR	1
Bromodichloromethane	< 1.65	ug/l	1.65	5	5	8260B		12/11/2020	CJR	1
Bromoform	< 3.25	ug/l	3.25	10.5	5	8260B		12/11/2020	CJR	1
tert-Butylbenzene	< 3.05	ug/l	3.05	9.5	5	8260B		12/11/2020	CJR	1
sec-Butylbenzene	< 1.6	ug/l	1.6	5	5	8260B		12/11/2020	CJR	1
n-Butylbenzene	< 1.4	ug/l	1.4	4.45	5	8260B		12/11/2020	CJR	1
Carbon Tetrachloride	< 1.55	ug/l	1.55	4.9	5	8260B		12/11/2020	CJR	1
Chlorobenzene	< 1.95	ug/l	1.95	6	5	8260B		12/11/2020	CJR	1
Chloroethane	< 5.5	ug/l	5.5	18	5	8260B		12/11/2020	CJR	1
Chloroform	< 2.2	ug/l	2.2	7	5	8260B		12/11/2020	CJR	1
Chloromethane	< 4	ug/l	4	12.5	5	8260B		12/11/2020	CJR	1
2-Chlorotoluene	< 1.6	ug/l	1.6	5	5	8260B		12/11/2020	CJR	1
4-Chlorotoluene	< 1.5	ug/l	1.5	4.8	5	8260B		12/11/2020	CJR	1
1,2-Dibromo-3-chloropropane	< 4.1	ug/l	4.1	13	5	8260B		12/11/2020	CJR	1
Dibromochloromethane	< 1.15	ug/l	1.15	3.7	5	8260B		12/11/2020	CJR	1
1,4-Dichlorobenzene	< 1.8	ug/l	1.8	5.5	5	8260B		12/11/2020	CJR	1
1,3-Dichlorobenzene	< 1.55	ug/l	1.55	4.9	5	8260B		12/11/2020	CJR	1
1,2-Dichlorobenzene	< 1.6	ug/l	1.6	5	5	8260B		12/11/2020	CJR	1
Dichlorodifluoromethane	< 2.25	ug/l	2.25	7	5	8260B		12/11/2020	CJR	1
1,2-Dichloroethane	< 1.95	ug/l	1.95	6.5	5	8260B		12/11/2020	CJR	1
1,1-Dichloroethane	< 2.3	ug/l	2.3	7.5	5	8260B		12/11/2020	CJR	1
1,1-Dichloroethene	< 2.5	ug/l	2.5	8	5	8260B		12/11/2020	CJR	1
cis-1,2-Dichloroethene	76	ug/l	1.95	6	5	8260B		12/11/2020	CJR	1
trans-1,2-Dichloroethene	< 1.85	ug/l	1.85	6	5	8260B		12/11/2020	CJR	1
1,2-Dichloropropane	< 1.9	ug/l	1.9	6	5	8260B		12/11/2020	CJR	1
1,3-Dichloropropane	< 1.75	ug/l	1.75	5.5	5	8260B		12/11/2020	CJR	1
trans-1,3-Dichloropropene	< 1.5	ug/l	1.5	4.7	5	8260B		12/11/2020	CJR	1
cis-1,3-Dichloropropene	< 1.8	ug/l	1.8	5.5	5	8260B		12/11/2020	CJR	1
Di-isopropyl ether	< 1.7	ug/l	1.7	5.5	5	8260B		12/11/2020	CJR	1
EDB (1,2-Dibromoethane)	< 1.2	ug/l	1.2	3.75	5	8260B		12/11/2020	CJR	1
Ethylbenzene	< 1.6	ug/l	1.6	5	5	8260B		12/11/2020	CJR	1
Hexachlorobutadiene	< 3.6	ug/l	3.6	11.5	5	8260B		12/11/2020	CJR	1
Isopropylbenzene	< 1.6	ug/l	1.6	5	5	8260B		12/11/2020	CJR	1
p-Isopropyltoluene	< 2.35	ug/l	2.35	7.5	5	8260B		12/11/2020	CJR	1
Methylene chloride	< 6.6	ug/l	6.6	21.05	5	8260B		12/11/2020	CJR	1
Methyl tert-butyl ether (MTBE)	< 2.35	ug/l	2.35	7.5	5	8260B		12/11/2020	CJR	1
Naphthalene	< 5.5	ug/l	5.5	18	5	8260B		12/11/2020	CJR	1
n-Propylbenzene	< 1.65	ug/l	1.65	5.5	5	8260B		12/11/2020	CJR	1
1,1,2,2-Tetrachloroethane	< 1.85	ug/l	1.85	6	5	8260B		12/11/2020	CJR	1

Project Name ROBINSON'S CLEANERS
Project # 6155 PO#2020-2129

Invoice # E38879

Lab Code 5038879C
Sample ID 6155 MW-39S
Sample Matrix Water
Sample Date 12/2/2020

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,1,1,2-Tetrachloroethane	< 4.4	ug/l	4.4	16.5	5	8260B		12/11/2020	CJR	1
Tetrachloroethene	4600	ug/l	16.5	50	50	8260B		12/14/2020	CJR	1
Toluene	< 1.3	ug/l	1.3	4.15	5	8260B		12/11/2020	CJR	1
1,2,4-Trichlorobenzene	< 2.2	ug/l	2.2	7	5	8260B		12/11/2020	CJR	1
1,2,3-Trichlorobenzene	< 5	ug/l	5	16	5	8260B		12/11/2020	CJR	1
1,1,1-Trichloroethane	< 1.5	ug/l	1.5	4.75	5	8260B		12/11/2020	CJR	1
1,1,2-Trichloroethane	< 1.8	ug/l	1.8	5.5	5	8260B		12/11/2020	CJR	1
Trichloroethene (TCE)	283	ug/l	2.35	7.5	5	8260B		12/11/2020	CJR	1
Trichlorofluoromethane	< 2.1	ug/l	2.1	6.5	5	8260B		12/11/2020	CJR	1
1,2,4-Trimethylbenzene	< 1.5	ug/l	1.5	4.8	5	8260B		12/11/2020	CJR	1
1,3,5-Trimethylbenzene	< 1.6	ug/l	1.6	5	5	8260B		12/11/2020	CJR	1
Vinyl Chloride	< 1	ug/l	1	3.25	5	8260B		12/11/2020	CJR	1
m&p-Xylene	< 5.5	ug/l	5.5	16.5	5	8260B		12/11/2020	CJR	1
o-Xylene	< 1.9	ug/l	1.9	6	5	8260B		12/11/2020	CJR	1
SUR - 1,2-Dichloroethane-d4	96	REC %			5	8260B		12/11/2020	CJR	1
SUR - 4-Bromofluorobenzene	96	REC %			5	8260B		12/11/2020	CJR	1
SUR - Dibromofluoromethane	102	REC %			5	8260B		12/11/2020	CJR	1
SUR - Toluene-d8	95	REC %			5	8260B		12/11/2020	CJR	1

Project Name ROBINSON'S CLEANERS
Project # 6155 PO#2020-2129

Invoice # E38879

Lab Code 5038879D
Sample ID 6155 PZ-17D1
Sample Matrix Water
Sample Date 12/2/2020

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
GASES										
Ethane	< 0.5	ug/l	0.5	1.5	1	8015		12/14/2020	MJR	1
Ethene	< 0.5	ug/l	0.5	1.5	1	8015		12/14/2020	MJR	1
Methane	< 1	ug/l	1	3	1	8015		12/14/2020	MJR	1
VOC's										
Benzene	< 3.3	ug/l	3.3	10	10	8260B		12/11/2020	CJR	1
Bromobenzene	< 2.6	ug/l	2.6	8.4	10	8260B		12/11/2020	CJR	1
Bromodichloromethane	< 3.3	ug/l	3.3	10	10	8260B		12/11/2020	CJR	1
Bromoform	< 6.5	ug/l	6.5	21	10	8260B		12/11/2020	CJR	1
tert-Butylbenzene	< 6.1	ug/l	6.1	19	10	8260B		12/11/2020	CJR	1
sec-Butylbenzene	< 3.2	ug/l	3.2	10	10	8260B		12/11/2020	CJR	1
n-Butylbenzene	< 2.8	ug/l	2.8	8.9	10	8260B		12/11/2020	CJR	1
Carbon Tetrachloride	< 3.1	ug/l	3.1	9.8	10	8260B		12/11/2020	CJR	1
Chlorobenzene	< 3.9	ug/l	3.9	12	10	8260B		12/11/2020	CJR	1
Chloroethane	< 11	ug/l	11	36	10	8260B		12/11/2020	CJR	1
Chloroform	< 4.4	ug/l	4.4	14	10	8260B		12/11/2020	CJR	1
Chloromethane	< 8	ug/l	8	25	10	8260B		12/11/2020	CJR	1
2-Chlorotoluene	< 3.2	ug/l	3.2	10	10	8260B		12/11/2020	CJR	1
4-Chlorotoluene	< 3	ug/l	3	9.6	10	8260B		12/11/2020	CJR	1
1,2-Dibromo-3-chloropropane	< 8.2	ug/l	8.2	26	10	8260B		12/11/2020	CJR	1
Dibromochloromethane	< 2.3	ug/l	2.3	7.4	10	8260B		12/11/2020	CJR	1
1,4-Dichlorobenzene	< 3.6	ug/l	3.6	11	10	8260B		12/11/2020	CJR	1
1,3-Dichlorobenzene	< 3.1	ug/l	3.1	9.8	10	8260B		12/11/2020	CJR	1
1,2-Dichlorobenzene	< 3.2	ug/l	3.2	10	10	8260B		12/11/2020	CJR	1
Dichlorodifluoromethane	< 4.5	ug/l	4.5	14	10	8260B		12/11/2020	CJR	1
1,2-Dichloroethane	< 3.9	ug/l	3.9	13	10	8260B		12/11/2020	CJR	1
1,1-Dichloroethane	< 4.6	ug/l	4.6	15	10	8260B		12/11/2020	CJR	1
1,1-Dichloroethene	< 5	ug/l	5	16	10	8260B		12/11/2020	CJR	1
cis-1,2-Dichloroethene	5.9 "J"	ug/l	3.9	12	10	8260B		12/11/2020	CJR	1
trans-1,2-Dichloroethene	< 3.7	ug/l	3.7	12	10	8260B		12/11/2020	CJR	1
1,2-Dichloropropane	< 3.8	ug/l	3.8	12	10	8260B		12/11/2020	CJR	1
1,3-Dichloropropane	< 3.5	ug/l	3.5	11	10	8260B		12/11/2020	CJR	1
trans-1,3-Dichloropropene	< 3	ug/l	3	9.4	10	8260B		12/11/2020	CJR	1
cis-1,3-Dichloropropene	< 3.6	ug/l	3.6	11	10	8260B		12/11/2020	CJR	1
Di-isopropyl ether	< 3.4	ug/l	3.4	11	10	8260B		12/11/2020	CJR	1
EDB (1,2-Dibromoethane)	< 2.4	ug/l	2.4	7.5	10	8260B		12/11/2020	CJR	1
Ethylbenzene	< 3.2	ug/l	3.2	10	10	8260B		12/11/2020	CJR	1
Hexachlorobutadiene	< 7.2	ug/l	7.2	23	10	8260B		12/11/2020	CJR	1
Isopropylbenzene	< 3.2	ug/l	3.2	10	10	8260B		12/11/2020	CJR	1
p-Isopropyltoluene	< 4.7	ug/l	4.7	15	10	8260B		12/11/2020	CJR	1
Methylene chloride	< 13.2	ug/l	13.2	42.1	10	8260B		12/11/2020	CJR	1
Methyl tert-butyl ether (MTBE)	< 4.7	ug/l	4.7	15	10	8260B		12/11/2020	CJR	1
Naphthalene	< 11	ug/l	11	36	10	8260B		12/11/2020	CJR	1
n-Propylbenzene	< 3.3	ug/l	3.3	11	10	8260B		12/11/2020	CJR	1
1,1,2,2-Tetrachloroethane	< 3.7	ug/l	3.7	12	10	8260B		12/11/2020	CJR	1

Project Name ROBINSON'S CLEANERS
Project # 6155 PO#2020-2129

Invoice # E38879

Lab Code 5038879D
Sample ID 6155 PZ-17D1
Sample Matrix Water
Sample Date 12/2/2020

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,1,1,2-Tetrachloroethane	< 8.8	ug/l	8.8	33	10	8260B		12/11/2020	CJR	1
Tetrachloroethene	660	ug/l	3.3	10	10	8260B		12/11/2020	CJR	1
Toluene	< 2.6	ug/l	2.6	8.3	10	8260B		12/11/2020	CJR	1
1,2,4-Trichlorobenzene	< 4.4	ug/l	4.4	14	10	8260B		12/11/2020	CJR	1
1,2,3-Trichlorobenzene	< 10	ug/l	10	32	10	8260B		12/11/2020	CJR	1
1,1,1-Trichloroethane	< 3	ug/l	3	9.5	10	8260B		12/11/2020	CJR	1
1,1,2-Trichloroethane	< 3.6	ug/l	3.6	11	10	8260B		12/11/2020	CJR	1
Trichloroethene (TCE)	8.9 "J"	ug/l	4.7	15	10	8260B		12/11/2020	CJR	1
Trichlorofluoromethane	< 4.2	ug/l	4.2	13	10	8260B		12/11/2020	CJR	1
1,2,4-Trimethylbenzene	< 3	ug/l	3	9.6	10	8260B		12/11/2020	CJR	1
1,3,5-Trimethylbenzene	< 3.2	ug/l	3.2	10	10	8260B		12/11/2020	CJR	1
Vinyl Chloride	< 2	ug/l	2	6.5	10	8260B		12/11/2020	CJR	1
m&p-Xylene	< 11	ug/l	11	33	10	8260B		12/11/2020	CJR	1
o-Xylene	< 3.8	ug/l	3.8	12	10	8260B		12/11/2020	CJR	1
SUR - 1,2-Dichloroethane-d4	102	REC %			10	8260B		12/11/2020	CJR	1
SUR - 4-Bromofluorobenzene	98	REC %			10	8260B		12/11/2020	CJR	1
SUR - Dibromofluoromethane	107	REC %			10	8260B		12/11/2020	CJR	1
SUR - Toluene-d8	96	REC %			10	8260B		12/11/2020	CJR	1

Project Name ROBINSON'S CLEANERS
Project # 6155 PO#2020-2129

Invoice # E38879

Lab Code 5038879E
Sample ID 6155 PZ-53D1
Sample Matrix Water
Sample Date 12/3/2020

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.33	ug/l	0.33		1	8260B		12/11/2020	CJR	1
Bromobenzene	< 0.26	ug/l	0.26	0.84	1	8260B		12/11/2020	CJR	1
Bromodichloromethane	< 0.33	ug/l	0.33		1	8260B		12/11/2020	CJR	1
Bromoform	< 0.65	ug/l	0.65	2.1	1	8260B		12/11/2020	CJR	1
tert-Butylbenzene	< 0.61	ug/l	0.61	1.9	1	8260B		12/11/2020	CJR	1
sec-Butylbenzene	< 0.32	ug/l	0.32		1	8260B		12/11/2020	CJR	1
n-Butylbenzene	< 0.28	ug/l	0.28	0.89	1	8260B		12/11/2020	CJR	1
Carbon Tetrachloride	< 0.31	ug/l	0.31	0.98	1	8260B		12/11/2020	CJR	1
Chlorobenzene	< 0.39	ug/l	0.39	1.2	1	8260B		12/11/2020	CJR	1
Chloroethane	< 1.1	ug/l	1.1	3.6	1	8260B		12/11/2020	CJR	1
Chloroform	< 0.44	ug/l	0.44	1.4	1	8260B		12/11/2020	CJR	1
Chloromethane	< 0.8	ug/l	0.8	2.5	1	8260B		12/11/2020	CJR	1
2-Chlorotoluene	< 0.32	ug/l	0.32		1	8260B		12/11/2020	CJR	1
4-Chlorotoluene	< 0.3	ug/l	0.3	0.96	1	8260B		12/11/2020	CJR	1
1,2-Dibromo-3-chloropropane	< 0.82	ug/l	0.82	2.6	1	8260B		12/11/2020	CJR	1
Dibromochloromethane	< 0.23	ug/l	0.23	0.74	1	8260B		12/11/2020	CJR	1
1,4-Dichlorobenzene	< 0.36	ug/l	0.36	1.1	1	8260B		12/11/2020	CJR	1
1,3-Dichlorobenzene	< 0.31	ug/l	0.31	0.98	1	8260B		12/11/2020	CJR	1
1,2-Dichlorobenzene	< 0.32	ug/l	0.32		1	8260B		12/11/2020	CJR	1
Dichlorodifluoromethane	< 0.45	ug/l	0.45	1.4	1	8260B		12/11/2020	CJR	1
1,2-Dichloroethane	< 0.39	ug/l	0.39	1.3	1	8260B		12/11/2020	CJR	1
1,1-Dichloroethane	< 0.46	ug/l	0.46	1.5	1	8260B		12/11/2020	CJR	1
1,1-Dichloroethene	< 0.5	ug/l	0.5	1.6	1	8260B		12/11/2020	CJR	1
cis-1,2-Dichloroethene	< 0.39	ug/l	0.39	1.2	1	8260B		12/11/2020	CJR	1
trans-1,2-Dichloroethene	< 0.37	ug/l	0.37	1.2	1	8260B		12/11/2020	CJR	1
1,2-Dichloropropane	< 0.38	ug/l	0.38	1.2	1	8260B		12/11/2020	CJR	1
1,3-Dichloropropane	< 0.35	ug/l	0.35	1.1	1	8260B		12/11/2020	CJR	1
trans-1,3-Dichloropropene	< 0.3	ug/l	0.3	0.94	1	8260B		12/11/2020	CJR	1
cis-1,3-Dichloropropene	< 0.36	ug/l	0.36	1.1	1	8260B		12/11/2020	CJR	1
Di-isopropyl ether	< 0.34	ug/l	0.34	1.1	1	8260B		12/11/2020	CJR	1
EDB (1,2-Dibromoethane)	< 0.24	ug/l	0.24	0.75	1	8260B		12/11/2020	CJR	1
Ethylbenzene	< 0.32	ug/l	0.32		1	8260B		12/11/2020	CJR	1
Hexachlorobutadiene	< 0.72	ug/l	0.72	2.3	1	8260B		12/11/2020	CJR	1
Isopropylbenzene	< 0.32	ug/l	0.32		1	8260B		12/11/2020	CJR	1
p-Isopropyltoluene	< 0.47	ug/l	0.47	1.5	1	8260B		12/11/2020	CJR	1
Methylene chloride	< 1.32	ug/l	1.32	4.21	1	8260B		12/11/2020	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.47	ug/l	0.47	1.5	1	8260B		12/11/2020	CJR	1
Naphthalene	< 1.1	ug/l	1.1	3.6	1	8260B		12/11/2020	CJR	1
n-Propylbenzene	< 0.33	ug/l	0.33	1.1	1	8260B		12/11/2020	CJR	1
1,1,2,2-Tetrachloroethane	< 0.37	ug/l	0.37	1.2	1	8260B		12/11/2020	CJR	1
1,1,1,2-Tetrachloroethane	< 0.88	ug/l	0.88	3.3	1	8260B		12/11/2020	CJR	1
Tetrachloroethene	3.4	ug/l	0.33		1	8260B		12/11/2020	CJR	1
Toluene	< 0.26	ug/l	0.26	0.83	1	8260B		12/11/2020	CJR	1
1,2,4-Trichlorobenzene	< 0.44	ug/l	0.44	1.4	1	8260B		12/11/2020	CJR	1

Project Name ROBINSON'S CLEANERS
Project # 6155 PO#2020-2129

Invoice # E38879

Lab Code 5038879E
Sample ID 6155 PZ-53D1
Sample Matrix Water
Sample Date 12/3/2020

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 1	ug/l	1	3.2	1	8260B		12/11/2020	CJR	1
1,1,1-Trichloroethane	< 0.3	ug/l	0.3	0.95	1	8260B		12/11/2020	CJR	1
1,1,2-Trichloroethane	< 0.36	ug/l	0.36	1.1	1	8260B		12/11/2020	CJR	1
Trichloroethene (TCE)	< 0.47	ug/l	0.47	1.5	1	8260B		12/11/2020	CJR	1
Trichlorofluoromethane	< 0.42	ug/l	0.42	1.3	1	8260B		12/11/2020	CJR	1
1,2,4-Trimethylbenzene	< 0.3	ug/l	0.3	0.96	1	8260B		12/11/2020	CJR	1
1,3,5-Trimethylbenzene	< 0.32	ug/l	0.32	1	1	8260B		12/11/2020	CJR	1
Vinyl Chloride	< 0.2	ug/l	0.2	0.65	1	8260B		12/11/2020	CJR	1
m&p-Xylene	< 1.1	ug/l	1.1	3.3	1	8260B		12/11/2020	CJR	1
o-Xylene	< 0.38	ug/l	0.38	1.2	1	8260B		12/11/2020	CJR	1
SUR - 1,2-Dichloroethane-d4	101	REC %			1	8260B		12/11/2020	CJR	1
SUR - 4-Bromofluorobenzene	97	REC %			1	8260B		12/11/2020	CJR	1
SUR - Dibromofluoromethane	103	REC %			1	8260B		12/11/2020	CJR	1
SUR - Toluene-d8	97	REC %			1	8260B		12/11/2020	CJR	1

Project Name ROBINSON'S CLEANERS
 Project # 6155 PO#2020-2129

Invoice # E38879

Lab Code 5038879F

Sample ID 6155 ~~MW-25D~~ MW-25

Sample Matrix Water

Sample Date 12/3/2020

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
GASES										
Ethane	< 0.5	ug/l	0.5	1.5	1	8015		12/14/2020	MJR	1
Ethene	< 0.5	ug/l	0.5	1.5	1	8015		12/14/2020	MJR	1
Methane	< 1	ug/l	1	3	1	8015		12/14/2020	MJR	1
VOC's										
Benzene	< 0.33	ug/l	0.33	1	1	8260B		12/14/2020	CJR	1
Bromobenzene	< 0.26	ug/l	0.26	0.84	1	8260B		12/14/2020	CJR	1
Bromodichloromethane	< 0.33	ug/l	0.33	1	1	8260B		12/14/2020	CJR	1
Bromoform	< 0.65	ug/l	0.65	2.1	1	8260B		12/14/2020	CJR	1
tert-Butylbenzene	< 0.61	ug/l	0.61	1.9	1	8260B		12/14/2020	CJR	1
sec-Butylbenzene	< 0.32	ug/l	0.32	1	1	8260B		12/14/2020	CJR	1
n-Butylbenzene	< 0.28	ug/l	0.28	0.89	1	8260B		12/14/2020	CJR	1
Carbon Tetrachloride	< 0.31	ug/l	0.31	0.98	1	8260B		12/14/2020	CJR	1
Chlorobenzene	< 0.39	ug/l	0.39	1.2	1	8260B		12/14/2020	CJR	1
Chloroethane	< 1.1	ug/l	1.1	3.6	1	8260B		12/14/2020	CJR	1
Chloroform	< 0.44	ug/l	0.44	1.4	1	8260B		12/14/2020	CJR	1
Chloromethane	< 0.8	ug/l	0.8	2.5	1	8260B		12/14/2020	CJR	1
2-Chlorotoluene	< 0.32	ug/l	0.32	1	1	8260B		12/14/2020	CJR	1
4-Chlorotoluene	< 0.3	ug/l	0.3	0.96	1	8260B		12/14/2020	CJR	1
1,2-Dibromo-3-chloropropane	< 0.82	ug/l	0.82	2.6	1	8260B		12/14/2020	CJR	1
Dibromochloromethane	< 0.23	ug/l	0.23	0.74	1	8260B		12/14/2020	CJR	1
1,4-Dichlorobenzene	< 0.36	ug/l	0.36	1.1	1	8260B		12/14/2020	CJR	1
1,3-Dichlorobenzene	< 0.31	ug/l	0.31	0.98	1	8260B		12/14/2020	CJR	1
1,2-Dichlorobenzene	< 0.32	ug/l	0.32	1	1	8260B		12/14/2020	CJR	1
Dichlorodifluoromethane	< 0.45	ug/l	0.45	1.4	1	8260B		12/14/2020	CJR	1
1,2-Dichloroethane	< 0.39	ug/l	0.39	1.3	1	8260B		12/14/2020	CJR	1
1,1-Dichloroethane	< 0.46	ug/l	0.46	1.5	1	8260B		12/14/2020	CJR	1
1,1-Dichloroethene	< 0.5	ug/l	0.5	1.6	1	8260B		12/14/2020	CJR	1
cis-1,2-Dichloroethene	0.65 "J"	ug/l	0.39	1.2	1	8260B		12/14/2020	CJR	1
trans-1,2-Dichloroethene	< 0.37	ug/l	0.37	1.2	1	8260B		12/14/2020	CJR	1
1,2-Dichloropropane	< 0.38	ug/l	0.38	1.2	1	8260B		12/14/2020	CJR	1
1,3-Dichloropropane	< 0.35	ug/l	0.35	1.1	1	8260B		12/14/2020	CJR	1
trans-1,3-Dichloropropene	< 0.3	ug/l	0.3	0.94	1	8260B		12/14/2020	CJR	1
cis-1,3-Dichloropropene	< 0.36	ug/l	0.36	1.1	1	8260B		12/14/2020	CJR	1
Di-isopropyl ether	< 0.34	ug/l	0.34	1.1	1	8260B		12/14/2020	CJR	1
EDB (1,2-Dibromoethane)	< 0.24	ug/l	0.24	0.75	1	8260B		12/14/2020	CJR	1
Ethylbenzene	< 0.32	ug/l	0.32	1	1	8260B		12/14/2020	CJR	1
Hexachlorobutadiene	< 0.72	ug/l	0.72	2.3	1	8260B		12/14/2020	CJR	1
Isopropylbenzene	< 0.32	ug/l	0.32	1	1	8260B		12/14/2020	CJR	1
p-Isopropyltoluene	< 0.47	ug/l	0.47	1.5	1	8260B		12/14/2020	CJR	1
Methylene chloride	< 1.32	ug/l	1.32	4.21	1	8260B		12/14/2020	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.47	ug/l	0.47	1.5	1	8260B		12/14/2020	CJR	1
Naphthalene	1.21 "J"	ug/l	1.1	3.6	1	8260B		12/14/2020	CJR	1
n-Propylbenzene	< 0.33	ug/l	0.33	1.1	1	8260B		12/14/2020	CJR	1
1,1,2,2-Tetrachloroethane	< 0.37	ug/l	0.37	1.2	1	8260B		12/14/2020	CJR	1

Project Name ROBINSON'S CLEANERS
Project # 6155 PO#2020-2129

Invoice # E38879

Lab Code 5038879F

Sample ID 6155 ~~MW-25D~~ MW-25

Sample Matrix Water

Sample Date 12/3/2020

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,1,1,2-Tetrachloroethane	< 0.88	ug/l	0.88	3.3	1	8260B		12/14/2020	CJR	1
Tetrachloroethene	39	ug/l	0.33	1	1	8260B		12/14/2020	CJR	1
Toluene	< 0.26	ug/l	0.26	0.83	1	8260B		12/14/2020	CJR	1
1,2,4-Trichlorobenzene	< 0.44	ug/l	0.44	1.4	1	8260B		12/14/2020	CJR	1
1,2,3-Trichlorobenzene	< 1	ug/l	1	3.2	1	8260B		12/14/2020	CJR	1
1,1,1-Trichloroethane	< 0.3	ug/l	0.3	0.95	1	8260B		12/14/2020	CJR	1
1,1,2-Trichloroethane	< 0.36	ug/l	0.36	1.1	1	8260B		12/14/2020	CJR	1
Trichloroethene (TCE)	3.5	ug/l	0.47	1.5	1	8260B		12/14/2020	CJR	1
Trichlorofluoromethane	< 0.42	ug/l	0.42	1.3	1	8260B		12/14/2020	CJR	1
1,2,4-Trimethylbenzene	< 0.3	ug/l	0.3	0.96	1	8260B		12/14/2020	CJR	1
1,3,5-Trimethylbenzene	< 0.32	ug/l	0.32	1	1	8260B		12/14/2020	CJR	1
Vinyl Chloride	< 0.2	ug/l	0.2	0.65	1	8260B		12/14/2020	CJR	1
m&p-Xylene	< 1.1	ug/l	1.1	3.3	1	8260B		12/14/2020	CJR	1
o-Xylene	< 0.38	ug/l	0.38	1.2	1	8260B		12/14/2020	CJR	1
SUR - 1,2-Dichloroethane-d4	100	REC %			1	8260B		12/14/2020	CJR	1
SUR - 4-Bromofluorobenzene	96	REC %			1	8260B		12/14/2020	CJR	1
SUR - Dibromofluoromethane	106	REC %			1	8260B		12/14/2020	CJR	1
SUR - Toluene-d8	97	REC %			1	8260B		12/14/2020	CJR	1

Project Name ROBINSON'S CLEANERS
Project # 6155 PO#2020-2129

Invoice # E38879

Lab Code 5038879G
Sample ID 6155 MW-27S
Sample Matrix Water
Sample Date 12/3/2020

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
GASES										
Ethane	< 0.5	ug/l	0.5	1.5	1	8015		12/14/2020	MJR	1
Ethene	< 0.5	ug/l	0.5	1.5	1	8015		12/14/2020	MJR	1
Methane	20.0	ug/l	1	3	1	8015		12/14/2020	MJR	1
VOC's										
Benzene	< 1.65	ug/l	1.65	5	5	8260B		12/12/2020	CJR	1
Bromobenzene	< 1.3	ug/l	1.3	4.2	5	8260B		12/12/2020	CJR	1
Bromodichloromethane	< 1.65	ug/l	1.65	5	5	8260B		12/12/2020	CJR	1
Bromoform	< 3.25	ug/l	3.25	10.5	5	8260B		12/12/2020	CJR	1
tert-Butylbenzene	< 3.05	ug/l	3.05	9.5	5	8260B		12/12/2020	CJR	1
sec-Butylbenzene	< 1.6	ug/l	1.6	5	5	8260B		12/12/2020	CJR	1
n-Butylbenzene	< 1.4	ug/l	1.4	4.45	5	8260B		12/12/2020	CJR	1
Carbon Tetrachloride	< 1.55	ug/l	1.55	4.9	5	8260B		12/12/2020	CJR	1
Chlorobenzene	< 1.95	ug/l	1.95	6	5	8260B		12/12/2020	CJR	1
Chloroethane	< 5.5	ug/l	5.5	18	5	8260B		12/12/2020	CJR	1
Chloroform	< 2.2	ug/l	2.2	7	5	8260B		12/12/2020	CJR	1
Chloromethane	< 4	ug/l	4	12.5	5	8260B		12/12/2020	CJR	1
2-Chlorotoluene	< 1.6	ug/l	1.6	5	5	8260B		12/12/2020	CJR	1
4-Chlorotoluene	< 1.5	ug/l	1.5	4.8	5	8260B		12/12/2020	CJR	1
1,2-Dibromo-3-chloropropane	< 4.1	ug/l	4.1	13	5	8260B		12/12/2020	CJR	1
Dibromochloromethane	< 1.15	ug/l	1.15	3.7	5	8260B		12/12/2020	CJR	1
1,4-Dichlorobenzene	< 1.8	ug/l	1.8	5.5	5	8260B		12/12/2020	CJR	1
1,3-Dichlorobenzene	< 1.55	ug/l	1.55	4.9	5	8260B		12/12/2020	CJR	1
1,2-Dichlorobenzene	< 1.6	ug/l	1.6	5	5	8260B		12/12/2020	CJR	1
Dichlorodifluoromethane	< 2.25	ug/l	2.25	7	5	8260B		12/12/2020	CJR	1
1,2-Dichloroethane	< 1.95	ug/l	1.95	6.5	5	8260B		12/12/2020	CJR	1
1,1-Dichloroethane	< 2.3	ug/l	2.3	7.5	5	8260B		12/12/2020	CJR	1
1,1-Dichloroethene	< 2.5	ug/l	2.5	8	5	8260B		12/12/2020	CJR	1
cis-1,2-Dichloroethene	57	ug/l	1.95	6	5	8260B		12/12/2020	CJR	1
trans-1,2-Dichloroethene	< 1.85	ug/l	1.85	6	5	8260B		12/12/2020	CJR	1
1,2-Dichloropropane	< 1.9	ug/l	1.9	6	5	8260B		12/12/2020	CJR	1
1,3-Dichloropropane	< 1.75	ug/l	1.75	5.5	5	8260B		12/12/2020	CJR	1
trans-1,3-Dichloropropene	< 1.5	ug/l	1.5	4.7	5	8260B		12/12/2020	CJR	1
cis-1,3-Dichloropropene	< 1.8	ug/l	1.8	5.5	5	8260B		12/12/2020	CJR	1
Di-isopropyl ether	< 1.7	ug/l	1.7	5.5	5	8260B		12/12/2020	CJR	1
EDB (1,2-Dibromoethane)	< 1.2	ug/l	1.2	3.75	5	8260B		12/12/2020	CJR	1
Ethylbenzene	< 1.6	ug/l	1.6	5	5	8260B		12/12/2020	CJR	1
Hexachlorobutadiene	< 3.6	ug/l	3.6	11.5	5	8260B		12/12/2020	CJR	1
Isopropylbenzene	< 1.6	ug/l	1.6	5	5	8260B		12/12/2020	CJR	1
p-Isopropyltoluene	< 2.35	ug/l	2.35	7.5	5	8260B		12/12/2020	CJR	1
Methylene chloride	< 6.6	ug/l	6.6	21.05	5	8260B		12/12/2020	CJR	1
Methyl tert-butyl ether (MTBE)	< 2.35	ug/l	2.35	7.5	5	8260B		12/12/2020	CJR	1
Naphthalene	< 5.5	ug/l	5.5	18	5	8260B		12/12/2020	CJR	1
n-Propylbenzene	< 1.65	ug/l	1.65	5.5	5	8260B		12/12/2020	CJR	1
1,1,2,2-Tetrachloroethane	< 1.85	ug/l	1.85	6	5	8260B		12/12/2020	CJR	1

Project Name ROBINSON'S CLEANERS
Project # 6155 PO#2020-2129

Invoice # E38879

Lab Code 5038879G
Sample ID 6155 MW-27S
Sample Matrix Water
Sample Date 12/3/2020

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,1,1,2-Tetrachloroethane	< 4.4	ug/l	4.4	16.5	5	8260B		12/12/2020	CJR	1
Tetrachloroethene	790	ug/l	16.5	50	50	8260B		12/14/2020	CJR	1
Toluene	< 1.3	ug/l	1.3	4.15	5	8260B		12/12/2020	CJR	1
1,2,4-Trichlorobenzene	< 2.2	ug/l	2.2	7	5	8260B		12/12/2020	CJR	1
1,2,3-Trichlorobenzene	< 5	ug/l	5	16	5	8260B		12/12/2020	CJR	1
1,1,1-Trichloroethane	< 1.5	ug/l	1.5	4.75	5	8260B		12/12/2020	CJR	1
1,1,2-Trichloroethane	< 1.8	ug/l	1.8	5.5	5	8260B		12/12/2020	CJR	1
Trichloroethene (TCE)	45	ug/l	2.35	7.5	5	8260B		12/12/2020	CJR	1
Trichlorofluoromethane	< 2.1	ug/l	2.1	6.5	5	8260B		12/12/2020	CJR	1
1,2,4-Trimethylbenzene	< 1.5	ug/l	1.5	4.8	5	8260B		12/12/2020	CJR	1
1,3,5-Trimethylbenzene	< 1.6	ug/l	1.6	5	5	8260B		12/12/2020	CJR	1
Vinyl Chloride	< 1	ug/l	1	3.25	5	8260B		12/12/2020	CJR	1
m&p-Xylene	< 5.5	ug/l	5.5	16.5	5	8260B		12/12/2020	CJR	1
o-Xylene	< 1.9	ug/l	1.9	6	5	8260B		12/12/2020	CJR	1
SUR - 1,2-Dichloroethane-d4	97	REC %			5	8260B		12/12/2020	CJR	1
SUR - 4-Bromofluorobenzene	96	REC %			5	8260B		12/12/2020	CJR	1
SUR - Dibromofluoromethane	105	REC %			5	8260B		12/12/2020	CJR	1
SUR - Toluene-d8	97	REC %			5	8260B		12/12/2020	CJR	1

Project Name ROBINSON'S CLEANERS
Project # 6155 PO#2020-2129

Invoice # E38879

Lab Code 5038879H
Sample ID 6155 MW-6
Sample Matrix Water
Sample Date 12/3/2020

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
GASES										
Ethane	3.70	ug/l	0.5	1.5	1	8015		12/14/2020	MJR	1
Ethene	< 0.5	ug/l	0.5	1.5	1	8015		12/14/2020	MJR	1
Methane	4.77	ug/l	1	3	1	8015		12/14/2020	MJR	1
VOC's										
Benzene	< 1.65	ug/l	1.65	5	5	8260B		12/12/2020	CJR	1
Bromobenzene	< 1.3	ug/l	1.3	4.2	5	8260B		12/12/2020	CJR	1
Bromodichloromethane	< 1.65	ug/l	1.65	5	5	8260B		12/12/2020	CJR	1
Bromoform	< 3.25	ug/l	3.25	10.5	5	8260B		12/12/2020	CJR	1
tert-Butylbenzene	< 3.05	ug/l	3.05	9.5	5	8260B		12/12/2020	CJR	1
sec-Butylbenzene	< 1.6	ug/l	1.6	5	5	8260B		12/12/2020	CJR	1
n-Butylbenzene	< 1.4	ug/l	1.4	4.45	5	8260B		12/12/2020	CJR	1
Carbon Tetrachloride	< 1.55	ug/l	1.55	4.9	5	8260B		12/12/2020	CJR	1
Chlorobenzene	< 1.95	ug/l	1.95	6	5	8260B		12/12/2020	CJR	1
Chloroethane	< 5.5	ug/l	5.5	18	5	8260B		12/12/2020	CJR	1
Chloroform	< 2.2	ug/l	2.2	7	5	8260B		12/12/2020	CJR	1
Chloromethane	< 4	ug/l	4	12.5	5	8260B		12/12/2020	CJR	1
2-Chlorotoluene	< 1.6	ug/l	1.6	5	5	8260B		12/12/2020	CJR	1
4-Chlorotoluene	< 1.5	ug/l	1.5	4.8	5	8260B		12/12/2020	CJR	1
1,2-Dibromo-3-chloropropane	< 4.1	ug/l	4.1	13	5	8260B		12/12/2020	CJR	1
Dibromochloromethane	< 1.15	ug/l	1.15	3.7	5	8260B		12/12/2020	CJR	1
1,4-Dichlorobenzene	< 1.8	ug/l	1.8	5.5	5	8260B		12/12/2020	CJR	1
1,3-Dichlorobenzene	< 1.55	ug/l	1.55	4.9	5	8260B		12/12/2020	CJR	1
1,2-Dichlorobenzene	< 1.6	ug/l	1.6	5	5	8260B		12/12/2020	CJR	1
Dichlorodifluoromethane	< 2.25	ug/l	2.25	7	5	8260B		12/12/2020	CJR	1
1,2-Dichloroethane	< 1.95	ug/l	1.95	6.5	5	8260B		12/12/2020	CJR	1
1,1-Dichloroethane	< 2.3	ug/l	2.3	7.5	5	8260B		12/12/2020	CJR	1
1,1-Dichloroethene	< 2.5	ug/l	2.5	8	5	8260B		12/12/2020	CJR	1
cis-1,2-Dichloroethene	243	ug/l	1.95	6	5	8260B		12/12/2020	CJR	1
trans-1,2-Dichloroethene	2.5 "J"	ug/l	1.85	6	5	8260B		12/12/2020	CJR	1
1,2-Dichloropropane	< 1.9	ug/l	1.9	6	5	8260B		12/12/2020	CJR	1
1,3-Dichloropropane	< 1.75	ug/l	1.75	5.5	5	8260B		12/12/2020	CJR	1
trans-1,3-Dichloropropene	< 1.5	ug/l	1.5	4.7	5	8260B		12/12/2020	CJR	1
cis-1,3-Dichloropropene	< 1.8	ug/l	1.8	5.5	5	8260B		12/12/2020	CJR	1
Di-isopropyl ether	< 1.7	ug/l	1.7	5.5	5	8260B		12/12/2020	CJR	1
EDB (1,2-Dibromoethane)	< 1.2	ug/l	1.2	3.75	5	8260B		12/12/2020	CJR	1
Ethylbenzene	< 1.6	ug/l	1.6	5	5	8260B		12/12/2020	CJR	1
Hexachlorobutadiene	< 3.6	ug/l	3.6	11.5	5	8260B		12/12/2020	CJR	1
Isopropylbenzene	< 1.6	ug/l	1.6	5	5	8260B		12/12/2020	CJR	1
p-Isopropyltoluene	< 2.35	ug/l	2.35	7.5	5	8260B		12/12/2020	CJR	1
Methylene chloride	< 6.6	ug/l	6.6	21.05	5	8260B		12/12/2020	CJR	1
Methyl tert-butyl ether (MTBE)	< 2.35	ug/l	2.35	7.5	5	8260B		12/12/2020	CJR	1
Naphthalene	< 5.5	ug/l	5.5	18	5	8260B		12/12/2020	CJR	1
n-Propylbenzene	< 1.65	ug/l	1.65	5.5	5	8260B		12/12/2020	CJR	1
1,1,2,2-Tetrachloroethane	< 1.85	ug/l	1.85	6	5	8260B		12/12/2020	CJR	1

Project Name ROBINSON'S CLEANERS
Project # 6155 PO#2020-2129

Invoice # E38879

Lab Code 5038879H
Sample ID 6155 MW-6
Sample Matrix Water
Sample Date 12/3/2020

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,1,1,2-Tetrachloroethane	< 4.4	ug/l	4.4	16.5	5	8260B		12/12/2020	CJR	1
Tetrachloroethene	5.6	ug/l	1.65	5	5	8260B		12/12/2020	CJR	1
Toluene	< 1.3	ug/l	1.3	4.15	5	8260B		12/12/2020	CJR	1
1,2,4-Trichlorobenzene	< 2.2	ug/l	2.2	7	5	8260B		12/12/2020	CJR	1
1,2,3-Trichlorobenzene	< 5	ug/l	5	16	5	8260B		12/12/2020	CJR	1
1,1,1-Trichloroethane	< 1.5	ug/l	1.5	4.75	5	8260B		12/12/2020	CJR	1
1,1,2-Trichloroethane	< 1.8	ug/l	1.8	5.5	5	8260B		12/12/2020	CJR	1
Trichloroethene (TCE)	13.4	ug/l	2.35	7.5	5	8260B		12/12/2020	CJR	1
Trichlorofluoromethane	< 2.1	ug/l	2.1	6.5	5	8260B		12/12/2020	CJR	1
1,2,4-Trimethylbenzene	< 1.5	ug/l	1.5	4.8	5	8260B		12/12/2020	CJR	1
1,3,5-Trimethylbenzene	< 1.6	ug/l	1.6	5	5	8260B		12/12/2020	CJR	1
Vinyl Chloride	12.6	ug/l	1	3.25	5	8260B		12/12/2020	CJR	1
m&p-Xylene	< 5.5	ug/l	5.5	16.5	5	8260B		12/12/2020	CJR	1
o-Xylene	< 1.9	ug/l	1.9	6	5	8260B		12/12/2020	CJR	1
SUR - 1,2-Dichloroethane-d4	102	REC %			5	8260B		12/12/2020	CJR	1
SUR - 4-Bromofluorobenzene	97	REC %			5	8260B		12/12/2020	CJR	1
SUR - Dibromofluoromethane	106	REC %			5	8260B		12/12/2020	CJR	1
SUR - Toluene-d8	95	REC %			5	8260B		12/12/2020	CJR	1

Project Name ROBINSON'S CLEANERS
Project # 6155 PO#2020-2129

Invoice # E38879

Lab Code 5038879I
Sample ID 6155 MW-12
Sample Matrix Water
Sample Date 12/3/2020

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
GASES										
Ethane	< 0.5	ug/l	0.5	1.5	1	8015		12/14/2020	MJR	1
Ethene	< 0.5	ug/l	0.5	1.5	1	8015		12/14/2020	MJR	1
Methane	54.8	ug/l	1	3	1	8015		12/14/2020	MJR	1
VOC's										
Benzene	< 1.65	ug/l	1.65	5	5	8260B		12/12/2020	CJR	1
Bromobenzene	< 1.3	ug/l	1.3	4.2	5	8260B		12/12/2020	CJR	1
Bromodichloromethane	< 1.65	ug/l	1.65	5	5	8260B		12/12/2020	CJR	1
Bromoform	< 3.25	ug/l	3.25	10.5	5	8260B		12/12/2020	CJR	1
tert-Butylbenzene	< 3.05	ug/l	3.05	9.5	5	8260B		12/12/2020	CJR	1
sec-Butylbenzene	< 1.6	ug/l	1.6	5	5	8260B		12/12/2020	CJR	1
n-Butylbenzene	< 1.4	ug/l	1.4	4.45	5	8260B		12/12/2020	CJR	1
Carbon Tetrachloride	< 1.55	ug/l	1.55	4.9	5	8260B		12/12/2020	CJR	1
Chlorobenzene	< 1.95	ug/l	1.95	6	5	8260B		12/12/2020	CJR	1
Chloroethane	< 5.5	ug/l	5.5	18	5	8260B		12/12/2020	CJR	1
Chloroform	< 2.2	ug/l	2.2	7	5	8260B		12/12/2020	CJR	1
Chloromethane	< 4	ug/l	4	12.5	5	8260B		12/12/2020	CJR	1
2-Chlorotoluene	< 1.6	ug/l	1.6	5	5	8260B		12/12/2020	CJR	1
4-Chlorotoluene	< 1.5	ug/l	1.5	4.8	5	8260B		12/12/2020	CJR	1
1,2-Dibromo-3-chloropropane	< 4.1	ug/l	4.1	13	5	8260B		12/12/2020	CJR	1
Dibromochloromethane	< 1.15	ug/l	1.15	3.7	5	8260B		12/12/2020	CJR	1
1,4-Dichlorobenzene	< 1.8	ug/l	1.8	5.5	5	8260B		12/12/2020	CJR	1
1,3-Dichlorobenzene	< 1.55	ug/l	1.55	4.9	5	8260B		12/12/2020	CJR	1
1,2-Dichlorobenzene	< 1.6	ug/l	1.6	5	5	8260B		12/12/2020	CJR	1
Dichlorodifluoromethane	< 2.25	ug/l	2.25	7	5	8260B		12/12/2020	CJR	1
1,2-Dichloroethane	< 1.95	ug/l	1.95	6.5	5	8260B		12/12/2020	CJR	1
1,1-Dichloroethane	< 2.3	ug/l	2.3	7.5	5	8260B		12/12/2020	CJR	1
1,1-Dichloroethene	< 2.5	ug/l	2.5	8	5	8260B		12/12/2020	CJR	1
cis-1,2-Dichloroethene	27	ug/l	1.95	6	5	8260B		12/12/2020	CJR	1
trans-1,2-Dichloroethene	< 1.85	ug/l	1.85	6	5	8260B		12/12/2020	CJR	1
1,2-Dichloropropane	< 1.9	ug/l	1.9	6	5	8260B		12/12/2020	CJR	1
1,3-Dichloropropane	< 1.75	ug/l	1.75	5.5	5	8260B		12/12/2020	CJR	1
trans-1,3-Dichloropropene	< 1.5	ug/l	1.5	4.7	5	8260B		12/12/2020	CJR	1
cis-1,3-Dichloropropene	< 1.8	ug/l	1.8	5.5	5	8260B		12/12/2020	CJR	1
Di-isopropyl ether	< 1.7	ug/l	1.7	5.5	5	8260B		12/12/2020	CJR	1
EDB (1,2-Dibromoethane)	< 1.2	ug/l	1.2	3.75	5	8260B		12/12/2020	CJR	1
Ethylbenzene	< 1.6	ug/l	1.6	5	5	8260B		12/12/2020	CJR	1
Hexachlorobutadiene	< 3.6	ug/l	3.6	11.5	5	8260B		12/12/2020	CJR	1
Isopropylbenzene	< 1.6	ug/l	1.6	5	5	8260B		12/12/2020	CJR	1
p-Isopropyltoluene	< 2.35	ug/l	2.35	7.5	5	8260B		12/12/2020	CJR	1
Methylene chloride	< 6.6	ug/l	6.6	21.05	5	8260B		12/12/2020	CJR	1
Methyl tert-butyl ether (MTBE)	< 2.35	ug/l	2.35	7.5	5	8260B		12/12/2020	CJR	1
Naphthalene	< 5.5	ug/l	5.5	18	5	8260B		12/12/2020	CJR	1
n-Propylbenzene	< 1.65	ug/l	1.65	5.5	5	8260B		12/12/2020	CJR	1
1,1,2,2-Tetrachloroethane	< 1.85	ug/l	1.85	6	5	8260B		12/12/2020	CJR	1

Project Name ROBINSON'S CLEANERS
Project # 6155 PO#2020-2129

Invoice # E38879

Lab Code 5038879I
Sample ID 6155 MW-12
Sample Matrix Water
Sample Date 12/3/2020

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,1,1,2-Tetrachloroethane	< 4.4	ug/l	4.4	16.5	5	8260B		12/12/2020	CJR	1
Tetrachloroethene	480	ug/l	1.65	5	5	8260B		12/12/2020	CJR	1
Toluene	< 1.3	ug/l	1.3	4.15	5	8260B		12/12/2020	CJR	1
1,2,4-Trichlorobenzene	< 2.2	ug/l	2.2	7	5	8260B		12/12/2020	CJR	1
1,2,3-Trichlorobenzene	< 5	ug/l	5	16	5	8260B		12/12/2020	CJR	1
1,1,1-Trichloroethane	< 1.5	ug/l	1.5	4.75	5	8260B		12/12/2020	CJR	1
1,1,2-Trichloroethane	< 1.8	ug/l	1.8	5.5	5	8260B		12/12/2020	CJR	1
Trichloroethene (TCE)	24.5	ug/l	2.35	7.5	5	8260B		12/12/2020	CJR	1
Trichlorofluoromethane	< 2.1	ug/l	2.1	6.5	5	8260B		12/12/2020	CJR	1
1,2,4-Trimethylbenzene	< 1.5	ug/l	1.5	4.8	5	8260B		12/12/2020	CJR	1
1,3,5-Trimethylbenzene	< 1.6	ug/l	1.6	5	5	8260B		12/12/2020	CJR	1
Vinyl Chloride	< 1	ug/l	1	3.25	5	8260B		12/12/2020	CJR	1
m&p-Xylene	< 5.5	ug/l	5.5	16.5	5	8260B		12/12/2020	CJR	1
o-Xylene	< 1.9	ug/l	1.9	6	5	8260B		12/12/2020	CJR	1
SUR - 1,2-Dichloroethane-d4	103	REC %			5	8260B		12/12/2020	CJR	1
SUR - 4-Bromofluorobenzene	93	REC %			5	8260B		12/12/2020	CJR	1
SUR - Dibromofluoromethane	106	REC %			5	8260B		12/12/2020	CJR	1
SUR - Toluene-d8	96	REC %			5	8260B		12/12/2020	CJR	1

Project Name ROBINSON'S CLEANERS
Project # 6155 PO#2020-2129

Invoice # E38879

Lab Code 5038879J
Sample ID 6155 DUP-1
Sample Matrix Water
Sample Date 12/3/2020

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 3.3	ug/l	3.3	10	10	8260B		12/11/2020	CJR	1
Bromobenzene	< 2.6	ug/l	2.6	8.4	10	8260B		12/11/2020	CJR	1
Bromodichloromethane	< 3.3	ug/l	3.3	10	10	8260B		12/11/2020	CJR	1
Bromoform	< 6.5	ug/l	6.5	21	10	8260B		12/11/2020	CJR	1
tert-Butylbenzene	< 6.1	ug/l	6.1	19	10	8260B		12/11/2020	CJR	1
sec-Butylbenzene	< 3.2	ug/l	3.2	10	10	8260B		12/11/2020	CJR	1
n-Butylbenzene	< 2.8	ug/l	2.8	8.9	10	8260B		12/11/2020	CJR	1
Carbon Tetrachloride	< 3.1	ug/l	3.1	9.8	10	8260B		12/11/2020	CJR	1
Chlorobenzene	< 3.9	ug/l	3.9	12	10	8260B		12/11/2020	CJR	1
Chloroethane	< 11	ug/l	11	36	10	8260B		12/11/2020	CJR	1
Chloroform	< 4.4	ug/l	4.4	14	10	8260B		12/11/2020	CJR	1
Chloromethane	< 8	ug/l	8	25	10	8260B		12/11/2020	CJR	1
2-Chlorotoluene	< 3.2	ug/l	3.2	10	10	8260B		12/11/2020	CJR	1
4-Chlorotoluene	< 3	ug/l	3	9.6	10	8260B		12/11/2020	CJR	1
1,2-Dibromo-3-chloropropane	< 8.2	ug/l	8.2	26	10	8260B		12/11/2020	CJR	1
Dibromochloromethane	< 2.3	ug/l	2.3	7.4	10	8260B		12/11/2020	CJR	1
1,4-Dichlorobenzene	< 3.6	ug/l	3.6	11	10	8260B		12/11/2020	CJR	1
1,3-Dichlorobenzene	< 3.1	ug/l	3.1	9.8	10	8260B		12/11/2020	CJR	1
1,2-Dichlorobenzene	< 3.2	ug/l	3.2	10	10	8260B		12/11/2020	CJR	1
Dichlorodifluoromethane	< 4.5	ug/l	4.5	14	10	8260B		12/11/2020	CJR	1
1,2-Dichloroethane	< 3.9	ug/l	3.9	13	10	8260B		12/11/2020	CJR	1
1,1-Dichloroethane	< 4.6	ug/l	4.6	15	10	8260B		12/11/2020	CJR	1
1,1-Dichloroethene	< 5	ug/l	5	16	10	8260B		12/11/2020	CJR	1
cis-1,2-Dichloroethene	21.3	ug/l	3.9	12	10	8260B		12/11/2020	CJR	1
trans-1,2-Dichloroethene	< 3.7	ug/l	3.7	12	10	8260B		12/11/2020	CJR	1
1,2-Dichloropropane	< 3.8	ug/l	3.8	12	10	8260B		12/11/2020	CJR	1
1,3-Dichloropropane	< 3.5	ug/l	3.5	11	10	8260B		12/11/2020	CJR	1
trans-1,3-Dichloropropene	< 3	ug/l	3	9.4	10	8260B		12/11/2020	CJR	1
cis-1,3-Dichloropropene	< 3.6	ug/l	3.6	11	10	8260B		12/11/2020	CJR	1
Di-isopropyl ether	< 3.4	ug/l	3.4	11	10	8260B		12/11/2020	CJR	1
EDB (1,2-Dibromoethane)	< 2.4	ug/l	2.4	7.5	10	8260B		12/11/2020	CJR	1
Ethylbenzene	< 3.2	ug/l	3.2	10	10	8260B		12/11/2020	CJR	1
Hexachlorobutadiene	< 7.2	ug/l	7.2	23	10	8260B		12/11/2020	CJR	1
Isopropylbenzene	< 3.2	ug/l	3.2	10	10	8260B		12/11/2020	CJR	1
p-Isopropyltoluene	< 4.7	ug/l	4.7	15	10	8260B		12/11/2020	CJR	1
Methylene chloride	< 13.2	ug/l	13.2	42.1	10	8260B		12/11/2020	CJR	1
Methyl tert-butyl ether (MTBE)	< 4.7	ug/l	4.7	15	10	8260B		12/11/2020	CJR	1
Naphthalene	< 11	ug/l	11	36	10	8260B		12/11/2020	CJR	1
n-Propylbenzene	< 3.3	ug/l	3.3	11	10	8260B		12/11/2020	CJR	1
1,1,2,2-Tetrachloroethane	< 3.7	ug/l	3.7	12	10	8260B		12/11/2020	CJR	1
1,1,1,2-Tetrachloroethane	< 8.8	ug/l	8.8	33	10	8260B		12/11/2020	CJR	1
Tetrachloroethene	400	ug/l	3.3	10	10	8260B		12/11/2020	CJR	1
Toluene	< 2.6	ug/l	2.6	8.3	10	8260B		12/11/2020	CJR	1
1,2,4-Trichlorobenzene	< 4.4	ug/l	4.4	14	10	8260B		12/11/2020	CJR	1

Project Name ROBINSON'S CLEANERS
Project # 6155 PO#2020-2129

Invoice # E38879

Lab Code 5038879J
Sample ID 6155 DUP-1
Sample Matrix Water
Sample Date 12/3/2020

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 10	ug/l	10	32	10	8260B		12/11/2020	CJR	1
1,1,1-Trichloroethane	< 3	ug/l	3	9.5	10	8260B		12/11/2020	CJR	1
1,1,2-Trichloroethane	< 3.6	ug/l	3.6	11	10	8260B		12/11/2020	CJR	1
Trichloroethene (TCE)	20.1	ug/l	4.7	15	10	8260B		12/11/2020	CJR	1
Trichlorofluoromethane	< 4.2	ug/l	4.2	13	10	8260B		12/11/2020	CJR	1
1,2,4-Trimethylbenzene	< 3	ug/l	3	9.6	10	8260B		12/11/2020	CJR	1
1,3,5-Trimethylbenzene	< 3.2	ug/l	3.2	10	10	8260B		12/11/2020	CJR	1
Vinyl Chloride	< 2	ug/l	2	6.5	10	8260B		12/11/2020	CJR	1
m&p-Xylene	< 11	ug/l	11	33	10	8260B		12/11/2020	CJR	1
o-Xylene	< 3.8	ug/l	3.8	12	10	8260B		12/11/2020	CJR	1
SUR - 1,2-Dichloroethane-d4	100	REC %			10	8260B		12/11/2020	CJR	1
SUR - 4-Bromofluorobenzene	98	REC %			10	8260B		12/11/2020	CJR	1
SUR - Dibromofluoromethane	104	REC %			10	8260B		12/11/2020	CJR	1
SUR - Toluene-d8	95	REC %			10	8260B		12/11/2020	CJR	1

Project Name ROBINSON'S CLEANERS
Project # 6155 PO#2020-2129

Invoice # E38879

Lab Code 5038879K
Sample ID 6155 MW-20D
Sample Matrix Water
Sample Date 12/4/2020

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
GASES										
Ethane	< 0.5	ug/l	0.5	1.5	1	8015		12/14/2020	MJR	1
Ethene	< 0.5	ug/l	0.5	1.5	1	8015		12/14/2020	MJR	1
Methane	11.0	ug/l	1	3	1	8015		12/14/2020	MJR	1
VOC's										
Benzene	< 6.6	ug/l	6.6	20	20	8260B		12/12/2020	CJR	1
Bromobenzene	< 5.2	ug/l	5.2	16.8	20	8260B		12/12/2020	CJR	1
Bromodichloromethane	< 6.6	ug/l	6.6	20	20	8260B		12/12/2020	CJR	1
Bromoform	< 13	ug/l	13	42	20	8260B		12/12/2020	CJR	1
tert-Butylbenzene	< 12.2	ug/l	12.2	38	20	8260B		12/12/2020	CJR	1
sec-Butylbenzene	< 6.4	ug/l	6.4	20	20	8260B		12/12/2020	CJR	1
n-Butylbenzene	< 5.6	ug/l	5.6	17.8	20	8260B		12/12/2020	CJR	1
Carbon Tetrachloride	< 6.2	ug/l	6.2	19.6	20	8260B		12/12/2020	CJR	1
Chlorobenzene	< 7.8	ug/l	7.8	24	20	8260B		12/12/2020	CJR	1
Chloroethane	< 22	ug/l	22	72	20	8260B		12/12/2020	CJR	1
Chloroform	< 8.8	ug/l	8.8	28	20	8260B		12/12/2020	CJR	1
Chloromethane	< 16	ug/l	16	50	20	8260B		12/12/2020	CJR	1
2-Chlorotoluene	< 6.4	ug/l	6.4	20	20	8260B		12/12/2020	CJR	1
4-Chlorotoluene	< 6	ug/l	6	19.2	20	8260B		12/12/2020	CJR	1
1,2-Dibromo-3-chloropropane	< 16.4	ug/l	16.4	52	20	8260B		12/12/2020	CJR	1
Dibromochloromethane	< 4.6	ug/l	4.6	14.8	20	8260B		12/12/2020	CJR	1
1,4-Dichlorobenzene	< 7.2	ug/l	7.2	22	20	8260B		12/12/2020	CJR	1
1,3-Dichlorobenzene	< 6.2	ug/l	6.2	19.6	20	8260B		12/12/2020	CJR	1
1,2-Dichlorobenzene	< 6.4	ug/l	6.4	20	20	8260B		12/12/2020	CJR	1
Dichlorodifluoromethane	< 9	ug/l	9	28	20	8260B		12/12/2020	CJR	1
1,2-Dichloroethane	< 7.8	ug/l	7.8	26	20	8260B		12/12/2020	CJR	1
1,1-Dichloroethane	< 9.2	ug/l	9.2	30	20	8260B		12/12/2020	CJR	1
1,1-Dichloroethene	< 10	ug/l	10	32	20	8260B		12/12/2020	CJR	1
cis-1,2-Dichloroethene	26.4	ug/l	7.8	24	20	8260B		12/12/2020	CJR	1
trans-1,2-Dichloroethene	< 7.4	ug/l	7.4	24	20	8260B		12/12/2020	CJR	1
1,2-Dichloropropane	< 7.6	ug/l	7.6	24	20	8260B		12/12/2020	CJR	1
1,3-Dichloropropane	< 7	ug/l	7	22	20	8260B		12/12/2020	CJR	1
trans-1,3-Dichloropropene	< 6	ug/l	6	18.8	20	8260B		12/12/2020	CJR	1
cis-1,3-Dichloropropene	< 7.2	ug/l	7.2	22	20	8260B		12/12/2020	CJR	1
Di-isopropyl ether	< 6.8	ug/l	6.8	22	20	8260B		12/12/2020	CJR	1
EDB (1,2-Dibromoethane)	< 4.8	ug/l	4.8	15	20	8260B		12/12/2020	CJR	1
Ethylbenzene	< 6.4	ug/l	6.4	20	20	8260B		12/12/2020	CJR	1
Hexachlorobutadiene	< 14.4	ug/l	14.4	46	20	8260B		12/12/2020	CJR	1
Isopropylbenzene	< 6.4	ug/l	6.4	20	20	8260B		12/12/2020	CJR	1
p-Isopropyltoluene	< 9.4	ug/l	9.4	30	20	8260B		12/12/2020	CJR	1
Methylene chloride	< 26.4	ug/l	26.4	84.2	20	8260B		12/12/2020	CJR	1
Methyl tert-butyl ether (MTBE)	< 9.4	ug/l	9.4	30	20	8260B		12/12/2020	CJR	1
Naphthalene	< 22	ug/l	22	72	20	8260B		12/12/2020	CJR	1
n-Propylbenzene	< 6.6	ug/l	6.6	22	20	8260B		12/12/2020	CJR	1
1,1,2,2-Tetrachloroethane	< 7.4	ug/l	7.4	24	20	8260B		12/12/2020	CJR	1

Project Name ROBINSON'S CLEANERS
Project # 6155 PO#2020-2129

Invoice # E38879

Lab Code 5038879K
Sample ID 6155 MW-20D
Sample Matrix Water
Sample Date 12/4/2020

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,1,1,2-Tetrachloroethane	< 17.6	ug/l	17.6	66	20	8260B		12/12/2020	CJR	1
Tetrachloroethene	1260	ug/l	6.6	20	20	8260B		12/12/2020	CJR	1
Toluene	< 5.2	ug/l	5.2	16.6	20	8260B		12/12/2020	CJR	1
1,2,4-Trichlorobenzene	< 8.8	ug/l	8.8	28	20	8260B		12/12/2020	CJR	1
1,2,3-Trichlorobenzene	< 20	ug/l	20	64	20	8260B		12/12/2020	CJR	1
1,1,1-Trichloroethane	< 6	ug/l	6	19	20	8260B		12/12/2020	CJR	1
1,1,2-Trichloroethane	< 7.2	ug/l	7.2	22	20	8260B		12/12/2020	CJR	1
Trichloroethene (TCE)	20.4 "J"	ug/l	9.4	30	20	8260B		12/12/2020	CJR	1
Trichlorofluoromethane	< 8.4	ug/l	8.4	26	20	8260B		12/12/2020	CJR	1
1,2,4-Trimethylbenzene	< 6	ug/l	6	19.2	20	8260B		12/12/2020	CJR	1
1,3,5-Trimethylbenzene	< 6.4	ug/l	6.4	20	20	8260B		12/12/2020	CJR	1
Vinyl Chloride	< 4	ug/l	4	13	20	8260B		12/12/2020	CJR	1
m&p-Xylene	< 22	ug/l	22	66	20	8260B		12/12/2020	CJR	1
o-Xylene	< 7.6	ug/l	7.6	24	20	8260B		12/12/2020	CJR	1
SUR - 1,2-Dichloroethane-d4	99	REC %			20	8260B		12/12/2020	CJR	1
SUR - 4-Bromofluorobenzene	98	REC %			20	8260B		12/12/2020	CJR	1
SUR - Dibromofluoromethane	108	REC %			20	8260B		12/12/2020	CJR	1
SUR - Toluene-d8	96	REC %			20	8260B		12/12/2020	CJR	1

Project Name ROBINSON'S CLEANERS
Project # 6155 PO#2020-2129

Invoice # E38879

Lab Code 5038879L
Sample ID 6155 EB-1
Sample Matrix Water
Sample Date 12/2/2020

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.33	ug/l	0.33		1	8260B		12/12/2020	CJR	1
Bromobenzene	< 0.26	ug/l	0.26	0.84	1	8260B		12/12/2020	CJR	1
Bromodichloromethane	< 0.33	ug/l	0.33		1	8260B		12/12/2020	CJR	1
Bromoform	< 0.65	ug/l	0.65	2.1	1	8260B		12/12/2020	CJR	1
tert-Butylbenzene	< 0.61	ug/l	0.61	1.9	1	8260B		12/12/2020	CJR	1
sec-Butylbenzene	< 0.32	ug/l	0.32		1	8260B		12/12/2020	CJR	1
n-Butylbenzene	< 0.28	ug/l	0.28	0.89	1	8260B		12/12/2020	CJR	1
Carbon Tetrachloride	< 0.31	ug/l	0.31	0.98	1	8260B		12/12/2020	CJR	1
Chlorobenzene	< 0.39	ug/l	0.39	1.2	1	8260B		12/12/2020	CJR	1
Chloroethane	< 1.1	ug/l	1.1	3.6	1	8260B		12/12/2020	CJR	1
Chloroform	< 0.44	ug/l	0.44	1.4	1	8260B		12/12/2020	CJR	1
Chloromethane	< 0.8	ug/l	0.8	2.5	1	8260B		12/12/2020	CJR	1
2-Chlorotoluene	< 0.32	ug/l	0.32		1	8260B		12/12/2020	CJR	1
4-Chlorotoluene	< 0.3	ug/l	0.3	0.96	1	8260B		12/12/2020	CJR	1
1,2-Dibromo-3-chloropropane	< 0.82	ug/l	0.82	2.6	1	8260B		12/12/2020	CJR	1
Dibromochloromethane	< 0.23	ug/l	0.23	0.74	1	8260B		12/12/2020	CJR	1
1,4-Dichlorobenzene	< 0.36	ug/l	0.36	1.1	1	8260B		12/12/2020	CJR	1
1,3-Dichlorobenzene	< 0.31	ug/l	0.31	0.98	1	8260B		12/12/2020	CJR	1
1,2-Dichlorobenzene	< 0.32	ug/l	0.32		1	8260B		12/12/2020	CJR	1
Dichlorodifluoromethane	< 0.45	ug/l	0.45	1.4	1	8260B		12/12/2020	CJR	1
1,2-Dichloroethane	< 0.39	ug/l	0.39	1.3	1	8260B		12/12/2020	CJR	1
1,1-Dichloroethane	< 0.46	ug/l	0.46	1.5	1	8260B		12/12/2020	CJR	1
1,1-Dichloroethene	< 0.5	ug/l	0.5	1.6	1	8260B		12/12/2020	CJR	1
cis-1,2-Dichloroethene	< 0.39	ug/l	0.39	1.2	1	8260B		12/12/2020	CJR	1
trans-1,2-Dichloroethene	< 0.37	ug/l	0.37	1.2	1	8260B		12/12/2020	CJR	1
1,2-Dichloropropane	< 0.38	ug/l	0.38	1.2	1	8260B		12/12/2020	CJR	1
1,3-Dichloropropane	< 0.35	ug/l	0.35	1.1	1	8260B		12/12/2020	CJR	1
trans-1,3-Dichloropropene	< 0.3	ug/l	0.3	0.94	1	8260B		12/12/2020	CJR	1
cis-1,3-Dichloropropene	< 0.36	ug/l	0.36	1.1	1	8260B		12/12/2020	CJR	1
Di-isopropyl ether	< 0.34	ug/l	0.34	1.1	1	8260B		12/12/2020	CJR	1
EDB (1,2-Dibromoethane)	< 0.24	ug/l	0.24	0.75	1	8260B		12/12/2020	CJR	1
Ethylbenzene	< 0.32	ug/l	0.32		1	8260B		12/12/2020	CJR	1
Hexachlorobutadiene	< 0.72	ug/l	0.72	2.3	1	8260B		12/12/2020	CJR	1
Isopropylbenzene	< 0.32	ug/l	0.32		1	8260B		12/12/2020	CJR	1
p-Isopropyltoluene	< 0.47	ug/l	0.47	1.5	1	8260B		12/12/2020	CJR	1
Methylene chloride	< 1.32	ug/l	1.32	4.21	1	8260B		12/12/2020	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.47	ug/l	0.47	1.5	1	8260B		12/12/2020	CJR	1
Naphthalene	< 1.1	ug/l	1.1	3.6	1	8260B		12/12/2020	CJR	1
n-Propylbenzene	< 0.33	ug/l	0.33	1.1	1	8260B		12/12/2020	CJR	1
1,1,2,2-Tetrachloroethane	< 0.37	ug/l	0.37	1.2	1	8260B		12/12/2020	CJR	1
1,1,1,2-Tetrachloroethane	< 0.88	ug/l	0.88	3.3	1	8260B		12/12/2020	CJR	1
Tetrachloroethene	< 0.33	ug/l	0.33		1	8260B		12/12/2020	CJR	1
Toluene	< 0.26	ug/l	0.26	0.83	1	8260B		12/12/2020	CJR	1
1,2,4-Trichlorobenzene	< 0.44	ug/l	0.44	1.4	1	8260B		12/12/2020	CJR	1

Project Name ROBINSON'S CLEANERS
Project # 6155 PO#2020-2129

Invoice # E38879

Lab Code 5038879L
Sample ID 6155 EB-1
Sample Matrix Water
Sample Date 12/2/2020

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 1	ug/l	1	3.2	1	8260B		12/12/2020	CJR	1
1,1,1-Trichloroethane	< 0.3	ug/l	0.3	0.95	1	8260B		12/12/2020	CJR	1
1,1,2-Trichloroethane	< 0.36	ug/l	0.36	1.1	1	8260B		12/12/2020	CJR	1
Trichloroethene (TCE)	< 0.47	ug/l	0.47	1.5	1	8260B		12/12/2020	CJR	1
Trichlorofluoromethane	< 0.42	ug/l	0.42	1.3	1	8260B		12/12/2020	CJR	1
1,2,4-Trimethylbenzene	< 0.3	ug/l	0.3	0.96	1	8260B		12/12/2020	CJR	1
1,3,5-Trimethylbenzene	< 0.32	ug/l	0.32	1	1	8260B		12/12/2020	CJR	1
Vinyl Chloride	< 0.2	ug/l	0.2	0.65	1	8260B		12/12/2020	CJR	1
m&p-Xylene	< 1.1	ug/l	1.1	3.3	1	8260B		12/12/2020	CJR	1
o-Xylene	< 0.38	ug/l	0.38	1.2	1	8260B		12/12/2020	CJR	1
SUR - Toluene-d8	96	REC %			1	8260B		12/12/2020	CJR	1
SUR - Dibromofluoromethane	105	REC %			1	8260B		12/12/2020	CJR	1
SUR - 1,2-Dichloroethane-d4	107	REC %			1	8260B		12/12/2020	CJR	1
SUR - 4-Bromofluorobenzene	96	REC %			1	8260B		12/12/2020	CJR	1

Project Name ROBINSON'S CLEANERS
Project # 6155 PO#2020-2129

Invoice # E38879

Lab Code 5038879M
Sample ID 6155 TRIP BLANK
Sample Matrix Water
Sample Date 12/2/2020

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.33	ug/l	0.33		1	8260B		12/12/2020	CJR	1
Bromobenzene	< 0.26	ug/l	0.26	0.84	1	8260B		12/12/2020	CJR	1
Bromodichloromethane	< 0.33	ug/l	0.33		1	8260B		12/12/2020	CJR	1
Bromoform	< 0.65	ug/l	0.65	2.1	1	8260B		12/12/2020	CJR	1
tert-Butylbenzene	< 0.61	ug/l	0.61	1.9	1	8260B		12/12/2020	CJR	1
sec-Butylbenzene	< 0.32	ug/l	0.32		1	8260B		12/12/2020	CJR	1
n-Butylbenzene	< 0.28	ug/l	0.28	0.89	1	8260B		12/12/2020	CJR	1
Carbon Tetrachloride	< 0.31	ug/l	0.31	0.98	1	8260B		12/12/2020	CJR	1
Chlorobenzene	< 0.39	ug/l	0.39	1.2	1	8260B		12/12/2020	CJR	1
Chloroethane	< 1.1	ug/l	1.1	3.6	1	8260B		12/12/2020	CJR	1
Chloroform	< 0.44	ug/l	0.44	1.4	1	8260B		12/12/2020	CJR	1
Chloromethane	< 0.8	ug/l	0.8	2.5	1	8260B		12/12/2020	CJR	1
2-Chlorotoluene	< 0.32	ug/l	0.32		1	8260B		12/12/2020	CJR	1
4-Chlorotoluene	< 0.3	ug/l	0.3	0.96	1	8260B		12/12/2020	CJR	1
1,2-Dibromo-3-chloropropane	< 0.82	ug/l	0.82	2.6	1	8260B		12/12/2020	CJR	1
Dibromochloromethane	< 0.23	ug/l	0.23	0.74	1	8260B		12/12/2020	CJR	1
1,4-Dichlorobenzene	< 0.36	ug/l	0.36	1.1	1	8260B		12/12/2020	CJR	1
1,3-Dichlorobenzene	< 0.31	ug/l	0.31	0.98	1	8260B		12/12/2020	CJR	1
1,2-Dichlorobenzene	< 0.32	ug/l	0.32		1	8260B		12/12/2020	CJR	1
Dichlorodifluoromethane	< 0.45	ug/l	0.45	1.4	1	8260B		12/12/2020	CJR	1
1,2-Dichloroethane	< 0.39	ug/l	0.39	1.3	1	8260B		12/12/2020	CJR	1
1,1-Dichloroethane	< 0.46	ug/l	0.46	1.5	1	8260B		12/12/2020	CJR	1
1,1-Dichloroethene	< 0.5	ug/l	0.5	1.6	1	8260B		12/12/2020	CJR	1
cis-1,2-Dichloroethene	< 0.39	ug/l	0.39	1.2	1	8260B		12/12/2020	CJR	1
trans-1,2-Dichloroethene	< 0.37	ug/l	0.37	1.2	1	8260B		12/12/2020	CJR	1
1,2-Dichloropropane	< 0.38	ug/l	0.38	1.2	1	8260B		12/12/2020	CJR	1
1,3-Dichloropropane	< 0.35	ug/l	0.35	1.1	1	8260B		12/12/2020	CJR	1
trans-1,3-Dichloropropene	< 0.3	ug/l	0.3	0.94	1	8260B		12/12/2020	CJR	1
cis-1,3-Dichloropropene	< 0.36	ug/l	0.36	1.1	1	8260B		12/12/2020	CJR	1
Di-isopropyl ether	< 0.34	ug/l	0.34	1.1	1	8260B		12/12/2020	CJR	1
EDB (1,2-Dibromoethane)	< 0.24	ug/l	0.24	0.75	1	8260B		12/12/2020	CJR	1
Ethylbenzene	< 0.32	ug/l	0.32		1	8260B		12/12/2020	CJR	1
Hexachlorobutadiene	< 0.72	ug/l	0.72	2.3	1	8260B		12/12/2020	CJR	1
Isopropylbenzene	< 0.32	ug/l	0.32		1	8260B		12/12/2020	CJR	1
p-Isopropyltoluene	< 0.47	ug/l	0.47	1.5	1	8260B		12/12/2020	CJR	1
Methylene chloride	< 1.32	ug/l	1.32	4.21	1	8260B		12/12/2020	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.47	ug/l	0.47	1.5	1	8260B		12/12/2020	CJR	1
Naphthalene	< 1.1	ug/l	1.1	3.6	1	8260B		12/12/2020	CJR	1
n-Propylbenzene	< 0.33	ug/l	0.33	1.1	1	8260B		12/12/2020	CJR	1
1,1,2,2-Tetrachloroethane	< 0.37	ug/l	0.37	1.2	1	8260B		12/12/2020	CJR	1
1,1,1,2-Tetrachloroethane	< 0.88	ug/l	0.88	3.3	1	8260B		12/12/2020	CJR	1
Tetrachloroethene	< 0.33	ug/l	0.33		1	8260B		12/12/2020	CJR	1
Toluene	< 0.26	ug/l	0.26	0.83	1	8260B		12/12/2020	CJR	1
1,2,4-Trichlorobenzene	< 0.44	ug/l	0.44	1.4	1	8260B		12/12/2020	CJR	1

Project Name ROBINSON'S CLEANERS
Project # 6155 PO#2020-2129

Invoice # E38879

Lab Code 5038879M
Sample ID 6155 TRIP BLANK
Sample Matrix Water
Sample Date 12/2/2020

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 1	ug/l	1	3.2	1	8260B		12/12/2020	CJR	1
1,1,1-Trichloroethane	< 0.3	ug/l	0.3	0.95	1	8260B		12/12/2020	CJR	1
1,1,2-Trichloroethane	< 0.36	ug/l	0.36	1.1	1	8260B		12/12/2020	CJR	1
Trichloroethene (TCE)	< 0.47	ug/l	0.47	1.5	1	8260B		12/12/2020	CJR	1
Trichlorofluoromethane	< 0.42	ug/l	0.42	1.3	1	8260B		12/12/2020	CJR	1
1,2,4-Trimethylbenzene	< 0.3	ug/l	0.3	0.96	1	8260B		12/12/2020	CJR	1
1,3,5-Trimethylbenzene	< 0.32	ug/l	0.32	1	1	8260B		12/12/2020	CJR	1
Vinyl Chloride	< 0.2	ug/l	0.2	0.65	1	8260B		12/12/2020	CJR	1
m&p-Xylene	< 1.1	ug/l	1.1	3.3	1	8260B		12/12/2020	CJR	1
o-Xylene	< 0.38	ug/l	0.38	1.2	1	8260B		12/12/2020	CJR	1
SUR - Toluene-d8	96	REC %				8260B		12/12/2020	CJR	1
SUR - 1,2-Dichloroethane-d4	103	REC %				8260B		12/12/2020	CJR	1
SUR - 4-Bromofluorobenzene	95	REC %				8260B		12/12/2020	CJR	1
SUR - Dibromofluoromethane	104	REC %				8260B		12/12/2020	CJR	1

"J" Flag: Analyte detected between LOD and LOQ

LOD Limit of Detection

LOQ Limit of Quantitation

Code **Comment**

1 Laboratory QC within limits.

All solid sample results reported on a dry weight basis unless otherwise indicated. All LOD's and LOQ's are adjusted for dilutions but not dry weight. Subcontracted results are denoted by SUB in the analyst field.

Authorized Signature

Environmental Lab, Inc.

www.synergy-lab.net
 1990 Prospect Ct. • Appleton, WI 54914
 920-830-2455 • mrsynergy@wi.twcbc.com

Sample Handling Request

Rush Analysis Date Required: _____
 (Rushes accepted only with prior authorization)
 Normal Turn Around

Lab I.D. #
 QUOTE #: 8242
 Project #: 6155
 Sampler: (signature) *RLT*

Project (Name / Location): Robinson's Cleaners - Janesville
 Reports To: Brian Kappen Invoice To: Accounts Payable
 Company: EnviroForensics Company:
 Address: N16W23390 Stone Ridge Dr, Ste G Address:
 City State Zip: Waukesha, WI 53188 City State Zip:
 Phone: 262-290-4001 Phone:
 Email: bkappene@enviroforensics.com Email: accounts payable@enviroforensics.com

Analysis Requested										Other Analysis					
DRO (Mod DRO Sep 95)	GRO (Mod GRO Sep 95)	LEAD	NITRATE/NITRITE	OIL & GREASE	PAH (EPA 8270)	PCB	PVOC (EPA 8021)	PVOC + NAPHTHALENE	SULFATE	TOTAL SUSPENDED SOLIDS	VOC DW (EPA 524.2)	VOC (EPA 8260)	VOC AIR (TO - 15)	8-RCRA METALS	PID/ FID
												X			
											X	X		X	
											X	X		X	
											X	X		X	
											X	X		X	
											X	X		X	
											X	X		X	
											X	X		X	
											X	X		X	
											X	X		X	
											X	X		X	
											X	X		X	

Lab I.D.	Sample I.D.	Collection Date	Collection Time	Filtered Y/N	No. of Containers	Sample Type (Matrix)*	Preservation
5038879A	6155-PZ-53D3	12-2-20	13:20	n	3	GW	HCL
B	6155-MW-30S	12-2-20	14:35	n	4	GW	HCL
C	6155-MW-39S	12-2-20	15:28	n	4	GW	HCL
D	6155-PZ-17D1	12-2-20	16:40	n	4	GW	HCL
E	6155-PZ-53D1	12-3-20	11:02	n	3	GW	HCL
MW-25	6155-MW-25D	12-3-20	12:09	n	4	GW	HCL
G	6155-MW-27S	12-3-20	13:48	n	4	GW	HCL
H	6155-MW-6	12-3-20	14:35	n	4	GW	HCL
I	6155-MW-12	12-3-20	16:00	n	4	GW	HCL
J	6155-DUP-1	12-3-20	-	n	3	GW	HCL
K	6155-MW-20D	12-4-20	8:20	n	4	GW	HCL
L	6155-EB-1	12-2-20	16:52	n	3	GW	HCL

Comments/Special Instructions (*Specify groundwater "GW", Drinking Water "DW", Waste Water "WW", Soil "S", Air "A", Oil, Sludge, etc.)
 PO # 2020-20 2129 EEM = Ethene, ethane, methane

Sample Integrity - To be completed by receiving lab.
 Method of Shipment: GC
 Temp. of Temp. Blank: _____ °C On Ice:
 Cooler seal intact upon receipt: Yes No

Relinquished By: (sign) *[Signature]* Time: 1200 Date: 12/7/20
 Received By: (sign) Gold Cross Time: 1200 Date: 12/7/20
 Received in Laboratory By: *[Signature]* Time: 8:00 Date: 12/8/20

Environmental Lab, Inc.

www.synergy-lab.net
 1990 Prospect Ct. • Appleton, WI 54914
 920-830-2455 • mrsynergy@wi.twcbc.com

Sample Handling Request

Rush Analysis Date Required: _____
 (Rushes accepted only with prior authorization)
 Normal Turn Around

Lab I.D. #
 QUOTE #: 8242
 Project #: 6155
 Sampler: (signature) RL

Project (Name / Location): Robinson's Cleaners - Janesville
 Reports To: Brian Kappen Invoice To: Accounts Payable
 Company: Enviroforensics Company:
 Address: 116 W 23390 Stone Ridge Dr, Ste G Address:
 City State Zip: Waukesha, WI 53188 City State Zip:
 Phone: 262-290-4001 Phone:
 Email: bkappen@enviroforensics.com Email: accounts.payable@enviroforensics.com

Analysis Requested										Other Analysis					
DRO (Mod DRO Sep 95)	GRO (Mod GRO Sep 95)	LEAD	NITRATE/NITRITE	OIL & GREASE	PAH (EPA 8270)	PCB	PVOC (EPA 8021)	PVOC + NAPHTHALENE	SULFATE	TOTAL SUSPENDED SOLIDS	VOC DW (EPA 524.2)	VOC (EPA 8260)	VOC AIR (TO - 15)	8-PCRA METALS	PID/ FID

Lab I.D.	Sample I.D.	Collection Date	Collection Time	Filtered Y/N	No. of Containers	Sample Type (Matrix)*	Preservation
5038879m	6155-EB-2	12/30	16:25	A	3	GW	Hel
	6155-Trip Blank	12/2/20					

Comments/Special Instructions ("Specify groundwater "GW", Drinking Water "DW", Waste Water "WW", Soil "S", Air "A", Oil, Sludge, etc.)
PO # 2020-2129

Sample Integrity - To be completed by receiving lab.
 Method of Shipment: GC
 Temp. of Temp. Blank: _____ °C On Ice:
 Cooler seal intact upon receipt: Yes No

Relinquished By: (sign) B. J. Kappen Time 1200 Date 12/7/20
 Received By: (sign) Gold Cross Time 1200 Date 12/7/20
 Received in Laboratory By: [Signature] Time: 8:00 Date: 12/8/20

Synergy Environmental Lab, INC

1990 Prospect Ct., Appleton, WI 54914 *P 920-830-2455 * F 920-733-0631

BRIAN KAPPEN
ENVIROFORENSICS
N16 W 23390 STONERIDGE DR
WAUKESHA WI 53188

Report Date 11-Jan-21

Project Name FMR ROBINSONS CLEANERS
Project # 6155 PO#2020-5054

Invoice # E38962

Lab Code 5038962A
Sample ID 6155-MW-25D
Sample Matrix Water
Sample Date 12/31/2020

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	3.5	ug/l	0.33		1	8260B		1/7/2021	CJR	1
Bromobenzene	< 0.26	ug/l	0.26	0.84	1	8260B		1/7/2021	CJR	1
Bromodichloromethane	< 0.33	ug/l	0.33		1	8260B		1/7/2021	CJR	1
Bromoform	< 0.65	ug/l	0.65	2.1	1	8260B		1/7/2021	CJR	1
tert-Butylbenzene	< 0.61	ug/l	0.61	1.9	1	8260B		1/7/2021	CJR	1
sec-Butylbenzene	< 0.32	ug/l	0.32		1	8260B		1/7/2021	CJR	1
n-Butylbenzene	0.35 "J"	ug/l	0.28	0.89	1	8260B		1/7/2021	CJR	1
Carbon Tetrachloride	< 0.31	ug/l	0.31	0.98	1	8260B		1/7/2021	CJR	1
Chlorobenzene	< 0.39	ug/l	0.39	1.2	1	8260B		1/7/2021	CJR	1
Chloroethane	< 1.1	ug/l	1.1	3.6	1	8260B		1/7/2021	CJR	1
Chloroform	< 0.44	ug/l	0.44	1.4	1	8260B		1/7/2021	CJR	1
Chloromethane	4.1	ug/l	0.8	2.5	1	8260B		1/7/2021	CJR	1
2-Chlorotoluene	< 0.32	ug/l	0.32		1	8260B		1/7/2021	CJR	1
4-Chlorotoluene	< 0.3	ug/l	0.3	0.96	1	8260B		1/7/2021	CJR	1
1,2-Dibromo-3-chloropropane	< 0.82	ug/l	0.82	2.6	1	8260B		1/7/2021	CJR	1
Dibromochloromethane	< 0.23	ug/l	0.23	0.74	1	8260B		1/7/2021	CJR	1
1,4-Dichlorobenzene	< 0.36	ug/l	0.36	1.1	1	8260B		1/7/2021	CJR	1
1,3-Dichlorobenzene	< 0.31	ug/l	0.31	0.98	1	8260B		1/7/2021	CJR	1
1,2-Dichlorobenzene	< 0.32	ug/l	0.32		1	8260B		1/7/2021	CJR	1
Dichlorodifluoromethane	< 0.45	ug/l	0.45	1.4	1	8260B		1/7/2021	CJR	1
1,2-Dichloroethane	< 0.39	ug/l	0.39	1.3	1	8260B		1/7/2021	CJR	1
1,1-Dichloroethane	< 0.46	ug/l	0.46	1.5	1	8260B		1/7/2021	CJR	1
1,1-Dichloroethene	< 0.5	ug/l	0.5	1.6	1	8260B		1/7/2021	CJR	1
cis-1,2-Dichloroethene	30.1	ug/l	0.39	1.2	1	8260B		1/7/2021	CJR	1
trans-1,2-Dichloroethene	14.7	ug/l	0.37	1.2	1	8260B		1/7/2021	CJR	1

Project Name FMR ROBINSONS CLEANERS
Project # 6155 PO#2020-5054

Invoice # E38962

Lab Code 5038962A
Sample ID 6155-MW-25D
Sample Matrix Water
Sample Date 12/31/2020

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2-Dichloropropane	< 0.38	ug/l	0.38	1.2	1	8260B		1/7/2021	CJR	1
1,3-Dichloropropane	< 0.35	ug/l	0.35	1.1	1	8260B		1/7/2021	CJR	1
trans-1,3-Dichloropropene	< 0.3	ug/l	0.3	0.94	1	8260B		1/7/2021	CJR	1
cis-1,3-Dichloropropene	< 0.36	ug/l	0.36	1.1	1	8260B		1/7/2021	CJR	1
Di-isopropyl ether	< 0.34	ug/l	0.34	1.1	1	8260B		1/7/2021	CJR	1
EDB (1,2-Dibromoethane)	< 0.24	ug/l	0.24	0.75	1	8260B		1/7/2021	CJR	1
Ethylbenzene	< 0.32	ug/l	0.32	1	1	8260B		1/7/2021	CJR	1
Hexachlorobutadiene	< 0.72	ug/l	0.72	2.3	1	8260B		1/7/2021	CJR	1
Isopropylbenzene	0.52 "J"	ug/l	0.32	1	1	8260B		1/7/2021	CJR	1
p-Isopropyltoluene	< 0.47	ug/l	0.47	1.5	1	8260B		1/7/2021	CJR	1
Methylene chloride	< 1.32	ug/l	1.32	4.21	1	8260B		1/7/2021	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.47	ug/l	0.47	1.5	1	8260B		1/7/2021	CJR	1
Naphthalene	< 1.1	ug/l	1.1	3.6	1	8260B		1/7/2021	CJR	1
n-Propylbenzene	< 0.33	ug/l	0.33	1.1	1	8260B		1/7/2021	CJR	1
1,1,2,2-Tetrachloroethane	< 0.37	ug/l	0.37	1.2	1	8260B		1/7/2021	CJR	1
1,1,1,2-Tetrachloroethane	< 0.88	ug/l	0.88	3.3	1	8260B		1/7/2021	CJR	1
Tetrachloroethene	191	ug/l	0.33	1	1	8260B		1/7/2021	CJR	1
Toluene	< 0.26	ug/l	0.26	0.83	1	8260B		1/7/2021	CJR	1
1,2,4-Trichlorobenzene	< 0.44	ug/l	0.44	1.4	1	8260B		1/7/2021	CJR	1
1,2,3-Trichlorobenzene	< 1	ug/l	1	3.2	1	8260B		1/7/2021	CJR	1
1,1,1-Trichloroethane	< 0.3	ug/l	0.3	0.95	1	8260B		1/7/2021	CJR	1
1,1,2-Trichloroethane	< 0.36	ug/l	0.36	1.1	1	8260B		1/7/2021	CJR	1
Trichloroethene (TCE)	123	ug/l	0.47	1.5	1	8260B		1/7/2021	CJR	1
Trichlorofluoromethane	< 0.42	ug/l	0.42	1.3	1	8260B		1/7/2021	CJR	1
1,2,4-Trimethylbenzene	< 0.3	ug/l	0.3	0.96	1	8260B		1/7/2021	CJR	1
1,3,5-Trimethylbenzene	< 0.32	ug/l	0.32	1	1	8260B		1/7/2021	CJR	1
Vinyl Chloride	0.87	ug/l	0.2	0.65	1	8260B		1/7/2021	CJR	1
m&p-Xylene	< 1.1	ug/l	1.1	3.3	1	8260B		1/7/2021	CJR	1
o-Xylene	< 0.38	ug/l	0.38	1.2	1	8260B		1/7/2021	CJR	1
SUR - Toluene-d8	96	REC %			1	8260B		1/7/2021	CJR	1
SUR - 1,2-Dichloroethane-d4	99	REC %			1	8260B		1/7/2021	CJR	1
SUR - 4-Bromofluorobenzene	101	REC %			1	8260B		1/7/2021	CJR	1
SUR - Dibromofluoromethane	98	REC %			1	8260B		1/7/2021	CJR	1

"J" Flag: Analyte detected between LOD and LOQ

LOD Limit of Detection

LOQ Limit of Quantitation

Code ***Comment***

1 Laboratory QC within limits.

All solid sample results reported on a dry weight basis unless otherwise indicated. All LOD's and LOQ's are adjusted for dilutions but not dry weight. Subcontracted results are denoted by SUB in the analyst field.

Authorized Signature



A handwritten signature in blue ink, appearing to read "Michael J. Paul", is written over a horizontal line.

Environmental Lab, Inc.

www.synergy-lab.net
 1990 Prospect Ct. • Appleton, WI 54914
 920-830-2455 • mrsynergy@wi.twcbc.com

Sample Handling Request

Rush Analysis Date Required: _____
 (Rushes accepted only with prior authorization)

Normal Turn Around

Lab I.D. # _____
 QUOTE #: 8242
 Project #: 6155
 Sampler: (signature) *B. J. Kappen*

Project (Name / Location): *Former Robinson's Cleaners / Court St*

Reports To: <i>B. Kappen</i>	Invoice To: <i>Accounts Payable</i>
Company: <i>Enviroforensics, LLC</i>	Company: <i>Enviroforensics, LLC</i>
Address: _____	Address: _____
City State Zip: _____	City State Zip: _____
Phone: <i>262-745-5054</i>	Phone: <i>317-972-7870</i>
Email: <i>bkappen@enviroforensics.com</i>	Email: <i>accounts payable@enviroforensics.com</i>

Analysis Requested

Other Analysis

Lab I.D.	Sample I.D.	Collection		Filtered Y/N	No. of Containers	Sample Type (Matrix)*	Preservation	DRO (Mod DRO Sep 95)	GRO (Mod GRO Sep 95)	LEAD	NITRATE/NITRITE	OIL & GREASE	PAH (EPA 8270)	PCB	PVC (EPA 8021)	PVC + NAPHTHALENE	SULFATE	TOTAL SUSPENDED SOLIDS	VOC DW (EPA 524.2)	VOC (EPA 8260)	VOC AIR (TO - 15)	8-PCRA METALS	PID/ FID	
		Date	Time																					
<i>5038962A</i>	<i>6155-MW-25D</i>	<i>12/31/20</i>	<i>1150</i>	<i>N</i>	<i>3</i>	<i>GW</i>	<i>HCl</i>																	

Comments/Special Instructions (*Specify groundwater "GW", Drinking Water "DW", Waste Water "WW", Soil "S", Air "A", Oil, Sludge, etc.)

PO# 2020-2179

Sample Integrity - To be completed by receiving lab. Method of Shipment: <i>CS</i> Temp. of Temp. Blank: _____ °C On Ice: <input checked="" type="checkbox"/> Cooler seal intact upon receipt: <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	Relinquished By: (sign)	Time	Date	Received By: (sign)	Time	Date
	<i>B. J. Kappen</i>	<i>1600</i>	<i>1/4/21</i>	<i>CS Logistics</i>	<i>1600</i>	<i>1/4/21</i>
	Received in Laboratory By: <i>Christina</i>	Time: <i>8:00</i>	Date: <i>1/5/21</i>			

Synergy Environmental Lab, INC

1990 Prospect Ct., Appleton, WI 54914 *P 920-830-2455 * F 920-733-0631

BRIAN KAPPEN
ENVIROFORENSICS
N16 W 23390 STONERIDGE DR
WAUKESHA WI 53188

Report Date 11-Jan-21

Project Name FMR ROBINSONS CLEANERS
Project # 6155 PO#2020-5054

Invoice # E38962

Lab Code 5038962A
Sample ID 6155-MW-25D
Sample Matrix Water
Sample Date 12/31/2020

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	3.5	ug/l	0.33		1	8260B		1/7/2021	CJR	1
Bromobenzene	< 0.26	ug/l	0.26	0.84	1	8260B		1/7/2021	CJR	1
Bromodichloromethane	< 0.33	ug/l	0.33		1	8260B		1/7/2021	CJR	1
Bromoform	< 0.65	ug/l	0.65	2.1	1	8260B		1/7/2021	CJR	1
tert-Butylbenzene	< 0.61	ug/l	0.61	1.9	1	8260B		1/7/2021	CJR	1
sec-Butylbenzene	< 0.32	ug/l	0.32		1	8260B		1/7/2021	CJR	1
n-Butylbenzene	0.35 "J"	ug/l	0.28	0.89	1	8260B		1/7/2021	CJR	1
Carbon Tetrachloride	< 0.31	ug/l	0.31	0.98	1	8260B		1/7/2021	CJR	1
Chlorobenzene	< 0.39	ug/l	0.39	1.2	1	8260B		1/7/2021	CJR	1
Chloroethane	< 1.1	ug/l	1.1	3.6	1	8260B		1/7/2021	CJR	1
Chloroform	< 0.44	ug/l	0.44	1.4	1	8260B		1/7/2021	CJR	1
Chloromethane	4.1	ug/l	0.8	2.5	1	8260B		1/7/2021	CJR	1
2-Chlorotoluene	< 0.32	ug/l	0.32		1	8260B		1/7/2021	CJR	1
4-Chlorotoluene	< 0.3	ug/l	0.3	0.96	1	8260B		1/7/2021	CJR	1
1,2-Dibromo-3-chloropropane	< 0.82	ug/l	0.82	2.6	1	8260B		1/7/2021	CJR	1
Dibromochloromethane	< 0.23	ug/l	0.23	0.74	1	8260B		1/7/2021	CJR	1
1,4-Dichlorobenzene	< 0.36	ug/l	0.36	1.1	1	8260B		1/7/2021	CJR	1
1,3-Dichlorobenzene	< 0.31	ug/l	0.31	0.98	1	8260B		1/7/2021	CJR	1
1,2-Dichlorobenzene	< 0.32	ug/l	0.32		1	8260B		1/7/2021	CJR	1
Dichlorodifluoromethane	< 0.45	ug/l	0.45	1.4	1	8260B		1/7/2021	CJR	1
1,2-Dichloroethane	< 0.39	ug/l	0.39	1.3	1	8260B		1/7/2021	CJR	1
1,1-Dichloroethane	< 0.46	ug/l	0.46	1.5	1	8260B		1/7/2021	CJR	1
1,1-Dichloroethene	< 0.5	ug/l	0.5	1.6	1	8260B		1/7/2021	CJR	1
cis-1,2-Dichloroethene	30.1	ug/l	0.39	1.2	1	8260B		1/7/2021	CJR	1
trans-1,2-Dichloroethene	14.7	ug/l	0.37	1.2	1	8260B		1/7/2021	CJR	1

Project Name FMR ROBINSONS CLEANERS
Project # 6155 PO#2020-5054

Invoice # E38962

Lab Code 5038962A
Sample ID 6155-MW-25D
Sample Matrix Water
Sample Date 12/31/2020

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2-Dichloropropane	< 0.38	ug/l	0.38	1.2	1	8260B		1/7/2021	CJR	1
1,3-Dichloropropane	< 0.35	ug/l	0.35	1.1	1	8260B		1/7/2021	CJR	1
trans-1,3-Dichloropropene	< 0.3	ug/l	0.3	0.94	1	8260B		1/7/2021	CJR	1
cis-1,3-Dichloropropene	< 0.36	ug/l	0.36	1.1	1	8260B		1/7/2021	CJR	1
Di-isopropyl ether	< 0.34	ug/l	0.34	1.1	1	8260B		1/7/2021	CJR	1
EDB (1,2-Dibromoethane)	< 0.24	ug/l	0.24	0.75	1	8260B		1/7/2021	CJR	1
Ethylbenzene	< 0.32	ug/l	0.32	1	1	8260B		1/7/2021	CJR	1
Hexachlorobutadiene	< 0.72	ug/l	0.72	2.3	1	8260B		1/7/2021	CJR	1
Isopropylbenzene	0.52 "J"	ug/l	0.32	1	1	8260B		1/7/2021	CJR	1
p-Isopropyltoluene	< 0.47	ug/l	0.47	1.5	1	8260B		1/7/2021	CJR	1
Methylene chloride	< 1.32	ug/l	1.32	4.21	1	8260B		1/7/2021	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.47	ug/l	0.47	1.5	1	8260B		1/7/2021	CJR	1
Naphthalene	< 1.1	ug/l	1.1	3.6	1	8260B		1/7/2021	CJR	1
n-Propylbenzene	< 0.33	ug/l	0.33	1.1	1	8260B		1/7/2021	CJR	1
1,1,2,2-Tetrachloroethane	< 0.37	ug/l	0.37	1.2	1	8260B		1/7/2021	CJR	1
1,1,1,2-Tetrachloroethane	< 0.88	ug/l	0.88	3.3	1	8260B		1/7/2021	CJR	1
Tetrachloroethene	191	ug/l	0.33	1	1	8260B		1/7/2021	CJR	1
Toluene	< 0.26	ug/l	0.26	0.83	1	8260B		1/7/2021	CJR	1
1,2,4-Trichlorobenzene	< 0.44	ug/l	0.44	1.4	1	8260B		1/7/2021	CJR	1
1,2,3-Trichlorobenzene	< 1	ug/l	1	3.2	1	8260B		1/7/2021	CJR	1
1,1,1-Trichloroethane	< 0.3	ug/l	0.3	0.95	1	8260B		1/7/2021	CJR	1
1,1,2-Trichloroethane	< 0.36	ug/l	0.36	1.1	1	8260B		1/7/2021	CJR	1
Trichloroethene (TCE)	123	ug/l	0.47	1.5	1	8260B		1/7/2021	CJR	1
Trichlorofluoromethane	< 0.42	ug/l	0.42	1.3	1	8260B		1/7/2021	CJR	1
1,2,4-Trimethylbenzene	< 0.3	ug/l	0.3	0.96	1	8260B		1/7/2021	CJR	1
1,3,5-Trimethylbenzene	< 0.32	ug/l	0.32	1	1	8260B		1/7/2021	CJR	1
Vinyl Chloride	0.87	ug/l	0.2	0.65	1	8260B		1/7/2021	CJR	1
m&p-Xylene	< 1.1	ug/l	1.1	3.3	1	8260B		1/7/2021	CJR	1
o-Xylene	< 0.38	ug/l	0.38	1.2	1	8260B		1/7/2021	CJR	1
SUR - Toluene-d8	96	REC %			1	8260B		1/7/2021	CJR	1
SUR - 1,2-Dichloroethane-d4	99	REC %			1	8260B		1/7/2021	CJR	1
SUR - 4-Bromofluorobenzene	101	REC %			1	8260B		1/7/2021	CJR	1
SUR - Dibromofluoromethane	98	REC %			1	8260B		1/7/2021	CJR	1

"J" Flag: Analyte detected between LOD and LOQ

LOD Limit of Detection

LOQ Limit of Quantitation

Code ***Comment***

1 Laboratory QC within limits.

All solid sample results reported on a dry weight basis unless otherwise indicated. All LOD's and LOQ's are adjusted for dilutions but not dry weight. Subcontracted results are denoted by SUB in the analyst field.

Authorized Signature



A handwritten signature in blue ink, appearing to read "Michael J. Paul", is written over a horizontal line.

Environmental Lab, Inc.

www.synergy-lab.net
 1990 Prospect Ct. • Appleton, WI 54914
 920-830-2455 • mrsynergy@wi.twcbc.com

Sample Handling Request

Rush Analysis Date Required: _____
 (Rushes accepted only with prior authorization)
 Normal Turn Around

Lab I.D. # _____
 QUOTE #: 8242
 Project #: 6155
 Sampler: (signature) [Signature]

Project (Name / Location): Former Robinson's Cleaners / Court St
 Reports To: B. Kappen Invoice To: Accounts Payable
 Company: Enviroforensics, LLC Company: Enviroforensics, LLC
 Address: _____ Address: _____
 City State Zip: _____ City State Zip: _____
 Phone: 262-745-5054 Phone: 317-972-7870
 Email: bkappen@enviroforensics.com Email: accounts payable@enviroforensics.com

Analysis Requested										Other Analysis									
DRO (Mod DRO Sep 95)	GRO (Mod GRO Sep 95)	LEAD	NITRATE/NITRITE	OIL & GREASE	PAH (EPA 8270)	PCB	PVOC (EPA 8021)	PVOC + NAPHTHALENE	SULFATE	TOTAL SUSPENDED SOLIDS	VOC DW (EPA 524.2)	VOC (EPA 8260)	VOC AIR (TO - 15)	8-RCRA METALS	PID/ FID				

Lab I.D.	Sample I.D.	Collection Date	Time	Filtered Y/N	No. of Containers	Sample Type (Matrix)*	Preservation
<u>5038962A</u>	<u>6155-MW-25D</u>	<u>12/31/20</u>	<u>1150</u>	<u>N</u>	<u>3</u>	<u>GW</u>	<u>HCl</u>

Comments/Special Instructions (*Specify groundwater "GW", Drinking Water "DW", Waste Water "WW", Soil "S", Air "A", Oil, Sludge, etc.)
PO# 2020-2179

Sample Integrity - To be completed by receiving lab.
 Method of Shipment: CS
 Temp. of Temp. Blank: _____ °C On Ice:
 Cooler seal intact upon receipt: Yes No

Relinquished By: (sign) [Signature] Time 1600 Date 1/4/21
 Received By: (sign) CS Logistics Time 1600 Date 1/4/21
 Received in Laboratory By: [Signature] Time: 8:00 Date: 1/5/21



ATTACHMENT 2

CSIA Reports



10515 Research Drive
Knoxville, TN 37932
Phone: (865) 573-8188
Fax: (865) 573-8133

Client: Brian Kappen
EnviroForensics
N16 W23390 Stone Ridge Drive
Suite G
Waukesha, WI 53188

Phone: 414-326-4412

Fax:

Identifier: 031RL

Date Rec: 12/05/2020

Report Date: 01/11/2021

Client Project #: 6155

Client Project Name: Former Robinson's Cleaners

Purchase Order #: 2020-2127

Test results provided for: CSIA

Reviewed By:

NOTICE: This report is intended only for the addressee shown above and may contain confidential or privileged information. If the recipient of this material is not the intended recipient or if you have received this in error, please notify Microbial Insights, Inc. immediately. The data and other information in this report represent only the sample(s) analyzed and are rendered upon condition that it is not to be reproduced without approval from Microbial Insights, Inc. Thank you for your cooperation.

Results relate only to the items tested and the sample(s) as received by the laboratory.

MICROBIAL INSIGHTS, INC.

10515 Research Dr., Knoxville, TN 37932
 Tel. (865) 573-8188 Fax. (865) 573-8133

CSIA

Client: EnviroForensics
Project: Former Robinson's Cleaners

MI Project Number: 031RL
Date Received: 12/05/2020

Sample Information

Client Sample ID:	6155-MW-6	6155-MW-12	6155-PZ-17D1	6155-MW-27S	6155-MW-30S
Sample Date:	12/03/2020	12/03/2020	12/02/2020	12/03/2020	12/02/2020
Analyst/Reviewer:	LM/SR	LM/SR	LM/SR	LM/SR	LM/SR

Carbon**Units**

	$\delta^{13}\text{C}$, VPDB (‰)				
$^{13}\text{C}/^{12}\text{C}$ cis-DCE (‰)	$\delta^{13}\text{C}$, VPDB (‰)	-20.4			-27.5
$^{13}\text{C}/^{12}\text{C}$ PCE (‰)	$\delta^{13}\text{C}$, VPDB (‰)		-25.0	-26.3	-24.9
$^{13}\text{C}/^{12}\text{C}$ TCE (‰)	$\delta^{13}\text{C}$, VPDB (‰)	5.7	-26.4		-26.7
$^{13}\text{C}/^{12}\text{C}$ Vinyl Chloride (‰)	$\delta^{13}\text{C}$, VPDB (‰)	-44.9			

Legend:

NA= Not Analyzed NS=Not Sampled J= Estimated concentration below PQL but above LQL ND= Not Detected

MICROBIAL INSIGHTS, INC.

10515 Research Dr., Knoxville, TN 37932
Tel. (865) 573-8188 Fax. (865) 573-8133

CSIA

Client: EnviroForensics
Project: Former Robinson's Cleaners

MI Project Number: 031RL
Date Received: 12/05/2020

Sample Information

Client Sample ID:	6155-MW-39S	6155-MW-20D	6155-MW-25D
Sample Date:	12/02/2020	12/04/2020	12/31/2020
Analyst/Reviewer:	LM/SR	LM/SR	LM/SR

Carbon**Units**

¹³ C/ ¹² C cis-DCE (‰)	δ ¹³ C, VPDB (‰)	-26.2 (J)	-21.4	
¹³ C/ ¹² C PCE (‰)	δ ¹³ C, VPDB (‰)	-25.5	-26.6	-23.8
¹³ C/ ¹² C TCE (‰)	δ ¹³ C, VPDB (‰)	-32.7	-29.1 (J)	-28.3

Legend:

NA= Not Analyzed NS=Not Sampled J= Estimated concentration below PQL but above LQL ND= Not Detected

Quality Assurance/Quality Control Data

Samples Received 12/5/2020

Component	Date Prepared	Date Analyzed	Arrival Temperature	Positive Control (% Std. Dev.)*	Blank
¹³ C/ ¹² C TCE (‰)	12/05/2020	01/07/2021	0 °C	0.1	Pass
¹³ C/ ¹² C cis-DCE (‰)	12/05/2020	01/07/2021	0 °C	0.2	Pass
¹³ C/ ¹² C Vinyl Chloride (‰)	12/05/2020	01/07/2021	0 °C	0.3	Pass
¹³ C/ ¹² C PCE (‰)	12/05/2020	01/07/2021	0 °C	0.1	Pass

* $\delta^{13}\text{C}$ positive control values are within $\pm 0.5\%$ of true value.



10515 Research Drive
Knoxville, TN 37932
Phone: (865) 573-8188
Fax: (865) 573-8133

Identifier: 031RL

Date Rec: 12/05/2020

Report Date: 01/11/2021

Client Project #: 6155

Client Project Name: Former Robinson's Cleaners

Purchase Order #: 2020-2127

Comments: The 8260 results for the samples were received on 12/21/20,

REPORT TO:

Reports will be provided to the contact(s) listed below. Parties other than the contact(s) listed below will require prior approval.

Name: Brian Kappen
 Company: EnviroForensics
 Address: 1166 W 23390 Stone Ridge Dr
Suite G
Waukesha, WI 53188
 email: bkappen@enviroforensics.com
 Phone: 262-290-4001
 Fax: -

Project Manager: Brian Kappen
 Project Name: Robinson Cleaners
 Project No.: 6155

Report Type: Standard (default) Comprehensive (15% surcharge) Historical (35% surcharge)

INVOICE TO:

For Invoices paid by a third party it is imperative that contact information & corresponding reference No. be provided.

Name: Accounts Payable
 Company: EnviroForensics
 Address: _____

 email: accounts payable@enviroforensics.com
 Phone: _____
 Fax: _____

Purchase Order No. 2020-2127
 Subcontract No. _____



10515 Research Dr
 Knoxville, TN 37932
 phone (865) 573-8188
 fax: (865) 573-8133
 email: customerservice@microbe.com
 www.microbe.com

Please Check One:
 More samples to follow
 No Additional Samples

Saturday Delivery
 Please see sampling protocol for instructions

Please contact us prior to submitting samples regarding questions about the analyses you are requesting at (865) 573-8188 (8:00 am to 4:00 pm M-F). After these hours please email customerservice@microbe.com

Sample Information					Analysis															
MI ID (Laboratory Use Only)	Sample Name	Date Sampled	Time Sampled	Matrix	¹³ C/ ¹² C CSIA for PCE	¹³ C/ ¹² C CSIA for TCE	¹³ C/ ¹² C CSIA for cis-DCE	¹³ C/ ¹² C CSIA for Vinyl Chloride												# of vials
0312L 1	6155-MW-6	12-3-20	14:35	GW		X	X	X												12 + RT
2	6155-MW-12	12-3-20	1600	GW	X	X														8 + RT
3	6155-P2-17D1	12-2-20	1640	GW	X															4
4	6155-MW-25D	12-3-20	1209	GW	X	X														12 + 8
5	6155-MW-27S	12-3-20	1348	GW	X	X	X													12
6	6155-MW-30S	12-2-20	1435	GW	X															4
7	6155-MW-39S	12-2-20	1528	GW	X	X	X													12
8	6155-P2-53D1	12-3-20																		
9	6155-MW-20D	12-4-20	820	GW	X	X	X													12

Relinquished by: [Signature] Date 12/4/20

Received by: FedEx Date 12/4/20
[Signature] 12/5/20

REPORT TO:

Reports will be provided to the contact(s) listed below. Parties other than the contact(s) listed below will require prior approval.

Name: Brian Kappen
 Company: EnviroForensics, LLC
 Address: N16W23390 Stone Ridge Dr
Suite G
Waukesha, WI 53188
 email: bkappen@enviroforensics.com
 Phone: 262-745-5054
 Fax: 317-972-7875
 Project Manager: B. Kappen
 Project Name: Former Robinson's Cleaners
 Project No.: 6155

INVOICE TO:

For Invoices paid by a third party it is imperative that contact information & corresponding reference No. be provided.

Name: EnviroForensics, LLC
 Company: Accounts Payable
 Address: 825 N. Capitol Ave
Indianapolis, IN 46204
 email: accounts.payable@enviroforensics.com
 Phone: 317-972-7870
 Fax: 317-972-7875
 Purchase Order No. 2020-2127
 Subcontract No. _____



10515 Research Dr
 Knoxville, TN 37932
 phone (865) 573-8188
 fax: (865) 573-8133
 email: customerservice@microbe.com
 www.microbe.com

Please Check One:
 More samples to follow
 No Additional Samples

Saturday Delivery
 Please see sampling protocol for instructions

Report Type: Standard (default) Comprehensive (15% surcharge) Historical (35% surcharge)

Please contact us prior to submitting samples regarding questions about the analyses you are requesting at (865) 573-8188 (8:00 am to 4:00 pm M-F). After these hours please email customerservice@microbe.com

Sample Information					Analysis													
MI ID (Laboratory Use Only)	Sample Name	Date Sampled	Time Sampled	Matrix	13C/12C CSIA for PCE	13C/12C CSIA for TCE	13C/12C CSIA for cis-DCE	13C/12C CSIA for Vinyl Chloride										# of vials
031RL9	6155-MW-25D	12/31/20	1150	GW	X	X												8
																		4
																		4
																		4

Relinquished by: B. Kappen Date 1/4/21 Received by: Fed Ex Date 1/4/21 M. Hensode 1/5/21



10515 Research Drive
Knoxville, TN 37932
Phone: (865) 573-8188
Fax: (865) 573-8133

Client: Brian Kappen
EnviroForensics
N16 W23390 Stone Ridge Drive
Suite G
Waukesha, WI 53188

Phone: 414-326-4412

Fax:

Identifier: 125RG

Date Rec: 07/30/2020

Report Date: 09/01/2020

Client Project #: 6155

Client Project Name: Robinson's Cleaners - Court St.

Purchase Order #: 2020-1773

Test results provided for: CSIA

Reviewed By:

NOTICE: This report is intended only for the addressee shown above and may contain confidential or privileged information. If the recipient of this material is not the intended recipient or if you have received this in error, please notify Microbial Insights, Inc. immediately. The data and other information in this report represent only the sample(s) analyzed and are rendered upon condition that it is not to be reproduced without approval from Microbial Insights, Inc. Thank you for your cooperation.

Results relate only to the items tested and the sample(s) as received by the laboratory.

MICROBIAL INSIGHTS, INC.

10515 Research Dr., Knoxville, TN 37932
Tel. (865) 573-8188 Fax. (865) 573-8133

CSIA

Client: EnviroForensics
Project: Robinson's Cleaners - Court St.

MI Project Number: 125RG
Date Received: 07/30/2020

Sample Information

Client Sample ID:	6155-MW-25D	6155-PZ-17D1	6155-PZ-42D2	6155-PZ-48D1
Sample Date:	07/28/2020	07/28/2020	07/28/2020	07/28/2020
Analyst/Reviewer:	KH/SR	KH/SR	KH/SR	KH/SR

Carbon**Units**

¹³ C/ ¹² C PCE (‰)	δ ¹³ C, VPDB (‰)	-22.7	-25.5	-24.9	-27.1
¹³ C/ ¹² C TCE (‰)	δ ¹³ C, VPDB (‰)	-31.8	NA	NA	-31.9

Legend:

NA= Not Analyzed NS=Not Sampled J= Estimated concentration below PQL but above LQL ND= Not Detected

Quality Assurance/Quality Control Data

Samples Received 7/30/2020

Component	Date Prepared	Date Analyzed	Arrival Temperature	Positive Control (% Std. Dev.)*	Blank
$^{13}\text{C}/^{12}\text{C}$ PCE (‰)	07/30/2020	08/31/2020	0 °C	0.1	Pass
$^{13}\text{C}/^{12}\text{C}$ TCE (‰)	07/30/2020	08/31/2020	0 °C	0.1	Pass

* $\delta^{13}\text{C}$ positive control values are within $\pm 0.5\text{‰}$ of true value.



10515 Research Drive
Knoxville, TN 37932
Phone: (865) 573-8188
Fax: (865) 573-8133

Identifier: 125RG

Date Rec: 07/30/2020

Report Date: 09/01/2020

Client Project #: 6155

Client Project Name: Robinson's Cleaners - Court St.

Purchase Order #: 2020-1773

Comments: The VOC results for all samples were received on 08/21/20. Note that some analytes were below the method detection limit after required dilutions, based on VOC data provided by the client, and were therefore not analyzed (NA).

REPORT TO:

Reports will be provided to the contact(s) listed below. Parties other than the contact(s) listed below will require prior approval.

Name: Brian Kappen
 Company: EnviroForensics LLC
 Address: N16 W 23390 Stone Ridge Dr.
Suite G
Waukesha, WI 53188
 email: bkappen@enviroforensics.com
 Phone: 262-745-5054
 Fax: 317-972-7875

Project Manager: B. Kappen
 Project Name: Robinson's Cleaners - Court St.
 Project No.: 6155

Report Type: Standard (default) Comprehensive (15% surcharge) Historical (35% surcharge)

INVOICE TO:

For Invoices paid by a third party it is imperative that contact information & corresponding reference No. be provided.

Name: Accounts Payable
 Company: EnviroForensics LLC
 Address: _____
 email: accounts payable@enviroforensics.com
 Phone: 317-972-7870
 Fax: _____

Purchase Order No. 2020-1773
 Subcontract No. _____



10515 Research Dr
 Knoxville, TN 37932
 phone (865) 573-8188
 fax: (865) 573-8133
 email: customerservice@microbe.com
 www.microbe.com

Please Check One:
 More samples to follow
 No Additional Samples

Saturday Delivery
 Please see sampling protocol for instructions

Please contact us prior to submitting samples regarding questions about the analyses you are requesting at (865) 573-8188 (8:00 am to 4:00 pm M-F). After these hours please email customerservice@microbe.com

Sample Information					Analysis													
MI ID <small>(Laboratory Use Only)</small>	Sample Name	Date Sampled	Time Sampled	Matrix	¹³ C/ ¹² C CSIA for PCE	¹³ C/ ¹² C CSIA for TCE	¹³ C/ ¹² C CSIA for cis-DCE	¹³ C/ ¹² C CSIA for Vinyl Chloride									# of vials	
125RG 1	6155-MW-25D	7/28/20	1150	GW	X	X												8A
2	6155-PZ-17D1	7/28/20	1320	GW	X	X												8A
3	6155-PZ-42D2	7/28/20	1005	GW	X	X												8A
4	6155-PZ-48D1	7/28/20	850	GW	X	X												8A





Relinquished by: [Signature] Date 7/29/20 To: Fed Ex Received by: [Signature] Date 7/30/20



ATTACHMENT 3

CSIA Chart

Carbon Isotope Ratio of PCE by Distance from Source (Sandstone Wells)



Mole fraction VOC charts illustrating the increasing percentage of daughter products with distance from source