

**Notice:** Please complete Form 3300-5 and return it to the appropriate DNR office and bureau. Completion of this report is required by chs. 160, 281, 283, 289, 291, 292, 293, 295, and 299, Wis. Stats., and ch. NR 141, Wis. Adm. Code. In accordance with chs. 281, 289, 291, 292, 293, 295, and 299, Wis. Stats., failure to file this form may result in a forfeiture of between \$10 and \$25,000, or imprisonment for up to one year, depending on the program and conduct involved. Personally identifiable information on this form is not intended to be used for any other purpose. NOTE: See the instructions for more information.

Route to:  Drinking Water  Watershed/Wastewater  Waste Management  Remediation/Redevelopment  Other

<b>(1) GENERAL INFORMATION</b>		<b>(2) FACILITY/OWNER INFORMATION</b>	
WI Unique Well No.	DNR Well ID No.	County	Facility Name
		Folk	PAPS General Store
Common Well Name	Gov't Lot (If applicable)	Facility ID	License/Permit/Monitoring No.
MWIK			
Grid Location	Street Address of Well	City, Village, or Town	
NW 1/4 of SW 1/4 of Sec. 11 ; T. 34 N; R. 16	1637 80th St	1637 80th St Balsam Lake WI 54810	
Local Grid Origin	Present Well Owner	Original Owner	
	Sibone	June	
St. Plane	Street Address or Route of Owner		
Reason For Abandonment	City, State, Zip Code		
Site closure			

<b>(3) WELL/DRILLHOLE/BOREHOLE INFORMATION</b>		<b>(4) PUMP, LINER, SCREEN, CASING, &amp; SEALING MATERIAL</b>	
Original Construction Date	If a Well Construction Report is available, please attach.	Pump & Piping Removed?	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> Not Applicable
7-7-2009		Liner(s) Removed?	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> Not Applicable
<input checked="" type="checkbox"/> Monitoring Well		Screen Removed?	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> Not Applicable
<input type="checkbox"/> Water Well		Casing Left in Place?	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No
<input type="checkbox"/> Borehole / Drillhole		Was Casing Cut Off Below Surface?	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No
Construction Type:		Did Sealing Material Rise to Surface?	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No
<input checked="" type="checkbox"/> Drilled		Did Material Settle After 24 Hours?	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No
<input type="checkbox"/> Driven (Sandpoint)		If Yes, Was Hole Retopped?	<input type="checkbox"/> Yes <input type="checkbox"/> No
<input type="checkbox"/> Other (Specify)		Required Method of Placing Sealing Material	
Formation Type:		<input checked="" type="checkbox"/> Conductor Pipe-Gravity	<input type="checkbox"/> Conductor Pipe-Pumped
<input checked="" type="checkbox"/> Unconsolidated Formation		<input type="checkbox"/> Screened & Poured (Bentonite Chips)	<input type="checkbox"/> Other (Explain)
<input type="checkbox"/> Bedrock		Sealing Materials	For monitoring wells and monitoring well boreholes only
Total Well Depth (ft.)	Casing Diameter (in.)	<input type="checkbox"/> Neat Cement Grout	<input checked="" type="checkbox"/> Bentonite Chips
20'		<input type="checkbox"/> Sand-Cement (Concrete) Grout	<input type="checkbox"/> Granular Bentonite
(From ground surface)	Casing Depth (ft.)	<input type="checkbox"/> Concrete	<input type="checkbox"/> Bentonite - Cement Grout
		<input type="checkbox"/> Clay-Sand Slurry (11 lb./gal. wt.)	<input type="checkbox"/> Bentonite - Sand Slurry
Lower Drillhole Diameter (in.)		<input type="checkbox"/> Bentonite-Sand Slurry " "	<input type="checkbox"/> Bentonite - Sand Slurry
		<input type="checkbox"/> Bentonite Chips	
Was Well Annular Space Grouted?			
<input type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> Unknown			
If Yes, To What Depth?	Feet		
Depth to Water (Feet)			
11.76'			

(5)	Material Used To Fill Well/Drillhole	From (Ft.)	To (Ft.)	No. Yards, Sacks Sealant or Volume	(Circle One)	Mix Ratio or Mud Weight
	3/8" Hole Plug	Surface	20	.40 ft <sup>3</sup>		

(6) Comments:

(7) Name of Person or Firm Doing Sealing Work		Date of Abandonment	
MARK SCHMITZ		6-15-2017	
Signature of Person Doing Work		Date Signed	
<i>Mark Schmitz</i>		6-16-2017	
Street or Route		Telephone Number	
N7349 548 ST		(715) 556 2604	
City, State, Zip Code			
MENDOTA WI 54751			

FOR DNR OR COUNTY USE ONLY	
Date Received	Noted By
Comments	

Notice: Please complete Form 3300-5 and return it to the appropriate DNR office and bureau. Completion of this report is required by chs. 160, 281, 283, 289, 291, 292, 293, 295, and 299, Wis. Stats., and ch. NR 141, Wis. Adm. Code. In accordance with chs. 281, 289, 291, 292, 293, 295, and 299, Wis. Stats., failure to file this form may result in a forfeiture of between \$10 and \$25,000, or imprisonment for up to one year, depending on the program and conduct involved. Personally identifiable information on this form is not intended to be used for any other purpose. NOTE: See the instructions for more information.

Route to:  Drinking Water  Watershed/Wastewater  Waste Management  Remediation/Redevelopment  Other

<b>(1) GENERAL INFORMATION</b>		<b>(2) FACILITY/ OWNER INFORMATION</b>	
WI Unique Well No.	DNR Well ID No.	County	Facility Name
		Folk	PAPS General Store
Common Well Name	Gov't Lot (If applicable)	Facility ID	License/Permit/Monitoring No.
MW2			
Grid Location	Street Address of Well		
NW 1/4 of SW 1/4 of Sec. 11 ; T. 34 N.; R. 16	1637 80th St		
ft. N. S. E. W.	City, Village, or Town		
	1637 80th St Belton Lake WI 54810		
Local Grid Origin	Present Well Owner		Original Owner
	Same		Jane
Lat. Long.	Street Address or Route of Owner		
St. Plane	City, State, Zip Code		
Reason For Abandonment	WI Unique Well No. of Replacement Well		
Site closure			

<b>(3) WELL/DRILLHOLE/BOREHOLE INFORMATION</b>		<b>(4) PUMP, LINER, SCREEN, CASING, &amp; SEALING MATERIAL</b>	
Original Construction Date	If a Well Construction Report is available, please attach.	Pump & Piping Removed?	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> Not Applicable
<u>10-24-2000</u>		Liner(s) Removed?	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> Not Applicable
<input checked="" type="checkbox"/> Monitoring Well		Screen Removed?	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> Not Applicable
<input type="checkbox"/> Water Well		Casing Left in Place?	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No
<input type="checkbox"/> Borehole / Drillhole		Was Casing Cut Off Below Surface?	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No
Construction Type:		Did Sealing Material Rise to Surface?	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No
<input checked="" type="checkbox"/> Drilled <input type="checkbox"/> Driven (Sandpoint) <input type="checkbox"/> Dug		Did Material Settle After 24 Hours?	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No
<input type="checkbox"/> Other (Specify)		If Yes, Was Hole Retopped?	<input type="checkbox"/> Yes <input type="checkbox"/> No
Formation Type:		Required Method of Placing Sealing Material	
<input checked="" type="checkbox"/> Unconsolidated Formation <input type="checkbox"/> Bedrock		<input checked="" type="checkbox"/> Conductor Pipe-Gravity <input type="checkbox"/> Conductor Pipe-Pumped	
Total Well Depth (ft.)	Casing Diameter (in.)	<input type="checkbox"/> Screened & Poured (Bentonite Chips) <input type="checkbox"/> Other (Explain)	
<u>19.5'</u>			
(From ground surface)	Casing Depth (ft.)		
Lower Drillhole Diameter (in.)		Sealing Materials	
		<input type="checkbox"/> Neat Cement Grout <input type="checkbox"/> Sand-Cement (Concrete) Grout <input type="checkbox"/> Concrete <input type="checkbox"/> Clay-Sand Slurry (11 lb/gal. wt.) <input type="checkbox"/> Bentonite-Sand Slurry " " <input type="checkbox"/> Bentonite Chips	
Was Well Annular Space Grouted? <input type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> Unknown		For monitoring wells and monitoring well boreholes only	
If Yes, To What Depth? _____ Feet		<input checked="" type="checkbox"/> Bentonite Chips <input type="checkbox"/> Granular Bentonite <input type="checkbox"/> Bentonite - Cement Grout <input type="checkbox"/> Bentonite - Sand Slurry	
Depth to Water (Feet) <u>11.90'</u>			

(5) Material Used To Fill Well/Drillhole	From (Ft.)	To (Ft.)	No. Yards, Sacks Sealant or Volume	(Circle One)	Mix Ratio or Mud Weight
3/8" Hole Plug	Surface	19.5'	.39	#3	

(6) Comments:

(7) Name of Person or Firm Doing Sealing Work	Date of Abandonment
MARK SCHMITZ	6-15-2017
Signature of Person Doing Work	Date Signed
<i>Mark Schmitz</i>	6-16-2017
Street or Route	Telephone Number
N7349 548 ST	(715) 556 2604
City, State, Zip Code	
MENOMONIE WI 54751	

FOR DNR OR COUNTY USE ONLY	
Date Received	Noted By
Comments	

Notice: Please complete Form 3300-5 and return it to the appropriate DNR office and bureau. Completion of this report is required by chs. 160, 281, 283, 289, 291, 292, 293, 295, and 299, Wis. Stats., and ch. NR 141, Wis. Adm. Code. In accordance with chs. 281, 289, 291, 292, 293, 295, and 299, Wis. Stats., failure to file this form may result in a forfeiture of between \$10 and \$25,000, or imprisonment for up to one year, depending on the program and conduct involved. Personally identifiable information on this form is not intended to be used for any other purpose. NOTE: See the instructions for more information.

Route to:  Drinking Water  Watershed/Wastewater  Waste Management  Remediation/Redevelopment  Other

<b>(1) GENERAL INFORMATION</b>			<b>(2) FACILITY/ OWNER INFORMATION</b>	
WI Unique Well No.	DNR Well ID No.	County <u>Folk</u>	Facility Name <u>PAPS General Store</u>	
Common Well Name <u>MW3</u>		Gov't Lot (If applicable)	Facility ID	License/Permit/Monitoring No.
Grid Location <u>NW 1/4 of SW 1/4 of Sec. 11 ; T. 34 N; R. 16</u>		<input type="checkbox"/> E <input checked="" type="checkbox"/> W	Street Address of Well <u>1637 80th St</u>	
ft. <input type="checkbox"/> N. <input type="checkbox"/> S., ft. <input type="checkbox"/> E. <input type="checkbox"/> W.		Local Grid Origin <input type="checkbox"/> (estimated: <input type="checkbox"/> ) or Well Location <input type="checkbox"/>	City, Village, or Town <u>1637 80th St Balsam Lake WI 54810</u>	
Lat. _____ Long _____ or _____		Present Well Owner <u>Subaru</u>	Original Owner <u>Jane</u>	
St. Plane _____ ft. N. _____ ft. E. <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> Zone		Street Address or Route of Owner		
Reason For Abandonment <u>Site closure</u>		WI Unique Well No. of Replacement Well	City, State, Zip Code	

<b>(3) WELL/DRILLHOLE/BOREHOLE INFORMATION</b>		<b>(4) PUMP, LINER, SCREEN, CASING, &amp; SEALING MATERIAL</b>	
Original Construction Date <u>10-24-2000</u>	If a Well Construction Report is available, please attach.	Pump & Piping Removed? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> Not Applicable	Required Method of Placing Sealing Material <input checked="" type="checkbox"/> Conductor Pipe-Gravity <input type="checkbox"/> Conductor Pipe-Pumped <input type="checkbox"/> Screened & Poured (Bentonite Chips) <input type="checkbox"/> Other (Explain)
<input checked="" type="checkbox"/> Monitoring Well <input type="checkbox"/> Water Well <input type="checkbox"/> Borehole / Drillhole		Liner(s) Removed? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> Not Applicable	
Construction Type: <input checked="" type="checkbox"/> Drilled <input type="checkbox"/> Driven (Sandpoint) <input type="checkbox"/> Dug <input type="checkbox"/> Other (Specify) _____	Formation Type: <input checked="" type="checkbox"/> Unconsolidated Formation <input type="checkbox"/> Bedrock	Screen Removed? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> Not Applicable	Sealing Materials <input type="checkbox"/> Neat Cement Grout <input type="checkbox"/> Sand-Cement (Concrete) Grout <input type="checkbox"/> Concrete <input type="checkbox"/> Clay-Sand Slurry (11 lb./gal. wt.) <input type="checkbox"/> Bentonite-Sand Slurry " " <input type="checkbox"/> Bentonite Chips
Total Well Depth (ft.) <u>19.5</u> Casing Diameter (in.) _____ (From ground surface) Casing Depth (ft.) _____	Lower Drillhole Diameter (in.) _____	Casing Left in Place? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	For monitoring wells and monitoring well boreholes only <input checked="" type="checkbox"/> Bentonite Chips <input type="checkbox"/> Granular Bentonite <input type="checkbox"/> Bentonite - Cement Grout <input type="checkbox"/> Bentonite - Sand Slurry
Was Well Annular Space Grouted? <input type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> Unknown If Yes, To What Depth? _____ Feet	Depth to Water (Feet) <u>10.75</u>	Was Casing Cut Off Below Surface? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	
		Did Sealing Material Rise to Surface? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	
		Did Material Settle After 24 Hours? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	
		If Yes, Was Hole Retopped? <input type="checkbox"/> Yes <input type="checkbox"/> No	

(5) Material Used To Fill Well/Drillhole	From (Ft.)	To (Ft.)	No. Yards, Sacks Sealant or Volume	(Circle One)	Mix Ratio or Mud Weight
<u>3/8" Hole Plug</u>	Surface	19.5	39	#3	

(6) Comments: \_\_\_\_\_

(7) Name of Person or Firm Doing Sealing Work <u>MARK SCHMITZ</u>		Date of Abandonment <u>6-15-2017</u>
Signature of Person Doing Work <u>Mark Schmitz</u>	Date Signed <u>6-16-2017</u>	
Street or Route <u>N7349 548 ST</u>	Telephone Number <u>(715) 556 2604</u>	
City, State, Zip Code <u>MELANIE WI 54751</u>		

FOR DNR OR COUNTY USE ONLY	
Date Received	Noted By
Comments	

Notice: Please complete Form 3300-5 and return it to the appropriate DNR office and bureau. Completion of this report is required by chs. 160, 281, 283, 289, 291, 292, 293, 295, and 299, Wis. Stats., and ch. NR 141, Wis. Adm. Code. In accordance with chs. 281, 289, 291, 292, 293, 295, and 299, Wis. Stats., failure to file this form may result in a forfeiture of between \$10 and \$25,000, or imprisonment for up to one year, depending on the program and conduct involved. Personally identifiable information on this form is not intended to be used for any other purpose. NOTE: See the instructions for more information.

Route to:  Drinking Water  Watershed/Wastewater  Waste Management  Remediation/Redevelopment  Other

<b>(1) GENERAL INFORMATION</b>		<b>(2) FACILITY/ OWNER INFORMATION</b>	
WI Unique Well No.	DNR Well ID No.	County	Facility Name
		Folk	PPPS General Store
Common Well Name	Gov't Lot (If applicable)	Facility ID	License/Permit/Monitoring No.
MW-4			
Grid Location	Street Address of Well	City, Village, or Town	
SW 1/4 of Sec. 11 ; T. 34 N.; R. 16	1637 80th	1637 80th St Belton Lake WI 54810	
Local Grid Origin	Present Well Owner	Original Owner	
	Stane	June	
St. Plane	Street Address or Route of Owner		
Reason For Abandonment	WI Unique Well No. of Replacement Well	City, State, Zip Code	
Site closure			

<b>(3) WELL/DRILLHOLE/BOREHOLE INFORMATION</b>		<b>(4) PUMP, LINER, SCREEN, CASING, &amp; SEALING MATERIAL</b>	
Original Construction Date	If a Well Construction Report is available, please attach.	Pump & Piping Removed?	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> Not Applicable
<input checked="" type="checkbox"/> Monitoring Well <input type="checkbox"/> Water Well <input type="checkbox"/> Borehole / Drillhole		Liner(s) Removed?	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> Not Applicable
Construction Type:		Screen Removed?	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> Not Applicable
<input checked="" type="checkbox"/> Drilled <input type="checkbox"/> Driven (Sandpoint) <input type="checkbox"/> Dug		Casing Left in Place?	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No
Formation Type:		Was Casing Cut Off Below Surface?	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No
<input checked="" type="checkbox"/> Unconsolidated Formation <input type="checkbox"/> Bedrock		Did Sealing Material Rise to Surface?	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No
Total Well Depth (ft.)	Casing Diameter (in.)	Did Material Settle After 24 Hours?	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No
21		If Yes, Was Hole Retopped?	<input type="checkbox"/> Yes <input type="checkbox"/> No
Casing Depth (ft.)		Required Method of Placing Sealing Material	
		<input checked="" type="checkbox"/> Conductor Pipe-Gravity <input type="checkbox"/> Conductor Pipe-Pumped	
Lower Drillhole Diameter (in.)		<input type="checkbox"/> Screened & Poured (Bentonite Chips) <input type="checkbox"/> Other (Explain)	
Was Well Annular Space Grouted? <input type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> Unknown		Sealing Materials	For monitoring wells and monitoring well boreholes only
If Yes, To What Depth? _____ Feet		<input type="checkbox"/> Neat Cement Grout	<input checked="" type="checkbox"/> Bentonite Chips
Depth to Water (Feet)		<input type="checkbox"/> Sand-Cement (Concrete) Grout	<input type="checkbox"/> Granular Bentonite
10.75		<input type="checkbox"/> Concrete	<input type="checkbox"/> Bentonite - Cement Grout
		<input type="checkbox"/> Clay-Sand Slurry (11 lb./gal. wt.)	<input type="checkbox"/> Bentonite - Sand Slurry
		<input type="checkbox"/> Bentonite-Sand Slurry " "	
		<input type="checkbox"/> Bentonite Chips	

(5) Material Used To Fill Well/Drillhole	From (Ft.)	To (Ft.)	No. Yards, Sacks Sealant or Volume	(Circle One)	Mix Ratio or Mud Weight
3/8" Hole Plug	Surface	21.0'	42 P <sup>3</sup>		

(6) Comments:

<b>(7) Name of Person or Firm Doing Sealing Work</b>		<b>Date of Abandonment</b>	
MARK SCHMITZ		6-15-2017	
Signature of Person Doing Work		Date Signed	
<i>Mark Schmitz</i>		6-16-2017	
Street or Route		Telephone Number	
N7349 548 ST		(715) 556 2604	
City, State, Zip Code			
MELANIE WI 54751			

FOR DNR OR COUNTY USE ONLY	
Date Received	Noted By
Comments	

Notice: Please complete Form 3300-5 and return it to the appropriate DNR office and bureau. Completion of this report is required by chs. 160, 281, 283, 289, 291, 292, 293, 295, and 299, Wis. Stats., and ch. NR 141, Wis. Adm. Code. In accordance with chs. 281, 289, 291, 292, 293, 295, and 299, Wis. Stats., failure to file this form may result in a forfeiture of between \$10 and \$25,000, or imprisonment for up to one year, depending on the program and conduct involved. Personally identifiable information on this form is not intended to be used for any other purpose. NOTE: See the instructions for more information.

Route to:  Drinking Water  Watershed/Wastewater  Waste Management  Remediation/Redevelopment  Other

<b>(1) GENERAL INFORMATION</b>		<b>(2) FACILITY/OWNER INFORMATION</b>	
WI Unique Well No.	DNR Well ID No.	County	Facility Name
		Folk	PAIPS General Store
Common Well Name	Gov't Lot (If applicable)	Facility ID	License/Permit/Monitoring No.
MWS			
Grid Location	Street Address of Well	City, Village, or Town	
NW 1/4 of SW 1/4 of Sec. 11 ; T. 34 N; R. 16	1637 80th	1637 80th St Palms Lake WI 54810	
Local Grid Origin	Present Well Owner	Original Owner	
	Stone	Stone	
St. Plane	Street Address or Route of Owner		
Reason For Abandonment	WI Unique Well No. of Replacement Well	City, State, Zip Code	
Site closure			

<b>(3) WELL/DRILLHOLE/BOREHOLE INFORMATION</b>		<b>(4) PUMP, LINER, SCREEN, CASING, &amp; SEALING MATERIAL</b>	
Original Construction Date	If a Well Construction Report is available, please attach.	Pump & Piping Removed?	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> Not Applicable
1-4-2007		Liner(s) Removed?	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> Not Applicable
<input checked="" type="checkbox"/> Monitoring Well		Screen Removed?	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> Not Applicable
<input type="checkbox"/> Water Well		Casing Left in Place?	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No
<input type="checkbox"/> Borehole / Drillhole		Was Casing Cut Off Below Surface?	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No
Construction Type:		Did Sealing Material Rise to Surface?	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No
<input checked="" type="checkbox"/> Drilled		Did Material Settle After 24 Hours?	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No
<input type="checkbox"/> Driven (Sandpoint)		If Yes, Was Hole Retopped?	<input type="checkbox"/> Yes <input type="checkbox"/> No
<input type="checkbox"/> Dug		Required Method of Placing Sealing Material	
Other (Specify)		<input checked="" type="checkbox"/> Conductor Pipe-Gravity	<input type="checkbox"/> Conductor Pipe-Pumped
Formation Type:		<input type="checkbox"/> Screened & Poured (Bentonite Chips)	<input type="checkbox"/> Other (Explain)
<input checked="" type="checkbox"/> Unconsolidated Formation		Sealing Materials	For monitoring wells and monitoring well boreholes only
<input type="checkbox"/> Bedrock		<input type="checkbox"/> Neat Cement Grout	<input checked="" type="checkbox"/> Bentonite Chips
Total Well Depth (ft.)	Casing Diameter (in.)	<input type="checkbox"/> Sand-Cement (Concrete) Grout	<input type="checkbox"/> Granular Bentonite
20		<input type="checkbox"/> Concrete	<input type="checkbox"/> Bentonite - Cement Grout
(From ground surface)	Casing Depth (ft.)	<input type="checkbox"/> Clay-Sand Slurry (11 lb./gal. wt.)	<input type="checkbox"/> Bentonite - Sand Slurry
		<input type="checkbox"/> Bentonite-Sand Slurry " "	<input type="checkbox"/> Bentonite - Sand Slurry
Lower Drillhole Diameter (in.)		<input type="checkbox"/> Bentonite Chips	
Was Well Annular Space Grouted?			
<input type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> Unknown			
If Yes, To What Depth?	Feet		
9.80			
Depth to Water (Feet)			

(5) Material Used To Fill Well/Drillhole	From (Ft.)	To (Ft.)	No. Yards, Sacks Sealant or Volume	(Circle One)	Mix Ratio or Mud Weight
3/8" Hole Plug	Surface	20	40	ft <sup>3</sup>	

(6) Comments:

<b>(7) Name of Person or Firm Doing Sealing Work</b>		<b>Date of Abandonment</b>	
MARK SCHMITZ		6-15-2017	
Signature of Person Doing Work		Date Signed	
Mark Schmitz		6-16-2017	
Street or Route		Telephone Number	
N7349 548 ST		(715) 550 2604	
City, State, Zip Code			
MELANIE WI 54751			

  

FOR DNR OR COUNTY USE ONLY	
Date Received	Noted By
Comments	

Notice: Please complete Form 3300-5 and return it to the appropriate DNR office and bureau. Completion of this report is required by chs. 160, 281, 283, 289, 291, 292, 293, 295, and 299, Wis. Stats., and ch. NR 141, Wis. Adm. Code. In accordance with chs. 281, 289, 291, 292, 293, 295, and 299, Wis. Stats., failure to file this form may result in a forfeiture of between \$10 and \$25,000, or imprisonment for up to one year, depending on the program and conduct involved. Personally identifiable information on this form is not intended to be used for any other purpose. NOTE: See the instructions for more information.

Route to:  Drinking Water  Watershed/Wastewater  Waste Management  Remediation/Redevelopment  Other

(1) GENERAL INFORMATION		(2) FACILITY/ OWNER INFORMATION	
WI Unique Well No.	DNR Well ID No.	County	Facility Name
		Folk	PAIPS General Store
Common Well Name <u>MW6</u>		Gov't Lot (If applicable)	
Grid Location <u>SW 1/4 of Sec. 11 ; T. 34 N; R. 16</u>		Facility ID	
<input type="checkbox"/> E <input checked="" type="checkbox"/> W <input type="checkbox"/> N <input type="checkbox"/> S, _____ ft. <input type="checkbox"/> E <input type="checkbox"/> W.		License/Permit/Monitoring No.	
Local Grid Origin <input type="checkbox"/> (estimated: <input type="checkbox"/> ) or Well Location <input type="checkbox"/>		Street Address of Well	
Lat. _____ Long _____ or _____		1637 80th St	
St. Plane _____ ft. N. _____ ft. E. <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> Zone		City, Village, or Town	
Reason For Abandonment <u>site closure</u>		1637 80th St Palouse Lake WI 54810	
WI Unique Well No. of Replacement Well _____		Present Well Owner	
		Subane	
		Original Owner	
		Zure	
		Street Address or Route of Owner	
		City, State, Zip Code	

(3) WELL/DRILLHOLE/BOREHOLE INFORMATION	(4) PUMP, LINER, SCREEN, CASING, & SEALING MATERIAL
Original Construction Date <u>1-4-2007</u>	Pump & Piping Removed? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> Not Applicable
<input checked="" type="checkbox"/> Monitoring Well <input type="checkbox"/> Water Well <input type="checkbox"/> Borehole / Drillhole	Liner(s) Removed? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> Not Applicable
Construction Type: <input checked="" type="checkbox"/> Drilled <input type="checkbox"/> Driven (Sandpoint) <input type="checkbox"/> Dug <input type="checkbox"/> Other (Specify) _____	Screen Removed? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> Not Applicable
Formation Type: <input checked="" type="checkbox"/> Unconsolidated Formation <input type="checkbox"/> Bedrock	Casing Left in Place? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No
Total Well Depth (ft.) <u>20</u> Casing Diameter (in.) _____	Was Casing Cut Off Below Surface? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No
(From ground surface) Casing Depth (ft.) _____	Did Sealing Material Rise to Surface? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No
Lower Drillhole Diameter (in.) _____	Did Material Settle After 24 Hours? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No
Was Well Annular Space Grouted? <input type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> Unknown	If Yes, Was Hole Retopped? <input type="checkbox"/> Yes <input type="checkbox"/> No
If Yes, To What Depth? _____ Feet	Required Method of Placing Sealing Material
Depth to Water (Feet) <u>9.61'</u>	<input checked="" type="checkbox"/> Conductor Pipe-Gravity <input type="checkbox"/> Conductor Pipe-Pumped
	<input type="checkbox"/> Screened & Poured (Bentonite Chips) <input type="checkbox"/> Other (Explain) _____
	Sealing Materials
	<input type="checkbox"/> Neat Cement Grout <input type="checkbox"/> Sand-Cement (Concrete) Grout <input type="checkbox"/> Concrete <input type="checkbox"/> Clay-Sand Slurry (11 lb./gal. wt.) <input type="checkbox"/> Bentonite-Sand Slurry " " <input type="checkbox"/> Bentonite Chips
	For monitoring wells and monitoring well boreholes only
	<input checked="" type="checkbox"/> Bentonite Chips <input type="checkbox"/> Granular Bentonite <input type="checkbox"/> Bentonite - Cement Grout <input type="checkbox"/> Bentonite - Sand Slurry

(5) Material Used To Fill Well/Drillhole	From (Ft.)	To (Ft.)	No. Yards, Sacks Sealant or Volume	(Circle One)	Mix Ratio or Mud Weight
<u>3/8" Hole Plug</u>	Surface	<u>20'</u>	<u>40 ft<sup>3</sup></u>		

(6) Comments: \_\_\_\_\_

(7) Name of Person or Firm Doing Sealing Work	Date of Abandonment
<u>MARK SCHMITZ</u>	<u>6-15-2017</u>
Signature of Person Doing Work	Date Signed
<u>Mark Schmitz</u>	<u>6-16-2017</u>
Street or Route	Telephone Number
<u>N7349 548 ST</u>	<u>(715) 596 2604</u>
City, State, Zip Code	
<u>MEUNOMONIE WI 54751</u>	

FOR DNR OR COUNTY USE ONLY	
Date Received	Noted By
Comments	

Notice: Please complete Form 3300-5 and return it to the appropriate DNR office and bureau. Completion of this report is required by chs. 160, 281, 283, 289, 291, 292, 293, 295, and 299, Wis. Stats., and ch. NR 141, Wis. Adm. Code. In accordance with chs. 281, 289, 291, 292, 293, 295, and 299, Wis. Stats., failure to file this form may result in a forfeiture of between \$10 and \$25,000, or imprisonment for up to one year, depending on the program and conduct involved. Personally identifiable information on this form is not intended to be used for any other purpose. NOTE: See the instructions for more information.

Route to:  Drinking Water  Watershed/Wastewater  Waste Management  Remediation/Redevelopment  Other

<b>(1) GENERAL INFORMATION</b>			<b>(2) FACILITY/OWNER INFORMATION</b>	
WI Unique Well No.	DNR Well ID No.	County <u>Folk</u>	Facility Name <u>PAPS General Store</u>	
Common Well Name <u>MV7</u>		Gov't Lot (if applicable)	Facility ID	License/Permit/Monitoring No.
Grid Location <u>MV 1/4 of SW 1/4 of Sec. 11 ; T. 34 N.; R. 16</u>		<input type="checkbox"/> E <input checked="" type="checkbox"/> W	Street Address of Well <u>1637 80th St</u>	
Local Grid Origin <input type="checkbox"/> (estimated: <input type="checkbox"/> ) or Well Location <input type="checkbox"/>		ft. <input type="checkbox"/> N. <input type="checkbox"/> S., ft. <input type="checkbox"/> E. <input type="checkbox"/> W.	City, Village, or Town <u>1637 80th St Palms Lake WI 54810</u>	
Lat. _____ Long _____ or _____		Present Well Owner <u>Same</u>	Original Owner <u>Same</u>	
St. Plane _____ ft. N. _____ ft. E. <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> Zone		Street Address or Route of Owner		
Reason For Abandonment <u>Site closure</u>		WI Unique Well No. of Replacement Well	City, State, Zip Code	

<b>(3) WELL/DRILLHOLE/BOREHOLE INFORMATION</b>		<b>(4) PUMP, LINER, SCREEN, CASING, &amp; SEALING MATERIAL</b>	
Original Construction Date <u>1-4-2007</u>		Pump & Piping Removed? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> Not Applicable Liner(s) Removed? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> Not Applicable Screen Removed? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> Not Applicable Casing Left in Place? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	
<input checked="" type="checkbox"/> Monitoring Well <input type="checkbox"/> Water Well <input type="checkbox"/> Borehole / Drillhole Construction Type: <input checked="" type="checkbox"/> Drilled <input type="checkbox"/> Driven (Sandpoint) <input type="checkbox"/> Dug <input type="checkbox"/> Other (Specify) _____ Formation Type: <input checked="" type="checkbox"/> Unconsolidated Formation <input type="checkbox"/> Bedrock Total Well Depth (ft.) <u>20</u> Casing Diameter (in.) _____ (From ground surface) Casing Depth (ft.) _____ Lower Drillhole Diameter (in.) _____ Was Well Annular Space Grouted? <input type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> Unknown If Yes, To What Depth? _____ Feet Depth to Water (Feet) <u>12.52</u>		Was Casing Cut Off Below Surface? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No Did Sealing Material Rise to Surface? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No Did Material Settle After 24 Hours? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No If Yes, Was Hole Retopped? <input type="checkbox"/> Yes <input type="checkbox"/> No Required Method of Placing Sealing Material <input checked="" type="checkbox"/> Conductor Pipe-Gravity <input type="checkbox"/> Conductor Pipe-Pumped <input type="checkbox"/> Screened & Poured (Bentonite Chips) <input type="checkbox"/> Other (Explain) _____ Sealing Materials For monitoring wells and monitoring well boreholes only <input type="checkbox"/> Neat Cement Grout <input checked="" type="checkbox"/> Bentonite Chips <input type="checkbox"/> Sand-Cement (Concrete) Grout <input type="checkbox"/> Granular Bentonite <input type="checkbox"/> Concrete <input type="checkbox"/> Bentonite - Cement Grout <input type="checkbox"/> Clay-Sand Slurry (11 lb./gal. wt.) <input type="checkbox"/> Bentonite - Sand Slurry <input type="checkbox"/> Bentonite-Sand Slurry " " <input type="checkbox"/> Bentonite - Sand Slurry	

(5)	Material Used To Fill Well/Drillhole	From (Ft.)	To (Ft.)	No. Yards, Sacks Sealant or Volume (Circle One)	Mix Ratio or Mud Weight
	<u>3/8" Hole Plug</u>	Surface	<u>20'</u>	<u>.40 ft<sup>3</sup></u>	

(6) Comments: \_\_\_\_\_

(7) Name of Person or Firm Doing Sealing Work <u>MARK SCHMITZ</u>		Date of Abandonment <u>6-15-2017</u>
Signature of Person Doing Work <u>Mark Schmitz</u>	Date Signed <u>6-16-2017</u>	
Street or Route <u>N7349 548 ST</u>	Telephone Number <u>(715) 596 2604</u>	
City, State, Zip Code <u>MEUNOMONIE WI 54751</u>		

FOR DNR OR COUNTY USE ONLY	
Date Received	Noted By
Comments	

Notice: Please complete Form 3300-5 and return it to the appropriate DNR office and bureau. Completion of this report is required by chs. 160, 281, 283, 289, 291, 292, 293, 295, and 299, Wis. Stats., and ch. NR 141, Wis. Adm. Code. In accordance with chs. 281, 289, 291, 292, 293, 295, and 299, Wis. Stats., failure to file this form may result in a forfeiture of between \$10 and \$25,000, or imprisonment for up to one year, depending on the program and conduct involved. Personally identifiable information on this form is not intended to be used for any other purpose. NOTE: See the instructions for more information.

Route to:  Drinking Water  Watershed/Wastewater  Waste Management  Remediation/Redevelopment  Other

<b>(1) GENERAL INFORMATION</b>		<b>(2) FACILITY/ OWNER INFORMATION</b>	
WI Unique Well No.	DNR Well ID No.	County	Facility Name
		Folk	PHPS General Store
Common Well Name	Gov't Lot (If applicable)	Facility ID	License/Permit/Monitoring No.
P8			
Grid Location	Street Address of Well	City, Village, or Town	
NW 1/4 of SW 1/4 of Sec. 11 ; T. 34 N.; R. 16	1637 80th	1637 80th St Palms Lake WI 54810	
Local Grid Origin	Present Well Owner	Original Owner	
	Subme	Zure	
Lat. _____ Long _____	Street Address or Route of Owner		
St. Plane _____ ft. N. _____ ft. E.	City, State, Zip Code		
Reason For Abandonment	WI Unique Well No. of Replacement Well		
Site Closure			

**(3) WELL/DRILLHOLE/BOREHOLE INFORMATION**

Original Construction Date: 1-4-2007

Monitoring Well  
 Water Well  
 Borehole / Drillhole

If a Well Construction Report is available, please attach.

Construction Type:  
 Drilled  Driven (Sandpoint)  Dug  
 Other (Specify) \_\_\_\_\_

Formation Type:  
 Unconsolidated Formation  Bedrock

Total Well Depth (ft.) 50' Casing Diameter (in.) \_\_\_\_\_  
 (From ground surface) Casing Depth (ft.) \_\_\_\_\_

Lower Drillhole Diameter (in.) \_\_\_\_\_

Was Well Annular Space Grouted?  Yes  No  Unknown  
 If Yes, To What Depth? \_\_\_\_\_ Feet

Depth to Water (Feet) 12.13

**(4) PUMP, LINER, SCREEN, CASING, & SEALING MATERIAL**

Pump & Piping Removed?  Yes  No  Not Applicable  
 Liner(s) Removed?  Yes  No  Not Applicable  
 Screen Removed?  Yes  No  Not Applicable  
 Casing Left in Place?  Yes  No

Was Casing Cut Off Below Surface?  Yes  No  
 Did Sealing Material Rise to Surface?  Yes  No  
 Did Material Settle After 24 Hours?  Yes  No  
 If Yes, Was Hole Retopped?  Yes  No

Required Method of Placing Sealing Material  
 Conductor Pipe-Gravity  Conductor Pipe-Pumped  
 Screened & Poured (Bentonite Chips)  Other (Explain) \_\_\_\_\_

Sealing Materials For monitoring wells and monitoring well boreholes only

Neat Cement Grout  Bentonite Chips  
 Sand-Cement (Concrete) Grout  Granular Bentonite  
 Concrete  Bentonite - Cement Grout  
 Clay-Sand Slurry (11 lb./gal. wt.)  Bentonite - Sand Slurry  
 Bentonite-Sand Slurry " "  Bentonite - Sand Slurry  
 Bentonite Chips

(5) Material Used To Fill Well/Drillhole	From (Ft.)	To (Ft.)	No. Yards, Sacks Sealant or Volume	(Circle One)	Mix Ratio or Mud Weight
3/8" Hole Plug	Surface	50'	1.00 ft <sup>3</sup>		

(6) Comments: \_\_\_\_\_

(7) Name of Person or Firm Doing Sealing Work: MARK SCHMITZ Date of Abandonment: 6-15-2017

Signature of Person Doing Work: [Signature] Date Signed: 6-16-2017

Street or Route: N7349 548 ST Telephone Number: (715) 596 2604

City, State, Zip Code: MEADAMONIE WI 54751

FOR DNR OR COUNTY USE ONLY	
Date Received	Noted By
Comments	



Notice: Please complete Form 3300-5 and return it to the appropriate DNR office and bureau. Completion of this report is required by chs. 160, 281, 283, 289, 291, 292, 293, 295, and 299, Wis. Stats., and ch. NR 141, Wis. Adm. Code. In accordance with chs. 281, 289, 291, 292, 293, 295, and 299, Wis. Stats., failure to file this form may result in a forfeiture of between \$10 and \$25,000, or imprisonment for up to one year, depending on the program and conduct involved. Personally identifiable information on this form is not intended to be used for any other purpose. NOTE: See the instructions for more information.

Route to:  Drinking Water  Watershed/Wastewater  Waste Management  Remediation/Redevelopment  Other

(1) GENERAL INFORMATION			(2) FACILITY/OWNER INFORMATION	
WI Unique Well No.	DNR Well ID No.	County <u>Folk</u>	Facility Name <u>PAPS General Store</u>	
Common Well Name <u>MW 9</u> Gov't Lot (If applicable)			Facility ID	License/Permit/Monitoring No.
Grid Location <u>NW 1/4 of SW 1/4 of Sec. 11 ; T. 34 N; R. 16</u> <input type="checkbox"/> E <input checked="" type="checkbox"/> W			Street Address of Well <u>1637 80th St</u>	
Local Grid Origin <input type="checkbox"/> (estimated: <input type="checkbox"/> ) or Well Location <input type="checkbox"/>			City, Village, or Town <u>1637 80th St Balsam Lake WI 54810</u>	
Lat. _____ Long _____ or _____			Present Well Owner <u>Stane</u>	Original Owner <u>Jane</u>
St. Plane _____ ft. N. _____ ft. E. <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> Zone			Street Address or Route of Owner	
Reason For Abandonment <u>Site closure</u>		WI Unique Well No. of Replacement Well	City, State, Zip Code	

**(3) WELL/DRILLHOLE/BOREHOLE INFORMATION**

Original Construction Date: 7-7-2009

Monitoring Well  
 Water Well  
 Borehole / Drillhole

If a Well Construction Report is available, please attach.

Construction Type:  
 Drilled  Driven (Sandpoint)  Dug  
 Other (Specify) \_\_\_\_\_

Formation Type:  
 Unconsolidated Formation  Bedrock

Total Well Depth (ft.) 20 Casing Diameter (in.) \_\_\_\_\_  
(From ground surface) Casing Depth (ft.) \_\_\_\_\_

Lower Drillhole Diameter (in.) \_\_\_\_\_

Was Well Annular Space Grouted?  Yes  No  Unknown  
If Yes, To What Depth? \_\_\_\_\_ Feet

Depth to Water (Feet) 10.19

**(4) PUMP, LINER, SCREEN, CASING, & SEALING MATERIAL**

Pump & Piping Removed?  Yes  No  Not Applicable  
Liner(s) Removed?  Yes  No  Not Applicable  
Screen Removed?  Yes  No  Not Applicable  
Casing Left in Place?  Yes  No

Was Casing Cut Off Below Surface?  Yes  No  
Did Sealing Material Rise to Surface?  Yes  No  
Did Material Settle After 24 Hours?  Yes  No  
If Yes, Was Hole Retopped?  Yes  No

Required Method of Placing Sealing Material  
 Conductor Pipe-Gravity  Conductor Pipe-Pumped  
 Screened & Poured (Bentonite Chips)  Other (Explain)

Sealing Materials For monitoring wells and monitoring well boreholes only

<input type="checkbox"/> Neat Cement Grout	<input checked="" type="checkbox"/> Bentonite Chips
<input type="checkbox"/> Sand-Cement (Concrete) Grout	<input type="checkbox"/> Granular Bentonite
<input type="checkbox"/> Concrete	<input type="checkbox"/> Bentonite - Cement Grout
<input type="checkbox"/> Clay-Sand Slurry (11 lb./gal. wt.)	<input type="checkbox"/> Bentonite - Sand Slurry
<input type="checkbox"/> Bentonite-Sand Slurry " "	
<input type="checkbox"/> Bentonite Chips	

(5) Material Used To Fill Well/Drillhole	From (Ft.)	To (Ft.)	No. Yards, Sacks Sealant or Volume	(Circle One)	Mix Ratio or Mud Weight
<u>3/8" Hole Plug</u>	Surface	<u>20'</u>	<u>.40 ft<sup>3</sup></u>		

(6) Comments: \_\_\_\_\_

**(7) Name of Person or Firm Doing Sealing Work** MARK SCHMITZ Date of Abandonment 6-15-2017

Signature of Person Doing Work Mark Schmitz Date Signed 6-16-2017

Street or Route N7349 548 ST Telephone Number (715) 556 2604

City, State, Zip Code MELANOMIE WI 54751

FOR DNR OR COUNTY USE ONLY	
Date Received	Noted By
Comments	

Notice: Please complete Form 3300-5 and return it to the appropriate DNR office and bureau. Completion of this report is required by chs. 160, 281, 283, 289, 291, 292, 293, 295, and 299, Wis. Stats., and ch. NR 141, Wis. Adm. Code. In accordance with chs. 281, 289, 291, 292, 293, 295, and 299, Wis. Stats., failure to file this form may result in a forfeiture of between \$10 and \$25,000, or imprisonment for up to one year, depending on the program and conduct involved. Personally identifiable information on this form is not intended to be used for any other purpose. NOTE: See the instructions for more information.

Route to:  Drinking Water  Watershed/Wastewater  Waste Management  Remediation/Redevelopment  Other

<b>(1) GENERAL INFORMATION</b>			<b>(2) FACILITY/ OWNER INFORMATION</b>		
WI Unique Well No.	DNR Well ID No.	County <u>Folk</u>	Facility Name <u>PAPS General Store</u>		
Common Well Name <u>MWD</u> Gov't Lot (If applicable)			Facility ID	License/Permit/Monitoring No.	
Grid Location <u>NW 1/4 of SW 1/4 of Sec. 11 ; T. 34 N; R. 16</u> <input type="checkbox"/> E <input checked="" type="checkbox"/> W			Street Address of Well <u>1637 80th St</u>		
Local Grid Origin <input type="checkbox"/> (estimated: <input type="checkbox"/> ) or Well Location <input type="checkbox"/>			City, Village, or Town <u>1637 80th St Balsam Lake WI 54810</u>		
Lat. _____ Long _____ or _____			Present Well Owner <u>Stone</u>		Original Owner <u>Stone</u>
St. Plane _____ ft. N. _____ ft. E. <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> Zone			Street Address or Route of Owner		
Reason For Abandonment <u>Site closure</u>		WI Unique Well No. of Replacement Well	City, State, Zip Code		

**(3) WELL/DRILLHOLE/BOREHOLE INFORMATION**

Original Construction Date 7-7-2009

Monitoring Well  
 Water Well  
 Borehole / Drillhole

If a Well Construction Report is available, please attach.

Construction Type:  
 Drilled  Driven (Sandpoint)  Dug  
 Other (Specify) \_\_\_\_\_

Formation Type:  
 Unconsolidated Formation  Bedrock

Total Well Depth (ft.) 17' Casing Diameter (in.) \_\_\_\_\_  
(From ground surface) Casing Depth (ft.) \_\_\_\_\_

Lower Drillhole Diameter (in.) \_\_\_\_\_

Was Well Annular Space Grouted?  Yes  No  Unknown  
If Yes, To What Depth? \_\_\_\_\_ Feet

Depth to Water (Feet) 6.45

**(4) PUMP, LINER, SCREEN, CASING, & SEALING MATERIAL**

Pump & Piping Removed?  Yes  No  Not Applicable  
Liner(s) Removed?  Yes  No  Not Applicable  
Screen Removed?  Yes  No  Not Applicable  
Casing Left in Place?  Yes  No

Was Casing Cut Off Below Surface?  Yes  No  
Did Sealing Material Rise to Surface?  Yes  No  
Did Material Settle After 24 Hours?  Yes  No  
If Yes, Was Hole Retopped?  Yes  No

Required Method of Placing Sealing Material  
 Conductor Pipe-Gravity  Conductor Pipe-Pumped  
 Screened & Poured (Bentonite Chips)  Other (Explain)

Sealing Materials <input type="checkbox"/> Neat Cement Grout <input type="checkbox"/> Sand-Cement (Concrete) Grout <input type="checkbox"/> Concrete <input type="checkbox"/> Clay-Sand Slurry (11 lb./gal. wt.) <input type="checkbox"/> Bentonite-Sand Slurry " " <input type="checkbox"/> Bentonite Chips	For monitoring wells and monitoring well boreholes only <input checked="" type="checkbox"/> Bentonite Chips <input type="checkbox"/> Granular Bentonite <input type="checkbox"/> Bentonite - Cement Grout <input type="checkbox"/> Bentonite - Sand Slurry
--	--

(5) Material Used To Fill Well/Drillhole	From (Ft.)	To (Ft.)	No. Yards, Sacks Sealant or Volume	(Circle One)	Mix Ratio or Mud Weight
<u>3/8" Hole Plug</u>	Surface	17	34 ft <sup>3</sup>		

(6) Comments: \_\_\_\_\_

(7) Name of Person or Firm Doing Sealing Work MARK SCHMITZ Date of Abandonment 6-15-2017

Signature of Person Doing Work Mark Schmitz Date Signed 6-16-2017

Street or Route N7349 548 ST Telephone Number (715) 556 2604

City, State, Zip Code MEUNOMONIE WI 54751

FOR DNR OR COUNTY USE ONLY	
Date Received	Noted By
Comments	

Notice: Please complete Form 3300-5 and return it to the appropriate DNR office and bureau. Completion of this report is required by chs. 160, 281, 283, 289, 291, 292, 293, 295, and 299 Wis. Stats., and ch. NR 141, Wis. Adm. Code. In accordance with chs. 281, 289, 291, 292, 293, 295, and 299, Wis. Stats., failure to file this form may result in a forfeiture of between \$10 and \$25,000, or imprisonment for up to one year, depending on the program and conduct involved. Personally identifiable information on this form is not intended to be used for any other purpose. NOTE: See the instructions for more information.

Route to:  Drinking Water  Watershed/Wastewater  Waste Management  Remediation/Redevelopment  Other

(1) GENERAL INFORMATION		(2) FACILITY/OWNER INFORMATION	
WI Unique Well No.	DNR Well ID No.	County	Facility Name
		Polk	PAPS General Store
Common Well Name <u>MW1</u>		Gov't Lot (If applicable)	
Grid Location <u>NW 1/4 of SW 1/4 of Sec. 11 ; T. 34 N; R. 16</u>		Facility ID	
<input type="checkbox"/> E <input checked="" type="checkbox"/> W <input type="checkbox"/> N <input type="checkbox"/> S, _____ ft. <input type="checkbox"/> E <input type="checkbox"/> W.		License/Permit/Monitoring No.	
Local Grid Origin <input type="checkbox"/> (estimated: <input type="checkbox"/> ) or Well Location <input type="checkbox"/>		Street Address of Well	
Lat. _____ Long _____ or _____		1637 80th St	
St. Plane _____ ft. N. _____ ft. E. <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> Zone		City, Village, or Town	
Reason For Abandonment <u>Site closure</u>		1637 80th St Balsam Lake WI 54810	
WI Unique Well No. of Replacement Well _____		Present Well Owner	
		Subanc	
		Original Owner	
		June	
		Street Address or Route of Owner	
		City, State, Zip Code	

(3) WELL/DRILLHOLE/BOREHOLE INFORMATION	(4) PUMP, LINER, SCREEN, CASING, & SEALING MATERIAL
Original Construction Date <u>7-7-2009</u>	Pump & Piping Removed? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> Not Applicable
<input checked="" type="checkbox"/> Monitoring Well <input type="checkbox"/> Water Well <input type="checkbox"/> Borehole / Drillhole	Liner(s) Removed? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> Not Applicable
Construction Type: <input checked="" type="checkbox"/> Drilled <input type="checkbox"/> Driven (Sandpoint) <input type="checkbox"/> Dug <input type="checkbox"/> Other (Specify) _____	Screen Removed? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> Not Applicable
Formation Type: <input checked="" type="checkbox"/> Unconsolidated Formation <input type="checkbox"/> Bedrock	Casing Left in Place? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No
Total Well Depth (ft.) <u>20</u> Casing Diameter (in.) _____	Was Casing Cut Off Below Surface? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No
(From ground surface) Casing Depth (ft.) _____	Did Sealing Material Rise to Surface? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No
Lower Drillhole Diameter (in.) _____	Did Material Settle After 24 Hours? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No
Was Well Annular Space Grouted? <input type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> Unknown	If Yes, Was Hole Retopped? <input type="checkbox"/> Yes <input type="checkbox"/> No
If Yes, To What Depth? _____ Feet	Required Method of Placing Sealing Material
Depth to Water (Feet) <u>10.80</u>	<input checked="" type="checkbox"/> Conductor Pipe-Gravity <input type="checkbox"/> Conductor Pipe-Pumped
	<input type="checkbox"/> Screened & Poured (Bentonite Chips) <input type="checkbox"/> Other (Explain) _____
	Sealing Materials
	<input type="checkbox"/> Neat Cement Grout <input type="checkbox"/> Sand-Cement (Concrete) Grout <input type="checkbox"/> Concrete <input type="checkbox"/> Clay-Sand Slurry (11 lb./gal. wt.) <input type="checkbox"/> Bentonite-Sand Slurry " " <input type="checkbox"/> Bentonite Chips
	For monitoring wells and monitoring well boreholes only
	<input checked="" type="checkbox"/> Bentonite Chips <input type="checkbox"/> Granular Bentonite <input type="checkbox"/> Bentonite - Cement Grout <input type="checkbox"/> Bentonite - Sand Slurry

(5) Material Used To Fill Well/Drillhole	From (Ft.)	To (Ft.)	No. Yards, Sacks Sealant or Volume	(Circle One)	Mix Ratio or Mud Weight
<u>3/8" Hole Plug</u>	Surface	<u>20</u>	<u>40</u>	<u>#3</u>	

(6) Comments: \_\_\_\_\_

(7) Name of Person or Firm Doing Sealing Work	Date of Abandonment	FOR DNR OR COUNTY USE ONLY	
<u>MARK SCHMITZ</u>	<u>6-15-2017</u>	Date Received	Noted By
Signature of Person Doing Work	Date Signed		
<u>Mark Schmitz</u>	<u>6-16-2017</u>		
Street or Route	Telephone Number	Comments	
<u>N7349 548 ST</u>	<u>(715) 556 2604</u>		
City, State, Zip Code			
<u>NEWMANIE WI 54751</u>			