

January 23, 2008

Mr. Kevin Mc Knight
WDNR
625 E. CTY HWY Y
Suite 700
Oshkosh, WI 54901

R + R - OSH
RECEIVED

JAN 23 2008

TRACKED
REVIEWED

RE: Semi-Annual Status report for the investigation at Shilobrit's Cleaners, 1231 S. Commercial Street, Neenah, WI. (ERP #02-71-228433)

Dear Kevin:

The purpose of this report is to document the semi-annual groundwater sampling event performed at the Shilobrit's Cleaners site located at 1231 S. Commercial Street, Neenah, WI. (See Figure 1 – Site Location Map, enclosed.) The site was sampled on October 17, 2007. (See Figure 2 – Groundwater Elevation Contour Map (10/17/07, enclosed.) Laboratory results from the sampling event are enclosed.

The results have been tabulated, and the tables are also enclosed. Vinyl chloride contamination remains above the enforcement standard in down-gradient piezometers P9 and P10, and the levels are higher than the previous event. The vinyl chloride level in piezometer P8 was also higher during this event than the previous one.

OMNI will sample the site again in April/May 2008 as per the WDNR's schedule for the site.

Sincerely,
OMNI Associates, Inc.



Dave Fries, P.G., CHMM
Hydrogeologist

Enclosures

"I, Dave Fries, hereby certify that I am a hydrogeologist as that term is defined in s. NR 712.03 (1), Wis. Adm. Code, and that, to the best of my knowledge, all of the information contained in this document is correct and the document was prepared in compliance with all applicable requirements in chs. NR 700 to 726, Wis. Adm. Code."



(Professional Geologist)










FIGURE 1
SITE LOCATION MAP

SHILOBRIT'S CLEANERS
1231 S. COMMERCIAL STREET
NEENAH, WISCONSIN



ONE SYSTEMS DRIVE
APPLETON, WI 54914
PHONE (920) 735-6900
FAX (920) 830-6100

PROJECT MANAGER:	PROJECT NO:	N1707A01
PROJECT ENGINEER:	CAD FILE NO:	TOPO
DRAWN BY:	DLD SCALE:	1" = 20'
REVIEWED BY:	DATE:	3/8/01



0' 6' 15' 30' LOCAL GRID NORTH
SCALE: 1" = 30'

- LEGEND:**
- MW1 ● OMNI Well Location
 - P1 ● OMNI Piezometer Location
 - MW2 ● 758.61
748.99
9.62'
4.0'-14.0'
 - 750 — Groundwater Contour Line (Well) 10/17/2007
 - 748.5 — Groundwater Contour Line (Well) 10/17/2007
 - CMW5 ● Existing REI Well Location and I.D. No.
 - CRW1 ● Existing REI Groundwater Recovery Well
 - CPZ1 ● Existing Piezometer Location and I.D. No. - REI
 - CRW1 ● REI Abandoned Well Location (1/10/03)
 - Estimated Underground Storage Tank Location at Phillips 66
 - Limit of Excavation at Phillips 66
 - Building Face
 - Approximate Property Line
 - Edge of Asphalt
 - Edge of Gravel
 - Fiber Optic Line
 - Storm Inlet
 - SS — Storm Sewer
 - SAN — Sanitary Sewer
 - WM — Watermain and Hydrant
 - Catch Basin
 - GV — Gas Line with Gas shutoff Valve
 - ⊙ Gas Meter
 - OH — Overhead Electrical
 - ⊙ Power Pole
 - ⊙ Light Pole
 - ⊙ Tree/Shrub

FIGURE 2
GROUNDWATER ELEVATION CONTOUR
MAP (10/17/2007)

SHILOBRIT'S CLEANERS
1231 COMMERCIAL STREET
NEENAH, WISCONSIN

OMNI
ASSOCIATES

ONE SYSTEMS DRIVE
APPLETON, WI 54914
PHONE (920) 735-6900
FAX (920) 830-6100

PROJECT MANAGER:	PROJECT NO:	N1707A01
PROJECT ENGINEER:	CAD FILE NO:	SITE_1
DRAWN BY:	SCALE:	1" = 30'
REVIEWED BY:	DATE:	1/22/2008

ADSTAFF

PHILLIPS 66 (CITGO)
1305 S. COMMERCIAL ST.
BRRTS ID# 03-71-002008

TABLE 1
SUMMARY OF LABORATORY ANALYSIS
GROUNDWATER SAMPLES - HISTORICAL

Page 1 of 19

PARAMETER (µg/L)	ES	PAL	MW1																	
SCREENED INTERVAL (feet bgs)	4.0 - 14.0																			
SAMPLE DATE			11/28/01	2/26/02	5/22/02	8/22/02	11/26/02	2/27/03	3/16/04	6/15/04	9/16/04	12/17/04	3/17/05	6/9/05	9/15/05	12/12/05	3/22/06	10/17/06	5/3/07	
DETECTED VOCs																				
BENZENE	5.0	0.5	NS	NS	NS	NS	<0.25	NS	NS	NS	<0.29	NS	NS	NS	<0.26	NS	NS	NS	NS	
N-BUTYLBENZENE	-	-	NS	NS	NS	NS	<0.65	NS	NS	NS	<0.39	NS	NS	NS	<0.61	NS	NS	NS	NS	
CIS-1,2-DICHLOROETHENE	70	7	NS	NS	NS	NS	<0.81	NS	NS	NS	<0.29	NS	NS	NS	<0.27	NS	NS	NS	NS	
TRANS-1,2-DICHLOROETHENE	100	20	NS	NS	NS	NS	<0.80	NS	NS	NS	<0.22	NS	NS	NS	<0.4	NS	NS	NS	NS	
ISOPROPYLBENZENE	-	-	NS	NS	NS	NS	<0.66	NS	NS	NS	<0.19	NS	NS	NS	<0.56	NS	NS	NS	NS	
MTBE	60	12	NS	NS	NS	NS	<0.87	NS	NS	NS	<0.2	NS	NS	NS	<0.36	NS	NS	NS	NS	
N-PROPYLBENZENE	-	-	NS	NS	NS	NS	<0.95	NS	NS	NS	<0.32	NS	NS	NS	<0.56	NS	NS	NS	NS	
TETRACHLOROETHENE	5.0	0.5	NS	NS	NS	NS	<0.63	NS	NS	NS	<0.7	NS	NS	NS	<0.45	NS	NS	NS	NS	
TRICHLOROETHENE	5.0	0.5	NS	NS	NS	NS	<0.39	NS	NS	NS	<0.27	NS	NS	NS	<0.37	NS	NS	NS	NS	
VINYL CHLORIDE	0.2	0.02	NS	NS	NS	NS	<0.11	NS	NS	NS	<0.21	NS	NS	NS	<0.16	NS	NS	NS	NS	

ES = enforcement standard

PAL = preventive action limit

100 = sample concentration detected above the preventive action limit

1000 = sample concentration detected above the enforcement standard

"J" = Analyte detected between the method of detection and the method of quantification.

NOTE: CMW1, CMW3 - CMW5 and CPZ1 are located on the Phillips 66 (Citgo) property.

NS = Not Sampled

F:\NS\REPORTS\CMW1-CPZ1\CMW1.dwg

TABLE 1
SUMMARY OF LABORATORY ANALYSIS
GROUNDWATER SAMPLES - HISTORICAL
Page 2 of 19

PARAMETER (µg/L)	ES	PAL	MW2																
SCREENED INTERVAL (feet bgs)	4.0 - 14.0																		
SAMPLE DATE			2/26/02	5/22/02	8/22/02	11/26/02	2/27/03	3/16/04	6/15/04	9/16/04	12/17/04	3/17/05	6/9/05	9/15/05	12/12/05	3/22/06	10/17/06	5/3/07	10/17/07
DETECTED VOCs																			
BENZENE	5.0	0.5	<11	<22	<22	<6.2	<6.2	<14.5	<14.5	<14.5	<14.5	<13	<13	<13	<2.6	<13	<23.5	<23.5	<23.5
N-BUTYLBENZENE	-	-	<6.5	<17	<17	<16	<16	<19.5	<19.5	<19.5	<19.5	<30.5	<30.5	<30.5	<6.1	<30.5	<55	<26	<26
CIS-1,2-DICHLOROETHENE	70	7	<11	<27	<27	<20	<20	<14.5	<14.5	<14.5	<14.5	<13.5	<13.5	<13.5	<2.7	<13.5	<34	<34	<34
TRANS-1,2-DICHLOROETHENE	100	20	<13	<30	<30	<20	<20	<11	<11	<11	<11	<20	<20	<20	<4	<20	<47.5	<47.5	<47.5
ISOPROPYLBENZENE	-	-	<10	<23	<23	<16	<16	<9.5	<9.5	<9.5	<9.5	<28	<28	<28	<5.6	<28	<49.5	<24	<24
MTBE	60	12	<23	<25	<25	<22	<22	<10	<10	<10	<10	<18	<18	<18	<3.6	<18	<26	<26	<26
N-PROPYLBENZENE	-	-	<9	<17	<17	<24	<24	<16	<16	<16	<16	<28	<28	<28	<5.6	<28	<30.5	<19	<19
TETRACHLOROETHENE	5.0	0.5	3,800	900	2,800	3,200	3,800	2,750	1,380	2,220	2,370	2840	2750	2,610	2,700	1890	2920	2510	2,880
TRICHLOROETHENE	5.0	0.5	68	<37	54"J"	73	100	83	47	58	74	70	78	66	74	52"J"	78	73	84
VINYL CHLORIDE	0.2	0.02	<13	<6	<6	<2.8	<2.8	<10.5	<10.5	<10.5	<10.5	<8	<8	<8	<1.6	<8	<8.5	<10	<10

ES = enforcement standard
PAL = preventive action limit

100 = sample concentration detected above the preventive action limit

1000 = sample concentration detected above the enforcement standard

"J" = Analyte detected between the method of detection and the method of quantification.

NOTE: CMW1, CMW3 - CMW5 and CPZ1 are located on the Phillips 66 (Citgo) property.

NS = Not Sampled

TABLE 1
SUMMARY OF LABORATORY ANALYSIS
GROUNDWATER SAMPLES - HISTORICAL

Page 3 of 19

PARAMETER (µg/L)	ES	PAL	MW3																	
			4.0 - 14.0																	
SCREENED INTERVAL (feet bgs)																				
SAMPLE DATE			2/26/02	5/22/02	8/22/02	11/26/02	2/27/03	3/16/04	6/15/04	9/16/04	12/17/04	3/17/05	6/9/05	9/15/05	12/12/05	3/22/06	10/17/06	5/3/07	10/17/07	
DETECTED VOCs																				
BENZENE	5.0	0.5	<0.21	<0.43	<0.43	<0.25	NS	<0.29	<0.29	<0.29	NS	<0.26	NS	<0.26	NS	<0.26	<0.47	NS	<0.47	
N-BUTYLBENZENE	-	-	<0.13	<0.34	<0.34	<0.65	NS	<0.39	<0.39	<0.39	NS	<0.61	NS	<0.61	NS	<0.61	<1.1	NS	<0.52	
CIS-1,2-DICHLOROETHENE	70	7	<0.21	<0.53	<0.53	<0.81	NS	<0.29	<0.29	<0.29	NS	<0.27	NS	<0.27	NS	<0.27	<0.68	NS	<0.68	
TRANS-1,2-DICHLOROETHENE	100	20	<0.25	<0.59	<0.59	<0.80	NS	<0.22	<0.22	<0.22	NS	<0.4	NS	<0.4	NS	<0.4	<0.95	NS	<0.95	
ISOPROPYLBENZENE	-	-	<0.19	<0.46	<0.46	<0.66	NS	<0.19	<0.19	<0.19	NS	<0.56	NS	<0.56	NS	<0.56	<0.99	NS	<0.48	
MTBE	60	12	<0.46	<0.49	<0.49	<0.87	NS	<0.2	<0.2	<0.2	NS	<0.36	NS	<0.36	NS	<0.36	<0.52	NS	<0.52	
N-PROPYLBENZENE	-	-	<0.18	<0.34	<0.34	<0.95	NS	<0.32	<0.32	<0.32	NS	<0.56	NS	<0.56	NS	<0.56	<0.61	NS	<0.38	
TETRACHLOROETHENE	5.0	0.5	4.8	5.8	4.7	1.6	NS	4.6	4.5	2.8	NS	5.4	NS	5.1	NS	1.56	3.9	NS	0.83"J"	
TRICHLOROETHENE	5.0	0.5	<0.24	<0.73	<0.73	<0.39	NS	<0.27	<0.27	<0.27	NS	<0.37	NS	<0.37	NS	<0.37	<0.44	NS	<0.44	
VINYL CHLORIDE	0.2	0.02	<0.25	<0.12	<0.12	<0.11	NS	<0.21	<0.21	<0.21	NS	<0.16	NS	<0.16	NS	<0.16	<0.17	NS	<0.2	

ES = enforcement standard

PAL = preventive action limit

100 = sample concentration detected above the preventive action limit

1000 = sample concentration detected above the enforcement standard

"J" = Analyte detected between the method of detection and the method of quantification.

NOTE: CMW1, CMW3 - CMW5 and CPZ1 are located on the Phillips 66 (Cigo) property.

NS = Not Sampled

F:\PROTON\107641\TABLE23\Worksheet

TABLE 1
SUMMARY OF LABORATORY ANALYSIS
GROUNDWATER SAMPLES - HISTORICAL
Page 4 of 19

PARAMETER (µg/L)	ES	PAL	MW4																	
			4.0 - 14.0																	
SCREENED INTERVAL (feet bgs)																				
SAMPLE DATE			11/28/01	2/26/02	5/22/02	8/22/02	11/26/02	2/27/03	3/16/04	6/15/04	9/16/04	12/17/04	3/17/05	6/9/05	9/15/05	12/12/05	3/22/06	10/17/06	5/3/07	
DETECTED VOCs																				
BENZENE	5.0	0.5	<0.21	<0.21	<0.43	<0.43	<0.25	NS	<0.29	<0.29	<0.29	NS	<0.26	NS	<0.26	NS	<0.26	NS	NS	
N-BUTYLBENZENE	-	-	<0.13	<0.13	<0.34	<0.34	<0.65	NS	<0.39	<0.39	<0.39	NS	<0.61	NS	<0.61	NS	<0.61	NS	NS	
CIS-1,2-DICHLOROETHENE	70	7	<0.21	<0.21	<0.53	<0.53	<0.81	NS	<0.29	<0.29	<0.29	NS	<0.27	NS	<0.27	NS	<0.27	NS	NS	
TRANS-1,2-DICHLOROETHENE	100	20	<0.25	<0.25	<0.59	<0.59	<0.80	NS	<0.22	<0.22	<0.22	NS	<0.4	NS	<0.4	NS	<0.4	NS	NS	
ISOPROPYLBENZENE	-	-	<0.19	<0.19	<0.46	<0.46	<0.66	NS	<0.19	<0.19	<0.19	NS	<0.56	NS	<0.56	NS	<0.56	NS	NS	
MTBE	60	12	<0.46	<0.46	<0.49	<0.49	<0.87	NS	<0.2	<0.2	<0.2	NS	<0.36	NS	<0.36	NS	<0.36	NS	NS	
N-PROPYLBENZENE	-	-	<0.18	<0.18	<0.34	<0.34	<0.95	NS	<0.32	<0.32	<0.32	NS	<0.56	NS	<0.56	NS	<0.56	NS	NS	
TETRACHLOROETHENE	5.0	0.5	0.7	1.1	0.84" <i>J</i> "	1.4" <i>J</i> "	0.77	NS	1.48" <i>J</i> "	1.13" <i>J</i> "	<0.7	NS	2.0	NS	1.3 " <i>J</i> "	NS	1.74	NS	NS	
TRICHLOROETHENE	5.0	0.5	<0.24	<0.24	<0.73	<0.73	<0.39	NS	<0.27	<0.27	<0.27	NS	<0.37	NS	<0.37	NS	<0.37	NS	NS	
VINYL CHLORIDE	0.2	0.02	<0.25	<0.25	<0.12	<0.12	<0.11	NS	<0.21	<0.21	<0.21	NS	<0.16	NS	<0.16	NS	<0.16	NS	NS	

ES = enforcement standard
 PAL = preventive action limit
 700 = sample concentration detected above the preventive action limit
 1000 = sample concentration detected above the enforcement standard
 "J" = Analyte detected between the method of detection and the method of quantification.
 NOTE: CMW1, CMW3 - CMW5 and CPZ1 are located on the Phillips 66 (Citgo) property.
 NS = Not Sampled

TABLE 1
SUMMARY OF LABORATORY ANALYSIS
GROUNDWATER SAMPLES - HISTORICAL

Page 5 of 19

PARAMETER (µg/L)	ES	PAL	MW5															
			5.0 - 15.0															
SCREENED LENGTH (feet bgs)																		
SAMPLE DATE			2/26/02	5/22/02	8/22/02	11/26/02	2/27/03	3/16/04	6/15/04	9/16/04	12/17/04	3/17/05	6/9/05	9/15/05	12/12/05	3/22/06	10/17/06	5/3/07
DETECTED VOCs																		
BENZENE	5.0	0.5	<0.21	<0.43	<0.43	NS	NS	NS	NS	<0.29	NS	NS	NS	<0.26	NS	NS	NS	NS
N-BUTYLBENZENE	-	-	0.16"J"	<0.34	<0.34	NS	NS	NS	NS	<0.39	NS	NS	NS	<0.61	NS	NS	NS	NS
CIS-1,2-DICHLOROETHENE	70	7	<0.21	<0.53	<0.53	NS	NS	NS	NS	<0.29	NS	NS	NS	<0.27	NS	NS	NS	NS
TRANS-1,2-DICHLOROETHENE	100	20	<0.25	<0.59	<0.59	NS	NS	NS	NS	<0.22	NS	NS	NS	<0.4	NS	NS	NS	NS
ISOPROPYLBENZENE	-	-	<0.19	<0.46	<0.46	NS	NS	NS	NS	<0.19	NS	NS	NS	<0.56	NS	NS	NS	NS
MTBE	60	12	<0.46	<0.49	<0.49	NS	NS	NS	NS	<0.2	NS	NS	NS	<0.36	NS	NS	NS	NS
N-PROPYLBENZENE	-	-	<0.18	<0.34	<0.34	NS	NS	NS	NS	<0.32	NS	NS	NS	<0.56	NS	NS	NS	NS
TETRACHLOROETHENE	5.0	0.5	<0.22	<0.49	<0.49	NS	NS	NS	NS	<0.7	NS	NS	NS	<0.45	NS	NS	NS	NS
TRICHLOROETHENE	5.0	0.5	<0.24	<0.73	<0.73	NS	NS	NS	NS	<0.27	NS	NS	NS	<0.37	NS	NS	NS	NS
VINYL CHLORIDE	0.2	0.02	<0.25	<0.12	<0.12	NS	NS	NS	NS	<0.21	NS	NS	NS	<0.16	NS	NS	NS	NS

ES = enforcement standard

PAL = preventive action limit

100 = sample concentration detected above the preventive action limit

1000 = sample concentration detected above the enforcement standard

"J" = Analyte detected between the method of detection and the method of quantification.

NOTE: CMW1, CMW3 - CMW5 and CPZ1 are located on the Phillips 66 (Citgo) property.

NS = Not Sampled

FILED:\N1707A01\APR26\historical

TABLE 1
SUMMARY OF LABORATORY ANALYSIS
GROUNDWATER SAMPLES - HISTORICAL

Page 6 of 19

PARAMETER (µg/L)	ES	PAL	MW6															
			5.0 - 15.0															
SCREENED LENGTH (feet bgs)																		
SAMPLE DATE			2/26/02	5/22/02	8/22/02	11/26/02	2/27/03	3/16/04	6/15/04	9/16/04	12/17/04	3/17/05	6/9/05	9/15/05	12/12/05	3/22/06	10/17/06	5/3/07
DETECTED VOCs																		
BENZENE	5.0	0.5	<0.21	NS	NS	NS	NS	NS	NS	<0.29	NS	NS	NS	<0.26	NS	NS	NS	NS
N-BUTYLBENZENE	-	-	<0.13	NS	NS	NS	NS	NS	NS	<0.39	NS	NS	NS	<0.61	NS	NS	NS	NS
CIS-1,2-DICHLOROETHENE	70	7	<0.21	NS	NS	NS	NS	NS	NS	<0.29	NS	NS	NS	<0.27	NS	NS	NS	NS
TRANS-1,2-DICHLOROETHENE	100	20	<0.25	NS	NS	NS	NS	NS	NS	<0.22	NS	NS	NS	<0.4	NS	NS	NS	NS
ISOPROPYLBENZENE	-	-	<0.19	NS	NS	NS	NS	NS	NS	<0.19	NS	NS	NS	<0.56	NS	NS	NS	NS
MTBE	60	12	<0.46	NS	NS	NS	NS	NS	NS	<0.2	NS	NS	NS	<0.36	NS	NS	NS	NS
N-PROPYLBENZENE	-	-	<0.18	NS	NS	NS	NS	NS	NS	<0.32	NS	NS	NS	<0.56	NS	NS	NS	NS
TETRACHLOROETHENE	5.0	0.5	<0.22	NS	NS	NS	NS	NS	NS	<0.7	NS	NS	NS	<0.45	NS	NS	NS	NS
TRICHLOROETHENE	5.0	0.5	<0.24	NS	NS	NS	NS	NS	NS	<0.27	NS	NS	NS	<0.37	NS	NS	NS	NS
VINYL CHLORIDE	0.2	0.02	<0.25	NS	NS	NS	NS	NS	NS	<0.21	NS	NS	NS	<0.16	NS	NS	NS	NS

ES = enforcement standard

PAL = preventive action limit

100 = sample concentration detected above the preventive action limit

1000 = sample concentration detected above the enforcement standard

"J" = Analyte detected between the method of detection and the method of quantification.

NOTE: CMW1, CMW3 - CMW5 and CPZ1 are located on the Phillips 66 (Citgo) property.

NS = Not Sampled

PHILLIPS 66 (CITGO) PROPERTY

TABLE 1
SUMMARY OF LABORATORY ANALYSIS
GROUNDWATER SAMPLES - HISTORICAL

Page 7 of 19

PARAMETER (µg/L)	ES	PAL	MW7															
			5.0 - 15.0															
SCREENED LENGTH (feet bgs)																		
SAMPLE DATE			2/26/02	5/22/02	8/22/02	11/26/02	2/27/03	3/16/04	6/15/04	9/16/04	12/17/04	3/17/05	6/9/05	9/15/05	12/12/05	3/22/06	10/17/06	5/3/07
DETECTED VOCs																		
BENZENE	5.0	0.5	<0.21	<0.43	<0.43	<0.25	NS	<0.29	<0.29	<0.29	NS	<0.26	NS	<0.26	NS	<0.26	NS	NS
N-BUTYLBENZENE	-	-	<0.13	<0.34	<0.34	<0.65	NS	<0.39	<0.39	<0.39	NS	<0.61	NS	<0.61	NS	<0.61	NS	NS
CIS-1,2-DICHLOROETHENE	70	7	<0.21	<0.53	<0.53	1.1	NS	0.76"J"	<0.29	1.5	NS	<0.27	NS	1.0	NS	1.5	NS	NS
TRANS-1,2-DICHLOROETHENE	100	20	<0.25	<0.59	<0.59	<0.80	NS	<0.22	<0.22	<0.22	NS	<0.4	NS	<0.4	NS	<0.4	NS	NS
ISOPROPYLBENZENE	-	-	<0.19	<0.46	<0.46	<0.66	NS	<0.19	<0.19	<0.19	NS	<0.56	NS	<0.56	NS	<0.56	NS	NS
MTBE	60	12	<0.46	<0.49	<0.49	<0.87	NS	<0.2	<0.2	<0.2	NS	<0.36	NS	<0.36	NS	<0.36	NS	NS
N-PROPYLBENZENE	-	-	<0.18	<0.34	<0.34	<0.95	NS	<0.32	<0.32	<0.32	NS	<0.56	NS	<0.56	NS	<0.56	NS	NS
TETRACHLOROETHENE	5.0	0.5	<0.22	<0.49	<0.49	<0.63	NS	<0.7	<0.7	<0.7	NS	<0.45	NS	<0.45	NS	<0.45	NS	NS
TRICHLOROETHENE	5.0	0.5	<0.24	<0.73	<0.73	<0.39	NS	<0.27	<0.27	<0.27	NS	<0.37	NS	0.39 "J"	NS	<0.37	NS	NS
VINYL CHLORIDE	0.2	0.02	<0.25	<0.12	<0.12	<0.11	NS	<0.21	<0.21	<0.21	NS	<0.16	NS	<0.16	NS	<0.16	NS	NS

ES = enforcement standard

PAL = preventive action limit

100 = sample concentration detected above the preventive action limit

1000 = sample concentration detected above the enforcement standard

"J" = Analyte detected between the method of detection and the method of quantification.

NOTE: CMW1, CMW3 - CMW5 and CPZ1 are located on the Phillips 66 (Citgo) property.

NS = Not Sampled

F:\ENVIRON\1707A01\TABLES\National

TABLE 1
SUMMARY OF LABORATORY ANALYSIS
GROUNDWATER SAMPLES - HISTORICAL

Page 8 of 19

PARAMETER (µg/L)	ES	PAL	PI																
			19.5 - 24.5																
SCREENED LENGTH (feet bgs)																			
SAMPLE DATE			2/26/02	5/22/02	8/22/02	11/26/02	2/27/03	3/16/04	6/15/04	9/16/04	12/17/04	3/17/05	6/9/05	9/15/05	12/12/05	3/22/06	10/17/06	5/3/07	10/17/07
DETECTED VOCs																			
BENZENE	5.0	0.5	2.7"J"	<8.6	<8.6	<2.5	<2.5	<0.29	<0.29	<0.29	<14.5	<0.26	<0.26	<2.6	<2.6	<2.6	<4.7	NS	<4.7
N-BUTYLBENZENE	-	-	<1.3	<6.8	<6.8	<6.5	<6.5	<0.39	<0.39	<0.39	<19.5	<0.61	<0.61	<6.1	<6.1	<6.1	<11	NS	<5.2
CIS-1,2-DICHLOROETHENE	70	7	<2.1	<11	<11	<8.1	<8.1	0.33"J"	<0.29	1.6	<14.5	<0.27	1.7	<2.7	<2.7	<2.7	<6.8	NS	<6.8
TRANS-1,2-DICHLOROETHENE	100	20	<2.5	<12	<12	<8.0	<8.0	<0.22	<0.22	<0.22	<11	<0.4	<0.4	<4	<4	<4	<9.5	NS	<9.5
ISOPROPYLBENZENE	-	-	<1.9	<9.2	<9.2	<6.6	<6.6	<0.19	<0.19	<0.19	<9.5	<0.56	<0.56	<5.6	<5.6	<5.6	<9.9	NS	<4.8
MTBE	60	12	<4.6	<10	<10	<8.7	<8.7	<0.2	<0.2	<0.2	<10	<0.36	<0.36	<3.6	<3.6	<3.6	<5.2	NS	<5.2
N-PROPYLBENZENE	-	-	<1.8	<6.8	<6.8	<9.5	<9.5	<0.32	<0.32	<0.32	<16	<0.56	<0.56	<5.6	<5.6	<5.6	<6.1	NS	<3.8
TETRACHLOROETHENE	5.0	0.5	69	510	500	730	1,100	190	15	640	502	16	590	631	630	102	350	NS	58
TOLUENE	1000	200	11"J"	<13	<13	<8.4	<8.4	<0.57	<0.57	<0.57	<28.5	<0.52	<0.52	<5.2	<5.2	<5.2	<5.9	NS	<4.6
TRICHLOROETHENE	5.0	0.5	<2.4	34"J"	40"J"	58	90	14	0.94	67	52	1.3	76	53	64	7.8"J"	23.2	NS	<4.4
VINYL CHLORIDE	0.2	0.02	<2.5	<2.4	<2.4	<1.1	<1.1	<0.21	<0.21	<0.21	<10.5	<0.16	<0.16	<1.6	<1.6	<1.6	<1.7	NS	<2

ES = enforcement standard
PAL = preventive action limit

100 = sample concentration detected above the preventive action limit

1000 = sample concentration detected above the enforcement standard

"J" = Analyte detected between the method of detection and the method of quantification.

NOTE: CMW1, CMW3 - CMW5 and CPZ1 are located on the Phillips 66 (Citgo) property.

NS = Not Sampled

PHS150301010707A01 08/29/07

TABLE 1
SUMMARY OF LABORATORY ANALYSIS
GROUNDWATER SAMPLES - HISTORICAL

Page 9 of 19

PARAMETER (µg/L)	ES	PAL	P2																
			19.5 - 24.5																
SCREENED LENGTH (feet bgs)																			
SAMPLE DATE			2/26/02	5/22/02	8/22/02	11/26/02	2/27/03	3/16/04	6/15/04	9/16/04	12/17/04	3/17/05	6/9/05	9/15/05	12/12/05	3/22/06	10/17/06	5/3/07	10/17/07
DETECTED VOCs																			
BENZENE	5.0	0.5	<2.1	<0.43	<2.2	<0.25	NS	<0.29	<0.29	<0.29	<14.5	<2.6	<2.6	<2.6	<2.6	<2.6	<4.7	NS	<0.47
N-BUTYLBENZENE	-	-	<1.3	<0.34	<1.7	<0.65	NS	<0.39	<0.39	<0.39	<19.5	<6.1	<6.1	<6.1	<6.1	<6.1	<11	NS	<0.52
CIS-1,2-DICHLOROETHENE	70	7	9.1	2.2	6"J"	1.5	NS	3.7	1.5	2.3	<14.5	<2.7	<2.7	<2.7	3.5"J"	<2.7	<6.8	NS	1.72"J"
TRANS-1,2-DICHLOROETHENE	100	20	<2.5	<0.59	<3	<0.80	NS	<0.22	<0.22	<0.22	<11	<4	<4	<4	<4	<4	<9.5	NS	<0.95
ISOPROPYLBENZENE	-	-	<1.9	<0.46	<2.3	<0.66	NS	<0.19	<0.19	<0.19	<9.5	<5.6	<5.6	<5.6	<5.6	<5.6	<9.9	NS	<0.48
MTBE	60	12	<4.6	<0.49	<2.5	<0.87	NS	<0.2	<0.2	<0.2	<10	<3.6	<3.6	<3.6	<3.6	<3.6	<5.2	NS	<0.52
N-PROPYLBENZENE	-	-	<1.8	<0.34	<1.7	<0.95	NS	<0.32	<0.32	<0.32	<16	<5.6	<5.6	<5.6	<5.6	<5.6	<6.1	NS	<0.38
TETRACHLOROETHENE	5.0	0.5	100	300	100	11	NS	180	147	320	369	338	426	377	282	208	202	NS	165
TOLUENE	1000	200	<4.1	<0.63	<3.2	<0.84	NS	<0.57	<0.57	<0.57	<28.5	<5.2	<5.2	<5.2	<5.2	<5.2	<5.9	NS	<0.46
TRICHLOROETHENE	5.0	0.5	11	49	12	3.0	NS	29	21	54	57	46	48	38	34	23.2	19.8	NS	24.5
VINYL CHLORIDE	0.2	0.02	<2.5	<0.12	<0.6	<0.11	NS	<0.21	<0.21	<0.21	<10.5	<1.6	<1.6	<1.6	<1.6	<1.6	<1.7	NS	<0.2

ES = enforcement standard

PAL = preventive action limit

100 = sample concentration detected above the preventive action limit

1000 = sample concentration detected above the enforcement standard

"J" = Analyte detected between the method of detection and the method of quantification.

NOTE: CMW1, CMW3 - CMW5 and CPZ1 are located on the Phillips 66 (Citgo) property.

NS = Not Sampled

PHILLIPS 66 TABLE 1 (continued)

TABLE 1
SUMMARY OF LABORATORY ANALYSIS
GROUNDWATER SAMPLES - HISTORICAL

PARAMETER (µg/L)	ES	PAL	P3															
SCREENED LENGTH (feet bgs)			19.5 - 24.5															
SAMPLE DATE			2/26/02	5/22/02	8/22/02	11/26/02	2/27/03	3/16/04	6/15/04	9/16/04	12/17/04	3/17/05	6/9/05	9/15/05	12/12/05	3/22/06	10/17/06	5/3/07
DETECTED VOCs																		
BENZENE	5.0	0.5	<0.21	<0.43	<0.43	<0.25	NS	<0.29	<0.29	<0.29	NS	<0.26	NS	<0.26	NS	<0.26	NS	NS
N-BUTYLBENZENE	-	-	<0.13	<0.34	<0.34	<0.65	NS	<0.39	<0.39	<0.39	NS	<0.61	NS	<0.61	NS	<0.61	NS	NS
CIS-1,2-DICHLOROETHENE	70	7	2.6	<0.53	<0.53	<0.81	NS	2	0.66"J"	<0.29	NS	<0.27	NS	<0.27	NS	<0.27	NS	NS
TRANS-1,2-DICHLOROETHENE	100	20	<0.25	<0.59	<0.59	<0.80	NS	<0.22	<0.22	<0.22	NS	<0.4	NS	<0.4	NS	<0.4	NS	NS
ISOPROPYLBENZENE	-	-	<0.19	<0.46	<0.46	<0.66	NS	<0.19	<0.19	<0.19	NS	<0.56	NS	<0.56	NS	<0.56	NS	NS
MTBE	60	12	<0.46	<0.49	<0.49	<0.87	NS	0.46"J"	<0.2	<0.2	NS	<0.36	NS	<0.36	NS	<0.36	NS	NS
N-PROPYLBENZENE	-	-	<0.18	<0.34	<0.34	<0.95	NS	<0.32	<0.32	<0.32	NS	<0.56	NS	<0.56	NS	<0.56	NS	NS
TETRACHLOROETHENE	5.0	0.5	7.5	1.3"J"	<0.49	<0.63	NS	1.15"J"	0.7	<0.7	NS	<0.45	NS	<0.45	NS	<0.45	NS	NS
TOLUENE	1000	200	<0.41	<0.63	<0.63	<0.84	NS	<0.57	<0.57	<0.57	NS	<0.52	NS	<0.52	NS	<0.52	NS	NS
TRICHLOROETHENE	5.0	0.5	4.8	<0.73	<0.73	<0.39	NS	0.55"J"	<0.27	<0.27	NS	<0.37	NS	<0.37	NS	<0.37	NS	NS
VINYL CHLORIDE	0.2	0.02	<0.25	<0.12	<0.12	<0.11	NS	<0.21	<0.21	<0.21	NS	<0.16	NS	<0.16	NS	<0.16	NS	NS

ES = enforcement standard

PAL = preventive action limit

100 = sample concentration detected above the preventive action limit

1000 = sample concentration detected above the enforcement standard

"J" = Analyte detected between the method of detection and the method of quantification.

NOTE: CMW1, CMW3 - CMW5 and CPZ1 are located on the Phillips 66 (Citgo) property.

NS = Not Sampled

3:28VNDVST1707A01TABLE10/06/06

TABLE 1
SUMMARY OF LABORATORY ANALYSIS
GROUNDWATER SAMPLES - HISTORICAL

PARAMETER (µg/L)	ES	PAL	P4															
			19.0 - 24.0															
SCREENED LENGTH (feet bgs)																		
SAMPLE DATE			5/22/02	8/22/02	11/26/02	2/27/03	3/16/04	6/15/04	9/16/04	12/17/04	3/17/05	6/9/05	9/15/05	12/12/05	3/22/06	10/17/06	5/3/07	10/17/07
DETECTED VOCs																		
BENZENE	5.0	0.5	<0.43	<2.2	<2.5	<2.5	<2.9	<7.25	<7.25	<14.5	<2.6	<2.6	<2.6	<2.6	<2.6	<4.7	NS	<4.7
N-BUTYLBENZENE	-	-	<0.34	<1.7	<6.5	<6.5	<3.9	<9.75	<9.75	<19.5	<6.1	<6.1	<6.1	<6.1	<6.1	<11	NS	<5.2
CIS-1,2-DICHLOROETHENE	70	7	60	41	130	120	77	43	44	77	59	34	55	62	42	33	NS	29.4
TRANS-1,2-DICHLOROETHENE	100	20	<0.59	<3	<8.0	<8.0	<2.2	<5.5	<5.5	<11	<4	<4	<4	<4	<4	<9.5	NS	<9.5
ISOPROPYLBENZENE	-	-	<0.46	<2.3	<6.6	<6.6	<1.9	<4.75	<4.75	<9.5	<5.6	<5.6	<5.6	<5.6	<5.6	<9.9	NS	<4.8
MTBE	60	12	<0.49	<2.5	<8.7	<8.7	<2	<5	<5	<10	<3.6	<3.6	<3.6	<3.6	<3.6	<5.2	NS	<5.2
N-PROPYLBENZENE	-	-	<0.34	<1.7	<9.5	<9.5	<3.2	<8	<8	<16	5.6	<5.6	<5.6	<5.6	<5.6	<6.1	NS	<3.8
TETRACHLOROETHENE	5.0	0.5	390	190	690	760	474	400	323	433	604	464	324	470	370	310	NS	340
TOLUENE	1000	200	<0.63	<3.2	<8.4	<8.4	<5.7	<14.25	<14.25	<28.5	<5.2	<5.2	<5.2	<5.2	<5.2	<5.9	NS	<4.6
TRICHLOROETHENE	5.0	0.5	82	22	94	110	63	51	34	66	80	52	56	69	53	38	NS	47
VINYL CHLORIDE	0.2	0.02	<0.12	<0.6	<1.1	<1.1	<2.1	<5.25	<5.25	<10.5	<1.6	<1.6	<1.6	<1.6	<1.6	<1.7	NS	<2

ES = enforcement standard

PAL = preventive action limit

100 = sample concentration detected above the preventive action limit

1000 = sample concentration detected above the enforcement standard

"J" = Analyte detected between the method of detection and the method of quantification.

NOTE: CMW1, CMW3 - CMW5 and CPZ1 are located on the Phillips 66 (Cigo) property.

NS = Not Sampled

7/20/2007 10:55:00 AM 10/17/07

TABLE 1
SUMMARY OF LABORATORY ANALYSIS
GROUNDWATER SAMPLES - HISTORICAL
Page 12 of 19

PARAMETER (µg/L)	ES	PAL	P5													
SCREENED LENGTH (feet bgs)			23 - 28													
SAMPLE DATE			11/26/02	2/27/03	3/16/04	6/15/04	9/16/04	12/17/04	3/17/05	6/9/05	9/15/05	12/12/05	3/22/06	10/17/06	5/3/07	10/17/07
DETECTED VOCs																
BENZENE	5.0	0.5	1.3	0.42	0.37"J"	<0.29	<0.29	<0.29	<0.26	<0.26	<0.26	<0.26	<0.26	<0.47	NS	<0.47
N-BUTYLBENZENE	-	-	<0.65	<0.65	<0.39	<0.39	<0.39	<0.39	<0.61	<0.61	<0.61	<0.61	<0.61	<1.1	NS	<0.52
CIS-1,2-DICHLOROETHENE	70	7	36	56	60	35	23	23	33	15	14	32	27.5	14.3	NS	15.4
TRANS-1,2-DICHLOROETHENE	100	20	<0.80	0.85	1.3	0.51"J"	0.69"J"	0.74	0.89"J"	<0.4	0.92"J"	1.0"J"	1.12"J"	<0.95	NS	<0.95
ISOPROPYLBENZENE	-	-	<0.66	<0.66	<0.19	<0.19	<0.19	<0.19	<0.56	<0.56	<0.56	<0.56	<0.56	<0.99	NS	<0.48
MTBE	60	12	3.2	1.2	0.84	0.33"J"	0.43"J"	0.86	<0.36	0.49"J"	<0.36	0.61"J"	0.51"J"	<0.52	NS	<0.52
N-PROPYLBENZENE	-	-	<0.95	<0.95	<0.32	<0.32	<0.32	<0.32	<0.56	<0.56	<0.56	<0.56	<0.56	<0.61	NS	<0.38
TETRACHLOROETHENE	5.0	0.5	56	120	72	70	22	67	52	77	37	60	58	65	NS	49
TOLUENE	1000	200	<0.84	<0.84	<0.57	<0.57	<0.57	<0.57	<0.52	<0.52	<0.52	<0.52	<0.52	<0.59	NS	<0.46
TRICHLOROETHENE	5.0	0.5	46	54	16	25	9.2	15	23	12	8.7	12	13.5	9.8	NS	9.7
VINYL CHLORIDE	0.2	0.02	<0.11	<0.11	1.2	<0.21	<0.21	0.87	<0.16	0.23"J"	<0.16	1.5	0.94	<0.17	NS	<0.2

ES = enforcement standard

PAL = preventive action limit

100 = sample concentration detected above the preventive action limit

1000 = sample concentration detected above the enforcement standard

"J" = Analyte detected between the method of detection and the method of quantification.

NOTE: CMW1, CMW3 - CMW5 and CPZ1 are located on the Phillips 66 (Citgo) property.

NS = Not Sampled

ENVIRON1707A01TABLES.doc

TABLE 1
SUMMARY OF LABORATORY ANALYSIS
GROUNDWATER SAMPLES - HISTORICAL

Page 13 of 19

PARAMETER (µg/L)	ES	PAL	P6										
			25 - 30										
SCREENED LENGTH (feet bgs)													
SAMPLE DATE			6/15/04	9/16/04	12/17/04	3/17/05	6/9/05	9/15/05	12/12/05	3/22/06	10/17/06	5/3/07	10/17/07
DETECTED VOCs													
BENZENE	5.0	0.5	0.92	13	2.8	1.5	5.8	7.5	1.2	0.97	4.0	1.83	2.97
N-BUTYLBENZENE	-	-	<0.39	<0.39	<0.39	<0.61	<0.61	<0.61	<0.61	<0.61	<1.1	<0.52	<0.52
CIS-1,2-DICHLOROETHENE	70	7	35	25	55	16	29	27	55	50	63	71	49
TRANS-1,2-DICHLOROETHENE	100	20	0.54"J"	0.58"J"	1.2	0.41"J"	0.57"J"	0.62"J"	1.9	1.94	1.11"J"	1.09"J"	<0.95
ISOPROPYLBENZENE	-	-	<0.19	<0.19	<0.19	<0.56	<0.56	<0.56	<0.56	<0.56	<0.99	<0.48	<0.48
MTBE	60	12	0.36"J"	1.1	0.86	0.87"J"	3.1	2.7	2.7	1.79	4.8	1.9	1.65
N-PROPYLBENZENE	-	-	<0.32	<0.32	<0.32	<0.56	<0.56	<0.56	<0.56	<0.56	<0.61	<0.38	<0.38
TETRACHLOROETHENE	5.0	0.5	20	2.8	0.8"J"	1.7	0.82"J"	0.71"J"	0.68"J"	1.08"J"	0.88"J"	0.76"J"	0.95"J"
TOLUENE	1000	200	<0.57	<0.57	<0.57	<0.52	<0.52	<0.52	<0.52	<0.52	<0.59	<0.46	<0.46
TRICHLOROETHENE	5.0	0.5	14	3.5	1.5	2.5	0.9"J"	0.93"J"	1.3	1.5	1.6	1.7	1.46
VINYL CHLORIDE	0.2	0.02	<0.21	1.1	1.4	<0.16	3.4	2.3	3.0	2.67	0.87	2.4	2.08

ES = enforcement standard

PAL = preventive action limit

100 = sample concentration detected above the preventive action limit

1000 = sample concentration detected above the enforcement standard

"J" = Analyte detected between the method of detection and the method of quantification.

NOTE: CMW1, CMW3 - CMW5 and CPZ1 are located on the Phillips 66 (Citgo) property.

NS = Not Sampled

PHENYLBENZENE

TABLE 1
SUMMARY OF LABORATORY ANALYSIS
GROUNDWATER SAMPLES - HISTORICAL

Page 14 of 19

PARAMETER (µg/L)	ES	PAL	P7										
SCREENED LENGTH (feet bgs)			25 - 30										
SAMPLE DATE			6/15/04	9/16/04	12/17/04	3/17/05	6/9/05	9/15/05	12/12/05	3/22/06	10/17/06	5/3/07	10/17/07
DETECTED VOCs													
BENZENE	5.0	0.5	59	118	133	115	46	72	67	1.8	17.4	NS	24.5
N-BUTYLBENZENE	-	-	<9.75	<9.75	2.25"J"	1.46"J"	1.78 "J"	1.26"J"	0.97"J"	<0.61	<1.1	NS	<0.52
CIS-1,2-DICHLOROETHENE	70	7	20"J"	<7.25	2.6"J"	1.6	7.7	5.5	6.9	27.8	7.4	NS	5.2
TRANS-1,2-DICHLOROETHENE	100	20	<5.5	<5.5	<1.1	<0.4	0.51 "J"	<0.4	<0.4	1.27"J"	<0.95	NS	<0.95
ISOPROPYLBENZENE	-	-	9.75"J"	6.25"J"	6.8	5.3	4.8	4.3	3.7	<0.56	1.08"J"	NS	0.58"J"
MTBE	60	12	<5	6.25"J"	36	29	8.6	5.8	4.9	1.63	1.57"J"	NS	<0.52
N-PROPYLBENZENE	-	-	27	14.75"J"	15	13	11	9.1	7.6	<0.56	0.96"J"	NS	<0.38
TETRACHLOROETHENE	5.0	0.5	24.5	<17.5	<3.5	1.8	4.8	1.3"J"	0.50"J"	14.8	5.3	NS	2.55
TOLUENE	1000	200	229	49	18	12	4.8	1.44"J"	5.2	<0.52	<0.59	NS	<0.46
TRICHLOROETHENE	5.0	0.5	15"J"	<6.75	<1.35	1.4	2.8	1.4	1.4	7.8	2.6	NS	1.34"J"
VINYL CHLORIDE	0.2	0.02	<5.25	<5.25	<1.05	<0.16	<0.16	<0.16	<0.16	0.69	<0.17	NS	<0.2

ES = enforcement standard

PAL = preventive action limit

100 = sample concentration detected above the preventive action limit

1000 = sample concentration detected above the enforcement standard

"J" = Analyte detected between the method of detection and the method of quantification.

NOTE: CMW1, CMW3 - CMW5 and CPZ1 are located on the Phillips 66 (Citgo) property.

NS = Not Sampled

PHENYLBENZENE

TABLE 1
SUMMARY OF LABORATORY ANALYSIS
GROUNDWATER SAMPLES - HISTORICAL

Page 15 of 19

PARAMETER (µg/L)	ES	PAL	P8										
SCREENED LENGTH (feet bgs)			25 - 30										
SAMPLE DATE			6/15/04	9/16/04	12/17/04	3/17/05	6/9/05	9/15/05	12/12/05	3/22/06	10/17/06	5/3/07	10/17/07
DETECTED VOCs													
BENZENE	5.0	0.5	1.1	1.6	3.6	11	1.1	1.4	2.0	1.47	1.74	1.0"J"	0.97"J"
N-BUTYLBENZENE	-	-	<0.39	<0.39	<0.39	<0.61	<0.61	<0.61	<0.61	<0.61	<1.1	<0.52	<0.52
CIS-1,2-DICHLOROETHENE	70	7	42	88	72	51	61	142	104	79	166	90	132
TRANS-1,2-DICHLOROETHENE	100	20	0.8	1.8	2.8	1.9	2.1	4.2	5.3	4.1	3.9	2.01"J"	2.36"J"
ISOPROPYLBENZENE	-	-	<0.19	<0.19	<0.19	<0.56	<0.56	<0.56	<0.56	<0.56	<0.99	<0.48	<0.48
MTBE	60	12	0.56"J"	0.94	1.1	4.9	1.4	1.8	0.92"J"	0.69"J"	1.08"J"	<0.52	0.70"J"
N-PROPYLBENZENE	-	-	<0.32	<0.32	<0.32	<0.56	<0.56	<0.56	<0.56	<0.56	<0.61	<0.38	<0.38
TETRACHLOROETHENE	5.0	0.5	1.27"J"	<0.7	<0.7	<0.45	<0.45	<0.45	<0.45	<0.45	<0.52	<0.52	<0.52
TOLUENE	1000	200	<0.57	<0.57	<0.57	<0.52	<0.52	<0.52	<0.52	<0.52	<0.59	<0.46	<0.46
TRICHLOROETHENE	5.0	0.5	2.1	2.8	3.7	2.3	1.8	2.5	2.3	1.43	2.23	1.17"J"	2.04
VINYL CHLORIDE	0.2	0.02	0.78	5.6	1.2	0.64	1.4	9.6	5.8	3.5	4.2	1.87	6.3

ES = enforcement standard

PAL = preventive action limit

100 = sample concentration detected above the preventive action limit

1000 = sample concentration detected above the enforcement standard

"J" = Analyte detected between the method of detection and the method of quantification.

NOTE: CMW1, CMW3 - CMW5 and CPZ1 are located on the Phillips 66 (Citgo) property.

NS = Not Sampled

TABLE 1
SUMMARY OF LABORATORY ANALYSIS
GROUNDWATER SAMPLES - HISTORICAL

PARAMETER (µg/L)	ES	PAL	P9								
SCREENED LENGTH (feet bgs)			25 - 30								
SAMPLE DATE			12/17/04	3/17/05	6/9/05	9/15/05	12/12/05	3/22/06	10/17/06	5/3/07	10/17/07
DETECTED VOCs											
BENZENE	5.0	0.5	0.56"J"	0.31"J"	0.85	1.4	0.63"J"	0.37"J"	1.6	<0.47	0.86"J"
N-BUTYLBENZENE	-	-	<0.39	<0.61	<0.61	<0.61	<0.61	<0.61	<1.1	<0.52	<0.52
CIS-1,2-DICHLOROETHENE	70	7	14	12	18	26	30	16.8	46	35	43
TRANS-1,2-DICHLOROETHENE	100	20	<0.22	0.57"J"	0.55"J"	0.91"J"	1.3	0.76"J"	1.45"J"	<0.95	1.43"J"
ISOPROPYLBENZENE	-	-	<0.19	<0.56	<0.56	<0.56	<0.56	<0.56	<0.99	<0.48	<0.48
MTBE	60	12	7.7	15	17	10	4.5	6.0	13.7	5.3	6.6
N-PROPYLBENZENE	-	-	<0.32	<0.56	<0.56	<0.56	<0.56	<0.56	<0.61	<0.38	<0.38
TETRACHLOROETHENE	5.0	0.5	<0.7	<0.45	<0.45	<0.45	<0.45	<0.45	<0.52	<0.52	<0.52
TOLUENE	1000	200	<0.57	<0.52	<0.52	<0.52	<0.45	<0.52	<0.59	<0.46	<0.46
TRICHLOROETHENE	5.0	0.5	0.49"J"	<0.37	0.45"J"	0.5"J"	0.76"J"	0.51"J"	0.68"J"	0.49"J"	0.99"J"
VINYL CHLORIDE	0.2	0.02	0.83	<0.16	0.71	1.8	2.1	0.89	2.94	0.71	1.68

ES = enforcement standard

PAL = preventive action limit

100 = sample concentration detected above the preventive action limit

1000 = sample concentration detected above the enforcement standard

"J" = Analyte detected between the method of detection and the method of quantification.

NOTE: CMW1, CMW3 - CMW5 and CPZ1 are located on the Phillips 66 (Citgo) property.

NS = Not Sampled

TABLE 1
SUMMARY OF LABORATORY ANALYSIS
GROUNDWATER SAMPLES - HISTORICAL

Page 17 of 19

PARAMETER (µg/L)	ES	PAL	P10								
SCREENED LENGTH (feet bgs)			23.5 - 28.5								
SAMPLE DATE			12/17/04	3/17/05	6/9/05	9/15/05	12/12/05	3/22/06	10/17/06	5/3/07	10/17/07
DETECTED VOCs											
BENZENE	5.0	0.5	0.8"J"	<0.26	<0.26	<0.26	<0.26	0.28"J"	<0.47	<0.47	<0.47
N-BUTYLBENZENE	-	-	<0.39	<0.61	<0.61	<0.61	<0.61	<0.61	<1.1	<0.52	<0.52
CIS-1,2-DICHLOROETHENE	70	7	11	14	15	20	19	18.2	23.7	21.3	29.9
TRANS-1,2-DICHLOROETHENE	100	20	<0.22	<0.4	<0.4	0.53"J"	0.46"J"	0.84"J"	<0.95	<0.95	<0.95
ISOPROPYLBENZENE	-	-	<0.19	<0.56	<0.56	<0.56	<0.56	<0.56	<0.99	<0.48	<0.48
MTBE	60	12	0.74	1"J"	0.65"J"	0.57"J"	<0.36	<0.36	<0.52	<0.52	<0.52
N-PROPYLBENZENE	-	-	<0.32	<0.56	<0.56	<0.56	<0.56	<0.56	<0.61	<0.38	<0.38
TETRACHLOROETHENE	5.0	0.5	<0.7	<0.45	<0.45	<0.45	<0.45	<0.45	0.92"J"	<0.52	0.95"J"
TOLUENE	1000	200	1.09"J"	<0.52	<0.52	<0.52	<0.52	<0.52	<0.59	<0.46	<0.46
TRICHLOROETHENE	5.0	0.5	0.49"J"	0.73"J"	0.83"J"	0.68"J"	1.1"J"	1.02"J"	0.77"J"	0.92"J"	1.06"J"
VINYL CHLORIDE	0.2	0.02	0.56"J"	0.65	0.53	0.6	1.0	0.76	0.92	0.21"J"	1.3

ES = enforcement standard

PAL = preventive action limit

100 = sample concentration detected above the preventive action limit

1000 = sample concentration detected above the enforcement standard

"J" = Analyte detected between the method of detection and the method of quantification.

NOTE: CMW1, CMW3 - CMW5 and CPZ1 are located on the Phillips 66 (Citgo) property.

NS = Not Sampled

TABLE 1
SUMMARY OF LABORATORY ANALYSIS
GROUNDWATER SAMPLES - HISTORICAL

PARAMETER (µg/L)	ES	PAL	CMW1	CMW3	CMW4	CMW5															
						8/28/01	8/28/01	8/28/01	2/26/02	5/22/02	8/22/02	11/26/02	2/27/03	3/16/04	6/15/04	9/16/04	12/17/04	3/17/05	6/9/05	9/15/05	12/12/05
DETECTED VOCs																					
BENZENE	5.0	0.5	5.1	<0.21	<0.21	<0.21	<0.43	<0.43	NS	NS	NS	NS	<0.29	NS	NS	NS	<0.26	NS	NS	<0.47	<0.47
N-BUTYLBENZENE	-	-	0.38"J"	<0.13	<0.13	<0.13	<0.34	<0.34	NS	NS	NS	NS	<0.39	NS	NS	NS	<0.61	NS	NS	<1.1	<0.52
CIS-1,2-DICHLOROETHENE	70	7	0.46"J"	<0.21	<0.21	3.9	<0.53	<0.53	NS	NS	NS	NS	1.9	NS	NS	NS	1.9	NS	NS	1.11"J"	<0.68
TRANS-1,2-DICHLOROETHENE	100	20	<0.25	<0.25	<0.25	<0.25	<0.59	<0.59	NS	NS	NS	NS	<0.22	NS	NS	NS	<0.4	NS	NS	<0.95	<0.95
ISOPROPYLBENZENE	-	-	0.29"J"	<0.19	<0.19	<0.19	<0.46	<0.46	NS	NS	NS	NS	<0.19	NS	NS	NS	<0.56	NS	NS	<0.99	<0.48
MTBE	60	12	48	<0.46	13	<0.46	<0.49	<0.49	NS	NS	NS	NS	<0.2	NS	NS	NS	<0.36	NS	NS	<0.52	<0.52
N-PROPYLBENZENE	-	-	<0.18	<0.18	<0.18	<0.18	<0.34	<0.34	NS	NS	NS	NS	<0.32	NS	NS	NS	<0.56	NS	NS	<0.61	<0.38
TETRACHLOROETHENE	5.0	0.5	<0.22	<0.22	<0.22	0.73	0.92	<0.49	NS	NS	NS	NS	29	NS	NS	NS	27	NS	NS	22.5	8.4
TRICHLOROETHENE	5.0	0.5	<0.24	<0.24	<0.24	0.52"J"	<0.73	<0.73	NS	NS	NS	NS	5.6	NS	NS	NS	6.2	NS	NS	3.5	1.93
VINYL CHLORIDE	0.2	0.02	<0.25	<0.25	<0.25	<0.25	<0.12	<0.12	NS	NS	NS	NS	<0.21	NS	NS	NS	<0.16	NS	NS	<0.17	<0.2

ES = enforcement standard
 PAL = preventive action limit
 100 = sample concentration detected above the preventive action limit
 1000 = sample concentration detected above the enforcement standard
 "J" = Analyte detected between the method of detection and the method of quantification.
 NOTE: CMW1, CMW3 - CMW5 and CPZ1 are located on the Phillips 66 (Ctigo) property.
 NOTE: CMW1, CMW3, and CMW4 were not sampled after the 8/28/01 event.
 NS = Not Sampled

TABLE 1
SUMMARY OF LABORATORY ANALYSIS
GROUNDWATER SAMPLES - HISTORICAL
Page 19 of 19

PARAMETER (µg/L)	ES	PAL	CPZ1																
			2/26/02	5/22/02	8/22/02	11/26/02	2/27/03	3/16/04	6/15/04	9/16/04	12/17/04	3/17/05	6/9/05	9/15/05	12/12/05	3/22/06	10/17/06	5/3/07	10/17/07
DETECTED VOCs																			
BENZENE	5.0	0.5	5	<0.43	81	1.4	7.4	0.34	<0.29	14	1.2	0.75"J"	0.7"J"	13	1.4	<0.26	6.5	<0.47	5.4
N-BUTYLBENZENE	-	-	<0.13	<0.34	<0.34	<0.65	<0.65	<0.39	<0.39	<0.39	<0.39	<0.61	<0.61	<0.61	<0.61	<0.61	<1.1	<0.52	<0.52
CIS-1,2-DICHLOROETHENE	70	7	230	140	28	39	31	28	29	17	18	19	14	20	25	27.4	22.3	4.9	30.6
TRANS-1,2-DICHLOROETHENE	100	20	3.1	2.5	1"J"	<0.80	1.2	0.35"J"	<0.22	0.54"J"	0.64"J"	0.56"J"	0.46"J"	0.77"J"	0.93"J"	0.74	<0.95	<0.95	<0.95
ISOPROPYLBENZENE	-	-	<0.19	<0.46	<0.46	<0.66	<0.66	<0.19	<0.19	<0.19	<0.19	<0.56	<0.56	<0.56	<0.56	<0.56	<0.99	<0.48	<0.48
MTBE	60	12	<0.46	<0.49	3.7	<0.87	<0.87	<0.2	<0.2	0.24"J"	<0.2	<0.36	<0.36	0.36	<0.36	<0.36	<0.52	<0.52	<0.52
N-PROPYLBENZENE	-	-	<0.18	<0.34	<0.34	<0.95	<0.95	<0.32	<0.32	<0.32	<0.32	<0.56	<0.56	<0.56	<0.56	<0.56	<0.61	<0.38	<0.38
TETRACHLOROETHENE	5.0	0.5	26	14	45	100	32	96	87	36	46	57	60	25	30	77	122	179	56
TRICHLOROETHENE	5.0	0.5	36	12	11	42	9.8	28	25	7.6	13	16	14	5.2	8.2	25.4	12.7	19.9	11.3
VINYL CHLORIDE	0.2	0.02	<0.25	<0.12	0.47	<0.11	<0.11	0.44"J"	<0.21	1.2	0.76	0.49"J"	0.62	1.1	1.4	0.33"J"	1.83	0.34"J"	1.69

ES = enforcement standard

PAL = preventive action limit

100 = sample concentration detected above the preventive action limit

1000 = sample concentration detected above the enforcement standard

"J" = Analyte detected between the method of detection and the method of quantification.

NOTE: CMW1, CMW3 - CMW5 and CPZ1 are located on the Phillips 66 (Citgo) property.

NOTE: CMW1, CMW3, and CMW4 were not sampled after the 8/28/01 event.

FILED:\BENTON\ASAP\190719\Bent19071901.d

Well Specific Field Sheet (WSFS) - Monitoring Wells

Fill out one column of this form for each monitoring well which is sampled on each sampling date.

Facility Name: Shilobrit's Cleaners

Date: October 17, 2007

OMNNI Job # N1707A01

Weather Conditions: Sun/Clouds 65 F

Person(s) Sampling: Dave Fries

Sampling Equipment: Enviroline disposable bailers, Solonist 101 water level meter, peristaltic pump - micro purge, DO probe, OPP (Oakton 300 pH meter), pH/Conductivity (Oakton pH/Conductivity 10 meter)

Well Name	MW1	MW2	MW3	MW4	MW5	MW6	MW7	P1	P2
DNR ID No.									
Pipe top elevation (MSL) Reference elev. if different	756.53	758.25	757.93	761.57	757.92	758.43	756.85	758.09	761.88
Surface Elevation	757	758.61	758.32	758.47	758.37	758.66	757.38	758.36	758.6
Measured depth to water (ft)	5.93	9.26	7.89	12.79	9.37	9.37	8.3	9.25	13.14
Measured depth to water from surface (ft)	6.4	9.62	8.28	9.69	9.82	9.6	8.83	9.52	9.86
Water elevation (MSL)	750.6	748.99	750.04	748.78	748.55	749.06	748.55	748.84	748.74
Depth to bottom of well (ft)	13.89	13.92	13.98	17.40	15.05	14.80	14.70	24.91	28.30
Volume of water in well (gal)	1.30	0.76	0.99	0.75	0.93	0.89	1.04	2.55	2.47
Volume to be purged (4x vol. in well)	5.19	3.04	3.97	3.01	3.70	3.54	4.17	10.21	9.88
Time purging begun		12:47	12:26					12:02	11:34
Time purging completed		1:08	12:45					12:22	11:53
Purged dry? (Y/N)		No	No					No	No
Time sample withdrawn		1:09	12:45					12:24	11:54
Field temperature (°C)		15.7	15.4					14.9	14.5
Field conductivity (uS)		368	160					360	406
Field pH (std. units)		6.85	7.01					7.1	6.96
ORP (mV)		-	-					-	-
DO Reading (mg/L)		1.08	3.57					0.98	1.01
Ferrous Iron (mg/L)		-	-					-	-
Color (Y/N)		No	No					No	No
Odor (Y/N)		Yes	slight					Yes	No
Turbidity (Y/N)		No	No					No	No
Sample field filtered? (Y/N)	No	No	No	No	No	No	No	No	No
Well cap and lock replaced? (Y/N)	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes

Well Specific Field Sheet (WSFS) - Monitoring Wells

Fill out one column of this form for each monitoring well which is sampled on each sampling date.

Facility Name: Shilobrit's Cleaners

Date: October 17, 2007

OMNNI Job # N1707A01

Weather Conditions: Sun/Clouds 65 F

Person(s) Sampling: Dave Fries

Sampling Equipment: Enviroline disposable bailers, Solonist 101 water level meter, peristaltic pump - micro purge, DO probe, OPP (Oakton 300 pH meter), pH/Conductivity (Oakton pH/Conductivity 10 meter)

Well Name	P3	P4	P5	P6	P7	P8	P9	P10	CMW5	CPZ1
DNR ID No.										
Pipe top elevation (MSL) Reference elev. if different	758.03	756.99	756.29	755.93	757.03	756.37	755.44	755.16	756.62	756.84
Surface Elevation	758.41	757.44	756.66	756.18	757.28	756.66	755.74	755.6		757.41
Measured depth to water (ft)	9.33	8.28	7.61	7.56	8.61	7.68	6.78	6.49	7.92	8.32
Measured depth to water from surface (ft)	9.71	8.73	7.98	7.81	8.86	7.97	7.08	6.93	-	8.89
Water elevation (MSL)	748.7	748.71	748.68	748.37	748.42	748.69	748.66	748.67	748.7	748.52
Depth to bottom of well (ft)	24.35	23.36	28.4	29.15	30.95	29.9	29.85	28.5	24.45	24.6
Volume of water in well (gal)	2.45	2.46	3.39	3.52	3.64	3.62	3.76	3.59	2.69	2.65
Volume to be purged (4x vol. in well)	9.79	9.83	13.56	14.08	14.57	14.49	15.04	14.35	10.78	10.61
Time purging begun		10:52	9:40	8:50	9:14	8:28	8:05	7:43	10:07	10:29
Time purging completed		11:12	9:59	9:09	9:34	8:48	8:24	8:03	10:27	10:47
Purged dry? (Y/N)		No	No	No	No	No	No	No	No	No
Time sample withdrawn		11:13	9:59	9:09	9:35	8:48	8:25	8:03	10:27	10:47
Field temperature (°C)		14.2	15.3	15.9	16.1	14.7	14.8	14.8	15	14.8
Field conductivity (uS)		592	385	603	637	593	660	575	826	1005
Field pH (std. units)		6.91	6.82	6.92	8.4	6.89	6.94	7.13	6.95	6.88
ORP (mV)		-	-	-	-	-	-	-	-	-
DO Reading (mg/L)		0.91	1.05	1.31	0.66	0.92	0.99	1.35	1.08	1.04
Ferrous Iron (mg/L)		-	-	-	-	-	-	-	-	-
Color (Y/N)		No	No	No	silty	No	No	No	red	No
Odor (Y/N)		No	No	No	petrol.	No	No	No	No	No
Turbidity (Y/N)		No	No	No	Yes	No	No	No	iron	No
Sample field filtered? (Y/N)	No	No	No	No	No	No	No	No	No	No
Well cap and lock replaced? (Y/N)	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes

RECEIVED

OCT 25 2007

OMNNI ASSOCIATES

Synergy Environmental Lab, INC.

1990 Prospect Ct., Appleton, WI 54914 *P 920-830-2455 * F 920-733-0631

DAVE FRIES
 OMNNI ASSOCIATES INC
 ONE SYSTEMS DRIVE
 APPLETON WI 54914-1654

Report Date 23-Oct-07

Project Name SHILOBRIT'S CLEANERS
 Project # N1707A01

Invoice # E16226

Lab Code 5016226A
 Sample ID TRIP
 Sample Matrix Water
 Sample Date 10/17/2007

	Result	Unit	LOD	LOQ	Dil	Method	Run Date	Analyst	Code
Organic									
VOC's									
Benzene	< 0.47	ug/l	0.47	1.5	1	8260B	10/22/2007	CJR	1
Bromobenzene	< 0.36	ug/l	0.36	1.1	1	8260B	10/22/2007	CJR	1
Bromodichloromethane	< 0.5	ug/l	0.5	1.6	1	8260B	10/22/2007	CJR	1
Bromoform	< 0.38	ug/l	0.38	1.2	1	8260B	10/22/2007	CJR	1
tert-Butylbenzene	< 0.34	ug/l	0.34	1.1	1	8260B	10/22/2007	CJR	1
sec-Butylbenzene	< 0.36	ug/l	0.36	1.2	1	8260B	10/22/2007	CJR	1
n-Butylbenzene	< 0.52	ug/l	0.52	1.6	1	8260B	10/22/2007	CJR	1
Carbon Tetrachloride	< 0.46	ug/l	0.46	1.5	1	8260B	10/22/2007	CJR	1
Chlorobenzene	< 0.31	ug/l	0.31	1	1	8260B	10/22/2007	CJR	1
Chloroethane	< 0.47	ug/l	0.47	1.5	1	8260B	10/22/2007	CJR	4
Chloroform	< 0.48	ug/l	0.48	1.5	1	8260B	10/22/2007	CJR	1
Chloromethane	< 1	ug/l	1	3.3	1	8260B	10/22/2007	CJR	1
2-Chlorotoluene	< 0.49	ug/l	0.49	1.6	1	8260B	10/22/2007	CJR	1
4-Chlorotoluene	< 0.38	ug/l	0.38	1.2	1	8260B	10/22/2007	CJR	1
1,2-Dibromo-3-chloropropane	< 1.4	ug/l	1.4	4.5	1	8260B	10/22/2007	CJR	3
Dibromochloromethane	< 0.32	ug/l	0.32	1	1	8260B	10/22/2007	CJR	1
1,4-Dichlorobenzene	< 0.33	ug/l	0.33	1.1	1	8260B	10/22/2007	CJR	1
1,3-Dichlorobenzene	< 0.3	ug/l	0.3	0.95	1	8260B	10/22/2007	CJR	1
1,2-Dichlorobenzene	< 0.35	ug/l	0.35	1.1	1	8260B	10/22/2007	CJR	1
Dichlorodifluoromethane	< 0.46	ug/l	0.46	1.5	1	8260B	10/22/2007	CJR	1
1,2-Dichloroethane	< 0.45	ug/l	0.45	1.4	1	8260B	10/22/2007	CJR	1
1,1-Dichloroethane	< 0.56	ug/l	0.56	1.8	1	8260B	10/22/2007	CJR	1
1,1-Dichloroethene	< 0.64	ug/l	0.64	2	1	8260B	10/22/2007	CJR	1
cis-1,2-Dichloroethene	< 0.68	ug/l	0.68	2.2	1	8260B	10/22/2007	CJR	1
trans-1,2-Dichloroethene	< 0.95	ug/l	0.95	3	1	8260B	10/22/2007	CJR	1
1,2-Dichloropropane	< 0.47	ug/l	0.47	1.5	1	8260B	10/22/2007	CJR	1
2,2-Dichloropropane	< 0.98	ug/l	0.98	3.1	1	8260B	10/22/2007	CJR	1
1,3-Dichloropropane	< 0.39	ug/l	0.39	1.3	1	8260B	10/22/2007	CJR	3
Di-isopropyl ether	< 1.3	ug/l	1.3	4.1	1	8260B	10/22/2007	CJR	1

Project Name SHILOBRIT'S CLEANERS
 Project # N1707A01

Invoice # E16226

Lab Code 5016226A
 Sample ID TRIP
 Sample Matrix Water
 Sample Date 10/17/2007

	Result	Unit	LOD	LOQ	Dil	Method	Run Date	Analyst	Code
EDB (1,2-Dibromoethane)	< 0.49	ug/l	0.49	1.5	1	8260B	10/22/2007	CJR	3
Ethylbenzene	< 0.38	ug/l	0.38	1.2	1	8260B	10/22/2007	CJR	1
Hexachlorobutadiene	< 1.5	ug/l	1.5	4.9	1	8260B	10/22/2007	CJR	1
Isopropylbenzene	< 0.48	ug/l	0.48	1.5	1	8260B	10/22/2007	CJR	1
p-Isopropyltoluene	< 0.35	ug/l	0.35	1.1	1	8260B	10/22/2007	CJR	1
Methylene chloride	< 0.69	ug/l	0.69	2.2	1	8260B	10/22/2007	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.52	ug/l	0.52	1.6	1	8260B	10/22/2007	CJR	1
Naphthalene	< 1.8	ug/l	1.8	5.6	1	8260B	10/22/2007	CJR	3
n-Propylbenzene	< 0.38	ug/l	0.38	1.2	1	8260B	10/22/2007	CJR	1
1,1,2,2-Tetrachloroethane	< 0.75	ug/l	0.75	2.4	1	8260B	10/22/2007	CJR	1
1,1,1,2-Tetrachloroethane	< 0.65	ug/l	0.65	2.1	1	8260B	10/22/2007	CJR	1
Tetrachloroethene	< 0.52	ug/l	0.52	1.6	1	8260B	10/22/2007	CJR	1
Toluene	< 0.46	ug/l	0.46	1.5	1	8260B	10/22/2007	CJR	1
1,2,4-Trichlorobenzene	< 1.5	ug/l	1.5	4.6	1	8260B	10/22/2007	CJR	1
1,2,3-Trichlorobenzene	< 1.6	ug/l	1.6	5	1	8260B	10/22/2007	CJR	1
1,1,1-Trichloroethane	< 0.5	ug/l	0.5	1.6	1	8260B	10/22/2007	CJR	1
1,1,2-Trichloroethane	< 0.5	ug/l	0.5	1.6	1	8260B	10/22/2007	CJR	1
Trichloroethene (TCE)	< 0.44	ug/l	0.44	1.4	1	8260B	10/22/2007	CJR	1
Trichlorofluoromethane	< 0.61	ug/l	0.61	1.9	1	8260B	10/22/2007	CJR	4
1,2,4-Trimethylbenzene	< 1.2	ug/l	1.2	3.8	1	8260B	10/22/2007	CJR	1
1,3,5-Trimethylbenzene	< 0.37	ug/l	0.37	1.2	1	8260B	10/22/2007	CJR	1
Vinyl Chloride	< 0.2	ug/l	0.2	0.63	1	8260B	10/22/2007	CJR	1
m&p-Xylene	< 0.67	ug/l	0.67	2.1	1	8260B	10/22/2007	CJR	1
o-Xylene	< 0.32	ug/l	0.32	1	1	8260B	10/22/2007	CJR	1

Lab Code 5016226B
 Sample ID MW2
 Sample Matrix Water
 Sample Date 10/17/2007

	Result	Unit	LOD	LOQ	Dil	Method	Run Date	Analyst	Code
Organic									
VOC's									
Benzene	< 23.5	ug/l	23.5	75	50	8260B	10/22/2007	CJR	1
Bromobenzene	< 18	ug/l	18	55	50	8260B	10/22/2007	CJR	1
Bromodichloromethane	< 25	ug/l	25	80	50	8260B	10/22/2007	CJR	1
Bromoform	< 19	ug/l	19	60	50	8260B	10/22/2007	CJR	1
tert-Butylbenzene	< 17	ug/l	17	55	50	8260B	10/22/2007	CJR	1
sec-Butylbenzene	< 18	ug/l	18	60	50	8260B	10/22/2007	CJR	1
n-Butylbenzene	< 26	ug/l	26	80	50	8260B	10/22/2007	CJR	1
Carbon Tetrachloride	< 23	ug/l	23	75	50	8260B	10/22/2007	CJR	1
Chlorobenzene	< 15.5	ug/l	15.5	50	50	8260B	10/22/2007	CJR	1
Chloroethane	< 23.5	ug/l	23.5	75	50	8260B	10/22/2007	CJR	4
Chloroform	< 24	ug/l	24	75	50	8260B	10/22/2007	CJR	1
Chloromethane	< 50	ug/l	50	165	50	8260B	10/22/2007	CJR	1
2-Chlorotoluene	< 24.5	ug/l	24.5	80	50	8260B	10/22/2007	CJR	1
4-Chlorotoluene	< 19	ug/l	19	60	50	8260B	10/22/2007	CJR	1
1,2-Dibromo-3-chloropropane	< 70	ug/l	70	225	50	8260B	10/22/2007	CJR	3
Dibromochloromethane	< 16	ug/l	16	50	50	8260B	10/22/2007	CJR	1
1,4-Dichlorobenzene	< 16.5	ug/l	16.5	55	50	8260B	10/22/2007	CJR	1
1,3-Dichlorobenzene	< 15	ug/l	15	47.5	50	8260B	10/22/2007	CJR	1
1,2-Dichlorobenzene	< 17.5	ug/l	17.5	55	50	8260B	10/22/2007	CJR	1
Dichlorodifluoromethane	< 23	ug/l	23	75	50	8260B	10/22/2007	CJR	1

Project Name SHILOBRIT'S CLEANERS
 Project # N1707A01

Invoice # E16226

Lab Code 5016226B
 Sample ID MW2
 Sample Matrix Water
 Sample Date 10/17/2007

	Result	Unit	LOD	LOQ	Dil	Method	Run Date	Analyst	Code
1,2-Dichloroethane	< 22.5	ug/l	22.5	70	50	8260B	10/22/2007	CJR	1
1,1-Dichloroethane	< 28	ug/l	28	90	50	8260B	10/22/2007	CJR	1
1,1-Dichloroethene	< 32	ug/l	32	100	50	8260B	10/22/2007	CJR	1
cis-1,2-Dichloroethene	< 34	ug/l	34	110	50	8260B	10/22/2007	CJR	1
trans-1,2-Dichloroethene	< 47.5	ug/l	47.5	150	50	8260B	10/22/2007	CJR	1
1,2-Dichloropropane	< 23.5	ug/l	23.5	75	50	8260B	10/22/2007	CJR	1
2,2-Dichloropropane	< 49	ug/l	49	155	50	8260B	10/22/2007	CJR	1
1,3-Dichloropropane	< 19.5	ug/l	19.5	65	50	8260B	10/22/2007	CJR	3
Di-isopropyl ether	< 65	ug/l	65	205	50	8260B	10/22/2007	CJR	1
EDB (1,2-Dibromoethane)	< 24.5	ug/l	24.5	75	50	8260B	10/22/2007	CJR	3
Ethylbenzene	< 19	ug/l	19	60	50	8260B	10/22/2007	CJR	1
Hexachlorobutadiene	< 75	ug/l	75	245	50	8260B	10/22/2007	CJR	1
Isopropylbenzene	< 24	ug/l	24	75	50	8260B	10/22/2007	CJR	1
p-Isopropyltoluene	< 17.5	ug/l	17.5	55	50	8260B	10/22/2007	CJR	1
Methylene chloride	< 34.5	ug/l	34.5	110	50	8260B	10/22/2007	CJR	1
Methyl tert-butyl ether (MTBE)	< 26	ug/l	26	80	50	8260B	10/22/2007	CJR	1
Naphthalene	< 90	ug/l	90	280	50	8260B	10/22/2007	CJR	3
n-Propylbenzene	< 19	ug/l	19	60	50	8260B	10/22/2007	CJR	1
1,1,2,2-Tetrachloroethane	< 37.5	ug/l	37.5	120	50	8260B	10/22/2007	CJR	1
1,1,1,2-Tetrachloroethane	< 32.5	ug/l	32.5	105	50	8260B	10/22/2007	CJR	1
Tetrachloroethene	2880	ug/l	26	80	50	8260B	10/22/2007	CJR	1
Toluene	< 23	ug/l	23	75	50	8260B	10/22/2007	CJR	1
1,2,4-Trichlorobenzene	< 75	ug/l	75	230	50	8260B	10/22/2007	CJR	1
1,2,3-Trichlorobenzene	< 80	ug/l	80	250	50	8260B	10/22/2007	CJR	1
1,1,1-Trichloroethane	< 25	ug/l	25	80	50	8260B	10/22/2007	CJR	1
1,1,2-Trichloroethane	< 25	ug/l	25	80	50	8260B	10/22/2007	CJR	1
Trichloroethene (TCE)	84	ug/l	22	70	50	8260B	10/22/2007	CJR	1
Trichlorofluoromethane	< 30.5	ug/l	30.5	95	50	8260B	10/22/2007	CJR	4
1,2,4-Trimethylbenzene	< 60	ug/l	60	190	50	8260B	10/22/2007	CJR	1
1,3,5-Trimethylbenzene	< 18.5	ug/l	18.5	60	50	8260B	10/22/2007	CJR	1
Vinyl Chloride	< 10	ug/l	10	31.5	50	8260B	10/22/2007	CJR	1
m&p-Xylene	< 33.5	ug/l	33.5	105	50	8260B	10/22/2007	CJR	1
o-Xylene	< 16	ug/l	16	50	50	8260B	10/22/2007	CJR	1

Lab Code 5016226C
 Sample ID MW3
 Sample Matrix Water
 Sample Date 10/17/2007

	Result	Unit	LOD	LOQ	Dil	Method	Run Date	Analyst	Code
Organic									
VOC's									
Benzene	< 0.47	ug/l	0.47	1.5	1	8260B	10/22/2007	CJR	1
Bromobenzene	< 0.36	ug/l	0.36	1.1	1	8260B	10/22/2007	CJR	1
Bromodichloromethane	< 0.5	ug/l	0.5	1.6	1	8260B	10/22/2007	CJR	1
Bromoform	< 0.38	ug/l	0.38	1.2	1	8260B	10/22/2007	CJR	1
tert-Butylbenzene	< 0.34	ug/l	0.34	1.1	1	8260B	10/22/2007	CJR	1
sec-Butylbenzene	< 0.36	ug/l	0.36	1.2	1	8260B	10/22/2007	CJR	1
n-Butylbenzene	< 0.52	ug/l	0.52	1.6	1	8260B	10/22/2007	CJR	1
Carbon Tetrachloride	< 0.46	ug/l	0.46	1.5	1	8260B	10/22/2007	CJR	1
Chlorobenzene	< 0.31	ug/l	0.31	1	1	8260B	10/22/2007	CJR	1
Chloroethane	< 0.47	ug/l	0.47	1.5	1	8260B	10/22/2007	CJR	4
Chloroform	< 0.48	ug/l	0.48	1.5	1	8260B	10/22/2007	CJR	1

Project Name SHILOBRIT'S CLEANERS
Project # N1707A01

Invoice # E16226

Lab Code 5016226C
Sample ID MW3
Sample Matrix Water
Sample Date 10/17/2007

	Result	Unit	LOD	LOQ	Dil	Method	Run Date	Analyst	Code
Chloromethane	< 1	ug/l	1	3.3	1	8260B	10/22/2007	CJR	1
2-Chlorotoluene	< 0.49	ug/l	0.49	1.6	1	8260B	10/22/2007	CJR	1
4-Chlorotoluene	< 0.38	ug/l	0.38	1.2	1	8260B	10/22/2007	CJR	1
1,2-Dibromo-3-chloropropane	< 1.4	ug/l	1.4	4.5	1	8260B	10/22/2007	CJR	3
Dibromochloromethane	< 0.32	ug/l	0.32	1	1	8260B	10/22/2007	CJR	1
1,4-Dichlorobenzene	< 0.33	ug/l	0.33	1.1	1	8260B	10/22/2007	CJR	1
1,3-Dichlorobenzene	< 0.3	ug/l	0.3	0.95	1	8260B	10/22/2007	CJR	1
1,2-Dichlorobenzene	< 0.35	ug/l	0.35	1.1	1	8260B	10/22/2007	CJR	1
Dichlorodifluoromethane	< 0.46	ug/l	0.46	1.5	1	8260B	10/22/2007	CJR	1
1,2-Dichloroethane	< 0.45	ug/l	0.45	1.4	1	8260B	10/22/2007	CJR	1
1,1-Dichloroethane	< 0.56	ug/l	0.56	1.8	1	8260B	10/22/2007	CJR	1
1,1-Dichloroethene	< 0.64	ug/l	0.64	2	1	8260B	10/22/2007	CJR	1
cis-1,2-Dichloroethene	< 0.68	ug/l	0.68	2.2	1	8260B	10/22/2007	CJR	1
trans-1,2-Dichloroethene	< 0.95	ug/l	0.95	3	1	8260B	10/22/2007	CJR	1
1,2-Dichloropropane	< 0.47	ug/l	0.47	1.5	1	8260B	10/22/2007	CJR	1
2,2-Dichloropropane	< 0.98	ug/l	0.98	3.1	1	8260B	10/22/2007	CJR	1
1,3-Dichloropropane	< 0.39	ug/l	0.39	1.3	1	8260B	10/22/2007	CJR	3
Di-isopropyl ether	< 1.3	ug/l	1.3	4.1	1	8260B	10/22/2007	CJR	1
EDB (1,2-Dibromoethane)	< 0.49	ug/l	0.49	1.5	1	8260B	10/22/2007	CJR	3
Ethylbenzene	< 0.38	ug/l	0.38	1.2	1	8260B	10/22/2007	CJR	1
Hexachlorobutadiene	< 1.5	ug/l	1.5	4.9	1	8260B	10/22/2007	CJR	1
Isopropylbenzene	< 0.48	ug/l	0.48	1.5	1	8260B	10/22/2007	CJR	1
p-Isopropyltoluene	< 0.35	ug/l	0.35	1.1	1	8260B	10/22/2007	CJR	1
Methylene chloride	< 0.69	ug/l	0.69	2.2	1	8260B	10/22/2007	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.52	ug/l	0.52	1.6	1	8260B	10/22/2007	CJR	1
Naphthalene	< 1.8	ug/l	1.8	5.6	1	8260B	10/22/2007	CJR	3
n-Propylbenzene	< 0.38	ug/l	0.38	1.2	1	8260B	10/22/2007	CJR	1
1,1,2,2-Tetrachloroethane	< 0.75	ug/l	0.75	2.4	1	8260B	10/22/2007	CJR	1
1,1,1,2-Tetrachloroethane	< 0.65	ug/l	0.65	2.1	1	8260B	10/22/2007	CJR	1
Tetrachloroethene	0.83 "J"	ug/l	0.52	1.6	1	8260B	10/22/2007	CJR	1
Toluene	< 0.46	ug/l	0.46	1.5	1	8260B	10/22/2007	CJR	1
1,2,4-Trichlorobenzene	< 1.5	ug/l	1.5	4.6	1	8260B	10/22/2007	CJR	1
1,2,3-Trichlorobenzene	< 1.6	ug/l	1.6	5	1	8260B	10/22/2007	CJR	1
1,1,1-Trichloroethane	< 0.5	ug/l	0.5	1.6	1	8260B	10/22/2007	CJR	1
1,1,2-Trichloroethane	< 0.5	ug/l	0.5	1.6	1	8260B	10/22/2007	CJR	1
Trichloroethene (TCE)	< 0.44	ug/l	0.44	1.4	1	8260B	10/22/2007	CJR	1
Trichlorofluoromethane	< 0.61	ug/l	0.61	1.9	1	8260B	10/22/2007	CJR	4
1,2,4-Trimethylbenzene	< 1.2	ug/l	1.2	3.8	1	8260B	10/22/2007	CJR	1
1,3,5-Trimethylbenzene	< 0.37	ug/l	0.37	1.2	1	8260B	10/22/2007	CJR	1
Vinyl Chloride	< 0.2	ug/l	0.2	0.63	1	8260B	10/22/2007	CJR	1
m&p-Xylene	< 0.67	ug/l	0.67	2.1	1	8260B	10/22/2007	CJR	1
o-Xylene	< 0.32	ug/l	0.32	1	1	8260B	10/22/2007	CJR	1

Lab Code 5016226D
Sample ID P1
Sample Matrix Water
Sample Date 10/17/2007

	Result	Unit	LOD	LOQ	Dil	Method	Run Date	Analyst	Code
Organic									
VOC's									
Benzene	< 4.7	ug/l	4.7	15	10	8260B	10/22/2007	CJR	1
Bromobenzene	< 3.6	ug/l	3.6	11	10	8260B	10/22/2007	CJR	1

Project Name SHILOBRIT'S CLEANERS
 Project # N1707A01

Invoice # E16226

Lab Code 5016226D
 Sample ID P1
 Sample Matrix Water
 Sample Date 10/17/2007

	Result	Unit	LOD	LOQ	Dil	Method	Run Date	Analyst	Code
Bromodichloromethane	< 5	ug/l	5	16	10	8260B	10/22/2007	CJR	1
Bromoform	< 3.8	ug/l	3.8	12	10	8260B	10/22/2007	CJR	1
tert-Butylbenzene	< 3.4	ug/l	3.4	11	10	8260B	10/22/2007	CJR	1
sec-Butylbenzene	< 3.6	ug/l	3.6	12	10	8260B	10/22/2007	CJR	1
n-Butylbenzene	< 5.2	ug/l	5.2	16	10	8260B	10/22/2007	CJR	1
Carbon Tetrachloride	< 4.6	ug/l	4.6	15	10	8260B	10/22/2007	CJR	1
Chlorobenzene	< 3.1	ug/l	3.1	10	10	8260B	10/22/2007	CJR	1
Chloroethane	< 4.7	ug/l	4.7	15	10	8260B	10/22/2007	CJR	4
Chloroform	< 4.8	ug/l	4.8	15	10	8260B	10/22/2007	CJR	1
Chloromethane	< 10	ug/l	10	33	10	8260B	10/22/2007	CJR	1
2-Chlorotoluene	< 4.9	ug/l	4.9	16	10	8260B	10/22/2007	CJR	1
4-Chlorotoluene	< 3.8	ug/l	3.8	12	10	8260B	10/22/2007	CJR	1
1,2-Dibromo-3-chloropropane	< 14	ug/l	14	45	10	8260B	10/22/2007	CJR	3
Dibromochloromethane	< 3.2	ug/l	3.2	10	10	8260B	10/22/2007	CJR	1
1,4-Dichlorobenzene	< 3.3	ug/l	3.3	11	10	8260B	10/22/2007	CJR	1
1,3-Dichlorobenzene	< 3	ug/l	3	9.5	10	8260B	10/22/2007	CJR	1
1,2-Dichlorobenzene	< 3.5	ug/l	3.5	11	10	8260B	10/22/2007	CJR	1
Dichlorodifluoromethane	< 4.6	ug/l	4.6	15	10	8260B	10/22/2007	CJR	1
1,2-Dichloroethane	< 4.5	ug/l	4.5	14	10	8260B	10/22/2007	CJR	1
1,1-Dichloroethane	< 5.6	ug/l	5.6	18	10	8260B	10/22/2007	CJR	1
1,1-Dichloroethene	< 6.4	ug/l	6.4	20	10	8260B	10/22/2007	CJR	1
cis-1,2-Dichloroethene	< 6.8	ug/l	6.8	22	10	8260B	10/22/2007	CJR	1
trans-1,2-Dichloroethene	< 9.5	ug/l	9.5	30	10	8260B	10/22/2007	CJR	1
1,2-Dichloropropane	< 4.7	ug/l	4.7	15	10	8260B	10/22/2007	CJR	1
2,2-Dichloropropane	< 9.8	ug/l	9.8	31	10	8260B	10/22/2007	CJR	1
1,3-Dichloropropane	< 3.9	ug/l	3.9	13	10	8260B	10/22/2007	CJR	3
Di-isopropyl ether	< 13	ug/l	13	41	10	8260B	10/22/2007	CJR	1
EDB (1,2-Dibromoethane)	< 4.9	ug/l	4.9	15	10	8260B	10/22/2007	CJR	3
Ethylbenzene	< 3.8	ug/l	3.8	12	10	8260B	10/22/2007	CJR	1
Hexachlorobutadiene	< 15	ug/l	15	49	10	8260B	10/22/2007	CJR	1
Isopropylbenzene	< 4.8	ug/l	4.8	15	10	8260B	10/22/2007	CJR	1
p-Isopropyltoluene	< 3.5	ug/l	3.5	11	10	8260B	10/22/2007	CJR	1
Methylene chloride	< 6.9	ug/l	6.9	22	10	8260B	10/22/2007	CJR	1
Methyl tert-butyl ether (MTBE)	< 5.2	ug/l	5.2	16	10	8260B	10/22/2007	CJR	1
Naphthalene	< 18	ug/l	18	56	10	8260B	10/22/2007	CJR	3
n-Propylbenzene	< 3.8	ug/l	3.8	12	10	8260B	10/22/2007	CJR	1
1,1,2,2-Tetrachloroethane	< 7.5	ug/l	7.5	24	10	8260B	10/22/2007	CJR	1
1,1,1,2-Tetrachloroethane	< 6.5	ug/l	6.5	21	10	8260B	10/22/2007	CJR	1
Tetrachloroethene	58	ug/l	5.2	16	10	8260B	10/22/2007	CJR	1
Toluene	< 4.6	ug/l	4.6	15	10	8260B	10/22/2007	CJR	1
1,2,4-Trichlorobenzene	< 15	ug/l	15	46	10	8260B	10/22/2007	CJR	1
1,2,3-Trichlorobenzene	< 16	ug/l	16	50	10	8260B	10/22/2007	CJR	1
1,1,1-Trichloroethane	< 5	ug/l	5	16	10	8260B	10/22/2007	CJR	1
1,1,2-Trichloroethane	< 5	ug/l	5	16	10	8260B	10/22/2007	CJR	1
Trichloroethene (TCE)	< 4.4	ug/l	4.4	14	10	8260B	10/22/2007	CJR	1
Trichlorofluoromethane	< 6.1	ug/l	6.1	19	10	8260B	10/22/2007	CJR	4
1,2,4-Trimethylbenzene	< 12	ug/l	12	38	10	8260B	10/22/2007	CJR	1
1,3,5-Trimethylbenzene	< 3.7	ug/l	3.7	12	10	8260B	10/22/2007	CJR	1
Vinyl Chloride	< 2	ug/l	2	6.3	10	8260B	10/22/2007	CJR	1
m&p-Xylene	< 6.7	ug/l	6.7	21	10	8260B	10/22/2007	CJR	1
o-Xylene	< 3.2	ug/l	3.2	10	10	8260B	10/22/2007	CJR	1

Project Name SHILOBRIT'S CLEANERS
 Project # N1707A01

Invoice # E16226

Lab Code 5016226E
 Sample ID P2
 Sample Matrix Water
 Sample Date 10/17/2007

	Result	Unit	LOD	LOQ	Dil	Method	Run Date	Analyst	Code
Organic									
VOC's									
Benzene	< 0.47	ug/l	0.47	1.5	1	8260B	10/23/2007	CJR	1
Bromobenzene	< 0.36	ug/l	0.36	1.1	1	8260B	10/23/2007	CJR	1
Bromodichloromethane	< 0.5	ug/l	0.5	1.6	1	8260B	10/23/2007	CJR	1
Bromoform	< 0.38	ug/l	0.38	1.2	1	8260B	10/23/2007	CJR	1
tert-Butylbenzene	< 0.34	ug/l	0.34	1.1	1	8260B	10/23/2007	CJR	1
sec-Butylbenzene	< 0.36	ug/l	0.36	1.2	1	8260B	10/23/2007	CJR	1
n-Butylbenzene	< 0.52	ug/l	0.52	1.6	1	8260B	10/23/2007	CJR	1
Carbon Tetrachloride	< 0.46	ug/l	0.46	1.5	1	8260B	10/23/2007	CJR	1
Chlorobenzene	< 0.31	ug/l	0.31	1	1	8260B	10/23/2007	CJR	1
Chloroethane	< 0.47	ug/l	0.47	1.5	1	8260B	10/23/2007	CJR	4
Chloroform	< 0.48	ug/l	0.48	1.5	1	8260B	10/23/2007	CJR	1
Chloromethane	< 1	ug/l	1	3.3	1	8260B	10/23/2007	CJR	1
2-Chlorotoluene	< 0.49	ug/l	0.49	1.6	1	8260B	10/23/2007	CJR	1
4-Chlorotoluene	< 0.38	ug/l	0.38	1.2	1	8260B	10/23/2007	CJR	1
1,2-Dibromo-3-chloropropane	< 1.4	ug/l	1.4	4.5	1	8260B	10/23/2007	CJR	3
Dibromochloromethane	< 0.32	ug/l	0.32	1	1	8260B	10/23/2007	CJR	1
1,4-Dichlorobenzene	< 0.33	ug/l	0.33	1.1	1	8260B	10/23/2007	CJR	1
1,3-Dichlorobenzene	< 0.3	ug/l	0.3	0.95	1	8260B	10/23/2007	CJR	1
1,2-Dichlorobenzene	< 0.35	ug/l	0.35	1.1	1	8260B	10/23/2007	CJR	1
Dichlorodifluoromethane	< 0.46	ug/l	0.46	1.5	1	8260B	10/23/2007	CJR	1
1,2-Dichloroethane	< 0.45	ug/l	0.45	1.4	1	8260B	10/23/2007	CJR	1
1,1-Dichloroethane	< 0.56	ug/l	0.56	1.8	1	8260B	10/23/2007	CJR	1
1,1-Dichloroethene	< 0.64	ug/l	0.64	2	1	8260B	10/23/2007	CJR	1
cis-1,2-Dichloroethene	1.72 "J"	ug/l	0.68	2.2	1	8260B	10/23/2007	CJR	1
trans-1,2-Dichloroethene	< 0.95	ug/l	0.95	3	1	8260B	10/23/2007	CJR	1
1,2-Dichloropropane	< 0.47	ug/l	0.47	1.5	1	8260B	10/23/2007	CJR	1
2,2-Dichloropropane	< 0.98	ug/l	0.98	3.1	1	8260B	10/23/2007	CJR	1
1,3-Dichloropropane	< 0.39	ug/l	0.39	1.3	1	8260B	10/23/2007	CJR	3
Di-isopropyl ether	< 1.3	ug/l	1.3	4.1	1	8260B	10/23/2007	CJR	1
EDB (1,2-Dibromoethane)	< 0.49	ug/l	0.49	1.5	1	8260B	10/23/2007	CJR	3
Ethylbenzene	< 0.38	ug/l	0.38	1.2	1	8260B	10/23/2007	CJR	1
Hexachlorobutadiene	< 1.5	ug/l	1.5	4.9	1	8260B	10/23/2007	CJR	1
Isopropylbenzene	< 0.48	ug/l	0.48	1.5	1	8260B	10/23/2007	CJR	1
p-Isopropyltoluene	< 0.35	ug/l	0.35	1.1	1	8260B	10/23/2007	CJR	1
Methylene chloride	< 0.69	ug/l	0.69	2.2	1	8260B	10/23/2007	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.52	ug/l	0.52	1.6	1	8260B	10/23/2007	CJR	1
Naphthalene	< 1.8	ug/l	1.8	5.6	1	8260B	10/23/2007	CJR	3
n-Propylbenzene	< 0.38	ug/l	0.38	1.2	1	8260B	10/23/2007	CJR	1
1,1,2,2-Tetrachloroethane	< 0.75	ug/l	0.75	2.4	1	8260B	10/23/2007	CJR	1
1,1,1,2-Tetrachloroethane	< 0.65	ug/l	0.65	2.1	1	8260B	10/23/2007	CJR	1
Tetrachloroethene	165	ug/l	0.52	1.6	1	8260B	10/23/2007	CJR	1
Toluene	< 0.46	ug/l	0.46	1.5	1	8260B	10/23/2007	CJR	1
1,2,4-Trichlorobenzene	< 1.5	ug/l	1.5	4.6	1	8260B	10/23/2007	CJR	1
1,2,3-Trichlorobenzene	< 1.6	ug/l	1.6	5	1	8260B	10/23/2007	CJR	1
1,1,1-Trichloroethane	< 0.5	ug/l	0.5	1.6	1	8260B	10/23/2007	CJR	1
1,1,2-Trichloroethane	< 0.5	ug/l	0.5	1.6	1	8260B	10/23/2007	CJR	1
Trichloroethene (TCE)	24.5	ug/l	0.44	1.4	1	8260B	10/23/2007	CJR	1
Trichlorofluoromethane	< 0.61	ug/l	0.61	1.9	1	8260B	10/23/2007	CJR	4
1,2,4-Trimethylbenzene	< 1.2	ug/l	1.2	3.8	1	8260B	10/23/2007	CJR	1
1,3,5-Trimethylbenzene	< 0.37	ug/l	0.37	1.2	1	8260B	10/23/2007	CJR	1

Project Name SHILOBRIT'S CLEANERS
 Project # N1707A01

Invoice # E16226

Lab Code 5016226H
 Sample ID P6
 Sample Matrix Water
 Sample Date 10/17/2007

	Result	Unit	LOD	LOQ	Dil	Method	Run Date	Analyst	Code
cis-1,2-Dichloroethene	49	ug/l	0.68	2.2	1	8260B	10/23/2007	CJR	1
trans-1,2-Dichloroethene	< 0.95	ug/l	0.95	3	1	8260B	10/23/2007	CJR	1
1,2-Dichloropropane	< 0.47	ug/l	0.47	1.5	1	8260B	10/23/2007	CJR	1
2,2-Dichloropropane	< 0.98	ug/l	0.98	3.1	1	8260B	10/23/2007	CJR	1
1,3-Dichloropropane	< 0.39	ug/l	0.39	1.3	1	8260B	10/23/2007	CJR	3
Di-isopropyl ether	< 1.3	ug/l	1.3	4.1	1	8260B	10/23/2007	CJR	1
EDB (1,2-Dibromoethane)	< 0.49	ug/l	0.49	1.5	1	8260B	10/23/2007	CJR	3
Ethylbenzene	< 0.38	ug/l	0.38	1.2	1	8260B	10/23/2007	CJR	1
Hexachlorobutadiene	< 1.5	ug/l	1.5	4.9	1	8260B	10/23/2007	CJR	1
Isopropylbenzene	< 0.48	ug/l	0.48	1.5	1	8260B	10/23/2007	CJR	1
p-Isopropyltoluene	< 0.35	ug/l	0.35	1.1	1	8260B	10/23/2007	CJR	1
Methylene chloride	< 0.69	ug/l	0.69	2.2	1	8260B	10/23/2007	CJR	1
Methyl tert-butyl ether (MTBE)	1.65	ug/l	0.52	1.6	1	8260B	10/23/2007	CJR	1
Naphthalene	< 1.8	ug/l	1.8	5.6	1	8260B	10/23/2007	CJR	3
n-Propylbenzene	< 0.38	ug/l	0.38	1.2	1	8260B	10/23/2007	CJR	1
1,1,2,2-Tetrachloroethane	< 0.75	ug/l	0.75	2.4	1	8260B	10/23/2007	CJR	1
1,1,1,2-Tetrachloroethane	< 0.65	ug/l	0.65	2.1	1	8260B	10/23/2007	CJR	1
Tetrachloroethene	0.95 "J"	ug/l	0.52	1.6	1	8260B	10/23/2007	CJR	1
Toluene	< 0.46	ug/l	0.46	1.5	1	8260B	10/23/2007	CJR	1
1,2,4-Trichlorobenzene	< 1.5	ug/l	1.5	4.6	1	8260B	10/23/2007	CJR	1
1,2,3-Trichlorobenzene	< 1.6	ug/l	1.6	5	1	8260B	10/23/2007	CJR	1
1,1,1-Trichloroethane	< 0.5	ug/l	0.5	1.6	1	8260B	10/23/2007	CJR	1
1,1,2-Trichloroethane	< 0.5	ug/l	0.5	1.6	1	8260B	10/23/2007	CJR	1
Trichloroethene (TCE)	1.46	ug/l	0.44	1.4	1	8260B	10/23/2007	CJR	1
Trichlorofluoromethane	< 0.61	ug/l	0.61	1.9	1	8260B	10/23/2007	CJR	4
1,2,4-Trimethylbenzene	< 1.2	ug/l	1.2	3.8	1	8260B	10/23/2007	CJR	1
1,3,5-Trimethylbenzene	< 0.37	ug/l	0.37	1.2	1	8260B	10/23/2007	CJR	1
Vinyl Chloride	2.08	ug/l	0.2	0.63	1	8260B	10/23/2007	CJR	1
m&p-Xylene	< 0.67	ug/l	0.67	2.1	1	8260B	10/23/2007	CJR	1
o-Xylene	< 0.32	ug/l	0.32	1	1	8260B	10/23/2007	CJR	1

Lab Code 5016226I
 Sample ID P7
 Sample Matrix Water
 Sample Date 10/17/2007

	Result	Unit	LOD	LOQ	Dil	Method	Run Date	Analyst	Code
Organic									
VOC's									
Benzene	24.5	ug/l	0.47	1.5	1	8260B	10/22/2007	CJR	1
Bromobenzene	< 0.36	ug/l	0.36	1.1	1	8260B	10/22/2007	CJR	1
Bromodichloromethane	< 0.5	ug/l	0.5	1.6	1	8260B	10/22/2007	CJR	1
Bromoform	< 0.38	ug/l	0.38	1.2	1	8260B	10/22/2007	CJR	1
tert-Butylbenzene	< 0.34	ug/l	0.34	1.1	1	8260B	10/22/2007	CJR	1
sec-Butylbenzene	< 0.36	ug/l	0.36	1.2	1	8260B	10/22/2007	CJR	1
n-Butylbenzene	< 0.52	ug/l	0.52	1.6	1	8260B	10/22/2007	CJR	1
Carbon Tetrachloride	< 0.46	ug/l	0.46	1.5	1	8260B	10/22/2007	CJR	1
Chlorobenzene	< 0.31	ug/l	0.31	1	1	8260B	10/22/2007	CJR	1
Chloroethane	< 0.47	ug/l	0.47	1.5	1	8260B	10/22/2007	CJR	4
Chloroform	< 0.48	ug/l	0.48	1.5	1	8260B	10/22/2007	CJR	1
Chloromethane	< 1	ug/l	1	3.3	1	8260B	10/22/2007	CJR	1
2-Chlorotoluene	< 0.49	ug/l	0.49	1.6	1	8260B	10/22/2007	CJR	1
4-Chlorotoluene	< 0.38	ug/l	0.38	1.2	1	8260B	10/22/2007	CJR	1

Project Name SHILOBRIT'S CLEANERS
 Project # N1707A01

Invoice # E16226

Lab Code 5016226I
 Sample ID P7
 Sample Matrix Water
 Sample Date 10/17/2007

	Result	Unit	LOD	LOQ	Dil	Method	Run Date	Analyst	Code
1,2-Dibromo-3-chloropropane	< 1.4	ug/l	1.4	4.5	1	8260B	10/22/2007	CJR	3
Dibromochloromethane	< 0.32	ug/l	0.32	1	1	8260B	10/22/2007	CJR	1
1,4-Dichlorobenzene	< 0.33	ug/l	0.33	1.1	1	8260B	10/22/2007	CJR	1
1,3-Dichlorobenzene	< 0.3	ug/l	0.3	0.95	1	8260B	10/22/2007	CJR	1
1,2-Dichlorobenzene	< 0.35	ug/l	0.35	1.1	1	8260B	10/22/2007	CJR	1
Dichlorodifluoromethane	< 0.46	ug/l	0.46	1.5	1	8260B	10/22/2007	CJR	1
1,2-Dichloroethane	< 0.45	ug/l	0.45	1.4	1	8260B	10/22/2007	CJR	1
1,1-Dichloroethane	< 0.56	ug/l	0.56	1.8	1	8260B	10/22/2007	CJR	1
1,1-Dichloroethene	< 0.64	ug/l	0.64	2	1	8260B	10/22/2007	CJR	1
cis-1,2-Dichloroethene	5.2	ug/l	0.68	2.2	1	8260B	10/22/2007	CJR	1
trans-1,2-Dichloroethene	< 0.95	ug/l	0.95	3	1	8260B	10/22/2007	CJR	1
1,2-Dichloropropane	< 0.47	ug/l	0.47	1.5	1	8260B	10/22/2007	CJR	1
2,2-Dichloropropane	< 0.98	ug/l	0.98	3.1	1	8260B	10/22/2007	CJR	1
1,3-Dichloropropane	< 0.39	ug/l	0.39	1.3	1	8260B	10/22/2007	CJR	3
Di-isopropyl ether	< 1.3	ug/l	1.3	4.1	1	8260B	10/22/2007	CJR	1
EDB (1,2-Dibromoethane)	< 0.49	ug/l	0.49	1.5	1	8260B	10/22/2007	CJR	3
Ethylbenzene	< 0.38	ug/l	0.38	1.2	1	8260B	10/22/2007	CJR	1
Hexachlorobutadiene	< 1.5	ug/l	1.5	4.9	1	8260B	10/22/2007	CJR	1
Isopropylbenzene	0.58 "J"	ug/l	0.48	1.5	1	8260B	10/22/2007	CJR	1
p-Isopropyltoluene	< 0.35	ug/l	0.35	1.1	1	8260B	10/22/2007	CJR	1
Methylene chloride	< 0.69	ug/l	0.69	2.2	1	8260B	10/22/2007	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.52	ug/l	0.52	1.6	1	8260B	10/22/2007	CJR	1
Naphthalene	< 1.8	ug/l	1.8	5.6	1	8260B	10/22/2007	CJR	3
n-Propylbenzene	< 0.38	ug/l	0.38	1.2	1	8260B	10/22/2007	CJR	1
1,1,2,2-Tetrachloroethane	< 0.75	ug/l	0.75	2.4	1	8260B	10/22/2007	CJR	1
1,1,1,2-Tetrachloroethane	< 0.65	ug/l	0.65	2.1	1	8260B	10/22/2007	CJR	1
Tetrachloroethene	2.55	ug/l	0.52	1.6	1	8260B	10/22/2007	CJR	1
Toluene	< 0.46	ug/l	0.46	1.5	1	8260B	10/22/2007	CJR	1
1,2,4-Trichlorobenzene	< 1.5	ug/l	1.5	4.6	1	8260B	10/22/2007	CJR	1
1,2,3-Trichlorobenzene	< 1.6	ug/l	1.6	5	1	8260B	10/22/2007	CJR	1
1,1,1-Trichloroethane	< 0.5	ug/l	0.5	1.6	1	8260B	10/22/2007	CJR	1
1,1,2-Trichloroethane	< 0.5	ug/l	0.5	1.6	1	8260B	10/22/2007	CJR	1
Trichloroethene (TCE)	1.34 "J"	ug/l	0.44	1.4	1	8260B	10/22/2007	CJR	1
Trichlorofluoromethane	< 0.61	ug/l	0.61	1.9	1	8260B	10/22/2007	CJR	4
1,2,4-Trimethylbenzene	< 1.2	ug/l	1.2	3.8	1	8260B	10/22/2007	CJR	1
1,3,5-Trimethylbenzene	< 0.37	ug/l	0.37	1.2	1	8260B	10/22/2007	CJR	1
Vinyl Chloride	< 0.2	ug/l	0.2	0.63	1	8260B	10/22/2007	CJR	1
m&p-Xylene	< 0.67	ug/l	0.67	2.1	1	8260B	10/22/2007	CJR	1
o-Xylene	< 0.32	ug/l	0.32	1	1	8260B	10/22/2007	CJR	1

Lab Code 5016226J
 Sample ID P8
 Sample Matrix Water
 Sample Date 10/17/2007

	Result	Unit	LOD	LOQ	Dil	Method	Run Date	Analyst	Code
Organic									
VOC's									
Benzene	0.97 "J"	ug/l	0.47	1.5	1	8260B	10/23/2007	CJR	1
Bromobenzene	< 0.36	ug/l	0.36	1.1	1	8260B	10/23/2007	CJR	1
Bromodichloromethane	< 0.5	ug/l	0.5	1.6	1	8260B	10/23/2007	CJR	1
Bromoform	< 0.38	ug/l	0.38	1.2	1	8260B	10/23/2007	CJR	1
tert-Butylbenzene	< 0.34	ug/l	0.34	1.1	1	8260B	10/23/2007	CJR	1

Project # N1707A01

Lab Code 5016226J

Sample ID P8

Sample Matrix Water

Sample Date 10/17/2007

	Result	Unit	LOD	LOQ	Dil	Method	Run Date	Analyst	Code
sec-Butylbenzene	< 0.36	ug/l	0.36	1.2	1	8260B	10/23/2007	CJR	1
n-Butylbenzene	< 0.52	ug/l	0.52	1.6	1	8260B	10/23/2007	CJR	1
Carbon Tetrachloride	< 0.46	ug/l	0.46	1.5	1	8260B	10/23/2007	CJR	1
Chlorobenzene	< 0.31	ug/l	0.31	1	1	8260B	10/23/2007	CJR	1
Chloroethane	< 0.47	ug/l	0.47	1.5	1	8260B	10/23/2007	CJR	4
Chloroform	< 0.48	ug/l	0.48	1.5	1	8260B	10/23/2007	CJR	1
Chloromethane	< 1	ug/l	1	3.3	1	8260B	10/23/2007	CJR	1
2-Chlorotoluene	< 0.49	ug/l	0.49	1.6	1	8260B	10/23/2007	CJR	1
4-Chlorotoluene	< 0.38	ug/l	0.38	1.2	1	8260B	10/23/2007	CJR	1
1,2-Dibromo-3-chloropropane	< 1.4	ug/l	1.4	4.5	1	8260B	10/23/2007	CJR	3
Dibromochloromethane	< 0.32	ug/l	0.32	1	1	8260B	10/23/2007	CJR	1
1,4-Dichlorobenzene	< 0.33	ug/l	0.33	1.1	1	8260B	10/23/2007	CJR	1
1,3-Dichlorobenzene	< 0.3	ug/l	0.3	0.95	1	8260B	10/23/2007	CJR	1
1,2-Dichlorobenzene	< 0.35	ug/l	0.35	1.1	1	8260B	10/23/2007	CJR	1
Dichlorodifluoromethane	< 0.46	ug/l	0.46	1.5	1	8260B	10/23/2007	CJR	1
1,2-Dichloroethane	< 0.45	ug/l	0.45	1.4	1	8260B	10/23/2007	CJR	1
1,1-Dichloroethane	< 0.56	ug/l	0.56	1.8	1	8260B	10/23/2007	CJR	1
1,1-Dichloroethene	< 0.64	ug/l	0.64	2	1	8260B	10/23/2007	CJR	1
cis-1,2-Dichloroethene	132	ug/l	0.68	2.2	1	8260B	10/23/2007	CJR	1
trans-1,2-Dichloroethene	2.36 "J"	ug/l	0.95	3	1	8260B	10/23/2007	CJR	1
1,2-Dichloropropane	< 0.47	ug/l	0.47	1.5	1	8260B	10/23/2007	CJR	1
2,2-Dichloropropane	< 0.98	ug/l	0.98	3.1	1	8260B	10/23/2007	CJR	1
1,3-Dichloropropane	< 0.39	ug/l	0.39	1.3	1	8260B	10/23/2007	CJR	3
Di-isopropyl ether	< 1.3	ug/l	1.3	4.1	1	8260B	10/23/2007	CJR	1
EDB (1,2-Dibromoethane)	< 0.49	ug/l	0.49	1.5	1	8260B	10/23/2007	CJR	3
Ethylbenzene	< 0.38	ug/l	0.38	1.2	1	8260B	10/23/2007	CJR	1
Hexachlorobutadiene	< 1.5	ug/l	1.5	4.9	1	8260B	10/23/2007	CJR	1
Isopropylbenzene	< 0.48	ug/l	0.48	1.5	1	8260B	10/23/2007	CJR	1
p-Isopropyltoluene	< 0.35	ug/l	0.35	1.1	1	8260B	10/23/2007	CJR	1
Methylene chloride	< 0.69	ug/l	0.69	2.2	1	8260B	10/23/2007	CJR	1
Methyl tert-butyl ether (MTBE)	0.70 "J"	ug/l	0.52	1.6	1	8260B	10/23/2007	CJR	1
Naphthalene	< 1.8	ug/l	1.8	5.6	1	8260B	10/23/2007	CJR	3
n-Propylbenzene	< 0.38	ug/l	0.38	1.2	1	8260B	10/23/2007	CJR	1
1,1,2,2-Tetrachloroethane	< 0.75	ug/l	0.75	2.4	1	8260B	10/23/2007	CJR	1
1,1,1,2-Tetrachloroethane	< 0.65	ug/l	0.65	2.1	1	8260B	10/23/2007	CJR	1
Tetrachloroethene	< 0.52	ug/l	0.52	1.6	1	8260B	10/23/2007	CJR	1
Toluene	< 0.46	ug/l	0.46	1.5	1	8260B	10/23/2007	CJR	1
1,2,4-Trichlorobenzene	< 1.5	ug/l	1.5	4.6	1	8260B	10/23/2007	CJR	1
1,2,3-Trichlorobenzene	< 1.6	ug/l	1.6	5	1	8260B	10/23/2007	CJR	1
1,1,1-Trichloroethane	< 0.5	ug/l	0.5	1.6	1	8260B	10/23/2007	CJR	1
1,1,2-Trichloroethane	< 0.5	ug/l	0.5	1.6	1	8260B	10/23/2007	CJR	1
Trichloroethene (TCE)	2.04	ug/l	0.44	1.4	1	8260B	10/23/2007	CJR	1
Trichlorofluoromethane	< 0.61	ug/l	0.61	1.9	1	8260B	10/23/2007	CJR	4
1,2,4-Trimethylbenzene	< 1.2	ug/l	1.2	3.8	1	8260B	10/23/2007	CJR	1
1,3,5-Trimethylbenzene	< 0.37	ug/l	0.37	1.2	1	8260B	10/23/2007	CJR	1
Vinyl Chloride	6.3	ug/l	0.2	0.63	1	8260B	10/23/2007	CJR	1
m&p-Xylene	< 0.67	ug/l	0.67	2.1	1	8260B	10/23/2007	CJR	1
o-Xylene	< 0.32	ug/l	0.32	1	1	8260B	10/23/2007	CJR	1

Project Name SHILOBRIT'S CLEANERS
 Project # N1707A01

Invoice # E16226

Lab Code 5016226K
 Sample ID P9
 Sample Matrix Water
 Sample Date 10/17/2007

	Result	Unit	LOD	LOQ	Dil	Method	Run Date	Analyst	Code
Organic									
VOC's									
Benzene	0.86 "J"	ug/l	0.47	1.5	1	8260B	10/23/2007	CJR	1
Bromobenzene	< 0.36	ug/l	0.36	1.1	1	8260B	10/23/2007	CJR	1
Bromodichloromethane	< 0.5	ug/l	0.5	1.6	1	8260B	10/23/2007	CJR	1
Bromoform	< 0.38	ug/l	0.38	1.2	1	8260B	10/23/2007	CJR	1
tert-Butylbenzene	< 0.34	ug/l	0.34	1.1	1	8260B	10/23/2007	CJR	1
sec-Butylbenzene	< 0.36	ug/l	0.36	1.2	1	8260B	10/23/2007	CJR	1
n-Butylbenzene	< 0.52	ug/l	0.52	1.6	1	8260B	10/23/2007	CJR	1
Carbon Tetrachloride	< 0.46	ug/l	0.46	1.5	1	8260B	10/23/2007	CJR	1
Chlorobenzene	< 0.31	ug/l	0.31	1	1	8260B	10/23/2007	CJR	1
Chloroethane	< 0.47	ug/l	0.47	1.5	1	8260B	10/23/2007	CJR	4
Chloroform	< 0.48	ug/l	0.48	1.5	1	8260B	10/23/2007	CJR	1
Chloromethane	< 1	ug/l	1	3.3	1	8260B	10/23/2007	CJR	1
2-Chlorotoluene	< 0.49	ug/l	0.49	1.6	1	8260B	10/23/2007	CJR	1
4-Chlorotoluene	< 0.38	ug/l	0.38	1.2	1	8260B	10/23/2007	CJR	1
1,2-Dibromo-3-chloropropane	< 1.4	ug/l	1.4	4.5	1	8260B	10/23/2007	CJR	3
Dibromochloromethane	< 0.32	ug/l	0.32	1	1	8260B	10/23/2007	CJR	1
1,4-Dichlorobenzene	< 0.33	ug/l	0.33	1.1	1	8260B	10/23/2007	CJR	1
1,3-Dichlorobenzene	< 0.3	ug/l	0.3	0.95	1	8260B	10/23/2007	CJR	1
1,2-Dichlorobenzene	< 0.35	ug/l	0.35	1.1	1	8260B	10/23/2007	CJR	1
Dichlorodifluoromethane	< 0.46	ug/l	0.46	1.5	1	8260B	10/23/2007	CJR	1
1,2-Dichloroethane	< 0.45	ug/l	0.45	1.4	1	8260B	10/23/2007	CJR	1
1,1-Dichloroethane	< 0.56	ug/l	0.56	1.8	1	8260B	10/23/2007	CJR	1
1,1-Dichloroethene	< 0.64	ug/l	0.64	2	1	8260B	10/23/2007	CJR	1
cis-1,2-Dichloroethene	43	ug/l	0.68	2.2	1	8260B	10/23/2007	CJR	1
trans-1,2-Dichloroethene	1.43 "J"	ug/l	0.95	3	1	8260B	10/23/2007	CJR	1
1,2-Dichloropropane	< 0.47	ug/l	0.47	1.5	1	8260B	10/23/2007	CJR	1
2,2-Dichloropropane	< 0.98	ug/l	0.98	3.1	1	8260B	10/23/2007	CJR	1
1,3-Dichloropropane	< 0.39	ug/l	0.39	1.3	1	8260B	10/23/2007	CJR	3
Di-isopropyl ether	< 1.3	ug/l	1.3	4.1	1	8260B	10/23/2007	CJR	1
EDB (1,2-Dibromoethane)	< 0.49	ug/l	0.49	1.5	1	8260B	10/23/2007	CJR	3
Ethylbenzene	< 0.38	ug/l	0.38	1.2	1	8260B	10/23/2007	CJR	1
Hexachlorobutadiene	< 1.5	ug/l	1.5	4.9	1	8260B	10/23/2007	CJR	1
Isopropylbenzene	< 0.48	ug/l	0.48	1.5	1	8260B	10/23/2007	CJR	1
p-Isopropyltoluene	< 0.35	ug/l	0.35	1.1	1	8260B	10/23/2007	CJR	1
Methylene chloride	< 0.69	ug/l	0.69	2.2	1	8260B	10/23/2007	CJR	1
Methyl tert-butyl ether (MTBE)	6.6	ug/l	0.52	1.6	1	8260B	10/23/2007	CJR	1
Naphthalene	< 1.8	ug/l	1.8	5.6	1	8260B	10/23/2007	CJR	3
n-Propylbenzene	< 0.38	ug/l	0.38	1.2	1	8260B	10/23/2007	CJR	1
1,1,2,2-Tetrachloroethane	< 0.75	ug/l	0.75	2.4	1	8260B	10/23/2007	CJR	1
1,1,1,2-Tetrachloroethane	< 0.65	ug/l	0.65	2.1	1	8260B	10/23/2007	CJR	1
Tetrachloroethene	< 0.52	ug/l	0.52	1.6	1	8260B	10/23/2007	CJR	1
Toluene	< 0.46	ug/l	0.46	1.5	1	8260B	10/23/2007	CJR	1
1,2,4-Trichlorobenzene	< 1.5	ug/l	1.5	4.6	1	8260B	10/23/2007	CJR	1
1,2,3-Trichlorobenzene	< 1.6	ug/l	1.6	5	1	8260B	10/23/2007	CJR	1
1,1,1-Trichloroethane	< 0.5	ug/l	0.5	1.6	1	8260B	10/23/2007	CJR	1
1,1,2-Trichloroethane	< 0.5	ug/l	0.5	1.6	1	8260B	10/23/2007	CJR	1
Trichloroethene (TCE)	0.99 "J"	ug/l	0.44	1.4	1	8260B	10/23/2007	CJR	1
Trichlorofluoromethane	< 0.61	ug/l	0.61	1.9	1	8260B	10/23/2007	CJR	4
1,2,4-Trimethylbenzene	< 1.2	ug/l	1.2	3.8	1	8260B	10/23/2007	CJR	1
1,3,5-Trimethylbenzene	< 0.37	ug/l	0.37	1.2	1	8260B	10/23/2007	CJR	1

Project Name SHILOBRIT'S CLEANERS
Project # N1707A01

Invoice # E16226

Lab Code 5016226K
Sample ID P9
Sample Matrix Water
Sample Date 10/17/2007

	Result	Unit	LOD	LOQ	Dil	Method	Run Date	Analyst	Code
Vinyl Chloride	1.68	ug/l	0.2	0.63	1	8260B	10/23/2007	CJR	1
m&p-Xylene	< 0.67	ug/l	0.67	2.1	1	8260B	10/23/2007	CJR	1
o-Xylene	< 0.32	ug/l	0.32	1	1	8260B	10/23/2007	CJR	1

Lab Code 5016226L
Sample ID P10
Sample Matrix Water
Sample Date 10/17/2007

	Result	Unit	LOD	LOQ	Dil	Method	Run Date	Analyst	Code
--	--------	------	-----	-----	-----	--------	----------	---------	------

Organic

	Result	Unit	LOD	LOQ	Dil	Method	Run Date	Analyst	Code
VOC's									
Benzene	< 0.47	ug/l	0.47	1.5	1	8260B	10/22/2007	CJR	1
Bromobenzene	< 0.36	ug/l	0.36	1.1	1	8260B	10/22/2007	CJR	1
Bromodichloromethane	< 0.5	ug/l	0.5	1.6	1	8260B	10/22/2007	CJR	1
Bromoform	< 0.38	ug/l	0.38	1.2	1	8260B	10/22/2007	CJR	1
tert-Butylbenzene	< 0.34	ug/l	0.34	1.1	1	8260B	10/22/2007	CJR	1
sec-Butylbenzene	< 0.36	ug/l	0.36	1.2	1	8260B	10/22/2007	CJR	1
n-Butylbenzene	< 0.52	ug/l	0.52	1.6	1	8260B	10/22/2007	CJR	1
Carbon Tetrachloride	< 0.46	ug/l	0.46	1.5	1	8260B	10/22/2007	CJR	1
Chlorobenzene	< 0.31	ug/l	0.31	1	1	8260B	10/22/2007	CJR	1
Chloroethane	< 0.47	ug/l	0.47	1.5	1	8260B	10/22/2007	CJR	4
Chloroform	< 0.48	ug/l	0.48	1.5	1	8260B	10/22/2007	CJR	1
Chloromethane	< 1	ug/l	1	3.3	1	8260B	10/22/2007	CJR	1
2-Chlorotoluene	< 0.49	ug/l	0.49	1.6	1	8260B	10/22/2007	CJR	1
4-Chlorotoluene	< 0.38	ug/l	0.38	1.2	1	8260B	10/22/2007	CJR	1
1,2-Dibromo-3-chloropropane	< 1.4	ug/l	1.4	4.5	1	8260B	10/22/2007	CJR	3
Dibromochloromethane	< 0.32	ug/l	0.32	1	1	8260B	10/22/2007	CJR	1
1,4-Dichlorobenzene	< 0.33	ug/l	0.33	1.1	1	8260B	10/22/2007	CJR	1
1,3-Dichlorobenzene	< 0.3	ug/l	0.3	0.95	1	8260B	10/22/2007	CJR	1
1,2-Dichlorobenzene	< 0.35	ug/l	0.35	1.1	1	8260B	10/22/2007	CJR	1
Dichlorodifluoromethane	< 0.46	ug/l	0.46	1.5	1	8260B	10/22/2007	CJR	1
1,2-Dichloroethane	< 0.45	ug/l	0.45	1.4	1	8260B	10/22/2007	CJR	1
1,1-Dichloroethane	< 0.56	ug/l	0.56	1.8	1	8260B	10/22/2007	CJR	1
1,1-Dichloroethene	< 0.64	ug/l	0.64	2	1	8260B	10/22/2007	CJR	1
cis-1,2-Dichloroethene	29.9	ug/l	0.68	2.2	1	8260B	10/22/2007	CJR	1
trans-1,2-Dichloroethene	< 0.95	ug/l	0.95	3	1	8260B	10/22/2007	CJR	1
1,2-Dichloropropane	< 0.47	ug/l	0.47	1.5	1	8260B	10/22/2007	CJR	1
2,2-Dichloropropane	< 0.98	ug/l	0.98	3.1	1	8260B	10/22/2007	CJR	1
1,3-Dichloropropane	< 0.39	ug/l	0.39	1.3	1	8260B	10/22/2007	CJR	3
Di-isopropyl ether	< 1.3	ug/l	1.3	4.1	1	8260B	10/22/2007	CJR	1
EDB (1,2-Dibromoethane)	< 0.49	ug/l	0.49	1.5	1	8260B	10/22/2007	CJR	3
Ethylbenzene	< 0.38	ug/l	0.38	1.2	1	8260B	10/22/2007	CJR	1
Hexachlorobutadiene	< 1.5	ug/l	1.5	4.9	1	8260B	10/22/2007	CJR	1
Isopropylbenzene	< 0.48	ug/l	0.48	1.5	1	8260B	10/22/2007	CJR	1
p-Isopropyltoluene	< 0.35	ug/l	0.35	1.1	1	8260B	10/22/2007	CJR	1
Methylene chloride	< 0.69	ug/l	0.69	2.2	1	8260B	10/22/2007	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.52	ug/l	0.52	1.6	1	8260B	10/22/2007	CJR	1
Naphthalene	< 1.8	ug/l	1.8	5.6	1	8260B	10/22/2007	CJR	3
n-Propylbenzene	< 0.38	ug/l	0.38	1.2	1	8260B	10/22/2007	CJR	1
1,1,2,2-Tetrachloroethane	< 0.75	ug/l	0.75	2.4	1	8260B	10/22/2007	CJR	1
1,1,1,2-Tetrachloroethane	< 0.65	ug/l	0.65	2.1	1	8260B	10/22/2007	CJR	1
Tetrachloroethene	0.95 "J"	ug/l	0.52	1.6	1	8260B	10/22/2007	CJR	1

Project Name SHILOBRIT'S CLEANERS
 Project # N1707A01

Invoice # E16226

Lab Code 5016226L
 Sample ID P10
 Sample Matrix Water
 Sample Date 10/17/2007

	Result	Unit	LOD	LOQ	Dil	Method	Run Date	Analyst	Code
Toluene	< 0.46	ug/l	0.46	1.5	1	8260B	10/22/2007	CJR	1
1,2,4-Trichlorobenzene	< 1.5	ug/l	1.5	4.6	1	8260B	10/22/2007	CJR	1
1,2,3-Trichlorobenzene	< 1.6	ug/l	1.6	5	1	8260B	10/22/2007	CJR	1
1,1,1-Trichloroethane	< 0.5	ug/l	0.5	1.6	1	8260B	10/22/2007	CJR	1
1,1,2-Trichloroethane	< 0.5	ug/l	0.5	1.6	1	8260B	10/22/2007	CJR	1
Trichloroethene (TCE)	1.06 "J"	ug/l	0.44	1.4	1	8260B	10/22/2007	CJR	1
Trichlorofluoromethane	< 0.61	ug/l	0.61	1.9	1	8260B	10/22/2007	CJR	4
1,2,4-Trimethylbenzene	< 1.2	ug/l	1.2	3.8	1	8260B	10/22/2007	CJR	1
1,3,5-Trimethylbenzene	< 0.37	ug/l	0.37	1.2	1	8260B	10/22/2007	CJR	1
Vinyl Chloride	1.3	ug/l	0.2	0.63	1	8260B	10/22/2007	CJR	1
m&p-Xylene	< 0.67	ug/l	0.67	2.1	1	8260B	10/22/2007	CJR	1
o-Xylene	< 0.32	ug/l	0.32	1	1	8260B	10/22/2007	CJR	1

Lab Code 5016226M
 Sample ID CMW5
 Sample Matrix Water
 Sample Date 10/17/2007

	Result	Unit	LOD	LOQ	Dil	Method	Run Date	Analyst	Code
Organic									
VOC's									
Benzene	< 0.47	ug/l	0.47	1.5	1	8260B	10/22/2007	CJR	1
Bromobenzene	< 0.36	ug/l	0.36	1.1	1	8260B	10/22/2007	CJR	1
Bromodichloromethane	< 0.5	ug/l	0.5	1.6	1	8260B	10/22/2007	CJR	1
Bromoform	< 0.38	ug/l	0.38	1.2	1	8260B	10/22/2007	CJR	1
tert-Butylbenzene	< 0.34	ug/l	0.34	1.1	1	8260B	10/22/2007	CJR	1
sec-Butylbenzene	< 0.36	ug/l	0.36	1.2	1	8260B	10/22/2007	CJR	1
n-Butylbenzene	< 0.52	ug/l	0.52	1.6	1	8260B	10/22/2007	CJR	1
Carbon Tetrachloride	< 0.46	ug/l	0.46	1.5	1	8260B	10/22/2007	CJR	1
Chlorobenzene	< 0.31	ug/l	0.31	1	1	8260B	10/22/2007	CJR	1
Chloroethane	< 0.47	ug/l	0.47	1.5	1	8260B	10/22/2007	CJR	4
Chloroform	< 0.48	ug/l	0.48	1.5	1	8260B	10/22/2007	CJR	1
Chloromethane	< 1	ug/l	1	3.3	1	8260B	10/22/2007	CJR	1
2-Chlorotoluene	< 0.49	ug/l	0.49	1.6	1	8260B	10/22/2007	CJR	1
4-Chlorotoluene	< 0.38	ug/l	0.38	1.2	1	8260B	10/22/2007	CJR	1
1,2-Dibromo-3-chloropropane	< 1.4	ug/l	1.4	4.5	1	8260B	10/22/2007	CJR	3
Dibromochloromethane	< 0.32	ug/l	0.32	1	1	8260B	10/22/2007	CJR	1
1,4-Dichlorobenzene	< 0.33	ug/l	0.33	1.1	1	8260B	10/22/2007	CJR	1
1,3-Dichlorobenzene	< 0.3	ug/l	0.3	0.95	1	8260B	10/22/2007	CJR	1
1,2-Dichlorobenzene	< 0.35	ug/l	0.35	1.1	1	8260B	10/22/2007	CJR	1
Dichlorodifluoromethane	< 0.46	ug/l	0.46	1.5	1	8260B	10/22/2007	CJR	1
1,2-Dichloroethane	< 0.45	ug/l	0.45	1.4	1	8260B	10/22/2007	CJR	1
1,1-Dichloroethane	< 0.56	ug/l	0.56	1.8	1	8260B	10/22/2007	CJR	1
1,1-Dichloroethene	< 0.64	ug/l	0.64	2	1	8260B	10/22/2007	CJR	1
cis-1,2-Dichloroethene	< 0.68	ug/l	0.68	2.2	1	8260B	10/22/2007	CJR	1
trans-1,2-Dichloroethene	< 0.95	ug/l	0.95	3	1	8260B	10/22/2007	CJR	1
1,2-Dichloropropane	< 0.47	ug/l	0.47	1.5	1	8260B	10/22/2007	CJR	1
2,2-Dichloropropane	< 0.98	ug/l	0.98	3.1	1	8260B	10/22/2007	CJR	1
1,3-Dichloropropane	< 0.39	ug/l	0.39	1.3	1	8260B	10/22/2007	CJR	3
Di-isopropyl ether	< 1.3	ug/l	1.3	4.1	1	8260B	10/22/2007	CJR	1
EDB (1,2-Dibromoethane)	< 0.49	ug/l	0.49	1.5	1	8260B	10/22/2007	CJR	3
Ethylbenzene	< 0.38	ug/l	0.38	1.2	1	8260B	10/22/2007	CJR	1
Hexachlorobutadiene	< 1.5	ug/l	1.5	4.9	1	8260B	10/22/2007	CJR	1

Project Name SHILOBRIT'S CLEANERS
Project # N1707A01

Invoice # E16226

Lab Code 5016226M
Sample ID CMW5
Sample Matrix Water
Sample Date 10/17/2007

	Result	Unit	LOD	LOQ	Dil	Method	Run Date	Analyst	Code
Isopropylbenzene	< 0.48	ug/l	0.48	1.5	1	8260B	10/22/2007	CJR	1
p-Isopropyltoluene	< 0.35	ug/l	0.35	1.1	1	8260B	10/22/2007	CJR	1
Methylene chloride	< 0.69	ug/l	0.69	2.2	1	8260B	10/22/2007	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.52	ug/l	0.52	1.6	1	8260B	10/22/2007	CJR	1
Naphthalene	< 1.8	ug/l	1.8	5.6	1	8260B	10/22/2007	CJR	3
n-Propylbenzene	< 0.38	ug/l	0.38	1.2	1	8260B	10/22/2007	CJR	1
1,1,2,2-Tetrachloroethane	< 0.75	ug/l	0.75	2.4	1	8260B	10/22/2007	CJR	1
1,1,1,2-Tetrachloroethane	< 0.65	ug/l	0.65	2.1	1	8260B	10/22/2007	CJR	1
Tetrachloroethene	8.4	ug/l	0.52	1.6	1	8260B	10/22/2007	CJR	1
Toluene	< 0.46	ug/l	0.46	1.5	1	8260B	10/22/2007	CJR	1
1,2,4-Trichlorobenzene	< 1.5	ug/l	1.5	4.6	1	8260B	10/22/2007	CJR	1
1,2,3-Trichlorobenzene	< 1.6	ug/l	1.6	5	1	8260B	10/22/2007	CJR	1
1,1,1-Trichloroethane	< 0.5	ug/l	0.5	1.6	1	8260B	10/22/2007	CJR	1
1,1,2-Trichloroethane	< 0.5	ug/l	0.5	1.6	1	8260B	10/22/2007	CJR	1
Trichloroethene (TCE)	1.93	ug/l	0.44	1.4	1	8260B	10/22/2007	CJR	1
Trichlorofluoromethane	< 0.61	ug/l	0.61	1.9	1	8260B	10/22/2007	CJR	4
1,2,4-Trimethylbenzene	< 1.2	ug/l	1.2	3.8	1	8260B	10/22/2007	CJR	1
1,3,5-Trimethylbenzene	< 0.37	ug/l	0.37	1.2	1	8260B	10/22/2007	CJR	1
Vinyl Chloride	< 0.2	ug/l	0.2	0.63	1	8260B	10/22/2007	CJR	1
m&p-Xylene	< 0.67	ug/l	0.67	2.1	1	8260B	10/22/2007	CJR	1
o-Xylene	< 0.32	ug/l	0.32	1	1	8260B	10/22/2007	CJR	1

Lab Code 5016226N
Sample ID CPZ1
Sample Matrix Water
Sample Date 10/17/2007

	Result	Unit	LOD	LOQ	Dil	Method	Run Date	Analyst	Code
Organic									
VOC's									
Benzene	5.4	ug/l	0.47	1.5	1	8260B	10/23/2007	CJR	1
Bromobenzene	< 0.36	ug/l	0.36	1.1	1	8260B	10/23/2007	CJR	1
Bromodichloromethane	< 0.5	ug/l	0.5	1.6	1	8260B	10/23/2007	CJR	1
Bromoform	< 0.38	ug/l	0.38	1.2	1	8260B	10/23/2007	CJR	1
tert-Butylbenzene	< 0.34	ug/l	0.34	1.1	1	8260B	10/23/2007	CJR	1
sec-Butylbenzene	< 0.36	ug/l	0.36	1.2	1	8260B	10/23/2007	CJR	1
n-Butylbenzene	< 0.52	ug/l	0.52	1.6	1	8260B	10/23/2007	CJR	1
Carbon Tetrachloride	< 0.46	ug/l	0.46	1.5	1	8260B	10/23/2007	CJR	1
Chlorobenzene	< 0.31	ug/l	0.31	1	1	8260B	10/23/2007	CJR	1
Chloroethane	< 0.47	ug/l	0.47	1.5	1	8260B	10/23/2007	CJR	4
Chloroform	< 0.48	ug/l	0.48	1.5	1	8260B	10/23/2007	CJR	1
Chloromethane	< 1	ug/l	1	3.3	1	8260B	10/23/2007	CJR	1
2-Chlorotoluene	< 0.49	ug/l	0.49	1.6	1	8260B	10/23/2007	CJR	1
4-Chlorotoluene	< 0.38	ug/l	0.38	1.2	1	8260B	10/23/2007	CJR	1
1,2-Dibromo-3-chloropropane	< 1.4	ug/l	1.4	4.5	1	8260B	10/23/2007	CJR	3
Dibromochloromethane	< 0.32	ug/l	0.32	1	1	8260B	10/23/2007	CJR	1
1,4-Dichlorobenzene	< 0.33	ug/l	0.33	1.1	1	8260B	10/23/2007	CJR	1
1,3-Dichlorobenzene	< 0.3	ug/l	0.3	0.95	1	8260B	10/23/2007	CJR	1
1,2-Dichlorobenzene	< 0.35	ug/l	0.35	1.1	1	8260B	10/23/2007	CJR	1
Dichlorodifluoromethane	< 0.46	ug/l	0.46	1.5	1	8260B	10/23/2007	CJR	1
1,2-Dichloroethane	< 0.45	ug/l	0.45	1.4	1	8260B	10/23/2007	CJR	1
1,1-Dichloroethane	< 0.56	ug/l	0.56	1.8	1	8260B	10/23/2007	CJR	1
1,1-Dichloroethene	< 0.64	ug/l	0.64	2	1	8260B	10/23/2007	CJR	1

Project Name SHILOBRIT'S CLEANERS
 Project # N1707A01

Invoice # E16226

Lab Code 5016226N
 Sample ID CPZ1
 Sample Matrix Water
 Sample Date 10/17/2007

	Result	Unit	LOD	LOQ	Dil	Method	Run Date	Analyst	Code
cis-1,2-Dichloroethene	30.6	ug/l	0.68	2.2	1	8260B	10/23/2007	CJR	1
trans-1,2-Dichloroethene	< 0.95	ug/l	0.95	3	1	8260B	10/23/2007	CJR	1
1,2-Dichloropropane	< 0.47	ug/l	0.47	1.5	1	8260B	10/23/2007	CJR	1
2,2-Dichloropropane	< 0.98	ug/l	0.98	3.1	1	8260B	10/23/2007	CJR	1
1,3-Dichloropropane	< 0.39	ug/l	0.39	1.3	1	8260B	10/23/2007	CJR	3
Di-isopropyl ether	< 1.3	ug/l	1.3	4.1	1	8260B	10/23/2007	CJR	1
EDB (1,2-Dibromoethane)	< 0.49	ug/l	0.49	1.5	1	8260B	10/23/2007	CJR	3
Ethylbenzene	< 0.38	ug/l	0.38	1.2	1	8260B	10/23/2007	CJR	1
Hexachlorobutadiene	< 1.5	ug/l	1.5	4.9	1	8260B	10/23/2007	CJR	1
Isopropylbenzene	< 0.48	ug/l	0.48	1.5	1	8260B	10/23/2007	CJR	1
p-Isopropyltoluene	< 0.35	ug/l	0.35	1.1	1	8260B	10/23/2007	CJR	1
Methylene chloride	< 0.69	ug/l	0.69	2.2	1	8260B	10/23/2007	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.52	ug/l	0.52	1.6	1	8260B	10/23/2007	CJR	1
Naphthalene	< 1.8	ug/l	1.8	5.6	1	8260B	10/23/2007	CJR	3
n-Propylbenzene	< 0.38	ug/l	0.38	1.2	1	8260B	10/23/2007	CJR	1
1,1,2,2-Tetrachloroethane	< 0.75	ug/l	0.75	2.4	1	8260B	10/23/2007	CJR	1
1,1,1,2-Tetrachloroethane	< 0.65	ug/l	0.65	2.1	1	8260B	10/23/2007	CJR	1
Tetrachloroethene	56	ug/l	0.52	1.6	1	8260B	10/23/2007	CJR	1
Toluene	< 0.46	ug/l	0.46	1.5	1	8260B	10/23/2007	CJR	1
1,2,4-Trichlorobenzene	< 1.5	ug/l	1.5	4.6	1	8260B	10/23/2007	CJR	1
1,2,3-Trichlorobenzene	< 1.6	ug/l	1.6	5	1	8260B	10/23/2007	CJR	1
1,1,1-Trichloroethane	< 0.5	ug/l	0.5	1.6	1	8260B	10/23/2007	CJR	1
1,1,2-Trichloroethane	< 0.5	ug/l	0.5	1.6	1	8260B	10/23/2007	CJR	1
Trichloroethene (TCE)	11.3	ug/l	0.44	1.4	1	8260B	10/23/2007	CJR	1
Trichlorofluoromethane	< 0.61	ug/l	0.61	1.9	1	8260B	10/23/2007	CJR	4
1,2,4-Trimethylbenzene	< 1.2	ug/l	1.2	3.8	1	8260B	10/23/2007	CJR	1
1,3,5-Trimethylbenzene	< 0.37	ug/l	0.37	1.2	1	8260B	10/23/2007	CJR	1
Vinyl Chloride	1.69	ug/l	0.2	0.63	1	8260B	10/23/2007	CJR	1
m&p-Xylene	< 0.67	ug/l	0.67	2.1	1	8260B	10/23/2007	CJR	1
o-Xylene	< 0.32	ug/l	0.32	1	1	8260B	10/23/2007	CJR	1

"J" Flag: Analyte detected between LOD and LOQ

LOD Limit of Detection

LOQ Limit of Quantitation

Code Comment

- 1 Laboratory QC within limits.
- 3 The matrix spike not within established limits.
- 4 The continuing calibration standard not within established limits.

Authorized Signature

Michael J. Ricker

CHAIN OF CUSTODY RECORD

Synergy

Chain # N^o 9242

Page 1 of 2

Environmental Lab, Inc.

Sample Handling Request
 ___ Rush Analysis Date Required ___
 (Rushes accepted only with prior authorization)
 Normal Turn Around

Lab I.D. # _____
 Account No. : _____ Quote No.: 1582
 Project #: N170710
 Sampler: (signature) *[Signature]*

1990 Prospect Ct. • Appleton, WI 54914
 920-830-2455 • FAX 920-733-0631

Project (Name / Location): *Shibobits Cleaners, 1231 Commercial St., Neenah, WI*

Reports To: <i>Dave Fries</i>	Invoice To: <i>Kevin McKnight</i>	Analysis Requested DRO (Mod DRO Sep 95) GRO (Mod GRO Sep 95) P VOC (EPA 8021) VOC (EPA 8260) VOC DW (EPA 524.2) PAH (EPA 8270) Total Suspended Solids Lead PID/ FID	Other Analysis											
Company <i>OMNI Associates</i>	Company <i>WDNR</i>													
Address <i>One Systems Drive</i>	Address <i>625 E. CTH Y, Suite 700</i>													
City State Zip <i>Appleton, WI 54914</i>	City State Zip <i>Oshkosh, WI 54901</i>													
Phone <i>(920) 735-6900</i>	Phone <i>C/o Dave Fries</i>													
FAX <i>(920) 830-6100</i>	FAX <i>OMNI</i>													

Lab I.D.	Sample I.D.	Collection Date	Time	Comp	Grab	Filtered Y/N	No. of Containers	Sample Type (Matrix)*	Preservation	DRO (Mod DRO Sep 95)	GRO (Mod GRO Sep 95)	P VOC (EPA 8021)	VOC (EPA 8260)	VOC DW (EPA 524.2)	PAH (EPA 8270)	Total Suspended Solids	Lead	PID/ FID
<i>5016226A</i>	<i>Trip</i>	<i>10/17/07</i>	<i>7:07</i>		<i>X</i>	<i>N</i>	<i>2</i>	<i>water</i>	<i>HCl</i>				<i>X</i>					
<i>B</i>	<i>MW2</i>		<i>1:09</i>					<i>g-water</i>					<i>X</i>					
<i>C</i>	<i>MW3</i>		<i>12:45</i>										<i>X</i>					
<i>D</i>	<i>P1</i>		<i>12:24</i>										<i>X</i>					
<i>E</i>	<i>P2</i>		<i>11:54</i>										<i>X</i>					
<i>F</i>	<i>P4</i>		<i>11:13</i>										<i>X</i>					
<i>G</i>	<i>P5</i>		<i>9:59</i>										<i>X</i>					
<i>H</i>	<i>P6</i>		<i>9:09</i>										<i>X</i>					
<i>I</i>	<i>P7</i>		<i>9:35</i>										<i>X</i>					
<i>J</i>	<i>P8</i>		<i>8:48</i>										<i>X</i>					

Comments/Special Instructions (*Specify groundwater "GW", Drinking Water "DW", Waste Water "WW", Soil "S", Air "A", Oil, Sludge etc.)

1 Trip Received Chain Marked 2 - DSB 10/18/07

Relinquished By: (sign) *[Signature]* Time *2:03* Date *10/17/07*

Sample Integrity - To be completed by receiving lab.
 Method of Shipment: *Over*
 Temp. of Temp. Blank: _____ °C On Ice:
 Cooler seal intact upon receipt: Yes _____ No

Received in Laboratory By: *[Signature]* Time: *14:03* Date: *10/17/07*

CHAIN OF CUSTODY RECORD

Synergy


Chain # No **9243**

Page 2 of 2

Environmental Lab, Inc.

1990 Prospect Ct. • Appleton, WI 54914
920-830-2455 • FAX 920-733-0631

Sample Handling Request
 ___ Rush Analysis Date Required ___
 (Rushes accepted only with prior authorization)
 Normal Turn Around

Lab I.D. # _____
 Account No. : _____ Quote No.: **1582**
 Project #: **N1707A01**
 Sampler: (signature) 

Project (Name / Location): **Shilobrits Cleaners, 1231 Commercial St., Neenah, WI**
 Reports To: **Dave Fries** Invoice To: **Kevin McKnight**
 Company **OMNI Associates** Company **WDNR**
 Address **One Systems Drive** Address **625 E. OTHY, Suite 700**
 City State Zip **Appleton, WI 54914** City State Zip **Oshkosh, WI 54901**
 Phone **(920) 735-6900** Phone **% Dave Fries**
 FAX **(920) 830-6100** FAX **OMNI**

Analysis Requested

Lab I.D.	Sample I.D.	Collection		Comp	Grab	Filtered Y/N	No. of Containers	Sample Type (Matrix)*	Preservation	Analysis Requested										PID/ FID			
		Date	Time							DRO (Mod DRO Sep 95)	GRO (Mod GRO Sep 95)	PVOC (EPA 8021)	VOC (EPA 8260)	VOC DW (EPA 524.2)	PAH (EPA 8270)	Total Suspended Solids	Lead	Other Analysis					
Sol 626k	P9	10/17/07	8:25		X	N	2	g-water	HC														
L	P10		8:03		↓	↓	↓	↓	↓														
M	CMW5		10:27		↓	↓	↓	↓	↓														
N	CPZ1		10:47		↓	↓	↓	↓	↓														


Comments/Special Instructions (*Specify groundwater "GW", Drinking Water "DW", Waste Water "WW", Soil "S", Air "A", Oil, Sludge etc.)

Sample Integrity - To be completed by receiving lab


Method of Shipment: **Over**

Temp. of Temp. Blank: ___ °C On Ice

Cooler seal intact upon receipt: Yes ___ No

Relinquished By: (sign)  Time **2:03** Date **10/17/07**

Received By: (sign) _____ Time _____ Date _____

Received in Laboratory By:  Time: **14:03** Date: **10/17/07**