

Notice: This form may be used to comply with the requirements of s. NR 716.14 (2), Wis. Adm. Code; however, use of this form is not required. An alternate format may be used. The rule requires that notification be provided to 1) property owners when someone else is conducting the sampling, 2) to occupants of property belonging to the responsible person, and 3) to owners and occupants of property that does not belong to the responsible person but has been affected by contamination arising on his or her property. Notification is required within 10 business days of receiving the sample results. Personal information collected will be used for program administration and may be provided to requesters to the extent required by Wisconsin's Open Records law [ss. 19.31-19.39, Wis. Stats.].

NOTE: Under s. NR 716.14, Wis. Adm. Code, the responsible party must also submit sample results and other required information to the DNR. We recommend that copies of the sample results notifications be included with that submittal, along with all attachments. Using the same format used for data presentation for a closure request may be helpful to all parties. See s. NR 716.14, Wis. Adm. Code for the full list of information to be submitted to the DNR.

Notification of Property Owners and Occupants:

This notification form has been provided to you in order to provide the results of environmental sampling that has been conducted on property that you own or occupy. Samples were collected in accordance with the methods identified in the site investigation work plan, in accordance with s. NR. 716.09 and 716.13, Wis. Adm. Code. This sampling was conducted as a result of contamination originating at the following location.

Site Information

Site Name		DNR ID # (BRRTS #)	
Martins One Hour Drycleaners		02-59-231063	
Address	City	State	ZIP Code
1025 E Green Bay Rd	Shawano	WI	54116

Responsible Party

The person(s) responsible for completing this environmental investigation is:

Property Owner

Arlene Martin

Address	City	State	ZIP Code

Contact Person	Phone Number (include area code)

Person or company that collected samples

Ayres Associates

Sample Results (Results Attached)

Reason for Sampling: Routine Other (define) Part of approved vapor investigation workplan

The contaminants that have been identified at this time on property that you own or occupy include:

Contaminant	In Soil?		In Groundwater?	
	Yes	No	Yes	No
Gasoline	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Diesel or Fuel Oil	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Solvents	<input checked="" type="radio"/>	<input type="radio"/>	<input checked="" type="radio"/>	<input type="radio"/>
Heavy Metals	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Pesticides	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Other: _____	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>

This sampling event included sampling of a drinking water well. <input type="radio"/> Yes <input checked="" type="radio"/> No
If yes, the sampled drinking water well had detectable contaminants. <input type="radio"/> Yes <input type="radio"/> No

Contaminants in Vapor

	Yes	No
Indoor Air	<input type="radio"/>	<input type="radio"/>
Sub-slab	<input checked="" type="radio"/>	<input type="radio"/>
Exterior Soil Gas	<input type="radio"/>	<input type="radio"/>

Site Investigation Sample Results Notification

Form 4400-249 (R 03/14)

Page 2 of 2

Attached are:

- A map that shows the locations from which samples were collected. (The map needs to meet the requirements of s. NR 716.15 (4), Wis. Adm. Code.)
- A data table with specific contaminant levels at each sample location and whether or not the sample results exceed state standards.
- A copy of the laboratory results.

You are not identified as the person that is responsible for this contamination. However, your cooperation is important. Property owners may become legally responsible for contamination if they do not allow access to the person that is responsible so that person may complete the environmental investigation and clean up activities.

Option for written exemption: You have the option of requesting a written liability exemption from the DNR for contamination that originated on another property, or on property that you lease. To do this, you must present an adequate environmental assessment of your property and pay a \$700 fee for review of this information. If you are interested in this option, please see DNR publication # RR 589, "When Contamination Crosses a Property Line - Rights and Responsibilities of Property Owners", available at: dnr.wi.gov/files/PDF/pubs/rr/rr589.pdf.

Contact Information

Please address questions regarding this notification, or requests for additional information to the contact person listed above, or to one of the following contacts:



Environmental Consultant

Company Name		Contact Person Last Name		First Name	
Ayres Associates		Honea		Bill	
Address			City	State	ZIP Code
3376 Packerland Drive			Ashwaubenon	WI	54115
Phone # (inc. area code)	Email				
(920) 498-1200	honeaw@ayresassociates.com				

Select which agency: Natural Resources Agriculture, Trade and Consumer Protection

State of Wisconsin Department of Natural Resources

Contact Person Last Name		First Name		Phone # (inc. area code)	
Saliars		Gwen		(920) 510-4343	
Address			City	State	ZIP Code
625 E County Rd Y			Oshkosh	WI	54901
Email					
gwen.saliars@wisconsin.gov					



LEGEND	
S-2 +	SEWER CLEANOUT
VP-5 ▲	VAPOR PINS
GP-1 ●	SOIL BORING
MW-12 ⊕	MONITORING WELL WELL
B-6/MW-1 ⊗	ABANDONED MONITORING/TEMP WELL
PZ-14 ■	PIEZOMETER

CAROL LAND SURVEYING.csh
5/20/2021
I:\51\CAD\Env. sites\Shawano, WI\1025 E. Green Bay Street\May 2021 Figures.dwg, Layout, fig. 2, Sample Map

DES BY	BOOK NO						
B. HONEA							
DR BY	PROJ NO						
T. SHUPERT	51-0477.00						
CHK BY	DATE	NO	DATE	REVISION	NO	DATE	REVISION
B. HONEA	MAY 2021						

VAPOR ASSESSMENT
1025 E. GREEN BAY, STREET
SHAWANO, WISCONSIN



SAMPLE MAP

FIGURE NO.
2

Vapor Analyte Detection Summary
 BRRTS No. 02-59-231063
 Martins One Hour Drycleaners
 1025 E. Green Bay Rd, Shawano, WI

Analyte	Sub-slab Vapor VRSLs (µg/m3)			Martin's One Hour Drycleaner 1025 E. Green Bay St.			Flamingo Family Restaurant 1017 E. Green Bay St.			Apartments 1024 5th St.			Parking Garage 1024 5th St.	Parking Garage 463 Humphrey Cr.
	Residential	Small Commercial	Large Commercial/ Industrial	VP-1 5/19/2021	VP-2 5/19/2021	S-2 5/19/2021	VP-3 5/19/2021	VP-4 5/19/2021	S-3 5/19/2021	VP-5 5/19/2021	VP-6 5/19/2021	S-1 5/19/2021	VP-7 5/19/2021	VP-8 5/19/2021
1,1-Dichloroethene (1,1-DCE)	7,000	29,333	88,000	<60.6	<60.6	1.2 J	<0.25	<7.0	<0.21	<0.24	<0.22	<0.23	<0.25	<0.23
1,2,4-Trimethylbenzene	2,100	8,667	26,000	<155	<155	<0.56	1.5 J	<17.8	1.1 J	0.97 J	5.5	<0.58	<0.63	<0.59
1,3,5-Trimethylbenzene	2,100	8,667	26,000	<127	<127	<0.46	<0.53	<14.6	<0.45	<0.51	1.9	<0.48	<0.52	<0.49
1,3-Dichlorobenzene	NS	NS	NS	<224	<224	<0.80	<0.93	<25.7	0.99 J	<0.89	1.0 J	<0.83	<0.91	<0.86
1,4-Dichlorobenzene	87	367	1,100	<385	<385	<1.4	<1.6	<44.2	1.5 J	<1.5	<1.4	<1.4	<1.6	<1.5
Benzene	120	533	1,600	<50.1	<50.1	0.41 J	1.9	<5.7	0.32 J	0.35 J	5.6	0.51 J	<0.20	<0.19
Chloromethane	3,133	13,000	39,000	<37.4	<37.4	0.82	<0.16	<4.3	1.3	<0.15	<0.14	0.81	<0.15	<0.14
cis-1,2-Dichloroethene	NS	NS	NS	523	122 J	0.93 J	<0.36	<9.8	<0.30	<0.34	<0.31	<0.32	<0.35	<0.33
Dichlorodifluoromethane	3,333	14,667	44,000	<82.6	<82.6	2.0	596	61.7	18.1	15.3	2.2	2.2	2.4	2.4
Ethylbenzene	367	1,633	4,900	<136	<136	0.50 J	1.3 J	<15.6	<0.48	0.83 J	6.3	<0.51	<0.55	<0.52
m&p-Xylene	3,333	14,667	44,000	<282	<282	1.3 J	2.9 J	<32.4	1.6 J	2.4 J	18.3	1.6 J	1.5 J	1.7 J
Methyl-tert-butyl ether (MTBE)	3,667	15,667	47,000	<55.3	<55.3	<0.20	<0.23	<6.4	<0.20	<0.22	<0.20	<0.21	0.39 J	<0.21
Naphthalene	28	120	360	<953	<953	5.9	<4.0	<109	<3.4	<3.8	<3.5	<3.6	4.7 J	<3.6
o-Xylene	3,333	14,667	44,000	<119	<119	0.48 J	1.2 J	<13.7	0.71 J	1.1 J	6.6	0.55 J	1.5 J	0.53 J
Styrene	33,333	146,667	440,000	<169	<169	<0.61	0.93 J	<19.4	2.3	<0.67	1.5	0.70 J	<0.69	<0.65
Tetrachloroethene (PCE)	1,400	6,000	18,000	194,000	124,000	4,350	106	65,700	524	1.1 J	1.7	<0.48	1,250	1.2
Toluene	173,333	733,333	2,200,000	<107	<107	2.4	4.9	<12.3	16.2	3.7	52.9	3.2	2.9	2.5
trans-1,2-Dichloroethene	NS	NS	NS	444	<73.8	<0.27	<0.31	<8.5	<0.26	<0.29	<0.27	<0.28	<0.30	<0.28
Trichloroethene (TCE)	70	293	880	4,410	1,240	30.7	<0.36	151	0.84 J	<0.34	0.32 J	<0.32	1.1	<0.33
Trichlorofluoromethane	NS	NS	NS	<102	<102	1.1 J	33.9	261	258	1.2 J	1.1 J	1.2 J	1.3 J	1.1 J
4-Methyl-2-pentanone (MIBK)	104,333	436,667	1,310,000	<141	<141	<0.51	0.92 J	<16.2	<0.50	<0.56	6.2 J	0.63 J	1.8 J	<0.54
Tetrahydrofuran	6,967	292,000	876,000	<79.1	<79.1	<0.28	2.1	<9.1	2.6	2.2	2.6	<0.30	1.0 J	2.7
n-Hexane	24,333	102,333	307,000	<83.9	<83.9	2.7	18.4	<9.6	0.89 J	2	16.7	0.58 J	0.62 J	<0.32
Cyclohexane	208,667	876,667	2,630,000	<97.1	<97.1	<0.35	4.7	<11.1	<0.34	2.7 J	16	<0.36	1.2 J	1.2 J
Propylene	104,333	436,667	1,310,000	<57.1	<57.1	<0.21	80.9	<6.6	1.3 J	<0.23	<0.21	<0.21	1.4 J	0.37 J
Ethyl acetate	2,433	10,233	30,700	<57.5	<57.5	<0.21	<0.24	<6.6	<0.20	<0.23	22.7	<0.21	1.1 J	0.78 J
n-Heptane	13,900	58,333	175,000	<79.5	<79.5	1.1 J	9	<9.1	<0.28	2	12.4	0.57 J	<0.32	0.45 J
2-Hexanone	1,043	4,367	13,100	<194	<194	<0.70	1.5 J	<22.3	1.7 J	<0.77	<0.71	<0.72	1.8 J	<0.74
4-Ethyltoluene	NS	NS	NS	<207	<207	<0.75	<0.86	<23.8	<0.73	<0.83	1.5J	<0.77	<0.84	<0.79
Ethanol	NS	NS	NS	<260	<260	4.4	26.3	153	53.5	156	139	5.1	90.9	20.9
2-Propanol	6,967	29,200	87,600	<224	<224	2.8 J	12.5	<25.7	21.1	9.8	26.8	3.2 J	17.2	4.6
Acetone	1,073,333	4,500,000	13,500,000	<795	<795	32	110	<91.2	75	26.1	177	4.6 J	213	90.3
Chloroform	41	178	533	<80.4	91.5 J	<0.29	<0.33	<9.2	0.59 J	<0.32	<0.29	<0.30	<0.33	<0.31
Carbon disulfide	24,333	102,333	307,000	<56.7	<56.7	3.3	32.5	<6.5	1.1	<0.23	6.9	0.53 J	<0.23	<0.22
1,1,2-Trichlorotrifluoroethane	173,667	730,000	2,190,000	<127	<127	0.47 J	0.98 J	<14.6	0.46 J	0.55 J	0.56 J	<0.47	<0.52	<0.49
2-Butanone (MEK)	173,667	730,000	2,190,000	<204	<204	3.4 J	19.1	<23.4	19.3	3.1 J	14.4	<0.76	14.1	2.6 J
Xylene (mix)	3,333	14,667	44,000	<401	<401	1.78 J	4.1 J	<46.1	2.31 J	3.5 J	24.9	3.1 J	3.0 J	2.23 J

Notes: < Value less than laboratory limit of detection. J - Value between laboratory limit of detection and limit of quantitation. **Bold** values are greater than or equal to residential VRSLs. **Bold underlined** values are greater than or equal to small commercial VRSLs. **Bold Underlined Italic** values are greater than or equal to large commercial/industrial VRSLs. c - carcinogenic based RSL. n - non-carcinogenic based RSL. VAL - Vapor action level. VRSL - Vapor risk screening level. RSL - Regional screening level. All values are shown in micrograms per cubic meter (µg/m3).

May 27, 2021

William Honea
Ayres Associates
N17 W24222 Riverwood Dr.
Suite 310
Waukesha, WI 53188

RE: Project: 51-0477.00 Martins Dry Cleaner
Pace Project No.: 10561674

Dear William Honea:


Enclosed are the analytical results for sample(s) received by the laboratory on May 21, 2021. The results relate only to the samples included in this report. Results reported herein conform to the applicable TNI/NELAC Standards and the laboratory's Quality Manual, where applicable, unless otherwise noted in the body of the report.

The test results provided in this final report were generated by each of the following laboratories within the Pace Network:

- Pace Analytical Services - Minneapolis

If you have any questions concerning this report, please feel free to contact me.

Sincerely,



Kirsten Hogberg
kirsten.hogberg@pacelabs.com
(612)607-1700
Project Manager

Enclosures

cc: Tom Gaieck, Ayres Associates
Subs, Ayres Associates



REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

CERTIFICATIONS

Project: 51-0477.00 Martins Dry Cleaner

Pace Project No.: 10561674

Pace Analytical Services, LLC - Minneapolis MN

1700 Elm Street SE, Minneapolis, MN 55414

1800 Elm Street SE, Minneapolis, MN 55414--Satellite Air Lab

A2LA Certification #: 2926.01*

Alabama Certification #: 40770

Alaska Contaminated Sites Certification #: 17-009*

Alaska DW Certification #: MN00064

Arizona Certification #: AZ0014*

Arkansas DW Certification #: MN00064

Arkansas WW Certification #: 88-0680

California Certification #: 2929

Colorado Certification #: MN00064

Connecticut Certification #: PH-0256

EPA Region 8 Tribal Water Systems+Wyoming DW Certification #: via MN 027-053-137

Florida Certification #: E87605*

Georgia Certification #: 959

Hawaii Certification #: MN00064

Idaho Certification #: MN00064

Illinois Certification #: 200011

Indiana Certification #: C-MN-01

Iowa Certification #: 368

Kansas Certification #: E-10167

Kentucky DW Certification #: 90062

Kentucky WW Certification #: 90062

Louisiana DEQ Certification #: AI-03086*

Louisiana DW Certification #: MN00064

Maine Certification #: MN00064*

Maryland Certification #: 322

Michigan Certification #: 9909

Minnesota Certification #: 027-053-137*

Minnesota Dept of Ag Approval: via MN 027-053-137

Minnesota Petrofund Registration #: 1240*

Mississippi Certification #: MN00064

Missouri Certification #: 10100

Montana Certification #: CERT0092

Nebraska Certification #: NE-OS-18-06

Nevada Certification #: MN00064

New Hampshire Certification #: 2081*

New Jersey Certification #: MN002

New York Certification #: 11647*

North Carolina DW Certification #: 27700

North Carolina WW Certification #: 530

North Dakota Certification #: R-036

Ohio DW Certification #: 41244

Ohio VAP Certification (1700) #: CL101

Ohio VAP Certification (1800) #: CL110*

Oklahoma Certification #: 9507*

Oregon Primary Certification #: MN300001

Oregon Secondary Certification #: MN200001*

Pennsylvania Certification #: 68-00563*

Puerto Rico Certification #: MN00064

South Carolina Certification #: 74003001

Tennessee Certification #: TN02818

Texas Certification #: T104704192*

Utah Certification #: MN00064*

Vermont Certification #: VT-027053137

Virginia Certification #: 460163*

Washington Certification #: C486*

West Virginia DEP Certification #: 382

West Virginia DW Certification #: 9952 C

Wisconsin Certification #: 999407970

Wyoming UST Certification #: via A2LA 2926.01

USDA Permit #: P330-19-00208

Please Note: Applicable air certifications are denoted with an asterisk ().

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

SAMPLE SUMMARY

Project: 51-0477.00 Martins Dry Cleaner

Pace Project No.: 10561674

Lab ID	Sample ID	Matrix	Date Collected	Date Received
10561674001	VP-7	Air	05/19/21 10:23	05/21/21 14:05
10561674002	VP-8	Air	05/19/21 11:06	05/21/21 14:05
10561674003	VP-6	Air	05/19/21 11:34	05/21/21 14:05
10561674004	VP-5	Air	05/19/21 12:14	05/21/21 14:05
10561674005	S-1	Air	05/19/21 11:38	05/21/21 14:05
10561674006	VP-1	Air	05/19/21 14:09	05/21/21 14:05
10561674007	VP-2	Air	05/19/21 14:43	05/21/21 14:05
10561674008	S-2	Air	05/19/21 14:01	05/21/21 14:05
10561674009	S-3	Air	05/19/21 14:45	05/21/21 14:05
10561674010	VP-4	Air	05/19/21 16:15	05/21/21 14:05
10561674011	VP-3	Air	05/19/21 16:34	05/21/21 14:05

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

SAMPLE ANALYTE COUNT

Project: 51-0477.00 Martins Dry Cleaner

Pace Project No.: 10561674

Lab ID	Sample ID	Method	Analysts	Analytes Reported	Laboratory
10561674001	VP-7	TO-15	AFV	61	PASI-M
10561674002	VP-8	TO-15	AFV	61	PASI-M
10561674003	VP-6	TO-15	AFV	61	PASI-M
10561674004	VP-5	TO-15	AFV	61	PASI-M
10561674005	S-1	TO-15	AFV	61	PASI-M
10561674006	VP-1	TO-15	AFV	61	PASI-M
10561674007	VP-2	TO-15	AFV	61	PASI-M
10561674008	S-2	TO-15	AFV	61	PASI-M
10561674009	S-3	TO-15	AFV	61	PASI-M
10561674010	VP-4	TO-15	AFV	61	PASI-M
10561674011	VP-3	TO-15	AFV	61	PASI-M

PASI-M = Pace Analytical Services - Minneapolis

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

SUMMARY OF DETECTION

Project: 51-0477.00 Martins Dry Cleaner

Pace Project No.: 10561674

Lab Sample ID	Client Sample ID	Result	Units	Report Limit	Analyzed	Qualifiers
Method	Parameters					
10561674001	VP-7					
TO-15	Acetone	213	ug/m3	10.8	05/26/21 02:58	
TO-15	2-Butanone (MEK)	14.1	ug/m3	5.4	05/26/21 02:58	
TO-15	Cyclohexane	1.2J	ug/m3	3.1	05/26/21 02:58	
TO-15	Dichlorodifluoromethane	2.4	ug/m3	1.8	05/26/21 02:58	
TO-15	Ethanol	90.9	ug/m3	3.4	05/26/21 02:58	
TO-15	Ethyl acetate	1.1J	ug/m3	1.3	05/26/21 02:58	
TO-15	n-Hexane	0.62J	ug/m3	1.3	05/26/21 02:58	
TO-15	2-Hexanone	1.8J	ug/m3	7.4	05/26/21 02:58	
TO-15	4-Methyl-2-pentanone (MIBK)	1.8J	ug/m3	7.4	05/26/21 02:58	
TO-15	Methyl-tert-butyl ether	0.39J	ug/m3	6.6	05/26/21 02:58	
TO-15	Naphthalene	4.7J	ug/m3	4.8	05/26/21 02:58	
TO-15	2-Propanol	17.2	ug/m3	4.5	05/26/21 02:58	
TO-15	Propylene	1.4J	ug/m3	1.6	05/26/21 02:58	
TO-15	Tetrachloroethene	1250	ug/m3	37.0	05/26/21 16:00	
TO-15	Tetrahydrofuran	1.0J	ug/m3	1.1	05/26/21 02:58	
TO-15	Toluene	2.9	ug/m3	1.4	05/26/21 02:58	
TO-15	Trichloroethene	1.1	ug/m3	0.98	05/26/21 02:58	
TO-15	Trichlorofluoromethane	1.3J	ug/m3	2.0	05/26/21 02:58	
TO-15	m&p-Xylene	1.5J	ug/m3	3.2	05/26/21 02:58	
TO-15	o-Xylene	1.5J	ug/m3	1.6	05/26/21 02:58	
10561674002	VP-8					
TO-15	Acetone	90.3	ug/m3	10.1	05/25/21 23:12	
TO-15	2-Butanone (MEK)	2.6J	ug/m3	5.0	05/25/21 23:12	
TO-15	Cyclohexane	1.2J	ug/m3	2.9	05/25/21 23:12	
TO-15	Dichlorodifluoromethane	2.4	ug/m3	1.7	05/25/21 23:12	
TO-15	Ethanol	20.9	ug/m3	3.2	05/25/21 23:12	
TO-15	Ethyl acetate	0.78J	ug/m3	1.2	05/25/21 23:12	
TO-15	n-Heptane	0.45J	ug/m3	1.4	05/25/21 23:12	
TO-15	2-Propanol	4.6	ug/m3	4.2	05/25/21 23:12	
TO-15	Propylene	0.37J	ug/m3	1.5	05/25/21 23:12	
TO-15	Tetrachloroethene	1.2	ug/m3	1.2	05/25/21 23:12	
TO-15	Tetrahydrofuran	2.7	ug/m3	1.0	05/25/21 23:12	
TO-15	Toluene	2.5	ug/m3	1.3	05/25/21 23:12	
TO-15	Trichlorofluoromethane	1.1J	ug/m3	1.9	05/25/21 23:12	
TO-15	m&p-Xylene	1.7J	ug/m3	3.0	05/25/21 23:12	
TO-15	o-Xylene	0.53J	ug/m3	1.5	05/25/21 23:12	
10561674003	VP-6					
TO-15	Acetone	177	ug/m3	9.7	05/25/21 22:33	
TO-15	Benzene	5.6	ug/m3	0.52	05/25/21 22:33	
TO-15	2-Butanone (MEK)	14.4	ug/m3	4.8	05/25/21 22:33	
TO-15	Carbon disulfide	6.9	ug/m3	1.0	05/25/21 22:33	
TO-15	Cyclohexane	16.0	ug/m3	2.8	05/25/21 22:33	
TO-15	1,3-Dichlorobenzene	1.0J	ug/m3	4.9	05/25/21 22:33	
TO-15	Dichlorodifluoromethane	2.2	ug/m3	1.6	05/25/21 22:33	
TO-15	Ethanol	139	ug/m3	3.1	05/25/21 22:33	
TO-15	Ethyl acetate	22.7	ug/m3	1.2	05/25/21 22:33	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

SUMMARY OF DETECTION

Project: 51-0477.00 Martins Dry Cleaner

Pace Project No.: 10561674

Lab Sample ID	Client Sample ID	Result	Units	Report Limit	Analyzed	Qualifiers
Method	Parameters					
10561674003	VP-6					
TO-15	Ethylbenzene	6.3	ug/m3	1.4	05/25/21 22:33	
TO-15	4-Ethyltoluene	1.5J	ug/m3	4.0	05/25/21 22:33	
TO-15	n-Heptane	12.4	ug/m3	1.3	05/25/21 22:33	
TO-15	n-Hexane	16.7	ug/m3	1.2	05/25/21 22:33	
TO-15	4-Methyl-2-pentanone (MIBK)	6.2J	ug/m3	6.7	05/25/21 22:33	
TO-15	2-Propanol	26.8	ug/m3	4.0	05/25/21 22:33	
TO-15	Styrene	1.5	ug/m3	1.4	05/25/21 22:33	
TO-15	Tetrachloroethene	1.7	ug/m3	1.1	05/25/21 22:33	
TO-15	Tetrahydrofuran	2.6	ug/m3	0.97	05/25/21 22:33	
TO-15	Toluene	52.9	ug/m3	1.2	05/25/21 22:33	
TO-15	Trichloroethene	0.32J	ug/m3	0.88	05/25/21 22:33	
TO-15	Trichlorofluoromethane	1.1J	ug/m3	1.8	05/25/21 22:33	
TO-15	1,1,2-Trichlorotrifluoroethane	0.56J	ug/m3	2.5	05/25/21 22:33	
TO-15	1,2,4-Trimethylbenzene	5.5	ug/m3	1.6	05/25/21 22:33	
TO-15	1,3,5-Trimethylbenzene	1.9	ug/m3	1.6	05/25/21 22:33	
TO-15	m&p-Xylene	18.3	ug/m3	2.8	05/25/21 22:33	
TO-15	o-Xylene	6.6	ug/m3	1.4	05/25/21 22:33	
10561674004	VP-5					
TO-15	Acetone	26.1	ug/m3	10.6	05/26/21 01:41	
TO-15	Benzene	0.35J	ug/m3	0.57	05/26/21 01:41	
TO-15	2-Butanone (MEK)	3.1J	ug/m3	5.2	05/26/21 01:41	
TO-15	Cyclohexane	2.7J	ug/m3	3.1	05/26/21 01:41	
TO-15	Dichlorodifluoromethane	15.3	ug/m3	1.8	05/26/21 01:41	
TO-15	Ethanol	156	ug/m3	3.4	05/26/21 01:41	
TO-15	Ethylbenzene	0.83J	ug/m3	1.5	05/26/21 01:41	
TO-15	n-Heptane	2.0	ug/m3	1.5	05/26/21 01:41	
TO-15	n-Hexane	2.0	ug/m3	1.3	05/26/21 01:41	
TO-15	2-Propanol	9.8	ug/m3	4.4	05/26/21 01:41	
TO-15	Tetrachloroethene	1.1J	ug/m3	1.2	05/26/21 01:41	
TO-15	Tetrahydrofuran	2.2	ug/m3	1.0	05/26/21 01:41	
TO-15	Toluene	3.7	ug/m3	1.3	05/26/21 01:41	
TO-15	Trichlorofluoromethane	1.2J	ug/m3	2.0	05/26/21 01:41	
TO-15	1,1,2-Trichlorotrifluoroethane	0.55J	ug/m3	2.7	05/26/21 01:41	
TO-15	1,2,4-Trimethylbenzene	0.97J	ug/m3	1.7	05/26/21 01:41	
TO-15	m&p-Xylene	2.4J	ug/m3	3.1	05/26/21 01:41	
TO-15	o-Xylene	1.1J	ug/m3	1.5	05/26/21 01:41	
10561674005	S-1					
TO-15	Acetone	4.6J	ug/m3	9.9	05/25/21 23:50	
TO-15	Benzene	0.51J	ug/m3	0.53	05/25/21 23:50	
TO-15	Carbon disulfide	0.53J	ug/m3	1.0	05/25/21 23:50	
TO-15	Chloromethane	0.81	ug/m3	0.69	05/25/21 23:50	
TO-15	Dichlorodifluoromethane	2.2	ug/m3	1.7	05/25/21 23:50	
TO-15	Ethanol	5.1	ug/m3	3.1	05/25/21 23:50	
TO-15	n-Heptane	0.57J	ug/m3	1.4	05/25/21 23:50	
TO-15	n-Hexane	0.58J	ug/m3	1.2	05/25/21 23:50	
TO-15	4-Methyl-2-pentanone (MIBK)	0.63J	ug/m3	6.8	05/25/21 23:50	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

SUMMARY OF DETECTION

Project: 51-0477.00 Martins Dry Cleaner

Pace Project No.: 10561674

Lab Sample ID	Client Sample ID	Result	Units	Report Limit	Analyzed	Qualifiers
Method	Parameters					
10561674005	S-1					
TO-15	2-Propanol	3.2J	ug/m3	4.1	05/25/21 23:50	
TO-15	Styrene	0.70J	ug/m3	1.4	05/25/21 23:50	
TO-15	Toluene	3.2	ug/m3	1.3	05/25/21 23:50	
TO-15	Trichlorofluoromethane	1.2J	ug/m3	1.9	05/25/21 23:50	
TO-15	m&p-Xylene	1.6J	ug/m3	2.9	05/25/21 23:50	
TO-15	o-Xylene	0.55J	ug/m3	1.4	05/25/21 23:50	
10561674006	VP-1					
TO-15	cis-1,2-Dichloroethene	523	ug/m3	354	05/26/21 04:44	
TO-15	trans-1,2-Dichloroethene	444	ug/m3	354	05/26/21 04:44	
TO-15	Tetrachloroethene	194000	ug/m3	4840	05/26/21 18:15	
TO-15	Trichloroethene	4410	ug/m3	240	05/26/21 04:44	
10561674007	VP-2					
TO-15	Chloroform	91.5J	ug/m3	218	05/26/21 05:18	
TO-15	cis-1,2-Dichloroethene	122J	ug/m3	354	05/26/21 05:18	
TO-15	Tetrachloroethene	124000	ug/m3	2420	05/26/21 17:42	
TO-15	Trichloroethene	1240	ug/m3	240	05/26/21 05:18	
10561674008	S-2					
TO-15	Acetone	32.0	ug/m3	9.5	05/26/21 02:20	
TO-15	Benzene	0.41J	ug/m3	0.51	05/26/21 02:20	
TO-15	2-Butanone (MEK)	3.4J	ug/m3	4.7	05/26/21 02:20	
TO-15	Carbon disulfide	3.3	ug/m3	1.0	05/26/21 02:20	
TO-15	Chloromethane	0.82	ug/m3	0.66	05/26/21 02:20	
TO-15	Dichlorodifluoromethane	2.0	ug/m3	1.6	05/26/21 02:20	
TO-15	1,1-Dichloroethene	1.2J	ug/m3	1.3	05/26/21 02:20	
TO-15	cis-1,2-Dichloroethene	0.93J	ug/m3	1.3	05/26/21 02:20	
TO-15	Ethanol	4.4	ug/m3	3.0	05/26/21 02:20	
TO-15	Ethylbenzene	0.50J	ug/m3	1.4	05/26/21 02:20	
TO-15	n-Heptane	1.1J	ug/m3	1.3	05/26/21 02:20	
TO-15	n-Hexane	2.7	ug/m3	1.1	05/26/21 02:20	
TO-15	Naphthalene	5.9	ug/m3	4.2	05/26/21 02:20	
TO-15	2-Propanol	2.8J	ug/m3	4.0	05/26/21 02:20	
TO-15	Tetrachloroethene	4350	ug/m3	32.7	05/26/21 16:34	
TO-15	Toluene	2.4	ug/m3	1.2	05/26/21 02:20	
TO-15	Trichloroethene	30.7	ug/m3	0.86	05/26/21 02:20	
TO-15	Trichlorofluoromethane	1.1J	ug/m3	1.8	05/26/21 02:20	
TO-15	1,1,2-Trichlorotrifluoroethane	0.47J	ug/m3	2.5	05/26/21 02:20	
TO-15	m&p-Xylene	1.3J	ug/m3	2.8	05/26/21 02:20	
TO-15	o-Xylene	0.48J	ug/m3	1.4	05/26/21 02:20	
10561674009	S-3					
TO-15	Acetone	75.0	ug/m3	9.4	05/26/21 00:29	
TO-15	Benzene	0.32J	ug/m3	0.50	05/26/21 00:29	
TO-15	2-Butanone (MEK)	19.3	ug/m3	4.6	05/26/21 00:29	
TO-15	Carbon disulfide	1.1	ug/m3	0.98	05/26/21 00:29	
TO-15	Chloroform	0.59J	ug/m3	0.77	05/26/21 00:29	
TO-15	Chloromethane	1.3	ug/m3	0.65	05/26/21 00:29	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

SUMMARY OF DETECTION

Project: 51-0477.00 Martins Dry Cleaner

Pace Project No.: 10561674

Lab Sample ID	Client Sample ID	Result	Units	Report Limit	Analyzed	Qualifiers
Method	Parameters					
10561674009	S-3					
TO-15	1,3-Dichlorobenzene	0.99J	ug/m3	4.7	05/26/21 00:29	
TO-15	1,4-Dichlorobenzene	1.5J	ug/m3	4.7	05/26/21 00:29	
TO-15	Dichlorodifluoromethane	18.1	ug/m3	1.6	05/26/21 00:29	
TO-15	Ethanol	53.5	ug/m3	3.0	05/26/21 00:29	
TO-15	n-Hexane	0.89J	ug/m3	1.1	05/26/21 00:29	
TO-15	2-Hexanone	1.7J	ug/m3	6.4	05/26/21 00:29	
TO-15	2-Propanol	21.1	ug/m3	3.9	05/26/21 00:29	
TO-15	Propylene	1.3J	ug/m3	1.4	05/26/21 00:29	
TO-15	Styrene	2.3	ug/m3	1.3	05/26/21 00:29	
TO-15	Tetrachloroethene	524	ug/m3	10.7	05/26/21 10:30	
TO-15	Tetrahydrofuran	2.6	ug/m3	0.93	05/26/21 00:29	
TO-15	Toluene	16.2	ug/m3	1.2	05/26/21 00:29	
TO-15	Trichloroethene	0.84J	ug/m3	0.85	05/26/21 00:29	
TO-15	Trichlorofluoromethane	258	ug/m3	1.8	05/26/21 00:29	
TO-15	1,1,2-Trichlorotrifluoroethane	0.46J	ug/m3	2.4	05/26/21 00:29	
TO-15	1,2,4-Trimethylbenzene	1.1J	ug/m3	1.5	05/26/21 00:29	
TO-15	m&p-Xylene	1.6J	ug/m3	2.7	05/26/21 00:29	
TO-15	o-Xylene	0.71J	ug/m3	1.4	05/26/21 00:29	
10561674010	VP-4					
TO-15	Dichlorodifluoromethane	61.7	ug/m3	50.9	05/26/21 04:10	
TO-15	Ethanol	153	ug/m3	96.8	05/26/21 04:10	
TO-15	Tetrachloroethene	65700	ug/m3	1110	05/26/21 17:08	
TO-15	Trichloroethene	151	ug/m3	27.5	05/26/21 04:10	
TO-15	Trichlorofluoromethane	261	ug/m3	57.5	05/26/21 04:10	
10561674011	VP-3					
TO-15	Acetone	110	ug/m3	11.1	05/26/21 03:37	
TO-15	Benzene	1.9	ug/m3	0.59	05/26/21 03:37	
TO-15	2-Butanone (MEK)	19.1	ug/m3	5.5	05/26/21 03:37	
TO-15	Carbon disulfide	32.5	ug/m3	1.2	05/26/21 03:37	
TO-15	Cyclohexane	4.7	ug/m3	3.2	05/26/21 03:37	
TO-15	Dichlorodifluoromethane	596	ug/m3	37.0	05/26/21 15:26	
TO-15	Ethanol	26.3	ug/m3	3.5	05/26/21 03:37	
TO-15	Ethylbenzene	1.3J	ug/m3	1.6	05/26/21 03:37	
TO-15	n-Heptane	9.0	ug/m3	1.5	05/26/21 03:37	
TO-15	n-Hexane	18.4	ug/m3	1.3	05/26/21 03:37	
TO-15	2-Hexanone	1.5J	ug/m3	7.6	05/26/21 03:37	
TO-15	4-Methyl-2-pentanone (MIBK)	0.92J	ug/m3	7.6	05/26/21 03:37	
TO-15	2-Propanol	12.5	ug/m3	4.6	05/26/21 03:37	
TO-15	Propylene	80.9	ug/m3	1.6	05/26/21 03:37	
TO-15	Styrene	0.93J	ug/m3	1.6	05/26/21 03:37	
TO-15	Tetrachloroethene	106	ug/m3	1.3	05/26/21 03:37	
TO-15	Tetrahydrofuran	2.1	ug/m3	1.1	05/26/21 03:37	
TO-15	Toluene	4.9	ug/m3	1.4	05/26/21 03:37	
TO-15	Trichlorofluoromethane	33.9	ug/m3	2.1	05/26/21 03:37	
TO-15	1,1,2-Trichlorotrifluoroethane	0.98J	ug/m3	2.9	05/26/21 03:37	
TO-15	1,2,4-Trimethylbenzene	1.5J	ug/m3	1.8	05/26/21 03:37	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

SUMMARY OF DETECTION

Project: 51-0477.00 Martins Dry Cleaner

Pace Project No.: 10561674

Lab Sample ID Method	Client Sample ID Parameters	Result	Units	Report Limit	Analyzed	Qualifiers
10561674011	VP-3					
TO-15	m&p-Xylene	2.9J	ug/m3	3.2	05/26/21 03:37	
TO-15	o-Xylene	1.2J	ug/m3	1.6	05/26/21 03:37	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 51-0477.00 Martins Dry Cleaner

Pace Project No.: 10561674

Sample: VP-7 **Lab ID: 10561674001** Collected: 05/19/21 10:23 Received: 05/21/21 14:05 Matrix: Air

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
TO15 MSV AIR									
Analytical Method: TO-15									
Pace Analytical Services - Minneapolis									
Acetone	213	ug/m3	10.8	3.2	1.79		05/26/21 02:58	67-64-1	
Benzene	<0.20	ug/m3	0.58	0.20	1.79		05/26/21 02:58	71-43-2	
Benzyl chloride	<1.6	ug/m3	4.7	1.6	1.79		05/26/21 02:58	100-44-7	
Bromodichloromethane	<0.42	ug/m3	2.4	0.42	1.79		05/26/21 02:58	75-27-4	
Bromoform	<2.9	ug/m3	9.4	2.9	1.79		05/26/21 02:58	75-25-2	
Bromomethane	<0.27	ug/m3	1.4	0.27	1.79		05/26/21 02:58	74-83-9	
1,3-Butadiene	<0.21	ug/m3	0.81	0.21	1.79		05/26/21 02:58	106-99-0	
2-Butanone (MEK)	14.1	ug/m3	5.4	0.83	1.79		05/26/21 02:58	78-93-3	
Carbon disulfide	<0.23	ug/m3	1.1	0.23	1.79		05/26/21 02:58	75-15-0	
Carbon tetrachloride	<0.50	ug/m3	2.3	0.50	1.79		05/26/21 02:58	56-23-5	
Chlorobenzene	<0.28	ug/m3	1.7	0.28	1.79		05/26/21 02:58	108-90-7	
Chloroethane	<0.40	ug/m3	0.96	0.40	1.79		05/26/21 02:58	75-00-3	
Chloroform	<0.33	ug/m3	0.89	0.33	1.79		05/26/21 02:58	67-66-3	
Chloromethane	<0.15	ug/m3	0.75	0.15	1.79		05/26/21 02:58	74-87-3	
Cyclohexane	1.2J	ug/m3	3.1	0.40	1.79		05/26/21 02:58	110-82-7	
Dibromochloromethane	<0.92	ug/m3	3.1	0.92	1.79		05/26/21 02:58	124-48-1	
1,2-Dibromoethane (EDB)	<0.54	ug/m3	1.4	0.54	1.79		05/26/21 02:58	106-93-4	
1,2-Dichlorobenzene	<0.72	ug/m3	5.5	0.72	1.79		05/26/21 02:58	95-50-1	
1,3-Dichlorobenzene	<0.91	ug/m3	5.5	0.91	1.79		05/26/21 02:58	541-73-1	
1,4-Dichlorobenzene	<1.6	ug/m3	5.5	1.6	1.79		05/26/21 02:58	106-46-7	
Dichlorodifluoromethane	2.4	ug/m3	1.8	0.34	1.79		05/26/21 02:58	75-71-8	
1,1-Dichloroethane	<0.30	ug/m3	1.5	0.30	1.79		05/26/21 02:58	75-34-3	
1,2-Dichloroethane	<0.35	ug/m3	1.5	0.35	1.79		05/26/21 02:58	107-06-2	
1,1-Dichloroethene	<0.25	ug/m3	1.4	0.25	1.79		05/26/21 02:58	75-35-4	
cis-1,2-Dichloroethene	<0.35	ug/m3	1.4	0.35	1.79		05/26/21 02:58	156-59-2	
trans-1,2-Dichloroethene	<0.30	ug/m3	1.4	0.30	1.79		05/26/21 02:58	156-60-5	
1,2-Dichloropropane	<0.48	ug/m3	1.7	0.48	1.79		05/26/21 02:58	78-87-5	
cis-1,3-Dichloropropene	<0.46	ug/m3	4.1	0.46	1.79		05/26/21 02:58	10061-01-5	
trans-1,3-Dichloropropene	<0.97	ug/m3	4.1	0.97	1.79		05/26/21 02:58	10061-02-6	
Dichlorotetrafluoroethane	<0.36	ug/m3	2.5	0.36	1.79		05/26/21 02:58	76-14-2	
Ethanol	90.9	ug/m3	3.4	1.1	1.79		05/26/21 02:58	64-17-5	
Ethyl acetate	1.1J	ug/m3	1.3	0.23	1.79		05/26/21 02:58	141-78-6	
Ethylbenzene	<0.55	ug/m3	1.6	0.55	1.79		05/26/21 02:58	100-41-4	
4-Ethyltoluene	<0.84	ug/m3	4.5	0.84	1.79		05/26/21 02:58	622-96-8	
n-Heptane	<0.32	ug/m3	1.5	0.32	1.79		05/26/21 02:58	142-82-5	
Hexachloro-1,3-butadiene	<2.2	ug/m3	9.7	2.2	1.79		05/26/21 02:58	87-68-3	
n-Hexane	0.62J	ug/m3	1.3	0.34	1.79		05/26/21 02:58	110-54-3	
2-Hexanone	1.8J	ug/m3	7.4	0.79	1.79		05/26/21 02:58	591-78-6	
Methylene Chloride	<1.1	ug/m3	6.3	1.1	1.79		05/26/21 02:58	75-09-2	
4-Methyl-2-pentanone (MIBK)	1.8J	ug/m3	7.4	0.57	1.79		05/26/21 02:58	108-10-1	
Methyl-tert-butyl ether	0.39J	ug/m3	6.6	0.23	1.79		05/26/21 02:58	1634-04-4	
Naphthalene	4.7J	ug/m3	4.8	3.9	1.79		05/26/21 02:58	91-20-3	
2-Propanol	17.2	ug/m3	4.5	0.91	1.79		05/26/21 02:58	67-63-0	
Propylene	1.4J	ug/m3	1.6	0.23	1.79		05/26/21 02:58	115-07-1	
Styrene	<0.69	ug/m3	1.6	0.69	1.79		05/26/21 02:58	100-42-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 51-0477.00 Martins Dry Cleaner

Pace Project No.: 10561674

Sample: VP-7 **Lab ID: 10561674001** Collected: 05/19/21 10:23 Received: 05/21/21 14:05 Matrix: Air

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
TO15 MSV AIR									
Analytical Method: TO-15									
Pace Analytical Services - Minneapolis									
1,1,2,2-Tetrachloroethane	<0.67	ug/m3	2.5	0.67	1.79		05/26/21 02:58	79-34-5	
Tetrachloroethene	1250	ug/m3	37.0	15.7	53.7		05/26/21 16:00	127-18-4	
Tetrahydrofuran	1.0J	ug/m3	1.1	0.32	1.79		05/26/21 02:58	109-99-9	
Toluene	2.9	ug/m3	1.4	0.44	1.79		05/26/21 02:58	108-88-3	
1,2,4-Trichlorobenzene	<8.7	ug/m3	13.5	8.7	1.79		05/26/21 02:58	120-82-1	
1,1,1-Trichloroethane	<0.33	ug/m3	2.0	0.33	1.79		05/26/21 02:58	71-55-6	
1,1,2-Trichloroethane	<0.35	ug/m3	0.99	0.35	1.79		05/26/21 02:58	79-00-5	
Trichloroethene	1.1	ug/m3	0.98	0.35	1.79		05/26/21 02:58	79-01-6	
Trichlorofluoromethane	1.3J	ug/m3	2.0	0.42	1.79		05/26/21 02:58	75-69-4	
1,1,2-Trichlorotrifluoroethane	<0.52	ug/m3	2.8	0.52	1.79		05/26/21 02:58	76-13-1	
1,2,4-Trimethylbenzene	<0.63	ug/m3	1.8	0.63	1.79		05/26/21 02:58	95-63-6	
1,3,5-Trimethylbenzene	<0.52	ug/m3	1.8	0.52	1.79		05/26/21 02:58	108-67-8	
Vinyl acetate	<0.37	ug/m3	1.3	0.37	1.79		05/26/21 02:58	108-05-4	
Vinyl chloride	<0.16	ug/m3	0.47	0.16	1.79		05/26/21 02:58	75-01-4	
m&p-Xylene	1.5J	ug/m3	3.2	1.1	1.79		05/26/21 02:58	179601-23-1	
o-Xylene	1.5J	ug/m3	1.6	0.49	1.79		05/26/21 02:58	95-47-6	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 51-0477.00 Martins Dry Cleaner

Pace Project No.: 10561674

Sample: VP-8 **Lab ID: 10561674002** Collected: 05/19/21 11:06 Received: 05/21/21 14:05 Matrix: Air

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
TO15 MSV AIR									
Analytical Method: TO-15									
Pace Analytical Services - Minneapolis									
Acetone	90.3	ug/m3	10.1	3.0	1.68		05/25/21 23:12	67-64-1	
Benzene	<0.19	ug/m3	0.55	0.19	1.68		05/25/21 23:12	71-43-2	
Benzyl chloride	<1.5	ug/m3	4.4	1.5	1.68		05/25/21 23:12	100-44-7	
Bromodichloromethane	<0.40	ug/m3	2.3	0.40	1.68		05/25/21 23:12	75-27-4	
Bromoform	<2.7	ug/m3	8.8	2.7	1.68		05/25/21 23:12	75-25-2	
Bromomethane	<0.25	ug/m3	1.3	0.25	1.68		05/25/21 23:12	74-83-9	
1,3-Butadiene	<0.20	ug/m3	0.76	0.20	1.68		05/25/21 23:12	106-99-0	
2-Butanone (MEK)	2.6J	ug/m3	5.0	0.78	1.68		05/25/21 23:12	78-93-3	
Carbon disulfide	<0.22	ug/m3	1.1	0.22	1.68		05/25/21 23:12	75-15-0	
Carbon tetrachloride	<0.47	ug/m3	2.2	0.47	1.68		05/25/21 23:12	56-23-5	
Chlorobenzene	<0.26	ug/m3	1.6	0.26	1.68		05/25/21 23:12	108-90-7	
Chloroethane	<0.38	ug/m3	0.90	0.38	1.68		05/25/21 23:12	75-00-3	
Chloroform	<0.31	ug/m3	0.83	0.31	1.68		05/25/21 23:12	67-66-3	
Chloromethane	<0.14	ug/m3	0.71	0.14	1.68		05/25/21 23:12	74-87-3	
Cyclohexane	1.2J	ug/m3	2.9	0.37	1.68		05/25/21 23:12	110-82-7	
Dibromochloromethane	<0.87	ug/m3	2.9	0.87	1.68		05/25/21 23:12	124-48-1	
1,2-Dibromoethane (EDB)	<0.50	ug/m3	1.3	0.50	1.68		05/25/21 23:12	106-93-4	
1,2-Dichlorobenzene	<0.68	ug/m3	5.1	0.68	1.68		05/25/21 23:12	95-50-1	
1,3-Dichlorobenzene	<0.86	ug/m3	5.1	0.86	1.68		05/25/21 23:12	541-73-1	
1,4-Dichlorobenzene	<1.5	ug/m3	5.1	1.5	1.68		05/25/21 23:12	106-46-7	
Dichlorodifluoromethane	2.4	ug/m3	1.7	0.32	1.68		05/25/21 23:12	75-71-8	
1,1-Dichloroethane	<0.28	ug/m3	1.4	0.28	1.68		05/25/21 23:12	75-34-3	
1,2-Dichloroethane	<0.33	ug/m3	1.4	0.33	1.68		05/25/21 23:12	107-06-2	
1,1-Dichloroethene	<0.23	ug/m3	1.4	0.23	1.68		05/25/21 23:12	75-35-4	
cis-1,2-Dichloroethene	<0.33	ug/m3	1.4	0.33	1.68		05/25/21 23:12	156-59-2	
trans-1,2-Dichloroethene	<0.28	ug/m3	1.4	0.28	1.68		05/25/21 23:12	156-60-5	
1,2-Dichloropropane	<0.45	ug/m3	1.6	0.45	1.68		05/25/21 23:12	78-87-5	
cis-1,3-Dichloropropene	<0.43	ug/m3	3.9	0.43	1.68		05/25/21 23:12	10061-01-5	
trans-1,3-Dichloropropene	<0.91	ug/m3	3.9	0.91	1.68		05/25/21 23:12	10061-02-6	
Dichlorotetrafluoroethane	<0.34	ug/m3	2.4	0.34	1.68		05/25/21 23:12	76-14-2	
Ethanol	20.9	ug/m3	3.2	0.99	1.68		05/25/21 23:12	64-17-5	
Ethyl acetate	0.78J	ug/m3	1.2	0.22	1.68		05/25/21 23:12	141-78-6	
Ethylbenzene	<0.52	ug/m3	1.5	0.52	1.68		05/25/21 23:12	100-41-4	
4-Ethyltoluene	<0.79	ug/m3	4.2	0.79	1.68		05/25/21 23:12	622-96-8	
n-Heptane	0.45J	ug/m3	1.4	0.30	1.68		05/25/21 23:12	142-82-5	
Hexachloro-1,3-butadiene	<2.1	ug/m3	9.1	2.1	1.68		05/25/21 23:12	87-68-3	
n-Hexane	<0.32	ug/m3	1.2	0.32	1.68		05/25/21 23:12	110-54-3	
2-Hexanone	<0.74	ug/m3	7.0	0.74	1.68		05/25/21 23:12	591-78-6	
Methylene Chloride	<1.0	ug/m3	5.9	1.0	1.68		05/25/21 23:12	75-09-2	
4-Methyl-2-pentanone (MIBK)	<0.54	ug/m3	7.0	0.54	1.68		05/25/21 23:12	108-10-1	
Methyl-tert-butyl ether	<0.21	ug/m3	6.1	0.21	1.68		05/25/21 23:12	1634-04-4	
Naphthalene	<3.6	ug/m3	4.5	3.6	1.68		05/25/21 23:12	91-20-3	
2-Propanol	4.6	ug/m3	4.2	0.86	1.68		05/25/21 23:12	67-63-0	
Propylene	0.37J	ug/m3	1.5	0.22	1.68		05/25/21 23:12	115-07-1	
Styrene	<0.65	ug/m3	1.5	0.65	1.68		05/25/21 23:12	100-42-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 51-0477.00 Martins Dry Cleaner

Pace Project No.: 10561674

Sample: VP-8 **Lab ID: 10561674002** Collected: 05/19/21 11:06 Received: 05/21/21 14:05 Matrix: Air

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
TO15 MSV AIR									
Analytical Method: TO-15									
Pace Analytical Services - Minneapolis									
1,1,2,2-Tetrachloroethane	<0.62	ug/m3	2.4	0.62	1.68		05/25/21 23:12	79-34-5	
Tetrachloroethene	1.2	ug/m3	1.2	0.49	1.68		05/25/21 23:12	127-18-4	
Tetrahydrofuran	2.7	ug/m3	1.0	0.30	1.68		05/25/21 23:12	109-99-9	
Toluene	2.5	ug/m3	1.3	0.41	1.68		05/25/21 23:12	108-88-3	
1,2,4-Trichlorobenzene	<8.2	ug/m3	12.7	8.2	1.68		05/25/21 23:12	120-82-1	
1,1,1-Trichloroethane	<0.31	ug/m3	1.9	0.31	1.68		05/25/21 23:12	71-55-6	
1,1,2-Trichloroethane	<0.33	ug/m3	0.93	0.33	1.68		05/25/21 23:12	79-00-5	
Trichloroethene	<0.33	ug/m3	0.92	0.33	1.68		05/25/21 23:12	79-01-6	
Trichlorofluoromethane	1.1J	ug/m3	1.9	0.39	1.68		05/25/21 23:12	75-69-4	
1,1,2-Trichlorotrifluoroethane	<0.49	ug/m3	2.6	0.49	1.68		05/25/21 23:12	76-13-1	
1,2,4-Trimethylbenzene	<0.59	ug/m3	1.7	0.59	1.68		05/25/21 23:12	95-63-6	
1,3,5-Trimethylbenzene	<0.49	ug/m3	1.7	0.49	1.68		05/25/21 23:12	108-67-8	
Vinyl acetate	<0.35	ug/m3	1.2	0.35	1.68		05/25/21 23:12	108-05-4	
Vinyl chloride	<0.15	ug/m3	0.44	0.15	1.68		05/25/21 23:12	75-01-4	
m&p-Xylene	1.7J	ug/m3	3.0	1.1	1.68		05/25/21 23:12	179601-23-1	
o-Xylene	0.53J	ug/m3	1.5	0.46	1.68		05/25/21 23:12	95-47-6	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 51-0477.00 Martins Dry Cleaner

Pace Project No.: 10561674

Sample: VP-6 **Lab ID: 10561674003** Collected: 05/19/21 11:34 Received: 05/21/21 14:05 Matrix: Air

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
TO15 MSV AIR									
Analytical Method: TO-15									
Pace Analytical Services - Minneapolis									
Acetone	177	ug/m3	9.7	2.9	1.61		05/25/21 22:33	67-64-1	
Benzene	5.6	ug/m3	0.52	0.18	1.61		05/25/21 22:33	71-43-2	
Benzyl chloride	<1.4	ug/m3	4.2	1.4	1.61		05/25/21 22:33	100-44-7	
Bromodichloromethane	<0.38	ug/m3	2.2	0.38	1.61		05/25/21 22:33	75-27-4	
Bromoform	<2.6	ug/m3	8.5	2.6	1.61		05/25/21 22:33	75-25-2	
Bromomethane	<0.24	ug/m3	1.3	0.24	1.61		05/25/21 22:33	74-83-9	
1,3-Butadiene	<0.19	ug/m3	0.72	0.19	1.61		05/25/21 22:33	106-99-0	
2-Butanone (MEK)	14.4	ug/m3	4.8	0.75	1.61		05/25/21 22:33	78-93-3	
Carbon disulfide	6.9	ug/m3	1.0	0.21	1.61		05/25/21 22:33	75-15-0	
Carbon tetrachloride	<0.45	ug/m3	2.1	0.45	1.61		05/25/21 22:33	56-23-5	
Chlorobenzene	<0.25	ug/m3	1.5	0.25	1.61		05/25/21 22:33	108-90-7	
Chloroethane	<0.36	ug/m3	0.86	0.36	1.61		05/25/21 22:33	75-00-3	
Chloroform	<0.29	ug/m3	0.80	0.29	1.61		05/25/21 22:33	67-66-3	
Chloromethane	<0.14	ug/m3	0.68	0.14	1.61		05/25/21 22:33	74-87-3	
Cyclohexane	16.0	ug/m3	2.8	0.36	1.61		05/25/21 22:33	110-82-7	
Dibromochloromethane	<0.83	ug/m3	2.8	0.83	1.61		05/25/21 22:33	124-48-1	
1,2-Dibromoethane (EDB)	<0.48	ug/m3	1.3	0.48	1.61		05/25/21 22:33	106-93-4	
1,2-Dichlorobenzene	<0.65	ug/m3	4.9	0.65	1.61		05/25/21 22:33	95-50-1	
1,3-Dichlorobenzene	1.0J	ug/m3	4.9	0.82	1.61		05/25/21 22:33	541-73-1	
1,4-Dichlorobenzene	<1.4	ug/m3	4.9	1.4	1.61		05/25/21 22:33	106-46-7	
Dichlorodifluoromethane	2.2	ug/m3	1.6	0.30	1.61		05/25/21 22:33	75-71-8	
1,1-Dichloroethane	<0.27	ug/m3	1.3	0.27	1.61		05/25/21 22:33	75-34-3	
1,2-Dichloroethane	<0.31	ug/m3	1.3	0.31	1.61		05/25/21 22:33	107-06-2	
1,1-Dichloroethene	<0.22	ug/m3	1.3	0.22	1.61		05/25/21 22:33	75-35-4	
cis-1,2-Dichloroethene	<0.31	ug/m3	1.3	0.31	1.61		05/25/21 22:33	156-59-2	
trans-1,2-Dichloroethene	<0.27	ug/m3	1.3	0.27	1.61		05/25/21 22:33	156-60-5	
1,2-Dichloropropane	<0.43	ug/m3	1.5	0.43	1.61		05/25/21 22:33	78-87-5	
cis-1,3-Dichloropropene	<0.41	ug/m3	3.7	0.41	1.61		05/25/21 22:33	10061-01-5	
trans-1,3-Dichloropropene	<0.88	ug/m3	3.7	0.88	1.61		05/25/21 22:33	10061-02-6	
Dichlorotetrafluoroethane	<0.33	ug/m3	2.3	0.33	1.61		05/25/21 22:33	76-14-2	
Ethanol	139	ug/m3	3.1	0.95	1.61		05/25/21 22:33	64-17-5	
Ethyl acetate	22.7	ug/m3	1.2	0.21	1.61		05/25/21 22:33	141-78-6	
Ethylbenzene	6.3	ug/m3	1.4	0.50	1.61		05/25/21 22:33	100-41-4	
4-Ethyltoluene	1.5J	ug/m3	4.0	0.76	1.61		05/25/21 22:33	622-96-8	
n-Heptane	12.4	ug/m3	1.3	0.29	1.61		05/25/21 22:33	142-82-5	
Hexachloro-1,3-butadiene	<2.0	ug/m3	8.7	2.0	1.61		05/25/21 22:33	87-68-3	
n-Hexane	16.7	ug/m3	1.2	0.31	1.61		05/25/21 22:33	110-54-3	
2-Hexanone	<0.71	ug/m3	6.7	0.71	1.61		05/25/21 22:33	591-78-6	
Methylene Chloride	<0.95	ug/m3	5.7	0.95	1.61		05/25/21 22:33	75-09-2	
4-Methyl-2-pentanone (MIBK)	6.2J	ug/m3	6.7	0.52	1.61		05/25/21 22:33	108-10-1	
Methyl-tert-butyl ether	<0.20	ug/m3	5.9	0.20	1.61		05/25/21 22:33	1634-04-4	
Naphthalene	<3.5	ug/m3	4.3	3.5	1.61		05/25/21 22:33	91-20-3	
2-Propanol	26.8	ug/m3	4.0	0.82	1.61		05/25/21 22:33	67-63-0	
Propylene	<0.21	ug/m3	1.4	0.21	1.61		05/25/21 22:33	115-07-1	
Styrene	1.5	ug/m3	1.4	0.62	1.61		05/25/21 22:33	100-42-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 51-0477.00 Martins Dry Cleaner

Pace Project No.: 10561674

Sample: VP-6 **Lab ID: 10561674003** Collected: 05/19/21 11:34 Received: 05/21/21 14:05 Matrix: Air

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
TO15 MSV AIR									
Analytical Method: TO-15									
Pace Analytical Services - Minneapolis									
1,1,2,2-Tetrachloroethane	<0.60	ug/m3	2.3	0.60	1.61		05/25/21 22:33	79-34-5	
Tetrachloroethene	1.7	ug/m3	1.1	0.47	1.61		05/25/21 22:33	127-18-4	
Tetrahydrofuran	2.6	ug/m3	0.97	0.29	1.61		05/25/21 22:33	109-99-9	
Toluene	52.9	ug/m3	1.2	0.39	1.61		05/25/21 22:33	108-88-3	
1,2,4-Trichlorobenzene	<7.9	ug/m3	12.1	7.9	1.61		05/25/21 22:33	120-82-1	
1,1,1-Trichloroethane	<0.30	ug/m3	1.8	0.30	1.61		05/25/21 22:33	71-55-6	
1,1,2-Trichloroethane	<0.32	ug/m3	0.89	0.32	1.61		05/25/21 22:33	79-00-5	
Trichloroethene	0.32J	ug/m3	0.88	0.32	1.61		05/25/21 22:33	79-01-6	
Trichlorofluoromethane	1.1J	ug/m3	1.8	0.38	1.61		05/25/21 22:33	75-69-4	
1,1,2-Trichlorotrifluoroethane	0.56J	ug/m3	2.5	0.47	1.61		05/25/21 22:33	76-13-1	
1,2,4-Trimethylbenzene	5.5	ug/m3	1.6	0.57	1.61		05/25/21 22:33	95-63-6	
1,3,5-Trimethylbenzene	1.9	ug/m3	1.6	0.47	1.61		05/25/21 22:33	108-67-8	
Vinyl acetate	<0.33	ug/m3	1.2	0.33	1.61		05/25/21 22:33	108-05-4	
Vinyl chloride	<0.14	ug/m3	0.42	0.14	1.61		05/25/21 22:33	75-01-4	
m&p-Xylene	18.3	ug/m3	2.8	1.0	1.61		05/25/21 22:33	179601-23-1	
o-Xylene	6.6	ug/m3	1.4	0.44	1.61		05/25/21 22:33	95-47-6	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 51-0477.00 Martins Dry Cleaner

Pace Project No.: 10561674

Sample: VP-5 **Lab ID: 10561674004** Collected: 05/19/21 12:14 Received: 05/21/21 14:05 Matrix: Air

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
TO15 MSV AIR									
Analytical Method: TO-15									
Pace Analytical Services - Minneapolis									
Acetone	26.1	ug/m3	10.6	3.2	1.75		05/26/21 01:41	67-64-1	
Benzene	0.35J	ug/m3	0.57	0.20	1.75		05/26/21 01:41	71-43-2	
Benzyl chloride	<1.6	ug/m3	4.6	1.6	1.75		05/26/21 01:41	100-44-7	
Bromodichloromethane	<0.41	ug/m3	2.4	0.41	1.75		05/26/21 01:41	75-27-4	
Bromoform	<2.8	ug/m3	9.2	2.8	1.75		05/26/21 01:41	75-25-2	
Bromomethane	<0.26	ug/m3	1.4	0.26	1.75		05/26/21 01:41	74-83-9	
1,3-Butadiene	<0.21	ug/m3	0.79	0.21	1.75		05/26/21 01:41	106-99-0	
2-Butanone (MEK)	3.1J	ug/m3	5.2	0.81	1.75		05/26/21 01:41	78-93-3	
Carbon disulfide	<0.23	ug/m3	1.1	0.23	1.75		05/26/21 01:41	75-15-0	
Carbon tetrachloride	<0.49	ug/m3	2.2	0.49	1.75		05/26/21 01:41	56-23-5	
Chlorobenzene	<0.27	ug/m3	1.6	0.27	1.75		05/26/21 01:41	108-90-7	
Chloroethane	<0.39	ug/m3	0.94	0.39	1.75		05/26/21 01:41	75-00-3	
Chloroform	<0.32	ug/m3	0.87	0.32	1.75		05/26/21 01:41	67-66-3	
Chloromethane	<0.15	ug/m3	0.74	0.15	1.75		05/26/21 01:41	74-87-3	
Cyclohexane	2.7J	ug/m3	3.1	0.39	1.75		05/26/21 01:41	110-82-7	
Dibromochloromethane	<0.90	ug/m3	3.0	0.90	1.75		05/26/21 01:41	124-48-1	
1,2-Dibromoethane (EDB)	<0.52	ug/m3	1.4	0.52	1.75		05/26/21 01:41	106-93-4	
1,2-Dichlorobenzene	<0.71	ug/m3	5.4	0.71	1.75		05/26/21 01:41	95-50-1	
1,3-Dichlorobenzene	<0.89	ug/m3	5.4	0.89	1.75		05/26/21 01:41	541-73-1	
1,4-Dichlorobenzene	<1.5	ug/m3	5.4	1.5	1.75		05/26/21 01:41	106-46-7	
Dichlorodifluoromethane	15.3	ug/m3	1.8	0.33	1.75		05/26/21 01:41	75-71-8	
1,1-Dichloroethane	<0.29	ug/m3	1.4	0.29	1.75		05/26/21 01:41	75-34-3	
1,2-Dichloroethane	<0.34	ug/m3	1.4	0.34	1.75		05/26/21 01:41	107-06-2	
1,1-Dichloroethene	<0.24	ug/m3	1.4	0.24	1.75		05/26/21 01:41	75-35-4	
cis-1,2-Dichloroethene	<0.34	ug/m3	1.4	0.34	1.75		05/26/21 01:41	156-59-2	
trans-1,2-Dichloroethene	<0.29	ug/m3	1.4	0.29	1.75		05/26/21 01:41	156-60-5	
1,2-Dichloropropane	<0.47	ug/m3	1.6	0.47	1.75		05/26/21 01:41	78-87-5	
cis-1,3-Dichloropropene	<0.45	ug/m3	4.0	0.45	1.75		05/26/21 01:41	10061-01-5	
trans-1,3-Dichloropropene	<0.95	ug/m3	4.0	0.95	1.75		05/26/21 01:41	10061-02-6	
Dichlorotetrafluoroethane	<0.35	ug/m3	2.5	0.35	1.75		05/26/21 01:41	76-14-2	
Ethanol	156	ug/m3	3.4	1.0	1.75		05/26/21 01:41	64-17-5	
Ethyl acetate	<0.23	ug/m3	1.3	0.23	1.75		05/26/21 01:41	141-78-6	
Ethylbenzene	0.83J	ug/m3	1.5	0.54	1.75		05/26/21 01:41	100-41-4	
4-Ethyltoluene	<0.83	ug/m3	4.4	0.83	1.75		05/26/21 01:41	622-96-8	
n-Heptane	2.0	ug/m3	1.5	0.32	1.75		05/26/21 01:41	142-82-5	
Hexachloro-1,3-butadiene	<2.2	ug/m3	9.5	2.2	1.75		05/26/21 01:41	87-68-3	
n-Hexane	2.0	ug/m3	1.3	0.33	1.75		05/26/21 01:41	110-54-3	
2-Hexanone	<0.77	ug/m3	7.3	0.77	1.75		05/26/21 01:41	591-78-6	
Methylene Chloride	<1.0	ug/m3	6.2	1.0	1.75		05/26/21 01:41	75-09-2	
4-Methyl-2-pentanone (MIBK)	<0.56	ug/m3	7.3	0.56	1.75		05/26/21 01:41	108-10-1	
Methyl-tert-butyl ether	<0.22	ug/m3	6.4	0.22	1.75		05/26/21 01:41	1634-04-4	
Naphthalene	<3.8	ug/m3	4.7	3.8	1.75		05/26/21 01:41	91-20-3	
2-Propanol	9.8	ug/m3	4.4	0.89	1.75		05/26/21 01:41	67-63-0	
Propylene	<0.23	ug/m3	1.5	0.23	1.75		05/26/21 01:41	115-07-1	
Styrene	<0.67	ug/m3	1.5	0.67	1.75		05/26/21 01:41	100-42-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 51-0477.00 Martins Dry Cleaner

Pace Project No.: 10561674

Sample: VP-5 **Lab ID: 10561674004** Collected: 05/19/21 12:14 Received: 05/21/21 14:05 Matrix: Air

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
TO15 MSV AIR									
Analytical Method: TO-15									
Pace Analytical Services - Minneapolis									
1,1,2,2-Tetrachloroethane	<0.65	ug/m3	2.4	0.65	1.75		05/26/21 01:41	79-34-5	
Tetrachloroethene	1.1J	ug/m3	1.2	0.51	1.75		05/26/21 01:41	127-18-4	
Tetrahydrofuran	2.2	ug/m3	1.0	0.32	1.75		05/26/21 01:41	109-99-9	
Toluene	3.7	ug/m3	1.3	0.43	1.75		05/26/21 01:41	108-88-3	
1,2,4-Trichlorobenzene	<8.5	ug/m3	13.2	8.5	1.75		05/26/21 01:41	120-82-1	
1,1,1-Trichloroethane	<0.33	ug/m3	1.9	0.33	1.75		05/26/21 01:41	71-55-6	
1,1,2-Trichloroethane	<0.34	ug/m3	0.97	0.34	1.75		05/26/21 01:41	79-00-5	
Trichloroethene	<0.34	ug/m3	0.96	0.34	1.75		05/26/21 01:41	79-01-6	
Trichlorofluoromethane	1.2J	ug/m3	2.0	0.41	1.75		05/26/21 01:41	75-69-4	
1,1,2-Trichlorotrifluoroethane	0.55J	ug/m3	2.7	0.51	1.75		05/26/21 01:41	76-13-1	
1,2,4-Trimethylbenzene	0.97J	ug/m3	1.7	0.62	1.75		05/26/21 01:41	95-63-6	
1,3,5-Trimethylbenzene	<0.51	ug/m3	1.7	0.51	1.75		05/26/21 01:41	108-67-8	
Vinyl acetate	<0.36	ug/m3	1.3	0.36	1.75		05/26/21 01:41	108-05-4	
Vinyl chloride	<0.15	ug/m3	0.46	0.15	1.75		05/26/21 01:41	75-01-4	
m&p-Xylene	2.4J	ug/m3	3.1	1.1	1.75		05/26/21 01:41	179601-23-1	
o-Xylene	1.1J	ug/m3	1.5	0.47	1.75		05/26/21 01:41	95-47-6	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 51-0477.00 Martins Dry Cleaner

Pace Project No.: 10561674

Sample: S-1 **Lab ID: 10561674005** Collected: 05/19/21 11:38 Received: 05/21/21 14:05 Matrix: Air

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
TO15 MSV AIR									
Analytical Method: TO-15									
Pace Analytical Services - Minneapolis									
Acetone	4.6J	ug/m3	9.9	3.0	1.64		05/25/21 23:50	67-64-1	
Benzene	0.51J	ug/m3	0.53	0.19	1.64		05/25/21 23:50	71-43-2	
Benzyl chloride	<1.5	ug/m3	4.3	1.5	1.64		05/25/21 23:50	100-44-7	
Bromodichloromethane	<0.39	ug/m3	2.2	0.39	1.64		05/25/21 23:50	75-27-4	
Bromoform	<2.7	ug/m3	8.6	2.7	1.64		05/25/21 23:50	75-25-2	
Bromomethane	<0.25	ug/m3	1.3	0.25	1.64		05/25/21 23:50	74-83-9	
1,3-Butadiene	<0.20	ug/m3	0.74	0.20	1.64		05/25/21 23:50	106-99-0	
2-Butanone (MEK)	<0.76	ug/m3	4.9	0.76	1.64		05/25/21 23:50	78-93-3	
Carbon disulfide	0.53J	ug/m3	1.0	0.21	1.64		05/25/21 23:50	75-15-0	
Carbon tetrachloride	<0.46	ug/m3	2.1	0.46	1.64		05/25/21 23:50	56-23-5	
Chlorobenzene	<0.25	ug/m3	1.5	0.25	1.64		05/25/21 23:50	108-90-7	
Chloroethane	<0.37	ug/m3	0.88	0.37	1.64		05/25/21 23:50	75-00-3	
Chloroform	<0.30	ug/m3	0.81	0.30	1.64		05/25/21 23:50	67-66-3	
Chloromethane	0.81	ug/m3	0.69	0.14	1.64		05/25/21 23:50	74-87-3	
Cyclohexane	<0.36	ug/m3	2.9	0.36	1.64		05/25/21 23:50	110-82-7	
Dibromochloromethane	<0.84	ug/m3	2.8	0.84	1.64		05/25/21 23:50	124-48-1	
1,2-Dibromoethane (EDB)	<0.49	ug/m3	1.3	0.49	1.64		05/25/21 23:50	106-93-4	
1,2-Dichlorobenzene	<0.66	ug/m3	5.0	0.66	1.64		05/25/21 23:50	95-50-1	
1,3-Dichlorobenzene	<0.83	ug/m3	5.0	0.83	1.64		05/25/21 23:50	541-73-1	
1,4-Dichlorobenzene	<1.4	ug/m3	5.0	1.4	1.64		05/25/21 23:50	106-46-7	
Dichlorodifluoromethane	2.2	ug/m3	1.7	0.31	1.64		05/25/21 23:50	75-71-8	
1,1-Dichloroethane	<0.27	ug/m3	1.3	0.27	1.64		05/25/21 23:50	75-34-3	
1,2-Dichloroethane	<0.32	ug/m3	1.3	0.32	1.64		05/25/21 23:50	107-06-2	
1,1-Dichloroethene	<0.23	ug/m3	1.3	0.23	1.64		05/25/21 23:50	75-35-4	
cis-1,2-Dichloroethene	<0.32	ug/m3	1.3	0.32	1.64		05/25/21 23:50	156-59-2	
trans-1,2-Dichloroethene	<0.28	ug/m3	1.3	0.28	1.64		05/25/21 23:50	156-60-5	
1,2-Dichloropropane	<0.44	ug/m3	1.5	0.44	1.64		05/25/21 23:50	78-87-5	
cis-1,3-Dichloropropene	<0.42	ug/m3	3.8	0.42	1.64		05/25/21 23:50	10061-01-5	
trans-1,3-Dichloropropene	<0.89	ug/m3	3.8	0.89	1.64		05/25/21 23:50	10061-02-6	
Dichlorotetrafluoroethane	<0.33	ug/m3	2.3	0.33	1.64		05/25/21 23:50	76-14-2	
Ethanol	5.1	ug/m3	3.1	0.97	1.64		05/25/21 23:50	64-17-5	
Ethyl acetate	<0.21	ug/m3	1.2	0.21	1.64		05/25/21 23:50	141-78-6	
Ethylbenzene	<0.51	ug/m3	1.4	0.51	1.64		05/25/21 23:50	100-41-4	
4-Ethyltoluene	<0.77	ug/m3	4.1	0.77	1.64		05/25/21 23:50	622-96-8	
n-Heptane	0.57J	ug/m3	1.4	0.30	1.64		05/25/21 23:50	142-82-5	
Hexachloro-1,3-butadiene	<2.0	ug/m3	8.9	2.0	1.64		05/25/21 23:50	87-68-3	
n-Hexane	0.58J	ug/m3	1.2	0.31	1.64		05/25/21 23:50	110-54-3	
2-Hexanone	<0.72	ug/m3	6.8	0.72	1.64		05/25/21 23:50	591-78-6	
Methylene Chloride	<0.97	ug/m3	5.8	0.97	1.64		05/25/21 23:50	75-09-2	
4-Methyl-2-pentanone (MIBK)	0.63J	ug/m3	6.8	0.53	1.64		05/25/21 23:50	108-10-1	
Methyl-tert-butyl ether	<0.21	ug/m3	6.0	0.21	1.64		05/25/21 23:50	1634-04-4	
Naphthalene	<3.6	ug/m3	4.4	3.6	1.64		05/25/21 23:50	91-20-3	
2-Propanol	3.2J	ug/m3	4.1	0.83	1.64		05/25/21 23:50	67-63-0	
Propylene	<0.21	ug/m3	1.4	0.21	1.64		05/25/21 23:50	115-07-1	
Styrene	0.70J	ug/m3	1.4	0.63	1.64		05/25/21 23:50	100-42-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 51-0477.00 Martins Dry Cleaner

Pace Project No.: 10561674

Sample: S-1 **Lab ID: 10561674005** Collected: 05/19/21 11:38 Received: 05/21/21 14:05 Matrix: Air

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
TO15 MSV AIR									
Analytical Method: TO-15									
Pace Analytical Services - Minneapolis									
1,1,2,2-Tetrachloroethane	<0.61	ug/m3	2.3	0.61	1.64		05/25/21 23:50	79-34-5	
Tetrachloroethene	<0.48	ug/m3	1.1	0.48	1.64		05/25/21 23:50	127-18-4	
Tetrahydrofuran	<0.30	ug/m3	0.98	0.30	1.64		05/25/21 23:50	109-99-9	
Toluene	3.2	ug/m3	1.3	0.40	1.64		05/25/21 23:50	108-88-3	
1,2,4-Trichlorobenzene	<8.0	ug/m3	12.4	8.0	1.64		05/25/21 23:50	120-82-1	
1,1,1-Trichloroethane	<0.31	ug/m3	1.8	0.31	1.64		05/25/21 23:50	71-55-6	
1,1,2-Trichloroethane	<0.32	ug/m3	0.91	0.32	1.64		05/25/21 23:50	79-00-5	
Trichloroethene	<0.32	ug/m3	0.90	0.32	1.64		05/25/21 23:50	79-01-6	
Trichlorofluoromethane	1.2J	ug/m3	1.9	0.38	1.64		05/25/21 23:50	75-69-4	
1,1,2-Trichlorotrifluoroethane	<0.47	ug/m3	2.6	0.47	1.64		05/25/21 23:50	76-13-1	
1,2,4-Trimethylbenzene	<0.58	ug/m3	1.6	0.58	1.64		05/25/21 23:50	95-63-6	
1,3,5-Trimethylbenzene	<0.48	ug/m3	1.6	0.48	1.64		05/25/21 23:50	108-67-8	
Vinyl acetate	<0.34	ug/m3	1.2	0.34	1.64		05/25/21 23:50	108-05-4	
Vinyl chloride	<0.14	ug/m3	0.43	0.14	1.64		05/25/21 23:50	75-01-4	
m&p-Xylene	1.6J	ug/m3	2.9	1.1	1.64		05/25/21 23:50	179601-23-1	
o-Xylene	0.55J	ug/m3	1.4	0.44	1.64		05/25/21 23:50	95-47-6	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 51-0477.00 Martins Dry Cleaner

Pace Project No.: 10561674

Sample: VP-1 **Lab ID:** 10561674006 Collected: 05/19/21 14:09 Received: 05/21/21 14:05 Matrix: Air

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
TO15 MSV AIR									
Analytical Method: TO-15									
Pace Analytical Services - Minneapolis									
Acetone	<795	ug/m3	2650	795	439.2		05/26/21 04:44	67-64-1	
Benzene	<50.1	ug/m3	143	50.1	439.2		05/26/21 04:44	71-43-2	
Benzyl chloride	<391	ug/m3	1160	391	439.2		05/26/21 04:44	100-44-7	
Bromodichloromethane	<104	ug/m3	597	104	439.2		05/26/21 04:44	75-27-4	
Bromoform	<712	ug/m3	2310	712	439.2		05/26/21 04:44	75-25-2	
Bromomethane	<65.9	ug/m3	347	65.9	439.2		05/26/21 04:44	74-83-9	
1,3-Butadiene	<52.7	ug/m3	198	52.7	439.2		05/26/21 04:44	106-99-0	
2-Butanone (MEK)	<204	ug/m3	1320	204	439.2		05/26/21 04:44	78-93-3	
Carbon disulfide	<56.7	ug/m3	278	56.7	439.2		05/26/21 04:44	75-15-0	
Carbon tetrachloride	<123	ug/m3	562	123	439.2		05/26/21 04:44	56-23-5	
Chlorobenzene	<68.1	ug/m3	411	68.1	439.2		05/26/21 04:44	108-90-7	
Chloroethane	<98.4	ug/m3	235	98.4	439.2		05/26/21 04:44	75-00-3	
Chloroform	<80.4	ug/m3	218	80.4	439.2		05/26/21 04:44	67-66-3	
Chloromethane	<37.4	ug/m3	184	37.4	439.2		05/26/21 04:44	74-87-3	
Cyclohexane	<97.1	ug/m3	769	97.1	439.2		05/26/21 04:44	110-82-7	
Dibromochloromethane	<226	ug/m3	760	226	439.2		05/26/21 04:44	124-48-1	
1,2-Dibromoethane (EDB)	<132	ug/m3	343	132	439.2		05/26/21 04:44	106-93-4	
1,2-Dichlorobenzene	<178	ug/m3	1340	178	439.2		05/26/21 04:44	95-50-1	
1,3-Dichlorobenzene	<224	ug/m3	1340	224	439.2		05/26/21 04:44	541-73-1	
1,4-Dichlorobenzene	<385	ug/m3	1340	385	439.2		05/26/21 04:44	106-46-7	
Dichlorodifluoromethane	<82.6	ug/m3	444	82.6	439.2		05/26/21 04:44	75-71-8	
1,1-Dichloroethane	<72.5	ug/m3	361	72.5	439.2		05/26/21 04:44	75-34-3	
1,2-Dichloroethane	<85.2	ug/m3	361	85.2	439.2		05/26/21 04:44	107-06-2	
1,1-Dichloroethene	<60.6	ug/m3	354	60.6	439.2		05/26/21 04:44	75-35-4	
cis-1,2-Dichloroethene	523	ug/m3	354	85.6	439.2		05/26/21 04:44	156-59-2	
trans-1,2-Dichloroethene	444	ug/m3	354	73.8	439.2		05/26/21 04:44	156-60-5	
1,2-Dichloropropane	<118	ug/m3	412	118	439.2		05/26/21 04:44	78-87-5	
cis-1,3-Dichloropropene	<112	ug/m3	1010	112	439.2		05/26/21 04:44	10061-01-5	
trans-1,3-Dichloropropene	<239	ug/m3	1010	239	439.2		05/26/21 04:44	10061-02-6	
Dichlorotetrafluoroethane	<88.7	ug/m3	624	88.7	439.2		05/26/21 04:44	76-14-2	
Ethanol	<260	ug/m3	843	260	439.2		05/26/21 04:44	64-17-5	
Ethyl acetate	<57.5	ug/m3	322	57.5	439.2		05/26/21 04:44	141-78-6	
Ethylbenzene	<136	ug/m3	388	136	439.2		05/26/21 04:44	100-41-4	
4-Ethyltoluene	<207	ug/m3	1100	207	439.2		05/26/21 04:44	622-96-8	
n-Heptane	<79.5	ug/m3	366	79.5	439.2		05/26/21 04:44	142-82-5	
Hexachloro-1,3-butadiene	<540	ug/m3	2380	540	439.2		05/26/21 04:44	87-68-3	
n-Hexane	<83.9	ug/m3	314	83.9	439.2		05/26/21 04:44	110-54-3	
2-Hexanone	<194	ug/m3	1830	194	439.2		05/26/21 04:44	591-78-6	
Methylene Chloride	<260	ug/m3	1550	260	439.2		05/26/21 04:44	75-09-2	
4-Methyl-2-pentanone (MIBK)	<141	ug/m3	1830	141	439.2		05/26/21 04:44	108-10-1	
Methyl-tert-butyl ether	<55.3	ug/m3	1610	55.3	439.2		05/26/21 04:44	1634-04-4	
Naphthalene	<953	ug/m3	1170	953	439.2		05/26/21 04:44	91-20-3	
2-Propanol	<224	ug/m3	1100	224	439.2		05/26/21 04:44	67-63-0	
Propylene	<57.1	ug/m3	384	57.1	439.2		05/26/21 04:44	115-07-1	
Styrene	<169	ug/m3	380	169	439.2		05/26/21 04:44	100-42-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 51-0477.00 Martins Dry Cleaner

Pace Project No.: 10561674

Sample: VP-1 **Lab ID:** 10561674006 Collected: 05/19/21 14:09 Received: 05/21/21 14:05 Matrix: Air

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
TO15 MSV AIR									
Analytical Method: TO-15									
Pace Analytical Services - Minneapolis									
1,1,2,2-Tetrachloroethane	<163	ug/m3	615	163	439.2		05/26/21 04:44	79-34-5	
Tetrachloroethene	194000	ug/m3	4840	2050	7027		05/26/21 18:15	127-18-4	
Tetrahydrofuran	<79.1	ug/m3	264	79.1	439.2		05/26/21 04:44	109-99-9	
Toluene	<107	ug/m3	336	107	439.2		05/26/21 04:44	108-88-3	
1,2,4-Trichlorobenzene	<2140	ug/m3	3310	2140	439.2		05/26/21 04:44	120-82-1	
1,1,1-Trichloroethane	<81.7	ug/m3	488	81.7	439.2		05/26/21 04:44	71-55-6	
1,1,2-Trichloroethane	<86.5	ug/m3	244	86.5	439.2		05/26/21 04:44	79-00-5	
Trichloroethene	4410	ug/m3	240	86.1	439.2		05/26/21 04:44	79-01-6	
Trichlorofluoromethane	<102	ug/m3	501	102	439.2		05/26/21 04:44	75-69-4	
1,1,2-Trichlorotrifluoroethane	<127	ug/m3	685	127	439.2		05/26/21 04:44	76-13-1	
1,2,4-Trimethylbenzene	<155	ug/m3	439	155	439.2		05/26/21 04:44	95-63-6	
1,3,5-Trimethylbenzene	<127	ug/m3	439	127	439.2		05/26/21 04:44	108-67-8	
Vinyl acetate	<91.4	ug/m3	314	91.4	439.2		05/26/21 04:44	108-05-4	
Vinyl chloride	<38.1	ug/m3	114	38.1	439.2		05/26/21 04:44	75-01-4	
m&p-Xylene	<282	ug/m3	777	282	439.2		05/26/21 04:44	179601-23-1	
o-Xylene	<119	ug/m3	388	119	439.2		05/26/21 04:44	95-47-6	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 51-0477.00 Martins Dry Cleaner

Pace Project No.: 10561674

Sample: VP-2 **Lab ID: 10561674007** Collected: 05/19/21 14:43 Received: 05/21/21 14:05 Matrix: Air

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
TO15 MSV AIR									
Analytical Method: TO-15									
Pace Analytical Services - Minneapolis									
Acetone	<795	ug/m3	2650	795	439.2		05/26/21 05:18	67-64-1	
Benzene	<50.1	ug/m3	143	50.1	439.2		05/26/21 05:18	71-43-2	
Benzyl chloride	<391	ug/m3	1160	391	439.2		05/26/21 05:18	100-44-7	
Bromodichloromethane	<104	ug/m3	597	104	439.2		05/26/21 05:18	75-27-4	
Bromoform	<712	ug/m3	2310	712	439.2		05/26/21 05:18	75-25-2	
Bromomethane	<65.9	ug/m3	347	65.9	439.2		05/26/21 05:18	74-83-9	
1,3-Butadiene	<52.7	ug/m3	198	52.7	439.2		05/26/21 05:18	106-99-0	
2-Butanone (MEK)	<204	ug/m3	1320	204	439.2		05/26/21 05:18	78-93-3	
Carbon disulfide	<56.7	ug/m3	278	56.7	439.2		05/26/21 05:18	75-15-0	
Carbon tetrachloride	<123	ug/m3	562	123	439.2		05/26/21 05:18	56-23-5	
Chlorobenzene	<68.1	ug/m3	411	68.1	439.2		05/26/21 05:18	108-90-7	
Chloroethane	<98.4	ug/m3	235	98.4	439.2		05/26/21 05:18	75-00-3	
Chloroform	91.5J	ug/m3	218	80.4	439.2		05/26/21 05:18	67-66-3	
Chloromethane	<37.4	ug/m3	184	37.4	439.2		05/26/21 05:18	74-87-3	
Cyclohexane	<97.1	ug/m3	769	97.1	439.2		05/26/21 05:18	110-82-7	
Dibromochloromethane	<226	ug/m3	760	226	439.2		05/26/21 05:18	124-48-1	
1,2-Dibromoethane (EDB)	<132	ug/m3	343	132	439.2		05/26/21 05:18	106-93-4	
1,2-Dichlorobenzene	<178	ug/m3	1340	178	439.2		05/26/21 05:18	95-50-1	
1,3-Dichlorobenzene	<224	ug/m3	1340	224	439.2		05/26/21 05:18	541-73-1	
1,4-Dichlorobenzene	<385	ug/m3	1340	385	439.2		05/26/21 05:18	106-46-7	
Dichlorodifluoromethane	<82.6	ug/m3	444	82.6	439.2		05/26/21 05:18	75-71-8	
1,1-Dichloroethane	<72.5	ug/m3	361	72.5	439.2		05/26/21 05:18	75-34-3	
1,2-Dichloroethane	<85.2	ug/m3	361	85.2	439.2		05/26/21 05:18	107-06-2	
1,1-Dichloroethene	<60.6	ug/m3	354	60.6	439.2		05/26/21 05:18	75-35-4	
cis-1,2-Dichloroethene	122J	ug/m3	354	85.6	439.2		05/26/21 05:18	156-59-2	
trans-1,2-Dichloroethene	<73.8	ug/m3	354	73.8	439.2		05/26/21 05:18	156-60-5	
1,2-Dichloropropane	<118	ug/m3	412	118	439.2		05/26/21 05:18	78-87-5	
cis-1,3-Dichloropropene	<112	ug/m3	1010	112	439.2		05/26/21 05:18	10061-01-5	
trans-1,3-Dichloropropene	<239	ug/m3	1010	239	439.2		05/26/21 05:18	10061-02-6	
Dichlorotetrafluoroethane	<88.7	ug/m3	624	88.7	439.2		05/26/21 05:18	76-14-2	
Ethanol	<260	ug/m3	843	260	439.2		05/26/21 05:18	64-17-5	
Ethyl acetate	<57.5	ug/m3	322	57.5	439.2		05/26/21 05:18	141-78-6	
Ethylbenzene	<136	ug/m3	388	136	439.2		05/26/21 05:18	100-41-4	
4-Ethyltoluene	<207	ug/m3	1100	207	439.2		05/26/21 05:18	622-96-8	
n-Heptane	<79.5	ug/m3	366	79.5	439.2		05/26/21 05:18	142-82-5	
Hexachloro-1,3-butadiene	<540	ug/m3	2380	540	439.2		05/26/21 05:18	87-68-3	
n-Hexane	<83.9	ug/m3	314	83.9	439.2		05/26/21 05:18	110-54-3	
2-Hexanone	<194	ug/m3	1830	194	439.2		05/26/21 05:18	591-78-6	
Methylene Chloride	<260	ug/m3	1550	260	439.2		05/26/21 05:18	75-09-2	
4-Methyl-2-pentanone (MIBK)	<141	ug/m3	1830	141	439.2		05/26/21 05:18	108-10-1	
Methyl-tert-butyl ether	<55.3	ug/m3	1610	55.3	439.2		05/26/21 05:18	1634-04-4	
Naphthalene	<953	ug/m3	1170	953	439.2		05/26/21 05:18	91-20-3	
2-Propanol	<224	ug/m3	1100	224	439.2		05/26/21 05:18	67-63-0	
Propylene	<57.1	ug/m3	384	57.1	439.2		05/26/21 05:18	115-07-1	
Styrene	<169	ug/m3	380	169	439.2		05/26/21 05:18	100-42-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 51-0477.00 Martins Dry Cleaner

Pace Project No.: 10561674

Sample: VP-2 **Lab ID: 10561674007** Collected: 05/19/21 14:43 Received: 05/21/21 14:05 Matrix: Air

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
TO15 MSV AIR									
Analytical Method: TO-15									
Pace Analytical Services - Minneapolis									
1,1,2,2-Tetrachloroethane	<163	ug/m3	615	163	439.2		05/26/21 05:18	79-34-5	
Tetrachloroethene	124000	ug/m3	2420	1030	3514		05/26/21 17:42	127-18-4	
Tetrahydrofuran	<79.1	ug/m3	264	79.1	439.2		05/26/21 05:18	109-99-9	
Toluene	<107	ug/m3	336	107	439.2		05/26/21 05:18	108-88-3	
1,2,4-Trichlorobenzene	<2140	ug/m3	3310	2140	439.2		05/26/21 05:18	120-82-1	
1,1,1-Trichloroethane	<81.7	ug/m3	488	81.7	439.2		05/26/21 05:18	71-55-6	
1,1,2-Trichloroethane	<86.5	ug/m3	244	86.5	439.2		05/26/21 05:18	79-00-5	
Trichloroethene	1240	ug/m3	240	86.1	439.2		05/26/21 05:18	79-01-6	
Trichlorofluoromethane	<102	ug/m3	501	102	439.2		05/26/21 05:18	75-69-4	
1,1,2-Trichlorotrifluoroethane	<127	ug/m3	685	127	439.2		05/26/21 05:18	76-13-1	
1,2,4-Trimethylbenzene	<155	ug/m3	439	155	439.2		05/26/21 05:18	95-63-6	
1,3,5-Trimethylbenzene	<127	ug/m3	439	127	439.2		05/26/21 05:18	108-67-8	
Vinyl acetate	<91.4	ug/m3	314	91.4	439.2		05/26/21 05:18	108-05-4	
Vinyl chloride	<38.1	ug/m3	114	38.1	439.2		05/26/21 05:18	75-01-4	
m&p-Xylene	<282	ug/m3	777	282	439.2		05/26/21 05:18	179601-23-1	
o-Xylene	<119	ug/m3	388	119	439.2		05/26/21 05:18	95-47-6	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 51-0477.00 Martins Dry Cleaner

Pace Project No.: 10561674

Sample: S-2 **Lab ID: 10561674008** Collected: 05/19/21 14:01 Received: 05/21/21 14:05 Matrix: Air

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
TO15 MSV AIR									
Analytical Method: TO-15									
Pace Analytical Services - Minneapolis									
Acetone	32.0	ug/m3	9.5	2.9	1.58		05/26/21 02:20	67-64-1	
Benzene	0.41J	ug/m3	0.51	0.18	1.58		05/26/21 02:20	71-43-2	
Benzyl chloride	<1.4	ug/m3	4.2	1.4	1.58		05/26/21 02:20	100-44-7	
Bromodichloromethane	<0.37	ug/m3	2.1	0.37	1.58		05/26/21 02:20	75-27-4	
Bromoform	<2.6	ug/m3	8.3	2.6	1.58		05/26/21 02:20	75-25-2	
Bromomethane	<0.24	ug/m3	1.2	0.24	1.58		05/26/21 02:20	74-83-9	
1,3-Butadiene	<0.19	ug/m3	0.71	0.19	1.58		05/26/21 02:20	106-99-0	
2-Butanone (MEK)	3.4J	ug/m3	4.7	0.73	1.58		05/26/21 02:20	78-93-3	
Carbon disulfide	3.3	ug/m3	1.0	0.20	1.58		05/26/21 02:20	75-15-0	
Carbon tetrachloride	<0.44	ug/m3	2.0	0.44	1.58		05/26/21 02:20	56-23-5	
Chlorobenzene	<0.24	ug/m3	1.5	0.24	1.58		05/26/21 02:20	108-90-7	
Chloroethane	<0.35	ug/m3	0.85	0.35	1.58		05/26/21 02:20	75-00-3	
Chloroform	<0.29	ug/m3	0.78	0.29	1.58		05/26/21 02:20	67-66-3	
Chloromethane	0.82	ug/m3	0.66	0.13	1.58		05/26/21 02:20	74-87-3	
Cyclohexane	<0.35	ug/m3	2.8	0.35	1.58		05/26/21 02:20	110-82-7	
Dibromochloromethane	<0.81	ug/m3	2.7	0.81	1.58		05/26/21 02:20	124-48-1	
1,2-Dibromoethane (EDB)	<0.47	ug/m3	1.2	0.47	1.58		05/26/21 02:20	106-93-4	
1,2-Dichlorobenzene	<0.64	ug/m3	4.8	0.64	1.58		05/26/21 02:20	95-50-1	
1,3-Dichlorobenzene	<0.80	ug/m3	4.8	0.80	1.58		05/26/21 02:20	541-73-1	
1,4-Dichlorobenzene	<1.4	ug/m3	4.8	1.4	1.58		05/26/21 02:20	106-46-7	
Dichlorodifluoromethane	2.0	ug/m3	1.6	0.30	1.58		05/26/21 02:20	75-71-8	
1,1-Dichloroethane	<0.26	ug/m3	1.3	0.26	1.58		05/26/21 02:20	75-34-3	
1,2-Dichloroethane	<0.31	ug/m3	1.3	0.31	1.58		05/26/21 02:20	107-06-2	
1,1-Dichloroethene	1.2J	ug/m3	1.3	0.22	1.58		05/26/21 02:20	75-35-4	
cis-1,2-Dichloroethene	0.93J	ug/m3	1.3	0.31	1.58		05/26/21 02:20	156-59-2	
trans-1,2-Dichloroethene	<0.27	ug/m3	1.3	0.27	1.58		05/26/21 02:20	156-60-5	
1,2-Dichloropropane	<0.43	ug/m3	1.5	0.43	1.58		05/26/21 02:20	78-87-5	
cis-1,3-Dichloropropene	<0.40	ug/m3	3.6	0.40	1.58		05/26/21 02:20	10061-01-5	
trans-1,3-Dichloropropene	<0.86	ug/m3	3.6	0.86	1.58		05/26/21 02:20	10061-02-6	
Dichlorotetrafluoroethane	<0.32	ug/m3	2.2	0.32	1.58		05/26/21 02:20	76-14-2	
Ethanol	4.4	ug/m3	3.0	0.94	1.58		05/26/21 02:20	64-17-5	
Ethyl acetate	<0.21	ug/m3	1.2	0.21	1.58		05/26/21 02:20	141-78-6	
Ethylbenzene	0.50J	ug/m3	1.4	0.49	1.58		05/26/21 02:20	100-41-4	
4-Ethyltoluene	<0.75	ug/m3	4.0	0.75	1.58		05/26/21 02:20	622-96-8	
n-Heptane	1.1J	ug/m3	1.3	0.29	1.58		05/26/21 02:20	142-82-5	
Hexachloro-1,3-butadiene	<1.9	ug/m3	8.6	1.9	1.58		05/26/21 02:20	87-68-3	
n-Hexane	2.7	ug/m3	1.1	0.30	1.58		05/26/21 02:20	110-54-3	
2-Hexanone	<0.70	ug/m3	6.6	0.70	1.58		05/26/21 02:20	591-78-6	
Methylene Chloride	<0.94	ug/m3	5.6	0.94	1.58		05/26/21 02:20	75-09-2	
4-Methyl-2-pentanone (MIBK)	<0.51	ug/m3	6.6	0.51	1.58		05/26/21 02:20	108-10-1	
Methyl-tert-butyl ether	<0.20	ug/m3	5.8	0.20	1.58		05/26/21 02:20	1634-04-4	
Naphthalene	5.9	ug/m3	4.2	3.4	1.58		05/26/21 02:20	91-20-3	
2-Propanol	2.8J	ug/m3	4.0	0.80	1.58		05/26/21 02:20	67-63-0	
Propylene	<0.21	ug/m3	1.4	0.21	1.58		05/26/21 02:20	115-07-1	
Styrene	<0.61	ug/m3	1.4	0.61	1.58		05/26/21 02:20	100-42-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 51-0477.00 Martins Dry Cleaner

Pace Project No.: 10561674

Sample: S-2 **Lab ID: 10561674008** Collected: 05/19/21 14:01 Received: 05/21/21 14:05 Matrix: Air

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
TO15 MSV AIR									
Analytical Method: TO-15									
Pace Analytical Services - Minneapolis									
1,1,2,2-Tetrachloroethane	<0.59	ug/m3	2.2	0.59	1.58		05/26/21 02:20	79-34-5	
Tetrachloroethene	4350	ug/m3	32.7	13.8	47.4		05/26/21 16:34	127-18-4	
Tetrahydrofuran	<0.28	ug/m3	0.95	0.28	1.58		05/26/21 02:20	109-99-9	
Toluene	2.4	ug/m3	1.2	0.39	1.58		05/26/21 02:20	108-88-3	
1,2,4-Trichlorobenzene	<7.7	ug/m3	11.9	7.7	1.58		05/26/21 02:20	120-82-1	
1,1,1-Trichloroethane	<0.29	ug/m3	1.8	0.29	1.58		05/26/21 02:20	71-55-6	
1,1,2-Trichloroethane	<0.31	ug/m3	0.88	0.31	1.58		05/26/21 02:20	79-00-5	
Trichloroethene	30.7	ug/m3	0.86	0.31	1.58		05/26/21 02:20	79-01-6	
Trichlorofluoromethane	1.1J	ug/m3	1.8	0.37	1.58		05/26/21 02:20	75-69-4	
1,1,2-Trichlorotrifluoroethane	0.47J	ug/m3	2.5	0.46	1.58		05/26/21 02:20	76-13-1	
1,2,4-Trimethylbenzene	<0.56	ug/m3	1.6	0.56	1.58		05/26/21 02:20	95-63-6	
1,3,5-Trimethylbenzene	<0.46	ug/m3	1.6	0.46	1.58		05/26/21 02:20	108-67-8	
Vinyl acetate	<0.33	ug/m3	1.1	0.33	1.58		05/26/21 02:20	108-05-4	
Vinyl chloride	<0.14	ug/m3	0.41	0.14	1.58		05/26/21 02:20	75-01-4	
m&p-Xylene	1.3J	ug/m3	2.8	1.0	1.58		05/26/21 02:20	179601-23-1	
o-Xylene	0.48J	ug/m3	1.4	0.43	1.58		05/26/21 02:20	95-47-6	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 51-0477.00 Martins Dry Cleaner

Pace Project No.: 10561674

Sample: S-3 **Lab ID: 10561674009** Collected: 05/19/21 14:45 Received: 05/21/21 14:05 Matrix: Air

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
TO15 MSV AIR									
Analytical Method: TO-15									
Pace Analytical Services - Minneapolis									
Acetone	75.0	ug/m3	9.4	2.8	1.55		05/26/21 00:29	67-64-1	
Benzene	0.32J	ug/m3	0.50	0.18	1.55		05/26/21 00:29	71-43-2	
Benzyl chloride	<1.4	ug/m3	4.1	1.4	1.55		05/26/21 00:29	100-44-7	
Bromodichloromethane	<0.37	ug/m3	2.1	0.37	1.55		05/26/21 00:29	75-27-4	
Bromoform	<2.5	ug/m3	8.1	2.5	1.55		05/26/21 00:29	75-25-2	
Bromomethane	<0.23	ug/m3	1.2	0.23	1.55		05/26/21 00:29	74-83-9	
1,3-Butadiene	<0.19	ug/m3	0.70	0.19	1.55		05/26/21 00:29	106-99-0	
2-Butanone (MEK)	19.3	ug/m3	4.6	0.72	1.55		05/26/21 00:29	78-93-3	
Carbon disulfide	1.1	ug/m3	0.98	0.20	1.55		05/26/21 00:29	75-15-0	
Carbon tetrachloride	<0.43	ug/m3	2.0	0.43	1.55		05/26/21 00:29	56-23-5	
Chlorobenzene	<0.24	ug/m3	1.5	0.24	1.55		05/26/21 00:29	108-90-7	
Chloroethane	<0.35	ug/m3	0.83	0.35	1.55		05/26/21 00:29	75-00-3	
Chloroform	0.59J	ug/m3	0.77	0.28	1.55		05/26/21 00:29	67-66-3	
Chloromethane	1.3	ug/m3	0.65	0.13	1.55		05/26/21 00:29	74-87-3	
Cyclohexane	<0.34	ug/m3	2.7	0.34	1.55		05/26/21 00:29	110-82-7	
Dibromochloromethane	<0.80	ug/m3	2.7	0.80	1.55		05/26/21 00:29	124-48-1	
1,2-Dibromoethane (EDB)	<0.46	ug/m3	1.2	0.46	1.55		05/26/21 00:29	106-93-4	
1,2-Dichlorobenzene	<0.63	ug/m3	4.7	0.63	1.55		05/26/21 00:29	95-50-1	
1,3-Dichlorobenzene	0.99J	ug/m3	4.7	0.79	1.55		05/26/21 00:29	541-73-1	
1,4-Dichlorobenzene	1.5J	ug/m3	4.7	1.4	1.55		05/26/21 00:29	106-46-7	
Dichlorodifluoromethane	18.1	ug/m3	1.6	0.29	1.55		05/26/21 00:29	75-71-8	
1,1-Dichloroethane	<0.26	ug/m3	1.3	0.26	1.55		05/26/21 00:29	75-34-3	
1,2-Dichloroethane	<0.30	ug/m3	1.3	0.30	1.55		05/26/21 00:29	107-06-2	
1,1-Dichloroethene	<0.21	ug/m3	1.2	0.21	1.55		05/26/21 00:29	75-35-4	
cis-1,2-Dichloroethene	<0.30	ug/m3	1.2	0.30	1.55		05/26/21 00:29	156-59-2	
trans-1,2-Dichloroethene	<0.26	ug/m3	1.2	0.26	1.55		05/26/21 00:29	156-60-5	
1,2-Dichloropropane	<0.42	ug/m3	1.5	0.42	1.55		05/26/21 00:29	78-87-5	
cis-1,3-Dichloropropene	<0.40	ug/m3	3.6	0.40	1.55		05/26/21 00:29	10061-01-5	
trans-1,3-Dichloropropene	<0.84	ug/m3	3.6	0.84	1.55		05/26/21 00:29	10061-02-6	
Dichlorotetrafluoroethane	<0.31	ug/m3	2.2	0.31	1.55		05/26/21 00:29	76-14-2	
Ethanol	53.5	ug/m3	3.0	0.92	1.55		05/26/21 00:29	64-17-5	
Ethyl acetate	<0.20	ug/m3	1.1	0.20	1.55		05/26/21 00:29	141-78-6	
Ethylbenzene	<0.48	ug/m3	1.4	0.48	1.55		05/26/21 00:29	100-41-4	
4-Ethyltoluene	<0.73	ug/m3	3.9	0.73	1.55		05/26/21 00:29	622-96-8	
n-Heptane	<0.28	ug/m3	1.3	0.28	1.55		05/26/21 00:29	142-82-5	
Hexachloro-1,3-butadiene	<1.9	ug/m3	8.4	1.9	1.55		05/26/21 00:29	87-68-3	
n-Hexane	0.89J	ug/m3	1.1	0.30	1.55		05/26/21 00:29	110-54-3	
2-Hexanone	1.7J	ug/m3	6.4	0.69	1.55		05/26/21 00:29	591-78-6	
Methylene Chloride	<0.92	ug/m3	5.5	0.92	1.55		05/26/21 00:29	75-09-2	
4-Methyl-2-pentanone (MIBK)	<0.50	ug/m3	6.4	0.50	1.55		05/26/21 00:29	108-10-1	
Methyl-tert-butyl ether	<0.20	ug/m3	5.7	0.20	1.55		05/26/21 00:29	1634-04-4	
Naphthalene	<3.4	ug/m3	4.1	3.4	1.55		05/26/21 00:29	91-20-3	
2-Propanol	21.1	ug/m3	3.9	0.79	1.55		05/26/21 00:29	67-63-0	
Propylene	1.3J	ug/m3	1.4	0.20	1.55		05/26/21 00:29	115-07-1	
Styrene	2.3	ug/m3	1.3	0.60	1.55		05/26/21 00:29	100-42-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 51-0477.00 Martins Dry Cleaner

Pace Project No.: 10561674

Sample: S-3 **Lab ID: 10561674009** Collected: 05/19/21 14:45 Received: 05/21/21 14:05 Matrix: Air

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
TO15 MSV AIR									
Analytical Method: TO-15									
Pace Analytical Services - Minneapolis									
1,1,2,2-Tetrachloroethane	<0.58	ug/m3	2.2	0.58	1.55		05/26/21 00:29	79-34-5	
Tetrachloroethene	524	ug/m3	10.7	4.5	15.5		05/26/21 10:30	127-18-4	
Tetrahydrofuran	2.6	ug/m3	0.93	0.28	1.55		05/26/21 00:29	109-99-9	
Toluene	16.2	ug/m3	1.2	0.38	1.55		05/26/21 00:29	108-88-3	
1,2,4-Trichlorobenzene	<7.6	ug/m3	11.7	7.6	1.55		05/26/21 00:29	120-82-1	
1,1,1-Trichloroethane	<0.29	ug/m3	1.7	0.29	1.55		05/26/21 00:29	71-55-6	
1,1,2-Trichloroethane	<0.31	ug/m3	0.86	0.31	1.55		05/26/21 00:29	79-00-5	
Trichloroethene	0.84J	ug/m3	0.85	0.30	1.55		05/26/21 00:29	79-01-6	
Trichlorofluoromethane	258	ug/m3	1.8	0.36	1.55		05/26/21 00:29	75-69-4	
1,1,2-Trichlorotrifluoroethane	0.46J	ug/m3	2.4	0.45	1.55		05/26/21 00:29	76-13-1	
1,2,4-Trimethylbenzene	1.1J	ug/m3	1.5	0.55	1.55		05/26/21 00:29	95-63-6	
1,3,5-Trimethylbenzene	<0.45	ug/m3	1.5	0.45	1.55		05/26/21 00:29	108-67-8	
Vinyl acetate	<0.32	ug/m3	1.1	0.32	1.55		05/26/21 00:29	108-05-4	
Vinyl chloride	<0.13	ug/m3	0.40	0.13	1.55		05/26/21 00:29	75-01-4	
m&p-Xylene	1.6J	ug/m3	2.7	1.0	1.55		05/26/21 00:29	179601-23-1	
o-Xylene	0.71J	ug/m3	1.4	0.42	1.55		05/26/21 00:29	95-47-6	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 51-0477.00 Martins Dry Cleaner

Pace Project No.: 10561674

Sample: VP-4 **Lab ID: 10561674010** Collected: 05/19/21 16:15 Received: 05/21/21 14:05 Matrix: Air

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
TO15 MSV AIR									
Analytical Method: TO-15									
Pace Analytical Services - Minneapolis									
Acetone	<91.2	ug/m3	304	91.2	50.4		05/26/21 04:10	67-64-1	
Benzene	<5.7	ug/m3	16.4	5.7	50.4		05/26/21 04:10	71-43-2	
Benzyl chloride	<44.9	ug/m3	133	44.9	50.4		05/26/21 04:10	100-44-7	
Bromodichloromethane	<11.9	ug/m3	68.5	11.9	50.4		05/26/21 04:10	75-27-4	
Bromoform	<81.6	ug/m3	265	81.6	50.4		05/26/21 04:10	75-25-2	
Bromomethane	<7.6	ug/m3	39.8	7.6	50.4		05/26/21 04:10	74-83-9	
1,3-Butadiene	<6.0	ug/m3	22.7	6.0	50.4		05/26/21 04:10	106-99-0	
2-Butanone (MEK)	<23.4	ug/m3	151	23.4	50.4		05/26/21 04:10	78-93-3	
Carbon disulfide	<6.5	ug/m3	31.9	6.5	50.4		05/26/21 04:10	75-15-0	
Carbon tetrachloride	<14.1	ug/m3	64.5	14.1	50.4		05/26/21 04:10	56-23-5	
Chlorobenzene	<7.8	ug/m3	47.2	7.8	50.4		05/26/21 04:10	108-90-7	
Chloroethane	<11.3	ug/m3	27.0	11.3	50.4		05/26/21 04:10	75-00-3	
Chloroform	<9.2	ug/m3	25.0	9.2	50.4		05/26/21 04:10	67-66-3	
Chloromethane	<4.3	ug/m3	21.2	4.3	50.4		05/26/21 04:10	74-87-3	
Cyclohexane	<11.1	ug/m3	88.2	11.1	50.4		05/26/21 04:10	110-82-7	
Dibromochloromethane	<26.0	ug/m3	87.2	26.0	50.4		05/26/21 04:10	124-48-1	
1,2-Dibromoethane (EDB)	<15.1	ug/m3	39.4	15.1	50.4		05/26/21 04:10	106-93-4	
1,2-Dichlorobenzene	<20.4	ug/m3	154	20.4	50.4		05/26/21 04:10	95-50-1	
1,3-Dichlorobenzene	<25.7	ug/m3	154	25.7	50.4		05/26/21 04:10	541-73-1	
1,4-Dichlorobenzene	<44.2	ug/m3	154	44.2	50.4		05/26/21 04:10	106-46-7	
Dichlorodifluoromethane	61.7	ug/m3	50.9	9.5	50.4		05/26/21 04:10	75-71-8	
1,1-Dichloroethane	<8.3	ug/m3	41.5	8.3	50.4		05/26/21 04:10	75-34-3	
1,2-Dichloroethane	<9.8	ug/m3	41.5	9.8	50.4		05/26/21 04:10	107-06-2	
1,1-Dichloroethene	<7.0	ug/m3	40.6	7.0	50.4		05/26/21 04:10	75-35-4	
cis-1,2-Dichloroethene	<9.8	ug/m3	40.6	9.8	50.4		05/26/21 04:10	156-59-2	
trans-1,2-Dichloroethene	<8.5	ug/m3	40.6	8.5	50.4		05/26/21 04:10	156-60-5	
1,2-Dichloropropane	<13.6	ug/m3	47.3	13.6	50.4		05/26/21 04:10	78-87-5	
cis-1,3-Dichloropropene	<12.9	ug/m3	116	12.9	50.4		05/26/21 04:10	10061-01-5	
trans-1,3-Dichloropropene	<27.4	ug/m3	116	27.4	50.4		05/26/21 04:10	10061-02-6	
Dichlorotetrafluoroethane	<10.2	ug/m3	71.6	10.2	50.4		05/26/21 04:10	76-14-2	
Ethanol	153	ug/m3	96.8	29.8	50.4		05/26/21 04:10	64-17-5	
Ethyl acetate	<6.6	ug/m3	36.9	6.6	50.4		05/26/21 04:10	141-78-6	
Ethylbenzene	<15.6	ug/m3	44.5	15.6	50.4		05/26/21 04:10	100-41-4	
4-Ethyltoluene	<23.8	ug/m3	126	23.8	50.4		05/26/21 04:10	622-96-8	
n-Heptane	<9.1	ug/m3	42.0	9.1	50.4		05/26/21 04:10	142-82-5	
Hexachloro-1,3-butadiene	<62.0	ug/m3	273	62.0	50.4		05/26/21 04:10	87-68-3	
n-Hexane	<9.6	ug/m3	36.1	9.6	50.4		05/26/21 04:10	110-54-3	
2-Hexanone	<22.3	ug/m3	210	22.3	50.4		05/26/21 04:10	591-78-6	
Methylene Chloride	<29.9	ug/m3	178	29.9	50.4		05/26/21 04:10	75-09-2	
4-Methyl-2-pentanone (MIBK)	<16.2	ug/m3	210	16.2	50.4		05/26/21 04:10	108-10-1	
Methyl-tert-butyl ether	<6.4	ug/m3	184	6.4	50.4		05/26/21 04:10	1634-04-4	
Naphthalene	<109	ug/m3	134	109	50.4		05/26/21 04:10	91-20-3	
2-Propanol	<25.7	ug/m3	126	25.7	50.4		05/26/21 04:10	67-63-0	
Propylene	<6.6	ug/m3	44.1	6.6	50.4		05/26/21 04:10	115-07-1	
Styrene	<19.4	ug/m3	43.6	19.4	50.4		05/26/21 04:10	100-42-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 51-0477.00 Martins Dry Cleaner

Pace Project No.: 10561674

Sample: VP-4 **Lab ID: 10561674010** Collected: 05/19/21 16:15 Received: 05/21/21 14:05 Matrix: Air

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
TO15 MSV AIR									
Analytical Method: TO-15									
Pace Analytical Services - Minneapolis									
1,1,2,2-Tetrachloroethane	<18.7	ug/m3	70.6	18.7	50.4		05/26/21 04:10	79-34-5	
Tetrachloroethene	65700	ug/m3	1110	471	1613		05/26/21 17:08	127-18-4	
Tetrahydrofuran	<9.1	ug/m3	30.2	9.1	50.4		05/26/21 04:10	109-99-9	
Toluene	<12.3	ug/m3	38.6	12.3	50.4		05/26/21 04:10	108-88-3	
1,2,4-Trichlorobenzene	<246	ug/m3	380	246	50.4		05/26/21 04:10	120-82-1	
1,1,1-Trichloroethane	<9.4	ug/m3	55.9	9.4	50.4		05/26/21 04:10	71-55-6	
1,1,2-Trichloroethane	<9.9	ug/m3	28.0	9.9	50.4		05/26/21 04:10	79-00-5	
Trichloroethene	151	ug/m3	27.5	9.9	50.4		05/26/21 04:10	79-01-6	
Trichlorofluoromethane	261	ug/m3	57.5	11.7	50.4		05/26/21 04:10	75-69-4	
1,1,2-Trichlorotrifluoroethane	<14.6	ug/m3	78.6	14.6	50.4		05/26/21 04:10	76-13-1	
1,2,4-Trimethylbenzene	<17.8	ug/m3	50.3	17.8	50.4		05/26/21 04:10	95-63-6	
1,3,5-Trimethylbenzene	<14.6	ug/m3	50.3	14.6	50.4		05/26/21 04:10	108-67-8	
Vinyl acetate	<10.5	ug/m3	36.1	10.5	50.4		05/26/21 04:10	108-05-4	
Vinyl chloride	<4.4	ug/m3	13.1	4.4	50.4		05/26/21 04:10	75-01-4	
m&p-Xylene	<32.4	ug/m3	89.2	32.4	50.4		05/26/21 04:10	179601-23-1	
o-Xylene	<13.7	ug/m3	44.5	13.7	50.4		05/26/21 04:10	95-47-6	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 51-0477.00 Martins Dry Cleaner

Pace Project No.: 10561674

Sample: VP-3 Lab ID: 10561674011 Collected: 05/19/21 16:34 Received: 05/21/21 14:05 Matrix: Air

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
TO15 MSV AIR									
Analytical Method: TO-15									
Pace Analytical Services - Minneapolis									
Acetone	110	ug/m3	11.1	3.3	1.83		05/26/21 03:37	67-64-1	
Benzene	1.9	ug/m3	0.59	0.21	1.83		05/26/21 03:37	71-43-2	
Benzyl chloride	<1.6	ug/m3	4.8	1.6	1.83		05/26/21 03:37	100-44-7	
Bromodichloromethane	<0.43	ug/m3	2.5	0.43	1.83		05/26/21 03:37	75-27-4	
Bromoform	<3.0	ug/m3	9.6	3.0	1.83		05/26/21 03:37	75-25-2	
Bromomethane	<0.27	ug/m3	1.4	0.27	1.83		05/26/21 03:37	74-83-9	
1,3-Butadiene	<0.22	ug/m3	0.82	0.22	1.83		05/26/21 03:37	106-99-0	
2-Butanone (MEK)	19.1	ug/m3	5.5	0.85	1.83		05/26/21 03:37	78-93-3	
Carbon disulfide	32.5	ug/m3	1.2	0.24	1.83		05/26/21 03:37	75-15-0	
Carbon tetrachloride	<0.51	ug/m3	2.3	0.51	1.83		05/26/21 03:37	56-23-5	
Chlorobenzene	<0.28	ug/m3	1.7	0.28	1.83		05/26/21 03:37	108-90-7	
Chloroethane	<0.41	ug/m3	0.98	0.41	1.83		05/26/21 03:37	75-00-3	
Chloroform	<0.33	ug/m3	0.91	0.33	1.83		05/26/21 03:37	67-66-3	
Chloromethane	<0.16	ug/m3	0.77	0.16	1.83		05/26/21 03:37	74-87-3	
Cyclohexane	4.7	ug/m3	3.2	0.40	1.83		05/26/21 03:37	110-82-7	
Dibromochloromethane	<0.94	ug/m3	3.2	0.94	1.83		05/26/21 03:37	124-48-1	
1,2-Dibromoethane (EDB)	<0.55	ug/m3	1.4	0.55	1.83		05/26/21 03:37	106-93-4	
1,2-Dichlorobenzene	<0.74	ug/m3	5.6	0.74	1.83		05/26/21 03:37	95-50-1	
1,3-Dichlorobenzene	<0.93	ug/m3	5.6	0.93	1.83		05/26/21 03:37	541-73-1	
1,4-Dichlorobenzene	<1.6	ug/m3	5.6	1.6	1.83		05/26/21 03:37	106-46-7	
Dichlorodifluoromethane	596	ug/m3	37.0	6.9	36.6		05/26/21 15:26	75-71-8	
1,1-Dichloroethane	<0.30	ug/m3	1.5	0.30	1.83		05/26/21 03:37	75-34-3	
1,2-Dichloroethane	<0.36	ug/m3	1.5	0.36	1.83		05/26/21 03:37	107-06-2	
1,1-Dichloroethene	<0.25	ug/m3	1.5	0.25	1.83		05/26/21 03:37	75-35-4	
cis-1,2-Dichloroethene	<0.36	ug/m3	1.5	0.36	1.83		05/26/21 03:37	156-59-2	
trans-1,2-Dichloroethene	<0.31	ug/m3	1.5	0.31	1.83		05/26/21 03:37	156-60-5	
1,2-Dichloropropane	<0.49	ug/m3	1.7	0.49	1.83		05/26/21 03:37	78-87-5	
cis-1,3-Dichloropropene	<0.47	ug/m3	4.2	0.47	1.83		05/26/21 03:37	10061-01-5	
trans-1,3-Dichloropropene	<1.0	ug/m3	4.2	1.0	1.83		05/26/21 03:37	10061-02-6	
Dichlorotetrafluoroethane	<0.37	ug/m3	2.6	0.37	1.83		05/26/21 03:37	76-14-2	
Ethanol	26.3	ug/m3	3.5	1.1	1.83		05/26/21 03:37	64-17-5	
Ethyl acetate	<0.24	ug/m3	1.3	0.24	1.83		05/26/21 03:37	141-78-6	
Ethylbenzene	1.3J	ug/m3	1.6	0.57	1.83		05/26/21 03:37	100-41-4	
4-Ethyltoluene	<0.86	ug/m3	4.6	0.86	1.83		05/26/21 03:37	622-96-8	
n-Heptane	9.0	ug/m3	1.5	0.33	1.83		05/26/21 03:37	142-82-5	
Hexachloro-1,3-butadiene	<2.3	ug/m3	9.9	2.3	1.83		05/26/21 03:37	87-68-3	
n-Hexane	18.4	ug/m3	1.3	0.35	1.83		05/26/21 03:37	110-54-3	
2-Hexanone	1.5J	ug/m3	7.6	0.81	1.83		05/26/21 03:37	591-78-6	
Methylene Chloride	<1.1	ug/m3	6.5	1.1	1.83		05/26/21 03:37	75-09-2	
4-Methyl-2-pentanone (MIBK)	0.92J	ug/m3	7.6	0.59	1.83		05/26/21 03:37	108-10-1	
Methyl-tert-butyl ether	<0.23	ug/m3	6.7	0.23	1.83		05/26/21 03:37	1634-04-4	
Naphthalene	<4.0	ug/m3	4.9	4.0	1.83		05/26/21 03:37	91-20-3	
2-Propanol	12.5	ug/m3	4.6	0.93	1.83		05/26/21 03:37	67-63-0	
Propylene	80.9	ug/m3	1.6	0.24	1.83		05/26/21 03:37	115-07-1	
Styrene	0.93J	ug/m3	1.6	0.70	1.83		05/26/21 03:37	100-42-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 51-0477.00 Martins Dry Cleaner

Pace Project No.: 10561674

Sample: VP-3 **Lab ID: 10561674011** Collected: 05/19/21 16:34 Received: 05/21/21 14:05 Matrix: Air

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
TO15 MSV AIR									
Analytical Method: TO-15									
Pace Analytical Services - Minneapolis									
1,1,2,2-Tetrachloroethane	<0.68	ug/m3	2.6	0.68	1.83		05/26/21 03:37	79-34-5	
Tetrachloroethene	106	ug/m3	1.3	0.53	1.83		05/26/21 03:37	127-18-4	
Tetrahydrofuran	2.1	ug/m3	1.1	0.33	1.83		05/26/21 03:37	109-99-9	
Toluene	4.9	ug/m3	1.4	0.45	1.83		05/26/21 03:37	108-88-3	
1,2,4-Trichlorobenzene	<8.9	ug/m3	13.8	8.9	1.83		05/26/21 03:37	120-82-1	
1,1,1-Trichloroethane	<0.34	ug/m3	2.0	0.34	1.83		05/26/21 03:37	71-55-6	
1,1,2-Trichloroethane	<0.36	ug/m3	1.0	0.36	1.83		05/26/21 03:37	79-00-5	
Trichloroethene	<0.36	ug/m3	1.0	0.36	1.83		05/26/21 03:37	79-01-6	
Trichlorofluoromethane	33.9	ug/m3	2.1	0.43	1.83		05/26/21 03:37	75-69-4	
1,1,2-Trichlorotrifluoroethane	0.98J	ug/m3	2.9	0.53	1.83		05/26/21 03:37	76-13-1	
1,2,4-Trimethylbenzene	1.5J	ug/m3	1.8	0.65	1.83		05/26/21 03:37	95-63-6	
1,3,5-Trimethylbenzene	<0.53	ug/m3	1.8	0.53	1.83		05/26/21 03:37	108-67-8	
Vinyl acetate	<0.38	ug/m3	1.3	0.38	1.83		05/26/21 03:37	108-05-4	
Vinyl chloride	<0.16	ug/m3	0.48	0.16	1.83		05/26/21 03:37	75-01-4	
m&p-Xylene	2.9J	ug/m3	3.2	1.2	1.83		05/26/21 03:37	179601-23-1	
o-Xylene	1.2J	ug/m3	1.6	0.50	1.83		05/26/21 03:37	95-47-6	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: 51-0477.00 Martins Dry Cleaner

Pace Project No.: 10561674

QC Batch: 744523

Analysis Method: TO-15

QC Batch Method: TO-15

Analysis Description: TO15 MSV AIR Low Level

Laboratory: Pace Analytical Services - Minneapolis

Associated Lab Samples: 10561674001, 10561674002, 10561674003, 10561674004, 10561674005, 10561674006, 10561674007, 10561674008, 10561674009, 10561674010, 10561674011

METHOD BLANK: 3970480

Matrix: Air

Associated Lab Samples: 10561674001, 10561674002, 10561674003, 10561674004, 10561674005, 10561674006, 10561674007, 10561674008, 10561674009, 10561674010, 10561674011

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
1,1,1-Trichloroethane	ug/m3	<0.093	0.56	05/25/21 14:46	
1,1,2,2-Tetrachloroethane	ug/m3	<0.19	0.70	05/25/21 14:46	
1,1,2-Trichloroethane	ug/m3	<0.098	0.28	05/25/21 14:46	
1,1,2-Trichlorotrifluoroethane	ug/m3	<0.14	0.78	05/25/21 14:46	
1,1-Dichloroethane	ug/m3	<0.082	0.41	05/25/21 14:46	
1,1-Dichloroethene	ug/m3	<0.069	0.40	05/25/21 14:46	
1,2,4-Trichlorobenzene	ug/m3	<2.4	3.8	05/25/21 14:46	
1,2,4-Trimethylbenzene	ug/m3	<0.18	0.50	05/25/21 14:46	
1,2-Dibromoethane (EDB)	ug/m3	<0.15	0.39	05/25/21 14:46	
1,2-Dichlorobenzene	ug/m3	<0.20	1.5	05/25/21 14:46	
1,2-Dichloroethane	ug/m3	<0.097	0.41	05/25/21 14:46	
1,2-Dichloropropane	ug/m3	<0.13	0.47	05/25/21 14:46	
1,3,5-Trimethylbenzene	ug/m3	<0.14	0.50	05/25/21 14:46	
1,3-Butadiene	ug/m3	<0.060	0.22	05/25/21 14:46	
1,3-Dichlorobenzene	ug/m3	<0.25	1.5	05/25/21 14:46	
1,4-Dichlorobenzene	ug/m3	<0.44	1.5	05/25/21 14:46	
2-Butanone (MEK)	ug/m3	<0.23	1.5	05/25/21 14:46	
2-Hexanone	ug/m3	<0.22	2.1	05/25/21 14:46	
2-Propanol	ug/m3	<0.25	1.2	05/25/21 14:46	
4-Ethyltoluene	ug/m3	<0.24	1.2	05/25/21 14:46	
4-Methyl-2-pentanone (MIBK)	ug/m3	<0.16	2.1	05/25/21 14:46	
Acetone	ug/m3	<0.90	3.0	05/25/21 14:46	
Benzene	ug/m3	<0.057	0.16	05/25/21 14:46	
Benzyl chloride	ug/m3	<0.44	1.3	05/25/21 14:46	
Bromodichloromethane	ug/m3	<0.12	0.68	05/25/21 14:46	
Bromoform	ug/m3	<0.81	2.6	05/25/21 14:46	
Bromomethane	ug/m3	<0.075	0.39	05/25/21 14:46	
Carbon disulfide	ug/m3	<0.064	0.32	05/25/21 14:46	
Carbon tetrachloride	ug/m3	<0.14	0.64	05/25/21 14:46	
Chlorobenzene	ug/m3	<0.078	0.47	05/25/21 14:46	
Chloroethane	ug/m3	<0.11	0.27	05/25/21 14:46	
Chloroform	ug/m3	<0.092	0.25	05/25/21 14:46	
Chloromethane	ug/m3	<0.043	0.21	05/25/21 14:46	
cis-1,2-Dichloroethene	ug/m3	<0.098	0.40	05/25/21 14:46	
cis-1,3-Dichloropropene	ug/m3	<0.13	1.2	05/25/21 14:46	
Cyclohexane	ug/m3	<0.11	0.88	05/25/21 14:46	
Dibromochloromethane	ug/m3	<0.26	0.86	05/25/21 14:46	
Dichlorodifluoromethane	ug/m3	<0.094	0.50	05/25/21 14:46	
Dichlorotetrafluoroethane	ug/m3	<0.10	0.71	05/25/21 14:46	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: 51-0477.00 Martins Dry Cleaner

Pace Project No.: 10561674

METHOD BLANK: 3970480

Matrix: Air

Associated Lab Samples: 10561674001, 10561674002, 10561674003, 10561674004, 10561674005, 10561674006, 10561674007, 10561674008, 10561674009, 10561674010, 10561674011

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
Ethanol	ug/m3	<0.30	0.96	05/25/21 14:46	
Ethyl acetate	ug/m3	<0.066	0.37	05/25/21 14:46	
Ethylbenzene	ug/m3	<0.15	0.44	05/25/21 14:46	
Hexachloro-1,3-butadiene	ug/m3	<0.62	2.7	05/25/21 14:46	
m&p-Xylene	ug/m3	<0.32	0.88	05/25/21 14:46	
Methyl-tert-butyl ether	ug/m3	<0.063	1.8	05/25/21 14:46	
Methylene Chloride	ug/m3	<0.30	1.8	05/25/21 14:46	
n-Heptane	ug/m3	<0.090	0.42	05/25/21 14:46	
n-Hexane	ug/m3	<0.096	0.36	05/25/21 14:46	
Naphthalene	ug/m3	<1.1	1.3	05/25/21 14:46	
o-Xylene	ug/m3	<0.14	0.44	05/25/21 14:46	
Propylene	ug/m3	<0.065	0.44	05/25/21 14:46	
Styrene	ug/m3	<0.19	0.43	05/25/21 14:46	
Tetrachloroethene	ug/m3	<0.15	0.34	05/25/21 14:46	
Tetrahydrofuran	ug/m3	<0.090	0.30	05/25/21 14:46	
Toluene	ug/m3	<0.12	0.38	05/25/21 14:46	
trans-1,2-Dichloroethene	ug/m3	<0.084	0.40	05/25/21 14:46	
trans-1,3-Dichloropropene	ug/m3	<0.27	1.2	05/25/21 14:46	
Trichloroethene	ug/m3	<0.098	0.27	05/25/21 14:46	
Trichlorofluoromethane	ug/m3	<0.12	0.57	05/25/21 14:46	
Vinyl acetate	ug/m3	<0.10	0.36	05/25/21 14:46	
Vinyl chloride	ug/m3	<0.043	0.13	05/25/21 14:46	

LABORATORY CONTROL SAMPLE: 3970481

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
1,1,1-Trichloroethane	ug/m3	55.2	53.9	98	70-130	
1,1,2,2-Tetrachloroethane	ug/m3	72.5	65.5	90	70-132	
1,1,2-Trichloroethane	ug/m3	56.3	54.8	97	70-134	
1,1,2-Trichlorotrifluoroethane	ug/m3	77.9	75.5	97	70-130	
1,1-Dichloroethane	ug/m3	42.1	39.1	93	70-133	
1,1-Dichloroethene	ug/m3	41.5	40.6	98	70-130	
1,2,4-Trichlorobenzene	ug/m3	82	73.8	90	69-132	
1,2,4-Trimethylbenzene	ug/m3	51.9	50.8	98	70-142	
1,2-Dibromoethane (EDB)	ug/m3	80.4	79.8	99	70-138	
1,2-Dichlorobenzene	ug/m3	66	62.6	95	70-146	
1,2-Dichloroethane	ug/m3	42.1	42.1	100	70-132	
1,2-Dichloropropane	ug/m3	47.1	45.5	97	70-134	
1,3,5-Trimethylbenzene	ug/m3	51.4	48.7	95	70-143	
1,3-Butadiene	ug/m3	23	22.3	97	70-136	
1,3-Dichlorobenzene	ug/m3	63	63.0	100	70-145	
1,4-Dichlorobenzene	ug/m3	65.5	66.3	101	70-140	
2-Butanone (MEK)	ug/m3	32.4	29.1	90	50-139	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: 51-0477.00 Martins Dry Cleaner

Pace Project No.: 10561674

LABORATORY CONTROL SAMPLE: 3970481

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
2-Hexanone	ug/m3	41.4	48.9	118	70-148	
2-Propanol	ug/m3	27.4	27.0	99	67-135	
4-Ethyltoluene	ug/m3	51.7	49.6	96	70-145	
4-Methyl-2-pentanone (MIBK)	ug/m3	42.4	43.6	103	70-139	
Acetone	ug/m3	24.6	27.0	110	64-130	
Benzene	ug/m3	32.9	35.8	109	70-131	
Benzyl chloride	ug/m3	57.3	63.2	110	70-130	
Bromodichloromethane	ug/m3	69.7	69.1	99	70-133	
Bromoform	ug/m3	110	133	121	70-137	
Bromomethane	ug/m3	39.9	38.2	96	64-134	
Carbon disulfide	ug/m3	33.4	31.9	96	70-131	
Carbon tetrachloride	ug/m3	65	64.8	100	70-131	
Chlorobenzene	ug/m3	48.3	45.5	94	70-130	
Chloroethane	ug/m3	26.9	26.5	99	69-141	
Chloroform	ug/m3	48.5	52.1	107	70-130	
Chloromethane	ug/m3	21.1	20.3	96	70-130	
cis-1,2-Dichloroethene	ug/m3	41	41.3	101	70-137	
cis-1,3-Dichloropropene	ug/m3	46.9	52.3	111	70-144	
Cyclohexane	ug/m3	35.2	31.8	90	70-137	
Dibromochloromethane	ug/m3	87.3	90.9	104	70-132	
Dichlorodifluoromethane	ug/m3	51.3	48.8	95	70-130	
Dichlorotetrafluoroethane	ug/m3	65.1	63.9	98	70-130	
Ethanol	ug/m3	19.2	22.7	118	63-133	
Ethyl acetate	ug/m3	35.9	36.2	101	70-136	
Ethylbenzene	ug/m3	45.6	46.3	102	70-142	
Hexachloro-1,3-butadiene	ug/m3	117	114	98	70-135	
m&p-Xylene	ug/m3	45.9	44.9	98	70-141	
Methyl-tert-butyl ether	ug/m3	36.9	37.2	101	70-143	
Methylene Chloride	ug/m3	37.8	38.0	100	70-130	
n-Heptane	ug/m3	41.7	38.8	93	70-137	
n-Hexane	ug/m3	35.1	33.1	94	70-135	
Naphthalene	ug/m3	58.1	56.3	97	67-132	
o-Xylene	ug/m3	46	43.5	95	70-141	
Propylene	ug/m3	17.9	16.8	94	70-130	
Styrene	ug/m3	45.3	47.2	104	70-142	
Tetrachloroethene	ug/m3	69.9	74.9	107	70-130	
Tetrahydrofuran	ug/m3	30.1	29.7	99	70-136	
Toluene	ug/m3	39.4	38.9	99	70-138	
trans-1,2-Dichloroethene	ug/m3	40.8	41.0	100	70-130	
trans-1,3-Dichloropropene	ug/m3	48.2	52.6	109	70-145	
Trichloroethene	ug/m3	55.7	55.5	100	70-130	
Trichlorofluoromethane	ug/m3	56.5	55.8	99	69-135	
Vinyl acetate	ug/m3	38.1	41.4	109	70-146	
Vinyl chloride	ug/m3	26.6	28.3	106	70-137	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: 51-0477.00 Martins Dry Cleaner

Pace Project No.: 10561674

SAMPLE DUPLICATE: 3973330

Parameter	Units	10560564001 Result	Dup Result	RPD	Max RPD	Qualifiers
1,1,1-Trichloroethane	ug/m3	ND	<0.35		25	
1,1,2,2-Tetrachloroethane	ug/m3	ND	<0.71		25	
1,1,2-Trichloroethane	ug/m3	ND	<0.37		25	
1,1,2-Trichlorotrifluoroethane	ug/m3	ND	1.3J		25	
1,1-Dichloroethane	ug/m3	ND	<0.31		25	
1,1-Dichloroethene	ug/m3	ND	<0.26		25	
1,2,4-Trichlorobenzene	ug/m3	ND	<9.3		25	
1,2,4-Trimethylbenzene	ug/m3	ND	<0.67		25	
1,2-Dibromoethane (EDB)	ug/m3	ND	<0.57		25	
1,2-Dichlorobenzene	ug/m3	ND	<0.77		25	
1,2-Dichloroethane	ug/m3	ND	<0.37		25	
1,2-Dichloropropane	ug/m3	ND	<0.51		25	
1,3,5-Trimethylbenzene	ug/m3	ND	<0.55		25	
1,3-Butadiene	ug/m3	ND	<0.23		25	
1,3-Dichlorobenzene	ug/m3	ND	<0.97		25	
1,4-Dichlorobenzene	ug/m3	ND	<1.7		25	
2-Butanone (MEK)	ug/m3	8.7	8.8	1	25	
2-Hexanone	ug/m3	ND	1.2J		25	
2-Propanol	ug/m3	29.7	30.8	4	25	
4-Ethyltoluene	ug/m3	ND	<0.90		25	
4-Methyl-2-pentanone (MIBK)	ug/m3	ND	1.7J		25	
Acetone	ug/m3	36.6	36.7	0	25	
Benzene	ug/m3	ND	<0.22		25	
Benzyl chloride	ug/m3	ND	<1.7		25	
Bromodichloromethane	ug/m3	ND	<0.45		25	
Bromoform	ug/m3	ND	<3.1		25	
Bromomethane	ug/m3	ND	<0.28		25	
Carbon disulfide	ug/m3	2.1	2.1	2	25	
Carbon tetrachloride	ug/m3	ND	<0.53		25	
Chlorobenzene	ug/m3	ND	<0.29		25	
Chloroethane	ug/m3	ND	<0.43		25	
Chloroform	ug/m3	ND	0.56J		25	
Chloromethane	ug/m3	3.1	3.3	5	25	
cis-1,2-Dichloroethene	ug/m3	ND	<0.37		25	
cis-1,3-Dichloropropene	ug/m3	ND	<0.48		25	
Cyclohexane	ug/m3	8.4	8.2	2	25	
Dibromochloromethane	ug/m3	ND	<0.98		25	
Dichlorodifluoromethane	ug/m3	2.5	2.6	2	25	
Dichlorotetrafluoroethane	ug/m3	ND	<0.38		25	
Ethanol	ug/m3	25.8	26.3	2	25	
Ethyl acetate	ug/m3	ND	0.76J		25	
Ethylbenzene	ug/m3	ND	<0.59		25	
Hexachloro-1,3-butadiene	ug/m3	ND	<2.3		25	
m&p-Xylene	ug/m3	ND	<1.2		25	
Methyl-tert-butyl ether	ug/m3	ND	<0.24		25	
Methylene Chloride	ug/m3	ND	<1.1		25	
n-Heptane	ug/m3	ND	<0.34		25	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: 51-0477.00 Martins Dry Cleaner

Pace Project No.: 10561674

SAMPLE DUPLICATE: 3973330

Parameter	Units	10560564001 Result	Dup Result	RPD	Max RPD	Qualifiers
n-Hexane	ug/m3	ND	0.60J		25	
Naphthalene	ug/m3	63.6	57.5	10	25	
o-Xylene	ug/m3	ND	<0.51		25	
Propylene	ug/m3	ND	<0.25		25	
Styrene	ug/m3	ND	<0.73		25	
Tetrachloroethene	ug/m3	108	104	3	25	
Tetrahydrofuran	ug/m3	1.2	1.2	0	25	
Toluene	ug/m3	ND	<0.46		25	
trans-1,2-Dichloroethene	ug/m3	ND	<0.32		25	
trans-1,3-Dichloropropene	ug/m3	ND	<1.0		25	
Trichloroethene	ug/m3	4.3	4.3	1	25	
Trichlorofluoromethane	ug/m3	ND	1.4J		25	
Vinyl acetate	ug/m3	ND	<0.40		25	
Vinyl chloride	ug/m3	ND	<0.16		25	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALIFIERS

Project: 51-0477.00 Martins Dry Cleaner

Pace Project No.: 10561674

DEFINITIONS

DF - Dilution Factor, if reported, represents the factor applied to the reported data due to dilution of the sample aliquot.

ND - Not Detected at or above LOD.

J - Estimated concentration at or above the LOD and below the LOQ.

LOD - Limit of Detection adjusted for dilution factor, percent moisture, initial weight and final volume.

LOQ - Limit of Quantitation adjusted for dilution factor, percent moisture, initial weight and final volume.

S - Surrogate

1,2-Diphenylhydrazine decomposes to and cannot be separated from Azobenzene using Method 8270. The result for each analyte is a combined concentration.

Consistent with EPA guidelines, unrounded data are displayed and have been used to calculate % recovery and RPD values.

LCS(D) - Laboratory Control Sample (Duplicate)

MS(D) - Matrix Spike (Duplicate)

DUP - Sample Duplicate

RPD - Relative Percent Difference

NC - Not Calculable.

SG - Silica Gel - Clean-Up

U - Indicates the compound was analyzed for, but not detected at or above the adjusted LOD.

N-Nitrosodiphenylamine decomposes and cannot be separated from Diphenylamine using Method 8270. The result reported for each analyte is a combined concentration.

Pace Analytical is TNI accredited. Contact your Pace PM for the current list of accredited analytes.

TNI - The NELAC Institute.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA CROSS REFERENCE TABLE

Project: 51-0477.00 Martins Dry Cleaner

Pace Project No.: 10561674

Lab ID	Sample ID	QC Batch Method	QC Batch	Analytical Method	Analytical Batch
10561674001	VP-7	TO-15	744523		
10561674002	VP-8	TO-15	744523		
10561674003	VP-6	TO-15	744523		
10561674004	VP-5	TO-15	744523		
10561674005	S-1	TO-15	744523		
10561674006	VP-1	TO-15	744523		
10561674007	VP-2	TO-15	744523		
10561674008	S-2	TO-15	744523		
10561674009	S-3	TO-15	744523		
10561674010	VP-4	TO-15	744523		
10561674011	VP-3	TO-15	744523		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



Section A Required Client Information: Company: <i>Ayres Associates</i> Address: <i>3376 Packerland Ave Green Bay Wisconsin 54115</i> Email To: <i>honor@ayresassociates.com</i> Phone: <i>920 4281200</i> Fax: Requested Due Date/TAT:	Section B Required Project Information: Report To: <i>Bill Honora Tom Goizek</i> Copy To: Purchase Order No.: Project Name: <i>Martins Dry Clean</i> Project Number: <i>51-0477.00</i>	Section C Invoice Information: Attention: <i>Subs@ayresassociates.com</i> Company Name: <i>Ayres Associates</i> Address: <i>3376 Packerland Ave, Green Bay, WI</i> Pace Quote Reference: Pace Project Manager/Sales Rep. Pace Profile #: <i>32439</i>	Program <input type="checkbox"/> UST <input type="checkbox"/> Superfund <input type="checkbox"/> Emissions <input type="checkbox"/> Clean Air Act <input type="checkbox"/> Voluntary Clean Up <input type="checkbox"/> Dry Clean <input type="checkbox"/> RCRA <input type="checkbox"/> Other Reporting Units Location of Sampling by State: <i>Wisconsin</i> ug/m ³ <input checked="" type="checkbox"/> mg/m ³ ___ PPBV ___ PPMV ___ Other ___ Report Level II ___ III ___ IV ___ Other ___
--	---	---	---

ITEM #	'Section D Required Client Information AIR SAMPLE ID Sample IDs MUST BE UNIQUE	Valid Media Codes MEDIA CODE Tedlar Bag TB 1 Liter Summa Can 1LC 6 Liter Summa Can 6LC Low Volume Puff LVP High Volume Puff HVP Other PM10	MEDIA CODE	PID Reading (Client only)	COLLECTED				Canister Pressure (Initial Field - in Hg)	Canister Pressure (Final Field - in Hg)	Summa Can Number	Flow Control Number	Method:								Pace Lab ID	
					COMPOSITE START		COMPOSITE - END/GRAB						PM10	3C - Fixed Gas (%)	TO-3 BTEX	TO-3M (Methane)	TO-14	TO-15 Full List VOCs	TO-15 Short List BTEX	TO-15 Short List Chlennated		TO-15 Short List (Other)
					DATE	TIME	DATE	TIME														
1	VP-7	6LC	5/19	9:53	5/19	10:23	29	7	960			X	X	X	X	X	X	X	01			
2	VP-8	6LC	5/19	10:2	5/19	11:06	30	8	2089			X	X	X	X	X	X	X	02			
3	VP-6	6LC	5/19	11:04	5/19	11:34	25	4	505			X	X	X	X	X	X	X	03			
4	VP-5	6LC	5/19	11:4	5/19	12:14	28	6	1639			X	X	X	X	X	X	X	04			
5	S-1	6LC	5/19	11:36	5/19	11:38	30	5	12			X	X	X	X	X	X	X	05			
6	VP-1	6LC	5/19	1:39	5/19	2:09	30	8	3631			X	X	X	X	X	X	X	06			
7	VP-2	6LC	5/19	2:13	5/19	2:43	30	8	3695			X	X	X	X	X	X	X	07			
8	S-2	6LC	5/19	13:59	5/19	14:01	30	5	643			X	X	X	X	X	X	X	08			
9	S-3	6LC	5/19	14:43	5/19	14:45	30	5	2663			X	X	X	X	X	X	X	09			
10	VP4	6LC	5/19	3:45	5/19	4:15	29	6	276			X	X	X	X	X	X	X	10			
11	VP-3	6LC	5/19	4:04	5/19	4:34	29	8	3466			X	X	X	X	X	X	X	11			
12																						

Comments :	RELINQUISHED BY / AFFILIATION		DATE	TIME	ACCEPTED BY / AFFILIATION		DATE	TIME	SAMPLE CONDITIONS		
	Y/N	Y/N	Y/N	Y/N	Y/N	Y/N	Y/N	Y/N	Y/N	Y/N	Y/N
	Y	Y	5/20	11:10	Y	Y	5.21.21	1405	Y	Y	Y
	Y	Y			Y	Y			Y	Y	Y
	Y	Y			Y	Y			Y	Y	Y
	Y	Y			Y	Y			Y	Y	Y

SAMPLER NAME AND SIGNATURE				Temp in °C
PRINT Name of SAMPLER: <i>Thomas Goizek</i>				
SIGNATURE of SAMPLER: <i>Thomas Goizek</i> DATE Signed (MM/DD/YY) <i>5/20/2021</i>				
Received on ice	Custody Sealed Cooler	Samples intact		

ORIGINAL



Document Name:
Sample Condition Upon Receipt (SCUR) - Air

Document No.:
ENV-FRM-MIN4-0113 Rev.00

Document Revised: 24Mar2020
Page 1 of 1

Pace Analytical Services -
Minneapolis

Air Sample Condition Upon Receipt

Client Name: **AYRES**

Project #:

WO#: 10561674

Courier: Fed Ex UPS USPS Client
 Pace Speedee Commercial See Exception

PM: KNH Due Date: 06/04/21
CLIENT: AYRES-Madiso

Tracking Number: _____

Custody Seal on Cooler/Box Present? Yes No Seals Intact? Yes No

Packing Material: Bubble Wrap Bubble Bags Foam None Tin Can Other: _____ Temp Blank rec: Yes No

Temp. (TO17 and TO13 samples only) (°C): Corrected Temp (°C):

Thermometer Used: G87A9170600254
 G87A9155100842

Temp should be above freezing to 6°C Correction Factor:

Date & Initials of Person Examining Contents: **S. 22. 21 CMJ**

Type of ice Received Blue Wet None

Comments:

Chain of Custody Present?	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	1.
Chain of Custody Filled Out?	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	2.
Chain of Custody Relinquished?	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	3.
Sampler Name and/or Signature on COC?	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	4.
Samples Arrived within Hold Time?	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	5.
Short Hold Time Analysis (<72 hr)?	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	6.
Rush Turn Around Time Requested?	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	7.
Sufficient Volume?	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	8.
Correct Containers Used? (Tedar bags not acceptable container for TO-14, TO-15 or APH) -Pace Containers Used?	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	9.
Containers Intact? (visual inspection/no leaks when pressurized)	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	10.
Media: <u>Air Can</u> Airbag Filter TDT Passive		11. Individually Certified Cans Y <u>N</u> (list which samples)
Is sufficient information available to reconcile samples to the COC?	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	12. 3 SAMPLES CHANGED
Do cans need to be pressurized? (DO NOT PRESSURIZE 3C or ASTM 1946!!!)	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	13.

Gauge # 10AIR26 10AIR34 10AIR35 4097

Canisters

Canisters

Sample Number	Can ID	Flow Controller	Initial Pressure	Final Pressure	Sample Number	Can ID	Flow Controller	Initial Pressure	Final Pressure
VP-7	0960	1583	-7.5	4.5	S-3	2663	—	-4	"
VP-8	2089	1115	-6	"	VP-4	0276	0953	-6	"
VP-6	0505	1624	-5	"	VP-3	3466	0705	-8	"
VP-5	1639	0910	-7	"					
S-1	0012	—	-5.5	"					
VP-1	3631	0731	-8	"					
VP-2	3665	1201	-8	"					
S-2	0643	—	-4.5	"					

CLIENT NOTIFICATION/RESOLUTION

Field Data Required? Yes No

Person Contacted: _____ Date/Time: _____

Comments/Resolution: _____

Project Manager Review:

Kirsten Hopfer

Date: 5/24/2021

Page 40 of 41

Note: Whenever there is a discrepancy affecting North Carolina compliance samples, a copy of this form will be sent to the North Carolina DEHNR Certification Office (i.e. out of hold, incorrect preservative, out of temp, incorrect containers)



Document Name:
Sample Condition Upon Receipt (SCUR) Exception Form
 Document No.:
ENV-FRM-MIN4-0142 Rev.01

Document Revised: 04Jun2020
Page 1 of 1
 Pace Analytical Services -
Minneapolis

SCUR Exceptions:

Workorder #:10561674

Out of Temp Sample IDs	Container Type	# of Containers	PM Notified? <input type="checkbox"/> Yes <input type="checkbox"/> No																		
			If yes, indicate who was contacted/date/time. If no, indicate reason why.																		
			Multiple Cooler Project? <input type="checkbox"/> Yes <input type="checkbox"/> No If you answered yes, fill out information to the left.																		
			<table border="1"> <thead> <tr> <th colspan="3">No Temp Blank</th> </tr> <tr> <th>Read Temp</th> <th>Corrected Temp</th> <th>Average Temp</th> </tr> </thead> <tbody> <tr><td></td><td></td><td></td></tr> <tr><td></td><td></td><td></td></tr> <tr><td></td><td></td><td></td></tr> <tr><td></td><td></td><td></td></tr> </tbody> </table>	No Temp Blank			Read Temp	Corrected Temp	Average Temp												
No Temp Blank																					
Read Temp	Corrected Temp	Average Temp																			

Tracking Number/Temperature
9753 8442 7023
" 7012
" 7034

Issue Type: Sample ID	Container Type	# of Containers

pH Adjustment Log for Preserved Samples

Sample ID	Type of Preserv.	pH Upon Receipt	Date Adjusted	Time Adjusted	Amount Added (mL)	Lot # Added	pH After	In Compliance after addition? <input type="checkbox"/> Yes <input type="checkbox"/> No	Initials
								<input type="checkbox"/> Yes <input type="checkbox"/> No	
								<input type="checkbox"/> Yes <input type="checkbox"/> No	
								<input type="checkbox"/> Yes <input type="checkbox"/> No	
								<input type="checkbox"/> Yes <input type="checkbox"/> No	

Comments:
