

Notice: This form may be used to comply with the requirements of s. NR 716.14 (2), Wis. Adm. Code; however, use of this form is not required. An alternate format may be used. The rule requires that notification be provided to 1) property owners when someone else is conducting the sampling, 2) to occupants of property belonging to the responsible person, and 3) to owners and occupants of property that does not belong to the responsible person but has been affected by contamination arising on his or her property. Notification is required within 10 business days of receiving the sample results. Personal information collected will be used for program administration and may be provided to requesters to the extent required by Wisconsin's Open Records law [ss. 19.31-19.39, Wis. Stats.].

NOTE: Under s. NR 716.14, Wis. Adm. Code, the responsible party must also submit sample results and other required information to the DNR. We recommend that copies of the sample results notifications be included with that submittal, along with all attachments. Using the same format used for data presentation for a closure request may be helpful to all parties. See s. NR 716.14, Wis. Adm. Code for the full list of information to be submitted to the DNR.

Notification of Property Owners and Occupants:

This notification form has been provided to you in order to provide the results of environmental sampling that has been conducted on property that you own or occupy. Samples were collected in accordance with the methods identified in the site investigation work plan, in accordance with s. NR. 716.09 and 716.13, Wis. Adm. Code. This sampling was conducted as a result of contamination originating at the following location.

Site Information

Site Name		DNR ID # (BRRTS #)	
Martins One Hour Drycleaners		02-59-231063	
Address	City	State	ZIP Code
1025 E Green Bay Rd	Shawano	WI	54116

Responsible Party

The person(s) responsible for completing this environmental investigation is:

Property Owner

Arlene Martin

Address	City	State	ZIP Code
N7038 W. Lake Crest Drive	Shawano	WI	54166
Contact Person	Phone Number (include area code)		

Person or company that collected samples

Ayres Associates

Sample Results (Results Attached)

Reason for Sampling: Routine Other (define) Part of approved vapor investigation workplan

The contaminants that have been identified at this time on property that you own or occupy include:

Contaminant	In Soil?		In Groundwater?	
	Yes	No	Yes	No
Gasoline	<input type="radio"/>	<input type="radio"/>	<input checked="" type="radio"/>	<input type="radio"/>
Diesel or Fuel Oil	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Solvents	<input checked="" type="radio"/>	<input type="radio"/>	<input checked="" type="radio"/>	<input type="radio"/>
Heavy Metals	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Pesticides	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Other: _____	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>

This sampling event included sampling of a drinking water well. <input type="radio"/> Yes <input checked="" type="radio"/> No
If yes, the sampled drinking water well had detectable contaminants. <input type="radio"/> Yes <input type="radio"/> No

Contaminants in Vapor

	Yes	No
Indoor Air	<input type="radio"/>	<input type="radio"/>
Sub-slab	<input checked="" type="radio"/>	<input type="radio"/>
Exterior Soil Gas	<input type="radio"/>	<input type="radio"/>

Site Investigation Sample Results Notification

Form 4400-249 (R 03/14)

Page 2 of 2

Attached are:

- A map that shows the locations from which samples were collected. (The map needs to meet the requirements of s. NR 716.15 (4), Wis. Adm. Code.)
- A data table with specific contaminant levels at each sample location and whether or not the sample results exceed state standards.
- A copy of the laboratory results.

You are not identified as the person that is responsible for this contamination. However, your cooperation is important. Property owners may become legally responsible for contamination if they do not allow access to the person that is responsible so that person may complete the environmental investigation and clean up activities.

Option for written exemption: You have the option of requesting a written liability exemption from the DNR for contamination that originated on another property, or on property that you lease. To do this, you must present an adequate environmental assessment of your property and pay a \$700 fee for review of this information. If you are interested in this option, please see DNR publication # RR 589, "When Contamination Crosses a Property Line - Rights and Responsibilities of Property Owners", available at: dnr.wi.gov/files/PDF/pubs/rr/rr589.pdf.

Contact Information

Please address questions regarding this notification, or requests for additional information to the contact person listed above, or to one of the following contacts:



Environmental Consultant

Company Name		Contact Person Last Name		First Name	
Ayres Associates		Honea		Bill	
Address			City	State	ZIP Code
3376 Packerland Drive			Ashwaubenon	WI	54115
Phone # (inc. area code)	Email				
(920) 498-1200	honeaw@ayresassociates.com				

Select which agency: Natural Resources Agriculture, Trade and Consumer Protection

State of Wisconsin Department of Natural Resources

Contact Person Last Name		First Name		Phone # (inc. area code)	
Saliars		Gwen		(920) 510-4343	
Address			City	State	ZIP Code
625 E County Rd Y			Oshkosh	WI	54901
Email					
gwen.saliars@wisconsin.gov					



LEGEND

- S-2 + SEWER CLEANOUT
- VP-5 ▲ VAPOR PINS
- GP-1 ● SOIL BORING
- MW-12 ● MONITORING WELL WELL
- B-6/MW-1 ● ABANDONED MONITORING/TEMP WELL
- PZ-14 ■ PIEZOMETER

ESTIMATED EXTENT OF CONTAMINATION

- - - CVOCs > NR 720 GW PATHWAY RCLS
- - - CVOCs > NR 140 ES

CAROL LAND SURVEYING, INC.
 4/27/2022
 4515CAD/Env. sites/Shawano, WI/1025 E. Green Bay Street/may 2021 figures.dwg, Layout fig. 2, Sample Map

DES BY	B. HONEA	BOOK NO					
DR BY	T. SHUPERT	PROJ NO	51-0477.00				
CHK BY	B. HONEA	DATE	MAY 2021	NO	DATE	REVISION	

SITE INVESTIGATION
 1025 E. GREEN BAY, STREET
 SHAWANO, WISCONSIN



SAMPLE MAP

FIGURE NO.
2

Route to:
Watershed/Wastewater Waste Management
Remediation/Redevelopment Other

Facility/Project Name Martins One Hour Drycleaners			License/Permit/Monitoring Number BRRTS # 02-59-213063			Boring Number B-24		
Boring Drilled By: Name of crew chief (first,last) and Firm First Name: _____ Last Name: _____			Date Drilling Started 4/19/2022 M/D/Y		Date Drilling Completed 4/19/2022 M/D/Y		Drilling Method Direct-push	
WI Unique Well No.	DNR Well Id No.	Well Name	Final Static Water Level			Surface Elevation		Borehole Dia. 2-in
Local Grid Origin <input type="checkbox"/> (estimated) or Boring Location <input checked="" type="checkbox"/> State Plane _____ N, _____ E SW <u>1</u> / <u>4</u> of SW <u>1</u> / <u>4</u> , of Section <u>30</u> , T. <u>27</u> N, R. <u>16</u> E			Lat. _____ Long. _____		Local Grid Location (If applicable) <input type="checkbox"/> N <input type="checkbox"/> E <input type="checkbox"/> S <input type="checkbox"/> W			
Facility Id. 459005690		County Shawano		County Code <u>5</u> <u>9</u>		Civil Town/City/or Village City of Shawano		

SAMPLE			Depth in Feet (Below ground surface)	SOIL/ROCK DESCRIPTION AND GEOLOGIC ORIGIN FOR EACH MAJOR UNIT	USCS	Graphic Log	Well Diagram	PID/FID	SOIL PROPERTIES					ROD/Comments
Number and Type	Length Mt. & Recovered (in)	Blow Counts							Compressive Strength	Moisture Content	Liquid Limit	Plasticity Index	P 200	
B-24 2-4' VOCs	48/24		-1	SILT with SAND (ML) dk. brown, moist, soft	ML			0						
			-2	poorly-graded SAND (SP) brown, moist, loose, mostly fine to medium sand	SP									
	48/30		-3	sandy lean CLAY (CL) dk. brown, moist, firm, 30-40% fine sand	CL			0						
			-4	poorly-graded SAND with CLAY (SP-SC) brownish yellow, moist, loose, mostly fine to medium sand	SP-SC									
			-5					0						
			-6											
			-7	poorly-graded SAND (SP) gray, wet, loose, mostly fine to medium sand	SP			0						
			-8											
			-9	END OF BORING AT 8 FEET										
			-10											
			-11											
			-12											
			-13											
			-14											
			-15											
			-16											
			-17											
			-18											
			-19											
			-20											
			-21											
			-22											
			-23											
			-24											
			-25											

I hereby certify that the information on this form is true and correct to the best of my knowledge.

Signature	Firm AYRES ASSOCIATES
-----------	---------------------------------

Route to:
Watershed/Wastewater Waste Management
Remediation/Redevelopment Other

Facility/Project Name Martins One Hour Drycleaners			License/Permit/Monitoring Number BRRTS # 02-59-213063			Boring Number B-23		
Boring Drilled By: Name of crew chief (first,last) and Firm First Name: Last Name:			Date Drilling Started		Date Drilling Completed		Drilling Method	
Firm: Giess Soil and Samples, LLC			4/19/2022 M/D/Y		4/19/2022 M/D/Y		Direct-push	
WI Unique Well No.	DNR Well Id No.	Well Name		Final Static Water Level		Surface Elevation		Borehole Dia. 2-in
Local Grid Origin <input type="checkbox"/> (estimated: <input type="checkbox"/>) or Boring Location <input checked="" type="checkbox"/>			Lat. _____"		Local Grid Location (If applicable)			
State Plane _____ N, _____ E			Long _____"		<input type="checkbox"/> N _____ Feet		<input type="checkbox"/> E	
SW <u>1</u> / <u>4</u> of SW <u>1</u> / <u>4</u> of Section <u>30</u> , T <u>27</u> N, R <u>16</u> E			<input type="checkbox"/> S _____ Feet		<input type="checkbox"/> W			
Facility Id. 459005690		County Shawano		County Code <u>5</u> <u>9</u>		Civil Town/City/or Village City of Shawano		

SAMPLE			Depth in Feet (Below ground surface)	SOIL/ROCK DESCRIPTION AND GEOLOGIC ORIGIN FOR EACH MAJOR UNIT	USCS	Graphic Log	Well Diagram	PID/FID	SOIL PROPERTIES					ROD/Comments
Number and Type	Length Att. & Recovered (in)	Blow Counts							Compressive Strength	Moisture Content	Liquid Limit	Plasticity Index	P 200	
B-23 2-4' VOCs	48/20		-1	SILT with SAND (ML) dk. brown, moist, soft	ML			0						
			-2	poorly-graded SAND (SP) brown, moist, loose, mostly fine sand	SP									
			-3	sandy lean CLAY (CL) dk. brown, moist, firm,	CL		0							
			-4	poorly-graded SAND with CLAY (SP-SC) brownish yellow, moist, loose, mostly fine to medium sand	SP-SC									
	48/36		-5				0							
			-6	poorly-graded SAND (SP) gray, wet, loose, mostly fine to medium sand	SP									
			-7											0
			-8											
			-9	END OF BORING AT 8 FEET										
			-10											
			-11											
			-12											
			-13											
			-14											
			-15											
			-16											
			-17											
			-18											
			-19											
			-20											
			-21											
			-22											
			-23											
			-24											
			-25											

I hereby certify that the information on this form is true and correct to the best of my knowledge.

Signature	Firm AYRES ASSOCIATES
-----------	---------------------------------

Soil Analyte Detection Summary

BRRTS No. 02-59-231063

Martins One Hour Drycleaners

1025 E. Green Bay Street, Shawano, WI

	NR 720 Soil Standards			B-23	B-24
	Industrial Direct Contact	Non-Industrial Direct Contact	Protection of Groundwater	4/19/2022	4/19/2022
Volatile Organic Compounds (mg/Kg)				2' - 4'	2' - 4'
				CL, SP-SC	SP, CL, SP-SC
Tetrachloroethene	145	33	0.0045	<u><0.0272</u>	<u>0.334</u>

Notes: < Value less than laboratory limit of detection. J - Value between laboratory limit of detection and limit of quantitation. NR 720 Soil Standards updated December 2019. SP-SC - poorly graded sand with clay. CL - clay. SP - poorly graded sand. Underlined italic values are greater than protection of groundwater standards. Bold values are greater than non-industrial direct contact standards. Bold underlined values are greater than industrial direct contact standards.

Groundwater Water Level Measurements

BRRTS No. 02-59-231063
Martins One Hour Drycleaners
1025 E. Green Bay Street, Shawano, WI

Monitoring Well	TOC Elevation (ft msl) ^a	Depth to Water (ft btoc)					Groundwater Elevation (ft msl) ^a				
		3/6/2014	3/10/2014	4/3/2014	7/31/2014	4/19/2022	3/6/2014	3/10/2014	4/3/2014	7/31/2014	4/19/2022
MW-3	--	--	--	--	--	4.60	--	--	--	--	--
MW-4	96.69	--	--	5.02	5.83	4.50	--	--	91.67	90.86	92.19
MW-5	98.01	--	--	6.40	7.16	5.58	--	--	91.61	90.85	92.43
MW-8	--	--	--	--	--	<0.3	--	--	--	--	--
MW-9	97.58	--	--	5.65	6.52	5.03	--	--	91.93	91.06	92.55
MW-10	97.53	--	--	5.91	6.67	5.16	--	--	91.62	90.86	92.37
MW-11	97.35	--	--	5.81	6.56	5.04	--	--	91.54	90.79	92.31
MW-12	96.18	5.03	4.92	5.15	5.82	4.16	91.15	91.26	91.03	90.36	92.02
MW-13	97.25	5.66	5.51	5.36	6.30	NM	91.59	91.74	91.89	90.95	NM
PZ-14	97.32	6.19	6.36	5.57	6.25	NM	91.13	90.96	91.75	91.07	NM
MW-18	96.14	6.81	6.76	5.95	6.41	4.74	89.33	89.38	90.19	89.73	91.40
MW-19	97.02	7.56	7.54	6.61	7.00	5.27	89.46	89.48	90.41	90.02	91.75
MW-20	97.90	8.07	8.02	6.56	7.27	NM	89.83	89.88	91.34	90.63	NM
PZ-23	96.59	7.04	6.96	5.79	6.34	4.76	89.55	89.63	90.80	90.25	91.83
MW-24	96.50	6.99	6.97	5.81	6.42	4.98	89.51	89.53	90.69	90.08	91.52

Notes: TOC - top of casing. bgs - below ground surface. btoc - below top of casing. ^a Site-specific datum set to 100 ft msl, casing elevations were obtained from Table 3 of the Robert E. Lee & Associates, Inc Supplemental Site Investigation Results (Third Stage) report dated June 26, 2015. NM - not measured; MW-20 could not be located on 4/19/22, and upgradient points MW-13 and PZ-14 were not accessible because this property was fenced with locked gates. -- Information not available.

Groundwater Analyte Detection Summary

BRRTS No. 02-59-231063

Martins One Hour Drycleaners

1025 E. Green Bay Street, Shawano, WI

Volatile Organic Compounds (µg/L)	NR 140 Groundwater Quality Standards		MW-5				MW-4			MW-10				
	Preventive Action Limit	Enforcement Standard	7/4/2012	4/3/2014	7/31/2014	4/19/2022	7/2/2012	7/31/2014	4/19/2022	1/15/1999	7/2/2012	4/7/2014	7/31/2014	4/19/2022
Benzene	0.5	5	<u>2.67</u>	<0.24	<0.24	390	<0.5	<0.24	NS	520	<25	<0.24	<0.24	<0.30
cis-1,2-Dichloroethene	7	70	0.82	<0.38	<0.38	<1.2	<0.74	<0.38	NS	280	<u>64</u>	0.44	<0.38	0.48 J
Ethylbenzene	140	700	<0.78	<0.55	<0.55	1.7 J	<0.78	<0.55	NS	ND	<39	<0.55	<0.55	<0.33
Isopropylbenzene (Cumene)	NS	NS	<u>2.23 J</u>	<0.3	<0.3	8.1 J	<0.92	<0.3	NS	ND	<46	<0.3	<0.3	<1.0
Xylenes	400	2,000	<0.19	<1.32	<1.32	3.7 J	<1.9	<1.32	NS	ND	<95	<1.32	<1.32	<0.70
Methyl-tert-butyl ether (MTBE)	12	60	<0.8	<0.23	<0.23	<2.8	<0.8	<0.23	NS	73	<40	<0.23	<0.23	<1.1
Naphthalene	10	100	<2.1	<1.7	<1.7	<u>29.4</u>	<2.1	<1.7	NS	ND	<105	<1.7	<1.7	<1.1
n-Propylbenzene	NS	NS	<0.59	<0.25	<0.25	12.3	<0.9	<0.35	NS	ND	<29.5	<0.25	<0.25	<0.35
Tetrachloroethene (PCE)	0.5	5	<0.44	5.1	<0.33	<1.0	<0.44	<0.33	NS	2,100	161	14.8	44	12.2
Toluene	160	800	<0.53	<0.69	<0.69	1.8 J	140	<0.69	NS	ND	<26.5	<0.69	<0.69	<0.29
Trichloroethene (TCE)	0.5	5	<u>1.01</u>	<0.33	<0.33	<0.80	<0.47	<0.33	NS	88	35	<u>1.66</u>	<u>2.89</u>	<u>1.3</u>
Vinyl chloride	0.02	0.2	<0.18	<0.18	<0.18	<0.44	<0.18	<0.18	NS	ND	21	<0.18	<0.18	<0.17

Notes: < Value less than laboratory limit of detection. J - Value between laboratory limit of detection and limit of quantitation. NS - no standard. Underlined italic values are greater than preventive action limit. **Bold** values are greater than enforcement standard.

Groundwater Analyte Detection Summary

BRRTS No. 02-59-231063

Martins One Hour Drycleaners

1025 E. Green Bay Street, Shawano, WI

Volatile Organic Compounds (µg/L)	NR 140 Groundwater Quality Standards		MW-11				MW-12					MW-18		
	Preventive Action Limit	Enforcement Standard	7/2/2012	4/7/2014	7/31/2014	4/19/2022	2/21/2012	7/2/2012	4/3/2014	7/31/2014	4/19/2022	4/3/2014	7/31/2014	4/19/2022
Benzene	0.5	5	<0.5	<0.24	<0.24	<0.30	<10	<25	<24	<24	22.7 J	<0.24	<2.4	<1.5
cis-1,2-Dichloroethene	7	70	<u>35</u>	0.84	1.14	<0.47	320	660	350	380	193	<3.8	<3.8	120
Ethylbenzene	140	700	<0.78	<0.55	<0.55	<0.33	<15.6	<39	<55	<55	<16.3	<0.55	<5.5	<1.6
Isopropylbenzene (Cumene)	NS	NS	<0.92	<0.3	<0.3	<1.0	<18.4	<46	<30	<30	<50.0	<0.3	<3	<5.0
Xylenes	400	2,000	<1.9	<1.32	<1.32	<0.70	<38	<95	<132	<132	<35.0	<1.32	<13.2	<3.5
Methyl-tert-butyl ether (MTBE)	12	60	<0.8	<0.23	<0.23	<1.1	<16	<40	<23	<23	<56.5	<0.23	<2.3	<5.6
Naphthalene	10	100	<2.1	<1.7	<1.7	<1.1	<46	<105	<170	<170	<56.5	<1.7	<17	<5.6
n-Propylbenzene	NS	NS	<0.59	<0.25	<0.25	<0.35	<11.8	<29.5	<25	<25	<17.3	<0.25	<2.5	<1.7
Tetrachloroethene (PCE)	0.5	5	<0.44	<0.33	<0.33	<0.41	3,130	1,000	14,100	12,600	2,050	8.1	<3.3	514
Toluene	160	800	<0.53	<0.69	<0.69	<0.29	<10.6	<26.5	<69	<69	<14.4	<0.69	<6.9	<1.4
Trichloroethene (TCE)	0.5	5	<u>1.43</u>	<0.33	<0.33	<0.32	490	242	750	640	187	22.5	<3.3	210
Vinyl chloride	0.02	0.2	9.9	<0.18	<0.23	<0.17	<3.6	22.5	<18	<18	<8.7	3.5	<1.8	<0.87

Notes: < Value less than laboratory limit of detection. J - Value between laboratory limit of detection and limit of quantitation. NS - no standard. Underlined italic values are greater than preventive action limit. **Bold** values are greater than enforcement standard.

Groundwater Analyte Detection Summary

BRRTS No. 02-59-231063

Martins One Hour Drycleaners

1025 E. Green Bay Street, Shawano, WI

Volatile Organic Compounds (µg/L)	NR 140 Groundwater Quality Standards		MW-19			MW-20			PZ-23			MW-24		
	Preventive Action Limit	Enforcement Standard	4/3/2014	7/31/2014	4/19/2022	4/7/2014	7/31/2014	4/19/2022	4/3/2014	7/31/2014	4/19/2022	4/3/2014	7/31/2014	4/19/2022
Benzene	0.5	5	308	320	<0.30	<0.24	0.28 J	NS	<u>3.5</u>	<2.4	<0.30	<0.24	<0.24	<0.30
cis-1,2-Dichloroethene	7	70	<3.5	<3.8	<0.47	81	288	NS	231	<u>38</u>	2.5	4.5	<0.38	2.5
Ethylbenzene	140	700	<u>209</u>	<u>264</u>	<0.33	<0.55	<0.55	NS	<2.75	<5.5	<0.33	<0.55	<0.55	<0.33
Isopropylbenzene (Cumene)	NS	NS	51	31.6	<1.0	<0.3	<0.3	NS	<1.5	<3	<1.0	<0.3	<0.3	<1.0
Xylenes	400	2,000	2,180	2,022	<0.70	<1.32	<1.32	NS	<6.6	<13.2	<0.70	<1.32	<1.32	<0.70
Methyl-tert-butyl ether (MTBE)	12	60	<2.3	<2.3	<1.1	<0.23	<0.23	NS	1.4	<2.3	2.1 J	<0.23	<0.23	<1.1
Naphthalene	10	100	180	165	<1.1	<1.7	<1.7	NS	<8.5	<17	<1.1	<1.7	<1.7	<1.1
n-Propylbenzene	NS	NS	80	71	<0.35	<0.25	<0.25	NS	<1.25	<2.5	<0.35	<0.25	<0.25	<0.35
Tetrachloroethene (PCE)	0.5	5	<3.3	<3.3	<0.41	40	38	NS	<1.65	<3.3	<0.41	<0.33	<0.33	<0.41
Toluene	160	800	9.4	9.9	<0.29	<0.69	<0.69	NS	<3.45	<6.9	<0.29	<0.69	<0.69	<0.29
Trichloroethene (TCE)	0.5	5	<3.3	<3.3	<0.32	<u>1.22</u>	<u>1.18</u>	NS	<1.65	<3.3	<0.32	<0.33	<0.33	<0.32
Vinyl chloride	0.02	0.2	<1.8	<1.8	<0.17	9.8	15.9	NS	47	10.2	2.9	1.27	<1.8	<0.17

Notes: < Value less than laboratory limit of detection. J - Value between laboratory limit of detection and limit of quantitation. NS - no standard. Underlined italic values are greater than preventive action limit. **Bold** values are greater than enforcement standard.

Groundwater Analyte Detection Summary

BRRTS No. 02-59-231063

Martins One Hour Drycleaners

1025 E. Green Bay Street, Shawano, WI

Volatile Organic Compounds (µg/L)	NR 140 Groundwater Quality Standards		Trip Blank 4/19/2022
	Preventive Action Limit	Enforcement Standard	
Benzene	0.5	5	<0.30
cis-1,2-Dichloroethene	7	70	<0.47
Ethylbenzene	140	700	<0.33
Isopropylbenzene (Cumene)	NS	NS	<1.0
Xylenes	400	2,000	<0.70
Methyl-tert-butyl ether (MTBE)	12	60	<1.1
Naphthalene	10	100	<1.1
n-Propylbenzene	NS	NS	<0.35
Tetrachloroethene (PCE)	0.5	5	<0.41
Toluene	160	800	<0.29
Trichloroethene (TCE)	0.5	5	<0.32
Vinyl chloride	0.02	0.2	<0.17

Notes: < Value less than laboratory limit of detection. J - Value between laboratory limit of detection and limit of quantitation. NS - no standard.

Underlined italic values are greater than preventive action limit. **Bold** values are greater than enforcement standard.

April 22, 2022

Bill Honea
AYRES & ASSOCIATES, INC.
3376 Packerland Avenue
De Pere, WI 54115

RE: Project: MARTINS DRY CLEANER
Pace Project No.: 40243628

Dear Bill Honea:


Enclosed are the analytical results for sample(s) received by the laboratory on April 19, 2022. The results relate only to the samples included in this report. Results reported herein conform to the applicable TNI/NELAC Standards and the laboratory's Quality Manual, where applicable, unless otherwise noted in the body of the report.

The test results provided in this final report were generated by each of the following laboratories within the Pace Network:

- Pace Analytical Services - Green Bay

If you have any questions concerning this report, please feel free to contact me.

Sincerely,



Dan Milewsky
dan.milewsky@pacelabs.com
(920)469-2436
Project Manager

Enclosures



REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

CERTIFICATIONS

Project: MARTINS DRY CLEANER

Pace Project No.: 40243628

Pace Analytical Services Green Bay

1241 Bellevue Street, Green Bay, WI 54302

Florida/NELAP Certification #: E87948

Illinois Certification #: 200050

Kentucky UST Certification #: 82

Louisiana Certification #: 04168

Minnesota Certification #: 055-999-334

New York Certification #: 12064

North Dakota Certification #: R-150

Virginia VELAP ID: 460263

South Carolina Certification #: 83006001

Texas Certification #: T104704529-14-1

Wisconsin Certification #: 405132750

Wisconsin DATCP Certification #: 105-444

USDA Soil Permit #: P330-16-00157

Federal Fish & Wildlife Permit #: LE51774A-0

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

SAMPLE SUMMARY

Project: MARTINS DRY CLEANER

Pace Project No.: 40243628

Lab ID	Sample ID	Matrix	Date Collected	Date Received
40243628001	B-24 2-4'	Solid	04/19/22 12:30	04/19/22 16:53
40243628002	B-23 2-4'	Solid	04/19/22 12:50	04/19/22 16:53

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

SAMPLE ANALYTE COUNT

Project: MARTINS DRY CLEANER

Pace Project No.: 40243628

Lab ID	Sample ID	Method	Analysts	Analytes Reported	Laboratory
40243628001	B-24 2-4'	EPA 8260	ALD	64	PASI-G
		ASTM D2974-87	MRP	1	PASI-G
40243628002	B-23 2-4'	EPA 8260	ALD	64	PASI-G
		ASTM D2974-87	MRP	1	PASI-G

PASI-G = Pace Analytical Services - Green Bay

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: MARTINS DRY CLEANER

Pace Project No.: 40243628

Sample: B-24 2-4' **Lab ID: 40243628001** Collected: 04/19/22 12:30 Received: 04/19/22 16:53 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Med Level Normal List									
Analytical Method: EPA 8260 Preparation Method: EPA 5035/5030B									
Pace Analytical Services - Green Bay									
Benzene	<16.6	ug/kg	27.9	16.6	1	04/21/22 07:00	04/21/22 12:23	71-43-2	
Bromobenzene	<27.2	ug/kg	69.8	27.2	1	04/21/22 07:00	04/21/22 12:23	108-86-1	
Bromochloromethane	<19.1	ug/kg	69.8	19.1	1	04/21/22 07:00	04/21/22 12:23	74-97-5	
Bromodichloromethane	<16.6	ug/kg	69.8	16.6	1	04/21/22 07:00	04/21/22 12:23	75-27-4	
Bromoform	<307	ug/kg	349	307	1	04/21/22 07:00	04/21/22 12:23	75-25-2	
Bromomethane	<97.9	ug/kg	349	97.9	1	04/21/22 07:00	04/21/22 12:23	74-83-9	
n-Butylbenzene	<32.0	ug/kg	69.8	32.0	1	04/21/22 07:00	04/21/22 12:23	104-51-8	
sec-Butylbenzene	<17.0	ug/kg	69.8	17.0	1	04/21/22 07:00	04/21/22 12:23	135-98-8	
tert-Butylbenzene	<21.9	ug/kg	69.8	21.9	1	04/21/22 07:00	04/21/22 12:23	98-06-6	
Carbon tetrachloride	<15.4	ug/kg	69.8	15.4	1	04/21/22 07:00	04/21/22 12:23	56-23-5	
Chlorobenzene	<8.4	ug/kg	69.8	8.4	1	04/21/22 07:00	04/21/22 12:23	108-90-7	
Chloroethane	<29.5	ug/kg	349	29.5	1	04/21/22 07:00	04/21/22 12:23	75-00-3	
Chloroform	<50.0	ug/kg	349	50.0	1	04/21/22 07:00	04/21/22 12:23	67-66-3	
Chloromethane	<26.5	ug/kg	69.8	26.5	1	04/21/22 07:00	04/21/22 12:23	74-87-3	
2-Chlorotoluene	<22.6	ug/kg	69.8	22.6	1	04/21/22 07:00	04/21/22 12:23	95-49-8	
4-Chlorotoluene	<26.5	ug/kg	69.8	26.5	1	04/21/22 07:00	04/21/22 12:23	106-43-4	
1,2-Dibromo-3-chloropropane	<54.2	ug/kg	349	54.2	1	04/21/22 07:00	04/21/22 12:23	96-12-8	
Dibromochloromethane	<239	ug/kg	349	239	1	04/21/22 07:00	04/21/22 12:23	124-48-1	
1,2-Dibromoethane (EDB)	<19.1	ug/kg	69.8	19.1	1	04/21/22 07:00	04/21/22 12:23	106-93-4	
Dibromomethane	<20.7	ug/kg	69.8	20.7	1	04/21/22 07:00	04/21/22 12:23	74-95-3	
1,2-Dichlorobenzene	<21.7	ug/kg	69.8	21.7	1	04/21/22 07:00	04/21/22 12:23	95-50-1	
1,3-Dichlorobenzene	<19.1	ug/kg	69.8	19.1	1	04/21/22 07:00	04/21/22 12:23	541-73-1	
1,4-Dichlorobenzene	<19.1	ug/kg	69.8	19.1	1	04/21/22 07:00	04/21/22 12:23	106-46-7	
Dichlorodifluoromethane	<30.0	ug/kg	69.8	30.0	1	04/21/22 07:00	04/21/22 12:23	75-71-8	
1,1-Dichloroethane	<17.9	ug/kg	69.8	17.9	1	04/21/22 07:00	04/21/22 12:23	75-34-3	
1,2-Dichloroethane	<16.1	ug/kg	69.8	16.1	1	04/21/22 07:00	04/21/22 12:23	107-06-2	
1,1-Dichloroethene	<23.2	ug/kg	69.8	23.2	1	04/21/22 07:00	04/21/22 12:23	75-35-4	
cis-1,2-Dichloroethene	<14.9	ug/kg	69.8	14.9	1	04/21/22 07:00	04/21/22 12:23	156-59-2	
trans-1,2-Dichloroethene	<15.1	ug/kg	69.8	15.1	1	04/21/22 07:00	04/21/22 12:23	156-60-5	
1,2-Dichloropropane	<16.6	ug/kg	69.8	16.6	1	04/21/22 07:00	04/21/22 12:23	78-87-5	
1,3-Dichloropropane	<15.2	ug/kg	69.8	15.2	1	04/21/22 07:00	04/21/22 12:23	142-28-9	
2,2-Dichloropropane	<18.9	ug/kg	69.8	18.9	1	04/21/22 07:00	04/21/22 12:23	594-20-7	
1,1-Dichloropropene	<22.6	ug/kg	69.8	22.6	1	04/21/22 07:00	04/21/22 12:23	563-58-6	
cis-1,3-Dichloropropene	<46.1	ug/kg	349	46.1	1	04/21/22 07:00	04/21/22 12:23	10061-01-5	
trans-1,3-Dichloropropene	<200	ug/kg	349	200	1	04/21/22 07:00	04/21/22 12:23	10061-02-6	
Diisopropyl ether	<17.3	ug/kg	69.8	17.3	1	04/21/22 07:00	04/21/22 12:23	108-20-3	
Ethylbenzene	<16.6	ug/kg	69.8	16.6	1	04/21/22 07:00	04/21/22 12:23	100-41-4	
Hexachloro-1,3-butadiene	<139	ug/kg	349	139	1	04/21/22 07:00	04/21/22 12:23	87-68-3	
Isopropylbenzene (Cumene)	<18.9	ug/kg	69.8	18.9	1	04/21/22 07:00	04/21/22 12:23	98-82-8	
p-Isopropyltoluene	<21.2	ug/kg	69.8	21.2	1	04/21/22 07:00	04/21/22 12:23	99-87-6	
Methylene Chloride	<19.4	ug/kg	69.8	19.4	1	04/21/22 07:00	04/21/22 12:23	75-09-2	
Methyl-tert-butyl ether	<20.5	ug/kg	69.8	20.5	1	04/21/22 07:00	04/21/22 12:23	1634-04-4	
Naphthalene	<21.8	ug/kg	349	21.8	1	04/21/22 07:00	04/21/22 12:23	91-20-3	
n-Propylbenzene	<16.8	ug/kg	69.8	16.8	1	04/21/22 07:00	04/21/22 12:23	103-65-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: MARTINS DRY CLEANER
Pace Project No.: 40243628

Sample: B-24 2-4' **Lab ID: 40243628001** Collected: 04/19/22 12:30 Received: 04/19/22 16:53 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Med Level Normal List									
Analytical Method: EPA 8260 Preparation Method: EPA 5035/5030B									
Pace Analytical Services - Green Bay									
Styrene	<17.9	ug/kg	69.8	17.9	1	04/21/22 07:00	04/21/22 12:23	100-42-5	
1,1,1,2-Tetrachloroethane	<16.8	ug/kg	69.8	16.8	1	04/21/22 07:00	04/21/22 12:23	630-20-6	
1,1,2,2-Tetrachloroethane	<25.3	ug/kg	69.8	25.3	1	04/21/22 07:00	04/21/22 12:23	79-34-5	
Tetrachloroethene	334	ug/kg	69.8	27.1	1	04/21/22 07:00	04/21/22 12:23	127-18-4	
Toluene	<17.6	ug/kg	69.8	17.6	1	04/21/22 07:00	04/21/22 12:23	108-88-3	
1,2,3-Trichlorobenzene	<77.8	ug/kg	349	77.8	1	04/21/22 07:00	04/21/22 12:23	87-61-6	
1,2,4-Trichlorobenzene	<57.6	ug/kg	349	57.6	1	04/21/22 07:00	04/21/22 12:23	120-82-1	
1,1,1-Trichloroethane	<17.9	ug/kg	69.8	17.9	1	04/21/22 07:00	04/21/22 12:23	71-55-6	
1,1,2-Trichloroethane	<25.4	ug/kg	69.8	25.4	1	04/21/22 07:00	04/21/22 12:23	79-00-5	
Trichloroethene	<26.1	ug/kg	69.8	26.1	1	04/21/22 07:00	04/21/22 12:23	79-01-6	
Trichlorofluoromethane	<20.3	ug/kg	69.8	20.3	1	04/21/22 07:00	04/21/22 12:23	75-69-4	
1,2,3-Trichloropropane	<33.9	ug/kg	69.8	33.9	1	04/21/22 07:00	04/21/22 12:23	96-18-4	
1,2,4-Trimethylbenzene	<20.8	ug/kg	69.8	20.8	1	04/21/22 07:00	04/21/22 12:23	95-63-6	
1,3,5-Trimethylbenzene	<22.5	ug/kg	69.8	22.5	1	04/21/22 07:00	04/21/22 12:23	108-67-8	
Vinyl chloride	<14.1	ug/kg	69.8	14.1	1	04/21/22 07:00	04/21/22 12:23	75-01-4	
m&p-Xylene	<29.5	ug/kg	140	29.5	1	04/21/22 07:00	04/21/22 12:23	179601-23-1	
o-Xylene	<21.0	ug/kg	69.8	21.0	1	04/21/22 07:00	04/21/22 12:23	95-47-6	
Surrogates									
Toluene-d8 (S)	114	%	67-159		1	04/21/22 07:00	04/21/22 12:23	2037-26-5	
4-Bromofluorobenzene (S)	121	%	66-153		1	04/21/22 07:00	04/21/22 12:23	460-00-4	
1,2-Dichlorobenzene-d4 (S)	119	%	82-158		1	04/21/22 07:00	04/21/22 12:23	2199-69-1	
Percent Moisture									
Analytical Method: ASTM D2974-87									
Pace Analytical Services - Green Bay									
Percent Moisture	16.6	%	0.10	0.10	1		04/20/22 17:28		

Sample: B-23 2-4' **Lab ID: 40243628002** Collected: 04/19/22 12:50 Received: 04/19/22 16:53 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Med Level Normal List									
Analytical Method: EPA 8260 Preparation Method: EPA 5035/5030B									
Pace Analytical Services - Green Bay									
Benzene	<16.7	ug/kg	28.0	16.7	1	04/21/22 07:00	04/21/22 12:43	71-43-2	
Bromobenzene	<27.3	ug/kg	70.0	27.3	1	04/21/22 07:00	04/21/22 12:43	108-86-1	
Bromochloromethane	<19.2	ug/kg	70.0	19.2	1	04/21/22 07:00	04/21/22 12:43	74-97-5	
Bromodichloromethane	<16.7	ug/kg	70.0	16.7	1	04/21/22 07:00	04/21/22 12:43	75-27-4	
Bromoform	<308	ug/kg	350	308	1	04/21/22 07:00	04/21/22 12:43	75-25-2	
Bromomethane	<98.1	ug/kg	350	98.1	1	04/21/22 07:00	04/21/22 12:43	74-83-9	
n-Butylbenzene	<32.0	ug/kg	70.0	32.0	1	04/21/22 07:00	04/21/22 12:43	104-51-8	
sec-Butylbenzene	<17.1	ug/kg	70.0	17.1	1	04/21/22 07:00	04/21/22 12:43	135-98-8	
tert-Butylbenzene	<22.0	ug/kg	70.0	22.0	1	04/21/22 07:00	04/21/22 12:43	98-06-6	
Carbon tetrachloride	<15.4	ug/kg	70.0	15.4	1	04/21/22 07:00	04/21/22 12:43	56-23-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: MARTINS DRY CLEANER
Pace Project No.: 40243628

Sample: B-23 2-4' **Lab ID: 40243628002** Collected: 04/19/22 12:50 Received: 04/19/22 16:53 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Med Level Normal List									
Analytical Method: EPA 8260 Preparation Method: EPA 5035/5030B									
Pace Analytical Services - Green Bay									
Chlorobenzene	<8.4	ug/kg	70.0	8.4	1	04/21/22 07:00	04/21/22 12:43	108-90-7	
Chloroethane	<29.5	ug/kg	350	29.5	1	04/21/22 07:00	04/21/22 12:43	75-00-3	
Chloroform	<50.1	ug/kg	350	50.1	1	04/21/22 07:00	04/21/22 12:43	67-66-3	
Chloromethane	<26.6	ug/kg	70.0	26.6	1	04/21/22 07:00	04/21/22 12:43	74-87-3	
2-Chlorotoluene	<22.7	ug/kg	70.0	22.7	1	04/21/22 07:00	04/21/22 12:43	95-49-8	
4-Chlorotoluene	<26.6	ug/kg	70.0	26.6	1	04/21/22 07:00	04/21/22 12:43	106-43-4	
1,2-Dibromo-3-chloropropane	<54.3	ug/kg	350	54.3	1	04/21/22 07:00	04/21/22 12:43	96-12-8	
Dibromochloromethane	<239	ug/kg	350	239	1	04/21/22 07:00	04/21/22 12:43	124-48-1	
1,2-Dibromoethane (EDB)	<19.2	ug/kg	70.0	19.2	1	04/21/22 07:00	04/21/22 12:43	106-93-4	
Dibromomethane	<20.7	ug/kg	70.0	20.7	1	04/21/22 07:00	04/21/22 12:43	74-95-3	
1,2-Dichlorobenzene	<21.7	ug/kg	70.0	21.7	1	04/21/22 07:00	04/21/22 12:43	95-50-1	
1,3-Dichlorobenzene	<19.2	ug/kg	70.0	19.2	1	04/21/22 07:00	04/21/22 12:43	541-73-1	
1,4-Dichlorobenzene	<19.2	ug/kg	70.0	19.2	1	04/21/22 07:00	04/21/22 12:43	106-46-7	
Dichlorodifluoromethane	<30.1	ug/kg	70.0	30.1	1	04/21/22 07:00	04/21/22 12:43	75-71-8	
1,1-Dichloroethane	<17.9	ug/kg	70.0	17.9	1	04/21/22 07:00	04/21/22 12:43	75-34-3	
1,2-Dichloroethane	<16.1	ug/kg	70.0	16.1	1	04/21/22 07:00	04/21/22 12:43	107-06-2	
1,1-Dichloroethene	<23.2	ug/kg	70.0	23.2	1	04/21/22 07:00	04/21/22 12:43	75-35-4	
cis-1,2-Dichloroethene	<15.0	ug/kg	70.0	15.0	1	04/21/22 07:00	04/21/22 12:43	156-59-2	
trans-1,2-Dichloroethene	<15.1	ug/kg	70.0	15.1	1	04/21/22 07:00	04/21/22 12:43	156-60-5	
1,2-Dichloropropane	<16.7	ug/kg	70.0	16.7	1	04/21/22 07:00	04/21/22 12:43	78-87-5	
1,3-Dichloropropane	<15.3	ug/kg	70.0	15.3	1	04/21/22 07:00	04/21/22 12:43	142-28-9	
2,2-Dichloropropane	<18.9	ug/kg	70.0	18.9	1	04/21/22 07:00	04/21/22 12:43	594-20-7	
1,1-Dichloropropene	<22.7	ug/kg	70.0	22.7	1	04/21/22 07:00	04/21/22 12:43	563-58-6	
cis-1,3-Dichloropropene	<46.2	ug/kg	350	46.2	1	04/21/22 07:00	04/21/22 12:43	10061-01-5	
trans-1,3-Dichloropropene	<200	ug/kg	350	200	1	04/21/22 07:00	04/21/22 12:43	10061-02-6	
Diisopropyl ether	<17.4	ug/kg	70.0	17.4	1	04/21/22 07:00	04/21/22 12:43	108-20-3	
Ethylbenzene	<16.7	ug/kg	70.0	16.7	1	04/21/22 07:00	04/21/22 12:43	100-41-4	
Hexachloro-1,3-butadiene	<139	ug/kg	350	139	1	04/21/22 07:00	04/21/22 12:43	87-68-3	
Isopropylbenzene (Cumene)	<18.9	ug/kg	70.0	18.9	1	04/21/22 07:00	04/21/22 12:43	98-82-8	
p-Isopropyltoluene	<21.3	ug/kg	70.0	21.3	1	04/21/22 07:00	04/21/22 12:43	99-87-6	
Methylene Chloride	<19.5	ug/kg	70.0	19.5	1	04/21/22 07:00	04/21/22 12:43	75-09-2	
Methyl-tert-butyl ether	<20.6	ug/kg	70.0	20.6	1	04/21/22 07:00	04/21/22 12:43	1634-04-4	
Naphthalene	<21.8	ug/kg	350	21.8	1	04/21/22 07:00	04/21/22 12:43	91-20-3	
n-Propylbenzene	<16.8	ug/kg	70.0	16.8	1	04/21/22 07:00	04/21/22 12:43	103-65-1	
Styrene	<17.9	ug/kg	70.0	17.9	1	04/21/22 07:00	04/21/22 12:43	100-42-5	
1,1,1,2-Tetrachloroethane	<16.8	ug/kg	70.0	16.8	1	04/21/22 07:00	04/21/22 12:43	630-20-6	
1,1,1,2,2-Tetrachloroethane	<25.3	ug/kg	70.0	25.3	1	04/21/22 07:00	04/21/22 12:43	79-34-5	
Tetrachloroethene	<27.2	ug/kg	70.0	27.2	1	04/21/22 07:00	04/21/22 12:43	127-18-4	
Toluene	<17.6	ug/kg	70.0	17.6	1	04/21/22 07:00	04/21/22 12:43	108-88-3	
1,2,3-Trichlorobenzene	<78.0	ug/kg	350	78.0	1	04/21/22 07:00	04/21/22 12:43	87-61-6	
1,2,4-Trichlorobenzene	<57.7	ug/kg	350	57.7	1	04/21/22 07:00	04/21/22 12:43	120-82-1	
1,1,1-Trichloroethane	<17.9	ug/kg	70.0	17.9	1	04/21/22 07:00	04/21/22 12:43	71-55-6	
1,1,2-Trichloroethane	<25.5	ug/kg	70.0	25.5	1	04/21/22 07:00	04/21/22 12:43	79-00-5	
Trichloroethene	<26.2	ug/kg	70.0	26.2	1	04/21/22 07:00	04/21/22 12:43	79-01-6	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: MARTINS DRY CLEANER

Pace Project No.: 40243628

Sample: B-23 2-4' **Lab ID: 40243628002** Collected: 04/19/22 12:50 Received: 04/19/22 16:53 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Med Level Normal List									
Analytical Method: EPA 8260 Preparation Method: EPA 5035/5030B									
Pace Analytical Services - Green Bay									
Trichlorofluoromethane	<20.3	ug/kg	70.0	20.3	1	04/21/22 07:00	04/21/22 12:43	75-69-4	
1,2,3-Trichloropropane	<34.0	ug/kg	70.0	34.0	1	04/21/22 07:00	04/21/22 12:43	96-18-4	
1,2,4-Trimethylbenzene	<20.9	ug/kg	70.0	20.9	1	04/21/22 07:00	04/21/22 12:43	95-63-6	
1,3,5-Trimethylbenzene	<22.5	ug/kg	70.0	22.5	1	04/21/22 07:00	04/21/22 12:43	108-67-8	
Vinyl chloride	<14.1	ug/kg	70.0	14.1	1	04/21/22 07:00	04/21/22 12:43	75-01-4	
m&p-Xylene	<29.5	ug/kg	140	29.5	1	04/21/22 07:00	04/21/22 12:43	179601-23-1	
o-Xylene	<21.0	ug/kg	70.0	21.0	1	04/21/22 07:00	04/21/22 12:43	95-47-6	
Surrogates									
Toluene-d8 (S)	119	%	67-159		1	04/21/22 07:00	04/21/22 12:43	2037-26-5	
4-Bromofluorobenzene (S)	123	%	66-153		1	04/21/22 07:00	04/21/22 12:43	460-00-4	
1,2-Dichlorobenzene-d4 (S)	123	%	82-158		1	04/21/22 07:00	04/21/22 12:43	2199-69-1	
Percent Moisture									
Analytical Method: ASTM D2974-87									
Pace Analytical Services - Green Bay									
Percent Moisture	16.7	%	0.10	0.10	1		04/20/22 17:28		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: MARTINS DRY CLEANER
Pace Project No.: 40243628

QC Batch: 413768 Analysis Method: EPA 8260
QC Batch Method: EPA 5035/5030B Analysis Description: 8260 MSV Med Level Normal List
Laboratory: Pace Analytical Services - Green Bay

Associated Lab Samples: 40243628001, 40243628002

METHOD BLANK: 2382322 Matrix: Solid

Associated Lab Samples: 40243628001, 40243628002

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
1,1,1,2-Tetrachloroethane	ug/kg	<12.0	50.0	04/21/22 10:02	
1,1,1-Trichloroethane	ug/kg	<12.8	50.0	04/21/22 10:02	
1,1,2,2-Tetrachloroethane	ug/kg	<18.1	50.0	04/21/22 10:02	
1,1,2-Trichloroethane	ug/kg	<18.2	50.0	04/21/22 10:02	
1,1-Dichloroethane	ug/kg	<12.8	50.0	04/21/22 10:02	
1,1-Dichloroethene	ug/kg	<16.6	50.0	04/21/22 10:02	
1,1-Dichloropropene	ug/kg	<16.2	50.0	04/21/22 10:02	
1,2,3-Trichlorobenzene	ug/kg	<55.7	250	04/21/22 10:02	
1,2,3-Trichloropropane	ug/kg	<24.3	50.0	04/21/22 10:02	
1,2,4-Trichlorobenzene	ug/kg	<41.2	250	04/21/22 10:02	
1,2,4-Trimethylbenzene	ug/kg	<14.9	50.0	04/21/22 10:02	
1,2-Dibromo-3-chloropropane	ug/kg	<38.8	250	04/21/22 10:02	
1,2-Dibromoethane (EDB)	ug/kg	<13.7	50.0	04/21/22 10:02	
1,2-Dichlorobenzene	ug/kg	<15.5	50.0	04/21/22 10:02	
1,2-Dichloroethane	ug/kg	<11.5	50.0	04/21/22 10:02	
1,2-Dichloropropane	ug/kg	<11.9	50.0	04/21/22 10:02	
1,3,5-Trimethylbenzene	ug/kg	<16.1	50.0	04/21/22 10:02	
1,3-Dichlorobenzene	ug/kg	<13.7	50.0	04/21/22 10:02	
1,3-Dichloropropane	ug/kg	<10.9	50.0	04/21/22 10:02	
1,4-Dichlorobenzene	ug/kg	<13.7	50.0	04/21/22 10:02	
2,2-Dichloropropane	ug/kg	<13.5	50.0	04/21/22 10:02	
2-Chlorotoluene	ug/kg	<16.2	50.0	04/21/22 10:02	
4-Chlorotoluene	ug/kg	<19.0	50.0	04/21/22 10:02	
Benzene	ug/kg	<11.9	20.0	04/21/22 10:02	
Bromobenzene	ug/kg	<19.5	50.0	04/21/22 10:02	
Bromochloromethane	ug/kg	<13.7	50.0	04/21/22 10:02	
Bromodichloromethane	ug/kg	<11.9	50.0	04/21/22 10:02	
Bromoform	ug/kg	<220	250	04/21/22 10:02	
Bromomethane	ug/kg	<70.1	250	04/21/22 10:02	
Carbon tetrachloride	ug/kg	<11.0	50.0	04/21/22 10:02	
Chlorobenzene	ug/kg	<6.0	50.0	04/21/22 10:02	
Chloroethane	ug/kg	<21.1	250	04/21/22 10:02	
Chloroform	ug/kg	<35.8	250	04/21/22 10:02	
Chloromethane	ug/kg	<19.0	50.0	04/21/22 10:02	
cis-1,2-Dichloroethene	ug/kg	<10.7	50.0	04/21/22 10:02	
cis-1,3-Dichloropropene	ug/kg	<33.0	250	04/21/22 10:02	
Dibromochloromethane	ug/kg	<171	250	04/21/22 10:02	
Dibromomethane	ug/kg	<14.8	50.0	04/21/22 10:02	
Dichlorodifluoromethane	ug/kg	<21.5	50.0	04/21/22 10:02	
Diisopropyl ether	ug/kg	<12.4	50.0	04/21/22 10:02	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: MARTINS DRY CLEANER
Pace Project No.: 40243628

METHOD BLANK: 2382322 Matrix: Solid
Associated Lab Samples: 40243628001, 40243628002

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
Ethylbenzene	ug/kg	<11.9	50.0	04/21/22 10:02	
Hexachloro-1,3-butadiene	ug/kg	<99.4	250	04/21/22 10:02	
Isopropylbenzene (Cumene)	ug/kg	<13.5	50.0	04/21/22 10:02	
m&p-Xylene	ug/kg	<21.1	100	04/21/22 10:02	
Methyl-tert-butyl ether	ug/kg	<14.7	50.0	04/21/22 10:02	
Methylene Chloride	ug/kg	<13.9	50.0	04/21/22 10:02	
n-Butylbenzene	ug/kg	<22.9	50.0	04/21/22 10:02	
n-Propylbenzene	ug/kg	<12.0	50.0	04/21/22 10:02	
Naphthalene	ug/kg	<15.6	250	04/21/22 10:02	
o-Xylene	ug/kg	<15.0	50.0	04/21/22 10:02	
p-Isopropyltoluene	ug/kg	<15.2	50.0	04/21/22 10:02	
sec-Butylbenzene	ug/kg	<12.2	50.0	04/21/22 10:02	
Styrene	ug/kg	<12.8	50.0	04/21/22 10:02	
tert-Butylbenzene	ug/kg	<15.7	50.0	04/21/22 10:02	
Tetrachloroethene	ug/kg	<19.4	50.0	04/21/22 10:02	
Toluene	ug/kg	<12.6	50.0	04/21/22 10:02	
trans-1,2-Dichloroethene	ug/kg	<10.8	50.0	04/21/22 10:02	
trans-1,3-Dichloropropene	ug/kg	<143	250	04/21/22 10:02	
Trichloroethene	ug/kg	<18.7	50.0	04/21/22 10:02	
Trichlorofluoromethane	ug/kg	<14.5	50.0	04/21/22 10:02	
Vinyl chloride	ug/kg	<10.1	50.0	04/21/22 10:02	
1,2-Dichlorobenzene-d4 (S)	%	101	82-158	04/21/22 10:02	
4-Bromofluorobenzene (S)	%	101	66-153	04/21/22 10:02	
Toluene-d8 (S)	%	98	67-159	04/21/22 10:02	

LABORATORY CONTROL SAMPLE: 2382323

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
1,1,1-Trichloroethane	ug/kg	2500	2510	100	70-130	
1,1,2,2-Tetrachloroethane	ug/kg	2500	2610	104	65-129	
1,1,2-Trichloroethane	ug/kg	2500	2560	102	70-130	
1,1-Dichloroethane	ug/kg	2500	2420	97	70-130	
1,1-Dichloroethene	ug/kg	2500	2350	94	67-120	
1,2,4-Trichlorobenzene	ug/kg	2500	2420	97	64-130	
1,2-Dibromo-3-chloropropane	ug/kg	2500	2580	103	57-119	
1,2-Dibromoethane (EDB)	ug/kg	2500	2430	97	70-130	
1,2-Dichlorobenzene	ug/kg	2500	2490	100	70-130	
1,2-Dichloroethane	ug/kg	2500	2570	103	70-130	
1,2-Dichloropropane	ug/kg	2500	2390	96	72-118	
1,3-Dichlorobenzene	ug/kg	2500	2440	98	70-130	
1,4-Dichlorobenzene	ug/kg	2500	2450	98	70-130	
Benzene	ug/kg	2500	2440	97	70-130	
Bromodichloromethane	ug/kg	2500	2510	100	70-130	
Bromoform	ug/kg	2500	2160	87	66-130	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: MARTINS DRY CLEANER
Pace Project No.: 40243628

LABORATORY CONTROL SAMPLE: 2382323

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Bromomethane	ug/kg	2500	2200	88	13-153	
Carbon tetrachloride	ug/kg	2500	2540	101	73-134	
Chlorobenzene	ug/kg	2500	2450	98	70-130	
Chloroethane	ug/kg	2500	2180	87	19-170	
Chloroform	ug/kg	2500	2510	100	79-120	
Chloromethane	ug/kg	2500	2230	89	45-117	
cis-1,2-Dichloroethene	ug/kg	2500	2420	97	70-130	
cis-1,3-Dichloropropene	ug/kg	2500	2410	96	68-130	
Dibromochloromethane	ug/kg	2500	2460	98	70-130	
Dichlorodifluoromethane	ug/kg	2500	1530	61	15-135	
Ethylbenzene	ug/kg	2500	2430	97	78-120	
Isopropylbenzene (Cumene)	ug/kg	2500	2320	93	70-130	
m&p-Xylene	ug/kg	5000	4680	94	70-130	
Methyl-tert-butyl ether	ug/kg	2500	2440	97	65-130	
Methylene Chloride	ug/kg	2500	2490	100	70-130	
o-Xylene	ug/kg	2500	2330	93	70-130	
Styrene	ug/kg	2500	2480	99	70-130	
Tetrachloroethene	ug/kg	2500	2350	94	70-130	
Toluene	ug/kg	2500	2410	96	76-120	
trans-1,2-Dichloroethene	ug/kg	2500	2510	101	70-130	
trans-1,3-Dichloropropene	ug/kg	2500	2410	96	70-130	
Trichloroethene	ug/kg	2500	2470	99	70-130	
Trichlorofluoromethane	ug/kg	2500	2160	86	49-153	
Vinyl chloride	ug/kg	2500	2330	93	58-121	
1,2-Dichlorobenzene-d4 (S)	%			103	82-158	
4-Bromofluorobenzene (S)	%			104	66-153	
Toluene-d8 (S)	%			101	67-159	

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 2382324 2382325

Parameter	Units	MS		MSD		MS Result	MSD Result	MS % Rec	MSD % Rec	% Rec Limits	RPD	Max RPD	Qual
		40243628001 Result	Spike Conc.	Spike Conc.	Conc.								
1,1,1-Trichloroethane	ug/kg	<17.9	1400	1400	1350	1300	97	93	70-130	4	20		
1,1,2,2-Tetrachloroethane	ug/kg	<25.3	1400	1400	1570	1540	113	110	65-129	2	20		
1,1,2-Trichloroethane	ug/kg	<25.4	1400	1400	1470	1440	105	103	70-130	2	20		
1,1-Dichloroethane	ug/kg	<17.9	1400	1400	1420	1370	102	98	70-130	4	20		
1,1-Dichloroethene	ug/kg	<23.2	1400	1400	1270	1250	91	89	64-120	1	20		
1,2,4-Trichlorobenzene	ug/kg	<57.6	1400	1400	1570	1540	112	110	64-130	2	20		
1,2-Dibromo-3-chloropropane	ug/kg	<54.2	1400	1400	1480	1400	106	100	57-130	6	21		
1,2-Dibromoethane (EDB)	ug/kg	<19.1	1400	1400	1390	1360	100	97	70-130	2	20		
1,2-Dichlorobenzene	ug/kg	<21.7	1400	1400	1520	1570	109	112	70-130	3	20		
1,2-Dichloroethane	ug/kg	<16.1	1400	1400	1520	1470	109	105	70-130	3	20		
1,2-Dichloropropane	ug/kg	<16.6	1400	1400	1430	1390	102	99	72-122	3	20		
1,3-Dichlorobenzene	ug/kg	<19.1	1400	1400	1550	1500	111	108	70-130	3	20		

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: MARTINS DRY CLEANER
Pace Project No.: 40243628

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 2382324 2382325												
Parameter	Units	40243628001		MS	MSD	MS		MSD		% Rec Limits	Max RPD	Qual
		Result	Conc.	Spike Conc.	Spike Conc.	Result	Result	% Rec	% Rec			
1,4-Dichlorobenzene	ug/kg	<19.1	1400	1400	1520	1520	109	109	70-130	0	20	
Benzene	ug/kg	<16.6	1400	1400	1440	1400	103	101	70-130	3	20	
Bromodichloromethane	ug/kg	<16.6	1400	1400	1430	1430	102	103	70-130	0	20	
Bromoform	ug/kg	<307	1400	1400	1440	1390	103	100	66-130	3	20	
Bromomethane	ug/kg	<97.9	1400	1400	1430	1450	102	104	13-153	1	20	
Carbon tetrachloride	ug/kg	<15.4	1400	1400	1330	1250	95	90	67-134	6	20	
Chlorobenzene	ug/kg	<8.4	1400	1400	1510	1460	108	105	70-130	3	20	
Chloroethane	ug/kg	<29.5	1400	1400	1440	1460	103	105	11-195	1	20	
Chloroform	ug/kg	<50.0	1400	1400	1450	1430	104	102	79-120	2	20	
Chloromethane	ug/kg	<26.5	1400	1400	1610	1550	115	111	30-136	4	20	
cis-1,2-Dichloroethene	ug/kg	<14.9	1400	1400	1450	1390	104	100	70-130	4	20	
cis-1,3-Dichloropropene	ug/kg	<46.1	1400	1400	1360	1300	97	93	68-130	5	20	
Dibromochloromethane	ug/kg	<239	1400	1400	1390	1390	100	99	70-130	0	20	
Dichlorodifluoromethane	ug/kg	<30.0	1400	1400	1220	1230	87	88	10-158	0	25	
Ethylbenzene	ug/kg	<16.6	1400	1400	1410	1340	101	96	78-120	5	20	
Isopropylbenzene (Cumene)	ug/kg	<18.9	1400	1400	1370	1290	98	93	70-130	6	20	
m&p-Xylene	ug/kg	<29.5	2790	2790	2830	2700	101	97	70-130	5	20	
Methyl-tert-butyl ether	ug/kg	<20.5	1400	1400	1400	1370	100	98	65-130	1	20	
Methylene Chloride	ug/kg	<19.4	1400	1400	1500	1480	107	106	70-130	1	20	
o-Xylene	ug/kg	<21.0	1400	1400	1400	1390	100	99	70-130	1	20	
Styrene	ug/kg	<17.9	1400	1400	1490	1430	107	102	70-130	5	20	
Tetrachloroethene	ug/kg	334	1400	1400	1720	1690	99	97	70-130	2	20	
Toluene	ug/kg	<17.6	1400	1400	1440	1410	103	101	76-120	2	20	
trans-1,2-Dichloroethene	ug/kg	<15.1	1400	1400	1450	1400	104	100	70-130	4	20	
trans-1,3-Dichloropropene	ug/kg	<200	1400	1400	1330	1290	95	93	70-130	3	20	
Trichloroethene	ug/kg	<26.1	1400	1400	1430	1360	102	97	70-130	5	20	
Trichlorofluoromethane	ug/kg	<20.3	1400	1400	1140	1130	82	81	42-159	1	21	
Vinyl chloride	ug/kg	<14.1	1400	1400	1350	1290	97	92	43-137	5	20	
1,2-Dichlorobenzene-d4 (S)	%						126	127	82-158			
4-Bromofluorobenzene (S)	%						130	130	66-153			
Toluene-d8 (S)	%						127	126	67-159			

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: MARTINS DRY CLEANER

Pace Project No.: 40243628

QC Batch: 413713

Analysis Method: ASTM D2974-87

QC Batch Method: ASTM D2974-87

Analysis Description: Dry Weight/Percent Moisture

Laboratory: Pace Analytical Services - Green Bay

Associated Lab Samples: 40243628001, 40243628002

SAMPLE DUPLICATE: 2382070

Parameter	Units	40243626005 Result	Dup Result	RPD	Max RPD	Qualifiers
Percent Moisture	%	22.7	22.5	1	10	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALIFIERS

Project: MARTINS DRY CLEANER

Pace Project No.: 40243628

DEFINITIONS

DF - Dilution Factor, if reported, represents the factor applied to the reported data due to dilution of the sample aliquot.

ND - Not Detected at or above LOD.

J - Estimated concentration at or above the LOD and below the LOQ.

LOD - Limit of Detection adjusted for dilution factor, percent moisture, initial weight and final volume.

LOQ - Limit of Quantitation adjusted for dilution factor, percent moisture, initial weight and final volume.

S - Surrogate

1,2-Diphenylhydrazine decomposes to and cannot be separated from Azobenzene using Method 8270. The result for each analyte is a combined concentration.

Consistent with EPA guidelines, unrounded data are displayed and have been used to calculate % recovery and RPD values.

LCS(D) - Laboratory Control Sample (Duplicate)

MS(D) - Matrix Spike (Duplicate)

DUP - Sample Duplicate

RPD - Relative Percent Difference

NC - Not Calculable.

SG - Silica Gel - Clean-Up

U - Indicates the compound was analyzed for, but not detected at or above the adjusted LOD.

N-Nitrosodiphenylamine decomposes and cannot be separated from Diphenylamine using Method 8270. The result reported for each analyte is a combined concentration.

Pace Analytical is TNI accredited. Contact your Pace PM for the current list of accredited analytes.

TNI - The NELAC Institute.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA CROSS REFERENCE TABLE

Project: MARTINS DRY CLEANER
Pace Project No.: 40243628

Lab ID	Sample ID	QC Batch Method	QC Batch	Analytical Method	Analytical Batch
40243628001	B-24 2-4'	EPA 5035/5030B	413768	EPA 8260	413779
40243628002	B-23 2-4'	EPA 5035/5030B	413768	EPA 8260	413779
40243628001	B-24 2-4'	ASTM D2974-87	413713		
40243628002	B-23 2-4'	ASTM D2974-87	413713		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



CHAIN-OF-CUSTODY Analytical Request Document

Chain-of-Custody is a LEGAL DOCUMENT - Complete all relevant fields

LAB USE ONLY- Affix Workorder/Login Label Here or List Pace Workorder Number or MTJL Log-in Number Here

40243628

ALL SHADED AREAS are for LAB USE ONLY

Company: **Ayres** Billing Information: **subs@ayresassociates.com**
 Address: **3376 Packerland Dr, De Pere, WI**
 Report To: **Bill Honea** Email To: **honeaw@ayresassociates.com**
 Copy To: Site Collection Info/Address: **1025 E Green Bay St**
 Customer Project Name/Number: **Martins Dry Cleaner** State: **WI** County/City: **Shawano** Time Zone Collected: [] PT [] MT [] CT [] ET
 Phone: Site/Facility ID #: Compliance Monitoring? [] Yes [] No
 Email: Purchase Order #: DW PWS ID #: DW Location Code:
 Collected By (print): **Bill Honea** Quote #: Turnaround Date Required: **standard TAT** Immediately Packed on Ice: [] Yes [] No
 Collected By (signature): **William Honea** Rush: [] Same Day [] Next Day [] 2 Day [] 3 Day [] 4 Day [] 5 Day (Expedite Charges Apply) Field Filtered (if applicable): [] Yes [] No
 Sample Disposal: [] Dispose as appropriate [] Return [] Archive: [] Hold: Analysis:

Container Preservative Type **
 Lab Project Manager:
 ** Preservative Types: (1) nitric acid, (2) sulfuric acid, (3) hydrochloric acid, (4) sodium hydroxide, (5) zinc acetate, (6) methanol, (7) sodium bisulfate, (8) sodium thiosulfate, (9) hexane, (A) ascorbic acid, (B) ammonium sulfate, (C) ammonium hydroxide, (D) TSP, (U) Unpreserved, (O) Other

Analyses	Lab Profile/Line:
<p>VOCS Dry weight/moisture</p>	<p>Lab Sample Receipt Checklist:</p> <ul style="list-style-type: none"> Custody Seals Present/Intact Y N NA Custody Signatures Present Y N NA Collector Signature Present Y N NA Bottles Intact Y N NA Correct Bottles Y N NA Sufficient Volume Y N NA Samples Received on Ice Y N NA VOA - Headspace Acceptable Y N NA USDA Regulated Soils Y N NA Samples in Holding Time Y N NA Residual Chlorine Present Y N NA Cl Strips: Y N NA Sample pH Acceptable Y N NA pH Strips: Y N NA Sulfide Present Y N NA Lead Acetate Strips: Y N NA <p>LAB USE ONLY: Lab Sample # / Comments:</p>

* Matrix Codes (Insert in Matrix box below): Drinking Water (DW), Ground Water (GW), Wastewater (WW), Product (P), Soil/Solid (SL), Oil (OL), Wipe (WP), Air (AR), Tissue (TS), Bioassay (B), Vapor (V), Other (OT)

Customer Sample ID	Matrix *	Comp / Grab	Collected (or Composite Start)		Composite End		Res Cl	# of Ctns
			Date	Time	Date	Time		
B-24 2-4'	SL	G	4/19/22	18:30				2 X X
B-23 2-4'	SL	G	4/19/22	12:50				2 X X

Customer Remarks / Special Conditions / Possible Hazards: Type of Ice Used: Wet Blue Dry None
 Packing Material Used: SHORT HOLDS PRESENT (<72 hours): Y N N/A
 Radchem sample(s) screened (<500 cpm): Y N NA Lab Tracking #: **2763848**
 Samples received via: FEDEX UPS Client Courier Pace Courier

LAB USE ONLY:
Lab Sample # / Comments:

Lab Sample Temperature Info:
Temp Blank Received: Y N NA
Therm ID#: _____
Cooler 1 Temp Upon Receipt: _____ °C
Cooler 1 Therm Corr. Factor: _____ °C
Cooler 1 Corrected Temp: 1.8 °C
Comments:
Trip Blank Received: Y N NA
HCL MeOH TSP Other
Non Conformance(s): YES / NO
Page: 18 of 18

Relinquished by/Company: (Signature) **William Honea / Ayres** Date/Time: **4-19-22 / 1653**
 Relinquished by/Company: (Signature) **Anthony J. Seidel** Date/Time: **4/19/22 1653**
 Relinquished by/Company: (Signature) Date/Time: Received by/Company: (Signature) Date/Time:

MTJL LAB USE ONLY
 Table #: _____
 Acctnum: _____
 Template: _____
 Prelogin: _____
 PM: _____
 PB: _____

Sample Preservation Receipt Form

Client Name: Aryes

Project # 40243628

All containers needing preservation have been checked and noted below: Yes No N/A

Lab Lot# of pH paper:

Lab Std #/ID of preservation (if pH adjusted):

Initial when completed:

Date/Time:

Pace Lab #	Glass						Plastic					Vials					Jars				General			VOA Vials (>6mm) *	H2SO4 pH ≤2	NaOH+Zn Act pH ≥9	NaOH pH ≥12	HNO3 pH ≤2	pH after adjusted	Volume (mL)			
	AG1U	BG1U	AG1H	AG4S	AG4U	AG5U	AG2S	BG3U	BP1U	BP3U	BP3B	BP3N	BP3S	VG9A	DG9T	VG9U	VG9H	VG9M	VG9D	JGFU	JG9U	WGFU	WPFU								SP5T	ZPLC	GN
001																																	2.5/5/10
002																																	2.5/5/10
003																																	2.5/5/10
004																																	2.5/5/10
005																																	2.5/5/10
006																																	2.5/5/10
007																																	2.5/5/10
008																																	2.5/5/10
009																																	2.5/5/10
010																																	2.5/5/10
011																																	2.5/5/10
012																																	2.5/5/10
013																																	2.5/5/10
014																																	2.5/5/10
015																																	2.5/5/10
016																																	2.5/5/10
017																																	2.5/5/10
018																																	2.5/5/10
019																																	2.5/5/10
020																																	2.5/5/10

4.19.22

Exceptions to preservation check: VOA, Coliform, TOC, TOX, TOH, O&G, WI DRO, Phenolics, Other: _____ Headspace in VOA Vials (>6mm) : Yes No N/A *If yes look in headspace column

AG1U	1 liter amber glass	BP1U	1 liter plastic unpres	VG9A	40 mL clear ascorbic	JGFU	4 oz amber jar unpres
BG1U	1 liter clear glass	BP3U	250 mL plastic unpres	DG9T	40 mL amber Na Thio	JG9U	9 oz amber jar unpres
AG1H	1 liter amber glass HCL	BP3B	250 mL plastic NaOH	VG9U	40 mL clear vial unpres	WGFU	4 oz clear jar unpres
AG4S	125 mL amber glass H2SO4	BP3N	250 mL plastic HNO3	VG9H	40 mL clear vial HCL	WPFU	4 oz plastic jar unpres
AG4U	120 mL amber glass unpres	BP3S	250 mL plastic H2SO4	VG9M	40 mL clear vial MeOH	SP5T	120 mL plastic Na Thiosulfate
AG5U	100 mL amber glass unpres			VG9D	40 mL clear vial DI	ZPLC	ziploc bag
AG2S	500 mL amber glass H2SO4					GN	
BG3U	250 mL clear glass unpres						

Sample Condition Upon Receipt Form (SCUR)

Client Name: Aryes

Project #:

WO# : 40243628

Courier: CS Logistics Fed Ex Speedee UPS Waltco
 Client Pace Other: _____



Tracking #: _____

Custody Seal on Cooler/Box Present: yes no Seals intact: yes no

Custody Seal on Samples Present: yes no Seals intact: yes no

Packing Material: Bubble Wrap Bubble Bags None Other

Thermometer Used SR-117 Type of Ice: (We) Blue Dry None

Samples on ice, cooling process has begun

Cooler Temperature Uncorr: 2 / Corr: 1.8

Temp Blank Present: yes no

Biological Tissue is Frozen: yes no

Person examining contents:

Date: 4/19/22 / Initials: [Signature]

Labeled By Initials: [Signature]

Temp should be above freezing to 6°C.
 Biota Samples may be received at ≤ 0°C if shipped on Dry Ice.

Chain of Custody Present:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	1.
Chain of Custody Filled Out:	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A	2. <u>PJ #, Proj #</u> <u>4/19/22</u>
Chain of Custody Relinquished:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	3.
Sampler Name & Signature on COC:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	4.
Samples Arrived within Hold Time:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	5.
- VOA Samples frozen upon receipt	<input type="checkbox"/> Yes <input type="checkbox"/> No	Date/Time:
Short Hold Time Analysis (<72hr):	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	6.
Rush Turn Around Time Requested:	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	7.
Sufficient Volume:		8.
For Analysis: <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No MS/MSD: <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A		
Correct Containers Used:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	9.
-Pace Containers Used:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	
-Pace IR Containers Used:	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	
Containers Intact:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	10.
Filtered volume received for Dissolved tests	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	11.
Sample Labels match COC:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	12.
-Includes date/time/ID/Analysis Matrix: <u>S</u>		
Trip Blank Present:	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input checked="" type="checkbox"/> N/A	13. <u>4/19/22 [Signature]</u>
Trip Blank Custody Seals Present	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	
Pace Trip Blank Lot # (if purchased):		

Client Notification/ Resolution:

If checked, see attached form for additional comments

Person Contacted: _____ Date/Time: _____

Comments/ Resolution: _____

PM Review is documented electronically in LIMs. By releasing the project, the PM acknowledges they have reviewed the sample login

April 22, 2022

Bill Honea
AYRES & ASSOCIATES, INC.
3376 Packerland Avenue
De Pere, WI 54115

RE: Project: MARTIN'S DRY CLEANER
Pace Project No.: 40243627

Dear Bill Honea:


Enclosed are the analytical results for sample(s) received by the laboratory on April 19, 2022. The results relate only to the samples included in this report. Results reported herein conform to the applicable TNI/NELAC Standards and the laboratory's Quality Manual, where applicable, unless otherwise noted in the body of the report.

The test results provided in this final report were generated by each of the following laboratories within the Pace Network:

- Pace Analytical Services - Green Bay

If you have any questions concerning this report, please feel free to contact me.

Sincerely,



Dan Milewsky
dan.milewsky@pacelabs.com
(920)469-2436
Project Manager

Enclosures



REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

CERTIFICATIONS

Project: MARTIN'S DRY CLEANER

Pace Project No.: 40243627

Pace Analytical Services Green Bay

1241 Bellevue Street, Green Bay, WI 54302

Florida/NELAP Certification #: E87948

Illinois Certification #: 200050

Kentucky UST Certification #: 82

Louisiana Certification #: 04168

Minnesota Certification #: 055-999-334

New York Certification #: 12064

North Dakota Certification #: R-150

Virginia VELAP ID: 460263

South Carolina Certification #: 83006001

Texas Certification #: T104704529-14-1

Wisconsin Certification #: 405132750

Wisconsin DATCP Certification #: 105-444

USDA Soil Permit #: P330-16-00157

Federal Fish & Wildlife Permit #: LE51774A-0

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

SAMPLE SUMMARY

Project: MARTIN'S DRY CLEANER

Pace Project No.: 40243627

Lab ID	Sample ID	Matrix	Date Collected	Date Received
40243627001	MW-5	Water	04/19/22 11:30	04/19/22 16:53
40243627002	MW-10	Water	04/19/22 13:00	04/19/22 16:53
40243627003	MW-11	Water	04/19/22 13:30	04/19/22 16:53
40243627004	PZ-23	Water	04/19/22 14:00	04/19/22 16:53
40243627005	MW-24	Water	04/19/22 14:30	04/19/22 16:53
40243627006	MW-12	Water	04/19/22 14:50	04/19/22 16:53
40243627007	MW-18	Water	04/19/22 15:30	04/19/22 16:53
40243627008	MW-19	Water	04/19/22 16:05	04/19/22 16:53
40243627009	TRIP BLANK	Water	04/19/22 00:00	04/19/22 16:53

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

SAMPLE ANALYTE COUNT

Project: MARTIN'S DRY CLEANER
Pace Project No.: 40243627

Lab ID	Sample ID	Method	Analysts	Analytes Reported	Laboratory
40243627001	MW-5	EPA 8260	JAV	64	PASI-G
40243627002	MW-10	EPA 8260	JAV	64	PASI-G
40243627003	MW-11	EPA 8260	JAV	64	PASI-G
40243627004	PZ-23	EPA 8260	JAV	64	PASI-G
40243627005	MW-24	EPA 8260	JAV	64	PASI-G
40243627006	MW-12	EPA 8260	JAV	64	PASI-G
40243627007	MW-18	EPA 8260	JAV	64	PASI-G
40243627008	MW-19	EPA 8260	JAV	64	PASI-G
40243627009	TRIP BLANK	EPA 8260	JAV	64	PASI-G

PASI-G = Pace Analytical Services - Green Bay

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: MARTIN'S DRY CLEANER
Pace Project No.: 40243627

Sample: MW-5 **Lab ID: 40243627001** Collected: 04/19/22 11:30 Received: 04/19/22 16:53 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV									
Analytical Method: EPA 8260									
Pace Analytical Services - Green Bay									
Benzene	390	ug/L	2.5	0.74	2.5		04/21/22 17:39	71-43-2	
Bromobenzene	<0.90	ug/L	2.5	0.90	2.5		04/21/22 17:39	108-86-1	
Bromochloromethane	<0.89	ug/L	12.5	0.89	2.5		04/21/22 17:39	74-97-5	
Bromodichloromethane	<1.0	ug/L	2.5	1.0	2.5		04/21/22 17:39	75-27-4	
Bromoform	<9.5	ug/L	12.5	9.5	2.5		04/21/22 17:39	75-25-2	
Bromomethane	<3.0	ug/L	12.5	3.0	2.5		04/21/22 17:39	74-83-9	
n-Butylbenzene	<2.1	ug/L	2.5	2.1	2.5		04/21/22 17:39	104-51-8	
sec-Butylbenzene	<1.1	ug/L	2.5	1.1	2.5		04/21/22 17:39	135-98-8	
tert-Butylbenzene	<1.5	ug/L	2.5	1.5	2.5		04/21/22 17:39	98-06-6	
Carbon tetrachloride	<0.92	ug/L	2.5	0.92	2.5		04/21/22 17:39	56-23-5	
Chlorobenzene	<2.1	ug/L	2.5	2.1	2.5		04/21/22 17:39	108-90-7	
Chloroethane	<3.4	ug/L	12.5	3.4	2.5		04/21/22 17:39	75-00-3	
Chloroform	<3.0	ug/L	12.5	3.0	2.5		04/21/22 17:39	67-66-3	
Chloromethane	<4.1	ug/L	12.5	4.1	2.5		04/21/22 17:39	74-87-3	
2-Chlorotoluene	<2.2	ug/L	12.5	2.2	2.5		04/21/22 17:39	95-49-8	
4-Chlorotoluene	<2.2	ug/L	12.5	2.2	2.5		04/21/22 17:39	106-43-4	
1,2-Dibromo-3-chloropropane	<5.9	ug/L	12.5	5.9	2.5		04/21/22 17:39	96-12-8	
Dibromochloromethane	<6.6	ug/L	12.5	6.6	2.5		04/21/22 17:39	124-48-1	
1,2-Dibromoethane (EDB)	<0.77	ug/L	2.5	0.77	2.5		04/21/22 17:39	106-93-4	
Dibromomethane	<2.5	ug/L	12.5	2.5	2.5		04/21/22 17:39	74-95-3	
1,2-Dichlorobenzene	<0.81	ug/L	2.5	0.81	2.5		04/21/22 17:39	95-50-1	
1,3-Dichlorobenzene	<0.88	ug/L	2.5	0.88	2.5		04/21/22 17:39	541-73-1	
1,4-Dichlorobenzene	<2.2	ug/L	2.5	2.2	2.5		04/21/22 17:39	106-46-7	
Dichlorodifluoromethane	<1.1	ug/L	12.5	1.1	2.5		04/21/22 17:39	75-71-8	
1,1-Dichloroethane	<0.74	ug/L	2.5	0.74	2.5		04/21/22 17:39	75-34-3	
1,2-Dichloroethane	<0.73	ug/L	2.5	0.73	2.5		04/21/22 17:39	107-06-2	
1,1-Dichloroethene	<1.5	ug/L	2.5	1.5	2.5		04/21/22 17:39	75-35-4	
cis-1,2-Dichloroethene	<1.2	ug/L	2.5	1.2	2.5		04/21/22 17:39	156-59-2	
trans-1,2-Dichloroethene	<1.3	ug/L	2.5	1.3	2.5		04/21/22 17:39	156-60-5	
1,2-Dichloropropane	<1.1	ug/L	2.5	1.1	2.5		04/21/22 17:39	78-87-5	
1,3-Dichloropropane	<0.76	ug/L	2.5	0.76	2.5		04/21/22 17:39	142-28-9	
2,2-Dichloropropane	<10.4	ug/L	12.5	10.4	2.5		04/21/22 17:39	594-20-7	
1,1-Dichloropropene	<1.0	ug/L	2.5	1.0	2.5		04/21/22 17:39	563-58-6	
cis-1,3-Dichloropropene	<0.90	ug/L	2.5	0.90	2.5		04/21/22 17:39	10061-01-5	
trans-1,3-Dichloropropene	<8.7	ug/L	12.5	8.7	2.5		04/21/22 17:39	10061-02-6	
Diisopropyl ether	<2.8	ug/L	12.5	2.8	2.5		04/21/22 17:39	108-20-3	
Ethylbenzene	1.7J	ug/L	2.5	0.81	2.5		04/21/22 17:39	100-41-4	
Hexachloro-1,3-butadiene	<6.8	ug/L	12.5	6.8	2.5		04/21/22 17:39	87-68-3	
Isopropylbenzene (Cumene)	8.1J	ug/L	12.5	2.5	2.5		04/21/22 17:39	98-82-8	
p-Isopropyltoluene	<2.6	ug/L	12.5	2.6	2.5		04/21/22 17:39	99-87-6	
Methylene Chloride	<0.80	ug/L	12.5	0.80	2.5		04/21/22 17:39	75-09-2	
Methyl-tert-butyl ether	<2.8	ug/L	12.5	2.8	2.5		04/21/22 17:39	1634-04-4	
Naphthalene	29.4	ug/L	12.5	2.8	2.5		04/21/22 17:39	91-20-3	
n-Propylbenzene	12.3	ug/L	2.5	0.86	2.5		04/21/22 17:39	103-65-1	
Styrene	<0.89	ug/L	2.5	0.89	2.5		04/21/22 17:39	100-42-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: MARTIN'S DRY CLEANER

Pace Project No.: 40243627

Sample: MW-5 **Lab ID: 40243627001** Collected: 04/19/22 11:30 Received: 04/19/22 16:53 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV									
Analytical Method: EPA 8260									
Pace Analytical Services - Green Bay									
1,1,1,2-Tetrachloroethane	<0.89	ug/L	2.5	0.89	2.5		04/21/22 17:39	630-20-6	
1,1,2,2-Tetrachloroethane	<0.94	ug/L	2.5	0.94	2.5		04/21/22 17:39	79-34-5	
Tetrachloroethene	<1.0	ug/L	2.5	1.0	2.5		04/21/22 17:39	127-18-4	
Toluene	1.8J	ug/L	2.5	0.72	2.5		04/21/22 17:39	108-88-3	
1,2,3-Trichlorobenzene	<2.5	ug/L	12.5	2.5	2.5		04/21/22 17:39	87-61-6	
1,2,4-Trichlorobenzene	<2.4	ug/L	12.5	2.4	2.5		04/21/22 17:39	120-82-1	
1,1,1-Trichloroethane	<0.76	ug/L	2.5	0.76	2.5		04/21/22 17:39	71-55-6	
1,1,2-Trichloroethane	<0.86	ug/L	12.5	0.86	2.5		04/21/22 17:39	79-00-5	
Trichloroethene	<0.80	ug/L	2.5	0.80	2.5		04/21/22 17:39	79-01-6	
Trichlorofluoromethane	<1.0	ug/L	2.5	1.0	2.5		04/21/22 17:39	75-69-4	
1,2,3-Trichloropropane	<1.4	ug/L	12.5	1.4	2.5		04/21/22 17:39	96-18-4	
1,2,4-Trimethylbenzene	<1.1	ug/L	2.5	1.1	2.5		04/21/22 17:39	95-63-6	
1,3,5-Trimethylbenzene	<0.89	ug/L	2.5	0.89	2.5		04/21/22 17:39	108-67-8	
Vinyl chloride	<0.44	ug/L	2.5	0.44	2.5		04/21/22 17:39	75-01-4	
m&p-Xylene	3.7J	ug/L	5.0	1.8	2.5		04/21/22 17:39	179601-23-1	
o-Xylene	<0.87	ug/L	2.5	0.87	2.5		04/21/22 17:39	95-47-6	
Surrogates									
4-Bromofluorobenzene (S)	100	%	70-130		2.5		04/21/22 17:39	460-00-4	
1,2-Dichlorobenzene-d4 (S)	99	%	70-130		2.5		04/21/22 17:39	2199-69-1	
Toluene-d8 (S)	105	%	70-130		2.5		04/21/22 17:39	2037-26-5	

Sample: MW-10 **Lab ID: 40243627002** Collected: 04/19/22 13:00 Received: 04/19/22 16:53 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV									
Analytical Method: EPA 8260									
Pace Analytical Services - Green Bay									
Benzene	<0.30	ug/L	1.0	0.30	1		04/21/22 13:49	71-43-2	
Bromobenzene	<0.36	ug/L	1.0	0.36	1		04/21/22 13:49	108-86-1	
Bromochloromethane	<0.36	ug/L	5.0	0.36	1		04/21/22 13:49	74-97-5	
Bromodichloromethane	<0.42	ug/L	1.0	0.42	1		04/21/22 13:49	75-27-4	
Bromoform	<3.8	ug/L	5.0	3.8	1		04/21/22 13:49	75-25-2	
Bromomethane	<1.2	ug/L	5.0	1.2	1		04/21/22 13:49	74-83-9	
n-Butylbenzene	<0.86	ug/L	1.0	0.86	1		04/21/22 13:49	104-51-8	
sec-Butylbenzene	<0.42	ug/L	1.0	0.42	1		04/21/22 13:49	135-98-8	
tert-Butylbenzene	<0.59	ug/L	1.0	0.59	1		04/21/22 13:49	98-06-6	
Carbon tetrachloride	<0.37	ug/L	1.0	0.37	1		04/21/22 13:49	56-23-5	
Chlorobenzene	<0.86	ug/L	1.0	0.86	1		04/21/22 13:49	108-90-7	
Chloroethane	<1.4	ug/L	5.0	1.4	1		04/21/22 13:49	75-00-3	
Chloroform	<1.2	ug/L	5.0	1.2	1		04/21/22 13:49	67-66-3	
Chloromethane	<1.6	ug/L	5.0	1.6	1		04/21/22 13:49	74-87-3	
2-Chlorotoluene	<0.89	ug/L	5.0	0.89	1		04/21/22 13:49	95-49-8	
4-Chlorotoluene	<0.89	ug/L	5.0	0.89	1		04/21/22 13:49	106-43-4	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: MARTIN'S DRY CLEANER

Pace Project No.: 40243627

Sample: MW-10 Lab ID: 40243627002 Collected: 04/19/22 13:00 Received: 04/19/22 16:53 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV		Analytical Method: EPA 8260 Pace Analytical Services - Green Bay							
1,2-Dibromo-3-chloropropane	<2.4	ug/L	5.0	2.4	1		04/21/22 13:49	96-12-8	
Dibromochloromethane	<2.6	ug/L	5.0	2.6	1		04/21/22 13:49	124-48-1	
1,2-Dibromoethane (EDB)	<0.31	ug/L	1.0	0.31	1		04/21/22 13:49	106-93-4	
Dibromomethane	<0.99	ug/L	5.0	0.99	1		04/21/22 13:49	74-95-3	
1,2-Dichlorobenzene	<0.33	ug/L	1.0	0.33	1		04/21/22 13:49	95-50-1	
1,3-Dichlorobenzene	<0.35	ug/L	1.0	0.35	1		04/21/22 13:49	541-73-1	
1,4-Dichlorobenzene	<0.89	ug/L	1.0	0.89	1		04/21/22 13:49	106-46-7	
Dichlorodifluoromethane	<0.46	ug/L	5.0	0.46	1		04/21/22 13:49	75-71-8	
1,1-Dichloroethane	<0.30	ug/L	1.0	0.30	1		04/21/22 13:49	75-34-3	
1,2-Dichloroethane	<0.29	ug/L	1.0	0.29	1		04/21/22 13:49	107-06-2	
1,1-Dichloroethene	<0.58	ug/L	1.0	0.58	1		04/21/22 13:49	75-35-4	
cis-1,2-Dichloroethene	0.48J	ug/L	1.0	0.47	1		04/21/22 13:49	156-59-2	
trans-1,2-Dichloroethene	<0.53	ug/L	1.0	0.53	1		04/21/22 13:49	156-60-5	
1,2-Dichloropropane	<0.45	ug/L	1.0	0.45	1		04/21/22 13:49	78-87-5	
1,3-Dichloropropane	<0.30	ug/L	1.0	0.30	1		04/21/22 13:49	142-28-9	
2,2-Dichloropropane	<4.2	ug/L	5.0	4.2	1		04/21/22 13:49	594-20-7	
1,1-Dichloropropene	<0.41	ug/L	1.0	0.41	1		04/21/22 13:49	563-58-6	
cis-1,3-Dichloropropene	<0.36	ug/L	1.0	0.36	1		04/21/22 13:49	10061-01-5	
trans-1,3-Dichloropropene	<3.5	ug/L	5.0	3.5	1		04/21/22 13:49	10061-02-6	
Diisopropyl ether	<1.1	ug/L	5.0	1.1	1		04/21/22 13:49	108-20-3	
Ethylbenzene	<0.33	ug/L	1.0	0.33	1		04/21/22 13:49	100-41-4	
Hexachloro-1,3-butadiene	<2.7	ug/L	5.0	2.7	1		04/21/22 13:49	87-68-3	
Isopropylbenzene (Cumene)	<1.0	ug/L	5.0	1.0	1		04/21/22 13:49	98-82-8	
p-Isopropyltoluene	<1.0	ug/L	5.0	1.0	1		04/21/22 13:49	99-87-6	
Methylene Chloride	<0.32	ug/L	5.0	0.32	1		04/21/22 13:49	75-09-2	
Methyl-tert-butyl ether	<1.1	ug/L	5.0	1.1	1		04/21/22 13:49	1634-04-4	
Naphthalene	<1.1	ug/L	5.0	1.1	1		04/21/22 13:49	91-20-3	
n-Propylbenzene	<0.35	ug/L	1.0	0.35	1		04/21/22 13:49	103-65-1	
Styrene	<0.36	ug/L	1.0	0.36	1		04/21/22 13:49	100-42-5	
1,1,1,2-Tetrachloroethane	<0.36	ug/L	1.0	0.36	1		04/21/22 13:49	630-20-6	
1,1,1,2,2-Tetrachloroethane	<0.38	ug/L	1.0	0.38	1		04/21/22 13:49	79-34-5	
Tetrachloroethene	12.2	ug/L	1.0	0.41	1		04/21/22 13:49	127-18-4	
Toluene	<0.29	ug/L	1.0	0.29	1		04/21/22 13:49	108-88-3	
1,2,3-Trichlorobenzene	<1.0	ug/L	5.0	1.0	1		04/21/22 13:49	87-61-6	
1,2,4-Trichlorobenzene	<0.95	ug/L	5.0	0.95	1		04/21/22 13:49	120-82-1	
1,1,1-Trichloroethane	<0.30	ug/L	1.0	0.30	1		04/21/22 13:49	71-55-6	
1,1,2-Trichloroethane	<0.34	ug/L	5.0	0.34	1		04/21/22 13:49	79-00-5	
Trichloroethene	1.3	ug/L	1.0	0.32	1		04/21/22 13:49	79-01-6	
Trichlorofluoromethane	<0.42	ug/L	1.0	0.42	1		04/21/22 13:49	75-69-4	
1,2,3-Trichloropropane	<0.56	ug/L	5.0	0.56	1		04/21/22 13:49	96-18-4	
1,2,4-Trimethylbenzene	<0.45	ug/L	1.0	0.45	1		04/21/22 13:49	95-63-6	
1,3,5-Trimethylbenzene	<0.36	ug/L	1.0	0.36	1		04/21/22 13:49	108-67-8	
Vinyl chloride	<0.17	ug/L	1.0	0.17	1		04/21/22 13:49	75-01-4	
m&p-Xylene	<0.70	ug/L	2.0	0.70	1		04/21/22 13:49	179601-23-1	
o-Xylene	<0.35	ug/L	1.0	0.35	1		04/21/22 13:49	95-47-6	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: MARTIN'S DRY CLEANER

Pace Project No.: 40243627

Sample: MW-10 **Lab ID: 40243627002** Collected: 04/19/22 13:00 Received: 04/19/22 16:53 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV									
Analytical Method: EPA 8260									
Pace Analytical Services - Green Bay									
Surrogates									
4-Bromofluorobenzene (S)	100	%	70-130		1		04/21/22 13:49	460-00-4	
1,2-Dichlorobenzene-d4 (S)	96	%	70-130		1		04/21/22 13:49	2199-69-1	
Toluene-d8 (S)	104	%	70-130		1		04/21/22 13:49	2037-26-5	

Sample: MW-11 **Lab ID: 40243627003** Collected: 04/19/22 13:30 Received: 04/19/22 16:53 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV									
Analytical Method: EPA 8260									
Pace Analytical Services - Green Bay									
Benzene	<0.30	ug/L	1.0	0.30	1		04/21/22 14:08	71-43-2	
Bromobenzene	<0.36	ug/L	1.0	0.36	1		04/21/22 14:08	108-86-1	
Bromochloromethane	<0.36	ug/L	5.0	0.36	1		04/21/22 14:08	74-97-5	
Bromodichloromethane	<0.42	ug/L	1.0	0.42	1		04/21/22 14:08	75-27-4	
Bromoform	<3.8	ug/L	5.0	3.8	1		04/21/22 14:08	75-25-2	
Bromomethane	<1.2	ug/L	5.0	1.2	1		04/21/22 14:08	74-83-9	
n-Butylbenzene	<0.86	ug/L	1.0	0.86	1		04/21/22 14:08	104-51-8	
sec-Butylbenzene	<0.42	ug/L	1.0	0.42	1		04/21/22 14:08	135-98-8	
tert-Butylbenzene	<0.59	ug/L	1.0	0.59	1		04/21/22 14:08	98-06-6	
Carbon tetrachloride	<0.37	ug/L	1.0	0.37	1		04/21/22 14:08	56-23-5	
Chlorobenzene	<0.86	ug/L	1.0	0.86	1		04/21/22 14:08	108-90-7	
Chloroethane	<1.4	ug/L	5.0	1.4	1		04/21/22 14:08	75-00-3	
Chloroform	<1.2	ug/L	5.0	1.2	1		04/21/22 14:08	67-66-3	
Chloromethane	<1.6	ug/L	5.0	1.6	1		04/21/22 14:08	74-87-3	
2-Chlorotoluene	<0.89	ug/L	5.0	0.89	1		04/21/22 14:08	95-49-8	
4-Chlorotoluene	<0.89	ug/L	5.0	0.89	1		04/21/22 14:08	106-43-4	
1,2-Dibromo-3-chloropropane	<2.4	ug/L	5.0	2.4	1		04/21/22 14:08	96-12-8	
Dibromochloromethane	<2.6	ug/L	5.0	2.6	1		04/21/22 14:08	124-48-1	
1,2-Dibromoethane (EDB)	<0.31	ug/L	1.0	0.31	1		04/21/22 14:08	106-93-4	
Dibromomethane	<0.99	ug/L	5.0	0.99	1		04/21/22 14:08	74-95-3	
1,2-Dichlorobenzene	<0.33	ug/L	1.0	0.33	1		04/21/22 14:08	95-50-1	
1,3-Dichlorobenzene	<0.35	ug/L	1.0	0.35	1		04/21/22 14:08	541-73-1	
1,4-Dichlorobenzene	<0.89	ug/L	1.0	0.89	1		04/21/22 14:08	106-46-7	
Dichlorodifluoromethane	<0.46	ug/L	5.0	0.46	1		04/21/22 14:08	75-71-8	
1,1-Dichloroethane	<0.30	ug/L	1.0	0.30	1		04/21/22 14:08	75-34-3	
1,2-Dichloroethane	<0.29	ug/L	1.0	0.29	1		04/21/22 14:08	107-06-2	
1,1-Dichloroethene	<0.58	ug/L	1.0	0.58	1		04/21/22 14:08	75-35-4	
cis-1,2-Dichloroethene	<0.47	ug/L	1.0	0.47	1		04/21/22 14:08	156-59-2	
trans-1,2-Dichloroethene	<0.53	ug/L	1.0	0.53	1		04/21/22 14:08	156-60-5	
1,2-Dichloropropane	<0.45	ug/L	1.0	0.45	1		04/21/22 14:08	78-87-5	
1,3-Dichloropropane	<0.30	ug/L	1.0	0.30	1		04/21/22 14:08	142-28-9	
2,2-Dichloropropane	<4.2	ug/L	5.0	4.2	1		04/21/22 14:08	594-20-7	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: MARTIN'S DRY CLEANER
Pace Project No.: 40243627

Sample: MW-11 **Lab ID: 40243627003** Collected: 04/19/22 13:30 Received: 04/19/22 16:53 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV									
Analytical Method: EPA 8260									
Pace Analytical Services - Green Bay									
1,1-Dichloropropene	<0.41	ug/L	1.0	0.41	1		04/21/22 14:08	563-58-6	
cis-1,3-Dichloropropene	<0.36	ug/L	1.0	0.36	1		04/21/22 14:08	10061-01-5	
trans-1,3-Dichloropropene	<3.5	ug/L	5.0	3.5	1		04/21/22 14:08	10061-02-6	
Diisopropyl ether	<1.1	ug/L	5.0	1.1	1		04/21/22 14:08	108-20-3	
Ethylbenzene	<0.33	ug/L	1.0	0.33	1		04/21/22 14:08	100-41-4	
Hexachloro-1,3-butadiene	<2.7	ug/L	5.0	2.7	1		04/21/22 14:08	87-68-3	
Isopropylbenzene (Cumene)	<1.0	ug/L	5.0	1.0	1		04/21/22 14:08	98-82-8	
p-Isopropyltoluene	<1.0	ug/L	5.0	1.0	1		04/21/22 14:08	99-87-6	
Methylene Chloride	<0.32	ug/L	5.0	0.32	1		04/21/22 14:08	75-09-2	
Methyl-tert-butyl ether	<1.1	ug/L	5.0	1.1	1		04/21/22 14:08	1634-04-4	
Naphthalene	<1.1	ug/L	5.0	1.1	1		04/21/22 14:08	91-20-3	
n-Propylbenzene	<0.35	ug/L	1.0	0.35	1		04/21/22 14:08	103-65-1	
Styrene	<0.36	ug/L	1.0	0.36	1		04/21/22 14:08	100-42-5	
1,1,1,2-Tetrachloroethane	<0.36	ug/L	1.0	0.36	1		04/21/22 14:08	630-20-6	
1,1,2,2-Tetrachloroethane	<0.38	ug/L	1.0	0.38	1		04/21/22 14:08	79-34-5	
Tetrachloroethene	<0.41	ug/L	1.0	0.41	1		04/21/22 14:08	127-18-4	
Toluene	<0.29	ug/L	1.0	0.29	1		04/21/22 14:08	108-88-3	
1,2,3-Trichlorobenzene	<1.0	ug/L	5.0	1.0	1		04/21/22 14:08	87-61-6	
1,2,4-Trichlorobenzene	<0.95	ug/L	5.0	0.95	1		04/21/22 14:08	120-82-1	
1,1,1-Trichloroethane	<0.30	ug/L	1.0	0.30	1		04/21/22 14:08	71-55-6	
1,1,2-Trichloroethane	<0.34	ug/L	5.0	0.34	1		04/21/22 14:08	79-00-5	
Trichloroethene	<0.32	ug/L	1.0	0.32	1		04/21/22 14:08	79-01-6	
Trichlorofluoromethane	<0.42	ug/L	1.0	0.42	1		04/21/22 14:08	75-69-4	
1,2,3-Trichloropropane	<0.56	ug/L	5.0	0.56	1		04/21/22 14:08	96-18-4	
1,2,4-Trimethylbenzene	<0.45	ug/L	1.0	0.45	1		04/21/22 14:08	95-63-6	
1,3,5-Trimethylbenzene	<0.36	ug/L	1.0	0.36	1		04/21/22 14:08	108-67-8	
Vinyl chloride	<0.17	ug/L	1.0	0.17	1		04/21/22 14:08	75-01-4	
m&p-Xylene	<0.70	ug/L	2.0	0.70	1		04/21/22 14:08	179601-23-1	
o-Xylene	<0.35	ug/L	1.0	0.35	1		04/21/22 14:08	95-47-6	
Surrogates									
4-Bromofluorobenzene (S)	99	%	70-130		1		04/21/22 14:08	460-00-4	
1,2-Dichlorobenzene-d4 (S)	99	%	70-130		1		04/21/22 14:08	2199-69-1	
Toluene-d8 (S)	103	%	70-130		1		04/21/22 14:08	2037-26-5	

Sample: PZ-23 **Lab ID: 40243627004** Collected: 04/19/22 14:00 Received: 04/19/22 16:53 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV									
Analytical Method: EPA 8260									
Pace Analytical Services - Green Bay									
Benzene	<0.30	ug/L	1.0	0.30	1		04/21/22 14:27	71-43-2	
Bromobenzene	<0.36	ug/L	1.0	0.36	1		04/21/22 14:27	108-86-1	
Bromochloromethane	<0.36	ug/L	5.0	0.36	1		04/21/22 14:27	74-97-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: MARTIN'S DRY CLEANER

Pace Project No.: 40243627

Sample: **PZ-23** Lab ID: **40243627004** Collected: 04/19/22 14:00 Received: 04/19/22 16:53 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV		Analytical Method: EPA 8260 Pace Analytical Services - Green Bay							
Bromodichloromethane	<0.42	ug/L	1.0	0.42	1		04/21/22 14:27	75-27-4	
Bromoform	<3.8	ug/L	5.0	3.8	1		04/21/22 14:27	75-25-2	
Bromomethane	<1.2	ug/L	5.0	1.2	1		04/21/22 14:27	74-83-9	
n-Butylbenzene	<0.86	ug/L	1.0	0.86	1		04/21/22 14:27	104-51-8	
sec-Butylbenzene	<0.42	ug/L	1.0	0.42	1		04/21/22 14:27	135-98-8	
tert-Butylbenzene	<0.59	ug/L	1.0	0.59	1		04/21/22 14:27	98-06-6	
Carbon tetrachloride	<0.37	ug/L	1.0	0.37	1		04/21/22 14:27	56-23-5	
Chlorobenzene	<0.86	ug/L	1.0	0.86	1		04/21/22 14:27	108-90-7	
Chloroethane	<1.4	ug/L	5.0	1.4	1		04/21/22 14:27	75-00-3	
Chloroform	<1.2	ug/L	5.0	1.2	1		04/21/22 14:27	67-66-3	
Chloromethane	<1.6	ug/L	5.0	1.6	1		04/21/22 14:27	74-87-3	
2-Chlorotoluene	<0.89	ug/L	5.0	0.89	1		04/21/22 14:27	95-49-8	
4-Chlorotoluene	<0.89	ug/L	5.0	0.89	1		04/21/22 14:27	106-43-4	
1,2-Dibromo-3-chloropropane	<2.4	ug/L	5.0	2.4	1		04/21/22 14:27	96-12-8	
Dibromochloromethane	<2.6	ug/L	5.0	2.6	1		04/21/22 14:27	124-48-1	
1,2-Dibromoethane (EDB)	<0.31	ug/L	1.0	0.31	1		04/21/22 14:27	106-93-4	
Dibromomethane	<0.99	ug/L	5.0	0.99	1		04/21/22 14:27	74-95-3	
1,2-Dichlorobenzene	<0.33	ug/L	1.0	0.33	1		04/21/22 14:27	95-50-1	
1,3-Dichlorobenzene	<0.35	ug/L	1.0	0.35	1		04/21/22 14:27	541-73-1	
1,4-Dichlorobenzene	<0.89	ug/L	1.0	0.89	1		04/21/22 14:27	106-46-7	
Dichlorodifluoromethane	<0.46	ug/L	5.0	0.46	1		04/21/22 14:27	75-71-8	
1,1-Dichloroethane	<0.30	ug/L	1.0	0.30	1		04/21/22 14:27	75-34-3	
1,2-Dichloroethane	<0.29	ug/L	1.0	0.29	1		04/21/22 14:27	107-06-2	
1,1-Dichloroethene	<0.58	ug/L	1.0	0.58	1		04/21/22 14:27	75-35-4	
cis-1,2-Dichloroethene	2.5	ug/L	1.0	0.47	1		04/21/22 14:27	156-59-2	
trans-1,2-Dichloroethene	<0.53	ug/L	1.0	0.53	1		04/21/22 14:27	156-60-5	
1,2-Dichloropropane	<0.45	ug/L	1.0	0.45	1		04/21/22 14:27	78-87-5	
1,3-Dichloropropane	<0.30	ug/L	1.0	0.30	1		04/21/22 14:27	142-28-9	
2,2-Dichloropropane	<4.2	ug/L	5.0	4.2	1		04/21/22 14:27	594-20-7	
1,1-Dichloropropene	<0.41	ug/L	1.0	0.41	1		04/21/22 14:27	563-58-6	
cis-1,3-Dichloropropene	<0.36	ug/L	1.0	0.36	1		04/21/22 14:27	10061-01-5	
trans-1,3-Dichloropropene	<3.5	ug/L	5.0	3.5	1		04/21/22 14:27	10061-02-6	
Diisopropyl ether	<1.1	ug/L	5.0	1.1	1		04/21/22 14:27	108-20-3	
Ethylbenzene	<0.33	ug/L	1.0	0.33	1		04/21/22 14:27	100-41-4	
Hexachloro-1,3-butadiene	<2.7	ug/L	5.0	2.7	1		04/21/22 14:27	87-68-3	
Isopropylbenzene (Cumene)	<1.0	ug/L	5.0	1.0	1		04/21/22 14:27	98-82-8	
p-Isopropyltoluene	<1.0	ug/L	5.0	1.0	1		04/21/22 14:27	99-87-6	
Methylene Chloride	<0.32	ug/L	5.0	0.32	1		04/21/22 14:27	75-09-2	
Methyl-tert-butyl ether	2.1J	ug/L	5.0	1.1	1		04/21/22 14:27	1634-04-4	
Naphthalene	<1.1	ug/L	5.0	1.1	1		04/21/22 14:27	91-20-3	
n-Propylbenzene	<0.35	ug/L	1.0	0.35	1		04/21/22 14:27	103-65-1	
Styrene	<0.36	ug/L	1.0	0.36	1		04/21/22 14:27	100-42-5	
1,1,1,2-Tetrachloroethane	<0.36	ug/L	1.0	0.36	1		04/21/22 14:27	630-20-6	
1,1,2,2-Tetrachloroethane	<0.38	ug/L	1.0	0.38	1		04/21/22 14:27	79-34-5	
Tetrachloroethene	<0.41	ug/L	1.0	0.41	1		04/21/22 14:27	127-18-4	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: MARTIN'S DRY CLEANER
Pace Project No.: 40243627

Sample: PZ-23 **Lab ID: 40243627004** Collected: 04/19/22 14:00 Received: 04/19/22 16:53 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV									
Analytical Method: EPA 8260									
Pace Analytical Services - Green Bay									
Toluene	<0.29	ug/L	1.0	0.29	1		04/21/22 14:27	108-88-3	
1,2,3-Trichlorobenzene	<1.0	ug/L	5.0	1.0	1		04/21/22 14:27	87-61-6	
1,2,4-Trichlorobenzene	<0.95	ug/L	5.0	0.95	1		04/21/22 14:27	120-82-1	
1,1,1-Trichloroethane	<0.30	ug/L	1.0	0.30	1		04/21/22 14:27	71-55-6	
1,1,2-Trichloroethane	<0.34	ug/L	5.0	0.34	1		04/21/22 14:27	79-00-5	
Trichloroethene	<0.32	ug/L	1.0	0.32	1		04/21/22 14:27	79-01-6	
Trichlorofluoromethane	<0.42	ug/L	1.0	0.42	1		04/21/22 14:27	75-69-4	
1,2,3-Trichloropropane	<0.56	ug/L	5.0	0.56	1		04/21/22 14:27	96-18-4	
1,2,4-Trimethylbenzene	<0.45	ug/L	1.0	0.45	1		04/21/22 14:27	95-63-6	
1,3,5-Trimethylbenzene	<0.36	ug/L	1.0	0.36	1		04/21/22 14:27	108-67-8	
Vinyl chloride	2.9	ug/L	1.0	0.17	1		04/21/22 14:27	75-01-4	
m&p-Xylene	<0.70	ug/L	2.0	0.70	1		04/21/22 14:27	179601-23-1	
o-Xylene	<0.35	ug/L	1.0	0.35	1		04/21/22 14:27	95-47-6	
Surrogates									
4-Bromofluorobenzene (S)	101	%	70-130		1		04/21/22 14:27	460-00-4	
1,2-Dichlorobenzene-d4 (S)	97	%	70-130		1		04/21/22 14:27	2199-69-1	
Toluene-d8 (S)	106	%	70-130		1		04/21/22 14:27	2037-26-5	

Sample: MW-24 **Lab ID: 40243627005** Collected: 04/19/22 14:30 Received: 04/19/22 16:53 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV									
Analytical Method: EPA 8260									
Pace Analytical Services - Green Bay									
Benzene	<0.30	ug/L	1.0	0.30	1		04/21/22 14:46	71-43-2	
Bromobenzene	<0.36	ug/L	1.0	0.36	1		04/21/22 14:46	108-86-1	
Bromochloromethane	<0.36	ug/L	5.0	0.36	1		04/21/22 14:46	74-97-5	
Bromodichloromethane	<0.42	ug/L	1.0	0.42	1		04/21/22 14:46	75-27-4	
Bromoform	<3.8	ug/L	5.0	3.8	1		04/21/22 14:46	75-25-2	
Bromomethane	<1.2	ug/L	5.0	1.2	1		04/21/22 14:46	74-83-9	
n-Butylbenzene	<0.86	ug/L	1.0	0.86	1		04/21/22 14:46	104-51-8	
sec-Butylbenzene	<0.42	ug/L	1.0	0.42	1		04/21/22 14:46	135-98-8	
tert-Butylbenzene	<0.59	ug/L	1.0	0.59	1		04/21/22 14:46	98-06-6	
Carbon tetrachloride	<0.37	ug/L	1.0	0.37	1		04/21/22 14:46	56-23-5	
Chlorobenzene	<0.86	ug/L	1.0	0.86	1		04/21/22 14:46	108-90-7	
Chloroethane	<1.4	ug/L	5.0	1.4	1		04/21/22 14:46	75-00-3	
Chloroform	<1.2	ug/L	5.0	1.2	1		04/21/22 14:46	67-66-3	
Chloromethane	<1.6	ug/L	5.0	1.6	1		04/21/22 14:46	74-87-3	
2-Chlorotoluene	<0.89	ug/L	5.0	0.89	1		04/21/22 14:46	95-49-8	
4-Chlorotoluene	<0.89	ug/L	5.0	0.89	1		04/21/22 14:46	106-43-4	
1,2-Dibromo-3-chloropropane	<2.4	ug/L	5.0	2.4	1		04/21/22 14:46	96-12-8	
Dibromochloromethane	<2.6	ug/L	5.0	2.6	1		04/21/22 14:46	124-48-1	
1,2-Dibromoethane (EDB)	<0.31	ug/L	1.0	0.31	1		04/21/22 14:46	106-93-4	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: MARTIN'S DRY CLEANER

Pace Project No.: 40243627

Sample: MW-24 **Lab ID: 40243627005** Collected: 04/19/22 14:30 Received: 04/19/22 16:53 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV									
Analytical Method: EPA 8260									
Pace Analytical Services - Green Bay									
Dibromomethane	<0.99	ug/L	5.0	0.99	1		04/21/22 14:46	74-95-3	
1,2-Dichlorobenzene	<0.33	ug/L	1.0	0.33	1		04/21/22 14:46	95-50-1	
1,3-Dichlorobenzene	<0.35	ug/L	1.0	0.35	1		04/21/22 14:46	541-73-1	
1,4-Dichlorobenzene	<0.89	ug/L	1.0	0.89	1		04/21/22 14:46	106-46-7	
Dichlorodifluoromethane	<0.46	ug/L	5.0	0.46	1		04/21/22 14:46	75-71-8	
1,1-Dichloroethane	<0.30	ug/L	1.0	0.30	1		04/21/22 14:46	75-34-3	
1,2-Dichloroethane	<0.29	ug/L	1.0	0.29	1		04/21/22 14:46	107-06-2	
1,1-Dichloroethene	<0.58	ug/L	1.0	0.58	1		04/21/22 14:46	75-35-4	
cis-1,2-Dichloroethene	2.5	ug/L	1.0	0.47	1		04/21/22 14:46	156-59-2	
trans-1,2-Dichloroethene	<0.53	ug/L	1.0	0.53	1		04/21/22 14:46	156-60-5	
1,2-Dichloropropane	<0.45	ug/L	1.0	0.45	1		04/21/22 14:46	78-87-5	
1,3-Dichloropropane	<0.30	ug/L	1.0	0.30	1		04/21/22 14:46	142-28-9	
2,2-Dichloropropane	<4.2	ug/L	5.0	4.2	1		04/21/22 14:46	594-20-7	
1,1-Dichloropropene	<0.41	ug/L	1.0	0.41	1		04/21/22 14:46	563-58-6	
cis-1,3-Dichloropropene	<0.36	ug/L	1.0	0.36	1		04/21/22 14:46	10061-01-5	
trans-1,3-Dichloropropene	<3.5	ug/L	5.0	3.5	1		04/21/22 14:46	10061-02-6	
Diisopropyl ether	<1.1	ug/L	5.0	1.1	1		04/21/22 14:46	108-20-3	
Ethylbenzene	<0.33	ug/L	1.0	0.33	1		04/21/22 14:46	100-41-4	
Hexachloro-1,3-butadiene	<2.7	ug/L	5.0	2.7	1		04/21/22 14:46	87-68-3	
Isopropylbenzene (Cumene)	<1.0	ug/L	5.0	1.0	1		04/21/22 14:46	98-82-8	
p-Isopropyltoluene	<1.0	ug/L	5.0	1.0	1		04/21/22 14:46	99-87-6	
Methylene Chloride	<0.32	ug/L	5.0	0.32	1		04/21/22 14:46	75-09-2	
Methyl-tert-butyl ether	<1.1	ug/L	5.0	1.1	1		04/21/22 14:46	1634-04-4	
Naphthalene	<1.1	ug/L	5.0	1.1	1		04/21/22 14:46	91-20-3	
n-Propylbenzene	<0.35	ug/L	1.0	0.35	1		04/21/22 14:46	103-65-1	
Styrene	<0.36	ug/L	1.0	0.36	1		04/21/22 14:46	100-42-5	
1,1,1,2-Tetrachloroethane	<0.36	ug/L	1.0	0.36	1		04/21/22 14:46	630-20-6	
1,1,2,2-Tetrachloroethane	<0.38	ug/L	1.0	0.38	1		04/21/22 14:46	79-34-5	
Tetrachloroethene	<0.41	ug/L	1.0	0.41	1		04/21/22 14:46	127-18-4	
Toluene	<0.29	ug/L	1.0	0.29	1		04/21/22 14:46	108-88-3	
1,2,3-Trichlorobenzene	<1.0	ug/L	5.0	1.0	1		04/21/22 14:46	87-61-6	
1,2,4-Trichlorobenzene	<0.95	ug/L	5.0	0.95	1		04/21/22 14:46	120-82-1	
1,1,1-Trichloroethane	<0.30	ug/L	1.0	0.30	1		04/21/22 14:46	71-55-6	
1,1,2-Trichloroethane	<0.34	ug/L	5.0	0.34	1		04/21/22 14:46	79-00-5	
Trichloroethene	<0.32	ug/L	1.0	0.32	1		04/21/22 14:46	79-01-6	
Trichlorofluoromethane	<0.42	ug/L	1.0	0.42	1		04/21/22 14:46	75-69-4	
1,2,3-Trichloropropane	<0.56	ug/L	5.0	0.56	1		04/21/22 14:46	96-18-4	
1,2,4-Trimethylbenzene	<0.45	ug/L	1.0	0.45	1		04/21/22 14:46	95-63-6	
1,3,5-Trimethylbenzene	<0.36	ug/L	1.0	0.36	1		04/21/22 14:46	108-67-8	
Vinyl chloride	<0.17	ug/L	1.0	0.17	1		04/21/22 14:46	75-01-4	
m&p-Xylene	<0.70	ug/L	2.0	0.70	1		04/21/22 14:46	179601-23-1	
o-Xylene	<0.35	ug/L	1.0	0.35	1		04/21/22 14:46	95-47-6	
Surrogates									
4-Bromofluorobenzene (S)	99	%	70-130		1		04/21/22 14:46	460-00-4	
1,2-Dichlorobenzene-d4 (S)	95	%	70-130		1		04/21/22 14:46	2199-69-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: MARTIN'S DRY CLEANER

Pace Project No.: 40243627

Sample: MW-24 **Lab ID: 40243627005** Collected: 04/19/22 14:30 Received: 04/19/22 16:53 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV									
Analytical Method: EPA 8260									
Pace Analytical Services - Green Bay									
Surrogates									
Toluene-d8 (S)	105	%	70-130		1		04/21/22 14:46	2037-26-5	

Sample: MW-12 **Lab ID: 40243627006** Collected: 04/19/22 14:50 Received: 04/19/22 16:53 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV									
Analytical Method: EPA 8260									
Pace Analytical Services - Green Bay									
Benzene	22.7J	ug/L	50.0	14.8	50		04/21/22 16:03	71-43-2	
Bromobenzene	<18.0	ug/L	50.0	18.0	50		04/21/22 16:03	108-86-1	
Bromochloromethane	<17.9	ug/L	250	17.9	50		04/21/22 16:03	74-97-5	
Bromodichloromethane	<20.8	ug/L	50.0	20.8	50		04/21/22 16:03	75-27-4	
Bromoform	<190	ug/L	250	190	50		04/21/22 16:03	75-25-2	
Bromomethane	<59.6	ug/L	250	59.6	50		04/21/22 16:03	74-83-9	
n-Butylbenzene	<42.9	ug/L	50.0	42.9	50		04/21/22 16:03	104-51-8	
sec-Butylbenzene	<21.2	ug/L	50.0	21.2	50		04/21/22 16:03	135-98-8	
tert-Butylbenzene	<29.3	ug/L	50.0	29.3	50		04/21/22 16:03	98-06-6	
Carbon tetrachloride	<18.5	ug/L	50.0	18.5	50		04/21/22 16:03	56-23-5	
Chlorobenzene	<42.8	ug/L	50.0	42.8	50		04/21/22 16:03	108-90-7	
Chloroethane	<69.0	ug/L	250	69.0	50		04/21/22 16:03	75-00-3	
Chloroform	<59.1	ug/L	250	59.1	50		04/21/22 16:03	67-66-3	
Chloromethane	<81.8	ug/L	250	81.8	50		04/21/22 16:03	74-87-3	
2-Chlorotoluene	<44.5	ug/L	250	44.5	50		04/21/22 16:03	95-49-8	
4-Chlorotoluene	<44.7	ug/L	250	44.7	50		04/21/22 16:03	106-43-4	
1,2-Dibromo-3-chloropropane	<118	ug/L	250	118	50		04/21/22 16:03	96-12-8	
Dibromochloromethane	<132	ug/L	250	132	50		04/21/22 16:03	124-48-1	
1,2-Dibromoethane (EDB)	<15.5	ug/L	50.0	15.5	50		04/21/22 16:03	106-93-4	
Dibromomethane	<49.5	ug/L	250	49.5	50		04/21/22 16:03	74-95-3	
1,2-Dichlorobenzene	<16.3	ug/L	50.0	16.3	50		04/21/22 16:03	95-50-1	
1,3-Dichlorobenzene	<17.6	ug/L	50.0	17.6	50		04/21/22 16:03	541-73-1	
1,4-Dichlorobenzene	<44.6	ug/L	50.0	44.6	50		04/21/22 16:03	106-46-7	
Dichlorodifluoromethane	<22.8	ug/L	250	22.8	50		04/21/22 16:03	75-71-8	
1,1-Dichloroethane	<14.8	ug/L	50.0	14.8	50		04/21/22 16:03	75-34-3	
1,2-Dichloroethane	<14.6	ug/L	50.0	14.6	50		04/21/22 16:03	107-06-2	
1,1-Dichloroethene	<29.1	ug/L	50.0	29.1	50		04/21/22 16:03	75-35-4	
cis-1,2-Dichloroethene	193	ug/L	50.0	23.6	50		04/21/22 16:03	156-59-2	
trans-1,2-Dichloroethene	<26.4	ug/L	50.0	26.4	50		04/21/22 16:03	156-60-5	
1,2-Dichloropropane	<22.4	ug/L	50.0	22.4	50		04/21/22 16:03	78-87-5	
1,3-Dichloropropane	<15.2	ug/L	50.0	15.2	50		04/21/22 16:03	142-28-9	
2,2-Dichloropropane	<209	ug/L	250	209	50		04/21/22 16:03	594-20-7	
1,1-Dichloropropene	<20.5	ug/L	50.0	20.5	50		04/21/22 16:03	563-58-6	
cis-1,3-Dichloropropene	<17.9	ug/L	50.0	17.9	50		04/21/22 16:03	10061-01-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: MARTIN'S DRY CLEANER
Pace Project No.: 40243627

Sample: MW-12 **Lab ID: 40243627006** Collected: 04/19/22 14:50 Received: 04/19/22 16:53 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV									
Analytical Method: EPA 8260									
Pace Analytical Services - Green Bay									
trans-1,3-Dichloropropene	<173	ug/L	250	173	50		04/21/22 16:03	10061-02-6	
Diisopropyl ether	<55.0	ug/L	250	55.0	50		04/21/22 16:03	108-20-3	
Ethylbenzene	<16.3	ug/L	50.0	16.3	50		04/21/22 16:03	100-41-4	
Hexachloro-1,3-butadiene	<137	ug/L	250	137	50		04/21/22 16:03	87-68-3	
Isopropylbenzene (Cumene)	<50.0	ug/L	250	50.0	50		04/21/22 16:03	98-82-8	
p-Isopropyltoluene	<52.2	ug/L	250	52.2	50		04/21/22 16:03	99-87-6	
Methylene Chloride	<16.0	ug/L	250	16.0	50		04/21/22 16:03	75-09-2	
Methyl-tert-butyl ether	<56.5	ug/L	250	56.5	50		04/21/22 16:03	1634-04-4	
Naphthalene	<56.5	ug/L	250	56.5	50		04/21/22 16:03	91-20-3	
n-Propylbenzene	<17.3	ug/L	50.0	17.3	50		04/21/22 16:03	103-65-1	
Styrene	<17.8	ug/L	50.0	17.8	50		04/21/22 16:03	100-42-5	
1,1,1,2-Tetrachloroethane	<17.8	ug/L	50.0	17.8	50		04/21/22 16:03	630-20-6	
1,1,2,2-Tetrachloroethane	<18.9	ug/L	50.0	18.9	50		04/21/22 16:03	79-34-5	
Tetrachloroethene	2050	ug/L	50.0	20.4	50		04/21/22 16:03	127-18-4	
Toluene	<14.4	ug/L	50.0	14.4	50		04/21/22 16:03	108-88-3	
1,2,3-Trichlorobenzene	<50.9	ug/L	250	50.9	50		04/21/22 16:03	87-61-6	
1,2,4-Trichlorobenzene	<47.5	ug/L	250	47.5	50		04/21/22 16:03	120-82-1	
1,1,1-Trichloroethane	<15.1	ug/L	50.0	15.1	50		04/21/22 16:03	71-55-6	
1,1,2-Trichloroethane	<17.2	ug/L	250	17.2	50		04/21/22 16:03	79-00-5	
Trichloroethene	187	ug/L	50.0	16.0	50		04/21/22 16:03	79-01-6	
Trichlorofluoromethane	<20.9	ug/L	50.0	20.9	50		04/21/22 16:03	75-69-4	
1,2,3-Trichloropropane	<27.8	ug/L	250	27.8	50		04/21/22 16:03	96-18-4	
1,2,4-Trimethylbenzene	<22.4	ug/L	50.0	22.4	50		04/21/22 16:03	95-63-6	
1,3,5-Trimethylbenzene	<17.9	ug/L	50.0	17.9	50		04/21/22 16:03	108-67-8	
Vinyl chloride	<8.7	ug/L	50.0	8.7	50		04/21/22 16:03	75-01-4	
m&p-Xylene	<35.0	ug/L	100	35.0	50		04/21/22 16:03	179601-23-1	
o-Xylene	<17.4	ug/L	50.0	17.4	50		04/21/22 16:03	95-47-6	
Surrogates									
4-Bromofluorobenzene (S)	96	%	70-130		50		04/21/22 16:03	460-00-4	
1,2-Dichlorobenzene-d4 (S)	96	%	70-130		50		04/21/22 16:03	2199-69-1	
Toluene-d8 (S)	105	%	70-130		50		04/21/22 16:03	2037-26-5	

Sample: MW-18 **Lab ID: 40243627007** Collected: 04/19/22 15:30 Received: 04/19/22 16:53 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV									
Analytical Method: EPA 8260									
Pace Analytical Services - Green Bay									
Benzene	<1.5	ug/L	5.0	1.5	5		04/21/22 17:20	71-43-2	
Bromobenzene	<1.8	ug/L	5.0	1.8	5		04/21/22 17:20	108-86-1	
Bromochloromethane	<1.8	ug/L	25.0	1.8	5		04/21/22 17:20	74-97-5	
Bromodichloromethane	<2.1	ug/L	5.0	2.1	5		04/21/22 17:20	75-27-4	
Bromoform	<19.0	ug/L	25.0	19.0	5		04/21/22 17:20	75-25-2	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: MARTIN'S DRY CLEANER

Pace Project No.: 40243627

Sample: MW-18 **Lab ID: 40243627007** Collected: 04/19/22 15:30 Received: 04/19/22 16:53 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV									
Analytical Method: EPA 8260 Pace Analytical Services - Green Bay									
Bromomethane	<6.0	ug/L	25.0	6.0	5		04/21/22 17:20	74-83-9	
n-Butylbenzene	<4.3	ug/L	5.0	4.3	5		04/21/22 17:20	104-51-8	
sec-Butylbenzene	<2.1	ug/L	5.0	2.1	5		04/21/22 17:20	135-98-8	
tert-Butylbenzene	<2.9	ug/L	5.0	2.9	5		04/21/22 17:20	98-06-6	
Carbon tetrachloride	<1.8	ug/L	5.0	1.8	5		04/21/22 17:20	56-23-5	
Chlorobenzene	<4.3	ug/L	5.0	4.3	5		04/21/22 17:20	108-90-7	
Chloroethane	<6.9	ug/L	25.0	6.9	5		04/21/22 17:20	75-00-3	
Chloroform	<5.9	ug/L	25.0	5.9	5		04/21/22 17:20	67-66-3	
Chloromethane	<8.2	ug/L	25.0	8.2	5		04/21/22 17:20	74-87-3	
2-Chlorotoluene	<4.4	ug/L	25.0	4.4	5		04/21/22 17:20	95-49-8	
4-Chlorotoluene	<4.5	ug/L	25.0	4.5	5		04/21/22 17:20	106-43-4	
1,2-Dibromo-3-chloropropane	<11.8	ug/L	25.0	11.8	5		04/21/22 17:20	96-12-8	
Dibromochloromethane	<13.2	ug/L	25.0	13.2	5		04/21/22 17:20	124-48-1	
1,2-Dibromoethane (EDB)	<1.5	ug/L	5.0	1.5	5		04/21/22 17:20	106-93-4	
Dibromomethane	<5.0	ug/L	25.0	5.0	5		04/21/22 17:20	74-95-3	
1,2-Dichlorobenzene	<1.6	ug/L	5.0	1.6	5		04/21/22 17:20	95-50-1	
1,3-Dichlorobenzene	<1.8	ug/L	5.0	1.8	5		04/21/22 17:20	541-73-1	
1,4-Dichlorobenzene	<4.5	ug/L	5.0	4.5	5		04/21/22 17:20	106-46-7	
Dichlorodifluoromethane	<2.3	ug/L	25.0	2.3	5		04/21/22 17:20	75-71-8	
1,1-Dichloroethane	<1.5	ug/L	5.0	1.5	5		04/21/22 17:20	75-34-3	
1,2-Dichloroethane	<1.5	ug/L	5.0	1.5	5		04/21/22 17:20	107-06-2	
1,1-Dichloroethene	<2.9	ug/L	5.0	2.9	5		04/21/22 17:20	75-35-4	
cis-1,2-Dichloroethene	120	ug/L	5.0	2.4	5		04/21/22 17:20	156-59-2	
trans-1,2-Dichloroethene	<2.6	ug/L	5.0	2.6	5		04/21/22 17:20	156-60-5	
1,2-Dichloropropane	<2.2	ug/L	5.0	2.2	5		04/21/22 17:20	78-87-5	
1,3-Dichloropropane	<1.5	ug/L	5.0	1.5	5		04/21/22 17:20	142-28-9	
2,2-Dichloropropane	<20.9	ug/L	25.0	20.9	5		04/21/22 17:20	594-20-7	
1,1-Dichloropropene	<2.1	ug/L	5.0	2.1	5		04/21/22 17:20	563-58-6	
cis-1,3-Dichloropropene	<1.8	ug/L	5.0	1.8	5		04/21/22 17:20	10061-01-5	
trans-1,3-Dichloropropene	<17.3	ug/L	25.0	17.3	5		04/21/22 17:20	10061-02-6	
Diisopropyl ether	<5.5	ug/L	25.0	5.5	5		04/21/22 17:20	108-20-3	
Ethylbenzene	<1.6	ug/L	5.0	1.6	5		04/21/22 17:20	100-41-4	
Hexachloro-1,3-butadiene	<13.7	ug/L	25.0	13.7	5		04/21/22 17:20	87-68-3	
Isopropylbenzene (Cumene)	<5.0	ug/L	25.0	5.0	5		04/21/22 17:20	98-82-8	
p-Isopropyltoluene	<5.2	ug/L	25.0	5.2	5		04/21/22 17:20	99-87-6	
Methylene Chloride	<1.6	ug/L	25.0	1.6	5		04/21/22 17:20	75-09-2	
Methyl-tert-butyl ether	<5.6	ug/L	25.0	5.6	5		04/21/22 17:20	1634-04-4	
Naphthalene	<5.6	ug/L	25.0	5.6	5		04/21/22 17:20	91-20-3	
n-Propylbenzene	<1.7	ug/L	5.0	1.7	5		04/21/22 17:20	103-65-1	
Styrene	<1.8	ug/L	5.0	1.8	5		04/21/22 17:20	100-42-5	
1,1,1,2-Tetrachloroethane	<1.8	ug/L	5.0	1.8	5		04/21/22 17:20	630-20-6	
1,1,1,2,2-Tetrachloroethane	<1.9	ug/L	5.0	1.9	5		04/21/22 17:20	79-34-5	
Tetrachloroethene	514	ug/L	5.0	2.0	5		04/21/22 17:20	127-18-4	
Toluene	<1.4	ug/L	5.0	1.4	5		04/21/22 17:20	108-88-3	
1,2,3-Trichlorobenzene	<5.1	ug/L	25.0	5.1	5		04/21/22 17:20	87-61-6	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: MARTIN'S DRY CLEANER

Pace Project No.: 40243627

Sample: MW-18 **Lab ID: 40243627007** Collected: 04/19/22 15:30 Received: 04/19/22 16:53 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV									
Analytical Method: EPA 8260									
Pace Analytical Services - Green Bay									
1,2,4-Trichlorobenzene	<4.8	ug/L	25.0	4.8	5		04/21/22 17:20	120-82-1	
1,1,1-Trichloroethane	<1.5	ug/L	5.0	1.5	5		04/21/22 17:20	71-55-6	
1,1,2-Trichloroethane	<1.7	ug/L	25.0	1.7	5		04/21/22 17:20	79-00-5	
Trichloroethene	210	ug/L	5.0	1.6	5		04/21/22 17:20	79-01-6	
Trichlorofluoromethane	<2.1	ug/L	5.0	2.1	5		04/21/22 17:20	75-69-4	
1,2,3-Trichloropropane	<2.8	ug/L	25.0	2.8	5		04/21/22 17:20	96-18-4	
1,2,4-Trimethylbenzene	<2.2	ug/L	5.0	2.2	5		04/21/22 17:20	95-63-6	
1,3,5-Trimethylbenzene	<1.8	ug/L	5.0	1.8	5		04/21/22 17:20	108-67-8	
Vinyl chloride	<0.87	ug/L	5.0	0.87	5		04/21/22 17:20	75-01-4	
m&p-Xylene	<3.5	ug/L	10.0	3.5	5		04/21/22 17:20	179601-23-1	
o-Xylene	<1.7	ug/L	5.0	1.7	5		04/21/22 17:20	95-47-6	
Surrogates									
4-Bromofluorobenzene (S)	102	%	70-130		5		04/21/22 17:20	460-00-4	
1,2-Dichlorobenzene-d4 (S)	98	%	70-130		5		04/21/22 17:20	2199-69-1	
Toluene-d8 (S)	105	%	70-130		5		04/21/22 17:20	2037-26-5	

Sample: MW-19 **Lab ID: 40243627008** Collected: 04/19/22 16:05 Received: 04/19/22 16:53 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV									
Analytical Method: EPA 8260									
Pace Analytical Services - Green Bay									
Benzene	<0.30	ug/L	1.0	0.30	1		04/21/22 15:06	71-43-2	
Bromobenzene	<0.36	ug/L	1.0	0.36	1		04/21/22 15:06	108-86-1	
Bromochloromethane	<0.36	ug/L	5.0	0.36	1		04/21/22 15:06	74-97-5	
Bromodichloromethane	<0.42	ug/L	1.0	0.42	1		04/21/22 15:06	75-27-4	
Bromoform	<3.8	ug/L	5.0	3.8	1		04/21/22 15:06	75-25-2	
Bromomethane	<1.2	ug/L	5.0	1.2	1		04/21/22 15:06	74-83-9	
n-Butylbenzene	<0.86	ug/L	1.0	0.86	1		04/21/22 15:06	104-51-8	
sec-Butylbenzene	<0.42	ug/L	1.0	0.42	1		04/21/22 15:06	135-98-8	
tert-Butylbenzene	<0.59	ug/L	1.0	0.59	1		04/21/22 15:06	98-06-6	
Carbon tetrachloride	<0.37	ug/L	1.0	0.37	1		04/21/22 15:06	56-23-5	
Chlorobenzene	<0.86	ug/L	1.0	0.86	1		04/21/22 15:06	108-90-7	
Chloroethane	<1.4	ug/L	5.0	1.4	1		04/21/22 15:06	75-00-3	
Chloroform	<1.2	ug/L	5.0	1.2	1		04/21/22 15:06	67-66-3	
Chloromethane	<1.6	ug/L	5.0	1.6	1		04/21/22 15:06	74-87-3	
2-Chlorotoluene	<0.89	ug/L	5.0	0.89	1		04/21/22 15:06	95-49-8	
4-Chlorotoluene	<0.89	ug/L	5.0	0.89	1		04/21/22 15:06	106-43-4	
1,2-Dibromo-3-chloropropane	<2.4	ug/L	5.0	2.4	1		04/21/22 15:06	96-12-8	
Dibromochloromethane	<2.6	ug/L	5.0	2.6	1		04/21/22 15:06	124-48-1	
1,2-Dibromoethane (EDB)	<0.31	ug/L	1.0	0.31	1		04/21/22 15:06	106-93-4	
Dibromomethane	<0.99	ug/L	5.0	0.99	1		04/21/22 15:06	74-95-3	
1,2-Dichlorobenzene	<0.33	ug/L	1.0	0.33	1		04/21/22 15:06	95-50-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: MARTIN'S DRY CLEANER
Pace Project No.: 40243627

Sample: MW-19 **Lab ID: 40243627008** Collected: 04/19/22 16:05 Received: 04/19/22 16:53 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV									
Analytical Method: EPA 8260									
Pace Analytical Services - Green Bay									
1,3-Dichlorobenzene	<0.35	ug/L	1.0	0.35	1		04/21/22 15:06	541-73-1	
1,4-Dichlorobenzene	<0.89	ug/L	1.0	0.89	1		04/21/22 15:06	106-46-7	
Dichlorodifluoromethane	<0.46	ug/L	5.0	0.46	1		04/21/22 15:06	75-71-8	
1,1-Dichloroethane	<0.30	ug/L	1.0	0.30	1		04/21/22 15:06	75-34-3	
1,2-Dichloroethane	<0.29	ug/L	1.0	0.29	1		04/21/22 15:06	107-06-2	
1,1-Dichloroethene	<0.58	ug/L	1.0	0.58	1		04/21/22 15:06	75-35-4	
cis-1,2-Dichloroethene	<0.47	ug/L	1.0	0.47	1		04/21/22 15:06	156-59-2	
trans-1,2-Dichloroethene	<0.53	ug/L	1.0	0.53	1		04/21/22 15:06	156-60-5	
1,2-Dichloropropane	<0.45	ug/L	1.0	0.45	1		04/21/22 15:06	78-87-5	
1,3-Dichloropropane	<0.30	ug/L	1.0	0.30	1		04/21/22 15:06	142-28-9	
2,2-Dichloropropane	<4.2	ug/L	5.0	4.2	1		04/21/22 15:06	594-20-7	
1,1-Dichloropropene	<0.41	ug/L	1.0	0.41	1		04/21/22 15:06	563-58-6	
cis-1,3-Dichloropropene	<0.36	ug/L	1.0	0.36	1		04/21/22 15:06	10061-01-5	
trans-1,3-Dichloropropene	<3.5	ug/L	5.0	3.5	1		04/21/22 15:06	10061-02-6	
Diisopropyl ether	<1.1	ug/L	5.0	1.1	1		04/21/22 15:06	108-20-3	
Ethylbenzene	<0.33	ug/L	1.0	0.33	1		04/21/22 15:06	100-41-4	
Hexachloro-1,3-butadiene	<2.7	ug/L	5.0	2.7	1		04/21/22 15:06	87-68-3	
Isopropylbenzene (Cumene)	<1.0	ug/L	5.0	1.0	1		04/21/22 15:06	98-82-8	
p-Isopropyltoluene	<1.0	ug/L	5.0	1.0	1		04/21/22 15:06	99-87-6	
Methylene Chloride	<0.32	ug/L	5.0	0.32	1		04/21/22 15:06	75-09-2	
Methyl-tert-butyl ether	<1.1	ug/L	5.0	1.1	1		04/21/22 15:06	1634-04-4	
Naphthalene	<1.1	ug/L	5.0	1.1	1		04/21/22 15:06	91-20-3	
n-Propylbenzene	<0.35	ug/L	1.0	0.35	1		04/21/22 15:06	103-65-1	
Styrene	<0.36	ug/L	1.0	0.36	1		04/21/22 15:06	100-42-5	
1,1,1,2-Tetrachloroethane	<0.36	ug/L	1.0	0.36	1		04/21/22 15:06	630-20-6	
1,1,2,2-Tetrachloroethane	<0.38	ug/L	1.0	0.38	1		04/21/22 15:06	79-34-5	
Tetrachloroethene	<0.41	ug/L	1.0	0.41	1		04/21/22 15:06	127-18-4	
Toluene	<0.29	ug/L	1.0	0.29	1		04/21/22 15:06	108-88-3	
1,2,3-Trichlorobenzene	<1.0	ug/L	5.0	1.0	1		04/21/22 15:06	87-61-6	
1,2,4-Trichlorobenzene	<0.95	ug/L	5.0	0.95	1		04/21/22 15:06	120-82-1	
1,1,1-Trichloroethane	<0.30	ug/L	1.0	0.30	1		04/21/22 15:06	71-55-6	
1,1,2-Trichloroethane	<0.34	ug/L	5.0	0.34	1		04/21/22 15:06	79-00-5	
Trichloroethene	<0.32	ug/L	1.0	0.32	1		04/21/22 15:06	79-01-6	
Trichlorofluoromethane	<0.42	ug/L	1.0	0.42	1		04/21/22 15:06	75-69-4	
1,2,3-Trichloropropane	<0.56	ug/L	5.0	0.56	1		04/21/22 15:06	96-18-4	
1,2,4-Trimethylbenzene	<0.45	ug/L	1.0	0.45	1		04/21/22 15:06	95-63-6	
1,3,5-Trimethylbenzene	<0.36	ug/L	1.0	0.36	1		04/21/22 15:06	108-67-8	
Vinyl chloride	<0.17	ug/L	1.0	0.17	1		04/21/22 15:06	75-01-4	
m&p-Xylene	<0.70	ug/L	2.0	0.70	1		04/21/22 15:06	179601-23-1	
o-Xylene	<0.35	ug/L	1.0	0.35	1		04/21/22 15:06	95-47-6	
Surrogates									
4-Bromofluorobenzene (S)	99	%	70-130		1		04/21/22 15:06	460-00-4	
1,2-Dichlorobenzene-d4 (S)	98	%	70-130		1		04/21/22 15:06	2199-69-1	
Toluene-d8 (S)	104	%	70-130		1		04/21/22 15:06	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: MARTIN'S DRY CLEANER

Pace Project No.: 40243627

Sample: TRIP BLANK **Lab ID: 40243627009** Collected: 04/19/22 00:00 Received: 04/19/22 16:53 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV									
Analytical Method: EPA 8260									
Pace Analytical Services - Green Bay									
Benzene	<0.30	ug/L	1.0	0.30	1		04/21/22 11:34	71-43-2	
Bromobenzene	<0.36	ug/L	1.0	0.36	1		04/21/22 11:34	108-86-1	
Bromochloromethane	<0.36	ug/L	5.0	0.36	1		04/21/22 11:34	74-97-5	
Bromodichloromethane	<0.42	ug/L	1.0	0.42	1		04/21/22 11:34	75-27-4	
Bromoform	<3.8	ug/L	5.0	3.8	1		04/21/22 11:34	75-25-2	
Bromomethane	<1.2	ug/L	5.0	1.2	1		04/21/22 11:34	74-83-9	
n-Butylbenzene	<0.86	ug/L	1.0	0.86	1		04/21/22 11:34	104-51-8	
sec-Butylbenzene	<0.42	ug/L	1.0	0.42	1		04/21/22 11:34	135-98-8	
tert-Butylbenzene	<0.59	ug/L	1.0	0.59	1		04/21/22 11:34	98-06-6	
Carbon tetrachloride	<0.37	ug/L	1.0	0.37	1		04/21/22 11:34	56-23-5	
Chlorobenzene	<0.86	ug/L	1.0	0.86	1		04/21/22 11:34	108-90-7	
Chloroethane	<1.4	ug/L	5.0	1.4	1		04/21/22 11:34	75-00-3	
Chloroform	<1.2	ug/L	5.0	1.2	1		04/21/22 11:34	67-66-3	
Chloromethane	<1.6	ug/L	5.0	1.6	1		04/21/22 11:34	74-87-3	
2-Chlorotoluene	<0.89	ug/L	5.0	0.89	1		04/21/22 11:34	95-49-8	
4-Chlorotoluene	<0.89	ug/L	5.0	0.89	1		04/21/22 11:34	106-43-4	
1,2-Dibromo-3-chloropropane	<2.4	ug/L	5.0	2.4	1		04/21/22 11:34	96-12-8	
Dibromochloromethane	<2.6	ug/L	5.0	2.6	1		04/21/22 11:34	124-48-1	
1,2-Dibromoethane (EDB)	<0.31	ug/L	1.0	0.31	1		04/21/22 11:34	106-93-4	
Dibromomethane	<0.99	ug/L	5.0	0.99	1		04/21/22 11:34	74-95-3	
1,2-Dichlorobenzene	<0.33	ug/L	1.0	0.33	1		04/21/22 11:34	95-50-1	
1,3-Dichlorobenzene	<0.35	ug/L	1.0	0.35	1		04/21/22 11:34	541-73-1	
1,4-Dichlorobenzene	<0.89	ug/L	1.0	0.89	1		04/21/22 11:34	106-46-7	
Dichlorodifluoromethane	<0.46	ug/L	5.0	0.46	1		04/21/22 11:34	75-71-8	
1,1-Dichloroethane	<0.30	ug/L	1.0	0.30	1		04/21/22 11:34	75-34-3	
1,2-Dichloroethane	<0.29	ug/L	1.0	0.29	1		04/21/22 11:34	107-06-2	
1,1-Dichloroethene	<0.58	ug/L	1.0	0.58	1		04/21/22 11:34	75-35-4	
cis-1,2-Dichloroethene	<0.47	ug/L	1.0	0.47	1		04/21/22 11:34	156-59-2	
trans-1,2-Dichloroethene	<0.53	ug/L	1.0	0.53	1		04/21/22 11:34	156-60-5	
1,2-Dichloropropane	<0.45	ug/L	1.0	0.45	1		04/21/22 11:34	78-87-5	
1,3-Dichloropropane	<0.30	ug/L	1.0	0.30	1		04/21/22 11:34	142-28-9	
2,2-Dichloropropane	<4.2	ug/L	5.0	4.2	1		04/21/22 11:34	594-20-7	
1,1-Dichloropropene	<0.41	ug/L	1.0	0.41	1		04/21/22 11:34	563-58-6	
cis-1,3-Dichloropropene	<0.36	ug/L	1.0	0.36	1		04/21/22 11:34	10061-01-5	
trans-1,3-Dichloropropene	<3.5	ug/L	5.0	3.5	1		04/21/22 11:34	10061-02-6	
Diisopropyl ether	<1.1	ug/L	5.0	1.1	1		04/21/22 11:34	108-20-3	
Ethylbenzene	<0.33	ug/L	1.0	0.33	1		04/21/22 11:34	100-41-4	
Hexachloro-1,3-butadiene	<2.7	ug/L	5.0	2.7	1		04/21/22 11:34	87-68-3	
Isopropylbenzene (Cumene)	<1.0	ug/L	5.0	1.0	1		04/21/22 11:34	98-82-8	
p-Isopropyltoluene	<1.0	ug/L	5.0	1.0	1		04/21/22 11:34	99-87-6	
Methylene Chloride	<0.32	ug/L	5.0	0.32	1		04/21/22 11:34	75-09-2	
Methyl-tert-butyl ether	<1.1	ug/L	5.0	1.1	1		04/21/22 11:34	1634-04-4	
Naphthalene	<1.1	ug/L	5.0	1.1	1		04/21/22 11:34	91-20-3	
n-Propylbenzene	<0.35	ug/L	1.0	0.35	1		04/21/22 11:34	103-65-1	
Styrene	<0.36	ug/L	1.0	0.36	1		04/21/22 11:34	100-42-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: MARTIN'S DRY CLEANER
Pace Project No.: 40243627

Sample: TRIP BLANK **Lab ID: 40243627009** Collected: 04/19/22 00:00 Received: 04/19/22 16:53 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV									
Analytical Method: EPA 8260									
Pace Analytical Services - Green Bay									
1,1,1,2-Tetrachloroethane	<0.36	ug/L	1.0	0.36	1		04/21/22 11:34	630-20-6	
1,1,2,2-Tetrachloroethane	<0.38	ug/L	1.0	0.38	1		04/21/22 11:34	79-34-5	
Tetrachloroethene	<0.41	ug/L	1.0	0.41	1		04/21/22 11:34	127-18-4	
Toluene	<0.29	ug/L	1.0	0.29	1		04/21/22 11:34	108-88-3	
1,2,3-Trichlorobenzene	<1.0	ug/L	5.0	1.0	1		04/21/22 11:34	87-61-6	
1,2,4-Trichlorobenzene	<0.95	ug/L	5.0	0.95	1		04/21/22 11:34	120-82-1	
1,1,1-Trichloroethane	<0.30	ug/L	1.0	0.30	1		04/21/22 11:34	71-55-6	
1,1,2-Trichloroethane	<0.34	ug/L	5.0	0.34	1		04/21/22 11:34	79-00-5	
Trichloroethene	<0.32	ug/L	1.0	0.32	1		04/21/22 11:34	79-01-6	
Trichlorofluoromethane	<0.42	ug/L	1.0	0.42	1		04/21/22 11:34	75-69-4	
1,2,3-Trichloropropane	<0.56	ug/L	5.0	0.56	1		04/21/22 11:34	96-18-4	
1,2,4-Trimethylbenzene	<0.45	ug/L	1.0	0.45	1		04/21/22 11:34	95-63-6	
1,3,5-Trimethylbenzene	<0.36	ug/L	1.0	0.36	1		04/21/22 11:34	108-67-8	
Vinyl chloride	<0.17	ug/L	1.0	0.17	1		04/21/22 11:34	75-01-4	
m&p-Xylene	<0.70	ug/L	2.0	0.70	1		04/21/22 11:34	179601-23-1	
o-Xylene	<0.35	ug/L	1.0	0.35	1		04/21/22 11:34	95-47-6	
Surrogates									
4-Bromofluorobenzene (S)	104	%	70-130		1		04/21/22 11:34	460-00-4	
1,2-Dichlorobenzene-d4 (S)	96	%	70-130		1		04/21/22 11:34	2199-69-1	
Toluene-d8 (S)	105	%	70-130		1		04/21/22 11:34	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: MARTIN'S DRY CLEANER
Pace Project No.: 40243627

QC Batch: 413684 Analysis Method: EPA 8260
QC Batch Method: EPA 8260 Analysis Description: 8260 MSV
Laboratory: Pace Analytical Services - Green Bay
Associated Lab Samples: 40243627001, 40243627002, 40243627003, 40243627004, 40243627005, 40243627006, 40243627007, 40243627008, 40243627009

METHOD BLANK: 2381867 Matrix: Water
Associated Lab Samples: 40243627001, 40243627002, 40243627003, 40243627004, 40243627005, 40243627006, 40243627007, 40243627008, 40243627009

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
1,1,1,2-Tetrachloroethane	ug/L	<0.36	1.0	04/21/22 09:01	
1,1,1-Trichloroethane	ug/L	<0.30	1.0	04/21/22 09:01	
1,1,2,2-Tetrachloroethane	ug/L	<0.38	1.0	04/21/22 09:01	
1,1,2-Trichloroethane	ug/L	<0.34	5.0	04/21/22 09:01	
1,1-Dichloroethane	ug/L	<0.30	1.0	04/21/22 09:01	
1,1-Dichloroethene	ug/L	<0.58	1.0	04/21/22 09:01	
1,1-Dichloropropene	ug/L	<0.41	1.0	04/21/22 09:01	
1,2,3-Trichlorobenzene	ug/L	<1.0	5.0	04/21/22 09:01	
1,2,3-Trichloropropane	ug/L	<0.56	5.0	04/21/22 09:01	
1,2,4-Trichlorobenzene	ug/L	<0.95	5.0	04/21/22 09:01	
1,2,4-Trimethylbenzene	ug/L	<0.45	1.0	04/21/22 09:01	
1,2-Dibromo-3-chloropropane	ug/L	<2.4	5.0	04/21/22 09:01	
1,2-Dibromoethane (EDB)	ug/L	<0.31	1.0	04/21/22 09:01	
1,2-Dichlorobenzene	ug/L	<0.33	1.0	04/21/22 09:01	
1,2-Dichloroethane	ug/L	<0.29	1.0	04/21/22 09:01	
1,2-Dichloropropane	ug/L	<0.45	1.0	04/21/22 09:01	
1,3,5-Trimethylbenzene	ug/L	<0.36	1.0	04/21/22 09:01	
1,3-Dichlorobenzene	ug/L	<0.35	1.0	04/21/22 09:01	
1,3-Dichloropropane	ug/L	<0.30	1.0	04/21/22 09:01	
1,4-Dichlorobenzene	ug/L	<0.89	1.0	04/21/22 09:01	
2,2-Dichloropropane	ug/L	<4.2	5.0	04/21/22 09:01	
2-Chlorotoluene	ug/L	<0.89	5.0	04/21/22 09:01	
4-Chlorotoluene	ug/L	<0.89	5.0	04/21/22 09:01	
Benzene	ug/L	<0.30	1.0	04/21/22 09:01	
Bromobenzene	ug/L	<0.36	1.0	04/21/22 09:01	
Bromochloromethane	ug/L	<0.36	5.0	04/21/22 09:01	
Bromodichloromethane	ug/L	<0.42	1.0	04/21/22 09:01	
Bromoform	ug/L	<3.8	5.0	04/21/22 09:01	
Bromomethane	ug/L	<1.2	5.0	04/21/22 09:01	
Carbon tetrachloride	ug/L	<0.37	1.0	04/21/22 09:01	
Chlorobenzene	ug/L	<0.86	1.0	04/21/22 09:01	
Chloroethane	ug/L	<1.4	5.0	04/21/22 09:01	
Chloroform	ug/L	<1.2	5.0	04/21/22 09:01	
Chloromethane	ug/L	<1.6	5.0	04/21/22 09:01	
cis-1,2-Dichloroethene	ug/L	<0.47	1.0	04/21/22 09:01	
cis-1,3-Dichloropropene	ug/L	<0.36	1.0	04/21/22 09:01	
Dibromochloromethane	ug/L	<2.6	5.0	04/21/22 09:01	
Dibromomethane	ug/L	<0.99	5.0	04/21/22 09:01	
Dichlorodifluoromethane	ug/L	<0.46	5.0	04/21/22 09:01	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: MARTIN'S DRY CLEANER
Pace Project No.: 40243627

METHOD BLANK: 2381867 Matrix: Water
Associated Lab Samples: 40243627001, 40243627002, 40243627003, 40243627004, 40243627005, 40243627006, 40243627007, 40243627008, 40243627009

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
Diisopropyl ether	ug/L	<1.1	5.0	04/21/22 09:01	
Ethylbenzene	ug/L	<0.33	1.0	04/21/22 09:01	
Hexachloro-1,3-butadiene	ug/L	<2.7	5.0	04/21/22 09:01	
Isopropylbenzene (Cumene)	ug/L	<1.0	5.0	04/21/22 09:01	
m&p-Xylene	ug/L	<0.70	2.0	04/21/22 09:01	
Methyl-tert-butyl ether	ug/L	<1.1	5.0	04/21/22 09:01	
Methylene Chloride	ug/L	<0.32	5.0	04/21/22 09:01	
n-Butylbenzene	ug/L	<0.86	1.0	04/21/22 09:01	
n-Propylbenzene	ug/L	<0.35	1.0	04/21/22 09:01	
Naphthalene	ug/L	<1.1	5.0	04/21/22 09:01	
o-Xylene	ug/L	<0.35	1.0	04/21/22 09:01	
p-Isopropyltoluene	ug/L	<1.0	5.0	04/21/22 09:01	
sec-Butylbenzene	ug/L	<0.42	1.0	04/21/22 09:01	
Styrene	ug/L	<0.36	1.0	04/21/22 09:01	
tert-Butylbenzene	ug/L	<0.59	1.0	04/21/22 09:01	
Tetrachloroethene	ug/L	<0.41	1.0	04/21/22 09:01	
Toluene	ug/L	<0.29	1.0	04/21/22 09:01	
trans-1,2-Dichloroethene	ug/L	<0.53	1.0	04/21/22 09:01	
trans-1,3-Dichloropropene	ug/L	<3.5	5.0	04/21/22 09:01	
Trichloroethene	ug/L	<0.32	1.0	04/21/22 09:01	
Trichlorofluoromethane	ug/L	<0.42	1.0	04/21/22 09:01	
Vinyl chloride	ug/L	<0.17	1.0	04/21/22 09:01	
1,2-Dichlorobenzene-d4 (S)	%	95	70-130	04/21/22 09:01	
4-Bromofluorobenzene (S)	%	101	70-130	04/21/22 09:01	
Toluene-d8 (S)	%	105	70-130	04/21/22 09:01	

LABORATORY CONTROL SAMPLE: 2381868

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
1,1,1-Trichloroethane	ug/L	50	48.2	96	70-130	
1,1,2,2-Tetrachloroethane	ug/L	50	42.7	85	66-130	
1,1,2-Trichloroethane	ug/L	50	46.5	93	70-130	
1,1-Dichloroethane	ug/L	50	46.0	92	68-132	
1,1-Dichloroethene	ug/L	50	44.9	90	85-126	
1,2,4-Trichlorobenzene	ug/L	50	45.0	90	70-130	
1,2-Dibromo-3-chloropropane	ug/L	50	38.2	76	51-126	
1,2-Dibromoethane (EDB)	ug/L	50	45.4	91	70-130	
1,2-Dichlorobenzene	ug/L	50	45.1	90	70-130	
1,2-Dichloroethane	ug/L	50	45.9	92	70-130	
1,2-Dichloropropane	ug/L	50	44.2	88	78-125	
1,3-Dichlorobenzene	ug/L	50	48.9	98	70-130	
1,4-Dichlorobenzene	ug/L	50	46.9	94	70-130	
Benzene	ug/L	50	45.3	91	70-132	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: MARTIN'S DRY CLEANER
Pace Project No.: 40243627

LABORATORY CONTROL SAMPLE: 2381868

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Bromodichloromethane	ug/L	50	45.6	91	70-130	
Bromoform	ug/L	50	45.7	91	65-130	
Bromomethane	ug/L	50	31.7	63	44-128	
Carbon tetrachloride	ug/L	50	50.5	101	70-130	
Chlorobenzene	ug/L	50	49.1	98	70-130	
Chloroethane	ug/L	50	46.1	92	73-137	
Chloroform	ug/L	50	48.1	96	80-122	
Chloromethane	ug/L	50	42.8	86	27-148	
cis-1,2-Dichloroethene	ug/L	50	45.9	92	70-130	
cis-1,3-Dichloropropene	ug/L	50	44.3	89	70-130	
Dibromochloromethane	ug/L	50	47.6	95	70-130	
Dichlorodifluoromethane	ug/L	50	38.8	78	22-151	
Ethylbenzene	ug/L	50	48.1	96	80-123	
Isopropylbenzene (Cumene)	ug/L	50	48.6	97	70-130	
m&p-Xylene	ug/L	100	95.5	96	70-130	
Methyl-tert-butyl ether	ug/L	50	43.3	87	66-130	
Methylene Chloride	ug/L	50	47.7	95	70-130	
o-Xylene	ug/L	50	47.3	95	70-130	
Styrene	ug/L	50	48.5	97	70-130	
Tetrachloroethene	ug/L	50	47.8	96	70-130	
Toluene	ug/L	50	47.3	95	80-121	
trans-1,2-Dichloroethene	ug/L	50	47.0	94	70-130	
trans-1,3-Dichloropropene	ug/L	50	45.7	91	58-125	
Trichloroethene	ug/L	50	47.8	96	70-130	
Trichlorofluoromethane	ug/L	50	44.6	89	84-148	
Vinyl chloride	ug/L	50	43.2	86	63-142	
1,2-Dichlorobenzene-d4 (S)	%				70-130	
4-Bromofluorobenzene (S)	%			100	70-130	
Toluene-d8 (S)	%			106	70-130	

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 2382922 2382923

Parameter	Units	MS		MSD		MS Result	MSD Result	MS % Rec	MSD % Rec	% Rec Limits	RPD	Max RPD	Qual
		40243615006 Result	Spike Conc.	Spike Conc.	Conc.								
1,1,1-Trichloroethane	ug/L	<0.30	50	50	48.2	49.6	96	99	70-130	3	20		
1,1,2,2-Tetrachloroethane	ug/L	<0.38	50	50	44.7	44.8	89	90	66-130	0	20		
1,1,2-Trichloroethane	ug/L	<0.34	50	50	46.6	46.6	93	93	70-130	0	20		
1,1-Dichloroethane	ug/L	<0.30	50	50	46.3	48.0	93	96	68-132	4	20		
1,1-Dichloroethene	ug/L	<0.58	50	50	44.5	46.6	88	93	76-132	5	20		
1,2,4-Trichlorobenzene	ug/L	<0.95	50	50	46.5	47.1	93	94	70-130	1	20		
1,2-Dibromo-3-chloropropane	ug/L	<2.4	50	50	41.3	38.1	83	76	51-126	8	20		
1,2-Dibromoethane (EDB)	ug/L	<0.31	50	50	45.1	46.2	90	92	70-130	2	20		
1,2-Dichlorobenzene	ug/L	<0.33	50	50	46.3	47.5	93	95	70-130	3	20		
1,2-Dichloroethane	ug/L	<0.29	50	50	47.0	47.9	94	96	70-130	2	20		

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: MARTIN'S DRY CLEANER

Pace Project No.: 40243627

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 2382922												2382923	
Parameter	Units	MS		MSD		MS Result	MSD Result	MS % Rec	MSD % Rec	% Rec Limits	RPD	Max RPD	Qual
		40243615006 Result	Spike Conc.	Spike Conc.	Conc.								
1,2-Dichloropropane	ug/L	<0.45	50	50	45.4	46.5	91	93	77-125	3	20		
1,3-Dichlorobenzene	ug/L	<0.35	50	50	51.0	50.5	102	101	70-130	1	20		
1,4-Dichlorobenzene	ug/L	<0.89	50	50	48.8	48.6	98	97	70-130	0	20		
Benzene	ug/L	<0.30	50	50	44.9	46.5	90	93	70-132	4	20		
Bromodichloromethane	ug/L	<0.42	50	50	46.4	48.2	93	96	70-130	4	20		
Bromoform	ug/L	<3.8	50	50	44.5	46.1	89	92	65-130	4	20		
Bromomethane	ug/L	<1.2	50	50	34.4	36.4	69	73	44-128	6	21		
Carbon tetrachloride	ug/L	<0.37	50	50	49.0	51.4	98	103	70-132	5	20		
Chlorobenzene	ug/L	<0.86	50	50	48.5	50.0	97	100	70-130	3	20		
Chloroethane	ug/L	<1.4	50	50	46.0	46.5	92	93	70-137	1	20		
Chloroform	ug/L	<1.2	50	50	46.9	49.4	94	99	80-122	5	20		
Chloromethane	ug/L	<1.6	50	50	42.8	44.5	86	89	17-149	4	20		
cis-1,2-Dichloroethene	ug/L	108	50	50	148	151	80	86	70-130	2	20		
cis-1,3-Dichloropropene	ug/L	<0.36	50	50	45.6	47.0	91	94	70-130	3	20		
Dibromochloromethane	ug/L	<2.6	50	50	48.3	49.5	97	99	70-130	2	20		
Dichlorodifluoromethane	ug/L	<0.46	50	50	36.4	38.0	73	76	22-158	4	20		
Ethylbenzene	ug/L	<0.33	50	50	48.8	50.2	98	100	80-123	3	20		
Isopropylbenzene (Cumene)	ug/L	<1.0	50	50	48.2	49.4	96	99	70-130	2	20		
m&p-Xylene	ug/L	<0.70	100	100	93.9	96.9	94	97	70-130	3	20		
Methyl-tert-butyl ether	ug/L	<1.1	50	50	43.1	44.2	86	88	66-130	2	20		
Methylene Chloride	ug/L	<0.32	50	50	48.2	48.3	96	97	70-130	0	20		
o-Xylene	ug/L	<0.35	50	50	48.3	47.9	97	96	70-130	1	20		
Styrene	ug/L	<0.36	50	50	49.4	50.0	99	100	70-130	1	20		
Tetrachloroethene	ug/L	<0.41	50	50	47.7	49.2	95	98	70-130	3	20		
Toluene	ug/L	<0.29	50	50	47.6	49.1	95	98	80-121	3	20		
trans-1,2-Dichloroethene	ug/L	3.6	50	50	49.2	50.8	91	94	70-134	3	20		
trans-1,3-Dichloropropene	ug/L	<3.5	50	50	46.5	48.0	93	96	58-130	3	20		
Trichloroethene	ug/L	0.85J	50	50	47.5	49.7	93	98	70-130	5	20		
Trichlorofluoromethane	ug/L	<0.42	50	50	43.5	45.2	87	90	82-151	4	20		
Vinyl chloride	ug/L	1.4	50	50	43.3	45.7	84	89	61-143	5	20		
1,2-Dichlorobenzene-d4 (S)	%						96	95	70-130				
4-Bromofluorobenzene (S)	%						99	99	70-130				
Toluene-d8 (S)	%						103	102	70-130				

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALIFIERS

Project: MARTIN'S DRY CLEANER
Pace Project No.: 40243627

DEFINITIONS

DF - Dilution Factor, if reported, represents the factor applied to the reported data due to dilution of the sample aliquot.

ND - Not Detected at or above LOD.

J - Estimated concentration at or above the LOD and below the LOQ.

LOD - Limit of Detection adjusted for dilution factor, percent moisture, initial weight and final volume.

LOQ - Limit of Quantitation adjusted for dilution factor, percent moisture, initial weight and final volume.

S - Surrogate

1,2-Diphenylhydrazine decomposes to and cannot be separated from Azobenzene using Method 8270. The result for each analyte is a combined concentration.

Consistent with EPA guidelines, unrounded data are displayed and have been used to calculate % recovery and RPD values.

LCS(D) - Laboratory Control Sample (Duplicate)

MS(D) - Matrix Spike (Duplicate)

DUP - Sample Duplicate

RPD - Relative Percent Difference

NC - Not Calculable.

SG - Silica Gel - Clean-Up

U - Indicates the compound was analyzed for, but not detected at or above the adjusted LOD.

N-Nitrosodiphenylamine decomposes and cannot be separated from Diphenylamine using Method 8270. The result reported for each analyte is a combined concentration.

Pace Analytical is TNI accredited. Contact your Pace PM for the current list of accredited analytes.

TNI - The NELAC Institute.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA CROSS REFERENCE TABLE

Project: MARTIN'S DRY CLEANER

Pace Project No.: 40243627

Lab ID	Sample ID	QC Batch Method	QC Batch	Analytical Method	Analytical Batch
40243627001	MW-5	EPA 8260	413684		
40243627002	MW-10	EPA 8260	413684		
40243627003	MW-11	EPA 8260	413684		
40243627004	PZ-23	EPA 8260	413684		
40243627005	MW-24	EPA 8260	413684		
40243627006	MW-12	EPA 8260	413684		
40243627007	MW-18	EPA 8260	413684		
40243627008	MW-19	EPA 8260	413684		
40243627009	TRIP BLANK	EPA 8260	413684		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



CHAIN-OF-CUSTODY Analytical Request Document

Chain-of-Custody is a LEGAL DOCUMENT - Complete all relevant fields

LAB USE ONLY- Affix Workorder/Login Label Here or List Pace Workorder Number or MTJL Log-in Number Here

40248627

ALL SHADED AREAS are for LAB USE ONLY

Company: Ayres Billing Information: Subs@Ayresassociates.com

Address: 3376 Packeland Dr, DePere, WI

Report To: Bill Honea Email To: honeaw@Ayresassociates.com

Copy To: Site Collection Info/Address: 1025 E Green Bay St.

Container Preservative Type **: 3 Lab Project Manager: _____

** Preservative Types: (1) nitric acid, (2) sulfuric acid, (3) hydrochloric acid, (4) sodium hydroxide, (5) zinc acetate, (6) methanol, (7) sodium bisulfate, (8) sodium thiosulfate, (9) hexane, (A) ascorbic acid, (B) ammonium sulfate, (C) ammonium hydroxide, (D) TSP, (U) Unpreserved, (O) Other

Customer Project Name/Number: Martins Dry Cleaner State: WI County/City: Shawano Time Zone Collected: [] PT [] MT [] CT [] ET

Phone: _____ Site/Facility ID #: _____ Compliance Monitoring? [] Yes [] No

Collected By (print): Bill Honea Purchase Order #: _____ DW PWS ID #: _____

Collected By (signature): William Honea Turnaround Date Required: standard TAT Immediately Packed on Ice: [X] Yes [] No

Sample Disposal: [] Dispose as appropriate [] Return [] Archive: _____ Rush: [] Same Day [] Next Day [] 2 Day [] 3 Day [] 4 Day [] 5 Day (Expedite Charges Apply)

Analyses										Lab Profile/Line:	
VOCs										Lab Sample Receipt Checklist:	
										Custody Seals Present/Intact	Y N NA
										Custody Signatures Present	Y N NA
										Collector Signature Present	Y N NA
										Bottles Intact	Y N NA
										Correct Bottles	Y N NA
										Sufficient Volume	Y N NA
										Samples Received on Ice	Y N NA
										VOA - Headspace Acceptable	Y N NA
										USDA Regulated Soils	Y N NA
Samples in Holding Time	Y N NA										
Residual Chlorine Present	Y N NA										
Cl Strips:											
Sample pH Acceptable	Y N NA										
pH Strips:											
Sulfide Present	Y N NA										
Lead Acetate Strips:											

* Matrix Codes (Insert in Matrix box below): Drinking Water (DW), Ground Water (GW), Wastewater (WW), Product (P), Soil/Solid (SL), Oil (OL), Wipe (WP), Air (AR), Tissue (TS), Bioassay (B), Vapor (V), Other (OT)

Customer Sample ID	Matrix *	Comp / Grab	Collected (or Composite Start)		Composite End		Res Cl	# of Ctns
			Date	Time	Date	Time		
MW-5	GW	G	4/19/22	1130				3 X
MW-4	GW	G	4/19/22					3 X
MW-10	GW	G	4/19/22	1300				3 X
MW-11	GW	G	4/19/22	1330				3 X
PZ-23	GW	G	4/19/22	1400				3 X
MW-24	GW	G	4/19/22	1430				3 X
MW-12	GW	G	4/19/22	1450				3 X
MW-18	GW	G	4/19/22	1530				3 X
MW-19	GW	G	4/19/22	1605				3 X
Trip blank								

Customer Remarks / Special Conditions / Possible Hazards: MW-4 not collected insufficient water

Type of Ice Used: Wet Blue Dry None

Packing Material Used: _____

Radchem sample(s) screened (<500 cpm): Y N NA

SHORT HOLDS PRESENT (<72 hours): Y N N/A

Lab Tracking #: 2730886

Samples received via: FEDEX UPS Client Courier Pace Courier

Lab Sample Temperature Info:

Temp Blank Received: Y N NA

Therm ID#: _____

Cooler 1 Temp Upon Receipt: _____ °C

Cooler 1 Therm Corr. Factor: _____ °C

Cooler 1 Corrected Temp: 1.8 °C

Comments: _____

Relinquished by/Company: (Signature) William Honea / Ayres Date/Time: 4/19/22 1653

Relinquished by/Company: (Signature) _____ Date/Time: _____

Relinquished by/Company: (Signature) _____ Date/Time: _____

Received by/Company: (Signature) Anthony Wendel Date/Time: 4/19/22 1653

Received by/Company: (Signature) _____ Date/Time: _____

Received by/Company: (Signature) _____ Date/Time: _____

Table #: _____

Acctnum: _____

Template: _____

Prelogin: _____

PM: _____

PB: _____

Trip Blank Received: Y N NA

HCL MeOH TSP Other

Non Conformance(s): YES / NO

Page: Page 26 of 28

Sample Preservation Receipt Form

Client Name: Ayres

Project # 40243627

All containers needing preservation have been checked and noted below: Yes No N/A

Initial when completed:

Date/Time:

Lab Lot# of pH paper:

Lab Std #ID of preservation (if pH adjusted):

Pace Lab #	Glass						Plastic					Vials					Jars				General			VOA Vials (>6mm) *	H2SO4 pH ≤2	NaOH+Zn Act pH ≥9	NaOH pH ≥12	HNO3 pH ≤2	pH after adjusted	Volume (mL)				
	AG1U	BG1U	AG1H	AG4S	AG4U	AG5U	AG2S	BG3U	BP1U	BP3U	BP3B	BP3N	BP3S	VG9A	DG9T	VG9U	VG9H	VG9M	VG9D	JGFU	JG9U	WGFU	WPFU								SP5T	ZPLC	GN	
001																3																		2.5 / 5 / 10
002																3																		2.5 / 5 / 10
003																3																		2.5 / 5 / 10
004																3																		2.5 / 5 / 10
005																3																		2.5 / 5 / 10
006																3																		2.5 / 5 / 10
007																3																		2.5 / 5 / 10
008																3																		2.5 / 5 / 10
009																2																		2.5 / 5 / 10
010																																		2.5 / 5 / 10
011																																		2.5 / 5 / 10
012																																		2.5 / 5 / 10
013																																		2.5 / 5 / 10
014																																		2.5 / 5 / 10
015																																		2.5 / 5 / 10
016																																		2.5 / 5 / 10
017																																		2.5 / 5 / 10
018																																		2.5 / 5 / 10
019																																		2.5 / 5 / 10
020																																		2.5 / 5 / 10

Exceptions to preservation check: Coliform, TOC, TOX, TOH, O&G, WI DRO, Phenolics, Other: _____ Headspace in VOA Vials (>6mm) : Yes No N/A *If yes look in headspace column

AG1U	1 liter amber glass	BP1U	1 liter plastic unpres	VG9A	40 mL clear ascorbic	JGFU	4 oz amber jar unpres
BG1U	1 liter clear glass	BP3U	250 mL plastic unpres	DG9T	40 mL amber Na Thio	JG9U	9 oz amber jar unpres
AG1H	1 liter amber glass HCL	BP3B	250 mL plastic NaOH	VG9U	40 mL clear vial unpres	WGFU	4 oz clear jar unpres
AG4S	125 mL amber glass H2SO4	BP3N	250 mL plastic HNO3	VG9H	40 mL clear vial HCL	WPFU	4 oz plastic jar unpres
AG4U	120 mL amber glass unpres	BP3S	250 mL plastic H2SO4	VG9M	40 mL clear vial MeOH	SP5T	120 mL plastic Na Thiosulfate
AG5U	100 mL amber glass unpres			VG9D	40 mL clear vial DI	ZPLC	ziploc bag
AG2S	500 mL amber glass H2SO4					GN	
BG3U	250 mL clear glass unpres						

Sample Condition Upon Receipt Form (SCUR)

Project #:

Client Name: Ayres

WO# : 40243627



40243627

Courier: CS Logistics Fed Ex Speedee UPS Waitco
 Client Pace Other: _____

Tracking #: _____

Custody Seal on Cooler/Box Present: yes no Seals intact: yes no

Custody Seal on Samples Present: yes no Seals intact: yes no

Packing Material: Bubble Wrap Bubble Bags None Other

Thermometer Used SR - 117 Type of Ice: Blue Dry None Samples on ice, cooling process has begun

Cooler Temperature Uncorr: 2 /Corr: 1.8

Temp Blank Present: yes no Biological Tissue is Frozen: yes no

Person examining contents:
 Date: 4-19-22 /Initials: [Signature]
 Labeled By Initials: [Signature]

Temp should be above freezing to 6°C.
 Biota Samples may be received at ≤ 0°C if shipped on Dry Ice.

Chain of Custody Present:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	1.
Chain of Custody Filled Out:	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A	2. <u>Pg #, Proj #</u> <u>4-19-22</u>
Chain of Custody Relinquished:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	3.
Sampler Name & Signature on COC:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	4.
Samples Arrived within Hold Time:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	5.
- VOA Samples frozen upon receipt	<input type="checkbox"/> Yes <input type="checkbox"/> No	Date/Time:
Short Hold Time Analysis (<72hr):	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	6.
Rush Turn Around Time Requested:	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	7.
Sufficient Volume:		8.
For Analysis: <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No MS/MSD: <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A		
Correct Containers Used:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	9.
-Pace Containers Used:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	
-Pace IR Containers Used:	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	
Containers Intact:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	10.
Filtered volume received for Dissolved tests	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	11.
Sample Labels match COC:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	12.
-Includes date/time/ID/Analysis Matrix: <u>W</u>		
Trip Blank Present:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	13. <u>Received in shipment, lab added to COC</u>
Trip Blank Custody Seals Present	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	
Pace Trip Blank Lot # (if purchased): <u>477</u>		<u>4-19-22</u>

Client Notification/ Resolution: If checked, see attached form for additional comments
 Person Contacted: _____ Date/Time: _____
 Comments/ Resolution: MW-4 not collected, labled units received 4-19-22

PM Review is documented electronically in LIMs. By releasing the project, the PM acknowledges they have reviewed the sample login
 Page 2 of 2