



engineering | architecture | environmental | surveying
landscape architecture | planning | economic development

604 Wilson Avenue
Menomonie, WI 54751
715-235-9081
800-472-7372
FAX 715-235-2727
www.cedarcorp.com

Jan. 24, 2019

Mr. Phil Richard
WDNR
875 S 4th Ave.
Park Falls, WI 54552

SUBJECT: Well Abandonment at Dragovich & Boho Site, Phillips, WI
BRRTS# 03-51-000623

Dear Mr. Richard,

In following with the Department's request and your email of November 13, 2018, Cedar Corporation has overseen the completion of abandonment of the remaining monitoring wells and piezometer at the Dragovich & Boho site in Phillips, WI.

Cedar Corporation directed abandonment of the wells, completed by Geiss Soil & Samples of Merrill, WI, on December 17, 2018. The following remaining wells and piezometer were abandoned: MW-2; MW-3; MW-4; MW-5; and P-2. Copies of the completed well abandonment forms are attached.

If there are any questions regarding the well abandonments, please feel free to contact me at your convenience.

Sincerely;
CEDAR CORPORATION

A handwritten signature in black ink that reads "Matthew A. Taylor". The signature is written in a cursive style with a large, sweeping "M" and a long, horizontal stroke at the end.

Matthew A. Taylor, P.G.
Hydrogeologist

Att.

Notice: Completion of this report is required by chs. 160, 281, 283, 289, 291-293, 295, and 299, Wis. Stats., and chs. NR 141 and 812, Wis. Adm. Code. In accordance with chs. 281, 289, 291-293, 295, and 299, Wis. Stats., failure to file this form may result in a forfeiture of between \$10-25,000, or imprisonment for up to one year, depending on the program and conduct involved. Personally identifiable information on this form is not intended to be used for any other purpose. Return form to the appropriate DNR office and bureau. See instructions on reverse for more information.

Route to DNR Bureau:

- Drinking Water Watershed/Wastewater Remediation/Redevelopment
 Waste Management Other: Well Abandonment

Verification Only of Fill and Seal

1. Well Location Information **2. Facility / Owner Information**

County: Price WI Unique Well # of Removed Well: _____ Hicap #: _____

Facility Name: _____

Latitude / Longitude (see instructions): _____ N DD GPS008
 _____ W DDM SCR002
 OTH001

Facility ID (FID or PWS): _____
 License/Permit/Monitoring #: MW-2

1/4 1/4 SE 1/4 SE Section: 18 Township: 37 N Range: E W

Original Well Owner: _____

Well Street Address: 3 Eyder Ave.

Present Well Owner: _____

Well City, Village or Town: Phillips Well ZIP Code: _____

Mailing Address of Present Owner: _____

Subdivision Name: _____ Lot #: _____

City of Present Owner: _____ State: _____ ZIP Code: _____

Reason for Removal from Service: site closure WI Unique Well # of Replacement Well: _____

4. Pump, Liner, Screen, Casing & Sealing Material

Monitoring Well Original Construction Date (mm/dd/yyyy): _____
 Water Well
 Borehole / Drillhole If a Well Construction Report is available, please attach.

- Pump and piping removed? Yes No N/A
 Liner(s) removed? Yes No N/A
 Liner(s) perforated? Yes No N/A
 Screen removed? Yes No N/A
 Casing left in place? Yes No N/A
 Was casing cut off below surface? Yes No N/A
 Did sealing material rise to surface? Yes No N/A
 Did material settle after 24 hours? Yes No N/A
 If yes, was hole retopped? Yes No N/A
 If bentonite chips were used, were they hydrated with water from a known safe source? Yes No N/A

Construction Type:
 Drilled Driven (Sandpoint) Dug
 Other (specify): _____

Required Method of Placing Sealing Material:
 Conductor Pipe-Gravity Conductor Pipe-Pumped
 Screened & Poured (Bentonite Chips) Other (Explain): _____

Formation Type:
 Unconsolidated Formation Bedrock

Sealing Materials:
 Neat Cement Grout Concrete
 Sand-Cement (Concrete) Grout Bentonite Chips

Total Well Depth From Ground Surface (ft.): 13.27 Casing Diameter (in.): 2

For Monitoring Wells and Monitoring Well Boreholes Only:
 Bentonite Chips Bentonite - Cement Grout
 Granular Bentonite Bentonite - Sand Slurry

Lower Drillhole Diameter (in.): 8.25 Casing Depth (ft.): 12.75

Was well annular space grouted? Yes No Unknown

If yes, to what depth (feet)? _____ Depth to Water (feet): _____

5. Material Used to Fill Well / Drillhole

From (ft.)	To (ft.)	No. Yards, Sacks Sealant or Volume (cubic yds.)	Mix Ratio or Mud Weight
Surface	<u>13.27</u>	<u>21</u>	

6. Comments

7. Supervision of Work

Name of Person or Firm Doing Filling & Sealing: <u>Geiss Soils Samples LLC</u>	License #: _____	Date of Filling & Sealing or Verification (mm/dd/yyyy): <u>12/17/2018</u>	DNR Use Only	
Street or Route: <u>W4490 Pope Rd</u>	Telephone Number: <u>(715)539-3928</u>	Date Received: _____	Noted By: _____	
City: <u>Mexvill</u>	State: <u>WI</u> ZIP Code: <u>54452</u>	Signature of Person Doing Work: <u>Darrin Prentice</u>		Date Signed: <u>12/17/2018</u>

Notice: Completion of this report is required by chs. 160, 281, 283, 289, 291-293, 295, and 299, Wis. Stats., and chs. NR 141 and 812, Wis. Adm. Code. In accordance with chs. 281, 289, 291-293, 295, and 299, Wis. Stats., failure to file this form may result in a forfeiture of between \$10-25,000, or imprisonment for up to one year, depending on the program and conduct involved. Personally identifiable information on this form is not intended to be used for any other purpose. Return form to the appropriate DNR office and bureau. See instructions on reverse for more information.

Route to DNR Bureau:

Verification Only of Fill and Seal

- Drinking Water Watershed/Wastewater Remediation/Redevelopment
 Waste Management Other: Well Abandonment

1. Well Location Information **2. Facility / Owner Information**

County: Price WI Unique Well # of Removed Well: _____ Hicap #: _____

Facility Name: _____

Latitude / Longitude (see instructions): _____ N Format Code: DD Method Code: GPS008
 _____ W DDM SCR002
 OTH001

Facility ID (FID or PWS): _____
 License/Permit/Monitoring #: MW-3

1/4 SE 1/4 SE Section: 18 Township: 37 N Range: E W

Original Well Owner: _____

Well Street Address: 3 Eyder Ave.

Present Well Owner: _____

Well City, Village or Town: Phillips Well ZIP Code: _____

Mailing Address of Present Owner: _____

Subdivision Name: _____ Lot #: _____

City of Present Owner: _____ State: _____ ZIP Code: _____

Reason for Removal from Service: site closure WI Unique Well # of Replacement Well: _____

4. Pump, Liner, Screen, Casing & Sealing Material

Monitoring Well Original Construction Date (mm/dd/yyyy): _____
 Water Well
 Borehole / Drillhole If a Well Construction Report is available, please attach.

Pump and piping removed? Yes No N/A
 Liner(s) removed? Yes No N/A
 Liner(s) perforated? Yes No N/A
 Screen removed? Yes No N/A
 Casing left in place? Yes No N/A
 Was casing cut off below surface? Yes No N/A
 Did sealing material rise to surface? Yes No N/A
 Did material settle after 24 hours? Yes No N/A
 If yes, was hole retopped? Yes No N/A
 If bentonite chips were used, were they hydrated with water from a known safe source? Yes No N/A

Construction Type:
 Drilled Driven (Sandpoint) Dug
 Other (specify): _____

Required Method of Placing Sealing Material
 Conductor Pipe-Gravity Conductor Pipe-Pumped
 Screened & Poured (Bentonite Chips) Other (Explain): _____

Formation Type:
 Unconsolidated Formation Bedrock

Sealing Materials
 Neat Cement Grout Concrete
 Sand-Cement (Concrete) Grout Bentonite Chips

Total Well Depth From Ground Surface (ft.): 15.91 Casing Diameter (in.): 2

For Monitoring Wells and Monitoring Well Boreholes Only:
 Bentonite Chips Bentonite - Cement Grout
 Granular Bentonite Bentonite - Sand Slurry

Lower Drillhole Diameter (in.): 8.25 Casing Depth (ft.): 15.41

Was well annular space grouted? Yes No Unknown

If yes, to what depth (feet)? _____ Depth to Water (feet): _____

5. Material Used to Fill Well / Drillhole

Material	Surface	15.91	26
<u>Bentonite Chips</u>			

6. Comments

7. Supervision of Work

Name of Person or Firm Doing Filling & Sealing: <u>Geiss Soils & Samples LLC</u>	License #: _____	Date of Filling & Sealing or Verification (mm/dd/yyyy): <u>12/17/2018</u>	DNR Use Only	
Street or Route: <u>W1490 Pope Rd</u>	Telephone Number: <u>(715)539-3928</u>	Date Received: _____	Noted By: _____	
City: <u>Merrill</u>	State: <u>WI</u>	ZIP Code: <u>54452</u>	Signature of Person Doing Work: <u>Darrin Prentice</u>	
			Date Signed: <u>12/17/2018</u>	

Well / Drillhole / Borehole Filling & Sealing Report

Form 3300-006 (R 4/2015)

Notice: Completion of this report is required by chs. 160, 281, 283, 289, 291-293, 295, and 299, Wis. Stats., and chs. NR 141 and 812, Wis. Adm. Code. In accordance with chs. 281, 289, 291-293, 295, and 299, Wis. Stats., failure to file this form may result in a forfeiture of between \$10-25,000, or imprisonment for up to one year, depending on the program and conduct involved. Personally identifiable information on this form is not intended to be used for any other purpose. Return form to the appropriate DNR office and bureau. See instructions on reverse for more information.

<input type="checkbox"/> Verification Only of Fill and Seal	Route to DNR Bureau:		
	<input type="checkbox"/> Drinking Water	<input type="checkbox"/> Watershed/Wastewater	<input type="checkbox"/> Remediation/Redevelopment
	<input type="checkbox"/> Waste Management	<input checked="" type="checkbox"/> Other: <u>Well Abandonment</u>	

1. Well Location Information				2. Facility / Owner Information			
County <u>Price</u>	WI Unique Well # of Removed Well	Hicap #		Facility Name			
Latitude / Longitude (see instructions)		Format Code	Method Code	Facility ID (FID or PWS)			
_____ N _____ W		<input type="checkbox"/> DD <input type="checkbox"/> DDM	<input type="checkbox"/> GPS008 <input type="checkbox"/> SCR002 <input type="checkbox"/> OTH001	License/Permit/Monitoring # <u>MW-4</u>			
$\frac{1}{4}$ SE $\frac{1}{4}$ SE or Gov't Lot #	Section <u>18</u>	Township <u>37 N</u>	Range <u>1</u>	Original Well Owner			
			<input checked="" type="checkbox"/> E <input type="checkbox"/> W	Present Well Owner			
Well Street Address <u>8 Eyder Ave.</u>				Mailing Address of Present Owner			
Well City, Village or Town <u>Phillips</u>		Well ZIP Code		City of Present Owner			
Subdivision Name		Lot #		State	ZIP Code		

Reason for Removal from Service <u>site closure</u>	WI Unique Well # of Replacement Well
--	--------------------------------------

3. Filled & Sealed Well / Drillhole / Borehole Information	
<input checked="" type="checkbox"/> Monitoring Well	Original Construction Date (mm/dd/yyyy)
<input type="checkbox"/> Water Well	
<input type="checkbox"/> Borehole / Drillhole	If a Well Construction Report is available, please attach.
Construction Type:	
<input checked="" type="checkbox"/> Drilled	<input type="checkbox"/> Driven (Sandpoint) <input type="checkbox"/> Dug
<input type="checkbox"/> Other (specify): _____	

4. Pump, Liner, Screen, Casing & Sealing Material			
Pump and piping removed?	<input type="checkbox"/> Yes	<input type="checkbox"/> No	<input checked="" type="checkbox"/> N/A
Liner(s) removed?	<input type="checkbox"/> Yes	<input checked="" type="checkbox"/> No	<input type="checkbox"/> N/A
Liner(s) perforated?	<input type="checkbox"/> Yes	<input type="checkbox"/> No	<input checked="" type="checkbox"/> N/A
Screen removed?	<input type="checkbox"/> Yes	<input checked="" type="checkbox"/> No	<input type="checkbox"/> N/A
Casing left in place?	<input checked="" type="checkbox"/> Yes	<input type="checkbox"/> No	<input type="checkbox"/> N/A
Was casing cut off below surface?	<input checked="" type="checkbox"/> Yes	<input type="checkbox"/> No	<input type="checkbox"/> N/A
Did sealing material rise to surface?	<input checked="" type="checkbox"/> Yes	<input type="checkbox"/> No	<input type="checkbox"/> N/A
Did material settle after 24 hours?	<input type="checkbox"/> Yes	<input checked="" type="checkbox"/> No	<input type="checkbox"/> N/A
If yes, was hole retopped? <input type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A			
If bentonite chips were used, were they hydrated with water from a known safe source? <input type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A			

Formation Type:	
<input checked="" type="checkbox"/> Unconsolidated Formation	<input type="checkbox"/> Bedrock
Total Well Depth From Ground Surface (ft.) <u>13.42</u>	Casing Diameter (in.) <u>2</u>
Lower Drillhole Diameter (in.) <u>8.25</u>	Casing Depth (ft.) <u>12.97</u>
Was well annular space grouted?	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> Unknown
If yes, to what depth (feet)?	Depth to Water (feet)

Required Method of Placing Sealing Material	
<input type="checkbox"/> Conductor Pipe-Gravity	<input type="checkbox"/> Conductor Pipe-Pumped
<input checked="" type="checkbox"/> Screened & Poured (Bentonite Chips)	<input type="checkbox"/> Other (Explain): _____
Sealing Materials	
<input type="checkbox"/> Neat Cement Grout	<input type="checkbox"/> Concrete
<input type="checkbox"/> Sand-Cement (Concrete) Grout	<input checked="" type="checkbox"/> Bentonite Chips
For Monitoring Wells and Monitoring Well Boreholes Only:	
<input checked="" type="checkbox"/> Bentonite Chips	<input type="checkbox"/> Bentonite - Cement Grout
<input type="checkbox"/> Granular Bentonite	<input type="checkbox"/> Bentonite - Sand Slurry

5. Material Used to Fill Well / Drillhole				DNR Use Only	
Material	Surface	Volume	Backfill Depth (ft.)	Min. Rate of Placement (lb/yd ³)	Min. Weight
<u>Bentonite Chips</u>		<u>13.42</u>	<u>22</u>		

6. Comments					
-------------	--	--	--	--	--

7. Supervision of Work				DNR Use Only	
Name of Person or Firm Doing Filling & Sealing:	License #	Date of Filling & Sealing or Verification (mm/dd/yyyy)	Date Received	Noted By	
<u>Geiss Soils & Samples LLC</u>		<u>12/17/2018</u>			
Street or Route		Telephone Number		Comments	
<u>W4490 Pope Rd</u>		<u>(715) 539-3928</u>			
City	State	ZIP Code	Signature of Person Doing Work		Date Signed
<u>Merrill</u>	<u>WI</u>	<u>54452</u>	<u>Darrin Prentice</u>		<u>12/17/2018</u>

Well / Drillhole / Borehole Filling & Sealing Report

Form 3300-005 (R 4/2015)

Notice: Completion of this report is required by chs. 160, 281, 283, 289, 291-293, 295, and 299, Wis. Stats., and chs. NR 141 and 812, Wis. Adm. Code. In accordance with chs. 281, 289, 291-293, 295, and 299, Wis. Stats., failure to file this form may result in a forfeiture of between \$10-25,000, or imprisonment for up to one year, depending on the program and conduct involved. Personally identifiable information on this form is not intended to be used for any other purpose. Return form to the appropriate DNR office and bureau. See Instructions on reverse for more information.

Route to DNR Bureau:

- Drinking Water
- Watershed/Wastewater
- Remediation/Redevelopment
- Waste Management
- Other: Well Abandonment

Verification Only of Fill and Seal

1. Well Location Information

County <u>Price</u>	WI Unique Well # of Removed Well	Hicap #
Latitude / Longitude (see Instructions)	Format Code	Method Code
N W	<input type="checkbox"/> DD <input type="checkbox"/> DDM	<input type="checkbox"/> GPS008 <input type="checkbox"/> SCR002 <input type="checkbox"/> OTH001
1/4 SE 1/4 SE or Gov't Lot #	Section <u>18</u>	Township <u>37 N</u>
	Range <u>1</u>	<input checked="" type="checkbox"/> E <input type="checkbox"/> W
Well Street Address <u>3 Eyder Ave.</u>		
Well City, Village or Town <u>Phillips</u>		
Subdivision Name		Well ZIP Code
Lot #		

2. Facility / Owner Information

Facility Name
Facility ID (FID or PWS)
License/Permit/Monitoring # <u>MW-5</u>
Original Well Owner
Present Well Owner
Mailing Address of Present Owner
City of Present Owner
State
ZIP Code

Reason for Removal from Service <u>site closure</u>	WI Unique Well # of Replacement Well
--	--------------------------------------

3. Filled & Sealed Well / Drillhole / Borehole Information

<input checked="" type="checkbox"/> Monitoring Well	Original Construction Date (mm/dd/yyyy)
<input type="checkbox"/> Water Well	
<input type="checkbox"/> Borehole / Drillhole	
If a Well Construction Report is available, please attach.	
Construction Type:	
<input checked="" type="checkbox"/> Drilled	<input type="checkbox"/> Driven (Sandpoint)
<input type="checkbox"/> Other (specify):	<input type="checkbox"/> Dug
Formation Type:	
<input checked="" type="checkbox"/> Unconsolidated Formation	<input type="checkbox"/> Bedrock
Total Well Depth From Ground Surface (ft.) <u>4.75</u>	Casing Diameter (in.) <u>2</u>
Lower Drillhole Diameter (in.) <u>8.25</u>	Casing Depth (ft.) <u>6.73</u>
Was well annular space grouted?	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> Unknown
If yes, to what depth (feet)?	Depth to Water (feet)

4. Pump, Liner, Screen, Casing & Sealing Material

Pump and piping removed?	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A
Liner(s) removed?	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A
Liner(s) perforated?	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A
Screen removed?	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A
Casing left in place?	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A
Was casing cut off below surface?	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A
Did sealing material rise to surface?	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A
Did material settle after 24 hours?	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A
If yes, was hole retopped?	<input type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A
If bentonite chips were used, were they hydrated with water from a known safe source?	<input type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A

Required Method of Placing Sealing Material

<input type="checkbox"/> Conductor Pipe-Gravity	<input type="checkbox"/> Conductor Pipe-Pumped
<input checked="" type="checkbox"/> Screened & Poured (Bentonite Chips)	<input type="checkbox"/> Other (Explain):

Sealing Materials

<input type="checkbox"/> Neat Cement Grout	<input type="checkbox"/> Concrete
<input type="checkbox"/> Sand-Cement (Concrete) Grout	<input checked="" type="checkbox"/> Bentonite Chips
For Monitoring Wells and Monitoring Well Boreholes Only:	
<input checked="" type="checkbox"/> Bentonite Chips	<input type="checkbox"/> Bentonite - Cement Grout
<input type="checkbox"/> Granular Bentonite	<input type="checkbox"/> Bentonite - Sand Slurry

5. Material Used to Fill Well / Drillhole

Material	Depth (ft.)	Surface	Volume (cu. ft.)	Mix Ratio or Mud Weight
<u>Bentonite Chips</u>	<u>4.75</u>			

6. Comments

7. Supervision of Work

Name of Person or Firm Doing Filling & Sealing <u>Geiss Soils & Samples LLC</u>	License #	Date of Filling & Sealing or Verification (mm/dd/yyyy) <u>12/17/2018</u>	Date Received	Noted By
Street or Route <u>W4490 Pope Rd</u>	Telephone Number <u>(715)539-3928</u>	Comments		
City <u>Merrill</u>	State <u>WI</u>	ZIP Code <u>54452</u>	Signature of Person Doing Work <u>Darrin Prentice</u>	Date Signed <u>12/17/2018</u>

Well / Drillhole / Borehole Filling & Sealing Report

Form 3300-005 (R 4/2015)

Notice: Completion of this report is required by chs. 160, 281, 283, 289, 291-293, 295, and 299, Wis. Stats., and chs. NR 141 and 812, Wis. Adm. Code. In accordance with chs. 281, 289, 291-293, 295, and 299, Wis. Stats., failure to file this form may result in a forfeiture of between \$10-25,000, or imprisonment for up to one year, depending on the program and conduct involved. Personally identifiable information on this form is not intended to be used for any other purpose. Return form to the appropriate DNR office and bureau. See instructions on reverse for more information.

Verification Only of Fill and Seal

Route to DNR Bureau:

- Drinking Water Watershed/Wastewater Remediation/Redevelopment
 Waste Management Other: Well Abandonment

1. Well Location Information **2. Facility / Owner Information**

County: Price WI Unique Well # of Removed Well: _____ Hicap #: _____
 Latitude / Longitude (see instructions): _____ N Format Code: DD Method Code: GPS008
 _____ W DDM SCR002
 _____ OTH001
 1/4 SE 1/4 SE Section: 18 Township: 37 N Range: E Original Well Owner: _____
 or Gov't Lot # W
 Well Street Address: 9 Eyder Ave. Present Well Owner: _____
 Well City, Village or Town: Phillips Well ZIP Code: _____ Mailing Address of Present Owner: _____
 Subdivision Name: _____ Lot #: _____ City of Present Owner: _____ State: _____ ZIP Code: _____
 Reason for Removal from Service: site closure WI Unique Well # of Replacement Well: _____

Facility Name: _____
 Facility ID (FID or PWS): _____
 License/Permit/Monitoring #: P-2
 Original Well Owner: _____
 Present Well Owner: _____
 Mailing Address of Present Owner: _____
 City of Present Owner: _____ State: _____ ZIP Code: _____

3. Filled & Sealed Well / Drillhole / Borehole Information

Monitoring Well Original Construction Date (mm/dd/yyyy): _____
 Water Well
 Borehole / Drillhole If a Well Construction Report is available, please attach: _____
 Construction Type:
 Drilled Driven (Sandpoint) Dug
 Other (specify): _____
 Formation Type:
 Unconsolidated Formation Bedrock
 Total Well Depth From Ground Surface (ft.): 80.11 Casing Diameter (in.): 2
 Lower Drillhole Diameter (in.): 8.25 Casing Depth (ft.): 79.47
 Was well annular space grouted? Yes No Unknown
 If yes, to what depth (feet)? Depth to Water (feet): _____

4. Pump, Liner, Screen, Casing & Sealing Material

Pump and piping removed? Yes No N/A
 Liner(s) removed? Yes No N/A
 Liner(s) perforated? Yes No N/A
 Screen removed? Yes No N/A
 Casing left in place? Yes No N/A
 Was casing cut off below surface? Yes No N/A
 Did sealing material rise to surface? Yes No N/A
 Did material settle after 24 hours? Yes No N/A
 If yes, was hole retopped? Yes No N/A
 If bentonite chips were used, were they hydrated with water from a known safe source? Yes No N/A
 Required Method of Placing Sealing Material:
 Conductor Pipe-Gravity Conductor Pipe-Pumped
 Screened & Poured (Bentonite Chips) Other (Explain): _____
 Sealing Materials:
 Neat Cement Grout Concrete
 Sand-Cement (Concrete) Grout Bentonite Chips
 For Monitoring Wells and Monitoring Well Boreholes Only:
 Bentonite Chips Bentonite - Cement Grout
 Granular Bentonite Bentonite - Sand Slurry

5. Material Used to Fill Well / Drillhole

Material	Surface	Depth (ft.)	Mix Ratio or Mud Weight
<u>Bentonite Chips</u>		<u>80.11</u>	<u>729</u>

6. Comments

7. Supervision of Work

Name of Person or Firm Doing Filling & Sealing: Geiss Soils & Samples LLC License #: _____ Date of Filling & Sealing or Verification (mm/dd/yyyy): 12/17/2018
 Street or Route: W4490 Pope Rd Telephone Number: (715)539-3928
 City: Merrill State: WI ZIP Code: 54452 Signature of Person Doing Work: Darrin Prentice Date Signed: 12/17/2018