



Meridian Environmental Consulting, LLC

February 26, 2020

Carrie Stoltz
Wisconsin Department of Natural Resources
107 Sutcliffe Avenue
Rhineland, Wisconsin 54501-3349

Subject: **Recent Ground Water Sampling Results**
Webster Pig Farm (former)
W16640 CTH M
Gilman, Wisconsin
PECFA No. 54433-9429-94
DNR BRRTS Nos. 03-61-000650
Meridian No. 05F784

Dear Carrie:

This letter presents the results of recent ground water sampling at the site including:

- Sampled all wells November 16, 2019
- Sampled Pershing Town Hall water supply December 9, 2019 and January 6, 2020

The laboratory reports are enclosed with this letter and summarized in Table 1.

1,2 – Dichloroethane (1,2-DCA) was reported in the November 16 and December 9 ground water samples collected from the Town Hall. 1,2-DCA was not reported in the January 6, 2020 sample.

We recommend the Town Hall and Krizan wells be sampled once more to confirm that 1,2-DCA is not present.

If not present, we plan to prepare and submit a Closure Packet with GIS Notifications. The monitoring wells will be abandoned when Closure is approved.

Please contact me with any comments or questions.

Sincerely,
MERIDIAN ENVIRONMENTAL CONSULTING, LLC


Kenneth Shimko, PG
Project Manager

Table 1: Ground Water Analytical

Webster Pig Farm

Well	Date	Benzene	Ethyl Benzene	Toluene	Total Xylenes	1,2,4 - TMB	1,3,5 - TMB	Total TMBs	MTBE	Naphthalene	EDB	1,2 DCA
NR140 ES		5	700	800	2000	-	-	480	60	100	0.05	5
NR140 PAL		<i>0.5</i>	<i>140</i>	<i>160</i>	<i>400</i>			96	12	10	0.005	0.5
Units		ug/l	ug/l	ug/l	ug/l	ug/l	ug/l	ug/l	ug/l	ug/l	ug/l	ug/l
MW-100	Installed December 6, 1996											
	1/9/1997	<.2	<.3	<.2	<1	<.4	<.3	<.4	<.1	<.4	<.1	<.2
	4/18/1997	<.4	<.5	<.4	<1.2	<.5	<.5	<.5	<.1	-	NA	NA
	6/20/1997	<.1	<.1	<.1	<.2	-	-	-	-	-	NA	NA
	August 2000	Well Abandoned										
MW-200	Installed December 5, 1996											
	1/9/1997	<.2	<.3	<.2	<1	<.4	<.3	<.4	<.1	<.4	<.1	<.2
	4/18/1997	13	1.1	11	3.4	<.5	<.5	<.5	<.1	-	NA	NA
	6/20/1997	<.1	<.1	<.1	<.2	-	-	-	-	-	NA	NA
	12/20/2006	<.2	<.5	<.2	<.5	<.2	<.2	<.2	<.5	<.25	NA	NA
	4/11/2007	<.2	<.5	<.2	<.5	<.2	<.2	<.2	<.5	<.25	NA	NA
	7/25/2007	<.2	<.5	<.2	<.5	<.2	<.2	<.2	<.5	<.25	NA	NA
	10/23/2007	<.2	<.5	<.2	<.5	<.2	<.2	<.2	<.5	<.25	NA	NA
	1/9/2008	<.2	<.5	<.2	<.5	<.2	<.2	<.2	<.5	<.25	NA	NA
	5/6/2008	<.2	<.5	<.2	<.5	<.2	<.2	<.2	<.5	<.25	NA	NA
	7/29/2008	<.25	<.22	<.25	<.39	<.25	<.19	<.25	<.23	<.25	NA	NA
	8/29/2012	<.39	<.41	<.42	<1.3	<.43	<.4	<.43	<.38	<.4	NA	NA
	9/9/2015	<.4	<.39	<.39	<1.2	<.42	<.42	<.42	<.48	<.42	NA	NA
	12/9/2015	<.4	<.39	<.39	<1.2	<.42	<.42	<.42	<.48	<.42	NA	NA
	3/31/2016	<.4	<.39	<.39	<1.2	<.42	<.42	<.42	<.48	<.42	NA	NA
	6/21/2016	<.4	<.39	<.39	<1.2	<.42	<.42	<.42	<.48	<.42	NA	NA
	4/28/2017	<.4	<.39	<.39	<1.2	<.42	<.42	<.42	<.48	<.42	NA	NA
	10/30/2017	<.4	<.39	<.39	<1.2	<.42	<.42	<.42	<.48	<.42	NA	NA
	3/29/2018	<.4	<.39	<.39	<1.2	<.42	<.42	<.42	<.48	<.42	NA	NA
	6/22/2018	<.31	<.33	<.49	<.97	<.34	<.33	<.67	<.32	<.51	NA	NA
	9/26/2018	<.31	<.33	<.49	<.97	<.34	<.33	<.67	<.32	<.51	NA	NA
	12/5/2018	<.31	<.33	<.49	<.97	<.34	<.33	<.67	<.32	<.51	NA	NA
	5/23/2019	<.25	<.22	<.17	<.71	<.84	<.87	<1.71	<1.2	<1.2	NA	NA
	8/28/2019	<.25	<.22	<.17	<.71	<.84	<.87	<1.71	<1.2	<1.2	NA	NA
	11/16/2019	<.25	<.22	<.17	<.71	<.84	<.87	<1.71	<1.2	<1.2	NA	NA

12 BOLD - Concentration exceeds NR140 Enforcement Standard (ES)
 12 *Italic* - Concentration exceeds NR140 Preventative Action Limit (PAL)

Table 1: Ground Water Analytical

Webster Pig Farm

Well	Date	Benzene	Ethyl Benzene	Toluene	Total Xylenes	1,2,4 - TMB	1,3,5 - TMB	Total TMBs	MTBE	Naphthalene	EDB	1,2 DCA
NR140 ES		5	700	800	2000	-	-	480	60	100	0.05	5
NR140 PAL		<i>0.5</i>	<i>140</i>	<i>160</i>	<i>400</i>	-	-	<i>96</i>	<i>12</i>	<i>10</i>	<i>0.005</i>	<i>0.5</i>
Units		ug/l	ug/l	ug/l	ug/l	ug/l	ug/l	ug/l	ug/l	ug/l	ug/l	ug/l
MW-300	Installed December 5, 1996											
	1/9/1997	<.2	<.3	<.2	<1	<.4	<.3	<.4	<.1	<.4	<.1	<.2
	4/18/1997	<.4	<.5	<.4	<1.2	<.5	<.5	<.5	<.1	-	NA	NA
	6/20/1997	<.1	<.1	<.1	0.2	-	-	-	-	-	NA	NA
	12/20/2006	<.2	<.5	<.2	<.5	<.2	<.2	<.2	33	<.25	NA	NA
	4/11/2007	<.2	<.5	<.2	<.5	<.2	<.2	<.2	<.5	<.25	NA	NA
	5/6/2008	<.2	<.5	<.2	<.5	<.2	<.2	<.2	<.5	<.25	NA	NA
	7/29/2008	<.25	<.22	<.25	<.39	<.25	<.19	<.25	<.23	<.25	NA	NA
	8/29/2012	<.39	<.41	<.42	<1.3	<.43	<.4	<.43	<.38	<.4	NA	NA
	9/9/2015	<.4	<.39	<.39	<1.2	<.42	<.42	<.42	<.48	<.42	NA	NA
	12/9/2015	<.4	<.39	<.39	<1.2	<.42	<.42	<.42	<.48	<.42	NA	NA
	3/31/2016	<.4	<.39	<.39	<1.2	<.42	<.42	<.42	<.48	<.42	NA	NA
	6/21/2016	<.4	<.39	<.39	<1.2	<.42	<.42	<.42	<.48	<.42	NA	NA
	4/28/2017	<.4	<.39	<.39	<1.2	<.42	<.42	<.42	<.48	<.42	NA	NA
	10/30/2017	<.4	<.39	<.39	<1.2	<.42	<.42	<.42	<.48	<.42	NA	NA
	3/29/2018	<.4	<.39	<.39	<1.2	<.42	<.42	<.42	<.48	<.42	NA	NA
	6/22/2018	<.31	<.33	<.49	<.97	<.34	<.33	<.67	<.32	<.51	NA	NA
	9/26/2018	<.31	<.33	<.49	<.97	<.34	<.33	<.67	<.32	<.51	NA	NA
	12/5/2018	<.31	<.33	<.49	<.97	<.34	<.33	<.67	<.32	<.51	NA	NA
	5/23/2019	<.25	<.22	<.17	<.71	<.84	<.87	<1.71	<1.2	<1.2	NA	NA
	8/28/2019	<.25	<.22	<.17	<.71	<.84	<.87	<1.71	<1.2	<1.2	NA	NA
	11/16/2019	<.25	<.22	<.17	<.71	<.84	<.87	<1.71	<1.2	<1.2	NA	NA
MW-400	Installed December 4, 1996											
	1/9/1997	<.2	<.3	<.2	<1	<.4	<.3	<.4	<.1	<.4	<.1	<.2
	4/18/1997	0.8	<.5	<.4	1.2	<.5	0.7	0.7	0.9	-	NA	NA
	6/20/1997	<.1	<.1	<.1	<.2	-	-	-	-	-	NA	NA
	12/20/2006	<.2	<.5	<.2	<.5	<.2	<.2	<.2	<.5	0.67	NA	NA
	4/11/2007	<.2	<.5	<.2	<.5	<.2	<.2	<.2	<.5	<.25	NA	NA
	7/25/2007	<.2	<.5	<.2	<.5	<.2	<.2	<.2	<.5	<.25	NA	NA
	10/23/2007	<.2	<.5	<.2	<.5	<.2	<.2	<.2	<.5	<.25	NA	NA
	1/9/2008	<.2	<.5	<.2	<.5	<.2	<.2	<.2	<.5	<.25	NA	NA
	5/6/2008	<.2	<.5	<.2	<.5	<.2	<.2	<.2	<.5	<.25	NA	NA
	7/29/2008	<.25	<.22	<.25	<.39	<.25	<.19	<.25	<.23	<.25	NA	NA
	8/29/2012	<.39	<.41	<.42	<1.3	<.43	<.4	<.43	<.38	<.4	NA	NA
	9/9/2015	<.4	<.39	<.39	<1.2	<.42	<.42	<.42	<.48	<.42	NA	NA
	12/9/2015	<.4	<.39	<.39	<1.2	<.42	<.42	<.42	<.48	<.42	NA	NA
	3/31/2016	<.4	<.39	<.39	<1.2	<.42	<.42	<.42	<.48	<.42	NA	NA
	6/21/2016	<.4	<.39	<.39	<1.2	<.42	<.42	<.42	<.48	<.42	NA	NA
	4/28/2017	<.4	<.39	<.39	<1.2	<.42	<.42	<.42	<.48	<.42	NA	NA
	10/30/2017	<.4	<.39	<.39	<1.2	<.42	<.42	<.42	<.48	<.42	NA	NA
	3/29/2018	<.4	<.39	<.39	<1.2	<.42	<.42	<.42	<.48	<.42	NA	NA
	6/22/2018	<.31	<.33	<.49	<.97	<.34	<.33	<.67	<.32	<.51	NA	NA
	9/26/2018	<.31	<.33	<.49	<.97	<.34	<.33	<.67	<.32	<.51	NA	NA
	12/5/2018	<.31	<.33	<.49	<.97	<.34	<.33	<.67	<.32	<.51	NA	NA
	5/23/2019	<.25	<.22	<.17	<.71	<.84	<.87	<1.71	<1.2	<1.2	NA	NA
	8/28/2019	<.25	<.22	<.17	<.71	<.84	<.87	<1.71	<1.2	<1.2	NA	NA
	11/16/2019	<.25	<.22	<.17	<.71	<.84	<.87	<1.71	<1.2	<1.2	NA	NA

12 BOLD - Concentration exceeds NR140 Enforcement Standard (ES)
 12 *Italic* - Concentration exceeds NR140 Preventative Action Limit (PAL)

Table 1: Ground Water Analytical

Webster Pig Farm

Well	Date	Benzene	Ethyl Benzene	Toluene	Total Xylenes	1,2,4 - TMB	1,3,5 - TMB	Total TMBs	MTBE	Naphthalene	EDB	1,2 DCA
NR140 ES		5	700	800	2000	-	-	480	60	100	0.05	5
NR140 PAL		<i>0.5</i>	<i>140</i>	<i>160</i>	<i>400</i>	-	-	<i>96</i>	<i>12</i>	<i>10</i>	<i>0.005</i>	<i>0.5</i>
Units		ug/l	ug/l	ug/l	ug/l	ug/l	ug/l	ug/l	ug/l	ug/l	ug/l	ug/l
MW-500	Installed December 6, 1996											
	1/9/1997	<.2	<.3	0.3	<1	<.4	<.3	<.4	<.1	<.4	<.1	<.2
	4/18/1997	<.4	<.5	<.4	<1.2	<.5	<.5	<.5	<.1	-	NA	NA
	6/20/1997	<.1	<.1	<.1	<.2	-	-	-	-	-	NA	NA
	12/20/2006	4	<.5	<.2	<.5	<.2	<.2	<.2	<.5	0.31	NA	NA
	4/11/2007	<.2	<.5	<.2	<.5	<.2	<.2	<.2	<.5	<.25	NA	NA
	7/25/2007	<.2	<.5	<.2	<.5	<.2	<.2	<.2	<.5	<.25	NA	NA
	5/6/2008	<.2	<.5	<.2	<.5	<.2	<.2	<.2	<.5	<.25	NA	NA
	7/29/2008	<.25	<.22	<.25	<.39	<.25	<.19	<.25	<.23	<.25	NA	NA
	8/29/2012	<.39	<.41	<.42	<1.3	<.43	<.4	<.43	<.38	<.4	NA	NA
	9/9/2015	<.4	<.39	<.39	<1.2	<.42	<.42	<.42	<.48	<.42	NA	NA
	12/9/2015	<.4	<.39	<.39	<1.2	<.42	<.42	<.42	<.48	<.42	NA	NA
	3/31/2016	<.4	<.39	<.39	<1.2	<.42	<.42	<.42	<.48	<.42	NA	NA
	6/21/2016	<.4	<.39	<.39	<1.2	<.42	<.42	<.42	<.48	<.42	NA	NA
	4/28/2017	<.4	<.39	<.39	<1.2	<.42	<.42	<.42	<.48	<.42	NA	NA
	10/30/2017	<.4	<.39	<.39	<1.2	<.42	<.42	<.42	<.48	<.42	NA	NA
	3/29/2018	<.4	<.39	<.39	<1.2	<.42	<.42	<.42	<.48	<.42	NA	NA
	6/22/2018	<.31	<.33	<.49	<.97	<.34	<.33	<.67	<.32	<.51	NA	NA
	9/26/2018	<.31	<.33	<.49	<.97	<.34	<.33	<.67	<.32	<.51	NA	NA
	12/5/2018	<.31	<.33	<.49	<.97	<.34	<.33	<.67	<.32	<.51	NA	NA
	5/23/2019	<.25	<.22	<.17	<.71	<.84	<.87	<1.71	<1.2	<1.2	NA	NA
	8/28/2019	<.25	<.22	<.17	<.71	<.84	<.87	<1.71	<1.2	<1.2	NA	NA
	11/16/2019	<.25	<.22	<.17	<.71	<.84	<.87	<1.71	<1.2	<1.2	NA	NA
MW-600	Installed April 14, 1997											
	4/18/1997	3090	<i>554</i>	2900	2066	293	82	375	<3.6	130	13	83
	6/20/1997	1200	<i>1330</i>	8290	6730	-	-	-	-	-	NA	NA
	5/6/2008	2100	<i>1100</i>	1500	3400	950	270	1220	<20	360	NA	NA
	7/29/2008	790	<i>670</i>	1000	2600	930	330	1260	<23	390	NA	NA
	8/29/2012	111	<i>118</i>	117	354	196	170	366	6.2	130	NA	NA
	8/8/2014	181	<i>237</i>	179	446	180	91.7	271.7	7.8	154	NA	NA
	11/18/2014	107	<i>135</i>	67.3	306	127	83.5	210.5	12.4	102	NA	NA
	9/9/2015	71	<i>100</i>	46.5	292	116	120	236	8.4	107	NA	NA
	12/9/2015	75.7	<i>93.5</i>	39.3	259	74.2	65.2	139.4	3	121	NA	NA
	3/31/2016	85.6	<i>144</i>	87.5	482	122	181	303	5.2	195	NA	NA
	6/21/2016	55.7	<i>85.5</i>	61.8	372	81	137	218	6.1	162	NA	NA
	4/28/2017	22.1	<i>71.1</i>	52.7	399	41.7	116	157.7	8.5	179	NA	NA
	10/30/2017	63.2	<i>505</i>	9.3	860	375	201	576	9.3	334	NA	NA
	3/29/2018	74.1	<i>584</i>	180	891	318	158	476	12.8	315	NA	NA
	6/22/2018	27.5	<i>351</i>	151	676	213	133	346	7.1	247	NA	NA
	9/26/2018	4.6J	<i>47.1</i>	17	188	47	72.8	119.8	3.3J	83.2	NA	NA
	12/5/2018	5	<i>34.3</i>	12.6	175	28.9	60.8	89.7	1.9J	89	NA	NA
	5/23/2019	<i>.77J</i>	<i>15.1</i>	6.7	192.71	11.9	113	124.9	<1.2	66.6	NA	NA
	8/28/2019	2.5	<i>230</i>	117	682.8	202	183	385	<1.2	294	NA	NA
	11/16/2019	1.2	<i>58.8</i>	25.1	431.7	65.7	119	184.7	<1.2	232	NA	NA

12 BOLD - Concentration exceeds NR140 Enforcement Standard (ES)
 12 Italic - Concentration exceeds NR140 Preventative Action Limit (PAL)

Table 1: Ground Water Analytical

Webster Pig Farm

Well	Date	Benzene	Ethyl Benzene	Toluene	Total Xylenes	1,2,4 - TMB	1,3,5 - TMB	Total TMBs	MTBE	Naphthalene	EDB	1,2 DCA
NR140 ES		5	700	800	2000	-	-	480	60	100	0.05	5
NR140 PAL		<i>0.5</i>	<i>140</i>	<i>160</i>	<i>400</i>			<i>96</i>	<i>12</i>	<i>10</i>	<i>0.005</i>	<i>0.5</i>
Units		<i>ug/l</i>	<i>ug/l</i>	<i>ug/l</i>	<i>ug/l</i>	<i>ug/l</i>	<i>ug/l</i>	<i>ug/l</i>	<i>ug/l</i>	<i>ug/l</i>	<i>ug/l</i>	<i>ug/l</i>
MW-700	Installed April 15, 1997											
	4/18/1997	<.3	<.4	1.2	<1.4	<.5	<.4	<.5	<.2	<.4	<.2	<.3
	6/20/1997	<.1	<.1	<.1	<.2	-	-	-	-	-	NA	NA
	12/20/2006	<.2	<.5	<.2	<.5	<.2	<.2	<.2	<.5	<.25	NA	NA
	4/11/2007	<.2	<.5	<.2	<.5	<.2	<.2	<.2	<.5	<.25	NA	NA
	7/25/2007	<.2	<.5	<.2	<.5	<.2	<.2	<.2	<.5	<.25	NA	NA
	10/23/2007	<.2	<.5	<.2	<.5	<.2	<.2	<.2	<.5	<.25	NA	NA
	5/6/2008	<.2	<.5	<.2	<.5	<.2	<.2	<.2	<.5	<.25	NA	NA
	7/29/2008	<.25	<.22	<.25	<.39	<.25	<.19	<.25	<.23	<.25	NA	NA
	8/29/2012	<.39	<.41	<.42	<1.3	<.43	<.4	<.43	<.38	<.4	NA	NA
	9/9/2015	Not Sampled										
	12/9/2015	Not Sampled										
	4/28/2017	Not Sampled										
	10/30/2017	Not Sampled										
	5/23/2019	<.25	<.22	<.17	<.71	<.84	<.87	<1.71	<1.2	<1.2	NA	NA
	8/28/2019	<.25	<.22	<.17	<.71	<.84	<.87	<1.71	<1.2	<1.2	NA	NA
	11/16/2019	<.25	<.22	<.17	<.71	<.84	<.87	<1.71	<1.2	<1.2	NA	NA
MW-800	Installed June 10, 1997 (this well is now sampled as part of Donald Store work)											
	6/20/1997	<.2	<.4	<.5	<1.4	<.5	<.4	<.5	<.2	<.4	<.2	<.3
	4/11/2007	<.2	<.5	<.2	<.5	<.5	<.4	<.5	<.5	<.25	NA	NA
	7/25/2007	<.2	<.5	<.2	<.5	<.2	<.2	<.2	<.5	<.25	NA	NA
	10/23/2007	<.2	<.5	<.2	<.5	<.2	<.2	<.2	<.5	<.25	NA	NA
	5/6/2008	<.2	<.5	<.2	<.5	<.2	<.2	<.2	<.5	<.25	NA	NA
	7/29/2008	<.25	<.22	<.25	<.39	<.25	<.19	<.25	<.23	<.25	NA	NA
	8/29/2012	<.39	<.41	<.42	<1.3	<.43	<.4	<.43	<.38	<.4	NA	NA
	Well transferred to Donald Store site											
MW-900	Installed June 10, 1997											
	6/20/1997	<.2	<.4	<.5	<1.4	<.5	<.4	<.5	<.2	<.4	<.2	<.3
	12/20/2006	<.8	<.2	<.8	<.2	<.8	<.8	<.8	<.2	<.1	NA	NA
	4/11/2007	<.2	<.5	<.2	<.5	<.2	<.2	<.2	<.5	<.25	NA	NA
	7/25/2007	<.2	<.5	<.2	<.5	<.2	<.2	<.2	<.5	<.25	NA	NA
	5/6/2008	<.2	<.5	<.2	<.5	<.2	<.2	<.2	<.5	<.25	NA	NA
	7/29/2008	<.25	<.22	<.25	<.39	<.25	<.19	<.25	<.23	<.25	NA	NA
	8/29/2012	<.39	<.41	<.42	<1.3	<.43	<.4	<.43	<.38	<.4	NA	NA
	9/9/2015	<.4	<.39	<.39	<1.2	<.42	<.42	<.42	<.48	<.42	NA	NA
	12/9/2015	<.4	<.39	<.39	<1.2	<.42	<.42	<.42	<.48	<.42	NA	NA
	3/31/2016	<.4	<.39	<.39	<1.2	<.42	<.42	<.42	<.48	<.42	NA	NA
	6/21/2016	<.4	<.39	<.39	<1.2	<.42	<.42	<.42	<.48	<.42	NA	NA
	4/28/2017	<.4	<.39	<.39	<1.2	<.42	<.42	<.42	<.48	<.42	NA	NA
	10/30/2017	<.4	<.39	<.39	<1.2	<.42	<.42	<.42	<.48	<.42	NA	NA
	3/29/2018	<.4	<.39	<.39	<1.2	<.42	<.42	<.42	<.48	<.42	NA	NA
	6/22/2018	<.31	<.33	<.49	<.97	<.34	<.33	<.67	<.32	<.51	NA	NA
	9/26/2018	<.31	<.33	<.49	<.97	<.34	<.33	<.67	<.32	<.51	NA	NA
	12/5/2018	<.31	<.33	<.49	<.97	<.34	<.33	<.67	<.32	<.51	NA	NA
	5/23/2019	<.25	<.22	<.17	<.71	<.84	<.87	<1.71	<1.2	<1.2	NA	NA
	8/28/2019	<.25	<.22	<.17	<.71	<.84	<.87	<1.71	<1.2	<1.2	NA	NA
	11/16/2019	<.25	<.22	<.17	<.71	<.84	<.87	<1.71	<1.2	<1.2	NA	NA

12 BOLD - Concentration exceeds NR140 Enforcement Standard (ES)
 12 *Italic* - Concentration exceeds NR140 Preventative Action Limit (PAL)

Table 1: Ground Water Analytical

Webster Pig Farm

Well	Date	Benzene	Ethyl Benzene	Toluene	Total Xylenes	1,2,4 - TMB	1,3,5 - TMB	Total TMBs	MTBE	Naphthalene	EDB	1,2 DCA
NR140 ES		5	700	800	2000	-	-	480	60	100	0.05	5
NR140 PAL		<i>0.5</i>	<i>140</i>	<i>160</i>	<i>400</i>			<i>96</i>	<i>12</i>	<i>10</i>	<i>0.005</i>	<i>0.5</i>
Units		ug/l	ug/l	ug/l	ug/l	ug/l	ug/l	ug/l	ug/l	ug/l	ug/l	ug/l
PZ-100	Installed December 18, 1996											
	1/9/1997	3840	<7.4	169	809	95	34	129	<3.1	38	75	97
	4/18/1997	3500	<9.8	118	430	43	12	55	<4.5	25	63	103
	6/20/1997	3660	<1	97	410	-	-	-	-	-	NA	NA
	12/20/2006	3300	<2	17	50	22	3.8	25.8	<2	28	NA	NA
	4/11/2007	<i>0.64</i>	<.5	<.5	<.5	<.2	<.2	<.2	<.5	<.25	NA	NA
	7/25/2007	1000	21	9	16	9.8	12	21.8	<10	27	NA	NA
	10/23/2007	7.8	<2	<.8	<2	<.8	<.8	<.8	<2	<1	NA	NA
	1/9/2008	330	<5	5.7	10	2.6	<2	2.6	<5	5.6	NA	NA
	5/6/2008	280	<.5	6.2	5.9	2.2	0.5	2.7	<.5	6.1	NA	NA
	7/29/2008	1100	0	14	12	1.5	0.4	1.9	<4.6	<5	NA	NA
	8/29/2012	849	<2.1	4.7	<6.3	<2.2	<2	<2.2	<1.9	2.3	NA	NA
	8/8/2014	1.3	<.39	<.39	<1.2	<.42	<.42	<.42	<.48	<.42	NA	NA
	11/18/2014	6.5	<.39	<.39	<1.2	<.42	<.42	<.42	<.48	<.42	NA	NA
	9/9/2015	6380	<19.8	52.7	<62.4	<20.9	<20.8	<20.9	<24.2	123	NA	NA
	12/9/2015	7810	<19.6	56.4	<62.4	<20.9	<20.8	<20.9	<24.2	71.2	NA	NA
	3/31/2016	5470	<19.6	30.7	<62.4	<20.9	<20.8	<20.9	<24.2	<21.2	NA	NA
	6/21/2016	4100	<15.7	29.7	<49.9	<16.7	<16.6	<16.7	<19.4	<17	NA	NA
	4/28/2017	2350	<9.8	27.3	<31.2	<10.4	<10.4	<10.4	<12.1	<10.6	NA	NA
	10/30/2017	122	<.79	1.8J	<2.5	<.84	<.83	<.84	<.97	2.3	NA	NA
	3/29/2018	1510	<3.9	22.5	<12.5	<4.2	<4.2	<4.2	<4.8	6.1J	NA	NA
	6/22/2018	2680	<8.2	46	26.3J	<8.6	<8.2	<16.8	<8	44.9	NA	NA
	9/26/2018	3220	<16.4	72.1J	51.0J	<17.1	<16.4	<33.5	<16	73.9J	NA	NA
	12/5/2018	2710	<8.2	65	56.9J	<8.6	<8.2	<16.8	<8	82.8	NA	NA
	5/23/2019	572	<5.5	15.8J	<18.1	<21	<21.8	<42.8	<31.1	<29.4	NA	NA
	8/28/2019	2310	<10.9	57.4J	29.3J	<42	<43.7	<85.7	<62.3	<58.8	NA	NA
	11/16/2019	2520	13.4J	66.6J	56.3	<16.8	<17.5	<34.3	<24.9	45.5J	NA	NA
PZ-200	Installed December 17, 1996											
	1/9/1997	<i>0.5</i>	<.3	0.5	<1	<.4	<.3	<.4	<.1	<.4	<.1	<2
	4/18/1997	3	<.4	<.5	<1.4	<.5	<.4	<.5	<.2	0.7	<.2	0.6
	6/20/1997	<.1	<.1	<.1	<.2	-	-	-	-	-	NA	NA
	5/6/2008	<.2	<.5	<.2	<.5	<.2	<.2	<.2	0.5	<.25	NA	NA
	7/29/2008	<.25	<.22	<.25	<.39	<.25	<.19	<.25	<.23	<.25	NA	NA
	8/29/2012	<.39	<.41	<.42	<1.3	<.43	<.4	<.43	<.38	<.4	NA	NA
	9/9/2015	<.4	<.39	<.39	<1.2	<.42	<.42	<.42	<.48	<.42	NA	NA
	12/9/2015	<.4	<.39	<.39	<1.2	<.42	<.42	<.42	<.48	<.42	NA	NA
	3/31/2016	<.4	<.39	<.39	<1.2	<.42	<.42	<.42	<.48	<.42	NA	NA
	6/21/2016	<.4	<.39	<.39	<1.2	<.42	<.42	<.42	<.48	<.42	NA	NA
	4/28/2017	<.4	<.39	<.39	<1.2	<.42	<.42	<.42	<.48	<.42	NA	NA
	10/30/2017	<.4	<.39	<.39	<1.2	<.42	<.42	<.42	<.48	<.42	NA	NA
	3/29/2018	<.4	<.39	<.39	<1.2	<.42	<.42	<.42	<.48	<.42	NA	NA
	6/22/2018	<.31	<.33	<.49	<.97	<.34	<.33	<.67	<.32	<.51	NA	NA
	9/26/2018	<.31	<.33	<.49	<.97	<.34	<.33	<.67	<.32	<.51	NA	NA
	12/5/2018	<.31	<.33	<.49	<.97	<.34	<.33	<.67	<.32	<.51	NA	NA
	5/23/2019	<.25	<.22	<.17	<.71	<.84	<.87	<1.71	<1.2	<1.2	NA	NA
	8/28/2019	<.25	<.22	<.17	<.71	<.84	<.87	<1.71	<1.2	<1.2	NA	NA
	11/16/2019	<.25	<.22	<.17	<.71	<.84	<.87	<1.71	<1.2	<1.2	NA	NA

12 BOLD - Concentration exceeds NR140 Enforcement Standard (ES)
 12 *Italic* - Concentration exceeds NR140 Preventative Action Limit (PAL)

Table 1: Ground Water Analytical

Webster Pig Farm

Well	Date	Benzene	Ethyl Benzene	Toluene	Total Xylenes	1,2,4 - TMB	1,3,5 - TMB	Total TMBs	MTBE	Naphthalene	EDB	1,2 DCA
NR140 ES		5	700	800	2000	-	-	480	60	100	0.05	5
NR140 PAL		0.5	140	160	400			96	12	10	0.005	0.5
Units		ug/l	ug/l	ug/l	ug/l	ug/l	ug/l	ug/l	ug/l	ug/l	ug/l	ug/l
PZ-300	Installed December 17, 1996											
	1/9/1997	12	<.3	1.9	<1	<.4	<.3	<.4	<.1	<.4	<.1	6.8
	4/18/1997	3	<.4	<.5	<1.4	<.5	<.4	<.5	<.2	<.4	<.2	4
	6/20/1997	5.3	<.1	<.1	<.2	-	-	-	-	-	NA	NA
	5/6/2008	<.2	<.5	<.2	<.5	<.2	<.2	<.2	24	<.25	NA	NA
	7/29/2008	<.25	<.22	<.25	<.39	<.25	<.19	<.25	21	<.25	NA	NA
	8/29/2012	<.39	<.41	<.42	<1.3	<.43	<.4	<.43	1.6	<.4	NA	NA
	9/9/2015	<.4	<.39	<.39	<1.2	<.42	<.42	<.42	0.57	<.42	NA	NA
	12/9/2015	<.4	<.39	<.39	<1.2	<.42	<.42	<.42	<.48	<.42	NA	NA
	3/31/2016	<.4	<.39	<.39	<1.2	<.42	<.42	<.42	<.48	<.42	NA	NA
	6/21/2016	<.4	<.39	<.39	<1.2	<.42	<.42	<.42	0.67	<.42	NA	NA
	4/28/2017	<.4	<.39	<.39	<1.2	<.42	<.42	<.42	<.48	<.42	NA	NA
	10/30/2017	<.4	<.39	<.39	<1.2	<.42	<.42	<.42	<.48	<.42	NA	NA
	3/29/2018	<.4	<.39	<.39	<1.2	<.42	<.42	<.42	<.48	<.42	NA	NA
	6/22/2018	<.31	<.33	<.49	<.97	<.34	<.33	<.67	<.32	<.51	NA	NA
	9/26/2018	<.31	<.33	<.49	<.97	<.34	<.33	<.67	<.32	<.51	NA	NA
	12/5/2018	<.31	<.33	<.49	<.97	<.34	<.33	<.67	<.32	<.51	NA	NA
	5/23/2019	<.25	<.22	<.17	<.71	<.84	<.87	<1.71	<1.2	<1.2	NA	NA
	8/28/2019	<.25	<.22	<.17	<.71	<.84	<.87	<1.71	<1.2	<1.2	NA	NA
	11/16/2019	<.25	<.22	<.17	<.71	<.84	<.87	<1.71	<1.2	<1.2	NA	NA
PZ-400	Installed December 3, 1996											
	1/9/1997	<.2	<.3	1.1	<1	<.4	<.3	<.4	<.1	<.4	<.1	<.2
	4/18/1997	<.3	<.4	<.5	<1.4	<.5	<.4	<.5	<.2	<.4	<.2	<.3
	6/20/1997	<.1	<.1	<.1	<.2	-	-	-	-	-	NA	NA
	5/6/2008	<.2	<.5	<.2	<.5	<.2	<.2	<.2	<.5	<.25	NA	NA
	7/29/2008	<.25	<.22	<.25	<.39	<.25	<.19	<.25	<.23	<.25	NA	NA
	8/29/2012	7.6	<.41	0.93	<1.3	<.43	<.4	<.43	<.38	<.4	NA	NA
	8/8/2014	0.5	<.39	<.39	<1.2	<.42	<.42	<.42	<.48	<.42	NA	NA
	11/18/2014	<.4	<.39	<.39	<1.2	<.42	<.42	<.42	<.48	<.42	NA	NA
	9/9/2015	<.4	<.39	<.39	<1.2	<.42	<.42	<.42	<.48	<.42	NA	NA
	12/9/2015	0.92	<.39	<.39	<1.2	<.42	<.42	<.42	<.48	<.42	NA	NA
	3/31/2016	<.4	<.39	<.39	<1.2	<.42	<.42	<.42	<.48	<.42	NA	NA
	6/21/2016	3.3	0.5	<.39	<1.2	<.42	<.42	<.42	<.48	<.42	NA	NA
	4/28/2017	<.4	<.39	<.39	<1.2	<.42	<.42	<.42	<.48	<.42	NA	NA
	10/30/2017	28.6	<.39	.79J	<1.2	<.42	<.42	<.42	<.48	<.42	NA	NA
	3/29/2018	3	<.33	<.49	<.97	<.34	<.33	<.67	<.32	<.51	NA	NA
	6/22/2018	3	<.33	<.49	<.97	<.34	<.33	<.67	<.32	<.51	NA	NA
	9/26/2018	<.31	<.33	<.49	<.97	<.34	<.33	<.67	<.32	<.51	NA	NA
	12/5/2018	<.31	<.33	<.49	<.97	<.34	<.33	<.67	<.32	<.51	NA	NA
	5/23/2019	<.25	<.22	<.17	<.71	<.84	<.87	<1.71	<1.2	<1.2	NA	NA
	8/28/2019	<.25	<.22	<.17	<.71	<.84	<.87	<1.71	<1.2	<1.2	NA	NA
	11/16/2019	<.25	<.22	<.17	<.71	<.84	<.87	<1.71	<1.2	<1.2	NA	NA

12 BOLD - Concentration exceeds NR140 Enforcement Standard (ES)
 12 *Italic* - Concentration exceeds NR140 Preventative Action Limit (PAL)

Table 1: Ground Water Analytical

Webster Pig Farm

Well	Date	Benzene	Ethyl Benzene	Toluene	Total Xylenes	1,2,4 - TMB	1,3,5 - TMB	Total TMBs	MTBE	Naphthalene	EDB	1,2 DCA
NR140 ES		5	700	800	2000	-	-	480	60	100	0.05	5
NR140 PAL		<i>0.5</i>	<i>140</i>	<i>160</i>	<i>400</i>			<i>96</i>	<i>12</i>	<i>10</i>	<i>0.005</i>	<i>0.5</i>
Units		ug/l	ug/l	ug/l	ug/l	ug/l	ug/l	ug/l	ug/l	ug/l	ug/l	ug/l
PZ-600	Installed April 14, 1997											
	4/18/1997	<.3	<.4	<.5	<1.4	<.5	<.4	<.4	<.2	<.4	<.2	<.3
	6/20/1997	114	<.1	2.1	12.4	-	-	-	-	-	NA	NA
	5/6/2008	6300	37	200	920	160	46	206	<10	40	NA	NA
	7/29/2008	520	17	60	220	60	18	78	<2.3	17	NA	NA
	8/29/2012	175	126	223	489	177	87.1	264.1	18	156	NA	NA
	8/8/2014	190	156	323	583	217	137	354	<2.4	198	NA	NA
	11/18/2014	6.1	<.39	3.8	7.5	1.8	0.87	2.67	<.48	2.7	NA	NA
	9/9/2015	98.2	131	230	346	129	120	249	16.6	200	NA	NA
	12/9/2015	110	133	269	417	126	131	257	<1.9	203	NA	NA
	3/31/2016	240	32.7	290	395	93.6	124	217.6	<2.4	104	NA	NA
	6/21/2016	434	104	384	534	172	158	330	<4.8	232	NA	NA
	4/28/2017	215	5.9	102	68.4	11.4	15.6	27	<.48	10	NA	NA
	10/30/2017	544	98.8	241	403	128	136	264	12.5	204	NA	NA
	3/29/2018	434	97.2	146	167	30.5	118	148.5	<2.4	223	NA	NA
	6/22/2018	349	102	116	194	48.1	119	167.1	<1.3	161	NA	NA
	9/26/2018	68.7	25.4	18.3	37.5	9.7	31.3	41	1.9	51.4	NA	NA
	12/5/2018	314	99.1	121	195	46.2	140	186.2	10.9	273	NA	NA
	5/23/2019	41.1	20.4	13.3J	25	<8.4	37.5	37.5	<12.5	90	NA	NA
	8/28/2019	66	48.7	15.1J	27.5	<8.4	61.4	61.4	<12.5	259	NA	NA
	11/16/2019	67.6	49.5	15.1	48.8	<8.4	49.9	49.9	<12.5	180	NA	NA
PZ-700	Installed April 15, 1997											
	4/18/1997	<.3	<.4	<.5	<1.4	<.5	<.4	<.5	<.2	<.4	<.2	<.3
	6/20/1997	<.1	<.1	<.1	<.2	-	-	-	-	-	NA	NA
	5/6/2008	<.2	<.5	<.2	<.5	<.2	<.2	<.2	<.5	<.25	NA	NA
	7/29/2008	<.25	<.22	<.25	<.39	<.25	<.19	<.25	<.23	<.25	NA	NA
	8/29/2012	<.39	<.41	<.42	<1.3	<.43	<.4	<.43	<.38	<.4	NA	NA
	9/9/2015	Not Sampled									NA	NA
	12/9/2015	Not Sampled									NA	NA
	4/28/2017	Not Sampled									NA	NA
	10/30/2017	Not Sampled									NA	NA
	5/23/2019	<.25	<.22	<.17	<.71	<.84	<.87	<1.71	<1.2	<1.2	NA	NA
	8/28/2019	<.25	<.22	<.17	<.71	<.84	<.87	<1.71	<1.2	<1.2	NA	NA
	11/16/2019	<.25	<.22	<.17	<.71	<.84	<.87	<1.71	<1.2	<1.2	NA	NA
PZ-800	Installed June 10, 1997 (this well is now sampled as part of Donald Store work)											
	6/20/1997	0.3	<.4	<.5	<1.4	<.5	<.4	<.5	<.2	<.4	<.2	<.3
	8/29/2012	<.39	<.41	<.42	<1.3	<.43	<.4	<.43	<.38	<.4	NA	NA
		Well Transferred to Donald Store site										

12 **BOLD** - Concentration exceeds NR140 Enforcement Standard (ES)
 12 *Italic* - Concentration exceeds NR140 Preventative Action Limit (PAL)

Table 1: Ground Water Analytical

Webster Pig Farm

Well	Date	Benzene	Ethyl Benzene	Toluene	Total Xylenes	1,2,4 - TMB	1,3,5 - TMB	Total TMBs	MTBE	Naphthalene	EDB	1,2 DCA
NR140 ES		5	700	800	2000	-	-	480	60	100	0.05	5
NR140 PAL		<i>0.5</i>	<i>140</i>	<i>160</i>	<i>400</i>			<i>96</i>	<i>12</i>	<i>10</i>	<i>0.005</i>	<i>0.5</i>
Units		ug/l	ug/l	ug/l	ug/l	ug/l	ug/l	ug/l	ug/l	ug/l	ug/l	ug/l
PZ-900	Installed June 11, 1997											
	6/20/1997	1.3	<.4	<.5	<1.4	<.5	<.4	<.5	<.2	<.4	<.2	<.3
	5/6/2008	<.2	<.5	<.2	<.5	<.2	<.2	<.2	<.5	<.25	NA	NA
	7/29/2008	<.25	<.22	<.25	<.39	<.25	<.19	<.25	<.23	<.25	NA	NA
	8/29/2012	<.39	<.41	<.42	<1.3	<.43	<.4	<.43	<.38	<.4	NA	NA
	9/9/2015	<.4	<.39	<.39	<1.2	<.42	<.42	<.42	<.48	<.42	NA	NA
	12/9/2015	<.4	<.39	<.39	<1.2	<.42	<.42	<.42	<.48	<.42	NA	NA
	3/31/2016	<.4	<.39	<.39	<1.2	<.42	<.42	<.42	<.48	<.42	NA	NA
	6/21/2016	<.4	<.39	<.39	<1.2	<.42	<.42	<.42	<.48	<.42	NA	NA
	4/28/2017	<.4	<.39	<.39	<1.2	<.42	<.42	<.42	<.48	<.42	NA	NA
	10/30/2017	<.4	<.39	<.39	<1.2	<.42	<.42	<.42	<.48	<.42	NA	NA
	3/29/2018	<.4	<.39	<.39	<1.2	<.42	<.42	<.42	<.48	<.42	NA	NA
	6/22/2018	<.31	<.33	<.49	<.97	<.34	<.33	<.67	<.32	<.51	NA	NA
	9/26/2018	<.31	<.33	<.49	<.97	<.34	<.33	<.67	<.32	<.51	NA	NA
	12/5/2018	<.31	<.33	<.49	<.97	<.34	<.33	<.67	<.32	<.51	NA	NA
	5/23/2019	<.25	<.22	<.17	<.71	<.84	<.87	<1.71	<1.2	<1.2	NA	NA
	8/28/2019	<.25	<.22	<.17	<.71	<.84	<.87	<1.71	<1.2	<1.2	NA	NA
	11/16/2019	<.25	<.22	<.17	<.71	<.84	<.87	<1.71	<1.2	<1.2	NA	NA
MW-10A	Installed 5/8/19											
	5/23/2019	<.25	<.22	<.17	<.71	<.84	<.87	<1.71	<1.2	<1.2	NA	NA
	8/28/2019	<.25	<.22	<.17	<.71	<.84	<.87	<1.71	<1.2	<1.2	NA	NA
	11/16/2019	<.25	<.22	<.17	<.71	<.84	<.87	<1.71	<1.2	<1.2	NA	NA
MW-10B	Installed 5/8/19											
	5/23/2019	130	<.22	.94J	39.59	<.84	<.87	<1.71	<1.2	<1.2	NA	NA
	8/28/2019	28.1	<.22	<.17	1.2	<.84	<.87	<1.71	<1.2	<1.2	NA	NA
	11/16/2019	<.25	<.22	<.17	<.71	<.84	<.87	<1.71	<1.2	<1.2	NA	NA
MW-11A	Installed 8/21/19											
	8/28/2019	<.25	<.22	<.17	<.71	<.84	<.87	<1.71	<1.2	<1.2	NA	NA
	11/16/2019	<.25	<.22	<.17	<.71	<.84	<.87	<1.71	<1.2	<1.2	NA	NA
MW-11B	Installed 8/21/19											
	8/28/2019	<.25	<.22	<.17	<.71	<.84	<.87	<1.71	<1.2	<1.2	NA	NA
	11/16/2019	<.25	<.22	<.17	<.71	<.84	<.87	<1.71	<1.2	<1.2	NA	NA
MW-12A	Installed 8/22/19											
	8/28/2019	<.25	<.22	<.17	<.71	<.84	<.87	<1.71	<1.2	<1.2	NA	NA
	11/16/2019	<.25	<.22	<.17	<.71	<.84	<.87	<1.71	<1.2	<1.2	NA	NA
MW-12B	Installed 8/21/19											
	8/28/2019	<.25	<.22	<.17	<.71	<.84	<.87	<1.71	<1.2	<1.2	NA	NA
	11/16/2019	<.25	<.22	<.17	<.71	<.84	<.87	<1.71	<1.2	<1.2	NA	NA

12 BOLD - Concentration exceeds NR140 Enforcement Standard (ES)
12 Italic - Concentration exceeds NR140 Preventative Action Limit (PAL)

Table 1: Ground Water Analytical
Webster Pig Farm

Well	Date	Benzene	Ethyl Benzene	Toluene	Total Xylenes	1,2,4 - TMB	1,3,5 - TMB	Total TMBs	MTBE	Naphthalene	EDB	1,2 DCA
NR140 ES		5	700	800	2000	-	-	480	60	100	0.05	5
NR140 PAL		<i>0.5</i>	<i>140</i>	<i>160</i>	<i>400</i>			<i>96</i>	<i>12</i>	<i>10</i>	<i>0.005</i>	<i>0.5</i>
Units		<i>ug/l</i>	<i>ug/l</i>	<i>ug/l</i>	<i>ug/l</i>	<i>ug/l</i>	<i>ug/l</i>	<i>ug/l</i>	<i>ug/l</i>	<i>ug/l</i>	<i>ug/l</i>	<i>ug/l</i>
Krizan (fka Ruth Diamond property) (W16653 CTH M) (LB523) - installed 1998												
outside faucet	7/25/2007	<.2	<.5	<.2	<.5	<.2	<.2	<.2	<.5	<.25	NA	NA
outside faucet	1/9/2008	<.2	<.5	<.2	<.5	<.2	<.2	<.2	<.5	<.25	NA	NA
outside faucet	7/29/2008	<.2	<.5	<.2	<.5	<.2	<.2	<.2	<.5	<.25	NA	NA
outside faucet	8/29/2012	<.39	<.41	<.42	<1.3	<.43	<.4	<.43	<.38	<.4	NA	NA
outside faucet	8/8/2014	<.4	<.39	<.39	<1.2	<.42	<.42	<.42	<.48	<.42	NA	NA
outside faucet	11/18/2014	<.4	<.39	<.39	<1.2	<.42	<.42	<.42	<.48	<.42	NA	NA
outside faucet	9/9/2015	<.4	<.39	<.39	<1.2	<.42	<.42	<.42	<.48	<.42	NA	NA
outside faucet	12/9/2015	<.4	<.39	<.39	<1.2	<.42	<.42	<.42	<.48	<.42	NA	NA
outside faucet	3/31/2016	<.4	<.39	<.39	<1.2	<.42	<.42	<.42	<.48	<.42	NA	NA
outside faucet	6/21/2016	<.4	<.39	<.39	<1.2	<.42	<.42	<.42	<.48	<.42	NA	NA
grab sample	5/23/2019	<.25	<.22	<.17	<.71	<.84	<.87	<1.71	<1.2	<1.2	NA	NA
grab sample	11/16/2019	<.042	<.064	<.028	<.142	NA	NA	NA	<.9	<.171	<.044	<.071
Krizan (W16653 CTH M) Replacement Well (XY380) - Installed October 2016 - sample outside faucet												
	10/7/2016	<.5	<.5	<.5	<1	<.5	<.5	<1	<.17	<2.5	<.18	<i>.6J</i>
	10/8/2016	<.5	<.5	<.5	<1	<.5	<.5	<1	<.17	<2.5	NA	NA
	1/24/2017	<.4	<.39	<.39	<1.2	<.42	<.42	<.42	<.48	<.42	NA	NA
	4/28/2017	<.4	<.39	<.39	<1.2	<.42	<.42	<.42	<.48	<.42	NA	NA
	7/19/2017	<.4	<.39	<.39	<1.2	<.42	<.42	<.42	<.48	<.42	NA	NA
	10/30/2017	<.4	<.39	<.39	<1.2	<.42	<.42	<.42	<.48	<.42	NA	NA
	3/29/2018	<.4	<.39	<.39	<1.2	<.42	<.42	<.42	<.48	<.42	NA	NA
	6/22/2018	<.31	<.33	<.49	<.97	<.34	<.33	<.67	<.32	<.51	NA	NA
	9/26/2018	<.31	<.33	<.49	<.97	<.34	<.33	<.67	<.32	<.51	NA	NA
	12/5/2018	<.31	<.33	<.49	<.97	<.34	<.33	<.67	<.32	<.51	NA	NA
	5/23/2019	<.12	<.11	<.078	<.3	<.23	<.15	<.38	<.17	<.18	<.17	<.13
	8/28/2019	<.25	<.22	<.17	<.71	<.84	<.87	<1.71	<1.2	<1.2	NA	NA
	11/16/2019	<.042	<.064	<.028	<.142	NA	NA	NA	<.9	<.171	<.044	<.071
Pig Farm well												
	8/8/2014	<.4	<.39	<.39	<1.2	<.42	<.42	<.42	<.48	<.42	NA	NA
	11/18/2014	<.4	<.39	<.39	<1.2	<.42	<.42	<.42	<.48	<.42	NA	NA
(yield test)	2/16/2016	<.4	<.39	<.39	<1.2	<.42	<.42	<.42	<.48	<.42	NA	NA
	5/23/2019	<.25	<.22	<.17	<.71	<.84	<.87	<1.71	<1.2	<1.2	NA	NA
	11/16/2019	<.042	<.064	<.028	<.142	NA	NA	NA	<.9	<.171	<.044	<.071
Old Church Well												
	8/29/2012	<.39	<.41	<.42	<1.3	<.43	<.4	<.43	<.38	<.4	NA	NA
(yield test)	2/16/2016	<.4	<.39	.98J	<1.2	<.42	<.42	<.42	<.48	<.42	NA	NA
Town Hall well (outside faucet)												
	10/26/2012	<.39	<.41	<.42	<1.3	<.43	<.4	<.43	<.38	<.4	NA	NA
(yield test)	2/16/2016	<.4	<.39	<.39	<1.2	<.42	<.42	<.42	<.48	<.42	NA	NA
	5/23/2019	<.12	<.11	<.078	<.3	<.23	<.15	<.38	<.17	<.18	<.17	<.13
	8/28/2019	<.25	<.22	<.17	<.71	<.84	<.87	<1.71	<1.2	<1.2	NA	NA
	11/16/2019	<.042	<.064	<.028	<.142	NA	NA	NA	<.9	<.171	<.044	3
	12/9/2019	<.23	<.22	<.22	<.68	<.21	<.22	<.43	<.29	<.23	<.26	1.3
	1/6/2020	<.066	<.054	<.066	<.12	<.052	<.054	<.106	<.077	<.076	<.03	<.17

12 **BOLD** - Concentration exceeds NR140 Enforcement Standard (ES)
12 *Italic* - Concentration exceeds NR140 Preventative Action Limit (PAL)

Table 1: Ground Water Analytical

Webster Pig Farm

Well	Date	Benzene	Ethyl Benzene	Toluene	Total Xylenes	1,2,4 - TMB	1,3,5 - TMB	Total TMBs	MTBE	Naphthalene	EDB	1,2 DCA
NR140 ES		5	700	800	2000	-	-	480	60	100	0.05	5
NR140 PAL		<i>0.5</i>	<i>140</i>	<i>160</i>	<i>400</i>			<i>96</i>	<i>12</i>	<i>10</i>	<i>0.005</i>	<i>0.5</i>
Units		<i>ug/l</i>	<i>ug/l</i>	<i>ug/l</i>	<i>ug/l</i>	<i>ug/l</i>	<i>ug/l</i>	<i>ug/l</i>	<i>ug/l</i>	<i>ug/l</i>	<i>ug/l</i>	<i>ug/l</i>
T-1	Installed 10/18/12											
	10/26/2012	6.1	322	<2.1	1130	654	205	859	18.4	168	NA	NA
	Abandoned 8/4/14 due to excavation											
T-2	Installed 10/18/12											
	10/26/2012	2990	1740	5820	6950	875	257	1132	38	349	NA	NA
	Abandoned 8/4/14 due to excavation											
T-3	Installed 10/18/12											
	10/26/2012	10.2	<.41	1.6	<1.3	<.43	0.85	0.85	<.38	4	NA	NA

12 **BOLD** - Concentration exceeds NR140 Enforcement Standard (ES)
 12 *Italic* - Concentration exceeds NR140 Preventative Action Limit (PAL)

December 02, 2019

Kenneth Shimko
Meridian Environmental Consulting, LLC
2711 North Elco Rd
Fall Creek, WI 54742

RE: Project: WEBSTER PIG FARM
Pace Project No.: 40199410

Dear Kenneth Shimko:

Enclosed are the analytical results for sample(s) received by the laboratory on November 19, 2019. The results relate only to the samples included in this report. Results reported herein conform to the most current, applicable TNI/NELAC standards and the laboratory's Quality Assurance Manual, where applicable, unless otherwise noted in the body of the report.

Some analyses have been subcontracted outside of the Pace Network. The subcontracted laboratory report has been attached.

If you have any questions concerning this report, please feel free to contact me.

Sincerely,



Brian Basten
brian.basten@pacelabs.com
(920)469-2436
Project Manager

Enclosures



REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

CERTIFICATIONS

Project: WEBSTER PIG FARM

Pace Project No.: 40199410

Pace Analytical Services Green Bay

1241 Bellevue Street, Green Bay, WI 54302

Florida/NELAP Certification #: E87948

Illinois Certification #: 200050

Kentucky UST Certification #: 82

Louisiana Certification #: 04168

Minnesota Certification #: 055-999-334

New York Certification #: 12064

North Dakota Certification #: R-150

Virginia VELAP ID: 460263

South Carolina Certification #: 83006001

Texas Certification #: T104704529-14-1

Wisconsin Certification #: 405132750

Wisconsin DATCP Certification #: 105-444

USDA Soil Permit #: P330-16-00157

Federal Fish & Wildlife Permit #: LE51774A-0

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

SAMPLE SUMMARY

Project: WEBSTER PIG FARM
Pace Project No.: 40199410

Lab ID	Sample ID	Matrix	Date Collected	Date Received
40199410001	OLD WELL	Water	11/16/19 00:00	11/19/19 09:10
40199410002	TOWER HALL	Water	11/16/19 00:00	11/19/19 09:10
40199410003	PIG FARM	Water	11/16/19 00:00	11/19/19 09:10
40199410004	HOUSE	Water	11/16/19 00:00	11/19/19 09:10
40199410005	P-100	Water	11/16/19 00:00	11/19/19 09:10
40199410006	M200	Water	11/16/19 00:00	11/19/19 09:10
40199410007	P200	Water	11/16/19 00:00	11/19/19 09:10
40199410008	M300	Water	11/16/19 00:00	11/19/19 09:10
40199410009	P300	Water	11/16/19 00:00	11/19/19 09:10
40199410010	M400	Water	11/16/19 00:00	11/19/19 09:10
40199410011	P400	Water	11/16/19 00:00	11/19/19 09:10
40199410012	M500	Water	11/16/19 00:00	11/19/19 09:10
40199410013	M600	Water	11/16/19 00:00	11/19/19 09:10
40199410014	P600	Water	11/16/19 00:00	11/19/19 09:10
40199410015	M700	Water	11/16/19 00:00	11/19/19 09:10
40199410016	P700	Water	11/16/19 00:00	11/19/19 09:10
40199410017	M900	Water	11/16/19 00:00	11/19/19 09:10
40199410018	P900	Water	11/16/19 00:00	11/19/19 09:10
40199410019	10A	Water	11/16/19 00:00	11/19/19 09:10
40199410020	10B	Water	11/16/19 00:00	11/19/19 09:10
40199410021	11A	Water	11/16/19 00:00	11/19/19 09:10
40199410022	11B	Water	11/16/19 00:00	11/19/19 09:10
40199410023	12A	Water	11/16/19 00:00	11/19/19 09:10
40199410024	12B	Water	11/16/19 00:00	11/19/19 09:10
40199410025	TRIP BLANK	Water	11/16/19 00:00	11/19/19 09:10

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

SAMPLE ANALYTE COUNT

Project: WEBSTER PIG FARM
Pace Project No.: 40199410

Lab ID	Sample ID	Method	Analysts	Analytes Reported	Laboratory
40199410005	P-100	EPA 8260	LAP	12	PASI-G
40199410006	M200	EPA 8260	LAP	12	PASI-G
40199410007	P200	EPA 8260	LAP	12	PASI-G
40199410008	M300	EPA 8260	LAP	12	PASI-G
40199410009	P300	EPA 8260	LAP	12	PASI-G
40199410010	M400	EPA 8260	LAP	12	PASI-G
40199410011	P400	EPA 8260	LAP	12	PASI-G
40199410012	M500	EPA 8260	LAP	12	PASI-G
40199410013	M600	EPA 8260	LAP	12	PASI-G
40199410014	P600	EPA 8260	LAP	12	PASI-G
40199410015	M700	EPA 8260	LAP	12	PASI-G
40199410016	P700	EPA 8260	LAP	12	PASI-G
40199410017	M900	EPA 8260	LAP	12	PASI-G
40199410018	P900	EPA 8260	LAP	12	PASI-G
40199410019	10A	EPA 8260	LAP	12	PASI-G
40199410020	10B	EPA 8260	LAP	12	PASI-G
40199410021	11A	EPA 8260	LAP	12	PASI-G
40199410022	11B	EPA 8260	LAP	12	PASI-G
40199410023	12A	EPA 8260	LAP	12	PASI-G
40199410024	12B	EPA 8260	LAP	12	PASI-G
40199410025	TRIP BLANK	EPA 8260	HNW	12	PASI-G

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

PROJECT NARRATIVE

Project: WEBSTER PIG FARM

Pace Project No.: 40199410

Method: EPA 8260

Description: 8260 MSV UST

Client: Meridian Environmental Consulting, LLC

Date: December 02, 2019

General Information:

21 samples were analyzed for EPA 8260. All samples were received in acceptable condition with any exceptions noted below or on the chain-of custody and/or the sample condition upon receipt form (SCUR) attached at the end of this report.

Hold Time:

The samples were analyzed within the method required hold times with any exceptions noted below.

Initial Calibrations (including MS Tune as applicable):

All criteria were within method requirements with any exceptions noted below.

Continuing Calibration:

All criteria were within method requirements with any exceptions noted below.

Internal Standards:

All internal standards were within QC limits with any exceptions noted below.

Surrogates:

All surrogates were within QC limits with any exceptions noted below.

Method Blank:

All analytes were below the report limit in the method blank, where applicable, with any exceptions noted below.

Laboratory Control Spike:

All laboratory control spike compounds were within QC limits with any exceptions noted below.

Matrix Spikes:

All percent recoveries and relative percent differences (RPDs) were within acceptance criteria with any exceptions noted below.

Additional Comments:

Analyte Comments:

QC Batch: 341245

D3: Sample was diluted due to the presence of high levels of non-target analytes or other matrix interference.

- P600 (Lab ID: 40199410014)
- Dibromofluoromethane (S)

This data package has been reviewed for quality and completeness and is approved for release.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: WEBSTER PIG FARM

Pace Project No.: 40199410

Sample: P-100 **Lab ID: 40199410005** Collected: 11/16/19 00:00 Received: 11/19/19 09:10 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV UST Analytical Method: EPA 8260									
Benzene	2520	ug/L	20.0	4.9	20		11/22/19 09:59	71-43-2	
Ethylbenzene	13.4J	ug/L	20.0	4.4	20		11/22/19 09:59	100-41-4	
Methyl-tert-butyl ether	<24.9	ug/L	83.1	24.9	20		11/22/19 09:59	1634-04-4	
Naphthalene	45.5J	ug/L	100	23.5	20		11/22/19 09:59	91-20-3	
Toluene	66.6J	ug/L	100	3.4	20		11/22/19 09:59	108-88-3	
1,2,4-Trimethylbenzene	<16.8	ug/L	56.0	16.8	20		11/22/19 09:59	95-63-6	
1,3,5-Trimethylbenzene	<17.5	ug/L	58.2	17.5	20		11/22/19 09:59	108-67-8	
m&p-Xylene	50.4	ug/L	40.0	9.3	20		11/22/19 09:59	179601-23-1	
o-Xylene	5.9J	ug/L	20.0	5.2	20		11/22/19 09:59	95-47-6	
Surrogates									
Dibromofluoromethane (S)	108	%	70-130		20		11/22/19 09:59	1868-53-7	
Toluene-d8 (S)	110	%	70-130		20		11/22/19 09:59	2037-26-5	
4-Bromofluorobenzene (S)	105	%	70-130		20		11/22/19 09:59	460-00-4	

Sample: M200 **Lab ID: 40199410006** Collected: 11/16/19 00:00 Received: 11/19/19 09:10 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV UST Analytical Method: EPA 8260									
Benzene	<0.25	ug/L	1.0	0.25	1		11/21/19 13:55	71-43-2	
Ethylbenzene	<0.22	ug/L	1.0	0.22	1		11/21/19 13:55	100-41-4	
Methyl-tert-butyl ether	<1.2	ug/L	4.2	1.2	1		11/21/19 13:55	1634-04-4	
Naphthalene	<1.2	ug/L	5.0	1.2	1		11/21/19 13:55	91-20-3	
Toluene	<0.17	ug/L	5.0	0.17	1		11/21/19 13:55	108-88-3	
1,2,4-Trimethylbenzene	<0.84	ug/L	2.8	0.84	1		11/21/19 13:55	95-63-6	
1,3,5-Trimethylbenzene	<0.87	ug/L	2.9	0.87	1		11/21/19 13:55	108-67-8	
m&p-Xylene	<0.47	ug/L	2.0	0.47	1		11/21/19 13:55	179601-23-1	
o-Xylene	<0.26	ug/L	1.0	0.26	1		11/21/19 13:55	95-47-6	
Surrogates									
Dibromofluoromethane (S)	106	%	70-130		1		11/21/19 13:55	1868-53-7	
Toluene-d8 (S)	97	%	70-130		1		11/21/19 13:55	2037-26-5	
4-Bromofluorobenzene (S)	93	%	70-130		1		11/21/19 13:55	460-00-4	

Sample: P200 **Lab ID: 40199410007** Collected: 11/16/19 00:00 Received: 11/19/19 09:10 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV UST Analytical Method: EPA 8260									
Benzene	<0.25	ug/L	1.0	0.25	1		11/21/19 14:19	71-43-2	
Ethylbenzene	<0.22	ug/L	1.0	0.22	1		11/21/19 14:19	100-41-4	
Methyl-tert-butyl ether	<1.2	ug/L	4.2	1.2	1		11/21/19 14:19	1634-04-4	
Naphthalene	<1.2	ug/L	5.0	1.2	1		11/21/19 14:19	91-20-3	
Toluene	<0.17	ug/L	5.0	0.17	1		11/21/19 14:19	108-88-3	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: WEBSTER PIG FARM

Pace Project No.: 40199410

Sample: P200 Lab ID: 40199410007 Collected: 11/16/19 00:00 Received: 11/19/19 09:10 Matrix: Water									
Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV UST Analytical Method: EPA 8260									
1,2,4-Trimethylbenzene	<0.84	ug/L	2.8	0.84	1		11/21/19 14:19	95-63-6	
1,3,5-Trimethylbenzene	<0.87	ug/L	2.9	0.87	1		11/21/19 14:19	108-67-8	
m&p-Xylene	<0.47	ug/L	2.0	0.47	1		11/21/19 14:19	179601-23-1	
o-Xylene	<0.26	ug/L	1.0	0.26	1		11/21/19 14:19	95-47-6	
Surrogates									
Dibromofluoromethane (S)	105	%	70-130		1		11/21/19 14:19	1868-53-7	HS
Toluene-d8 (S)	97	%	70-130		1		11/21/19 14:19	2037-26-5	
4-Bromofluorobenzene (S)	90	%	70-130		1		11/21/19 14:19	460-00-4	

Sample: M300 Lab ID: 40199410008 Collected: 11/16/19 00:00 Received: 11/19/19 09:10 Matrix: Water									
Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV UST Analytical Method: EPA 8260									
Benzene	<0.25	ug/L	1.0	0.25	1		11/21/19 14:42	71-43-2	
Ethylbenzene	<0.22	ug/L	1.0	0.22	1		11/21/19 14:42	100-41-4	
Methyl-tert-butyl ether	<1.2	ug/L	4.2	1.2	1		11/21/19 14:42	1634-04-4	
Naphthalene	<1.2	ug/L	5.0	1.2	1		11/21/19 14:42	91-20-3	
Toluene	<0.17	ug/L	5.0	0.17	1		11/21/19 14:42	108-88-3	
1,2,4-Trimethylbenzene	<0.84	ug/L	2.8	0.84	1		11/21/19 14:42	95-63-6	
1,3,5-Trimethylbenzene	<0.87	ug/L	2.9	0.87	1		11/21/19 14:42	108-67-8	
m&p-Xylene	<0.47	ug/L	2.0	0.47	1		11/21/19 14:42	179601-23-1	
o-Xylene	<0.26	ug/L	1.0	0.26	1		11/21/19 14:42	95-47-6	
Surrogates									
Dibromofluoromethane (S)	105	%	70-130		1		11/21/19 14:42	1868-53-7	
Toluene-d8 (S)	99	%	70-130		1		11/21/19 14:42	2037-26-5	
4-Bromofluorobenzene (S)	94	%	70-130		1		11/21/19 14:42	460-00-4	

Sample: P300 Lab ID: 40199410009 Collected: 11/16/19 00:00 Received: 11/19/19 09:10 Matrix: Water									
Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV UST Analytical Method: EPA 8260									
Benzene	<0.25	ug/L	1.0	0.25	1		11/21/19 15:06	71-43-2	
Ethylbenzene	<0.22	ug/L	1.0	0.22	1		11/21/19 15:06	100-41-4	
Methyl-tert-butyl ether	<1.2	ug/L	4.2	1.2	1		11/21/19 15:06	1634-04-4	
Naphthalene	<1.2	ug/L	5.0	1.2	1		11/21/19 15:06	91-20-3	
Toluene	<0.17	ug/L	5.0	0.17	1		11/21/19 15:06	108-88-3	
1,2,4-Trimethylbenzene	<0.84	ug/L	2.8	0.84	1		11/21/19 15:06	95-63-6	
1,3,5-Trimethylbenzene	<0.87	ug/L	2.9	0.87	1		11/21/19 15:06	108-67-8	
m&p-Xylene	<0.47	ug/L	2.0	0.47	1		11/21/19 15:06	179601-23-1	
o-Xylene	<0.26	ug/L	1.0	0.26	1		11/21/19 15:06	95-47-6	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: WEBSTER PIG FARM

Pace Project No.: 40199410

Sample: P300 Lab ID: 40199410009 Collected: 11/16/19 00:00 Received: 11/19/19 09:10 Matrix: Water									
Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV UST Analytical Method: EPA 8260									
<i>Surrogates</i>									
Dibromofluoromethane (S)	107	%	70-130		1		11/21/19 15:06	1868-53-7	HS
Toluene-d8 (S)	98	%	70-130		1		11/21/19 15:06	2037-26-5	
4-Bromofluorobenzene (S)	95	%	70-130		1		11/21/19 15:06	460-00-4	

Sample: M400 Lab ID: 40199410010 Collected: 11/16/19 00:00 Received: 11/19/19 09:10 Matrix: Water									
Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV UST Analytical Method: EPA 8260									
Benzene	<0.25	ug/L	1.0	0.25	1		11/21/19 09:11	71-43-2	
Ethylbenzene	<0.22	ug/L	1.0	0.22	1		11/21/19 09:11	100-41-4	
Methyl-tert-butyl ether	<1.2	ug/L	4.2	1.2	1		11/21/19 09:11	1634-04-4	
Naphthalene	<1.2	ug/L	5.0	1.2	1		11/21/19 09:11	91-20-3	
Toluene	<0.17	ug/L	5.0	0.17	1		11/21/19 09:11	108-88-3	
1,2,4-Trimethylbenzene	<0.84	ug/L	2.8	0.84	1		11/21/19 09:11	95-63-6	
1,3,5-Trimethylbenzene	<0.87	ug/L	2.9	0.87	1		11/21/19 09:11	108-67-8	
m&p-Xylene	<0.47	ug/L	2.0	0.47	1		11/21/19 09:11	179601-23-1	
o-Xylene	<0.26	ug/L	1.0	0.26	1		11/21/19 09:11	95-47-6	
<i>Surrogates</i>									
Dibromofluoromethane (S)	104	%	70-130		1		11/21/19 09:11	1868-53-7	
Toluene-d8 (S)	98	%	70-130		1		11/21/19 09:11	2037-26-5	
4-Bromofluorobenzene (S)	95	%	70-130		1		11/21/19 09:11	460-00-4	

Sample: P400 Lab ID: 40199410011 Collected: 11/16/19 00:00 Received: 11/19/19 09:10 Matrix: Water									
Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV UST Analytical Method: EPA 8260									
Benzene	<0.25	ug/L	1.0	0.25	1		11/21/19 15:29	71-43-2	
Ethylbenzene	<0.22	ug/L	1.0	0.22	1		11/21/19 15:29	100-41-4	
Methyl-tert-butyl ether	<1.2	ug/L	4.2	1.2	1		11/21/19 15:29	1634-04-4	
Naphthalene	<1.2	ug/L	5.0	1.2	1		11/21/19 15:29	91-20-3	
Toluene	<0.17	ug/L	5.0	0.17	1		11/21/19 15:29	108-88-3	
1,2,4-Trimethylbenzene	<0.84	ug/L	2.8	0.84	1		11/21/19 15:29	95-63-6	
1,3,5-Trimethylbenzene	<0.87	ug/L	2.9	0.87	1		11/21/19 15:29	108-67-8	
m&p-Xylene	<0.47	ug/L	2.0	0.47	1		11/21/19 15:29	179601-23-1	
o-Xylene	<0.26	ug/L	1.0	0.26	1		11/21/19 15:29	95-47-6	
<i>Surrogates</i>									
Dibromofluoromethane (S)	110	%	70-130		1		11/21/19 15:29	1868-53-7	HS
Toluene-d8 (S)	96	%	70-130		1		11/21/19 15:29	2037-26-5	
4-Bromofluorobenzene (S)	92	%	70-130		1		11/21/19 15:29	460-00-4	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: WEBSTER PIG FARM

Pace Project No.: 40199410

Sample: M500 **Lab ID: 40199410012** Collected: 11/16/19 00:00 Received: 11/19/19 09:10 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV UST Analytical Method: EPA 8260									
Benzene	<0.25	ug/L	1.0	0.25	1		11/22/19 08:48	71-43-2	
Ethylbenzene	<0.22	ug/L	1.0	0.22	1		11/22/19 08:48	100-41-4	
Methyl-tert-butyl ether	<1.2	ug/L	4.2	1.2	1		11/22/19 08:48	1634-04-4	
Naphthalene	<1.2	ug/L	5.0	1.2	1		11/22/19 08:48	91-20-3	
Toluene	<0.17	ug/L	5.0	0.17	1		11/22/19 08:48	108-88-3	
1,2,4-Trimethylbenzene	<0.84	ug/L	2.8	0.84	1		11/22/19 08:48	95-63-6	
1,3,5-Trimethylbenzene	<0.87	ug/L	2.9	0.87	1		11/22/19 08:48	108-67-8	
m&p-Xylene	<0.47	ug/L	2.0	0.47	1		11/22/19 08:48	179601-23-1	
o-Xylene	<0.26	ug/L	1.0	0.26	1		11/22/19 08:48	95-47-6	
Surrogates									
Dibromofluoromethane (S)	109	%	70-130		1		11/22/19 08:48	1868-53-7	
Toluene-d8 (S)	109	%	70-130		1		11/22/19 08:48	2037-26-5	
4-Bromofluorobenzene (S)	104	%	70-130		1		11/22/19 08:48	460-00-4	

Sample: M600 **Lab ID: 40199410013** Collected: 11/16/19 00:00 Received: 11/19/19 09:10 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV UST Analytical Method: EPA 8260									
Benzene	1.2	ug/L	1.0	0.25	1		11/21/19 09:35	71-43-2	
Ethylbenzene	58.8	ug/L	1.0	0.22	1		11/21/19 09:35	100-41-4	
Methyl-tert-butyl ether	<1.2	ug/L	4.2	1.2	1		11/21/19 09:35	1634-04-4	
Naphthalene	232	ug/L	5.0	1.2	1		11/21/19 09:35	91-20-3	
Toluene	25.1	ug/L	5.0	0.17	1		11/21/19 09:35	108-88-3	
1,2,4-Trimethylbenzene	65.7	ug/L	2.8	0.84	1		11/21/19 09:35	95-63-6	
1,3,5-Trimethylbenzene	119	ug/L	2.9	0.87	1		11/21/19 09:35	108-67-8	
m&p-Xylene	427	ug/L	2.0	0.47	1		11/21/19 09:35	179601-23-1	
o-Xylene	4.7	ug/L	1.0	0.26	1		11/21/19 09:35	95-47-6	
Surrogates									
Dibromofluoromethane (S)	101	%	70-130		1		11/21/19 09:35	1868-53-7	
Toluene-d8 (S)	99	%	70-130		1		11/21/19 09:35	2037-26-5	
4-Bromofluorobenzene (S)	101	%	70-130		1		11/21/19 09:35	460-00-4	

Sample: P600 **Lab ID: 40199410014** Collected: 11/16/19 00:00 Received: 11/19/19 09:10 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV UST Analytical Method: EPA 8260									
Benzene	67.6	ug/L	10.0	2.5	10		11/21/19 10:22	71-43-2	
Ethylbenzene	49.5	ug/L	10.0	2.2	10		11/21/19 10:22	100-41-4	
Methyl-tert-butyl ether	<12.5	ug/L	41.5	12.5	10		11/21/19 10:22	1634-04-4	
Naphthalene	180	ug/L	50.0	11.8	10		11/21/19 10:22	91-20-3	
Toluene	15.1J	ug/L	50.0	1.7	10		11/21/19 10:22	108-88-3	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: WEBSTER PIG FARM

Pace Project No.: 40199410

Sample: P600 Lab ID: 40199410014 Collected: 11/16/19 00:00 Received: 11/19/19 09:10 Matrix: Water									
Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV UST Analytical Method: EPA 8260									
1,2,4-Trimethylbenzene	<8.4	ug/L	28.0	8.4	10		11/21/19 10:22	95-63-6	
1,3,5-Trimethylbenzene	49.9	ug/L	29.1	8.7	10		11/21/19 10:22	108-67-8	
m&p-Xylene	44.8	ug/L	20.0	4.7	10		11/21/19 10:22	179601-23-1	
o-Xylene	8.0J	ug/L	10.0	2.6	10		11/21/19 10:22	95-47-6	
Surrogates									
Dibromofluoromethane (S)	101	%	70-130		10		11/21/19 10:22	1868-53-7	D3,HS
Toluene-d8 (S)	99	%	70-130		10		11/21/19 10:22	2037-26-5	
4-Bromofluorobenzene (S)	94	%	70-130		10		11/21/19 10:22	460-00-4	

Sample: M700 Lab ID: 40199410015 Collected: 11/16/19 00:00 Received: 11/19/19 09:10 Matrix: Water									
Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV UST Analytical Method: EPA 8260									
Benzene	<0.25	ug/L	1.0	0.25	1		11/21/19 10:46	71-43-2	
Ethylbenzene	<0.22	ug/L	1.0	0.22	1		11/21/19 10:46	100-41-4	
Methyl-tert-butyl ether	<1.2	ug/L	4.2	1.2	1		11/21/19 10:46	1634-04-4	
Naphthalene	<1.2	ug/L	5.0	1.2	1		11/21/19 10:46	91-20-3	
Toluene	<0.17	ug/L	5.0	0.17	1		11/21/19 10:46	108-88-3	
1,2,4-Trimethylbenzene	<0.84	ug/L	2.8	0.84	1		11/21/19 10:46	95-63-6	
1,3,5-Trimethylbenzene	<0.87	ug/L	2.9	0.87	1		11/21/19 10:46	108-67-8	
m&p-Xylene	<0.47	ug/L	2.0	0.47	1		11/21/19 10:46	179601-23-1	
o-Xylene	<0.26	ug/L	1.0	0.26	1		11/21/19 10:46	95-47-6	
Surrogates									
Dibromofluoromethane (S)	102	%	70-130		1		11/21/19 10:46	1868-53-7	
Toluene-d8 (S)	98	%	70-130		1		11/21/19 10:46	2037-26-5	
4-Bromofluorobenzene (S)	96	%	70-130		1		11/21/19 10:46	460-00-4	

Sample: P700 Lab ID: 40199410016 Collected: 11/16/19 00:00 Received: 11/19/19 09:10 Matrix: Water									
Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV UST Analytical Method: EPA 8260									
Benzene	<0.25	ug/L	1.0	0.25	1		11/21/19 11:09	71-43-2	
Ethylbenzene	<0.22	ug/L	1.0	0.22	1		11/21/19 11:09	100-41-4	
Methyl-tert-butyl ether	<1.2	ug/L	4.2	1.2	1		11/21/19 11:09	1634-04-4	
Naphthalene	<1.2	ug/L	5.0	1.2	1		11/21/19 11:09	91-20-3	
Toluene	<0.17	ug/L	5.0	0.17	1		11/21/19 11:09	108-88-3	
1,2,4-Trimethylbenzene	<0.84	ug/L	2.8	0.84	1		11/21/19 11:09	95-63-6	
1,3,5-Trimethylbenzene	<0.87	ug/L	2.9	0.87	1		11/21/19 11:09	108-67-8	
m&p-Xylene	<0.47	ug/L	2.0	0.47	1		11/21/19 11:09	179601-23-1	
o-Xylene	<0.26	ug/L	1.0	0.26	1		11/21/19 11:09	95-47-6	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: WEBSTER PIG FARM

Pace Project No.: 40199410

Sample: P700 Lab ID: 40199410016 Collected: 11/16/19 00:00 Received: 11/19/19 09:10 Matrix: Water									
Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV UST Analytical Method: EPA 8260									
<i>Surrogates</i>									
Dibromofluoromethane (S)	104	%	70-130		1		11/21/19 11:09	1868-53-7	
Toluene-d8 (S)	95	%	70-130		1		11/21/19 11:09	2037-26-5	
4-Bromofluorobenzene (S)	96	%	70-130		1		11/21/19 11:09	460-00-4	

Sample: M900 Lab ID: 40199410017 Collected: 11/16/19 00:00 Received: 11/19/19 09:10 Matrix: Water									
Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV UST Analytical Method: EPA 8260									
<i>Surrogates</i>									
Benzene	<0.25	ug/L	1.0	0.25	1		11/22/19 09:12	71-43-2	
Ethylbenzene	<0.22	ug/L	1.0	0.22	1		11/22/19 09:12	100-41-4	
Methyl-tert-butyl ether	<1.2	ug/L	4.2	1.2	1		11/22/19 09:12	1634-04-4	
Naphthalene	<1.2	ug/L	5.0	1.2	1		11/22/19 09:12	91-20-3	
Toluene	<0.17	ug/L	5.0	0.17	1		11/22/19 09:12	108-88-3	
1,2,4-Trimethylbenzene	<0.84	ug/L	2.8	0.84	1		11/22/19 09:12	95-63-6	
1,3,5-Trimethylbenzene	<0.87	ug/L	2.9	0.87	1		11/22/19 09:12	108-67-8	
m&p-Xylene	<0.47	ug/L	2.0	0.47	1		11/22/19 09:12	179601-23-1	
o-Xylene	<0.26	ug/L	1.0	0.26	1		11/22/19 09:12	95-47-6	
<i>Surrogates</i>									
Dibromofluoromethane (S)	115	%	70-130		1		11/22/19 09:12	1868-53-7	
Toluene-d8 (S)	113	%	70-130		1		11/22/19 09:12	2037-26-5	
4-Bromofluorobenzene (S)	107	%	70-130		1		11/22/19 09:12	460-00-4	

Sample: P900 Lab ID: 40199410018 Collected: 11/16/19 00:00 Received: 11/19/19 09:10 Matrix: Water									
Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV UST Analytical Method: EPA 8260									
<i>Surrogates</i>									
Benzene	<0.25	ug/L	1.0	0.25	1		11/22/19 09:35	71-43-2	
Ethylbenzene	<0.22	ug/L	1.0	0.22	1		11/22/19 09:35	100-41-4	
Methyl-tert-butyl ether	<1.2	ug/L	4.2	1.2	1		11/22/19 09:35	1634-04-4	
Naphthalene	<1.2	ug/L	5.0	1.2	1		11/22/19 09:35	91-20-3	
Toluene	<0.17	ug/L	5.0	0.17	1		11/22/19 09:35	108-88-3	
1,2,4-Trimethylbenzene	<0.84	ug/L	2.8	0.84	1		11/22/19 09:35	95-63-6	
1,3,5-Trimethylbenzene	<0.87	ug/L	2.9	0.87	1		11/22/19 09:35	108-67-8	
m&p-Xylene	<0.47	ug/L	2.0	0.47	1		11/22/19 09:35	179601-23-1	
o-Xylene	<0.26	ug/L	1.0	0.26	1		11/22/19 09:35	95-47-6	
<i>Surrogates</i>									
Dibromofluoromethane (S)	107	%	70-130		1		11/22/19 09:35	1868-53-7	
Toluene-d8 (S)	111	%	70-130		1		11/22/19 09:35	2037-26-5	
4-Bromofluorobenzene (S)	104	%	70-130		1		11/22/19 09:35	460-00-4	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: WEBSTER PIG FARM

Pace Project No.: 40199410

Sample: 10A									
Lab ID: 40199410019 Collected: 11/16/19 00:00 Received: 11/19/19 09:10 Matrix: Water									
Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV UST Analytical Method: EPA 8260									
Benzene	<0.25	ug/L	1.0	0.25	1		11/21/19 11:33	71-43-2	
Ethylbenzene	<0.22	ug/L	1.0	0.22	1		11/21/19 11:33	100-41-4	
Methyl-tert-butyl ether	<1.2	ug/L	4.2	1.2	1		11/21/19 11:33	1634-04-4	
Naphthalene	<1.2	ug/L	5.0	1.2	1		11/21/19 11:33	91-20-3	
Toluene	<0.17	ug/L	5.0	0.17	1		11/21/19 11:33	108-88-3	
1,2,4-Trimethylbenzene	<0.84	ug/L	2.8	0.84	1		11/21/19 11:33	95-63-6	
1,3,5-Trimethylbenzene	<0.87	ug/L	2.9	0.87	1		11/21/19 11:33	108-67-8	
m&p-Xylene	<0.47	ug/L	2.0	0.47	1		11/21/19 11:33	179601-23-1	
o-Xylene	<0.26	ug/L	1.0	0.26	1		11/21/19 11:33	95-47-6	
Surrogates									
Dibromofluoromethane (S)	105	%	70-130		1		11/21/19 11:33	1868-53-7	
Toluene-d8 (S)	96	%	70-130		1		11/21/19 11:33	2037-26-5	
4-Bromofluorobenzene (S)	94	%	70-130		1		11/21/19 11:33	460-00-4	

Sample: 10B									
Lab ID: 40199410020 Collected: 11/16/19 00:00 Received: 11/19/19 09:10 Matrix: Water									
Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV UST Analytical Method: EPA 8260									
Benzene	<0.25	ug/L	1.0	0.25	1		11/21/19 11:57	71-43-2	
Ethylbenzene	<0.22	ug/L	1.0	0.22	1		11/21/19 11:57	100-41-4	
Methyl-tert-butyl ether	<1.2	ug/L	4.2	1.2	1		11/21/19 11:57	1634-04-4	
Naphthalene	<1.2	ug/L	5.0	1.2	1		11/21/19 11:57	91-20-3	
Toluene	<0.17	ug/L	5.0	0.17	1		11/21/19 11:57	108-88-3	
1,2,4-Trimethylbenzene	<0.84	ug/L	2.8	0.84	1		11/21/19 11:57	95-63-6	
1,3,5-Trimethylbenzene	<0.87	ug/L	2.9	0.87	1		11/21/19 11:57	108-67-8	
m&p-Xylene	<0.47	ug/L	2.0	0.47	1		11/21/19 11:57	179601-23-1	
o-Xylene	<0.26	ug/L	1.0	0.26	1		11/21/19 11:57	95-47-6	
Surrogates									
Dibromofluoromethane (S)	107	%	70-130		1		11/21/19 11:57	1868-53-7	
Toluene-d8 (S)	96	%	70-130		1		11/21/19 11:57	2037-26-5	
4-Bromofluorobenzene (S)	98	%	70-130		1		11/21/19 11:57	460-00-4	

Sample: 11A									
Lab ID: 40199410021 Collected: 11/16/19 00:00 Received: 11/19/19 09:10 Matrix: Water									
Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV UST Analytical Method: EPA 8260									
Benzene	<0.25	ug/L	1.0	0.25	1		11/21/19 12:21	71-43-2	
Ethylbenzene	<0.22	ug/L	1.0	0.22	1		11/21/19 12:21	100-41-4	
Methyl-tert-butyl ether	<1.2	ug/L	4.2	1.2	1		11/21/19 12:21	1634-04-4	
Naphthalene	<1.2	ug/L	5.0	1.2	1		11/21/19 12:21	91-20-3	
Toluene	<0.17	ug/L	5.0	0.17	1		11/21/19 12:21	108-88-3	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: WEBSTER PIG FARM
Pace Project No.: 40199410

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
Sample: 11A Lab ID: 40199410021 Collected: 11/16/19 00:00 Received: 11/19/19 09:10 Matrix: Water									
Analytical Method: EPA 8260									
1,2,4-Trimethylbenzene	<0.84	ug/L	2.8	0.84	1		11/21/19 12:21	95-63-6	
1,3,5-Trimethylbenzene	<0.87	ug/L	2.9	0.87	1		11/21/19 12:21	108-67-8	
m&p-Xylene	<0.47	ug/L	2.0	0.47	1		11/21/19 12:21	179601-23-1	
o-Xylene	<0.26	ug/L	1.0	0.26	1		11/21/19 12:21	95-47-6	
Surrogates									
Dibromofluoromethane (S)	103	%	70-130		1		11/21/19 12:21	1868-53-7	
Toluene-d8 (S)	98	%	70-130		1		11/21/19 12:21	2037-26-5	
4-Bromofluorobenzene (S)	95	%	70-130		1		11/21/19 12:21	460-00-4	

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
Sample: 11B Lab ID: 40199410022 Collected: 11/16/19 00:00 Received: 11/19/19 09:10 Matrix: Water									
Analytical Method: EPA 8260									
Benzene	<0.25	ug/L	1.0	0.25	1		11/21/19 12:44	71-43-2	
Ethylbenzene	<0.22	ug/L	1.0	0.22	1		11/21/19 12:44	100-41-4	
Methyl-tert-butyl ether	<1.2	ug/L	4.2	1.2	1		11/21/19 12:44	1634-04-4	
Naphthalene	<1.2	ug/L	5.0	1.2	1		11/21/19 12:44	91-20-3	
Toluene	<0.17	ug/L	5.0	0.17	1		11/21/19 12:44	108-88-3	
1,2,4-Trimethylbenzene	<0.84	ug/L	2.8	0.84	1		11/21/19 12:44	95-63-6	
1,3,5-Trimethylbenzene	<0.87	ug/L	2.9	0.87	1		11/21/19 12:44	108-67-8	
m&p-Xylene	<0.47	ug/L	2.0	0.47	1		11/21/19 12:44	179601-23-1	
o-Xylene	<0.26	ug/L	1.0	0.26	1		11/21/19 12:44	95-47-6	
Surrogates									
Dibromofluoromethane (S)	105	%	70-130		1		11/21/19 12:44	1868-53-7	HS
Toluene-d8 (S)	97	%	70-130		1		11/21/19 12:44	2037-26-5	
4-Bromofluorobenzene (S)	95	%	70-130		1		11/21/19 12:44	460-00-4	

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
Sample: 12A Lab ID: 40199410023 Collected: 11/16/19 00:00 Received: 11/19/19 09:10 Matrix: Water									
Analytical Method: EPA 8260									
Benzene	<0.25	ug/L	1.0	0.25	1		11/21/19 13:08	71-43-2	
Ethylbenzene	<0.22	ug/L	1.0	0.22	1		11/21/19 13:08	100-41-4	
Methyl-tert-butyl ether	<1.2	ug/L	4.2	1.2	1		11/21/19 13:08	1634-04-4	
Naphthalene	<1.2	ug/L	5.0	1.2	1		11/21/19 13:08	91-20-3	
Toluene	<0.17	ug/L	5.0	0.17	1		11/21/19 13:08	108-88-3	
1,2,4-Trimethylbenzene	<0.84	ug/L	2.8	0.84	1		11/21/19 13:08	95-63-6	
1,3,5-Trimethylbenzene	<0.87	ug/L	2.9	0.87	1		11/21/19 13:08	108-67-8	
m&p-Xylene	<0.47	ug/L	2.0	0.47	1		11/21/19 13:08	179601-23-1	
o-Xylene	<0.26	ug/L	1.0	0.26	1		11/21/19 13:08	95-47-6	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: WEBSTER PIG FARM
Pace Project No.: 40199410

Sample: 12A									
Lab ID: 40199410023									
Collected: 11/16/19 00:00									
Received: 11/19/19 09:10									
Matrix: Water									
Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV UST									
Analytical Method: EPA 8260									
<i>Surrogates</i>									
Dibromofluoromethane (S)	106	%	70-130		1		11/21/19 13:08	1868-53-7	
Toluene-d8 (S)	99	%	70-130		1		11/21/19 13:08	2037-26-5	
4-Bromofluorobenzene (S)	93	%	70-130		1		11/21/19 13:08	460-00-4	

Sample: 12B									
Lab ID: 40199410024									
Collected: 11/16/19 00:00									
Received: 11/19/19 09:10									
Matrix: Water									
Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV UST									
Analytical Method: EPA 8260									
Benzene	<0.25	ug/L	1.0	0.25	1		11/21/19 13:31	71-43-2	
Ethylbenzene	<0.22	ug/L	1.0	0.22	1		11/21/19 13:31	100-41-4	
Methyl-tert-butyl ether	<1.2	ug/L	4.2	1.2	1		11/21/19 13:31	1634-04-4	
Naphthalene	<1.2	ug/L	5.0	1.2	1		11/21/19 13:31	91-20-3	
Toluene	<0.17	ug/L	5.0	0.17	1		11/21/19 13:31	108-88-3	
1,2,4-Trimethylbenzene	<0.84	ug/L	2.8	0.84	1		11/21/19 13:31	95-63-6	
1,3,5-Trimethylbenzene	<0.87	ug/L	2.9	0.87	1		11/21/19 13:31	108-67-8	
m&p-Xylene	<0.47	ug/L	2.0	0.47	1		11/21/19 13:31	179601-23-1	
o-Xylene	<0.26	ug/L	1.0	0.26	1		11/21/19 13:31	95-47-6	
<i>Surrogates</i>									
Dibromofluoromethane (S)	111	%	70-130		1		11/21/19 13:31	1868-53-7	
Toluene-d8 (S)	98	%	70-130		1		11/21/19 13:31	2037-26-5	
4-Bromofluorobenzene (S)	92	%	70-130		1		11/21/19 13:31	460-00-4	

Sample: TRIP BLANK									
Lab ID: 40199410025									
Collected: 11/16/19 00:00									
Received: 11/19/19 09:10									
Matrix: Water									
Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV UST									
Analytical Method: EPA 8260									
Benzene	<0.25	ug/L	1.0	0.25	1		11/20/19 19:20	71-43-2	
Ethylbenzene	<0.22	ug/L	1.0	0.22	1		11/20/19 19:20	100-41-4	
Methyl-tert-butyl ether	<1.2	ug/L	4.2	1.2	1		11/20/19 19:20	1634-04-4	
Naphthalene	<1.2	ug/L	5.0	1.2	1		11/20/19 19:20	91-20-3	
Toluene	<0.17	ug/L	5.0	0.17	1		11/20/19 19:20	108-88-3	
1,2,4-Trimethylbenzene	<0.84	ug/L	2.8	0.84	1		11/20/19 19:20	95-63-6	
1,3,5-Trimethylbenzene	<0.87	ug/L	2.9	0.87	1		11/20/19 19:20	108-67-8	
m&p-Xylene	<0.47	ug/L	2.0	0.47	1		11/20/19 19:20	179601-23-1	
o-Xylene	<0.26	ug/L	1.0	0.26	1		11/20/19 19:20	95-47-6	
<i>Surrogates</i>									
Dibromofluoromethane (S)	98	%	70-130		1		11/20/19 19:20	1868-53-7	
Toluene-d8 (S)	99	%	70-130		1		11/20/19 19:20	2037-26-5	
4-Bromofluorobenzene (S)	95	%	70-130		1		11/20/19 19:20	460-00-4	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: WEBSTER PIG FARM
Pace Project No.: 40199410

QC Batch: 341245 Analysis Method: EPA 8260
QC Batch Method: EPA 8260 Analysis Description: 8260 MSV UST-WATER
Associated Lab Samples: 40199410005, 40199410006, 40199410007, 40199410008, 40199410009, 40199410010, 40199410011, 40199410012, 40199410013, 40199410014, 40199410015, 40199410016, 40199410017, 40199410018, 40199410019, 40199410020, 40199410021, 40199410022, 40199410023, 40199410024

METHOD BLANK: 1981491 Matrix: Water
Associated Lab Samples: 40199410005, 40199410006, 40199410007, 40199410008, 40199410009, 40199410010, 40199410011, 40199410012, 40199410013, 40199410014, 40199410015, 40199410016, 40199410017, 40199410018, 40199410019, 40199410020, 40199410021, 40199410022, 40199410023, 40199410024

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
1,2,4-Trimethylbenzene	ug/L	<0.84	2.8	11/21/19 07:13	
1,3,5-Trimethylbenzene	ug/L	<0.87	2.9	11/21/19 07:13	
Benzene	ug/L	<0.25	1.0	11/21/19 07:13	
Ethylbenzene	ug/L	<0.22	1.0	11/21/19 07:13	
m&p-Xylene	ug/L	<0.47	2.0	11/21/19 07:13	
Methyl-tert-butyl ether	ug/L	<1.2	4.2	11/21/19 07:13	
Naphthalene	ug/L	<1.2	5.0	11/21/19 07:13	
o-Xylene	ug/L	<0.26	1.0	11/21/19 07:13	
Toluene	ug/L	<0.17	5.0	11/21/19 07:13	
4-Bromofluorobenzene (S)	%	99	70-130	11/21/19 07:13	
Dibromofluoromethane (S)	%	101	70-130	11/21/19 07:13	
Toluene-d8 (S)	%	101	70-130	11/21/19 07:13	

LABORATORY CONTROL SAMPLE: 1981492

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Benzene	ug/L	50	52.8	106	70-130	
Ethylbenzene	ug/L	50	55.8	112	80-124	
m&p-Xylene	ug/L	100	112	112	70-130	
Methyl-tert-butyl ether	ug/L	50	46.8	94	54-137	
o-Xylene	ug/L	50	56.2	112	70-130	
Toluene	ug/L	50	54.1	108	80-126	
4-Bromofluorobenzene (S)	%			100	70-130	
Dibromofluoromethane (S)	%			102	70-130	
Toluene-d8 (S)	%			100	70-130	

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 1982692 1982693

Parameter	Units	MS		MSD		MS Result	MSD Result	MS % Rec	MSD % Rec	% Rec Limits	RPD	Max RPD	Qual
		40199410010 Result	Spike Conc.	Spike Conc.	Conc.								
Benzene	ug/L	<0.25	50	50	53.0	54.5	106	109	70-130	3	20		
Ethylbenzene	ug/L	<0.22	50	50	55.6	56.6	111	113	80-125	2	20		
m&p-Xylene	ug/L	<0.47	100	100	112	112	112	112	70-130	0	20		
Methyl-tert-butyl ether	ug/L	<1.2	50	50	47.3	48.8	95	98	51-145	3	20		
o-Xylene	ug/L	<0.26	50	50	54.9	56.7	110	113	70-130	3	20		

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: WEBSTER PIG FARM

Pace Project No.: 40199410

Parameter	Units	MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 1982692		1982693		MS Result	MSD Result	MS % Rec	MSD % Rec	% Rec Limits	RPD	Max RPD	Qual
		40199410010 Result	MS Spike Conc.	MSD Spike Conc.	MS Result								
Toluene	ug/L	<0.17	50	50	53.4	54.3	107	109	80-131	2	20		
4-Bromofluorobenzene (S)	%						98	102	70-130				
Dibromofluoromethane (S)	%						102	108	70-130				
Toluene-d8 (S)	%						100	100	70-130				

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: WEBSTER PIG FARM
Pace Project No.: 40199410

QC Batch: 341262 Analysis Method: EPA 8260
QC Batch Method: EPA 8260 Analysis Description: 8260 MSV UST-WATER
Associated Lab Samples: 40199410025

METHOD BLANK: 1981537 Matrix: Water
Associated Lab Samples: 40199410025

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
1,2,4-Trimethylbenzene	ug/L	<0.84	2.8	11/20/19 10:53	
1,3,5-Trimethylbenzene	ug/L	<0.87	2.9	11/20/19 10:53	
Benzene	ug/L	<0.25	1.0	11/20/19 10:53	
Ethylbenzene	ug/L	<0.22	1.0	11/20/19 10:53	
m&p-Xylene	ug/L	<0.47	2.0	11/20/19 10:53	
Methyl-tert-butyl ether	ug/L	<1.2	4.2	11/20/19 10:53	
Naphthalene	ug/L	<1.2	5.0	11/20/19 10:53	
o-Xylene	ug/L	<0.26	1.0	11/20/19 10:53	
Toluene	ug/L	<0.17	5.0	11/20/19 10:53	
4-Bromofluorobenzene (S)	%	95	70-130	11/20/19 10:53	
Dibromofluoromethane (S)	%	95	70-130	11/20/19 10:53	
Toluene-d8 (S)	%	97	70-130	11/20/19 10:53	

LABORATORY CONTROL SAMPLE: 1981538

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Benzene	ug/L	50	51.1	102	70-130	
Ethylbenzene	ug/L	50	52.3	105	80-124	
m&p-Xylene	ug/L	100	104	104	70-130	
Methyl-tert-butyl ether	ug/L	50	47.0	94	54-137	
o-Xylene	ug/L	50	50.2	100	70-130	
Toluene	ug/L	50	51.1	102	80-126	
4-Bromofluorobenzene (S)	%			95	70-130	
Dibromofluoromethane (S)	%			98	70-130	
Toluene-d8 (S)	%			97	70-130	

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 1981623 1981624

Parameter	Units	MS		MSD		MS % Rec	MSD % Rec	% Rec Limits	RPD	Max RPD	Qual	
		40199406003 Result	Spike Conc.	Spike Conc.	Result							Result
Benzene	ug/L	0.40J	50	50	53.5	50.1	106	99	70-130	7	20	
Ethylbenzene	ug/L	<0.22	50	50	54.2	51.6	108	103	80-125	5	20	
m&p-Xylene	ug/L	<0.47	100	100	107	101	107	101	70-130	6	20	
Methyl-tert-butyl ether	ug/L	<1.2	50	50	47.5	45.8	95	92	51-145	4	20	
o-Xylene	ug/L	<0.26	50	50	53.1	50.2	106	100	70-130	6	20	
Toluene	ug/L	<0.17	50	50	54.2	50.7	108	101	80-131	7	20	
4-Bromofluorobenzene (S)	%						97	95	70-130			
Dibromofluoromethane (S)	%						99	97	70-130			

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: WEBSTER PIG FARM

Pace Project No.: 40199410

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 1981623 1981624												
Parameter	Units	40199406003 Result	MS	MSD	MS	MSD	MS	MSD	% Rec	% Rec	Max	
			Spike	Spike		Result		Result				% Rec
Toluene-d8 (S)	%							98	97	70-130		

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALIFIERS

Project: WEBSTER PIG FARM

Pace Project No.: 40199410

DEFINITIONS

DF - Dilution Factor, if reported, represents the factor applied to the reported data due to dilution of the sample aliquot.

ND - Not Detected at or above LOD.

J - Estimated concentration at or above the LOD and below the LOQ.

LOD - Limit of Detection adjusted for dilution factor, percent moisture, initial weight and final volume.

LOQ - Limit of Quantitation adjusted for dilution factor, percent moisture, initial weight and final volume.

S - Surrogate

1,2-Diphenylhydrazine decomposes to and cannot be separated from Azobenzene using Method 8270. The result for each analyte is a combined concentration.

Consistent with EPA guidelines, unrounded data are displayed and have been used to calculate % recovery and RPD values.

LCS(D) - Laboratory Control Sample (Duplicate)

MS(D) - Matrix Spike (Duplicate)

DUP - Sample Duplicate

RPD - Relative Percent Difference

NC - Not Calculable.

SG - Silica Gel - Clean-Up

U - Indicates the compound was analyzed for, but not detected at or above the adjusted LOD.

N-Nitrosodiphenylamine decomposes and cannot be separated from Diphenylamine using Method 8270. The result reported for each analyte is a combined concentration.

Pace Analytical is TNI accredited. Contact your Pace PM for the current list of accredited analytes.

TNI - The NELAC Institute.

LABORATORIES

PASI-G Pace Analytical Services - Green Bay

ANALYTE QUALIFIERS

D3 Sample was diluted due to the presence of high levels of non-target analytes or other matrix interference.

HS Results are from sample aliquot taken from VOA vial with headspace (air bubble greater than 6 mm diameter).

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA CROSS REFERENCE TABLE

Project: WEBSTER PIG FARM
Pace Project No.: 40199410

Lab ID	Sample ID	QC Batch Method	QC Batch	Analytical Method	Analytical Batch
40199410005	P-100	EPA 8260	341245		
40199410006	M200	EPA 8260	341245		
40199410007	P200	EPA 8260	341245		
40199410008	M300	EPA 8260	341245		
40199410009	P300	EPA 8260	341245		
40199410010	M400	EPA 8260	341245		
40199410011	P400	EPA 8260	341245		
40199410012	M500	EPA 8260	341245		
40199410013	M600	EPA 8260	341245		
40199410014	P600	EPA 8260	341245		
40199410015	M700	EPA 8260	341245		
40199410016	P700	EPA 8260	341245		
40199410017	M900	EPA 8260	341245		
40199410018	P900	EPA 8260	341245		
40199410019	10A	EPA 8260	341245		
40199410020	10B	EPA 8260	341245		
40199410021	11A	EPA 8260	341245		
40199410022	11B	EPA 8260	341245		
40199410023	12A	EPA 8260	341245		
40199410024	12B	EPA 8260	341245		
40199410025	TRIP BLANK	EPA 8260	341262		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Sample Preservation Receipt Form

Pace Analytical Services, LLC
1241 Bellevue Street, Suite 9
Green Bay, WI 54302

Client Name: Mendota Env Consulting Project # 40199410

Page 23 of 38

All containers needing preservation have been checked and noted below: Yes No N/A

Lab Lot# of pH paper:

Lab Std #ID of preservation (if pH adjusted):

Initial when completed:

Date/Time:

Pace Lab #	Glass							Plastic							Vials					Jars			General			VOA Vials (>6mm) *	H2SO4 pH ≤2	NaOH+Zn Act pH ≥9	NaOH pH ≥12	HNO3 pH ≤2	pH after adjusted	Volume (mL)			
	AG1U	AG1H	AG4S	AG4U	AG5U	AG2S	BG3U	BP1U	BP2N	BP2Z	BP3U	BP3B	BP3N	BP3S	DG9A	DG9T	VG9U	VG9H	VG9M	VG9D	JGFU	WGFU	WPFU	SP5T	ZPLC								GN		
001															3																				2.5 / 5 / 10
002															3																				2.5 / 5 / 10
003															3																				2.5 / 5 / 10
004															3																				2.5 / 5 / 10
005																	3																		2.5 / 5 / 10
006																	3																		2.5 / 5 / 10
007																	3																		2.5 / 5 / 10
008																	3																		2.5 / 5 / 10
009																	3																		2.5 / 5 / 10
010																	3																		2.5 / 5 / 10
011																	3																		2.5 / 5 / 10
012																	3																		2.5 / 5 / 10
013																	3																		2.5 / 5 / 10
014																	3																		2.5 / 5 / 10
015																	3																		2.5 / 5 / 10
016																	3																		2.5 / 5 / 10
017																	3																		2.5 / 5 / 10
018																	3																		2.5 / 5 / 10
019																	3																		2.5 / 5 / 10
020																	3																		2.5 / 5 / 10


Exceptions to preservation check: VOA Coliform, TOC, TOX, TOH, O&G, WIDRO, Phenolics, Other: _____ Headspace in VOA Vials (>6mm) Yes No N/A *If yes look in headspace column

AG1U 1 liter amber glass	BP1U 1 liter plastic unpres	DG9A 40 mL amber ascorbic	JGFU 4 oz amber jar unpres
AG1H 1 liter amber glass HCL	BP2N 500 mL plastic HNO3	DG9T 40 mL amber Na Thio	WGFU 4 oz clear jar unpres
AG4S 125 mL amber glass H2SO4	BP2Z 500 mL plastic NaOH, Znact	VG9U 40 mL clear vial unpres	WPFU 4 oz plastic jar unpres
AG4U 120 mL amber glass unpres	BP3U 250 mL plastic unpres	VG9H 40 mL clear vial HCL	
AG5U 100 mL amber glass unpres	BP3B 250 mL plastic NaOH	VG9M 40 mL clear vial MeOH	SP5T 120 mL plastic Na Thiosulfate
AG2S 500 mL amber glass H2SO4	BP3N 250 mL plastic HNO3	VG9D 40 mL clear vial DI	ZPLC ziploc bag
BG3U 250 mL clear glass unpres	BP3S 250 mL plastic H2SO4		GN:

Sample Preservation Receipt Form

Client Name: Meredean Env Consultants Project #: 40199410

Pace Lab #	Glass							Plastic						Vials					Jars			General			VOA Vials (>6mm) *	H2SO4 pH ≤	NaOH+Zn Act pH ≥9	NaOH pH ≥12	HNO3 pH ≤	pH after adjusted	Volume (mL)								
	AG1U	AG1H	AG4S	AG4U	AG5U	AG2S	BG3U	BP1U	BP2N	BP2Z	BP3U	BP3B	BP3N	BP3S	DG9A	DG9T	VG9U	VG9H	VG9M	VG9D	JGFU	WGFU	WPFU	SP5T								ZPLC	GN						
021																	3																						2.5 / 5 / 10
022																	3																						2.5 / 5 / 10
023																	3																						2.5 / 5 / 10
024																	3																						2.5 / 5 / 10
025																	3																						2.5 / 5 / 10
026																	3																						2.5 / 5 / 10
																																							2.5 / 5 / 10
																																							2.5 / 5 / 10
																																							2.5 / 5 / 10
																																							2.5 / 5 / 10
																																							2.5 / 5 / 10
																																							2.5 / 5 / 10
																																							2.5 / 5 / 10
																																							2.5 / 5 / 10
																																							2.5 / 5 / 10
																																							2.5 / 5 / 10
																																							2.5 / 5 / 10
																																							2.5 / 5 / 10
																																							2.5 / 5 / 10
																																							2.5 / 5 / 10
																																							2.5 / 5 / 10
																																							2.5 / 5 / 10
																																							2.5 / 5 / 10
																																							2.5 / 5 / 10
																																							2.5 / 5 / 10
																																							2.5 / 5 / 10
																																							2.5 / 5 / 10
																																							2.5 / 5 / 10
																																							2.5 / 5 / 10
																																							2.5 / 5 / 10
																																							2.5 / 5 / 10
																																							2.5 / 5 / 10
																																							2.5 / 5 / 10
																																							2.5 / 5 / 10
																																							2.5 / 5 / 10
																																							2.5 / 5 / 10
																																							2.5 / 5 / 10
																																							2.5 / 5 / 10
																																							2.5 / 5 / 10
																																							2.5 / 5 / 10
																																							2.5 / 5 / 10
																																							2.5 / 5 / 10
																																							2.5 / 5 / 10
																																							2.5 / 5 / 10
																																							2.5 / 5 / 10
																																							2.5 / 5 / 10
																																							2.5 / 5 / 10
																																							2.5 / 5 / 10
																																							2.5 / 5 / 10
																																							2.5 / 5 / 10
																																							2.5 / 5 / 10
																																							2.5 / 5 / 10
																																							2.5 / 5 / 10
																																							2.5 / 5 / 10
																																							2.5 / 5 / 10
																																							2.5 / 5 / 10
																																							2.5 / 5 / 10
																																							2.5 / 5 / 10
																																							2.5 / 5 / 10
																																							2.5 / 5 / 10
																																							2.5 / 5 / 10
																																							2.5 / 5 / 10
																																		</					



Document Name: Sample Condition Upon Receipt (SCUR)	Document Revised: 25Apr2018
Document No.: F-GB-C-031-Rev.07	Issuing Authority: Pace Green Bay Quality Office

Sample Condition Upon Receipt Form (SCUR)

Project #:

Client Name: Meredon Env. Consulting

WO#: 40199410

Courier: CS Logistics Fed Ex Speedee UPS Walto
 Client Pace Other: _____



Tracking #: 7781 0227 2434

Custody Seal on Cooler/Box Present: yes no Seals intact: yes no

Custody Seal on Samples Present: yes no Seals intact: yes no

Packing Material: Bubble Wrap Bubble Bags None Other

Thermometer Used SR-12 Type of Ice: Wet Blue Dry None Samples on ice, cooling process has begun

Cooler Temperature Uncorr: 1°C / Corr: 1.5°C

Temp Blank Present: yes no Biological Tissue is Frozen: yes no

Person examining contents:
Date: 11/19/19
Initials: _____

Temp should be above freezing to 6°C.
Biota Samples may be received at ≤ 0°C.

Chain of Custody Present:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	1.
Chain of Custody Filled Out:	<input checked="" type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A	2. <u>no time on COC 11/19/19 GR</u>
Chain of Custody Relinquished:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	3.
Sampler Name & Signature on COC:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	4.
Samples Arrived within Hold Time:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	5.
- VOA Samples frozen upon receipt	<input type="checkbox"/> Yes <input type="checkbox"/> No	Date/Time:
Short Hold Time Analysis (<72hr):	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	6.
Rush Turn Around Time Requested:	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	7.
Sufficient Volume:		8.
For Analysis: <input type="checkbox"/> Yes <input type="checkbox"/> No MS/MSD: <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A		
Correct Containers Used:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	9.
-Pace Containers Used:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	
-Pace IR Containers Used:	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	
Containers Intact:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	10.
Filtered volume received for Dissolved tests	<input type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	11.
Sample Labels match COC:	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A	12. <u>no time on vials 11/19/19 GR</u>
-Includes date/time/ID/Analysis Matrix: <u>W</u>		
Trip Blank Present:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	13. <u>IN shipment Lab added to COC 11/19/19 GR</u>
Trip Blank Custody Seals Present	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	
Pace Trip Blank Lot # (if purchased): <u>433</u>		

Client Notification/ Resolution: _____ If checked, see attached form for additional comments

Person Contacted: _____ Date/Time: _____

Comments/ Resolution: _____

Project Manager Review: [Signature]

Date: 11-19-19

DAVY LABORATORIES

A Division of Davy Engineering Co., Inc.
115 6th Street South
La Crosse, WI 54601
(608) 782-3130
www.davyinc.com



LABORATORY ANALYSIS REPORT

Pace Analytical-Green Bay
Attn: Dan Milewsky
1241 Bellevue St. Suite 9
Green Bay, WI 54302

Date: November 29, 2019
Client No: 11128

Sample No: 19K0646-01
Sample Site: Old Well

Sample Collected: 16-Nov-19 00:00

Sample Received: 20-Nov-19 11:50

Parameter	Result	Units	LOD	LOQ/RL	Dilution	Prepared	Analyzed	Method	PAL	Qualifier
Laboratory Results										
Acetone	<0.220	µg/L	0.220	0.700	1	21-Nov-19 17:17	21-Nov-19 17:17	EPA 524.2 Rev. 4.1 1995	1800	
Benzene	<0.042	µg/L	0.042	0.132	1	21-Nov-19 17:17	21-Nov-19 17:17	EPA 524.2 Rev. 4.1 1995	0.5	
Bromodichloromethane	<0.067	µg/L	0.067	0.214	1	21-Nov-19 17:17	21-Nov-19 17:17	EPA 524.2 Rev. 4.1 1995	0.06	
Bromoform	<0.048	µg/L	0.048	0.154	1	21-Nov-19 17:17	21-Nov-19 17:17	EPA 524.2 Rev. 4.1 1995	0.44	
Bromomethane	<0.089	µg/L	0.089	0.284	1	21-Nov-19 17:17	21-Nov-19 17:17	EPA 524.2 Rev. 4.1 1995	1	
Carbon disulfide	<0.072	µg/L	0.072	0.230	1	21-Nov-19 17:17	21-Nov-19 17:17	EPA 524.2 Rev. 4.1 1995	200	
Carbon tetrachloride	<0.061	µg/L	0.061	0.194	1	21-Nov-19 17:17	21-Nov-19 17:17	EPA 524.2 Rev. 4.1 1995	0.5	
Chlorobenzene	<0.105	µg/L	0.105	0.335	1	21-Nov-19 17:17	21-Nov-19 17:17	EPA 524.2 Rev. 4.1 1995	20	
Chlorodibromomethane	<0.098	µg/L	0.098	0.313	1	21-Nov-19 17:17	21-Nov-19 17:17	EPA 524.2 Rev. 4.1 1995	6	
Chloroethane	<0.050	µg/L	0.050	0.160	1	21-Nov-19 17:17	21-Nov-19 17:17	EPA 524.2 Rev. 4.1 1995	80	
Chloroform	<0.057	µg/L	0.057	0.182	1	21-Nov-19 17:17	21-Nov-19 17:17	EPA 524.2 Rev. 4.1 1995	0.6	
Chloromethane	<0.335	µg/L	0.335	1.06	1	21-Nov-19 17:17	21-Nov-19 17:17	EPA 524.2 Rev. 4.1 1995	3	
1,2-Dibromo-3-chloropropane	<0.051	µg/L	0.051	0.162	1	21-Nov-19 17:17	21-Nov-19 17:17	EPA 524.2 Rev. 4.1 1995	0.02	
1,2-Dibromoethane (EDB)	<0.044	µg/L	0.044	0.140	1	21-Nov-19 17:17	21-Nov-19 17:17	EPA 524.2 Rev. 4.1 1995	0.005	
Dibromomethane	<0.053	µg/L	0.053	0.167	1	21-Nov-19 17:17	21-Nov-19 17:17	EPA 524.2 Rev. 4.1 1995		
1,2-Dichlorobenzene	<0.077	µg/L	0.077	0.243	1	21-Nov-19 17:17	21-Nov-19 17:17	EPA 524.2 Rev. 4.1 1995	60	

Submitted by:
Davy Laboratories

Jennifer M. Buchholz

Jennifer M. Buchholz, Laboratory Director

The laboratory analyses reported were determined in accordance with methods from approved authoritative sources. Approved authoritative sources are defined and listed within the respective state certification codes. The results are representative of the samples only; conditions can be expected to vary at different times and under different sampling conditions. This report may not be reproduced, except in full, without the written approval of the laboratory. WI Certification 632021390 and WI DATCP 105-216, MN NELAC Certification 055-999-151, IA Certification 304. Revision #3 - 7/29/2019

DAVY LABORATORIES

A Division of Davy Engineering Co., Inc.
115 6th Street South
La Crosse, WI 54601
(608) 782-3130
www.davyinc.com



LABORATORY ANALYSIS REPORT

Pace Analytical-Green Bay
Attn: Dan Milewsky
1241 Bellevue St. Suite 9
Green Bay, WI 54302

Date: November 29, 2019
Client No: 11128

Sample No: 19K0646-01
Sample Site: Old Well

Sample Collected: 16-Nov-19 00:00

Sample Received: 20-Nov-19 11:50

Parameter	Result	Units	LOD	LOQ/RL	Dilution	Prepared	Analyzed	Method	PAL	Qualifier
Laboratory Results										
1,3-Dichlorobenzene	<0.055	µg/L	0.055	0.176	1	21-Nov-19 17:17	21-Nov-19 17:17	EPA 524.2 Rev. 4.1 1995	120	
1,4-Dichlorobenzene	<0.090	µg/L	0.090	0.287	1	21-Nov-19 17:17	21-Nov-19 17:17	EPA 524.2 Rev. 4.1 1995	15	
Dichlorodifluoromethane	<0.139	µg/L	0.139	0.442	1	21-Nov-19 17:17	21-Nov-19 17:17	EPA 524.2 Rev. 4.1 1995	200	
1,1-Dichloroethane	<0.042	µg/L	0.042	0.135	1	21-Nov-19 17:17	21-Nov-19 17:17	EPA 524.2 Rev. 4.1 1995	85	
1,2-Dichloroethane	<0.071	µg/L	0.071	0.226	1	21-Nov-19 17:17	21-Nov-19 17:17	EPA 524.2 Rev. 4.1 1995	0.5	
1,1-Dichloroethene	<0.065	µg/L	0.065	0.206	1	21-Nov-19 17:17	21-Nov-19 17:17	EPA 524.2 Rev. 4.1 1995	0.7	
cis-1,2-Dichloroethene	<0.052	µg/L	0.052	0.166	1	21-Nov-19 17:17	21-Nov-19 17:17	EPA 524.2 Rev. 4.1 1995	7	
trans-1,2-Dichloroethene	<0.064	µg/L	0.064	0.203	1	21-Nov-19 17:17	21-Nov-19 17:17	EPA 524.2 Rev. 4.1 1995	20	
1,2-Dichloropropane	<0.066	µg/L	0.066	0.210	1	21-Nov-19 17:17	21-Nov-19 17:17	EPA 524.2 Rev. 4.1 1995	0.5	
cis-1,3-Dichloropropene	<0.013	µg/L	0.013	0.041	1	21-Nov-19 17:17	21-Nov-19 17:17	EPA 524.2 Rev. 4.1 1995	0.04	
trans-1,3-Dichloropropene	<0.018	µg/L	0.018	0.059	1	21-Nov-19 17:17	21-Nov-19 17:17	EPA 524.2 Rev. 4.1 1995	0.04	
Ethylbenzene	<0.064	µg/L	0.064	0.204	1	21-Nov-19 17:17	21-Nov-19 17:17	EPA 524.2 Rev. 4.1 1995	140	
Methylene chloride	<0.084	µg/L	0.084	0.266	1	21-Nov-19 17:17	21-Nov-19 17:17	EPA 524.2 Rev. 4.1 1995	0.5	
Methyl Ethyl Ketone	<0.258	µg/L	0.258	0.820	1	21-Nov-19 17:17	21-Nov-19 17:17	EPA 524.2 Rev. 4.1 1995	800	
Methyl tert-Butyl Ether	<0.900	µg/L	0.900	2.86	1	21-Nov-19 17:17	21-Nov-19 17:17	EPA 524.2 Rev. 4.1 1995	12	
Naphthalene	<0.171	µg/L	0.171	0.545	1	21-Nov-19 17:17	21-Nov-19 17:17	EPA 524.2 Rev. 4.1 1995	10	
Styrene	<0.090	µg/L	0.090	0.288	1	21-Nov-19 17:17	21-Nov-19 17:17	EPA 524.2 Rev. 4.1 1995	10	

DAVY LABORATORIES

A Division of Davy Engineering Co., Inc.
115 6th Street South
La Crosse, WI 54601
(608) 782-3130
www.davyinc.com



LABORATORY ANALYSIS REPORT

Pace Analytical-Green Bay
Attn: Dan Milewsky
1241 Bellevue St. Suite 9
Green Bay, WI 54302

Date: November 29, 2019
Client No: 11128

Sample No: 19K0646-01
Sample Site: Old Well

Sample Collected: 16-Nov-19 00:00

Sample Received: 20-Nov-19 11:50

Parameter	Result	Units	LOD	LOQ/RL	Dilution	Prepared	Analyzed	Method	PAL	Qualifier
Laboratory Results										
Tetrachloroethene	<0.085	µg/L	0.085	0.271	1	21-Nov-19 17:17	21-Nov-19 17:17	EPA 524.2 Rev. 4.1 1995	0.5	
Tetrahydrofuran	<0.662	µg/L	0.662	2.11	1	21-Nov-19 17:17	21-Nov-19 17:17	EPA 524.2 Rev. 4.1 1995	10	
Toluene	<0.028	µg/L	0.028	0.091	1	21-Nov-19 17:17	21-Nov-19 17:17	EPA 524.2 Rev. 4.1 1995	160	
1,1,1-Trichloroethane	<0.048	µg/L	0.048	0.154	1	21-Nov-19 17:17	21-Nov-19 17:17	EPA 524.2 Rev. 4.1 1995	40	
1,1,2-Trichloroethane	<0.129	µg/L	0.129	0.410	1	21-Nov-19 17:17	21-Nov-19 17:17	EPA 524.2 Rev. 4.1 1995	0.5	
Trichloroethene	<0.118	µg/L	0.118	0.376	1	21-Nov-19 17:17	21-Nov-19 17:17	EPA 524.2 Rev. 4.1 1995	0.5	
Trichlorofluoromethane	<0.052	µg/L	0.052	0.166	1	21-Nov-19 17:17	21-Nov-19 17:17	EPA 524.2 Rev. 4.1 1995		
Vinyl chloride	<0.019	µg/L	0.019	0.060	1	21-Nov-19 17:17	21-Nov-19 17:17	EPA 524.2 Rev. 4.1 1995	0.02	
m-Xylene/p-Xylene	<0.068	µg/L	0.068	0.218	1	21-Nov-19 17:17	21-Nov-19 17:17	EPA 524.2 Rev. 4.1 1995	400	
o-Xylene	<0.074	µg/L	0.074	0.236	1	21-Nov-19 17:17	21-Nov-19 17:17	EPA 524.2 Rev. 4.1 1995	400	
Surrogate: 4-Bromofluorobenzene			75.2 %	70-130			21-Nov-19 17:17	EPA 524.2 Rev. 4.1 1995		
Surrogate: 1,2-Dichlorobenzene-d4			75.6 %	70-130			21-Nov-19 17:17	EPA 524.2 Rev. 4.1 1995		

DAVY LABORATORIES

A Division of Davy Engineering Co., Inc.
115 6th Street South
La Crosse, WI 54601
(608) 782-3130
www.davyinc.com



LABORATORY ANALYSIS REPORT

Pace Analytical-Green Bay
Attn: Dan Milewsky
1241 Bellevue St. Suite 9
Green Bay, WI 54302

Date: November 29, 2019
Client No: 11128

Sample No: 19K0646-02
Sample Site: Tower Hall

Sample Collected: 16-Nov-19 00:00

Sample Received: 20-Nov-19 11:50

Parameter	Result	Units	LOD	LOQ/RL	Dilution	Prepared	Analyzed	Method	PAL	Qualifier
Laboratory Results										
Acetone	<0.220	µg/L	0.220	0.700	1	21-Nov-19 17:45	21-Nov-19 17:45	EPA 524.2 Rev. 4.1 1995	1800	
Benzene	<0.042	µg/L	0.042	0.132	1	21-Nov-19 17:45	21-Nov-19 17:45	EPA 524.2 Rev. 4.1 1995	0.5	
Bromodichloromethane	<0.067	µg/L	0.067	0.214	1	21-Nov-19 17:45	21-Nov-19 17:45	EPA 524.2 Rev. 4.1 1995	0.06	
Bromoform	<0.048	µg/L	0.048	0.154	1	21-Nov-19 17:45	21-Nov-19 17:45	EPA 524.2 Rev. 4.1 1995	0.44	
Bromomethane	<0.089	µg/L	0.089	0.284	1	21-Nov-19 17:45	21-Nov-19 17:45	EPA 524.2 Rev. 4.1 1995	1	
Carbon disulfide	<0.072	µg/L	0.072	0.230	1	21-Nov-19 17:45	21-Nov-19 17:45	EPA 524.2 Rev. 4.1 1995	200	
Carbon tetrachloride	<0.061	µg/L	0.061	0.194	1	21-Nov-19 17:45	21-Nov-19 17:45	EPA 524.2 Rev. 4.1 1995	0.5	
Chlorobenzene	<0.105	µg/L	0.105	0.335	1	21-Nov-19 17:45	21-Nov-19 17:45	EPA 524.2 Rev. 4.1 1995	20	
Chlorodibromomethane	<0.098	µg/L	0.098	0.313	1	21-Nov-19 17:45	21-Nov-19 17:45	EPA 524.2 Rev. 4.1 1995	6	
Chloroethane	<0.050	µg/L	0.050	0.160	1	21-Nov-19 17:45	21-Nov-19 17:45	EPA 524.2 Rev. 4.1 1995	80	
Chloroform	<0.057	µg/L	0.057	0.182	1	21-Nov-19 17:45	21-Nov-19 17:45	EPA 524.2 Rev. 4.1 1995	0.6	
Chloromethane	<0.335	µg/L	0.335	1.06	1	21-Nov-19 17:45	21-Nov-19 17:45	EPA 524.2 Rev. 4.1 1995	3	
1,2-Dibromo-3-chloropropane	<0.051	µg/L	0.051	0.162	1	21-Nov-19 17:45	21-Nov-19 17:45	EPA 524.2 Rev. 4.1 1995	0.02	
1,2-Dibromoethane (EDB)	<0.044	µg/L	0.044	0.140	1	21-Nov-19 17:45	21-Nov-19 17:45	EPA 524.2 Rev. 4.1 1995	0.005	
Dibromomethane	<0.053	µg/L	0.053	0.167	1	21-Nov-19 17:45	21-Nov-19 17:45	EPA 524.2 Rev. 4.1 1995		
1,2-Dichlorobenzene	<0.077	µg/L	0.077	0.243	1	21-Nov-19 17:45	21-Nov-19 17:45	EPA 524.2 Rev. 4.1 1995	60	
1,3-Dichlorobenzene	<0.055	µg/L	0.055	0.176	1	21-Nov-19 17:45	21-Nov-19 17:45	EPA 524.2 Rev. 4.1 1995	120	

DAVY LABORATORIES

A Division of Davy Engineering Co., Inc.
115 6th Street South
La Crosse, WI 54601
(608) 782-3130
www.davyinc.com



LABORATORY ANALYSIS REPORT

Pace Analytical-Green Bay
Attn: Dan Milewsky
1241 Bellevue St. Suite 9
Green Bay, WI 54302

Date: November 29, 2019
Client No: 11128

Sample No: 19K0646-02
Sample Site: Tower Hall

Sample Collected: 16-Nov-19 00:00

Sample Received: 20-Nov-19 11:50

Parameter	Result	Units	LOD	LOQ/RL	Dilution	Prepared	Analyzed	Method	PAL	Qualifier
Laboratory Results										
1,4-Dichlorobenzene	<0.090	µg/L	0.090	0.287	1	21-Nov-19 17:45	21-Nov-19 17:45	EPA 524.2 Rev. 4.1 1995	15	
Dichlorodifluoromethane	<0.139	µg/L	0.139	0.442	1	21-Nov-19 17:45	21-Nov-19 17:45	EPA 524.2 Rev. 4.1 1995	200	
1,1-Dichloroethane	<0.042	µg/L	0.042	0.135	1	21-Nov-19 17:45	21-Nov-19 17:45	EPA 524.2 Rev. 4.1 1995	85	
1,2-Dichloroethane	3.00	µg/L	0.071	0.226	1	21-Nov-19 17:45	21-Nov-19 17:45	EPA 524.2 Rev. 4.1 1995	0.5	
1,1-Dichloroethene	<0.065	µg/L	0.065	0.206	1	21-Nov-19 17:45	21-Nov-19 17:45	EPA 524.2 Rev. 4.1 1995	0.7	
cis-1,2-Dichloroethene	<0.052	µg/L	0.052	0.166	1	21-Nov-19 17:45	21-Nov-19 17:45	EPA 524.2 Rev. 4.1 1995	7	
trans-1,2-Dichloroethene	<0.064	µg/L	0.064	0.203	1	21-Nov-19 17:45	21-Nov-19 17:45	EPA 524.2 Rev. 4.1 1995	20	
1,2-Dichloropropane	<0.066	µg/L	0.066	0.210	1	21-Nov-19 17:45	21-Nov-19 17:45	EPA 524.2 Rev. 4.1 1995	0.5	
cis-1,3-Dichloropropene	<0.013	µg/L	0.013	0.041	1	21-Nov-19 17:45	21-Nov-19 17:45	EPA 524.2 Rev. 4.1 1995	0.04	
trans-1,3-Dichloropropene	<0.018	µg/L	0.018	0.059	1	21-Nov-19 17:45	21-Nov-19 17:45	EPA 524.2 Rev. 4.1 1995	0.04	
Ethylbenzene	<0.064	µg/L	0.064	0.204	1	21-Nov-19 17:45	21-Nov-19 17:45	EPA 524.2 Rev. 4.1 1995	140	
Methylene chloride	2.68	µg/L	0.084	0.266	1	21-Nov-19 17:45	21-Nov-19 17:45	EPA 524.2 Rev. 4.1 1995	0.5	
Methyl Ethyl Ketone	<0.258	µg/L	0.258	0.820	1	21-Nov-19 17:45	21-Nov-19 17:45	EPA 524.2 Rev. 4.1 1995	800	
Methyl tert-Butyl Ether	<0.900	µg/L	0.900	2.86	1	21-Nov-19 17:45	21-Nov-19 17:45	EPA 524.2 Rev. 4.1 1995	12	
Naphthalene	<0.171	µg/L	0.171	0.545	1	21-Nov-19 17:45	21-Nov-19 17:45	EPA 524.2 Rev. 4.1 1995	10	
Styrene	<0.090	µg/L	0.090	0.288	1	21-Nov-19 17:45	21-Nov-19 17:45	EPA 524.2 Rev. 4.1 1995	10	

DAVY LABORATORIES

A Division of Davy Engineering Co., Inc.
115 6th Street South
La Crosse, WI 54601
(608) 782-3130
www.davyinc.com



LABORATORY ANALYSIS REPORT

Pace Analytical-Green Bay
Attn: Dan Milewsky
1241 Bellevue St. Suite 9
Green Bay, WI 54302

Date: November 29, 2019
Client No: 11128

Sample No: 19K0646-02 Sample Collected: 16-Nov-19 00:00 Sample Received: 20-Nov-19 11:50
Sample Site: Tower Hall

Parameter	Result	Units	LOD	LOQ/RL	Dilution	Prepared	Analyzed	Method	PAL	Qualifier
Laboratory Results										
Tetrachloroethene	<0.085	µg/L	0.085	0.271	1	21-Nov-19 17:45	21-Nov-19 17:45	EPA 524.2 Rev. 4.1 1995	0.5	
Tetrahydrofuran	<0.662	µg/L	0.662	2.11	1	21-Nov-19 17:45	21-Nov-19 17:45	EPA 524.2 Rev. 4.1 1995	10	
Toluene	<0.028	µg/L	0.028	0.091	1	21-Nov-19 17:45	21-Nov-19 17:45	EPA 524.2 Rev. 4.1 1995	160	
1,1,1-Trichloroethane	<0.048	µg/L	0.048	0.154	1	21-Nov-19 17:45	21-Nov-19 17:45	EPA 524.2 Rev. 4.1 1995	40	
1,1,2-Trichloroethane	<0.129	µg/L	0.129	0.410	1	21-Nov-19 17:45	21-Nov-19 17:45	EPA 524.2 Rev. 4.1 1995	0.5	
Trichloroethene	<0.118	µg/L	0.118	0.376	1	21-Nov-19 17:45	21-Nov-19 17:45	EPA 524.2 Rev. 4.1 1995	0.5	
Trichlorofluoromethane	<0.052	µg/L	0.052	0.166	1	21-Nov-19 17:45	21-Nov-19 17:45	EPA 524.2 Rev. 4.1 1995		
Vinyl chloride	<0.019	µg/L	0.019	0.060	1	21-Nov-19 17:45	21-Nov-19 17:45	EPA 524.2 Rev. 4.1 1995	0.02	
m-Xylene/p-Xylene	<0.068	µg/L	0.068	0.218	1	21-Nov-19 17:45	21-Nov-19 17:45	EPA 524.2 Rev. 4.1 1995	400	
o-Xylene	<0.074	µg/L	0.074	0.236	1	21-Nov-19 17:45	21-Nov-19 17:45	EPA 524.2 Rev. 4.1 1995	400	
Surrogate: 4-Bromofluorobenzene			75.2 %	70-130			21-Nov-19 17:45	EPA 524.2 Rev. 4.1 1995		
Surrogate: 1,2-Dichlorobenzene-d4			74.7 %	70-130			21-Nov-19 17:45	EPA 524.2 Rev. 4.1 1995		

DAVY LABORATORIES

A Division of Davy Engineering Co., Inc.
115 6th Street South
La Crosse, WI 54601
(608) 782-3130
www.davyinc.com



LABORATORY ANALYSIS REPORT

Pace Analytical-Green Bay
Attn: Dan Milewsky
1241 Bellevue St. Suite 9
Green Bay, WI 54302

Date: November 29, 2019
Client No: 11128

Sample No: 19K0646-03
Sample Site: Pig Farm

Sample Collected: 16-Nov-19 00:00

Sample Received: 20-Nov-19 11:50

Parameter	Result	Units	LOD	LOQ/RL	Dilution	Prepared	Analyzed	Method	PAL	Qualifier
Laboratory Results										
Acetone	<0.220	µg/L	0.220	0.700	1	21-Nov-19 18:14	21-Nov-19 18:14	EPA 524.2 Rev. 4.1 1995	1800	
Benzene	<0.042	µg/L	0.042	0.132	1	21-Nov-19 18:14	21-Nov-19 18:14	EPA 524.2 Rev. 4.1 1995	0.5	
Bromodichloromethane	<0.067	µg/L	0.067	0.214	1	21-Nov-19 18:14	21-Nov-19 18:14	EPA 524.2 Rev. 4.1 1995	0.06	
Bromoform	<0.048	µg/L	0.048	0.154	1	21-Nov-19 18:14	21-Nov-19 18:14	EPA 524.2 Rev. 4.1 1995	0.44	
Bromomethane	<0.089	µg/L	0.089	0.284	1	21-Nov-19 18:14	21-Nov-19 18:14	EPA 524.2 Rev. 4.1 1995	1	
Carbon disulfide	<0.072	µg/L	0.072	0.230	1	21-Nov-19 18:14	21-Nov-19 18:14	EPA 524.2 Rev. 4.1 1995	200	
Carbon tetrachloride	<0.061	µg/L	0.061	0.194	1	21-Nov-19 18:14	21-Nov-19 18:14	EPA 524.2 Rev. 4.1 1995	0.5	
Chlorobenzene	<0.105	µg/L	0.105	0.335	1	21-Nov-19 18:14	21-Nov-19 18:14	EPA 524.2 Rev. 4.1 1995	20	
Chlorodibromomethane	<0.098	µg/L	0.098	0.313	1	21-Nov-19 18:14	21-Nov-19 18:14	EPA 524.2 Rev. 4.1 1995	6	
Chloroethane	<0.050	µg/L	0.050	0.160	1	21-Nov-19 18:14	21-Nov-19 18:14	EPA 524.2 Rev. 4.1 1995	80	
Chloroform	<0.057	µg/L	0.057	0.182	1	21-Nov-19 18:14	21-Nov-19 18:14	EPA 524.2 Rev. 4.1 1995	0.6	
Chloromethane	<0.335	µg/L	0.335	1.06	1	21-Nov-19 18:14	21-Nov-19 18:14	EPA 524.2 Rev. 4.1 1995	3	
1,2-Dibromo-3-chloropropane	<0.051	µg/L	0.051	0.162	1	21-Nov-19 18:14	21-Nov-19 18:14	EPA 524.2 Rev. 4.1 1995	0.02	
1,2-Dibromoethane (EDB)	<0.044	µg/L	0.044	0.140	1	21-Nov-19 18:14	21-Nov-19 18:14	EPA 524.2 Rev. 4.1 1995	0.005	
Dibromomethane	<0.053	µg/L	0.053	0.167	1	21-Nov-19 18:14	21-Nov-19 18:14	EPA 524.2 Rev. 4.1 1995		
1,2-Dichlorobenzene	<0.077	µg/L	0.077	0.243	1	21-Nov-19 18:14	21-Nov-19 18:14	EPA 524.2 Rev. 4.1 1995	60	
1,3-Dichlorobenzene	<0.055	µg/L	0.055	0.176	1	21-Nov-19 18:14	21-Nov-19 18:14	EPA 524.2 Rev. 4.1 1995	120	

DAVY LABORATORIES

A Division of Davy Engineering Co., Inc.
115 6th Street South
La Crosse, WI 54601
(608) 782-3130
www.davyinc.com



LABORATORY ANALYSIS REPORT

Pace Analytical-Green Bay
Attn: Dan Milewsky
1241 Bellevue St. Suite 9
Green Bay, WI 54302

Date: November 29, 2019
Client No: 11128

Sample No: 19K0646-03
Sample Site: Pig Farm

Sample Collected: 16-Nov-19 00:00

Sample Received: 20-Nov-19 11:50

Parameter	Result	Units	LOD	LOQ/RL	Dilution	Prepared	Analyzed	Method	PAL	Qualifier
Laboratory Results										
1,4-Dichlorobenzene	<0.090	µg/L	0.090	0.287	1	21-Nov-19 18:14	21-Nov-19 18:14	EPA 524.2 Rev. 4.1 1995	15	
Dichlorodifluoromethane	<0.139	µg/L	0.139	0.442	1	21-Nov-19 18:14	21-Nov-19 18:14	EPA 524.2 Rev. 4.1 1995	200	
1,1-Dichloroethane	<0.042	µg/L	0.042	0.135	1	21-Nov-19 18:14	21-Nov-19 18:14	EPA 524.2 Rev. 4.1 1995	85	
1,2-Dichloroethane	<0.071	µg/L	0.071	0.226	1	21-Nov-19 18:14	21-Nov-19 18:14	EPA 524.2 Rev. 4.1 1995	0.5	
1,1-Dichloroethene	<0.065	µg/L	0.065	0.206	1	21-Nov-19 18:14	21-Nov-19 18:14	EPA 524.2 Rev. 4.1 1995	0.7	
cis-1,2-Dichloroethene	<0.052	µg/L	0.052	0.166	1	21-Nov-19 18:14	21-Nov-19 18:14	EPA 524.2 Rev. 4.1 1995	7	
trans-1,2-Dichloroethene	<0.064	µg/L	0.064	0.203	1	21-Nov-19 18:14	21-Nov-19 18:14	EPA 524.2 Rev. 4.1 1995	20	
1,2-Dichloropropane	<0.066	µg/L	0.066	0.210	1	21-Nov-19 18:14	21-Nov-19 18:14	EPA 524.2 Rev. 4.1 1995	0.5	
cis-1,3-Dichloropropene	<0.013	µg/L	0.013	0.041	1	21-Nov-19 18:14	21-Nov-19 18:14	EPA 524.2 Rev. 4.1 1995	0.04	
trans-1,3-Dichloropropene	<0.018	µg/L	0.018	0.059	1	21-Nov-19 18:14	21-Nov-19 18:14	EPA 524.2 Rev. 4.1 1995	0.04	
Ethylbenzene	<0.064	µg/L	0.064	0.204	1	21-Nov-19 18:14	21-Nov-19 18:14	EPA 524.2 Rev. 4.1 1995	140	
Methylene chloride	<0.084	µg/L	0.084	0.266	1	21-Nov-19 18:14	21-Nov-19 18:14	EPA 524.2 Rev. 4.1 1995	0.5	
Methyl Ethyl Ketone	<0.258	µg/L	0.258	0.820	1	21-Nov-19 18:14	21-Nov-19 18:14	EPA 524.2 Rev. 4.1 1995	800	
Methyl tert-Butyl Ether	<0.900	µg/L	0.900	2.86	1	21-Nov-19 18:14	21-Nov-19 18:14	EPA 524.2 Rev. 4.1 1995	12	
Naphthalene	<0.171	µg/L	0.171	0.545	1	21-Nov-19 18:14	21-Nov-19 18:14	EPA 524.2 Rev. 4.1 1995	10	
Styrene	<0.090	µg/L	0.090	0.288	1	21-Nov-19 18:14	21-Nov-19 18:14	EPA 524.2 Rev. 4.1 1995	10	
Tetrachloroethene	<0.085	µg/L	0.085	0.271	1	21-Nov-19 18:14	21-Nov-19 18:14	EPA 524.2 Rev. 4.1 1995	0.5	

DAVY LABORATORIES

A Division of Davy Engineering Co., Inc.
 115 6th Street South
 La Crosse, WI 54601
 (608) 782-3130
www.davyinc.com



LABORATORY ANALYSIS REPORT

Pace Analytical-Green Bay
 Attn: Dan Milewsky
 1241 Bellevue St. Suite 9
 Green Bay, WI 54302

Date: November 29, 2019
 Client No: 11128

Sample No: 19K0646-03 Sample Collected: 16-Nov-19 00:00 Sample Received: 20-Nov-19 11:50
 Sample Site: Pig Farm

Parameter	Result	Units	LOD	LOQ/RL	Dilution	Prepared	Analyzed	Method	PAL	Qualifier
-----------	--------	-------	-----	--------	----------	----------	----------	--------	-----	-----------

Laboratory Results

Tetrahydrofuran	<0.662	µg/L	0.662	2.11	1	21-Nov-19 18:14	21-Nov-19 18:14	EPA 524.2 Rev. 4.1 1995	10	
Toluene	<0.028	µg/L	0.028	0.091	1	21-Nov-19 18:14	21-Nov-19 18:14	EPA 524.2 Rev. 4.1 1995	160	
1,1,1-Trichloroethane	<0.048	µg/L	0.048	0.154	1	21-Nov-19 18:14	21-Nov-19 18:14	EPA 524.2 Rev. 4.1 1995	40	
1,1,2-Trichloroethane	<0.129	µg/L	0.129	0.410	1	21-Nov-19 18:14	21-Nov-19 18:14	EPA 524.2 Rev. 4.1 1995	0.5	
Trichloroethene	<0.118	µg/L	0.118	0.376	1	21-Nov-19 18:14	21-Nov-19 18:14	EPA 524.2 Rev. 4.1 1995	0.5	
Trichlorofluoromethane	<0.052	µg/L	0.052	0.166	1	21-Nov-19 18:14	21-Nov-19 18:14	EPA 524.2 Rev. 4.1 1995		
Vinyl chloride	<0.019	µg/L	0.019	0.060	1	21-Nov-19 18:14	21-Nov-19 18:14	EPA 524.2 Rev. 4.1 1995	0.02	
m-Xylene/p-Xylene	<0.068	µg/L	0.068	0.218	1	21-Nov-19 18:14	21-Nov-19 18:14	EPA 524.2 Rev. 4.1 1995	400	
o-Xylene	<0.074	µg/L	0.074	0.236	1	21-Nov-19 18:14	21-Nov-19 18:14	EPA 524.2 Rev. 4.1 1995	400	
<i>Surrogate: 4-Bromofluorobenzene</i>			75.3 %	70-130			21-Nov-19 18:14	EPA 524.2 Rev. 4.1 1995		
<i>Surrogate: 1,2-Dichlorobenzene-d4</i>			75.3 %	70-130			21-Nov-19 18:14	EPA 524.2 Rev. 4.1 1995		

DAVY LABORATORIES

A Division of Davy Engineering Co., Inc.
115 6th Street South
La Crosse, WI 54601
(608) 782-3130
www.davyinc.com



LABORATORY ANALYSIS REPORT

Pace Analytical-Green Bay
Attn: Dan Milewsky
1241 Bellevue St. Suite 9
Green Bay, WI 54302

Date: November 29, 2019
Client No: 11128

Sample No: 19K0646-04
Sample Site: House

Sample Collected: 16-Nov-19 00:00

Sample Received: 20-Nov-19 11:50

Parameter	Result	Units	LOD	LOQ/RL	Dilution	Prepared	Analyzed	Method	PAL	Qualifier
Laboratory Results										
Acetone	<0.220	µg/L	0.220	0.700	1	21-Nov-19 18:43	21-Nov-19 18:43	EPA 524.2 Rev. 4.1 1995	1800	
Benzene	<0.042	µg/L	0.042	0.132	1	21-Nov-19 18:43	21-Nov-19 18:43	EPA 524.2 Rev. 4.1 1995	0.5	
Bromodichloromethane	<0.067	µg/L	0.067	0.214	1	21-Nov-19 18:43	21-Nov-19 18:43	EPA 524.2 Rev. 4.1 1995	0.06	
Bromoform	<0.048	µg/L	0.048	0.154	1	21-Nov-19 18:43	21-Nov-19 18:43	EPA 524.2 Rev. 4.1 1995	0.44	
Bromomethane	<0.089	µg/L	0.089	0.284	1	21-Nov-19 18:43	21-Nov-19 18:43	EPA 524.2 Rev. 4.1 1995	1	
Carbon disulfide	<0.072	µg/L	0.072	0.230	1	21-Nov-19 18:43	21-Nov-19 18:43	EPA 524.2 Rev. 4.1 1995	200	
Carbon tetrachloride	<0.061	µg/L	0.061	0.194	1	21-Nov-19 18:43	21-Nov-19 18:43	EPA 524.2 Rev. 4.1 1995	0.5	
Chlorobenzene	<0.105	µg/L	0.105	0.335	1	21-Nov-19 18:43	21-Nov-19 18:43	EPA 524.2 Rev. 4.1 1995	20	
Chlorodibromomethane	<0.098	µg/L	0.098	0.313	1	21-Nov-19 18:43	21-Nov-19 18:43	EPA 524.2 Rev. 4.1 1995	6	
Chloroethane	<0.050	µg/L	0.050	0.160	1	21-Nov-19 18:43	21-Nov-19 18:43	EPA 524.2 Rev. 4.1 1995	80	
Chloroform	<0.057	µg/L	0.057	0.182	1	21-Nov-19 18:43	21-Nov-19 18:43	EPA 524.2 Rev. 4.1 1995	0.6	
Chloromethane	<0.335	µg/L	0.335	1.06	1	21-Nov-19 18:43	21-Nov-19 18:43	EPA 524.2 Rev. 4.1 1995	3	
1,2-Dibromo-3-chloropropane	<0.051	µg/L	0.051	0.162	1	21-Nov-19 18:43	21-Nov-19 18:43	EPA 524.2 Rev. 4.1 1995	0.02	
1,2-Dibromoethane (EDB)	<0.044	µg/L	0.044	0.140	1	21-Nov-19 18:43	21-Nov-19 18:43	EPA 524.2 Rev. 4.1 1995	0.005	
Dibromomethane	<0.053	µg/L	0.053	0.167	1	21-Nov-19 18:43	21-Nov-19 18:43	EPA 524.2 Rev. 4.1 1995		
1,2-Dichlorobenzene	<0.077	µg/L	0.077	0.243	1	21-Nov-19 18:43	21-Nov-19 18:43	EPA 524.2 Rev. 4.1 1995	60	
1,3-Dichlorobenzene	<0.055	µg/L	0.055	0.176	1	21-Nov-19 18:43	21-Nov-19 18:43	EPA 524.2 Rev. 4.1 1995	120	

DAVY LABORATORIES

A Division of Davy Engineering Co., Inc.
115 6th Street South
La Crosse, WI 54601
(608) 782-3130
www.davyinc.com



LABORATORY ANALYSIS REPORT

Pace Analytical-Green Bay
Attn: Dan Milewsky
1241 Bellevue St. Suite 9
Green Bay, WI 54302

Date: November 29, 2019
Client No: 11128

Sample No: 19K0646-04
Sample Site: House

Sample Collected: 16-Nov-19 00:00

Sample Received: 20-Nov-19 11:50

Parameter	Result	Units	LOD	LOQ/RL	Dilution	Prepared	Analyzed	Method	PAL	Qualifier
Laboratory Results										
1,4-Dichlorobenzene	<0.090	µg/L	0.090	0.287	1	21-Nov-19 18:43	21-Nov-19 18:43	EPA 524.2 Rev. 4.1 1995	15	
Dichlorodifluoromethane	<0.139	µg/L	0.139	0.442	1	21-Nov-19 18:43	21-Nov-19 18:43	EPA 524.2 Rev. 4.1 1995	200	
1,1-Dichloroethane	<0.042	µg/L	0.042	0.135	1	21-Nov-19 18:43	21-Nov-19 18:43	EPA 524.2 Rev. 4.1 1995	85	
1,2-Dichloroethane	<0.071	µg/L	0.071	0.226	1	21-Nov-19 18:43	21-Nov-19 18:43	EPA 524.2 Rev. 4.1 1995	0.5	
1,1-Dichloroethene	<0.065	µg/L	0.065	0.206	1	21-Nov-19 18:43	21-Nov-19 18:43	EPA 524.2 Rev. 4.1 1995	0.7	
cis-1,2-Dichloroethene	<0.052	µg/L	0.052	0.166	1	21-Nov-19 18:43	21-Nov-19 18:43	EPA 524.2 Rev. 4.1 1995	7	
trans-1,2-Dichloroethene	<0.064	µg/L	0.064	0.203	1	21-Nov-19 18:43	21-Nov-19 18:43	EPA 524.2 Rev. 4.1 1995	20	
1,2-Dichloropropane	<0.066	µg/L	0.066	0.210	1	21-Nov-19 18:43	21-Nov-19 18:43	EPA 524.2 Rev. 4.1 1995	0.5	
cis-1,3-Dichloropropene	<0.013	µg/L	0.013	0.041	1	21-Nov-19 18:43	21-Nov-19 18:43	EPA 524.2 Rev. 4.1 1995	0.04	
trans-1,3-Dichloropropene	<0.018	µg/L	0.018	0.059	1	21-Nov-19 18:43	21-Nov-19 18:43	EPA 524.2 Rev. 4.1 1995	0.04	
Ethylbenzene	<0.064	µg/L	0.064	0.204	1	21-Nov-19 18:43	21-Nov-19 18:43	EPA 524.2 Rev. 4.1 1995	140	
Methylene chloride	<0.084	µg/L	0.084	0.266	1	21-Nov-19 18:43	21-Nov-19 18:43	EPA 524.2 Rev. 4.1 1995	0.5	
Methyl Ethyl Ketone	<0.258	µg/L	0.258	0.820	1	21-Nov-19 18:43	21-Nov-19 18:43	EPA 524.2 Rev. 4.1 1995	800	
Methyl tert-Butyl Ether	<0.900	µg/L	0.900	2.86	1	21-Nov-19 18:43	21-Nov-19 18:43	EPA 524.2 Rev. 4.1 1995	12	
Naphthalene	<0.171	µg/L	0.171	0.545	1	21-Nov-19 18:43	21-Nov-19 18:43	EPA 524.2 Rev. 4.1 1995	10	
Styrene	<0.090	µg/L	0.090	0.288	1	21-Nov-19 18:43	21-Nov-19 18:43	EPA 524.2 Rev. 4.1 1995	10	
Tetrachloroethene	<0.085	µg/L	0.085	0.271	1	21-Nov-19 18:43	21-Nov-19 18:43	EPA 524.2 Rev. 4.1 1995	0.5	

DAVY LABORATORIES

A Division of Davy Engineering Co., Inc.
 115 6th Street South
 La Crosse, WI 54601
 (608) 782-3130
www.davyinc.com



LABORATORY ANALYSIS REPORT

Pace Analytical-Green Bay
 Attn: Dan Milewsky
 1241 Bellevue St. Suite 9
 Green Bay, WI 54302

Date: November 29, 2019
 Client No: 11128

Sample No: 19K0646-04 Sample Collected: 16-Nov-19 00:00 Sample Received: 20-Nov-19 11:50
 Sample Site: House

Parameter	Result	Units	LOD	LOQ/RL	Dilution	Prepared	Analyzed	Method	PAL	Qualifier
-----------	--------	-------	-----	--------	----------	----------	----------	--------	-----	-----------

Laboratory Results

Tetrahydrofuran	<0.662	µg/L	0.662	2.11	1	21-Nov-19 18:43	21-Nov-19 18:43	EPA 524.2 Rev. 4.1 1995	10	
Toluene	<0.028	µg/L	0.028	0.091	1	21-Nov-19 18:43	21-Nov-19 18:43	EPA 524.2 Rev. 4.1 1995	160	
1,1,1-Trichloroethane	<0.048	µg/L	0.048	0.154	1	21-Nov-19 18:43	21-Nov-19 18:43	EPA 524.2 Rev. 4.1 1995	40	
1,1,2-Trichloroethane	<0.129	µg/L	0.129	0.410	1	21-Nov-19 18:43	21-Nov-19 18:43	EPA 524.2 Rev. 4.1 1995	0.5	
Trichloroethene	<0.118	µg/L	0.118	0.376	1	21-Nov-19 18:43	21-Nov-19 18:43	EPA 524.2 Rev. 4.1 1995	0.5	
Trichlorofluoromethane	<0.052	µg/L	0.052	0.166	1	21-Nov-19 18:43	21-Nov-19 18:43	EPA 524.2 Rev. 4.1 1995		
Vinyl chloride	<0.019	µg/L	0.019	0.060	1	21-Nov-19 18:43	21-Nov-19 18:43	EPA 524.2 Rev. 4.1 1995	0.02	
m-Xylene/p-Xylene	<0.068	µg/L	0.068	0.218	1	21-Nov-19 18:43	21-Nov-19 18:43	EPA 524.2 Rev. 4.1 1995	400	
o-Xylene	<0.074	µg/L	0.074	0.236	1	21-Nov-19 18:43	21-Nov-19 18:43	EPA 524.2 Rev. 4.1 1995	400	
<i>Surrogate: 4-Bromofluorobenzene</i>			73.1 %	70-130			21-Nov-19 18:43	EPA 524.2 Rev. 4.1 1995		
<i>Surrogate: 1,2-Dichlorobenzene-d4</i>			76.7 %	70-130			21-Nov-19 18:43	EPA 524.2 Rev. 4.1 1995		

DAVY LABORATORIES

A Division of Davy Engineering Co., Inc.
115 6th Street South
La Crosse, WI 54601
(608) 782-3130
www.davyinc.com



LABORATORY ANALYSIS REPORT

Pace Analytical-Green Bay
Attn: Dan Milewsky
1241 Bellevue St. Suite 9
Green Bay, WI 54302

Date: November 29, 2019
Client No: 11128

Notes and Definitions

LOD Limit of Detection, adjusted for the dilution factor
LOQ/RL Limit of Quantitation/Reporting Limit, adjusted for the dilution factor
PAL Preventive Action Limit
Total metals are equivalent to total recoverable metals.

Cooler Information

Temperature	0.10 °C	
Received on Ice		Yes
Required COC information completed		Yes
Sample labels match COC		Yes
All samples received in the appropriate containers		Yes
All samples received with sufficient volume		Yes
All samples received with sufficient holding time		Yes
All sample bottles received with H ₂ SO ₄ were pH <2		No
All sample bottles received with HNO ₃ were pH <2		No
All sample bottles received with HCl were pH <2		No
All sample bottles received with NaOH were pH >12		No
All sample bottles for cyanide confirmed Sulfide absent		No
All sample bottles for cyanide confirmed Residual Cl absent		No
Preservation of VOC samples checked by the analyst		
Preservation of FOG samples checked by the analyst.		
Residual Chlorine absent checked by the analyst unless noted above.		

Case Narrative

December 24, 2019

Kenneth Shimko
Meridian Environmental Consulting, LLC
2711 North Elco Rd
Fall Creek, WI 54742

RE: Project: WEBSTER PIG FARM
Pace Project No.: 40200646

Dear Kenneth Shimko:

Enclosed are the analytical results for sample(s) received by the laboratory on December 11, 2019. The results relate only to the samples included in this report. Results reported herein conform to the most current, applicable TNI/NELAC standards and the laboratory's Quality Assurance Manual, where applicable, unless otherwise noted in the body of the report.

Some analyses have been subcontracted outside of the Pace Network. The subcontracted laboratory report has been attached.

If you have any questions concerning this report, please feel free to contact me.

Sincerely,



Brian Basten
brian.basten@pacelabs.com
(920)469-2436
Project Manager

Enclosures



REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

SAMPLE SUMMARY

Project: WEBSTER PIG FARM

Pace Project No.: 40200646

Lab ID	Sample ID	Matrix	Date Collected	Date Received
40200646001	TOWN HALL	Drinking Water	12/09/19 00:00	12/11/19 09:20

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

(Please Print Clearly)

UPPER MIDWEST REGION

Page 1 of 10



MN: 612-607-1700 WI: 920-469-2436

40200646

Company Name: Mendon Farm Csh
 Branch/Location:
 Project Contact: Ken Shinko
 Phone: 715 832 6608
 Project Number:
 Project Name: Webster Pig Farm
 Project State: WI
 Sampled By (Print): Ken Shinko
 Sampled By (Sign): [Signature]
 PO #:

CHAIN OF CUSTODY

Preservation Codes
 A=None B=HCL C=H2SO4 D=HNO3 E=DI Water F=Methanol G=NaOH
 H=Sodium Bisulfate Solution I=Sodium Thiosulfate J=Other

FILTERED?
(YES/NO)
 PRESERVATION
(CODE)*

Y/N	Pick Letter	Analysis Requested
		UCL 524.2
		X

Quote #: 40200646
 Mail To Contact: Ken Shinko
 Mail To Company: Mendon Farm Csh
 Mail To Address: 2711 N. Elco Rd
Fall Creek WI
 Invoice To Contact: 54742
 Invoice To Company:
 Invoice To Address:
 Invoice To Phone:

Data Package Options (billable)
 EPA Level III
 EPA Level IV

MS/MSD
 On your sample (billable)
 NOT needed on your sample

Matrix Codes
 A = Air W = Water
 B = Biota DW = Drinking Water
 C = Charcoal GW = Ground Water
 O = Oil SW = Surface Water
 S = Soil WW = Waste Water
 SI = Sludge WP = Wipe

PACE LAB #	CLIENT FIELD ID	COLLECTION		MATRIX
		DATE	TIME	
<u>007</u>	<u>Town Hall</u>	<u>12/9</u>		<u>W</u>

CLIENT COMMENTS
 LAB COMMENTS (Lab Use Only)
 Profile #

[Signature]

Rush Turnaround Time Requested - Prelims
 (Rush TAT subject to approval/surcharge)
 Date Needed:
 Transmit Prelim Rush Results by (complete what you want):
 Email #1:
 Email #2:
 Telephone:
 Fax:
 Samples on HOLD are subject to special pricing and release of liability

Relinquished By: [Signature] Date/Time: 12/10/19
 Relinquished By: [Signature] Date/Time: 12/11/19 0900
 Relinquished By: Date/Time:
 Relinquished By: Date/Time:

Received By: [Signature] Date/Time: 12/10/19
 Received By: [Signature] Date/Time: 12/11/19 0900
 Received By: Date/Time:
 Received By: Date/Time:

PACE Project No. 40200646
 Receipt Temp = 80°F °C
 Sample Receipt pH
 OK / Adjusted
 Cooler Custody Seal Present (Not Present)
 Intact / Not Intact

40200646

VOLATILE ORGANIC ANALYSES

(ENCLOSE FORM WHEN SENDING SAMPLE TO LAB)

09/16

Section I: To be completed by the Department of Natural Resources/SAMPLER

System Name: SYNERGY COOPERATIVE - SAND CREEK System Type: (Check one) MC NN OC TNX
System Address: N13353 CTY RD M City: SAND CREEK County: 17 - Dunn Region Code: 6
Pws Id#: 61707140 Entry Point ID: WI Unique Well No: DNR Contact: SARAH SHIEL (715) 839-2906

<p>Sampler Phone/Name/Address (Notify DNR Contact of Corrections) (715) 232-2388 Dunn County Health Department 3001 US HWY 12 SUITE 032 Menomonie WI 54751</p>	<p>Sampler: Provide information to have results faxed or e-mailed or to change a billing address, if your lab offers these services (leave blank if you don't use these services). Fax number: _____ E-mail: _____ Billing address: _____</p>
--	---

Sample Source:

- W Well
- E Entry Point
- D Distribution System

Sample Type:

- D Compliance Sample
- C Confirmation Sample
- I Investigation Sample
- W Raw Water Sample

Special Instructions: _____

Collect sample between: / / and / /

Section II: To be completed by SAMPLER -- ALL ITEMS REQUIRED

Sample Collection Date / / Time: : a.m. p.m.

Address where sample was collected: _____

Monitoring Point ID: _____ Sample Point Description: _____

First Initial and Last Name of Sampler: _____ Sampler Phone: _____

Section III: To be completed by LAB. Report test results on back for PWS and electronically to DNR within 10 days per NR 809.80

Check here if some or all of the parameters were analyzed by a subcontracted lab.

NOTE: A separate form must be completed by each lab with data for only the parameters which that lab analyzed.

Laboratory ID Number: _____ Laboratory Name: _____

Date Sample Received: / / Time Sample Received: : Laboratory Sample ID: 40200646-001

Signature of Receiving Lab Official: _____ Date Reported to PWS: / /

Condition of Sample Upon Receipt: _____

Notice: This form must be submitted with laboratory samples analyzed to determine compliance with ch. NR 809, Wis. Adm. Code, Safe Drinking Water. Completion of this form or a similar form approved by the Department is mandatory. Failure to submit a completed form to the Department is a violation punishable by a forfeiture of no less than \$10 nor more than \$5000, or by a fine of not less than \$10 nor more than \$100 or imprisonment of not less than 30 days, or both. Each day of continued violation is a separate offense (ss. 144.99, Wis. Stats.). Authorization for these requirement is under s. 280.13(d), Wis. Stats. and ch. NR 809.80. Personally identifiable information on this form will be used for no other purpose.

VOLATILE ORGANIC ANALYSES

System Name: SYNERGY COOPERATIVE - SAND CREEK

This page to be completed by the laboratory performing analysis.

PWS ID: 61707140

Lab Sample ID: 40200646-001

Storet Code	Parameter	SDWA Method	MDL	Results	MCL	Units
34030	X BENZENE				5	UG/L
81555	X BROMOBENZENE					UG/L
32101	X BROMODICHLOROMETHANE				80	UG/L
32104	X BROMOFORM				80	UG/L
34413	X BROMOMETHANE					UG/L
32102	X CARBON TETRACHLORIDE				5	UG/L
34311	X CHLOROETHANE					UG/L
32106	X CHLOROFORM				80	UG/L
34418	X CHLOROMETHANE					UG/L
77275	X O-CHLOROTOLUENE					UG/L
77277	X P-CHLOROTOLUENE					UG/L
32105	X DIBROMOCHLOROMETHANE				80	UG/L
77596	X DIBROMOMETHANE					UG/L
34566	X 1,3-DICHLOROBENZENE (M-)					UG/L
34536	X 1,2-DICHLOROBENZENE (O-)				600	UG/L
34571	X 1,4-DICHLOROBENZENE (P-)				75	UG/L
34668	X DICHLORODIFLUOROMETHANE					UG/L
34496	X 1,1-DICHLOROETHANE					UG/L
34531	X 1,2-DICHLOROETHANE				5	UG/L
34501	X 1,1-DICHLOROETHYLENE				7	UG/L
77093	X 1,2-DICHLOROETHYLENE CIS				70	UG/L
34546	X 1,2-DICHLOROETHYLENE, TRA				100	UG/L
34423	X DICHLOROMETHANE				5	UG/L
34541	X 1,2-DICHLOROPROPANE				5	UG/L
77173	X 1,3-DICHLOROPROPANE					UG/L
77170	X 2,2-DICHLOROPROPANE					UG/L
77168	X 1,1-DICHLOROPROPENE					UG/L
34561	X 1,3-DICHLOROPROPENE					UG/L
34371	X ETHYL BENZENE				700	UG/L
81688	ETHYLENE GYLCOL					
71880	FORMALDEHYDE					
34391	X HEXACHLOROBUTADIENE					UG/L
77223	X ISOPROPYL BENZENE					UG/L
77356	X ISOPROPYL TOLUENE P					UG/L
77885	METHANOL					
78032	X METHYL T-BUTYL ETHER					UG/L
34301	X CHLOROBENZENE				100	UG/L
34696	X NAPHTHALENE					UG/L
77128	X STYRENE				100	UG/L
77562	X 1,1,1,2 TETRACHLOROETHANE					UG/L
34516	X 1,1,1,2 TETRACHLOROETHANE					UG/L
34475	X TETRACHLOROETHYLENE				5	UG/L
34010	X TOLUENE				1000	UG/L
34551	X 1,2,4-TRICHLOROBENZENE				70	UG/L
34506	X 1,1,1-TRICHLOROETHANE				200	UG/L
34511	X 1,1,2-TRICHLOROETHANE				5	UG/L
39180	X TRICHLOROETHYLENE				5	UG/L
34488	TRICHLOROFLUOROMETHANE					UG/L
77443	X 1,2,3-TRICHLOROPROPANE					UG/L
81611	TRICHLOROTRIFLUOROETHANE					UG/L
77222	X 1,2,4-TRIMETHYLBENZENE					UG/L
77226	X 1,3,5-TRIMETHYLBENZENE					UG/L
39175	X VINYL CHLORIDE				0.2	UG/L
79724	X XYLENE TOTAL				10000	UG/L
77038	PROPYLENE GLYCOL					UG/L
98965	1,3-PROPANEDIOL					MG/L

Approved By: QA Officer: _____ Date: _____

Laboratory Manager: _____ Date: _____

Comments: _____

Sample Preservation Receipt Form

Client Name: Meridian

Project # 40200646

All containers needing preservation have been checked and noted below: Yes No N/A

Lab Lot# of pH paper:

Lab Std #ID of preservation (if pH adjusted):

Initial when completed:


Date/Time:

Pace Lab #	Glass							Plastic						Vials					Jars			General			VOA Vials (>6mm) *	H2SO4 pH ≤	NaOH+Zn Act pH ≥9	NaOH pH ≥12	HNO3 pH ≤	pH after adjusted	Volume (mL)													
	AG1U	AG1H	AG4S	AG4U	AG5U	AG2S	BG3U	BP1U	BP2N	BP2Z	BP3U	BP3B	BP3N	BP3S	DG9A	DG9T	VG9U	VG9H	VG9M	VG9D	JGFU	WGFU	WPFU	SP5T								ZPLC	GN											
001																																			3								2.5 / 5 / 10	
002																																											2.5 / 5 / 10	
003																																											2.5 / 5 / 10	
004																																											2.5 / 5 / 10	
005																																											2.5 / 5 / 10	
006																																											2.5 / 5 / 10	
007																																											2.5 / 5 / 10	
008																																											2.5 / 5 / 10	
009																																											2.5 / 5 / 10	
010																																											2.5 / 5 / 10	
011																																											2.5 / 5 / 10	
012																																											2.5 / 5 / 10	
013																																											2.5 / 5 / 10	
014																																											2.5 / 5 / 10	
015																																											2.5 / 5 / 10	
016																																												2.5 / 5 / 10
017																																												2.5 / 5 / 10
018																																												2.5 / 5 / 10
019																																												2.5 / 5 / 10
020																																												2.5 / 5 / 10

12/11/11


Exceptions to preservation check VOA, Coliform, TOC, TOX, TOH, O&G, WIDRO, Phenolics, Other: _____ Headspace in VOA Vials (>6mm) : Yes No N/A *If yes look in headspace column

AG1U	1 liter amber glass	BP1U	1 liter plastic unpres	DG9A	40 mL amber ascorbic	JGFU	4 oz amber jar unpres
AG1H	1 liter amber glass HCL	BP2N	500 mL plastic HNO3	DG9T	40 mL amber Na Thio	WGFU	4 oz clear jar unpres
AG4S	125 mL amber glass H2SO4	BP2Z	500 mL plastic NaOH, Znact	VG9U	40 mL clear vial unpres	WPFU	4 oz plastic jar unpres
AG4U	120 mL amber glass unpres	BP3U	250 mL plastic unpres	VG9H	40 mL clear vial HCL		
AG5U	100 mL amber glass unpres	BP3B	250 mL plastic NaOH	VG9M	40 mL clear vial MeOH	SP5T	120 mL plastic Na Thiosulfate
AG2S	500 mL amber glass H2SO4	BP3N	250 mL plastic HNO3	VG9D	40 mL clear vial DI	ZPLC	ziploc bag
BG3U	250 mL clear glass unpres	BP3S	250 mL plastic H2SO4			GN:	<i>40ml clear vial ascorbic</i>

 1241 Bellevue Street, Green Bay, WI 54302	Document Name: Sample Condition Upon Receipt (SCUR)	Document Revised: 25Apr2018
	Document No.: F-GB-C-031-Rev.07	Issuing Authority: Pace Green Bay Quality Office

Sample Condition Upon Receipt Form (SCUR)

Project #: **WO# : 40200646**



40200646

Client Name: Meridian

Courier: CS Logistics Fed Ex Speedee UPS Walto

Client Pace Other: _____

Tracking #: 77872648 2947

Custody Seal on Cooler/Box Present: yes no Seals intact: yes no

Custody Seal on Samples Present: yes no Seals intact: yes no

Packing Material: Bubble Wrap Bubble Bags None Other

Thermometer Used SR - NA Type of Ice: Wet Blue Dry None Samples on ice, cooling process has begun

Cooler Temperature Uncorr: 02 / Corr: _____

Temp Blank Present: yes no Biological Tissue is Frozen: yes no

Person examining contents:
 Date: 12/11/19
 Initials: _____

Temp should be above freezing to 6°C.
 Biota Samples may be received at ≤ 0°C.

Chain of Custody Present:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	1.
Chain of Custody Filled Out:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	2.
Chain of Custody Relinquished:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	3.
Sampler Name & Signature on COC:	<input type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	4.
Samples Arrived within Hold Time:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	5.
- VOA Samples frozen upon receipt	<input type="checkbox"/> Yes <input type="checkbox"/> No	Date/Time: _____
Short Hold Time Analysis (<72hr):	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	6.
Rush Turn Around Time Requested:	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	7.
Sufficient Volume:		8.
For Analysis: <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No MS/MSD: <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A		
Correct Containers Used:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	9.
-Pace Containers Used:	<input type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	
-Pace IR Containers Used:	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	
Containers Intact:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	10.
Filtered volume received for Dissolved tests	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	11.
Sample Labels match COC:	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A	12. <u>ID only</u>
-Includes date/time/ID/Analysis Matrix: <u>W</u>		<u>12/11/19</u>
Trip Blank Present:	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A	13.
Trip Blank Custody Seals Present	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	
Pace Trip Blank Lot # (if purchased): _____		

Client Notification/ Resolution: _____ If checked, see attached form for additional comments

Person Contacted: _____ Date/Time: _____

Comments/ Resolution: _____

Project Manager Review: [Signature]

Date: 12-11-19

NORTHERN LAKE SERVICE, INC.
Analytical Laboratory and Environmental Services
400 North Lake Avenue - Crandon, WI 54520
Ph: (715)-478-2777 Fax: (715)-478-3060

ANALYTICAL REPORT

WDNR Laboratory ID No. 721026460
WDATCP Laboratory Certification No. 105-330
EPA Laboratory ID No. WI00034

Printed: 12/24/19 Page 1 of 1

Client: Pace Analytical Services Inc (GB)
Attn: Brian D Basten
1241 Bellevue Street
Green Bay, WI 54302 2156

NLS Project: 336525

NLS Customer: 94575

Fax: 920 469 8827 Phone: 800 736 2436

Project: 40200646 (Webster Pig Farm) PWS# 61707140

40200646001 NLS ID: 1165467

Matrix: DW

Collected: 12/09/19 00:00 Received: 12/13/19

Parameter	Result	Units	Dilution	LOD	LOQ/MCL	Analyzed	Method	Lab
SDWA Volatile Organics (VOCs) by EPA 524.2	see attached					12/19/19	EPA 524.2, Rev 4.1	721026460

Values in brackets represent results greater than or equal to the LOD but less than the LOQ and are within a region of "Less-Certain Quantitation". Results greater than or equal to the LOQ are considered to be in the region of "Certain Quantitation". LOD and/or LOQ tagged with an asterisk(*) are considered Reporting Limits. All LOD/LOQs adjusted to reflect dilution and/or solids content.

ND = Not Detected (< LOD) LOD = Limit of Detection LOQ = Limit of Quantitation NA = Not Applicable

DWB = Dry Weight Basis %DWB = (mg/kg DWB) / 10000 1000 ug/L = 1 mg/L

MCL = Maximum Contaminant Levels for Drinking Water Samples. Shaded results indicate >MCL.

Reviewed by:



Authorized by:
R. T. Krueger
President

ANALYTICAL RESULTS: GCMS 524.2, Rev 4.1 Safe Drinking Water Analysis - DNR Form

Customer: Pace Analytical Services Inc (GB) NLS Project: 336525

Project Description: 40200646 (Webster Pig Farm)

Project Title: PWS# 61707140

Template: AGIDNRX Printed: 12/24/2019 06:13

Sample: 1165467 40200646001 Collected: 12/09/19 Analyzed: 12/19/19 - Analytes: 51

ANALYTE NAME	RESULT	UNITS	DIL	LOD	LOQ	MCL	Note
Benzene	ND	ug/L	1	0.23	0.82	5	
Bromobenzene	ND	ug/L	1	0.26	0.91		
Bromodichloromethane	ND	ug/L	1	0.23	0.81	80	
Bromoform	ND	ug/L	1	0.21	0.74	80	
Bromomethane	ND	ug/L	1	0.37	1.3		
Carbon Tetrachloride	ND	ug/L	1	0.22	0.76	5	
Chloroethane	ND	ug/L	1	1.5	5.2		
Chloroform	ND	ug/L	1	0.25	0.90	80	
Chloromethane	ND	ug/L	1	0.23	0.83		
o-Chlorotoluene	ND	ug/L	1	0.23	0.82		
p-Chlorotoluene	ND	ug/L	1	0.20	0.73		
Dibromochloromethane	ND	ug/L	1	0.17	0.61	80	
Dibromomethane	ND	ug/L	1	0.26	0.90		
1,3-Dichlorobenzene (m)	ND	ug/L	1	0.25	0.89		
1,2-Dichlorobenzene (o)	ND	ug/L	1	0.25	0.87	600	
1,4-Dichlorobenzene (p)	ND	ug/L	1	0.28	1.0	75	
Dichlorodifluoromethane	ND	ug/L	1	0.22	0.77		
1,1-Dichloroethane	ND	ug/L	1	0.31	1.1		
1,2-Dichloroethane	1.3	ug/L	1	0.25	0.90	5	
1,1-Dichloroethene	ND	ug/L	1	0.25	0.87	7	
cis-1,2-Dichloroethene	ND	ug/L	1	0.30	1.1	70	
trans-1,2-Dichloroethene	ND	ug/L	1	0.47	1.7	100	
Dichloromethane	[0.35]	ug/L	1	0.22	0.79	5	J CC
1,2-Dichloropropane	ND	ug/L	1	0.23	0.81	5	
1,3-Dichloropropane	ND	ug/L	1	0.25	0.87		
2,2-Dichloropropane	ND	ug/L	1	0.15	0.54		
1,1-Dichloropropene	ND	ug/L	1	0.32	1.1		
1,3-Dichloropropene	ND	ug/L	1	0.39	1.4		
Ethylbenzene	ND	ug/L	1	0.22	0.79	700	
Hexachlorobutadiene	ND	ug/L	1	0.24	0.83		
Isopropylbenzene	ND	ug/L	1	0.22	0.77		
p-Isopropyltoluene	ND	ug/L	1	0.22	0.78		
Methyl tert-butyl ether	ND	ug/L	1	0.29	1.0		
Chlorobenzene	ND	ug/L	1	0.24	0.86	100	
Naphthalene	ND	ug/L	1	0.23	0.83		
Styrene	ND	ug/L	1	0.21	0.73	100	
1,1,1,2-Tetrachloroethane	ND	ug/L	1	0.21	0.74		
1,1,2,2-Tetrachloroethane	ND	ug/L	1	0.20	0.72		
Tetrachloroethene	ND	ug/L	1	0.28	0.99	5	
Toluene	ND	ug/L	1	0.22	0.79	1000	
1,2,4-Trichlorobenzene	ND	ug/L	1	0.25	0.90	70	
1,1,1-Trichloroethane	ND	ug/L	1	0.32	1.1	200	
1,1,2-Trichloroethane	ND	ug/L	1	0.27	0.94	5	
Trichloroethene	ND	ug/L	1	0.30	1.1	5	
Trichlorofluoromethane	ND	ug/L	1	0.30	1.1		
1,2,3-Trichloropropane	ND	ug/L	1	0.30	1.0		
Trichlorotrifluoroethane	ND	ug/L	1	0.34	1.2		
1,2,4-Trimethylbenzene	ND	ug/L	1	0.21	0.73		
1,3,5-Trimethylbenzene	ND	ug/L	1	0.22	0.77		
Vinyl chloride	ND	ug/L	1	0.20	0.70	.2	
Xylene total	ND	ug/L	1	0.68	2.4	10000	
4-Bromofluorobenzene (SURR)	68%		1				S
1,2-Dichlorobenzene-d4 (SURR)	86%		1				S

ANALYTICAL RESULTS: GCMS 524.2, Rev 4.1 Safe Drinking Water Analysis - DNR Form

Page 2 of 2

Customer: Pace Analytical Services Inc (GB) NLS Project: 336525

Project Description: 40200646 (Webster Pig Farm)

Project Title: PWS# 61707140

Template: AGIDNRX Printed: 12/24/2019 06:13

Sample: 1165467 40200646001 Collected: 12/09/19 Analyzed: 12/19/19 - Analytes: 51

ANALYTE NAME

RESULT

UNITS

DIL

LOD

LOQ

MCL

Note

NOTES APPLICABLE TO THIS ANALYSIS:

J = Result enclosed in brackets is between LOD and LOQ, a region of less certain quantitation.

S = This compound is a surrogate used to evaluate the quality control of a method.

CC = Continuing calibration verification standard recovery was outside QC limits.

Dichloromethane recovery 135%

January 14, 2020

Kenneth Shimko
Meridian Environmental Consulting, LLC
2711 North Elco Rd
Fall Creek, WI 54742

RE: Project: WEBSTER PIG FARM
Pace Project No.: 40201625

Dear Kenneth Shimko:

Enclosed are the analytical results for sample(s) received by the laboratory on January 08, 2020. The results relate only to the samples included in this report. Results reported herein conform to the most current, applicable TNI/NELAC standards and the laboratory's Quality Assurance Manual, where applicable, unless otherwise noted in the body of the report.

If you have any questions concerning this report, please feel free to contact me.

Sincerely,



Brian Basten
brian.basten@pacelabs.com
(920)469-2436
Project Manager

Enclosures



REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

CERTIFICATIONS

Project: WEBSTER PIG FARM
Pace Project No.: 40201625

Pace Analytical Services Minneapolis

A2LA Certification #: 2926.01	Minnesota Dept of Ag Certification #: via MN 027-053-137
Alabama Certification #: 40770	Minnesota Petrofund Certification #: 1240
Alaska Contaminated Sites Certification #: 17-009	Mississippi Certification #: MN00064
Alaska DW Certification #: MN00064	Missouri Certification #: 10100
Arizona Certification #: AZ0014	Montana Certification #: CERT0092
Arkansas DW Certification #: MN00064	Nebraska Certification #: NE-OS-18-06
Arkansas WW Certification #: 88-0680	Nevada Certification #: MN00064
California Certification #: 2929	New Hampshire Certification #: 2081
CNMI Saipan Certification #: MP0003	New Jersey Certification #: MN002
Colorado Certification #: MN00064	New York Certification #: 11647
Connecticut Certification #: PH-0256	North Carolina DW Certification #: 27700
EPA Region 8+Wyoming DW Certification #: via MN 027-053-137	North Carolina WW Certification #: 530
Florida Certification #: E87605	North Dakota Certification #: R-036
Georgia Certification #: 959	Ohio DW Certification #: 41244
Guam EPA Certification #: MN00064	Ohio VAP Certification #: CL101
Hawaii Certification #: MN00064	Oklahoma Certification #: 9507
Idaho Certification #: MN00064	Oregon Primary Certification #: MN300001
Illinois Certification #: 200011	Oregon Secondary Certification #: MN200001
Indiana Certification #: C-MN-01	Pennsylvania Certification #: 68-00563
Iowa Certification #: 368	Puerto Rico Certification #: MN00064
Kansas Certification #: E-10167	South Carolina Certification #: 74003001
Kentucky DW Certification #: 90062	Tennessee Certification #: TN02818
Kentucky WW Certification #: 90062	Texas Certification #: T104704192
Louisiana DEQ Certification #: 03086	Utah Certification #: MN00064
Louisiana DW Certification #: MN00064	Vermont Certification #: VT-027053137
Maine Certification #: MN00064	Virginia Certification #: 460163
Maryland Certification #: 322	Washington Certification #: C486
Massachusetts Certification #: M-MN064	West Virginia DEP Certification #: 382
Massachusetts DWP Certification #: via MN 027-053-137	West Virginia DW Certification #: 9952 C
Michigan Certification #: 9909	Wisconsin Certification #: 999407970
Minnesota Certification #: 027-053-137	Wyoming UST Certification #: via A2LA 2926.01

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

SAMPLE SUMMARY

Project: WEBSTER PIG FARM

Pace Project No.: 40201625

Lab ID	Sample ID	Matrix	Date Collected	Date Received
40201625001	TOWN HALL	Water	01/06/20 00:00	01/08/20 09:35
40201625002	TRIP BLANK	Water	01/06/20 00:00	01/08/20 09:35

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

SAMPLE ANALYTE COUNT

Project: WEBSTER PIG FARM

Pace Project No.: 40201625

Lab ID	Sample ID	Method	Analysts	Analytes Reported	Laboratory
40201625001	TOWN HALL	EPA 524.2	AEZ	62	PASI-M
40201625002	TRIP BLANK	EPA 524.2	AEZ	62	PASI-M

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

PROJECT NARRATIVE

Project: WEBSTER PIG FARM

Pace Project No.: 40201625

Method: EPA 524.2

Description: 524.2 MSV

Client: Meridian Environmental Consulting, LLC

Date: January 14, 2020

General Information:

2 samples were analyzed for EPA 524.2. All samples were received in acceptable condition with any exceptions noted below or on the chain-of custody and/or the sample condition upon receipt form (SCUR) attached at the end of this report.

Hold Time:

The samples were analyzed within the method required hold times with any exceptions noted below.

Initial Calibrations (including MS Tune as applicable):

All criteria were within method requirements with any exceptions noted below.

QC Batch: 654276

SS: This analyte did not meet the secondary source verification criteria for the initial calibration. The reported result should be considered an estimated value.

- LCS (Lab ID: 3517254)
 - Bromomethane
- MS (Lab ID: 3517326)
 - Bromomethane
- MSD (Lab ID: 3517327)
 - Bromomethane

Continuing Calibration:

All criteria were within method requirements with any exceptions noted below.

Internal Standards:

All internal standards were within QC limits with any exceptions noted below.

Surrogates:

All surrogates were within QC limits with any exceptions noted below.

Method Blank:

All analytes were below the report limit in the method blank, where applicable, with any exceptions noted below.

Laboratory Control Spike:

All laboratory control spike compounds were within QC limits with any exceptions noted below.

QC Batch: 654276

L3: Analyte recovery in the laboratory control sample (LCS) exceeded QC limits. Analyte presence below reporting limits in associated samples.

- LCS (Lab ID: 3517254)
 - Bromomethane

Matrix Spikes:

All percent recoveries and relative percent differences (RPDs) were within acceptance criteria with any exceptions noted below.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

PROJECT NARRATIVE

Project: WEBSTER PIG FARM

Pace Project No.: 40201625

Method: EPA 524.2

Description: 524.2 MSV

Client: Meridian Environmental Consulting, LLC

Date: January 14, 2020

QC Batch: 654276

A matrix spike and/or matrix spike duplicate (MS/MSD) were performed on the following sample(s): 10505134001

M0: Matrix spike recovery and/or matrix spike duplicate recovery was outside laboratory control limits.

- MS (Lab ID: 3517326)
 - Bromomethane
- MSD (Lab ID: 3517327)
 - Bromomethane

Additional Comments:

Analyte Comments:

QC Batch: 654276

N2: The lab does not hold NELAC/TNI accreditation for this parameter but other accreditations/certifications may apply. A complete list of accreditations/certifications is available upon request.

- BLANK (Lab ID: 3517253)
 - 1,2-Dibromo-3-chloropropane
 - 1,2-Dibromoethane (EDB)
 - 1,3-Dichloropropane
 - 1,3,5-Trimethylbenzene
 - p-Isopropyltoluene
- LCS (Lab ID: 3517254)
 - 1,2-Dibromo-3-chloropropane
 - 1,2-Dibromoethane (EDB)
 - 1,3-Dichloropropane
 - 1,3,5-Trimethylbenzene
 - p-Isopropyltoluene
- MS (Lab ID: 3517326)
 - 1,2-Dibromo-3-chloropropane
 - 1,2-Dibromoethane (EDB)
 - 1,3-Dichloropropane
 - 1,3,5-Trimethylbenzene
 - p-Isopropyltoluene
- MSD (Lab ID: 3517327)
 - 1,2-Dibromo-3-chloropropane
 - 1,2-Dibromoethane (EDB)
 - 1,3-Dichloropropane
 - 1,3,5-Trimethylbenzene
 - p-Isopropyltoluene
- TOWN HALL (Lab ID: 40201625001)
 - 1,2-Dibromo-3-chloropropane
 - 1,2-Dibromoethane (EDB)
 - 1,3-Dichloropropane
 - 1,3,5-Trimethylbenzene
 - p-Isopropyltoluene
- TRIP BLANK (Lab ID: 40201625002)
 - 1,2-Dibromo-3-chloropropane

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

PROJECT NARRATIVE

Project: WEBSTER PIG FARM

Pace Project No.: 40201625

Method: EPA 524.2

Description: 524.2 MSV

Client: Meridian Environmental Consulting, LLC

Date: January 14, 2020

Analyte Comments:

QC Batch: 654276

N2: The lab does not hold NELAC/TNI accreditation for this parameter but other accreditations/certifications may apply. A complete list of accreditations/certifications is available upon request.

- TRIP BLANK (Lab ID: 40201625002)
 - 1,2-Dibromoethane (EDB)
 - 1,3-Dichloropropane
 - 1,3,5-Trimethylbenzene
 - p-Isopropyltoluene

This data package has been reviewed for quality and completeness and is approved for release.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: WEBSTER PIG FARM

Pace Project No.: 40201625

Sample: TOWN HALL **Lab ID: 40201625001** Collected: 01/06/20 00:00 Received: 01/08/20 09:35 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
524.2 MSV		Analytical Method: EPA 524.2							
Benzene	<0.066	ug/L	0.22	0.066	1		01/13/20 19:35	71-43-2	
Bromobenzene	<0.069	ug/L	0.23	0.069	1		01/13/20 19:35	108-86-1	
Bromochloromethane	<0.092	ug/L	0.31	0.092	1		01/13/20 19:35	74-97-5	
Bromodichloromethane	<0.075	ug/L	0.25	0.075	1		01/13/20 19:35	75-27-4	
Bromoform	<0.20	ug/L	0.67	0.20	1		01/13/20 19:35	75-25-2	
Bromomethane	<0.17	ug/L	0.57	0.17	1		01/13/20 19:35	74-83-9	
n-Butylbenzene	<0.18	ug/L	0.59	0.18	1		01/13/20 19:35	104-51-8	
sec-Butylbenzene	<0.16	ug/L	0.52	0.16	1		01/13/20 19:35	135-98-8	
tert-Butylbenzene	<0.055	ug/L	0.18	0.055	1		01/13/20 19:35	98-06-6	
Carbon tetrachloride	<0.085	ug/L	0.28	0.085	1		01/13/20 19:35	56-23-5	
Chlorobenzene	<0.050	ug/L	0.17	0.050	1		01/13/20 19:35	108-90-7	
Chloroethane	<0.071	ug/L	0.24	0.071	1		01/13/20 19:35	75-00-3	
Chloroform	<0.31	ug/L	1.0	0.31	1		01/13/20 19:35	67-66-3	
Chloromethane	<0.087	ug/L	0.29	0.087	1		01/13/20 19:35	74-87-3	
2-Chlorotoluene	<0.051	ug/L	0.17	0.051	1		01/13/20 19:35	95-49-8	
4-Chlorotoluene	<0.048	ug/L	0.16	0.048	1		01/13/20 19:35	106-43-4	
1,2-Dibromo-3-chloropropane	<0.11	ug/L	0.37	0.11	1		01/13/20 19:35	96-12-8	N2
Dibromochloromethane	<0.065	ug/L	0.22	0.065	1		01/13/20 19:35	124-48-1	
1,2-Dibromoethane (EDB)	<0.030	ug/L	0.099	0.030	1		01/13/20 19:35	106-93-4	N2
Dibromomethane	<0.12	ug/L	0.38	0.12	1		01/13/20 19:35	74-95-3	
1,2-Dichlorobenzene	<0.054	ug/L	0.18	0.054	1		01/13/20 19:35	95-50-1	
1,3-Dichlorobenzene	<0.068	ug/L	0.23	0.068	1		01/13/20 19:35	541-73-1	
1,4-Dichlorobenzene	<0.075	ug/L	0.25	0.075	1		01/13/20 19:35	106-46-7	
Dichlorodifluoromethane	<0.069	ug/L	0.23	0.069	1		01/13/20 19:35	75-71-8	
1,1-Dichloroethane	<0.079	ug/L	0.26	0.079	1		01/13/20 19:35	75-34-3	
1,2-Dichloroethane	<0.17	ug/L	0.58	0.17	1		01/13/20 19:35	107-06-2	
1,1-Dichloroethene	<0.088	ug/L	0.29	0.088	1		01/13/20 19:35	75-35-4	
cis-1,2-Dichloroethene	<0.042	ug/L	0.14	0.042	1		01/13/20 19:35	156-59-2	
trans-1,2-Dichloroethene	<0.045	ug/L	0.15	0.045	1		01/13/20 19:35	156-60-5	
1,2-Dichloropropane	<0.051	ug/L	0.17	0.051	1		01/13/20 19:35	78-87-5	
1,3-Dichloropropane	<0.093	ug/L	0.31	0.093	1		01/13/20 19:35	142-28-9	N2
2,2-Dichloropropane	<0.13	ug/L	0.45	0.13	1		01/13/20 19:35	594-20-7	
1,1-Dichloropropene	<0.061	ug/L	0.20	0.061	1		01/13/20 19:35	563-58-6	
cis-1,3-Dichloropropene	<0.076	ug/L	0.25	0.076	1		01/13/20 19:35	10061-01-5	
trans-1,3-Dichloropropene	<0.056	ug/L	0.19	0.056	1		01/13/20 19:35	10061-02-6	
Ethylbenzene	<0.054	ug/L	0.18	0.054	1		01/13/20 19:35	100-41-4	
Hexachloro-1,3-butadiene	<0.18	ug/L	0.61	0.18	1		01/13/20 19:35	87-68-3	
Isopropylbenzene (Cumene)	<0.047	ug/L	0.16	0.047	1		01/13/20 19:35	98-82-8	
p-Isopropyltoluene	<0.12	ug/L	0.40	0.12	1		01/13/20 19:35	99-87-6	N2
Methylene Chloride	<0.45	ug/L	1.5	0.45	1		01/13/20 19:35	75-09-2	
Methyl-tert-butyl ether	<0.077	ug/L	0.26	0.077	1		01/13/20 19:35	1634-04-4	
Naphthalene	<0.076	ug/L	0.25	0.076	1		01/13/20 19:35	91-20-3	
n-Propylbenzene	<0.058	ug/L	0.19	0.058	1		01/13/20 19:35	103-65-1	
Styrene	<0.063	ug/L	0.21	0.063	1		01/13/20 19:35	100-42-5	
1,1,1,2-Tetrachloroethane	<0.036	ug/L	0.12	0.036	1		01/13/20 19:35	630-20-6	
1,1,2,2-Tetrachloroethane	<0.068	ug/L	0.23	0.068	1		01/13/20 19:35	79-34-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: WEBSTER PIG FARM
Pace Project No.: 40201625

Sample: TOWN HALL **Lab ID: 40201625001** Collected: 01/06/20 00:00 Received: 01/08/20 09:35 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
524.2 MSV		Analytical Method: EPA 524.2							
Tetrachloroethene	<0.064	ug/L	0.21	0.064	1		01/13/20 19:35	127-18-4	
Toluene	<0.066	ug/L	0.22	0.066	1		01/13/20 19:35	108-88-3	
1,2,3-Trichlorobenzene	<0.091	ug/L	0.30	0.091	1		01/13/20 19:35	87-61-6	
1,2,4-Trichlorobenzene	<0.077	ug/L	0.26	0.077	1		01/13/20 19:35	120-82-1	
1,1,1-Trichloroethane	<0.091	ug/L	0.30	0.091	1		01/13/20 19:35	71-55-6	
1,1,2-Trichloroethane	<0.045	ug/L	0.15	0.045	1		01/13/20 19:35	79-00-5	
Trichloroethene	<0.053	ug/L	0.18	0.053	1		01/13/20 19:35	79-01-6	
Trichlorofluoromethane	<0.082	ug/L	0.27	0.082	1		01/13/20 19:35	75-69-4	
1,2,3-Trichloropropane	<0.16	ug/L	0.52	0.16	1		01/13/20 19:35	96-18-4	
1,2,4-Trimethylbenzene	<0.052	ug/L	0.17	0.052	1		01/13/20 19:35	95-63-6	
1,3,5-Trimethylbenzene	<0.054	ug/L	0.18	0.054	1		01/13/20 19:35	108-67-8	N2
Vinyl chloride	<0.068	ug/L	0.22	0.068	1		01/13/20 19:35	75-01-4	
Xylene (Total)	<0.12	ug/L	0.39	0.12	1		01/13/20 19:35	1330-20-7	
Surrogates									
4-Bromofluorobenzene (S)	100	%	75-125		1		01/13/20 19:35	460-00-4	
Toluene-d8 (S)	99	%	75-125		1		01/13/20 19:35	2037-26-5	
1,2-Dichloroethane-d4 (S)	99	%	75-125		1		01/13/20 19:35	17060-07-0	

Sample: TRIP BLANK **Lab ID: 40201625002** Collected: 01/06/20 00:00 Received: 01/08/20 09:35 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
524.2 MSV		Analytical Method: EPA 524.2							
Benzene	<0.066	ug/L	0.22	0.066	1		01/13/20 19:09	71-43-2	
Bromobenzene	<0.069	ug/L	0.23	0.069	1		01/13/20 19:09	108-86-1	
Bromochloromethane	<0.092	ug/L	0.31	0.092	1		01/13/20 19:09	74-97-5	
Bromodichloromethane	<0.075	ug/L	0.25	0.075	1		01/13/20 19:09	75-27-4	
Bromoform	<0.20	ug/L	0.67	0.20	1		01/13/20 19:09	75-25-2	
Bromomethane	<0.17	ug/L	0.57	0.17	1		01/13/20 19:09	74-83-9	
n-Butylbenzene	<0.18	ug/L	0.59	0.18	1		01/13/20 19:09	104-51-8	
sec-Butylbenzene	<0.16	ug/L	0.52	0.16	1		01/13/20 19:09	135-98-8	
tert-Butylbenzene	<0.055	ug/L	0.18	0.055	1		01/13/20 19:09	98-06-6	
Carbon tetrachloride	<0.085	ug/L	0.28	0.085	1		01/13/20 19:09	56-23-5	
Chlorobenzene	<0.050	ug/L	0.17	0.050	1		01/13/20 19:09	108-90-7	
Chloroethane	<0.071	ug/L	0.24	0.071	1		01/13/20 19:09	75-00-3	
Chloroform	<0.31	ug/L	1.0	0.31	1		01/13/20 19:09	67-66-3	
Chloromethane	<0.087	ug/L	0.29	0.087	1		01/13/20 19:09	74-87-3	
2-Chlorotoluene	<0.051	ug/L	0.17	0.051	1		01/13/20 19:09	95-49-8	
4-Chlorotoluene	<0.048	ug/L	0.16	0.048	1		01/13/20 19:09	106-43-4	
1,2-Dibromo-3-chloropropane	<0.11	ug/L	0.37	0.11	1		01/13/20 19:09	96-12-8	N2
Dibromochloromethane	<0.065	ug/L	0.22	0.065	1		01/13/20 19:09	124-48-1	
1,2-Dibromoethane (EDB)	<0.030	ug/L	0.099	0.030	1		01/13/20 19:09	106-93-4	N2
Dibromomethane	<0.12	ug/L	0.38	0.12	1		01/13/20 19:09	74-95-3	
1,2-Dichlorobenzene	<0.054	ug/L	0.18	0.054	1		01/13/20 19:09	95-50-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: WEBSTER PIG FARM
Pace Project No.: 40201625

Sample: TRIP BLANK **Lab ID: 40201625002** Collected: 01/06/20 00:00 Received: 01/08/20 09:35 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
524.2 MSV		Analytical Method: EPA 524.2							
1,3-Dichlorobenzene	<0.068	ug/L	0.23	0.068	1		01/13/20 19:09	541-73-1	
1,4-Dichlorobenzene	<0.075	ug/L	0.25	0.075	1		01/13/20 19:09	106-46-7	
Dichlorodifluoromethane	<0.069	ug/L	0.23	0.069	1		01/13/20 19:09	75-71-8	
1,1-Dichloroethane	<0.079	ug/L	0.26	0.079	1		01/13/20 19:09	75-34-3	
1,2-Dichloroethane	<0.17	ug/L	0.58	0.17	1		01/13/20 19:09	107-06-2	
1,1-Dichloroethene	<0.088	ug/L	0.29	0.088	1		01/13/20 19:09	75-35-4	
cis-1,2-Dichloroethene	<0.042	ug/L	0.14	0.042	1		01/13/20 19:09	156-59-2	
trans-1,2-Dichloroethene	<0.045	ug/L	0.15	0.045	1		01/13/20 19:09	156-60-5	
1,2-Dichloropropane	<0.051	ug/L	0.17	0.051	1		01/13/20 19:09	78-87-5	
1,3-Dichloropropane	<0.093	ug/L	0.31	0.093	1		01/13/20 19:09	142-28-9	N2
2,2-Dichloropropane	<0.13	ug/L	0.45	0.13	1		01/13/20 19:09	594-20-7	
1,1-Dichloropropene	<0.061	ug/L	0.20	0.061	1		01/13/20 19:09	563-58-6	
cis-1,3-Dichloropropene	<0.076	ug/L	0.25	0.076	1		01/13/20 19:09	10061-01-5	
trans-1,3-Dichloropropene	<0.056	ug/L	0.19	0.056	1		01/13/20 19:09	10061-02-6	
Ethylbenzene	<0.054	ug/L	0.18	0.054	1		01/13/20 19:09	100-41-4	
Hexachloro-1,3-butadiene	<0.18	ug/L	0.61	0.18	1		01/13/20 19:09	87-68-3	
Isopropylbenzene (Cumene)	<0.047	ug/L	0.16	0.047	1		01/13/20 19:09	98-82-8	
p-Isopropyltoluene	<0.12	ug/L	0.40	0.12	1		01/13/20 19:09	99-87-6	N2
Methylene Chloride	<0.45	ug/L	1.5	0.45	1		01/13/20 19:09	75-09-2	
Methyl-tert-butyl ether	<0.077	ug/L	0.26	0.077	1		01/13/20 19:09	1634-04-4	
Naphthalene	<0.076	ug/L	0.25	0.076	1		01/13/20 19:09	91-20-3	
n-Propylbenzene	<0.058	ug/L	0.19	0.058	1		01/13/20 19:09	103-65-1	
Styrene	<0.063	ug/L	0.21	0.063	1		01/13/20 19:09	100-42-5	
1,1,1,2-Tetrachloroethane	<0.036	ug/L	0.12	0.036	1		01/13/20 19:09	630-20-6	
1,1,2,2-Tetrachloroethane	<0.068	ug/L	0.23	0.068	1		01/13/20 19:09	79-34-5	
Tetrachloroethene	<0.064	ug/L	0.21	0.064	1		01/13/20 19:09	127-18-4	
Toluene	<0.066	ug/L	0.22	0.066	1		01/13/20 19:09	108-88-3	
1,2,3-Trichlorobenzene	<0.091	ug/L	0.30	0.091	1		01/13/20 19:09	87-61-6	
1,2,4-Trichlorobenzene	<0.077	ug/L	0.26	0.077	1		01/13/20 19:09	120-82-1	
1,1,1-Trichloroethane	<0.091	ug/L	0.30	0.091	1		01/13/20 19:09	71-55-6	
1,1,2-Trichloroethane	<0.045	ug/L	0.15	0.045	1		01/13/20 19:09	79-00-5	
Trichloroethene	<0.053	ug/L	0.18	0.053	1		01/13/20 19:09	79-01-6	
Trichlorofluoromethane	<0.082	ug/L	0.27	0.082	1		01/13/20 19:09	75-69-4	
1,2,3-Trichloropropane	<0.16	ug/L	0.52	0.16	1		01/13/20 19:09	96-18-4	
1,2,4-Trimethylbenzene	<0.052	ug/L	0.17	0.052	1		01/13/20 19:09	95-63-6	
1,3,5-Trimethylbenzene	<0.054	ug/L	0.18	0.054	1		01/13/20 19:09	108-67-8	N2
Vinyl chloride	<0.068	ug/L	0.22	0.068	1		01/13/20 19:09	75-01-4	
Xylene (Total)	<0.12	ug/L	0.39	0.12	1		01/13/20 19:09	1330-20-7	
Surrogates									
4-Bromofluorobenzene (S)	99	%	75-125		1		01/13/20 19:09	460-00-4	
Toluene-d8 (S)	100	%	75-125		1		01/13/20 19:09	2037-26-5	
1,2-Dichloroethane-d4 (S)	100	%	75-125		1		01/13/20 19:09	17060-07-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: WEBSTER PIG FARM
Pace Project No.: 40201625

QC Batch: 654276 Analysis Method: EPA 524.2
QC Batch Method: EPA 524.2 Analysis Description: 524.2 MSV
Associated Lab Samples: 40201625001, 40201625002

METHOD BLANK: 3517253 Matrix: Water
Associated Lab Samples: 40201625001, 40201625002

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
1,1,1,2-Tetrachloroethane	ug/L	<0.036	0.12	01/13/20 18:17	
1,1,1-Trichloroethane	ug/L	<0.091	0.30	01/13/20 18:17	
1,1,2,2-Tetrachloroethane	ug/L	<0.068	0.23	01/13/20 18:17	
1,1,2-Trichloroethane	ug/L	<0.045	0.15	01/13/20 18:17	
1,1-Dichloroethane	ug/L	<0.079	0.26	01/13/20 18:17	
1,1-Dichloroethene	ug/L	<0.088	0.29	01/13/20 18:17	
1,1-Dichloropropene	ug/L	<0.061	0.20	01/13/20 18:17	
1,2,3-Trichlorobenzene	ug/L	<0.091	0.30	01/13/20 18:17	
1,2,3-Trichloropropane	ug/L	<0.16	0.52	01/13/20 18:17	
1,2,4-Trichlorobenzene	ug/L	<0.077	0.26	01/13/20 18:17	
1,2,4-Trimethylbenzene	ug/L	<0.052	0.17	01/13/20 18:17	
1,2-Dibromo-3-chloropropane	ug/L	<0.11	0.37	01/13/20 18:17	N2
1,2-Dibromoethane (EDB)	ug/L	<0.030	0.099	01/13/20 18:17	N2
1,2-Dichlorobenzene	ug/L	<0.054	0.18	01/13/20 18:17	
1,2-Dichloroethane	ug/L	<0.17	0.58	01/13/20 18:17	
1,2-Dichloropropane	ug/L	<0.051	0.17	01/13/20 18:17	
1,3,5-Trimethylbenzene	ug/L	<0.054	0.18	01/13/20 18:17	N2
1,3-Dichlorobenzene	ug/L	<0.068	0.23	01/13/20 18:17	
1,3-Dichloropropane	ug/L	<0.093	0.31	01/13/20 18:17	N2
1,4-Dichlorobenzene	ug/L	<0.075	0.25	01/13/20 18:17	
2,2-Dichloropropane	ug/L	<0.13	0.45	01/13/20 18:17	
2-Chlorotoluene	ug/L	<0.051	0.17	01/13/20 18:17	
4-Chlorotoluene	ug/L	<0.048	0.16	01/13/20 18:17	
Benzene	ug/L	<0.066	0.22	01/13/20 18:17	
Bromobenzene	ug/L	<0.069	0.23	01/13/20 18:17	
Bromochloromethane	ug/L	<0.092	0.31	01/13/20 18:17	
Bromodichloromethane	ug/L	<0.075	0.25	01/13/20 18:17	
Bromoform	ug/L	<0.20	0.67	01/13/20 18:17	
Bromomethane	ug/L	<0.17	0.57	01/13/20 18:17	
Carbon tetrachloride	ug/L	<0.085	0.28	01/13/20 18:17	
Chlorobenzene	ug/L	<0.050	0.17	01/13/20 18:17	
Chloroethane	ug/L	<0.071	0.24	01/13/20 18:17	
Chloroform	ug/L	<0.31	1.0	01/13/20 18:17	MN
Chloromethane	ug/L	<0.087	0.29	01/13/20 18:17	
cis-1,2-Dichloroethene	ug/L	<0.042	0.14	01/13/20 18:17	
cis-1,3-Dichloropropene	ug/L	<0.076	0.25	01/13/20 18:17	
Dibromochloromethane	ug/L	<0.065	0.22	01/13/20 18:17	
Dibromomethane	ug/L	<0.12	0.38	01/13/20 18:17	
Dichlorodifluoromethane	ug/L	<0.069	0.23	01/13/20 18:17	
Ethylbenzene	ug/L	<0.054	0.18	01/13/20 18:17	
Hexachloro-1,3-butadiene	ug/L	<0.18	0.61	01/13/20 18:17	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: WEBSTER PIG FARM
Pace Project No.: 40201625

METHOD BLANK: 3517253 Matrix: Water
Associated Lab Samples: 40201625001, 40201625002

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
Isopropylbenzene (Cumene)	ug/L	<0.047	0.16	01/13/20 18:17	
Methyl-tert-butyl ether	ug/L	<0.077	0.26	01/13/20 18:17	
Methylene Chloride	ug/L	<0.45	1.5	01/13/20 18:17	
n-Butylbenzene	ug/L	<0.18	0.59	01/13/20 18:17	
n-Propylbenzene	ug/L	<0.058	0.19	01/13/20 18:17	
Naphthalene	ug/L	<0.076	0.25	01/13/20 18:17	
p-Isopropyltoluene	ug/L	<0.12	0.40	01/13/20 18:17	N2
sec-Butylbenzene	ug/L	<0.16	0.52	01/13/20 18:17	
Styrene	ug/L	<0.063	0.21	01/13/20 18:17	
tert-Butylbenzene	ug/L	<0.055	0.18	01/13/20 18:17	
Tetrachloroethene	ug/L	<0.064	0.21	01/13/20 18:17	
Toluene	ug/L	<0.066	0.22	01/13/20 18:17	
trans-1,2-Dichloroethene	ug/L	<0.045	0.15	01/13/20 18:17	
trans-1,3-Dichloropropene	ug/L	<0.056	0.19	01/13/20 18:17	
Trichloroethene	ug/L	<0.053	0.18	01/13/20 18:17	
Trichlorofluoromethane	ug/L	<0.082	0.27	01/13/20 18:17	
Vinyl chloride	ug/L	<0.068	0.22	01/13/20 18:17	
Xylene (Total)	ug/L	<0.12	0.39	01/13/20 18:17	
1,2-Dichloroethane-d4 (S)	%	101	75-125	01/13/20 18:17	
4-Bromofluorobenzene (S)	%	100	75-125	01/13/20 18:17	
Toluene-d8 (S)	%	101	75-125	01/13/20 18:17	

LABORATORY CONTROL SAMPLE: 3517254

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
1,1,1,2-Tetrachloroethane	ug/L	10	10.2	102	70-130	
1,1,1-Trichloroethane	ug/L	10	10.2	102	70-130	
1,1,2,2-Tetrachloroethane	ug/L	10	9.6	96	70-130	
1,1,2-Trichloroethane	ug/L	10	10.1	101	70-130	
1,1-Dichloroethane	ug/L	10	10	100	70-130	
1,1-Dichloroethene	ug/L	10	9.0	90	70-130	
1,1-Dichloropropene	ug/L	10	9.7	97	70-130	
1,2,3-Trichlorobenzene	ug/L	10	9.3	93	70-130	
1,2,3-Trichloropropane	ug/L	10	10.1	101	70-130	
1,2,4-Trichlorobenzene	ug/L	10	10.1	101	70-130	
1,2,4-Trimethylbenzene	ug/L	10	10.3	103	70-130	
1,2-Dibromo-3-chloropropane	ug/L	25	25.5	102	70-130 N2	
1,2-Dibromoethane (EDB)	ug/L	10	10.0	100	70-130 N2	
1,2-Dichlorobenzene	ug/L	10	9.8	98	70-130	
1,2-Dichloroethane	ug/L	10	9.4	94	70-130	
1,2-Dichloropropane	ug/L	10	9.9	99	70-130	
1,3,5-Trimethylbenzene	ug/L	10	9.9	99	70-130 N2	
1,3-Dichlorobenzene	ug/L	10	9.9	99	70-130	
1,3-Dichloropropane	ug/L	10	10.2	102	70-130 N2	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: WEBSTER PIG FARM
Pace Project No.: 40201625

LABORATORY CONTROL SAMPLE: 3517254

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
1,4-Dichlorobenzene	ug/L	10	9.6	96	70-130	
2,2-Dichloropropane	ug/L	10	9.4	94	70-130	
2-Chlorotoluene	ug/L	10	10.1	101	70-130	
4-Chlorotoluene	ug/L	10	9.9	99	70-130	
Benzene	ug/L	10	9.9	99	70-130	
Bromobenzene	ug/L	10	10.2	102	70-130	
Bromochloromethane	ug/L	10	10.6	106	70-130	
Bromodichloromethane	ug/L	10	9.8	98	70-130	
Bromoform	ug/L	10	10	100	70-130	
Bromomethane	ug/L	10	17.3	173	70-130	L3,SS
Carbon tetrachloride	ug/L	10	9.9	99	70-130	
Chlorobenzene	ug/L	10	9.4	94	70-130	
Chloroethane	ug/L	10	7.8	78	70-130	
Chloroform	ug/L	10	9.6	96	70-130	
Chloromethane	ug/L	10	8.3	83	70-130	
cis-1,2-Dichloroethene	ug/L	10	9.7	97	70-130	
cis-1,3-Dichloropropene	ug/L	10	10	100	70-130	
Dibromochloromethane	ug/L	10	10	100	70-130	
Dibromomethane	ug/L	10	9.9	99	70-130	
Dichlorodifluoromethane	ug/L	10	9.0	90	70-130	
Ethylbenzene	ug/L	10	9.8	98	70-130	
Hexachloro-1,3-butadiene	ug/L	10	10.2	102	70-130	
Isopropylbenzene (Cumene)	ug/L	10	10.5	105	70-130	
Methyl-tert-butyl ether	ug/L	10	9.6	96	70-130	
Methylene Chloride	ug/L	10	10	100	70-130	
n-Butylbenzene	ug/L	10	9.6	96	70-130	
n-Propylbenzene	ug/L	10	10.1	101	70-130	
Naphthalene	ug/L	10	10	100	70-130	
p-Isopropyltoluene	ug/L	10	10	100	70-130	N2
sec-Butylbenzene	ug/L	10	10.2	102	70-130	
Styrene	ug/L	10	10.4	104	70-130	
tert-Butylbenzene	ug/L	10	10.2	102	70-130	
Tetrachloroethene	ug/L	10	9.8	98	70-130	
Toluene	ug/L	10	10.1	101	70-130	
trans-1,2-Dichloroethene	ug/L	10	9.4	94	70-130	
trans-1,3-Dichloropropene	ug/L	10	10.0	100	70-130	
Trichloroethene	ug/L	10	9.8	98	70-130	
Trichlorofluoromethane	ug/L	10	8.4	84	70-130	
Vinyl chloride	ug/L	10	8.3	83	70-130	
Xylene (Total)	ug/L	30	31.9	106	70-130	
1,2-Dichloroethane-d4 (S)	%			99	75-125	
4-Bromofluorobenzene (S)	%			97	75-125	
Toluene-d8 (S)	%			100	75-125	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: WEBSTER PIG FARM
Pace Project No.: 40201625

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 3517326 3517327												
Parameter	Units	MS		MSD		MS Result	MSD Result	MS % Rec	MSD % Rec	% Rec Limits	Max RPD	Qual
		10505134001 Result	Spike Conc.	Spike Conc.	MS Conc.							
1,1,1,2-Tetrachloroethane	ug/L	ND	10	10	10.7	10.5	107	105	70-130	2	20	
1,1,1-Trichloroethane	ug/L	ND	10	10	11.1	10.8	111	108	70-130	3	20	
1,1,2,2-Tetrachloroethane	ug/L	ND	10	10	9.7	9.3	97	93	70-130	5	20	
1,1,2-Trichloroethane	ug/L	ND	10	10	10.3	10.2	103	102	70-130	1	20	
1,1-Dichloroethane	ug/L	ND	10	10	10.3	10.0	103	100	70-130	3	20	
1,1-Dichloroethene	ug/L	ND	10	10	10.6	10.7	106	107	70-130	1	20	
1,1-Dichloropropene	ug/L	ND	10	10	10.7	10.3	107	103	70-130	4	20	
1,2,3-Trichlorobenzene	ug/L	ND	10	10	10	9.8	100	98	70-130	2	20	
1,2,3-Trichloropropane	ug/L	ND	10	10	9.9	10.2	99	102	70-130	4	20	
1,2,4-Trichlorobenzene	ug/L	ND	10	10	10.3	9.9	103	99	70-130	4	20	
1,2,4-Trimethylbenzene	ug/L	ND	10	10	10.8	10.3	108	103	70-130	5	20	
1,2-Dibromo-3-chloropropane	ug/L	ND	25	25	24.7	24.3	99	97	70-130	2	20	N2
1,2-Dibromoethane (EDB)	ug/L	ND	10	10	10.2	9.9	102	99	70-130	3	20	N2
1,2-Dichlorobenzene	ug/L	ND	10	10	10.2	9.8	102	98	70-130	4	20	
1,2-Dichloroethane	ug/L	ND	10	10	9.4	9.4	94	94	70-130	1	20	
1,2-Dichloropropane	ug/L	ND	10	10	10.4	10.2	104	102	70-130	2	20	
1,3,5-Trimethylbenzene	ug/L	ND	10	10	10.5	10.1	105	101	70-130	4	20	N2
1,3-Dichlorobenzene	ug/L	ND	10	10	10.6	10.1	106	101	70-130	5	20	
1,3-Dichloropropane	ug/L	ND	10	10	10.2	10.0	102	100	70-130	2	20	N2
1,4-Dichlorobenzene	ug/L	ND	10	10	9.8	9.5	98	95	70-130	3	20	
2,2-Dichloropropane	ug/L	ND	10	10	10.2	9.8	102	98	70-130	4	20	
2-Chlorotoluene	ug/L	ND	10	10	10.5	10.2	105	102	70-130	3	20	
4-Chlorotoluene	ug/L	ND	10	10	10.2	9.8	102	98	70-130	5	20	
Benzene	ug/L	ND	10	10	10.3	10.2	103	102	70-130	1	20	
Bromobenzene	ug/L	ND	10	10	10.6	10.2	106	102	70-130	4	20	
Bromochloromethane	ug/L	ND	10	10	10.8	10.6	108	106	70-130	2	20	
Bromodichloromethane	ug/L	ND	10	10	10	9.8	100	98	70-130	1	20	
Bromoform	ug/L	ND	10	10	10.3	9.3	103	93	70-130	10	20	
Bromomethane	ug/L	ND	10	10	16.7	15.6	167	156	70-130	6	20	M0,SS
Carbon tetrachloride	ug/L	ND	10	10	11.1	10.3	111	103	70-130	8	20	
Chlorobenzene	ug/L	ND	10	10	10.1	9.9	101	99	70-130	2	20	
Chloroethane	ug/L	ND	10	10	9.8	9.2	98	92	70-130	7	20	
Chloroform	ug/L	ND	10	10	9.4	9.3	94	93	70-130	1	20	
Chloromethane	ug/L	ND	10	10	10.7	10.4	107	104	70-130	2	20	
cis-1,2-Dichloroethene	ug/L	2.5	10	10	12.5	12.3	100	98	70-130	2	20	
cis-1,3-Dichloropropene	ug/L	ND	10	10	9.9	9.6	99	96	70-130	3	20	
Dibromochloromethane	ug/L	ND	10	10	10.4	10.3	104	103	70-130	1	20	
Dibromomethane	ug/L	ND	10	10	10.1	9.7	101	97	70-130	4	20	
Dichlorodifluoromethane	ug/L	ND	10	10	10.4	10	104	100	70-130	4	20	
Ethylbenzene	ug/L	ND	10	10	10.4	10.0	104	100	70-130	4	20	
Hexachloro-1,3-butadiene	ug/L	ND	10	10	11.1	10.6	111	106	70-130	4	20	
Isopropylbenzene (Cumene)	ug/L	ND	10	10	11.2	10.8	112	108	70-130	3	20	
Methyl-tert-butyl ether	ug/L	ND	10	10	9.7	9.7	97	97	70-130	1	20	
Methylene Chloride	ug/L	ND	10	10	9.9	10.0	99	100	70-130	1	20	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: WEBSTER PIG FARM
Pace Project No.: 40201625

Parameter	Units	10505134001		MS		MSD		3517326		3517327		Max RPD	Qual
		Result	MS Spike Conc.	MSD Spike Conc.	MS Result	MSD Result	MS % Rec	MSD % Rec	% Rec Limits	RPD			
n-Butylbenzene	ug/L	ND	10	10	10.5	10.2	105	102	70-130	3	20		
n-Propylbenzene	ug/L	ND	10	10	10.8	10.3	108	103	70-130	4	20		
Naphthalene	ug/L	ND	10	10	9.8	9.7	98	97	70-130	1	20		
p-Isopropyltoluene	ug/L	ND	10	10	10.6	10.4	106	104	70-130	3	20	N2	
sec-Butylbenzene	ug/L	ND	10	10	10.9	10.7	109	107	70-130	3	20		
Styrene	ug/L	ND	10	10	10.5	10.1	105	101	70-130	4	20		
tert-Butylbenzene	ug/L	ND	10	10	10.9	10.5	109	105	70-130	4	20		
Tetrachloroethene	ug/L	ND	10	10	11.0	10.5	110	105	70-130	5	20		
Toluene	ug/L	ND	10	10	10.7	10.4	107	104	70-130	3	20		
trans-1,2-Dichloroethene	ug/L	ND	10	10	11.1	11.0	111	110	70-130	1	20		
trans-1,3-Dichloropropene	ug/L	ND	10	10	10.4	9.9	104	99	70-130	5	20		
Trichloroethene	ug/L	9.3	10	10	20.4	20.6	111	112	70-130	1	20		
Trichlorofluoromethane	ug/L	ND	10	10	10.2	10.1	102	101	70-130	1	20		
Vinyl chloride	ug/L	ND	10	10	10.6	10.1	106	101	70-130	4	20		
Xylene (Total)	ug/L	ND	30	30	33.2	32.2	111	107	70-130	3	20		
1,2-Dichloroethane-d4 (S)	%						99	99	75-125				
4-Bromofluorobenzene (S)	%						98	97	75-125				
Toluene-d8 (S)	%						101	100	75-125				

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALIFIERS

Project: WEBSTER PIG FARM

Pace Project No.: 40201625

DEFINITIONS

DF - Dilution Factor, if reported, represents the factor applied to the reported data due to dilution of the sample aliquot.

ND - Not Detected at or above LOD.

J - Estimated concentration at or above the LOD and below the LOQ.

LOD - Limit of Detection adjusted for dilution factor, percent moisture, initial weight and final volume.

LOQ - Limit of Quantitation adjusted for dilution factor, percent moisture, initial weight and final volume.

S - Surrogate

1,2-Diphenylhydrazine decomposes to and cannot be separated from Azobenzene using Method 8270. The result for each analyte is a combined concentration.

Consistent with EPA guidelines, unrounded data are displayed and have been used to calculate % recovery and RPD values.

LCS(D) - Laboratory Control Sample (Duplicate)

MS(D) - Matrix Spike (Duplicate)

DUP - Sample Duplicate

RPD - Relative Percent Difference

NC - Not Calculable.

SG - Silica Gel - Clean-Up

U - Indicates the compound was analyzed for, but not detected at or above the adjusted LOD.

N-Nitrosodiphenylamine decomposes and cannot be separated from Diphenylamine using Method 8270. The result reported for each analyte is a combined concentration.

Pace Analytical is TNI accredited. Contact your Pace PM for the current list of accredited analytes.

TNI - The NELAC Institute.

LABORATORIES

PASI-M Pace Analytical Services - Minneapolis

ANALYTE QUALIFIERS

- | | |
|----|---|
| L3 | Analyte recovery in the laboratory control sample (LCS) exceeded QC limits. Analyte presence below reporting limits in associated samples. |
| M0 | Matrix spike recovery and/or matrix spike duplicate recovery was outside laboratory control limits. |
| MN | The reporting limit has been raised in accordance with Minnesota Statutes 4740.2100 Subpart 8. C, D. Reporting Limit Evaluation Rule. |
| N2 | The lab does not hold NELAC/TNI accreditation for this parameter but other accreditations/certifications may apply. A complete list of accreditations/certifications is available upon request. |
| SS | This analyte did not meet the secondary source verification criteria for the initial calibration. The reported result should be considered an estimated value. |

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA CROSS REFERENCE TABLE

Project: WEBSTER PIG FARM

Pace Project No.: 40201625

Lab ID	Sample ID	QC Batch Method	QC Batch	Analytical Method	Analytical Batch
40201625001	TOWN HALL	EPA 524.2	654276		
40201625002	TRIP BLANK	EPA 524.2	654276		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

(Please Print Clearly)

UPPER MIDWEST REGION

Page 1 of 1

MN: 612-607-1700 WI: 920-469-2436



CHAIN OF CUSTODY

***Preservation Codes**
 A=None B=HCL C=H2SO4 D=HNO3 E=DI Water F=Methanol G=NaOH
 H=Sodium Bisulfate Solution I=Sodium Thiosulfate J=Other

FILTERED?
(YES/NO)
 PRESERVATION
(CODE)*

Y/N	Pick Letter	Analyses Requested																
		WOL 524.2																

Quote #: **40201625**

Mail To Contact: **Ken Shimko**

Mail To Company: **Mendon Pouch**

Mail To Address: **2711 N. Elm Rd
Fall Creek WI**

Invoice To Contact: **54747**

Invoice To Company:

Invoice To Address:

Invoice To Phone:

Company Name: **Mendon Pouch**

Branch/Location:

Project Contact: **Ken Shimko**

Phone: **715 832 6608**

Project Number:

Project Name: **Webster Pig Farm**

Project State: **WI**

Sampled By (Print): **Ken Shimko**

Sampled By (Sign): *[Signature]*

PO #:

Regulatory Program:

Data Package Options (billable)
 EPA Level III
 EPA Level IV

MS/MSD
 On your sample (billable)
 NOT needed on your sample

Matrix Codes
 A = Air W = Water
 B = Biota DW = Drinking Water
 C = Charcoal GW = Ground Water
 O = Oil SW = Surface Water
 S = Soil WW = Waste Water
 SI = Sludge WP = Wipe

PACE LAB #	CLIENT FIELD ID	COLLECTION		MATRIX	Y/N	Pick Letter	Analyses Requested
		DATE	TIME				
001	Town Hall	1/6		W	X		WOL 524.2
002	OTB						

CLIENT COMMENTS	LAB COMMENTS (Lab Use Only)	Profile #

Rush Turnaround Time Requested - Prelims
(Rush TAT subject to approval/surcharge)
Date Needed:

Transmit Prelim Rush Results by (complete what you want):

Email #1:

Email #2:

Telephone:

Fax:

Samples on HOLD are subject to special pricing and release of liability

Relinquished By:	Date/Time:	Received By:	Date/Time:
<i>[Signature]</i>	1/7/20	Fed Ex	1/7/20
<i>[Signature]</i>	1/8/20 0935	<i>[Signature]</i>	1/8/20 0935

PACE Project No. **40201625**

Receipt Temp = **20** °C

Sample Receipt pH
OK / Adjusted

Cooler Custody Seal
Present / Not Present
Intact / Not Intact

OTB added to Coc by lab

Page 18 of 20

Sample Preservation Receipt Form

Pace Analytical Services, LLC
1241 Bellevue Street, Suite 9
Green Bay, WI 54302

Client Name: Meridian

Project # 40201625

All containers needing preservation have been checked and noted below: Yes No N/A

Lab Lot# of pH paper:

Lab Std #ID of preservation (if pH adjusted):

Initial when completed:


Date/Time:

Pace Lab #	Glass						Plastic						Vials				Jars			General			VOA Vials (>6mm) *	H2SO4 pH ≤2	NaOH+Zn Act pH ≥9	NaOH pH ≥12	HNO3 pH ≤2	pH after adjusted	Volume (mL)				
	AG1U	AG1H	AG4S	AG4U	AG5U	AG2S	BG3U	BP1U	BP2N	BP2Z	BP3U	BP3B	BP3N	BP3S	DG9A	DG9T	VG9U	VG9H	VG9M	VG9D	JGFU	WGFU								WPFU	SP5T	ZPLC	GN
001															3																		2.5 / 5 / 10
002																	2																2.5 / 5 / 10
003																																	2.5 / 5 / 10
004																																	2.5 / 5 / 10
005																																	2.5 / 5 / 10
006																																	2.5 / 5 / 10
007																																	2.5 / 5 / 10
008																																	2.5 / 5 / 10
009																																	2.5 / 5 / 10
010																																	2.5 / 5 / 10
011																																	2.5 / 5 / 10
012																																	2.5 / 5 / 10
013																																	2.5 / 5 / 10
014																																	2.5 / 5 / 10
015																																	2.5 / 5 / 10
016																																	2.5 / 5 / 10
017																																	2.5 / 5 / 10
018																																	2.5 / 5 / 10
019																																	2.5 / 5 / 10
020																																	2.5 / 5 / 10


Exceptions to preservation check: VOA Coliform, TOC, TOX, TOH, O&G, WI DRO, Phenolics, Other:

Headspace in VOA Vials (>6mm): Yes No N/A *If yes look in headspace column

AG1U 1 liter amber glass	BP1U 1 liter plastic unpres	DG9A 40 mL amber ascorbic	JGFU 4 oz amber jar unpres
AG1H 1 liter amber glass HCL	BP2N 500 mL plastic HNO3	DG9T 40 mL amber Na Thio	WGFU 4 oz clear jar unpres
AG4S 125 mL amber glass H2SO4	BP2Z 500 mL plastic NaOH, Znact	VG9U 40 mL clear vial unpres	WPFU 4 oz plastic jar unpres
AG4U 120 mL amber glass unpres	BP3U 250 mL plastic unpres	VG9H 40 mL clear vial HCL	
AG5U 100 mL amber glass unpres	BP3B 250 mL plastic NaOH	VG9M 40 mL clear vial MeOH	
AG2S 500 mL amber glass H2SO4	BP3N 250 mL plastic HNO3	VG9D 40 mL clear vial DI	SP5T 120 mL plastic Na Thiosulfate
BG3U 250 mL clear glass unpres	BP3S 250 mL plastic H2SO4		ZPLC ziploc bag
			GN:

 1241 Bellevue Street, Green Bay, WI 54302	Document Name: Sample Condition Upon Receipt (SCUR)	Document Revised: 25Apr2018
	Document No.: F-GB-C-031-Rev.07	Issuing Authority: Pace Green Bay Quality Office

Sample Condition Upon Receipt Form (SCUR)

Client Name: Meridian Project #:
WO# : 40201625

 40201625

Courier: CS Logistics Fed Ex Speedee UPS Waltco
 Client Pace Other: _____

Tracking #: 779498591262

Custody Seal on Cooler/Box Present: yes no Seals intact: yes no
 Custody Seal on Samples Present: yes no Seals intact: yes no
 Packing Material: Bubble Wrap Bubble Bags None Other
 Thermometer Used SR - NA Type of Ice: Wet Blue Dry None Samples on ice, cooling process has begun
 Cooler Temperature Uncorr: RD / Corr: _____

Temp Blank Present: yes no Biological Tissue is Frozen: yes no

Person examining contents:
 Date: 1/8/20
 Initials: SP

Temp should be above freezing to 6°C.
 Biota Samples may be received at ≤ 0°C.

Chain of Custody Present:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	1.
Chain of Custody Filled Out:	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A	2. <u>project#, times</u>
Chain of Custody Relinquished:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	3. <u>no time</u>
Sampler Name & Signature on COC:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	4.
Samples Arrived within Hold Time:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	5.
- VOA Samples frozen upon receipt	<input type="checkbox"/> Yes <input type="checkbox"/> No	Date/Time:
Short Hold Time Analysis (<72hr):	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	6.
Rush Turn Around Time Requested:	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	7.
Sufficient Volume:		8.
For Analysis: <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No MS/MSD: <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A		
Correct Containers Used:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	9.
-Pace Containers Used:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	
-Pace IR Containers Used:	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	
Containers Intact:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	10.
Filtered volume received for Dissolved tests	<input type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	11.
Sample Labels match COC:	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A	12. <u>ID only</u>
-Includes date/time/ID/Analysis Matrix: <u>W</u>		<u>SP 1/8/20</u>
Trip Blank Present:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	13.
Trip Blank Custody Seals Present	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	
Pace Trip Blank Lot # (if purchased): <u>438</u>		

Client Notification/ Resolution: _____ If checked, see attached form for additional comments

Person Contacted: _____ Date/Time: _____

Comments/ Resolution: _____