

Cieslak, Douglas J - DNR

From: Cieslak, Douglas J - DNR
Sent: Thursday, October 30, 2014 1:39 PM
To: 'spequipme@aol.com'
Cc: 'Ron Anderson, METCO - Environmental Division'
Subject: RE: MSF Corp Vapor and Groundwater Sampling Report - BRRts 02-41-242945

Hi Sal,

I have performed a cursory review of your August 26, 2014 non-fee submittal and spoke with Ron Anderson about it yesterday.

Your report recommends the site should be "closed". I disagree with that recommendation due to the lack of data presented to support closure under NR 700 series Wis. Adm Code and the significant threat for vapor intrusion of chlorinated volatile organic compounds (CVOC). **Please take immediate interim measures to ensure users of this dwelling are not exposed CVOC contamination including vapors.** Please submit a workplan within 60 days to define the degree and extent of CVOC contamination in all affected media. Your submittal should also include a discussion of the immediate interim measures taken to mitigate exposures to CVOC contamination.

Please feel free to contact me directly if you or your client have any questions or concerns.

Thank you,
~Doug

We are committed to service excellence.
Visit our survey at <http://dnr.wi.gov/customersurvey> to evaluate how I did.

Doug Cieslak
Hydrogeologist - Remediation and Redevelopment Bureau
Wisconsin Department of Natural Resources
Phone: (262) 884-2344
Douglas.Cieslak@wisconsin.gov

We are committed to service excellence.
Visit our survey at <http://dnr.wi.gov/customersurvey> to evaluate how I did.

Doug Cieslak
Phone: (262) 884-2344
Douglas.Cieslak@wisconsin.gov

From: Ron Anderson, METCO - Environmental Division [<mailto:rona@metcohq.com>]
Sent: Thursday, October 30, 2014 1:31 PM
To: Cieslak, Douglas J - DNR
Subject: Re: MSF Corp Vapor and Groundwater Sampling Report - BRRts 02-41-242945

The RP's name is Sal Purpora. His email address is spequipme@aol.com

Please do not include our email exchanges...thanks, ron

On 10/30/2014 1:24 PM, Cieslak, Douglas J - DNR wrote:

Please send along their email address.

We are committed to service excellence.

Visit our survey at <http://dnr.wi.gov/customersurvey> to evaluate how I did.

Doug Cieslak

Phone: (262) 884-2344

Douglas.Cieslak@wisconsin.gov

From: Ron Anderson, METCO - Environmental Division [<mailto:rona@metcohq.com>]

Sent: Thursday, October 30, 2014 12:47 PM

To: Cieslak, Douglas J - DNR

Subject: Re: MSF Corp Vapor and Groundwater Sampling Report - BRRTs 02-41-242945

Due to the due dates, I suggest you send this to the RP in a letter. I think it would get the best results.

thanks, ron

On 10/30/2014 12:10 PM, Cieslak, Douglas J - DNR wrote:

Hi Ron,

It was nice talking with you yesterday about this site. I have performed a cursory review of your August 26, 2014 non-fee submittal.

Your report recommends the site should be "closed". I disagree with that recommendation due to the lack of data presented to support closure under NR 700 series Wis. Adm Code and the significant threat for vapor intrusion of chlorinated volatile organic compounds (CVOC). **Please take immediate interim measures to ensure users of this dwelling are not exposed CVOC contamination including vapors.** Please submit a workplan within 60 days to define the degree and extent of CVOC contamination in all affected media. Your submittal should also include a discussion of the immediate interim measures taken to mitigate exposures to CVOC contamination.

Please feel free to contact me directly if you or your client have any questions or concerns.

Thank you,
~Doug

We are committed to service excellence.

Visit our survey at <http://dnr.wi.gov/customersurvey> to evaluate how I did.

Doug Cieslak

Hydrogeologist - Remediation and Redevelopment Bureau

Wisconsin Department of Natural Resources

Phone: (262) 884-2344

Douglas.Cieslak@wisconsin.gov

dnr.wi.gov