

From: Langdon, Robert <RLangdon@scsengineers.com>
Sent: Friday, February 24, 2017 5:34 PM
To: Cieslak, Douglas J - DNR
Cc: Vanessa Wishart (VWishart@staffordlaw.com); Kent, P
Subject: Laboratory Analytical Results for Arctic Laundry & Cleaners, BRRTS No. 02-30-245843
Attachments: 2_Site Features Map.pdf; Table 1 Soil Analytical Results Summary.pdf; Table 2 Groundwater Analytical Results Summary.pdf; Table 3 Indoor Air Analytical Results Summary.pdf; Table 4 Sub-Slab Vapor Analytical Results Summary.pdf; 170206_Soil and Groundwater.pdf; 170207_Air.pdf

Doug –

I've attached a map, analytical summary tables, and laboratory reports for the Arctic Laundry & Cleaners project.

The soil and groundwater tables include Sigma's 1994 & 1995 sampling results for borings GP-1 through GP-6 and our recent borings (GP-7 through GP-11 and MW-1 through MW-3). The recent sampling results indicate that PCE remains in soil at concentrations in excess of WDNR's groundwater pathway residual contaminant level (RCL). The PCE concentrations do not exceed WDNR's non-industrial direct contact RCL. VOCs were not detected in groundwater samples collected from the recent borings (GP-6 through GP-11). SCS sampled the three monitoring wells (MW-1 through MW-3) earlier this week and should have sample results within two weeks.

VOCs were detected in all indoor air samples, but only TCE in the basement indoor air sample was detected at a concentration in excess of WDNR's residential indoor air vapor action level (VAL). All sub-slab samples show PCE and TCE at concentrations in excess of WDNR commercial vapor risk screening levels (RCLs).

We will follow up with a summary report after we receive sample results for the monitoring wells.

-Rob

Robert Langdon

Senior Hydrogeologist/Project Manager

SCS ENGINEERS

2830 Dairy Drive

Madison, WI 53718

608.224.2830

Direct: 608.216.7329 • Cell: 608.212.3995

www.scsengineers.com

TestAmerica

THE LEADER IN ENVIRONMENTAL TESTING

ANALYTICAL REPORT

TestAmerica Laboratories, Inc.
TestAmerica Chicago
2417 Bond Street
University Park, IL 60484
Tel: (708)534-5200

TestAmerica Job ID: 500-123596-1

Client Project/Site: Arctic Laundry & Cleaners - 25216186

For:
SCS Engineers
2830 Dairy Dr
Madison, Wisconsin 53718

Attn: Mr. Robert Langdon



Authorized for release by:
2/16/2017 1:57:53 PM

Sandie Fredrick, Project Manager II
(920)261-1660
sandie.fredrick@testamericainc.com

LINKS

Review your project
results through
TotalAccess

Have a Question?



Visit us at:
www.testamericainc.com

The test results in this report meet all 2003 NELAC and 2009 TNI requirements for accredited parameters, exceptions are noted in this report. This report may not be reproduced except in full, and with written approval from the laboratory. For questions please contact the Project Manager at the e-mail address or telephone number listed on this page.

This report has been electronically signed and authorized by the signatory. Electronic signature is intended to be the legally binding equivalent of a traditionally handwritten signature.

Results relate only to the items tested and the sample(s) as received by the laboratory.

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13
- 14
- 15



Table of Contents

| | |
|---------------------------------|----|
| Cover Page | 1 |
| Table of Contents | 2 |
| Case Narrative | 3 |
| Detection Summary | 4 |
| Method Summary | 6 |
| Sample Summary | 7 |
| Client Sample Results | 8 |
| Definitions | 40 |
| QC Association | 41 |
| Surrogate Summary | 43 |
| QC Sample Results | 45 |
| Chronicle | 66 |
| Certification Summary | 73 |
| Chain of Custody | 74 |
| Receipt Checklists | 77 |

Case Narrative

Client: SCS Engineers
Project/Site: Arctic Laundry & Cleaners - 25216186

TestAmerica Job ID: 500-123596-1

Job ID: 500-123596-1

Laboratory: TestAmerica Chicago

Narrative

Job Narrative 500-123596-1

Comments

No additional comments.

Receipt

The samples were received on 2/8/2017 10:30 AM; the samples arrived in good condition, properly preserved and, where required, on ice. The temperature of the cooler at receipt was 0.8° C.

Receipt Exceptions

Received all 3 vials for sample 18 with larger than pea size bubbles. Received 1 vial broken for sample 21.

GC/MS VOA

Method(s) 5035: methanol vial has < 8 grams of sample in 10 ml of methanol. GP-7 (0-2') (500-123596-1), GP-7 (5-7.5') (500-123596-2), GP-8 (2.5-5') (500-123596-3), GP-8 (5-7.5') (500-123596-4), GP-9 (2.5-5') (500-123596-5), GP-9 (5-7.5') (500-123596-6), GP-10 (2.5-5') (500-123596-7), GP-10 (5-7.5') (500-123596-8), GP-11 (0-2.5') (500-123596-9), GP-11 (5-7.5') (500-123596-10), MW-1 (2.5-5') (500-123596-11), MW-1 (5-7.5') (500-123596-12), MW-2 (2.5-5') (500-123596-13), MW-2 (5-7.5') (500-123596-14), MW-3 (0-2.5') (500-123596-15) and MW-3 (5-7.5') (500-123596-16)

Method(s) 8260B: The following samples were collected in properly preserved vials for analysis of volatile organic compounds (VOCs). However, the pH was outside the required criteria when verified by the laboratory, and corrective action was not possible: GP-7 (500-123596-18), GP-8 (500-123596-19), GP-9 (500-123596-20), GP-10 (500-123596-21) and GP-11 (500-123596-22).

Method(s) 8260B: The extraction LCS associated with preparation batch 371336 had analyte recovery for Dichlorodifluoromethane outside control limits. The instrument LCS associated with analytical batch 371372 had all analytes within control limits; therefore re-analysis was not performed. The data have been reported and qualified. GP-7 (0-2') (500-123596-1), GP-7 (5-7.5') (500-123596-2), GP-8 (2.5-5') (500-123596-3), GP-8 (5-7.5') (500-123596-4), GP-9 (2.5-5') (500-123596-5), GP-9 (5-7.5') (500-123596-6), GP-10 (2.5-5') (500-123596-7), GP-10 (5-7.5') (500-123596-8), GP-11 (0-2.5') (500-123596-9), GP-11 (5-7.5') (500-123596-10), MW-1 (2.5-5') (500-123596-11), MW-1 (5-7.5') (500-123596-12), MW-2 (2.5-5') (500-123596-13), MW-2 (5-7.5') (500-123596-14) and MW-3 (0-2.5') (500-123596-15)

No additional analytical or quality issues were noted, other than those described above or in the Definitions/Glossary page.

Metals

No analytical or quality issues were noted, other than those described in the Definitions/Glossary page.

Detection Summary

Client: SCS Engineers
Project/Site: Arctic Laundry & Cleaners - 25216186

TestAmerica Job ID: 500-123596-1

Client Sample ID: GP-7 (0-2')

Lab Sample ID: 500-123596-1

No Detections.

Client Sample ID: GP-7 (5-7.5')

Lab Sample ID: 500-123596-2

No Detections.

Client Sample ID: GP-8 (2.5-5')

Lab Sample ID: 500-123596-3

| Analyte | Result | Qualifier | RL | MDL | Unit | Dil Fac | D | Method | Prep Type |
|-------------------|--------|-----------|-----|-----|-------|---------|---|--------|-----------|
| Tetrachloroethene | 170 | | 100 | 39 | ug/Kg | 50 | ☒ | 8260B | Total/NA |

Client Sample ID: GP-8 (5-7.5')

Lab Sample ID: 500-123596-4

| Analyte | Result | Qualifier | RL | MDL | Unit | Dil Fac | D | Method | Prep Type |
|-------------------|--------|-----------|-----|-----|-------|---------|---|--------|-----------|
| Tetrachloroethene | 1100 | | 120 | 43 | ug/Kg | 50 | ☒ | 8260B | Total/NA |

Client Sample ID: GP-9 (2.5-5')

Lab Sample ID: 500-123596-5

No Detections.

Client Sample ID: GP-9 (5-7.5')

Lab Sample ID: 500-123596-6

No Detections.

Client Sample ID: GP-10 (2.5-5')

Lab Sample ID: 500-123596-7

| Analyte | Result | Qualifier | RL | MDL | Unit | Dil Fac | D | Method | Prep Type |
|-------------------|--------|-----------|----|-----|-------|---------|---|--------|-----------|
| Tetrachloroethene | 850 | | 89 | 33 | ug/Kg | 50 | ☒ | 8260B | Total/NA |

Client Sample ID: GP-10 (5-7.5')

Lab Sample ID: 500-123596-8

| Analyte | Result | Qualifier | RL | MDL | Unit | Dil Fac | D | Method | Prep Type |
|-------------------|--------|-----------|----|-----|-------|---------|---|--------|-----------|
| Tetrachloroethene | 3200 | | 99 | 37 | ug/Kg | 50 | ☒ | 8260B | Total/NA |

Client Sample ID: GP-11 (0-2.5')

Lab Sample ID: 500-123596-9

| Analyte | Result | Qualifier | RL | MDL | Unit | Dil Fac | D | Method | Prep Type |
|-------------------|--------|-----------|----|-----|-------|---------|---|--------|-----------|
| Tetrachloroethene | 15000 | | 91 | 34 | ug/Kg | 50 | ☒ | 8260B | Total/NA |

Client Sample ID: GP-11 (5-7.5')

Lab Sample ID: 500-123596-10

| Analyte | Result | Qualifier | RL | MDL | Unit | Dil Fac | D | Method | Prep Type |
|-------------------|--------|-----------|----|-----|-------|---------|---|--------|-----------|
| Tetrachloroethene | 17000 | | 84 | 31 | ug/Kg | 50 | ☒ | 8260B | Total/NA |

Client Sample ID: MW-1 (2.5-5')

Lab Sample ID: 500-123596-11

No Detections.

Client Sample ID: MW-1 (5-7.5')

Lab Sample ID: 500-123596-12

No Detections.

This Detection Summary does not include radiochemical test results.

TestAmerica Chicago

Detection Summary

Client: SCS Engineers
Project/Site: Arctic Laundry & Cleaners - 25216186

TestAmerica Job ID: 500-123596-1

Client Sample ID: MW-2 (2.5-5')

Lab Sample ID: 500-123596-13

| Analyte | Result | Qualifier | RL | MDL | Unit | Dil Fac | D | Method | Prep Type |
|-------------------|--------|-----------|----|-----|-------|---------|---|--------|-----------|
| Tetrachloroethene | 510 | | 92 | 34 | ug/Kg | 50 | ☼ | 8260B | Total/NA |

Client Sample ID: MW-2 (5-7.5')

Lab Sample ID: 500-123596-14

| Analyte | Result | Qualifier | RL | MDL | Unit | Dil Fac | D | Method | Prep Type |
|-------------------|--------|-----------|-----|-----|-------|---------|---|--------|-----------|
| Tetrachloroethene | 130 | | 100 | 37 | ug/Kg | 50 | ☼ | 8260B | Total/NA |

Client Sample ID: MW-3 (0-2.5')

Lab Sample ID: 500-123596-15

| Analyte | Result | Qualifier | RL | MDL | Unit | Dil Fac | D | Method | Prep Type |
|-------------------|--------|-----------|-----|-----|-------|---------|---|--------|-----------|
| Tetrachloroethene | 3200 | | 360 | 130 | ug/Kg | 50 | ☼ | 8260B | Total/NA |

Client Sample ID: MW-3 (5-7.5')

Lab Sample ID: 500-123596-16

| Analyte | Result | Qualifier | RL | MDL | Unit | Dil Fac | D | Method | Prep Type |
|-------------------|--------|-----------|----|-----|-------|---------|---|--------|-----------|
| Tetrachloroethene | 3000 | | 88 | 32 | ug/Kg | 50 | ☼ | 8260B | Total/NA |

Client Sample ID: Trip Blank

Lab Sample ID: 500-123596-17

No Detections.

Client Sample ID: GP-7

Lab Sample ID: 500-123596-18

No Detections.

Client Sample ID: GP-8

Lab Sample ID: 500-123596-19

No Detections.

Client Sample ID: GP-9

Lab Sample ID: 500-123596-20

No Detections.

Client Sample ID: GP-10

Lab Sample ID: 500-123596-21

No Detections.

Client Sample ID: GP-11

Lab Sample ID: 500-123596-22

No Detections.

This Detection Summary does not include radiochemical test results.

TestAmerica Chicago

Method Summary

Client: SCS Engineers
Project/Site: Arctic Laundry & Cleaners - 25216186

TestAmerica Job ID: 500-123596-1

| Method | Method Description | Protocol | Laboratory |
|----------|------------------------------------|----------|------------|
| 8260B | Volatile Organic Compounds (GC/MS) | SW846 | TAL CHI |
| Moisture | Percent Moisture | EPA | TAL CHI |

Protocol References:

EPA = US Environmental Protection Agency

SW846 = "Test Methods For Evaluating Solid Waste, Physical/Chemical Methods", Third Edition, November 1986 And Its Updates.

Laboratory References:

TAL CHI = TestAmerica Chicago, 2417 Bond Street, University Park, IL 60484, TEL (708)534-5200



Sample Summary

Client: SCS Engineers
Project/Site: Arctic Laundry & Cleaners - 25216186

TestAmerica Job ID: 500-123596-1

| Lab Sample ID | Client Sample ID | Matrix | Collected | Received |
|---------------|------------------|--------|----------------|----------------|
| 500-123596-1 | GP-7 (0-2') | Solid | 02/06/17 08:50 | 02/08/17 10:30 |
| 500-123596-2 | GP-7 (5-7.5') | Solid | 02/06/17 08:55 | 02/08/17 10:30 |
| 500-123596-3 | GP-8 (2.5-5') | Solid | 02/06/17 09:40 | 02/08/17 10:30 |
| 500-123596-4 | GP-8 (5-7.5') | Solid | 02/06/17 09:45 | 02/08/17 10:30 |
| 500-123596-5 | GP-9 (2.5-5') | Solid | 02/06/17 10:35 | 02/08/17 10:30 |
| 500-123596-6 | GP-9 (5-7.5') | Solid | 02/06/17 10:40 | 02/08/17 10:30 |
| 500-123596-7 | GP-10 (2.5-5') | Solid | 02/06/17 11:05 | 02/08/17 10:30 |
| 500-123596-8 | GP-10 (5-7.5') | Solid | 02/06/17 11:10 | 02/08/17 10:30 |
| 500-123596-9 | GP-11 (0-2.5') | Solid | 02/06/17 11:25 | 02/08/17 10:30 |
| 500-123596-10 | GP-11 (5-7.5') | Solid | 02/06/17 11:30 | 02/08/17 10:30 |
| 500-123596-11 | MW-1 (2.5-5') | Solid | 02/06/17 10:00 | 02/08/17 10:30 |
| 500-123596-12 | MW-1 (5-7.5') | Solid | 02/06/17 10:05 | 02/08/17 10:30 |
| 500-123596-13 | MW-2 (2.5-5') | Solid | 02/06/17 11:55 | 02/08/17 10:30 |
| 500-123596-14 | MW-2 (5-7.5') | Solid | 02/06/17 12:00 | 02/08/17 10:30 |
| 500-123596-15 | MW-3 (0-2.5') | Solid | 02/06/17 13:50 | 02/08/17 10:30 |
| 500-123596-16 | MW-3 (5-7.5') | Solid | 02/06/17 13:55 | 02/08/17 10:30 |
| 500-123596-17 | Trip Blank | Water | 02/06/17 00:00 | 02/08/17 10:30 |
| 500-123596-18 | GP-7 | Water | 02/06/17 10:10 | 02/08/17 10:30 |
| 500-123596-19 | GP-8 | Water | 02/06/17 10:15 | 02/08/17 10:30 |
| 500-123596-20 | GP-9 | Water | 02/06/17 12:55 | 02/08/17 10:30 |
| 500-123596-21 | GP-10 | Water | 02/06/17 12:40 | 02/08/17 10:30 |
| 500-123596-22 | GP-11 | Water | 02/06/17 12:45 | 02/08/17 10:30 |

Client Sample Results

Client: SCS Engineers
 Project/Site: Arctic Laundry & Cleaners - 25216186

TestAmerica Job ID: 500-123596-1

Client Sample ID: GP-7 (0-2')

Lab Sample ID: 500-123596-1

Date Collected: 02/06/17 08:50

Matrix: Solid

Date Received: 02/08/17 10:30

Percent Solids: 80.7

Method: 8260B - Volatile Organic Compounds (GC/MS)

| Analyte | Result | Qualifier | RL | MDL | Unit | D | Prepared | Analyzed | Dil Fac |
|-----------------------------|--------|-----------|-----|-----|-------|---|----------------|----------------|---------|
| Benzene | <18 | | 30 | 18 | ug/Kg | ☼ | 02/06/17 08:50 | 02/09/17 12:40 | 50 |
| Bromobenzene | <43 | | 120 | 43 | ug/Kg | ☼ | 02/06/17 08:50 | 02/09/17 12:40 | 50 |
| Bromochloromethane | <52 | | 120 | 52 | ug/Kg | ☼ | 02/06/17 08:50 | 02/09/17 12:40 | 50 |
| Bromodichloromethane | <45 | | 120 | 45 | ug/Kg | ☼ | 02/06/17 08:50 | 02/09/17 12:40 | 50 |
| Bromoform | <59 | | 120 | 59 | ug/Kg | ☼ | 02/06/17 08:50 | 02/09/17 12:40 | 50 |
| Bromomethane | <96 | | 240 | 96 | ug/Kg | ☼ | 02/06/17 08:50 | 02/09/17 12:40 | 50 |
| Carbon tetrachloride | <47 | | 120 | 47 | ug/Kg | ☼ | 02/06/17 08:50 | 02/09/17 12:40 | 50 |
| Chlorobenzene | <47 | | 120 | 47 | ug/Kg | ☼ | 02/06/17 08:50 | 02/09/17 12:40 | 50 |
| Chloroethane | <61 | | 120 | 61 | ug/Kg | ☼ | 02/06/17 08:50 | 02/09/17 12:40 | 50 |
| Chloroform | <45 | | 240 | 45 | ug/Kg | ☼ | 02/06/17 08:50 | 02/09/17 12:40 | 50 |
| Chloromethane | <39 | | 120 | 39 | ug/Kg | ☼ | 02/06/17 08:50 | 02/09/17 12:40 | 50 |
| 2-Chlorotoluene | <38 | | 120 | 38 | ug/Kg | ☼ | 02/06/17 08:50 | 02/09/17 12:40 | 50 |
| 4-Chlorotoluene | <42 | | 120 | 42 | ug/Kg | ☼ | 02/06/17 08:50 | 02/09/17 12:40 | 50 |
| cis-1,2-Dichloroethene | <49 | | 120 | 49 | ug/Kg | ☼ | 02/06/17 08:50 | 02/09/17 12:40 | 50 |
| cis-1,3-Dichloropropene | <50 | | 120 | 50 | ug/Kg | ☼ | 02/06/17 08:50 | 02/09/17 12:40 | 50 |
| Dibromochloromethane | <59 | | 120 | 59 | ug/Kg | ☼ | 02/06/17 08:50 | 02/09/17 12:40 | 50 |
| 1,2-Dibromo-3-Chloropropane | <240 | | 610 | 240 | ug/Kg | ☼ | 02/06/17 08:50 | 02/09/17 12:40 | 50 |
| 1,2-Dibromoethane | <47 | | 120 | 47 | ug/Kg | ☼ | 02/06/17 08:50 | 02/09/17 12:40 | 50 |
| Dibromomethane | <33 | | 120 | 33 | ug/Kg | ☼ | 02/06/17 08:50 | 02/09/17 12:40 | 50 |
| 1,2-Dichlorobenzene | <40 | | 120 | 40 | ug/Kg | ☼ | 02/06/17 08:50 | 02/09/17 12:40 | 50 |
| 1,3-Dichlorobenzene | <48 | | 120 | 48 | ug/Kg | ☼ | 02/06/17 08:50 | 02/09/17 12:40 | 50 |
| 1,4-Dichlorobenzene | <44 | | 120 | 44 | ug/Kg | ☼ | 02/06/17 08:50 | 02/09/17 12:40 | 50 |
| Dichlorodifluoromethane | <82 * | | 240 | 82 | ug/Kg | ☼ | 02/06/17 08:50 | 02/09/17 12:40 | 50 |
| 1,1-Dichloroethane | <50 | | 120 | 50 | ug/Kg | ☼ | 02/06/17 08:50 | 02/09/17 12:40 | 50 |
| 1,2-Dichloroethane | <48 | | 120 | 48 | ug/Kg | ☼ | 02/06/17 08:50 | 02/09/17 12:40 | 50 |
| 1,1-Dichloroethene | <47 | | 120 | 47 | ug/Kg | ☼ | 02/06/17 08:50 | 02/09/17 12:40 | 50 |
| 1,2-Dichloropropane | <52 | | 120 | 52 | ug/Kg | ☼ | 02/06/17 08:50 | 02/09/17 12:40 | 50 |
| 1,3-Dichloropropane | <44 | | 120 | 44 | ug/Kg | ☼ | 02/06/17 08:50 | 02/09/17 12:40 | 50 |
| 2,2-Dichloropropane | <54 | | 120 | 54 | ug/Kg | ☼ | 02/06/17 08:50 | 02/09/17 12:40 | 50 |
| 1,1-Dichloropropene | <36 | | 120 | 36 | ug/Kg | ☼ | 02/06/17 08:50 | 02/09/17 12:40 | 50 |
| Ethylbenzene | <22 | | 30 | 22 | ug/Kg | ☼ | 02/06/17 08:50 | 02/09/17 12:40 | 50 |
| Hexachlorobutadiene | <54 | | 120 | 54 | ug/Kg | ☼ | 02/06/17 08:50 | 02/09/17 12:40 | 50 |
| Isopropylbenzene | <47 | | 120 | 47 | ug/Kg | ☼ | 02/06/17 08:50 | 02/09/17 12:40 | 50 |
| Isopropyl ether | <33 | | 120 | 33 | ug/Kg | ☼ | 02/06/17 08:50 | 02/09/17 12:40 | 50 |
| Methylene Chloride | <200 | | 610 | 200 | ug/Kg | ☼ | 02/06/17 08:50 | 02/09/17 12:40 | 50 |
| Methyl tert-butyl ether | <48 | | 120 | 48 | ug/Kg | ☼ | 02/06/17 08:50 | 02/09/17 12:40 | 50 |
| Naphthalene | <40 | | 120 | 40 | ug/Kg | ☼ | 02/06/17 08:50 | 02/09/17 12:40 | 50 |
| n-Butylbenzene | <47 | | 120 | 47 | ug/Kg | ☼ | 02/06/17 08:50 | 02/09/17 12:40 | 50 |
| N-Propylbenzene | <50 | | 120 | 50 | ug/Kg | ☼ | 02/06/17 08:50 | 02/09/17 12:40 | 50 |
| p-Isopropyltoluene | <44 | | 120 | 44 | ug/Kg | ☼ | 02/06/17 08:50 | 02/09/17 12:40 | 50 |
| sec-Butylbenzene | <48 | | 120 | 48 | ug/Kg | ☼ | 02/06/17 08:50 | 02/09/17 12:40 | 50 |
| Styrene | <47 | | 120 | 47 | ug/Kg | ☼ | 02/06/17 08:50 | 02/09/17 12:40 | 50 |
| tert-Butylbenzene | <48 | | 120 | 48 | ug/Kg | ☼ | 02/06/17 08:50 | 02/09/17 12:40 | 50 |
| 1,1,1,2-Tetrachloroethane | <56 | | 120 | 56 | ug/Kg | ☼ | 02/06/17 08:50 | 02/09/17 12:40 | 50 |
| 1,1,2,2-Tetrachloroethane | <48 | | 120 | 48 | ug/Kg | ☼ | 02/06/17 08:50 | 02/09/17 12:40 | 50 |
| Tetrachloroethene | <45 | | 120 | 45 | ug/Kg | ☼ | 02/06/17 08:50 | 02/09/17 12:40 | 50 |
| Toluene | <18 | | 30 | 18 | ug/Kg | ☼ | 02/06/17 08:50 | 02/09/17 12:40 | 50 |
| trans-1,2-Dichloroethene | <42 | | 120 | 42 | ug/Kg | ☼ | 02/06/17 08:50 | 02/09/17 12:40 | 50 |
| trans-1,3-Dichloropropene | <44 | | 120 | 44 | ug/Kg | ☼ | 02/06/17 08:50 | 02/09/17 12:40 | 50 |

TestAmerica Chicago

Client Sample Results

Client: SCS Engineers
 Project/Site: Arctic Laundry & Cleaners - 25216186

TestAmerica Job ID: 500-123596-1

Client Sample ID: GP-7 (0-2')

Date Collected: 02/06/17 08:50

Date Received: 02/08/17 10:30

Lab Sample ID: 500-123596-1

Matrix: Solid

Percent Solids: 80.7

Method: 8260B - Volatile Organic Compounds (GC/MS) (Continued)

| Analyte | Result | Qualifier | RL | MDL | Unit | D | Prepared | Analyzed | Dil Fac |
|------------------------------|------------------|------------------|---------------|-----|-------|---|-----------------|-----------------|----------------|
| 1,2,3-Trichlorobenzene | <56 | | 120 | 56 | ug/Kg | ☼ | 02/06/17 08:50 | 02/09/17 12:40 | 50 |
| 1,2,4-Trichlorobenzene | <41 | | 120 | 41 | ug/Kg | ☼ | 02/06/17 08:50 | 02/09/17 12:40 | 50 |
| 1,1,1-Trichloroethane | <46 | | 120 | 46 | ug/Kg | ☼ | 02/06/17 08:50 | 02/09/17 12:40 | 50 |
| 1,1,2-Trichloroethane | <43 | | 120 | 43 | ug/Kg | ☼ | 02/06/17 08:50 | 02/09/17 12:40 | 50 |
| Trichloroethene | <20 | | 61 | 20 | ug/Kg | ☼ | 02/06/17 08:50 | 02/09/17 12:40 | 50 |
| Trichlorofluoromethane | <52 | | 120 | 52 | ug/Kg | ☼ | 02/06/17 08:50 | 02/09/17 12:40 | 50 |
| 1,2,3-Trichloropropane | <50 | | 120 | 50 | ug/Kg | ☼ | 02/06/17 08:50 | 02/09/17 12:40 | 50 |
| 1,2,4-Trimethylbenzene | <43 | | 120 | 43 | ug/Kg | ☼ | 02/06/17 08:50 | 02/09/17 12:40 | 50 |
| 1,3,5-Trimethylbenzene | <46 | | 120 | 46 | ug/Kg | ☼ | 02/06/17 08:50 | 02/09/17 12:40 | 50 |
| Vinyl chloride | <32 | | 61 | 32 | ug/Kg | ☼ | 02/06/17 08:50 | 02/09/17 12:40 | 50 |
| Xylenes, Total | <27 | | 61 | 27 | ug/Kg | ☼ | 02/06/17 08:50 | 02/09/17 12:40 | 50 |
| Surrogate | %Recovery | Qualifier | Limits | | | | Prepared | Analyzed | Dil Fac |
| 4-Bromofluorobenzene (Surr) | 94 | | 71 - 120 | | | | 02/06/17 08:50 | 02/09/17 12:40 | 50 |
| Dibromofluoromethane | 105 | | 70 - 120 | | | | 02/06/17 08:50 | 02/09/17 12:40 | 50 |
| 1,2-Dichloroethane-d4 (Surr) | 104 | | 71 - 127 | | | | 02/06/17 08:50 | 02/09/17 12:40 | 50 |
| Toluene-d8 (Surr) | 96 | | 75 - 120 | | | | 02/06/17 08:50 | 02/09/17 12:40 | 50 |

Client Sample ID: GP-7 (5-7.5')

Date Collected: 02/06/17 08:55

Date Received: 02/08/17 10:30

Lab Sample ID: 500-123596-2

Matrix: Solid

Percent Solids: 85.9

Method: 8260B - Volatile Organic Compounds (GC/MS)

| Analyte | Result | Qualifier | RL | MDL | Unit | D | Prepared | Analyzed | Dil Fac |
|-----------------------------|--------|-----------|-----|-----|-------|---|----------------|----------------|---------|
| Benzene | <13 | | 23 | 13 | ug/Kg | ☼ | 02/06/17 08:55 | 02/09/17 13:08 | 50 |
| Bromobenzene | <33 | | 92 | 33 | ug/Kg | ☼ | 02/06/17 08:55 | 02/09/17 13:08 | 50 |
| Bromochloromethane | <39 | | 92 | 39 | ug/Kg | ☼ | 02/06/17 08:55 | 02/09/17 13:08 | 50 |
| Bromodichloromethane | <34 | | 92 | 34 | ug/Kg | ☼ | 02/06/17 08:55 | 02/09/17 13:08 | 50 |
| Bromoform | <44 | | 92 | 44 | ug/Kg | ☼ | 02/06/17 08:55 | 02/09/17 13:08 | 50 |
| Bromomethane | <73 | | 180 | 73 | ug/Kg | ☼ | 02/06/17 08:55 | 02/09/17 13:08 | 50 |
| Carbon tetrachloride | <35 | | 92 | 35 | ug/Kg | ☼ | 02/06/17 08:55 | 02/09/17 13:08 | 50 |
| Chlorobenzene | <35 | | 92 | 35 | ug/Kg | ☼ | 02/06/17 08:55 | 02/09/17 13:08 | 50 |
| Chloroethane | <46 | | 92 | 46 | ug/Kg | ☼ | 02/06/17 08:55 | 02/09/17 13:08 | 50 |
| Chloroform | <34 | | 180 | 34 | ug/Kg | ☼ | 02/06/17 08:55 | 02/09/17 13:08 | 50 |
| Chloromethane | <29 | | 92 | 29 | ug/Kg | ☼ | 02/06/17 08:55 | 02/09/17 13:08 | 50 |
| 2-Chlorotoluene | <29 | | 92 | 29 | ug/Kg | ☼ | 02/06/17 08:55 | 02/09/17 13:08 | 50 |
| 4-Chlorotoluene | <32 | | 92 | 32 | ug/Kg | ☼ | 02/06/17 08:55 | 02/09/17 13:08 | 50 |
| cis-1,2-Dichloroethene | <37 | | 92 | 37 | ug/Kg | ☼ | 02/06/17 08:55 | 02/09/17 13:08 | 50 |
| cis-1,3-Dichloropropene | <38 | | 92 | 38 | ug/Kg | ☼ | 02/06/17 08:55 | 02/09/17 13:08 | 50 |
| Dibromochloromethane | <45 | | 92 | 45 | ug/Kg | ☼ | 02/06/17 08:55 | 02/09/17 13:08 | 50 |
| 1,2-Dibromo-3-Chloropropane | <180 | | 460 | 180 | ug/Kg | ☼ | 02/06/17 08:55 | 02/09/17 13:08 | 50 |
| 1,2-Dibromoethane | <35 | | 92 | 35 | ug/Kg | ☼ | 02/06/17 08:55 | 02/09/17 13:08 | 50 |
| Dibromomethane | <25 | | 92 | 25 | ug/Kg | ☼ | 02/06/17 08:55 | 02/09/17 13:08 | 50 |
| 1,2-Dichlorobenzene | <31 | | 92 | 31 | ug/Kg | ☼ | 02/06/17 08:55 | 02/09/17 13:08 | 50 |
| 1,3-Dichlorobenzene | <37 | | 92 | 37 | ug/Kg | ☼ | 02/06/17 08:55 | 02/09/17 13:08 | 50 |
| 1,4-Dichlorobenzene | <33 | | 92 | 33 | ug/Kg | ☼ | 02/06/17 08:55 | 02/09/17 13:08 | 50 |
| Dichlorodifluoromethane | <62 * | | 180 | 62 | ug/Kg | ☼ | 02/06/17 08:55 | 02/09/17 13:08 | 50 |
| 1,1-Dichloroethane | <38 | | 92 | 38 | ug/Kg | ☼ | 02/06/17 08:55 | 02/09/17 13:08 | 50 |
| 1,2-Dichloroethane | <36 | | 92 | 36 | ug/Kg | ☼ | 02/06/17 08:55 | 02/09/17 13:08 | 50 |
| 1,1-Dichloroethene | <36 | | 92 | 36 | ug/Kg | ☼ | 02/06/17 08:55 | 02/09/17 13:08 | 50 |

TestAmerica Chicago

Client Sample Results

Client: SCS Engineers
Project/Site: Arctic Laundry & Cleaners - 25216186

TestAmerica Job ID: 500-123596-1

Client Sample ID: GP-7 (5-7.5')

Lab Sample ID: 500-123596-2

Date Collected: 02/06/17 08:55

Matrix: Solid

Date Received: 02/08/17 10:30

Percent Solids: 85.9

Method: 8260B - Volatile Organic Compounds (GC/MS) (Continued)

| Analyte | Result | Qualifier | RL | MDL | Unit | D | Prepared | Analyzed | Dil Fac |
|---------------------------|--------|-----------|-----|-----|-------|---|----------------|----------------|---------|
| 1,2-Dichloropropane | <39 | | 92 | 39 | ug/Kg | ☼ | 02/06/17 08:55 | 02/09/17 13:08 | 50 |
| 1,3-Dichloropropane | <33 | | 92 | 33 | ug/Kg | ☼ | 02/06/17 08:55 | 02/09/17 13:08 | 50 |
| 2,2-Dichloropropane | <41 | | 92 | 41 | ug/Kg | ☼ | 02/06/17 08:55 | 02/09/17 13:08 | 50 |
| 1,1-Dichloropropene | <27 | | 92 | 27 | ug/Kg | ☼ | 02/06/17 08:55 | 02/09/17 13:08 | 50 |
| Ethylbenzene | <17 | | 23 | 17 | ug/Kg | ☼ | 02/06/17 08:55 | 02/09/17 13:08 | 50 |
| Hexachlorobutadiene | <41 | | 92 | 41 | ug/Kg | ☼ | 02/06/17 08:55 | 02/09/17 13:08 | 50 |
| Isopropylbenzene | <35 | | 92 | 35 | ug/Kg | ☼ | 02/06/17 08:55 | 02/09/17 13:08 | 50 |
| Isopropyl ether | <25 | | 92 | 25 | ug/Kg | ☼ | 02/06/17 08:55 | 02/09/17 13:08 | 50 |
| Methylene Chloride | <150 | | 460 | 150 | ug/Kg | ☼ | 02/06/17 08:55 | 02/09/17 13:08 | 50 |
| Methyl tert-butyl ether | <36 | | 92 | 36 | ug/Kg | ☼ | 02/06/17 08:55 | 02/09/17 13:08 | 50 |
| Naphthalene | <31 | | 92 | 31 | ug/Kg | ☼ | 02/06/17 08:55 | 02/09/17 13:08 | 50 |
| n-Butylbenzene | <36 | | 92 | 36 | ug/Kg | ☼ | 02/06/17 08:55 | 02/09/17 13:08 | 50 |
| N-Propylbenzene | <38 | | 92 | 38 | ug/Kg | ☼ | 02/06/17 08:55 | 02/09/17 13:08 | 50 |
| p-Isopropyltoluene | <33 | | 92 | 33 | ug/Kg | ☼ | 02/06/17 08:55 | 02/09/17 13:08 | 50 |
| sec-Butylbenzene | <36 | | 92 | 36 | ug/Kg | ☼ | 02/06/17 08:55 | 02/09/17 13:08 | 50 |
| Styrene | <35 | | 92 | 35 | ug/Kg | ☼ | 02/06/17 08:55 | 02/09/17 13:08 | 50 |
| tert-Butylbenzene | <36 | | 92 | 36 | ug/Kg | ☼ | 02/06/17 08:55 | 02/09/17 13:08 | 50 |
| 1,1,1,2-Tetrachloroethane | <42 | | 92 | 42 | ug/Kg | ☼ | 02/06/17 08:55 | 02/09/17 13:08 | 50 |
| 1,1,2,2-Tetrachloroethane | <36 | | 92 | 36 | ug/Kg | ☼ | 02/06/17 08:55 | 02/09/17 13:08 | 50 |
| Tetrachloroethene | <34 | | 92 | 34 | ug/Kg | ☼ | 02/06/17 08:55 | 02/09/17 13:08 | 50 |
| Toluene | <13 | | 23 | 13 | ug/Kg | ☼ | 02/06/17 08:55 | 02/09/17 13:08 | 50 |
| trans-1,2-Dichloroethene | <32 | | 92 | 32 | ug/Kg | ☼ | 02/06/17 08:55 | 02/09/17 13:08 | 50 |
| trans-1,3-Dichloropropene | <33 | | 92 | 33 | ug/Kg | ☼ | 02/06/17 08:55 | 02/09/17 13:08 | 50 |
| 1,2,3-Trichlorobenzene | <42 | | 92 | 42 | ug/Kg | ☼ | 02/06/17 08:55 | 02/09/17 13:08 | 50 |
| 1,2,4-Trichlorobenzene | <31 | | 92 | 31 | ug/Kg | ☼ | 02/06/17 08:55 | 02/09/17 13:08 | 50 |
| 1,1,1-Trichloroethane | <35 | | 92 | 35 | ug/Kg | ☼ | 02/06/17 08:55 | 02/09/17 13:08 | 50 |
| 1,1,2-Trichloroethane | <32 | | 92 | 32 | ug/Kg | ☼ | 02/06/17 08:55 | 02/09/17 13:08 | 50 |
| Trichloroethene | <15 | | 46 | 15 | ug/Kg | ☼ | 02/06/17 08:55 | 02/09/17 13:08 | 50 |
| Trichlorofluoromethane | <39 | | 92 | 39 | ug/Kg | ☼ | 02/06/17 08:55 | 02/09/17 13:08 | 50 |
| 1,2,3-Trichloropropane | <38 | | 92 | 38 | ug/Kg | ☼ | 02/06/17 08:55 | 02/09/17 13:08 | 50 |
| 1,2,4-Trimethylbenzene | <33 | | 92 | 33 | ug/Kg | ☼ | 02/06/17 08:55 | 02/09/17 13:08 | 50 |
| 1,3,5-Trimethylbenzene | <35 | | 92 | 35 | ug/Kg | ☼ | 02/06/17 08:55 | 02/09/17 13:08 | 50 |
| Vinyl chloride | <24 | | 46 | 24 | ug/Kg | ☼ | 02/06/17 08:55 | 02/09/17 13:08 | 50 |
| Xylenes, Total | <20 | | 46 | 20 | ug/Kg | ☼ | 02/06/17 08:55 | 02/09/17 13:08 | 50 |

| Surrogate | %Recovery | Qualifier | Limits | Prepared | Analyzed | Dil Fac |
|------------------------------|-----------|-----------|----------|----------------|----------------|---------|
| 4-Bromofluorobenzene (Surr) | 94 | | 71 - 120 | 02/06/17 08:55 | 02/09/17 13:08 | 50 |
| Dibromofluoromethane | 102 | | 70 - 120 | 02/06/17 08:55 | 02/09/17 13:08 | 50 |
| 1,2-Dichloroethane-d4 (Surr) | 100 | | 71 - 127 | 02/06/17 08:55 | 02/09/17 13:08 | 50 |
| Toluene-d8 (Surr) | 97 | | 75 - 120 | 02/06/17 08:55 | 02/09/17 13:08 | 50 |

Client Sample ID: GP-8 (2.5-5')

Lab Sample ID: 500-123596-3

Date Collected: 02/06/17 09:40

Matrix: Solid

Date Received: 02/08/17 10:30

Percent Solids: 86.4

Method: 8260B - Volatile Organic Compounds (GC/MS)

| Analyte | Result | Qualifier | RL | MDL | Unit | D | Prepared | Analyzed | Dil Fac |
|--------------------|--------|-----------|-----|-----|-------|---|----------------|----------------|---------|
| Benzene | <15 | | 26 | 15 | ug/Kg | ☼ | 02/06/17 09:40 | 02/09/17 13:36 | 50 |
| Bromobenzene | <37 | | 100 | 37 | ug/Kg | ☼ | 02/06/17 09:40 | 02/09/17 13:36 | 50 |
| Bromochloromethane | <45 | | 100 | 45 | ug/Kg | ☼ | 02/06/17 09:40 | 02/09/17 13:36 | 50 |

TestAmerica Chicago

Client Sample Results

Client: SCS Engineers
 Project/Site: Arctic Laundry & Cleaners - 25216186

TestAmerica Job ID: 500-123596-1

Client Sample ID: GP-8 (2.5-5')

Lab Sample ID: 500-123596-3

Date Collected: 02/06/17 09:40

Matrix: Solid

Date Received: 02/08/17 10:30

Percent Solids: 86.4

Method: 8260B - Volatile Organic Compounds (GC/MS) (Continued)

| Analyte | Result | Qualifier | RL | MDL | Unit | D | Prepared | Analyzed | Dil Fac |
|-----------------------------|------------|-----------|-----|-----|-------|---|----------------|----------------|---------|
| Bromodichloromethane | <39 | | 100 | 39 | ug/Kg | ☼ | 02/06/17 09:40 | 02/09/17 13:36 | 50 |
| Bromoform | <51 | | 100 | 51 | ug/Kg | ☼ | 02/06/17 09:40 | 02/09/17 13:36 | 50 |
| Bromomethane | <83 | | 210 | 83 | ug/Kg | ☼ | 02/06/17 09:40 | 02/09/17 13:36 | 50 |
| Carbon tetrachloride | <40 | | 100 | 40 | ug/Kg | ☼ | 02/06/17 09:40 | 02/09/17 13:36 | 50 |
| Chlorobenzene | <40 | | 100 | 40 | ug/Kg | ☼ | 02/06/17 09:40 | 02/09/17 13:36 | 50 |
| Chloroethane | <53 | | 100 | 53 | ug/Kg | ☼ | 02/06/17 09:40 | 02/09/17 13:36 | 50 |
| Chloroform | <39 | | 210 | 39 | ug/Kg | ☼ | 02/06/17 09:40 | 02/09/17 13:36 | 50 |
| Chloromethane | <34 | | 100 | 34 | ug/Kg | ☼ | 02/06/17 09:40 | 02/09/17 13:36 | 50 |
| 2-Chlorotoluene | <33 | | 100 | 33 | ug/Kg | ☼ | 02/06/17 09:40 | 02/09/17 13:36 | 50 |
| 4-Chlorotoluene | <37 | | 100 | 37 | ug/Kg | ☼ | 02/06/17 09:40 | 02/09/17 13:36 | 50 |
| cis-1,2-Dichloroethene | <43 | | 100 | 43 | ug/Kg | ☼ | 02/06/17 09:40 | 02/09/17 13:36 | 50 |
| cis-1,3-Dichloropropene | <44 | | 100 | 44 | ug/Kg | ☼ | 02/06/17 09:40 | 02/09/17 13:36 | 50 |
| Dibromochloromethane | <51 | | 100 | 51 | ug/Kg | ☼ | 02/06/17 09:40 | 02/09/17 13:36 | 50 |
| 1,2-Dibromo-3-Chloropropane | <210 | | 520 | 210 | ug/Kg | ☼ | 02/06/17 09:40 | 02/09/17 13:36 | 50 |
| 1,2-Dibromoethane | <40 | | 100 | 40 | ug/Kg | ☼ | 02/06/17 09:40 | 02/09/17 13:36 | 50 |
| Dibromomethane | <28 | | 100 | 28 | ug/Kg | ☼ | 02/06/17 09:40 | 02/09/17 13:36 | 50 |
| 1,2-Dichlorobenzene | <35 | | 100 | 35 | ug/Kg | ☼ | 02/06/17 09:40 | 02/09/17 13:36 | 50 |
| 1,3-Dichlorobenzene | <42 | | 100 | 42 | ug/Kg | ☼ | 02/06/17 09:40 | 02/09/17 13:36 | 50 |
| 1,4-Dichlorobenzene | <38 | | 100 | 38 | ug/Kg | ☼ | 02/06/17 09:40 | 02/09/17 13:36 | 50 |
| Dichlorodifluoromethane | <71 * | | 210 | 71 | ug/Kg | ☼ | 02/06/17 09:40 | 02/09/17 13:36 | 50 |
| 1,1-Dichloroethane | <43 | | 100 | 43 | ug/Kg | ☼ | 02/06/17 09:40 | 02/09/17 13:36 | 50 |
| 1,2-Dichloroethane | <41 | | 100 | 41 | ug/Kg | ☼ | 02/06/17 09:40 | 02/09/17 13:36 | 50 |
| 1,1-Dichloroethene | <41 | | 100 | 41 | ug/Kg | ☼ | 02/06/17 09:40 | 02/09/17 13:36 | 50 |
| 1,2-Dichloropropane | <45 | | 100 | 45 | ug/Kg | ☼ | 02/06/17 09:40 | 02/09/17 13:36 | 50 |
| 1,3-Dichloropropane | <38 | | 100 | 38 | ug/Kg | ☼ | 02/06/17 09:40 | 02/09/17 13:36 | 50 |
| 2,2-Dichloropropane | <47 | | 100 | 47 | ug/Kg | ☼ | 02/06/17 09:40 | 02/09/17 13:36 | 50 |
| 1,1-Dichloropropene | <31 | | 100 | 31 | ug/Kg | ☼ | 02/06/17 09:40 | 02/09/17 13:36 | 50 |
| Ethylbenzene | <19 | | 26 | 19 | ug/Kg | ☼ | 02/06/17 09:40 | 02/09/17 13:36 | 50 |
| Hexachlorobutadiene | <47 | | 100 | 47 | ug/Kg | ☼ | 02/06/17 09:40 | 02/09/17 13:36 | 50 |
| Isopropylbenzene | <40 | | 100 | 40 | ug/Kg | ☼ | 02/06/17 09:40 | 02/09/17 13:36 | 50 |
| Isopropyl ether | <29 | | 100 | 29 | ug/Kg | ☼ | 02/06/17 09:40 | 02/09/17 13:36 | 50 |
| Methylene Chloride | <170 | | 520 | 170 | ug/Kg | ☼ | 02/06/17 09:40 | 02/09/17 13:36 | 50 |
| Methyl tert-butyl ether | <41 | | 100 | 41 | ug/Kg | ☼ | 02/06/17 09:40 | 02/09/17 13:36 | 50 |
| Naphthalene | <35 | | 100 | 35 | ug/Kg | ☼ | 02/06/17 09:40 | 02/09/17 13:36 | 50 |
| n-Butylbenzene | <41 | | 100 | 41 | ug/Kg | ☼ | 02/06/17 09:40 | 02/09/17 13:36 | 50 |
| N-Propylbenzene | <43 | | 100 | 43 | ug/Kg | ☼ | 02/06/17 09:40 | 02/09/17 13:36 | 50 |
| p-Isopropyltoluene | <38 | | 100 | 38 | ug/Kg | ☼ | 02/06/17 09:40 | 02/09/17 13:36 | 50 |
| sec-Butylbenzene | <42 | | 100 | 42 | ug/Kg | ☼ | 02/06/17 09:40 | 02/09/17 13:36 | 50 |
| Styrene | <40 | | 100 | 40 | ug/Kg | ☼ | 02/06/17 09:40 | 02/09/17 13:36 | 50 |
| tert-Butylbenzene | <42 | | 100 | 42 | ug/Kg | ☼ | 02/06/17 09:40 | 02/09/17 13:36 | 50 |
| 1,1,1,2-Tetrachloroethane | <48 | | 100 | 48 | ug/Kg | ☼ | 02/06/17 09:40 | 02/09/17 13:36 | 50 |
| 1,1,2,2-Tetrachloroethane | <42 | | 100 | 42 | ug/Kg | ☼ | 02/06/17 09:40 | 02/09/17 13:36 | 50 |
| Tetrachloroethene | 170 | | 100 | 39 | ug/Kg | ☼ | 02/06/17 09:40 | 02/09/17 13:36 | 50 |
| Toluene | <15 | | 26 | 15 | ug/Kg | ☼ | 02/06/17 09:40 | 02/09/17 13:36 | 50 |
| trans-1,2-Dichloroethene | <37 | | 100 | 37 | ug/Kg | ☼ | 02/06/17 09:40 | 02/09/17 13:36 | 50 |
| trans-1,3-Dichloropropene | <38 | | 100 | 38 | ug/Kg | ☼ | 02/06/17 09:40 | 02/09/17 13:36 | 50 |
| 1,2,3-Trichlorobenzene | <48 | | 100 | 48 | ug/Kg | ☼ | 02/06/17 09:40 | 02/09/17 13:36 | 50 |
| 1,2,4-Trichlorobenzene | <36 | | 100 | 36 | ug/Kg | ☼ | 02/06/17 09:40 | 02/09/17 13:36 | 50 |
| 1,1,1-Trichloroethane | <40 | | 100 | 40 | ug/Kg | ☼ | 02/06/17 09:40 | 02/09/17 13:36 | 50 |

TestAmerica Chicago

Client Sample Results

Client: SCS Engineers
 Project/Site: Arctic Laundry & Cleaners - 25216186

TestAmerica Job ID: 500-123596-1

Client Sample ID: GP-8 (2.5-5')

Date Collected: 02/06/17 09:40

Date Received: 02/08/17 10:30

Lab Sample ID: 500-123596-3

Matrix: Solid

Percent Solids: 86.4

Method: 8260B - Volatile Organic Compounds (GC/MS) (Continued)

| Analyte | Result | Qualifier | RL | MDL | Unit | D | Prepared | Analyzed | Dil Fac |
|------------------------------|-----------|-----------|----------|-----|-------|---|----------------|----------------|---------|
| 1,1,2-Trichloroethane | <37 | | 100 | 37 | ug/Kg | ☼ | 02/06/17 09:40 | 02/09/17 13:36 | 50 |
| Trichloroethene | <17 | | 52 | 17 | ug/Kg | ☼ | 02/06/17 09:40 | 02/09/17 13:36 | 50 |
| Trichlorofluoromethane | <45 | | 100 | 45 | ug/Kg | ☼ | 02/06/17 09:40 | 02/09/17 13:36 | 50 |
| 1,2,3-Trichloropropane | <43 | | 100 | 43 | ug/Kg | ☼ | 02/06/17 09:40 | 02/09/17 13:36 | 50 |
| 1,2,4-Trimethylbenzene | <38 | | 100 | 38 | ug/Kg | ☼ | 02/06/17 09:40 | 02/09/17 13:36 | 50 |
| 1,3,5-Trimethylbenzene | <40 | | 100 | 40 | ug/Kg | ☼ | 02/06/17 09:40 | 02/09/17 13:36 | 50 |
| Vinyl chloride | <27 | | 52 | 27 | ug/Kg | ☼ | 02/06/17 09:40 | 02/09/17 13:36 | 50 |
| Xylenes, Total | <23 | | 52 | 23 | ug/Kg | ☼ | 02/06/17 09:40 | 02/09/17 13:36 | 50 |
| Surrogate | %Recovery | Qualifier | Limits | | | | Prepared | Analyzed | Dil Fac |
| 4-Bromofluorobenzene (Surr) | 95 | | 71 - 120 | | | | 02/06/17 09:40 | 02/09/17 13:36 | 50 |
| Dibromofluoromethane | 104 | | 70 - 120 | | | | 02/06/17 09:40 | 02/09/17 13:36 | 50 |
| 1,2-Dichloroethane-d4 (Surr) | 103 | | 71 - 127 | | | | 02/06/17 09:40 | 02/09/17 13:36 | 50 |
| Toluene-d8 (Surr) | 96 | | 75 - 120 | | | | 02/06/17 09:40 | 02/09/17 13:36 | 50 |

Client Sample ID: GP-8 (5-7.5')

Date Collected: 02/06/17 09:45

Date Received: 02/08/17 10:30

Lab Sample ID: 500-123596-4

Matrix: Solid

Percent Solids: 84.3

Method: 8260B - Volatile Organic Compounds (GC/MS)

| Analyte | Result | Qualifier | RL | MDL | Unit | D | Prepared | Analyzed | Dil Fac |
|-----------------------------|--------|-----------|-----|-----|-------|---|----------------|----------------|---------|
| Benzene | <17 | | 29 | 17 | ug/Kg | ☼ | 02/06/17 09:45 | 02/09/17 14:03 | 50 |
| Bromobenzene | <42 | | 120 | 42 | ug/Kg | ☼ | 02/06/17 09:45 | 02/09/17 14:03 | 50 |
| Bromochloromethane | <50 | | 120 | 50 | ug/Kg | ☼ | 02/06/17 09:45 | 02/09/17 14:03 | 50 |
| Bromodichloromethane | <44 | | 120 | 44 | ug/Kg | ☼ | 02/06/17 09:45 | 02/09/17 14:03 | 50 |
| Bromoform | <57 | | 120 | 57 | ug/Kg | ☼ | 02/06/17 09:45 | 02/09/17 14:03 | 50 |
| Bromomethane | <93 | | 230 | 93 | ug/Kg | ☼ | 02/06/17 09:45 | 02/09/17 14:03 | 50 |
| Carbon tetrachloride | <45 | | 120 | 45 | ug/Kg | ☼ | 02/06/17 09:45 | 02/09/17 14:03 | 50 |
| Chlorobenzene | <45 | | 120 | 45 | ug/Kg | ☼ | 02/06/17 09:45 | 02/09/17 14:03 | 50 |
| Chloroethane | <59 | | 120 | 59 | ug/Kg | ☼ | 02/06/17 09:45 | 02/09/17 14:03 | 50 |
| Chloroform | <43 | | 230 | 43 | ug/Kg | ☼ | 02/06/17 09:45 | 02/09/17 14:03 | 50 |
| Chloromethane | <38 | | 120 | 38 | ug/Kg | ☼ | 02/06/17 09:45 | 02/09/17 14:03 | 50 |
| 2-Chlorotoluene | <37 | | 120 | 37 | ug/Kg | ☼ | 02/06/17 09:45 | 02/09/17 14:03 | 50 |
| 4-Chlorotoluene | <41 | | 120 | 41 | ug/Kg | ☼ | 02/06/17 09:45 | 02/09/17 14:03 | 50 |
| cis-1,2-Dichloroethene | <48 | | 120 | 48 | ug/Kg | ☼ | 02/06/17 09:45 | 02/09/17 14:03 | 50 |
| cis-1,3-Dichloropropene | <49 | | 120 | 49 | ug/Kg | ☼ | 02/06/17 09:45 | 02/09/17 14:03 | 50 |
| Dibromochloromethane | <57 | | 120 | 57 | ug/Kg | ☼ | 02/06/17 09:45 | 02/09/17 14:03 | 50 |
| 1,2-Dibromo-3-Chloropropane | <230 | | 590 | 230 | ug/Kg | ☼ | 02/06/17 09:45 | 02/09/17 14:03 | 50 |
| 1,2-Dibromoethane | <45 | | 120 | 45 | ug/Kg | ☼ | 02/06/17 09:45 | 02/09/17 14:03 | 50 |
| Dibromomethane | <32 | | 120 | 32 | ug/Kg | ☼ | 02/06/17 09:45 | 02/09/17 14:03 | 50 |
| 1,2-Dichlorobenzene | <39 | | 120 | 39 | ug/Kg | ☼ | 02/06/17 09:45 | 02/09/17 14:03 | 50 |
| 1,3-Dichlorobenzene | <47 | | 120 | 47 | ug/Kg | ☼ | 02/06/17 09:45 | 02/09/17 14:03 | 50 |
| 1,4-Dichlorobenzene | <43 | | 120 | 43 | ug/Kg | ☼ | 02/06/17 09:45 | 02/09/17 14:03 | 50 |
| Dichlorodifluoromethane | <79 * | | 230 | 79 | ug/Kg | ☼ | 02/06/17 09:45 | 02/09/17 14:03 | 50 |
| 1,1-Dichloroethane | <48 | | 120 | 48 | ug/Kg | ☼ | 02/06/17 09:45 | 02/09/17 14:03 | 50 |
| 1,2-Dichloroethane | <46 | | 120 | 46 | ug/Kg | ☼ | 02/06/17 09:45 | 02/09/17 14:03 | 50 |
| 1,1-Dichloroethene | <46 | | 120 | 46 | ug/Kg | ☼ | 02/06/17 09:45 | 02/09/17 14:03 | 50 |
| 1,2-Dichloropropane | <50 | | 120 | 50 | ug/Kg | ☼ | 02/06/17 09:45 | 02/09/17 14:03 | 50 |
| 1,3-Dichloropropane | <42 | | 120 | 42 | ug/Kg | ☼ | 02/06/17 09:45 | 02/09/17 14:03 | 50 |
| 2,2-Dichloropropane | <52 | | 120 | 52 | ug/Kg | ☼ | 02/06/17 09:45 | 02/09/17 14:03 | 50 |

TestAmerica Chicago

Client Sample Results

Client: SCS Engineers
Project/Site: Arctic Laundry & Cleaners - 25216186

TestAmerica Job ID: 500-123596-1

Client Sample ID: GP-8 (5-7.5')

Lab Sample ID: 500-123596-4

Date Collected: 02/06/17 09:45

Matrix: Solid

Date Received: 02/08/17 10:30

Percent Solids: 84.3

Method: 8260B - Volatile Organic Compounds (GC/MS) (Continued)

| Analyte | Result | Qualifier | RL | MDL | Unit | D | Prepared | Analyzed | Dil Fac |
|---------------------------|-------------|-----------|-----|-----|-------|---|----------------|----------------|---------|
| 1,1-Dichloropropene | <35 | | 120 | 35 | ug/Kg | ☼ | 02/06/17 09:45 | 02/09/17 14:03 | 50 |
| Ethylbenzene | <21 | | 29 | 21 | ug/Kg | ☼ | 02/06/17 09:45 | 02/09/17 14:03 | 50 |
| Hexachlorobutadiene | <52 | | 120 | 52 | ug/Kg | ☼ | 02/06/17 09:45 | 02/09/17 14:03 | 50 |
| Isopropylbenzene | <45 | | 120 | 45 | ug/Kg | ☼ | 02/06/17 09:45 | 02/09/17 14:03 | 50 |
| Isopropyl ether | <32 | | 120 | 32 | ug/Kg | ☼ | 02/06/17 09:45 | 02/09/17 14:03 | 50 |
| Methylene Chloride | <190 | | 590 | 190 | ug/Kg | ☼ | 02/06/17 09:45 | 02/09/17 14:03 | 50 |
| Methyl tert-butyl ether | <46 | | 120 | 46 | ug/Kg | ☼ | 02/06/17 09:45 | 02/09/17 14:03 | 50 |
| Naphthalene | <39 | | 120 | 39 | ug/Kg | ☼ | 02/06/17 09:45 | 02/09/17 14:03 | 50 |
| n-Butylbenzene | <45 | | 120 | 45 | ug/Kg | ☼ | 02/06/17 09:45 | 02/09/17 14:03 | 50 |
| N-Propylbenzene | <49 | | 120 | 49 | ug/Kg | ☼ | 02/06/17 09:45 | 02/09/17 14:03 | 50 |
| p-Isopropyltoluene | <42 | | 120 | 42 | ug/Kg | ☼ | 02/06/17 09:45 | 02/09/17 14:03 | 50 |
| sec-Butylbenzene | <47 | | 120 | 47 | ug/Kg | ☼ | 02/06/17 09:45 | 02/09/17 14:03 | 50 |
| Styrene | <45 | | 120 | 45 | ug/Kg | ☼ | 02/06/17 09:45 | 02/09/17 14:03 | 50 |
| tert-Butylbenzene | <47 | | 120 | 47 | ug/Kg | ☼ | 02/06/17 09:45 | 02/09/17 14:03 | 50 |
| 1,1,1,2-Tetrachloroethane | <54 | | 120 | 54 | ug/Kg | ☼ | 02/06/17 09:45 | 02/09/17 14:03 | 50 |
| 1,1,2,2-Tetrachloroethane | <47 | | 120 | 47 | ug/Kg | ☼ | 02/06/17 09:45 | 02/09/17 14:03 | 50 |
| Tetrachloroethene | 1100 | | 120 | 43 | ug/Kg | ☼ | 02/06/17 09:45 | 02/09/17 14:03 | 50 |
| Toluene | <17 | | 29 | 17 | ug/Kg | ☼ | 02/06/17 09:45 | 02/09/17 14:03 | 50 |
| trans-1,2-Dichloroethene | <41 | | 120 | 41 | ug/Kg | ☼ | 02/06/17 09:45 | 02/09/17 14:03 | 50 |
| trans-1,3-Dichloropropene | <42 | | 120 | 42 | ug/Kg | ☼ | 02/06/17 09:45 | 02/09/17 14:03 | 50 |
| 1,2,3-Trichlorobenzene | <54 | | 120 | 54 | ug/Kg | ☼ | 02/06/17 09:45 | 02/09/17 14:03 | 50 |
| 1,2,4-Trichlorobenzene | <40 | | 120 | 40 | ug/Kg | ☼ | 02/06/17 09:45 | 02/09/17 14:03 | 50 |
| 1,1,1-Trichloroethane | <45 | | 120 | 45 | ug/Kg | ☼ | 02/06/17 09:45 | 02/09/17 14:03 | 50 |
| 1,1,2-Trichloroethane | <41 | | 120 | 41 | ug/Kg | ☼ | 02/06/17 09:45 | 02/09/17 14:03 | 50 |
| Trichloroethene | <19 | | 59 | 19 | ug/Kg | ☼ | 02/06/17 09:45 | 02/09/17 14:03 | 50 |
| Trichlorofluoromethane | <50 | | 120 | 50 | ug/Kg | ☼ | 02/06/17 09:45 | 02/09/17 14:03 | 50 |
| 1,2,3-Trichloropropane | <49 | | 120 | 49 | ug/Kg | ☼ | 02/06/17 09:45 | 02/09/17 14:03 | 50 |
| 1,2,4-Trimethylbenzene | <42 | | 120 | 42 | ug/Kg | ☼ | 02/06/17 09:45 | 02/09/17 14:03 | 50 |
| 1,3,5-Trimethylbenzene | <45 | | 120 | 45 | ug/Kg | ☼ | 02/06/17 09:45 | 02/09/17 14:03 | 50 |
| Vinyl chloride | <31 | | 59 | 31 | ug/Kg | ☼ | 02/06/17 09:45 | 02/09/17 14:03 | 50 |
| Xylenes, Total | <26 | | 59 | 26 | ug/Kg | ☼ | 02/06/17 09:45 | 02/09/17 14:03 | 50 |

| Surrogate | %Recovery | Qualifier | Limits | Prepared | Analyzed | Dil Fac |
|------------------------------|-----------|-----------|----------|----------------|----------------|---------|
| 4-Bromofluorobenzene (Surr) | 92 | | 71 - 120 | 02/06/17 09:45 | 02/09/17 14:03 | 50 |
| Dibromofluoromethane | 104 | | 70 - 120 | 02/06/17 09:45 | 02/09/17 14:03 | 50 |
| 1,2-Dichloroethane-d4 (Surr) | 102 | | 71 - 127 | 02/06/17 09:45 | 02/09/17 14:03 | 50 |
| Toluene-d8 (Surr) | 97 | | 75 - 120 | 02/06/17 09:45 | 02/09/17 14:03 | 50 |

Client Sample ID: GP-9 (2.5-5')

Lab Sample ID: 500-123596-5

Date Collected: 02/06/17 10:35

Matrix: Solid

Date Received: 02/08/17 10:30

Percent Solids: 82.2

Method: 8260B - Volatile Organic Compounds (GC/MS)

| Analyte | Result | Qualifier | RL | MDL | Unit | D | Prepared | Analyzed | Dil Fac |
|----------------------|--------|-----------|-----|-----|-------|---|----------------|----------------|---------|
| Benzene | <15 | | 25 | 15 | ug/Kg | ☼ | 02/06/17 10:35 | 02/09/17 14:31 | 50 |
| Bromobenzene | <36 | | 100 | 36 | ug/Kg | ☼ | 02/06/17 10:35 | 02/09/17 14:31 | 50 |
| Bromochloromethane | <43 | | 100 | 43 | ug/Kg | ☼ | 02/06/17 10:35 | 02/09/17 14:31 | 50 |
| Bromodichloromethane | <37 | | 100 | 37 | ug/Kg | ☼ | 02/06/17 10:35 | 02/09/17 14:31 | 50 |
| Bromoform | <49 | | 100 | 49 | ug/Kg | ☼ | 02/06/17 10:35 | 02/09/17 14:31 | 50 |
| Bromomethane | <80 | | 200 | 80 | ug/Kg | ☼ | 02/06/17 10:35 | 02/09/17 14:31 | 50 |

TestAmerica Chicago

Client Sample Results

Client: SCS Engineers
 Project/Site: Arctic Laundry & Cleaners - 25216186

TestAmerica Job ID: 500-123596-1

Client Sample ID: GP-9 (2.5-5')

Lab Sample ID: 500-123596-5

Date Collected: 02/06/17 10:35

Matrix: Solid

Date Received: 02/08/17 10:30

Percent Solids: 82.2

Method: 8260B - Volatile Organic Compounds (GC/MS) (Continued)

| Analyte | Result | Qualifier | RL | MDL | Unit | D | Prepared | Analyzed | Dil Fac |
|-----------------------------|--------|-----------|-----|-----|-------|---|----------------|----------------|---------|
| Carbon tetrachloride | <39 | | 100 | 39 | ug/Kg | ☼ | 02/06/17 10:35 | 02/09/17 14:31 | 50 |
| Chlorobenzene | <39 | | 100 | 39 | ug/Kg | ☼ | 02/06/17 10:35 | 02/09/17 14:31 | 50 |
| Chloroethane | <51 | | 100 | 51 | ug/Kg | ☼ | 02/06/17 10:35 | 02/09/17 14:31 | 50 |
| Chloroform | <37 | | 200 | 37 | ug/Kg | ☼ | 02/06/17 10:35 | 02/09/17 14:31 | 50 |
| Chloromethane | <32 | | 100 | 32 | ug/Kg | ☼ | 02/06/17 10:35 | 02/09/17 14:31 | 50 |
| 2-Chlorotoluene | <32 | | 100 | 32 | ug/Kg | ☼ | 02/06/17 10:35 | 02/09/17 14:31 | 50 |
| 4-Chlorotoluene | <35 | | 100 | 35 | ug/Kg | ☼ | 02/06/17 10:35 | 02/09/17 14:31 | 50 |
| cis-1,2-Dichloroethene | <41 | | 100 | 41 | ug/Kg | ☼ | 02/06/17 10:35 | 02/09/17 14:31 | 50 |
| cis-1,3-Dichloropropene | <42 | | 100 | 42 | ug/Kg | ☼ | 02/06/17 10:35 | 02/09/17 14:31 | 50 |
| Dibromochloromethane | <49 | | 100 | 49 | ug/Kg | ☼ | 02/06/17 10:35 | 02/09/17 14:31 | 50 |
| 1,2-Dibromo-3-Chloropropane | <200 | | 500 | 200 | ug/Kg | ☼ | 02/06/17 10:35 | 02/09/17 14:31 | 50 |
| 1,2-Dibromoethane | <39 | | 100 | 39 | ug/Kg | ☼ | 02/06/17 10:35 | 02/09/17 14:31 | 50 |
| Dibromomethane | <27 | | 100 | 27 | ug/Kg | ☼ | 02/06/17 10:35 | 02/09/17 14:31 | 50 |
| 1,2-Dichlorobenzene | <34 | | 100 | 34 | ug/Kg | ☼ | 02/06/17 10:35 | 02/09/17 14:31 | 50 |
| 1,3-Dichlorobenzene | <40 | | 100 | 40 | ug/Kg | ☼ | 02/06/17 10:35 | 02/09/17 14:31 | 50 |
| 1,4-Dichlorobenzene | <37 | | 100 | 37 | ug/Kg | ☼ | 02/06/17 10:35 | 02/09/17 14:31 | 50 |
| Dichlorodifluoromethane | <68 * | | 200 | 68 | ug/Kg | ☼ | 02/06/17 10:35 | 02/09/17 14:31 | 50 |
| 1,1-Dichloroethane | <41 | | 100 | 41 | ug/Kg | ☼ | 02/06/17 10:35 | 02/09/17 14:31 | 50 |
| 1,2-Dichloroethane | <39 | | 100 | 39 | ug/Kg | ☼ | 02/06/17 10:35 | 02/09/17 14:31 | 50 |
| 1,1-Dichloroethene | <39 | | 100 | 39 | ug/Kg | ☼ | 02/06/17 10:35 | 02/09/17 14:31 | 50 |
| 1,2-Dichloropropane | <43 | | 100 | 43 | ug/Kg | ☼ | 02/06/17 10:35 | 02/09/17 14:31 | 50 |
| 1,3-Dichloropropane | <36 | | 100 | 36 | ug/Kg | ☼ | 02/06/17 10:35 | 02/09/17 14:31 | 50 |
| 2,2-Dichloropropane | <45 | | 100 | 45 | ug/Kg | ☼ | 02/06/17 10:35 | 02/09/17 14:31 | 50 |
| 1,1-Dichloropropene | <30 | | 100 | 30 | ug/Kg | ☼ | 02/06/17 10:35 | 02/09/17 14:31 | 50 |
| Ethylbenzene | <18 | | 25 | 18 | ug/Kg | ☼ | 02/06/17 10:35 | 02/09/17 14:31 | 50 |
| Hexachlorobutadiene | <45 | | 100 | 45 | ug/Kg | ☼ | 02/06/17 10:35 | 02/09/17 14:31 | 50 |
| Isopropylbenzene | <39 | | 100 | 39 | ug/Kg | ☼ | 02/06/17 10:35 | 02/09/17 14:31 | 50 |
| Isopropyl ether | <28 | | 100 | 28 | ug/Kg | ☼ | 02/06/17 10:35 | 02/09/17 14:31 | 50 |
| Methylene Chloride | <160 | | 500 | 160 | ug/Kg | ☼ | 02/06/17 10:35 | 02/09/17 14:31 | 50 |
| Methyl tert-butyl ether | <40 | | 100 | 40 | ug/Kg | ☼ | 02/06/17 10:35 | 02/09/17 14:31 | 50 |
| Naphthalene | <34 | | 100 | 34 | ug/Kg | ☼ | 02/06/17 10:35 | 02/09/17 14:31 | 50 |
| n-Butylbenzene | <39 | | 100 | 39 | ug/Kg | ☼ | 02/06/17 10:35 | 02/09/17 14:31 | 50 |
| N-Propylbenzene | <42 | | 100 | 42 | ug/Kg | ☼ | 02/06/17 10:35 | 02/09/17 14:31 | 50 |
| p-Isopropyltoluene | <36 | | 100 | 36 | ug/Kg | ☼ | 02/06/17 10:35 | 02/09/17 14:31 | 50 |
| sec-Butylbenzene | <40 | | 100 | 40 | ug/Kg | ☼ | 02/06/17 10:35 | 02/09/17 14:31 | 50 |
| Styrene | <39 | | 100 | 39 | ug/Kg | ☼ | 02/06/17 10:35 | 02/09/17 14:31 | 50 |
| tert-Butylbenzene | <40 | | 100 | 40 | ug/Kg | ☼ | 02/06/17 10:35 | 02/09/17 14:31 | 50 |
| 1,1,1,2-Tetrachloroethane | <46 | | 100 | 46 | ug/Kg | ☼ | 02/06/17 10:35 | 02/09/17 14:31 | 50 |
| 1,1,2,2-Tetrachloroethane | <40 | | 100 | 40 | ug/Kg | ☼ | 02/06/17 10:35 | 02/09/17 14:31 | 50 |
| Tetrachloroethene | <37 | | 100 | 37 | ug/Kg | ☼ | 02/06/17 10:35 | 02/09/17 14:31 | 50 |
| Toluene | <15 | | 25 | 15 | ug/Kg | ☼ | 02/06/17 10:35 | 02/09/17 14:31 | 50 |
| trans-1,2-Dichloroethene | <35 | | 100 | 35 | ug/Kg | ☼ | 02/06/17 10:35 | 02/09/17 14:31 | 50 |
| trans-1,3-Dichloropropene | <36 | | 100 | 36 | ug/Kg | ☼ | 02/06/17 10:35 | 02/09/17 14:31 | 50 |
| 1,2,3-Trichlorobenzene | <46 | | 100 | 46 | ug/Kg | ☼ | 02/06/17 10:35 | 02/09/17 14:31 | 50 |
| 1,2,4-Trichlorobenzene | <34 | | 100 | 34 | ug/Kg | ☼ | 02/06/17 10:35 | 02/09/17 14:31 | 50 |
| 1,1,1-Trichloroethane | <38 | | 100 | 38 | ug/Kg | ☼ | 02/06/17 10:35 | 02/09/17 14:31 | 50 |
| 1,1,2-Trichloroethane | <35 | | 100 | 35 | ug/Kg | ☼ | 02/06/17 10:35 | 02/09/17 14:31 | 50 |
| Trichloroethene | <16 | | 50 | 16 | ug/Kg | ☼ | 02/06/17 10:35 | 02/09/17 14:31 | 50 |
| Trichlorofluoromethane | <43 | | 100 | 43 | ug/Kg | ☼ | 02/06/17 10:35 | 02/09/17 14:31 | 50 |

TestAmerica Chicago

Client Sample Results

Client: SCS Engineers
Project/Site: Arctic Laundry & Cleaners - 25216186

TestAmerica Job ID: 500-123596-1

Client Sample ID: GP-9 (2.5-5')

Date Collected: 02/06/17 10:35

Date Received: 02/08/17 10:30

Lab Sample ID: 500-123596-5

Matrix: Solid

Percent Solids: 82.2

Method: 8260B - Volatile Organic Compounds (GC/MS) (Continued)

| Analyte | Result | Qualifier | RL | MDL | Unit | D | Prepared | Analyzed | Dil Fac |
|------------------------|--------|-----------|-----|-----|-------|---|----------------|----------------|---------|
| 1,2,3-Trichloropropane | <42 | | 100 | 42 | ug/Kg | ☼ | 02/06/17 10:35 | 02/09/17 14:31 | 50 |
| 1,2,4-Trimethylbenzene | <36 | | 100 | 36 | ug/Kg | ☼ | 02/06/17 10:35 | 02/09/17 14:31 | 50 |
| 1,3,5-Trimethylbenzene | <38 | | 100 | 38 | ug/Kg | ☼ | 02/06/17 10:35 | 02/09/17 14:31 | 50 |
| Vinyl chloride | <26 | | 50 | 26 | ug/Kg | ☼ | 02/06/17 10:35 | 02/09/17 14:31 | 50 |
| Xylenes, Total | <22 | | 50 | 22 | ug/Kg | ☼ | 02/06/17 10:35 | 02/09/17 14:31 | 50 |

| Surrogate | %Recovery | Qualifier | Limits | Prepared | Analyzed | Dil Fac |
|------------------------------|-----------|-----------|----------|----------------|----------------|---------|
| 4-Bromofluorobenzene (Surr) | 93 | | 71 - 120 | 02/06/17 10:35 | 02/09/17 14:31 | 50 |
| Dibromofluoromethane | 105 | | 70 - 120 | 02/06/17 10:35 | 02/09/17 14:31 | 50 |
| 1,2-Dichloroethane-d4 (Surr) | 103 | | 71 - 127 | 02/06/17 10:35 | 02/09/17 14:31 | 50 |
| Toluene-d8 (Surr) | 96 | | 75 - 120 | 02/06/17 10:35 | 02/09/17 14:31 | 50 |

Client Sample ID: GP-9 (5-7.5')

Date Collected: 02/06/17 10:40

Date Received: 02/08/17 10:30

Lab Sample ID: 500-123596-6

Matrix: Solid

Percent Solids: 79.6

Method: 8260B - Volatile Organic Compounds (GC/MS)

| Analyte | Result | Qualifier | RL | MDL | Unit | D | Prepared | Analyzed | Dil Fac |
|-----------------------------|--------|-----------|-----|-----|-------|---|----------------|----------------|---------|
| Benzene | <17 | | 29 | 17 | ug/Kg | ☼ | 02/06/17 10:40 | 02/09/17 14:59 | 50 |
| Bromobenzene | <41 | | 120 | 41 | ug/Kg | ☼ | 02/06/17 10:40 | 02/09/17 14:59 | 50 |
| Bromochloromethane | <49 | | 120 | 49 | ug/Kg | ☼ | 02/06/17 10:40 | 02/09/17 14:59 | 50 |
| Bromodichloromethane | <43 | | 120 | 43 | ug/Kg | ☼ | 02/06/17 10:40 | 02/09/17 14:59 | 50 |
| Bromoform | <56 | | 120 | 56 | ug/Kg | ☼ | 02/06/17 10:40 | 02/09/17 14:59 | 50 |
| Bromomethane | <92 | | 230 | 92 | ug/Kg | ☼ | 02/06/17 10:40 | 02/09/17 14:59 | 50 |
| Carbon tetrachloride | <44 | | 120 | 44 | ug/Kg | ☼ | 02/06/17 10:40 | 02/09/17 14:59 | 50 |
| Chlorobenzene | <45 | | 120 | 45 | ug/Kg | ☼ | 02/06/17 10:40 | 02/09/17 14:59 | 50 |
| Chloroethane | <58 | | 120 | 58 | ug/Kg | ☼ | 02/06/17 10:40 | 02/09/17 14:59 | 50 |
| Chloroform | <43 | | 230 | 43 | ug/Kg | ☼ | 02/06/17 10:40 | 02/09/17 14:59 | 50 |
| Chloromethane | <37 | | 120 | 37 | ug/Kg | ☼ | 02/06/17 10:40 | 02/09/17 14:59 | 50 |
| 2-Chlorotoluene | <36 | | 120 | 36 | ug/Kg | ☼ | 02/06/17 10:40 | 02/09/17 14:59 | 50 |
| 4-Chlorotoluene | <40 | | 120 | 40 | ug/Kg | ☼ | 02/06/17 10:40 | 02/09/17 14:59 | 50 |
| cis-1,2-Dichloroethene | <47 | | 120 | 47 | ug/Kg | ☼ | 02/06/17 10:40 | 02/09/17 14:59 | 50 |
| cis-1,3-Dichloropropene | <48 | | 120 | 48 | ug/Kg | ☼ | 02/06/17 10:40 | 02/09/17 14:59 | 50 |
| Dibromochloromethane | <56 | | 120 | 56 | ug/Kg | ☼ | 02/06/17 10:40 | 02/09/17 14:59 | 50 |
| 1,2-Dibromo-3-Chloropropane | <230 | | 580 | 230 | ug/Kg | ☼ | 02/06/17 10:40 | 02/09/17 14:59 | 50 |
| 1,2-Dibromoethane | <45 | | 120 | 45 | ug/Kg | ☼ | 02/06/17 10:40 | 02/09/17 14:59 | 50 |
| Dibromomethane | <31 | | 120 | 31 | ug/Kg | ☼ | 02/06/17 10:40 | 02/09/17 14:59 | 50 |
| 1,2-Dichlorobenzene | <39 | | 120 | 39 | ug/Kg | ☼ | 02/06/17 10:40 | 02/09/17 14:59 | 50 |
| 1,3-Dichlorobenzene | <46 | | 120 | 46 | ug/Kg | ☼ | 02/06/17 10:40 | 02/09/17 14:59 | 50 |
| 1,4-Dichlorobenzene | <42 | | 120 | 42 | ug/Kg | ☼ | 02/06/17 10:40 | 02/09/17 14:59 | 50 |
| Dichlorodifluoromethane | <78 * | | 230 | 78 | ug/Kg | ☼ | 02/06/17 10:40 | 02/09/17 14:59 | 50 |
| 1,1-Dichloroethane | <47 | | 120 | 47 | ug/Kg | ☼ | 02/06/17 10:40 | 02/09/17 14:59 | 50 |
| 1,2-Dichloroethane | <45 | | 120 | 45 | ug/Kg | ☼ | 02/06/17 10:40 | 02/09/17 14:59 | 50 |
| 1,1-Dichloroethene | <45 | | 120 | 45 | ug/Kg | ☼ | 02/06/17 10:40 | 02/09/17 14:59 | 50 |
| 1,2-Dichloropropane | <49 | | 120 | 49 | ug/Kg | ☼ | 02/06/17 10:40 | 02/09/17 14:59 | 50 |
| 1,3-Dichloropropane | <42 | | 120 | 42 | ug/Kg | ☼ | 02/06/17 10:40 | 02/09/17 14:59 | 50 |
| 2,2-Dichloropropane | <51 | | 120 | 51 | ug/Kg | ☼ | 02/06/17 10:40 | 02/09/17 14:59 | 50 |
| 1,1-Dichloropropene | <34 | | 120 | 34 | ug/Kg | ☼ | 02/06/17 10:40 | 02/09/17 14:59 | 50 |
| Ethylbenzene | <21 | | 29 | 21 | ug/Kg | ☼ | 02/06/17 10:40 | 02/09/17 14:59 | 50 |
| Hexachlorobutadiene | <51 | | 120 | 51 | ug/Kg | ☼ | 02/06/17 10:40 | 02/09/17 14:59 | 50 |

TestAmerica Chicago

Client Sample Results

Client: SCS Engineers
Project/Site: Arctic Laundry & Cleaners - 25216186

TestAmerica Job ID: 500-123596-1

Client Sample ID: GP-9 (5-7.5')

Date Collected: 02/06/17 10:40

Date Received: 02/08/17 10:30

Lab Sample ID: 500-123596-6

Matrix: Solid

Percent Solids: 79.6

Method: 8260B - Volatile Organic Compounds (GC/MS) (Continued)

| Analyte | Result | Qualifier | RL | MDL | Unit | D | Prepared | Analyzed | Dil Fac |
|------------------------------|-----------|-----------|----------|-----|-------|---|----------------|----------------|---------|
| Isopropylbenzene | <44 | | 120 | 44 | ug/Kg | ☼ | 02/06/17 10:40 | 02/09/17 14:59 | 50 |
| Isopropyl ether | <32 | | 120 | 32 | ug/Kg | ☼ | 02/06/17 10:40 | 02/09/17 14:59 | 50 |
| Methylene Chloride | <190 | | 580 | 190 | ug/Kg | ☼ | 02/06/17 10:40 | 02/09/17 14:59 | 50 |
| Methyl tert-butyl ether | <45 | | 120 | 45 | ug/Kg | ☼ | 02/06/17 10:40 | 02/09/17 14:59 | 50 |
| Naphthalene | <39 | | 120 | 39 | ug/Kg | ☼ | 02/06/17 10:40 | 02/09/17 14:59 | 50 |
| n-Butylbenzene | <45 | | 120 | 45 | ug/Kg | ☼ | 02/06/17 10:40 | 02/09/17 14:59 | 50 |
| N-Propylbenzene | <48 | | 120 | 48 | ug/Kg | ☼ | 02/06/17 10:40 | 02/09/17 14:59 | 50 |
| p-Isopropyltoluene | <42 | | 120 | 42 | ug/Kg | ☼ | 02/06/17 10:40 | 02/09/17 14:59 | 50 |
| sec-Butylbenzene | <46 | | 120 | 46 | ug/Kg | ☼ | 02/06/17 10:40 | 02/09/17 14:59 | 50 |
| Styrene | <45 | | 120 | 45 | ug/Kg | ☼ | 02/06/17 10:40 | 02/09/17 14:59 | 50 |
| tert-Butylbenzene | <46 | | 120 | 46 | ug/Kg | ☼ | 02/06/17 10:40 | 02/09/17 14:59 | 50 |
| 1,1,1,2-Tetrachloroethane | <53 | | 120 | 53 | ug/Kg | ☼ | 02/06/17 10:40 | 02/09/17 14:59 | 50 |
| 1,1,2,2-Tetrachloroethane | <46 | | 120 | 46 | ug/Kg | ☼ | 02/06/17 10:40 | 02/09/17 14:59 | 50 |
| Tetrachloroethene | <43 | | 120 | 43 | ug/Kg | ☼ | 02/06/17 10:40 | 02/09/17 14:59 | 50 |
| Toluene | <17 | | 29 | 17 | ug/Kg | ☼ | 02/06/17 10:40 | 02/09/17 14:59 | 50 |
| trans-1,2-Dichloroethene | <40 | | 120 | 40 | ug/Kg | ☼ | 02/06/17 10:40 | 02/09/17 14:59 | 50 |
| trans-1,3-Dichloropropene | <42 | | 120 | 42 | ug/Kg | ☼ | 02/06/17 10:40 | 02/09/17 14:59 | 50 |
| 1,2,3-Trichlorobenzene | <53 | | 120 | 53 | ug/Kg | ☼ | 02/06/17 10:40 | 02/09/17 14:59 | 50 |
| 1,2,4-Trichlorobenzene | <39 | | 120 | 39 | ug/Kg | ☼ | 02/06/17 10:40 | 02/09/17 14:59 | 50 |
| 1,1,1-Trichloroethane | <44 | | 120 | 44 | ug/Kg | ☼ | 02/06/17 10:40 | 02/09/17 14:59 | 50 |
| 1,1,2-Trichloroethane | <41 | | 120 | 41 | ug/Kg | ☼ | 02/06/17 10:40 | 02/09/17 14:59 | 50 |
| Trichloroethene | <19 | | 58 | 19 | ug/Kg | ☼ | 02/06/17 10:40 | 02/09/17 14:59 | 50 |
| Trichlorofluoromethane | <49 | | 120 | 49 | ug/Kg | ☼ | 02/06/17 10:40 | 02/09/17 14:59 | 50 |
| 1,2,3-Trichloropropane | <48 | | 120 | 48 | ug/Kg | ☼ | 02/06/17 10:40 | 02/09/17 14:59 | 50 |
| 1,2,4-Trimethylbenzene | <41 | | 120 | 41 | ug/Kg | ☼ | 02/06/17 10:40 | 02/09/17 14:59 | 50 |
| 1,3,5-Trimethylbenzene | <44 | | 120 | 44 | ug/Kg | ☼ | 02/06/17 10:40 | 02/09/17 14:59 | 50 |
| Vinyl chloride | <30 | | 58 | 30 | ug/Kg | ☼ | 02/06/17 10:40 | 02/09/17 14:59 | 50 |
| Xylenes, Total | <25 | | 58 | 25 | ug/Kg | ☼ | 02/06/17 10:40 | 02/09/17 14:59 | 50 |
| Surrogate | %Recovery | Qualifier | Limits | | | | Prepared | Analyzed | Dil Fac |
| 4-Bromofluorobenzene (Surr) | 92 | | 71 - 120 | | | | 02/06/17 10:40 | 02/09/17 14:59 | 50 |
| Dibromofluoromethane | 104 | | 70 - 120 | | | | 02/06/17 10:40 | 02/09/17 14:59 | 50 |
| 1,2-Dichloroethane-d4 (Surr) | 105 | | 71 - 127 | | | | 02/06/17 10:40 | 02/09/17 14:59 | 50 |
| Toluene-d8 (Surr) | 96 | | 75 - 120 | | | | 02/06/17 10:40 | 02/09/17 14:59 | 50 |

Client Sample ID: GP-10 (2.5-5')

Date Collected: 02/06/17 11:05

Date Received: 02/08/17 10:30

Lab Sample ID: 500-123596-7

Matrix: Solid

Percent Solids: 88.1

Method: 8260B - Volatile Organic Compounds (GC/MS)

| Analyte | Result | Qualifier | RL | MDL | Unit | D | Prepared | Analyzed | Dil Fac |
|----------------------|--------|-----------|-----|-----|-------|---|----------------|----------------|---------|
| Benzene | <13 | | 22 | 13 | ug/Kg | ☼ | 02/06/17 11:05 | 02/09/17 15:27 | 50 |
| Bromobenzene | <32 | | 89 | 32 | ug/Kg | ☼ | 02/06/17 11:05 | 02/09/17 15:27 | 50 |
| Bromochloromethane | <38 | | 89 | 38 | ug/Kg | ☼ | 02/06/17 11:05 | 02/09/17 15:27 | 50 |
| Bromodichloromethane | <33 | | 89 | 33 | ug/Kg | ☼ | 02/06/17 11:05 | 02/09/17 15:27 | 50 |
| Bromoform | <43 | | 89 | 43 | ug/Kg | ☼ | 02/06/17 11:05 | 02/09/17 15:27 | 50 |
| Bromomethane | <71 | | 180 | 71 | ug/Kg | ☼ | 02/06/17 11:05 | 02/09/17 15:27 | 50 |
| Carbon tetrachloride | <34 | | 89 | 34 | ug/Kg | ☼ | 02/06/17 11:05 | 02/09/17 15:27 | 50 |
| Chlorobenzene | <34 | | 89 | 34 | ug/Kg | ☼ | 02/06/17 11:05 | 02/09/17 15:27 | 50 |
| Chloroethane | <45 | | 89 | 45 | ug/Kg | ☼ | 02/06/17 11:05 | 02/09/17 15:27 | 50 |

TestAmerica Chicago

Client Sample Results

Client: SCS Engineers
 Project/Site: Arctic Laundry & Cleaners - 25216186

TestAmerica Job ID: 500-123596-1

Client Sample ID: GP-10 (2.5-5')

Lab Sample ID: 500-123596-7

Date Collected: 02/06/17 11:05

Matrix: Solid

Date Received: 02/08/17 10:30

Percent Solids: 88.1

Method: 8260B - Volatile Organic Compounds (GC/MS) (Continued)

| Analyte | Result | Qualifier | RL | MDL | Unit | D | Prepared | Analyzed | Dil Fac |
|-----------------------------|------------|-----------|-----|-----|-------|---|----------------|----------------|---------|
| Chloroform | <33 | | 180 | 33 | ug/Kg | ☼ | 02/06/17 11:05 | 02/09/17 15:27 | 50 |
| Chloromethane | <28 | | 89 | 28 | ug/Kg | ☼ | 02/06/17 11:05 | 02/09/17 15:27 | 50 |
| 2-Chlorotoluene | <28 | | 89 | 28 | ug/Kg | ☼ | 02/06/17 11:05 | 02/09/17 15:27 | 50 |
| 4-Chlorotoluene | <31 | | 89 | 31 | ug/Kg | ☼ | 02/06/17 11:05 | 02/09/17 15:27 | 50 |
| cis-1,2-Dichloroethene | <36 | | 89 | 36 | ug/Kg | ☼ | 02/06/17 11:05 | 02/09/17 15:27 | 50 |
| cis-1,3-Dichloropropene | <37 | | 89 | 37 | ug/Kg | ☼ | 02/06/17 11:05 | 02/09/17 15:27 | 50 |
| Dibromochloromethane | <43 | | 89 | 43 | ug/Kg | ☼ | 02/06/17 11:05 | 02/09/17 15:27 | 50 |
| 1,2-Dibromo-3-Chloropropane | <180 | | 440 | 180 | ug/Kg | ☼ | 02/06/17 11:05 | 02/09/17 15:27 | 50 |
| 1,2-Dibromoethane | <34 | | 89 | 34 | ug/Kg | ☼ | 02/06/17 11:05 | 02/09/17 15:27 | 50 |
| Dibromomethane | <24 | | 89 | 24 | ug/Kg | ☼ | 02/06/17 11:05 | 02/09/17 15:27 | 50 |
| 1,2-Dichlorobenzene | <30 | | 89 | 30 | ug/Kg | ☼ | 02/06/17 11:05 | 02/09/17 15:27 | 50 |
| 1,3-Dichlorobenzene | <36 | | 89 | 36 | ug/Kg | ☼ | 02/06/17 11:05 | 02/09/17 15:27 | 50 |
| 1,4-Dichlorobenzene | <32 | | 89 | 32 | ug/Kg | ☼ | 02/06/17 11:05 | 02/09/17 15:27 | 50 |
| Dichlorodifluoromethane | <60 * | | 180 | 60 | ug/Kg | ☼ | 02/06/17 11:05 | 02/09/17 15:27 | 50 |
| 1,1-Dichloroethane | <36 | | 89 | 36 | ug/Kg | ☼ | 02/06/17 11:05 | 02/09/17 15:27 | 50 |
| 1,2-Dichloroethane | <35 | | 89 | 35 | ug/Kg | ☼ | 02/06/17 11:05 | 02/09/17 15:27 | 50 |
| 1,1-Dichloroethene | <35 | | 89 | 35 | ug/Kg | ☼ | 02/06/17 11:05 | 02/09/17 15:27 | 50 |
| 1,2-Dichloropropane | <38 | | 89 | 38 | ug/Kg | ☼ | 02/06/17 11:05 | 02/09/17 15:27 | 50 |
| 1,3-Dichloropropane | <32 | | 89 | 32 | ug/Kg | ☼ | 02/06/17 11:05 | 02/09/17 15:27 | 50 |
| 2,2-Dichloropropane | <39 | | 89 | 39 | ug/Kg | ☼ | 02/06/17 11:05 | 02/09/17 15:27 | 50 |
| 1,1-Dichloropropene | <26 | | 89 | 26 | ug/Kg | ☼ | 02/06/17 11:05 | 02/09/17 15:27 | 50 |
| Ethylbenzene | <16 | | 22 | 16 | ug/Kg | ☼ | 02/06/17 11:05 | 02/09/17 15:27 | 50 |
| Hexachlorobutadiene | <40 | | 89 | 40 | ug/Kg | ☼ | 02/06/17 11:05 | 02/09/17 15:27 | 50 |
| Isopropylbenzene | <34 | | 89 | 34 | ug/Kg | ☼ | 02/06/17 11:05 | 02/09/17 15:27 | 50 |
| Isopropyl ether | <25 | | 89 | 25 | ug/Kg | ☼ | 02/06/17 11:05 | 02/09/17 15:27 | 50 |
| Methylene Chloride | <140 | | 440 | 140 | ug/Kg | ☼ | 02/06/17 11:05 | 02/09/17 15:27 | 50 |
| Methyl tert-butyl ether | <35 | | 89 | 35 | ug/Kg | ☼ | 02/06/17 11:05 | 02/09/17 15:27 | 50 |
| Naphthalene | <30 | | 89 | 30 | ug/Kg | ☼ | 02/06/17 11:05 | 02/09/17 15:27 | 50 |
| n-Butylbenzene | <34 | | 89 | 34 | ug/Kg | ☼ | 02/06/17 11:05 | 02/09/17 15:27 | 50 |
| N-Propylbenzene | <37 | | 89 | 37 | ug/Kg | ☼ | 02/06/17 11:05 | 02/09/17 15:27 | 50 |
| p-Isopropyltoluene | <32 | | 89 | 32 | ug/Kg | ☼ | 02/06/17 11:05 | 02/09/17 15:27 | 50 |
| sec-Butylbenzene | <35 | | 89 | 35 | ug/Kg | ☼ | 02/06/17 11:05 | 02/09/17 15:27 | 50 |
| Styrene | <34 | | 89 | 34 | ug/Kg | ☼ | 02/06/17 11:05 | 02/09/17 15:27 | 50 |
| tert-Butylbenzene | <35 | | 89 | 35 | ug/Kg | ☼ | 02/06/17 11:05 | 02/09/17 15:27 | 50 |
| 1,1,1,2-Tetrachloroethane | <41 | | 89 | 41 | ug/Kg | ☼ | 02/06/17 11:05 | 02/09/17 15:27 | 50 |
| 1,1,2,2-Tetrachloroethane | <35 | | 89 | 35 | ug/Kg | ☼ | 02/06/17 11:05 | 02/09/17 15:27 | 50 |
| Tetrachloroethene | 850 | | 89 | 33 | ug/Kg | ☼ | 02/06/17 11:05 | 02/09/17 15:27 | 50 |
| Toluene | <13 | | 22 | 13 | ug/Kg | ☼ | 02/06/17 11:05 | 02/09/17 15:27 | 50 |
| trans-1,2-Dichloroethene | <31 | | 89 | 31 | ug/Kg | ☼ | 02/06/17 11:05 | 02/09/17 15:27 | 50 |
| trans-1,3-Dichloropropene | <32 | | 89 | 32 | ug/Kg | ☼ | 02/06/17 11:05 | 02/09/17 15:27 | 50 |
| 1,2,3-Trichlorobenzene | <41 | | 89 | 41 | ug/Kg | ☼ | 02/06/17 11:05 | 02/09/17 15:27 | 50 |
| 1,2,4-Trichlorobenzene | <30 | | 89 | 30 | ug/Kg | ☼ | 02/06/17 11:05 | 02/09/17 15:27 | 50 |
| 1,1,1-Trichloroethane | <34 | | 89 | 34 | ug/Kg | ☼ | 02/06/17 11:05 | 02/09/17 15:27 | 50 |
| 1,1,2-Trichloroethane | <31 | | 89 | 31 | ug/Kg | ☼ | 02/06/17 11:05 | 02/09/17 15:27 | 50 |
| Trichloroethene | <15 | | 44 | 15 | ug/Kg | ☼ | 02/06/17 11:05 | 02/09/17 15:27 | 50 |
| Trichlorofluoromethane | <38 | | 89 | 38 | ug/Kg | ☼ | 02/06/17 11:05 | 02/09/17 15:27 | 50 |
| 1,2,3-Trichloropropane | <37 | | 89 | 37 | ug/Kg | ☼ | 02/06/17 11:05 | 02/09/17 15:27 | 50 |
| 1,2,4-Trimethylbenzene | <32 | | 89 | 32 | ug/Kg | ☼ | 02/06/17 11:05 | 02/09/17 15:27 | 50 |
| 1,3,5-Trimethylbenzene | <34 | | 89 | 34 | ug/Kg | ☼ | 02/06/17 11:05 | 02/09/17 15:27 | 50 |

TestAmerica Chicago

Client Sample Results

Client: SCS Engineers
Project/Site: Arctic Laundry & Cleaners - 25216186

TestAmerica Job ID: 500-123596-1

Client Sample ID: GP-10 (2.5-5')

Date Collected: 02/06/17 11:05

Date Received: 02/08/17 10:30

Lab Sample ID: 500-123596-7

Matrix: Solid

Percent Solids: 88.1

Method: 8260B - Volatile Organic Compounds (GC/MS) (Continued)

| Analyte | Result | Qualifier | RL | MDL | Unit | D | Prepared | Analyzed | Dil Fac |
|------------------------------|-----------|-----------|----------|-----|-------|---|----------------|----------------|---------|
| Vinyl chloride | <23 | | 44 | 23 | ug/Kg | ☼ | 02/06/17 11:05 | 02/09/17 15:27 | 50 |
| Xylenes, Total | <20 | | 44 | 20 | ug/Kg | ☼ | 02/06/17 11:05 | 02/09/17 15:27 | 50 |
| Surrogate | %Recovery | Qualifier | Limits | | | | Prepared | Analyzed | Dil Fac |
| 4-Bromofluorobenzene (Surr) | 93 | | 71 - 120 | | | | 02/06/17 11:05 | 02/09/17 15:27 | 50 |
| Dibromofluoromethane | 103 | | 70 - 120 | | | | 02/06/17 11:05 | 02/09/17 15:27 | 50 |
| 1,2-Dichloroethane-d4 (Surr) | 102 | | 71 - 127 | | | | 02/06/17 11:05 | 02/09/17 15:27 | 50 |
| Toluene-d8 (Surr) | 96 | | 75 - 120 | | | | 02/06/17 11:05 | 02/09/17 15:27 | 50 |

Client Sample ID: GP-10 (5-7.5')

Date Collected: 02/06/17 11:10

Date Received: 02/08/17 10:30

Lab Sample ID: 500-123596-8

Matrix: Solid

Percent Solids: 89.2

Method: 8260B - Volatile Organic Compounds (GC/MS)

| Analyte | Result | Qualifier | RL | MDL | Unit | D | Prepared | Analyzed | Dil Fac |
|-----------------------------|--------|-----------|-----|-----|-------|---|----------------|----------------|---------|
| Benzene | <14 | | 25 | 14 | ug/Kg | ☼ | 02/06/17 11:10 | 02/09/17 15:55 | 50 |
| Bromobenzene | <35 | | 99 | 35 | ug/Kg | ☼ | 02/06/17 11:10 | 02/09/17 15:55 | 50 |
| Bromochloromethane | <42 | | 99 | 42 | ug/Kg | ☼ | 02/06/17 11:10 | 02/09/17 15:55 | 50 |
| Bromodichloromethane | <37 | | 99 | 37 | ug/Kg | ☼ | 02/06/17 11:10 | 02/09/17 15:55 | 50 |
| Bromoform | <48 | | 99 | 48 | ug/Kg | ☼ | 02/06/17 11:10 | 02/09/17 15:55 | 50 |
| Bromomethane | <79 | | 200 | 79 | ug/Kg | ☼ | 02/06/17 11:10 | 02/09/17 15:55 | 50 |
| Carbon tetrachloride | <38 | | 99 | 38 | ug/Kg | ☼ | 02/06/17 11:10 | 02/09/17 15:55 | 50 |
| Chlorobenzene | <38 | | 99 | 38 | ug/Kg | ☼ | 02/06/17 11:10 | 02/09/17 15:55 | 50 |
| Chloroethane | <50 | | 99 | 50 | ug/Kg | ☼ | 02/06/17 11:10 | 02/09/17 15:55 | 50 |
| Chloroform | <37 | | 200 | 37 | ug/Kg | ☼ | 02/06/17 11:10 | 02/09/17 15:55 | 50 |
| Chloromethane | <32 | | 99 | 32 | ug/Kg | ☼ | 02/06/17 11:10 | 02/09/17 15:55 | 50 |
| 2-Chlorotoluene | <31 | | 99 | 31 | ug/Kg | ☼ | 02/06/17 11:10 | 02/09/17 15:55 | 50 |
| 4-Chlorotoluene | <35 | | 99 | 35 | ug/Kg | ☼ | 02/06/17 11:10 | 02/09/17 15:55 | 50 |
| cis-1,2-Dichloroethene | <40 | | 99 | 40 | ug/Kg | ☼ | 02/06/17 11:10 | 02/09/17 15:55 | 50 |
| cis-1,3-Dichloropropene | <41 | | 99 | 41 | ug/Kg | ☼ | 02/06/17 11:10 | 02/09/17 15:55 | 50 |
| Dibromochloromethane | <48 | | 99 | 48 | ug/Kg | ☼ | 02/06/17 11:10 | 02/09/17 15:55 | 50 |
| 1,2-Dibromo-3-Chloropropane | <200 | | 490 | 200 | ug/Kg | ☼ | 02/06/17 11:10 | 02/09/17 15:55 | 50 |
| 1,2-Dibromoethane | <38 | | 99 | 38 | ug/Kg | ☼ | 02/06/17 11:10 | 02/09/17 15:55 | 50 |
| Dibromomethane | <27 | | 99 | 27 | ug/Kg | ☼ | 02/06/17 11:10 | 02/09/17 15:55 | 50 |
| 1,2-Dichlorobenzene | <33 | | 99 | 33 | ug/Kg | ☼ | 02/06/17 11:10 | 02/09/17 15:55 | 50 |
| 1,3-Dichlorobenzene | <40 | | 99 | 40 | ug/Kg | ☼ | 02/06/17 11:10 | 02/09/17 15:55 | 50 |
| 1,4-Dichlorobenzene | <36 | | 99 | 36 | ug/Kg | ☼ | 02/06/17 11:10 | 02/09/17 15:55 | 50 |
| Dichlorodifluoromethane | <67 * | | 200 | 67 | ug/Kg | ☼ | 02/06/17 11:10 | 02/09/17 15:55 | 50 |
| 1,1-Dichloroethane | <41 | | 99 | 41 | ug/Kg | ☼ | 02/06/17 11:10 | 02/09/17 15:55 | 50 |
| 1,2-Dichloroethane | <39 | | 99 | 39 | ug/Kg | ☼ | 02/06/17 11:10 | 02/09/17 15:55 | 50 |
| 1,1-Dichloroethene | <39 | | 99 | 39 | ug/Kg | ☼ | 02/06/17 11:10 | 02/09/17 15:55 | 50 |
| 1,2-Dichloropropane | <42 | | 99 | 42 | ug/Kg | ☼ | 02/06/17 11:10 | 02/09/17 15:55 | 50 |
| 1,3-Dichloropropane | <36 | | 99 | 36 | ug/Kg | ☼ | 02/06/17 11:10 | 02/09/17 15:55 | 50 |
| 2,2-Dichloropropane | <44 | | 99 | 44 | ug/Kg | ☼ | 02/06/17 11:10 | 02/09/17 15:55 | 50 |
| 1,1-Dichloropropene | <29 | | 99 | 29 | ug/Kg | ☼ | 02/06/17 11:10 | 02/09/17 15:55 | 50 |
| Ethylbenzene | <18 | | 25 | 18 | ug/Kg | ☼ | 02/06/17 11:10 | 02/09/17 15:55 | 50 |
| Hexachlorobutadiene | <44 | | 99 | 44 | ug/Kg | ☼ | 02/06/17 11:10 | 02/09/17 15:55 | 50 |
| Isopropylbenzene | <38 | | 99 | 38 | ug/Kg | ☼ | 02/06/17 11:10 | 02/09/17 15:55 | 50 |
| Isopropyl ether | <27 | | 99 | 27 | ug/Kg | ☼ | 02/06/17 11:10 | 02/09/17 15:55 | 50 |
| Methylene Chloride | <160 | | 490 | 160 | ug/Kg | ☼ | 02/06/17 11:10 | 02/09/17 15:55 | 50 |

TestAmerica Chicago

Client Sample Results

Client: SCS Engineers
Project/Site: Arctic Laundry & Cleaners - 25216186

TestAmerica Job ID: 500-123596-1

Client Sample ID: GP-10 (5-7.5')

Lab Sample ID: 500-123596-8

Date Collected: 02/06/17 11:10

Matrix: Solid

Date Received: 02/08/17 10:30

Percent Solids: 89.2

Method: 8260B - Volatile Organic Compounds (GC/MS) (Continued)

| Analyte | Result | Qualifier | RL | MDL | Unit | D | Prepared | Analyzed | Dil Fac |
|---------------------------|-------------|-----------|----|-----|-------|---|----------------|----------------|---------|
| Methyl tert-butyl ether | <39 | | 99 | 39 | ug/Kg | ☼ | 02/06/17 11:10 | 02/09/17 15:55 | 50 |
| Naphthalene | <33 | | 99 | 33 | ug/Kg | ☼ | 02/06/17 11:10 | 02/09/17 15:55 | 50 |
| n-Butylbenzene | <38 | | 99 | 38 | ug/Kg | ☼ | 02/06/17 11:10 | 02/09/17 15:55 | 50 |
| N-Propylbenzene | <41 | | 99 | 41 | ug/Kg | ☼ | 02/06/17 11:10 | 02/09/17 15:55 | 50 |
| p-Isopropyltoluene | <36 | | 99 | 36 | ug/Kg | ☼ | 02/06/17 11:10 | 02/09/17 15:55 | 50 |
| sec-Butylbenzene | <39 | | 99 | 39 | ug/Kg | ☼ | 02/06/17 11:10 | 02/09/17 15:55 | 50 |
| Styrene | <38 | | 99 | 38 | ug/Kg | ☼ | 02/06/17 11:10 | 02/09/17 15:55 | 50 |
| tert-Butylbenzene | <39 | | 99 | 39 | ug/Kg | ☼ | 02/06/17 11:10 | 02/09/17 15:55 | 50 |
| 1,1,1,2-Tetrachloroethane | <46 | | 99 | 46 | ug/Kg | ☼ | 02/06/17 11:10 | 02/09/17 15:55 | 50 |
| 1,1,2,2-Tetrachloroethane | <39 | | 99 | 39 | ug/Kg | ☼ | 02/06/17 11:10 | 02/09/17 15:55 | 50 |
| Tetrachloroethene | 3200 | | 99 | 37 | ug/Kg | ☼ | 02/06/17 11:10 | 02/09/17 15:55 | 50 |
| Toluene | <15 | | 25 | 15 | ug/Kg | ☼ | 02/06/17 11:10 | 02/09/17 15:55 | 50 |
| trans-1,2-Dichloroethene | <35 | | 99 | 35 | ug/Kg | ☼ | 02/06/17 11:10 | 02/09/17 15:55 | 50 |
| trans-1,3-Dichloropropene | <36 | | 99 | 36 | ug/Kg | ☼ | 02/06/17 11:10 | 02/09/17 15:55 | 50 |
| 1,2,3-Trichlorobenzene | <45 | | 99 | 45 | ug/Kg | ☼ | 02/06/17 11:10 | 02/09/17 15:55 | 50 |
| 1,2,4-Trichlorobenzene | <34 | | 99 | 34 | ug/Kg | ☼ | 02/06/17 11:10 | 02/09/17 15:55 | 50 |
| 1,1,1-Trichloroethane | <38 | | 99 | 38 | ug/Kg | ☼ | 02/06/17 11:10 | 02/09/17 15:55 | 50 |
| 1,1,2-Trichloroethane | <35 | | 99 | 35 | ug/Kg | ☼ | 02/06/17 11:10 | 02/09/17 15:55 | 50 |
| Trichloroethene | <16 | | 49 | 16 | ug/Kg | ☼ | 02/06/17 11:10 | 02/09/17 15:55 | 50 |
| Trichlorofluoromethane | <42 | | 99 | 42 | ug/Kg | ☼ | 02/06/17 11:10 | 02/09/17 15:55 | 50 |
| 1,2,3-Trichloropropane | <41 | | 99 | 41 | ug/Kg | ☼ | 02/06/17 11:10 | 02/09/17 15:55 | 50 |
| 1,2,4-Trimethylbenzene | <35 | | 99 | 35 | ug/Kg | ☼ | 02/06/17 11:10 | 02/09/17 15:55 | 50 |
| 1,3,5-Trimethylbenzene | <38 | | 99 | 38 | ug/Kg | ☼ | 02/06/17 11:10 | 02/09/17 15:55 | 50 |
| Vinyl chloride | <26 | | 49 | 26 | ug/Kg | ☼ | 02/06/17 11:10 | 02/09/17 15:55 | 50 |
| Xylenes, Total | <22 | | 49 | 22 | ug/Kg | ☼ | 02/06/17 11:10 | 02/09/17 15:55 | 50 |

| Surrogate | %Recovery | Qualifier | Limits | Prepared | Analyzed | Dil Fac |
|------------------------------|-----------|-----------|----------|----------------|----------------|---------|
| 4-Bromofluorobenzene (Surr) | 92 | | 71 - 120 | 02/06/17 11:10 | 02/09/17 15:55 | 50 |
| Dibromofluoromethane | 103 | | 70 - 120 | 02/06/17 11:10 | 02/09/17 15:55 | 50 |
| 1,2-Dichloroethane-d4 (Surr) | 103 | | 71 - 127 | 02/06/17 11:10 | 02/09/17 15:55 | 50 |
| Toluene-d8 (Surr) | 96 | | 75 - 120 | 02/06/17 11:10 | 02/09/17 15:55 | 50 |

Client Sample ID: GP-11 (0-2.5')

Lab Sample ID: 500-123596-9

Date Collected: 02/06/17 11:25

Matrix: Solid

Date Received: 02/08/17 10:30

Percent Solids: 86.3

Method: 8260B - Volatile Organic Compounds (GC/MS)

| Analyte | Result | Qualifier | RL | MDL | Unit | D | Prepared | Analyzed | Dil Fac |
|----------------------|--------|-----------|-----|-----|-------|---|----------------|----------------|---------|
| Benzene | <13 | | 23 | 13 | ug/Kg | ☼ | 02/06/17 11:25 | 02/09/17 16:23 | 50 |
| Bromobenzene | <33 | | 91 | 33 | ug/Kg | ☼ | 02/06/17 11:25 | 02/09/17 16:23 | 50 |
| Bromochloromethane | <39 | | 91 | 39 | ug/Kg | ☼ | 02/06/17 11:25 | 02/09/17 16:23 | 50 |
| Bromodichloromethane | <34 | | 91 | 34 | ug/Kg | ☼ | 02/06/17 11:25 | 02/09/17 16:23 | 50 |
| Bromoform | <44 | | 91 | 44 | ug/Kg | ☼ | 02/06/17 11:25 | 02/09/17 16:23 | 50 |
| Bromomethane | <73 | | 180 | 73 | ug/Kg | ☼ | 02/06/17 11:25 | 02/09/17 16:23 | 50 |
| Carbon tetrachloride | <35 | | 91 | 35 | ug/Kg | ☼ | 02/06/17 11:25 | 02/09/17 16:23 | 50 |
| Chlorobenzene | <35 | | 91 | 35 | ug/Kg | ☼ | 02/06/17 11:25 | 02/09/17 16:23 | 50 |
| Chloroethane | <46 | | 91 | 46 | ug/Kg | ☼ | 02/06/17 11:25 | 02/09/17 16:23 | 50 |
| Chloroform | <34 | | 180 | 34 | ug/Kg | ☼ | 02/06/17 11:25 | 02/09/17 16:23 | 50 |
| Chloromethane | <29 | | 91 | 29 | ug/Kg | ☼ | 02/06/17 11:25 | 02/09/17 16:23 | 50 |
| 2-Chlorotoluene | <29 | | 91 | 29 | ug/Kg | ☼ | 02/06/17 11:25 | 02/09/17 16:23 | 50 |

TestAmerica Chicago

Client Sample Results

Client: SCS Engineers
 Project/Site: Arctic Laundry & Cleaners - 25216186

TestAmerica Job ID: 500-123596-1

Client Sample ID: GP-11 (0-2.5')

Lab Sample ID: 500-123596-9

Date Collected: 02/06/17 11:25

Matrix: Solid

Date Received: 02/08/17 10:30

Percent Solids: 86.3

Method: 8260B - Volatile Organic Compounds (GC/MS) (Continued)

| Analyte | Result | Qualifier | RL | MDL | Unit | D | Prepared | Analyzed | Dil Fac |
|-----------------------------|--------------|-----------|-----|-----|-------|---|----------------|----------------|---------|
| 4-Chlorotoluene | <32 | | 91 | 32 | ug/Kg | ☼ | 02/06/17 11:25 | 02/09/17 16:23 | 50 |
| cis-1,2-Dichloroethene | <37 | | 91 | 37 | ug/Kg | ☼ | 02/06/17 11:25 | 02/09/17 16:23 | 50 |
| cis-1,3-Dichloropropene | <38 | | 91 | 38 | ug/Kg | ☼ | 02/06/17 11:25 | 02/09/17 16:23 | 50 |
| Dibromochloromethane | <45 | | 91 | 45 | ug/Kg | ☼ | 02/06/17 11:25 | 02/09/17 16:23 | 50 |
| 1,2-Dibromo-3-Chloropropane | <180 | | 460 | 180 | ug/Kg | ☼ | 02/06/17 11:25 | 02/09/17 16:23 | 50 |
| 1,2-Dibromoethane | <35 | | 91 | 35 | ug/Kg | ☼ | 02/06/17 11:25 | 02/09/17 16:23 | 50 |
| Dibromomethane | <25 | | 91 | 25 | ug/Kg | ☼ | 02/06/17 11:25 | 02/09/17 16:23 | 50 |
| 1,2-Dichlorobenzene | <31 | | 91 | 31 | ug/Kg | ☼ | 02/06/17 11:25 | 02/09/17 16:23 | 50 |
| 1,3-Dichlorobenzene | <37 | | 91 | 37 | ug/Kg | ☼ | 02/06/17 11:25 | 02/09/17 16:23 | 50 |
| 1,4-Dichlorobenzene | <33 | | 91 | 33 | ug/Kg | ☼ | 02/06/17 11:25 | 02/09/17 16:23 | 50 |
| Dichlorodifluoromethane | <62 * | | 180 | 62 | ug/Kg | ☼ | 02/06/17 11:25 | 02/09/17 16:23 | 50 |
| 1,1-Dichloroethane | <37 | | 91 | 37 | ug/Kg | ☼ | 02/06/17 11:25 | 02/09/17 16:23 | 50 |
| 1,2-Dichloroethane | <36 | | 91 | 36 | ug/Kg | ☼ | 02/06/17 11:25 | 02/09/17 16:23 | 50 |
| 1,1-Dichloroethene | <36 | | 91 | 36 | ug/Kg | ☼ | 02/06/17 11:25 | 02/09/17 16:23 | 50 |
| 1,2-Dichloropropane | <39 | | 91 | 39 | ug/Kg | ☼ | 02/06/17 11:25 | 02/09/17 16:23 | 50 |
| 1,3-Dichloropropane | <33 | | 91 | 33 | ug/Kg | ☼ | 02/06/17 11:25 | 02/09/17 16:23 | 50 |
| 2,2-Dichloropropane | <41 | | 91 | 41 | ug/Kg | ☼ | 02/06/17 11:25 | 02/09/17 16:23 | 50 |
| 1,1-Dichloropropene | <27 | | 91 | 27 | ug/Kg | ☼ | 02/06/17 11:25 | 02/09/17 16:23 | 50 |
| Ethylbenzene | <17 | | 23 | 17 | ug/Kg | ☼ | 02/06/17 11:25 | 02/09/17 16:23 | 50 |
| Hexachlorobutadiene | <41 | | 91 | 41 | ug/Kg | ☼ | 02/06/17 11:25 | 02/09/17 16:23 | 50 |
| Isopropylbenzene | <35 | | 91 | 35 | ug/Kg | ☼ | 02/06/17 11:25 | 02/09/17 16:23 | 50 |
| Isopropyl ether | <25 | | 91 | 25 | ug/Kg | ☼ | 02/06/17 11:25 | 02/09/17 16:23 | 50 |
| Methylene Chloride | <150 | | 460 | 150 | ug/Kg | ☼ | 02/06/17 11:25 | 02/09/17 16:23 | 50 |
| Methyl tert-butyl ether | <36 | | 91 | 36 | ug/Kg | ☼ | 02/06/17 11:25 | 02/09/17 16:23 | 50 |
| Naphthalene | <31 | | 91 | 31 | ug/Kg | ☼ | 02/06/17 11:25 | 02/09/17 16:23 | 50 |
| n-Butylbenzene | <35 | | 91 | 35 | ug/Kg | ☼ | 02/06/17 11:25 | 02/09/17 16:23 | 50 |
| N-Propylbenzene | <38 | | 91 | 38 | ug/Kg | ☼ | 02/06/17 11:25 | 02/09/17 16:23 | 50 |
| p-Isopropyltoluene | <33 | | 91 | 33 | ug/Kg | ☼ | 02/06/17 11:25 | 02/09/17 16:23 | 50 |
| sec-Butylbenzene | <36 | | 91 | 36 | ug/Kg | ☼ | 02/06/17 11:25 | 02/09/17 16:23 | 50 |
| Styrene | <35 | | 91 | 35 | ug/Kg | ☼ | 02/06/17 11:25 | 02/09/17 16:23 | 50 |
| tert-Butylbenzene | <36 | | 91 | 36 | ug/Kg | ☼ | 02/06/17 11:25 | 02/09/17 16:23 | 50 |
| 1,1,1,2-Tetrachloroethane | <42 | | 91 | 42 | ug/Kg | ☼ | 02/06/17 11:25 | 02/09/17 16:23 | 50 |
| 1,1,2,2-Tetrachloroethane | <36 | | 91 | 36 | ug/Kg | ☼ | 02/06/17 11:25 | 02/09/17 16:23 | 50 |
| Tetrachloroethene | 15000 | | 91 | 34 | ug/Kg | ☼ | 02/06/17 11:25 | 02/09/17 16:23 | 50 |
| Toluene | <13 | | 23 | 13 | ug/Kg | ☼ | 02/06/17 11:25 | 02/09/17 16:23 | 50 |
| trans-1,2-Dichloroethene | <32 | | 91 | 32 | ug/Kg | ☼ | 02/06/17 11:25 | 02/09/17 16:23 | 50 |
| trans-1,3-Dichloropropene | <33 | | 91 | 33 | ug/Kg | ☼ | 02/06/17 11:25 | 02/09/17 16:23 | 50 |
| 1,2,3-Trichlorobenzene | <42 | | 91 | 42 | ug/Kg | ☼ | 02/06/17 11:25 | 02/09/17 16:23 | 50 |
| 1,2,4-Trichlorobenzene | <31 | | 91 | 31 | ug/Kg | ☼ | 02/06/17 11:25 | 02/09/17 16:23 | 50 |
| 1,1,1-Trichloroethane | <35 | | 91 | 35 | ug/Kg | ☼ | 02/06/17 11:25 | 02/09/17 16:23 | 50 |
| 1,1,2-Trichloroethane | <32 | | 91 | 32 | ug/Kg | ☼ | 02/06/17 11:25 | 02/09/17 16:23 | 50 |
| Trichloroethene | <15 | | 46 | 15 | ug/Kg | ☼ | 02/06/17 11:25 | 02/09/17 16:23 | 50 |
| Trichlorofluoromethane | <39 | | 91 | 39 | ug/Kg | ☼ | 02/06/17 11:25 | 02/09/17 16:23 | 50 |
| 1,2,3-Trichloropropane | <38 | | 91 | 38 | ug/Kg | ☼ | 02/06/17 11:25 | 02/09/17 16:23 | 50 |
| 1,2,4-Trimethylbenzene | <33 | | 91 | 33 | ug/Kg | ☼ | 02/06/17 11:25 | 02/09/17 16:23 | 50 |
| 1,3,5-Trimethylbenzene | <35 | | 91 | 35 | ug/Kg | ☼ | 02/06/17 11:25 | 02/09/17 16:23 | 50 |
| Vinyl chloride | <24 | | 46 | 24 | ug/Kg | ☼ | 02/06/17 11:25 | 02/09/17 16:23 | 50 |
| Xylenes, Total | <20 | | 46 | 20 | ug/Kg | ☼ | 02/06/17 11:25 | 02/09/17 16:23 | 50 |

TestAmerica Chicago

Client Sample Results

Client: SCS Engineers
 Project/Site: Arctic Laundry & Cleaners - 25216186

TestAmerica Job ID: 500-123596-1

Client Sample ID: GP-11 (0-2.5')

Date Collected: 02/06/17 11:25

Date Received: 02/08/17 10:30

Lab Sample ID: 500-123596-9

Matrix: Solid

Percent Solids: 86.3

| Surrogate | %Recovery | Qualifier | Limits | Prepared | Analyzed | Dil Fac |
|------------------------------|-----------|-----------|----------|----------------|----------------|---------|
| 4-Bromofluorobenzene (Surr) | 94 | | 71 - 120 | 02/06/17 11:25 | 02/09/17 16:23 | 50 |
| Dibromofluoromethane | 102 | | 70 - 120 | 02/06/17 11:25 | 02/09/17 16:23 | 50 |
| 1,2-Dichloroethane-d4 (Surr) | 102 | | 71 - 127 | 02/06/17 11:25 | 02/09/17 16:23 | 50 |
| Toluene-d8 (Surr) | 96 | | 75 - 120 | 02/06/17 11:25 | 02/09/17 16:23 | 50 |

Client Sample ID: GP-11 (5-7.5')

Date Collected: 02/06/17 11:30

Date Received: 02/08/17 10:30

Lab Sample ID: 500-123596-10

Matrix: Solid

Percent Solids: 88.5

Method: 8260B - Volatile Organic Compounds (GC/MS)

| Analyte | Result | Qualifier | RL | MDL | Unit | D | Prepared | Analyzed | Dil Fac |
|-----------------------------|--------|-----------|-----|-----|-------|---|----------------|----------------|---------|
| Benzene | <12 | | 21 | 12 | ug/Kg | ☼ | 02/06/17 11:30 | 02/09/17 16:50 | 50 |
| Bromobenzene | <30 | | 84 | 30 | ug/Kg | ☼ | 02/06/17 11:30 | 02/09/17 16:50 | 50 |
| Bromochloromethane | <36 | | 84 | 36 | ug/Kg | ☼ | 02/06/17 11:30 | 02/09/17 16:50 | 50 |
| Bromodichloromethane | <31 | | 84 | 31 | ug/Kg | ☼ | 02/06/17 11:30 | 02/09/17 16:50 | 50 |
| Bromoform | <41 | | 84 | 41 | ug/Kg | ☼ | 02/06/17 11:30 | 02/09/17 16:50 | 50 |
| Bromomethane | <67 | | 170 | 67 | ug/Kg | ☼ | 02/06/17 11:30 | 02/09/17 16:50 | 50 |
| Carbon tetrachloride | <32 | | 84 | 32 | ug/Kg | ☼ | 02/06/17 11:30 | 02/09/17 16:50 | 50 |
| Chlorobenzene | <33 | | 84 | 33 | ug/Kg | ☼ | 02/06/17 11:30 | 02/09/17 16:50 | 50 |
| Chloroethane | <43 | | 84 | 43 | ug/Kg | ☼ | 02/06/17 11:30 | 02/09/17 16:50 | 50 |
| Chloroform | <31 | | 170 | 31 | ug/Kg | ☼ | 02/06/17 11:30 | 02/09/17 16:50 | 50 |
| Chloromethane | <27 | | 84 | 27 | ug/Kg | ☼ | 02/06/17 11:30 | 02/09/17 16:50 | 50 |
| 2-Chlorotoluene | <27 | | 84 | 27 | ug/Kg | ☼ | 02/06/17 11:30 | 02/09/17 16:50 | 50 |
| 4-Chlorotoluene | <30 | | 84 | 30 | ug/Kg | ☼ | 02/06/17 11:30 | 02/09/17 16:50 | 50 |
| cis-1,2-Dichloroethene | <34 | | 84 | 34 | ug/Kg | ☼ | 02/06/17 11:30 | 02/09/17 16:50 | 50 |
| cis-1,3-Dichloropropene | <35 | | 84 | 35 | ug/Kg | ☼ | 02/06/17 11:30 | 02/09/17 16:50 | 50 |
| Dibromochloromethane | <41 | | 84 | 41 | ug/Kg | ☼ | 02/06/17 11:30 | 02/09/17 16:50 | 50 |
| 1,2-Dibromo-3-Chloropropane | <170 | | 420 | 170 | ug/Kg | ☼ | 02/06/17 11:30 | 02/09/17 16:50 | 50 |
| 1,2-Dibromoethane | <33 | | 84 | 33 | ug/Kg | ☼ | 02/06/17 11:30 | 02/09/17 16:50 | 50 |
| Dibromomethane | <23 | | 84 | 23 | ug/Kg | ☼ | 02/06/17 11:30 | 02/09/17 16:50 | 50 |
| 1,2-Dichlorobenzene | <28 | | 84 | 28 | ug/Kg | ☼ | 02/06/17 11:30 | 02/09/17 16:50 | 50 |
| 1,3-Dichlorobenzene | <34 | | 84 | 34 | ug/Kg | ☼ | 02/06/17 11:30 | 02/09/17 16:50 | 50 |
| 1,4-Dichlorobenzene | <31 | | 84 | 31 | ug/Kg | ☼ | 02/06/17 11:30 | 02/09/17 16:50 | 50 |
| Dichlorodifluoromethane | <57 * | | 170 | 57 | ug/Kg | ☼ | 02/06/17 11:30 | 02/09/17 16:50 | 50 |
| 1,1-Dichloroethane | <35 | | 84 | 35 | ug/Kg | ☼ | 02/06/17 11:30 | 02/09/17 16:50 | 50 |
| 1,2-Dichloroethane | <33 | | 84 | 33 | ug/Kg | ☼ | 02/06/17 11:30 | 02/09/17 16:50 | 50 |
| 1,1-Dichloroethene | <33 | | 84 | 33 | ug/Kg | ☼ | 02/06/17 11:30 | 02/09/17 16:50 | 50 |
| 1,2-Dichloropropane | <36 | | 84 | 36 | ug/Kg | ☼ | 02/06/17 11:30 | 02/09/17 16:50 | 50 |
| 1,3-Dichloropropane | <31 | | 84 | 31 | ug/Kg | ☼ | 02/06/17 11:30 | 02/09/17 16:50 | 50 |
| 2,2-Dichloropropane | <37 | | 84 | 37 | ug/Kg | ☼ | 02/06/17 11:30 | 02/09/17 16:50 | 50 |
| 1,1-Dichloropropene | <25 | | 84 | 25 | ug/Kg | ☼ | 02/06/17 11:30 | 02/09/17 16:50 | 50 |
| Ethylbenzene | <15 | | 21 | 15 | ug/Kg | ☼ | 02/06/17 11:30 | 02/09/17 16:50 | 50 |
| Hexachlorobutadiene | <38 | | 84 | 38 | ug/Kg | ☼ | 02/06/17 11:30 | 02/09/17 16:50 | 50 |
| Isopropylbenzene | <32 | | 84 | 32 | ug/Kg | ☼ | 02/06/17 11:30 | 02/09/17 16:50 | 50 |
| Isopropyl ether | <23 | | 84 | 23 | ug/Kg | ☼ | 02/06/17 11:30 | 02/09/17 16:50 | 50 |
| Methylene Chloride | <140 | | 420 | 140 | ug/Kg | ☼ | 02/06/17 11:30 | 02/09/17 16:50 | 50 |
| Methyl tert-butyl ether | <33 | | 84 | 33 | ug/Kg | ☼ | 02/06/17 11:30 | 02/09/17 16:50 | 50 |
| Naphthalene | <28 | | 84 | 28 | ug/Kg | ☼ | 02/06/17 11:30 | 02/09/17 16:50 | 50 |
| n-Butylbenzene | <33 | | 84 | 33 | ug/Kg | ☼ | 02/06/17 11:30 | 02/09/17 16:50 | 50 |
| N-Propylbenzene | <35 | | 84 | 35 | ug/Kg | ☼ | 02/06/17 11:30 | 02/09/17 16:50 | 50 |

TestAmerica Chicago

Client Sample Results

Client: SCS Engineers
Project/Site: Arctic Laundry & Cleaners - 25216186

TestAmerica Job ID: 500-123596-1

Client Sample ID: GP-11 (5-7.5')

Lab Sample ID: 500-123596-10

Date Collected: 02/06/17 11:30

Matrix: Solid

Date Received: 02/08/17 10:30

Percent Solids: 88.5

Method: 8260B - Volatile Organic Compounds (GC/MS) (Continued)

| Analyte | Result | Qualifier | RL | MDL | Unit | D | Prepared | Analyzed | Dil Fac |
|---------------------------|--------------|-----------|----|-----|-------|---|----------------|----------------|---------|
| p-Isopropyltoluene | <31 | | 84 | 31 | ug/Kg | ☼ | 02/06/17 11:30 | 02/09/17 16:50 | 50 |
| sec-Butylbenzene | <34 | | 84 | 34 | ug/Kg | ☼ | 02/06/17 11:30 | 02/09/17 16:50 | 50 |
| Styrene | <33 | | 84 | 33 | ug/Kg | ☼ | 02/06/17 11:30 | 02/09/17 16:50 | 50 |
| tert-Butylbenzene | <34 | | 84 | 34 | ug/Kg | ☼ | 02/06/17 11:30 | 02/09/17 16:50 | 50 |
| 1,1,1,2-Tetrachloroethane | <39 | | 84 | 39 | ug/Kg | ☼ | 02/06/17 11:30 | 02/09/17 16:50 | 50 |
| 1,1,2,2-Tetrachloroethane | <34 | | 84 | 34 | ug/Kg | ☼ | 02/06/17 11:30 | 02/09/17 16:50 | 50 |
| Tetrachloroethene | 17000 | | 84 | 31 | ug/Kg | ☼ | 02/06/17 11:30 | 02/09/17 16:50 | 50 |
| Toluene | <12 | | 21 | 12 | ug/Kg | ☼ | 02/06/17 11:30 | 02/09/17 16:50 | 50 |
| trans-1,2-Dichloroethene | <30 | | 84 | 30 | ug/Kg | ☼ | 02/06/17 11:30 | 02/09/17 16:50 | 50 |
| trans-1,3-Dichloropropene | <31 | | 84 | 31 | ug/Kg | ☼ | 02/06/17 11:30 | 02/09/17 16:50 | 50 |
| 1,2,3-Trichlorobenzene | <39 | | 84 | 39 | ug/Kg | ☼ | 02/06/17 11:30 | 02/09/17 16:50 | 50 |
| 1,2,4-Trichlorobenzene | <29 | | 84 | 29 | ug/Kg | ☼ | 02/06/17 11:30 | 02/09/17 16:50 | 50 |
| 1,1,1-Trichloroethane | <32 | | 84 | 32 | ug/Kg | ☼ | 02/06/17 11:30 | 02/09/17 16:50 | 50 |
| 1,1,2-Trichloroethane | <30 | | 84 | 30 | ug/Kg | ☼ | 02/06/17 11:30 | 02/09/17 16:50 | 50 |
| Trichloroethene | <14 | | 42 | 14 | ug/Kg | ☼ | 02/06/17 11:30 | 02/09/17 16:50 | 50 |
| Trichlorofluoromethane | <36 | | 84 | 36 | ug/Kg | ☼ | 02/06/17 11:30 | 02/09/17 16:50 | 50 |
| 1,2,3-Trichloropropane | <35 | | 84 | 35 | ug/Kg | ☼ | 02/06/17 11:30 | 02/09/17 16:50 | 50 |
| 1,2,4-Trimethylbenzene | <30 | | 84 | 30 | ug/Kg | ☼ | 02/06/17 11:30 | 02/09/17 16:50 | 50 |
| 1,3,5-Trimethylbenzene | <32 | | 84 | 32 | ug/Kg | ☼ | 02/06/17 11:30 | 02/09/17 16:50 | 50 |
| Vinyl chloride | <22 | | 42 | 22 | ug/Kg | ☼ | 02/06/17 11:30 | 02/09/17 16:50 | 50 |
| Xylenes, Total | <19 | | 42 | 19 | ug/Kg | ☼ | 02/06/17 11:30 | 02/09/17 16:50 | 50 |

| Surrogate | %Recovery | Qualifier | Limits | Prepared | Analyzed | Dil Fac |
|------------------------------|-----------|-----------|----------|----------------|----------------|---------|
| 4-Bromofluorobenzene (Surr) | 94 | | 71 - 120 | 02/06/17 11:30 | 02/09/17 16:50 | 50 |
| Dibromofluoromethane | 103 | | 70 - 120 | 02/06/17 11:30 | 02/09/17 16:50 | 50 |
| 1,2-Dichloroethane-d4 (Surr) | 102 | | 71 - 127 | 02/06/17 11:30 | 02/09/17 16:50 | 50 |
| Toluene-d8 (Surr) | 97 | | 75 - 120 | 02/06/17 11:30 | 02/09/17 16:50 | 50 |

Client Sample ID: MW-1 (2.5-5')

Lab Sample ID: 500-123596-11

Date Collected: 02/06/17 10:00

Matrix: Solid

Date Received: 02/08/17 10:30

Percent Solids: 90.7

Method: 8260B - Volatile Organic Compounds (GC/MS)

| Analyte | Result | Qualifier | RL | MDL | Unit | D | Prepared | Analyzed | Dil Fac |
|-------------------------|--------|-----------|-----|-----|-------|---|----------------|----------------|---------|
| Benzene | <13 | | 23 | 13 | ug/Kg | ☼ | 02/06/17 10:00 | 02/09/17 17:18 | 50 |
| Bromobenzene | <33 | | 92 | 33 | ug/Kg | ☼ | 02/06/17 10:00 | 02/09/17 17:18 | 50 |
| Bromochloromethane | <39 | | 92 | 39 | ug/Kg | ☼ | 02/06/17 10:00 | 02/09/17 17:18 | 50 |
| Bromodichloromethane | <34 | | 92 | 34 | ug/Kg | ☼ | 02/06/17 10:00 | 02/09/17 17:18 | 50 |
| Bromoform | <44 | | 92 | 44 | ug/Kg | ☼ | 02/06/17 10:00 | 02/09/17 17:18 | 50 |
| Bromomethane | <73 | | 180 | 73 | ug/Kg | ☼ | 02/06/17 10:00 | 02/09/17 17:18 | 50 |
| Carbon tetrachloride | <35 | | 92 | 35 | ug/Kg | ☼ | 02/06/17 10:00 | 02/09/17 17:18 | 50 |
| Chlorobenzene | <35 | | 92 | 35 | ug/Kg | ☼ | 02/06/17 10:00 | 02/09/17 17:18 | 50 |
| Chloroethane | <46 | | 92 | 46 | ug/Kg | ☼ | 02/06/17 10:00 | 02/09/17 17:18 | 50 |
| Chloroform | <34 | | 180 | 34 | ug/Kg | ☼ | 02/06/17 10:00 | 02/09/17 17:18 | 50 |
| Chloromethane | <29 | | 92 | 29 | ug/Kg | ☼ | 02/06/17 10:00 | 02/09/17 17:18 | 50 |
| 2-Chlorotoluene | <29 | | 92 | 29 | ug/Kg | ☼ | 02/06/17 10:00 | 02/09/17 17:18 | 50 |
| 4-Chlorotoluene | <32 | | 92 | 32 | ug/Kg | ☼ | 02/06/17 10:00 | 02/09/17 17:18 | 50 |
| cis-1,2-Dichloroethene | <37 | | 92 | 37 | ug/Kg | ☼ | 02/06/17 10:00 | 02/09/17 17:18 | 50 |
| cis-1,3-Dichloropropene | <38 | | 92 | 38 | ug/Kg | ☼ | 02/06/17 10:00 | 02/09/17 17:18 | 50 |
| Dibromochloromethane | <45 | | 92 | 45 | ug/Kg | ☼ | 02/06/17 10:00 | 02/09/17 17:18 | 50 |

TestAmerica Chicago

Client Sample Results

Client: SCS Engineers
Project/Site: Arctic Laundry & Cleaners - 25216186

TestAmerica Job ID: 500-123596-1

Client Sample ID: MW-1 (2.5-5')

Lab Sample ID: 500-123596-11

Date Collected: 02/06/17 10:00

Matrix: Solid

Date Received: 02/08/17 10:30

Percent Solids: 90.7

Method: 8260B - Volatile Organic Compounds (GC/MS) (Continued)

| Analyte | Result | Qualifier | RL | MDL | Unit | D | Prepared | Analyzed | Dil Fac |
|-----------------------------|--------|-----------|-----|-----|-------|---|----------------|----------------|---------|
| 1,2-Dibromo-3-Chloropropane | <180 | | 460 | 180 | ug/Kg | ☼ | 02/06/17 10:00 | 02/09/17 17:18 | 50 |
| 1,2-Dibromoethane | <35 | | 92 | 35 | ug/Kg | ☼ | 02/06/17 10:00 | 02/09/17 17:18 | 50 |
| Dibromomethane | <25 | | 92 | 25 | ug/Kg | ☼ | 02/06/17 10:00 | 02/09/17 17:18 | 50 |
| 1,2-Dichlorobenzene | <31 | | 92 | 31 | ug/Kg | ☼ | 02/06/17 10:00 | 02/09/17 17:18 | 50 |
| 1,3-Dichlorobenzene | <37 | | 92 | 37 | ug/Kg | ☼ | 02/06/17 10:00 | 02/09/17 17:18 | 50 |
| 1,4-Dichlorobenzene | <33 | | 92 | 33 | ug/Kg | ☼ | 02/06/17 10:00 | 02/09/17 17:18 | 50 |
| Dichlorodifluoromethane | <62 * | | 180 | 62 | ug/Kg | ☼ | 02/06/17 10:00 | 02/09/17 17:18 | 50 |
| 1,1-Dichloroethane | <38 | | 92 | 38 | ug/Kg | ☼ | 02/06/17 10:00 | 02/09/17 17:18 | 50 |
| 1,2-Dichloroethane | <36 | | 92 | 36 | ug/Kg | ☼ | 02/06/17 10:00 | 02/09/17 17:18 | 50 |
| 1,1-Dichloroethene | <36 | | 92 | 36 | ug/Kg | ☼ | 02/06/17 10:00 | 02/09/17 17:18 | 50 |
| 1,2-Dichloropropane | <39 | | 92 | 39 | ug/Kg | ☼ | 02/06/17 10:00 | 02/09/17 17:18 | 50 |
| 1,3-Dichloropropane | <33 | | 92 | 33 | ug/Kg | ☼ | 02/06/17 10:00 | 02/09/17 17:18 | 50 |
| 2,2-Dichloropropane | <41 | | 92 | 41 | ug/Kg | ☼ | 02/06/17 10:00 | 02/09/17 17:18 | 50 |
| 1,1-Dichloropropene | <27 | | 92 | 27 | ug/Kg | ☼ | 02/06/17 10:00 | 02/09/17 17:18 | 50 |
| Ethylbenzene | <17 | | 23 | 17 | ug/Kg | ☼ | 02/06/17 10:00 | 02/09/17 17:18 | 50 |
| Hexachlorobutadiene | <41 | | 92 | 41 | ug/Kg | ☼ | 02/06/17 10:00 | 02/09/17 17:18 | 50 |
| Isopropylbenzene | <35 | | 92 | 35 | ug/Kg | ☼ | 02/06/17 10:00 | 02/09/17 17:18 | 50 |
| Isopropyl ether | <25 | | 92 | 25 | ug/Kg | ☼ | 02/06/17 10:00 | 02/09/17 17:18 | 50 |
| Methylene Chloride | <150 | | 460 | 150 | ug/Kg | ☼ | 02/06/17 10:00 | 02/09/17 17:18 | 50 |
| Methyl tert-butyl ether | <36 | | 92 | 36 | ug/Kg | ☼ | 02/06/17 10:00 | 02/09/17 17:18 | 50 |
| Naphthalene | <31 | | 92 | 31 | ug/Kg | ☼ | 02/06/17 10:00 | 02/09/17 17:18 | 50 |
| n-Butylbenzene | <36 | | 92 | 36 | ug/Kg | ☼ | 02/06/17 10:00 | 02/09/17 17:18 | 50 |
| N-Propylbenzene | <38 | | 92 | 38 | ug/Kg | ☼ | 02/06/17 10:00 | 02/09/17 17:18 | 50 |
| p-Isopropyltoluene | <33 | | 92 | 33 | ug/Kg | ☼ | 02/06/17 10:00 | 02/09/17 17:18 | 50 |
| sec-Butylbenzene | <37 | | 92 | 37 | ug/Kg | ☼ | 02/06/17 10:00 | 02/09/17 17:18 | 50 |
| Styrene | <35 | | 92 | 35 | ug/Kg | ☼ | 02/06/17 10:00 | 02/09/17 17:18 | 50 |
| tert-Butylbenzene | <37 | | 92 | 37 | ug/Kg | ☼ | 02/06/17 10:00 | 02/09/17 17:18 | 50 |
| 1,1,1,2-Tetrachloroethane | <42 | | 92 | 42 | ug/Kg | ☼ | 02/06/17 10:00 | 02/09/17 17:18 | 50 |
| 1,1,2,2-Tetrachloroethane | <37 | | 92 | 37 | ug/Kg | ☼ | 02/06/17 10:00 | 02/09/17 17:18 | 50 |
| Tetrachloroethene | <34 | | 92 | 34 | ug/Kg | ☼ | 02/06/17 10:00 | 02/09/17 17:18 | 50 |
| Toluene | <13 | | 23 | 13 | ug/Kg | ☼ | 02/06/17 10:00 | 02/09/17 17:18 | 50 |
| trans-1,2-Dichloroethene | <32 | | 92 | 32 | ug/Kg | ☼ | 02/06/17 10:00 | 02/09/17 17:18 | 50 |
| trans-1,3-Dichloropropene | <33 | | 92 | 33 | ug/Kg | ☼ | 02/06/17 10:00 | 02/09/17 17:18 | 50 |
| 1,2,3-Trichlorobenzene | <42 | | 92 | 42 | ug/Kg | ☼ | 02/06/17 10:00 | 02/09/17 17:18 | 50 |
| 1,2,4-Trichlorobenzene | <31 | | 92 | 31 | ug/Kg | ☼ | 02/06/17 10:00 | 02/09/17 17:18 | 50 |
| 1,1,1-Trichloroethane | <35 | | 92 | 35 | ug/Kg | ☼ | 02/06/17 10:00 | 02/09/17 17:18 | 50 |
| 1,1,2-Trichloroethane | <32 | | 92 | 32 | ug/Kg | ☼ | 02/06/17 10:00 | 02/09/17 17:18 | 50 |
| Trichloroethene | <15 | | 46 | 15 | ug/Kg | ☼ | 02/06/17 10:00 | 02/09/17 17:18 | 50 |
| Trichlorofluoromethane | <39 | | 92 | 39 | ug/Kg | ☼ | 02/06/17 10:00 | 02/09/17 17:18 | 50 |
| 1,2,3-Trichloropropane | <38 | | 92 | 38 | ug/Kg | ☼ | 02/06/17 10:00 | 02/09/17 17:18 | 50 |
| 1,2,4-Trimethylbenzene | <33 | | 92 | 33 | ug/Kg | ☼ | 02/06/17 10:00 | 02/09/17 17:18 | 50 |
| 1,3,5-Trimethylbenzene | <35 | | 92 | 35 | ug/Kg | ☼ | 02/06/17 10:00 | 02/09/17 17:18 | 50 |
| Vinyl chloride | <24 | | 46 | 24 | ug/Kg | ☼ | 02/06/17 10:00 | 02/09/17 17:18 | 50 |
| Xylenes, Total | <20 | | 46 | 20 | ug/Kg | ☼ | 02/06/17 10:00 | 02/09/17 17:18 | 50 |

| Surrogate | %Recovery | Qualifier | Limits | Prepared | Analyzed | Dil Fac |
|------------------------------|-----------|-----------|----------|----------------|----------------|---------|
| 4-Bromofluorobenzene (Surr) | 93 | | 71 - 120 | 02/06/17 10:00 | 02/09/17 17:18 | 50 |
| Dibromofluoromethane | 104 | | 70 - 120 | 02/06/17 10:00 | 02/09/17 17:18 | 50 |
| 1,2-Dichloroethane-d4 (Surr) | 102 | | 71 - 127 | 02/06/17 10:00 | 02/09/17 17:18 | 50 |
| Toluene-d8 (Surr) | 97 | | 75 - 120 | 02/06/17 10:00 | 02/09/17 17:18 | 50 |

TestAmerica Chicago

Client Sample Results

Client: SCS Engineers
 Project/Site: Arctic Laundry & Cleaners - 25216186

TestAmerica Job ID: 500-123596-1

Client Sample ID: MW-1 (5-7.5')

Lab Sample ID: 500-123596-12

Date Collected: 02/06/17 10:05

Matrix: Solid

Date Received: 02/08/17 10:30

Percent Solids: 85.9

Method: 8260B - Volatile Organic Compounds (GC/MS)

| Analyte | Result | Qualifier | RL | MDL | Unit | D | Prepared | Analyzed | Dil Fac |
|-----------------------------|--------|-----------|-----|-----|-------|---|----------------|----------------|---------|
| Benzene | <24 | | 41 | 24 | ug/Kg | ☼ | 02/06/17 10:05 | 02/09/17 17:46 | 50 |
| Bromobenzene | <58 | | 160 | 58 | ug/Kg | ☼ | 02/06/17 10:05 | 02/09/17 17:46 | 50 |
| Bromochloromethane | <70 | | 160 | 70 | ug/Kg | ☼ | 02/06/17 10:05 | 02/09/17 17:46 | 50 |
| Bromodichloromethane | <61 | | 160 | 61 | ug/Kg | ☼ | 02/06/17 10:05 | 02/09/17 17:46 | 50 |
| Bromoform | <79 | | 160 | 79 | ug/Kg | ☼ | 02/06/17 10:05 | 02/09/17 17:46 | 50 |
| Bromomethane | <130 | | 330 | 130 | ug/Kg | ☼ | 02/06/17 10:05 | 02/09/17 17:46 | 50 |
| Carbon tetrachloride | <63 | | 160 | 63 | ug/Kg | ☼ | 02/06/17 10:05 | 02/09/17 17:46 | 50 |
| Chlorobenzene | <63 | | 160 | 63 | ug/Kg | ☼ | 02/06/17 10:05 | 02/09/17 17:46 | 50 |
| Chloroethane | <82 | | 160 | 82 | ug/Kg | ☼ | 02/06/17 10:05 | 02/09/17 17:46 | 50 |
| Chloroform | <61 | | 330 | 61 | ug/Kg | ☼ | 02/06/17 10:05 | 02/09/17 17:46 | 50 |
| Chloromethane | <52 | | 160 | 52 | ug/Kg | ☼ | 02/06/17 10:05 | 02/09/17 17:46 | 50 |
| 2-Chlorotoluene | <51 | | 160 | 51 | ug/Kg | ☼ | 02/06/17 10:05 | 02/09/17 17:46 | 50 |
| 4-Chlorotoluene | <57 | | 160 | 57 | ug/Kg | ☼ | 02/06/17 10:05 | 02/09/17 17:46 | 50 |
| cis-1,2-Dichloroethene | <67 | | 160 | 67 | ug/Kg | ☼ | 02/06/17 10:05 | 02/09/17 17:46 | 50 |
| cis-1,3-Dichloropropene | <68 | | 160 | 68 | ug/Kg | ☼ | 02/06/17 10:05 | 02/09/17 17:46 | 50 |
| Dibromochloromethane | <80 | | 160 | 80 | ug/Kg | ☼ | 02/06/17 10:05 | 02/09/17 17:46 | 50 |
| 1,2-Dibromo-3-Chloropropane | <330 | | 820 | 330 | ug/Kg | ☼ | 02/06/17 10:05 | 02/09/17 17:46 | 50 |
| 1,2-Dibromoethane | <63 | | 160 | 63 | ug/Kg | ☼ | 02/06/17 10:05 | 02/09/17 17:46 | 50 |
| Dibromomethane | <44 | | 160 | 44 | ug/Kg | ☼ | 02/06/17 10:05 | 02/09/17 17:46 | 50 |
| 1,2-Dichlorobenzene | <55 | | 160 | 55 | ug/Kg | ☼ | 02/06/17 10:05 | 02/09/17 17:46 | 50 |
| 1,3-Dichlorobenzene | <65 | | 160 | 65 | ug/Kg | ☼ | 02/06/17 10:05 | 02/09/17 17:46 | 50 |
| 1,4-Dichlorobenzene | <60 | | 160 | 60 | ug/Kg | ☼ | 02/06/17 10:05 | 02/09/17 17:46 | 50 |
| Dichlorodifluoromethane | <110 * | | 330 | 110 | ug/Kg | ☼ | 02/06/17 10:05 | 02/09/17 17:46 | 50 |
| 1,1-Dichloroethane | <67 | | 160 | 67 | ug/Kg | ☼ | 02/06/17 10:05 | 02/09/17 17:46 | 50 |
| 1,2-Dichloroethane | <64 | | 160 | 64 | ug/Kg | ☼ | 02/06/17 10:05 | 02/09/17 17:46 | 50 |
| 1,1-Dichloroethene | <64 | | 160 | 64 | ug/Kg | ☼ | 02/06/17 10:05 | 02/09/17 17:46 | 50 |
| 1,2-Dichloropropane | <70 | | 160 | 70 | ug/Kg | ☼ | 02/06/17 10:05 | 02/09/17 17:46 | 50 |
| 1,3-Dichloropropane | <59 | | 160 | 59 | ug/Kg | ☼ | 02/06/17 10:05 | 02/09/17 17:46 | 50 |
| 2,2-Dichloropropane | <73 | | 160 | 73 | ug/Kg | ☼ | 02/06/17 10:05 | 02/09/17 17:46 | 50 |
| 1,1-Dichloropropene | <49 | | 160 | 49 | ug/Kg | ☼ | 02/06/17 10:05 | 02/09/17 17:46 | 50 |
| Ethylbenzene | <30 | | 41 | 30 | ug/Kg | ☼ | 02/06/17 10:05 | 02/09/17 17:46 | 50 |
| Hexachlorobutadiene | <73 | | 160 | 73 | ug/Kg | ☼ | 02/06/17 10:05 | 02/09/17 17:46 | 50 |
| Isopropylbenzene | <63 | | 160 | 63 | ug/Kg | ☼ | 02/06/17 10:05 | 02/09/17 17:46 | 50 |
| Isopropyl ether | <45 | | 160 | 45 | ug/Kg | ☼ | 02/06/17 10:05 | 02/09/17 17:46 | 50 |
| Methylene Chloride | <270 | | 820 | 270 | ug/Kg | ☼ | 02/06/17 10:05 | 02/09/17 17:46 | 50 |
| Methyl tert-butyl ether | <64 | | 160 | 64 | ug/Kg | ☼ | 02/06/17 10:05 | 02/09/17 17:46 | 50 |
| Naphthalene | <55 | | 160 | 55 | ug/Kg | ☼ | 02/06/17 10:05 | 02/09/17 17:46 | 50 |
| n-Butylbenzene | <63 | | 160 | 63 | ug/Kg | ☼ | 02/06/17 10:05 | 02/09/17 17:46 | 50 |
| N-Propylbenzene | <68 | | 160 | 68 | ug/Kg | ☼ | 02/06/17 10:05 | 02/09/17 17:46 | 50 |
| p-Isopropyltoluene | <59 | | 160 | 59 | ug/Kg | ☼ | 02/06/17 10:05 | 02/09/17 17:46 | 50 |
| sec-Butylbenzene | <65 | | 160 | 65 | ug/Kg | ☼ | 02/06/17 10:05 | 02/09/17 17:46 | 50 |
| Styrene | <63 | | 160 | 63 | ug/Kg | ☼ | 02/06/17 10:05 | 02/09/17 17:46 | 50 |
| tert-Butylbenzene | <65 | | 160 | 65 | ug/Kg | ☼ | 02/06/17 10:05 | 02/09/17 17:46 | 50 |
| 1,1,1,2-Tetrachloroethane | <76 | | 160 | 76 | ug/Kg | ☼ | 02/06/17 10:05 | 02/09/17 17:46 | 50 |
| 1,1,2,2-Tetrachloroethane | <65 | | 160 | 65 | ug/Kg | ☼ | 02/06/17 10:05 | 02/09/17 17:46 | 50 |
| Tetrachloroethene | <61 | | 160 | 61 | ug/Kg | ☼ | 02/06/17 10:05 | 02/09/17 17:46 | 50 |
| Toluene | <24 | | 41 | 24 | ug/Kg | ☼ | 02/06/17 10:05 | 02/09/17 17:46 | 50 |
| trans-1,2-Dichloroethene | <57 | | 160 | 57 | ug/Kg | ☼ | 02/06/17 10:05 | 02/09/17 17:46 | 50 |
| trans-1,3-Dichloropropene | <59 | | 160 | 59 | ug/Kg | ☼ | 02/06/17 10:05 | 02/09/17 17:46 | 50 |

TestAmerica Chicago

Client Sample Results

Client: SCS Engineers
 Project/Site: Arctic Laundry & Cleaners - 25216186

TestAmerica Job ID: 500-123596-1

Client Sample ID: MW-1 (5-7.5')

Lab Sample ID: 500-123596-12

Date Collected: 02/06/17 10:05

Matrix: Solid

Date Received: 02/08/17 10:30

Percent Solids: 85.9

Method: 8260B - Volatile Organic Compounds (GC/MS) (Continued)

| Analyte | Result | Qualifier | RL | MDL | Unit | D | Prepared | Analyzed | Dil Fac |
|------------------------------|-----------|-----------|----------|-----|-------|---|----------------|----------------|---------|
| 1,2,3-Trichlorobenzene | <75 | | 160 | 75 | ug/Kg | ☼ | 02/06/17 10:05 | 02/09/17 17:46 | 50 |
| 1,2,4-Trichlorobenzene | <56 | | 160 | 56 | ug/Kg | ☼ | 02/06/17 10:05 | 02/09/17 17:46 | 50 |
| 1,1,1-Trichloroethane | <62 | | 160 | 62 | ug/Kg | ☼ | 02/06/17 10:05 | 02/09/17 17:46 | 50 |
| 1,1,2-Trichloroethane | <58 | | 160 | 58 | ug/Kg | ☼ | 02/06/17 10:05 | 02/09/17 17:46 | 50 |
| Trichloroethene | <27 | | 82 | 27 | ug/Kg | ☼ | 02/06/17 10:05 | 02/09/17 17:46 | 50 |
| Trichlorofluoromethane | <70 | | 160 | 70 | ug/Kg | ☼ | 02/06/17 10:05 | 02/09/17 17:46 | 50 |
| 1,2,3-Trichloropropane | <68 | | 160 | 68 | ug/Kg | ☼ | 02/06/17 10:05 | 02/09/17 17:46 | 50 |
| 1,2,4-Trimethylbenzene | <59 | | 160 | 59 | ug/Kg | ☼ | 02/06/17 10:05 | 02/09/17 17:46 | 50 |
| 1,3,5-Trimethylbenzene | <62 | | 160 | 62 | ug/Kg | ☼ | 02/06/17 10:05 | 02/09/17 17:46 | 50 |
| Vinyl chloride | <43 | | 82 | 43 | ug/Kg | ☼ | 02/06/17 10:05 | 02/09/17 17:46 | 50 |
| Xylenes, Total | <36 | | 82 | 36 | ug/Kg | ☼ | 02/06/17 10:05 | 02/09/17 17:46 | 50 |
| Surrogate | %Recovery | Qualifier | Limits | | | | Prepared | Analyzed | Dil Fac |
| 4-Bromofluorobenzene (Surr) | 94 | | 71 - 120 | | | | 02/06/17 10:05 | 02/09/17 17:46 | 50 |
| Dibromofluoromethane | 103 | | 70 - 120 | | | | 02/06/17 10:05 | 02/09/17 17:46 | 50 |
| 1,2-Dichloroethane-d4 (Surr) | 100 | | 71 - 127 | | | | 02/06/17 10:05 | 02/09/17 17:46 | 50 |
| Toluene-d8 (Surr) | 96 | | 75 - 120 | | | | 02/06/17 10:05 | 02/09/17 17:46 | 50 |

Client Sample ID: MW-2 (2.5-5')

Lab Sample ID: 500-123596-13

Date Collected: 02/06/17 11:55

Matrix: Solid

Date Received: 02/08/17 10:30

Percent Solids: 88.2

Method: 8260B - Volatile Organic Compounds (GC/MS)

| Analyte | Result | Qualifier | RL | MDL | Unit | D | Prepared | Analyzed | Dil Fac |
|-----------------------------|--------|-----------|-----|-----|-------|---|----------------|----------------|---------|
| Benzene | <13 | | 23 | 13 | ug/Kg | ☼ | 02/06/17 11:55 | 02/09/17 18:14 | 50 |
| Bromobenzene | <33 | | 92 | 33 | ug/Kg | ☼ | 02/06/17 11:55 | 02/09/17 18:14 | 50 |
| Bromochloromethane | <39 | | 92 | 39 | ug/Kg | ☼ | 02/06/17 11:55 | 02/09/17 18:14 | 50 |
| Bromodichloromethane | <34 | | 92 | 34 | ug/Kg | ☼ | 02/06/17 11:55 | 02/09/17 18:14 | 50 |
| Bromoform | <44 | | 92 | 44 | ug/Kg | ☼ | 02/06/17 11:55 | 02/09/17 18:14 | 50 |
| Bromomethane | <73 | | 180 | 73 | ug/Kg | ☼ | 02/06/17 11:55 | 02/09/17 18:14 | 50 |
| Carbon tetrachloride | <35 | | 92 | 35 | ug/Kg | ☼ | 02/06/17 11:55 | 02/09/17 18:14 | 50 |
| Chlorobenzene | <35 | | 92 | 35 | ug/Kg | ☼ | 02/06/17 11:55 | 02/09/17 18:14 | 50 |
| Chloroethane | <46 | | 92 | 46 | ug/Kg | ☼ | 02/06/17 11:55 | 02/09/17 18:14 | 50 |
| Chloroform | <34 | | 180 | 34 | ug/Kg | ☼ | 02/06/17 11:55 | 02/09/17 18:14 | 50 |
| Chloromethane | <29 | | 92 | 29 | ug/Kg | ☼ | 02/06/17 11:55 | 02/09/17 18:14 | 50 |
| 2-Chlorotoluene | <29 | | 92 | 29 | ug/Kg | ☼ | 02/06/17 11:55 | 02/09/17 18:14 | 50 |
| 4-Chlorotoluene | <32 | | 92 | 32 | ug/Kg | ☼ | 02/06/17 11:55 | 02/09/17 18:14 | 50 |
| cis-1,2-Dichloroethene | <37 | | 92 | 37 | ug/Kg | ☼ | 02/06/17 11:55 | 02/09/17 18:14 | 50 |
| cis-1,3-Dichloropropene | <38 | | 92 | 38 | ug/Kg | ☼ | 02/06/17 11:55 | 02/09/17 18:14 | 50 |
| Dibromochloromethane | <45 | | 92 | 45 | ug/Kg | ☼ | 02/06/17 11:55 | 02/09/17 18:14 | 50 |
| 1,2-Dibromo-3-Chloropropane | <180 | | 460 | 180 | ug/Kg | ☼ | 02/06/17 11:55 | 02/09/17 18:14 | 50 |
| 1,2-Dibromoethane | <35 | | 92 | 35 | ug/Kg | ☼ | 02/06/17 11:55 | 02/09/17 18:14 | 50 |
| Dibromomethane | <25 | | 92 | 25 | ug/Kg | ☼ | 02/06/17 11:55 | 02/09/17 18:14 | 50 |
| 1,2-Dichlorobenzene | <31 | | 92 | 31 | ug/Kg | ☼ | 02/06/17 11:55 | 02/09/17 18:14 | 50 |
| 1,3-Dichlorobenzene | <37 | | 92 | 37 | ug/Kg | ☼ | 02/06/17 11:55 | 02/09/17 18:14 | 50 |
| 1,4-Dichlorobenzene | <33 | | 92 | 33 | ug/Kg | ☼ | 02/06/17 11:55 | 02/09/17 18:14 | 50 |
| Dichlorodifluoromethane | <62 * | | 180 | 62 | ug/Kg | ☼ | 02/06/17 11:55 | 02/09/17 18:14 | 50 |
| 1,1-Dichloroethane | <38 | | 92 | 38 | ug/Kg | ☼ | 02/06/17 11:55 | 02/09/17 18:14 | 50 |
| 1,2-Dichloroethane | <36 | | 92 | 36 | ug/Kg | ☼ | 02/06/17 11:55 | 02/09/17 18:14 | 50 |
| 1,1-Dichloroethene | <36 | | 92 | 36 | ug/Kg | ☼ | 02/06/17 11:55 | 02/09/17 18:14 | 50 |

TestAmerica Chicago

Client Sample Results

Client: SCS Engineers
Project/Site: Arctic Laundry & Cleaners - 25216186

TestAmerica Job ID: 500-123596-1

Client Sample ID: MW-2 (2.5-5')

Lab Sample ID: 500-123596-13

Date Collected: 02/06/17 11:55

Matrix: Solid

Date Received: 02/08/17 10:30

Percent Solids: 88.2

Method: 8260B - Volatile Organic Compounds (GC/MS) (Continued)

| Analyte | Result | Qualifier | RL | MDL | Unit | D | Prepared | Analyzed | Dil Fac |
|---------------------------|------------|-----------|-----|-----|-------|---|----------------|----------------|---------|
| 1,2-Dichloropropane | <39 | | 92 | 39 | ug/Kg | ☼ | 02/06/17 11:55 | 02/09/17 18:14 | 50 |
| 1,3-Dichloropropane | <33 | | 92 | 33 | ug/Kg | ☼ | 02/06/17 11:55 | 02/09/17 18:14 | 50 |
| 2,2-Dichloropropane | <41 | | 92 | 41 | ug/Kg | ☼ | 02/06/17 11:55 | 02/09/17 18:14 | 50 |
| 1,1-Dichloropropene | <27 | | 92 | 27 | ug/Kg | ☼ | 02/06/17 11:55 | 02/09/17 18:14 | 50 |
| Ethylbenzene | <17 | | 23 | 17 | ug/Kg | ☼ | 02/06/17 11:55 | 02/09/17 18:14 | 50 |
| Hexachlorobutadiene | <41 | | 92 | 41 | ug/Kg | ☼ | 02/06/17 11:55 | 02/09/17 18:14 | 50 |
| Isopropylbenzene | <35 | | 92 | 35 | ug/Kg | ☼ | 02/06/17 11:55 | 02/09/17 18:14 | 50 |
| Isopropyl ether | <25 | | 92 | 25 | ug/Kg | ☼ | 02/06/17 11:55 | 02/09/17 18:14 | 50 |
| Methylene Chloride | <150 | | 460 | 150 | ug/Kg | ☼ | 02/06/17 11:55 | 02/09/17 18:14 | 50 |
| Methyl tert-butyl ether | <36 | | 92 | 36 | ug/Kg | ☼ | 02/06/17 11:55 | 02/09/17 18:14 | 50 |
| Naphthalene | <31 | | 92 | 31 | ug/Kg | ☼ | 02/06/17 11:55 | 02/09/17 18:14 | 50 |
| n-Butylbenzene | <36 | | 92 | 36 | ug/Kg | ☼ | 02/06/17 11:55 | 02/09/17 18:14 | 50 |
| N-Propylbenzene | <38 | | 92 | 38 | ug/Kg | ☼ | 02/06/17 11:55 | 02/09/17 18:14 | 50 |
| p-Isopropyltoluene | <33 | | 92 | 33 | ug/Kg | ☼ | 02/06/17 11:55 | 02/09/17 18:14 | 50 |
| sec-Butylbenzene | <36 | | 92 | 36 | ug/Kg | ☼ | 02/06/17 11:55 | 02/09/17 18:14 | 50 |
| Styrene | <35 | | 92 | 35 | ug/Kg | ☼ | 02/06/17 11:55 | 02/09/17 18:14 | 50 |
| tert-Butylbenzene | <36 | | 92 | 36 | ug/Kg | ☼ | 02/06/17 11:55 | 02/09/17 18:14 | 50 |
| 1,1,1,2-Tetrachloroethane | <42 | | 92 | 42 | ug/Kg | ☼ | 02/06/17 11:55 | 02/09/17 18:14 | 50 |
| 1,1,2,2-Tetrachloroethane | <36 | | 92 | 36 | ug/Kg | ☼ | 02/06/17 11:55 | 02/09/17 18:14 | 50 |
| Tetrachloroethene | 510 | | 92 | 34 | ug/Kg | ☼ | 02/06/17 11:55 | 02/09/17 18:14 | 50 |
| Toluene | <13 | | 23 | 13 | ug/Kg | ☼ | 02/06/17 11:55 | 02/09/17 18:14 | 50 |
| trans-1,2-Dichloroethene | <32 | | 92 | 32 | ug/Kg | ☼ | 02/06/17 11:55 | 02/09/17 18:14 | 50 |
| trans-1,3-Dichloropropene | <33 | | 92 | 33 | ug/Kg | ☼ | 02/06/17 11:55 | 02/09/17 18:14 | 50 |
| 1,2,3-Trichlorobenzene | <42 | | 92 | 42 | ug/Kg | ☼ | 02/06/17 11:55 | 02/09/17 18:14 | 50 |
| 1,2,4-Trichlorobenzene | <31 | | 92 | 31 | ug/Kg | ☼ | 02/06/17 11:55 | 02/09/17 18:14 | 50 |
| 1,1,1-Trichloroethane | <35 | | 92 | 35 | ug/Kg | ☼ | 02/06/17 11:55 | 02/09/17 18:14 | 50 |
| 1,1,2-Trichloroethane | <32 | | 92 | 32 | ug/Kg | ☼ | 02/06/17 11:55 | 02/09/17 18:14 | 50 |
| Trichloroethene | <15 | | 46 | 15 | ug/Kg | ☼ | 02/06/17 11:55 | 02/09/17 18:14 | 50 |
| Trichlorofluoromethane | <39 | | 92 | 39 | ug/Kg | ☼ | 02/06/17 11:55 | 02/09/17 18:14 | 50 |
| 1,2,3-Trichloropropane | <38 | | 92 | 38 | ug/Kg | ☼ | 02/06/17 11:55 | 02/09/17 18:14 | 50 |
| 1,2,4-Trimethylbenzene | <33 | | 92 | 33 | ug/Kg | ☼ | 02/06/17 11:55 | 02/09/17 18:14 | 50 |
| 1,3,5-Trimethylbenzene | <35 | | 92 | 35 | ug/Kg | ☼ | 02/06/17 11:55 | 02/09/17 18:14 | 50 |
| Vinyl chloride | <24 | | 46 | 24 | ug/Kg | ☼ | 02/06/17 11:55 | 02/09/17 18:14 | 50 |
| Xylenes, Total | <20 | | 46 | 20 | ug/Kg | ☼ | 02/06/17 11:55 | 02/09/17 18:14 | 50 |

| Surrogate | %Recovery | Qualifier | Limits | Prepared | Analyzed | Dil Fac |
|------------------------------|-----------|-----------|----------|----------------|----------------|---------|
| 4-Bromofluorobenzene (Surr) | 96 | | 71 - 120 | 02/06/17 11:55 | 02/09/17 18:14 | 50 |
| Dibromofluoromethane | 102 | | 70 - 120 | 02/06/17 11:55 | 02/09/17 18:14 | 50 |
| 1,2-Dichloroethane-d4 (Surr) | 100 | | 71 - 127 | 02/06/17 11:55 | 02/09/17 18:14 | 50 |
| Toluene-d8 (Surr) | 98 | | 75 - 120 | 02/06/17 11:55 | 02/09/17 18:14 | 50 |

Client Sample ID: MW-2 (5-7.5')

Lab Sample ID: 500-123596-14

Date Collected: 02/06/17 12:00

Matrix: Solid

Date Received: 02/08/17 10:30

Percent Solids: 86.0

Method: 8260B - Volatile Organic Compounds (GC/MS)

| Analyte | Result | Qualifier | RL | MDL | Unit | D | Prepared | Analyzed | Dil Fac |
|--------------------|--------|-----------|-----|-----|-------|---|----------------|----------------|---------|
| Benzene | <15 | | 25 | 15 | ug/Kg | ☼ | 02/06/17 12:00 | 02/09/17 18:42 | 50 |
| Bromobenzene | <36 | | 100 | 36 | ug/Kg | ☼ | 02/06/17 12:00 | 02/09/17 18:42 | 50 |
| Bromochloromethane | <43 | | 100 | 43 | ug/Kg | ☼ | 02/06/17 12:00 | 02/09/17 18:42 | 50 |

TestAmerica Chicago

Client Sample Results

Client: SCS Engineers
 Project/Site: Arctic Laundry & Cleaners - 25216186

TestAmerica Job ID: 500-123596-1

Client Sample ID: MW-2 (5-7.5')

Lab Sample ID: 500-123596-14

Date Collected: 02/06/17 12:00

Matrix: Solid

Date Received: 02/08/17 10:30

Percent Solids: 86.0

Method: 8260B - Volatile Organic Compounds (GC/MS) (Continued)

| Analyte | Result | Qualifier | RL | MDL | Unit | D | Prepared | Analyzed | Dil Fac |
|-----------------------------|------------|-----------|-----|-----|-------|---|----------------|----------------|---------|
| Bromodichloromethane | <37 | | 100 | 37 | ug/Kg | ☼ | 02/06/17 12:00 | 02/09/17 18:42 | 50 |
| Bromoform | <49 | | 100 | 49 | ug/Kg | ☼ | 02/06/17 12:00 | 02/09/17 18:42 | 50 |
| Bromomethane | <80 | | 200 | 80 | ug/Kg | ☼ | 02/06/17 12:00 | 02/09/17 18:42 | 50 |
| Carbon tetrachloride | <39 | | 100 | 39 | ug/Kg | ☼ | 02/06/17 12:00 | 02/09/17 18:42 | 50 |
| Chlorobenzene | <39 | | 100 | 39 | ug/Kg | ☼ | 02/06/17 12:00 | 02/09/17 18:42 | 50 |
| Chloroethane | <51 | | 100 | 51 | ug/Kg | ☼ | 02/06/17 12:00 | 02/09/17 18:42 | 50 |
| Chloroform | <37 | | 200 | 37 | ug/Kg | ☼ | 02/06/17 12:00 | 02/09/17 18:42 | 50 |
| Chloromethane | <32 | | 100 | 32 | ug/Kg | ☼ | 02/06/17 12:00 | 02/09/17 18:42 | 50 |
| 2-Chlorotoluene | <32 | | 100 | 32 | ug/Kg | ☼ | 02/06/17 12:00 | 02/09/17 18:42 | 50 |
| 4-Chlorotoluene | <35 | | 100 | 35 | ug/Kg | ☼ | 02/06/17 12:00 | 02/09/17 18:42 | 50 |
| cis-1,2-Dichloroethene | <41 | | 100 | 41 | ug/Kg | ☼ | 02/06/17 12:00 | 02/09/17 18:42 | 50 |
| cis-1,3-Dichloropropene | <42 | | 100 | 42 | ug/Kg | ☼ | 02/06/17 12:00 | 02/09/17 18:42 | 50 |
| Dibromochloromethane | <49 | | 100 | 49 | ug/Kg | ☼ | 02/06/17 12:00 | 02/09/17 18:42 | 50 |
| 1,2-Dibromo-3-Chloropropane | <200 | | 500 | 200 | ug/Kg | ☼ | 02/06/17 12:00 | 02/09/17 18:42 | 50 |
| 1,2-Dibromoethane | <39 | | 100 | 39 | ug/Kg | ☼ | 02/06/17 12:00 | 02/09/17 18:42 | 50 |
| Dibromomethane | <27 | | 100 | 27 | ug/Kg | ☼ | 02/06/17 12:00 | 02/09/17 18:42 | 50 |
| 1,2-Dichlorobenzene | <34 | | 100 | 34 | ug/Kg | ☼ | 02/06/17 12:00 | 02/09/17 18:42 | 50 |
| 1,3-Dichlorobenzene | <40 | | 100 | 40 | ug/Kg | ☼ | 02/06/17 12:00 | 02/09/17 18:42 | 50 |
| 1,4-Dichlorobenzene | <37 | | 100 | 37 | ug/Kg | ☼ | 02/06/17 12:00 | 02/09/17 18:42 | 50 |
| Dichlorodifluoromethane | <68 * | | 200 | 68 | ug/Kg | ☼ | 02/06/17 12:00 | 02/09/17 18:42 | 50 |
| 1,1-Dichloroethane | <41 | | 100 | 41 | ug/Kg | ☼ | 02/06/17 12:00 | 02/09/17 18:42 | 50 |
| 1,2-Dichloroethane | <39 | | 100 | 39 | ug/Kg | ☼ | 02/06/17 12:00 | 02/09/17 18:42 | 50 |
| 1,1-Dichloroethene | <39 | | 100 | 39 | ug/Kg | ☼ | 02/06/17 12:00 | 02/09/17 18:42 | 50 |
| 1,2-Dichloropropane | <43 | | 100 | 43 | ug/Kg | ☼ | 02/06/17 12:00 | 02/09/17 18:42 | 50 |
| 1,3-Dichloropropane | <36 | | 100 | 36 | ug/Kg | ☼ | 02/06/17 12:00 | 02/09/17 18:42 | 50 |
| 2,2-Dichloropropane | <45 | | 100 | 45 | ug/Kg | ☼ | 02/06/17 12:00 | 02/09/17 18:42 | 50 |
| 1,1-Dichloropropene | <30 | | 100 | 30 | ug/Kg | ☼ | 02/06/17 12:00 | 02/09/17 18:42 | 50 |
| Ethylbenzene | <18 | | 25 | 18 | ug/Kg | ☼ | 02/06/17 12:00 | 02/09/17 18:42 | 50 |
| Hexachlorobutadiene | <45 | | 100 | 45 | ug/Kg | ☼ | 02/06/17 12:00 | 02/09/17 18:42 | 50 |
| Isopropylbenzene | <39 | | 100 | 39 | ug/Kg | ☼ | 02/06/17 12:00 | 02/09/17 18:42 | 50 |
| Isopropyl ether | <28 | | 100 | 28 | ug/Kg | ☼ | 02/06/17 12:00 | 02/09/17 18:42 | 50 |
| Methylene Chloride | <160 | | 500 | 160 | ug/Kg | ☼ | 02/06/17 12:00 | 02/09/17 18:42 | 50 |
| Methyl tert-butyl ether | <40 | | 100 | 40 | ug/Kg | ☼ | 02/06/17 12:00 | 02/09/17 18:42 | 50 |
| Naphthalene | <34 | | 100 | 34 | ug/Kg | ☼ | 02/06/17 12:00 | 02/09/17 18:42 | 50 |
| n-Butylbenzene | <39 | | 100 | 39 | ug/Kg | ☼ | 02/06/17 12:00 | 02/09/17 18:42 | 50 |
| N-Propylbenzene | <42 | | 100 | 42 | ug/Kg | ☼ | 02/06/17 12:00 | 02/09/17 18:42 | 50 |
| p-Isopropyltoluene | <36 | | 100 | 36 | ug/Kg | ☼ | 02/06/17 12:00 | 02/09/17 18:42 | 50 |
| sec-Butylbenzene | <40 | | 100 | 40 | ug/Kg | ☼ | 02/06/17 12:00 | 02/09/17 18:42 | 50 |
| Styrene | <39 | | 100 | 39 | ug/Kg | ☼ | 02/06/17 12:00 | 02/09/17 18:42 | 50 |
| tert-Butylbenzene | <40 | | 100 | 40 | ug/Kg | ☼ | 02/06/17 12:00 | 02/09/17 18:42 | 50 |
| 1,1,1,2-Tetrachloroethane | <46 | | 100 | 46 | ug/Kg | ☼ | 02/06/17 12:00 | 02/09/17 18:42 | 50 |
| 1,1,2,2-Tetrachloroethane | <40 | | 100 | 40 | ug/Kg | ☼ | 02/06/17 12:00 | 02/09/17 18:42 | 50 |
| Tetrachloroethene | 130 | | 100 | 37 | ug/Kg | ☼ | 02/06/17 12:00 | 02/09/17 18:42 | 50 |
| Toluene | <15 | | 25 | 15 | ug/Kg | ☼ | 02/06/17 12:00 | 02/09/17 18:42 | 50 |
| trans-1,2-Dichloroethene | <35 | | 100 | 35 | ug/Kg | ☼ | 02/06/17 12:00 | 02/09/17 18:42 | 50 |
| trans-1,3-Dichloropropene | <36 | | 100 | 36 | ug/Kg | ☼ | 02/06/17 12:00 | 02/09/17 18:42 | 50 |
| 1,2,3-Trichlorobenzene | <46 | | 100 | 46 | ug/Kg | ☼ | 02/06/17 12:00 | 02/09/17 18:42 | 50 |
| 1,2,4-Trichlorobenzene | <34 | | 100 | 34 | ug/Kg | ☼ | 02/06/17 12:00 | 02/09/17 18:42 | 50 |
| 1,1,1-Trichloroethane | <38 | | 100 | 38 | ug/Kg | ☼ | 02/06/17 12:00 | 02/09/17 18:42 | 50 |

TestAmerica Chicago

Client Sample Results

Client: SCS Engineers
 Project/Site: Arctic Laundry & Cleaners - 25216186

TestAmerica Job ID: 500-123596-1

Client Sample ID: MW-2 (5-7.5')

Lab Sample ID: 500-123596-14

Date Collected: 02/06/17 12:00

Matrix: Solid

Date Received: 02/08/17 10:30

Percent Solids: 86.0

Method: 8260B - Volatile Organic Compounds (GC/MS) (Continued)

| Analyte | Result | Qualifier | RL | MDL | Unit | D | Prepared | Analyzed | Dil Fac |
|------------------------------|-----------|-----------|----------|-----|-------|---|----------------|----------------|---------|
| 1,1,2-Trichloroethane | <35 | | 100 | 35 | ug/Kg | ☼ | 02/06/17 12:00 | 02/09/17 18:42 | 50 |
| Trichloroethene | <16 | | 50 | 16 | ug/Kg | ☼ | 02/06/17 12:00 | 02/09/17 18:42 | 50 |
| Trichlorofluoromethane | <43 | | 100 | 43 | ug/Kg | ☼ | 02/06/17 12:00 | 02/09/17 18:42 | 50 |
| 1,2,3-Trichloropropane | <42 | | 100 | 42 | ug/Kg | ☼ | 02/06/17 12:00 | 02/09/17 18:42 | 50 |
| 1,2,4-Trimethylbenzene | <36 | | 100 | 36 | ug/Kg | ☼ | 02/06/17 12:00 | 02/09/17 18:42 | 50 |
| 1,3,5-Trimethylbenzene | <38 | | 100 | 38 | ug/Kg | ☼ | 02/06/17 12:00 | 02/09/17 18:42 | 50 |
| Vinyl chloride | <26 | | 50 | 26 | ug/Kg | ☼ | 02/06/17 12:00 | 02/09/17 18:42 | 50 |
| Xylenes, Total | <22 | | 50 | 22 | ug/Kg | ☼ | 02/06/17 12:00 | 02/09/17 18:42 | 50 |
| Surrogate | %Recovery | Qualifier | Limits | | | | Prepared | Analyzed | Dil Fac |
| 4-Bromofluorobenzene (Surr) | 96 | | 71 - 120 | | | | 02/06/17 12:00 | 02/09/17 18:42 | 50 |
| Dibromofluoromethane | 101 | | 70 - 120 | | | | 02/06/17 12:00 | 02/09/17 18:42 | 50 |
| 1,2-Dichloroethane-d4 (Surr) | 96 | | 71 - 127 | | | | 02/06/17 12:00 | 02/09/17 18:42 | 50 |
| Toluene-d8 (Surr) | 98 | | 75 - 120 | | | | 02/06/17 12:00 | 02/09/17 18:42 | 50 |

Client Sample ID: MW-3 (0-2.5')

Lab Sample ID: 500-123596-15

Date Collected: 02/06/17 13:50

Matrix: Solid

Date Received: 02/08/17 10:30

Percent Solids: 79.3

Method: 8260B - Volatile Organic Compounds (GC/MS)

| Analyte | Result | Qualifier | RL | MDL | Unit | D | Prepared | Analyzed | Dil Fac |
|-----------------------------|--------|-----------|------|-----|-------|---|----------------|----------------|---------|
| Benzene | <53 | | 91 | 53 | ug/Kg | ☼ | 02/06/17 13:50 | 02/09/17 19:10 | 50 |
| Bromobenzene | <130 | | 360 | 130 | ug/Kg | ☼ | 02/06/17 13:50 | 02/09/17 19:10 | 50 |
| Bromochloromethane | <160 | | 360 | 160 | ug/Kg | ☼ | 02/06/17 13:50 | 02/09/17 19:10 | 50 |
| Bromodichloromethane | <140 | | 360 | 140 | ug/Kg | ☼ | 02/06/17 13:50 | 02/09/17 19:10 | 50 |
| Bromoform | <180 | | 360 | 180 | ug/Kg | ☼ | 02/06/17 13:50 | 02/09/17 19:10 | 50 |
| Bromomethane | <290 | | 730 | 290 | ug/Kg | ☼ | 02/06/17 13:50 | 02/09/17 19:10 | 50 |
| Carbon tetrachloride | <140 | | 360 | 140 | ug/Kg | ☼ | 02/06/17 13:50 | 02/09/17 19:10 | 50 |
| Chlorobenzene | <140 | | 360 | 140 | ug/Kg | ☼ | 02/06/17 13:50 | 02/09/17 19:10 | 50 |
| Chloroethane | <180 | | 360 | 180 | ug/Kg | ☼ | 02/06/17 13:50 | 02/09/17 19:10 | 50 |
| Chloroform | <130 | | 730 | 130 | ug/Kg | ☼ | 02/06/17 13:50 | 02/09/17 19:10 | 50 |
| Chloromethane | <120 | | 360 | 120 | ug/Kg | ☼ | 02/06/17 13:50 | 02/09/17 19:10 | 50 |
| 2-Chlorotoluene | <110 | | 360 | 110 | ug/Kg | ☼ | 02/06/17 13:50 | 02/09/17 19:10 | 50 |
| 4-Chlorotoluene | <130 | | 360 | 130 | ug/Kg | ☼ | 02/06/17 13:50 | 02/09/17 19:10 | 50 |
| cis-1,2-Dichloroethene | <150 | | 360 | 150 | ug/Kg | ☼ | 02/06/17 13:50 | 02/09/17 19:10 | 50 |
| cis-1,3-Dichloropropene | <150 | | 360 | 150 | ug/Kg | ☼ | 02/06/17 13:50 | 02/09/17 19:10 | 50 |
| Dibromochloromethane | <180 | | 360 | 180 | ug/Kg | ☼ | 02/06/17 13:50 | 02/09/17 19:10 | 50 |
| 1,2-Dibromo-3-Chloropropane | <720 | | 1800 | 720 | ug/Kg | ☼ | 02/06/17 13:50 | 02/09/17 19:10 | 50 |
| 1,2-Dibromoethane | <140 | | 360 | 140 | ug/Kg | ☼ | 02/06/17 13:50 | 02/09/17 19:10 | 50 |
| Dibromomethane | <98 | | 360 | 98 | ug/Kg | ☼ | 02/06/17 13:50 | 02/09/17 19:10 | 50 |
| 1,2-Dichlorobenzene | <120 | | 360 | 120 | ug/Kg | ☼ | 02/06/17 13:50 | 02/09/17 19:10 | 50 |
| 1,3-Dichlorobenzene | <150 | | 360 | 150 | ug/Kg | ☼ | 02/06/17 13:50 | 02/09/17 19:10 | 50 |
| 1,4-Dichlorobenzene | <130 | | 360 | 130 | ug/Kg | ☼ | 02/06/17 13:50 | 02/09/17 19:10 | 50 |
| Dichlorodifluoromethane | <250 * | | 730 | 250 | ug/Kg | ☼ | 02/06/17 13:50 | 02/09/17 19:10 | 50 |
| 1,1-Dichloroethane | <150 | | 360 | 150 | ug/Kg | ☼ | 02/06/17 13:50 | 02/09/17 19:10 | 50 |
| 1,2-Dichloroethane | <140 | | 360 | 140 | ug/Kg | ☼ | 02/06/17 13:50 | 02/09/17 19:10 | 50 |
| 1,1-Dichloroethene | <140 | | 360 | 140 | ug/Kg | ☼ | 02/06/17 13:50 | 02/09/17 19:10 | 50 |
| 1,2-Dichloropropane | <160 | | 360 | 160 | ug/Kg | ☼ | 02/06/17 13:50 | 02/09/17 19:10 | 50 |
| 1,3-Dichloropropane | <130 | | 360 | 130 | ug/Kg | ☼ | 02/06/17 13:50 | 02/09/17 19:10 | 50 |
| 2,2-Dichloropropane | <160 | | 360 | 160 | ug/Kg | ☼ | 02/06/17 13:50 | 02/09/17 19:10 | 50 |

TestAmerica Chicago

Client Sample Results

Client: SCS Engineers
Project/Site: Arctic Laundry & Cleaners - 25216186

TestAmerica Job ID: 500-123596-1

Client Sample ID: MW-3 (0-2.5')

Lab Sample ID: 500-123596-15

Date Collected: 02/06/17 13:50

Matrix: Solid

Date Received: 02/08/17 10:30

Percent Solids: 79.3

Method: 8260B - Volatile Organic Compounds (GC/MS) (Continued)

| Analyte | Result | Qualifier | RL | MDL | Unit | D | Prepared | Analyzed | Dil Fac |
|---------------------------|-------------|-----------|------|-----|-------|---|----------------|----------------|---------|
| 1,1-Dichloropropene | <110 | | 360 | 110 | ug/Kg | ☼ | 02/06/17 13:50 | 02/09/17 19:10 | 50 |
| Ethylbenzene | <67 | | 91 | 67 | ug/Kg | ☼ | 02/06/17 13:50 | 02/09/17 19:10 | 50 |
| Hexachlorobutadiene | <160 | | 360 | 160 | ug/Kg | ☼ | 02/06/17 13:50 | 02/09/17 19:10 | 50 |
| Isopropylbenzene | <140 | | 360 | 140 | ug/Kg | ☼ | 02/06/17 13:50 | 02/09/17 19:10 | 50 |
| Isopropyl ether | <100 | | 360 | 100 | ug/Kg | ☼ | 02/06/17 13:50 | 02/09/17 19:10 | 50 |
| Methylene Chloride | <590 | | 1800 | 590 | ug/Kg | ☼ | 02/06/17 13:50 | 02/09/17 19:10 | 50 |
| Methyl tert-butyl ether | <140 | | 360 | 140 | ug/Kg | ☼ | 02/06/17 13:50 | 02/09/17 19:10 | 50 |
| Naphthalene | <120 | | 360 | 120 | ug/Kg | ☼ | 02/06/17 13:50 | 02/09/17 19:10 | 50 |
| n-Butylbenzene | <140 | | 360 | 140 | ug/Kg | ☼ | 02/06/17 13:50 | 02/09/17 19:10 | 50 |
| N-Propylbenzene | <150 | | 360 | 150 | ug/Kg | ☼ | 02/06/17 13:50 | 02/09/17 19:10 | 50 |
| p-Isopropyltoluene | <130 | | 360 | 130 | ug/Kg | ☼ | 02/06/17 13:50 | 02/09/17 19:10 | 50 |
| sec-Butylbenzene | <140 | | 360 | 140 | ug/Kg | ☼ | 02/06/17 13:50 | 02/09/17 19:10 | 50 |
| Styrene | <140 | | 360 | 140 | ug/Kg | ☼ | 02/06/17 13:50 | 02/09/17 19:10 | 50 |
| tert-Butylbenzene | <140 | | 360 | 140 | ug/Kg | ☼ | 02/06/17 13:50 | 02/09/17 19:10 | 50 |
| 1,1,1,2-Tetrachloroethane | <170 | | 360 | 170 | ug/Kg | ☼ | 02/06/17 13:50 | 02/09/17 19:10 | 50 |
| 1,1,2,2-Tetrachloroethane | <140 | | 360 | 140 | ug/Kg | ☼ | 02/06/17 13:50 | 02/09/17 19:10 | 50 |
| Tetrachloroethene | 3200 | | 360 | 130 | ug/Kg | ☼ | 02/06/17 13:50 | 02/09/17 19:10 | 50 |
| Toluene | <54 | | 91 | 54 | ug/Kg | ☼ | 02/06/17 13:50 | 02/09/17 19:10 | 50 |
| trans-1,2-Dichloroethene | <130 | | 360 | 130 | ug/Kg | ☼ | 02/06/17 13:50 | 02/09/17 19:10 | 50 |
| trans-1,3-Dichloropropene | <130 | | 360 | 130 | ug/Kg | ☼ | 02/06/17 13:50 | 02/09/17 19:10 | 50 |
| 1,2,3-Trichlorobenzene | <170 | | 360 | 170 | ug/Kg | ☼ | 02/06/17 13:50 | 02/09/17 19:10 | 50 |
| 1,2,4-Trichlorobenzene | <120 | | 360 | 120 | ug/Kg | ☼ | 02/06/17 13:50 | 02/09/17 19:10 | 50 |
| 1,1,1-Trichloroethane | <140 | | 360 | 140 | ug/Kg | ☼ | 02/06/17 13:50 | 02/09/17 19:10 | 50 |
| 1,1,2-Trichloroethane | <130 | | 360 | 130 | ug/Kg | ☼ | 02/06/17 13:50 | 02/09/17 19:10 | 50 |
| Trichloroethene | <60 | | 180 | 60 | ug/Kg | ☼ | 02/06/17 13:50 | 02/09/17 19:10 | 50 |
| Trichlorofluoromethane | <160 | | 360 | 160 | ug/Kg | ☼ | 02/06/17 13:50 | 02/09/17 19:10 | 50 |
| 1,2,3-Trichloropropane | <150 | | 360 | 150 | ug/Kg | ☼ | 02/06/17 13:50 | 02/09/17 19:10 | 50 |
| 1,2,4-Trimethylbenzene | <130 | | 360 | 130 | ug/Kg | ☼ | 02/06/17 13:50 | 02/09/17 19:10 | 50 |
| 1,3,5-Trimethylbenzene | <140 | | 360 | 140 | ug/Kg | ☼ | 02/06/17 13:50 | 02/09/17 19:10 | 50 |
| Vinyl chloride | <95 | | 180 | 95 | ug/Kg | ☼ | 02/06/17 13:50 | 02/09/17 19:10 | 50 |
| Xylenes, Total | <80 | | 180 | 80 | ug/Kg | ☼ | 02/06/17 13:50 | 02/09/17 19:10 | 50 |

| Surrogate | %Recovery | Qualifier | Limits | Prepared | Analyzed | Dil Fac |
|------------------------------|-----------|-----------|----------|----------------|----------------|---------|
| 4-Bromofluorobenzene (Surr) | 97 | | 71 - 120 | 02/06/17 13:50 | 02/09/17 19:10 | 50 |
| Dibromofluoromethane | 102 | | 70 - 120 | 02/06/17 13:50 | 02/09/17 19:10 | 50 |
| 1,2-Dichloroethane-d4 (Surr) | 100 | | 71 - 127 | 02/06/17 13:50 | 02/09/17 19:10 | 50 |
| Toluene-d8 (Surr) | 98 | | 75 - 120 | 02/06/17 13:50 | 02/09/17 19:10 | 50 |

Client Sample ID: MW-3 (5-7.5')

Lab Sample ID: 500-123596-16

Date Collected: 02/06/17 13:55

Matrix: Solid

Date Received: 02/08/17 10:30

Percent Solids: 89.2

Method: 8260B - Volatile Organic Compounds (GC/MS)

| Analyte | Result | Qualifier | RL | MDL | Unit | D | Prepared | Analyzed | Dil Fac |
|----------------------|--------|-----------|-----|-----|-------|---|----------------|----------------|---------|
| Benzene | <13 | | 22 | 13 | ug/Kg | ☼ | 02/06/17 13:55 | 02/10/17 16:06 | 50 |
| Bromobenzene | <31 | | 88 | 31 | ug/Kg | ☼ | 02/06/17 13:55 | 02/10/17 16:06 | 50 |
| Bromochloromethane | <38 | | 88 | 38 | ug/Kg | ☼ | 02/06/17 13:55 | 02/10/17 16:06 | 50 |
| Bromodichloromethane | <33 | | 88 | 33 | ug/Kg | ☼ | 02/06/17 13:55 | 02/10/17 16:06 | 50 |
| Bromoform | <42 | | 88 | 42 | ug/Kg | ☼ | 02/06/17 13:55 | 02/10/17 16:06 | 50 |
| Bromomethane | <70 | | 180 | 70 | ug/Kg | ☼ | 02/06/17 13:55 | 02/10/17 16:06 | 50 |

TestAmerica Chicago

Client Sample Results

Client: SCS Engineers
 Project/Site: Arctic Laundry & Cleaners - 25216186

TestAmerica Job ID: 500-123596-1

Client Sample ID: MW-3 (5-7.5')

Lab Sample ID: 500-123596-16

Date Collected: 02/06/17 13:55

Matrix: Solid

Date Received: 02/08/17 10:30

Percent Solids: 89.2

Method: 8260B - Volatile Organic Compounds (GC/MS) (Continued)

| Analyte | Result | Qualifier | RL | MDL | Unit | D | Prepared | Analyzed | Dil Fac |
|-----------------------------|-------------|-----------|-----|-----|-------|---|----------------|----------------|---------|
| Carbon tetrachloride | <34 | | 88 | 34 | ug/Kg | ☼ | 02/06/17 13:55 | 02/10/17 16:06 | 50 |
| Chlorobenzene | <34 | | 88 | 34 | ug/Kg | ☼ | 02/06/17 13:55 | 02/10/17 16:06 | 50 |
| Chloroethane | <44 | | 88 | 44 | ug/Kg | ☼ | 02/06/17 13:55 | 02/10/17 16:06 | 50 |
| Chloroform | <32 | | 180 | 32 | ug/Kg | ☼ | 02/06/17 13:55 | 02/10/17 16:06 | 50 |
| Chloromethane | <28 | | 88 | 28 | ug/Kg | ☼ | 02/06/17 13:55 | 02/10/17 16:06 | 50 |
| 2-Chlorotoluene | <28 | | 88 | 28 | ug/Kg | ☼ | 02/06/17 13:55 | 02/10/17 16:06 | 50 |
| 4-Chlorotoluene | <31 | | 88 | 31 | ug/Kg | ☼ | 02/06/17 13:55 | 02/10/17 16:06 | 50 |
| cis-1,2-Dichloroethene | <36 | | 88 | 36 | ug/Kg | ☼ | 02/06/17 13:55 | 02/10/17 16:06 | 50 |
| cis-1,3-Dichloropropene | <37 | | 88 | 37 | ug/Kg | ☼ | 02/06/17 13:55 | 02/10/17 16:06 | 50 |
| Dibromochloromethane | <43 | | 88 | 43 | ug/Kg | ☼ | 02/06/17 13:55 | 02/10/17 16:06 | 50 |
| 1,2-Dibromo-3-Chloropropane | <170 | | 440 | 170 | ug/Kg | ☼ | 02/06/17 13:55 | 02/10/17 16:06 | 50 |
| 1,2-Dibromoethane | <34 | | 88 | 34 | ug/Kg | ☼ | 02/06/17 13:55 | 02/10/17 16:06 | 50 |
| Dibromomethane | <24 | | 88 | 24 | ug/Kg | ☼ | 02/06/17 13:55 | 02/10/17 16:06 | 50 |
| 1,2-Dichlorobenzene | <29 | | 88 | 29 | ug/Kg | ☼ | 02/06/17 13:55 | 02/10/17 16:06 | 50 |
| 1,3-Dichlorobenzene | <35 | | 88 | 35 | ug/Kg | ☼ | 02/06/17 13:55 | 02/10/17 16:06 | 50 |
| 1,4-Dichlorobenzene | <32 | | 88 | 32 | ug/Kg | ☼ | 02/06/17 13:55 | 02/10/17 16:06 | 50 |
| Dichlorodifluoromethane | <59 * | | 180 | 59 | ug/Kg | ☼ | 02/06/17 13:55 | 02/10/17 16:06 | 50 |
| 1,1-Dichloroethane | <36 | | 88 | 36 | ug/Kg | ☼ | 02/06/17 13:55 | 02/10/17 16:06 | 50 |
| 1,2-Dichloroethane | <34 | | 88 | 34 | ug/Kg | ☼ | 02/06/17 13:55 | 02/10/17 16:06 | 50 |
| 1,1-Dichloroethene | <34 | | 88 | 34 | ug/Kg | ☼ | 02/06/17 13:55 | 02/10/17 16:06 | 50 |
| 1,2-Dichloropropane | <38 | | 88 | 38 | ug/Kg | ☼ | 02/06/17 13:55 | 02/10/17 16:06 | 50 |
| 1,3-Dichloropropane | <32 | | 88 | 32 | ug/Kg | ☼ | 02/06/17 13:55 | 02/10/17 16:06 | 50 |
| 2,2-Dichloropropane | <39 | | 88 | 39 | ug/Kg | ☼ | 02/06/17 13:55 | 02/10/17 16:06 | 50 |
| 1,1-Dichloropropene | <26 | | 88 | 26 | ug/Kg | ☼ | 02/06/17 13:55 | 02/10/17 16:06 | 50 |
| Ethylbenzene | <16 | | 22 | 16 | ug/Kg | ☼ | 02/06/17 13:55 | 02/10/17 16:06 | 50 |
| Hexachlorobutadiene | <39 | | 88 | 39 | ug/Kg | ☼ | 02/06/17 13:55 | 02/10/17 16:06 | 50 |
| Isopropylbenzene | <34 | | 88 | 34 | ug/Kg | ☼ | 02/06/17 13:55 | 02/10/17 16:06 | 50 |
| Isopropyl ether | <24 | | 88 | 24 | ug/Kg | ☼ | 02/06/17 13:55 | 02/10/17 16:06 | 50 |
| Methylene Chloride | <140 | | 440 | 140 | ug/Kg | ☼ | 02/06/17 13:55 | 02/10/17 16:06 | 50 |
| Methyl tert-butyl ether | <35 | | 88 | 35 | ug/Kg | ☼ | 02/06/17 13:55 | 02/10/17 16:06 | 50 |
| Naphthalene | <29 | | 88 | 29 | ug/Kg | ☼ | 02/06/17 13:55 | 02/10/17 16:06 | 50 |
| n-Butylbenzene | <34 | | 88 | 34 | ug/Kg | ☼ | 02/06/17 13:55 | 02/10/17 16:06 | 50 |
| N-Propylbenzene | <36 | | 88 | 36 | ug/Kg | ☼ | 02/06/17 13:55 | 02/10/17 16:06 | 50 |
| p-Isopropyltoluene | <32 | | 88 | 32 | ug/Kg | ☼ | 02/06/17 13:55 | 02/10/17 16:06 | 50 |
| sec-Butylbenzene | <35 | | 88 | 35 | ug/Kg | ☼ | 02/06/17 13:55 | 02/10/17 16:06 | 50 |
| Styrene | <34 | | 88 | 34 | ug/Kg | ☼ | 02/06/17 13:55 | 02/10/17 16:06 | 50 |
| tert-Butylbenzene | <35 | | 88 | 35 | ug/Kg | ☼ | 02/06/17 13:55 | 02/10/17 16:06 | 50 |
| 1,1,1,2-Tetrachloroethane | <41 | | 88 | 41 | ug/Kg | ☼ | 02/06/17 13:55 | 02/10/17 16:06 | 50 |
| 1,1,2,2-Tetrachloroethane | <35 | | 88 | 35 | ug/Kg | ☼ | 02/06/17 13:55 | 02/10/17 16:06 | 50 |
| Tetrachloroethene | 3000 | | 88 | 32 | ug/Kg | ☼ | 02/06/17 13:55 | 02/10/17 16:06 | 50 |
| Toluene | <13 | | 22 | 13 | ug/Kg | ☼ | 02/06/17 13:55 | 02/10/17 16:06 | 50 |
| trans-1,2-Dichloroethene | <31 | | 88 | 31 | ug/Kg | ☼ | 02/06/17 13:55 | 02/10/17 16:06 | 50 |
| trans-1,3-Dichloropropene | <32 | | 88 | 32 | ug/Kg | ☼ | 02/06/17 13:55 | 02/10/17 16:06 | 50 |
| 1,2,3-Trichlorobenzene | <40 | | 88 | 40 | ug/Kg | ☼ | 02/06/17 13:55 | 02/10/17 16:06 | 50 |
| 1,2,4-Trichlorobenzene | <30 | | 88 | 30 | ug/Kg | ☼ | 02/06/17 13:55 | 02/10/17 16:06 | 50 |
| 1,1,1-Trichloroethane | <33 | | 88 | 33 | ug/Kg | ☼ | 02/06/17 13:55 | 02/10/17 16:06 | 50 |
| 1,1,2-Trichloroethane | <31 | | 88 | 31 | ug/Kg | ☼ | 02/06/17 13:55 | 02/10/17 16:06 | 50 |
| Trichloroethene | <14 | | 44 | 14 | ug/Kg | ☼ | 02/06/17 13:55 | 02/10/17 16:06 | 50 |
| Trichlorofluoromethane | <38 | | 88 | 38 | ug/Kg | ☼ | 02/06/17 13:55 | 02/10/17 16:06 | 50 |

TestAmerica Chicago

Client Sample Results

Client: SCS Engineers
 Project/Site: Arctic Laundry & Cleaners - 25216186

TestAmerica Job ID: 500-123596-1

Client Sample ID: MW-3 (5-7.5')

Lab Sample ID: 500-123596-16

Date Collected: 02/06/17 13:55

Matrix: Solid

Date Received: 02/08/17 10:30

Percent Solids: 89.2

Method: 8260B - Volatile Organic Compounds (GC/MS) (Continued)

| Analyte | Result | Qualifier | RL | MDL | Unit | D | Prepared | Analyzed | Dil Fac |
|------------------------|--------|-----------|----|-----|-------|---|----------------|----------------|---------|
| 1,2,3-Trichloropropane | <36 | | 88 | 36 | ug/Kg | ☼ | 02/06/17 13:55 | 02/10/17 16:06 | 50 |
| 1,2,4-Trimethylbenzene | <31 | | 88 | 31 | ug/Kg | ☼ | 02/06/17 13:55 | 02/10/17 16:06 | 50 |
| 1,3,5-Trimethylbenzene | <33 | | 88 | 33 | ug/Kg | ☼ | 02/06/17 13:55 | 02/10/17 16:06 | 50 |
| Vinyl chloride | <23 | | 44 | 23 | ug/Kg | ☼ | 02/06/17 13:55 | 02/10/17 16:06 | 50 |
| Xylenes, Total | <19 | | 44 | 19 | ug/Kg | ☼ | 02/06/17 13:55 | 02/10/17 16:06 | 50 |

| Surrogate | %Recovery | Qualifier | Limits | Prepared | Analyzed | Dil Fac |
|------------------------------|-----------|-----------|----------|----------------|----------------|---------|
| 4-Bromofluorobenzene (Surr) | 93 | | 71 - 120 | 02/06/17 13:55 | 02/10/17 16:06 | 50 |
| Dibromofluoromethane | 101 | | 70 - 120 | 02/06/17 13:55 | 02/10/17 16:06 | 50 |
| 1,2-Dichloroethane-d4 (Surr) | 95 | | 71 - 127 | 02/06/17 13:55 | 02/10/17 16:06 | 50 |
| Toluene-d8 (Surr) | 98 | | 75 - 120 | 02/06/17 13:55 | 02/10/17 16:06 | 50 |

Client Sample ID: Trip Blank

Lab Sample ID: 500-123596-17

Date Collected: 02/06/17 00:00

Matrix: Water

Date Received: 02/08/17 10:30

Method: 8260B - Volatile Organic Compounds (GC/MS)

| Analyte | Result | Qualifier | RL | MDL | Unit | D | Prepared | Analyzed | Dil Fac |
|-----------------------------|--------|-----------|------|------|------|---|----------|----------------|---------|
| Benzene | <0.15 | | 0.50 | 0.15 | ug/L | | | 02/10/17 16:34 | 1 |
| Bromobenzene | <0.36 | | 1.0 | 0.36 | ug/L | | | 02/10/17 16:34 | 1 |
| Bromochloromethane | <0.43 | | 1.0 | 0.43 | ug/L | | | 02/10/17 16:34 | 1 |
| Bromodichloromethane | <0.37 | | 1.0 | 0.37 | ug/L | | | 02/10/17 16:34 | 1 |
| Bromoform | <0.48 | | 1.0 | 0.48 | ug/L | | | 02/10/17 16:34 | 1 |
| Bromomethane | <0.80 | | 2.0 | 0.80 | ug/L | | | 02/10/17 16:34 | 1 |
| Carbon tetrachloride | <0.38 | | 1.0 | 0.38 | ug/L | | | 02/10/17 16:34 | 1 |
| Chlorobenzene | <0.39 | | 1.0 | 0.39 | ug/L | | | 02/10/17 16:34 | 1 |
| Chloroethane | <0.51 | | 1.0 | 0.51 | ug/L | | | 02/10/17 16:34 | 1 |
| Chloroform | <0.37 | | 2.0 | 0.37 | ug/L | | | 02/10/17 16:34 | 1 |
| Chloromethane | <0.32 | | 1.0 | 0.32 | ug/L | | | 02/10/17 16:34 | 1 |
| 2-Chlorotoluene | <0.31 | | 1.0 | 0.31 | ug/L | | | 02/10/17 16:34 | 1 |
| 4-Chlorotoluene | <0.35 | | 1.0 | 0.35 | ug/L | | | 02/10/17 16:34 | 1 |
| cis-1,2-Dichloroethene | <0.41 | | 1.0 | 0.41 | ug/L | | | 02/10/17 16:34 | 1 |
| cis-1,3-Dichloropropene | <0.42 | | 1.0 | 0.42 | ug/L | | | 02/10/17 16:34 | 1 |
| Dibromochloromethane | <0.49 | | 1.0 | 0.49 | ug/L | | | 02/10/17 16:34 | 1 |
| 1,2-Dibromo-3-Chloropropane | <2.0 | | 5.0 | 2.0 | ug/L | | | 02/10/17 16:34 | 1 |
| 1,2-Dibromoethane | <0.39 | | 1.0 | 0.39 | ug/L | | | 02/10/17 16:34 | 1 |
| Dibromomethane | <0.27 | | 1.0 | 0.27 | ug/L | | | 02/10/17 16:34 | 1 |
| 1,2-Dichlorobenzene | <0.33 | | 1.0 | 0.33 | ug/L | | | 02/10/17 16:34 | 1 |
| 1,3-Dichlorobenzene | <0.40 | | 1.0 | 0.40 | ug/L | | | 02/10/17 16:34 | 1 |
| 1,4-Dichlorobenzene | <0.36 | | 1.0 | 0.36 | ug/L | | | 02/10/17 16:34 | 1 |
| Dichlorodifluoromethane | <0.67 | | 2.0 | 0.67 | ug/L | | | 02/10/17 16:34 | 1 |
| 1,1-Dichloroethane | <0.41 | | 1.0 | 0.41 | ug/L | | | 02/10/17 16:34 | 1 |
| 1,2-Dichloroethane | <0.39 | | 1.0 | 0.39 | ug/L | | | 02/10/17 16:34 | 1 |
| 1,1-Dichloroethene | <0.39 | | 1.0 | 0.39 | ug/L | | | 02/10/17 16:34 | 1 |
| 1,2-Dichloropropane | <0.43 | | 1.0 | 0.43 | ug/L | | | 02/10/17 16:34 | 1 |
| 1,3-Dichloropropane | <0.36 | | 1.0 | 0.36 | ug/L | | | 02/10/17 16:34 | 1 |
| 2,2-Dichloropropane | <0.44 | | 1.0 | 0.44 | ug/L | | | 02/10/17 16:34 | 1 |
| 1,1-Dichloropropene | <0.30 | | 1.0 | 0.30 | ug/L | | | 02/10/17 16:34 | 1 |
| Ethylbenzene | <0.18 | | 0.50 | 0.18 | ug/L | | | 02/10/17 16:34 | 1 |
| Hexachlorobutadiene | <0.45 | | 1.0 | 0.45 | ug/L | | | 02/10/17 16:34 | 1 |

TestAmerica Chicago

Client Sample Results

Client: SCS Engineers
 Project/Site: Arctic Laundry & Cleaners - 25216186

TestAmerica Job ID: 500-123596-1

Client Sample ID: Trip Blank

Lab Sample ID: 500-123596-17

Date Collected: 02/06/17 00:00

Matrix: Water

Date Received: 02/08/17 10:30

Method: 8260B - Volatile Organic Compounds (GC/MS) (Continued)

| Analyte | Result | Qualifier | RL | MDL | Unit | D | Prepared | Analyzed | Dil Fac |
|---------------------------|--------|-----------|------|------|------|---|----------|----------------|---------|
| Isopropylbenzene | <0.39 | | 1.0 | 0.39 | ug/L | | | 02/10/17 16:34 | 1 |
| Isopropyl ether | <0.28 | | 1.0 | 0.28 | ug/L | | | 02/10/17 16:34 | 1 |
| Methylene Chloride | <1.6 | | 5.0 | 1.6 | ug/L | | | 02/10/17 16:34 | 1 |
| Methyl tert-butyl ether | <0.39 | | 1.0 | 0.39 | ug/L | | | 02/10/17 16:34 | 1 |
| Naphthalene | <0.34 | | 1.0 | 0.34 | ug/L | | | 02/10/17 16:34 | 1 |
| n-Butylbenzene | <0.39 | | 1.0 | 0.39 | ug/L | | | 02/10/17 16:34 | 1 |
| N-Propylbenzene | <0.41 | | 1.0 | 0.41 | ug/L | | | 02/10/17 16:34 | 1 |
| p-Isopropyltoluene | <0.36 | | 1.0 | 0.36 | ug/L | | | 02/10/17 16:34 | 1 |
| sec-Butylbenzene | <0.40 | | 1.0 | 0.40 | ug/L | | | 02/10/17 16:34 | 1 |
| Styrene | <0.39 | | 1.0 | 0.39 | ug/L | | | 02/10/17 16:34 | 1 |
| tert-Butylbenzene | <0.40 | | 1.0 | 0.40 | ug/L | | | 02/10/17 16:34 | 1 |
| 1,1,1,2-Tetrachloroethane | <0.46 | | 1.0 | 0.46 | ug/L | | | 02/10/17 16:34 | 1 |
| 1,1,2,2-Tetrachloroethane | <0.40 | | 1.0 | 0.40 | ug/L | | | 02/10/17 16:34 | 1 |
| Tetrachloroethene | <0.37 | | 1.0 | 0.37 | ug/L | | | 02/10/17 16:34 | 1 |
| Toluene | <0.15 | | 0.50 | 0.15 | ug/L | | | 02/10/17 16:34 | 1 |
| trans-1,2-Dichloroethene | <0.35 | | 1.0 | 0.35 | ug/L | | | 02/10/17 16:34 | 1 |
| trans-1,3-Dichloropropene | <0.36 | | 1.0 | 0.36 | ug/L | | | 02/10/17 16:34 | 1 |
| 1,2,3-Trichlorobenzene | <0.46 | | 1.0 | 0.46 | ug/L | | | 02/10/17 16:34 | 1 |
| 1,2,4-Trichlorobenzene | <0.34 | | 1.0 | 0.34 | ug/L | | | 02/10/17 16:34 | 1 |
| 1,1,1-Trichloroethane | <0.38 | | 1.0 | 0.38 | ug/L | | | 02/10/17 16:34 | 1 |
| 1,1,2-Trichloroethane | <0.35 | | 1.0 | 0.35 | ug/L | | | 02/10/17 16:34 | 1 |
| Trichloroethene | <0.16 | | 0.50 | 0.16 | ug/L | | | 02/10/17 16:34 | 1 |
| Trichlorofluoromethane | <0.43 | | 1.0 | 0.43 | ug/L | | | 02/10/17 16:34 | 1 |
| 1,2,3-Trichloropropane | <0.41 | | 1.0 | 0.41 | ug/L | | | 02/10/17 16:34 | 1 |
| 1,2,4-Trimethylbenzene | <0.36 | | 1.0 | 0.36 | ug/L | | | 02/10/17 16:34 | 1 |
| 1,3,5-Trimethylbenzene | <0.25 | | 1.0 | 0.25 | ug/L | | | 02/10/17 16:34 | 1 |
| Vinyl chloride | <0.20 | | 0.50 | 0.20 | ug/L | | | 02/10/17 16:34 | 1 |
| Xylenes, Total | <0.22 | | 1.0 | 0.22 | ug/L | | | 02/10/17 16:34 | 1 |

| Surrogate | %Recovery | Qualifier | Limits | Prepared | Analyzed | Dil Fac |
|------------------------------|-----------|-----------|----------|----------|----------------|---------|
| 1,2-Dichloroethane-d4 (Surr) | 96 | | 71 - 127 | | 02/10/17 16:34 | 1 |
| Toluene-d8 (Surr) | 98 | | 75 - 120 | | 02/10/17 16:34 | 1 |
| 4-Bromofluorobenzene (Surr) | 95 | | 71 - 120 | | 02/10/17 16:34 | 1 |
| Dibromofluoromethane | 102 | | 70 - 120 | | 02/10/17 16:34 | 1 |

Client Sample ID: GP-7

Lab Sample ID: 500-123596-18

Date Collected: 02/06/17 10:10

Matrix: Water

Date Received: 02/08/17 10:30

Method: 8260B - Volatile Organic Compounds (GC/MS)

| Analyte | Result | Qualifier | RL | MDL | Unit | D | Prepared | Analyzed | Dil Fac |
|----------------------|--------|-----------|------|------|------|---|----------|----------------|---------|
| Benzene | <0.15 | | 0.50 | 0.15 | ug/L | | | 02/10/17 17:02 | 1 |
| Bromobenzene | <0.36 | | 1.0 | 0.36 | ug/L | | | 02/10/17 17:02 | 1 |
| Bromochloromethane | <0.43 | | 1.0 | 0.43 | ug/L | | | 02/10/17 17:02 | 1 |
| Bromodichloromethane | <0.37 | | 1.0 | 0.37 | ug/L | | | 02/10/17 17:02 | 1 |
| Bromoform | <0.48 | | 1.0 | 0.48 | ug/L | | | 02/10/17 17:02 | 1 |
| Bromomethane | <0.80 | | 2.0 | 0.80 | ug/L | | | 02/10/17 17:02 | 1 |
| Carbon tetrachloride | <0.38 | | 1.0 | 0.38 | ug/L | | | 02/10/17 17:02 | 1 |
| Chlorobenzene | <0.39 | | 1.0 | 0.39 | ug/L | | | 02/10/17 17:02 | 1 |
| Chloroethane | <0.51 | | 1.0 | 0.51 | ug/L | | | 02/10/17 17:02 | 1 |

TestAmerica Chicago

Client Sample Results

Client: SCS Engineers
 Project/Site: Arctic Laundry & Cleaners - 25216186

TestAmerica Job ID: 500-123596-1

Client Sample ID: GP-7
Date Collected: 02/06/17 10:10
Date Received: 02/08/17 10:30

Lab Sample ID: 500-123596-18
Matrix: Water

Method: 8260B - Volatile Organic Compounds (GC/MS) (Continued)

| Analyte | Result | Qualifier | RL | MDL | Unit | D | Prepared | Analyzed | Dil Fac |
|-----------------------------|--------|-----------|------|------|------|---|----------|----------------|---------|
| Chloroform | <0.37 | | 2.0 | 0.37 | ug/L | | | 02/10/17 17:02 | 1 |
| Chloromethane | <0.32 | | 1.0 | 0.32 | ug/L | | | 02/10/17 17:02 | 1 |
| 2-Chlorotoluene | <0.31 | | 1.0 | 0.31 | ug/L | | | 02/10/17 17:02 | 1 |
| 4-Chlorotoluene | <0.35 | | 1.0 | 0.35 | ug/L | | | 02/10/17 17:02 | 1 |
| cis-1,2-Dichloroethene | <0.41 | | 1.0 | 0.41 | ug/L | | | 02/10/17 17:02 | 1 |
| cis-1,3-Dichloropropene | <0.42 | | 1.0 | 0.42 | ug/L | | | 02/10/17 17:02 | 1 |
| Dibromochloromethane | <0.49 | | 1.0 | 0.49 | ug/L | | | 02/10/17 17:02 | 1 |
| 1,2-Dibromo-3-Chloropropane | <2.0 | | 5.0 | 2.0 | ug/L | | | 02/10/17 17:02 | 1 |
| 1,2-Dibromoethane | <0.39 | | 1.0 | 0.39 | ug/L | | | 02/10/17 17:02 | 1 |
| Dibromomethane | <0.27 | | 1.0 | 0.27 | ug/L | | | 02/10/17 17:02 | 1 |
| 1,2-Dichlorobenzene | <0.33 | | 1.0 | 0.33 | ug/L | | | 02/10/17 17:02 | 1 |
| 1,3-Dichlorobenzene | <0.40 | | 1.0 | 0.40 | ug/L | | | 02/10/17 17:02 | 1 |
| 1,4-Dichlorobenzene | <0.36 | | 1.0 | 0.36 | ug/L | | | 02/10/17 17:02 | 1 |
| Dichlorodifluoromethane | <0.67 | | 2.0 | 0.67 | ug/L | | | 02/10/17 17:02 | 1 |
| 1,1-Dichloroethane | <0.41 | | 1.0 | 0.41 | ug/L | | | 02/10/17 17:02 | 1 |
| 1,2-Dichloroethane | <0.39 | | 1.0 | 0.39 | ug/L | | | 02/10/17 17:02 | 1 |
| 1,1-Dichloroethene | <0.39 | | 1.0 | 0.39 | ug/L | | | 02/10/17 17:02 | 1 |
| 1,2-Dichloropropane | <0.43 | | 1.0 | 0.43 | ug/L | | | 02/10/17 17:02 | 1 |
| 1,3-Dichloropropane | <0.36 | | 1.0 | 0.36 | ug/L | | | 02/10/17 17:02 | 1 |
| 2,2-Dichloropropane | <0.44 | | 1.0 | 0.44 | ug/L | | | 02/10/17 17:02 | 1 |
| 1,1-Dichloropropene | <0.30 | | 1.0 | 0.30 | ug/L | | | 02/10/17 17:02 | 1 |
| Ethylbenzene | <0.18 | | 0.50 | 0.18 | ug/L | | | 02/10/17 17:02 | 1 |
| Hexachlorobutadiene | <0.45 | | 1.0 | 0.45 | ug/L | | | 02/10/17 17:02 | 1 |
| Isopropylbenzene | <0.39 | | 1.0 | 0.39 | ug/L | | | 02/10/17 17:02 | 1 |
| Isopropyl ether | <0.28 | | 1.0 | 0.28 | ug/L | | | 02/10/17 17:02 | 1 |
| Methylene Chloride | <1.6 | | 5.0 | 1.6 | ug/L | | | 02/10/17 17:02 | 1 |
| Methyl tert-butyl ether | <0.39 | | 1.0 | 0.39 | ug/L | | | 02/10/17 17:02 | 1 |
| Naphthalene | <0.34 | | 1.0 | 0.34 | ug/L | | | 02/10/17 17:02 | 1 |
| n-Butylbenzene | <0.39 | | 1.0 | 0.39 | ug/L | | | 02/10/17 17:02 | 1 |
| N-Propylbenzene | <0.41 | | 1.0 | 0.41 | ug/L | | | 02/10/17 17:02 | 1 |
| p-Isopropyltoluene | <0.36 | | 1.0 | 0.36 | ug/L | | | 02/10/17 17:02 | 1 |
| sec-Butylbenzene | <0.40 | | 1.0 | 0.40 | ug/L | | | 02/10/17 17:02 | 1 |
| Styrene | <0.39 | | 1.0 | 0.39 | ug/L | | | 02/10/17 17:02 | 1 |
| tert-Butylbenzene | <0.40 | | 1.0 | 0.40 | ug/L | | | 02/10/17 17:02 | 1 |
| 1,1,1,2-Tetrachloroethane | <0.46 | | 1.0 | 0.46 | ug/L | | | 02/10/17 17:02 | 1 |
| 1,1,2,2-Tetrachloroethane | <0.40 | | 1.0 | 0.40 | ug/L | | | 02/10/17 17:02 | 1 |
| Tetrachloroethene | <0.37 | | 1.0 | 0.37 | ug/L | | | 02/10/17 17:02 | 1 |
| Toluene | <0.15 | | 0.50 | 0.15 | ug/L | | | 02/10/17 17:02 | 1 |
| trans-1,2-Dichloroethene | <0.35 | | 1.0 | 0.35 | ug/L | | | 02/10/17 17:02 | 1 |
| trans-1,3-Dichloropropene | <0.36 | | 1.0 | 0.36 | ug/L | | | 02/10/17 17:02 | 1 |
| 1,2,3-Trichlorobenzene | <0.46 | | 1.0 | 0.46 | ug/L | | | 02/10/17 17:02 | 1 |
| 1,2,4-Trichlorobenzene | <0.34 | | 1.0 | 0.34 | ug/L | | | 02/10/17 17:02 | 1 |
| 1,1,1-Trichloroethane | <0.38 | | 1.0 | 0.38 | ug/L | | | 02/10/17 17:02 | 1 |
| 1,1,2-Trichloroethane | <0.35 | | 1.0 | 0.35 | ug/L | | | 02/10/17 17:02 | 1 |
| Trichloroethene | <0.16 | | 0.50 | 0.16 | ug/L | | | 02/10/17 17:02 | 1 |
| Trichlorofluoromethane | <0.43 | | 1.0 | 0.43 | ug/L | | | 02/10/17 17:02 | 1 |
| 1,2,3-Trichloropropane | <0.41 | | 1.0 | 0.41 | ug/L | | | 02/10/17 17:02 | 1 |
| 1,2,4-Trimethylbenzene | <0.36 | | 1.0 | 0.36 | ug/L | | | 02/10/17 17:02 | 1 |
| 1,3,5-Trimethylbenzene | <0.25 | | 1.0 | 0.25 | ug/L | | | 02/10/17 17:02 | 1 |

TestAmerica Chicago

Client Sample Results

Client: SCS Engineers
 Project/Site: Arctic Laundry & Cleaners - 25216186

TestAmerica Job ID: 500-123596-1

Client Sample ID: GP-7
Date Collected: 02/06/17 10:10
Date Received: 02/08/17 10:30

Lab Sample ID: 500-123596-18
Matrix: Water

Method: 8260B - Volatile Organic Compounds (GC/MS) (Continued)

| Analyte | Result | Qualifier | RL | MDL | Unit | D | Prepared | Analyzed | Dil Fac |
|------------------------------|-----------|-----------|----------|------|------|---|----------|----------------|---------|
| Vinyl chloride | <0.20 | | 0.50 | 0.20 | ug/L | | | 02/10/17 17:02 | 1 |
| Xylenes, Total | <0.22 | | 1.0 | 0.22 | ug/L | | | 02/10/17 17:02 | 1 |
| Surrogate | %Recovery | Qualifier | Limits | | | | Prepared | Analyzed | Dil Fac |
| 1,2-Dichloroethane-d4 (Surr) | 98 | | 71 - 127 | | | | | 02/10/17 17:02 | 1 |
| Toluene-d8 (Surr) | 99 | | 75 - 120 | | | | | 02/10/17 17:02 | 1 |
| 4-Bromofluorobenzene (Surr) | 95 | | 71 - 120 | | | | | 02/10/17 17:02 | 1 |
| Dibromofluoromethane | 103 | | 70 - 120 | | | | | 02/10/17 17:02 | 1 |

Client Sample ID: GP-8
Date Collected: 02/06/17 10:15
Date Received: 02/08/17 10:30

Lab Sample ID: 500-123596-19
Matrix: Water

Method: 8260B - Volatile Organic Compounds (GC/MS)

| Analyte | Result | Qualifier | RL | MDL | Unit | D | Prepared | Analyzed | Dil Fac |
|-----------------------------|--------|-----------|------|------|------|---|----------|----------------|---------|
| Benzene | <0.15 | | 0.50 | 0.15 | ug/L | | | 02/10/17 17:30 | 1 |
| Bromobenzene | <0.36 | | 1.0 | 0.36 | ug/L | | | 02/10/17 17:30 | 1 |
| Bromochloromethane | <0.43 | | 1.0 | 0.43 | ug/L | | | 02/10/17 17:30 | 1 |
| Bromodichloromethane | <0.37 | | 1.0 | 0.37 | ug/L | | | 02/10/17 17:30 | 1 |
| Bromoform | <0.48 | | 1.0 | 0.48 | ug/L | | | 02/10/17 17:30 | 1 |
| Bromomethane | <0.80 | | 2.0 | 0.80 | ug/L | | | 02/10/17 17:30 | 1 |
| Carbon tetrachloride | <0.38 | | 1.0 | 0.38 | ug/L | | | 02/10/17 17:30 | 1 |
| Chlorobenzene | <0.39 | | 1.0 | 0.39 | ug/L | | | 02/10/17 17:30 | 1 |
| Chloroethane | <0.51 | | 1.0 | 0.51 | ug/L | | | 02/10/17 17:30 | 1 |
| Chloroform | <0.37 | | 2.0 | 0.37 | ug/L | | | 02/10/17 17:30 | 1 |
| Chloromethane | <0.32 | | 1.0 | 0.32 | ug/L | | | 02/10/17 17:30 | 1 |
| 2-Chlorotoluene | <0.31 | | 1.0 | 0.31 | ug/L | | | 02/10/17 17:30 | 1 |
| 4-Chlorotoluene | <0.35 | | 1.0 | 0.35 | ug/L | | | 02/10/17 17:30 | 1 |
| cis-1,2-Dichloroethene | <0.41 | | 1.0 | 0.41 | ug/L | | | 02/10/17 17:30 | 1 |
| cis-1,3-Dichloropropene | <0.42 | | 1.0 | 0.42 | ug/L | | | 02/10/17 17:30 | 1 |
| Dibromochloromethane | <0.49 | | 1.0 | 0.49 | ug/L | | | 02/10/17 17:30 | 1 |
| 1,2-Dibromo-3-Chloropropane | <2.0 | | 5.0 | 2.0 | ug/L | | | 02/10/17 17:30 | 1 |
| 1,2-Dibromoethane | <0.39 | | 1.0 | 0.39 | ug/L | | | 02/10/17 17:30 | 1 |
| Dibromomethane | <0.27 | | 1.0 | 0.27 | ug/L | | | 02/10/17 17:30 | 1 |
| 1,2-Dichlorobenzene | <0.33 | | 1.0 | 0.33 | ug/L | | | 02/10/17 17:30 | 1 |
| 1,3-Dichlorobenzene | <0.40 | | 1.0 | 0.40 | ug/L | | | 02/10/17 17:30 | 1 |
| 1,4-Dichlorobenzene | <0.36 | | 1.0 | 0.36 | ug/L | | | 02/10/17 17:30 | 1 |
| Dichlorodifluoromethane | <0.67 | | 2.0 | 0.67 | ug/L | | | 02/10/17 17:30 | 1 |
| 1,1-Dichloroethane | <0.41 | | 1.0 | 0.41 | ug/L | | | 02/10/17 17:30 | 1 |
| 1,2-Dichloroethane | <0.39 | | 1.0 | 0.39 | ug/L | | | 02/10/17 17:30 | 1 |
| 1,1-Dichloroethene | <0.39 | | 1.0 | 0.39 | ug/L | | | 02/10/17 17:30 | 1 |
| 1,2-Dichloropropane | <0.43 | | 1.0 | 0.43 | ug/L | | | 02/10/17 17:30 | 1 |
| 1,3-Dichloropropane | <0.36 | | 1.0 | 0.36 | ug/L | | | 02/10/17 17:30 | 1 |
| 2,2-Dichloropropane | <0.44 | | 1.0 | 0.44 | ug/L | | | 02/10/17 17:30 | 1 |
| 1,1-Dichloropropene | <0.30 | | 1.0 | 0.30 | ug/L | | | 02/10/17 17:30 | 1 |
| Ethylbenzene | <0.18 | | 0.50 | 0.18 | ug/L | | | 02/10/17 17:30 | 1 |
| Hexachlorobutadiene | <0.45 | | 1.0 | 0.45 | ug/L | | | 02/10/17 17:30 | 1 |
| Isopropylbenzene | <0.39 | | 1.0 | 0.39 | ug/L | | | 02/10/17 17:30 | 1 |
| Isopropyl ether | <0.28 | | 1.0 | 0.28 | ug/L | | | 02/10/17 17:30 | 1 |
| Methylene Chloride | <1.6 | | 5.0 | 1.6 | ug/L | | | 02/10/17 17:30 | 1 |

TestAmerica Chicago

Client Sample Results

Client: SCS Engineers
Project/Site: Arctic Laundry & Cleaners - 25216186

TestAmerica Job ID: 500-123596-1

Client Sample ID: GP-8

Lab Sample ID: 500-123596-19

Date Collected: 02/06/17 10:15

Matrix: Water

Date Received: 02/08/17 10:30

Method: 8260B - Volatile Organic Compounds (GC/MS) (Continued)

| Analyte | Result | Qualifier | RL | MDL | Unit | D | Prepared | Analyzed | Dil Fac |
|---------------------------|--------|-----------|------|------|------|---|----------|----------------|---------|
| Methyl tert-butyl ether | <0.39 | | 1.0 | 0.39 | ug/L | | | 02/10/17 17:30 | 1 |
| Naphthalene | <0.34 | | 1.0 | 0.34 | ug/L | | | 02/10/17 17:30 | 1 |
| n-Butylbenzene | <0.39 | | 1.0 | 0.39 | ug/L | | | 02/10/17 17:30 | 1 |
| N-Propylbenzene | <0.41 | | 1.0 | 0.41 | ug/L | | | 02/10/17 17:30 | 1 |
| p-Isopropyltoluene | <0.36 | | 1.0 | 0.36 | ug/L | | | 02/10/17 17:30 | 1 |
| sec-Butylbenzene | <0.40 | | 1.0 | 0.40 | ug/L | | | 02/10/17 17:30 | 1 |
| Styrene | <0.39 | | 1.0 | 0.39 | ug/L | | | 02/10/17 17:30 | 1 |
| tert-Butylbenzene | <0.40 | | 1.0 | 0.40 | ug/L | | | 02/10/17 17:30 | 1 |
| 1,1,1,2-Tetrachloroethane | <0.46 | | 1.0 | 0.46 | ug/L | | | 02/10/17 17:30 | 1 |
| 1,1,2,2-Tetrachloroethane | <0.40 | | 1.0 | 0.40 | ug/L | | | 02/10/17 17:30 | 1 |
| Tetrachloroethene | <0.37 | | 1.0 | 0.37 | ug/L | | | 02/10/17 17:30 | 1 |
| Toluene | <0.15 | | 0.50 | 0.15 | ug/L | | | 02/10/17 17:30 | 1 |
| trans-1,2-Dichloroethene | <0.35 | | 1.0 | 0.35 | ug/L | | | 02/10/17 17:30 | 1 |
| trans-1,3-Dichloropropene | <0.36 | | 1.0 | 0.36 | ug/L | | | 02/10/17 17:30 | 1 |
| 1,2,3-Trichlorobenzene | <0.46 | | 1.0 | 0.46 | ug/L | | | 02/10/17 17:30 | 1 |
| 1,2,4-Trichlorobenzene | <0.34 | | 1.0 | 0.34 | ug/L | | | 02/10/17 17:30 | 1 |
| 1,1,1-Trichloroethane | <0.38 | | 1.0 | 0.38 | ug/L | | | 02/10/17 17:30 | 1 |
| 1,1,2-Trichloroethane | <0.35 | | 1.0 | 0.35 | ug/L | | | 02/10/17 17:30 | 1 |
| Trichloroethene | <0.16 | | 0.50 | 0.16 | ug/L | | | 02/10/17 17:30 | 1 |
| Trichlorofluoromethane | <0.43 | | 1.0 | 0.43 | ug/L | | | 02/10/17 17:30 | 1 |
| 1,2,3-Trichloropropane | <0.41 | | 1.0 | 0.41 | ug/L | | | 02/10/17 17:30 | 1 |
| 1,2,4-Trimethylbenzene | <0.36 | | 1.0 | 0.36 | ug/L | | | 02/10/17 17:30 | 1 |
| 1,3,5-Trimethylbenzene | <0.25 | | 1.0 | 0.25 | ug/L | | | 02/10/17 17:30 | 1 |
| Vinyl chloride | <0.20 | | 0.50 | 0.20 | ug/L | | | 02/10/17 17:30 | 1 |
| Xylenes, Total | <0.22 | | 1.0 | 0.22 | ug/L | | | 02/10/17 17:30 | 1 |

| Surrogate | %Recovery | Qualifier | Limits | Prepared | Analyzed | Dil Fac |
|------------------------------|-----------|-----------|----------|----------|----------------|---------|
| 1,2-Dichloroethane-d4 (Surr) | 95 | | 71 - 127 | | 02/10/17 17:30 | 1 |
| Toluene-d8 (Surr) | 99 | | 75 - 120 | | 02/10/17 17:30 | 1 |
| 4-Bromofluorobenzene (Surr) | 97 | | 71 - 120 | | 02/10/17 17:30 | 1 |
| Dibromofluoromethane | 102 | | 70 - 120 | | 02/10/17 17:30 | 1 |

Client Sample ID: GP-9

Lab Sample ID: 500-123596-20

Date Collected: 02/06/17 12:55

Matrix: Water

Date Received: 02/08/17 10:30

Method: 8260B - Volatile Organic Compounds (GC/MS)

| Analyte | Result | Qualifier | RL | MDL | Unit | D | Prepared | Analyzed | Dil Fac |
|----------------------|--------|-----------|------|------|------|---|----------|----------------|---------|
| Benzene | <0.15 | | 0.50 | 0.15 | ug/L | | | 02/10/17 17:58 | 1 |
| Bromobenzene | <0.36 | | 1.0 | 0.36 | ug/L | | | 02/10/17 17:58 | 1 |
| Bromochloromethane | <0.43 | | 1.0 | 0.43 | ug/L | | | 02/10/17 17:58 | 1 |
| Bromodichloromethane | <0.37 | | 1.0 | 0.37 | ug/L | | | 02/10/17 17:58 | 1 |
| Bromoform | <0.48 | | 1.0 | 0.48 | ug/L | | | 02/10/17 17:58 | 1 |
| Bromomethane | <0.80 | | 2.0 | 0.80 | ug/L | | | 02/10/17 17:58 | 1 |
| Carbon tetrachloride | <0.38 | | 1.0 | 0.38 | ug/L | | | 02/10/17 17:58 | 1 |
| Chlorobenzene | <0.39 | | 1.0 | 0.39 | ug/L | | | 02/10/17 17:58 | 1 |
| Chloroethane | <0.51 | | 1.0 | 0.51 | ug/L | | | 02/10/17 17:58 | 1 |
| Chloroform | <0.37 | | 2.0 | 0.37 | ug/L | | | 02/10/17 17:58 | 1 |
| Chloromethane | <0.32 | | 1.0 | 0.32 | ug/L | | | 02/10/17 17:58 | 1 |
| 2-Chlorotoluene | <0.31 | | 1.0 | 0.31 | ug/L | | | 02/10/17 17:58 | 1 |

TestAmerica Chicago

Client Sample Results

Client: SCS Engineers
 Project/Site: Arctic Laundry & Cleaners - 25216186

TestAmerica Job ID: 500-123596-1

Client Sample ID: GP-9
Date Collected: 02/06/17 12:55
Date Received: 02/08/17 10:30

Lab Sample ID: 500-123596-20
Matrix: Water

Method: 8260B - Volatile Organic Compounds (GC/MS) (Continued)

| Analyte | Result | Qualifier | RL | MDL | Unit | D | Prepared | Analyzed | Dil Fac |
|-----------------------------|--------|-----------|------|------|------|---|----------|----------------|---------|
| 4-Chlorotoluene | <0.35 | | 1.0 | 0.35 | ug/L | | | 02/10/17 17:58 | 1 |
| cis-1,2-Dichloroethene | <0.41 | | 1.0 | 0.41 | ug/L | | | 02/10/17 17:58 | 1 |
| cis-1,3-Dichloropropene | <0.42 | | 1.0 | 0.42 | ug/L | | | 02/10/17 17:58 | 1 |
| Dibromochloromethane | <0.49 | | 1.0 | 0.49 | ug/L | | | 02/10/17 17:58 | 1 |
| 1,2-Dibromo-3-Chloropropane | <2.0 | | 5.0 | 2.0 | ug/L | | | 02/10/17 17:58 | 1 |
| 1,2-Dibromoethane | <0.39 | | 1.0 | 0.39 | ug/L | | | 02/10/17 17:58 | 1 |
| Dibromomethane | <0.27 | | 1.0 | 0.27 | ug/L | | | 02/10/17 17:58 | 1 |
| 1,2-Dichlorobenzene | <0.33 | | 1.0 | 0.33 | ug/L | | | 02/10/17 17:58 | 1 |
| 1,3-Dichlorobenzene | <0.40 | | 1.0 | 0.40 | ug/L | | | 02/10/17 17:58 | 1 |
| 1,4-Dichlorobenzene | <0.36 | | 1.0 | 0.36 | ug/L | | | 02/10/17 17:58 | 1 |
| Dichlorodifluoromethane | <0.67 | | 2.0 | 0.67 | ug/L | | | 02/10/17 17:58 | 1 |
| 1,1-Dichloroethane | <0.41 | | 1.0 | 0.41 | ug/L | | | 02/10/17 17:58 | 1 |
| 1,2-Dichloroethane | <0.39 | | 1.0 | 0.39 | ug/L | | | 02/10/17 17:58 | 1 |
| 1,1-Dichloroethene | <0.39 | | 1.0 | 0.39 | ug/L | | | 02/10/17 17:58 | 1 |
| 1,2-Dichloropropane | <0.43 | | 1.0 | 0.43 | ug/L | | | 02/10/17 17:58 | 1 |
| 1,3-Dichloropropane | <0.36 | | 1.0 | 0.36 | ug/L | | | 02/10/17 17:58 | 1 |
| 2,2-Dichloropropane | <0.44 | | 1.0 | 0.44 | ug/L | | | 02/10/17 17:58 | 1 |
| 1,1-Dichloropropene | <0.30 | | 1.0 | 0.30 | ug/L | | | 02/10/17 17:58 | 1 |
| Ethylbenzene | <0.18 | | 0.50 | 0.18 | ug/L | | | 02/10/17 17:58 | 1 |
| Hexachlorobutadiene | <0.45 | | 1.0 | 0.45 | ug/L | | | 02/10/17 17:58 | 1 |
| Isopropylbenzene | <0.39 | | 1.0 | 0.39 | ug/L | | | 02/10/17 17:58 | 1 |
| Isopropyl ether | <0.28 | | 1.0 | 0.28 | ug/L | | | 02/10/17 17:58 | 1 |
| Methylene Chloride | <1.6 | | 5.0 | 1.6 | ug/L | | | 02/10/17 17:58 | 1 |
| Methyl tert-butyl ether | <0.39 | | 1.0 | 0.39 | ug/L | | | 02/10/17 17:58 | 1 |
| Naphthalene | <0.34 | | 1.0 | 0.34 | ug/L | | | 02/10/17 17:58 | 1 |
| n-Butylbenzene | <0.39 | | 1.0 | 0.39 | ug/L | | | 02/10/17 17:58 | 1 |
| N-Propylbenzene | <0.41 | | 1.0 | 0.41 | ug/L | | | 02/10/17 17:58 | 1 |
| p-Isopropyltoluene | <0.36 | | 1.0 | 0.36 | ug/L | | | 02/10/17 17:58 | 1 |
| sec-Butylbenzene | <0.40 | | 1.0 | 0.40 | ug/L | | | 02/10/17 17:58 | 1 |
| Styrene | <0.39 | | 1.0 | 0.39 | ug/L | | | 02/10/17 17:58 | 1 |
| tert-Butylbenzene | <0.40 | | 1.0 | 0.40 | ug/L | | | 02/10/17 17:58 | 1 |
| 1,1,1,2-Tetrachloroethane | <0.46 | | 1.0 | 0.46 | ug/L | | | 02/10/17 17:58 | 1 |
| 1,1,2,2-Tetrachloroethane | <0.40 | | 1.0 | 0.40 | ug/L | | | 02/10/17 17:58 | 1 |
| Tetrachloroethene | <0.37 | | 1.0 | 0.37 | ug/L | | | 02/10/17 17:58 | 1 |
| Toluene | <0.15 | | 0.50 | 0.15 | ug/L | | | 02/10/17 17:58 | 1 |
| trans-1,2-Dichloroethene | <0.35 | | 1.0 | 0.35 | ug/L | | | 02/10/17 17:58 | 1 |
| trans-1,3-Dichloropropene | <0.36 | | 1.0 | 0.36 | ug/L | | | 02/10/17 17:58 | 1 |
| 1,2,3-Trichlorobenzene | <0.46 | | 1.0 | 0.46 | ug/L | | | 02/10/17 17:58 | 1 |
| 1,2,4-Trichlorobenzene | <0.34 | | 1.0 | 0.34 | ug/L | | | 02/10/17 17:58 | 1 |
| 1,1,1-Trichloroethane | <0.38 | | 1.0 | 0.38 | ug/L | | | 02/10/17 17:58 | 1 |
| 1,1,2-Trichloroethane | <0.35 | | 1.0 | 0.35 | ug/L | | | 02/10/17 17:58 | 1 |
| Trichloroethene | <0.16 | | 0.50 | 0.16 | ug/L | | | 02/10/17 17:58 | 1 |
| Trichlorofluoromethane | <0.43 | | 1.0 | 0.43 | ug/L | | | 02/10/17 17:58 | 1 |
| 1,2,3-Trichloropropane | <0.41 | | 1.0 | 0.41 | ug/L | | | 02/10/17 17:58 | 1 |
| 1,2,4-Trimethylbenzene | <0.36 | | 1.0 | 0.36 | ug/L | | | 02/10/17 17:58 | 1 |
| 1,3,5-Trimethylbenzene | <0.25 | | 1.0 | 0.25 | ug/L | | | 02/10/17 17:58 | 1 |
| Vinyl chloride | <0.20 | | 0.50 | 0.20 | ug/L | | | 02/10/17 17:58 | 1 |
| Xylenes, Total | <0.22 | | 1.0 | 0.22 | ug/L | | | 02/10/17 17:58 | 1 |

Client Sample Results

Client: SCS Engineers
 Project/Site: Arctic Laundry & Cleaners - 25216186

TestAmerica Job ID: 500-123596-1

Client Sample ID: GP-9
Date Collected: 02/06/17 12:55
Date Received: 02/08/17 10:30

Lab Sample ID: 500-123596-20
Matrix: Water

| Surrogate | %Recovery | Qualifier | Limits | Prepared | Analyzed | Dil Fac |
|------------------------------|-----------|-----------|----------|----------|----------------|---------|
| 1,2-Dichloroethane-d4 (Surr) | 96 | | 71 - 127 | | 02/10/17 17:58 | 1 |
| Toluene-d8 (Surr) | 99 | | 75 - 120 | | 02/10/17 17:58 | 1 |
| 4-Bromofluorobenzene (Surr) | 96 | | 71 - 120 | | 02/10/17 17:58 | 1 |
| Dibromofluoromethane | 101 | | 70 - 120 | | 02/10/17 17:58 | 1 |

Client Sample ID: GP-10
Date Collected: 02/06/17 12:40
Date Received: 02/08/17 10:30

Lab Sample ID: 500-123596-21
Matrix: Water

Method: 8260B - Volatile Organic Compounds (GC/MS)

| Analyte | Result | Qualifier | RL | MDL | Unit | D | Prepared | Analyzed | Dil Fac |
|-----------------------------|--------|-----------|------|------|------|---|----------|----------------|---------|
| Benzene | <0.15 | | 0.50 | 0.15 | ug/L | | | 02/15/17 13:57 | 1 |
| Bromobenzene | <0.36 | | 1.0 | 0.36 | ug/L | | | 02/15/17 13:57 | 1 |
| Bromochloromethane | <0.43 | | 1.0 | 0.43 | ug/L | | | 02/15/17 13:57 | 1 |
| Bromodichloromethane | <0.37 | | 1.0 | 0.37 | ug/L | | | 02/15/17 13:57 | 1 |
| Bromoform | <0.48 | | 1.0 | 0.48 | ug/L | | | 02/15/17 13:57 | 1 |
| Bromomethane | <0.80 | | 2.0 | 0.80 | ug/L | | | 02/15/17 13:57 | 1 |
| Carbon tetrachloride | <0.38 | | 1.0 | 0.38 | ug/L | | | 02/15/17 13:57 | 1 |
| Chlorobenzene | <0.39 | | 1.0 | 0.39 | ug/L | | | 02/15/17 13:57 | 1 |
| Chloroethane | <0.51 | | 1.0 | 0.51 | ug/L | | | 02/15/17 13:57 | 1 |
| Chloroform | <0.37 | | 2.0 | 0.37 | ug/L | | | 02/15/17 13:57 | 1 |
| Chloromethane | <0.32 | | 1.0 | 0.32 | ug/L | | | 02/15/17 13:57 | 1 |
| 2-Chlorotoluene | <0.31 | | 1.0 | 0.31 | ug/L | | | 02/15/17 13:57 | 1 |
| 4-Chlorotoluene | <0.35 | | 1.0 | 0.35 | ug/L | | | 02/15/17 13:57 | 1 |
| cis-1,2-Dichloroethene | <0.41 | | 1.0 | 0.41 | ug/L | | | 02/15/17 13:57 | 1 |
| cis-1,3-Dichloropropene | <0.42 | | 1.0 | 0.42 | ug/L | | | 02/15/17 13:57 | 1 |
| Dibromochloromethane | <0.49 | | 1.0 | 0.49 | ug/L | | | 02/15/17 13:57 | 1 |
| 1,2-Dibromo-3-Chloropropane | <2.0 | | 5.0 | 2.0 | ug/L | | | 02/15/17 13:57 | 1 |
| 1,2-Dibromoethane | <0.39 | | 1.0 | 0.39 | ug/L | | | 02/15/17 13:57 | 1 |
| Dibromomethane | <0.27 | | 1.0 | 0.27 | ug/L | | | 02/15/17 13:57 | 1 |
| 1,2-Dichlorobenzene | <0.33 | | 1.0 | 0.33 | ug/L | | | 02/15/17 13:57 | 1 |
| 1,3-Dichlorobenzene | <0.40 | | 1.0 | 0.40 | ug/L | | | 02/15/17 13:57 | 1 |
| 1,4-Dichlorobenzene | <0.36 | | 1.0 | 0.36 | ug/L | | | 02/15/17 13:57 | 1 |
| Dichlorodifluoromethane | <0.67 | | 2.0 | 0.67 | ug/L | | | 02/15/17 13:57 | 1 |
| 1,1-Dichloroethane | <0.41 | | 1.0 | 0.41 | ug/L | | | 02/15/17 13:57 | 1 |
| 1,2-Dichloroethane | <0.39 | | 1.0 | 0.39 | ug/L | | | 02/15/17 13:57 | 1 |
| 1,1-Dichloroethene | <0.39 | | 1.0 | 0.39 | ug/L | | | 02/15/17 13:57 | 1 |
| 1,2-Dichloropropane | <0.43 | | 1.0 | 0.43 | ug/L | | | 02/15/17 13:57 | 1 |
| 1,3-Dichloropropane | <0.36 | | 1.0 | 0.36 | ug/L | | | 02/15/17 13:57 | 1 |
| 2,2-Dichloropropane | <0.44 | | 1.0 | 0.44 | ug/L | | | 02/15/17 13:57 | 1 |
| 1,1-Dichloropropene | <0.30 | | 1.0 | 0.30 | ug/L | | | 02/15/17 13:57 | 1 |
| Ethylbenzene | <0.18 | | 0.50 | 0.18 | ug/L | | | 02/15/17 13:57 | 1 |
| Hexachlorobutadiene | <0.45 | | 1.0 | 0.45 | ug/L | | | 02/15/17 13:57 | 1 |
| Isopropylbenzene | <0.39 | | 1.0 | 0.39 | ug/L | | | 02/15/17 13:57 | 1 |
| Isopropyl ether | <0.28 | | 1.0 | 0.28 | ug/L | | | 02/15/17 13:57 | 1 |
| Methylene Chloride | <1.6 | | 5.0 | 1.6 | ug/L | | | 02/15/17 13:57 | 1 |
| Methyl tert-butyl ether | <0.39 | | 1.0 | 0.39 | ug/L | | | 02/15/17 13:57 | 1 |
| Naphthalene | <0.34 | | 1.0 | 0.34 | ug/L | | | 02/15/17 13:57 | 1 |
| n-Butylbenzene | <0.39 | | 1.0 | 0.39 | ug/L | | | 02/15/17 13:57 | 1 |
| N-Propylbenzene | <0.41 | | 1.0 | 0.41 | ug/L | | | 02/15/17 13:57 | 1 |

TestAmerica Chicago

Client Sample Results

Client: SCS Engineers
Project/Site: Arctic Laundry & Cleaners - 25216186

TestAmerica Job ID: 500-123596-1

Client Sample ID: GP-10
Date Collected: 02/06/17 12:40
Date Received: 02/08/17 10:30

Lab Sample ID: 500-123596-21
Matrix: Water

Method: 8260B - Volatile Organic Compounds (GC/MS) (Continued)

| Analyte | Result | Qualifier | RL | MDL | Unit | D | Prepared | Analyzed | Dil Fac |
|-----------------------------|--------|-----------|------|------|------|---|----------|----------------|---------|
| p-Isopropyltoluene | <0.36 | | 1.0 | 0.36 | ug/L | | | 02/15/17 13:57 | 1 |
| sec-Butylbenzene | <0.40 | | 1.0 | 0.40 | ug/L | | | 02/15/17 13:57 | 1 |
| Styrene | <0.39 | | 1.0 | 0.39 | ug/L | | | 02/15/17 13:57 | 1 |
| tert-Butylbenzene | <0.40 | | 1.0 | 0.40 | ug/L | | | 02/15/17 13:57 | 1 |
| 1,1,1,2-Tetrachloroethane | <0.46 | | 1.0 | 0.46 | ug/L | | | 02/15/17 13:57 | 1 |
| 1,1,1,2,2-Tetrachloroethane | <0.40 | | 1.0 | 0.40 | ug/L | | | 02/15/17 13:57 | 1 |
| Tetrachloroethene | <0.37 | | 1.0 | 0.37 | ug/L | | | 02/15/17 13:57 | 1 |
| Toluene | <0.15 | | 0.50 | 0.15 | ug/L | | | 02/15/17 13:57 | 1 |
| trans-1,2-Dichloroethene | <0.35 | | 1.0 | 0.35 | ug/L | | | 02/15/17 13:57 | 1 |
| trans-1,3-Dichloropropene | <0.36 | | 1.0 | 0.36 | ug/L | | | 02/15/17 13:57 | 1 |
| 1,2,3-Trichlorobenzene | <0.46 | | 1.0 | 0.46 | ug/L | | | 02/15/17 13:57 | 1 |
| 1,2,4-Trichlorobenzene | <0.34 | | 1.0 | 0.34 | ug/L | | | 02/15/17 13:57 | 1 |
| 1,1,1-Trichloroethane | <0.38 | | 1.0 | 0.38 | ug/L | | | 02/15/17 13:57 | 1 |
| 1,1,2-Trichloroethane | <0.35 | | 1.0 | 0.35 | ug/L | | | 02/15/17 13:57 | 1 |
| Trichloroethene | <0.16 | | 0.50 | 0.16 | ug/L | | | 02/15/17 13:57 | 1 |
| Trichlorofluoromethane | <0.43 | | 1.0 | 0.43 | ug/L | | | 02/15/17 13:57 | 1 |
| 1,2,3-Trichloropropane | <0.41 | | 1.0 | 0.41 | ug/L | | | 02/15/17 13:57 | 1 |
| 1,2,4-Trimethylbenzene | <0.36 | | 1.0 | 0.36 | ug/L | | | 02/15/17 13:57 | 1 |
| 1,3,5-Trimethylbenzene | <0.25 | | 1.0 | 0.25 | ug/L | | | 02/15/17 13:57 | 1 |
| Vinyl chloride | <0.20 | | 0.50 | 0.20 | ug/L | | | 02/15/17 13:57 | 1 |
| Xylenes, Total | <0.22 | | 1.0 | 0.22 | ug/L | | | 02/15/17 13:57 | 1 |

| Surrogate | %Recovery | Qualifier | Limits | Prepared | Analyzed | Dil Fac |
|------------------------------|-----------|-----------|----------|----------|----------------|---------|
| 1,2-Dichloroethane-d4 (Surr) | 105 | | 71 - 127 | | 02/15/17 13:57 | 1 |
| Toluene-d8 (Surr) | 100 | | 75 - 120 | | 02/15/17 13:57 | 1 |
| 4-Bromofluorobenzene (Surr) | 100 | | 71 - 120 | | 02/15/17 13:57 | 1 |
| Dibromofluoromethane | 95 | | 70 - 120 | | 02/15/17 13:57 | 1 |

Client Sample ID: GP-11
Date Collected: 02/06/17 12:45
Date Received: 02/08/17 10:30

Lab Sample ID: 500-123596-22
Matrix: Water

Method: 8260B - Volatile Organic Compounds (GC/MS)

| Analyte | Result | Qualifier | RL | MDL | Unit | D | Prepared | Analyzed | Dil Fac |
|-------------------------|--------|-----------|------|------|------|---|----------|----------------|---------|
| Benzene | <0.15 | | 0.50 | 0.15 | ug/L | | | 02/15/17 14:24 | 1 |
| Bromobenzene | <0.36 | | 1.0 | 0.36 | ug/L | | | 02/15/17 14:24 | 1 |
| Bromochloromethane | <0.43 | | 1.0 | 0.43 | ug/L | | | 02/15/17 14:24 | 1 |
| Bromodichloromethane | <0.37 | | 1.0 | 0.37 | ug/L | | | 02/15/17 14:24 | 1 |
| Bromoform | <0.48 | | 1.0 | 0.48 | ug/L | | | 02/15/17 14:24 | 1 |
| Bromomethane | <0.80 | | 2.0 | 0.80 | ug/L | | | 02/15/17 14:24 | 1 |
| Carbon tetrachloride | <0.38 | | 1.0 | 0.38 | ug/L | | | 02/15/17 14:24 | 1 |
| Chlorobenzene | <0.39 | | 1.0 | 0.39 | ug/L | | | 02/15/17 14:24 | 1 |
| Chloroethane | <0.51 | | 1.0 | 0.51 | ug/L | | | 02/15/17 14:24 | 1 |
| Chloroform | <0.37 | | 2.0 | 0.37 | ug/L | | | 02/15/17 14:24 | 1 |
| Chloromethane | <0.32 | | 1.0 | 0.32 | ug/L | | | 02/15/17 14:24 | 1 |
| 2-Chlorotoluene | <0.31 | | 1.0 | 0.31 | ug/L | | | 02/15/17 14:24 | 1 |
| 4-Chlorotoluene | <0.35 | | 1.0 | 0.35 | ug/L | | | 02/15/17 14:24 | 1 |
| cis-1,2-Dichloroethene | <0.41 | | 1.0 | 0.41 | ug/L | | | 02/15/17 14:24 | 1 |
| cis-1,3-Dichloropropene | <0.42 | | 1.0 | 0.42 | ug/L | | | 02/15/17 14:24 | 1 |
| Dibromochloromethane | <0.49 | | 1.0 | 0.49 | ug/L | | | 02/15/17 14:24 | 1 |

TestAmerica Chicago

Client Sample Results

Client: SCS Engineers
 Project/Site: Arctic Laundry & Cleaners - 25216186

TestAmerica Job ID: 500-123596-1

Client Sample ID: GP-11
Date Collected: 02/06/17 12:45
Date Received: 02/08/17 10:30

Lab Sample ID: 500-123596-22
Matrix: Water

Method: 8260B - Volatile Organic Compounds (GC/MS) (Continued)

| Analyte | Result | Qualifier | RL | MDL | Unit | D | Prepared | Analyzed | Dil Fac |
|-----------------------------|--------|-----------|------|------|------|---|----------|----------------|---------|
| 1,2-Dibromo-3-Chloropropane | <2.0 | | 5.0 | 2.0 | ug/L | | | 02/15/17 14:24 | 1 |
| 1,2-Dibromoethane | <0.39 | | 1.0 | 0.39 | ug/L | | | 02/15/17 14:24 | 1 |
| Dibromomethane | <0.27 | | 1.0 | 0.27 | ug/L | | | 02/15/17 14:24 | 1 |
| 1,2-Dichlorobenzene | <0.33 | | 1.0 | 0.33 | ug/L | | | 02/15/17 14:24 | 1 |
| 1,3-Dichlorobenzene | <0.40 | | 1.0 | 0.40 | ug/L | | | 02/15/17 14:24 | 1 |
| 1,4-Dichlorobenzene | <0.36 | | 1.0 | 0.36 | ug/L | | | 02/15/17 14:24 | 1 |
| Dichlorodifluoromethane | <0.67 | | 2.0 | 0.67 | ug/L | | | 02/15/17 14:24 | 1 |
| 1,1-Dichloroethane | <0.41 | | 1.0 | 0.41 | ug/L | | | 02/15/17 14:24 | 1 |
| 1,2-Dichloroethane | <0.39 | | 1.0 | 0.39 | ug/L | | | 02/15/17 14:24 | 1 |
| 1,1-Dichloroethene | <0.39 | | 1.0 | 0.39 | ug/L | | | 02/15/17 14:24 | 1 |
| 1,2-Dichloropropane | <0.43 | | 1.0 | 0.43 | ug/L | | | 02/15/17 14:24 | 1 |
| 1,3-Dichloropropane | <0.36 | | 1.0 | 0.36 | ug/L | | | 02/15/17 14:24 | 1 |
| 2,2-Dichloropropane | <0.44 | | 1.0 | 0.44 | ug/L | | | 02/15/17 14:24 | 1 |
| 1,1-Dichloropropene | <0.30 | | 1.0 | 0.30 | ug/L | | | 02/15/17 14:24 | 1 |
| Ethylbenzene | <0.18 | | 0.50 | 0.18 | ug/L | | | 02/15/17 14:24 | 1 |
| Hexachlorobutadiene | <0.45 | | 1.0 | 0.45 | ug/L | | | 02/15/17 14:24 | 1 |
| Isopropylbenzene | <0.39 | | 1.0 | 0.39 | ug/L | | | 02/15/17 14:24 | 1 |
| Isopropyl ether | <0.28 | | 1.0 | 0.28 | ug/L | | | 02/15/17 14:24 | 1 |
| Methylene Chloride | <1.6 | | 5.0 | 1.6 | ug/L | | | 02/15/17 14:24 | 1 |
| Methyl tert-butyl ether | <0.39 | | 1.0 | 0.39 | ug/L | | | 02/15/17 14:24 | 1 |
| Naphthalene | <0.34 | | 1.0 | 0.34 | ug/L | | | 02/15/17 14:24 | 1 |
| n-Butylbenzene | <0.39 | | 1.0 | 0.39 | ug/L | | | 02/15/17 14:24 | 1 |
| N-Propylbenzene | <0.41 | | 1.0 | 0.41 | ug/L | | | 02/15/17 14:24 | 1 |
| p-Isopropyltoluene | <0.36 | | 1.0 | 0.36 | ug/L | | | 02/15/17 14:24 | 1 |
| sec-Butylbenzene | <0.40 | | 1.0 | 0.40 | ug/L | | | 02/15/17 14:24 | 1 |
| Styrene | <0.39 | | 1.0 | 0.39 | ug/L | | | 02/15/17 14:24 | 1 |
| tert-Butylbenzene | <0.40 | | 1.0 | 0.40 | ug/L | | | 02/15/17 14:24 | 1 |
| 1,1,1,2-Tetrachloroethane | <0.46 | | 1.0 | 0.46 | ug/L | | | 02/15/17 14:24 | 1 |
| 1,1,2,2-Tetrachloroethane | <0.40 | | 1.0 | 0.40 | ug/L | | | 02/15/17 14:24 | 1 |
| Tetrachloroethene | <0.37 | | 1.0 | 0.37 | ug/L | | | 02/15/17 14:24 | 1 |
| Toluene | <0.15 | | 0.50 | 0.15 | ug/L | | | 02/15/17 14:24 | 1 |
| trans-1,2-Dichloroethene | <0.35 | | 1.0 | 0.35 | ug/L | | | 02/15/17 14:24 | 1 |
| trans-1,3-Dichloropropene | <0.36 | | 1.0 | 0.36 | ug/L | | | 02/15/17 14:24 | 1 |
| 1,2,3-Trichlorobenzene | <0.46 | | 1.0 | 0.46 | ug/L | | | 02/15/17 14:24 | 1 |
| 1,2,4-Trichlorobenzene | <0.34 | | 1.0 | 0.34 | ug/L | | | 02/15/17 14:24 | 1 |
| 1,1,1-Trichloroethane | <0.38 | | 1.0 | 0.38 | ug/L | | | 02/15/17 14:24 | 1 |
| 1,1,2-Trichloroethane | <0.35 | | 1.0 | 0.35 | ug/L | | | 02/15/17 14:24 | 1 |
| Trichloroethene | <0.16 | | 0.50 | 0.16 | ug/L | | | 02/15/17 14:24 | 1 |
| Trichlorofluoromethane | <0.43 | | 1.0 | 0.43 | ug/L | | | 02/15/17 14:24 | 1 |
| 1,2,3-Trichloropropane | <0.41 | | 1.0 | 0.41 | ug/L | | | 02/15/17 14:24 | 1 |
| 1,2,4-Trimethylbenzene | <0.36 | | 1.0 | 0.36 | ug/L | | | 02/15/17 14:24 | 1 |
| 1,3,5-Trimethylbenzene | <0.25 | | 1.0 | 0.25 | ug/L | | | 02/15/17 14:24 | 1 |
| Vinyl chloride | <0.20 | | 0.50 | 0.20 | ug/L | | | 02/15/17 14:24 | 1 |
| Xylenes, Total | <0.22 | | 1.0 | 0.22 | ug/L | | | 02/15/17 14:24 | 1 |

| Surrogate | %Recovery | Qualifier | Limits | Prepared | Analyzed | Dil Fac |
|------------------------------|-----------|-----------|----------|----------|----------------|---------|
| 1,2-Dichloroethane-d4 (Surr) | 105 | | 71 - 127 | | 02/15/17 14:24 | 1 |
| Toluene-d8 (Surr) | 100 | | 75 - 120 | | 02/15/17 14:24 | 1 |
| 4-Bromofluorobenzene (Surr) | 101 | | 71 - 120 | | 02/15/17 14:24 | 1 |
| Dibromofluoromethane | 95 | | 70 - 120 | | 02/15/17 14:24 | 1 |

TestAmerica Chicago

Definitions/Glossary

Client: SCS Engineers
Project/Site: Arctic Laundry & Cleaners - 25216186

TestAmerica Job ID: 500-123596-1

Qualifiers

GC/MS VOA

| Qualifier | Qualifier Description |
|-----------|---|
| * | LCS or LCSD is outside acceptance limits. |

Glossary

| Abbreviation | These commonly used abbreviations may or may not be present in this report. |
|----------------|---|
| ▫ | Listed under the "D" column to designate that the result is reported on a dry weight basis |
| %R | Percent Recovery |
| CFL | Contains Free Liquid |
| CNF | Contains no Free Liquid |
| DER | Duplicate error ratio (normalized absolute difference) |
| Dil Fac | Dilution Factor |
| DL, RA, RE, IN | Indicates a Dilution, Re-analysis, Re-extraction, or additional Initial metals/anion analysis of the sample |
| DLC | Decision level concentration |
| MDA | Minimum detectable activity |
| EDL | Estimated Detection Limit |
| MDC | Minimum detectable concentration |
| MDL | Method Detection Limit |
| ML | Minimum Level (Dioxin) |
| NC | Not Calculated |
| ND | Not detected at the reporting limit (or MDL or EDL if shown) |
| PQL | Practical Quantitation Limit |
| QC | Quality Control |
| RER | Relative error ratio |
| RL | Reporting Limit or Requested Limit (Radiochemistry) |
| RPD | Relative Percent Difference, a measure of the relative difference between two points |
| TEF | Toxicity Equivalent Factor (Dioxin) |
| TEQ | Toxicity Equivalent Quotient (Dioxin) |

QC Association Summary

Client: SCS Engineers
 Project/Site: Arctic Laundry & Cleaners - 25216186

TestAmerica Job ID: 500-123596-1

GC/MS VOA

Prep Batch: 371336

| Lab Sample ID | Client Sample ID | Prep Type | Matrix | Method | Prep Batch |
|---------------------|--------------------|-----------|--------|--------|------------|
| 500-123596-1 | GP-7 (0-2') | Total/NA | Solid | 5035 | |
| 500-123596-2 | GP-7 (5-7.5') | Total/NA | Solid | 5035 | |
| 500-123596-3 | GP-8 (2.5-5') | Total/NA | Solid | 5035 | |
| 500-123596-4 | GP-8 (5-7.5') | Total/NA | Solid | 5035 | |
| 500-123596-5 | GP-9 (2.5-5') | Total/NA | Solid | 5035 | |
| 500-123596-6 | GP-9 (5-7.5') | Total/NA | Solid | 5035 | |
| 500-123596-7 | GP-10 (2.5-5') | Total/NA | Solid | 5035 | |
| 500-123596-8 | GP-10 (5-7.5') | Total/NA | Solid | 5035 | |
| 500-123596-9 | GP-11 (0-2.5') | Total/NA | Solid | 5035 | |
| 500-123596-10 | GP-11 (5-7.5') | Total/NA | Solid | 5035 | |
| 500-123596-11 | MW-1 (2.5-5') | Total/NA | Solid | 5035 | |
| 500-123596-12 | MW-1 (5-7.5') | Total/NA | Solid | 5035 | |
| 500-123596-13 | MW-2 (2.5-5') | Total/NA | Solid | 5035 | |
| 500-123596-14 | MW-2 (5-7.5') | Total/NA | Solid | 5035 | |
| 500-123596-15 | MW-3 (0-2.5') | Total/NA | Solid | 5035 | |
| 500-123596-16 | MW-3 (5-7.5') | Total/NA | Solid | 5035 | |
| LB3 500-371336/17-A | Method Blank | Total/NA | Solid | 5035 | |
| LCS 500-371336/18-A | Lab Control Sample | Total/NA | Solid | 5035 | |
| 500-123596-15 MS | MW-3 (0-2.5') | Total/NA | Solid | 5035 | |
| 500-123596-15 MSD | MW-3 (0-2.5') | Total/NA | Solid | 5035 | |

Analysis Batch: 371372

| Lab Sample ID | Client Sample ID | Prep Type | Matrix | Method | Prep Batch |
|---------------------|--------------------|-----------|--------|--------|------------|
| 500-123596-1 | GP-7 (0-2') | Total/NA | Solid | 8260B | 371336 |
| 500-123596-2 | GP-7 (5-7.5') | Total/NA | Solid | 8260B | 371336 |
| 500-123596-3 | GP-8 (2.5-5') | Total/NA | Solid | 8260B | 371336 |
| 500-123596-4 | GP-8 (5-7.5') | Total/NA | Solid | 8260B | 371336 |
| 500-123596-5 | GP-9 (2.5-5') | Total/NA | Solid | 8260B | 371336 |
| 500-123596-6 | GP-9 (5-7.5') | Total/NA | Solid | 8260B | 371336 |
| 500-123596-7 | GP-10 (2.5-5') | Total/NA | Solid | 8260B | 371336 |
| 500-123596-8 | GP-10 (5-7.5') | Total/NA | Solid | 8260B | 371336 |
| 500-123596-9 | GP-11 (0-2.5') | Total/NA | Solid | 8260B | 371336 |
| 500-123596-10 | GP-11 (5-7.5') | Total/NA | Solid | 8260B | 371336 |
| 500-123596-11 | MW-1 (2.5-5') | Total/NA | Solid | 8260B | 371336 |
| 500-123596-12 | MW-1 (5-7.5') | Total/NA | Solid | 8260B | 371336 |
| 500-123596-13 | MW-2 (2.5-5') | Total/NA | Solid | 8260B | 371336 |
| 500-123596-14 | MW-2 (5-7.5') | Total/NA | Solid | 8260B | 371336 |
| 500-123596-15 | MW-3 (0-2.5') | Total/NA | Solid | 8260B | 371336 |
| LB3 500-371336/17-A | Method Blank | Total/NA | Solid | 8260B | 371336 |
| MB 500-371372/6 | Method Blank | Total/NA | Solid | 8260B | |
| LCS 500-371336/18-A | Lab Control Sample | Total/NA | Solid | 8260B | 371336 |
| LCS 500-371372/4 | Lab Control Sample | Total/NA | Solid | 8260B | |
| 500-123596-15 MS | MW-3 (0-2.5') | Total/NA | Solid | 8260B | 371336 |
| 500-123596-15 MSD | MW-3 (0-2.5') | Total/NA | Solid | 8260B | 371336 |

Analysis Batch: 371514

| Lab Sample ID | Client Sample ID | Prep Type | Matrix | Method | Prep Batch |
|---------------|------------------|-----------|--------|--------|------------|
| 500-123596-17 | Trip Blank | Total/NA | Water | 8260B | |
| 500-123596-18 | GP-7 | Total/NA | Water | 8260B | |
| 500-123596-19 | GP-8 | Total/NA | Water | 8260B | |
| 500-123596-20 | GP-9 | Total/NA | Water | 8260B | |

TestAmerica Chicago

QC Association Summary

Client: SCS Engineers
 Project/Site: Arctic Laundry & Cleaners - 25216186

TestAmerica Job ID: 500-123596-1

GC/MS VOA (Continued)

Analysis Batch: 371514 (Continued)

| Lab Sample ID | Client Sample ID | Prep Type | Matrix | Method | Prep Batch |
|-------------------|--------------------|-----------|--------|--------|------------|
| MB 500-371514/6 | Method Blank | Total/NA | Water | 8260B | |
| LCS 500-371514/4 | Lab Control Sample | Total/NA | Water | 8260B | |
| 500-123596-20 MS | GP-9 | Total/NA | Water | 8260B | |
| 500-123596-20 MSD | GP-9 | Total/NA | Water | 8260B | |

Analysis Batch: 371515

| Lab Sample ID | Client Sample ID | Prep Type | Matrix | Method | Prep Batch |
|------------------|--------------------|-----------|--------|--------|------------|
| 500-123596-16 | MW-3 (5-7.5') | Total/NA | Solid | 8260B | 371336 |
| MB 500-371515/6 | Method Blank | Total/NA | Solid | 8260B | |
| LCS 500-371515/4 | Lab Control Sample | Total/NA | Solid | 8260B | |

Analysis Batch: 372077

| Lab Sample ID | Client Sample ID | Prep Type | Matrix | Method | Prep Batch |
|------------------|--------------------|-----------|--------|--------|------------|
| 500-123596-21 | GP-10 | Total/NA | Water | 8260B | |
| 500-123596-22 | GP-11 | Total/NA | Water | 8260B | |
| MB 500-372077/6 | Method Blank | Total/NA | Water | 8260B | |
| LCS 500-372077/4 | Lab Control Sample | Total/NA | Water | 8260B | |

General Chemistry

Analysis Batch: 371426

| Lab Sample ID | Client Sample ID | Prep Type | Matrix | Method | Prep Batch |
|---------------|------------------|-----------|--------|----------|------------|
| 500-123596-1 | GP-7 (0-2') | Total/NA | Solid | Moisture | |
| 500-123596-2 | GP-7 (5-7.5') | Total/NA | Solid | Moisture | |
| 500-123596-3 | GP-8 (2.5-5') | Total/NA | Solid | Moisture | |
| 500-123596-4 | GP-8 (5-7.5') | Total/NA | Solid | Moisture | |
| 500-123596-5 | GP-9 (2.5-5') | Total/NA | Solid | Moisture | |
| 500-123596-6 | GP-9 (5-7.5') | Total/NA | Solid | Moisture | |
| 500-123596-7 | GP-10 (2.5-5') | Total/NA | Solid | Moisture | |
| 500-123596-8 | GP-10 (5-7.5') | Total/NA | Solid | Moisture | |
| 500-123596-9 | GP-11 (0-2.5') | Total/NA | Solid | Moisture | |
| 500-123596-10 | GP-11 (5-7.5') | Total/NA | Solid | Moisture | |
| 500-123596-11 | MW-1 (2.5-5') | Total/NA | Solid | Moisture | |
| 500-123596-12 | MW-1 (5-7.5') | Total/NA | Solid | Moisture | |
| 500-123596-13 | MW-2 (2.5-5') | Total/NA | Solid | Moisture | |
| 500-123596-14 | MW-2 (5-7.5') | Total/NA | Solid | Moisture | |
| 500-123596-15 | MW-3 (0-2.5') | Total/NA | Solid | Moisture | |
| 500-123596-16 | MW-3 (5-7.5') | Total/NA | Solid | Moisture | |

Surrogate Summary

Client: SCS Engineers
 Project/Site: Arctic Laundry & Cleaners - 25216186

TestAmerica Job ID: 500-123596-1

Method: 8260B - Volatile Organic Compounds (GC/MS)

Matrix: Solid

Prep Type: Total/NA

Percent Surrogate Recovery (Acceptance Limits)

| Lab Sample ID | Client Sample ID | BFB | DBFM | 12DCE | TOL |
|---------------------|--------------------|----------|----------|----------|----------|
| | | (71-120) | (70-120) | (71-127) | (75-120) |
| 500-123596-1 | GP-7 (0-2') | 94 | 105 | 104 | 96 |
| 500-123596-2 | GP-7 (5-7.5') | 94 | 102 | 100 | 97 |
| 500-123596-3 | GP-8 (2.5-5') | 95 | 104 | 103 | 96 |
| 500-123596-4 | GP-8 (5-7.5') | 92 | 104 | 102 | 97 |
| 500-123596-5 | GP-9 (2.5-5') | 93 | 105 | 103 | 96 |
| 500-123596-6 | GP-9 (5-7.5') | 92 | 104 | 105 | 96 |
| 500-123596-7 | GP-10 (2.5-5') | 93 | 103 | 102 | 96 |
| 500-123596-8 | GP-10 (5-7.5') | 92 | 103 | 103 | 96 |
| 500-123596-9 | GP-11 (0-2.5') | 94 | 102 | 102 | 96 |
| 500-123596-10 | GP-11 (5-7.5') | 94 | 103 | 102 | 97 |
| 500-123596-11 | MW-1 (2.5-5') | 93 | 104 | 102 | 97 |
| 500-123596-12 | MW-1 (5-7.5') | 94 | 103 | 100 | 96 |
| 500-123596-13 | MW-2 (2.5-5') | 96 | 102 | 100 | 98 |
| 500-123596-14 | MW-2 (5-7.5') | 96 | 101 | 96 | 98 |
| 500-123596-15 | MW-3 (0-2.5') | 97 | 102 | 100 | 98 |
| 500-123596-15 MS | MW-3 (0-2.5') | 97 | 98 | 96 | 99 |
| 500-123596-15 MSD | MW-3 (0-2.5') | 98 | 98 | 97 | 98 |
| 500-123596-16 | MW-3 (5-7.5') | 93 | 101 | 95 | 98 |
| LB3 500-371336/17-A | Method Blank | 95 | 105 | 105 | 96 |
| LCS 500-371336/18-A | Lab Control Sample | 94 | 97 | 95 | 100 |
| LCS 500-371372/4 | Lab Control Sample | 96 | 97 | 93 | 100 |
| LCS 500-371515/4 | Lab Control Sample | 94 | 96 | 93 | 101 |
| MB 500-371372/6 | Method Blank | 93 | 101 | 96 | 97 |
| MB 500-371515/6 | Method Blank | 94 | 101 | 98 | 99 |

Surrogate Legend

BFB = 4-Bromofluorobenzene (Surr)

DBFM = Dibromofluoromethane

12DCE = 1,2-Dichloroethane-d4 (Surr)

TOL = Toluene-d8 (Surr)

Method: 8260B - Volatile Organic Compounds (GC/MS)

Matrix: Water

Prep Type: Total/NA

Percent Surrogate Recovery (Acceptance Limits)

| Lab Sample ID | Client Sample ID | 12DCE | TOL | BFB | DBFM |
|-------------------|--------------------|----------|----------|----------|----------|
| | | (71-127) | (75-120) | (71-120) | (70-120) |
| 500-123596-17 | Trip Blank | 96 | 98 | 95 | 102 |
| 500-123596-18 | GP-7 | 98 | 99 | 95 | 103 |
| 500-123596-19 | GP-8 | 95 | 99 | 97 | 102 |
| 500-123596-20 | GP-9 | 96 | 99 | 96 | 101 |
| 500-123596-20 MS | GP-9 | 94 | 99 | 94 | 98 |
| 500-123596-20 MSD | GP-9 | 96 | 100 | 96 | 99 |
| 500-123596-21 | GP-10 | 105 | 100 | 100 | 95 |
| 500-123596-22 | GP-11 | 105 | 100 | 101 | 95 |
| LCS 500-371514/4 | Lab Control Sample | 93 | 101 | 94 | 96 |
| LCS 500-372077/4 | Lab Control Sample | 101 | 101 | 98 | 94 |
| MB 500-371514/6 | Method Blank | 98 | 99 | 94 | 101 |
| MB 500-372077/6 | Method Blank | 104 | 100 | 100 | 95 |

TestAmerica Chicago

Surrogate Summary

Client: SCS Engineers
Project/Site: Arctic Laundry & Cleaners - 25216186

TestAmerica Job ID: 500-123596-1

Surrogate Legend

12DCE = 1,2-Dichloroethane-d4 (Surr)

TOL = Toluene-d8 (Surr)

BFB = 4-Bromofluorobenzene (Surr)

DBFM = Dibromofluoromethane

1

2

3

4

5

6

7

8

9

10

11

12

13

14

15

QC Sample Results

Client: SCS Engineers
 Project/Site: Arctic Laundry & Cleaners - 25216186

TestAmerica Job ID: 500-123596-1

Method: 8260B - Volatile Organic Compounds (GC/MS)

Lab Sample ID: LB3 500-371336/17-A

Matrix: Solid

Analysis Batch: 371372

Client Sample ID: Method Blank

Prep Type: Total/NA

Prep Batch: 371336

| Analyte | LB3 | | RL | MDL | Unit | D | Prepared | Analyzed | Dil Fac |
|-----------------------------|--------|-----------|-----|-----|-------|---|----------------|----------------|---------|
| | Result | Qualifier | | | | | | | |
| Benzene | <7.3 | | 13 | 7.3 | ug/Kg | | 02/08/17 21:40 | 02/09/17 11:44 | 50 |
| Bromobenzene | <18 | | 50 | 18 | ug/Kg | | 02/08/17 21:40 | 02/09/17 11:44 | 50 |
| Bromochloromethane | <21 | | 50 | 21 | ug/Kg | | 02/08/17 21:40 | 02/09/17 11:44 | 50 |
| Bromodichloromethane | <19 | | 50 | 19 | ug/Kg | | 02/08/17 21:40 | 02/09/17 11:44 | 50 |
| Bromoform | <24 | | 50 | 24 | ug/Kg | | 02/08/17 21:40 | 02/09/17 11:44 | 50 |
| Bromomethane | <40 | | 100 | 40 | ug/Kg | | 02/08/17 21:40 | 02/09/17 11:44 | 50 |
| Carbon tetrachloride | <19 | | 50 | 19 | ug/Kg | | 02/08/17 21:40 | 02/09/17 11:44 | 50 |
| Chlorobenzene | <19 | | 50 | 19 | ug/Kg | | 02/08/17 21:40 | 02/09/17 11:44 | 50 |
| Chloroethane | <25 | | 50 | 25 | ug/Kg | | 02/08/17 21:40 | 02/09/17 11:44 | 50 |
| Chloroform | <19 | | 100 | 19 | ug/Kg | | 02/08/17 21:40 | 02/09/17 11:44 | 50 |
| Chloromethane | <16 | | 50 | 16 | ug/Kg | | 02/08/17 21:40 | 02/09/17 11:44 | 50 |
| 2-Chlorotoluene | <16 | | 50 | 16 | ug/Kg | | 02/08/17 21:40 | 02/09/17 11:44 | 50 |
| 4-Chlorotoluene | <18 | | 50 | 18 | ug/Kg | | 02/08/17 21:40 | 02/09/17 11:44 | 50 |
| cis-1,2-Dichloroethene | <20 | | 50 | 20 | ug/Kg | | 02/08/17 21:40 | 02/09/17 11:44 | 50 |
| cis-1,3-Dichloropropene | <21 | | 50 | 21 | ug/Kg | | 02/08/17 21:40 | 02/09/17 11:44 | 50 |
| Dibromochloromethane | <24 | | 50 | 24 | ug/Kg | | 02/08/17 21:40 | 02/09/17 11:44 | 50 |
| 1,2-Dibromo-3-Chloropropane | <100 | | 250 | 100 | ug/Kg | | 02/08/17 21:40 | 02/09/17 11:44 | 50 |
| 1,2-Dibromoethane | <19 | | 50 | 19 | ug/Kg | | 02/08/17 21:40 | 02/09/17 11:44 | 50 |
| Dibromomethane | <14 | | 50 | 14 | ug/Kg | | 02/08/17 21:40 | 02/09/17 11:44 | 50 |
| 1,2-Dichlorobenzene | <17 | | 50 | 17 | ug/Kg | | 02/08/17 21:40 | 02/09/17 11:44 | 50 |
| 1,3-Dichlorobenzene | <20 | | 50 | 20 | ug/Kg | | 02/08/17 21:40 | 02/09/17 11:44 | 50 |
| 1,4-Dichlorobenzene | <18 | | 50 | 18 | ug/Kg | | 02/08/17 21:40 | 02/09/17 11:44 | 50 |
| Dichlorodifluoromethane | <34 | | 100 | 34 | ug/Kg | | 02/08/17 21:40 | 02/09/17 11:44 | 50 |
| 1,1-Dichloroethane | <21 | | 50 | 21 | ug/Kg | | 02/08/17 21:40 | 02/09/17 11:44 | 50 |
| 1,2-Dichloroethane | <20 | | 50 | 20 | ug/Kg | | 02/08/17 21:40 | 02/09/17 11:44 | 50 |
| 1,1-Dichloroethene | <20 | | 50 | 20 | ug/Kg | | 02/08/17 21:40 | 02/09/17 11:44 | 50 |
| 1,2-Dichloropropane | <21 | | 50 | 21 | ug/Kg | | 02/08/17 21:40 | 02/09/17 11:44 | 50 |
| 1,3-Dichloropropane | <18 | | 50 | 18 | ug/Kg | | 02/08/17 21:40 | 02/09/17 11:44 | 50 |
| 2,2-Dichloropropane | <22 | | 50 | 22 | ug/Kg | | 02/08/17 21:40 | 02/09/17 11:44 | 50 |
| 1,1-Dichloropropene | <15 | | 50 | 15 | ug/Kg | | 02/08/17 21:40 | 02/09/17 11:44 | 50 |
| Ethylbenzene | <9.2 | | 13 | 9.2 | ug/Kg | | 02/08/17 21:40 | 02/09/17 11:44 | 50 |
| Hexachlorobutadiene | <22 | | 50 | 22 | ug/Kg | | 02/08/17 21:40 | 02/09/17 11:44 | 50 |
| Isopropylbenzene | <19 | | 50 | 19 | ug/Kg | | 02/08/17 21:40 | 02/09/17 11:44 | 50 |
| Isopropyl ether | <14 | | 50 | 14 | ug/Kg | | 02/08/17 21:40 | 02/09/17 11:44 | 50 |
| Methylene Chloride | <82 | | 250 | 82 | ug/Kg | | 02/08/17 21:40 | 02/09/17 11:44 | 50 |
| Methyl tert-butyl ether | <20 | | 50 | 20 | ug/Kg | | 02/08/17 21:40 | 02/09/17 11:44 | 50 |
| Naphthalene | <17 | | 50 | 17 | ug/Kg | | 02/08/17 21:40 | 02/09/17 11:44 | 50 |
| n-Butylbenzene | <19 | | 50 | 19 | ug/Kg | | 02/08/17 21:40 | 02/09/17 11:44 | 50 |
| N-Propylbenzene | <21 | | 50 | 21 | ug/Kg | | 02/08/17 21:40 | 02/09/17 11:44 | 50 |
| p-Isopropyltoluene | <18 | | 50 | 18 | ug/Kg | | 02/08/17 21:40 | 02/09/17 11:44 | 50 |
| sec-Butylbenzene | <20 | | 50 | 20 | ug/Kg | | 02/08/17 21:40 | 02/09/17 11:44 | 50 |
| Styrene | <19 | | 50 | 19 | ug/Kg | | 02/08/17 21:40 | 02/09/17 11:44 | 50 |
| tert-Butylbenzene | <20 | | 50 | 20 | ug/Kg | | 02/08/17 21:40 | 02/09/17 11:44 | 50 |
| 1,1,1,2-Tetrachloroethane | <23 | | 50 | 23 | ug/Kg | | 02/08/17 21:40 | 02/09/17 11:44 | 50 |
| 1,1,2,2-Tetrachloroethane | <20 | | 50 | 20 | ug/Kg | | 02/08/17 21:40 | 02/09/17 11:44 | 50 |
| Tetrachloroethene | <19 | | 50 | 19 | ug/Kg | | 02/08/17 21:40 | 02/09/17 11:44 | 50 |
| Toluene | <7.4 | | 13 | 7.4 | ug/Kg | | 02/08/17 21:40 | 02/09/17 11:44 | 50 |
| trans-1,2-Dichloroethene | <18 | | 50 | 18 | ug/Kg | | 02/08/17 21:40 | 02/09/17 11:44 | 50 |

TestAmerica Chicago

QC Sample Results

Client: SCS Engineers
 Project/Site: Arctic Laundry & Cleaners - 25216186

TestAmerica Job ID: 500-123596-1

Method: 8260B - Volatile Organic Compounds (GC/MS) (Continued)

Lab Sample ID: LB3 500-371336/17-A
Matrix: Solid
Analysis Batch: 371372

Client Sample ID: Method Blank
Prep Type: Total/NA
Prep Batch: 371336

| Analyte | LB3 Result | LB3 Qualifier | RL | MDL | Unit | D | Prepared | Analyzed | Dil Fac |
|---------------------------|------------|---------------|----|-----|-------|---|----------------|----------------|---------|
| trans-1,3-Dichloropropene | <18 | | 50 | 18 | ug/Kg | | 02/08/17 21:40 | 02/09/17 11:44 | 50 |
| 1,2,3-Trichlorobenzene | <23 | | 50 | 23 | ug/Kg | | 02/08/17 21:40 | 02/09/17 11:44 | 50 |
| 1,2,4-Trichlorobenzene | <17 | | 50 | 17 | ug/Kg | | 02/08/17 21:40 | 02/09/17 11:44 | 50 |
| 1,1,1-Trichloroethane | <19 | | 50 | 19 | ug/Kg | | 02/08/17 21:40 | 02/09/17 11:44 | 50 |
| 1,1,2-Trichloroethane | <18 | | 50 | 18 | ug/Kg | | 02/08/17 21:40 | 02/09/17 11:44 | 50 |
| Trichloroethene | <8.2 | | 25 | 8.2 | ug/Kg | | 02/08/17 21:40 | 02/09/17 11:44 | 50 |
| Trichlorofluoromethane | <21 | | 50 | 21 | ug/Kg | | 02/08/17 21:40 | 02/09/17 11:44 | 50 |
| 1,2,3-Trichloropropane | <21 | | 50 | 21 | ug/Kg | | 02/08/17 21:40 | 02/09/17 11:44 | 50 |
| 1,2,4-Trimethylbenzene | <18 | | 50 | 18 | ug/Kg | | 02/08/17 21:40 | 02/09/17 11:44 | 50 |
| 1,3,5-Trimethylbenzene | <19 | | 50 | 19 | ug/Kg | | 02/08/17 21:40 | 02/09/17 11:44 | 50 |
| Vinyl chloride | <13 | | 25 | 13 | ug/Kg | | 02/08/17 21:40 | 02/09/17 11:44 | 50 |
| Xylenes, Total | <11 | | 25 | 11 | ug/Kg | | 02/08/17 21:40 | 02/09/17 11:44 | 50 |

| Surrogate | LB3 %Recovery | LB3 Qualifier | Limits | Prepared | Analyzed | Dil Fac |
|------------------------------|---------------|---------------|----------|----------------|----------------|---------|
| 1,2-Dichloroethane-d4 (Surr) | 105 | | 71 - 127 | 02/08/17 21:40 | 02/09/17 11:44 | 50 |
| 4-Bromofluorobenzene (Surr) | 95 | | 71 - 120 | 02/08/17 21:40 | 02/09/17 11:44 | 50 |
| Dibromofluoromethane | 105 | | 70 - 120 | 02/08/17 21:40 | 02/09/17 11:44 | 50 |
| Toluene-d8 (Surr) | 96 | | 75 - 120 | 02/08/17 21:40 | 02/09/17 11:44 | 50 |

Lab Sample ID: LCS 500-371336/18-A
Matrix: Solid
Analysis Batch: 371372

Client Sample ID: Lab Control Sample
Prep Type: Total/NA
Prep Batch: 371336

| Analyte | Spike Added | LCS Result | LCS Qualifier | Unit | D | %Rec | Limits |
|-----------------------------|-------------|------------|---------------|-------|---|------|----------|
| Benzene | 2500 | 2380 | | ug/Kg | | 95 | 70 - 125 |
| Bromobenzene | 2500 | 2430 | | ug/Kg | | 97 | 70 - 125 |
| Bromochloromethane | 2500 | 2440 | | ug/Kg | | 98 | 70 - 125 |
| Bromodichloromethane | 2500 | 2290 | | ug/Kg | | 92 | 70 - 125 |
| Bromoform | 2500 | 2520 | | ug/Kg | | 101 | 54 - 128 |
| Bromomethane | 2500 | 2040 | | ug/Kg | | 82 | 40 - 150 |
| Carbon tetrachloride | 2500 | 2560 | | ug/Kg | | 102 | 70 - 125 |
| Chlorobenzene | 2500 | 2530 | | ug/Kg | | 101 | 70 - 125 |
| Chloroethane | 2500 | 2200 | | ug/Kg | | 88 | 60 - 139 |
| Chloroform | 2500 | 2360 | | ug/Kg | | 94 | 70 - 125 |
| Chloromethane | 2500 | 2120 | | ug/Kg | | 85 | 60 - 140 |
| 2-Chlorotoluene | 2500 | 2460 | | ug/Kg | | 98 | 69 - 125 |
| 4-Chlorotoluene | 2500 | 2420 | | ug/Kg | | 97 | 70 - 125 |
| cis-1,2-Dichloroethene | 2500 | 2430 | | ug/Kg | | 97 | 70 - 125 |
| cis-1,3-Dichloropropene | 2500 | 2300 | | ug/Kg | | 92 | 70 - 125 |
| Dibromochloromethane | 2500 | 2470 | | ug/Kg | | 99 | 66 - 125 |
| 1,2-Dibromo-3-Chloropropane | 2500 | 1840 | | ug/Kg | | 74 | 51 - 125 |
| 1,2-Dibromoethane | 2500 | 2380 | | ug/Kg | | 95 | 70 - 125 |
| Dibromomethane | 2500 | 2420 | | ug/Kg | | 97 | 70 - 125 |
| 1,2-Dichlorobenzene | 2500 | 2400 | | ug/Kg | | 96 | 70 - 125 |
| 1,3-Dichlorobenzene | 2500 | 2480 | | ug/Kg | | 99 | 70 - 125 |
| 1,4-Dichlorobenzene | 2500 | 2450 | | ug/Kg | | 98 | 70 - 125 |
| Dichlorodifluoromethane | 2500 | 1080 | * | ug/Kg | | 43 | 51 - 140 |
| 1,1-Dichloroethane | 2500 | 2380 | | ug/Kg | | 95 | 70 - 125 |

TestAmerica Chicago

QC Sample Results

Client: SCS Engineers
Project/Site: Arctic Laundry & Cleaners - 25216186

TestAmerica Job ID: 500-123596-1

Method: 8260B - Volatile Organic Compounds (GC/MS) (Continued)

Lab Sample ID: LCS 500-371336/18-A
Matrix: Solid
Analysis Batch: 371372

Client Sample ID: Lab Control Sample
Prep Type: Total/NA
Prep Batch: 371336

| Analyte | Spike Added | LCS Result | LCS Qualifier | Unit | D | %Rec | %Rec. |
|-----------------------------|-------------|------------|---------------|-------|---|------|----------|
| | | | | | | | Limits |
| 1,2-Dichloroethane | 2500 | 2320 | | ug/Kg | | 93 | 70 - 125 |
| 1,1-Dichloroethene | 2500 | 2420 | | ug/Kg | | 97 | 70 - 125 |
| 1,2-Dichloropropane | 2500 | 2470 | | ug/Kg | | 99 | 70 - 125 |
| 1,3-Dichloropropane | 2500 | 2440 | | ug/Kg | | 97 | 70 - 125 |
| 2,2-Dichloropropane | 2500 | 2190 | | ug/Kg | | 87 | 62 - 125 |
| 1,1-Dichloropropene | 2500 | 2440 | | ug/Kg | | 98 | 70 - 125 |
| Ethylbenzene | 2500 | 2560 | | ug/Kg | | 102 | 70 - 125 |
| Hexachlorobutadiene | 2500 | 2740 | | ug/Kg | | 110 | 57 - 140 |
| Isopropylbenzene | 2500 | 2560 | | ug/Kg | | 102 | 70 - 125 |
| Methylene Chloride | 2500 | 2320 | | ug/Kg | | 93 | 68 - 125 |
| Methyl tert-butyl ether | 2500 | 1920 | | ug/Kg | | 77 | 67 - 125 |
| Naphthalene | 2500 | 1780 | | ug/Kg | | 71 | 50 - 136 |
| n-Butylbenzene | 2500 | 2490 | | ug/Kg | | 100 | 70 - 125 |
| N-Propylbenzene | 2500 | 2560 | | ug/Kg | | 103 | 70 - 125 |
| p-Isopropyltoluene | 2500 | 2520 | | ug/Kg | | 101 | 70 - 125 |
| sec-Butylbenzene | 2500 | 2570 | | ug/Kg | | 103 | 70 - 125 |
| Styrene | 2500 | 2490 | | ug/Kg | | 100 | 70 - 125 |
| tert-Butylbenzene | 2500 | 2500 | | ug/Kg | | 100 | 70 - 125 |
| 1,1,1,2-Tetrachloroethane | 2500 | 2490 | | ug/Kg | | 100 | 68 - 125 |
| 1,1,1,2,2-Tetrachloroethane | 2500 | 2210 | | ug/Kg | | 88 | 68 - 125 |
| Tetrachloroethene | 2500 | 2630 | | ug/Kg | | 105 | 70 - 125 |
| Toluene | 2500 | 2450 | | ug/Kg | | 98 | 70 - 125 |
| trans-1,2-Dichloroethene | 2500 | 2470 | | ug/Kg | | 99 | 70 - 125 |
| trans-1,3-Dichloropropene | 2500 | 2270 | | ug/Kg | | 91 | 70 - 125 |
| 1,2,3-Trichlorobenzene | 2500 | 2020 | | ug/Kg | | 81 | 58 - 135 |
| 1,2,4-Trichlorobenzene | 2500 | 2130 | | ug/Kg | | 85 | 64 - 126 |
| 1,1,1-Trichloroethane | 2500 | 2440 | | ug/Kg | | 98 | 70 - 125 |
| 1,1,2-Trichloroethane | 2500 | 2390 | | ug/Kg | | 96 | 70 - 125 |
| Trichloroethene | 2500 | 2590 | | ug/Kg | | 103 | 70 - 125 |
| Trichlorofluoromethane | 2500 | 2290 | | ug/Kg | | 92 | 60 - 126 |
| 1,2,3-Trichloropropane | 2500 | 2110 | | ug/Kg | | 84 | 63 - 125 |
| 1,2,4-Trimethylbenzene | 2500 | 2490 | | ug/Kg | | 99 | 70 - 125 |
| 1,3,5-Trimethylbenzene | 2500 | 2460 | | ug/Kg | | 99 | 70 - 125 |
| Vinyl chloride | 2500 | 2060 | | ug/Kg | | 82 | 70 - 126 |
| Xylenes, Total | 5000 | 4860 | | ug/Kg | | 97 | 70 - 125 |

| Surrogate | LCS LCS | | Limits |
|------------------------------|-----------|-----------|----------|
| | %Recovery | Qualifier | |
| 1,2-Dichloroethane-d4 (Surr) | 95 | | 71 - 127 |
| 4-Bromofluorobenzene (Surr) | 94 | | 71 - 120 |
| Dibromofluoromethane | 97 | | 70 - 120 |
| Toluene-d8 (Surr) | 100 | | 75 - 120 |

Lab Sample ID: 500-123596-15 MS
Matrix: Solid
Analysis Batch: 371372

Client Sample ID: MW-3 (0-2.5')
Prep Type: Total/NA
Prep Batch: 371336

| Analyte | Sample Result | Sample Qualifier | Spike Added | MS MS | | Unit | D | %Rec | %Rec. |
|---------|---------------|------------------|-------------|--------|-----------|-------|---|------|----------|
| | | | | Result | Qualifier | | | | Limits |
| Benzene | <53 | | 18200 | 15500 | | ug/Kg | ☼ | 85 | 70 - 125 |

TestAmerica Chicago

QC Sample Results

Client: SCS Engineers
 Project/Site: Arctic Laundry & Cleaners - 25216186

TestAmerica Job ID: 500-123596-1

Method: 8260B - Volatile Organic Compounds (GC/MS) (Continued)

Lab Sample ID: 500-123596-15 MS

Matrix: Solid

Analysis Batch: 371372

Client Sample ID: MW-3 (0-2.5')

Prep Type: Total/NA

Prep Batch: 371336

| Analyte | Sample | Sample | Spike | MS | MS | Unit | D | %Rec | Limits |
|-----------------------------|--------|-----------|-------|--------|-----------|-------|---|------|----------|
| | Result | Qualifier | Added | Result | Qualifier | | | | |
| Bromobenzene | <130 | | 18200 | 16800 | | ug/Kg | ☼ | 92 | 70 - 125 |
| Bromochloromethane | <160 | | 18200 | 16400 | | ug/Kg | ☼ | 90 | 70 - 125 |
| Bromodichloromethane | <140 | | 18200 | 15400 | | ug/Kg | ☼ | 85 | 70 - 125 |
| Bromoform | <180 | | 18200 | 17700 | | ug/Kg | ☼ | 97 | 54 - 128 |
| Bromomethane | <290 | | 18200 | 12900 | | ug/Kg | ☼ | 71 | 40 - 150 |
| Carbon tetrachloride | <140 | | 18200 | 16200 | | ug/Kg | ☼ | 89 | 70 - 125 |
| Chlorobenzene | <140 | | 18200 | 16500 | | ug/Kg | ☼ | 90 | 70 - 125 |
| Chloroethane | <180 | | 18200 | 15800 | | ug/Kg | ☼ | 87 | 60 - 139 |
| Chloroform | <130 | | 18200 | 15400 | | ug/Kg | ☼ | 85 | 70 - 125 |
| Chloromethane | <120 | | 18200 | 16200 | | ug/Kg | ☼ | 89 | 60 - 140 |
| 2-Chlorotoluene | <110 | | 18200 | 16400 | | ug/Kg | ☼ | 90 | 69 - 125 |
| 4-Chlorotoluene | <130 | | 18200 | 15700 | | ug/Kg | ☼ | 86 | 70 - 125 |
| cis-1,2-Dichloroethene | <150 | | 18200 | 15900 | | ug/Kg | ☼ | 87 | 70 - 125 |
| cis-1,3-Dichloropropene | <150 | | 18200 | 15200 | | ug/Kg | ☼ | 84 | 70 - 125 |
| Dibromochloromethane | <180 | | 18200 | 16800 | | ug/Kg | ☼ | 92 | 66 - 125 |
| 1,2-Dibromo-3-Chloropropane | <720 | | 18200 | 13200 | | ug/Kg | ☼ | 72 | 51 - 125 |
| 1,2-Dibromoethane | <140 | | 18200 | 16500 | | ug/Kg | ☼ | 91 | 70 - 125 |
| Dibromomethane | <98 | | 18200 | 16600 | | ug/Kg | ☼ | 91 | 70 - 125 |
| 1,2-Dichlorobenzene | <120 | | 18200 | 16100 | | ug/Kg | ☼ | 89 | 70 - 125 |
| 1,3-Dichlorobenzene | <150 | | 18200 | 15800 | | ug/Kg | ☼ | 87 | 70 - 125 |
| 1,4-Dichlorobenzene | <130 | | 18200 | 15800 | | ug/Kg | ☼ | 87 | 70 - 125 |
| Dichlorodifluoromethane | <250 * | | 18200 | 10300 | | ug/Kg | ☼ | 57 | 51 - 140 |
| 1,1-Dichloroethane | <150 | | 18200 | 15500 | | ug/Kg | ☼ | 85 | 70 - 125 |
| 1,2-Dichloroethane | <140 | | 18200 | 15900 | | ug/Kg | ☼ | 87 | 70 - 125 |
| 1,1-Dichloroethene | <140 | | 18200 | 15600 | | ug/Kg | ☼ | 85 | 70 - 125 |
| 1,2-Dichloropropane | <160 | | 18200 | 16200 | | ug/Kg | ☼ | 89 | 70 - 125 |
| 1,3-Dichloropropane | <130 | | 18200 | 16600 | | ug/Kg | ☼ | 91 | 70 - 125 |
| 2,2-Dichloropropane | <160 | | 18200 | 13200 | | ug/Kg | ☼ | 72 | 62 - 125 |
| 1,1-Dichloropropene | <110 | | 18200 | 15500 | | ug/Kg | ☼ | 85 | 70 - 125 |
| Ethylbenzene | <67 | | 18200 | 16200 | | ug/Kg | ☼ | 89 | 70 - 125 |
| Hexachlorobutadiene | <160 | | 18200 | 16700 | | ug/Kg | ☼ | 92 | 57 - 140 |
| Isopropylbenzene | <140 | | 18200 | 16800 | | ug/Kg | ☼ | 93 | 70 - 125 |
| Methylene Chloride | <590 | | 18200 | 15700 | | ug/Kg | ☼ | 86 | 68 - 125 |
| Methyl tert-butyl ether | <140 | | 18200 | 12900 | | ug/Kg | ☼ | 71 | 67 - 125 |
| Naphthalene | <120 | | 18200 | 12000 | | ug/Kg | ☼ | 66 | 50 - 136 |
| n-Butylbenzene | <140 | | 18200 | 14600 | | ug/Kg | ☼ | 80 | 70 - 125 |
| N-Propylbenzene | <150 | | 18200 | 16400 | | ug/Kg | ☼ | 90 | 70 - 125 |
| p-Isopropyltoluene | <130 | | 18200 | 16700 | | ug/Kg | ☼ | 92 | 70 - 125 |
| sec-Butylbenzene | <140 | | 18200 | 16600 | | ug/Kg | ☼ | 91 | 70 - 125 |
| Styrene | <140 | | 18200 | 16200 | | ug/Kg | ☼ | 89 | 70 - 125 |
| tert-Butylbenzene | <140 | | 18200 | 15800 | | ug/Kg | ☼ | 87 | 70 - 125 |
| 1,1,1,2-Tetrachloroethane | <170 | | 18200 | 16700 | | ug/Kg | ☼ | 91 | 68 - 125 |
| 1,1,2,2-Tetrachloroethane | <140 | | 18200 | 15800 | | ug/Kg | ☼ | 87 | 68 - 125 |
| Tetrachloroethene | 3200 | | 18200 | 19600 | | ug/Kg | ☼ | 90 | 70 - 125 |
| Toluene | <54 | | 18200 | 15800 | | ug/Kg | ☼ | 87 | 70 - 125 |
| trans-1,2-Dichloroethene | <130 | | 18200 | 15700 | | ug/Kg | ☼ | 87 | 70 - 125 |
| trans-1,3-Dichloropropene | <130 | | 18200 | 14800 | | ug/Kg | ☼ | 81 | 70 - 125 |
| 1,2,3-Trichlorobenzene | <170 | | 18200 | 12600 | | ug/Kg | ☼ | 69 | 58 - 135 |

TestAmerica Chicago

QC Sample Results

Client: SCS Engineers
 Project/Site: Arctic Laundry & Cleaners - 25216186

TestAmerica Job ID: 500-123596-1

Method: 8260B - Volatile Organic Compounds (GC/MS) (Continued)

Lab Sample ID: 500-123596-15 MS

Matrix: Solid

Analysis Batch: 371372

Client Sample ID: MW-3 (0-2.5')

Prep Type: Total/NA

Prep Batch: 371336

| Analyte | Sample | Sample | Spike | MS | MS | Unit | D | %Rec | Limits | |
|------------------------------|-----------|-----------|----------|--------|-----------|-------|---|------|----------|--|
| | Result | Qualifier | Added | Result | Qualifier | | | | | |
| 1,2,4-Trichlorobenzene | <120 | | 18200 | 12000 | | ug/Kg | ☼ | 66 | 64 - 126 | |
| 1,1,1-Trichloroethane | <140 | | 18200 | 15500 | | ug/Kg | ☼ | 85 | 70 - 125 | |
| 1,1,2-Trichloroethane | <130 | | 18200 | 16900 | | ug/Kg | ☼ | 93 | 70 - 125 | |
| Trichloroethene | <60 | | 18200 | 16300 | | ug/Kg | ☼ | 90 | 70 - 125 | |
| Trichlorofluoromethane | <160 | | 18200 | 16200 | | ug/Kg | ☼ | 89 | 60 - 126 | |
| 1,2,3-Trichloropropane | <150 | | 18200 | 15200 | | ug/Kg | ☼ | 83 | 63 - 125 | |
| 1,2,4-Trimethylbenzene | <130 | | 18200 | 15800 | | ug/Kg | ☼ | 87 | 70 - 125 | |
| 1,3,5-Trimethylbenzene | <140 | | 18200 | 16100 | | ug/Kg | ☼ | 88 | 70 - 125 | |
| Vinyl chloride | <95 | | 18200 | 15600 | | ug/Kg | ☼ | 86 | 70 - 126 | |
| Xylenes, Total | <80 | | 36400 | 31000 | | ug/Kg | ☼ | 85 | 70 - 125 | |
| MS MS | | | | | | | | | | |
| Surrogate | %Recovery | Qualifier | Limits | | | | | | | |
| 1,2-Dichloroethane-d4 (Surr) | 96 | | 71 - 127 | | | | | | | |
| 4-Bromofluorobenzene (Surr) | 97 | | 71 - 120 | | | | | | | |
| Dibromofluoromethane | 98 | | 70 - 120 | | | | | | | |
| Toluene-d8 (Surr) | 99 | | 75 - 120 | | | | | | | |

Lab Sample ID: 500-123596-15 MSD

Matrix: Solid

Analysis Batch: 371372

Client Sample ID: MW-3 (0-2.5')

Prep Type: Total/NA

Prep Batch: 371336

| Analyte | Sample | Sample | Spike | MSD | MSD | Unit | D | %Rec | Limits | RPD | Limit |
|-----------------------------|--------|-----------|-------|--------|-----------|-------|---|------|----------|-----|-------|
| | Result | Qualifier | Added | Result | Qualifier | | | | | | |
| Benzene | <53 | | 18200 | 15800 | | ug/Kg | ☼ | 87 | 70 - 125 | 2 | 30 |
| Bromobenzene | <130 | | 18200 | 17500 | | ug/Kg | ☼ | 96 | 70 - 125 | 4 | 30 |
| Bromochloromethane | <160 | | 18200 | 17200 | | ug/Kg | ☼ | 95 | 70 - 125 | 5 | 30 |
| Bromodichloromethane | <140 | | 18200 | 15800 | | ug/Kg | ☼ | 87 | 70 - 125 | 3 | 30 |
| Bromoform | <180 | | 18200 | 18300 | | ug/Kg | ☼ | 100 | 54 - 128 | 3 | 30 |
| Bromomethane | <290 | | 18200 | 14600 | | ug/Kg | ☼ | 80 | 40 - 150 | 12 | 30 |
| Carbon tetrachloride | <140 | | 18200 | 16200 | | ug/Kg | ☼ | 89 | 70 - 125 | 0 | 30 |
| Chlorobenzene | <140 | | 18200 | 16800 | | ug/Kg | ☼ | 92 | 70 - 125 | 2 | 30 |
| Chloroethane | <180 | | 18200 | 15700 | | ug/Kg | ☼ | 86 | 60 - 139 | 1 | 30 |
| Chloroform | <130 | | 18200 | 15800 | | ug/Kg | ☼ | 87 | 70 - 125 | 2 | 30 |
| Chloromethane | <120 | | 18200 | 16600 | | ug/Kg | ☼ | 91 | 60 - 140 | 3 | 30 |
| 2-Chlorotoluene | <110 | | 18200 | 16700 | | ug/Kg | ☼ | 92 | 69 - 125 | 2 | 30 |
| 4-Chlorotoluene | <130 | | 18200 | 16300 | | ug/Kg | ☼ | 89 | 70 - 125 | 3 | 30 |
| cis-1,2-Dichloroethene | <150 | | 18200 | 16400 | | ug/Kg | ☼ | 90 | 70 - 125 | 3 | 30 |
| cis-1,3-Dichloropropene | <150 | | 18200 | 15700 | | ug/Kg | ☼ | 86 | 70 - 125 | 3 | 30 |
| Dibromochloromethane | <180 | | 18200 | 17600 | | ug/Kg | ☼ | 97 | 66 - 125 | 5 | 30 |
| 1,2-Dibromo-3-Chloropropane | <720 | | 18200 | 15000 | | ug/Kg | ☼ | 82 | 51 - 125 | 13 | 30 |
| 1,2-Dibromoethane | <140 | | 18200 | 17300 | | ug/Kg | ☼ | 95 | 70 - 125 | 5 | 30 |
| Dibromomethane | <98 | | 18200 | 17500 | | ug/Kg | ☼ | 96 | 70 - 125 | 5 | 30 |
| 1,2-Dichlorobenzene | <120 | | 18200 | 17000 | | ug/Kg | ☼ | 93 | 70 - 125 | 5 | 30 |
| 1,3-Dichlorobenzene | <150 | | 18200 | 16700 | | ug/Kg | ☼ | 92 | 70 - 125 | 5 | 30 |
| 1,4-Dichlorobenzene | <130 | | 18200 | 16500 | | ug/Kg | ☼ | 90 | 70 - 125 | 4 | 30 |
| Dichlorodifluoromethane | <250 * | | 18200 | 10100 | | ug/Kg | ☼ | 56 | 51 - 140 | 2 | 30 |
| 1,1-Dichloroethane | <150 | | 18200 | 15900 | | ug/Kg | ☼ | 87 | 70 - 125 | 3 | 30 |
| 1,2-Dichloroethane | <140 | | 18200 | 16800 | | ug/Kg | ☼ | 92 | 70 - 125 | 5 | 30 |
| 1,1-Dichloroethene | <140 | | 18200 | 15800 | | ug/Kg | ☼ | 87 | 70 - 125 | 1 | 30 |

TestAmerica Chicago

QC Sample Results

Client: SCS Engineers
 Project/Site: Arctic Laundry & Cleaners - 25216186

TestAmerica Job ID: 500-123596-1

Method: 8260B - Volatile Organic Compounds (GC/MS) (Continued)

Lab Sample ID: 500-123596-15 MSD

Matrix: Solid

Analysis Batch: 371372

Client Sample ID: MW-3 (0-2.5')

Prep Type: Total/NA

Prep Batch: 371336

| Analyte | Sample | Sample | Spike | MSD | MSD | Unit | D | %Rec | %Rec. | RPD | Limit |
|-----------------------------|--------|-----------|-------|--------|-----------|-------|---|------|----------|-----|-------|
| | Result | Qualifier | Added | Result | Qualifier | | | | Limits | | |
| 1,2-Dichloropropane | <160 | | 18200 | 17000 | | ug/Kg | ☼ | 93 | 70 - 125 | 5 | 30 |
| 1,3-Dichloropropane | <130 | | 18200 | 17200 | | ug/Kg | ☼ | 95 | 70 - 125 | 3 | 30 |
| 2,2-Dichloropropane | <160 | | 18200 | 13600 | | ug/Kg | ☼ | 75 | 62 - 125 | 3 | 30 |
| 1,1-Dichloropropene | <110 | | 18200 | 15500 | | ug/Kg | ☼ | 85 | 70 - 125 | 0 | 30 |
| Ethylbenzene | <67 | | 18200 | 16500 | | ug/Kg | ☼ | 91 | 70 - 125 | 2 | 30 |
| Hexachlorobutadiene | <160 | | 18200 | 17300 | | ug/Kg | ☼ | 95 | 57 - 140 | 4 | 30 |
| Isopropylbenzene | <140 | | 18200 | 17200 | | ug/Kg | ☼ | 95 | 70 - 125 | 2 | 30 |
| Methylene Chloride | <590 | | 18200 | 16200 | | ug/Kg | ☼ | 89 | 68 - 125 | 3 | 30 |
| Methyl tert-butyl ether | <140 | | 18200 | 13600 | | ug/Kg | ☼ | 75 | 67 - 125 | 6 | 30 |
| Naphthalene | <120 | | 18200 | 13500 | | ug/Kg | ☼ | 74 | 50 - 136 | 12 | 30 |
| n-Butylbenzene | <140 | | 18200 | 15000 | | ug/Kg | ☼ | 82 | 70 - 125 | 3 | 30 |
| N-Propylbenzene | <150 | | 18200 | 16700 | | ug/Kg | ☼ | 92 | 70 - 125 | 2 | 30 |
| p-Isopropyltoluene | <130 | | 18200 | 17100 | | ug/Kg | ☼ | 94 | 70 - 125 | 2 | 30 |
| sec-Butylbenzene | <140 | | 18200 | 17000 | | ug/Kg | ☼ | 93 | 70 - 125 | 2 | 30 |
| Styrene | <140 | | 18200 | 16600 | | ug/Kg | ☼ | 91 | 70 - 125 | 2 | 30 |
| tert-Butylbenzene | <140 | | 18200 | 16300 | | ug/Kg | ☼ | 90 | 70 - 125 | 3 | 30 |
| 1,1,1,2-Tetrachloroethane | <170 | | 18200 | 16800 | | ug/Kg | ☼ | 92 | 68 - 125 | 1 | 30 |
| 1,1,1,2,2-Tetrachloroethane | <140 | | 18200 | 17400 | | ug/Kg | ☼ | 95 | 68 - 125 | 10 | 30 |
| Tetrachloroethene | 3200 | | 18200 | 20100 | | ug/Kg | ☼ | 93 | 70 - 125 | 2 | 30 |
| Toluene | <54 | | 18200 | 16000 | | ug/Kg | ☼ | 88 | 70 - 125 | 1 | 30 |
| trans-1,2-Dichloroethene | <130 | | 18200 | 16100 | | ug/Kg | ☼ | 88 | 70 - 125 | 2 | 30 |
| trans-1,3-Dichloropropene | <130 | | 18200 | 15800 | | ug/Kg | ☼ | 87 | 70 - 125 | 7 | 30 |
| 1,2,3-Trichlorobenzene | <170 | | 18200 | 13800 | | ug/Kg | ☼ | 76 | 58 - 135 | 9 | 30 |
| 1,2,4-Trichlorobenzene | <120 | | 18200 | 13300 | | ug/Kg | ☼ | 73 | 64 - 126 | 10 | 30 |
| 1,1,1-Trichloroethane | <140 | | 18200 | 16000 | | ug/Kg | ☼ | 88 | 70 - 125 | 3 | 30 |
| 1,1,2-Trichloroethane | <130 | | 18200 | 17100 | | ug/Kg | ☼ | 94 | 70 - 125 | 2 | 30 |
| Trichloroethene | <60 | | 18200 | 16500 | | ug/Kg | ☼ | 90 | 70 - 125 | 1 | 30 |
| Trichlorofluoromethane | <160 | | 18200 | 16000 | | ug/Kg | ☼ | 88 | 60 - 126 | 1 | 30 |
| 1,2,3-Trichloropropane | <150 | | 18200 | 15700 | | ug/Kg | ☼ | 86 | 63 - 125 | 4 | 30 |
| 1,2,4-Trimethylbenzene | <130 | | 18200 | 16500 | | ug/Kg | ☼ | 90 | 70 - 125 | 4 | 30 |
| 1,3,5-Trimethylbenzene | <140 | | 18200 | 16500 | | ug/Kg | ☼ | 91 | 70 - 125 | 3 | 30 |
| Vinyl chloride | <95 | | 18200 | 15800 | | ug/Kg | ☼ | 87 | 70 - 126 | 1 | 30 |
| Xylenes, Total | <80 | | 36400 | 31500 | | ug/Kg | ☼ | 86 | 70 - 125 | 2 | 30 |

| Surrogate | MSD | MSD | Limits |
|------------------------------|-----------|-----------|----------|
| | %Recovery | Qualifier | |
| 1,2-Dichloroethane-d4 (Surr) | 97 | | 71 - 127 |
| 4-Bromofluorobenzene (Surr) | 98 | | 71 - 120 |
| Dibromofluoromethane | 98 | | 70 - 120 |
| Toluene-d8 (Surr) | 98 | | 75 - 120 |

Lab Sample ID: MB 500-371372/6

Matrix: Solid

Analysis Batch: 371372

Client Sample ID: Method Blank

Prep Type: Total/NA

| Analyte | MB | MB | RL | MDL | Unit | D | Prepared | Analyzed | Dil Fac |
|--------------------|--------|-----------|------|------|-------|---|----------|----------------|---------|
| | Result | Qualifier | | | | | | | |
| Benzene | <0.15 | | 0.25 | 0.15 | ug/Kg | | | 02/09/17 11:17 | 1 |
| Bromobenzene | <0.36 | | 1.0 | 0.36 | ug/Kg | | | 02/09/17 11:17 | 1 |
| Bromochloromethane | <0.43 | | 1.0 | 0.43 | ug/Kg | | | 02/09/17 11:17 | 1 |

TestAmerica Chicago

QC Sample Results

Client: SCS Engineers
 Project/Site: Arctic Laundry & Cleaners - 25216186

TestAmerica Job ID: 500-123596-1

Method: 8260B - Volatile Organic Compounds (GC/MS) (Continued)

Lab Sample ID: MB 500-371372/6
Matrix: Solid
Analysis Batch: 371372

Client Sample ID: Method Blank
Prep Type: Total/NA

| Analyte | MB | MB | RL | MDL | Unit | D | Prepared | Analyzed | Dil Fac |
|-----------------------------|--------|-----------|------|------|-------|---|----------|----------------|---------|
| | Result | Qualifier | | | | | | | |
| Bromodichloromethane | <0.37 | | 1.0 | 0.37 | ug/Kg | | | 02/09/17 11:17 | 1 |
| Bromoform | <0.48 | | 1.0 | 0.48 | ug/Kg | | | 02/09/17 11:17 | 1 |
| Bromomethane | <0.80 | | 2.0 | 0.80 | ug/Kg | | | 02/09/17 11:17 | 1 |
| Carbon tetrachloride | <0.38 | | 1.0 | 0.38 | ug/Kg | | | 02/09/17 11:17 | 1 |
| Chlorobenzene | <0.39 | | 1.0 | 0.39 | ug/Kg | | | 02/09/17 11:17 | 1 |
| Chloroethane | <0.50 | | 1.0 | 0.50 | ug/Kg | | | 02/09/17 11:17 | 1 |
| Chloroform | <0.37 | | 2.0 | 0.37 | ug/Kg | | | 02/09/17 11:17 | 1 |
| Chloromethane | <0.32 | | 1.0 | 0.32 | ug/Kg | | | 02/09/17 11:17 | 1 |
| 2-Chlorotoluene | <0.31 | | 1.0 | 0.31 | ug/Kg | | | 02/09/17 11:17 | 1 |
| 4-Chlorotoluene | <0.35 | | 1.0 | 0.35 | ug/Kg | | | 02/09/17 11:17 | 1 |
| cis-1,2-Dichloroethene | <0.41 | | 1.0 | 0.41 | ug/Kg | | | 02/09/17 11:17 | 1 |
| cis-1,3-Dichloropropene | <0.42 | | 1.0 | 0.42 | ug/Kg | | | 02/09/17 11:17 | 1 |
| Dibromochloromethane | <0.49 | | 1.0 | 0.49 | ug/Kg | | | 02/09/17 11:17 | 1 |
| 1,2-Dibromo-3-Chloropropane | <2.0 | | 5.0 | 2.0 | ug/Kg | | | 02/09/17 11:17 | 1 |
| 1,2-Dibromoethane | <0.39 | | 1.0 | 0.39 | ug/Kg | | | 02/09/17 11:17 | 1 |
| Dibromomethane | <0.27 | | 1.0 | 0.27 | ug/Kg | | | 02/09/17 11:17 | 1 |
| 1,2-Dichlorobenzene | <0.33 | | 1.0 | 0.33 | ug/Kg | | | 02/09/17 11:17 | 1 |
| 1,3-Dichlorobenzene | <0.40 | | 1.0 | 0.40 | ug/Kg | | | 02/09/17 11:17 | 1 |
| 1,4-Dichlorobenzene | <0.36 | | 1.0 | 0.36 | ug/Kg | | | 02/09/17 11:17 | 1 |
| Dichlorodifluoromethane | <0.67 | | 2.0 | 0.67 | ug/Kg | | | 02/09/17 11:17 | 1 |
| 1,1-Dichloroethane | <0.41 | | 1.0 | 0.41 | ug/Kg | | | 02/09/17 11:17 | 1 |
| 1,2-Dichloroethane | <0.39 | | 1.0 | 0.39 | ug/Kg | | | 02/09/17 11:17 | 1 |
| 1,1-Dichloroethene | <0.39 | | 1.0 | 0.39 | ug/Kg | | | 02/09/17 11:17 | 1 |
| 1,2-Dichloropropane | <0.43 | | 1.0 | 0.43 | ug/Kg | | | 02/09/17 11:17 | 1 |
| 1,3-Dichloropropane | <0.36 | | 1.0 | 0.36 | ug/Kg | | | 02/09/17 11:17 | 1 |
| 2,2-Dichloropropane | <0.44 | | 1.0 | 0.44 | ug/Kg | | | 02/09/17 11:17 | 1 |
| 1,1-Dichloropropene | <0.30 | | 1.0 | 0.30 | ug/Kg | | | 02/09/17 11:17 | 1 |
| Ethylbenzene | <0.18 | | 0.25 | 0.18 | ug/Kg | | | 02/09/17 11:17 | 1 |
| Hexachlorobutadiene | <0.45 | | 1.0 | 0.45 | ug/Kg | | | 02/09/17 11:17 | 1 |
| Isopropylbenzene | <0.38 | | 1.0 | 0.38 | ug/Kg | | | 02/09/17 11:17 | 1 |
| Isopropyl ether | <0.28 | | 1.0 | 0.28 | ug/Kg | | | 02/09/17 11:17 | 1 |
| Methylene Chloride | <1.6 | | 5.0 | 1.6 | ug/Kg | | | 02/09/17 11:17 | 1 |
| Methyl tert-butyl ether | <0.39 | | 1.0 | 0.39 | ug/Kg | | | 02/09/17 11:17 | 1 |
| Naphthalene | <0.33 | | 1.0 | 0.33 | ug/Kg | | | 02/09/17 11:17 | 1 |
| n-Butylbenzene | <0.39 | | 1.0 | 0.39 | ug/Kg | | | 02/09/17 11:17 | 1 |
| N-Propylbenzene | <0.41 | | 1.0 | 0.41 | ug/Kg | | | 02/09/17 11:17 | 1 |
| p-Isopropyltoluene | <0.36 | | 1.0 | 0.36 | ug/Kg | | | 02/09/17 11:17 | 1 |
| sec-Butylbenzene | <0.40 | | 1.0 | 0.40 | ug/Kg | | | 02/09/17 11:17 | 1 |
| Styrene | <0.39 | | 1.0 | 0.39 | ug/Kg | | | 02/09/17 11:17 | 1 |
| tert-Butylbenzene | <0.40 | | 1.0 | 0.40 | ug/Kg | | | 02/09/17 11:17 | 1 |
| 1,1,1,2-Tetrachloroethane | <0.46 | | 1.0 | 0.46 | ug/Kg | | | 02/09/17 11:17 | 1 |
| 1,1,2,2-Tetrachloroethane | <0.40 | | 1.0 | 0.40 | ug/Kg | | | 02/09/17 11:17 | 1 |
| Tetrachloroethene | <0.37 | | 1.0 | 0.37 | ug/Kg | | | 02/09/17 11:17 | 1 |
| Toluene | <0.15 | | 0.25 | 0.15 | ug/Kg | | | 02/09/17 11:17 | 1 |
| trans-1,2-Dichloroethene | <0.35 | | 1.0 | 0.35 | ug/Kg | | | 02/09/17 11:17 | 1 |
| trans-1,3-Dichloropropene | <0.36 | | 1.0 | 0.36 | ug/Kg | | | 02/09/17 11:17 | 1 |
| 1,2,3-Trichlorobenzene | <0.46 | | 1.0 | 0.46 | ug/Kg | | | 02/09/17 11:17 | 1 |
| 1,2,4-Trichlorobenzene | <0.34 | | 1.0 | 0.34 | ug/Kg | | | 02/09/17 11:17 | 1 |

TestAmerica Chicago

QC Sample Results

Client: SCS Engineers
 Project/Site: Arctic Laundry & Cleaners - 25216186

TestAmerica Job ID: 500-123596-1

Method: 8260B - Volatile Organic Compounds (GC/MS) (Continued)

Lab Sample ID: MB 500-371372/6
Matrix: Solid
Analysis Batch: 371372

Client Sample ID: Method Blank
Prep Type: Total/NA

| Analyte | MB Result | MB Qualifier | RL | MDL | Unit | D | Prepared | Analyzed | Dil Fac |
|------------------------|-----------|--------------|------|------|-------|---|----------|----------------|---------|
| 1,1,1-Trichloroethane | <0.38 | | 1.0 | 0.38 | ug/Kg | | | 02/09/17 11:17 | 1 |
| 1,1,2-Trichloroethane | <0.35 | | 1.0 | 0.35 | ug/Kg | | | 02/09/17 11:17 | 1 |
| Trichloroethene | <0.16 | | 0.50 | 0.16 | ug/Kg | | | 02/09/17 11:17 | 1 |
| Trichlorofluoromethane | <0.43 | | 1.0 | 0.43 | ug/Kg | | | 02/09/17 11:17 | 1 |
| 1,2,3-Trichloropropane | <0.41 | | 1.0 | 0.41 | ug/Kg | | | 02/09/17 11:17 | 1 |
| 1,2,4-Trimethylbenzene | <0.36 | | 1.0 | 0.36 | ug/Kg | | | 02/09/17 11:17 | 1 |
| 1,3,5-Trimethylbenzene | <0.38 | | 1.0 | 0.38 | ug/Kg | | | 02/09/17 11:17 | 1 |
| Vinyl chloride | <0.26 | | 0.50 | 0.26 | ug/Kg | | | 02/09/17 11:17 | 1 |
| Xylenes, Total | <0.22 | | 0.50 | 0.22 | ug/Kg | | | 02/09/17 11:17 | 1 |

| Surrogate | MB %Recovery | MB Qualifier | Limits | Prepared | Analyzed | Dil Fac |
|------------------------------|--------------|--------------|----------|----------|----------------|---------|
| 1,2-Dichloroethane-d4 (Surr) | 96 | | 71 - 127 | | 02/09/17 11:17 | 1 |
| 4-Bromofluorobenzene (Surr) | 93 | | 71 - 120 | | 02/09/17 11:17 | 1 |
| Dibromofluoromethane | 101 | | 70 - 120 | | 02/09/17 11:17 | 1 |
| Toluene-d8 (Surr) | 97 | | 75 - 120 | | 02/09/17 11:17 | 1 |

Lab Sample ID: LCS 500-371372/4
Matrix: Solid
Analysis Batch: 371372

Client Sample ID: Lab Control Sample
Prep Type: Total/NA

| Analyte | Spike Added | LCS Result | LCS Qualifier | Unit | D | %Rec | %Rec. Limits |
|-----------------------------|-------------|------------|---------------|-------|---|------|--------------|
| Benzene | 50.0 | 49.0 | | ug/Kg | | 98 | 70 - 125 |
| Bromobenzene | 50.0 | 52.4 | | ug/Kg | | 105 | 70 - 125 |
| Bromochloromethane | 50.0 | 50.7 | | ug/Kg | | 101 | 70 - 125 |
| Bromodichloromethane | 50.0 | 48.1 | | ug/Kg | | 96 | 70 - 125 |
| Bromoform | 50.0 | 53.2 | | ug/Kg | | 106 | 54 - 128 |
| Bromomethane | 50.0 | 43.0 | | ug/Kg | | 86 | 40 - 150 |
| Carbon tetrachloride | 50.0 | 50.9 | | ug/Kg | | 102 | 70 - 125 |
| Chlorobenzene | 50.0 | 52.6 | | ug/Kg | | 105 | 70 - 125 |
| Chloroethane | 50.0 | 46.3 | | ug/Kg | | 93 | 60 - 139 |
| Chloroform | 50.0 | 48.7 | | ug/Kg | | 97 | 70 - 125 |
| Chloromethane | 50.0 | 49.5 | | ug/Kg | | 99 | 60 - 140 |
| 2-Chlorotoluene | 50.0 | 52.6 | | ug/Kg | | 105 | 69 - 125 |
| 4-Chlorotoluene | 50.0 | 51.4 | | ug/Kg | | 103 | 70 - 125 |
| cis-1,2-Dichloroethene | 50.0 | 50.2 | | ug/Kg | | 100 | 70 - 125 |
| cis-1,3-Dichloropropene | 50.0 | 48.7 | | ug/Kg | | 97 | 70 - 125 |
| Dibromochloromethane | 50.0 | 52.0 | | ug/Kg | | 104 | 66 - 125 |
| 1,2-Dibromo-3-Chloropropane | 50.0 | 40.6 | | ug/Kg | | 81 | 51 - 125 |
| 1,2-Dibromoethane | 50.0 | 50.4 | | ug/Kg | | 101 | 70 - 125 |
| Dibromomethane | 50.0 | 50.3 | | ug/Kg | | 101 | 70 - 125 |
| 1,2-Dichlorobenzene | 50.0 | 51.1 | | ug/Kg | | 102 | 70 - 125 |
| 1,3-Dichlorobenzene | 50.0 | 52.7 | | ug/Kg | | 105 | 70 - 125 |
| 1,4-Dichlorobenzene | 50.0 | 51.9 | | ug/Kg | | 104 | 70 - 125 |
| Dichlorodifluoromethane | 50.0 | 30.4 | | ug/Kg | | 61 | 51 - 140 |
| 1,1-Dichloroethane | 50.0 | 49.2 | | ug/Kg | | 98 | 70 - 125 |
| 1,2-Dichloroethane | 50.0 | 48.8 | | ug/Kg | | 98 | 70 - 125 |
| 1,1-Dichloroethene | 50.0 | 49.4 | | ug/Kg | | 99 | 70 - 125 |
| 1,2-Dichloropropane | 50.0 | 51.6 | | ug/Kg | | 103 | 70 - 125 |

TestAmerica Chicago

QC Sample Results

Client: SCS Engineers
 Project/Site: Arctic Laundry & Cleaners - 25216186

TestAmerica Job ID: 500-123596-1

Method: 8260B - Volatile Organic Compounds (GC/MS) (Continued)

Lab Sample ID: LCS 500-371372/4
Matrix: Solid
Analysis Batch: 371372

Client Sample ID: Lab Control Sample
Prep Type: Total/NA

| Analyte | Spike Added | LCS Result | LCS Qualifier | Unit | D | %Rec | %Rec. Limits |
|---------------------------|-------------|------------|---------------|-------|---|------|--------------|
| 1,3-Dichloropropane | 50.0 | 51.1 | | ug/Kg | | 102 | 70 - 125 |
| 2,2-Dichloropropane | 50.0 | 44.2 | | ug/Kg | | 88 | 62 - 125 |
| 1,1-Dichloropropene | 50.0 | 49.4 | | ug/Kg | | 99 | 70 - 125 |
| Ethylbenzene | 50.0 | 53.0 | | ug/Kg | | 106 | 70 - 125 |
| Hexachlorobutadiene | 50.0 | 56.4 | | ug/Kg | | 113 | 57 - 140 |
| Isopropylbenzene | 50.0 | 54.1 | | ug/Kg | | 108 | 70 - 125 |
| Methylene Chloride | 50.0 | 48.1 | | ug/Kg | | 96 | 68 - 125 |
| Methyl tert-butyl ether | 50.0 | 39.6 | | ug/Kg | | 79 | 67 - 125 |
| Naphthalene | 50.0 | 37.4 | | ug/Kg | | 75 | 50 - 136 |
| n-Butylbenzene | 50.0 | 51.4 | | ug/Kg | | 103 | 70 - 125 |
| N-Propylbenzene | 50.0 | 53.9 | | ug/Kg | | 108 | 70 - 125 |
| p-Isopropyltoluene | 50.0 | 53.0 | | ug/Kg | | 106 | 70 - 125 |
| sec-Butylbenzene | 50.0 | 53.3 | | ug/Kg | | 107 | 70 - 125 |
| Styrene | 50.0 | 52.2 | | ug/Kg | | 104 | 70 - 125 |
| tert-Butylbenzene | 50.0 | 52.9 | | ug/Kg | | 106 | 70 - 125 |
| 1,1,1,2-Tetrachloroethane | 50.0 | 51.7 | | ug/Kg | | 103 | 68 - 125 |
| 1,1,2,2-Tetrachloroethane | 50.0 | 48.9 | | ug/Kg | | 98 | 68 - 125 |
| Tetrachloroethene | 50.0 | 53.2 | | ug/Kg | | 106 | 70 - 125 |
| Toluene | 50.0 | 50.8 | | ug/Kg | | 102 | 70 - 125 |
| trans-1,2-Dichloroethene | 50.0 | 49.6 | | ug/Kg | | 99 | 70 - 125 |
| trans-1,3-Dichloropropene | 50.0 | 47.9 | | ug/Kg | | 96 | 70 - 125 |
| 1,2,3-Trichlorobenzene | 50.0 | 41.2 | | ug/Kg | | 82 | 58 - 135 |
| 1,2,4-Trichlorobenzene | 50.0 | 42.5 | | ug/Kg | | 85 | 64 - 126 |
| 1,1,1-Trichloroethane | 50.0 | 49.3 | | ug/Kg | | 99 | 70 - 125 |
| 1,1,2-Trichloroethane | 50.0 | 50.9 | | ug/Kg | | 102 | 70 - 125 |
| Trichloroethene | 50.0 | 51.2 | | ug/Kg | | 102 | 70 - 125 |
| Trichlorofluoromethane | 50.0 | 48.1 | | ug/Kg | | 96 | 60 - 126 |
| 1,2,3-Trichloropropane | 50.0 | 45.8 | | ug/Kg | | 92 | 63 - 125 |
| 1,2,4-Trimethylbenzene | 50.0 | 52.3 | | ug/Kg | | 105 | 70 - 125 |
| 1,3,5-Trimethylbenzene | 50.0 | 51.7 | | ug/Kg | | 103 | 70 - 125 |
| Vinyl chloride | 50.0 | 46.5 | | ug/Kg | | 93 | 70 - 126 |
| Xylenes, Total | 100 | 100 | | ug/Kg | | 100 | 70 - 125 |

| Surrogate | LCS %Recovery | LCS Qualifier | Limits |
|------------------------------|---------------|---------------|----------|
| 1,2-Dichloroethane-d4 (Surr) | 93 | | 71 - 127 |
| 4-Bromofluorobenzene (Surr) | 96 | | 71 - 120 |
| Dibromofluoromethane | 97 | | 70 - 120 |
| Toluene-d8 (Surr) | 100 | | 75 - 120 |

Lab Sample ID: MB 500-371514/6
Matrix: Water
Analysis Batch: 371514

Client Sample ID: Method Blank
Prep Type: Total/NA

| Analyte | MB Result | MB Qualifier | RL | MDL | Unit | D | Prepared | Analyzed | Dil Fac |
|----------------------|-----------|--------------|------|------|------|---|----------|----------------|---------|
| Benzene | <0.15 | | 0.50 | 0.15 | ug/L | | | 02/10/17 10:03 | 1 |
| Bromobenzene | <0.36 | | 1.0 | 0.36 | ug/L | | | 02/10/17 10:03 | 1 |
| Bromochloromethane | <0.43 | | 1.0 | 0.43 | ug/L | | | 02/10/17 10:03 | 1 |
| Bromodichloromethane | <0.37 | | 1.0 | 0.37 | ug/L | | | 02/10/17 10:03 | 1 |

TestAmerica Chicago

QC Sample Results

Client: SCS Engineers
 Project/Site: Arctic Laundry & Cleaners - 25216186

TestAmerica Job ID: 500-123596-1

Method: 8260B - Volatile Organic Compounds (GC/MS) (Continued)

Lab Sample ID: MB 500-371514/6
Matrix: Water
Analysis Batch: 371514

Client Sample ID: Method Blank
Prep Type: Total/NA

| Analyte | MB | MB | RL | MDL | Unit | D | Prepared | Analyzed | Dil Fac |
|-----------------------------|--------|-----------|------|------|------|---|----------|----------------|---------|
| | Result | Qualifier | | | | | | | |
| Bromoform | <0.48 | | 1.0 | 0.48 | ug/L | | | 02/10/17 10:03 | 1 |
| Bromomethane | <0.80 | | 2.0 | 0.80 | ug/L | | | 02/10/17 10:03 | 1 |
| Carbon tetrachloride | <0.38 | | 1.0 | 0.38 | ug/L | | | 02/10/17 10:03 | 1 |
| Chlorobenzene | <0.39 | | 1.0 | 0.39 | ug/L | | | 02/10/17 10:03 | 1 |
| Chloroethane | <0.51 | | 1.0 | 0.51 | ug/L | | | 02/10/17 10:03 | 1 |
| Chloroform | <0.37 | | 2.0 | 0.37 | ug/L | | | 02/10/17 10:03 | 1 |
| Chloromethane | <0.32 | | 1.0 | 0.32 | ug/L | | | 02/10/17 10:03 | 1 |
| 2-Chlorotoluene | <0.31 | | 1.0 | 0.31 | ug/L | | | 02/10/17 10:03 | 1 |
| 4-Chlorotoluene | <0.35 | | 1.0 | 0.35 | ug/L | | | 02/10/17 10:03 | 1 |
| cis-1,2-Dichloroethene | <0.41 | | 1.0 | 0.41 | ug/L | | | 02/10/17 10:03 | 1 |
| cis-1,3-Dichloropropene | <0.42 | | 1.0 | 0.42 | ug/L | | | 02/10/17 10:03 | 1 |
| Dibromochloromethane | <0.49 | | 1.0 | 0.49 | ug/L | | | 02/10/17 10:03 | 1 |
| 1,2-Dibromo-3-Chloropropane | <2.0 | | 5.0 | 2.0 | ug/L | | | 02/10/17 10:03 | 1 |
| 1,2-Dibromoethane | <0.39 | | 1.0 | 0.39 | ug/L | | | 02/10/17 10:03 | 1 |
| Dibromomethane | <0.27 | | 1.0 | 0.27 | ug/L | | | 02/10/17 10:03 | 1 |
| 1,2-Dichlorobenzene | <0.33 | | 1.0 | 0.33 | ug/L | | | 02/10/17 10:03 | 1 |
| 1,3-Dichlorobenzene | <0.40 | | 1.0 | 0.40 | ug/L | | | 02/10/17 10:03 | 1 |
| 1,4-Dichlorobenzene | <0.36 | | 1.0 | 0.36 | ug/L | | | 02/10/17 10:03 | 1 |
| Dichlorodifluoromethane | <0.67 | | 2.0 | 0.67 | ug/L | | | 02/10/17 10:03 | 1 |
| 1,1-Dichloroethane | <0.41 | | 1.0 | 0.41 | ug/L | | | 02/10/17 10:03 | 1 |
| 1,2-Dichloroethane | <0.39 | | 1.0 | 0.39 | ug/L | | | 02/10/17 10:03 | 1 |
| 1,1-Dichloroethene | <0.39 | | 1.0 | 0.39 | ug/L | | | 02/10/17 10:03 | 1 |
| 1,2-Dichloropropane | <0.43 | | 1.0 | 0.43 | ug/L | | | 02/10/17 10:03 | 1 |
| 1,3-Dichloropropane | <0.36 | | 1.0 | 0.36 | ug/L | | | 02/10/17 10:03 | 1 |
| 2,2-Dichloropropane | <0.44 | | 1.0 | 0.44 | ug/L | | | 02/10/17 10:03 | 1 |
| 1,1-Dichloropropene | <0.30 | | 1.0 | 0.30 | ug/L | | | 02/10/17 10:03 | 1 |
| Ethylbenzene | <0.18 | | 0.50 | 0.18 | ug/L | | | 02/10/17 10:03 | 1 |
| Hexachlorobutadiene | <0.45 | | 1.0 | 0.45 | ug/L | | | 02/10/17 10:03 | 1 |
| Isopropylbenzene | <0.39 | | 1.0 | 0.39 | ug/L | | | 02/10/17 10:03 | 1 |
| Isopropyl ether | <0.28 | | 1.0 | 0.28 | ug/L | | | 02/10/17 10:03 | 1 |
| Methylene Chloride | <1.6 | | 5.0 | 1.6 | ug/L | | | 02/10/17 10:03 | 1 |
| Methyl tert-butyl ether | <0.39 | | 1.0 | 0.39 | ug/L | | | 02/10/17 10:03 | 1 |
| Naphthalene | <0.34 | | 1.0 | 0.34 | ug/L | | | 02/10/17 10:03 | 1 |
| n-Butylbenzene | <0.39 | | 1.0 | 0.39 | ug/L | | | 02/10/17 10:03 | 1 |
| N-Propylbenzene | <0.41 | | 1.0 | 0.41 | ug/L | | | 02/10/17 10:03 | 1 |
| p-Isopropyltoluene | <0.36 | | 1.0 | 0.36 | ug/L | | | 02/10/17 10:03 | 1 |
| sec-Butylbenzene | <0.40 | | 1.0 | 0.40 | ug/L | | | 02/10/17 10:03 | 1 |
| Styrene | <0.39 | | 1.0 | 0.39 | ug/L | | | 02/10/17 10:03 | 1 |
| tert-Butylbenzene | <0.40 | | 1.0 | 0.40 | ug/L | | | 02/10/17 10:03 | 1 |
| 1,1,1,2-Tetrachloroethane | <0.46 | | 1.0 | 0.46 | ug/L | | | 02/10/17 10:03 | 1 |
| 1,1,2,2-Tetrachloroethane | <0.40 | | 1.0 | 0.40 | ug/L | | | 02/10/17 10:03 | 1 |
| Tetrachloroethene | <0.37 | | 1.0 | 0.37 | ug/L | | | 02/10/17 10:03 | 1 |
| Toluene | <0.15 | | 0.50 | 0.15 | ug/L | | | 02/10/17 10:03 | 1 |
| trans-1,2-Dichloroethene | <0.35 | | 1.0 | 0.35 | ug/L | | | 02/10/17 10:03 | 1 |
| trans-1,3-Dichloropropene | <0.36 | | 1.0 | 0.36 | ug/L | | | 02/10/17 10:03 | 1 |
| 1,2,3-Trichlorobenzene | <0.46 | | 1.0 | 0.46 | ug/L | | | 02/10/17 10:03 | 1 |
| 1,2,4-Trichlorobenzene | <0.34 | | 1.0 | 0.34 | ug/L | | | 02/10/17 10:03 | 1 |
| 1,1,1-Trichloroethane | <0.38 | | 1.0 | 0.38 | ug/L | | | 02/10/17 10:03 | 1 |

TestAmerica Chicago

QC Sample Results

Client: SCS Engineers
 Project/Site: Arctic Laundry & Cleaners - 25216186

TestAmerica Job ID: 500-123596-1

Method: 8260B - Volatile Organic Compounds (GC/MS) (Continued)

Lab Sample ID: MB 500-371514/6
Matrix: Water
Analysis Batch: 371514

Client Sample ID: Method Blank
Prep Type: Total/NA

| Analyte | MB Result | MB Qualifier | RL | MDL | Unit | D | Prepared | Analyzed | Dil Fac |
|------------------------|-----------|--------------|------|------|------|---|----------|----------------|---------|
| 1,1,2-Trichloroethane | <0.35 | | 1.0 | 0.35 | ug/L | | | 02/10/17 10:03 | 1 |
| Trichloroethene | <0.16 | | 0.50 | 0.16 | ug/L | | | 02/10/17 10:03 | 1 |
| Trichlorofluoromethane | <0.43 | | 1.0 | 0.43 | ug/L | | | 02/10/17 10:03 | 1 |
| 1,2,3-Trichloropropane | <0.41 | | 1.0 | 0.41 | ug/L | | | 02/10/17 10:03 | 1 |
| 1,2,4-Trimethylbenzene | <0.36 | | 1.0 | 0.36 | ug/L | | | 02/10/17 10:03 | 1 |
| 1,3,5-Trimethylbenzene | <0.25 | | 1.0 | 0.25 | ug/L | | | 02/10/17 10:03 | 1 |
| Vinyl chloride | <0.20 | | 0.50 | 0.20 | ug/L | | | 02/10/17 10:03 | 1 |
| Xylenes, Total | <0.22 | | 1.0 | 0.22 | ug/L | | | 02/10/17 10:03 | 1 |

| Surrogate | MB %Recovery | MB Qualifier | Limits | Prepared | Analyzed | Dil Fac |
|------------------------------|--------------|--------------|----------|----------|----------------|---------|
| 1,2-Dichloroethane-d4 (Surr) | 98 | | 71 - 127 | | 02/10/17 10:03 | 1 |
| 4-Bromofluorobenzene (Surr) | 94 | | 71 - 120 | | 02/10/17 10:03 | 1 |
| Dibromofluoromethane | 101 | | 70 - 120 | | 02/10/17 10:03 | 1 |
| Toluene-d8 (Surr) | 99 | | 75 - 120 | | 02/10/17 10:03 | 1 |

Lab Sample ID: LCS 500-371514/4
Matrix: Water
Analysis Batch: 371514

Client Sample ID: Lab Control Sample
Prep Type: Total/NA

| Analyte | Spike Added | LCS Result | LCS Qualifier | Unit | D | %Rec | %Rec. Limits |
|-----------------------------|-------------|------------|---------------|------|---|------|--------------|
| Benzene | 50.0 | 49.6 | | ug/L | | 99 | 70 - 125 |
| Bromobenzene | 50.0 | 53.4 | | ug/L | | 107 | 70 - 125 |
| Bromochloromethane | 50.0 | 51.4 | | ug/L | | 103 | 70 - 125 |
| Bromodichloromethane | 50.0 | 48.0 | | ug/L | | 96 | 70 - 125 |
| Bromoform | 50.0 | 54.5 | | ug/L | | 109 | 54 - 128 |
| Bromomethane | 50.0 | 41.2 | | ug/L | | 82 | 40 - 150 |
| Carbon tetrachloride | 50.0 | 53.0 | | ug/L | | 106 | 70 - 125 |
| Chlorobenzene | 50.0 | 53.4 | | ug/L | | 107 | 70 - 125 |
| Chloroethane | 50.0 | 43.6 | | ug/L | | 87 | 60 - 139 |
| Chloroform | 50.0 | 48.9 | | ug/L | | 98 | 70 - 125 |
| Chloromethane | 50.0 | 46.8 | | ug/L | | 94 | 60 - 140 |
| 2-Chlorotoluene | 50.0 | 53.0 | | ug/L | | 106 | 69 - 125 |
| 4-Chlorotoluene | 50.0 | 52.3 | | ug/L | | 105 | 70 - 125 |
| cis-1,2-Dichloroethene | 50.0 | 51.5 | | ug/L | | 103 | 70 - 125 |
| cis-1,3-Dichloropropene | 50.0 | 49.8 | | ug/L | | 100 | 70 - 125 |
| Dibromochloromethane | 50.0 | 52.8 | | ug/L | | 106 | 66 - 125 |
| 1,2-Dibromo-3-Chloropropane | 50.0 | 39.6 | | ug/L | | 79 | 51 - 125 |
| 1,2-Dibromoethane | 50.0 | 51.1 | | ug/L | | 102 | 70 - 125 |
| Dibromomethane | 50.0 | 50.8 | | ug/L | | 102 | 70 - 125 |
| 1,2-Dichlorobenzene | 50.0 | 51.8 | | ug/L | | 104 | 70 - 125 |
| 1,3-Dichlorobenzene | 50.0 | 53.5 | | ug/L | | 107 | 70 - 125 |
| 1,4-Dichlorobenzene | 50.0 | 52.3 | | ug/L | | 105 | 70 - 125 |
| Dichlorodifluoromethane | 50.0 | 27.9 | | ug/L | | 56 | 51 - 140 |
| 1,1-Dichloroethane | 50.0 | 49.8 | | ug/L | | 100 | 70 - 125 |
| 1,2-Dichloroethane | 50.0 | 49.1 | | ug/L | | 98 | 70 - 125 |
| 1,1-Dichloroethene | 50.0 | 50.4 | | ug/L | | 101 | 70 - 125 |
| 1,2-Dichloropropane | 50.0 | 51.7 | | ug/L | | 103 | 70 - 125 |
| 1,3-Dichloropropane | 50.0 | 52.4 | | ug/L | | 105 | 70 - 125 |

TestAmerica Chicago

QC Sample Results

Client: SCS Engineers
 Project/Site: Arctic Laundry & Cleaners - 25216186

TestAmerica Job ID: 500-123596-1

Method: 8260B - Volatile Organic Compounds (GC/MS) (Continued)

Lab Sample ID: LCS 500-371514/4
Matrix: Water
Analysis Batch: 371514

Client Sample ID: Lab Control Sample
Prep Type: Total/NA

| Analyte | Spike Added | LCS Result | LCS Qualifier | Unit | D | %Rec | %Rec. Limits |
|-----------------------------|-------------|------------|---------------|------|---|------|--------------|
| 2,2-Dichloropropane | 50.0 | 44.7 | | ug/L | | 89 | 62 - 125 |
| 1,1-Dichloropropene | 50.0 | 50.2 | | ug/L | | 100 | 70 - 125 |
| Ethylbenzene | 50.0 | 54.3 | | ug/L | | 109 | 70 - 125 |
| Hexachlorobutadiene | 50.0 | 59.5 | | ug/L | | 119 | 57 - 140 |
| Isopropylbenzene | 50.0 | 55.2 | | ug/L | | 110 | 70 - 125 |
| Methylene Chloride | 50.0 | 48.8 | | ug/L | | 98 | 68 - 125 |
| Methyl tert-butyl ether | 50.0 | 40.4 | | ug/L | | 81 | 67 - 125 |
| Naphthalene | 50.0 | 37.5 | | ug/L | | 75 | 50 - 136 |
| n-Butylbenzene | 50.0 | 52.6 | | ug/L | | 105 | 70 - 125 |
| N-Propylbenzene | 50.0 | 54.9 | | ug/L | | 110 | 70 - 125 |
| p-Isopropyltoluene | 50.0 | 54.0 | | ug/L | | 108 | 70 - 125 |
| sec-Butylbenzene | 50.0 | 54.6 | | ug/L | | 109 | 70 - 125 |
| Styrene | 50.0 | 52.5 | | ug/L | | 105 | 70 - 125 |
| tert-Butylbenzene | 50.0 | 54.0 | | ug/L | | 108 | 70 - 125 |
| 1,1,1,2-Tetrachloroethane | 50.0 | 53.2 | | ug/L | | 106 | 68 - 125 |
| 1,1,1,2,2-Tetrachloroethane | 50.0 | 48.1 | | ug/L | | 96 | 68 - 125 |
| Tetrachloroethene | 50.0 | 56.1 | | ug/L | | 112 | 70 - 125 |
| Toluene | 50.0 | 51.6 | | ug/L | | 103 | 70 - 125 |
| trans-1,2-Dichloroethene | 50.0 | 50.7 | | ug/L | | 101 | 70 - 125 |
| trans-1,3-Dichloropropene | 50.0 | 48.9 | | ug/L | | 98 | 70 - 125 |
| 1,2,3-Trichlorobenzene | 50.0 | 42.2 | | ug/L | | 84 | 58 - 135 |
| 1,2,4-Trichlorobenzene | 50.0 | 44.4 | | ug/L | | 89 | 64 - 126 |
| 1,1,1-Trichloroethane | 50.0 | 51.0 | | ug/L | | 102 | 70 - 125 |
| 1,1,2-Trichloroethane | 50.0 | 51.3 | | ug/L | | 103 | 70 - 125 |
| Trichloroethene | 50.0 | 52.9 | | ug/L | | 106 | 70 - 125 |
| Trichlorofluoromethane | 50.0 | 45.3 | | ug/L | | 91 | 60 - 126 |
| 1,2,3-Trichloropropane | 50.0 | 45.5 | | ug/L | | 91 | 63 - 125 |
| 1,2,4-Trimethylbenzene | 50.0 | 53.1 | | ug/L | | 106 | 70 - 125 |
| 1,3,5-Trimethylbenzene | 50.0 | 53.0 | | ug/L | | 106 | 70 - 125 |
| Vinyl chloride | 50.0 | 42.8 | | ug/L | | 86 | 70 - 126 |
| Xylenes, Total | 100 | 103 | | ug/L | | 103 | 70 - 125 |

| Surrogate | LCS %Recovery | LCS Qualifier | Limits |
|------------------------------|---------------|---------------|----------|
| 1,2-Dichloroethane-d4 (Surr) | 93 | | 71 - 127 |
| 4-Bromofluorobenzene (Surr) | 94 | | 71 - 120 |
| Dibromofluoromethane | 96 | | 70 - 120 |
| Toluene-d8 (Surr) | 101 | | 75 - 120 |

Lab Sample ID: 500-123596-20 MS
Matrix: Water
Analysis Batch: 371514

Client Sample ID: GP-9
Prep Type: Total/NA

| Analyte | Sample Result | Sample Qualifier | Spike Added | MS Result | MS Qualifier | Unit | D | %Rec | %Rec. Limits |
|----------------------|---------------|------------------|-------------|-----------|--------------|------|---|------|--------------|
| Benzene | <0.15 | | 50.0 | 50.0 | | ug/L | | 100 | 70 - 125 |
| Bromobenzene | <0.36 | | 50.0 | 54.2 | | ug/L | | 108 | 70 - 125 |
| Bromochloromethane | <0.43 | | 50.0 | 52.6 | | ug/L | | 105 | 70 - 125 |
| Bromodichloromethane | <0.37 | | 50.0 | 49.7 | | ug/L | | 99 | 70 - 125 |
| Bromoform | <0.48 | | 50.0 | 56.6 | | ug/L | | 113 | 54 - 128 |

TestAmerica Chicago

QC Sample Results

Client: SCS Engineers
 Project/Site: Arctic Laundry & Cleaners - 25216186

TestAmerica Job ID: 500-123596-1

Method: 8260B - Volatile Organic Compounds (GC/MS) (Continued)

Lab Sample ID: 500-123596-20 MS

Matrix: Water

Analysis Batch: 371514

Client Sample ID: GP-9

Prep Type: Total/NA

| Analyte | Sample Result | Sample Qualifier | Spike Added | MS Result | MS Qualifier | Unit | D | %Rec | %Rec. Limits |
|-----------------------------|---------------|------------------|-------------|-----------|--------------|------|---|------|--------------|
| Bromomethane | <0.80 | | 50.0 | 39.8 | | ug/L | | 80 | 40 - 150 |
| Carbon tetrachloride | <0.38 | | 50.0 | 53.5 | | ug/L | | 107 | 70 - 125 |
| Chlorobenzene | <0.39 | | 50.0 | 54.3 | | ug/L | | 109 | 70 - 125 |
| Chloroethane | <0.51 | | 50.0 | 46.6 | | ug/L | | 93 | 60 - 139 |
| Chloroform | <0.37 | | 50.0 | 50.5 | | ug/L | | 101 | 70 - 125 |
| Chloromethane | <0.32 | | 50.0 | 48.8 | | ug/L | | 98 | 60 - 140 |
| 2-Chlorotoluene | <0.31 | | 50.0 | 52.3 | | ug/L | | 105 | 69 - 125 |
| 4-Chlorotoluene | <0.35 | | 50.0 | 51.2 | | ug/L | | 102 | 70 - 125 |
| cis-1,2-Dichloroethene | <0.41 | | 50.0 | 52.3 | | ug/L | | 105 | 70 - 125 |
| cis-1,3-Dichloropropene | <0.42 | | 50.0 | 50.1 | | ug/L | | 100 | 70 - 125 |
| Dibromochloromethane | <0.49 | | 50.0 | 54.3 | | ug/L | | 109 | 66 - 125 |
| 1,2-Dibromo-3-Chloropropane | <2.0 | | 50.0 | 40.3 | | ug/L | | 81 | 51 - 125 |
| 1,2-Dibromoethane | <0.39 | | 50.0 | 52.8 | | ug/L | | 106 | 70 - 125 |
| Dibromomethane | <0.27 | | 50.0 | 53.0 | | ug/L | | 106 | 70 - 125 |
| 1,2-Dichlorobenzene | <0.33 | | 50.0 | 52.1 | | ug/L | | 104 | 70 - 125 |
| 1,3-Dichlorobenzene | <0.40 | | 50.0 | 52.4 | | ug/L | | 105 | 70 - 125 |
| 1,4-Dichlorobenzene | <0.36 | | 50.0 | 52.2 | | ug/L | | 104 | 70 - 125 |
| Dichlorodifluoromethane | <0.67 | | 50.0 | 29.2 | | ug/L | | 58 | 51 - 140 |
| 1,1-Dichloroethane | <0.41 | | 50.0 | 50.0 | | ug/L | | 100 | 70 - 125 |
| 1,2-Dichloroethane | <0.39 | | 50.0 | 51.8 | | ug/L | | 104 | 70 - 125 |
| 1,1-Dichloroethene | <0.39 | | 50.0 | 49.2 | | ug/L | | 98 | 70 - 125 |
| 1,2-Dichloropropane | <0.43 | | 50.0 | 52.9 | | ug/L | | 106 | 70 - 125 |
| 1,3-Dichloropropane | <0.36 | | 50.0 | 52.9 | | ug/L | | 106 | 70 - 125 |
| 2,2-Dichloropropane | <0.44 | | 50.0 | 42.6 | | ug/L | | 85 | 62 - 125 |
| 1,1-Dichloropropene | <0.30 | | 50.0 | 50.5 | | ug/L | | 101 | 70 - 125 |
| Ethylbenzene | <0.18 | | 50.0 | 54.2 | | ug/L | | 108 | 70 - 125 |
| Hexachlorobutadiene | <0.45 | | 50.0 | 55.5 | | ug/L | | 111 | 57 - 140 |
| Isopropylbenzene | <0.39 | | 50.0 | 54.1 | | ug/L | | 108 | 70 - 125 |
| Methylene Chloride | <1.6 | | 50.0 | 49.8 | | ug/L | | 100 | 68 - 125 |
| Methyl tert-butyl ether | <0.39 | | 50.0 | 41.3 | | ug/L | | 83 | 67 - 125 |
| Naphthalene | <0.34 | | 50.0 | 37.8 | | ug/L | | 76 | 50 - 136 |
| n-Butylbenzene | <0.39 | | 50.0 | 49.3 | | ug/L | | 99 | 70 - 125 |
| N-Propylbenzene | <0.41 | | 50.0 | 53.1 | | ug/L | | 106 | 70 - 125 |
| p-Isopropyltoluene | <0.36 | | 50.0 | 53.5 | | ug/L | | 107 | 70 - 125 |
| sec-Butylbenzene | <0.40 | | 50.0 | 52.9 | | ug/L | | 106 | 70 - 125 |
| Styrene | <0.39 | | 50.0 | 53.5 | | ug/L | | 107 | 70 - 125 |
| tert-Butylbenzene | <0.40 | | 50.0 | 52.2 | | ug/L | | 104 | 70 - 125 |
| 1,1,1,2-Tetrachloroethane | <0.46 | | 50.0 | 54.3 | | ug/L | | 109 | 68 - 125 |
| 1,1,2,2-Tetrachloroethane | <0.40 | | 50.0 | 49.3 | | ug/L | | 99 | 68 - 125 |
| Tetrachloroethene | <0.37 | | 50.0 | 55.8 | | ug/L | | 112 | 70 - 125 |
| Toluene | <0.15 | | 50.0 | 51.7 | | ug/L | | 103 | 70 - 125 |
| trans-1,2-Dichloroethene | <0.35 | | 50.0 | 50.9 | | ug/L | | 102 | 70 - 125 |
| trans-1,3-Dichloropropene | <0.36 | | 50.0 | 48.0 | | ug/L | | 96 | 70 - 125 |
| 1,2,3-Trichlorobenzene | <0.46 | | 50.0 | 41.7 | | ug/L | | 83 | 58 - 135 |
| 1,2,4-Trichlorobenzene | <0.34 | | 50.0 | 43.4 | | ug/L | | 87 | 64 - 126 |
| 1,1,1-Trichloroethane | <0.38 | | 50.0 | 50.7 | | ug/L | | 101 | 70 - 125 |
| 1,1,2-Trichloroethane | <0.35 | | 50.0 | 52.4 | | ug/L | | 105 | 70 - 125 |
| Trichloroethene | <0.16 | | 50.0 | 53.3 | | ug/L | | 107 | 70 - 125 |

TestAmerica Chicago

QC Sample Results

Client: SCS Engineers
 Project/Site: Arctic Laundry & Cleaners - 25216186

TestAmerica Job ID: 500-123596-1

Method: 8260B - Volatile Organic Compounds (GC/MS) (Continued)

Lab Sample ID: 500-123596-20 MS

Matrix: Water

Analysis Batch: 371514

Client Sample ID: GP-9

Prep Type: Total/NA

| Analyte | Sample Result | Sample Qualifier | Spike Added | MS Result | MS Qualifier | Unit | D | %Rec | %Rec. Limits |
|------------------------|---------------|------------------|-------------|-----------|--------------|------|---|------|--------------|
| Trichlorofluoromethane | <0.43 | | 50.0 | 47.8 | | ug/L | | 96 | 60 - 126 |
| 1,2,3-Trichloropropane | <0.41 | | 50.0 | 44.5 | | ug/L | | 89 | 63 - 125 |
| 1,2,4-Trimethylbenzene | <0.36 | | 50.0 | 52.4 | | ug/L | | 105 | 70 - 125 |
| 1,3,5-Trimethylbenzene | <0.25 | | 50.0 | 52.2 | | ug/L | | 104 | 70 - 125 |
| Vinyl chloride | <0.20 | | 50.0 | 45.0 | | ug/L | | 90 | 70 - 126 |
| Xylenes, Total | <0.22 | | 100 | 103 | | ug/L | | 103 | 70 - 125 |

| Surrogate | MS %Recovery | MS Qualifier | Limits |
|------------------------------|--------------|--------------|----------|
| 1,2-Dichloroethane-d4 (Surr) | 94 | | 71 - 127 |
| 4-Bromofluorobenzene (Surr) | 94 | | 71 - 120 |
| Dibromofluoromethane | 98 | | 70 - 120 |
| Toluene-d8 (Surr) | 99 | | 75 - 120 |

Lab Sample ID: 500-123596-20 MSD

Matrix: Water

Analysis Batch: 371514

Client Sample ID: GP-9

Prep Type: Total/NA

| Analyte | Sample Result | Sample Qualifier | Spike Added | MSD Result | MSD Qualifier | Unit | D | %Rec | %Rec. Limits | RPD | RPD Limit |
|-----------------------------|---------------|------------------|-------------|------------|---------------|------|---|------|--------------|-----|-----------|
| Benzene | <0.15 | | 50.0 | 50.6 | | ug/L | | 101 | 70 - 125 | 1 | 20 |
| Bromobenzene | <0.36 | | 50.0 | 56.1 | | ug/L | | 112 | 70 - 125 | 3 | 20 |
| Bromochloromethane | <0.43 | | 50.0 | 53.2 | | ug/L | | 106 | 70 - 125 | 1 | 20 |
| Bromodichloromethane | <0.37 | | 50.0 | 50.1 | | ug/L | | 100 | 70 - 125 | 1 | 20 |
| Bromoform | <0.48 | | 50.0 | 57.5 | | ug/L | | 115 | 54 - 128 | 2 | 20 |
| Bromomethane | <0.80 | | 50.0 | 43.2 | | ug/L | | 86 | 40 - 150 | 8 | 20 |
| Carbon tetrachloride | <0.38 | | 50.0 | 53.8 | | ug/L | | 108 | 70 - 125 | 0 | 20 |
| Chlorobenzene | <0.39 | | 50.0 | 54.7 | | ug/L | | 109 | 70 - 125 | 1 | 20 |
| Chloroethane | <0.51 | | 50.0 | 47.1 | | ug/L | | 94 | 60 - 139 | 1 | 20 |
| Chloroform | <0.37 | | 50.0 | 51.1 | | ug/L | | 102 | 70 - 125 | 1 | 20 |
| Chloromethane | <0.32 | | 50.0 | 50.0 | | ug/L | | 100 | 60 - 140 | 2 | 20 |
| 2-Chlorotoluene | <0.31 | | 50.0 | 53.6 | | ug/L | | 107 | 69 - 125 | 2 | 20 |
| 4-Chlorotoluene | <0.35 | | 50.0 | 51.5 | | ug/L | | 103 | 70 - 125 | 1 | 20 |
| cis-1,2-Dichloroethene | <0.41 | | 50.0 | 53.2 | | ug/L | | 106 | 70 - 125 | 2 | 20 |
| cis-1,3-Dichloropropene | <0.42 | | 50.0 | 50.2 | | ug/L | | 100 | 70 - 125 | 0 | 20 |
| Dibromochloromethane | <0.49 | | 50.0 | 54.8 | | ug/L | | 110 | 66 - 125 | 1 | 20 |
| 1,2-Dibromo-3-Chloropropane | <2.0 | | 50.0 | 40.8 | | ug/L | | 82 | 51 - 125 | 1 | 20 |
| 1,2-Dibromoethane | <0.39 | | 50.0 | 52.7 | | ug/L | | 105 | 70 - 125 | 0 | 20 |
| Dibromomethane | <0.27 | | 50.0 | 54.0 | | ug/L | | 108 | 70 - 125 | 2 | 20 |
| 1,2-Dichlorobenzene | <0.33 | | 50.0 | 52.6 | | ug/L | | 105 | 70 - 125 | 1 | 20 |
| 1,3-Dichlorobenzene | <0.40 | | 50.0 | 52.6 | | ug/L | | 105 | 70 - 125 | 0 | 20 |
| 1,4-Dichlorobenzene | <0.36 | | 50.0 | 51.7 | | ug/L | | 103 | 70 - 125 | 1 | 20 |
| Dichlorodifluoromethane | <0.67 | | 50.0 | 29.3 | | ug/L | | 59 | 51 - 140 | 0 | 20 |
| 1,1-Dichloroethane | <0.41 | | 50.0 | 50.6 | | ug/L | | 101 | 70 - 125 | 1 | 20 |
| 1,2-Dichloroethane | <0.39 | | 50.0 | 52.0 | | ug/L | | 104 | 70 - 125 | 0 | 20 |
| 1,1-Dichloroethene | <0.39 | | 50.0 | 50.2 | | ug/L | | 100 | 70 - 125 | 2 | 20 |
| 1,2-Dichloropropane | <0.43 | | 50.0 | 53.5 | | ug/L | | 107 | 70 - 125 | 1 | 20 |
| 1,3-Dichloropropane | <0.36 | | 50.0 | 53.7 | | ug/L | | 107 | 70 - 125 | 2 | 20 |
| 2,2-Dichloropropane | <0.44 | | 50.0 | 43.7 | | ug/L | | 87 | 62 - 125 | 2 | 20 |
| 1,1-Dichloropropene | <0.30 | | 50.0 | 50.6 | | ug/L | | 101 | 70 - 125 | 0 | 20 |

TestAmerica Chicago

QC Sample Results

Client: SCS Engineers
 Project/Site: Arctic Laundry & Cleaners - 25216186

TestAmerica Job ID: 500-123596-1

Method: 8260B - Volatile Organic Compounds (GC/MS) (Continued)

Lab Sample ID: 500-123596-20 MSD

Matrix: Water

Analysis Batch: 371514

Client Sample ID: GP-9

Prep Type: Total/NA

| Analyte | Sample Result | Sample Qualifier | Spike Added | MSD Result | MSD Qualifier | Unit | D | %Rec | %Rec. Limits | RPD | RPD Limit |
|---------------------------|---------------|------------------|-------------|------------|---------------|------|---|------|--------------|-----|-----------|
| Ethylbenzene | <0.18 | | 50.0 | 53.6 | | ug/L | | 107 | 70 - 125 | 1 | 20 |
| Hexachlorobutadiene | <0.45 | | 50.0 | 53.8 | | ug/L | | 108 | 57 - 140 | 3 | 20 |
| Isopropylbenzene | <0.39 | | 50.0 | 55.8 | | ug/L | | 112 | 70 - 125 | 3 | 20 |
| Methylene Chloride | <1.6 | | 50.0 | 50.2 | | ug/L | | 100 | 68 - 125 | 1 | 20 |
| Methyl tert-butyl ether | <0.39 | | 50.0 | 41.8 | | ug/L | | 84 | 67 - 125 | 1 | 20 |
| Naphthalene | <0.34 | | 50.0 | 40.0 | | ug/L | | 80 | 50 - 136 | 6 | 20 |
| n-Butylbenzene | <0.39 | | 50.0 | 46.9 | | ug/L | | 94 | 70 - 125 | 5 | 20 |
| N-Propylbenzene | <0.41 | | 50.0 | 53.3 | | ug/L | | 107 | 70 - 125 | 0 | 20 |
| p-Isopropyltoluene | <0.36 | | 50.0 | 54.9 | | ug/L | | 110 | 70 - 125 | 3 | 20 |
| sec-Butylbenzene | <0.40 | | 50.0 | 53.2 | | ug/L | | 106 | 70 - 125 | 1 | 20 |
| Styrene | <0.39 | | 50.0 | 53.5 | | ug/L | | 107 | 70 - 125 | 0 | 20 |
| tert-Butylbenzene | <0.40 | | 50.0 | 52.0 | | ug/L | | 104 | 70 - 125 | 1 | 20 |
| 1,1,1,2-Tetrachloroethane | <0.46 | | 50.0 | 55.6 | | ug/L | | 111 | 68 - 125 | 2 | 20 |
| 1,1,2,2-Tetrachloroethane | <0.40 | | 50.0 | 49.7 | | ug/L | | 99 | 68 - 125 | 1 | 20 |
| Tetrachloroethene | <0.37 | | 50.0 | 56.3 | | ug/L | | 113 | 70 - 125 | 1 | 20 |
| Toluene | <0.15 | | 50.0 | 52.2 | | ug/L | | 104 | 70 - 125 | 1 | 20 |
| trans-1,2-Dichloroethene | <0.35 | | 50.0 | 50.9 | | ug/L | | 102 | 70 - 125 | 0 | 20 |
| trans-1,3-Dichloropropene | <0.36 | | 50.0 | 49.1 | | ug/L | | 98 | 70 - 125 | 2 | 20 |
| 1,2,3-Trichlorobenzene | <0.46 | | 50.0 | 42.0 | | ug/L | | 84 | 58 - 135 | 1 | 20 |
| 1,2,4-Trichlorobenzene | <0.34 | | 50.0 | 41.4 | | ug/L | | 83 | 64 - 126 | 5 | 20 |
| 1,1,1-Trichloroethane | <0.38 | | 50.0 | 51.1 | | ug/L | | 102 | 70 - 125 | 1 | 20 |
| 1,1,2-Trichloroethane | <0.35 | | 50.0 | 53.1 | | ug/L | | 106 | 70 - 125 | 1 | 20 |
| Trichloroethene | <0.16 | | 50.0 | 54.1 | | ug/L | | 108 | 70 - 125 | 2 | 20 |
| Trichlorofluoromethane | <0.43 | | 50.0 | 49.2 | | ug/L | | 98 | 60 - 126 | 3 | 20 |
| 1,2,3-Trichloropropane | <0.41 | | 50.0 | 46.0 | | ug/L | | 92 | 63 - 125 | 3 | 20 |
| 1,2,4-Trimethylbenzene | <0.36 | | 50.0 | 52.8 | | ug/L | | 106 | 70 - 125 | 1 | 20 |
| 1,3,5-Trimethylbenzene | <0.25 | | 50.0 | 52.9 | | ug/L | | 106 | 70 - 125 | 1 | 20 |
| Vinyl chloride | <0.20 | | 50.0 | 45.4 | | ug/L | | 91 | 70 - 126 | 1 | 20 |
| Xylenes, Total | <0.22 | | 100 | 103 | | ug/L | | 103 | 70 - 125 | 0 | 20 |

| Surrogate | MSD %Recovery | MSD Qualifier | MSD Limits |
|------------------------------|---------------|---------------|------------|
| 1,2-Dichloroethane-d4 (Surr) | 96 | | 71 - 127 |
| 4-Bromofluorobenzene (Surr) | 96 | | 71 - 120 |
| Dibromofluoromethane | 99 | | 70 - 120 |
| Toluene-d8 (Surr) | 100 | | 75 - 120 |

Lab Sample ID: MB 500-371515/6

Matrix: Solid

Analysis Batch: 371515

Client Sample ID: Method Blank

Prep Type: Total/NA

| Analyte | MB Result | MB Qualifier | RL | MDL | Unit | D | Prepared | Analyzed | Dil Fac |
|----------------------|-----------|--------------|------|------|-------|---|----------|----------------|---------|
| Benzene | <0.15 | | 0.25 | 0.15 | ug/Kg | | | 02/10/17 10:03 | 1 |
| Bromobenzene | <0.36 | | 1.0 | 0.36 | ug/Kg | | | 02/10/17 10:03 | 1 |
| Bromochloromethane | <0.43 | | 1.0 | 0.43 | ug/Kg | | | 02/10/17 10:03 | 1 |
| Bromodichloromethane | <0.37 | | 1.0 | 0.37 | ug/Kg | | | 02/10/17 10:03 | 1 |
| Bromoform | <0.48 | | 1.0 | 0.48 | ug/Kg | | | 02/10/17 10:03 | 1 |
| Bromomethane | <0.80 | | 2.0 | 0.80 | ug/Kg | | | 02/10/17 10:03 | 1 |
| Carbon tetrachloride | <0.38 | | 1.0 | 0.38 | ug/Kg | | | 02/10/17 10:03 | 1 |

TestAmerica Chicago

QC Sample Results

Client: SCS Engineers
 Project/Site: Arctic Laundry & Cleaners - 25216186

TestAmerica Job ID: 500-123596-1

Method: 8260B - Volatile Organic Compounds (GC/MS) (Continued)

Lab Sample ID: MB 500-371515/6
Matrix: Solid
Analysis Batch: 371515

Client Sample ID: Method Blank
Prep Type: Total/NA

| Analyte | MB | MB | RL | MDL | Unit | D | Prepared | Analyzed | Dil Fac |
|-----------------------------|--------|-----------|------|------|-------|---|----------|----------------|---------|
| | Result | Qualifier | | | | | | | |
| Chlorobenzene | <0.39 | | 1.0 | 0.39 | ug/Kg | | | 02/10/17 10:03 | 1 |
| Chloroethane | <0.50 | | 1.0 | 0.50 | ug/Kg | | | 02/10/17 10:03 | 1 |
| Chloroform | <0.37 | | 2.0 | 0.37 | ug/Kg | | | 02/10/17 10:03 | 1 |
| Chloromethane | <0.32 | | 1.0 | 0.32 | ug/Kg | | | 02/10/17 10:03 | 1 |
| 2-Chlorotoluene | <0.31 | | 1.0 | 0.31 | ug/Kg | | | 02/10/17 10:03 | 1 |
| 4-Chlorotoluene | <0.35 | | 1.0 | 0.35 | ug/Kg | | | 02/10/17 10:03 | 1 |
| cis-1,2-Dichloroethene | <0.41 | | 1.0 | 0.41 | ug/Kg | | | 02/10/17 10:03 | 1 |
| cis-1,3-Dichloropropene | <0.42 | | 1.0 | 0.42 | ug/Kg | | | 02/10/17 10:03 | 1 |
| Dibromochloromethane | <0.49 | | 1.0 | 0.49 | ug/Kg | | | 02/10/17 10:03 | 1 |
| 1,2-Dibromo-3-Chloropropane | <2.0 | | 5.0 | 2.0 | ug/Kg | | | 02/10/17 10:03 | 1 |
| 1,2-Dibromoethane | <0.39 | | 1.0 | 0.39 | ug/Kg | | | 02/10/17 10:03 | 1 |
| Dibromomethane | <0.27 | | 1.0 | 0.27 | ug/Kg | | | 02/10/17 10:03 | 1 |
| 1,2-Dichlorobenzene | <0.33 | | 1.0 | 0.33 | ug/Kg | | | 02/10/17 10:03 | 1 |
| 1,3-Dichlorobenzene | <0.40 | | 1.0 | 0.40 | ug/Kg | | | 02/10/17 10:03 | 1 |
| 1,4-Dichlorobenzene | <0.36 | | 1.0 | 0.36 | ug/Kg | | | 02/10/17 10:03 | 1 |
| Dichlorodifluoromethane | <0.67 | | 2.0 | 0.67 | ug/Kg | | | 02/10/17 10:03 | 1 |
| 1,1-Dichloroethane | <0.41 | | 1.0 | 0.41 | ug/Kg | | | 02/10/17 10:03 | 1 |
| 1,2-Dichloroethane | <0.39 | | 1.0 | 0.39 | ug/Kg | | | 02/10/17 10:03 | 1 |
| 1,1-Dichloroethene | <0.39 | | 1.0 | 0.39 | ug/Kg | | | 02/10/17 10:03 | 1 |
| 1,2-Dichloropropane | <0.43 | | 1.0 | 0.43 | ug/Kg | | | 02/10/17 10:03 | 1 |
| 1,3-Dichloropropane | <0.36 | | 1.0 | 0.36 | ug/Kg | | | 02/10/17 10:03 | 1 |
| 2,2-Dichloropropane | <0.44 | | 1.0 | 0.44 | ug/Kg | | | 02/10/17 10:03 | 1 |
| 1,1-Dichloropropene | <0.30 | | 1.0 | 0.30 | ug/Kg | | | 02/10/17 10:03 | 1 |
| Ethylbenzene | <0.18 | | 0.25 | 0.18 | ug/Kg | | | 02/10/17 10:03 | 1 |
| Hexachlorobutadiene | <0.45 | | 1.0 | 0.45 | ug/Kg | | | 02/10/17 10:03 | 1 |
| Isopropylbenzene | <0.38 | | 1.0 | 0.38 | ug/Kg | | | 02/10/17 10:03 | 1 |
| Isopropyl ether | <0.28 | | 1.0 | 0.28 | ug/Kg | | | 02/10/17 10:03 | 1 |
| Methylene Chloride | <1.6 | | 5.0 | 1.6 | ug/Kg | | | 02/10/17 10:03 | 1 |
| Methyl tert-butyl ether | <0.39 | | 1.0 | 0.39 | ug/Kg | | | 02/10/17 10:03 | 1 |
| Naphthalene | <0.33 | | 1.0 | 0.33 | ug/Kg | | | 02/10/17 10:03 | 1 |
| n-Butylbenzene | <0.39 | | 1.0 | 0.39 | ug/Kg | | | 02/10/17 10:03 | 1 |
| N-Propylbenzene | <0.41 | | 1.0 | 0.41 | ug/Kg | | | 02/10/17 10:03 | 1 |
| p-Isopropyltoluene | <0.36 | | 1.0 | 0.36 | ug/Kg | | | 02/10/17 10:03 | 1 |
| sec-Butylbenzene | <0.40 | | 1.0 | 0.40 | ug/Kg | | | 02/10/17 10:03 | 1 |
| Styrene | <0.39 | | 1.0 | 0.39 | ug/Kg | | | 02/10/17 10:03 | 1 |
| tert-Butylbenzene | <0.40 | | 1.0 | 0.40 | ug/Kg | | | 02/10/17 10:03 | 1 |
| 1,1,1,2-Tetrachloroethane | <0.46 | | 1.0 | 0.46 | ug/Kg | | | 02/10/17 10:03 | 1 |
| 1,1,2,2-Tetrachloroethane | <0.40 | | 1.0 | 0.40 | ug/Kg | | | 02/10/17 10:03 | 1 |
| Tetrachloroethene | <0.37 | | 1.0 | 0.37 | ug/Kg | | | 02/10/17 10:03 | 1 |
| Toluene | <0.15 | | 0.25 | 0.15 | ug/Kg | | | 02/10/17 10:03 | 1 |
| trans-1,2-Dichloroethene | <0.35 | | 1.0 | 0.35 | ug/Kg | | | 02/10/17 10:03 | 1 |
| trans-1,3-Dichloropropene | <0.36 | | 1.0 | 0.36 | ug/Kg | | | 02/10/17 10:03 | 1 |
| 1,2,3-Trichlorobenzene | <0.46 | | 1.0 | 0.46 | ug/Kg | | | 02/10/17 10:03 | 1 |
| 1,2,4-Trichlorobenzene | <0.34 | | 1.0 | 0.34 | ug/Kg | | | 02/10/17 10:03 | 1 |
| 1,1,1-Trichloroethane | <0.38 | | 1.0 | 0.38 | ug/Kg | | | 02/10/17 10:03 | 1 |
| 1,1,2-Trichloroethane | <0.35 | | 1.0 | 0.35 | ug/Kg | | | 02/10/17 10:03 | 1 |
| Trichloroethene | <0.16 | | 0.50 | 0.16 | ug/Kg | | | 02/10/17 10:03 | 1 |
| Trichlorofluoromethane | <0.43 | | 1.0 | 0.43 | ug/Kg | | | 02/10/17 10:03 | 1 |

TestAmerica Chicago

QC Sample Results

Client: SCS Engineers
 Project/Site: Arctic Laundry & Cleaners - 25216186

TestAmerica Job ID: 500-123596-1

Method: 8260B - Volatile Organic Compounds (GC/MS) (Continued)

Lab Sample ID: MB 500-371515/6
Matrix: Solid
Analysis Batch: 371515

Client Sample ID: Method Blank
Prep Type: Total/NA

| Analyte | MB Result | MB Qualifier | RL | MDL | Unit | D | Prepared | Analyzed | Dil Fac |
|------------------------|-----------|--------------|------|------|-------|---|----------|----------------|---------|
| 1,2,3-Trichloropropane | <0.41 | | 1.0 | 0.41 | ug/Kg | | | 02/10/17 10:03 | 1 |
| 1,2,4-Trimethylbenzene | <0.36 | | 1.0 | 0.36 | ug/Kg | | | 02/10/17 10:03 | 1 |
| 1,3,5-Trimethylbenzene | <0.38 | | 1.0 | 0.38 | ug/Kg | | | 02/10/17 10:03 | 1 |
| Vinyl chloride | <0.26 | | 0.50 | 0.26 | ug/Kg | | | 02/10/17 10:03 | 1 |
| Xylenes, Total | <0.22 | | 0.50 | 0.22 | ug/Kg | | | 02/10/17 10:03 | 1 |

| Surrogate | MB %Recovery | MB Qualifier | Limits | Prepared | Analyzed | Dil Fac |
|------------------------------|--------------|--------------|----------|----------|----------------|---------|
| 1,2-Dichloroethane-d4 (Surr) | 98 | | 71 - 127 | | 02/10/17 10:03 | 1 |
| 4-Bromofluorobenzene (Surr) | 94 | | 71 - 120 | | 02/10/17 10:03 | 1 |
| Dibromofluoromethane | 101 | | 70 - 120 | | 02/10/17 10:03 | 1 |
| Toluene-d8 (Surr) | 99 | | 75 - 120 | | 02/10/17 10:03 | 1 |

Lab Sample ID: LCS 500-371515/4
Matrix: Solid
Analysis Batch: 371515

Client Sample ID: Lab Control Sample
Prep Type: Total/NA

| Analyte | Spike Added | LCS Result | LCS Qualifier | Unit | D | %Rec | %Rec. Limits |
|-----------------------------|-------------|------------|---------------|-------|---|------|--------------|
| Benzene | 50.0 | 49.6 | | ug/Kg | | 99 | 70 - 125 |
| Bromobenzene | 50.0 | 53.4 | | ug/Kg | | 107 | 70 - 125 |
| Bromochloromethane | 50.0 | 51.4 | | ug/Kg | | 103 | 70 - 125 |
| Bromodichloromethane | 50.0 | 48.0 | | ug/Kg | | 96 | 70 - 125 |
| Bromoform | 50.0 | 54.5 | | ug/Kg | | 109 | 54 - 128 |
| Bromomethane | 50.0 | 41.2 | | ug/Kg | | 82 | 40 - 150 |
| Carbon tetrachloride | 50.0 | 53.0 | | ug/Kg | | 106 | 70 - 125 |
| Chlorobenzene | 50.0 | 53.4 | | ug/Kg | | 107 | 70 - 125 |
| Chloroethane | 50.0 | 43.6 | | ug/Kg | | 87 | 60 - 139 |
| Chloroform | 50.0 | 48.9 | | ug/Kg | | 98 | 70 - 125 |
| Chloromethane | 50.0 | 46.8 | | ug/Kg | | 94 | 60 - 140 |
| 2-Chlorotoluene | 50.0 | 53.0 | | ug/Kg | | 106 | 69 - 125 |
| 4-Chlorotoluene | 50.0 | 52.3 | | ug/Kg | | 105 | 70 - 125 |
| cis-1,2-Dichloroethene | 50.0 | 51.5 | | ug/Kg | | 103 | 70 - 125 |
| cis-1,3-Dichloropropene | 50.0 | 49.8 | | ug/Kg | | 100 | 70 - 125 |
| Dibromochloromethane | 50.0 | 52.8 | | ug/Kg | | 106 | 66 - 125 |
| 1,2-Dibromo-3-Chloropropane | 50.0 | 39.6 | | ug/Kg | | 79 | 51 - 125 |
| 1,2-Dibromoethane | 50.0 | 51.1 | | ug/Kg | | 102 | 70 - 125 |
| Dibromomethane | 50.0 | 50.8 | | ug/Kg | | 102 | 70 - 125 |
| 1,2-Dichlorobenzene | 50.0 | 51.8 | | ug/Kg | | 104 | 70 - 125 |
| 1,3-Dichlorobenzene | 50.0 | 53.5 | | ug/Kg | | 107 | 70 - 125 |
| 1,4-Dichlorobenzene | 50.0 | 52.3 | | ug/Kg | | 105 | 70 - 125 |
| Dichlorodifluoromethane | 50.0 | 27.9 | | ug/Kg | | 56 | 51 - 140 |
| 1,1-Dichloroethane | 50.0 | 49.8 | | ug/Kg | | 100 | 70 - 125 |
| 1,2-Dichloroethane | 50.0 | 49.1 | | ug/Kg | | 98 | 70 - 125 |
| 1,1-Dichloroethene | 50.0 | 50.4 | | ug/Kg | | 101 | 70 - 125 |
| 1,2-Dichloropropane | 50.0 | 51.7 | | ug/Kg | | 103 | 70 - 125 |
| 1,3-Dichloropropane | 50.0 | 52.4 | | ug/Kg | | 105 | 70 - 125 |
| 2,2-Dichloropropane | 50.0 | 44.7 | | ug/Kg | | 89 | 62 - 125 |
| 1,1-Dichloropropene | 50.0 | 50.2 | | ug/Kg | | 100 | 70 - 125 |
| Ethylbenzene | 50.0 | 54.3 | | ug/Kg | | 109 | 70 - 125 |

TestAmerica Chicago

QC Sample Results

Client: SCS Engineers
 Project/Site: Arctic Laundry & Cleaners - 25216186

TestAmerica Job ID: 500-123596-1

Method: 8260B - Volatile Organic Compounds (GC/MS) (Continued)

Lab Sample ID: LCS 500-371515/4
Matrix: Solid
Analysis Batch: 371515

Client Sample ID: Lab Control Sample
Prep Type: Total/NA

| Analyte | Spike Added | LCS Result | LCS Qualifier | Unit | D | %Rec | %Rec. Limits |
|---------------------------|-------------|------------|---------------|-------|---|------|--------------|
| Hexachlorobutadiene | 50.0 | 59.5 | | ug/Kg | | 119 | 57 - 140 |
| Isopropylbenzene | 50.0 | 55.2 | | ug/Kg | | 110 | 70 - 125 |
| Methylene Chloride | 50.0 | 48.8 | | ug/Kg | | 98 | 68 - 125 |
| Methyl tert-butyl ether | 50.0 | 40.4 | | ug/Kg | | 81 | 67 - 125 |
| Naphthalene | 50.0 | 37.5 | | ug/Kg | | 75 | 50 - 136 |
| n-Butylbenzene | 50.0 | 52.6 | | ug/Kg | | 105 | 70 - 125 |
| N-Propylbenzene | 50.0 | 54.9 | | ug/Kg | | 110 | 70 - 125 |
| p-Isopropyltoluene | 50.0 | 54.0 | | ug/Kg | | 108 | 70 - 125 |
| sec-Butylbenzene | 50.0 | 54.6 | | ug/Kg | | 109 | 70 - 125 |
| Styrene | 50.0 | 52.5 | | ug/Kg | | 105 | 70 - 125 |
| tert-Butylbenzene | 50.0 | 54.0 | | ug/Kg | | 108 | 70 - 125 |
| 1,1,1,2-Tetrachloroethane | 50.0 | 53.2 | | ug/Kg | | 106 | 68 - 125 |
| 1,1,2,2-Tetrachloroethane | 50.0 | 48.1 | | ug/Kg | | 96 | 68 - 125 |
| Tetrachloroethene | 50.0 | 56.1 | | ug/Kg | | 112 | 70 - 125 |
| Toluene | 50.0 | 51.6 | | ug/Kg | | 103 | 70 - 125 |
| trans-1,2-Dichloroethene | 50.0 | 50.7 | | ug/Kg | | 101 | 70 - 125 |
| trans-1,3-Dichloropropene | 50.0 | 48.9 | | ug/Kg | | 98 | 70 - 125 |
| 1,2,3-Trichlorobenzene | 50.0 | 42.2 | | ug/Kg | | 84 | 58 - 135 |
| 1,2,4-Trichlorobenzene | 50.0 | 44.4 | | ug/Kg | | 89 | 64 - 126 |
| 1,1,1-Trichloroethane | 50.0 | 51.0 | | ug/Kg | | 102 | 70 - 125 |
| 1,1,2-Trichloroethane | 50.0 | 51.3 | | ug/Kg | | 103 | 70 - 125 |
| Trichloroethene | 50.0 | 52.9 | | ug/Kg | | 106 | 70 - 125 |
| Trichlorofluoromethane | 50.0 | 45.3 | | ug/Kg | | 91 | 60 - 126 |
| 1,2,3-Trichloropropane | 50.0 | 45.5 | | ug/Kg | | 91 | 63 - 125 |
| 1,2,4-Trimethylbenzene | 50.0 | 53.1 | | ug/Kg | | 106 | 70 - 125 |
| 1,3,5-Trimethylbenzene | 50.0 | 53.0 | | ug/Kg | | 106 | 70 - 125 |
| Vinyl chloride | 50.0 | 42.8 | | ug/Kg | | 86 | 70 - 126 |
| Xylenes, Total | 100 | 103 | | ug/Kg | | 103 | 70 - 125 |

| Surrogate | LCS %Recovery | LCS Qualifier | Limits |
|------------------------------|---------------|---------------|----------|
| 1,2-Dichloroethane-d4 (Surr) | 93 | | 71 - 127 |
| 4-Bromofluorobenzene (Surr) | 94 | | 71 - 120 |
| Dibromofluoromethane | 96 | | 70 - 120 |
| Toluene-d8 (Surr) | 101 | | 75 - 120 |

Lab Sample ID: MB 500-372077/6
Matrix: Water
Analysis Batch: 372077

Client Sample ID: Method Blank
Prep Type: Total/NA

| Analyte | MB Result | MB Qualifier | RL | MDL | Unit | D | Prepared | Analyzed | Dil Fac |
|----------------------|-----------|--------------|------|------|------|---|----------|----------------|---------|
| Benzene | <0.15 | | 0.50 | 0.15 | ug/L | | | 02/15/17 10:49 | 1 |
| Bromobenzene | <0.36 | | 1.0 | 0.36 | ug/L | | | 02/15/17 10:49 | 1 |
| Bromochloromethane | <0.43 | | 1.0 | 0.43 | ug/L | | | 02/15/17 10:49 | 1 |
| Bromodichloromethane | <0.37 | | 1.0 | 0.37 | ug/L | | | 02/15/17 10:49 | 1 |
| Bromoform | <0.48 | | 1.0 | 0.48 | ug/L | | | 02/15/17 10:49 | 1 |
| Bromomethane | <0.80 | | 2.0 | 0.80 | ug/L | | | 02/15/17 10:49 | 1 |
| Carbon tetrachloride | <0.38 | | 1.0 | 0.38 | ug/L | | | 02/15/17 10:49 | 1 |
| Chlorobenzene | <0.39 | | 1.0 | 0.39 | ug/L | | | 02/15/17 10:49 | 1 |

TestAmerica Chicago

QC Sample Results

Client: SCS Engineers
 Project/Site: Arctic Laundry & Cleaners - 25216186

TestAmerica Job ID: 500-123596-1

Method: 8260B - Volatile Organic Compounds (GC/MS) (Continued)

Lab Sample ID: MB 500-372077/6
Matrix: Water
Analysis Batch: 372077

Client Sample ID: Method Blank
Prep Type: Total/NA

| Analyte | MB | MB | RL | MDL | Unit | D | Prepared | Analyzed | Dil Fac |
|-----------------------------|--------|-----------|------|------|------|---|----------|----------------|---------|
| | Result | Qualifier | | | | | | | |
| Chloroethane | <0.51 | | 1.0 | 0.51 | ug/L | | | 02/15/17 10:49 | 1 |
| Chloroform | <0.37 | | 2.0 | 0.37 | ug/L | | | 02/15/17 10:49 | 1 |
| Chloromethane | <0.32 | | 1.0 | 0.32 | ug/L | | | 02/15/17 10:49 | 1 |
| 2-Chlorotoluene | <0.31 | | 1.0 | 0.31 | ug/L | | | 02/15/17 10:49 | 1 |
| 4-Chlorotoluene | <0.35 | | 1.0 | 0.35 | ug/L | | | 02/15/17 10:49 | 1 |
| cis-1,2-Dichloroethene | <0.41 | | 1.0 | 0.41 | ug/L | | | 02/15/17 10:49 | 1 |
| cis-1,3-Dichloropropene | <0.42 | | 1.0 | 0.42 | ug/L | | | 02/15/17 10:49 | 1 |
| Dibromochloromethane | <0.49 | | 1.0 | 0.49 | ug/L | | | 02/15/17 10:49 | 1 |
| 1,2-Dibromo-3-Chloropropane | <2.0 | | 5.0 | 2.0 | ug/L | | | 02/15/17 10:49 | 1 |
| 1,2-Dibromoethane | <0.39 | | 1.0 | 0.39 | ug/L | | | 02/15/17 10:49 | 1 |
| Dibromomethane | <0.27 | | 1.0 | 0.27 | ug/L | | | 02/15/17 10:49 | 1 |
| 1,2-Dichlorobenzene | <0.33 | | 1.0 | 0.33 | ug/L | | | 02/15/17 10:49 | 1 |
| 1,3-Dichlorobenzene | <0.40 | | 1.0 | 0.40 | ug/L | | | 02/15/17 10:49 | 1 |
| 1,4-Dichlorobenzene | <0.36 | | 1.0 | 0.36 | ug/L | | | 02/15/17 10:49 | 1 |
| Dichlorodifluoromethane | <0.67 | | 2.0 | 0.67 | ug/L | | | 02/15/17 10:49 | 1 |
| 1,1-Dichloroethane | <0.41 | | 1.0 | 0.41 | ug/L | | | 02/15/17 10:49 | 1 |
| 1,2-Dichloroethane | <0.39 | | 1.0 | 0.39 | ug/L | | | 02/15/17 10:49 | 1 |
| 1,1-Dichloroethene | <0.39 | | 1.0 | 0.39 | ug/L | | | 02/15/17 10:49 | 1 |
| 1,2-Dichloropropane | <0.43 | | 1.0 | 0.43 | ug/L | | | 02/15/17 10:49 | 1 |
| 1,3-Dichloropropane | <0.36 | | 1.0 | 0.36 | ug/L | | | 02/15/17 10:49 | 1 |
| 2,2-Dichloropropane | <0.44 | | 1.0 | 0.44 | ug/L | | | 02/15/17 10:49 | 1 |
| 1,1-Dichloropropene | <0.30 | | 1.0 | 0.30 | ug/L | | | 02/15/17 10:49 | 1 |
| Ethylbenzene | <0.18 | | 0.50 | 0.18 | ug/L | | | 02/15/17 10:49 | 1 |
| Hexachlorobutadiene | <0.45 | | 1.0 | 0.45 | ug/L | | | 02/15/17 10:49 | 1 |
| Isopropylbenzene | <0.39 | | 1.0 | 0.39 | ug/L | | | 02/15/17 10:49 | 1 |
| Isopropyl ether | <0.28 | | 1.0 | 0.28 | ug/L | | | 02/15/17 10:49 | 1 |
| Methylene Chloride | <1.6 | | 5.0 | 1.6 | ug/L | | | 02/15/17 10:49 | 1 |
| Methyl tert-butyl ether | <0.39 | | 1.0 | 0.39 | ug/L | | | 02/15/17 10:49 | 1 |
| Naphthalene | <0.34 | | 1.0 | 0.34 | ug/L | | | 02/15/17 10:49 | 1 |
| n-Butylbenzene | <0.39 | | 1.0 | 0.39 | ug/L | | | 02/15/17 10:49 | 1 |
| N-Propylbenzene | <0.41 | | 1.0 | 0.41 | ug/L | | | 02/15/17 10:49 | 1 |
| p-Isopropyltoluene | <0.36 | | 1.0 | 0.36 | ug/L | | | 02/15/17 10:49 | 1 |
| sec-Butylbenzene | <0.40 | | 1.0 | 0.40 | ug/L | | | 02/15/17 10:49 | 1 |
| Styrene | <0.39 | | 1.0 | 0.39 | ug/L | | | 02/15/17 10:49 | 1 |
| tert-Butylbenzene | <0.40 | | 1.0 | 0.40 | ug/L | | | 02/15/17 10:49 | 1 |
| 1,1,1,2-Tetrachloroethane | <0.46 | | 1.0 | 0.46 | ug/L | | | 02/15/17 10:49 | 1 |
| 1,1,2,2-Tetrachloroethane | <0.40 | | 1.0 | 0.40 | ug/L | | | 02/15/17 10:49 | 1 |
| Tetrachloroethene | <0.37 | | 1.0 | 0.37 | ug/L | | | 02/15/17 10:49 | 1 |
| Toluene | <0.15 | | 0.50 | 0.15 | ug/L | | | 02/15/17 10:49 | 1 |
| trans-1,2-Dichloroethene | <0.35 | | 1.0 | 0.35 | ug/L | | | 02/15/17 10:49 | 1 |
| trans-1,3-Dichloropropene | <0.36 | | 1.0 | 0.36 | ug/L | | | 02/15/17 10:49 | 1 |
| 1,2,3-Trichlorobenzene | <0.46 | | 1.0 | 0.46 | ug/L | | | 02/15/17 10:49 | 1 |
| 1,2,4-Trichlorobenzene | <0.34 | | 1.0 | 0.34 | ug/L | | | 02/15/17 10:49 | 1 |
| 1,1,1-Trichloroethane | <0.38 | | 1.0 | 0.38 | ug/L | | | 02/15/17 10:49 | 1 |
| 1,1,2-Trichloroethane | <0.35 | | 1.0 | 0.35 | ug/L | | | 02/15/17 10:49 | 1 |
| Trichloroethene | <0.16 | | 0.50 | 0.16 | ug/L | | | 02/15/17 10:49 | 1 |
| Trichlorofluoromethane | <0.43 | | 1.0 | 0.43 | ug/L | | | 02/15/17 10:49 | 1 |
| 1,2,3-Trichloropropane | <0.41 | | 1.0 | 0.41 | ug/L | | | 02/15/17 10:49 | 1 |

TestAmerica Chicago

QC Sample Results

Client: SCS Engineers
 Project/Site: Arctic Laundry & Cleaners - 25216186

TestAmerica Job ID: 500-123596-1

Method: 8260B - Volatile Organic Compounds (GC/MS) (Continued)

Lab Sample ID: MB 500-372077/6
Matrix: Water
Analysis Batch: 372077

Client Sample ID: Method Blank
Prep Type: Total/NA

| Analyte | MB Result | MB Qualifier | RL | MDL | Unit | D | Prepared | Analyzed | Dil Fac |
|------------------------|-----------|--------------|------|------|------|---|----------|----------------|---------|
| 1,2,4-Trimethylbenzene | <0.36 | | 1.0 | 0.36 | ug/L | | | 02/15/17 10:49 | 1 |
| 1,3,5-Trimethylbenzene | <0.25 | | 1.0 | 0.25 | ug/L | | | 02/15/17 10:49 | 1 |
| Vinyl chloride | <0.20 | | 0.50 | 0.20 | ug/L | | | 02/15/17 10:49 | 1 |
| Xylenes, Total | <0.22 | | 1.0 | 0.22 | ug/L | | | 02/15/17 10:49 | 1 |

| Surrogate | MB %Recovery | MB Qualifier | Limits | Prepared | Analyzed | Dil Fac |
|------------------------------|--------------|--------------|----------|----------|----------------|---------|
| 1,2-Dichloroethane-d4 (Surr) | 104 | | 71 - 127 | | 02/15/17 10:49 | 1 |
| 4-Bromofluorobenzene (Surr) | 100 | | 71 - 120 | | 02/15/17 10:49 | 1 |
| Dibromofluoromethane | 95 | | 70 - 120 | | 02/15/17 10:49 | 1 |
| Toluene-d8 (Surr) | 100 | | 75 - 120 | | 02/15/17 10:49 | 1 |

Lab Sample ID: LCS 500-372077/4
Matrix: Water
Analysis Batch: 372077

Client Sample ID: Lab Control Sample
Prep Type: Total/NA

| Analyte | Spike Added | LCS Result | LCS Qualifier | Unit | D | %Rec | %Rec. Limits |
|-----------------------------|-------------|------------|---------------|------|---|------|--------------|
| Benzene | 50.0 | 45.2 | | ug/L | | 90 | 70 - 125 |
| Bromobenzene | 50.0 | 45.9 | | ug/L | | 92 | 70 - 125 |
| Bromochloromethane | 50.0 | 42.9 | | ug/L | | 86 | 70 - 125 |
| Bromodichloromethane | 50.0 | 44.8 | | ug/L | | 90 | 70 - 125 |
| Bromoform | 50.0 | 41.2 | | ug/L | | 82 | 54 - 128 |
| Bromomethane | 50.0 | 42.9 | | ug/L | | 86 | 40 - 150 |
| Carbon tetrachloride | 50.0 | 45.5 | | ug/L | | 91 | 70 - 125 |
| Chlorobenzene | 50.0 | 46.5 | | ug/L | | 93 | 70 - 125 |
| Chloroethane | 50.0 | 47.0 | | ug/L | | 94 | 60 - 139 |
| Chloroform | 50.0 | 46.4 | | ug/L | | 93 | 70 - 125 |
| Chloromethane | 50.0 | 41.8 | | ug/L | | 84 | 60 - 140 |
| 2-Chlorotoluene | 50.0 | 47.5 | | ug/L | | 95 | 69 - 125 |
| 4-Chlorotoluene | 50.0 | 47.9 | | ug/L | | 96 | 70 - 125 |
| cis-1,2-Dichloroethene | 50.0 | 43.7 | | ug/L | | 87 | 70 - 125 |
| cis-1,3-Dichloropropene | 50.0 | 46.7 | | ug/L | | 93 | 70 - 125 |
| Dibromochloromethane | 50.0 | 45.3 | | ug/L | | 91 | 66 - 125 |
| 1,2-Dibromo-3-Chloropropane | 50.0 | 42.8 | | ug/L | | 86 | 51 - 125 |
| 1,2-Dibromoethane | 50.0 | 47.9 | | ug/L | | 96 | 70 - 125 |
| Dibromomethane | 50.0 | 45.1 | | ug/L | | 90 | 70 - 125 |
| 1,2-Dichlorobenzene | 50.0 | 46.5 | | ug/L | | 93 | 70 - 125 |
| 1,3-Dichlorobenzene | 50.0 | 47.0 | | ug/L | | 94 | 70 - 125 |
| 1,4-Dichlorobenzene | 50.0 | 46.6 | | ug/L | | 93 | 70 - 125 |
| Dichlorodifluoromethane | 50.0 | 31.6 | | ug/L | | 63 | 51 - 140 |
| 1,1-Dichloroethane | 50.0 | 45.0 | | ug/L | | 90 | 70 - 125 |
| 1,2-Dichloroethane | 50.0 | 47.4 | | ug/L | | 95 | 70 - 125 |
| 1,1-Dichloroethene | 50.0 | 44.5 | | ug/L | | 89 | 70 - 125 |
| 1,2-Dichloropropane | 50.0 | 46.2 | | ug/L | | 92 | 70 - 125 |
| 1,3-Dichloropropane | 50.0 | 47.6 | | ug/L | | 95 | 70 - 125 |
| 2,2-Dichloropropane | 50.0 | 44.8 | | ug/L | | 90 | 62 - 125 |
| 1,1-Dichloropropene | 50.0 | 46.8 | | ug/L | | 94 | 70 - 125 |
| Ethylbenzene | 50.0 | 49.2 | | ug/L | | 98 | 70 - 125 |
| Hexachlorobutadiene | 50.0 | 45.3 | | ug/L | | 91 | 57 - 140 |

TestAmerica Chicago

QC Sample Results

Client: SCS Engineers
 Project/Site: Arctic Laundry & Cleaners - 25216186

TestAmerica Job ID: 500-123596-1

Method: 8260B - Volatile Organic Compounds (GC/MS) (Continued)

Lab Sample ID: LCS 500-372077/4

Matrix: Water

Analysis Batch: 372077

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

| Analyte | Spike Added | LCS Result | LCS Qualifier | Unit | D | %Rec | %Rec. Limits |
|---------------------------|-------------|------------|---------------|------|---|------|--------------|
| | | | | | | | |
| Isopropylbenzene | 50.0 | 48.3 | | ug/L | | 97 | 70 - 125 |
| Methylene Chloride | 50.0 | 44.0 | | ug/L | | 88 | 68 - 125 |
| Methyl tert-butyl ether | 50.0 | 45.6 | | ug/L | | 91 | 67 - 125 |
| Naphthalene | 50.0 | 42.1 | | ug/L | | 84 | 50 - 136 |
| n-Butylbenzene | 50.0 | 49.5 | | ug/L | | 99 | 70 - 125 |
| N-Propylbenzene | 50.0 | 49.0 | | ug/L | | 98 | 70 - 125 |
| p-Isopropyltoluene | 50.0 | 48.8 | | ug/L | | 98 | 70 - 125 |
| sec-Butylbenzene | 50.0 | 48.9 | | ug/L | | 98 | 70 - 125 |
| Styrene | 50.0 | 47.0 | | ug/L | | 94 | 70 - 125 |
| tert-Butylbenzene | 50.0 | 48.2 | | ug/L | | 96 | 70 - 125 |
| 1,1,1,2-Tetrachloroethane | 50.0 | 45.5 | | ug/L | | 91 | 68 - 125 |
| 1,1,2,2-Tetrachloroethane | 50.0 | 46.8 | | ug/L | | 94 | 68 - 125 |
| Tetrachloroethene | 50.0 | 48.5 | | ug/L | | 97 | 70 - 125 |
| Toluene | 50.0 | 47.7 | | ug/L | | 95 | 70 - 125 |
| trans-1,2-Dichloroethene | 50.0 | 44.3 | | ug/L | | 89 | 70 - 125 |
| trans-1,3-Dichloropropene | 50.0 | 45.7 | | ug/L | | 91 | 70 - 125 |
| 1,2,3-Trichlorobenzene | 50.0 | 41.5 | | ug/L | | 83 | 58 - 135 |
| 1,2,4-Trichlorobenzene | 50.0 | 43.8 | | ug/L | | 88 | 64 - 126 |
| 1,1,1-Trichloroethane | 50.0 | 46.8 | | ug/L | | 94 | 70 - 125 |
| 1,1,2-Trichloroethane | 50.0 | 47.1 | | ug/L | | 94 | 70 - 125 |
| Trichloroethene | 50.0 | 45.4 | | ug/L | | 91 | 70 - 125 |
| Trichlorofluoromethane | 50.0 | 52.5 | | ug/L | | 105 | 60 - 126 |
| 1,2,3-Trichloropropane | 50.0 | 44.2 | | ug/L | | 88 | 63 - 125 |
| 1,2,4-Trimethylbenzene | 50.0 | 48.9 | | ug/L | | 98 | 70 - 125 |
| 1,3,5-Trimethylbenzene | 50.0 | 48.8 | | ug/L | | 98 | 70 - 125 |
| Vinyl chloride | 50.0 | 47.1 | | ug/L | | 94 | 70 - 126 |
| Xylenes, Total | 100 | 95.8 | | ug/L | | 96 | 70 - 125 |

| Surrogate | LCS LCS | | Limits |
|------------------------------|-----------|-----------|----------|
| | %Recovery | Qualifier | |
| 1,2-Dichloroethane-d4 (Surr) | 101 | | 71 - 127 |
| 4-Bromofluorobenzene (Surr) | 98 | | 71 - 120 |
| Dibromofluoromethane | 94 | | 70 - 120 |
| Toluene-d8 (Surr) | 101 | | 75 - 120 |

Lab Chronicle

Client: SCS Engineers
Project/Site: Arctic Laundry & Cleaners - 25216186

TestAmerica Job ID: 500-123596-1

Client Sample ID: GP-7 (0-2')

Date Collected: 02/06/17 08:50

Date Received: 02/08/17 10:30

Lab Sample ID: 500-123596-1

Matrix: Solid

| Prep Type | Batch Type | Batch Method | Run | Dilution Factor | Batch Number | Prepared or Analyzed | Analyst | Lab |
|-----------|------------|--------------|-----|-----------------|--------------|----------------------|---------|---------|
| Total/NA | Analysis | Moisture | | 1 | 371426 | 02/09/17 11:46 | LWN | TAL CHI |

Client Sample ID: GP-7 (0-2')

Date Collected: 02/06/17 08:50

Date Received: 02/08/17 10:30

Lab Sample ID: 500-123596-1

Matrix: Solid

Percent Solids: 80.7

| Prep Type | Batch Type | Batch Method | Run | Dilution Factor | Batch Number | Prepared or Analyzed | Analyst | Lab |
|-----------|------------|--------------|-----|-----------------|--------------|----------------------|---------|---------|
| Total/NA | Prep | 5035 | | | 371336 | 02/06/17 08:50 | WRE | TAL CHI |
| Total/NA | Analysis | 8260B | | 50 | 371372 | 02/09/17 12:40 | TCT | TAL CHI |

Client Sample ID: GP-7 (5-7.5')

Date Collected: 02/06/17 08:55

Date Received: 02/08/17 10:30

Lab Sample ID: 500-123596-2

Matrix: Solid

| Prep Type | Batch Type | Batch Method | Run | Dilution Factor | Batch Number | Prepared or Analyzed | Analyst | Lab |
|-----------|------------|--------------|-----|-----------------|--------------|----------------------|---------|---------|
| Total/NA | Analysis | Moisture | | 1 | 371426 | 02/09/17 11:46 | LWN | TAL CHI |

Client Sample ID: GP-7 (5-7.5')

Date Collected: 02/06/17 08:55

Date Received: 02/08/17 10:30

Lab Sample ID: 500-123596-2

Matrix: Solid

Percent Solids: 85.9

| Prep Type | Batch Type | Batch Method | Run | Dilution Factor | Batch Number | Prepared or Analyzed | Analyst | Lab |
|-----------|------------|--------------|-----|-----------------|--------------|----------------------|---------|---------|
| Total/NA | Prep | 5035 | | | 371336 | 02/06/17 08:55 | WRE | TAL CHI |
| Total/NA | Analysis | 8260B | | 50 | 371372 | 02/09/17 13:08 | TCT | TAL CHI |

Client Sample ID: GP-8 (2.5-5')

Date Collected: 02/06/17 09:40

Date Received: 02/08/17 10:30

Lab Sample ID: 500-123596-3

Matrix: Solid

| Prep Type | Batch Type | Batch Method | Run | Dilution Factor | Batch Number | Prepared or Analyzed | Analyst | Lab |
|-----------|------------|--------------|-----|-----------------|--------------|----------------------|---------|---------|
| Total/NA | Analysis | Moisture | | 1 | 371426 | 02/09/17 11:46 | LWN | TAL CHI |

Client Sample ID: GP-8 (2.5-5')

Date Collected: 02/06/17 09:40

Date Received: 02/08/17 10:30

Lab Sample ID: 500-123596-3

Matrix: Solid

Percent Solids: 86.4

| Prep Type | Batch Type | Batch Method | Run | Dilution Factor | Batch Number | Prepared or Analyzed | Analyst | Lab |
|-----------|------------|--------------|-----|-----------------|--------------|----------------------|---------|---------|
| Total/NA | Prep | 5035 | | | 371336 | 02/06/17 09:40 | WRE | TAL CHI |
| Total/NA | Analysis | 8260B | | 50 | 371372 | 02/09/17 13:36 | TCT | TAL CHI |

TestAmerica Chicago

Lab Chronicle

Client: SCS Engineers
Project/Site: Arctic Laundry & Cleaners - 25216186

TestAmerica Job ID: 500-123596-1

Client Sample ID: GP-8 (5-7.5')

Date Collected: 02/06/17 09:45

Date Received: 02/08/17 10:30

Lab Sample ID: 500-123596-4

Matrix: Solid

| Prep Type | Batch Type | Batch Method | Run | Dilution Factor | Batch Number | Prepared or Analyzed | Analyst | Lab |
|-----------|------------|--------------|-----|-----------------|--------------|----------------------|---------|---------|
| Total/NA | Analysis | Moisture | | 1 | 371426 | 02/09/17 11:46 | LWN | TAL CHI |

Client Sample ID: GP-8 (5-7.5')

Date Collected: 02/06/17 09:45

Date Received: 02/08/17 10:30

Lab Sample ID: 500-123596-4

Matrix: Solid

Percent Solids: 84.3

| Prep Type | Batch Type | Batch Method | Run | Dilution Factor | Batch Number | Prepared or Analyzed | Analyst | Lab |
|-----------|------------|--------------|-----|-----------------|--------------|----------------------|---------|---------|
| Total/NA | Prep | 5035 | | | 371336 | 02/06/17 09:45 | WRE | TAL CHI |
| Total/NA | Analysis | 8260B | | 50 | 371372 | 02/09/17 14:03 | TCT | TAL CHI |

Client Sample ID: GP-9 (2.5-5')

Date Collected: 02/06/17 10:35

Date Received: 02/08/17 10:30

Lab Sample ID: 500-123596-5

Matrix: Solid

| Prep Type | Batch Type | Batch Method | Run | Dilution Factor | Batch Number | Prepared or Analyzed | Analyst | Lab |
|-----------|------------|--------------|-----|-----------------|--------------|----------------------|---------|---------|
| Total/NA | Analysis | Moisture | | 1 | 371426 | 02/09/17 11:46 | LWN | TAL CHI |

Client Sample ID: GP-9 (2.5-5')

Date Collected: 02/06/17 10:35

Date Received: 02/08/17 10:30

Lab Sample ID: 500-123596-5

Matrix: Solid

Percent Solids: 82.2

| Prep Type | Batch Type | Batch Method | Run | Dilution Factor | Batch Number | Prepared or Analyzed | Analyst | Lab |
|-----------|------------|--------------|-----|-----------------|--------------|----------------------|---------|---------|
| Total/NA | Prep | 5035 | | | 371336 | 02/06/17 10:35 | WRE | TAL CHI |
| Total/NA | Analysis | 8260B | | 50 | 371372 | 02/09/17 14:31 | TCT | TAL CHI |

Client Sample ID: GP-9 (5-7.5')

Date Collected: 02/06/17 10:40

Date Received: 02/08/17 10:30

Lab Sample ID: 500-123596-6

Matrix: Solid

| Prep Type | Batch Type | Batch Method | Run | Dilution Factor | Batch Number | Prepared or Analyzed | Analyst | Lab |
|-----------|------------|--------------|-----|-----------------|--------------|----------------------|---------|---------|
| Total/NA | Analysis | Moisture | | 1 | 371426 | 02/09/17 11:46 | LWN | TAL CHI |

Client Sample ID: GP-9 (5-7.5')

Date Collected: 02/06/17 10:40

Date Received: 02/08/17 10:30

Lab Sample ID: 500-123596-6

Matrix: Solid

Percent Solids: 79.6

| Prep Type | Batch Type | Batch Method | Run | Dilution Factor | Batch Number | Prepared or Analyzed | Analyst | Lab |
|-----------|------------|--------------|-----|-----------------|--------------|----------------------|---------|---------|
| Total/NA | Prep | 5035 | | | 371336 | 02/06/17 10:40 | WRE | TAL CHI |
| Total/NA | Analysis | 8260B | | 50 | 371372 | 02/09/17 14:59 | TCT | TAL CHI |

TestAmerica Chicago

Lab Chronicle

Client: SCS Engineers
 Project/Site: Arctic Laundry & Cleaners - 25216186

TestAmerica Job ID: 500-123596-1

Client Sample ID: GP-10 (2.5-5')

Date Collected: 02/06/17 11:05

Date Received: 02/08/17 10:30

Lab Sample ID: 500-123596-7

Matrix: Solid

| Prep Type | Batch Type | Batch Method | Run | Dilution Factor | Batch Number | Prepared or Analyzed | Analyst | Lab |
|-----------|------------|--------------|-----|-----------------|--------------|----------------------|---------|---------|
| Total/NA | Analysis | Moisture | | 1 | 371426 | 02/09/17 11:46 | LWN | TAL CHI |

Client Sample ID: GP-10 (2.5-5')

Date Collected: 02/06/17 11:05

Date Received: 02/08/17 10:30

Lab Sample ID: 500-123596-7

Matrix: Solid

Percent Solids: 88.1

| Prep Type | Batch Type | Batch Method | Run | Dilution Factor | Batch Number | Prepared or Analyzed | Analyst | Lab |
|-----------|------------|--------------|-----|-----------------|--------------|----------------------|---------|---------|
| Total/NA | Prep | 5035 | | | 371336 | 02/06/17 11:05 | WRE | TAL CHI |
| Total/NA | Analysis | 8260B | | 50 | 371372 | 02/09/17 15:27 | TCT | TAL CHI |

Client Sample ID: GP-10 (5-7.5')

Date Collected: 02/06/17 11:10

Date Received: 02/08/17 10:30

Lab Sample ID: 500-123596-8

Matrix: Solid

| Prep Type | Batch Type | Batch Method | Run | Dilution Factor | Batch Number | Prepared or Analyzed | Analyst | Lab |
|-----------|------------|--------------|-----|-----------------|--------------|----------------------|---------|---------|
| Total/NA | Analysis | Moisture | | 1 | 371426 | 02/09/17 11:46 | LWN | TAL CHI |

Client Sample ID: GP-10 (5-7.5')

Date Collected: 02/06/17 11:10

Date Received: 02/08/17 10:30

Lab Sample ID: 500-123596-8

Matrix: Solid

Percent Solids: 89.2

| Prep Type | Batch Type | Batch Method | Run | Dilution Factor | Batch Number | Prepared or Analyzed | Analyst | Lab |
|-----------|------------|--------------|-----|-----------------|--------------|----------------------|---------|---------|
| Total/NA | Prep | 5035 | | | 371336 | 02/06/17 11:10 | WRE | TAL CHI |
| Total/NA | Analysis | 8260B | | 50 | 371372 | 02/09/17 15:55 | TCT | TAL CHI |

Client Sample ID: GP-11 (0-2.5')

Date Collected: 02/06/17 11:25

Date Received: 02/08/17 10:30

Lab Sample ID: 500-123596-9

Matrix: Solid

| Prep Type | Batch Type | Batch Method | Run | Dilution Factor | Batch Number | Prepared or Analyzed | Analyst | Lab |
|-----------|------------|--------------|-----|-----------------|--------------|----------------------|---------|---------|
| Total/NA | Analysis | Moisture | | 1 | 371426 | 02/09/17 11:46 | LWN | TAL CHI |

Client Sample ID: GP-11 (0-2.5')

Date Collected: 02/06/17 11:25

Date Received: 02/08/17 10:30

Lab Sample ID: 500-123596-9

Matrix: Solid

Percent Solids: 86.3

| Prep Type | Batch Type | Batch Method | Run | Dilution Factor | Batch Number | Prepared or Analyzed | Analyst | Lab |
|-----------|------------|--------------|-----|-----------------|--------------|----------------------|---------|---------|
| Total/NA | Prep | 5035 | | | 371336 | 02/06/17 11:25 | WRE | TAL CHI |
| Total/NA | Analysis | 8260B | | 50 | 371372 | 02/09/17 16:23 | TCT | TAL CHI |

TestAmerica Chicago

Lab Chronicle

Client: SCS Engineers
 Project/Site: Arctic Laundry & Cleaners - 25216186

TestAmerica Job ID: 500-123596-1

Client Sample ID: GP-11 (5-7.5')

Lab Sample ID: 500-123596-10

Date Collected: 02/06/17 11:30

Matrix: Solid

Date Received: 02/08/17 10:30

| Prep Type | Batch Type | Batch Method | Run | Dilution Factor | Batch Number | Prepared or Analyzed | Analyst | Lab |
|-----------|------------|--------------|-----|-----------------|--------------|----------------------|---------|---------|
| Total/NA | Analysis | Moisture | | 1 | 371426 | 02/09/17 11:46 | LWN | TAL CHI |

Client Sample ID: GP-11 (5-7.5')

Lab Sample ID: 500-123596-10

Date Collected: 02/06/17 11:30

Matrix: Solid

Date Received: 02/08/17 10:30

Percent Solids: 88.5

| Prep Type | Batch Type | Batch Method | Run | Dilution Factor | Batch Number | Prepared or Analyzed | Analyst | Lab |
|-----------|------------|--------------|-----|-----------------|--------------|----------------------|---------|---------|
| Total/NA | Prep | 5035 | | | 371336 | 02/06/17 11:30 | WRE | TAL CHI |
| Total/NA | Analysis | 8260B | | 50 | 371372 | 02/09/17 16:50 | TCT | TAL CHI |

Client Sample ID: MW-1 (2.5-5')

Lab Sample ID: 500-123596-11

Date Collected: 02/06/17 10:00

Matrix: Solid

Date Received: 02/08/17 10:30

| Prep Type | Batch Type | Batch Method | Run | Dilution Factor | Batch Number | Prepared or Analyzed | Analyst | Lab |
|-----------|------------|--------------|-----|-----------------|--------------|----------------------|---------|---------|
| Total/NA | Analysis | Moisture | | 1 | 371426 | 02/09/17 11:46 | LWN | TAL CHI |

Client Sample ID: MW-1 (2.5-5')

Lab Sample ID: 500-123596-11

Date Collected: 02/06/17 10:00

Matrix: Solid

Date Received: 02/08/17 10:30

Percent Solids: 90.7

| Prep Type | Batch Type | Batch Method | Run | Dilution Factor | Batch Number | Prepared or Analyzed | Analyst | Lab |
|-----------|------------|--------------|-----|-----------------|--------------|----------------------|---------|---------|
| Total/NA | Prep | 5035 | | | 371336 | 02/06/17 10:00 | WRE | TAL CHI |
| Total/NA | Analysis | 8260B | | 50 | 371372 | 02/09/17 17:18 | TCT | TAL CHI |

Client Sample ID: MW-1 (5-7.5')

Lab Sample ID: 500-123596-12

Date Collected: 02/06/17 10:05

Matrix: Solid

Date Received: 02/08/17 10:30

| Prep Type | Batch Type | Batch Method | Run | Dilution Factor | Batch Number | Prepared or Analyzed | Analyst | Lab |
|-----------|------------|--------------|-----|-----------------|--------------|----------------------|---------|---------|
| Total/NA | Analysis | Moisture | | 1 | 371426 | 02/09/17 11:46 | LWN | TAL CHI |

Client Sample ID: MW-1 (5-7.5')

Lab Sample ID: 500-123596-12

Date Collected: 02/06/17 10:05

Matrix: Solid

Date Received: 02/08/17 10:30

Percent Solids: 85.9

| Prep Type | Batch Type | Batch Method | Run | Dilution Factor | Batch Number | Prepared or Analyzed | Analyst | Lab |
|-----------|------------|--------------|-----|-----------------|--------------|----------------------|---------|---------|
| Total/NA | Prep | 5035 | | | 371336 | 02/06/17 10:05 | WRE | TAL CHI |
| Total/NA | Analysis | 8260B | | 50 | 371372 | 02/09/17 17:46 | TCT | TAL CHI |

TestAmerica Chicago

Lab Chronicle

Client: SCS Engineers
 Project/Site: Arctic Laundry & Cleaners - 25216186

TestAmerica Job ID: 500-123596-1

Client Sample ID: MW-2 (2.5-5')

Lab Sample ID: 500-123596-13

Date Collected: 02/06/17 11:55

Matrix: Solid

Date Received: 02/08/17 10:30

| Prep Type | Batch Type | Batch Method | Run | Dilution Factor | Batch Number | Prepared or Analyzed | Analyst | Lab |
|-----------|------------|--------------|-----|-----------------|--------------|----------------------|---------|---------|
| Total/NA | Analysis | Moisture | | 1 | 371426 | 02/09/17 11:46 | LWN | TAL CHI |

Client Sample ID: MW-2 (2.5-5')

Lab Sample ID: 500-123596-13

Date Collected: 02/06/17 11:55

Matrix: Solid

Date Received: 02/08/17 10:30

Percent Solids: 88.2

| Prep Type | Batch Type | Batch Method | Run | Dilution Factor | Batch Number | Prepared or Analyzed | Analyst | Lab |
|-----------|------------|--------------|-----|-----------------|--------------|----------------------|---------|---------|
| Total/NA | Prep | 5035 | | | 371336 | 02/06/17 11:55 | WRE | TAL CHI |
| Total/NA | Analysis | 8260B | | 50 | 371372 | 02/09/17 18:14 | TCT | TAL CHI |

Client Sample ID: MW-2 (5-7.5')

Lab Sample ID: 500-123596-14

Date Collected: 02/06/17 12:00

Matrix: Solid

Date Received: 02/08/17 10:30

| Prep Type | Batch Type | Batch Method | Run | Dilution Factor | Batch Number | Prepared or Analyzed | Analyst | Lab |
|-----------|------------|--------------|-----|-----------------|--------------|----------------------|---------|---------|
| Total/NA | Analysis | Moisture | | 1 | 371426 | 02/09/17 11:46 | LWN | TAL CHI |

Client Sample ID: MW-2 (5-7.5')

Lab Sample ID: 500-123596-14

Date Collected: 02/06/17 12:00

Matrix: Solid

Date Received: 02/08/17 10:30

Percent Solids: 86.0

| Prep Type | Batch Type | Batch Method | Run | Dilution Factor | Batch Number | Prepared or Analyzed | Analyst | Lab |
|-----------|------------|--------------|-----|-----------------|--------------|----------------------|---------|---------|
| Total/NA | Prep | 5035 | | | 371336 | 02/06/17 12:00 | WRE | TAL CHI |
| Total/NA | Analysis | 8260B | | 50 | 371372 | 02/09/17 18:42 | TCT | TAL CHI |

Client Sample ID: MW-3 (0-2.5')

Lab Sample ID: 500-123596-15

Date Collected: 02/06/17 13:50

Matrix: Solid

Date Received: 02/08/17 10:30

| Prep Type | Batch Type | Batch Method | Run | Dilution Factor | Batch Number | Prepared or Analyzed | Analyst | Lab |
|-----------|------------|--------------|-----|-----------------|--------------|----------------------|---------|---------|
| Total/NA | Analysis | Moisture | | 1 | 371426 | 02/09/17 11:46 | LWN | TAL CHI |

Client Sample ID: MW-3 (0-2.5')

Lab Sample ID: 500-123596-15

Date Collected: 02/06/17 13:50

Matrix: Solid

Date Received: 02/08/17 10:30

Percent Solids: 79.3

| Prep Type | Batch Type | Batch Method | Run | Dilution Factor | Batch Number | Prepared or Analyzed | Analyst | Lab |
|-----------|------------|--------------|-----|-----------------|--------------|----------------------|---------|---------|
| Total/NA | Prep | 5035 | | | 371336 | 02/06/17 13:50 | WRE | TAL CHI |
| Total/NA | Analysis | 8260B | | 50 | 371372 | 02/09/17 19:10 | TCT | TAL CHI |

TestAmerica Chicago

Lab Chronicle

Client: SCS Engineers
Project/Site: Arctic Laundry & Cleaners - 25216186

TestAmerica Job ID: 500-123596-1

Client Sample ID: MW-3 (5-7.5')

Lab Sample ID: 500-123596-16

Date Collected: 02/06/17 13:55

Matrix: Solid

Date Received: 02/08/17 10:30

| Prep Type | Batch Type | Batch Method | Run | Dilution Factor | Batch Number | Prepared or Analyzed | Analyst | Lab |
|-----------|------------|--------------|-----|-----------------|--------------|----------------------|---------|---------|
| Total/NA | Analysis | Moisture | | 1 | 371426 | 02/09/17 11:46 | LWN | TAL CHI |

Client Sample ID: MW-3 (5-7.5')

Lab Sample ID: 500-123596-16

Date Collected: 02/06/17 13:55

Matrix: Solid

Date Received: 02/08/17 10:30

Percent Solids: 89.2

| Prep Type | Batch Type | Batch Method | Run | Dilution Factor | Batch Number | Prepared or Analyzed | Analyst | Lab |
|-----------|------------|--------------|-----|-----------------|--------------|----------------------|---------|---------|
| Total/NA | Prep | 5035 | | | 371336 | 02/06/17 13:55 | WRE | TAL CHI |
| Total/NA | Analysis | 8260B | | 50 | 371515 | 02/10/17 16:06 | TCT | TAL CHI |

Client Sample ID: Trip Blank

Lab Sample ID: 500-123596-17

Date Collected: 02/06/17 00:00

Matrix: Water

Date Received: 02/08/17 10:30

| Prep Type | Batch Type | Batch Method | Run | Dilution Factor | Batch Number | Prepared or Analyzed | Analyst | Lab |
|-----------|------------|--------------|-----|-----------------|--------------|----------------------|---------|---------|
| Total/NA | Analysis | 8260B | | 1 | 371514 | 02/10/17 16:34 | TCT | TAL CHI |

Client Sample ID: GP-7

Lab Sample ID: 500-123596-18

Date Collected: 02/06/17 10:10

Matrix: Water

Date Received: 02/08/17 10:30

| Prep Type | Batch Type | Batch Method | Run | Dilution Factor | Batch Number | Prepared or Analyzed | Analyst | Lab |
|-----------|------------|--------------|-----|-----------------|--------------|----------------------|---------|---------|
| Total/NA | Analysis | 8260B | | 1 | 371514 | 02/10/17 17:02 | TCT | TAL CHI |

Client Sample ID: GP-8

Lab Sample ID: 500-123596-19

Date Collected: 02/06/17 10:15

Matrix: Water

Date Received: 02/08/17 10:30

| Prep Type | Batch Type | Batch Method | Run | Dilution Factor | Batch Number | Prepared or Analyzed | Analyst | Lab |
|-----------|------------|--------------|-----|-----------------|--------------|----------------------|---------|---------|
| Total/NA | Analysis | 8260B | | 1 | 371514 | 02/10/17 17:30 | TCT | TAL CHI |

Client Sample ID: GP-9

Lab Sample ID: 500-123596-20

Date Collected: 02/06/17 12:55

Matrix: Water

Date Received: 02/08/17 10:30

| Prep Type | Batch Type | Batch Method | Run | Dilution Factor | Batch Number | Prepared or Analyzed | Analyst | Lab |
|-----------|------------|--------------|-----|-----------------|--------------|----------------------|---------|---------|
| Total/NA | Analysis | 8260B | | 1 | 371514 | 02/10/17 17:58 | TCT | TAL CHI |

TestAmerica Chicago

Lab Chronicle

Client: SCS Engineers
Project/Site: Arctic Laundry & Cleaners - 25216186

TestAmerica Job ID: 500-123596-1

Client Sample ID: GP-10

Date Collected: 02/06/17 12:40

Date Received: 02/08/17 10:30

Lab Sample ID: 500-123596-21

Matrix: Water

| Prep Type | Batch Type | Batch Method | Run | Dilution Factor | Batch Number | Prepared or Analyzed | Analyst | Lab |
|-----------|------------|--------------|-----|-----------------|--------------|----------------------|---------|---------|
| Total/NA | Analysis | 8260B | | 1 | 372077 | 02/15/17 13:57 | PMF | TAL CHI |

Client Sample ID: GP-11

Date Collected: 02/06/17 12:45

Date Received: 02/08/17 10:30

Lab Sample ID: 500-123596-22

Matrix: Water

| Prep Type | Batch Type | Batch Method | Run | Dilution Factor | Batch Number | Prepared or Analyzed | Analyst | Lab |
|-----------|------------|--------------|-----|-----------------|--------------|----------------------|---------|---------|
| Total/NA | Analysis | 8260B | | 1 | 372077 | 02/15/17 14:24 | PMF | TAL CHI |

Laboratory References:

TAL CHI = TestAmerica Chicago, 2417 Bond Street, University Park, IL 60484, TEL (708)534-5200

Certification Summary

Client: SCS Engineers
Project/Site: Arctic Laundry & Cleaners - 25216186

TestAmerica Job ID: 500-123596-1

Laboratory: TestAmerica Chicago

Unless otherwise noted, all analytes for this laboratory were covered under each certification below.

| Authority | Program | EPA Region | Certification ID | Expiration Date |
|-----------|---------------|------------|------------------|-----------------|
| Wisconsin | State Program | 5 | 999580010 | 08-31-17 |

| Analysis Method | Prep Method | Matrix | Analyte |
|-----------------|-------------|--------|---------|
|-----------------|-------------|--------|---------|

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13
- 14
- 15

TestAmerica

THE LEADER IN ENVIRONMENTAL

2417 Bond Street, University Park, IL 6
Phone: 708.534.5200 Fax: 708.534.5200



500-123596 COC

Report To (optional) _____ Bill To (optional) _____
 Contact: Robert Langdon Contact: _____
 Company: SCS Engineers Company: _____
 Address: 2830 Dairy Dr. Address: _____
 Address: Madison, WI 53718 Address: _____
 Phone: 608-211-7329 Phone: _____
 Fax: _____ Fax: _____
 E-Mail: rlangdon@scsengineers.com PO#/Reference# _____

Chain of Custody Record

Lab Job #: 500-123596
 Chain of Custody Number: _____
 Page _____ of _____
 Temperature °C of Cooler: 0.8

| Client | | Client Project # | | Preservative | | Parameter | | Matrix | | Comments | |
|---------------------------|--------|------------------|------|--------------|-----------------|--------------|---|-----------------|--|------------|--|
| SCS Engineers | | 252116186 | | Meq/L | | VOCs (82406) | | 8 | | Dry weight | |
| Project Name | | Lab Project # | | Date | | Time | | # of Containers | | Matrix | |
| Arctic Laundry + Cleaners | | | | | | | | | | | |
| Project Location/State | | Lab PM | | Date | | Time | | # of Containers | | Matrix | |
| Kenosha, WI | | Sandie Fredrick | | | | | | | | | |
| Sampler | | Lab PM | | Date | | Time | | # of Containers | | Matrix | |
| Jaclyn De Bruyne | | Sandie Fredrick | | | | | | | | | |
| Lab ID | MS/MSD | Sample ID | Date | Time | # of Containers | Matrix | | | | | |
| 1 | | GP-7 (0-2') | 2-6 | 850 | 2 | S | X | X | | | |
| 2 | | GP-7 (5-7.5') | 2-6 | 855 | 2 | S | X | X | | | |
| 3 | | GP-8 (2.5-5') | 2-6 | 940 | 2 | S | X | X | | | |
| 4 | | GP-8 (5-7.5') | 2-6 | 945 | 2 | S | X | X | | | |
| 5 | | GP-9 (2.5-5') | 2-6 | 1035 | 2 | S | X | X | | | |
| 6 | | GP-9 (5-7.5') | 2-6 | 1040 | 2 | S | X | X | | | |
| 7 | | GP-10 (2.5-5') | 2-6 | 1105 | 2 | S | X | X | | | |
| 8 | | GP-10 (5-7.5') | 2-6 | 1110 | 2 | S | X | X | | | |
| 9 | | GP-11 (0-2.5') | 2-6 | 1125 | 2 | S | X | X | | | |
| 10 | | GP-11 (5-7.5') | 2-6 | 1130 | 2 | S | X | X | | | |

- Preservative Key
1. HCL, Cool to 4°
 2. H2SO4, Cool to 4°
 3. HNO3, Cool to 4°
 4. NaOH, Cool to 4°
 5. NaOH/Zn, Cool to 4°
 6. NaHSO4
 7. Cool to 4°
 8. None
 9. Other

Turnaround Time Required (Business Days) Standard
 ___ 1 Day ___ 2 Days ___ 5 Days ___ 7 Days ___ 10 Days ___ 15 Days ___ Other ___
 Requested Due Date _____

Sample Disposal
 Return to Client Disposal by Lab Archive for ___ Months (A fee may be assessed if samples are retained longer than 1 month)

| | | |
|---|---|-----------------------------|
| Relinquished By: <u>[Signature]</u> Company: <u>SCS Engineers</u> Date: <u>2-7-17</u> Time: <u>1030</u> | Received By: <u>[Signature]</u> Company: <u>SCS Engineers</u> Date: <u>2/8/17</u> Time: <u>1030</u> | Lab Courier: _____ |
| Relinquished By: _____ Company: _____ Date: _____ Time: _____ | Received By: _____ Company: _____ Date: _____ Time: _____ | Shipped: <u>[Signature]</u> |
| Relinquished By: _____ Company: _____ Date: _____ Time: _____ | Received By: _____ Company: _____ Date: _____ Time: _____ | Hand Delivered: _____ |

- Matrix Key
- WW - Wastewater
 - W - Water
 - S - Soil
 - SL - Sludge
 - MS - Miscellaneous
 - OL - Oil
 - A - Air
 - SE - Sediment
 - SO - Soil
 - L - Leachate
 - WI - Wipe
 - DW - Drinking Water
 - O - Other

Client Comments: _____

Lab Comments: _____

TestAmerica

THE LEADER IN ENVIRONMENTAL TESTING

2417 Bond Street, University Park, IL 60484
 Phone: 708.534.5200 Fax: 708.534.5211

Report To (optional) Robert Langdon Bill To (optional) _____
 Contact: SCS Engineers Company: _____
 Address: 2830 Dairy Drive Address: _____
 Address: Madison, WI 53718 Address: _____
 Phone: 608-216-7329 Phone: _____
 Fax: _____ Fax: _____
 E-Mail: rlangdon@scsengineers.com PO#/Reference# _____

Chain of Custody Record

Lab Job #: 500-123596
 Chain of Custody Number: _____
 Page _____ of _____
 Temperature °C of Cooler: _____

| Client | | Client Project # | | Preservative | | Parameter | | PO#/Reference# | | Preservative Key 1. HCL, Cool to 4° 2. H2SO4, Cool to 4° 3. HNO3, Cool to 4° 4. NaOH, Cool to 4° 5. NaOH/Zn, Cool to 4° 6. NaHSO4 7. Cool to 4° 8. None 9. Other | |
|-----------------------------|--------|------------------|------|------------------|-----------------|--------------|--------|----------------|--------|---|----------|
| Project Name | | Lab Project # | | Matrix | | Matrix | | | | | |
| Project Location/State | | Lab PM | | Containers | | Matrix | | | | | |
| Lab ID | MS/MSD | Sample ID | Date | Time | # of Containers | Matrix | Matrix | Matrix | Matrix | | Comments |
| SCS Engineers | | 25216186 | | MROH 8 | | VOCs (8260B) | | Dry Weight | | Com | |
| Arctic Laundry and Cleaners | | Kenosha, WI | | Sandyie Fredrick | | | | | | | |
| 11 | | mw-1 (2.5-5') | 2-6 | 1000 | 2 S | X | X | | | | |
| 12 | | mw-1 (5-7.5') | 2-6 | 1005 | 2 S | X | X | | | | |
| 13 | | mw-2 (2.5-5') | 2-6 | 1155 | 2 S | X | X | | | | |
| 14 | | mw-2 (5-7.5') | 2-6 | 1200 | 2 S | X | X | | | | |
| 15 | | mw-3 (0-2.5') | 2-6 | 1350 | 2 S | X | X | | | | |
| 16 | | mw-3 (5-7.5') | 2-6 | 1355 | 2 S | X | X | | | | |
| 17 | | Trip blank | 2-6 | | 1 O | X | | | | | |

Turnaround Time Required (Business Days) Standard
 ___ 1 Day ___ 2 Days ___ 5 Days ___ 7 Days ___ 10 Days ___ 15 Days ___ Other
 Requested Due Date _____
 Sample Disposal: Return to Client Disposal by Lab Archive for ___ Months (A fee may be assessed if samples are retained longer than 1 month)

| | | | | | | | |
|----------------------------------|---------------------------------|-----------------------|----------------------|-------------------------------------|--------------------------|-----------------------|---------------------|
| Relinquished By <u>Jm Dgh</u> | Company <u>SCS Engineers</u> | Date <u>2-7-17</u> | Time <u>11:30</u> | Received By <u>Shirley Scott</u> | Company <u>TA-CHT</u> | Date <u>2/8/17</u> | Time <u>1030</u> |
| Relinquished By | Company | Date | Time | Received By | Company | Date | Time |
| Relinquished By | Company | Date | Time | Received By | Company | Date | Time |

Lab Courier: _____
 Shipped: FedEx
 Hand Delivered: _____

Matrix Key

| | |
|--------------------|---------------------|
| WW - Wastewater | SE - Sediment |
| W - Water | SO - Soil |
| S - Soil | L - Leachate |
| SL - Sludge | WI - Wipes |
| MS - Miscellaneous | DW - Drinking Water |
| OL - Oil | O - Other |
| A - Air | |

Client Comments: _____
 Lab Comments: _____



TestAmerica

THE LEADER IN ENVIRONMENTAL TESTING

2417 Bond Street, University Park, IL 60484
 Phone: 708.534.5200 Fax: 708.534.5211

Report To (optional)
 Contact: Robert Langdon
 Company: SCS Engineers
 Address: 2830 Dairy Drive
Madison, WI 53718
 Address:
 Phone: 608-211-7329
 Fax:
 E-Mail: rlangdon@scsengineers.com

Bill To (optional)
 Contact:
 Company:
 Address:
 Address:
 Phone:
 Fax:
 PO#/Reference#

Chain of Custody Record

Lab Job #: 500-123596
 Chain of Custody Number:
 Page _____ of _____
 Temperature °C of Cooler:

| Client | | Client Project # | | Preservative | | Parameter | | Matrix | | Preservative Key 1. HCL, Cool to 4° 2. H2SO4, Cool to 4° 3. HNO3, Cool to 4° 4. NaOH, Cool to 4° 5. NaOH/Zn, Cool to 4° 6. NaHSO4 7. Cool to 4° 8. None 9. Other |
|-----------------------------|--------|------------------------|------|---------------|-----------------|-----------------|--|-----------------|--------------|---|
| Project Name | | Project Location/State | | Lab Project # | | Sampler | | Lab PM | | |
| Lab ID | MS/MSD | Sample ID | Date | Time | # of Containers | Matrix | | | Comments | |
| SCS Engineers | | 25216186 | | 1 | | VOCs (821005) | | | | |
| Arctic Laundry and Cleaners | | Kenosha, WI | | | | Jaelyn DeBruyne | | Sandie Fredrick | | |
| 18 | | GP-7 | 2-6 | 1010 | 3 W | X | | | | |
| 19 | | GP-8 | 2-6 | 1015 | 3 W | X | | | | |
| 20 | | GP-9 | 2-6 | 1255 | 3 W | X | | | Rec 1 broken | |
| 21 | | GP-10 | 2-6 | 1240 | 3 W | X | | | | |
| 22 | | GP-11 | 2-6 | 1245 | 3 W | X | | | | |

Turnaround Time Required (Business Days) Standard
 ___ 1 Day ___ 2 Days ___ 5 Days ___ 7 Days ___ 10 Days ___ 15 Days ___ Other
 Requested Due Date _____

Sample Disposal
 Return to Client Disposal by Lab Archive for _____ Months (A fee may be assessed if samples are retained longer than 1 month)

| | | | | | | | |
|---------------------------------------|--------------------------|----------------|--------------|-----------------------------------|--------------------------|----------------|--------------|
| Relinquished By <u>[Signature]</u> | Company SCS Engineers | Date 2-7-17 | Time 1630 | Received By <u>[Signature]</u> | Company SCS Engineers | Date 2/8/17 | Time 1030 |
| Relinquished By | Company | Date | Time | Received By | Company | Date | Time |
| Relinquished By | Company | Date | Time | Received By | Company | Date | Time |

Lab Courier
 Shipped FedEx
 Hand Delivered

Matrix Key
 WW - Wastewater SE - Sediment
 W - Water SO - Soil
 S - Soil L - Leachate
 SL - Sludge WL - Wipe
 MS - Miscellaneous DW - Drinking Water
 OL - Oil O - Other
 A - Air

Client Comments

Lab Comments:

Login Sample Receipt Checklist

Client: SCS Engineers

Job Number: 500-123596-1

Login Number: 123596

List Source: TestAmerica Chicago

List Number: 1

Creator: Scott, Sherri L

| Question | Answer | Comment |
|--|--------|---|
| Radioactivity wasn't checked or is </= background as measured by a survey meter. | True | |
| The cooler's custody seal, if present, is intact. | True | |
| Sample custody seals, if present, are intact. | True | |
| The cooler or samples do not appear to have been compromised or tampered with. | True | |
| Samples were received on ice. | True | |
| Cooler Temperature is acceptable. | True | |
| Cooler Temperature is recorded. | True | 0.8 |
| COC is present. | True | |
| COC is filled out in ink and legible. | True | |
| COC is filled out with all pertinent information. | True | |
| Is the Field Sampler's name present on COC? | True | |
| There are no discrepancies between the containers received and the COC. | True | |
| Samples are received within Holding Time (excluding tests with immediate HTs) | True | |
| Sample containers have legible labels. | True | |
| Containers are not broken or leaking. | False | Containers recd broken. Sufficient sample in remaining containers for analysis. |
| Sample collection date/times are provided. | True | |
| Appropriate sample containers are used. | True | |
| Sample bottles are completely filled. | True | |
| Sample Preservation Verified. | True | |
| There is sufficient vol. for all requested analyses, incl. any requested MS/MSDs | True | |
| Containers requiring zero headspace have no headspace or bubble is <6mm (1/4"). | False | Refer to Job Narrative for details. |
| Multiphasic samples are not present. | True | |
| Samples do not require splitting or compositing. | True | |
| Residual Chlorine Checked. | N/A | |



February 21, 2017

Rob Langdon
SCS Engineers
2830 Dairy Drive
Madison, WI 53718

RE: Project: 25216186 5619 22nd Ave. Kenosh
Pace Project No.: 10378651

Dear Rob Langdon:

Enclosed are the analytical results for sample(s) received by the laboratory on February 09, 2017. The results relate only to the samples included in this report. Results reported herein conform to the most current, applicable TNI/NELAC standards and the laboratory's Quality Assurance Manual, where applicable, unless otherwise noted in the body of the report.

If you have any questions concerning this report, please feel free to contact me.

Sincerely,

Carolynne Trout

Carolynne Trout
carolynne.trout@pacelabs.com
Project Manager

Enclosures



REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

CERTIFICATIONS

Project: 25216186 5619 22nd Ave. Kenosh

Pace Project No.: 10378651

Minnesota Certification IDs

1700 Elm Street SE Suite 200, Minneapolis, MN 55414

Alaska Certification UST-107

525 N 8th Street, Salina, KS 67401

A2LA Certification #: 2926.01

Alaska Certification #: UST-078

Alaska Certification #MN00064

Alabama Certification #40770

Arizona Certification #: AZ-0014

Arkansas Certification #: 88-0680

California Certification #: 01155CA

Colorado Certification #Pace

Connecticut Certification #: PH-0256

EPA Region 8 Certification #: 8TMS-L

Florida/NELAP Certification #: E87605

Guam Certification #:14-008r

Georgia Certification #: 959

Georgia EPD #: Pace

Idaho Certification #: MN00064

Hawaii Certification #MN00064

Illinois Certification #: 200011

Indiana Certification#C-MN-01

Iowa Certification #: 368

Kansas Certification #: E-10167

Kentucky Dept of Envi. Protection - DW #90062

Kentucky Dept of Envi. Protection - WW #:90062

Louisiana DEQ Certification #: 3086

Louisiana DHH #: LA140001

Maine Certification #: 2013011

Maryland Certification #: 322

Michigan DEPH Certification #: 9909

Minnesota Certification #: 027-053-137

Mississippi Certification #: Pace

Montana Certification #: MT0092

Nevada Certification #: MN_00064

Nebraska Certification #: Pace

New Jersey Certification #: MN-002

New York Certification #: 11647

North Carolina Certification #: 530

North Carolina State Public Health #: 27700

North Dakota Certification #: R-036

Ohio EPA #: 4150

Ohio VAP Certification #: CL101

Oklahoma Certification #: 9507

Oregon Certification #: MN200001

Oregon Certification #: MN300001

Pennsylvania Certification #: 68-00563

Puerto Rico Certification

Saipan (CNMI) #:MP0003

South Carolina #:74003001

Texas Certification #: T104704192

Tennessee Certification #: 02818

Utah Certification #: MN000642013-4

Virginia DGS Certification #: 251

Virginia/VELAP Certification #: Pace

Washington Certification #: C486

West Virginia Certification #: 382

West Virginia DHHR #:9952C

Wisconsin Certification #: 999407970

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

SAMPLE SUMMARY

Project: 25216186 5619 22nd Ave. Kenosh

Pace Project No.: 10378651

| Lab ID | Sample ID | Matrix | Date Collected | Date Received |
|-------------|--------------------------|--------|----------------|----------------|
| 10378651001 | 5619 22nd Ave. Basement | Air | 02/07/17 12:40 | 02/09/17 09:45 |
| 10378651002 | 5619 22nd Ave. 1st Floor | Air | 02/07/17 12:22 | 02/09/17 09:45 |
| 10378651003 | 5619 22nd Ave. 2nd Floor | Air | 02/07/17 12:28 | 02/09/17 09:45 |
| 10378651004 | 5619 22nd Ave. Outdoor | Air | 02/07/17 12:34 | 02/09/17 09:45 |
| 10378651005 | 5619 22nd Ave. SS-1 | Air | 02/07/17 16:18 | 02/09/17 09:45 |
| 10378651006 | 5619 22nd Ave. SS-2 | Air | 02/07/17 17:05 | 02/09/17 09:45 |
| 10378651007 | 5619 22nd Ave. SS-3 | Air | 02/07/17 17:57 | 02/09/17 09:45 |

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

SAMPLE ANALYTE COUNT

Project: 25216186 5619 22nd Ave. Kenosh

Pace Project No.: 10378651

| Lab ID | Sample ID | Method | Analysts | Analytes Reported | Laboratory |
|-------------|--------------------------|--------|----------|-------------------|------------|
| 10378651001 | 5619 22nd Ave. Basement | TO-15 | EMC | 5 | PASI-M |
| 10378651002 | 5619 22nd Ave. 1st Floor | TO-15 | EMC | 5 | PASI-M |
| 10378651003 | 5619 22nd Ave. 2nd Floor | TO-15 | EMC | 5 | PASI-M |
| 10378651004 | 5619 22nd Ave. Outdoor | TO-15 | EMC | 5 | PASI-M |
| 10378651005 | 5619 22nd Ave. SS-1 | TO-15 | EMC | 5 | PASI-M |
| 10378651006 | 5619 22nd Ave. SS-2 | TO-15 | EMC | 5 | PASI-M |
| 10378651007 | 5619 22nd Ave. SS-3 | TO-15 | EMC | 5 | PASI-M |

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 25216186 5619 22nd Ave. Kenosh

Pace Project No.: 10378651

| Sample: 5619 22nd Ave. SS-1 Lab ID: 10378651005 Collected: 02/07/17 16:18 Received: 02/09/17 09:45 Matrix: Air | | | | | | | | | |
|--|---------|-------|-------|------|--------|----------|----------------|----------|------|
| Parameters | Results | Units | LOQ | LOD | DF | Prepared | Analyzed | CAS No. | Qual |
| TO15 MSV AIR Analytical Method: TO-15 | | | | | | | | | |
| cis-1,2-Dichloroethene | 23.1 | ug/m3 | 1.5 | 0.45 | 1.83 | | 02/18/17 20:56 | 156-59-2 | |
| trans-1,2-Dichloroethene | 23.3 | ug/m3 | 1.5 | 0.70 | 1.83 | | 02/18/17 20:56 | 156-60-5 | |
| Tetrachloroethene | 2880000 | ug/m3 | 12900 | 2600 | 9369.6 | | 02/20/17 18:13 | 127-18-4 | A3,E |
| Trichloroethene | 7050 | ug/m3 | 639 | 162 | 585.6 | | 02/20/17 13:09 | 79-01-6 | A3 |
| Vinyl chloride | <0.36 | ug/m3 | 0.48 | 0.36 | 1.83 | | 02/18/17 20:56 | 75-01-4 | |

| Sample: 5619 22nd Ave. SS-2 Lab ID: 10378651006 Collected: 02/07/17 17:05 Received: 02/09/17 09:45 Matrix: Air | | | | | | | | | |
|--|---------|-------|------|------|------|----------|----------------|----------|------|
| Parameters | Results | Units | LOQ | LOD | DF | Prepared | Analyzed | CAS No. | Qual |
| TO15 MSV AIR Analytical Method: TO-15 | | | | | | | | | |
| cis-1,2-Dichloroethene | 6.9 | ug/m3 | 1.4 | 0.41 | 1.68 | | 02/18/17 21:26 | 156-59-2 | |
| trans-1,2-Dichloroethene | 47.6 | ug/m3 | 1.4 | 0.65 | 1.68 | | 02/18/17 21:26 | 156-60-5 | |
| Tetrachloroethene | 6710 | ug/m3 | 46.3 | 9.3 | 33.6 | | 02/20/17 12:15 | 127-18-4 | |
| Trichloroethene | 363 | ug/m3 | 36.7 | 9.3 | 33.6 | | 02/20/17 12:15 | 79-01-6 | |
| Vinyl chloride | <0.33 | ug/m3 | 0.44 | 0.33 | 1.68 | | 02/18/17 21:26 | 75-01-4 | |

| Sample: 5619 22nd Ave. SS-3 Lab ID: 10378651007 Collected: 02/07/17 17:57 Received: 02/09/17 09:45 Matrix: Air | | | | | | | | | |
|--|---------|-------|------|------|--------|----------|----------------|----------|------|
| Parameters | Results | Units | LOQ | LOD | DF | Prepared | Analyzed | CAS No. | Qual |
| TO15 MSV AIR Analytical Method: TO-15 | | | | | | | | | |
| cis-1,2-Dichloroethene | 5.5 | ug/m3 | 1.5 | 0.45 | 1.83 | | 02/18/17 21:55 | 156-59-2 | |
| trans-1,2-Dichloroethene | 2.0 | ug/m3 | 1.5 | 0.70 | 1.83 | | 02/18/17 21:55 | 156-60-5 | |
| Tetrachloroethene | 180000 | ug/m3 | 1620 | 326 | 1171.2 | | 02/20/17 17:46 | 127-18-4 | A3 |
| Trichloroethene | 472 | ug/m3 | 160 | 40.4 | 146.4 | | 02/20/17 12:42 | 79-01-6 | A3 |
| Vinyl chloride | <0.36 | ug/m3 | 0.48 | 0.36 | 1.83 | | 02/18/17 21:55 | 75-01-4 | |

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: 25216186 5619 22nd Ave. Kenosh

Pace Project No.: 10378651

QC Batch: 460708 Analysis Method: TO-15
 QC Batch Method: TO-15 Analysis Description: TO15 MSV AIR Low Level
 Associated Lab Samples: 10378651001, 10378651002, 10378651003, 10378651004, 10378651005, 10378651006, 10378651007

METHOD BLANK: 2519802 Matrix: Air
 Associated Lab Samples: 10378651001, 10378651002, 10378651003, 10378651004, 10378651005, 10378651006, 10378651007

| Parameter | Units | Blank Result | Reporting Limit | Analyzed | Qualifiers |
|--------------------------|-------|--------------|-----------------|----------------|------------|
| cis-1,2-Dichloroethene | ug/m3 | <0.25 | 0.81 | 02/18/17 11:22 | |
| Tetrachloroethene | ug/m3 | <0.28 | 0.69 | 02/18/17 11:22 | |
| trans-1,2-Dichloroethene | ug/m3 | <0.38 | 0.81 | 02/18/17 11:22 | |
| Trichloroethene | ug/m3 | <0.28 | 0.55 | 02/18/17 11:22 | |
| Vinyl chloride | ug/m3 | <0.20 | 0.26 | 02/18/17 11:22 | |

LABORATORY CONTROL SAMPLE: 2519803

| Parameter | Units | Spike Conc. | LCS Result | LCS % Rec | % Rec Limits | Qualifiers |
|--------------------------|-------|-------------|------------|-----------|--------------|------------|
| cis-1,2-Dichloroethene | ug/m3 | 40.3 | 45.6 | 113 | 65-139 | |
| Tetrachloroethene | ug/m3 | 68.9 | 83.9 | 122 | 60-142 | |
| trans-1,2-Dichloroethene | ug/m3 | 40.3 | 45.1 | 112 | 67-137 | |
| Trichloroethene | ug/m3 | 54.6 | 62.1 | 114 | 60-144 | |
| Vinyl chloride | ug/m3 | 26 | 27.7 | 107 | 63-135 | |

SAMPLE DUPLICATE: 2520204

| Parameter | Units | 10379197001 Result | Dup Result | RPD | Max RPD | Qualifiers |
|--------------------------|-------|--------------------|------------|-----|---------|------------|
| cis-1,2-Dichloroethene | ug/m3 | ND | <0.38 | | 25 | |
| Tetrachloroethene | ug/m3 | 8210 | 3450 | 82 | 25 | E,R1 |
| trans-1,2-Dichloroethene | ug/m3 | ND | <0.60 | | 25 | |
| Trichloroethene | ug/m3 | 136 | 131 | 4 | 25 | |
| Vinyl chloride | ug/m3 | ND | <0.30 | | 25 | |

SAMPLE DUPLICATE: 2520205

| Parameter | Units | 10379197003 Result | Dup Result | RPD | Max RPD | Qualifiers |
|--------------------------|-------|--------------------|------------|-----|---------|------------|
| cis-1,2-Dichloroethene | ug/m3 | ND | <0.35 | | 25 | |
| Tetrachloroethene | ug/m3 | 187 | 175 | 6 | 25 | |
| trans-1,2-Dichloroethene | ug/m3 | ND | <0.55 | | 25 | |
| Trichloroethene | ug/m3 | 6.2 | 5.4 | 14 | 25 | |
| Vinyl chloride | ug/m3 | ND | <0.28 | | 25 | |

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
 without the written consent of Pace Analytical Services, LLC.

QUALIFIERS

Project: 25216186 5619 22nd Ave. Kenosh

Pace Project No.: 10378651

DEFINITIONS

DF - Dilution Factor, if reported, represents the factor applied to the reported data due to dilution of the sample aliquot.

ND - Not Detected at or above LOD.

J - Estimated concentration at or above the LOD and below the LOQ.

LOD - Limit of Detection adjusted for dilution factor and percent moisture.

LOQ - Limit of Quantitation adjusted for dilution factor and percent moisture.

S - Surrogate

1,2-Diphenylhydrazine decomposes to and cannot be separated from Azobenzene using Method 8270. The result for each analyte is a combined concentration.

Consistent with EPA guidelines, unrounded data are displayed and have been used to calculate % recovery and RPD values.

LCS(D) - Laboratory Control Sample (Duplicate)

MS(D) - Matrix Spike (Duplicate)

DUP - Sample Duplicate

RPD - Relative Percent Difference

NC - Not Calculable.

SG - Silica Gel - Clean-Up

U - Indicates the compound was analyzed for, but not detected at or above the adjusted LOD.

N-Nitrosodiphenylamine decomposes and cannot be separated from Diphenylamine using Method 8270. The result reported for each analyte is a combined concentration.

Pace Analytical is TNI accredited. Contact your Pace PM for the current list of accredited analytes.

TNI - The NELAC Institute.

LABORATORIES

PASI-M Pace Analytical Services - Minneapolis

ANALYTE QUALIFIERS

A3 The sample was analyzed by serial dilution.

E Analyte concentration exceeded the calibration range. The reported result is estimated.

R1 RPD value was outside control limits.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA CROSS REFERENCE TABLE

Project: 25216186 5619 22nd Ave. Kenosh

Pace Project No.: 10378651

| Lab ID | Sample ID | QC Batch Method | QC Batch | Analytical Method | Analytical Batch |
|-------------|--------------------------|-----------------|----------|-------------------|------------------|
| 10378651001 | 5619 22nd Ave. Basement | TO-15 | 460708 | | |
| 10378651002 | 5619 22nd Ave. 1st Floor | TO-15 | 460708 | | |
| 10378651003 | 5619 22nd Ave. 2nd Floor | TO-15 | 460708 | | |
| 10378651004 | 5619 22nd Ave. Outdoor | TO-15 | 460708 | | |
| 10378651005 | 5619 22nd Ave. SS-1 | TO-15 | 460708 | | |
| 10378651006 | 5619 22nd Ave. SS-2 | TO-15 | 460708 | | |
| 10378651007 | 5619 22nd Ave. SS-3 | TO-15 | 460708 | | |

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



AIR: CHAIN-OF-CUSTODY / Analytical Request Document

The Chain-of-Custody is a LEGAL DOCUMENT. All relevant fields must be completed accurately.

10378651

26698

Page: 1 of 1

| | | | |
|--|---|--|---|
| Section A Required Client Information: | Section B Required Project Information: | Section C Invoice Information: | Program |
| Company: <u>SCS Engineers</u> | Report To: <u>Robert Langdon</u> | Attention: | <input type="checkbox"/> UST <input type="checkbox"/> Superfund <input type="checkbox"/> Emissions <input type="checkbox"/> Clean Air Act |
| Address: <u>2830 Dairy Drive</u> | Copy To: | Company Name: | <input type="checkbox"/> Voluntary Clean Up <input type="checkbox"/> Dry Clean <input type="checkbox"/> RCRA <input type="checkbox"/> Other |
| Email To: <u>R.Langdon@SCSEngineers.com</u> | Purchase Order No.: | Address: | Reporting Units |
| Phone: <u>608-216-7329</u> Fax: | Project Name: <u>5619 22nd Ave. Kenosha</u> | Pace Quote Reference: | ug/m ³ _____ |
| Requested Due Date/TAT: | Project Number: <u>252116186</u> | Pace Project Manager/Sales Rep.: | PPMV <input checked="" type="checkbox"/> PPMV _____ |
| | | Pace Profile #: | Other _____ |
| | | | Report Level II. ___ III. ___ IV. ___ Other _____ |

| ITEM # | 'Section D Required Client Information AIR SAMPLE ID Sample IDs MUST BE UNIQUE | Valid Media Codes MEDIA CODE Tedlar Bag TB 1 Liter Summa Can 1LC 6 Liter Summa Can 6LC Low Volume Puff LVP High Volume Puff HVP Other PM10 | MEDIA CODE | PID Reading (Client only) | COLLECTED | | | | Canister Pressure (Initial Field - psig) | Canister Pressure (Final Field - psig) | Summa Can Number | Flow Control Number | Method: | | | | | | | | Face Lab ID | |
|--------|---|---|------------|---------------------------|-----------------|------|-------------|-------|--|--|------------------|---------------------|---------|------------------|-----|----------------|------------|------------|------|------|-------------|------------------|
| | | | | | COMPOSITE START | | COMPOSITE - | | | | | | PM10 | 3C Fixed Gas (%) | TO3 | TO3M (Methane) | TO4 (PCBE) | TO13 (PAH) | TO14 | TO15 | | TO15 Short List* |
| | | | | | DATE | TIME | DATE | TIME | | | | | | | | | | | | | | |
| 1 | 5619 22 ND Ave. Basement | 6LC | 6LC | 2-6-17 1325 | 2-7-17 1240 | 29.5 | -2 | 21050 | 0341 | | | | | | | | | | 001 | | | |
| 2 | 5619 22 ND Ave. 1st Floor | 6LC | 6LC | 2-6-17 1348 | 2-7-17 1222 | 29.5 | -4 | 21511 | 1024 | | | | | | | | | | 002 | | | |
| 3 | 5619 22 ND Ave. 2nd Floor | 6LC | 6LC | 2-6-17 1430 | 2-7-17 1228 | 30 | -6 | 27270 | 0526 | | | | | | | | | | 003 | | | |
| 4 | 5619 22 ND Ave. Outdoor | 6LC | 6LC | 2-6-17 1412 | 2-7-17 1334 | 28.5 | -2 | 23440 | 0277 | | | | | | | | | | 004 | | | |
| 5 | 5619 22 ND Ave SS-1 | 6LC | 6LC | 2-7-17 1548 | 2-7-17 1618 | 29 | -7 | 15620 | 0832 | | | | | | | | | | 005 | | | |
| 6 | 5619 22 ND Ave SS-2 | 6LC | 6LC | 2-7-17 1635 | 2-7-17 1705 | 30 | -8 | 00290 | 0719 | | | | | | | | | | 006 | | | |
| 7 | 5619 22 ND Ave SS-3 | 6LC | 6LC | 2-7-17 1721 | 2-7-17 1757 | 28.5 | -8 | 02401 | 1230 | | | | | | | | | | 007 | | | |

Comments:
* PCB, TOB, cis ftrans 12DCB, and vinyl chloride

| RELINQUISHED BY / AFFILIATION | DATE | TIME | ACCEPTED BY / AFFILIATION | DATE | TIME | SAMPLE CONDITIONS | | | |
|-------------------------------|---------------|--------------|---------------------------|---------------|-------------|-------------------|-----------------|-----------------------|----------------|
| <u>Robert Havens (SCS)</u> | <u>2-8-17</u> | <u>10:30</u> | <u>[Signature]</u> | <u>2-9-17</u> | <u>0945</u> | Temp in °C | Received on Ice | Custody Sealed Cooler | Samples Intact |
| | | | | | | Y/N | Y/N | Y/N | Y/N |
| | | | | | | Y/N | Y/N | Y/N | Y/N |

SAMPLER NAME AND SIGNATURE
 PRINT Name of SAMPLER: Robert Havens
 SIGNATURE of SAMPLER: [Signature]
 DATE Signed (MM/DD/YY): 02/10/17


10 of 19
Page 10 of 11

ORIGINAL

Air Sample Condition Upon Receipt

Client Name: SCS Eng. Project #: _____

WO#: 10378651



10378651

Courier: Fed Ex UPS Speedee Client
 Commercial Pace Other: _____

Tracking Number: 66375041 3429, 66375041 3430

Custody Seal on Cooler/Box Present? Yes No Seals Intact? Yes No

Packing Material: Bubble Wrap Bubble Bags Foam None Tin Can Other: _____ Temp Blank rec: Yes No

Temp. (TO17 and TO13 samples only) (°C): _____ Corrected Temp (°C): _____ Thermom. Used: B88A912167504 151401163
 B88A0143310098 151401164

Temp should be above freezing to 6°C Correction Factor: _____ Date & Initials of Person Examining Contents: 2/9/17

Type of ice Received Blue Wet None

| | | | | Comments: |
|--|---|--|------------------------------|-----------|
| Chain of Custody Present? | <input checked="" type="checkbox"/> Yes | <input type="checkbox"/> No | <input type="checkbox"/> N/A | 1. |
| Chain of Custody Filled Out? | <input checked="" type="checkbox"/> Yes | <input type="checkbox"/> No | <input type="checkbox"/> N/A | 2. |
| Chain of Custody Relinquished? | <input checked="" type="checkbox"/> Yes | <input type="checkbox"/> No | <input type="checkbox"/> N/A | 3. |
| Sampler Name and/or Signature on COC? | <input checked="" type="checkbox"/> Yes | <input type="checkbox"/> No | <input type="checkbox"/> N/A | 4. |
| Samples Arrived within Hold Time? | <input checked="" type="checkbox"/> Yes | <input type="checkbox"/> No | <input type="checkbox"/> N/A | 5. |
| Short Hold Time Analysis (<72 hr)? | <input type="checkbox"/> Yes | <input checked="" type="checkbox"/> No | <input type="checkbox"/> N/A | 6. |
| Rush Turn Around Time Requested? | <input type="checkbox"/> Yes | <input checked="" type="checkbox"/> No | <input type="checkbox"/> N/A | 7. |
| Sufficient Volume? | <input checked="" type="checkbox"/> Yes | <input type="checkbox"/> No | <input type="checkbox"/> N/A | 8. |
| Correct Containers Used? | <input checked="" type="checkbox"/> Yes | <input type="checkbox"/> No | <input type="checkbox"/> N/A | 9. |
| -Pace Containers Used? | <input checked="" type="checkbox"/> Yes | <input type="checkbox"/> No | <input type="checkbox"/> N/A | |
| Containers Intact? | <input checked="" type="checkbox"/> Yes | <input type="checkbox"/> No | <input type="checkbox"/> N/A | 10. |
| Media: <u>Air Can</u> Airbag Filter TDT Passive | | | | 11. |
| Sample Labels Match COC? | <input checked="" type="checkbox"/> Yes | <input type="checkbox"/> No | <input type="checkbox"/> N/A | 12. |

| Samples Received: | | | | | |
|-------------------|--------|--------------------|---------------|--------|--------------------|
| Canisters | | | Canisters | | |
| Sample Number | Can ID | Flow Controller ID | Sample Number | Can ID | Flow Controller ID |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |

CLIENT NOTIFICATION/RESOLUTION Field Data Required? Yes No

Person Contacted: _____ Date/Time: _____

Comments/Resolution: _____

Project Manager Review: Carolynne Trout Date: 2/9/17

Note: Whenever there is a discrepancy affecting North Carolina compliance samples, a copy of this form will be sent to the North Carolina DEHNR Certification Office (i.e. out of hold, incorrect preservative, out of temp, incorrect containers)



Pace Analytical Services, Inc.
 1700 Elm Street – Suite 200
 Minneapolis, MN 55414
 Phone: 612.607.1700
 Fax: 612.607.6444

ANALYTICAL RESULTS

Client: SCS Engineers
 Phone: 830-644-2130

Lab Project Number: 10378651
 Project Name: 25216186 5619 22nd Ave. Keno

Lab Sample No: 10378651001 ProjSampleNum: 10378651001 Date Collected: 02/07/17 12:40
 Client Sample ID: 5619 22nd Ave. Basement Matrix: Air Date Received: 02/09/17 9:45

| Parameters | Results | Units | Report Limit | MDL | Analyzed | CAS No. | Ftnote |
|--------------------------|---------|-------|--------------|-------|----------------|--------------|--------|
| Air | | | | | | | |
| TO-15 | | | | | | | |
| cis-1,2-Dichloroethene | 5 | ppbv | 0.32 | 0.094 | 02/18/17 18:58 | EMC 156-59-2 | |
| Tetrachloroethene | 5.6 | ppbv | 0.16 | 0.062 | 02/18/17 18:58 | EMC 127-18-4 | |
| trans-1,2-Dichloroethene | <0.15 | ppbv | 0.32 | 0.15 | 02/18/17 18:58 | EMC 156-60-5 | |
| Trichloroethene | 1 | ppbv | 0.16 | 0.079 | 02/18/17 18:58 | EMC 79-01-6 | |
| Vinyl chloride | <0.12 | ppbv | 0.15 | 0.12 | 02/18/17 18:58 | EMC 75-01-4 | |

DISCLAIMER: These results have been converted to the units shown from the original units of measurement assuming 20 degrees Celsius and 1 atmosphere pressure. Values were not rounded according to EPA rounding rules. THC is quantitated based on the average response factors of several compounds; the nominal molecular weight of THC used for units conversion is the average of the molecular weights of the compounds used for quantitation.

SUPPLEMENTAL REPORT

Units Conversion Request



Pace Analytical Services, Inc.
 1700 Elm Street – Suite 200
 Minneapolis, MN 55414
 Phone: 612.607.1700
 Fax: 612.607.6444

ANALYTICAL RESULTS

Client: SCS Engineers
 Phone: 830-644-2130

Lab Project Number: 10378651
 Project Name: 25216186 5619 22nd Ave. Keno

Lab Sample No: 10378651002 ProjSampleNum: 10378651002 Date Collected: 02/07/17 12:22
 Client Sample ID: 5619 22nd Ave. 1st Floor Matrix: Air Date Received: 02/09/17 9:45

| Parameters | Results | Units | Report Limit | MDL | Analyzed | CAS No. | Fnote |
|--------------------------|---------|-------|--------------|-------|--------------------|----------|-------|
| Air | | | | | | | |
| TO-15 | | | | | | | |
| cis-1,2-Dichloroethene | 1.2 | ppbv | 0.32 | 0.099 | 02/18/17 19:27 EMC | 156-59-2 | |
| Tetrachloroethene | 1.3 | ppbv | 0.16 | 0.065 | 02/18/17 19:27 EMC | 127-18-4 | |
| trans-1,2-Dichloroethene | <0.15 | ppbv | 0.32 | 0.15 | 02/18/17 19:27 EMC | 156-60-5 | |
| Trichloroethene | 0.31 | ppbv | 0.16 | 0.081 | 02/18/17 19:27 EMC | 79-01-6 | |
| Vinyl chloride | <0.12 | ppbv | 0.16 | 0.12 | 02/18/17 19:27 EMC | 75-01-4 | |

DISCLAIMER: These results have been converted to the units shown from the original units of measurement assuming 20 degrees Celsius and 1 atmosphere pressure. Values were not rounded according to EPA rounding rules. THC is quantitated based on the average response factors of several compounds; the nominal molecular weight of THC used for units conversion is the average of the molecular weights of the compounds used for quantitation.

SUPPLEMENTAL REPORT

Units Conversion Request



Pace Analytical Services, Inc.
 1700 Elm Street – Suite 200
 Minneapolis, MN 55414
 Phone: 612.607.1700
 Fax: 612.607.6444

ANALYTICAL RESULTS

Client: SCS Engineers
 Phone: 830-644-2130

Lab Project Number: 10378651
 Project Name: 25216186 5619 22nd Ave. Keno

Lab Sample No: 10378651003 ProjSampleNum: 10378651003 Date Collected: 02/07/17 12:28
 Client Sample ID: 5619 22nd Ave. 2nd Floor Matrix: Air Date Received: 02/09/17 9:45

| Parameters | Results | Units | Report Limit | MDL | Analyzed | CAS No. | Fnote |
|--------------------------|---------|-------|--------------|-------|----------------|--------------|-------|
| Air | | | | | | | |
| TO-15 | | | | | | | |
| cis-1,2-Dichloroethene | 0.84 | ppbv | 0.35 | 0.1 | 02/18/17 19:55 | EMC 156-59-2 | |
| Tetrachloroethene | 1.1 | ppbv | 0.17 | 0.068 | 02/18/17 19:55 | EMC 127-18-4 | |
| trans-1,2-Dichloroethene | <0.16 | ppbv | 0.35 | 0.16 | 02/18/17 19:55 | EMC 156-60-5 | |
| Trichloroethene | 0.22 | ppbv | 0.17 | 0.084 | 02/18/17 19:55 | EMC 79-01-6 | |
| Vinyl chloride | <0.13 | ppbv | 0.17 | 0.13 | 02/18/17 19:55 | EMC 75-01-4 | |

DISCLAIMER: These results have been converted to the units shown from the original units of measurement assuming 20 degrees Celsius and 1 atmosphere pressure. Values were not rounded according to EPA rounding rules. THC is quantitated based on the average response factors of several compounds; the nominal molecular weight of THC used for units conversion is the average of the molecular weights of the compounds used for quantitation.

SUPPLEMENTAL REPORT

Units Conversion Request



Pace Analytical Services, Inc.
 1700 Elm Street – Suite 200
 Minneapolis, MN 55414
 Phone: 612.607.1700
 Fax: 612.607.6444

ANALYTICAL RESULTS

Client: SCS Engineers
 Phone: 830-644-2130

Lab Project Number: 10378651
 Project Name: 25216186 5619 22nd Ave. Keno

Lab Sample No: 10378651004 ProjSampleNum: 10378651004 Date Collected: 02/07/17 12:34
 Client Sample ID: 5619 22nd Ave. Outdoor Matrix: Air Date Received: 02/09/17 9:45

| Parameters | Results | Units | Report Limit | MDL | Analyzed | CAS No. | Fnote |
|--------------------------|---------|-------|--------------|-------|----------------|--------------|-------|
| Air | | | | | | | |
| TO-15 | | | | | | | |
| cis-1,2-Dichloroethene | <0.092 | ppbv | 0.3 | 0.092 | 02/18/17 20:24 | EMC 156-59-2 | |
| Tetrachloroethene | 1.8 | ppbv | 0.15 | 0.059 | 02/18/17 20:24 | EMC 127-18-4 | |
| trans-1,2-Dichloroethene | <0.14 | ppbv | 0.3 | 0.14 | 02/18/17 20:24 | EMC 156-60-5 | |
| Trichloroethene | <0.075 | ppbv | 0.15 | 0.075 | 02/18/17 20:24 | EMC 79-01-6 | |
| Vinyl chloride | <0.11 | ppbv | 0.15 | 0.11 | 02/18/17 20:24 | EMC 75-01-4 | |

DISCLAIMER: These results have been converted to the units shown from the original units of measurement assuming 20 degrees Celsius and 1 atmosphere pressure. Values were not rounded according to EPA rounding rules. THC is quantitated based on the average response factors of several compounds; the nominal molecular weight of THC used for units conversion is the average of the molecular weights of the compounds used for quantitation.

SUPPLEMENTAL REPORT

Units Conversion Request



Pace Analytical Services, Inc.
1700 Elm Street – Suite 200
Minneapolis, MN 55414
Phone: 612.607.1700
Fax: 612.607.6444

ANALYTICAL RESULTS

Client: SCS Engineers
Phone: 830-644-2130

Lab Project Number: 10378651
Project Name: 25216186 5619 22nd Ave. Keno

Lab Sample No: 10378651005 ProjSampleNum: 10378651005 Date Collected: 02/07/17 16:18
Client Sample ID: 5619 22nd Ave. SS-1 Matrix: Air Date Received: 02/09/17 9:45

| Parameters | Results | Units | Report Limit | MDL | Analyzed | CAS No. | Ftnote |
|--------------------------|---------|-------|--------------|------|--------------------|----------|--------|
| Air | | | | | | | |
| TO-15 | | | | | | | |
| cis-1,2-Dichloroethene | 5.7 | ppbv | 0.37 | 0.11 | 02/18/17 20:56 EMC | 156-59-2 | |
| Tetrachloroethene | 418000 | ppbv | 1870 | 377 | 02/20/17 18:13 EMC | 127-18-4 | A3, E |
| trans-1,2-Dichloroethene | 5.8 | ppbv | 0.37 | 0.17 | 02/18/17 20:56 EMC | 156-60-5 | |
| Trichloroethene | 1290 | ppbv | 117 | 29.7 | 02/20/17 13:09 EMC | 79-01-6 | A3 |
| Vinyl chloride | <0.14 | ppbv | 0.18 | 0.14 | 02/18/17 20:56 EMC | 75-01-4 | |

DISCLAIMER: These results have been converted to the units shown from the original units of measurement assuming 20 degrees Celsius and 1 atmosphere pressure. Values were not rounded according to EPA rounding rules. THC is quantitated based on the average response factors of several compounds; the nominal molecular weight of THC used for units conversion is the average of the molecular weights of the compounds used for quantitation.

SUPPLEMENTAL REPORT

Units Conversion Request



Pace Analytical Services, Inc.
 1700 Elm Street – Suite 200
 Minneapolis, MN 55414
 Phone: 612.607.1700
 Fax: 612.607.6444

ANALYTICAL RESULTS

Client: SCS Engineers
 Phone: 830-644-2130

Lab Project Number: 10378651
 Project Name: 25216186 5619 22nd Ave. Keno

Lab Sample No: 10378651006 ProjSampleNum: 10378651006 Date Collected: 02/07/17 17:05
 Client Sample ID: 5619 22nd Ave. SS-2 Matrix: Air Date Received: 02/09/17 9:45

| Parameters | Results | Units | Report Limit | MDL | Analyzed | CAS No. | Fnote |
|--------------------------|---------|-------|--------------|------|--------------------|----------|-------|
| Air | | | | | | | |
| TO-15 | | | | | | | |
| cis-1,2-Dichloroethene | 1.7 | ppbv | 0.35 | 0.1 | 02/18/17 21:26 EMC | 156-59-2 | |
| Tetrachloroethene | 973 | ppbv | 6.7 | 1.3 | 02/20/17 12:15 EMC | 127-18-4 | |
| trans-1,2-Dichloroethene | 11.8 | ppbv | 0.35 | 0.16 | 02/18/17 21:26 EMC | 156-60-5 | |
| Trichloroethene | 66.5 | ppbv | 6.7 | 1.7 | 02/20/17 12:15 EMC | 79-01-6 | |
| Vinyl chloride | <0.13 | ppbv | 0.17 | 0.13 | 02/18/17 21:26 EMC | 75-01-4 | |

DISCLAIMER: These results have been converted to the units shown from the original units of measurement assuming 20 degrees Celsius and 1 atmosphere pressure. Values were not rounded according to EPA rounding rules. THC is quantitated based on the average response factors of several compounds; the nominal molecular weight of THC used for units conversion is the average of the molecular weights of the compounds used for quantitation.

SUPPLEMENTAL REPORT

Units Conversion Request



Pace Analytical Services, Inc.
 1700 Elm Street – Suite 200
 Minneapolis, MN 55414
 Phone: 612.607.1700
 Fax: 612.607.6444

ANALYTICAL RESULTS

Client: SCS Engineers
 Phone: 830-644-2130

Lab Project Number: 10378651
 Project Name: 25216186 5619 22nd Ave. Keno

Lab Sample No: 10378651007 ProjSampleNum: 10378651007 Date Collected: 02/07/17 17:57
 Client Sample ID: 5619 22nd Ave. SS-3 Matrix: Air Date Received: 02/09/17 9:45

| Parameters | Results | Units | Report Limit | MDL | Analyzed | CAS No. | Ftnote |
|--------------------------|---------|-------|--------------|------|--------------------|----------|--------|
| Air | | | | | | | |
| TO-15 | | | | | | | |
| cis-1,2-Dichloroethene | 1.4 | ppbv | 0.37 | 0.11 | 02/18/17 21:55 EMC | 156-59-2 | |
| Tetrachloroethene | 26100 | ppbv | 235 | 47.3 | 02/20/17 17:46 EMC | 127-18-4 | A3 |
| trans-1,2-Dichloroethene | 0.5 | ppbv | 0.37 | 0.17 | 02/18/17 21:55 EMC | 156-60-5 | |
| Trichloroethene | 86.4 | ppbv | 29.3 | 7.4 | 02/20/17 12:42 EMC | 79-01-6 | A3 |
| Vinyl chloride | <0.14 | ppbv | 0.18 | 0.14 | 02/18/17 21:55 EMC | 75-01-4 | |

DISCLAIMER: These results have been converted to the units shown from the original units of measurement assuming 20 degrees Celsius and 1 atmosphere pressure. Values were not rounded according to EPA rounding rules. THC is quantitated based on the average response factors of several compounds; the nominal molecular weight of THC used for units conversion is the average of the molecular weights of the compounds used for quantitation.

SUPPLEMENTAL REPORT

Units Conversion Request



Pace Analytical Services, Inc.
1700 Elm Street – Suite 200
Minneapolis, MN 55414
Phone: 612.607.1700
Fax: 612.607.6444

ANALYTICAL RESULTS

Client: SCS Engineers
Phone: 830-644-2130

Lab Project Number: 10378651
Project Name: 25216186 5619 22nd Ave. Keno

PARAMETER FOOTNOTES

ND Not detected at or above adjusted reporting limit

NC Not Calculable

J Estimated concentration above the adjusted method detection limit and below the adjusted reporting limit.

[A3] The sample was analyzed by serial dilution.

[E] Analyte concentration exceeded the calibration range. The reported result is estimated.


SUPPLEMENTAL REPORT

Units Conversion Request

Date: 2/21/2017


Page 8

I:\25216186.00\Drawings\Site Plan.dwg, 2/20/2017 10:28:44 AM



- LEGEND
- APPROXIMATE PROPERTY LINE (5619 22ND AVENUE)
 - APPROXIMATE PROPERTY LINE
 - 5619** PROPERTY ADDRESS NUMBER
 - RAILROAD TRACKS
 - ELECTRIC (BURIED)
 - ELECTRIC (OVERHEAD)
 - GAS MAIN
 - SANITARY SEWER
 - STORM SEWER
 - WATER MAIN
 - UTILITY POLE
 - STREET LIGHT
 - GEOPROBE BORING
 - MONITORING WELL
 - SUB-SLAB VAPOR SAMPLE
 - INDOOR AIR VAPOR SAMPLE [BASEMENT (B), FIRST FLOOR (1), SECOND FLOOR (2)]
 - OUTDOOR AIR VAPOR SAMPLE

- NOTES:
1. AERIAL PHOTOGRAPH IMPORTED FROM BING MAPS USING AUTOCAD 2016 GEOLOCATION MAP TOOL.
 2. UTILITY LOCATIONS ARE APPROXIMATE, BASED ON 22ND AVENUE STORM SEWER AND LIGHTING DRAWING PROVIDED BY THE CITY OF KENOSHA (STATE PROJECT NO. 3994-03-70, SHEET 2.5).
 3. SAMPLE LOCATIONS ARE APPROXIMATE.



| | | | | |
|---|----------------|---|--------|--|
| ARCTIC LAUNDRY AND CLEANERS 5619 22ND AVENUE KENOSHA, WISCONSIN | SITE | ENGINEER | FIGURE | |
| PROJECT NO. 25216186.00 | DRAWN BY: KP | ENGINEER | 2 | |
| DRAWN: 10/20/16 | CHECKED BY: JD | | | |
| REVISED: 01/25/17 | APPROVED BY: | | | |
| CLIENT: STAFFORD ROSENBAUM, LLP, 222 WEST WASHINGTON AVENUE MADISON, WI 53701 | | | | |
| | | SCS ENGINEERS | | |
| | | 2830 DAIRY DRIVE, MADISON, WI 53718-6751 PHONE: (608) 224-2830 | | |

Table 1. Soil Analytical Results Summary
Former Arctic Laundry & Cleaners - 5619 22nd Avenue, Kenosha, Wisconsin / SCS Engineers Project #25216186.00
 (Results are in µg/kg)

| Sample | Date | Depth (feet) | PID (ppm) | Lab Notes | PCE | TCE | cis-1,2-DCE | trans-1,2-DCE | VC | Other VOCs |
|--------|------------|--------------|-----------|-----------|---------------|------------|----------------------|---------------|-----|--------------------|
| GP-1 | 8/23/1994 | 1-3 | 0.0 | -- | <u>79</u> | <1 | <1 | <1 | <3 | o-Xylene 1.4 |
| | 8/23/1994 | 5-7 | 44.5 | -- | <u>2,700</u> | <1 | <1 | <1 | <3 | ND |
| GP-2 | 10/20/1995 | 7-9 | 0.8 | -- | <1 | <1 | <1 | <1 | <3 | ND |
| GP-3 | 10/20/1995 | 7-9 | 0.0 | -- | <1 | <1 | <1 | <1 | <3 | n-Butylbenzene 1.3 |
| GP-4 | 10/20/1995 | 9-11 | 0.0 | -- | <1 | <u>7.9</u> | 24 ^{B1, F1} | <1 | <3 | ND |
| GP-5 | 10/20/1995 | 11-13 | 0.0 | -- | <1 | <1 | <1 | <1 | <3 | ND |
| GP-6 | 10/20/1995 | 13-15 | 0.0 | -- | <1 | <1 | <1 | <1 | <3 | ND |
| GP-7 | 2/6/2017 | 0-2 | 0.5 | (1) | <45 | <20 | <49 | <42 | <32 | ND |
| | 2/6/2017 | 5-7.5 | 0.7 | (1) | <34 | <15 | <37 | <32 | <24 | ND |
| GP-8 | 2/6/2017 | 2.5-5 | 0.4 | (1) | <u>170</u> | <17 | <43 | <37 | <27 | ND |
| | 2/6/2017 | 5-7.5 | 0.5 | (1) | <u>1,100</u> | <19 | <48 | <41 | <31 | ND |
| GP-9 | 2/6/2017 | 2.5-5 | 0.5 | (1) | <37 | <16 | <41 | <35 | <26 | ND |
| | 2/6/2017 | 5-7.5 | 0.5 | (1) | <43 | <19 | <47 | <40 | <30 | ND |
| GP-10 | 2/6/2017 | 2.5-5 | 1.2 | (1) | <u>850</u> | <15 | <36 | <31 | <23 | ND |
| | 2/6/2017 | 5-7.5 | 1.1 | (1) | <u>3,200</u> | <16 | <40 | <35 | <26 | ND |
| GP-11 | 2/6/2017 | 0-2.5 | 1.5 | (1) | <u>15,000</u> | <15 | <37 | <32 | <24 | ND |
| | 2/6/2017 | 5-7.5 | 2.1 | (1) | <u>17,000</u> | <14 | <34 | <30 | <22 | ND |
| MW-1 | 2/6/2017 | 2.5-5 | 0.5 | (1) | <34 | <15 | <37 | <32 | <24 | ND |
| | 2/6/2017 | 5-7.5 | 0.4 | (1) | <61 | <27 | <67 | <57 | <43 | ND |
| MW-2 | 2/6/2017 | 2.5-5 | 1.5 | (1) | <u>510</u> | <15 | <37 | <32 | <24 | ND |
| | 2/6/2017 | 5-7.5 | 1.5 | (1) | <u>130</u> | <16 | <41 | <35 | <26 | ND |

Table 1. Soil Analytical Results Summary
Former Arctic Laundry & Cleaners - 5619 22nd Avenue, Kenosha, Wisconsin / SCS Engineers Project #25216186.00
 (Results are in µg/kg)

| Sample | Date | Depth (feet) | PID (ppm) | Lab Notes | PCE | TCE | cis-1,2-DCE | trans-1,2-DCE | VC | Other VOCs |
|---|----------|--------------|-----------|-----------|---------------------|---------|-------------|---------------|---------|--|
| MW-3 | 2/6/2017 | 0-2.5 | 1.6 | (1) | <u>3,200</u> | <60 | <150 | <130 | <95 | ND |
| | 2/6/2017 | 5-7.5 | 2.9 | (1) | <u>3,000</u> | <14 | <36 | <31 | <23 | ND |
| NR 720 Groundwater Pathway RCLs with a Wisconsin-Default Dilution Factor of 2 | | | | | 4.5 | 3.6 | 41.2 | 62.6 | 0.1 | n-Butylbenzene NE Xylenes (m-, o-, p-combined) 3,960 |
| NR 720 Non-Industrial Direct Contact RCLs | | | | | 30,700 | 1,260 | 156,000 | 1,560,000 | 67 | n-Butylbenzene 108,000 Xylenes (m-, o-, p-combined) 260,000 |
| NR 720 Industrial Direct Contact RCLs | | | | | 153,000 | 8,810 | 2,040,000 | 1,850,000 | 2,030 | n-Butylbenzene 108,000 Xylenes (m-, o-, p-combined) 260,000 |
| CAS No. | | | | | 127-18-4 | 79-01-6 | 156-59-2 | 156-60-5 | 75-01-4 | Xylenes: 1330-20-7 n-Butylbenzene: 104-51-8 |

Abbreviations:

µg/kg = micrograms per kilogram or parts per billion (ppb)

ppm = PID measured in ppm as isobutylene

PCE = Tetrachloroethene

TCE = Trichloroethene

DCE = Dichloroethene

NE = Not Established

VOCs = Volatile Organic Compounds

VC = Vinyl Chloride

CAS No. = Chemical Abstracts Service Number

NA = Not Analyzed

-- = Not Applicable

Notes:

Bold+underlined values exceed NR 720 Residual Contaminant Levels (RCLs).

NR 720 values are taken from Wisconsin Department of Natural Resources June 2016 RCL Spreadsheet.

8/23/1994, 10/20/1995, samples collected by Sigma Environmental Services, Inc., of Oak Creek, WI

2/6/2017 samples collected by SCS Engineers of Madison, WI

Laboratory Notes/Qualifiers:

B1 = SW 8021 quality control criteria not met. Initial calibration check standard recovery 121%. Acceptable range is 85%-115%. Sample result may be correspondingly high.

F1 = SW 8021 quality control criteria not met. Final calibration check standard recovery 117%. Acceptable range is 85%-115%. Sample result may be correspondingly high.

(1) Dichlorodifluoromethane = LCS or LCSD is outside acceptance limits.

Created by: LMH Date: 2/20/2017

Last revision by: LMH Date: 2/20/2017

Checked by: AV Date: 2/21/2017

Table 2. Groundwater Analytical Results Summary
Former Arctic Laundry & Cleaners - 5619 22nd Avenue, Kenosha, Wisconsin / SCS Engineers Project #25216186.00
 (Results are in µg/L)

| Sample | Date | Lab Notes | PCE | TCE | VC | cis-1,2-DCE | trans-1,2-DCE | Other VOCs |
|--|------------|-----------|-------------|------------|-------|-------------|---------------|-------------|
| GP-1 | 8/25/1994 | -- | <u>42.0</u> | <u>1.0</u> | <3 | <1 | <1 | Toluene 7.2 |
| GP-2 | 10/20/1995 | -- | <u>13</u> | <1.0 | <3.0 | <1.0 | <1.0 | ND |
| GP-3 | 10/20/1995 | -- | <u>50</u> | <1.0 | <3.0 | <1.0 | <1.0 | ND |
| GP-4 | 10/20/1995 | -- | <u>14</u> | <u>2.2</u> | <3.0 | <u>6.2</u> | <1.0 | ND |
| GP-5 | 10/26/1995 | -- | <1.0 | <1.0 | <3.0 | <1.0 | <1.0 | ND |
| GP-6 | 10/26/1995 | -- | <1.0 | <1.0 | <3.0 | <1.0 | <1.0 | ND |
| GP-7 | 2/6/2017 | -- | <0.37 | <0.16 | <0.20 | <0.41 | <0.35 | ND |
| GP-8 | 2/6/2017 | -- | <0.37 | <0.16 | <0.20 | <0.41 | <0.35 | ND |
| GP-9 | 2/6/2017 | -- | <0.37 | <0.16 | <0.20 | <0.41 | <0.35 | ND |
| GP-10 | 2/6/2017 | -- | <0.37 | <0.16 | <0.20 | <0.41 | <0.35 | ND |
| GP-11 | 2/6/2017 | -- | <0.37 | <0.16 | <0.20 | <0.41 | <0.35 | ND |
| Trip Blank | 2/6/2017 | -- | <0.37 | <0.16 | <0.20 | <0.41 | <0.35 | ND |
| NR 140 Enforcement Standards (ESs) | | | 5 | 5 | 0.2 | 70 | 100 | Toluene 800 |
| NR 140 Preventive Action Limits (PALs) | | | 0.5 | 0.5 | 0.02 | 7 | 20 | Toluene 160 |

Abbreviations:

µg/L = micrograms per liter or parts per billion (ppb)

VC = Vinyl Chloride

NA = Not Analyzed

DCE = Dichloroethene

TCE = Trichloroethene

ND = Not Detected

PCE = Tetrachloroethene

VOCs = Volatile Organic Compounds

-- = Not Applicable

Table 2. Groundwater Analytical Results Summary
Former Arctic Laundry & Cleaners - 5619 22nd Avenue, Kenosha, Wisconsin / SCS Engineers Project #25216186.00

Notes:

NR 140 ESs - Wisconsin Administrative Code (WAC), Chapter NR 140.10 Table 1 - Public Health Groundwater Quality Standards from July 2015.

NR 140 PALs - WAC, Chapter NR 140.10 Table 1 - Public Health Groundwater Quality Standards from July 2015.

Bold+underlined values meet or exceed NR 140 ESs.

Italic+underlined values meet or exceed NR 140 PALs.

8/23/1994, 10/20/1995, and 10/26/1995 samples collected by Sigma Environmental Services, Inc., of Oak Creek, WI

2/6/2017 samples collected by SCS Engineers of Madison, WI

Laboratory Notes/Qualifiers:

None

| | | | |
|-------------------|------------|-------|------------------|
| Created by: | <u>LMH</u> | Date: | <u>2/21/2017</u> |
| Last revision by: | <u>LMH</u> | Date: | <u>2/21/2017</u> |
| Checked by: | <u>AV</u> | Date: | <u>2/21/2017</u> |

I:\25216186.00\Data and Calculations\Tables\[Groundwater_Drycleaner.xlsx]Drycleaner

Table 3. Indoor Air Analytical Results Summary
Former Arctic Laundry & Cleaners - 5619 22nd Avenue, Kenosha, Wisconsin / SCS Engineers Project #25216186.00
 (Results are in ppbV)

| Sample/Location | Date | Lab Notes | Tetrachloroethene (PCE) | Trichloroethene (TCE) | cis-1,2-DCE | trans-1,2-DCE | Vinyl Chloride |
|--|----------|-----------|-------------------------|-----------------------|-------------|---------------|----------------|
| Basement | 2/7/2017 | -- | 5.6 | <u>1</u> | 5 | <0.15 | <0.12 |
| 1st Floor | 2/7/2017 | -- | 1.3 | 0.31 | 1.2 | <0.15 | <0.12 |
| 2nd Floor | 2/7/2017 | -- | 1.1 | 0.22 | 0.84 | <0.16 | <0.13 |
| Outdoor | 2/7/2017 | -- | 1.8 | <0.075 | <0.092 | <0.14 | <0.11 |
| Indoor Air Vapor Action Level (Residential Building) | | | 6.2 | 0.39 | NE | NE | 0.65 |
| Indoor Air Vapor Action Level (Commercial Building) | | | 27 | 1.6 | NE | NE | 11 |

Abbreviations:

ppbV = parts per billion by volume

trans-1,2-DCE = trans-1,2-dichloroethylene

NE = not established

cis-1,2-DCE = cis-1,2-dichloroethylene

Notes:

1. Samples were collected in 6-liter summa canisters over a 24-hour period and analyzed using the USEPA TO-15 analytical method.
2. Vapor Action Levels are from Wisconsin Department of Natural Resources Quick Look-Up Table, which is based on May 2016 USEPA Regional Screening Level Tables.
3. **Bold & underlined** values exceed Indoor Air Vapor Action Levels.

Lab Notes:

None

Created by: LMH Date: 2/24/2017
 Last revision by: LMH Date: 2/24/2017
 Checked by: REL Date: 2/24/2017

I:\25216186.00\Data and Calculations\Tables\[Indoor Air.xlsx]Results

Table 4. Sub-Slab Vapor Analytical Results Summary
Former Arctic Laundry & Cleaners - 5619 22nd Avenue, Kenosha, Wisconsin / SCS Engineers Project #25216186.00
 (Results are in ppbV)

| Sample/Location | Date | Lab Notes | Tetrachloroethene (PCE) | Trichloroethene (TCE) | cis-1,2-DCE | trans-1,2-DCE | Vinyl Chloride |
|--|----------|-----------|-----------------------------|------------------------|-------------|---------------|----------------|
| SS-1 | 2/7/2017 | -- | <u>418,000</u> A3, E | <u>1,290</u> A3 | 5.7 | 5.8 | <0.14 |
| SS-2 | 2/7/2017 | -- | <u>973</u> | <u>66.5</u> | 1.7 | 11.8 | <0.13 |
| SS-3 | 2/7/2017 | -- | <u>26,100</u> A3 | <u>86.4</u> A3 | 1.4 | 0.5 | <0.14 |
| Vapor Risk Screening Level (Residential Building) | | | 210 | 13 | NE | NE | 22 |
| Vapor Risk Screening Level (Small Commercial Building) | | | 900 | 53 | NE | NE | 370 |

Abbreviations:

ppbV = parts per billion by volume

trans-1,2-DCE = trans-1,2-dichloroethylene

cis-1,2-DCE = cis-1,2-dichloroethylene

NE = not established

-- = not applicable

Notes:

1. Samples were collected in 6-liter summa canisters over a 30-minute period and analyzed using the USEPA TO-15 analytical method.
2. Vapor Action Levels or Vapor Risk Screening Levels are from Wisconsin Department of Natural Resources Quick Look-Up Table, which is based on May 2016 USEPA Regional Screening Level Tables.
3. **Bold+underlined** values meet or exceed Vapor Risk Screening Levels.

Lab Notes:

A3 = The sample was analyzed by serial dilution.

E = Analyte concentration exceeded the calibration range. The reported result is estimated.

Created by: LMH Date: 2/24/2017
 Last revision by: LMH Date: 2/24/2017
 Checked by: REL Date: 2/24/2017

I:\25216186.00\Data and Calculations\Tables\[Sub-Slab Vapor.xlsx]Sub-Slab Results