

28 March 2018

Mr. Jeff Ackerman
Remediation and Redevelopment Program
Wisconsin Department of Natural Resources
3911 Fish Hatchery Drive
Madison, Wisconsin 53711-5397

Ref: *Construction Documentation Report*
Getzen Company, Inc.
530 South County Highway H
Elkhorn, Wisconsin
BRRTS No.: 02-65-245978
FID No.: 265006720
CHW8120

Dear Mr. Ackerman:

This *Construction Documentation Report* for the above referenced site is being submitted on behalf of The Getzen Company, Inc. (Getzen) to the Wisconsin Department of Natural Resources (WDNR) by Geosyntec Consultants, Inc. (Geosyntec). This report documents additional groundwater remedial action conducted pursuant to the 15 August 2012 Remedial Action Design Report.

BACKGROUND INFORMATION

As documented in the 15 August 2012 Remedial Action Design Report, enhanced in-situ bioremediation (EISB) was selected for additional groundwater remedial action at the site.

The objective of the additional groundwater remedial action is to reduce the concentrations and mass of contaminants of concern (COCs) in groundwater to a degree that:

- Expedites naturally occurring processes in achieving stable or reducing COC concentrations in groundwater on-site and minimizes the potential for groundwater impacts greater than NR 140 enforcement standards from migrating off-site.
- Reduces the potential for volatilization of COCs from groundwater and subsequent migration to unsaturated soil.

The site COCs consist of chlorinated volatile organic compounds (VOCs), primarily tetrachloroethene (PCE) and its degradation products trichloroethene (TCE), cis-1,2-dichloroethene (DCE), and vinyl chloride.

A NR 140 exemption and an associated *Wisconsin Pollution Discharge Elimination System (WPDES) Wastewater Discharge Permit for Contaminated Groundwater from Remedial Action Operations* were obtained from the WDNR to implement EISB at the site.

This report was prepared pursuant to NR 724 and General Condition 2 of the NR 140 exemption and WPDES permit issued by WDNR on 8 October 2012.

ADDITIONAL GROUNDWATER REMEDIAL ACTION IMPLEMENTATION

The additional groundwater remedial action was implemented between 10 and 26 June 2013. The remedial action activities consisted of trench and Geoprobe® applications of emulsified vegetable oil (EVO). Photographs of the remedial action activities are included in **Attachment 1**.

Trench Application

The trench application of EVO included the excavation of a series of five trench segments south and west of the building as depicted on **Figure 1 in Attachment 2**. The approximately 3-foot wide trench segments were excavated to depths of approximately 1 to 2 feet below the shallow groundwater table. The trench segment depths ranged from approximately 5 to 8 feet below ground surface (bgs) as depicted on **Figure 1 in Attachment 2**.

The EVO was added directly to the groundwater table within each trench segment. The EVO product (Newman Zone) contains approximately 50% soybean oil and 50% water. Use of an emulsion allows delivery of immiscible fluids (i.e., oil and water) without phase separation. After addition, the EVO was mechanically mixed into the groundwater with the backhoe bucket to create an approximate 1% to 2% solution. After EVO addition and mixing, the trench segment was backfilled with excavated material. As summarized in **Table 1 in Attachment 3**, approximately 250 gallons of EVO was applied in trench segments 1 through 4 and approximately 150 gallons of EVO was applied in trench segment 5. Field monitoring was performed using a PID and an explosivity meter. No elevated readings were observed. The injection process was conducted in such a manner as to minimize any threat of contaminant exposure to the public or environment.

Geoprobe® Application

The Geoprobe® application of EVO included 32 Geoprobe® soil borings (IP-1 through IP-31) installed within the asphalt parking area west of the building and two borings (IP-32 and IP-33) installed in the vicinity of groundwater monitoring well MW-10 near the southwest corner of the building. The approximate boring locations are depicted on **Figure 1 in Attachment 2**. The soil

borings were advanced to depths of approximately 10 to 12 feet bgs, except for IP-17 (refusal occurred at a depth of approximately 7 feet bgs).

EVO was mixed with water extracted from four existing monitoring wells and piezometers (MW-2, MW-5, P-1, and P-3) to create a 1 to 2% solution. The solution was injected into each of the Geoprobe® soil borings (except for IP-17). As summarized in **Table 1 in Attachment 3**, the quantity of EVO applied to the soil borings ranged from approximately 5 to 50 gallons with an average of approximately 37 gallons.


Following EVO application, the soil borings were abandoned in accordance with NR 141. The soil boring information logs and borehole abandonment forms are included in **Attachment 4**.

POST-REMEDIAL ACTION GROUNDWATER MONITORING


Pursuant to the 15 August 2012 Remedial Action Design Report, groundwater monitoring is currently being conducted to evaluate the effectiveness of EISB.

Please contact us with any questions.

Sincerely,



James E. Bannantine
Project Manager



Gregory L. Johnson, CHMM, P.G., P.H., P.E.
Senior Engineer

Attachments:

Attachment 1: Remedial Action Photographs

Attachment 2: Figure 1 - Remedial Action Map

Attachment 3: Table 1 - Summary of EVO Application Quantities

Attachment 4: Soil Boring Information Logs and Borehole Abandonment Forms

cc: Mr. Adam Getzen, The Getzen Company, Inc.

ATTACHMENT 1



Photograph 1 Emulsified vegetable oil placed in excavated trench
Date 10 June 2013



Photograph 2 Sand and gravel unit beneath the clay
Date 10 June 2013




Photograph 3 Direct push rig and injection trailer showing connection to a well
Date 24 June 2013




Photograph 4 Injection location near the building
Date 15 June 2013

ATTACHMENT 2



LEGEND

- REMEDIAL ACTION APPLICATION LOCATION (TRENCH)
- REMEDIAL ACTION APPLICATION LOCATION (GEOPROBE)
- TOTAL VOC (SATURATED SOIL) > 1,000 ug/kg OR
TOTAL VOC (GROUNDWATER) > 1,000 ug/l
- TOTAL VOC (SATURATED SOIL) > 10,000 ug/kg OR
TOTAL VOC (GROUNDWATER) > 10,000 ug/l
- EXISTING MONITORING WELL LOCATION
- GEOPROBE SOIL BORING LOCATION
- EXISTING PIEZOMETER LOCATION
- EXISTING SUMP LOCATION
- ABANDONED PIEZOMETER LOCATION
- EXISTING BUILDING
- APPROXIMATE PROPERTY LINE
- SOIL MAXIMUM TOTAL VOC CONCENTRATION
DETECTED IN SATURATED SOIL (ug/kg)
- GW TOTAL VOC CONCENTRATION DETECTED IN
GROUNDWATER (5/11/11) (ug/L)
- VOC VOLATILE ORGANIC COMPOUND
- NOT SAMPLED
- J ESTIMATED CONCENTRATION BETWEEN LIMIT OF
DETECTION AND LIMIT OF QUANTITATION
- ND NOT DETECTED
- CONCRETE DRIVE
- TRANSFORMER



Geosyntec
consultants

CLIENT: **GETZEN COMPANY, INC.**

PROJECT: **GETZEN COMPANY, INC. SITE
530 SOUTH COUNTY HIGHWAY H
ELKHORN, WISCONSIN**

TITLE: **REMEDIAL ACTION APPLICATION AREAS**

PROJECT: CHW8120A FIGURE NO.: 1 DRAWING NO.: 1

DATE: June 19, 2014 FILE NO.: 1406Getzen017

ATTACHMENT 3

Table 1
 Summary of EVO Application Quantities
 Getzen Company, Inc. Site
 530 South County Highway H
 Elkhorn, Wisconsin

Location	Application Date	Application Depth (feet below ground surface)	Approximate Application Quantity (gallons)
Trench Application			
Trench Segment 1	6/10/2013	6-8	250
Trench Segment 2	6/10/2013	6-8	250
Trench Segment 3	6/11/2013	6-8	250
Trench Segment 4	6/11/2013	5-7	250
Trench Segment 5	6/12/2013	5-7	150
Geoprobe® Application			
IP-1	6/24/2013	10	40
IP-2	6/24/2013	10	40
IP-3	6/24/2013	10	5
IP-4	6/24/2013	10	15
IP-5	6/24/2013	10	40
IP-6	6/24/2013	10	40
IP-7	6/24/2013	10	40
IP-8	6/24/2013	10	60
IP-9	6/24/2013	10	20
IP-10	6/24/2013	10	40
IP-11	6/25/2013	10	20
IP-12	6/25/2013	10	50
IP-13	6/25/2013	10	30
IP-14	6/25/2013	10	20
IP-15	6/25/2013	10	10
IP-16	6/25/2013	10	40
IP-17	6/25/2013	7	0
IP-18	6/25/2013	10	20
IP-19	6/25/2013	10	20
IP-20	6/25/2013	10	40
IP-21	6/25/2013	10	40
IP-22	6/25/2013	10	60
IP-23	6/25/2013	10	40
IP-24	6/25/2013	10	40
IP-25	6/25/2013	10	40
IP-26	6/25/2013	10	40
IP-27	6/26/2013	10	50
IP-28	6/26/2013	10	50
IP-29	6/26/2013	10	50
IP-30	6/26/2013	10	50
IP-31	6/26/2013	10	50
IP-32	6/26/2013	12	50
IP-33	6/26/2013	12	50

ATTACHMENT 4

Notice: Completion of this report is required by chs. 160, 281, 283, 289, 291-293, 295, and 299, Wis. Stats., and ch. NR 141, Wis. Adm. Code. In accordance with chs. 281, 289, 291-293, 295, and 299, Wis. Stats., failure to file this form may result in a forfeiture of between \$10-25,000, or imprisonment for up to one year, depending on the program and conduct involved. Personally identifiable information on this form is not intended to be used for any other purpose. Return this form to the appropriate DNR office and bureau. See instructions on reverse for more information.

Verification Only of Fill and Seal

Route to:

- Drinking Water Watershed/Wastewater Remediation/Redevelopment
 Waste Management Other

1. Well Location Information **2. Facility / Owner Information**

County Walworth		WI Unique Well # of Removed Well		Hicap #		Facility Name Getzen Musical Instruments	
Latitude / Longitude (Degrees and Minutes) ° ' " N ° ' " W		Method Code (see instructions)		Facility ID (FID or PWS) 265006720		License/Permit/Monitoring # IP- 1	
¼ / ¼ NE	¼ SE	Section 6	Township 2	Range 17	<input checked="" type="checkbox"/> E <input type="checkbox"/> W	Original Well Owner Getzen Musical Instruments	
Well Street Address 530 South County Highway H		Well City, Village or Town Elkhorn		Well ZIP Code 53121		Present Well Owner Getzen Musical Instruments	
Subdivision Name		Lot #		City of Present Owner Elkhorn		State WI	ZIP Code 53121

3. Well / Drillhole / Borehole Information **4. Pump, Liner, Screen, Casing & Sealing Material**

Reason For Removal From Service No longer needed		WI Unique Well # of Replacement Well		Pump and piping removed? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A Liner(s) removed? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A Screen removed? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A Casing left in place? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	
<input type="checkbox"/> Monitoring Well <input type="checkbox"/> Water Well <input checked="" type="checkbox"/> Drillhole / Borehole		Original Construction Date 6/24/2013		Was casing cut off below surface? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A Did sealing material rise to surface? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A Did material settle after 24 hours? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A If yes, was hole retopped? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A If bentonite chips were used, were they hydrated with water from a known safe source? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	
Construction Type: <input type="checkbox"/> Drilled <input type="checkbox"/> Driven (Sandpoint) <input type="checkbox"/> Dug <input checked="" type="checkbox"/> Other (Specify) Geoprobe		If a Well Construction Report is available, please attach.		Required Method of Placing Sealing Material <input type="checkbox"/> Conductor Pipe-Gravity <input type="checkbox"/> Conductor Pipe-Pumped <input type="checkbox"/> Screened & Poured <input checked="" type="checkbox"/> Other (Explain) Poured - Gravity (Bentonite Chips)	
Formation Type: <input checked="" type="checkbox"/> Unconsolidated Formation <input type="checkbox"/> Bedrock		Total Well Depth From Ground Surface (ft) 10.0		Casing Diameter (in.) no casing	
Lower Drillhole Diameter (in.) 2.0		Casing Depth (ft.) no casing		Sealing Materials <input type="checkbox"/> Neat Cement Grout <input type="checkbox"/> Clay-Sand Slurry (11 lb./gal. wt.) <input type="checkbox"/> Sand-Cement (Concrete) Grout <input type="checkbox"/> Bentonite-Sand Slurry " " <input type="checkbox"/> Concrete <input type="checkbox"/> Bentonite Chips	
Was well annular space grouted? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> Unknown		Depth to Water (feet) 5.0		For Monitoring Wells and Monitoring Well Boreholes Only: <input type="checkbox"/> Bentonite Chips <input type="checkbox"/> Bentonite - Cement Grout <input checked="" type="checkbox"/> Granular Bentonite <input type="checkbox"/> Bentonite - Sand Slurry	

5. Material Used to Fill Well / Drillhole	From (ft.)	To (ft.)	No. Yards, Sacks Sealant or Volume (circle one)	Mix Ratio or Mud Weight
Granular Bentonite	Surface	10.0	1 sack	

6. Comments

7. Supervision of Work			DNR Use Only		
Name of Person or Firm Doing Filling & Sealing Geosyntec - Jeremiah Johnson		License #	Date of Filling & Sealing (mm/dd/yyyy) 6/24/2013	Date Received	Noted By
Street or Route 10200 North Port Washington Road Ste. 200		Telephone Number (262) 377-9828		Comments	
City Mequon	State WI	ZIP Code 53092	Signature of Person Doing Work <i>J. Bannautius</i>		Date Signed 6/20/14

Notice: Completion of this report is required by chs. 160, 281, 283, 289, 291-293, 295, and 299, Wis. Stats., and ch. NR 141, Wis. Adm. Code. In accordance with chs. 281, 289, 291-293, 295, and 299, Wis. Stats., failure to file this form may result in a forfeiture of between \$10-25,000, or imprisonment for up to one year, depending on the program and conduct involved. Personally identifiable information on this form is not intended to be used for any other purpose. Return this form to the appropriate DNR office and bureau. See instructions on reverse for more information.

Verification Only of Fill and Seal

Route to:

- Drinking Water Watershed/Wastewater Remediation/Redevelopment
 Waste Management Other

1. Well Location Information **2. Facility / Owner Information**

County Walworth		WI Unique Well # of Removed Well		Hicap #		Facility Name Getzen Musical Instruments			
Latitude / Longitude (Degrees and Minutes) ° ' " N ° ' " W				Method Code (see instructions)		Facility ID (FID or PWS) 265006720			
¼ / ¼ NE		¼ SE		Section 6	Township 2	Range 17	<input checked="" type="checkbox"/> E <input type="checkbox"/> W		
or Gov't Lot #								License/Permit/Monitoring # IP- 2	
Well Street Address 530 South County Highway H						Original Well Owner Getzen Musical Instruments			
Well City, Village or Town Elkhorn						Present Well Owner Getzen Musical Instruments			
Well ZIP Code 53121						Mailing Address of Present Owner 530 South County Highway H			
Subdivision Name						City of Present Owner Elkhorn		State WI	ZIP Code 53121

4. Pump, Liner, Screen, Casing & Sealing Material

Reason For Removal From Service No longer needed	WI Unique Well # of Replacement Well	Pump and piping removed?	<input type="checkbox"/> Yes	<input type="checkbox"/> No	<input checked="" type="checkbox"/> N/A
3. Well / Drillhole / Borehole Information		Liner(s) removed?	<input type="checkbox"/> Yes	<input type="checkbox"/> No	<input checked="" type="checkbox"/> N/A
<input type="checkbox"/> Monitoring Well	Original Construction Date 6/24/2013	Screen removed?	<input type="checkbox"/> Yes	<input type="checkbox"/> No	<input checked="" type="checkbox"/> N/A
<input type="checkbox"/> Water Well	If a Well Construction Report is available, please attach.	Casing left in place?	<input type="checkbox"/> Yes	<input type="checkbox"/> No	<input checked="" type="checkbox"/> N/A
<input checked="" type="checkbox"/> Drillhole / Borehole		Was casing cut off below surface?	<input type="checkbox"/> Yes	<input type="checkbox"/> No	<input checked="" type="checkbox"/> N/A
Construction Type: <input type="checkbox"/> Drilled <input type="checkbox"/> Driven (Sandpoint) <input type="checkbox"/> Dug		Did sealing material rise to surface?	<input checked="" type="checkbox"/> Yes	<input type="checkbox"/> No	<input type="checkbox"/> N/A
<input checked="" type="checkbox"/> Other (Specify) <u>Geoprobe</u>		Did material settle after 24 hours?	<input type="checkbox"/> Yes	<input checked="" type="checkbox"/> No	<input type="checkbox"/> N/A
Formation Type: <input checked="" type="checkbox"/> Unconsolidated Formation <input type="checkbox"/> Bedrock		If yes, was hole retopped?	<input type="checkbox"/> Yes	<input type="checkbox"/> No	<input checked="" type="checkbox"/> N/A
Total Well Depth From Ground Surface (ft) 10.0	Casing Diameter (in.) no casing	If bentonite chips were used, were they hydrated with water from a known safe source	<input checked="" type="checkbox"/> Yes	<input type="checkbox"/> No	<input type="checkbox"/> N/A
Lower Drillhole Diameter (in.) 2.0	Casing Depth (ft.) no casing	Required Method of Placing Sealing Material			
Was well annular space grouted? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> Unknown	Depth to Water (feet) 5.0	<input type="checkbox"/> Conductor Pipe-Gravity <input type="checkbox"/> Conductor Pipe-Pumped			
If yes, to what depth (feet)?		<input type="checkbox"/> Screened & Poured <input checked="" type="checkbox"/> Other (Explain) Poured - Gravity (Bentonite Chips)			
5. Material Used to Fill Well / Drillhole		Sealing Materials			
Granular Bentonite		<input type="checkbox"/> Neat Cement Grout <input type="checkbox"/> Clay-Sand Slurry (11 lb./gal. wt.)			
From (ft.)		<input type="checkbox"/> Sand-Cement (Concrete) Grout <input type="checkbox"/> Bentonite-Sand Slurry " "			
To (ft.)		<input type="checkbox"/> Concrete <input type="checkbox"/> Bentonite Chips			
No. Yards, Sacks Sealant or Volume (circle one)		For Monitoring Wells and Monitoring Well Boreholes Only:			
1 sack		<input type="checkbox"/> Bentonite Chips <input type="checkbox"/> Bentonite - Cement Grout			
Mix Ratio or Mud Weight		<input checked="" type="checkbox"/> Granular Bentonite <input type="checkbox"/> Bentonite - Sand Slurry			

5. Material Used to Fill Well / Drillhole	From (ft.)	To (ft.)	No. Yards, Sacks Sealant or Volume (circle one)	Mix Ratio or Mud Weight
Granular Bentonite	Surface	10.0	1 sack	

6. Comments

7. Supervision of Work			DNR Use Only	
Name of Person or Firm Doing Filling & Sealing Geosyntec - Jeremiah Johnson	License #	Date of Filling & Sealing (mm/dd/yyyy) 6/24/2013	Date Received	Noted By
Street or Route 10200 North Port Washington Road Ste. 200		Telephone Number (262) 377-9828	Comments	
City Mequon	State WI	ZIP Code 53092	Signature of Person Doing Work <i>J. Bannautier</i>	Date Signed 6/20/14

Notice: Completion of this report is required by chs. 160, 281, 283, 289, 291-293, 295, and 299, Wis. Stats., and ch. NR 141, Wis. Adm. Code. In accordance with chs. 281, 289, 291-293, 295, and 299, Wis. Stats., failure to file this form may result in a forfeiture of between \$10-25,000, or imprisonment for up to one year, depending on the program and conduct involved. Personally identifiable information on this form is not intended to be used for any other purpose. Return this form to the appropriate DNR office and bureau. See instructions on reverse for more information.

Verification Only of Fill and Seal

Route to:

- Drinking Water Watershed/Wastewater Remediation/Redevelopment
 Waste Management Other

1. Well Location Information **2. Facility / Owner Information**

County Walworth		WI Unique Well # of Removed Well	Hicap #		Facility Name Getzen Musical Instruments		
Latitude / Longitude (Degrees and Minutes) ° ' " N ° ' " W		Method Code (see instructions)			Facility ID (FID or PWS) 265006720		
¼ ¼ NE	¼ SE	Section 6	Township 2	Range 17	License/Permit/Monitoring # IP- 3		
or Gov't Lot #					Original Well Owner Getzen Musical Instruments		
Well Street Address 530 South County Highway H					Present Well Owner Getzen Musical Instruments		
Well City, Village or Town Elkhorn			Well ZIP Code 53121		Mailing Address of Present Owner 530 South County Highway H		
Subdivision Name			Lot #		City of Present Owner Elkhorn	State WI	ZIP Code 53121

Reason For Removal From Service: **No longer needed**
 WI Unique Well # of Replacement Well: _____

3. Well / Drillhole / Borehole Information

Monitoring Well Original Construction Date: **6/24/2013**
 Water Well
 Drillhole / Borehole If a Well Construction Report is available, please attach.

Construction Type:
 Drilled Driven (Sandpoint) Dug
 Other (Specify) **Geoprobe**

Formation Type:
 Unconsolidated Formation Bedrock

Total Well Depth From Ground Surface (ft.) 10.0	Casing Diameter (in.) no casing
Lower Drillhole Diameter (in.) 2.0	Casing Depth (ft.) no casing

Was well annular space grouted? Yes No Unknown
 If yes, to what depth (feet)? **5.0** Depth to Water (feet) _____

4. Pump, Liner, Screen, Casing & Sealing Material

Pump and piping removed? Yes No N/A
 Liner(s) removed? Yes No N/A
 Screen removed? Yes No N/A
 Casing left in place? Yes No N/A
 Was casing cut off below surface? Yes No N/A
 Did sealing material rise to surface? Yes No N/A
 Did material settle after 24 hours? Yes No N/A
 If yes, was hole retopped? Yes No N/A
 If bentonite chips were used, were they hydrated with water from a known safe source? Yes No N/A

Required Method of Placing Sealing Material:
 Conductor Pipe-Gravity Conductor Pipe-Pumped
 Screened & Poured Other (Explain) **Poured - Gravity (Bentonite Chips)**

Sealing Materials:
 Neat Cement Grout Clay-Sand Slurry (11 lb./gal. wt.)
 Sand-Cement (Concrete) Grout Bentonite-Sand Slurry " "
 Concrete Bentonite Chips

For Monitoring Wells and Monitoring Well Boreholes Only:
 Bentonite Chips Bentonite - Cement Grout
 Granular Bentonite Bentonite - Sand Slurry

5. Material Used to Fill Well / Drillhole	From (ft.)	To (ft.)	No. Yards, Sacks Sealant or Volume (circle one)	Mix Ratio or Mud Weight
Granular Bentonite	Surface	10.0	1 sack	

6. Comments

7. Supervision of Work

Name of Person or Firm Doing Filling & Sealing Geosyntec - Jeremiah Johnson		License #	Date of Filling & Sealing (mm/dd/yyyy) 6/24/2013	DNR Use Only	
Street or Route 10200 North Port Washington Road Ste. 200		State	Telephone Number (262) 377-9828	Date Received	Noted By
City Mequon	State WI	ZIP Code 53092	Signature of Person Doing Work <i>J. Bernauer</i>	Comments	
				Date Signed 6/20/14	

Notice: Completion of this report is required by chs. 160, 281, 283, 289, 291-293, 295, and 299, Wis. Stats., and ch. NR 141, Wis. Adm. Code. In accordance with chs. 281, 289, 291-293, 295, and 299, Wis. Stats., failure to file this form may result in a forfeiture of between \$10-25,000, or imprisonment for up to one year, depending on the program and conduct involved. Personally identifiable information on this form is not intended to be used for any other purpose. Return this form to the appropriate DNR office and bureau. See instructions on reverse for more information.

Verification Only of Fill and Seal

Route to:

- Drinking Water Watershed/Wastewater Remediation/Redevelopment
 Waste Management Other

1. Well Location Information				2. Facility / Owner Information			
County Walworth		WI Unique Well # of Removed Well		Hicap #		Facility Name Getzen Musical Instruments	
Latitude / Longitude (Degrees and Minutes) ° ' " N ° ' " W			Method Code (see instructions)			Facility ID (FID or PWS) 265006720	
1/4 NE or Gov't Lot #		1/4 SE	Section 6	Township 2	Range 17	License/Permit/Monitoring # IP- 4	
						Original Well Owner Getzen Musical Instruments	
Well Street Address 530 South County Highway H				Present Well Owner Getzen Musical Instruments			
Well City, Village or Town Elkhorn				Mailing Address of Present Owner 530 South County Highway H			
Subdivision Name				Well ZIP Code 53121		City of Present Owner Elkhorn	State WI
				Lot #		ZIP Code 53121	
Reason For Removal From Service No longer needed		WI Unique Well # of Replacement Well					
3. Well / Drillhole / Borehole Information							
<input type="checkbox"/> Monitoring Well		Original Construction Date 6/24/2013					
<input type="checkbox"/> Water Well		If a Well Construction Report is available, please attach.					
<input checked="" type="checkbox"/> Drillhole / Borehole							
Construction Type:							
<input type="checkbox"/> Drilled		<input type="checkbox"/> Driven (Sandpoint)		<input type="checkbox"/> Dug			
<input checked="" type="checkbox"/> Other (Specify)		Geoprobe					
Formation Type:							
<input checked="" type="checkbox"/> Unconsolidated Formation				<input type="checkbox"/> Bedrock			
Total Well Depth From Ground Surface (ft) 10.0		Casing Diameter (in.) no casing					
Lower Drillhole Diameter (in.) 2.0		Casing Depth (ft.) no casing					
Was well annular space grouted? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> Unknown							
If yes, to what depth (feet)?		Depth to Water (feet) 5.0					
5. Material Used to Fill Well / Drillhole				From (ft.)	To (ft.)	No. Yards, Sacks Sealant or Volume (circle one)	Mix Ratio or Mud Weight
Granular Bentonite				Surface	10.0	1 sack	
6. Comments							
7. Supervision of Work					DNR Use Only		
Name of Person or Firm Doing Filling & Sealing Geosyntec - Jeremiah Johnson			License #	Date of Filling & Sealing (mm/dd/yyyy) 6/24/2013	Date Received	Noted By	
Street or Route 10200 North Port Washington Road Ste. 200				Telephone Number (262) 377-9828		Comments	
City Mequon		State WI	ZIP Code 53092	Signature of Person Doing Work <i>J. Bernhardt</i>		Date Signed 6/20/14	

Notice: Completion of this report is required by chs. 160, 281, 283, 289, 291-293, 295, and 299, Wis. Stats., and ch. NR 141, Wis. Adm. Code. In accordance with chs. 281, 289, 291-293, 295, and 299, Wis. Stats., failure to file this form may result in a forfeiture of between \$10-25,000, or imprisonment for up to one year, depending on the program and conduct involved. Personally identifiable information on this form is not intended to be used for any other purpose. Return this form to the appropriate DNR office and bureau. See instructions on reverse for more information.

Verification Only of Fill and Seal

Route to:

- Drinking Water Watershed/Wastewater Remediation/Redevelopment
 Waste Management Other

1. Well Location Information **2. Facility / Owner Information**

County Walworth	WI Unique Well # of Removed Well	Hicap #	Facility Name Getzen Musical Instruments
Latitude / Longitude (Degrees and Minutes) ° ' " N ° ' " W		Method Code (see instructions)	Facility ID (FID or PWS) 265006720
¼ / ¼ NE or Gov't Lot #	¼ SE	Section 6	License/Permit/Monitoring # IP- 5
Well Street Address 530 South County Highway H		Township 2	Original Well Owner Getzen Musical Instruments
Well City, Village or Town Elkhorn		Range 17	Present Well Owner Getzen Musical Instruments
Subdivision Name		Well ZIP Code 53121	Mailing Address of Present Owner 530 South County Highway H
Reason For Removal From Service No longer needed		Lot #	City of Present Owner Elkhorn
WI Unique Well # of Replacement Well		State WI	ZIP Code 53121

3. Well / Drillhole / Borehole Information **4. Pump, Liner, Screen, Casing & Sealing Material**

<input type="checkbox"/> Monitoring Well	Original Construction Date 6/24/2013	Pump and piping removed?	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A
<input type="checkbox"/> Water Well	If a Well Construction Report is available, please attach.	Liner(s) removed?	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A
<input checked="" type="checkbox"/> Drillhole / Borehole		Screen removed?	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A
Construction Type: <input type="checkbox"/> Drilled <input type="checkbox"/> Driven (Sandpoint) <input type="checkbox"/> Dug		Casing left in place?	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A
<input checked="" type="checkbox"/> Other (Specify) Geoprobe		Was casing cut off below surface?	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A
Formation Type: <input checked="" type="checkbox"/> Unconsolidated Formation <input type="checkbox"/> Bedrock		Did sealing material rise to surface?	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A
Total Well Depth From Ground Surface (ft.) 10.0	Casing Diameter (in.) no casing	Did material settle after 24 hours?	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A
Lower Drillhole Diameter (in.) 2.0	Casing Depth (ft.) no casing	If yes, was hole retopped?	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A
Was well annular space grouted? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> Unknown	Depth to Water (feet) 5.0	If bentonite chips were used, were they hydrated with water from a known safe source	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A
5. Material Used to Fill Well / Drillhole		Required Method of Placing Sealing Material	
Granular Bentonite		<input type="checkbox"/> Conductor Pipe-Gravity <input type="checkbox"/> Conductor Pipe-Pumped	
		<input type="checkbox"/> Screened & Poured <input checked="" type="checkbox"/> Other (Explain) Poured - Gravity (Bentonite Chips)	
		Sealing Materials	
		<input type="checkbox"/> Neat Cement Grout <input type="checkbox"/> Clay-Sand Slurry (11 lb./gal. wt.) <input type="checkbox"/> Sand-Cement (Concrete) Grout <input type="checkbox"/> Bentonite-Sand Slurry " " <input type="checkbox"/> Concrete <input type="checkbox"/> Bentonite Chips	
		For Monitoring Wells and Monitoring Well Boreholes Only:	
		<input type="checkbox"/> Bentonite Chips <input type="checkbox"/> Bentonite - Cement Grout <input checked="" type="checkbox"/> Granular Bentonite <input type="checkbox"/> Bentonite - Sand Slurry	

5. Material Used to Fill Well / Drillhole	From (ft.)	To (ft.)	No. Yards, Sacks Sealant or Volume (circle one)	Mix Ratio or Mud Weight
Granular Bentonite	Surface	10.0	1 sack	

6. Comments

7. Supervision of Work		DNR Use Only	
Name of Person or Firm Doing Filling & Sealing Geosyntec - Jeremiah Johnson	License #	Date of Filling & Sealing (mm/dd/yyyy) 6/24/2013	Date Received
Street or Route 10200 North Port Washington Road Ste. 200		Telephone Number (262) 377-9828	Comments
City Mequon	State WI	ZIP Code 53092	Signature of Person Doing Work <i>J. Baunert</i>
			Date Signed 6/20/14

Notice: Completion of this report is required by chs. 160, 281, 283, 289, 291-293, 295, and 299, Wis. Stats., and ch. NR 141, Wis. Adm. Code. In accordance with chs. 281, 289, 291-293, 295, and 299, Wis. Stats., failure to file this form may result in a forfeiture of between \$10-25,000, or imprisonment for up to one year, depending on the program and conduct involved. Personally identifiable information on this form is not intended to be used for any other purpose. Return this form to the appropriate DNR office and bureau. See instructions on reverse for more information.

Verification Only of Fill and Seal

Route to:

- Drinking Water Watershed/Wastewater Remediation/Redevelopment
 Waste Management Other

1. Well Location Information				2. Facility / Owner Information			
County <u>Walworth</u>		WI Unique Well # of Removed Well		Hicap #		Facility Name <u>Getzen Musical Instruments</u>	
Latitude / Longitude (Degrees and Minutes) ° ' " N ° ' " W			Method Code (see instructions)			Facility ID (FID or PWS) <u>265006720</u>	
1/4 1/4 NE 1/4 SE		Section <u>6</u>	Township <u>2</u>	Range <u>17</u>	<input checked="" type="checkbox"/> E <input type="checkbox"/> W	License/Permit/Monitoring # <u>IP- 6</u>	
Well Street Address <u>530 South County Highway H</u>				Original Well Owner <u>Getzen Musical Instruments</u>			
Well City, Village or Town <u>Elkhorn</u>				Present Well Owner <u>Getzen Musical Instruments</u>			
Subdivision Name				Well ZIP Code <u>53121</u>		Mailing Address of Present Owner <u>530 South County Highway H</u>	
Reason For Removal From Service <u>No longer needed</u>				City of Present Owner <u>Elkhorn</u>			
WI Unique Well # of Replacement Well				State <u>WI</u>		ZIP Code <u>53121</u>	
3. Well / Drillhole / Borehole Information							
<input type="checkbox"/> Monitoring Well		Original Construction Date <u>6/24/2013</u>		4. Pump, Liner, Screen, Casing & Sealing Material Pump and piping removed? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A Liner(s) removed? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A Screen removed? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A Casing left in place? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A Was casing cut off below surface? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A Did sealing material rise to surface? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A Did material settle after 24 hours? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A If yes, was hole retopped? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A If bentonite chips were used, were they hydrated with water from a known safe source <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A			
<input type="checkbox"/> Water Well		If a Well Construction Report is available, please attach.					
Construction Type: <input type="checkbox"/> Drilled <input type="checkbox"/> Driven (Sandpoint) <input type="checkbox"/> Dug <input checked="" type="checkbox"/> Other (Specify) <u>Geoprobe</u>							
Formation Type: <input checked="" type="checkbox"/> Unconsolidated Formation <input type="checkbox"/> Bedrock							
Total Well Depth From Ground Surface (ft) <u>10.0</u>		Casing Diameter (in.) <u>no casing</u>		Required Method of Placing Sealing Material <input type="checkbox"/> Conductor Pipe-Gravity <input type="checkbox"/> Conductor Pipe-Pumped <input type="checkbox"/> Screened & Poured <input checked="" type="checkbox"/> Other (Explain) <u>Poured - Gravity (Bentonite Chips)</u>			
Lower Drillhole Diameter (in.) <u>2.0</u>		Casing Depth (ft.) <u>no casing</u>		Sealing Materials <input type="checkbox"/> Neat Cement Grout <input type="checkbox"/> Clay-Sand Slurry (11 lb./gal. wt.) <input type="checkbox"/> Sand-Cement (Concrete) Grout <input type="checkbox"/> Bentonite-Sand Slurry " " <input type="checkbox"/> Concrete <input type="checkbox"/> Bentonite Chips			
Was well annular space grouted? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> Unknown				For Monitoring Wells and Monitoring Well Boreholes Only: <input type="checkbox"/> Bentonite Chips <input type="checkbox"/> Bentonite - Cement Grout <input checked="" type="checkbox"/> Granular Bentonite <input type="checkbox"/> Bentonite - Sand Slurry			
If yes, to what depth (feet)?		Depth to Water (feet) <u>5.0</u>					
5. Material Used to Fill Well / Drillhole				From (ft.)	To (ft.)	No. Yards, Sacks Sealant or Volume (circle one)	Mix Ratio or Mud Weight
<u>Granular Bentonite</u>				<u>Surface</u>	<u>10.0</u>	<u>1 sack</u>	
6. Comments							
7. Supervision of Work							
Name of Person or Firm Doing Filling & Sealing <u>Geosyntec - Jeremiah Johnson</u>		License #		Date of Filling & Sealing (mm/dd/yyyy) <u>6/24/2013</u>		DNR Use Only Date Received	
Street or Route <u>10200 North Port Washington Road Ste. 200</u>		State <u>WI</u>		Telephone Number <u>(262) 377-9828</u>		Noted By	
City <u>Mequon</u>		ZIP Code <u>53092</u>		Signature of Person Doing Work <i>J. Bannan</i>		Comments	
						Date Signed <u>6/20/14</u>	

Notice: Completion of this report is required by chs. 160, 281, 283, 289, 291-293, 295, and 299, Wis. Stats., and ch. NR 141, Wis. Adm. Code. In accordance with chs. 281, 289, 291-293, 295, and 299, Wis. Stats., failure to file this form may result in a forfeiture of between \$10-25,000, or imprisonment for up to one year, depending on the program and conduct involved. Personally identifiable information on this form is not intended to be used for any other purpose. Return this form to the appropriate DNR office and bureau. See instructions on reverse for more information.

Verification Only of Fill and Seal

Route to:

- Drinking Water Watershed/Wastewater Remediation/Redevelopment
 Waste Management Other

1. Well Location Information **2. Facility / Owner Information**

County Walworth	WI Unique Well # of Removed Well	Hicap #	Facility Name Getzen Musical Instruments
Latitude / Longitude (Degrees and Minutes) ° ' " N ° ' " W	Method Code (see instructions)	Facility ID (FID or PWS) 265006720	License/Permit/Monitoring # IP- 7
¼ / ¼ NE ¼ SE or Gov't Lot #	Section 6	Township 2	Range 17
		<input checked="" type="checkbox"/> E <input type="checkbox"/> W	Original Well Owner Getzen Musical Instruments
Well Street Address 530 South County Highway H			Present Well Owner Getzen Musical Instruments
Well City, Village or Town Elkhorn			Mailing Address of Present Owner 530 South County Highway H
Well ZIP Code 53121			City of Present Owner Elkhorn
Subdivision Name			State WI
Lot #			ZIP Code 53121

Reason For Removal From Service: No longer needed

WI Unique Well # of Replacement Well:

3. Well / Drillhole / Borehole Information

Monitoring Well Original Construction Date: 6/24/2013
 Water Well
 Drillhole / Borehole If a Well Construction Report is available, please attach.

Construction Type:
 Drilled Driven (Sandpoint) Dug
 Other (Specify) Geoprobe

Formation Type:
 Unconsolidated Formation Bedrock

Total Well Depth From Ground Surface (ft.) 10.0	Casing Diameter (in.) no casing
Lower Drillhole Diameter (in.) 2.0	Casing Depth (ft.) no casing

Was well annular space grouted? Yes No Unknown

If yes, to what depth (feet)? Depth to Water (feet)
5.0

4. Pump, Liner, Screen, Casing & Sealing Material

Pump and piping removed? Yes No N/A
 Liner(s) removed? Yes No N/A
 Screen removed? Yes No N/A
 Casing left in place? Yes No N/A
 Was casing cut off below surface? Yes No N/A
 Did sealing material rise to surface? Yes No N/A
 Did material settle after 24 hours? Yes No N/A
 If yes, was hole retopped? Yes No N/A
 If bentonite chips were used, were they hydrated with water from a known safe source? Yes No N/A

Required Method of Placing Sealing Material:
 Conductor Pipe-Gravity Conductor Pipe-Pumped
 Screened & Poured Other (Explain) Poured - Gravity (Bentonite Chips)

Sealing Materials:
 Neat Cement Grout Clay-Sand Slurry (11 lb./gal. wt.)
 Sand-Cement (Concrete) Grout Bentonite-Sand Slurry " "
 Concrete Bentonite Chips

For Monitoring Wells and Monitoring Well Boreholes Only:
 Bentonite Chips Bentonite - Cement Grout
 Granular Bentonite Bentonite - Sand Slurry

5. Material Used to Fill Well / Drillhole	From (ft.)	To (ft.)	No. Yards, Sacks Sealant or Volume (circle one)	Mix Ratio or Mud Weight
Granular Bentonite	Surface	10.0	1 sack	

6. Comments

7. Supervision of Work			DNR Use Only	
Name of Person or Firm Doing Filling & Sealing Geosyntec - Jeremiah Johnson	License #	Date of Filling & Sealing (mm/dd/yyyy) 6/24/2013	Date Received	Noted By
Street or Route 10200 North Port Washington Road Ste. 200		Telephone Number (262) 377-9828	Comments	
City Mequon	State WI	ZIP Code 53092	Signature of Person Doing Work <i>J. Bannautie</i>	Date Signed 6/20/14

Notice: Completion of this report is required by chs. 160, 281, 283, 289, 291-293, 295, and 299, Wis. Stats., and ch. NR 141, Wis. Adm. Code. In accordance with chs. 281, 289, 291-293, 295, and 299, Wis. Stats., failure to file this form may result in a forfeiture of between \$10-25,000, or imprisonment for up to one year, depending on the program and conduct involved. Personally identifiable information on this form is not intended to be used for any other purpose. Return this form to the appropriate DNR office and bureau. See instructions on reverse for more information.

Verification Only of Fill and Seal

Route to:

- Drinking Water Watershed/Wastewater Remediation/Redevelopment
 Waste Management Other

1. Well Location Information **2. Facility / Owner Information**

County Walworth		WI Unique Well # of Removed Well		Hicap #		Facility Name Getzen Musical Instruments				
Latitude / Longitude (Degrees and Minutes) ° ' " N ° ' " W				Method Code (see instructions)		Facility ID (FID or PWS) 265006720				
1/4 NE		1/4 SE		Section 6	Township 2	Range 17	<input checked="" type="checkbox"/> E <input type="checkbox"/> W			
or Gov't Lot #								License/Permit/Monitoring # IP- 8		
Well Street Address 530 South County Highway H						Original Well Owner Getzen Musical Instruments				
Well City, Village or Town Elkhorn						Present Well Owner Getzen Musical Instruments				
Well ZIP Code 53121						Mailing Address of Present Owner 530 South County Highway H				
Subdivision Name						City of Present Owner Elkhorn		State WI	ZIP Code 53121	

3. Well / Drillhole / Borehole Information **4. Pump, Liner, Screen, Casing & Sealing Material**

Reason For Removal From Service No longer needed		WI Unique Well # of Replacement Well		Pump and piping removed? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A Liner(s) removed? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A Screen removed? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A Casing left in place? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A			
<input type="checkbox"/> Monitoring Well		Original Construction Date 6/24/2013		Was casing cut off below surface? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A Did sealing material rise to surface? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A Did material settle after 24 hours? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A If yes, was hole retopped? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A			
<input type="checkbox"/> Water Well		If a Well Construction Report is available, please attach.		If bentonite chips were used, were they hydrated with water from a known safe source? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A			
<input checked="" type="checkbox"/> Drillhole / Borehole				Required Method of Placing Sealing Material <input type="checkbox"/> Conductor Pipe-Gravity <input type="checkbox"/> Conductor Pipe-Pumped <input type="checkbox"/> Screened & Poured <input checked="" type="checkbox"/> Other (Explain) Poured - Gravity (Bentonite Chips)			
Construction Type: <input type="checkbox"/> Drilled <input type="checkbox"/> Driven (Sandpoint) <input type="checkbox"/> Dug				Sealing Materials <input type="checkbox"/> Neat Cement Grout <input type="checkbox"/> Clay-Sand Slurry (11 lb./gal. wt.) <input type="checkbox"/> Sand-Cement (Concrete) Grout <input type="checkbox"/> Bentonite-Sand Slurry " " <input type="checkbox"/> Concrete <input type="checkbox"/> Bentonite Chips			
Formation Type: <input checked="" type="checkbox"/> Unconsolidated Formation <input type="checkbox"/> Bedrock				For Monitoring Wells and Monitoring Well Boreholes Only: <input type="checkbox"/> Bentonite Chips <input type="checkbox"/> Bentonite - Cement Grout <input checked="" type="checkbox"/> Granular Bentonite <input type="checkbox"/> Bentonite - Sand Slurry			
Total Well Depth From Ground Surface (ft) 10.0	Casing Diameter (in.) no casing						
Lower Drillhole Diameter (in.) 2.0	Casing Depth (ft.) no casing						
Was well annular space grouted? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> Unknown							
If yes, to what depth (feet)?		Depth to Water (feet) 5.0					

5. Material Used to Fill Well / Drillhole	From (ft.)	To (ft.)	No. Yards, Sacks Sealant or Volume (circle one)	Mix Ratio or Mud Weight
Granular Bentonite	Surface	10.0	1 sack	

6. Comments

7. Supervision of Work			DNR Use Only	
Name of Person or Firm Doing Filling & Sealing Geosyntec - Jeremiah Johnson	License #	Date of Filling & Sealing (mm/dd/yyyy) 6/24/2013	Date Received	Noted By
Street or Route 10200 North Port Washington Road Ste. 200		Telephone Number (262) 377-9828	Comments	
City Mequon	State WI	ZIP Code 53092	Signature of Person Doing Work <i>J. Hannant</i>	Date Signed 6/20/14

Notice: Completion of this report is required by chs. 160, 281, 283, 289, 291-293, 295, and 299, Wis. Stats., and ch. NR 141, Wis. Adm. Code. In accordance with chs. 281, 289, 291-293, 295, and 299, Wis. Stats., failure to file this form may result in a forfeiture of between \$10-25,000, or imprisonment for up to one year, depending on the program and conduct involved. Personally identifiable information on this form is not intended to be used for any other purpose. Return this form to the appropriate DNR office and bureau. See instructions on reverse for more information.

Verification Only of Fill and Seal

Route to:

- Drinking Water Watershed/Wastewater Remediation/Redevelopment
 Waste Management Other

1. Well Location Information **2. Facility / Owner Information**

County Walworth		WI Unique Well # of Removed Well		Hicap #		Facility Name Getzen Musical Instruments			
Latitude / Longitude (Degrees and Minutes)		Method Code (see instructions)				Facility ID (FID or PWS) 265006720			
° ' " N ° ' " W		Section 6		Township 2		Range 17		License/Permit/Monitoring # IP- 9	
1/4 NE 1/4 SE		or Gov't Lot #		E <input checked="" type="checkbox"/> W <input type="checkbox"/>		Original Well Owner Getzen Musical Instruments			
Well Street Address 530 South County Highway H						Present Well Owner Getzen Musical Instruments			
Well City, Village or Town Elkhorn						Mailing Address of Present Owner 530 South County Highway H			
Subdivision Name						Well ZIP Code 53121		City of Present Owner Elkhorn	
						State WI		ZIP Code 53121	

3. Well / Drillhole / Borehole Information **4. Pump, Liner, Screen, Casing & Sealing Material**

Reason For Removal From Service No longer needed		WI Unique Well # of Replacement Well		Pump and piping removed? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A Liner(s) removed? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A Screen removed? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A Casing left in place? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A Was casing cut off below surface? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A Did sealing material rise to surface? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A Did material settle after 24 hours? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A If yes, was hole retopped? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A If bentonite chips were used, were they hydrated with water from a known safe source? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A					
<input type="checkbox"/> Monitoring Well <input type="checkbox"/> Water Well <input checked="" type="checkbox"/> Drillhole / Borehole		Original Construction Date 6/24/2013		Required Method of Placing Sealing Material <input type="checkbox"/> Conductor Pipe-Gravity <input type="checkbox"/> Conductor Pipe-Pumped <input type="checkbox"/> Screened & Poured <input checked="" type="checkbox"/> Other (Explain) Poured - Gravity (Bentonite Chips)					
Construction Type: <input type="checkbox"/> Drilled <input type="checkbox"/> Driven (Sandpoint) <input type="checkbox"/> Dug <input checked="" type="checkbox"/> Other (Specify) Geoprobe		If a Well Construction Report is available, please attach.		Sealing Materials <input type="checkbox"/> Neat Cement Grout <input type="checkbox"/> Clay-Sand Slurry (11 lb./gal. wt.) <input type="checkbox"/> Sand-Cement (Concrete) Grout <input type="checkbox"/> Bentonite-Sand Slurry " " <input type="checkbox"/> Concrete <input type="checkbox"/> Bentonite Chips					
Formation Type: <input checked="" type="checkbox"/> Unconsolidated Formation <input type="checkbox"/> Bedrock		Total Well Depth From Ground Surface (ft.) 10.0		Casing Diameter (in.) no casing		For Monitoring Wells and Monitoring Well Boreholes Only: <input type="checkbox"/> Bentonite Chips <input type="checkbox"/> Bentonite - Cement Grout <input checked="" type="checkbox"/> Granular Bentonite <input type="checkbox"/> Bentonite - Sand Slurry			
Lower Drillhole Diameter (in.) 2.0		Casing Depth (ft.) no casing		Was well annular space grouted? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> Unknown If yes, to what depth (feet)? 5.0					

5. Material Used to Fill Well / Drillhole	From (ft.)	To (ft.)	No. Yards, Sacks Sealant or Volume (circle one)	Mix Ratio or Mud Weight
Granular Bentonite	Surface	10.0	1 sack	

6. Comments

7. Supervision of Work			DNR Use Only		
Name of Person or Firm Doing Filling & Sealing Geosyntec - Jeremiah Johnson		License #	Date of Filling & Sealing (mm/dd/yyyy) 6/24/2013	Date Received	Noted By
Street or Route 10200 North Port Washington Road Ste. 200		Telephone Number (262) 377-9828		Comments	
City Mequon	State WI	ZIP Code 53092	Signature of Person Doing Work <i>J. Bannantine</i>	Date Signed 6/20/14	

Notice: Completion of this report is required by chs. 160, 281, 283, 289, 291-293, 295, and 299, Wis. Stats., and ch. NR 141, Wis. Adm. Code. In accordance with chs. 281, 289, 291-293, 295, and 299, Wis. Stats., failure to file this form may result in a forfeiture of between \$10-25,000, or imprisonment for up to one year, depending on the program and conduct involved. Personally identifiable information on this form is not intended to be used for any other purpose. Return this form to the appropriate DNR office and bureau. See instructions on reverse for more information.

Verification Only of Fill and Seal

Route to:

- Drinking Water Watershed/Wastewater Remediation/Redevelopment
 Waste Management Other _____

1. Well Location Information **2. Facility / Owner Information**

County Walworth		WI Unique Well # of Removed Well		Hicap #		Facility Name Getzen Musical Instruments			
Latitude / Longitude (Degrees and Minutes) ° ' " N ° ' " W		Method Code (see instructions)				Facility ID (FID or PWS) 265006720			
¼/¼ NE ¼ SE		Section 6		Township 2		Range 17		License/Permit/Monitoring # IP-10	
or Gov't Lot #								Original Well Owner Getzen Musical Instruments	
Well Street Address 530 South County Highway H								Present Well Owner Getzen Musical Instruments	
Well City, Village or Town Elkhorn		Well ZIP Code 53121						Mailing Address of Present Owner 530 South County Highway H	
Subdivision Name		Lot #				City of Present Owner Elkhorn		State WI	ZIP Code 53121

3. Well / Drillhole / Borehole Information **4. Pump, Liner, Screen, Casing & Sealing Material**

Reason For Removal From Service No longer needed		WI Unique Well # of Replacement Well		Pump and piping removed? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	
<input type="checkbox"/> Monitoring Well		Original Construction Date 6/24/2013		Liner(s) removed? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	
<input type="checkbox"/> Water Well		If a Well Construction Report is available, please attach.		Screen removed? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	
<input checked="" type="checkbox"/> Drillhole / Borehole				Casing left in place? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	
Construction Type: <input type="checkbox"/> Drilled <input type="checkbox"/> Driven (Sandpoint) <input type="checkbox"/> Dug				Was casing cut off below surface? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	
<input checked="" type="checkbox"/> Other (Specify) Geoprobe				Did sealing material rise to surface? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	
Formation Type: <input checked="" type="checkbox"/> Unconsolidated Formation <input type="checkbox"/> Bedrock				Did material settle after 24 hours? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A	
Total Well Depth From Ground Surface (ft) 10.0		Casing Diameter (in.) no casing		If yes, was hole retopped? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	
Lower Drillhole Diameter (in.) 2.0		Casing Depth (ft.) no casing		If bentonite chips were used, were they hydrated with water from a known safe source <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	
Was well annular space grouted? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> Unknown				Required Method of Placing Sealing Material	
If yes, to what depth (feet)? 5.0		Depth to Water (feet) 5.0		<input type="checkbox"/> Conductor Pipe-Gravity <input type="checkbox"/> Conductor Pipe-Pumped	
				<input type="checkbox"/> Screened & Poured <input checked="" type="checkbox"/> Other (Explain) Poured - Gravity (Bentonite Chips)	

5. Material Used to Fill Well / Drillhole	From (ft.)	To (ft.)	No. Yards, Sacks Sealant or Volume (circle one)	Mix Ratio or Mud Weight
Granular Bentonite	Surface	10.0	1 sack	

6. Comments

7. Supervision of Work **DNR Use Only**

Name of Person or Firm Doing Filling & Sealing Geosyntec - Jeremiah Johnson		License #		Date of Filling & Sealing (mm/dd/yyyy) 6/24/2013		Date Received		Noted By	
Street or Route 10200 North Port Washington Road Ste. 200				Telephone Number (262) 377-9828		Comments			
City Mequon		State WI		ZIP Code 53092		Signature of Person Doing Work <i>J. Hannant</i>		Date Signed 6/22/14	

Notice: Completion of this report is required by chs. 160, 281, 283, 289, 291-293, 295, and 299, Wis. Stats., and ch. NR 141, Wis. Adm. Code. In accordance with chs. 281, 289, 291-293, 295, and 299, Wis. Stats., failure to file this form may result in a forfeiture of between \$10-25,000, or imprisonment for up to one year, depending on the program and conduct involved. Personally identifiable information on this form is not intended to be used for any other purpose. Return this form to the appropriate DNR office and bureau. See instructions on reverse for more information.

Verification Only of Fill and Seal

Route to:

- Drinking Water Watershed/Wastewater Remediation/Redevelopment
 Waste Management Other

1. Well Location Information **2. Facility / Owner Information**

County Walworth	WI Unique Well # of Removed Well	Hicap #	Facility Name Getzen Musical Instruments
Latitude / Longitude (Degrees and Minutes) ° ' " N ° ' " W		Method Code (see instructions)	Facility ID (FID or PWS) 265006720
¼ / ¼ NE or Gov't Lot #	¼ SE	Section 6	License/Permit/Monitoring # IP-11
Well Street Address 530 South County Highway H		Township 2	Original Well Owner Getzen Musical Instruments
Well City, Village or Town Elkhorn		Range 17 <input checked="" type="checkbox"/> E <input type="checkbox"/> W	Present Well Owner Getzen Musical Instruments
Subdivision Name		Well ZIP Code 53121	Mailing Address of Present Owner 530 South County Highway H
Reason For Removal From Service No longer needed		Lot #	City of Present Owner Elkhorn
WI Unique Well # of Replacement Well		State WI	ZIP Code 53121

3. Well / Drillhole / Borehole Information **4. Pump, Liner, Screen, Casing & Sealing Material**

<input type="checkbox"/> Monitoring Well	Original Construction Date 6/25/2013	Pump and piping removed?	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A
<input type="checkbox"/> Water Well	If a Well Construction Report is available, please attach.	Liner(s) removed?	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A
<input checked="" type="checkbox"/> Drillhole / Borehole		Screen removed?	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A
Construction Type: <input type="checkbox"/> Drilled <input type="checkbox"/> Driven (Sandpoint) <input type="checkbox"/> Dug <input checked="" type="checkbox"/> Other (Specify) Geoprobe		Casing left in place?	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A
Formation Type: <input checked="" type="checkbox"/> Unconsolidated Formation <input type="checkbox"/> Bedrock		Was casing cut off below surface?	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A
Total Well Depth From Ground Surface (ft) 10.0	Casing Diameter (in.) no casing	Did sealing material rise to surface?	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A
Lower Drillhole Diameter (in.) 2.0	Casing Depth (ft.) no casing	Did material settle after 24 hours?	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A
Was well annular space grouted? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> Unknown	Depth to Water (feet) 5.0	If yes, was hole retopped?	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A
5. Material Used to Fill Well / Drillhole		If bentonite chips were used, were they hydrated with water from a known safe source?	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A
Granular Bentonite		Required Method of Placing Sealing Material	<input type="checkbox"/> Conductor Pipe-Gravity <input type="checkbox"/> Conductor Pipe-Pumped <input type="checkbox"/> Screened & Poured <input checked="" type="checkbox"/> Other (Explain) Poured - Gravity (Bentonite Chips)
		Sealing Materials	<input type="checkbox"/> Neat Cement Grout <input type="checkbox"/> Clay-Sand Slurry (11 lb./gal. wt.) <input type="checkbox"/> Sand-Cement (Concrete) Grout <input type="checkbox"/> Bentonite-Sand Slurry " " <input type="checkbox"/> Concrete <input type="checkbox"/> Bentonite Chips
		For Monitoring Wells and Monitoring Well Boreholes Only:	<input type="checkbox"/> Bentonite Chips <input type="checkbox"/> Bentonite - Cement Grout <input checked="" type="checkbox"/> Granular Bentonite <input type="checkbox"/> Bentonite - Sand Slurry

5. Material Used to Fill Well / Drillhole	From (ft.)	To (ft.)	No. Yards, Sacks Sealant or Volume (circle one)	Mix Ratio or Mud Weight
Granular Bentonite	Surface	10.0	1 sack	

6. Comments

7. Supervision of Work **DNR Use Only**

Name of Person or Firm Doing Filling & Sealing Geosyntec - Jeremiah Johnson	License #	Date of Filling & Sealing (mm/dd/yyyy) 6/25/2013	Date Received	Noted By
Street or Route 10200 North Port Washington Road Ste. 200		Telephone Number (262) 377-9828	Comments	
City Mequon	State WI	ZIP Code 53092	Signature of Person Doing Work <i>J. Bernhart</i>	Date Signed 6/20/14

Notice: Completion of this report is required by chs. 160, 281, 283, 289, 291-293, 295, and 299, Wis. Stats., and ch. NR 141, Wis. Adm. Code. In accordance with chs. 281, 289, 291-293, 295, and 299, Wis. Stats., failure to file this form may result in a forfeiture of between \$10-25,000, or imprisonment for up to one year, depending on the program and conduct involved. Personally identifiable information on this form is not intended to be used for any other purpose. Return this form to the appropriate DNR office and bureau. See instructions on reverse for more information.

Verification Only of Fill and Seal

Route to:

- Drinking Water Watershed/Wastewater Remediation/Redevelopment
 Waste Management Other

1. Well Location Information				2. Facility / Owner Information			
County Walworth		WI Unique Well # of Removed Well		Hicap #		Facility Name Getzen Musical Instruments	
Latitude / Longitude (Degrees and Minutes) ° ' " N ° ' " W			Method Code (see instructions)			Facility ID (FID or PWS) 265006720	
1/4 1/4 NE or Gov't Lot #		Section 6	Township 2	Range 17	<input checked="" type="checkbox"/> E <input type="checkbox"/> W	License/Permit/Monitoring # IP-12	
Well Street Address 530 South County Highway H				Original Well Owner Getzen Musical Instruments			
Well City, Village or Town Elkhorn				Present Well Owner Getzen Musical Instruments			
Subdivision Name				Well ZIP Code 53121		Mailing Address of Present Owner 530 South County Highway H	
Reason For Removal From Service No longer needed				WI Unique Well # of Replacement Well			
City of Present Owner Elkhorn				State WI	ZIP Code 53121		
4. Pump, Liner, Screen, Casing & Sealing Material							
<input type="checkbox"/> Monitoring Well		Original Construction Date 6/25/2013		Pump and piping removed?		<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	
<input type="checkbox"/> Water Well		If a Well Construction Report is available, please attach.		Liner(s) removed?		<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	
<input checked="" type="checkbox"/> Drillhole / Borehole		Construction Type: <input type="checkbox"/> Drilled <input type="checkbox"/> Driven (Sandpoint) <input type="checkbox"/> Dug <input checked="" type="checkbox"/> Other (Specify) <u>Geoprobe</u>		Screen removed?		<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	
Formation Type: <input checked="" type="checkbox"/> Unconsolidated Formation <input type="checkbox"/> Bedrock		Total Well Depth From Ground Surface (ft) 10.0		Casing Diameter (in.) no casing		Casing left in place?	
Lower Drillhole Diameter (in.) 2.0		Casing Depth (ft.) no casing		Was casing cut off below surface?		<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	
Was well annular space grouted? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> Unknown		Depth to Water (feet) 5.0		Did sealing material rise to surface?		<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	
5. Material Used to Fill Well / Drillhole		From (ft.)		To (ft.)		No. Yards, Sacks Sealant or Volume (circle one)	Mix Ratio or Mud Weight
Granular Bentonite		Surface		10.0		1 sack	
6. Comments							
7. Supervision of Work				DNR Use Only			
Name of Person or Firm Doing Filling & Sealing Geosyntec - Jeremiah Johnson		License #		Date of Filling & Sealing (mm/dd/yyyy) 6/25/2013		Date Received	Noted By
Street or Route 10200 North Port Washington Road Ste. 200				Telephone Number (262) 377-9828		Comments	
City Mequon		State WI	ZIP Code 53092	Signature of Person Doing Work <i>J. Bonnet</i>		Date Signed 6/20/14	

Notice: Completion of this report is required by chs. 160, 281, 283, 289, 291-293, 295, and 299, Wis. Stats., and ch. NR 141, Wis. Adm. Code. In accordance with chs. 281, 289, 291-293, 295, and 299, Wis. Stats., failure to file this form may result in a forfeiture of between \$10-25,000, or imprisonment for up to one year, depending on the program and conduct involved. Personally identifiable information on this form is not intended to be used for any other purpose. Return this form to the appropriate DNR office and bureau. See instructions on reverse for more information.

Verification Only of Fill and Seal

Route to:

- Drinking Water Watershed/Wastewater Remediation/Redevelopment
 Waste Management Other

1. Well Location Information **2. Facility / Owner Information**

County Walworth		WI Unique Well # of Removed Well		Hicap #		Facility Name Getzen Musical Instruments			
Latitude / Longitude (Degrees and Minutes) " ' N " ' W		Method Code (see instructions)				Facility ID (FID or PWS) 265006720			
1/4 1/4 NE 1/4 SE		Section 6		Township 2		Range 17		License/Permit/Monitoring # TP-13	
or Gov't Lot #								Original Well Owner Getzen Musical Instruments	
Well Street Address 530 South County Highway H								Present Well Owner Getzen Musical Instruments	
Well City, Village or Town Elkhorn		Well ZIP Code 53121						Mailing Address of Present Owner 530 South County Highway H	
Subdivision Name		Lot #				City of Present Owner Elkhorn		State WI	ZIP Code 53121
Reason For Removal From Service No longer needed		WI Unique Well # of Replacement Well							

3. Well / Drillhole / Borehole Information **4. Pump, Liner, Screen, Casing & Sealing Material**

<input type="checkbox"/> Monitoring Well <input type="checkbox"/> Water Well <input checked="" type="checkbox"/> Drillhole / Borehole		Original Construction Date 6/25/2013		<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	
Construction Type: <input type="checkbox"/> Drilled <input type="checkbox"/> Driven (Sandpoint) <input type="checkbox"/> Dug <input checked="" type="checkbox"/> Other (Specify) <u>Geoprobe</u>		If a Well Construction Report is available, please attach.		Pump and piping removed? Liner(s) removed? Screen removed? Casing left in place? Was casing cut off below surface? Did sealing material rise to surface? Did material settle after 24 hours? If yes, was hole retopped? If bentonite chips were used, were they hydrated with water from a known safe source?	
Formation Type: <input checked="" type="checkbox"/> Unconsolidated Formation <input type="checkbox"/> Bedrock		Required Method of Placing Sealing Material <input type="checkbox"/> Conductor Pipe-Gravity <input type="checkbox"/> Conductor Pipe-Pumped <input type="checkbox"/> Screened & Poured <input checked="" type="checkbox"/> Other (Explain) Poured - Gravity (Bentonite Chips)		Sealing Materials <input type="checkbox"/> Neat Cement Grout <input type="checkbox"/> Clay-Sand Slurry (11 lb./gal. wt.) <input type="checkbox"/> Sand-Cement (Concrete) Grout <input type="checkbox"/> Bentonite-Sand Slurry " " <input type="checkbox"/> Concrete <input type="checkbox"/> Bentonite Chips	
Total Well Depth From Ground Surface (ft) 10.0		Casing Diameter (in.) no casing		For Monitoring Wells and Monitoring Well Boreholes Only: <input type="checkbox"/> Bentonite Chips <input type="checkbox"/> Bentonite - Cement Grout <input checked="" type="checkbox"/> Granular Bentonite <input type="checkbox"/> Bentonite - Sand Slurry	
Lower Drillhole Diameter (in.) 2.0		Casing Depth (ft.) no casing			
Was well annular space grouted? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> Unknown		Depth to Water (feet) 5.0			

5. Material Used to Fill Well / Drillhole	From (ft.)	To (ft.)	No. Yards, Sacks Sealant or Volume (circle one)	Mix Ratio or Mud Weight
Granular Bentonite	Surface	10.0	1 sack	

6. Comments

7. Supervision of Work **DNR Use Only**

Name of Person or Firm Doing Filling & Sealing Geosyntec - Jeremiah Johnson		License #	Date of Filling & Sealing (mm/dd/yyyy) 6/25/2013	Date Received	Noted By
Street or Route 10200 North Port Washington Road Ste. 200		Telephone Number (262) 377-9828		Comments	
City Mequon		State WI	ZIP Code 53092	Signature of Person Doing Work <i>J. Bernhardt</i>	Date Signed 6/20/14

Notice: Completion of this report is required by chs. 160, 281, 283, 289, 291-293, 295, and 299, Wis. Stats., and ch. NR 141, Wis. Adm. Code. In accordance with chs. 281, 289, 291-293, 295, and 299, Wis. Stats., failure to file this form may result in a forfeiture of between \$10-25,000, or imprisonment for up to one year, depending on the program and conduct involved. Personally identifiable information on this form is not intended to be used for any other purpose. Return this form to the appropriate DNR office and bureau. See instructions on reverse for more information.

Verification Only of Fill and Seal

Route to:

Drinking Water Watershed/Wastewater Remediation/Redevelopment

Waste Management Other

1. Well Location Information **2. Facility / Owner Information**

County Walworth		WI Unique Well # of Removed Well		Hicap #		Facility Name Getzen Musical Instruments	
Latitude / Longitude (Degrees and Minutes) ° ' " N ° ' " W		Method Code (see instructions)		Facility ID (FID or PWS) 265006720		License/Permit/Monitoring # IP-14	
¼ / ¼ NE	¼ SE	Section 6	Township 2	Range 17	<input checked="" type="checkbox"/> E <input type="checkbox"/> W	Original Well Owner Getzen Musical Instruments	
or Gov't Lot #		Well Street Address 530 South County Highway H		Present Well Owner Getzen Musical Instruments		Mailing Address of Present Owner 530 South County Highway H	
Well City, Village or Town Elkhorn		Well ZIP Code 53121		City of Present Owner Elkhorn		State WI	ZIP Code 53121
Subdivision Name		Lot #					

3. Well / Drillhole / Borehole Information **4. Pump, Liner, Screen, Casing & Sealing Material**

Reason For Removal From Service No longer needed		WI Unique Well # of Replacement Well		<input type="checkbox"/> Pump and piping removed? Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A <input type="checkbox"/> Liner(s) removed? Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A <input type="checkbox"/> Screen removed? Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A <input type="checkbox"/> Casing left in place? Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	
<input type="checkbox"/> Monitoring Well <input type="checkbox"/> Water Well <input checked="" type="checkbox"/> Drillhole / Borehole		Original Construction Date 6/25/2013		<input type="checkbox"/> Was casing cut off below surface? Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A <input checked="" type="checkbox"/> Did sealing material rise to surface? Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/> Did material settle after 24 hours? Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/> If yes, was hole retopped? Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A <input checked="" type="checkbox"/> If bentonite chips were used, were they hydrated with water from a known safe source? Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	
Construction Type: <input type="checkbox"/> Drilled <input type="checkbox"/> Driven (Sandpoint) <input type="checkbox"/> Dug <input checked="" type="checkbox"/> Other (Specify) Geoprobe		Formation Type: <input checked="" type="checkbox"/> Unconsolidated Formation <input type="checkbox"/> Bedrock		Required Method of Placing Sealing Material <input type="checkbox"/> Conductor Pipe-Gravity <input type="checkbox"/> Conductor Pipe-Pumped <input type="checkbox"/> Screened & Poured <input checked="" type="checkbox"/> Other (Explain) Poured - Gravity (Bentonite Chips)	
Total Well Depth From Ground Surface (ft) 10.0		Casing Diameter (in.) no casing		Sealing Materials <input type="checkbox"/> Neat Cement Grout <input type="checkbox"/> Clay-Sand Slurry (11 lb./gal. wt.) <input type="checkbox"/> Sand-Cement (Concrete) Grout <input type="checkbox"/> Bentonite-Sand Slurry " " <input type="checkbox"/> Concrete <input type="checkbox"/> Bentonite Chips	
Lower Drillhole Diameter (in.) 2.0		Casing Depth (ft.) no casing		For Monitoring Wells and Monitoring Well Boreholes Only: <input type="checkbox"/> Bentonite Chips <input type="checkbox"/> Bentonite - Cement Grout <input checked="" type="checkbox"/> Granular Bentonite <input type="checkbox"/> Bentonite - Sand Slurry	
Was well annular space grouted? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> Unknown		Depth to Water (feet) 5.0			

5. Material Used to Fill Well / Drillhole	From (ft.)	To (ft.)	No. Yards, Sacks Sealant or Volume (circle one)	Mix Ratio or Mud Weight
Granular Bentonite	Surface	10.0	1 sack	

6. Comments

7. Supervision of Work			DNR Use Only		
Name of Person or Firm Doing Filling & Sealing Geosyntec - Jeremiah Johnson		License #	Date of Filling & Sealing (mm/dd/yyyy) 6/25/2013	Date Received	Noted By
Street or Route 10200 North Port Washington Road Ste. 200		Telephone Number (262) 377-9828		Comments	
City Mequon	State WI	ZIP Code 53092	Signature of Person Doing Work <i>J. Bannantau</i>	Date Signed 6/29/14	

Notice: Completion of this report is required by chs. 160, 281, 283, 289, 291-293, 295, and 299, Wis. Stats., and ch. NR 141, Wis. Adm. Code. In accordance with chs. 281, 289, 291-293, 295, and 299, Wis. Stats., failure to file this form may result in a forfeiture of between \$10-25,000, or imprisonment for up to one year, depending on the program and conduct involved. Personally identifiable information on this form is not intended to be used for any other purpose. Return this form to the appropriate DNR office and bureau. See instructions on reverse for more information.

Verification Only of Fill and Seal

Route to:

- Drinking Water Watershed/Wastewater Remediation/Redevelopment
 Waste Management Other

1. Well Location Information **2. Facility / Owner Information**

County Walworth	WI Unique Well # of Removed Well	Hicap #	Facility Name Getzen Musical Instruments
Latitude / Longitude (Degrees and Minutes) " ' N " ' W	Method Code (see instructions)		Facility ID (FID or PWS) 265006720
1/4 1/4 NE 1/4 SE	Section 6	Township 2	License/Permit/Monitoring # IP-15
or Gov't Lot #	Range 17	<input checked="" type="checkbox"/> E <input type="checkbox"/> W	Original Well Owner Getzen Musical Instruments
Well Street Address 530 South County Highway H			Present Well Owner Getzen Musical Instruments
Well City, Village or Town Elkhorn		Well ZIP Code 53121	Mailing Address of Present Owner 530 South County Highway H
Subdivision Name		Lot #	City of Present Owner Elkhorn
			State WI
			ZIP Code 53121

4. Pump, Liner, Screen, Casing & Sealing Material

Reason For Removal From Service No longer needed	WI Unique Well # of Replacement Well	Pump and piping removed? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A
3. Well / Drillhole / Borehole Information		Liner(s) removed? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A
<input type="checkbox"/> Monitoring Well	Original Construction Date 6/25/2013	Screen removed? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A
<input type="checkbox"/> Water Well	If a Well Construction Report is available, please attach.	Casing left in place? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A
<input checked="" type="checkbox"/> Drillhole / Borehole		Was casing cut off below surface? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A
Construction Type:		Did sealing material rise to surface? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A
<input type="checkbox"/> Drilled	<input type="checkbox"/> Driven (Sandpoint)	Did material settle after 24 hours? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A
<input checked="" type="checkbox"/> Other (Specify) Geoprobe	<input type="checkbox"/> Dug	If yes, was hole retopped? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A
Formation Type:		If bentonite chips were used, were they hydrated with water from a known safe source <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A
<input checked="" type="checkbox"/> Unconsolidated Formation	<input type="checkbox"/> Bedrock	Required Method of Placing Sealing Material
Total Well Depth From Ground Surface (ft.) 10.0		<input type="checkbox"/> Conductor Pipe-Gravity <input type="checkbox"/> Conductor Pipe-Pumped
Casing Diameter (in.) no casing		<input type="checkbox"/> Screened & Poured <input checked="" type="checkbox"/> Other (Explain) Poured - Gravity (Bentonite Chips)
Lower Drillhole Diameter (in.) 2.0		Sealing Materials
Casing Depth (ft.) no casing		<input type="checkbox"/> Neat Cement Grout <input type="checkbox"/> Clay-Sand Slurry (11 lb./gal. wt.)
Was well annular space grouted? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> Unknown		<input type="checkbox"/> Sand-Cement (Concrete) Grout <input type="checkbox"/> Bentonite-Sand Slurry " "
If yes, to what depth (feet)?		<input type="checkbox"/> Concrete <input type="checkbox"/> Bentonite Chips
Depth to Water (feet) 5.0		For Monitoring Wells and Monitoring Well Boreholes Only:
		<input type="checkbox"/> Bentonite Chips <input type="checkbox"/> Bentonite - Cement Grout
		<input checked="" type="checkbox"/> Granular Bentonite <input type="checkbox"/> Bentonite - Sand Slurry

5. Material Used to Fill Well / Drillhole	From (ft.)	To (ft.)	No. Yards, Sacks Sealant or Volume (circle one)	Mix Ratio or Mud Weight
Granular Bentonite	Surface	10.0	1 sack	

6. Comments

7. Supervision of Work			DNR Use Only	
Name of Person or Firm Doing Filling & Sealing Geosyntec - Jeremiah Johnson	License #	Date of Filling & Sealing (mm/dd/yyyy) 6/25/2013	Date Received	Noted By
Street or Route 10200 North Port Washington Road Ste. 200		Telephone Number (262) 377-9828	Comments	
City Mequon	State WI	ZIP Code 53092	Signature of Person Doing Work <i>J. Bannister</i>	Date Signed 6/29/14

Notice: Completion of this report is required by chs. 160, 281, 283, 289, 291-293, 295, and 299, Wis. Stats., and ch. NR 141, Wis. Adm. Code. In accordance with chs. 281, 289, 291-293, 295, and 299, Wis. Stats., failure to file this form may result in a forfeiture of between \$10-25,000, or imprisonment for up to one year, depending on the program and conduct involved. Personally identifiable information on this form is not intended to be used for any other purpose. Return this form to the appropriate DNR office and bureau. See instructions on reverse for more information.

Verification Only of Fill and Seal

Route to:

- Drinking Water Watershed/Wastewater Remediation/Redevelopment
 Waste Management Other

1. Well Location Information

County Walworth	WI Unique Well # of Removed Well	Hicap #
Latitude / Longitude (Degrees and Minutes)		Method Code (see instructions)
° ' " N	° ' " W	
¼ / ¼ NE	¼ SE	Section 6
or Gov't Lot #		Township 2
Well Street Address		Range 17 <input checked="" type="checkbox"/> E <input type="checkbox"/> W
530 South County Highway H		
Well City, Village or Town		Well ZIP Code
Elkhorn		53121
Subdivision Name		Lot #
Reason For Removal From Service		WI Unique Well # of Replacement Well
No longer needed		

2. Facility / Owner Information

Facility Name	Getzen Musical Instruments
Facility ID (FID or PWS)	265006720
License/Permit/Monitoring #	IP-16
Original Well Owner	Getzen Musical Instruments
Present Well Owner	Getzen Musical Instruments
Mailing Address of Present Owner	530 South County Highway H
City of Present Owner	Elkhorn
State	WI
ZIP Code	53121

3. Well / Drillhole / Borehole Information

<input type="checkbox"/> Monitoring Well	Original Construction Date
<input type="checkbox"/> Water Well	6/25/2013
<input checked="" type="checkbox"/> Drillhole / Borehole	If a Well Construction Report is available, please attach.
Construction Type:	
<input type="checkbox"/> Drilled	<input type="checkbox"/> Driven (Sandpoint)
<input type="checkbox"/> Dug	<input checked="" type="checkbox"/> Other (Specify) <u>Geoprobe</u>
Formation Type:	
<input checked="" type="checkbox"/> Unconsolidated Formation	<input type="checkbox"/> Bedrock
Total Well Depth From Ground Surface (ft)	Casing Diameter (in.)
10.0	no casing
Lower Drillhole Diameter (in.)	Casing Depth (ft.)
2.0	no casing
Was well annular space grouted?	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> Unknown
If yes, to what depth (feet)?	Depth to Water (feet)
	5.0

4. Pump, Liner, Screen, Casing & Sealing Material

Pump and piping removed?	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A
Liner(s) removed?	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A
Screen removed?	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A
Casing left in place?	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A
Was casing cut off below surface?	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A
Did sealing material rise to surface?	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A
Did material settle after 24 hours?	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A
If yes, was hole retopped?	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A
If bentonite chips were used, were they hydrated with water from a known safe source	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A
Required Method of Placing Sealing Material	
<input type="checkbox"/> Conductor Pipe-Gravity	<input type="checkbox"/> Conductor Pipe-Pumped
<input type="checkbox"/> Screened & Poured	<input checked="" type="checkbox"/> Other (Explain) Poured - Gravity (Bentonite Chips)
Sealing Materials	
<input type="checkbox"/> Neat Cement Grout	<input type="checkbox"/> Clay-Sand Slurry (11 lb./gal. wt.)
<input type="checkbox"/> Sand-Cement (Concrete) Grout	<input type="checkbox"/> Bentonite-Sand Slurry "
<input type="checkbox"/> Concrete	<input type="checkbox"/> Bentonite Chips
For Monitoring Wells and Monitoring Well Boreholes Only:	
<input type="checkbox"/> Bentonite Chips	<input type="checkbox"/> Bentonite - Cement Grout
<input checked="" type="checkbox"/> Granular Bentonite	<input type="checkbox"/> Bentonite - Sand Slurry

5. Material Used to Fill Well / Drillhole

	From (ft.)	To (ft.)	No. Yards, Sacks Sealant or Volume (circle one)	Mix Ratio or Mud Weight
Granular Bentonite	Surface	10.0	1 sack	

6. Comments

7. Supervision of Work

			DNR Use Only	
Name of Person or Firm Doing Filling & Sealing	License #	Date of Filling & Sealing (mm/dd/yyyy)	Date Received	Noted By
Geosyntec - Jeremiah Johnson		6/25/2013		
Street or Route	Telephone Number		Comments	
10200 North Port Washington Road Ste. 200	(262) 377-9828			
City	State	ZIP Code	Signature of Person Doing Work	Date Signed
Mequon	WI	53092	<i>J. Bannantine</i>	6/23/14

Notice: Completion of this report is required by chs. 160, 281, 283, 289, 291-293, 295, and 299, Wis. Stats., and ch. NR 141, Wis. Adm. Code. In accordance with chs. 281, 289, 291-293, 295, and 299, Wis. Stats., failure to file this form may result in a forfeiture of between \$10-25,000, or imprisonment for up to one year, depending on the program and conduct involved. Personally identifiable information on this form is not intended to be used for any other purpose. Return this form to the appropriate DNR office and bureau. See instructions on reverse for more information.

Verification Only of Fill and Seal

Route to:

- Drinking Water Watershed/Wastewater Remediation/Redevelopment
 Waste Management Other

1. Well Location Information **2. Facility / Owner Information**

County Walworth	WI Unique Well # of Removed Well	Hicap #	Facility Name Getzen Musical Instruments
Latitude / Longitude (Degrees and Minutes) " ' N " ' W	Method Code (see instructions)		Facility ID (FID or PWS) 265006720
1/4 NE 1/4 SE	Section 6	Township 2	License/Permit/Monitoring # IP-17
or Gov't Lot #		Range 17	Original Well Owner Getzen Musical Instruments
Well Street Address 530 South County Highway H			Present Well Owner Getzen Musical Instruments
Well City, Village or Town Elkhorn			Mailing Address of Present Owner 530 South County Highway H
Subdivision Name			City of Present Owner Elkhorn
Well ZIP Code 53121			State WI
Lot #			ZIP Code 53121

4. Pump, Liner, Screen, Casing & Sealing Material

Reason For Removal From Service No longer needed	WI Unique Well # of Replacement Well	Pump and piping removed? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A
3. Well / Drillhole / Borehole Information		Liner(s) removed? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A
<input type="checkbox"/> Monitoring Well	Original Construction Date 6/25/2013	Screen removed? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A
<input type="checkbox"/> Water Well	If a Well Construction Report is available, please attach.	Casing left in place? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A
<input checked="" type="checkbox"/> Drillhole / Borehole		Was casing cut off below surface? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A
Construction Type: <input type="checkbox"/> Drilled <input type="checkbox"/> Driven (Sandpoint) <input type="checkbox"/> Dug		Did sealing material rise to surface? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A
<input checked="" type="checkbox"/> Other (Specify) Geoprobe		Did material settle after 24 hours? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A
Formation Type: <input checked="" type="checkbox"/> Unconsolidated Formation <input type="checkbox"/> Bedrock		If yes, was hole retopped? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A
Total Well Depth From Ground Surface (ft) 7.0	Casing Diameter (in.) no casing	If bentonite chips were used, were they hydrated with water from a known safe source <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A
Lower Drillhole Diameter (in.) 2.0	Casing Depth (ft.) no casing	Required Method of Placing Sealing Material
Was well annular space grouted? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> Unknown	Depth to Water (feet) 5.0	<input type="checkbox"/> Conductor Pipe-Gravity <input type="checkbox"/> Conductor Pipe-Pumped
If yes, to what depth (feet)?		<input type="checkbox"/> Screened & Poured <input checked="" type="checkbox"/> Other (Explain) Poured - Gravity (Bentonite Chips)

Sealing Materials		<input type="checkbox"/> Neat Cement Grout	<input type="checkbox"/> Clay-Sand Slurry (11 lb./gal. wt.)
		<input type="checkbox"/> Sand-Cement (Concrete) Grout	<input type="checkbox"/> Bentonite-Sand Slurry " "
		<input type="checkbox"/> Concrete	<input type="checkbox"/> Bentonite Chips
For Monitoring Wells and Monitoring Well Boreholes Only:			
<input type="checkbox"/> Bentonite Chips		<input type="checkbox"/> Bentonite - Cement Grout	
<input checked="" type="checkbox"/> Granular Bentonite		<input type="checkbox"/> Bentonite - Sand Slurry	

5. Material Used to Fill Well / Drillhole	From (ft.)	To (ft.)	No. Yards, Sacks Sealant or Volume (circle one)	Mix Ratio or Mud Weight
Granular Bentonite	Surface	10.0	1 sack	

6. Comments

7. Supervision of Work			DNR Use Only	
Name of Person or Firm Doing Filling & Sealing Geosyntec - Jeremiah Johnson	License #	Date of Filling & Sealing (mm/dd/yyyy) 6/25/2013	Date Received	Noted By
Street or Route 10200 North Port Washington Road Ste. 200		Telephone Number (262) 377-9828	Comments	
City Mequon	State WI	ZIP Code 53092	Signature of Person Doing Work <i>J. Bennant</i>	Date Signed 6/20/14

Notice: Completion of this report is required by chs. 160, 281, 283, 289, 291-293, 295, and 299, Wis. Stats., and ch. NR 141, Wis. Adm. Code. In accordance with chs. 281, 289, 291-293, 295, and 299, Wis. Stats., failure to file this form may result in a forfeiture of between \$10-25,000, or imprisonment for up to one year, depending on the program and conduct involved. Personally identifiable information on this form is not intended to be used for any other purpose. Return this form to the appropriate DNR office and bureau. See instructions on reverse for more information.

Verification Only of Fill and Seal

Route to:

- Drinking Water Watershed/Wastewater Remediation/Redevelopment
 Waste Management Other

1. Well Location Information **2. Facility / Owner Information**

County Walworth	WI Unique Well # of Removed Well	Hicap #	Facility Name Getzen Musical Instruments
Latitude / Longitude (Degrees and Minutes) " ' N " ' W		Method Code (see instructions)	Facility ID (FID or PWS) 265006720
1/4 1/4 NE	1/4 SE	Section 6	License/Permit/Monitoring # IP-18
or Gov't Lot #		Township 2	Original Well Owner Getzen Musical Instruments
Well Street Address 530 South County Highway H		Range 17	Present Well Owner Getzen Musical Instruments
Well City, Village or Town Elkhorn			Mailing Address of Present Owner 530 South County Highway H
Subdivision Name		Well ZIP Code 53121	City of Present Owner Elkhorn
		Lot #	State WI
			ZIP Code 53121

4. Pump, Liner, Screen, Casing & Sealing Material

Reason For Removal From Service No longer needed	WI Unique Well # of Replacement Well	Pump and piping removed?	<input type="checkbox"/> Yes	<input type="checkbox"/> No	<input checked="" type="checkbox"/> N/A
3. Well / Drillhole / Borehole Information		Liner(s) removed?	<input type="checkbox"/> Yes	<input type="checkbox"/> No	<input checked="" type="checkbox"/> N/A
<input type="checkbox"/> Monitoring Well	Original Construction Date 6/25/2013	Screen removed?	<input type="checkbox"/> Yes	<input type="checkbox"/> No	<input checked="" type="checkbox"/> N/A
<input type="checkbox"/> Water Well	If a Well Construction Report is available, please attach.	Casing left in place?	<input type="checkbox"/> Yes	<input type="checkbox"/> No	<input checked="" type="checkbox"/> N/A
<input checked="" type="checkbox"/> Drillhole / Borehole		Was casing cut off below surface?	<input type="checkbox"/> Yes	<input type="checkbox"/> No	<input checked="" type="checkbox"/> N/A
Construction Type:		Did sealing material rise to surface?	<input checked="" type="checkbox"/> Yes	<input type="checkbox"/> No	<input type="checkbox"/> N/A
<input type="checkbox"/> Drilled	<input type="checkbox"/> Driven (Sandpoint)	Did material settle after 24 hours?	<input type="checkbox"/> Yes	<input checked="" type="checkbox"/> No	<input type="checkbox"/> N/A
<input checked="" type="checkbox"/> Other (Specify) Geoprobe	<input type="checkbox"/> Dug	If yes, was hole retopped?	<input type="checkbox"/> Yes	<input type="checkbox"/> No	<input checked="" type="checkbox"/> N/A
Formation Type:		If bentonite chips were used, were they hydrated with water from a known safe source?	<input checked="" type="checkbox"/> Yes	<input type="checkbox"/> No	<input type="checkbox"/> N/A
<input checked="" type="checkbox"/> Unconsolidated Formation	<input type="checkbox"/> Bedrock	Required Method of Placing Sealing Material			
Total Well Depth From Ground Surface (ft.) 10.0		<input type="checkbox"/> Conductor Pipe-Gravity			
Casing Diameter (in.) no casing		<input type="checkbox"/> Conductor Pipe-Pumped			
Lower Drillhole Diameter (in.) 2.0		<input type="checkbox"/> Screened & Poured			
Casing Depth (ft.) no casing		<input checked="" type="checkbox"/> Other (Explain) Poured - Gravity (Bentonite Chips)			
Was well annular space grouted? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> Unknown		Sealing Materials			
If yes, to what depth (feet)? 5.0		<input type="checkbox"/> Neat Cement Grout			
		<input type="checkbox"/> Sand-Cement (Concrete) Grout			
		<input type="checkbox"/> Concrete			
		<input type="checkbox"/> Clay-Sand Slurry (11 lb./gal. wt.)			
		<input type="checkbox"/> Bentonite-Sand Slurry " "			
		<input type="checkbox"/> Bentonite Chips			
		For Monitoring Wells and Monitoring Well Boreholes Only:			
		<input type="checkbox"/> Bentonite Chips			
		<input type="checkbox"/> Bentonite - Cement Grout			
		<input checked="" type="checkbox"/> Granular Bentonite			
		<input type="checkbox"/> Bentonite - Sand Slurry			

5. Material Used to Fill Well / Drillhole	From (ft.)	To (ft.)	No. Yards, Sacks Sealant or Volume (circle one)	Mix Ratio or Mud Weight
Granular Bentonite	Surface	10.0	1 sack	

6. Comments

7. Supervision of Work **DNR Use Only**

Name of Person or Firm Doing Filling & Sealing Geosyntec - Jeremiah Johnson	License #	Date of Filling & Sealing (mm/dd/yyyy) 6/25/2013	Date Received	Noted By
Street or Route 10200 North Port Washington Road Ste. 200		Telephone Number (262) 377-9828	Comments	
City Mequon	State WI	ZIP Code 53092	Signature of Person Doing Work <i>J. Bannautius</i>	Date Signed 6/20/14

Notice: Completion of this report is required by chs. 160, 281, 283, 289, 291-293, 295, and 299, Wis. Stats., and ch. NR 141, Wis. Adm. Code. In accordance with chs. 281, 289, 291-293, 295, and 299, Wis. Stats., failure to file this form may result in a forfeiture of between \$10-25,000, or imprisonment for up to one year, depending on the program and conduct involved. Personally identifiable information on this form is not intended to be used for any other purpose. Return this form to the appropriate DNR office and bureau. See instructions on reverse for more information.

Verification Only of Fill and Seal

Route to:

- Drinking Water Watershed/Wastewater Remediation/Redevelopment
 Waste Management Other

1. Well Location Information **2. Facility / Owner Information**

County Walworth		WI Unique Well # of Removed Well		Hicap #		Facility Name Getzen Musical Instruments			
Latitude / Longitude (Degrees and Minutes)		Method Code (see instructions)				Facility ID (FID or PWS) 265006720			
° ' " N		Section 6		Township 2		Range 17		License/Permit/Monitoring # IP-19	
° ' " W		or Gov't Lot #		Range <input checked="" type="checkbox"/> E <input type="checkbox"/> W		Original Well Owner Getzen Musical Instruments			
Well Street Address 530 South County Highway H						Present Well Owner Getzen Musical Instruments			
Well City, Village or Town Elkhorn				Well ZIP Code 53121		Mailing Address of Present Owner 530 South County Highway H			
Subdivision Name				Lot #		City of Present Owner Elkhorn		State WI	ZIP Code 53121

4. Pump, Liner, Screen, Casing & Sealing Material

Reason For Removal From Service No longer needed		WI Unique Well # of Replacement Well		Pump and piping removed? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	
3. Well / Drillhole / Borehole Information		Original Construction Date 6/25/2013		Liner(s) removed? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	
<input type="checkbox"/> Monitoring Well		If a Well Construction Report is available, please attach.		Screen removed? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	
<input type="checkbox"/> Water Well				Casing left in place? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	
<input checked="" type="checkbox"/> Drillhole / Borehole				Was casing cut off below surface? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	
Construction Type:				Did sealing material rise to surface? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	
<input type="checkbox"/> Drilled		<input type="checkbox"/> Driven (Sandpoint)		Did material settle after 24 hours? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A	
<input type="checkbox"/> Dug		<input type="checkbox"/> Other (Specify) <u>Geoprobe</u>		If yes, was hole retopped? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	
Formation Type:				If bentonite chips were used, were they hydrated with water from a known safe source <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	
<input checked="" type="checkbox"/> Unconsolidated Formation		<input type="checkbox"/> Bedrock		Required Method of Placing Sealing Material	
Total Well Depth From Ground Surface (ft) 10.0		Casing Diameter (in.) no casing		<input type="checkbox"/> Conductor Pipe-Gravity	
Lower Drillhole Diameter (in.) 2.0		Casing Depth (ft.) no casing		<input type="checkbox"/> Conductor Pipe-Pumped	
Was well annular space grouted? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> Unknown				<input type="checkbox"/> Screened & Poured	
If yes, to what depth (feet)?		Depth to Water (feet) 5.0		<input checked="" type="checkbox"/> Other (Explain) Poured - Gravity (Bentonite Chips)	
				Sealing Materials	
				<input type="checkbox"/> Neat Cement Grout	
				<input type="checkbox"/> Sand-Cement (Concrete) Grout	
				<input type="checkbox"/> Concrete	
				<input type="checkbox"/> Clay-Sand Slurry (11 lb./gal. wt.)	
				<input type="checkbox"/> Bentonite-Sand Slurry " "	
				<input type="checkbox"/> Bentonite Chips	
				For Monitoring Wells and Monitoring Well Boreholes Only:	
				<input type="checkbox"/> Bentonite Chips	
				<input type="checkbox"/> Bentonite - Cement Grout	
				<input checked="" type="checkbox"/> Granular Bentonite	
				<input type="checkbox"/> Bentonite - Sand Slurry	

5. Material Used to Fill Well / Drillhole	From (ft.)	To (ft.)	No. Yards, Sacks Sealant or Volume (circle one)	Mix Ratio or Mud Weight
Granular Bentonite	Surface	10.0	1 sack	

6. Comments

7. Supervision of Work **DNR Use Only**

Name of Person or Firm Doing Filling & Sealing Geosyntec - Jeremiah Johnson		License #	Date of Filling & Sealing (mm/dd/yyyy) 6/25/2013	Date Received	Noted By
Street or Route 10200 North Port Washington Road Ste. 200		Telephone Number (262) 377-9828		Comments	
City Mequon	State WI	ZIP Code 53092	Signature of Person Doing Work <i>J. Banerjee</i>		Date Signed 6/20/14

Notice: Completion of this report is required by chs. 160, 281, 283, 289, 291-293, 295, and 299, Wis. Stats., and ch. NR 141, Wis. Adm. Code. In accordance with chs. 281, 289, 291-293, 295, and 299, Wis. Stats., failure to file this form may result in a forfeiture of between \$10-25,000, or imprisonment for up to one year, depending on the program and conduct involved. Personally identifiable information on this form is not intended to be used for any other purpose. Return this form to the appropriate DNR office and bureau. See instructions on reverse for more information.

Verification Only of Fill and Seal

Route to:

- Drinking Water Watershed/Wastewater Remediation/Redevelopment
 Waste Management Other

1. Well Location Information **2. Facility / Owner Information**

County Walworth		WI Unique Well # of Removed Well		Hicap #		Facility Name Getzen Musical Instruments			
Latitude / Longitude (Degrees and Minutes) ° ' " N ° ' " W		Method Code (see instructions)		Facility ID (FID or PWS) 265006720		License/Permit/Monitoring # IP-20			
¼ / ¼ NE ¼ SE		Section 6		Township 2		Range 17		Original Well Owner Getzen Musical Instruments	
or Gov't Lot #								Present Well Owner Getzen Musical Instruments	
Well Street Address 530 South County Highway H						Mailing Address of Present Owner 530 South County Highway H			
Well City, Village or Town Elkhorn				Well ZIP Code 53121		City of Present Owner Elkhorn		State WI	ZIP Code 53121
Subdivision Name				Lot #					

3. Well / Drillhole / Borehole Information **4. Pump, Liner, Screen, Casing & Sealing Material**

Reason For Removal From Service No longer needed		WI Unique Well # of Replacement Well		Pump and piping removed? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	
<input type="checkbox"/> Monitoring Well		Original Construction Date 6/25/2013		Liner(s) removed? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	
<input type="checkbox"/> Water Well		If a Well Construction Report is available, please attach.		Screen removed? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	
<input checked="" type="checkbox"/> Drillhole / Borehole				Casing left in place? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	
Construction Type: <input type="checkbox"/> Drilled <input type="checkbox"/> Driven (Sandpoint) <input type="checkbox"/> Dug <input checked="" type="checkbox"/> Other (Specify) Geoprobe				Was casing cut off below surface? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	
Formation Type: <input checked="" type="checkbox"/> Unconsolidated Formation <input type="checkbox"/> Bedrock				Did sealing material rise to surface? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	
Total Well Depth From Ground Surface (ft.) 10.0		Casing Diameter (in.) no casing		Did material settle after 24 hours? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A	
Lower Drillhole Diameter (in.) 2.0		Casing Depth (ft.) no casing		If yes, was hole retopped? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	
Was well annular space grouted? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> Unknown				If bentonite chips were used, were they hydrated with water from a known safe source <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	
If yes, to what depth (feet)? 5.0		Depth to Water (feet) 5.0		Required Method of Placing Sealing Material <input type="checkbox"/> Conductor Pipe-Gravity <input type="checkbox"/> Conductor Pipe-Pumped <input type="checkbox"/> Screened & Poured <input checked="" type="checkbox"/> Other (Explain) Poured - Gravity (Bentonite Chips)	

5. Material Used to Fill Well / Drillhole	From (ft.)	To (ft.)	No. Yards, Sacks Sealant or Volume (circle one)	Mix Ratio or Mud Weight
Granular Bentonite	Surface	10.0	1 sack	

6. Comments

7. Supervision of Work			DNR Use Only		
Name of Person or Firm Doing Filling & Sealing Geosyntec - Jeremiah Johnson		License #	Date of Filling & Sealing (mm/dd/yyyy) 6/25/2013	Date Received	Noted By
Street or Route 10200 North Port Washington Road Ste. 200		Telephone Number (262) 377-9828		Comments	
City Mequon	State WI	ZIP Code 53092	Signature of Person Doing Work <i>J. Bannantius</i>		Date Signed

Notice: Completion of this report is required by chs. 160, 281, 283, 289, 291-293, 295, and 299, Wis. Stats., and ch. NR 141, Wis. Adm. Code. In accordance with chs. 281, 289, 291-293, 295, and 299, Wis. Stats., failure to file this form may result in a forfeiture of between \$10-25,000, or imprisonment for up to one year, depending on the program and conduct involved. Personally identifiable information on this form is not intended to be used for any other purpose. Return this form to the appropriate DNR office and bureau. See instructions on reverse for more information.

Verification Only of Fill and Seal

Route to:

- Drinking Water Watershed/Wastewater Remediation/Redevelopment
 Waste Management Other

1. Well Location Information **2. Facility / Owner Information**

County Walworth	WI Unique Well # of Removed Well	Hicap #	Facility Name Getzen Musical Instruments
Latitude / Longitude (Degrees and Minutes) " ' " N " ' " W	Method Code (see instructions)	Facility ID (FID or PWS) 265006720	License/Permit/Monitoring # IP-21
1/4 NE 1/4 SE or Gov't Lot #	Section 6	Township 2	Range 17
Well Street Address 530 South County Highway H		Original Well Owner Getzen Musical Instruments	
Well City, Village or Town Elkhorn		Present Well Owner Getzen Musical Instruments	
Subdivision Name		Mailing Address of Present Owner 530 South County Highway H	
Well ZIP Code 53121		City of Present Owner Elkhorn	State WI
Lot #		ZIP Code 53121	

3. Well / Drillhole / Borehole Information **4. Pump, Liner, Screen, Casing & Sealing Material**

Reason For Removal From Service No longer needed	WI Unique Well # of Replacement Well	Pump and piping removed? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A
<input type="checkbox"/> Monitoring Well Original Construction Date <input type="checkbox"/> Water Well 6/25/2013 <input checked="" type="checkbox"/> Drillhole / Borehole If a Well Construction Report is available, please attach.		Liner(s) removed? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A
Construction Type: <input type="checkbox"/> Drilled <input type="checkbox"/> Driven (Sandpoint) <input type="checkbox"/> Dug <input checked="" type="checkbox"/> Other (Specify) Geoprobe		Screen removed? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A
Formation Type: <input checked="" type="checkbox"/> Unconsolidated Formation <input type="checkbox"/> Bedrock		Casing left in place? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A
Total Well Depth From Ground Surface (ft) 10.0	Casing Diameter (in.) no casing	Was casing cut off below surface? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A
Lower Drillhole Diameter (in.) 2.0	Casing Depth (ft.) no casing	Did sealing material rise to surface? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A
Was well annular space grouted? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> Unknown	Depth to Water (feet) 5.0	Did material settle after 24 hours? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A
Required Method of Placing Sealing Material <input type="checkbox"/> Conductor Pipe-Gravity <input type="checkbox"/> Conductor Pipe-Pumped <input type="checkbox"/> Screened & Poured <input checked="" type="checkbox"/> Other (Explain) Poured - Gravity (Bentonite Chips)		If yes, was hole retopped? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A
Sealing Materials <input type="checkbox"/> Neat Cement Grout <input type="checkbox"/> Clay-Sand Slurry (11 lb./gal. wt.) <input type="checkbox"/> Sand-Cement (Concrete) Grout <input type="checkbox"/> Bentonite-Sand Slurry " " <input type="checkbox"/> Concrete <input type="checkbox"/> Bentonite Chips		If bentonite chips were used, were they hydrated with water from a known safe source <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A
For Monitoring Wells and Monitoring Well Boreholes Only: <input type="checkbox"/> Bentonite Chips <input type="checkbox"/> Bentonite - Cement Grout <input checked="" type="checkbox"/> Granular Bentonite <input type="checkbox"/> Bentonite - Sand Slurry		

5. Material Used to Fill Well / Drillhole	From (ft.)	To (ft.)	No. Yards, Sacks Sealant or Volume (circle one)	Mix Ratio or Mud Weight
Granular Bentonite	Surface	10.0	1 sack	

6. Comments

7. Supervision of Work **DNR Use Only**

Name of Person or Firm Doing Filling & Sealing Geosyntec - Jeremiah Johnson	License #	Date of Filling & Sealing (mm/dd/yyyy) 6/25/2013	Date Received	Noted By
Street or Route 10200 North Port Washington Road Ste. 200	Telephone Number (262) 377-9828	Comments		
City Mequon	State WI	ZIP Code 53092	Signature of Person Doing Work <i>J. Bannister</i>	Date Signed 6/20/14

Notice: Completion of this report is required by chs. 160, 281, 283, 289, 291-293, 295, and 299, Wis. Stats., and ch. NR 141, Wis. Adm. Code. In accordance with chs. 281, 289, 291-293, 295, and 299, Wis. Stats., failure to file this form may result in a forfeiture of between \$10-25,000, or imprisonment for up to one year, depending on the program and conduct involved. Personally identifiable information on this form is not intended to be used for any other purpose. Return this form to the appropriate DNR office and bureau. See instructions on reverse for more information.

Verification Only of Fill and Seal

Route to:

- Drinking Water Watershed/Wastewater Remediation/Redevelopment
 Waste Management Other

1. Well Location Information **2. Facility / Owner Information**

County Walworth	WI Unique Well # of Removed Well	Hicap #	Facility Name Getzen Musical Instruments
Latitude / Longitude (Degrees and Minutes) " ' N " ' W		Method Code (see instructions)	Facility ID (FID or PWS) 265006720
¼ / ¼ NE ¼ SE	Section 6	Township 2	Range <input checked="" type="checkbox"/> E <input type="checkbox"/> W
or Gov't Lot #			License/Permit/Monitoring # TP-22
Well Street Address 530 South County Highway H			Original Well Owner Getzen Musical Instruments
Well City, Village or Town Elkhorn		Well ZIP Code 53121	Present Well Owner Getzen Musical Instruments
Subdivision Name		Lot #	Mailing Address of Present Owner 530 South County Highway H
Reason For Removal From Service No longer needed		WI Unique Well # of Replacement Well	City of Present Owner Elkhorn
			State WI
			ZIP Code 53121

3. Well / Drillhole / Borehole Information **4. Pump, Liner, Screen, Casing & Sealing Material**

<input type="checkbox"/> Monitoring Well	Original Construction Date 6/25/2013	Pump and piping removed?	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A
<input type="checkbox"/> Water Well	If a Well Construction Report is available, please attach.	Liner(s) removed?	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A
<input checked="" type="checkbox"/> Drillhole / Borehole		Screen removed?	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A
Construction Type: <input type="checkbox"/> Drilled <input type="checkbox"/> Driven (Sandpoint) <input type="checkbox"/> Dug		Casing left in place?	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A
<input checked="" type="checkbox"/> Other (Specify) Geoprobe		Was casing cut off below surface?	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A
Formation Type: <input checked="" type="checkbox"/> Unconsolidated Formation <input type="checkbox"/> Bedrock		Did sealing material rise to surface?	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A
Total Well Depth From Ground Surface (ft.) 10.0	Casing Diameter (in.) no casing	Did material settle after 24 hours?	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A
Lower Drillhole Diameter (in.) 2.0	Casing Depth (ft.) no casing	If yes, was hole retopped?	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A
Was well annular space grouted? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> Unknown	Depth to Water (feet) 5.0	If bentonite chips were used, were they hydrated with water from a known safe source	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A
		Required Method of Placing Sealing Material	<input type="checkbox"/> Conductor Pipe-Gravity <input type="checkbox"/> Conductor Pipe-Pumped
			<input type="checkbox"/> Screened & Poured <input checked="" type="checkbox"/> Other (Explain) Poured - Gravity (Bentonite Chips)
		Sealing Materials	<input type="checkbox"/> Neat Cement Grout <input type="checkbox"/> Clay-Sand Slurry (11 lb./gal. wt.)
			<input type="checkbox"/> Sand-Cement (Concrete) Grout <input type="checkbox"/> Bentonite-Sand Slurry " "
			<input type="checkbox"/> Concrete <input type="checkbox"/> Bentonite Chips
		For Monitoring Wells and Monitoring Well Boreholes Only:	
		<input type="checkbox"/> Bentonite Chips <input type="checkbox"/> Bentonite - Cement Grout	
		<input checked="" type="checkbox"/> Granular Bentonite <input type="checkbox"/> Bentonite - Sand Slurry	

5. Material Used to Fill Well / Drillhole	From (ft.)	To (ft.)	No. Yards, Sacks Sealant or Volume (circle one)	Mix Ratio or Mud Weight
Granular Bentonite	Surface	10.0	1 sack	

6. Comments

7. Supervision of Work			DNR Use Only	
Name of Person or Firm Doing Filling & Sealing Geosyntec - Jeremiah Johnson	License #	Date of Filling & Sealing (mm/dd/yyyy) 6/25/2013	Date Received	Noted By
Street or Route 10200 North Port Washington Road Ste. 200		Telephone Number (262) 377-9828	Comments	
City Mequon	State WI	ZIP Code 53092	Signature of Person Doing Work <i>J. Bernauer</i>	Date Signed 6/20/14

Notice: Completion of this report is required by chs. 160, 281, 283, 289, 291-293, 295, and 299, Wis. Stats., and ch. NR 141, Wis. Adm. Code. In accordance with chs. 281, 289, 291-293, 295, and 299, Wis. Stats., failure to file this form may result in a forfeiture of between \$10-25,000, or imprisonment for up to one year, depending on the program and conduct involved. Personally identifiable information on this form is not intended to be used for any other purpose. Return this form to the appropriate DNR office and bureau. See instructions on reverse for more information.

Verification Only of Fill and Seal

Route to:

- Drinking Water Watershed/Wastewater Remediation/Redevelopment
 Waste Management Other

1. Well Location Information				2. Facility / Owner Information																							
County Walworth		WI Unique Well # of Removed Well		Hicap #		Facility Name Getzen Musical Instruments																					
Latitude / Longitude (Degrees and Minutes) " ' " N " ' " W			Method Code (see instructions)			Facility ID (FID or PWS) 265006720																					
1/4 NE 1/4 SE		Section 6	Township 2	Range 17	<input checked="" type="checkbox"/> E <input type="checkbox"/> W	License/Permit/Monitoring # IP-23																					
Well Street Address 530 South County Highway H				Original Well Owner Getzen Musical Instruments																							
Well City, Village or Town Elkhorn				Present Well Owner Getzen Musical Instruments																							
Subdivision Name				Well ZIP Code 53121		Mailing Address of Present Owner 530 South County Highway H																					
Reason For Removal From Service No longer needed				WI Unique Well # of Replacement Well																							
3. Well / Drillhole / Borehole Information <input type="checkbox"/> Monitoring Well Original Construction Date <input type="checkbox"/> Water Well 6/25/2013 <input checked="" type="checkbox"/> Drillhole / Borehole If a Well Construction Report is available, please attach.				4. Pump, Liner, Screen, Casing & Sealing Material Pump and piping removed? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A Liner(s) removed? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A Screen removed? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A Casing left in place? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A Was casing cut off below surface? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A Did sealing material rise to surface? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A Did material settle after 24 hours? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A If yes, was hole retopped? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A If bentonite chips were used, were they hydrated with water from a known safe source <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A																							
Construction Type: <input type="checkbox"/> Drilled <input type="checkbox"/> Driven (Sandpoint) <input type="checkbox"/> Dug <input checked="" type="checkbox"/> Other (Specify) Geoprobe				Required Method of Placing Sealing Material <input type="checkbox"/> Conductor Pipe-Gravity <input type="checkbox"/> Conductor Pipe-Pumped <input type="checkbox"/> Screened & Poured <input checked="" type="checkbox"/> Other (Explain) Poured - Gravity (Bentonite Chips)																							
Formation Type: <input checked="" type="checkbox"/> Unconsolidated Formation <input type="checkbox"/> Bedrock		Total Well Depth From Ground Surface (ft) 10.0		Casing Diameter (in.) no casing		Sealing Materials <input type="checkbox"/> Neat Cement Grout <input type="checkbox"/> Clay-Sand Slurry (11 lb./gal. wt.) <input type="checkbox"/> Sand-Cement (Concrete) Grout <input type="checkbox"/> Bentonite-Sand Slurry " " <input type="checkbox"/> Concrete <input type="checkbox"/> Bentonite Chips																					
Lower Drillhole Diameter (in.) 2.0		Casing Depth (ft.) no casing		For Monitoring Wells and Monitoring Well Boreholes Only: <input type="checkbox"/> Bentonite Chips <input type="checkbox"/> Bentonite - Cement Grout <input checked="" type="checkbox"/> Granular Bentonite <input type="checkbox"/> Bentonite - Sand Slurry																							
Was well annular space grouted? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> Unknown				5. Material Used to Fill Well / Drillhole <table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th style="width: 50%;"></th> <th style="width: 10%;">From (ft.)</th> <th style="width: 10%;">To (ft.)</th> <th style="width: 20%;">No. Yards, Sacks Sealant or Volume (circle one)</th> <th style="width: 10%;">Mix Ratio or Mud Weight</th> </tr> </thead> <tbody> <tr> <td>Granular Bentonite</td> <td>Surface</td> <td>10.0</td> <td>1 sack</td> <td></td> </tr> <tr> <td> </td> <td> </td> <td> </td> <td> </td> <td> </td> </tr> <tr> <td> </td> <td> </td> <td> </td> <td> </td> <td> </td> </tr> </tbody> </table>					From (ft.)	To (ft.)	No. Yards, Sacks Sealant or Volume (circle one)	Mix Ratio or Mud Weight	Granular Bentonite	Surface	10.0	1 sack											
	From (ft.)	To (ft.)	No. Yards, Sacks Sealant or Volume (circle one)	Mix Ratio or Mud Weight																							
Granular Bentonite	Surface	10.0	1 sack																								
If yes, to what depth (feet)?		Depth to Water (feet) 5.0		6. Comments																							

7. Supervision of Work			DNR Use Only		
Name of Person or Firm Doing Filling & Sealing Geosyntec - Jeremiah Johnson		License #	Date of Filling & Sealing (mm/dd/yyyy) 6/25/2013	Date Received	Noted By
Street or Route 10200 North Port Washington Road Ste. 200		Telephone Number (262) 377-9828		Comments	
City Mequon	State WI	ZIP Code 53092	Signature of Person Doing Work <i>J. Banantun</i>	Date Signed 6/30/14	

Notice: Completion of this report is required by chs. 160, 281, 283, 289, 291-293, 295, and 299, Wis. Stats., and ch. NR 141, Wis. Adm. Code. In accordance with chs. 281, 289, 291-293, 295, and 299, Wis. Stats., failure to file this form may result in a forfeiture of between \$10-25,000, or imprisonment for up to one year, depending on the program and conduct involved. Personally identifiable information on this form is not intended to be used for any other purpose. Return this form to the appropriate DNR office and bureau. See instructions on reverse for more information.

Verification Only of Fill and Seal

Route to:

- Drinking Water Watershed/Wastewater Remediation/Redevelopment
 Waste Management Other

1. Well Location Information **2. Facility / Owner Information**

County Walworth		WI Unique Well # of Removed Well		Hicap #		Facility Name Getzen Musical Instruments				
Latitude / Longitude (Degrees and Minutes)			Method Code (see instructions)			Facility ID (FID or PWS) 265006720				
° ' " N ° ' " W						License/Permit/Monitoring # IP-24				
1/4 NE		1/4 SE		Section 6		Township 2		Range 17		Original Well Owner Getzen Musical Instruments
										Present Well Owner Getzen Musical Instruments
										Mailing Address of Present Owner 530 South County Highway H
Well Street Address 530 South County Highway H						Well ZIP Code 53121		City of Present Owner Elkhorn		State WI
Well City, Village or Town Elkhorn						Lot #		ZIP Code 53121		
Subdivision Name										

Reason For Removal From Service: **No longer needed** WI Unique Well # of Replacement Well: _____

3. Well / Drillhole / Borehole Information **4. Pump, Liner, Screen, Casing & Sealing Material**

<input type="checkbox"/> Monitoring Well <input type="checkbox"/> Water Well <input checked="" type="checkbox"/> Drillhole / Borehole		Original Construction Date 6/25/2013	
Construction Type:		If a Well Construction Report is available, please attach.	
<input type="checkbox"/> Drilled <input type="checkbox"/> Driven (Sandpoint) <input type="checkbox"/> Dug <input checked="" type="checkbox"/> Other (Specify) Geoprobe			
Formation Type:			
<input checked="" type="checkbox"/> Unconsolidated Formation <input type="checkbox"/> Bedrock			
Total Well Depth From Ground Surface (ft) 10.0		Casing Diameter (in.) no casing	
Lower Drillhole Diameter (in.) 2.0		Casing Depth (ft.) no casing	
Was well annular space grouted? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> Unknown			
If yes, to what depth (feet)?		Depth to Water (feet) 5.0	

Pump and piping removed?	<input type="checkbox"/> Yes	<input type="checkbox"/> No	<input checked="" type="checkbox"/> N/A
Liner(s) removed?	<input type="checkbox"/> Yes	<input type="checkbox"/> No	<input checked="" type="checkbox"/> N/A
Screen removed?	<input type="checkbox"/> Yes	<input type="checkbox"/> No	<input checked="" type="checkbox"/> N/A
Casing left in place?	<input type="checkbox"/> Yes	<input type="checkbox"/> No	<input checked="" type="checkbox"/> N/A
Was casing cut off below surface?	<input type="checkbox"/> Yes	<input type="checkbox"/> No	<input checked="" type="checkbox"/> N/A
Did sealing material rise to surface?	<input checked="" type="checkbox"/> Yes	<input type="checkbox"/> No	<input type="checkbox"/> N/A
Did material settle after 24 hours?	<input type="checkbox"/> Yes	<input checked="" type="checkbox"/> No	<input type="checkbox"/> N/A
If yes, was hole retopped?	<input type="checkbox"/> Yes	<input type="checkbox"/> No	<input checked="" type="checkbox"/> N/A
If bentonite chips were used, were they hydrated with water from a known safe source	<input checked="" type="checkbox"/> Yes	<input type="checkbox"/> No	<input type="checkbox"/> N/A

Required Method of Placing Sealing Material	
<input type="checkbox"/> Conductor Pipe-Gravity	<input type="checkbox"/> Conductor Pipe-Pumped
<input type="checkbox"/> Screened & Poured	<input checked="" type="checkbox"/> Other (Explain) Poured - Gravity (Bentonite Chips)

Sealing Materials	
<input type="checkbox"/> Neat Cement Grout	<input type="checkbox"/> Clay-Sand Slurry (11 lb./gal. wt.)
<input type="checkbox"/> Sand-Cement (Concrete) Grout	<input type="checkbox"/> Bentonite-Sand Slurry " "
<input type="checkbox"/> Concrete	<input type="checkbox"/> Bentonite Chips

For Monitoring Wells and Monitoring Well Boreholes Only:

<input type="checkbox"/> Bentonite Chips	<input type="checkbox"/> Bentonite - Cement Grout
<input checked="" type="checkbox"/> Granular Bentonite	<input type="checkbox"/> Bentonite - Sand Slurry

5. Material Used to Fill Well / Drillhole	From (ft.)	To (ft.)	No. Yards, Sacks Sealant or Volume (circle one)	Mix Ratio or Mud Weight
Granular Bentonite	Surface	10.0	1 sack	

6. Comments

7. Supervision of Work			DNR Use Only		
Name of Person or Firm Doing Filling & Sealing Geosyntec - Jeremiah Johnson		License #	Date of Filling & Sealing (mm/dd/yyyy) 6/25/2013	Date Received	Noted By
Street or Route 10200 North Port Washington Road Ste. 200		Telephone Number (262) 377-9828		Comments	
City Mequon	State WI	ZIP Code 53092	Signature of Person Doing Work <i>J. Bannister</i>		Date Signed 6/20/14

Notice: Completion of this report is required by chs. 160, 281, 283, 289, 291-293, 295, and 299, Wis. Stats., and ch. NR 141, Wis. Adm. Code. In accordance with chs. 281, 289, 291-293, 295, and 299, Wis. Stats., failure to file this form may result in a forfeiture of between \$10-25,000, or imprisonment for up to one year, depending on the program and conduct involved. Personally identifiable information on this form is not intended to be used for any other purpose. Return this form to the appropriate DNR office and bureau. See instructions on reverse for more information.

Verification Only of Fill and Seal

Route to:

- Drinking Water Watershed/Wastewater Remediation/Redevelopment
 Waste Management Other

1. Well Location Information **2. Facility / Owner Information**

County Walworth	WI Unique Well # of Removed Well	Hicap #	Facility Name Getzen Musical Instruments
Latitude / Longitude (Degrees and Minutes) ° ' " N ° ' " W		Method Code (see instructions)	Facility ID (FID or PWS) 265006720
¼ / ¼ NE ¼ SE	Section 6	Township 2	License/Permit/Monitoring # IP-25
or Gov't Lot #		Range 17 <input checked="" type="checkbox"/> E <input type="checkbox"/> W	Original Well Owner Getzen Musical Instruments
Well Street Address 530 South County Highway H			Present Well Owner Getzen Musical Instruments
Well City, Village or Town Elkhorn		Well ZIP Code 53121	Mailing Address of Present Owner 530 South County Highway H
Subdivision Name		Lot #	City of Present Owner Elkhorn State WI ZIP Code 53121

4. Pump, Liner, Screen, Casing & Sealing Material

Reason For Removal From Service No longer needed	WI Unique Well # of Replacement Well	Pump and piping removed? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A
3. Well / Drillhole / Borehole Information		Liner(s) removed? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A
<input type="checkbox"/> Monitoring Well	Original Construction Date 6/25/2013	Screen removed? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A
<input type="checkbox"/> Water Well	If a Well Construction Report is available, please attach.	Casing left in place? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A
<input checked="" type="checkbox"/> Drillhole / Borehole		Was casing cut off below surface? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A
Construction Type: <input type="checkbox"/> Drilled <input type="checkbox"/> Driven (Sandpoint) <input type="checkbox"/> Dug		Did sealing material rise to surface? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A
<input checked="" type="checkbox"/> Other (Specify) Geoprobe		Did material settle after 24 hours? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A
Formation Type: <input checked="" type="checkbox"/> Unconsolidated Formation <input type="checkbox"/> Bedrock		If yes, was hole retopped? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A
Total Well Depth From Ground Surface (ft.) 10.0	Casing Diameter (in.) no casing	If bentonite chips were used, were they hydrated with water from a known safe source <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A
Lower Drillhole Diameter (in.) 2.0	Casing Depth (ft.) no casing	Required Method of Placing Sealing Material
Was well annular space grouted? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> Unknown	Depth to Water (feet) 5.0	<input type="checkbox"/> Conductor Pipe-Gravity <input type="checkbox"/> Conductor Pipe-Pumped
If yes, to what depth (feet)?		<input type="checkbox"/> Screened & Poured <input checked="" type="checkbox"/> Other (Explain) Poured - Gravity (Bentonite Chips)

Sealing Materials		<input type="checkbox"/> Neat Cement Grout	<input type="checkbox"/> Clay-Sand Slurry (11 lb./gal. wt.)
		<input type="checkbox"/> Sand-Cement (Concrete) Grout	<input type="checkbox"/> Bentonite-Sand Slurry " "
		<input type="checkbox"/> Concrete	<input type="checkbox"/> Bentonite Chips
For Monitoring Wells and Monitoring Well Boreholes Only:			
<input type="checkbox"/> Bentonite Chips		<input type="checkbox"/> Bentonite - Cement Grout	
<input checked="" type="checkbox"/> Granular Bentonite		<input type="checkbox"/> Bentonite - Sand Slurry	

5. Material Used to Fill Well / Drillhole	From (ft.)	To (ft.)	No. Yards, Sacks Sealant or Volume (circle one)	Mix Ratio or Mud Weight
Granular Bentonite	Surface	10.0	1 sack	

6. Comments

7. Supervision of Work			DNR Use Only	
Name of Person or Firm Doing Filling & Sealing Geosyntec - Jeremiah Johnson	License #	Date of Filling & Sealing (mm/dd/yyyy) 6/25/2013	Date Received	Noted By
Street or Route 10200 North Port Washington Road Ste. 200		Telephone Number (262) 377-9828	Comments	
City Mequon	State WI	ZIP Code 53092	Signature of Person Doing Work <i>J. Bannantau</i>	Date Signed 6/20/14

Notice: Completion of this report is required by chs. 160, 281, 283, 289, 291-293, 295, and 299, Wis. Stats., and ch. NR 141, Wis. Adm. Code. In accordance with chs. 281, 289, 291-293, 295, and 299, Wis. Stats., failure to file this form may result in a forfeiture of between \$10-25,000, or imprisonment for up to one year, depending on the program and conduct involved. Personally identifiable information on this form is not intended to be used for any other purpose. Return this form to the appropriate DNR office and bureau. See instructions on reverse for more information.

Verification Only of Fill and Seal

Route to:

- Drinking Water Watershed/Wastewater Remediation/Redevelopment
 Waste Management Other

1. Well Location Information **2. Facility / Owner Information**

County Walworth		WI Unique Well # of Removed Well		Hicap #		Facility Name Getzen Musical Instruments				
Latitude / Longitude (Degrees and Minutes)				Method Code (see instructions)		Facility ID (FID or PWS) 265006720				
° ' " N		° ' " W				License/Permit/Monitoring # IP-26				
¼ / ¼ NE		¼ SE		Section 6		Township 2		Range 17		Original Well Owner Getzen Musical Instruments
										Present Well Owner Getzen Musical Instruments
										Mailing Address of Present Owner 530 South County Highway H
Well Street Address 530 South County Highway H						Well ZIP Code 53121		City of Present Owner Elkhorn		State WI
Well City, Village or Town Elkhorn						Lot #		ZIP Code 53121		
Subdivision Name										

4. Pump, Liner, Screen, Casing & Sealing Material

Reason For Removal From Service No longer needed		WI Unique Well # of Replacement Well		Pump and piping removed? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	
				Liner(s) removed? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	
				Screen removed? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	
				Casing left in place? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	
				Was casing cut off below surface? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	
				Did sealing material rise to surface? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	
				Did material settle after 24 hours? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A	
				If yes, was hole retopped? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	
				If bentonite chips were used, were they hydrated with water from a known safe source <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	
				Required Method of Placing Sealing Material	
				<input type="checkbox"/> Conductor Pipe-Gravity <input type="checkbox"/> Conductor Pipe-Pumped	
				<input type="checkbox"/> Screened & Poured <input checked="" type="checkbox"/> Other (Explain) Poured - Gravity (Bentonite Chips)	
				Sealing Materials	
				<input type="checkbox"/> Neat Cement Grout <input type="checkbox"/> Clay-Sand Slurry (11 lb./gal. wt.)	
				<input type="checkbox"/> Sand-Cement (Concrete) Grout <input type="checkbox"/> Bentonite-Sand Slurry "	
				<input type="checkbox"/> Concrete <input type="checkbox"/> Bentonite Chips	
				For Monitoring Wells and Monitoring Well Boreholes Only:	
				<input type="checkbox"/> Bentonite Chips <input type="checkbox"/> Bentonite - Cement Grout	
				<input checked="" type="checkbox"/> Granular Bentonite <input type="checkbox"/> Bentonite - Sand Slurry	

5. Material Used to Fill Well / Drillhole	From (ft.)	To (ft.)	No. Yards, Sacks Sealant or Volume (circle one)	Mix Ratio or Mud Weight
Granular Bentonite	Surface	10.0	1 sack	

6. Comments

7. Supervision of Work			DNR Use Only	
Name of Person or Firm Doing Filling & Sealing Geosyntec - Jeremiah Johnson		License #	Date of Filling & Sealing (mm/dd/yyyy) 6/25/2013	Date Received
Street or Route 10200 North Port Washington Road Ste. 200		State	Telephone Number (262) 377-9828	Noted By
City Mequon	State WI	ZIP Code 53092	Signature of Person Doing Work <i>J. Bannan</i>	Date Signed 6/20/14

Notice: Completion of this report is required by chs. 160, 281, 283, 289, 291-293, 295, and 299, Wis. Stats., and ch. NR 141, Wis. Adm. Code. In accordance with chs. 281, 289, 291-293, 295, and 299, Wis. Stats., failure to file this form may result in a forfeiture of between \$10-25,000, or imprisonment for up to one year, depending on the program and conduct involved. Personally identifiable information on this form is not intended to be used for any other purpose. Return this form to the appropriate DNR office and bureau. See instructions on reverse for more information.

Verification Only of Fill and Seal

Route to:

- Drinking Water Watershed/Wastewater Remediation/Redevelopment
 Waste Management Other

1. Well Location Information **2. Facility / Owner Information**

County Walworth	WI Unique Well # of Removed Well	Hicap #	Facility Name Getzen Musical Instruments
Latitude / Longitude (Degrees and Minutes) ° ' " N ° ' " W		Method Code (see instructions)	Facility ID (FID or PWS) 265006720
¼ ¼ NE	¼ SE	Section 6	License/Permit/Monitoring # IP-27
or Gov't Lot #		Township 2	Original Well Owner Getzen Musical Instruments
Well Street Address 530 South County Highway H		Range 17 <input checked="" type="checkbox"/> E <input type="checkbox"/> W	Present Well Owner Getzen Musical Instruments
Well City, Village or Town Elkhorn		Well ZIP Code 53121	Mailing Address of Present Owner 530 South County Highway H
Subdivision Name		Lot #	City of Present Owner Elkhorn State WI ZIP Code 53121

Reason For Removal From Service: **No longer needed**

WI Unique Well # of Replacement Well: _____

3. Well / Drillhole / Borehole Information

Monitoring Well Original Construction Date
 Water Well **6/26/2013**
 Drillhole / Borehole If a Well Construction Report is available, please attach.

Construction Type:
 Drilled Driven (Sandpoint) Dug
 Other (Specify) **Geoprobe**

Formation Type:
 Unconsolidated Formation Bedrock

Total Well Depth From Ground Surface (ft.) 10.0	Casing Diameter (in.) no casing
Lower Drillhole Diameter (in.) 2.0	Casing Depth (ft.) no casing

Was well annular space grouted? Yes No Unknown

If yes, to what depth (feet)? **5.0** Depth to Water (feet) _____

4. Pump, Liner, Screen, Casing & Sealing Material

Pump and piping removed? Yes No N/A
 Liner(s) removed? Yes No N/A
 Screen removed? Yes No N/A
 Casing left in place? Yes No N/A

Was casing cut off below surface? Yes No N/A
 Did sealing material rise to surface? Yes No N/A
 Did material settle after 24 hours? Yes No N/A
 If yes, was hole retopped? Yes No N/A
 If bentonite chips were used, were they hydrated with water from a known safe source? Yes No N/A

Required Method of Placing Sealing Material:
 Conductor Pipe-Gravity Conductor Pipe-Pumped
 Screened & Poured Other (Explain) **Poured - Gravity (Bentonite Chips)**

Sealing Materials:
 Neat Cement Grout Clay-Sand Slurry (11 lb./gal. wt.)
 Sand-Cement (Concrete) Grout Bentonite-Sand Slurry " "
 Concrete Bentonite Chips

For Monitoring Wells and Monitoring Well Boreholes Only:
 Bentonite Chips Bentonite - Cement Grout
 Granular Bentonite Bentonite - Sand Slurry

5. Material Used to Fill Well / Drillhole	From (ft.)	To (ft.)	No. Yards, Sacks Sealant or Volume (circle one)	Mix Ratio or Mud Weight
Granular Bentonite	Surface	10.0	1 sack	

6. Comments

7. Supervision of Work

Name of Person or Firm Doing Filling & Sealing Geosyntec - Jeremiah Johnson	License #	Date of Filling & Sealing (mm/dd/yyyy) 6/26/2013	DNR Use Only	
Street or Route 10200 North Port Washington Road Ste. 200		Telephone Number (262) 377-9828	Date Received	Noted By
City Mequon	State WI	ZIP Code 53092	Signature of Person Doing Work <i>[Signature]</i>	
			Date Signed 6/20/14	

Notice: Completion of this report is required by chs. 160, 281, 283, 289, 291-293, 295, and 299, Wis. Stats., and ch. NR 141, Wis. Adm. Code. In accordance with chs. 281, 289, 291-293, 295, and 299, Wis. Stats., failure to file this form may result in a forfeiture of between \$10-25,000, or imprisonment for up to one year, depending on the program and conduct involved. Personally identifiable information on this form is not intended to be used for any other purpose. Return this form to the appropriate DNR office and bureau. See instructions on reverse for more information.

Verification Only of Fill and Seal

Route to:

- Drinking Water Watershed/Wastewater Remediation/Redevelopment
 Waste Management Other

1. Well Location Information **2. Facility / Owner Information**

County Walworth		WI Unique Well # of Removed Well		Hicap #		Facility Name Getzen Musical Instruments	
Latitude / Longitude (Degrees and Minutes) ° ' " N ° ' " W		Method Code (see instructions)		Facility ID (FID or PWS) 265006720		License/Permit/Monitoring # IP-28	
¼ / ¼ NE	¼ SE	Section 6	Township 2	Range 17	<input checked="" type="checkbox"/> E <input type="checkbox"/> W	Original Well Owner Getzen Musical Instruments	
Well Street Address 530 South County Highway H		Well City, Village or Town Elkhorn		Well ZIP Code 53121		Present Well Owner Getzen Musical Instruments	
Subdivision Name		Lot #		City of Present Owner Elkhorn		State WI	ZIP Code 53121

3. Well / Drillhole / Borehole Information **4. Pump, Liner, Screen, Casing & Sealing Material**

Reason For Removal From Service No longer needed		WI Unique Well # of Replacement Well		Pump and piping removed? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A Liner(s) removed? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A Screen removed? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A Casing left in place? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	
<input type="checkbox"/> Monitoring Well <input type="checkbox"/> Water Well <input checked="" type="checkbox"/> Drillhole / Borehole		Original Construction Date 6/26/2013		Was casing cut off below surface? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A Did sealing material rise to surface? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A Did material settle after 24 hours? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A If yes, was hole retopped? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A If bentonite chips were used, were they hydrated with water from a known safe source? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	
Construction Type: <input type="checkbox"/> Drilled <input type="checkbox"/> Driven (Sandpoint) <input type="checkbox"/> Dug <input checked="" type="checkbox"/> Other (Specify) <u>Geoprobe</u>		If a Well Construction Report is available, please attach.		Required Method of Placing Sealing Material <input type="checkbox"/> Conductor Pipe-Gravity <input type="checkbox"/> Conductor Pipe-Pumped <input type="checkbox"/> Screened & Poured <input checked="" type="checkbox"/> Other (Explain) Poured - Gravity (Bentonite Chips)	
Formation Type: <input checked="" type="checkbox"/> Unconsolidated Formation <input type="checkbox"/> Bedrock		Total Well Depth From Ground Surface (ft.) 10.0		Casing Diameter (in.) no casing	
Lower Drillhole Diameter (in.) 2.0		Casing Depth (ft.) no casing		Sealing Materials <input type="checkbox"/> Neat Cement Grout <input type="checkbox"/> Clay-Sand Slurry (11 lb./gal. wt.) <input type="checkbox"/> Sand-Cement (Concrete) Grout <input type="checkbox"/> Bentonite-Sand Slurry " " <input type="checkbox"/> Concrete <input type="checkbox"/> Bentonite Chips	
Was well annular space grouted? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> Unknown		Depth to Water (feet) 5.0		For Monitoring Wells and Monitoring Well Boreholes Only: <input type="checkbox"/> Bentonite Chips <input type="checkbox"/> Bentonite - Cement Grout <input checked="" type="checkbox"/> Granular Bentonite <input type="checkbox"/> Bentonite - Sand Slurry	

5. Material Used to Fill Well / Drillhole	From (ft.)	To (ft.)	No. Yards, Sacks Sealant or Volume (circle one)	Mix Ratio or Mud Weight
Granular Bentonite	Surface	10.0	1 sack	

6. Comments

7. Supervision of Work			DNR Use Only	
Name of Person or Firm Doing Filling & Sealing Geosyntec - Jeremiah Johnson	License #	Date of Filling & Sealing (mm/dd/yyyy) 6/26/2013	Date Received	Noted By
Street or Route 10200 North Port Washington Road Ste. 200		Telephone Number (262) 377-9828	Comments	
City Mequon	State WI	ZIP Code 53092	Signature of Person Doing Work <i>J. Bannister</i>	Date Signed 6/30/14

Notice: Completion of this report is required by chs. 160, 281, 283, 289, 291-293, 295, and 299, Wis. Stats., and ch. NR 141, Wis. Adm. Code. In accordance with chs. 281, 289, 291-293, 295, and 299, Wis. Stats., failure to file this form may result in a forfeiture of between \$10-25,000, or imprisonment for up to one year, depending on the program and conduct involved. Personally identifiable information on this form is not intended to be used for any other purpose. Return this form to the appropriate DNR office and bureau. See instructions on reverse for more information.

Verification Only of Fill and Seal

Route to:

Drinking Water Watershed/Wastewater Remediation/Redevelopment

Waste Management Other

1. Well Location Information				2. Facility / Owner Information			
County Walworth		WI Unique Well # of Removed Well		Hicap #		Facility Name Getzen Musical Instruments	
Latitude / Longitude (Degrees and Minutes) ° ' " N ° ' " W				Method Code (see instructions)			
¼ / ¼ NE		¼ SE		Section 6		Township 2	
or Gov't Lot #				Range 17		<input checked="" type="checkbox"/> E <input type="checkbox"/> W	
Well Street Address 530 South County Highway H				Facility ID (FID or PWS) 265006720			
Well City, Village or Town Elkhorn				License/Permit/Monitoring # IP-29			
Well ZIP Code 53121				Original Well Owner Getzen Musical Instruments			
Subdivision Name				Present Well Owner Getzen Musical Instruments			
Reason For Removal From Service No longer needed				Mailing Address of Present Owner 530 South County Highway H			
WI Unique Well # of Replacement Well				City of Present Owner Elkhorn		State WI	ZIP Code 53121

3. Well / Drillhole / Borehole Information		4. Pump, Liner, Screen, Casing & Sealing Material			
<input type="checkbox"/> Monitoring Well		Pump and piping removed? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A			
<input type="checkbox"/> Water Well		Liner(s) removed? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A			
<input checked="" type="checkbox"/> Drillhole / Borehole		Screen removed? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A			
Original Construction Date 6/26/2013		Casing left in place? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A			
If a Well Construction Report is available, please attach.		Was casing cut off below surface? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A			
Construction Type: <input type="checkbox"/> Drilled <input type="checkbox"/> Driven (Sandpoint) <input type="checkbox"/> Dug		Did sealing material rise to surface? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A			
<input checked="" type="checkbox"/> Other (Specify) Geoprobe		Did material settle after 24 hours? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A			
Formation Type: <input checked="" type="checkbox"/> Unconsolidated Formation <input type="checkbox"/> Bedrock		If yes, was hole retopped? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A			
Total Well Depth From Ground Surface (ft.) 10.0		If bentonite chips were used, were they hydrated with water from a known safe source? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A			
Lower Drillhole Diameter (in.) 2.0		Required Method of Placing Sealing Material: <input type="checkbox"/> Conductor Pipe-Gravity <input type="checkbox"/> Conductor Pipe-Pumped <input type="checkbox"/> Screened & Poured <input checked="" type="checkbox"/> Other (Explain) Poured - Gravity (Bentonite Chips)			
Was well annular space grouted? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> Unknown		Sealing Materials: <input type="checkbox"/> Neat Cement Grout <input type="checkbox"/> Clay-Sand Slurry (11 lb./gal. wt.) <input type="checkbox"/> Sand-Cement (Concrete) Grout <input type="checkbox"/> Bentonite-Sand Slurry " " <input type="checkbox"/> Concrete <input type="checkbox"/> Bentonite Chips			
If yes, to what depth (feet)? 5.0		For Monitoring Wells and Monitoring Well Boreholes Only: <input type="checkbox"/> Bentonite Chips <input type="checkbox"/> Bentonite - Cement Grout <input checked="" type="checkbox"/> Granular Bentonite <input type="checkbox"/> Bentonite - Sand Slurry			

5. Material Used to Fill Well / Drillhole	From (ft.)	To (ft.)	No. Yards, Sacks Sealant or Volume (circle one)	Mix Ratio or Mud Weight
Granular Bentonite	Surface	10.0	1 sack	

6. Comments

7. Supervision of Work			DNR Use Only	
Name of Person or Firm Doing Filling & Sealing Geosyntec - Jeremiah Johnson	License #	Date of Filling & Sealing (mm/dd/yyyy) 6/26/2013	Date Received	Noted By
Street or Route 10200 North Port Washington Road Ste. 200		Telephone Number (262) 377-9828	Comments	
City Mequon	State WI	ZIP Code 53092	Signature of Person Doing Work <i>J. Barrantano</i>	Date Signed 6/20/14

Notice: Completion of this report is required by chs. 160, 281, 283, 289, 291-293, 295, and 299, Wis. Stats., and ch. NR 141, Wis. Adm. Code. In accordance with chs. 281, 289, 291-293, 295, and 299, Wis. Stats., failure to file this form may result in a forfeiture of between \$10-25,000, or imprisonment for up to one year, depending on the program and conduct involved. Personally identifiable information on this form is not intended to be used for any other purpose. Return this form to the appropriate DNR office and bureau. See instructions on reverse for more information.

Verification Only of Fill and Seal

Route to:

- Drinking Water Watershed/Wastewater Remediation/Redevelopment
 Waste Management Other

1. Well Location Information **2. Facility / Owner Information**

County Walworth	WI Unique Well # of Removed Well	Hicap #	Facility Name Getzen Musical Instruments
Latitude / Longitude (Degrees and Minutes) ° ' " N ° ' " W	Method Code (see instructions)		Facility ID (FID or PWS) 265006720
¼ / ¼ NE ¼ SE	Section 6	Township 2	License/Permit/Monitoring # IP-30
or Gov't Lot #	Range 17	<input checked="" type="checkbox"/> E <input type="checkbox"/> W	Original Well Owner Getzen Musical Instruments
Well Street Address 530 South County Highway H	Well ZIP Code 53121		Present Well Owner Getzen Musical Instruments
Well City, Village or Town Elkhorn	Subdivision Name	Lot #	Mailing Address of Present Owner 530 South County Highway H
Reason For Removal From Service No longer needed		WI Unique Well # of Replacement Well	City of Present Owner Elkhorn
3. Well / Drillhole / Borehole Information		State WI	
<input type="checkbox"/> Monitoring Well	Original Construction Date 6/26/2013	ZIP Code 53121	
<input type="checkbox"/> Water Well	If a Well Construction Report is available, please attach.	4. Pump, Liner, Screen, Casing & Sealing Material	
<input checked="" type="checkbox"/> Drillhole / Borehole	Construction Type: <input type="checkbox"/> Drilled <input type="checkbox"/> Driven (Sandpoint) <input type="checkbox"/> Dug <input checked="" type="checkbox"/> Other (Specify) Geoprobe	Pump and piping removed? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A Liner(s) removed? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A Screen removed? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A Casing left in place? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A Was casing cut off below surface? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A Did sealing material rise to surface? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A Did material settle after 24 hours? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A If yes, was hole retopped? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A If bentonite chips were used, were they hydrated with water from a known safe source? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	
Formation Type: <input checked="" type="checkbox"/> Unconsolidated Formation <input type="checkbox"/> Bedrock	Total Well Depth From Ground Surface (ft.) 10.0	Casing Diameter (in.) no casing	Required Method of Placing Sealing Material <input type="checkbox"/> Conductor Pipe-Gravity <input type="checkbox"/> Conductor Pipe-Pumped <input type="checkbox"/> Screened & Poured <input checked="" type="checkbox"/> Other (Explain) Poured - Gravity (Bentonite Chips)
Lower Drillhole Diameter (in.) 2.0	Casing Depth (ft.) no casing	Was well annular space grouted? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> Unknown	Sealing Materials <input type="checkbox"/> Neat Cement Grout <input type="checkbox"/> Clay-Sand Slurry (11 lb./gal. wt.) <input type="checkbox"/> Sand-Cement (Concrete) Grout <input type="checkbox"/> Bentonite-Sand Slurry " " <input type="checkbox"/> Concrete <input type="checkbox"/> Bentonite Chips
If yes, to what depth (feet)?	Depth to Water (feet) 5.0	For Monitoring Wells and Monitoring Well Boreholes Only: <input type="checkbox"/> Bentonite Chips <input type="checkbox"/> Bentonite - Cement Grout <input checked="" type="checkbox"/> Granular Bentonite <input type="checkbox"/> Bentonite - Sand Slurry	

4. Pump, Liner, Screen, Casing & Sealing Material

From (ft.)	To (ft.)	No. Yards, Sacks Sealant or Volume (circle one)	Mix Ratio or Mud Weight
Surface	10.0	1 sack	

5. Material Used to Fill Well / Drillhole

6. Comments

7. Supervision of Work			DNR Use Only	
Name of Person or Firm Doing Filling & Sealing Geosyntec - Jeremiah Johnson	License #	Date of Filling & Sealing (mm/dd/yyyy) 6/26/2013	Date Received	Noted By
Street or Route 10200 North Port Washington Road Ste. 200	City Mequon	State WI	ZIP Code 53092	Telephone Number (262) 377-9828
Signature of Person Doing Work <i>J. Bannant</i>			Comments	
Date Signed 6/20/14				

Notice: Completion of this report is required by chs. 160, 281, 283, 289, 291-293, 295, and 299, Wis. Stats., and ch. NR 141, Wis. Adm. Code. In accordance with chs. 281, 289, 291-293, 295, and 299, Wis. Stats., failure to file this form may result in a forfeiture of between \$10-25,000, or imprisonment for up to one year, depending on the program and conduct involved. Personally identifiable information on this form is not intended to be used for any other purpose. Return this form to the appropriate DNR office and bureau. See instructions on reverse for more information.

Verification Only of Fill and Seal

Route to:

Drinking Water Watershed/Wastewater Remediation/Redevelopment

Waste Management Other

1. Well Location Information **2. Facility / Owner Information**

County Walworth		WI Unique Well # of Removed Well		Hicap #		Facility Name Getzen Musical Instruments			
Latitude / Longitude (Degrees and Minutes) ° ' " N ° ' " W			Method Code (see instructions)			Facility ID (FID or PWS) 265006720			
¼ / ¼ NE ¼ SE		Section 6		Township 2		Range 17		License/Permit/Monitoring # TP-31	
or Gov't Lot #								Original Well Owner Getzen Musical Instruments	
Well Street Address 530 South County Highway H						Present Well Owner Getzen Musical Instruments			
Well City, Village or Town Elkhorn				Well ZIP Code 53121		Mailing Address of Present Owner 530 South County Highway H			
Subdivision Name				Lot #		City of Present Owner Elkhorn		State WI	ZIP Code 53121

3. Well / Drillhole / Borehole Information **4. Pump, Liner, Screen, Casing & Sealing Material**

Reason For Removal From Service No longer needed		WI Unique Well # of Replacement Well		<input type="checkbox"/> Pump and piping removed? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A <input type="checkbox"/> Liner(s) removed? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A <input type="checkbox"/> Screen removed? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A <input type="checkbox"/> Casing left in place? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A <input type="checkbox"/> Was casing cut off below surface? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A <input type="checkbox"/> Did sealing material rise to surface? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/> Did material settle after 24 hours? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/> If yes, was hole retopped? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A <input type="checkbox"/> If bentonite chips were used, were they hydrated with water from a known safe source? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A					
<input type="checkbox"/> Monitoring Well <input type="checkbox"/> Water Well <input checked="" type="checkbox"/> Drillhole / Borehole		Original Construction Date 6/26/2013		<input type="checkbox"/> Conductor Pipe-Gravity <input type="checkbox"/> Conductor Pipe-Pumped <input type="checkbox"/> Screened & Poured <input checked="" type="checkbox"/> Other (Explain) Poured - Gravity (Bentonite Chips)					
Construction Type: <input type="checkbox"/> Drilled <input type="checkbox"/> Driven (Sandpoint) <input type="checkbox"/> Dug <input checked="" type="checkbox"/> Other (Specify) Geoprobe		If a Well Construction Report is available, please attach.		Sealing Materials <input type="checkbox"/> Neat Cement Grout <input type="checkbox"/> Clay-Sand Slurry (11 lb./gal. wt.) <input type="checkbox"/> Sand-Cement (Concrete) Grout <input type="checkbox"/> Bentonite-Sand Slurry " " <input type="checkbox"/> Concrete <input type="checkbox"/> Bentonite Chips					
Formation Type: <input checked="" type="checkbox"/> Unconsolidated Formation <input type="checkbox"/> Bedrock		Total Well Depth From Ground Surface (ft.) 10.0		Casing Diameter (in.) no casing		For Monitoring Wells and Monitoring Well Boreholes Only: <input type="checkbox"/> Bentonite Chips <input type="checkbox"/> Bentonite - Cement Grout <input checked="" type="checkbox"/> Granular Bentonite <input type="checkbox"/> Bentonite - Sand Slurry			
Lower Drillhole Diameter (in.) 2.0		Casing Depth (ft.) no casing							
Was well annular space grouted? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> Unknown		If yes, to what depth (feet)?		Depth to Water (feet) 5.0					

5. Material Used to Fill Well / Drillhole	From (ft.)	To (ft.)	No. Yards, Sacks Sealant or Volume (circle one)	Mix Ratio or Mud Weight
Granular Bentonite	Surface	12.0	1 sack	

6. Comments

7. Supervision of Work				DNR Use Only	
Name of Person or Firm Doing Filling & Sealing Geosyntec - Jeremiah Johnson		License #	Date of Filling & Sealing (mm/dd/yyyy) 6/26/2013	Date Received	Noted By
Street or Route 10200 North Port Washington Road Ste. 200			Telephone Number (262) 377-9828		Comments
City Mequon		State WI	ZIP Code 53092	Signature of Person Doing Work <i>J. Bannantua</i>	
				Date Signed 6/20/14	

Notice: Completion of this report is required by chs. 160, 281, 283, 289, 291-293, 295, and 299, Wis. Stats., and ch. NR 141, Wis. Adm. Code. In accordance with chs. 281, 289, 291-293, 295, and 299, Wis. Stats., failure to file this form may result in a forfeiture of between \$10-25,000, or imprisonment for up to one year, depending on the program and conduct involved. Personally identifiable information on this form is not intended to be used for any other purpose. Return this form to the appropriate DNR office and bureau. See instructions on reverse for more information.

Verification Only of Fill and Seal

Route to:

- Drinking Water Watershed/Wastewater Remediation/Redevelopment
 Waste Management Other

1. Well Location Information **2. Facility / Owner Information**

County Walworth	WI Unique Well # of Removed Well	Hicap #
Latitude / Longitude (Degrees and Minutes) ° ' " N ° ' " W		Method Code (see instructions)
¼ / ¼ NE or Gov't Lot #	¼ SE	Section 6
Well Street Address 530 South County Highway H		Township 2
Well City, Village or Town Elkhorn		Range 17 <input checked="" type="checkbox"/> E <input type="checkbox"/> W
Well ZIP Code 53121		
Subdivision Name		Lot #
Reason For Removal From Service No longer needed	WI Unique Well # of Replacement Well	

Facility Name Getzen Musical Instruments
Facility ID (FID or PWS) 265006720
License/Permit/Monitoring # IP-32
Original Well Owner Getzen Musical Instruments
Present Well Owner Getzen Musical Instruments
Mailing Address of Present Owner 530 South County Highway H
City of Present Owner Elkhorn
State WI
ZIP Code 53121

3. Well / Drillhole / Borehole Information

<input type="checkbox"/> Monitoring Well	Original Construction Date 6/26/2013
<input type="checkbox"/> Water Well	If a Well Construction Report is available, please attach.
<input checked="" type="checkbox"/> Drillhole / Borehole	
Construction Type: <input type="checkbox"/> Drilled <input type="checkbox"/> Driven (Sandpoint) <input type="checkbox"/> Dug <input checked="" type="checkbox"/> Other (Specify) Geoprobe	
Formation Type: <input checked="" type="checkbox"/> Unconsolidated Formation <input type="checkbox"/> Bedrock	
Total Well Depth From Ground Surface (ft) 10.0	Casing Diameter (in.) no casing
Lower Drillhole Diameter (in.) 2.0	Casing Depth (ft.) no casing
Was well annular space grouted? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> Unknown	
If yes, to what depth (feet)?	Depth to Water (feet) 5.0


4. Pump, Liner, Screen, Casing & Sealing Material

Pump and piping removed?	<input type="checkbox"/> Yes	<input type="checkbox"/> No	<input checked="" type="checkbox"/> N/A
Liner(s) removed?	<input type="checkbox"/> Yes	<input type="checkbox"/> No	<input checked="" type="checkbox"/> N/A
Screen removed?	<input type="checkbox"/> Yes	<input type="checkbox"/> No	<input checked="" type="checkbox"/> N/A
Casing left in place?	<input type="checkbox"/> Yes	<input type="checkbox"/> No	<input checked="" type="checkbox"/> N/A
Was casing cut off below surface?	<input type="checkbox"/> Yes	<input type="checkbox"/> No	<input checked="" type="checkbox"/> N/A
Did sealing material rise to surface?	<input checked="" type="checkbox"/> Yes	<input type="checkbox"/> No	<input type="checkbox"/> N/A
Did material settle after 24 hours?	<input type="checkbox"/> Yes	<input checked="" type="checkbox"/> No	<input type="checkbox"/> N/A
If yes, was hole retopped?	<input type="checkbox"/> Yes	<input type="checkbox"/> No	<input checked="" type="checkbox"/> N/A
If bentonite chips were used, were they hydrated with water from a known safe source?	<input checked="" type="checkbox"/> Yes	<input type="checkbox"/> No	<input type="checkbox"/> N/A
Required Method of Placing Sealing Material			
<input type="checkbox"/> Conductor Pipe-Gravity	<input type="checkbox"/> Conductor Pipe-Pumped		
<input type="checkbox"/> Screened & Poured	<input checked="" type="checkbox"/> Other (Explain) Poured - Gravity (Bentonite Chips)		
Sealing Materials			
<input type="checkbox"/> Neat Cement Grout	<input type="checkbox"/> Clay-Sand Slurry (11 lb./gal. wt.)		
<input type="checkbox"/> Sand-Cement (Concrete) Grout	<input type="checkbox"/> Bentonite-Sand Slurry "		
<input type="checkbox"/> Concrete	<input type="checkbox"/> Bentonite Chips		
For Monitoring Wells and Monitoring Well Boreholes Only:			
<input type="checkbox"/> Bentonite Chips	<input type="checkbox"/> Bentonite - Cement Grout		
<input checked="" type="checkbox"/> Granular Bentonite	<input type="checkbox"/> Bentonite - Sand Slurry		

5. Material Used to Fill Well / Drillhole	From (ft.)	To (ft.)	No. Yards, Sacks Sealant or Volume (circle one)	Mix Ratio or Mud Weight
Granular Bentonite	Surface	12.0	1 sack	

6. Comments

7. Supervision of Work **DNR Use Only**

Name of Person or Firm Doing Filling & Sealing Geosyntec - Jeremiah Johnson	License #	Date of Filling & Sealing (mm/dd/yyyy) 6/26/2013	Date Received	Noted By
Street or Route 10200 North Port Washington Road Ste. 200		Telephone Number (262) 377-9828	Comments	
City Mequon	State WI	ZIP Code 53092	Signature of Person Doing Work 	Date Signed 6/20/14

Notice: Completion of this report is required by chs. 160, 281, 283, 289, 291-293, 295, and 299, Wis. Stats., and ch. NR 141, Wis. Adm. Code. In accordance with chs. 281, 289, 291-293, 295, and 299, Wis. Stats., failure to file this form may result in a forfeiture of between \$10-25,000, or imprisonment for up to one year, depending on the program and conduct involved. Personally identifiable information on this form is not intended to be used for any other purpose. Return this form to the appropriate DNR office and bureau. See instructions on reverse for more information.

Verification Only of Fill and Seal

Route to:

- Drinking Water Watershed/Wastewater Remediation/Redevelopment
 Waste Management Other

1. Well Location Information **2. Facility / Owner Information**

County: Walworth WI Unique Well # of Removed Well: _____ Hicap #: _____

Latitude / Longitude (Degrees and Minutes):
 ° ' " N
 ° ' " W

Method Code (see instructions): _____

1/4 NE 1/4 SE Section: 6 Township: 2 Range: 17 E W

or Gov't Lot #: _____

Well Street Address: _____

Well City, Village or Town: _____ Well ZIP Code: _____

Subdivision Name: _____ Lot #: _____

Reason For Removal From Service: No longer needed WI Unique Well # of Replacement Well: _____

Facility Name: Getzen Musical Instruments

Facility ID (FID or PWS): 265006720

License/Permit/Monitoring #: IP-33

Original Well Owner: Getzen Musical Instruments

Present Well Owner: Getzen Musical Instruments

Mailing Address of Present Owner: 530 South County Highway H

City of Present Owner: Elkhorn State: WI ZIP Code: 53121

3. Well / Drillhole / Borehole Information

Monitoring Well Original Construction Date: 6/26/2013
 Water Well
 Drillhole / Borehole If a Well Construction Report is available, please attach.

Construction Type:
 Drilled Driven (Sandpoint) Dug
 Other (Specify) Geoprobe

Formation Type:
 Unconsolidated Formation Bedrock

Total Well Depth From Ground Surface (ft.): 10.0 Casing Diameter (in.): no casing

Lower Drillhole Diameter (in.): 2.0 Casing Depth (ft.): no casing

Was well annular space grouted? Yes No Unknown

If yes, to what depth (feet)? Depth to Water (feet): 5.0

4. Pump, Liner, Screen, Casing & Sealing Material

Pump and piping removed? Yes No N/A
 Liner(s) removed? Yes No N/A
 Screen removed? Yes No N/A
 Casing left in place? Yes No N/A
 Was casing cut off below surface? Yes No N/A
 Did sealing material rise to surface? Yes No N/A
 Did material settle after 24 hours? Yes No N/A
 If yes, was hole retopped? Yes No N/A
 If bentonite chips were used, were they hydrated with water from a known safe source? Yes No N/A

Required Method of Placing Sealing Material:
 Conductor Pipe-Gravity Conductor Pipe-Pumped
 Screened & Poured Other (Explain) Poured - Gravity (Bentonite Chips)


Sealing Materials:
 Neat Cement Grout Clay-Sand Slurry (11 lb./gal. wt.)
 Sand-Cement (Concrete) Grout Bentonite-Sand Slurry " "
 Concrete Bentonite Chips

For Monitoring Wells and Monitoring Well Boreholes Only:
 Bentonite Chips Bentonite - Cement Grout
 Granular Bentonite Bentonite - Sand Slurry

5. Material Used to Fill Well / Drillhole	From (ft.)	To (ft.)	No. Yards, Sacks Sealant or Volume (circle one)	Mix Ratio or Mud Weight
Granular Bentonite	Surface	12.0	1 sack	

6. Comments

7. Supervision of Work

Name of Person or Firm Doing Filling & Sealing <u>Geosyntec - Jeremiah Johnson</u>	License #	Date of Filling & Sealing (mm/dd/yyyy) <u>6/26/2013</u>	DNR Use Only	
Street or Route <u>10200 North Port Washington Road Ste. 200</u>	State	Telephone Number <u>(262) 377-9828</u>	Date Received	Noted By
City <u>Mequon</u>	ZIP Code <u>WI 53092</u>	Signature of Person Doing Work 	Comments	Date Signed <u>6/20/14</u>

Notice: Completion of this report is required by chs. 160, 281, 283, 289, 291-293, 295, and 299, Wis. Stats., and ch. NR 141, Wis. Adm. Code. In accordance with chs. 281, 289, 291-293, 295, and 299, Wis. Stats., failure to file this form may result in a forfeiture of between \$10-25,000, or imprisonment for up to one year, depending on the program and conduct involved. Personally identifiable information on this form is not intended to be used for any other purpose. Return this form to the appropriate DNR office and bureau. See instructions on reverse for more information.

Verification Only of Fill and Seal

Route to:

- Drinking Water Watershed/Wastewater Remediation/Redevelopment
 Waste Management Other

1. Well Location Information

County Walworth	WI Unique Well # of Removed Well	Hicap #
Latitude / Longitude (Degrees and Minutes) " ' N " ' W		Method Code (see instructions)
1/4 NE	1/4 SE	Section 6
or Gov't Lot #		Township 2
Well Street Address 530 South County Highway H		Range 17 <input checked="" type="checkbox"/> E <input type="checkbox"/> W
Well City, Village or Town Elkhorn		Well ZIP Code 53121
Subdivision Name		Lot #
Reason For Removal From Service No longer needed	WI Unique Well # of Replacement Well	

2. Facility / Owner Information

Facility Name Getzen Musical Instruments
Facility ID (FID or PWS) 265006720
License/Permit/Monitoring # IP- 1
Original Well Owner Getzen Musical Instruments
Present Well Owner Getzen Musical Instruments
Mailing Address of Present Owner 530 South County Highway H
City of Present Owner Elkhorn
State WI
ZIP Code 53121

3. Well / Drillhole / Borehole Information

<input type="checkbox"/> Monitoring Well	Original Construction Date 6/24/2013
<input type="checkbox"/> Water Well	If a Well Construction Report is available, please attach.
<input checked="" type="checkbox"/> Drillhole / Borehole	
Construction Type: <input type="checkbox"/> Drilled <input type="checkbox"/> Driven (Sandpoint) <input type="checkbox"/> Dug <input checked="" type="checkbox"/> Other (Specify) Geoprobe	
Formation Type: <input checked="" type="checkbox"/> Unconsolidated Formation <input type="checkbox"/> Bedrock	
Total Well Depth From Ground Surface (ft) 10.0	Casing Diameter (in.) no casing
Lower Drillhole Diameter (in.) 2.0	Casing Depth (ft.) no casing
Was well annular space grouted? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> Unknown	
If yes, to what depth (feet)?	Depth to Water (feet) 5.0

4. Pump, Liner, Screen, Casing & Sealing Material

Pump and piping removed?	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A
Liner(s) removed?	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A
Screen removed?	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A
Casing left in place?	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A
Was casing cut off below surface?	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A
Did sealing material rise to surface?	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A
Did material settle after 24 hours?	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A
If yes, was hole retopped?	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A
If bentonite chips were used, were they hydrated with water from a known safe source?	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A
Required Method of Placing Sealing Material	
<input type="checkbox"/> Conductor Pipe-Gravity	<input type="checkbox"/> Conductor Pipe-Pumped
<input type="checkbox"/> Screened & Poured	<input checked="" type="checkbox"/> Other (Explain) Poured - Gravity (Bentonite Chips)
Sealing Materials	
<input type="checkbox"/> Neat Cement Grout	<input type="checkbox"/> Clay-Sand Slurry (11 lb./gal. wt.)
<input type="checkbox"/> Sand-Cement (Concrete) Grout	<input type="checkbox"/> Bentonite-Sand Slurry "
<input type="checkbox"/> Concrete	<input type="checkbox"/> Bentonite Chips
For Monitoring Wells and Monitoring Well Boreholes Only:	
<input type="checkbox"/> Bentonite Chips	<input type="checkbox"/> Bentonite - Cement Grout
<input checked="" type="checkbox"/> Granular Bentonite	<input type="checkbox"/> Bentonite - Sand Slurry

5. Material Used to Fill Well / Drillhole

	From (ft.)	To (ft.)	No. Yards, Sacks Sealant or Volume (circle one)	Mix Ratio or Mud Weight
Granular Bentonite	Surface	10.0	1 sack	

6. Comments

7. Supervision of Work

Name of Person or Firm Doing Filling & Sealing Geosyntec - Jeremiah Johnson	License #	Date of Filling & Sealing (mm/dd/yyyy) 6/24/2013	DNR Use Only	
Street or Route 10200 North Port Washington Road Ste. 200	State WI	Telephone Number (262) 377-9828	Date Received	Noted By
City Mequon	ZIP Code 53092	Signature of Person Doing Work <i>Jeremiah Johnson for Geosyntec</i>	Comments	Date Signed 6/20/14

Notice: Completion of this report is required by chs. 160, 281, 283, 289, 291-293, 295, and 299, Wis. Stats., and ch. NR 141, Wis. Adm. Code. In accordance with chs. 281, 289, 291-293, 295, and 299, Wis. Stats., failure to file this form may result in a forfeiture of between \$10-25,000, or imprisonment for up to one year, depending on the program and conduct involved. Personally identifiable information on this form is not intended to be used for any other purpose. Return this form to the appropriate DNR office and bureau. See instructions on reverse for more information.

Verification Only of Fill and Seal

Route to:

- Drinking Water Watershed/Wastewater Remediation/Redevelopment
 Waste Management Other

1. Well Location Information **2. Facility / Owner Information**

County Walworth	WI Unique Well # of Removed Well	Hicap #	Facility Name Getzen Musical Instruments
Latitude / Longitude (Degrees and Minutes) ° ' " N ° ' " W		Method Code (see instructions)	Facility ID (FID or PWS) 265006720
1/4 NE or Gov't Lot #	1/4 SE	Section 6	License/Permit/Monitoring # IP- 2
Well Street Address 530 South County Highway H		Township 2	Original Well Owner Getzen Musical Instruments
Well City, Village or Town Elkhorn		Range 17	Present Well Owner Getzen Musical Instruments
Subdivision Name		Well ZIP Code 53121	Mailing Address of Present Owner 530 South County Highway H
		Lot #	City of Present Owner Elkhorn
			State WI
			ZIP Code 53121

4. Pump, Liner, Screen, Casing & Sealing Material

Reason For Removal From Service No longer needed	WI Unique Well # of Replacement Well	Pump and piping removed? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A
3. Well / Drillhole / Borehole Information		Liner(s) removed? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A
<input type="checkbox"/> Monitoring Well	Original Construction Date 6/24/2013	Screen removed? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A
<input type="checkbox"/> Water Well	If a Well Construction Report is available, please attach.	Casing left in place? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A
<input checked="" type="checkbox"/> Drillhole / Borehole		Was casing cut off below surface? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A
Construction Type: <input type="checkbox"/> Drilled <input type="checkbox"/> Driven (Sandpoint) <input type="checkbox"/> Dug		Did sealing material rise to surface? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A
<input checked="" type="checkbox"/> Other (Specify) Geoprobe		Did material settle after 24 hours? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A
Formation Type: <input checked="" type="checkbox"/> Unconsolidated Formation <input type="checkbox"/> Bedrock		If yes, was hole retopped? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A
Total Well Depth From Ground Surface (ft) 10.0	Casing Diameter (in.) no casing	If bentonite chips were used, were they hydrated with water from a known safe source? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A
Lower Drillhole Diameter (in.) 2.0	Casing Depth (ft.) no casing	Required Method of Placing Sealing Material
Was well annular space grouted? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> Unknown	Depth to Water (feet) 5.0	<input type="checkbox"/> Conductor Pipe-Gravity <input type="checkbox"/> Conductor Pipe-Pumped
		<input type="checkbox"/> Screened & Poured <input checked="" type="checkbox"/> Other (Explain) Poured - Gravity (Bentonite Chips)

Sealing Materials		<input type="checkbox"/> Neat Cement Grout	<input type="checkbox"/> Clay-Sand Slurry (11 lb./gal. wt.)
		<input type="checkbox"/> Sand-Cement (Concrete) Grout	<input type="checkbox"/> Bentonite-Sand Slurry " "
		<input type="checkbox"/> Concrete	<input type="checkbox"/> Bentonite Chips
For Monitoring Wells and Monitoring Well Boreholes Only:			
<input type="checkbox"/> Bentonite Chips		<input type="checkbox"/> Bentonite - Cement Grout	
<input checked="" type="checkbox"/> Granular Bentonite		<input type="checkbox"/> Bentonite - Sand Slurry	

5. Material Used to Fill Well / Drillhole	From (ft.)	To (ft.)	No. Yards, Sacks Sealant or Volume (circle one)	Mix Ratio or Mud Weight
Granular Bentonite	Surface	10.0	1 sack	

6. Comments

7. Supervision of Work			DNR Use Only	
Name of Person or Firm Doing Filling & Sealing Geosyntec - Jeremiah Johnson	License #	Date of Filling & Sealing (mm/dd/yyyy) 6/24/2013	Date Received	Noted By
Street or Route 10200 North Port Washington Road Ste. 200		Telephone Number (262) 377-9828	Comments	
City Mequon	State WI	ZIP Code 53092	Signature of Person Doing Work <i>J. Bannan</i>	Date Signed 6/20/14

Notice: Completion of this report is required by chs. 160, 281, 283, 289, 291-293, 295, and 299, Wis. Stats., and ch. NR 141, Wis. Adm. Code. In accordance with chs. 281, 289, 291-293, 295, and 299, Wis. Stats., failure to file this form may result in a forfeiture of between \$10-25,000, or imprisonment for up to one year, depending on the program and conduct involved. Personally identifiable information on this form is not intended to be used for any other purpose. Return this form to the appropriate DNR office and bureau. See instructions on reverse for more information.

Verification Only of Fill and Seal

Route to:

- Drinking Water Watershed/Wastewater Remediation/Redevelopment
 Waste Management Other

1. Well Location Information **2. Facility / Owner Information**

County Walworth		WI Unique Well # of Removed Well		Hicap #		Facility Name Getzen Musical Instruments			
Latitude / Longitude (Degrees and Minutes)		Method Code (see instructions)				Facility ID (FID or PWS) 265006720			
° ' " N		Section 6		Township 2		Range 17		License/Permit/Monitoring # IP- 3	
° ' " W		or Gov't Lot #		<input checked="" type="checkbox"/> E <input type="checkbox"/> W		Original Well Owner Getzen Musical Instruments			
Well Street Address 530 South County Highway H						Present Well Owner Getzen Musical Instruments			
Well City, Village or Town Elkhorn						Mailing Address of Present Owner 530 South County Highway H			
Subdivision Name						City of Present Owner Elkhorn		State WI	ZIP Code 53121
Reason For Removal From Service No longer needed		WI Unique Well # of Replacement Well							

3. Well / Drillhole / Borehole Information

<input type="checkbox"/> Monitoring Well		Original Construction Date 6/24/2013	
<input type="checkbox"/> Water Well		If a Well Construction Report is available, please attach.	
<input checked="" type="checkbox"/> Drillhole / Borehole			
Construction Type:			
<input type="checkbox"/> Drilled		<input type="checkbox"/> Driven (Sandpoint)	
<input checked="" type="checkbox"/> Other (Specify) Geoprobe		<input type="checkbox"/> Dug	
Formation Type:			
<input checked="" type="checkbox"/> Unconsolidated Formation		<input type="checkbox"/> Bedrock	
Total Well Depth From Ground Surface (ft.) 10.0		Casing Diameter (in.) no casing	
Lower Drillhole Diameter (in.) 2.0		Casing Depth (ft.) no casing	
Was well annular space grouted? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> Unknown			
If yes, to what depth (feet)?		Depth to Water (feet) 5.0	

4. Pump, Liner, Screen, Casing & Sealing Material

Pump and piping removed?	<input type="checkbox"/> Yes	<input type="checkbox"/> No	<input checked="" type="checkbox"/> N/A
Liner(s) removed?	<input type="checkbox"/> Yes	<input type="checkbox"/> No	<input checked="" type="checkbox"/> N/A
Screen removed?	<input type="checkbox"/> Yes	<input type="checkbox"/> No	<input checked="" type="checkbox"/> N/A
Casing left in place?	<input type="checkbox"/> Yes	<input type="checkbox"/> No	<input checked="" type="checkbox"/> N/A
Was casing cut off below surface?	<input type="checkbox"/> Yes	<input type="checkbox"/> No	<input checked="" type="checkbox"/> N/A
Did sealing material rise to surface?	<input checked="" type="checkbox"/> Yes	<input type="checkbox"/> No	<input type="checkbox"/> N/A
Did material settle after 24 hours?	<input type="checkbox"/> Yes	<input checked="" type="checkbox"/> No	<input type="checkbox"/> N/A
If yes, was hole retopped?	<input type="checkbox"/> Yes	<input type="checkbox"/> No	<input checked="" type="checkbox"/> N/A
If bentonite chips were used, were they hydrated with water from a known safe source?	<input checked="" type="checkbox"/> Yes	<input type="checkbox"/> No	<input type="checkbox"/> N/A
Required Method of Placing Sealing Material			
<input type="checkbox"/> Conductor Pipe-Gravity		<input type="checkbox"/> Conductor Pipe-Pumped	
<input type="checkbox"/> Screened & Poured		<input checked="" type="checkbox"/> Other (Explain) Poured - Gravity (Bentonite Chips)	
Sealing Materials			
<input type="checkbox"/> Neat Cement Grout		<input type="checkbox"/> Clay-Sand Slurry (11 lb./gal. wt.)	
<input type="checkbox"/> Sand-Cement (Concrete) Grout		<input type="checkbox"/> Bentonite-Sand Slurry " "	
<input type="checkbox"/> Concrete		<input type="checkbox"/> Bentonite Chips	
For Monitoring Wells and Monitoring Well Boreholes Only:			
<input type="checkbox"/> Bentonite Chips		<input type="checkbox"/> Bentonite - Cement Grout	
<input checked="" type="checkbox"/> Granular Bentonite		<input type="checkbox"/> Bentonite - Sand Slurry	

5. Material Used to Fill Well / Drillhole	From (ft.)	To (ft.)	No. Yards, Sacks Sealant or Volume (circle one)	Mix Ratio or Mud Weight
Granular Bentonite	Surface	10.0	1 sack	

6. Comments

7. Supervision of Work **DNR Use Only**

Name of Person or Firm Doing Filling & Sealing Geosyntec - Jeremiah Johnson		License #	Date of Filling & Sealing (mm/dd/yyyy) 6/24/2013	Date Received	Noted By
Street or Route 10200 North Port Washington Road Ste. 200			Telephone Number (262) 377-9828		Comments
City Mequon		State WI	ZIP Code 53092	Signature of Person Doing Work <i>J. Bennington</i>	
				Date Signed 6/20/14	

Notice: Completion of this report is required by chs. 160, 281, 283, 289, 291-293, 295, and 299, Wis. Stats., and ch. NR 141, Wis. Adm. Code. In accordance with chs. 281, 289, 291-293, 295, and 299, Wis. Stats., failure to file this form may result in a forfeiture of between \$10-25,000, or imprisonment for up to one year, depending on the program and conduct involved. Personally identifiable information on this form is not intended to be used for any other purpose. Return this form to the appropriate DNR office and bureau. See instructions on reverse for more information.

Verification Only of Fill and Seal

Route to:

- Drinking Water Watershed/Wastewater Remediation/Redevelopment
 Waste Management Other

1. Well Location Information				2. Facility / Owner Information			
County Walworth		WI Unique Well # of Removed Well		Hicap #		Facility Name Getzen Musical Instruments	
Latitude / Longitude (Degrees and Minutes) ° ' " N ° ' " W		Method Code (see instructions)		Facility ID (FID or PWS) 265006720		License/Permit/Monitoring # IP- 4	
¼ / ¼ NE	¼ SE	Section 6	Township 2	Range 17	<input checked="" type="checkbox"/> E <input type="checkbox"/> W	Original Well Owner Getzen Musical Instruments	
Well Street Address 530 South County Highway H				Present Well Owner Getzen Musical Instruments			
Well City, Village or Town Elkhorn				Mailing Address of Present Owner 530 South County Highway H			
Subdivision Name				Well ZIP Code 53121		City of Present Owner Elkhorn	
Reason For Removal From Service No longer needed				WI Unique Well # of Replacement Well		State WI	
3. Well / Drillhole / Borehole Information <input type="checkbox"/> Monitoring Well Original Construction Date <input type="checkbox"/> Water Well 6/24/2013 <input checked="" type="checkbox"/> Drillhole / Borehole If a Well Construction Report is available, please attach.				4. Pump, Liner, Screen, Casing & Sealing Material Pump and piping removed? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A Liner(s) removed? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A Screen removed? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A Casing left in place? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A Was casing cut off below surface? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A Did sealing material rise to surface? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A Did material settle after 24 hours? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A If yes, was hole retopped? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A If bentonite chips were used, were they hydrated with water from a known safe source <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A			
Construction Type: <input type="checkbox"/> Drilled <input type="checkbox"/> Driven (Sandpoint) <input type="checkbox"/> Dug <input checked="" type="checkbox"/> Other (Specify) Geoprobe				Required Method of Placing Sealing Material <input type="checkbox"/> Conductor Pipe-Gravity <input type="checkbox"/> Conductor Pipe-Pumped <input type="checkbox"/> Screened & Poured <input checked="" type="checkbox"/> Other (Explain) Poured - Gravity (Bentonite Chips)			
Formation Type: <input checked="" type="checkbox"/> Unconsolidated Formation <input type="checkbox"/> Bedrock		Total Well Depth From Ground Surface (ft) 10.0		Casing Diameter (in.) no casing		Sealing Materials <input type="checkbox"/> Neat Cement Grout <input type="checkbox"/> Clay-Sand Slurry (11 lb./gal. wt.) <input type="checkbox"/> Sand-Cement (Concrete) Grout <input type="checkbox"/> Bentonite-Sand Slurry " " <input type="checkbox"/> Concrete <input type="checkbox"/> Bentonite Chips	
Lower Drillhole Diameter (in.) 2.0		Casing Depth (ft.) no casing		For Monitoring Wells and Monitoring Well Boreholes Only: <input type="checkbox"/> Bentonite Chips <input type="checkbox"/> Bentonite - Cement Grout <input checked="" type="checkbox"/> Granular Bentonite <input type="checkbox"/> Bentonite - Sand Slurry			
Was well annular space grouted? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> Unknown		If yes, to what depth (feet)?		Depth to Water (feet) 5.0			
5. Material Used to Fill Well / Drillhole				From (ft.)	To (ft.)	No. Yards, Sacks Sealant or Volume (circle one)	Mix Ratio or Mud Weight
Granular Bentonite				Surface	10.0	1 sack	
6. Comments							
7. Supervision of Work				DNR Use Only			
Name of Person or Firm Doing Filling & Sealing Geosyntec - Jeremiah Johnson		License #		Date of Filling & Sealing (mm/dd/yyyy) 6/24/2013		Date Received	
Street or Route 10200 North Port Washington Road Ste. 200		Telephone Number (262) 377-9828		Comments		Noted By	
City Mequon		State WI		ZIP Code 53092		Signature of Person Doing Work <i>J. Bernantine</i>	
						Date Signed 6/20/14	

Notice: Completion of this report is required by chs. 160, 281, 283, 289, 291-293, 295, and 299, Wis. Stats., and ch. NR 141, Wis. Adm. Code. In accordance with chs. 281, 289, 291-293, 295, and 299, Wis. Stats., failure to file this form may result in a forfeiture of between \$10-25,000, or imprisonment for up to one year, depending on the program and conduct involved. Personally identifiable information on this form is not intended to be used for any other purpose. Return this form to the appropriate DNR office and bureau. See instructions on reverse for more information.

Verification Only of Fill and Seal

Route to:

- Drinking Water Watershed/Wastewater Remediation/Redevelopment
 Waste Management Other

1. Well Location Information **2. Facility / Owner Information**

County Walworth		WI Unique Well # of Removed Well		Hicap #		Facility Name Getzen Musical Instruments			
Latitude / Longitude (Degrees and Minutes) ° ' " N ° ' " W		Method Code (see instructions)		Facility ID (FID or PWS) 265006720		License/Permit/Monitoring # IP-5			
1/4 NE or Gov't Lot #		Section 6		Township 2		Range 17		Original Well Owner Getzen Musical Instruments	
Well Street Address 530 South County Highway H		Well City, Village or Town Elkhorn		Well ZIP Code 53121		Present Well Owner Getzen Musical Instruments			
Subdivision Name		Lot #		City of Present Owner Elkhorn		State WI		ZIP Code 53121	

3. Well / Drillhole / Borehole Information **4. Pump, Liner, Screen, Casing & Sealing Material**

Reason For Removal From Service No longer needed		WI Unique Well # of Replacement Well		Pump and piping removed? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	
<input type="checkbox"/> Monitoring Well		Original Construction Date 6/24/2013		Liner(s) removed? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	
<input type="checkbox"/> Water Well		If a Well Construction Report is available, please attach.		Screen removed? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	
<input checked="" type="checkbox"/> Drillhole / Borehole				Casing left in place? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	
Construction Type: <input type="checkbox"/> Drilled <input type="checkbox"/> Driven (Sandpoint) <input type="checkbox"/> Dug		Was casing cut off below surface? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A		Did sealing material rise to surface? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	
<input checked="" type="checkbox"/> Other (Specify) Geoprobe		Did material settle after 24 hours? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A		If yes, was hole retopped? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	
Formation Type: <input checked="" type="checkbox"/> Unconsolidated Formation <input type="checkbox"/> Bedrock		If bentonite chips were used, were they hydrated with water from a known safe source? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A		Required Method of Placing Sealing Material	
Total Well Depth From Ground Surface (ft.) 10.0		Casing Diameter (in.) no casing		<input type="checkbox"/> Conductor Pipe-Gravity <input type="checkbox"/> Conductor Pipe-Pumped	
Lower Drillhole Diameter (in.) 2.0		Casing Depth (ft.) no casing		<input type="checkbox"/> Screened & Poured <input checked="" type="checkbox"/> Other (Explain) Poured - Gravity (Bentonite Chips)	
Was well annular space grouted? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> Unknown		Depth to Water (feet) 5.0		Sealing Materials	
If yes, to what depth (feet)?				<input type="checkbox"/> Neat Cement Grout <input type="checkbox"/> Clay-Sand Slurry (11 lb./gal. wt.)	
				<input type="checkbox"/> Sand-Cement (Concrete) Grout <input type="checkbox"/> Bentonite-Sand Slurry " "	
				<input type="checkbox"/> Concrete <input type="checkbox"/> Bentonite Chips	
				For Monitoring Wells and Monitoring Well Boreholes Only:	
				<input type="checkbox"/> Bentonite Chips <input type="checkbox"/> Bentonite - Cement Grout	
				<input checked="" type="checkbox"/> Granular Bentonite <input type="checkbox"/> Bentonite - Sand Slurry	

5. Material Used to Fill Well / Drillhole	From (ft.)	To (ft.)	No. Yards, Sacks Sealant or Volume (circle one)	Mix Ratio or Mud Weight
Granular Bentonite	Surface	10.0	1 sack	

6. Comments

7. Supervision of Work			DNR Use Only		
Name of Person or Firm Doing Filling & Sealing Geosyntec - Jeremiah Johnson		License #	Date of Filling & Sealing (mm/dd/yyyy) 6/24/2013	Date Received	Noted By
Street or Route 10200 North Port Washington Road Ste. 200		Telephone Number (262) 377-9828		Comments	
City Mcquon	State WI	ZIP Code 53092	Signature of Person Doing Work <i>J. Bannautend</i>	Date Signed 6/20/14	

Notice: Completion of this report is required by chs. 160, 281, 283, 289, 291-293, 295, and 299, Wis. Stats., and ch. NR 141, Wis. Adm. Code. In accordance with chs. 281, 289, 291-293, 295, and 299, Wis. Stats., failure to file this form may result in a forfeiture of between \$10-25,000, or imprisonment for up to one year, depending on the program and conduct involved. Personally identifiable information on this form is not intended to be used for any other purpose. Return this form to the appropriate DNR office and bureau. See instructions on reverse for more information.

Verification Only of Fill and Seal

Route to:

- Drinking Water Watershed/Wastewater Remediation/Redevelopment
 Waste Management Other

1. Well Location Information **2. Facility / Owner Information**

County Walworth	WI Unique Well # of Removed Well	Hicap #	Facility Name Getzen Musical Instruments
Latitude / Longitude (Degrees and Minutes) ° ' " N ° ' " W	Method Code (see instructions)		Facility ID (FID or PWS) 265006720
¼ ¼ NE ¼ SE	Section 6	Township 2	License/Permit/Monitoring # IP- 6
or Gov't Lot #	Range 17	<input checked="" type="checkbox"/> E <input type="checkbox"/> W	Original Well Owner Getzen Musical Instruments
Well Street Address 530 South County Highway H			Present Well Owner Getzen Musical Instruments
Well City, Village or Town Elkhorn			Mailing Address of Present Owner 530 South County Highway H
Subdivision Name			City of Present Owner Elkhorn
Well ZIP Code 53121			State WI
Lot #			ZIP Code 53121

3. Well / Drillhole / Borehole Information **4. Pump, Liner, Screen, Casing & Sealing Material**

Reason For Removal From Service No longer needed	WI Unique Well # of Replacement Well	Pump and piping removed? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A
<input type="checkbox"/> Monitoring Well	Original Construction Date 6/24/2013	Liner(s) removed? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A
<input type="checkbox"/> Water Well	If a Well Construction Report is available, please attach.	Screen removed? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A
<input checked="" type="checkbox"/> Drillhole / Borehole		Casing left in place? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A
Construction Type: <input type="checkbox"/> Drilled <input type="checkbox"/> Driven (Sandpoint) <input type="checkbox"/> Dug		Was casing cut off below surface? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A
<input checked="" type="checkbox"/> Other (Specify) Geoprobe		Did sealing material rise to surface? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A
Formation Type: <input checked="" type="checkbox"/> Unconsolidated Formation <input type="checkbox"/> Bedrock		Did material settle after 24 hours? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A
Total Well Depth From Ground Surface (ft) 10.0	Casing Diameter (in.) no casing	If yes, was hole retopped? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A
Lower Drillhole Diameter (in.) 2.0	Casing Depth (ft.) no casing	If bentonite chips were used, were they hydrated with water from a known safe source <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A
Was well annular space grouted? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> Unknown	Depth to Water (feet) 5.0	Required Method of Placing Sealing Material <input type="checkbox"/> Conductor Pipe-Gravity <input type="checkbox"/> Conductor Pipe-Pumped <input type="checkbox"/> Screened & Poured <input checked="" type="checkbox"/> Other (Explain) Poured - Gravity (Bentonite Chips)
Sealing Materials <input type="checkbox"/> Neat Cement Grout <input type="checkbox"/> Clay-Sand Slurry (11 lb./gal. wt.) <input type="checkbox"/> Sand-Cement (Concrete) Grout <input type="checkbox"/> Bentonite-Sand Slurry " " <input type="checkbox"/> Concrete <input type="checkbox"/> Bentonite Chips		

5. Material Used to Fill Well / Drillhole	From (ft.)	To (ft.)	No. Yards, Sacks Sealant or Volume (circle one)	Mix Ratio or Mud Weight
Granular Bentonite	Surface	10.0	1 sack	

6. Comments

7. Supervision of Work		DNR Use Only	
Name of Person or Firm Doing Filling & Sealing Geosyntec - Jeremiah Johnson	License #	Date of Filling & Sealing (mm/dd/yyyy) 6/24/2013	Date Received
Street or Route 10200 North Port Washington Road Ste. 200		Telephone Number (262) 377-9828	Comments
City Mequon	State WI	ZIP Code 53092	Signature of Person Doing Work <i>J. Bannantine</i>
			Date Signed 6/20/14

Notice: Completion of this report is required by chs. 160, 281, 283, 289, 291-293, 295, and 299, Wis. Stats., and ch. NR 141, Wis. Adm. Code. In accordance with chs. 281, 289, 291-293, 295, and 299, Wis. Stats., failure to file this form may result in a forfeiture of between \$10-25,000, or imprisonment for up to one year, depending on the program and conduct involved. Personally identifiable information on this form is not intended to be used for any other purpose. Return this form to the appropriate DNR office and bureau. See instructions on reverse for more information.

Verification Only of Fill and Seal

Route to:

- Drinking Water Watershed/Wastewater Remediation/Redevelopment
 Waste Management Other

1. Well Location Information **2. Facility / Owner Information**

County Walworth		WI Unique Well # of Removed Well		Hicap #		Facility Name Getzen Musical Instruments			
Latitude / Longitude (Degrees and Minutes)		Method Code (see instructions)				Facility ID (FID or PWS) 265006720			
° ' " N ° ' " W		Section 6		Township 2		Range 17		License/Permit/Monitoring # IP- 7	
¼ / ¼ NE ¼ SE		or Gov't Lot #		Range <input checked="" type="checkbox"/> E <input type="checkbox"/> W		Original Well Owner Getzen Musical Instruments			
Well Street Address 530 South County Highway H						Present Well Owner Getzen Musical Instruments			
Well City, Village or Town Elkhorn				Well ZIP Code 53121		Mailing Address of Present Owner 530 South County Highway H			
Subdivision Name				Lot #		City of Present Owner Elkhorn		State WI	ZIP Code 53121

3. Well / Drillhole / Borehole Information **4. Pump, Liner, Screen, Casing & Sealing Material**

Reason For Removal From Service No longer needed		WI Unique Well # of Replacement Well		Pump and piping removed? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A Liner(s) removed? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A Screen removed? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A Casing left in place? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A					
<input type="checkbox"/> Monitoring Well <input type="checkbox"/> Water Well <input checked="" type="checkbox"/> Drillhole / Borehole		Original Construction Date 6/24/2013		Was casing cut off below surface? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A Did sealing material rise to surface? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A Did material settle after 24 hours? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A If yes, was hole retopped? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A If bentonite chips were used, were they hydrated with water from a known safe source <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A					
Construction Type: <input type="checkbox"/> Drilled <input type="checkbox"/> Driven (Sandpoint) <input type="checkbox"/> Dug <input checked="" type="checkbox"/> Other (Specify) <u>Geoprobe</u>		If a Well Construction Report is available, please attach.		Required Method of Placing Sealing Material <input type="checkbox"/> Conductor Pipe-Gravity <input type="checkbox"/> Conductor Pipe-Pumped <input type="checkbox"/> Screened & Poured <input checked="" type="checkbox"/> Other (Explain) <u>Poured - Gravity (Bentonite Chips)</u>					
Formation Type: <input checked="" type="checkbox"/> Unconsolidated Formation <input type="checkbox"/> Bedrock		Total Well Depth From Ground Surface (ft) 10.0		Casing Diameter (in.) no casing		Sealing Materials <input type="checkbox"/> Neat Cement Grout <input type="checkbox"/> Clay-Sand Slurry (11 lb./gal. wt.) <input type="checkbox"/> Sand-Cement (Concrete) Grout <input type="checkbox"/> Bentonite-Sand Slurry " " <input type="checkbox"/> Concrete <input type="checkbox"/> Bentonite Chips			
Lower Drillhole Diameter (in.) 2.0		Casing Depth (ft.) no casing		For Monitoring Wells and Monitoring Well Boreholes Only: <input type="checkbox"/> Bentonite Chips <input type="checkbox"/> Bentonite - Cement Grout <input checked="" type="checkbox"/> Granular Bentonite <input type="checkbox"/> Bentonite - Sand Slurry					
Was well annular space grouted? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> Unknown		Depth to Water (feet) 5.0							

5. Material Used to Fill Well / Drillhole	From (ft.)	To (ft.)	No. Yards, Sacks Sealant or Volume (circle one)	Mix Ratio or Mud Weight
Granular Bentonite	Surface	10.0	1 sack	

6. Comments

7. Supervision of Work **DNR Use Only**

Name of Person or Firm Doing Filling & Sealing Geosyntec - Jeremiah Johnson		License #	Date of Filling & Sealing (mm/dd/yyyy) 6/24/2013		Date Received	Noted By
Street or Route 10200 North Port Washington Road Ste. 200			Telephone Number (262) 377-9828		Comments	
City Mequon		State WI	ZIP Code 53092	Signature of Person Doing Work <i>J. Bannan</i>		Date Signed 6/20/14

Notice: Completion of this report is required by chs. 160, 281, 283, 289, 291-293, 295, and 299, Wis. Stats., and ch. NR 141, Wis. Adm. Code. In accordance with chs. 281, 289, 291-293, 295, and 299, Wis. Stats., failure to file this form may result in a forfeiture of between \$10-25,000, or imprisonment for up to one year, depending on the program and conduct involved. Personally identifiable information on this form is not intended to be used for any other purpose. Return this form to the appropriate DNR office and bureau. See instructions on reverse for more information.

Verification Only of Fill and Seal

Route to:

- Drinking Water Watershed/Wastewater Remediation/Redevelopment
 Waste Management Other

1. Well Location Information **2. Facility / Owner Information**

County Walworth	WI Unique Well # of Removed Well	Hicap #	Facility Name Getzen Musical Instruments
Latitude / Longitude (Degrees and Minutes) " ' N " ' W		Method Code (see instructions)	Facility ID (FID or PWS) 265006720
1/4 NE	1/4 SE	Section 6	License/Permit/Monitoring # IP- 8
or Gov't Lot #		Township 2	Original Well Owner Getzen Musical Instruments
Well Street Address 530 South County Highway H		Range 17 <input checked="" type="checkbox"/> E <input type="checkbox"/> W	Present Well Owner Getzen Musical Instruments
Well City, Village or Town Elkhorn		Well ZIP Code 53121	Mailing Address of Present Owner 530 South County Highway H
Subdivision Name		Lot #	City of Present Owner Elkhorn State WI ZIP Code 53121

4. Pump, Liner, Screen, Casing & Sealing Material

Reason For Removal From Service No longer needed	WI Unique Well # of Replacement Well	Pump and piping removed? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A
3. Well / Drillhole / Borehole Information		Liner(s) removed? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A
<input type="checkbox"/> Monitoring Well	Original Construction Date 6/24/2013	Screen removed? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A
<input type="checkbox"/> Water Well	If a Well Construction Report is available, please attach.	Casing left in place? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A
<input checked="" type="checkbox"/> Drillhole / Borehole		Was casing cut off below surface? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A
Construction Type: <input type="checkbox"/> Drilled <input type="checkbox"/> Driven (Sandpoint) <input type="checkbox"/> Dug		Did sealing material rise to surface? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A
<input checked="" type="checkbox"/> Other (Specify) Geoprobe		Did material settle after 24 hours? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A
Formation Type: <input checked="" type="checkbox"/> Unconsolidated Formation <input type="checkbox"/> Bedrock		If yes, was hole retopped? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A
Total Well Depth From Ground Surface (ft) 10.0	Casing Diameter (in.) no casing	If bentonite chips were used, were they hydrated with water from a known safe source <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A
Lower Drillhole Diameter (in.) 2.0	Casing Depth (ft.) no casing	Required Method of Placing Sealing Material
Was well annular space grouted? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> Unknown	Depth to Water (feet) 5.0	<input type="checkbox"/> Conductor Pipe-Gravity <input type="checkbox"/> Conductor Pipe-Pumped
If yes, to what depth (feet)?		<input type="checkbox"/> Screened & Poured <input checked="" type="checkbox"/> Other (Explain) Poured - Gravity (Bentonite Chips)

Sealing Materials		<input type="checkbox"/> Neat Cement Grout	<input type="checkbox"/> Clay-Sand Slurry (11 lb./gal. wt.)
		<input type="checkbox"/> Sand-Cement (Concrete) Grout	<input type="checkbox"/> Bentonite-Sand Slurry " "
		<input type="checkbox"/> Concrete	<input type="checkbox"/> Bentonite Chips
For Monitoring Wells and Monitoring Well Boreholes Only:			
<input type="checkbox"/> Bentonite Chips		<input type="checkbox"/> Bentonite - Cement Grout	
<input checked="" type="checkbox"/> Granular Bentonite		<input type="checkbox"/> Bentonite - Sand Slurry	

5. Material Used to Fill Well / Drillhole	From (ft.)	To (ft.)	No. Yards, Sacks Sealant or Volume (circle one)	Mix Ratio or Mud Weight
Granular Bentonite	Surface	10.0	1 sack	

6. Comments

7. Supervision of Work			DNR Use Only	
Name of Person or Firm Doing Filling & Sealing Geosyntec - Jeremiah Johnson	License #	Date of Filling & Sealing (mm/dd/yyyy) 6/24/2013	Date Received	Noted By
Street or Route 10200 North Port Washington Road Ste. 200		Telephone Number (262) 377-9828	Comments	
City Mequon	State WI	ZIP Code 53092	Signature of Person Doing Work <i>J. Johnson</i>	Date Signed 6/20/14

Notice: Completion of this report is required by chs. 160, 281, 283, 289, 291-293, 295, and 299, Wis. Stats., and ch. NR 141, Wis. Adm. Code. In accordance with chs. 281, 289, 291-293, 295, and 299, Wis. Stats., failure to file this form may result in a forfeiture of between \$10-25,000, or imprisonment for up to one year, depending on the program and conduct involved. Personally identifiable information on this form is not intended to be used for any other purpose. Return this form to the appropriate DNR office and bureau. See instructions on reverse for more information.

Verification Only of Fill and Seal

Route to:

- Drinking Water Watershed/Wastewater Remediation/Redevelopment
 Waste Management Other

1. Well Location Information **2. Facility / Owner Information**

County Walworth		WI Unique Well # of Removed Well		Hicap #		Facility Name Getzen Musical Instruments			
Latitude / Longitude (Degrees and Minutes) " ' " N " ' " W		Method Code (see instructions)		Facility ID (FID or PWS) 265006720		License/Permit/Monitoring # IP- 9			
1/4 NE or Gov't Lot #		1/4 SE		Section 6	Township 2	Range 17	<input checked="" type="checkbox"/> E <input type="checkbox"/> W		Original Well Owner Getzen Musical Instruments
Well Street Address 530 South County Highway H						Present Well Owner Getzen Musical Instruments			
Well City, Village or Town Elkhorn				Well ZIP Code 53121		Mailing Address of Present Owner 530 South County Highway H			
Subdivision Name				Lot #		City of Present Owner Elkhorn		State WI	ZIP Code 53121

3. Well / Drillhole / Borehole Information **4. Pump, Liner, Screen, Casing & Sealing Material**

Reason For Removal From Service No longer needed		WI Unique Well # of Replacement Well		Pump and piping removed? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A Liner(s) removed? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A Screen removed? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A Casing left in place? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A Was casing cut off below surface? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A Did sealing material rise to surface? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A Did material settle after 24 hours? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A If yes, was hole retopped? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A If bentonite chips were used, were they hydrated with water from a known safe source? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A					
<input type="checkbox"/> Monitoring Well <input type="checkbox"/> Water Well <input checked="" type="checkbox"/> Drillhole / Borehole		Original Construction Date 6/24/2013		Required Method of Placing Sealing Material <input type="checkbox"/> Conductor Pipe-Gravity <input type="checkbox"/> Conductor Pipe-Pumped <input type="checkbox"/> Screened & Poured <input checked="" type="checkbox"/> Other (Explain) Poured - Gravity (Bentonite Chips)					
Construction Type: <input type="checkbox"/> Drilled <input type="checkbox"/> Driven (Sandpoint) <input type="checkbox"/> Dug <input checked="" type="checkbox"/> Other (Specify) Geoprobe		If a Well Construction Report is available, please attach.		Sealing Materials <input type="checkbox"/> Neat Cement Grout <input type="checkbox"/> Clay-Sand Slurry (11 lb./gal. wt.) <input type="checkbox"/> Sand-Cement (Concrete) Grout <input type="checkbox"/> Bentonite-Sand Slurry " " <input type="checkbox"/> Concrete <input type="checkbox"/> Bentonite Chips					
Formation Type: <input checked="" type="checkbox"/> Unconsolidated Formation <input type="checkbox"/> Bedrock		Total Well Depth From Ground Surface (ft) 10.0		Casing Diameter (in.) no casing		Lower Drillhole Diameter (in.) 2.0		Casing Depth (ft.) no casing	
Was well annular space grouted? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> Unknown		If yes, to what depth (feet)?		Depth to Water (feet) 5.0		For Monitoring Wells and Monitoring Well Boreholes Only: <input type="checkbox"/> Bentonite Chips <input type="checkbox"/> Bentonite - Cement Grout <input checked="" type="checkbox"/> Granular Bentonite <input type="checkbox"/> Bentonite - Sand Slurry			

5. Material Used to Fill Well / Drillhole	From (ft.)	To (ft.)	No. Yards, Sacks Sealant or Volume (circle one)	Mix Ratio or Mud Weight
Granular Bentonite	Surface	10.0	1 sack	

6. Comments

7. Supervision of Work			DNR Use Only		
Name of Person or Firm Doing Filling & Sealing Geosyntec - Jeremiah Johnson		License #	Date of Filling & Sealing (mm/dd/yyyy) 6/24/2013	Date Received	Noted By
Street or Route 10200 North Port Washington Road Ste. 200		Telephone Number (262) 377-9828		Comments	
City Mequon	State WI	ZIP Code 53092	Signature of Person Doing Work <i>J. Bannantau</i>		Date Signed 6/20/14

Notice: Completion of this report is required by chs. 160, 281, 283, 289, 291-293, 295, and 299, Wis. Stats., and ch. NR 141, Wis. Adm. Code. In accordance with chs. 281, 289, 291-293, 295, and 299, Wis. Stats., failure to file this form may result in a forfeiture of between \$10-25,000, or imprisonment for up to one year, depending on the program and conduct involved. Personally identifiable information on this form is not intended to be used for any other purpose. Return this form to the appropriate DNR office and bureau. See instructions on reverse for more information.

Verification Only of Fill and Seal

Route to:

- Drinking Water Watershed/Wastewater Remediation/Redevelopment
 Waste Management Other

1. Well Location Information **2. Facility / Owner Information**

County Walworth	WI Unique Well # of Removed Well	Hicap #	Facility Name Getzen Musical Instruments
Latitude / Longitude (Degrees and Minutes) " ' N " ' W	Method Code (see instructions)		Facility ID (FID or PWS) 265006720
1/4 NE 1/4 SE	Section 6	Township 2	License/Permit/Monitoring # IP-10
or Gov't Lot #	Range 17	<input checked="" type="checkbox"/> E <input type="checkbox"/> W	Original Well Owner Getzen Musical Instruments
Well Street Address 530 South County Highway H			Present Well Owner Getzen Musical Instruments
Well City, Village or Town Elkhorn			Mailing Address of Present Owner 530 South County Highway H
Subdivision Name			City of Present Owner Elkhorn
Well ZIP Code 53121			State WI
Lot #			ZIP Code 53121

3. Well / Drillhole / Borehole Information **4. Pump, Liner, Screen, Casing & Sealing Material**

Reason For Removal From Service No longer needed	WI Unique Well # of Replacement Well	Pump and piping removed? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A
<input type="checkbox"/> Monitoring Well	Original Construction Date 6/24/2013	Liner(s) removed? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A
<input type="checkbox"/> Water Well	If a Well Construction Report is available, please attach.	Screen removed? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A
<input checked="" type="checkbox"/> Drillhole / Borehole		Casing left in place? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A
Construction Type: <input type="checkbox"/> Drilled <input type="checkbox"/> Driven (Sandpoint) <input type="checkbox"/> Dug		Was casing cut off below surface? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A
<input checked="" type="checkbox"/> Other (Specify) <u>Geoprobe</u>		Did sealing material rise to surface? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A
Formation Type: <input checked="" type="checkbox"/> Unconsolidated Formation <input type="checkbox"/> Bedrock		Did material settle after 24 hours? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A
Total Well Depth From Ground Surface (ft) 10.0	Casing Diameter (in.) no casing	If yes, was hole retopped? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A
Lower Drillhole Diameter (in.) 2.0	Casing Depth (ft.) no casing	If bentonite chips were used, were they hydrated with water from a known safe source <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A
Was well annular space grouted? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> Unknown	Depth to Water (feet) 5.0	Required Method of Placing Sealing Material <input type="checkbox"/> Conductor Pipe-Gravity <input type="checkbox"/> Conductor Pipe-Pumped <input type="checkbox"/> Screened & Poured <input checked="" type="checkbox"/> Other (Explain) Poured - Gravity (Bentonite Chips)
Sealing Materials <input type="checkbox"/> Neat Cement Grout <input type="checkbox"/> Clay-Sand Slurry (11 lb./gal. wt.) <input type="checkbox"/> Sand-Cement (Concrete) Grout <input type="checkbox"/> Bentonite-Sand Slurry " " <input type="checkbox"/> Concrete <input type="checkbox"/> Bentonite Chips		For Monitoring Wells and Monitoring Well Boreholes Only: <input type="checkbox"/> Bentonite Chips <input type="checkbox"/> Bentonite - Cement Grout <input checked="" type="checkbox"/> Granular Bentonite <input type="checkbox"/> Bentonite - Sand Slurry

5. Material Used to Fill Well / Drillhole	From (ft.)	To (ft.)	No. Yards, Sacks Sealant or Volume (circle one)	Mix Ratio or Mud Weight
Granular Bentonite	Surface	10.0	1 sack	

6. Comments

7. Supervision of Work			DNR Use Only	
Name of Person or Firm Doing Filling & Sealing Geosyntec - Jeremiah Johnson	License #	Date of Filling & Sealing (mm/dd/yyyy) 6/24/2013	Date Received	Noted By
Street or Route 10200 North Port Washington Road Ste. 200		Telephone Number (262) 377-9828	Comments	
City Mequon	State WI	ZIP Code 53092	Signature of Person Doing Work <i>J. Bannaut</i>	Date Signed 6/20/14

Notice: Completion of this report is required by chs. 160, 281, 283, 289, 291-293, 295, and 299, Wis. Stats., and ch. NR 141, Wis. Adm. Code. In accordance with chs. 281, 289, 291-293, 295, and 299, Wis. Stats., failure to file this form may result in a forfeiture of between \$10-25,000, or imprisonment for up to one year, depending on the program and conduct involved. Personally identifiable information on this form is not intended to be used for any other purpose. Return this form to the appropriate DNR office and bureau. See instructions on reverse for more information.

Verification Only of Fill and Seal

Route to:

- Drinking Water Watershed/Wastewater Remediation/Redevelopment
 Waste Management Other

1. Well Location Information **2. Facility / Owner Information**

County Walworth	WI Unique Well # of Removed Well	Hicap #	Facility Name Getzen Musical Instruments
Latitude / Longitude (Degrees and Minutes) " ' N " ' W		Method Code (see instructions)	Facility ID (FID or PWS) 265006720
1/4 1/4 NE	1/4 SE	Section 6	License/Permit/Monitoring # IP-11
or Gov't Lot #		Township 2	Original Well Owner Getzen Musical Instruments
Well Street Address 530 South County Highway H		Range 17	Present Well Owner Getzen Musical Instruments
Well City, Village or Town Elkhorn			Mailing Address of Present Owner 530 South County Highway H
Subdivision Name		Well ZIP Code 53121	City of Present Owner Elkhorn
		Lot #	State WI
			ZIP Code 53121

4. Pump, Liner, Screen, Casing & Sealing Material

Reason For Removal From Service No longer needed	WI Unique Well # of Replacement Well	Pump and piping removed? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A
3. Well / Drillhole / Borehole Information		Liner(s) removed? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A
<input type="checkbox"/> Monitoring Well	Original Construction Date 6/25/2013	Screen removed? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A
<input type="checkbox"/> Water Well	If a Well Construction Report is available, please attach.	Casing left in place? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A
<input checked="" type="checkbox"/> Drillhole / Borehole		Was casing cut off below surface? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A
Construction Type: <input type="checkbox"/> Drilled <input type="checkbox"/> Driven (Sandpoint) <input type="checkbox"/> Dug		Did sealing material rise to surface? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A
<input checked="" type="checkbox"/> Other (Specify) Geoprobe		Did material settle after 24 hours? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A
Formation Type: <input checked="" type="checkbox"/> Unconsolidated Formation <input type="checkbox"/> Bedrock		If yes, was hole retopped? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A
Total Well Depth From Ground Surface (ft) 10.0	Casing Diameter (in.) no casing	If bentonite chips were used, were they hydrated with water from a known safe source <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A
Lower Drillhole Diameter (in.) 2.0	Casing Depth (ft.) no casing	Required Method of Placing Sealing Material <input type="checkbox"/> Conductor Pipe-Gravity <input type="checkbox"/> Conductor Pipe-Pumped <input type="checkbox"/> Screened & Poured <input checked="" type="checkbox"/> Other (Explain) Poured - Gravity (Bentonite Chips)
Was well annular space grouted? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> Unknown	Depth to Water (feet) 5.0	Sealing Materials <input type="checkbox"/> Neat Cement Grout <input type="checkbox"/> Clay-Sand Slurry (11 lb./gal. wt.) <input type="checkbox"/> Sand-Cement (Concrete) Grout <input type="checkbox"/> Bentonite-Sand Slurry " " <input type="checkbox"/> Concrete <input type="checkbox"/> Bentonite Chips

5. Material Used to Fill Well / Drillhole	From (ft.)	To (ft.)	No. Yards, Sacks Sealant or Volume (circle one)	Mix Ratio or Mud Weight
Granular Bentonite	Surface	10.0	1 sack	

6. Comments

7. Supervision of Work

Name of Person or Firm Doing Filling & Sealing Geosyntec - Jeremiah Johnson	License #	Date of Filling & Sealing (mm/dd/yyyy) 6/25/2013	DNR Use Only	
Street or Route 10200 North Port Washington Road Ste. 200	State WI	Telephone Number (262) 377-9828	Date Received	Noted By
City Mequon	ZIP Code 53092	Signature of Person Doing Work <i>J. Bernantius</i>	Comments	
			Date Signed 6/25/14	

Notice: Completion of this report is required by chs. 160, 281, 283, 289, 291-293, 295, and 299, Wis. Stats., and ch. NR 141, Wis. Adm. Code. In accordance with chs. 281, 289, 291-293, 295, and 299, Wis. Stats., failure to file this form may result in a forfeiture of between \$10-25,000, or imprisonment for up to one year, depending on the program and conduct involved. Personally identifiable information on this form is not intended to be used for any other purpose. Return this form to the appropriate DNR office and bureau. See instructions on reverse for more information.

Verification Only of Fill and Seal

Route to:

- Drinking Water Watershed/Wastewater Remediation/Redevelopment
 Waste Management Other

1. Well Location Information **2. Facility / Owner Information**

County Walworth	WI Unique Well # of Removed Well	Hicap #	Facility Name Getzen Musical Instruments
Latitude / Longitude (Degrees and Minutes) " ' N " ' W		Method Code (see instructions)	Facility ID (FID or PWS) 265006720
¼ / ¼ NE or Gov't Lot #	¼ SE	Section 6	License/Permit/Monitoring # IP-12
Well Street Address 530 South County Highway H		Township 2	Original Well Owner Getzen Musical Instruments
Well City, Village or Town Elkhorn		Range 17 <input checked="" type="checkbox"/> E <input type="checkbox"/> W	Present Well Owner Getzen Musical Instruments
Subdivision Name		Well ZIP Code 53121	Mailing Address of Present Owner 530 South County Highway H
Reason For Removal From Service No longer needed		Lot #	City of Present Owner Elkhorn
WI Unique Well # of Replacement Well		State WI	ZIP Code 53121

3. Well / Drillhole / Borehole Information **4. Pump, Liner, Screen, Casing & Sealing Material**

<input type="checkbox"/> Monitoring Well	Original Construction Date 6/25/2013	Pump and piping removed?	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A
<input type="checkbox"/> Water Well	If a Well Construction Report is available, please attach.	Liner(s) removed?	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A
<input checked="" type="checkbox"/> Drillhole / Borehole		Screen removed?	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A
Construction Type: <input type="checkbox"/> Drilled <input type="checkbox"/> Driven (Sandpoint) <input type="checkbox"/> Dug <input checked="" type="checkbox"/> Other (Specify) Geoprobe		Casing left in place?	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A
Formation Type: <input checked="" type="checkbox"/> Unconsolidated Formation <input type="checkbox"/> Bedrock		Was casing cut off below surface?	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A
Total Well Depth From Ground Surface (ft) 10.0	Casing Diameter (in.) no casing	Did sealing material rise to surface?	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A
Lower Drillhole Diameter (in.) 2.0	Casing Depth (ft.) no casing	Did material settle after 24 hours?	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A
Was well annular space grouted? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> Unknown	Depth to Water (feet) 5.0	If yes, was hole retopped?	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A
5. Material Used to Fill Well / Drillhole		If bentonite chips were used, were they hydrated with water from a known safe source?	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A
Granular Bentonite		Required Method of Placing Sealing Material	<input type="checkbox"/> Conductor Pipe-Gravity <input type="checkbox"/> Conductor Pipe-Pumped <input type="checkbox"/> Screened & Poured <input checked="" type="checkbox"/> Other (Explain) Poured - Gravity (Bentonite Chips)
		Sealing Materials	<input type="checkbox"/> Neat Cement Grout <input type="checkbox"/> Clay-Sand Slurry (11 lb./gal. wt.) <input type="checkbox"/> Sand-Cement (Concrete) Grout <input type="checkbox"/> Bentonite-Sand Slurry " " <input type="checkbox"/> Concrete <input type="checkbox"/> Bentonite Chips
		For Monitoring Wells and Monitoring Well Boreholes Only:	<input type="checkbox"/> Bentonite Chips <input type="checkbox"/> Bentonite - Cement Grout <input checked="" type="checkbox"/> Granular Bentonite <input type="checkbox"/> Bentonite - Sand Slurry

5. Material Used to Fill Well / Drillhole	From (ft.)	To (ft.)	No. Yards, Sacks Sealant or Volume (circle one)	Mix Ratio or Mud Weight
Granular Bentonite	Surface	10.0	1 sack	

6. Comments

7. Supervision of Work			DNR Use Only	
Name of Person or Firm Doing Filling & Sealing Geosyntec - Jeremiah Johnson	License #	Date of Filling & Sealing (mm/dd/yyyy) 6/25/2013	Date Received	Noted By
Street or Route 10200 North Port Washington Road Ste. 200		Telephone Number (262) 377-9828	Comments	
City Mequon	State WI	ZIP Code 53092	Signature of Person Doing Work <i>J. Bannauter</i>	Date Signed 6/20/14

Notice: Completion of this report is required by chs. 160, 281, 283, 289, 291-293, 295, and 299, Wis. Stats., and ch. NR 141, Wis. Adm. Code. In accordance with chs. 281, 289, 291-293, 295, and 299, Wis. Stats., failure to file this form may result in a forfeiture of between \$10-25,000, or imprisonment for up to one year, depending on the program and conduct involved. Personally identifiable information on this form is not intended to be used for any other purpose. Return this form to the appropriate DNR office and bureau. See instructions on reverse for more information.

Verification Only of Fill and Seal

Route to:

- Drinking Water Watershed/Wastewater Remediation/Redevelopment
 Waste Management Other

1. Well Location Information **2. Facility / Owner Information**

County Walworth	WI Unique Well # of Removed Well	Hicap #	Facility Name Getzen Musical Instruments
Latitude / Longitude (Degrees and Minutes) ° ' " N ° ' " W	Method Code (see instructions)	Facility ID (FID or PWS) 265006720	License/Permit/Monitoring # IP-13
1/4 NE or Gov't Lot #	1/4 SE	Section 6	Original Well Owner Getzen Musical Instruments
Well Street Address 530 South County Highway H		Township 2	Present Well Owner Getzen Musical Instruments
Well City, Village or Town Elkhorn		Range 17	Mailing Address of Present Owner 530 South County Highway H
Subdivision Name		Lot #	City of Present Owner Elkhorn
Reason For Removal From Service No longer needed		WI Unique Well # of Replacement Well	State WI
			ZIP Code 53121

3. Well / Drillhole / Borehole Information **4. Pump, Liner, Screen, Casing & Sealing Material**

<input type="checkbox"/> Monitoring Well <input type="checkbox"/> Water Well <input checked="" type="checkbox"/> Drillhole / Borehole	Original Construction Date 6/25/2013	Pump and piping removed? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A Liner(s) removed? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A Screen removed? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A Casing left in place? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A
Construction Type: <input type="checkbox"/> Drilled <input type="checkbox"/> Driven (Sandpoint) <input type="checkbox"/> Dug <input checked="" type="checkbox"/> Other (Specify) <u>Geoprobe</u>	If a Well Construction Report is available, please attach.	Was casing cut off below surface? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A Did sealing material rise to surface? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A Did material settle after 24 hours? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A If yes, was hole retopped? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A If bentonite chips were used, were they hydrated with water from a known safe source? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A
Formation Type: <input checked="" type="checkbox"/> Unconsolidated Formation <input type="checkbox"/> Bedrock	Required Method of Placing Sealing Material: <input type="checkbox"/> Conductor Pipe-Gravity <input type="checkbox"/> Conductor Pipe-Pumped <input type="checkbox"/> Screened & Poured <input checked="" type="checkbox"/> Other (Explain) <u>Poured - Gravity (Bentonite Chips)</u>	Sealing Materials: <input type="checkbox"/> Neat Cement Grout <input type="checkbox"/> Clay-Sand Slurry (11 lb./gal. wt.) <input type="checkbox"/> Sand-Cement (Concrete) Grout <input type="checkbox"/> Bentonite-Sand Slurry " " <input type="checkbox"/> Concrete <input type="checkbox"/> Bentonite Chips
Total Well Depth From Ground Surface (ft.) 10.0 Casing Diameter (in.) no casing	Lower Drillhole Diameter (in.) 2.0 Casing Depth (ft.) no casing	For Monitoring Wells and Monitoring Well Boreholes Only: <input type="checkbox"/> Bentonite Chips <input type="checkbox"/> Bentonite - Cement Grout <input checked="" type="checkbox"/> Granular Bentonite <input type="checkbox"/> Bentonite - Sand Slurry
Was well annular space grouted? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> Unknown If yes, to what depth (feet)? 5.0	Depth to Water (feet) 5.0	

5. Material Used to Fill Well / Drillhole	From (ft.)	To (ft.)	No. Yards, Sacks Sealant or Volume (circle one)	Mix Ratio or Mud Weight
Granular Bentonite	Surface	10.0	1 sack	

6. Comments

7. Supervision of Work			DNR Use Only	
Name of Person or Firm Doing Filling & Sealing Geosyntec - Jeremiah Johnson	License #	Date of Filling & Sealing (mm/dd/yyyy) 6/25/2013	Date Received	Noted By
Street or Route 10200 North Port Washington Road Ste. 200		Telephone Number (262) 377-9828	Comments	
City Mequon	State WI	ZIP Code 53092	Signature of Person Doing Work <i>J. Johnson</i>	Date Signed 6/20/14

Notice: Completion of this report is required by chs. 160, 281, 283, 289, 291-293, 295, and 299, Wis. Stats., and ch. NR 141, Wis. Adm. Code. In accordance with chs. 281, 289, 291-293, 295, and 299, Wis. Stats., failure to file this form may result in a forfeiture of between \$10-25,000, or imprisonment for up to one year, depending on the program and conduct involved. Personally identifiable information on this form is not intended to be used for any other purpose. Return this form to the appropriate DNR office and bureau. See instructions on reverse for more information.

Verification Only of Fill and Seal

Route to:

- Drinking Water Watershed/Wastewater Remediation/Redevelopment
 Waste Management Other

1. Well Location Information **2. Facility / Owner Information**

County Walworth	WI Unique Well # of Removed Well	Hicap #	Facility Name Getzen Musical Instruments
Latitude / Longitude (Degrees and Minutes) ° ' " N ° ' " W	Method Code (see instructions)		Facility ID (FID or PWS) 265006720
1/4 NE 1/4 SE	Section 6	Township 2	License/Permit/Monitoring # IP-14
or Gov't Lot #	Range 17	<input checked="" type="checkbox"/> E <input type="checkbox"/> W	Original Well Owner Getzen Musical Instruments
Well Street Address 530 South County Highway H			Present Well Owner Getzen Musical Instruments
Well City, Village or Town Elkhorn		Well ZIP Code 53121	Mailing Address of Present Owner 530 South County Highway H
Subdivision Name		Lot #	City of Present Owner Elkhorn
			State WI
			ZIP Code 53121

4. Pump, Liner, Screen, Casing & Sealing Material

Reason For Removal From Service No longer needed	WI Unique Well # of Replacement Well	Pump and piping removed? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A
3. Well / Drillhole / Borehole Information		Liner(s) removed? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A
<input type="checkbox"/> Monitoring Well	Original Construction Date 6/25/2013	Screen removed? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A
<input type="checkbox"/> Water Well	If a Well Construction Report is available, please attach.	Casing left in place? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A
<input checked="" type="checkbox"/> Drillhole / Borehole		Was casing cut off below surface? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A
Construction Type:		Did sealing material rise to surface? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A
<input type="checkbox"/> Drilled	<input type="checkbox"/> Driven (Sandpoint)	Did material settle after 24 hours? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A
<input checked="" type="checkbox"/> Other (Specify) Geoprobe	<input type="checkbox"/> Dug	If yes, was hole retopped? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A
Formation Type:		If bentonite chips were used, were they hydrated with water from a known safe source <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A
<input checked="" type="checkbox"/> Unconsolidated Formation	<input type="checkbox"/> Bedrock	Required Method of Placing Sealing Material
Total Well Depth From Ground Surface (ft.) 10.0	Casing Diameter (in.) no casing	<input type="checkbox"/> Conductor Pipe-Gravity <input type="checkbox"/> Conductor Pipe-Pumped
Lower Drillhole Diameter (in.) 2.0	Casing Depth (ft.) no casing	<input type="checkbox"/> Screened & Poured <input checked="" type="checkbox"/> Other (Explain) Poured - Gravity (Bentonite Chips)
Was well annular space grouted? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> Unknown	Depth to Water (feet) 5.0	Sealing Materials
		<input type="checkbox"/> Neat Cement Grout <input type="checkbox"/> Clay-Sand Slurry (11 lb./gal. wt.)
		<input type="checkbox"/> Sand-Cement (Concrete) Grout <input type="checkbox"/> Bentonite-Sand Slurry " "
		<input type="checkbox"/> Concrete <input type="checkbox"/> Bentonite Chips
		For Monitoring Wells and Monitoring Well Boreholes Only:
		<input type="checkbox"/> Bentonite Chips <input type="checkbox"/> Bentonite - Cement Grout
		<input checked="" type="checkbox"/> Granular Bentonite <input type="checkbox"/> Bentonite - Sand Slurry

5. Material Used to Fill Well / Drillhole	From (ft.)	To (ft.)	No. Yards, Sacks Sealant or Volume (circle one)	Mix Ratio or Mud Weight
Granular Bentonite	Surface	10.0	1 sack	

6. Comments

7. Supervision of Work

Name of Person or Firm Doing Filling & Sealing Geosyntec - Jeremiah Johnson		License #	Date of Filling & Sealing (mm/dd/yyyy) 6/25/2013	DNR Use Only	
Street or Route 10200 North Port Washington Road Ste. 200		State	Telephone Number (262) 377-9828	Date Received	Noted By
City Mequon	State WI	ZIP Code 53092	Signature of Person Doing Work <i>J. Bernhardt</i>	Comments	Date Signed 6/25/14

Notice: Completion of this report is required by chs. 160, 281, 283, 289, 291-293, 295, and 299, Wis. Stats., and ch. NR 141, Wis. Adm. Code. In accordance with chs. 281, 289, 291-293, 295, and 299, Wis. Stats., failure to file this form may result in a forfeiture of between \$10-25,000, or imprisonment for up to one year, depending on the program and conduct involved. Personally identifiable information on this form is not intended to be used for any other purpose. Return this form to the appropriate DNR office and bureau. See instructions on reverse for more information.

Verification Only of Fill and Seal

Route to:

- Drinking Water Watershed/Wastewater Remediation/Redevelopment
 Waste Management Other

1. Well Location Information **2. Facility / Owner Information**

County Walworth	WI Unique Well # of Removed Well	Hicap #	Facility Name Getzen Musical Instruments
Latitude / Longitude (Degrees and Minutes) " ' N " ' W		Method Code (see instructions)	Facility ID (FID or PWS) 265006720
¼ / ¼ NE	¼ SE	Section 6	License/Permit/Monitoring # IP-15
or Gov't Lot #		Township 2	Original Well Owner Getzen Musical Instruments
Well Street Address 530 South County Highway H		Range 17	Present Well Owner Getzen Musical Instruments
Well City, Village or Town Elkhorn			Mailing Address of Present Owner 530 South County Highway H
Subdivision Name		Well ZIP Code 53121	City of Present Owner Elkhorn
		Lot #	State WI
			ZIP Code 53121

Reason For Removal From Service: No longer needed

WI Unique Well # of Replacement Well:

3. Well / Drillhole / Borehole Information

Monitoring Well Original Construction Date
 Water Well 6/25/2013
 Drillhole / Borehole If a Well Construction Report is available, please attach.

Construction Type:
 Drilled Driven (Sandpoint) Dug
 Other (Specify) Geoprobe

Formation Type:
 Unconsolidated Formation Bedrock

Total Well Depth From Ground Surface (ft) 10.0	Casing Diameter (in.) no casing
Lower Drillhole Diameter (in.) 2.0	Casing Depth (ft.) no casing

Was well annular space grouted? Yes No Unknown

If yes, to what depth (feet)? Depth to Water (feet)
5.0

4. Pump, Liner, Screen, Casing & Sealing Material

Pump and piping removed? Yes No N/A
 Liner(s) removed? Yes No N/A
 Screen removed? Yes No N/A
 Casing left in place? Yes No N/A
 Was casing cut off below surface? Yes No N/A
 Did sealing material rise to surface? Yes No N/A
 Did material settle after 24 hours? Yes No N/A
 If yes, was hole retopped? Yes No N/A
 If bentonite chips were used, were they hydrated with water from a known safe source? Yes No N/A

Required Method of Placing Sealing Material:
 Conductor Pipe-Gravity Conductor Pipe-Pumped
 Screened & Poured Other (Explain) Poured - Gravity (Bentonite Chips)

Sealing Materials:
 Neat Cement Grout Clay-Sand Slurry (11 lb./gal. wt.)
 Sand-Cement (Concrete) Grout Bentonite-Sand Slurry " "
 Concrete Bentonite Chips

For Monitoring Wells and Monitoring Well Boreholes Only:
 Bentonite Chips Bentonite - Cement Grout
 Granular Bentonite Bentonite - Sand Slurry

5. Material Used to Fill Well / Drillhole	From (ft.)	To (ft.)	No. Yards, Sacks Sealant or Volume (circle one)	Mix Ratio or Mud Weight
Granular Bentonite	Surface	10.0	1 sack	

6. Comments

7. Supervision of Work

Name of Person or Firm Doing Filling & Sealing Geosyntec - Jeremiah Johnson	License #	Date of Filling & Sealing (mm/dd/yyyy) 6/25/2013	DNR Use Only	
Street or Route 10200 North Port Washington Road Ste. 200	State WI	Telephone Number (262) 377-9828	Date Received	Noted By
City Mcquon	ZIP Code 53092	Signature of Person Doing Work <i>J. Hannant</i>	Comments	Date Signed 6/20/14

Notice: Completion of this report is required by chs. 160, 281, 283, 289, 291-293, 295, and 299, Wis. Stats., and ch. NR 141, Wis. Adm. Code. In accordance with chs. 281, 289, 291-293, 295, and 299, Wis. Stats., failure to file this form may result in a forfeiture of between \$10-25,000, or imprisonment for up to one year, depending on the program and conduct involved. Personally identifiable information on this form is not intended to be used for any other purpose. Return this form to the appropriate DNR office and bureau. See instructions on reverse for more information.

Verification Only of Fill and Seal

Route to:

- Drinking Water Watershed/Wastewater Remediation/Redevelopment
 Waste Management Other

1. Well Location Information **2. Facility / Owner Information**

County Walworth		WI Unique Well # of Removed Well	Hicap #		Facility Name Getzen Musical Instruments		
Latitude / Longitude (Degrees and Minutes) " ' N " ' W		Method Code (see instructions)		Facility ID (FID or PWS) 265006720			License/Permit/Monitoring # IP-16
¼ / ¼ NE or Gov't Lot #	¼ SE	Section 6	Township 2	Range 17	<input checked="" type="checkbox"/> E <input type="checkbox"/> W	Original Well Owner Getzen Musical Instruments	
Well Street Address 530 South County Highway H				Present Well Owner Getzen Musical Instruments			
Well City, Village or Town Elkhorn			Well ZIP Code 53121				
Subdivision Name			Lot #		City of Present Owner Elkhorn		State WI
Reason For Removal From Service No longer needed		WI Unique Well # of Replacement Well					

3. Well / Drillhole / Borehole Information

<input type="checkbox"/> Monitoring Well	Original Construction Date 6/25/2013
<input type="checkbox"/> Water Well	If a Well Construction Report is available, please attach.
<input checked="" type="checkbox"/> Drillhole / Borehole	
Construction Type: <input type="checkbox"/> Drilled <input type="checkbox"/> Driven (Sandpoint) <input type="checkbox"/> Dug <input checked="" type="checkbox"/> Other (Specify) Geoprobe	
Formation Type: <input checked="" type="checkbox"/> Unconsolidated Formation <input type="checkbox"/> Bedrock	
Total Well Depth From Ground Surface (ft) 10.0	Casing Diameter (in.) no casing
Lower Drillhole Diameter (in.) 2.0	Casing Depth (ft.) no casing
Was well annular space grouted? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> Unknown	
If yes, to what depth (feet)?	Depth to Water (feet) 5.0

4. Pump, Liner, Screen, Casing & Sealing Material

Pump and piping removed?	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A
Liner(s) removed?	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A
Screen removed?	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A
Casing left in place?	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A
Was casing cut off below surface?	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A
Did sealing material rise to surface?	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A
Did material settle after 24 hours?	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A
If yes, was hole retopped?	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A
If bentonite chips were used, were they hydrated with water from a known safe source	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A
Required Method of Placing Sealing Material	
<input type="checkbox"/> Conductor Pipe-Gravity	<input type="checkbox"/> Conductor Pipe-Pumped
<input type="checkbox"/> Screened & Poured	<input checked="" type="checkbox"/> Other (Explain) Poured - Gravity (Bentonite Chips)
Sealing Materials	
<input type="checkbox"/> Neat Cement Grout	<input type="checkbox"/> Clay-Sand Slurry (11 lb./gal. wt.)
<input type="checkbox"/> Sand-Cement (Concrete) Grout	<input type="checkbox"/> Bentonite-Sand Slurry " "
<input type="checkbox"/> Concrete	<input type="checkbox"/> Bentonite Chips
For Monitoring Wells and Monitoring Well Boreholes Only:	
<input type="checkbox"/> Bentonite Chips	<input type="checkbox"/> Bentonite - Cement Grout
<input checked="" type="checkbox"/> Granular Bentonite	<input type="checkbox"/> Bentonite - Sand Slurry

5. Material Used to Fill Well / Drillhole	From (ft.)	To (ft.)	No. Yards, Sacks Sealant or Volume (circle one)	Mix Ratio or Mud Weight
Granular Bentonite	Surface	10.0	1 sack	

6. Comments

7. Supervision of Work **DNR Use Only**

Name of Person or Firm Doing Filling & Sealing Geosyntec - Jeremiah Johnson	License #	Date of Filling & Sealing (mm/dd/yyyy) 6/25/2013	Date Received	Noted By
Street or Route 10200 North Port Washington Road Ste. 200		Telephone Number (262) 377-9828	Comments	
City Mequon	State WI	ZIP Code 53092	Signature of Person Doing Work <i>J. Bannant</i>	Date Signed 6/20/14

Notice: Completion of this report is required by chs. 160, 281, 283, 289, 291-293, 295, and 299, Wis. Stats., and ch. NR 141, Wis. Adm. Code. In accordance with chs. 281, 289, 291-293, 295, and 299, Wis. Stats., failure to file this form may result in a forfeiture of between \$10-25,000, or imprisonment for up to one year, depending on the program and conduct involved. Personally identifiable information on this form is not intended to be used for any other purpose. Return this form to the appropriate DNR office and bureau. See instructions on reverse for more information.

Verification Only of Fill and Seal

Route to:

- Drinking Water Watershed/Wastewater Remediation/Redevelopment
 Waste Management Other

1. Well Location Information **2. Facility / Owner Information**

County Walworth		WI Unique Well # of Removed Well		Hicap #		Facility Name Getzen Musical Instruments				
Latitude / Longitude (Degrees and Minutes) " ' N " ' W			Method Code (see instructions)			Facility ID (FID or PWS) 265006720				
¼ / ¼ NE		¼ SE		Section 6		Township 2		Range 17		License/Permit/Monitoring # IP-17
or Gov't Lot #								<input checked="" type="checkbox"/> E <input type="checkbox"/> W		Original Well Owner Getzen Musical Instruments
Well Street Address 530 South County Highway H						Present Well Owner Getzen Musical Instruments				
Well City, Village or Town Elkhorn				Well ZIP Code 53121		Mailing Address of Present Owner 530 South County Highway H				
Subdivision Name				Lot #		City of Present Owner Elkhorn			State WI	ZIP Code 53121

3. Well / Drillhole / Borehole Information **4. Pump, Liner, Screen, Casing & Sealing Material**

Reason For Removal From Service No longer needed		WI Unique Well # of Replacement Well		Pump and piping removed? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	
<input type="checkbox"/> Monitoring Well		Original Construction Date 6/25/2013		Liner(s) removed? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	
<input type="checkbox"/> Water Well		If a Well Construction Report is available, please attach.		Screen removed? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	
<input checked="" type="checkbox"/> Drillhole / Borehole				Casing left in place? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	
Construction Type: <input type="checkbox"/> Drilled <input type="checkbox"/> Driven (Sandpoint) <input type="checkbox"/> Dug				Was casing cut off below surface? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	
<input checked="" type="checkbox"/> Other (Specify) Geoprobe				Did sealing material rise to surface? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	
Formation Type: <input checked="" type="checkbox"/> Unconsolidated Formation <input type="checkbox"/> Bedrock				Did material settle after 24 hours? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A	
Total Well Depth From Ground Surface (ft.) 7.0		Casing Diameter (in.) no casing		If yes, was hole retopped? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	
Lower Drillhole Diameter (in.) 2.0		Casing Depth (ft.) no casing		If bentonite chips were used, were they hydrated with water from a known safe source <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	
Was well annular space grouted? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> Unknown		Depth to Water (feet) 5.0		Required Method of Placing Sealing Material	
If yes, to what depth (feet)?				<input type="checkbox"/> Conductor Pipe-Gravity <input type="checkbox"/> Conductor Pipe-Pumped	
				<input type="checkbox"/> Screened & Poured <input checked="" type="checkbox"/> Other (Explain) Poured - Gravity (Bentonite Chips)	
Sealing Materials				<input type="checkbox"/> Neat Cement Grout <input type="checkbox"/> Clay-Sand Slurry (11 lb./gal. wt.)	
				<input type="checkbox"/> Sand-Cement (Concrete) Grout <input type="checkbox"/> Bentonite-Sand Slurry " "	
				<input type="checkbox"/> Concrete <input type="checkbox"/> Bentonite Chips	
For Monitoring Wells and Monitoring Well Boreholes Only:					
<input type="checkbox"/> Bentonite Chips		<input type="checkbox"/> Bentonite - Cement Grout			
<input checked="" type="checkbox"/> Granular Bentonite		<input type="checkbox"/> Bentonite - Sand Slurry			

5. Material Used to Fill Well / Drillhole	From (ft.)	To (ft.)	No. Yards, Sacks Sealant or Volume (circle one)	Mix Ratio or Mud Weight
Granular Bentonite	Surface	10.0	1 sack	

6. Comments

7. Supervision of Work			DNR Use Only		
Name of Person or Firm Doing Filling & Sealing Geosyntec - Jeremiah Johnson		License #	Date of Filling & Sealing (mm/dd/yyyy) 6/25/2013	Date Received	Noted By
Street or Route 10200 North Port Washington Road Ste. 200			Telephone Number (262) 377-9828	Comments	
City Mequon	State WI	ZIP Code 53092	Signature of Person Doing Work <i>J. Bannantine</i>	Date Signed 6/20/14	

Notice: Completion of this report is required by chs. 160, 281, 283, 289, 291-293, 295, and 299, Wis. Stats., and ch. NR 141, Wis. Adm. Code. In accordance with chs. 281, 289, 291-293, 295, and 299, Wis. Stats., failure to file this form may result in a forfeiture of between \$10-25,000, or imprisonment for up to one year, depending on the program and conduct involved. Personally identifiable information on this form is not intended to be used for any other purpose. Return this form to the appropriate DNR office and bureau. See instructions on reverse for more information.

Verification Only of Fill and Seal

Route to:

- Drinking Water Watershed/Wastewater Remediation/Redevelopment
 Waste Management Other

1. Well Location Information **2. Facility / Owner Information**

County Walworth	WI Unique Well # of Removed Well	Hicap #	Facility Name Getzen Musical Instruments
Latitude / Longitude (Degrees and Minutes) ° ' " N ° ' " W		Method Code (see instructions)	Facility ID (FID or PWS) 265006720
1/4 1/4 NE	1/4 SE	Section 6	License/Permit/Monitoring # IP-18
or Gov't Lot #		Township 2	Original Well Owner Getzen Musical Instruments
Well Street Address 530 South County Highway H		Range 17 <input checked="" type="checkbox"/> E <input type="checkbox"/> W	Present Well Owner Getzen Musical Instruments
Well City, Village or Town Elkhorn		Well ZIP Code 53121	Mailing Address of Present Owner 530 South County Highway H
Subdivision Name		Lot #	City of Present Owner Elkhorn
			State WI
			ZIP Code 53121

3. Well / Drillhole / Borehole Information **4. Pump, Liner, Screen, Casing & Sealing Material**

Reason For Removal From Service No longer needed	WI Unique Well # of Replacement Well	Pump and piping removed? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A
<input type="checkbox"/> Monitoring Well		Liner(s) removed? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A
<input type="checkbox"/> Water Well		Screen removed? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A
<input checked="" type="checkbox"/> Drillhole / Borehole		Casing left in place? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A
Original Construction Date 6/25/2013		Was casing cut off below surface? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A
If a Well Construction Report is available, please attach.		Did sealing material rise to surface? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A
Construction Type: <input type="checkbox"/> Drilled <input type="checkbox"/> Driven (Sandpoint) <input type="checkbox"/> Dug		Did material settle after 24 hours? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A
<input checked="" type="checkbox"/> Other (Specify) Geoprobe		If yes, was hole retopped? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A
Formation Type: <input checked="" type="checkbox"/> Unconsolidated Formation <input type="checkbox"/> Bedrock		If bentonite chips were used, were they hydrated with water from a known safe source? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A
Total Well Depth From Ground Surface (ft) 10.0	Casing Diameter (in.) no casing	Required Method of Placing Sealing Material: <input type="checkbox"/> Conductor Pipe-Gravity <input type="checkbox"/> Conductor Pipe-Pumped <input type="checkbox"/> Screened & Poured <input checked="" type="checkbox"/> Other (Explain) Poured - Gravity (Bentonite Chips)
Lower Drillhole Diameter (in.) 2.0	Casing Depth (ft.) no casing	Sealing Materials: <input type="checkbox"/> Neat Cement Grout <input type="checkbox"/> Clay-Sand Slurry (11 lb./gal. wt.) <input type="checkbox"/> Sand-Cement (Concrete) Grout <input type="checkbox"/> Bentonite-Sand Slurry " " <input type="checkbox"/> Concrete <input type="checkbox"/> Bentonite Chips
Was well annular space grouted? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> Unknown	Depth to Water (feet) 5.0	For Monitoring Wells and Monitoring Well Boreholes Only: <input type="checkbox"/> Bentonite Chips <input type="checkbox"/> Bentonite - Cement Grout <input checked="" type="checkbox"/> Granular Bentonite <input type="checkbox"/> Bentonite - Sand Slurry

5. Material Used to Fill Well / Drillhole	From (ft.)	To (ft.)	No. Yards, Sacks Sealant or Volume (circle one)	Mix Ratio or Mud Weight
Granular Bentonite	Surface	10.0	1 sack	

6. Comments

7. Supervision of Work			DNR Use Only	
Name of Person or Firm Doing Filling & Sealing Geosyntec - Jeremiah Johnson	License #	Date of Filling & Sealing (mm/dd/yyyy) 6/25/2013	Date Received	Noted By
Street or Route 10200 North Port Washington Road Ste. 200		Telephone Number (262) 377-9828	Comments	
City Mequon	State WI	ZIP Code 53092	Signature of Person Doing Work <i>J. Bernantius</i>	Date Signed 6/20/14

Notice: Completion of this report is required by chs. 160, 281, 283, 289, 291-293, 295, and 299, Wis. Stats., and ch. NR 141, Wis. Adm. Code. In accordance with chs. 281, 289, 291-293, 295, and 299, Wis. Stats., failure to file this form may result in a forfeiture of between \$10-25,000, or imprisonment for up to one year, depending on the program and conduct involved. Personally identifiable information on this form is not intended to be used for any other purpose. Return this form to the appropriate DNR office and bureau. See instructions on reverse for more information.

Verification Only of Fill and Seal

Route to:

- Drinking Water Watershed/Wastewater Remediation/Redevelopment
 Waste Management Other

1. Well Location Information				2. Facility / Owner Information			
County Walworth		WI Unique Well # of Removed Well		Hicap #		Facility Name Getzen Musical Instruments	
Latitude / Longitude (Degrees and Minutes) " ' N " ' W			Method Code (see instructions)			Facility ID (FID or PWS) 265006720	
1/4 1/4 NE or Gov't Lot #		Section 6	Township 2	Range 17	<input checked="" type="checkbox"/> E <input type="checkbox"/> W	License/Permit/Monitoring # IP-19	
Well Street Address 530 South County Highway H				Original Well Owner Getzen Musical Instruments			
Well City, Village or Town Elkhorn				Present Well Owner Getzen Musical Instruments			
Subdivision Name				Well ZIP Code 53121		Mailing Address of Present Owner 530 South County Highway H	
Reason For Removal From Service No longer needed				WI Unique Well # of Replacement Well		City of Present Owner Elkhorn	
3. Well / Drillhole / Borehole Information				4. Pump, Liner, Screen, Casing & Sealing Material			
<input type="checkbox"/> Monitoring Well		Original Construction Date 6/25/2013		Pump and piping removed?		<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	
<input type="checkbox"/> Water Well		If a Well Construction Report is available, please attach.		Liner(s) removed?		<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	
<input checked="" type="checkbox"/> Drillhole / Borehole				Screen removed?		<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	
Construction Type: <input type="checkbox"/> Drilled <input type="checkbox"/> Driven (Sandpoint) <input type="checkbox"/> Dug <input checked="" type="checkbox"/> Other (Specify) <u>Geoprobe</u>				Casing left in place?		<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	
Formation Type: <input checked="" type="checkbox"/> Unconsolidated Formation <input type="checkbox"/> Bedrock				Was casing cut off below surface?		<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	
Total Well Depth From Ground Surface (ft) 10.0		Casing Diameter (in.) no casing		Did sealing material rise to surface?		<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	
Lower Drillhole Diameter (in.) 2.0		Casing Depth (ft.) no casing		Did material settle after 24 hours?		<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A	
Was well annular space grouted? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> Unknown				If yes, was hole retopped?		<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	
If yes, to what depth (feet)? 5.0		Depth to Water (feet) 5.0		If bentonite chips were used, were they hydrated with water from a known safe source		<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	
5. Material Used to Fill Well / Drillhole				Required Method of Placing Sealing Material			
Granular Bentonite		Surface	10.0	1 sack			<input type="checkbox"/> Conductor Pipe-Gravity <input type="checkbox"/> Conductor Pipe-Pumped <input type="checkbox"/> Screened & Poured <input checked="" type="checkbox"/> Other (Explain) Poured - Gravity (Bentonite Chips)
							Sealing Materials <input type="checkbox"/> Neat Cement Grout <input type="checkbox"/> Clay-Sand Slurry (11 lb./gal. wt.) <input type="checkbox"/> Sand-Cement (Concrete) Grout <input type="checkbox"/> Bentonite-Sand Slurry " " <input type="checkbox"/> Concrete <input type="checkbox"/> Bentonite Chips
For Monitoring Wells and Monitoring Well Boreholes Only: <input type="checkbox"/> Bentonite Chips <input type="checkbox"/> Bentonite - Cement Grout <input checked="" type="checkbox"/> Granular Bentonite <input type="checkbox"/> Bentonite - Sand Slurry							
6. Comments							
7. Supervision of Work				DNR Use Only			
Name of Person or Firm Doing Filling & Sealing Geosyntec - Jeremiah Johnson		License #	Date of Filling & Sealing (mm/dd/yyyy) 6/25/2013	Date Received	Noted By		
Street or Route 10200 North Port Washington Road Ste. 200			Telephone Number (262) 377-9828	Comments			
City Mequon		State WI	ZIP Code 53092	Signature of Person Doing Work <i>J. Benavente</i>		Date Signed 6/20/14	

Notice: Completion of this report is required by chs. 160, 281, 283, 289, 291-293, 295, and 299, Wis. Stats., and ch. NR 141, Wis. Adm. Code. In accordance with chs. 281, 289, 291-293, 295, and 299, Wis. Stats., failure to file this form may result in a forfeiture of between \$10-25,000, or imprisonment for up to one year, depending on the program and conduct involved. Personally identifiable information on this form is not intended to be used for any other purpose. Return this form to the appropriate DNR office and bureau. See instructions on reverse for more information.

Verification Only of Fill and Seal

Route to:

- Drinking Water Watershed/Wastewater Remediation/Redevelopment
 Waste Management Other

1. Well Location Information **2. Facility / Owner Information**

County Walworth	WI Unique Well # of Removed Well	Hicap #	Facility Name Getzen Musical Instruments
Latitude / Longitude (Degrees and Minutes) ° ' " N ° ' " W	Method Code (see instructions)	Facility ID (FID or PWS) 265006720	License/Permit/Monitoring # IP-20
1/4 NE 1/4 SE Section 6	Township 2	Range 17 <input checked="" type="checkbox"/> E <input type="checkbox"/> W	Original Well Owner Getzen Musical Instruments
Well Street Address 530 South County Highway H	Well City, Village or Town Elkhorn	Well ZIP Code 53121	Present Well Owner Getzen Musical Instruments
Subdivision Name	Lot #	City of Present Owner Elkhorn	Mailing Address of Present Owner 530 South County Highway H
Reason For Removal From Service No longer needed	WI Unique Well # of Replacement Well	State WI	ZIP Code 53121

3. Well / Drillhole / Borehole Information **4. Pump, Liner, Screen, Casing & Sealing Material**

<input type="checkbox"/> Monitoring Well	Original Construction Date 6/25/2013	Pump and piping removed? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A
<input type="checkbox"/> Water Well	If a Well Construction Report is available, please attach.	Liner(s) removed? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A
<input checked="" type="checkbox"/> Drillhole / Borehole		Screen removed? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A
Construction Type: <input type="checkbox"/> Drilled <input type="checkbox"/> Driven (Sandpoint) <input type="checkbox"/> Dug		Casing left in place? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A
<input checked="" type="checkbox"/> Other (Specify) Geoprobe		Was casing cut off below surface? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A
Formation Type: <input checked="" type="checkbox"/> Unconsolidated Formation <input type="checkbox"/> Bedrock		Did sealing material rise to surface? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A
Total Well Depth From Ground Surface (ft.) 10.0	Casing Diameter (in.) no casing	Did material settle after 24 hours? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A
Lower Drillhole Diameter (in.) 2.0	Casing Depth (ft.) no casing	If yes, was hole retopped? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A
Was well annular space grouted? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> Unknown	Depth to Water (feet) 5.0	If bentonite chips were used, were they hydrated with water from a known safe source? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A
		Required Method of Placing Sealing Material: <input type="checkbox"/> Conductor Pipe-Gravity <input type="checkbox"/> Conductor Pipe-Pumped <input type="checkbox"/> Screened & Poured <input checked="" type="checkbox"/> Other (Explain) Poured - Gravity (Bentonite Chips)
		Sealing Materials: <input type="checkbox"/> Neat Cement Grout <input type="checkbox"/> Clay-Sand Slurry (11 lb./gal. wt.) <input type="checkbox"/> Sand-Cement (Concrete) Grout <input type="checkbox"/> Bentonite-Sand Slurry " " <input type="checkbox"/> Concrete <input type="checkbox"/> Bentonite Chips
		For Monitoring Wells and Monitoring Well Boreholes Only: <input type="checkbox"/> Bentonite Chips <input type="checkbox"/> Bentonite - Cement Grout <input checked="" type="checkbox"/> Granular Bentonite <input type="checkbox"/> Bentonite - Sand Slurry

5. Material Used to Fill Well / Drillhole	From (ft.)	To (ft.)	No. Yards, Sacks Sealant or Volume (circle one)	Mix Ratio or Mud Weight
Granular Bentonite	Surface	10.0	1 sack	

6. Comments

7. Supervision of Work			DNR Use Only	
Name of Person or Firm Doing Filling & Sealing Geosyntec - Jeremiah Johnson	License #	Date of Filling & Sealing (mm/dd/yyyy) 6/25/2013	Date Received	Noted By
Street or Route 10200 North Port Washington Road Ste. 200	City Mequon	State WI	ZIP Code 53092	Telephone Number (262) 377-9828
Signature of Person Doing Work <i>J. Bannister</i>			Comments	
Date Signed 6/26/14				

Notice: Completion of this report is required by chs. 160, 281, 283, 289, 291-293, 295, and 299, Wis. Stats., and ch. NR 141, Wis. Adm. Code. In accordance with chs. 281, 289, 291-293, 295, and 299, Wis. Stats., failure to file this form may result in a forfeiture of between \$10-25,000, or imprisonment for up to one year, depending on the program and conduct involved. Personally identifiable information on this form is not intended to be used for any other purpose. Return this form to the appropriate DNR office and bureau. See instructions on reverse for more information.

Verification Only of Fill and Seal

Route to:

- Drinking Water Watershed/Wastewater Remediation/Redevelopment
 Waste Management Other

1. Well Location Information **2. Facility / Owner Information**

County Walworth	WI Unique Well # of Removed Well	Hicap #	Facility Name Getzen Musical Instruments
Latitude / Longitude (Degrees and Minutes) " ' N " ' W	Method Code (see instructions)	Facility ID (FID or PWS) 265006720	License/Permit/Monitoring # IP-21
1/4 1/4 NE 1/4 SE or Gov't Lot #	Section 6	Township 2	Range <input checked="" type="checkbox"/> E <input type="checkbox"/> W
Well Street Address 530 South County Highway H		Original Well Owner Getzen Musical Instruments	
Well City, Village or Town Elkhorn		Present Well Owner Getzen Musical Instruments	
Subdivision Name		Mailing Address of Present Owner 530 South County Highway H	
Well ZIP Code 53121		City of Present Owner Elkhorn	State WI
Lot #		ZIP Code 53121	

3. Well / Drillhole / Borehole Information **4. Pump, Liner, Screen, Casing & Sealing Material**

Reason For Removal From Service No longer needed	WI Unique Well # of Replacement Well	Pump and piping removed? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A
<input type="checkbox"/> Monitoring Well	Original Construction Date 6/25/2013	Liner(s) removed? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A
<input type="checkbox"/> Water Well	If a Well Construction Report is available, please attach.	Screen removed? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A
<input checked="" type="checkbox"/> Drillhole / Borehole		Casing left in place? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A
Construction Type: <input type="checkbox"/> Drilled <input type="checkbox"/> Driven (Sandpoint) <input type="checkbox"/> Dug		Was casing cut off below surface? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A
<input checked="" type="checkbox"/> Other (Specify) Geoprobe		Did sealing material rise to surface? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A
Formation Type: <input checked="" type="checkbox"/> Unconsolidated Formation <input type="checkbox"/> Bedrock		Did material settle after 24 hours? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A
Total Well Depth From Ground Surface (ft) 10.0	Casing Diameter (in.) no casing	If yes, was hole retopped? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A
Lower Drillhole Diameter (in.) 2.0	Casing Depth (ft.) no casing	If bentonite chips were used, were they hydrated with water from a known safe source <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A
Was well annular space grouted? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> Unknown	Depth to Water (feet) 5.0	Required Method of Placing Sealing Material: <input type="checkbox"/> Conductor Pipe-Gravity <input type="checkbox"/> Conductor Pipe-Pumped <input type="checkbox"/> Screened & Poured <input checked="" type="checkbox"/> Other (Explain) Poured - Gravity (Bentonite Chips)
Sealing Materials: <input type="checkbox"/> Neat Cement Grout <input type="checkbox"/> Clay-Sand Slurry (11 lb./gal. wt.) <input type="checkbox"/> Sand-Cement (Concrete) Grout <input type="checkbox"/> Bentonite-Sand Slurry " " <input type="checkbox"/> Concrete <input type="checkbox"/> Bentonite Chips		
For Monitoring Wells and Monitoring Well Boreholes Only: <input type="checkbox"/> Bentonite Chips <input type="checkbox"/> Bentonite - Cement Grout <input checked="" type="checkbox"/> Granular Bentonite <input type="checkbox"/> Bentonite - Sand Slurry		

5. Material Used to Fill Well / Drillhole	From (ft.)	To (ft.)	No. Yards, Sacks Sealant or Volume (circle one)	Mix Ratio or Mud Weight
Granular Bentonite	Surface	10.0	1 sack	

6. Comments

7. Supervision of Work		DNR Use Only	
Name of Person or Firm Doing Filling & Sealing Geosyntec - Jeremiah Johnson	License #	Date of Filling & Sealing (mm/dd/yyyy) 6/25/2013	Date Received
Street or Route 10200 North Port Washington Road Ste. 200		Telephone Number (262) 377-9828	Comments
City Mequon	State WI	ZIP Code 53092	Signature of Person Doing Work <i>J. Bennequin</i>
			Date Signed 6/20/14

Notice: Completion of this report is required by chs. 160, 281, 283, 289, 291-293, 295, and 299, Wis. Stats., and ch. NR 141, Wis. Adm. Code. In accordance with chs. 281, 289, 291-293, 295, and 299, Wis. Stats., failure to file this form may result in a forfeiture of between \$10-25,000, or imprisonment for up to one year, depending on the program and conduct involved. Personally identifiable information on this form is not intended to be used for any other purpose. Return this form to the appropriate DNR office and bureau. See instructions on reverse for more information.

Verification Only of Fill and Seal

Route to:

- Drinking Water Watershed/Wastewater Remediation/Redevelopment
 Waste Management Other

1. Well Location Information **2. Facility / Owner Information**

County: Walworth WI Unique Well # of Removed Well: Hicap #:
 Latitude / Longitude (Degrees and Minutes): Method Code (see instructions):
 ° ' " N
 ° ' " W
 ¼ / ¼ NE ¼ SE Section: 6 Township: 2 Range: 17 E W
 or Gov't Lot #:
 Well Street Address:
530 South County Highway H
 Well City, Village or Town: Elkhorn Well ZIP Code: 53121
 Subdivision Name: Lot #:

Facility Name: Getzen Musical Instruments
 Facility ID (FID or PWS): 265006720
 License/Permit/Monitoring #: IP-22
 Original Well Owner: Getzen Musical Instruments
 Present Well Owner: Getzen Musical Instruments
 Mailing Address of Present Owner: 530 South County Highway H
 City of Present Owner: Elkhorn State: WI ZIP Code: 53121

3. Well / Drillhole / Borehole Information

Reason For Removal From Service: No longer needed WI Unique Well # of Replacement Well:
 Monitoring Well Original Construction Date: 6/25/2013
 Water Well If a Well Construction Report is available, please attach.
 Drillhole / Borehole
 Construction Type:
 Drilled Driven (Sandpoint) Dug
 Other (Specify) Geoprobe
 Formation Type:
 Unconsolidated Formation Bedrock
 Total Well Depth From Ground Surface (ft.): 10.0 Casing Diameter (in.): no casing
 Lower Drillhole Diameter (in.): 2.0 Casing Depth (ft.): no casing
 Was well annular space grouted? Yes No Unknown
 If yes, to what depth (feet)? Depth to Water (feet): 5.0

4. Pump, Liner, Screen, Casing & Sealing Material

Pump and piping removed? Yes No N/A
 Liner(s) removed? Yes No N/A
 Screen removed? Yes No N/A
 Casing left in place? Yes No N/A
 Was casing cut off below surface? Yes No N/A
 Did sealing material rise to surface? Yes No N/A
 Did material settle after 24 hours? Yes No N/A
 If yes, was hole retopped? Yes No N/A
 If bentonite chips were used, were they hydrated with water from a known safe source? Yes No N/A
 Required Method of Placing Sealing Material:
 Conductor Pipe-Gravity Conductor Pipe-Pumped
 Screened & Poured Other (Explain) Poured - Gravity (Bentonite Chips)
 Sealing Materials:
 Neat Cement Grout Clay-Sand Slurry (11 lb./gal. wt.)
 Sand-Cement (Concrete) Grout Bentonite-Sand Slurry " "
 Concrete Bentonite Chips
 For Monitoring Wells and Monitoring Well Boreholes Only:
 Bentonite Chips Bentonite - Cement Grout
 Granular Bentonite Bentonite - Sand Slurry

5. Material Used to Fill Well / Drillhole	From (ft.)	To (ft.)	No. Yards, Sacks Sealant or Volume (circle one)	Mix Ratio or Mud Weight
Granular Bentonite	Surface	10.0	1 sack	

6. Comments

7. Supervision of Work **DNR Use Only**

Name of Person or Firm Doing Filling & Sealing: Geosyntec - Jeremiah Johnson License #: Date of Filling & Sealing (mm/dd/yyyy): 6/25/2013 Date Received: Noted By:
 Street or Route: 10200 North Port Washington Road Ste. 200 Telephone Number: (262) 377-9828 Comments:
 City: Mcquon State: WI ZIP Code: 53092 Signature of Person Doing Work: *J. Bernhart* Date Signed: 6/25/14

Notice: Completion of this report is required by chs. 160, 281, 283, 289, 291-293, 295, and 299, Wis. Stats., and ch. NR 141, Wis. Adm. Code. In accordance with chs. 281, 289, 291-293, 295, and 299, Wis. Stats., failure to file this form may result in a forfeiture of between \$10-25,000, or imprisonment for up to one year, depending on the program and conduct involved. Personally identifiable information on this form is not intended to be used for any other purpose. Return this form to the appropriate DNR office and bureau. See instructions on reverse for more information.

Verification Only of Fill and Seal

Route to:

- Drinking Water Watershed/Wastewater Remediation/Redevelopment
 Waste Management Other

1. Well Location Information				2. Facility / Owner Information			
County Walworth		WI Unique Well # of Removed Well		Hicap #		Facility Name Getzen Musical Instruments	
Latitude / Longitude (Degrees and Minutes) ° ' " N ° ' " W				Method Code (see instructions)		Facility ID (FID or PWS) 265006720	
¼ / ¼ NE ¼ SE		Section 6	Township 2	Range 17	<input checked="" type="checkbox"/> E <input type="checkbox"/> W	License/Permit/Monitoring # IP-23	
Well Street Address 530 South County Highway H				Original Well Owner Getzen Musical Instruments			
Well City, Village or Town Elkhorn				Present Well Owner Getzen Musical Instruments			
Subdivision Name				Well ZIP Code 53121		Mailing Address of Present Owner 530 South County Highway H	
				Lot #		City of Present Owner Elkhorn	State WI
						ZIP Code 53121	

3. Well / Drillhole / Borehole Information		4. Pump, Liner, Screen, Casing & Sealing Material			
Reason For Removal From Service No longer needed		WI Unique Well # of Replacement Well			
<input type="checkbox"/> Monitoring Well		Original Construction Date 6/25/2013			
<input type="checkbox"/> Water Well		If a Well Construction Report is available, please attach.			
<input checked="" type="checkbox"/> Drillhole / Borehole					
Construction Type:					
<input type="checkbox"/> Drilled		<input type="checkbox"/> Driven (Sandpoint)		<input type="checkbox"/> Dug	
<input checked="" type="checkbox"/> Other (Specify) Geoprobe					
Formation Type:					
<input checked="" type="checkbox"/> Unconsolidated Formation				<input type="checkbox"/> Bedrock	
Total Well Depth From Ground Surface (ft) 10.0		Casing Diameter (in.) no casing			
Lower Drillhole Diameter (in.) 2.0		Casing Depth (ft.) no casing			
Was well annular space grouted? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> Unknown					
If yes, to what depth (feet)?		Depth to Water (feet) 5.0			

- Pump and piping removed? Yes No N/A
Liner(s) removed? Yes No N/A
Screen removed? Yes No N/A
Casing left in place? Yes No N/A
Was casing cut off below surface? Yes No N/A
Did sealing material rise to surface? Yes No N/A
Did material settle after 24 hours? Yes No N/A
If yes, was hole retopped? Yes No N/A
If bentonite chips were used, were they hydrated with water from a known safe source Yes No N/A

- Required Method of Placing Sealing Material
- Conductor Pipe-Gravity Conductor Pipe-Pumped
 Screened & Poured Other (Explain) Poured - Gravity (Bentonite Chips)

- Sealing Materials
- Neat Cement Grout Clay-Sand Slurry (11 lb./gal. wt.)
 Sand-Cement (Concrete) Grout Bentonite-Sand Slurry " "
 Concrete Bentonite Chips

- For Monitoring Wells and Monitoring Well Boreholes Only:
- Bentonite Chips Bentonite - Cement Grout
 Granular Bentonite Bentonite - Sand Slurry

5. Material Used to Fill Well / Drillhole	From (ft.)	To (ft.)	No. Yards, Sacks Sealant or Volume (circle one)	Mix Ratio or Mud Weight
Granular Bentonite	Surface	10.0	1 sack	

6. Comments

7. Supervision of Work				DNR Use Only	
Name of Person or Firm Doing Filling & Sealing Geosyntec - Jeremiah Johnson		License #	Date of Filling & Sealing (mm/dd/yyyy) 6/25/2013	Date Received	Noted By
Street or Route 10200 North Port Washington Road Ste. 200			Telephone Number (262) 377-9828	Comments	
City Mequon	State WI	ZIP Code 53092	Signature of Person Doing Work <i>J. Bannan</i>	Date Signed 6/20/14	

Notice: Completion of this report is required by chs. 160, 281, 283, 289, 291-293, 295, and 299, Wis. Stats., and ch. NR 141, Wis. Adm. Code. In accordance with chs. 281, 289, 291-293, 295, and 299, Wis. Stats., failure to file this form may result in a forfeiture of between \$10-25,000, or imprisonment for up to one year, depending on the program and conduct involved. Personally identifiable information on this form is not intended to be used for any other purpose. Return this form to the appropriate DNR office and bureau. See instructions on reverse for more information.

Verification Only of Fill and Seal

Route to:

- Drinking Water Watershed/Wastewater Remediation/Redevelopment
 Waste Management Other

1. Well Location Information				2. Facility / Owner Information																											
County Walworth		WI Unique Well # of Removed Well		Hicap #		Facility Name Getzen Musical Instruments																									
Latitude / Longitude (Degrees and Minutes) ° ' " N ° ' " W			Method Code (see instructions)			Facility ID (FID or PWS) 265006720																									
¼ / ¼ NE ¼ SE		Section 6	Township 2	Range 17	<input checked="" type="checkbox"/> E <input type="checkbox"/> W	License/Permit/Monitoring # IP-24																									
Well Street Address 530 South County Highway H				Original Well Owner Getzen Musical Instruments																											
Well City, Village or Town Elkhorn				Present Well Owner Getzen Musical Instruments																											
Well ZIP Code 53121				Mailing Address of Present Owner 530 South County Highway H																											
Subdivision Name				Lot #		City of Present Owner Elkhorn	State WI																								
Reason For Removal From Service No longer needed				WI Unique Well # of Replacement Well																											
3. Well / Drillhole / Borehole Information <input type="checkbox"/> Monitoring Well Original Construction Date <input type="checkbox"/> Water Well 6/25/2013 <input checked="" type="checkbox"/> Drillhole / Borehole If a Well Construction Report is available, please attach.				4. Pump, Liner, Screen, Casing & Sealing Material Pump and piping removed? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A Liner(s) removed? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A Screen removed? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A Casing left in place? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A Was casing cut off below surface? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A Did sealing material rise to surface? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A Did material settle after 24 hours? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A If yes, was hole retopped? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A If bentonite chips were used, were they hydrated with water from a known safe source? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A																											
Construction Type: <input type="checkbox"/> Drilled <input type="checkbox"/> Driven (Sandpoint) <input type="checkbox"/> Dug <input checked="" type="checkbox"/> Other (Specify) <u>Geoprobe</u>				Required Method of Placing Sealing Material <input type="checkbox"/> Conductor Pipe-Gravity <input type="checkbox"/> Conductor Pipe-Pumped <input type="checkbox"/> Screened & Poured <input checked="" type="checkbox"/> Other (Explain) Poured - Gravity (Bentonite Chips)																											
Formation Type: <input checked="" type="checkbox"/> Unconsolidated Formation <input type="checkbox"/> Bedrock		Total Well Depth From Ground Surface (ft) 10.0		Casing Diameter (in.) no casing		Sealing Materials <input type="checkbox"/> Neat Cement Grout <input type="checkbox"/> Clay-Sand Slurry (11 lb./gal. wt.) <input type="checkbox"/> Sand-Cement (Concrete) Grout <input type="checkbox"/> Bentonite-Sand Slurry " " <input type="checkbox"/> Concrete <input type="checkbox"/> Bentonite Chips																									
Lower Drillhole Diameter (in.) 2.0		Casing Depth (ft.) no casing		For Monitoring Wells and Monitoring Well Boreholes Only: <input type="checkbox"/> Bentonite Chips <input type="checkbox"/> Bentonite - Cement Grout <input checked="" type="checkbox"/> Granular Bentonite <input type="checkbox"/> Bentonite - Sand Slurry																											
Was well annular space grouted? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> Unknown				<table border="1" style="width:100%; border-collapse: collapse;"> <thead> <tr> <th colspan="2">5. Material Used to Fill Well / Drillhole</th> <th>From (ft.)</th> <th>To (ft.)</th> <th>No. Yards, Sacks Sealant or Volume (circle one)</th> <th>Mix Ratio or Mud Weight</th> </tr> </thead> <tbody> <tr> <td colspan="2">Granular Bentonite</td> <td>Surface</td> <td>10.0</td> <td>1 sack</td> <td></td> </tr> <tr> <td colspan="2"> </td> <td> </td> <td> </td> <td> </td> <td> </td> </tr> <tr> <td colspan="2"> </td> <td> </td> <td> </td> <td> </td> <td> </td> </tr> </tbody> </table>				5. Material Used to Fill Well / Drillhole		From (ft.)	To (ft.)	No. Yards, Sacks Sealant or Volume (circle one)	Mix Ratio or Mud Weight	Granular Bentonite		Surface	10.0	1 sack													
5. Material Used to Fill Well / Drillhole		From (ft.)	To (ft.)	No. Yards, Sacks Sealant or Volume (circle one)	Mix Ratio or Mud Weight																										
Granular Bentonite		Surface	10.0	1 sack																											
If yes, to what depth (feet)?				Depth to Water (feet) 5.0																											
6. Comments																															
7. Supervision of Work						DNR Use Only																									
Name of Person or Firm Doing Filling & Sealing Geosyntec - Jeremiah Johnson			License #		Date of Filling & Sealing (mm/dd/yyyy) 6/25/2013		Date Received																								
Street or Route 10200 North Port Washington Road Ste. 200			Telephone Number (262) 377-9828		Comments		Noted By																								
City Mequon		State WI	ZIP Code 53092		Signature of Person Doing Work <i>J. Bannantue</i>		Date Signed 6/20/14																								

Notice: Completion of this report is required by chs. 160, 281, 283, 289, 291-293, 295, and 299, Wis. Stats., and ch. NR 141, Wis. Adm. Code. In accordance with chs. 281, 289, 291-293, 295, and 299, Wis. Stats., failure to file this form may result in a forfeiture of between \$10-25,000, or imprisonment for up to one year, depending on the program and conduct involved. Personally identifiable information on this form is not intended to be used for any other purpose. Return this form to the appropriate DNR office and bureau. See instructions on reverse for more information.

Verification Only of Fill and Seal

Route to:

- Drinking Water Watershed/Wastewater Remediation/Redevelopment
 Waste Management Other

1. Well Location Information **2. Facility / Owner Information**

County Walworth		WI Unique Well # of Removed Well		Hicap #		Facility Name Getzen Musical Instruments			
Latitude / Longitude (Degrees and Minutes)		Method Code (see instructions)				Facility ID (FID or PWS) 265006720			
° ' " N ° ' " W		Section 6		Township 2		Range 17		License/Permit/Monitoring # IP-25	
1/4 1/4 NE or Gov't Lot #		1/4 SE		E W		Original Well Owner Getzen Musical Instruments			
Well Street Address 530 South County Highway H						Present Well Owner Getzen Musical Instruments			
Well City, Village or Town Elkhorn				Well ZIP Code 53121		Mailing Address of Present Owner 530 South County Highway H			
Subdivision Name				Lot #		City of Present Owner Elkhorn		State WI	ZIP Code 53121

4. Pump, Liner, Screen, Casing & Sealing Material

Reason For Removal From Service No longer needed		WI Unique Well # of Replacement Well		Pump and piping removed? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	
3. Well / Drillhole / Borehole Information		Original Construction Date 6/25/2013		Liner(s) removed? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	
<input type="checkbox"/> Monitoring Well		If a Well Construction Report is available, please attach.		Screen removed? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	
<input type="checkbox"/> Water Well				Casing left in place? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	
<input checked="" type="checkbox"/> Drillhole / Borehole				Was casing cut off below surface? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	
Construction Type:				Did sealing material rise to surface? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A	
<input type="checkbox"/> Drilled		<input type="checkbox"/> Driven (Sandpoint)		Did material settle after 24 hours? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	
<input checked="" type="checkbox"/> Other (Specify) <u>Geoprobe</u>				If yes, was hole retopped? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	
Formation Type:				If bentonite chips were used, were they hydrated with water from a known safe source <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	
<input checked="" type="checkbox"/> Unconsolidated Formation		<input type="checkbox"/> Bedrock		Required Method of Placing Sealing Material	
Total Well Depth From Ground Surface (ft) 10.0		Casing Diameter (in.) no casing		<input type="checkbox"/> Conductor Pipe-Gravity	
Lower Drillhole Diameter (in.) 2.0		Casing Depth (ft.) no casing		<input type="checkbox"/> Conductor Pipe-Pumped	
Was well annular space grouted? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> Unknown				<input type="checkbox"/> Screened & Poured	
If yes, to what depth (feet)?		Depth to Water (feet) 5.0		<input checked="" type="checkbox"/> Other (Explain) Poured - Gravity (Bentonite Chips)	
				Sealing Materials	
				<input type="checkbox"/> Neat Cement Grout	
				<input type="checkbox"/> Sand-Cement (Concrete) Grout	
				<input type="checkbox"/> Concrete	
				<input type="checkbox"/> Clay-Sand Slurry (11 lb./gal. wt.)	
				<input type="checkbox"/> Bentonite-Sand Slurry " "	
				<input type="checkbox"/> Bentonite Chips	
				For Monitoring Wells and Monitoring Well Boreholes Only:	
				<input type="checkbox"/> Bentonite Chips	
				<input type="checkbox"/> Bentonite - Cement Grout	
				<input checked="" type="checkbox"/> Granular Bentonite	
				<input type="checkbox"/> Bentonite - Sand Slurry	

5. Material Used to Fill Well / Drillhole	From (ft.)	To (ft.)	No. Yards, Sacks Sealant or Volume (circle one)	Mix Ratio or Mud Weight
Granular Bentonite	Surface	10.0	1 sack	

6. Comments

7. Supervision of Work			DNR Use Only	
Name of Person or Firm Doing Filling & Sealing Geosyntec - Jeremiah Johnson		License #	Date of Filling & Sealing (mm/dd/yyyy) 6/25/2013	Date Received
Street or Route 10200 North Port Washington Road Ste. 200		State	Telephone Number (262) 377-9828	Noted By
City Mequon	State WI	ZIP Code 53092	Signature of Person Doing Work <i>J. Bonaventura</i>	Date Signed 6/20/14

Notice: Completion of this report is required by chs. 160, 281, 283, 289, 291-293, 295, and 299, Wis. Stats., and ch. NR 141, Wis. Adm. Code. In accordance with chs. 281, 289, 291-293, 295, and 299, Wis. Stats., failure to file this form may result in a forfeiture of between \$10-25,000, or imprisonment for up to one year, depending on the program and conduct involved. Personally identifiable information on this form is not intended to be used for any other purpose. Return this form to the appropriate DNR office and bureau. See instructions on reverse for more information.

Verification Only of Fill and Seal

Route to:

- Drinking Water Watershed/Wastewater Remediation/Redevelopment
 Waste Management Other

1. Well Location Information **2. Facility / Owner Information**

County Walworth	WI Unique Well # of Removed Well	Hicap #	Facility Name Getzen Musical Instruments
Latitude / Longitude (Degrees and Minutes) " ' N " ' W	Method Code (see instructions)		Facility ID (FID or PWS) 265006720
1/4 NE 1/4 SE	Section 6	Township 2	License/Permit/Monitoring # IP-26
or Gov't Lot #	Range 17	<input checked="" type="checkbox"/> E <input type="checkbox"/> W	Original Well Owner Getzen Musical Instruments
Well Street Address 530 South County Highway H			Present Well Owner Getzen Musical Instruments
Well City, Village or Town Elkhorn		Well ZIP Code 53121	Mailing Address of Present Owner 530 South County Highway H
Subdivision Name		Lot #	City of Present Owner Elkhorn
			State WI
			ZIP Code 53121

4. Pump, Liner, Screen, Casing & Sealing Material

Reason For Removal From Service No longer needed	WI Unique Well # of Replacement Well	Pump and piping removed? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A
3. Well / Drillhole / Borehole Information		Liner(s) removed? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A
<input type="checkbox"/> Monitoring Well	Original Construction Date 6/25/2013	Screen removed? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A
<input type="checkbox"/> Water Well	If a Well Construction Report is available, please attach.	Casing left in place? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A
<input checked="" type="checkbox"/> Drillhole / Borehole		Was casing cut off below surface? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A
Construction Type: <input type="checkbox"/> Drilled <input type="checkbox"/> Driven (Sandpoint) <input type="checkbox"/> Dug		Did sealing material rise to surface? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A
<input checked="" type="checkbox"/> Other (Specify) Geoprobe		Did material settle after 24 hours? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A
Formation Type: <input checked="" type="checkbox"/> Unconsolidated Formation <input type="checkbox"/> Bedrock		If bentonite chips were used, were they hydrated with water from a known safe source? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A
Total Well Depth From Ground Surface (ft) 10.0	Casing Diameter (in.) no casing	Required Method of Placing Sealing Material: <input type="checkbox"/> Conductor Pipe-Gravity <input type="checkbox"/> Conductor Pipe-Pumped <input type="checkbox"/> Screened & Poured <input checked="" type="checkbox"/> Other (Explain) Poured - Gravity (Bentonite Chips)
Lower Drillhole Diameter (in.) 2.0	Casing Depth (ft.) no casing	Sealing Materials: <input type="checkbox"/> Neat Cement Grout <input type="checkbox"/> Clay-Sand Slurry (11 lb./gal. wt.) <input type="checkbox"/> Sand-Cement (Concrete) Grout <input type="checkbox"/> Bentonite-Sand Slurry " " <input type="checkbox"/> Concrete <input type="checkbox"/> Bentonite Chips
Was well annular space grouted? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> Unknown	Depth to Water (feet) 5.0	For Monitoring Wells and Monitoring Well Boreholes Only: <input type="checkbox"/> Bentonite Chips <input type="checkbox"/> Bentonite - Cement Grout <input checked="" type="checkbox"/> Granular Bentonite <input type="checkbox"/> Bentonite - Sand Slurry

5. Material Used to Fill Well / Drillhole	From (ft.)	To (ft.)	No. Yards, Sacks Sealant or Volume (circle one)	Mix Ratio or Mud Weight
Granular Bentonite	Surface	10.0	1 sack	

6. Comments

7. Supervision of Work **DNR Use Only**

Name of Person or Firm Doing Filling & Sealing Geosyntec - Jeremiah Johnson	License #	Date of Filling & Sealing (mm/dd/yyyy) 6/25/2013	Date Received	Noted By
Street or Route 10200 North Port Washington Road Ste. 200		Telephone Number (262) 377-9828	Comments	
City Mequon	State WI	ZIP Code 53092	Signature of Person Doing Work <i>J. Bannant...</i>	Date Signed 6/20/14

Notice: Completion of this report is required by chs. 160, 281, 283, 289, 291-293, 295, and 299, Wis. Stats., and ch. NR 141, Wis. Adm. Code. In accordance with chs. 281, 289, 291-293, 295, and 299, Wis. Stats., failure to file this form may result in a forfeiture of between \$10-25,000, or imprisonment for up to one year, depending on the program and conduct involved. Personally identifiable information on this form is not intended to be used for any other purpose. Return this form to the appropriate DNR office and bureau. See instructions on reverse for more information.

Verification Only of Fill and Seal

Route to:

- Drinking Water Watershed/Wastewater Remediation/Redevelopment
 Waste Management Other

1. Well Location Information **2. Facility / Owner Information**

County Walworth	WI Unique Well # of Removed Well	Hicap #	Facility Name Getzen Musical Instruments
Latitude / Longitude (Degrees and Minutes) ° ' " N ° ' " W	Method Code (see instructions)	Facility ID (FID or PWS) 265006720	License/Permit/Monitoring # IP-27
¼ / ¼ NE ¼ SE	Section 6	Township 2	Range 17
or Gov't Lot #		<input checked="" type="checkbox"/> E <input type="checkbox"/> W	Original Well Owner Getzen Musical Instruments
Well Street Address 530 South County Highway H	Well City, Village or Town Elkhorn	Well ZIP Code 53121	Present Well Owner Getzen Musical Instruments
Subdivision Name	Lot #	City of Present Owner Elkhorn	Mailing Address of Present Owner 530 South County Highway H
Reason For Removal From Service No longer needed	WI Unique Well # of Replacement Well	State WI	ZIP Code 53121

3. Well / Drillhole / Borehole Information **4. Pump, Liner, Screen, Casing & Sealing Material**

<input type="checkbox"/> Monitoring Well	Original Construction Date 6/26/2013	Pump and piping removed?	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A
<input type="checkbox"/> Water Well	If a Well Construction Report is available, please attach.	Liner(s) removed?	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A
<input checked="" type="checkbox"/> Drillhole / Borehole		Screen removed?	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A
Construction Type: <input type="checkbox"/> Drilled <input type="checkbox"/> Driven (Sandpoint) <input type="checkbox"/> Dug		Casing left in place?	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A
<input checked="" type="checkbox"/> Other (Specify) Geoprobe		Was casing cut off below surface?	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A
Formation Type: <input checked="" type="checkbox"/> Unconsolidated Formation <input type="checkbox"/> Bedrock		Did sealing material rise to surface?	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A
Total Well Depth From Ground Surface (ft) 10.0	Casing Diameter (in.) no casing	Did material settle after 24 hours?	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A
Lower Drillhole Diameter (in.) 2.0	Casing Depth (ft.) no casing	If yes, was hole retopped?	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A
Was well annular space grouted? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> Unknown	Depth to Water (feet) 5.0	If bentonite chips were used, were they hydrated with water from a known safe source	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A
		Required Method of Placing Sealing Material	<input type="checkbox"/> Conductor Pipe-Gravity <input type="checkbox"/> Conductor Pipe-Pumped
			<input type="checkbox"/> Screened & Poured <input checked="" type="checkbox"/> Other (Explain) Poured - Gravity (Bentonite Chips)
		Sealing Materials	<input type="checkbox"/> Neat Cement Grout <input type="checkbox"/> Clay-Sand Slurry (11 lb./gal. wt.)
			<input type="checkbox"/> Sand-Cement (Concrete) Grout <input type="checkbox"/> Bentonite-Sand Slurry " "
			<input type="checkbox"/> Concrete <input type="checkbox"/> Bentonite Chips
		For Monitoring Wells and Monitoring Well Boreholes Only:	<input type="checkbox"/> Bentonite Chips <input type="checkbox"/> Bentonite - Cement Grout
			<input checked="" type="checkbox"/> Granular Bentonite <input type="checkbox"/> Bentonite - Sand Slurry

5. Material Used to Fill Well / Drillhole	From (ft.)	To (ft.)	No. Yards, Sacks Sealant or Volume (circle one)	Mix Ratio or Mud Weight
Granular Bentonite	Surface	10.0	1 sack	

6. Comments

7. Supervision of Work			DNR Use Only	
Name of Person or Firm Doing Filling & Sealing Geosyntec - Jeremiah Johnson	License #	Date of Filling & Sealing (mm/dd/yyyy) 6/26/2013	Date Received	Noted By
Street or Route 10200 North Port Washington Road Ste. 200	City Mequon	State WI	ZIP Code 53092	Telephone Number (262) 377-9828
Signature of Person Doing Work <i>J. Bannant</i>			Comments	Date Signed 6/20/14

Notice: Completion of this report is required by chs. 160, 281, 283, 289, 291-293, 295, and 299, Wis. Stats., and ch. NR 141, Wis. Adm. Code. In accordance with chs. 281, 289, 291-293, 295, and 299, Wis. Stats., failure to file this form may result in a forfeiture of between \$10-25,000, or imprisonment for up to one year, depending on the program and conduct involved. Personally identifiable information on this form is not intended to be used for any other purpose. Return this form to the appropriate DNR office and bureau. See instructions on reverse for more information.

Verification Only of Fill and Seal

Route to:

- Drinking Water Watershed/Wastewater Remediation/Redevelopment
 Waste Management Other _____

1. Well Location Information **2. Facility / Owner Information**

County Walworth	WI Unique Well # of Removed Well	Hicap #	Facility Name Getzen Musical Instruments
Latitude / Longitude (Degrees and Minutes) " ' N " ' W	Method Code (see instructions)	Facility ID (FID or PWS) 265006720	License/Permit/Monitoring # IP-28
¼ / ¼ NE ¼ SE	Section 6	Township 2	Range 17
or Gov't Lot #		<input checked="" type="checkbox"/> E <input type="checkbox"/> W	Original Well Owner Getzen Musical Instruments
Well Street Address 530 South County Highway H	Well City, Village or Town Elkhorn	Well ZIP Code 53121	Present Well Owner Getzen Musical Instruments
Subdivision Name	Lot #	City of Present Owner Elkhorn	Mailing Address of Present Owner 530 South County Highway H
		State WI	ZIP Code 53121

4. Pump, Liner, Screen, Casing & Sealing Material

Reason For Removal From Service No longer needed.	WI Unique Well # of Replacement Well	Pump and piping removed? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A
		Liner(s) removed? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A
		Screen removed? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A
		Casing left in place? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A
		Was casing cut off below surface? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A
		Did sealing material rise to surface? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A
		Did material settle after 24 hours? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A
		If yes, was hole retopped? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A
		If bentonite chips were used, were they hydrated with water from a known safe source <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A

3. Well / Drillhole / Borehole Information

<input type="checkbox"/> Monitoring Well	Original Construction Date 6/26/2013
<input type="checkbox"/> Water Well	If a Well Construction Report is available, please attach.
<input checked="" type="checkbox"/> Drillhole / Borehole	
Construction Type: <input type="checkbox"/> Drilled <input type="checkbox"/> Driven (Sandpoint) <input type="checkbox"/> Dug	
<input checked="" type="checkbox"/> Other (Specify) <u>Geoprobe</u>	
Formation Type: <input checked="" type="checkbox"/> Unconsolidated Formation <input type="checkbox"/> Bedrock	
Total Well Depth From Ground Surface (ft) 10.0	Casing Diameter (in.) no casing
Lower Drillhole Diameter (in.) 2.0	Casing Depth (ft.) no casing
Was well annular space grouted? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> Unknown	Depth to Water (feet) 5.0

5. Material Used to Fill Well / Drillhole	From (ft.)	To (ft.)	No. Yards, Sacks Sealant or Volume (circle one)	Mix Ratio or Mud Weight
Granular Bentonite	Surface	10.0	1 sack	

6. Comments

7. Supervision of Work			DNR Use Only	
Name of Person or Firm Doing Filling & Sealing Geosyntec - Jeremiah Johnson	License #	Date of Filling & Sealing (mm/dd/yyyy) 6/26/2013	Date Received	Noted By
Street or Route 10200 North Port Washington Road Ste. 200	Telephone Number (262) 377-9828	Signature of Person Doing Work <i>J. Bannantus</i>	Comments	
City Mequon	State WI	ZIP Code 53092	Date Signed 6/26/14	

Notice: Completion of this report is required by chs. 160, 281, 283, 289, 291-293, 295, and 299, Wis. Stats., and ch. NR 141, Wis. Adm. Code. In accordance with chs. 281, 289, 291-293, 295, and 299, Wis. Stats., failure to file this form may result in a forfeiture of between \$10-25,000, or imprisonment for up to one year, depending on the program and conduct involved. Personally identifiable information on this form is not intended to be used for any other purpose. Return this form to the appropriate DNR office and bureau. See instructions on reverse for more information.

Verification Only of Fill and Seal

Route to:

- Drinking Water Watershed/Wastewater Remediation/Redevelopment
 Waste Management Other

1. Well Location Information

County Walworth	WI Unique Well # of Removed Well	Hicap #
Latitude / Longitude (Degrees and Minutes)		Method Code (see instructions)
° ' " N	° ' " W	
¼ / ¼ NE	¼ SE	Section 6
or Gov't Lot #		Township 2
		Range 17 <input checked="" type="checkbox"/> E <input type="checkbox"/> W
Well Street Address 530 South County Highway H		
Well City, Village or Town Elkhorn		Well ZIP Code 53121
Subdivision Name		Lot #
Reason For Removal From Service No longer needed	WI Unique Well # of Replacement Well	

2. Facility / Owner Information

Facility Name Getzen Musical Instruments		
Facility ID (FID or PWS) 265006720		
License/Permit/Monitoring # TP-29		
Original Well Owner Getzen Musical Instruments		
Present Well Owner Getzen Musical Instruments		
Mailing Address of Present Owner 530 South County Highway H		
City of Present Owner Elkhorn	State WI	ZIP Code 53121

3. Well / Drillhole / Borehole Information

<input type="checkbox"/> Monitoring Well	Original Construction Date 6/26/2013
<input type="checkbox"/> Water Well	If a Well Construction Report is available, please attach.
<input checked="" type="checkbox"/> Drillhole / Borehole	
Construction Type: <input type="checkbox"/> Drilled <input type="checkbox"/> Driven (Sandpoint) <input type="checkbox"/> Dug <input checked="" type="checkbox"/> Other (Specify) Geoprobe	
Formation Type: <input checked="" type="checkbox"/> Unconsolidated Formation <input type="checkbox"/> Bedrock	
Total Well Depth From Ground Surface (ft) 10.0	Casing Diameter (in.) no casing
Lower Drillhole Diameter (in.) 2.0	Casing Depth (ft.) no casing
Was well annular space grouted? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> Unknown	
If yes, to what depth (feet)?	Depth to Water (feet) 5.0

4. Pump, Liner, Screen, Casing & Sealing Material

Pump and piping removed?	<input type="checkbox"/> Yes	<input type="checkbox"/> No	<input checked="" type="checkbox"/> N/A
Liner(s) removed?	<input type="checkbox"/> Yes	<input type="checkbox"/> No	<input checked="" type="checkbox"/> N/A
Screen removed?	<input type="checkbox"/> Yes	<input type="checkbox"/> No	<input checked="" type="checkbox"/> N/A
Casing left in place?	<input type="checkbox"/> Yes	<input type="checkbox"/> No	<input checked="" type="checkbox"/> N/A
Was casing cut off below surface?	<input type="checkbox"/> Yes	<input type="checkbox"/> No	<input checked="" type="checkbox"/> N/A
Did sealing material rise to surface?	<input checked="" type="checkbox"/> Yes	<input type="checkbox"/> No	<input type="checkbox"/> N/A
Did material settle after 24 hours?	<input type="checkbox"/> Yes	<input checked="" type="checkbox"/> No	<input type="checkbox"/> N/A
If yes, was hole retopped?	<input type="checkbox"/> Yes	<input type="checkbox"/> No	<input checked="" type="checkbox"/> N/A
If bentonite chips were used, were they hydrated with water from a known safe source	<input checked="" type="checkbox"/> Yes	<input type="checkbox"/> No	<input type="checkbox"/> N/A
Required Method of Placing Sealing Material			
<input type="checkbox"/> Conductor Pipe-Gravity	<input type="checkbox"/> Conductor Pipe-Pumped		
<input type="checkbox"/> Screened & Poured	<input checked="" type="checkbox"/> Other (Explain) Poured - Gravity (Bentonite Chips)		
Sealing Materials			
<input type="checkbox"/> Neat Cement Grout	<input type="checkbox"/> Clay-Sand Slurry (11 lb./gal. wt.)		
<input type="checkbox"/> Sand-Cement (Concrete) Grout	<input type="checkbox"/> Bentonite-Sand Slurry " "		
<input type="checkbox"/> Concrete	<input type="checkbox"/> Bentonite Chips		
For Monitoring Wells and Monitoring Well Boreholes Only:			
<input type="checkbox"/> Bentonite Chips	<input type="checkbox"/> Bentonite - Cement Grout		
<input checked="" type="checkbox"/> Granular Bentonite	<input type="checkbox"/> Bentonite - Sand Slurry		

5. Material Used to Fill Well / Drillhole

	From (ft.)	To (ft.)	No. Yards, Sacks Sealant or Volume (circle one)	Mix Ratio or Mud Weight
Granular Bentonite	Surface	10.0	1 sack	

6. Comments

7. Supervision of Work

			DNR Use Only	
Name of Person or Firm Doing Filling & Sealing Geosyntec - Jeremiah Johnson	License #	Date of Filling & Sealing (mm/dd/yyyy) 6/26/2013	Date Received	Noted By
Street or Route 10200 North Port Washington Road Ste. 200		Telephone Number (262) 377-9828	Comments	
City Mequon	State WI	ZIP Code 53092	Signature of Person Doing Work <i>J. Bannant</i>	Date Signed 6/20/14

Notice: Completion of this report is required by chs. 160, 281, 283, 289, 291-293, 295, and 299, Wis. Stats., and ch. NR 141, Wis. Adm. Code. In accordance with chs. 281, 289, 291-293, 295, and 299, Wis. Stats., failure to file this form may result in a forfeiture of between \$10-25,000, or imprisonment for up to one year, depending on the program and conduct involved. Personally identifiable information on this form is not intended to be used for any other purpose. Return this form to the appropriate DNR office and bureau. See instructions on reverse for more information.

Verification Only of Fill and Seal

Route to:

- Drinking Water Watershed/Wastewater Remediation/Redevelopment
 Waste Management Other

1. Well Location Information **2. Facility / Owner Information**

County Walworth	WI Unique Well # of Removed Well	Hicap #	Facility Name Getzen Musical Instruments
Latitude / Longitude (Degrees and Minutes) " ' N " ' W		Method Code (see instructions)	Facility ID (FID or PWS) 265006720
¼ / ¼ NE or Gov't Lot #	¼ SE	Section 6	License/Permit/Monitoring # IP-30
Well Street Address 530 South County Highway H		Township 2	Original Well Owner Getzen Musical Instruments
Well City, Village or Town Elkhorn		Range 17	Present Well Owner Getzen Musical Instruments
Subdivision Name		Lot #	Mailing Address of Present Owner 530 South County Highway H
Reason For Removal From Service No longer needed		WI Unique Well # of Replacement Well	City of Present Owner Elkhorn
Well ZIP Code 53121		State WI	ZIP Code 53121

3. Well / Drillhole / Borehole Information **4. Pump, Liner, Screen, Casing & Sealing Material**

<input type="checkbox"/> Monitoring Well <input type="checkbox"/> Water Well <input checked="" type="checkbox"/> Drillhole / Borehole	Original Construction Date 6/26/2013	Pump and piping removed? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A Liner(s) removed? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A Screen removed? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A Casing left in place? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A
Construction Type: <input type="checkbox"/> Drilled <input type="checkbox"/> Driven (Sandpoint) <input type="checkbox"/> Dug <input checked="" type="checkbox"/> Other (Specify) <u>Geoprobe</u>	If a Well Construction Report is available, please attach.	Was casing cut off below surface? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A Did sealing material rise to surface? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A Did material settle after 24 hours? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A If yes, was hole retopped? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A If bentonite chips were used, were they hydrated with water from a known safe source? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A
Formation Type: <input checked="" type="checkbox"/> Unconsolidated Formation <input type="checkbox"/> Bedrock	Required Method of Placing Sealing Material: <input type="checkbox"/> Conductor Pipe-Gravity <input type="checkbox"/> Conductor Pipe-Pumped <input type="checkbox"/> Screened & Poured <input checked="" type="checkbox"/> Other (Explain) <u>Poured - Gravity (Bentonite Chips)</u>	Sealing Materials: <input type="checkbox"/> Neat Cement Grout <input type="checkbox"/> Clay-Sand Slurry (11 lb./gal. wt.) <input type="checkbox"/> Sand-Cement (Concrete) Grout <input type="checkbox"/> Bentonite-Sand Slurry " " <input type="checkbox"/> Concrete <input type="checkbox"/> Bentonite Chips
Total Well Depth From Ground Surface (ft.) 10.0 Casing Diameter (in.) no casing	Lower Drillhole Diameter (in.) 2.0 Casing Depth (ft.) no casing	For Monitoring Wells and Monitoring Well Boreholes Only: <input type="checkbox"/> Bentonite Chips <input type="checkbox"/> Bentonite - Cement Grout <input checked="" type="checkbox"/> Granular Bentonite <input type="checkbox"/> Bentonite - Sand Slurry
Was well annular space grouted? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> Unknown If yes, to what depth (feet)? 5.0	Depth to Water (feet) 5.0	

5. Material Used to Fill Well / Drillhole	From (ft.)	To (ft.)	No. Yards, Sacks Sealant or Volume (circle one)	Mix Ratio or Mud Weight
Granular Bentonite	Surface	10.0	1 sack	

6. Comments

7. Supervision of Work			DNR Use Only	
Name of Person or Firm Doing Filling & Sealing Geosyntec - Jeremiah Johnson	License #	Date of Filling & Sealing (mm/dd/yyyy) 6/26/2013	Date Received	Noted By
Street or Route 10200 North Port Washington Road Ste. 200		Telephone Number (262) 377-9828	Comments	
City Mequon	State WI	ZIP Code 53092	Signature of Person Doing Work <i>J. Bannan</i>	Date Signed 6/20/14

Notice: Completion of this report is required by chs. 160, 281, 283, 289, 291-293, 295, and 299, Wis. Stats., and ch. NR 141, Wis. Adm. Code. In accordance with chs. 281, 289, 291-293, 295, and 299, Wis. Stats., failure to file this form may result in a forfeiture of between \$10-25,000, or imprisonment for up to one year, depending on the program and conduct involved. Personally identifiable information on this form is not intended to be used for any other purpose. Return this form to the appropriate DNR office and bureau. See instructions on reverse for more information.

Verification Only of Fill and Seal

Route to:

- Drinking Water Watershed/Wastewater Remediation/Redevelopment
 Waste Management Other

1. Well Location Information **2. Facility / Owner Information**

County Walworth		WI Unique Well # of Removed Well		Hicap #		Facility Name Getzen Musical Instruments			
Latitude / Longitude (Degrees and Minutes) ° ' " N ° ' " W			Method Code (see instructions)			Facility ID (FID or PWS) 265006720			
¼ / ¼ NE		¼ SE		Section 6		Township 2		Range <input checked="" type="checkbox"/> E <input type="checkbox"/> W 17	
or Gov't Lot #								License/Permit/Monitoring # IP-31	
Well Street Address 530 South County Highway H						Original Well Owner Getzen Musical Instruments			
Well City, Village or Town Elkhorn						Present Well Owner Getzen Musical Instruments			
Subdivision Name						Mailing Address of Present Owner 530 South County Highway H			
Well ZIP Code 53121						City of Present Owner Elkhorn		State WI	ZIP Code 53121
Reason For Removal From Service No longer needed						4. Pump, Liner, Screen, Casing & Sealing Material			
WI Unique Well # of Replacement Well						Pump and piping removed? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A Liner(s) removed? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A Screen removed? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A Casing left in place? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A Was casing cut off below surface? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A Did sealing material rise to surface? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A Did material settle after 24 hours? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A If yes, was hole retopped? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A If bentonite chips were used, were they hydrated with water from a known safe source? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A			

3. Well / Drillhole / Borehole Information

<input type="checkbox"/> Monitoring Well <input type="checkbox"/> Water Well <input checked="" type="checkbox"/> Drillhole / Borehole		Original Construction Date 6/26/2013	
If a Well Construction Report is available, please attach.			
Construction Type: <input type="checkbox"/> Drilled <input type="checkbox"/> Driven (Sandpoint) <input type="checkbox"/> Dug <input checked="" type="checkbox"/> Other (Specify) Geoprobe			
Formation Type: <input checked="" type="checkbox"/> Unconsolidated Formation <input type="checkbox"/> Bedrock			
Total Well Depth From Ground Surface (ft) 10.0		Casing Diameter (in.) no casing	
Lower Drillhole Diameter (in.) 2.0		Casing Depth (ft.) no casing	
Was well annular space grouted? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> Unknown			
If yes, to what depth (feet)?		Depth to Water (feet) 5.0	

5. Material Used to Fill Well / Drillhole	From (ft.)	To (ft.)	No. Yards, Sacks Sealant or Volume (circle one)	Mix Ratio or Mud Weight
Granular Bentonite	Surface	12.0	1 sack	

6. Comments

7. Supervision of Work			DNR Use Only		
Name of Person or Firm Doing Filling & Sealing Geosyntec - Jeremiah Johnson		License #	Date of Filling & Sealing (mm/dd/yyyy) 6/26/2013	Date Received	Noted By
Street or Route 10200 North Port Washington Road Ste. 200			Telephone Number (262) 377-9828	Comments	
City Mcquon	State WI	ZIP Code 53092	Signature of Person Doing Work <i>J. Bannan</i>		Date Signed 6/20/14

Notice: Completion of this report is required by chs. 160, 281, 283, 289, 291-293, 295, and 299, Wis. Stats., and ch. NR 141, Wis. Adm. Code. In accordance with chs. 281, 289, 291-293, 295, and 299, Wis. Stats., failure to file this form may result in a forfeiture of between \$10-25,000, or imprisonment for up to one year, depending on the program and conduct involved. Personally identifiable information on this form is not intended to be used for any other purpose. Return this form to the appropriate DNR office and bureau. See instructions on reverse for more information.

Verification Only of Fill and Seal

Route to:

- Drinking Water Watershed/Wastewater Remediation/Redevelopment
 Waste Management Other

1. Well Location Information **2. Facility / Owner Information**

County Walworth	WI Unique Well # of Removed Well	Hicap #	Facility Name Getzen Musical Instruments
Latitude / Longitude (Degrees and Minutes) ° ' " N ° ' " W		Method Code (see instructions)	Facility ID (FID or PWS) 265006720
¼ / ¼ NE or Gov't Lot #	¼ SE	Section 6	License/Permit/Monitoring # IP-32
Well Street Address 530 South County Highway H		Township 2	Original Well Owner Getzen Musical Instruments
Well City, Village or Town Elkhorn		Range 17 <input checked="" type="checkbox"/> E <input type="checkbox"/> W	Present Well Owner Getzen Musical Instruments
Well ZIP Code 53121		Mailing Address of Present Owner 530 South County Highway H	
Subdivision Name		Lot #	City of Present Owner Elkhorn
Reason For Removal From Service No longer needed		WI Unique Well # of Replacement Well	State WI
			ZIP Code 53121

3. Well / Drillhole / Borehole Information **4. Pump, Liner, Screen, Casing & Sealing Material**

<input type="checkbox"/> Monitoring Well	Original Construction Date 6/26/2013	Pump and piping removed?	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A
<input type="checkbox"/> Water Well	If a Well Construction Report is available, please attach.	Liner(s) removed?	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A
<input checked="" type="checkbox"/> Drillhole / Borehole		Screen removed?	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A
Construction Type: <input type="checkbox"/> Drilled <input type="checkbox"/> Driven (Sandpoint) <input type="checkbox"/> Dug		Casing left in place?	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A
<input checked="" type="checkbox"/> Other (Specify) Geoprobe		Was casing cut off below surface?	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A
Formation Type: <input checked="" type="checkbox"/> Unconsolidated Formation <input type="checkbox"/> Bedrock		Did sealing material rise to surface?	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A
Total Well Depth From Ground Surface (ft) 10.0	Casing Diameter (in.) no casing	Did material settle after 24 hours?	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A
Lower Drillhole Diameter (in.) 2.0	Casing Depth (ft.) no casing	If yes, was hole retopped?	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A
Was well annular space grouted? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> Unknown	Depth to Water (feet) 5.0	If bentonite chips were used, were they hydrated with water from a known safe source	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A
Required Method of Placing Sealing Material		<input type="checkbox"/> Conductor Pipe-Gravity <input type="checkbox"/> Conductor Pipe-Pumped	
		<input type="checkbox"/> Screened & Poured <input checked="" type="checkbox"/> Other (Explain) Poured - Gravity (Bentonite Chips)	
Sealing Materials		<input type="checkbox"/> Neat Cement Grout <input type="checkbox"/> Clay-Sand Slurry (11 lb./gal. wt.)	
		<input type="checkbox"/> Sand-Cement (Concrete) Grout <input type="checkbox"/> Bentonite-Sand Slurry " "	
		<input type="checkbox"/> Concrete <input type="checkbox"/> Bentonite Chips	
For Monitoring Wells and Monitoring Well Boreholes Only:		<input type="checkbox"/> Bentonite Chips <input type="checkbox"/> Bentonite - Cement Grout	
		<input checked="" type="checkbox"/> Granular Bentonite <input type="checkbox"/> Bentonite - Sand Slurry	

5. Material Used to Fill Well / Drillhole	From (ft.)	To (ft.)	No. Yards, Sacks Sealant or Volume (circle one)	Mix Ratio or Mud Weight
Granular Bentonite	Surface	12.0	1 sack	

6. Comments

7. Supervision of Work **DNR Use Only**

Name of Person or Firm Doing Filling & Sealing Geosyntec - Jeremiah Johnson	License #	Date of Filling & Sealing (mm/dd/yyyy) 6/26/2013	Date Received	Noted By
Street or Route 10200 North Port Washington Road Ste. 200		Telephone Number (262) 377-9828	Comments	
City Mequon	State WI	ZIP Code 53092	Signature of Person Doing Work <i>J. Bannauter</i>	Date Signed 6/20/14

Notice: Completion of this report is required by chs. 160, 281, 283, 289, 291-293, 295, and 299, Wis. Stats., and ch. NR 141, Wis. Adm. Code. In accordance with chs. 281, 289, 291-293, 295, and 299, Wis. Stats., failure to file this form may result in a forfeiture of between \$10-25,000, or imprisonment for up to one year, depending on the program and conduct involved. Personally identifiable information on this form is not intended to be used for any other purpose. Return this form to the appropriate DNR office and bureau. See instructions on reverse for more information.

Verification Only of Fill and Seal

Route to:

- Drinking Water Watershed/Wastewater Remediation/Redevelopment
 Waste Management Other

1. Well Location Information **2. Facility / Owner Information**

County Walworth	WI Unique Well # of Removed Well	Hicap #	Facility Name Getzen Musical Instruments
Latitude / Longitude (Degrees and Minutes) " ' N " ' W		Method Code (see instructions)	Facility ID (FID or PWS) 265006720
1/4 NE	1/4 SE	Section 6	License/Permit/Monitoring # IP-33
or Gov't Lot #		Township 2	Original Well Owner Getzen Musical Instruments
Well Street Address		Range 17	Present Well Owner Getzen Musical Instruments
Well City, Village or Town		<input checked="" type="checkbox"/> E <input type="checkbox"/> W	Mailing Address of Present Owner 530 South County Highway H
Subdivision Name		Well ZIP Code	City of Present Owner Elkhorn
Reason For Removal From Service No longer needed		WI Unique Well # of Replacement Well	State WI
Well ZIP Code		Lot #	ZIP Code 53121

3. Well / Drillhole / Borehole Information **4. Pump, Liner, Screen, Casing & Sealing Material**

<input type="checkbox"/> Monitoring Well <input type="checkbox"/> Water Well <input checked="" type="checkbox"/> Drillhole / Borehole	Original Construction Date 6/26/2013	Pump and piping removed? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A Liner(s) removed? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A Screen removed? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A Casing left in place? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A
Construction Type: <input type="checkbox"/> Drilled <input type="checkbox"/> Driven (Sandpoint) <input type="checkbox"/> Dug <input checked="" type="checkbox"/> Other (Specify) <u>Geoprobe</u>	If a Well Construction Report is available, please attach.	Was casing cut off below surface? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A Did sealing material rise to surface? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A Did material settle after 24 hours? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A If yes, was hole retopped? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A If bentonite chips were used, were they hydrated with water from a known safe source? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A
Formation Type: <input checked="" type="checkbox"/> Unconsolidated Formation <input type="checkbox"/> Bedrock	Total Well Depth From Ground Surface (ft.) 10.0 Casing Diameter (in.) no casing Lower Drillhole Diameter (in.) 2.0 Casing Depth (ft.) no casing	Required Method of Placing Sealing Material <input type="checkbox"/> Conductor Pipe-Gravity <input type="checkbox"/> Conductor Pipe-Pumped <input type="checkbox"/> Screened & Poured <input checked="" type="checkbox"/> Other (Explain) <u>Poured - Gravity (Bentonite Chips)</u>
Was well annular space grouted? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> Unknown If yes, to what depth (feet)? 5.0 Depth to Water (feet) 5.0	Sealing Materials <input type="checkbox"/> Neat Cement Grout <input type="checkbox"/> Clay-Sand Slurry (11 lb./gal. wt.) <input type="checkbox"/> Sand-Cement (Concrete) Grout <input type="checkbox"/> Bentonite-Sand Slurry " " <input type="checkbox"/> Concrete <input type="checkbox"/> Bentonite Chips	For Monitoring Wells and Monitoring Well Boreholes Only: <input type="checkbox"/> Bentonite Chips <input type="checkbox"/> Bentonite - Cement Grout <input checked="" type="checkbox"/> Granular Bentonite <input type="checkbox"/> Bentonite - Sand Slurry

5. Material Used to Fill Well / Drillhole	From (ft.)	To (ft.)	No. Yards, Sacks Sealant or Volume (circle one)	Mix Ratio or Mud Weight
Granular Bentonite	Surface	12.0	1 sack	

6. Comments

7. Supervision of Work			DNR Use Only	
Name of Person or Firm Doing Filling & Sealing Geosyntec - Jeremiah Johnson	License #	Date of Filling & Sealing (mm/dd/yyyy) 6/26/2013	Date Received	Noted By
Street or Route 10200 North Port Washington Road Ste. 200		Telephone Number (262) 377-9828	Comments	
City Mequon	State WI	ZIP Code 53092	Signature of Person Doing Work <i>J. Bannantyne</i>	Date Signed 6/20/14