




August 19, 2002

Ms. Denise Nettlesheim
Wisconsin Department of Natural Resources
2514 Morse Street
Janesville, Wisconsin 53545



RE: Robinson Cleaners
1819 East Milwaukee Street
Janesville, Wisconsin
BRRTS Number 02-54-248342

Dear Ms. Nettlesheim:

URS recently completed a Geoprobe investigation at the Robinson's Dry Cleaners facility, located at 1819 East Milwaukee Street, in Janesville. Soil samples were collected during that investigation to identify the source area of impacts to groundwater. Sample locations are shown on the attached Figure 1. During drilling, continuous samples were collected and screened using a photoionization detector (PID), with an 11.7 meV lamp. Results of the field screening are summarized in Table 1. Although our original work plan indicated that a minimum of one sample from each boring would be submitted for laboratory analyses, the screening results from most locations were virtually non-detect. Consequently, a field decision was made to reduce the number of samples for laboratory analyses.

Based on the results of the field screening, nine samples were forwarded to Northern Lake Services, Inc., in Crandon, Wisconsin for analyses of VOCs by EPA Method 8260. Table 2 summarizes the results of the laboratory analyses. With these results, it is our opinion that we have identified the source area of impacts to groundwater, primarily in the area of borings R-2, R-3 and to a lesser extent, R-6. Consequently, in accordance with our work plan, we plan to proceed with the next phase of site investigation, which is the advancement of borings to identify the full depth of impacts to soil, and the installation of groundwater observation wells.

Because the impacted area appears to extend north from the building to boring R-6, we plan to advance five borings, rather than four, as indicated in our work plan. However, the unit rates specified in our proposal will be maintained. We feel that this additional site characterization with respect to the vertical extent of soil contamination will provide the necessary data to evaluate soil remediation alternatives.

If you have any questions or concerns about the work that has been completed, or our planned second phase of field investigation, please do not hesitate to contact us.

Sincerely,
URS Corporation

Robert J. Nauta, P.G.
Senior Hydrogeologist

cc: Ms. Marcia O'Loughlin
Mr. Ray Gehrig

URS Corporation
5250 East Terrace Drive, Suite I
Madison, WI 53718
Tel: 608.244.5656
Fax: 608.244.1779

**TABLE 1
SOIL HEAD SPACE ANALYSES
ROBINSON'S DRY CLEANERS
1819 EAST MILWAUKEE STREET
JANESVILLE, WISCONSIN**

PROBE	DEPTH	READING	PROBE	DEPTH	READING	PROBE	DEPTH	READING		
ROBIN-01	2	1.0	ROBIN-05	2	1.9	ROBIN-09	2	0.0		
	4	1.8		4	1.6		4	0.6		
	6	2.0		6	1.6		6	0.0		
	8	1.8		8	1.8		8	0.8		
	10	1.3		10	2.1		10	0.1		
	12	2.7		12	1.9		12	0.2		
	14	3.6		15	1.8		15	0.6		
	15	3.2		2	2.4		2	0.1		
ROBIN-02	2	8.5	ROBIN-06	4	2.3	ROBIN-10	4	0.0		
	4	6.9		6	2.1		6	0.5		
	6	19.4		8	1.8		8	0.1		
	8	25.7		10	2.6		10	0.1		
	10	15.3		12	1.2		12	0.0		
	12	5.0		15	1.5		15	0.1		
	14	4.1		2	1.1		2	1.6		
	15	4.5		4	0.3		4	1.5		
ROBIN-03	2	15.9	ROBIN-07	6	0.9	ROBIN-11	6	1.4		
	4	6.3		8	1.5		8	1.8		
	6	3.4		10	1.6		10	1.9		
	8	5.6		12	1.5		12	1.9		
	10	3.2		15	1.0		15	2.1		
	12	3.3		2	1.3		2	0.9		
	15	2.8		4	1.1		4	1.4		
	2	2.5		6	1.1		6	1.0		
ROBIN-04	4	2.5	ROBIN-08	8	1.3	ROBIN-12	8	1.8		
	6	2.6		10	1.6		10	1.8		
	8	2.4		12	1.9		12	1.6		
	10	2.1		15	0.8		15	2.2		
	12	0.6		Sample forwarded for laboratory analyses.						
	15	0.5								

Sample forwarded for laboratory analyses.

TABLE 2
SOIL HEAD SPACE ANALYSES
ROBINSON'S DRY CLEANERS
1819 EAST MILWAUKEE STREET
JANESVILLE, WISCONSIN
Concentrations in µg/kg


PARAMETER ¹	SAMPLE LOCATION AND DEPTH (FEET)								
	ROBIN-02 8	ROBIN-03 2	ROBIN-04 15	ROBIN-06 4	ROBIN-08 12	ROBIN-09 15	ROBIN-10 8	ROBIN-11 15	ROBIN-12 15
cis-1,2-Dichloroethene	5000	450	<16	<16	<16	<16	<16	<16	<16
Naphthalene	<73>	<25	<25	<25	<25	<25	<25	<25	<25
Tetrachloroethene	750	30000	<41>	180	<22	<26>	<22	<22	<22
Trichloroethene	<30>	760	<23	240	<23	<23	<23	<23	<23

1 Full EPA 8260 VOC scan was completed; only parameters detected are presented in the table.


◆ GEOPROBE LOCATION
 NUMBER BELOW IS TOTAL CHLORINATED
 VOC CONCENTRATION IN $\mu\text{g}/\text{kg}$

▲ PROPOSED BORING LOCATION

⊕ PROPOSED WELL LOCATION



APPROXIMATE SCALE IN FEET



ROBINSON'S DRY CLEANERS
 1819 WEST MILWAUKEE STREET
 JANESVILLE, WISCONSIN

FIGURE 1
 GEOPROBE SAMPLE LOCATIONS
 PROPOSED BORING AND
 WELL LOCATIONS

URS

DATE: AUGUST 2002

PROJECT No.: 51279-002



Fax Sheet

5250 East Terrace Drive, Suite I
Madison, Wisconsin 53718
(608) 244-5656 Tel
(608) 244-1779 Fax

To: Denise Nettlesheim	Company: WDNR	Fax Number: 608.743.4801
From: Bob Nauta	Project: Robinson Dry Cleaners 1819 E. Milwaukee Street Janesville	Project No.:
Date: August 20, 2002	Page: 1 of 5	
Subject: Update		

Denise:

Tomorrow, we will be returning to the site for the next phase of the investigation, the drilling. Attached is a brief summary of the work that has been done, and that we are now going to do. If you have any questions, please call me at 608.245.8084.

Thanks,
Bob

C:\FAX\nettesheim.doc

This message is intended only for the use of the individual or entity to which it is addressed, and may contain information that is privileged, confidential, and exempt from disclosure under applicable law. If the reader of the message is not the intended recipient, or the employee or agent responsible for delivering the message, you are hereby notified that any dissemination, distribution or copying of the communication is strictly prohibited. If you have received this communication in error, please notify us immediately by telephone and return the original message to us at the above address via the U.S. Postal Service.



August 19, 2002

Ms. Denise Nettesheim
Wisconsin Department of Natural Resources
2514 Morse Street
Janesville, Wisconsin 53545

RE: Robinson Cleaners
1819 East Milwaukee Street
Janesville, Wisconsin
BRRTS Number 02-54-248342

Dear Ms. Nettesheim:

URS recently completed a Geoprobe investigation at the Robinson's Dry Cleaners facility, located at 1819 East Milwaukee Street, in Janesville. Soil samples were collected during that investigation to identify the source area of impacts to groundwater. Sample locations are shown on the attached Figure 1. During drilling, continuous samples were collected and screened using a photoionization detector (PID), with an 11.7 meV lamp. Results of the field screening are summarized in Table 1. Although our original work plan indicated that a minimum of one sample from each boring would be submitted for laboratory analyses, the screening results from most locations were virtually non-detect. Consequently, a field decision was made to reduce the number of samples for laboratory analyses.

Based on the results of the field screening, nine samples were forwarded to Northern Lake Services, Inc., in Crandon, Wisconsin for analyses of VOCs by EPA Method 8260. Table 2 summarizes the results of the laboratory analyses. With these results, it is our opinion that we have identified the source area of impacts to groundwater, primarily in the area of borings R-2, R-3 and to a lesser extent, R-6. Consequently, in accordance with our work plan, we plan to proceed with the next phase of site investigation, which is the advancement of borings to identify the full depth of impacts to soil, and the installation of groundwater observation wells.

Because the impacted area appears to extend north from the building to boring R-6, we plan to advance five borings, rather than four, as indicated in our work plan. However, the unit rates specified in our proposal will be maintained. We feel that this additional site characterization with respect to the vertical extent of soil contamination will provide the necessary data to evaluate soil remediation alternatives.

If you have any questions or concerns about the work that has been completed, or our planned second phase of field investigation, please do not hesitate to contact us.

Sincerely,
URS Corporation

Robert J. Nauta, P.G.
Senior Hydrogeologist



cc: Ms. Marcia O'Loughlin
Mr. Ray Gehrig

URS Corporation
5250 East Terrace Drive, Suite 1
Madison, WI 53718
Tel: 608.244.5656
Fax: 608.244.1779

◆ GEOPROBE LOCATION
 NUMBER BELOW IS TOTAL CHLORINATED
 VOC CONCENTRATION IN $\mu\text{g}/\text{kg}$

△ PROPOSED BORING LOCATION

◇ PROPOSED WELL LOCATION



ROBINSON'S DRY CLEANERS 1819 WEST MILWAUKEE STREET JANESVILLE, WISCONSIN	
GEOPROBE SAMPLE LOCATIONS PROPOSED BORING AND WELL LOCATIONS	
	DATE: AUGUST 2002
	PROJECT No.: 51279-002

TABLE 1
SOIL HEAD SPACE ANALYSES
ROBINSON'S DRY CLEANERS
1819 EAST MILWAUKEE STREET
JANESVILLE, WISCONSIN

PROBE	DEPTH	READING	PROBE	DEPTH	READING	PROBE	DEPTH	READING		
ROBIN-01	2	1.0	ROBIN-05	2	1.9	ROBIN-09	2	0.0		
	4	1.8		4	1.6		4	0.6		
	6	2.0		6	1.6		6	0.0		
	8	1.8		8	1.8		8	0.8		
	10	1.3		10	2.1		10	0.1		
	12	2.7		12	1.9		12	0.2		
	14	3.6		15	1.8		15	0.6		
	15	3.2		2	2.4		2	0.1		
ROBIN-02	2	8.5	ROBIN-06	4	2.3	ROBIN-10	4	0.0		
	4	6.9		6	2.1		6	0.5		
	6	19.4		8	1.8		8	0.1		
	8	25.7		10	2.6		10	0.1		
	10	15.3		12	1.2		12	0.0		
	12	5.0		15	1.5		15	0.1		
	14	4.1		2	1.1		2	1.6		
	15	4.5		4	0.3		4	1.5		
ROBIN-03	2	15.9	ROBIN-07	6	0.9	ROBIN-11	6	1.4		
	4	6.3		8	1.5		8	1.8		
	6	3.4		10	1.6		10	1.9		
	8	5.6		12	1.5		12	1.9		
	10	3.2		15	1.0		15	2.1		
	12	3.3		2	1.3		2	0.9		
	15	2.8		4	1.1		4	1.4		
ROBIN-04	2	2.5	ROBIN-08	6	1.1	ROBIN-12	6	1.0		
	4	2.5		8	1.3		8	1.8		
	6	2.6		10	1.6		10	1.8		
	8	2.4		12	1.9		12	1.6		
	10	2.1		15	0.8		15	2.2		
	12	0.6								
	15	0.5								

Sample forwarded for laboratory analyses.

TABLE 2
SOIL HEAD SPACE ANALYSES
ROBINSON'S DRY CLEANERS
1819 EAST MILWAUKEE STREET
JANESVILLE, WISCONSIN
 Concentrations in $\mu\text{g}/\text{kg}$

PARAMETER ¹	SAMPLE LOCATION AND DEPTH (FEET)								
	ROBIN-02 8	ROBIN-03 2	ROBIN-04 15	ROBIN-06 4	ROBIN-08 12	ROBIN-09 15	ROBIN-10 8	ROBIN-11 15	ROBIN-12 15
cis-1,2-Dichloroethene	5000	450	<16	<16	<16	<16	<16	<16	<16
Naphthalene	<73>	<25	<25	<25	<25	<25	<25	<25	<25
Tetrachloroethene	750	30000	<41>	180	<22	<26>	<22	<22	<22
Trichloroethene	<30>	760	<23	240	<23	<23	<23	<23	<23

¹ Full EPA 8260 VOC scan was completed; only parameters detected are presented in the table.

Nettesheim, Denise G

From: Bob_Nauta@URSCorp.com(SMTP:Bob_Nauta@URSCorp.com)
Sent: Wednesday, July 17, 2002 10:05 AM
To: Nettesheim, Denise G
Cc: Soellner, Jeffrey K
Subject: Robinson Cleaners - 1819 E. Milwaukee, Janesville

Denise:

On Friday, we completed one day of Geoprobe sampling at the Robinson Cleaners facility on East Milwaukee Street. Because of significant large gravel composition of the shallow deposits, the process was slow. As a result, we were able to complete only 12 sample locations. Consequently, as discussed in our work plan, a second day of Geoprobe sampling may be completed; however, we will wait for the results of the laboratory analyses from last week's sampling before discussing this further.

If you have any questions, please don't hesitate to call or email.

Regards,
Bob

Robert J. Nauta, P.G.
Senior Hydrogeologist
URS Corporation
5250 East Terrace Drive, Suite I
Madison, Wisconsin 53718
Phone: 608.244.5656
Fax: 608.244.1779
Cell: 262.960.1066
e-mail: bob_nauta@urscorp.com