

October 16, 2019



Wisconsin Department of Natural Resources

Attn: Ms. Carrie Stoltz
107 Sutliff Avenue
Rhineland, WI 54501



Subject:

Update Report
Former Kelly's Grand View ICO
Intersection of US Hwy 63 & Raymond Avenue
Grand View, Wisconsin
WDNR BRRTS #03-04-000967
PECFA #54839-9999-67

Dear Ms. Stoltz:

This letter report documents the completion of the final round of approved groundwater sampling from all wells of the Former Kelly's Grand View ICO groundwater monitoring well network. REI personnel also met with an asphalt paving contractor to discuss impervious cap placement.

If you have questions or concerns regarding this report, please contact REI at your convenience at 715-675-9784.

Sincerely,
REI Engineering, Inc.

David Larsen P.G.
Senior Hydrogeologist / Project Manager

Attachments

cc: Mr. Harley Karow, 53270 Cty Hwy D, Grand View, WI 54839



RESPONSIVE. EFFICIENT. INNOVATIVE.

4080 N. 20th Avenue Wausau, WI 54401
715-675-9784 REIengineering.com



REI

**CIVIL & ENVIRONMENTAL
ENGINEERING, SURVEYING**

**UPDATE REPORT
FORMER KELLY'S GRAND VIEW ICO
INTERSECTION OF US HIGHWAY 63
& RAYMOND AVENUE
GRAND VIEW, WISCONSIN**

**WDNR BRRTS #03-04-000967
PECFA #54839-9999-67
REI PROJECT #3783**



**COMPREHENSIVE
SERVICES WITH
PRACTICAL
SOLUTIONS**



UPDATE REPORT

**FORMER KELLY'S GRAND VIEW ICO
INTERSECTION OF US HWY. 63 & RAYMOND AVENUE
GRAND VIEW, WISCONSIN**

**WDNR BRRTS #03-04-000967
PECFA #54839-9999-67**

REI PROJECT #3783



PREPARED FOR:

**Mr. Harley Karow
53270 County Highway D
Grand View, WI 54839**

OCTOBER 2019

UPDATE REPORT


**FORMER KELLY'S GRAND VIEW ICO
INTERSECTION OF US HWY. 63 & RAYMOND AVENUE
GRAND VIEW, WISCONSIN**

**WDNR BRRTS #03-04-000967
PECFA #54839-9999-67**

REI PROJECT #3783

The recommendations contained in this report are based on the information obtained from our study of the site and were arrived at in accordance with accepted hydrogeologic and engineering practices at this time and location.

"I, David N. Larsen, hereby certify that I am a hydrogeologist as that term is defined in s. NR 712.03 (1), Wis. Adm. Code, am registered in accordance with the requirements of ch. GHSS 2, Wis. Adm. Code, or licensed in accordance with the requirements of ch. GHSS 3, Wis. Admn. Code, and that to the best of my knowledge, all the information contained in this document is correct and the document was prepared in compliance with all applicable requirements in chs. NR 700 to 726, Wis. Adm. Code."



Hydrogeologist

October 16, 2019
Date

"I, Brian J. Bailey, hereby certify that I am a scientist as that term is defined in s. NR 712.03 (3), Wis. Adm. Code, and that, to the best of my knowledge, all the information contained in this document is correct and the document was prepared in compliance with all applicable requirements in chs. NR 700 to 726, Wis. Adm. Code."



Environmental Scientist

October 16, 2019
Date

TABLE OF CONTENTS

- 1.0 Introduction
 - 1.1 Purpose
- 2.0 Summary of Work
 - 2.1 Groundwater Monitoring and Analytical Results
- 3.0 Conclusion and Recommendations

LIST OF TABLES

- Tables 1a-1b Depth to Free Product and Free Product Thickness
- Tables 2a-2c Depth to Water and Water Level Elevations
- Tables 3a-3w Summary of Groundwater Analytical Results

LIST OF FIGURES

- Figure 1 Site Vicinity Map
- Figure 2 Site Map

LIST OF APPENDICES

- Appendix A Copies of Laboratory Analytical Results

UPDATE REPORT

FORMER KELLY'S GRAND VIEW ICO INTERSECTION OF US HWY. 63 & RAYMOND AVENUE GRAND VIEW, WISCONSIN

**WDNR BRRTS #03-04-000967
PECFA #54839-9999-67**

REI PROJECT #3783

1.0 INTRODUCTION

1.1 Purpose

This report presents results from the limited scope of work and cost cap approval for the Former Kelly's Grand View ICO site in Grand View, WI. The completed scope of services includes one (1) round of groundwater sampling from all wells in the monitoring well network followed by an update report.

2.0 SUMMARY OF WORK

The Former Kelly's Grand View ICO site is located at the intersection of State Highway 63 and Raymond Road in the SW $\frac{1}{4}$ of the NW $\frac{1}{4}$ of Section 22, Township 45 North, Range 06 West, Town of Grand View, Bayfield County, Wisconsin (Figure 1). Site investigation activities began in 1996, a remedial excavation was completed in 1997 and the engineered remedial system was started in 2008 and shut down in 2012. Figure 2 presents the locations of the known former underground petroleum systems that were in use on the subject property along with the groundwater sampling points. Please note that the backfill used following the 1997 soil excavation was exclusively sand based material. The top two (2) feet of sand material in the area of the 1997 soil excavation was removed and replaced with a clay cap in 2015. The intent of the clay cap was to limit surficial infiltration into the LNAPL area and to grade site drainage to prevent ponding in the area of the 1997 excavation. The presence of sub-slab petroleum vapors necessitated the installation of a sub-slab depressurization system in 2018.

2.1 Groundwater Monitoring and Analytical Results

REI personnel were onsite on September 19, 2019 to sample all the wells from the monitoring well network. All wells with free product were sampled after the product was removed from the water table. All purge water waste generated during this scope of services was temporarily stored in 55-gallon WDOT approved drums and final disposal arrangements were completed allowing the disposal and treatment of the liquid waste at the City of Wausau wastewater treatment facility. Tables 1a-1b present the depth to free product and free product thickness for all wells with product during the period REI has managed the project.

Water elevation measurements from the REI sampling events are presented in Tables 2a-2c. Groundwater samples, collected by REI personnel, were submitted to a state certified laboratory for analysis. Groundwater analytical results are summarized in Tables 3a-3w. The complete laboratory analytical reports are included as Appendix A.

Elevated residual groundwater contaminant concentrations remain in place at sample locations MW6, OW2, OW4, OW6, OW7, OW8, PZ1, TW3 and RW4. Free product remains in place at wells OW7 and TW3.

3.0 CONCLUSION AND RECOMMENDATIONS

Elevated groundwater contaminant concentrations persist at depth in sample locations near the southwest corner of the on-site building (OW2, OW4, OW6, OW7, OW8, PZ1 and TW3).

REI and the WDNR are currently working on an option to place an asphalt cap over the residual contamination to limit any surficial infiltration from impacting and spreading the residual petroleum contamination. Prior to the placement of the asphalt cap, the environmental wells in the proposed cap area will need to be properly abandoned. REI is recommending the abandonment of all wells and vapor pins at this time, placement of the asphalt cap followed by the submittal of case closure documentation.

REI also recommends updating the summary tables with historical data collected by previous consultants. The investigation was initiated in 1996 and REI site work began in 2005 leaving a nine (9) year data gap. REI is aware of a remedial soil excavation that was completed prior to 2005. The petroleum impacted soil was not transported to a licensed landfill for disposal, rather it was landspread locally. REI is not aware of any post landspreading soil samples being collected for laboratory analysis.

Table 1a
Depth to Free Product and Free Product Thickness
Former Kelly's Grand View ICO
Grand View, WI

Well Name	OW2					OW4					OW7							
	Depth to Product	Depth to Groundwater	Product Thickness (ft)	Minimum Product Removed (gal)	Product Removed (gal)	Depth to Product	Depth to Groundwater	Product Thickness (ft)	Minimum Product Removed (gal)	Product Removed (gal)	Depth to Product	Depth to Groundwater	Product Thickness (ft)	Minimum Product Removed (gal)	Product Removed (gal)			
15-Nov-05						NM	NM	0.08	0.01		NM	**	7.33	1.19	12.00			
21-Mar-06						-	17.43	-			NM	**	0.83	0.14	6.00			
26-Sep-06						-	16.66	-			NM	**	7.00	1.14	10.00			
14-Nov-07						-	17.26	-			NM	**	2.33	0.38	6.00			
3-Sep-08			0.17			15.86	15.92	0.06	0.01		17.71	**	6.30	1.03	8.00			
24-Feb-09			0.33			18.82	19.02	0.20	0.03		18.45	**	6.30	1.03	9.50			
28-Apr-09						18.92	18.97	0.05	0.01		20.00	**	4.50	0.73				
5-May-09	30.64	32.70	2.06	0.34	4.00	18.59	18.63	0.04	0.01		19.84	**	4.66	0.76	15.00			
6-May-09	-	31.81	0.00	System Operational							21.47	**	3.03	0.49	System Operational			
18-May-09											20.31	**	4.19	0.68	System Operational			
16-Jun-09											20.16	**	4.34	0.71	System Operational			
29-Sep-09	31.10	33.59	2.49	0.41	3.00	19.73	19.83	0.10	0.02		20.98	**	3.52	0.57	7.50			
30-Sep-09	31.39	32.13	0.74	0.12	0.75						21.97	**	2.53	0.41	3.50			
14-Oct-09											21.97	**	2.53	0.41	System Operational			
12-Jan-10	31.18	33.83	2.65	0.43	0.75	20.22	20.34	0.12	0.02		21.62	24.18	2.56	0.42	System Operational			
17-Mar-10	31.16	34.23	3.07			-	11.33											
12-May-10	30.93	34.34	3.41	0.56	3.00	20.26	20.60	0.34			22.29	24.15	1.86	0.30	System Operational			
15-Jun-10	30.64	32.18	1.54								21.46	24.06	2.60	0.42	System Operational			
28-Jul-10											22.90	24.00	1.10	0.18	System Operational			
9-Aug-10	29.48	31.45	1.97	0.32	2.00						21.25	24.09	2.84	0.46	System Operational			
10-Aug-10	31.61	33.61	2.00								22.27	24.18	1.91	0.31	System Operational			
16-Sep-10	31.35	33.62	2.27	0.37	5.00	17.23	18.57	1.34	0.22	4.00	21.57	23.82	2.25	0.37	7.00			
12-Oct-10	31.48	32.78	1.30	0.21		17.25	17.27	0.02	0.00		20.95	24.00	3.05	0.50	System Operational			
11-Jan-11	31.14	32.87	1.73			17.38	17.82	0.44			20.66	24.14	3.48	0.57	System Operational			
26-Apr-11	31.07	32.91	1.84			17.78	18.41	0.63			21.02	24.11	3.09	0.50	System Operational			
15-Sep-11											17.24	24.18	6.94	1.13	7.00			
24-Oct-11											14.32	23.92	9.60	1.56	System Operational			
28-Dec-11											12-28-11 Removed SVE System on OW7							
7-Feb-12		31.30	4.00	0.25		17.44	17.62	0.18	0.03	0.50	Well Head Frozen							
8-May-12	30.90	31.78	0.88	0.14		-	17.82	-			Well Dry							
18-Jun-13	30.59	31.51	0.92	0.15	0.50	12.39	13.04	0.65	0.11	0.02	15.97	**	4.53	0.74	7.00			
14-Oct-14	27.59	28.55	0.96	0.16	0.50	-	12.80	-			15.29	**	5.21	0.85	4.00			
3-Feb-15	27.53	27.55	0.02	0.00		-	14.59	-			17.51	**	2.99	0.49	1.00			
15-Jun-15	-	28.03	-			-	16.93	-			17.33	**	3.17	0.52	1.50			
19-Aug-15	27.97	28.02	0.05	0.01	0.00	-	16.02	-			18.00	**	2.50	0.41	1.50			
31-Aug-16	27.05	27.06	0.01	0.00		12.03	12.15	0.12	0.02									
15-Feb-18	-	26.30	0.00	0.00	0.00	-	14.97	0.00	0.00	0.00	17.23	**	3.27	0.53	1.50			
10&11-April-2018	-	26.50	0.00	0.00	0.00	-	18.76	0.00	0.00	0.00	18.13	20.46	2.33	0.38	1.50			
17-Jul-18	-	25.94	0.00	0.00	0.00	-	15.69	0.00	0.00	0.00	14.41	19.88	5.47	0.89	2.50			
6&15-Nov-2018	-	24.76	0.00	0.00	0.00	-	11.21	0.00	0.00	0.00	14.23	15.16	0.93	0.15	2.50			
19-Sep-19	-	23.66	0.00	0.00	0.00	-	12.02	0.00	0.00	0.00	15.16	16.47	1.31	0.21	0.25			
	Estimated Minimum Amount Removed				3.47	Estimated Minimum Amount Removed				0.48	Estimated Minimum Amount Removed				20.25			
	Estimated Volume of Product Removed Manually					19.50	Estimated Volume of Product Removed Manually					4.52	Estimated Volume of Product Removed Manually					96.75

Notes:
 ** = Groundwater never encountered. Well terminated before contact with water. Product only in well.

Table 1b
Depth to Free Product and Free Product Thickness
Former Kelly's Grand View ICO
Grand View, WI

Well Name	RW4					OW5					TW1					
	Depth to Product	Depth to Groundwater	Product Thickness (ft)	Minimum Product Removed (gal)	Product Removed (gal)	Depth to Product	Depth to Groundwater	Product Thickness (ft)	Minimum Product Removed (gal)	Product Removed (gal)	Depth to Product	Depth to Groundwater	Product Thickness (ft)	Minimum Product Removed (gal)	Product Removed (gal)	
Date																
8-Apr-09	22.00	23.21	1.21													
28-Apr-09	22.00	22.03	0.03	System Restart												
5-May-09	21.36	21.85	0.49	System Operational												
18-May-09	-	23.41	0.00	System Down												
16-Jun-09	23.41	23.43	0.02	System Operational												
29-Sep-09						19.45	19.48	0.03	0.00	0.00	-	11.17	0.00	0.00	0.00	
12-Jan-10				not measured		-	26.23	0.00	0.00	0.00	-					
12-May-10						-	26.41	0.00	0.00	0.00	-	13.39	0.00	0.00	0.00	
15-Jun-10																
28-Jul-10																
9-Aug-10																
16-Sep-10																
24-Oct-11	17.80	17.81	0.01	System Operational												
25-Jan-12	20.13	20.15	0.02	System Operational												
7-Feb-12																
8-May-12	19.66	19.67	0.01	System Operational		-	24.26	0.00	0.00	0.00	-	11.17	0.00	0.00	0.00	
18-Jun-13	6.63	6.86	0.23	0.00	0.00	Well Damaged	-	25.88	0.00	0.00	-	5.88	0.00	0.00	0.00	
14-Oct-14						-					-					
3-Feb-15						-	19.75	0.00	0.00	0.00	-					
15-Jun-15						-	20.67	0.00	0.00	0.00	-					
19-Aug-15						-	25.77	0.00	0.00	0.00	-					
31-Aug-16						-	18.09	0.00	0.00	0.00	-					
15-Feb-18						-	19.89	0.00	0.00	0.00	-					
10-Apr-18						-	10.91	0.00	0.00	0.00	-	10.67	0.00	0.00	0.00	
17-Jul-18						-	20.41	0.00	0.00	0.00	-					
6&15-Nov-2018	-	7.81	0.00	0.00	0.00	-	18.29	0.00	0.00	0.00	-	5.98	0.00	0.00	0.00	
19-Sep-19	-	12.91	0.00	0.00	0	-	17.87	0.00	0.00	0.00	-	7.78	0.00	0.00	0.00	
Estimated Minimum Amount Removed				0.00		Estimated Minimum Amount Removed				0.00		Estimated Minimum Amount Removed				0.00
Estimated Volume of Product Removed Manually				0.00		Estimated Volume of Product Removed Manually				0.00		Estimated Volume of Product Removed Manually				0.00

Well Name	TW2					TW3					TW4					
	Depth to Product	Depth to Groundwater	Product Thickness (ft)	Minimum Product Removed (gal)	Product Removed (gal)	Depth to Product	Depth to Groundwater	Product Thickness (ft)	Minimum Product Removed (gal)	Product Removed (gal)	Depth to Product	Depth to Groundwater	Product Thickness (ft)	Minimum Product Removed (gal)	Product Removed (gal)	
Date																
17-Mar-10																
12-May-10	-	23.35	0.00	0.00	0.00						-	dry				
15-Jun-10	-	23.38	0.00	0.00	0.00						-	23.39	0.00	0.00	0.00	
28-Jul-10	-	23.26	0.00	0.00	0.00						-					
16-Sep-10	-	dry									-					
12-Oct-10						16.74	18.62	1.88			-	23.29	0.00	0.00	0.00	
8-May-12	-	dry				16.26	18.70**	2.44			-					
18-Jun-13	-	dry				16.79	18.70**	1.91			-	23.01	0.00	0.00	0.00	
14-Oct-14						12.93	14.87	1.94	0.00		-	23.05	0.00	0.00	0.00	
3-Feb-15																
15-Jun-15																
19-Aug-15																
31-Aug-16																
15-Feb-18						14.03	17.24	3.21	0.25	0.25						
10-Apr-18																
17-Jul-18						-	11.55	0.00	0.00	0.00	-					
6&15-Nov-2018	-	dry				-	11.39	0.00	0.00	0.00	-	dry				
19-Sep-19	-	22.74	0.00	0.00	0.00	12.29	12.48	0.19	0.00	0.00	-	23.03	0.00	0.00	0.00	
Estimated Minimum Amount Removed				0.00		Estimated Minimum Amount Removed				0.25		Estimated Minimum Amount Removed				0.00
Estimated Volume of Product Removed Manually				0.00		Estimated Volume of Product Removed Manually				0.25		Estimated Volume of Product Removed Manually				0.00

Well Name	OW5				
	Depth to Product	Depth to Groundwater	Product Thickness (ft)	Minimum Product Removed (gal)	Product Removed (gal)
Date					
12-May-10	20.18	20.48	0.30	0.05	
9-Aug-10	-	18.13	0.00	0.00	0.00
16-Sep-10	17.51	17.53	0.02	0.01	
11-Jan-11	16.64	16.89	0.25		
26-Apr-11	17.22	17.38	0.16		
15-Sep-11	-	15.50	0.00		
7-Feb-12	17.35	17.36	0.01	0.01	
8-May-12	-	17.47	0.00	0.00	0.00
18-Jun-13	-	14.04	0.00	0.00	0.00
14-Oct-14	13.31	13.33	0.02	0.01	
3-Feb-15	-	14.78	0.00	0.00	0.00
15-Jun-15	-	15.74	0.00	0.00	0.00
19-Aug-15					
31-Aug-16	-	12.56	0.00	0.00	0.00
15-Feb-18	-	18.17	0.00	0.00	0.00
10-Apr-18					
17-Jul-18	-	11.71	0.00	0.00	0.00
6&15-Nov-2018	-	11.19	0.00	0.00	0.00
19-Sep-19	-	12.21	0.00	0.00	0.00
Estimated Minimum Amount Removed				0.08	
Estimated Volume of Product Removed Manually				0.00	

Notes:
 ** = Groundwater never encountered. Well terminated before contact with water. Product only in well.

Table 2a
Depth to Water and Water Level Elevations
Former Kelly's Grand View ICO
Grand View, WI

Depth To Water (feet) below Reference Elevation											
Date	MW1	MW2	MW3	MW4	MWSR	MW6	MW7	MW8	MW9	MW10	MW11
15-Nov-05	NM	8.53	NM	NM	8.99	8.71	7.48	NM	17.34	13.16	NM
21-Mar-06	NM	9.83	NM	NM	10.29	10.03	10.17	NM	16.46	14.24	NM
28-Sep-06	NM	9.59	NM	NM	10.10	9.75	10.14	NM	15.59	NM	11.20
14-Nov-07	17.92	8.85	NM	9.85	9.37	NM	9.34	22.41	16.89	14.15	11.56
3-Sep-08	NM	NM	9.90	NM	9.64	9.25	9.69	NM	15.17	NM	NM
24-Feb-09	19.19	11.77	dry	15.98	12.56	NM	12.52	dry	18.33	15.69	13.35
8-Apr-09	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM
5-May-09	19.3	10.78	dry	15.93	11.69	11.36	10.12	dry	dry	15.5	12.96
29-Sep-09	19.77	11.87	dry	dry	12.91	12.1	12.19	dry	dry	16.43	13.81
12-Jan-10	NM	12.28	dry	NM	13.39	12.52	12.51	dry	dry	NM	NM
12-May-10	19.36	11.76	dry	15.98	12.77	11.93	11.74	dry	dry	16.07	13.72
16-Sep-10	NM	8.43	NM	NM	8.29	8.57	8.80	NM	15.91	NM	NM
1-Jan-11	NM	9.20	NM	NM	9.70	9.90	9.83	NM	NM	NM	NM
26-Apr-11	NM	9.74	NM	NM	10.24	9.96	8.65	NM	NM	NM	NM
15-Sep-11	NM	7.83	NM	NM	8.20	7.59	8.43	NM	NM	NM	NM
7-Feb-12	NM	11.39	NM	NM	12.05	11.14	11.37	NM	16.83	NM	NM
8-May-12	NM	10.14	NM	NM	10.13	9.88	9.32	NM	16.95	NM	NM
18-Jun-13	10.41	4.76	8.31	NM	4.78	4.51	5.78	dry	13.32	7.03	5.24
14-Oct-14	NM	6.07	10.61	NM	6.08	5.78	7.12	NM	12.41	NM	NM
3-Feb-15	NM	8.17	12.14	NM	8.86	8.00	9.00	NM	13.93	NM	6.75
15-Jan-15	NM	8.22	12.78	NM	8.56	8.06	8.51	NM	15.17	NM	NM
19-Aug-15	NM	8.58	11.21	NM	9.60	8.33	8.87	NM	14.94	NM	NM
31-Aug-16	NM	6.64	9.35	NM	5.71	5.40	6.74	NM	11.28	NM	NM
15-Feb-18	13.86	NM	NM	NM	9.62	19.17	10.08	dry	13.93	dry	NM
10-Apr-18	12.87	9.57	NM	14.74	9.96	9.39	9.83	dry	13.89	dry	18.96
17-Jul-18	NM	5.13	8.06	NM	5.04	4.96	6.07	dry	10.86	NM	NM
6-Nov-18	NM	4.15	4.12	NM	4.81	4.41	5.87	NM	9.90	NM	NM
15-Nov-18	8.51	NM	NM	5.98	NM	NM	NM	dry	NM	7.02	5.63
19-Sep-19	10.50	6.67	10.31	7.65	6.71	6.47	7.38	dry	11.33	10.85	7.49
Measuring Point Elevations											
Top of Casing**	1,056.49	1,053.17	1,051.24	1,054.28	1,053.60	1,053.37	1,054.61	1,059.19	1,054.21	1,055.63	1,051.11
Resurvey (9-15-11)						1,053.09					
Resurvey (10-14-14)									1,054.31		
Ground Surface Elevations											
Ground Elevation**	1,054.33	1,053.45	1,051.76	1,054.73	1,054.25	1,053.44	1,054.81	1,057.04	1,054.67	1,053.27	1,051.30
Resurvey (9-15-11)						1,053.52					
Depth To Water (feet) below Top of Casing											
<u>Average</u>	1,041.32	1,044.37	1,041.56	1,041.98	1,044.35	1,044.28	1,045.44	1,036.78	1,039.69	1,042.62	1,040.14
<u>Maximum</u>	1,047.98	1,049.02	1,047.12	1,048.30	1,048.82	1,048.96	1,048.83	1,036.78	1,044.31	1,048.61	1,045.87
<u>Minimum</u>	1,036.72	1,040.89	1,038.46	1,038.30	1,040.21	1,034.20	1,042.09	1,036.78	1,035.88	1,039.20	1,032.15
<u>Range</u>	11.26	8.13	8.66	10.00	8.61	14.76	6.74	0.00	8.43	9.41	13.72
Water Level Elevation (feet MSL)											
Date	MW1	MW2	MW3	MW4	MWSR	MW6	MW7	MW8	MW9	MW10	MW11
15-Nov-05		1,044.64			1,044.61	1,044.66	1,047.13		1,036.87	1,042.47	
21-Mar-06		1,043.34			1,043.31	1,043.34	1,044.44		1,037.75	1,041.39	
26-Sep-06		1,043.58			1,043.50	1,043.62	1,044.47		1,038.62		1,039.91
14-Nov-07	1,038.57	1,044.32		1,044.43	1,044.23		1,045.27	1,036.78	1,037.32	1,041.48	1,039.55
03-Sep-08			1,041.34		1,043.96	1,044.12	1,044.92		1,039.04		
24-Feb-09	1,037.30	1,041.40		1,038.30	1,041.04		1,042.09		1,035.88	1,039.94	1,037.76
08-Apr-09											
05-May-09	1,037.19	1,042.39		1,038.35	1,041.91	1,042.01	1,044.49			1,040.13	1,038.15
29-Sep-09	1,036.72	1,041.30			1,040.69	1,041.27	1,042.42			1,039.20	1,037.30
12-Jan-10		1,040.89			1,040.21	1,040.85	1,042.10				
12-May-10	1,037.13	1,041.41		1,038.30	1,040.83	1,041.44	1,042.87			1,039.56	1,037.39
16-Sep-10		1,044.74			1,045.31	1,044.80	1,045.81	1,038.30			
01-Jan-11		1,043.97			1,043.90	1,043.47	1,044.78				
26-Apr-11		1,043.43			1,043.36	1,043.41	1,045.96				
15-Sep-11		1,045.34			1,045.40	1,045.50	1,046.18				
07-Feb-12		1,041.78			1,041.55	1,041.95	1,043.24	1,037.38			
08-May-12		1,043.03			1,043.47	1,043.21	1,045.29	1,037.26			
18-Jun-13	1,046.08	1,048.41	1,042.93		1,048.82	1,048.58	1,048.83	1,040.89	1,048.60	1,045.87	
14-Oct-14		1,047.10	1,040.63		1,047.52	1,047.31	1,047.49	1,041.90			
03-Feb-15		1,045.00	1,039.10		1,045.04	1,045.09	1,045.61	1,040.38		1,044.36	
15-Jun-15		1,044.95	1,038.46		1,045.04	1,045.03	1,046.10	1,039.14			
19-Aug-15		1,044.59	1,040.03		1,044.00	1,044.76	1,045.74	1,039.47			
31-Aug-16		1,046.53	1,041.88		1,047.89	1,047.69	1,047.87	1,043.03			
15-Feb-18	1,042.63				1,043.98	1,033.92	1,044.53	1,040.38			
10-Apr-18	1,043.62	1,043.60		1,039.54	1,043.64	1,043.70	1,044.78	1,040.42		1,032.15	
17-Jul-18		1,048.04	1,043.18		1,048.56	1,048.13	1,048.54	1,043.45			
6-Nov-18		1,049.02	1,047.12		1,048.79	1,048.68	1,048.74	1,044.41			
15-Nov-18	1,047.98			1,048.30						1,048.61	1,045.48
19-Sep-19	1,045.99	1,046.50	1,040.93	1,046.63	1,046.89	1,046.62	1,047.23	1,042.98	1,044.78	1,043.62	

Notes:
 NM = Not Measured
 * = Free product observed in well
 ** = REI Completed a site survey on September 28, 2009

Table 2b
Depth to Water and Water Level Elevations
Former Kelly's Grand View ICO
Grand View, WI

Depth To Water (feet) below Reference Elevation										
Date	QW1	QW2	QW3	QW4	QW5	QW6	QW7	QW8	FZ1	FZ2
15-Nov-05	17.34	29.41	14.19	Product	25.06	10.15	Product Only	15.45	20.69	32.97
21-Mar-06	18.11	29.67	15.27	17.43	24.26	14.69	Product Only	18.92	21.42	33.51
26-Sep-06	18.20	29.77	15.04	16.66	24.42	10.79	Product Only	16.32	21.80	33.67
14-Nov-07	19.00	31.20	15.91	17.26	24.86	11.57	NM	17.31	22.41	34.04
3-Sep-08	17.49	31.27	14.73	15.92	24.90	10.45	NM	16.19	22.07	34.26
24-Feb-09	19.56	32.6	16.68	19.02*	26.03	13.2	Product Only	18.49	22.84	35.06
8-Apr-09	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM
5-May-09	19.57	32.7*	16.56	18.63*	25.79	14.63	24.34*	18.39	23.08	34.78
29-Sep-09	20.4	33.59*	17.34	19.83*	19.48*	13.48	Product Only	19.32	23.66	35.47
12-Jan-10	20.58	33.83*	17.61	20.34*	26.23	NM	24.18*	19.32	26.60	35.46
12-May-10	19.87	34.34*	16.97	20.60*	26.41*	13.00	24.15*	20.98*	24.12	35.30
16-Sep-10	16.51	33.62*	13.95	18.57*	24.87	10.51	21.57*	17.53*	22.51	34.08
11-Jan-11	16.44	31.14	NM	17.82*	NM	9.87	24.14*	16.89*	22.12	34.07
26-Apr-11	17.46	32.91*	14.92	18.41*	25.42	11.28	24.11*	17.38*	22.87	34.30
15-Sep-11	15.77	31.54	12.95	15.28	23.97	8.45	Product Only	15.50	21.84	33.49
7-Feb-12	18.60	31.30	15.38	17.62*	24.26	14.75	Froze	17.36	22.66	34.63
8-May-12	18.24	31.78*	15.52	17.82	25.58	11.95	Dry	17.47	22.67	34.23
18-Jun-13	13.29	31.51*	10.41	13.04*	Damaged	5.98	Product Only	14.04	21.09	33.01
14-Oct-14	NM	28.55*	NM	12.50	NM	7.06	Product Only	13.33*	18.74	NM
3-Feb-15	NM	27.55*	NM	14.59	19.75	8.09	Product Only	14.78	19.33	NM
15-Jun-15	NM	28.03	NM	16.93	20.67	10.70	Product Only	15.74	19.88	NM
19-Aug-15	NM	28.02*	NM	16.02	23.77	10.35	Product Only	NM	20.08	NM
31-Aug-16	NM	27.06*	NM	12.15*	18.09	6.91	NM	12.56	19.20	NM
15-Feb-18	16.64	26.30	NM	14.57	19.89	10.60	20.50*	18.17	18.81	NM
10-Apr-18	17.21	26.50	16.24	18.76	10.91	10.82	20.46*	14.41	19.49	31.65
17-Jul-18		25.94		15.69	20.41	12.86	19.89*	11.71	17.36	NM
6-Nov-18	NM	24.76	NM	11.21	18.29	5.79	15.16*	NM	16.89	NM
15-Nov-18	12.71	NM	9.25	NM	NM	NM	NM	11.19	NM	29.13
19-Sep-19	15.39	23.66	10.11	12.02	17.57	7.94	16.47*	12.21	16.16	29.89
Measuring Point Elevations										
Top of Casing**	1,055.80	1,054.49	1,052.07	1,054.21	1,051.10	1,053.87	1,055.13	1,054.08	1,053.68	1,055.87
Resurvey (9-15-11)				1,053.91			1,054.96	1,053.85		
Resurvey (10-14-14)					1,051.06					
Ground Surface Elevations										
Ground Elevation**	1,053.08	1,055.04	1,052.61	1,054.65	1,051.45	1,054.31	1,055.38	1,054.42	1,054.09	1,053.26
Resurvey (9-15-11)				1,054.40			1,055.70	1,054.36		
Depth To Water (feet) below Top of Casing										
Average	1,038.26	1,025.62	1,037.38	1,038.65	1,028.51	1,043.28	1,030.79	1,038.13	1,032.55	1,022.22
Maximum	1,043.09	1,030.83	1,042.82	1,043.00	1,040.19	1,048.08	1,030.79	1,042.89	1,037.52	1,026.74
Minimum	1,035.22	1,021.89	1,034.46	1,035.45	1,024.87	1,039.12	1,030.79	1,034.76	1,027.08	1,020.40
Range	7.87	8.94	8.36	7.55	15.32	8.96	0	8.13	10.44	6.34
Water Level Elevation (feet MSL)										
Date	QW1	QW2	QW3	QW4	QW5	QW6	QW7	QW8	FZ1	FZ2
15-Nov-05	1,038.46	1,025.08	1,037.88		1,026.04	1,043.72		1,038.63	1,032.99	1,022.50
21-Mar-06	1,037.69	1,024.82	1,036.80	1,036.78	1,026.84	1,039.18		1,035.16	1,032.26	1,022.36
26-Sep-06	1,037.60	1,024.72	1,037.03	1,037.55	1,026.68	1,043.08		1,037.76	1,031.88	1,022.20
14-Nov-07	1,036.80	1,023.29	1,036.16	1,036.95	1,026.24	1,042.30		1,036.77	1,031.27	1,021.83
03-Sep-08	1,038.31	1,023.22	1,037.34	1,038.29	1,026.20	1,043.42		1,037.89	1,031.61	1,021.61
24-Feb-09	1,036.24	1,021.89	1,035.39		1,025.07	1,040.67		1,035.59	1,030.84	1,020.82
08-Apr-09										
05-May-09	1,036.23	1,021.79*	1,035.51		1,025.31	1,039.24		1,035.69	1,030.60	1,021.09
29-Sep-09	1,035.40	1,020.9*	1,034.73			1,040.39		1,034.76	1,030.02	1,020.40
12-Jan-10	1,035.22	1,020.66*	1,034.46		1,024.87			1,034.76	1,027.08	1,020.41
12-May-10	1,035.93	1,020.15*	1,035.10			1,040.87			1,029.86	1,020.57
16-Sep-10	1,039.29	1,020.87*	1,038.12		1,026.23	1,043.36			1,031.17	1,021.79
11-Jan-11	1,039.36	1,023.35				1,044.00			1,031.86	1,021.80
26-Apr-11	1,038.34	1,021.58*	1,037.15		1,025.68	1,042.59			1,030.81	1,021.57
19-Sep-11	1,040.03	1,022.95	1,039.12	1,038.63	1,027.13	1,045.42		1,038.35	1,031.84	1,022.38
07-Feb-12	1,037.20	1,023.19	1,036.69		1,026.84	1,039.12		1,036.49	1,031.02	1,021.24
08-May-12	1,037.56	1,022.71*	1,036.55	1,036.09	1,025.52	1,041.92		1,036.38	1,031.01	1,021.64
18-Jun-13	1,042.51	1,022.98*	1,041.66		1,040.87*	1,047.89		1,039.81	1,032.59	1,022.86
14-Oct-14		1,025.94*		1,041.11		1,046.81		1,040.52*	1,034.94	
03-Feb-15		1,026.94*		1,039.32	1,031.31	1,045.78		1,039.07	1,034.35	
15-Jun-15		1,026.46		1,036.98	1,030.39	1,043.17		1,038.11	1,033.80	
19-Aug-15		1,026.47*		1,037.89	1,025.29	1,043.52			1,033.60	
31-Aug-16		1,027.43*		1,041.76*	1,032.97	1,046.96			1,034.48	
15-Feb-18	1,039.16	1,028.19		1,039.24	1,031.21	1,043.27	1034.63*	1,035.91	1,034.67	
10-Apr-18	1,038.59	1,027.99	1,035.83	1,035.45	1,040.19	1,043.05	1034.67*	1,039.67	1,034.19	1,024.22
17-Jul-18	1,055.80	1,028.55		1,038.52	1,030.69	1,041.01	1035.25*	1,042.37	1,036.32	
6-Nov-18		1,029.73		1,043.00	1,032.81	1,048.08	1039.97*		1,036.79	
15-Nov-18	1,043.09		1,042.82					1,042.89		1,026.74
19-Sep-19	1,040.41	1,030.83	1,041.96	1,041.89	1,033.49	1,046.33	1038.49*	1,041.64	1,037.52	1,025.98

Notes:
 NM = Not Measured
 * = Free product observed in well
 ** = REI Completed a site survey on September 28, 2009

Table 2c
Depth to Water and Water Level Elevations
Former Kelly's Grand View ICO
Grand View, WI

Depth To Water (feet) below Reference Elevation									
Date	TW1	TW2	TW3	TW4	RW1	RW2	RW3	RW4	RW5
15-Nov-05									
21-Mar-06									
26-Sep-06									
14-Nov-07									
3-Sep-08									
24-Feb-09									
8-Apr-09					12.38	12.72	12.01	23.21	NM
5-May-09					NM	NM	NM	21.85	NM
29-Sep-09					NM	12.12	13.68	NM	8.81
12-Jan-10					NM	NM	NM	NM	NM
12-May-10					11.71	11.91	13.77	NM	7.85
16-Sep-10					NM	NM	NM	NM	NM
11-Jan-11					NM	NM	NM	NM	NM
26-Apr-11					NM	NM	NM	NM	NM
15-Sep-11					NM	NM	NM	NM	NM
7-Feb-12	NM	NM	NM	NM	NM	NM	NM	NM	NM
8-May-12	11.17	Dry	18.45*	23.01	NM	NM	NM	19.87*	NM
18-Jun-13	5.88	Dry	14.87*	23.05	4.62	4.72	4.99	6.86*	5.54
14-Oct-14	NM	NM	NM	NM	NM	NM	NM	NM	NM
03-Feb-15	NM	NM	NM	NM	NM	NM	NM	NM	NM
15-Jun-15	NM	NM	NM	NM	NM	NM	NM	NM	NM
19-Aug-15	NM	NM	NM	NM	NM	NM	NM	NM	NM
31-Aug-16	NM	NM	NM	NM	NM	NM	NM	NM	NM
15-Feb-18	NM	NM	17.24*	NM	NM	NM	NM	NM	NM
10-Apr-18	10.67	dry	15.56*	dry	NM	NM	NM	NM	NM
17-Jul-18	NM	NM	11.55	NM	NM	NM	NM	NM	NM
6-Nov-18	NM	NM	NM	NM	NM	NM	NM	NM	NM
15-Nov-18	5.98	Dry	11.39	NM	6.76	4.91	5.81	7.81	5.61
19-Sep-19	7.78	22.74	23.03	12.48	6.59	6.62	6.94	12.91	6.46
Measuring Point Elevations									
Top of Casing**					1,053.12	1,053.38	1,054.18	1,054.63	1,054.46
Resurvey (9-15-11)	1,054.51	1,055.60	1,054.07	1,055.69					
Ground Surface Elevations									
Ground Elevation**					1,053.26	1,053.76	1,054.28	1,054.89	1,054.83
Resurvey (9-15-11)	1,054.89	1,055.96	1,054.36	1,056.09					
Depth To Water (feet) below Top of Casing									
<u>Average</u>	1,046.21	0.00	0.00	1,036.18	1,044.71	1,044.55	1,044.65	1,038.19	1,047.61
<u>Maximum</u>	1,048.63	-22.74	-11.39	1,043.21	1,048.50	1,048.66	1,049.19	1,046.82	1,048.92
<u>Minimum</u>	1,043.34	-22.74	-23.03	1,032.64	1,040.74	1,040.66	1,040.41	1,031.42	1,045.65
<u>Range</u>	5.29	0	11.64	10.87	7.76	8	8.78	15.4	3.27
Water Level Elevation (feet MSL)									
Date	TW1	TW2	TW3	TW4	RW1	RW2	RW3	RW4	RW5
15-Nov-05									
21-Mar-06									
26-Sep-06									
14-Nov-07									
03-Sep-08									
24-Feb-09									
08-Apr-09					1,040.74	1,040.66	1,042.17	1,031.42	
05-May-09								1,032.78	
29-Sep-09						1,041.26	1,040.50		1,045.65
12-Jan-10									
12-May-10					1,041.41	1,041.47	1,040.41		1,046.61
16-Sep-10									
11-Jan-11									
26-Apr-11									
15-Sep-11									
07-Feb-12									
08-May-12	1,043.34			1,032.68					
18-Jun-13	1,048.63			1,032.64	1,048.50	1,048.66	1,049.19		1,048.92
14-Oct-14									
03-Feb-15									
15-Jun-15									
19-Aug-15									
31-Aug-16									
15-Feb-18									
10-Apr-18	1,043.84								
17-Jul-18			1,042.52						
6-Nov-18									
15-Nov-18	1,048.53		1,042.68		1,046.36	1,048.47	1,048.37	1,046.82	1,048.85

Table 3a
MW1
Summary of Groundwater Analytical Results
Former Kelly's Grand View
Grand View, Wisconsin

	ES	PAL	Date	15-Nov-05	21-Mar-06	26-Sep-06	14-Nov-07	8-Apr-08	3-Sep-08	24-Feb-09	8-Apr-09	5-May-09	29-Sep-09	12-Jan-10
Dissolved Lead	15	1.5	µg/l	NS	NS	NS	NA		NS	< 0.60		NA	NA	NS
PVOC Parameters														
Benzene	5	0.5	µg/l	NS	NS	NS	< 0.20	System	NS	< 0.20	System	< 0.20	< 0.20	NS
Toluene	800	160	µg/l	NS	NS	NS	< 0.40	Start-up	NS	< 0.40	Switch	< 0.40	< 0.40	NS
Ethylbenzene	700	140	µg/l	NS	NS	NS	< 0.10	at	NS	< 0.10	to RW4	< 0.10	< 0.10	NS
Xylenes (mixed isomers)	2,000	400	µg/l	NS	NS	NS	< 0.40	RW1, RW2	NS	< 0.40	Only	< 0.40	< 0.40	NS
Methyl tert-Butyl Ether (MTBE)	60	12	µg/l	NS	NS	NS	< 0.20	and RW3	NS	< 0.20		< 0.20	< 0.20	NS
Trimethylbenzenes (mixed isomers)	480	96	µg/l	NS	NS	NS	< 0.40		NS	< 0.40		< 0.40	< 0.40	NS
Naphthalene	100	10	µg/l	NS	NS	NS	< 1.00		NS	< 1.00		< 1.00	< 1.00	NS
1,2-Dibromoethane	0.05	0.005	µg/l	NS	NS	NS	< 0.20		NS	< 0.20		< 0.20	< 0.20	NS
1,2-Dichloroethane	5	0.5	µg/l	NS	NS	NS	< 0.20		NS	< 0.20		< 0.20	< 0.20	NS

	ES	PAL	Date	12-May-10	16-Sep-10	11-Jan-11	26-Apr-11	15-Sep-11	7-Feb-12	8-May-12	25-Sep-12	18-Jun-13	13-Oct-14	13-Oct-14
Dissolved Lead	15	1.5	µg/l	NS	NS	NS	NS	NS	NS	NS		NS		NS
PVOC Parameters														
Benzene	5	0.5	µg/l	NS	NS	NS	NS	NS	NS	NS	System	NS	Clay	NS
Toluene	800	160	µg/l	NS	NS	NS	NS	NS	NS	NS	Turned	NS	Cap	NS
Ethylbenzene	700	140	µg/l	NS	NS	NS	NS	NS	NS	NS	Off	NS	Installed	NS
Xylenes (mixed isomers)	2,000	400	µg/l	NS	NS	NS	NS	NS	NS	NS		NS		NS
Methyl tert-Butyl Ether (MTBE)	60	12	µg/l	NS	NS	NS	NS	NS	NS	NS	PECFA	NS		NS
Trimethylbenzenes (mixed isomers)	480	96	µg/l	NS	NS	NS	NS	NS	NS	NS	Shutdown	NS		NS
Naphthalene	100	10	µg/l	NS	NS	NS	NS	NS	NS	NS		NS		NS
1,2-Dibromoethane	0.05	0.005	µg/l	NS	NS	NS	NS	NS	NS	NS		NS		NS
1,2-Dichloroethane	5	0.5	µg/l	NS	NS	NS	NS	NS	NS	NS		NS		NS

	ES	PAL	Date	3-Feb-15	15-Jun-15	19-Aug-15	31-Aug-16	15-Feb-18	10-Apr-18	17-Jul-18	15-Nov-18	19-Sep-19
Dissolved Lead	15	1.5	µg/l	NS	NS	NS	NS	NS	NA	NS	NA	NA
PVOC Parameters												
Benzene	5	0.5	µg/l	NS	NS	NS	NS	NS	< 0.40	NS	< 0.31	< 0.25
Toluene	800	160	µg/l	NS	NS	NS	NS	NS	< 0.39	NS	< 0.49	< 0.17
Ethylbenzene	700	140	µg/l	NS	NS	NS	NS	NS	< 0.39	NS	< 0.33	< 0.22
Xylenes (mixed isomers)	2,000	400	µg/l	NS	NS	NS	NS	NS	< 0.80	NS	< 0.66	< 0.47
Methyl tert-Butyl Ether (MTBE)	60	12	µg/l	NS	NS	NS	NS	NS	< 0.48	NS	< 0.32	< 1.2
Trimethylbenzenes (mixed isomers)	480	96	µg/l	NS	NS	NS	NS	NS	< 0.42	NS	< 0.34	< 0.87
Naphthalene	100	10	µg/l	NS	NS	NS	NS	NS	< 0.42	NS	< 0.51	< 1.2
1,2-Dibromoethane	0.05	0.005	µg/l	NS	NS	NS	NS	NS	NA	NS	NA	NA
1,2-Dichloroethane	5	0.5	µg/l	NS	NS	NS	NS	NS	NA	NS	NA	NA

Notes:

All values are reported in µg/l (ppb), unless otherwise noted

ES = NR140.10 Enforcement Standards

PAL = NR140.10 Preventive Action Limits

NS= Not Sampled

NA= Not Analyzed

ES exceeded ----->

BOLD
<i>Italics</i>

PAL exceeded ----->

* = Concentration between Limit of Detection and Limit of Quantitation, considered an estimate

Top of Screen/Bottom of Screen (ft bls) 6-16

Table 3b
MW2
Summary of Groundwater Analytical Results
Former Kelly's Grand View
Grand View, Wisconsin

Metals and Inorganics	ES	PAL	Units	11/15/2005	3/21/2006	9/26/2006	11/14/2007	8-Apr-08	9/3/2008	24-Feb-09	8-Apr-09	5-May-09	29-Sep-09	12-Jan-10	12-May-10	16-Sep-10
Dissolved Lead	15	1.5	µg/l	0.99	<i>2.1</i>	0.98*	NA		< 16	<i>1.54*</i>		<i>8.07</i>	NA	1.31	<i>4.6*</i>	<i>14.5</i>
PVOC Parameters																
Benzene	5	0.5	µg/l	10	5.8*	< 31	< 20	System	< 10	< 0.20	System	< 2.0	< 0.20	< 3.10	<i>1.8*</i>	< 0.41
Toluene	800	160	µg/l	<i>240</i>	<i>650</i>	<i>407</i>	1,070	Start-up	75	0.42*	Switch	103	<i>255</i>	<i>275</i>	43.5	< 0.67
Ethylbenzene	700	140	µg/l	<i>370</i>	<i>550</i>	<i>781</i>	<i>1,660</i>	at	132	3.67	to RW4	<i>239</i>	<i>540</i>	<i>567</i>	301	< 0.54
Xylenes (mixed isomers)	2,000	400	µg/l	<i>400</i>	<i>1,240</i>	<i>938</i>	5,340	RW1, RW2	271.7	2.4	Only	<i>476</i>	<i>1,184</i>	<i>851</i>	309.7	< 1.8
Methyl tert-Butyl Ether (MTBE)	60	12	µg/l	< 1.2	< 3.0	< 30	< 20	and RW3	45.9*	< 0.50		< 5.0	< 0.50	< 3.0	< 1.2	< 0.61
Trimethylbenzenes (mixed isomers)	480	96	µg/l	<i>134</i>	<i>349</i>	<i>453</i>	2,270		<i>162.7</i>	4.96		<i>288</i>	668	683	<i>338</i>	< 0.97
Naphthalene	100	10	µg/l	NA	260	501	833		236	5.56		155	486	NA	201	< 0.89
1,2-Dibromoethane	0.05	0.005	µg/l	< 1.1	< 2.8	< 110	< 20		< 15	< 0.30		< 3.0	< 0.30	NA	< 1.1	< 0.56
1,2-Dichloroethane	5	0.5	µg/l	< 0.72	< 1.8	< 40	< 20		< 15	< 0.30		< 3.0	0.68*	NA	< 0.72	< 0.75
1,1-Dichloropropylene			µg/l	NA	NA	NA	NA		NA	0.80*		< 8.0	< 0.80	NA	< 1.5	< 0.75
2-Chlorotoluene			µg/l	NA	NA	NA	NA		NA	0.31*		< 3.0	< 0.30	NA	< 1.7	< 0.74
Isopropylbenzene			µg/l	NA	NA	NA	NA		NA	2.58		28.3	41.7	NA	24.9	< 0.59

Metals and Inorganics	ES	PAL	Units	11-Jan-11	26-Apr-11	15-Sep-11	7-Feb-12	8-May-12	25-Sep-12	18-Jun-13	13-Oct-14	14-Oct-14	3-Feb-15	15-Jun-15	19-Aug-15	31-Aug-16
Dissolved Lead	15	1.5	µg/l	NA	NA	NA	NA	NA		NA		NA	NA	NA	NA	NA
PVOC Parameters																
Benzene	5	0.5	µg/l	< 0.30	< 0.41	< 0.41	< 0.41	< 0.41	System	< 0.34	Clay	< 0.40	< 0.40	< 0.40	< 0.40	< 0.40
Toluene	800	160	µg/l	< 0.40	19.8	< 0.67	14.3	91.1	Turned	11	Cap	< 0.39	< 0.39	0.94*	< 0.39	< 0.39
Ethylbenzene	700	140	µg/l	< 0.20	52.5	< 0.54	85.8	160	Off	152	Installed	< 0.39	< 0.39	7.2	< 0.39	< 0.39
Xylenes (mixed isomers)	2,000	400	µg/l	< 0.40	177	< 1.8	212	406.2		463		< 0.80	< 0.80	49.1	< 0.80	< 0.80
Methyl tert-Butyl Ether (MTBE)	60	12	µg/l	< 0.50	< 0.61	< 0.61	< 0.61	< 0.61	PECFA	< 0.37		< 0.48	< 0.48	< 0.48	< 0.48	< 0.48
Trimethylbenzenes (mixed isomers)	480	96	µg/l	< 0.40	50.8	< 0.97	86.1	195.1	Shutdown	116.8		< 0.42	< 0.42	28.6	< 0.42	< 0.42
Naphthalene	100	10	µg/l	< 1.0	20	< 0.89	31.9	89.1		52.8		< 0.39	< 0.39	20	4.1	< 0.42
1,2-Dibromoethane	0.05	0.005	µg/l	< 0.80	NA	NA	NA	< 0.56		NA		NA	NA	NA	NA	NA
1,2-Dichloroethane	5	0.5	µg/l	< 0.30	< 0.36	< 0.36	< 0.36	< 0.36		NA		NA	NA	NA	NA	NA
1,1-Dichloropropylene			µg/l	< 0.50	NA	NA	NA	< 0.75		NA		NA	NA	NA	NA	NA
2-Chlorotoluene			µg/l	< 0.30	NA	NA	NA	< 0.74		NA		NA	NA	NA	NA	NA
Isopropylbenzene			µg/l	< 0.20	NA	NA	NA	11		NA		NA	NA	NA	NA	NA

Metals and Inorganics	ES	PAL	Units	15-Feb-18	10-Apr-18	17-Jul-18	6-Nov-18	19-Sep-19
Dissolved Lead	15	1.5	µg/l	NS	NA	NA	NA	NA
PVOC Parameters								
Benzene	5	0.5	µg/l	NS	< 0.40	< 0.31	< 0.31	< 0.25
Toluene	800	160	µg/l	NS	< 0.39	< 0.49	< 0.49	< 0.17
Ethylbenzene	700	140	µg/l	NS	3.9	0.66*	0.37*	< 0.22
Xylenes (mixed isomers)	2,000	400	µg/l	NS	5.6	1.2*	0.68*	< 0.47
Methyl tert-Butyl Ether (MTBE)	60	12	µg/l	NS	< 0.48	< 0.32	< 0.32	< 1.2
Trimethylbenzenes (mixed isomers)	480	96	µg/l	NS	< 0.42	< 0.34	0.36*	< 0.87
Naphthalene	100	10	µg/l	NS	< 0.42	< 0.51	1.1*	< 1.2
1,2-Dibromoethane	0.05	0.005	µg/l	NS	NA	NA	NA	NA
1,2-Dichloroethane	5	0.5	µg/l	NS	NA	NA	NA	NA
1,1-Dichloropropylene			µg/l	NS	NA	NA	NA	NA
2-Chlorotoluene			µg/l	NS	NA	NA	NA	NA
Isopropylbenzene			µg/l	NS	NA	NA	NA	NA

Notes:

All values are reported in µg/l (ppb), unless otherwise noted

ES = NR140.10 Enforcement Standards

PAL = NR140.10 Preventive Action Limits

NS= Not Sampled

NA= Not Analyzed

ES exceeded ----->

PAL exceeded ----->

BOLD
<i>Italics</i>

* = Concentration between Limit of Detection and Limit of Quantitation, considered an estimate

Table 3c
MW3
Summary of Groundwater Analytical Results
Former Kelly's Grand View
Grand View, Wisconsin

Metals and Inorganics	ES	PAL	Units	15-Nov-05	21-Mar-06	26-Sep-06	14-Nov-07	8-Apr-08	3-Sep-08	24-Feb-09	8-Apr-09	5-May-09	29-Sep-09	12-Jan-10	12-May-10
Dissolved Lead	15	1.5	µg/l	NS	NS	NA	NS		NS	NS					
PVOC Parameters								System			System	Well	Well	Well	Well
Benzene	5	0.5	µg/l	NS	NS	< 0.31	NS	Start-up	NS	NS	Switch	Dry	Dry	Dry	Dry
Toluene	800	160	µg/l	NS	NS	< 0.30	NS	at	NS	NS	to RW4				
Ethylbenzene	700	140	µg/l	NS	NS	< 0.50	NS	RW1, RW2	NS	NS	Only				
Xylenes (mixed isomers)	2,000	400	µg/l	NS	NS	< 0.62	NS	and RW3	NS	NS					
Methyl tert-Butyl Ether (MTBE)	60	12	µg/l	NS	NS	< 0.30	NS		NS	NS					
Trimethylbenzenes (mixed isomers)	480	96	µg/l	NS	NS	< 0.40	NS		NS	NS					
Naphthalene	100	10	µg/l	NS	NS	< 0.80	NS		NS	NS					
1,2-Dibromoethane	0.05	0.005	µg/l	NS	NS	< 1.1	NS		NS	NS					
1,2-Dichloroethane	5	0.5	µg/l	NS	NS	< 0.40	NS		NS	NS					

Metals and Inorganics	ES	PAL	Units	11-Jan-11	26-Apr-11	15-Sep-11	7-Feb-12	8-May-12	25-Sep-12	18-Jun-13	13-Oct-14	14-Oct-14	3-Feb-15	15-Jun-15	19-Aug-15
Dissolved Lead	15	1.5	µg/l	NS	NS	NS	NS	NS		NA		NA	NA	NA	NA
PVOC Parameters									System		Clay				
Benzene	5	0.5	µg/l	NS	NS	NS	NS	NS	Turned	< 0.34	Cap	< 0.40	< 0.40	< 0.40	< 0.40
Toluene	800	160	µg/l	NS	NS	NS	NS	NS	Off	< 0.34	Installed	< 0.39	< 0.39	< 0.39	< 0.39
Ethylbenzene	700	140	µg/l	NS	NS	NS	NS	NS		< 0.34		< 0.39	< 0.39	< 0.39	< 0.39
Xylenes (mixed isomers)	2,000	400	µg/l	NS	NS	NS	NS	NS	PECFA	< 0.71		< 0.80	< 0.80	< 0.80	< 0.80
Methyl tert-Butyl Ether (MTBE)	60	12	µg/l	NS	NS	NS	NS	NS	Shutdown	< 0.37		< 0.48	< 0.48	< 0.48	< 0.48
Trimethylbenzenes (mixed isomers)	480	96	µg/l	NS	NS	NS	NS	NS		< 0.36		< 0.42	< 0.42	< 0.42	< 0.42
Naphthalene	100	10	µg/l	NS	NS	NS	NS	NS		< 0.37		< 0.39	< 0.39	< 0.39	< 0.39
1,2-Dibromoethane	0.05	0.005	µg/l	NS	NS	NS	NS	NS		NA		NA	NA	NA	NA
1,2-Dichloroethane	5	0.5	µg/l	NS	NS	NS	NS	NS		NA		NA	NA	NA	NA

Metals and Inorganics	ES	PAL	Units	31-Aug-16	15-Feb-18	10-Apr-18	17-Jul-18	6-Nov-18	19-Sep-19
Dissolved Lead	15	1.5	µg/l	NA	NS	NS	NA	NA	NA
PVOC Parameters									
Benzene	5	0.5	µg/l	< 0.40	NS	NS	< 0.31	< 0.31	< 0.25
Toluene	800	160	µg/l	< 0.39	NS	NS	< 0.49	< 0.49	< 0.17
Ethylbenzene	700	140	µg/l	< 0.39	NS	NS	< 0.33	< 0.33	< 0.22
Xylenes (mixed isomers)	2,000	400	µg/l	< 0.80	NS	NS	< 0.66	< 0.66	< 0.47
Methyl tert-Butyl Ether (MTBE)	60	12	µg/l	< 0.48	NS	NS	< 0.32	< 0.32	< 1.2
Trimethylbenzenes (mixed isomers)	480	96	µg/l	< 0.42	NS	NS	< 0.34	< 0.34	< 0.87
Naphthalene	100	10	µg/l	< 0.42	NS	NS	< 0.51	< 0.51	< 1.2
1,2-Dibromoethane	0.05	0.005	µg/l	NA	NS	NS	NA	NA	NA
1,2-Dichloroethane	5	0.5	µg/l	NA	NS	NS	NA	NA	NA

Notes:

All values are reported in µg/l (ppb), unless otherwise noted

ES = NR140.10 Enforcement Standards

PAL = NR140.10 Preventive Action Limits

NS= Not Sampled

NA= Not Analyzed

ES exceeded ----->

PAL exceeded ----->

BOLD
<i>Italics</i>

* = Concentration between Limit of Detection and Limit of Quantitation, considered an estimate

Top of Screen/Bottom of Screen (ft bls)

5-15

**Table 3d
MW4
Summary of Groundwater Analytical Results
Former Kelly's Grand View
Grand View, Wisconsin**

Metals and Inorganics	ES	PAL	Units	15-Nov-05	21-Mar-06	26-Sep-06	14-Nov-07	8-Apr-08	3-Sep-08	24-Feb-09	8-Apr-09	5-May-09	29-Sep-09	12-Jan-10	12-May-10	16-Sep-10
Dissolved Lead	15	1.5	µg/l	NS	NS	< 0.60	NA		NS	< 0.60		NA		NS		NS
PVOC Parameters								System			System		Well		Well	
Benzene	5	0.5	µg/l	NS	NS	< 0.31	< 0.20	Start-up	NS	< 0.20	Switch	< 0.20	Well	NS	NS	NS
Toluene	800	160	µg/l	NS	NS	< 0.30	< 0.40	at	NS	< 0.40	to RW4	< 0.40	Dry	NS	Dry	NS
Ethylbenzene	700	140	µg/l	NS	NS	< 0.50	< 0.10	RW1, RW2	NS	< 0.10	Only	< 0.10		NS		NS
Xylenes (mixed isomers)	2,000	400	µg/l	NS	NS	< 0.62	< 0.40	and RW3	NS	< 0.40		< 0.40		NS		NS
Methyl tert-Butyl Ether (MTBE)	60	12	µg/l	NS	NS	< 0.30	< 0.20		NS	< 0.20		< 0.20		NS		NS
Trimethylbenzenes (mixed isomers)	480	96	µg/l	NS	NS	< 0.71	< 0.40		NS	< 0.40		< 0.40		NS		NS
Naphthalene	100	10	µg/l	NS	NS	< 0.80	< 1.00		NS	< 1.00		< 1.00		NS		NS
1,2-Dibromoethane	0.05	0.005	µg/l	NS	NS	< 1.1	< 0.20		NS	< 0.20		< 0.20		NS		NS
1,2-Dichloroethane	5	0.5	µg/l	NS	NS	< 0.40	< 0.20		NS	< 0.20		< 0.20		NS		NS

Metals and Inorganics	ES	PAL	Units	11-Jan-11	26-Apr-11	15-Sep-11	7-Feb-12	5/8/2012	25-Sep-12	6/18/2013	13-Oct-14	14-Oct-14	3-Feb-15	15-Jun-15	19-Aug-15	31-Aug-16
Dissolved Lead	15	1.5	µg/l	NS	NS	NS	NS	NS		NS		NS	NS	NS	NS	NS
PVOC Parameters									System		Clay					
Benzene	5	0.5	µg/l	NS	NS	NS	NS	NS	Turned	NS	Cap	NS	NS	NS	NS	NS
Toluene	800	160	µg/l	NS	NS	NS	NS	NS	Off	NS	Installed	NS	NS	NS	NS	NS
Ethylbenzene	700	140	µg/l	NS	NS	NS	NS	NS		NS		NS	NS	NS	NS	NS
Xylenes (mixed isomers)	2,000	400	µg/l	NS	NS	NS	NS	NS	PECFA	NS		NS	NS	NS	NS	NS
Methyl tert-Butyl Ether (MTBE)	60	12	µg/l	NS	NS	NS	NS	NS	Shutdown	NS		NS	NS	NS	NS	NS
Trimethylbenzenes (mixed isomers)	480	96	µg/l	NS	NS	NS	NS	NS		NS		NS	NS	NS	NS	NS
Naphthalene	100	10	µg/l	NS	NS	NS	NS	NS		NS		NS	NS	NS	NS	NS
1,2-Dibromoethane	0.05	0.005	µg/l	NS	NS	NS	NS	NS		NS		NS	NS	NS	NS	NS
1,2-Dichloroethane	5	0.5	µg/l	NS	NS	NS	NS	NS		NS		NS	NS	NS	NS	NS

Metals and Inorganics	ES	PAL	Units	15-Feb-18	10-Apr-18	17-Jul-18	6-Nov-18	19-Sep-19
Dissolved Lead	15	1.5	µg/l	NS	NA	NS	NS	NA
PVOC Parameters								
Benzene	5	0.5	µg/l	NS	< 0.40	NS	NS	< 0.25
Toluene	800	160	µg/l	NS	< 0.39	NS	NS	< 0.17
Ethylbenzene	700	140	µg/l	NS	< 0.39	NS	NS	< 0.22
Xylenes (mixed isomers)	2,000	400	µg/l	NS	< 0.80	NS	NS	< 0.47
Methyl tert-Butyl Ether (MTBE)	60	12	µg/l	NS	< 0.48	NS	NS	< 1.2
Trimethylbenzenes (mixed isomers)	480	96	µg/l	NS	< 0.42	NS	NS	< 0.87
Naphthalene	100	10	µg/l	NS	< 0.42	NS	NS	< 1.2
1,2-Dibromoethane	0.05	0.005	µg/l	NS	NA	NS	NS	NA
1,2-Dichloroethane	5	0.5	µg/l	NS	NA	NS	NS	NA

Notes:

All values are reported in µg/l (ppb), unless otherwise noted

ES = NR140.10 Enforcement Standards

PAL = NR140.10 Preventive Action Limits

NS= Not Sampled

NA= Not Analyzed

ES exceeded ----->

BOLD
<i>Italics</i>

PAL exceeded ----->

* = Concentration between Limit of Detection and Limit of Quantitation, considered an estimate

Top of Screen/Bottom of Screen (ft bls) 7-17

Table 3e
MW5r
Summary of Groundwater Analytical Results
Former Kelly's Grand View
Grand View, Wisconsin

Metals and Inorganics	ES	PAL	Units	15-Nov-05	21-Mar-06	26-Sep-06	14-Nov-07	8-Apr-08	3-Sep-08	24-Feb-09	8-Apr-09	5-May-09	29-Sep-09	12-Jan-10	12-May-10	16-Sep-10
Dissolved Lead	15	1.5	µg/l	1.80	14	5.49	NA		< 16	11.7		NA	NA	9.15	316	4.6
PVOC Parameters								System			System					
Benzene	5	0.5	µg/l	<10	< 20	< 62	< 20	Start-up	< 20	< 20	Switch	< 20	< 20	< 3.10	< 8.2	< 0.41
Toluene	800	160	µg/l	3,200	5,600	3,450	811	at	586	843	to RW4	972	1,180	1,040	705	9.9
Ethylbenzene	700	140	µg/l	1,400	2,200	1,560	1,050	RW1, RW2	983	1,480	Only	1,470	1,830	1,860	1,030	43.4
Xylenes (mixed isomers)	2,000	400	µg/l	7,800	12,100	7,700	6,090	and RW3	4,850	8,510		6,382	8,490	8,830	6,060	277.1
Methyl tert-Butyl Ether (MTBE)	60	12	µg/l	< 15	< 30	< 60	< 20		< 50	< 50		< 50	< 50	37.2	< 12.2	< 0.61
Trimethylbenzenes (mixed isomers)	480	96	µg/l	1,650	2,520	1,490	1,350		1,691	2,218		2,114	1,643	2,603	1,743	<i>222.4</i>
Naphthalene	100	10	µg/l	NA	520	643	401		361	441		438	379	NA	267	29.9
1,2-Dibromoethane	0.05	0.005	µg/l	< 14	< 28	< 220	< 20		< 30	< 30		< 30	< 30	NA	< 11.2	< 0.56
1,2-Dichloroethane	5	0.5	µg/l	< 9.0	< 18	< 80	< 20		< 30	< 30		< 30	< 30	NA	< 7.2	< 0.36
Isopropylbenzene			µg/l	NA	NA	NA	NA		NA	64.4		80.7	56.9	NA	41.8	4.7

Metals and Inorganics	ES	PAL	Units	12-Jan-10	12-May-10	16-Sep-10	11-Jan-11	26-Apr-11	15-Sep-11	7-Feb-12	8-May-12	25-Sep-12	18-Jun-13	13-Oct-14	14-Oct-14	3-Feb-15
Dissolved Lead	15	1.5	µg/l	9.15	316	4.6	NA	NA	NA	NA	NA		NA		NA	NA
PVOC Parameters												System		Clay		
Benzene	5	0.5	µg/l	< 3.10	< 8.2	< 0.41	2.98*	< 8.2	< 0.41	5.2	< 2.0	Turned	< 0.34	Cap	< 0.40	< 0.40
Toluene	800	160	µg/l	1,040	705	9.9	72.2	311	3.8	101	23.9	Off	< 0.34	Installed	< 0.39	< 0.39
Ethylbenzene	700	140	µg/l	1,860	1,030	43.4	197	806	37.7	420	181		0.87*		< 0.39	2.8
Xylenes (mixed isomers)	2,000	400	µg/l	8,830	6,060	277.1	1,356	5,290	131.9	1,960	980	PECFA	1.72*		< 0.80	3.2
Methyl tert-Butyl Ether (MTBE)	60	12	µg/l	37.2	< 12.2	< 0.61	< 5.0	< 12.2	< 0.61	< 3.0	< 3.0	Shutdown	< 0.37		< 0.48	< 0.48
Trimethylbenzenes (mixed isomers)	480	96	µg/l	2,603	1,743	<i>222.4</i>	1,769	2,320	103.6	1,607	195.1		2.07		< 0.42	5.3
Naphthalene	100	10	µg/l	NA	267	29.9	104	275	34.9	213	105		< 0.37		< 0.39	3.5
1,2-Dibromoethane	0.05	0.005	µg/l	NA	< 11.2	< 0.56	< 3.0	NA	NA	NA	< 2.8		NA		NA	NA
1,2-Dichloroethane	5	0.5	µg/l	NA	< 7.2	< 0.36	< 3.0	< 7.2	< 0.36	< 1.8	< 1.8		NA		NA	NA
Isopropylbenzene			µg/l	NA	41.8	4.7	26.2	NA	NA	NA	23.3		NA		NA	NA

Metals and Inorganics	ES	PAL	Units	15-Jun-15	19-Aug-15	31-Aug-16	15-Feb-18	10-Apr-18	17-Jul-18	6-Nov-18	19-Sep-19
Dissolved Lead	15	1.5	µg/l	NA	NA	NA	NA	NA	NA	NA	NA
PVOC Parameters											
Benzene	5	0.5	µg/l	< 0.40	< 0.40	< 0.40	< 0.40	< 0.40	< 0.31	< 0.31	< 0.25
Toluene	800	160	µg/l	< 0.39	< 0.39	< 0.39	< 0.39	4.9	< 0.49	< 0.49	< 0.17
Ethylbenzene	700	140	µg/l	0.61*	1.3	< 0.39	4.6	55	< 0.33	< 0.33	< 0.22
Xylenes (mixed isomers)	2,000	400	µg/l	< 0.80	0.99*	< 0.80	2.1	216.6	< 0.66	< 0.66	< 0.47
Methyl tert-Butyl Ether (MTBE)	60	12	µg/l	< 0.48	< 0.48	< 0.48	< 0.48	1.3	< 0.32	< 0.32	< 1.2
Trimethylbenzenes (mixed isomers)	480	96	µg/l	0.72*	2.2	< 0.42	10.1	78.4	< 0.34	< 0.34	< 0.87
Naphthalene	100	10	µg/l	1.8	2.5	< 0.42	< 0.42	37.2	< 0.51	< 0.51	< 1.2
1,2-Dibromoethane	0.05	0.005	µg/l	NA	NA	NA	NA	NA	NA	NA	NA
1,2-Dichloroethane	5	0.5	µg/l	NA	NA	NA	NA	NA	NA	NA	NA
Isopropylbenzene			µg/l	NA	NA	NA	NA	NA	NA	NA	NA

Notes:

All values are reported in µg/l (ppb), unless otherwise noted

ES = NR140.10 Enforcement Standards

PAL = NR140.10 Preventive Action Limits

NS= Not Sampled

NA= Not Analyzed

ES exceeded ----->

PAL exceeded ----->

BOLD
<i>Italics</i>

* = Concentration between Limit of Detection and Limit of Quantitation, considered an estimate

Top of Screen/Bottom of Screen (ft bls) 7-17

Table 3f
MW6
Summary of Groundwater Analytical Results
Former Kelly's Grand View
Grand View, Wisconsin

Metals and Inorganics	ES	PAL	Units	15-Nov-05	21-Mar-06	26-Sep-06	14-Nov-07	8-Apr-08	3-Sep-08	24-Feb-09	8-Apr-09	5-May-09	29-Sep-09	12-Jan-10	12-May-10	16-Sep-10
Dissolved Lead	15	1.5	µg/l	5.60	2.1	3.22	NA		< 16	1.71*		4.99	NA	4.04	47.7	16.1
PVOC Parameters								System			System					
Benzene	5	0.5	µg/l	26	< 20	< 6.2	< 1.0	Start-up	< 20	< 20	Switch	< 20	< 20	< 15.5	< 4.1	< 0.41
Toluene	800	160	µg/l	2,600	4,000	1,620	880	at	401	448	to RW4	562	384	450	263	9.9
Ethylbenzene	700	140	µg/l	1,400	1,700	1,570	1,500	RW1, RW2	1,550	1,510	Only	1,240	1,690	1,890	1,220	43.4
Xylenes (mixed isomers)	2,000	400	µg/l	4,200	6,100	4,541	4,744	and RW3	4,939	5,375		3,946	5,950	5,790	3,958	277.1
Methyl tert-Butyl Ether (MTBE)	60	12	µg/l	< 12	< 30	< 6	< 1.0		< 50	< 50		< 50	< 50	NA	< 6.1	< 0.61
Trimethylbenzenes (mixed isomers)	480	96	µg/l	870	1,380	1,101	2,100		1,833	2,047		1,071	1,387	NA	1,169	222.4
Naphthalene	100	10	µg/l	NA	740	858	1,060		760	683		539	751	NA	618	29.9
1,2-Dibromoethane	0.05	0.005	µg/l	< 11	< 28	< 22	< 1.0		< 30	< 30		< 30	< 30	NA	< 5.6	< 0.56
1,2-Dichloroethane	5	0.5	µg/l	< 7.2	< 18	< 8	1.52*		< 30	< 30		< 30	< 30	NA	< 3.6	< 0.36
1,1-Dichloropropylene			µg/l	NA	NA	NA	NA		NA	NA		87.8*	< 80	NA	< 7.5	< 0.75
Isopropylbenzene			µg/l	NA	NA	NA	NA		NA	NA		72.3	77.9	NA	69.1	6.8
n-propylbenzene			µg/l	NA	NA	NA	NA		NA	NA				NA	145	19.2

Metals and Inorganics	ES	PAL	Units	11-Jan-11	26-Apr-11	15-Sep-11	7-Feb-12	8-May-12	25-Sep-12	18-Jun-13	13-Oct-14	14-Oct-14	3-Feb-15	15-Jun-15	19-Aug-15	31-Aug-16
Dissolved Lead	15	1.5	µg/l	NA	NA	NA	NA	NA		NA		NA	NA	NA	NA	NA
PVOC Parameters									System		Clay					
Benzene	5	0.5	µg/l	< 20	< 4.1	< 4.1	< 4.1	< 4.1	Turned	< 6.7	Cap	< 0.40	< 0.99	< 4.0	< 4.0	< 0.40
Toluene	800	160	µg/l	753	206	454	118	108	Off	594	Installed	12.6	248	257	465	160
Ethylbenzene	700	140	µg/l	861	1,010	922	937	1,190		820		59.4	388	730	1,010	405
Xylenes (mixed isomers)	2,000	400	µg/l	3,152	3,150	3,291	3,440	4,087	PECFA	2,552		185.6	1,188	2,439	3,323	1,891
Methyl tert-Butyl Ether (MTBE)	60	12	µg/l	< 50	< 6.1	< 6.1	< 6.1	< 6.1	Shutdown	< 7.4		< 0.48	1.7*	< 4.8	< 4.8	< 4.8
Trimethylbenzenes (mixed isomers)	480	96	µg/l	775	776	740	800	957		684		67.1	264.3	747	800	569
Naphthalene	100	10	µg/l	353	356	378	376	539		339		33.8	159	289	397	232
1,2-Dibromoethane	0.05	0.005	µg/l	< 80	NA	NA	NA	< 5.6		NA		NA	NA	NA	NA	NA
1,2-Dichloroethane	5	0.5	µg/l	< 30	< 3.6	< 3.6	< 3.6	< 7.5		NA		NA	NA	NA	NA	NA
1,1-Dichloropropylene			µg/l	< 50	NA	NA	NA	< 7.5		NA		NA	NA	NA	NA	NA
Isopropylbenzene			µg/l	43.7	NA	NA	NA	56.1		NA		NA	NA	NA	NA	NA
n-propylbenzene			µg/l	< 20	NA	NA	NA	119		NA		NA	NA	NA	NA	NA

Metals and Inorganics	ES	PAL	Units	15-Feb-18	10-Apr-18	17-Jul-18	6-Nov-18	19-Sep-19
Dissolved Lead	15	1.5	µg/l	NA	NA	NA	NA	NA
PVOC Parameters								
Benzene	5	0.5	µg/l	< 2.0	< 2.0	< 1.5	< 0.31	< 1.2
Toluene	800	160	µg/l	2.7*	370	209	< 0.49	32.2
Ethylbenzene	700	140	µg/l	137	381	277	< 0.33	171
Xylenes (mixed isomers)	2,000	400	µg/l	67.3	1,407	1,277	< 0.66	986
Methyl tert-Butyl Ether (MTBE)	60	12	µg/l	10.7	3.2*	3.1*	< 0.32	< 6.2
Trimethylbenzenes (mixed isomers)	480	96	µg/l	490.7	373.4	437.5	< 0.34	418.3
Naphthalene	100	10	µg/l	70	148	155	< 0.51	118
1,2-Dibromoethane	0.05	0.005	µg/l	NA	NA	NA	NA	NA
1,2-Dichloroethane	5	0.5	µg/l	NA	NA	NA	NA	NA
1,1-Dichloropropylene			µg/l	NA	NA	NA	NA	NA
Isopropylbenzene			µg/l	NA	NA	NA	NA	NA
n-propylbenzene			µg/l	NA	NA	NA	NA	NA

Notes:

All values are reported in µg/l (ppb), unless otherwise noted

ES = NR140.10 Enforcement Standards

PAL = NR140.10 Preventive Action Limits

NS= Not Sampled

NA= Not Analyzed

ES exceeded ----->

PAL exceeded ----->

BOLD
<i>Italics</i>

* = Concentration between Limit of Detection and Limit of Quantitation, considered an estimate

Top of Screen/Bottom of Screen (ft bls) 7-17

Table 3g
MW7
Summary of Groundwater Analytical Results
Former Kelly's Grand View
Grand View, Wisconsin

Metals and Inorganics	ES	PAL	Units	15-Nov-05	21-Mar-06	26-Sep-06	14-Nov-07	8-Apr-08	3-Sep-08	24-Feb-09	8-Apr-09	5-May-09	29-Sep-09	12-Jan-10	12-May-10	16-Sep-10
Dissolved Lead	15	1.5	µg/l	NA	3.4	1.81*	NA		20*	< 0.60		NA	NA	1.17	21	NA
PVOC Parameters								System			System					
Benzene	5	0.5	µg/l	6.8	1.9*	< 3.1	< 2.0	Start-up	< 2.0	< 0.20	Switch	< 2.0	< 0.20	4.96	< 0.41	< 1.0
Toluene	800	160	µg/l	16	140	52	15.3	at	14.5	2.16	to RW4	18	13.6	4.47	16.8	5
Ethylbenzene	700	140	µg/l	110	250	170	129	RW1, RW2	110	14.3	Only	85.7	123	28.5	280	88.6
Xylenes (mixed isomers)	2,000	400	µg/l	79	360	164.8	131.1	and RW3	144.3	10.04		190.6	162.4	24.08	342.7	54.3
Methyl tert-Butyl Ether (MTBE)	60	12	µg/l	< 0.61	< 1.5	< 3.0	< 2.0		< 5.0	< 0.50		< 5.0	< 0.50	3.68	< 0.61	< 1.5
Trimethylbenzenes (mixed isomers)	480	96	µg/l	<i>152</i>	<i>110</i>	<i>203.6</i>	<i>205.5</i>		<i>123.2</i>	5.7		<i>96.9</i>	<i>223.2</i>	53.2	<i>276.4</i>	88.1
Naphthalene	100	10	µg/l	NA	110	<i>89.0</i>	<i>63.8</i>		<i>75.6</i>	5.74		<i>50.20</i>	<i>85.4</i>	NA	133	54.5
1,2-Dibromoethane	0.05	0.005	µg/l	< 0.56	< 1.4	< 11	< 2.0		< 3.0	< 0.30		< 3.0	< 0.30	NA	< 0.56	< 1.4
1,2-Dichloroethane	5	0.5	µg/l	< 0.36	< 0.9	< 4	< 2.0		< 3.0	< 0.30		< 3.0	0.33*	NA	< 0.36	< 1.4
Isopropylbenzene			µg/l	NA	NA	NA	NA		NA	1.19		6.52	10.90	NA	22.1	11.7
Propylbenzene			µg/l	NA	NA	NA	NA		NA	2.09		< 1.0	25.10	NA	54	24.8
Trichlorofluoromethane			µg/l	NA	NA	NA	NA		NA	0.20*		< 3.0	< 0.30	NA	< 0.79	< 2.0

Metals and Inorganics	ES	PAL	Units	11-Jan-11	26-Apr-11	15-Sep-11	7-Feb-12	8-May-12	25-Sep-12	18-Jun-13	13-Oct-14	14-Oct-14	3-Feb-15	15-Jun-15	19-Aug-15	31-Aug-16
Dissolved Lead	15	1.5	µg/l	NA	NA	NA	NA	NA		NA		NA	NA	NA	NA	NA
PVOC Parameters									System		Clay					
Benzene	5	0.5	µg/l	< 3.0	< 0.41	< 0.41	< 0.41	< 0.41	Turned	< 0.34	Cap	< 0.40	1.7	1.1	<i>0.57*</i>	< 0.40
Toluene	800	160	µg/l	< 4.0	< 0.67	< 0.67	5.3	5.2	Off	< 0.34	Installed	< 0.39	2.3	1.7	2.6	< 0.39
Ethylbenzene	700	140	µg/l	36.4	5.8	74.2	106	105		< 0.34		2.5	71.5	57	95	< 0.39
Xylenes (mixed isomers)	2,000	400	µg/l	21.91	9.3	64.9	114	193	PECFA	< 0.71		8.5	79.4	56.2	88.3	< 0.80
Methyl tert-Butyl Ether (MTBE)	60	12	µg/l	< 5.0	< 0.61	< 0.61	< 0.61	< 0.61	Shutdown	< 0.37		< 0.48	3.1	1.6	6.9	< 0.48
Trimethylbenzenes (mixed isomers)	480	96	µg/l	71.8	5.5	<i>137.7</i>	<i>137.6</i>	<i>240.1</i>		0.37*		7.4	68.3	37.6	85.9	< 0.42
Naphthalene	100	10	µg/l	< 10	1.9*	23.4	<i>21.5</i>	<i>48.1</i>		< 0.37		1.6	37.5	28.3	<i>60.5</i>	< 0.42
1,2-Dibromoethane	0.05	0.005	µg/l	< 8.0	NA	NA	NA	< 0.56		NA		NA	NA	NA	NA	NA
1,2-Dichloroethane	5	0.5	µg/l	< 3.0	< 0.36	< 0.36	< 0.36	< 0.36		NA		NA	NA	NA	NA	NA
Isopropylbenzene			µg/l	6.1*	NA	NA	NA	9.8		NA		NA	NA	NA	NA	NA
Propylbenzene			µg/l	12.7*	NA	NA	NA	23.4		NA		NA	NA	NA	NA	NA
Trichlorofluoromethane			µg/l	< 3.0	NA	NA	NA	< 0.79		NA		NA	NA	NA	NA	NA

Metals and Inorganics	ES	PAL	Units	15-Feb-18	10-Apr-18	17-Jul-18	6-Nov-18	19-Sep-19
Dissolved Lead	15	1.5	µg/l	NA	NA	NA	NA	NA
PVOC Parameters								
Benzene	5	0.5	µg/l	< 0.40	< 0.40	< 0.31	< 0.31	< 0.25
Toluene	800	160	µg/l	1.6	1.8	< 0.49	< 0.49	< 0.17
Ethylbenzene	700	140	µg/l	21.6	78	< 0.33	< 0.33	13.1
Xylenes (mixed isomers)	2,000	400	µg/l	30.1	148.5	< 0.66	< 0.66	13.6
Methyl tert-Butyl Ether (MTBE)	60	12	µg/l	2.6	4.8	< 0.32	< 0.32	< 1.2
Trimethylbenzenes (mixed isomers)	480	96	µg/l	14.3	97.3	< 0.34	< 0.34	68
Naphthalene	100	10	µg/l	6.8	47.1	< 0.51	< 0.51	6.7
1,2-Dibromoethane	0.05	0.005	µg/l	NA	NA	NA	NA	NA
1,2-Dichloroethane	5	0.5	µg/l	NA	NA	NA	NA	NA
Isopropylbenzene			µg/l	NA	NA	NA	NA	NA
Propylbenzene			µg/l	NA	NA	NA	NA	NA
Trichlorofluoromethane			µg/l	NA	NA	NA	NA	NA

Notes:

All values are reported in µg/l (ppb), unless otherwise noted

ES = NR140.10 Enforcement Standards

PAL = NR140.10 Preventive Action Limits

NS= Not Sampled

NA= Not Analyzed

ES exceeded ----->

BOLD

PAL exceeded ----->

Italics

* = Concentration between Limit of Detection and Limit of Quantitation, considered an estimate

Table 3h
MW8
Summary of Groundwater Analytical Results
Former Kelly's Grand View
Grand View, Wisconsin

			Units	11/15/2005	3/21/2006	9/26/2006	11/14/2007	8-Apr-08	9/3/2008	2/24/2009	8-Apr-09	5/5/2009	9/29/2009	1/12/2010	12-May-10	16-Sep-10
Metals and Inorganics	ES	PAL														
Dissolved Lead	15	1.5	µg/l	NS	NS	NS	NS		NS	Well		Well	Well	NS	Well	Well
PVOC Parameters								System		Dry	System	Dry	Dry		Dry	Dry
Benzene	5	0.5	µg/l	NS	NS	NS	NS	Start-up	NS		Switch			NS		
Toluene	800	160	µg/l	NS	NS	NS	NS	at	NS		to RW4			NS		
Ethylbenzene	700	140	µg/l	NS	NS	NS	NS	RW1, RW2	NS		Only			NS		
Xylenes (mixed isomers)	2,000	400	µg/l	NS	NS	NS	NS	and RW3	NS					NS		
Methyl tert-Butyl Ether (MTBE)	60	12	µg/l	NS	NS	NS	NS		NS					NS		
Trimethylbenzenes (mixed isomers)	480	96	µg/l	NS	NS	NS	NS		NS					NS		
Naphthalene	100	10	µg/l	NS	NS	NS	NS		NS					NS		
1,2-Dibromoethane	0.05	0.005	µg/l	NS	NS	NS	NS		NS					NS		
1,2-Dichloroethane	5	0.5	µg/l	NS	NS	NS	NS		NS					NS		

			Units	11-Jan-11	26-Apr-11	15-Sep-11	7-Feb-12	8-May-12	25-Sep-12	18-Jun-13	13-Oct-14	14-Oct-14	3-Feb-15	15-Jun-15	19-Aug-15	31-Aug-16
Metals and Inorganics	ES	PAL														
Dissolved Lead	15	1.5	µg/l	NS	NS	NS	NS	NS		Well		NS	NS	NS	NS	NS
PVOC Parameters									System	Dry	Clay					
Benzene	5	0.5	µg/l	NS	NS	NS	NS	NS	Turned		Cap	NS	NS	NS	NS	NS
Toluene	800	160	µg/l	NS	NS	NS	NS	NS	Off		Installed	NS	NS	NS	NS	NS
Ethylbenzene	700	140	µg/l	NS	NS	NS	NS	NS				NS	NS	NS	NS	NS
Xylenes (mixed isomers)	2,000	400	µg/l	NS	NS	NS	NS	NS	PECFA			NS	NS	NS	NS	NS
Methyl tert-Butyl Ether (MTBE)	60	12	µg/l	NS	NS	NS	NS	NS	Shutdown			NS	NS	NS	NS	NS
Trimethylbenzenes (mixed isomers)	480	96	µg/l	NS	NS	NS	NS	NS				NS	NS	NS	NS	NS
Naphthalene	100	10	µg/l	NS	NS	NS	NS	NS				NS	NS	NS	NS	NS
1,2-Dibromoethane	0.05	0.005	µg/l	NS	NS	NS	NS	NS				NS	NS	NS	NS	NS
1,2-Dichloroethane	5	0.5	µg/l	NS	NS	NS	NS	NS				NS	NS	NS	NS	NS

			Units	15-Feb-18	10-Apr-18	17-Jul-18	15-Nov-18	19-Sep-19
Metals and Inorganics	ES	PAL						
Dissolved Lead	15	1.5	µg/l	Well	Well	Well	Well	Well
PVOC Parameters				Dry	Dry	Dry	Dry	Dry
Benzene	5	0.5	µg/l					
Toluene	800	160	µg/l					
Ethylbenzene	700	140	µg/l					
Xylenes (mixed isomers)	2,000	400	µg/l					
Methyl tert-Butyl Ether (MTBE)	60	12	µg/l					
Trimethylbenzenes (mixed isomers)	480	96	µg/l					
Naphthalene	100	10	µg/l					
1,2-Dibromoethane	0.05	0.005	µg/l					
1,2-Dichloroethane	5	0.5	µg/l					

Notes:
All values are reported in µg/l (ppb), unless otherwise noted

ES = NR140.10 Enforcement Standards
PAL = NR140.10 Preventive Action Limits

NS= Not Sampled
NA= Not Analyzed

ES exceeded ----->
PAL exceeded ----->

BOLD
<i>Italics</i>

* = Concentration between Limit of Detection and Limit of Quantitation, considered an estimate

Top of Screen/Bottom of Screen (ft bls) 10-20

Table 3i
MW9
Summary of Groundwater Analytical Results
Former Kelly's Grand View
Grand View, Wisconsin

	ES	PAL	Date	15-Nov-05	21-Mar-06	26-Sep-06	14-Nov-07	8-Apr-08	3-Sep-08	24-Feb-09	8-Apr-09	5-May-09	29-Sep-09	12-Jan-10	12-May-10	16-Sep-10
Metals and Inorganics	ES	PAL	Units													
Dissolved Lead	15	1.5	µg/l	0.73	0.51	< 0.60	NA		< 16	0.63*		Well	Well	Well	Well	3.1*
PVOC Parameters								System			System	Dry	Dry	Dry	Dry	
Benzene	5	0.5	µg/l	230	78	183	220	Start-up	404	124	Switch					37.4
Toluene	800	160	µg/l	73	11	28.1	23.1*	at	111	29.9*	to RW4					34.7
Ethylbenzene	700	140	µg/l	370	210	227	723	RW1, RW2	888	378	Only					223
Xylenes (mixed isomers)	2,000	400	µg/l	481	170	257	380	and RW3	<i>1,160.8</i>	214.2						314.2
Methyl tert-Butyl Ether (MTBE)	60	12	µg/l	< 2.4	< 1.5	< 6.0	< 4.0		< 5.0	< 25						< 0.61
Trimethylbenzenes (mixed isomers)	480	96	µg/l	242	55	124.7	23.9		1,103	369						328.1
Naphthalene	100	10	µg/l	NA	93	152	237		494	201						147
1,2-Dibromoethane	0.05	0.005	µg/l	< 2.2	< 1.4	< 22	< 4.0		< 3.0	< 15						< 0.56
1,2-Dichloroethane	5	0.5	µg/l	< 1.4	< 0.9	< 8.0	5.75*		9.10*	< 15						< 0.36
Isopropylbenzene			µg/l	NA	NA	NA	NA		NA	34.9						21.7

	ES	PAL	Date	11-Jan-11	26-Apr-11	15-Sep-11	7-Feb-12	8-May-12	25-Sep-12	13-Jun-13	13-Oct-14	14-Oct-14	3-Feb-15	15-Jun-15	19-Aug-15	31-Aug-16
Metals and Inorganics	ES	PAL	Units													
Dissolved Lead	15	1.5	µg/l	Well	NS	NA	NA	NA		NA		NA	NA	NA	NA	NA
PVOC Parameters				Dry					System		Clay					
Benzene	5	0.5	µg/l		NS	3.0	14.5	6.2	Turned	4.3	Cap	< 0.40	< 0.40	2.1	1.4	< 0.40
Toluene	800	160	µg/l		NS	2.1	3	3.2	Off	11.7	Installed	< 0.39	< 0.39	4.3	1.4	< 0.39
Ethylbenzene	700	140	µg/l		NS	28.6	209	43.1		1.4		< 0.39	< 0.39	9.9	5.5	< 0.39
Xylenes (mixed isomers)	2,000	400	µg/l		NS	30.8	23	11.8	PECFA	16		< 0.80	< 0.80	6.0	3.7	< 0.80
Methyl tert-Butyl Ether (MTBE)	60	12	µg/l		NS	< 0.61	< 0.61	< 0.61	Shutdown	0.68*		< 0.48	< 0.48	0.49*	0.56*	< 0.48
Trimethylbenzenes (mixed isomers)	480	96	µg/l		NS	27.8	200.1	24.1		5.86		< 0.42	< 0.42	6.5	5.7	< 0.42
Naphthalene	100	10	µg/l		NS	16.7	55.2	10.9		3.1		< 0.39	< 0.39	10.1	3.7	< 0.42
1,2-Dibromoethane	0.05	0.005	µg/l		NS	NA	NA	< 0.56		NA		NA	NA	NA	NA	NA
1,2-Dichloroethane	5	0.5	µg/l		NS	< 0.36	< 0.36	< 0.36		NA		NA	NA	NA	NA	NA
Isopropylbenzene			µg/l		NS	NA	NA	8.0		NA		NA	NA	NA	NA	NA

	ES	PAL	Date	15-Feb-18	10-Apr-18	17-Jul-18	6-Nov-18	19-Sep-19
Metals and Inorganics	ES	PAL	Units					
Dissolved Lead	15	1.5	µg/l	NA	NA	NA	NA	NA
PVOC Parameters								
Benzene	5	0.5	µg/l	1.1	< 0.40	< 0.31	< 0.31	< 0.25
Toluene	800	160	µg/l	5.1	< 0.39	< 0.49	< 0.49	< 0.17
Ethylbenzene	700	140	µg/l	< 0.39	< 0.39	< 0.33	< 0.33	< 0.22
Xylenes (mixed isomers)	2,000	400	µg/l	1.8*	0.88*	< 0.66	< 0.66	< 0.47
Methyl tert-Butyl Ether (MTBE)	60	12	µg/l	< 0.48	< 0.48	< 0.32	< 0.32	< 1.2
Trimethylbenzenes (mixed isomers)	480	96	µg/l	< 0.42	0.90*	< 0.34	< 0.34	< 0.87
Naphthalene	100	10	µg/l	< 0.42	1.9	< 0.51	< 0.51	< 1.2
1,2-Dibromoethane	0.05	0.005	µg/l	NA	NA	NA	NA	NA
1,2-Dichloroethane	5	0.5	µg/l	NA	NA	NA	NA	NA
Isopropylbenzene			µg/l	NA	NA	NA	NA	NA

Notes:
All values are reported in µg/l (ppb), unless otherwise noted
ES = NR140.10 Enforcement Standards
PAL = NR140.10 Preventive Action Limits
NS= Not Sampled
NA= Not Analyzed

ES exceeded ----->
PAL exceeded ----->

BOLD
<i>Italics</i>

* = Concentration between Limit of Detection and Limit of Quantitation, considered an estimate

Table 3j
MW10
Summary of Groundwater Analytical Results
Former Kelly's Grand View
Grand View, Wisconsin

			Date	15-Nov-05	21-Mar-06	26-Sep-06	14-Nov-07	8-Apr-08	3-Sep-08	24-Feb-09	8-Apr-09	5-May-09	29-Sep-09	12-Jan-10	12-May-10	16-Sep-10
Metals and Inorganics	ES	PAL	Units													
Dissolved Lead	15	1.5	µg/l	NS	NS	NS	NA		NS	< 0.60		NA	NA	NS	NS	NS
PVOC Parameters								System			System					
Benzene	5	0.5	µg/l	NS	NS	NS	< 0.20	Start-up	NS	< 0.20	Switch	< 0.20	< 0.20	NS	NS	NS
Toluene	800	160	µg/l	NS	NS	NS	< 0.40	at	NS	< 0.40	to RW4	< 0.40	< 0.40	NS	NS	NS
Ethylbenzene	700	140	µg/l	NS	NS	NS	< 0.10	RW1, RW2	NS	< 0.10	Only	< 0.10	< 0.10	NS	NS	NS
Xylenes (mixed isomers)	2,000	400	µg/l	NS	NS	NS	< 0.40	and RW3	NS	< 0.40		< 0.40	< 0.40	NS	NS	NS
Methyl tert-Butyl Ether (MTBE)	60	12	µg/l	NS	NS	NS	< 0.20		NS	< 0.20		< 0.20	< 0.20	NS	NS	NS
Trimethylbenzenes (mixed isomers)	480	96	µg/l	NS	NS	NS	< 0.40		NS	< 0.40		< 0.40	< 0.40	NS	NS	NS
Naphthalene	100	10	µg/l	NS	NS	NS	< 1.00		NS	< 1.00		< 1.00	< 1.00	NS	NS	NS
1,2-Dibromoethane	0.05	0.005	µg/l	NS	NS	NS	< 0.20		NS	< 0.20		< 0.20	< 0.20	NS	NS	NS
1,2-Dichloroethane	5	0.5	µg/l	NS	NS	NS	< 0.20		NS	< 0.20		< 0.20	< 0.20	NS	NS	NS

			Date	11-Jan-11	26-Apr-11	15-Sep-11	7-Feb-12	8-May-12	25-Sep-12	18-Jun-13	13-Oct-14	14-Oct-14	3-Feb-15	15-Jun-15	19-Aug-15	31-Aug-16
Metals and Inorganics	ES	PAL	Units													
Dissolved Lead	15	1.5	µg/l	NS	NS	NS	NS	NS		NS		NS	NS	NS	NS	NS
PVOC Parameters									System		Clay					
Benzene	5	0.5	µg/l	NS	NS	NS	NS	NS	Turned	NS	Cap	NS	NS	NS	NS	NS
Toluene	800	160	µg/l	NS	NS	NS	NS	NS	Off	NS	Installed	NS	NS	NS	NS	NS
Ethylbenzene	700	140	µg/l	NS	NS	NS	NS	NS		NS		NS	NS	NS	NS	NS
Xylenes (mixed isomers)	2,000	400	µg/l	NS	NS	NS	NS	NS	PECFA	NS		NS	NS	NS	NS	NS
Methyl tert-Butyl Ether (MTBE)	60	12	µg/l	NS	NS	NS	NS	NS	Shutdown	NS		NS	NS	NS	NS	NS
Trimethylbenzenes (mixed isomers)	480	96	µg/l	NS	NS	NS	NS	NS		NS		NS	NS	NS	NS	NS
Naphthalene	100	10	µg/l	NS	NS	NS	NS	NS		NS		NS	NS	NS	NS	NS
1,2-Dibromoethane	0.05	0.005	µg/l	NS	NS	NS	NS	NS		NS		NS	NS	NS	NS	NS
1,2-Dichloroethane	5	0.5	µg/l	NS	NS	NS	NS	NS		NS		NS	NS	NS	NS	NS

			Date	15-Feb-18	10-Apr-18	17-Jul-18	15-Nov-18	19-Sep-19
Metals and Inorganics	ES	PAL	Units					
Dissolved Lead	15	1.5	µg/l	NS	NS	NS	NA	NA
PVOC Parameters								
Benzene	5	0.5	µg/l	NS	NS	NS	< 0.31	< 0.25
Toluene	800	160	µg/l	NS	NS	NS	< 0.49	< 0.17
Ethylbenzene	700	140	µg/l	NS	NS	NS	< 0.33	< 0.22
Xylenes (mixed isomers)	2,000	400	µg/l	NS	NS	NS	< 0.66	< 0.47
Methyl tert-Butyl Ether (MTBE)	60	12	µg/l	NS	NS	NS	< 0.32	< 1.2
Trimethylbenzenes (mixed isomers)	480	96	µg/l	NS	NS	NS	< 0.34	< 0.87
Naphthalene	100	10	µg/l	NS	NS	NS	< 0.51	< 1.2
1,2-Dibromoethane	0.05	0.005	µg/l	NS	NS	NS	NA	NA
1,2-Dichloroethane	5	0.5	µg/l	NS	NS	NS	NA	NA

Notes:

All values are reported in µg/l (ppb), unless otherwise noted

ES = NR140.10 Enforcement Standards

PAL = NR140.10 Preventive Action Limits

NS= Not Sampled

NA= Not Analyzed

ES exceeded ----->

PAL exceeded ----->

BOLD
<i>Italics</i>

* = Concentration between Limit of Detection and Limit of Quantitation, considered an estimate

Top of Screen/Bottom of Screen (ft bls) 10-20

**Table 3k
MW11
Summary of Groundwater Analytical Results
Former Kelly's Grand View
Grand View, Wisconsin**

			Date	15-Nov-05	21-Mar-06	26-Sep-06	14-Nov-07	8-Apr-08	3-Sep-08	24-Feb-09	8-Apr-09	5-May-09	29-Sep-09	12-Jan-10	12-May-10	16-Sep-10
Metals and Inorganics	ES	PAL	Units													
Dissolved Lead	15	1.5	µg/l	NS	NS	< 0.60	NA		NS	< 0.60		NA	NA	NS	2.6*	NS
PVOC Parameters								System			System					
Benzene	5	0.5	µg/l	NS	NS	< 0.31	< 0.20	Start-up	NS	< 0.20	Switch	< 0.20	< 0.20	NS	< 0.41	NS
Toluene	800	160	µg/l	NS	NS	< 0.40	< 0.40	at	NS	< 0.40	to RW4	< 0.40	< 0.40	NS	< 0.67	NS
Ethylbenzene	700	140	µg/l	NS	NS	< 0.50	< 0.20	RW1, RW2	NS	< 0.20	Only	< 0.20	< 0.20	NS	< 0.54	NS
Xylenes (mixed isomers)	2,000	400	µg/l	NS	NS	< 0.62	< 0.40	and RW3	NS	< 0.40		< 0.40	< 0.40	NS	< 0.83	NS
Methyl tert-Butyl Ether (MTBE)	60	12	µg/l	NS	NS	< 0.30	< 0.20		NS	< 0.20		< 0.20	< 0.20	NS	< 0.61	NS
Trimethylbenzenes (mixed isomers)	480	96	µg/l	NS	NS	< 0.40	< 0.20		NS	< 0.20		< 0.20	< 0.20	NS	< 0.97	NS
Naphthalene	100	10	µg/l	NS	NS	< 0.80	< 1.0		NS	< 1.0		< 1.0	< 1.0	NS	< 0.89	NS
1,2-Dibromoethane	0.05	0.005	µg/l	NS	NS	< 1.10	< 0.20		NS	< 0.20		< 0.20	< 0.20	NS	< 0.56	NS
1,2-Dichloroethane	5	0.5	µg/l	NS	NS	< 0.40	< 0.20		NS	< 0.20		< 0.20	< 0.20	NS	< 0.36	NS

			Date	11-Jan-11	26-Apr-11	15-Sep-11	7-Feb-12	8-May-12	25-Sep-12	18-Jun-13	13-Oct-14	14-Oct-14	3-Feb-15	15-Jun-15	19-Aug-15	31-Aug-16
Metals and Inorganics	ES	PAL	Units													
Dissolved Lead	15	1.5	µg/l	NS	NS	NS	NS	NS		NS		NS	NS	NS	NS	NS
PVOC Parameters									System		Clay					
Benzene	5	0.5	µg/l	NS	NS	NS	NS	NS	Turned	NS	Cap	NS	NS	NS	NS	NS
Toluene	800	160	µg/l	NS	NS	NS	NS	NS	Off	NS	Installed	NS	NS	NS	NS	NS
Ethylbenzene	700	140	µg/l	NS	NS	NS	NS	NS		NS		NS	NS	NS	NS	NS
Xylenes (mixed isomers)	2,000	400	µg/l	NS	NS	NS	NS	NS	PECFA	NS		NS	NS	NS	NS	NS
Methyl tert-Butyl Ether (MTBE)	60	12	µg/l	NS	NS	NS	NS	NS	Shutdown	NS		NS	NS	NS	NS	NS
Trimethylbenzenes (mixed isomers)	480	96	µg/l	NS	NS	NS	NS	NS		NS		NS	NS	NS	NS	NS
Naphthalene	100	10	µg/l	NS	NS	NS	NS	NS		NS		NS	NS	NS	NS	NS
1,2-Dibromoethane	0.05	0.005	µg/l	NS	NS	NS	NS	NS		NS		NS	NS	NS	NS	NS
1,2-Dichloroethane	5	0.5	µg/l	NS	NS	NS	NS	NS		NS		NS	NS	NS	NS	NS

			Date	15-Feb-18	10-Apr-18	17-Jul-18	15-Nov-18	19-Sep-19
Metals and Inorganics	ES	PAL	Units					
Dissolved Lead	15	1.5	µg/l	NS	NS	NS	NA	NA
PVOC Parameters								
Benzene	5	0.5	µg/l	NS	NS	NS	< 0.31	< 0.25
Toluene	800	160	µg/l	NS	NS	NS	< 0.49	< 0.17
Ethylbenzene	700	140	µg/l	NS	NS	NS	< 0.33	< 0.22
Xylenes (mixed isomers)	2,000	400	µg/l	NS	NS	NS	< 0.66	< 0.47
Methyl tert-Butyl Ether (MTBE)	60	12	µg/l	NS	NS	NS	< 0.32	< 1.2
Trimethylbenzenes (mixed isomers)	480	96	µg/l	NS	NS	NS	< 0.34	< 0.87
Naphthalene	100	10	µg/l	NS	NS	NS	< 0.51	< 1.2
1,2-Dibromoethane	0.05	0.005	µg/l	NS	NS	NS	NA	NA
1,2-Dichloroethane	5	0.5	µg/l	NS	NS	NS	NA	NA

Notes:

All values are reported in µg/l (ppb), unless otherwise noted

ES = NR140.10 Enforcement Standards

PAL = NR140.10 Preventive Action Limits

NS= Not Sampled

NA= Not Analyzed

ES exceeded ----->

PAL exceeded ----->

BOLD
<i>Italics</i>

* = Concentration between Limit of Detection and Limit of Quantitation, considered an estimate

Top of Screen/Bottom of Screen (ft bls) 9-19

**Table 31
OW1
Summary of Groundwater Analytical Results
Former Kelly's Grand View
Grand View, Wisconsin**

	ES	PAL	Date	15-Nov-05	21-Mar-06	26-Sep-06	14-Nov-07	8-Apr-08	3-Sep-08	24-Feb-09	8-Apr-09	5-May-09	29-Sep-09	12-Jan-10	12-May-10	16-Sep-10
Metals and Inorganics	ES	PAL	Units													
Dissolved Lead	15	1.5	mg/l	<0.40	<0.40	<0.60	NA		<16	<0.60		NA	NA	<0.60	3.0*	2.3*
PVOC Parameters								System			System					
Benzene	5	0.5	µg/l	0.77*	<0.41	<0.31	<0.20	Start-up	<0.20	<0.20	Switch	<0.20	<0.20	<0.31	<0.41	<0.41
Toluene	800	160	µg/l	1.4*	<0.67	<0.30	<0.40	at	<0.40	<0.40	to RW4	<0.40	<0.40	<0.37	<0.67	<0.67
Ethylbenzene	700	140	µg/l	<0.54	<0.54	<0.50	<0.10	RW1, RW2	<0.10	<0.10	Only	<0.10	<0.10	<0.50	<0.54	<0.54
Xylenes (mixed isomers)	2,000	400	µg/l	<1.8	<1.8	<0.62	<0.40	and RW3	<0.40	<0.40		<0.40	<0.40	<0.62	<1.8	<1.8
Methyl tert-Butyl Ether (MTBE)	60	12	µg/l	<0.61	<0.61	<0.30	<0.20		<0.20	<0.20		<0.20	<0.20	<0.30	<0.61	<0.61
Trimethylbenzenes (mixed isomers)	480	96	µg/l	<0.97	<1.8	<0.40	<0.40		<0.40	<0.40		<0.40	<0.40	<0.40	<0.97	<0.97
Naphthalene	100	10	µg/l	NA	<0.40	<1.0	<1.00		<1.00	<1.00		<1.00	<1.00	NA	<0.89	<0.89
1,2-Dibromoethane	0.05	0.005	µg/l	<0.56	<0.56	<1.1	<0.20		<0.20	<0.20		<0.20	<0.20	NA	<0.56	<0.56
1,2-Dichloroethane	5	0.5	µg/l	<0.36	<0.36	<0.40	<0.20		<0.20	<0.20		<0.20	<0.20	NA	<0.36	<0.36
Tetrachloroethene	5	0.5	µg/l	NA	NA	NA	NA		NA	2.23		2.24	2.22	NA	1.7	1.5

	ES	PAL	Date	11-Jan-11	26-Apr-11	15-Sep-11	7-Feb-12	8-May-12	25-Sep-12	18-Jun-13	13-Oct-14	14-Oct-14	3-Feb-15	15-Jun-15	19-Aug-15	31-Aug-16
Metals and Inorganics	ES	PAL	Units													
Dissolved Lead	15	1.5	mg/l	NA	NA	NA	NA	NA		NS	Clay	NS	NS	NS	NS	NS
PVOC Parameters								System		Clay						
Benzene	5	0.5	µg/l	<0.30	<0.41	<0.41	<0.41	<0.41	Turned	NS	Cap	NS	NS	NS	NS	NS
Toluene	800	160	µg/l	<0.40	<0.67	<0.67	<0.67	<0.67	Off	NS	Installed	NS	NS	NS	NS	NS
Ethylbenzene	700	140	µg/l	<0.20	<0.54	<0.54	<0.54	<0.54		NS		NS	NS	NS	NS	NS
Xylenes (mixed isomers)	2,000	400	µg/l	<0.40	<2.6	<2.6	<2.6	<2.6	PECFA	NS		NS	NS	NS	NS	NS
Methyl tert-Butyl Ether (MTBE)	60	12	µg/l	<1.0	<0.61	<0.61	<0.61	<0.61	Shutdown	NS		NS	NS	NS	NS	NS
Trimethylbenzenes (mixed isomers)	480	96	µg/l	<0.40	<0.97	<0.97	<0.97	<0.97		NS		NS	NS	NS	NS	NS
Naphthalene	100	10	µg/l	<0.10	<0.89	<0.89	<0.89	<0.89		NS		NS	NS	NS	NS	NS
1,2-Dibromoethane	0.05	0.005	µg/l	<0.30	NA	NA	NA	<0.56		NS		NS	NS	NS	NS	NS
1,2-Dichloroethane	5	0.5	µg/l	<0.40	<0.36	<0.36	<0.36	<0.36		NS		NS	NS	NS	NS	NS
Tetrachloroethene	5	0.5	µg/l	1.99	NA	NA	NA	1.0		NS		NS	NS	NS	NS	NS

	ES	PAL	Date	15-Feb-18	10-Apr-18	17-Jul-18	15-Nov-18	19-Sep-19
Metals and Inorganics	ES	PAL	Units					
Dissolved Lead	15	1.5	mg/l	NS	NA	NS	NA	NA
PVOC Parameters								
Benzene	5	0.5	µg/l	NS	<0.40	NS	<0.31	<0.25
Toluene	800	160	µg/l	NS	<0.39	NS	<0.49	<0.17
Ethylbenzene	700	140	µg/l	NS	<0.39	NS	<0.33	<0.22
Xylenes (mixed isomers)	2,000	400	µg/l	NS	<0.80	NS	<0.66	<0.47
Methyl tert-Butyl Ether (MTBE)	60	12	µg/l	NS	<0.48	NS	<0.32	<1.2
Trimethylbenzenes (mixed isomers)	480	96	µg/l	NS	<0.42	NS	<0.34	<0.87
Naphthalene	100	10	µg/l	NS	<0.42	NS	<0.51	<1.2
1,2-Dibromoethane	0.05	0.005	µg/l	NS	NA	NS	NA	NA
1,2-Dichloroethane	5	0.5	µg/l	NS	NA	NS	NA	NA
Tetrachloroethene	5	0.5	µg/l	NS	NA	NS	NA	NA

Notes:
 All values are reported in µg/l (ppb), unless otherwise noted
 ES = NR140.10 Enforcement Standards
 PAL = NR140.10 Preventive Action Limits
 NS= Not Sampled
 NA= Not Analyzed
 Top of Screen/Bottom of Screen (ft bls) 33-38

ES exceeded ----->
 PAL exceeded ----->

BOLD
<i>Italics</i>

* = Concentration between Limit of Detection and Limit of Quantitation, considered an estimate

**Table 3m
OW2
Summary of Groundwater Analytical Results
Former Kelly's Grand View
Grand View, Wisconsin**

	ES	PAL	Date	15-Nov-05	21-Mar-06	26-Sep-06	14-Nov-07	8-Apr-08	3-Sep-08	24-Feb-09	8-Apr-09	5-May-09	29-Sep-09	12-Jan-10	12-May-10	16-Sep-10
Metals and Inorganics			Units													
Dissolved Lead	15	1.5	µg/l	0.46*	0.42*	<0.60	NA		< 16	27.6		Product	Product	Product	Product	Product
PVOC Parameters								System			System	Only	Only	Only	Only	Only
Benzene	5	0.5	µg/l	26	34	51.20	77.80	Start-up	48.9	< 20						
Toluene	800	160	µg/l	4.1	4.3	3.82	704	at	1,490	1,340	to RW4	No	No	No	No	No
Ethylbenzene	700	140	µg/l	1.3*	3.0	2.54	629	RW1, RW2	1,620	1,340	Only	Water	Water	Water	Water	Water
Xylenes (mixed isomers)	2,000	400	µg/l	26.4	39.1	33.67	2,894	and RW3	7,470	6,130						
Methyl tert-Butyl Ether (MTBE)	60	12	µg/l	< 0.61	< 0.61	< 0.30	< 20		< 5.0	< 50						
Trimethylbenzenes (mixed isomers)	480	96	µg/l	14.4	20.9	23.82	2,130		6,840	1,759						
Naphthalene	100	10	µg/l	NA	41	46.7	583		891	969						
1,2-Dibromoethane	0.05	0.005	µg/l	< 0.56	< 0.56	< 1.1	< 20		< 3.0	< 30						
1,2-Dichloroethane	5	0.5	µg/l	< 0.36	< 0.36	< 0.40	< 20		< 3.0	< 30						
1,2-Dibromo-3-chloropropane			µg/l	NA	NA	NA	NA		NA	196*						
4-Isopropyltoluene			µg/l	NA	NA	NA	NA		NA	52.8*						
Isopropylbenzene			µg/l	NA	NA	NA	NA		NA	117						

	ES	PAL	Date	11-Jan-11	26-Apr-11	15-Sep-11	7-Feb-12	8-May-12	25-Sep-12	18-Jun-13	13-Oct-14	14-Oct-14	3-Feb-15	15-Jun-15	19-Aug-15	31-Aug-16
Metals and Inorganics			Units													
Dissolved Lead	15	1.5	µg/l	Product	Product	NA	NA	NA		NA		NA	NA	NA	NA	NA
PVOC Parameters				Only	Only				System		Clay					
Benzene	5	0.5	µg/l			315	247	194	Turned	131	Cap	83.5	75	74	76.3	64.8
Toluene	800	160	µg/l	No	No	3,130	2,440	2,020	Off	910	Installed	580	346	327	336	281
Ethylbenzene	700	140	µg/l	Water	Water	1,130	1,240	1,180		926		921	867	900	819	357
Xylenes (mixed isomers)	2,000	400	µg/l			5,030	6,530	5,760	PECEFA	4,780		4,750	4,770	5,410	4,760	4,280
Methyl tert-Butyl Ether (MTBE)	60	12	µg/l			< 12.2	< 12.2	< 12.2	Shutdown	14.9*		17.6	12.2*	12.9*	19.9*	19
Trimethylbenzenes (mixed isomers)	480	96	µg/l			1,694	2,022	1,719		1,662		1,639	1,839	2,276	1,902	1,856
Naphthalene	100	10	µg/l			876	960	944		937		868	856	967	872	777
1,2-Dibromoethane	0.05	0.005	µg/l			NA	NA	< 11.2		NA		NA	NA	NA	NA	NA
1,2-Dichloroethane	5	0.5	µg/l			< 7.2	< 7.2	< 15		NA		NA	NA	NA	NA	NA
1,2-Dibromo-3-chloropropane			µg/l			NA	NA	< 33.6		NA		NA	NA	NA	NA	NA
4-Isopropyltoluene			µg/l			NA	NA	NA		NA		NA	NA	NA	NA	NA
Isopropylbenzene			µg/l			NA	NA	96.40		NA		NA	NA	NA	NA	NA

	ES	PAL	Date	15-Feb-18	10-Apr-18	17-Jul-18	6-Nov-18	19-Sep-19
Metals and Inorganics			Units					
Dissolved Lead	15	1.5	µg/l	NS	NA	NA	NA	NA
PVOC Parameters								
Benzene	5	0.5	µg/l	NS	35.9	37.5	40.1	22.1
Toluene	800	160	µg/l	NS	94.3	101	76.8	33.1*
Ethylbenzene	700	140	µg/l	NS	64.1	57	38	19.1*
Xylenes (mixed isomers)	2,000	400	µg/l	NS	2,690	2,744	2,611	1,112
Methyl tert-Butyl Ether (MTBE)	60	12	µg/l	NS	18.3*	12.7*	10.8*	< 24.9
Trimethylbenzenes (mixed isomers)	480	96	µg/l	NS	1,659	1,820	1,525	959
Naphthalene	100	10	µg/l	NS	565	511	498	250
1,2-Dibromoethane	0.05	0.005	µg/l	NS	NA	NA	NA	NA
1,2-Dichloroethane	5	0.5	µg/l	NS	NA	NA	NA	NA
1,2-Dibromo-3-chloropropane			µg/l	NS	NA	NA	NA	NA
4-Isopropyltoluene			µg/l	NS	NA	NA	NA	NA
Isopropylbenzene			µg/l	NS	NA	NA	NA	NA

Notes:

All values are reported in µg/l (ppb), unless otherwise noted

ES = NR140.10 Enforcement Standards

PAL = NR140.10 Preventive Action Limits

NS= Not Sampled

NA= Not Analyzed

ES exceeded ----->

PAL exceeded ----->

BOLD
<i>Italics</i>

* = Concentration between Limit of Detection and Limit of Quantitation, considered an estimate

**Table 3n
OW3
Summary of Groundwater Analytical Results
Former Kelly's Grand View
Grand View, Wisconsin**

	ES	PAL	Date	15-Nov-05	21-Mar-06	26-Sep-06	14-Nov-07	8-Apr-08	3-Sep-08	24-Feb-09	8-Apr-09	15-Nov-05	5-May-09	29-Sep-09	12-Jan-10	12-May-10	16-Sep-10	29-Sep-09	12-Jan-10	
Metals and Inorganics			Units																	
Dissolved Lead	15	1.5	µg/l	0.53*	<0.40	<0.60	NA		< 16	< 0.60		0.53*	NA	NA	< 0.60	< 1.7	2.0*	NA	< 0.60	
PVOC Parameters								System			System									
Benzene	5	0.5	µg/l	17	7.80	5.56	9.07	Start-up	4.51	0.36*	Switch	17	0.22*	< 0.20	< 0.31	0.58*	< 0.41	< 0.20	< 0.31	
Toluene	800	160	µg/l	2.3	< 0.67	< 0.30	< 0.40	at	< 0.40	< 0.40	to RW4	2.3	< 0.40	< 0.40	< 0.37	< 0.67	< 0.67	< 0.40	< 0.37	
Ethylbenzene	700	140	µg/l	< 0.54	< 0.54	< 0.50	0.12*	RW1, RW2	< 0.20	< 0.20	Only	< 0.54	< 0.20	< 0.20	< 0.50	< 0.54	< 0.54	< 0.20	< 0.50	
Xylenes (mixed isomers)	2,000	400	µg/l	< 1.8	< 1.8	< 0.30	1.45	and RW3	< 0.60	< 0.60		< 1.8	< 0.60	< 0.60	< 0.62	< 1.8	< 1.8	< 0.60	< 0.62	
Methyl tert-Butyl Ether (MTBE)	60	12	µg/l	< 0.61	< 0.61	< 0.30	< 0.20		< 0.50	< 0.50		< 0.61	< 0.50	< 0.50	< 0.30	< 0.61	< 0.61	< 0.50	< 0.30	
Trimethylbenzenes (mixed isomers)	480	96	µg/l	< 0.97	< 1.8	< 0.40	0.56*		< 0.40	< 0.40		< 0.97	< 0.40	< 0.40	< 0.40	< 0.97	< 0.97	< 0.40	< 0.40	
Naphthalene	100	10	µg/l	NA	< 0.74	< 0.80	< 1.0		< 1.0	< 1.0		NA	< 1.0	< 1.0	NA	< 0.89	< 0.89	< 1.0	NA	
1,2-Dibromoethane	0.05	0.005	µg/l	< 0.56	< 0.56	< 1.1	< 0.20		< 0.30	< 0.30		< 0.56	< 0.30	< 0.30	NA	< 0.56	< 0.56	< 0.30	NA	
1,2-Dichloroethane	5	0.5	µg/l	< 0.36	< 0.36	< 0.40	< 0.20		< 0.30	< 0.30		< 0.36	< 0.30	< 0.30	NA	< 0.36	< 0.36	< 0.30	NA	
Tetrachloroethene	5	0.5	µg/l	NA	NA	NA	NA		NA	NA		NA	0.34*	< 0.30	NA	< 0.45	< 0.45	< 0.30	NA	
Propylbenzene			µg/l	NA	NA	NA	NA		NA	NA		NA	0.11*	< 0.10	NA	< 0.81	< 0.81	< 0.10	NA	

	ES	PAL	Date	12-May-10	16-Sep-10	11-Jan-11	26-Apr-11	15-Sep-11	7-Feb-12	8-May-12	25-Sep-12	18-Jun-13	13-Oct-14	14-Oct-14	3-Feb-15	15-Jun-15	19-Aug-15	31-Aug-16	
Metals and Inorganics			Units																
Dissolved Lead	15	1.5	µg/l	< 1.7	2.0*	NA	NA	NA	NA	NA		NS		NS	NS	NS	NS	NS	NS
PVOC Parameters											System		Clay						
Benzene	5	0.5	µg/l	0.58*	< 0.41	0.37*	< 0.41	< 0.41	< 0.41	< 0.41	Turned	NS	Cap	NS	NS	NS	NS	NS	NS
Toluene	800	160	µg/l	< 0.67	< 0.67	< 0.40	< 0.67	< 0.67	< 0.67	< 0.67	Off	NS	Installed	NS	NS	NS	NS	NS	NS
Ethylbenzene	700	140	µg/l	< 0.54	< 0.54	< 0.20	< 0.54	< 0.54	< 0.54	< 0.54		NS		NS	NS	NS	NS	NS	NS
Xylenes (mixed isomers)	2,000	400	µg/l	< 1.8	< 1.8	< 0.60	< 1.8	< 1.8	< 1.8	< 1.8	PECFA	NS		NS	NS	NS	NS	NS	NS
Methyl tert-Butyl Ether (MTBE)	60	12	µg/l	< 0.61	< 0.61	< 0.50	< 0.61	< 0.61	< 0.61	< 0.61	Shutdown	NS		NS	NS	NS	NS	NS	NS
Trimethylbenzenes (mixed isomers)	480	96	µg/l	< 0.97	< 0.97	< 0.40	< 0.97	< 0.97	< 0.97	< 0.97		NS		NS	NS	NS	NS	NS	NS
Naphthalene	100	10	µg/l	< 0.89	< 0.89	< 1.0	< 0.89	< 0.89	< 0.89	< 0.89		NS		NS	NS	NS	NS	NS	NS
1,2-Dibromoethane	0.05	0.005	µg/l	< 0.56	< 0.56	< 0.30	NA	NA	NA	< 0.56		NS		NS	NS	NS	NS	NS	NS
1,2-Dichloroethane	5	0.5	µg/l	< 0.36	< 0.36	< 0.30	< 0.36	< 0.36	< 0.36	< 0.36		NS		NS	NS	NS	NS	NS	NS
Tetrachloroethene	5	0.5	µg/l	< 0.45	< 0.45	0.58*	NA	NA	NA	< 0.45		NS		NS	NS	NS	NS	NS	NS
Propylbenzene			µg/l	< 0.81	< 0.81	< 0.10	NA	NA	NA	< 0.81		NS		NS	NS	NS	NS	NS	NS

	ES	PAL	Date	15-Feb-18	10-Apr-18	17-Jul-18	15-Nov-18	19-Sep-19
Metals and Inorganics			Units					
Dissolved Lead	15	1.5	µg/l	NS	NA	NS	NA	NA
PVOC Parameters								
Benzene	5	0.5	µg/l	NS	< 0.40	NS	< 0.31	< 0.25
Toluene	800	160	µg/l	NS	< 0.39	NS	< 0.49	< 0.17
Ethylbenzene	700	140	µg/l	NS	< 0.39	NS	< 0.33	< 0.22
Xylenes (mixed isomers)	2,000	400	µg/l	NS	< 0.80	NS	< 0.66	< 0.47
Methyl tert-Butyl Ether (MTBE)	60	12	µg/l	NS	< 0.48	NS	< 0.32	< 1.2
Trimethylbenzenes (mixed isomers)	480	96	µg/l	NS	< 0.42	NS	< 0.34	< 0.87
Naphthalene	100	10	µg/l	NS	< 0.42	NS	< 0.51	< 1.2
1,2-Dibromoethane	0.05	0.005	µg/l	NS	NA	NS	NA	NA
1,2-Dichloroethane	5	0.5	µg/l	NS	NA	NS	NA	NA
Tetrachloroethene	5	0.5	µg/l	NS	NA	NS	NA	NA
Propylbenzene			µg/l	NS	NA	NS	NA	NA

Notes:

All values are reported in µg/l (ppb), unless otherwise noted

ES = NR140.10 Enforcement Standards

PAL = NR140.10 Preventive Action Limits

NS= Not Sampled

NA= Not Analyzed

ES exceeded ----->

PAL exceeded ----->

BOLD
<i>Italics</i>

* = Concentration between Limit of Detection and Limit of Quantitation, considered an estimate

Top of Screen/Bottom of Screen (ft bls) 30-35

Table 3o
OW4
Summary of Groundwater Analytical Results
Former Kelly's Grand View
Grand View, Wisconsin

	ES	PAL	Date	15-Nov-05	21-Mar-06	26-Sep-06	14-Nov-07	8-Apr-08	3-Sep-08	24-Feb-09	8-Apr-09	5-May-09	29-Sep-09	12-Jan-10	12-May-10	16-Sep-10
Metals and Inorganics			Units													
Dissolved Lead	15	1.5	µg/l	NA	NS	28.50	NA		< 16	<i>3.83*</i>		7.14	NA	Product	NA	Free
PVOC Parameters								System			System			Only		Product
Benzene	5	0.5	µg/l	9,200	NS	9,930	6,750	Start-up	2,860	1,730		2,330	1,660		782	
Toluene	800	160	µg/l	37,000	NS	38,600	34,200	at	23,800	18,700	to RW4	25,000	20,600	No	14,600	Not
Ethylbenzene	700	140	µg/l	3,400	NS	4,590	4,350	RW1, RW2	3,600	4,610	Only	4,580	3,940	Water	3,120	Sampled
Xylenes (mixed isomers)	2,000	400	µg/l	18,100	NS	19,880	21,090	and RW3	17,100	20,760		21,960	18,260		14,620	
Methyl tert-Butyl Ether (MTBE)	60	12	µg/l	< 150	NS	< 300	< 400		953*	< 500		< 500	< 500		< 122	
Trimethylbenzenes (mixed isomers)	480	96	µg/l	2,750	NS	6,110	5,730		4,860	4,100		5,820	3,417		2,943	
Naphthalene	100	10	µg/l	NA	NS	2,030	< 2,000		1,420*	1,710*		1,900*	< 1000		772*	
1,2-Dibromoethane	0.05	0.005	µg/l	< 140	NS	< 1,100	< 400		< 300	< 300		< 300	< 300		< 112	
1,2-Dichloroethane	5	0.5	µg/l	< 90	NS	< 400	< 400		< 300	< 300		< 300	< 300		< 114	
Butylbenzene			µg/l	NA	NS	NA	NA		NA	1,060*		< 400	< 400		< 186	
Isopropylbenzene			µg/l	NA	NS	NA	NA		NA	174*		269*	140		< 118	
Styrene	100	10	µg/l	NA	NS	NA	NA		NA	176*		< 100	< 100		< 172	

	ES	PAL	Date	11-Jan-11	26-Apr-11	15-Sep-11	7-Feb-12	8-May-12	25-Sep-12	18-Jun-13	13-Oct-14	14-Oct-14	3-Feb-15	15-Jun-15	19-Aug-15	31-Aug-16
Metals and Inorganics			Units													
Dissolved Lead	15	1.5	µg/l	Free	Free	NA	NA	NA		NA		NA	NA	NA	NA	NA
PVOC Parameters				Product	Product				System		Clay					
Benzene	5	0.5	µg/l			868	1,100	1,190	Turned	1,230	Cap	1,540	1,820	1,880	1,470	1,410
Toluene	800	160	µg/l	Not	Not	14,300	14,700	12,200	Off	12,300	Installed	10,800	15,300	15,900	12,400	16,000
Ethylbenzene	700	140	µg/l	Sampled	Sampled	3,120	3,620	3,860		3,610		3,200	3,350	4,080	3,990	3,270
Xylenes (mixed isomers)	2,000	400	µg/l			14,190	16,900	17,440	PECEFA	16,390		16,580	15,360	20,420	17,790	15,170
Methyl tert-Butyl Ether (MTBE)	60	12	µg/l			< 122	< 122	< 122	Shutdown	< 74.2		< 48.5	< 60.6	< 97.0	< 48.5	< 48.5
Trimethylbenzenes (mixed isomers)	480	96	µg/l			2,847	3,266	3,494		3,759		4,197	3,527	5,570	4,034	3,266
Naphthalene	100	10	µg/l			778*	996*	811*		1,180		973	801	1,510	1,190	887
1,2-Dibromoethane	0.05	0.005	µg/l			NA	NA	< 112		NA		NA	NA	NA	NA	NA
1,2-Dichloroethane	5	0.5	µg/l			< 72	< 72	< 72		NA		NA	NA	NA	NA	NA
Butylbenzene			µg/l			NA	NA	< 186		NA		NA	NA	NA	NA	NA
Isopropylbenzene			µg/l			NA	NA	126*		NA		NA	NA	NA	NA	NA
Styrene	100	10	µg/l			NA	NA	< 172		NA		NA	NA	NA	NA	NA

	ES	PAL	Date	15-Feb-18	10-Apr-18	17-Jul-18	6-Nov-18	19-Sep-19
Metals and Inorganics			Units					
Dissolved Lead	15	1.5	µg/l	NA	NA	NA	NA	NA
PVOC Parameters								
Benzene	5	0.5	µg/l	1,100	844	963	997	664
Toluene	800	160	µg/l	16,700	12,400	16,100	20,400	14,100
Ethylbenzene	700	140	µg/l	3,250	2,700	3,260	3,170	2,870
Xylenes (mixed isomers)	2,000	400	µg/l	15,850	13,930	14,520	15,650	14,300
Methyl tert-Butyl Ether (MTBE)	60	12	µg/l	< 48.5	< 48.5	< 32	< 32	< 249
Trimethylbenzenes (mixed isomers)	480	96	µg/l	3,294	2,777	2,893	3,035	2,529
Naphthalene	100	10	µg/l	735	663	720	690	606*
1,2-Dibromoethane	0.05	0.005	µg/l	NA	NA	NA	NA	NA
1,2-Dichloroethane	5	0.5	µg/l	NA	NA	NA	NA	NA
Butylbenzene			µg/l	NA	NA	NA	NA	NA
Isopropylbenzene			µg/l	NA	NA	NA	NA	NA
Styrene	100	10	µg/l	NA	NA	NA	NA	NA

Notes:

All values are reported in µg/l (ppb), unless otherwise noted

ES = NR140.10 Enforcement Standards

PAL = NR140.10 Preventive Action Limits

NS= Not Sampled

NA= Not Analyzed

ES exceeded ----->

PAL exceeded ----->

BOLD
<i>Italics</i>

* = Concentration between Limit of Detection and Limit of Quantitation, considered an estimate

Top of Screen/Bottom of Screen (ft bls) 20.5-25.5

**Table 3p
OW5
Summary of Groundwater Analytical Results
Former Kelly's Grand View
Grand View, Wisconsin**

			Date	15-Nov-05	21-Mar-06	26-Sep-06	14-Nov-07	8-Apr-08	3-Sep-08	24-Feb-09	8-Apr-09	5-May-09	29-Sep-09	12-May-10	16-Sep-10	11-Jan-11
Metals and Inorganics	ES	PAL	Units													
Dissolved Lead	15	1.5	µg/l	0.55*	< 0.40	< 0.60	NA		< 16	< 0.60		NA	1.31	1.9*	1.9*	Under
PVOC Parameters								System			System					Snow
Benzene	5	0.5	µg/l	300	290	189	95.1	Start-up	73	77.2	Switch	116	27.6	31.3	159	
Toluene	800	160	µg/l	6.20	3.5*	4.95*	2.06*	at	3.82*	2.63*	to RW4	< 4.0	1.82*	< 0.67	9.6	Not
Ethylbenzene	700	140	µg/l	1.5*	< 1.4	3.81*	1.27*	RW1, RW2	3.2*	1.99*	Only	4.92*	1.80*	1.4	18.3	Sampled
Xylenes (mixed isomers)	2,000	400	µg/l	3.6*	3.8*	7.99*	2.39*	and RW3	12.45	1.24*		5.56*	4.94	< 1.8	26.7	
Methyl tert-Butyl Ether (MTBE)	60	12	µg/l	< 1.5	< 1.5	< 1.50	< 1.0		< 2.5	< 2.5		< 5.0	2.16	< 0.61	< 0.61	
Trimethylbenzenes (mixed isomers)	480	96	µg/l	< 4.5	< 4.5	< 3.55	< 1.0		6.82	4.44*		8.45*	< 0.40	< 0.97	3.3	
Naphthalene	100	10	µg/l	NA	< 1.8	< 4.00	< 5.0		22	< 5.0		< 10	NA	< 0.89	2.7*	
1,2-Dibromoethane	0.05	0.005	µg/l	< 1.4	< 1.4	< 5.50	< 1.0		< 1.5	< 1.5		< 3.0	NA	< 0.56	< 0.56	
1,2-Dichloroethane	5	0.5	µg/l	< 0.90	< 0.90	< 2.00	2.67*		< 1.5	< 1.5		< 3.0	NA	< 0.36	< 0.36	
Isopropylbenzene			µg/l	NA	NA	NA	NA		NA	3.75		5.78	NA	1.4	15	
Propylbenzene			µg/l	NA	NA	NA	NA		NA	1.44*		1.84*	NA	< 0.81	7.3	

			Date	26-Apr-11	15-Sep-11	7-Feb-12	8-May-12	25-Sep-12	18-Jun-13	13-Oct-14	14-Oct-14	3-Feb-15	15-Jun-15	19-Aug-15	1-Sep-16
Metals and Inorganics	ES	PAL	Units												
Dissolved Lead	15	1.5	µg/l	NA	NA	NA	NA				NA	NA	NA	NA	NA
PVOC Parameters								System		Clay					
Benzene	5	0.5	µg/l	33.8	256	239	83.3	Turned	Well	Cap	15	48.1	36.2	57.3	65.1
Toluene	800	160	µg/l	1.7	37.3	46.4	16.1	Off	Damaged	Installed	1.9	3.0	5.5	7.3	6.7
Ethylbenzene	700	140	µg/l	1.0	69.2	83.8	29.9				4.5	26.3	27.0	42.3	64.1
Xylenes (mixed isomers)	2,000	400	µg/l	9.0	74.2	77.7	27.5	PECFA	Not		4.5	10.1	11.2	20.9	20.9
Methyl tert-Butyl Ether (MTBE)	60	12	µg/l	< 0.61	< 0.61	< 0.61	< 0.61	Shutdown	Sampled		< 0.48	1.3	0.65*	3.4	2.0
Trimethylbenzenes (mixed isomers)	480	96	µg/l	< 0.97	16.1	19.9	7.3				0.48*	4.6	3.3	8.9	12.4
Naphthalene	100	10	µg/l	< 0.89	12.2	8.4	5.3				0.63*	2.3	2.6	3.8	3.4
1,2-Dibromoethane	0.05	0.005	µg/l	NA	NA	NA	< 0.56				NA	NA	NA	NA	NA
1,2-Dichloroethane	5	0.5	µg/l	< 0.36	< 0.36	< 0.36	< 0.36				NA	NA	NA	NA	NA
Isopropylbenzene			µg/l	NA	NA	NA	6.5				NA	NA	NA	NA	NA
Propylbenzene			µg/l	NA	NA	NA	5.3				NA	NA	NA	NA	NA

			Date	15-Feb-18	10-Apr-18	17-Jul-18	6-Nov-18	19-Sep-19
Metals and Inorganics	ES	PAL	Units					
Dissolved Lead	15	1.5	µg/l	NA	NA	NA	NA	NA
PVOC Parameters								
Benzene	5	0.5	µg/l	53.2	< 0.40	< 0.31	4.7	0.88*
Toluene	800	160	µg/l	6.5	< 0.39	< 0.49	< 0.49	< 0.17
Ethylbenzene	700	140	µg/l	78.9	< 0.39	< 0.33	7.2	1.2
Xylenes (mixed isomers)	2,000	400	µg/l	17.4	< 0.80	< 0.66	1.6*	< 0.47
Methyl tert-Butyl Ether (MTBE)	60	12	µg/l	1.4	< 0.48	< 0.32	< 0.32	< 1.2
Trimethylbenzenes (mixed isomers)	480	96	µg/l	8.1	< 0.42	< 0.34	0.66*	< 0.87
Naphthalene	100	10	µg/l	2.6	< 0.42	< 0.51	< 0.51	< 1.2
1,2-Dibromoethane	0.05	0.005	µg/l	NA	NA	NA	NA	NA
1,2-Dichloroethane	5	0.5	µg/l	NA	NA	NA	NA	NA
Isopropylbenzene			µg/l	NA	NA	NA	NA	NA
Propylbenzene			µg/l	NA	NA	NA	NA	NA

Notes:

All values are reported in µg/l (ppb), unless otherwise noted

ES = NR140.10 Enforcement Standards

PAL = NR140.10 Preventive Action Limits

NS= Not Sampled

NA= Not Analyzed

ES exceeded ----->

BOLD

PAL exceeded ----->

Italics

* = Concentration between Limit of Detection and Limit of Quantitation, considered an estimate

Top of Screen/Bottom of Screen (ft bls) 38-48

**Table 3q
OW6
Summary of Groundwater Analytical Results
Former Kelly's Grand View
Grand View, Wisconsin**

	ES	PAL	Date	15-Nov-05	21-Mar-06	26-Sep-06	14-Nov-07	8-Apr-08	3-Sep-08	24-Feb-09	8-Apr-09	15-Nov-05	5-May-09	29-Sep-09	12-Jan-10	12-May-10	16-Sep-10
Metals and Inorganics			Units														
Dissolved Lead	15	1.5	µg/l	0.81*	0.72*	<0.60	NA		< 16	< 0.60		0.81*	NA	NA	NS	5.3*	2.1*
PVOC Parameters								System			System						
Benzene	5	0.5	µg/l	6.4*	< 4.1	22	< 10	Start-up	< 4.0	< 10	Switch	6.4*	< 2.0	< 10	NS	< 0.82	< 0.20
Toluene	800	160	µg/l	<i>510</i>	<i>210</i>	131	35.5*	at	90	29.5*	to RW4	<i>510</i>	< 4.0	< 20	NS	1.7*	37.6
Ethylbenzene	700	140	µg/l	1,600	1,100	842	361	RW1, RW2	701	213	Only	1,600	56.4	64.6	NS	38.9	361
Xylenes (mixed isomers)	2,000	400	µg/l	<i>3,010</i>	2,200	<i>1,123.3</i>	377.90	and RW3	799	233.7		<i>3,010</i>	26.22	23.3	NS	24	511
Methyl tert-Butyl Ether (MTBE)	60	12	µg/l	< 6.1	< 6.1	< 6.0	< 10		< 10	< 25		< 6.1	< 5.0	< 25	NS	< 1.2	< 3.0
Trimethylbenzenes (mixed isomers)	480	96	µg/l	1,350	970	1,028	1,033		904	833		1,350	612	674	NS	341.5	1,364
Naphthalene	100	10	µg/l	NA	380	315	209		230	70.2*		NA	21.5*	< 50	NS	26	228
1,2-Dibromoethane	0.05	0.005	µg/l	< 5.6	< 5.6	< 22	< 10		< 6.0	< 15		< 5.6	< 3.0	< 15	NS	< 1.1	< 2.8
1,2-Dichloroethane	5	0.5	µg/l	< 3.6	< 3.6	< 8.0	< 10		< 6.0	< 15		< 3.6	< 3.0	< 15	NS	< 0.72	< 1.8
Butylbenzene			µg/l	NA	NA	NA	NA		NA	80.4		NA	< 4.0	< 20	NS	3.4*	14.9
Isopropylbenzene			µg/l	NA	NA	NA	NA		NA	50.7		NA	37.7	42.5	NS	28.3	78.5
Propylbenzene			µg/l	NA	NA	NA	NA		NA	113		NA	120	103	NS	77.5	210

	ES	PAL	Date	11-Jan-11	26-Apr-11	15-Sep-11	7-Feb-12	8-May-12	25-Sep-12	18-Jun-13	13-Oct-14	14-Oct-14	3-Feb-15	15-Jun-15	19-Aug-15	31-Aug-16
Metals and Inorganics			Units													
Dissolved Lead	15	1.5	µg/l	NA	NA	NA	NA	NA		NA		NA	NA	NA	NA	NA
PVOC Parameters									System		Clay					
Benzene	5	0.5	µg/l	< 2.0	< 2.0	< 2.0	< 2.0	< 8.2	Turned	2.2*	Cap	< 4.0	< 4.0	3.3*	< 4.0	< 4.0
Toluene	800	160	µg/l	51.5	38.2	12.5	18.7	14.5*	Off	24.8	Installed	18.9	41.6	20.6	19.7	8.3*
Ethylbenzene	700	140	µg/l	<i>505</i>	<i>626</i>	<i>488</i>	<i>462</i>	<i>431</i>		<i>201</i>		<i>414</i>	<i>262</i>	<i>323</i>	<i>287</i>	<i>199</i>
Xylenes (mixed isomers)	2,000	400	µg/l	<i>608.4</i>	<i>548</i>	415.8	346	830.7	PECFA	316.3		975	336	373.3	220.2	531.2
Methyl tert-Butyl Ether (MTBE)	60	12	µg/l	< 5.0	< 3.0	< 3.0	< 3.0	< 12.2	Shutdown	8.0		12.9	9.0*	10.6	16.5	18.1
Trimethylbenzenes (mixed isomers)	480	96	µg/l	772	1,312	1,769	1,450	1,427		976		1,700	623	822	828	1,540
Naphthalene	100	10	µg/l	2,884	308	310	241	258		115		296	106	140	111	163
1,2-Dibromoethane	0.05	0.005	µg/l	< 3.0	NA	NA	NA	< 11.2		NA		NA	NA	NA	NA	NA
1,2-Dichloroethane	5	0.5	µg/l	< 3.0	< 1.8	< 1.8	< 1.8	< 7.2		NA		NA	NA	NA	NA	NA
Butylbenzene			µg/l	< 4.0	NA	NA	NA	NA		NA		NA	NA	NA	NA	NA
Isopropylbenzene			µg/l	95.1	NA	NA	NA	74.8		NA		NA	NA	NA	NA	NA
Propylbenzene			µg/l	250	NA	NA	NA	222		NA		NA	NA	NA	NA	NA

	ES	PAL	Date	15-Feb-18	10-Apr-18	17-Jul-18	6-Nov-18	19-Sep-19
Metals and Inorganics			Units					
Dissolved Lead	15	1.5	µg/l	NA	NA	NS	NA	NA
PVOC Parameters								
Benzene	5	0.5	µg/l	< 4.0	< 0.40	NS	< 3.1	< 2.5
Toluene	800	160	µg/l	<i>241</i>	< 0.39	NS	7.5*	2.7*
Ethylbenzene	700	140	µg/l	<i>610</i>	< 0.39	NS	181	106
Xylenes (mixed isomers)	2,000	400	µg/l	2,874	< 0.80	NS	134.1	222.8
Methyl tert-Butyl Ether (MTBE)	60	12	µg/l	< 4.8	< 0.48	NS	10.4*	< 12.5
Trimethylbenzenes (mixed isomers)	480	96	µg/l	807	< 0.42	NS	1,474	1,295
Naphthalene	100	10	µg/l	263	< 0.42	NS	133	96.4
1,2-Dibromoethane	0.05	0.005	µg/l	NA	NA	NS	NA	NA
1,2-Dichloroethane	5	0.5	µg/l	NA	NA	NS	NA	NA
Butylbenzene			µg/l	NA	NA	NS	NA	NA
Isopropylbenzene			µg/l	NA	NA	NS	NA	NA
Propylbenzene			µg/l	NA	NA	NS	NA	NA

Notes:

All values are reported in µg/l (ppb), unless otherwise noted

ES = NR140.10 Enforcement Standards

PAL = NR140.10 Preventive Action Limits

NS= Not Sampled

NA= Not Analyzed

ES exceeded ----->

PAL exceeded ----->

BOLD

Italics

* = Concentration between Limit of Detection and Limit of Quantitation, considered an estimate

Top of Screen/Bottom of Screen (ft bls) 20-30

Table 3r
OW7
Summary of Groundwater Analytical Results
Former Kelly's Grand View
Grand View, Wisconsin

	ES	PAL	Date	15-Nov-05	21-Mar-06	26-Sep-06	14-Nov-07	8-Apr-08	3-Sep-08	24-Feb-09	8-Apr-09	5-May-09	29-Sep-09	12-Jan-10	12-May-10	16-Sep-10
Metals and Inorganics	ES	PAL	Units													
Dissolved Lead	15	1.5	µg/l	Free	Free	Free	Free		Free	Free		Free	Free	Free	Free	Free
PVOC Parameters				Product	Product	Product	Product	System	Product	Product	System	Product	Product	Product	Product	Product
Benzene	5	0.5	µg/l	in	in	in	in	Start-up	in	in	Switch	in	in	in	in	in
Toluene	800	160	µg/l	Well	Well	Well	Well	at	Well	Well	to RW4	Well	Well	Well	Well	Well
Ethylbenzene	700	140	µg/l					RW1, RW2			Only					
Xylenes (mixed isomers)	2,000	400	µg/l	Never	Never	Never	Never	and RW3	Never	Never		Never	Never	Never	Never	Never
Methyl tert-Butyl Ether (MTBE)	60	12	µg/l	Encountered	Encountered	Encountered	Encountered		Encountered	Encountered		Encountered	Encountered	Encountered	Encountered	Encountered
Trimethylbenzenes (mixed isomers)	480	96	µg/l	Water	Water	Water	Water		Water	Water		Water	Water	Water	Water	Water
Naphthalene	100	10	µg/l	in	in	in	in		in	in		in	in	in	in	in
1,2-Dibromoethane	0.05	0.005	µg/l	Well	Well	Well	Well		Well	Well		Well	Well	Well	Well	Well
1,2-Dichloroethane	5	0.5	µg/l													

	ES	PAL	Date	11-Jan-11	26-Apr-11	15-Sep-11	7-Feb-12	8-May-12	25-Sep-12	18-Jun-13	13-Oct-14	14-Oct-14	3-Feb-15	15-Jun-15	19-Aug-15	31-Aug-16
Metals and Inorganics	ES	PAL	Units													
Dissolved Lead	15	1.5	µg/l	Free	Free	Free	Free	Well		Free		Free	Free	Free	Free	Free
PVOC Parameters				Product	Product	Product	Product	Dry	System	Product	Clay	Product	Product	Product	Product	Product
Benzene	5	0.5	µg/l	in	in	in	in		Turned	in	Cap	in	in	in	in	in
Toluene	800	160	µg/l	Well	Well	Well	Well	Not	Off	Well	Installed	Well	Well	Well	Well	Well
Ethylbenzene	700	140	µg/l					Sampled								
Xylenes (mixed isomers)	2,000	400	µg/l						PECFA	Never		Never	Never	Never	Never	Never
Methyl tert-Butyl Ether (MTBE)	60	12	µg/l						Shutdown	Encountered		Encountered	Encountered	Encountered	Encountered	Encountered
Trimethylbenzenes (mixed isomers)	480	96	µg/l							Water		Water	Water	Water	Water	Water
Naphthalene	100	10	µg/l							in		in	in	in	in	in
1,2-Dibromoethane	0.05	0.005	µg/l							Well		Well	Well	Well	Well	Well
1,2-Dichloroethane	5	0.5	µg/l													

	ES	PAL	Date	15-Feb-18	10-Apr-18	17-Jul-18	6-Nov-18	19-Sep-19
Metals and Inorganics	ES	PAL	Units					
Dissolved Lead	15	1.5	µg/l	Free	Free	NA	NA	NA
PVOC Parameters				Product	Product			
Benzene	5	0.5	µg/l	in	in	18,600	15,100	13,300
Toluene	800	160	µg/l	Well	Well	42,000	34,600	45,800
Ethylbenzene	700	140	µg/l			4,740	3,070	3,020
Xylenes (mixed isomers)	2,000	400	µg/l	Never	Never	23,910	15,370	16,280
Methyl tert-Butyl Ether (MTBE)	60	12	µg/l	Encountered	Encountered	< 80	< 32	< 125
Trimethylbenzenes (mixed isomers)	480	96	µg/l	Water	Water	7,070	2,899	3,502
Naphthalene	100	10	µg/l	in	in	1,410	780	898
1,2-Dibromoethane	0.05	0.005	µg/l	Well	Well	NA	NA	NA
1,2-Dichloroethane	5	0.5	µg/l			NA	NA	NA

Notes:

All values are reported in µg/l (ppb), unless otherwise noted

ES = NR140.10 Enforcement Standards

PAL = NR140.10 Preventive Action Limits

NS= Not Sampled

NA= Not Analyzed

ES exceeded ----->

PAL exceeded ----->

BOLD
<i>Italics</i>

* = Concentration between Limit of Detection and Limit of Quantitation, considered an estimate

Top of Screen/Bottom of Screen (ft bls)

19-24

Table 3s
OW8
Summary of Groundwater Analytical Results
Former Kelly's Grand View
Grand View, Wisconsin

			Date	15-Nov-05	21-Mar-06	26-Sep-06	14-Nov-07	8-Apr-08	3-Sep-08	24-Feb-09	8-Apr-09	5-May-09	29-Sep-09	12-Jan-10	12-May-10	16-Sep-10
Metals and Inorganics	ES	PAL	Units													
Dissolved Lead	15	1.5	µg/l	100	78	64.9	NA		47*	49.4		32.6	NA	NA	Free	Free
PVOC Parameters								System			System				Product	Product
Benzene	5	0.5	µg/l	16,000	15,000	12,900	11,100	Start-up	8,990	10,600	Switch	9,750	81.8	13,100	in	in
Toluene	800	160	µg/l	30,000	28,000	33,000	32,500	at	33,600	34,800	to RW4	36,100	< 4.0	59,800	Well	Well
Ethylbenzene	700	140	µg/l	2,100	2,400	3,430	2,800	RW1, RW2	2,410	3,070	Only	3,590	4.66*	12,600		
Xylenes (mixed isomers)	2,000	400	µg/l	12,300	12,200	15,900	14,830	and RW3	12,710	15,230		18,050	2.14*	58,900	Not	Not
Methyl tert-Butyl Ether (MTBE)	60	12	µg/l	< 150	< 240	< 300	< 200		< 500	< 500		< 500	< 5.0	3,170	Sampled	Sampled
Trimethylbenzenes (mixed isomers)	480	96	µg/l	2,030	2,450	6,240	4,230		3,700	2,442		8,600	< 2.0	31,590		
Naphthalene	100	10	µg/l	NA	890	2,570	1,280*		1,140*	1,730*		1,400*	< 10.0	NA		
1,2-Dibromoethane	0.05	0.005	µg/l	240*	< 220	< 1,100	< 200		< 300	< 300		< 300	< 3.0	NA		
1,2-Dichloroethane	5	0.5	µg/l	< 90	< 140	< 400	233*		< 300	< 300		< 300	< 3.0	NA		
1,1-Dichloropropylene			µg/l	NA	NA	NA	NA		NA	564*		< 400	< 8.0	NA		
Butylbenzene			µg/l	NA	NA	NA	NA		NA	760*		< 400	< 4.0	NA		
Chloroform	6	0.6	µg/l	NA	NA	NA	NA		NA	261*		< 200	< 2.0	NA		
Isopropylbenzene			µg/l	NA	NA	NA	NA		NA	160*		267	5.97	NA		

			Date	11-Jan-11	26-Apr-11	15-Sep-11	7-Feb-12	8-May-12	25-Sep-12	18-Jun-13	13-Oct-14	14-Oct-14	3-Feb-15	15-Jun-15	19-Aug-15	1-Sep-16
Metals and Inorganics	ES	PAL	Units													
Dissolved Lead	15	1.5	µg/l	Free	Free	NA	NA	NA		NA		NA	NA	NA	NS	NA
PVOC Parameters				Product	Product				System		Clay					
Benzene	5	0.5	µg/l	in	in	3,950	3,280	3,930	Turned	3,630	Cap	2,530	2,170	2,280	NS	1,750
Toluene	800	160	µg/l	Well	Well	26,600	25,600	28,700	Off	24,100	Installed	29,000	29,100	31,000	NS	26,900
Ethylbenzene	700	140	µg/l			2,510	2,320	2,170		2,770		3,220	2,670	3,370	NS	2,590
Xylenes (mixed isomers)	2,000	400	µg/l	Not	Not	13,650	13,000	12,480	PECFA	16,390		17,510	13,740	17,420	NS	13,350
Methyl tert-Butyl Ether (MTBE)	60	12	µg/l	Sampled	Sampled	< 122	< 122	< 122	Shutdown	< 92.8		< 97	< 97	< 121	NS	< 97
Trimethylbenzenes (mixed isomers)	480	96	µg/l			3,337	2,815	2,278		7,690		6,220	2,771	7,410	NS	2,936
Naphthalene	100	10	µg/l			1,440	1,190	927*		5,240		2,270	1,590	4,350	NS	1,430
1,2-Dibromoethane	0.05	0.005	µg/l			NA	NA	< 112		NA		NA	NA	NA	NS	NA
1,2-Dichloroethane	5	0.5	µg/l			< 72	< 72	< 72		NA		NA	NA	NA	NS	NA
1,1-Dichloropropylene			µg/l			NA	NA	< 150		NA		NA	NA	NA	NS	NA
Butylbenzene			µg/l			NA	NA	< 186		NA		NA	NA	NA	NS	NA
Chloroform	6	0.6	µg/l			NA	NA	< 260		NA		NA	NA	NA	NS	NA
Isopropylbenzene			µg/l			NA	NA	< 118		NA		NA	NA	NA	NS	NA

			Date	15-Feb-18	10-Apr-18	17-Jul-18	6-Nov-18	19-Sep-19
Metals and Inorganics	ES	PAL	Units					
Dissolved Lead	15	1.5	µg/l	NS	NA	NA	NA	NA
PVOC Parameters								
Benzene	5	0.5	µg/l	NS	211	1,160	958	1,100
Toluene	800	160	µg/l	NS	6,840	23,300	20,600	30,300
Ethylbenzene	700	140	µg/l	NS	905	1,750	1,960	2,270
Xylenes (mixed isomers)	2,000	400	µg/l	NS	5,250	9,660	10,380	11,930
Methyl tert-Butyl Ether (MTBE)	60	12	µg/l	NS	< 24.2	< 80	< 32	< 249
Trimethylbenzenes (mixed isomers)	480	96	µg/l	NS	1,447	1,818	1,945	1,701
Naphthalene	100	10	µg/l	NS	445	729	711	657*
1,2-Dibromoethane	0.05	0.005	µg/l	NS	NS	NA	NA	NA
1,2-Dichloroethane	5	0.5	µg/l	NS	NS	NA	NA	NA
1,1-Dichloropropylene			µg/l	NS	NS	NA	NA	NA
Butylbenzene			µg/l	NS	NS	NA	NA	NA
Chloroform	6	0.6	µg/l	NS	NS	NA	NA	NA
Isopropylbenzene			µg/l	NS	NS	NA	NA	NA

Notes:

All values are reported in µg/l (ppb), unless otherwise noted

ES = NR140.10 Enforcement Standards

PAL = NR140.10 Preventive Action Limits

NS= Not Sampled

NA= Not Analyzed

ES exceeded ----->

BOLD
<i>Italics</i>

PAL exceeded ----->

* = Concentration between Limit of Detection and Limit of Quantitation, considered an estimate

Table 3t
PZ1
Summary of Groundwater Analytical Results
Former Kelly's Grand View
Grand View, Wisconsin

	ES	PAL	Date	15-Nov-05	21-Mar-06	26-Sep-06	14-Nov-07	8-Apr-08	3-Sep-08	24-Feb-09	8-Apr-09	5-May-09	29-Sep-09	12-Jan-10	12-May-10	16-Sep-10
Metals and Inorganics	ES	PAL	Units													
Dissolved Lead	15	1.5	µg/l	7.40	8.40	6.89	NA		< 16	6.17		3.65	NA	41.70	9.9	6.2*
PVOC Parameters								System			System					
Benzene	5	0.5	µg/l	23,000	21,000	23,000	23,200	Start-up	21,000	24,400	Switch	23,800	22,300	19,800	14,400	12,900
Toluene	800	160	µg/l	27,000	25,000	26,100	29,300	at	31,500	35,700	to RW4	36,800	30,700	25,100	18,400	17,100
Ethylbenzene	700	140	µg/l	2,200	2,200	2,460	3,110	RW1, RW2	2,580	3,180	Only	2,580	2,530	2,450	2,100	2,310
Xylenes (mixed isomers)	2,000	400	µg/l	10,800	10,200	10,290	15,380	and RW3	12,080	15,120		12,080	12,740	11,990	10,480	10,890
Methyl tert-Butyl Ether (MTBE)	60	12	µg/l	< 150	< 120	< 150	< 200		< 500	< 500		< 500	< 500	< 150	< 122	< 122
Trimethylbenzenes (mixed isomers)	480	96	µg/l	1,180	1,510	1,961	4,130		3,150	3,850		2,940	1,570	2,258	1,477	1,611
Naphthalene	100	10	µg/l	NA	480*	1,210*	2,410		5,420	1,030*		1,220*	< 1000	NA	566*	645*
1,2-Dibromoethane	0.05	0.005	µg/l	< 140	340*	< 550	< 200		< 300	< 300		< 300	< 2300	NA	< 112	< 112
1,2-Dichloroethane	5	0.5	µg/l	< 90	< 72	< 200	508		464*	771*		< 300	< 300	NA	< 114	< 72
Isopropylbenzene			µg/l	NA	NA	NA	NA		NA	155*		106*	< 100	NA	< 118	< 118

	ES	PAL	Date	11-Jan-11	26-Apr-11	15-Sep-11	7-Feb-12	8-May-12	25-Sep-12	18-Jun-13	13-Oct-14	14-Oct-14	3-Feb-15	15-Jun-15	19-Aug-15	31-Aug-16
Metals and Inorganics	ES	PAL	Units													
Dissolved Lead	15	1.5	µg/l	NA	NA	NA	NA	NA		NA		NA	NA	NA	NA	NA
PVOC Parameters									System		Clay					
Benzene	5	0.5	µg/l	16,300	13,100	10,300	9,480	10,000	Turned	8,650	Cap	9,570	7,400	8,080	9,320	7,410
Toluene	800	160	µg/l	16,500	15,800	12,000	13,200	13,400	Off	15,200	Installed	23,800	16,700	17,100	24,800	18,700
Ethylbenzene	700	140	µg/l	2,250	2,410	1,940	2,260	1,900		2,150		2,600	2,350	2,620	2,810	2,440
Xylenes (mixed isomers)	2,000	400	µg/l	10,030	10,800	8,650	10,000	9,800	PECFA	9,600		12,170	10,290	11,080	14,670	10,890
Methyl tert-Butyl Ether (MTBE)	60	12	µg/l	< 500	< 122	< 122	< 76.2	< 76.2	Shutdown	< 74.2		< 48.5	< 97	< 60.6	< 97	< 60.6
Trimethylbenzenes (mixed isomers)	480	96	µg/l	2,372	1,795	1,464	1,637	1,666		1,628		1,880	1,789	1,931	2,017	1,777
Naphthalene	100	10	µg/l	3,190	645*	529*	667	612*		655		688	653	732	708	696
1,2-Dibromoethane	0.05	0.005	µg/l	< 300	NA	NA	NA	< 70		NA		NA	NA	NA	NA	NA
1,2-Dichloroethane	5	0.5	µg/l	< 300	< 72	< 72	< 45	< 45		NA		NA	NA	NA	NA	NA
Isopropylbenzene			µg/l	< 200	NA	NA	NA	< 73.8		NA		NA	NA	NA	NA	NA

	ES	PAL	Date	15-Feb-18	10-Apr-18	17-Jul-18	6-Nov-18	19-Sep-19
Metals and Inorganics	ES	PAL	Units					
Dissolved Lead	15	1.5	µg/l	NA	NA	NA	NA	NA
PVOC Parameters								
Benzene	5	0.5	µg/l	7,290	7,380	7,320	8,490	426
Toluene	800	160	µg/l	18,800	20,200	20,900	27,400	1,420
Ethylbenzene	700	140	µg/l	2,580	2,520	2,680	2,220	129
Xylenes (mixed isomers)	2,000	400	µg/l	11,620	11,680	12,150	12,750	601
Methyl tert-Butyl Ether (MTBE)	60	12	µg/l	< 60.6	< 194	< 64	< 64	< 12.5
Trimethylbenzenes (mixed isomers)	480	96	µg/l	1,937	1,982	1,948	1,881	54.2
Naphthalene	100	10	µg/l	620	768	642	576	23.4*
1,2-Dibromoethane	0.05	0.005	µg/l	NA	NA	NA	NA	NA
1,2-Dichloroethane	5	0.5	µg/l	NA	NA	NA	NA	NA
Isopropylbenzene			µg/l	NA	NA	NA	NA	NA

Notes:
 All values are reported in µg/l (ppb), unless otherwise noted
 ES = NR140.10 Enforcement Standards
 PAL = NR140.10 Preventive Action Limits
 NS= Not Sampled
 NA= Not Analyzed
 ES exceeded ----->
 PAL exceeded ----->

BOLD
<i>Italics</i>

* = Concentration between Limit of Detection and Limit of Quantitation, considered an estimate

Top of Screen/Bottom of Screen (ft bls) 33-38

Table 3u
PZ2
Summary of Groundwater Analytical Results
Former Kelly's Grand View
Grand View, Wisconsin

			Date	15-Nov-05	21-Mar-06	26-Sep-06	14-Nov-07	8-Apr-08	3-Sep-08	24-Feb-09	8-Apr-09	5-May-09	29-Sep-09	12-Jan-10	12-May-10	16-Sep-10
Metals and Inorganics	ES	PAL	Units													
Dissolved Lead	15	1.5	µg/l	< 0.40	< 0.40	< 0.60	NA		< 16	< 0.60		NA	NA	< 0.60	2.9*	1.9*
PVOC Parameters								System			System					
Benzene	5	0.5	µg/l	110	16	57.30	<i>0.82</i>	Start-up	9.92	4.46	Switch	0.57*	< 0.20	< 0.31	< 0.41	< 0.41
Toluene	800	160	µg/l	2.2*	< 0.67	< 1.5	< 0.40	at	< 0.40	< 0.40	to RW4	< 0.40	< 0.40	< 0.37	< 0.67	< 0.67
Ethylbenzene	700	140	µg/l	< 0.54	< 0.54	3.07*	< 0.10	RW1, RW2	< 0.20	< 0.20	Only	< 0.20	< 0.20	< 0.50	< 0.54	< 0.54
Xylenes (mixed isomers)	2,000	400	µg/l	9.3	< 1.80	15.39	< 0.40	and RW3	0.35*	< 0.40		< 0.40	< 0.40	< 0.62	< 1.8	< 1.8
Methyl tert-Butyl Ether (MTBE)	60	12	µg/l	< 0.61	< 0.61	< 1.5	< 0.20		< 0.50	< 0.50		< 0.50	< 0.50	< 0.30	< 0.61	< 0.61
Trimethylbenzenes (mixed isomers)	480	96	µg/l	< 1.8	< 1.80	< 2.0	< 0.40		< 0.40	< 0.20		< 0.20	< 0.20	< 0.40	< 0.97	< 0.97
Naphthalene	100	10	µg/l	NA	< 0.74	< 4.0	< 1.0		< 1.0	< 1.0		< 1.0	< 1.0	NA	< 0.89	< 0.89
1,2-Dibromoethane	0.05	0.005	µg/l	< 0.56	< 0.56	< 5.5	< 0.20		< 0.30	< 0.30		< 0.30	< 0.30	NA	< 0.56	< 0.56
1,2-Dichloroethane	5	0.5	µg/l	< 0.36	3.80	< 2.0	2.25		2.38	2.98		2.69	2.74	NA	1.5	1.8
1,1-Dichloropropylene			µg/l	NA	NA	NA	NA		NA	0.80*		< 0.80	< 0.80	NA	< 0.75	< 0.75
Tetrachloroethene	5	0.5	µg/l	NA	NA	NA	NA		NA	1.38		1.28	1.27	NA	0.71*	1.1

			Date	11-Jan-11	26-Apr-11	15-Sep-11	7-Feb-12	8-May-12	25-Sep-12	18-Jun-13	13-Oct-14	14-Oct-14	3-Feb-15	15-Jun-15	19-Aug-15	31-Aug-16
Metals and Inorganics	ES	PAL	Units													
Dissolved Lead	15	1.5	µg/l	NA	NA	NA	NA	NA		NS		NS	NS	NS	NS	NS
PVOC Parameters									System		Clay					
Benzene	5	0.5	µg/l	< 0.20	< 0.41	< 0.41	< 0.41	< 0.41	Turned	NS	Cap	NS	NS	NS	NS	NS
Toluene	800	160	µg/l	< 0.40	< 0.67	< 0.67	< 0.67	< 0.67	Off	NS	Installed	NS	NS	NS	NS	NS
Ethylbenzene	700	140	µg/l	< 0.20	< 0.54	< 0.54	< 0.54	< 0.54		NS		NS	NS	NS	NS	NS
Xylenes (mixed isomers)	2,000	400	µg/l	< 0.40	< 1.8	< 1.8	< 1.8	< 1.8	PECFA	NS		NS	NS	NS	NS	NS
Methyl tert-Butyl Ether (MTBE)	60	12	µg/l	< 0.50	< 0.61	< 0.61	< 0.61	< 0.61	Shutdown	NS		NS	NS	NS	NS	NS
Trimethylbenzenes (mixed isomers)	480	96	µg/l	< 0.20	< 0.97	< 0.97	< 0.97	< 0.97		NS		NS	NS	NS	NS	NS
Naphthalene	100	10	µg/l	< 1.0	< 0.89	< 0.89	< 0.89	< 0.89		NS		NS	NS	NS	NS	NS
1,2-Dibromoethane	0.05	0.005	µg/l	< 0.30	NA	NA	NA	< 0.56		NS		NS	NS	NS	NS	NS
1,2-Dichloroethane	5	0.5	µg/l	2.77	2.9	NA	1.8	1.8		NS		NS	NS	NS	NS	NS
1,1-Dichloropropylene			µg/l	< 0.80	NA	NA	NA	< 0.75		NS		NS	NS	NS	NS	NS
Tetrachloroethene	5	0.5	µg/l	1.29	NA	NA	NA	0.96*		NS		NS	NS	NS	NS	NS

			Date	15-Feb-18	10-Apr-18	17-Jul-18	6-Nov-18	19-Sep-19
Metals and Inorganics	ES	PAL	Units					
Dissolved Lead	15	1.5	µg/l	NS	NA	NS	NA	NA
PVOC Parameters								
Benzene	5	0.5	µg/l	NS	3.2	NS	1.6	< 0.25
Toluene	800	160	µg/l	NS	< 0.39	NS	< 0.49	< 0.17
Ethylbenzene	700	140	µg/l	NS	< 0.39	NS	< 0.33	< 0.22
Xylenes (mixed isomers)	2,000	400	µg/l	NS	2.3	NS	0.72*	< 0.47
Methyl tert-Butyl Ether (MTBE)	60	12	µg/l	NS	< 0.48	NS	< 0.32	< 1.2
Trimethylbenzenes (mixed isomers)	480	96	µg/l	NS	0.51*	NS	< 0.34	< 0.87
Naphthalene	100	10	µg/l	NS	0.48*	NS	< 0.51	< 1.2
1,2-Dibromoethane	0.05	0.005	µg/l	NS	NA	NS	NA	NA
1,2-Dichloroethane	5	0.5	µg/l	NS	NA	NS	NA	NA
1,1-Dichloropropylene			µg/l	NS	NA	NS	NA	NA
Tetrachloroethene	5	0.5	µg/l	NS	NA	NS	NA	NA

Notes:

All values are reported in µg/l (ppb), unless otherwise noted

ES = NR140.10 Enforcement Standards

PAL = NR140.10 Preventive Action Limits

NS= Not Sampled

NA= Not Analyzed

ES exceeded ----->

PAL exceeded ----->

BOLD
<i>Italics</i>

* = Concentration between Limit of Detection and Limit of Quantitation, considered an estimate

Top of Screen/Bottom of Screen (ft bls) 55-60

Table 3v
Temporary Wells/Recovery Wells
Summary of Groundwater Analytical Results
Former Kelly's Grand View
Grand View, Wisconsin

Sample Location				TW1			TW3			
Date				10-Apr-18	15-Nov-18	19-Sep-19	0-Jan-00	17-Jul-18	15-Nov-18	19-Sep-19
PVOC Parameters	ES	PAL	Units							
Benzene	5	0.5	µg/l	< 0.40	< 0.31	< 0.25	3,350	1,430	2,080	2,560
Toluene	800	160	µg/l	< 0.39	0.53*	< 0.17	47,300	36,100	34,900	41,300
Ethylbenzene	700	140	µg/l	< 0.39	9.2	< 0.22	6,050	3,820	3,210	2,580
Xylenes (mixed isomers)	2,000	400	µg/l	< 0.80	< 0.66	< 0.47	28,140	18,350	15,010	14,180
Methyl tert-Butyl Ether (MTBE)	60	12	µg/l	< 0.48	< 0.32	< 1.2	< 242	< 32	< 64	< 249
Trimethylbenzenes (mixed isomers)	480	96	µg/l	< 0.42	8.4	< 0.87	9,950	5,080	3,652	2,153
Naphthalene	100	10	µg/l	< 0.42	< 0.51	< 1.2	2,790	1,590	1,130	979*

Sample Location				RW1			RW2			RW3		
Date				10-Apr-18	15-Nov-18	19-Sep-19	10-Apr-18	15-Nov-18	19-Sep-19	10-Apr-18	15-Nov-18	19-Sep-19
PVOC Parameters	ES	PAL	Units									
Benzene	5	0.5	µg/l	< 0.40	< 0.31	< 0.25	< 0.40	< 0.31	< 0.25	< 0.40	< 0.31	< 0.25
Toluene	800	160	µg/l	4.4	< 0.49	< 0.17	1.1	< 0.49	< 0.17	0.44*	< 0.49	< 0.17
Ethylbenzene	700	140	µg/l	16.1	< 0.33	< 0.22	22.6	< 0.33	< 0.22	4.8	< 0.33	< 0.22
Xylenes (mixed isomers)	2,000	400	µg/l	47.6	< 0.66	< 0.47	35.5	< 0.66	< 0.47	64	< 0.66	< 0.47
Methyl tert-Butyl Ether (MTBE)	60	12	µg/l	< 0.48	< 0.32	< 1.2	1.2	< 0.32	< 1.2	< 0.48	< 0.32	< 1.2
Trimethylbenzenes (mixed isomers)	480	96	µg/l	16.9	< 0.34	< 0.87	<i>112.6</i>	< 0.34	< 0.87	10.3	< 0.34	< 0.87
Naphthalene	100	10	µg/l	8.2	< 0.51	< 1.2	<i>10.2</i>	< 0.51	< 1.2	2.5	< 0.51	< 1.2

Sample Location				RW4			RW5		
Date				10-Apr-18	15-Nov-18	19-Sep-19	10-Apr-18	15-Nov-18	19-Sep-19
PVOC Parameters	ES	PAL	Units						
Benzene	5	0.5	µg/l	9.8*	< 0.31	<i>1.8</i>	< 0.40	< 0.40	< 0.25
Toluene	800	160	µg/l	<i>186</i>	< 0.49	15.5	< 0.39	< 0.39	< 0.17
Ethylbenzene	700	140	µg/l	102	< 0.33	29.8	< 0.39	< 0.39	< 0.22
Xylenes (mixed isomers)	2,000	400	µg/l	<i>1,296</i>	< 0.66	<i>408</i>	< 0.80	< 0.80	< 0.47
Methyl tert-Butyl Ether (MTBE)	60	12	µg/l	< 4.8	< 0.32	< 1.2	< 0.48	< 0.48	< 1.2
Trimethylbenzenes (mixed isomers)	480	96	µg/l	762	< 0.34	<i>385</i>	< 0.42	< 0.42	< 0.87
Naphthalene	100	10	µg/l	104	< 0.51	<i>35.6</i>	< 0.42	< 0.42	< 1.2

Notes:

All values are reported in µg/l (ppb), unless otherwise noted

ES = NR140.10 Enforcement Standards

PAL = NR140.10 Preventive Action Limits

NS= Not Sampled

NA= Not Analyzed

ES exceeded ----->

BOLD

PAL exceeded ----->

Italics

* = Concentration between Limit of Detection and Limit of Quantitation, considered an estimate

**Table 3w
Potable Wells
Summary of Groundwater Analytical Results
Former Kelly's Grand View
Grand View, Wisconsin**

	ES	PAL	Well	PW1 (on-site well)									
			Date	20-Nov-07	12-May-10	18-Jun-13	14-Oct-14	3-Feb-15	15-Jun-15	19-Aug-15	31-Aug-16	17-Jul-18	
VOC Parameters			Units										
Benzene	5	0.5	µg/l	<0.20	NS	NS	NS	NS	NS	NS	NS	NS	NS
Ethylbenzene	700	140	µg/l	0.12	NS	NS	NS	NS	NS	NS	NS	NS	NS
Toluene	800	160	µg/l	<0.40	NS	NS	NS	NS	NS	NS	NS	NS	NS
Total Trimethylbenzenes	480	96	µg/l	<0.40	NS	NS	NS	NS	NS	NS	NS	NS	NS
Total Xylenes	2,000	400	µg/l	<1.00	NS	NS	NS	NS	NS	NS	NS	NS	NS
Methyl t-Butyl Ether (MTBE)	60	12	µg/l	<0.20	NS	NS	NS	NS	NS	NS	NS	NS	NS
Chloromethane			µg/l	0.55	NS	NS	NS	NS	NS	NS	NS	NS	NS
1,2-Dichloroethane	5	0.5	µg/l	<0.20	NS	NS	NS	NS	NS	NS	NS	NS	NS

	ES	PAL	Well	PW2 (Great Divide Christian Center)									
			Date	20-Nov-07	12-May-10	18-Jun-13	14-Oct-14	3-Feb-15	15-Jun-15	19-Aug-15	31-Aug-16	17-Jul-18	
VOC Parameters			Units										
Benzene	5	0.5	µg/l	NS	< 0.034	< 0.50	NS	NS	< 0.50	< 0.50	< 0.086	< 0.12	
Ethylbenzene	700	140	µg/l	NS	< 0.051	< 0.50	NS	NS	< 0.50	< 0.50	< 0.051	< 0.11	
Toluene	800	160	µg/l	NS	< 0.055	< 0.44	NS	NS	< 0.44	< 0.44	< 0.080	< 0.078	
Total Trimethylbenzenes	480	96	µg/l	NS	< 0.042	< 2.5	NS	NS	< 2.5	< 2.5	< 0.083	< 0.23	
Total Xylenes	2,000	400	µg/l	NS	< 0.073	< 0.82	NS	NS	< 0.82	< 0.82	< 0.073	< 0.30	
Methyl t-Butyl Ether (MTBE)	60	12	µg/l	NS	< 0.036	< 0.49	NS	NS	< 0.49	< 0.49	< 0.058	< 0.17	
Chloromethane			µg/l	NS	< 0.071	< 0.39	NS	NS	< 0.39	< 0.39	< 0.16	< 0.15	
1,2-Dichloroethane	5	0.5	µg/l	NS	< 0.039	< 0.48	NS	NS	< 0.48	< 0.48	< 0.092	< 0.13	

	ES	PAL	Well	PW3 (Choppers Bar)									
			Date	20-Nov-07	12-May-10	18-Jun-13	14-Oct-14	3-Feb-15	15-Jun-15	19-Aug-15	31-Aug-16	17-Jul-18	
VOC Parameters			Units										
Benzene	5	0.5	µg/l	<0.20	< 0.034	< 0.50	< 0.50	NS	< 0.50	< 0.50	< 0.086	NS	
Ethylbenzene	700	140	µg/l	0.11	< 0.051	< 0.50	< 0.50	NS	< 0.50	< 0.50	< 0.051	NS	
Toluene	800	160	µg/l	<0.40	< 0.055	< 0.44	< 0.44	NS	< 0.44	< 0.44	< 0.080	NS	
Total Trimethylbenzenes	480	96	µg/l	<0.20	< 0.042	< 2.5	< 2.5	NS	< 2.5	< 2.5	< 0.083	NS	
Total Xylenes	2,000	400	µg/l	<1.00	< 0.073	< 0.82	< 0.82	NS	< 0.82	< 0.82	< 0.073	NS	
Methyl t-Butyl Ether (MTBE)	60	12	µg/l	<0.20	< 0.036	< 0.49	< 0.49	NS	< 0.49	< 0.49	< 0.058	NS	
Chloromethane			µg/l	0.61	< 0.071	< 0.39	< 0.39	NS	< 0.39	< 0.39	< 0.16	NS	
1,2-Dichloroethane	5	0.5	µg/l	<0.20	< 0.039	< 0.48	< 0.48	NS	< 0.48	< 0.48	< 0.092	NS	

	ES	PAL	Well	54630		54635		54665
			Date	31-Aug-16	17-Jul-18	31-Aug-16	17-Jul-18	17-Jul-18
VOC Parameters			Units					
Benzene	5	0.5	µg/l	< 0.086	< 0.12	< 0.086	< 0.12	< 0.12
Ethylbenzene	700	140	µg/l	< 0.051	< 0.11	< 0.051	< 0.11	< 0.11
Toluene	800	160	µg/l	< 0.080	< 0.078	< 0.080	< 0.078	< 0.078
Total Trimethylbenzenes	480	96	µg/l	< 0.083	< 0.23	< 0.083	< 0.23	< 0.23
Total Xylenes	2,000	400	µg/l	< 0.073	< 0.30	< 0.073	< 0.30	< 0.30
Methyl t-Butyl Ether (MTBE)	60	12	µg/l	< 0.058	< 0.17	< 0.058	< 0.17	< 0.17
Chloromethane			µg/l	< 0.16	< 0.15	< 0.16	< 0.15	< 0.15
1,2-Dichloroethane	5	0.5	µg/l	< 0.092	< 0.13	< 0.092	< 0.13	< 0.13

Notes:

All values are reported in µg/l (ppb), unless otherwise noted

ES = NR140.10 Enforcement Standards

PAL = NR140.10 Preventive Action Limits

ES exceeded ----->

BOLD




PAL exceeded ----->

Italics

NS= Not Sampled

NA= Not Analyzed

* = Concentration between Limit of Detection and Limit of Quantitation, considered an estimate



GRAND VIEW, WIS.
 SE/4 GRANDVIEW 15' QUADRANGLE
 N4615—W9100/7.5
 1971
 AMS 2776 I SE—SERIES V861



REI Engineering, INC.


DRAWING FILE: P:\3700-3799\3783-KELLYS\DWG\3783-VICN.DWG LAYOUT: VICN PLOTTED: FEB 04, 2019 - 11:46AM PLOTTED BY: MATTM

FORMER KELLY'S GRANDVIEW ICO
 U.S. HWY 63 & RAYMOND AVENUE
 GRANDVIEW, WISCONSIN

FIGURE 1 : SITE VICINITY MAP

PROJECT NO.	DRAWN BY:	DATE:
3783X	MCM	2/4/2019

DRAWING FILE: P:\3700-3799\3783-Kellys\DWG\3783-SITE.DWG LAYOUT: SITE PLOTTED: FEB 04, 2019 - 12:33PM PLOTTED BY: MATTM



LEGEND

0 40
SCALE: 1" = 40'

- ▲ VAPOR POINT
- ⊙ OBSERVATION WELL
- PIEZOMETER
- TEMPORARY WELL
- ⊗ REMEDIATION WELL
- ⊕ MONITORING WELL
- ⊙ POTABLE WELL
- ⊗ LIGHT POLE
- OVERHEAD UTILITIES LINE
- SANITARY SEWER LINE
- TELEPHONE LINE
- FORMER PETROLEUM PRODUCT LINE
- FORMER PETROLEUM USTS AND DISPENSERS

NOTE:
ALL PROPERTY LINES ARE APPROXIMATE AND BASED ON FOUND MONUMENTS. REI DID NOT DETERMINE PROPERTY BOUNDARIES.

<p>REI CIVIL & ENVIRONMENTAL ENGINEERING, SURVEYING</p>	<p>FORMER KELLY'S GRANDVIEW ICO U.S. HWY 63 & RAYMOND AVENUE GRANDVIEW, WISCONSIN</p>
--	---

FIGURE 2 :SITE MAP

PROJECT No. 3783x	DRAWN BY: MCM	DATE: 2/4/2019
----------------------	------------------	-------------------

REI Engineering, INC.

APPENDIX A

COPIES OF LABORATORY ANALYTICAL RESULTS



September 27, 2019

DAVID LARSEN
REI
4080 NORTH 20TH AVENUE
Wausau, WI 54401

RE: Project: 3783 KELLY'S
Pace Project No.: 40195708

Dear DAVID LARSEN:

Enclosed are the analytical results for sample(s) received by the laboratory on September 21, 2019. The results relate only to the samples included in this report. Results reported herein conform to the most current, applicable TNI/NELAC standards and the laboratory's Quality Assurance Manual, where applicable, unless otherwise noted in the body of the report.

If you have any questions concerning this report, please feel free to contact me.

Sincerely,



Brian Basten
brian.basten@pacelabs.com
(920)469-2436
Project Manager

Enclosures



REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

CERTIFICATIONS

Project: 3783 KELLY'S

Pace Project No.: 40195708

Green Bay Certification IDs

1241 Bellevue Street, Green Bay, WI 54302

Florida/NELAP Certification #: E87948

Illinois Certification #: 200050

Kentucky UST Certification #: 82

Louisiana Certification #: 04168

Minnesota Certification #: 055-999-334

New York Certification #: 12064

North Dakota Certification #: R-150

Virginia VELAP ID: 460263

South Carolina Certification #: 83006001

Texas Certification #: T104704529-14-1

Wisconsin Certification #: 405132750

Wisconsin DATCP Certification #: 105-444

USDA Soil Permit #: P330-16-00157

Federal Fish & Wildlife Permit #: LE51774A-0

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

SAMPLE SUMMARY

Project: 3783 KELLY'S
Pace Project No.: 40195708

Lab ID	Sample ID	Matrix	Date Collected	Date Received
40195708001	RW1	Water	09/19/19 13:19	09/21/19 10:00
40195708002	RW2	Water	09/19/19 13:30	09/21/19 10:00
40195708003	RW3	Water	09/19/19 13:35	09/21/19 10:00
40195708004	RW4	Water	09/19/19 12:58	09/21/19 10:00
40195708005	RW5	Water	09/19/19 12:52	09/21/19 10:00

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

SAMPLE ANALYTE COUNT

Project: 3783 KELLY'S

Pace Project No.: 40195708

Lab ID	Sample ID	Method	Analysts	Analytes Reported
40195708001	RW1	EPA 8260	LAP	12
40195708002	RW2	EPA 8260	LAP	12
40195708003	RW3	EPA 8260	LAP	12
40195708004	RW4	EPA 8260	LAP	12
40195708005	RW5	EPA 8260	LAP	12

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 3783 KELLY'S
Pace Project No.: 40195708

Sample: RW1 Lab ID: 40195708001 Collected: 09/19/19 13:19 Received: 09/21/19 10:00 Matrix: Water									
Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV UST Analytical Method: EPA 8260									
Benzene	<0.25	ug/L	1.0	0.25	1		09/26/19 00:50	71-43-2	
Ethylbenzene	<0.22	ug/L	1.0	0.22	1		09/26/19 00:50	100-41-4	
Methyl-tert-butyl ether	<1.2	ug/L	4.2	1.2	1		09/26/19 00:50	1634-04-4	
Naphthalene	<1.2	ug/L	5.0	1.2	1		09/26/19 00:50	91-20-3	
Toluene	<0.17	ug/L	5.0	0.17	1		09/26/19 00:50	108-88-3	
1,2,4-Trimethylbenzene	<0.84	ug/L	2.8	0.84	1		09/26/19 00:50	95-63-6	
1,3,5-Trimethylbenzene	<0.87	ug/L	2.9	0.87	1		09/26/19 00:50	108-67-8	
m&p-Xylene	<0.47	ug/L	2.0	0.47	1		09/26/19 00:50	179601-23-1	
o-Xylene	<0.26	ug/L	1.0	0.26	1		09/26/19 00:50	95-47-6	
Surrogates									
Dibromofluoromethane (S)	103	%	70-130		1		09/26/19 00:50	1868-53-7	
Toluene-d8 (S)	100	%	70-130		1		09/26/19 00:50	2037-26-5	
4-Bromofluorobenzene (S)	90	%	70-130		1		09/26/19 00:50	460-00-4	

Sample: RW2 Lab ID: 40195708002 Collected: 09/19/19 13:30 Received: 09/21/19 10:00 Matrix: Water									
Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV UST Analytical Method: EPA 8260									
Benzene	<0.25	ug/L	1.0	0.25	1		09/26/19 00:28	71-43-2	
Ethylbenzene	<0.22	ug/L	1.0	0.22	1		09/26/19 00:28	100-41-4	
Methyl-tert-butyl ether	<1.2	ug/L	4.2	1.2	1		09/26/19 00:28	1634-04-4	
Naphthalene	<1.2	ug/L	5.0	1.2	1		09/26/19 00:28	91-20-3	
Toluene	<0.17	ug/L	5.0	0.17	1		09/26/19 00:28	108-88-3	
1,2,4-Trimethylbenzene	<0.84	ug/L	2.8	0.84	1		09/26/19 00:28	95-63-6	
1,3,5-Trimethylbenzene	<0.87	ug/L	2.9	0.87	1		09/26/19 00:28	108-67-8	
m&p-Xylene	<0.47	ug/L	2.0	0.47	1		09/26/19 00:28	179601-23-1	
o-Xylene	<0.26	ug/L	1.0	0.26	1		09/26/19 00:28	95-47-6	
Surrogates									
Dibromofluoromethane (S)	105	%	70-130		1		09/26/19 00:28	1868-53-7	
Toluene-d8 (S)	100	%	70-130		1		09/26/19 00:28	2037-26-5	
4-Bromofluorobenzene (S)	88	%	70-130		1		09/26/19 00:28	460-00-4	

Sample: RW3 Lab ID: 40195708003 Collected: 09/19/19 13:35 Received: 09/21/19 10:00 Matrix: Water									
Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV UST Analytical Method: EPA 8260									
Benzene	<0.25	ug/L	1.0	0.25	1		09/26/19 00:06	71-43-2	
Ethylbenzene	<0.22	ug/L	1.0	0.22	1		09/26/19 00:06	100-41-4	
Methyl-tert-butyl ether	<1.2	ug/L	4.2	1.2	1		09/26/19 00:06	1634-04-4	
Naphthalene	<1.2	ug/L	5.0	1.2	1		09/26/19 00:06	91-20-3	
Toluene	<0.17	ug/L	5.0	0.17	1		09/26/19 00:06	108-88-3	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 3783 KELLY'S

Pace Project No.: 40195708

Sample: RW3 Lab ID: 40195708003 Collected: 09/19/19 13:35 Received: 09/21/19 10:00 Matrix: Water									
Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV UST Analytical Method: EPA 8260									
1,2,4-Trimethylbenzene	<0.84	ug/L	2.8	0.84	1		09/26/19 00:06	95-63-6	
1,3,5-Trimethylbenzene	<0.87	ug/L	2.9	0.87	1		09/26/19 00:06	108-67-8	
m&p-Xylene	<0.47	ug/L	2.0	0.47	1		09/26/19 00:06	179601-23-1	
o-Xylene	<0.26	ug/L	1.0	0.26	1		09/26/19 00:06	95-47-6	
Surrogates									
Dibromofluoromethane (S)	105	%	70-130		1		09/26/19 00:06	1868-53-7	
Toluene-d8 (S)	102	%	70-130		1		09/26/19 00:06	2037-26-5	
4-Bromofluorobenzene (S)	86	%	70-130		1		09/26/19 00:06	460-00-4	

Sample: RW4 Lab ID: 40195708004 Collected: 09/19/19 12:58 Received: 09/21/19 10:00 Matrix: Water									
Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV UST Analytical Method: EPA 8260									
Benzene	1.8	ug/L	1.0	0.25	1		09/25/19 21:09	71-43-2	
Ethylbenzene	29.8	ug/L	1.0	0.22	1		09/25/19 21:09	100-41-4	
Methyl-tert-butyl ether	<1.2	ug/L	4.2	1.2	1		09/25/19 21:09	1634-04-4	
Naphthalene	35.6	ug/L	5.0	1.2	1		09/25/19 21:09	91-20-3	
Toluene	15.5	ug/L	5.0	0.17	1		09/25/19 21:09	108-88-3	
1,2,4-Trimethylbenzene	278	ug/L	2.8	0.84	1		09/25/19 21:09	95-63-6	
1,3,5-Trimethylbenzene	107	ug/L	2.9	0.87	1		09/25/19 21:09	108-67-8	
m&p-Xylene	285	ug/L	2.0	0.47	1		09/25/19 21:09	179601-23-1	
o-Xylene	123	ug/L	1.0	0.26	1		09/25/19 21:09	95-47-6	
Surrogates									
Dibromofluoromethane (S)	101	%	70-130		1		09/25/19 21:09	1868-53-7	
Toluene-d8 (S)	99	%	70-130		1		09/25/19 21:09	2037-26-5	
4-Bromofluorobenzene (S)	101	%	70-130		1		09/25/19 21:09	460-00-4	

Sample: RW5 Lab ID: 40195708005 Collected: 09/19/19 12:52 Received: 09/21/19 10:00 Matrix: Water									
Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV UST Analytical Method: EPA 8260									
Benzene	<0.25	ug/L	1.0	0.25	1		09/26/19 15:24	71-43-2	
Ethylbenzene	<0.22	ug/L	1.0	0.22	1		09/26/19 15:24	100-41-4	
Methyl-tert-butyl ether	<1.2	ug/L	4.2	1.2	1		09/26/19 15:24	1634-04-4	
Naphthalene	<1.2	ug/L	5.0	1.2	1		09/26/19 15:24	91-20-3	
Toluene	<0.17	ug/L	5.0	0.17	1		09/26/19 15:24	108-88-3	
1,2,4-Trimethylbenzene	<0.84	ug/L	2.8	0.84	1		09/26/19 15:24	95-63-6	
1,3,5-Trimethylbenzene	<0.87	ug/L	2.9	0.87	1		09/26/19 15:24	108-67-8	
m&p-Xylene	<0.47	ug/L	2.0	0.47	1		09/26/19 15:24	179601-23-1	
o-Xylene	<0.26	ug/L	1.0	0.26	1		09/26/19 15:24	95-47-6	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 3783 KELLY'S

Pace Project No.: 40195708

Sample: RW5 **Lab ID: 40195708005** Collected: 09/19/19 12:52 Received: 09/21/19 10:00 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV UST		Analytical Method: EPA 8260							
Surrogates									
Dibromofluoromethane (S)	104	%	70-130		1		09/26/19 15:24	1868-53-7	
Toluene-d8 (S)	98	%	70-130		1		09/26/19 15:24	2037-26-5	
4-Bromofluorobenzene (S)	88	%	70-130		1		09/26/19 15:24	460-00-4	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: 3783 KELLY'S
Pace Project No.: 40195708

QC Batch: 334847 Analysis Method: EPA 8260
QC Batch Method: EPA 8260 Analysis Description: 8260 MSV UST-WATER
Associated Lab Samples: 40195708005

METHOD BLANK: 1944762 Matrix: Water
Associated Lab Samples: 40195708005

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
1,2,4-Trimethylbenzene	ug/L	<0.84	2.8	09/26/19 13:02	
1,3,5-Trimethylbenzene	ug/L	<0.87	2.9	09/26/19 13:02	
Benzene	ug/L	<0.25	1.0	09/26/19 13:02	
Ethylbenzene	ug/L	<0.22	1.0	09/26/19 13:02	
m&p-Xylene	ug/L	<0.47	2.0	09/26/19 13:02	
Methyl-tert-butyl ether	ug/L	<1.2	4.2	09/26/19 13:02	
Naphthalene	ug/L	<1.2	5.0	09/26/19 13:02	
o-Xylene	ug/L	<0.26	1.0	09/26/19 13:02	
Toluene	ug/L	<0.17	5.0	09/26/19 13:02	
4-Bromofluorobenzene (S)	%	91	70-130	09/26/19 13:02	
Dibromofluoromethane (S)	%	93	70-130	09/26/19 13:02	
Toluene-d8 (S)	%	98	70-130	09/26/19 13:02	

LABORATORY CONTROL SAMPLE: 1944763

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Benzene	ug/L	50	42.8	86	70-130	
Ethylbenzene	ug/L	50	52.3	105	80-124	
m&p-Xylene	ug/L	100	106	106	70-130	
Methyl-tert-butyl ether	ug/L	50	46.2	92	54-137	
o-Xylene	ug/L	50	50.2	100	70-130	
Toluene	ug/L	50	51.8	104	80-126	
4-Bromofluorobenzene (S)	%			97	70-130	
Dibromofluoromethane (S)	%			90	70-130	
Toluene-d8 (S)	%			102	70-130	

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 1945363 1945364

Parameter	Units	MS		MSD		MS % Rec	MSD % Rec	% Rec Limits	RPD	Max RPD	Qual
		40195707012 Result	Spike Conc.	Spike Conc.	MS Result						
Benzene	ug/L	<0.25	50	50	40.8	42.2	82	84	70-130	3	20
Ethylbenzene	ug/L	<0.22	50	50	50.5	55.8	101	112	80-125	10	20
m&p-Xylene	ug/L	<0.47	100	100	103	109	103	109	70-130	6	20
Methyl-tert-butyl ether	ug/L	<1.2	50	50	43.6	48.3	87	97	51-145	10	20
o-Xylene	ug/L	<0.26	50	50	52.1	54.9	104	110	70-130	5	20
Toluene	ug/L	<0.17	50	50	51.3	54.7	103	109	80-131	6	20
4-Bromofluorobenzene (S)	%						99	104	70-130		
Dibromofluoromethane (S)	%						88	91	70-130		

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: 3783 KELLY'S

Pace Project No.: 40195708

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 1945363 1945364												
Parameter	Units	40195707012 Result	MS	MSD	MS Result	MSD Result	MS % Rec	MSD % Rec	% Rec Limits	RPD	Max RPD	Qual
			Spike Conc.	Spike Conc.								
Toluene-d8 (S)	%						100	107	70-130			

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: 3783 KELLY'S
Pace Project No.: 40195708

QC Batch: 335158 Analysis Method: EPA 8260
QC Batch Method: EPA 8260 Analysis Description: 8260 MSV UST-WATER
Associated Lab Samples: 40195708001, 40195708002, 40195708003, 40195708004

METHOD BLANK: 1945907 Matrix: Water
Associated Lab Samples: 40195708001, 40195708002, 40195708003, 40195708004

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
1,2,4-Trimethylbenzene	ug/L	<0.84	2.8	09/25/19 16:21	
1,3,5-Trimethylbenzene	ug/L	<0.87	2.9	09/25/19 16:21	
Benzene	ug/L	<0.25	1.0	09/25/19 16:21	
Ethylbenzene	ug/L	<0.22	1.0	09/25/19 16:21	
m&p-Xylene	ug/L	<0.47	2.0	09/25/19 16:21	
Methyl-tert-butyl ether	ug/L	<1.2	4.2	09/25/19 16:21	
Naphthalene	ug/L	<1.2	5.0	09/25/19 16:21	
o-Xylene	ug/L	<0.26	1.0	09/25/19 16:21	
Toluene	ug/L	<0.17	5.0	09/25/19 16:21	
4-Bromofluorobenzene (S)	%	90	70-130	09/25/19 16:21	
Dibromofluoromethane (S)	%	101	70-130	09/25/19 16:21	
Toluene-d8 (S)	%	105	70-130	09/25/19 16:21	

LABORATORY CONTROL SAMPLE: 1945908

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Benzene	ug/L	50	49.7	99	70-130	
Ethylbenzene	ug/L	50	56.5	113	80-124	
m&p-Xylene	ug/L	100	112	112	70-130	
Methyl-tert-butyl ether	ug/L	50	56.4	113	54-137	
o-Xylene	ug/L	50	55.2	110	70-130	
Toluene	ug/L	50	54.4	109	80-126	
4-Bromofluorobenzene (S)	%			101	70-130	
Dibromofluoromethane (S)	%			100	70-130	
Toluene-d8 (S)	%			100	70-130	

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 1945993 1945994

Parameter	Units	MS		MSD		MS % Rec	MSD % Rec	% Rec Limits	RPD	Max RPD	Qual
		40195710009 Result	Spike Conc.	Spike Conc.	MS Result						
Benzene	ug/L	<0.25	50	50	48.8	50.4	98	101	70-130	3	20
Ethylbenzene	ug/L	<0.22	50	50	55.4	54.9	111	110	80-125	1	20
m&p-Xylene	ug/L	<0.47	100	100	112	115	112	115	70-130	2	20
Methyl-tert-butyl ether	ug/L	<1.2	50	50	55.6	55.6	111	111	51-145	0	20
o-Xylene	ug/L	<0.26	50	50	53.4	54.0	107	108	70-130	1	20
Toluene	ug/L	<0.17	50	50	53.5	52.5	107	105	80-131	2	20
4-Bromofluorobenzene (S)	%						103	100	70-130		
Dibromofluoromethane (S)	%						103	101	70-130		

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: 3783 KELLY'S

Pace Project No.: 40195708

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 1945993 1945994												
Parameter	Units	40195710009 Result	MS	MSD	MS Result	MSD Result	MS % Rec	MSD % Rec	% Rec Limits	RPD	Max RPD	Qual
			Spike Conc.	Spike Conc.								
Toluene-d8 (S)	%							103	101	70-130		

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALIFIERS

Project: 3783 KELLY'S

Pace Project No.: 40195708

DEFINITIONS

DF - Dilution Factor, if reported, represents the factor applied to the reported data due to dilution of the sample aliquot.

ND - Not Detected at or above LOD.

J - Estimated concentration at or above the LOD and below the LOQ.

LOD - Limit of Detection adjusted for dilution factor, percent moisture, initial weight and final volume.

LOQ - Limit of Quantitation adjusted for dilution factor, percent moisture, initial weight and final volume.

S - Surrogate

1,2-Diphenylhydrazine decomposes to and cannot be separated from Azobenzene using Method 8270. The result for each analyte is a combined concentration.

Consistent with EPA guidelines, unrounded data are displayed and have been used to calculate % recovery and RPD values.

LCS(D) - Laboratory Control Sample (Duplicate)

MS(D) - Matrix Spike (Duplicate)

DUP - Sample Duplicate

RPD - Relative Percent Difference

NC - Not Calculable.

SG - Silica Gel - Clean-Up

U - Indicates the compound was analyzed for, but not detected at or above the adjusted LOD.

N-Nitrosodiphenylamine decomposes and cannot be separated from Diphenylamine using Method 8270. The result reported for each analyte is a combined concentration.

Pace Analytical is TNI accredited. Contact your Pace PM for the current list of accredited analytes.

TNI - The NELAC Institute.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA CROSS REFERENCE TABLE

Project: 3783 KELLY'S

Pace Project No.: 40195708

Lab ID	Sample ID	QC Batch Method	QC Batch	Analytical Method	Analytical Batch
40195708001	RW1	EPA 8260	335158		
40195708002	RW2	EPA 8260	335158		
40195708003	RW3	EPA 8260	335158		
40195708004	RW4	EPA 8260	335158		
40195708005	RW5	EPA 8260	334847		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

(Please Print Clearly)

Company Name: RET

Branch/Location:

Project Contact: DAVID LANGRISH

Phone: 715-675-9784

Project Number: 3783

Project Name: Kelly's

Project State: WI

Sampled By (Print): David Langrish

Sampled By (Sign): [Signature]

PO #:

Regulatory Program: DECPA

Data Package Options (billable)

EPA Level III

EPA Level IV

MS/MSD

On your sample (billable)

NOT needed on your sample

Matrix Codes

A = Air W = Water
 B = Biota DW = Drinking Water
 C = Charcoal GW = Ground Water
 O = Oil SW = Surface Water
 S = Soil WW = Waste Water
 SI = Sludge WP = Wipe

PACE LAB #	CLIENT FIELD ID	COLLECTION		MATRIX
		DATE	TIME	
<u>001</u>	<u>Rw1</u>	<u>9/19/19</u>	<u>1:19</u>	<u>GW</u>
<u>002</u>	<u>Rw2</u>	<u>↑</u>	<u>1:30</u>	<u>GW</u>
<u>003</u>	<u>Rw3</u>	<u>↑</u>	<u>1:35</u>	<u>GW</u>
<u>004</u>	<u>Rw4</u>	<u>↑</u>	<u>12:58</u>	<u>GW</u>
<u>005</u>	<u>Rw5</u>	<u>↑</u>	<u>12:52</u>	<u>GW</u>



UPPER MIDWEST REGION
 MN: 612-607-1700 WI: 920-469-2436

Page 1 of

40195708

Page 14 of 16

CHAIN OF CUSTODY

*Preservation Codes

A=None B=HCL C=H2SO4 D=HNO3 E=DI Water F=Methanol G=NaOH
 H=Sodium Bisulfate Solution I=Sodium Thiosulfate J=Other

FILTERED?
(YES/NO)

PRESERVATION
(CODE)*

Y/N	Pick Letter	Analyses Requested															
<u>N</u>	<u>B</u>	<u>PW/CL/D</u>	<u>X</u>														

Quote #:

Mail To Contact:

Mail To Company:

Mail To Address:

Invoice To Contact:

Invoice To Company:

Invoice To Address:

Invoice To Phone:

CLIENT COMMENTS	LAB COMMENTS (Lab Use Only)	Profile #

Rush Turnaround Time Requested - Prelims
 (Rush TAT subject to approval/surcharge)
 Date Needed:

Transmit Prelim Rush Results by (complete what you want):

Email #1:

Email #2:

Telephone:

Fax:

Samples on HOLD are subject to special pricing and release of liability

Relinquished By: <u>[Signature]</u>	Date/Time: <u>9/20/19 2:30</u>
Relinquished By: <u>WATCO</u>	Date/Time: <u>9/21/19 1000</u>
Relinquished By:	Date/Time:
Relinquished By:	Date/Time:
Relinquished By:	Date/Time:

Received By:	Date/Time:
Received By: <u>[Signature]</u>	Date/Time: <u>9/21/19 1000</u>
Received By:	Date/Time:
Received By:	Date/Time:
Received By:	Date/Time:

PACE Project No.
40195708

Receipt Temp = ed °C

Sample Receipt pH
OK / Adjusted

Cooler Custody Seal
Present / Not Present
Intact / Not Intact

Sample Preservation Receipt Form

Pace Analytical Services, LLC
1241 Bellevue Street, Suite 9
Green Bay, WI 54302

Client Name: REI

Project # 4095708

All containers needing preservation have been checked and noted below: Yes No N/A

Lab Lot# of pH paper:

Lab Std #/ID of preservation (if pH adjusted):

Initial when completed:

Date/Time:

Page Lab #	Glass						Plastic						Vials				Jars			General			VOA Vials (>6mm) *	H2SO4 pH ≤2	NaOH+Zn Act pH ≥9	NaOH pH ≥12	HNO3 pH ≤2	pH after adjusted	Volume (mL)							
	AG1U	AG1H	AG4S	AG4U	AG5U	AG2S	BG3U	BP1U	BP2N	BP2Z	BP3U	BP3B	BP3N	BP3S	DG9A	DG9T	VG9U	VG9H	VG9M	VG9D	JGFU	WGFU								WPFU	SP5T	ZPLC	GN			
001																																				2.5 / 5 / 10
002																																				2.5 / 5 / 10
003																																				2.5 / 5 / 10
004																																				2.5 / 5 / 10
005																																				2.5 / 5 / 10
006																																				2.5 / 5 / 10
007																																				2.5 / 5 / 10
008																																				2.5 / 5 / 10
009																																				2.5 / 5 / 10
010																																				2.5 / 5 / 10
011																																				2.5 / 5 / 10
012																																				2.5 / 5 / 10
013																																				2.5 / 5 / 10
014																																				2.5 / 5 / 10
015																																				2.5 / 5 / 10
016																																				2.5 / 5 / 10
017																																				2.5 / 5 / 10
018																																				2.5 / 5 / 10
019																																				2.5 / 5 / 10
020																																				2.5 / 5 / 10

Exceptions to preservation check: VOA, Coliform, TOC, TOX, TOH, O&G, WIDRO, Phenolics, Other:

Headspace in VOA Vials (>6mm) : Yes No N/A *If yes look in headspace column

AG1U	1 liter amber glass	BP1U	1 liter plastic unpres	DG9A	40 mL amber ascorbic	JGFU	4 oz amber jar unpres
AG1H	1 liter amber glass HCL	BP2N	500 mL plastic HNO3	DG9T	40 mL amber Na Thio	WGFU	4 oz clear jar unpres
AG4S	125 mL amber glass H2SO4	BP2Z	500 mL plastic NaOH, Znact	VG9U	40 mL clear vial unpres	WPFU	4 oz plastic jar unpres
AG4U	120 mL amber glass unpres	BP3U	250 mL plastic unpres	VG9H	40 mL clear vial HCL		
AG5U	100 mL amber glass unpres	BP3B	250 mL plastic NaOH	VG9M	40 mL clear vial MeOH	SP5T	120 mL plastic Na Thiosulfate
AG2S	500 mL amber glass H2SO4	BP3N	250 mL plastic HNO3	VG9D	40 mL clear vial DI	ZPLC	ziploc bag
BG3U	250 mL clear glass unpres	BP3S	250 mL plastic H2SO4			GN:	



1241 Bellevue Street, Green Bay, WI 54302

Document Name:
Sample Condition Upon Receipt (SCUR)

Document No.:
F-GB-C-031-Rev.07

Document Revised: 25Apr2018

Issuing Authority:
Pace Green Bay Quality Office

Sample Condition Upon Receipt Form (SCUR)

Project #:

WO#: 40195708

Client Name: REI

Courier: CS Logistics Fed Ex Speedee UPS Waltco

Client Pace Other: _____

Tracking #: 21830391-2

Custody Seal on Cooler/Box Present: yes no Seals intact: yes no

Custody Seal on Samples Present: yes no Seals intact: yes no

Packing Material: Bubble Wrap Bubble Bags None Other

Thermometer Used SR - NA Type of Ice: Wet Blue Dry None Samples on ice, cooling process has begun

Cooler Temperature Uncorr: 20 / Corr: _____

Temp Blank Present: yes no Biological Tissue is Frozen: yes no

Temp should be above freezing to 6°C.
Biota Samples may be received at ≤ 0°C.

Person examining contents:

Date: 9/23/19

Initials: AW

Chain of Custody Present:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	1.
Chain of Custody Filled Out:	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A	2. <u>mail, invoice, page #</u> <u>AW/20</u>
Chain of Custody Relinquished:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	3.
Sampler Name & Signature on COC:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	4.
Samples Arrived within Hold Time:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	5.
- VOA Samples frozen upon receipt	<input type="checkbox"/> Yes <input type="checkbox"/> No	Date/Time:
Short Hold Time Analysis (<72hr):	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	6.
Rush Turn Around Time Requested:	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	7.
Sufficient Volume:		8.
For Analysis: <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	MS/MSD: <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A	
Correct Containers Used:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	9.
- Pace Containers Used:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	
- Pace IR Containers Used:	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	
Containers Intact:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	10.
Filtered volume received for Dissolved tests	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	11.
Sample Labels match COC:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	12.
- Includes date/time/ID/Analysis Matrix: <u>W</u>		
Trip Blank Present:	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A	13.
Trip Blank Custody Seals Present	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	
Pace Trip Blank Lot # (if purchased):		

Client Notification/ Resolution:

If checked, see attached form for additional comments

Person Contacted: _____ Date/Time: _____

Comments/ Resolution: _____

Project Manager Review: _____

Date: 9-23-19

September 27, 2019

DAVID LARSEN
REI
4080 NORTH 20TH AVENUE
Wausau, WI 54401

RE: Project: 3783 KELLY'S
Pace Project No.: 40195710

Dear DAVID LARSEN:

Enclosed are the analytical results for sample(s) received by the laboratory on September 21, 2019. The results relate only to the samples included in this report. Results reported herein conform to the most current, applicable TNI/NELAC standards and the laboratory's Quality Assurance Manual, where applicable, unless otherwise noted in the body of the report.

If you have any questions concerning this report, please feel free to contact me.

Sincerely,



Brian Basten
brian.basten@pacelabs.com
(920)469-2436
Project Manager

Enclosures



REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

CERTIFICATIONS

Project: 3783 KELLY'S

Pace Project No.: 40195710

Green Bay Certification IDs

1241 Bellevue Street, Green Bay, WI 54302

Florida/NELAP Certification #: E87948

Illinois Certification #: 200050

Kentucky UST Certification #: 82

Louisiana Certification #: 04168

Minnesota Certification #: 055-999-334

New York Certification #: 12064

North Dakota Certification #: R-150

Virginia VELAP ID: 460263

South Carolina Certification #: 83006001

Texas Certification #: T104704529-14-1

Wisconsin Certification #: 405132750

Wisconsin DATCP Certification #: 105-444

USDA Soil Permit #: P330-16-00157

Federal Fish & Wildlife Permit #: LE51774A-0

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

SAMPLE SUMMARY

Project: 3783 KELLY'S

Pace Project No.: 40195710

Lab ID	Sample ID	Matrix	Date Collected	Date Received
40195710001	OW1	Water	09/19/19 10:25	09/21/19 10:00
40195710002	OW2	Water	09/19/19 11:59	09/21/19 10:00
40195710003	OW3	Water	09/19/19 11:40	09/21/19 10:00
40195710004	OW4	Water	09/19/19 12:43	09/21/19 10:00
40195710005	OW5	Water	09/19/19 11:25	09/21/19 10:00
40195710006	OW6	Water	09/19/19 12:25	09/21/19 10:00
40195710007	OW7	Water	09/19/19 13:26	09/21/19 10:00
40195710008	OW8	Water	09/19/19 13:22	09/21/19 10:00
40195710009	TW1	Water	09/19/19 11:21	09/21/19 10:00
40195710010	TW3	Water	09/19/19 11:39	09/21/19 10:00

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

SAMPLE ANALYTE COUNT

Project: 3783 KELLY'S

Pace Project No.: 40195710

Lab ID	Sample ID	Method	Analysts	Analytes Reported
40195710001	OW1	EPA 8260	LAP	12
40195710002	OW2	EPA 8260	LAP	12
40195710003	OW3	EPA 8260	LAP	12
40195710004	OW4	EPA 8260	LAP	12
40195710005	OW5	EPA 8260	LAP	12
40195710006	OW6	EPA 8260	LAP	12
40195710007	OW7	EPA 8260	LAP	12
40195710008	OW8	EPA 8260	LAP	12
40195710009	TW1	EPA 8260	LAP	12
40195710010	TW3	EPA 8260	LAP	12

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 3783 KELLY'S

Pace Project No.: 40195710

Sample: OW1 Lab ID: 40195710001 Collected: 09/19/19 10:25 Received: 09/21/19 10:00 Matrix: Water									
Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV UST Analytical Method: EPA 8260									
Benzene	<0.25	ug/L	1.0	0.25	1		09/26/19 16:46	71-43-2	
Ethylbenzene	<0.22	ug/L	1.0	0.22	1		09/26/19 16:46	100-41-4	
Methyl-tert-butyl ether	<1.2	ug/L	4.2	1.2	1		09/26/19 16:46	1634-04-4	
Naphthalene	<1.2	ug/L	5.0	1.2	1		09/26/19 16:46	91-20-3	
Toluene	<0.17	ug/L	5.0	0.17	1		09/26/19 16:46	108-88-3	
1,2,4-Trimethylbenzene	<0.84	ug/L	2.8	0.84	1		09/26/19 16:46	95-63-6	
1,3,5-Trimethylbenzene	<0.87	ug/L	2.9	0.87	1		09/26/19 16:46	108-67-8	
m&p-Xylene	<0.47	ug/L	2.0	0.47	1		09/26/19 16:46	179601-23-1	
o-Xylene	<0.26	ug/L	1.0	0.26	1		09/26/19 16:46	95-47-6	
Surrogates									
Dibromofluoromethane (S)	103	%	70-130		1		09/26/19 16:46	1868-53-7	
Toluene-d8 (S)	99	%	70-130		1		09/26/19 16:46	2037-26-5	
4-Bromofluorobenzene (S)	96	%	70-130		1		09/26/19 16:46	460-00-4	

Sample: OW2 Lab ID: 40195710002 Collected: 09/19/19 11:59 Received: 09/21/19 10:00 Matrix: Water									
Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV UST Analytical Method: EPA 8260									
Benzene	22.1	ug/L	20.0	4.9	20		09/27/19 10:39	71-43-2	
Ethylbenzene	19.1J	ug/L	20.0	4.4	20		09/27/19 10:39	100-41-4	
Methyl-tert-butyl ether	<24.9	ug/L	83.1	24.9	20		09/27/19 10:39	1634-04-4	
Naphthalene	250	ug/L	100	23.5	20		09/27/19 10:39	91-20-3	
Toluene	33.1J	ug/L	100	3.4	20		09/27/19 10:39	108-88-3	
1,2,4-Trimethylbenzene	735	ug/L	56.0	16.8	20		09/27/19 10:39	95-63-6	
1,3,5-Trimethylbenzene	224	ug/L	58.2	17.5	20		09/27/19 10:39	108-67-8	
m&p-Xylene	657	ug/L	40.0	9.3	20		09/27/19 10:39	179601-23-1	
o-Xylene	455	ug/L	20.0	5.2	20		09/27/19 10:39	95-47-6	
Surrogates									
Dibromofluoromethane (S)	90	%	70-130		20		09/27/19 10:39	1868-53-7	D3
Toluene-d8 (S)	98	%	70-130		20		09/27/19 10:39	2037-26-5	
4-Bromofluorobenzene (S)	100	%	70-130		20		09/27/19 10:39	460-00-4	

Sample: OW3 Lab ID: 40195710003 Collected: 09/19/19 11:40 Received: 09/21/19 10:00 Matrix: Water									
Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV UST Analytical Method: EPA 8260									
Benzene	<0.25	ug/L	1.0	0.25	1		09/26/19 17:06	71-43-2	
Ethylbenzene	<0.22	ug/L	1.0	0.22	1		09/26/19 17:06	100-41-4	
Methyl-tert-butyl ether	<1.2	ug/L	4.2	1.2	1		09/26/19 17:06	1634-04-4	
Naphthalene	<1.2	ug/L	5.0	1.2	1		09/26/19 17:06	91-20-3	
Toluene	<0.17	ug/L	5.0	0.17	1		09/26/19 17:06	108-88-3	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 3783 KELLY'S

Pace Project No.: 40195710

Sample: OW3 Lab ID: 40195710003 Collected: 09/19/19 11:40 Received: 09/21/19 10:00 Matrix: Water									
Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV UST Analytical Method: EPA 8260									
1,2,4-Trimethylbenzene	<0.84	ug/L	2.8	0.84	1		09/26/19 17:06	95-63-6	
1,3,5-Trimethylbenzene	<0.87	ug/L	2.9	0.87	1		09/26/19 17:06	108-67-8	
m&p-Xylene	<0.47	ug/L	2.0	0.47	1		09/26/19 17:06	179601-23-1	
o-Xylene	<0.26	ug/L	1.0	0.26	1		09/26/19 17:06	95-47-6	
Surrogates									
Dibromofluoromethane (S)	101	%	70-130		1		09/26/19 17:06	1868-53-7	
Toluene-d8 (S)	100	%	70-130		1		09/26/19 17:06	2037-26-5	
4-Bromofluorobenzene (S)	99	%	70-130		1		09/26/19 17:06	460-00-4	

Sample: OW4 Lab ID: 40195710004 Collected: 09/19/19 12:43 Received: 09/21/19 10:00 Matrix: Water									
Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV UST Analytical Method: EPA 8260									
Benzene	664	ug/L	200	49.3	200		09/26/19 19:03	71-43-2	
Ethylbenzene	2870	ug/L	200	43.6	200		09/26/19 19:03	100-41-4	
Methyl-tert-butyl ether	<249	ug/L	831	249	200		09/26/19 19:03	1634-04-4	
Naphthalene	606J	ug/L	1000	235	200		09/26/19 19:03	91-20-3	
Toluene	14100	ug/L	1000	34.4	200		09/26/19 19:03	108-88-3	
1,2,4-Trimethylbenzene	2010	ug/L	560	168	200		09/26/19 19:03	95-63-6	
1,3,5-Trimethylbenzene	519J	ug/L	582	175	200		09/26/19 19:03	108-67-8	
m&p-Xylene	10400	ug/L	400	93.1	200		09/26/19 19:03	179601-23-1	
o-Xylene	3900	ug/L	200	52.4	200		09/26/19 19:03	95-47-6	
Surrogates									
Dibromofluoromethane (S)	94	%	70-130		200		09/26/19 19:03	1868-53-7	
Toluene-d8 (S)	102	%	70-130		200		09/26/19 19:03	2037-26-5	
4-Bromofluorobenzene (S)	100	%	70-130		200		09/26/19 19:03	460-00-4	

Sample: OW5 Lab ID: 40195710005 Collected: 09/19/19 11:25 Received: 09/21/19 10:00 Matrix: Water									
Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV UST Analytical Method: EPA 8260									
Benzene	0.88J	ug/L	1.0	0.25	1		09/26/19 17:25	71-43-2	
Ethylbenzene	1.2	ug/L	1.0	0.22	1		09/26/19 17:25	100-41-4	
Methyl-tert-butyl ether	<1.2	ug/L	4.2	1.2	1		09/26/19 17:25	1634-04-4	
Naphthalene	<1.2	ug/L	5.0	1.2	1		09/26/19 17:25	91-20-3	
Toluene	<0.17	ug/L	5.0	0.17	1		09/26/19 17:25	108-88-3	
1,2,4-Trimethylbenzene	<0.84	ug/L	2.8	0.84	1		09/26/19 17:25	95-63-6	
1,3,5-Trimethylbenzene	<0.87	ug/L	2.9	0.87	1		09/26/19 17:25	108-67-8	
m&p-Xylene	<0.47	ug/L	2.0	0.47	1		09/26/19 17:25	179601-23-1	
o-Xylene	<0.26	ug/L	1.0	0.26	1		09/26/19 17:25	95-47-6	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 3783 KELLY'S

Pace Project No.: 40195710

Sample: OW5 Lab ID: 40195710005 Collected: 09/19/19 11:25 Received: 09/21/19 10:00 Matrix: Water									
Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV UST Analytical Method: EPA 8260									
<i>Surrogates</i>									
Dibromofluoromethane (S)	98	%	70-130		1		09/26/19 17:25	1868-53-7	
Toluene-d8 (S)	101	%	70-130		1		09/26/19 17:25	2037-26-5	
4-Bromofluorobenzene (S)	100	%	70-130		1		09/26/19 17:25	460-00-4	

Sample: OW6 Lab ID: 40195710006 Collected: 09/19/19 12:25 Received: 09/21/19 10:00 Matrix: Water									
Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV UST Analytical Method: EPA 8260									
Benzene	<2.5	ug/L	10.0	2.5	10		09/26/19 19:22	71-43-2	
Ethylbenzene	106	ug/L	10.0	2.2	10		09/26/19 19:22	100-41-4	
Methyl-tert-butyl ether	<12.5	ug/L	41.5	12.5	10		09/26/19 19:22	1634-04-4	
Naphthalene	96.4	ug/L	50.0	11.8	10		09/26/19 19:22	91-20-3	
Toluene	2.7J	ug/L	50.0	1.7	10		09/26/19 19:22	108-88-3	
1,2,4-Trimethylbenzene	981	ug/L	28.0	8.4	10		09/26/19 19:22	95-63-6	
1,3,5-Trimethylbenzene	314	ug/L	29.1	8.7	10		09/26/19 19:22	108-67-8	
m&p-Xylene	198	ug/L	20.0	4.7	10		09/26/19 19:22	179601-23-1	
o-Xylene	24.8	ug/L	10.0	2.6	10		09/26/19 19:22	95-47-6	
<i>Surrogates</i>									
Dibromofluoromethane (S)	91	%	70-130		10		09/26/19 19:22	1868-53-7	
Toluene-d8 (S)	103	%	70-130		10		09/26/19 19:22	2037-26-5	
4-Bromofluorobenzene (S)	101	%	70-130		10		09/26/19 19:22	460-00-4	

Sample: OW7 Lab ID: 40195710007 Collected: 09/19/19 13:26 Received: 09/21/19 10:00 Matrix: Water									
Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV UST Analytical Method: EPA 8260									
Benzene	13300	ug/L	100	24.6	100		09/26/19 19:42	71-43-2	
Ethylbenzene	3020	ug/L	100	21.8	100		09/26/19 19:42	100-41-4	
Methyl-tert-butyl ether	<125	ug/L	415	125	100		09/26/19 19:42	1634-04-4	
Naphthalene	898	ug/L	500	118	100		09/26/19 19:42	91-20-3	
Toluene	45800	ug/L	2000	68.8	400		09/27/19 10:19	108-88-3	
1,2,4-Trimethylbenzene	2760	ug/L	280	84.1	100		09/26/19 19:42	95-63-6	
1,3,5-Trimethylbenzene	742	ug/L	291	87.3	100		09/26/19 19:42	108-67-8	
m&p-Xylene	11000	ug/L	200	46.5	100		09/26/19 19:42	179601-23-1	
o-Xylene	5280	ug/L	100	26.2	100		09/26/19 19:42	95-47-6	
<i>Surrogates</i>									
Dibromofluoromethane (S)	88	%	70-130		100		09/26/19 19:42	1868-53-7	
Toluene-d8 (S)	101	%	70-130		100		09/26/19 19:42	2037-26-5	
4-Bromofluorobenzene (S)	97	%	70-130		100		09/26/19 19:42	460-00-4	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 3783 KELLY'S
Pace Project No.: 40195710

Sample: OW8 Lab ID: 40195710008 Collected: 09/19/19 13:22 Received: 09/21/19 10:00 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV UST Analytical Method: EPA 8260									
Benzene	1100	ug/L	200	49.3	200		09/26/19 02:40	71-43-2	
Ethylbenzene	2270	ug/L	200	43.6	200		09/26/19 02:40	100-41-4	
Methyl-tert-butyl ether	<249	ug/L	831	249	200		09/26/19 02:40	1634-04-4	
Naphthalene	657J	ug/L	1000	235	200		09/26/19 02:40	91-20-3	
Toluene	30300	ug/L	1000	34.4	200		09/26/19 02:40	108-88-3	
1,2,4-Trimethylbenzene	1340	ug/L	560	168	200		09/26/19 02:40	95-63-6	
1,3,5-Trimethylbenzene	361J	ug/L	582	175	200		09/26/19 02:40	108-67-8	
m&p-Xylene	7930	ug/L	400	93.1	200		09/26/19 02:40	179601-23-1	
o-Xylene	4000	ug/L	200	52.4	200		09/26/19 02:40	95-47-6	
Surrogates									
Dibromofluoromethane (S)	100	%	70-130		200		09/26/19 02:40	1868-53-7	
Toluene-d8 (S)	108	%	70-130		200		09/26/19 02:40	2037-26-5	
4-Bromofluorobenzene (S)	93	%	70-130		200		09/26/19 02:40	460-00-4	

Sample: TW1 Lab ID: 40195710009 Collected: 09/19/19 11:21 Received: 09/21/19 10:00 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV UST Analytical Method: EPA 8260									
Benzene	<0.25	ug/L	1.0	0.25	1		09/25/19 23:21	71-43-2	
Ethylbenzene	<0.22	ug/L	1.0	0.22	1		09/25/19 23:21	100-41-4	
Methyl-tert-butyl ether	<1.2	ug/L	4.2	1.2	1		09/25/19 23:21	1634-04-4	
Naphthalene	<1.2	ug/L	5.0	1.2	1		09/25/19 23:21	91-20-3	
Toluene	<0.17	ug/L	5.0	0.17	1		09/25/19 23:21	108-88-3	
1,2,4-Trimethylbenzene	<0.84	ug/L	2.8	0.84	1		09/25/19 23:21	95-63-6	
1,3,5-Trimethylbenzene	<0.87	ug/L	2.9	0.87	1		09/25/19 23:21	108-67-8	
m&p-Xylene	<0.47	ug/L	2.0	0.47	1		09/25/19 23:21	179601-23-1	
o-Xylene	<0.26	ug/L	1.0	0.26	1		09/25/19 23:21	95-47-6	
Surrogates									
Dibromofluoromethane (S)	104	%	70-130		1		09/25/19 23:21	1868-53-7	
Toluene-d8 (S)	104	%	70-130		1		09/25/19 23:21	2037-26-5	
4-Bromofluorobenzene (S)	89	%	70-130		1		09/25/19 23:21	460-00-4	

Sample: TW3 Lab ID: 40195710010 Collected: 09/19/19 11:39 Received: 09/21/19 10:00 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV UST Analytical Method: EPA 8260									
Benzene	2560	ug/L	200	49.3	200		09/26/19 03:02	71-43-2	
Ethylbenzene	2580	ug/L	200	43.6	200		09/26/19 03:02	100-41-4	
Methyl-tert-butyl ether	<249	ug/L	831	249	200		09/26/19 03:02	1634-04-4	
Naphthalene	979J	ug/L	1000	235	200		09/26/19 03:02	91-20-3	
Toluene	41300	ug/L	1000	34.4	200		09/26/19 03:02	108-88-3	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 3783 KELLY'S

Pace Project No.: 40195710

Sample: TW3 **Lab ID: 40195710010** Collected: 09/19/19 11:39 Received: 09/21/19 10:00 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV UST									
Analytical Method: EPA 8260									
1,2,4-Trimethylbenzene	1720	ug/L	560	168	200		09/26/19 03:02	95-63-6	
1,3,5-Trimethylbenzene	433J	ug/L	582	175	200		09/26/19 03:02	108-67-8	
m&p-Xylene	9640	ug/L	400	93.1	200		09/26/19 03:02	179601-23-1	
o-Xylene	4540	ug/L	200	52.4	200		09/26/19 03:02	95-47-6	
Surrogates									
Dibromofluoromethane (S)	102	%	70-130		200		09/26/19 03:02	1868-53-7	
Toluene-d8 (S)	99	%	70-130		200		09/26/19 03:02	2037-26-5	
4-Bromofluorobenzene (S)	92	%	70-130		200		09/26/19 03:02	460-00-4	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: 3783 KELLY'S
Pace Project No.: 40195710

QC Batch: 334850 Analysis Method: EPA 8260
QC Batch Method: EPA 8260 Analysis Description: 8260 MSV UST-WATER
Associated Lab Samples: 40195710001, 40195710002, 40195710003, 40195710004, 40195710005, 40195710006, 40195710007

METHOD BLANK: 1944770 Matrix: Water
Associated Lab Samples: 40195710001, 40195710002, 40195710003, 40195710004, 40195710005, 40195710006, 40195710007

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
1,2,4-Trimethylbenzene	ug/L	<0.84	2.8	09/26/19 15:08	
1,3,5-Trimethylbenzene	ug/L	<0.87	2.9	09/26/19 15:08	
Benzene	ug/L	<0.25	1.0	09/26/19 15:08	
Ethylbenzene	ug/L	<0.22	1.0	09/26/19 15:08	
m&p-Xylene	ug/L	<0.47	2.0	09/26/19 15:08	
Methyl-tert-butyl ether	ug/L	<1.2	4.2	09/26/19 15:08	
Naphthalene	ug/L	<1.2	5.0	09/26/19 15:08	
o-Xylene	ug/L	<0.26	1.0	09/26/19 15:08	
Toluene	ug/L	<0.17	5.0	09/26/19 15:08	
4-Bromofluorobenzene (S)	%	99	70-130	09/26/19 15:08	
Dibromofluoromethane (S)	%	96	70-130	09/26/19 15:08	
Toluene-d8 (S)	%	100	70-130	09/26/19 15:08	

LABORATORY CONTROL SAMPLE: 1944771

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Benzene	ug/L	50	55.4	111	70-130	
Ethylbenzene	ug/L	50	55.3	111	80-124	
m&p-Xylene	ug/L	100	106	106	70-130	
Methyl-tert-butyl ether	ug/L	50	60.5	121	54-137	
o-Xylene	ug/L	50	54.1	108	70-130	
Toluene	ug/L	50	55.2	110	80-126	
4-Bromofluorobenzene (S)	%			102	70-130	
Dibromofluoromethane (S)	%			94	70-130	
Toluene-d8 (S)	%			100	70-130	

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 1945371 1945372

Parameter	Units	MS		MSD		MS Result	MSD Result	MS % Rec	MSD % Rec	% Rec Limits	RPD	Max RPD	Qual
		40195710001 Result	Spike Conc.	Spike Conc.	Conc.								
Benzene	ug/L	<0.25	50	50	54.3	55.3	109	111	70-130	2	20		
Ethylbenzene	ug/L	<0.22	50	50	55.3	54.9	111	110	80-125	1	20		
m&p-Xylene	ug/L	<0.47	100	100	109	108	109	108	70-130	1	20		
Methyl-tert-butyl ether	ug/L	<1.2	50	50	58.1	55.5	116	111	51-145	5	20		
o-Xylene	ug/L	<0.26	50	50	55.1	54.7	110	109	70-130	1	20		
Toluene	ug/L	<0.17	50	50	55.2	55.8	110	112	80-131	1	20		
4-Bromofluorobenzene (S)	%						105	103	70-130				
Dibromofluoromethane (S)	%						95	101	70-130				

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: 3783 KELLY'S

Pace Project No.: 40195710

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 1945371												1945372	
Parameter	Units	40195710001 Result	MS	MSD	MS Result	MSD Result	MS % Rec	MSD % Rec	% Rec Limits	RPD	Max RPD	Qual	
			Spike Conc.	Spike Conc.									
Toluene-d8 (S)	%						102	101	70-130				

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: 3783 KELLY'S
Pace Project No.: 40195710

QC Batch: 335158 Analysis Method: EPA 8260
QC Batch Method: EPA 8260 Analysis Description: 8260 MSV UST-WATER
Associated Lab Samples: 40195710008, 40195710009, 40195710010

METHOD BLANK: 1945907 Matrix: Water
Associated Lab Samples: 40195710008, 40195710009, 40195710010

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
1,2,4-Trimethylbenzene	ug/L	<0.84	2.8	09/25/19 16:21	
1,3,5-Trimethylbenzene	ug/L	<0.87	2.9	09/25/19 16:21	
Benzene	ug/L	<0.25	1.0	09/25/19 16:21	
Ethylbenzene	ug/L	<0.22	1.0	09/25/19 16:21	
m&p-Xylene	ug/L	<0.47	2.0	09/25/19 16:21	
Methyl-tert-butyl ether	ug/L	<1.2	4.2	09/25/19 16:21	
Naphthalene	ug/L	<1.2	5.0	09/25/19 16:21	
o-Xylene	ug/L	<0.26	1.0	09/25/19 16:21	
Toluene	ug/L	<0.17	5.0	09/25/19 16:21	
4-Bromofluorobenzene (S)	%	90	70-130	09/25/19 16:21	
Dibromofluoromethane (S)	%	101	70-130	09/25/19 16:21	
Toluene-d8 (S)	%	105	70-130	09/25/19 16:21	

LABORATORY CONTROL SAMPLE: 1945908

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Benzene	ug/L	50	49.7	99	70-130	
Ethylbenzene	ug/L	50	56.5	113	80-124	
m&p-Xylene	ug/L	100	112	112	70-130	
Methyl-tert-butyl ether	ug/L	50	56.4	113	54-137	
o-Xylene	ug/L	50	55.2	110	70-130	
Toluene	ug/L	50	54.4	109	80-126	
4-Bromofluorobenzene (S)	%			101	70-130	
Dibromofluoromethane (S)	%			100	70-130	
Toluene-d8 (S)	%			100	70-130	

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 1945993 1945994

Parameter	Units	MS		MSD		MS Result	MSD Result	MS % Rec	MSD % Rec	% Rec Limits	RPD	Max RPD	Qual
		40195710009 Result	Spike Conc.	Spike Conc.	Conc.								
Benzene	ug/L	<0.25	50	50	50	48.8	50.4	98	101	70-130	3	20	
Ethylbenzene	ug/L	<0.22	50	50	50	55.4	54.9	111	110	80-125	1	20	
m&p-Xylene	ug/L	<0.47	100	100	100	112	115	112	115	70-130	2	20	
Methyl-tert-butyl ether	ug/L	<1.2	50	50	50	55.6	55.6	111	111	51-145	0	20	
o-Xylene	ug/L	<0.26	50	50	50	53.4	54.0	107	108	70-130	1	20	
Toluene	ug/L	<0.17	50	50	50	53.5	52.5	107	105	80-131	2	20	
4-Bromofluorobenzene (S)	%							103	100	70-130			
Dibromofluoromethane (S)	%							103	101	70-130			

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: 3783 KELLY'S

Pace Project No.: 40195710

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 1945993 1945994												
Parameter	Units	40195710009 Result	MS	MSD	MS Result	MSD Result	MS % Rec	MSD % Rec	% Rec Limits	RPD	Max RPD	Qual
			Spike Conc.	Spike Conc.								
Toluene-d8 (S)	%						103	101	70-130			

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALIFIERS

Project: 3783 KELLY'S

Pace Project No.: 40195710

DEFINITIONS

DF - Dilution Factor, if reported, represents the factor applied to the reported data due to dilution of the sample aliquot.

ND - Not Detected at or above LOD.

J - Estimated concentration at or above the LOD and below the LOQ.

LOD - Limit of Detection adjusted for dilution factor, percent moisture, initial weight and final volume.

LOQ - Limit of Quantitation adjusted for dilution factor, percent moisture, initial weight and final volume.

S - Surrogate

1,2-Diphenylhydrazine decomposes to and cannot be separated from Azobenzene using Method 8270. The result for each analyte is a combined concentration.

Consistent with EPA guidelines, unrounded data are displayed and have been used to calculate % recovery and RPD values.

LCS(D) - Laboratory Control Sample (Duplicate)

MS(D) - Matrix Spike (Duplicate)

DUP - Sample Duplicate

RPD - Relative Percent Difference

NC - Not Calculable.

SG - Silica Gel - Clean-Up

U - Indicates the compound was analyzed for, but not detected at or above the adjusted LOD.

N-Nitrosodiphenylamine decomposes and cannot be separated from Diphenylamine using Method 8270. The result reported for each analyte is a combined concentration.

Pace Analytical is TNI accredited. Contact your Pace PM for the current list of accredited analytes.

TNI - The NELAC Institute.

ANALYTE QUALIFIERS

D3 Sample was diluted due to the presence of high levels of non-target analytes or other matrix interference.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA CROSS REFERENCE TABLE

Project: 3783 KELLY'S

Pace Project No.: 40195710

Lab ID	Sample ID	QC Batch Method	QC Batch	Analytical Method	Analytical Batch
40195710001	OW1	EPA 8260	334850		
40195710002	OW2	EPA 8260	334850		
40195710003	OW3	EPA 8260	334850		
40195710004	OW4	EPA 8260	334850		
40195710005	OW5	EPA 8260	334850		
40195710006	OW6	EPA 8260	334850		
40195710007	OW7	EPA 8260	334850		
40195710008	OW8	EPA 8260	335158		
40195710009	TW1	EPA 8260	335158		
40195710010	TW3	EPA 8260	335158		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

(Please Print Clearly)

Company Name: **PE7**

Branch/Location:

Project Contact: **DAVID LARSEN**

Phone: **715-675-9784**

Project Number: **3783**

Project Name: **Kelly's**

Project State: **WI**

Sampled By (Print): **David Larsen**

Sampled By (Sign): *[Signature]*

PO #:

Regulatory Program: **DECPA**



UPPER MIDWEST REGION
 MN: 612-607-1700 WI: 920-469-2436

40195710

CHAIN OF CUSTODY

***Preservation Codes**
 A=None B=HCL C=H2SO4 D=HNO3 E=DI Water F=Methanol G=NaOH
 H=Sodium Bisulfate Solution I=Sodium Thiosulfate J=Other

FILTERED?
(YES/NO)
 PRESERVATION
(CODE)*

Y/N	Pick Letter	Analyses Requested
N	B	Pace Lab

Quote #:

Mail To Contact:

Mail To Company:

Mail To Address:

Invoice To Contact:

Invoice To Company:

Invoice To Address:

Invoice To Phone:

Data Package Options (billable)
 EPA Level III
 EPA Level IV

MS/MSD
 On your sample (billable)
 NOT needed on your sample

Matrix Codes
 A = Air W = Water
 B = Biota DW = Drinking Water
 C = Charcoal GW = Ground Water
 O = Oil SW = Surface Water
 S = Soil WW = Waste Water
 SI = Sludge WP = Wipe

PACE LAB #	CLIENT FIELD ID	COLLECTION		MATRIX
		DATE	TIME	
001	OW1	9-19-19	10:25	GW
002	OW2		11:59	
003	OW3		11:40	
004	OW4		12:43	
005	OW5		11:25	
006	OW6		12:25	
007	OW7		1:26	
008	OW8		1:22	
009	TW1		11:21	
010	TW3		11:39	


Rush Turnaround Time Requested - Prelims (Rush TAT subject to approval/surcharge) Date Needed:	Relinquished By: <i>[Signature]</i> Date/Time: 9/20/19 2:30pm	Received By: _____ Date/Time:
Transmit Prelim Rush Results by (complete what you want):	Relinquished By: <i>[Signature]</i> Date/Time: 9/20/19 1000	Received By: <i>[Signature]</i> Date/Time: 9/21/19 1000
Email #1:	Relinquished By: _____ Date/Time:	Received By: _____ Date/Time:
Email #2:	Relinquished By: _____ Date/Time:	Received By: _____ Date/Time:
Telephone:	Relinquished By: _____ Date/Time:	Received By: _____ Date/Time:
Fax:	Relinquished By: _____ Date/Time:	Received By: _____ Date/Time:

PACE Project No.
40195710

Receipt Temp = **20.1°C**

Sample Receipt pH
OK / Adjusted

Cooler Custody Seal
Present / Not Present
Intact / Not Intact



1241 Bellevue Street, Green Bay, WI 54302

Document Name:
Sample Condition Upon Receipt (SCUR)

Document No.:
F-GB-C-031-Rev.07


Document Revised: 25Apr2018

Issuing Authority:
Pace Green Bay Quality Office

Sample Condition Upon Receipt Form (SCUR)

Project #:

WO#: 40195710



Client Name: REI

Courier: CS Logistics Fed Ex Speedee UPS Waltco
 Client Pace Other: _____

Tracking #: 21830391-2

Custody Seal on Cooler/Box Present: yes no Seals intact: yes no

Custody Seal on Samples Present: yes no Seals intact: yes no

Packing Material: Bubble Wrap Bubble Bags None Other _____

Thermometer Used SR - NA Type of Ice: Wet Blue Dry None Samples on ice, cooling process has begun

Cooler Temperature Uncorr: 20 /Corr: _____

Temp Blank Present: yes no Biological Tissue is Frozen: yes no

Person examining contents:
Date: 9/21/19
Initials: AW

Temp should be above freezing to 6°C.
Biota Samples may be received at ≤ 0°C.

Chain of Custody Present:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	1.
Chain of Custody Filled Out:	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A	2. <u>mail, invoice, page #</u> <u>AW</u>
Chain of Custody Relinquished:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	3.
Sampler Name & Signature on COC:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	4.
Samples Arrived within Hold Time:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	5.
- VOA Samples frozen upon receipt	<input type="checkbox"/> Yes <input type="checkbox"/> No	Date/Time:
Short Hold Time Analysis (<72hr):	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	6.
Rush Turn Around Time Requested:	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	7.
Sufficient Volume:		8.
For Analysis: <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	MS/MSD: <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A	
Correct Containers Used:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	9.
-Pace Containers Used:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	
-Pace IR Containers Used:	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	
Containers Intact:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	10.
Filtered volume received for Dissolved tests	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	11.
Sample Labels match COC:	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A	12. <u>009 time 1120</u> <u>AW 9/21/19</u>
-Includes date/time/ID/Analysis Matrix: <u>W</u>		
Trip Blank Present:	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A	13.
Trip Blank Custody Seals Present	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	
Pace Trip Blank Lot # (if purchased):		

Client Notification/ Resolution: _____ If checked, see attached form for additional comments

Person Contacted: _____ Date/Time: _____

Comments/ Resolution: _____

Project Manager Review: [Signature]

Date: 9-23-19

September 30, 2019

DAVID LARSEN
REI
4080 NORTH 20TH AVENUE
Wausau, WI 54401

RE: Project: 3783 KELLY'S
Pace Project No.: 40195707

Dear DAVID LARSEN:

Enclosed are the analytical results for sample(s) received by the laboratory on September 21, 2019. The results relate only to the samples included in this report. Results reported herein conform to the most current, applicable TNI/NELAC standards and the laboratory's Quality Assurance Manual, where applicable, unless otherwise noted in the body of the report.

If you have any questions concerning this report, please feel free to contact me.

Sincerely,



Brian Basten
brian.basten@pacelabs.com
(920)469-2436
Project Manager

Enclosures



REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

CERTIFICATIONS

Project: 3783 KELLY'S

Pace Project No.: 40195707

Green Bay Certification IDs

1241 Bellevue Street, Green Bay, WI 54302

Florida/NELAP Certification #: E87948

Illinois Certification #: 200050

Kentucky UST Certification #: 82

Louisiana Certification #: 04168

Minnesota Certification #: 055-999-334

New York Certification #: 12064

North Dakota Certification #: R-150

Virginia VELAP ID: 460263

South Carolina Certification #: 83006001

Texas Certification #: T104704529-14-1

Wisconsin Certification #: 405132750

Wisconsin DATCP Certification #: 105-444

USDA Soil Permit #: P330-16-00157

Federal Fish & Wildlife Permit #: LE51774A-0

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

SAMPLE SUMMARY

Project: 3783 KELLY'S

Pace Project No.: 40195707

Lab ID	Sample ID	Matrix	Date Collected	Date Received
40195707001	MW1	Water	09/19/19 10:00	09/21/19 10:00
40195707002	MW2	Water	09/19/19 12:00	09/21/19 10:00
40195707003	MW3	Water	09/19/19 10:35	09/21/19 10:00
40195707004	MW4	Water	09/19/19 10:50	09/21/19 10:00
40195707005	MW5R	Water	09/19/19 13:00	09/21/19 10:00
40195707006	MW6	Water	09/19/19 12:03	09/21/19 10:00
40195707007	MW7	Water	09/19/19 12:27	09/21/19 10:00
40195707008	MW9	Water	09/19/19 12:21	09/21/19 10:00
40195707009	MW10	Water	09/19/19 10:15	09/21/19 10:00
40195707010	MW11	Water	09/19/19 11:10	09/21/19 10:00
40195707011	PZ1	Water	09/19/19 13:05	09/21/19 10:00
40195707012	PZ2	Water	09/19/19 10:20	09/21/19 10:00

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

SAMPLE ANALYTE COUNT

Project: 3783 KELLY'S

Pace Project No.: 40195707

Lab ID	Sample ID	Method	Analysts	Analytes Reported
40195707001	MW1	EPA 8260	LAP	12
40195707002	MW2	EPA 8260	LAP	12
40195707003	MW3	EPA 8260	LAP	12
40195707004	MW4	EPA 8260	LAP	12
40195707005	MW5R	EPA 8260	LAP	12
40195707006	MW6	EPA 8260	LAP	12
40195707007	MW7	EPA 8260	LAP	12
40195707008	MW9	EPA 8260	LAP	12
40195707009	MW10	EPA 8260	LAP	12
40195707010	MW11	EPA 8260	LAP	12
40195707011	PZ1	EPA 8260	LAP	12
40195707012	PZ2	EPA 8260	LAP	12

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 3783 KELLY'S

Pace Project No.: 40195707

Sample: MW1 **Lab ID: 40195707001** Collected: 09/19/19 10:00 Received: 09/21/19 10:00 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV UST Analytical Method: EPA 8260									
Benzene	<0.25	ug/L	1.0	0.25	1		09/26/19 17:23	71-43-2	
Ethylbenzene	<0.22	ug/L	1.0	0.22	1		09/26/19 17:23	100-41-4	
Methyl-tert-butyl ether	<1.2	ug/L	4.2	1.2	1		09/26/19 17:23	1634-04-4	
Naphthalene	<1.2	ug/L	5.0	1.2	1		09/26/19 17:23	91-20-3	
Toluene	<0.17	ug/L	5.0	0.17	1		09/26/19 17:23	108-88-3	
1,2,4-Trimethylbenzene	<0.84	ug/L	2.8	0.84	1		09/26/19 17:23	95-63-6	
1,3,5-Trimethylbenzene	<0.87	ug/L	2.9	0.87	1		09/26/19 17:23	108-67-8	
m&p-Xylene	<0.47	ug/L	2.0	0.47	1		09/26/19 17:23	179601-23-1	
o-Xylene	<0.26	ug/L	1.0	0.26	1		09/26/19 17:23	95-47-6	
Surrogates									
Dibromofluoromethane (S)	103	%	70-130		1		09/26/19 17:23	1868-53-7	
Toluene-d8 (S)	101	%	70-130		1		09/26/19 17:23	2037-26-5	
4-Bromofluorobenzene (S)	88	%	70-130		1		09/26/19 17:23	460-00-4	

Sample: MW2 **Lab ID: 40195707002** Collected: 09/19/19 12:00 Received: 09/21/19 10:00 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV UST Analytical Method: EPA 8260									
Benzene	<0.25	ug/L	1.0	0.25	1		09/26/19 17:47	71-43-2	
Ethylbenzene	<0.22	ug/L	1.0	0.22	1		09/26/19 17:47	100-41-4	
Methyl-tert-butyl ether	<1.2	ug/L	4.2	1.2	1		09/26/19 17:47	1634-04-4	
Naphthalene	<1.2	ug/L	5.0	1.2	1		09/26/19 17:47	91-20-3	
Toluene	<0.17	ug/L	5.0	0.17	1		09/26/19 17:47	108-88-3	
1,2,4-Trimethylbenzene	<0.84	ug/L	2.8	0.84	1		09/26/19 17:47	95-63-6	
1,3,5-Trimethylbenzene	<0.87	ug/L	2.9	0.87	1		09/26/19 17:47	108-67-8	
m&p-Xylene	<0.47	ug/L	2.0	0.47	1		09/26/19 17:47	179601-23-1	
o-Xylene	<0.26	ug/L	1.0	0.26	1		09/26/19 17:47	95-47-6	
Surrogates									
Dibromofluoromethane (S)	108	%	70-130		1		09/26/19 17:47	1868-53-7	
Toluene-d8 (S)	99	%	70-130		1		09/26/19 17:47	2037-26-5	
4-Bromofluorobenzene (S)	88	%	70-130		1		09/26/19 17:47	460-00-4	

Sample: MW3 **Lab ID: 40195707003** Collected: 09/19/19 10:35 Received: 09/21/19 10:00 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV UST Analytical Method: EPA 8260									
Benzene	<0.25	ug/L	1.0	0.25	1		09/26/19 18:11	71-43-2	
Ethylbenzene	<0.22	ug/L	1.0	0.22	1		09/26/19 18:11	100-41-4	
Methyl-tert-butyl ether	<1.2	ug/L	4.2	1.2	1		09/26/19 18:11	1634-04-4	
Naphthalene	<1.2	ug/L	5.0	1.2	1		09/26/19 18:11	91-20-3	
Toluene	<0.17	ug/L	5.0	0.17	1		09/26/19 18:11	108-88-3	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 3783 KELLY'S

Pace Project No.: 40195707

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
Sample: MW3 Lab ID: 40195707003 Collected: 09/19/19 10:35 Received: 09/21/19 10:00 Matrix: Water									
Analytical Method: EPA 8260									
1,2,4-Trimethylbenzene	<0.84	ug/L	2.8	0.84	1		09/26/19 18:11	95-63-6	
1,3,5-Trimethylbenzene	<0.87	ug/L	2.9	0.87	1		09/26/19 18:11	108-67-8	
m&p-Xylene	<0.47	ug/L	2.0	0.47	1		09/26/19 18:11	179601-23-1	
o-Xylene	<0.26	ug/L	1.0	0.26	1		09/26/19 18:11	95-47-6	
Surrogates									
Dibromofluoromethane (S)	100	%	70-130		1		09/26/19 18:11	1868-53-7	
Toluene-d8 (S)	101	%	70-130		1		09/26/19 18:11	2037-26-5	
4-Bromofluorobenzene (S)	86	%	70-130		1		09/26/19 18:11	460-00-4	

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
Sample: MW4 Lab ID: 40195707004 Collected: 09/19/19 10:50 Received: 09/21/19 10:00 Matrix: Water									
Analytical Method: EPA 8260									
Benzene	<0.25	ug/L	1.0	0.25	1		09/26/19 16:12	71-43-2	
Ethylbenzene	<0.22	ug/L	1.0	0.22	1		09/26/19 16:12	100-41-4	
Methyl-tert-butyl ether	<1.2	ug/L	4.2	1.2	1		09/26/19 16:12	1634-04-4	
Naphthalene	<1.2	ug/L	5.0	1.2	1		09/26/19 16:12	91-20-3	
Toluene	<0.17	ug/L	5.0	0.17	1		09/26/19 16:12	108-88-3	
1,2,4-Trimethylbenzene	<0.84	ug/L	2.8	0.84	1		09/26/19 16:12	95-63-6	
1,3,5-Trimethylbenzene	<0.87	ug/L	2.9	0.87	1		09/26/19 16:12	108-67-8	
m&p-Xylene	<0.47	ug/L	2.0	0.47	1		09/26/19 16:12	179601-23-1	
o-Xylene	<0.26	ug/L	1.0	0.26	1		09/26/19 16:12	95-47-6	
Surrogates									
Dibromofluoromethane (S)	98	%	70-130		1		09/26/19 16:12	1868-53-7	
Toluene-d8 (S)	98	%	70-130		1		09/26/19 16:12	2037-26-5	
4-Bromofluorobenzene (S)	87	%	70-130		1		09/26/19 16:12	460-00-4	

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
Sample: MW5R Lab ID: 40195707005 Collected: 09/19/19 13:00 Received: 09/21/19 10:00 Matrix: Water									
Analytical Method: EPA 8260									
Benzene	<0.25	ug/L	1.0	0.25	1		09/26/19 16:36	71-43-2	
Ethylbenzene	<0.22	ug/L	1.0	0.22	1		09/26/19 16:36	100-41-4	
Methyl-tert-butyl ether	<1.2	ug/L	4.2	1.2	1		09/26/19 16:36	1634-04-4	
Naphthalene	<1.2	ug/L	5.0	1.2	1		09/26/19 16:36	91-20-3	
Toluene	<0.17	ug/L	5.0	0.17	1		09/26/19 16:36	108-88-3	
1,2,4-Trimethylbenzene	<0.84	ug/L	2.8	0.84	1		09/26/19 16:36	95-63-6	
1,3,5-Trimethylbenzene	<0.87	ug/L	2.9	0.87	1		09/26/19 16:36	108-67-8	
m&p-Xylene	<0.47	ug/L	2.0	0.47	1		09/26/19 16:36	179601-23-1	
o-Xylene	<0.26	ug/L	1.0	0.26	1		09/26/19 16:36	95-47-6	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 3783 KELLY'S
Pace Project No.: 40195707

Sample: MW5R Lab ID: 40195707005 Collected: 09/19/19 13:00 Received: 09/21/19 10:00 Matrix: Water									
Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV UST Analytical Method: EPA 8260									
<i>Surrogates</i>									
Dibromofluoromethane (S)	105	%	70-130		1		09/26/19 16:36	1868-53-7	
Toluene-d8 (S)	100	%	70-130		1		09/26/19 16:36	2037-26-5	
4-Bromofluorobenzene (S)	88	%	70-130		1		09/26/19 16:36	460-00-4	

Sample: MW6 Lab ID: 40195707006 Collected: 09/19/19 12:03 Received: 09/21/19 10:00 Matrix: Water									
Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV UST Analytical Method: EPA 8260									
<i>Surrogates</i>									
Benzene	<1.2	ug/L	5.0	1.2	5		09/27/19 10:04	71-43-2	
Ethylbenzene	171	ug/L	5.0	1.1	5		09/27/19 10:04	100-41-4	
Methyl-tert-butyl ether	<6.2	ug/L	20.8	6.2	5		09/27/19 10:04	1634-04-4	
Naphthalene	118	ug/L	25.0	5.9	5		09/27/19 10:04	91-20-3	
Toluene	32.2	ug/L	25.0	0.86	5		09/27/19 10:04	108-88-3	
1,2,4-Trimethylbenzene	331	ug/L	14.0	4.2	5		09/27/19 10:04	95-63-6	
1,3,5-Trimethylbenzene	87.3	ug/L	14.6	4.4	5		09/27/19 10:04	108-67-8	
m&p-Xylene	714	ug/L	10.0	2.3	5		09/27/19 10:04	179601-23-1	
o-Xylene	272	ug/L	5.0	1.3	5		09/27/19 10:04	95-47-6	
<i>Surrogates</i>									
Dibromofluoromethane (S)	103	%	70-130		5		09/27/19 10:04	1868-53-7	
Toluene-d8 (S)	101	%	70-130		5		09/27/19 10:04	2037-26-5	
4-Bromofluorobenzene (S)	97	%	70-130		5		09/27/19 10:04	460-00-4	

Sample: MW7 Lab ID: 40195707007 Collected: 09/19/19 12:27 Received: 09/21/19 10:00 Matrix: Water									
Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV UST Analytical Method: EPA 8260									
<i>Surrogates</i>									
Benzene	<0.25	ug/L	1.0	0.25	1		09/26/19 18:34	71-43-2	
Ethylbenzene	13.1	ug/L	1.0	0.22	1		09/26/19 18:34	100-41-4	
Methyl-tert-butyl ether	<1.2	ug/L	4.2	1.2	1		09/26/19 18:34	1634-04-4	
Naphthalene	6.7	ug/L	5.0	1.2	1		09/26/19 18:34	91-20-3	
Toluene	<0.17	ug/L	5.0	0.17	1		09/26/19 18:34	108-88-3	
1,2,4-Trimethylbenzene	44.7	ug/L	2.8	0.84	1		09/26/19 18:34	95-63-6	
1,3,5-Trimethylbenzene	23.3	ug/L	2.9	0.87	1		09/26/19 18:34	108-67-8	
m&p-Xylene	13.6	ug/L	2.0	0.47	1		09/26/19 18:34	179601-23-1	
o-Xylene	0.79J	ug/L	1.0	0.26	1		09/26/19 18:34	95-47-6	
<i>Surrogates</i>									
Dibromofluoromethane (S)	83	%	70-130		1		09/26/19 18:34	1868-53-7	
Toluene-d8 (S)	105	%	70-130		1		09/26/19 18:34	2037-26-5	
4-Bromofluorobenzene (S)	94	%	70-130		1		09/26/19 18:34	460-00-4	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 3783 KELLY'S
Pace Project No.: 40195707

Sample: MW9 Lab ID: 40195707008 Collected: 09/19/19 12:21 Received: 09/21/19 10:00 Matrix: Water									
Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV UST Analytical Method: EPA 8260									
Benzene	<0.25	ug/L	1.0	0.25	1		09/26/19 18:58	71-43-2	
Ethylbenzene	<0.22	ug/L	1.0	0.22	1		09/26/19 18:58	100-41-4	
Methyl-tert-butyl ether	<1.2	ug/L	4.2	1.2	1		09/26/19 18:58	1634-04-4	
Naphthalene	<1.2	ug/L	5.0	1.2	1		09/26/19 18:58	91-20-3	
Toluene	<0.17	ug/L	5.0	0.17	1		09/26/19 18:58	108-88-3	
1,2,4-Trimethylbenzene	<0.84	ug/L	2.8	0.84	1		09/26/19 18:58	95-63-6	
1,3,5-Trimethylbenzene	<0.87	ug/L	2.9	0.87	1		09/26/19 18:58	108-67-8	
m&p-Xylene	<0.47	ug/L	2.0	0.47	1		09/26/19 18:58	179601-23-1	
o-Xylene	<0.26	ug/L	1.0	0.26	1		09/26/19 18:58	95-47-6	
Surrogates									
Dibromofluoromethane (S)	96	%	70-130		1		09/26/19 18:58	1868-53-7	
Toluene-d8 (S)	101	%	70-130		1		09/26/19 18:58	2037-26-5	
4-Bromofluorobenzene (S)	84	%	70-130		1		09/26/19 18:58	460-00-4	

Sample: MW10 Lab ID: 40195707009 Collected: 09/19/19 10:15 Received: 09/21/19 10:00 Matrix: Water									
Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV UST Analytical Method: EPA 8260									
Benzene	<0.25	ug/L	1.0	0.25	1		09/26/19 19:22	71-43-2	
Ethylbenzene	<0.22	ug/L	1.0	0.22	1		09/26/19 19:22	100-41-4	
Methyl-tert-butyl ether	<1.2	ug/L	4.2	1.2	1		09/26/19 19:22	1634-04-4	
Naphthalene	<1.2	ug/L	5.0	1.2	1		09/26/19 19:22	91-20-3	
Toluene	<0.17	ug/L	5.0	0.17	1		09/26/19 19:22	108-88-3	
1,2,4-Trimethylbenzene	<0.84	ug/L	2.8	0.84	1		09/26/19 19:22	95-63-6	
1,3,5-Trimethylbenzene	<0.87	ug/L	2.9	0.87	1		09/26/19 19:22	108-67-8	
m&p-Xylene	<0.47	ug/L	2.0	0.47	1		09/26/19 19:22	179601-23-1	
o-Xylene	<0.26	ug/L	1.0	0.26	1		09/26/19 19:22	95-47-6	
Surrogates									
Dibromofluoromethane (S)	91	%	70-130		1		09/26/19 19:22	1868-53-7	
Toluene-d8 (S)	103	%	70-130		1		09/26/19 19:22	2037-26-5	
4-Bromofluorobenzene (S)	90	%	70-130		1		09/26/19 19:22	460-00-4	

Sample: MW11 Lab ID: 40195707010 Collected: 09/19/19 11:10 Received: 09/21/19 10:00 Matrix: Water									
Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV UST Analytical Method: EPA 8260									
Benzene	<0.25	ug/L	1.0	0.25	1		09/26/19 19:46	71-43-2	
Ethylbenzene	<0.22	ug/L	1.0	0.22	1		09/26/19 19:46	100-41-4	
Methyl-tert-butyl ether	<1.2	ug/L	4.2	1.2	1		09/26/19 19:46	1634-04-4	
Naphthalene	<1.2	ug/L	5.0	1.2	1		09/26/19 19:46	91-20-3	
Toluene	<0.17	ug/L	5.0	0.17	1		09/26/19 19:46	108-88-3	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 3783 KELLY'S

Pace Project No.: 40195707

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
Sample: MW11 Lab ID: 40195707010 Collected: 09/19/19 11:10 Received: 09/21/19 10:00 Matrix: Water									
Analytical Method: EPA 8260									
1,2,4-Trimethylbenzene	<0.84	ug/L	2.8	0.84	1		09/26/19 19:46	95-63-6	
1,3,5-Trimethylbenzene	<0.87	ug/L	2.9	0.87	1		09/26/19 19:46	108-67-8	
m&p-Xylene	<0.47	ug/L	2.0	0.47	1		09/26/19 19:46	179601-23-1	
o-Xylene	<0.26	ug/L	1.0	0.26	1		09/26/19 19:46	95-47-6	
Surrogates									
Dibromofluoromethane (S)	99	%	70-130		1		09/26/19 19:46	1868-53-7	
Toluene-d8 (S)	101	%	70-130		1		09/26/19 19:46	2037-26-5	
4-Bromofluorobenzene (S)	87	%	70-130		1		09/26/19 19:46	460-00-4	

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
Sample: PZ1 Lab ID: 40195707011 Collected: 09/19/19 13:05 Received: 09/21/19 10:00 Matrix: Water									
Analytical Method: EPA 8260									
Benzene	426	ug/L	10.0	2.5	10		09/27/19 17:34	71-43-2	
Ethylbenzene	129	ug/L	10.0	2.2	10		09/27/19 17:34	100-41-4	
Methyl-tert-butyl ether	<12.5	ug/L	41.5	12.5	10		09/27/19 17:34	1634-04-4	
Naphthalene	23.4J	ug/L	50.0	11.8	10		09/27/19 17:34	91-20-3	
Toluene	1420	ug/L	50.0	1.7	10		09/27/19 17:34	108-88-3	
1,2,4-Trimethylbenzene	54.2	ug/L	28.0	8.4	10		09/27/19 17:34	95-63-6	
1,3,5-Trimethylbenzene	13.9J	ug/L	29.1	8.7	10		09/27/19 17:34	108-67-8	
m&p-Xylene	404	ug/L	20.0	4.7	10		09/27/19 17:34	179601-23-1	
o-Xylene	197	ug/L	10.0	2.6	10		09/27/19 17:34	95-47-6	
Surrogates									
Dibromofluoromethane (S)	99	%	70-130		10		09/27/19 17:34	1868-53-7	
Toluene-d8 (S)	97	%	70-130		10		09/27/19 17:34	2037-26-5	
4-Bromofluorobenzene (S)	96	%	70-130		10		09/27/19 17:34	460-00-4	

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
Sample: PZ2 Lab ID: 40195707012 Collected: 09/19/19 10:20 Received: 09/21/19 10:00 Matrix: Water									
Analytical Method: EPA 8260									
Benzene	<0.25	ug/L	1.0	0.25	1		09/26/19 15:01	71-43-2	
Ethylbenzene	<0.22	ug/L	1.0	0.22	1		09/26/19 15:01	100-41-4	
Methyl-tert-butyl ether	<1.2	ug/L	4.2	1.2	1		09/26/19 15:01	1634-04-4	
Naphthalene	<1.2	ug/L	5.0	1.2	1		09/26/19 15:01	91-20-3	
Toluene	<0.17	ug/L	5.0	0.17	1		09/26/19 15:01	108-88-3	
1,2,4-Trimethylbenzene	<0.84	ug/L	2.8	0.84	1		09/26/19 15:01	95-63-6	
1,3,5-Trimethylbenzene	<0.87	ug/L	2.9	0.87	1		09/26/19 15:01	108-67-8	
m&p-Xylene	<0.47	ug/L	2.0	0.47	1		09/26/19 15:01	179601-23-1	
o-Xylene	<0.26	ug/L	1.0	0.26	1		09/26/19 15:01	95-47-6	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 3783 KELLY'S

Pace Project No.: 40195707

Sample: PZZ **Lab ID: 40195707012** Collected: 09/19/19 10:20 Received: 09/21/19 10:00 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV UST Analytical Method: EPA 8260									
<i>Surrogates</i>									
Dibromofluoromethane (S)	98	%	70-130		1		09/26/19 15:01	1868-53-7	
Toluene-d8 (S)	100	%	70-130		1		09/26/19 15:01	2037-26-5	
4-Bromofluorobenzene (S)	88	%	70-130		1		09/26/19 15:01	460-00-4	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: 3783 KELLY'S
Pace Project No.: 40195707

QC Batch: 334847 Analysis Method: EPA 8260
QC Batch Method: EPA 8260 Analysis Description: 8260 MSV UST-WATER
Associated Lab Samples: 40195707001, 40195707002, 40195707003, 40195707004, 40195707005, 40195707007, 40195707008, 40195707009, 40195707010, 40195707012

METHOD BLANK: 1944762 Matrix: Water
Associated Lab Samples: 40195707001, 40195707002, 40195707003, 40195707004, 40195707005, 40195707007, 40195707008, 40195707009, 40195707010, 40195707012

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
1,2,4-Trimethylbenzene	ug/L	<0.84	2.8	09/26/19 13:02	
1,3,5-Trimethylbenzene	ug/L	<0.87	2.9	09/26/19 13:02	
Benzene	ug/L	<0.25	1.0	09/26/19 13:02	
Ethylbenzene	ug/L	<0.22	1.0	09/26/19 13:02	
m&p-Xylene	ug/L	<0.47	2.0	09/26/19 13:02	
Methyl-tert-butyl ether	ug/L	<1.2	4.2	09/26/19 13:02	
Naphthalene	ug/L	<1.2	5.0	09/26/19 13:02	
o-Xylene	ug/L	<0.26	1.0	09/26/19 13:02	
Toluene	ug/L	<0.17	5.0	09/26/19 13:02	
4-Bromofluorobenzene (S)	%	91	70-130	09/26/19 13:02	
Dibromofluoromethane (S)	%	93	70-130	09/26/19 13:02	
Toluene-d8 (S)	%	98	70-130	09/26/19 13:02	

LABORATORY CONTROL SAMPLE: 1944763

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Benzene	ug/L	50	42.8	86	70-130	
Ethylbenzene	ug/L	50	52.3	105	80-124	
m&p-Xylene	ug/L	100	106	106	70-130	
Methyl-tert-butyl ether	ug/L	50	46.2	92	54-137	
o-Xylene	ug/L	50	50.2	100	70-130	
Toluene	ug/L	50	51.8	104	80-126	
4-Bromofluorobenzene (S)	%			97	70-130	
Dibromofluoromethane (S)	%			90	70-130	
Toluene-d8 (S)	%			102	70-130	

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 1945363 1945364

Parameter	Units	MS		MSD		MS % Rec	MSD % Rec	% Rec Limits	RPD	Max RPD	Qual	
		40195707012 Result	Spike Conc.	Spike Conc.	Result							Result
Benzene	ug/L	<0.25	50	50	40.8	42.2	82	84	70-130	3	20	
Ethylbenzene	ug/L	<0.22	50	50	50.5	55.8	101	112	80-125	10	20	
m&p-Xylene	ug/L	<0.47	100	100	103	109	103	109	70-130	6	20	
Methyl-tert-butyl ether	ug/L	<1.2	50	50	43.6	48.3	87	97	51-145	10	20	
o-Xylene	ug/L	<0.26	50	50	52.1	54.9	104	110	70-130	5	20	
Toluene	ug/L	<0.17	50	50	51.3	54.7	103	109	80-131	6	20	
4-Bromofluorobenzene (S)	%						99	104	70-130			

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: 3783 KELLY'S

Pace Project No.: 40195707

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 1945363												1945364	
Parameter	Units	40195707012 Result	MS	MSD	MS Result	MSD Result	MS % Rec	MSD % Rec	% Rec Limits	RPD	Max RPD	Qual	
			Spike Conc.	Spike Conc.									
Dibromofluoromethane (S)	%							88	91	70-130			
Toluene-d8 (S)	%							100	107	70-130			

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: 3783 KELLY'S
Pace Project No.: 40195707

QC Batch: 335485 Analysis Method: EPA 8260
QC Batch Method: EPA 8260 Analysis Description: 8260 MSV UST-WATER
Associated Lab Samples: 40195707006, 40195707011

METHOD BLANK: 1947596 Matrix: Water
Associated Lab Samples: 40195707006, 40195707011

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
1,2,4-Trimethylbenzene	ug/L	<0.84	2.8	09/27/19 07:27	
1,3,5-Trimethylbenzene	ug/L	<0.87	2.9	09/27/19 07:27	
Benzene	ug/L	<0.25	1.0	09/27/19 07:27	
Ethylbenzene	ug/L	<0.22	1.0	09/27/19 07:27	
m&p-Xylene	ug/L	<0.47	2.0	09/27/19 07:27	
Methyl-tert-butyl ether	ug/L	<1.2	4.2	09/27/19 07:27	
Naphthalene	ug/L	<1.2	5.0	09/27/19 07:27	
o-Xylene	ug/L	<0.26	1.0	09/27/19 07:27	
Toluene	ug/L	<0.17	5.0	09/27/19 07:27	
4-Bromofluorobenzene (S)	%	98	70-130	09/27/19 07:27	
Dibromofluoromethane (S)	%	106	70-130	09/27/19 07:27	
Toluene-d8 (S)	%	98	70-130	09/27/19 07:27	

LABORATORY CONTROL SAMPLE: 1947597

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Benzene	ug/L	50	59.6	119	70-130	
Ethylbenzene	ug/L	50	57.0	114	80-124	
m&p-Xylene	ug/L	100	115	115	70-130	
Methyl-tert-butyl ether	ug/L	50	50.1	100	54-137	
o-Xylene	ug/L	50	55.7	111	70-130	
Toluene	ug/L	50	54.9	110	80-126	
4-Bromofluorobenzene (S)	%			101	70-130	
Dibromofluoromethane (S)	%			107	70-130	
Toluene-d8 (S)	%			98	70-130	

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 1947978 1947979

Parameter	Units	MS		MSD		MS % Rec	MSD % Rec	% Rec Limits	RPD	Max RPD	Qual	
		40195707006 Result	Spike Conc.	Spike Conc.	MS Result							MSD Result
Benzene	ug/L	<1.2	250	250	288	299	115	120	70-130	4	20	
Ethylbenzene	ug/L	171	250	250	421	446	100	110	80-125	6	20	
m&p-Xylene	ug/L	714	500	500	1160	1250	90	108	70-130	8	20	
Methyl-tert-butyl ether	ug/L	<6.2	250	250	260	275	104	110	51-145	6	20	
o-Xylene	ug/L	272	250	250	508	539	94	107	70-130	6	20	
Toluene	ug/L	32.2	250	250	301	297	108	106	80-131	1	20	
4-Bromofluorobenzene (S)	%						99	102	70-130			
Dibromofluoromethane (S)	%						105	108	70-130			

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: 3783 KELLY'S

Pace Project No.: 40195707

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 1947978												1947979	
Parameter	Units	40195707006 Result	MS	MSD	MS Result	MSD Result	MS % Rec	MSD % Rec	% Rec Limits	RPD	Max RPD	Qual	
			Spike Conc.	Spike Conc.									
Toluene-d8 (S)	%							99	99	70-130			

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALIFIERS

Project: 3783 KELLY'S

Pace Project No.: 40195707

DEFINITIONS

DF - Dilution Factor, if reported, represents the factor applied to the reported data due to dilution of the sample aliquot.

ND - Not Detected at or above LOD.

J - Estimated concentration at or above the LOD and below the LOQ.

LOD - Limit of Detection adjusted for dilution factor, percent moisture, initial weight and final volume.

LOQ - Limit of Quantitation adjusted for dilution factor, percent moisture, initial weight and final volume.

S - Surrogate

1,2-Diphenylhydrazine decomposes to and cannot be separated from Azobenzene using Method 8270. The result for each analyte is a combined concentration.

Consistent with EPA guidelines, unrounded data are displayed and have been used to calculate % recovery and RPD values.

LCS(D) - Laboratory Control Sample (Duplicate)

MS(D) - Matrix Spike (Duplicate)

DUP - Sample Duplicate

RPD - Relative Percent Difference

NC - Not Calculable.

SG - Silica Gel - Clean-Up

U - Indicates the compound was analyzed for, but not detected at or above the adjusted LOD.

N-Nitrosodiphenylamine decomposes and cannot be separated from Diphenylamine using Method 8270. The result reported for each analyte is a combined concentration.

Pace Analytical is TNI accredited. Contact your Pace PM for the current list of accredited analytes.

TNI - The NELAC Institute.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA CROSS REFERENCE TABLE

Project: 3783 KELLY'S

Pace Project No.: 40195707

Lab ID	Sample ID	QC Batch Method	QC Batch	Analytical Method	Analytical Batch
40195707001	MW1	EPA 8260	334847		
40195707002	MW2	EPA 8260	334847		
40195707003	MW3	EPA 8260	334847		
40195707004	MW4	EPA 8260	334847		
40195707005	MW5R	EPA 8260	334847		
40195707006	MW6	EPA 8260	335485		
40195707007	MW7	EPA 8260	334847		
40195707008	MW9	EPA 8260	334847		
40195707009	MW10	EPA 8260	334847		
40195707010	MW11	EPA 8260	334847		
40195707011	PZ1	EPA 8260	335485		
40195707012	PZ2	EPA 8260	334847		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

(Please Print Clearly)

Company Name: P21

Branch/Location:

Project Contact: DAVID CASANO

Phone: 715-675-9784

Project Number: 3783

Project Name: Kelly's

Project State: WI

Sampled By (Print): David Casano

Sampled By (Sign): [Signature]



UPPER MIDWEST REGION
 MN: 612-607-1700 WI: 920-469-2436

40195707

CHAIN OF CUSTODY

***Preservation Codes**
 A=None B=HCL C=H2SO4 D=HNO3 E=DJ Water F=Methanol G=NaOH
 H=Sodium Bisulfate Solution I=Sodium Thiosulfate J=Other

FILTERED?
(YES/NO)

PRESERVATION
(CODE)*

Y/N	Pick Letter	Analysis Requested	Matrix	Collection Date	Collection Time	Matrix
<u>H</u>	<u>B</u>	<u>NOV 19</u>	<u>X</u>	<u>9/19/19</u>	<u>10:00</u>	<u>GW</u>
					<u>12:00</u>	
					<u>10:35</u>	
					<u>10:50</u>	
					<u>1:00</u>	
					<u>12:03</u>	
					<u>12:27</u>	
					<u>12:21</u>	
					<u>10:15</u>	
					<u>11:10</u>	
					<u>1:05</u>	
					<u>10:20</u>	

Quote #:

Mail To Contact:

Mail To Company:

Mail To Address:

Invoice To Contact:

Invoice To Company:

Invoice To Address:

Invoice To Phone:

PO #:

Regulatory Program: PECPA

Data Package Options (billable)
 EPA Level III
 EPA Level IV

MS/MSD
 On your sample (billable)
 NOT needed on your sample

Matrix Codes
 A = Air W = Water
 B = Biota DW = Drinking Water
 C = Charcoal GW = Ground Water
 O = Oil SW = Surface Water
 S = Soil WW = Waste Water
 SI = Sludge WP = Wipe

PACE LAB #	CLIENT FIELD ID	COLLECTION		MATRIX
		DATE	TIME	
<u>001</u>	<u>MW1</u>	<u>9/19/19</u>	<u>10:00</u>	<u>GW</u>
<u>002</u>	<u>MW2</u>		<u>12:00</u>	
<u>003</u>	<u>MW3</u>		<u>10:35</u>	
<u>004</u>	<u>MW4</u>		<u>10:50</u>	
<u>005</u>	<u>MW5R</u>		<u>1:00</u>	
<u>006</u>	<u>MW6</u>		<u>12:03</u>	
<u>007</u>	<u>MW7</u>		<u>12:27</u>	
<u>008</u>	<u>MW9</u>		<u>12:21</u>	
<u>009</u>	<u>MW10</u>		<u>10:15</u>	
<u>010</u>	<u>MW11</u>		<u>11:10</u>	
<u>011</u>	<u>P21</u>		<u>1:05</u>	
<u>012</u>	<u>P22</u>		<u>10:20</u>	

Rush Turnaround Time Requested - Prelims
(Rush TAT subject to approval/surcharge)
Date Needed:

Transmit Prelim Rush Results by (complete what you want):

Email #1:

Email #2:

Telephone:

Fax:

Samples on HOLD are subject to special pricing and release of liability

Relinquished By: <u>[Signature]</u>	Date/Time: <u>9/20/19 2:30</u>	Received By:	Date/Time:
Relinquished By: <u>Wu HCO</u>	Date/Time: <u>9/21/19 1:00</u>	Received By: <u>[Signature]</u>	Date/Time: <u>9/21/19 1:00</u>
Relinquished By:	Date/Time:	Received By:	Date/Time:
Relinquished By:	Date/Time:	Received By:	Date/Time:

PACE Project No.
40195707

Receipt Temp = 20 °C

Sample Receipt pH
OK / Adjusted

Cooler Custody Seal
Present / Not Present
Intact / Not Intact

Sample Preservation Receipt Form

Pace Analytical Services, LLC
1241 Bellevue Street, Suite 9
Green Bay, WI 54302

Client Name: REI

Project # 40195707

Page 18 of 19

All containers needing preservation have been checked and noted below: Yes No N/A

Lab Lot# of pH paper:

Lab Std #ID of preservation (if pH adjusted):

Initial when completed:

Date/Time:

Pace Lab #	Glass							Plastic						Vials				Jars			General			VOA Vials (>6mm) *	H2SO4 pH ≤2	NaOH+Zn Act pH ≥9	NaOH pH ≥12	HNO3 pH ≤2	pH after adjusted	Volume (mL)			
	AG1U	AG1H	AG4S	AG4U	AG5U	AG2S	BG3U	BP1U	BP2N	BP2Z	BP3U	BP3B	BP3N	BP3S	DG9A	DG9T	VG9U	VG9H	VG9M	VG9D	JGFU	WGFU	WPFU								SP5T	ZPLC	GN
001																	3																2.5 / 5 / 10
002																	3																2.5 / 5 / 10
003																	2																2.5 / 5 / 10
004																	3																2.5 / 5 / 10
005																	3																2.5 / 5 / 10
006																	3																2.5 / 5 / 10
007																	3																2.5 / 5 / 10
008																	3																2.5 / 5 / 10
009																	3																2.5 / 5 / 10
010																	2																2.5 / 5 / 10
011																	3																2.5 / 5 / 10
012																	3																2.5 / 5 / 10
013																	3																2.5 / 5 / 10
014																	3																2.5 / 5 / 10
015																	3																2.5 / 5 / 10
016																																	2.5 / 5 / 10
017																																	2.5 / 5 / 10
018																																	2.5 / 5 / 10
019																																	2.5 / 5 / 10
020																																	2.5 / 5 / 10


Exceptions to preservation check: VOA Coliform, TOC, TOX, TOH, O&G, WIDRO, Phenolics, Other: _____

Headspace in VOA Vials (>6mm) : Yes No N/A *If yes look in headspace column

AG1U	1 liter amber glass	BP1U	1 liter plastic unpres	DG9A	40 mL amber ascorbic	JGFU	4 oz amber jar unpres
AG1H	1 liter amber glass HCL	BP2N	500 mL plastic HNO3	DG9T	40 mL amber Na Thio	WGFU	4 oz clear jar unpres
AG4S	125 mL amber glass H2SO4	BP2Z	500 mL plastic NaOH, Znact	VG9U	40 mL clear vial unpres	WPFU	4 oz plastic jar unpres
AG4U	120 mL amber glass unpres	BP3U	250 mL plastic unpres	VG9H	40 mL clear vial HCL		
AG5U	100 mL amber glass unpres	BP3B	250 mL plastic NaOH	VG9M	40 mL clear vial MeOH	SP5T	120 mL plastic Na Thiosulfate
AG2S	500 mL amber glass H2SO4	BP3N	250 mL plastic HNO3	VG9D	40 mL clear vial DI	ZPLC	ziploc bag
BG3U	250 mL clear glass unpres	BP3S	250 mL plastic H2SO4			GN:	

Sample Condition Upon Receipt Form (SCUR)

Client Name: REI

Project #: **WO# : 40195707**

40195707

Courier: CS Logistics Fed Ex Speedee UPS Waltco
 Client Pace Other: _____

Tracking #: 21830391-2

Custody Seal on Cooler/Box Present: yes no Seals intact: yes no

Custody Seal on Samples Present: yes no Seals intact: yes no

Packing Material: Bubble Wrap Bubble Bags None Other

Thermometer Used SR - NA Type of Ice: Wet Blue Dry None Samples on ice, cooling process has begun

Cooler Temperature Uncorr: 20 /Corr: _____

Temp Blank Present: yes no Biological Tissue is Frozen: yes no

Person examining contents:
Date: 9/23/19
Initials: AW

Temp should be above freezing to 6°C.
Biota Samples may be received at ≤ 0°C.

Chain of Custody Present:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	1.
Chain of Custody Filled Out:	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A	2. <u>mail, invoice, page #</u> <u>AW/20</u>
Chain of Custody Relinquished:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	3.
Sampler Name & Signature on COC:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	4.
Samples Arrived within Hold Time:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	5.
- VOA Samples frozen upon receipt	<input type="checkbox"/> Yes <input type="checkbox"/> No	Date/Time:
Short Hold Time Analysis (<72hr):	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	6.
Rush Turn Around Time Requested:	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	7.
Sufficient Volume:		8.
For Analysis: <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	MS/MSD: <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A	
Correct Containers Used:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	9.
-Pace Containers Used:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	
-Pace IR Containers Used:	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	
Containers Intact:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	10.
Filtered volume received for Dissolved tests	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	11.
Sample Labels match COC:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	12.
-Includes date/time/ID/Analysis Matrix: <u>W</u>		
Trip Blank Present:	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A	13.
Trip Blank Custody Seals Present	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	
Pace Trip Blank Lot # (if purchased):		

Client Notification/ Resolution: _____ If checked, see attached form for additional comments
Person Contacted: _____ Date/Time: _____
Comments/ Resolution: _____

Project Manager Review: [Signature]

Date: 9-23-19