

**From:** Dave Larsen <dlarsen@reiengineering.com>  
**Sent:** Wednesday, June 24, 2020 4:24 PM  
**To:** Stoltz, Carrie R - DNR  
**Subject:** Bayside Forestry Abandonment Forms  
**Attachments:** 6198 Signed Abandonment Forms.pdf

Carrie, please find attached the completed well abandonment forms for the wells approved for abandonment for Bayside Forestry. Please also note that the vapor pins were also abandoned at the time the wells were abandoned. If you have any questions or concerns, please let me know.

Thank you,  
*David N. Larsen P.G.*  
*Senior Hydrogeologist / Professional Geologist*



**REI**  
CIVIL & ENVIRONMENTAL  
ENGINEERING, SURVEYING




4080 N. 20th Avenue  
Wausau, WI 54401  
REIengineering.com

**David N. Larsen, P.G.**  
Senior Hydrogeologist  
Dlarsen@REIengineering.com

Tel: 1-877-734-7748  
715-675-9784

Cell: 715-581-3434

Fax: 715-675-4060

Connect with us :   

*Confidentiality Notice: This message is intended for the recipient only. If you have received this e-mail in error please disregard.*

**Notice:** Completion of this report is required by chs. 160, 281, 283, 289, 291-293, 295, and 299, Wis. Stats., and chs. NR 141 and 812, Wis. Adm. Code. In accordance with chs. 281, 289, 291-293, 295, and 299, Wis. Stats., failure to file this form may result in a forfeiture of between \$10-25,000, or imprisonment for up to one year, depending on the program and conduct involved. Personally identifiable information on this form is not intended to be used for any other purpose. Return form to the appropriate DNR office and bureau. See instructions on reverse for more information.

**Verification Only of Fill and Seal**

**Route to DNR Bureau:**

Drinking Water       Watershed/Wastewater       Remediation/Redevelopment

Waste Management       Other: \_\_\_\_\_

**1. Well Location Information**      **2. Facility / Owner Information**

County <b>Douglas</b>	WI Unique Well # of Removed Well <b>MW1</b>	Hicap #	Facility Name <b>Bayside Forestry Equipment Inc</b>
Latitude / Longitude (see instructions) _____ N _____ W	Format Code <input type="checkbox"/> DD <input type="checkbox"/> DDM	Method Code <input type="checkbox"/> GPS008 <input type="checkbox"/> SCR002 <input type="checkbox"/> OTH001	Facility ID (FID or PWS) <b>816104630</b>
1/4 1/4 NW    1/4 NW or Gov't Lot #	Section <b>25</b>	Township <b>46 N</b>	Range <input type="checkbox"/> E <input checked="" type="checkbox"/> W
Well Street Address <b>9222 East County Road L</b>	Original Well Owner <b>Bayside Forestry Equipment Inc</b>		
Well City, Village or Town <b>Town of Bennett</b>	Present Well Owner <b>Bayside Forestry Equipment Inc</b>		
Subdivision Name	Well ZIP Code <b>54873</b>	Mailing Address of Present Owner <b>9222 East County Road L</b>	
Reason for Removal from Service <b>Investigation Closed</b>	WI Unique Well # of Replacement Well	City of Present Owner <b>Solon Springs</b>	State <b>WI</b>
City of Present Owner <b>Solon Springs</b>		ZIP Code <b>54873</b>	

**3. Filled & Sealed Well / Drillhole / Borehole Information**      **4. Pump, Liner, Screen, Casing & Sealing Material**

<input checked="" type="checkbox"/> Monitoring Well	Original Construction Date (mm/dd/yyyy)	Pump and piping removed?	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A
<input type="checkbox"/> Water Well	If a Well Construction Report is available, please attach.	Liner(s) removed?	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A
<input type="checkbox"/> Borehole / Drillhole		Liner(s) perforated?	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A
Construction Type: <input checked="" type="checkbox"/> Drilled <input type="checkbox"/> Driven (Sandpoint) <input type="checkbox"/> Dug <input type="checkbox"/> Other (specify): _____		Screen removed?	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A
Formation Type: <input checked="" type="checkbox"/> Unconsolidated Formation <input type="checkbox"/> Bedrock		Casing left in place?	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A
Total Well Depth From Ground Surface (ft.) <b>13</b>	Casing Diameter (in.) <b>2</b>	Was casing cut off below surface?	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A
Lower Drillhole Diameter (in.)	Casing Depth (ft.)	Did sealing material rise to surface?	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A
Was well annular space grouted? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> Unknown		Did material settle after 24 hours?	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A
If yes, to what depth (feet)?	Depth to Water (feet)	If yes, was hole retopped?	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A
		If bentonite chips were used, were they hydrated with water from a known safe source?	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A
		Required Method of Placing Sealing Material	
		<input type="checkbox"/> Conductor Pipe-Gravity <input type="checkbox"/> Conductor Pipe-Pumped	
		<input checked="" type="checkbox"/> Screened & Poured (Bentonite Chips) <input type="checkbox"/> Other (Explain): _____	
		Sealing Materials	
		<input type="checkbox"/> Neat Cement Grout <input type="checkbox"/> Concrete	
		<input type="checkbox"/> Sand-Cement (Concrete) Grout <input type="checkbox"/> Bentonite Chips	
		For Monitoring Wells and Monitoring Well Boreholes Only:	
		<input checked="" type="checkbox"/> Bentonite Chips <input type="checkbox"/> Bentonite - Cement Grout	
		<input type="checkbox"/> Granular Bentonite <input type="checkbox"/> Bentonite - Sand Slurry	

5. Material Used to Fill Well / Drillhole	From (ft.)	To (ft.)	No. Yards, Sacks Sealant or Volume (circle one)	Mix Ratio or Mud Weight
Bentonite Chip	Surface	13	21.1 Pounds	

**6. Comments**

**7. Supervision of Work**      **DNR Use Only**

Name of Person or Firm Doing Filling & Sealing <b>REI Engineering, Inc</b>	License #	Date of Filling & Sealing or Verification (mm/dd/yyyy) <b>6/12/2020</b>	Date Received	Noted By
Street or Route <b>4080 N 20th Avenue,</b>	Telephone Number <b>( 715 ) 675-9784</b>	Comments		
City <b>Wausau</b>	State <b>WI</b>	ZIP Code <b>54401</b>	Signature of Person Doing Work <i>Jake Fletcher</i>	Date Signed <b>6/12/2020</b>

**Notice:** Completion of this report is required by chs. 160, 281, 283, 289, 291-293, 295, and 299, Wis. Stats., and chs. NR 141 and 812, Wis. Adm. Code. In accordance with chs. 281, 289, 291-293, 295, and 299, Wis. Stats., failure to file this form may result in a forfeiture of between \$10-25,000, or imprisonment for up to one year, depending on the program and conduct involved. Personally identifiable information on this form is not intended to be used for any other purpose. Return form to the appropriate DNR office and bureau. See instructions on reverse for more information.

**Verification Only of Fill and Seal**

**Route to DNR Bureau:**

- Drinking Water       Watershed/Wastewater       Remediation/Redevelopment  
 Waste Management       Other: \_\_\_\_\_

**1. Well Location Information**

County <b>Douglas</b>		WI Unique Well # of Removed Well <b>MW2R</b>	Hicap #	
Latitude / Longitude (see instructions) _____ N _____ W		Format Code <input type="checkbox"/> DD <input type="checkbox"/> DDM	Method Code <input type="checkbox"/> GPS008 <input type="checkbox"/> SCR002 <input type="checkbox"/> OTH001	
¼ / ¼ NW or Gov't Lot #	¼ NW	Section <b>25</b>	Township <b>46 N</b>	Range <input type="checkbox"/> E <input checked="" type="checkbox"/> W
Well Street Address <b>9222 East County Road L</b>				
Well City, Village or Town <b>Town of Bennett</b>			Well ZIP Code <b>54873</b>	
Subdivision Name			Lot #	

**2. Facility / Owner Information**

Facility Name <b>Bayside Forestry Equipment Inc</b>		
Facility ID (FID or PWS) <b>816104630</b>		
License/Permit/Monitoring #		
Original Well Owner <b>Bayside Forestry Equipment Inc</b>		
Present Well Owner <b>Bayside Forestry Equipment Inc</b>		
Mailing Address of Present Owner <b>9222 East County Road L</b>		
City of Present Owner <b>Solon Springs</b>	State <b>WI</b>	ZIP Code <b>54873</b>

**3. Filled & Sealed Well / Drillhole / Borehole Information**

Reason for Removal from Service <b>Investigation Closed</b>	WI Unique Well # of Replacement Well
<input checked="" type="checkbox"/> Monitoring Well <input type="checkbox"/> Water Well <input type="checkbox"/> Borehole / Drillhole	Original Construction Date (mm/dd/yyyy)  If a Well Construction Report is available, please attach.
Construction Type: <input checked="" type="checkbox"/> Drilled <input type="checkbox"/> Driven (Sandpoint) <input type="checkbox"/> Dug <input type="checkbox"/> Other (specify): _____	
Formation Type: <input checked="" type="checkbox"/> Unconsolidated Formation <input type="checkbox"/> Bedrock	
Total Well Depth From Ground Surface (ft.) <b>13</b>	Casing Diameter (in.) <b>2</b>
Lower Drillhole Diameter (in.)	Casing Depth (ft.)
Was well annular space grouted? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> Unknown	
If yes, to what depth (feet)?	Depth to Water (feet)

**4. Pump, Liner, Screen, Casing & Sealing Material**

Pump and piping removed?	<input type="checkbox"/> Yes	<input type="checkbox"/> No	<input checked="" type="checkbox"/> N/A
Liner(s) removed?	<input type="checkbox"/> Yes	<input type="checkbox"/> No	<input checked="" type="checkbox"/> N/A
Liner(s) perforated?	<input type="checkbox"/> Yes	<input type="checkbox"/> No	<input checked="" type="checkbox"/> N/A
Screen removed?	<input type="checkbox"/> Yes	<input checked="" type="checkbox"/> No	<input type="checkbox"/> N/A
Casing left in place?	<input checked="" type="checkbox"/> Yes	<input type="checkbox"/> No	<input type="checkbox"/> N/A
Was casing cut off below surface?	<input checked="" type="checkbox"/> Yes	<input type="checkbox"/> No	<input type="checkbox"/> N/A
Did sealing material rise to surface?	<input type="checkbox"/> Yes	<input type="checkbox"/> No	<input checked="" type="checkbox"/> N/A
Did material settle after 24 hours?	<input type="checkbox"/> Yes	<input type="checkbox"/> No	<input checked="" type="checkbox"/> N/A
If yes, was hole retopped?	<input type="checkbox"/> Yes	<input type="checkbox"/> No	<input checked="" type="checkbox"/> N/A
If bentonite chips were used, were they hydrated with water from a known safe source?	<input type="checkbox"/> Yes	<input type="checkbox"/> No	<input checked="" type="checkbox"/> N/A
Required Method of Placing Sealing Material			
<input type="checkbox"/> Conductor Pipe-Gravity		<input type="checkbox"/> Conductor Pipe-Pumped	
<input checked="" type="checkbox"/> Screened & Poured (Bentonite Chips)		<input type="checkbox"/> Other (Explain): _____	
Sealing Materials			
<input type="checkbox"/> Neat Cement Grout		<input type="checkbox"/> Concrete	
<input type="checkbox"/> Sand-Cement (Concrete) Grout		<input type="checkbox"/> Bentonite Chips	
For Monitoring Wells and Monitoring Well Boreholes Only:			
<input checked="" type="checkbox"/> Bentonite Chips		<input type="checkbox"/> Bentonite - Cement Grout	
<input type="checkbox"/> Granular Bentonite		<input type="checkbox"/> Bentonite - Sand Slurry	

**5. Material Used to Fill Well / Drillhole**

	From (ft.)	To (ft.)	No. Yards, Sacks Sealant or Volume (circle one)	Mix Ratio or Mud Weight
Bentonite Chip	Surface	13	21.1 Pounds	

**6. Comments**

**7. Supervision of Work**

Name of Person or Firm Doing Filling & Sealing <b>REI Engineering, Inc</b>			License #	Date of Filling & Sealing or Verification (mm/dd/yyyy) <b>6/12/2020</b>	<b>DNR Use Only</b>	
Street or Route <b>4080 N 20th Avenue,</b>			Telephone Number <b>( 715 ) 675-9784</b>		Date Received	Noted By
City <b>Wausau</b>	State <b>WI</b>	ZIP Code <b>54401</b>	Signature of Person Doing Work <i>Jake Fletcher</i>			Date Signed <b>6/12/2020</b>

**Notice:** Completion of this report is required by chs. 160, 281, 283, 289, 291-293, 295, and 299, Wis. Stats., and chs. NR 141 and 812, Wis. Adm. Code. In accordance with chs. 281, 289, 291-293, 295, and 299, Wis. Stats., failure to file this form may result in a forfeiture of between \$10-25,000, or imprisonment for up to one year, depending on the program and conduct involved. Personally identifiable information on this form is not intended to be used for any other purpose. Return form to the appropriate DNR office and bureau. See instructions on reverse for more information.

**Verification Only of Fill and Seal**

**Route to DNR Bureau:**

Drinking Water       Watershed/Wastewater       Remediation/Redevelopment

Waste Management       Other: \_\_\_\_\_

1. Well Location Information				2. Facility / Owner Information			
County Douglas		WI Unique Well # of Removed Well MW4		Hicap #		Facility Name Bayside Forestry Equipment Inc	
Latitude / Longitude (see instructions) _____ N _____ W		Format Code <input type="checkbox"/> DD <input type="checkbox"/> DDM		Method Code <input type="checkbox"/> GPS008 <input type="checkbox"/> SCR002 <input type="checkbox"/> OTH001		Facility ID (FID or PWS) 816104630	
¼ / ¼ NW    ¼ NW or Gov't Lot #		Section 25		Township 46 N		Range <input type="checkbox"/> E <input checked="" type="checkbox"/> W	
Well Street Address 9222 East County Road L				Original Well Owner Bayside Forestry Equipment Inc			
Well City, Village or Town Town of Bennett				Well ZIP Code 54873			
Subdivision Name				Lot #		Present Well Owner Bayside Forestry Equipment Inc	
Reason for Removal from Service Investigation Closed				WI Unique Well # of Replacement Well			
Mailing Address of Present Owner 9222 East County Road L				City of Present Owner Solon Springs		State WI	
Construction Type: <input checked="" type="checkbox"/> Drilled <input type="checkbox"/> Driven (Sandpoint) <input type="checkbox"/> Dug <input type="checkbox"/> Other (specify): _____				ZIP Code 54873			

3. Filled & Sealed Well / Drillhole / Borehole Information		4. Pump, Liner, Screen, Casing & Sealing Material			
Original Construction Date (mm/dd/yyyy)		Pump and piping removed? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A			
If a Well Construction Report is available, please attach.		Liner(s) removed? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A			
Construction Type: <input checked="" type="checkbox"/> Drilled <input type="checkbox"/> Driven (Sandpoint) <input type="checkbox"/> Dug <input type="checkbox"/> Other (specify): _____		Liner(s) perforated? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A			
Formation Type: <input checked="" type="checkbox"/> Unconsolidated Formation <input type="checkbox"/> Bedrock		Screen removed? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A			
Total Well Depth From Ground Surface (ft.) 13		Casing left in place? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A			
Casing Diameter (in.) 2		Was casing cut off below surface? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A			
Lower Drillhole Diameter (in.)		Did sealing material rise to surface? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A			
Casing Depth (ft.)		Did material settle after 24 hours? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A			
Was well annular space grouted? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> Unknown		If yes, was hole retopped? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A			
If yes, to what depth (feet)?		If bentonite chips were used, were they hydrated with water from a known safe source? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A			
Depth to Water (feet)		Required Method of Placing Sealing Material			
		<input type="checkbox"/> Conductor Pipe-Gravity <input type="checkbox"/> Conductor Pipe-Pumped			
		<input checked="" type="checkbox"/> Screened & Poured (Bentonite Chips) <input type="checkbox"/> Other (Explain): _____			
		Sealing Materials			
		<input type="checkbox"/> Neat Cement Grout <input type="checkbox"/> Concrete			
		<input type="checkbox"/> Sand-Cement (Concrete) Grout <input type="checkbox"/> Bentonite Chips			
		For Monitoring Wells and Monitoring Well Boreholes Only:			
		<input checked="" type="checkbox"/> Bentonite Chips <input type="checkbox"/> Bentonite - Cement Grout			
		<input type="checkbox"/> Granular Bentonite <input type="checkbox"/> Bentonite - Sand Slurry			

5. Material Used to Fill Well / Drillhole	From (ft.)	To (ft.)	No. Yards, Sacks Sealant or Volume (circle one)	Mix Ratio or Mud Weight
Bentonite Chip	Surface	13	21.1 Pounds	

**6. Comments**

7. Supervision of Work				DNR Use Only	
Name of Person or Firm Doing Filling & Sealing REI Engineering, Inc		License #	Date of Filling & Sealing or Verification (mm/dd/yyyy) 6/12/2020	Date Received	Noted By
Street or Route 4080 N 20th Avenue,			Telephone Number ( 715 ) 675-9784	Comments	
City Wausau	State WI	ZIP Code 54401	Signature of Person Doing Work <i>Jake Fletcher</i>	Date Signed 6/12/2020	

**Notice:** Completion of this report is required by chs. 160, 281, 283, 289, 291-293, 295, and 299, Wis. Stats., and chs. NR 141 and 812, Wis. Adm. Code. In accordance with chs. 281, 289, 291-293, 295, and 299, Wis. Stats., failure to file this form may result in a forfeiture of between \$10-25,000, or imprisonment for up to one year, depending on the program and conduct involved. Personally identifiable information on this form is not intended to be used for any other purpose. Return form to the appropriate DNR office and bureau. See instructions on reverse for more information.

**Verification Only of Fill and Seal**

**Route to DNR Bureau:**

- Drinking Water       Watershed/Wastewater       Remediation/Redevelopment  
 Waste Management       Other: \_\_\_\_\_

**1. Well Location Information**      **2. Facility / Owner Information**

County <b>Douglas</b>		WI Unique Well # of Removed Well <b>MW5</b>		Hicap #		Facility Name <b>Bayside Forestry Equipment Inc</b>		
Latitude / Longitude (see instructions) _____ N _____ W		Format Code <input type="checkbox"/> DD <input type="checkbox"/> DDM		Method Code <input type="checkbox"/> GPS008 <input type="checkbox"/> SCR002 <input type="checkbox"/> OTH001		Facility ID (FID or PWS) <b>816104630</b>		
¼ / ¼ NW    ¼ NW or Gov't Lot #		Section <b>25</b>		Township <b>46 N</b>		Range <input type="checkbox"/> E <input checked="" type="checkbox"/> W		License/Permit/Monitoring #
Well Street Address <b>9222 East County Road L</b>						Original Well Owner <b>Bayside Forestry Equipment Inc</b>		
Well City, Village or Town <b>Town of Bennett</b>						Present Well Owner <b>Bayside Forestry Equipment Inc</b>		
Subdivision Name						Mailing Address of Present Owner <b>9222 East County Road L</b>		
Well ZIP Code <b>54873</b>						City of Present Owner <b>Solon Springs</b>		State <b>WI</b>
Lot #						ZIP Code <b>54873</b>		

**3. Filled & Sealed Well / Drillhole / Borehole Information**      **4. Pump, Liner, Screen, Casing & Sealing Material**

Reason for Removal from Service <b>Investigation Closed</b>		WI Unique Well # of Replacement Well		Pump and piping removed? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A Liner(s) removed? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A Liner(s) perforated? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A Screen removed? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A Casing left in place? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A				
<input checked="" type="checkbox"/> Monitoring Well <input type="checkbox"/> Water Well <input type="checkbox"/> Borehole / Drillhole		Original Construction Date (mm/dd/yyyy)		Was casing cut off below surface? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A Did sealing material rise to surface? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A Did material settle after 24 hours? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A If yes, was hole retopped? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A If bentonite chips were used, were they hydrated with water from a known safe source? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A				
Construction Type:		If a Well Construction Report is available, please attach.		Required Method of Placing Sealing Material				
<input checked="" type="checkbox"/> Drilled <input type="checkbox"/> Driven (Sandpoint) <input type="checkbox"/> Dug <input type="checkbox"/> Other (specify): _____				<input type="checkbox"/> Conductor Pipe-Gravity <input type="checkbox"/> Conductor Pipe-Pumped <input checked="" type="checkbox"/> Screened & Poured (Bentonite Chips) <input type="checkbox"/> Other (Explain): _____				
Formation Type:				Sealing Materials				
<input checked="" type="checkbox"/> Unconsolidated Formation <input type="checkbox"/> Bedrock				<input type="checkbox"/> Neat Cement Grout <input type="checkbox"/> Concrete <input type="checkbox"/> Sand-Cement (Concrete) Grout <input type="checkbox"/> Bentonite Chips				
Total Well Depth From Ground Surface (ft.) <b>13</b>		Casing Diameter (in.) <b>2</b>		For Monitoring Wells and Monitoring Well Boreholes Only:				
Lower Drillhole Diameter (in.)		Casing Depth (ft.)		<input checked="" type="checkbox"/> Bentonite Chips <input type="checkbox"/> Bentonite - Cement Grout <input type="checkbox"/> Granular Bentonite <input type="checkbox"/> Bentonite - Sand Slurry				
Was well annular space grouted? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> Unknown		Depth to Water (feet)						
If yes, to what depth (feet)?								

**5. Material Used to Fill Well / Drillhole**

	From (ft.)	To (ft.)	No. Yards, Sacks Sealant or Volume (circle one)	Mix Ratio or Mud Weight
Bentonite Chip	Surface	13	21.1 Pounds	

**6. Comments**

**7. Supervision of Work**

Name of Person or Firm Doing Filling & Sealing <b>REI Engineering, Inc</b>			License #	Date of Filling & Sealing or Verification (mm/dd/yyyy) <b>6/12/2020</b>		<b>DNR Use Only</b>	
Street or Route <b>4080 N 20th Avenue,</b>			Telephone Number <b>( 715 ) 675-9784</b>		Date Received		Noted By
City <b>Wausau</b>			State <b>WI</b>	ZIP Code <b>54401</b>		Signature of Person Doing Work <i>Jake Fletcher</i>	
					Date Signed <b>6/12/2020</b>		Comments

**Notice:** Completion of this report is required by chs. 160, 281, 283, 289, 291-293, 295, and 299, Wis. Stats., and chs. NR 141 and 812, Wis. Adm. Code. In accordance with chs. 281, 289, 291-293, 295, and 299, Wis. Stats., failure to file this form may result in a forfeiture of between \$10-25,000, or imprisonment for up to one year, depending on the program and conduct involved. Personally identifiable information on this form is not intended to be used for any other purpose. Return form to the appropriate DNR office and bureau. See instructions on reverse for more information.

Verification Only of Fill and Seal

**Route to DNR Bureau:**

- Drinking Water       Watershed/Wastewater       Remediation/Redevelopment  
 Waste Management       Other: \_\_\_\_\_

**1. Well Location Information**      **2. Facility / Owner Information**

County <b>Douglas</b>		WI Unique Well # of Removed Well <b>MW8</b>	Hicap #
Latitude / Longitude (see instructions) _____ N _____ W		Format Code <input type="checkbox"/> DD <input type="checkbox"/> DDM	Method Code <input type="checkbox"/> GPS008 <input type="checkbox"/> SCR002 <input type="checkbox"/> OTH001
¼ / ¼ NW or Gov't Lot #	¼ NW	Section <b>25</b>	Township <b>46 N</b>
Well Street Address <b>9222 East County Road L</b>		Range <b>12</b>	<input type="checkbox"/> E <input checked="" type="checkbox"/> W
Well City, Village or Town <b>Town of Bennett</b>		Well ZIP Code <b>54873</b>	
Subdivision Name		Lot #	

Facility Name <b>Bayside Forestry Equipment Inc</b>		
Facility ID (FID or PWS) <b>816104630</b>		
License/Permit/Monitoring #		
Original Well Owner <b>Bayside Forestry Equipment Inc</b>		
Present Well Owner <b>Bayside Forestry Equipment Inc</b>		
Mailing Address of Present Owner <b>9222 East County Road L</b>		
City of Present Owner <b>Solon Springs</b>	State <b>WI</b>	ZIP Code <b>54873</b>

Reason for Removal from Service <b>Investigation Closed</b>	WI Unique Well # of Replacement Well
--	--------------------------------------

**3. Filled & Sealed Well / Drillhole / Borehole Information**

<input checked="" type="checkbox"/> Monitoring Well	Original Construction Date (mm/dd/yyyy)
<input type="checkbox"/> Water Well	
<input type="checkbox"/> Borehole / Drillhole	
If a Well Construction Report is available, please attach.	
Construction Type: <input checked="" type="checkbox"/> Drilled <input type="checkbox"/> Driven (Sandpoint) <input type="checkbox"/> Dug <input type="checkbox"/> Other (specify): _____	
Formation Type: <input checked="" type="checkbox"/> Unconsolidated Formation <input type="checkbox"/> Bedrock	
Total Well Depth From Ground Surface (ft.) <b>15</b>	Casing Diameter (in.) <b>2</b>
Lower Drillhole Diameter (in.)	Casing Depth (ft.)
Was well annular space grouted? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> Unknown	
If yes, to what depth (feet)?	Depth to Water (feet)

**4. Pump, Liner, Screen, Casing & Sealing Material**

Pump and piping removed?	<input type="checkbox"/> Yes	<input type="checkbox"/> No	<input checked="" type="checkbox"/> N/A
Liner(s) removed?	<input type="checkbox"/> Yes	<input type="checkbox"/> No	<input checked="" type="checkbox"/> N/A
Liner(s) perforated?	<input type="checkbox"/> Yes	<input type="checkbox"/> No	<input checked="" type="checkbox"/> N/A
Screen removed?	<input type="checkbox"/> Yes	<input checked="" type="checkbox"/> No	<input type="checkbox"/> N/A
Casing left in place?	<input checked="" type="checkbox"/> Yes	<input type="checkbox"/> No	<input type="checkbox"/> N/A
Was casing cut off below surface?	<input checked="" type="checkbox"/> Yes	<input type="checkbox"/> No	<input type="checkbox"/> N/A
Did sealing material rise to surface?	<input type="checkbox"/> Yes	<input type="checkbox"/> No	<input checked="" type="checkbox"/> N/A
Did material settle after 24 hours?	<input type="checkbox"/> Yes	<input type="checkbox"/> No	<input checked="" type="checkbox"/> N/A
If yes, was hole retopped?	<input type="checkbox"/> Yes	<input type="checkbox"/> No	<input checked="" type="checkbox"/> N/A
If bentonite chips were used, were they hydrated with water from a known safe source?	<input type="checkbox"/> Yes	<input type="checkbox"/> No	<input checked="" type="checkbox"/> N/A

Required Method of Placing Sealing Material	
<input type="checkbox"/> Conductor Pipe-Gravity	<input type="checkbox"/> Conductor Pipe-Pumped
<input checked="" type="checkbox"/> Screened & Poured (Bentonite Chips)	<input type="checkbox"/> Other (Explain): _____

Sealing Materials	
<input type="checkbox"/> Neat Cement Grout	<input type="checkbox"/> Concrete
<input type="checkbox"/> Sand-Cement (Concrete) Grout	<input type="checkbox"/> Bentonite Chips
For Monitoring Wells and Monitoring Well Boreholes Only:	
<input checked="" type="checkbox"/> Bentonite Chips	<input type="checkbox"/> Bentonite - Cement Grout
<input type="checkbox"/> Granular Bentonite	<input type="checkbox"/> Bentonite - Sand Slurry

**5. Material Used to Fill Well / Drillhole**

	From (ft.)	To (ft.)	No. Yards, Sacks Sealant or Volume (circle one)	Mix Ratio or Mud Weight
Bentonite Chip	Surface	15	24.3 Pounds	

**6. Comments**

**7. Supervision of Work**      **DNR Use Only**

Name of Person or Firm Doing Filling & Sealing <b>REI Engineering, Inc</b>	License #	Date of Filling & Sealing or Verification (mm/dd/yyyy) <b>6/12/2020</b>	Date Received	Noted By
Street or Route <b>4080 N 20th Avenue,</b>		Telephone Number <b>( 715 ) 675-9784</b>	Comments	
City <b>Wausau</b>	State <b>WI</b>	ZIP Code <b>54401</b>	Signature of Person Doing Work <i>Jake Fletcher</i>	Date Signed <b>6/12/2020</b>

**Notice:** Completion of this report is required by chs. 160, 281, 283, 289, 291-293, 295, and 299, Wis. Stats., and chs. NR 141 and 812, Wis. Adm. Code. In accordance with chs. 281, 289, 291-293, 295, and 299, Wis. Stats., failure to file this form may result in a forfeiture of between \$10-25,000, or imprisonment for up to one year, depending on the program and conduct involved. Personally identifiable information on this form is not intended to be used for any other purpose. Return form to the appropriate DNR office and bureau. See instructions on reverse for more information.

**Verification Only of Fill and Seal**

**Route to DNR Bureau:**

- Drinking Water       Watershed/Wastewater       Remediation/Redevelopment  
 Waste Management       Other: \_\_\_\_\_

**1. Well Location Information**      **2. Facility / Owner Information**

County <b>Douglas</b>	WI Unique Well # of Removed Well <b>MW9</b>	Hicap #
Latitude / Longitude (see instructions) _____ N _____ W	Format Code <input type="checkbox"/> DD <input type="checkbox"/> DDM	Method Code <input type="checkbox"/> GPS008 <input type="checkbox"/> SCR002 <input type="checkbox"/> OTH001
¼ / ¼ NW    ¼ NW or Gov't Lot #	Section <b>25</b>	Township <b>46 N</b>
Well Street Address <b>9222 East County Road L</b>	Range <b>12</b>	<input type="checkbox"/> E <input checked="" type="checkbox"/> W
Well City, Village or Town <b>Town of Bennett</b>	Well ZIP Code <b>54873</b>	
Subdivision Name	Lot #	

Facility Name <b>Bayside Forestry Equipment Inc</b>		
Facility ID (FID or PWS) <b>816104630</b>		
License/Permit/Monitoring #		
Original Well Owner <b>Bayside Forestry Equipment Inc</b>		
Present Well Owner <b>Bayside Forestry Equipment Inc</b>		
Mailing Address of Present Owner <b>9222 East County Road L</b>		
City of Present Owner <b>Solon Springs</b>	State <b>WI</b>	ZIP Code <b>54873</b>

Reason for Removal from Service <b>Investigation Closed</b>	WI Unique Well # of Replacement Well
--	--------------------------------------

**3. Filled & Sealed Well / Drillhole / Borehole Information**

<input checked="" type="checkbox"/> Monitoring Well	Original Construction Date (mm/dd/yyyy)
<input type="checkbox"/> Water Well	If a Well Construction Report is available, please attach.
<input type="checkbox"/> Borehole / Drillhole	
Construction Type:	
<input checked="" type="checkbox"/> Drilled	<input type="checkbox"/> Driven (Sandpoint)
<input type="checkbox"/> Other (specify): _____	<input type="checkbox"/> Dug
Formation Type:	
<input checked="" type="checkbox"/> Unconsolidated Formation	<input type="checkbox"/> Bedrock
Total Well Depth From Ground Surface (ft.) <b>12</b>	Casing Diameter (in.) <b>2</b>
Lower Drillhole Diameter (in.)	Casing Depth (ft.)
Was well annular space grouted? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> Unknown	
If yes, to what depth (feet)?	Depth to Water (feet)

**4. Pump, Liner, Screen, Casing & Sealing Material**

Pump and piping removed?	<input type="checkbox"/> Yes	<input type="checkbox"/> No	<input checked="" type="checkbox"/> N/A
Liner(s) removed?	<input type="checkbox"/> Yes	<input type="checkbox"/> No	<input checked="" type="checkbox"/> N/A
Liner(s) perforated?	<input type="checkbox"/> Yes	<input type="checkbox"/> No	<input checked="" type="checkbox"/> N/A
Screen removed?	<input type="checkbox"/> Yes	<input checked="" type="checkbox"/> No	<input type="checkbox"/> N/A
Casing left in place?	<input checked="" type="checkbox"/> Yes	<input type="checkbox"/> No	<input type="checkbox"/> N/A
Was casing cut off below surface?	<input checked="" type="checkbox"/> Yes	<input type="checkbox"/> No	<input type="checkbox"/> N/A
Did sealing material rise to surface?	<input type="checkbox"/> Yes	<input type="checkbox"/> No	<input checked="" type="checkbox"/> N/A
Did material settle after 24 hours?	<input type="checkbox"/> Yes	<input type="checkbox"/> No	<input checked="" type="checkbox"/> N/A
If yes, was hole retopped?	<input type="checkbox"/> Yes	<input type="checkbox"/> No	<input checked="" type="checkbox"/> N/A
If bentonite chips were used, were they hydrated with water from a known safe source?	<input type="checkbox"/> Yes	<input type="checkbox"/> No	<input checked="" type="checkbox"/> N/A

Required Method of Placing Sealing Material	
<input type="checkbox"/> Conductor Pipe-Gravity	<input type="checkbox"/> Conductor Pipe-Pumped
<input checked="" type="checkbox"/> Screened & Poured (Bentonite Chips)	<input type="checkbox"/> Other (Explain): _____

Sealing Materials	
<input type="checkbox"/> Neat Cement Grout	<input type="checkbox"/> Concrete
<input type="checkbox"/> Sand-Cement (Concrete) Grout	<input type="checkbox"/> Bentonite Chips
For Monitoring Wells and Monitoring Well Boreholes Only:	
<input checked="" type="checkbox"/> Bentonite Chips	<input type="checkbox"/> Bentonite - Cement Grout
<input type="checkbox"/> Granular Bentonite	<input type="checkbox"/> Bentonite - Sand Slurry

5. Material Used to Fill Well / Drillhole	From (ft.)	To (ft.)	No. Yards, Sacks Sealant or Volume (circle one)	Mix Ratio or Mud Weight
Bentonite Chip	Surface	12	19.5 Pounds	

**6. Comments**

**7. Supervision of Work**      **DNR Use Only**

Name of Person or Firm Doing Filling & Sealing <b>REI Engineering, Inc</b>	License #	Date of Filling & Sealing or Verification (mm/dd/yyyy) <b>6/12/2020</b>	Date Received	Noted By
Street or Route <b>4080 N 20th Avenue,</b>	Telephone Number <b>( 715 ) 675-9784</b>	Comments		
City <b>Wausau</b>	State <b>WI</b>	ZIP Code <b>54401</b>	Signature of Person Doing Work <i>Jake Fletcher</i>	Date Signed <b>6/12/2020</b>

**Notice:** Completion of this report is required by chs. 160, 281, 283, 289, 291-293, 295, and 299, Wis. Stats., and chs. NR 141 and 812, Wis. Adm. Code. In accordance with chs. 281, 289, 291-293, 295, and 299, Wis. Stats., failure to file this form may result in a forfeiture of between \$10-25,000, or imprisonment for up to one year, depending on the program and conduct involved. Personally identifiable information on this form is not intended to be used for any other purpose. Return form to the appropriate DNR office and bureau. See instructions on reverse for more information.

Verification Only of Fill and Seal

**Route to DNR Bureau:**

- Drinking Water       Watershed/Wastewater       Remediation/Redevelopment  
 Waste Management       Other: \_\_\_\_\_

**1. Well Location Information**      **2. Facility / Owner Information**

County Douglas		WI Unique Well # of Removed Well MW10	Hicap #
Latitude / Longitude (see instructions) _____ N _____ W		Format Code <input type="checkbox"/> DD <input type="checkbox"/> DDM	Method Code <input type="checkbox"/> GPS008 <input type="checkbox"/> SCR002 <input type="checkbox"/> OTH001
1/4 1/4 NW or Gov't Lot #	1/4 NW	Section 25	Township 46 N Range 12 E <input checked="" type="checkbox"/> W
Well Street Address 9222 East County Road L			
Well City, Village or Town Town of Bennett		Well ZIP Code 54873	
Subdivision Name		Lot #	

Facility Name Bayside Forestry Equipment Inc		
Facility ID (FID or PWS) 816104630		
License/Permit/Monitoring #		
Original Well Owner Bayside Forestry Equipment Inc		
Present Well Owner Bayside Forestry Equipment Inc		
Mailing Address of Present Owner 9222 East County Road L		
City of Present Owner Solon Springs	State WI	ZIP Code 54873

Reason for Removal from Service Investigation Closed	WI Unique Well # of Replacement Well
---	--------------------------------------

**3. Filled & Sealed Well / Drillhole / Borehole Information**

<input checked="" type="checkbox"/> Monitoring Well	Original Construction Date (mm/dd/yyyy)
<input type="checkbox"/> Water Well	
<input type="checkbox"/> Borehole / Drillhole	
If a Well Construction Report is available, please attach.	
Construction Type: <input checked="" type="checkbox"/> Drilled <input type="checkbox"/> Driven (Sandpoint) <input type="checkbox"/> Dug <input type="checkbox"/> Other (specify): _____	
Formation Type: <input checked="" type="checkbox"/> Unconsolidated Formation <input type="checkbox"/> Bedrock	
Total Well Depth From Ground Surface (ft.) 15	Casing Diameter (in.) 2
Lower Drillhole Diameter (in.)	Casing Depth (ft.)
Was well annular space grouted? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> Unknown	
If yes, to what depth (feet)?	Depth to Water (feet)

**4. Pump, Liner, Screen, Casing & Sealing Material**

Pump and piping removed?	<input type="checkbox"/> Yes	<input type="checkbox"/> No	<input checked="" type="checkbox"/> N/A
Liner(s) removed?	<input type="checkbox"/> Yes	<input type="checkbox"/> No	<input checked="" type="checkbox"/> N/A
Liner(s) perforated?	<input type="checkbox"/> Yes	<input type="checkbox"/> No	<input checked="" type="checkbox"/> N/A
Screen removed?	<input type="checkbox"/> Yes	<input checked="" type="checkbox"/> No	<input type="checkbox"/> N/A
Casing left in place?	<input checked="" type="checkbox"/> Yes	<input type="checkbox"/> No	<input type="checkbox"/> N/A
Was casing cut off below surface?	<input checked="" type="checkbox"/> Yes	<input type="checkbox"/> No	<input type="checkbox"/> N/A
Did sealing material rise to surface?	<input type="checkbox"/> Yes	<input type="checkbox"/> No	<input checked="" type="checkbox"/> N/A
Did material settle after 24 hours?	<input type="checkbox"/> Yes	<input type="checkbox"/> No	<input checked="" type="checkbox"/> N/A
If yes, was hole retopped?	<input type="checkbox"/> Yes	<input type="checkbox"/> No	<input checked="" type="checkbox"/> N/A
If bentonite chips were used, were they hydrated with water from a known safe source?	<input type="checkbox"/> Yes	<input type="checkbox"/> No	<input checked="" type="checkbox"/> N/A

**Required Method of Placing Sealing Material**

<input type="checkbox"/> Conductor Pipe-Gravity	<input type="checkbox"/> Conductor Pipe-Pumped
<input checked="" type="checkbox"/> Screened & Poured (Bentonite Chips)	<input type="checkbox"/> Other (Explain): _____

**Sealing Materials**

<input type="checkbox"/> Neat Cement Grout	<input type="checkbox"/> Concrete
<input type="checkbox"/> Sand-Cement (Concrete) Grout	<input type="checkbox"/> Bentonite Chips

**For Monitoring Wells and Monitoring Well Boreholes Only:**

<input checked="" type="checkbox"/> Bentonite Chips	<input type="checkbox"/> Bentonite - Cement Grout
<input type="checkbox"/> Granular Bentonite	<input type="checkbox"/> Bentonite - Sand Slurry

**5. Material Used to Fill Well / Drillhole**

	From (ft.)	To (ft.)	No. Yards, Sacks Sealant or Volume (circle one)	Mix Ratio or Mud Weight
Bentonite Chip	Surface	15	24.3 Pounds	

**6. Comments**

**7. Supervision of Work**

Name of Person or Firm Doing Filling & Sealing REI Engineering, Inc			License #	Date of Filling & Sealing or Verification (mm/dd/yyyy) 6/12/2020	<b>DNR Use Only</b>	
Street or Route 4080 N 20th Avenue,			Telephone Number ( 715 ) 675-9784		Date Received	Noted By
City Wausau	State WI	ZIP Code 54401	Signature of Person Doing Work <i>Jake Fletcher</i>			Date Signed 6/12/2020



**Notice:** Completion of this report is required by chs. 160, 281, 283, 289, 291-293, 295, and 299, Wis. Stats., and chs. NR 141 and 812, Wis. Adm. Code. In accordance with chs. 281, 289, 291-293, 295, and 299, Wis. Stats., failure to file this form may result in a forfeiture of between \$10-25,000, or imprisonment for up to one year, depending on the program and conduct involved. Personally identifiable information on this form is not intended to be used for any other purpose. Return form to the appropriate DNR office and bureau. See instructions on reverse for more information.

**Verification Only of Fill and Seal**

**Route to DNR Bureau:**

- Drinking Water       Watershed/Wastewater       Remediation/Redevelopment  
 Waste Management       Other: \_\_\_\_\_

**1. Well Location Information**

County <b>Douglas</b>	WI Unique Well # of Removed Well <b>MW12</b>	Hicap #
Latitude / Longitude (see instructions) _____ N _____ W	Format Code <input type="checkbox"/> DD <input type="checkbox"/> DDM	Method Code <input type="checkbox"/> GPS008 <input type="checkbox"/> SCR002 <input type="checkbox"/> OTH001
¼ / ¼ NW    ¼ NW or Gov't Lot #	Section <b>25</b>	Township <b>46 N</b>
Well Street Address <b>9222 East County Road L</b>	Range <b>12</b>	<input type="checkbox"/> E <input checked="" type="checkbox"/> W
Well City, Village or Town <b>Town of Bennett</b>	Well ZIP Code <b>54873</b>	
Subdivision Name	Lot #	

**2. Facility / Owner Information**

Facility Name <b>Bayside Forestry Equipment Inc</b>		
Facility ID (FID or PWS) <b>816104630</b>		
License/Permit/Monitoring #		
Original Well Owner <b>Bayside Forestry Equipment Inc</b>		
Present Well Owner <b>Bayside Forestry Equipment Inc</b>		
Mailing Address of Present Owner <b>9222 East County Road L</b>		
City of Present Owner <b>Solon Springs</b>	State <b>WI</b>	ZIP Code <b>54873</b>

**3. Filled & Sealed Well / Drillhole / Borehole Information**

Reason for Removal from Service <b>Investigation Closed</b>	WI Unique Well # of Replacement Well
<input checked="" type="checkbox"/> Monitoring Well <input type="checkbox"/> Water Well <input type="checkbox"/> Borehole / Drillhole	Original Construction Date (mm/dd/yyyy)  If a Well Construction Report is available, please attach.
Construction Type: <input checked="" type="checkbox"/> Drilled <input type="checkbox"/> Driven (Sandpoint) <input type="checkbox"/> Dug <input type="checkbox"/> Other (specify): _____	
Formation Type: <input checked="" type="checkbox"/> Unconsolidated Formation <input type="checkbox"/> Bedrock	
Total Well Depth From Ground Surface (ft.) <b>12</b>	Casing Diameter (in.) <b>2</b>
Lower Drillhole Diameter (in.)	Casing Depth (ft.)
Was well annular space grouted? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> Unknown	
If yes, to what depth (feet)?	Depth to Water (feet)

**4. Pump, Liner, Screen, Casing & Sealing Material**

Pump and piping removed?	<input type="checkbox"/> Yes	<input type="checkbox"/> No	<input checked="" type="checkbox"/> N/A
Liner(s) removed?	<input type="checkbox"/> Yes	<input type="checkbox"/> No	<input checked="" type="checkbox"/> N/A
Liner(s) perforated?	<input type="checkbox"/> Yes	<input type="checkbox"/> No	<input checked="" type="checkbox"/> N/A
Screen removed?	<input type="checkbox"/> Yes	<input checked="" type="checkbox"/> No	<input type="checkbox"/> N/A
Casing left in place?	<input checked="" type="checkbox"/> Yes	<input type="checkbox"/> No	<input type="checkbox"/> N/A
Was casing cut off below surface?	<input checked="" type="checkbox"/> Yes	<input type="checkbox"/> No	<input type="checkbox"/> N/A
Did sealing material rise to surface?	<input type="checkbox"/> Yes	<input type="checkbox"/> No	<input checked="" type="checkbox"/> N/A
Did material settle after 24 hours?	<input type="checkbox"/> Yes	<input type="checkbox"/> No	<input checked="" type="checkbox"/> N/A
If yes, was hole retopped?	<input type="checkbox"/> Yes	<input type="checkbox"/> No	<input checked="" type="checkbox"/> N/A
If bentonite chips were used, were they hydrated with water from a known safe source?	<input type="checkbox"/> Yes	<input type="checkbox"/> No	<input checked="" type="checkbox"/> N/A
Required Method of Placing Sealing Material	<input type="checkbox"/> Conductor Pipe-Gravity <input type="checkbox"/> Conductor Pipe-Pumped <input checked="" type="checkbox"/> Screened & Poured (Bentonite Chips) <input type="checkbox"/> Other (Explain): _____		
Sealing Materials	<input type="checkbox"/> Neat Cement Grout <input type="checkbox"/> Concrete <input type="checkbox"/> Sand-Cement (Concrete) Grout <input type="checkbox"/> Bentonite Chips		
For Monitoring Wells and Monitoring Well Boreholes Only:	<input checked="" type="checkbox"/> Bentonite Chips <input type="checkbox"/> Bentonite - Cement Grout <input type="checkbox"/> Granular Bentonite <input type="checkbox"/> Bentonite - Sand Slurry		

**5. Material Used to Fill Well / Drillhole**

	From (ft.)	To (ft.)	No. Yards, Sacks Sealant or Volume (circle one)	Mix Ratio or Mud Weight
Bentonite Chip	Surface	12	19.5 Pounds	

**6. Comments**

**7. Supervision of Work**

Name of Person or Firm Doing Filling & Sealing <b>REI Engineering, Inc</b>	License #	Date of Filling & Sealing or Verification (mm/dd/yyyy) <b>6/12/2020</b>	<b>DNR Use Only</b>	
Street or Route <b>4080 N 20th Avenue,</b>	Telephone Number <b>( 715 ) 675-9784</b>	Comments	Date Received	Noted By
City <b>Wausau</b>	State <b>WI</b>	ZIP Code <b>54401</b>	Signature of Person Doing Work <i>Jake Fletcher</i>	Date Signed <b>6/12/2020</b>

**Notice:** Completion of this report is required by chs. 160, 281, 283, 289, 291-293, 295, and 299, Wis. Stats., and chs. NR 141 and 812, Wis. Adm. Code. In accordance with chs. 281, 289, 291-293, 295, and 299, Wis. Stats., failure to file this form may result in a forfeiture of between \$10-25,000, or imprisonment for up to one year, depending on the program and conduct involved. Personally identifiable information on this form is not intended to be used for any other purpose. Return form to the appropriate DNR office and bureau. See instructions on reverse for more information.

**Verification Only of Fill and Seal**

**Route to DNR Bureau:**

Drinking Water       Watershed/Wastewater       Remediation/Redevelopment

Waste Management       Other: \_\_\_\_\_

1. Well Location Information				2. Facility / Owner Information			
County Douglas		WI Unique Well # of Removed Well MW14		Hicap #		Facility Name Bayside Forestry Equipment Inc	
Latitude / Longitude (see instructions) _____ N _____ W		Format Code <input type="checkbox"/> DD <input type="checkbox"/> DDM		Method Code <input type="checkbox"/> GPS008 <input type="checkbox"/> SCR002 <input type="checkbox"/> OTH001		Facility ID (FID or PWS) 816104630	
¼ / ¼ NW    ¼ NW or Gov't Lot #		Section 25		Township 46 N		Range 12 <input type="checkbox"/> E <input checked="" type="checkbox"/> W	
Well Street Address 9222 East County Road L				Original Well Owner Bayside Forestry Equipment Inc			
Well City, Village or Town Town of Bennett				Well ZIP Code 54873			
Subdivision Name				Lot #		Present Well Owner Bayside Forestry Equipment Inc	
Reason for Removal from Service Investigation Closed				WI Unique Well # of Replacement Well			
Mailing Address of Present Owner 9222 East County Road L				City of Present Owner Solon Springs		State    ZIP Code WI    54873	

3. Filled & Sealed Well / Drillhole / Borehole Information		4. Pump, Liner, Screen, Casing & Sealing Material			
<input checked="" type="checkbox"/> Monitoring Well <input type="checkbox"/> Water Well <input type="checkbox"/> Borehole / Drillhole		Pump and piping removed? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A Liner(s) removed? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A Liner(s) perforated? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A Screen removed? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A Casing left in place? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A Was casing cut off below surface? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A Did sealing material rise to surface? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A Did material settle after 24 hours? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A If yes, was hole retopped? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A If bentonite chips were used, were they hydrated with water from a known safe source? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A			
Original Construction Date (mm/dd/yyyy)		Required Method of Placing Sealing Material			
If a Well Construction Report is available, please attach.		<input type="checkbox"/> Conductor Pipe-Gravity <input type="checkbox"/> Conductor Pipe-Pumped <input checked="" type="checkbox"/> Screened & Poured (Bentonite Chips) <input type="checkbox"/> Other (Explain): _____			
Construction Type:		Sealing Materials			
<input checked="" type="checkbox"/> Drilled <input type="checkbox"/> Driven (Sandpoint) <input type="checkbox"/> Dug <input type="checkbox"/> Other (specify): _____		<input type="checkbox"/> Neat Cement Grout <input type="checkbox"/> Concrete <input type="checkbox"/> Sand-Cement (Concrete) Grout <input type="checkbox"/> Bentonite Chips			
Formation Type:		For Monitoring Wells and Monitoring Well Boreholes Only:			
<input checked="" type="checkbox"/> Unconsolidated Formation <input type="checkbox"/> Bedrock		<input checked="" type="checkbox"/> Bentonite Chips <input type="checkbox"/> Bentonite - Cement Grout <input type="checkbox"/> Granular Bentonite <input type="checkbox"/> Bentonite - Sand Slurry			
Total Well Depth From Ground Surface (ft.) 13		Casing Diameter (in.) 2		No. Yards, Sacks Sealant or Volume (circle one) 21.1 Pounds	
Lower Drillhole Diameter (in.)		Casing Depth (ft.)		Mix Ratio or Mud Weight	
Was well annular space grouted? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> Unknown					
If yes, to what depth (feet)?		Depth to Water (feet)			

5. Material Used to Fill Well / Drillhole		From (ft.)	To (ft.)	No. Yards, Sacks Sealant or Volume (circle one)	Mix Ratio or Mud Weight
Bentonite Chip		Surface	13	21.1 Pounds	

**6. Comments**

---

7. Supervision of Work				DNR Use Only	
Name of Person or Firm Doing Filling & Sealing REI Engineering, Inc		License #	Date of Filling & Sealing or Verification (mm/dd/yyyy) 6/12/2020	Date Received	Noted By
Street or Route 4080 N 20th Avenue,			Telephone Number ( 715 ) 675-9784	Comments	
City Wausau	State WI	ZIP Code 54401	Signature of Person Doing Work <i>Jake Fletcher</i>	Date Signed 6/12/2020	

**Notice:** Completion of this report is required by chs. 160, 281, 283, 289, 291-293, 295, and 299, Wis. Stats., and chs. NR 141 and 812, Wis. Adm. Code. In accordance with chs. 281, 289, 291-293, 295, and 299, Wis. Stats., failure to file this form may result in a forfeiture of between \$10-25,000, or imprisonment for up to one year, depending on the program and conduct involved. Personally identifiable information on this form is not intended to be used for any other purpose. Return form to the appropriate DNR office and bureau. See instructions on reverse for more information.

**Verification Only of Fill and Seal**

**Route to DNR Bureau:**

- Drinking Water       Watershed/Wastewater       Remediation/Redevelopment  
 Waste Management       Other: \_\_\_\_\_

**1. Well Location Information**      **2. Facility / Owner Information**

County <b>Douglas</b>		WI Unique Well # of Removed Well <b>PZ1</b>	Hicap #
Latitude / Longitude (see instructions) _____ N _____ W		Format Code <input type="checkbox"/> DD <input type="checkbox"/> DDM	Method Code <input type="checkbox"/> GPS008 <input type="checkbox"/> SCR002 <input type="checkbox"/> OTH001
¼ / ¼ NW or Gov't Lot #	¼ NW	Section <b>25</b>	Township <b>46 N</b>
Well Street Address <b>9222 East County Road L</b>		Range <input type="checkbox"/> E <input checked="" type="checkbox"/> W	Range <input type="checkbox"/> E <input checked="" type="checkbox"/> W
Well City, Village or Town <b>Town of Bennett</b>		Well ZIP Code <b>54873</b>	
Subdivision Name		Lot #	

Facility Name <b>Bayside Forestry Equipment Inc</b>		
Facility ID (FID or PWS) <b>816104630</b>		
License/Permit/Monitoring #		
Original Well Owner <b>Bayside Forestry Equipment Inc</b>		
Present Well Owner <b>Bayside Forestry Equipment Inc</b>		
Mailing Address of Present Owner <b>9222 East County Road L</b>		
City of Present Owner <b>Solon Springs</b>	State <b>WI</b>	ZIP Code <b>54873</b>

Reason for Removal from Service <b>Investigation Closed</b>	WI Unique Well # of Replacement Well
--	--------------------------------------

**3. Filled & Sealed Well / Drillhole / Borehole Information**

<input checked="" type="checkbox"/> Monitoring Well	Original Construction Date (mm/dd/yyyy)
<input type="checkbox"/> Water Well	
<input type="checkbox"/> Borehole / Drillhole	
If a Well Construction Report is available, please attach.	

Construction Type:		
<input checked="" type="checkbox"/> Drilled	<input type="checkbox"/> Driven (Sandpoint)	<input type="checkbox"/> Dug
<input type="checkbox"/> Other (specify): _____		

Formation Type:	
<input checked="" type="checkbox"/> Unconsolidated Formation	<input type="checkbox"/> Bedrock

Total Well Depth From Ground Surface (ft.) <b>30</b>	Casing Diameter (in.) <b>2</b>
---	-----------------------------------

Lower Drillhole Diameter (in.)	Casing Depth (ft.)
--------------------------------	--------------------

Was well annular space grouted?	<input type="checkbox"/> Yes	<input type="checkbox"/> No	<input checked="" type="checkbox"/> Unknown
---------------------------------	------------------------------	-----------------------------	---

If yes, to what depth (feet)?	Depth to Water (feet)
-------------------------------	-----------------------

**4. Pump, Liner, Screen, Casing & Sealing Material**

Pump and piping removed?	<input type="checkbox"/> Yes	<input type="checkbox"/> No	<input checked="" type="checkbox"/> N/A
Liner(s) removed?	<input type="checkbox"/> Yes	<input type="checkbox"/> No	<input checked="" type="checkbox"/> N/A
Liner(s) perforated?	<input type="checkbox"/> Yes	<input type="checkbox"/> No	<input checked="" type="checkbox"/> N/A
Screen removed?	<input type="checkbox"/> Yes	<input checked="" type="checkbox"/> No	<input type="checkbox"/> N/A
Casing left in place?	<input checked="" type="checkbox"/> Yes	<input type="checkbox"/> No	<input type="checkbox"/> N/A
Was casing cut off below surface?	<input checked="" type="checkbox"/> Yes	<input type="checkbox"/> No	<input type="checkbox"/> N/A
Did sealing material rise to surface?	<input type="checkbox"/> Yes	<input type="checkbox"/> No	<input checked="" type="checkbox"/> N/A
Did material settle after 24 hours?	<input type="checkbox"/> Yes	<input type="checkbox"/> No	<input checked="" type="checkbox"/> N/A
If yes, was hole retopped?	<input type="checkbox"/> Yes	<input type="checkbox"/> No	<input checked="" type="checkbox"/> N/A
If bentonite chips were used, were they hydrated with water from a known safe source?	<input type="checkbox"/> Yes	<input type="checkbox"/> No	<input checked="" type="checkbox"/> N/A

Required Method of Placing Sealing Material	
<input type="checkbox"/> Conductor Pipe-Gravity	<input type="checkbox"/> Conductor Pipe-Pumped
<input checked="" type="checkbox"/> Screened & Poured (Bentonite Chips)	<input type="checkbox"/> Other (Explain): _____

Sealing Materials	
<input type="checkbox"/> Neat Cement Grout	<input type="checkbox"/> Concrete
<input type="checkbox"/> Sand-Cement (Concrete) Grout	<input type="checkbox"/> Bentonite Chips

For Monitoring Wells and Monitoring Well Boreholes Only:	
<input checked="" type="checkbox"/> Bentonite Chips	<input type="checkbox"/> Bentonite - Cement Grout
<input type="checkbox"/> Granular Bentonite	<input type="checkbox"/> Bentonite - Sand Slurry

**5. Material Used to Fill Well / Drillhole**

	From (ft.)	To (ft.)	No. Yards, Sacks Sealant or Volume (circle one)	Mix Ratio or Mud Weight
Bentonite Chip	Surface	30	48.6 Pounds	

**6. Comments**

**7. Supervision of Work**      **DNR Use Only**

Name of Person or Firm Doing Filling & Sealing <b>REI Engineering, Inc</b>	License #	Date of Filling & Sealing or Verification (mm/dd/yyyy) <b>6/12/2020</b>	Date Received	Noted By
Street or Route <b>4080 N 20th Avenue,</b>		Telephone Number <b>( 715 ) 675-9784</b>	Comments	
City <b>Wausau</b>	State <b>WI</b>	ZIP Code <b>54401</b>	Signature of Person Doing Work <i>Jake Fletcher</i>	Date Signed <b>6/12/2020</b>

**Notice:** Completion of this report is required by chs. 160, 281, 283, 289, 291-293, 295, and 299, Wis. Stats., and chs. NR 141 and 812, Wis. Adm. Code. In accordance with chs. 281, 289, 291-293, 295, and 299, Wis. Stats., failure to file this form may result in a forfeiture of between \$10-25,000, or imprisonment for up to one year, depending on the program and conduct involved. Personally identifiable information on this form is not intended to be used for any other purpose. Return form to the appropriate DNR office and bureau. See instructions on reverse for more information.

**Verification Only of Fill and Seal**

**Route to DNR Bureau:**

- Drinking Water       Watershed/Wastewater       Remediation/Redevelopment  
 Waste Management       Other: \_\_\_\_\_

**1. Well Location Information**      **2. Facility / Owner Information**

County <b>Douglas</b>		WI Unique Well # of Removed Well <b>TW1</b>		Hicap #		Facility Name <b>Bayside Forestry Equipment Inc</b>	
Latitude / Longitude (see instructions) _____ N _____ W		Format Code <input type="checkbox"/> DD <input type="checkbox"/> DDM		Method Code <input type="checkbox"/> GPS008 <input type="checkbox"/> SCR002 <input type="checkbox"/> OTH001		Facility ID (FID or PWS) <b>816104630</b>	
¼ / ¼ NW    ¼ NW or Gov't Lot #		Section <b>25</b>		Township <b>46 N</b>		Range <input type="checkbox"/> E <input checked="" type="checkbox"/> W	
Well Street Address <b>9222 East County Road L</b>				Present Well Owner <b>Bayside Forestry Equipment Inc</b>			
Well City, Village or Town <b>Town of Bennett</b>				Well ZIP Code <b>54873</b>			
Subdivision Name				Lot #		Mailing Address of Present Owner <b>9222 East County Road L</b>	
Reason for Removal from Service <b>Investigation Closed</b>				WI Unique Well # of Replacement Well			
City of Present Owner <b>Solon Springs</b>		State <b>WI</b>		ZIP Code <b>54873</b>			

**3. Filled & Sealed Well / Drillhole / Borehole Information**

Monitoring Well      Original Construction Date (mm/dd/yyyy)  
 Water Well  
 Borehole / Drillhole      If a Well Construction Report is available, please attach.

Construction Type:  
 Drilled       Driven (Sandpoint)       Dug  
 Other (specify): \_\_\_\_\_

Formation Type:  
 Unconsolidated Formation       Bedrock

Total Well Depth From Ground Surface (ft.) <b>9.5</b>	Casing Diameter (in.) <b>1</b>
Lower Drillhole Diameter (in.)	Casing Depth (ft.)

Was well annular space grouted?     Yes     No     Unknown

If yes, to what depth (feet)?      Depth to Water (feet)

**4. Pump, Liner, Screen, Casing & Sealing Material**

Pump and piping removed?     Yes     No     N/A  
 Liner(s) removed?     Yes     No     N/A  
 Liner(s) perforated?     Yes     No     N/A  
 Screen removed?     Yes     No     N/A  
 Casing left in place?     Yes     No     N/A

Was casing cut off below surface?     Yes     No     N/A  
 Did sealing material rise to surface?     Yes     No     N/A  
 Did material settle after 24 hours?     Yes     No     N/A  
     If yes, was hole retopped?     Yes     No     N/A  
 If bentonite chips were used, were they hydrated with water from a known safe source?     Yes     No     N/A

Required Method of Placing Sealing Material  
 Conductor Pipe-Gravity     Conductor Pipe-Pumped  
 Screened & Poured (Bentonite Chips)     Other (Explain): \_\_\_\_\_

Sealing Materials  
 Neat Cement Grout       Concrete  
 Sand-Cement (Concrete) Grout       Bentonite Chips

For Monitoring Wells and Monitoring Well Boreholes Only:  
 Bentonite Chips       Bentonite - Cement Grout  
 Granular Bentonite       Bentonite - Sand Slurry

**5. Material Used to Fill Well / Drillhole**

	From (ft.)	To (ft.)	No. Yards, Sacks Sealant or Volume (circle one)	Mix Ratio or Mud Weight
Bentonite Chip	Surface	9.5	3.9 Pounds	

**6. Comments**

**7. Supervision of Work**      **DNR Use Only**

Name of Person or Firm Doing Filling & Sealing <b>REI Engineering, Inc</b>		License #	Date of Filling & Sealing or Verification (mm/dd/yyyy) <b>6/12/2020</b>	Date Received	Noted By
Street or Route <b>4080 N 20th Avenue,</b>			Telephone Number <b>( 715 ) 675-9784</b>	Comments	
City <b>Wausau</b>	State <b>WI</b>	ZIP Code <b>54401</b>	Signature of Person Doing Work <i>Jake Fletcher</i>	Date Signed <b>6/12/2020</b>	



**Notice:** Completion of this report is required by chs. 160, 281, 283, 289, 291-293, 295, and 299, Wis. Stats., and chs. NR 141 and 812, Wis. Adm. Code. In accordance with chs. 281, 289, 291-293, 295, and 299, Wis. Stats., failure to file this form may result in a forfeiture of between \$10-25,000, or imprisonment for up to one year, depending on the program and conduct involved. Personally identifiable information on this form is not intended to be used for any other purpose. Return form to the appropriate DNR office and bureau. See instructions on reverse for more information.

**Verification Only of Fill and Seal**

**Route to DNR Bureau:**

- Drinking Water       Watershed/Wastewater       Remediation/Redevelopment  
 Waste Management       Other: \_\_\_\_\_

**1. Well Location Information**      **2. Facility / Owner Information**

County <b>Douglas</b>		WI Unique Well # of Removed Well <b>TW3</b>		Hicap #		Facility Name <b>Bayside Forestry Equipment Inc</b>	
Latitude / Longitude (see instructions) _____ N _____ W		Format Code <input type="checkbox"/> DD <input type="checkbox"/> DDM		Method Code <input type="checkbox"/> GPS008 <input type="checkbox"/> SCR002 <input type="checkbox"/> OTH001		Facility ID (FID or PWS) <b>816104630</b>	
¼ / ¼ NW    ¼ NW or Gov't Lot #		Section <b>25</b>		Township <b>46 N</b>		Range <input type="checkbox"/> E <input checked="" type="checkbox"/> W	
Well Street Address <b>9222 East County Road L</b>				Original Well Owner <b>Bayside Forestry Equipment Inc</b>			
Well City, Village or Town <b>Town of Bennett</b>				Well ZIP Code <b>54873</b>			
Subdivision Name				Lot #		Present Well Owner <b>Bayside Forestry Equipment Inc</b>	
Reason for Removal from Service <b>Investigation Closed</b>				WI Unique Well # of Replacement Well			
Mailing Address of Present Owner <b>9222 East County Road L</b>				City of Present Owner <b>Solon Springs</b>		State <b>WI</b>	
ZIP Code <b>54873</b>				City of Present Owner <b>Solon Springs</b>		State <b>WI</b>	

**3. Filled & Sealed Well / Drillhole / Borehole Information**      **4. Pump, Liner, Screen, Casing & Sealing Material**

<input checked="" type="checkbox"/> Monitoring Well <input type="checkbox"/> Water Well <input type="checkbox"/> Borehole / Drillhole		Original Construction Date (mm/dd/yyyy)		Pump and piping removed? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A Liner(s) removed? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A Liner(s) perforated? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A Screen removed? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A Casing left in place? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A			
Construction Type:		If a Well Construction Report is available, please attach.		Was casing cut off below surface? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A Did sealing material rise to surface? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A Did material settle after 24 hours? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A If yes, was hole retopped? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A If bentonite chips were used, were they hydrated with water from a known safe source? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A			
<input checked="" type="checkbox"/> Drilled <input type="checkbox"/> Driven (Sandpoint) <input type="checkbox"/> Dug <input type="checkbox"/> Other (specify): _____				Required Method of Placing Sealing Material <input type="checkbox"/> Conductor Pipe-Gravity <input type="checkbox"/> Conductor Pipe-Pumped <input checked="" type="checkbox"/> Screened & Poured (Bentonite Chips) <input type="checkbox"/> Other (Explain): _____			
Formation Type:				Sealing Materials <input type="checkbox"/> Neat Cement Grout <input type="checkbox"/> Concrete <input type="checkbox"/> Sand-Cement (Concrete) Grout <input type="checkbox"/> Bentonite Chips			
<input checked="" type="checkbox"/> Unconsolidated Formation <input type="checkbox"/> Bedrock				For Monitoring Wells and Monitoring Well Boreholes Only: <input checked="" type="checkbox"/> Bentonite Chips <input type="checkbox"/> Bentonite - Cement Grout <input type="checkbox"/> Granular Bentonite <input type="checkbox"/> Bentonite - Sand Slurry			
Total Well Depth From Ground Surface (ft.) <b>7.75</b>		Casing Diameter (in.) <b>1</b>					
Lower Drillhole Diameter (in.)		Casing Depth (ft.)					
Was well annular space grouted? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> Unknown							
If yes, to what depth (feet)?		Depth to Water (feet)					

**5. Material Used to Fill Well / Drillhole**

	From (ft.)	To (ft.)	No. Yards, Sacks Sealant or Volume (circle one)	Mix Ratio or Mud Weight
Bentonite Chip	Surface	7.75	3.2 Pounds	

**6. Comments**

**7. Supervision of Work**      **DNR Use Only**

Name of Person or Firm Doing Filling & Sealing <b>REI Engineering, Inc</b>			License #	Date of Filling & Sealing or Verification (mm/dd/yyyy) <b>6/12/2020</b>		Date Received	Noted By
Street or Route <b>4080 N 20th Avenue,</b>				Telephone Number <b>( 715 ) 675-9784</b>		Comments	
City <b>Wausau</b>		State <b>WI</b>	ZIP Code <b>54401</b>	Signature of Person Doing Work <i>Jake Fletcher</i>			Date Signed <b>6/12/2020</b>

**Notice:** Completion of this report is required by chs. 160, 281, 283, 289, 291-293, 295, and 299, Wis. Stats., and chs. NR 141 and 812, Wis. Adm. Code. In accordance with chs. 281, 289, 291-293, 295, and 299, Wis. Stats., failure to file this form may result in a forfeiture of between \$10-25,000, or imprisonment for up to one year, depending on the program and conduct involved. Personally identifiable information on this form is not intended to be used for any other purpose. Return form to the appropriate DNR office and bureau. See instructions on reverse for more information.

**Verification Only of Fill and Seal**

**Route to DNR Bureau:**

- Drinking Water       Watershed/Wastewater       Remediation/Redevelopment  
 Waste Management       Other: \_\_\_\_\_

**1. Well Location Information**      **2. Facility / Owner Information**

County <b>Douglas</b>	WI Unique Well # of Removed Well <b>TW4</b>	Hicap #	Facility Name <b>Bayside Forestry Equipment Inc</b>
Latitude / Longitude (see instructions) _____ N _____ W	Format Code <input type="checkbox"/> DD <input type="checkbox"/> DDM	Method Code <input type="checkbox"/> GPS008 <input type="checkbox"/> SCR002 <input type="checkbox"/> OTH001	Facility ID (FID or PWS) <b>816104630</b>
1/4 NW or Gov't Lot #	Section <b>25</b>	Township <b>46 N</b>	Range <input type="checkbox"/> E <input checked="" type="checkbox"/> W
Well Street Address <b>9222 East County Road L</b>			Original Well Owner <b>Bayside Forestry Equipment Inc</b>
Well City, Village or Town <b>Town of Bennett</b>			Present Well Owner <b>Bayside Forestry Equipment Inc</b>
Subdivision Name			Well ZIP Code <b>54873</b>
Reason for Removal from Service <b>Investigation Closed</b>			Mailing Address of Present Owner <b>9222 East County Road L</b>
WI Unique Well # of Replacement Well			City of Present Owner <b>Solon Springs</b>
Original Construction Date (mm/dd/yyyy)			State <b>WI</b>
If a Well Construction Report is available, please attach.			ZIP Code <b>54873</b>

**3. Filled & Sealed Well / Drillhole / Borehole Information**      **4. Pump, Liner, Screen, Casing & Sealing Material**

<input checked="" type="checkbox"/> Monitoring Well	Original Construction Date (mm/dd/yyyy)	Pump and piping removed?	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A
<input type="checkbox"/> Water Well		Liner(s) removed?	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A
<input type="checkbox"/> Borehole / Drillhole		Liner(s) perforated?	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A
Construction Type:		Screen removed?	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A
<input checked="" type="checkbox"/> Drilled	<input type="checkbox"/> Driven (Sandpoint)	Casing left in place?	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A
<input type="checkbox"/> Other (specify): _____		Was casing cut off below surface?	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A
Formation Type:		Did sealing material rise to surface?	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A
<input checked="" type="checkbox"/> Unconsolidated Formation	<input type="checkbox"/> Bedrock	Did material settle after 24 hours?	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A
Total Well Depth From Ground Surface (ft.) <b>7</b>	Casing Diameter (in.) <b>1</b>	If yes, was hole retopped?	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A
Lower Drillhole Diameter (in.)	Casing Depth (ft.)	If bentonite chips were used, were they hydrated with water from a known safe source?	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A
Was well annular space grouted?	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> Unknown	Required Method of Placing Sealing Material	<input type="checkbox"/> Conductor Pipe-Gravity <input type="checkbox"/> Conductor Pipe-Pumped
If yes, to what depth (feet)?	Depth to Water (feet)	<input checked="" type="checkbox"/> Screened & Poured (Bentonite Chips)	<input type="checkbox"/> Other (Explain): _____
		Sealing Materials	<input type="checkbox"/> Neat Cement Grout <input type="checkbox"/> Concrete
		<input type="checkbox"/> Sand-Cement (Concrete) Grout	<input type="checkbox"/> Bentonite Chips
		For Monitoring Wells and Monitoring Well Boreholes Only:	<input checked="" type="checkbox"/> Bentonite Chips <input type="checkbox"/> Bentonite - Cement Grout
		<input type="checkbox"/> Granular Bentonite	<input type="checkbox"/> Bentonite - Sand Slurry

5. Material Used to Fill Well / Drillhole	From (ft.)	To (ft.)	No. Yards, Sacks Sealant or Volume (circle one)	Mix Ratio or Mud Weight
Bentonite Chip	Surface	7.0	2.9 Pounds	

**6. Comments**

**7. Supervision of Work**      **DNR Use Only**

Name of Person or Firm Doing Filling & Sealing <b>REI Engineering, Inc</b>	License #	Date of Filling & Sealing or Verification (mm/dd/yyyy) <b>6/12/2020</b>	Date Received	Noted By
Street or Route <b>4080 N 20th Avenue,</b>		Telephone Number <b>( 715 ) 675-9784</b>	Comments	
City <b>Wausau</b>	State <b>WI</b>	ZIP Code <b>54401</b>	Signature of Person Doing Work <i>Jake Fletcher</i>	Date Signed <b>6/12/2020</b>

