

The following site is being submitted for inclusion into the GIS registry:

This is a:	New Submittal
BRRTS ID (no dashes):	0334001099
Comm # (no dashes):	54409195702
County:	Langlade
Region:	Commerce
Site name:	Fermanich Bulk Plant Property
Street Address:	802 Edison St
City:	Antigo
Closure Date	2000-10-03
Closure Conditions:	met
Offsite contamination?	No
Right-of-way contamination?	No
Contaminated media:	Groundwater
GPS Coordinates (meters in the WTM91 projection)	
Easting (X):	586339.31882
Northing (Y):	519231.06135
Submitted by:	Cheryl Nelson

Checklist

- Final Closure Letter
- Copy of recorded deed Instrument for any property with GW >NR140 ES
- General Location Map
- Detailed Location Map showing property boundaries, buildings, etc for properties with GW >NR140 ES
- Latest Map(s) showing extent or outline of current GW plume
- GW flow direction
- MW(s) and/or potable wells
- Latest Table of GW results



October 3, 2000

Mr. Dave Myszka
PO Box 239
Wausau WI 54402-0239

RE: CASE CLOSURE **Approved**
COMMERCE #54409-1957-02-A
Fermanich Bulk Plant Property, 802 Edison Street, Antigo, WI

Dear Mr. Myszka;

The Department is receipt of documentation that the conditions necessary for site closure detailed in the *CASE CLOSURE CONDITIONAL UPON RECEIPT OF DOCUMENTATION* letter dated May 25, 2000 have been met. The Department considers that no further action is necessary and has updated our database to reflect this closure.

Thank you for your efforts in restoring Wisconsin's environment. If you have any additional questions, please call the number listed below.

Sincerely,

A handwritten signature in cursive script that reads 'Dee Zoellner'.

Dee Zoellner
Site Reviewer
Bureau of PECFA
Phone 715-342-3802

cc. Matt Giovanelli - Envirogen

Anyone who proposes to construct or reconstruct a well on this property is required to contact the Department of Natural Resources' Bureau of Drinking Water and Groundwater, or its successor agency, to determine what specific requirements are applicable, prior to constructing or reconstructing a well on this property. No well may be constructed or reconstructed on this property unless applicable requirements are met.

Any person who is or becomes owner of the property described above may request that the Wisconsin Department of Natural Resources or its successor issue a determination that the restrictions set forth in this covenant are no longer required. That property owner shall provide any and all necessary information to the Department in order for the Department to be able to make a determination. Upon receipt of such a request, the Department shall determine whether or not the restrictions contained herein can be extinguished. Conditions under which a restriction may be extinguished will be determined in accordance with the site specific standards, rules and laws for this property. If the Department determines that the restrictions can be extinguished, an affidavit, with a copy of the Department's written determination, may be recorded to give notice that this restriction, or portions of this restriction are no longer binding. Any restriction placed upon this property shall not be extinguished without the Department's written determination.

IN WITNESS WHEREOF, the owner of the property has executed this Declaration of Restrictions, this 26TH day of JULY, 2000.

By signing this document, DAVID M. MYSZKA asserts that he/she is duly authorized to sign this document on behalf of Riiser Energy.

Signature: David M. Myszka


Printed Name: DAVID M. MYSZKA

Title: SEC./TREAS


Subscribed and sworn to before me this 26th day of July, 2000.

[Signature]
Notary Public, State of WI
My commission 4-20-2003


This document was drafted by Riiser Energy.



SCALE 1:24 000



CONTOUR INTERVAL 10 FEET
 DOTTED LINES REPRESENT 5-FOOT CONTOURS
 NATIONAL GEODETIC VERTICAL DATUM OF 1929



UTM GRID AND 1973 MAGNETIC NORTH
 DECLINATION AT CENTER OF SHEET

ANTIGO, WIS.

N4507.5—W8907.5/7.5




1973


FERMANICH FUEL COMPANY, INC.
 802 EDISON STREET
 ANTIGO, WISCONSIN

FIGURE 1 : SITE VICINITY MAP

PROJECT NO.	DATE:
#1766	5/9/2000
DRAWN BY:	TAW


LEGEND

-  MONITORING WELL
-  ELEVATION IN FEET ABOVE MSL
-  ISOELEVATION CONTOUR



DATE	ENGINEER	DATE	ENGINEER	REVISIONS:	APPROVED BY:	CHECKED BY:	10/15/99	RRT	DRAWN BY:	94.287L3	DRAWING NO.
					<i>[Signature]</i>						

ENVIROGEN
 COST EFFECTIVE LEADERSHIP FOR A CLEANER ENVIRONMENT
 2835 North Grandview Blvd.
 Pewaukee, Wisconsin 53072-0090



POTENTIOMETRIC SURFACE (6/18/98)	FIGURE NO.
FERMANICH FUEL CO., INC. SITE ANTIGO, WISCONSIN	3

Groundwater Elevations
Fermanich Fuel Co., Inc. Site
Antigo, Wisconsin

Date	MW-1		MW-2		MW-3		MW-4		MW-5		MW-6		MW-7	
	Depth [ft]	Ground- Water Elevation	Depth [ft]	Ground- Water Elevation	Depth [ft]	Ground- Water Elevation	Depth [ft]	Ground- Water Elevation	Depth [ft]	Ground- Water Elevation	Depth [ft]	Ground- Water Elevation	Depth [ft]	Ground- Water Elevation
7/9/96	15.02	1,485.75	15.10	1,485.35	13.58	1,485.44	13.49	1,485.22	14.83	1,484.23	14.12	1,484.94	15.04	1,484.34
8/8/96	15.21	1,485.56	15.37	1,485.08	14.03	1,484.99	13.68	1,485.03	14.98	1,484.08	14.23	1,484.83	15.14	1,484.24
9/12/96	15.68	1,485.09	15.92	1,484.53	14.65	1,484.37	14.23	1,484.48	15.45	1,483.61	14.73	1,484.33	15.57	1,483.81
10/02/96	15.86	1,484.91	16.00	1,484.45	14.75	1,484.27	14.35	1,484.36	15.67	1,483.39	14.94	1,484.12	15.75	1,483.63
11/15/96	15.97	1,484.80	16.15	1,484.30	14.98	1,484.04	14.49	1,484.22	15.76	1,483.30	15.03	1,484.03	15.84	1,483.54
1/14/97	NA	NA	16.35	1,484.10	15.10	1,438.92	14.60	1,484.11	15.92	1,483.14	15.16	1,483.90	15.99	1,483.39
3/12/97	16.38	1,484.39	16.64	1,483.81	15.30	1,483.72	NA	NA	16.21	1,482.85	15.45	1,483.61	16.32	1,483.06
05/20/97	15.4	1,485.37	15.47	1,484.98	13.87	1,485.15	13.86	1,484.85	15.14	1,483.92	14.41	1,484.65	15.31	1,484.07
06/24/97	15.64	1,485.13	DRY	DRY	14.65	1,484.37	14.20	1,484.51	15.42	1,483.64	14.62	1,484.44	15.48	1,483.9
09/03/97	16.02	1,484.75	16.26	1,484.19	14.98	1,484.04	15.54	1,483.17	15.78	1,483.28	15.1	1,483.96	15.88	1,483.5
10/27/97	15.95	1,484.82	16.19	1,484.26	14.78	1,484.24	14.47	1,484.24	15.71	1,483.35	14.98	1,484.08	15.85	1,483.53
06/18/98	16.11	1,484.66	16.33	1,484.12	14.95	1,484.07	14.65	1,484.06	15.84	1,483.22	15.11	1,483.95	16.00	1,483.38
09/21/98	16.75	1,484.02	DRY	DRY	15.3	1,483.72	15.30	1,483.41	16.48	1,482.58	15.76	1,483.3	18.57	1,480.81
12/09/98	16.87	1,483.9	DRY	DRT	15.71	1,483.31	15.40	1,483.31	16.59	1,482.47	15.87	1,483.19	16.71	1,482.67

(Continued)

Notes:

All elevations in feet above mean sea level

DNE: Did not exist

NA: Not available

TOC: Top of casing

Checked by:

Approved by:

Groundwater Elevations
Fermanich Fuel Co., Inc. Site
Antigo, Wisconsin

TABLE 3

Date	MW-1		MW-2		MW-3		MW-4		MW-5		MW-6		MW-11	
	TOC Elev. (feet)	Ground-water Elevation	TOC Elev. (feet)	Ground-water Elevation	TOC Elev. (feet)	Ground-water Elevation	TOC Elev. (feet)	Ground-water Elevation	TOC Elev. (feet)	Ground-water Elevation	TOC Elev. (feet)	Ground-water Elevation	TOC Elev. (feet)	Ground-water Elevation
11/18/94	15.02	1,481.06	19.78	1,480.67	19.76	1,479.26	19.70	1,479.01	19.64	1,479.42	DNE	NA	DNE	NA
4/12/95	15.21	1,483.26	17.18	1,483.27	15.89	1,483.13	15.46	1,483.25	16.72	1,482.34	16.01	1,483.05	16.80	1,482.58
6/2/95	15.68	1,483.77	16.75	1,483.70	15.50	1,483.52	15.00	1,483.71	16.30	1,482.76	15.57	1,483.49	16.40	1,482.98
7/27/95	15.86	1,483.48	16.97	1,483.48	15.93	1,483.09	15.27	1,483.44	16.52	1,482.54	15.82	1,483.24	16.61	1,482.77
10/19/95	15.97	1,485.10	15.80	1,484.65	14.52	1,484.50	14.17	1,484.54	15.46	1,483.60	14.73	1,484.33	15.60	1,483.78
2/12/96	NA	1,484.16	16.80	1,483.65	15.76	1,483.26	15.15	1,483.56	16.39	1,482.67	15.66	1,483.40	16.42	1,482.96
3/4/96	16.38	1,484.05	16.91	1,483.54	15.60	1,483.42	15.24	1,483.47	16.46	1,482.60	15.76	1,483.30	16.59	1,482.79
3/28/96	15.4	1,483.59	17.22	1,483.23	NA	NA	15.57	1,483.14	NA	NA	16.43	1,482.63	NA	NA
4/18/96	15.64	1,484.56	16.44	1,484.01	15.35	1,483.67	14.72	1,483.99	16.50	1,482.56	15.36	1,483.70	16.13	1,483.25
4/24/96	16.02	1,485.02	16.00	1,484.45	14.86	1,484.16	14.35	1,484.36	15.62	1,483.44	14.89	1,484.17	15.72	1,483.66
5/1/96	15.59	1,485.18	15.66	1,484.79	NA	NA	14.09	1,484.62	15.25	1,483.81	15.56	1,483.50	15.44	1,483.94
5/15/96	15.25	1,485.52	15.44	1,485.01	14.37	1,484.65	13.80	1,484.91	15.05	1,484.01	14.32	1,484.74	15.15	1,484.23
5/24/96	15.25	1,485.52	15.40	1,485.05	15.91	1,483.11	13.78	1,484.93	15.03	1,484.03	14.32	1,484.74	15.15	1,484.23

(Continued)

Notes:
 All elevations in feet above mean sea level
 DNE: Did not exist
 NA: Not available
 TOC: Top of casing

Checked by:
 Approved by:


TABLE 1


Monitoring Well Analytical Results
 Fermanich Fuel Company
 Antigo, Wisconsin

Monitoring Well	Date Sampled	Benzene	Ethylbenzene	Toluene	Xylene	MTBE	Naphthalene
MW-1	11/15/96	<0.50	<1.0	<1.0	<3.0	<1.0	NA
	3/12/97	<0.13	<0.22	<0.20	<0.23	<3.0	<0.46
	6/24/97	<0.13	<0.22	<0.20	0.23	<0.16	<0.46
	10/27/97	<0.13	<0.22	<0.20	<0.23	<0.16	0.70
	4/8/98	0.29	<0.16	0.57	<0.29	<0.16	<1.1
	6/18/98	<0.13	<0.22	<0.20	<0.23	<0.16	2.8
	9/21/98	<0.13	<0.22	<0.20	<0.23	<0.16	<0.46
	12/9/98	<0.31	<0.38	<0.39	<1.1	<0.14	<0.35
MW-2	11/15/96	<1.0	<1.0	<1.0	<3.0	<1.0	NA
	3/12/97	<0.13	<0.22	<0.20	<0.23	0.42	<0.46
	6/24/97	NS	NS	NS	NS	NS	NS
	10/27/97	0.69	<0.22	0.35	<0.23	<0.16	0.62
	4/8/98	NS	NS	NS	NS	NS	NS
	6/18/98	NS	NS	NS	NS	NS	NS
	9/21/98	NS	NS	NS	NS	NS	NS
	12/9/98	NS	NS	NS	NS	NS	NS
MW-3	11/15/96	<0.50	<1.0	<1.0	<3.0	<1.0	NA
	3/12/97	0.61	11	5.8	70	<0.10	2.9
	6/24/97	1.9	250	64	1,200	<0.32	42
	10/27/97	0.95	190	32	870	<0.32	43
	4/8/98	<3.7	400	60	1,800	<3.2	130
	6/18/98	<2.6	760	120	3,600	<3.2	130
	9/21/98	<0.65	310	49	1,500	8.9	84
	12/9/98	<3.1	460	75	2,400	<1.4	98
NR 140 Enforcement Standard		5	700	343	620	60	40
NR 140 Preventive Action Limit		0.5	140	68.0	124	12	8

(Continued)

Notes: All results reported as $\mu\text{g/l}$

 Dark shading indicates value equals or exceeds the NR 140 enforcement standard

 Light shading indicates value equals or exceeds the NR 140 preventive action limit

MTBE: Methyl t-butyl ether

NS: Not sampled

NA: Not analyzed

Checked by:

Approved by:

TABLE 1
(Continued)


Monitoring Well Analytical Results
Fermanich Fuel Company
Antigo, Wisconsin


Monitoring Well	Date Sampled	Benzene	Ethylbenzene	Toluene	Xylene	MTBE	o-p-xylene
MW-4	11/15/96	0.89	1.7	<1.0	<3.0	<1.0	NA
	3/12/97	NS	NS	NS	NS	NS	NS
	6/24/97	0.13	0.55	<0.20	<0.23	<0.16	<0.46
	10/27/97	2.3	2.1	0.53	0.84	<0.16	2.5
	4/8/98	6.2	2.0	0.65	1.1	<0.16	1.6
	6/18/98	6.0	15	<1.0	2.4	<0.16	2.5
	9/21/98	2.9	0.29	0.61	12	<0.62	5.8
	12/9/98	2.6	4.4	0.42	<1.1	<0.14	1.2
MW-5	11/15/96	<0.50	<1.0	<1.0	<3.0	<1.0	NA
	3/12/97	3.5	0.27	<2.0	<0.23	2.3	<0.46
	6/24/97	1.1	<0.22	<0.20	<0.23	<0.16	<0.46
	10/27/97	1.5	<0.22	<0.20	<0.23	<0.16	<0.46
	4/8/98	1.0	0.35	<0.20	0.25	<0.16	<1.1
	6/18/98	1.9	0.30	<0.20	<0.23	<0.16	<1.1
	9/21/98	1.2	<0.22	<0.20	<0.23	<0.16	<0.46
	12/9/98	<0.31	<0.38	<0.39	<1.1	<0.14	<0.35
NR 140 Enforcement Standard		5	700	343	620	60	40
NR 140 Preventive Action Limit		0.5	140	68.0	124	12	8

(Continued)

Notes:

All results reported as $\mu\text{g/l}$

 Dark shading indicates value equals or exceeds the NR 140 enforcement standard

 Light shading indicates value equals or exceeds the NR 140 preventive action limit

MTBE: Methyl t-butyl ether

NS: Not sampled

NA: Not analyzed

Checked by:
Approved by:


TABLE 1
(Continued)


Monitoring Well Analytical Results
Fermanich Fuel Company
Antigo, Wisconsin

Monitoring Well	Date Sampled	Benzene	Ethylbenzene	Toluene	Xylene	MTBE	Chloroform
MW-10	11/15/96	16	2.8	<1.0	<3.0	<1.0	1.2
	3/12/97	0.14	0.27	<0.20	<0.23	2.3	<0.46
	6/24/97	0.51	<0.22	<0.20	<0.23	<0.16	<0.46
	10/27/97	5.5	1.4	0.25	0.50	<0.16	<0.46
	4/8/98	39	100	23	38	<1.4	53
	6/18/98	16	13	<1.3	1.9	<0.16	3.3
	9/21/98	3.5	4.2	0.26	0.41	<0.16	<0.46
	12/9/98	2.3	1.9	0.41	1.8	<0.14	<0.35
MW-11	11/15/96	0.83	<1.0	<1.0	<3.0	<1.0	<1.0
	3/12/97	1.4	<0.22	<0.20	<0.40	1.0	<0.46
	6/24/97	<0.13	<0.22	<0.20	<0.23	<0.16	1.2
	10/27/97	0.38	<0.22	<0.20	<0.23	<0.16	0.90
	4/8/98	<2.1	0.22	<0.20	0.60	<0.16	2.8
	6/18/98	27	19	<1.3	40	<0.18	6.6
	9/21/98	2.1	<0.22	<0.20	<0.23	<0.16	<0.46
	12/9/98	0.84	<0.38	<0.39	<1.1	<0.32	<0.33
NR 140 Enforcement Standard		5	700	343	620	60	40
NR 140 Preventive Action Limit		0.5	140	68.0	124	12	8

Notes:

All results reported as $\mu\text{g/l}$

 Dark shading indicates value equals or exceeds the NR 140 enforcement standard

 Light shading indicates value equals or exceeds the NR 140 preventive action limit

MTBE: Methyl t-butyl ether

NS: Not sampled

NA: Not analyzed

Checked by:
Approved by: