



RECEIVED

DEC 15 2014

DNR R & R

SOUTH CENTRAL REGION

709 Gillette St., Ste #3 ♦ La Crosse, WI 54603 ♦ 1-800-552-2932 ♦ Fax (608) 781-8893 Email: snad@metcohq.com www.metcohq.com

December 10, 2014

BRRTS #: 03-25-001108

PECFA #: 53533-9999-05

Denise Nettesheim
3911 Fish Hatchery Road
Fitchburg, WI, 53711

Subject: Terry's Kerr McGee – Summary Report

Dear Mrs. Nettesheim,

Enclosed is the summary report for the Terry's Kerr McGee (Terry's Towing) site located in Dodgeville, Wisconsin. This completes the Public Bidding Deferred workscope approved on 6/19/12 and modified on 6/14/13 and 7/31/13.

Hand Sampling Project

On September 7, 2012, METCO personnel collected one hand sample (HS-1) from 3 feet bgs for laboratory analysis (TCLP Lead).

Soil Excavation Project

On June 18-20, 2013, DKS Construction Services, Inc. of Menomonie, Wisconsin conducted a soil excavation project at the subject property under the supervision and direction of METCO personnel. During this project, 1792.16 tons of contaminated soil was excavated and hauled to the Advanced Disposal – Mallard Ridge Landfill in Delavan, Wisconsin for disposal. The excavation consisted of an irregular shaped area measuring up to 107 feet long, 46 feet wide, and ranged from 10 to 12.5 feet below ground surface (bgs), where dolomite bedrock was encountered.

Eighteen soil samples were collected from the sidewalls of the excavation for laboratory analysis (PVOC, Naphthalene, and Lead). Nine sidewall samples were collected at three feet bg and nine sidewall samples were collected at seven feet bgs. Two bottom samples were collected, one each at 10 and 12.5 feet, and submitted for PVOC, Naphthalene, and Lead analysis. Monitoring wells MW-1 and MW-2 were properly abandoned and removed during the excavation project.

Drilling Project

On December 16-17, 2013, Ground Source Inc., of Depere, Wisconsin, installed two replacement monitoring wells (MW-1R and MW-2R) under supervision and direction of METCO personnel. Both MW-1R and MW-2R were drilled using a Hollow Stem Auger and Air Rotary methods, and installed to fourteen feet bgs.

Groundwater Monitoring

On January 13, 2014, METCO personnel collected groundwater samples from six monitoring wells (MW-1R, -2R, -3, -4, -5, and -6) for VOC (EPA 8260) and PAH (MW-2R only) analysis. Field measurements for water level, Dissolved Oxygen, pH, ORP, temperature, and Specific Conductivity were collected from all site monitoring wells. Monitoring wells MW-1R and MW-2R were also surveyed to MSL during the groundwater monitoring event.

On April 16, 2014, METCO personnel collected groundwater samples from six monitoring wells (MW-1R, -2R, -3, -4, -5, and -6) for VOC (EPA 8260), Dissolved Lead, and PAH (MW-2R only) analysis. Field measurements for water level, Dissolved Oxygen, pH, ORP, temperature, and Specific Conductivity were collected from all site monitoring wells.

On July 15, 2014, METCO personnel collected groundwater samples from six monitoring wells (MW-1R, -2R, -3, -4, -5, and -6) for VOC (EPA 8260), and PAH (MW-2R only) analysis. Field measurements for water level, Dissolved Oxygen, pH, ORP, temperature, and Specific Conductivity were collected from all site monitoring wells.

On October 15, 2014, METCO personnel collected groundwater samples from six monitoring wells (MW-1R, -2R, -3, -4, -5, and -6) for VOC (EPA 8260), and PAH (MW-2R only) analysis. Field measurements for water level, Dissolved Oxygen, pH, ORP, temperature, and Specific Conductivity were collected from all site monitoring wells.

Waste Disposal

On June 3, 2014, DKS Transport Services, LLC of Menomonie, Wisconsin transported and properly disposed of three drums of soil cuttings and one drum of purge water at the Advanced Disposal - Seven Mile Creek Landfill in Eau Claire, Wisconsin.

Discussion of Soil Results

All of the soil samples collected from the sidewalls and base of the soil excavation exceeded the NR720 Groundwater RCLs for Lead. There were Non-Industrial Direct Contact RCL exceedances for Lead in soil samples EX-1, -3, -5, -8, -13, -15, -17, and -19. However, it should be noted that natural occurrences of Lead are common in the Dodgeville area. Groundwater RCL exceedances for PVOCS and Naphthalene were found in EX-5, -6, -7, -8, -9, -10, -11, -12, -13, -14, -15, -16, -17, -18, -19, and -20. There was a Soil Saturation Concentration (C-Sat) exceedance found in EX-14 (341 ppm Xylene).

Discussion of Groundwater Results

Monitoring well MW-1R currently shows an NR140 Enforcement Standard (ES) exceedance for Benzene (15.2 ppb) and an NR140 Preventative Action Limit (PAL) exceedance for Trimethylbenzenes (94-108 ppb). The contaminant concentrations appear to be decreasing.

Monitoring well MW-2R currently shows an NR140 ES exceedance for Benzene (16.1 ppb), and NR 140 PAL exceedances for Benzo(a)pyrene (0.032 ppb), Benzo(b)fluoranthene (0.05 ppb), and Chrysene (0.049 ppb). The contaminant concentrations appear to be decreasing.

Monitoring well MW-3 currently shows NR140 ES exceedances for Tetrachloroethene (13.4 ppb) and Trichloroethene (5.3 ppb), and an NR140 PAL exceedance for cis-1,2-Dichloroethene (21 ppb). The contaminant concentrations appear to be stable with a slight increase in Tetrachloroethene.

Monitoring well MW-4 currently shows an NR140 PAL exceedance for Tetrachloroethene (0.69 ppb). The contaminant concentrations appear to be decreasing.

Monitoring well MW-5 continues to show no detects for any contaminants of concern.

Monitoring well MW-6 currently shows an NR140 ES exceedances for Tetrachloroethene (6 ppb) and NR140 PAL exceedances for cis-1,2-Dichloroethene (12.5 ppb) and Trichloroethene (1.88 ppb). The contaminant concentrations appear to be stable to decreasing.

Conclusion/Recommendation

Soil

The majority of accessible petroleum impacted soil has been removed via excavation. However, elevated levels do remain at depth along the street and on-site building based on sidewall confirmation samples, which were areas that could not be excavated. The excavation depth ranged from 10-12.5 feet bgs where weathered dolomite was encountered.

Groundwater

Based on the four post-excavation groundwater sampling events, contaminant levels have decreased significantly in the source area (MW-1R and MW-2R). Low level exceedances for chlorinated compounds still remain in monitoring wells MW-3 and MW-6.

METCO recommends that this site be reviewed for the possibility of closure for the following reasons: 1) The extent and degree of petroleum contamination in soil and groundwater has been adequately defined. 2) The majority of the accessible impacted soil has been removed. 3) Post-excavation groundwater monitoring shows a significant decrease in contaminant levels in the source areas. 4) The nearest municipal well is located approximately 3,100 feet to the southwest of the subject property. 5) The risk of vapor intrusion appears minimal due to the results of shallow confirmation samples EX-1 and EX-10 collected along the building and the lack of chlorinated compounds in MW-1R and MW-2R. If the state concurs, please contact METCO to discuss workscope and budget to complete the closure request.

However, if the state determines that additional groundwater monitoring and/or if vapor sampling will be required prior to closure, please contact METCO to discuss additional workscope and budget.

A Site Layout Map, Soil Excavation Map, Groundwater Flow Maps, Post-Remedial Soil Contamination Map, Groundwater Isoconcentration Map, Data Tables, Drilling Documents, Waste Disposal Documents, and Laboratory Documents have been attached.

If you have any questions or comments please feel free to call (608-781-8879) or email at jasonp@metcohq.com.

Sincerely,



Jason T. Powell
Staff Scientist

Attachments

c: Terry Bystol - Client

- ==== = OVERHEAD LINES
- - - = SANITARY SEWER LINE
- - - = STORM SEWER LINE
- - - = WATER LINE
- - - = PHONE LINE
- - - = NATURAL GAS LINE
- = PHASE II ENVIRONMENTAL ASSESSMENT BORING LOCATION (DOT)
- = GEOPROBE BORING LOCATION
- ◐ = MONITORING WELL LOCATION
- ◑ = ABANDONED MONITORING WELL LOCATION


B.I.b DETAILED SITE MAP

TERRY'S KERR MCGEE
(TERRY'S TOWING)



1421 State Road 16
La Crosse, WI 54601
Tel: (608) 781-8879
Fax: (608) 781-8893

DODGEVILLE,
WISCONSIN
DRAWN BY: ED/JP
DATE: 1/5/10
Revised on 7/1/13




NOTE: INFORMATION BASED ON AVAILABLE
DATA. ACTUAL CONDITIONS MAY DIFFER


- PROPERTY BOUNDARY

SCALE:
1 INCH - 30 FEET

0 15 30




= OVERHEAD LINES
 - SANITARY SEWER LINE
 - STORM SEWER LINE
 - WATER LINE
 - PHONE LINE
 - NATURAL GAS LINE
 □ = PHASE II ENVIRONMENTAL ASSESSMENT BORING LOCATION (DOT)
 ● = GEOPROBE BORING LOCATION
 ○ = MONITORING WELL LOCATION




NOTE: INFORMATION BASED ON AVAILABLE
DATA. ACTUAL CONDITIONS MAY DIFFER

- - - PROPERTY BOUNDARY

SCALE:
1 INCH - 30 FEET
0 15 30




- ==== = OVERHEAD LINES
- = SANITARY SEWER LINE
- = STORM SEWER LINE
- = WATER LINE
- = PHONE LINE
- = NATURAL GAS LINE
- = PHASE II ENVIRONMENTAL ASSESSMENT BORING LOCATION (DOT)
- = GEOFROBE BORING LOCATION
- = MONITORING WELL LOCATION




NOTE: INFORMATION BASED ON AVAILABLE
DATA. ACTUAL CONDITIONS MAY DIFFER

- PROPERTY BOUNDARY

SCALE:
1 INCH - 30 FEET
0 15 30




- ===== = OVERHEAD LINES
- - - - = SANITARY SEWER LINE
- - - - = STORM SEWER LINE
- - - - = WATER LINE
- - - - = PHONE LINE
- - - - = NATURAL GAS LINE
- = PHASE II ENVIRONMENTAL ASSESSMENT BORING LOCATION (DOT)
- = GEOPROBE BORING LOCATION
- ◐ = MONITORING WELL LOCATION



NOTE: INFORMATION BASED ON AVAILABLE DATA. ACTUAL CONDITIONS MAY DIFFER

- - - - - = PROPERTY BOUNDARY

SCALE:
1 INCH - 30 FEET
0 15 30



- ☰ = OVERHEAD LINES
- - - - - = SANITARY SEWER LINE
- - - - - = STORM SEWER LINE
- - - - - = WATER LINE
- = PHONE LINE
- - - - - = NATURAL GAS LINE
- = PHASE II ENVIRONMENTAL ASSESSMENT BORING LOCATION (DOT)
- = GEOPROBE BORING LOCATION
- ◐ = MONITORING WELL LOCATION


GROUNDWATER FLOW MAP. OCTOBER 15. 2014

TERRY'S KERR MCGEE (TERRY'S TOWING)


NOTE: INFORMATION BASED ON AVAILABLE DATA. ACTUAL CONDITIONS MAY DIFFER

— - PROPERTY BOUNDARY

SCALE:
1 INCH - 30 FEET




= OVERHEAD LINES
 = SANITARY SEWER LINE
 = STORM SEWER LINE
 = WATER LINE
 = PHONE LINE
 = NATURAL GAS LINE
 ■ = PHASE II ENVIRONMENTAL ASSESSMENT BORING LOCATION (DOT)
 • = GEOPROBE BORING LOCATION
 ● = MONITORING WELL LOCATION



NOTE: INFORMATION BASED ON AVAILABLE DATA. ACTUAL CONDITIONS MAY DIFFER

— = PROPERTY BOUNDARY

SCALE:
1 INCH - 30 FEET
0 15 30



A.2. Pre-remedial Soil Analytical Table
Terry's Towing BRRTS# 03-25-001108

Sample ID	Date	Depth (feet)	PID	Lead (ppm)	Cadmium (ppm)	DRO (ppm)	GRO (ppm)	Benzene (ppm)	Ethyl Benzene (ppm)	MTBE (ppm)	Naphthalene (ppm)	Toluene (ppm)	1,2,4-Trimethylbenzene (ppm)	1,3,5-Trimethylbenzene (ppm)	Xylene (Total) (ppm)	PVOC & PAH COMBINED								
																Individual Exceedance Count	Hazard Index	Cumulative Cancer Risk						
G-1-1	04/12/10	3.5	0	230	NS	NS	267	1.17	2.19	<0.025	9.8	1.9	16.7	8.8	20.3	1	8.59E01	3.0E-06						
G-1-2	04/12/10	8	10	NS	NS	NS	24	0.510	0.750	<0.025	0.530	3.08	2.19	0.950	5.3									
G-1-3	04/12/10	12	150	NS	NS	NS	360	<0.250	4.6	<0.250	3.06	2.98	26	3.4	11.4									
G-2-1	04/12/10	3.5	0	95.3	NS	NS	<10	0.048	0.0273	<0.025	0.054	0.093	0.085	<0.025	0.154									
G-2-2	04/12/10	8	200	26.2	NS	NS	305	0.740	5.3	<0.270	4.7	2.42	18.2	3.13	13.9									
G-2-3	04/12/10	12	140	NS	NS	NS	500	10.3	15.3	1.15	14	31.6	43	9.8	65.3									
G-3-1	04/12/10	3.5	0	359	2.6	<10	NS	0.049	<0.025	<0.025	<0.0162	0.072	0.041	<0.025	0.071-0.096	0	8.99E-01	8.1E-07						
G-3-2	04/12/10	8	40	NS	NS	NS	849	NS	2.37	3.2	<0.250	5	6.3	11	3.3	17								
G-3-3	04/12/10	12	140	NS	NS	NS	1720	NS	2.31	4.5	<0.250	7.2	8.7	16	3.8	21								
G-3-4	04/12/10	16	20	NS	NS	NS	327	NS	0.122	0.360	<0.025	0.860	0.510	1.56	0.390	1.51								
G-4-1	04/12/10	3.5	0	224	NS	NS	29	0.247	0.192	<0.025	0.086	0.211	0.173	0.106	0.648	0	5.56E-03	2.1E-07						
G-4-2	04/12/10	7.5	100	NS	NS	NS	167	<0.025	0.950	<0.025	4.6	0.092	18.3	2.44	4.589									
G-4-3	04/12/10	11.5	0	NS	NS	NS	<10	0.047	<0.025	<0.025	<0.025	0.045	0.123	0.046	0.103-0.128									
G-5-1	04/12/10	3.5	0	1630	NS	NS	27	0.191	0.216	<0.025	<0.025	0.118	0.540	0.185	0.662	1	4.08E+00	1.5E-07						
G-5-2	04/12/10	8	200	NS	NS	NS	1270	1.99	23.1	<0.250	10.6	1.53	78	27.2	71.7	1	1.04E+00	5.8E-09						
G-5-3	04/12/10	12	5	NS	NS	NS	<10	<0.025	0.040	<0.025	<0.025	0.044	0.038	<0.025	<0.075									
G-6-1	04/12/10	0-4																						
G-6-2	04/12/10	4-8																						
G-6-3	04/12/10	12	200	NS	NS	NS	580	0.680	6.8	<0.0250	2.69	3.06	14.5	3.3	13.6									
G-7-1	04/12/10	3.5	0																					
G-7-2	04/12/10	8	80	NS	NS	NS	75	0.263	0.170	<0.025	0.261	0.0272	2.86	0.670	1.21									
G-7-3	04/12/10	10.5	0																					
G-8-1	04/12/10	3.5	0																					
G-8-2	04/12/10	8	15	NS	NS	NS	21	<0.025	0.107	<0.025	0.105	0.047	0.242	0.097	0.121-0.171									
G-8-3	04/12/10	8-12																						
G-9-1	04/12/10	3.5	0																					
G-9-2	04/12/10	7.5	0	NS	NS	NS	<10	<0.025	<0.025	<0.025	<0.025	<0.025	<0.025	<0.025	<0.025	<0.075								
G-9-3	04/12/10	11	0																					
G-10-1	04/12/10	3.5	0																					
G-10-2	04/12/10	7.5	0	NS	NS	NS	930	<0.025	0.500	<0.025	<0.025	0.0307	33	3.3	0.091-0.116									
G-10-3	04/12/10	10	0																					
G-11-1	04/12/10	3.5	0																					
G-11-2	04/12/10	7.5	0	NS	NS	NS	<10	<0.025	<0.025	<0.025	<0.025	<0.025	<0.025	<0.025	<0.025	<0.075								
G-11-3	04/12/10	12	0																					
G-12-1	04/12/10	3.5	0																					
G-12-2	04/12/10	8	0	NS	NS	NS	<10	<0.025	<0.025	<0.025	<0.025	<0.025	<0.025	<0.025	<0.025	<0.075								
G-12-3	04/12/10	12	0																					
MW-1-1	09/15/10	2-4	5																					
MW-1-2	09/15/10	4.5-6.5	200																					
MW-1-3	09/15/10	7-9	100																					
MW-1-4	09/15/10	14	50																					
MW-2-1	09/15/10	2-4	0																					
MW-2-2	09/15/10	4.5-6.5	180																					
MW-2-3	09/15/10	7-9	100																					
MW-2-4	09/15/10	9.5-11.5	60																					
MW-2-5	09/15/10	12-14	30			</																		

A.1 Groundwater Analytical Table
Terry's Towing BRRRTs# 03-25-001108

Well MW-1/1R
PVC Elevation =

MW-1
MW-1R
1178.24 1178.58
(feet) (MSL)

Date	Water Elevation (in feet msl)	Depth to Water (in feet)	Lead (ppb)	Benzene (ppb)	1,1-Dichloroethane (ppb)	cis-1,2-Dichloroethene (ppb)	Ethyl Benzene (ppb)	MTBE (ppb)	Naphthalene (ppb)	Tetrachloroethene (PCE) (ppb)	Toluene (ppb)	Trichloroethene (TCE) (ppb)	Trimethylbenzenes (ppb)	Vinyl Chloride (ppb)	Xylene (Total) (ppb)
11/09/10 11/11/13 11/17/14 02/08/11 06/18/13 12/17/13 ABANDONED AND REMOVED DURING SOIL EXCAVATION PROJECT															
REPLACEMENT WELL (MW-1R) INSTALLED															
01/13/14	1170.93	7.65	NS	201	<30	<38	197	<23	<170	<33	<69	<33	315-455	<18	473
04/16/14	1172.36	6.22	1.1	121	<0.3	<0.38	119	<0.23	37	<0.33	4.3	0.36	239	<0.18	403
10/15/14	1171.60	6.78	NS	51	<0.3	<0.38	155	<0.23	46	<0.33	<0.69	<0.33	202-203.4	<0.18	148.89
	1171.77	6.81	NS	15.2	<3	<3.8	76	<2.3	<17	<3.3	<6.9	<3.3	94-108	<1.8	19.7-26
ENFORCEMENT STANDARD ES = Bold															
PREVENTIVE ACTION LIMIT PAL = Italics															

(ppb) = parts per billion (ppm) = parts per million

ns = not sampled nm = not measured

Note: Elevations are presented in feet mean sea level (msl).

Well MW-2/2R
PVC Elevation =

MW-2
MW-2R
1177.83 1177.33
(feet) (MSL)

Date	Water Elevation (in feet msl)	Depth to Water (in feet)	Lead (ppb)	Benzene (ppb)	1,1-Dichloroethane (ppb)	cis-1,2-Dichloroethene (ppb)	Ethyl Benzene (ppb)	MTBE (ppb)	Naphthalene (ppb)	Tetrachloroethene (PCE) (ppb)	Toluene (ppb)	Trichloroethene (TCE) (ppb)	Trimethylbenzenes (ppb)	Vinyl Chloride (ppb)	Xylene (Total) (ppb)
11/09/10 11/17/13 11/17/14 02/08/11 06/18/13 12/17/13 ABANDONED AND REMOVED DURING SOIL EXCAVATION PROJECT															
REPLACEMENT WELL (MW-2R) INSTALLED															
01/13/14	1170.87	6.46	NS	<3.2	6.9	<3.8	110	46	31.6	<3.3	9.2	<3.3	35-49	3.7	.51
04/16/14	1172.54	4.79	<0.7	56	6.6	<0.38	8.6	13.1	13	0.42	3.14	<0.33	13.5-14.9	2.54	14
07/15/14	1171.93	5.40	NS	35	7.1	<0.38	2.49	5.6	2.08	<0.33	1.12	<0.33	<3.6	1.15	1.23-1.86
10/15/14	1171.92	5.41	NS	16.1	<0.41	<0.38	2.37	5.7	<1.7	<0.33	1.07	<0.33	<3.6	<0.18	0.75-1.38
ENFORCEMENT STANDARD ES = Bold															
PREVENTIVE ACTION LIMIT PAL = Italics															

(ppb) = parts per billion (ppm) = parts per million

ns = not sampled nm = not measured

Note: Elevations are presented in feet mean sea level (msl).

Well MW-3
PVC Elevation =

1180.8 (feet) (MSL)

Date	Water Elevation (in feet msl)	Depth to Water (in feet)	Lead (ppb)	Benzene (ppb)	1,1-Dichloroethane (ppb)	cis-1,2-Dichloroethene (ppb)	Ethyl Benzene (ppb)	MTBE (ppb)	Naphthalene (ppb)	Tetrachloroethene (PCE) (ppb)	Toluene (ppb)	Trichloroethene (TCE) (ppb)	Trimethylbenzenes (ppb)	Vinyl Chloride (ppb)	Xylene (Total) (ppb)
11/09/10 11/17/13 11/17/14 02/08/11 06/18/13 12/17/13 ABANDONED AND REMOVED DURING SOIL EXCAVATION PROJECT															
REPLACEMENT WELL (MW-3) INSTALLED															
01/13/14	1171.32	9.48	1.6	<0.38	<0.69	<4.2	<0.55	<0.25	<2.4	7.3	<0.72	3.7	<1.20	<0.19	<1.62
02/08/11	1170.91	9.89	1.8	<0.5	<0.98	8.7	<0.78	<0.8	<2.1	4.6	<0.53	3.8	<1.54	<0.18	<1.9
01/13/14	1170.55	10.25	NS	<0.24	<0.3	10.6	0.65	<0.23	<1.7	4.1	<0.69	4	<3.6	8.1	<1.32
04/16/14	1171.92	8.68	<0.7	<0.24	<0.3	6.9	<0.55	<0.23	<1.7	6.2	<0.69	4.0	<3.6	<0.18	<1.32
07/15/14	1171.59	9.21	NS	<0.24	<0.3	50	<0.55	<0.23	<1.7	14.9	<0.69	8.3	<3.6	0.34	<1.32
10/15/14	1171.65	9.15	NS	<0.24	<0.3	21	<0.55	<0.23	<1.7	13.4	<0.69	5.3	<3.6	<0.18	<1.32
ENFORCEMENT STANDARD ES = Bold															
PREVENTIVE ACTION LIMIT PAL = Italics															

(ppb) = parts per billion (ppm) = parts per million

ns = not sampled nm = not measured

Note: Elevations are presented in feet mean sea level (msl).

A.1 Groundwater Analytical Table
Terry's Towing BRRTS# 03-25-001108

Well MW-4
PVC Elevation =

1172.24 (feet) (MSL)

Date	Water Elevation (in feet msl)	Depth to Water (in feet)	Lead (ppb)	Benzene (ppb)	1,1-Dichloroethane (ppb)	cis-1,2-Dichloroethene (ppb)	Ethyl Benzene (ppb)	MTBE (ppb)	Naphthalene (ppb)	Tetrachloroethene (PCE) (ppb)	Toluene (ppb)	Trichloroethene (TCE) (ppb)	Trimethylbenzenes (ppb)	Vinyl Chloride (ppb)	Xylene (Total) (ppb)
11/09/10	1169.02	3.22	2.2	<0.38	<0.69	<0.78	<0.55	<0.25	<2.4	1.2	<0.72	<0.39	<1.20	<0.19	<1.62
COULD NOT LOCATE															
01/13/14	1168.79	3.45	NS	<0.24	<0.3	<0.38	<0.55	<0.23	<1.7	1.07	<0.69	<0.33	<3.6	<0.18	<1.32
04/16/14	1170.32	1.92	<0.7	<0.24	<0.3	<0.38	<0.55	<0.23	<1.7	0.70	<0.69	<0.33	<3.6	<0.18	<1.32
07/15/14	1169.72	2.52	NS	<0.24	<0.3	<0.38	<0.55	<0.23	<1.7	0.93	<0.69	<0.33	<3.6	<0.18	<1.32
10/15/14	1169.90	2.34	NS	<0.24	<0.3	<0.38	<0.55	<0.23	<1.7	0.69	<0.69	<0.33	<3.6	<0.18	<1.32
ENFORCEMENT STANDARD ES = Bold															
PREVENTIVE ACTION LIMIT PAL = Italic															
(ppb) = parts per billion (ppm) = parts per million	ns = not sampled nm = not measured														
Note: Elevations are presented in feet mean sea level (msl).															

Well MW-5
PVC Elevation =

1174.32 (feet) (MSL)

Date	Water Elevation (in feet msl)	Depth to Water (in feet)	Lead (ppb)	Benzene (ppb)	1,1-Dichloroethane (ppb)	cis-1,2-Dichloroethene (ppb)	Ethyl Benzene (ppb)	MTBE (ppb)	Naphthalene (ppb)	Tetrachloroethene (PCE) (ppb)	Toluene (ppb)	Trichloroethene (TCE) (ppb)	Trimethylbenzenes (ppb)	Vinyl Chloride (ppb)	Xylene (Total) (ppb)
11/09/10	1170.22	4.10	1.8	<0.38	<0.69	<0.78	<0.55	<0.25	<2.4	<0.43	<0.72	<0.39	<1.20	<0.19	<1.62
COULD NOT LOCATE															
01/13/14	1169.77	4.55	NS	<0.24	<0.3	<0.38	<0.55	<0.23	<1.7	<0.33	<0.69	<0.33	<3.6	<0.18	<1.32
04/16/14	1170.85	3.47	<0.7	<0.24	<0.3	<0.38	<0.55	<0.23	<1.7	<0.33	<0.69	<0.33	<3.6	<0.18	<1.32
07/15/14	1170.54	3.78	NS	<0.24	<0.3	<0.38	<0.55	<0.23	<1.7	<0.33	<0.69	<0.33	<3.6	<0.18	<1.32
10/15/14	1170.63	3.69	NS	<0.24	<0.3	<0.38	<0.55	<0.23	<1.7	<0.33	<0.69	<0.33	<3.6	<0.18	<1.32
ENFORCEMENT STANDARD ES = Bold															
PREVENTIVE ACTION LIMIT PAL = Italic															
(ppb) = parts per billion (ppm) = parts per million	ns = not sampled nm = not measured														
Note: Elevations are presented in feet mean sea level (msl).															

Well MW-6
PVC Elevation =

1176.74 (feet) (MSL)

Date	Water Elevation (in feet msl)	Depth to Water (in feet)	Lead (ppb)	Benzene (ppb)	1,1-Dichloroethane (ppb)	cis-1,2-Dichloroethene (ppb)	Ethyl Benzene (ppb)	MTBE (ppb)	Naphthalene (ppb)	Tetrachloroethene (PCE) (ppb)	Toluene (ppb)	Trichloroethene (TCE) (ppb)	Trimethylbenzenes (ppb)	Vinyl Chloride (ppb)	Xylene (Total) (ppb)
11/09/10	1170.72	6.02	<0.7	0.44	<0.69	17.1	<0.55	0.62	<2.4	8.6	<0.72	2.56	<1.20	<0.19	<1.62
COULD NOT LOCATE															
01/13/14	1170.26	6.48	NS	<0.24	<0.3	12.4	<0.55	0.46	<1.7	4.4	<0.69	1.71	<3.6	<0.18	<1.32
04/16/14	1171.50	5.24	<0.7	<0.24	<0.3	12.5	<0.55	0.73	<1.7	4.7	<0.69	1.77	<3.6	<0.18	<1.32
07/15/14	1171.06	5.68	NS	<0.24	<0.3	15	<0.55	<0.23	<1.7	7.8	<0.69	2.2	<3.6	<0.18	<1.32
10/15/14	1171.16	5.58	NS	<0.24	<0.3	12.5	<0.55	1.16	<1.7	6	<0.69	1.88	<3.6	<0.18	<1.32
ENFORCEMENT STANDARD ES = Bold															
PREVENTIVE ACTION LIMIT PAL = Italic															
(ppb) = parts per billion (ppm) = parts per million	ns = not sampled nm = not measured														
Note: Elevations are presented in feet mean sea level (msl).															

A.1 Groundwater Analytical Table

(PAH)

Terry's Towing BRRTS# 03-25-001108

	Well MW-1/1R		MW-1R															
	PVC Elevation =	1178.24	(feet)	1178.58	(MSL)													
Date	Ace-naphthalene (ppb)	Acenaph-thylene (ppb)	Anthracene (ppb)	Benzo(a)anthracene (ppb)	Benzo(a)pyrene (ppb)	Benzo(b)fluoranthene (ppb)	Benzo(g,h,i)Perylene (ppb)	Benzo(k)fluoranthene (ppb)	Chrysene (ppb)	Dibenzo(a,h)anthracene (ppb)	Fluoran-thene (ppb)	Fluorene (ppb)	Indeno(1,2,3-cd)pyrene (ppb)	1-Methyl-naphthalene (ppb)	2-Methyl-naphthalene (ppb)	Naphthalene (ppb)	Phenanthrene (ppb)	Pyrene (ppb)
11/09/10	<0.85	<0.8	<0.9	0.86	<0.8	<0.85	<0.85	<1.45	<0.85	<0.8	<0.95	<0.9	<0.8	67	129	320	<0.95	<1
02/08/11	<1	<1.4	<0.9	1.66	<1.1	<1.3	<1.5	<1.5	<1.3	<1.6	<1.2	0.83	<1.5	69	137	316	2.23	1.68
06/18/13	ABANDONED AND REMOVED DURING SOIL EXCAVATION PROJECT																	
12/17/13	REPLACEMENT WELL (MW-1R) INSTALLED																	
01/13/14	NOT SAMPLED																	
04/16/14	NOT SAMPLED																	
07/15/14	NOT SAMPLED																	
10/15/14	NOT SAMPLED																	
ENFORCE MENT STANDARD = ES - Bold	3000	-	0.2	0.2	-	-	0.2	-	400	400	-	-	-	-	100	-	250	
PREVENTIVE ACTION LIMIT = PAL - <i>Italics</i>	600	-	0.02	0.02	-	-	0.02	-	80	80	-	-	-	-	10	-	50	

(ppb) = parts per billion (ppm) = parts per million

ns = not sampled

nm = not measured

Note: Elevations are presented in feet mean sea level (msl).

	Well MW-2/2R		MW-2R																
	PVC Elevation =	1177.83	(feet)	1177.33	(MSL)														
Date	Ace-naphthalene (ppb)	Acenaph-thylene (ppb)	Anthracene (ppb)	Benzo(a)anthracene (ppb)	Benzo(a)pyrene (ppb)	Benzo(b)fluoranthene (ppb)	Benzo(g,h,i)Perylene (ppb)	Benzo(k)fluoranthene (ppb)	Chrysene (ppb)	Dibenzo(a,h)anthracene (ppb)	Fluoran-thene (ppb)	Fluorene (ppb)	Indeno(1,2,3-cd)pyrene (ppb)	1-Methyl-naphthalene (ppb)	2-Methyl-naphthalene (ppb)	Naphthalene (ppb)	Phenanthrene (ppb)	Pyrene (ppb)	
11/09/10	2.17	2.23	1.74	7	1.99	2.51	3.5	<1.45	4.5	<0.8	7.9	4.1	<0.8	138	223	169	12.6	12.4	
02/08/11	8.7	7.9	8	18.6	11.6	14.2	22.5	5.4	19.7	1.81	29.1	18.4	4.2	440	560	360	56	46	
06/18/13	ABANDONED AND REMOVED DURING SOIL EXCAVATION PROJECT																		
12/17/13	REPLACEMENT WELL (MW-2R) INSTALLED																		
01/13/14	<0.021	<0.2	<0.2	0.33	<0.18	<0.2	<0.23	<0.27	0.18	<0.23	0.37	0.263	<0.27	6.2	4.4	4.4	0.37	0.51	
04/16/14	0.033	0.021	0.082	0.163	0.164	0.168	0.223	0.154	0.169	0.172	0.195	0.06	0.185	0.53	0.253	0.83	0.1	0.265	
07/15/14	<0.018	<0.02	<0.018	0.141	0.077	0.1	0.145	0.038	0.111	<0.028	0.084	0.033	0.039	0.037	0.045	0.052	0.042	0.285	
10/15/14	<0.018	<0.02	<0.018	0.041	0.032	0.05	0.057	<0.027	0.049	<0.028	0.05	<0.022	<0.027	0.034	<0.024	0.058	0.033	0.129	
ENFORCE MENT STANDARD = ES - Bold	3000	-	0.2	0.2	-	-	0.2	-	400	400	-	-	-	-	100	-	250		
PREVENTIVE ACTION LIMIT = PAL - <i>Italics</i>	600	-	0.02	0.02	0.02	-	-	0.02	-	80	80	-	-	-	-	10	-	50	

(ppb) = parts per billion (ppm) = parts per million

ns = not sampled

nm = not measured

Note: Elevations are presented in feet mean sea level (msl).

	Well MW-3		MW-3															
	PVC Elevation =	1180.80	(feet)	(MSL)														
Date	Ace-naphthalene (ppb)	Acenaph-thylene (ppb)	Anthracene (ppb)	Benzo(a)anthracene (ppb)	Benzo(a)pyrene (ppb)	Benzo(b)fluoranthene (ppb)	Benzo(g,h,i)Perylene (ppb)	Benzo(k)fluoranthene (ppb)	Chrysene (ppb)	Dibenzo(a,h)anthracene (ppb)	Fluoran-thene (ppb)	Fluorene (ppb)	Indeno(1,2,3-cd)pyrene (ppb)	1-Methyl-naphthalene (ppb)	2-Methyl-naphthalene (ppb)	Naphthalene (ppb)	Phenanthrene (ppb)	Pyrene (ppb)
11/09/10	<0.017	<0.016	<0.018	0.019	<0.016	<0.017	<0.017	<0.029	<0.017	<0.016	<0.019	<0.018	<0.016	0.022	<0.017	0.12	<0.019	<0.02
02/08/11	0.018	<0.014	<0.009	<0.0014	<0.011	<0.013	<0.015	<0.015	<0.013	<0.016	<0.012	0.017	<0.015	0.023	0.022	0.05	<0.01	<0.013
01/13/14	NOT SAMPLED																	
04/16/14	NOT SAMPLED																	
07/15/14	NOT SAMPLED																	
10/15/14	NOT SAMPLED																	
ENFORCE MENT STANDARD = ES - Bold	3000	-	0.2	0.2	-	-	0.2	-	400	400	-	-	-	-	100	-	250	
PREVENTIVE ACTION LIMIT = PAL - <i>Italics</i>	600	-	0.02	0.02	0.02	-	-	0.02	-	80	80	-	-	-	-	10	-	50

(ppb) = parts per billion (ppm) = parts per million

ns = not sampled

nm = not measured

Note: Elevations are presented in feet mean sea level (msl).

A.1 Groundwater Analytical Table

(PAH)

Terry's Towing BRRTS# 03-25-001108

Well MW-4

PVC Elevation =

1172.24 (feet) (MSL)

Date	Ace-naphthalene (ppb)	Acenaph-thylene (ppb)	Anthracene (ppb)	Benzo(a)anthracene (ppb)	Benzo(a)pyrene (ppb)	Benzo(b)fluoranthene (ppb)	Benzo(g,h,i)Perylene (ppb)	Benzo(k)fluoranthene (ppb)	Chrysene (ppb)	Dibenzo(a,h)anthracene (ppb)	Fluoran-thene (ppb)	Fluorene (ppb)	Indeno(1,2,3-cd)pyrene (ppb)	1-Methyl-naphthalene (ppb)	2-Methyl-naphthalene (ppb)	Naph-thalene (ppb)	Phenan-threne (ppb)	Pyrene (ppb)
11/09/10	0.29	0.019	0.04	0.12	0.06	0.1	<0.017	0.034	0.09	<0.016	0.4	<0.018	0.017	<0.016	<0.017	<0.017	0.047	0.19
02/08/11																		
01/13/14																		
04/16/14																		
07/15/14																		
10/15/14																		
ENFORCE MENT STANDARD = ES - Bold	3000	-	0.2	0.2	-	-	0.2	-	400	400	-	-	-	100	-	250		
PREVENTIVE ACTION LIMIT = <i>PAL - Italic</i>	600	-	0.02	0.02	-	-	0.02	-	80	80	-	-	-	10	-	50		

(ppb) = parts per billion (ppm) = parts per million

ns = not sampled

nm = not measured

Note: Elevations are presented in feet mean sea level (msl).

Well MW-5

PVC Elevation =

1174.32 (feet) (MSL)

Date	Ace-naphthalene (ppb)	Acenaph-thylene (ppb)	Anthracene (ppb)	Benzo(a)anthracene (ppb)	Benzo(a)pyrene (ppb)	Benzo(b)fluoranthene (ppb)	Benzo(g,h,i)Perylene (ppb)	Benzo(k)fluoranthene (ppb)	Chrysene (ppb)	Dibenzo(a,h)anthracene (ppb)	Fluoran-thene (ppb)	Fluorene (ppb)	Indeno(1,2,3-cd)pyrene (ppb)	1-Methyl-naphthalene (ppb)	2-Methyl-naphthalene (ppb)	Naph-thalene (ppb)	Phenan-threne (ppb)	Pyrene (ppb)
11/09/10	<0.017	<0.016	<0.018	0.05	0.034	0.037	0.036	0.031	0.030	<0.032	0.019	<0.018	0.035	<0.016	<0.017	<0.017	0.020	0.020
02/08/11																		
01/13/14																		
04/16/14																		
07/15/14																		
10/15/14																		
ENFORCE MENT STANDARD = ES - Bold	3000	-	0.2	0.2	-	-	0.2	-	400	400	-	-	-	100	-	250		
PREVENTIVE ACTION LIMIT = <i>PAL - Italic</i>	600	-	0.02	0.02	-	-	0.02	-	80	80	-	-	-	10	-	50		

(ppb) = parts per billion (ppm) = parts per million

ns = not sampled

nm = not measured

Note: Elevations are presented in feet mean sea level (msl).

Well MW-6

PVC Elevation =

1176.74 (feet) (MSL)

Date	Ace-naphthalene (ppb)	Acenaph-thylene (ppb)	Anthracene (ppb)	Benzo(a)anthracene (ppb)	Benzo(a)pyrene (ppb)	Benzo(b)fluoranthene (ppb)	Benzo(g,h,i)Perylene (ppb)	Benzo(k)fluoranthene (ppb)	Chrysene (ppb)	Dibenzo(a,h)anthracene (ppb)	Fluoran-thene (ppb)	Fluorene (ppb)	Indeno(1,2,3-cd)pyrene (ppb)	1-Methyl-naphthalene (ppb)	2-Methyl-naphthalene (ppb)	Naph-thalene (ppb)	Phenan-threne (ppb)	Pyrene (ppb)
11/09/10	<0.017	<0.016	<0.018	0.018	<0.016	<0.017	<0.017	<0.029	<0.017	<0.016	<0.019	<0.018	<0.016	<0.017	<0.017	<0.019	<0.02	
02/08/11																		
01/13/14																		
04/16/14																		
07/15/14																		
10/15/14																		
ENFORCE MENT STANDARD = ES - Bold	3000	-	0.2	0.2	-	-	0.2	-	400	400	-	-	-	100	-	250		
PREVENTIVE ACTION LIMIT = <i>PAL - Italic</i>	600	-	0.02	0.02	-	-	0.02	-	80	80	-	-	-	10	-	50		

(ppb) = parts per billion (ppm) = parts per million

ns = not sampled

nm = not measured

Note: Elevations are presented in feet mean sea level (msl).

A.1 Groundwater Analytical Table
Terry's Towing BRRTS# 03-25-001108

Well Sampling Conducted on October 15, 2014

VOC's

Well Name	MW-1R	MW-2R	MW-3	MW-4	MW-5	MW-6	ENFORCE MENT STANDARD - ES - Bold	PREVENTIVE ACTION LIMIT = PAL - <i>Italics</i>
Benzene/ppb	15.2	16.1	< 0.24	< 0.24	< 0.24	< 0.24	5	0.5
Bromobenzene/ppb	< 3.2	< 0.32	< 0.32	< 0.32	< 0.32	< 0.32	==	==
Bromodichloromethane/ppb	< 3.7	< 0.37	< 0.37	< 0.37	< 0.37	< 0.37	0.6	0.06
Bromoform/ppb	< 3.5	< 0.35	< 0.35	< 0.35	< 0.35	< 0.35	4.4	0.44
tert-Butylbenzene/ppb	< 3.6	< 0.36	< 0.36	< 0.36	< 0.36	< 0.36	==	==
sec-Butylbenzene/ppb	3.5 "J"	< 0.33	< 0.33	< 0.33	< 0.33	< 0.33	==	==
n-Butylbenzene/ppb	< 3.5	< 0.35	< 0.35	< 0.35	< 0.35	< 0.35	==	==
Carbon Tetrachloride/ppb	< 3.3	< 0.33	< 0.33	< 0.33	< 0.33	< 0.33	5	0.5
Chlorobenzene/ppb	< 2.4	< 0.24	< 0.24	< 0.24	< 0.24	< 0.24	==	==
Chloroethane/ppb	< 6.3	< 0.63	< 0.63	< 0.63	< 0.63	< 0.63	400	80
Chloroform/ppb	< 2.8	< 0.28	< 0.28	< 0.28	< 0.28	< 0.28	6	0.6
Chloromethane/ppb	< 8.1	< 0.81	< 0.81	< 0.81	< 0.81	< 0.81	30	3
2-Chlorotoluene/ppb	< 2.1	< 0.21	< 0.21	< 0.21	< 0.21	< 0.21	==	==
4-Chlorotoluene/ppb	< 2.1	< 0.21	< 0.21	< 0.21	< 0.21	< 0.21	==	==
1,2-Dibromo-3-chloropropane/ppb	< 8.8	< 0.88	< 0.88	< 0.88	< 0.88	< 0.88	0.2	0.02
Dibromochloromethane/ppb	< 2.2	< 0.22	< 0.22	< 0.22	< 0.22	< 0.22	60	6
1,4-Dichlorobenzene/ppb	< 3	< 0.3	< 0.3	< 0.3	< 0.3	< 0.3	75	15
1,3-Dichlorobenzene/ppb	< 2.8	< 0.28	< 0.28	< 0.28	< 0.28	< 0.28	600	120
1,2-Dichlorobenzene/ppb	< 3.6	< 0.36	< 0.36	< 0.36	< 0.36	< 0.36	600	60
Dichlorodifluoromethane/ppb	< 4.4	< 0.44	< 0.44	< 0.44	< 0.44	< 0.44	1000	200
1,2-Dichloroethane/ppb	< 4.1	< 0.41	< 0.41	< 0.41	< 0.41	< 0.41	5	0.5
1,1-Dichloroethane/ppb	< 3	5.8	< 0.3	< 0.3	< 0.3	< 0.3	850	85
1,1-Dichloroethene/ppb	< 4	< 0.4	< 0.4	< 0.4	< 0.4	< 0.4	7	0.7
cis-1,2-Dichloroethene/ppb	< 3.8	< 0.38	21	< 0.38	< 0.38	12.5	70	7
trans-1,2-Dichloroethene/ppb	< 3.5	< 0.35	< 0.35	< 0.35	< 0.35	< 0.35	100	20
1,2-Dichloropropane/ppb	< 3.2	< 0.32	< 0.32	< 0.32	< 0.32	< 0.32	5	0.5
2,2-Dichloropropane/ppb	< 3.6	< 0.36	< 0.36	< 0.36	< 0.36	< 0.36	==	==
1,3-Dichloropropane/ppb	< 3.3	< 0.33	< 0.33	< 0.33	< 0.33	< 0.33	==	==
Di-isopropyl ether/ppb	< 2.3	< 0.23	< 0.23	< 0.23	< 0.23	< 0.23	==	==
EDB (1,2-Dibromoethane)/ppb	< 4.4	< 0.44	< 0.44	< 0.44	< 0.44	< 0.44	0.05	0.005
Ethylbenzene/ppb	76	2.37	< 0.55	< 0.55	< 0.55	< 0.55	700	140
Hexachlorobutadiene/ppb	< 15	< 1.5	< 1.5	< 1.5	< 1.5	< 1.5	==	==
Isopropylbenzene/ppb	6.6 "J"	< 0.3	< 0.3	< 0.3	< 0.3	< 0.3	==	==
p-Isopropyltoluene/ppb	< 3.1	< 0.31	< 0.31	< 0.31	< 0.31	< 0.31	==	==
Methylene chloride/ppb	< 5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	5	0.5
Methyl tert-butyl ether (MTBE)/ppb	< 2.3	5.7	< 0.23	< 0.23	< 0.23	< 0.23	60	12
Naphthalene/ppb	< 17	< 1.7	< 1.7	< 1.7	< 1.7	< 1.7	100	10
n-Propylbenzene/ppb	18.6	0.32 "J"	< 0.25	< 0.25	< 0.25	< 0.25	==	==
1,1,2,2-Tetrachloroethane/ppb	< 4.5	< 0.45	< 0.45	< 0.45	< 0.45	< 0.45	0.2	0.02
1,1,1,2-Tetrachloroethane/ppb	< 3.3	< 0.33	< 0.33	< 0.33	< 0.33	< 0.33	70	7
Tetrachloroethene (PCE)/ppb	< 3.3	< 0.33	13.4	0.69 "J"	< 0.33	6	5	0.5
Toluene/ppb	< 6.9	1.07 "J"	< 0.69	< 0.69	< 0.69	< 0.69	800	160
1,2,4-Trichlorobenzene/ppb	< 9.8	< 0.98	< 0.98	< 0.98	< 0.98	< 0.98	70	14
1,2,3-Trichlorobenzene/ppb	< 18	< 1.8	< 1.8	< 1.8	< 1.8	< 1.8	==	==
1,1,1-Trichloroethane/ppb	< 3.3	< 0.33	< 0.33	< 0.33	< 0.33	< 0.33	200	40
1,1,2-Trichloroethane/ppb	< 3.4	< 0.34	< 0.34	< 0.34	< 0.34	< 0.34	5	0.5
Trichloroethene (TCE)/ppb	< 3.3	< 0.33	5.3	< 0.33	< 0.33	1.88	5	0.5
Trichlorofluoromethane/ppb	< 7.1	< 0.71	< 0.71	< 0.71	< 0.71	< 0.71	==	==
1,2,4-Trimethylbenzene/ppb	94	< 2.2	< 2.2	< 2.2	< 2.2	< 2.2	Total TMB's 480	Total TMB's 96
1,3,5-Trimethylbenzene/ppb	< 14	< 1.4	< 1.4	< 1.4	< 1.4	< 1.4	0.2	0.02
Vinyl Chloride/ppb	< 1.8	1.23	< 0.18	< 0.18	< 0.18	< 0.18	Total Xylenes 2000	Total Xylenes 400
m&p-Xylene/ppb	19.7 "J"	0.75 "J"	< 0.69	< 0.69	< 0.69	< 0.69		
o-Xylene/ppb	< 6.3	< 0.63	< 0.63	< 0.63	< 0.63	< 0.63		

Note: Bold type indicates an ES exceedance, *italics* indicates a PAL exceedance NS = not sampled, NM = Not Measured
Q = Analyte detected above laboratory method detection limit but below practical quantitation limit.

== No Exceedences

"J" Flag: Analyte detected between LOD and LOQ LOD Limit of Detection LOQ Limit of Quantitation

A.1 Groundwater Analytical Table
Terry's Towing BRRTS# 03-25-001 108

VOC's Well Name	Well Sampling Conducted on																ENFORCEMENT STANDARD ES - Bold		PREVENTIVE ACTION LIMIT PAL - Italic	
	01/13/14	01/13/14	01/13/14	01/13/14	01/13/14	01/13/14	04/16/14	04/16/14	04/16/14	04/16/14	04/16/14	07/15/14	07/15/14	07/15/14	07/15/14	07/15/14	07/15/14			
Lead, dissolved/ppb	NS	NS	NS	NS	NS	NS	1.1 "J"	< 0.7	< 0.7	< 0.7	< 0.7	NS	NS	NS	NS	NS	15	15		
Benzene/ppb	201	370	< 0.24	< 0.24	< 0.24	< 0.24	121	56	< 0.24	< 0.24	< 0.24	51	35	< 0.24	< 0.24	< 0.24	5	0.5		
Bromobenzene/ppb	< 32	< 3.2	< 0.32	< 0.32	< 0.32	< 0.32	< 0.32	< 0.32	< 0.32	< 0.32	< 0.32	< 0.32	< 0.32	< 0.32	< 0.32	< 0.32	==	==		
Bromodichloromethane/ppb	< 37	< 3.7	< 0.37	< 0.37	< 0.37	< 0.37	< 0.37	< 0.37	< 0.37	< 0.37	< 0.37	< 0.37	< 0.37	< 0.37	< 0.37	< 0.37	0.6	0.06		
Bromoform/ppb	< 35	< 3.5	< 0.35	< 0.35	< 0.35	< 0.35	< 0.35	< 0.35	< 0.35	< 0.35	< 0.35	< 0.35	< 0.35	< 0.35	< 0.35	< 0.35	4.4	0.44		
tert-Butylbenzene/ppb	< 36	< 3.6	< 0.36	< 0.36	< 0.36	< 0.36	< 0.36	< 0.36	< 0.36	< 0.36	< 0.36	< 0.36	< 0.36	< 0.36	< 0.36	< 0.36	==	==		
sec-Butylbenzene/ppb	< 33	< 3.3	3.03	< 0.33	< 0.33	< 0.33	2.4	0.51 "J"	< 0.33	< 0.33	< 0.33	2.43	< 0.33	< 0.33	< 0.33	< 0.33	==	==		
n-Butylbenzene/ppb	< 35	4.7 "J"	1.5	< 0.35	< 0.35	8.6	1.05 "J"	< 0.35	< 0.35	< 0.35	3.06	< 0.35	0.77 "J"	< 0.35	< 0.35	< 0.35	==	==		
Carbon Tetrachloride/ppb	< 33	< 3.3	< 0.33	< 0.33	< 0.33	< 0.33	< 0.33	< 0.33	< 0.33	< 0.33	< 0.33	< 0.33	< 0.33	< 0.33	< 0.33	< 0.33	5	0.5		
Chlorobenzene/ppb	< 24	< 2.4	< 0.24	< 0.24	< 0.24	< 0.24	< 0.24	< 0.24	< 0.24	< 0.24	< 0.24	< 0.24	< 0.24	< 0.24	< 0.24	< 0.24	==	==		
Chloroethane/ppb	< 63	< 6.3	< 0.63	< 0.63	< 0.63	< 0.63	2.3	< 0.63	< 0.63	< 0.63	< 0.63	1.8 "J"	< 0.63	< 0.63	< 0.63	< 0.63	400	80		
Chloroform/ppb	< 28	< 2.8	< 0.28	0.42 "J"	< 0.28	< 0.28	< 0.28	< 0.28	< 0.28	< 0.28	< 0.28	< 0.28	< 0.28	< 0.28	< 0.28	< 0.28	6	0.6		
Chloromethane/ppb	< 81	< 8.1	< 0.81	< 0.81	< 0.81	< 0.81	< 0.81	< 0.81	< 0.81	< 0.81	< 0.81	< 0.81	< 0.81	< 0.81	< 0.81	< 0.81	30	3		
2-Chlorotoluene/ppb	< 21	< 2.1	< 0.21	< 0.21	< 0.21	< 0.21	< 0.21	< 0.21	< 0.21	< 0.21	< 0.21	< 0.21	< 0.21	< 0.21	< 0.21	< 0.21	==	==		
4-Chlorotoluene/ppb	< 21	< 2.1	< 0.21	< 0.21	< 0.21	< 0.21	< 0.21	< 0.21	< 0.21	< 0.21	< 0.21	< 0.21	< 0.21	< 0.21	< 0.21	< 0.21	==	==		
1,2-Dibromo-3-chloropropane/ppb	< 88	< 8.8	< 0.88	< 0.88	< 0.88	< 0.88	< 0.88	< 0.88	< 0.88	< 0.88	< 0.88	< 0.88	< 0.88	< 0.88	< 0.88	< 0.88	0.2	0.02		
Dibromochloromethane/ppb	< 22	< 2.2	< 0.22	< 0.22	< 0.22	< 0.22	< 0.22	< 0.22	< 0.22	< 0.22	< 0.22	< 0.22	< 0.22	< 0.22	< 0.22	< 0.22	60	6		
1,4-Dichlorobenzene/ppb	< 30	< 3	< 0.3	< 0.3	< 0.3	< 0.3	< 0.3	< 0.3	< 0.3	< 0.3	< 0.3	< 0.3	< 0.3	< 0.3	< 0.3	< 0.3	75	15		
1,3-Dichlorobenzene/ppb	< 28	< 2.8	< 0.28	< 0.28	< 0.28	< 0.28	< 0.28	< 0.28	< 0.28	< 0.28	< 0.28	< 0.28	< 0.28	< 0.28	< 0.28	< 0.28	600	120		
1,2-Dichlorobenzene/ppb	< 36	< 3.6	< 0.36	< 0.36	< 0.36	< 0.36	< 0.36	< 0.36	< 0.36	< 0.36	< 0.36	< 0.36	< 0.36	< 0.36	< 0.36	< 0.36	600	60		
Dichlorodifluoromethane/ppb	< 44	< 4.4	< 0.44	< 0.44	< 0.44	< 0.44	< 0.44	< 0.44	< 0.44	< 0.44	< 0.44	< 0.44	< 0.44	< 0.44	< 0.44	< 0.44	1000	200		
1,2-Dichloroethane/ppb	< 41	< 4.1	< 0.41	< 0.41	< 0.41	< 0.41	< 0.41	< 0.41	< 0.41	< 0.41	< 0.41	< 0.41	< 0.41	< 0.41	< 0.41	< 0.41	5	0.5		
1,1-Dichloroethane/ppb	< 30	6.9 "J"	< 0.3	< 0.3	< 0.3	< 0.3	6.6	< 0.3	< 0.3	< 0.3	< 0.3	7.1	< 0.3	< 0.3	< 0.3	< 0.3	850	85		
1,1-Dichloroethene/ppb	< 40	< 4	< 0.4	< 0.4	< 0.4	< 0.4	< 0.4	< 0.4	< 0.4	< 0.4	< 0.4	< 0.4	< 0.4	< 0.4	< 0.4	< 0.4	7	0.7		
cis-1,2-Dichloroethene/ppb	< 38	< 3.8	10.6	< 0.38	< 0.38	12.4	< 0.38	< 0.38	6.9	< 0.38	< 0.38	12.5	< 0.38	< 0.38	50	< 0.38	15	7		
trans-1,2-Dichloroethene/ppb	< 35	< 3.5	0.65 "J"	< 0.35	< 0.35	< 0.35	< 0.35	< 0.35	< 0.35	< 0.35	< 0.35	< 0.35	< 0.35	< 0.35	< 0.35	< 0.35	100	20		
1,2-Dichloropropene/ppb	< 32	< 3.2	< 0.32	< 0.32	< 0.32	< 0.32	< 0.32	< 0.32	< 0.32	< 0.32	< 0.32	< 0.32	< 0.32	< 0.32	< 0.32	< 0.32	5	0.5		
2,2-Dichloropropane/ppb	< 36	< 3.6	< 0.36	< 0.36	< 0.36	< 0.36	< 0.36	< 0.36	< 0.36	< 0.36	< 0.36	< 0.36	< 0.36	< 0.36	< 0.36	< 0.36	==	==		
1,3-Dichloropropane/ppb	< 33	< 3.3	< 0.33	< 0.33	< 0.33	< 0.33	< 0.33	< 0.33	< 0.33	< 0.33	< 0.33	< 0.33	< 0.33	< 0.33	< 0.33	< 0.33	==	==		
Di-isopropyl ether/ppb	< 23	< 2.3	< 0.23	< 0.23	< 0.23	< 0.23	< 0.23	< 0.23	< 0.23	< 0.23	< 0.23	< 0.23	< 0.23	< 0.23	< 0.23	< 0.23	0.05	0.005		
EDB (1,2-Dibromoethane)/ppb	< 44	< 4.4	< 0.44	< 0.44	< 0.44	< 0.44	< 0.44	< 0.44	< 0.44	< 0.44	< 0.44	< 0.44	< 0.44	< 0.44	< 0.44	< 0.44	0.05	0.005		
Ethylbenzene/ppb	97	110																		

A.7 Water Level Elevations
Terry's Towing BRRTS# 03-25-001108
Dodgeville, Wisconsin

	MW-1	MW-1R	MW-2	MW-2R	MW-3	MW-4	MW-5	MW-6
Ground Surface (msl)	1178.63	NM	1178.14	NM	1181.24	1172.55	1174.67	1176.98
PVC top (msl)	1178.24	1178.58	1177.83	1177.33	1180.80	1172.24	1174.32	1176.74
Depth	14	14	14	14	14	14	14	14
Top of screen (msl)	1174.63	NM	1174.14	NM	1177.24	1168.55	1170.67	1172.98
Bottom of screen (msl)	1164.63	NM	1164.14	NM	1167.24	1158.55	1160.67	1162.98

Date

11/09/10	1171.43	NI	1171.40	NI	1171.32	1169.02	1170.22	1170.72
02/08/11	1170.90	NI	1170.98	NI	1170.91	CNL	CNL	CNL
01/13/14	A	1170.93	A	1170.87	1170.55	1168.79	1169.77	1170.26
04/16/14	A	1172.36	A	1172.54	1171.92	1170.32	1170.85	1171.50
07/15/14	A	1171.80	A	1171.93	1171.59	1169.72	1170.54	1171.06
10/15/14	A	1171.77	A	1171.92	1171.65	1169.90	1170.63	1171.16

Note: Elevations are presented in feet mean sea level (msl).

CNL = Could Not Locate

A = Abandoned and removed during soil excavation project

A.8 Other
 Groundwater NA Indicator Results
 Terry's Towing BRRTS# 03-25-001108

Well MW-1/R

Date	Dissolved Oxygen (ppm)	pH	ORP	Temp (C)	Specific Conductance	Nitrate + Nitrite (ppm)	Total Sulfate (ppm)	Dissolved Cadmium (ppb)	Dissolved Iron (ppm)	Manganese (ppb)
11/09/10	0.46	7.27	157	16	3187	<0.1	49.9	<0.5	0.06	410
02/08/11	0.80	7.03	69	10.1	710					
06/18/13 ABANDONED AND REMOVED DURING SOIL EXCAVATION PROJECT										
12/17/13 REPLACEMENT WELL (MW-1R) INSTALLED										
01/13/14	0.62	7.3	73	8.2	1021	NS	NS	NS	NS	NS
04/16/14	3.07	7.65	235	2.7	1452	NS	NS	NS	NS	NS
07/15/14	0.28	6.92	248	14.3	1247	NS	NS	NS	NS	NS
10/15/14	1.07	4.9	95	13.9	947	NS	NS	NS	NS	NS
ENFORCEMENT STANDARD = ES - Bold						10	-	5	-	300
PREVENTIVE ACTION LIMIT = PAL - Italic						2	-	0.5	-	60

(ppb) = parts per billion (ppm) = parts per million

ns = not sampled nm = not measured

Note: Elevations are presented in feet mean sea level (msl).

Well MW-2/R

Date	Dissolved Oxygen (ppm)	pH	ORP	Temp (C)	Specific Conductance	Nitrate + Nitrite (ppm)	Total Sulfate (ppm)	Dissolved Cadmium (ppb)	Dissolved Iron (ppm)	Manganese (ppb)
11/09/10	0.56	7.47	137	16.8	1526	0.1	15	<0.5	<0.06	409
02/08/11	0.46	7.07	121	7.4	1159					
06/18/13 ABANDONED AND REMOVED DURING SOIL EXCAVATION PROJECT										
12/17/13 REPLACEMENT WELL (MW-2R) INSTALLED										
01/13/14	0.92	7.33	143	8.1	1677	NS	NS	NS	NS	NS
04/16/14	2.40	7.96	245	3.5	805	NS	NS	NS	NS	NS
07/15/14	0.71	7.2	248	14.9	651	NS	NS	NS	NS	NS
10/15/14	2.36	6.37	268	14.7	571	NS	NS	NS	NS	NS
ENFORCEMENT STANDARD = ES - Bold						10	-	5	-	300
PREVENTIVE ACTION LIMIT = PAL - Italic						2	-	0.5	-	60

(ppb) = parts per billion (ppm) = parts per million

ns = not sampled nm = not measured

Note: Elevations are presented in feet mean sea level (msl).

Well MW-3

Date	Dissolved Oxygen (ppm)	pH	ORP	Temp (C)	Specific Conductance	Nitrate + Nitrite (ppm)	Total Sulfate (ppm)	Dissolved Cadmium (ppb)	Dissolved Iron (ppm)	Manganese (ppb)
11/09/10	0.48	7.16	131	15.5	1737	1.48	48.5	<0.5	<0.06	295
02/08/11	1.01	6.98	118	116	1963	NS	NS	NS	NS	NS
01/13/14	3.22	6.69	150	12.3	1835	NS	NS	NS	NS	NS
04/16/14	2.98	7.35	293	8.3	1693	NS	NS	NS	NS	NS
07/15/14	2.76	6.87	269	13.4	1128	NS	NS	NS	NS	NS
10/15/14	4.09	5.97	293	14.4	836	NS	NS	NS	NS	NS
ENFORCEMENT STANDARD = ES - Bold						10	-	5	-	300
PREVENTIVE ACTION LIMIT = PAL - Italic						2	-	0.5	-	60

(ppb) = parts per billion (ppm) = parts per million

ns = not sampled nm = not measured

Note: Elevations are presented in feet mean sea level (msl).

A.8 Other
 Groundwater NA Indicator Results
 Terry's Towing BRRTS# 03-25-001108

Well MW-4

Date	Dissolved Oxygen (ppm)	pH	ORP	Temp (C)	Specific Conductance	Nitrate + Nitrite (ppm)	Total Sulfate (ppm)	Dissolved Cadmium (ppb)	Dissolved Iron (ppm)	Manganese (ppb)
11/09/10	0.95	7.2	30	15.2	1213	4.03	40.4	<0.5	<0.06	203
02/08/11	COULD NOT LOCATE									
01/13/14	2.32	7.12	164	6.8	1281	NS	NS	NS	NS	NS
04/16/14	6.04	6.7	145	5.9	2207	NS	NS	NS	NS	NS
07/15/14	1.84	6.77	284	18.7	1442	NS	NS	NS	NS	NS
10/15/14	3.98	6.19	276	13.8	1184	NS	NS	NS	NS	NS
ENFORCE MENT STANDARD = ES - Bold										
PREVENTIVE ACTION LIMIT = PAL - Italic										

(ppb) = parts per billion (ppm) = parts per million

ns = not sampled nm = not measured

Note: Elevations are presented in feet mean sea level (msl).

Well MW-5

Date	Dissolved Oxygen (ppm)	pH	ORP	Temp (C)	Specific Conductance	Nitrate + Nitrite (ppm)	Total Sulfate (ppm)	Dissolved Cadmium (ppb)	Dissolved Iron (ppm)	Manganese (ppb)
11/09/10	0.43	7.18	130	15.4	1332	0.26	40.4	<0.5	<0.06	1600
02/08/11	COULD NOT LOCATE									
01/13/14	1.29	7.2	16	9.4	1342	NS	NS	NS	NS	NS
04/16/14	4.02	6.98	134	4.9	509	NS	NS	NS	NS	NS
07/15/14	1.58	6.82	61	19.2	1782	NS	NS	NS	NS	NS
10/15/14	2.21	6.56	120	14.1	1710	NS	NS	NS	NS	NS
ENFORCE MENT STANDARD = ES - Bold										
PREVENTIVE ACTION LIMIT = PAL - Italic										

(ppb) = parts per billion (ppm) = parts per million

ns = not sampled nm = not measured

Note: Elevations are presented in feet mean sea level (msl).

Well MW-6

Date	Dissolved Oxygen (ppm)	pH	ORP	Temp (C)	Specific Conductance	Nitrate + Nitrite (ppm)	Total Sulfate (ppm)	Dissolved Cadmium (ppb)	Dissolved Iron (ppm)	Manganese (ppb)
11/09/10	0.91	6.86	16	13.7	1290	4.82	42.4	<0.5	<0.06	68.4
02/08/11	COULD NOT LOCATE									
01/13/14	1.68	7.24	190	8.9	1397	NS	NS	NS	NS	NS
04/16/14	1.66	7.43	212	8.6	1850	NS	NS	NS	NS	NS
07/15/14	0.84	6.52	252	13.4	1634	NS	NS	NS	NS	NS
10/15/14	2.58	6.25	241	13.1	1276	NS	NS	NS	NS	NS
ENFORCE MENT STANDARD = ES - Bold										
PREVENTIVE ACTION LIMIT = PAL - Italic										

(ppb) = parts per billion (ppm) = parts per million

ns = not sampled nm = not measured

Note: Elevations are presented in feet mean sea level (msl).

Facility/Project Name <i>Terry Towing</i>	Local Grid Location of Well ft. N. <input type="checkbox"/> S. <input type="checkbox"/> ft. E. <input type="checkbox"/> W.	Well Name <i>MW-1R</i>
Facility License, Permit or Monitoring No.	Local Grid Origin <input type="checkbox"/> (estimated: <input type="checkbox"/>) or Well Location <input type="checkbox"/> Lat. _____ " Long. _____ " or	Wis. Unique Well No. <i>VN 795</i> DNR Well ID No. _____
Facility ID	St. Platc _____ ft. N. _____ ft. E. S/C/N	Date Well Installed <i>721 171 2013</i>
Type of Well	Section Location of Waste/Source 1/4 of _____ 1/4 of Sec. _____, T. _____ N. R. <input type="checkbox"/> E. <input type="checkbox"/> W.	Well Installed By: Name (first, last) and Fis <i>Ground Source</i>
Distance from Waste/ Source _____ ft.	Location of Well Relative to Waste/Source u <input type="checkbox"/> Upgradient s <input type="checkbox"/> Sidegradient d <input type="checkbox"/> Downgradient n <input type="checkbox"/> Not Known	Gov. Lot Number <i>Chad Vande Yacht</i>
<p>A. Protective pipe, top elevation _____ ft. MSL</p> <p>B. Well casing, top elevation _____ ft. MSL</p> <p>C. Land surface elevation _____ ft. MSL</p> <p>D. Surface seal, bottom _____ ft. MSL or _____ 1 ft.</p> <p>12. USCS classification of soil near screen: GP <input type="checkbox"/> GM <input type="checkbox"/> GC <input type="checkbox"/> GW <input type="checkbox"/> SW <input type="checkbox"/> SP <input type="checkbox"/> SM <input type="checkbox"/> SC <input type="checkbox"/> ML <input type="checkbox"/> MH <input type="checkbox"/> CL <input type="checkbox"/> CH <input type="checkbox"/> Bedrock <input checked="" type="checkbox"/></p> <p>13. Sieve analysis performed? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No</p> <p>14. Drilling method used: Rotary <input type="checkbox"/> 50. Hollow Stem Auger <input checked="" type="checkbox"/> 41. Other <input type="checkbox"/></p> <p>15. Drilling fluid used: Water <input type="checkbox"/> 02 Air <input checked="" type="checkbox"/> 01 Drilling Mud <input type="checkbox"/> 03 None <input type="checkbox"/> 99</p> <p>16. Drilling additives used? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No Describe _____</p> <p>17. Source of water (attach analysis, if required): _____</p>		
<p>1. Cap and lock? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No</p> <p>2. Protective cover pipe: a. Inside diameter: <i>12</i> in. b. Length: _____ ft. c. Material: Steel <input checked="" type="checkbox"/> 0 Other <input type="checkbox"/> <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No</p> <p>3. Surfacc seal: Bentonite <input type="checkbox"/> 3 Concrete <input checked="" type="checkbox"/> 0 Other <input type="checkbox"/></p> <p>4. Material between well casing and protective pipe: Bentonite <input checked="" type="checkbox"/> 3 Other <input type="checkbox"/></p> <p>5. Annular space seal: a. Granular/Chipped Bentonite <input checked="" type="checkbox"/> 3 b. _____ Lbs/gal mud weight ... Bentonite-sand slurry <input type="checkbox"/> 3 c. _____ Lbs/gal mud weight Bentonite slurry <input type="checkbox"/> 3 d. _____ % Bentonite Bentonite-cement grout <input type="checkbox"/> 5 e. _____ Ft³ volume added for any of the above f. How installed: Tremie <input type="checkbox"/> 0 Tremie pumped <input type="checkbox"/> 0 Gravity <input checked="" type="checkbox"/> 0 a. Bentonite granules <input type="checkbox"/> 3 b. <input type="checkbox"/> 1/4 in. <input checked="" type="checkbox"/> 3/8 in. <input type="checkbox"/> 1/2 in. Bentonite chips <input checked="" type="checkbox"/> 3 c. _____ Other <input type="checkbox"/></p> <p>6. Bentonite seal: a. Bentonite granules <input type="checkbox"/> 3 b. <input type="checkbox"/> 1/4 in. <input checked="" type="checkbox"/> 3/8 in. <input type="checkbox"/> 1/2 in. Bentonite chips <input checked="" type="checkbox"/> 3 c. _____ Other <input type="checkbox"/></p> <p>7. Fine sand material: Manufacturer, product name & mesh size a. <i>40/60 Badger</i> b. Volume added <i>.15</i> ft³</p> <p>8. Filter pack material: Manufacturer, product name & mesh size a. <i>20/40 Badger</i> b. Volume added <i>.3</i> ft³</p> <p>9. Well casing: Flush threaded PVC schedule 40 <input checked="" type="checkbox"/> 2 Flush threaded PVC schedule 80 <input type="checkbox"/> 2 Other <input type="checkbox"/></p> <p>10. Screen material: <i>PVC</i> a. Screen type: Factory cut <input checked="" type="checkbox"/> 1 Continuous slot <input type="checkbox"/> 0 Other <input type="checkbox"/></p> <p>b. Manufacturer <i>Johnson</i> c. Slot size: <i>0.010</i> d. Slotted length: <i>.10</i></p> <p>11. Backfill material (below filter pack): None <input checked="" type="checkbox"/> Other <input type="checkbox"/></p>		

I hereby certify that the information on this form is true and correct to the best of my knowledge.

Signature

Firm *Ground Source*

Facility/Project Name <i>Terry Towing</i>	Local Grid Location of Well Lat. <input type="checkbox"/> N. <input type="checkbox"/> S. ft. <input type="checkbox"/> E. <input type="checkbox"/> W.	Well Name <i>MW-2R</i>
Facility License, Permit or Monitoring No.	Local Grid Origin <input type="checkbox"/> (estimated: <input type="checkbox"/>) or Well Location <input type="checkbox"/> Lat. _____ " Long. _____ " or	Wis. Unique Well No. <i>WN796</i> DNR Well ID No. _____
Facility ID	St. Plan. ft. N. ft. E. S/C/N	Date Well Installed <i>12/17/2011</i>
Type of Well	Section Location of Waste/Source 1/4 of _____ 1/4 of Sec. _____ T. _____ N. R. <input type="checkbox"/> E. <input type="checkbox"/> W.	Well Installed By: Name (first, last) and I <i>Ground Source</i>
Well Code <i>MW</i>	Location of Well Relative to Waste/Source u <input type="checkbox"/> Upgradient s <input type="checkbox"/> Sidegradient d <input type="checkbox"/> Downgradient n <input type="checkbox"/> Not Known	Gov. Lot Number _____
Distance from Waste/Source ft.	Enf. Stds. Apply <input type="checkbox"/>	

A. Protective pipe, top elevation	ft. MSL	1. Cap and lock? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No
B. Well casing, top elevation	ft. MSL	2. Protective cover pipe: a. Inside diameter: <i>12</i> b. Length: _____ c. Material: Steel <input checked="" type="checkbox"/> Other <input type="checkbox"/> d. Additional protection? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No If yes, describe: _____
C. Land surface elevation	ft. MSL	3. Surface seal: Bentonite <input type="checkbox"/> Concrete <input checked="" type="checkbox"/> Other <input type="checkbox"/>
D. Surface seal, bottom	ft. MSL or 1 ft.	4. Material between well casing and protective pipe: Bentonite <input checked="" type="checkbox"/> Other <input type="checkbox"/>
12. USCS classification of soil near screen:	GP <input type="checkbox"/> GM <input type="checkbox"/> GC <input type="checkbox"/> GW <input type="checkbox"/> SW <input type="checkbox"/> SP <input type="checkbox"/> SM <input type="checkbox"/> SC <input type="checkbox"/> ML <input type="checkbox"/> MH <input type="checkbox"/> CL <input type="checkbox"/> CH <input type="checkbox"/> Bedrock <input checked="" type="checkbox"/>	5. Annular space seal: a. Granular/Chipped Bentonite <input checked="" type="checkbox"/> b. _____ Lbs/gal mud weight ... Bentonite-sand slurry <input type="checkbox"/> c. _____ Lbs/gal mud weight Bentonite slurry <input type="checkbox"/> d. _____ % Bentonite Bentonite-cement grout <input type="checkbox"/> e. _____ Ft ³ volume added for any of the above f. How installed: Tremie <input type="checkbox"/> Tremie pumped <input type="checkbox"/> Gravity <input checked="" type="checkbox"/>
13. Sieve analysis performed?	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	6. Bentonite seal: a. Bentonite granules <input type="checkbox"/> b. <input type="checkbox"/> 1/4 in. <input checked="" type="checkbox"/> 3/8 in. <input type="checkbox"/> 1/2 in. Bentonite chips <input checked="" type="checkbox"/> c. _____ Other <input type="checkbox"/>
14. Drilling method used:	Rotary <input checked="" type="checkbox"/> 50 Hollow Stem Auger <input checked="" type="checkbox"/> 41 Other <input type="checkbox"/>	7. Fine sand material: Manufacturer, product name & mesh a. <i>40/60 Bridger</i> b. Volume added <i>.25</i> ft ³
15. Drilling fluid used: Water <input type="checkbox"/> 02 Air <input checked="" type="checkbox"/> 01 Drilling Mud <input type="checkbox"/> 03 None <input type="checkbox"/> 99		8. Filter pack material: Manufacturer, product name & mesh a. <i>20/40 Bridger</i> b. Volume added <i>.3</i> ft ³
16. Drilling additives used?	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	9. Well casing: Flush threaded PVC schedule 40 <input checked="" type="checkbox"/> Flush threaded PVC schedule 80 <input type="checkbox"/> Other <input type="checkbox"/>
Describe _____		10. Screen material: <i>PVC</i> a. Screen type: Factory cut <input checked="" type="checkbox"/> Continuous slot <input type="checkbox"/> Other <input type="checkbox"/>
17. Source of water (attach analysis, if required): _____		b. Manufacturer <i>Johnson</i> 0.01 c. Slot size: _____ d. Slotted length: _____
E. Bentonite seal, top	ft. MSL or 1 ft.	11. Backfill material (below filter pack): None <input checked="" type="checkbox"/> Other <input type="checkbox"/>
F. Fine sand, top	ft. MSL or 2.5 ft.	
G. Filter pack, top	ft. MSL or 3 ft.	
H. Screen joint, top	ft. MSL or 4.0 ft.	
I. Well bottom	ft. MSL or 14 ft.	
J. Filter pack, bottom	ft. MSL or 15 ft.	
K. Borehole, bottom	ft. MSL or 15.0 ft.	
L. Borehole, diameter	in.	
M. O.D. well casing	2.37 in.	
N. I.D. well casing	2.03 in.	

I hereby certify that the information on this form is true and correct to the best of my knowledge.

Signature *Chad VanDeYost*

Firm *Ground Source*

Route to: Watershed/Wastewater Waste Management
Remediation/Redevelopment Other

Facility/Project Name	County Name	Well Name	
Terry's Towing		MW-1R	
Facility License, Permit or Monitoring Number	County Code	Wis. Unique Well Number	DNR Well ID Number
	--	VN795	--

1. Can this well be purged dry?	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	11. Depth to Water (from top of well casing)	Before Development	After Development
2. Well development method		a. <u>8.5</u> ft.	<u>9.5</u> ft.	
surged with bailer and bailed	<input checked="" type="checkbox"/>			
surged with bailer and pumped	<input type="checkbox"/>			
surged with block and bailed	<input type="checkbox"/>			
surged with block and pumped	<input type="checkbox"/>			
surged with block, bailed and pumped	<input type="checkbox"/>			
compressed air	<input type="checkbox"/>			
bailed only	<input type="checkbox"/>			
pumped only	<input type="checkbox"/>			
pumped slowly	<input type="checkbox"/>			
Other _____	<input type="checkbox"/>			
3. Time spent developing well	<u>60</u> min.	12. Sediment in well bottom	<u>0</u> inches	<u>0</u> inches
4. Depth of well (from top of well casing)	<u>14</u> ft.	13. Water clarity	Clear <input type="checkbox"/> 10 Turbid <input checked="" type="checkbox"/> 25 (Describe)	Clear <input checked="" type="checkbox"/> 20 Turbid <input type="checkbox"/> 25 (Describe)
5. Inside diameter of well	<u>2</u> in.			
6. Volume of water in filter pack and well casing	<u>3.5</u> gal.			
7. Volume of water removed from well	<u>25</u> gal.			
8. Volume of water added (if any)	<u>-</u> gal.			
9. Source of water added _____				
10. Analysis performed on water added? (If yes, attach results)	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No		Fill in if drilling fluids were used and well is at solid waste facility:	
17. Additional comments on development:		14. Total suspended solids	<u> </u> mg/l	<u> </u> mg/l
		15. COD	<u> </u> mg/l	<u> </u> mg/l
		16. Well developed by: Name (first, last) and Firm		
		First Name: <u>Mike</u>	Last Name: <u>Gerrits</u>	
		Firm: <u>Ground Source</u>		

Name and Address of Facility Contact/Owner/Responsible Party
First Name: _____ Last Name: _____
Facility/Firm: _____
Street: _____
City/State/Zip: _____

I hereby certify that the above information is true and correct to the best of my knowledge.
Signature: <u>Mike Gerrits</u>
Print Name: <u>Mike Gerrits</u>
Firm: <u>Ground Source</u>

Route to: Watershed/Wastewater Waste Management
Remediation/Redevelopment Other

Facility/Project Name	County Name	Well Name
Terry's Towing		MW-2R

1. Can this well be purged dry?	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	11. Depth to Water (from top of well casing)	Before Development	After Development
2. Well development method		a. _____ ft.	_____ ft.	
surged with bailer and bailed	<input checked="" type="checkbox"/> 41	b. <u>12</u> / <u>17</u> / <u>20</u> <u>13</u> <u>12</u> / <u>17</u> / <u>20</u> <u>13</u>	m m d d y y y y m m d d y y y y	
surged with bailer and pumped	<input type="checkbox"/> 61	c. <u>1:00</u> <input type="checkbox"/> a.m. <u>2:00</u> <input type="checkbox"/> p.m.	mm dd yy yy	
surged with block and bailed	<input type="checkbox"/> 42			
surged with block and pumped	<input type="checkbox"/> 62			
surged with block, bailed and pumped	<input type="checkbox"/> 70			
compressed air	<input type="checkbox"/> 20			
bailed only	<input type="checkbox"/> 10			
pumped only	<input type="checkbox"/> 51			
pumped slowly	<input type="checkbox"/> 50			
Other _____	<input type="checkbox"/>			
3. Time spent developing well	<u>60</u> min.	12. Sediment in well bottom	<u>0</u> inches	<u>6</u> inches
4. Depth of well (from top of well casing)	<u>19</u> ft.	13. Water clarity	Clear <input type="checkbox"/> 10 Turbid <input checked="" type="checkbox"/> 25 (Describe) _____	Clear <input checked="" type="checkbox"/> 20 Turbid <input type="checkbox"/> 25 (Describe) _____
5. Inside diameter of well	<u>2</u> in.			
6. Volume of water in filter pack and well casing	<u>3.5</u> gal.			
7. Volume of water removed from well	<u>25</u> gal.			
8. Volume of water added (if any)	<u>—</u> gal.			
9. Source of water added _____				
10. Analysis performed on water added? (If yes, attach results)	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	14. Total suspended solids	<u>—</u> mg/l	<u>—</u> mg/l
17. Additional comments on development:		15. COD	<u>—</u> mg/l	<u>—</u> mg/l
		16. Well developed by: Name (first, last) and Firm		
		First Name: <u>Mike</u>	Last Name: <u>Gerrits</u>	
		Firm: <u>Ground Source</u>		

Name and Address of Facility Contact/Owner/Responsible Party

First Name: _____ Last Name: _____

Facility/Firm: _____

Street: _____

City/State/Zip: _____

I hereby certify that the above information is true and correct to the best of my knowledge.

Signature: Mike Gerrits

Print Name: Mike Gerrits

Firm: Ground Source

Route To:

Watershed / Wastewater: Remediation / Redevelopment:

X

Waste Management:

Other:

Page 1 of 1

hereby certify that the information on this form is true and correct to the best of my knowledge

Signature:

Firm: METCO

This form is authorized by Chapters 281, 283, 289, 291, 292, 293, 295 and 299, Wis. Stats. Completion of this form is mandatory. Failure to file this form may result in forfeiture of between \$10 and \$25,000, or imprisonment for up to one year, depending on the program and conduct involved. Personally identifiable information on this form is not intended to be used for any other purpose. NOTE: See instructions for more information, including where the completed form should be sent.

Route To:

Watershed / Wastewater: Remediation / Redevelopment:

v

Waste Management:

Other:

Page 1 of 1

I hereby certify that the information on this form is true and correct to the best of my knowledge.

Signature:

Firm: METCO

DKS Transport Services, LLC

N7349 548th Street
Menomonie, WI 54751
715-556-2604

INVOICE

CUSTOMER

63 2014

JOB NAME

Terry Bristol 8 Motel
709 Gillette St
La Crosse WI 54603

Terry's Tawee
Doverville WI

CASH CHECK # _____ IN-HOUSE
ACCOUNT

Due upon receipt of invoice.

15% per month Service Charge (18% Annual Percentage Rate) will be added to past due accounts.

TOTAL	623	10
-------	-----	----

SIGNATURE _____

98

Synergy Environmental Lab,

1990 Prospect Ct., Appleton, WI 54914 *P 920-830-2455 * F 920-733-0631

TERRY BYSTOL
TERRY BYSTOL
425 POWELL STREET
DODGEVILLE, WI 53533

Report Date 20-Sep-12

Project Name	TERRY'S TOWING				Invoice #	E24259									
Project #															
Lab Code	5024259A														
Sample ID	HS-1														
Sample Matrix	Soil														
Sample Date	9/7/2012														
Inorganic Metals	Result	Units	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code					
TCLP Lead	2.0	mg/l	0.05		1	6010B	9/20/2012	ESC	1						
"J" Flag: Analyte detected between LOD and LOQ				LOD Limit of Detection			LOQ Limit of Quantitation								
Code	Comment														
1	Laboratory QC within limits.														

ESC denotes sub contract lab - Certification #998093910

All solid sample results reported on a dry weight basis unless otherwise indicated. All LOD's and LOQ's are adjusted for dilutions but not dry weight. Subcontracted results are denoted by SUB in the analyst field.

Authorized Signature

Michael J. Ricker

Synergy Environmental Lab,

1990 Prospect Ct., Appleton, WI 54914 *P 920-830-2455 * F 920-733-0631

TERRY BYSTOL
 TERRY BYSTOL
 425 POWELL STREET
 DODGEVILLE, WI 53533

Report Date 10-Jul-13

Project Name TERRY'S TOWING
Project #

Invoice # E25348

Lab Code 5025348A
Sample ID EX-1
Sample Matrix Soil
Sample Date 6/18/2013

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
General										
General										
Solids Percent	79.7	%				1	5021			
Inorganic										
Metals										
Lead, Total	415	mg/Kg	1.2	3.84	4	6010B			CWT	149
Organic										
PVOC + Naphthalene										
Benzene	< 25	ug/kg	7.9	25	1	GRO95/8021	6/26/2013		CJR	1
Ethylbenzene	< 25	ug/kg	7.7	25	1	GRO95/8021	6/26/2013		CJR	1
Methyl tert-butyl ether (MTBE)	< 25	ug/kg	8.1	26	1	GRO95/8021	6/26/2013		CJR	1
Naphthalene	30.1 "J"	ug/kg	22	70	1	GRO95/8021	6/26/2013		CJR	1
Toluene	35	ug/kg	8.4	27	1	GRO95/8021	6/26/2013		CJR	1
1,2,4-Trimethylbenzene	44	ug/kg	10	33	1	GRO95/8021	6/26/2013		CJR	1
1,3,5-Trimethylbenzene	26.5 "J"	ug/kg	9.3	30	1	GRO95/8021	6/26/2013		CJR	1
m&p-Xylene	62	ug/kg	16	50	1	GRO95/8021	6/26/2013		CJR	1
o-Xylene	25.7 "J"	ug/kg	10	32	1	GRO95/8021	6/26/2013		CJR	1

Project Name TERRY'S TOWING
Project #

Invoice # E25348

Lab Code 5025348B
Sample ID EX-2
Sample Matrix Soil
Sample Date 6/18/2013

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
General										
General										
Solids Percent	78.8	%				1 5021			MDK	1
Inorganic										
Metals										
Lead, Total	145	mg/Kg	1.2	3.84	4	6010B			CWT	149
Organic	PVOC + Naphthalene									
Benzene	< 25	ug/kg	7.9	25	1	GRO95/8021	6/26/2013		CJR	1
Ethylbenzene	< 25	ug/kg	7.7	25	1	GRO95/8021	6/26/2013		CJR	1
Methyl tert-butyl ether (MTBE)	< 25	ug/kg	8.1	26	1	GRO95/8021	6/26/2013		CJR	1
Naphthalene	28.3 "J"	ug/kg	22	70	1	GRO95/8021	6/26/2013		CJR	1
Toluene	< 25	ug/kg	8.4	27	1	GRO95/8021	6/26/2013		CJR	1
1,2,4-Trimethylbenzene	42	ug/kg	10	33	1	GRO95/8021	6/26/2013		CJR	1
1,3,5-Trimethylbenzene	< 25	ug/kg	9.3	30	1	GRO95/8021	6/26/2013		CJR	1
m&p-Xylene	53	ug/kg	16	50	1	GRO95/8021	6/26/2013		CJR	1
o-Xylene	44	ug/kg	10	32	1	GRO95/8021	6/26/2013		CJR	1

Lab Code 5025348C
Sample ID EX-3
Sample Matrix Soil
Sample Date 6/18/2013

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
General										
General										
Solids Percent	80.3	%				1 5021			MDK	1
Inorganic										
Metals										
Lead, Total	628	mg/Kg	1.2	3.84	4	6010B			CWT	149
Organic	PVOC + Naphthalene									
Benzene	< 25	ug/kg	7.9	25	1	GRO95/8021	6/26/2013		CJR	1
Ethylbenzene	< 25	ug/kg	7.7	25	1	GRO95/8021	6/26/2013		CJR	1
Methyl tert-butyl ether (MTBE)	< 25	ug/kg	8.1	26	1	GRO95/8021	6/26/2013		CJR	1
Naphthalene	42 "J"	ug/kg	22	70	1	GRO95/8021	6/26/2013		CJR	1
Toluene	26.1 "J"	ug/kg	8.4	27	1	GRO95/8021	6/26/2013		CJR	1
1,2,4-Trimethylbenzene	38	ug/kg	10	33	1	GRO95/8021	6/26/2013		CJR	1
1,3,5-Trimethylbenzene	< 25	ug/kg	9.3	30	1	GRO95/8021	6/26/2013		CJR	1
m&p-Xylene	< 50	ug/kg	16	50	1	GRO95/8021	6/26/2013		CJR	1
o-Xylene	26.1 "J"	ug/kg	10	32	1	GRO95/8021	6/26/2013		CJR	1

Project Name TERRY'S TOWING
Project #

Invoice # E25348

Lab Code 5025348D
Sample ID EX-4
Sample Matrix Soil
Sample Date 6/18/2013

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
General										
General										
Solids Percent	58.5	%				I 5021			MDK	I
Inorganic										
Metals										
Lead, Total	2570	mg/Kg	1.2	3.84	4	6010B			CWT	I 49
Organic										
PVOC + Naphthalene										
Benzene	< 25	ug/kg	7.9	25	I	GRO95/8021	6/26/2013		CJR	I
Ethylbenzene	< 25	ug/kg	7.7	25	I	GRO95/8021	6/26/2013		CJR	I
Methyl tert-butyl ether (MTBE)	< 25	ug/kg	8.1	26	I	GRO95/8021	6/26/2013		CJR	I
Naphthalene	< 25	ug/kg	22	70	I	GRO95/8021	6/26/2013		CJR	I
Toluene	< 25	ug/kg	8.4	27	I	GRO95/8021	6/26/2013		CJR	I
1,2,4-Trimethylbenzene	< 25	ug/kg	10	33	I	GRO95/8021	6/26/2013		CJR	I
1,3,5-Trimethylbenzene	< 25	ug/kg	9.3	30	I	GRO95/8021	6/26/2013		CJR	I
m&p-Xylene	< 50	ug/kg	16	50	I	GRO95/8021	6/26/2013		CJR	I
o-Xylene	< 25	ug/kg	10	32	I	GRO95/8021	6/26/2013		CJR	I

Lab Code 5025348E
Sample ID EX-5
Sample Matrix Soil
Sample Date 6/19/2013

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
General										
General										
Solids Percent	86.7	%				I 5021			MDK	I
Inorganic										
Metals										
Lead, Total	413	mg/Kg	1.2	3.84	4	6010B			CWT	I 49
Organic										
PVOC + Naphthalene										
Benzene	37	ug/kg	7.9	25	I	GRO95/8021	6/26/2013		CJR	I
Ethylbenzene	43	ug/kg	7.7	25	I	GRO95/8021	6/26/2013		CJR	I
Methyl tert-butyl ether (MTBE)	< 25	ug/kg	8.1	26	I	GRO95/8021	6/26/2013		CJR	I
Naphthalene	45 "J"	ug/kg	22	70	I	GRO95/8021	6/26/2013		CJR	I
Toluene	350	ug/kg	8.4	27	I	GRO95/8021	6/26/2013		CJR	I
1,2,4-Trimethylbenzene	164	ug/kg	10	33	I	GRO95/8021	6/26/2013		CJR	I
1,3,5-Trimethylbenzene	91	ug/kg	9.3	30	I	GRO95/8021	6/26/2013		CJR	I
m&p-Xylene	320	ug/kg	16	50	I	GRO95/8021	6/26/2013		CJR	I
o-Xylene	187	ug/kg	10	32	I	GRO95/8021	6/26/2013		CJR	I

Project Name TERRY'S TOWING
Project #

Invoice # E25348

Lab Code 5025348F
Sample ID EX-6
Sample Matrix Soil
Sample Date 6/19/2013

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
General										
General										
Solids Percent	76.7	%				1 5021			MDK	1
Inorganic										
Metals										
Lead, Total	179	mg/Kg	1.2	3.84	4	6010B			CWT	149
Organic										
PVOC + Naphthalene										
Benzene	83	ug/kg	7.9	25	1	GRO95/8021			CJR	1
Ethylbenzene	159	ug/kg	7.7	25	1	GRO95/8021			CJR	1
Methyl tert-butyl ether (MTBE)	< 25	ug/kg	8.1	26	1	GRO95/8021			CJR	1
Naphthalene	108	ug/kg	22	70	1	GRO95/8021			CJR	1
Toluene	< 25	ug/kg	8.4	27	1	GRO95/8021			CJR	1
1,2,4-Trimethylbenzene	820	ug/kg	10	33	1	GRO95/8021			CJR	1
1,3,5-Trimethylbenzene	262	ug/kg	9.3	30	1	GRO95/8021			CJR	1
m&p-Xylene	480	ug/kg	16	50	1	GRO95/8021			CJR	1
o-Xylene	97	ug/kg	10	32	1	GRO95/8021			CJR	1

Lab Code 5025348G
Sample ID EX-7
Sample Matrix Soil
Sample Date 6/19/2013

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
General										
General										
Solids Percent	84.4	%				1 5021			MDK	1
Inorganic										
Metals										
Lead, Total	706	mg/Kg	1.2	3.84	4	6010B			CWT	149
Organic										
PVOC + Naphthalene										
Benzene	2830	ug/kg	7.9	25	1	GRO95/8021			CJR	1
Ethylbenzene	5100	ug/kg	7.7	25	1	GRO95/8021			CJR	1
Methyl tert-butyl ether (MTBE)	< 25	ug/kg	8.1	26	1	GRO95/8021			CJR	1
Naphthalene	2620	ug/kg	22	70	1	GRO95/8021			CJR	1
Toluene	311	ug/kg	8.4	27	1	GRO95/8021			CJR	1
1,2,4-Trimethylbenzene	7700	ug/kg	10	33	1	GRO95/8021			CJR	1
1,3,5-Trimethylbenzene	1890	ug/kg	9.3	30	1	GRO95/8021			CJR	1
m&p-Xylene	13600	ug/kg	16	50	1	GRO95/8021			CJR	1
o-Xylene	840	ug/kg	10	32	1	GRO95/8021			CJR	1

Project Name TERRY'S TOWING
Project #

Invoice # E25348

Lab Code 5025348H
Sample ID EX-8
Sample Matrix Soil
Sample Date 6/19/2013

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
General										
General										
Solids Percent	88.0	%			1	5021			MDK	I
Inorganic										
Metals										
Lead, Total	2000	mg/Kg	1.2	3.84	4	6010B			CWT	I 49
Organic										
PVOC + Naphthalene										
Benzene	830	ug/kg	7.9	25	1	GRO95/8021			CJR	I
Ethylbenzene	2430	ug/kg	7.7	25	1	GRO95/8021			CJR	I
Methyl tert-butyl ether (MTBE)	< 25	ug/kg	8.1	26	1	GRO95/8021			CJR	I
Naphthalene	790	ug/kg	22	70	1	GRO95/8021			CJR	I
Toluene	2460	ug/kg	8.4	27	1	GRO95/8021			CJR	I
1,2,4-Trimethylbenzene	4600	ug/kg	10	33	1	GRO95/8021			CJR	I
1,3,5-Trimethylbenzene	1690	ug/kg	9.3	30	1	GRO95/8021			CJR	I
m&p-Xylene	6900	ug/kg	16	50	1	GRO95/8021			CJR	I
o-Xylene	2260	ug/kg	10	32	1	GRO95/8021			CJR	I

Lab Code 5025348I
Sample ID EX-9
Sample Matrix Soil
Sample Date 6/19/2013

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
General										
General										
Solids Percent	73.1	%			1	5021			MDK	I
Inorganic										
Metals										
Lead, Total	1210	mg/Kg	1.2	3.84	4	6010B			CWT	I 49
Organic										
PVOC + Naphthalene										
Benzene	10100	ug/kg	79	250	10	GRO95/8021			CJR	I
Ethylbenzene	65000	ug/kg	77	250	10	GRO95/8021			CJR	I
Methyl tert-butyl ether(MTBE)	< 250	ug/kg	81	260	10	GRO95/8021			CJR	I
Naphthalene	19400	ug/kg	220	700	10	GRO95/8021			CJR	I
Toluene	5500	ug/kg	84	270	10	GRO95/8021			CJR	I
1,2,4-Trimethylbenzene	134000	ug/kg	100	330	10	GRO95/8021			CJR	I
1,3,5-Trimethylbenzene	47000	ug/kg	93	300	10	GRO95/8021			CJR	I
m&p-Xylene	147000	ug/kg	160	500	10	GRO95/8021			CJR	I
o-Xylene	35000	ug/kg	100	320	10	GRO95/8021			CJR	I

Project Name TERRY'S TOWING

Invoice # E25348

Project #

Lab Code 5025348J

Sample ID EX-10

Sample Matrix Soil

Sample Date 6/19/2013

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
General										
General										
Solids Percent										
Inorganic	84.4	%			1	5021		6/24/2013	MDK	1
Metals										
Lead, Total	56.5	mg/Kg	1.2	3.84	4	6010B		7/5/2013	CWT	149
Organic										
PVOC + Naphthalene										
Benzene	160	ug/kg	7.9	25	1	GRO95/8021		6/26/2013	CJR	1
Ethylbenzene	193	ug/kg	7.7	25	1	GRO95/8021		6/26/2013	CJR	1
Methyl tert-butyl ether (MTBE)	< 25	ug/kg	8.1	26	1	GRO95/8021		6/26/2013	CJR	1
Naphthalene	207	ug/kg	22	70	1	GRO95/8021		6/26/2013	CJR	1
Toluene	315	ug/kg	8.4	27	1	GRO95/8021		6/26/2013	CJR	1
1,2,4-Trimethylbenzene	610	ug/kg	10	33	1	GRO95/8021		6/26/2013	CJR	1
1,3,5-Trimethylbenzene	222	ug/kg	9.3	30	1	GRO95/8021		6/26/2013	CJR	1
m&p-Xylene	700	ug/kg	16	50	1	GRO95/8021		6/26/2013	CJR	1
o-Xylene	206	ug/kg	10	32	1	GRO95/8021		6/26/2013	CJR	1

Lab Code 5025348K

Sample ID EX-11

Sample Matrix Soil

Sample Date 6/19/2013

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
General										
General										
Solids Percent										
Inorganic	77.1	%			1	5021		6/24/2013	MDK	1
Metals										
Lead, Total	55.9	mg/Kg	1.2	3.84	4	6010B		7/5/2013	CWT	149
Organic										
PVOC + Naphthalene										
Benzene	4500	ug/kg	79	250	10	GRO95/8021		6/27/2013	CJR	1
Ethylbenzene	8900	ug/kg	77	250	10	GRO95/8021		6/27/2013	CJR	1
Methyl tert-butyl ether (MTBE)	540	ug/kg	81	260	10	GRO95/8021		6/27/2013	CJR	1
Naphthalene	5500	ug/kg	220	700	10	GRO95/8021		6/27/2013	CJR	1
Toluene	1170	ug/kg	84	270	10	GRO95/8021		6/27/2013	CJR	1
1,2,4-Trimethylbenzene	17200	ug/kg	100	330	10	GRO95/8021		6/27/2013	CJR	1
1,3,5-Trimethylbenzene	5800	ug/kg	93	300	10	GRO95/8021		6/27/2013	CJR	1
m&p-Xylene	20800	ug/kg	160	500	10	GRO95/8021		6/27/2013	CJR	1
o-Xylene	7600	ug/kg	100	320	10	GRO95/8021		6/27/2013	CJR	1

Project Name TERRY'S TOWING

Invoice # E25348

Project #

Lab Code 5025348L

Sample ID EX-12

Sample Matrix Soil

Sample Date 6/19/2013

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
General										
General										
Solids Percent	86.1	%				1 5021			MDK	1
Inorganic										
Metals										
Lead, Total	5260	mg/Kg	1.2	3.84	4	6010B			CWT	149
Organic										
PVOC + Naphthalene										
Benzene	2300	ug/kg	7.9	25	1	GRO95/8021			CJR	1
Ethylbenzene	4300	ug/kg	7.7	25	1	GRO95/8021			CJR	1
Methyl tert-butyl ether (MTBE)	315	ug/kg	8.1	26	1	GRO95/8021			CJR	1
Naphthalene	4000	ug/kg	22	70	1	GRO95/8021			CJR	1
Toluene	5700	ug/kg	8.4	27	1	GRO95/8021			CJR	1
1,2,4-Trimethylbenzene	13000	ug/kg	10	33	1	GRO95/8021			CJR	1
1,3,5-Trimethylbenzene	3900	ug/kg	9.3	30	1	GRO95/8021			CJR	1
m&p-Xylene	12300	ug/kg	16	50	1	GRO95/8021			CJR	1
o-Xylene	4300	ug/kg	10	32	1	GRO95/8021			CJR	1

Lab Code 5025348M

Sample ID EX-13

Sample Matrix Soil

Sample Date 6/20/2013

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
General										
General										
Solids Percent	85.3	%				1 5021			MDK	1
Inorganic										
Metals										
Lead, Total	4210	mg/Kg	1.2	3.84	4	6010B			CWT	149
Organic										
PVOC + Naphthalene										
Benzene	105	ug/kg	7.9	25	1	GRO95/8021			CJR	1
Ethylbenzene	28.9	ug/kg	7.7	25	1	GRO95/8021			CJR	1
Methyl tert-butyl ether (MTBE)	< 25	ug/kg	8.1	26	1	GRO95/8021			CJR	1
Naphthalene	< 25	ug/kg	22	70	1	GRO95/8021			CJR	1
Toluene	< 25	ug/kg	8.4	27	1	GRO95/8021			CJR	1
1,2,4-Trimethylbenzene	27.7 "J"	ug/kg	10	33	1	GRO95/8021			CJR	1
1,3,5-Trimethylbenzene	< 25	ug/kg	9.3	30	1	GRO95/8021			CJR	1
m&p-Xylene	76	ug/kg	16	50	1	GRO95/8021			CJR	1
o-Xylene	36	ug/kg	10	32	1	GRO95/8021			CJR	1

Project Name TERRY'S TOWING
Project #

Invoice # E25348

Lab Code 5025348N
Sample ID EX-14
Sample Matrix Soil
Sample Date 6/20/2013

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
General										
General										
Solids Percent										
	78.4	%			1	5021		6/24/2013	MDK	1
Inorganic										
Metals										
Lead, Total	207	mg/Kg	1.2	3.84	4	6010B		7/5/2013	CWT	149
Organic										
PVOC + Naphthalene										
Benzene	20300	ug/kg	79	250	10	GRO95/8021		7/3/2013	CJR	1
Ethylbenzene	94000	ug/kg	77	250	10	GRO95/8021		7/3/2013	CJR	1
Methyl tert-butyl ether (MTBE)	< 250	ug/kg	81	260	10	GRO95/8021		7/3/2013	CJR	1
Naphthalene	27100	ug/kg	220	700	10	GRO95/8021		7/3/2013	CJR	1
Toluene	9300	ug/kg	84	270	10	GRO95/8021		7/3/2013	CJR	1
1,2,4-Trimethylbenzene	177000	ug/kg	100	330	10	GRO95/8021		7/3/2013	CJR	1
1,3,5-Trimethylbenzene	68000	ug/kg	93	300	10	GRO95/8021		7/3/2013	CJR	1
m&p-Xylene	261000	ug/kg	160	500	10	GRO95/8021		7/3/2013	CJR	1
o-Xylene	80000	ug/kg	100	320	10	GRO95/8021		7/3/2013	CJR	1

Lab Code 5025348O
Sample ID EX-15
Sample Matrix Soil
Sample Date 6/20/2013

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
General										
General										
Solids Percent										
	80.4	%			1	5021		6/24/2013	MDK	1
Inorganic										
Metals										
Lead, Total	443	mg/Kg	1.2	3.84	4	6010B		7/5/2013	CWT	149
Organic										
PVOC + Naphthalene										
Benzene	460	ug/kg	7.9	25	1	GRO95/8021		7/3/2013	CJR	1
Ethylbenzene	550	ug/kg	7.7	25	1	GRO95/8021		7/3/2013	CJR	1
Methyl tert-butyl ether (MTBE)	< 25	ug/kg	8.1	26	1	GRO95/8021		7/3/2013	CJR	1
Naphthalene	149	ug/kg	22	70	1	GRO95/8021		7/3/2013	CJR	1
Toluene	119	ug/kg	8.4	27	1	GRO95/8021		7/3/2013	CJR	1
1,2,4-Trimethylbenzene	1100	ug/kg	10	33	1	GRO95/8021		7/3/2013	CJR	1
1,3,5-Trimethylbenzene	136	ug/kg	9.3	30	1	GRO95/8021		7/3/2013	CJR	1
m&p-Xylene	790	ug/kg	16	50	1	GRO95/8021		7/3/2013	CJR	1
o-Xylene	127	ug/kg	10	32	1	GRO95/8021		7/3/2013	CJR	1

Project Name TERRY'S TOWING
Project #

Invoice # E25348

Lab Code 5025348P
Sample ID EX-16
Sample Matrix Soil
Sample Date 6/20/2013

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
General										
General										
Solids Percent	77.2	%			1	5021			MDK	1
Inorganic										
Metals										
Lead, Total	1020	mg/Kg	1.2	3.84	4	6010B			CWT	149
Organic										
PVOC + Naphthalene										
Benzene	1880	ug/kg	7.9	25	1	GRO95/8021			CJR	1
Ethylbenzene	9500	ug/kg	7.7	25	1	GRO95/8021			CJR	1
Methyl tert-butyl ether (MTBE)	77	ug/kg	8.1	26	1	GRO95/8021			CJR	1
Naphthalene	5300	ug/kg	22	70	1	GRO95/8021			CJR	1
Toluene	122	ug/kg	8.4	27	1	GRO95/8021			CJR	1
1,2,4-Trimethylbenzene	30900	ug/kg	10	33	1	GRO95/8021			CJR	1
1,3,5-Trimethylbenzene	1430	ug/kg	9.3	30	1	GRO95/8021			CJR	1
m&p-Xylene	15500	ug/kg	16	50	1	GRO95/8021			CJR	1
o-Xylene	440	ug/kg	10	32	1	GRO95/8021			CJR	1

Lab Code 5025348Q
Sample ID EX-17
Sample Matrix Soil
Sample Date 6/20/2013

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
General										
General										
Solids Percent	85.3	%			1	5021			MDK	1
Inorganic										
Metals										
Lead, Total	712	mg/Kg	1.2	3.84	4	6010B			CWT	149
Organic										
PVOC + Naphthalene										
Benzene	160	ug/kg	7.9	25	1	GRO95/8021			CJR	1
Ethylbenzene	88	ug/kg	7.7	25	1	GRO95/8021			CJR	1
Methyl tert-butyl ether (MTBE)	< 25	ug/kg	8.1	26	1	GRO95/8021			CJR	1
Naphthalene	257	ug/kg	22	70	1	GRO95/8021			CJR	1
Toluene	245	ug/kg	8.4	27	1	GRO95/8021			CJR	1
1,2,4-Trimethylbenzene	213	ug/kg	10	33	1	GRO95/8021			CJR	1
1,3,5-Trimethylbenzene	92	ug/kg	9.3	30	1	GRO95/8021			CJR	1
m&p-Xylene	430	ug/kg	16	50	1	GRO95/8021			CJR	1
o-Xylene	282	ug/kg	10	32	1	GRO95/8021			CJR	1

Project Name TERRY'S TOWING
Project #

Invoice # E25348

Lab Code 5025348R
Sample ID EX-18
Sample Matrix Soil
Sample Date 6/20/2013

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
General										
General										
Solids Percent	73.0	%			1	5021		6/24/2013	MDK	1
Inorganic										
Metals										
Lead, Total	1380	mg/Kg	1.2	3.84	4	6010B		7/5/2013	CWT	149
Organic										
PVOC + Naphthalene										
Benzene	2060	ug/kg	7.9	25	1	GRO95/8021		7/3/2013	CJR	1
Ethylbenzene	5300	ug/kg	7.7	25	1	GRO95/8021		7/3/2013	CJR	1
Methyl tert-butyl ether (MTBE)	<25	ug/kg	8.1	26	1	GRO95/8021		7/3/2013	CJR	1
Naphthalene	6300	ug/kg	22	70	1	GRO95/8021		7/3/2013	CJR	1
Toluene	4300	ug/kg	8.4	27	1	GRO95/8021		7/3/2013	CJR	1
1,2,4-Trimethylbenzene	15800	ug/kg	10	33	1	GRO95/8021		7/3/2013	CJR	1
1,3,5-Trimethylbenzene	5300	ug/kg	9.3	30	1	GRO95/8021		7/3/2013	CJR	1
m&p-Xylene	18400	ug/kg	16	50	1	GRO95/8021		7/3/2013	CJR	1
o-Xylene	6600	ug/kg	10	32	1	GRO95/8021		7/3/2013	CJR	1

Lab Code 5025348S
Sample ID EX-19
Sample Matrix Soil
Sample Date 6/20/2013

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
General										
General										
Solids Percent	76.9	%			1	5021		6/24/2013	MDK	1
Inorganic										
Metals										
Lead, Total	1560	mg/Kg	3	9.6	10	6010B		7/5/2013	CWT	149
Organic										
PVOC + Naphthalene										
Benzene	740	ug/kg	7.9	25	1	GRO95/8021		7/9/2013	CJR	1
Ethylbenzene	206	ug/kg	7.7	25	1	GRO95/8021		7/9/2013	CJR	1
Methyl tert-butyl ether (MTBE)	<25	ug/kg	8.1	26	1	GRO95/8021		7/9/2013	CJR	1
Naphthalene	154	ug/kg	22	70	1	GRO95/8021		7/9/2013	CJR	1
Toluene	1100	ug/kg	8.4	27	1	GRO95/8021		7/9/2013	CJR	1
1,2,4-Trimethylbenzene	232	ug/kg	10	33	1	GRO95/8021		7/9/2013	CJR	1
1,3,5-Trimethylbenzene	120	ug/kg	9.3	30	1	GRO95/8021		7/9/2013	CJR	1
m&p-Xylene	730	ug/kg	16	50	1	GRO95/8021		7/9/2013	CJR	1
o-Xylene	330	ug/kg	10	32	1	GRO95/8021		7/9/2013	CJR	1

Project Name TERRY'S TOWING
Project #

Invoice # E25348

Lab Code 5025348T
Sample ID EX-20
Sample Matrix Soil
Sample Date 6/20/2013

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
General										
General										
Solids Percent	80.5	%				1 5021		6/24/2013	MDK	1
Inorganic										
Metals										
Lead, Total	158	mg/Kg	3	9.6	10	6010B		7/5/2013	CWT	149
Organic										
PVOC + Naphthalene										
Benzene	200	ug/kg	7.9	25	1	GRO95/8021		7/3/2013	CJR	1
Ethylbenzene	320	ug/kg	7.7	25	1	GRO95/8021		7/3/2013	CJR	1
Methyl tert-butyl ether (MTBE)	< 25	ug/kg	8.1	26	1	GRO95/8021		7/3/2013	CJR	1
Naphthalene	360	ug/kg	22	70	1	GRO95/8021		7/3/2013	CJR	1
Toluene	36	ug/kg	8.4	27	1	GRO95/8021		7/3/2013	CJR	1
1,2,4-Trimethylbenzene	830	ug/kg	10	33	1	GRO95/8021		7/3/2013	CJR	1
1,3,5-Trimethylbenzene	440	ug/kg	9.3	30	1	GRO95/8021		7/3/2013	CJR	1
m&p-Xylene	800	ug/kg	16	50	1	GRO95/8021		7/3/2013	CJR	1
o-Xylene	115	ug/kg	10	32	1	GRO95/8021		7/3/2013	CJR	1

Lab Code 5025348U

Sample ID MEOH BLANK

Sample Matrix Soil

Sample Date 6/20/2013

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
PVOC + Naphthalene										
Benzene	< 25	ug/kg	7.9	25	1	GRO95/8021		7/3/2013	CJR	1
Ethylbenzene	< 25	ug/kg	7.7	25	1	GRO95/8021		7/3/2013	CJR	1
Methyl tert-butyl ether (MTBE)	< 25	ug/kg	8.1	26	1	GRO95/8021		7/3/2013	CJR	1
Naphthalene	< 25	ug/kg	22	70	1	GRO95/8021		7/3/2013	CJR	1
Toluene	< 25	ug/kg	8.4	27	1	GRO95/8021		7/3/2013	CJR	1
1,2,4-Trimethylbenzene	< 25	ug/kg	10	33	1	GRO95/8021		7/3/2013	CJR	1
1,3,5-Trimethylbenzene	< 25	ug/kg	9.3	30	1	GRO95/8021		7/3/2013	CJR	1
m&p-Xylene	< 50	ug/kg	16	50	1	GRO95/8021		7/3/2013	CJR	1
o-Xylene	< 25	ug/kg	10	32	1	GRO95/8021		7/3/2013	CJR	1

"J" Flag: Analyte detected between LOD and LOQ

LOD Limit of Detection

LOQ Limit of Quantitation

Code **Comment**

1 Laboratory QC within limits.

49 Sample diluted to compensate for matrix interference.

CWT denotes sub contract lab - Certification #445126660

All solid sample results reported on a dry weight basis unless otherwise indicated. All LOD's and LOQ's are adjusted for dilutions but not dry weight. Subcontracted results are denoted by SUB in the analyst field.

Authorized Signature

Michael Ricker

CHAIN C. CUSTODY RECORD

Synergy**Environmental Lab, Inc.**

Chain # No 23658

Page 1 of 2

Lab I.D. #		
Account No. :	Quote No.:	
Project #:		
Sampler: (signature)	<i>Terry T. Powell</i>	

1990 Prospect Ct. • Appleton, WI 54914
920-830-2455 • FAX 920-733-0631

Sample Handling Request
 Rush Analysis Date Required _____
 (Rushes accepted only with prior authorization)
 Normal Turn Around

Project (Name / Location): <i>Terry's Towing - Dodgeville, WI</i>									Analysis Requested	Other Analysis												
Reports To: <i>Terry Bystol</i>		Invoice To: <i>Terry Bystol c/o METCO</i>																				
Company		Company																				
Address <i>425 Powell Street</i>		Address <i>709 Gillette St., Suite #3</i>																				
City State Zip <i>Dodgeville WI 53533</i>		City State Zip <i>La Crosse WI 54603</i>																				
Phone		Phone <i>608 781-8879</i>																				
FAX		FAX																				
Lab I.D.	Sample I.D.	Collection Date	Time	Comp	Grab	Filtered Y/N	No. of Containers	Sample Type (Matrix)*	Preservation	DRO (Mod DRO Sep 95)	GRO (Mod GRO Sep 95)	IRON	LEAD	NITRATE / NITRITE	PAH (EPA 8270)	PVOC (EPA 8021)	PVOC + NAPHTHALENE	SULFATE	VOC DW (EPA 5242)	VOC (EPA 8260)	8-RCRRA METALS	PID/ FID
A	EX-1	6/18/13	4:00P	X			3	S	McDH	✓				✓								
B	EX-2		4:10P							✓				✓								
C	EX-3		4:30P							✓				✓								
D	EX-4		4:40P	▼						✓				✓								
E	EX-5	6/19/13	8:30A							✓				✓								
F	EX-6		8:40A							✓				✓								
G	EX-7		8:30P							✓				✓								
H	EX-8		7:00P							✓				✓								
I	EX-9		7:10P							✓				✓								
J	EX-10		6:15P	▼			▼		▼	✓				✓								

Comments/Special Instructions (*Specify groundwater "GW", Drinking Water "DW", Waste Water "WW", Soil "S", Air "A", Oil, Sludge etc.)

Note to Lab: Copies of report to METCO. This will be billed at user rates and is an "Agent Status" site.

Sample Integrity - To be completed by receiving lab.

Method of Shipment: *Delivery*Temp. of Temp. Blank: ____ °C On Ice: Cooler seal intact upon receipt: Yes No

Relinquished By: (sign)

Terry T. Powell

Time

Date
8:30 AM 6/21/13

Received By: (sign)

Time Date

Received in Laboratory By: *Theresa J. P.*

Time: 10:00

Date: 6/22/13

CHAIN C CUSTODY RECORD

Synergy**Environmental Lab, Inc.**

Chain # No 23659

Page 2 of 2

Lab I.D. #	
Account No.:	Quote No.:
Project #:	
Sampler: (signature) <i>C. T. Powell</i>	

1950 Prospect Ct. • Appleton, WI 54914
920-830-2455 • FAX 920-733-0631

Sample Handling Request
 Rush Analysis Date Required
 (Rushes accepted only with prior authorization)
 Normal Turn Around

Project (Name / Location): *Terry's Towing - Dodgeville, WI*

Reports To: <i>Terry Bystol</i>	Invoice To: <i>Terry Bystol c/o METCO</i>
Company	Company
Address <i>425 Powell Street</i>	Address <i>709 Gillette St., Suite #3</i>
City State Zip <i>Dodgeville, WI 53537</i>	City State Zip <i>La Crosse WI 54603</i>
Phone	Phone <i>608 781-8879</i>
FAX	FAX

Lab I.D.	Sample I.D.	Collection Date	Time	Comp	Grab	Filtered Y/N	No. of Containers	Sample Type (Matrix)*	Preservation	DRO (Mod DRO Sep 95)	GRO (Mod GRO Sep 95)	IRON	LEAD	NITRATE / NITRITE	PAH (EPA 8270)	PVOC (EPA 8021)	PVOC + NAPHTHALENE	SULFATE	VOC DW (EPA 624.2)	VOC (EPA 8260)	B-RCRA METALS	PID/ FID
S025348k	EX-11	6/19/13	6:20P	X			3	5	MeOH	✓	✓		✓	✓	✓	✓	✓	✓	✓	✓		
L	EX-12		↓ 6:30P																			
M	EX-13	6/20/13	7:15A																			
N	EX-14		8:30A																			
O	EX-15		10:30A																			
P	EX-16		11:00A																			
Q	EX-17		11:30A																			
R	EX-18		11:40A																			
S	EX-19		12:20P																			
T	EX-20		↓ 12:30P																			

Comments/Special Instructions (*Specify groundwater "GW", Drinking Water "DW", Waste Water "WW", Soil "S", Air "A", Oil, Sludge etc.)
U MeOH blank

Note to Lab: Copies of report to METCO - This will be billed at user rates and is an "Agent Status" site.

Sample Integrity - To be completed by receiving lab.

Method of Shipment: *Delivery*

Temp. of Temp. Blank: ____°C On Ice: *X*

Cooler seal intact upon receipt: *X* Yes No

Relinquished By: (sign)

C. T. Powell

Time

Date

Received By: (sign)

8:30 AM 6/21/13

Time

Date

Received in Laboratory By:

Chadron Dore

Time: *10:00*

Date: *6-12-13*

Synergy Environmental Lab,

1990 Prospect Ct., Appleton, WI 54914 *P 920-830-2455 * F 920-733-0631

TERRY BYSTOL
 TERRY BYSTOL
 425 POWELL STREET
 DODGEVILLE, WI 53533

Report Date 24-Jan-14

Project Name TERRY'S TOWING

Invoice # E26417

Project #

Lab Code 5026417A

Sample ID MW-4

Sample Matrix water

Sample Date 1/13/2014

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.24	ug/l	0.24	0.77	1	8260B				
Bromobenzene	< 0.32	ug/l	0.32	1	1	8260B	1/17/2014	CJR	1	
Bromodichloromethane	< 0.37	ug/l	0.37	1.2	1	8260B	1/17/2014	CJR	1	
Bromoform	< 0.35	ug/l	0.35	1.1	1	8260B	1/17/2014	CJR	1	
tert-Butylbenzene	< 0.36	ug/l	0.36	1.2	1	8260B	1/17/2014	CJR	1	
sec-Butylbenzene	< 0.33	ug/l	0.33	1	1	8260B	1/17/2014	CJR	1	
n-Butylbenzene	< 0.35	ug/l	0.35	1.1	1	8260B	1/17/2014	CJR	1	
Carbon Tetrachloride	< 0.33	ug/l	0.33	1.1	1	8260B	1/17/2014	CJR	1	
Chlorobenzene	< 0.24	ug/l	0.24	0.77	1	8260B	1/17/2014	CJR	1	
Chloroethane	< 0.63	ug/l	0.63	2	1	8260B	1/17/2014	CJR	1	
Chloroform	0.42 "J"	ug/l	0.28	0.88	1	8260B	1/17/2014	CJR	1	
Chloromethane	< 0.81	ug/l	0.81	2.6	1	8260B	1/17/2014	CJR	1	
2-Chlorotoluene	< 0.21	ug/l	0.21	0.66	1	8260B	1/17/2014	CJR	1	
4-Chlorotoluene	< 0.21	ug/l	0.21	0.68	1	8260B	1/17/2014	CJR	1	
1,2-Dibromo-3-chloropropane	< 0.88	ug/l	0.88	2.8	1	8260B	1/17/2014	CJR	1	
Dibromochloromethane	< 0.22	ug/l	0.22	0.7	1	8260B	1/17/2014	CJR	1	
1,4-Dichlorobenzene	< 0.3	ug/l	0.3	0.96	1	8260B	1/17/2014	CJR	1	
1,3-Dichlorobenzene	< 0.28	ug/l	0.28	0.89	1	8260B	1/17/2014	CJR	1	
1,2-Dichlorobenzene	< 0.36	ug/l	0.36	1.2	1	8260B	1/17/2014	CJR	1	
Dichlorodifluoromethane	< 0.44	ug/l	0.44	1.4	1	8260B	1/17/2014	CJR	1	
1,2-Dichloroethane	< 0.41	ug/l	0.41	1.3	1	8260B	1/17/2014	CJR	1	
1,1-Dichloroethane	< 0.3	ug/l	0.3	0.97	1	8260B	1/17/2014	CJR	1	
1,1-Dichloroethene	< 0.4	ug/l	0.4	1.3	1	8260B	1/17/2014	CJR	1	
cis-1,2-Dichloroethene	< 0.38	ug/l	0.38	1.2	1	8260B	1/17/2014	CJR	1	
trans-1,2-Dichloroethene	< 0.35	ug/l	0.35	1.1	1	8260B	1/17/2014	CJR	1	
1,2-Dichloropropane	< 0.32	ug/l	0.32	1	1	8260B	1/17/2014	CJR	1	
2,2-Dichloropropane	< 0.36	ug/l	0.36	1.2	1	8260B	1/17/2014	CJR	1	
1,3-Dichloropropane	< 0.33	ug/l	0.33	1	1	8260B	1/17/2014	CJR	1	
Di-isopropyl ether	< 0.23	ug/l	0.23	0.73	1	8260B	1/17/2014	CJR	1	
EDB (1,2-Dibromoethane)	< 0.44	ug/l	0.44	1.4	1	8260B	1/17/2014	CJR	1	
Ethylbenzene	< 0.55	ug/l	0.55	1.7	1	8260B	1/17/2014	CJR	1	
Hexachlorobutadiene	< 1.5	ug/l	1.5	4.8	1	8260B	1/17/2014	CJR	1	
Isopropylbenzene	< 0.3	ug/l	0.3	0.96	1	8260B	1/17/2014	CJR	1	

Project Name TERRY'S TOWING
Project #

Invoice # E26417

Lab Code 5026417A
Sample ID MW-4
Sample Matrix water
Sample Date 1/13/2014

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
p-Isopropyltoluene	< 0.31	ug/l	0.31	0.98	1	8260B		1/17/2014	CJR	1
Methylene chloride	< 0.5	ug/l	0.5	1.6	1	8260B		1/17/2014	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.23	ug/l	0.23	0.74	1	8260B		1/17/2014	CJR	1
Naphthalene	< 1.7	ug/l	1.7	5.5	1	8260B		1/17/2014	CJR	1
n-Propylbenzene	< 0.25	ug/l	0.25	0.81	1	8260B		1/17/2014	CJR	1
1,1,2,2-Tetrachloroethane	< 0.45	ug/l	0.45	1.4	1	8260B		1/17/2014	CJR	1
1,1,1,2-Tetrachloroethane	< 0.33	ug/l	0.33	1.1	1	8260B		1/17/2014	CJR	1
Tetrachloroethene	1.07 "J"	ug/l	0.33	1.1	1	8260B		1/17/2014	CJR	1
Toluene	< 0.69	ug/l	0.69	2.2	1	8260B		1/17/2014	CJR	1
1,2,4-Trichlorobenzene	< 0.98	ug/l	0.98	3.1	1	8260B		1/17/2014	CJR	1
1,2,3-Trichlorobenzene	< 1.8	ug/l	1.8	5.8	1	8260B		1/17/2014	CJR	1
1,1,1-Trichloroethane	< 0.33	ug/l	0.33	1	1	8260B		1/17/2014	CJR	1
1,1,2-Trichloroethane	< 0.34	ug/l	0.34	1.1	1	8260B		1/17/2014	CJR	1
Trichloroethene (TCE)	< 0.33	ug/l	0.33	1	1	8260B		1/17/2014	CJR	1
Trichlorofluoromethane	< 0.71	ug/l	0.71	2.3	1	8260B		1/17/2014	CJR	1
1,2,4-Trimethylbenzene	< 2.2	ug/l	2.2	6.9	1	8260B		1/17/2014	CJR	1
1,3,5-Trimethylbenzene	< 1.4	ug/l	1.4	4.5	1	8260B		1/17/2014	CJR	1
Vinyl Chloride	< 0.18	ug/l	0.18	0.57	1	8260B		1/17/2014	CJR	1
m&p-Xylene	< 0.69	ug/l	0.69	2.2	1	8260B		1/17/2014	CJR	1
o-Xylene	< 0.63	ug/l	0.63	2	1	8260B		1/17/2014	CJR	1
SUR - 1,2-Dichloroethane-d4	107	REC %			1	8260B		1/17/2014	CJR	1
SUR - 4-Bromofluorobenzene	97	REC %			1	8260B		1/17/2014	CJR	1
SUR - Dibromofluoromethane	97	REC %			1	8260B		1/17/2014	CJR	1
SUR - Toluene-d8	94	REC %			1	8260B		1/17/2014	CJR	1

Project Name TERRY'S TOWING
 Project #

Invoice # E26417

Lab Code 5026417B
 Sample ID MW-5
 Sample Matrix water
 Sample Date 1/13/2014

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic VOC's										
Benzene	< 0.24	ug/l	0.24	0.77	1	8260B	1/17/2014	CJR	1	
Bromobenzene	< 0.32	ug/l	0.32	1	1	8260B	1/17/2014	CJR	1	
Bromodichloromethane	< 0.37	ug/l	0.37	1.2	1	8260B	1/17/2014	CJR	1	
Bromoform	< 0.35	ug/l	0.35	1.1	1	8260B	1/17/2014	CJR	1	
tert-Butylbenzene	< 0.36	ug/l	0.36	1.2	1	8260B	1/17/2014	CJR	1	
scc-Butylbenzene	< 0.33	ug/l	0.33	1	1	8260B	1/17/2014	CJR	1	
n-Butylbenzene	< 0.35	ug/l	0.35	1.1	1	8260B	1/17/2014	CJR	1	
Carbon Tetrachloride	< 0.33	ug/l	0.33	1.1	1	8260B	1/17/2014	CJR	1	
Chlorobenzene	< 0.24	ug/l	0.24	0.77	1	8260B	1/17/2014	CJR	1	
Chloroethane	< 0.63	ug/l	0.63	2	1	8260B	1/17/2014	CJR	1	
Chloroform	0.29 "J"	ug/l	0.28	0.88	1	8260B	1/17/2014	CJR	1	
Chloromethane	< 0.81	ug/l	0.81	2.6	1	8260B	1/17/2014	CJR	1	
2-Chlorotoluene	< 0.21	ug/l	0.21	0.66	1	8260B	1/17/2014	CJR	1	
4-Chlorotoluene	< 0.21	ug/l	0.21	0.68	1	8260B	1/17/2014	CJR	1	
1,2-Dibromo-3-chloropropane	< 0.88	ug/l	0.88	2.8	1	8260B	1/17/2014	CJR	1	
Dibromochloromethane	< 0.22	ug/l	0.22	0.7	1	8260B	1/17/2014	CJR	1	
1,4-Dichlorobenzene	< 0.3	ug/l	0.3	0.96	1	8260B	1/17/2014	CJR	1	
1,3-Dichlorobenzene	< 0.28	ug/l	0.28	0.89	1	8260B	1/17/2014	CJR	1	
1,2-Dichlorobenzene	< 0.36	ug/l	0.36	1.2	1	8260B	1/17/2014	CJR	1	
Dichlorodifluoromethane	< 0.44	ug/l	0.44	1.4	1	8260B	1/17/2014	CJR	1	
1,2-Dichloroethane	< 0.41	ug/l	0.41	1.3	1	8260B	1/17/2014	CJR	1	
1,1-Dichloroethane	< 0.3	ug/l	0.3	0.97	1	8260B	1/17/2014	CJR	1	
1,1-Dichloroethylene	< 0.4	ug/l	0.4	1.3	1	8260B	1/17/2014	CJR	1	
cis-1,2-Dichloroethylene	< 0.38	ug/l	0.38	1.2	1	8260B	1/17/2014	CJR	1	
trans-1,2-Dichloroethylene	< 0.35	ug/l	0.35	1.1	1	8260B	1/17/2014	CJR	1	
1,2-Dichloropropane	< 0.32	ug/l	0.32	1	1	8260B	1/17/2014	CJR	1	
2,2-Dichloropropane	< 0.36	ug/l	0.36	1.2	1	8260B	1/17/2014	CJR	1	
1,3-Dichloropropane	< 0.33	ug/l	0.33	1	1	8260B	1/17/2014	CJR	1	
Di-isopropyl ether	< 0.23	ug/l	0.23	0.73	1	8260B	1/17/2014	CJR	1	
EDB (1,2-Dibromoethane)	< 0.44	ug/l	0.44	1.4	1	8260B	1/17/2014	CJR	1	
Ethylbenzene	< 0.55	ug/l	0.55	1.7	1	8260B	1/17/2014	CJR	1	
Hexachlorobutadiene	< 1.5	ug/l	1.5	4.8	1	8260B	1/17/2014	CJR	1	
Isopropylbenzene	< 0.3	ug/l	0.3	0.96	1	8260B	1/17/2014	CJR	1	
p-Isopropyltoluene	< 0.31	ug/l	0.31	0.98	1	8260B	1/17/2014	CJR	1	
Methylene chloride	< 0.5	ug/l	0.5	1.6	1	8260B	1/17/2014	CJR	1	
Methyl tert-butyl ether (MTBE)	< 0.23	ug/l	0.23	0.74	1	8260B	1/17/2014	CJR	1	
Naphthalene	< 1.7	ug/l	1.7	5.5	1	8260B	1/17/2014	CJR	1	
n-Propylbenzene	< 0.25	ug/l	0.25	0.81	1	8260B	1/17/2014	CJR	1	
1,1,2,2-Tetrachloroethane	< 0.45	ug/l	0.45	1.4	1	8260B	1/17/2014	CJR	1	
1,1,1,2-Tetrachloroethane	< 0.33	ug/l	0.33	1.1	1	8260B	1/17/2014	CJR	1	
Tetrachloroethylene	< 0.33	ug/l	0.33	1.1	1	8260B	1/17/2014	CJR	1	
Toluene	< 0.69	ug/l	0.69	2.2	1	8260B	1/17/2014	CJR	1	
1,2,4-Trichlorobenzene	< 0.98	ug/l	0.98	3.1	1	8260B	1/17/2014	CJR	1	
1,2,3-Trichlorobenzene	< 1.8	ug/l	1.8	5.8	1	8260B	1/17/2014	CJR	1	
1,1,1-Trichloroethane	< 0.33	ug/l	0.33	1	1	8260B	1/17/2014	CJR	1	
1,1,2-Trichloroethane	< 0.34	ug/l	0.34	1.1	1	8260B	1/17/2014	CJR	1	
Trichloroethylene (TCE)	< 0.33	ug/l	0.33	1	1	8260B	1/17/2014	CJR	1	
Trichlorodifluoromethane	< 0.71	ug/l	0.71	2.3	1	8260B	1/17/2014	CJR	1	
1,2,4-Trimethylbenzene	< 2.2	ug/l	2.2	6.9	1	8260B	1/17/2014	CJR	1	
1,3,5-Trimethylbenzene	< 1.4	ug/l	1.4	4.5	1	8260B	1/17/2014	CJR	1	
Vinyl Chloride	< 0.18	ug/l	0.18	0.57	1	8260B	1/17/2014	CJR	1	
m&p-Xylene	< 0.69	ug/l	0.69	2.2	1	8260B	1/17/2014	CJR	1	
o-Xylene	< 0.63	ug/l	0.63	2	1	8260B	1/17/2014	CJR	1	
SUR - 1,2-Dichloroethane-d4	109	REC %			1	8260B	1/17/2014	CJR	1	
SUR - 4-Bromofluorobenzene	88	REC %			1	8260B	1/17/2014	CJR	1	
SUR - Dibromofluoromethane	107	REC %			1	8260B	1/17/2014	CJR	1	
SUR - Toluene-d8	96	REC %			1	8260B	1/17/2014	CJR	1	

Lab Code 5026417C
 Sample ID MW-6
 Sample Matrix water
 Sample Date 1/13/2014

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic VOC's										
Benzene	< 0.24	ug/l	0.24	0.77	1	8260B	1/17/2014	CJR	1	
Bromobenzene	< 0.32	ug/l	0.32	1	1	8260B	1/17/2014	CJR	1	
Bromodichloromethane	< 0.37	ug/l	0.37	1.2	1	8260B	1/17/2014	CJR	1	
Bromoform	< 0.35	ug/l	0.35	1.1	1	8260B	1/17/2014	CJR	1	
tert-Butylbenzene	< 0.36	ug/l	0.36	1.2	1	8260B	1/17/2014	CJR	1	
sec-Butylbenzene	< 0.33	ug/l	0.33	1	1	8260B	1/17/2014	CJR	1	
n-Butylbenzene	< 0.35	ug/l	0.35	1.1	1	8260B	1/17/2014	CJR	1	
Carbon Tetrachloride	< 0.33	ug/l	0.33	1.1	1	8260B	1/17/2014	CJR	1	
Chlorobenzene	< 0.24	ug/l	0.24	0.77	1	8260B	1/17/2014	CJR	1	
Chloroethane	< 0.63	ug/l	0.63	2	1	8260B	1/17/2014	CJR	1	
Chloroform	< 0.28	ug/l	0.28	0.88	1	8260B	1/17/2014	CJR	1	
Chloromethane	< 0.81	ug/l	0.81	2.6	1	8260B	1/17/2014	CJR	1	
2-Chlorotoluene	< 0.21	ug/l	0.21	0.66	1	8260B	1/17/2014	CJR	1	
4-Chlorotoluene	< 0.21	ug/l	0.21	0.68	1	8260B	1/17/2014	CJR	1	
1,2-Dibromo-3-chloropropane	< 0.88	ug/l	0.88	2.8	1	8260B	1/17/2014	CJR	1	
Dibromochloromethane	< 0.22	ug/l	0.22	0.7	1	8260B	1/17/2014	CJR	1	
1,4-Dichlorobenzene	< 0.3	ug/l	0.3	0.96	1	8260B	1/17/2014	CJR	1	
1,3-Dichlorobenzene	< 0.28	ug/l	0.28	0.89	1	8260B	1/17/2014	CJR	1	
1,2-Dichlorobenzene	< 0.36	ug/l	0.36	1.2	1	8260B	1/17/2014	CJR	1	
Dichlorodifluoromethane	< 0.44	ug/l	0.44	1.4	1	8260B	1/17/2014	CJR	1	
1,2-Dichloroethane	< 0.41	ug/l	0.41	1.3	1	8260B	1/17/2014	CJR	1	
1,1-Dichloroethane	< 0.3	ug/l	0.3	0.97	1	8260B	1/17/2014	CJR	1	
1,1-Dichloroethylene	< 0.4	ug/l	0.4	1.3	1	8260B	1/17/2014	CJR	1	
cis-1,2-Dichloroethylene	12.4	ug/l	0.38	1.2	1	8260B	1/17/2014	CJR	1	
trans-1,2-Dichloroethene	< 0.35	ug/l	0.35	1.1	1	8260B	1/17/2014	CJR	1	
1,2-Dichloropropane	< 0.32	ug/l	0.32	1	1	8260B	1/17/2014	CJR	1	
2,2-Dichloropropane	< 0.36	ug/l	0.36	1.2	1	8260B	1/17/2014	CJR	1	
1,3-Dichloropropane	< 0.33	ug/l	0.33	1	1	8260B	1/17/2014	CJR	1	
Di-isopropyl ether	< 0.23	ug/l	0.23	0.73	1	8260B	1/17/2014	CJR	1	
EDB (1,2-Dibromoethane)	< 0.44	ug/l	0.44	1.4	1	8260B	1/17/2014	CJR	1	
Ethylbenzene	< 0.55	ug/l	0.55	1.7	1	8260B	1/17/2014	CJR	1	
Hexachlorobutadiene	< 1.5	ug/l	1.5	4.8	1	8260B	1/17/2014	CJR	1	
Isopropylbenzene	< 0.3	ug/l	0.3	0.96	1	8260B	1/17/2014	CJR	1	
p-Isopropyltoluene	< 0.31	ug/l	0.31	0.98	1	8260B	1/17/2014	CJR	1	
Methylene chloride	< 0.5	ug/l	0.5	1.6	1	8260B	1/17/2014	CJR	1	
Methyl tert-butyl ether (MTBE)	0.46 "J"	ug/l	0.23	0.74	1	8260B	1/17/2014	CJR	1	
Naphthalene	< 1.7	ug/l	1.7	5.5	1	8260B	1/17/2014	CJR	1	
n-Propylbenzene	< 0.25	ug/l	0.25	0.81	1	8260B	1/17/2014	CJR	1	
1,1,2,2-Tetrachloroethane	< 0.45	ug/l	0.45	1.4	1	8260B	1/17/2014	CJR	1	
1,1,1,2-Tetrachloroethane	< 0.33	ug/l	0.33	1.1	1	8260B	1/17/2014	CJR	1	
Tetrachloroethylene	4.4	ug/l	0.33	1.1	1	8260B	1/17/2014	CJR	1	
Toluene	< 0.69	ug/l	0.69	2.2	1	8260B	1/17/2014	CJR	1	
1,2,4-Trichlorobenzene	< 0.98	ug/l	0.98	3.1	1	8260B	1/17/2014	CJR	1	
1,2,3-Trichlorobenzene	< 1.8	ug/l	1.8	5.8	1	8260B	1/17/2014	CJR	1	
1,1,1-Trichloroethane	< 0.33	ug/l	0.33	1	1	8260B	1/17/2014	CJR	1	
1,1,2-Trichloroethane	< 0.34	ug/l	0.34	1.1	1	8260B	1/17/2014	CJR	1	
Trichloroethylene (TCE)	1.71	ug/l	0.33	1	1	8260B	1/17/2014	CJR	1	
Trichlorodifluoromethane	< 0.71	ug/l	0.71	2.3	1	8260B	1/17/2014	CJR	1	
1,2,4-Trimethylbenzene	< 2.2	ug/l	2.2	6.9	1	8260B	1/17/2014	CJR	1	
1,3,5-Trimethylbenzene	< 1.4	ug/l	1.4	4.5	1	8260B	1/17/2014	CJR	1	
Vinyl Chloride	< 0.18	ug/l	0.18	0.57	1	8260B	1/17/2014	CJR	1	
m&p-Xylene	< 0.69	ug/l	0.69	2.2	1	8260B	1/17/2014	CJR	1	
o-Xylene	< 0.63	ug/l	0.63	2	1	8260B	1/17/2014	CJR	1	
SUR - 4-Bromofluorobenzene	107	REC %			1	8260B	1/17/2014	CJR	1	
SUR - Dibromofluoromethane	101	REC %			1	8260B	1/17/2014	CJR	1	
SUR - 1,2-Dichloroethane-d4	104	REC %			1	8260B	1/17/2014	CJR	1	
SUR - Toluene-d8	100	REC %			1	8260B	1/17/2014	CJR	1	

Project Name TERRY'S TOWING
Project #

Invoice # E26417

Lab Code 5026417D
Sample ID MW-3
Sample Matrix water
Sample Date 1/13/2014

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic VOC's										
Benzene	< 0.24	ug/l	0.24	0.77	1	8260B			CJR	1
Bromobenzene	< 0.32	ug/l	0.32	1	1	8260B	1/17/2014	1/17/2014	CJR	1
Bromodichloromethane	< 0.37	ug/l	0.37	1.2	1	8260B	1/17/2014	1/17/2014	CJR	1
Bromoform	< 0.35	ug/l	0.35	1.1	1	8260B	1/17/2014	1/17/2014	CJR	1
tert-Butylbenzene	< 0.36	ug/l	0.36	1.2	1	8260B	1/17/2014	1/17/2014	CJR	1
sec-Butylbenzene	3.03	ug/l	0.33	1	1	8260B	1/17/2014	1/17/2014	CJR	1
n-Butylbenzene	1.5	ug/l	0.35	1.1	1	8260B	1/17/2014	1/17/2014	CJR	1
Carbon Tetrachloride	< 0.33	ug/l	0.33	1.1	1	8260B	1/17/2014	1/17/2014	CJR	1
Chlorobenzene	< 0.24	ug/l	0.24	0.77	1	8260B	1/17/2014	1/17/2014	CJR	1
Chloroethane	< 0.63	ug/l	0.63	2	1	8260B	1/17/2014	1/17/2014	CJR	1
Chloroform	< 0.28	ug/l	0.28	0.88	1	8260B	1/17/2014	1/17/2014	CJR	1
Chloromethane	< 0.81	ug/l	0.81	2.6	1	8260B	1/17/2014	1/17/2014	CJR	1
2-Chlorotoluene	< 0.21	ug/l	0.21	0.66	1	8260B	1/17/2014	1/17/2014	CJR	1
4-Chlorotoluene	< 0.21	ug/l	0.21	0.68	1	8260B	1/17/2014	1/17/2014	CJR	1
1,2-Dibromo-3-chloropropane	< 0.88	ug/l	0.88	2.8	1	8260B	1/17/2014	1/17/2014	CJR	1
Dibromochloromethane	< 0.22	ug/l	0.22	0.7	1	8260B	1/17/2014	1/17/2014	CJR	1
1,4-Dichlorobenzene	< 0.3	ug/l	0.3	0.96	1	8260B	1/17/2014	1/17/2014	CJR	1
1,3-Dichlorobenzene	< 0.28	ug/l	0.28	0.89	1	8260B	1/17/2014	1/17/2014	CJR	1
1,2-Dichlorobenzene	< 0.36	ug/l	0.36	1.2	1	8260B	1/17/2014	1/17/2014	CJR	1
Dichlorodifluoromethane	< 0.44	ug/l	0.44	1.4	1	8260B	1/17/2014	1/17/2014	CJR	1
1,2-Dichloroethane	< 0.41	ug/l	0.41	1.3	1	8260B	1/17/2014	1/17/2014	CJR	1
1,1-Dichloroethane	< 0.3	ug/l	0.3	0.97	1	8260B	1/17/2014	1/17/2014	CJR	1
1,1-Dichloroethene	< 0.4	ug/l	0.4	1.3	1	8260B	1/17/2014	1/17/2014	CJR	1
cis-1,2-Dichloroethene	10.6	ug/l	0.38	1.2	1	8260B	1/17/2014	1/17/2014	CJR	1
trans-1,2-Dichloroethene	0.65 "J"	ug/l	0.35	1.1	1	8260B	1/17/2014	1/17/2014	CJR	1
1,2-Dichloropropane	< 0.32	ug/l	0.32	1	1	8260B	1/17/2014	1/17/2014	CJR	1
2,2-Dichloropropane	< 0.36	ug/l	0.36	1.2	1	8260B	1/17/2014	1/17/2014	CJR	1
1,3-Dichloropropane	< 0.33	ug/l	0.33	1	1	8260B	1/17/2014	1/17/2014	CJR	1
Di-isopropyl ether	< 0.23	ug/l	0.23	0.73	1	8260B	1/17/2014	1/17/2014	CJR	1
EDB (1,2-Dibromoethane)	< 0.44	ug/l	0.44	1.4	1	8260B	1/17/2014	1/17/2014	CJR	1
Ethylbenzene	0.65 "J"	ug/l	0.55	1.7	1	8260B	1/17/2014	1/17/2014	CJR	1
Hexachlorobutadiene	< 1.5	ug/l	1.5	4.8	1	8260B	1/17/2014	1/17/2014	CJR	1
Isopropylbenzene	< 0.3	ug/l	0.3	0.96	1	8260B	1/17/2014	1/17/2014	CJR	1
p-Isopropyltoluene	< 0.31	ug/l	0.31	0.98	1	8260B	1/17/2014	1/17/2014	CJR	1
Methylene chloride	< 0.5	ug/l	0.5	1.6	1	8260B	1/17/2014	1/17/2014	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.23	ug/l	0.23	0.74	1	8260B	1/17/2014	1/17/2014	CJR	1
Naphthalene	< 1.7	ug/l	1.7	5.5	1	8260B	1/17/2014	1/17/2014	CJR	1
n-Propylbenzene	1.37	ug/l	0.25	0.81	1	8260B	1/17/2014	1/17/2014	CJR	1
1,1,2,2-Tetrachloroethane	< 0.45	ug/l	0.45	1.4	1	8260B	1/17/2014	1/17/2014	CJR	1
1,1,1,2-Tetrachloroethane	< 0.33	ug/l	0.33	1.1	1	8260B	1/17/2014	1/17/2014	CJR	1
Tetrachloroethene	4.1	ug/l	0.33	1.1	1	8260B	1/17/2014	1/17/2014	CJR	1
Toluene	< 0.69	ug/l	0.69	2.2	1	8260B	1/17/2014	1/17/2014	CJR	1
1,2,4-Trichlorobenzene	< 0.98	ug/l	0.98	3.1	1	8260B	1/17/2014	1/17/2014	CJR	1
1,2,3-Trichlorobenzene	< 1.8	ug/l	1.8	5.8	1	8260B	1/17/2014	1/17/2014	CJR	1
1,1,1-Trichloroethane	< 0.33	ug/l	0.33	1	1	8260B	1/17/2014	1/17/2014	CJR	1
1,1,2-Trichloroethane	< 0.34	ug/l	0.34	1.1	1	8260B	1/17/2014	1/17/2014	CJR	1
Trichloroethene (TCE)	4.0	ug/l	0.33	1	1	8260B	1/17/2014	1/17/2014	CJR	1
Trichlorofluoromethane	< 0.71	ug/l	0.71	2.3	1	8260B	1/17/2014	1/17/2014	CJR	1
1,2,4-Trimethylbenzene	< 2.2	ug/l	2.2	6.9	1	8260B	1/17/2014	1/17/2014	CJR	1
1,3,5-Trimethylbenzene	< 1.4	ug/l	1.4	4.5	1	8260B	1/17/2014	1/17/2014	CJR	1
Vinyl Chloride	8.1	ug/l	0.18	0.57	1	8260B	1/17/2014	1/17/2014	CJR	1
m,p-Xylene	< 0.69	ug/l	0.69	2.2	1	8260B	1/17/2014	1/17/2014	CJR	1
o-Xylene	< 0.63	ug/l	0.63	2	1	8260B	1/17/2014	1/17/2014	CJR	1
SUR - Toluene-d8	95	REC %			1	8260B	1/17/2014	1/17/2014	CJR	1
SUR - 1,2-Dichloroethane-d4	101	REC %			1	8260B	1/17/2014	1/17/2014	CJR	1
SUR - 4-Bromofluorobenzene	95	REC %			1	8260B	1/17/2014	1/17/2014	CJR	1
SUR - Dibromofluoromethane	98	REC %			1	8260B	1/17/2014	1/17/2014	CJR	1

Project Name TERRY'S TOWING
Project #

Invoice # E26417

Lab Code 5026417E
Sample ID MW-2R
Sample Matrix water
Sample Date 1/13/2014

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
PAH SIM										
Acenaphthene	< 0.21	ug/l	0.21	0.68	10	M8270D	1/20/2014	1/20/2014	MDK	1
Acenaphthylene	< 0.2	ug/l	0.2	0.63	10	M8270D	1/20/2014	1/20/2014	MDK	1
Anthracene	< 0.2	ug/l	0.2	0.64	10	M8270D	1/20/2014	1/20/2014	MDK	1
Benzo(a)anthracene	0.33 "J"	ug/l	0.25	0.78	10	M8270D	1/20/2014	1/20/2014	MDK	1
Benzo(a)pyrene	< 0.18	ug/l	0.18	0.58	10	M8270D	1/20/2014	1/20/2014	MDK	1
Benzo(b)fluoranthene	< 0.2	ug/l	0.2	0.63	10	M8270D	1/20/2014	1/20/2014	MDK	1
Benzo(g,h,i)perylene	< 0.23	ug/l	0.23	0.75	10	M8270D	1/20/2014	1/20/2014	MDK	1
Benzo(k)fluoranthene	< 0.27	ug/l	0.27	0.87	10	M8270D	1/20/2014	1/20/2014	MDK	1
Chrysene	0.18 "J"	ug/l	0.18	0.58	10	M8270D	1/20/2014	1/20/2014	MDK	1
Dibeno(a,h)anthracene	< 0.23	ug/l	0.23	0.72	10	M8270D	1/20/2014	1/20/2014	MDK	1
Fluoranthene	0.37 "J"	ug/l	0.26	0.84	10	M8270D	1/20/2014	1/20/2014	MDK	1
Fluorene	0.263 "J"	ug/l	0.2	0.63	10	M8270D	1/20/2014	1/20/2014	MDK	1
Indeno(1,2,3-cd)pyrene	< 0.27	ug/l	0.27	0.85	10	M8270D	1/20/2014	1/20/2014	MDK	1
1-Methyl naphthalene	6.2	ug/l	0.19	0.61	10	M8270D	1/20/2014	1/20/2014	MDK	1
2-Methyl naphthalene	4.4	ug/l	0.16	0.52	10	M8270D	1/20/2014	1/20/2014	MDK	1
Naphthalene	4.4	ug/l	0.23	0.75	10	M8270D	1/20/2014	1/20/2014	MDK	1
Phenanthrene	0.37 "J"	ug/l	0.18	0.59	10	M8270D	1/20/2014	1/20/2014	MDK	1
Pyrene	0.51 "J"	ug/l	0.25	0.8	10	M8270D	1/20/2014	1/20/2014	MDK	1
VOC's										
Benzene	370	ug/l	2.4	7.7	10	8260B		1/18/2014	CJR	1
Bromobenzene	< 3.2	ug/l	3.2	10	10	8260B		1/18/2014	CJR	1
Bromodichloromethane	< 3.7	ug/l	3.7	12	10	8260B		1/18/2014	CJR	1
Bromoform	< 3.5	ug/l	3.5	11	10	8260B		1/18/2014	CJR	1
tert-Butylbenzene	< 3.6	ug/l	3.6	12	10	8260B		1/18/2014	CJR	1
sec-Butylbenzene	< 3.3	ug/l	3.3	10	10	8260B		1/18/2014	CJR	1
n-Butylbenzene	4.7 "J"	ug/l	3.5	11	10	8260B		1/18/2014	CJR	1
Carbon Tetrachloride	< 3.3	ug/l	3.3	11	10	8260B		1/18/2014	CJR	1
Chlorobenzene	< 2.4	ug/l	2.4	7.7	10	8260B		1/18/2014	CJR	1
Chloroethane	< 6.3	ug/l	6.3	20	10	8260B		1/18/2014	CJR	1
Chloroform	< 2.8	ug/l	2.8	8.8	10	8260B		1/18/2014	CJR	1
Chloromethane	< 8.1	ug/l	8.1	26	10	8260B		1/18/2014	CJR	1
2-Chlorotoluene	< 2.1	ug/l	2.1	6.6	10	8260B		1/18/2014	CJR	1
4-Chlorotoluene	< 2.1	ug/l	2.1	6.8	10	8260B		1/18/2014	CJR	1
1,2-Dibromo-3-chloropropane	< 8.8	ug/l	8.8	28	10	8260B		1/18/2014	CJR	1
Dibromochloromethane	< 2.2	ug/l	2.2	7	10	8260B		1/18/2014	CJR	1
1,4-Dichlorobenzene	< 3	ug/l	3	9.6	10	8260B		1/18/2014	CJR	1
1,3-Dichlorobenzene	< 2.8	ug/l	2.8	8.9	10	8260B		1/18/2014	CJR	1
1,2-Dichlorobenzene	< 3.6	ug/l	3.6	12	10	8260B		1/18/2014	CJR	1
Dichlorodifluoromethane	< 4.4	ug/l	4.4	14	10	8260B		1/18/2014	CJR	1
1,2-Dichloroethane	< 4.1	ug/l	4.1	13	10	8260B		1/18/2014	CJR	1
1,1-Dichloroethane	6.9 "J"	ug/l	3	9.7	10	8260B		1/18/2014	CJR	1
1,1-Dichloroethene	< 4	ug/l	4	13	10	8260B		1/18/2014	CJR	1
cis-1,2-Dichloroethene	< 3.8	ug/l	3.8	12	10	8260B		1/18/2014	CJR	1
trans-1,2-Dichloroethene	< 3.5	ug/l	3.5	11	10	8260B		1/18/2014	CJR	1
1,2-Dichloropropane	< 3.2	ug/l	3.2	10	10	8260B		1/18/2014	CJR	1
2,2-Dichloropropane	< 3.6	ug/l	3.6	12	10	8260B		1/18/2014	CJR	1
1,3-Dichloropropane	< 3.3	ug/l	3.3	10	10	8260B		1/18/2014	CJR	1
Di-isopropyl ether	< 2.3	ug/l	2.3	7.3	10	8260B		1/18/2014	CJR	1
EDB (1,2-Dibromoethane)	< 4.4	ug/l	4.4	14	10	8260B		1/18/2014	CJR	1
Ethylbenzene	110	ug/l	5.5	17	10	8260B		1/18/2014	CJR	1
Hexachlorobutadiene	< 15	ug/l	15	48	10	8260B		1/18/2014	CJR	1
Isopropylbenzene	< 3	ug/l	3	9.6	10	8260B		1/18/2014	CJR	1
p-Isopropyltoluene	< 3.1	ug/l	3.1	9.8	10	8260B		1/18/2014	CJR	1
Methylene chloride	< 5	ug/l	5	16	10	8260B		1/18/2014	CJR	1
Methyl tert-butyl ether (MTBE)	46	ug/l	2.3	7.4	10	8260B		1/18/2014	CJR	1
Naphthalene	31.6 "J"	ug/l	17	55	10	8260B		1/18/2014	CJR	1
n-Propylbenzene	12.7	ug/l	2.5	8.1	10	8260B		1/18/2014	CJR	1

Project Name TERRY'S TOWING
Project #

Invoice # E26417

Lab Code 5026417E
Sample ID MW-2R
Sample Matrix water
Sample Date 1/13/2014

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,1,2,2-Tetrachloroethane	< 4.5	ug/l	4.5	14	10	8260B	1/18/2014	CJR	1	
1,1,1,2-Tetrachloroethane	< 3.3	ug/l	3.3	11	10	8260B	1/18/2014	CJR	1	
Tetrachloroethene	< 3.3	ug/l	3.3	11	10	8260B	1/18/2014	CJR	1	
Toluene	9.2 "J"	ug/l	6.9	22	10	8260B	1/18/2014	CJR	1	
1,2,4-Trichlorobenzene	< 9.8	ug/l	9.8	31	10	8260B	1/18/2014	CJR	1	
1,2,3-Trichlorobenzene	< 18	ug/l	18	58	10	8260B	1/18/2014	CJR	1	
1,1,1-Trichloroethane	< 3.3	ug/l	3.3	10	10	8260B	1/18/2014	CJR	1	
1,1,2-Trichloroethane	< 3.4	ug/l	3.4	11	10	8260B	1/18/2014	CJR	1	
Trichloroethene (TCE)	< 3.3	ug/l	3.3	10	10	8260B	1/18/2014	CJR	1	
Trichlorofluoromethane	< 7.1	ug/l	7.1	23	10	8260B	1/18/2014	CJR	1	
1,2,4-Trimethylbenzene	35 "J"	ug/l	22	69	10	8260B	1/18/2014	CJR	1	
1,3,5-Trimethylbenzene	< 14	ug/l	14	45	10	8260B	1/18/2014	CJR	1	
Vinyl Chloride	3.7 "J"	ug/l	1.8	5.7	10	8260B	1/18/2014	CJR	1	
m&p-Xylene	23	ug/l	6.9	22	10	8260B	1/18/2014	CJR	1	
o-Xylene	28	ug/l	6.3	20	10	8260B	1/18/2014	CJR	1	
SUR - 4-Bromofluorobenzene	102	REC %			10	8260B	1/18/2014	CJR	1	
SUR - Dibromofluoromethane	108	REC %			10	8260B	1/18/2014	CJR	1	
SUR - 1,2-Dichloroethane-d4	105	REC %			10	8260B	1/18/2014	CJR	1	
SUR - Toluene-d8	92	REC %			10	8260B	1/18/2014	CJR	1	

Project Name TERRY'S TOWING
Project #

Invoice # E26417

Lab Code 5026417F
Sample ID MW-1R
Sample Matrix water
Sample Date 1/13/2014

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic VOC's										
Benzene	201	ug/l	24	77	100	8260B			CJR	1
Bromobenzene	< 32	ug/l	32	100	100	8260B	1/18/2014		CJR	1
Bromodichloromethane	< 37	ug/l	37	120	100	8260B	1/18/2014		CJR	1
Bromoform	< 35	ug/l	35	110	100	8260B	1/18/2014		CJR	1
tert-Butylbenzene	< 36	ug/l	36	120	100	8260B	1/18/2014		CJR	1
sec-Butylbenzene	< 33	ug/l	33	100	100	8260B	1/18/2014		CJR	1
n-Butylbenzene	< 35	ug/l	35	110	100	8260B	1/18/2014		CJR	1
Carbon Tetrachloride	< 33	ug/l	33	110	100	8260B	1/18/2014		CJR	1
Chlorobenzene	< 24	ug/l	24	77	100	8260B	1/18/2014		CJR	1
Chloroethane	< 63	ug/l	63	200	100	8260B	1/18/2014		CJR	1
Chloroform	< 28	ug/l	28	88	100	8260B	1/18/2014		CJR	1
Chloromethane	< 81	ug/l	81	260	100	8260B	1/18/2014		CJR	1
2-Chlorotoluene	< 21	ug/l	21	66	100	8260B	1/18/2014		CJR	1
4-Chlorotoluene	< 21	ug/l	21	68	100	8260B	1/18/2014		CJR	1
1,2-Dibromo-3-chloropropane	< 88	ug/l	88	280	100	8260B	1/18/2014		CJR	1
Dibromochloromethane	< 22	ug/l	22	70	100	8260B	1/18/2014		CJR	1
1,4-Dichlorobenzene	< 30	ug/l	30	96	100	8260B	1/18/2014		CJR	1
1,3-Dichlorobenzene	< 28	ug/l	28	89	100	8260B	1/18/2014		CJR	1
1,2-Dichlorobenzene	< 36	ug/l	36	120	100	8260B	1/18/2014		CJR	1
Dichlorodifluoromethane	< 44	ug/l	44	140	100	8260B	1/18/2014		CJR	1
1,2-Dichloroethane	< 41	ug/l	41	130	100	8260B	1/18/2014		CJR	1
1,1-Dichloroethane	< 30	ug/l	30	97	100	8260B	1/18/2014		CJR	1
1,1-Dichloroethene	< 40	ug/l	40	130	100	8260B	1/18/2014		CJR	1
cis-1,2-Dichloroethene	< 38	ug/l	38	120	100	8260B	1/18/2014		CJR	1
trans-1,2-Dichloroethene	< 35	ug/l	35	110	100	8260B	1/18/2014		CJR	1
1,2-Dichloropropane	< 32	ug/l	32	100	100	8260B	1/18/2014		CJR	1
2,2-Dichloropropane	< 36	ug/l	36	120	100	8260B	1/18/2014		CJR	1
1,3-Dichloropropane	< 33	ug/l	33	100	100	8260B	1/18/2014		CJR	1
Di-isopropyl ether	< 23	ug/l	23	73	100	8260B	1/18/2014		CJR	1
EDB (1,2-Dibromoethane)	< 44	ug/l	44	140	100	8260B	1/18/2014		CJR	1
Ethylbenzene	197	ug/l	55	170	100	8260B	1/18/2014		CJR	1
Hexachlorobutadiene	< 150	ug/l	150	480	100	8260B	1/18/2014		CJR	1
Isopropylbenzene	< 30	ug/l	30	96	100	8260B	1/18/2014		CJR	1
p-Isopropyltoluene	< 31	ug/l	31	98	100	8260B	1/18/2014		CJR	1
Methylene chloride	< 50	ug/l	50	160	100	8260B	1/18/2014		CJR	1
Methyl tert-butyl ether (MTBE)	< 23	ug/l	23	74	100	8260B	1/18/2014		CJR	1
Naphthalene	< 170	ug/l	170	550	100	8260B	1/18/2014		CJR	1
n-Propylbenzene	44 "J"	ug/l	25	81	100	8260B	1/18/2014		CJR	1
1,1,2,2-Tetrachloroethane	< 45	ug/l	45	140	100	8260B	1/18/2014		CJR	1
1,1,1,2-Tetrachloroethane	< 33	ug/l	33	110	100	8260B	1/18/2014		CJR	1
Tetrachloroethene	< 33	ug/l	33	110	100	8260B	1/18/2014		CJR	1
Toluene	< 69	ug/l	69	220	100	8260B	1/18/2014		CJR	1
1,2,4-Trichlorobenzene	< 98	ug/l	98	310	100	8260B	1/18/2014		CJR	1
1,2,3-Trichlorobenzene	< 180	ug/l	180	580	100	8260B	1/18/2014		CJR	1
1,1,1-Trichloroethane	< 33	ug/l	33	100	100	8260B	1/18/2014		CJR	1
1,1,2-Trichloroethane	< 34	ug/l	34	110	100	8260B	1/18/2014		CJR	1
Trichloroethene (TCE)	< 33	ug/l	33	100	100	8260B	1/18/2014		CJR	1
Trichlorofluoromethane	< 71	ug/l	71	230	100	8260B	1/18/2014		CJR	1
1,2,4-Trimethylbenzene	315 "J"	ug/l	220	690	100	8260B	1/18/2014		CJR	1
1,3,5-Trimethylbenzene	< 140	ug/l	140	450	100	8260B	1/18/2014		CJR	1
Vinyl Chloride	< 18	ug/l	18	57	100	8260B	1/18/2014		CJR	1
m&p-Xylene	400	ug/l	69	220	100	8260B	1/18/2014		CJR	1
o-Xylene	73 "J"	ug/l	63	200	100	8260B	1/18/2014		CJR	1
SUR - 1,2-Dichloroethane-d4	113	REC %			100	8260B	1/18/2014		CJR	1
SUR - 4-Bromofluorobenzene	94	REC %			100	8260B	1/18/2014		CJR	1
SUR - Dibromofluoromethane	99	REC %			100	8260B	1/18/2014		CJR	1
SUR - Toluene-d8	96	REC %			100	8260B	1/18/2014		CJR	1

Project Name TERRY'S TOWING
Project #

Invoice # E26417

Lab Code 5026417G
Sample ID TB
Sample Matrix water
Sample Date 1/13/2014

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic VOC's										
Benzene	< 0.24	ug/l	0.24	0.77	1	8260B			CJR	1
Bromobenzene	< 0.32	ug/l	0.32	1	1	8260B			CJR	1
Bromodichloromethane	< 0.37	ug/l	0.37	1.2	1	8260B			CJR	1
Bromoform	< 0.35	ug/l	0.35	1.1	1	8260B			CJR	1
tert-Butylbenzene	< 0.36	ug/l	0.36	1.2	1	8260B			CJR	1
sec-Butylbenzene	< 0.33	ug/l	0.33	1	1	8260B			CJR	1
n-Butylbenzene	< 0.35	ug/l	0.35	1.1	1	8260B			CJR	1
Carbon Tetrachloride	< 0.33	ug/l	0.33	1.1	1	8260B			CJR	1
Chlorobenzene	< 0.24	ug/l	0.24	0.77	1	8260B			CJR	1
Chloroethane	< 0.63	ug/l	0.63	2	1	8260B			CJR	1
Chloroform	< 0.28	ug/l	0.28	0.88	1	8260B			CJR	1
Chloromethane	< 0.81	ug/l	0.81	2.6	1	8260B			CJR	1
2-Chlorotoluene	< 0.21	ug/l	0.21	0.66	1	8260B			CJR	1
4-Chlorotoluene	< 0.21	ug/l	0.21	0.68	1	8260B			CJR	1
1,2-Dibromo-3-chloropropane	< 0.88	ug/l	0.88	2.8	1	8260B			CJR	1
Dibromochloromethane	< 0.22	ug/l	0.22	0.7	1	8260B			CJR	1
1,4-Dichlorobenzene	< 0.3	ug/l	0.3	0.96	1	8260B			CJR	1
1,3-Dichlorobenzene	< 0.28	ug/l	0.28	0.89	1	8260B			CJR	1
1,2-Dichlorobenzene	< 0.36	ug/l	0.36	1.2	1	8260B			CJR	1
Dichlorodifluoromethane	< 0.44	ug/l	0.44	1.4	1	8260B			CJR	1
1,2-Dichloroethane	< 0.41	ug/l	0.41	1.3	1	8260B			CJR	1
1,1-Dichloroethane	< 0.3	ug/l	0.3	0.97	1	8260B			CJR	1
1,1-Dichloroethene	< 0.4	ug/l	0.4	1.3	1	8260B			CJR	1
cis-1,2-Dichloroethene	< 0.38	ug/l	0.38	1.2	1	8260B			CJR	1
trans-1,2-Dichloroethene	< 0.35	ug/l	0.35	1.1	1	8260B			CJR	1
1,2-Dichloropropane	< 0.32	ug/l	0.32	1	1	8260B			CJR	1
2,2-Dichloropropane	< 0.36	ug/l	0.36	1.2	1	8260B			CJR	1
1,3-Dichloropropane	< 0.33	ug/l	0.33	1	1	8260B			CJR	1
Di-isopropyl ether	< 0.23	ug/l	0.23	0.73	1	8260B			CJR	1
EDB (1,2-Dibromoethane)	< 0.44	ug/l	0.44	1.4	1	8260B			CJR	1
Ethylbenzene	< 0.55	ug/l	0.55	1.7	1	8260B			CJR	1
Hexachlorobutadiene	< 1.5	ug/l	1.5	4.8	1	8260B			CJR	1
Isopropylbenzene	< 0.3	ug/l	0.3	0.96	1	8260B			CJR	1
p-Isopropyltoluene	< 0.31	ug/l	0.31	0.98	1	8260B			CJR	1
Methylene chloride	< 0.5	ug/l	0.5	1.6	1	8260B			CJR	1
Methyl tert-butyl ether (MTBE)	< 0.23	ug/l	0.23	0.74	1	8260B			CJR	1
Naphthalene	< 1.7	ug/l	1.7	5.5	1	8260B			CJR	1
n-Propylbenzene	< 0.25	ug/l	0.25	0.81	1	8260B			CJR	1
1,1,2,2-Tetrachloroethane	< 0.45	ug/l	0.45	1.4	1	8260B			CJR	1
1,1,1,2-Tetrachloroethane	< 0.33	ug/l	0.33	1.1	1	8260B			CJR	1
Tetrachloroethene	< 0.33	ug/l	0.33	1.1	1	8260B			CJR	1
Toluene	< 0.69	ug/l	0.69	2.2	1	8260B			CJR	1
1,2,4-Trichlorobenzene	< 0.98	ug/l	0.98	3.1	1	8260B			CJR	1
1,2,3-Trichlorobenzene	< 1.8	ug/l	1.8	5.8	1	8260B			CJR	1
1,1,1-Trichloroethane	< 0.33	ug/l	0.33	1	1	8260B			CJR	1
1,1,2-Trichloroethane	< 0.34	ug/l	0.34	1.1	1	8260B			CJR	1
Trichloroethene (TCE)	< 0.33	ug/l	0.33	1	1	8260B			CJR	1
Trichlorofluoromethane	< 0.71	ug/l	0.71	2.3	1	8260B			CJR	1
1,2,4-Trimethylbenzene	< 2.2	ug/l	2.2	6.9	1	8260B			CJR	1
1,3,5-Trimethylbenzene	< 1.4	ug/l	1.4	4.5	1	8260B			CJR	1
Vinyl Chloride	< 0.18	ug/l	0.18	0.57	1	8260B			CJR	1
m&p-Xylene	< 0.69	ug/l	0.69	2.2	1	8260B			CJR	1
o-Xylene	< 0.63	ug/l	0.63	2	1	8260B			CJR	1
SUR - Toluene-d8	99	REC %			1	8260B			CJR	1
SUR - 1,2-Dichloroethane-d4	102	REC %			1	8260B			CJR	1
SUR - 4-Bromofluorobenzene	93	REC %			1	8260B			CJR	1
SUR - Dibromofluoromethane	103	REC %			1	8260B			CJR	1

Project Name TERRY'S TOWING
Project #

Invoice # E26417

"J" Flag: Analyte detected between LOD and LOQ

LOD Limit of Detection

LOQ Limit of Quantitation

Code **Comment**

1 Laboratory QC within limits.

All solid sample results reported on a dry weight basis unless otherwise indicated. All LOD's and LOQ's are adjusted for dilutions but not dry weight. Subcontracted results are denoted by SUB in the analyst field.

Authorized Signature

Michael Ricker

CHAIN OF STUDY RECORD

Synergy

Chain # No 252

Page 1 of 1

Lab ID. #	
Account No.:	Quote No.:
Project #: _____	
Sampler: (signature) <u>Terry Bystol</u>	

Environmental Lab, Inc.

1990 Prospect Ct. • Appleton, WI 54914
920-830-2455 • FAX 920-733-0631

Sample Handling Request

Rush Analysis Date Required
(Rushes accepted only with prior authorization) Normal Turn Around

Project (Name / Location): Terry's Towing - Dodgeville									Analysis Requested				Other Analysis										
Lab I.D.	Sample I.D.	Collection Date	Time	Comp	Grab	Filtered Y/N	No. of Containers	Sample Type (Matrix)*	DRO Mod DRO Sep 95)	GRO Mod GRO Sep 95)	LEAD	NITRATE/NITRITE	OIL & GREASE	PAH (EPA 8270)	PVOC (EPA 6021)	PVOC + NAPHTHALENE	SULFATE	TOTAL SUSPENDED SOLIDS	VOC DW (EPA 5422)	VOC (EPA 8260)	6-RGRA METALS	PID/FID	
5026417A	MW-4	1-13	7:50				3	GW															
B	MW-5		3:10				1																
C	MW-6		5:20																				
D	MW-3		3:45				4																
E	MW-2R		4:10				4								X								
F	MW-1R		4:25				3	Y															
G	TB						1																

Comments/Special Instructions (*Specify groundwater "GW", Drinking Water "DW", Waste Water "WW", Soil "S", Air "A", Oil, Sludge etc.)

Lab to send copy of report to METCO/Jason P. (Invoice to METCO)
 U+C Rates Apply At Agent Status

Sample Integrity - To be completed by receiving lab.	Relinquished By: (sign) <u>Terry Bystol</u>	Time 11:00	Date 1-15-14	Received By: (sign)	Time	Date
Method of Shipment: <u>U+M</u>						
Temp. of Temp. Blank: "C On Ice"						
Cooler seal intact upon receipt: Yes No						
Received in Laboratory By: <u>Markins</u>				Time: 8:15		Date: 1-16-14

Synergy Environmental Lab,

1990 Prospect Ct., Appleton, WI 54914 *P 920-830-2455 * F 920-733-0631

TERRY BYSTOL
 TERRY BYSTOL
 425 POWELL STREET
 DODGEVILLE, WI 53533

Report Date 29-Apr-14

Project Name TERRY'S TOWING
Project #

Invoice # E26853

Lab Code 5026853A
Sample ID MW-4
Sample Matrix Water
Sample Date 4/16/2014

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Inorganic										
Metals										
Lead, Dissolved	< 0.7	ug/l	0.7	2.5	1	SW846 7421			CWT	1
Organic										
VOC's										
Benzene	< 0.24	ug/l	0.24	0.77	1	8260B			CJR	1
Bromobenzene	< 0.32	ug/l	0.32	1	1	8260B			CJR	1
Bromodichloromethane	< 0.37	ug/l	0.37	1.2	1	8260B			CJR	1
Bromoform	< 0.35	ug/l	0.35	1.1	1	8260B			CJR	1
tert-Butylbenzene	< 0.36	ug/l	0.36	1.2	1	8260B			CJR	1
sec-Butylbenzene	< 0.33	ug/l	0.33	1	1	8260B			CJR	1
n-Butylbenzene	< 0.35	ug/l	0.35	1.1	1	8260B			CJR	1
Carbon Tetrachloride	< 0.33	ug/l	0.33	1.1	1	8260B			CJR	1
Chlorobenzene	< 0.24	ug/l	0.24	0.77	1	8260B			CJR	1
Chloroethane	< 0.63	ug/l	0.63	2	1	8260B			CJR	1
Chloroform	< 0.28	ug/l	0.28	0.88	1	8260B			CJR	1
Chloromethane	< 0.81	ug/l	0.81	2.6	1	8260B			CJR	1
2-Chlorotoluene	< 0.21	ug/l	0.21	0.66	1	8260B			CJR	1
4-Chlorotoluene	< 0.21	ug/l	0.21	0.68	1	8260B			CJR	1
1,2-Dibromo-3-chloropropane	< 0.88	ug/l	0.88	2.8	1	8260B			CJR	1
Dibromochloromethane	< 0.22	ug/l	0.22	0.7	1	8260B			CJR	1
1,4-Dichlorobenzene	< 0.3	ug/l	0.3	0.96	1	8260B			CJR	1
1,3-Dichlorobenzene	< 0.28	ug/l	0.28	0.89	1	8260B			CJR	1
1,2-Dichlorobenzene	< 0.36	ug/l	0.36	1.2	1	8260B			CJR	1
Dichlorodifluoromethane	< 0.44	ug/l	0.44	1.4	1	8260B			CJR	1
1,2-Dichloroethane	< 0.41	ug/l	0.41	1.3	1	8260B			CJR	1
1,1-Dichloroethane	< 0.3	ug/l	0.3	0.97	1	8260B			CJR	1
1,1-Dichloroethene	< 0.4	ug/l	0.4	1.3	1	8260B			CJR	1
cis-1,2-Dichloroethene	< 0.38	ug/l	0.38	1.2	1	8260B			CJR	1
trans-1,2-Dichloroethene	< 0.35	ug/l	0.35	1.1	1	8260B			CJR	1
1,2-Dichloropropane	< 0.32	ug/l	0.32	1	1	8260B			CJR	1
2,2-Dichloropropane	< 0.36	ug/l	0.36	1.2	1	8260B			CJR	8
1,3-Dichloropropane	< 0.33	ug/l	0.33	1	1	8260B			CJR	1
Di-isopropyl ether	< 0.23	ug/l	0.23	0.73	1	8260B			CJR	1

Project Name TERRY'S TOWING
Project #

Invoice # E26853

Lab Code 5026853A
Sample ID MW-4
Sample Matrix Water
Sample Date 4/16/2014

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
EDB (1,2-Dibromoethane)	< 0.44	ug/l	0.44	1.4	1	8260B		4/22/2014	CJR	1
Ethylbenzene	< 0.55	ug/l	0.55	1.7	1	8260B		4/22/2014	CJR	1
Hexachlorobutadiene	< 1.5	ug/l	1.5	4.8	1	8260B		4/22/2014	CJR	1
Isopropylbenzene	< 0.3	ug/l	0.3	0.96	1	8260B		4/22/2014	CJR	1
p-Isopropyltoluene	< 0.31	ug/l	0.31	0.98	1	8260B		4/22/2014	CJR	1
Methylene chloride	< 0.5	ug/l	0.5	1.6	1	8260B		4/22/2014	CJR	1
Methyl tert-butyl ether(MTBE)	< 0.23	ug/l	0.23	0.74	1	8260B		4/22/2014	CJR	1
Naphthalene	< 1.7	ug/l	1.7	5.5	1	8260B		4/22/2014	CJR	1
n-Propylbenzene	< 0.25	ug/l	0.25	0.81	1	8260B		4/22/2014	CJR	1
1,1,2,2-Tetrachloroethane	< 0.45	ug/l	0.45	1.4	1	8260B		4/22/2014	CJR	1
1,1,1,2-Tetrachloroethane	< 0.33	ug/l	0.33	1.1	1	8260B		4/22/2014	CJR	1
Tetrachloroethene	0.70 "J"	ug/l	0.33	1.1	1	8260B		4/22/2014	CJR	1
Toluene	< 0.69	ug/l	0.69	2.2	1	8260B		4/22/2014	CJR	1
1,2,4-Trichlorobenzene	< 0.98	ug/l	0.98	3.1	1	8260B		4/22/2014	CJR	1
1,2,3-Trichlorobenzene	< 1.8	ug/l	1.8	5.8	1	8260B		4/22/2014	CJR	1
1,1,1-Trichloroethane	< 0.33	ug/l	0.33	1	1	8260B		4/22/2014	CJR	1
1,1,2-Trichloroethane	< 0.34	ug/l	0.34	1.1	1	8260B		4/22/2014	CJR	1
Trichloroethene (TCE)	< 0.33	ug/l	0.33	1	1	8260B		4/22/2014	CJR	1
Trichlorofluoromethane	< 0.71	ug/l	0.71	2.3	1	8260B		4/22/2014	CJR	1
1,2,4-Trimethylbenzene	< 2.2	ug/l	2.2	6.9	1	8260B		4/22/2014	CJR	1
1,3,5-Trimethylbenzene	< 1.4	ug/l	1.4	4.5	1	8260B		4/22/2014	CJR	1
Vinyl Chloride	< 0.18	ug/l	0.18	0.57	1	8260B		4/22/2014	CJR	1
m&p-Xylene	< 0.69	ug/l	0.69	2.2	1	8260B		4/22/2014	CJR	1
o-Xylene	< 0.63	ug/l	0.63	2	1	8260B		4/22/2014	CJR	1
SUR - 1,2-Dichloroethane-d4	100	REC %			1	8260B		4/22/2014	CJR	1
SUR - 4-Bromofluorobenzene	104	REC %			1	8260B		4/22/2014	CJR	1
SUR - Dibromofluoromethane	93	REC %			1	8260B		4/22/2014	CJR	1
SUR - Toluene-d8	102	REC %			1	8260B		4/22/2014	CJR	1

Lab Code 5026853B

Sample ID MW-5

Sample Matrix Water

Sample Date 4/16/2014

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Inorganic Metals										
Lead, Dissolved	< 0.7	ug/l	0.7	2.5	1	SW846 7421				
Organic VOC's										
Benzene	< 0.24	ug/l	0.24	0.77	1	8260B				
Bromobenzene	< 0.32	ug/l	0.32	1	1	8260B				
Bromodichloromethane	< 0.37	ug/l	0.37	1.2	1	8260B				
Bromofonn	< 0.35	ug/l	0.35	1.1	1	8260B				
tert-Butylbenzene	< 0.36	ug/l	0.36	1.2	1	8260B				
sec-Butylbenzene	< 0.33	ug/l	0.33	1	1	8260B				
n-Butylbenzene	< 0.35	ug/l	0.35	1.1	1	8260B				
Carbon Tetrachloride	< 0.33	ug/l	0.33	1.1	1	8260B				
Chlorobenzene	< 0.24	ug/l	0.24	0.77	1	8260B				
Chloroethane	< 0.63	ug/l	0.63	2	1	8260B				
Chloroform	< 0.28	ug/l	0.28	0.88	1	8260B				
Chloromethane	< 0.81	ug/l	0.81	2.6	1	8260B				
2-Chlorotoluene	< 0.21	ug/l	0.21	0.66	1	8260B				
4-Chlorotoluene	< 0.21	ug/l	0.21	0.68	1	8260B				
1,2-Dibromo-3-chloropropane	< 0.88	ug/l	0.88	2.8	1	8260B				
Dibromochloromethane	< 0.22	ug/l	0.22	0.7	1	8260B				
1,4-Dichlorobenzene	< 0.3	ug/l	0.3	0.96	1	8260B				
1,3-Dichlorobenzene	< 0.28	ug/l	0.28	0.89	1	8260B				
1,2-Dichlorobenzene	< 0.36	ug/l	0.36	1.2	1	8260B				
Dichlorodifluoromethane	< 0.44	ug/l	0.44	1.4	1	8260B				
1,2-Dichloroethane	< 0.41	ug/l	0.41	1.3	1	8260B				
1,1-Dichloroethane	< 0.3	ug/l	0.3	0.97	1	8260B				
1,1-Dichloroethene	< 0.4	ug/l	0.4	1.3	1	8260B				
cis-1,2-Dichloroethene	< 0.38	ug/l	0.38	1.2	1	8260B				
trans-1,2-Dichloroethene	< 0.35	ug/l	0.35	1.1	1	8260B				
1,2-Dichloropropane	< 0.32	ug/l	0.32	1	1	8260B				
2,2-Dichloropropane	< 0.36	ug/l	0.36	1.2	1	8260B				
1,3-Dichloropropane	< 0.33	ug/l	0.33	1	1	8260B				
Di-isopropyl ether	< 0.23	ug/l	0.23	0.73	1	8260B				
EDB (1,2-Dibromoethane)	< 0.44	ug/l	0.44	1.4	1	8260B				
Ethylbenzene	< 0.55	ug/l	0.55	1.7	1	8260B				
Hexachlorobutadiene	< 1.5	ug/l	1.5	4.8	1	8260B				
Isopropylbenzene	< 0.3	ug/l	0.3	0.96	1	8260B				
p-Isopropyltoluene	< 0.31	ug/l	0.31	0.98	1	8260B				
Methylene chloride	< 0.5	ug/l	0.5	1.6	1	8260B				
Methyl tert-butyl ether (MTBE)	< 0.23	ug/l	0.23	0.74	1	8260B				
Naphthalene	< 1.7	ug/l	1.7	5.5	1	8260B				
n-Propylbenzene	< 0.25	ug/l	0.25	0.81	1	8260B				
1,1,2,2-Tetrachloroethane	< 0.45	ug/l	0.45	1.4	1	8260B				
1,1,1,2-Tetrachloroethane	< 0.33	ug/l	0.33	1.1	1	8260B				
Tetrachloroethene	< 0.33	ug/l	0.33	1.1	1	8260B				
Toluene	< 0.69	ug/l	0.69	2.2	1	8260B				
1,2,4-Trichlorobenzene	< 0.98	ug/l	0.98	3.1	1	8260B				
1,2,3-Trichlorobenzene	< 1.8	ug/l	1.8	5.8	1	8260B				
1,1,1-Trichloroethane	< 0.33	ug/l	0.33	1	1	8260B				
1,1,2-Trichloroethane	< 0.34	ug/l	0.34	1.1	1	8260B				
Trichloroethene (TCE)	< 0.33	ug/l	0.33	1	1	8260B				
Trichlorofluoromethane	< 0.71	ug/l	0.71	2.3	1	8260B				
1,2,4-Trimethylbenzene	< 2.2	ug/l	2.2	6.9	1	8260B				
1,3,5-Trimethylbenzene	< 1.4	ug/l	1.4	4.5	1	8260B				
Vinyl Chloride	< 0.18	ug/l	0.18	0.57	1	8260B				
m&p-Xylene	< 0.69	ug/l	0.69	2.2	1	8260B				
o-Xylene	< 0.63	ug/l	0.63	2	1	8260B				

Project Name TERRY'S TOWING
Project #

Invoice # E26853

Lab Code 5026853B
Sample ID MW-5
Sample Matrix Water
Sample Date 4/16/2014

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
SUR - 1,2-Dichloroethane-d4	94	REC %			1	8260B		4/22/2014	CJR	1
SUR - 4-Bromofluorobenzene	108	REC %			1	8260B		4/22/2014	CJR	1
SUR - Dibromofluoromethane	89	REC %			1	8260B		4/22/2014	CJR	1
SUR - Toluene-d8	103	REC %			1	8260B		4/22/2014	CJR	1

Project Name TERRY'S TOWING
Project #
Lab Code 5026853C
Sample ID MW-6
Sample Matrix Water
Sample Date 4/16/2014

Invoice # E26853

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Inorganic Metals										
Lead, Dissolved	< 0.7	ug/l	0.7	2.5	1	SW846 7421		4/25/2014	CWT	1
Organic VOC's										
Benzene	< 0.24	ug/l	0.24	0.77	1	8260B		4/22/2014	CJR	1
Bromobenzene	< 0.32	ug/l	0.32	1	1	8260B		4/22/2014	CJR	1
Bromodichloromethane	< 0.37	ug/l	0.37	1.2	1	8260B		4/22/2014	CJR	1
Bromoform	< 0.35	ug/l	0.35	1.1	1	8260B		4/22/2014	CJR	1
tert-Butylbenzene	< 0.36	ug/l	0.36	1.2	1	8260B		4/22/2014	CJR	1
sec-Butylbenzene	< 0.33	ug/l	0.33	1	1	8260B		4/22/2014	CJR	1
n-Butylbenzene	< 0.35	ug/l	0.35	1.1	1	8260B		4/22/2014	CJR	1
Carbon Tetrachloride	< 0.33	ug/l	0.33	1.1	1	8260B		4/22/2014	CJR	1
Chlorobenzene	< 0.24	ug/l	0.24	0.77	1	8260B		4/22/2014	CJR	1
Chloroethane	< 0.63	ug/l	0.63	2	1	8260B		4/22/2014	CJR	1
Chloroform	< 0.28	ug/l	0.28	0.88	1	8260B		4/22/2014	CJR	1
Chloromethane	< 0.81	ug/l	0.81	2.6	1	8260B		4/22/2014	CJR	1
2-Chlorotoluene	< 0.21	ug/l	0.21	0.66	1	8260B		4/22/2014	CJR	1
4-Chlorotoluene	< 0.21	ug/l	0.21	0.68	1	8260B		4/22/2014	CJR	1
1,2-Dibromo-3-chloropropane	< 0.88	ug/l	0.88	2.8	1	8260B		4/22/2014	CJR	1
Dibromochloromethane	< 0.22	ug/l	0.22	0.7	1	8260B		4/22/2014	CJR	1
1,4-Dichlorobenzene	< 0.3	ug/l	0.3	0.96	1	8260B		4/22/2014	CJR	1
1,3-Dichlorobenzene	< 0.28	ug/l	0.28	0.89	1	8260B		4/22/2014	CJR	1
1,2-Dichlorobenzene	< 0.36	ug/l	0.36	1.2	1	8260B		4/22/2014	CJR	1
Dichlorodifluoromethane	< 0.44	ug/l	0.44	1.4	1	8260B		4/22/2014	CJR	1
1,2-Dichloroethane	< 0.41	ug/l	0.41	1.3	1	8260B		4/22/2014	CJR	1
1,1-Dichloroethane	< 0.3	ug/l	0.3	0.97	1	8260B		4/22/2014	CJR	1
1,1-Dichloroethene	< 0.4	ug/l	0.4	1.3	1	8260B		4/22/2014	CJR	1
cis-1,2-Dichloroethylene	12.5	ug/l	0.38	1.2	1	8260B		4/22/2014	CJR	1
trans-1,2-Dichloroethylene	< 0.35	ug/l	0.35	1.1	1	8260B		4/22/2014	CJR	1
1,2-Dichloropropane	< 0.32	ug/l	0.32	1	1	8260B		4/22/2014	CJR	1
2,2-Dichloropropane	< 0.36	ug/l	0.36	1.2	1	8260B		4/22/2014	CJR	8
1,3-Dichloropropane	< 0.33	ug/l	0.33	1	1	8260B		4/22/2014	CJR	1
Di-isopropyl ether	< 0.23	ug/l	0.23	0.73	1	8260B		4/22/2014	CJR	1
EDB (1,2-Dibromoethane)	< 0.44	ug/l	0.44	1.4	1	8260B		4/22/2014	CJR	1
Ethylbenzene	< 0.55	ug/l	0.55	1.7	1	8260B		4/22/2014	CJR	1
Hexachlorobutadiene	< 1.5	ug/l	1.5	4.8	1	8260B		4/22/2014	CJR	1
Isopropylbenzene	< 0.3	ug/l	0.3	0.96	1	8260B		4/22/2014	CJR	1
p-Isopropyltoluene	< 0.31	ug/l	0.31	0.98	1	8260B		4/22/2014	CJR	1
Methylene chloride	< 0.5	ug/l	0.5	1.6	1	8260B		4/22/2014	CJR	1
Methyl tert-butyl ether (MTBE)	0.73 "J"	ug/l	0.23	0.74	1	8260B		4/22/2014	CJR	1
Naphthalene	< 1.7	ug/l	1.7	5.5	1	8260B		4/22/2014	CJR	1
n-Propylbenzene	< 0.25	ug/l	0.25	0.81	1	8260B		4/22/2014	CJR	1
1,1,2,2-Tetrachloroethane	< 0.45	ug/l	0.45	1.4	1	8260B		4/22/2014	CJR	1
1,1,1,2-Tetrachloroethane	< 0.33	ug/l	0.33	1.1	1	8260B		4/22/2014	CJR	1
Tetrachloroethylene	4.7	ug/l	0.33	1.1	1	8260B		4/22/2014	CJR	1
Toluene	< 0.69	ug/l	0.69	2.2	1	8260B		4/22/2014	CJR	1
1,2,4-Trichlorobenzene	< 0.98	ug/l	0.98	3.1	1	8260B		4/22/2014	CJR	1
1,2,3-Trichlorobenzene	< 1.8	ug/l	1.8	5.8	1	8260B		4/22/2014	CJR	1
1,1,1-Trichloroethane	< 0.33	ug/l	0.33	1	1	8260B		4/22/2014	CJR	1
1,1,2-Trichloroethane	< 0.34	ug/l	0.34	1.1	1	8260B		4/22/2014	CJR	1
Trichloroethylene (TCE)	1.77	ug/l	0.33	1	1	8260B		4/22/2014	CJR	1
Trichlorofluoromethane	< 0.71	ug/l	0.71	2.3	1	8260B		4/22/2014	CJR	1
1,2,4-Trimethylbenzene	< 2.2	ug/l	2.2	6.9	1	8260B		4/22/2014	CJR	1
1,3,5-Trimethylbenzene	< 1.4	ug/l	1.4	4.5	1	8260B		4/22/2014	CJR	1
Vinyl Chloride	< 0.18	ug/l	0.18	0.57	1	8260B		4/22/2014	CJR	1
m,p-Xylene	< 0.69	ug/l	0.69	2.2	1	8260B		4/22/2014	CJR	1
o-Xylene	< 0.63	ug/l	0.63	2	1	8260B		4/22/2014	CJR	1

Project Name TERRY'S TOWING

Invoice # E26853

Project #

Lab Code 5026853C

Sample ID MW-6

Sample Matrix Water

Sample Date 4/16/2014

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
SUR - 1,2-Dichloroethane-d4	94	REC %			1	8260B		4/22/2014	CJR	1
SUR - Toluene-d8	103	REC %			1	8260B		4/22/2014	CJR	1
SUR - 4-Bromofluorobenzene	108	REC %			1	8260B		4/22/2014	CJR	1
SUR - Dibromofluoromethane	93	REC %			1	8260B		4/22/2014	CJR	1

Project Name TERRY'S TOWING
Project #
Lab Code 5026853D
Sample ID MW-3
Sample Matrix Water
Sample Date 4/16/2014

Invoice # E26853

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Inorganic										
Metals										
Lead, Dissolved	< 0.7	ug/l	0.7	2.5	1	SW846 7421			4/25/2014	CWT
Organic										
VOC's										
Benzene	< 0.24	ug/l	0.24	0.77	1	8260B			4/22/2014	CJR
Bromobenzene	< 0.32	ug/l	0.32	1	1	8260B			4/22/2014	CJR
Bromodichloromethane	< 0.37	ug/l	0.37	1.2	1	8260B			4/22/2014	CJR
Bromoform	< 0.35	ug/l	0.35	1.1	1	8260B			4/22/2014	CJR
tert-Butylbenzene	< 0.36	ug/l	0.36	1.2	1	8260B			4/22/2014	CJR
sec-Butylbenzene	0.47 "J"	ug/l	0.33	1	1	8260B			4/22/2014	CJR
n-Butylbenzene	< 0.35	ug/l	0.35	1.1	1	8260B			4/22/2014	CJR
Carbon Tetrachloride	< 0.33	ug/l	0.33	1.1	1	8260B			4/22/2014	CJR
Chlorobenzene	< 0.24	ug/l	0.24	0.77	1	8260B			4/22/2014	CJR
Chloroethane	< 0.63	ug/l	0.63	2	1	8260B			4/22/2014	CJR
Chloroform	< 0.28	ug/l	0.28	0.88	1	8260B			4/22/2014	CJR
Chloromethane	< 0.81	ug/l	0.81	2.6	1	8260B			4/22/2014	CJR
2-Chlorotoluene	< 0.21	ug/l	0.21	0.66	1	8260B			4/22/2014	CJR
4-Chlorotoluene	< 0.21	ug/l	0.21	0.68	1	8260B			4/22/2014	CJR
1,2-Dibromo-3-chloropropane	< 0.88	ug/l	0.88	2.8	1	8260B			4/22/2014	CJR
Dibromochloromethane	< 0.22	ug/l	0.22	0.7	1	8260B			4/22/2014	CJR
1,4-Dichlorobenzene	< 0.3	ug/l	0.3	0.96	1	8260B			4/22/2014	CJR
1,3-Dichlorobenzene	< 0.28	ug/l	0.28	0.89	1	8260B			4/22/2014	CJR
1,2-Dichlorobenzene	< 0.36	ug/l	0.36	1.2	1	8260B			4/22/2014	CJR
Dichlorodifluoromethane	< 0.44	ug/l	0.44	1.4	1	8260B			4/22/2014	CJR
1,2-Dichloroethane	< 0.41	ug/l	0.41	1.3	1	8260B			4/22/2014	CJR
1,1-Dichloroethane	< 0.3	ug/l	0.3	0.97	1	8260B			4/22/2014	CJR
1,1-Dichloroethene	< 0.4	ug/l	0.4	1.3	1	8260B			4/22/2014	CJR
cis-1,2-Dichloroethene	6.9	ug/l	0.38	1.2	1	8260B			4/22/2014	CJR
trans-1,2-Dichloroethene	< 0.35	ug/l	0.35	1.1	1	8260B			4/22/2014	CJR
1,2-Dichloropropane	< 0.32	ug/l	0.32	1	1	8260B			4/22/2014	CJR
2,2-Dichloropropane	< 0.36	ug/l	0.36	1.2	1	8260B			4/22/2014	CJR
1,3-Dichloropropane	< 0.33	ug/l	0.33	1	1	8260B			4/22/2014	CJR
Di-isopropyl ether	< 0.23	ug/l	0.23	0.73	1	8260B			4/22/2014	CJR
EDB (1,2-Dibromoethane)	< 0.44	ug/l	0.44	1.4	1	8260B			4/22/2014	CJR
Ethylbenzene	< 0.55	ug/l	0.55	1.7	1	8260B			4/22/2014	CJR
Hexachlorobutadiene	< 1.5	ug/l	1.5	4.8	1	8260B			4/22/2014	CJR
Isopropylbenzene	0.59 "J"	ug/l	0.3	0.96	1	8260B			4/22/2014	CJR
p-Isopropyltoluene	< 0.31	ug/l	0.31	0.98	1	8260B			4/22/2014	CJR
Methylene chloride	< 0.5	ug/l	0.5	1.6	1	8260B			4/22/2014	CJR
Methyl tert-butyl ether (MTBE)	< 0.23	ug/l	0.23	0.74	1	8260B			4/22/2014	CJR
Naphthalene	< 1.7	ug/l	1.7	5.5	1	8260B			4/22/2014	CJR
n-Propylbenzene	0.48 "J"	ug/l	0.25	0.81	1	8260B			4/22/2014	CJR
1,1,2,2-Tetrachloroethane	< 0.45	ug/l	0.45	1.4	1	8260B			4/22/2014	CJR
1,1,1,2-Tetrachloroethane	< 0.33	ug/l	0.33	1.1	1	8260B			4/22/2014	CJR
Tetrachloroethene	6.2	ug/l	0.33	1.1	1	8260B			4/22/2014	CJR
Toluene	< 0.69	ug/l	0.69	2.2	1	8260B			4/22/2014	CJR
1,2,4-Trichlorobenzene	< 0.98	ug/l	0.98	3.1	1	8260B			4/22/2014	CJR
1,2,3-Trichlorobenzene	< 1.8	ug/l	1.8	5.8	1	8260B			4/22/2014	CJR
1,1,1-Trichloroethane	< 0.33	ug/l	0.33	1	1	8260B			4/22/2014	CJR
1,1,2-Trichloroethane	< 0.34	ug/l	0.34	1.1	1	8260B			4/22/2014	CJR
Trichloroethylene (TCE)	4.0	ug/l	0.33	1	1	8260B			4/22/2014	CJR
Trichlorofluoromethane	< 0.71	ug/l	0.71	2.3	1	8260B			4/22/2014	CJR
1,2,4-Trimethylbenzene	< 2.2	ug/l	2.2	6.9	1	8260B			4/22/2014	CJR
1,3,5-Trimethylbenzene	< 1.4	ug/l	1.4	4.5	1	8260B			4/22/2014	CJR
Vinyl Chloride	< 0.18	ug/l	0.18	0.57	1	8260B			4/22/2014	CJR
m&p-Xylene	< 0.69	ug/l	0.69	2.2	1	8260B			4/22/2014	CJR
o-Xylene	< 0.63	ug/l	0.63	2	1	8260B			4/22/2014	CJR

Project Name TERRY'S TOWING
Project #

Invoice # E26853

Lab Code 5026853D

Sample ID MW-3

Sample Matrix Water

Sample Date 4/16/2014

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
SUR - 1,2-Dichloroethane-d4	90	REC %			1	8260B		4/22/2014	CJR	1
SUR - 4-Bromofluorobenzene	105	REC %			1	8260B		4/22/2014	CJR	1
SUR - Dibromofluoromethane	92	REC %			1	8260B		4/22/2014	CJR	1
SUR - Toluene-d8	101	REC %			1	8260B		4/22/2014	CJR	1

Project

Lab Code 5026853E

Sample ID MW-1R

Sample Matrix Water

Sample Date 4/16/2014

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Inorganic Metals										
Lead, Dissolved										
Benzene	1.1 "J"	ug/l	0.7	2.5	1	SW846 7421		4/25/2014	CWT	1
Bromobenzene	< 0.32	ug/l	0.32	1	1	8260B		4/22/2014	CJR	1
Bromodichloromethane	< 0.37	ug/l	0.37	1.2	1	8260B		4/22/2014	CJR	1
Bromoform	< 0.35	ug/l	0.35	1.1	1	8260B		4/22/2014	CJR	1
tert-Butylbenzene	< 0.36	ug/l	0.36	1.2	1	8260B		4/22/2014	CJR	1
sec-Butylbenzene	2.4	ug/l	0.33	1	1	8260B		4/22/2014	CJR	1
n-Butylbenzene	8.6	ug/l	0.35	1.1	1	8260B		4/22/2014	CJR	1
Carbon Tetrachloride	< 0.33	ug/l	0.33	1.1	1	8260B		4/22/2014	CJR	1
Chlorobenzene	< 0.24	ug/l	0.24	0.77	1	8260B		4/22/2014	CJR	1
Chloroethane	< 0.63	ug/l	0.63	2	1	8260B		4/22/2014	CJR	1
Chloroform	< 0.28	ug/l	0.28	0.88	1	8260B		4/22/2014	CJR	1
Chloromethane	< 0.81	ug/l	0.81	2.6	1	8260B		4/22/2014	CJR	1
2-Chlorotoluene	< 0.21	ug/l	0.21	0.66	1	8260B		4/22/2014	CJR	1
4-Chlorotoluene	< 0.21	ug/l	0.21	0.68	1	8260B		4/22/2014	CJR	1
1,2-Dibromo-3-chloropropane	< 0.88	ug/l	0.88	2.8	1	8260B		4/22/2014	CJR	1
Dibromochloromethane	< 0.22	ug/l	0.22	0.7	1	8260B		4/22/2014	CJR	1
1,4-Dichlorobenzene	< 0.3	ug/l	0.3	0.96	1	8260B		4/22/2014	CJR	1
1,3-Dichlorobenzene	< 0.28	ug/l	0.28	0.89	1	8260B		4/22/2014	CJR	1
1,2-Dichlorobenzene	< 0.36	ug/l	0.36	1.2	1	8260B		4/22/2014	CJR	1
Dichlorodifluoromethane	< 0.44	ug/l	0.44	1.4	1	8260B		4/22/2014	CJR	1
1,2-Dichloroethane	< 0.41	ug/l	0.41	1.3	1	8260B		4/22/2014	CJR	1
1,1-Dichloroethane	< 0.3	ug/l	0.3	0.97	1	8260B		4/22/2014	CJR	1
1,1-Dichloroethene	< 0.4	ug/l	0.4	1.3	1	8260B		4/22/2014	CJR	1
cis-1,2-Dichloroethene	< 0.38	ug/l	0.38	1.2	1	8260B		4/22/2014	CJR	1
trans-1,2-Dichloroethene	< 0.35	ug/l	0.35	1.1	1	8260B		4/22/2014	CJR	1
1,2-Dichloropropane	< 0.32	ug/l	0.32	1	1	8260B		4/22/2014	CJR	1
2,2-Dichloropropane	< 0.36	ug/l	0.36	1.2	1	8260B		4/22/2014	CJR	8
1,3-Dichloropropane	< 0.33	ug/l	0.33	1	1	8260B		4/22/2014	CJR	1
Di-isopropyl ether	< 0.23	ug/l	0.23	0.73	1	8260B		4/22/2014	CJR	1
EDB (1,2-Dibromoethane)	< 0.44	ug/l	0.44	1.4	1	8260B		4/22/2014	CJR	1
Ethylbenzene	119	ug/l	0.55	1.7	1	8260B		4/22/2014	CJR	1
Hexachlorobutadiene	< 1.5	ug/l	1.5	4.8	1	8260B		4/22/2014	CJR	1
Isopropylbenzene	10.3	ug/l	0.3	0.96	1	8260B		4/22/2014	CJR	1
p-Isopropyltoluene	1.79	ug/l	0.31	0.98	1	8260B		4/22/2014	CJR	1
Methylene chloride	< 0.5	ug/l	0.5	1.6	1	8260B		4/22/2014	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.23	ug/l	0.23	0.74	1	8260B		4/22/2014	CJR	1
Naphthalene	37	ug/l	1.7	5.5	1	8260B		4/22/2014	CJR	1
n-Propylbenzene	20	ug/l	0.25	0.81	1	8260B		4/22/2014	CJR	1
1,1,2,2-Tetrachloroethane	< 0.45	ug/l	0.45	1.4	1	8260B		4/22/2014	CJR	1
1,1,1,2-Tetrachloroethane	< 0.33	ug/l	0.33	1.1	1	8260B		4/22/2014	CJR	1
Tetrachloroethene	< 0.33	ug/l	0.33	1.1	1	8260B		4/22/2014	CJR	1
Toluene	4.3	ug/l	0.69	2.2	1	8260B		4/22/2014	CJR	1
1,2,4-Trichlorobenzene	< 0.98	ug/l	0.98	3.1	1	8260B		4/22/2014	CJR	1
1,2,3-Trichlorobenzene	< 1.8	ug/l	1.8	5.8	1	8260B		4/22/2014	CJR	1
1,1,1-Trichloroethane	< 0.33	ug/l	0.33	1	1	8260B		4/22/2014	CJR	1
1,1,2-Trichloroethane	< 0.34	ug/l	0.34	1.1	1	8260B		4/22/2014	CJR	1
Trichloroethene (TCE)	0.36 "J"	ug/l	0.33	1	1	8260B		4/22/2014	CJR	1
Trichlorofluoromethane	< 0.71	ug/l	0.71	2.3	1	8260B		4/22/2014	CJR	1
1,2,4-Trimethylbenzene	201	ug/l	2.2	6.9	1	8260B		4/22/2014	CJR	1
1,3,5-Trimethylbenzene	38	ug/l	1.4	4.5	1	8260B		4/22/2014	CJR	1
Vinyl Chloride	< 0.18	ug/l	0.18	0.57	1	8260B		4/22/2014	CJR	1
m&p-Xylene	350	ug/l	0.69	2.2	1	8260B		4/22/2014	CJR	1
o-Xylene	53	ug/l	0.63	2	1	8260B		4/22/2014	CJR	1

Project Name TERRY'S TOWING

Invoice # E26853

Project #

Lab Code 5026853E

Sample ID MW-1R

Sample Matrix Water

Sample Date 4/16/2014

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
SUR - 1,2-Dichloroethane-d4	94	REC %			1	8260B		4/22/2014	CJR	1
SUR - 4-Bromofluorobenzene	104	REC %			1	8260B		4/22/2014	CJR	1
SUR - Dibromofluoromethane	93	REC %			1	8260B		4/22/2014	CJR	1
SUR - Toluene-d8	100	REC %			1	8260B		4/22/2014	CJR	1

Project Name TERRY'S TOWING
Project #

Invoice # E26853

Lab Code 5026853F
Sample ID MW-2R
Sample Matrix Water
Sample Date 4/16/2014

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Inorganic										
Metals										
Lead, Dissolved	< 0.7	ug/l	0.7	2.5	1	SW846 7421				
Organic										
PAH SIM										
Acenaphthene	0.033 "J"	ug/l	0.018	0.056	1	M8270D	4/21/2014	4/22/2014	MDK	1
Acenaphthylene	0.021 "J"	ug/l	0.02	0.063	1	M8270D	4/21/2014	4/22/2014	MDK	1
Anthracene	0.082	ug/l	0.018	0.057	1	M8270D	4/21/2014	4/22/2014	MDK	1
Benzo(a)anthracene	0.163	ug/l	0.023	0.073	1	M8270D	4/21/2014	4/22/2014	MDK	1
Benzo(a)pyrene	0.164	ug/l	0.02	0.063	1	M8270D	4/21/2014	4/22/2014	MDK	1
Benzo(b)fluoranthene	0.168	ug/l	0.019	0.06	1	M8270D	4/21/2014	4/22/2014	MDK	1
Benzo(g,h,i)perylene	0.223	ug/l	0.024	0.076	1	M8270D	4/21/2014	4/22/2014	MDK	1
Benzo(k)fluoranthene	0.154	ug/l	0.027	0.087	1	M8270D	4/21/2014	4/22/2014	MDK	1
Chrysene	0.169	ug/l	0.018	0.058	1	M8270D	4/21/2014	4/22/2014	MDK	1
Dibenz(a,h)anthracene	0.172	ug/l	0.028	0.092	1	M8270D	4/21/2014	4/22/2014	MDK	1
Fluoranthene	0.195	ug/l	0.022	0.069	1	M8270D	4/21/2014	4/22/2014	MDK	1
Fluorene	0.06 "J"	ug/l	0.022	0.069	1	M8270D	4/21/2014	4/22/2014	MDK	1
Indeno(1,2,3-cd)pyrene	0.185	ug/l	0.027	0.086	1	M8270D	4/21/2014	4/22/2014	MDK	1
1-Methyl naphthalene	0.53	ug/l	0.021	0.065	1	M8270D	4/21/2014	4/22/2014	MDK	1
2-Methyl naphthalene	0.253	ug/l	0.024	0.076	1	M8270D	4/21/2014	4/22/2014	MDK	1
Naphthalene	0.83	ug/l	0.023	0.073	1	M8270D	4/21/2014	4/22/2014	MDK	1
Phenanthrene	0.1	ug/l	0.018	0.057	1	M8270D	4/21/2014	4/22/2014	MDK	1
Pyrene	0.265	ug/l	0.022	0.071	1	M8270D	4/21/2014	4/22/2014	MDK	1
VOC's										
Benzene	56	ug/l	0.24	0.77	1	8260B				
Bromobenzene	< 0.32	ug/l	0.32	1	1	8260B	4/22/2014	CJR	1	
Bromodichloromethane	< 0.37	ug/l	0.37	1.2	1	8260B	4/22/2014	CJR	1	
Bromoform	< 0.35	ug/l	0.35	1.1	1	8260B	4/22/2014	CJR	1	
tert-Butylbenzene	< 0.36	ug/l	0.36	1.2	1	8260B	4/22/2014	CJR	1	
sec-Butylbenzene	0.51 "J"	ug/l	0.33	1	1	8260B	4/22/2014	CJR	1	
n-Butylbenzene	1.05 "J"	ug/l	0.35	1.1	1	8260B	4/22/2014	CJR	1	
Carbon Tetrachloride	< 0.33	ug/l	0.33	1.1	1	8260B	4/22/2014	CJR	1	
Chlorobenzene	< 0.24	ug/l	0.24	0.77	1	8260B	4/22/2014	CJR	1	
Chloroethane	2.3	ug/l	0.63	2	1	8260B	4/22/2014	CJR	1	
Chloroform	< 0.28	ug/l	0.28	0.88	1	8260B	4/22/2014	CJR	1	
Chloromethane	< 0.81	ug/l	0.81	2.6	1	8260B	4/22/2014	CJR	1	
2-Chlorotoluene	< 0.21	ug/l	0.21	0.66	1	8260B	4/22/2014	CJR	1	
4-Chlorotoluene	< 0.21	ug/l	0.21	0.68	1	8260B	4/22/2014	CJR	1	
1,2-Dibromo-3-chloropropane	< 0.88	ug/l	0.88	2.8	1	8260B	4/22/2014	CJR	1	
Dibromochloromethane	< 0.22	ug/l	0.22	0.7	1	8260B	4/22/2014	CJR	1	
1,4-Dichlorobenzene	< 0.3	ug/l	0.3	0.96	1	8260B	4/22/2014	CJR	1	
1,3-Dichlorobenzene	< 0.28	ug/l	0.28	0.89	1	8260B	4/22/2014	CJR	1	
1,2-Dichlorobenzene	< 0.36	ug/l	0.36	1.2	1	8260B	4/22/2014	CJR	1	
Dichlorodifluoromethane	< 0.44	ug/l	0.44	1.4	1	8260B	4/22/2014	CJR	1	
1,2-Dichloroethane	< 0.41	ug/l	0.41	1.3	1	8260B	4/22/2014	CJR	1	
1,1-Dichloroethane	6.6	ug/l	0.3	0.97	1	8260B	4/22/2014	CJR	1	
1,1-Dichloroethene	< 0.4	ug/l	0.4	1.3	1	8260B	4/22/2014	CJR	1	
cis-1,2-Dichloroethene	< 0.38	ug/l	0.38	1.2	1	8260B	4/22/2014	CJR	1	
trans-1,2-Dichloroethene	< 0.35	ug/l	0.35	1.1	1	8260B	4/22/2014	CJR	1	
1,2-Dichloropropane	< 0.32	ug/l	0.32	1	1	8260B	4/22/2014	CJR	1	
2,2-Dichloropropane	< 0.36	ug/l	0.36	1.2	1	8260B	4/22/2014	CJR	8	
1,3-Dichloropropane	< 0.33	ug/l	0.33	1	1	8260B	4/22/2014	CJR	1	
Di-isopropyl ether	< 0.23	ug/l	0.23	0.73	1	8260B	4/22/2014	CJR	1	
EDB (1,2-Dibromoethane)	< 0.44	ug/l	0.44	1.4	1	8260B	4/22/2014	CJR	1	
Ethylbenzene	8.6	ug/l	0.55	1.7	1	8260B	4/22/2014	CJR	1	
Hexachlorobutadiene	< 1.5	ug/l	1.5	4.8	1	8260B	4/22/2014	CJR	1	
Isopropylbenzene	2.02	ug/l	0.3	0.96	1	8260B	4/22/2014	CJR	1	
p-Isopropyltoluene	< 0.31	ug/l	0.31	0.98	1	8260B	4/22/2014	CJR	1	

Project Name TERRY'S TOWING
Project #

Invoice # E26853

Lab Code 5026853F
Sample ID MW-2R
Sample Matrix Water
Sample Date 4/16/2014

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Methylene chloride	< 0.5	ug/l	0.5	1.6	1	8260B		4/22/2014	CJR	1
Methyl tert-butyl ether (MTBE)	13.1	ug/l	0.23	0.74	1	8260B		4/22/2014	CJR	1
Naphthalene	13	ug/l	1.7	5.5	1	8260B		4/22/2014	CJR	1
n-Propylbenzene	2.59	ug/l	0.25	0.81	1	8260B		4/22/2014	CJR	1
1,1,2,2-Tetrachloroethane	< 0.45	ug/l	0.45	1.4	1	8260B		4/22/2014	CJR	1
1,1,1,2-Tetrachloroethane	< 0.33	ug/l	0.33	1.1	1	8260B		4/22/2014	CJR	1
Tetrachloroethene	0.42 "J"	ug/l	0.33	1.1	1	8260B		4/22/2014	CJR	1
Toluene	3.14	ug/l	0.69	2.2	1	8260B		4/22/2014	CJR	1
1,2,4-Trichlorobenzene	< 0.98	ug/l	0.98	3.1	1	8260B		4/22/2014	CJR	1
1,2,3-Trichlorobenzene	< 1.8	ug/l	1.8	5.8	1	8260B		4/22/2014	CJR	1
1,1,1-Trichloroethane	< 0.33	ug/l	0.33	1	1	8260B		4/22/2014	CJR	1
1,1,2-Trichloroethane	< 0.34	ug/l	0.34	1.1	1	8260B		4/22/2014	CJR	1
Trichloroethene (TCE)	< 0.33	ug/l	0.33	1	1	8260B		4/22/2014	CJR	1
Trichlorofluoromethane	< 0.71	ug/l	0.71	2.3	1	8260B		4/22/2014	CJR	1
1,2,4-Trimethylbenzene	13.5	ug/l	2.2	6.9	1	8260B		4/22/2014	CJR	1
1,3,5-Trimethylbenzene	< 1.4	ug/l	1.4	4.5	1	8260B		4/22/2014	CJR	1
Vinyl Chloride	2.54	ug/l	0.18	0.57	1	8260B		4/22/2014	CJR	1
m&p-Xylene	6.8	ug/l	0.69	2.2	1	8260B		4/22/2014	CJR	1
o-Xylene	7.2	ug/l	0.63	2	1	8260B		4/22/2014	CJR	1
SUR - 4-Bromofluorobenzene	105	REC %			1	8260B		4/22/2014	CJR	1
SUR - Dibromofluoromethane	90	REC %			1	8260B		4/22/2014	CJR	1
SUR - Toluene-d8	102	REC %			1	8260B		4/22/2014	CJR	1
SUR - 1,2-Dichloroethane-d4	98	REC %			1	8260B		4/22/2014	CJR	1

Project Name TERRY'S TOWING
Project #

Invoice # E26853

Lab Code 5026853G
Sample ID TB
Sample Matrix Water
Sample Date 4/16/2014

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic VOC's										
Benzene	< 0.24	ug/l	0.24	0.77	1	8260B			CJR	1
Bromobenzene	< 0.32	ug/l	0.32	1	1	8260B			CJR	1
Bromodichloromethane	< 0.37	ug/l	0.37	1.2	1	8260B			CJR	1
Bromoform	< 0.35	ug/l	0.35	1.1	1	8260B			CJR	1
tert-Butylbenzene	< 0.36	ug/l	0.36	1.2	1	8260B			CJR	1
sec-Butylbenzene	< 0.33	ug/l	0.33	1	1	8260B			CJR	1
n-Butylbenzene	< 0.35	ug/l	0.35	1.1	1	8260B			CJR	1
Carbon Tetrachloride	< 0.33	ug/l	0.33	1.1	1	8260B			CJR	1
Chlorobenzene	< 0.24	ug/l	0.24	0.77	1	8260B			CJR	1
Chloroethane	< 0.63	ug/l	0.63	2	1	8260B			CJR	1
Chloroform	< 0.28	ug/l	0.28	0.88	1	8260B			CJR	1
Chloromethane	< 0.81	ug/l	0.81	2.6	1	8260B			CJR	1
2-Chlorotoluene	< 0.21	ug/l	0.21	0.66	1	8260B			CJR	1
4-Chlorotoluene	< 0.21	ug/l	0.21	0.68	1	8260B			CJR	1
1,2-Dibromo-3-chloropropane	< 0.88	ug/l	0.88	2.8	1	8260B			CJR	1
Dibromochloromethane	< 0.22	ug/l	0.22	0.7	1	8260B			CJR	1
1,4-Dichlorobenzene	< 0.3	ug/l	0.3	0.96	1	8260B			CJR	1
1,3-Dichlorobenzene	< 0.28	ug/l	0.28	0.89	1	8260B			CJR	1
1,2-Dichlorobenzene	< 0.36	ug/l	0.36	1.2	1	8260B			CJR	1
Dichlorodifluoromethane	< 0.44	ug/l	0.44	1.4	1	8260B			CJR	1
1,2-Dichloroethane	< 0.41	ug/l	0.41	1.3	1	8260B			CJR	1
1,1-Dichloroethane	< 0.3	ug/l	0.3	0.97	1	8260B			CJR	1
1,1-Dichloroethene	< 0.4	ug/l	0.4	1.3	1	8260B			CJR	1
cis-1,2-Dichloroethene	< 0.38	ug/l	0.38	1.2	1	8260B			CJR	1
trans-1,2-Dichloroethene	< 0.35	ug/l	0.35	1.1	1	8260B			CJR	1
1,2-Dichloropropane	< 0.32	ug/l	0.32	1	1	8260B			CJR	1
2,2-Dichloropropane	< 0.36	ug/l	0.36	1.2	1	8260B			CJR	8
1,3-Dichloropropane	< 0.33	ug/l	0.33	1	1	8260B			CJR	1
Di-isopropyl ether	< 0.23	ug/l	0.23	0.73	1	8260B			CJR	1
EDB (1,2-Dibromoethane)	< 0.44	ug/l	0.44	1.4	1	8260B			CJR	1
Ethylbenzene	< 0.55	ug/l	0.55	1.7	1	8260B			CJR	1
Hexachlorobutadiene	< 1.5	ug/l	1.5	4.8	1	8260B			CJR	1
Isopropylbenzene	< 0.3	ug/l	0.3	0.96	1	8260B			CJR	1
p-Isopropyltoluene	< 0.31	ug/l	0.31	0.98	1	8260B			CJR	1
Methylene chloride	< 0.5	ug/l	0.5	1.6	1	8260B			CJR	1
Methyl tert-butyl ether (MTBE)	< 0.23	ug/l	0.23	0.74	1	8260B			CJR	1
Naphthalene	< 1.7	ug/l	1.7	5.5	1	8260B			CJR	1
n-Propylbenzene	< 0.25	ug/l	0.25	0.81	1	8260B			CJR	1
1,1,2,2-Tetrachloroethane	< 0.45	ug/l	0.45	1.4	1	8260B			CJR	1
1,1,1,2-Tetrachloroethane	< 0.33	ug/l	0.33	1.1	1	8260B			CJR	1
Tetrachloroethene	< 0.33	ug/l	0.33	1.1	1	8260B			CJR	1
Toluene	< 0.69	ug/l	0.69	2.2	1	8260B			CJR	1
1,2,4-Trichlorobenzene	< 0.98	ug/l	0.98	3.1	1	8260B			CJR	1
1,2,3-Trichlorobenzene	< 1.8	ug/l	1.8	5.8	1	8260B			CJR	1
1,1,1-Trichloroethane	< 0.33	ug/l	0.33	1	1	8260B			CJR	1
1,1,2-Trichloroethane	< 0.34	ug/l	0.34	1.1	1	8260B			CJR	1
Trichloroethene (TCE)	< 0.33	ug/l	0.33	1	1	8260B			CJR	1
Trichlorofluoromethane	< 0.71	ug/l	0.71	2.3	1	8260B			CJR	1
1,2,4-Trimethylbenzene	< 2.2	ug/l	2.2	6.9	1	8260B			CJR	1
1,3,5-Trimethylbenzene	< 1.4	ug/l	1.4	4.5	1	8260B			CJR	1
Vinyl Chloride	< 0.18	ug/l	0.18	0.57	1	8260B			CJR	1
m,p-Xylene	< 0.69	ug/l	0.69	2.2	1	8260B			CJR	1
o-Xylene	< 0.63	ug/l	0.63	2	1	8260B			CJR	1
SUR - Toluene-d8	100	REC %			1	8260B			CJR	1
SUR - 1,2-Dichloroethane-d4	100	REC %			1	8260B			CJR	1
SUR - 4-Bromofluorobenzene	104	REC %			1	8260B			CJR	1
SUR - Dibromofluoromethane	87	REC %			1	8260B			CJR	1

Project Name TERRY'S TOWING
Project #

Invoice # E26853

"J" Flag: Analyte detected between LOD and LOQ

LOD Limit of Detection

LOQ Limit of Quantitation

Code *Comment*

- | | |
|---|---|
| 1 | Laboratory QC within limits. |
| 8 | Closing calibration standard not within established limits. |
- CWT denotes sub contract lab - Certification #445126660

All solid sample results reported on a dry weight basis unless otherwise indicated. All LOD's and LOQ's are adjusted for dilutions but not dry weight. Subcontracted results are denoted by SUB in the analyst field.

Authorized Signature

Michael Ricker

CHAIN OF CUSTODY RECORD

Synergy

Chain # N₂ 2520

Page 1 of 1

Lab 1, D. #	
Account No.:	Quote No.:
Project #:	
Sampler (signature)	

Environmental Lab, Inc.

1990 Prospect Ct. • Appleton, WI 54914
920-830-2455 • FAX 920-733-0631

Comments/Special Instructions (*Specify groundwater "GW", Drinking Water "DW", Waste Water "WW", Soil "S", Air "A", Oil, Sludge etc.)

Lab to send copy of report to METCO/Jason P. (invoice to METCO)
UFC Rates Apply. Agent Status

Sample Integrity - To be completed by receiving lab.		Relinquished By: (sign)	Time	Date	Received By: (sign)	Time	Date
Method of Shipment: <u>Delivery</u>		<u>Bruce L. Sch</u>	<u>10:30</u>	<u>4-18-14</u>			
Temp. of Temp. Blank _____ °C On Ice: <u>X</u>							
Cooler seal intact upon receipt: <u>X</u> Yes <u> </u> No		Received in Laboratory By:	<u>Oliver J. Ross</u>		Time: <u>8:00</u>	Date: <u>4/21/14</u>	

Synergy Environmental Lab,

1990 Prospect Ct., Appleton, WI 54914 *P 920-830-2455 * F 920-733-0631

TERRY BYSTOL
 TERRY BYSTOL
 425 POWELL STREET
 DODGEVILLE, WI 53533

Report Date 24-Jul-14

Project Name TERRY'S TOWING

Invoice # E27347

Project #

Lab Code 5027347A

Sample ID MW-4

Sample Matrix Water

Sample Date 7/15/2014

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic VOC's										
Benzene	< 0.24	ug/l	0.24	0.77	1	8260B			CJR	1
Bromobenzene	< 0.32	ug/l	0.32	1	1	8260B	7/18/2014		CJR	1
Bromodichloromethane	< 0.37	ug/l	0.37	1.2	1	8260B	7/18/2014		CJR	1
Bromoform	< 0.35	ug/l	0.35	1.1	1	8260B	7/18/2014		CJR	1
tert-Butylbenzene	< 0.36	ug/l	0.36	1.2	1	8260B	7/18/2014		CJR	1
sec-Butylbenzene	< 0.33	ug/l	0.33	1	1	8260B	7/18/2014		CJR	1
n-Butylbenzene	< 0.35	ug/l	0.35	1.1	1	8260B	7/18/2014		CJR	1
Carbon Tetrachloride	< 0.33	ug/l	0.33	1.1	1	8260B	7/18/2014		CJR	1
Chlorobenzene	< 0.24	ug/l	0.24	0.77	1	8260B	7/18/2014		CJR	1
Chloroethane	< 0.63	ug/l	0.63	2	1	8260B	7/18/2014		CJR	1
Chloroform	< 0.28	ug/l	0.28	0.88	1	8260B	7/18/2014		CJR	1
Chloromethane	< 0.81	ug/l	0.81	2.6	1	8260B	7/18/2014		CJR	1
2-Chlorotoluene	< 0.21	ug/l	0.21	0.66	1	8260B	7/18/2014		CJR	1
4-Chlorotoluene	< 0.21	ug/l	0.21	0.68	1	8260B	7/18/2014		CJR	1
1,2-Dibromo-3-chloropropane	< 0.88	ug/l	0.88	2.8	1	8260B	7/18/2014		CJR	1
Dibromochloromethane	< 0.22	ug/l	0.22	0.7	1	8260B	7/18/2014		CJR	1
1,4-Dichlorobenzene	< 0.3	ug/l	0.3	0.96	1	8260B	7/18/2014		CJR	1
1,3-Dichlorobenzene	< 0.28	ug/l	0.28	0.89	1	8260B	7/18/2014		CJR	1
1,2-Dichlorobenzene	< 0.36	ug/l	0.36	1.2	1	8260B	7/18/2014		CJR	1
Dichlorodifluoromethane	< 0.44	ug/l	0.44	1.4	1	8260B	7/18/2014		CJR	1
1,2-Dichloroethane	< 0.41	ug/l	0.41	1.3	1	8260B	7/18/2014		CJR	1
1,1-Dichloroethane	< 0.3	ug/l	0.3	0.97	1	8260B	7/18/2014		CJR	1
1,1-Dichloroethene	< 0.4	ug/l	0.4	1.3	1	8260B	7/18/2014		CJR	1
cis-1,2-Dichloroethene	< 0.38	ug/l	0.38	1.2	1	8260B	7/18/2014		CJR	1
trans-1,2-Dichloroethene	< 0.35	ug/l	0.35	1.1	1	8260B	7/18/2014		CJR	1
1,2-Dichloropropane	< 0.32	ug/l	0.32	1	1	8260B	7/18/2014		CJR	1
2,2-Dichloropropane	< 0.36	ug/l	0.36	1.2	1	8260B	7/18/2014		CJR	48
1,3-Dichloropropane	< 0.33	ug/l	0.33	1	1	8260B	7/18/2014		CJR	1
Di-isopropyl ether	< 0.23	ug/l	0.23	0.73	1	8260B	7/18/2014		CJR	1
EDB (1,2-Dibromoethane)	< 0.44	ug/l	0.44	1.4	1	8260B	7/18/2014		CJR	1
Ethylbenzene	< 0.55	ug/l	0.55	1.7	1	8260B	7/18/2014		CJR	1
Hexachlorobutadiene	< 1.5	ug/l	1.5	4.8	1	8260B	7/18/2014		CJR	1
Isopropylbenzene	< 0.3	ug/l	0.3	0.96	1	8260B	7/18/2014		CJR	1

Project Name TERRY'S TOWING
Project #

Invoice # E27347

Lab Code 5027347A
Sample ID MW-4
Sample Matrix Water
Sample Date 7/15/2014

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
p-Isopropyltoluene	< 0.31	ug/l	0.31	0.98	1	8260B		7/18/2014	CJR	1
Methylene chloride	< 0.5	ug/l	0.5	1.6	1	8260B		7/18/2014	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.23	ug/l	0.23	0.74	1	8260B		7/18/2014	CJR	1
Naphthalene	< 1.7	ug/l	1.7	5.5	1	8260B		7/18/2014	CJR	1
n-Propylbenzene	< 0.25	ug/l	0.25	0.81	1	8260B		7/18/2014	CJR	1
1,1,2,2-Tetrachloroethane	< 0.45	ug/l	0.45	1.4	1	8260B		7/18/2014	CJR	1
1,1,1,2-Tetrachloroethane	< 0.33	ug/l	0.33	1.1	1	8260B		7/18/2014	CJR	1
Tetrachloroethene	0.93 "J"	ug/l	0.33	1.1	1	8260B		7/18/2014	CJR	1
Toluene	< 0.69	ug/l	0.69	2.2	1	8260B		7/18/2014	CJR	1
1,2,4-Trichlorobenzene	< 0.98	ug/l	0.98	3.1	1	8260B		7/18/2014	CJR	1
1,2,3-Trichlorobenzene	< 1.8	ug/l	1.8	5.8	1	8260B		7/18/2014	CJR	1
1,1,1-Trichloroethane	< 0.33	ug/l	0.33	1	1	8260B		7/18/2014	CJR	1
1,1,2-Trichloroethane	< 0.34	ug/l	0.34	1.1	1	8260B		7/18/2014	CJR	1
Trichloroethene (TCE)	< 0.33	ug/l	0.33	1	1	8260B		7/18/2014	CJR	1
Trichlorofluoromethane	< 0.71	ug/l	0.71	2.3	1	8260B		7/18/2014	CJR	1
1,2,4-Trimethylbenzene	< 2.2	ug/l	2.2	6.9	1	8260B		7/18/2014	CJR	1
1,3,5-Trimethylbenzene	< 1.4	ug/l	1.4	4.5	1	8260B		7/18/2014	CJR	1
Vinyl Chloride	< 0.18	ug/l	0.18	0.57	1	8260B		7/18/2014	CJR	1
m&p-Xylene	< 0.69	ug/l	0.69	2.2	1	8260B		7/18/2014	CJR	1
o-Xylene	< 0.63	ug/l	0.63	2	1	8260B		7/18/2014	CJR	1
SUR - 1,2-Dichloroethane-d4	97	REC %			1	8260B		7/18/2014	CJR	1
SUR - 4-Bromofluorobenzene	97	REC %			1	8260B		7/18/2014	CJR	1
SUR - Dibromofluoromethane	93	REC %			1	8260B		7/18/2014	CJR	1
SUR - Toluene-d8	97	REC %			1	8260B		7/18/2014	CJR	1

Project

Lab Code 5027347B

Sample ID MW-5

Sample Matrix Water

Sample Date 7/15/2014

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.24	ug/l	0.24	0.77	1	8260B			CJR	1
Bromobenzene	< 0.32	ug/l	0.32	1	1	8260B			CJR	1
Bromodichloromethane	< 0.37	ug/l	0.37	1.2	1	8260B			CJR	1
Bromoform	< 0.35	ug/l	0.35	1.1	1	8260B			CJR	1
tert-Butylbenzene	< 0.36	ug/l	0.36	1.2	1	8260B			CJR	1
sec-Butylbenzene	< 0.33	ug/l	0.33	1	1	8260B			CJR	1
n-Butylbenzene	< 0.35	ug/l	0.35	1.1	1	8260B			CJR	1
Carbon Tetrachloride	< 0.33	ug/l	0.33	1.1	1	8260B			CJR	1
Chlorobenzene	< 0.24	ug/l	0.24	0.77	1	8260B			CJR	1
Chloroethane	< 0.63	ug/l	0.63	2	1	8260B			CJR	1
Chloroform	< 0.28	ug/l	0.28	0.88	1	8260B			CJR	1
Chloromethane	< 0.81	ug/l	0.81	2.6	1	8260B			CJR	1
2-Chlorotoluene	< 0.21	ug/l	0.21	0.66	1	8260B			CJR	1
4-Chlorotoluene	< 0.21	ug/l	0.21	0.68	1	8260B			CJR	1
1,2-Dibromo-3-chloropropane	< 0.88	ug/l	0.88	2.8	1	8260B			CJR	1
Dibromochloromethane	< 0.22	ug/l	0.22	0.7	1	8260B			CJR	1
1,4-Dichlorobenzene	< 0.3	ug/l	0.3	0.96	1	8260B			CJR	1
1,3-Dichlorobenzene	< 0.28	ug/l	0.28	0.89	1	8260B			CJR	1
1,2-Dichlorobenzene	< 0.36	ug/l	0.36	1.2	1	8260B			CJR	1
Dichlorodifluoromethane	< 0.44	ug/l	0.44	1.4	1	8260B			CJR	1
1,2-Dichloroethane	< 0.41	ug/l	0.41	1.3	1	8260B			CJR	1
1,1-Dichloroethane	< 0.3	ug/l	0.3	0.97	1	8260B			CJR	1
1,1-Dichloroethene	< 0.4	ug/l	0.4	1.3	1	8260B			CJR	1
cis-1,2-Dichloroethene	< 0.38	ug/l	0.38	1.2	1	8260B			CJR	1
trans-1,2-Dichloroethene	< 0.35	ug/l	0.35	1.1	1	8260B			CJR	1
1,2-Dichloropropane	< 0.32	ug/l	0.32	1	1	8260B			CJR	1
2,2-Dichloropropane	< 0.36	ug/l	0.36	1.2	1	8260B			CJR	4.8
1,3-Dichloropropane	< 0.33	ug/l	0.33	1	1	8260B			CJR	1
Di-isopropyl ether	< 0.23	ug/l	0.23	0.73	1	8260B			CJR	1
EDB (1,2-Dibromoethane)	< 0.44	ug/l	0.44	1.4	1	8260B			CJR	1
Ethylbenzene	< 0.55	ug/l	0.55	1.7	1	8260B			CJR	1
Hexachlorobutadiene	< 1.5	ug/l	1.5	4.8	1	8260B			CJR	1
Isopropylbenzene	< 0.3	ug/l	0.3	0.96	1	8260B			CJR	1
p-Isopropyltoluene	< 0.31	ug/l	0.31	0.98	1	8260B			CJR	1
Methylene chloride	< 0.5	ug/l	0.5	1.6	1	8260B			CJR	1
Methyl tert-butyl ether (MTBE)	< 0.23	ug/l	0.23	0.74	1	8260B			CJR	1
Naphthalene	< 1.7	ug/l	1.7	5.5	1	8260B			CJR	1
n-Propylbenzene	< 0.25	ug/l	0.25	0.81	1	8260B			CJR	1
1,1,2,2-Tetrachloroethane	< 0.45	ug/l	0.45	1.4	1	8260B			CJR	1
1,1,2-Tetrachloroethane	< 0.33	ug/l	0.33	1.1	1	8260B			CJR	1
Tetrachloroethene	< 0.33	ug/l	0.33	1.1	1	8260B			CJR	1
Toluene	< 0.69	ug/l	0.69	2.2	1	8260B			CJR	1
1,2,4-Trichlorobenzene	< 0.98	ug/l	0.98	3.1	1	8260B			CJR	1
1,2,3-Trichlorobenzene	< 1.8	ug/l	1.8	5.8	1	8260B			CJR	1
1,1,1-Trichloroethane	< 0.33	ug/l	0.33	1	1	8260B			CJR	1
1,1,2-Trichloroethane	< 0.34	ug/l	0.34	1.1	1	8260B			CJR	1
Trichloroethene (TCE)	< 0.33	ug/l	0.33	1	1	8260B			CJR	1
Trichlorofluoromethane	< 0.71	ug/l	0.71	2.3	1	8260B			CJR	1
1,2,4-Trimethylbenzene	< 2.2	ug/l	2.2	6.9	1	8260B			CJR	1
1,3,5-Trimethylbenzene	< 1.4	ug/l	1.4	4.5	1	8260B			CJR	1
Vinyl Chloride	< 0.18	ug/l	0.18	0.57	1	8260B			CJR	1
m,p-Xylene	< 0.69	ug/l	0.69	2.2	1	8260B			CJR	1
o-Xylene	< 0.63	ug/l	0.63	2	1	8260B			CJR	1
SUR - 1,2-Dichloroethane-d4	99	REC %			1	8260B			CJR	1
SUR - 4-Bromofluorobenzene	98	REC %			1	8260B			CJR	1
SUR - Dibromofluoromethane	94	REC %			1	8260B			CJR	1
SUR - Toluene-d8	97	REC %			1	8260B			CJR	1

Project Name TERRY'S TOWING
Project #

Invoice # E27347

Lab Code 5027347C
Sample ID MW-6
Sample Matrix Water
Sample Date 7/15/2014

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic VOC's										
Benzene	< 0.24	ug/l	0.24	0.77	1	8260B	7/22/2014	CJR	1	
Bromobenzene	< 0.32	ug/l	0.32	1	1	8260B	7/22/2014	CJR	1	
Bromodichloromethane	< 0.37	ug/l	0.37	1.2	1	8260B	7/22/2014	CJR	1	
Bromoform	< 0.35	ug/l	0.35	1.1	1	8260B	7/22/2014	CJR	1	
tert-Butylbenzene	< 0.36	ug/l	0.36	1.2	1	8260B	7/22/2014	CJR	1	
sec-Butylbenzene	< 0.33	ug/l	0.33	1	1	8260B	7/22/2014	CJR	1	
n-Butylbenzene	< 0.35	ug/l	0.35	1.1	1	8260B	7/22/2014	CJR	1	
Carbon Tetrachloride	< 0.33	ug/l	0.33	1.1	1	8260B	7/22/2014	CJR	1	
Chlorobenzene	< 0.24	ug/l	0.24	0.77	1	8260B	7/22/2014	CJR	1	
Chloroethane	< 0.63	ug/l	0.63	2	1	8260B	7/22/2014	CJR	1	
Chloroform	< 0.28	ug/l	0.28	0.88	1	8260B	7/22/2014	CJR	1	
Chloromethane	< 0.81	ug/l	0.81	2.6	1	8260B	7/22/2014	CJR	1	
2-Chlorotoluene	< 0.21	ug/l	0.21	0.66	1	8260B	7/22/2014	CJR	1	
4-Chlorotoluene	< 0.21	ug/l	0.21	0.68	1	8260B	7/22/2014	CJR	1	
1,2-Dibromo-3-chloropropane	< 0.88	ug/l	0.88	2.8	1	8260B	7/22/2014	CJR	1	
Dibromochloromethane	< 0.22	ug/l	0.22	0.7	1	8260B	7/22/2014	CJR	1	
1,4-Dichlorobenzene	< 0.3	ug/l	0.3	0.96	1	8260B	7/22/2014	CJR	1	
1,3-Dichlorobenzene	< 0.28	ug/l	0.28	0.89	1	8260B	7/22/2014	CJR	1	
1,2-Dichlorobenzene	< 0.36	ug/l	0.36	1.2	1	8260B	7/22/2014	CJR	1	
Dichlorodifluoromethane	< 0.44	ug/l	0.44	1.4	1	8260B	7/22/2014	CJR	1	
1,2-Dichloroethane	< 0.41	ug/l	0.41	1.3	1	8260B	7/22/2014	CJR	1	
1,1-Dichloroethane	< 0.3	ug/l	0.3	0.97	1	8260B	7/22/2014	CJR	1	
1,1-Dichloroethene	< 0.4	ug/l	0.4	1.3	1	8260B	7/22/2014	CJR	1	
cis-1,2-Dichloroethene	15	ug/l	0.38	1.2	1	8260B	7/22/2014	CJR	1	
trans-1,2-Dichloroethene	< 0.35	ug/l	0.35	1.1	1	8260B	7/22/2014	CJR	1	
1,2-Dichloropropane	< 0.32	ug/l	0.32	1	1	8260B	7/22/2014	CJR	1	
2,2-Dichloropropane	< 0.36	ug/l	0.36	1.2	1	8260B	7/22/2014	CJR	48	
1,3-Dichloropropane	< 0.33	ug/l	0.33	1	1	8260B	7/22/2014	CJR	1	
Di-isopropyl ether	< 0.23	ug/l	0.23	0.73	1	8260B	7/22/2014	CJR	1	
EDB (1,2-Dibromoethane)	< 0.44	ug/l	0.44	1.4	1	8260B	7/22/2014	CJR	1	
Ethylbenzene	< 0.55	ug/l	0.55	1.7	1	8260B	7/22/2014	CJR	1	
Hexachlorobutadiene	< 1.5	ug/l	1.5	4.8	1	8260B	7/22/2014	CJR	1	
Isopropylbenzene	< 0.3	ug/l	0.3	0.96	1	8260B	7/22/2014	CJR	1	
p-Isopropyltoluene	< 0.31	ug/l	0.31	0.98	1	8260B	7/22/2014	CJR	1	
Methylene chloride	< 0.5	ug/l	0.5	1.6	1	8260B	7/22/2014	CJR	1	
Methyl tert-butyl ether (MTBE)	< 0.23	ug/l	0.23	0.74	1	8260B	7/22/2014	CJR	1	
Naphthalene	< 1.7	ug/l	1.7	5.5	1	8260B	7/22/2014	CJR	1	
n-Propylbenzene	< 0.25	ug/l	0.25	0.81	1	8260B	7/22/2014	CJR	1	
1,1,2,2-Tetrachloroethane	< 0.45	ug/l	0.45	1.4	1	8260B	7/22/2014	CJR	1	
1,1,1,2-Tetrachloroethane	< 0.33	ug/l	0.33	1.1	1	8260B	7/22/2014	CJR	1	
Tetrachloroethene	7.8	ug/l	0.33	1.1	1	8260B	7/22/2014	CJR	1	
Toluene	< 0.69	ug/l	0.69	2.2	1	8260B	7/22/2014	CJR	1	
1,2,4-Trichlorobenzene	< 0.98	ug/l	0.98	3.1	1	8260B	7/22/2014	CJR	1	
1,2,3-Trichlorobenzene	< 1.8	ug/l	1.8	5.8	1	8260B	7/22/2014	CJR	1	
1,1,1-Trichloroethane	< 0.33	ug/l	0.33	1	1	8260B	7/22/2014	CJR	1	
1,1,2-Trichloroethane	< 0.34	ug/l	0.34	1.1	1	8260B	7/22/2014	CJR	1	
Trichloroethene (TCE)	2.2	ug/l	0.33	1	1	8260B	7/22/2014	CJR	1	
Trichlorofluoromethane	< 0.71	ug/l	0.71	2.3	1	8260B	7/22/2014	CJR	1	
1,2,4-Trimethylbenzene	< 2.2	ug/l	2.2	6.9	1	8260B	7/22/2014	CJR	1	
1,3,5-Trimethylbenzene	< 1.4	ug/l	1.4	4.5	1	8260B	7/22/2014	CJR	1	
Vinyl Chloride	< 0.18	ug/l	0.18	0.57	1	8260B	7/22/2014	CJR	1	
m-&p-Xylene	< 0.69	ug/l	0.69	2.2	1	8260B	7/22/2014	CJR	1	
o-Xylene	< 0.63	ug/l	0.63	2	1	8260B	7/22/2014	CJR	1	
SUR - 4-Bromofluorobenzene	97	REC %			1	8260B	7/22/2014	CJR	1	
SUR - Dibromofluoromethane	94	REC %			1	8260B	7/22/2014	CJR	1	
SUR - 1,2-Dichloroethane-d4	95	REC %			1	8260B	7/22/2014	CJR	1	
SUR - Toluene-d8	97	REC %			1	8260B	7/22/2014	CJR	1	

Project Name TERRY'S TOWING
Project #

Invoice # E27347

Lab Code 5027347D
Sample ID MW-3
Sample Matrix Water
Sample Date 7/15/2014

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic VOC's										
Benzene	< 0.24	ug/l	0.24	0.77	1	8260B	7/22/2014	CJR		
Bromobenzene	< 0.32	ug/l	0.32	1	1	8260B	7/22/2014	CJR		
Bromodichloromethane	< 0.37	ug/l	0.37	1.2	1	8260B	7/22/2014	CJR		
Bromoforn	< 0.35	ug/l	0.35	1.1	1	8260B	7/22/2014	CJR		
tert-Butylbenzene	< 0.36	ug/l	0.36	1.2	1	8260B	7/22/2014	CJR		
sec-Butylbenzene	1.42	ug/l	0.33	1	1	8260B	7/22/2014	CJR		
n-Butylbenzene	0.77 "J"	ug/l	0.35	1.1	1	8260B	7/22/2014	CJR		
Carbon Tetrachloride	< 0.33	ug/l	0.33	1.1	1	8260B	7/22/2014	CJR		
Chlorobenzene	< 0.24	ug/l	0.24	0.77	1	8260B	7/22/2014	CJR		
Chloroethane	< 0.63	ug/l	0.63	2	1	8260B	7/22/2014	CJR		
Chloroform	< 0.28	ug/l	0.28	0.88	1	8260B	7/22/2014	CJR		
Chloromethane	< 0.81	ug/l	0.81	2.6	1	8260B	7/22/2014	CJR		
2-Chlorotoluene	< 0.21	ug/l	0.21	0.66	1	8260B	7/22/2014	CJR		
4-Chlorotoluene	< 0.21	ug/l	0.21	0.68	1	8260B	7/22/2014	CJR		
1,2-Dibromo-3-chloropropane	< 0.88	ug/l	0.88	2.8	1	8260B	7/22/2014	CJR		
Dibromochloromethane	< 0.22	ug/l	0.22	0.7	1	8260B	7/22/2014	CJR		
1,4-Dichlorobenzene	< 0.3	ug/l	0.3	0.96	1	8260B	7/22/2014	CJR		
1,3-Dichlorobenzene	< 0.28	ug/l	0.28	0.89	1	8260B	7/22/2014	CJR		
1,2-Dichlorobenzene	< 0.36	ug/l	0.36	1.2	1	8260B	7/22/2014	CJR		
Dichlorodifluoromethane	< 0.44	ug/l	0.44	1.4	1	8260B	7/22/2014	CJR		
1,2-Dichloroethane	< 0.41	ug/l	0.41	1.3	1	8260B	7/22/2014	CJR		
1,1-Dichloroethane	< 0.3	ug/l	0.3	0.97	1	8260B	7/22/2014	CJR		
1,1-Dichloroethylene	< 0.4	ug/l	0.4	1.3	1	8260B	7/22/2014	CJR		
cis-1,2-Dichloroethylene	50	ug/l	0.38	1.2	1	8260B	7/22/2014	CJR		
trans-1,2-Dichloroethylene	< 0.35	ug/l	0.35	1.1	1	8260B	7/22/2014	CJR		
1,2-Dichloropropane	< 0.32	ug/l	0.32	1	1	8260B	7/22/2014	CJR		
2,2-Dichloropropane	< 0.36	ug/l	0.36	1.2	1	8260B	7/22/2014	CJR	48	
1,3-Dichloropropane	< 0.33	ug/l	0.33	1	1	8260B	7/22/2014	CJR		
Di-isopropyl ether	< 0.23	ug/l	0.23	0.73	1	8260B	7/22/2014	CJR		
EDB (1,2-Dibromoethane)	< 0.44	ug/l	0.44	1.4	1	8260B	7/22/2014	CJR		
Ethylbenzene	< 0.55	ug/l	0.55	1.7	1	8260B	7/22/2014	CJR		
Hexachlorobutadiene	< 1.5	ug/l	1.5	4.8	1	8260B	7/22/2014	CJR		
Isopropylbenzene	1.15	ug/l	0.3	0.96	1	8260B	7/22/2014	CJR		
p-Isopropyltoluene	< 0.31	ug/l	0.31	0.98	1	8260B	7/22/2014	CJR		
Methylene chloride	< 0.5	ug/l	0.5	1.6	1	8260B	7/22/2014	CJR		
Methyl tert-butyl ether (MTBE)	< 0.23	ug/l	0.23	0.74	1	8260B	7/22/2014	CJR		
Naphthalene	< 1.7	ug/l	1.7	5.5	1	8260B	7/22/2014	CJR		
n-Propylbenzene	0.86	ug/l	0.25	0.81	1	8260B	7/22/2014	CJR		
1,1,2,2-Tetrachloroethane	< 0.45	ug/l	0.45	1.4	1	8260B	7/22/2014	CJR		
1,1,1,2-Tetrachloroethane	< 0.33	ug/l	0.33	1.1	1	8260B	7/22/2014	CJR		
Tetrachloroethylene	14.9	ug/l	0.33	1.1	1	8260B	7/22/2014	CJR		
Toluene	< 0.69	ug/l	0.69	2.2	1	8260B	7/22/2014	CJR		
1,2,4-Trichlorobenzene	< 0.98	ug/l	0.98	3.1	1	8260B	7/22/2014	CJR		
1,2,3-Trichlorobenzene	< 1.8	ug/l	1.8	5.8	1	8260B	7/22/2014	CJR		
1,1,1-Trichloroethane	< 0.33	ug/l	0.33	1	1	8260B	7/22/2014	CJR		
1,1,2-Trichloroethane	< 0.34	ug/l	0.34	1.1	1	8260B	7/22/2014	CJR		
Trichloroethylene (TCE)	8.3	ug/l	0.33	1	1	8260B	7/22/2014	CJR		
Trichlorofluoromethane	< 0.71	ug/l	0.71	2.3	1	8260B	7/22/2014	CJR		
1,2,4-Trimethylbenzene	< 2.2	ug/l	2.2	6.9	1	8260B	7/22/2014	CJR		
1,3,5-Trimethylbenzene	< 1.4	ug/l	1.4	4.5	1	8260B	7/22/2014	CJR		
Vinyl Chloride	0.34 "J"	ug/l	0.18	0.57	1	8260B	7/22/2014	CJR		
m,p-Xylene	< 0.69	ug/l	0.69	2.2	1	8260B	7/22/2014	CJR		
o-Xylene	< 0.63	ug/l	0.63	2	1	8260B	7/22/2014	CJR		
SUR - 1,2-Dichloroethane-d4	94	REC %			1	8260B	7/22/2014	CJR		
SUR - 4-Bromofluorobenzene	96	REC %			1	8260B	7/22/2014	CJR		
SUR - Dibromofluoromethane	94	REC %			1	8260B	7/22/2014	CJR		
SUR - Toluene-d8	96	REC %			1	8260B	7/22/2014	CJR		

Project Name TERRY'S TOWING
Project #

Invoice # E27347

Lab Code 5027347E
Sample ID MW-1R
Sample Matrix Water
Sample Date 7/15/2014

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	51	ug/l	0.24	0.77	1	8260B	7/24/2014	CJR	1	
Bromobenzene	< 0.32	ug/l	0.32	1	1	8260B	7/24/2014	CJR	1	
Bromodichloromethane	< 0.37	ug/l	0.37	1.2	1	8260B	7/24/2014	CJR	1	
Bromoform	< 0.35	ug/l	0.35	1.1	1	8260B	7/24/2014	CJR	1	
tert-Butylbenzene	< 0.36	ug/l	0.36	1.2	1	8260B	7/24/2014	CJR	1	
sec-Butylbenzene	2.43	ug/l	0.33	1	1	8260B	7/24/2014	CJR	1	
n-Butylbenzene	3.06	ug/l	0.35	1.1	1	8260B	7/24/2014	CJR	1	
Carbon Tetrachloride	< 0.33	ug/l	0.33	1.1	1	8260B	7/24/2014	CJR	1	
Chlorobenzene	< 0.24	ug/l	0.24	0.77	1	8260B	7/24/2014	CJR	1	
Chloroethane	< 0.63	ug/l	0.63	2	1	8260B	7/24/2014	CJR	1	
Chloroforn	< 0.28	ug/l	0.28	0.88	1	8260B	7/24/2014	CJR	1	
Chloromethane	< 0.81	ug/l	0.81	2.6	1	8260B	7/24/2014	CJR	1	
2-Chlorotoluene	< 0.21	ug/l	0.21	0.66	1	8260B	7/24/2014	CJR	1	
4-Chlorotoluene	< 0.21	ug/l	0.21	0.68	1	8260B	7/24/2014	CJR	1	
1,2-Dibromo-3-chloropropane	< 0.88	ug/l	0.88	2.8	1	8260B	7/24/2014	CJR	1	
Dibromochloromethane	< 0.22	ug/l	0.22	0.7	1	8260B	7/24/2014	CJR	1	
1,4-Dichlorobenzene	< 0.3	ug/l	0.3	0.96	1	8260B	7/24/2014	CJR	1	
1,3-Dichlorobenzene	< 0.28	ug/l	0.28	0.89	1	8260B	7/24/2014	CJR	1	
1,2-Dichlorobenzene	< 0.36	ug/l	0.36	1.2	1	8260B	7/24/2014	CJR	1	
Dichlorodifluoromethane	< 0.44	ug/l	0.44	1.4	1	8260B	7/24/2014	CJR	1	
1,2-Dichloroethane	< 0.41	ug/l	0.41	1.3	1	8260B	7/24/2014	CJR	1	
1,1-Dichloroethane	< 0.3	ug/l	0.3	0.97	1	8260B	7/24/2014	CJR	1	
1,1-Dichloroethene	< 0.4	ug/l	0.4	1.3	1	8260B	7/24/2014	CJR	1	
cis-1,2-Dichloroethene	< 0.38	ug/l	0.38	1.2	1	8260B	7/24/2014	CJR	1	
trans-1,2-Dichloroethene	< 0.35	ug/l	0.35	1.1	1	8260B	7/24/2014	CJR	1	
1,2-Dichloropropane	< 0.32	ug/l	0.32	1	1	8260B	7/24/2014	CJR	1	
2,2-Dichloropropane	< 0.36	ug/l	0.36	1.2	1	8260B	7/24/2014	CJR	4.8	
1,3-Dichloropropane	< 0.33	ug/l	0.33	1	1	8260B	7/24/2014	CJR	1	
Di-isopropyl ether	< 0.23	ug/l	0.23	0.73	1	8260B	7/24/2014	CJR	1	
EDB (1,2-Dibromoethane)	< 0.44	ug/l	0.44	1.4	1	8260B	7/24/2014	CJR	1	
Ethylbenzene	155	ug/l	0.55	1.7	1	8260B	7/24/2014	CJR	1	
Hexachlorobutadiene	< 1.5	ug/l	1.5	4.8	1	8260B	7/24/2014	CJR	1	
Isopropylbenzene	10.7	ug/l	0.3	0.96	1	8260B	7/24/2014	CJR	1	
p-Isopropyltoluene	0.70 "J"	ug/l	0.31	0.98	1	8260B	7/24/2014	CJR	1	
Methylene chloride	< 0.5	ug/l	0.5	1.6	1	8260B	7/24/2014	CJR	1	
Methyl tert-butyl ether (MTBE)	< 0.23	ug/l	0.23	0.74	1	8260B	7/24/2014	CJR	1	
Naphthalene	46	ug/l	1.7	5.5	1	8260B	7/24/2014	CJR	1	
n-Propylbenzene	26.4	ug/l	0.25	0.81	1	8260B	7/24/2014	CJR	1	
1,1,2,2-Tetrachloroethane	< 0.45	ug/l	0.45	1.4	1	8260B	7/24/2014	CJR	1	
1,1,1,2-Tetrachloroethane	< 0.33	ug/l	0.33	1.1	1	8260B	7/24/2014	CJR	1	
Tetrachloroethene	< 0.33	ug/l	0.33	1.1	1	8260B	7/24/2014	CJR	33	
Toluene	< 0.69	ug/l	0.69	2.2	1	8260B	7/24/2014	CJR	1	
1,2,4-Trichlorobenzene	< 0.98	ug/l	0.98	3.1	1	8260B	7/24/2014	CJR	1	
1,2,3-Trichlorobenzene	< 1.8	ug/l	1.8	5.8	1	8260B	7/24/2014	CJR	1	
1,1,1-Trichloroethane	< 0.33	ug/l	0.33	1	1	8260B	7/24/2014	CJR	1	
1,1,2-Trichloroethane	< 0.34	ug/l	0.34	1.1	1	8260B	7/24/2014	CJR	1	
Trichloroethene (TCE)	< 0.33	ug/l	0.33	1	1	8260B	7/24/2014	CJR	1	
Trichlorofluoromethane	< 0.71	ug/l	0.71	2.3	1	8260B	7/24/2014	CJR	1	
1,2,4-Trimethylbenzene	202	ug/l	2.2	6.9	1	8260B	7/24/2014	CJR	1	
1,3,5-Trimethylbenzene	< 1.4	ug/l	1.4	4.5	1	8260B	7/24/2014	CJR	1	
Vinyl Chloride	< 0.18	ug/l	0.18	0.57	1	8260B	7/24/2014	CJR	1	
m&p-Xylene	148	ug/l	0.69	2.2	1	8260B	7/24/2014	CJR	1	
o-Xylene	0.89 "J"	ug/l	0.63	2	1	8260B	7/24/2014	CJR	1	
SUR - 1,2-Dichloroethane-d4	98	REC %			1	8260B	7/24/2014	CJR	1	
SUR - 4-Bromofluorobenzene	99	REC %			1	8260B	7/24/2014	CJR	1	
SUR - Dibromofluoromethane	98	REC %			1	8260B	7/24/2014	CJR	1	
SUR - Toluene-d8	99	REC %			1	8260B	7/24/2014	CJR	1	

Project Name TERRY'S TOWING
Project #

Invoice # E27347

Lab Code 5027347F
Sample ID MW-2R
Sample Matrix Water
Sample Date 7/15/2014

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
PAH SIM										
Acenaphthene	< 0.018	ug/l	0.018	0.056	1	M8270D	7/22/2014	7/23/2014	MDK	
Acenaphthylene	< 0.02	ug/l	0.02	0.063	1	M8270D	7/22/2014	7/23/2014	MDK	
Anthracene	< 0.018	ug/l	0.018	0.057	1	M8270D	7/22/2014	7/23/2014	MDK	
Benzo(a)anthracene	0.141	ug/l	0.023	0.073	1	M8270D	7/22/2014	7/23/2014	MDK	
Benzo(a)pyrene	0.077	ug/l	0.02	0.063	1	M8270D	7/22/2014	7/23/2014	MDK	
Benzo(b)fluoranthene	0.1	ug/l	0.019	0.06	1	M8270D	7/22/2014	7/23/2014	MDK	
Benzo(g,h,i)perylene	0.145	ug/l	0.024	0.076	1	M8270D	7/22/2014	7/23/2014	MDK	
Benzo(k)fluoranthene	0.038 "J"	ug/l	0.027	0.087	1	M8270D	7/22/2014	7/23/2014	MDK	
Chrysene	0.111	ug/l	0.018	0.058	1	M8270D	7/22/2014	7/23/2014	MDK	
Dibenz(a,h)anthracene	< 0.028	ug/l	0.028	0.092	1	M8270D	7/22/2014	7/23/2014	MDK	
Fluoranthene	0.084	ug/l	0.022	0.069	1	M8270D	7/22/2014	7/23/2014	MDK	
Fluorene	0.033 "J"	ug/l	0.022	0.069	1	M8270D	7/22/2014	7/23/2014	MDK	
Indeno(1,2,3-cd)pyrene	0.039 "J"	ug/l	0.027	0.086	1	M8270D	7/22/2014	7/23/2014	MDK	
1-Methyl naphthalene	0.037 "J"	ug/l	0.021	0.065	1	M8270D	7/22/2014	7/23/2014	MDK	
2-Methyl naphthalene	0.045 "J"	ug/l	0.024	0.076	1	M8270D	7/22/2014	7/23/2014	MDK	
Naphthalene	0.052 "J"	ug/l	0.023	0.073	1	M8270D	7/22/2014	7/23/2014	MDK	
Phenanthrene	0.042 "J"	ug/l	0.018	0.057	1	M8270D	7/22/2014	7/23/2014	MDK	
Pyrene	0.285	ug/l	0.022	0.071	1	M8270D	7/22/2014	7/23/2014	MDK	
VOC's										
Benzene	35	ug/l	0.24	0.77	1	8260B		7/24/2014	CJR	
Bromobenzene	< 0.32	ug/l	0.32	1	1	8260B		7/24/2014	CJR	
Bromodichloromethane	< 0.37	ug/l	0.37	1.2	1	8260B		7/24/2014	CJR	
Bromoform	< 0.35	ug/l	0.35	1.1	1	8260B		7/24/2014	CJR	
tert-Butylbenzene	< 0.36	ug/l	0.36	1.2	1	8260B		7/24/2014	CJR	
sec-Butylbenzene	< 0.33	ug/l	0.33	1	1	8260B		7/24/2014	CJR	
n-Butylbenzene	< 0.35	ug/l	0.35	1.1	1	8260B		7/24/2014	CJR	
Carbon Tetrachloride	< 0.33	ug/l	0.33	1.1	1	8260B		7/24/2014	CJR	
Chlorobenzene	< 0.24	ug/l	0.24	0.77	1	8260B		7/24/2014	CJR	
Chloroethane	1.8 "J"	ug/l	0.63	2	1	8260B		7/24/2014	CJR	
Chloroform	< 0.28	ug/l	0.28	0.88	1	8260B		7/24/2014	CJR	
Chloromethane	< 0.81	ug/l	0.81	2.6	1	8260B		7/24/2014	CJR	
2-Chlorotoluene	< 0.21	ug/l	0.21	0.66	1	8260B		7/24/2014	CJR	
4-Chlorotoluene	< 0.21	ug/l	0.21	0.68	1	8260B		7/24/2014	CJR	
1,2-Dibromo-3-chloropropane	< 0.88	ug/l	0.88	2.8	1	8260B		7/24/2014	CJR	
Dibromochloromethane	< 0.22	ug/l	0.22	0.7	1	8260B		7/24/2014	CJR	
1,4-Dichlorobenzene	< 0.3	ug/l	0.3	0.96	1	8260B		7/24/2014	CJR	
1,3-Dichlorobenzene	< 0.28	ug/l	0.28	0.89	1	8260B		7/24/2014	CJR	
1,2-Dichlorobenzene	< 0.36	ug/l	0.36	1.2	1	8260B		7/24/2014	CJR	
Dichlorodifluoromethane	< 0.44	ug/l	0.44	1.4	1	8260B		7/24/2014	CJR	
1,2-Dichloroethane	< 0.41	ug/l	0.41	1.3	1	8260B		7/24/2014	CJR	
1,1-Dichloroethane	7.1	ug/l	0.3	0.97	1	8260B		7/24/2014	CJR	
1,1-Dichloroethene	< 0.4	ug/l	0.4	1.3	1	8260B		7/24/2014	CJR	
cis-1,2-Dichloroethene	< 0.38	ug/l	0.38	1.2	1	8260B		7/24/2014	CJR	
trans-1,2-Dichloroethene	< 0.35	ug/l	0.35	1.1	1	8260B		7/24/2014	CJR	
1,2-Dichloropropane	< 0.32	ug/l	0.32	1	1	8260B		7/24/2014	CJR	
2,2-Dichloropropane	< 0.36	ug/l	0.36	1.2	1	8260B		7/24/2014	CJR	48
1,3-Dichloropropane	< 0.33	ug/l	0.33	1	1	8260B		7/24/2014	CJR	
Di-isopropyl ether	< 0.23	ug/l	0.23	0.73	1	8260B		7/24/2014	CJR	
EDB (1,2-Dibromoethane)	< 0.44	ug/l	0.44	1.4	1	8260B		7/24/2014	CJR	
Ethylbenzene	2.49	ug/l	0.55	1.7	1	8260B		7/24/2014	CJR	
Hexachlorobutadiene	< 1.5	ug/l	1.5	4.8	1	8260B		7/24/2014	CJR	
Isopropylbenzene	< 0.3	ug/l	0.3	0.96	1	8260B		7/24/2014	CJR	
p-Isopropyltoluene	< 0.31	ug/l	0.31	0.98	1	8260B		7/24/2014	CJR	
Methylene chloride	< 0.5	ug/l	0.5	1.6	1	8260B		7/24/2014	CJR	
Methyl tert-butyl ether (MTBE)	5.6	ug/l	0.23	0.74	1	8260B		7/24/2014	CJR	
Naphthalene	2.08 "J"	ug/l	1.7	5.5	1	8260B		7/24/2014	CJR	
n-Propylbenzene	< 0.25	ug/l	0.25	0.81	1	8260B		7/24/2014	CJR	

Project Name TERRY'S TOWING
Project #

Invoice # E27347

Lab Code 5027347F
Sample ID MW-2R
Sample Matrix Water
Sample Date 7/15/2014

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,1,2,2-Tetrachloroethane	< 0.45	ug/l	0.45	1.4	1	8260B	7/24/2014	CJR	1	
1,1,1,2-Tetrachloroethane	< 0.33	ug/l	0.33	1.1	1	8260B	7/24/2014	CJR	1	
Tetrachloroethene	< 0.33	ug/l	0.33	1.1	1	8260B	7/24/2014	CJR	33	
Toluene	1.12 "J"	ug/l	0.69	2.2	1	8260B	7/24/2014	CJR	1	
1,2,4-Trichlorobenzene	< 0.98	ug/l	0.98	3.1	1	8260B	7/24/2014	CJR	1	
1,2,3-Trichlorobenzene	< 1.8	ug/l	1.8	5.8	1	8260B	7/24/2014	CJR	1	
1,1,1-Trichloroethane	< 0.33	ug/l	0.33	1	1	8260B	7/24/2014	CJR	1	
1,1,2-Trichloroethane	< 0.34	ug/l	0.34	1.1	1	8260B	7/24/2014	CJR	1	
Trichloroethylene (TCE)	< 0.33	ug/l	0.33	1	1	8260B	7/24/2014	CJR	1	
Trichlorofluoromethane	< 0.71	ug/l	0.71	2.3	1	8260B	7/24/2014	CJR	1	
1,2,4-Trimethylbenzene	< 2.2	ug/l	2.2	6.9	1	8260B	7/24/2014	CJR	1	
1,3,5-Trimethylbenzene	< 1.4	ug/l	1.4	4.5	1	8260B	7/24/2014	CJR	1	
Vinyl Chloride	1.15	ug/l	0.18	0.57	1	8260B	7/24/2014	CJR	1	
m&p-Xylene	1.23 "J"	ug/l	0.69	2.2	1	8260B	7/24/2014	CJR	1	
o-Xylene	< 0.63	ug/l	0.63	2	1	8260B	7/24/2014	CJR	1	
SUR - Toluene-d8	99	REC %			1	8260B	7/24/2014	CJR	1	
SUR - Dibromofluoromethane	101	REC %			1	8260B	7/24/2014	CJR	1	
SUR - 1,2-Dichloroethane-d4	102	REC %			1	8260B	7/24/2014	CJR	1	
SUR - 4-Bromofluorobenzene	100	REC %			1	8260B	7/24/2014	CJR	1	

Project Name TERRY'S TOWING
Project #

Invoice # E27347

Lab Code 5027347G
Sample ID TB
Sample Matrix Water
Sample Date 7/15/2014

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic VOC's										
Benzene	< 0.24	ug/l	0.24	0.77	1	8260B	7/22/2014	CJR		
Bromobenzene	< 0.32	ug/l	0.32	1	1	8260B	7/22/2014	CJR		
Bronodichloromethane	< 0.37	ug/l	0.37	1.2	1	8260B	7/22/2014	CJR		
Bromoform	< 0.35	ug/l	0.35	1.1	1	8260B	7/22/2014	CJR		
tert-Butylbenzene	< 0.36	ug/l	0.36	1.2	1	8260B	7/22/2014	CJR		
sec-Butylbenzene	< 0.33	ug/l	0.33	1	1	8260B	7/22/2014	CJR		
n-Butylbenzene	< 0.35	ug/l	0.35	1.1	1	8260B	7/22/2014	CJR		
Carbon Tetrachloride	< 0.33	ug/l	0.33	1.1	1	8260B	7/22/2014	CJR		
Chlorobenzene	< 0.24	ug/l	0.24	0.77	1	8260B	7/22/2014	CJR		
Chloroethane	< 0.63	ug/l	0.63	2	1	8260B	7/22/2014	CJR		
Chloroform	< 0.28	ug/l	0.28	0.88	1	8260B	7/22/2014	CJR		
Chloromethane	< 0.81	ug/l	0.81	2.6	1	8260B	7/22/2014	CJR		
2-Chlorotoluene	< 0.21	ug/l	0.21	0.66	1	8260B	7/22/2014	CJR		
4-Chlorotoluene	< 0.21	ug/l	0.21	0.68	1	8260B	7/22/2014	CJR		
1,2-Dibromo-3-chloropropane	< 0.88	ug/l	0.88	2.8	1	8260B	7/22/2014	CJR		
Dibromochloromethane	< 0.22	ug/l	0.22	0.7	1	8260B	7/22/2014	CJR		
1,4-Dichlorobenzene	< 0.3	ug/l	0.3	0.96	1	8260B	7/22/2014	CJR		
1,3-Dichlorobenzene	< 0.28	ug/l	0.28	0.89	1	8260B	7/22/2014	CJR		
1,2-Dichlorobenzene	< 0.36	ug/l	0.36	1.2	1	8260B	7/22/2014	CJR		
Dichlorodifluoromethane	< 0.44	ug/l	0.44	1.4	1	8260B	7/22/2014	CJR		
1,2-Dichloroethane	< 0.41	ug/l	0.41	1.3	1	8260B	7/22/2014	CJR		
1,1-Dichloroethane	< 0.3	ug/l	0.3	0.97	1	8260B	7/22/2014	CJR		
1,1-Dichloroethylene	< 0.4	ug/l	0.4	1.3	1	8260B	7/22/2014	CJR		
cis-1,2-Dichloroethylene	< 0.38	ug/l	0.38	1.2	1	8260B	7/22/2014	CJR		
trans-1,2-Dichloroethylene	< 0.35	ug/l	0.35	1.1	1	8260B	7/22/2014	CJR		
1,2-Dichloropropane	< 0.32	ug/l	0.32	1	1	8260B	7/22/2014	CJR		
2,2-Dichloropropane	< 0.36	ug/l	0.36	1.2	1	8260B	7/22/2014	CJR		48
1,3-Dichloropropane	< 0.33	ug/l	0.33	1	1	8260B	7/22/2014	CJR		
Di-isopropyl ether	< 0.23	ug/l	0.23	0.73	1	8260B	7/22/2014	CJR		
EDB (1,2-Dibromoethane)	< 0.44	ug/l	0.44	1.4	1	8260B	7/22/2014	CJR		
Ethylbenzene	< 0.55	ug/l	0.55	1.7	1	8260B	7/22/2014	CJR		
Hexachlorobutadiene	< 1.5	ug/l	1.5	4.8	1	8260B	7/22/2014	CJR		
Isopropylbenzene	< 0.3	ug/l	0.3	0.96	1	8260B	7/22/2014	CJR		
p-Isopropyltoluene	< 0.31	ug/l	0.31	0.98	1	8260B	7/22/2014	CJR		
Methylene chloride	2.57	ug/l	0.5	1.6	1	8260B	7/22/2014	CJR		
Methyl tert-butyl ether (MTBE)	< 0.23	ug/l	0.23	0.74	1	8260B	7/22/2014	CJR		
Naphthalene	< 1.7	ug/l	1.7	5.5	1	8260B	7/22/2014	CJR		
n-Propylbenzene	< 0.25	ug/l	0.25	0.81	1	8260B	7/22/2014	CJR		
1,1,2,2-Tetrachloroethane	< 0.45	ug/l	0.45	1.4	1	8260B	7/22/2014	CJR		
1,1,1,2-Tetrachloroethane	< 0.33	ug/l	0.33	1.1	1	8260B	7/22/2014	CJR		
Tetrachloroethene	< 0.33	ug/l	0.33	1.1	1	8260B	7/22/2014	CJR		
Toluene	< 0.69	ug/l	0.69	2.2	1	8260B	7/22/2014	CJR		
1,2,4-Trichlorobenzene	< 0.98	ug/l	0.98	3.1	1	8260B	7/22/2014	CJR		
1,2,3-Trichlorobenzene	< 1.8	ug/l	1.8	5.8	1	8260B	7/22/2014	CJR		
1,1,1-Trichloroethane	< 0.33	ug/l	0.33	1	1	8260B	7/22/2014	CJR		
1,1,2-Trichloroethane	< 0.34	ug/l	0.34	1.1	1	8260B	7/22/2014	CJR		
Trichloroethene (TCE)	< 0.33	ug/l	0.33	1	1	8260B	7/22/2014	CJR		
Trichlorofluoromethane	< 0.71	ug/l	0.71	2.3	1	8260B	7/22/2014	CJR		
1,2,4-Trimethylbenzene	< 2.2	ug/l	2.2	6.9	1	8260B	7/22/2014	CJR		
1,3,5-Trimethylbenzene	< 1.4	ug/l	1.4	4.5	1	8260B	7/22/2014	CJR		
Vinyl Chloride	< 0.18	ug/l	0.18	0.57	1	8260B	7/22/2014	CJR		
m&p-Xylene	< 0.69	ug/l	0.69	2.2	1	8260B	7/22/2014	CJR		
o-Xylene	< 0.63	ug/l	0.63	2	1	8260B	7/22/2014	CJR		
SUR - Toluene-d8	98	REC %			1	8260B	7/22/2014	CJR		
SUR - 1,2-Dichloroethane-d4	101	REC %			1	8260B	7/22/2014	CJR		
SUR - 4-Bromoefluorobenzene	103	REC %			1	8260B	7/22/2014	CJR		
SUR - Dibromofluoromethane	91	REC %			1	8260B	7/22/2014	CJR		

Project Name TERRY'S TOWING
Project #

Invoice # E27347

"J" Flag: Analyte detected between LOD and LOQ

LOD Limit of Detection

LOQ Limit of Quantitation

Code **Comment**

- | | |
|----|--|
| 1 | Laboratory QC within limits. |
| 4 | The continuing calibration standard not within established limits. |
| 8 | Closing calibration standard not within established limits. |
| 33 | Area percent recovery greater than 200%. |

All solid sample results reported on a dry weight basis unless otherwise indicated. All LOD's and LOQ's are adjusted for dilutions but not dry weight. Subcontracted results are denoted by SUB in the analyst field.

Authorized Signature

Michael Ricker

Synergy

Environmental Lab, Inc.

Lab I.D. #	
Account No.:	Quote No.:
Project #:	
Sampler: (signature)	<i>B. W.</i>

1990 Prospect Ct. • Appleton, WI 54914
920-830-2455 • FAX 920-733-0631

Sample Handling Request
 Rush Analysis Date Required
 (Rushes accepted only with prior authorization)
 Normal Turn Around

Project (Name / Location): *Terry's Towing - Dodgeville*

Reports To: <i>Terry Bystol</i>	Invoice To: <i>Terry Bystol c/o METCO</i>
Company	Company <i>METCO</i>
Address <i>425 Powell St.</i>	Address <i>709 Gillette St, Ste. 3</i>
City State Zip <i>Dodgeville, WI 53533</i>	City State Zip <i>La Crosse, WI 54603</i>
Phone	Phone
FAX	FAX

Analysis Requested									Other Analysis	
Lab I.D.	Sample I.D.	Collection Date	Time	Comp	Grab	Filtered Y/N	No. of Containers	Sample Type (Matrix)*	Preservation	PID/FID
A	MW-4	7-15	640				3	GW	HCL	
B	MW-5		705							X
C	MW-6		625							X
D	MW-3		720							X
E	MW-1R		740							X
F	MW-2R	Y	800				4	Y	Y	X
G	TB						1			X

Comments/Special Instructions (*Specify groundwater "GW", Drinking Water "DW", Waste Water "WW", Soil "S", Air "A", Oil, Sludge etc.)

*Lab to send copy of report to METCO / Jason P (Invoice to METCO)**UTC Rates Apply * Agent Status*

Sample Integrity - To be completed by receiving lab.

Method of Shipment: *Delivery*Temp. of Temp. Blank ____ °C On Ice: *X*Cooler seal intact upon receipt: *Y* Yes No

Relinquished By: (sign)

B. W.

Time

10:02 7-17-14

Date

Received By: (sign)

Time

Date

Received in Laboratory By:

Chantal J. W.

Time:

8:00

Date:

7/18/14

Synergy Environmental Lab,

1990 Prospect Ct., Appleton, WI 54914 *P 920-830-2455 * F 920-733-0631

TERRY BYSTOL
 TERRY BYSTOL
 425 POWELL STREET
 DODGEVILLE, WI 53533

Report Date 28-Oct-14

Project Name TERRY'S TOWING

Invoice # E27900

Project #

Lab Code 5027900A

Sample ID MW-4

Sample Matrix Water

Sample Date 10/15/2014

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic VOC's										
Benzene	< 0.24	ug/l	0.24	0.77	1	8260B			CJR	1
Bromobenzene	< 0.32	ug/l	0.32	1	1	8260B			CJR	1
Bromodichloromethane	< 0.37	ug/l	0.37	1.2	1	8260B			CJR	1
Bromoform	< 0.35	ug/l	0.35	1.1	1	8260B			CJR	1
tert-Butylbenzene	< 0.36	ug/l	0.36	1.2	1	8260B			CJR	1
sec-Butylbenzene	< 0.33	ug/l	0.33	1	1	8260B			CJR	1
n-Butylbenzene	< 0.35	ug/l	0.35	1.1	1	8260B			CJR	1
Carbon Tetrachloride	< 0.33	ug/l	0.33	1.1	1	8260B			CJR	1
Chlorobenzene	< 0.24	ug/l	0.24	0.77	1	8260B			CJR	1
Chloroethane	< 0.63	ug/l	0.63	2	1	8260B			CJR	1
Chloroform	< 0.28	ug/l	0.28	0.88	1	8260B			CJR	1
Chloromethane	< 0.81	ug/l	0.81	2.6	1	8260B			CJR	1
2-Chlorotoluene	< 0.21	ug/l	0.21	0.66	1	8260B			CJR	1
4-Chlorotoluene	< 0.21	ug/l	0.21	0.68	1	8260B			CJR	1
1,2-Dibromo-3-chloropropane	< 0.88	ug/l	0.88	2.8	1	8260B			CJR	1
Dibromochloromethane	< 0.22	ug/l	0.22	0.7	1	8260B			CJR	1
1,4-Dichlorobenzene	< 0.3	ug/l	0.3	0.96	1	8260B			CJR	1
1,3-Dichlorobenzene	< 0.28	ug/l	0.28	0.89	1	8260B			CJR	1
1,2-Dichlorobenzene	< 0.36	ug/l	0.36	1.2	1	8260B			CJR	1
Dichlorodifluoromethane	< 0.44	ug/l	0.44	1.4	1	8260B			CJR	1
1,2-Dichloroethane	< 0.41	ug/l	0.41	1.3	1	8260B			CJR	1
1,1-Dichloroethane	< 0.3	ug/l	0.3	0.97	1	8260B			CJR	1
1,1-Dichloroethene	< 0.4	ug/l	0.4	1.3	1	8260B			CJR	1
cis-1,2-Dichloroethene	< 0.38	ug/l	0.38	1.2	1	8260B			CJR	1
trans-1,2-Dichloroethene	< 0.35	ug/l	0.35	1.1	1	8260B			CJR	1
1,2-Dichloropropane	< 0.32	ug/l	0.32	1	1	8260B			CJR	1
2,2-Dichloropropane	< 0.36	ug/l	0.36	1.2	1	8260B			CJR	1
1,3-Dichloropropane	< 0.33	ug/l	0.33	1	1	8260B			CJR	1
Di-isopropyl ether	< 0.23	ug/l	0.23	0.73	1	8260B			CJR	1
EDB (1,2-Dibromoethane)	< 0.44	ug/l	0.44	1.4	1	8260B			CJR	1
Ethylbenzene	< 0.55	ug/l	0.55	1.7	1	8260B			CJR	1
Hexachlorobutadiene	< 1.5	ug/l	1.5	4.8	1	8260B			CJR	1
Isopropylbenzene	< 0.3	ug/l	0.3	0.96	1	8260B			CJR	1

Project Name TERRY'S TOWING

Invoice # E27900

Project #

Lab Code 5027900A

Sample ID MW-4

Sample Matrix Water

Sample Date 10/15/2014

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
p-Isopropyltoluene	< 0.31	ug/l	0.31	0.98	1	8260B		10/23/2014	CJR	1
Methylene chloride	< 0.5	ug/l	0.5	1.6	1	8260B		10/23/2014	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.23	ug/l	0.23	0.74	1	8260B		10/23/2014	CJR	1
Naphthalene	< 1.7	ug/l	1.7	5.5	1	8260B		10/23/2014	CJR	1
n-Propylbenzene	< 0.25	ug/l	0.25	0.81	1	8260B		10/23/2014	CJR	1
1,1,2,2-Tetrachloroethane	< 0.45	ug/l	0.45	1.4	1	8260B		10/23/2014	CJR	1
1,1,1,2-Tetrachloroethane	< 0.33	ug/l	0.33	1.1	1	8260B		10/23/2014	CJR	1
Tetrachloroethene	0.69 "J"	ug/l	0.33	1.1	1	8260B		10/23/2014	CJR	1
Toluene	< 0.69	ug/l	0.69	2.2	1	8260B		10/23/2014	CJR	1
1,2,4-Trichlorobenzene	< 0.98	ug/l	0.98	3.1	1	8260B		10/23/2014	CJR	1
1,2,3-Trichlorobenzene	< 1.8	ug/l	1.8	5.8	1	8260B		10/23/2014	CJR	1
1,1,1-Trichloroethane	< 0.33	ug/l	0.33	1	1	8260B		10/23/2014	CJR	1
1,1,2-Trichloroethane	< 0.34	ug/l	0.34	1.1	1	8260B		10/23/2014	CJR	1
Trichloroethene (TCE)	< 0.33	ug/l	0.33	1	1	8260B		10/23/2014	CJR	1
Trichlorofluoromethane	< 0.71	ug/l	0.71	2.3	1	8260B		10/23/2014	CJR	1
1,2,4-Trimethylbenzene	< 2.2	ug/l	2.2	6.9	1	8260B		10/23/2014	CJR	1
1,3,5-Trimethylbenzene	< 1.4	ug/l	1.4	4.5	1	8260B		10/23/2014	CJR	1
Vinyl Chloride	< 0.18	ug/l	0.18	0.57	1	8260B		10/23/2014	CJR	1
m&p-Xylene	< 0.69	ug/l	0.69	2.2	1	8260B		10/23/2014	CJR	1
o-Xylene	< 0.63	ug/l	0.63	2	1	8260B		10/23/2014	CJR	1
SUR - 1,2-Dichloroethane-d4	109	REC %			1	8260B		10/23/2014	CJR	1
SUR - 4-Bromofluorobenzene	109	REC %			1	8260B		10/23/2014	CJR	1
SUR - Dibromofluoromethane	96	REC %			1	8260B		10/23/2014	CJR	1
SUR - Toluene-d8	98	REC %			1	8260B		10/23/2014	CJR	1

Project Name TERRY'S TOWING
Project #

Invoice # E27900

Lab Code 5027900B
Sample ID MW-5
Sample Matrix Water
Sample Date 10/15/2014

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic VOC's										
Benzene	< 0.24	ug/l	0.24	0.77	1	8260B			CJR	I
Bromobenzene	< 0.32	ug/l	0.32	1	1	8260B			CJR	I
Bromodichloromethane	< 0.37	ug/l	0.37	1.2	1	8260B			CJR	I
Bromoform	< 0.35	ug/l	0.35	1.1	1	8260B			CJR	I
tert-Butylbenzene	< 0.36	ug/l	0.36	1.2	1	8260B			CJR	I
sec-Butylbenzene	< 0.33	ug/l	0.33	1	1	8260B			CJR	I
n-Butylbenzene	< 0.35	ug/l	0.35	1.1	1	8260B			CJR	I
Carbon Tetrachloride	< 0.33	ug/l	0.33	1.1	1	8260B			CJR	I
Chlorobenzene	< 0.24	ug/l	0.24	0.77	1	8260B			CJR	I
Chloroethane	< 0.63	ug/l	0.63	2	1	8260B			CJR	I
Chloroform	< 0.28	ug/l	0.28	0.88	1	8260B			CJR	I
Chloromethane	< 0.81	ug/l	0.81	2.6	1	8260B			CJR	I
2-Chlorotoluene	< 0.21	ug/l	0.21	0.66	1	8260B			CJR	I
4-Chlorotoluene	< 0.21	ug/l	0.21	0.68	1	8260B			CJR	I
1,2-Dibromo-3-chloropropane	< 0.88	ug/l	0.88	2.8	1	8260B			CJR	I
Dibromochloromethane	< 0.22	ug/l	0.22	0.7	1	8260B			CJR	I
1,4-Dichlorobenzene	< 0.3	ug/l	0.3	0.96	1	8260B			CJR	I
1,3-Dichlorobenzene	< 0.28	ug/l	0.28	0.89	1	8260B			CJR	I
1,2-Dichlorobenzene	< 0.36	ug/l	0.36	1.2	1	8260B			CJR	I
Dichlorodifluoromethane	< 0.44	ug/l	0.44	1.4	1	8260B			CJR	I
1,2-Dichloroethane	< 0.41	ug/l	0.41	1.3	1	8260B			CJR	I
1,1-Dichloroethane	< 0.3	ug/l	0.3	0.97	1	8260B			CJR	I
1,1-Dichloroethene	< 0.4	ug/l	0.4	1.3	1	8260B			CJR	I
cis-1,2-Dichloroethene	< 0.38	ug/l	0.38	1.2	1	8260B			CJR	I
trans-1,2-Dichloroethene	< 0.35	ug/l	0.35	1.1	1	8260B			CJR	I
1,2-Dichloropropane	< 0.32	ug/l	0.32	1	1	8260B			CJR	I
2,2-Dichloropropane	< 0.36	ug/l	0.36	1.2	1	8260B			CJR	I
1,3-Dichloropropane	< 0.33	ug/l	0.33	1	1	8260B			CJR	I
Di-isopropyl ether	< 0.23	ug/l	0.23	0.73	1	8260B			CJR	I
EDB (1,2-Dibromoethane)	< 0.44	ug/l	0.44	1.4	1	8260B			CJR	I
Ethylbenzene	< 0.55	ug/l	0.55	1.7	1	8260B			CJR	I
Hexachlorobutadiene	< 1.5	ug/l	1.5	4.8	1	8260B			CJR	I
Isopropylbenzene	< 0.3	ug/l	0.3	0.96	1	8260B			CJR	I
p-Isopropyltoluene	< 0.31	ug/l	0.31	0.98	1	8260B			CJR	I
Methylene chloride	< 0.5	ug/l	0.5	1.6	1	8260B			CJR	I
Methyl tert-butyl ether (MTBE)	< 0.23	ug/l	0.23	0.74	1	8260B			CJR	I
Naphthalene	< 1.7	ug/l	1.7	5.5	1	8260B			CJR	I
n-Propylbenzene	< 0.25	ug/l	0.25	0.81	1	8260B			CJR	I
1,1,2,2-Tetrachloroethane	< 0.45	ug/l	0.45	1.4	1	8260B			CJR	I
1,1,1,2-Tetrachloroethane	< 0.33	ug/l	0.33	1.1	1	8260B			CJR	I
Tetrachloroethene	< 0.33	ug/l	0.33	1.1	1	8260B			CJR	I
Toluene	< 0.69	ug/l	0.69	2.2	1	8260B			CJR	I
1,2,4-Trichlorobenzene	< 0.98	ug/l	0.98	3.1	1	8260B			CJR	I
1,2,3-Trichlorobenzene	< 1.8	ug/l	1.8	5.8	1	8260B			CJR	I
1,1,1-Trichloroethane	< 0.33	ug/l	0.33	1	1	8260B			CJR	I
1,1,2-Trichloroethane	< 0.34	ug/l	0.34	1.1	1	8260B			CJR	I
Trichloroethene (TCE)	< 0.33	ug/l	0.33	1	1	8260B			CJR	I
Trichlorofluoromethane	< 0.71	ug/l	0.71	2.3	1	8260B			CJR	I
1,2,4-Trimethylbenzene	< 2.2	ug/l	2.2	6.9	1	8260B			CJR	I
1,3,5-Trimethylbenzene	< 1.4	ug/l	1.4	4.5	1	8260B			CJR	I
Vinyl Chloride	< 0.18	ug/l	0.18	0.57	1	8260B			CJR	I
m&p-Xylene	< 0.69	ug/l	0.69	2.2	1	8260B			CJR	I
o-Xylene	< 0.63	ug/l	0.63	2	1	8260B			CJR	I
SUR - 1,2-Dichloroethane-d4	97	REC %			1	8260B			CJR	I
SUR - 4-Bromofluorobenzene	114	REC %			1	8260B			CJR	I
SUR - Dibromofluoromethane	104	REC %			1	8260B			CJR	I
SUR - Toluene-d8	103	REC %			1	8260B			CJR	I

Lab Code 5027900C

Sample ID MW-6

Sample Matrix Water

Sample Date 10/15/2014

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic VOC's										
Benzene	< 0.24	ug/l	0.24	0.77	1	8260B	10/23/2014	CJR	1	
Bromobenzene	< 0.32	ug/l	0.32	1	1	8260B	10/23/2014	CJR	1	
Bromodichloromethane	< 0.37	ug/l	0.37	1.2	1	8260B	10/23/2014	CJR	1	
Bromoform	< 0.35	ug/l	0.35	1.1	1	8260B	10/23/2014	CJR	1	
tert-Butylbenzene	< 0.36	ug/l	0.36	1.2	1	8260B	10/23/2014	CJR	1	
sec-Butylbenzene	< 0.33	ug/l	0.33	1	1	8260B	10/23/2014	CJR	1	
n-Butylbenzene	< 0.35	ug/l	0.35	1.1	1	8260B	10/23/2014	CJR	1	
Carbon Tetrachloride	< 0.33	ug/l	0.33	1.1	1	8260B	10/23/2014	CJR	1	
Chlorobenzene	< 0.24	ug/l	0.24	0.77	1	8260B	10/23/2014	CJR	1	
Chloroethane	< 0.63	ug/l	0.63	2	1	8260B	10/23/2014	CJR	1	
Chloroform	< 0.28	ug/l	0.28	0.88	1	8260B	10/23/2014	CJR	1	
Chloromethane	< 0.81	ug/l	0.81	2.6	1	8260B	10/23/2014	CJR	1	
2-Chlorotoluene	< 0.21	ug/l	0.21	0.66	1	8260B	10/23/2014	CJR	1	
4-Chlorotoluene	< 0.21	ug/l	0.21	0.68	1	8260B	10/23/2014	CJR	1	
1,2-Dibromo-3-chloropropane	< 0.88	ug/l	0.88	2.8	1	8260B	10/23/2014	CJR	1	
Dibromochloromethane	< 0.22	ug/l	0.22	0.7	1	8260B	10/23/2014	CJR	1	
1,4-Dichlorobenzene	< 0.3	ug/l	0.3	0.96	1	8260B	10/23/2014	CJR	1	
1,3-Dichlorobenzene	< 0.28	ug/l	0.28	0.89	1	8260B	10/23/2014	CJR	1	
1,2-Dichlorobenzene	< 0.36	ug/l	0.36	1.2	1	8260B	10/23/2014	CJR	1	
Dichlorodifluoromethane	< 0.44	ug/l	0.44	1.4	1	8260B	10/23/2014	CJR	1	
1,2-Dichloroethane	< 0.41	ug/l	0.41	1.3	1	8260B	10/23/2014	CJR	1	
1,1-Dichloroethane	< 0.3	ug/l	0.3	0.97	1	8260B	10/23/2014	CJR	1	
1,1-Dichloroethene	< 0.4	ug/l	0.4	1.3	1	8260B	10/23/2014	CJR	1	
cis-1,2-Dichloroethene	12.5	ug/l	0.38	1.2	1	8260B	10/23/2014	CJR	1	
trans-1,2-Dichloroethene	< 0.35	ug/l	0.35	1.1	1	8260B	10/23/2014	CJR	1	
1,2-Dichloropropane	< 0.32	ug/l	0.32	1	1	8260B	10/23/2014	CJR	1	
2,2-Dichloropropane	< 0.36	ug/l	0.36	1.2	1	8260B	10/23/2014	CJR	1	
1,3-Dichloropropane	< 0.33	ug/l	0.33	1	1	8260B	10/23/2014	CJR	1	
Di-isopropyl ether	< 0.23	ug/l	0.23	0.73	1	8260B	10/23/2014	CJR	1	
EDB (1,2-Dibromoethane)	< 0.44	ug/l	0.44	1.4	1	8260B	10/23/2014	CJR	1	
Ethylbenzene	< 0.55	ug/l	0.55	1.7	1	8260B	10/23/2014	CJR	1	
Hexachlorobutadiene	< 1.5	ug/l	1.5	4.8	1	8260B	10/23/2014	CJR	1	
Isopropylbenzene	< 0.3	ug/l	0.3	0.96	1	8260B	10/23/2014	CJR	1	
p-Isopropyltoluene	< 0.31	ug/l	0.31	0.98	1	8260B	10/23/2014	CJR	1	
Methylene chloride	< 0.5	ug/l	0.5	1.6	1	8260B	10/23/2014	CJR	1	
Methyl tert-butyl ether (MTBE)	1.16	ug/l	0.23	0.74	1	8260B	10/23/2014	CJR	1	
Naphthalene	< 1.7	ug/l	1.7	5.5	1	8260B	10/23/2014	CJR	1	
n-Propylbenzene	< 0.25	ug/l	0.25	0.81	1	8260B	10/23/2014	CJR	1	
1,1,2,2-Tetrachloroethane	< 0.45	ug/l	0.45	1.4	1	8260B	10/23/2014	CJR	1	
1,1,1,2-Tetrachloroethane	< 0.33	ug/l	0.33	1.1	1	8260B	10/23/2014	CJR	1	
Tetrachloroethene	6.0	ug/l	0.33	1.1	1	8260B	10/23/2014	CJR	1	
Toluene	< 0.69	ug/l	0.69	2.2	1	8260B	10/23/2014	CJR	1	
1,2,4-Trichlorobenzene	< 0.98	ug/l	0.98	3.1	1	8260B	10/23/2014	CJR	1	
1,2,3-Trichlorobenzene	< 1.8	ug/l	1.8	5.8	1	8260B	10/23/2014	CJR	1	
1,1,1-Trichloroethane	< 0.33	ug/l	0.33	1	1	8260B	10/23/2014	CJR	1	
1,1,2-Trichloroethane	< 0.34	ug/l	0.34	1.1	1	8260B	10/23/2014	CJR	1	
Trichloroethene (TCE)	1.88	ug/l	0.33	1	1	8260B	10/23/2014	CJR	1	
Trichlorofluoromethane	< 0.71	ug/l	0.71	2.3	1	8260B	10/23/2014	CJR	1	
1,2,4-Trimethylbenzene	< 2.2	ug/l	2.2	6.9	1	8260B	10/23/2014	CJR	1	
1,3,5-Trimethylbenzene	< 1.4	ug/l	1.4	4.5	1	8260B	10/23/2014	CJR	1	
Vinyl Chloride	< 0.18	ug/l	0.18	0.57	1	8260B	10/23/2014	CJR	1	
m&p-Xylene	< 0.69	ug/l	0.69	2.2	1	8260B	10/23/2014	CJR	1	
o-Xylene	< 0.63	ug/l	0.63	2	1	8260B	10/23/2014	CJR	1	
SUR - 4-Bromofluorobenzene	102	REC %			1	8260B	10/23/2014	CJR	1	
SUR - Dibromofluoromethane	101	REC %			1	8260B	10/23/2014	CJR	1	
SUR - 1,2-Dichloroethane-d4	99	REC %			1	8260B	10/23/2014	CJR	1	
SUR - Toluene-d8	101	REC %			1	8260B	10/23/2014	CJR	1	

Project Name TERRY'S TOWING
Project #
Lab Code 5027900D
Sample ID MW-3
Sample Matrix Water
Sample Date 10/15/2014

Invoice # E27900

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic VOC's										
Benzene										
Benzene	< 0.24	ug/l	0.24	0.77	1	8260B			CJR	1
Bromobenzene	< 0.32	ug/l	0.32	1	1	8260B			CJR	1
Bromodichloromethane	< 0.37	ug/l	0.37	1.2	1	8260B			CJR	1
Bromoform	< 0.35	ug/l	0.35	1.1	1	8260B			CJR	1
tert-Butylbenzene	< 0.36	ug/l	0.36	1.2	1	8260B			CJR	1
sec-Butylbenzene	< 0.33	ug/l	0.33	1	1	8260B			CJR	1
n-Butylbenzene	< 0.35	ug/l	0.35	1.1	1	8260B			CJR	1
Carbon Tetrachloride	< 0.33	ug/l	0.33	1.1	1	8260B			CJR	1
Chlorobenzene	< 0.24	ug/l	0.24	0.77	1	8260B			CJR	1
Chloroethane	< 0.63	ug/l	0.63	2	1	8260B			CJR	1
Chloroform	< 0.28	ug/l	0.28	0.88	1	8260B			CJR	1
Chloromethane	< 0.81	ug/l	0.81	2.6	1	8260B			CJR	1
2-Chlorotoluene	< 0.21	ug/l	0.21	0.66	1	8260B			CJR	1
4-Chlorotoluene	< 0.21	ug/l	0.21	0.68	1	8260B			CJR	1
1,2-Dibromo-3-chloropropane	< 0.88	ug/l	0.88	2.8	1	8260B			CJR	1
Dibromochloromethane	< 0.22	ug/l	0.22	0.7	1	8260B			CJR	1
1,4-Dichlorobenzene	< 0.3	ug/l	0.3	0.96	1	8260B			CJR	1
1,3-Dichlorobenzene	< 0.28	ug/l	0.28	0.89	1	8260B			CJR	1
1,2-Dichlorobenzene	< 0.36	ug/l	0.36	1.2	1	8260B			CJR	1
Dichlorodifluoromethane	< 0.44	ug/l	0.44	1.4	1	8260B			CJR	1
1,2-Dichloroethane	< 0.41	ug/l	0.41	1.3	1	8260B			CJR	1
1,1-Dichloroethane	< 0.3	ug/l	0.3	0.97	1	8260B			CJR	1
1,1-Dichloroethene	< 0.4	ug/l	0.4	1.3	1	8260B			CJR	1
cis-1,2-Dichloroethene	21	ug/l	0.38	1.2	1	8260B			CJR	1
trans-1,2-Dichloroethene	< 0.35	ug/l	0.35	1.1	1	8260B			CJR	1
1,2-Dichloropropane	< 0.32	ug/l	0.32	1	1	8260B			CJR	1
2,2-Dichloropropane	< 0.36	ug/l	0.36	1.2	1	8260B			CJR	1
1,3-Dichloropropane	< 0.33	ug/l	0.33	1	1	8260B			CJR	1
Di-isopropyl ether	< 0.23	ug/l	0.23	0.73	1	8260B			CJR	1
EDB (1,2-Dibromoethane)	< 0.44	ug/l	0.44	1.4	1	8260B			CJR	1
Ethylbenzene	< 0.55	ug/l	0.55	1.7	1	8260B			CJR	1
Hexachlorobutadiene	< 1.5	ug/l	1.5	4.8	1	8260B			CJR	1
Isopropylbenzene	< 0.3	ug/l	0.3	0.96	1	8260B			CJR	1
p-Isopropyltoluene	< 0.31	ug/l	0.31	0.98	1	8260B			CJR	1
Methylene chloride	< 0.5	ug/l	0.5	1.6	1	8260B			CJR	1
Methyl tert-butyl ether (MTBE)	< 0.23	ug/l	0.23	0.74	1	8260B			CJR	1
Naphthalene	< 1.7	ug/l	1.7	5.5	1	8260B			CJR	1
n-Propylbenzene	< 0.25	ug/l	0.25	0.81	1	8260B			CJR	1
1,1,2,2-Tetrachloroethane	< 0.45	ug/l	0.45	1.4	1	8260B			CJR	1
1,1,1,2-Tetrachloroethane	< 0.33	ug/l	0.33	1.1	1	8260B			CJR	1
Tetrachloroethene	13.4	ug/l	0.33	1.1	1	8260B			CJR	1
Toluene	< 0.69	ug/l	0.69	2.2	1	8260B			CJR	1
1,2,4-Trichlorobenzene	< 0.98	ug/l	0.98	3.1	1	8260B			CJR	1
1,2,3-Trichlorobenzene	< 1.8	ug/l	1.8	5.8	1	8260B			CJR	1
1,1,1-Trichloroethane	< 0.33	ug/l	0.33	1	1	8260B			CJR	1
1,1,2-Trichloroethane	< 0.34	ug/l	0.34	1.1	1	8260B			CJR	1
Trichloroethene (TCE)	5.3	ug/l	0.33	1	1	8260B			CJR	1
Trichlorofluoromethane	< 0.71	ug/l	0.71	2.3	1	8260B			CJR	1
1,2,4-Trimethylbenzene	< 2.2	ug/l	2.2	6.9	1	8260B			CJR	1
1,3,5-Trimethylbenzene	< 1.4	ug/l	1.4	4.5	1	8260B			CJR	1
Vinyl Chloride	< 0.18	ug/l	0.18	0.57	1	8260B			CJR	1
m&p-Xylene	< 0.69	ug/l	0.69	2.2	1	8260B			CJR	1
o-Xylene	< 0.63	ug/l	0.63	2	1	8260B			CJR	1
SUR - Toluene-d8	101	REC %			1	8260B			CJR	1
SUR - 1,2-Dichloroethane-d4	108	REC %			1	8260B			CJR	1
SUR - 4-Bromofluorobenzene	104	REC %			1	8260B			CJR	1
SUR - Dibromofluoromethane	102	REC %			1	8260B			CJR	1

Project Name TERRY'S TOWING
 Project #

Invoice # E27900

Lab Code 5027900E
 Sample ID MW-2R
 Sample Matrix Water
 Sample Date 10/15/2014

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
PAH SIM										
Acenaphthene	< 0.018	ug/l	0.018	0.056	1	M8270D	10/21/2014	10/21/2014	MDK	1
Acenaphthylene	< 0.02	ug/l	0.02	0.063	1	M8270D	10/21/2014	10/21/2014	MDK	1
Anthracene	< 0.018	ug/l	0.018	0.057	1	M8270D	10/21/2014	10/21/2014	MDK	1
Benzo(a)anthracene	0.041 "J"	ug/l	0.023	0.073	1	M8270D	10/21/2014	10/21/2014	MDK	1
Benzo(a)pyrene	0.032 "J"	ug/l	0.02	0.063	1	M8270D	10/21/2014	10/21/2014	MDK	1
Benzo(b)fluoranthene	0.05 "J"	ug/l	0.019	0.06	1	M8270D	10/21/2014	10/21/2014	MDK	1
Benzo(g,h,i)perylene	0.057 "J"	ug/l	0.024	0.076	1	M8270D	10/21/2014	10/21/2014	MDK	1
Benzo(k)fluoranthene	< 0.027	ug/l	0.027	0.087	1	M8270D	10/21/2014	10/21/2014	MDK	1
Chrysene	0.049 "J"	ug/l	0.018	0.058	1	M8270D	10/21/2014	10/21/2014	MDK	1
Dibenz(a,h)anthracene	< 0.028	ug/l	0.028	0.092	1	M8270D	10/21/2014	10/21/2014	MDK	1
Fluoranthene	0.05 "J"	ug/l	0.022	0.069	1	M8270D	10/21/2014	10/21/2014	MDK	1
Fluorene	< 0.022	ug/l	0.022	0.069	1	M8270D	10/21/2014	10/21/2014	MDK	1
Indeno(1,2,3-cd)pyrene	< 0.027	ug/l	0.027	0.086	1	M8270D	10/21/2014	10/21/2014	MDK	1
1-Methyl naphthalene	0.034 "J"	ug/l	0.021	0.065	1	M8270D	10/21/2014	10/21/2014	MDK	1
2-Methyl naphthalene	< 0.024	ug/l	0.024	0.076	1	M8270D	10/21/2014	10/21/2014	MDK	1
Naphthalene	0.058 "J"	ug/l	0.023	0.073	1	M8270D	10/21/2014	10/21/2014	MDK	1
Phenanthrene	0.033 "J"	ug/l	0.018	0.057	1	M8270D	10/21/2014	10/21/2014	MDK	1
Pyrene	0.129	ug/l	0.022	0.071	1	M8270D	10/21/2014	10/21/2014	MDK	1
VOC's										
Benzene	16.1	ug/l	0.24	0.77	1	8260B			CJR	1
Bromobenzene	< 0.32	ug/l	0.32	1	1	8260B			CJR	1
Bromodichloromethane	< 0.37	ug/l	0.37	1.2	1	8260B			CJR	1
Bromoform	< 0.35	ug/l	0.35	1.1	1	8260B			CJR	1
tert-Butylbenzene	< 0.36	ug/l	0.36	1.2	1	8260B			CJR	1
sec-Butylbenzene	< 0.33	ug/l	0.33	1	1	8260B			CJR	1
n-Butylbenzene	< 0.35	ug/l	0.35	1.1	1	8260B			CJR	1
Carbon Tetrachloride	< 0.33	ug/l	0.33	1.1	1	8260B			CJR	1
Chlorobenzene	< 0.24	ug/l	0.24	0.77	1	8260B			CJR	1
Chloroethane	< 0.63	ug/l	0.63	2	1	8260B			CJR	1
Chloroforn	< 0.28	ug/l	0.28	0.88	1	8260B			CJR	1
Chloromethane	< 0.81	ug/l	0.81	2.6	1	8260B			CJR	1
2-Chlorotoluene	< 0.21	ug/l	0.21	0.66	1	8260B			CJR	1
4-Chlorotoluene	< 0.21	ug/l	0.21	0.68	1	8260B			CJR	1
1,2-Dibromo-3-chloropropane	< 0.88	ug/l	0.88	2.8	1	8260B			CJR	1
Dibromochloromethane	< 0.22	ug/l	0.22	0.7	1	8260B			CJR	1
1,4-Dichlorobenzene	< 0.3	ug/l	0.3	0.96	1	8260B			CJR	1
1,3-Dichlorobenzene	< 0.28	ug/l	0.28	0.89	1	8260B			CJR	1
1,2-Dichlorobenzene	< 0.36	ug/l	0.36	1.2	1	8260B			CJR	1
Dichlorodifluoromethane	< 0.44	ug/l	0.44	1.4	1	8260B			CJR	1
1,2-Dichloroethane	< 0.41	ug/l	0.41	1.3	1	8260B			CJR	1
1,1-Dichloroethane	5.8	ug/l	0.3	0.97	1	8260B			CJR	1
1,1-Dichloroethene	< 0.4	ug/l	0.4	1.3	1	8260B			CJR	1
cis-1,2-Dichloroethene	< 0.38	ug/l	0.38	1.2	1	8260B			CJR	1
trans-1,2-Dichloroethene	< 0.35	ug/l	0.35	1.1	1	8260B			CJR	1
1,2-Dichloropropane	< 0.32	ug/l	0.32	1	1	8260B			CJR	1
2,2-Dichloropropane	< 0.36	ug/l	0.36	1.2	1	8260B			CJR	1
1,3-Dichloropropane	< 0.33	ug/l	0.33	1	1	8260B			CJR	1
Di-isopropyl ether	< 0.23	ug/l	0.23	0.73	1	8260B			CJR	1
EDB (1,2-Dibromoethane)	< 0.44	ug/l	0.44	1.4	1	8260B			CJR	1
Ethylbenzene	2.37	ug/l	0.55	1.7	1	8260B			CJR	1
Hexachlorobutadiene	< 1.5	ug/l	1.5	4.8	1	8260B			CJR	1
Isopropylbenzene	< 0.3	ug/l	0.3	0.96	1	8260B			CJR	1
p-Isopropyltoluene	< 0.31	ug/l	0.31	0.98	1	8260B			CJR	1
Methylene chloride	< 0.5	ug/l	0.5	1.6	1	8260B			CJR	1
Methyl tert-butyl ether (MTBE)	5.7	ug/l	0.23	0.74	1	8260B			CJR	1
Naphthalene	< 1.7	ug/l	1.7	5.5	1	8260B			CJR	1
n-Propylbenzene	0.32 "J"	ug/l	0.25	0.81	1	8260B			CJR	1

Project Name TERRY'S TOWING

Invoice # E27900

Project #

Lab Code 5027900E

Sample ID MW-2R

Sample Matrix Water

Sample Date 10/15/2014

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,1,2,2-Tetrachloroethane	< 0.45	ug/l	0.45	1.4	1	8260B	10/23/2014	CJR	I	
1,1,1,2-Tetrachloroethane	< 0.33	ug/l	0.33	1.1	1	8260B	10/23/2014	CJR	I	
Tetrachloroethene	< 0.33	ug/l	0.33	1.1	1	8260B	10/23/2014	CJR	I	
Toluene	1.07 "J"	ug/l	0.69	2.2	1	8260B	10/23/2014	CJR	I	
1,2,4-Trichlorobenzene	< 0.98	ug/l	0.98	3.1	1	8260B	10/23/2014	CJR	I	
1,2,3-Trichlorobenzene	< 1.8	ug/l	1.8	5.8	1	8260B	10/23/2014	CJR	I	
1,1,1-Trichloroethane	< 0.33	ug/l	0.33	1	1	8260B	10/23/2014	CJR	I	
1,1,2-Trichloroethane	< 0.34	ug/l	0.34	1.1	1	8260B	10/23/2014	CJR	I	
Trichloroethene (TCE)	< 0.33	ug/l	0.33	1	1	8260B	10/23/2014	CJR	I	
Trichlorofluoromethane	< 0.71	ug/l	0.71	2.3	1	8260B	10/23/2014	CJR	I	
1,2,4-Trimethylbenzene	< 2.2	ug/l	2.2	6.9	1	8260B	10/23/2014	CJR	I	
1,3,5-Trimethylbenzene	< 1.4	ug/l	1.4	4.5	1	8260B	10/23/2014	CJR	I	
Vinyl Chloride	1.23	ug/l	0.18	0.57	1	8260B	10/23/2014	CJR	I	
m&p-Xylene	0.75 "J"	ug/l	0.69	2.2	1	8260B	10/23/2014	CJR	I	
o-Xylene	< 0.63	ug/l	0.63	2	1	8260B	10/23/2014	CJR	I	
SUR - 4-Bromofluorobenzene	109	REC %			1	8260B	10/23/2014	CJR	I	
SUR - Dibromofluoromethane	98	REC %			1	8260B	10/23/2014	CJR	I	
SUR - 1,2-Dichloroethane-d4	97	REC %			1	8260B	10/23/2014	CJR	I	
SUR - Toluene-d8	104	REC %			1	8260B	10/23/2014	CJR	I	

Project Name TERRY'S TOWING
Project #

Invoice # E27900

Lab Code 5027900F
Sample ID MW-1R
Sample Matrix Water
Sample Date 10/15/2014

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic VOC's										
Benzene	15.2	ug/l	2.4	7.7	10	8260B	10/23/2014	CJR		
Bromobenzene	< 3.2	ug/l	3.2	10	10	8260B	10/23/2014	CJR		
Bromodichloromethane	< 3.7	ug/l	3.7	12	10	8260B	10/23/2014	CJR		
Bromoform	< 3.5	ug/l	3.5	11	10	8260B	10/23/2014	CJR		
tert-Butylbenzene	< 3.6	ug/l	3.6	12	10	8260B	10/23/2014	CJR		
sec-Butylbenzene	3.5 "J"	ug/l	3.3	10	10	8260B	10/23/2014	CJR		
n-Butylbenzene	< 3.5	ug/l	3.5	11	10	8260B	10/23/2014	CJR		
Carbon Tetrachloride	< 3.3	ug/l	3.3	11	10	8260B	10/23/2014	CJR		
Chlorobenzene	< 2.4	ug/l	2.4	7.7	10	8260B	10/23/2014	CJR		
Chloroethane	< 6.3	ug/l	6.3	20	10	8260B	10/23/2014	CJR		
Chloroform	< 2.8	ug/l	2.8	8.8	10	8260B	10/23/2014	CJR		
Chloromethane	< 8.1	ug/l	8.1	26	10	8260B	10/23/2014	CJR		
2-Chlorotoluene	< 2.1	ug/l	2.1	6.6	10	8260B	10/23/2014	CJR		
4-Chlorotoluene	< 2.1	ug/l	2.1	6.8	10	8260B	10/23/2014	CJR		
1,2-Dibromo-3-chloropropane	< 8.8	ug/l	8.8	28	10	8260B	10/23/2014	CJR		
Dibromochloromethane	< 2.2	ug/l	2.2	7	10	8260B	10/23/2014	CJR		
1,4-Dichlorobenzene	< 3	ug/l	3	9.6	10	8260B	10/23/2014	CJR		
1,3-Dichlorobenzene	< 2.8	ug/l	2.8	8.9	10	8260B	10/23/2014	CJR		
1,2-Dichlorobenzene	< 3.6	ug/l	3.6	12	10	8260B	10/23/2014	CJR		
Dichlorodifluoromethane	< 4.4	ug/l	4.4	14	10	8260B	10/23/2014	CJR		
1,2-Dichloroethane	< 4.1	ug/l	4.1	13	10	8260B	10/23/2014	CJR		
1,1-Dichloroethane	< 3	ug/l	3	9.7	10	8260B	10/23/2014	CJR		
1,1-Dichloroethylene	< 4	ug/l	4	13	10	8260B	10/23/2014	CJR		
cis-1,2-Dichloroethylene	< 3.8	ug/l	3.8	12	10	8260B	10/23/2014	CJR		
trans-1,2-Dichloroethylene	< 3.5	ug/l	3.5	11	10	8260B	10/23/2014	CJR		
1,2-Dichloropropane	< 3.2	ug/l	3.2	10	10	8260B	10/23/2014	CJR		
2,2-Dichloropropane	< 3.6	ug/l	3.6	12	10	8260B	10/23/2014	CJR		
1,3-Dichloropropane	< 3.3	ug/l	3.3	10	10	8260B	10/23/2014	CJR		
Di-isopropyl ether	< 2.3	ug/l	2.3	7.3	10	8260B	10/23/2014	CJR		
EDB (1,2-Dibromoethane)	< 4.4	ug/l	4.4	14	10	8260B	10/23/2014	CJR		
Ethylbenzene	76	ug/l	5.5	17	10	8260B	10/23/2014	CJR		
Hexachlorobutadiene	< 15	ug/l	15	48	10	8260B	10/23/2014	CJR		
Isopropylbenzene	6.6 "J"	ug/l	3	9.6	10	8260B	10/23/2014	CJR		
p-Isopropyltoluene	< 3.1	ug/l	3.1	9.8	10	8260B	10/23/2014	CJR		
Methylene chloride	< 5	ug/l	5	16	10	8260B	10/23/2014	CJR		
Methyl tert-butyl ether (MTBE)	< 2.3	ug/l	2.3	7.4	10	8260B	10/23/2014	CJR		
Naphthalene	< 17	ug/l	17	55	10	8260B	10/23/2014	CJR		
n-Propylbenzene	18.6	ug/l	2.5	8.1	10	8260B	10/23/2014	CJR		
1,1,2,2-Tetrachloroethane	< 4.5	ug/l	4.5	14	10	8260B	10/23/2014	CJR		
1,1,1,2-Tetrachloroethane	< 3.3	ug/l	3.3	11	10	8260B	10/23/2014	CJR		
Tetrachloroethylene	< 3.3	ug/l	3.3	11	10	8260B	10/23/2014	CJR		
Toluene	< 6.9	ug/l	6.9	22	10	8260B	10/23/2014	CJR		
1,2,4-Trichlorobenzene	< 9.8	ug/l	9.8	31	10	8260B	10/23/2014	CJR		
1,2,3-Trichlorobenzene	< 18	ug/l	18	58	10	8260B	10/23/2014	CJR		
1,1,1-Trichloroethane	< 3.3	ug/l	3.3	10	10	8260B	10/23/2014	CJR		
1,1,2-Trichloroethane	< 3.4	ug/l	3.4	11	10	8260B	10/23/2014	CJR		
Trichloroethylene (TCE)	< 3.3	ug/l	3.3	10	10	8260B	10/23/2014	CJR		
Trichlorofluoromethane	< 7.1	ug/l	7.1	23	10	8260B	10/23/2014	CJR		
1,2,4-Trimethylbenzene	94	ug/l	22	69	10	8260B	10/23/2014	CJR		
1,3,5-Trimethylbenzene	< 14	ug/l	14	45	10	8260B	10/23/2014	CJR		
Vinyl Chloride	< 1.8	ug/l	1.8	5.7	10	8260B	10/23/2014	CJR		
m&p-Xylene	19.7 "J"	ug/l	6.9	22	10	8260B	10/23/2014	CJR		
o-Xylene	< 6.3	ug/l	6.3	20	10	8260B	10/23/2014	CJR		
SUR - 1,2-Dichloroethane-d4	101	REC %			10	8260B	10/23/2014	CJR		
SUR - 4-Bromofluorobenzene	108	REC %			10	8260B	10/23/2014	CJR		
SUR - Dibromofluoromethane	97	REC %			10	8260B	10/23/2014	CJR		
SUR - Toluene-d8	99	REC %			10	8260B	10/23/2014	CJR		

Lab Code 5027900G

Sample ID TB

Sample Matrix Water

Sample Date 10/15/2014

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	0.45 "J"	ug/l	0.24	0.77	1	8260B			CJR	151
Bromobenzene	< 0.32	ug/l	0.32	1	1	8260B	10/23/2014	10/23/2014	CJR	1
Bromodichloromethane	< 0.37	ug/l	0.37	1.2	1	8260B	10/23/2014	10/23/2014	CJR	1
Bromoform	< 0.35	ug/l	0.35	1.1	1	8260B	10/23/2014	10/23/2014	CJR	1
tert-Butylbenzene	< 0.36	ug/l	0.36	1.2	1	8260B	10/23/2014	10/23/2014	CJR	1
sec-Butylbenzene	< 0.33	ug/l	0.33	1	1	8260B	10/23/2014	10/23/2014	CJR	1
n-Butylbenzene	< 0.35	ug/l	0.35	1.1	1	8260B	10/23/2014	10/23/2014	CJR	1
Carbon Tetrachloride	< 0.33	ug/l	0.33	1.1	1	8260B	10/23/2014	10/23/2014	CJR	1
Chlorobenzene	< 0.24	ug/l	0.24	0.77	1	8260B	10/23/2014	10/23/2014	CJR	1
Chloroethane	< 0.63	ug/l	0.63	2	1	8260B	10/23/2014	10/23/2014	CJR	1
Chloroform	< 0.28	ug/l	0.28	0.88	1	8260B	10/23/2014	10/23/2014	CJR	1
Chloromethane	< 0.81	ug/l	0.81	2.6	1	8260B	10/23/2014	10/23/2014	CJR	1
2-Chlorotoluene	< 0.21	ug/l	0.21	0.66	1	8260B	10/23/2014	10/23/2014	CJR	1
4-Chlorotoluene	< 0.21	ug/l	0.21	0.68	1	8260B	10/23/2014	10/23/2014	CJR	1
1,2-Dibromo-3-chloropropane	< 0.88	ug/l	0.88	2.8	1	8260B	10/23/2014	10/23/2014	CJR	1
Dibromochloromethane	< 0.22	ug/l	0.22	0.7	1	8260B	10/23/2014	10/23/2014	CJR	1
1,4-Dichlorobenzene	< 0.3	ug/l	0.3	0.96	1	8260B	10/23/2014	10/23/2014	CJR	1
1,3-Dichlorobenzene	< 0.28	ug/l	0.28	0.89	1	8260B	10/23/2014	10/23/2014	CJR	1
1,2-Dichlorobenzene	< 0.36	ug/l	0.36	1.2	1	8260B	10/23/2014	10/23/2014	CJR	1
Dichlorodifluoromethane	< 0.44	ug/l	0.44	1.4	1	8260B	10/23/2014	10/23/2014	CJR	1
1,2-Dichloroethane	< 0.41	ug/l	0.41	1.3	1	8260B	10/23/2014	10/23/2014	CJR	1
1,1-Dichloroethane	< 0.3	ug/l	0.3	0.97	1	8260B	10/23/2014	10/23/2014	CJR	1
1,1-Dichloroethene	< 0.4	ug/l	0.4	1.3	1	8260B	10/23/2014	10/23/2014	CJR	1
cis-1,2-Dichloroethene	< 0.38	ug/l	0.38	1.2	1	8260B	10/23/2014	10/23/2014	CJR	1
trans-1,2-Dichloroethene	< 0.35	ug/l	0.35	1.1	1	8260B	10/23/2014	10/23/2014	CJR	1
1,2-Dichloropropane	< 0.32	ug/l	0.32	1	1	8260B	10/23/2014	10/23/2014	CJR	1
2,2-Dichloropropane	< 0.36	ug/l	0.36	1.2	1	8260B	10/23/2014	10/23/2014	CJR	1
1,3-Dichloropropane	< 0.33	ug/l	0.33	1	1	8260B	10/23/2014	10/23/2014	CJR	1
Di-isopropyl ether	< 0.23	ug/l	0.23	0.73	1	8260B	10/23/2014	10/23/2014	CJR	1
EDB (1,2-Dibromoethane)	< 0.44	ug/l	0.44	1.4	1	8260B	10/23/2014	10/23/2014	CJR	1
Ethylbenzene	< 0.55	ug/l	0.55	1.7	1	8260B	10/23/2014	10/23/2014	CJR	1
Hexachlorobutadiene	< 1.5	ug/l	1.5	4.8	1	8260B	10/23/2014	10/23/2014	CJR	1
Isopropylbenzene	< 0.3	ug/l	0.3	0.96	1	8260B	10/23/2014	10/23/2014	CJR	1
p-Isopropyltoluene	< 0.31	ug/l	0.31	0.98	1	8260B	10/23/2014	10/23/2014	CJR	1
Methylene chloride	< 0.5	ug/l	0.5	1.6	1	8260B	10/23/2014	10/23/2014	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.23	ug/l	0.23	0.74	1	8260B	10/23/2014	10/23/2014	CJR	1
Naphthalene	3.5 "J"	ug/l	1.7	5.5	1	8260B	10/23/2014	10/23/2014	CJR	151
n-Propylbenzene	< 0.25	ug/l	0.25	0.81	1	8260B	10/23/2014	10/23/2014	CJR	1
1,1,2,2-Tetrachloroethane	< 0.45	ug/l	0.45	1.4	1	8260B	10/23/2014	10/23/2014	CJR	1
1,1,1,2-Tetrachloroethane	< 0.33	ug/l	0.33	1.1	1	8260B	10/23/2014	10/23/2014	CJR	1
Tetrachloroethene	< 0.33	ug/l	0.33	1.1	1	8260B	10/23/2014	10/23/2014	CJR	1
Toluene	0.83 "J"	ug/l	0.69	2.2	1	8260B	10/23/2014	10/23/2014	CJR	151
1,2,4-Trichlorobenzene	< 0.98	ug/l	0.98	3.1	1	8260B	10/23/2014	10/23/2014	CJR	1
1,2,3-Trichlorobenzene	< 1.8	ug/l	1.8	5.8	1	8260B	10/23/2014	10/23/2014	CJR	1
1,1,1-Trichloroethane	< 0.33	ug/l	0.33	1	1	8260B	10/23/2014	10/23/2014	CJR	1
1,1,2-Trichloroethane	< 0.34	ug/l	0.34	1.1	1	8260B	10/23/2014	10/23/2014	CJR	1
Trichloroethene (TCE)	< 0.33	ug/l	0.33	1	1	8260B	10/23/2014	10/23/2014	CJR	1
Trichlorofluoromethane	< 0.71	ug/l	0.71	2.3	1	8260B	10/23/2014	10/23/2014	CJR	1
1,2,4-Trimethylbenzene	< 2.2	ug/l	2.2	6.9	1	8260B	10/23/2014	10/23/2014	CJR	1
1,3,5-Trimethylbenzene	< 1.4	ug/l	1.4	4.5	1	8260B	10/23/2014	10/23/2014	CJR	1
Vinyl Chloride	< 0.18	ug/l	0.18	0.57	1	8260B	10/23/2014	10/23/2014	CJR	1
m,p-Xylene	1.41 "J"	ug/l	0.69	2.2	1	8260B	10/23/2014	10/23/2014	CJR	151
o-Xylene	< 0.63	ug/l	0.63	2	1	8260B	10/23/2014	10/23/2014	CJR	1
SUR - Toluene-d8	100	REC %			1	8260B	10/23/2014	10/23/2014	CJR	1
SUR - 1,2-Dichloroethane-d4	94	REC %			1	8260B	10/23/2014	10/23/2014	CJR	1
SUR - 4-Bromofluorobenzene	105	REC %			1	8260B	10/23/2014	10/23/2014	CJR	1
SUR - Dibromofluoromethane	95	REC %			1	8260B	10/23/2014	10/23/2014	CJR	1

Project Name TERRY'S TOWING
Project #

Invoice # E27900

"J" Flag: Analyte detected between LOD and LOQ

LOD Limit of Detection

LOQ Limit of Quantitation

Code *Comment*

- | | |
|----|--|
| 1 | Laboratory QC within limits. |
| 51 | Result reported possibly influenced by instrument carryover. |

All solid sample results reported on a dry weight basis unless otherwise indicated. All LOD's and LOQ's are adjusted for dilutions but not dry weight. Subcontracted results are denoted by SUB in the analyst field.

Authorized Signature

Michael Ricker

Lab I.D. #	
Account No.:	Quote No.:
Project #:	
Sampler (signature): <i>Jon Jarr</i>	

Project (Name / Location): Terry's Towing - Dodgeville

Reports To: Terry Bristol

Invoice To: Terry Bristol c/o METCO

Company

Company

Address 425 Powell St.

Address 709 Gillette St., Ste. 3

City State Zip Dodgeville, WI 53533

City State Zip La Crosse, WI 54603

Phone

Phone

FAX

FAX

Lab I.D.	Sample I.D.	Collection Date	Time	Comp.	Grab	Filtered Y/N	No. of Containers	Sample Type (Matrix)*	Preservation	Analysis Requested		Other Analysis		PID/FID									
										DFO (Mod DFO Sep 95)	GRO (Mod GRO Sep 95)	LEAD	NITRATE/NITRITE	OIL & GREASE	PAH (EPA 8270)	PCB	PVOC (EPA 8021)	PVOC + NAFTHALENE	SULFATE	TOTAL SUSPENDED SOLIDS	VOC DW (EPA 5422)	VOC (EPA 8260)	B-RCRA METALS
5027900 A	MW-4	10-15-91 25				N	3	GW	HCL										X				
	B	MW-5	9:50																X				
	C	MW-6	10:20																X				
	D	MW-3	10:45																X				
	E	MW-2R	11:05																X				
	F	MW-1R	11:30																X				
	G	TB																	X				

Comments/Special Instructions (*Specify groundwater "GW", Drinking Water "DW", Waste Water "WW", Soil "S", Air "A", Oil, Sludge etc.)

Lab to send copy of report to METCO / Jason P. (Invoice to METCO)

U+L Rates Apply * Agent Status

Sample Integrity - To be completed by receiving lab

Method of Shipment: *Hand*

Temp. of Temp. Blank °C On Ice X

Cooler seal intact upon receipt: Yes No

Relinquished By: (sign)

Jon Jarr

Time

Date

Received By: (sign)

9:06 10-17-14

Time

Date

Received in Laboratory By: *Chad W.*

Time: 10:00

Date: 10/18/14