



State of Wisconsin \ DEPARTMENT OF NATURAL RESOURCES

Jim Doyle, Governor
Scott Hassett, Secretary
Ronald W. Kazmierczak, Regional Director

Shawano Field Office
647 Lakeland Rd.
Shawano, Wisconsin 54166
Telephone 715-524-2183
FAX 715-524-3214
TTY Access via relay - 711

COPY

January 24, 2006

F+W Publications
Attn: Steven Haunschild
700 East State St.
Iola, WI 54900-0001

Subject: No Further Action for Fuel Oil Tank, F+W Publications, 700 East State St., Iola, WI;
DNR Case # 03-69-544609.

Dear Mr. Haunschild:

On January 20, 2006, the Wisconsin Department of Natural Resources received a request for "No Further Action" regarding the removal of a fuel oil underground storage tank and disposal of contaminated soil. I have reviewed the document and concur that the environment has been restored to the extent practicable as provided in ch. NR 708.09, Wis. Adm. Code. Therefore, the immediate action in response to a release has been completed and the Department of Natural Resources is requiring no further action at this time.

We appreciate your efforts to protect and restore the environment at this site. If you have any questions regarding this No Further Action determination, please contact me at 715-526-4230.

Sincerely,

Tom Sturm
Hydrogeologist
Remediation & Redevelopment Program
Thomas.Sturm@dnr.state.wi.us

C: Chad Fradette – Bay Environmental, 529 S. Jefferson St., Suite 10, Green Bay, WI 54301

January 19, 2006

Mr. Tom Sturm
Wisconsin Department of Natural Resources
Remediation and Redevelopment Program
647 Lakeland Road
Shawano, WI 54166

**RE: No Further Action Request under ch. NR 708, Wis. Adm. Code
F+W Publications, 700 East State Street, Village of Iola, Wisconsin
WDNR BRRTS # 03-69-544609**

Dear Mr. Sturm:

On behalf of F+W Publications, Bay Environmental Strategies, Inc. (BAY) has prepared the following letter of compliance documenting the immediate response action completed in response to a hazardous substance release discovered during a removal of an underground storage tank (UST) formerly containing fuel oil.

SITE BACKGROUND & HISTORY

The F+W Publications property (the site) is located in the Village of Iola, Waupaca County, Wisconsin. The contact information is as follows:

Responsible Party

F+W Publications
Steven Haunschild
700 East State Street
Iola, Wisconsin 54990-0001
(715) 445-4612, ext. 402

Site Location (enclosed Figure 1)

F+W Publications
700 East State Street
Village of Iola, Waupaca County, Wisconsin

The property is located within the NW1/4 of the SE1/4 of Section 36, Township 24 North, Range 11 East.

The area of the leaking underground storage tank (LUST) is located adjacent to a private drive within the F+W Publications facility.

On December 16, 2005, BAY conducted a UST closure assessment at the site. The UST was a 550-gallon tank (Commerce ID # 1022881) used for storing fuel oil used by back-up generator. The UST was cleaned and removed by Mr. Arnie Koller of American Remediation & Supply of Luxemburg, Wisconsin. The fuel oil tank had already been pumped dry by F+W Publications and no sludge was present in the tank. Obvious contamination was noticed below the west side of the tank. Soil beneath the tank was saturated with fuel oil. No groundwater had been in contact with the tank. Several small holes were observed on the bottom of the UST on the west end.

UST CLOSURE SAMPLING

BAY collected two UST closure samples, one from each end of the tank (Figure 2, Site Configuration). BAY submitted the UST closure sample from the west end of the tank for landfill profiling (non-emergency immediate response) and confirmation of contamination.

Laboratory analysis was performed by Pace Analytical Services, Inc. (PACE) of Green Bay for diesel range organics (DRO), petroleum volatile organic compounds (PVOCs), and naphthalene. The laboratory reported detections of DRO (4,600 ppm), ethylbenzene (470 ppb), xylenes (3,100 ppb), and naphthalene (4,900 ppb).

NON-EMERGENCY IMMEDIATE RESPONSE (CH. NR 708, WIS. ADM. CODE)

Based on visual and olfactory evidence, it appeared a minor hazardous substance release had occurred beneath the west end of the UST. BAY initiated a non-emergency immediate action at the site. On December 16, 2005, the soils in the vicinity of the UST were removed. The area removed in the vicinity of UST was approximately 9 by 13 feet. The area was excavated to a depth of 8.0 feet. The excavation area was limited by the location of underground utilities. The excavation area was bordered on the north by underground fiber optic and electric lines. An unknown underground sewer line was encountered and broken during the excavation. The sewer line ran directly adjacent to the former UST cavity on the south side of the UST. The sewer line was still in use and waste water entered the excavation. The services connected to the line were closed and the excavation resumed. The water was disposed with the contaminated soil during the excavation. A diagram of the soil excavation is enclosed (Figure 3, Excavation Extent).

Groundwater was not encountered during the excavation and the soil at the bottom of the excavation was dry. The soils consisted of silty sand and a clay layer was encountered at the bottom of the excavation at 8.0 feet below ground surface. The excavation extended west underneath the asphalt drive. The excavation ceased when olfactory and visual evidence was negative.

Approximately 5.0 cubic yards of contaminated soil was placed into a small dump truck owned by F+W Publications and driven into a heated shed. While waiting for landfill approval, the soil was stored in truck and placed on a tarp on the asphalt parking lot and covered until disposed.

Prior to backfilling, BAY collected five confirmation samples (north, south, east, west, and bottom) at depths of 6.0 and 8.0 feet from the base and sidewalls of the excavation. The samples were submitted to PACE for laboratory analysis of DRO, PVOCs and naphthalene. The laboratory reported a detection of DRO (120 ppm) in the sample taken at the west sidewall of the excavation, however, no detections of PVOCs or naphthalene were reported above laboratory detection limits. All other samples reported no DRO or PVOCs and naphthalene detections above the laboratory limits of detection. The excavation was backfilled with pit run sand to grade.

On December 27, 2005, F+W Publications personnel transported the impacted soil, 9.38 tons, to the Onyx Cranberry Creek Landfill facility located in Wisconsin Rapids, Wisconsin (a copy of the manifest ticket is enclosed).

NO FURTHER ACTION REQUEST

Based on the following summary, BAY requests that a No Further Action status be granted for the site:

- 9.38 tons of petroleum-impacted soils were removed from the site, eliminating future threats to public health, safety, and welfare and the environment.
- Confirmation sampling of the native soils following the remedial excavation did not show the presence of petroleum-impacted soils at 8.0 feet below grade.
- Groundwater was not encountered during the activities. Groundwater is expected to be greater than 10 feet below grade.
- Current property usage is industrial. Future usage is also expected to be industrial.


The responsible party will forward a \$250 review fee required for a No Further Response under ch. NR 708. BAY will provide a copy of the UST Closure Checklist when received from the inspector.

CLOSING

If you have any questions or comments regarding the information provided, please contact me at (920) 593-2632 or via e-mail at cmfradette@bayenvironmental.com.

Sincerely,

BAY ENVIRONMENTAL STRATEGIES, INC.



Chad M. Fradette
Project Manager

cc: Mr. Steven Haunschuld, F+W Publications

enclosures:

- Figure 1, Site Location Map
- Figure 2, Site Configuration
- Figure 3, Excavation Extent
- Table 1, Soil Analytical Data
- Attachment A: Laboratory Analytical Reports
- Attachment B: Waste Disposal Documentation
- Attachment C: Commerce Tank Documentation





Figure:	Figure 1 Site Location Map	
Site Location:	700 E State St. Iola, Wisconsin	
Source:	USGS Big Falls Quad Obtained from Topozone.com	Client: Krause Publications Inc. Date: Dec. 2005 Scale: 1"=24000' Drawn By: EED
		

LEGEND

- SS —— SANITARY SEWER
- FO —— FIBER OPTIC LINE
- UE —— ELECTRIC LINE
- UST UNDERGROUND STORAGE TANK







Figure:	Figure 2 SITE CONFIGURATION	
Site Location:	F & W PUBLICATIONS IOLA, WISCONSIN	
Source:		Client:
		Date: 12/29/05
		Scale: 1"=10'
		Drawn By: SVO

ASPHALT

GRASS



LEGEND

- SS — SANITARY SEWER
- FO — FIBER OPTIC LINE
- UE — ELECTRIC LINE
- UST — UNDERGROUND STORAGE TANK
- — TANK CLOSURE SAMPLE
- — EXCAVATION CLOSURE SAMPLE



Figure:	Figure 3 EXCAVATION EXTENT	
Site Location:	F & W PUBLICATIONS IOLA, WISCONSIN	
Source:		Client:
		Date: 12/31/05
		Scale: 1"=5'
		Drawn By: SVO

Table 1
Soil Sample Laboratory Analytical Results
F+ W Publications
Iola, Wisconsin

Sample ID	Sample Date	Sample Interval (ft bgs)	PID (ppm eq)	DRO	Benzene	Ethyl-benzene	Toluene	Total Xylenes	Naphthalene	1,2,4-TMB	1,3,5-TMB	MTBE
Tank West End	12/16/2005	6.0	NA	4,600	<200	470	<200	3,100	4,900	5,900	2,400	<200
North 6'	12/16/2005	6.0	NA	<4.3	<25	<25	<25	<75	<25	<25	<25	<25
South 6'	12/16/2005	6.0	NA	<4.2	<25	<25	<25	<75	<25	<25	<25	<25
East 6'	12/16/2005	6.0	NA	<4.5	<25	<25	<25	<75	<25	<25	<25	<25
West 6'	12/16/2005	6.0	NA	120	<25	<25	<25	<75	<25	<25	<25	<25
Bottom 8'	12/16/2005	8.0	NA	<4.0	<25	<25	<25	<75	<25	<25	<25	<25
Blank	12/16/2005	NA	NA	NA	<25	<25	<25	<50	<25	<25	<25	<25
NR 720.09 RCLs				100	5.5	2,900	1,500	4,100	NS	NS	NS	NS
NR 746.06 Table 1 (free product indicator)				NS	8,500	4,600	38,000	42,000	2,700	83,000	11,000	NS
NR 746.06 Table 2 (direct contact standard)				NS	1,100	NS	NS	NS	NS	NS	NS	NS

Notes:

All concentrations reported in parts per billion, except GRO and Lead reported in parts per million

Bold value represents an exceedence of the WDNR NR720 Generic Soil Standard

Italic value represents an exceedance of the WDNR NR746 Table 1 (free product indicator)

bgs: below ground surface

ppm eq: part per million equivalent

DRO: diesel range organics

TMB: trimethylbenzene

MTBE: methyl tert-butyl ether


NA: not analyzed/not applicable

NS: no standard

WDNR: Wisconsin Department of Natural Resources

ATTACHMENT A

Laboratory Analytical Report



1241 Bellevue Street, Suite 9
Green Bay, WI 54302
920-469-2436, Fax: 920-469-8827

Analytical Report Number: 867563

Client: BAY ENVIRONMENTAL STRATEGIES


Lab Contact: Brian Basten

Project Name: F & W PUBLICATIONS, INC.

Project Number:

Lab Sample Number	Field ID	Matrix	Collection Date
867563-001	TANK WEST END	SOIL	12/16/05 11:00
867563-002	NORTH 6'	SOIL	12/16/05 12:00
867563-003	SOUTH 6'	SOIL	12/16/05 12:00
867563-004	EAST 6'	SOIL	12/16/05 12:00
867563-005	WEST 6'	SOIL	12/16/05 12:00
867563-006	BOTTOM 8' 8' <i>cf 1/12/06</i>	SOIL	12/16/05 12:00
867563-007	BLANK	METH	12/16/05

I certify that the data contained in this Final Report has been generated and reviewed in accordance with approved methods and Laboratory Standard Operating Procedure. Exceptions, if any, are discussed in the accompanying sample comments. Release of this final report is authorized by Laboratory management, as is verified by the following signature. This report shall not be reproduced, except in full, without the written consent of Pace Analytical Services, Inc. The sample results relate only to the analytes of interest tested.


Approval Signature

12-28-05
Date

**Pace Analytical
Services, Inc.**

Analytical Report Number: 867563

1241 Bellevue Street
Green Bay, WI 54302
920-469-2436

Client : BAY ENVIRONMENTAL STRATEGIES
Project Name : F & W PUBLICATIONS, INC.
Project Number :
Field ID : TANK WEST END

Matrix Type : SOIL
Collection Date : 12/16/05
Report Date : 12/28/05
Lab Sample Number : 867563-001

INORGANICS

Test	Result	LOD	LOQ	EQL	Dil.	Units	Code	Anl Date	Prep Method	Anl Method
Percent Solids	88.5				1	%		12/20/05	SM M2540G	SM M2540G

DIESEL RANGE ORGANICS

						Preservation Date: 12/19/05		Prep Date: 12/19/05		
Analyte	Result	LOD	LOQ	EQL	Dil.	Units	Code	Anl Date	Prep Method	Anl Method
Diesel Range Organics	4600			190	50	mg/kg		12/20/05	WI MOD DRO	WI MOD DRO
DRO Blank	< 5.0			5.0	1	mg/kg		12/20/05	WI MOD DRO	WI MOD DRO
DRO Blank Spike	85				1	%Recov		12/20/05	WI MOD DRO	WI MOD DRO
DRO Blank Spike Duplicate	77				1	%Recov		12/20/05	WI MOD DRO	WI MOD DRO

PVOC + NAPHTHALENE

		Prep Date: 12/20/05								
Analyte	Result	LOD	LOQ	EQL	Dil.	Units	Code	Anl Date	Prep Method	Anl Method
1,2,4-Trimethylbenzene	5900	230	540		400	ug/kg	KO	12/20/05	SCREEN	SCREEN
1,3,5-Trimethylbenzene	2400	230	540		400	ug/kg	KO	12/20/05	SCREEN	SCREEN
Benzene	< 200	200	480		400	ug/kg	KO	12/20/05	SCREEN	SCREEN
Ethylbenzene	470	230	540		400	ug/kg	QKO	12/20/05	SCREEN	SCREEN
Methyl-tert-butyl-ether	< 200	200	480		400	ug/kg	KO	12/20/05	SCREEN	SCREEN
Naphthalene	4900	230	540		400	ug/kg	KO	12/20/05	SCREEN	SCREEN
Toluene	< 200	200	480		400	ug/kg	KO	12/20/05	SCREEN	SCREEN
Xylene, o	1200	230	540		400	ug/kg	KO	12/20/05	SCREEN	SCREEN
Xylenes, m + p	1900	450	1100		400	ug/kg	KO	12/20/05	SCREEN	SCREEN
Surrogate		LCL	UCL							
a,a,a-Trifluorotoluene	104	80	119		1	%	O	12/20/05	SCREEN	SCREEN

**Pace Analytical
Services, Inc.**

Analytical Report Number: 867563

1241 Bellevue Street
Green Bay, WI 54302
920-469-2436

Client : BAY ENVIRONMENTAL STRATEGIES
Project Name : F & W PUBLICATIONS, INC.
Project Number :
Field ID : NORTH 6'

Matrix Type : SOIL
Collection Date : 12/16/05
Report Date : 12/28/05
Lab Sample Number : 867563-002

INORGANICS

Test	Result	LOD	LOQ	EQL	Dil.	Units	Code	Anl Date	Prep Method	Anl Method
Percent Solids	89.4				1	%		12/20/05	SM M2540G	SM M2540G

DIESEL RANGE ORGANICS

Analyte	Result	LOD	LOQ	EQL	Dil.	Units	Code	Anl Date	Prep Method	Anl Method	Preservation Date: 12/22/05		Prep Date: 12/22/05	
Diesel Range Organics	< 4.3			4.3	1	mg/kg		12/23/05	WI MOD DRO	WI MOD DRO				
DRO Blank	< 5.0			5.0	1	mg/kg		12/23/05	WI MOD DRO	WI MOD DRO				
DRO Blank Spike	81				1	%Recov		12/23/05	WI MOD DRO	WI MOD DRO				
DRO Blank Spike Duplicate	76				1	%Recov		12/23/05	WI MOD DRO	WI MOD DRO				

PVOC + NAPHTHALENE

Analyte	Result	LOD	LOQ	EQL	Dil.	Units	Code	Anl Date	Prep Method	Anl Method	Prep Date: 12/20/05			
1,2,4-Trimethylbenzene	< 25	25	60		50	ug/kg	O	12/21/05	SCREEN	SCREEN				
1,3,5-Trimethylbenzene	< 25	25	60		50	ug/kg	O	12/21/05	SCREEN	SCREEN				
Benzene	< 25	25	60		50	ug/kg	O	12/21/05	SCREEN	SCREEN				
Ethylbenzene	< 25	25	60		50	ug/kg	O	12/21/05	SCREEN	SCREEN				
Methyl-tert-butyl-ether	< 25	25	60		50	ug/kg	O	12/21/05	SCREEN	SCREEN				
Naphthalene	< 25	25	60		50	ug/kg	O	12/21/05	SCREEN	SCREEN				
Toluene	< 25	25	60		50	ug/kg	O	12/21/05	SCREEN	SCREEN				
Xylene, o	< 25	25	60		50	ug/kg	O	12/21/05	SCREEN	SCREEN				
Xylenes, m + p	< 50	50	120		50	ug/kg	O	12/21/05	SCREEN	SCREEN				
Surrogate		LCL	UCL											
a,a,a-Trifluorotoluene	102	80	119		1	%	O	12/21/05	SCREEN	SCREEN				

**Pace Analytical
Services, Inc.**

Analytical Report Number: 867563

1241 Bellevue Street
Green Bay, WI 54302
920-469-2436

Client : BAY ENVIRONMENTAL STRATEGIES

Project Name : F & W PUBLICATIONS, INC.

Project Number :

Field ID : SOUTH 6'

Matrix Type : SOIL

Collection Date : 12/16/05

Report Date : 12/28/05

Lab Sample Number : 867563-003

INORGANICS

Test	Result	LOD	LOQ	EQL	Dil.	Units	Code	Anl Date	Prep Method	Anl Method
Percent Solids	93.2				1	%		12/20/05	SM M2540G	SM M2540G

DIESEL RANGE ORGANICS

Analyte	Result	LOD	LOQ	EQL	Dil.	Units	Code	Anl Date	Prep Method	Anl Method	Preservation Date: 12/22/05		Prep Date: 12/22/05	
Diesel Range Organics	< 4.2			4.2	1	mg/kg		12/23/05	WI MOD DRO	WI MOD DRO				
DRO Blank	< 5.0			5.0	1	mg/kg		12/23/05	WI MOD DRO	WI MOD DRO				
DRO Blank Spike	81				1	%Recov		12/23/05	WI MOD DRO	WI MOD DRO				
DRO Blank Spike Duplicate	76				1	%Recov		12/23/05	WI MOD DRO	WI MOD DRO				

PVOC + NAPHTHALENE

Analyte	Result	LOD	LOQ	EQL	Dil.	Units	Code	Anl Date	Prep Method	Anl Method	Prep Date: 12/20/05	
1,2,4-Trimethylbenzene	< 25	25	60		50	ug/kg	O	12/21/05	SCREEN	SCREEN		
1,3,5-Trimethylbenzene	< 25	25	60		50	ug/kg	O	12/21/05	SCREEN	SCREEN		
Benzene	< 25	25	60		50	ug/kg	O	12/21/05	SCREEN	SCREEN		
Ethylbenzene	< 25	25	60		50	ug/kg	O	12/21/05	SCREEN	SCREEN		
Methyl-tert-butyl-ether	< 25	25	60		50	ug/kg	O	12/21/05	SCREEN	SCREEN		
Naphthalene	< 25	25	60		50	ug/kg	O	12/21/05	SCREEN	SCREEN		
Toluene	< 25	25	60		50	ug/kg	O	12/21/05	SCREEN	SCREEN		
Xylene, o	< 25	25	60		50	ug/kg	O	12/21/05	SCREEN	SCREEN		
Xylenes, m + p	< 50	50	120		50	ug/kg	O	12/21/05	SCREEN	SCREEN		
Surrogate		LCL	UCL									
a,a,a-Trifluorotoluene	103	80	119		1	%	O	12/21/05	SCREEN	SCREEN		

**Pace Analytical
Services, Inc.**

Analytical Report Number: 867563

1241 Bellevue Street
Green Bay, WI 54302
920-469-2436

Client : BAY ENVIRONMENTAL STRATEGIES
Project Name : F & W PUBLICATIONS, INC.
Project Number :
Field ID : EAST 6'

Matrix Type : SOIL
Collection Date : 12/16/05
Report Date : 12/28/05
Lab Sample Number : 867563-004

INORGANICS

Test	Result	LOD	LOQ	EQL	Dil.	Units	Code	Anl Date	Prep Method	Anl Method
Percent Solids	91.6				1	%		12/20/05	SM M2540G	SM M2540G

DIESEL RANGE ORGANICS

Analyte	Result	LOD	LOQ	EQL	Dil.	Units	Code	Anl Date	Prep Method	Anl Method	Preservation Date: 12/22/05		Prep Date: 12/22/05	
Diesel Range Organics	< 4.5			4.5	1	mg/kg		12/23/05	WI MOD DRO	WI MOD DRO				
DRO Blank	< 5.0			5.0	1	mg/kg		12/23/05	WI MOD DRO	WI MOD DRO				
DRO Blank Spike	81				1	%Recov		12/23/05	WI MOD DRO	WI MOD DRO				
DRO Blank Spike Duplicate	76				1	%Recov		12/23/05	WI MOD DRO	WI MOD DRO				

PVOC + NAPHTHALENE

Analyte	Result	LOD	LOQ	EQL	Dil.	Units	Code	Anl Date	Prep Method	Anl Method	Prep Date: 12/20/05			
1,2,4-Trimethylbenzene	< 25	25	60		50	ug/kg	O	12/21/05	SCREEN	SCREEN				
1,3,5-Trimethylbenzene	< 25	25	60		50	ug/kg	O	12/21/05	SCREEN	SCREEN				
Benzene	< 25	25	60		50	ug/kg	O	12/21/05	SCREEN	SCREEN				
Ethylbenzene	< 25	25	60		50	ug/kg	O	12/21/05	SCREEN	SCREEN				
Methyl-tert-butyl-ether	< 25	25	60		50	ug/kg	O	12/21/05	SCREEN	SCREEN				
Naphthalene	< 25	25	60		50	ug/kg	O	12/21/05	SCREEN	SCREEN				
Toluene	< 25	25	60		50	ug/kg	O	12/21/05	SCREEN	SCREEN				
Xylene, o	< 25	25	60		50	ug/kg	O	12/21/05	SCREEN	SCREEN				
Xylenes, m + p	< 50	50	120		50	ug/kg	O	12/21/05	SCREEN	SCREEN				
Surrogate		LCL	UCL											
a,a,a-Trifluorotoluene	103	80	119		1	%	O	12/21/05	SCREEN	SCREEN				

**Pace Analytical
Services, Inc.**

Analytical Report Number: 867563

1241 Bellevue Street
Green Bay, WI 54302
920-469-2436

Client : BAY ENVIRONMENTAL STRATEGIES
Project Name : F & W PUBLICATIONS, INC.
Project Number :
Field ID : WEST 6'

Matrix Type : SOIL
Collection Date : 12/16/05
Report Date : 12/28/05
Lab Sample Number : 867563-005

INORGANICS

Test	Result	LOD	LOQ	EQL	Dil.	Units	Code	Anl Date	Prep Method	Anl Method
Percent Solids	90.6				1	%		12/20/05	SM M2540G	SM M2540G

DIESEL RANGE ORGANICS

Analyte	Result	LOD	LOQ	EQL	Dil.	Units	Code	Anl Date	Prep Method	Anl Method	Preservation Date: 12/22/05		Prep Date: 12/22/05	
Diesel Range Organics	120			4.3	1	mg/kg		12/23/05	WI MOD DRO	WI MOD DRO				
DRO Blank	< 5.0			5.0	1	mg/kg		12/23/05	WI MOD DRO	WI MOD DRO				
DRO Blank Spike	81				1	%Recov		12/23/05	WI MOD DRO	WI MOD DRO				
DRO Blank Spike Duplicate	76				1	%Recov		12/23/05	WI MOD DRO	WI MOD DRO				

PVOC + NAPHTHALENE

Analyte	Result	LOD	LOQ	EQL	Dil.	Units	Code	Anl Date	Prep Method	Anl Method	Prep Date: 12/20/05	
1,2,4-Trimethylbenzene	< 25	25	60		50	ug/kg	O	12/21/05	SCREEN	SCREEN		
1,3,5-Trimethylbenzene	< 25	25	60		50	ug/kg	O	12/21/05	SCREEN	SCREEN		
Benzene	< 25	25	60		50	ug/kg	O	12/21/05	SCREEN	SCREEN		
Ethylbenzene	< 25	25	60		50	ug/kg	O	12/21/05	SCREEN	SCREEN		
Methyl-tert-butyl-ether	< 25	25	60		50	ug/kg	O	12/21/05	SCREEN	SCREEN		
Naphthalene	< 25	25	60		50	ug/kg	O	12/21/05	SCREEN	SCREEN		
Toluene	< 25	25	60		50	ug/kg	O	12/21/05	SCREEN	SCREEN		
Xylene, o	< 25	25	60		50	ug/kg	O	12/21/05	SCREEN	SCREEN		
Xylenes, m + p	< 50	50	120		50	ug/kg	O	12/21/05	SCREEN	SCREEN		
Surrogate		LCL	UCL									
a,a,a-Trifluorotoluene	103	80	119		1	%	O	12/21/05	SCREEN	SCREEN		

All soil results are reported on a dry weight basis unless otherwise noted.

**Pace Analytical
Services, Inc.**

Analytical Report Number: 867563

1241 Bellevue Street
Green Bay, WI 54302
920-469-2436

Client : BAY ENVIRONMENTAL STRATEGIES

Project Name : F & W PUBLICATIONS, INC.

Project Number :

Field ID : BOTTOM 844 *2711/05*

Matrix Type : SOIL

Collection Date : 12/16/05

Report Date : 12/28/05

Lab Sample Number : 867563-006

INORGANICS

Test	Result	LOD	LOQ	EQL	Dil.	Units	Code	Anl Date	Prep Method	Anl Method
Percent Solids	88.2				1	%		12/20/05	SM M2540G	SM M2540G

DIESEL RANGE ORGANICS

Preservation Date: 12/22/05

Prep Date: 12/22/05

Analyte	Result	LOD	LOQ	EQL	Dil.	Units	Code	Anl Date	Prep Method	Anl Method
Diesel Range Organics	< 4.0			4.0	1	mg/kg		12/23/05	WI MOD DRO	WI MOD DRO
DRO Blank	< 5.0			5.0	1	mg/kg		12/23/05	WI MOD DRO	WI MOD DRO
DRO Blank Spike	81				1	%Recov		12/23/05	WI MOD DRO	WI MOD DRO
DRO Blank Spike Duplicate	76				1	%Recov		12/23/05	WI MOD DRO	WI MOD DRO

PVOC + NAPHTHALENE

Prep Date: 12/20/05

Analyte	Result	LOD	LOQ	EQL	Dil.	Units	Code	Anl Date	Prep Method	Anl Method
1,2,4-Trimethylbenzene	< 25	25	60		50	ug/kg	O	12/21/05	SCREEN	SCREEN
1,3,5-Trimethylbenzene	< 25	25	60		50	ug/kg	O	12/21/05	SCREEN	SCREEN
Benzene	< 25	25	60		50	ug/kg	O	12/21/05	SCREEN	SCREEN
Ethylbenzene	< 25	25	60		50	ug/kg	O	12/21/05	SCREEN	SCREEN
Methyl-tert-butyl-ether	< 25	25	60		50	ug/kg	O	12/21/05	SCREEN	SCREEN
Naphthalene	< 25	25	60		50	ug/kg	O	12/21/05	SCREEN	SCREEN
Toluene	< 25	25	60		50	ug/kg	O	12/21/05	SCREEN	SCREEN
Xylene, o	< 25	25	60		50	ug/kg	O	12/21/05	SCREEN	SCREEN
Xylenes, m + p	< 50	50	120		50	ug/kg	O	12/21/05	SCREEN	SCREEN
Surrogate		LCL	UCL							
a,a,a-Trifluorotoluene	103	80	119		1	%	O	12/21/05	SCREEN	SCREEN

**Pace Analytical
Services, Inc.**

Analytical Report Number: 867563

1241 Bellevue Street
Green Bay, WI 54302
920-469-2436

Client : BAY ENVIRONMENTAL STRATEGIES

Project Name : F & W PUBLICATIONS, INC.

Project Number :

Field ID : BLANK

Matrix Type : METHANOL

Collection Date : 12/16/05

Report Date : 12/28/05

Lab Sample Number : 867563-007

PVOC + NAPHTHALENE

Prep Date: 12/20/05

Analyte	Result	LOD	LOQ	EQL	Dil.	Units	Code	Anl Date	Prep Method	Anl Method
1,2,4-Trimethylbenzene	< 25	25	60		50	ug/L		12/21/05	SW846 5030B	SW846 M8021
1,3,5-Trimethylbenzene	< 25	25	60		50	ug/L		12/21/05	SW846 5030B	SW846 M8021
Benzene	< 25	25	60		50	ug/L		12/21/05	SW846 5030B	SW846 M8021
Ethylbenzene	< 25	25	60		50	ug/L		12/21/05	SW846 5030B	SW846 M8021
Methyl-tert-butyl-ether	< 25	25	60		50	ug/L		12/21/05	SW846 5030B	SW846 M8021
Naphthalene	< 25	25	60		50	ug/L		12/21/05	SW846 5030B	SW846 M8021
Toluene	< 25	25	60		50	ug/L		12/21/05	SW846 5030B	SW846 M8021
Xylene, o	< 25	25	60		50	ug/L		12/21/05	SW846 5030B	SW846 M8021
Xylenes, m + p	< 25	25	60		50	ug/L		12/21/05	SW846 5030B	SW846 M8021
Surrogate		LCL	UCL							
a,a,a-Trifluorotoluene	102	80	119		1	%	-	12/21/05	SW846 5030B	SW846 M8021

**Pace Analytical
Services, Inc.**

1241 Bellevue Street
Green Bay, WI 54302
920-469-2436
Fax: 920-469-8827

Lab Number	TestGroupID	Field ID	Comment
867563-001	DRO-S	TANK WEST	Front eluting peaks were present along with diesel peaks.
867563-001	PVOCNAP-S-ME	TANK WEST	sample received overweight (27.2 grams).
867563-002	PVOCNAP-S-ME	NORTH 6'	sample received overweight (22.5 grams).
867563-003	PVOCNAP-S-ME	SOUTH 6'	sample received overweight (20.4 grams).
867563-004	PVOCNAP-S-ME	EAST 6'	sample received overweight (20.9 grams).
867563-005	PVOCNAP-S-ME	WEST 6'	sample received overweight (24.3 grams).
867563-006	PVOCNAP-S-ME	BOTTOM 8IN	sample received overweight (26.0 grams).

Qualifier Codes

Flag	Applies To	Explanation
A	Inorganic	Analyte is detected in the method blank. Method blank criteria is evaluated to the laboratory method detection limit. Additionally, method blank acceptance may be based on project specific criteria or determined from analyte concentrations in the sample and are evaluated on a sample by sample basis.
B	Inorganic	The analyte has been detected between the method detection limit and the reporting limit.
B	Organic	Analyte is present in the method blank. Method blank criteria is evaluated to the laboratory method detection limit. Additionally, method blank acceptance may be based on project specific criteria or determined from analyte concentrations in the sample and are evaluated on a sample by sample basis.
C	All	Elevated detection limit.
D	All	Analyte value from diluted analysis or surrogate result not applicable due to sample dilution.
E	Inorganic	Estimated concentration due to matrix interferences. During the metals analysis the serial dilution failed to meet the established control limits of 0-10%. The sample concentration is greater than 50 times the IDL for analysis done on the ICP or 100 times the IDL for analysis done on the ICP-MS. The result was flagged with the E qualifier to indicate that a physical interference was observed.
E	Organic	Analyte concentration exceeds calibration range.
F	Inorganic	Due to potential interferences for this analysis by Inductively Coupled Plasma techniques (SW-846 Method 6010), this analyte has been confirmed by and reported from an alternate method.
F	Organic	Surrogate results outside control criteria.
G	All	The result is estimated because the concentration is less than the lowest calibration standard concentration utilized in the initial calibration. The method detection limit is less than the reporting limit specified for this project.
H	All	Preservation, extraction or analysis performed past holding time.
HF	Inorganic	This test is considered a field parameter, and the recommended holding time is 15 minutes from collection. The analysis was performed in the laboratory beyond the recommended holding time.
J	All	Concentration detected equal to or greater than the method detection limit but less than the reporting limit.
K	Inorganic	Sample received unpreserved. Sample was either preserved at the time of receipt or at the time of sample preparation.
K	Organic	Detection limit may be elevated due to the presence of an unrequested analyte.
L	All	Elevated detection limit due to low sample volume.
M	Organic	Sample pH was greater than 2
N	All	Spiked sample recovery not within control limits.
O	Organic	Sample received overweight.
P	Organic	The relative percent difference between the two columns for detected concentrations was greater than 40%.
Q	All	The analyte has been detected between the limit of detection (LOD) and limit of quantitation (LOQ). The results are qualified due to the uncertainty of analyte concentrations within this range.
S	Organic	The relative percent difference between quantitation and confirmation columns exceeds internal quality control criteria. Because the result is unconfirmed, it has been reported as a non-detect with an elevated detection limit.
U	All	The analyte was not detected at or above the reporting limit.
V	All	Sample received with headspace.
W	All	A second aliquot of sample was analyzed from a container with headspace.
X	All	See Sample Narrative.
Z	Organics	This compound was separated in the check standard but it did not meet the resolution criteria as set forth in SW846.
&	All	Laboratory Control Spike recovery not within control limits.
*	All	Precision not within control limits.
+	Inorganic	The sample result is greater than four times the spike level: therefore, the percent recovery is not evaluated.
<	All	The analyte was not detected at or above the reporting limit.
1	Inorganic	Dissolved analyte or filtered analyte greater than total analyte; analyses passed QC based on precision criteria.
2	Inorganic	Dissolved analyte or filtered analyte greater than total analyte; analyses failed QC based on precision criteria.
3	Inorganic	BOD result is estimated due to the BOD blank exceeding the allowable oxygen depletion.
4	Inorganic	BOD duplicate precision not within control limits. Due to the 48 hour holding time for this test, it is not practical to reanalyze and try to correct the deficiency.
5	Inorganic	BOD result is estimated due to insufficient oxygen depletion. Due to the 48 hour holding time for this test, it is not practical to reanalyze and try to correct the deficiency.
6	Inorganic	BOD laboratory control sample not within control limits. Due to the 48 hour holding time for this test, it is not practical to reanalyze and try to correct the deficiency.
7	Inorganic	BOD result is estimated due to complete oxygen depletion. Due to the 48 hour holding time for this test, it is not practical to reanalyze and try to correct the deficiency.

Test Group Name	867563-001	867563-002	867563-003	867563-004	867563-005	867563-006	867563-007
DIESEL RANGE ORGANICS	B	B	B	B	B	B	B
PERCENT SOLIDS	B	B	B	B	B	B	B
PVOC + NAPHTHALENE	G	G	G	G	G	G	G

Code	Facility	Address	WI Certification
B	Green Bay Lab (Bellevue St)	1241 Bellevue Street, Suite 9 Green Bay, WI 54302	405132750 / DATCP: 105-444
G	Green Bay Lab (Industrial Dr)	1795 Industrial Drive Green Bay, WI 54302	405132750



Sample Condition Upon Receipt

Client Name: Bay Environmental Project # 867843

Courier: [] Fed Ex [] UPS [] USPS [x] Client [] Commercial [] Pace Other _____

Custody Seal on Cooler/Box Present: [] yes [x] no Seals intact: [] yes [] no

Optional
Proj. Due Date
Proj. Name

Packing Material: [] Bubble Wrap [x] Bubble Bags [] None [] Other _____

Thermometer Used NA Type of Ice: Wet Blue None [] Samples on ice, cooling process has begun

Cooler Temperature 20 Biological Tissue is Frozen: Yes No

Date and Initials of person examining contents: 12-19-05 AB 11/2/19/05

Temp should be above freezing to 6°C

Comments:

Table with 16 rows of checklist items including Chain of Custody Present, Samples Arrived within Hold Time, Rush Turn Around Time Requested, etc.

Client Notification/ Resolution: Field Data Required? Y / N

Person Contacted: Date/Time:

Comments/ Resolution:

Project Manager Review: [Signature]

Date: 12-19-05

Note: Whenever there is a discrepancy affecting North Carolina compliance samples, a copy of this form will be sent to the North Carolina DEHNR Certification Office (i.e out of hold, incorrect preservative, out of temp, incorrect containers)



CHAIN-OF-CUSTODY / Analytical Request Document

The Chain-of-Custody is a LEGAL DOCUMENT. All relevant fields must be completed accurately.

Page: of

935096

Section A Required Client Information:

Section B Required Project Information:

Section C Invoice Information:

Company: Bay Environmental Strategies
 Address: 529 S. Jefferson St. Ste 10
Green Bay, WI 54301
 Email: cmfradette@bayenvironmental.com
 Phone: 920-2632 / 920-433-9030

Report To: Chad Fradette
 Copy To: same
 Purchase Order No.:
 Project Name: F&W Publications, Inc.
 Project Number:

Attention:
 Company Name:
 Address:
 Pace Quote Reference:
 Pace Project Manager: Brian Barten
 Pace Profile #:

REGULATORY AGENCY

NPDES GROUND WATER DRINKING WATER
 UST RCRA Other

SITE LOCATION

GA IL IN MI MN NC
 OH SC WI OTHER

Section D Requested Due Date/TAT:

Section E Valid Matrix Codes:

Requested Due Date/TAT: #1 sample - 2T, others - normal

MATRIX CODES:
 DRINKING WATER: DW
 WASTE WATER: WW
 PRODUCT SOIL/SOLID: P
 OIL WIPE: OL
 AIR: WP
 OTHER: AR
 TISSUE: OT

SAMPLE ID
 One Character per box.
 (A-Z, 0-9 / -)
 Samples IDs MUST BE UNIQUE

ITEM #	SAMPLE ID		MATRIX CODE	SAMPLE TYPE	COLLECTED DATE	COLLECTED TIME	SAMPLE TEMP AT COLLECTION	# OF CONTAINERS	UNPRESERVED	H ₂ SO ₄	HNO ₃	HCl	NaOH	Na ₂ S ₂ O ₃	Methanol	Other	Filtered (Y/N)	Requested Analysis
	TANK	WEST	END	DD1	12/16	11:00		3										
	NORTH	6'		DD2	12/16	12:00												
	SOUTH	6'		DD3														
	EAST	6'		DD4														
5	WEST	6'		DD5														
6	BOTTOM	8'		DD6														
7	BLANK			DD7														

COLLECTED

COMPOSITE START DATE	COMPOSITE END DATE	GRAB DATE	GRAB TIME
12/16	11:00		
12/16	12:00		

PRESERVATIVES

Unpreserved	H ₂ SO ₄	HNO ₃	HCl	NaOH	Na ₂ S ₂ O ₃	Methanol	Other

Filtered (Y/N)

Requested Analysis:

867563
 Pace Project Number

Lab I.D.

Additional Comments:
#1 - saturated with fuel oil
#1 -> Quick turn sample for 12/20
WI Pecta

RELINQUISHED BY / AFFILIATION	DATE	TIME	ACCEPTED BY / AFFILIATION	DATE	TIME	SAMPLE CONDITION
<u>Chad Fradette</u>	<u>12/19</u>	<u>11:28</u>	<u>J. W. Wood</u>	<u>12/19</u>	<u>10:28</u>	<u>100%</u>
						Y/N
						Y/N
						Y/N

SAMPLER NAME AND SIGNATURE

PRINT Name of SAMPLER: Chad M. Fradette

SIGNATURE of SAMPLER: Chad M. Fradette

DATE Signed: MM/DD/YY 12-19-2005

Temp in °C:

Received on ice:

Custody Sealed Cooler:

Samples Intact:

ATTACHMENT B

Waste Disposal Documentation

ONYX CRANBERRY CREEK LANDFILL, LLC
2510 ENGEL ROAD
WISCONSIN RAPIDS, WI 54495

0000 000000 0.00 D1

27 December 2005 3:36 pm
27 December 2005 3:58 pm

Ticket: 182551
000099 CASH
Reference: KRAUSE PUBLICATIONS

Gross Weight: 34,820.00 lb
Tare Weight 16,060.00 lb
Net Weight 18,760.00 lb 9.38 TN

Vehicle: CASH
CASH CUSTOMER

Contract: 051298 RAY ENV.

Quantity	Unit	Description	Rate	Total
9.38	TN	C4 C-Soil/340 Fuel Oil	\$22.00	\$206.36
1.00	EA	EF ENVIRONMENTAL FEE	\$3.00	\$3.00
1.00	EA	Z8 PROFILE FEE	\$50.00	\$50.00

Net Amounts: \$259.36
\$0.64

SMILES ARE FREE-TO GIVE AND RECEIVE!!
CERTIFIED WEIGHT TICKET
THANK YOU FOR YOUR BUSINESS.

Weighmaster: SONIA Driver _____



Special Waste Profile Sheet

PROFILE #	
Original submittal	<input type="checkbox"/>
Recertification	<input type="checkbox"/>
One time project	<input type="checkbox"/>

Designated Facility: Onyx Cranberry Creek Landfill, LLC

Sales Representative: Mike Hack

****Please Complete All Areas****

A. Generator

Name Bay Environmental Strategies
 Site Address 700 East State Street
 City, State, Zip Jola, WI 54990-0001
 Contact Chad M. Fradette
 Phone 920-593-2632
 Fax 920-433-9030
 E-mail cmfradette@bay-environmental.com

B. Billing

Name E+W Publications, Inc.
 Address 700 East State St.
 City, State, Zip Jola, WI 54990-0001
 Contact Steven Havnschild
 Phone 715-445-4612 x402
 Fax 715-445-2271
 E-mail steven.havnschild@fwpubs.com

C. Description of Waste

Name of Waste Fuel oil contaminated soil
 Estimated Volume 5 yards
 Frequency once
 Physical State soil - silt/sand Color N/A
 Flash Point (°F) N/A pH N/A

Process Generating Waste UST removal
excavated soil
 Free Liquids N/A
 Total Solids 88.5%

D. Other Waste Data or Comments

N/A

E. Sample Information

Check all that apply:

- Sample submitted with profile Laboratory Analysis submitted Material Safety Data Sheet Submitted

Laboratory Name Pace Analytical Sample Date 12/16/05 Sample I.D. 867563-001

F. Generator Certifications

- This waste is not a hazardous waste as defined in Wisconsin Administrative Code NR 605 or 40 CFR 261.
- This waste does not contain regulated quantities of PCB's.
- This waste does not contain regulated quantities of herbicides or pesticides.
- This waste does not contain regulated quantities of F500 solvents as specified in Wisconsin Administrative Code NR 605.
- This waste does not contain infectious wastes as defined in Wisconsin Administrative Code NR 526.
- All information submitted in this and all attached documents contains true and accurate descriptions of this waste. Any sample submitted is representative as defined in 40 CFR 261 - Appendix 1 and was obtained by using this or an equivalent sampling method. All relevant information regarding known or suspected hazards in the possession of the generator has been disclosed.

Generators Signature [Signature] Title Project Manager
 Print Name Chad M. Fradette Date 12/21/2005

G. Landfill Approval

My approval is based upon the laboratory analysis of a representative sample and/or material safety data sheets submitted by the generator.

Landfill Signature _____ Date _____
 Approvals Signature _____ Date _____
 Waste Category _____ Analytical Protocol _____ Disposal Operation _____ Recert. Date _____

Dec 21 05 03:18p

p. 2



Special Waste Profile Sheet

PROFILE #
Original submital Recertification <input type="checkbox"/>
One time project <input type="checkbox"/>

Designated Facility: Onyx Cranberry Creek Landfill, LLC

Sales Representative: Mike Hack

****Please Complete All Areas****

A. Generator

Name Bay Environmental Strategies
 Site Address 500 East State Street
 City, State, Zip Tola, WI 54990-0001
 Contact Chad M. Fradette
 Phone 920-593-2682
 Fax 920-473-9030
 E-mail cmfradette@bayenvironmental.com

B. Billing

Name Ex W Publications, Inc.
 Address 900 East State St
 City, State, Zip Tola, WI 54990-0001
 Contact Steven Hainschil
 Phone 315-445-4612 x402
 Fax 315-445-7271
 E-mail steven.hainschil@exw.com

C. Description of Waste

Name of Waste Final contaminated soil
 Estimated Volume 5 yards
 Frequency one
 Physical State soil - mixed Color N/A
 Flash Point (°F) N/A pH N/A

Process Generating Waste UST removal
excavated soil
 Free Liquids N/A
 Total Solids 88.5%

D. Other Waste Data or Comments

N/A

E. Sample Information

Check all that apply:

- Sample submitted with profile Laboratory Analysis submitted Material Safety Data Sheet Submitted

Laboratory Name Env Analytical Sample Date 12/16/05 Sample I.D. 867563-001

F. Generator Certifications

- This waste is not a hazardous waste as defined in Wisconsin Administrative Code NR 505 or 40 CFR 261.
- This waste does not contain regulated quantities of PCB's.
- This waste does not contain regulated quantities of herbicides or pesticides.
- This waste does not contain regulated quantities of F500 solvents as specified in Wisconsin Administrative Code NR 606.
- This waste does not contain infectious wastes as defined in Wisconsin Administrative Code NR 926.
- All information submitted in this and all attached documents contains true and accurate descriptions of this waste. Any sample submitted is representative as defined in 40 CFR 261 - Appendix 1 and was obtained by using this or an equivalent sampling method. All relevant information regarding known or suspected hazards in the possession of the generator has been disclosed.

Generator's Signature [Signature] Title Project Manager
 Print Name Chad M. Fradette Date 12/21/2005

G. Landfill Approval

My approval is based upon the laboratory analysis of a representative sample and/or material safety data sheets submitted by the generator.

Landfill Signature [Signature] Date 12/23/05
 Approvals Signature [Signature] Date 12-23-05
 Waste Category Excavated Soil Analytical Protocol N/A Disposal Operation 360 Recert. Date N/A
OSTE DR-5 4800

12/21/05

State of Wisconsin
Department of Natural Resources

**NOTIFICATION TO TREAT OR DISPOSE OF
PETROLEUM CONTAMINATED SOIL & WATER**
Form 4500-168 2-98

This form is required by the Department of Natural Resources (DNR) to ensure that the remediation of petroleum contaminated soil and water is in compliance with NR 158, NR 500-540, NR 419 and NR 445, Wis. Adm. Code. Failure to comply with applicable statutes and administrative rules may lead to violations of chapters 285, 289, and 291, Wis. Stats. and may result in forfeitures of not less than \$10 or more than \$25,000 for each violation, pursuant to ss. 285.87(1), 291.97(1), and 299.97, Wis. Stats., or fines of not less than \$100 or more than \$150,000 or imprisonment for not more than 10 years, or both, pursuant to s. 291.97(2), Wis. Stats. Each day of a continuing violation constitutes a separate violation. Except for the remediation of virgin petroleum spills, this form needs to be submitted to the DNR 10 business days prior to the commencement of the remediation. Personally identifiable information found on this form is not intended to be used for any other purpose.

DIRECTIONS: 1) complete both sides of the form. 2) Have the responsible party sign the form. This signature certifies that the information on this form and in all supporting documents is accurate. 3) Submit the form with supporting documentation, lab reports and any maps to the appropriate Region Air Management Program at least 10 business days prior to the commencement of remediation. 4) Submit a copy of this form to the DNR project manager and retain a copy for your records.

PART I - GENERAL INFORMATION

Site Name & Address: <i>F+W Publications, Inc. 700 East State St. Iola, WI 54990-0001</i>	Date of Form Completion: <i>12/22/2005</i>
Site Number:	Do Other Remediation Systems Exist at This Site: <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No
County: <i>Waupaca</i>	Site Type: <input checked="" type="checkbox"/> LUST <input type="checkbox"/> ERP <input type="checkbox"/> CERCLA <input type="checkbox"/> Other, Explain:
Responsible Party Name & Address: <i>F+W Publications, Inc. Steven Haunschild 700 East State St. Iola, WI 54990-0001</i>	Responsible Party Signature: <i>[Signature]</i> Telephone Number: <i>(715) 445-4612 ex 402</i>
Consulting Firm Name & Address: <i>Bay Environmental Strategies, Inc. 529 S. Jefferson St., Ste 10 Green Bay, WI 54301</i>	Consulting Firm Contact: <i>Chad M. Fradette</i> Telephone Number: <i>(920) 593-2632</i>

PART II - SOIL AND WATER DATA (Attach Lab Reports and Calculations)

Type of Contamination:	<input type="checkbox"/> Gasoline	<input type="checkbox"/> Diesel	<input checked="" type="checkbox"/> Fuel Oil	<input type="checkbox"/> Waste Oil			
	<input type="checkbox"/> Chlorinated Organics	<input type="checkbox"/> Other: _____					
Soil Concentration:							
GRO:	<u>4600</u> mg/kg/10 ⁶	x	2800 lb/yd ³	x	<u>5</u> yd ³	=	<u>64.4</u> lb
DRO:	<u>2200</u> mg/kg/10 ⁶	x	2800 lb/yd ³	x	<u>5</u> yd ³	=	<u>52.8</u> lb
Benzene:	<u>4900</u> mg/kg/10 ⁶	x	2800 lb/yd ³	x	<u>5</u> yd ³	=	<u>68.6</u> lb
Chlorinated Organics:	_____ mg/kg/10 ⁶	x	2800 lb/yd ³	x	_____ yd ³	=	_____ lb
Other:	<u>napthalene</u> <u>4900</u> mg/kg/10 ⁶	x	2800 lb/yd ³	x	<u>5</u> yd ³	=	<u>68.6</u> lb
Water Concentration:							
GRO:	_____ mg/L	DRO:	_____ mg/L	Benzene:	_____ mg/L		
		Chlorinated Organics:	_____ mg/L	Other:	_____ mg/L		

**NOTIFICATION TO TREAT OR DISPOSE OF
PETROLEUM CONTAMINATED SOIL & WATER**


Form 4500-168

2-98

This form is required by the Department of Natural Resources (DNR) to ensure that the remediation of petroleum contaminated soil and water is in compliance with NR 158, NR 500-540, NR 419 and NR 445, Wis. Adm. Code. Failure to comply with applicable statutes and administrative rules may lead to violations of chapters 285, 289, and 291, Wis. Stats. and may result in forfeitures of not less than \$10 or more than \$25,000 for each violation, pursuant to ss. 285.87(1), 291.97(1), and 299.97, Wis. Stats., or fines of not less than \$100 or more than \$150,000 or imprisonment for not more than 10 years, or both, pursuant to s. 291.97(2), Wis. Stats. Each day of a continuing violation constitutes a separate violation. Except for the remediation of virgin petroleum spills, this form needs to be submitted to the DNR 10 business days prior to the commencement of the remediation. Personally identifiable information found on this form is not intended to be used for any other purpose.

DIRECTIONS: 1) complete both sides of the form. 2) Have the responsible party sign the form. This signature certifies that the information on this form and in all supporting documents is accurate. 3) Submit the form with supporting documentation, lab reports and any maps to the appropriate Region Air Management Program at least 10 business days prior to the commencement of remediation. 4) Submit a copy of this form to the DNR project manager and retain a copy for your records.

PART I - GENERAL INFORMATION

Site Name & Address: <i>F+W Publications, Inc. 700 East State St. Iola, WI 54990-0001</i>	Date of Form Completion: <i>12/22/2005</i>
Site Number:	Do Other Remediation Systems Exist at This Site: <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No
County: <i>Waupaca</i>	Site Type: <input checked="" type="checkbox"/> LUST <input type="checkbox"/> ERP <input type="checkbox"/> CERCLA <input type="checkbox"/> Other, Explain:
Responsible Party Name & Address: <i>F+W Publications, Inc. Steven Haunschuld 700 East State St. Iola, WI 54990-0001</i>	Responsible Party Signature:  Telephone Number: <i>(715) 445-4612 ex 402</i>
Consulting Firm Name & Address: <i>Bay Environmental Strategies, Inc. 529 S. Jefferson St., Ste 10 Green Bay, WI 54301</i>	Consulting Firm Contact: <i>Chad M. Fradette</i> Telephone Number: <i>(920) 593-2632</i>

PART II - SOIL AND WATER DATA (Attach Lab Reports and Calculations)

Type of Contamination:	<input type="checkbox"/> Gasoline	<input type="checkbox"/> Diesel	<input checked="" type="checkbox"/> Fuel Oil	<input type="checkbox"/> Waste Oil			
	<input type="checkbox"/> Chlorinated Organics	<input type="checkbox"/> Other: _____					
Soil Concentration:							
GRO:	<u>4600</u> mg/kg/10 ⁶	x	2800 lb/yd ³	x	<u>5</u> yd ³	=	<u>64.4</u> lb
DRO:	<u>2200</u> mg/kg/10 ⁶	x	2800 lb/yd ³	x	<u>5</u> yd ³	=	<u><2.8</u> lb
Benzene:	<u>4200</u> mg/kg/10 ⁶	x	2800 lb/yd ³	x	<u>5</u> yd ³	=	<u><2.8</u> lb
Chlorinated Organics:	_____ mg/kg/10 ⁶	x	2800 lb/yd ³	x	_____ yd ³	=	_____ lb
Other:	<u>naphthalene</u> <u>4900</u> mg/kg/10 ⁶	x	2800 lb/yd ³	x	<u>5</u> yd ³	=	<u>68.6</u> lb
Water Concentration:							
GRO:	_____ mg/L	DRO:	_____ mg/L	Benzene:	_____ mg/L		
Chlorinated Organics:	_____ mg/L	Other:	_____ mg/L				

PART III - TREATMENT OR DISPOSAL FACILITY INFORMATION

Treatment/Disposal Facility Name & Address: <i>Onyx Cranberry Creek Landfill</i> <i>2510 Engel Rd.</i> <i>Wiscnsm Rapids, WI 54495</i>	Facility ID: <i>2967</i>
	Air Pollution Control Permit Number:
Facility Contact: <i>Mike Hack</i>	Facility Located in 10-county Area in Southeast Wisconsin? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No
Telephone Number: <i>(915) 421-3966</i>	Distance to Nearest Residence or Business:
Headquarter Address:	<u>Portable Sources Only</u> : Has a Portable Source Relocation Notification (Form 4500-25) Been Submitted for This Location? <input type="checkbox"/> Yes <input type="checkbox"/> No

PART III - SOIL VACUUM EXTRACTION OR GROUNDWATER REMEDIATION

Site Contact :	<u>Proposed Operations</u> : (Attach Calculations)
Telephone Number: ()	Anticipated Start-Up Date:
Site Located in 10-county Area in Southeast Wisconsin? <input type="checkbox"/> Yes <input type="checkbox"/> No	Estimated Project Duration:
Distance to Nearest Residence or Business:	Number of Wells:
<u>Pilot Test/Soil Venting Only</u> : (Attach Lab Reports and Calculations)	Number of Emission Points:
Date of Test:	Stack Height:
Flow Rate (scfm):	Maximum Equipment Flow Rate (scfm or gpm):
Total Withdrawal of Air (scf):	Total VOC Emission Rate (lb/hr):
Total VOC Emission Rate (lb/hr):	Benzene Emission Rate (lb/hr):
Benzene Emission Rate (lb/hr):	Benzene Emission Rate (lb/yr):

PART III - OTHER REMEDIATION METHODS (Attach Lab Reports and Calculations)

Proposing Other Remediation Method? <input type="checkbox"/> Yes	Method Name: _____
Attach a project description for other remediation methods including landspreading, passive aeration and bioremediation. At a minimum, the information submitted should include the following items (with any supporting lab reports and calculations):	
<ul style="list-style-type: none"> √ Address/Location of Remediation Site - Indicate if this location is in the 10-county area in Southeast Wisconsin and the distance to the nearest residence or business. Include a map or site plan if appropriate. √ Description of Remediation Method. √ Project Contact & Telephone Number. √ Anticipated Start-Up and Estimated Project Duration. √ Highest Estimated Hourly VOC Emissions. √ Highest Estimated Hourly and Annual Benzene Emissions. √ Emission Testing Methodology. √ Final Destination of Soil. 	

ATTACHMENT C

Commerce Tank Documentation



Tank Detail

Search Instructions	Search by Site, Owner, or Tank Characteristics	Search by Tank ID
-------------------------------------	--	-----------------------------------

Tank Detail

Site and Owner

Site Info	County & Municipality	Owner
Facility ID: <u>664722</u> KRAUSE PUBLICATIONS INC 700 E STATE STREET IOLA Landowner Type: Private	68 - WAUPACA Village of IOLA Fire Dept ID: 6803 - Iola & Rural	ID: 995354 KRAUSE PUBLICATIONS INC 700 E STATE STREET IOLA WI 54990

Underground Storage Tank - ID: 1022881, Wang ID: null, In Use

Install Date:	01/01/1976	Capacity in Gallons:	550	Contents:	Diesel
Tank Occupancy:	Backup or Emergency Generator	Marketer:	N	CAS Number:	
Federally Regulated:	Y	Spill Protection:	Required - Not Installed	Overfill Protection:	Required - Not Installed
Corrosion Protect Type:		Date of Lining:		Lining Inspected Date:	
Leak Detection:	Inventory Control & Tightness Test	Cath Test Date:		Cath Expire Date:	
Leak Test Meth:	null	Leak Expire Date:		Leak Test Date:	
Construction Material:	Coated Steel	Wall Size:		Underground Piping:	
Close Order Date:		Close Order By:			

Piping - In Use

Flex Connectors:		UST mainfolded:		Related Tank ID:	
Type:		Aboveground Piping:		Aboveground Pipe Construction:	
Construction Material:	Coated Steel	Corrosion Protect Type:		Leak Detection:	
Cath Test Date:		Cath Expire Date:		Leak Test Meth:	
Leak Test Date:		Leak Expire Date:		Pipe Wall Size:	
Catastrophic Leak Detection:		Cat Leak Test Date:			

Inspections [Click here for login page](#)

Trans ID	Type	Status	Date Fiscal Yr
1182893	SA		2006

Comm. 10 Notification Record

Personal information you provide may be used for secondary purposes [Privacy Law, s.15.04 (1)(m)].

TO: James Daniels OFFICE LOCATION: Montello WI

LOCATION / IDENTIFICATION (Please print or type) 608-297-7938 FAX

Site Name <u>Krause Publications</u>		Owner Name <u>Krause Publications</u>	
Site Street Address <u>700 E State St.</u>		Owner Street or P.O. Address <u>700 E State St.</u>	
<input type="checkbox"/> City <u>Tola</u>	<input type="checkbox"/> Village <u>WI</u>	<input type="checkbox"/> Town of:	<input type="checkbox"/> City <u>Tola</u>
<input type="checkbox"/> County <u>Waupaca</u>	<input type="checkbox"/> Zip Code <u>54990</u>	<input type="checkbox"/> State <u>WI</u>	<input type="checkbox"/> Zip Code <u>54990</u>
		<input type="checkbox"/> Telephone <u>(715) 445-2214</u>	
Fire Department providing fire protection coverage: <u>#6803 Waupaca Fire Dept.</u>			

Name of Contractor: Petroleum Equipment Service of Wisconsin, LLC

Address of Contractor: 712 Memorial Drive

City/Town: Green Bay, WI 54303

Telephone Number: (920) 499-5404 Fax Number: (920) 499-8048

Date work is to begin: 12/15/05 Thursday 9:00AM state removal

Comm. 10 certified project supervisor: Lester North / Arnie Koller

Project will involve:	No. of tanks		Plan Number	Approval Date
	UST	AST		
Tank Installation	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<u>1213763</u>	<u>11-17-05</u>
Piping Installation/Upgrade	<input type="checkbox"/>	<input type="checkbox"/>	_____	_____
Leak Detection Upgrade	<input type="checkbox"/>	<input type="checkbox"/>	_____	_____
Spill/Overfill Protection	<input type="checkbox"/>	<input type="checkbox"/>	_____	_____
Stage II Vapor Recovery	<input type="checkbox"/>	<input type="checkbox"/>	_____	_____
Tank Closure	<input checked="" type="checkbox"/>	<input type="checkbox"/>	_____	_____
Cathodic Protection/Lining	<input type="checkbox"/>	<input type="checkbox"/>	_____	_____

Remarks: Remove Degas + Clean (1) 1000gal UST. Backup Generator Tank.

Wisconsin Department of Commerce
Environmental & Regulatory Services Division
Bureau of Storage Tank Regulation

Noel Versich
433-9030



State of Wisconsin \ DEPARTMENT OF NATURAL RESOURCES

Jim Doyle, Governor
Scott Hassett, Secretary
Ronald W. Kazmierczak, Regional Director

Northeast Region Headquarters
2984 Shawano Ave., P.O. Box 10448
Green Bay, Wisconsin 54307-0448
Telephone 920-662-5100
FAX 920-662-5413
TTY Access via relay - 711

January 3, 2006

F & W Publications, Inc.
Attn: Steven Haunschild
700 E State St
Iola WI 54990-0001

Subject: Reported Contamination at F & W Publications Inc, Iola Vil, Wisconsin
WDNR BRRTS #: 03-69-544609

Dear Mr. Haunschild:

On December 19, 2005 Chad M. Fradette of Bay Environmental Strategies, Inc. notified the Wisconsin Department of Natural Resources (WDNR) that fuel oil contamination had been detected at the site listed above.

Based on the information submitted to the WDNR, we believe you are responsible for restoring the environment at the referenced site under s. 292, Wis. Stats., known as the hazardous substances spills law.

This letter describes your legal responsibilities, explains what you need to do to investigate and clean up the contamination, and provides you with information about cleanups, environmental consultants, possible financial assistance, and working cooperatively with the WDNR and Department of Commerce (Commerce).

Legal Responsibilities:

Your legal responsibilities are defined both in statute and in administrative codes. The hazardous substances spill law, s. 292.11 (3) Wis. Stats., states:

- **RESPONSIBILITY.** A person who possesses or controls a hazardous substance which is discharged or who causes the discharge of a hazardous substance shall take the actions necessary to restore the environment to the extent practicable and minimize the harmful effects from the discharge to the air, lands, or waters of the state.

Wisconsin Administrative Code chapters NR 700 through NR 749 establish requirements for emergency and interim actions, public information, site investigations, design and operation of remedial action systems, and case closure. Chapter NR 708, Wis. Adm. Code, includes provisions for immediate actions in response to limited contamination. Wisconsin Administrative Code chapter NR 140 establishes groundwater standards for contaminants that reach groundwater.

Steps to Take:

The longer contamination is left in the environment the farther it can spread and the more it may cost to clean up. Quick action may lessen damage to your property and neighboring properties and reduce your costs in investigating and cleaning up the contamination. To ensure that your cleanup complies with Wisconsin's laws and administrative codes, you should hire a professional environmental consultant who understands what needs to be done. These are the first steps to take:

1. Within the next **30 days of the date of this letter**, you should submit written verification (such as a letter from the consultant) that you have hired an environmental consultant.
2. Within the next **60 days of the date of this letter**, your consultant should submit a workplan and schedule for the investigation. The consultant must follow the WDNR administrative codes and may rely on Department technical guidance documents. To facilitate prompt agency review of your reports, your consultant should use the site investigation and closure formats which are available on-line at www.dnr.state.wi.us.

Once an investigation has established the degree and extent of contamination involved at your site, your consultant will be able to determine whether Commerce or the WDNR has authority over the case.

3. Within 30 days of completion of the site investigation, you or your consultant must provide a brief report at least every 90 days per s. NR 724.13(3), Wis. Adm. Code. Quarterly reports need only include one or two pages of text, plus any relevant maps and tables. Should conditions at your site warrant, we may require more frequent contacts.
4. Sites where discharges to the environment have been reported are entered into the Bureau for Remediation and Redevelopment Tracking System (BRRTS), a version of which appears on the WDNR's Internet site. You may view the information related to your site at any time (<http://botw.dnr.state.wi.us/botw/Welcome.do>) and use the feedback system to alert us to any errors in the data.

If you request a formal response from the agency on a specific submittal, please be aware that a review fee is required in accordance with s. NR 749, Wis. Adm. Code. If a fee is not submitted with your reports, you should proceed under the advice of your consultant to complete the site investigation to maintain your compliance with the spills law and chs. NR 700 through NR 749, Wis. Adm. Code. **Do not delay the investigation of your site by waiting for an agency response.** We have provided detailed technical guidance to environmental consultants. Your consultant is expected to know our technical procedures and administrative codes and should be able to answer your questions on meeting cleanup requirements.

All correspondence regarding this site should be sent to:

Tom Sturm
Remediation and Redevelopment Program
Wisconsin Department of Natural Resources
647 Lakeland Rd, Shawano WI 54166
#715-526-4230

Unless otherwise requested, please send only one copy of plans and reports. To speed processing, correspondence should reference the BRRTS and FID numbers (if assigned) shown at the top of this letter.

Additional Information for Site Owners:

Information to help you select a consultant, materials on controlling costs, understanding the cleanup process, and choosing a site cleanup method are enclosed. In addition, *Fact Sheet 2 - Voluntary Party Remediation and Exemption from Liability* is enclosed and provides information on obtaining protection of limited liability under s. 292.15, Wis. Stats.

Financial Assistance:


Reimbursement from the Petroleum Environmental Cleanup Fund (PECFA) is available for some of the costs of cleaning up contamination from eligible petroleum storage tanks. Please refer to the enclosed information sheet entitled *Information About PECFA* for more information on eligibility and regulations for this program. For more information on the PECFA program, please call the Department of Commerce at 608-266-2424 or visit their web site at <http://www.commerce.state.wi.us> and select Petroleum Programs.

Drycleaning Sites:

Funding is also available for cleanup at some drycleaning sites.

Thank you for your cooperation. Call Tom Sturm at 715-526-4230 for more information on eligibility or visit the RR web site <http://www.dnr.state.wi.us/org/aw/rr>. You may also contact this person for all other questions regarding this letter.

Sincerely,



Denise D. Danelski
Program Assistant
Bureau for Remediation & Redevelopment

- Enclosures:
1. Selecting an Environmental Consultant
 2. Environmental Services Contractor List
 3. Information About PECFA
 4. Fact Sheet 2, VPLE
 5. Remediation & Redevelopment Program
 6. Environmental Contamination – The Basics

cc: Chad M. Fradette, Bay Environmental Strategies Inc, 529 S Jefferson St STE 10, Green Bay WI 54301
Tom Sturm - Shawano



VIA FAX

Date: 12/29/2005

To: RR Program Assistant

Fax: 662-5197

From: Chad Fradette

Bay Environmental Strategies, Inc.
529 South Jefferson Street, Suite 10
Green Bay, WI 54301
920-433-0300
920-433-9030 FAX

Pages: 12, including cover

*Additional information for 12/19
notification*

Release already reported.

This is a transmission from Bay Environmental Strategies, Inc. and may contain information that is privileged, confidential, and protected. If you are not the addressee, note that any disclosure, copying, distribution, or use of the contents of this message is prohibited. If you have received this transmission in error, please destroy it and notify us immediately at our telephone number (920) 433-0300 or Fax No.: (920) 433-9030.

State of Wisconsin
Department of Natural Resources

Fax Notification For Hazardous Substance Discharge (Non-Emergency Only)

Form 4400-225 (07-03) Page 1 of 2

Emergency Discharges / Spills should be reported via the 24-Hour Hotline: 1-800-943-0003

Notice: Hazardous substance discharges must be reported immediately according to the "Spills Law", s. 292.11 Wis. Stats., Section NR 706.05(1)(b), Wis. Adm. Code, requires that hazardous substance discharges are to be reported by one of three methods: telephoning the Department (toll free Spill Hotline number above), telefaxing a report to the Department or visiting a Department office in person. If you choose to notify the Department by telefax, you should use this form to be sure that all necessary information is included. However use of this form is not mandatory. Under s. 292.99, Wis. Stats., the penalty for violating the reporting requirements of ch. 292 Wis. Stats., shall be no less than \$10 nor more than \$5000 for each violation. Each day of continued violation is a separate offense. It is not the Department's intention to use any personally identifiable information from this form for any purpose other than program administration. However, information submitted on this form may also be made available to requesters under Wisconsin's Open Records Law (ss. 19.31 - 19.39, Wis. Stats.). Confirmatory laboratory data should be included with this form, to assist the DNR in processing this Hazardous Substance Release Notification.

Complete this form, **TYPE or PRINT LEGIBLY**. FAX it to the appropriate DNR region (see next page) **IMMEDIATELY** upon discovery of a potential release from (check one):

- Underground Petroleum Storage Tank System
- Aboveground Petroleum Storage Tank System
- Dry Cleaner Facility (DERP eligibility based on: Facility owner/operator Property owner of licensed facility)
- Other - Describe:

TO DNR, ATTN: **R & R Program Assistant**

(Area Code) FAX Number
662-5197

1. Discharge reported by:

Name	Chad M. Fradette	Firm	Bay Environmental Strat.	Date FAXed to DNR	12/19/2005
------	-------------------------	------	---------------------------------	-------------------	-------------------

Mailing Address	529, S. Jefferson St, Ste 10, Green Bay WI 54301			(Area Code) Phone Number	920-593-2632
-----------------	---	--	--	--------------------------	---------------------

2. Site information

Name of site at which discharge occurred. Include local name of site/business, not responsible party name, unless a residence / vacant property **F & W Publications, Inc.**

Location: Include street address, not PO Box. If no street address, describe as precisely as possible, i.e., 1/4 mile NW of CTHs 60 & 123 on E side of CTH 60

700 East State Street

Municipality (City, Village, Township) Specify municipality in which the site is located, not mailing address/city

Iola, Village of

County:	Waupaca	Legal Description:	_____ 1/4, _____ 1/4, Section 36 , Tn 24 , Range 11 <input checked="" type="checkbox"/> W (circle one)		
---------	----------------	--------------------	---	--	--

3. Responsible Party (RP) and/or RP Representative

Responsible Party Name; Business or owner name that is responsible for cleanup. If more than one, list all Attach additional pages as necessary

F + W Publications, Inc.

Reported in compliance with s. 292.11(2), Wis. Stats., by a local government exempt from liability under s. 292.11(9)(e), Wis. Stats. For more information see http://dnr.wi.gov/org/aw/r/r/liability/muni_1.html

Contact Person Name (if different)	Steven Haunschild		Phone Number	715-445-4612 ext 402	
Mailing Address	City	State	ZIP Code		
700 East State St.	Iola	WI	54990-0001		

State of Wisconsin
Department of Natural Resources

Fax Notification For Hazardous Substance Discharge (Non-Emergency Only)

Form 4400-225 (07-03) Page 2 of 2

4. Hazardous Substance Impact Information

Identify hazardous substance discharged (check all that apply):

METALS

- Arsenic
- Chromium
- Lead
- Mercury
- Metals (specify): _____

INDUSTRIAL CHEMICALS

- Ammonia
- Cyanide
- Paint
- PCB's
- VOC's
- Fertilizers
- Pesticide/Herbicide/Insecticide(s)
- Leachate
- RCRA Hazardous Waste

PETROLEUM

- Diesel/Fuel Oil
- Engine Oil/Waste Oil
- Mineral/Transmission/Hydraulic Oil
- Gasoline (Pb/Non-Pb/Unknown)
- Jet Fuel/Kerosene
- MTBE
- VOC's
- PAH's/SVOC
- Petroleum-Unknown Type
- Unknown
- Other (specify): _____

SOLVENTS

- Solvent-Chlorinated
- Solvent-Non Chlorinated
- PERC
- VOC's

Impacts to the environment (enter "K" for known/confirmed or "P" for potential for all that apply)

- | | | |
|--|---|---|
| <input type="checkbox"/> Air Contamination | <input type="checkbox"/> Contamination in Right of Way | <input type="checkbox"/> Sanitary Sewer Contamination |
| <input type="checkbox"/> Co-contamination | <input checked="" type="checkbox"/> Direct Contact | <input checked="" type="checkbox"/> Soil Contamination |
| <input type="checkbox"/> Concrete/Asphalt | <input type="checkbox"/> Expanding Plume | <input type="checkbox"/> Storm Sewer Contamination |
| <input checked="" type="checkbox"/> Contained/Recovered | <input type="checkbox"/> Fire Explosion Threat | <input type="checkbox"/> Surface Water Contamination |
| <input type="checkbox"/> Contamination Within 1 Meter of Bedrock | <input checked="" type="checkbox"/> Free Product | <input type="checkbox"/> Within 100 ft of Private Well |
| <input type="checkbox"/> Contaminated Private Well | <input checked="" type="checkbox"/> Groundwater Contamination | <input checked="" type="checkbox"/> Within 1000 ft of Public Well |
| <input type="checkbox"/> Contaminated Public Well | <input type="checkbox"/> Off-Site Contamination | |
| <input type="checkbox"/> Contamination in Fractured Bedrock | <input type="checkbox"/> Other | |

Contamination was discovered as a result of:

- Tank closure assessment
- Site assessment
- Other -- Describe: _____

Date 12/16/05

Lab results:

- Lab results will be faxed upon receipt
- Lab results are attached

Additional Comments: Include a brief description of immediate actions taken to halt the release and contain or cleanup hazardous substances that have been discharged.

*Overexcavation and stockpiling of soils
closure samples taken*

FAX numbers to report non-emergency releases in DNR's five regions are as follows:

Northeast Region (920-662-5197); Attention - RR Program Assistant:

Brown, Calumet, Door, Fond du Lac (*except City of Waupun - see South Central Region*), Green Lake, Kewaunee, Manitowoc, Marinette, Marquette, Menominee, Oconto, Outagamie, Shawano, Waupaca, Waushara, Winnebago counties

Northern Region (715-365-8932); Attention - RR Program Assistant:

Ashland, Barron, Bayfield, Burnett, Douglas, Forest, Florence, Iron, Langlade, Lincoln, Oneida, Polk, Price, Rusk, Sawyer, Taylor, Vilas, Washburn counties

South Central Region (608-275-3338); Attention - RR Program Assistant:

Columbia, Dane, Dodge, Fond du Lac (*City of Waupun only*), Grant, Green, Iowa, Jefferson, Lafayette, Richland, Rock, Sauk counties

Southeast Region (414-263-8483); Attention - RR Program Assistant:

Kenosha, Milwaukee, Ozaukee, Racine, Sheboygan, Walworth, Washington, Waukesha counties

West Central Region (715-839-6076); Attention - RR Program Assistant:

Adams, Buffalo, Chippewa, Clark, Crawford, Dunn, Eau Claire, Jackson, Juneau, LaCrosse, Marathon, Monroe, Pepin, Pierce, Portage, St. Croix, Trempealeau, Vernon, Wood counties

**Pace Analytical
Services, Inc.**

Preliminary Analytical Report Number: 867563

1241 Bellevue Street
Green Bay, WI 54302
920-469-2436

Client: BAY ENVIRONMENTAL STRATEGIES

Project Name: F & W PUBLICATIONS, INC.

Project Number:

Field ID: TANK WEST END

Matrix Type: SOIL

Collection Date: 12/16/05

Report Date: 12/20/05

Lab Sample Number: 867563-001

INORGANICS

Test	Result	LOD	LOQ	EQL	Dil.	Units	Code	Anl Date	Prep Method	Anl Method
Percent Solids	88.5				1	%		12/20/05	SM M2540G	SM M2540G

DIESEL RANGE ORGANICS

Preservation Date: 12/19/05

Prep Date: 12/19/05

Analyte	Result	LOD	LOQ	EQL	Dil.	Units	Code	Anl Date	Prep Method	Anl Method
Diesel Range Organics	4600			190	50	mg/kg		12/20/05	WI MOD DRO	WI MOD DRO
DRO Blank	< 5.0			5.0	1	mg/kg		12/20/05	WI MOD DRO	WI MOD DRO
DRO Blank Spike	85				1	%Recov		12/20/05	WI MOD DRO	WI MOD DRO
DRO Blank Spike Duplicate	77				1	%Recov		12/20/05	WI MOD DRO	WI MOD DRO

PVOC + NAPHTHALENE

Prep Date: 12/20/05

Analyte	Result	LOD	LOQ	EQL	Dil.	Units	Code	Anl Date	Prep Method	Anl Method
1,2,4-Trimethylbenzene	5900	230	540		400	ug/kg	KO	12/20/05	SCREEN	SCREEN
1,3,5-Trimethylbenzene	2400	230	540		400	ug/kg	KO	12/20/05	SCREEN	SCREEN
Benzene	< 200	200	480		400	ug/kg	KO	12/20/05	SCREEN	SCREEN
Ethylbenzene	470	230	540		400	ug/kg	QKO	12/20/05	SCREEN	SCREEN
Methyl-tert-butyl-ether	< 200	200	480		400	ug/kg	KO	12/20/05	SCREEN	SCREEN
Naphthalene	4900	230	540		400	ug/kg	KO	12/20/05	SCREEN	SCREEN
Toluene	< 200	200	480		400	ug/kg	KO	12/20/05	SCREEN	SCREEN
Xylene, o	1200	230	540		400	ug/kg	KO	12/20/05	SCREEN	SCREEN
Xylenes, m + p	1900	450	1100		400	ug/kg	KO	12/20/05	SCREEN	SCREEN
Surrogate		LCL	UCL							
a,a,a-Trifluorotoluene	104	80	119		1	%	D	12/20/05	SCREEN	SCREEN

All soil results are reported on a dry weight basis unless otherwise noted.



CHAIN-OF-CUSTODY / Analytical Request Document

The Chain-of-Custody is a LEGAL DOCUMENT. All relevant fields must be completed accurately.

Page: of

935096

Section A

Required Client Information:

Company: Bay Environmental Strategies
 Address: 529 S. Jefferson St Ste 10
 Green Bay, WI 54301
 Email: cmfradette@bayenvironmental.com
 Phone: 920-593-2632 Fax: 920-433-9030

Section B

Required Project Information:

Report To: Chad Fradette
 Copy To: Same
 Project Name: F&W Publications, Inc.
 Project Number:
 Purchase Order No:
 Requested Due Date/TAT: #1 sample - AT, others - normal

Section C

Invoice Information:

Attention:
 Company Name:
 Address:
 Pace Quote Reference:
 Pace Project Manager: Brian Barten
 Pace Profile #:

REGULATORY AGENCY

NPDES GROUND WATER DRINKING WATER
 UST RCRA Other

SITE LOCATION

IGA IIL IN MI MN NC
 OH SC WI OTHER

Section D Required Client Information

SAMPLE ID

One Character per box.
(A-Z, 0-9, -)

Samples IDs MUST BE UNIQUE

Valid Matrix Codes
 MATRIX CODE
 DRINKING WATER DW
 WATER WT
 WASTE WATER WW
 PRODUCT P
 SOIL/SOLID SL
 OIL OL
 WIPE WP
 AIR AR
 OTHER OT
 TISSUE TS

ITEM #	SAMPLE ID	MATRIX CODE	SAMPLE TYPE G=GRAV G=COMP	COLLECTED				SAMPLE TEMP AT COLLECTION	# OF CONTAINERS	Preservatives							Filtered (Y/N)	Requested Analysis:	Reservoir Volume (Y/N)	Pace Project Number 867563 Lab ID	
				COMPOSITE START		COMPOSITE END/GRAB				Unpreserved	H ₂ SO ₄	HNO ₃	HCl	NaOH	Mg+Sr+O ₃	Methano.					Other
				DATE	TIME	DATE	TIME														
1	TANK WEST END	001	SLG	12/16	11:00			3	X									1-AD22MAY ^A , 1-202 ^A , 1-ADMI ^F			
2	NORTH 6'	002	SL	12/16	12:00																
3	SOUTH 6'	003	SL																		
4	EAST 6'	004	SL																		
5	WEST 6'	005	SL																		
6	BOTTOM 8'	006	SL																		
7	BLANK	007	-																		

Additional Comments:

#1 - saturated with fuel oil
 #1 -> Quick turn sample for 12/20
 WI Peeta

RELEASING BY / AFFILIATION	DATE	TIME	ACCEPTED BY / AFFILIATION	DATE	TIME	SAMPLE CONDITION
Chad Fradette	12/19	10:28	J. M. M...	12/19/15	10:28	10' (C) (C)

SAMPLER NAME AND SIGNATURE

PRINT NAME OF SAMPLER: Chad Fradette
 SIGNATURE OF SAMPLER: [Signature]

DATE Signed: 12/19/2015

Temp in °C: _____
 Received or Ice: _____
 Custom Sealed Cooler: _____
 Samples Intact: _____

SEE REVERSE SIDE FOR INSTRUCTIONS

ORIGINAL

Dec 29 05 11:33a



Special Waste Profile Sheet

PROFILE #	
Original submittal	<input type="checkbox"/>
Recertification	<input type="checkbox"/>
One time project	<input type="checkbox"/>

Designated Facility: Onyx Cranberry Creek Landfill, LLC

Sales Representative: Mike Hack

****Please Complete All Areas****

A. Generator

Name Bay Environmental Strategies
 Site Address 700 East State Street
 City, State, Zip Jala, WI 54990-0001
 Contact Chad M. Fradette
 Phone 920-593-2632
 Fax 920-433-9030
 E-mail cmfradette@bayenvironmental.com

B. Billing

Name F+W Publications, Inc.
 Address 700 East State St.
 City, State, Zip Jala, WI 54990-0001
 Contact Steven Haunschild
 Phone 715-445-4612 x402
 Fax 715-445-2271
 E-mail steven.haunschild@fwpubs.com

C. Description of Waste

Name of Waste Fuel oil contaminated soil
 Estimated Volume 5 yards
 Frequency once
 Physical State soil - silt/sand Color N/A
 Flash Point (°F) N/A pH N/A

Process Generating Waste UST removal excavated soil
 Free Liquids N/A
 Total Solids 88.5%

D. Other Waste Data or Comments

N/A

E. Sample Information

Check all that apply:

- Sample submitted with profile Laboratory Analysis submitted Material Safety Data Sheet Submitted

Laboratory Name Pace Analytical Sample Date 12/16/05 Sample I.D. 867563-001

F. Generator Certifications

1. This waste is not a hazardous waste as defined in Wisconsin Administrative Code NR 605 or 40 CFR 261.
2. This waste does not contain regulated quantities of PCB's.
3. This waste does not contain regulated quantities of herbicides or pesticides
4. This waste does not contain regulated quantities of F500 solvents as specified in Wisconsin Administrative Code NR 605.
5. This waste does not contain infectious wastes as defined in Wisconsin Administrative Code NR 526.
6. All information submitted in this and all attached documents contains true and accurate descriptions of this waste. Any sample submitted is representative as defined in 40 CFR 261 - Appendix 1 and was obtained by using this or an equivalent sampling method. All relevant information regarding known or suspected hazards in the possession of the generator has been disclosed.

Generators Signature Chad M. Fradette Title Project Manager

Print Name Chad M. Fradette Date 12/21/2005

G. Landfill Approval

My approval is based upon the laboratory analysis of a representative sample and/or material safety data sheets submitted by the generator.

Landfill Signature _____ Date _____
 Approvals Signature _____ Date _____
 Waste Category _____ Analytical Protocol _____ Disposal Operation _____ Recert. Date _____

12/22/2005 08:56

661962

ONYX APPROVALS

PAGE 01

Dec 21 05 03:18p

2



Special Waste Profile Sheet

PROFILE #	
Original submitted	<input type="checkbox"/>
Re-identification	<input type="checkbox"/>
One time project	<input checked="" type="checkbox"/>

Designated Facility: Onyx Cranberry Creek Landfill, LLC

Sales Representative: Mike Beck

****Please Complete All Areas****

A. Generator

Name Bay Environmental Strategies
 Site Address 300 East State Street
 City, State, Zip Waukegan, WI 54990-0001
 Contact Chad M. Fratette
 Phone 920-543-2617
 Fax 920-543-9030
 E-mail contact@bayenvironmental.com

B. Billing

Name E+W Environmental Services, Inc.
 Address 300 East State Street
 City, State, Zip Waukegan, WI 54990-0001
 Contact Steven Harnisch
 Phone 920-445-4613 x403
 Fax 920-445-2251
 E-mail steven.harnisch@eandw.com

C. Description of Waste

Name of Waste Fuel contaminated soil
 Estimated Volume 5 yds
 Frequency once
 Physical State soil, oil based
 Flash Point (°F) N/A

Process Generating Waste oil removal
PKCR-VS-337-0107
 Free Liquids N/A
 Total Solids 88.5%

D. Other Waste Data or Comments

N/A

E. Sample Information

Check all that apply:

- Sample submitted with profile Laboratory Analysis submitted Material Safety Data Sheet Submitted

Laboratory Name Env Analytical Sample Date 12/14/05 Sample I.D. 867563-001

F. Generator Certifications

- This waste is not a hazardous waste as defined in Wisconsin Administrative Code NR 505 or 40 CFR 261.
- This waste does not contain regulated quantities of PCB's.
- This waste does not contain regulated quantities of herbicides or pesticides.
- This waste does not contain regulated quantities of F500 solvents as specified in Wisconsin Administrative Code NR 505.
- This waste does not contain infectious wastes as defined in Wisconsin Administrative Code NR 528.
- All information submitted in this and all attached documents contains true and accurate descriptions of this waste. Any sample submitted is representative as defined in 40 CFR 261 - Appendix 1 and was obtained by using this or an equivalent sampling method. All relevant information regarding known or suspected hazards in the possession of the generator has been disclosed.

Generator's Signature [Signature] Title Project Manager

Print Name Chad M. Fratette Date 12/14/05

G. Landfill Approval

My approval is based upon the laboratory analysis of a representative sample and/or material safety data sheets submitted by the generator.

Landfill Signature [Signature] Date 12/22/05
 Approval Signature [Signature] Date 12-22-05
 Waste Category PKCR Analytical Protocol Disposal Operation SLD Recert. Date N/A

12/21/05

State of Wisconsin
Department of Natural Resources


**NOTIFICATION TO TREAT OR DISPOSE OF
PETROLEUM CONTAMINATED SOIL & WATER**

Form 4500-168 2-98

This form is required by the Department of Natural Resources (DNR) to ensure that the remediation of petroleum contaminated soil and water is in compliance with NR 158, NR 500-540, NR 419 and NR 445, Wis. Adm. Code. Failure to comply with applicable statutes and administrative rules may lead to violations of chapters 285, 289, and 291, Wis. Stats. and may result in forfeitures of not less than \$10 or more than \$25,000 for each violation, pursuant to ss. 285.87(1), 291.97(1), and 299.97, Wis. Stats., or fines of not less than \$100 or more than \$150,000 or imprisonment for not more than 10 years, or both, pursuant to s. 291.97(2), Wis. Stats. Each day of a continuing violation constitutes a separate violation. Except for the remediation of virgin petroleum spills, this form needs to be submitted to the DNR 10 business days prior to the commencement of the remediation. Personally identifiable information found on this form is not intended to be used for any other purpose.

DIRECTIONS: 1) complete both sides of the form. 2) Have the responsible party sign the form. This signature certifies that the information on this form and in all supporting documents is accurate. 3) Submit the form with supporting documentation, lab reports and any maps to the appropriate Region Air Management Program at least 10 business days prior to the commencement of remediation. 4) Submit a copy of this form to the DNR project manager and retain a copy for your records.

PART I - GENERAL INFORMATION

Site Name & Address: <i>F+W Publications, Inc. 700 East State St. Jola, WI 54990-0001</i>	Date of Form Completion: <i>12/27/2005</i>
Site Number:	Do Other Remediation Systems Exist at This Site: <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No
County: <i>Waupaca</i>	Site Type: <input checked="" type="checkbox"/> LUST <input type="checkbox"/> ERP <input type="checkbox"/> CERCLA <input type="checkbox"/> Other, Explain:
Responsible Party Name & Address: <i>F+W Publications, Inc. Steven Haunschild 700 East State St. Jola, WI 54990-0001</i>	Responsible Party Signature:  Telephone Number: <i>(715) 445-4612 ex 402</i>
Consulting Firm Name & Address: <i>Bay Environmental Strategies, Inc. 524 S. Jefferson St., Ste 10 Green Bay, WI 54301</i>	Consulting Firm Contact: <i>Chad M. Fradette</i> Telephone Number: <i>(920) 593-2632</i>

PART II - SOIL AND WATER DATA (Attach Lab Reports and Calculations)

Type of Contamination:	<input type="checkbox"/> Gasoline	<input type="checkbox"/> Diesel	<input checked="" type="checkbox"/> Fuel Oil	<input type="checkbox"/> Waste Oil
	<input type="checkbox"/> Chlorinated Organics	<input type="checkbox"/> Other: _____		
Soil Concentration:				
GRO:	<i>4600</i> mg/kg/10 ⁶	x	2800 lb/yd ³	x <i>5</i> yd ³ = <i>64.4</i> lb
DRO:	<i>2200</i> mg/kg/10 ⁶	x	2800 lb/yd ³	x <i>5</i> yd ³ = <i>21.8</i> lb
Benzene:	<i>4900</i> mg/kg/10 ⁶	x	2800 lb/yd ³	x <i>5</i> yd ³ = <i>68.6</i> lb
Chlorinated Organics:	<i>naphthalene</i> mg/kg/10 ⁶	x	2800 lb/yd ³	x <i>5</i> yd ³ = _____ lb
Other:	<i>4900</i> mg/kg/10 ⁶	x	2800 lb/yd ³	x <i>5</i> yd ³ = _____ lb
Water Concentration:				
GRO:	_____ mg/L	DRO:	_____ mg/L	Benzene: _____ mg/L
Chlorinated Organics: _____ mg/L		Other: _____ mg/L		

PART III - TREATMENT OR DISPOSAL FACILITY INFORMATION

Treatment/Disposal Facility Name & Address: <i>Onyx Cranberry Creek Landfill 2510 Engel Rd. Wisconsin Rapids, WI 54495</i>	Facility ID: <i>2967</i>
Facility Contact: <i>MIKE HACK</i>	Air Pollution Control Permit Number:
Telephone Number: <i>(715) 421-3966</i>	Facility Located in 10-county Area in Southeast Wisconsin? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No
Headquarter Address:	Distance to Nearest Residence or Business:
	<u>Portable Sources Only:</u> Has a Portable Source Relocation Notification (Form -500-25) Been Submitted for This Location? <input type="checkbox"/> Yes <input type="checkbox"/> No

PART III - SOIL VACUUM EXTRACTION OR GROUNDWATER REMEDIATION

Site Contact:	<u>Proposed Operations:</u> (Attach Calculations)
Telephone Number: ()	Anticipated Start-Up Date:
Site Located in 10-county Area in Southeast Wisconsin? <input type="checkbox"/> Yes <input type="checkbox"/> No	Estimated Project Duration:
Distance to Nearest Residence or Business:	Number of Wells:
<u>Pilot Test/Soil Venting Only:</u> (Attach Lab Reports and Calculations)	Number of Emission Points:
Date of Test:	Stack Height:
Flow Rate (scfm):	Maximum Equipment Flow Rate (scfm or gpm):
Total Withdrawal of Air (scf):	Total VOC Emission Rate (lb/hr):
Total VOC Emission Rate (lb/hr):	Benzene Emission Rate (lb/hr):
Benzene Emission Rate (lb/hr):	Benzene Emission Rate (lb/yr):

PART III - OTHER REMEDIATION METHODS (Attach Lab Reports and Calculations)

Proposing Other Remediation Method? Yes No Method Name: _____

Attach a project description for other remediation methods including landspreading, passive aeration and bioremediation. At a minimum, the information submitted should include the following items (with any supporting lab reports and calculations):

- ✓ Address/Location of Remediation Site - Indicate if this location is in the 10-county area in Southeast Wisconsin and the distance to the nearest residence or business. Include a map or site plan if appropriate.
- ✓ Description of Remediation Method.
- ✓ Project Contact & Telephone Number.
- ✓ Anticipated Start-Up and Estimated Project Duration.
- ✓ Highest Estimated Hourly VOC Emissions.
- ✓ Highest Estimated Hourly and Annual Benzene Emissions.
- ✓ Emission Testing Methodology.
- ✓ Final Destination of Soil.

Dec 28 05 03:26p

p. 2

State of Wisconsin
Department of Natural Resources

**NOTIFICATION TO TREAT OR DISPOSE OF
PETROLEUM CONTAMINATED SOIL & WATER**
Form 4500-168 2-98

This form is required by the Department of Natural Resources (DNR) to ensure that the remediation of petroleum contaminated soil and water is in compliance with NR 158, NR 500-540, NR 419 and NR 445, Wis. Adm. Code. Failure to comply with applicable statutes and administrative rules may lead to violations of chapters 285, 289, and 291, Wis. Stats. and may result in forfeitures of not less than \$10 or more than \$25,000 for each violation, pursuant to ss. 285.87(1), 291.97(1), and 299.97, Wis. Stats., or fines of not less than \$100 or more than \$150,000 or imprisonment for not more than 10 years, or both, pursuant to s. 291.97(2), Wis. Stats. Each day of a continuing violation constitutes a separate violation. Except for the remediation of virgin petroleum spills, this form needs to be submitted to the DNR 10 business days prior to the commencement of the remediation. Personally identifiable information found on this form is not intended to be used for any other purpose.

DIRECTIONS: 1) complete both sides of the form. 2) Have the responsible party sign the form. This signature certifies that the information on this form and in all supporting documents is accurate. 3) Submit the form with supporting documentation, lab reports and any maps to the appropriate Region Air Management Program at least 10 business days prior to the commencement of remediation. 4) Submit a copy of this form to the DNR project manager and retain a copy for your records.

PART I - GENERAL INFORMATION

Site Name & Address: <i>F+W Publications, Inc. 700 East State St. Tolna, WI 54990-0001</i>	Date of Form Completion: <i>12/22/2005</i>
Site Number:	Do Other Remediation Systems Exist at This Site: <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No
County: <i>Waupaca</i>	Site Type: <input checked="" type="checkbox"/> LUST <input type="checkbox"/> ERP <input type="checkbox"/> CERCLA <input type="checkbox"/> Other, Explain:
Responsible Party Name & Address: <i>F+W Publications, Inc. Steven Haunschild 700 East State St. Tolna, WI 54990-0001</i>	Responsible Party Signature: <i>[Signature]</i> Telephone Number: <i>(715) 445-4612 ex 402</i>
Consulting Firm Name & Address: <i>Bug Environmental Strategies, Inc. 529 S. Jefferson St., Ste 10 Green Bay, WI 54301</i>	Consulting Firm Contact: <i>Chad M. Fradette</i> Telephone Number: <i>(920) 593-2632</i>

PART II - SOIL AND WATER DATA (Attach Lab Reports and Calculations)

Type of Contamination:	<input type="checkbox"/> Gasoline	<input type="checkbox"/> Diesel	<input checked="" type="checkbox"/> Fuel Oil	<input type="checkbox"/> Waste Oil			
	<input type="checkbox"/> Chlorinated Organics	<input type="checkbox"/> Other: _____					
Soil Concentration:							
GRO:	<u>4600</u> mg/kg/10 ⁶	x	2300 lb/yd ³	x	<u>5</u> yd ³	=	<u>64.4</u> lb
DRO:	<u>2200</u> mg/kg/10 ⁶	x	2300 lb/yd ³	x	<u>5</u> yd ³	=	<u>22.8</u> lb
Benzene:	<u>2200</u> mg/kg/10 ⁶	x	2300 lb/yd ³	x	<u>5</u> yd ³	=	<u>22.8</u> lb
Chlorinated Organics:	<u>napht/valene</u> mg/kg/10 ⁶	x	2300 lb/yd ³	x	<u>5</u> yd ³	=	<u>68.6</u> lb
Other:	<u>4900</u> mg/kg/10 ⁶	x	2300 lb/yd ³	x	<u>5</u> yd ³	=	<u>68.6</u> lb
Water Concentration:							
GRO:	_____ mg/L	DRO:	_____ mg/L	Benzene:	_____ mg/L		
Chlorinated Organics:		_____ mg/L		Other: _____ mg/L			



FAX

Onyx Cranberry Creek Landfill, LLC
2510 Engel Road
Wisconsin Rapids, WI 54495
Ofc: 715-421-3966
Fax: 715-423-0479

DATE: 12-28-05

TO: Chad

COMPANY: Bay Environmental

FAX NUMBER: (920) 433-9030

FROM: Serena

NO. OF PAGES: 2
(including cover sheet)

COMMENTS:

Please find attached the
Scale ticket you requested.
Let me know if you need
anything else.

Thanks,
Serena

The information contained in this facsimile message is intended for the use of the individual or entity named on this transmission sheet. It may contain information that is privileged and confidential. If the reader of this message is not the intended recipient, you are notified that any dissemination, distribution, or copying of this communication is strictly prohibited. If you have received this facsimile message in error, please notify us immediately by contacting the number listed above. Thank you

ONYX CRANBERRY CREEK LANDFILL, LLC
2510 ENGEL ROAD
WISCONSIN RAPIDS, WI 54495

0000 000000 0.00 D1

Ticket: 102551
000099 CASH
Reference: KRAUSE PUBLICATIONS

27 December 2005 3:36 pm
27 December 2005 3:58 pm

Gross Weight: 34,820.00 lb
Tare Weight: 16,060.00 lb
Net Weight: 18,760.00 lb 9.38 TN

Vehicle: CASH
CASH CUSTOMER

Contract: 051298 BAY ENV.

Quantity	Unit	Description	Rate	Total
9.38	TN	C4 C-Soil/340 Fuel Oil	\$22.00	206.36
1.00	EA	EF ENVIRONMENTAL FEE	\$3.00	\$3.00
1.00	EA	Z0 PROFILE FEE	\$50.00	\$50.00

Net Amounts: \$259.36
60.64

SALES ARE FREE-TO GIVE AND RECEIVE!!
CERTIFIED WEIGHT TICKET
THANK YOU FOR YOUR BUSINESS.

Weighmaster: SONIA

Driver: _____

03-69-544609

State of Wisconsin
Department of Natural Resources

Fax Notification For Hazardous Substance Discharge
(Non-Emergency Only)

Form 4400-225 (07-03) Page 1 of 2

Emergency Discharges / Spills should be reported via the 24-Hour Hotline: 1-800-943-0003

Notice: Hazardous substance discharges must be reported immediately according to the "Spills Law", s. 292.11 Wis. Stats., Section NR 706.05(1)(b), Wis. Adm. Code, requires that hazardous substance discharges are to be reported by one of three methods: telephoning the Department (toll free Spill Hotline number above), telefaxing a report to the Department or visiting a Department office in person. If you choose to notify the Department by telefax, you should use this form to be sure that all necessary information is included. However use of this form is not mandatory. Under s. 292.99, Wis. Stats., the penalty for violating the reporting requirements of ch. 292 Wis. Stats., shall be no less than \$10 nor more than \$5000 for each violation. Each day of continued violation is a separate offense. It is not the Department's intention to use any personally identifiable information from this form for any purpose other than program administration. However, information submitted on this form may also be made available to requesters under Wisconsin's Open Records Law (ss. 19.31 - 19.39, Wis. Stats.). Confirmatory laboratory data should be included with this form, to assist the DNR in processing this Hazardous Substance Release Notification.

Complete this form. **TYPE or PRINT LEGIBLY.** FAX it to the appropriate DNR region (see next page) **IMMEDIATELY** upon discovery of a potential release from (check one):

- Underground Petroleum Storage Tank System
- Aboveground Petroleum Storage Tank System
- Dry Cleaner Facility (DERP eligibility based on: Facility owner/operator Property owner of licensed facility)
- Other - Describe:

TO DNR, ATTN: R & R Program Assistant

(Area Code) FAX Number
662-5197

1. Discharge reported by:

Name	Firm	Date FAXED to DNR
Chad M. Fradette	Bay Environmental Strat.	12/19/2005
Mailing Address	(Area Code) Phone Number	
529 S. Jefferson St, Ste 10, Green Bay WI 54301	920-593-2632	

2. Site Information

Name of site at which discharge occurred. Include local name of site/business, not responsible party name, unless a residence / vacant property

F & W Publications, Inc.

Location: Include street address, not PO Box. If no street address, describe as precisely as possible, i.e., 1/4 mile NW of CTHs 60 & 123 on E side of CTH 60.

700 East State Street

Municipality (City, Village, Township) Specify municipality in which the site is located, not mailing address/city

Iola, Village of

County:	Legal Description:
Waupaca	1/4, 1/4, Section 36, Tn 24, Range 11 (E) W (circle one)

3. Responsible Party (RP) and/or RP Representative

Responsible Party Name: Business or owner name that is responsible for cleanup. If more than one, list all. Attach additional pages as necessary

F + W Publications, Inc.

Reported in compliance with s. 292.11(2), Wis. Stats., by a local government exempt from liability under s. 292.11(9)(e), Wis. Stats. For more information see http://dnr.wi.gov/org/aw/rr/liability/muni_1.html

Contact Person Name (if different)	Phone Number		
Steven Haunschild	715-445-4612 ext 402		
Mailing Address	City	State	ZIP Code
700 East State St.	Iola	WI	54990-0001

State of Wisconsin
Department of Natural Resources

Fax Notification For Hazardous Substance Discharge
(Non-Emergency Only)

Form 4400-225 (07-03) Page 2 of 2

4. Hazardous Substance Impact Information

Identify hazardous substance discharged (check all that apply):

METALS

- Arsenic
- Chromium
- Lead
- Mercury
- Metals (specify): _____

INDUSTRIAL CHEMICALS

- Ammonia
- Cyanide
- Paint
- PCB's
- VOC's
- Fertilizers
- Pesticide/Herbicide/Insecticide(s)
- Leachate
- RCRA Hazardous Waste

PETROLEUM

- Diesel/Fuel Oil
- Engine Oil/Waste Oil
- Mineral/Transmission/Hydraulic Oil
- Gasoline (Pb/Non-Pb/Unknown)
- Jet Fuel/Kerosene
- MTBE
- VOC's
- PAH's/SVOC
- Petroleum-Unknown Type
- Unknown
- Other (specify): _____

SOLVENTS

- Solvent-Chlorinated
- Solvent-Non Chlorinated
- PERC
- VOC's

Impacts to the environment (enter "K" for known/confirmed or "P" for potential for all that apply)

- | | | |
|--|---|---|
| <input type="checkbox"/> Air Contamination | <input type="checkbox"/> Contamination in Right of Way | <input type="checkbox"/> Sanitary Sewer Contamination |
| <input type="checkbox"/> Co-contamination | <input checked="" type="checkbox"/> Direct Contact | <input checked="" type="checkbox"/> Soil Contamination |
| <input type="checkbox"/> Concrete/Asphalt | <input type="checkbox"/> Expanding Plume | <input type="checkbox"/> Storm Sewer Contamination |
| <input checked="" type="checkbox"/> Contained/Recovered | <input type="checkbox"/> Fire Explosion Threat | <input type="checkbox"/> Surface Water Contamination |
| <input type="checkbox"/> Contamination Within 1 Meter of Bedrock | <input checked="" type="checkbox"/> Free Product | <input type="checkbox"/> Within 100 ft of Private Well |
| <input type="checkbox"/> Contaminated Private Well | <input checked="" type="checkbox"/> Groundwater Contamination | <input checked="" type="checkbox"/> Within 1000 ft of Public Well |
| <input type="checkbox"/> Contaminated Public Well | <input type="checkbox"/> Off-Site Contamination | |
| <input type="checkbox"/> Contamination in Fractured Bedrock | <input type="checkbox"/> Other | |

Contamination was discovered as a result of:

- Tank closure assessment
- Site assessment
- Other - Describe: _____

Date 12/16/05

Lab results:

- Lab results will be faxed upon receipt
- Lab results are attached

Additional Comments: Include a brief description of immediate actions taken to halt the release and contain or cleanup hazardous substances that have been discharged.

*Overexcavation and stock piling of soils
closure samples taken*

FAX numbers to report non-emergency releases in DNR's five regions are as follows:

Northeast Region (920-662-5197); Attention - RR Program Assistant:

Brown, Calumet, Door, Fond du Lac (except City of Waupun - see South Central Region), Green Lake, Kewaunee, Manitowoc, Marinette, Marquette, Menominee, Oconto, Outagamie, Shawano, Waupaca, Waushara, Winnebago counties

Northern Region (715-365-8932); Attention - RR Program Assistant:

Ashland, Barron, Bayfield, Burnett, Douglas, Forest, Florence, Iron, Langlade, Lincoln, Oneida, Polk, Price, Rusk, Sawyer, Taylor, Vilas, Washburn counties

South Central Region (608-275-3338); Attention - RR Program Assistant:

Columbia, Dane, Dodge, Fond du Lac (City of Waupun only), Grant, Green, Iowa, Jefferson, Lafayette, Richland, Rock, Sauk counties

Southeast Region (414-263-8483); Attention - RR Program Assistant:

Kenosha, Milwaukee, Ozaukee, Racine, Sheboygan, Walworth, Washington, Waukesha counties

West Central Region (715-839-6076); Attention - RR Program Assistant:

Adams, Buffalo, Chippewa, Clark, Crawford, Dunn, Eau Claire, Jackson, Juneau, LaCrosse, Marathon, Monroe, Pepin, Pierce, Portage, St. Croix, Trempealeau, Vernon, Wood counties