

October 21, 2019

Kenneth Shimko  
Meridian Environmental Consulting, LLC  
2711 North Elco Rd  
Fall Creek, WI 54742

RE: Project: JULSON STORE  
Pace Project No.: 40195406

Dear Kenneth Shimko:

Enclosed are the analytical results for sample(s) received by the laboratory on September 18, 2019. The results relate only to the samples included in this report. Results reported herein conform to the most current, applicable TNI/NELAC standards and the laboratory's Quality Assurance Manual, where applicable, unless otherwise noted in the body of the report.

If you have any questions concerning this report, please feel free to contact me.

Sincerely,



Brian Basten  
brian.basten@pacelabs.com  
(920)469-2436  
Project Manager

Enclosures



## REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

## CERTIFICATIONS

Project: JULSON STORE

Pace Project No.: 40195406

---

### Green Bay Certification IDs

1241 Bellevue Street, Green Bay, WI 54302

Florida/NELAP Certification #: E87948

Illinois Certification #: 200050

Kentucky UST Certification #: 82

Louisiana Certification #: 04168

Minnesota Certification #: 055-999-334

New York Certification #: 12064

North Dakota Certification #: R-150

Virginia VELAP ID: 460263

South Carolina Certification #: 83006001

Texas Certification #: T104704529-14-1

Wisconsin Certification #: 405132750

Wisconsin DATCP Certification #: 105-444

USDA Soil Permit #: P330-16-00157

Federal Fish & Wildlife Permit #: LE51774A-0

---

## REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

## SAMPLE SUMMARY

Project: JULSON STORE

Pace Project No.: 40195406

Lab ID	Sample ID	Matrix	Date Collected	Date Received
40195406001	MW-1	Water	09/17/19 00:00	09/18/19 09:40
40195406002	MW-4	Water	09/17/19 00:00	09/18/19 09:40
40195406003	MW-5A	Water	09/17/19 00:00	09/18/19 09:40
40195406004	MW-5B	Water	09/17/19 00:00	09/18/19 09:40
40195406005	MW-6	Water	09/17/19 00:00	09/18/19 09:40
40195406006	MW-7	Water	09/17/19 00:00	09/18/19 09:40
40195406007	MW-8A	Water	09/17/19 00:00	09/18/19 09:40
40195406008	MW-8B	Water	09/17/19 00:00	09/18/19 09:40
40195406009	MW-9	Water	09/17/19 00:00	09/18/19 09:40
40195406010	MW-10A	Water	09/17/19 00:00	09/18/19 09:40
40195406011	MW-10B	Water	09/17/19 00:00	09/18/19 09:40
40195406012	MW-11A	Water	09/17/19 00:00	09/18/19 09:40
40195406013	MW-11B	Water	09/17/19 00:00	09/18/19 09:40
40195406014	TRIP BLANK	Water	09/17/19 00:00	09/18/19 09:40

## REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

### SAMPLE ANALYTE COUNT

Project: JULSON STORE

Pace Project No.: 40195406

Lab ID	Sample ID	Method	Analysts	Analytes Reported	Laboratory
40195406001	MW-1	EPA 6020	KXS	1	PASI-G
		EPA 8260	LAP	12	PASI-G
40195406002	MW-4	EPA 6020	KXS	1	PASI-G
		EPA 8260	LAP	12	PASI-G
40195406003	MW-5A	EPA 6020	KXS	1	PASI-G
		EPA 8260	LAP	12	PASI-G
40195406004	MW-5B	EPA 6020	KXS	1	PASI-G
		EPA 8260	LAP	12	PASI-G
40195406005	MW-6	EPA 6020	KXS	1	PASI-G
		EPA 8260	LAP	12	PASI-G
40195406006	MW-7	EPA 6020	KXS	1	PASI-G
		EPA 8260	LAP	12	PASI-G
40195406007	MW-8A	EPA 6020	KXS	1	PASI-G
		EPA 8260	LAP	12	PASI-G
40195406008	MW-8B	EPA 6020	KXS	1	PASI-G
		EPA 8260	LAP	12	PASI-G
40195406009	MW-9	EPA 6020	KXS	1	PASI-G
		EPA 8260	LAP	12	PASI-G
40195406010	MW-10A	EPA 6020	KXS	1	PASI-G
		EPA 8260	LAP	12	PASI-G
40195406011	MW-10B	EPA 6020	KXS	1	PASI-G
		EPA 8260	LAP	12	PASI-G
40195406012	MW-11A	EPA 6020	KXS	1	PASI-G
		EPA 8260	LAP	12	PASI-G
40195406013	MW-11B	EPA 6020	KXS	1	PASI-G
		EPA 8260	LAP	12	PASI-G
40195406014	TRIP BLANK	EPA 8260	LAP	12	PASI-G

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

## PROJECT NARRATIVE

Project: JULSON STORE

Pace Project No.: 40195406

---

**Method:** EPA 6020

**Description:** 6020 MET ICPMS, Dissolved

**Client:** Meridian Environmental Consulting, LLC

**Date:** October 21, 2019

**General Information:**

13 samples were analyzed for EPA 6020. All samples were received in acceptable condition with any exceptions noted below or on the chain-of custody and/or the sample condition upon receipt form (SCUR) attached at the end of this report.

**Hold Time:**

The samples were analyzed within the method required hold times with any exceptions noted below.

**Sample Preparation:**

The samples were prepared in accordance with EPA 3010 with any exceptions noted below.

**Initial Calibrations (including MS Tune as applicable):**

All criteria were within method requirements with any exceptions noted below.

**Continuing Calibration:**

All criteria were within method requirements with any exceptions noted below.

**Internal Standards:**

All internal standards were within QC limits with any exceptions noted below.

**Method Blank:**

All analytes were below the report limit in the method blank, where applicable, with any exceptions noted below.

**Laboratory Control Spike:**

All laboratory control spike compounds were within QC limits with any exceptions noted below.

**Matrix Spikes:**

All percent recoveries and relative percent differences (RPDs) were within acceptance criteria with any exceptions noted below.

**Additional Comments:**

## REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

## PROJECT NARRATIVE

Project: JULSON STORE

Pace Project No.: 40195406

---

**Method:** EPA 8260

**Description:** 8260 MSV UST

**Client:** Meridian Environmental Consulting, LLC

**Date:** October 21, 2019

**General Information:**

14 samples were analyzed for EPA 8260. All samples were received in acceptable condition with any exceptions noted below or on the chain-of custody and/or the sample condition upon receipt form (SCUR) attached at the end of this report.

**Hold Time:**

The samples were analyzed within the method required hold times with any exceptions noted below.

**Initial Calibrations (including MS Tune as applicable):**

All criteria were within method requirements with any exceptions noted below.

**Continuing Calibration:**

All criteria were within method requirements with any exceptions noted below.

**Internal Standards:**

All internal standards were within QC limits with any exceptions noted below.

**Surrogates:**

All surrogates were within QC limits with any exceptions noted below.

**Method Blank:**

All analytes were below the report limit in the method blank, where applicable, with any exceptions noted below.

**Laboratory Control Spike:**

All laboratory control spike compounds were within QC limits with any exceptions noted below.

**Matrix Spikes:**

All percent recoveries and relative percent differences (RPDs) were within acceptance criteria with any exceptions noted below.

**Additional Comments:**

This data package has been reviewed for quality and completeness and is approved for release.

## REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

### ANALYTICAL RESULTS

Project: JULSON STORE

Pace Project No.: 40195406

**Sample: MW-1**      **Lab ID: 40195406001**      Collected: 09/17/19 00:00      Received: 09/18/19 09:40      Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
<b>6020 MET ICPMS, Dissolved</b>		Analytical Method: EPA 6020    Preparation Method: EPA 3010							
Lead, Dissolved	<0.24	ug/L	1.0	0.24	1	10/09/19 05:56	10/10/19 02:30	7439-92-1	
<b>8260 MSV UST</b>		Analytical Method: EPA 8260							
Benzene	<0.25	ug/L	1.0	0.25	1		09/19/19 11:08	71-43-2	
Ethylbenzene	<0.22	ug/L	1.0	0.22	1		09/19/19 11:08	100-41-4	
Methyl-tert-butyl ether	<1.2	ug/L	4.2	1.2	1		09/19/19 11:08	1634-04-4	
Naphthalene	<1.2	ug/L	5.0	1.2	1		09/19/19 11:08	91-20-3	
Toluene	<0.17	ug/L	5.0	0.17	1		09/19/19 11:08	108-88-3	
1,2,4-Trimethylbenzene	<0.84	ug/L	2.8	0.84	1		09/19/19 11:08	95-63-6	
1,3,5-Trimethylbenzene	<0.87	ug/L	2.9	0.87	1		09/19/19 11:08	108-67-8	
m&p-Xylene	<0.47	ug/L	2.0	0.47	1		09/19/19 11:08	179601-23-1	
o-Xylene	<0.26	ug/L	1.0	0.26	1		09/19/19 11:08	95-47-6	
<b>Surrogates</b>									
Dibromofluoromethane (S)	104	%	70-130		1		09/19/19 11:08	1868-53-7	
Toluene-d8 (S)	101	%	70-130		1		09/19/19 11:08	2037-26-5	
4-Bromofluorobenzene (S)	84	%	70-130		1		09/19/19 11:08	460-00-4	

**Sample: MW-4**      **Lab ID: 40195406002**      Collected: 09/17/19 00:00      Received: 09/18/19 09:40      Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
<b>6020 MET ICPMS, Dissolved</b>		Analytical Method: EPA 6020    Preparation Method: EPA 3010							
Lead, Dissolved	<0.24	ug/L	1.0	0.24	1	10/09/19 05:56	10/10/19 02:58	7439-92-1	
<b>8260 MSV UST</b>		Analytical Method: EPA 8260							
Benzene	<0.25	ug/L	1.0	0.25	1		09/19/19 11:31	71-43-2	
Ethylbenzene	10.9	ug/L	1.0	0.22	1		09/19/19 11:31	100-41-4	
Methyl-tert-butyl ether	<1.2	ug/L	4.2	1.2	1		09/19/19 11:31	1634-04-4	
Naphthalene	3.4J	ug/L	5.0	1.2	1		09/19/19 11:31	91-20-3	
Toluene	0.57J	ug/L	5.0	0.17	1		09/19/19 11:31	108-88-3	
1,2,4-Trimethylbenzene	45.2	ug/L	2.8	0.84	1		09/19/19 11:31	95-63-6	
1,3,5-Trimethylbenzene	10.2	ug/L	2.9	0.87	1		09/19/19 11:31	108-67-8	
m&p-Xylene	41.6	ug/L	2.0	0.47	1		09/19/19 11:31	179601-23-1	
o-Xylene	0.61J	ug/L	1.0	0.26	1		09/19/19 11:31	95-47-6	
<b>Surrogates</b>									
Dibromofluoromethane (S)	93	%	70-130		1		09/19/19 11:31	1868-53-7	
Toluene-d8 (S)	104	%	70-130		1		09/19/19 11:31	2037-26-5	
4-Bromofluorobenzene (S)	91	%	70-130		1		09/19/19 11:31	460-00-4	

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

### ANALYTICAL RESULTS

Project: JULSON STORE

Pace Project No.: 40195406

**Sample: MW-5A**      **Lab ID: 40195406003**      Collected: 09/17/19 00:00      Received: 09/18/19 09:40      Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
<b>6020 MET ICPMS, Dissolved</b>		Analytical Method: EPA 6020    Preparation Method: EPA 3010							
Lead, Dissolved	<0.24	ug/L	1.0	0.24	1	10/09/19 05:56	10/10/19 03:12	7439-92-1	
<b>8260 MSV UST</b>		Analytical Method: EPA 8260							
Benzene	<0.25	ug/L	1.0	0.25	1		09/19/19 11:55	71-43-2	
Ethylbenzene	<0.22	ug/L	1.0	0.22	1		09/19/19 11:55	100-41-4	
Methyl-tert-butyl ether	<1.2	ug/L	4.2	1.2	1		09/19/19 11:55	1634-04-4	
Naphthalene	<1.2	ug/L	5.0	1.2	1		09/19/19 11:55	91-20-3	
Toluene	<0.17	ug/L	5.0	0.17	1		09/19/19 11:55	108-88-3	
1,2,4-Trimethylbenzene	<0.84	ug/L	2.8	0.84	1		09/19/19 11:55	95-63-6	
1,3,5-Trimethylbenzene	<0.87	ug/L	2.9	0.87	1		09/19/19 11:55	108-67-8	
m&p-Xylene	<0.47	ug/L	2.0	0.47	1		09/19/19 11:55	179601-23-1	
o-Xylene	<0.26	ug/L	1.0	0.26	1		09/19/19 11:55	95-47-6	
<b>Surrogates</b>									
Dibromofluoromethane (S)	101	%	70-130		1		09/19/19 11:55	1868-53-7	
Toluene-d8 (S)	100	%	70-130		1		09/19/19 11:55	2037-26-5	
4-Bromofluorobenzene (S)	88	%	70-130		1		09/19/19 11:55	460-00-4	

**Sample: MW-5B**      **Lab ID: 40195406004**      Collected: 09/17/19 00:00      Received: 09/18/19 09:40      Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
<b>6020 MET ICPMS, Dissolved</b>		Analytical Method: EPA 6020    Preparation Method: EPA 3010							
Lead, Dissolved	<0.24	ug/L	1.0	0.24	1	10/09/19 05:56	10/10/19 03:19	7439-92-1	
<b>8260 MSV UST</b>		Analytical Method: EPA 8260							
Benzene	<0.25	ug/L	1.0	0.25	1		09/19/19 10:44	71-43-2	
Ethylbenzene	<0.22	ug/L	1.0	0.22	1		09/19/19 10:44	100-41-4	
Methyl-tert-butyl ether	<1.2	ug/L	4.2	1.2	1		09/19/19 10:44	1634-04-4	
Naphthalene	<1.2	ug/L	5.0	1.2	1		09/19/19 10:44	91-20-3	
Toluene	<0.17	ug/L	5.0	0.17	1		09/19/19 10:44	108-88-3	
1,2,4-Trimethylbenzene	<0.84	ug/L	2.8	0.84	1		09/19/19 10:44	95-63-6	
1,3,5-Trimethylbenzene	<0.87	ug/L	2.9	0.87	1		09/19/19 10:44	108-67-8	
m&p-Xylene	<0.47	ug/L	2.0	0.47	1		09/19/19 10:44	179601-23-1	
o-Xylene	<0.26	ug/L	1.0	0.26	1		09/19/19 10:44	95-47-6	
<b>Surrogates</b>									
Dibromofluoromethane (S)	101	%	70-130		1		09/19/19 10:44	1868-53-7	
Toluene-d8 (S)	101	%	70-130		1		09/19/19 10:44	2037-26-5	
4-Bromofluorobenzene (S)	91	%	70-130		1		09/19/19 10:44	460-00-4	

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.



### ANALYTICAL RESULTS

Project: JULSON STORE

Pace Project No.: 40195406

**Sample: MW-6**      **Lab ID: 40195406005**      Collected: 09/17/19 00:00      Received: 09/18/19 09:40      Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
<b>6020 MET ICPMS, Dissolved</b>		Analytical Method: EPA 6020    Preparation Method: EPA 3010							
Lead, Dissolved	<0.24	ug/L	1.0	0.24	1	10/09/19 05:56	10/10/19 03:39	7439-92-1	
<b>8260 MSV UST</b>		Analytical Method: EPA 8260							
Benzene	<0.25	ug/L	1.0	0.25	1		09/19/19 12:19	71-43-2	
Ethylbenzene	<0.22	ug/L	1.0	0.22	1		09/19/19 12:19	100-41-4	
Methyl-tert-butyl ether	<1.2	ug/L	4.2	1.2	1		09/19/19 12:19	1634-04-4	
Naphthalene	<1.2	ug/L	5.0	1.2	1		09/19/19 12:19	91-20-3	
Toluene	<0.17	ug/L	5.0	0.17	1		09/19/19 12:19	108-88-3	
1,2,4-Trimethylbenzene	<0.84	ug/L	2.8	0.84	1		09/19/19 12:19	95-63-6	
1,3,5-Trimethylbenzene	<0.87	ug/L	2.9	0.87	1		09/19/19 12:19	108-67-8	
m&p-Xylene	<0.47	ug/L	2.0	0.47	1		09/19/19 12:19	179601-23-1	
o-Xylene	<0.26	ug/L	1.0	0.26	1		09/19/19 12:19	95-47-6	
<b>Surrogates</b>									
Dibromofluoromethane (S)	104	%	70-130		1		09/19/19 12:19	1868-53-7	
Toluene-d8 (S)	99	%	70-130		1		09/19/19 12:19	2037-26-5	
4-Bromofluorobenzene (S)	91	%	70-130		1		09/19/19 12:19	460-00-4	

**Sample: MW-7**      **Lab ID: 40195406006**      Collected: 09/17/19 00:00      Received: 09/18/19 09:40      Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
<b>6020 MET ICPMS, Dissolved</b>		Analytical Method: EPA 6020    Preparation Method: EPA 3010							
Lead, Dissolved	<0.24	ug/L	1.0	0.24	1	10/09/19 05:56	10/10/19 03:46	7439-92-1	
<b>8260 MSV UST</b>		Analytical Method: EPA 8260							
Benzene	<0.25	ug/L	1.0	0.25	1		09/19/19 12:42	71-43-2	
Ethylbenzene	<0.22	ug/L	1.0	0.22	1		09/19/19 12:42	100-41-4	
Methyl-tert-butyl ether	<1.2	ug/L	4.2	1.2	1		09/19/19 12:42	1634-04-4	
Naphthalene	<1.2	ug/L	5.0	1.2	1		09/19/19 12:42	91-20-3	
Toluene	<0.17	ug/L	5.0	0.17	1		09/19/19 12:42	108-88-3	
1,2,4-Trimethylbenzene	<0.84	ug/L	2.8	0.84	1		09/19/19 12:42	95-63-6	
1,3,5-Trimethylbenzene	<0.87	ug/L	2.9	0.87	1		09/19/19 12:42	108-67-8	
m&p-Xylene	<0.47	ug/L	2.0	0.47	1		09/19/19 12:42	179601-23-1	
o-Xylene	<0.26	ug/L	1.0	0.26	1		09/19/19 12:42	95-47-6	
<b>Surrogates</b>									
Dibromofluoromethane (S)	102	%	70-130		1		09/19/19 12:42	1868-53-7	
Toluene-d8 (S)	100	%	70-130		1		09/19/19 12:42	2037-26-5	
4-Bromofluorobenzene (S)	84	%	70-130		1		09/19/19 12:42	460-00-4	

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

### ANALYTICAL RESULTS

Project: JULSON STORE

Pace Project No.: 40195406

Sample: MW-8A Lab ID: 40195406007 Collected: 09/17/19 00:00 Received: 09/18/19 09:40 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
<b>6020 MET ICPMS, Dissolved</b>		Analytical Method: EPA 6020 Preparation Method: EPA 3010							
Lead, Dissolved	<0.24	ug/L	1.0	0.24	1	10/09/19 05:56	10/10/19 03:53	7439-92-1	
<b>8260 MSV UST</b>		Analytical Method: EPA 8260							
Benzene	0.51J	ug/L	1.0	0.25	1		09/19/19 13:06	71-43-2	
Ethylbenzene	0.47J	ug/L	1.0	0.22	1		09/19/19 13:06	100-41-4	
Methyl-tert-butyl ether	<1.2	ug/L	4.2	1.2	1		09/19/19 13:06	1634-04-4	
Naphthalene	3.3J	ug/L	5.0	1.2	1		09/19/19 13:06	91-20-3	
Toluene	0.24J	ug/L	5.0	0.17	1		09/19/19 13:06	108-88-3	
1,2,4-Trimethylbenzene	14.9	ug/L	2.8	0.84	1		09/19/19 13:06	95-63-6	
1,3,5-Trimethylbenzene	<0.87	ug/L	2.9	0.87	1		09/19/19 13:06	108-67-8	
m&p-Xylene	23.5	ug/L	2.0	0.47	1		09/19/19 13:06	179601-23-1	
o-Xylene	4.9	ug/L	1.0	0.26	1		09/19/19 13:06	95-47-6	
<b>Surrogates</b>									
Dibromofluoromethane (S)	98	%	70-130		1		09/19/19 13:06	1868-53-7	
Toluene-d8 (S)	102	%	70-130		1		09/19/19 13:06	2037-26-5	
4-Bromofluorobenzene (S)	91	%	70-130		1		09/19/19 13:06	460-00-4	

Sample: MW-8B Lab ID: 40195406008 Collected: 09/17/19 00:00 Received: 09/18/19 09:40 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
<b>6020 MET ICPMS, Dissolved</b>		Analytical Method: EPA 6020 Preparation Method: EPA 3010							
Lead, Dissolved	<0.24	ug/L	1.0	0.24	1	10/09/19 05:56	10/10/19 04:00	7439-92-1	
<b>8260 MSV UST</b>		Analytical Method: EPA 8260							
Benzene	<0.25	ug/L	1.0	0.25	1		09/19/19 13:30	71-43-2	
Ethylbenzene	<0.22	ug/L	1.0	0.22	1		09/19/19 13:30	100-41-4	
Methyl-tert-butyl ether	<1.2	ug/L	4.2	1.2	1		09/19/19 13:30	1634-04-4	
Naphthalene	<1.2	ug/L	5.0	1.2	1		09/19/19 13:30	91-20-3	
Toluene	<0.17	ug/L	5.0	0.17	1		09/19/19 13:30	108-88-3	
1,2,4-Trimethylbenzene	<0.84	ug/L	2.8	0.84	1		09/19/19 13:30	95-63-6	
1,3,5-Trimethylbenzene	<0.87	ug/L	2.9	0.87	1		09/19/19 13:30	108-67-8	
m&p-Xylene	<0.47	ug/L	2.0	0.47	1		09/19/19 13:30	179601-23-1	
o-Xylene	<0.26	ug/L	1.0	0.26	1		09/19/19 13:30	95-47-6	
<b>Surrogates</b>									
Dibromofluoromethane (S)	103	%	70-130		1		09/19/19 13:30	1868-53-7	
Toluene-d8 (S)	106	%	70-130		1		09/19/19 13:30	2037-26-5	
4-Bromofluorobenzene (S)	92	%	70-130		1		09/19/19 13:30	460-00-4	

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

### ANALYTICAL RESULTS

Project: JULSON STORE

Pace Project No.: 40195406

Sample: MW-9 Lab ID: 40195406009 Collected: 09/17/19 00:00 Received: 09/18/19 09:40 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
<b>6020 MET ICPMS, Dissolved</b>		Analytical Method: EPA 6020 Preparation Method: EPA 3010							
Lead, Dissolved	<0.24	ug/L	1.0	0.24	1	10/09/19 05:56	10/10/19 04:07	7439-92-1	
<b>8260 MSV UST</b>		Analytical Method: EPA 8260							
Benzene	1.1	ug/L	1.0	0.25	1		09/19/19 15:22	71-43-2	
Ethylbenzene	1.2	ug/L	1.0	0.22	1		09/19/19 15:22	100-41-4	
Methyl-tert-butyl ether	<1.2	ug/L	4.2	1.2	1		09/19/19 15:22	1634-04-4	
Naphthalene	<1.2	ug/L	5.0	1.2	1		09/19/19 15:22	91-20-3	
Toluene	0.36J	ug/L	5.0	0.17	1		09/19/19 15:22	108-88-3	
1,2,4-Trimethylbenzene	<0.84	ug/L	2.8	0.84	1		09/19/19 15:22	95-63-6	
1,3,5-Trimethylbenzene	<0.87	ug/L	2.9	0.87	1		09/19/19 15:22	108-67-8	
m&p-Xylene	0.99J	ug/L	2.0	0.47	1		09/19/19 15:22	179601-23-1	
o-Xylene	0.41J	ug/L	1.0	0.26	1		09/19/19 15:22	95-47-6	
<b>Surrogates</b>									
Dibromofluoromethane (S)	102	%	70-130		1		09/19/19 15:22	1868-53-7	
Toluene-d8 (S)	103	%	70-130		1		09/19/19 15:22	2037-26-5	
4-Bromofluorobenzene (S)	89	%	70-130		1		09/19/19 15:22	460-00-4	

Sample: MW-10A Lab ID: 40195406010 Collected: 09/17/19 00:00 Received: 09/18/19 09:40 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
<b>6020 MET ICPMS, Dissolved</b>		Analytical Method: EPA 6020 Preparation Method: EPA 3010							
Lead, Dissolved	<0.24	ug/L	1.0	0.24	1	10/09/19 05:56	10/10/19 04:14	7439-92-1	
<b>8260 MSV UST</b>		Analytical Method: EPA 8260							
Benzene	<0.25	ug/L	1.0	0.25	1		09/19/19 15:46	71-43-2	
Ethylbenzene	<0.22	ug/L	1.0	0.22	1		09/19/19 15:46	100-41-4	
Methyl-tert-butyl ether	<1.2	ug/L	4.2	1.2	1		09/19/19 15:46	1634-04-4	
Naphthalene	<1.2	ug/L	5.0	1.2	1		09/19/19 15:46	91-20-3	
Toluene	<0.17	ug/L	5.0	0.17	1		09/19/19 15:46	108-88-3	
1,2,4-Trimethylbenzene	<0.84	ug/L	2.8	0.84	1		09/19/19 15:46	95-63-6	
1,3,5-Trimethylbenzene	<0.87	ug/L	2.9	0.87	1		09/19/19 15:46	108-67-8	
m&p-Xylene	<0.47	ug/L	2.0	0.47	1		09/19/19 15:46	179601-23-1	
o-Xylene	<0.26	ug/L	1.0	0.26	1		09/19/19 15:46	95-47-6	
<b>Surrogates</b>									
Dibromofluoromethane (S)	102	%	70-130		1		09/19/19 15:46	1868-53-7	
Toluene-d8 (S)	104	%	70-130		1		09/19/19 15:46	2037-26-5	
4-Bromofluorobenzene (S)	88	%	70-130		1		09/19/19 15:46	460-00-4	

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

### ANALYTICAL RESULTS

Project: JULSON STORE

Pace Project No.: 40195406

**Sample: MW-10B**      **Lab ID: 40195406011**      Collected: 09/17/19 00:00      Received: 09/18/19 09:40      Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
<b>6020 MET ICPMS, Dissolved</b>		Analytical Method: EPA 6020    Preparation Method: EPA 3010							
Lead, Dissolved	<0.24	ug/L	1.0	0.24	1	10/09/19 05:56	10/10/19 04:21	7439-92-1	
<b>8260 MSV UST</b>		Analytical Method: EPA 8260							
Benzene	<0.25	ug/L	1.0	0.25	1		09/19/19 16:10	71-43-2	
Ethylbenzene	<0.22	ug/L	1.0	0.22	1		09/19/19 16:10	100-41-4	
Methyl-tert-butyl ether	<1.2	ug/L	4.2	1.2	1		09/19/19 16:10	1634-04-4	
Naphthalene	<1.2	ug/L	5.0	1.2	1		09/19/19 16:10	91-20-3	
Toluene	<0.17	ug/L	5.0	0.17	1		09/19/19 16:10	108-88-3	
1,2,4-Trimethylbenzene	<0.84	ug/L	2.8	0.84	1		09/19/19 16:10	95-63-6	
1,3,5-Trimethylbenzene	<0.87	ug/L	2.9	0.87	1		09/19/19 16:10	108-67-8	
m&p-Xylene	<0.47	ug/L	2.0	0.47	1		09/19/19 16:10	179601-23-1	
o-Xylene	<0.26	ug/L	1.0	0.26	1		09/19/19 16:10	95-47-6	
<b>Surrogates</b>									
Dibromofluoromethane (S)	104	%	70-130		1		09/19/19 16:10	1868-53-7	
Toluene-d8 (S)	101	%	70-130		1		09/19/19 16:10	2037-26-5	
4-Bromofluorobenzene (S)	85	%	70-130		1		09/19/19 16:10	460-00-4	

**Sample: MW-11A**      **Lab ID: 40195406012**      Collected: 09/17/19 00:00      Received: 09/18/19 09:40      Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
<b>6020 MET ICPMS, Dissolved</b>		Analytical Method: EPA 6020    Preparation Method: EPA 3010							
Lead, Dissolved	<0.24	ug/L	1.0	0.24	1	10/09/19 05:56	10/10/19 04:28	7439-92-1	
<b>8260 MSV UST</b>		Analytical Method: EPA 8260							
Benzene	<0.25	ug/L	1.0	0.25	1		09/19/19 16:33	71-43-2	
Ethylbenzene	<0.22	ug/L	1.0	0.22	1		09/19/19 16:33	100-41-4	
Methyl-tert-butyl ether	<1.2	ug/L	4.2	1.2	1		09/19/19 16:33	1634-04-4	
Naphthalene	<1.2	ug/L	5.0	1.2	1		09/19/19 16:33	91-20-3	
Toluene	<0.17	ug/L	5.0	0.17	1		09/19/19 16:33	108-88-3	
1,2,4-Trimethylbenzene	<0.84	ug/L	2.8	0.84	1		09/19/19 16:33	95-63-6	
1,3,5-Trimethylbenzene	<0.87	ug/L	2.9	0.87	1		09/19/19 16:33	108-67-8	
m&p-Xylene	<0.47	ug/L	2.0	0.47	1		09/19/19 16:33	179601-23-1	
o-Xylene	<0.26	ug/L	1.0	0.26	1		09/19/19 16:33	95-47-6	
<b>Surrogates</b>									
Dibromofluoromethane (S)	110	%	70-130		1		09/19/19 16:33	1868-53-7	
Toluene-d8 (S)	100	%	70-130		1		09/19/19 16:33	2037-26-5	
4-Bromofluorobenzene (S)	86	%	70-130		1		09/19/19 16:33	460-00-4	

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

### ANALYTICAL RESULTS

Project: JULSON STORE

Pace Project No.: 40195406

**Sample: MW-11B**      **Lab ID: 40195406013**      Collected: 09/17/19 00:00      Received: 09/18/19 09:40      Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
<b>6020 MET ICPMS, Dissolved</b>									
Analytical Method: EPA 6020      Preparation Method: EPA 3010									
Lead, Dissolved	<0.24	ug/L	1.0	0.24	1	10/09/19 05:56	10/10/19 04:35	7439-92-1	
<b>8260 MSV UST</b>									
Analytical Method: EPA 8260									
Benzene	<0.25	ug/L	1.0	0.25	1		09/19/19 16:57	71-43-2	
Ethylbenzene	<0.22	ug/L	1.0	0.22	1		09/19/19 16:57	100-41-4	
Methyl-tert-butyl ether	<1.2	ug/L	4.2	1.2	1		09/19/19 16:57	1634-04-4	
Naphthalene	<1.2	ug/L	5.0	1.2	1		09/19/19 16:57	91-20-3	
Toluene	<0.17	ug/L	5.0	0.17	1		09/19/19 16:57	108-88-3	
1,2,4-Trimethylbenzene	<0.84	ug/L	2.8	0.84	1		09/19/19 16:57	95-63-6	
1,3,5-Trimethylbenzene	<0.87	ug/L	2.9	0.87	1		09/19/19 16:57	108-67-8	
m&p-Xylene	<0.47	ug/L	2.0	0.47	1		09/19/19 16:57	179601-23-1	
o-Xylene	<0.26	ug/L	1.0	0.26	1		09/19/19 16:57	95-47-6	
<b>Surrogates</b>									
Dibromofluoromethane (S)	108	%	70-130		1		09/19/19 16:57	1868-53-7	
Toluene-d8 (S)	105	%	70-130		1		09/19/19 16:57	2037-26-5	
4-Bromofluorobenzene (S)	92	%	70-130		1		09/19/19 16:57	460-00-4	

**Sample: TRIP BLANK**      **Lab ID: 40195406014**      Collected: 09/17/19 00:00      Received: 09/18/19 09:40      Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
<b>8260 MSV UST</b>									
Analytical Method: EPA 8260									
Benzene	<0.25	ug/L	1.0	0.25	1		09/19/19 10:20	71-43-2	
Ethylbenzene	<0.22	ug/L	1.0	0.22	1		09/19/19 10:20	100-41-4	
Methyl-tert-butyl ether	<1.2	ug/L	4.2	1.2	1		09/19/19 10:20	1634-04-4	
Naphthalene	<1.2	ug/L	5.0	1.2	1		09/19/19 10:20	91-20-3	
Toluene	<0.17	ug/L	5.0	0.17	1		09/19/19 10:20	108-88-3	
1,2,4-Trimethylbenzene	<0.84	ug/L	2.8	0.84	1		09/19/19 10:20	95-63-6	
1,3,5-Trimethylbenzene	<0.87	ug/L	2.9	0.87	1		09/19/19 10:20	108-67-8	
m&p-Xylene	<0.47	ug/L	2.0	0.47	1		09/19/19 10:20	179601-23-1	
o-Xylene	<0.26	ug/L	1.0	0.26	1		09/19/19 10:20	95-47-6	
<b>Surrogates</b>									
Dibromofluoromethane (S)	98	%	70-130		1		09/19/19 10:20	1868-53-7	
Toluene-d8 (S)	98	%	70-130		1		09/19/19 10:20	2037-26-5	
4-Bromofluorobenzene (S)	88	%	70-130		1		09/19/19 10:20	460-00-4	

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

### QUALITY CONTROL DATA

Project: JULSON STORE  
Pace Project No.: 40195406

---

QC Batch: 336762 Analysis Method: EPA 6020  
QC Batch Method: EPA 3010 Analysis Description: 6020 MET Dissolved  
Associated Lab Samples: 40195406001, 40195406002, 40195406003, 40195406004, 40195406005, 40195406006, 40195406007, 40195406008, 40195406009, 40195406010, 40195406011, 40195406012, 40195406013

---

METHOD BLANK: 1955860 Matrix: Water  
Associated Lab Samples: 40195406001, 40195406002, 40195406003, 40195406004, 40195406005, 40195406006, 40195406007, 40195406008, 40195406009, 40195406010, 40195406011, 40195406012, 40195406013

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
Lead, Dissolved	ug/L	<0.24	1.0	10/10/19 02:17	

LABORATORY CONTROL SAMPLE: 1955861

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Lead, Dissolved	ug/L	500	471	94	80-120	

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 1955862 1955863

Parameter	Units	40195406001 Result	MS Spike Conc.	MSD Spike Conc.	MS Result	MSD Result	MS % Rec	MSD % Rec	% Rec Limits	RPD	Max RPD	Qual
Lead, Dissolved	ug/L	<0.24	500	500	486	474	97	95	75-125	2	20	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

### QUALITY CONTROL DATA

Project: JULSON STORE  
Pace Project No.: 40195406

QC Batch: 334496 Analysis Method: EPA 8260  
QC Batch Method: EPA 8260 Analysis Description: 8260 MSV UST-WATER  
Associated Lab Samples: 40195406001, 40195406002, 40195406003, 40195406004, 40195406005, 40195406006, 40195406007, 40195406008, 40195406009, 40195406010, 40195406011, 40195406012, 40195406013, 40195406014

METHOD BLANK: 1942145 Matrix: Water  
Associated Lab Samples: 40195406001, 40195406002, 40195406003, 40195406004, 40195406005, 40195406006, 40195406007, 40195406008, 40195406009, 40195406010, 40195406011, 40195406012, 40195406013, 40195406014

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
1,2,4-Trimethylbenzene	ug/L	<0.84	2.8	09/19/19 07:01	
1,3,5-Trimethylbenzene	ug/L	<0.87	2.9	09/19/19 07:01	
Benzene	ug/L	<0.25	1.0	09/19/19 07:01	
Ethylbenzene	ug/L	<0.22	1.0	09/19/19 07:01	
m&p-Xylene	ug/L	<0.47	2.0	09/19/19 07:01	
Methyl-tert-butyl ether	ug/L	<1.2	4.2	09/19/19 07:01	
Naphthalene	ug/L	<1.2	5.0	09/19/19 07:01	
o-Xylene	ug/L	<0.26	1.0	09/19/19 07:01	
Toluene	ug/L	<0.17	5.0	09/19/19 07:01	
4-Bromofluorobenzene (S)	%	86	70-130	09/19/19 07:01	
Dibromofluoromethane (S)	%	93	70-130	09/19/19 07:01	
Toluene-d8 (S)	%	102	70-130	09/19/19 07:01	

LABORATORY CONTROL SAMPLE: 1942146

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Benzene	ug/L	50	47.6	95	70-130	
Ethylbenzene	ug/L	50	56.7	113	80-124	
m&p-Xylene	ug/L	100	110	110	70-130	
Methyl-tert-butyl ether	ug/L	50	51.6	103	54-137	
o-Xylene	ug/L	50	55.3	111	70-130	
Toluene	ug/L	50	56.0	112	80-126	
4-Bromofluorobenzene (S)	%			103	70-130	
Dibromofluoromethane (S)	%			90	70-130	
Toluene-d8 (S)	%			104	70-130	

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 1942484 1942485

Parameter	Units	MS		MSD		MS % Rec	MSD % Rec	% Rec Limits	RPD	Max RPD	Qual	
		40195406004 Result	Spike Conc.	Spike Conc.	Result							Result
Benzene	ug/L	<0.25	50	50	45.8	46.2	92	92	70-130	1	20	
Ethylbenzene	ug/L	<0.22	50	50	54.9	56.6	110	113	80-125	3	20	
m&p-Xylene	ug/L	<0.47	100	100	109	112	109	112	70-130	3	20	
Methyl-tert-butyl ether	ug/L	<1.2	50	50	50.8	50.8	102	102	51-145	0	20	
o-Xylene	ug/L	<0.26	50	50	54.5	55.3	109	111	70-130	1	20	
Toluene	ug/L	<0.17	50	50	53.2	56.3	106	113	80-131	6	20	
4-Bromofluorobenzene (S)	%						99	103	70-130			

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

### QUALITY CONTROL DATA

Project: JULSON STORE

Pace Project No.: 40195406

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 1942484												1942485	
Parameter	Units	40195406004 Result	MS	MSD	MS Result	MSD Result	MS % Rec	MSD % Rec	% Rec Limits	RPD	Max RPD	Qual	
			Spike Conc.	Spike Conc.									
Dibromofluoromethane (S)	%							92	93	70-130			
Toluene-d8 (S)	%							100	103	70-130			

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.



## QUALIFIERS

Project: JULSON STORE

Pace Project No.: 40195406

---

### DEFINITIONS

DF - Dilution Factor, if reported, represents the factor applied to the reported data due to dilution of the sample aliquot.

ND - Not Detected at or above LOD.

J - Estimated concentration at or above the LOD and below the LOQ.

LOD - Limit of Detection adjusted for dilution factor, percent moisture, initial weight and final volume.

LOQ - Limit of Quantitation adjusted for dilution factor, percent moisture, initial weight and final volume.

S - Surrogate

1,2-Diphenylhydrazine decomposes to and cannot be separated from Azobenzene using Method 8270. The result for each analyte is a combined concentration.

Consistent with EPA guidelines, unrounded data are displayed and have been used to calculate % recovery and RPD values.

LCS(D) - Laboratory Control Sample (Duplicate)

MS(D) - Matrix Spike (Duplicate)

DUP - Sample Duplicate

RPD - Relative Percent Difference

NC - Not Calculable.

SG - Silica Gel - Clean-Up

U - Indicates the compound was analyzed for, but not detected at or above the adjusted LOD.

N-Nitrosodiphenylamine decomposes and cannot be separated from Diphenylamine using Method 8270. The result reported for each analyte is a combined concentration.

Pace Analytical is TNI accredited. Contact your Pace PM for the current list of accredited analytes.

TNI - The NELAC Institute.

### LABORATORIES

PASI-G Pace Analytical Services - Green Bay

## REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

### QUALITY CONTROL DATA CROSS REFERENCE TABLE

Project: JULSON STORE

Pace Project No.: 40195406

Lab ID	Sample ID	QC Batch Method	QC Batch	Analytical Method	Analytical Batch
40195406001	MW-1	EPA 3010	336762	EPA 6020	336849
40195406002	MW-4	EPA 3010	336762	EPA 6020	336849
40195406003	MW-5A	EPA 3010	336762	EPA 6020	336849
40195406004	MW-5B	EPA 3010	336762	EPA 6020	336849
40195406005	MW-6	EPA 3010	336762	EPA 6020	336849
40195406006	MW-7	EPA 3010	336762	EPA 6020	336849
40195406007	MW-8A	EPA 3010	336762	EPA 6020	336849
40195406008	MW-8B	EPA 3010	336762	EPA 6020	336849
40195406009	MW-9	EPA 3010	336762	EPA 6020	336849
40195406010	MW-10A	EPA 3010	336762	EPA 6020	336849
40195406011	MW-10B	EPA 3010	336762	EPA 6020	336849
40195406012	MW-11A	EPA 3010	336762	EPA 6020	336849
40195406013	MW-11B	EPA 3010	336762	EPA 6020	336849
40195406001	MW-1	EPA 8260	334496		
40195406002	MW-4	EPA 8260	334496		
40195406003	MW-5A	EPA 8260	334496		
40195406004	MW-5B	EPA 8260	334496		
40195406005	MW-6	EPA 8260	334496		
40195406006	MW-7	EPA 8260	334496		
40195406007	MW-8A	EPA 8260	334496		
40195406008	MW-8B	EPA 8260	334496		
40195406009	MW-9	EPA 8260	334496		
40195406010	MW-10A	EPA 8260	334496		
40195406011	MW-10B	EPA 8260	334496		
40195406012	MW-11A	EPA 8260	334496		
40195406013	MW-11B	EPA 8260	334496		
40195406014	TRIP BLANK	EPA 8260	334496		

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.



### Sample Preservation Receipt Form

Client Name: Meridian Env

Project # 4095406

All containers needing preservation have been checked and noted below:  Yes  No  N/A

Lab Lot# of pH paper: 1050891

Lab Std #ID of preservation (if pH adjusted):

Initial when completed: PG


Date/Time:

Pace Lab #	Glass							Plastic							Vials					Jars			General		VOA Vials (>6mm) *	H2SO4 pH ≤	NaOH+Zn Act pH ≥9	NaOH pH ≥12	HNO3 pH ≤	pH after adjusted	Volume (mL)				
	AG1U	AG1H	AG4S	AG4U	AG5U	AG2S	BG3U	BP1U	BP2N	BP2Z	BP3U	BP3B	BP3N	BP3S	DG9A	DG9T	VG9U	VG9H	VG9M	VG9D	JGFU	WGFU	WPFU	SP5T								ZPLC	GN		
001												-					✓																		2.5 / 5 / 10
002												-					✓																	2.5 / 5 / 10	
003												-					✓																	2.5 / 5 / 10	
004												-					✓																	2.5 / 5 / 10	
005												-					✓																	2.5 / 5 / 10	
006												-					✓																	2.5 / 5 / 10	
007												-					✓																	2.5 / 5 / 10	
008												-					✓																	2.5 / 5 / 10	
009												-					✓																	2.5 / 5 / 10	
010												-					✓																	2.5 / 5 / 10	
011												-					✓																	2.5 / 5 / 10	
012												-					✓																	2.5 / 5 / 10	
013												-					✓																	2.5 / 5 / 10	
014												-					✓																	2.5 / 5 / 10	
015												-					✓																	2.5 / 5 / 10	
016												-					✓																	2.5 / 5 / 10	
017												-					✓																	2.5 / 5 / 10	
018												-					✓																	2.5 / 5 / 10	
019												-					✓																	2.5 / 5 / 10	
020												-					✓																	2.5 / 5 / 10	

all in pH

Exceptions to preservation check:  VOA, Coliform, TOC, TOX, TOH, O&G, WIDRO, Phenolics, Other: \_\_\_\_\_ Headspace in VOA Vials (>6mm) :  Yes  No  N/A \*If yes look in headspace column

AG1U	1 liter amber glass	BP1U	1 liter plastic unpres	DG9A	40 mL amber ascorbic	JGFU	4 oz amber jar unpres
AG1H	1 liter amber glass HCL	BP2N	500 mL plastic HNO3	DG9T	40 mL amber Na Thio	WGFU	4 oz clear jar unpres
AG4S	125 mL amber glass H2SO4	BP2Z	500 mL plastic NaOH, Znact	VG9U	40 mL clear vial unpres	WPFU	4 oz plastic jar unpres
AG4U	120 mL amber glass unpres	BP3U	250 mL plastic unpres	VG9H	40 mL clear vial HCL		
AG5U	100 mL amber glass unpres	BP3B	250 mL plastic NaOH	VG9M	40 mL clear vial MeOH	SP5T	120 mL plastic Na Thiosulfate
AG2S	500 mL amber glass H2SO4	BP3N	250 mL plastic HNO3	VG9D	40 mL clear vial DI	ZPLC	ziploc bag
BG3U	250 mL clear glass unpres	BP3S	250 mL plastic H2SO4			GN:	

 1241 Bellevue Street, Green Bay, WI 54302	Document Name: <b>Sample Condition Upon Receipt (SCUR)</b>	Document Revised: 25Apr2018
	Document No.: <b>F-GB-C-031-Rev.07</b>	Issuing Authority: Pace Green Bay Quality Office

### Sample Condition Upon Receipt Form (SCUR)

**Client Name:** Meridian Bns.  
**Courier:**  CS Logistics  Fed Ex  Speedee  UPS  Walco  
 Client  Pace Other: \_\_\_\_\_

Project #: \_\_\_\_\_

**WO#: 40195406**



**Tracking #:** 7896 7110 0961  
**Custody Seal on Cooler/Box Present:**  yes  no    **Seals intact:**  yes  no  
**Custody Seal on Samples Present:**  yes  no    **Seals intact:**  yes  no  
**Packing Material:**  Bubble Wrap  Bubble Bags  None  Other

**Thermometer Used:** SR - NA    **Type of Ice:** Wet  Blue  Dry  None     Samples on ice, cooling process has begun  
**Cooler Temperature:** Uncorr: 26 / Corr: \_\_\_\_\_

**Temp Blank Present:**  yes  no    **Biological Tissue is Frozen:**  yes  no

**Person examining contents:**  
 Date: 9/18/19  
 Initials: PK

Temp should be above freezing to 6°C.  
 Biota Samples may be received at ≤ 0°C.

Chain of Custody Present:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	1. <u>JL</u>	<u>9/18/19 PK</u>
Chain of Custody Filled Out:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	2.	
Chain of Custody Relinquished:	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A	3. <u>Time</u>	<u>9/18/19 PK</u>
Sampler Name & Signature on COC:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	4.	
Samples Arrived within Hold Time:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	5.	
- VOA Samples frozen upon receipt	<input type="checkbox"/> Yes <input type="checkbox"/> No	Date/Time:	
Short Hold Time Analysis (<72hr):	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	6.	
Rush Turn Around Time Requested:	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	7.	
Sufficient Volume:		8.	
For Analysis:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No    MS/MSD: <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A		
Correct Containers Used:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	9.	
-Pace Containers Used:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A		
-Pace IR Containers Used:	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A		
Containers Intact:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	10.	
Filtered volume received for Dissolved tests	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	11.	
Sample Labels match COC:	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A	12.	<u>10 only w/ marker</u>
-Includes date/time/ID/Analysis Matrix:	<u>W</u>		<u>9/18/19 PK</u>
Trip Blank Present:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	13.	
Trip Blank Custody Seals Present	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A		
Pace Trip Blank Lot # (if purchased):	<u>427</u>		

**Client Notification/ Resolution:** \_\_\_\_\_ If checked, see attached form for additional comments

Person Contacted: \_\_\_\_\_ Date/Time: \_\_\_\_\_  
 Comments/ Resolution: \_\_\_\_\_

Project Manager Review: \_\_\_\_\_

Date: 9-19-19