

CONSULTANTS

- ENVIRONMENTAL
- GEOTECHNICAL
- MATERIALS
- FORENSICS

August 14, 2017

Gina Keenan WDNR 1300 W. Clairemont Avenue Eau Claire, WI 54701

Re:

Well abandonment forms for the former B&B Motors Site,

126 South Old Highway 53, New Auburn, Chippewa County, Wisconsin.

AET Project No. 03-05719. WDNR BRRTS No. 03-09-001350.

PECFA No. 54757-9999-26.

Dear Ms. Keenan:

Enclosed are the monitoring well abandonment forms for the former B&B Motors site. There is no purge water, waste, and/or soil piles on site.

Other documentation requested by the WDNR has previously been submitted.

If you have any questions or require additional information, please give me a call.

Sincerely,

Michael K. Neal, Professional Hydrologist

Geomorphologist

mid and

Phone: 715-861-5045 Cell Phone: 715-894-6455 Email: mneal@amengtest.com

cc:

John Boehm, P.O. Box 234, New Auburn, WI 54757-0234

Peggy Stanford, Village of New Auburn, P.O. Box 100, New Auburn, WI 54757-0100

## Well / Drillhole / Borehole Filling & Sealing Report

Form 3300-005 (R 4/2015)

Notice: Completion of this report is required by chs. 160, 281, 283, 289, 291-293, 295, and 299, Wis. Stats., and chs. NR 141 and 812, Wis. Adm. Code. In accordance with chs. 281, 289, 291-293, 295, and 299, Wis. Stats., failure to file this form may result in a forfeiture of between \$10-25,000, or imprisonment for up to one year, depending on the program and conduct involved. Personally identifiable information on this form is not intended to be used for any other purpose. Return form to the appropriate DNR office and bureau. See instructions on reverse for more information. Route to DNR Bureau: **Drinking Water** Watershed/Wastewater Remediation/Redevelopment Verification Only of Fill and Seal Waste Management 1. Well Location Information 2. Facility / Owner Information Facility Name WI Unique Well # of Hicap # Removed Well DDeWA Facility ID (FID or PWS) Latitude / Longitude (see instructions) Format Code Method Code GPS008 License/Permit/Monitoring # SCR002 DDM W OTH001 Section Township Original Well Owner Range or Gov't Lot # Present Well Owner Well Street Address Mailing Address of Present Owner State ZIP Code New 4. Pump, Liner, Screen, Casing & Sealing Reason for Removal from Service WI Unique Well # of Replacement Well Pump and piping removed? Yes No OSEO Liner(s) removed? Yes No M/A 3. Filled & Sealed Well / Drillhole / Borehole Information Liner(s) perforated? No ₩ N/A Original Construction Date (mm/dd/yyyy) Monitoring Well **Ø** No Screen removed? N/A Water Well Casing left in place? If a Well Construction Report is available Borehole / Drillhole Was casing cut off below surface? N/A please attach. Construction Type: Did sealing material rise to surface? No. Yes N/A Did material settle after 24 hours? No N/A ☐ Dug Drilled Driven (Sandpoint) If yes, was hole retopped? N/A Other (specify): If bentonite chips were used, were they hydrated Formation Type: Yes No No IN/A with water from a known safe source? Required Method of Placing Sealing Material Unconsolidated Formation Bedrock Conductor Pipe-Gravity Conductor Pipe-Pumped Total Well Depth From Ground Surface (ft.) Casing Diameter (in.) Screened & Poured Other (Explain): (Bentonite Chips) Lower Drillhole Diameter (in.) Sealing Materials Neat Cement Grout Concrete Sand-Cement (Concrete) Grout Bentonite Chips Yes Was well annular space grouted? No Unknown For Monitoring Wells and Monitoring Well Boreholes Only: Depth to Water (feet) If yes, to what depth (feet)? Bentonite Chips Bentonite - Cement Grout Granular Bentonite Bentonite - Sand Slurry 5. Material Used to Fill Well / Drillhole From (ft.) To (ft.) Surface 35 6. Comments DNR Use Only 7. Supervision of Work Name of Person or Firm Doing Filling & Sealing Date of Filling & Sealing or Verification Date Received Noted By (mm/dd/yyyy) *ゔー / / - / ブ* Telephone Number Street or Route Comments 8 7*86150/1*8 State ZIP Code Signature of Person Doing Work Date Signed

#### Well / Drillhole / Borehole Filling & Sealing Report

Form 3300-005 (R 4/2015)

Page 1 of 2

Notice: Completion of this report is required by chs. 160, 281, 283, 289, 291-293, 295, and 299, Wis. Stats., and chs. NR 141 and 812, Wis. Adm. Code. In accordance with chs. 281, 289, 291-293, 295, and 299, Wis. Stats., failure to file this form may result in a forfeiture of between \$10-25,000, or imprisonment for up to one year, depending on the program and conduct involved. Personally identifiable information on this form is not intended to be used for any other purpose. Return form to the appropriate DNR office and bureau. See instructions on reverse for more information. Route to DNR Bureau: **Drinking Water** Watershed/Wastewater Remediation/Redevelopment Verification Only of Fill and Seal Waste Management Other: 2. Facility / Owner Information 1. Well Location Information WI Unique Well # of Hicap# Facility Name Removed Well Delva Facility ID (FID or PWS) Format Code Latitude / Longitude (see instructions) Method Code GPS008 Ν License/Permit/Monitoring# SCR002 DDM W OTH001 Section Township Original Well Owner Range or Gov't Lot # Present Well Owner Well Street Address Mailing Address of Present Owner State ZIP Code 4. Pump, Liner, Screen, Casing & Seal Reason for Removal from Service WI Unique Well # of Replacement Well Pump and piping removed? Yes No Liner(s) removed? Yes No N/A 3. Filled & Sealed Well / Drillhole / Borehole Information Liner(s) perforated? Yes No N/A Original Construction Date (mm/dd/yyyy) Monitoring Well Screen removed? Ø No Water Well Casing left in place? No Yes If a Well Construction Report is available, Borehole / Drillhole Yes No Was casing cut off below surface? N/A please attach. Construction Type: Did sealing material rise to surface? Mo No N/A Yes Did material settle after 24 hours? No No N/A Drilled Dug Driven (Sandpoint) If yes, was hole retopped? No N/A Other (specify): If bentonite chips were used, were they hydrated Formation Type: No No N/A with water from a known safe source? Required Method of Placing Sealing Material Bedrock Unconsolidated Formation Conductor Pipe-Gravity Conductor Pipe-Pumped Total Well Depth From Ground Surface (ft.) Casing Diameter (in.) Screened & Poured Other (Explain): (Bentonite Chips) Lower Drillhole Diameter (in.) Sealing Materials | Neat Cement Grout Concrete Sand-Cement (Concrete) Grout Bentonite Chips Was well annular space grouted? Yes Unknown For Monitoring Wells and Monitoring Well Boreholes Only: Depth to Water (feet) If yes, to what depth (feet)? Bentonite Chips Bentonite - Cement Grout 24.14 Granular Bentonite Bentonite - Sand Slurry Yards, Sacks Sealant o 5. Material Used to Fill Well / Drillhole From (ft.) To (ft.) Surface 35 6. Comments 7. Supervision of Work **DNR Use Only** Name of Person or Firm Doing Filling & Sealing Date of Filling & Sealing or Verification Date Received Noted By (mm/dd/yyyy) Telephone Number Street or Route Comments 7*86150*7

State

ZIP Code

Signature of Persori Doing Work

Date Signed

## Well / Drillhole / Borehole Filling & Sealing Report

Date Signed

Form 3300-005 (R 4/2015) Notice: Completion of this report is required by chs. 160, 281, 283, 289, 291-293, 295, and 299, Wis. Stats., and chs. NR 141 and 812, Wis. Adm. Code. In accordance with chs. 281, 289, 291-293, 295, and 299, Wis. Stats., failure to file this form may result in a forfeiture of between \$10-25,000, or imprisonment for up to one year, depending on the program and conduct involved. Personally identifiable information on this form is not intended to be used for any other purpose. Return form to the appropriate DNR office and bureau. See instructions on reverse for more information. Route to DNR Bureau: Drinking Water Watershed/Wastewater Remediation/Redevelopment Verification Only of Fill and Seal Waste Management Other: 2. Facility / Owner Information 1. Well Location Information WI Unique Well # of Facility Name Hicap# Removed Well DDEWA Facility ID (FID or PWS) Method Code Latitude / Longitude (see instructions) Format Code GPS008 DD Ν License/Permit/Monitoring# SCR002  $\square$ DDM W OTH001 Original Well Owner Township Section Range or Gov't Lot# ✓ W Well Street Address Mailing Address of Present Owner 1/0 41 Reason for Removal from Service WI Unique Well # of Replacement Well Yes Pump and piping removed? Nο Liner(s) removed? No N/A Yes / Drillhole / Borehole Information Liner(s) perforated? No Yes N/A Original Construction Date (mm/dd/yyyy) Monitoring Well Ø No Screen removed? Yes N/A Water Well Casing left in place? ٦No 🖋 Yes If a Well Construction Report is available Borehole / Drillhole Was casing cut off below surface? Yes ٦No l n/a please attach. Did sealing material rise to surface? ₩ No 1 N/A Construction Type: Yes **№** No Did material settle after 24 hours? N/A Drilled Driven (Sandpoint) Dug If yes, was hole retopped? Other (specify): If bentonite chips were used, were they hydrated No No Formation Type: Yes N/A with water from a known safe source? Unconsolidated Formation Bedrock Required Method of Placing Sealing Material Conductor Pipe-Gravity Conductor Pipe-Pumped Total Well Depth From Ground Surface (ft.) Casing Diameter (in.) Screened & Poured Other (Explain): (Bentonite Chips) Lower Drillhole Diameter (in.) Sealing Materials Neat Cement Grout Concrete Sand-Cement (Concrete) Grout Bentonite Chips Was well annular space grouted? Unknown For Monitoring Wells and Monitoring Well Boreholes Only: If yes, to what depth (feet)? Depth to Water (feet) Bentonite Chips Bentonite - Cement Grout Granular Bentonite Bentonite - Sand Slurry No. Yards, Sacks Sealant or Mix Ratio or 5. Material Used to Fill Well / Drillhole From (ft.) To (ft.) Volume (circle one) Surface 35 6. Comments **DNR Use Only** Name of Person or Firm Doing Filling & Sealing Date of Filling & Sealing or Verification Date Received Noted By License # (mm/dd/yyyy) Telephone Number Comments Street or Route 015 861 50875 ZIP Code

State

#### Well / Drillhole / Borehole Filling & Sealing Report

Form 3300-005 (R 4/2015)

Page 1 of 2

Notice: Completion of this report is required by chs. 160, 281, 283, 289, 291-293, 295, and 299, Wis. Stats., and chs. NR 141 and 812, Wis. Adm. Code. In accordance with chs. 281, 289, 291-293, 295, and 299, Wis, Stats., failure to file this form may result in a forfeiture of between \$10-25,000, or imprisonment for up to one year, depending on the program and conduct involved. Personally identifiable information on this form is not intended to be used for any other purpose. Return form to the appropriate DNR office and bureau. See instructions on reverse for more information. Route to DNR Bureau: **Drinking Water** Watershed/Wastewater Remediation/Redevelopment Verification Only of Fill and Seal Waste Management Other: 1. Well Location Information 2. Facility / Owner Information WI Unique Well # of Hicap# Facility Name Removed Well DeWA Facility ID (FID or PWS) Latitude / Longitude (see instructions) Format Code Method Code GPS008 DD Ν License/Permit/Monitoring # SCR002 Поом W OTH001 Original Well Owner Section Township or Gov't Lot# Well Street Address Mailing Address of Present Owner State ZIP Code WI Unique Well # of Replacement Well Reason for Removal from Service Pump and piping removed? Yes No Liner(s) removed? Yes ٦No N/A 3. Filled & Sealed Well / Drillhole / Borehole Information Liner(s) perforated? ٦No N/A Original Construction Date (mm/dd/yyyy) Monitoring Well Ø No Screen removed? Yes Water Well Casing left in place? Yes No If a Well Construction Report is available Borehole / Drillhole Yes Was casing cut off below surface? ٦No N/A please attach. Did sealing material rise to surface? No ٦n/a Construction Type: Yes Did material settle after 24 hours? No N/A Drilled Driven (Sandpoint) Dug If yes, was hole retopped? No N/A Other (specify): If bentonite chips were used, were they hydrated Formation Type: with water from a known safe source? Required Method of Placing Sealing Material Unconsolidated Formation Bedrock Conductor Pipe-Gravity Conductor Pipe-Pumped Total Well Depth From Ground Surface (ft.) Casing Diameter (in.) Screened & Poured Other (Explain): (Bentonite Chips) Lower Drillhole Diameter (in.) Sealing Materials Neat Cement Grout Concrete Sand-Cement (Concrete) Grout Bentonite Chips Was well annular space grouted? Yes No Unknown or Monitoring Wells and Monitoring Well Boreholes Only: Depth to Water (feet) If yes, to what depth (feet)? Bentonite Chips Bentonite - Cement Grout Granular Bentonite Bentonite - Sand Slurry Yards, Sacks Sealant or 5. Material Used to Fill Well / Drillhole From (ft.) To (ft.) Surface 6. Comments 7. Supervision of Work **DNR Use Only** Date Received Name of Person or Firm Doing Filling & Sealing Date of Filling & Sealing or Verification Noted By (mm/dd/yyyy) 8-11-17 Telephone Number Comments Street or Route State ZIP Code Date Signed

## Well / Drillhole / Borehole Filling & Sealing Report

Form 3300-005 (R 4/2015)

Notice: Completion of this report is required by chs. 160, 281, 283, 289, 291-293, 295, and 299, Wis. Stats., and chs. NR 141 and 812, Wis. Adm. Code. In accordance with chs. 281, 289, 291-293, 295, and 299, Wis. Stats., failure to file this form may result in a forfeiture of between \$10-25,000, or imprisonment for up to one year, depending on the program and conduct involved. Personally identifiable information on this form is not intended to be used for any other purpose. Return form to the appropriate DNR office and bureau. See instructions on reverse for more information. Route to DNR Bureau: **Drinking Water** Watershed/Wastewater Remediation/Redevelopment Verification Only of Fill and Seal Waste Management Other: 2. Facility / Owner Information 1. Well Location Information WI Unique Well # of Removed Well Facility Name Hicap# Facility ID (FID or PWS Latitude / Longitude (see instructions) Format Code Method Code 1GPS008 Ν License/Permit/Monitoring # SCR002 W . Тотноот Section Township Original Well Owner Range or Gov't Lot# W Present Well Owner Well Street Address Mailing Address of Present Owner ZIP Code State New 4. Pump, Liner, Screen, Casing & Sealing Material WI Unique Well # of Replacement Well Reason for Removal from Service Pump and piping removed? No Yes Liner(s) removed? Yes No **₩**N/A 3. Filled & Sealed Well / Drillhole / Borehole Information Liner(s) perforated? Yes No N/A Original Construction Date (mm/dd/yyyy) Monitoring Well Screen removed? No N/A Water Well Casing left in place? Nο If a Well Construction Report is available Borehole / Drillhole Yes ОИГ Was casing cut off below surface? N/A please attach. No No Construction Type: Did sealing material rise to surface? Yes N/A Did material settle after 24 hours? No No Yes N/A Driven (Sandpoint) Dug Drilled If yes, was hole retopped? ٦Ν٥ N/A Yes Other (specify): If bentonite chips were used, were they hydrated Formation Type: Yes No N/A with water from a known safe source? Required Method of Placing Sealing Material Unconsolidated Formation Bedrock Conductor Pipe-Gravity Conductor Pipe-Pumped Total Well Depth From Ground Surface (ft.) Casing Diameter (in.) Screened & Poured Other (Explain): (Bentonite Chips) Lower Drillhole Diameter (in.) Sealing Materials Neat Cement Grout Concrete Sand-Cement (Concrete) Grout Bentonite Chips Was well annular space grouted? Unknown Yes For Monitoring Wells and Monitoring Well Boreholes Only: Depth to Water (feet) If yes, to what depth (feet)? Bentonite Chips Bentonite - Cement Grout Granular Bentonite Bentonite - Sand Slurry Yards, Sacks Sealant or 5. Material Used to Fill Well / Drillhole From (ft.) To (ft.) Surface 7. Supervision of Work **DNR Use Only** Name of Person or Firm Doing Filling & Sealing Date of Filling & Sealing or Verification Date Received Noted By (mm/dd/yyyy) \$-11-17 Telephone Number Street or Route Comments 7*861 S0/7*5 State ZIP Code Signature of Person Doing Work Date Signed

# Well / Drillhole / Borehole Filling & Sealing Report Form 3300-005 (R 4/2015) Page 1 of 2

Notice: Completion of this report is required by chs. 160, 281, 283, 289, 291-293, 295, and 299, Wis. Stats., and chs. NR 141 and 812, Wis. Adm. Code. In accordance with chs. 281, 289, 291-293, 295, and 299, Wis. Stats., failure to file this form may result in a forfeiture of between \$10-25,000, or imprisonment

for up to one year, depending on the program and con purpose. Return form to the appropriate DNR office a			not intended to be used for any other
• • • • • • • • • • • • • • • • • • • •	Route to DNR Bureau:		M. Juden and M. Ju
Verification Only of Fill and Seal	Drinking Water	Watershed/Wastewater	Remediation/Redevelopment
	Waste Managemer	t Other:	
1. Well Location Information	on the state of th	2. Facility / Owner Information	Programme Annual Company
	Hicap #	Facility Name	1
Chippewa LI356		B+D M	07055
Latitude / Longitude (see instructions) Format	Code Method Code	Facility ID (FID or PWS)	1
N   D	Попелле	607/0	5200
· · · · · · · · · · · · · · · · · · ·	│ ∐SCR002	License/Permit/Monitoring #	1.1 6
		Original Wall Owner	<i>N</i> - C'
1000	nship Range E	Original Well Owner	Roel
or Gov't Lot #	/ N 🔊 W	Present Well Owner	DUENM
Well Street Address	1 -2	Tresent Well Owner	//
126 South Old Hig	Mallalla Code	Mailing Address of Present Owner	
Well City, Village or Town  110 W AUDUFN	54757	10. Box 23%	
Subdivision Name	Lot #	City of Present Owner,	State ZIP Codc
Subdivision Name	LOI #	New Auburn	WI 54757
Reason for Removal from Service   WI Unique Well	# of Replacement Well	4. Pump, Liner, Screen, Casing &	
Site closed	" or replacement from	Pump and piping removed?	Yes No No N/A
3. Filled & Sealed Well / Drillhole / Borehole	Information	Liner(s) removed?	Yes No 💋 N/A
	n Date (mm/dd/yyyy)	Liner(s) perforated?	Yes No 💋 N/A
	13	Screen removed?	Yes No N/A
Water Well	on Report is available,	Casing left in place?	Yes No N/A
Borehole / Drillhole please attach.	· · · · · · · · · · · · · · · · · · ·	Was casing cut off below surface?	Yes No N/A
Construction Type:		Did sealing material rise to surface? Yes No N/A	
Drilled Driven (Sandpoint) Dug		Did material settle after 24 hours?  Yes No N/A	
Other (specify):		If yes, was hole retopped? Yes No N/A	
Formation Type:		If bentonite chips were used, were they hydrated with water from a known safe source?	
Unconsolidated Formation Bedrock		Required Method of Placing Sealing Material	
Total Well Depth From Ground Surface (ft.)   Casing Diameter (in.)		Conductor Pipe-Gravity Conductor Pipe-Pumped	
35 20		Screened & Poured Other (Explain):	
Lower Drillhole Diameter (in.) Casing I	Depth (ft.)	Sealing Materials	
Lower Symmolo Blameter (m.)		Neat Cement Grout	Concrete
		Sand-Cement (Concrete) Grout	Bentonite Chips
Was well annular space grouted?	No Unknown	For Monitoring Wells and Monitoring We	
If yes, to what depth (feet)? Depth to Wate	er (feet)	Bentonite Chips	Bentonite - Cement Grout
2	3.18	Granular Bentonite	Bentonite - Sand Slurry
			Sacks Sealant or Mix Ratio or
5. Material Used to Fill Well / Drillhole		Volume	(circle one) Mud Weight
Bentonte Chips		Surface 35	
6. Comments			
o. Collinerio			
7. Supervision of Work	onso# Detects	lling & Souling or Verification Data Data	DNR Use Only
Name of Person or Firm Doing Filling & Sealing Lic	ense # Date of Fi (mm/dd/y	lling & Sealing or Verification Date Reco	eived Noted By
Street or Route		elephone Number Comment	s
1837 CTH 00		715786130/15 1	-
City / State	ZIP Code	Signature of Persori Doing World	Date Signed
Chipoewa Falls WI	4500	Market That	Date Signed
- 1/2/10 - 1/1 / 5/11 / 5/11	1 300		

#### Well / Drillhole / Borehole Filling & Sealing Report

Form 3300-005 (R 4/2015)

Page 1 of 2

Notice: Completion of this report is required by chs. 160, 281, 283, 289, 291-293, 295, and 299, Wis. Stats., and chs. NR 141 and 812, Wis. Adm. Code. In accordance with chs. 281, 289, 291-293, 295, and 299, Wis. Stats., failure to file this form may result in a forfeiture of between \$10-25,000, or imprisonment for up to one year, depending on the program and conduct involved. Personally identifiable information on this form is not intended to be used for any other purpose. Return form to the appropriate DNR office and bureau. See instructions on reverse for more information. Route to DNR Bureau: **Drinking Water** Watershed/Wastewater Remediation/Redevelopment Verification Only of Fill and Seal Waste Management Other: 1. Well Location Information 2. Facility / Owner Information WI Unique Well # of Facility Name Hicap# County Removed Well DeWA Facility ID (FID or PWS) Latitude / Longitude (see instructions) Format Code Method Code IGPS008 License/Permit/Monitoring# SCR002 DDM W OTH001 Township Original Well Owner Section or Gov't Lot# Present Well Owner Well Street Address Mailing Address of Present Owner Well City, Village or Town City of Present Owner ZIP Code State 12 W 4. Pump, Liner, Screen, Casing & Sealing Material Reason for Removal from Service WI Unique Well # of Replacement Well Pump and piping removed? Yes No Liner(s) removed? Yes No ₩ N/A 3. Filled & Sealed Well / Drillhole / Borehole Information Liner(s) perforated? Yes No N/A Original Construction Date (mm/dd/yyyy) Monitoring Well Screen removed? No No Water Well Casing left in place? If a Well Construction Report is available, Borehole / Drillhole Was casing cut off below surface? N/A please attach. Construction Type: Did sealing material rise to surface? N/A Yes No. Did material settle after 24 hours? ₩ No N/A Dug 🖯 Yes Drilled Driven (Sandpoint) If yes, was hole retopped? N/A Other (specify): If bentonite chips were used, were they hydrated Formation Type: No with water from a known safe source? Required Method of Placing Sealing Material **Unconsolidated Formation** Bedrock Conductor Pipe-Gravity Conductor Pipe-Pumped Total Well Depth From Ground Surface (ft.) Casing Diameter (in.) Screened & Poured Other (Explain): (Bentonite Chips) Lower Drillhole Diameter (in.) Sealing Materials Neat Cement Grout Concrete Sand-Cement (Concrete) Grout Bentonite Chips Was well annular space grouted? Unknown For Monitoring Wells and Monitoring Well Boreholes Only: If yes, to what depth (feet)? Depth to Water (feet) Bentonite Chips Bentonite - Cement Grout Granular Bentonite Bentonite - Sand Slurry 5. Material Used to Fill Well / Drillhole From (ft.) To (ft.) Surface 6. Comments 7. Supervision of Work DNR Use Only Name of Person or Firm Doing Filling & Sealing Date of Filling & Sealing or Verification Date Received Noted By (mm/dd/yyyy) S-//-// Street or Route Telephone Number Comments (7157) \$61 \$0 City State ZIP Code Signature of Person Doing Work Date Signed