



Excellence through experience™

709 Gillette St., Ste 3 ♦ La Crosse, WI 54603 ♦ 1-800-552-2932 ♦ Fax (608) 781-8893 Email: rona@metcohq.com ♦ www.metcohq.com

February 20, 2017

BRRTS #: 03-33-001415
PECFA #: 53541-9999-65-A

Patrick Dowd
Wisconsin Department of Natural Resources
3911 Fish Hatchery Road
Fitchburg, WI 53711

Subject: Walkers One Stop – Groundwater Monitoring Report

Dear Mr. Dowd,

Enclosed is the Groundwater Monitoring Report for the Walkers One Stop site located at STH 11 in Gratiot, Wisconsin.

Groundwater Monitoring Workslope

On June 8, 2016, METCO personnel collected groundwater samples from ten monitoring wells (MW-1, MW-2, MW-3, MW-4, MW-5R, MW-6, MW-7, MW-8, MW-9, and MW-10) for laboratory analysis (PVOC and Naphthalene). Field measurements for water level, Dissolved Oxygen, pH, ORP, temperature, and Specific Conductivity were collected from all sampled monitoring wells.

On December 6, 2016, METCO personnel collected groundwater samples from ten monitoring wells (MW-1, MW-2, MW-3, MW-4, MW-5R, MW-6, MW-7, MW-8, MW-9, and MW-10) for laboratory analysis (PVOC and Naphthalene). Field measurements for water level, Dissolved Oxygen, pH, ORP, temperature, and Specific Conductivity were collected from all sampled monitoring wells.

Groundwater Monitoring Results

Monitoring Well MW-1: Currently shows an NR140 Enforcement Standard (ES) exceedance for Benzene (61 ppb) as well as an NR140 Preventative Action Limit (PAL) exceedance for Naphthalene (46 ppb). Based on historic groundwater results, the contaminant concentrations appear to be stable to decreasing.

Monitoring Well MW-2: Currently shows no detects for PVOC or Naphthalene.

Monitoring Well MW-3: Currently shows ES exceedances for Benzene (149 ppb), Ethylbenzene (1,390 ppb), Naphthalene (510 ppb), Trimethylbenzenes (2,671 ppb), and Xylene (3,790 ppb). Based on historic groundwater results, the contaminant concentrations appear to be stable to decreasing.

Monitoring Well MW-4: Currently shows ES exceedances for Benzene (21.3 ppb), Ethylbenzene (860 ppb), Naphthalene (286 ppb), Trimethylbenzenes (2,230 ppb), and Xylene (2,860 ppb). Based on historic groundwater results, the contaminant concentrations appear to be stable to decreasing.

Monitoring Well MW-5R: Currently shows ES exceedances for Benzene (83 ppb), Naphthalene (133 ppb) and Trimethylbenzenes (544 ppb) as well as PAL exceedances for Ethylbenzene (340 ppb) and Xylene (659 ppb). Contaminant concentrations appear to have increased during the past two rounds, although these concentrations are still significantly lower than pre-excavation contaminant levels.

Monitoring Well MW-6: Currently shows ES exceedances for Benzene (320 ppb), Ethylbenzene (1,400 ppb), Naphthalene (450 ppb), Trimethylbenzenes (2,106 ppb), and Xylene (3,776 ppb). Based on historic groundwater results, the contaminant concentrations appear to be stable to decreasing.

Monitoring Well MW-7: Currently shows ES exceedances for Benzene (281 ppb) and Naphthalene (124 ppb). Based on historic groundwater results, the contaminant concentrations appear to be at least stable to decreasing.

Monitoring Well MW-8: Currently shows an ES exceedance for Benzene (17.9 ppb). Based on historic groundwater results, the contaminant concentrations appear to be stable to decreasing.

Monitoring Well MW-9: Currently shows no detects for PVOC or Naphthalene.

Monitoring Well MW-10: Currently shows a PAL exceedance for Benzene (0.79 ppb). Based on historic groundwater results, the contaminant concentrations appear to be stable to decreasing.

Conclusions/Recommendations

Per the WDNR approved workscope, two additional Semi-Annual groundwater monitoring events are to be conducted with the next event scheduled for June 2017.

A Site Layout Map, Groundwater Flow Maps (2), Groundwater Contamination Map, Data Tables, Elevation vs. Concentration Graphs for all impacted wells, and Laboratory Documents have been attached.

If you have any questions or comments please feel free to call (608-781-8879) or email at jasonp@metcohq.com.

Sincerely,



Jason T. Powell
Staff Scientist


Attachments

c: Tom Walker – Client


DETAILED SITE MAP
WALKER'S ONE STOP

METCO
709 Gillette St. Ste. 3
La Crosse, WI 54603
Tel: (608) 781-8873
Fax: (608) 781-8893


GRATIOT, WISCONSIN
DRAWN BY: ED
DATE: 1/7/1



NOTE: INFORMATION BASED ON AVAILABLE DATA ACTUAL CONDITIONS MAY DIFFER




- - GEOPROBE BORING LOCATION
- ⊕ - MONITORING WELL LOCATION
- ⊙ - ABANDONED MONITORING WELL LOCATION
- — — — — - PROPERTY LINE
- ≡ ≡ ≡ ≡ ≡ - OVERHEAD LINES
- - - - - - WATER LINES
- · - · - · - SEWER LINES
- - - - - - SOIL EXCAVATION AREA




GROUNDWATER FLOW DIRECTION (12/6/2016)
WALKER'S ONE STOP

709 Gillette St. Ste. 3
 La Crosse, WI 54603
 Tel: (608) 781-8879
 Fax: (608) 781-8893


GRATIOT. WISCONSIN
 DRAWN BY: ED
 DATE: 1/7/8




NOTE: INFORMATION BASED ON AVAILABLE DATA ACTUAL CONDITIONS MAY DIFFER



- - GEOPROBE BORING LOCATION
- ⊕ - MONITORING WELL LOCATION
- ⊙ - ABANDONED MONITORING WELL LOCATION
- - - - - PROPERTY LINE
- ==== OVERHEAD LINES
- - - - - WATER LINES
- - - - - SEWER LINES
- SOIL EXCAVATION AREA



GROUNDWATER FLOW DIRECTION (6/8/2016)
WALKER'S ONE STOP





709 Gillette St. Ste. 3
La Crosse, WI 54603
Tel. (608) 781-8879
Fax. (608) 781-8893

GRATIOT, WISCONSIN
DRAWN BY: ED
DATE: 1/7/14

METCO
Excellence through experience

NOTE: INFORMATION BASED ON AVAILABLE DATA ACTUAL CONDITIONS MAY DIFFER

- - GEOPROBE BORING LOCATION
- ⊕ - MONITORING WELL LOCATION
- ⊖ - ABANDONED MONITORING WELL LOCATION
- - - - - PROPERTY LINE
- ==== OVERHEAD LINES
- - - - - WATER LINES
- - - - - SEWER LINES
- - - - - SOIL EXCAVATION AREA




GROUNDWATER ISOCONCENTRATION (12/6/16)
WALKER'S ONE STOP


709 Gillette St. Ste. 3
 La Crosse, WI 54603
 Tel: (608) 781-8879
 Fax: (608) 781-8893

GRATIOT, WISCONSIN
 DRAWN BY: ED DATE: 1/7/1
 MODIFIED BY: BK DATE: 2/8/16

NOTE: INFORMATION BASED ON AVAILABLE DATA ACTUAL CONDITIONS MAY DIFFER



- - GEOPROBE BORING LOCATION
- ⊕ - MONITORING WELL LOCATION
- ⊖ - ABANDONED MONITORING WELL LOCATION
- - - - - PROPERTY LINE
- ==== OVERHEAD LINES
- - - - - WATER LINES
- - - - - SEWER LINES
- - - - - SOIL EXCAVATION AREA



ESTIMATED EXTENT OF PETROLEUM CONTAMINATION IN GROUNDWATER EXCEEDING THE NR140 ES AND/OR PAL VALUES.

A.1 Groundwater Analytical Table
Walkers One Stop BRRTS# 03-33-001415

Well MW-1 (Installed by previous consultant) 803.46 Resurveyed 12-9-15
PVC Elevation = 803.65 (feet) (MSL)

| Date | Water Elevation (in feet msl) | Depth to Water (in feet) | Lead (ppb) | Benzene (ppb) | Ethyl Benzene (ppb) | MTBE (ppb) | Naphthalene (ppb) | Toluene (ppb) | Trimethylbenzenes (ppb) | Xylene (Total) (ppb) |
|--|-------------------------------|--------------------------|--------------|---------------|---------------------|------------|-------------------|---------------|-------------------------|----------------------|
| 03/09/11 | NM | NM | NS | 13.1 | 41 | <4.7 | <20 | 11.6 | 317 | 110 |
| 2/20-21/12 | 792.33 | 11.32 | 1.70 | 7.9 | 8.2 | <0.8 | 7.8 | 5.4 | 147.16 | 30 |
| 05/21/12 | 792.58 | 11.07 | 2.50 | 5.6 | 0.61 | <0.57 | <2.3 | 0.71 | 3.04-3.83 | 1.88-2.62 |
| 08/20/12 | 792.07 | 11.58 | 1.90 | 45 | 2.7 | <0.57 | 8.8 | 1.34 | 7.9 | 14.83 |
| 03/19/13 | 794.47 | 9.18 | 1.90 | 400 | 307 | <0.37 | 109 | 92 | 230 | 874 |
| 03/10/15 | 792.07 | 11.58 | 29.50 | 95 | 29 | <0.49 | 55 | 8.9 | 114.2 | 256.3 |
| 06/10/15 | 793.42 | 10.23 | NS | 242 | 248 | <0.49 | 92 | 33 | 234 | 911 |
| 09/10/15 | 792.79 | 10.86 | NS | 135 | 11.5 | <4.9 | 54 | 14.2 | 138 | 219.8 |
| 12/09/15 | 794.06 | 9.40 | <0.7 | 198 | 124 | <1.1 | 120 | 21.8 | 199.6 | 336 |
| 06/08/16 | 793.03 | 10.43 | NS | 243 | 91 | <0.49 | 173 | 27.3 | 279.7 | 791.3 |
| 12/06/16 | 793.50 | 9.96 | NS | 61 | 18.1 | <4.9 | 46 | 7.8 | 48-56.30 | 96.2 |
| ENFORCE MENT STANDARD ES = Bold | | | 15 | 5 | 700 | 60 | 100 | 800 | 480 | 2000 |
| PREVENTIVE ACTION LIMIT PAL = Italics | | | 1.5 | 0.5 | 140 | 12 | 10 | 160 | 96 | 400 |

(ppb) = parts per billion (ppm) = parts per million
 ns = not sampled nm = not measured
 Note: Elevations are presented in feet mean sea level (msl).

Well MW-2 (Installed by previous consultant)
PVC Elevation = 803.72 (feet) (MSL)

| Date | Water Elevation (in feet msl) | Depth to Water (in feet) | Lead (ppb) | Benzene (ppb) | Ethyl Benzene (ppb) | MTBE (ppb) | Naphthalene (ppb) | Toluene (ppb) | Trimethylbenzenes (ppb) | Xylene (Total) (ppb) |
|--|-------------------------------|--------------------------|------------|---------------|---------------------|------------|-------------------|---------------|-------------------------|----------------------|
| 03/09/11 | NM | NM | NS | <0.49 | <0.98 | <0.47 | <2 | <0.89 | <2.7 | <3.2 |
| 2/20-21/12 | 792.42 | 11.30 | <0.7 | <0.5 | <0.78 | <0.8 | <2.1 | <0.53 | <1.54 | <1.9 |
| 05/21/12 | 792.66 | 11.06 | <0.7 | <0.46 | <0.46 | <0.57 | <2.3 | <0.48 | <1.57 | <1.45 |
| 08/20/12 | 792.04 | 11.68 | <0.7 | 1.53 | <0.46 | <0.57 | <2.3 | 0.95 | <1.57 | <1.45 |
| 03/19/13 | 794.73 | 8.99 | <0.7 | 1.73 | 5.2 | <0.37 | 1.36 | 1.47 | 4.76 | 11.7 |
| 03/10/15 | 791.99 | 11.73 | <0.7 | <0.46 | <0.73 | <0.49 | <2.6 | <0.39 | <1.51 | <2.06 |
| 06/10/15 | 793.73 | 9.99 | NS | <0.46 | <0.73 | <0.49 | <2.6 | <0.39 | <1.51 | <2.06 |
| 09/10/15 | 792.67 | 11.05 | NS | <0.46 | <0.73 | <0.49 | <2.6 | <0.39 | <1.51 | <2.06 |
| 12/09/15 | 794.27 | 9.45 | <0.7 | <0.44 | <0.71 | <1.1 | <1.6 | <0.44 | <3.1 | <3.1 |
| 06/08/16 | 793.22 | 10.50 | NS | <0.46 | <0.73 | <0.49 | <2.6 | <0.39 | <1.51 | <2.06 |
| 12/06/16 | 793.81 | 9.91 | NS | <0.46 | <0.73 | <0.49 | <2.6 | <0.39 | <1.51 | <2.06 |
| ENFORCE MENT STANDARD ES = Bold | | | 15 | 5 | 700 | 60 | 100 | 800 | 480 | 2000 |
| PREVENTIVE ACTION LIMIT PAL = Italics | | | 1.5 | 0.5 | 140 | 12 | 10 | 160 | 96 | 400 |

(ppb) = parts per billion (ppm) = parts per million
 ns = not sampled nm = not measured
 Note: Elevations are presented in feet mean sea level (msl).

A.1 Groundwater Analytical Table
Walkers One Stop BRRTS# 03-33-001415

Well MW-3 (Installed by previous consultant)

PVC Elevation = 803.18 (feet) (MSL)

| Date | Water Elevation (in feet msl) | Depth to Water (in feet) | Lead (ppb) | Benzene (ppb) | Ethyl Benzene (ppb) | MTBE (ppb) | Naphthalene (ppb) | Toluene (ppb) | Trimethyl-benzenes (ppb) | Xylene (Total) (ppb) |
|--|-------------------------------|--------------------------|------------|---------------|---------------------|------------|-------------------|---------------|--------------------------|----------------------|
| 03/09/11 | NM | NM | NS | 390 | 1770 | <23.5 | 700 | 660 | 2650 | 7570 |
| 2/20-21/12 | 792.40 | 10.78 | <0.7 | 510 | 2100 | <40 | 900 | 900 | 3310 | 8480 |
| 05/21/12 | 792.61 | 10.57 | 3.40 | 420 | 1100 | <28.5 | 620 | 410 | 2220 | 4620 |
| 08/20/12 | 792.08 | 11.10 | <0.7 | 530 | 1480 | <11.4 | 540 | 620 | 2310 | 5540 |
| 03/19/13 | 794.76 | 8.42 | 1.0 | 430 | 1740 | <7.4 | 790 | 650 | 3190 | 7540 |
| 03/10/15 | 792.09 | 11.09 | 1.30 | 370 | 1740 | <9.8 | 700 | 680 | 2750 | 7000 |
| 06/10/15 | 793.63 | 9.55 | NS | 307 | 1610 | <9.8 | 490 | 370 | 2207 | 5980 |
| 09/10/15 | 792.77 | 10.41 | NS | 440 | 2060 | <24.5 | 680 | 450 | 2990 | 7500 |
| 12/09/15 | 794.33 | 8.85 | 1.40 | 194 | 1460 | <55 | 620 | 100 | 2684 | 4190 |
| 06/08/16 | 793.17 | 10.01 | NS | 320 | 1750 | <24.5 | 640 | 450 | 2658 | 6780 |
| 12/06/16 | 793.65 | 9.53 | NS | 149 | 1390 | <24.5 | 510 | 87 | 2671 | 3790 |
| ENFORCE MENT STANDARD ES = Bold | | | 15 | 5 | 700 | 60 | 100 | 800 | 480 | 2000 |
| PREVENTIVE ACTION LIMIT PAL = Italics | | | 1.5 | 0.5 | 140 | 12 | 10 | 160 | 96 | 400 |

(ppb) = parts per billion (ppm) = parts per million
 ns = not sampled nm = not measured
 Note: Elevations are presented in feet mean sea level (msl).

Well MW-4

PVC Elevation = 802.51 (feet) (MSL)

| Date | Water Elevation (in feet msl) | Depth to Water (in feet) | Lead (ppb) | Benzene (ppb) | Ethyl Benzene (ppb) | MTBE (ppb) | Naphthalene (ppb) | Toluene (ppb) | Trimethyl-benzenes (ppb) | Xylene (Total) (ppb) |
|--|-------------------------------|--------------------------|------------|---------------|---------------------|------------|-------------------|---------------|--------------------------|----------------------|
| 2/20-21/12 | 792.40 | 10.11 | 4.90 | 38 | 1120 | <16 | 360 | 51 | 2390 | 3850 |
| 05/21/12 | 792.61 | 9.90 | 2.80 | 55 | 890 | 29 | 216 | 56 | 1860 | 2990 |
| 08/20/12 | 792.07 | 10.44 | 6.7 | 90 | 900 | <5.7 | 251 | 63 | 1770 | 2960 |
| 03/19/13 | 794.76 | 7.75 | 3.2 | 62 | 1240 | <7.4 | 570 | 76 | 2550 | 4490 |
| 03/10/15 | 792.13 | 10.38 | 7.1 | 186 | 810 | <9.8 | 290 | 56 | 1623 | 2790 |
| 06/10/15 | 793.66 | 8.85 | NS | 18.1 | 810 | <9.8 | 226 | 29.5 | 2020 | 2610 |
| 09/10/15 | 792.85 | 9.66 | NS | 26.2 | 990 | <9.8 | 330 | 42 | 2490 | 3170 |
| 12/09/15 | 794.33 | 8.18 | 3.0 | 16.2 | 770 | <22 | 440 | 20.8 | 2230 | 2420 |
| 06/08/16 | 793.21 | 9.30 | NS | 23.8 | 770 | <9.8 | 312 | 33 | 2220 | 2785 |
| 12/06/16 | 793.79 | 8.72 | NS | 21.3 | 860 | <9.8 | 286 | 34 | 2230 | 2860 |
| ENFORCE MENT STANDARD ES = Bold | | | 15 | 5 | 700 | 60 | 100 | 800 | 480 | 2000 |
| PREVENTIVE ACTION LIMIT PAL = Italics | | | 1.5 | 0.5 | 140 | 12 | 10 | 160 | 96 | 400 |

(ppb) = parts per billion (ppm) = parts per million
 ns = not sampled nm = not measured
 Note: Elevations are presented in feet mean sea level (msl).

A.1 Groundwater Analytical Table
Walkers One Stop BRRTS# 03-33-001415

Well MW-5/5R 3-10-15 MW-5R 803.39
PVC Elevation = 803.30 (feet) (MSL)

| Date | Water Elevation (in feet msl) | Depth to Water (in feet) | Lead (ppb) | Benzene (ppb) | Ethyl Benzene (ppb) | MTBE (ppb) | Naphthalene (ppb) | Toluene (ppb) | Trimethylbenzenes (ppb) | Xylene (Total) (ppb) |
|--|-------------------------------|--------------------------|------------|---------------|---------------------|------------|-------------------|---------------|-------------------------|----------------------|
| 2/20-21/12 | 792.45 | 10.85 | 4.10 | 600 | 790 | <16 | 262 | 272 | 1218 | 3440 |
| 05/21/12 | 792.66 | 10.64 | 2.30 | 790 | 1410 | <5.7 | 440 | 420 | 2050 | 6380 |
| 08/20/12 | 792.14 | 11.16 | 1.4 | 640 | 1400 | <11.4 | 460 | 281 | 2030 | 5710 |
| 03/19/13 | 794.73 | 8.57 | 6.7 | 1090 | 1750 | <7.4 | 550 | 750 | 2710 | 9640 |
| 03/10/15 | 792.07 | 11.32 | 5.4 | 660 | 1860 | <9.8 | 590 | 97 | 2410 | 5870 |
| 06/10/15 | 793.65 | 9.74 | NS | 124 | 650 | <9.8 | 229 | 31.5 | 1174 | 2137 |
| 09/10/15 | 792.77 | 10.62 | NS | 290 | 1430 | <24.5 | 480 | 56 | 2046 | 6400 |
| 12/09/15 | 794.32 | 9.07 | 1.50 | 1.88 | 0.91 | <1.1 | 1.75 | <0.44 | 4.5-6 | 3.86 |
| 06/08/16 | 793.24 | 10.15 | NS | 53 | 7.3 | <0.49 | 35 | 0.98 | 17.56 | 25.7 |
| 12/06/16 | 793.81 | 9.58 | NS | 83 | 340 | <4.9 | 133 | 17 | 544 | 659 |
| ENFORCE MENT STANDARD ES = Bold | | | 15 | 5 | 700 | 60 | 100 | 800 | 480 | 2000 |
| PREVENTIVE ACTION LIMIT PAL = Italics | | | 1.5 | 0.5 | 140 | 12 | 10 | 160 | 96 | 400 |

(ppb) = parts per billion (ppm) = parts per million
ns = not sampled nm = not measured
Note: Elevations are presented in feet mean sea level (msl).

Well MW-6
PVC Elevation = 803.98 (feet) (MSL)

| Date | Water Elevation (in feet msl) | Depth to Water (in feet) | Lead (ppb) | Benzene (ppb) | Ethyl Benzene (ppb) | MTBE (ppb) | Naphthalene (ppb) | Toluene (ppb) | Trimethylbenzenes (ppb) | Xylene (Total) (ppb) |
|--|-------------------------------|--------------------------|------------|---------------|---------------------|------------|-------------------|---------------|-------------------------|----------------------|
| 2/20-21/12 | 792.42 | 11.56 | 4.10 | 1200 | 3400 | <40 | 1220 | 320 | 7290 | 1590-1599 |
| 05/21/12 | 792.62 | 11.36 | 1.80 | 2120 | 2980 | <28.5 | 750 | 650 | 5000 | 12830 |
| 08/20/12 | 792.07 | 11.91 | 3.4 | 1690 | 2240 | <28.5 | 600 | 269 | 3260 | 9250 |
| 03/19/13 | 794.66 | 9.32 | 3.90 | 690 | 1650 | <18.5 | 490 | 480 | 2970 | 7930 |
| 03/10/15 | 792.04 | 11.94 | 2.50 | 690 | 1910 | <24.5 | 550 | 143 | 2740 | 7500 |
| 06/10/15 | 793.57 | 10.41 | NS | 302 | 1040 | <24.5 | 420 | 48 | 1860 | 3300 |
| 09/10/15 | 792.70 | 11.28 | NS | 490 | 1650 | <49 | 470 | 94 | 2084 | 4800 |
| 12/09/15 | 794.03 | 9.95 | 2.1 | 186 | 1090 | <55 | 490 | 40 | 2027 | 2550 |
| 06/08/16 | 793.14 | 10.84 | NS | 259 | 1020 | <24.5 | 350 | 58 | 1742 | 2122 |
| 12/06/16 | 793.69 | 10.29 | NS | 320 | 1400 | <24.5 | 450 | 72 | 2106 | 3776 |
| ENFORCE MENT STANDARD ES = Bold | | | 15 | 5 | 700 | 60 | 100 | 800 | 480 | 2000 |
| PREVENTIVE ACTION LIMIT PAL = Italics | | | 1.5 | 0.5 | 140 | 12 | 10 | 160 | 96 | 400 |

(ppb) = parts per billion (ppm) = parts per million
ns = not sampled nm = not measured
Note: Elevations are presented in feet mean sea level (msl).

A.1 Groundwater Analytical Table
Walkers One Stop BRRS# 03-33-001415

Well MW-7

PVC Elevation = 803.87 (feet) (MSL)

| Date | Water Elevation (in feet msl) | Depth to Water (in feet) | Lead (ppb) | Benzene (ppb) | Ethyl Benzene (ppb) | MTBE (ppb) | Naphthalene (ppb) | Toluene (ppb) | Trimethylbenzenes (ppb) | Xylene (Total) (ppb) |
|--|-------------------------------|--------------------------|------------|---------------|---------------------|------------|-------------------|---------------|-------------------------|----------------------|
| 2/20-21/12 | 792.21 | 11.66 | <0.7 | 420 | <7.8 | <8 | 90 | 10.2 | 8.5-16.5 | 15.4-23.4 |
| 05/21/12 | 792.50 | 11.37 | <0.7 | 470 | 9.4 | <0.57 | 109 | 12.4 | 18.8 | 35 |
| 08/20/12 | 791.96 | 11.91 | <0.7 | 610 | 20.3 | <5.7 | 129 | 14.8 | 44.9 | 72 |
| 03/19/13 | 794.38 | 9.49 | <0.7 | 120 | 10.4 | <3.7 | 43 | <8 | 20.3-28.9 | 41.3 |
| 03/10/15 | 791.98 | 11.89 | <0.7 | 265 | <7.3 | <4.9 | 67 | 9.8 | 8.1-16.4 | 23.9 |
| 06/10/15 | 793.36 | 10.51 | NS | 460 | 10.1 | <0.49 | 102 | 14.8 | 20.1 | 40.4 |
| 09/10/15 | 792.47 | 11.40 | NS | 620 | 13.8 | <4.9 | 190 | 22 | 41.2 | 69.5 |
| 12/09/15 | 793.93 | 9.94 | <0.7 | 440 | 14 | <11 | 340 | 12.9 | 50-65 | 59.5 |
| 06/08/16 | 792.95 | 10.92 | NS | 460 | 17.2 | <4.9 | 280 | 22.1 | 71.1 | 99.9 |
| 12/06/16 | 793.46 | 10.41 | NS | 281 | 11.4 | <4.9 | 124 | 14 | 11.4-19.7 | 47.5 |
| ENFORCE MENT STANDARD ES = Bold | | | 15 | 5 | 700 | 60 | 100 | 800 | 480 | 2000 |
| PREVENTIVE ACTION LIMIT PAL = Italics | | | 1.5 | 0.5 | 140 | 12 | 10 | 160 | 96 | 400 |

(ppb) = parts per billion (ppm) = parts per million
 ns = not sampled nm = not measured

Note: Elevations are presented in feet mean sea level (msl).

Well MW-8

PVC Elevation = 804.25 (feet) (MSL)

| Date | Water Elevation (in feet msl) | Depth to Water (in feet) | Lead (ppb) | Benzene (ppb) | Ethyl Benzene (ppb) | MTBE (ppb) | Naphthalene (ppb) | Toluene (ppb) | Trimethylbenzenes (ppb) | Xylene (Total) (ppb) |
|--|-------------------------------|--------------------------|------------|---------------|---------------------|------------|-------------------|---------------|-------------------------|----------------------|
| 2/20-21/12 | 791.94 | 12.31 | <0.7 | 3.2 | <0.78 | 1.14 | <2.1 | 0.54 | 2.61-3.35 | <1.9 |
| 05/21/12 | 792.17 | 12.08 | <0.7 | 13.7 | 0.53 | 1.21 | <2.3 | 0.61 | 1.92 | <1.45 |
| 08/20/12 | 791.74 | 12.51 | <0.7 | 22.2 | 8.6 | 1.45 | 4.2 | 1.1 | 38.91 | 19.73 |
| 03/19/13 | 793.46 | 10.79 | <0.7 | 43 | 77 | <0.37 | 15.5 | 3.04 | 79.8 | 252 |
| 03/10/15 | 791.84 | 12.41 | <0.7 | 13.7 | <0.73 | 1.23 | 3.03 | 0.84 | 2.92-3.75 | 1.91-2.57 |
| 06/10/15 | 792.59 | 11.66 | NS | 22.5 | 3.9 | <0.49 | 4.7 | 1.02 | 10.2-11.03 | 13.31 |
| 09/10/15 | 792.05 | 12.20 | NS | 3.09 | <0.73 | <0.49 | <2.6 | 0.73 | <1.51 | <2.06 |
| 12/09/15 | 792.94 | 11.31 | <0.7 | 161 | 132 | 3.3 | 71 | 5.7 | 304.5 | 406 |
| 06/08/16 | 792.31 | 11.94 | NS | 15.1 | 0.86 | 5.5 | 6.7 | 0.91 | 2.7-3.53 | 1.44-2.210 |
| 12/06/16 | 792.71 | 11.54 | NS | 17.9 | 0.97 | 5.4 | 2.72 | 1.1 | 1.1-1.93 | <2.06 |
| ENFORCE MENT STANDARD ES = Bold | | | 15 | 5 | 700 | 60 | 100 | 800 | 480 | 2000 |
| PREVENTIVE ACTION LIMIT PAL = Italics | | | 1.5 | 0.5 | 140 | 12 | 10 | 160 | 96 | 400 |

(ppb) = parts per billion (ppm) = parts per million
 ns = not sampled nm = not measured

Note: Elevations are presented in feet mean sea level (msl).

A.1 Groundwater Analytical Table
Walkers One Stop BRRTS# 03-33-001415

Well MW-9

PVC Elevation =

803.34 (feet) (MSL)

| Date | Water Elevation (in feet msl) | Depth to Water (in feet) | Lead (ppb) | Benzene (ppb) | Ethyl Benzene (ppb) | MTBE (ppb) | Naphthalene (ppb) | Toluene (ppb) | Trimethylbenzenes (ppb) | Xylene (Total) (ppb) |
|--|-------------------------------|--------------------------|------------|---------------|---------------------|------------|-------------------|---------------|-------------------------|----------------------|
| 2/20-21/12 | 792.42 | 10.92 | 2.40 | <0.5 | <0.78 | <0.8 | <2.1 | 0.56 | <1.54 | <1.9 |
| 05/21/12 | 792.59 | 10.75 | <0.7 | <0.46 | <0.46 | <0.57 | <2.3 | <0.48 | <1.57 | <1.45 |
| 08/20/12 | 792.19 | 11.15 | <0.7 | <0.46 | <0.46 | <0.57 | <2.3 | 0.48 | <1.57 | <1.45 |
| 03/19/13 | 794.55 | 8.79 | <0.7 | <0.27 | <0.82 | <0.37 | <1.2 | <0.8 | <1.69 | <2.41 |
| 03/10/15 | 792.10 | 11.24 | <0.7 | <0.44 | <0.71 | <1.1 | <1.6 | <0.44 | <3.1 | <3.1 |
| 06/10/15 | 793.29 | 10.05 | NS | <0.46 | <0.73 | <0.49 | <2.6 | 0.79 | <1.51 | <2.06 |
| 09/10/15 | 792.53 | 10.81 | NS | <0.46 | <0.73 | <0.49 | <2.6 | 0.72 | <1.51 | <2.06 |
| 12/09/15 | 793.93 | 9.41 | <0.7 | <0.44 | <0.71 | <1.1 | <1.6 | <0.44 | <3.1 | <3.1 |
| 06/08/16 | 792.93 | 10.41 | NS | <0.46 | <0.73 | <0.49 | <2.6 | 0.64 | <1.51 | <2.06 |
| 12/06/16 | 793.47 | 9.87 | NS | <0.46 | <0.73 | <0.49 | <2.6 | <0.39 | <1.51 | <2.06 |
| ENFORCEMENT STANDARD ES = Bold | | | 15 | 5 | 700 | 60 | 100 | 800 | 480 | 2000 |
| PREVENTIVE ACTION LIMIT PAL = Italics | | | 1.5 | 0.5 | 140 | 12 | 10 | 160 | 96 | 400 |

(ppb) = parts per billion (ppm) = parts per million

ns = not sampled

nm = not measured

Note: Elevations are presented in feet mean sea level (msl).

Well MW-10

PVC Elevation =

801.38 (feet) (MSL)

| Date | Water Elevation (in feet msl) | Depth to Water (in feet) | Lead (ppb) | Benzene (ppb) | Ethyl Benzene (ppb) | MTBE (ppb) | Naphthalene (ppb) | Toluene (ppb) | Trimethylbenzenes (ppb) | Xylene (Total) (ppb) |
|--|-------------------------------|--------------------------|------------|---------------|---------------------|------------|-------------------|---------------|-------------------------|----------------------|
| 2/20-21/12 | 792.43 | 8.95 | <0.7 | <0.5 | 3.7 | <0.8 | <2.1 | 0.65 | 4.5-5.24 | 3.5-4.30 |
| 05/21/12 | 792.66 | 8.72 | <0.7 | 2.92 | 0.47 | <0.57 | <2.3 | 0.56 | <1.57 | <1.45 |
| 08/20/12 | 792.07 | 9.31 | <0.7 | 7.7 | 47 | <0.57 | <2.3 | 2.42 | 72.8 | 72.1 |
| 03/19/13 | 794.76 | 6.62 | <0.7 | 1.22 | <0.82 | <0.37 | <1.2 | <0.8 | <1.69 | <2.41 |
| 03/10/15 | 792.06 | 9.32 | <0.7 | 0.90 | <0.73 | <0.49 | <2.6 | 0.52 | <1.51 | <2.06 |
| 06/10/15 | 793.74 | 7.64 | NS | <0.46 | <0.73 | <0.49 | <2.6 | <0.39 | <1.51 | <2.06 |
| 09/10/15 | 792.70 | 8.68 | NS | 1.46 | <0.73 | <0.49 | <2.6 | 0.66 | <1.51 | <2.06 |
| 12/09/15 | 794.36 | 7.02 | <0.7 | <0.44 | <0.71 | <1.1 | <1.6 | <0.44 | <3.1 | <3.1 |
| 06/08/16 | 793.29 | 8.09 | NS | 0.97 | <0.73 | <0.49 | <2.6 | 0.53 | <1.51 | <2.06 |
| 12/06/16 | 793.87 | 7.51 | NS | 0.79 | <0.73 | <0.49 | <2.6 | <0.39 | <1.51 | <2.06 |
| ENFORCEMENT STANDARD ES = Bold | | | 15 | 5 | 700 | 60 | 100 | 800 | 480 | 2000 |
| PREVENTIVE ACTION LIMIT PAL = Italics | | | 1.5 | 0.5 | 140 | 12 | 10 | 160 | 96 | 400 |

(ppb) = parts per billion

(ppm) = parts per million

ns = not sampled

nm = not measured

Note: Elevations are presented in feet mean sea level (msl).

A.6 Water Level Elevations
Walkers One Stop BRRTS# 03-33-001415
Gratiot, Wisconsin

| | MW-1 | MW-2 | MW-3 | MW-4 | MW-5 | MW-5R | MW-6 | MW-7 | MW-8 | MW-9 | MW-10 |
|-------------------------------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|
| Ground Surface (feet msl) | 803.91 | 800.90 | 803.70 | 803.04 | 803.75 | NM | 804.40 | 804.43 | 804.74 | 803.85 | 801.93 |
| PVC top (feet msl) | 803.65 | 803.72 | 803.18 | 802.51 | 803.30 | 803.39 | 803.98 | 803.87 | 804.25 | 803.34 | 801.38 |
| Resurveyed PVC top (feet msl) | 803.46 | | | | | | | | | | |
| Well Depth (feet) | 20.00 | 20.00 | 20.00 | 18.00 | 17.00 | 17.00 | 17.00 | 17.00 | 18.50 | 17.00 | 17.00 |
| Top of screen (feet msl) | 793.91 | 790.90 | 793.70 | 795.04 | 796.75 | NM | 797.40 | 797.43 | 796.24 | 796.85 | 794.93 |
| Bottom of screen (feet msl) | 783.91 | 780.90 | 783.70 | 785.04 | 786.75 | NM | 787.40 | 787.43 | 786.24 | 786.85 | 784.93 |

Depth to Water From Top of PVC (feet)

| | | | | | | | | | | | |
|------------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|------|
| 03/09/11 | NM | NM | NM | NI | NI | NI | NI | NI | NI | NI | NI |
| 2-20/21-12 | 11.32 | 11.30 | 10.78 | 10.11 | 10.85 | NI | 11.56 | 11.66 | 12.31 | 10.92 | 8.95 |
| 05/21/12 | 11.07 | 11.06 | 10.57 | 9.90 | 10.64 | NI | 11.36 | 11.37 | 12.08 | 10.75 | 8.72 |
| 08/20/12 | 11.58 | 11.68 | 11.10 | 10.44 | 11.16 | NI | 11.91 | 11.91 | 12.51 | 11.15 | 9.31 |
| 03/19/13 | 9.18 | 8.99 | 8.42 | 7.75 | 8.57 | NI | 9.32 | 9.49 | 10.79 | 8.79 | 6.62 |
| 03/10/15 | 11.58 | 11.73 | 11.09 | 10.38 | A | 11.32 | 11.94 | 11.89 | 12.41 | 11.24 | 9.32 |
| 06/10/15 | 10.23 | 9.99 | 9.55 | 8.85 | A | 9.74 | 10.41 | 10.51 | 11.66 | 10.05 | 7.64 |
| 09/10/15 | 10.86 | 11.05 | 10.41 | 9.66 | A | 10.62 | 11.28 | 11.40 | 12.20 | 10.81 | 8.68 |
| 12/09/15 | 9.40 | 9.45 | 8.85 | 8.18 | A | 9.07 | 9.95 | 9.94 | 11.31 | 9.41 | 7.02 |
| 06/08/16 | 10.43 | 10.50 | 10.01 | 9.30 | A | 10.15 | 10.84 | 10.92 | 11.94 | 10.41 | 8.09 |
| 12/06/16 | 9.96 | 9.91 | 9.53 | 8.72 | A | 9.58 | 10.29 | 10.41 | 11.54 | 9.87 | 7.51 |

Depth to Water From Ground Surface (feet)

| | | | | | | | | | | | |
|------------|-------|------|-------|-------|-------|----|-------|-------|-------|-------|------|
| 03/09/11 | NM | NM | NM | NI | NI | NI | NI | NI | NI | NI | NI |
| 2-20/21-12 | 11.58 | 8.48 | 11.30 | 10.64 | 11.30 | NI | 11.98 | 12.22 | 12.80 | 11.43 | 9.50 |
| 05/21/12 | 11.33 | 8.24 | 11.09 | 10.43 | 11.09 | NI | 11.78 | 11.93 | 12.57 | 11.26 | 9.27 |
| 08/20/12 | 11.84 | 8.86 | 11.62 | 10.97 | 11.61 | NI | 12.33 | 12.47 | 13.00 | 11.66 | 9.86 |
| 03/19/13 | 9.44 | 6.17 | 8.94 | 8.28 | 9.02 | NI | 9.74 | 10.05 | 11.28 | 9.30 | 7.17 |
| 03/10/15 | 11.84 | 8.91 | 11.61 | 10.91 | A | NM | 12.36 | 12.45 | 12.90 | 11.75 | 9.87 |
| 06/10/15 | 10.49 | 7.17 | 10.07 | 9.38 | A | NM | 10.83 | 11.07 | 12.15 | 10.56 | 8.19 |
| 09/10/15 | 11.12 | 8.23 | 10.93 | 10.19 | A | NM | 11.70 | 11.96 | 12.69 | 11.32 | 9.23 |
| 12/09/15 | 9.85 | 6.63 | 9.37 | 8.71 | A | NM | 10.37 | 10.50 | 11.80 | 9.92 | 7.57 |
| 06/08/16 | 10.88 | 7.68 | 10.53 | 9.83 | A | NM | 11.26 | 11.48 | 12.43 | 10.92 | 8.64 |
| 12/06/16 | 10.41 | 7.09 | 10.05 | 9.25 | A | NM | 10.71 | 10.97 | 12.03 | 10.38 | 8.06 |

Groundwater Elevation (feet msl)

| | | | | | | | | | | | |
|------------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|
| 03/09/11 | NM | NM | NM | NI | NI | NI | NI | NI | NI | NI | NI |
| 2-20/21-12 | 792.33 | 792.40 | 792.42 | 792.40 | 792.45 | NI | 792.42 | 792.21 | 791.94 | 792.42 | 792.43 |
| 05/21/12 | 792.58 | 792.66 | 792.61 | 792.61 | 792.66 | NI | 792.62 | 792.50 | 792.17 | 792.59 | 792.66 |
| 08/20/12 | 792.07 | 792.04 | 792.08 | 792.07 | 792.14 | NI | 792.07 | 791.96 | 791.74 | 792.19 | 792.07 |
| 03/19/13 | 794.47 | 794.73 | 794.76 | 794.76 | 794.73 | NI | 794.66 | 794.38 | 793.46 | 794.55 | 794.76 |
| 03/10/15 | 792.07 | 791.99 | 792.09 | 792.13 | A | 792.07 | 792.04 | 791.98 | 791.84 | 792.10 | 792.06 |
| 06/10/15 | 793.42 | 793.73 | 793.63 | 793.66 | A | 793.65 | 793.57 | 793.36 | 792.59 | 793.29 | 793.74 |
| 09/10/15 | 792.79 | 792.67 | 792.77 | 792.85 | A | 792.77 | 792.70 | 792.47 | 792.05 | 792.53 | 792.70 |
| 12/09/15 | 794.06 | 794.27 | 794.33 | 794.33 | A | 794.32 | 794.03 | 793.93 | 792.94 | 793.93 | 794.36 |
| 06/08/16 | 793.03 | 793.22 | 793.17 | 793.21 | A | 793.24 | 793.14 | 792.95 | 792.31 | 792.93 | 793.29 |
| 12/06/16 | 793.50 | 793.81 | 793.65 | 793.79 | A | 793.81 | 793.69 | 793.46 | 792.71 | 793.47 | 793.87 |

Note: Elevations are presented in feet mean sea level (msl).

CNL = Could Not Locate

NI = Not Installed

NM = Not Measured

A = Abandoned

A.7 Other

Groundwater NA Indicator Results

Walkers One Stop BRRTS# 03-33-001415

Monitoring Well MW-1

| Date | Dissolved Oxygen (ppm) | pH | ORP | Temp (C) | Specific Conductance | Nitrate + Nitrite (ppm) | Total Sulfate (ppm) | Dissolved Iron (ppb) | Manganese (ppb) |
|---|------------------------|------|---------|----------|----------------------|-------------------------|---------------------|----------------------|-----------------|
| 2/20-21/12 | 1.56 | 6.67 | 21.00 | 9.20 | 1598 | <0.1 | 18.0 | 1,930 | 424 |
| 05/21/12 | 0.75 | 7.19 | -221.00 | 14.30 | 2263 | NS | NS | NS | NS |
| 08/20/12 | 0.15 | 6.95 | -114.00 | 17.50 | 3037 | NS | NS | NS | NS |
| 03/19/13 | 1.82 | 5.80 | -58.00 | 7.10 | 2777 | NS | NS | NS | NS |
| 03/10/15 | 3.21 | 4.79 | -24.00 | 8.90 | 1654 | NS | NS | NS | NS |
| 06/10/15 | 0.82 | 7.61 | 107.00 | 13.60 | 2325 | NS | NS | NS | NS |
| 09/10/15 | 2.11 | 6.67 | 13.00 | 15.90 | 1696 | NS | NS | NS | NS |
| 12/09/15 | 2.45 | 7.34 | -85.00 | 12.50 | 1308 | NS | NS | NS | NS |
| 06/08/16 | 2.78 | 7.01 | -35.00 | 13.90 | 1236 | NS | NS | NS | NS |
| 12/06/16 | 1.50 | 6.46 | 31.00 | 14.40 | 310 | NS | NS | NS | NS |
| ENFORCE MENT STANDARD = ES - Bold | | | | | | 10 | - | - | 300 |
| PREVENTIVE ACTION LIMIT = PAL - Italics | | | | | | 2 | - | - | 60 |

(ppb) = parts per billion (ppm) = parts per million

ns = not sampled

nm = not measured

ORP = Oxidation Reduction Potential

Note: Elevations are presented in feet mean sea level (msl).

Monitoring Well MW-2

| Date | Dissolved Oxygen (ppm) | pH | ORP | Temp (C) | Specific Conductance | Nitrate + Nitrite (ppm) | Total Sulfate (ppm) | Dissolved Iron (ppb) | Manganese (ppb) |
|---|------------------------|------|--------|----------|----------------------|-------------------------|---------------------|----------------------|-----------------|
| 2/20-21/12 | 2.71 | 6.52 | 233.00 | 8.10 | 697 | 1.8 | 62.3 | <60 | 180 |
| 05/21/12 | 1.44 | 7.01 | 194.00 | 12.10 | 866 | NS | NS | NS | NS |
| 08/20/12 | 3.80 | 6.74 | 178.00 | 15.70 | 1071 | NS | NS | NS | NS |
| 03/19/13 | 5.54 | 5.56 | 270.00 | 5.80 | 978 | NS | NS | NS | NS |
| 03/10/15 | 3.58 | 5.87 | 243.00 | 7.60 | 806 | NS | NS | NS | NS |
| 06/10/15 | 2.92 | 7.45 | 292.00 | 12.80 | 487 | NS | NS | NS | NS |
| 09/10/15 | 2.97 | 7.26 | 310.00 | 15.60 | 518 | NS | NS | NS | NS |
| 12/09/15 | 3.47 | 7.19 | 225.00 | 10.30 | 943 | NS | NS | NS | NS |
| 06/08/16 | 3.52 | 6.65 | 208.00 | 11.60 | 682 | NS | NS | NS | NS |
| 12/06/16 | 3.81 | 6.82 | 267.00 | 14.50 | 633 | NS | NS | NS | NS |
| ENFORCE MENT STANDARD = ES - Bold | | | | | | 10 | - | - | 300 |
| PREVENTIVE ACTION LIMIT = PAL - Italics | | | | | | 2 | - | - | 60 |

(ppb) = parts per billion (ppm) = parts per million

ns = not sampled

nm = not measured

ORP = Oxidation Reduction Potential

Note: Elevations are presented in feet mean sea level (msl).

Monitoring Well MW-3

| Date | Dissolved Oxygen (ppm) | pH | ORP | Temp (C) | Specific Conductance | Nitrate + Nitrite (ppm) | Total Sulfate (ppm) | Dissolved Iron (ppb) | Manganese (ppb) |
|---|------------------------|------|---------|----------|----------------------|-------------------------|---------------------|----------------------|-----------------|
| 2/20-21/12 | 1.41 | 6.7 | -2.00 | 9.40 | 2519 | NS | NS | NS | NS |
| 05/21/12 | 0.78 | 7.11 | -124.00 | 12.40 | 2278 | NS | NS | NS | NS |
| 08/20/12 | 0.28 | 7.17 | -148.00 | 16.20 | 2966 | NS | NS | NS | NS |
| 03/19/13 | 1.91 | 5.61 | -40.00 | 4.50 | 2529 | NS | NS | NS | NS |
| 03/10/15 | 2.97 | 6.02 | -56.00 | 9.20 | 927 | NS | NS | NS | NS |
| 06/10/15 | 1.68 | 7.46 | -77.00 | 13.10 | 1602 | NS | NS | NS | NS |
| 09/10/15 | 1.59 | 7.02 | -10.00 | 15.40 | 1183 | NS | NS | NS | NS |
| 12/09/15 | 2.24 | 7.11 | -77.00 | 12.10 | 965 | NS | NS | NS | NS |
| 06/08/16 | 2.35 | 7.01 | -71.00 | 12.10 | 950 | NS | NS | NS | NS |
| 12/06/16 | 0.71 | 6.39 | -46.00 | 14.30 | 316 | NS | NS | NS | NS |
| ENFORCE MENT STANDARD = ES - Bold | | | | | | 10 | - | - | 300 |
| PREVENTIVE ACTION LIMIT = PAL - Italics | | | | | | 2 | - | - | 60 |

(ppb) = parts per billion (ppm) = parts per million

ns = not sampled

nm = not measured

ORP = Oxidation Reduction Potential

Note: Elevations are presented in feet mean sea level (msl).

A.7 Other

Groundwater NA Indicator Results

Walkers One Stop BRRTS# 03-33-001415

Monitoring Well MW-4

| Date | Dissolved Oxygen (ppm) | pH | ORP | Temp (C) | Specific Conductance | Nitrate + Nitrite (ppm) | Total Sulfate (ppm) | Dissolved Iron (ppb) | Manganese (ppb) |
|--|------------------------|------|---------|----------|----------------------|-------------------------|---------------------|----------------------|-----------------|
| 2/20-21/12 | 3.63 | 6.5 | 31.00 | 8.40 | 572 | <0.1 | 5.2 | 970 | 1280 |
| 05/21/12 | 1.03 | 7.09 | -33.00 | 12.50 | 1132 | NS | NS | NS | NS |
| 08/20/12 | 0.28 | 7.02 | -102.00 | 16.60 | 1374 | NS | NS | NS | NS |
| 03/19/13 | 2.07 | 5.75 | 150.00 | 5.30 | 1776 | NS | NS | NS | NS |
| 03/10/15 | 3.05 | 5.55 | -4.00 | 6.30 | 817 | NS | NS | NS | NS |
| 06/10/15 | 1.69 | 7.15 | -3.00 | 12.30 | 922 | NS | NS | NS | NS |
| 09/10/15 | 1.87 | 6.84 | 2.00 | 15.80 | 737 | NS | NS | NS | NS |
| 12/09/15 | 2.60 | 6.98 | -71.00 | 11.70 | 712 | NS | NS | NS | NS |
| 06/08/16 | 3.03 | 6.83 | -97.00 | 12.00 | 629 | NS | NS | NS | NS |
| 12/06/16 | 1.47 | 6.33 | 51.00 | 14.20 | 812 | NS | NS | NS | NS |
| ENFORCE MENT STANDARD = ES - Bold | | | | | | 10 | - | - | 300 |
| PREVENTIVE ACTION LIMIT = PAL - Italics | | | | | | 2 | - | - | 60 |

(ppb) = parts per billion (ppm) = parts per million

ns = not sampled

nm = not measured

ORP = Oxidation Reduction Potential

Note: Elevations are presented in feet mean sea level (msl).

Monitoring Well MW-5/5R

| Date | Dissolved Oxygen (ppm) | pH | ORP | Temp (C) | Specific Conductance | Nitrate + Nitrite (ppm) | Total Sulfate (ppm) | Dissolved Iron (ppb) | Manganese (ppb) |
|--|------------------------|------|---------|----------|----------------------|-------------------------|---------------------|----------------------|-----------------|
| 2/20-21/12 | 0.39 | 6.7 | 24.00 | 9.80 | 2108 | <0.1 | <3.4 | 320 | 294 |
| 05/21/12 | 0.69 | 7.13 | -31.00 | 12.40 | 2365 | NS | NS | NS | NS |
| 08/20/12 | 0.20 | 7.04 | -139.00 | 17.90 | 2718 | NS | NS | NS | NS |
| 03/19/13 | 1.69 | 5.67 | -45.00 | 6.10 | 2178 | NS | NS | NS | NS |
| 03/10/15 | 2.43 | 6.17 | 12.00 | 8.50 | 1129 | NS | NS | NS | NS |
| 06/10/15 | 1.79 | 7.53 | 84.00 | 13.30 | 1101 | NS | NS | NS | NS |
| 09/10/15 | 1.10 | 7.09 | -73.00 | 15.60 | 610 | NS | NS | NS | NS |
| 12/09/15 | 5.53 | 7.42 | 73.00 | 11.60 | 782 | NS | NS | NS | NS |
| 06/08/16 | 3.33 | 7.30 | 201.00 | 12.50 | 641 | NS | NS | NS | NS |
| 12/06/16 | 2.21 | 6.63 | 114.00 | 14.00 | 1347 | NS | NS | NS | NS |
| ENFORCE MENT STANDARD = ES - Bold | | | | | | 10 | - | - | 300 |
| PREVENTIVE ACTION LIMIT = PAL - Italics | | | | | | 2 | - | - | 60 |

(ppb) = parts per billion (ppm) = parts per million

ns = not sampled

nm = not measured

ORP = Oxidation Reduction Potential

Note: Elevations are presented in feet mean sea level (msl).

Monitoring Well MW-6

| Date | Dissolved Oxygen (ppm) | pH | ORP | Temp (C) | Specific Conductance | Nitrate + Nitrite (ppm) | Total Sulfate (ppm) | Dissolved Iron (ppb) | Manganese (ppb) |
|--|------------------------|------|---------|----------|----------------------|-------------------------|---------------------|----------------------|-----------------|
| 2/20-21/12 | 0.98 | 6.74 | -51.00 | 9.70 | 1637 | NS | NS | NS | NS |
| 05/21/12 | 1.10 | 7.2 | -128.00 | 13.90 | 2389 | NS | NS | NS | NS |
| 08/20/12 | 0.21 | 7.08 | -136.00 | 17.20 | 2264 | NS | NS | NS | NS |
| 03/19/13 | 2.35 | 5.77 | -57.00 | 6.70 | 2217 | NS | NS | NS | NS |
| 03/10/15 | 2.27 | 5.65 | -8.00 | 9.10 | 1147 | NS | NS | NS | NS |
| 06/10/15 | 1.51 | 7.18 | -145.00 | 13.10 | 1765 | NS | NS | NS | NS |
| 09/10/15 | 1.02 | 7.06 | -178.00 | 15.70 | 892 | NS | NS | NS | NS |
| 12/09/15 | 2.71 | 7.12 | -67.00 | 11.50 | 1126 | NS | NS | NS | NS |
| 06/08/16 | 2.86 | 6.98 | -115.00 | 12.80 | 792 | NS | NS | NS | NS |
| 12/06/16 | 0.92 | 6.87 | -3.00 | 14.50 | 1416 | NS | NS | NS | NS |
| ENFORCE MENT STANDARD = ES - Bold | | | | | | 10 | - | - | 300 |
| PREVENTIVE ACTION LIMIT = PAL - Italics | | | | | | 2 | - | - | 60 |

(ppb) = parts per billion (ppm) = parts per million

ns = not sampled

nm = not measured

ORP = Oxidation Reduction Potential

Note: Elevations are presented in feet mean sea level (msl).

A.7 Other

Groundwater NA Indicator Results

Walkers One Stop BRRTS# 03-33-001415

Monitoring Well MW-7

| Date | Dissolved Oxygen (ppm) | pH | ORP | Temp (C) | Specific Conductance | Nitrate + Nitrite (ppm) | Total Sulfate (ppm) | Dissolved Iron (ppb) | Manganese (ppb) |
|--|------------------------|------|---------|----------|----------------------|-------------------------|---------------------|----------------------|-----------------|
| 2/20-21/12 | 1.58 | 6.7 | 68.00 | 8.70 | 3034 | NS | NS | NS | NS |
| 05/21/12 | 0.82 | 7.15 | -73.00 | 11.90 | 2889 | NS | NS | NS | NS |
| 08/20/12 | 0.27 | 7.2 | -122.00 | 15.70 | 3555 | NS | NS | NS | NS |
| 03/19/13 | 2.55 | 5.80 | 14.00 | 4.80 | 4475.0 | NS | NS | NS | NS |
| 03/10/15 | 3.17 | 4.56 | -81.00 | 7.20 | 8 | NS | NS | NS | NS |
| 06/10/15 | 2.00 | 7.6 | -62.00 | 15.40 | 2423 | NS | NS | NS | NS |
| 09/10/15 | 2.19 | 6.88 | 22.00 | 15.80 | 1276 | NS | NS | NS | NS |
| 12/09/15 | 3.29 | 7.27 | -64.00 | 11.80 | 1295 | NS | NS | NS | NS |
| 06/08/16 | 3.08 | 7.16 | -134.00 | 12.90 | 1123 | NS | NS | NS | NS |
| 12/06/16 | 1.03 | 6.68 | 4.00 | 14.30 | 1216 | NS | NS | NS | NS |
| ENFORCE MENT STANDARD = ES – Bold | | | | | | 10 | - | - | 300 |
| PREVENTIVE ACTION LIMIT = PAL - Italics | | | | | | 2 | - | - | 60 |

(ppb) = parts per billion (ppm) = parts per million

ns = not sampled nm = not measured

ORP = Oxidation Reduction Potential

Note: Elevations are presented in feet mean sea level (msl).

Monitoring Well MW-8

| Date | Dissolved Oxygen (ppm) | pH | ORP | Temp (C) | Specific Conductance | Nitrate + Nitrite (ppm) | Total Sulfate (ppm) | Dissolved Iron (ppb) | Manganese (ppb) |
|--|------------------------|------|--------|----------|----------------------|-------------------------|---------------------|----------------------|-----------------|
| 2/20-21/12 | 1.33 | 6.64 | 208.00 | 10.60 | 10 | 1.2 | 148 | 280 | 381 |
| 05/21/12 | 1.72 | 6.98 | 206.00 | 14.10 | 4021 | NS | NS | NS | NS |
| 08/20/12 | 0.75 | 7.00 | 243.00 | 16.60 | 1259 | NS | NS | NS | NS |
| 03/19/13 | 3.33 | 5.93 | 292.00 | 7.10 | 107 | NS | NS | NS | NS |
| 03/10/15 | 3.10 | 5.35 | 183.00 | 8.50 | 3279 | NS | NS | NS | NS |
| 06/10/15 | 3.12 | 7.41 | 238.00 | 12.50 | 3463 | NS | NS | NS | NS |
| 09/10/15 | 3.28 | 6.92 | 222.00 | 15.50 | 1376 | NS | NS | NS | NS |
| 12/09/15 | 3.43 | 7.24 | -66.00 | 11.20 | 18 | NS | NS | NS | NS |
| 06/08/16 | 2.56 | 7.05 | -39.00 | 13.10 | 1410 | NS | NS | NS | NS |
| 12/06/16 | 1.83 | 6.51 | 164.00 | 14.20 | 859 | NS | NS | NS | NS |
| ENFORCE MENT STANDARD = ES – Bold | | | | | | 10 | - | - | 300 |
| PREVENTIVE ACTION LIMIT = PAL - Italics | | | | | | 2 | - | - | 60 |

(ppb) = parts per billion (ppm) = parts per million

ns = not sampled nm = not measured

ORP = Oxidation Reduction Potential

Note: Elevations are presented in feet mean sea level (msl).

Monitoring Well MW-9

| Date | Dissolved Oxygen (ppm) | pH | ORP | Temp (C) | Specific Conductance | Nitrate + Nitrite (ppm) | Total Sulfate (ppm) | Dissolved Iron (ppb) | Manganese (ppb) |
|--|------------------------|------|--------|----------|----------------------|-------------------------|---------------------|----------------------|-----------------|
| 2/20-21/12 | 2.34 | 6.71 | 182.00 | 9.90 | 1873 | 2.2 | 120 | 220 | 99.6 |
| 05/21/12 | 1.14 | 7.04 | 202.00 | 13.40 | 3009 | NS | NS | NS | NS |
| 08/20/12 | 2.99 | 7.05 | 126.00 | 16.70 | 4403 | NS | NS | NS | NS |
| 03/19/13 | 4.65 | 5.78 | 322.00 | 6.30 | 3876 | NS | NS | NS | NS |
| 03/10/15 | 3.15 | 5.24 | 133.00 | 8.80 | 955 | NS | NS | NS | NS |
| 06/10/15 | 3.91 | 7.62 | 284.00 | 13.80 | 2500 | NS | NS | NS | NS |
| 09/10/15 | 4.15 | 6.73 | 286.00 | 15.40 | 1179 | NS | NS | NS | NS |
| 12/09/15 | 4.98 | 6.67 | 262.00 | 11.60 | 1690 | NS | NS | NS | NS |
| 06/08/16 | 4.32 | 6.75 | 218.00 | 13.40 | 1387 | NS | NS | NS | NS |
| 12/06/16 | 5.96 | 7.27 | 261.00 | 14.30 | 1110 | NS | NS | NS | NS |
| ENFORCE MENT STANDARD = ES – Bold | | | | | | 10 | - | - | 300 |
| PREVENTIVE ACTION LIMIT = PAL - Italics | | | | | | 2 | - | - | 60 |

(ppb) = parts per billion (ppm) = parts per million

ns = not sampled nm = not measured

ORP = Oxidation Reduction Potential

Note: Elevations are presented in feet mean sea level (msl).

A.7 Other
 Groundwater NA Indicator Results
 Walkers One Stop BRRTS# 03-33-001415

Monitoring Well MW-10

| Date | Dissolved Oxygen (ppm) | pH | ORP | Temp (C) | Specific Conductance | Nitrate + Nitrite (ppm) | Total Sulfate (ppm) | Dissolved Iron (ppb) | Manganese (ppb) |
|--|------------------------|------|--------|-----------|----------------------|-------------------------|---------------------|----------------------|-----------------|
| 2/20-21/12 | 2.28 | 6.57 | 227.00 | 8.30 | 763 | 1.0 | 104 | 250 | 618 |
| 05/21/12 | 1.37 | 7.03 | 156.00 | 11.40 | 1067 | NS | NS | NS | NS |
| 08/20/12 | 0.93 | 6.93 | 201.00 | 14.60 | 1252 | NS | NS | NS | NS |
| 03/19/13 | 8.67 | 5.69 | 253.00 | 4.10 | 684 | NS | NS | NS | NS |
| 03/10/15 | 3.39 | 5.25 | 237.00 | 7.80 | 672 | NS | NS | NS | NS |
| 06/10/15 | 1.92 | 7.37 | 309.00 | 12.40 | 1115 | NS | NS | NS | NS |
| 09/10/15 | 3.66 | 6.54 | 210.00 | 15.70 | 1029 | NS | NS | NS | NS |
| 12/09/15 | 2.93 | 7.12 | 237.00 | 10.20 | 931 | NS | NS | NS | NS |
| 06/08/16 | 2.33 | 6.7 | 260.00 | 11.20 | 697 | NS | NS | NS | NS |
| 12/06/16 | 3.96 | 6.94 | 253.00 | 14.10 | 1247 | NS | NS | NS | NS |
| ENFORCE MENT STANDARD = ES - Bold | | | | | | 10 | - | - | 300 |
| PREVENTIVE ACTION LIMIT = <i>PAL - Italics</i> | | | | | | <i>2</i> | - | - | <i>60</i> |

(ppb) = parts per billion (ppm) = parts per million


ns = not sampled

nm = not measured


ORP = Oxidation Reduction Potential

Note: Elevations are presented in feet mean sea level (msl).


**Contaminant Concentration vs. Water Elevation
Walkers One Stop, Gratiot, WI
Monitoring Well MW-1**




**Contaminant Concentration vs. Water Elevation
Walkers One Stop, Gratiot, WI
Monitoring Well MW-3**




**Contaminant Concentration vs. Water Elevation
Walkers One Stop, Gratiot, WI
Monitoring Well MW-4**




**Contaminant Concentration vs. Water Elevation
Walkers One Stop, Gratiot, WI
Monitoring Well MW-5/R**




**Contaminant Concentration vs. Water Elevation
Walkers One Stop, Gratiot, WI
Monitoring Well MW-6**




**Contaminant Concentration vs. Water Elevation
Walkers One Stop, Gratiot, WI
Monitoring Well MW-7**



**Contaminant Concentration vs. Water Elevation
Walkers One Stop, Gratiot, WI
Monitoring Well MW-8**



**Contaminant Concentration vs. Water Elevation
Walkers One Stop, Gratiot, WI
Monitoring Well MW-10**



Synergy Environmental Lab,

1990 Prospect Ct., Appleton, WI 54914 *P 920-830-2455 * F 920-733-0631

TOM WALKER
TOM WALKER
1500 WALKER ROAD
GRATIOT, WI 53541

Report Date 16-Jun-16

Project Name WALKER'S ONE STOP
Project #

Invoice # E31190

Lab Code 5031190A
Sample ID MW-9
Sample Matrix Water
Sample Date 6/8/2016

| | Result | Unit | LOD | LOQ | Dil | Method | Ext Date | Run Date | Analyst | Code |
|--------------------------------|----------|------|------|-----|-----|------------|----------|-----------|---------|------|
| Organic | | | | | | | | | | |
| PVOC + Naphthalene | | | | | | | | | | |
| Benzene | < 0.46 | ug/l | 0.46 | 1.5 | 1 | GRO95/8021 | | 6/15/2016 | CJR | 1 |
| Ethylbenzene | < 0.73 | ug/l | 0.73 | 2.3 | 1 | GRO95/8021 | | 6/15/2016 | CJR | 1 |
| Methyl tert-butyl ether (MTBE) | < 0.49 | ug/l | 0.49 | 1.6 | 1 | GRO95/8021 | | 6/15/2016 | CJR | 1 |
| Naphthalene | < 2.6 | ug/l | 2.6 | 8.3 | 1 | GRO95/8021 | | 6/15/2016 | CJR | 1 |
| Toluene | 0.64 "J" | ug/l | 0.39 | 1.2 | 1 | GRO95/8021 | | 6/15/2016 | CJR | 1 |
| 1,2,4-Trimethylbenzene | < 0.68 | ug/l | 0.68 | 2.2 | 1 | GRO95/8021 | | 6/15/2016 | CJR | 1 |
| 1,3,5-Trimethylbenzene | < 0.83 | ug/l | 0.83 | 2.6 | 1 | GRO95/8021 | | 6/15/2016 | CJR | 1 |
| m&p-Xylene | < 1.4 | ug/l | 1.4 | 4.4 | 1 | GRO95/8021 | | 6/15/2016 | CJR | 1 |
| o-Xylene | < 0.66 | ug/l | 0.66 | 2.1 | 1 | GRO95/8021 | | 6/15/2016 | CJR | 1 |

Lab Code 5031190B
Sample ID MW-2
Sample Matrix Water
Sample Date 6/8/2016

| | Result | Unit | LOD | LOQ | Dil | Method | Ext Date | Run Date | Analyst | Code |
|--------------------------------|--------|------|------|-----|-----|------------|----------|-----------|---------|------|
| Organic | | | | | | | | | | |
| PVOC + Naphthalene | | | | | | | | | | |
| Benzene | < 0.46 | ug/l | 0.46 | 1.5 | 1 | GRO95/8021 | | 6/13/2016 | CJR | 1 |
| Ethylbenzene | < 0.73 | ug/l | 0.73 | 2.3 | 1 | GRO95/8021 | | 6/13/2016 | CJR | 1 |
| Methyl tert-butyl ether (MTBE) | < 0.49 | ug/l | 0.49 | 1.6 | 1 | GRO95/8021 | | 6/13/2016 | CJR | 1 |
| Naphthalene | < 2.6 | ug/l | 2.6 | 8.3 | 1 | GRO95/8021 | | 6/13/2016 | CJR | 1 |
| Toluene | < 0.39 | ug/l | 0.39 | 1.2 | 1 | GRO95/8021 | | 6/13/2016 | CJR | 1 |
| 1,2,4-Trimethylbenzene | < 0.68 | ug/l | 0.68 | 2.2 | 1 | GRO95/8021 | | 6/13/2016 | CJR | 1 |
| 1,3,5-Trimethylbenzene | < 0.83 | ug/l | 0.83 | 2.6 | 1 | GRO95/8021 | | 6/13/2016 | CJR | 1 |
| m&p-Xylene | < 1.4 | ug/l | 1.4 | 4.4 | 1 | GRO95/8021 | | 6/13/2016 | CJR | 1 |
| o-Xylene | < 0.66 | ug/l | 0.66 | 2.1 | 1 | GRO95/8021 | | 6/13/2016 | CJR | 1 |

Project Name WALKER'S ONE STOP
 Project #

Invoice # E31190

Lab Code 5031190C
 Sample ID MW-10
 Sample Matrix Water
 Sample Date 6/8/2016

| | Result | Unit | LOD | LOQ | Dil | Method | Ext Date | Run Date | Analyst | Code |
|--------------------------------|----------|------|------|-----|-----|------------|----------|-----------|---------|------|
| Organic | | | | | | | | | | |
| PVOC + Naphthalene | | | | | | | | | | |
| Benzene | 0.97 "J" | ug/l | 0.46 | 1.5 | 1 | GRO95/8021 | | 6/13/2016 | CJR | 1 |
| Ethylbenzene | < 0.73 | ug/l | 0.73 | 2.3 | 1 | GRO95/8021 | | 6/13/2016 | CJR | 1 |
| Methyl tert-butyl ether (MTBE) | < 0.49 | ug/l | 0.49 | 1.6 | 1 | GRO95/8021 | | 6/13/2016 | CJR | 1 |
| Naphthalene | < 2.6 | ug/l | 2.6 | 8.3 | 1 | GRO95/8021 | | 6/13/2016 | CJR | 1 |
| Toluene | 0.53 "J" | ug/l | 0.39 | 1.2 | 1 | GRO95/8021 | | 6/13/2016 | CJR | 1 |
| 1,2,4-Trimethylbenzene | < 0.68 | ug/l | 0.68 | 2.2 | 1 | GRO95/8021 | | 6/13/2016 | CJR | 1 |
| 1,3,5-Trimethylbenzene | < 0.83 | ug/l | 0.83 | 2.6 | 1 | GRO95/8021 | | 6/13/2016 | CJR | 1 |
| m&p-Xylene | < 1.4 | ug/l | 1.4 | 4.4 | 1 | GRO95/8021 | | 6/13/2016 | CJR | 1 |
| o-Xylene | < 0.66 | ug/l | 0.66 | 2.1 | 1 | GRO95/8021 | | 6/13/2016 | CJR | 1 |

Lab Code 5031190D
 Sample ID MW-5R
 Sample Matrix Water
 Sample Date 6/8/2016

| | Result | Unit | LOD | LOQ | Dil | Method | Ext Date | Run Date | Analyst | Code |
|--------------------------------|----------|------|------|-----|-----|------------|----------|-----------|---------|------|
| Organic | | | | | | | | | | |
| PVOC + Naphthalene | | | | | | | | | | |
| Benzene | 53 | ug/l | 0.46 | 1.5 | 1 | GRO95/8021 | | 6/13/2016 | CJR | 1 |
| Ethylbenzene | 7.3 | ug/l | 0.73 | 2.3 | 1 | GRO95/8021 | | 6/13/2016 | CJR | 1 |
| Methyl tert-butyl ether (MTBE) | < 0.49 | ug/l | 0.49 | 1.6 | 1 | GRO95/8021 | | 6/13/2016 | CJR | 1 |
| Naphthalene | 35 | ug/l | 2.6 | 8.3 | 1 | GRO95/8021 | | 6/13/2016 | CJR | 1 |
| Toluene | 0.98 "J" | ug/l | 0.39 | 1.2 | 1 | GRO95/8021 | | 6/13/2016 | CJR | 1 |
| 1,2,4-Trimethylbenzene | 14.9 | ug/l | 0.68 | 2.2 | 1 | GRO95/8021 | | 6/13/2016 | CJR | 1 |
| 1,3,5-Trimethylbenzene | 2.66 | ug/l | 0.83 | 2.6 | 1 | GRO95/8021 | | 6/13/2016 | CJR | 1 |
| m&p-Xylene | 19.4 | ug/l | 1.4 | 4.4 | 1 | GRO95/8021 | | 6/13/2016 | CJR | 1 |
| o-Xylene | 6.3 | ug/l | 0.66 | 2.1 | 1 | GRO95/8021 | | 6/13/2016 | CJR | 1 |

Lab Code 5031190E
 Sample ID MW-8
 Sample Matrix Water
 Sample Date 6/8/2016

| | Result | Unit | LOD | LOQ | Dil | Method | Ext Date | Run Date | Analyst | Code |
|--------------------------------|----------|------|------|-----|-----|------------|----------|-----------|---------|------|
| Organic | | | | | | | | | | |
| PVOC + Naphthalene | | | | | | | | | | |
| Benzene | 15.1 | ug/l | 0.46 | 1.5 | 1 | GRO95/8021 | | 6/13/2016 | CJR | 1 |
| Ethylbenzene | 0.86 "J" | ug/l | 0.73 | 2.3 | 1 | GRO95/8021 | | 6/13/2016 | CJR | 1 |
| Methyl tert-butyl ether (MTBE) | 5.5 | ug/l | 0.49 | 1.6 | 1 | GRO95/8021 | | 6/13/2016 | CJR | 1 |
| Naphthalene | 6.7 "J" | ug/l | 2.6 | 8.3 | 1 | GRO95/8021 | | 6/13/2016 | CJR | 1 |
| Toluene | 0.91 "J" | ug/l | 0.39 | 1.2 | 1 | GRO95/8021 | | 6/13/2016 | CJR | 1 |
| 1,2,4-Trimethylbenzene | 2.7 | ug/l | 0.68 | 2.2 | 1 | GRO95/8021 | | 6/13/2016 | CJR | 1 |
| 1,3,5-Trimethylbenzene | < 0.83 | ug/l | 0.83 | 2.6 | 1 | GRO95/8021 | | 6/13/2016 | CJR | 1 |
| m&p-Xylene | 1.44 "J" | ug/l | 1.4 | 4.4 | 1 | GRO95/8021 | | 6/13/2016 | CJR | 1 |
| o-Xylene | < 0.66 | ug/l | 0.66 | 2.1 | 1 | GRO95/8021 | | 6/13/2016 | CJR | 1 |

Project Name WALKER'S ONE STOP
 Project #

Invoice # E31190

Lab Code 5031190F
 Sample ID MW-1
 Sample Matrix Water
 Sample Date 6/8/2016

| | Result | Unit | LOD | LOQ | Dil | Method | Ext Date | Run Date | Analyst | Code |
|--------------------------------|--------|------|------|-----|-----|------------|----------|-----------|---------|------|
| Organic | | | | | | | | | | |
| PVOC + Naphthalene | | | | | | | | | | |
| Benzene | 243 | ug/l | 0.46 | 1.5 | 1 | GRO95/8021 | | 6/13/2016 | CJR | 1 |
| Ethylbenzene | 91 | ug/l | 0.73 | 2.3 | 1 | GRO95/8021 | | 6/13/2016 | CJR | 1 |
| Methyl tert-butyl ether (MTBE) | < 0.49 | ug/l | 0.49 | 1.6 | 1 | GRO95/8021 | | 6/13/2016 | CJR | 1 |
| Naphthalene | 173 | ug/l | 2.6 | 8.3 | 1 | GRO95/8021 | | 6/13/2016 | CJR | 1 |
| Toluene | 27.3 | ug/l | 0.39 | 1.2 | 1 | GRO95/8021 | | 6/13/2016 | CJR | 1 |
| 1,2,4-Trimethylbenzene | 250 | ug/l | 0.68 | 2.2 | 1 | GRO95/8021 | | 6/13/2016 | CJR | 1 |
| 1,3,5-Trimethylbenzene | 29.7 | ug/l | 0.83 | 2.6 | 1 | GRO95/8021 | | 6/13/2016 | CJR | 1 |
| m&p-Xylene | 760 | ug/l | 1.4 | 4.4 | 1 | GRO95/8021 | | 6/13/2016 | CJR | 1 |
| o-Xylene | 31.3 | ug/l | 0.66 | 2.1 | 1 | GRO95/8021 | | 6/13/2016 | CJR | 1 |

Lab Code 5031190G
 Sample ID MW-7
 Sample Matrix Water
 Sample Date 6/8/2016

| | Result | Unit | LOD | LOQ | Dil | Method | Ext Date | Run Date | Analyst | Code |
|--------------------------------|----------|------|-----|-----|-----|------------|----------|-----------|---------|------|
| Organic | | | | | | | | | | |
| PVOC + Naphthalene | | | | | | | | | | |
| Benzene | 460 | ug/l | 4.6 | 15 | 10 | GRO95/8021 | | 6/13/2016 | CJR | 1 |
| Ethylbenzene | 17.2 "J" | ug/l | 7.3 | 23 | 10 | GRO95/8021 | | 6/13/2016 | CJR | 1 |
| Methyl tert-butyl ether (MTBE) | < 4.9 | ug/l | 4.9 | 16 | 10 | GRO95/8021 | | 6/13/2016 | CJR | 1 |
| Naphthalene | 280 | ug/l | 26 | 83 | 10 | GRO95/8021 | | 6/13/2016 | CJR | 1 |
| Toluene | 22.1 | ug/l | 3.9 | 12 | 10 | GRO95/8021 | | 6/13/2016 | CJR | 1 |
| 1,2,4-Trimethylbenzene | 58 | ug/l | 6.8 | 22 | 10 | GRO95/8021 | | 6/13/2016 | CJR | 1 |
| 1,3,5-Trimethylbenzene | 13.1 "J" | ug/l | 8.3 | 26 | 10 | GRO95/8021 | | 6/13/2016 | CJR | 1 |
| m&p-Xylene | 85 | ug/l | 14 | 44 | 10 | GRO95/8021 | | 6/13/2016 | CJR | 1 |
| o-Xylene | 14.9 "J" | ug/l | 6.6 | 21 | 10 | GRO95/8021 | | 6/13/2016 | CJR | 1 |

Lab Code 5031190H
 Sample ID MW-4
 Sample Matrix Water
 Sample Date 6/8/2016

| | Result | Unit | LOD | LOQ | Dil | Method | Ext Date | Run Date | Analyst | Code |
|--------------------------------|----------|------|------|-----|-----|------------|----------|-----------|---------|------|
| Organic | | | | | | | | | | |
| PVOC + Naphthalene | | | | | | | | | | |
| Benzene | 23.8 "J" | ug/l | 9.2 | 30 | 20 | GRO95/8021 | | 6/14/2016 | CJR | 1 |
| Ethylbenzene | 770 | ug/l | 14.6 | 46 | 20 | GRO95/8021 | | 6/14/2016 | CJR | 1 |
| Methyl tert-butyl ether (MTBE) | < 9.8 | ug/l | 9.8 | 32 | 20 | GRO95/8021 | | 6/14/2016 | CJR | 1 |
| Naphthalene | 312 | ug/l | 52 | 166 | 20 | GRO95/8021 | | 6/14/2016 | CJR | 1 |
| Toluene | 33 | ug/l | 7.8 | 24 | 20 | GRO95/8021 | | 6/14/2016 | CJR | 1 |
| 1,2,4-Trimethylbenzene | 1820 | ug/l | 13.6 | 44 | 20 | GRO95/8021 | | 6/14/2016 | CJR | 1 |
| 1,3,5-Trimethylbenzene | 400 | ug/l | 16.6 | 52 | 20 | GRO95/8021 | | 6/14/2016 | CJR | 1 |
| m&p-Xylene | 2470 | ug/l | 28 | 88 | 20 | GRO95/8021 | | 6/14/2016 | CJR | 1 |
| o-Xylene | 315 | ug/l | 13.2 | 42 | 20 | GRO95/8021 | | 6/14/2016 | CJR | 1 |

Project #

Lab Code 5031190I
 Sample ID MW-6
 Sample Matrix Water
 Sample Date 6/8/2016

| | Result | Unit | LOD | LOQ | Dil | Method | Ext Date | Run Date | Analyst | Code |
|--------------------------------|---------|------|------|-----|-----|------------|----------|-----------|---------|------|
| Organic | | | | | | | | | | |
| PVOC + Naphthalene | | | | | | | | | | |
| Benzene | 259 | ug/l | 23 | 75 | 50 | GRO95/8021 | | 6/15/2016 | CJR | I |
| Ethylbenzene | 1020 | ug/l | 36.5 | 115 | 50 | GRO95/8021 | | 6/15/2016 | CJR | I |
| Methyl tert-butyl ether (MTBE) | < 24.5 | ug/l | 24.5 | 80 | 50 | GRO95/8021 | | 6/15/2016 | CJR | I |
| Naphthalene | 350 "J" | ug/l | 130 | 415 | 50 | GRO95/8021 | | 6/15/2016 | CJR | I |
| Toluene | 58 "J" | ug/l | 19.5 | 60 | 50 | GRO95/8021 | | 6/15/2016 | CJR | I |
| 1,2,4-Trimethylbenzene | 1650 | ug/l | 34 | 110 | 50 | GRO95/8021 | | 6/15/2016 | CJR | I |
| 1,3,5-Trimethylbenzene | 92 "J" | ug/l | 41.5 | 130 | 50 | GRO95/8021 | | 6/15/2016 | CJR | I |
| m&p-Xylene | 1890 | ug/l | 70 | 220 | 50 | GRO95/8021 | | 6/15/2016 | CJR | I |
| o-Xylene | 232 | ug/l | 33 | 105 | 50 | GRO95/8021 | | 6/15/2016 | CJR | I |

Lab Code 5031190J
 Sample ID MW-3
 Sample Matrix Water
 Sample Date 6/8/2016

| | Result | Unit | LOD | LOQ | Dil | Method | Ext Date | Run Date | Analyst | Code |
|--------------------------------|--------|------|------|-----|-----|------------|----------|-----------|---------|------|
| Organic | | | | | | | | | | |
| PVOC + Naphthalene | | | | | | | | | | |
| Benzene | 320 | ug/l | 23 | 75 | 50 | GRO95/8021 | | 6/15/2016 | CJR | I |
| Ethylbenzene | 1750 | ug/l | 36.5 | 115 | 50 | GRO95/8021 | | 6/15/2016 | CJR | I |
| Methyl tert-butyl ether (MTBE) | < 24.5 | ug/l | 24.5 | 80 | 50 | GRO95/8021 | | 6/15/2016 | CJR | I |
| Naphthalene | 640 | ug/l | 130 | 415 | 50 | GRO95/8021 | | 6/15/2016 | CJR | I |
| Toluene | 450 | ug/l | 19.5 | 60 | 50 | GRO95/8021 | | 6/15/2016 | CJR | I |
| 1,2,4-Trimethylbenzene | 2440 | ug/l | 34 | 110 | 50 | GRO95/8021 | | 6/15/2016 | CJR | I |
| 1,3,5-Trimethylbenzene | 218 | ug/l | 41.5 | 130 | 50 | GRO95/8021 | | 6/15/2016 | CJR | I |
| m&p-Xylene | 5400 | ug/l | 70 | 220 | 50 | GRO95/8021 | | 6/15/2016 | CJR | I |
| o-Xylene | 1380 | ug/l | 33 | 105 | 50 | GRO95/8021 | | 6/15/2016 | CJR | I |

Lab Code 5031190K
 Sample ID TB
 Sample Matrix Water
 Sample Date 6/8/2016

| | Result | Unit | LOD | LOQ | Dil | Method | Ext Date | Run Date | Analyst | Code |
|--------------------------------|--------|------|------|-----|-----|------------|----------|-----------|---------|------|
| Organic | | | | | | | | | | |
| PVOC + Naphthalene | | | | | | | | | | |
| Benzene | < 0.46 | ug/l | 0.46 | 1.5 | 1 | GRO95/8021 | | 6/15/2016 | CJR | I |
| Ethylbenzene | < 0.73 | ug/l | 0.73 | 2.3 | 1 | GRO95/8021 | | 6/15/2016 | CJR | I |
| Methyl tert-butyl ether (MTBE) | < 0.49 | ug/l | 0.49 | 1.6 | 1 | GRO95/8021 | | 6/15/2016 | CJR | I |
| Naphthalene | < 2.6 | ug/l | 2.6 | 8.3 | 1 | GRO95/8021 | | 6/15/2016 | CJR | I |
| Toluene | < 0.39 | ug/l | 0.39 | 1.2 | 1 | GRO95/8021 | | 6/15/2016 | CJR | I |
| 1,2,4-Trimethylbenzene | < 0.68 | ug/l | 0.68 | 2.2 | 1 | GRO95/8021 | | 6/15/2016 | CJR | I |
| 1,3,5-Trimethylbenzene | < 0.83 | ug/l | 0.83 | 2.6 | 1 | GRO95/8021 | | 6/15/2016 | CJR | I |
| m&p-Xylene | < 1.4 | ug/l | 1.4 | 4.4 | 1 | GRO95/8021 | | 6/15/2016 | CJR | I |
| o-Xylene | < 0.66 | ug/l | 0.66 | 2.1 | 1 | GRO95/8021 | | 6/15/2016 | CJR | I |

Project Name WALKER'S ONE STOP
Project #

Invoice # E31190

"J" Flag: Analyte detected between LOD and LOQ

LOD Limit of Detection

LOQ Limit of Quantitation

Code *Comment*

1 Laboratory QC within limits.

All solid sample results reported on a dry weight basis unless otherwise indicated. All LOD's and LOQ's are adjusted for dilutions but not dry weight. Subcontracted results are denoted by SUB in the analyst field.

Authorized Signature

Michael Ricker

CHAIN OF STUDY RECORD

Synergy

Environmental Lab, Inc.

1990 Prospect Ct. • Appleton, WI 54914
920-830-2455 • FAX 920-733-0631

Chain # NE 287
Page 1 of 1

Sample Handling Request

Rush Analysis Date Required
(Rushes accepted only with prior authorization)
 Normal Turn Around

Lab ID # _____ Quote No.: _____
Account No.: _____
Project #: _____
Sampler: (signature) for farm
Project (Name / Location): Walker's One Stop / Gratiot
Reports To: Tom Walker Invoice To: Tom Walker
Company: _____ Company: e/o METCO
Address: 1500 Walker Rd Address: 709 Gillette St, Ste. 3
City State Zip: Gratiot, WI 53541 City State Zip: La Crosse, WI 54603
Phone: _____ Phone: _____
FAX: _____ FAX: _____

| Lab ID | Sample ID | Collection Date | Time | Comp | Grab | Filtered Y/N | No. of Containers | Sample Type (Matrix) | Preservation |
|-----------------|--------------|-----------------|-------------|------|------|--------------|-------------------|----------------------|--------------|
| <u>SOS1170A</u> | <u>MW-9</u> | <u>6-8</u> | <u>1035</u> | | | | <u>3</u> | <u>GW</u> | <u>HCL</u> |
| <u>B</u> | <u>MW-2</u> | <u>1</u> | <u>1100</u> | | | | | | |
| <u>C</u> | <u>MW-10</u> | | <u>1120</u> | | | | | | |
| <u>D</u> | <u>MW-5R</u> | | <u>1145</u> | | | | | | |
| <u>E</u> | <u>MW-8</u> | | <u>1205</u> | | | | | | |
| <u>F</u> | <u>MW-1</u> | | <u>1225</u> | | | | | | |
| <u>G</u> | <u>MW-7</u> | | <u>1250</u> | | | | | | |
| <u>H</u> | <u>MW-4</u> | | <u>110</u> | | | | | | |
| <u>I</u> | <u>MW-6</u> | | <u>125</u> | | | | | | |
| <u>J</u> | <u>MW-3</u> | | <u>145</u> | | | | | | |

Comments/Special Instructions (*Specify groundwater "GW", Drinking Water "DW", Waste Water "WW", Soil "S", Air "A", Oil, Sludge etc.)
K TB

Lab to send copy of report to METCO / Jason P. (Invoice to METCO)
Notes: site Routes apply, Agent Status

| Analysis Requested | | Other Analysis | |
|-------------------------------------|------------------------|--------------------------|----------|
| <input checked="" type="checkbox"/> | DRO (Mtd DRO Sep 96) | <input type="checkbox"/> | PID/ PID |
| <input checked="" type="checkbox"/> | GRO (Mtd GRO Sep 95) | <input type="checkbox"/> | |
| <input checked="" type="checkbox"/> | LEAD | <input type="checkbox"/> | |
| <input checked="" type="checkbox"/> | NITRATE/NITRITE | <input type="checkbox"/> | |
| <input checked="" type="checkbox"/> | OIL & GREASE | <input type="checkbox"/> | |
| <input checked="" type="checkbox"/> | PAH (EPA 8270) | <input type="checkbox"/> | |
| <input checked="" type="checkbox"/> | PCB | <input type="checkbox"/> | |
| <input checked="" type="checkbox"/> | PVOC (EPA 8021) | <input type="checkbox"/> | |
| <input checked="" type="checkbox"/> | PVOC + NAPHTHALENE | <input type="checkbox"/> | |
| <input type="checkbox"/> | SULFATE | <input type="checkbox"/> | |
| <input type="checkbox"/> | TOTAL SUSPENDED SOLIDS | <input type="checkbox"/> | |
| <input type="checkbox"/> | VOC DW (EPA 542.2) | <input type="checkbox"/> | |
| <input type="checkbox"/> | VOC (EPA 8260) | <input type="checkbox"/> | |
| <input type="checkbox"/> | 8-PCRA METALS | <input type="checkbox"/> | |

Sample Integrity - To be completed by receiving lab
Method of Shipment: Dry Ice Temp. of Temp. Blank: _____ °C On Ice:
Cooler seal intact upon receipt: Yes No

Relinquished By: (sign) for farm Time: 7:30 AM 6-9-16 Date: _____
Received in Laboratory By: Chandra Pas Time: 8:00 Date: 6/10/16

Synergy Environmental Lab,

1990 Prospect Ct., Appleton, WI 54914 *P 920-830-2455 * F 920-733-0631

TOM WALKER
TOM WALKER
1500 WALKER ROAD
GRATIOT, WI 53541

Report Date 15-Dec-16

Project Name WALKERS ONE STOP
Project #

Invoice # E32201

Lab Code 5032201A
Sample ID MW-9
Sample Matrix Water
Sample Date 12/6/2016

| | Result | Unit | LOD | LOQ | Dil | Method | Ext Date | Run Date | Analyst | Code |
|--------------------------------|--------|------|------|-----|-----|------------|----------|------------|---------|------|
| Organic | | | | | | | | | | |
| PVOC + Naphthalene | | | | | | | | | | |
| Benzene | < 0.46 | ug/l | 0.46 | 1.5 | 1 | GRO95/8021 | | 12/12/2016 | TCC | 1 |
| Ethylbenzene | < 0.73 | ug/l | 0.73 | 2.3 | 1 | GRO95/8021 | | 12/12/2016 | TCC | 1 |
| Methyl tert-butyl ether (MTBE) | < 0.49 | ug/l | 0.49 | 1.6 | 1 | GRO95/8021 | | 12/12/2016 | TCC | 1 |
| Naphthalene | < 2.6 | ug/l | 2.6 | 8.3 | 1 | GRO95/8021 | | 12/12/2016 | TCC | 1 |
| Toluene | < 0.39 | ug/l | 0.39 | 1.2 | 1 | GRO95/8021 | | 12/12/2016 | TCC | 1 |
| 1,2,4-Trimethylbenzene | < 0.68 | ug/l | 0.68 | 2.2 | 1 | GRO95/8021 | | 12/12/2016 | TCC | 1 |
| 1,3,5-Trimethylbenzene | < 0.83 | ug/l | 0.83 | 2.6 | 1 | GRO95/8021 | | 12/12/2016 | TCC | 1 |
| m&p-Xylene | < 1.4 | ug/l | 1.4 | 4.4 | 1 | GRO95/8021 | | 12/12/2016 | TCC | 1 |
| o-Xylene | < 0.66 | ug/l | 0.66 | 2.1 | 1 | GRO95/8021 | | 12/12/2016 | TCC | 1 |

Lab Code 5032201B
Sample ID MW-2
Sample Matrix Water
Sample Date 12/6/2016

| | Result | Unit | LOD | LOQ | Dil | Method | Ext Date | Run Date | Analyst | Code |
|--------------------------------|--------|------|------|-----|-----|------------|----------|------------|---------|------|
| Organic | | | | | | | | | | |
| PVOC + Naphthalene | | | | | | | | | | |
| Benzene | < 0.46 | ug/l | 0.46 | 1.5 | 1 | GRO95/8021 | | 12/12/2016 | TCC | 1 |
| Ethylbenzene | < 0.73 | ug/l | 0.73 | 2.3 | 1 | GRO95/8021 | | 12/12/2016 | TCC | 1 |
| Methyl tert-butyl ether (MTBE) | < 0.49 | ug/l | 0.49 | 1.6 | 1 | GRO95/8021 | | 12/12/2016 | TCC | 1 |
| Naphthalene | < 2.6 | ug/l | 2.6 | 8.3 | 1 | GRO95/8021 | | 12/12/2016 | TCC | 1 |
| Toluene | < 0.39 | ug/l | 0.39 | 1.2 | 1 | GRO95/8021 | | 12/12/2016 | TCC | 1 |
| 1,2,4-Trimethylbenzene | < 0.68 | ug/l | 0.68 | 2.2 | 1 | GRO95/8021 | | 12/12/2016 | TCC | 1 |
| 1,3,5-Trimethylbenzene | < 0.83 | ug/l | 0.83 | 2.6 | 1 | GRO95/8021 | | 12/12/2016 | TCC | 1 |
| m&p-Xylene | < 1.4 | ug/l | 1.4 | 4.4 | 1 | GRO95/8021 | | 12/12/2016 | TCC | 1 |
| o-Xylene | < 0.66 | ug/l | 0.66 | 2.1 | 1 | GRO95/8021 | | 12/12/2016 | TCC | 1 |

Project Name WALKERS ONE STOP
Project #

Invoice # E32201

Lab Code 5032201C
Sample ID MW-10
Sample Matrix Water
Sample Date 12/6/2016

| | Result | Unit | LOD | LOQ | Dil | Method | Ext Date | Run Date | Analyst | Code |
|--------------------------------|----------|------|------|-----|-----|------------|----------|------------|---------|------|
| Organic | | | | | | | | | | |
| PVOC + Naphthalene | | | | | | | | | | |
| Benzene | 0.79 "J" | ug/l | 0.46 | 1.5 | 1 | GRO95/8021 | | 12/12/2016 | TCC | 1 |
| Ethylbenzene | < 0.73 | ug/l | 0.73 | 2.3 | 1 | GRO95/8021 | | 12/12/2016 | TCC | 1 |
| Methyl tert-butyl ether (MTBE) | < 0.49 | ug/l | 0.49 | 1.6 | 1 | GRO95/8021 | | 12/12/2016 | TCC | 1 |
| Naphthalene | < 2.6 | ug/l | 2.6 | 8.3 | 1 | GRO95/8021 | | 12/12/2016 | TCC | 1 |
| Toluene | < 0.39 | ug/l | 0.39 | 1.2 | 1 | GRO95/8021 | | 12/12/2016 | TCC | 1 |
| 1,2,4-Trimethylbenzene | < 0.68 | ug/l | 0.68 | 2.2 | 1 | GRO95/8021 | | 12/12/2016 | TCC | 1 |
| 1,3,5-Trimethylbenzene | < 0.83 | ug/l | 0.83 | 2.6 | 1 | GRO95/8021 | | 12/12/2016 | TCC | 1 |
| m&p-Xylene | < 1.4 | ug/l | 1.4 | 4.4 | 1 | GRO95/8021 | | 12/12/2016 | TCC | 1 |
| o-Xylene | < 0.66 | ug/l | 0.66 | 2.1 | 1 | GRO95/8021 | | 12/12/2016 | TCC | 1 |

Lab Code 5032201D
Sample ID MW-8
Sample Matrix Water
Sample Date 12/6/2016

| | Result | Unit | LOD | LOQ | Dil | Method | Ext Date | Run Date | Analyst | Code |
|--------------------------------|----------|------|------|-----|-----|------------|----------|------------|---------|------|
| Organic | | | | | | | | | | |
| PVOC + Naphthalene | | | | | | | | | | |
| Benzene | 17.9 | ug/l | 0.46 | 1.5 | 1 | GRO95/8021 | | 12/13/2016 | TCC | 1 |
| Ethylbenzene | 0.97 "J" | ug/l | 0.73 | 2.3 | 1 | GRO95/8021 | | 12/13/2016 | TCC | 1 |
| Methyl tert-butyl ether (MTBE) | 5.4 | ug/l | 0.49 | 1.6 | 1 | GRO95/8021 | | 12/13/2016 | TCC | 1 |
| Naphthalene | 2.72 "J" | ug/l | 2.6 | 8.3 | 1 | GRO95/8021 | | 12/13/2016 | TCC | 1 |
| Toluene | 1.1 "J" | ug/l | 0.39 | 1.2 | 1 | GRO95/8021 | | 12/13/2016 | TCC | 1 |
| 1,2,4-Trimethylbenzene | 1.1 "J" | ug/l | 0.68 | 2.2 | 1 | GRO95/8021 | | 12/13/2016 | TCC | 1 |
| 1,3,5-Trimethylbenzene | < 0.83 | ug/l | 0.83 | 2.6 | 1 | GRO95/8021 | | 12/13/2016 | TCC | 1 |
| m&p-Xylene | < 1.4 | ug/l | 1.4 | 4.4 | 1 | GRO95/8021 | | 12/13/2016 | TCC | 1 |
| o-Xylene | < 0.66 | ug/l | 0.66 | 2.1 | 1 | GRO95/8021 | | 12/13/2016 | TCC | 1 |

Lab Code 5032201E
Sample ID MW-5R
Sample Matrix Water
Sample Date 12/6/2016

| | Result | Unit | LOD | LOQ | Dil | Method | Ext Date | Run Date | Analyst | Code |
|--------------------------------|--------|------|-----|-----|-----|------------|----------|------------|---------|------|
| Organic | | | | | | | | | | |
| PVOC + Naphthalene | | | | | | | | | | |
| Benzene | 83 | ug/l | 4.6 | 15 | 10 | GRO95/8021 | | 12/13/2016 | TCC | 1 |
| Ethylbenzene | 340 | ug/l | 7.3 | 23 | 10 | GRO95/8021 | | 12/13/2016 | TCC | 1 |
| Methyl tert-butyl ether (MTBE) | < 4.9 | ug/l | 4.9 | 16 | 10 | GRO95/8021 | | 12/13/2016 | TCC | 1 |
| Naphthalene | 133 | ug/l | 26 | 83 | 10 | GRO95/8021 | | 12/13/2016 | TCC | 1 |
| Toluene | 17 | ug/l | 3.9 | 12 | 10 | GRO95/8021 | | 12/13/2016 | TCC | 1 |
| 1,2,4-Trimethylbenzene | 510 | ug/l | 6.8 | 22 | 10 | GRO95/8021 | | 12/13/2016 | TCC | 1 |
| 1,3,5-Trimethylbenzene | 34 | ug/l | 8.3 | 26 | 10 | GRO95/8021 | | 12/13/2016 | TCC | 1 |
| m&p-Xylene | 560 | ug/l | 14 | 44 | 10 | GRO95/8021 | | 12/13/2016 | TCC | 1 |
| o-Xylene | 99 | ug/l | 6.6 | 21 | 10 | GRO95/8021 | | 12/13/2016 | TCC | 1 |

Project #

Lab Code 5032201F
 Sample ID MW-1
 Sample Matrix Water
 Sample Date 12/6/2016

| | Result | Unit | LOD | LOQ | Dil | Method | Ext Date | Run Date | Analyst | Code |
|--------------------------------|----------|------|-----|-----|-----|------------|----------|------------|---------|------|
| Organic | | | | | | | | | | |
| PVOC + Naphthalene | | | | | | | | | | |
| Benzene | 61 | ug/l | 4.6 | 15 | 10 | GRO95/8021 | | 12/13/2016 | TCC | 1 |
| Ethylbenzene | 18.1 "J" | ug/l | 7.3 | 23 | 10 | GRO95/8021 | | 12/13/2016 | TCC | 1 |
| Methyl tert-butyl ether (MTBE) | < 4.9 | ug/l | 4.9 | 16 | 10 | GRO95/8021 | | 12/13/2016 | TCC | 1 |
| Naphthalene | 46 "J" | ug/l | 26 | 83 | 10 | GRO95/8021 | | 12/13/2016 | TCC | 1 |
| Toluene | 7.8 "J" | ug/l | 3.9 | 12 | 10 | GRO95/8021 | | 12/13/2016 | TCC | 1 |
| 1,2,4-Trimethylbenzene | 48 | ug/l | 6.8 | 22 | 10 | GRO95/8021 | | 12/13/2016 | TCC | 1 |
| 1,3,5-Trimethylbenzene | < 8.3 | ug/l | 8.3 | 26 | 10 | GRO95/8021 | | 12/13/2016 | TCC | 1 |
| m&p-Xylene | 88 | ug/l | 14 | 44 | 10 | GRO95/8021 | | 12/13/2016 | TCC | 1 |
| o-Xylene | 8.2 "J" | ug/l | 6.6 | 21 | 10 | GRO95/8021 | | 12/13/2016 | TCC | 1 |

Lab Code 5032201G
 Sample ID MW-7
 Sample Matrix Water
 Sample Date 12/6/2016

| | Result | Unit | LOD | LOQ | Dil | Method | Ext Date | Run Date | Analyst | Code |
|--------------------------------|----------|------|-----|-----|-----|------------|----------|------------|---------|------|
| Organic | | | | | | | | | | |
| PVOC + Naphthalene | | | | | | | | | | |
| Benzene | 281 | ug/l | 4.6 | 15 | 10 | GRO95/8021 | | 12/13/2016 | TCC | 1 |
| Ethylbenzene | 11.4 "J" | ug/l | 7.3 | 23 | 10 | GRO95/8021 | | 12/13/2016 | TCC | 1 |
| Methyl tert-butyl ether (MTBE) | < 4.9 | ug/l | 4.9 | 16 | 10 | GRO95/8021 | | 12/13/2016 | TCC | 1 |
| Naphthalene | 124 | ug/l | 26 | 83 | 10 | GRO95/8021 | | 12/13/2016 | TCC | 1 |
| Toluene | 14 | ug/l | 3.9 | 12 | 10 | GRO95/8021 | | 12/13/2016 | TCC | 1 |
| 1,2,4-Trimethylbenzene | 11.4 "J" | ug/l | 6.8 | 22 | 10 | GRO95/8021 | | 12/13/2016 | TCC | 1 |
| 1,3,5-Trimethylbenzene | < 8.3 | ug/l | 8.3 | 26 | 10 | GRO95/8021 | | 12/13/2016 | TCC | 1 |
| m&p-Xylene | 32 "J" | ug/l | 14 | 44 | 10 | GRO95/8021 | | 12/13/2016 | TCC | 1 |
| o-Xylene | 15.5 "J" | ug/l | 6.6 | 21 | 10 | GRO95/8021 | | 12/13/2016 | TCC | 1 |

Lab Code 5032201H
 Sample ID MW-4
 Sample Matrix Water
 Sample Date 12/6/2016

| | Result | Unit | LOD | LOQ | Dil | Method | Ext Date | Run Date | Analyst | Code |
|--------------------------------|----------|------|------|-----|-----|------------|----------|------------|---------|------|
| Organic | | | | | | | | | | |
| PVOC + Naphthalene | | | | | | | | | | |
| Benzene | 21.3 "J" | ug/l | 9.2 | 30 | 20 | GRO95/8021 | | 12/13/2016 | TCC | 1 |
| Ethylbenzene | 860 | ug/l | 14.6 | 46 | 20 | GRO95/8021 | | 12/13/2016 | TCC | 1 |
| Methyl tert-butyl ether (MTBE) | < 9.8 | ug/l | 9.8 | 32 | 20 | GRO95/8021 | | 12/13/2016 | TCC | 1 |
| Naphthalene | 286 | ug/l | 52 | 166 | 20 | GRO95/8021 | | 12/13/2016 | TCC | 1 |
| Toluene | 34 | ug/l | 7.8 | 24 | 20 | GRO95/8021 | | 12/13/2016 | TCC | 1 |
| 1,2,4-Trimethylbenzene | 1820 | ug/l | 13.6 | 44 | 20 | GRO95/8021 | | 12/13/2016 | TCC | 1 |
| 1,3,5-Trimethylbenzene | 410 | ug/l | 16.6 | 52 | 20 | GRO95/8021 | | 12/13/2016 | TCC | 1 |
| m&p-Xylene | 2480 | ug/l | 28 | 88 | 20 | GRO95/8021 | | 12/13/2016 | TCC | 1 |
| o-Xylene | 380 | ug/l | 13.2 | 42 | 20 | GRO95/8021 | | 12/13/2016 | TCC | 1 |

Project Name WALKERS ONE STOP

Invoice # E32201

Project #

Lab Code 50322011

Sample ID MW-6

Sample Matrix Water

Sample Date 12/6/2016

| | Result | Unit | LOD | LOQ | Dil | Method | Ext Date | Run Date | Analyst | Code |
|--------------------------------|--------|------|------|-----|-----|------------|----------|------------|---------|------|
| Organic | | | | | | | | | | |
| PVOC + Naphthalene | | | | | | | | | | |
| Benzene | 320 | ug/l | 23 | 75 | 50 | GRO95/8021 | | 12/13/2016 | TCC | 1 |
| Ethylbenzene | 1400 | ug/l | 36.5 | 115 | 50 | GRO95/8021 | | 12/13/2016 | TCC | 1 |
| Methyl tert-butyl ether (MTBE) | < 24.5 | ug/l | 24.5 | 80 | 50 | GRO95/8021 | | 12/13/2016 | TCC | 1 |
| Naphthalene | 450 | ug/l | 130 | 415 | 50 | GRO95/8021 | | 12/13/2016 | TCC | 1 |
| Toluene | 72 | ug/l | 19.5 | 60 | 50 | GRO95/8021 | | 12/13/2016 | TCC | 1 |
| 1,2,4-Trimethylbenzene | 1840 | ug/l | 34 | 110 | 50 | GRO95/8021 | | 12/13/2016 | TCC | 1 |
| 1,3,5-Trimethylbenzene | 266 | ug/l | 41.5 | 130 | 50 | GRO95/8021 | | 12/13/2016 | TCC | 1 |
| m&p-Xylene | 3500 | ug/l | 70 | 220 | 50 | GRO95/8021 | | 12/13/2016 | TCC | 1 |
| o-Xylene | 276 | ug/l | 33 | 105 | 50 | GRO95/8021 | | 12/13/2016 | TCC | 1 |

Lab Code 5032201J

Sample ID MW-3

Sample Matrix Water

Sample Date 12/6/2016

| | Result | Unit | LOD | LOQ | Dil | Method | Ext Date | Run Date | Analyst | Code |
|--------------------------------|--------|------|------|-----|-----|------------|----------|------------|---------|------|
| Organic | | | | | | | | | | |
| PVOC + Naphthalene | | | | | | | | | | |
| Benzene | 149 | ug/l | 23 | 75 | 50 | GRO95/8021 | | 12/13/2016 | TCC | 1 |
| Ethylbenzene | 1390 | ug/l | 36.5 | 115 | 50 | GRO95/8021 | | 12/13/2016 | TCC | 1 |
| Methyl tert-butyl ether (MTBE) | < 24.5 | ug/l | 24.5 | 80 | 50 | GRO95/8021 | | 12/13/2016 | TCC | 1 |
| Naphthalene | 510 | ug/l | 130 | 415 | 50 | GRO95/8021 | | 12/13/2016 | TCC | 1 |
| Toluene | 87 | ug/l | 19.5 | 60 | 50 | GRO95/8021 | | 12/13/2016 | TCC | 1 |
| 1,2,4-Trimethylbenzene | 2510 | ug/l | 34 | 110 | 50 | GRO95/8021 | | 12/13/2016 | TCC | 3 |
| 1,3,5-Trimethylbenzene | 161 | ug/l | 41.5 | 130 | 50 | GRO95/8021 | | 12/13/2016 | TCC | 1 |
| m&p-Xylene | 3300 | ug/l | 70 | 220 | 50 | GRO95/8021 | | 12/13/2016 | TCC | 1 |
| o-Xylene | 490 | ug/l | 33 | 105 | 50 | GRO95/8021 | | 12/13/2016 | TCC | 1 |

Lab Code 5032201K

Sample ID TB

Sample Matrix Water

Sample Date 12/6/2016

| | Result | Unit | LOD | LOQ | Dil | Method | Ext Date | Run Date | Analyst | Code |
|--------------------------------|--------|------|------|-----|-----|------------|----------|------------|---------|------|
| Organic | | | | | | | | | | |
| PVOC + Naphthalene | | | | | | | | | | |
| Benzene | < 0.46 | ug/l | 0.46 | 1.5 | 1 | GRO95/8021 | | 12/12/2016 | TCC | 1 |
| Ethylbenzene | < 0.73 | ug/l | 0.73 | 2.3 | 1 | GRO95/8021 | | 12/12/2016 | TCC | 1 |
| Methyl tert-butyl ether (MTBE) | < 0.49 | ug/l | 0.49 | 1.6 | 1 | GRO95/8021 | | 12/12/2016 | TCC | 1 |
| Naphthalene | < 2.6 | ug/l | 2.6 | 8.3 | 1 | GRO95/8021 | | 12/12/2016 | TCC | 1 |
| Toluene | < 0.39 | ug/l | 0.39 | 1.2 | 1 | GRO95/8021 | | 12/12/2016 | TCC | 1 |
| 1,2,4-Trimethylbenzene | < 0.68 | ug/l | 0.68 | 2.2 | 1 | GRO95/8021 | | 12/12/2016 | TCC | 1 |
| 1,3,5-Trimethylbenzene | < 0.83 | ug/l | 0.83 | 2.6 | 1 | GRO95/8021 | | 12/12/2016 | TCC | 1 |
| m&p-Xylene | < 1.4 | ug/l | 1.4 | 4.4 | 1 | GRO95/8021 | | 12/12/2016 | TCC | 1 |
| o-Xylene | < 0.66 | ug/l | 0.66 | 2.1 | 1 | GRO95/8021 | | 12/12/2016 | TCC | 1 |

Project Name WALKERS ONE STOP
Project #

Invoice # E32201

"J" Flag: Analyte detected between LOD and LOQ

LOD Limit of Detection

LOQ Limit of Quantitation

Code *Comment*

| | |
|---|---|
| 1 | Laboratory QC within limits. |
| 3 | The matrix spike not within established limits. |

All solid sample results reported on a dry weight basis unless otherwise indicated. All LOD's and LOQ's are adjusted for dilutions but not dry weight. Subcontracted results are denoted by SUB in the analyst field.

Authorized Signature

Michael Ricker

CHAIN OF STUDY RECORD

Synergy

Environmental Lab, Inc.

1990 Prospect Ct. • Appleton, WI 54914
920-830-2455 • FAX 920-733-0631

Chain # **N2 314**
Page 1 of 1

Sample Handling Request
Rush Analysis Date Required
(Rushes accepted only with prior authorization)
 Normal Turn Around

Lab ID: # _____ Quote No.: _____
Account No.: _____
Project #: _____
Sampler: (signature) *Jan Jann*
Project (Name/Location): **Walkers one stop / Gratiot**
Reports To: **Tom Walker**
Company: **Tom Walker**
Address: **1500 Walker Rd**
City State Zip: **Gratiot, WI 53541**
Phone: _____
FAX: _____
Invoice To: **Tom Walker**
Company: **c/o METCO**
Address: **709 Gillette St., Ste. 3**
City State Zip: **La Crosse, WI 54603**
Phone: _____
FAX: _____

| Lab ID | Sample I.D. | Collection Date | Time | Comp | Grab | Filtered Y/N | No. of Containers | Sample Type (Matrix)* | Preservation |
|--------|-------------|-----------------|-------|------|------|--------------|-------------------|-----------------------|--------------|
| A | MW-9 | 12-6 | 9:20 | | | | 3 | GW | HLL |
| B | MW-2 | | 9:40 | | | | | | |
| C | MW-10 | | 10:00 | | | | | | |
| D | MW-8 | | 10:20 | | | | | | |
| E | MW-5R | | 10:40 | | | | | | |
| F | MW-1 | | 11:00 | | | | | | |
| G | MW-7 | | 11:20 | | | | | | |
| H | MW-4 | | 11:45 | | | | | | |
| I | MW-6 | | 12:05 | | | | | | |
| J | MW-3 | | 12:30 | | | | | | |

Comments/Special Instructions (*Specify groundwater "GW", Drinking Water "DW", Waste Water "WW", Soil "S", Air "A", Oil, Sludge etc.)
TB
Lab to send copy of report to METCO / Jason P. (Invoice to METCO)

* Rate rates apply
* Agent Status

| Analysis Requested | Other Analysis |
|------------------------|----------------|
| DRO (Mod DRO Sep 95) | |
| GRO (Mod GRO Sep 95) | |
| LEAD | |
| NITRATE/NITRITE | |
| OIL & GREASE | |
| PAH (EPA 8270) | |
| PB | |
| PVOC (EPA 821) | |
| PVOC + NAPHTHALENE | |
| SULFATE | |
| TOTAL SUSPENDED SOLIDS | |
| VOC DW (EPA 542.2) | |
| VOC (EPA 8260) | |
| 8-PCRA METALS | |
| PID/ FID | |

Sample Integrity: To be completed by receiving lab.
Method of Shipment: *Express*
Temp. of Temp. Blank: _____ °C On Ice:
Cooler seal intact upon receipt: Yes No

Relinquished By: (sign) *Jan Jann* Time Date 9:00 AM 12-7-16
Received In Laboratory By: *Tom Walker* Time Date 8:00 12/8/16