

LeRoy, Bruce J - DNR (BJ)

From: LeRoy, Bruce J - DNR (BJ)
Sent: Friday, September 4, 2020 8:27 AM
To: Dplamann@fehr-graham.com; Matt Dahlem
Subject: NAR Determination - Caspers Inc - BRRTS # 01-60-586368

Dillon and Matt,

The DNR concurs that this case has No Action Required based on the sample results you provided on September 2, 2020 in your Phase II report. The case may be re-opened if contamination is discovered during construction or other site activity. At this time, the site has no restrictions from the Remediation/Redevelopment Program.

The case number will change in the near future to reflect the NAR status, so the best way to look up site submittals and documentation will at BRRTS on the Web under the case name "Caspers Inc".

If you have any questions, please let me know.

BJ

We are committed to service excellence.

Visit our survey at <http://dnr.wi.gov/customersurvey> to evaluate how I did.

B.J. LeRoy, PG

Hydrogeologist – Northeast Region Remediation and Redevelopment

Wisconsin Department of Natural Resources

2984 Shawano Avenue, Green Bay WI 54313-6727

Note new phone number – 920-889-0151

BJ.Leroy@wisconsin.gov



LeRoy, Bruce J - DNR (BJ)

From: Beggs, Tauren R - DNR
Sent: Friday, September 4, 2020 8:15 AM
To: LeRoy, Bruce J - DNR (BJ)
Subject: RE: NAR Request - Casper Inc - BRRTS # 01-60-586368

Hi BJ,

I have reviewed and concur with you this is a NAR. Based on the soil and groundwater data collected from the Phase II ESA, there does not appear to be a release from the former dry cleaner or former filling station operations on-site. Please complete this NAR with Denise.

Thanks,

We are committed to service excellence.

Visit our survey at <http://dnr.wi.gov/customersurvey> to evaluate how I did.

Tauren R. Beggs

Phone: (920) 510-3472

Tauren.Beggs@wisconsin.gov (preferred contact method during work at home)

From: LeRoy, Bruce J - DNR (BJ)
Sent: Thursday, September 3, 2020 8:58 AM
To: Beggs, Tauren R - DNR <Tauren.Beggs@wisconsin.gov>
Subject: NAR Request - Casper Inc - BRRTS # 01-60-586368

This is a Phase II at a former dry cleaner and former service station in Sheb. County, requesting an NAR. No detects in soil samples from 0-1' and 14-16' soil samples. Water samples from temp wells in the likely groundwater flow direction were also clean, no detects.

No vapor because there were no detects nor PID hits.

I recommend an NAR.

E:\Staging\NER\Sheboygan_60\0160586368_CASPERS_INC_PM_WORKING_DOC

Two files in the working doc; NAR review is my markup of soil and groundwater samples. The other file is an unsecured version of the notification, so that I could edit and create the markup. It's a replica of the 01 in the root directory.

Any questions, let me know.

BJ

We are committed to service excellence.

Visit our survey at <http://dnr.wi.gov/customersurvey> to evaluate how I did.

B.J. LeRoy, PG

Hydrogeologist – Northeast Region Remediation and Redevelopment

Wisconsin Department of Natural Resources

2984 Shawano Avenue, Green Bay WI 54313-6727

Note new phone number – 920-889-0151

BJ.LeRoy@wisconsin.gov

September 1, 2020

Wisconsin Department of Natural Resources
Northeast Region
Attn: BJ LeRoy
2984 Shawano Avenue
Green Bay, WI 54313

**Subject: Notification of Contamination and No Action Required Request
Casper's Inc. Property
1404 Michigan Avenue
Sheboygan, Wisconsin 53081**

Dear Mr. LeRoy:

Fehr Graham's Phase II Environmental Site Assessment (ESA) results indicated that there was Volatile Organic Compound contamination above applicable state standards in soil over the Groundwater Pathway Residual Contaminant Level on the Property. On behalf of Casper's Inc. (owner of the Property), Fehr Graham is reporting the contamination to the Wisconsin Department of Natural Resources in accordance with the Spills Law, ch. 292, Wis. Stats.

In conjunction with the notification of a release, Fehr Graham is also submitting a No Action Required (NAR) request. Based on the Phase II ESA results, it is Fehr Graham's opinion that no further investigation or response action is warranted.

Please let me know your thoughts on this matter and call me at (920) 453-0700 if you have any questions or comments.

Sincerely,



Matt Dahlem, PG
Branch Manager

Attachments

Emergency Discharges / Spills should be reported via the 24-Hour Hotline: 1-800-943-0003

Notice: Hazardous substance discharges must be reported immediately according to s. 292.11 Wis. Stats. Non-emergency hazardous substance discharges may be reported by telefaxing or e-mailing a completed report to the Department, or calling or visiting a Department office in person. If you choose to notify the Department by telefax or by email, you should use this form to be sure that all necessary information is included. However, use of this form is not mandatory. Under s. 292.99, Wis. Stats., the penalty for violating the reporting requirements of ch. 292 Wis. Stats., shall be no less than \$10 nor more than \$5000 for each violation. Each day of continued violation is a separate offense. It is not the Department's intention to use any personally identifiable information from this form for any purpose other than program administration. However, information submitted on this form may also be made available to requesters under Wisconsin's Open Records Law (ss. 19.31 - 19.39, Wis. Stats.).

Confirmatory laboratory data should be included with this form, to assist the DNR in processing this Hazardous Substance Release Notification.

Complete this form. **TYPE or PRINT LEGIBLY.** NOTIFY appropriate DNR region (see next page) **IMMEDIATELY** upon discovery of a potential release from (**check one**):

- Underground Petroleum Storage Tank System (additional information may be required for Item 6 below)
- Aboveground Petroleum Storage Tank System
- Dry Cleaner Facility
- Other - Describe: _____

ATTN DNR: **R & R Program Associate** Date DNR Notified: **09/01/2020**

1. Discharge Reported By		
Name	Firm	Phone Number (include area code)
Matt Dahlem	Fehr Graham Engineering & Environmental	(920) 453-0700
Mailing Address	Email	
909 North 8th Street, Suite 101, Sheboygan, WI 53081	mdahlem@fehr-graham.com	

2. Site Information		
Name of site at which discharge occurred. Include local name of site/business, not responsible party name, unless a residence/vacant property.		
Casper's, Inc.		
Location: Include street address, <u>not PO Box</u> . If no street address, describe as precisely as possible, i.e., 1/4 mile NW of CTHs 60 & 123 on E side of CTH 60.		
1404 Michigan Avenue		
Municipality: (City, Village, Township) Specify municipality in which the site is located, not mailing address/city.		
City of Sheboygan		
County	Legal Description:	WTM:
Sheboygan	NE ¼ of NE ¼ Section 22, Town 15 N, Range 23 <input checked="" type="radio"/> E <input type="radio"/> W	X 703277 Y 367609

3. Responsible Party (RP) and/or RP Representative		
Responsible Party Name: Business or owner name that is responsible for cleanup. If more than one, list all. Attach additional pages as necessary.		
Casper's, Inc.		
<input type="checkbox"/> A local governmental unit claiming an exemption from state Spill Law and Solid Waste Management responsibilities for the discharge being reported, per Wis. Stat. §§ 292.11(9)(e) and 292.23, should: 1) check this box; 2) review DNR publication RR-055 ; and 3) provide documentation to DNR that demonstrates compliance with the statutory requirements of the liability exemptions. Local governmental units may also request a fee-based liability clarification letter from DNR by using DNR Form 4400-237 .		

Contact Person Name (if different)	Phone Number	Email	
Steven Casper	(920) 946-1158		
Mailing Address	City	State	ZIP Code
1404 Michigan Avenue	Sheboygan	WI	53081

Responsible Party Name: Business or owner name that is responsible for cleanup. If more than one, list all. Attach additional pages as necessary.

Contact Person Name (if different)	Phone Number	Email	
Mailing Address	City	State	ZIP Code

Notification For Hazardous Substance Discharge (Non-Emergency Only)

4. Hazardous Substance Information

Identify hazardous substance discharged (check all that apply):

- | | | |
|---|--|---|
| <input checked="" type="checkbox"/> VOCs
<input type="checkbox"/> PCE
<input type="checkbox"/> TCE
<input checked="" type="checkbox"/> Other Chlorinated
<input type="checkbox"/> Diesel
<input type="checkbox"/> Fuel Oil
<input type="checkbox"/> Gasoline
<input type="checkbox"/> Hydraulic Oil
<input type="checkbox"/> Jet Fuel | <i>(VOCs continued)</i>
<input type="checkbox"/> Mineral Oil
<input type="checkbox"/> Waste Oil
<input type="checkbox"/> Petroleum-Unknown Type
<input type="checkbox"/> PAHs
<input type="checkbox"/> PCBs
<input type="checkbox"/> Cyanide
<input type="checkbox"/> Leachate
<input type="checkbox"/> Manure | <input type="checkbox"/> Metals
<input type="checkbox"/> Arsenic
<input type="checkbox"/> Chromium
<input type="checkbox"/> Lead
<input type="checkbox"/> Other: _____
<input type="checkbox"/> Pesticides: _____
<input type="checkbox"/> Fertilizer: _____
<input type="checkbox"/> RCRA Hazardous Waste: _____
<input type="checkbox"/> Other: _____
<input type="checkbox"/> Unknown |
|---|--|---|

5. Impacts to the Environment Information

Enter "K" for known/confirmed or "P" for potential for all that apply.

- | | | |
|--|---|--|
| <input type="checkbox"/> Air Contamination | <input type="checkbox"/> Fire Explosion Threat | <input checked="" type="checkbox"/> Soil Contamination |
| <input type="checkbox"/> Co-mingled (Petroleum & Non-Petroleum) | <input type="checkbox"/> Free Product | <input type="checkbox"/> Soil Gas Contamination |
| <input type="checkbox"/> Contamination in Fractured Bedrock | <input type="checkbox"/> Groundwater Contamination | <input type="checkbox"/> Sub-slab Vapor Contamination |
| <input type="checkbox"/> Contamination Within 1 Meter of Bedrock | <input type="checkbox"/> Off-Site Contamination | <input type="checkbox"/> Surface Water Contamination |
| <input type="checkbox"/> Contaminated Private Well | <input type="checkbox"/> Sanitary Sewer Contamination | <input type="checkbox"/> Within 100 ft of Private Well |
| <input type="checkbox"/> Contaminated Public Well | <input type="checkbox"/> Storm Sewer Contamination | <input type="checkbox"/> Within 1000 ft of Public Well |
| <input type="checkbox"/> Contamination in Right of Way | <input type="checkbox"/> Sediment Contamination | |
| | Other (specify): _____ | |

Contamination was discovered as a result of:

- | | | |
|--|---|--|
| <input type="checkbox"/> Tank closure assessment | <input checked="" type="checkbox"/> Site assessment | <input type="checkbox"/> Other - Describe: _____ |
| Date <input type="text"/> | Date <input type="text" value="08/17/2020"/> | Date <input type="text"/> |

Lab results: Lab results will be faxed upon receipt Lab results are attached

Additional Comments: Include a brief description of immediate actions taken to halt the release and contain or cleanup hazardous substances that have been discharged.

6. Federal Energy Act Requirements (Section 9002(d) of the Solid Waste Disposal Act (SWDA))

For all confirmed releases from USTs occurring after 9/30/2007 please provide the following information:

- | Source | Cause |
|---|--|
| <input type="checkbox"/> Tank | <input type="checkbox"/> Spill |
| <input type="checkbox"/> Piping | <input type="checkbox"/> Overfill |
| <input type="checkbox"/> Dispenser | <input type="checkbox"/> Corrosion |
| <input type="checkbox"/> Submersible Turbine Pump | <input type="checkbox"/> Physical or Mechanical Damage |
| <input type="checkbox"/> Delivery Problem | <input type="checkbox"/> Installation Problem |
| <input checked="" type="checkbox"/> Does not apply. | <input type="checkbox"/> Other (does not fit any of above) |
| <input type="checkbox"/> Other (specify): _____ | <input type="checkbox"/> Unknown |

Submit this completed form along with any associate lab results using the RR Program Submittal Portal, found on the DNR website at <https://dnr.wi.gov/topic/Brownfields/Submittal.html>.

If you have any questions, please contact the appropriate regional Environmental Program Associate (EPA) listed under the "EPAs" tab at <https://dnr.wi.gov/topic/Brownfields/Contact.html>.

PHASE II ENVIRONMENTAL SITE ASSESSMENT

Casper's Inc. Property
1404 Michigan Avenue
Sheboygan, Wisconsin 53081

Project No.: 20-697
September 1, 2020



909 North 8th Street, Suite 101
Sheboygan, Wisconsin 53081

Prepared for:

Mr. Derek Klahn

Bank First, N.A.

2600 Kohler Memorial Drive, P.O. Box 488

Sheboygan, Wisconsin 53082-0488

Table of Contents

1.0	INTRODUCTION	1-1
1.1	Objective.....	1-1
1.2	Site Description	1-1
1.3	Background.....	1-2
1.4	Scope of Work	1-2
2.0	FIELD ACTIVITIES	2-1
2.1	Utility Locate	2-1
2.2	Soil Investigation.....	2-1
2.3	Groundwater Investigation	2-2
3.0	RESULTS	3-1
3.1	Site Geology and Hydrogeology.....	3-1
3.2	Analytical Results	3-1
4.0	DISCUSSION	4-1
4.1	Soil Analytical Results.....	4-1
4.2	Groundwater Analytical Results	4-1
5.0	CONCLUSIONS.....	5-1
5.1	Findings.....	5-1
5.2	Recommendations	5-1
6.0	DISCLAIMER	6-1

Figures

Figure 1 - Site Vicinity Map

Figure 2 - Site Plan Map

Figure 3 - Soil and Groundwater Chemistry - 8/17/20

Tables

Table A.1 - Groundwater Analytical Results Table

Table A.2 - Soil Analytical Results Table

Attachments

Attachment 1 - Soil Boring Logs, Well Construction Forms, and Well Abandonment Forms

Attachment 2 - Laboratory Analytical Report

1.0 INTRODUCTION

At the request and authorization of the Bank First, N.A. (Bank First), Fehr-Graham & Associates, LLC (Fehr Graham) has completed a Phase II Environmental Site Assessment (ESA) on the Casper's, Inc. property located at 1404 Michigan Avenue in Sheboygan, Wisconsin (Figure 1).

1.1 Objective

The purpose of the Phase II ESA was to evaluate the presence of impacts to soil and groundwater associated with the recognized environmental conditions (RECs) identified during the Phase I ESA dated July 31, 2020.

1.2 Site Description

The Property consists of a rectangular-shaped parcel of land encompassing 0.207-acres. The Property is located on the north side of Michigan Avenue. The common address for the Property is 1404 Michigan Avenue, Sheboygan, Wisconsin 53081 (Figure 2).

The Property is located in a mixed commercial and residential setting in Sheboygan, Sheboygan County, Wisconsin. The Property is bound to the north by an alley and residences; to the east by North 14th Street; to the south by Michigan Avenue; and to the west by residences. Residential homes are situated further to the east of the Property (across North 14th Street) and a few commercial businesses are situated further to the south of the Property (across Michigan Avenue).

The Property is currently owned by Casper's Inc. and occupied by Midway Laundry, a self-service laundromat, and has two residential rental apartments on the 2nd floor on the Property building.

The Property is developed with an approximately 6,000 square foot, two-story multi-unit commercial building (Property building). The approximate 90-year-old Property building is constructed of masonry and wood on a basement foundation. Typically, the interior finishes of the Property building consist of vinyl-tiled and/or concrete floors; gypsum board and/or wood walls; and gypsum board, drop-ceiling panel and/or exposed insulated steel decking ceilings. The Property building is heated by a natural gas-fired/electric operated heating ventilation and air conditioning (HVAC) unit. The remaining grounds consist of an asphalt paved parking lot located north and east of the Property building, with isolated areas of landscaping throughout the Property.

1.3 Background

The Property is proposed to be part of a property transaction involving a Small Business Administration (SBA) loan. As a requirement prior to qualifying for a loan from Bank First (lender) and the SBA prior to property transaction, a Phase I ESA was completed at the property on July 31, 2020.

The Phase I ESA identified the following RECs associated with the Property:

- There is a potential for a release of petroleum to have occurred from the historic filling station and unknown status of the underground storage tanks (USTs) on the Property and negatively impact underlying soil and groundwater.
- There is a potential for a release of chlorinated solvents to have occurred from the former dry cleaner facility and unknown handling, storage, and disposal of chemicals on the Property and negatively impact underlying soil and groundwater.

Due to the identified RECs, further investigation was recommended to evaluate the potential for contaminated soil and/or groundwater to be present on the Property.

1.4 Scope of Work

The scope of work for this Phase II ESA included the following tasks:

- Six soil borings to facilitate the collection of 10 soil samples for laboratory analysis
- Installation of four temporary monitoring wells to facilitate collection of four groundwater samples for laboratory analysis.

The completed Phase II ESA field activities and findings are presented in the following sections.

2.0 FIELD ACTIVITIES

On August 17, 2020, Ms. Jenna Williams of Fehr Graham mobilized to the Property to oversee Phase II ESA activities. Fehr Graham staff was accompanied by Horizon Construction and Exploration, LLC (Horizon) of Fredonia, Wisconsin, the procured drilling contractor, and GLS Utility, LLC (GLS) of Sun Prairie, Wisconsin, the procured Ground Penetrating Radar (GPR) contractor and private utility locator. All field and sampling activities were performed in accordance with WDNR NR 716 field investigation procedures.

2.1 Utility Locate

Prior to the drilling activities, Diggers Hotline was contacted to identify the location of subsurface public utilities leading into the Property. A private utility location and boring clearance was also conducted to clear individual boring locations and to identify USTs and/or former backfilled excavations using electromagnetic and/or GPR technology.

On August 17, 2020, GLS conducted a GPR survey at the area of the suspected UST location and cleared private utilities/boring locations at the site. According to the GPR survey, no USTs are present at the site.

2.2 Soil Investigation

A total of four soil borings (GP-1 through GP-4) were advanced to assess the presence of soil contamination in the vicinity of the suspected USTs (GP-1 and GP-2) and at strategic locations around the former suspect drycleaner facility (GP-3 and GP-4). It should be noted, an additional two soil borings were attempted within the property building (GP-5 and GP-6) to assess the presence of contamination under the suspected former drycleaner facility (in the basement) at that location. However, due to the limited equipment suited to the work space (in the small basement of the Property building) and the soil conditions from decades of compaction of the building above, these borings could not be advanced past ½ to 1 foot below ground surface (bgs). All other soil borings were advanced to 14 to 20 feet bgs. A sample location map displaying the locations of the soil borings is included as Figure 3.

Horizon used a track-mounted GeoProbe® for advancing the soil borings outside of the property building (GP-1 through GP-4), and a mini-GeoProbe® was used for attempting to advance the soil borings in the basement in the Property building (GP-5 and GP-6). Soil cores generated using the GeoProbe® were extracted using a single macro core tube sampling system, equipped with 5-foot long, disposable polyethylene sample liners. The soil cores were

field-screened for volatile organic compounds (VOCs) at 2-foot intervals by Fehr Graham staff with a Thermo Environmental Instruments, Inc Model 580B photoionization detector (PID) equipped with a 10.6 eV lamp. The PID was calibrated to background air and 100 parts per million (ppm) isobutylene prior to the commencement of daily activities. The soil cores, as extracted, were visually examined and the observations were logged by Fehr Graham staff on WDNR Soil Boring Log forms.

Two soil samples were collected from soil borings GP-1 through GP-4 and one soil sample was collected from soil borings GP-5 through GP-6 due to GeoProbe® refusal. Since no evidence of contamination was identified in the soil cores (i.e., elevated PID readings, odor, staining), the soil sample interval was selected from 2-4 feet bgs and at the soil-groundwater interface. Since saturation was observed at approximately 17.5-feet bgs, samples were taken from the 14-16 foot bgs interval. Samples were submitted for laboratory analysis of VOCs via EPA 8260.

Soil samples were collected into pre-cleaned laboratory-provided containers, stored in a cooler on ice for the duration of the day's activities, and relinquished to the laboratory under standard chain-of-custody procedures at the earliest opportunity.

2.3 Groundwater Investigation

After soil sampling activities, 1-inch diameter groundwater monitoring wells were installed at four locations (GP-1 to GP-4) to allow for less intrusive penetration through thick asphalt/concrete outside the property building facility where it was less practical to auger 2-inch diameter wells. As discussed in section 2.2, in two locations (GP-5 and GP-6) no groundwater monitoring wells could be advanced.

Each well was installed using Schedule 40 PVC (1-inch) with a 10-foot screen and completed using sand pack and a bentonite seal. All wells were completed with 4-inch traffic-weight, flush mounted surface covers. Monitoring well construction reports are included in Appendix A, in accordance with Chapter NR 141 Wisconsin Administrative Code. Investigation derived soil generated during the soil sampling and well installation activities was returned to the site.

Prior to sampling, groundwater level measurements were taken from each of the four monitoring wells. The groundwater monitoring wells were then sampled for laboratory analysis.

Groundwater samples were obtained from the groundwater monitoring wells using individually dedicated bailers. Samples were collected in laboratory provided containers with preservative, with all sampling procedures following WDNR guidance. All samples were sent via private courier under chain of custody procedures to Pace Analytical Laboratory, Green Bay, WI for analysis of VOCs per Method 8260.

Following the receipt of laboratory results, and with the permission of Bank First, the four groundwater monitoring wells were abandoned on September 1, 2020. The monitoring well abandonment forms are included in Appendix A.

3.0 RESULTS

3.1 Site Geology and Hydrogeology

According to the United States Department of Agriculture *Web Soil Survey*, the soils in the vicinity of the Property are mapped as Kewaunee silt loam. Typically, these soils are composed of silt loam, silty clay loam, and clay derived from ground moraines. These soils are generally well drained with slopes between 2 and 6 percent.

The current landscape features are mainly a result of glacial action as ice sheets advanced and retreated across the State. Glaciation is chiefly responsible for the many kinds of soil that formed in Sheboygan County by depositing several kinds of parent material and by sculpturing a wide variety of landforms. The unconsolidated deposits at the Property consist primarily of glaciolacustrine deposits associated with glacial lake sediment and sand dunes.

According to the Bedrock Geology of Wisconsin map (UW Extension, Revised 2005), the bedrock surface is comprised of Niagara dolomite at the depth of approximately 100 feet bgs (Depth to Bedrock in Wisconsin, Geological and Natural History Survey, Compiled by L.C. Trotta and R.D. Cotter, 1973). Beneath the Niagara dolomite is typically an Ordovician-age shale of the Maquoketa formation and beneath the shale is Ordovician-age dolomite and sandstone.

The site geology has been observed at six (6) soil borings during the Phase II ESA. The soil borings were advanced to depths of up to 20-feet during the investigation.

In general, the surface cover at the Subject Property either consisted of approximately three (3) to six (6) inches of asphalt (parking lot) and/or concrete (basement) underlain by approximately 3 inches of base course.

Beneath the surface cover/fill material, native soil consists of stiff to very stiff sandy clay. Varying amounts of gravel were also present in the native soils.

3.2 Analytical Results

Samples were submitted to Pace Analytical Services, LLC in Green Bay, Wisconsin for laboratory analysis. Soil results were compared to the non-industrial direct contact residual contaminant levels (RCLs) and the potential leach to groundwater pathway RCLs, as

established in Chapter NR 720 of the Wisconsin Administrative Code. Groundwater results were compared to the Preventive Action Limits (PAL) and Enforcement Standards (ES), as established in Chapter NR 140 of the Wisconsin Administrative Code.

3.2.1 Soil Analytical Results

Analytical results indicated that only one of the tested parameters were detected in soil above laboratory reporting limits, as presented in Table A below. The parameters presented indicate the detected concentration exceeded the NR720 Groundwater Pathway RCL.

Table A - Detected Parameters in Soil

Boring ID No.	Investigated REC(s)	Sample Depth (feet bgs)	Exceedance	General Notes
GP-4	Historical Dry-Cleaner	2 - 4	Methylene Chloride	No significant PID readings or odor/staining observed

The concentration of methylene chloride in GP-4, 2-4 feet was 32.1 micrograms per kilogram (ug/kg). It should be noted, this detection was flagged by the lab as being between the limit of detection (LOD) and the limit of quantification (LOQ), the results are not reproducible by the lab, and considered extremely low and not substantial. No other VOC compounds were detected in this sample or any other sample above laboratory method detection limits.

A complete listing of sample results for soil, tabulated and compared to their respective non-industrial NR 720 standards, are included in Table A.2. The laboratory report for the samples are included in Appendix B.

3.2.2 Groundwater Analytical Results

Analytical results indicated that only one of the tested parameters were detected in groundwater above laboratory reporting limits, as presented in Table B below.

Table B - Detected Parameters in Groundwater

Boring ID No.	Investigated REC(s)	Exceedance	General Notes
GP-2	Historical Filling Station	Chloromethane	No odor/sheens observed

Only one VOC compound, chloromethane, was present in one groundwater sample (GP-2) at 2.4 ug/L, however the concentration was below the NR140 ES of 30 ug/L and below the NR140 PAL of 3 ug/L. Like the soil methylene chloride detection, it should be noted, this sample was flagged by the lab as being between the LOD and the LOQ, the results are not reproducible by the lab, considered extremely low and not substantial. No other VOC compounds were detected in this sample or any other sample above laboratory method detection limits.

A complete listing of sample results for groundwater, tabulated and compared to their respective NR140 standards, are included in Table A.1. The laboratory report for the samples are included in Appendix B.

4.0 DISCUSSION

4.1 Soil Analytical Results

Unsaturated soil from GP-4, 2-4 feet contained methylene chloride at 32.1 ug/kg, which exceeded the NR720 Groundwater Pathway RCL. Methylene chloride is a common laboratory contaminant, and there was no source for methylene chloride onsite. It should also be noted, this detection was flagged by the lab as being between the LOD and the LOQ and the results are not reproducible by the lab, considered extremely low and not substantial. Additionally, groundwater data from GP-4 did not show detections of methylene chloride above laboratory method detection limits, meaning the methylene chloride soil contamination is not leaching to the groundwater. Thus, elevated levels for methylene chloride in soil does not appear to be a groundwater pathway concern in soil at GP-4.

4.2 Groundwater Analytical Results

No VOC compounds were detected in any groundwater samples above the NR140 ES or PAL.

5.0 CONCLUSIONS

5.1 Findings

Fehr Graham evaluated the Property for potential contamination associated with the RECs identified in the Phase I ESA regarding the historical use of USTs and former dry-cleaning operations on the Property. Six soil samples were collected from the Property and exhibited no significant detections or exceedances of VOCs in soils. Methylene chloride levels narrowly exceeded the groundwater pathway RCL at GP-4, 2-4 feet and most likely indicative of a laboratory cross-contaminant. No other VOC compounds were detected in this sample or any other sample above laboratory method detection limits. Additionally, no VOC compounds were detected in any groundwater samples above the NR140 ES or PAL. **As such, the historical use of USTs and former dry-cleaning operations do not appear to have impacted the Property and there is currently no evidence of risk to human health or the environment associated with environmental conditions on the Property.**

5.2 Recommendations

Fehr Graham, on behalf of Casper's, Inc., is notifying the WDNR of the VOC contamination detected at the Property in accordance with the hazardous substance spill law, Section 292.11 (3) Wisconsin Statutes. The WDNR Notification for Hazardous Substance Discharge (Form 4400-225) is enclosed.

In conjunction with the notification of a release, Fehr Graham is also submitting a No Action Required (NAR) request. Based on the Phase II ESA results, it is Fehr Graham's opinion that no further investigation or response action is warranted.

6.0 DISCLAIMER


This Phase II ESA was limited in scope to identify potential environmental impacts associated with the RECs identified in the Phase I ESA. Sample locations were selected based upon accessibility and presumed areas where soil and groundwater contamination would most likely be encountered, if present. As such, soil and groundwater have been comprehensively characterized across the Property. The investigation did not involve sampling or analysis of soil gas or sub-slab vapors. Soil and groundwater sample analysis was performed for only the noted parameters (VOCs). Soil and groundwater analytical results were compared to WDNR NR720 non-industrial direct contact/groundwater pathway RCLs and NR 140 ESs/PALs, respectively.

It should be understood that the sample collection for the completion of this Phase II ESA was a one-time event and concentrations of contaminants have the potential to increase or decrease over time due to several unknown variables such as offsite contaminant migration, soil temperature, and moisture, variations in the groundwater table, or as a result of new releases.


The results of the investigation do not exclude the possibility of the occurrence of any environmental hazard associated with the Property due to a large number of chemicals and substances that can be a threat to human health and the environment even when present in minute quantities. This assessment did not include non-scope investigations involving; emerging contaminants (PFAS); asbestos-containing materials; lead-based paint; radon gas; lead in drinking water; indoor air quality unrelated to releases of hazardous substances or petroleum products into the environment; ecological resources; endangered species; wetlands; or other investigations not explicitly described in this report.

Figures

Figure 1
Site Vicinity Map



SOURCE: USGS 1994



SITE VICINITY
 1404 MICHIGAN AVE.
 SHEBOYGAN, WI 53081
 PIN: 59281201610

7/22/20

FEHR GRAHAM


ENGINEERING & ENVIRONMENTAL

ILLINOIS
 IOWA
 WISCONSIN

Figure 2
Site Plan Map



SOURCE: GOOGLE EARTH



SITE PLAN
1404 MICHIGAN AVE.
SHEBOYGAN, WI 53081
PIN: 59281201610

7/22/20


FEHR GRAHAM

ENGINEERING & ENVIRONMENTAL

ILLINOIS
IOWA
WISCONSIN

Figure 3

Soil and Groundwater Chemistry - 8/17/20



LEGEND

- SOIL BORING LOCATION
- ⊕ SMALL DIAMETER WELL & SOIL SAMPLE LOCATION

- MC METHYLENE CHLORIDE (ug/kg)
- CM CHLOROMETHANE (ug/l)
- VOC VOLATILE ORGANIC COMPOUNDS
- ND NO DETECT

ITALICS+ EXCEEDS NR720 GROUNDWATER PATHWAY RCL




FIGURE 3
SOIL & GROUNDWATER CHEMISTRY – 8/17/20
1404 MICHIGAN AVE.
SHEBOYGAN, WI 53081

9/1/20

FEHR GRAHAM

ENGINEERING & ENVIRONMENTAL

ILLINOIS
IOWA
WISCONSIN

Table A.1
Groundwater Analytical Results Table

Table A.1.a
Groundwater Analytical Table - VOC
 Bank First National
 1404 Michigan Ave., WI 53081

Sample ID		NR 140.10 Preventive Action Limit	NR 140.10 Enforcement Standard	GP-1	GP-2	GP-3	GP-4	Trip Blank
Date	8/17/20			8/17/20	8/17/20	8/17/20	8/17/20	
Groundwater Elevation		--	--	--	--	--	--	--
Benzene	(ug/L)	0.5	5	<25.0	<25.0	<25.0	<25.0	<25.0
Ethylbenzene	(ug/L)	140	700	<0.32	<0.32	<0.32	<0.32	<0.32
Toluene	(ug/L)	160	800	<0.27	<0.27	<0.27	<0.27	<0.27
m&p-Xylene	(ug/L)	NS	NS	<0.47	<0.47	<0.47	<0.47	<0.47
o-Xylene	(ug/L)	NS	NS	<0.26	<0.26	<0.26	<0.26	<0.26
Xylenes (TOTAL)	(ug/L)	400	2,000	<0.73	<0.73	<0.73	<0.73	<0.73
Naphthalene	(ug/L)	10	100	<1.2	<1.2	<1.2	<1.2	<1.2
MTBE	(ug/L)	12	60	<1.2	<1.2	<1.2	<1.2	<1.2
1,2,4-Trimethylbenzene	(ug/L)	NS	NS	<0.84	<0.84	<0.84	<0.84	<0.84
1,3,5-Trimethylbenzene	(ug/L)	NS	NS	<0.87	<0.87	<0.87	<0.87	<0.87
Trimethylbenzene Total (1,2,4- & 1,3,5-)	(ug/L)	96	480	<1.71	<1.71	<1.71	<1.71	<1.71
Tetrachloroethene (PCE)	(ug/L)	0.5	5	<0.33	<0.33	<0.33	<0.33	<0.33
Trichloroethene (TCE)	(ug/L)	0.5	5	<0.26	<0.26	<0.26	<0.26	<0.26
cis-1,2-Dichloroethene	(ug/L)	7	70	<0.27	<0.27	<0.27	<0.27	<0.27
trans-1,2-Dichloroethene	(ug/L)	20	100	<0.46	<0.46	<0.46	<0.46	<0.46
Vinyl Chloride	(ug/L)	0.02	0.2	<0.17	<0.17	<0.17	<0.17	<0.17
Methylene Chloride	(ug/L)	0.5	5	<0.58	<0.58	<0.58	<0.58	<0.58
Bromobenzene	(ug/L)	NS	NS	<0.24	<0.24	<0.24	<0.24	<0.24
Bromochloromethane	(ug/L)	NS	NS	<0.36	<0.36	<0.36	<0.36	<0.36
Bromodichloromethane	(ug/L)	0.06	0.6	<0.36	<0.36	<0.36	<0.36	<0.36
Bromoform	(ug/L)	0.44	4.4	<4.0	<4.0	<4.0	<4.0	<4.0
Bromomethane	(ug/L)	1	10	<0.97	<0.97	<0.97	<0.97	<0.97
n-Butylbenzene	(ug/L)	NS	NS	<0.71	<0.71	<0.71	<0.71	<0.71
sec-Butylbenzene	(ug/L)	NS	NS	<0.85	<0.85	<0.85	<0.85	<0.85
tert-Butylbenzene	(ug/L)	NS	NS	<0.30	<0.30	<0.30	<0.30	<0.30
Carbon Tetrachloride	(ug/L)	0.5	5	<1.1	<1.1	<1.1	<1.1	<1.1
Chlorobenzene	(ug/L)	NS	NS	<0.71	<0.71	<0.71	<0.71	<0.71
Chloroethane	(ug/L)	80	400	<1.3	<1.3	<1.3	<1.3	<1.3
Chloroform	(ug/L)	0.6	6	<1.3	<1.3	<1.3	<1.3	<1.3
Chloromethane	(ug/L)	3	30	<2.2	<2.2	<2.2	<2.2	<2.2
2-Chlorotoluene	(ug/L)	NS	NS	<0.93	<0.93	<0.93	<0.93	<0.93
4-Chlorotoluene	(ug/L)	NS	NS	<0.76	<0.76	<0.76	<0.76	<0.76
1,2-Dibromo-3-chloropropane	(ug/L)	0.02	0.2	<1.8	<1.8	<1.8	<1.8	<1.8
Dibromochloromethane	(ug/L)	6	60	<2.6	<2.6	<2.6	<2.6	<2.6
1,2-Dibromoethane (EDB)	(ug/L)	0.005	0.05	<0.83	<0.83	<0.83	<0.83	<0.83
Dibromomethane	(ug/L)	NS	NS	<0.94	<0.94	<0.94	<0.94	<0.94
1,2-Dichlorobenzene	(ug/L)	60	600	<0.71	<0.71	<0.71	<0.71	<0.71
1,3-Dichlorobenzene	(ug/L)	120	600	<0.63	<0.63	<0.63	<0.63	<0.63
1,4-Dichlorobenzene	(ug/L)	15	75	<0.94	<0.94	<0.94	<0.94	<0.94
Dichlorodifluoromethane	(ug/L)	200	1,000	<0.50	<0.50	<0.50	<0.50	<0.50
1,1-Dichloroethane	(ug/L)	85	850	<0.27	<0.27	<0.27	<0.27	<0.27
1,2-Dichloroethane	(ug/L)	0.5	5	<0.28	<0.28	<0.28	<0.28	<0.28
1,1-Dichloroethene	(ug/L)	0.7	7	<0.24	<0.24	<0.24	<0.24	<0.24
1,2-Dichloropropane	(ug/L)	0.5	5	<0.28	<0.28	<0.28	<0.28	<0.28
1,3-Dichloropropane	(ug/L)	NS	NS	<0.83	<0.83	<0.83	<0.83	<0.83
2,2-Dichloropropane	(ug/L)	NS	NS	<2.3	<2.3	<2.3	<2.3	<2.3
1,1-Dichloropropene	(ug/L)	NS	NS	<0.54	<0.54	<0.54	<0.54	<0.54
cis-1,3-Dichloropropene	(ug/L)	0.04	0.4	<3.6	<3.6	<3.6	<3.6	<3.6
trans-1,3-Dichloropropene	(ug/L)	0.04	0.4	<4.4	<4.4	<4.4	<4.4	<4.4
Diisopropyl ether	(ug/L)	NS	NS	<1.9	<1.9	<1.9	<1.9	<1.9
Hexachloro-1,3-butadiene	(ug/L)	NS	NS	<1.5	<1.5	<1.5	<1.5	<1.5
Isopropylbenzene	(ug/L)	NS	NS	<1.7	<1.7	<1.7	<1.7	<1.7
p-Isopropyltoluene	(ug/L)	NS	NS	<0.80	<0.80	<0.80	<0.80	<0.80
n-Propylbenzene	(ug/L)	NS	NS	<0.81	<0.81	<0.81	<0.81	<0.81
Styrene	(ug/L)	10	100	<3.0	<3.0	<3.0	<3.0	<3.0
1,1,1,2-Tetrachloroethane	(ug/L)	7	70	<0.27	<0.27	<0.27	<0.27	<0.27
1,1,2,2-Tetrachloroethane	(ug/L)	0.02	0.2	<0.28	<0.28	<0.28	<0.28	<0.28
1,2,3-Trichlorobenzene	(ug/L)	NS	NS	<2.2	<2.2	<2.2	<2.2	<2.2
1,2,4-Trichlorobenzene	(ug/L)	14	70	<0.95	<0.95	<0.95	<0.95	<0.95
1,1,1-Trichloroethane	(ug/L)	40	200	<0.24	<0.24	<0.24	<0.24	<0.24
1,1,2-Trichloroethane	(ug/L)	0.5	5	<0.55	<0.55	<0.55	<0.55	<0.55
Trichlorofluoromethane	(ug/L)	NS	NS	<0.21	<0.21	<0.21	<0.21	<0.21
1,2,3-Trichloropropane	(ug/L)	12	60	<0.59	<0.59	<0.59	<0.59	<0.59

Notes:

NS = No standard established
 -- = Parameter not analyzed
 NR = Parameter not reported

ITALICS indicates exceedance of NR 140.10 Preventive Action Limit
BOLD indicates exceedance of NR 140.10 Enforcement Standard

Table A.2
Soil Analytical Results Table

Table A.2.a
Soil Analytical Results Table - VOCs
 Bank First National
 1404 Michigan Ave., WI 53081

Sample ID	Date	Depth	Notes	Groundwater Pathway RCL (ug/kg)	Industrial Direct-Contact (0-4') RCL (ug/kg)	Non-Industrial Direct-Contact (0-4') RCL (ug/kg)	GP-1		GP-2		GP-3	
							8/17/20		8/17/20		8/17/20	
							2-4'	14-16'	2-4'	14-16'	2-4'	14-16'
Benzene	(ug/kg)	5.1	7,070	1,600	<25.0	<25.0	<25.0	<25.0	<25.0	<25.0	<25.0	
Ethylbenzene	(ug/kg)	1,570	35,400	8,020	<25.0	<25.0	<25.0	<25.0	<25.0	<25.0	<25.0	
Toluene	(ug/kg)	1,107.2	818,000	818,000	<25.0	<25.0	<25.0	<25.0	<25.0	<25.0	<25.0	
m&p-Xylene	(ug/kg)	NS	778,000	778,000	<50.0	<50.0	<50.0	<50.0	<50.0	<50.0	<50.0	
o-Xylene	(ug/kg)	NS	434,000	434,000	<25.0	<25.0	<25.0	<25.0	<25.0	<25.0	<25.0	
Xylenes (TOTAL)	(ug/kg)	3,960	260,000	260,000	<75.0	<75.0	<75.0	<75.0	<75.0	<75.0	<75.0	
Naphthalene	(ug/kg)	658.2	24,100	5,520	<27.3	<27.3	<27.3	<27.3	<27.3	<27.3	<27.3	
MTBE	(ug/kg)	27	282,000	63,800	<25.0	<25.0	<25.0	<25.0	<25.0	<25.0	<25.0	
1,2,4-Trimethylbenzene	(ug/kg)	NS	219,000	219,000	<25.0	<25.0	<25.0	<25.0	<25.0	<25.0	<25.0	
1,3,5-Trimethylbenzene	(ug/kg)	NS	182,000	182,000	<25.0	<25.0	<25.0	<25.0	<25.0	<25.0	<25.0	
Trimethylbenzene Total (1,2,4- & 1,3,5-)	(ug/kg)	1,378.7	NS	NS	<50.0	<50.0	<50.0	<50.0	<50.0	<50.0	<50.0	
Tetrachloroethene (PCE)	(ug/kg)	4.5	145,000	33,000	<38.7	<38.7	<38.7	<38.7	<38.7	<38.7	<38.7	
Trichloroethene (TCE)	(ug/kg)	3.60	8,410	1,300	<25.0	<25.0	<25.0	<25.0	<25.0	<25.0	<25.0	
cis-1,2-Dichloroethene	(ug/kg)	41.2	2,340,000	156,000	<25.0	<25.0	<25.0	<25.0	<25.0	<25.0	<25.0	
trans-1,2-Dichloroethene	(ug/kg)	62.6	1,860,000	1,560,000	<25.0	<25.0	<25.0	<25.0	<25.0	<25.0	<25.0	
Vinyl Chloride	(ug/kg)	0.1	2,080	67	<25.0	<25.0	<25.0	<25.0	<25.0	<25.0	<25.0	
Methylene Chloride	(ug/kg)	2.6	1,150,000	61,800	<26.3	<26.3	<26.3	<26.3	<26.3	<26.3	<26.3	
Bromobenzene	(ug/kg)	NS	679,000	342,000	<25.0	<25.0	<25.0	<25.0	<25.0	<25.0	<25.0	
Bromochloromethane	(ug/kg)	NS	906,000	216,000	<25.0	<25.0	<25.0	<25.0	<25.0	<25.0	<25.0	
Bromodichloromethane	(ug/kg)	0.3	1,830	418	<25.0	<25.0	<25.0	<25.0	<25.0	<25.0	<25.0	
Bromoform	(ug/kg)	2.3	113,000	25,400	<25.0	<25.0	<25.0	<25.0	<25.0	<25.0	<25.0	
Bromomethane	(ug/kg)	5.1	43,000	9,600	<63.8	<63.8	<63.8	<63.8	<63.8	<63.8	<63.8	
n-Butylbenzene	(ug/kg)	NS	108,000	108,000	<30.0	<30.0	<30.0	<30.0	<30.0	<30.0	<30.0	
sec-Butylbenzene	(ug/kg)	NS	145,000	145,000	<25.0	<25.0	<25.0	<25.0	<25.0	<25.0	<25.0	
tert-Butylbenzene	(ug/kg)	NS	183,000	183,000	<25.0	<25.0	<25.0	<25.0	<25.0	<25.0	<25.0	
Carbon Tetrachloride	(ug/kg)	3.9	4,030	916	<25.0	<25.0	<25.0	<25.0	<25.0	<25.0	<25.0	
Chlorobenzene	(ug/kg)	NS	761,000	370,000	<25.0	<25.0	<25.0	<25.0	<25.0	<25.0	<25.0	
Chloroethane	(ug/kg)	226.6	2,121,000	2,120,000	<46.4	<46.4	<46.4	<46.4	<46.4	<46.4	<46.4	
Chloroform	(ug/kg)	3.3	1,980	454	<47.5	<47.5	<47.5	<47.5	<47.5	<47.5	<47.5	
Chloromethane	(ug/kg)	15.5	669,000	159,000	<25.0	<25.0	<25.0	<25.0	<25.0	<25.0	<25.0	
2-Chlorotoluene	(ug/kg)	NS	907,000	907,000	<25.0	<25.0	<25.0	<25.0	<25.0	<25.0	<25.0	
4-Chlorotoluene	(ug/kg)	NS	253,000	253,000	<25.0	<25.0	<25.0	<25.0	<25.0	<25.0	<25.0	
1,2-Dibromo-3-chloropropane	(ug/kg)	0.2	92	8	<237	<237	<237	<237	<237	<237	<237	
Dibromochloromethane	(ug/kg)	32	38,900	8,280	<229	<229	<229	<229	<229	<229	<229	
1,2-Dibromoethane (EDB)	(ug/kg)	0.0282	221	50	<25.0	<25.0	<25.0	<25.0	<25.0	<25.0	<25.0	
Dibromomethane	(ug/kg)	NS	143,000	34,000	<25.0	<25.0	<25.0	<25.0	<25.0	<25.0	<25.0	
1,2-Dichlorobenzene	(ug/kg)	1,168	376,000	376,000	<25.0	<25.0	<25.0	<25.0	<25.0	<25.0	<25.0	
1,3-Dichlorobenzene	(ug/kg)	1,152.8	297,000	297,000	<25.0	<25.0	<25.0	<25.0	<25.0	<25.0	<25.0	
1,4-Dichlorobenzene	(ug/kg)	144	16,400	3,740	<25.0	<25.0	<25.0	<25.0	<25.0	<25.0	<25.0	
Dichlorodifluoromethane	(ug/kg)	3,086.3	530,000	126,000	<25.0	<25.0	<25.0	<25.0	<25.0	<25.0	<25.0	
1,1-Dichloroethane	(ug/kg)	483.4	22,200	5,060	<25.0	<25.0	<25.0	<25.0	<25.0	<25.0	<25.0	
1,2-Dichloroethane	(ug/kg)	2.8	2,870	652	<25.0	<25.0	<25.0	<25.0	<25.0	<25.0	<25.0	
1,1-Dichloroethene	(ug/kg)	5	1,190	320,000	<25.0	<25.0	<25.0	<25.0	<25.0	<25.0	<25.0	
1,2-Dichloropropane	(ug/kg)	3.3	1,780	3,400	<25.0	<25.0	<25.0	<25.0	<25.0	<25.0	<25.0	
1,3-Dichloropropane	(ug/kg)	NS	1,490,000	1,490,000	<25.0	<25.0	<25.0	<25.0	<25.0	<25.0	<25.0	
2,2-Dichloropropane	(ug/kg)	NS	191,000	191,000	<25.0	<25.0	<25.0	<25.0	<25.0	<25.0	<25.0	
1,1-Dichloropropene	(ug/kg)	NS	NS	NS	<25.0	<25.0	<25.0	<25.0	<25.0	<25.0	<25.0	
cis-1,3-Dichloropropene	(ug/kg)	0.3	1,220,000	1,210,000	<42.3	<42.3	<42.3	<42.3	<42.3	<42.3	<42.3	
trans-1,3-Dichloropropene	(ug/kg)	0.3	1,510,000	1,510,000	<25.0	<25.0	<25.0	<25.0	<25.0	<25.0	<25.0	
Diisopropyl ether	(ug/kg)	NS	2,260,000	2,260,000	<25.0	<25.0	<25.0	<25.0	<25.0	<25.0	<25.0	
Hexachloro-1,3-butadiene	(ug/kg)	NS	7,450	1,630	<68.7	<68.7	<68.7	<68.7	<68.7	<68.7	<68.7	
Isopropylbenzene	(ug/kg)	NS	268,000	268,000	<25.0	<25.0	<25.0	<25.0	<25.0	<25.0	<25.0	
p-Isopropyltoluene	(ug/kg)	NS	162,000	162,000	<25.0	<25.0	<25.0	<25.0	<25.0	<25.0	<25.0	
n-Propylbenzene	(ug/kg)	NS	264,000	264,000	<25.0	<25.0	<25.0	<25.0	<25.0	<25.0	<25.0	
Styrene	(ug/kg)	220	867,000	867,000	<25.0	<25.0	<25.0	<25.0	<25.0	<25.0	<25.0	
1,1,1,2-Tetrachloroethane	(ug/kg)	53.4	12,300	2,780	<25.0	<25.0	<25.0	<25.0	<25.0	<25.0	<25.0	
1,1,2,2-Tetrachloroethane	(ug/kg)	0.2	3,600	810	<25.0	<25.0	<25.0	<25.0	<25.0	<25.0	<25.0	
1,2,3-Trichlorobenzene	(ug/kg)	NS	934,000	62,600	<47.3	<47.3	<47.3	<47.3	<47.3	<47.3	<47.3	
1,2,4-Trichlorobenzene	(ug/kg)	408	113,000	24,000	<41.7	<41.7	<41.7	<41.7	<41.7	<41.7	<41.7	
1,1,1-Trichloroethane	(ug/kg)	140.2	640,000	640,000	<25.0	<25.0	<25.0	<25.0	<25.0	<25.0	<25.0	
1,1,2-Trichloroethane	(ug/kg)	3.2	7,010	1,590	<25.0	<25.0	<25.0	<25.0	<25.0	<25.0	<25.0	
Trichlorofluoromethane	(ug/kg)	NS	1,230,000	1,230,000	<25.0	<25.0	<25.0	<25.0	<25.0	<25.0	<25.0	
1,2,3-Trichloropropane	(ug/kg)	51.9	109	5	<37.4	<37.4	<37.4	<37.4	<37.4	<37.4	<37.4	

Exceedance Highlights:

BOLD Red font indicates individual or cumulative DC RCL exceedance per DNR RCL calculator 3/1/17, and BTV exceedance for metals.

B1: Cumulative exceedance (HI > 1), even though no individual DC RCL was exceeded.

Italic Red font indicates GW RCL Exceedance per DNR RCL calculator 3/1/17. Groundwater quality (> NR 140 ES) may be affected when GW RCLs are exceeded.

Notes:

- NS = No standard established
- = Parameter not analyzed or reported
- ND = No Detect
- RCL = Residual Contaminant Level
- DC = Direct Contact

Table A.2.a
 Soil Analytical Results Table - VOCs
 Bank First National
 1404 Michigan Ave., WI 53081

Sample ID	Date	Depth	Notes	Groundwater Pathway RCL (ug/kg)	Industrial Direct-Contact (0-4') RCL (ug/kg)	Non-Industrial Direct-Contact (0-4') RCL (ug/kg)	GP-4		GP-5	GP-6
							8/17/20		8/17/20	8/17/20
							2-4'	14-16'	0-1'	0-0.5'
Benzene	(ug/kg)	5.1		7,070	1,600	<25.0	<25.0	<25.0	<25.0	
Ethylbenzene	(ug/kg)	1,570		35,400	8,020	<25.0	<25.0	<25.0	<25.0	
Toluene	(ug/kg)	1,107.2		818,000	818,000	<25.0	<25.0	<25.0	<25.0	
m&p-Xylene	(ug/kg)	NS		778,000	778,000	<50.0	<50.0	<50.0	<50.0	
o-Xylene	(ug/kg)	NS		434,000	434,000	<25.0	<25.0	<25.0	<25.0	
Xylenes (TOTAL)	(ug/kg)	3,960		260,000	260,000	<75.0	<75.0	<75.0	<75.0	
Naphthalene	(ug/kg)	658.2		24,100	5,520	<27.3	<27.3	<27.3	<27.3	
MTBE	(ug/kg)	27		282,000	63,800	<25.0	<25.0	<25.0	<25.0	
1,2,4-Trimethylbenzene	(ug/kg)	NS		219,000	219,000	<25.0	<25.0	<25.0	<25.0	
1,3,5-Trimethylbenzene	(ug/kg)	NS		182,000	182,000	<25.0	<25.0	<25.0	<25.0	
Trimethylbenzene Total (1,2,4- & 1,3,5-)	(ug/kg)	1,378.7		NS	NS	<50.0	<50.0	<50.0	<50.0	
Tetrachloroethene (PCE)	(ug/kg)	4.5		145,000	33,000	<38.7	<38.7	<38.7	<38.7	
Trichloroethene (TCE)	(ug/kg)	3.60		8,410	1,300	<25.0	<25.0	<25.0	<25.0	
cis-1,2-Dichloroethene	(ug/kg)	41.2		2,340,000	156,000	<25.0	<25.0	<25.0	<25.0	
trans-1,2-Dichloroethene	(ug/kg)	62.6		1,860,000	1,560,000	<25.0	<25.0	<25.0	<25.0	
Vinyl Chloride	(ug/kg)	0.1		2,080	67	<25.0	<25.0	<25.0	<25.0	
Methylene Chloride	(ug/kg)	2.6		1,150,000	61,800	32.1 J	<26.3	<26.3	<26.3	
Bromobenzene	(ug/kg)	NS		679,000	342,000	<25.0	<25.0	<25.0	<25.0	
Bromochloromethane	(ug/kg)	NS		906,000	216,000	<25.0	<25.0	<25.0	<25.0	
Bromodichloromethane	(ug/kg)	0.3		1,830	418	<25.0	<25.0	<25.0	<25.0	
Bromoform	(ug/kg)	2.3		113,000	25,400	<25.0	<25.0	<25.0	<25.0	
Bromomethane	(ug/kg)	5.1		43,000	9,600	<63.8	<63.8	<63.8	<63.8	
n-Butylbenzene	(ug/kg)	NS		108,000	108,000	<30.0	<30.0	<30.0	<30.0	
sec-Butylbenzene	(ug/kg)	NS		145,000	145,000	<25.0	<25.0	<25.0	<25.0	
tert-Butylbenzene	(ug/kg)	NS		183,000	183,000	<25.0	<25.0	<25.0	<25.0	
Carbon Tetrachloride	(ug/kg)	3.9		4,030	916	<25.0	<25.0	<25.0	<25.0	
Chlorobenzene	(ug/kg)	NS		761,000	370,000	<25.0	<25.0	<25.0	<25.0	
Chloroethane	(ug/kg)	226.6		2,121,000	2,120,000	<46.4	<46.4	<46.4	<46.4	
Chloroform	(ug/kg)	3.3		1,980	454	<47.5	<47.5	<47.5	<47.5	
Chloromethane	(ug/kg)	15.5		669,000	159,000	<25.0	<25.0	<25.0	<25.0	
2-Chlorotoluene	(ug/kg)	NS		907,000	907,000	<25.0	<25.0	<25.0	<25.0	
4-Chlorotoluene	(ug/kg)	NS		253,000	253,000	<25.0	<25.0	<25.0	<25.0	
1,2-Dibromo-3-chloropropane	(ug/kg)	0.2		92	8	<237	<237	<237	<237	
Dibromochloromethane	(ug/kg)	32		38,900	8,280	<229	<229	<229	<229	
1,2-Dibromoethane (EDB)	(ug/kg)	0.0282		221	50	<25.0	<25.0	<25.0	<25.0	
Dibromomethane	(ug/kg)	NS		143,000	34,000	<25.0	<25.0	<25.0	<25.0	
1,2-Dichlorobenzene	(ug/kg)	1,168		376,000	376,000	<25.0	<25.0	<25.0	<25.0	
1,3-Dichlorobenzene	(ug/kg)	1,152.8		297,000	297,000	<25.0	<25.0	<25.0	<25.0	
1,4-Dichlorobenzene	(ug/kg)	144		16,400	3,740	<25.0	<25.0	<25.0	<25.0	
Dichlorodifluoromethane	(ug/kg)	3,086.3		530,000	126,000	<25.0	<25.0	<25.0	<25.0	
1,1-Dichloroethane	(ug/kg)	483.4		22,200	5,060	<25.0	<25.0	<25.0	<25.0	
1,2-Dichloroethane	(ug/kg)	2.8		2,870	652	<25.0	<25.0	<25.0	<25.0	
1,1-Dichloroethene	(ug/kg)	5		1,190	320,000	<25.0	<25.0	<25.0	<25.0	
1,2-Dichloropropane	(ug/kg)	3.3		1,780	3,400	<25.0	<25.0	<25.0	<25.0	
1,3-Dichloropropane	(ug/kg)	NS		1,490,000	1,490,000	<25.0	<25.0	<25.0	<25.0	
2,2-Dichloropropane	(ug/kg)	NS		191,000	191,000	<25.0	<25.0	<25.0	<25.0	
1,1-Dichloropropene	(ug/kg)	NS		NS	NS	<25.0	<25.0	<25.0	<25.0	
cis-1,3-Dichloropropene	(ug/kg)	0.3		1,220,000	1,210,000	<42.3	<42.3	<42.3	<42.3	
trans-1,3Dichloropropene	(ug/kg)	0.3		1,510,000	1,510,000	<25.0	<25.0	<25.0	<25.0	
Diisopropyl ether	(ug/kg)	NS		2,260,000	2,260,000	<25.0	<25.0	<25.0	<25.0	
Hexachloro-1,3-butadiene	(ug/kg)	NS		7,450	1,630	<68.7	<68.7	<68.7	<68.7	
Isopropylbenzene	(ug/kg)	NS		268,000	268,000	<25.0	<25.0	<25.0	<25.0	
p-Isopropyltoluene	(ug/kg)	NS		162,000	162,000	<25.0	<25.0	<25.0	<25.0	
n-Propylbenzene	(ug/kg)	NS		264,000	264,000	<25.0	<25.0	<25.0	<25.0	
Styrene	(ug/kg)	220		867,000	867,000	<25.0	<25.0	<25.0	<25.0	
1,1,1,2-Tetrachloroethane	(ug/kg)	53.4		12,300	2,780	<25.0	<25.0	<25.0	<25.0	
1,1,2,2-Tetrachloroethane	(ug/kg)	0.2		3,600	810	<25.0	<25.0	<25.0	<25.0	
1,2,3-Trichlorobenzene	(ug/kg)	NS		934,000	62,600	<47.3	<47.3	<47.3	<47.3	
1,2,4-Trichlorobenzene	(ug/kg)	408		113,000	24,000	<41.7	<41.7	<41.7	<41.7	
1,1,1-Trichloroethane	(ug/kg)	140.2		640,000	640,000	<25.0	<25.0	<25.0	<25.0	
1,1,2-Trichloroethane	(ug/kg)	3.2		7,010	1,590	<25.0	<25.0	<25.0	<25.0	
Trichlorofluoromethane	(ug/kg)	NS		1,230,000	1,230,000	<25.0	<25.0	<25.0	<25.0	
1,2,3-Trichloropropane	(ug/kg)	51.9		109	5	<37.4	<37.4	<37.4	<37.4	

Exceedance Highlights:

BOLD Red font indicates individual or cumulative DC RCL exceedance per DNR RCL calculator 3/1/17, and BTV exceedance for metals.

B1: Cumulative exceedance (HI > 1), even though no individual DC RCL was exceeded.

Italic Red font indicates GW RCL Exceedance per DNR RCL calculator 3/1/17. Groundwater quality (> NR 140 ES) may be affected when GW RCLs are exceeded.

Notes:



- NS = No standard established
- = Parameter not analyzed or reported
- ND = No Detect
- RCL = Residual Contaminant Level
- DC = Direct Contact

Appendix A

Soil Boring Logs and Well Abandonment Forms

Route To: Watershed/Wastewater Waste Management
 Remediation/Redevelopment Other

Facility/Project Name Michigan Avenue Sheboygan Phase II ESA		License/Permit/Monitoring Number 20-697		Boring Number GP-1	
Boring Drilled By: Name of crew chief (first, last) and Firm Gregg Wester Horizon		Date Drilling Started 8/17/2020		Date Drilling Completed 8/17/2020	
Drilling Method direct push/geoprobe					
WT Unique Well No.	DNR Well ID No.	Common Well Name GP-1	Final Static Water Level Feet MSL	Surface Elevation Feet MSL	Borehole Diameter 2.0 inches
Local Grid Origin <input type="checkbox"/> (estimated: <input type="checkbox"/>) or Boring Location <input checked="" type="checkbox"/> State Plane N, E S/C/N			Local Grid Location <input type="checkbox"/> N <input type="checkbox"/> E <input type="checkbox"/> S <input type="checkbox"/> W		
NE 1/4 of NE 1/4 of Section 22, T 15 N, R 23 E			Lat _____" Long _____"		
Facility ID	County Sheboygan	County Code 60	Civil Town/City/ or Village Sheboygan		



Sample Number and Type	Length Att. & Recovered (in)	Blow Counts	Depth In Feet	Soil/Rock Description And Geologic Origin For Each Major Unit	U S C S	Graphic Log	Well Diagram	PID/FID	Soil Properties					RCD/ Comments	
									Compressive Strength	Moisture Content	Liquid Limit	Plasticity Index	P 200		
1 CS	60 60		0	ASPHALT				1.709							
			1	GRAVEL, grey, noncohesive, well graded, loose, dry, base coarse (GW, FILL)	GW										
			2	LEAN CLAY WITH SAND, reddish tan, cohesive, stiff, medium-high plasticity, moist; Medium grained greyish tan sand with low plasticity and wet at 16.8 to 17.8' (CL, NATIVE)	CL			1.689							Sampled from 2-4'
			3					1.603							
			4					2.065							
			5					2.115							
			6					2.115							
			7					2.115							
			8					2.115							
			9					2.115							
			10					2.115							
			11					2.115							
			12					2.115							
2 CS	60 60		5					2.065							
			6					2.065							
			7					2.065							
			8					2.065							
			9					2.065							
			10					2.065							
			11					2.065							
			12					2.065							
3 CS	60 48		10					3.333							

I hereby certify that the information on this form is true and correct to the best of my knowledge.

Signature	Firm Fehr Graham	Tel: Fax:
-----------	-------------------------	--------------

Route To: Watershed/Wastewater Waste Management
 Remediation/Redevelopment Other

Facility/Project Name Michigan Avenue Sheboygan Phase II ESA		License/Permit/Monitoring Number 20-697		Boring Number GP-2	
Boring Drilled By: Name of crew chief (first, last) and Firm Gregg Wester Horizon		Date Drilling Started 8/17/2020		Date Drilling Completed 8/17/2020	
Drilling Method direct push/geoprobe		WT Unique Well No.		DNR Well ID No.	
Common Well Name GP-2		Final Static Water Level Feet MSL		Surface Elevation Feet MSL	
Borehole Diameter 2.0 inches		Local Grid Origin <input type="checkbox"/> (estimated: <input type="checkbox"/>) or Boring Location <input checked="" type="checkbox"/>		Local Grid Location	
State Plane NE 1/4 of NE 1/4 of Section 22, T 15 N, R 23 E		Lat _____"		<input type="checkbox"/> N <input type="checkbox"/> E	
Long _____"		<input type="checkbox"/> S <input type="checkbox"/> W			
Facility ID		County Sheboygan		County Code 60	
				Civil Town/City/ or Village Sheboygan	



Sample Number and Type	Length Att. & Recovered (in)	Blow Counts	Depth In Feet	Soil/Rock Description And Geologic Origin For Each Major Unit	U S C S	Graphic Log	Well Diagram	PID/FID	Soil Properties					RCD/ Comments	
									Compressive Strength	Moisture Content	Liquid Limit	Plasticity Index	P 200		
1 CS	60 36		0-1	ASPHALT				<0.200							
			1	GRAVEL, grey, noncohesive, well graded, loose, dry, base coarse (GW, FILL)	GW										
			2	LEAN CLAY WITH SAND, reddish tan, cohesive, stiff, medium-high plasticity, moist; Medium grained greyish tan sand with low plasticity and wet at 16.8 to 17.8' (CL, NATIVE)	CL			<0.200							Sampled from 2-4'
			3					<0.200							
			4					<0.200							
2 CS	60 57.6		5					<0.200							
			6					<0.200							
			7					<0.200							
			8					<0.200							
			9					<0.200							
3 CS	60 60		10					0.567							
			11												
			12												

I hereby certify that the information on this form is true and correct to the best of my knowledge.

Signature	Firm Fehr Graham	Tel: Fax:
-----------	-------------------------	--------------

Route To: Watershed/Wastewater Waste Management
Remediation/Redevelopment Other

Facility/Project Name Michigan Avenue Sheboygan Phase II ESA		License/Permit/Monitoring Number 20-697		Boring Number GP-3	
Boring Drilled By: Name of crew chief (first, last) and Firm Gregg Wester Horizon		Date Drilling Started 8/17/2020		Date Drilling Completed 8/17/2020	
Drilling Method direct push/geoprobe					
WT Unique Well No.	DNR Well ID No.	Common Well Name GP-3	Final Static Water Level Feet MSL	Surface Elevation Feet MSL	Borehole Diameter 2.0 inches
Local Grid Origin <input type="checkbox"/> (estimated: <input type="checkbox"/>) or Boring Location <input checked="" type="checkbox"/> State Plane NE 1/4 of NE 1/4 of Section 22, T 15 N, R 23 E			Local Grid Location Lat _____ " <input type="checkbox"/> N <input type="checkbox"/> E Long _____ " <input type="checkbox"/> S <input type="checkbox"/> W		
Facility ID	County Sheboygan	County Code 60	Civil Town/City/ or Village Sheboygan		



Sample Number and Type	Length Att. & Recovered (in)	Blow Counts	Depth In Feet	Soil/Rock Description And Geologic Origin For Each Major Unit	U S C S	Graphic Log	Well Diagram	PI/D/FID	Soil Properties					RQD/ Comments	
									Compressive Strength	Moisture Content	Liquid Limit	Plasticity Index	P 200		
1 CS	60 60			ASPHALT				<0.200							
			1	GRAVEL, grey, noncohesive, well graded, loose, dry, base coarse (GW, FILL)	GW										
			2	LEAN CLAY WITH SAND, reddish tan, cohesive, soft-medium stiffness, low plasticity, dry; Very fine grained greyish tan sandy clay with some 1/4" gravel and low plasticity and wet at both 13-14' and 17.5-18.5' (CL, NATIVE)	CL			<0.200							Sampled from 2-4'
			3												
			4												
2 CS	60 60		5					0.250							
			6					<0.200							
			7												
			8					0.309							
			9												
			10												
3 CS	60 27.6		11					<0.200							
			12												

I hereby certify that the information on this form is true and correct to the best of my knowledge.

Signature	Firm Fehr Graham	Tel: Fax:
-----------	----------------------------	--------------

Route To: Watershed/Wastewater Waste Management
 Remediation/Redevelopment Other

Facility/Project Name Michigan Avenue Sheboygan Phase II ESA			License/Permit/Monitoring Number 20-697		Boring Number GP-4		
Boring Drilled By: Name of crew chief (first, last) and Firm Gregg Wester Horizon			Date Drilling Started 8/17/2020		Date Drilling Completed 8/17/2020		
Drilling Method direct push/geoprobe							
WT Unique Well No.		DNR Well ID No.	Common Well Name GP-4		Final Static Water Level Feet MSL		
					Surface Elevation Feet MSL		
					Borehole Diameter 2.0 inches		
Local Grid Origin <input type="checkbox"/> (estimated: <input type="checkbox"/>) or Boring Location <input checked="" type="checkbox"/>			Local Grid Location				
State Plane N, E S/C/N			Lat _____ "		<input type="checkbox"/> N <input type="checkbox"/> E		
NE 1/4 of NE 1/4 of Section 22, T 15 N, R 23 E			Long _____ "		<input type="checkbox"/> S <input type="checkbox"/> W		
Facility ID		County Sheboygan		County Code 60		Civil Town/City/ or Village Sheboygan	


Sample Number and Type	Length Att. & Recovered (in)	Blow Counts	Depth In Feet	Soil/Rock Description And Geologic Origin For Each Major Unit	U S C S	Graphic Log	Well Diagram	PI/D/FID	Soil Properties					RCD/ Comments	
									Compressive Strength	Moisture Content	Liquid Limit	Plasticity Index	P 200		
1 CS	60 31.2		0	ASPHALT				<0.200							
			1	GRAVEL, grey, noncohesive, well graded, loose, dry, base coarse (GW, FILL)	GW										
			2	LEAN CLAY WITH SAND, reddish tan, cohesive, stiff, medium-high plasticity, dry; Grey mottling at 10-11' and 13'; Medium grained greyish tan sandy clay and some <1/4" gravel and wet 17-18.5' (CL, NATIVE)	CL			<0.200							Sampled from 2-4'
			3					<0.200							
			4					<0.200							
2 CS	60 60		5					<0.200							
			6					<0.200							
			7					<0.200							
			8					<0.200							
			9					<0.200							
3 CS	60 60		10					<0.200							
			11					<0.200							
			12					<0.200							

I hereby certify that the information on this form is true and correct to the best of my knowledge.

Signature	Firm Fehr Graham	Tel:
		Fax:

Route To: Watershed/Wastewater Waste Management
 Remediation/Redevelopment Other

Facility/Project Name Michigan Avenue Sheboygan Phase II ESA			License/Permit/Monitoring Number 20-697		Boring Number GP-5		
Boring Drilled By: Name of crew chief (first, last) and Firm Gregg Wester Horizon			Date Drilling Started 8/17/2020		Date Drilling Completed 8/17/2020		
Drilling Method direct push/geoprobe			WT Unique Well No.		DNR Well ID No.		
Common Well Name			Final Static Water Level Feet MSL		Surface Elevation Feet MSL		
Borehole Diameter 2.0 inches			Local Grid Origin <input type="checkbox"/> (estimated: <input type="checkbox"/>) or Boring Location <input checked="" type="checkbox"/>				
State Plane NE 1/4 of NE 1/4 of Section 22, T 15 N, R 23 E			Lat _____"		Local Grid Location <input type="checkbox"/> N <input type="checkbox"/> E <input type="checkbox"/> S <input type="checkbox"/> W		
Facility ID		County Sheboygan		County Code 60		Civil Town/City/ or Village Sheboygan	

Sample Number and Type	Length Att. & Recovered (in)	Blow Counts	Depth In Feet	Soil/Rock Description And Geologic Origin For Each Major Unit	U S C S	Graphic Log	Well Diagram	PID/FID	Soil Properties					RQD/ Comments
									Compressive Strength	Moisture Content	Liquid Limit	Plasticity Index	P 200	
1 CS	48 12			CONCRETE LEAN CLAY WITH SAND, reddish tan, cohesive, stiff, medium-high plasticity, moist; Medium grained greyish tan sand with low plasticity (CL, NATIVE) End of boring at 1 foot. Refusal due to tight clay. Borehole abandoned.	CL			<0.200						Sample from 0-1'


I hereby certify that the information on this form is true and correct to the best of my knowledge.

Signature _____ Firm **Fehr Graham** Tel: _____ Fax: _____

Route To: Watershed/Wastewater Waste Management
Remediation/Redevelopment Other

Facility/Project Name Michigan Avenue Sheboygan Phase II ESA			License/Permit/Monitoring Number 20-697		Boring Number GP-6	
Boring Drilled By: Name of crew chief (first, last) and Firm Gregg Wester Horizon			Date Drilling Started 8/17/2020		Date Drilling Completed 8/17/2020	
Drilling Method direct push/geoprobe			Final Static Water Level Feet MSL		Surface Elevation Feet MSL	
WT Unique Well No.		DNR Well ID No.		Common Well Name		Borehole Diameter 2.0 inches
Local Grid Origin <input type="checkbox"/> (estimated: <input type="checkbox"/>) or Boring Location <input checked="" type="checkbox"/>			Lat _____"		Local Grid Location	
State Plane N, E S/C/N			Long _____"		<input type="checkbox"/> N <input type="checkbox"/> E <input type="checkbox"/> S <input type="checkbox"/> W	
NE 1/4 of NE 1/4 of Section 22, T 15 N, R 23 E						

Facility ID	County Sheboygan	County Code 60	Civil Town/City/ or Village Sheboygan
-------------	----------------------------	--------------------------	---

Sample Number and Type	Length Att. & Recovered (in)	Blow Counts	Depth In Feet	Soil/Rock Description And Geologic Origin For Each Major Unit	U S C S	Graphic Log	Well Diagram	PID/FID	Soil Properties					RQD/ Comments
									Compressive Strength	Moisture Content	Liquid Limit	Plasticity Index	P 200	
1 CS	48 6		1	<p>CONCRETE</p> <p>LEAN CLAY WITH SAND, reddish tan, cohesive, stiff, medium-high plasticity, moist; Medium grained greyish tan sand with low plasticity (CL, NATIVE)</p> <p>End of boring at 0.5 feet. Refusal due to tight clay. Borehole abandoned.</p>	CL			<0.200						Sample from 0-0.5'

I hereby certify that the information on this form is true and correct to the best of my knowledge.

Signature	Firm Fehr Graham	Tel: Fax:
-----------	----------------------------	--------------

Facility/Project Name Bank First - Michigan Ave	Local Grid Location of Well ft. <input type="checkbox"/> N. <input type="checkbox"/> S. <input type="checkbox"/> E. <input type="checkbox"/> W.	Well Name GP-1
Facility License, Permit or Monitoring No. N/A	Local Grid Origin <input type="checkbox"/> (estimated: <input type="checkbox"/>) or Well Location <input type="checkbox"/> Lat. " Long. " or	Wis. Unique Well No. <input type="checkbox"/> DNR Well ID No. <input type="checkbox"/>
Facility ID N/A	St. Plane _____ ft. N, _____ ft. E. S/C/N	Date Well Installed 08 / 17 / 2020 m m d d y y y y
Type of Well Well Code _____ / _____	Section Location of Waste/Source 1/4 of _____ 1/4 of Sec. _____, T. _____ N, R. _____ <input type="checkbox"/> E <input type="checkbox"/> W	Well Installed By: Name (first, last) and Firm Greg Weston
Distance from Waste/Source _____ ft.	Location of Well Relative to Waste/Source u <input type="checkbox"/> Upgradient s <input type="checkbox"/> Sidegradient d <input type="checkbox"/> Downgradient n <input type="checkbox"/> Not Known	Horizon

A. Protective pipe, top elevation --- GS --- ft. MSL

B. Well casing, top elevation --- _____ ft. MSL

C. Land surface elevation --- _____ ft. MSL

D. Surface seal, bottom --- _____ ft. MSL or --- _____ ft.

12. USCS classification of soil near screen:
GP GM GC GW SW SP
SM SC ML MH CL CH
Bedrock


13. Sieve analysis performed? Yes No

14. Drilling method used: Rotary 5 0
Hollow Stem Auger 4 1
Geoprobe Other

15. Drilling fluid used: Water 0 2 Air 0 1
Drilling Mud 0 3 None 9 9

16. Drilling additives used? Yes No
Describe _____

17. Source of water (attach analysis, if required):
N/A



1. Cap and lock? Yes No

2. Protective cover pipe:
a. Inside diameter: 4.00 in.
b. Length: 0.75 ft.
c. Material: Steel 0 4
Other

d. Additional protection? Yes No
If yes, describe: _____

3. Surface seal: Bentonite 3 0
Concrete 0 1
Other

4. Material between well casing and protective pipe: Bentonite 3 0
Other

5. Annular space seal: a. Granular/Chipped Bentonite 3 3
b. _____ Lbs/gal mud weight . . . Bentonite-sand slurry 3 5
c. _____ Lbs/gal mud weight Bentonite slurry 3 1
d. _____ % Bentonite Bentonite-cement grout 5 0
e. _____ Ft³ volume added for any of the above
f. How installed: Tremie 0 1
Tremie pumped 0 2
Gravity 0 8

6. Bentonite seal: a. Bentonite granules 3 3
b. 1/4 in. 3/8 in. 1/2 in. Bentonite chips 3 2
c. _____ Other

7. Fine sand material: Manufacturer, product name & mesh size
a. #40 Red Flint
b. Volume added _____ ft³

8. Filter pack material: Manufacturer, product name & mesh size
a. _____
b. Volume added _____ ft³

9. Well casing: Flush threaded PVC schedule 40 2 3
Flush threaded PVC schedule 80 2 4
Other

10. Screen material: pvc
a. Screen type: Factory cut 1 1
Continuous slot 0 1
Other

b. Manufacturer Mono flex
c. Slot size: 0.010 in.
d. Slotted length: 10 ft.

11. Backfill material (below filter pack): None 1 4
Other

E. Bentonite seal, top --- _____ ft. MSL or --- _____ ft.

F. Fine sand, top --- _____ ft. MSL or --- _____ ft.

G. Filter pack, top --- _____ ft. MSL or --- _____ ft.

H. Screen joint, top --- _____ ft. MSL or 10 ft.

I. Well bottom --- _____ ft. MSL or 18.35 ft.

J. Filter pack, bottom --- _____ ft. MSL or --- _____ ft.

K. Borehole, bottom --- _____ ft. MSL or 20 ft.

L. Borehole, diameter 2.00 in.

M. O.D. well casing 1.25 in.

N. I.D. well casing 1.00 in.

I hereby certify that the information on this form is true and correct to the best of my knowledge.

Signature [Signature] Firm Fehr Graham

Please complete both Forms 4400-113A and 4400-113B and return them to the appropriate DNR office and bureau. Completion of these reports is required by chs. 160, 281, 283, 289, 291, 292, 293, 295, and 299, Wis. Stats., and ch. NR 141, Wis. Adm. Code. In accordance with chs. 281, 289, 291, 292, 293, 295, and 299, Wis. Stats., failure to file these forms may result in a forfeiture of between \$10 and \$25,000, or imprisonment for up to one year, depending on the program and conduct involved. Personally identifiable information on these forms is not intended to be used for any other purpose. NOTE: See the instructions for more information, including where the completed forms should be sent.

Facility/Project Name Bank First - Michigan Ave		Local Grid Location of Well ft. <input type="checkbox"/> N. <input type="checkbox"/> S. <input type="checkbox"/> E. <input type="checkbox"/> W.		Well Name GP-2	
Facility License, Permit or Monitoring No. N/A		Local Grid Origin <input type="checkbox"/> (estimated: <input type="checkbox"/>) or Well Location <input type="checkbox"/>		Wis. Unique Well No. <input type="checkbox"/> DNR Well ID No. <input type="checkbox"/>	
Facility ID N/A		St. Plane _____ ft. N, _____ ft. E. S/C/N		Date Well Installed 08 / 17 / 2020 m m d d y y y y	
Type of Well Well Code _____ / _____		Section Location of Waste/Source 1/4 of _____ 1/4 of Sec. _____, T. _____ N, R. _____ <input type="checkbox"/> E <input type="checkbox"/> W		Well Installed By: Name (first, last) and Firm Greg Weston	
Distance from Waste/Source _____ ft.		Location of Well Relative to Waste/Source u <input type="checkbox"/> Upgradient s <input type="checkbox"/> Sidegradient d <input type="checkbox"/> Downgradient n <input type="checkbox"/> Not Known		Gov. Lot Number _____	
Enf. Stds. Apply <input type="checkbox"/>				Horizon _____	

A. Protective pipe, top elevation --- GS --- ft. MSL

B. Well casing, top elevation --- _____ ft. MSL

C. Land surface elevation --- _____ ft. MSL

D. Surface seal, bottom --- _____ ft. MSL or --- _____ ft.

12. USCS classification of soil near screen:
GP GM GC GW SW SP
SM SC ML MH CL CH
Bedrock


13. Sieve analysis performed? Yes No

14. Drilling method used: Rotary 5 0
Hollow Stem Auger 4 1
Geoprobe Other

15. Drilling fluid used: Water 0 2 Air 0 1
Drilling Mud 0 3 None 9 9

16. Drilling additives used? Yes No
Describe _____

17. Source of water (attach analysis, if required):
N/A



1. Cap and lock? Yes No

2. Protective cover pipe:
a. Inside diameter: 4.00 in.
b. Length: 0.75 ft.
c. Material: Steel 0 4
Other

d. Additional protection? Yes No
If yes, describe: _____

3. Surface seal: Bentonite 3 0
Concrete 0 1
Other

4. Material between well casing and protective pipe: Bentonite 3 0
Other

5. Annular space seal: a. Granular/Chipped Bentonite 3 3
b. _____ Lbs/gal mud weight . . . Bentonite-sand slurry 3 5
c. _____ Lbs/gal mud weight Bentonite slurry 3 1
d. _____ % Bentonite Bentonite-cement grout 5 0
e. _____ Ft³ volume added for any of the above
f. How installed: Tremie 0 1
Tremie pumped 0 2
Gravity 0 8

6. Bentonite seal: a. Bentonite granules 3 3
b. 1/4 in. 3/8 in. 1/2 in. Bentonite chips 3 2
c. _____ Other

7. Fine sand material: Manufacturer, product name & mesh size
a. #40 Red Flint
b. Volume added _____ ft³

8. Filter pack material: Manufacturer, product name & mesh size
a. _____
b. Volume added _____ ft³

9. Well casing: Flush threaded PVC schedule 40 2 3
Flush threaded PVC schedule 80 2 4
Other

10. Screen material: pvc
a. Screen type: Factory cut 1 1
Continuous slot 0 1
Other

b. Manufacturer Mono flex
c. Slot size: 0.010 in.
d. Slotted length: 10 ft.

11. Backfill material (below filter pack): None 1 4
Other

E. Bentonite seal, top --- _____ ft. MSL or --- _____ ft.

F. Fine sand, top --- _____ ft. MSL or --- _____ ft.

G. Filter pack, top --- _____ ft. MSL or --- _____ ft.

H. Screen joint, top --- _____ ft. MSL or 10 ft.

I. Well bottom --- _____ ft. MSL or 19.55 ft.

J. Filter pack, bottom --- _____ ft. MSL or --- _____ ft.

K. Borehole, bottom --- _____ ft. MSL or 20 ft.

L. Borehole, diameter 2.00 in.

M. O.D. well casing 1.25 in.

N. I.D. well casing 1.00 in.

I hereby certify that the information on this form is true and correct to the best of my knowledge.

Signature [Signature] Firm Fehr Graham

Please complete both Forms 4400-113A and 4400-113B and return them to the appropriate DNR office and bureau. Completion of these reports is required by chs. 160, 281, 283, 289, 291, 292, 293, 295, and 299, Wis. Stats., and ch. NR 141, Wis. Adm. Code. In accordance with chs. 281, 289, 291, 292, 293, 295, and 299, Wis. Stats., failure to file these forms may result in a forfeiture of between \$10 and \$25,000, or imprisonment for up to one year, depending on the program and conduct involved. Personally identifiable information on these forms is not intended to be used for any other purpose. NOTE: See the instructions for more information, including where the completed forms should be sent.

Facility/Project Name Bank First - Michigan Ave		Local Grid Location of Well ft. <input type="checkbox"/> N. <input type="checkbox"/> S. <input type="checkbox"/> E. <input type="checkbox"/> W.		Well Name GP-3	
Facility License, Permit or Monitoring No. N/A		Local Grid Origin <input type="checkbox"/> (estimated: <input type="checkbox"/>) or Well Location <input type="checkbox"/>		Wis. Unique Well No. <input type="checkbox"/> DNR Well ID No. <input type="checkbox"/>	
Facility ID N/A		St. Plane _____ ft. N, _____ ft. E. S/C/N		Date Well Installed 08 / 17 / 2020 m m d d y y y y	
Type of Well Well Code _____ / _____		Section Location of Waste/Source 1/4 of _____ 1/4 of Sec. _____, T. _____ N, R. _____ <input type="checkbox"/> E <input type="checkbox"/> W		Well Installed By: Name (first, last) and Firm Greg Weston	
Distance from Waste/Source _____ ft.		Location of Well Relative to Waste/Source u <input type="checkbox"/> Upgradient s <input type="checkbox"/> Sidegradient d <input type="checkbox"/> Downgradient n <input type="checkbox"/> Not Known		Gov. Lot Number _____	
Enf. Stds. Apply <input type="checkbox"/>				Horizon _____	

A. Protective pipe, top elevation --- GS --- ft. MSL

B. Well casing, top elevation --- _____ ft. MSL

C. Land surface elevation --- _____ ft. MSL

D. Surface seal, bottom --- _____ ft. MSL or --- _____ ft.

12. USCS classification of soil near screen:
GP GM GC GW SW SP
SM SC ML MH CL CH
Bedrock


13. Sieve analysis performed? Yes No

14. Drilling method used: Rotary 5 0
Hollow Stem Auger 4 1
Geoprobe Other

15. Drilling fluid used: Water 0 2 Air 0 1
Drilling Mud 0 3 None 9 9

16. Drilling additives used? Yes No
Describe _____

17. Source of water (attach analysis, if required):
N/A



1. Cap and lock? Yes No

2. Protective cover pipe:
a. Inside diameter: 4.00 in.
b. Length: 0.75 ft.
c. Material: Steel 0 4
Other

d. Additional protection? Yes No
If yes, describe: _____

3. Surface seal: Bentonite 3 0
Concrete 0 1
Other

4. Material between well casing and protective pipe: Bentonite 3 0
Other

5. Annular space seal: a. Granular/Chipped Bentonite 3 3
b. _____ Lbs/gal mud weight . . . Bentonite-sand slurry 3 5
c. _____ Lbs/gal mud weight Bentonite slurry 3 1
d. _____ % Bentonite Bentonite-cement grout 5 0
e. _____ Ft³ volume added for any of the above
f. How installed: Tremie 0 1
Tremie pumped 0 2
Gravity 0 8

6. Bentonite seal: a. Bentonite granules 3 3
b. 1/4 in. 3/8 in. 1/2 in. Bentonite chips 3 2
c. _____ Other

7. Fine sand material: Manufacturer, product name & mesh size
a. #40 Red Flint
b. Volume added _____ ft³

8. Filter pack material: Manufacturer, product name & mesh size
a. _____
b. Volume added _____ ft³

9. Well casing: Flush threaded PVC schedule 40 2 3
Flush threaded PVC schedule 80 2 4
Other

10. Screen material: pvc
a. Screen type: Factory cut 1 1
Continuous slot 0 1
Other

b. Manufacturer Mono flex
c. Slot size: 0.010 in.
d. Slotted length: 10 ft.

11. Backfill material (below filter pack): None 1 4
Other

E. Bentonite seal, top --- _____ ft. MSL or --- _____ ft.

F. Fine sand, top --- _____ ft. MSL or --- _____ ft.

G. Filter pack, top --- _____ ft. MSL or --- _____ ft.

H. Screen joint, top --- _____ ft. MSL or 10 ft.

I. Well bottom --- _____ ft. MSL or 14.47 ft.

J. Filter pack, bottom --- _____ ft. MSL or --- _____ ft.

K. Borehole, bottom --- _____ ft. MSL or 20 ft.

L. Borehole, diameter 2.00 in.

M. O.D. well casing 1.25 in.

N. I.D. well casing 1.00 in.

I hereby certify that the information on this form is true and correct to the best of my knowledge.

Signature [Signature] Firm Fehr Graham

Please complete both Forms 4400-113A and 4400-113B and return them to the appropriate DNR office and bureau. Completion of these reports is required by chs. 160, 281, 283, 289, 291, 292, 293, 295, and 299, Wis. Stats., and ch. NR 141, Wis. Adm. Code. In accordance with chs. 281, 289, 291, 292, 293, 295, and 299, Wis. Stats., failure to file these forms may result in a forfeiture of between \$10 and \$25,000, or imprisonment for up to one year, depending on the program and conduct involved. Personally identifiable information on these forms is not intended to be used for any other purpose. NOTE: See the instructions for more information, including where the completed forms should be sent.

Facility/Project Name Bank First - Michigan Ave		Local Grid Location of Well ft. <input type="checkbox"/> N. <input type="checkbox"/> S. <input type="checkbox"/> E. <input type="checkbox"/> W.		Well Name GP-4	
Facility License, Permit or Monitoring No. N/A		Local Grid Origin <input type="checkbox"/> (estimated: <input type="checkbox"/>) or Well Location <input type="checkbox"/>		Wis. Unique Well No. <input type="checkbox"/> DNR Well ID No. <input type="checkbox"/>	
Facility ID N/A		St. Plane _____ ft. N, _____ ft. E. S/C/N		Date Well Installed 08 / 17 / 2020 m m d d y y y y	
Type of Well Well Code _____ / _____		Section Location of Waste/Source 1/4 of _____ 1/4 of Sec. _____, T. _____ N, R. _____ <input type="checkbox"/> E <input type="checkbox"/> W		Well Installed By: Name (first, last) and Firm Greg Weston	
Distance from Waste/Source _____ ft.		Location of Well Relative to Waste/Source u <input type="checkbox"/> Upgradient s <input type="checkbox"/> Sidegradient d <input type="checkbox"/> Downgradient n <input type="checkbox"/> Not Known		Gov. Lot Number _____	
Enf. Stds. Apply <input type="checkbox"/>				Horizon _____	

A. Protective pipe, top elevation --- GS --- ft. MSL

B. Well casing, top elevation --- _____ ft. MSL

C. Land surface elevation --- _____ ft. MSL

D. Surface seal, bottom --- _____ ft. MSL or --- _____ ft.

12. USCS classification of soil near screen:
GP GM GC GW SW SP
SM SC ML MH CL CH
Bedrock


13. Sieve analysis performed? Yes No

14. Drilling method used: Rotary 5 0
Hollow Stem Auger 4 1
Geoprobe Other

15. Drilling fluid used: Water 0 2 Air 0 1
Drilling Mud 0 3 None 9 9

16. Drilling additives used? Yes No
Describe _____

17. Source of water (attach analysis, if required):
N/A



1. Cap and lock? Yes No

2. Protective cover pipe:
a. Inside diameter: 4.00 in.
b. Length: 0.75 ft.
c. Material: Steel 0 4
Other

d. Additional protection? Yes No
If yes, describe: _____

3. Surface seal: Bentonite 3 0
Concrete 0 1
Other

4. Material between well casing and protective pipe: Bentonite 3 0
Other

5. Annular space seal: a. Granular/Chipped Bentonite 3 3
b. _____ Lbs/gal mud weight . . . Bentonite-sand slurry 3 5
c. _____ Lbs/gal mud weight Bentonite slurry 3 1
d. _____ % Bentonite Bentonite-cement grout 5 0
e. _____ Ft³ volume added for any of the above
f. How installed: Tremie 0 1
Tremie pumped 0 2
Gravity 0 8

6. Bentonite seal: a. Bentonite granules 3 3
b. 1/4 in. 3/8 in. 1/2 in. Bentonite chips 3 2
c. _____ Other

7. Fine sand material: Manufacturer, product name & mesh size
a. #40 Red Flint
b. Volume added _____ ft³

8. Filter pack material: Manufacturer, product name & mesh size
a. _____
b. Volume added _____ ft³

9. Well casing: Flush threaded PVC schedule 40 2 3
Flush threaded PVC schedule 80 2 4
Other

10. Screen material: pvc
a. Screen type: Factory cut 1 1
Continuous slot 0 1
Other

b. Manufacturer Mono flex
c. Slot size: 0.010 in.
d. Slotted length: 10 ft.

11. Backfill material (below filter pack): None 1 4
Other

E. Bentonite seal, top --- _____ ft. MSL or --- _____ ft.

F. Fine sand, top --- _____ ft. MSL or --- _____ ft.

G. Filter pack, top --- _____ ft. MSL or --- _____ ft.

H. Screen joint, top --- _____ ft. MSL or 10 ft.

I. Well bottom --- _____ ft. MSL or 19.14 ft.

J. Filter pack, bottom --- _____ ft. MSL or --- _____ ft.

K. Borehole, bottom --- _____ ft. MSL or 20 ft.

L. Borehole, diameter 2.00 in.

M. O.D. well casing 1.25 in.

N. I.D. well casing 1.00 in.

I hereby certify that the information on this form is true and correct to the best of my knowledge.

Signature [Signature] Firm Fehr Graham

Please complete both Forms 4400-113A and 4400-113B and return them to the appropriate DNR office and bureau. Completion of these reports is required by chs. 160, 281, 283, 289, 291, 292, 293, 295, and 299, Wis. Stats., and ch. NR 141, Wis. Adm. Code. In accordance with chs. 281, 289, 291, 292, 293, 295, and 299, Wis. Stats., failure to file these forms may result in a forfeiture of between \$10 and \$25,000, or imprisonment for up to one year, depending on the program and conduct involved. Personally identifiable information on these forms is not intended to be used for any other purpose. NOTE: See the instructions for more information, including where the completed forms should be sent.

Notice: Completion of this report is required by chs. 160, 281, 283, 289, 291-293, 295, and 299, Wis. Stats., and chs. NR 141 and 812, Wis. Adm. Code. In accordance with chs. 281, 289, 291-293, 295, and 299, Wis. Stats., failure to file this form may result in a forfeiture of between \$10-25,000, or imprisonment for up to one year, depending on the program and conduct involved. Personally identifiable information on this form is not intended to be used for any other purpose. Return form to the appropriate DNR office and bureau. See instructions on reverse for more information.

Route to DNR Bureau:

Verification Only of Fill and Seal

- Drinking Water Watershed/Wastewater Remediation/Redevelopment
 Waste Management Other: _____

1. Well Location Information				2. Facility / Owner Information			
County Sheboygan		WI Unique Well # of Removed Well _____		Hicap # _____		Facility Name Bank First National - Michigan Ave Sheboygan	
Latitude / Longitude (see instructions) _____ N _____ W		Format Code <input type="checkbox"/> DD <input type="checkbox"/> DDM		Method Code <input type="checkbox"/> GPS008 <input type="checkbox"/> SCR002 <input type="checkbox"/> OTH001		Facility ID (FID or PWS) Not Applicable	
¼ / ¼ or Gov't Lot #		Section		Township N		License/Permit/Monitoring # Not Applicable	
Well Street Address 1404 Michigan Avenue		Range <input type="checkbox"/> E <input type="checkbox"/> W		Original Well Owner Steve Casper		Present Well Owner Steve Casper	
Well City, Village or Town Sheboygan		Well ZIP Code 53081		Mailing Address of Present Owner 1404 Michigan Avenue			
Subdivision Name		Lot #		City of Present Owner Sheboygan		State WI	ZIP Code 53081
3. Filled & Sealed Well / Drillhole / Borehole Information				4. Pump, Liner, Screen, Casing & Sealing Material			
Reason for Removal from Service Sampling Complete		WI Unique Well # of Replacement Well _____		Pump and piping removed? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A			
<input checked="" type="checkbox"/> Monitoring Well		Original Construction Date (mm/dd/yyyy) 08/17/2020		Liner(s) removed? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A			
<input type="checkbox"/> Water Well		If a Well Construction Report is available, please attach.		Liner(s) perforated? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A			
<input type="checkbox"/> Borehole / Drillhole				Screen removed? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A			
Construction Type: <input type="checkbox"/> Drilled <input type="checkbox"/> Driven (Sandpoint) <input type="checkbox"/> Dug				Casing left in place? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A			
<input checked="" type="checkbox"/> Other (specify): Geoprobe				Was casing cut off below surface? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A			
Formation Type: <input checked="" type="checkbox"/> Unconsolidated Formation <input type="checkbox"/> Bedrock				Did sealing material rise to surface? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A			
Total Well Depth From Ground Surface (ft.) 18.20		Casing Diameter (in.) 1.25		Did material settle after 24 hours? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A			
Lower Drillhole Diameter (in.) 2.00		Casing Depth (ft.) 8.20		If yes, was hole retopped? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A			
Was well annular space grouted? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> Unknown				If bentonite chips were used, were they hydrated with water from a known safe source? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A			
If yes, to what depth (feet)? N/A		Depth to Water (feet) 6.61		Required Method of Placing Sealing Material <input type="checkbox"/> Conductor Pipe-Gravity <input type="checkbox"/> Conductor Pipe-Pumped <input checked="" type="checkbox"/> Screened & Poured (Bentonite Chips) <input type="checkbox"/> Other (Explain): _____			
5. Material Used to Fill Well / Drillhole							
Bentonite Chips		From (ft.) Surface	To (ft.) 18.20	No. Yards, Sacks Sealant or Volume (circle one) 27.0 lbs		Mix Ratio or Mud Weight	
6. Comments							
GP-1							
7. Supervision of Work				DNR Use Only			
Name of Person or Firm Doing Filling & Sealing Fehr Graham		License #	Date of Filling & Sealing or Verification (mm/dd/yyyy) 09/01/2020		Date Received		Noted By
Street or Route 909 N. 8th Street, Suite 101			Telephone Number (920) 453-0700		Comments		
City Sheboygan		State WI	ZIP Code 53081	Signature of Person Doing Work		Date Signed 9/1/2020	

Instructions

Well Filling and Sealing

Wisconsin Administrative Code (NR 811, NR 812, and NR 141 requires well owners to permanently fill and seal any unused wells/drillholes/boreholes on their property. **As of June 1, 2008 water supply wells can only be filled and sealed by licensed well drillers and pump installers.**

1. Remove any pump, pump piping, debris or other obstacles that could interfere with the sealing operation.
2. Except when bentonite chips are used, the sealing material must be placed with the use of a conductor (tremie) pipe to fill the entire well column to the top with required sealing material. Refer to NR 812 and NR 141 for more details on filling and sealing requirements.

General Instructions: Fill out Well/Drillhole/Borehole Filling & Sealing Report Form 3300-005 as completely as possible for each well or borehole filled and sealed. Information should be provided for every box on the form where available. Sign each form. Please note that these forms are subject to change. (Personally identifiable information on these forms is not intended to be used for any other purpose.)

Verification Only of Fill and Seal: If you are only verifying that filling and sealing has previously occurred on a well and are NOT performing any filling and sealing work on the well, check the box near the top of the form. Complete Parts 1 and 2 of the form completely and any information you can provide in Parts 3, 4 and 5. You must provide comments in Part 6 as to the method used to verify both the filling and sealing of the well. Complete Part 7, including the date of Filling and Sealing or verification. It will be implied that you did do the filling and sealing work or the verification as stated in Part 7.

Route to: Check the appropriate routing box on the top of the form to assure proper routing to the DNR program requiring this well be filled and sealed. Mail the form and any attachments to the Department of Natural Resources, PO Box 7921, Madison, WI 53707-7921.

If you do any work to fill or seal the well, you must complete this form as intended and do not check the Verification Only of Fill and Seal box.

(1) WELL LOCATION INFORMATION

WI Unique Well #: Fill in the 2 alphabetic and 3 numeric Wisconsin Unique Well Number (WUWN) of the well being filled and sealed. Check the well, sample tap in the house or the fuse box for a WUWN if one has been assigned to the well.

Hicap #: If this was a high capacity well, enter the number assigned to the well by the Department.

Well Location: Locate the well by Public Land Survey (Gov't Lot or ¼ ¼, ¼, Section, Township and Range) AND latitude and longitude coordinates, using GPS or on-line map locators.

Format Code: Check which format you are reporting in: DD = Decimal Degrees ____ . ____ ° or DDM = Degrees Decimal Minutes ____ ° ____ . ____ ' (Place decimal point appropriately).

Method Code: Check which method you are using to determine latitude/longitude: GPS008 = GPS Receiver; SCR002 = Online Map Viewer; OTH001 = Other.

(2) FACILITY / OWNER INFORMATION

If the well is located at a commercial or government facility, fill in the name of landfill, wastewater treatment facility, surface impoundment, spill or project.

Facility ID: Fill in the nine digits Facility ID (FID or PWS) assigned to the site by the Department.

License/Permit/Monitoring #: Fill in number assigned to facility by the Department. If unknown, leave blank.

Present Well Owner: Fill in the name, address, city, state and ZIP code of the present owner.

(3) FILLED & SEALED WELL/DRILLHOLE/BOREHOLE INFORMATION

Original Construction Date: Fill in the original date of construction for the well or boring in mm/dd/yyyy format. This section should include information about the original well.

Depth to Water: Enter depth to water from ground surface.

- (4) **PUMP, LINER, SCREEN, CASING, & SEALING MATERIAL:** Check only one box where Yes, No or Not Applicable is indicated. Check all boxes which apply otherwise.

- (5) **MATERIAL USED TO FILL THE WELL/DRILLHOLE:** Enter the description of the filling material, the depth From and To, circle one measurement unit (Yards, Sacks or Volume), and enter the mix ratio or mud weight (in pounds per gallon).

- (6) **COMMENTS:** Describe any of the above boxes in more detail or add information as required to describe the filling and sealing procedures.

- (7) **NAME OF PERSON OR FIRM DOING SEALING WORK:** Enter the name (first and last) or firm name, address, and phone number of the person who supervised the work.

Date of Filling & Sealing or Verification: List Month/Day/Year (mm/dd/yyyy) the well was filled & sealed or verified filled & sealed.

Notice: Completion of this report is required by chs. 160, 281, 283, 289, 291-293, 295, and 299, Wis. Stats., and chs. NR 141 and 812, Wis. Adm. Code. In accordance with chs. 281, 289, 291-293, 295, and 299, Wis. Stats., failure to file this form may result in a forfeiture of between \$10-25,000, or imprisonment for up to one year, depending on the program and conduct involved. Personally identifiable information on this form is not intended to be used for any other purpose. Return form to the appropriate DNR office and bureau. See instructions on reverse for more information.

Route to DNR Bureau:

Verification Only of Fill and Seal

Drinking Water Watershed/Wastewater Remediation/Redevelopment
 Waste Management Other: _____

1. Well Location Information **2. Facility / Owner Information**

County: Sheboygan
 WI Unique Well # of Removed Well: _____
 Hicap #: _____

Facility Name: Bank First National - Michigan Ave Sheboygan

Latitude / Longitude (see instructions): _____ N
 _____ W
 Format Code: DD GPS008
 DDM SCR002
 OTH001

Facility ID (FID or PWS): Not Applicable

1/4 / 1/4: _____
 or Gov't Lot #: _____
 Section: _____ Township: _____ Range: E
 W

License/Permit/Monitoring #: Not Applicable

Well Street Address: 1404 Michigan Avenue

Original Well Owner: Steve Casper

Well City, Village or Town: Sheboygan
 Well ZIP Code: 53081

Present Well Owner: Steve Casper

Subdivision Name: _____ Lot #: _____

Mailing Address of Present Owner: 1404 Michigan Avenue

Reason for Removal from Service: Sampling Complete
 WI Unique Well # of Replacement Well: _____

City of Present Owner: Sheboygan State: WI ZIP Code: 53081

3. Filled & Sealed Well / Drillhole / Borehole Information

Monitoring Well
 Water Well
 Borehole / Drillhole
 Original Construction Date (mm/dd/yyyy): 08/17/2020
 If a Well Construction Report is available, please attach.

4. Pump, Liner, Screen, Casing & Sealing Material

Construction Type:
 Drilled Driven (Sandpoint) Dug
 Other (specify): Geoprobe

Pump and piping removed? Yes No N/A
 Liner(s) removed? Yes No N/A
 Liner(s) perforated? Yes No N/A
 Screen removed? Yes No N/A
 Casing left in place? Yes No N/A

Formation Type:
 Unconsolidated Formation Bedrock

Was casing cut off below surface? Yes No N/A
 Did sealing material rise to surface? Yes No N/A
 Did material settle after 24 hours? Yes No N/A
 If yes, was hole retopped? Yes No N/A
 If bentonite chips were used, were they hydrated with water from a known safe source? Yes No N/A

Total Well Depth From Ground Surface (ft.): 19.17
 Casing Diameter (in.): 1.25

Required Method of Placing Sealing Material
 Conductor Pipe-Gravity Conductor Pipe-Pumped
 Screened & Poured (Bentonite Chips) Other (Explain): _____

Lower Drillhole Diameter (in.): 2.00
 Casing Depth (ft.): 9.17

Sealing Materials
 Neat Cement Grout Concrete
 Sand-Cement (Concrete) Grout Bentonite Chips

Was well annular space grouted? Yes No Unknown

For Monitoring Wells and Monitoring Well Boreholes Only:
 Bentonite Chips Bentonite - Cement Grout
 Granular Bentonite Bentonite - Sand Slurry

If yes, to what depth (feet)? N/A
 Depth to Water (feet): 6.50

5. Material Used to Fill Well / Drillhole

Material	From (ft.)	To (ft.)	No. Yards, Sacks Sealant or Volume (circle one)	Mix Ratio or Mud Weight
Bentonite Chips	Surface	19.17	28.5 lbs	

From (ft.)	To (ft.)	No. Yards, Sacks Sealant or Volume (circle one)	Mix Ratio or Mud Weight
Surface	19.17	28.5 lbs	

6. Comments

GP-2

7. Supervision of Work **DNR Use Only**

Name of Person or Firm Doing Filling & Sealing: Fehr Graham	License #: _____	Date of Filling & Sealing or Verification (mm/dd/yyyy): 09/01/2020	Date Received: _____	Noted By: _____
Street or Route: 909 N. 8th Street, Suite 101	City: Sheboygan	State: WI	ZIP Code: 53081	Telephone Number: (920) 453-0700
Signature of Person Doing Work: _____			Date Signed: 9/1/2020	

Instructions

Well Filling and Sealing

Wisconsin Administrative Code (NR 811, NR 812, and NR 141 requires well owners to permanently fill and seal any unused wells/drillholes/boreholes on their property. **As of June 1, 2008 water supply wells can only be filled and sealed by licensed well drillers and pump installers.**

1. Remove any pump, pump piping, debris or other obstacles that could interfere with the sealing operation.
2. Except when bentonite chips are used, the sealing material must be placed with the use of a conductor (tremie) pipe to fill the entire well column to the top with required sealing material. Refer to NR 812 and NR 141 for more details on filling and sealing requirements.

General Instructions: Fill out Well/Drillhole/Borehole Filling & Sealing Report Form 3300-005 as completely as possible for each well or borehole filled and sealed. Information should be provided for every box on the form where available. Sign each form. Please note that these forms are subject to change. (Personally identifiable information on these forms is not intended to be used for any other purpose.)

Verification Only of Fill and Seal: If you are only verifying that filling and sealing has previously occurred on a well and are NOT performing any filling and sealing work on the well, check the box near the top of the form. Complete Parts 1 and 2 of the form completely and any information you can provide in Parts 3, 4 and 5. You must provide comments in Part 6 as to the method used to verify both the filling and sealing of the well. Complete Part 7, including the date of Filling and Sealing or verification. It will be implied that you did do the filling and sealing work or the verification as stated in Part 7.

Route to: Check the appropriate routing box on the top of the form to assure proper routing to the DNR program requiring this well be filled and sealed. Mail the form and any attachments to the Department of Natural Resources, PO Box 7921, Madison, WI 53707-7921.

If you do any work to fill or seal the well, you must complete this form as intended and do not check the Verification Only of Fill and Seal box.

(1) WELL LOCATION INFORMATION

WI Unique Well #: Fill in the 2 alphabetic and 3 numeric Wisconsin Unique Well Number (WUWN) of the well being filled and sealed. Check the well, sample tap in the house or the fuse box for a WUWN if one has been assigned to the well.

Hicap #: If this was a high capacity well, enter the number assigned to the well by the Department.

Well Location: Locate the well by Public Land Survey (Gov't Lot or ¼ ¼, ¼, Section, Township and Range) AND latitude and longitude coordinates, using GPS or on-line map locators.

Format Code: Check which format you are reporting in: DD = Decimal Degrees ____ . ____ ° or DDM = Degrees Decimal Minutes ____ ° ____ . ____ ' (Place decimal point appropriately).

Method Code: Check which method you are using to determine latitude/longitude: GPS008 = GPS Receiver; SCR002 = Online Map Viewer; OTH001 = Other.

(2) FACILITY / OWNER INFORMATION

If the well is located at a commercial or government facility, fill in the name of landfill, wastewater treatment facility, surface impoundment, spill or project.

Facility ID: Fill in the nine digits Facility ID (FID or PWS) assigned to the site by the Department.

License/Permit/Monitoring #: Fill in number assigned to facility by the Department. If unknown, leave blank.

Present Well Owner: Fill in the name, address, city, state and ZIP code of the present owner.

(3) FILLED & SEALED WELL/DRILLHOLE/BOREHOLE INFORMATION

Original Construction Date: Fill in the original date of construction for the well or boring in mm/dd/yyyy format. This section should include information about the original well.

Depth to Water: Enter depth to water from ground surface.

- (4) **PUMP, LINER, SCREEN, CASING, & SEALING MATERIAL:** Check only one box where Yes, No or Not Applicable is indicated. Check all boxes which apply otherwise.

- (5) **MATERIAL USED TO FILL THE WELL/DRILLHOLE:** Enter the description of the filling material, the depth From and To, circle one measurement unit (Yards, Sacks or Volume), and enter the mix ratio or mud weight (in pounds per gallon).

- (6) **COMMENTS:** Describe any of the above boxes in more detail or add information as required to describe the filling and sealing procedures.

- (7) **NAME OF PERSON OR FIRM DOING SEALING WORK:** Enter the name (first and last) or firm name, address, and phone number of the person who supervised the work.

Date of Filling & Sealing or Verification: List Month/Day/Year (mm/dd/yyyy) the well was filled & sealed or verified filled & sealed.

Notice: Completion of this report is required by chs. 160, 281, 283, 289, 291-293, 295, and 299, Wis. Stats., and chs. NR 141 and 812, Wis. Adm. Code. In accordance with chs. 281, 289, 291-293, 295, and 299, Wis. Stats., failure to file this form may result in a forfeiture of between \$10-25,000, or imprisonment for up to one year, depending on the program and conduct involved. Personally identifiable information on this form is not intended to be used for any other purpose. Return form to the appropriate DNR office and bureau. See instructions on reverse for more information.

Verification Only of Fill and Seal

Route to DNR Bureau:

- Drinking Water Watershed/Wastewater Remediation/Redevelopment
 Waste Management Other: _____

1. Well Location Information				2. Facility / Owner Information				
County Sheboygan		WI Unique Well # of Removed Well _____		Hicap # _____		Facility Name Bank First National - Michigan Ave Sheboygan		
Latitude / Longitude (see instructions) _____ N _____ W		Format Code <input type="checkbox"/> DD <input type="checkbox"/> DDM		Method Code <input type="checkbox"/> GPS008 <input type="checkbox"/> SCR002 <input type="checkbox"/> OTH001		Facility ID (FID or PWS) Not Applicable		
1/4 / 1/4 or Gov't Lot #		Section		Township N		License/Permit/Monitoring # Not Applicable		
Well Street Address 1404 Michigan Avenue		Range <input type="checkbox"/> E <input type="checkbox"/> W		Original Well Owner Steve Casper		Present Well Owner Steve Casper		
Well City, Village or Town Sheboygan		Well ZIP Code 53081		Mailing Address of Present Owner 1404 Michigan Avenue				
Subdivision Name		Lot #		City of Present Owner Sheboygan		State WI	ZIP Code 53081	
3. Filled & Sealed Well / Drillhole / Borehole Information				4. Pump, Liner, Screen, Casing & Sealing Material				
Reason for Removal from Service Sampling Complete		WI Unique Well # of Replacement Well _____		Pump and piping removed? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A				
<input checked="" type="checkbox"/> Monitoring Well		Original Construction Date (mm/dd/yyyy) 08/17/2020		Liner(s) removed? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A				
<input type="checkbox"/> Water Well		If a Well Construction Report is available, please attach.		Liner(s) perforated? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A				
<input type="checkbox"/> Borehole / Drillhole				Screen removed? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A				
Construction Type: <input type="checkbox"/> Drilled <input type="checkbox"/> Driven (Sandpoint) <input type="checkbox"/> Dug				Casing left in place? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A				
<input checked="" type="checkbox"/> Other (specify): Geoprobe				Was casing cut off below surface? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A				
Formation Type: <input checked="" type="checkbox"/> Unconsolidated Formation <input type="checkbox"/> Bedrock				Did sealing material rise to surface? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A				
Total Well Depth From Ground Surface (ft.) 14.0		Casing Diameter (in.) 1.25		Did material settle after 24 hours? If yes, was hole retopped? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A				
Lower Drillhole Diameter (in.) 2.00		Casing Depth (ft.) 4.0		If bentonite chips were used, were they hydrated with water from a known safe source? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A				
Was well annular space grouted? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> Unknown				Required Method of Placing Sealing Material <input type="checkbox"/> Conductor Pipe-Gravity <input type="checkbox"/> Conductor Pipe-Pumped <input checked="" type="checkbox"/> Screened & Poured (Bentonite Chips) <input type="checkbox"/> Other (Explain): _____				
If yes, to what depth (feet)? N/A		Depth to Water (feet) 6.42		Sealing Materials <input type="checkbox"/> Neat Cement Grout <input type="checkbox"/> Concrete <input type="checkbox"/> Sand-Cement (Concrete) Grout <input checked="" type="checkbox"/> Bentonite Chips				
5. Material Used to Fill Well / Drillhole				6. Comments				
				From (ft.)		To (ft.)	No. Yards, Sacks Sealant or Volume (circle one)	Mix Ratio or Mud Weight
Bentonite Chips				Surface		14.0	21.0 lbs	
6. Comments								
7. Supervision of Work				DNR Use Only				
Name of Person or Firm Doing Filling & Sealing Fehr Graham		License #	Date of Filling & Sealing or Verification (mm/dd/yyyy) 09/01/2020		Date Received		Noted By	
Street or Route 909 N. 8th Street, Suite 101		Telephone Number (920) 453-0700		Comments				
City Sheboygan		State WI	ZIP Code 53081	Signature of Person Doing Work		Date Signed 9/1/2020		

Instructions

Well Filling and Sealing

Wisconsin Administrative Code (NR 811, NR 812, and NR 141 requires well owners to permanently fill and seal any unused wells/drillholes/boreholes on their property. **As of June 1, 2008 water supply wells can only be filled and sealed by licensed well drillers and pump installers.**

1. Remove any pump, pump piping, debris or other obstacles that could interfere with the sealing operation.
2. Except when bentonite chips are used, the sealing material must be placed with the use of a conductor (tremie) pipe to fill the entire well column to the top with required sealing material. Refer to NR 812 and NR 141 for more details on filling and sealing requirements.

General Instructions: Fill out Well/Drillhole/Borehole Filling & Sealing Report Form 3300-005 as completely as possible for each well or borehole filled and sealed. Information should be provided for every box on the form where available. Sign each form. Please note that these forms are subject to change. (Personally identifiable information on these forms is not intended to be used for any other purpose.)

Verification Only of Fill and Seal: If you are only verifying that filling and sealing has previously occurred on a well and are NOT performing any filling and sealing work on the well, check the box near the top of the form. Complete Parts 1 and 2 of the form completely and any information you can provide in Parts 3, 4 and 5. You must provide comments in Part 6 as to the method used to verify both the filling and sealing of the well. Complete Part 7, including the date of Filling and Sealing or verification. It will be implied that you did do the filling and sealing work or the verification as stated in Part 7.

Route to: Check the appropriate routing box on the top of the form to assure proper routing to the DNR program requiring this well be filled and sealed. Mail the form and any attachments to the Department of Natural Resources, PO Box 7921, Madison, WI 53707-7921.

If you do any work to fill or seal the well, you must complete this form as intended and do not check the Verification Only of Fill and Seal box.

(1) WELL LOCATION INFORMATION

WI Unique Well #: Fill in the 2 alphabetic and 3 numeric Wisconsin Unique Well Number (WUWN) of the well being filled and sealed. Check the well, sample tap in the house or the fuse box for a WUWN if one has been assigned to the well.

Hicap #: If this was a high capacity well, enter the number assigned to the well by the Department.

Well Location: Locate the well by Public Land Survey (Gov't Lot or ¼ ¼, ¼, Section, Township and Range) AND latitude and longitude coordinates, using GPS or on-line map locators.

Format Code: Check which format you are reporting in: DD = Decimal Degrees ____ . ____ ° or DDM = Degrees Decimal Minutes ____ ° ____ . ____ ' (Place decimal point appropriately).

Method Code: Check which method you are using to determine latitude/longitude: GPS008 = GPS Receiver; SCR002 = Online Map Viewer; OTH001 = Other.

(2) FACILITY / OWNER INFORMATION

If the well is located at a commercial or government facility, fill in the name of landfill, wastewater treatment facility, surface impoundment, spill or project.

Facility ID: Fill in the nine digits Facility ID (FID or PWS) assigned to the site by the Department.

License/Permit/Monitoring #: Fill in number assigned to facility by the Department. If unknown, leave blank.

Present Well Owner: Fill in the name, address, city, state and ZIP code of the present owner.

(3) FILLED & SEALED WELL/DRILLHOLE/BOREHOLE INFORMATION

Original Construction Date: Fill in the original date of construction for the well or boring in mm/dd/yyyy format. This section should include information about the original well.

Depth to Water: Enter depth to water from ground surface.

- (4) **PUMP, LINER, SCREEN, CASING, & SEALING MATERIAL:** Check only one box where Yes, No or Not Applicable is indicated. Check all boxes which apply otherwise.

- (5) **MATERIAL USED TO FILL THE WELL/DRILLHOLE:** Enter the description of the filling material, the depth From and To, circle one measurement unit (Yards, Sacks or Volume), and enter the mix ratio or mud weight (in pounds per gallon).

- (6) **COMMENTS:** Describe any of the above boxes in more detail or add information as required to describe the filling and sealing procedures.

- (7) **NAME OF PERSON OR FIRM DOING SEALING WORK:** Enter the name (first and last) or firm name, address, and phone number of the person who supervised the work.

Date of Filling & Sealing or Verification: List Month/Day/Year (mm/dd/yyyy) the well was filled & sealed or verified filled & sealed.

Notice: Completion of this report is required by chs. 160, 281, 283, 289, 291-293, 295, and 299, Wis. Stats., and chs. NR 141 and 812, Wis. Adm. Code. In accordance with chs. 281, 289, 291-293, 295, and 299, Wis. Stats., failure to file this form may result in a forfeiture of between \$10-25,000, or imprisonment for up to one year, depending on the program and conduct involved. Personally identifiable information on this form is not intended to be used for any other purpose. Return form to the appropriate DNR office and bureau. See instructions on reverse for more information.

Route to DNR Bureau:

Verification Only of Fill and Seal

- Drinking Water Watershed/Wastewater Remediation/Redevelopment
 Waste Management Other: _____

1. Well Location Information				2. Facility / Owner Information				
County Sheboygan		WI Unique Well # of Removed Well _____		Hicap # _____		Facility Name Bank First National - Michigan Ave Sheboygan		
Latitude / Longitude (see instructions) _____ N _____ W		Format Code <input type="checkbox"/> DD <input type="checkbox"/> DDM		Method Code <input type="checkbox"/> GPS008 <input type="checkbox"/> SCR002 <input type="checkbox"/> OTH001		Facility ID (FID or PWS) Not Applicable		
1/4 / 1/4 or Gov't Lot #		Section		Township N		License/Permit/Monitoring # Not Applicable		
Well Street Address 1404 Michigan Avenue		Range <input type="checkbox"/> E <input type="checkbox"/> W		Original Well Owner Steve Casper		Present Well Owner Steve Casper		
Well City, Village or Town Sheboygan		Well ZIP Code 53081		Mailing Address of Present Owner 1404 Michigan Avenue				
Subdivision Name		Lot #		City of Present Owner Sheboygan		State WI	ZIP Code 53081	
3. Filled & Sealed Well / Drillhole / Borehole Information				4. Pump, Liner, Screen, Casing & Sealing Material				
Reason for Removal from Service Sampling Complete		WI Unique Well # of Replacement Well _____		Pump and piping removed? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A				
<input checked="" type="checkbox"/> Monitoring Well		Original Construction Date (mm/dd/yyyy) 08/17/2020		Liner(s) removed? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A				
<input type="checkbox"/> Water Well		If a Well Construction Report is available, please attach.		Liner(s) perforated? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A				
<input type="checkbox"/> Borehole / Drillhole				Screen removed? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A				
Construction Type: <input type="checkbox"/> Drilled <input type="checkbox"/> Driven (Sandpoint) <input type="checkbox"/> Dug				Casing left in place? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A				
<input checked="" type="checkbox"/> Other (specify): Geoprobe				Was casing cut off below surface? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A				
Formation Type: <input checked="" type="checkbox"/> Unconsolidated Formation <input type="checkbox"/> Bedrock				Did sealing material rise to surface? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A				
Total Well Depth From Ground Surface (ft.) 18.95		Casing Diameter (in.) 1.25		Did material settle after 24 hours? If yes, was hole retopped? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A				
Lower Drillhole Diameter (in.) 2.00		Casing Depth (ft.) 8.95		If bentonite chips were used, were they hydrated with water from a known safe source? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A				
Was well annular space grouted? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> Unknown				Required Method of Placing Sealing Material <input type="checkbox"/> Conductor Pipe-Gravity <input type="checkbox"/> Conductor Pipe-Pumped <input checked="" type="checkbox"/> Screened & Poured (Bentonite Chips) <input type="checkbox"/> Other (Explain): _____				
If yes, to what depth (feet)? N/A		Depth to Water (feet) 5.48		Sealing Materials <input type="checkbox"/> Neat Cement Grout <input type="checkbox"/> Concrete <input type="checkbox"/> Sand-Cement (Concrete) Grout <input checked="" type="checkbox"/> Bentonite Chips				
5. Material Used to Fill Well / Drillhole				6. Comments				
				From (ft.)		To (ft.)	No. Yards, Sacks Sealant or Volume (circle one)	Mix Ratio or Mud Weight
Bentonite Chips				Surface		18.95	28.5 lbs	
6. Comments								
7. Supervision of Work				DNR Use Only				
Name of Person or Firm Doing Filling & Sealing Fehr Graham		License #	Date of Filling & Sealing or Verification (mm/dd/yyyy) 09/01/2020		Date Received		Noted By	
Street or Route 909 N. 8th Street, Suite 101			Telephone Number (920) 453-0700		Comments			
City Sheboygan		State WI	ZIP Code 53081		Signature of Person Doing Work		Date Signed 9/1/2020	

Instructions

Well Filling and Sealing

Wisconsin Administrative Code (NR 811, NR 812, and NR 141 requires well owners to permanently fill and seal any unused wells/drillholes/boreholes on their property. **As of June 1, 2008 water supply wells can only be filled and sealed by licensed well drillers and pump installers.**

1. Remove any pump, pump piping, debris or other obstacles that could interfere with the sealing operation.
2. Except when bentonite chips are used, the sealing material must be placed with the use of a conductor (tremie) pipe to fill the entire well column to the top with required sealing material. Refer to NR 812 and NR 141 for more details on filling and sealing requirements.

General Instructions: Fill out Well/Drillhole/Borehole Filling & Sealing Report Form 3300-005 as completely as possible for each well or borehole filled and sealed. Information should be provided for every box on the form where available. Sign each form. Please note that these forms are subject to change. (Personally identifiable information on these forms is not intended to be used for any other purpose.)

Verification Only of Fill and Seal: If you are only verifying that filling and sealing has previously occurred on a well and are NOT performing any filling and sealing work on the well, check the box near the top of the form. Complete Parts 1 and 2 of the form completely and any information you can provide in Parts 3, 4 and 5. You must provide comments in Part 6 as to the method used to verify both the filling and sealing of the well. Complete Part 7, including the date of Filling and Sealing or verification. It will be implied that you did do the filling and sealing work or the verification as stated in Part 7.

Route to: Check the appropriate routing box on the top of the form to assure proper routing to the DNR program requiring this well be filled and sealed. Mail the form and any attachments to the Department of Natural Resources, PO Box 7921, Madison, WI 53707-7921.

If you do any work to fill or seal the well, you must complete this form as intended and do not check the Verification Only of Fill and Seal box.

(1) WELL LOCATION INFORMATION

WI Unique Well #: Fill in the 2 alphabetic and 3 numeric Wisconsin Unique Well Number (WUWN) of the well being filled and sealed. Check the well, sample tap in the house or the fuse box for a WUWN if one has been assigned to the well.

Hicap #: If this was a high capacity well, enter the number assigned to the well by the Department.

Well Location: Locate the well by Public Land Survey (Gov't Lot or ¼ ¼, ¼, Section, Township and Range) AND latitude and longitude coordinates, using GPS or on-line map locators.

Format Code: Check which format you are reporting in: DD = Decimal Degrees ____ . ____ ° or DDM = Degrees Decimal Minutes ____ ° ____ . ____ ' (Place decimal point appropriately).

Method Code: Check which method you are using to determine latitude/longitude: GPS008 = GPS Receiver; SCR002 = Online Map Viewer; OTH001 = Other.

(2) FACILITY / OWNER INFORMATION

If the well is located at a commercial or government facility, fill in the name of landfill, wastewater treatment facility, surface impoundment, spill or project.

Facility ID: Fill in the nine digits Facility ID (FID or PWS) assigned to the site by the Department.

License/Permit/Monitoring #: Fill in number assigned to facility by the Department. If unknown, leave blank.

Present Well Owner: Fill in the name, address, city, state and ZIP code of the present owner.

(3) FILLED & SEALED WELL/DRILLHOLE/BOREHOLE INFORMATION

Original Construction Date: Fill in the original date of construction for the well or boring in mm/dd/yyyy format. This section should include information about the original well.

Depth to Water: Enter depth to water from ground surface.

- (4) **PUMP, LINER, SCREEN, CASING, & SEALING MATERIAL:** Check only one box where Yes, No or Not Applicable is indicated. Check all boxes which apply otherwise.

- (5) **MATERIAL USED TO FILL THE WELL/DRILLHOLE:** Enter the description of the filling material, the depth From and To, circle one measurement unit (Yards, Sacks or Volume), and enter the mix ratio or mud weight (in pounds per gallon).

- (6) **COMMENTS:** Describe any of the above boxes in more detail or add information as required to describe the filling and sealing procedures.

- (7) **NAME OF PERSON OR FIRM DOING SEALING WORK:** Enter the name (first and last) or firm name, address, and phone number of the person who supervised the work.

Date of Filling & Sealing or Verification: List Month/Day/Year (mm/dd/yyyy) the well was filled & sealed or verified filled & sealed.

Attachment 2
Laboratory Analytical Reports

August 24, 2020

Dillon Plamann
Fehr Graham Engineering & Environmental
909 N. 8th Street
Suite 101
Sheboygan, WI 53081

RE: Project: 20-697 BANK FIRST MICHIGAN AVE
Pace Project No.: 40213099

Dear Dillon Plamann:

Enclosed are the analytical results for sample(s) received by the laboratory on August 18, 2020. The results relate only to the samples included in this report. Results reported herein conform to the applicable TNI/NELAC Standards and the laboratory's Quality Manual, where applicable, unless otherwise noted in the body of the report.

The test results provided in this final report were generated by each of the following laboratories within the Pace Network:

- Pace Analytical Services - Green Bay

If you have any questions concerning this report, please feel free to contact me.

Sincerely,



Christopher Hyska
christopher.hyska@pacelabs.com
(920)469-2436
Project Manager

Enclosures

cc: Jenna Williams, Fehr Graham



REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

CERTIFICATIONS

Project: 20-697 BANK FIRST MICHIGAN AVE

Pace Project No.: 40213099

Pace Analytical Services Green Bay

1241 Bellevue Street, Green Bay, WI 54302

Florida/NELAP Certification #: E87948

Illinois Certification #: 200050

Kentucky UST Certification #: 82

Louisiana Certification #: 04168

Minnesota Certification #: 055-999-334

New York Certification #: 12064

North Dakota Certification #: R-150

Virginia VELAP ID: 460263

South Carolina Certification #: 83006001

Texas Certification #: T104704529-14-1

Wisconsin Certification #: 405132750

Wisconsin DATCP Certification #: 105-444

USDA Soil Permit #: P330-16-00157

Federal Fish & Wildlife Permit #: LE51774A-0

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

SAMPLE SUMMARY

Project: 20-697 BANK FIRST MICHIGAN AVE

Pace Project No.: 40213099

Lab ID	Sample ID	Matrix	Date Collected	Date Received
40213099001	GP-1	Water	08/17/20 16:05	08/18/20 13:05
40213099002	GP-2	Water	08/17/20 16:15	08/18/20 13:05
40213099003	GP-3	Water	08/17/20 16:35	08/18/20 13:05
40213099004	GP-4	Water	08/17/20 16:55	08/18/20 13:05
40213099005	TRIP BLANK	Water	08/17/20 00:00	08/18/20 13:05
40213099006	GP-1 2-4'	Solid	08/17/20 12:00	08/18/20 13:05
40213099007	GP-1 14-16'	Solid	08/17/20 12:30	08/18/20 13:05
40213099008	GP-2 2-4'	Solid	08/17/20 11:00	08/18/20 13:05
40213099009	GP-2 14-16'	Solid	08/17/20 11:30	08/18/20 13:05
40213099010	GP-3 2-4'	Solid	08/17/20 13:00	08/18/20 13:05
40213099011	GP-3 14-16'	Solid	08/17/20 13:30	08/18/20 13:05
40213099012	GP-4 2-4'	Solid	08/17/20 10:15	08/18/20 13:05
40213099013	GP-4 14-16'	Solid	08/17/20 10:45	08/18/20 13:05
40213099014	GP-5 0-1'	Solid	08/17/20 15:05	08/18/20 13:05
40213099015	GP-6 0-0.5'	Solid	08/17/20 14:30	08/18/20 13:05

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

SAMPLE ANALYTE COUNT

Project: 20-697 BANK FIRST MICHIGAN AVE
Pace Project No.: 40213099

Lab ID	Sample ID	Method	Analysts	Analytes Reported	Laboratory
40213099001	GP-1	EPA 8260	HNW	65	PASI-G
40213099002	GP-2	EPA 8260	HNW	65	PASI-G
40213099003	GP-3	EPA 8260	HNW	65	PASI-G
40213099004	GP-4	EPA 8260	HNW	65	PASI-G
40213099005	TRIP BLANK	EPA 8260	HNW	65	PASI-G
40213099006	GP-1 2-4'	EPA 8260	ALD	65	PASI-G
		ASTM D2974-87	MMX	1	PASI-G
40213099007	GP-1 14-16'	EPA 8260	ALD	65	PASI-G
		ASTM D2974-87	MMX	1	PASI-G
40213099008	GP-2 2-4'	EPA 8260	ALD	65	PASI-G
		ASTM D2974-87	MMX	1	PASI-G
40213099009	GP-2 14-16'	EPA 8260	ALD	65	PASI-G
		ASTM D2974-87	MMX	1	PASI-G
40213099010	GP-3 2-4'	EPA 8260	ALD	65	PASI-G
		ASTM D2974-87	MMX	1	PASI-G
40213099011	GP-3 14-16'	EPA 8260	ALD	65	PASI-G
		ASTM D2974-87	MMX	1	PASI-G
40213099012	GP-4 2-4'	EPA 8260	ALD	65	PASI-G
		ASTM D2974-87	MMX	1	PASI-G
40213099013	GP-4 14-16'	EPA 8260	ALD	65	PASI-G
		ASTM D2974-87	MMX	1	PASI-G
40213099014	GP-5 0-1'	EPA 8260	ALD	65	PASI-G
		ASTM D2974-87	MMX	1	PASI-G
40213099015	GP-6 0-0.5'	EPA 8260	ALD	65	PASI-G
		ASTM D2974-87	MMX	1	PASI-G

PASI-G = Pace Analytical Services - Green Bay

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

SUMMARY OF DETECTION

Project: 20-697 BANK FIRST MICHIGAN AVE
Pace Project No.: 40213099

Lab Sample ID Method	Client Sample ID Parameters	Result	Units	Report Limit	Analyzed	Qualifiers
40213099002	GP-2					
EPA 8260	Chloromethane	2.4J	ug/L	7.3	08/19/20 11:40	
40213099006	GP-1 2-4'					
ASTM D2974-87	Percent Moisture	14.1	%	0.10	08/21/20 07:59	
40213099007	GP-1 14-16'					
ASTM D2974-87	Percent Moisture	13.8	%	0.10	08/21/20 07:59	
40213099008	GP-2 2-4'					
ASTM D2974-87	Percent Moisture	19.2	%	0.10	08/20/20 16:42	
40213099009	GP-2 14-16'					
ASTM D2974-87	Percent Moisture	15.4	%	0.10	08/20/20 16:42	
40213099010	GP-3 2-4'					
ASTM D2974-87	Percent Moisture	14.8	%	0.10	08/20/20 16:42	
40213099011	GP-3 14-16'					
ASTM D2974-87	Percent Moisture	14.7	%	0.10	08/20/20 16:42	
40213099012	GP-4 2-4'					
EPA 8260	Methylene Chloride	32.1J	ug/kg	103	08/21/20 15:55	
ASTM D2974-87	Percent Moisture	14.7	%	0.10	08/20/20 16:42	
40213099013	GP-4 14-16'					
ASTM D2974-87	Percent Moisture	13.3	%	0.10	08/20/20 16:42	
40213099014	GP-5 0-1'					
ASTM D2974-87	Percent Moisture	17.6	%	0.10	08/20/20 16:42	
40213099015	GP-6 0-0.5'					
ASTM D2974-87	Percent Moisture	17.0	%	0.10	08/20/20 16:43	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 20-697 BANK FIRST MICHIGAN AVE

Sample Project No.: 40213099

Sample: GP-1 Lab ID: 40213099001 Collected: 08/17/20 16:05 Received: 08/18/20 13:05 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV									
Analytical Method: EPA 8260									
Pace Analytical Services - Green Bay									
Benzene	<0.25	ug/L	1.0	0.25	1		08/19/20 11:16	71-43-2	
Bromobenzene	<0.24	ug/L	1.0	0.24	1		08/19/20 11:16	108-86-1	
Bromochloromethane	<0.36	ug/L	5.0	0.36	1		08/19/20 11:16	74-97-5	
Bromodichloromethane	<0.36	ug/L	1.2	0.36	1		08/19/20 11:16	75-27-4	
Bromoform	<4.0	ug/L	13.2	4.0	1		08/19/20 11:16	75-25-2	
Bromomethane	<0.97	ug/L	5.0	0.97	1		08/19/20 11:16	74-83-9	
n-Butylbenzene	<0.71	ug/L	2.4	0.71	1		08/19/20 11:16	104-51-8	
sec-Butylbenzene	<0.85	ug/L	5.0	0.85	1		08/19/20 11:16	135-98-8	
tert-Butylbenzene	<0.30	ug/L	1.0	0.30	1		08/19/20 11:16	98-06-6	
Carbon tetrachloride	<1.1	ug/L	3.6	1.1	1		08/19/20 11:16	56-23-5	
Chlorobenzene	<0.71	ug/L	2.4	0.71	1		08/19/20 11:16	108-90-7	
Chloroethane	<1.3	ug/L	5.0	1.3	1		08/19/20 11:16	75-00-3	
Chloroform	<1.3	ug/L	5.0	1.3	1		08/19/20 11:16	67-66-3	
Chloromethane	<2.2	ug/L	7.3	2.2	1		08/19/20 11:16	74-87-3	
2-Chlorotoluene	<0.93	ug/L	5.0	0.93	1		08/19/20 11:16	95-49-8	
4-Chlorotoluene	<0.76	ug/L	2.5	0.76	1		08/19/20 11:16	106-43-4	
1,2-Dibromo-3-chloropropane	<1.8	ug/L	5.9	1.8	1		08/19/20 11:16	96-12-8	
Dibromochloromethane	<2.6	ug/L	8.7	2.6	1		08/19/20 11:16	124-48-1	
1,2-Dibromoethane (EDB)	<0.83	ug/L	2.8	0.83	1		08/19/20 11:16	106-93-4	
Dibromomethane	<0.94	ug/L	3.1	0.94	1		08/19/20 11:16	74-95-3	
1,2-Dichlorobenzene	<0.71	ug/L	2.4	0.71	1		08/19/20 11:16	95-50-1	
1,3-Dichlorobenzene	<0.63	ug/L	2.1	0.63	1		08/19/20 11:16	541-73-1	
1,4-Dichlorobenzene	<0.94	ug/L	3.1	0.94	1		08/19/20 11:16	106-46-7	
Dichlorodifluoromethane	<0.50	ug/L	5.0	0.50	1		08/19/20 11:16	75-71-8	
1,1-Dichloroethane	<0.27	ug/L	1.0	0.27	1		08/19/20 11:16	75-34-3	
1,2-Dichloroethane	<0.28	ug/L	1.0	0.28	1		08/19/20 11:16	107-06-2	
1,1-Dichloroethene	<0.24	ug/L	1.0	0.24	1		08/19/20 11:16	75-35-4	
cis-1,2-Dichloroethene	<0.27	ug/L	1.0	0.27	1		08/19/20 11:16	156-59-2	
trans-1,2-Dichloroethene	<0.46	ug/L	1.5	0.46	1		08/19/20 11:16	156-60-5	
1,2-Dichloropropane	<0.28	ug/L	1.0	0.28	1		08/19/20 11:16	78-87-5	
1,3-Dichloropropane	<0.83	ug/L	2.8	0.83	1		08/19/20 11:16	142-28-9	
2,2-Dichloropropane	<2.3	ug/L	7.6	2.3	1		08/19/20 11:16	594-20-7	
1,1-Dichloropropene	<0.54	ug/L	1.8	0.54	1		08/19/20 11:16	563-58-6	
cis-1,3-Dichloropropene	<3.6	ug/L	12.1	3.6	1		08/19/20 11:16	10061-01-5	
trans-1,3-Dichloropropene	<4.4	ug/L	14.6	4.4	1		08/19/20 11:16	10061-02-6	
Diisopropyl ether	<1.9	ug/L	6.3	1.9	1		08/19/20 11:16	108-20-3	
Ethylbenzene	<0.32	ug/L	1.1	0.32	1		08/19/20 11:16	100-41-4	
Hexachloro-1,3-butadiene	<1.5	ug/L	4.9	1.5	1		08/19/20 11:16	87-68-3	
Isopropylbenzene (Cumene)	<1.7	ug/L	5.6	1.7	1		08/19/20 11:16	98-82-8	
p-Isopropyltoluene	<0.80	ug/L	2.7	0.80	1		08/19/20 11:16	99-87-6	
Methylene Chloride	<0.58	ug/L	5.0	0.58	1		08/19/20 11:16	75-09-2	
Methyl-tert-butyl ether	<1.2	ug/L	4.2	1.2	1		08/19/20 11:16	1634-04-4	
Naphthalene	<1.2	ug/L	5.0	1.2	1		08/19/20 11:16	91-20-3	
n-Propylbenzene	<0.81	ug/L	5.0	0.81	1		08/19/20 11:16	103-65-1	
Styrene	<3.0	ug/L	10.0	3.0	1		08/19/20 11:16	100-42-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 20-697 BANK FIRST MICHIGAN AVE

Pace Project No.: 40213099

Sample: GP-1 Lab ID: 40213099001 Collected: 08/17/20 16:05 Received: 08/18/20 13:05 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV									
Analytical Method: EPA 8260									
Pace Analytical Services - Green Bay									
1,1,1,2-Tetrachloroethane	<0.27	ug/L	1.0	0.27	1		08/19/20 11:16	630-20-6	
1,1,2,2-Tetrachloroethane	<0.28	ug/L	1.0	0.28	1		08/19/20 11:16	79-34-5	
Tetrachloroethene	<0.33	ug/L	1.1	0.33	1		08/19/20 11:16	127-18-4	
Toluene	<0.27	ug/L	1.0	0.27	1		08/19/20 11:16	108-88-3	
1,2,3-Trichlorobenzene	<2.2	ug/L	7.4	2.2	1		08/19/20 11:16	87-61-6	
1,2,4-Trichlorobenzene	<0.95	ug/L	5.0	0.95	1		08/19/20 11:16	120-82-1	
1,1,1-Trichloroethane	<0.24	ug/L	1.0	0.24	1		08/19/20 11:16	71-55-6	
1,1,2-Trichloroethane	<0.55	ug/L	5.0	0.55	1		08/19/20 11:16	79-00-5	
Trichloroethene	<0.26	ug/L	1.0	0.26	1		08/19/20 11:16	79-01-6	
Trichlorofluoromethane	<0.21	ug/L	1.0	0.21	1		08/19/20 11:16	75-69-4	
1,2,3-Trichloropropane	<0.59	ug/L	5.0	0.59	1		08/19/20 11:16	96-18-4	
1,2,4-Trimethylbenzene	<0.84	ug/L	2.8	0.84	1		08/19/20 11:16	95-63-6	
1,3,5-Trimethylbenzene	<0.87	ug/L	2.9	0.87	1		08/19/20 11:16	108-67-8	
Vinyl chloride	<0.17	ug/L	1.0	0.17	1		08/19/20 11:16	75-01-4	
Xylene (Total)	<1.5	ug/L	3.0	1.5	1		08/19/20 11:16	1330-20-7	
m&p-Xylene	<0.47	ug/L	2.0	0.47	1		08/19/20 11:16	179601-23-1	
o-Xylene	<0.26	ug/L	1.0	0.26	1		08/19/20 11:16	95-47-6	
Surrogates									
4-Bromofluorobenzene (S)	101	%	70-130		1		08/19/20 11:16	460-00-4	
Dibromofluoromethane (S)	103	%	70-130		1		08/19/20 11:16	1868-53-7	
Toluene-d8 (S)	101	%	70-130		1		08/19/20 11:16	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 20-697 BANK FIRST MICHIGAN AVE

Pace Project No.: 40213099

Sample: GP-2 Lab ID: 40213099002 Collected: 08/17/20 16:15 Received: 08/18/20 13:05 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV									
Analytical Method: EPA 8260									
Pace Analytical Services - Green Bay									
Benzene	<0.25	ug/L	1.0	0.25	1		08/19/20 11:40	71-43-2	
Bromobenzene	<0.24	ug/L	1.0	0.24	1		08/19/20 11:40	108-86-1	
Bromochloromethane	<0.36	ug/L	5.0	0.36	1		08/19/20 11:40	74-97-5	
Bromodichloromethane	<0.36	ug/L	1.2	0.36	1		08/19/20 11:40	75-27-4	
Bromoform	<4.0	ug/L	13.2	4.0	1		08/19/20 11:40	75-25-2	
Bromomethane	<0.97	ug/L	5.0	0.97	1		08/19/20 11:40	74-83-9	
n-Butylbenzene	<0.71	ug/L	2.4	0.71	1		08/19/20 11:40	104-51-8	
sec-Butylbenzene	<0.85	ug/L	5.0	0.85	1		08/19/20 11:40	135-98-8	
tert-Butylbenzene	<0.30	ug/L	1.0	0.30	1		08/19/20 11:40	98-06-6	
Carbon tetrachloride	<1.1	ug/L	3.6	1.1	1		08/19/20 11:40	56-23-5	
Chlorobenzene	<0.71	ug/L	2.4	0.71	1		08/19/20 11:40	108-90-7	
Chloroethane	<1.3	ug/L	5.0	1.3	1		08/19/20 11:40	75-00-3	
Chloroform	<1.3	ug/L	5.0	1.3	1		08/19/20 11:40	67-66-3	
Chloromethane	2.4J	ug/L	7.3	2.2	1		08/19/20 11:40	74-87-3	
2-Chlorotoluene	<0.93	ug/L	5.0	0.93	1		08/19/20 11:40	95-49-8	
4-Chlorotoluene	<0.76	ug/L	2.5	0.76	1		08/19/20 11:40	106-43-4	
1,2-Dibromo-3-chloropropane	<1.8	ug/L	5.9	1.8	1		08/19/20 11:40	96-12-8	
Dibromochloromethane	<2.6	ug/L	8.7	2.6	1		08/19/20 11:40	124-48-1	
1,2-Dibromoethane (EDB)	<0.83	ug/L	2.8	0.83	1		08/19/20 11:40	106-93-4	
Dibromomethane	<0.94	ug/L	3.1	0.94	1		08/19/20 11:40	74-95-3	
1,2-Dichlorobenzene	<0.71	ug/L	2.4	0.71	1		08/19/20 11:40	95-50-1	
1,3-Dichlorobenzene	<0.63	ug/L	2.1	0.63	1		08/19/20 11:40	541-73-1	
1,4-Dichlorobenzene	<0.94	ug/L	3.1	0.94	1		08/19/20 11:40	106-46-7	
Dichlorodifluoromethane	<0.50	ug/L	5.0	0.50	1		08/19/20 11:40	75-71-8	
1,1-Dichloroethane	<0.27	ug/L	1.0	0.27	1		08/19/20 11:40	75-34-3	
1,2-Dichloroethane	<0.28	ug/L	1.0	0.28	1		08/19/20 11:40	107-06-2	
1,1-Dichloroethene	<0.24	ug/L	1.0	0.24	1		08/19/20 11:40	75-35-4	
cis-1,2-Dichloroethene	<0.27	ug/L	1.0	0.27	1		08/19/20 11:40	156-59-2	
trans-1,2-Dichloroethene	<0.46	ug/L	1.5	0.46	1		08/19/20 11:40	156-60-5	
1,2-Dichloropropane	<0.28	ug/L	1.0	0.28	1		08/19/20 11:40	78-87-5	
1,3-Dichloropropane	<0.83	ug/L	2.8	0.83	1		08/19/20 11:40	142-28-9	
2,2-Dichloropropane	<2.3	ug/L	7.6	2.3	1		08/19/20 11:40	594-20-7	
1,1-Dichloropropene	<0.54	ug/L	1.8	0.54	1		08/19/20 11:40	563-58-6	
cis-1,3-Dichloropropene	<3.6	ug/L	12.1	3.6	1		08/19/20 11:40	10061-01-5	
trans-1,3-Dichloropropene	<4.4	ug/L	14.6	4.4	1		08/19/20 11:40	10061-02-6	
Diisopropyl ether	<1.9	ug/L	6.3	1.9	1		08/19/20 11:40	108-20-3	
Ethylbenzene	<0.32	ug/L	1.1	0.32	1		08/19/20 11:40	100-41-4	
Hexachloro-1,3-butadiene	<1.5	ug/L	4.9	1.5	1		08/19/20 11:40	87-68-3	
Isopropylbenzene (Cumene)	<1.7	ug/L	5.6	1.7	1		08/19/20 11:40	98-82-8	
p-Isopropyltoluene	<0.80	ug/L	2.7	0.80	1		08/19/20 11:40	99-87-6	
Methylene Chloride	<0.58	ug/L	5.0	0.58	1		08/19/20 11:40	75-09-2	
Methyl-tert-butyl ether	<1.2	ug/L	4.2	1.2	1		08/19/20 11:40	1634-04-4	
Naphthalene	<1.2	ug/L	5.0	1.2	1		08/19/20 11:40	91-20-3	
n-Propylbenzene	<0.81	ug/L	5.0	0.81	1		08/19/20 11:40	103-65-1	
Styrene	<3.0	ug/L	10.0	3.0	1		08/19/20 11:40	100-42-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 20-697 BANK FIRST MICHIGAN AVE

Pace Project No.: 40213099

Sample: GP-2 Lab ID: 40213099002 Collected: 08/17/20 16:15 Received: 08/18/20 13:05 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV									
Analytical Method: EPA 8260									
Pace Analytical Services - Green Bay									
1,1,1,2-Tetrachloroethane	<0.27	ug/L	1.0	0.27	1		08/19/20 11:40	630-20-6	
1,1,2,2-Tetrachloroethane	<0.28	ug/L	1.0	0.28	1		08/19/20 11:40	79-34-5	
Tetrachloroethene	<0.33	ug/L	1.1	0.33	1		08/19/20 11:40	127-18-4	
Toluene	<0.27	ug/L	1.0	0.27	1		08/19/20 11:40	108-88-3	
1,2,3-Trichlorobenzene	<2.2	ug/L	7.4	2.2	1		08/19/20 11:40	87-61-6	
1,2,4-Trichlorobenzene	<0.95	ug/L	5.0	0.95	1		08/19/20 11:40	120-82-1	
1,1,1-Trichloroethane	<0.24	ug/L	1.0	0.24	1		08/19/20 11:40	71-55-6	
1,1,2-Trichloroethane	<0.55	ug/L	5.0	0.55	1		08/19/20 11:40	79-00-5	
Trichloroethene	<0.26	ug/L	1.0	0.26	1		08/19/20 11:40	79-01-6	
Trichlorofluoromethane	<0.21	ug/L	1.0	0.21	1		08/19/20 11:40	75-69-4	
1,2,3-Trichloropropane	<0.59	ug/L	5.0	0.59	1		08/19/20 11:40	96-18-4	
1,2,4-Trimethylbenzene	<0.84	ug/L	2.8	0.84	1		08/19/20 11:40	95-63-6	
1,3,5-Trimethylbenzene	<0.87	ug/L	2.9	0.87	1		08/19/20 11:40	108-67-8	
Vinyl chloride	<0.17	ug/L	1.0	0.17	1		08/19/20 11:40	75-01-4	
Xylene (Total)	<1.5	ug/L	3.0	1.5	1		08/19/20 11:40	1330-20-7	
m&p-Xylene	<0.47	ug/L	2.0	0.47	1		08/19/20 11:40	179601-23-1	
o-Xylene	<0.26	ug/L	1.0	0.26	1		08/19/20 11:40	95-47-6	
Surrogates									
4-Bromofluorobenzene (S)	102	%	70-130		1		08/19/20 11:40	460-00-4	
Dibromofluoromethane (S)	104	%	70-130		1		08/19/20 11:40	1868-53-7	
Toluene-d8 (S)	101	%	70-130		1		08/19/20 11:40	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 20-697 BANK FIRST MICHIGAN AVE

Pace Project No.: 40213099

Sample: GP-3 Lab ID: 40213099003 Collected: 08/17/20 16:35 Received: 08/18/20 13:05 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV									
Analytical Method: EPA 8260									
Pace Analytical Services - Green Bay									
Benzene	<0.25	ug/L	1.0	0.25	1		08/19/20 12:47	71-43-2	
Bromobenzene	<0.24	ug/L	1.0	0.24	1		08/19/20 12:47	108-86-1	
Bromochloromethane	<0.36	ug/L	5.0	0.36	1		08/19/20 12:47	74-97-5	
Bromodichloromethane	<0.36	ug/L	1.2	0.36	1		08/19/20 12:47	75-27-4	
Bromoform	<4.0	ug/L	13.2	4.0	1		08/19/20 12:47	75-25-2	
Bromomethane	<0.97	ug/L	5.0	0.97	1		08/19/20 12:47	74-83-9	
n-Butylbenzene	<0.71	ug/L	2.4	0.71	1		08/19/20 12:47	104-51-8	
sec-Butylbenzene	<0.85	ug/L	5.0	0.85	1		08/19/20 12:47	135-98-8	
tert-Butylbenzene	<0.30	ug/L	1.0	0.30	1		08/19/20 12:47	98-06-6	
Carbon tetrachloride	<1.1	ug/L	3.6	1.1	1		08/19/20 12:47	56-23-5	
Chlorobenzene	<0.71	ug/L	2.4	0.71	1		08/19/20 12:47	108-90-7	
Chloroethane	<1.3	ug/L	5.0	1.3	1		08/19/20 12:47	75-00-3	
Chloroform	<1.3	ug/L	5.0	1.3	1		08/19/20 12:47	67-66-3	
Chloromethane	<2.2	ug/L	7.3	2.2	1		08/19/20 12:47	74-87-3	
2-Chlorotoluene	<0.93	ug/L	5.0	0.93	1		08/19/20 12:47	95-49-8	
4-Chlorotoluene	<0.76	ug/L	2.5	0.76	1		08/19/20 12:47	106-43-4	
1,2-Dibromo-3-chloropropane	<1.8	ug/L	5.9	1.8	1		08/19/20 12:47	96-12-8	
Dibromochloromethane	<2.6	ug/L	8.7	2.6	1		08/19/20 12:47	124-48-1	
1,2-Dibromoethane (EDB)	<0.83	ug/L	2.8	0.83	1		08/19/20 12:47	106-93-4	
Dibromomethane	<0.94	ug/L	3.1	0.94	1		08/19/20 12:47	74-95-3	
1,2-Dichlorobenzene	<0.71	ug/L	2.4	0.71	1		08/19/20 12:47	95-50-1	
1,3-Dichlorobenzene	<0.63	ug/L	2.1	0.63	1		08/19/20 12:47	541-73-1	
1,4-Dichlorobenzene	<0.94	ug/L	3.1	0.94	1		08/19/20 12:47	106-46-7	
Dichlorodifluoromethane	<0.50	ug/L	5.0	0.50	1		08/19/20 12:47	75-71-8	
1,1-Dichloroethane	<0.27	ug/L	1.0	0.27	1		08/19/20 12:47	75-34-3	
1,2-Dichloroethane	<0.28	ug/L	1.0	0.28	1		08/19/20 12:47	107-06-2	
1,1-Dichloroethene	<0.24	ug/L	1.0	0.24	1		08/19/20 12:47	75-35-4	
cis-1,2-Dichloroethene	<0.27	ug/L	1.0	0.27	1		08/19/20 12:47	156-59-2	
trans-1,2-Dichloroethene	<0.46	ug/L	1.5	0.46	1		08/19/20 12:47	156-60-5	
1,2-Dichloropropane	<0.28	ug/L	1.0	0.28	1		08/19/20 12:47	78-87-5	
1,3-Dichloropropane	<0.83	ug/L	2.8	0.83	1		08/19/20 12:47	142-28-9	
2,2-Dichloropropane	<2.3	ug/L	7.6	2.3	1		08/19/20 12:47	594-20-7	
1,1-Dichloropropene	<0.54	ug/L	1.8	0.54	1		08/19/20 12:47	563-58-6	
cis-1,3-Dichloropropene	<3.6	ug/L	12.1	3.6	1		08/19/20 12:47	10061-01-5	
trans-1,3-Dichloropropene	<4.4	ug/L	14.6	4.4	1		08/19/20 12:47	10061-02-6	
Diisopropyl ether	<1.9	ug/L	6.3	1.9	1		08/19/20 12:47	108-20-3	
Ethylbenzene	<0.32	ug/L	1.1	0.32	1		08/19/20 12:47	100-41-4	
Hexachloro-1,3-butadiene	<1.5	ug/L	4.9	1.5	1		08/19/20 12:47	87-68-3	
Isopropylbenzene (Cumene)	<1.7	ug/L	5.6	1.7	1		08/19/20 12:47	98-82-8	
p-Isopropyltoluene	<0.80	ug/L	2.7	0.80	1		08/19/20 12:47	99-87-6	
Methylene Chloride	<0.58	ug/L	5.0	0.58	1		08/19/20 12:47	75-09-2	
Methyl-tert-butyl ether	<1.2	ug/L	4.2	1.2	1		08/19/20 12:47	1634-04-4	
Naphthalene	<1.2	ug/L	5.0	1.2	1		08/19/20 12:47	91-20-3	
n-Propylbenzene	<0.81	ug/L	5.0	0.81	1		08/19/20 12:47	103-65-1	
Styrene	<3.0	ug/L	10.0	3.0	1		08/19/20 12:47	100-42-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 20-697 BANK FIRST MICHIGAN AVE

Pace Project No.: 40213099

Sample: GP-3 Lab ID: 40213099003 Collected: 08/17/20 16:35 Received: 08/18/20 13:05 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV									
Analytical Method: EPA 8260									
Pace Analytical Services - Green Bay									
1,1,1,2-Tetrachloroethane	<0.27	ug/L	1.0	0.27	1		08/19/20 12:47	630-20-6	
1,1,2,2-Tetrachloroethane	<0.28	ug/L	1.0	0.28	1		08/19/20 12:47	79-34-5	
Tetrachloroethene	<0.33	ug/L	1.1	0.33	1		08/19/20 12:47	127-18-4	
Toluene	<0.27	ug/L	1.0	0.27	1		08/19/20 12:47	108-88-3	
1,2,3-Trichlorobenzene	<2.2	ug/L	7.4	2.2	1		08/19/20 12:47	87-61-6	
1,2,4-Trichlorobenzene	<0.95	ug/L	5.0	0.95	1		08/19/20 12:47	120-82-1	
1,1,1-Trichloroethane	<0.24	ug/L	1.0	0.24	1		08/19/20 12:47	71-55-6	
1,1,2-Trichloroethane	<0.55	ug/L	5.0	0.55	1		08/19/20 12:47	79-00-5	
Trichloroethene	<0.26	ug/L	1.0	0.26	1		08/19/20 12:47	79-01-6	
Trichlorofluoromethane	<0.21	ug/L	1.0	0.21	1		08/19/20 12:47	75-69-4	
1,2,3-Trichloropropane	<0.59	ug/L	5.0	0.59	1		08/19/20 12:47	96-18-4	
1,2,4-Trimethylbenzene	<0.84	ug/L	2.8	0.84	1		08/19/20 12:47	95-63-6	
1,3,5-Trimethylbenzene	<0.87	ug/L	2.9	0.87	1		08/19/20 12:47	108-67-8	
Vinyl chloride	<0.17	ug/L	1.0	0.17	1		08/19/20 12:47	75-01-4	
Xylene (Total)	<1.5	ug/L	3.0	1.5	1		08/19/20 12:47	1330-20-7	
m&p-Xylene	<0.47	ug/L	2.0	0.47	1		08/19/20 12:47	179601-23-1	
o-Xylene	<0.26	ug/L	1.0	0.26	1		08/19/20 12:47	95-47-6	
Surrogates									
4-Bromofluorobenzene (S)	101	%	70-130		1		08/19/20 12:47	460-00-4	
Dibromofluoromethane (S)	104	%	70-130		1		08/19/20 12:47	1868-53-7	
Toluene-d8 (S)	100	%	70-130		1		08/19/20 12:47	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 20-697 BANK FIRST MICHIGAN AVE

Pace Project No.: 40213099

Sample: GP-4 Lab ID: 40213099004 Collected: 08/17/20 16:55 Received: 08/18/20 13:05 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV									
Analytical Method: EPA 8260									
Pace Analytical Services - Green Bay									
Benzene	<0.25	ug/L	1.0	0.25	1		08/19/20 12:02	71-43-2	
Bromobenzene	<0.24	ug/L	1.0	0.24	1		08/19/20 12:02	108-86-1	
Bromochloromethane	<0.36	ug/L	5.0	0.36	1		08/19/20 12:02	74-97-5	
Bromodichloromethane	<0.36	ug/L	1.2	0.36	1		08/19/20 12:02	75-27-4	
Bromoform	<4.0	ug/L	13.2	4.0	1		08/19/20 12:02	75-25-2	
Bromomethane	<0.97	ug/L	5.0	0.97	1		08/19/20 12:02	74-83-9	
n-Butylbenzene	<0.71	ug/L	2.4	0.71	1		08/19/20 12:02	104-51-8	
sec-Butylbenzene	<0.85	ug/L	5.0	0.85	1		08/19/20 12:02	135-98-8	
tert-Butylbenzene	<0.30	ug/L	1.0	0.30	1		08/19/20 12:02	98-06-6	
Carbon tetrachloride	<1.1	ug/L	3.6	1.1	1		08/19/20 12:02	56-23-5	
Chlorobenzene	<0.71	ug/L	2.4	0.71	1		08/19/20 12:02	108-90-7	
Chloroethane	<1.3	ug/L	5.0	1.3	1		08/19/20 12:02	75-00-3	
Chloroform	<1.3	ug/L	5.0	1.3	1		08/19/20 12:02	67-66-3	
Chloromethane	<2.2	ug/L	7.3	2.2	1		08/19/20 12:02	74-87-3	
2-Chlorotoluene	<0.93	ug/L	5.0	0.93	1		08/19/20 12:02	95-49-8	
4-Chlorotoluene	<0.76	ug/L	2.5	0.76	1		08/19/20 12:02	106-43-4	
1,2-Dibromo-3-chloropropane	<1.8	ug/L	5.9	1.8	1		08/19/20 12:02	96-12-8	
Dibromochloromethane	<2.6	ug/L	8.7	2.6	1		08/19/20 12:02	124-48-1	
1,2-Dibromoethane (EDB)	<0.83	ug/L	2.8	0.83	1		08/19/20 12:02	106-93-4	
Dibromomethane	<0.94	ug/L	3.1	0.94	1		08/19/20 12:02	74-95-3	
1,2-Dichlorobenzene	<0.71	ug/L	2.4	0.71	1		08/19/20 12:02	95-50-1	
1,3-Dichlorobenzene	<0.63	ug/L	2.1	0.63	1		08/19/20 12:02	541-73-1	
1,4-Dichlorobenzene	<0.94	ug/L	3.1	0.94	1		08/19/20 12:02	106-46-7	
Dichlorodifluoromethane	<0.50	ug/L	5.0	0.50	1		08/19/20 12:02	75-71-8	
1,1-Dichloroethane	<0.27	ug/L	1.0	0.27	1		08/19/20 12:02	75-34-3	
1,2-Dichloroethane	<0.28	ug/L	1.0	0.28	1		08/19/20 12:02	107-06-2	
1,1-Dichloroethene	<0.24	ug/L	1.0	0.24	1		08/19/20 12:02	75-35-4	
cis-1,2-Dichloroethene	<0.27	ug/L	1.0	0.27	1		08/19/20 12:02	156-59-2	
trans-1,2-Dichloroethene	<0.46	ug/L	1.5	0.46	1		08/19/20 12:02	156-60-5	
1,2-Dichloropropane	<0.28	ug/L	1.0	0.28	1		08/19/20 12:02	78-87-5	
1,3-Dichloropropane	<0.83	ug/L	2.8	0.83	1		08/19/20 12:02	142-28-9	
2,2-Dichloropropane	<2.3	ug/L	7.6	2.3	1		08/19/20 12:02	594-20-7	
1,1-Dichloropropene	<0.54	ug/L	1.8	0.54	1		08/19/20 12:02	563-58-6	
cis-1,3-Dichloropropene	<3.6	ug/L	12.1	3.6	1		08/19/20 12:02	10061-01-5	
trans-1,3-Dichloropropene	<4.4	ug/L	14.6	4.4	1		08/19/20 12:02	10061-02-6	
Diisopropyl ether	<1.9	ug/L	6.3	1.9	1		08/19/20 12:02	108-20-3	
Ethylbenzene	<0.32	ug/L	1.1	0.32	1		08/19/20 12:02	100-41-4	
Hexachloro-1,3-butadiene	<1.5	ug/L	4.9	1.5	1		08/19/20 12:02	87-68-3	
Isopropylbenzene (Cumene)	<1.7	ug/L	5.6	1.7	1		08/19/20 12:02	98-82-8	
p-Isopropyltoluene	<0.80	ug/L	2.7	0.80	1		08/19/20 12:02	99-87-6	
Methylene Chloride	<0.58	ug/L	5.0	0.58	1		08/19/20 12:02	75-09-2	
Methyl-tert-butyl ether	<1.2	ug/L	4.2	1.2	1		08/19/20 12:02	1634-04-4	
Naphthalene	<1.2	ug/L	5.0	1.2	1		08/19/20 12:02	91-20-3	
n-Propylbenzene	<0.81	ug/L	5.0	0.81	1		08/19/20 12:02	103-65-1	
Styrene	<3.0	ug/L	10.0	3.0	1		08/19/20 12:02	100-42-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 20-697 BANK FIRST MICHIGAN AVE

Pace Project No.: 40213099

Sample: GP-4 Lab ID: 40213099004 Collected: 08/17/20 16:55 Received: 08/18/20 13:05 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV									
Analytical Method: EPA 8260									
Pace Analytical Services - Green Bay									
1,1,1,2-Tetrachloroethane	<0.27	ug/L	1.0	0.27	1		08/19/20 12:02	630-20-6	
1,1,2,2-Tetrachloroethane	<0.28	ug/L	1.0	0.28	1		08/19/20 12:02	79-34-5	
Tetrachloroethene	<0.33	ug/L	1.1	0.33	1		08/19/20 12:02	127-18-4	
Toluene	<0.27	ug/L	1.0	0.27	1		08/19/20 12:02	108-88-3	
1,2,3-Trichlorobenzene	<2.2	ug/L	7.4	2.2	1		08/19/20 12:02	87-61-6	
1,2,4-Trichlorobenzene	<0.95	ug/L	5.0	0.95	1		08/19/20 12:02	120-82-1	
1,1,1-Trichloroethane	<0.24	ug/L	1.0	0.24	1		08/19/20 12:02	71-55-6	
1,1,2-Trichloroethane	<0.55	ug/L	5.0	0.55	1		08/19/20 12:02	79-00-5	
Trichloroethene	<0.26	ug/L	1.0	0.26	1		08/19/20 12:02	79-01-6	
Trichlorofluoromethane	<0.21	ug/L	1.0	0.21	1		08/19/20 12:02	75-69-4	
1,2,3-Trichloropropane	<0.59	ug/L	5.0	0.59	1		08/19/20 12:02	96-18-4	
1,2,4-Trimethylbenzene	<0.84	ug/L	2.8	0.84	1		08/19/20 12:02	95-63-6	
1,3,5-Trimethylbenzene	<0.87	ug/L	2.9	0.87	1		08/19/20 12:02	108-67-8	
Vinyl chloride	<0.17	ug/L	1.0	0.17	1		08/19/20 12:02	75-01-4	
Xylene (Total)	<1.5	ug/L	3.0	1.5	1		08/19/20 12:02	1330-20-7	
m&p-Xylene	<0.47	ug/L	2.0	0.47	1		08/19/20 12:02	179601-23-1	
o-Xylene	<0.26	ug/L	1.0	0.26	1		08/19/20 12:02	95-47-6	
Surrogates									
4-Bromofluorobenzene (S)	101	%	70-130		1		08/19/20 12:02	460-00-4	
Dibromofluoromethane (S)	103	%	70-130		1		08/19/20 12:02	1868-53-7	
Toluene-d8 (S)	102	%	70-130		1		08/19/20 12:02	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 20-697 BANK FIRST MICHIGAN AVE

Pace Project No.: 40213099

Sample: TRIP BLANK Lab ID: 40213099005 Collected: 08/17/20 00:00 Received: 08/18/20 13:05 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV									
Analytical Method: EPA 8260									
Pace Analytical Services - Green Bay									
Benzene	<0.25	ug/L	1.0	0.25	1		08/19/20 10:53	71-43-2	
Bromobenzene	<0.24	ug/L	1.0	0.24	1		08/19/20 10:53	108-86-1	
Bromochloromethane	<0.36	ug/L	5.0	0.36	1		08/19/20 10:53	74-97-5	
Bromodichloromethane	<0.36	ug/L	1.2	0.36	1		08/19/20 10:53	75-27-4	
Bromoform	<4.0	ug/L	13.2	4.0	1		08/19/20 10:53	75-25-2	
Bromomethane	<0.97	ug/L	5.0	0.97	1		08/19/20 10:53	74-83-9	
n-Butylbenzene	<0.71	ug/L	2.4	0.71	1		08/19/20 10:53	104-51-8	
sec-Butylbenzene	<0.85	ug/L	5.0	0.85	1		08/19/20 10:53	135-98-8	
tert-Butylbenzene	<0.30	ug/L	1.0	0.30	1		08/19/20 10:53	98-06-6	
Carbon tetrachloride	<1.1	ug/L	3.6	1.1	1		08/19/20 10:53	56-23-5	
Chlorobenzene	<0.71	ug/L	2.4	0.71	1		08/19/20 10:53	108-90-7	
Chloroethane	<1.3	ug/L	5.0	1.3	1		08/19/20 10:53	75-00-3	
Chloroform	<1.3	ug/L	5.0	1.3	1		08/19/20 10:53	67-66-3	
Chloromethane	<2.2	ug/L	7.3	2.2	1		08/19/20 10:53	74-87-3	
2-Chlorotoluene	<0.93	ug/L	5.0	0.93	1		08/19/20 10:53	95-49-8	
4-Chlorotoluene	<0.76	ug/L	2.5	0.76	1		08/19/20 10:53	106-43-4	
1,2-Dibromo-3-chloropropane	<1.8	ug/L	5.9	1.8	1		08/19/20 10:53	96-12-8	
Dibromochloromethane	<2.6	ug/L	8.7	2.6	1		08/19/20 10:53	124-48-1	
1,2-Dibromoethane (EDB)	<0.83	ug/L	2.8	0.83	1		08/19/20 10:53	106-93-4	
Dibromomethane	<0.94	ug/L	3.1	0.94	1		08/19/20 10:53	74-95-3	
1,2-Dichlorobenzene	<0.71	ug/L	2.4	0.71	1		08/19/20 10:53	95-50-1	
1,3-Dichlorobenzene	<0.63	ug/L	2.1	0.63	1		08/19/20 10:53	541-73-1	
1,4-Dichlorobenzene	<0.94	ug/L	3.1	0.94	1		08/19/20 10:53	106-46-7	
Dichlorodifluoromethane	<0.50	ug/L	5.0	0.50	1		08/19/20 10:53	75-71-8	
1,1-Dichloroethane	<0.27	ug/L	1.0	0.27	1		08/19/20 10:53	75-34-3	
1,2-Dichloroethane	<0.28	ug/L	1.0	0.28	1		08/19/20 10:53	107-06-2	
1,1-Dichloroethene	<0.24	ug/L	1.0	0.24	1		08/19/20 10:53	75-35-4	
cis-1,2-Dichloroethene	<0.27	ug/L	1.0	0.27	1		08/19/20 10:53	156-59-2	
trans-1,2-Dichloroethene	<0.46	ug/L	1.5	0.46	1		08/19/20 10:53	156-60-5	
1,2-Dichloropropane	<0.28	ug/L	1.0	0.28	1		08/19/20 10:53	78-87-5	
1,3-Dichloropropane	<0.83	ug/L	2.8	0.83	1		08/19/20 10:53	142-28-9	
2,2-Dichloropropane	<2.3	ug/L	7.6	2.3	1		08/19/20 10:53	594-20-7	
1,1-Dichloropropene	<0.54	ug/L	1.8	0.54	1		08/19/20 10:53	563-58-6	
cis-1,3-Dichloropropene	<3.6	ug/L	12.1	3.6	1		08/19/20 10:53	10061-01-5	
trans-1,3-Dichloropropene	<4.4	ug/L	14.6	4.4	1		08/19/20 10:53	10061-02-6	
Diisopropyl ether	<1.9	ug/L	6.3	1.9	1		08/19/20 10:53	108-20-3	
Ethylbenzene	<0.32	ug/L	1.1	0.32	1		08/19/20 10:53	100-41-4	
Hexachloro-1,3-butadiene	<1.5	ug/L	4.9	1.5	1		08/19/20 10:53	87-68-3	
Isopropylbenzene (Cumene)	<1.7	ug/L	5.6	1.7	1		08/19/20 10:53	98-82-8	
p-Isopropyltoluene	<0.80	ug/L	2.7	0.80	1		08/19/20 10:53	99-87-6	
Methylene Chloride	<0.58	ug/L	5.0	0.58	1		08/19/20 10:53	75-09-2	
Methyl-tert-butyl ether	<1.2	ug/L	4.2	1.2	1		08/19/20 10:53	1634-04-4	
Naphthalene	<1.2	ug/L	5.0	1.2	1		08/19/20 10:53	91-20-3	
n-Propylbenzene	<0.81	ug/L	5.0	0.81	1		08/19/20 10:53	103-65-1	
Styrene	<3.0	ug/L	10.0	3.0	1		08/19/20 10:53	100-42-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 20-697 BANK FIRST MICHIGAN AVE

Pace Project No.: 40213099

Sample: TRIP BLANK Lab ID: 40213099005 Collected: 08/17/20 00:00 Received: 08/18/20 13:05 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV									
Analytical Method: EPA 8260									
Pace Analytical Services - Green Bay									
1,1,1,2-Tetrachloroethane	<0.27	ug/L	1.0	0.27	1		08/19/20 10:53	630-20-6	
1,1,2,2-Tetrachloroethane	<0.28	ug/L	1.0	0.28	1		08/19/20 10:53	79-34-5	
Tetrachloroethene	<0.33	ug/L	1.1	0.33	1		08/19/20 10:53	127-18-4	
Toluene	<0.27	ug/L	1.0	0.27	1		08/19/20 10:53	108-88-3	
1,2,3-Trichlorobenzene	<2.2	ug/L	7.4	2.2	1		08/19/20 10:53	87-61-6	
1,2,4-Trichlorobenzene	<0.95	ug/L	5.0	0.95	1		08/19/20 10:53	120-82-1	
1,1,1-Trichloroethane	<0.24	ug/L	1.0	0.24	1		08/19/20 10:53	71-55-6	
1,1,2-Trichloroethane	<0.55	ug/L	5.0	0.55	1		08/19/20 10:53	79-00-5	
Trichloroethene	<0.26	ug/L	1.0	0.26	1		08/19/20 10:53	79-01-6	
Trichlorofluoromethane	<0.21	ug/L	1.0	0.21	1		08/19/20 10:53	75-69-4	
1,2,3-Trichloropropane	<0.59	ug/L	5.0	0.59	1		08/19/20 10:53	96-18-4	
1,2,4-Trimethylbenzene	<0.84	ug/L	2.8	0.84	1		08/19/20 10:53	95-63-6	
1,3,5-Trimethylbenzene	<0.87	ug/L	2.9	0.87	1		08/19/20 10:53	108-67-8	
Vinyl chloride	<0.17	ug/L	1.0	0.17	1		08/19/20 10:53	75-01-4	
Xylene (Total)	<1.5	ug/L	3.0	1.5	1		08/19/20 10:53	1330-20-7	
m&p-Xylene	<0.47	ug/L	2.0	0.47	1		08/19/20 10:53	179601-23-1	
o-Xylene	<0.26	ug/L	1.0	0.26	1		08/19/20 10:53	95-47-6	
Surrogates									
4-Bromofluorobenzene (S)	101	%	70-130		1		08/19/20 10:53	460-00-4	HS
Dibromofluoromethane (S)	105	%	70-130		1		08/19/20 10:53	1868-53-7	
Toluene-d8 (S)	102	%	70-130		1		08/19/20 10:53	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 20-697 BANK FIRST MICHIGAN AVE

Pace Project No.: 40213099

Sample: GP-1 2-4¹ Lab ID: 40213099006 Collected: 08/17/20 12:00 Received: 08/18/20 13:05 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Med Level Normal List									
Analytical Method: EPA 8260 Preparation Method: EPA 5035/5030B									
Pace Analytical Services - Green Bay									
Benzene	<25.0	ug/kg	60.0	25.0	1	08/20/20 08:15	08/21/20 13:39	71-43-2	W
Bromobenzene	<25.0	ug/kg	62.0	25.0	1	08/20/20 08:15	08/21/20 13:39	108-86-1	W
Bromochloromethane	<25.0	ug/kg	70.0	25.0	1	08/20/20 08:15	08/21/20 13:39	74-97-5	W
Bromodichloromethane	<25.0	ug/kg	60.0	25.0	1	08/20/20 08:15	08/21/20 13:39	75-27-4	W
Bromoform	<25.0	ug/kg	72.0	25.0	1	08/20/20 08:15	08/21/20 13:39	75-25-2	W
Bromomethane	<63.8	ug/kg	250	63.8	1	08/20/20 08:15	08/21/20 13:39	74-83-9	W
n-Butylbenzene	<30.0	ug/kg	100	30.0	1	08/20/20 08:15	08/21/20 13:39	104-51-8	W
sec-Butylbenzene	<25.0	ug/kg	72.0	25.0	1	08/20/20 08:15	08/21/20 13:39	135-98-8	W
tert-Butylbenzene	<25.0	ug/kg	62.0	25.0	1	08/20/20 08:15	08/21/20 13:39	98-06-6	W
Carbon tetrachloride	<25.0	ug/kg	60.0	25.0	1	08/20/20 08:15	08/21/20 13:39	56-23-5	W
Chlorobenzene	<25.0	ug/kg	60.0	25.0	1	08/20/20 08:15	08/21/20 13:39	108-90-7	W
Chloroethane	<46.4	ug/kg	250	46.4	1	08/20/20 08:15	08/21/20 13:39	75-00-3	W
Chloroform	<47.5	ug/kg	250	47.5	1	08/20/20 08:15	08/21/20 13:39	67-66-3	W
Chloromethane	<25.0	ug/kg	80.0	25.0	1	08/20/20 08:15	08/21/20 13:39	74-87-3	W
2-Chlorotoluene	<25.0	ug/kg	64.0	25.0	1	08/20/20 08:15	08/21/20 13:39	95-49-8	W
4-Chlorotoluene	<25.0	ug/kg	64.0	25.0	1	08/20/20 08:15	08/21/20 13:39	106-43-4	W
1,2-Dibromo-3-chloropropane	<237	ug/kg	789	237	1	08/20/20 08:15	08/21/20 13:39	96-12-8	W
Dibromochloromethane	<229	ug/kg	763	229	1	08/20/20 08:15	08/21/20 13:39	124-48-1	W
1,2-Dibromoethane (EDB)	<25.0	ug/kg	60.0	25.0	1	08/20/20 08:15	08/21/20 13:39	106-93-4	W
Dibromomethane	<25.0	ug/kg	60.0	25.0	1	08/20/20 08:15	08/21/20 13:39	74-95-3	W
1,2-Dichlorobenzene	<25.0	ug/kg	60.0	25.0	1	08/20/20 08:15	08/21/20 13:39	95-50-1	W
1,3-Dichlorobenzene	<25.0	ug/kg	60.0	25.0	1	08/20/20 08:15	08/21/20 13:39	541-73-1	W
1,4-Dichlorobenzene	<25.0	ug/kg	60.0	25.0	1	08/20/20 08:15	08/21/20 13:39	106-46-7	W
Dichlorodifluoromethane	<25.0	ug/kg	72.0	25.0	1	08/20/20 08:15	08/21/20 13:39	75-71-8	W
1,1-Dichloroethane	<25.0	ug/kg	60.0	25.0	1	08/20/20 08:15	08/21/20 13:39	75-34-3	W
1,2-Dichloroethane	<25.0	ug/kg	60.0	25.0	1	08/20/20 08:15	08/21/20 13:39	107-06-2	W
1,1-Dichloroethene	<25.0	ug/kg	60.0	25.0	1	08/20/20 08:15	08/21/20 13:39	75-35-4	W
cis-1,2-Dichloroethene	<25.0	ug/kg	60.0	25.0	1	08/20/20 08:15	08/21/20 13:39	156-59-2	W
trans-1,2-Dichloroethene	<25.0	ug/kg	67.0	25.0	1	08/20/20 08:15	08/21/20 13:39	156-60-5	W
1,2-Dichloropropane	<25.0	ug/kg	60.0	25.0	1	08/20/20 08:15	08/21/20 13:39	78-87-5	W
1,3-Dichloropropane	<25.0	ug/kg	60.0	25.0	1	08/20/20 08:15	08/21/20 13:39	142-28-9	W
2,2-Dichloropropane	<25.0	ug/kg	60.0	25.0	1	08/20/20 08:15	08/21/20 13:39	594-20-7	W
1,1-Dichloropropene	<25.0	ug/kg	60.0	25.0	1	08/20/20 08:15	08/21/20 13:39	563-58-6	W
cis-1,3-Dichloropropene	<42.3	ug/kg	141	42.3	1	08/20/20 08:15	08/21/20 13:39	10061-01-5	W
trans-1,3-Dichloropropene	<25.0	ug/kg	74.0	25.0	1	08/20/20 08:15	08/21/20 13:39	10061-02-6	W
Diisopropyl ether	<25.0	ug/kg	60.0	25.0	1	08/20/20 08:15	08/21/20 13:39	108-20-3	W
Ethylbenzene	<25.0	ug/kg	60.0	25.0	1	08/20/20 08:15	08/21/20 13:39	100-41-4	W
Hexachloro-1,3-butadiene	<68.7	ug/kg	229	68.7	1	08/20/20 08:15	08/21/20 13:39	87-68-3	W
Isopropylbenzene (Cumene)	<25.0	ug/kg	60.0	25.0	1	08/20/20 08:15	08/21/20 13:39	98-82-8	W
p-Isopropyltoluene	<25.0	ug/kg	72.0	25.0	1	08/20/20 08:15	08/21/20 13:39	99-87-6	W
Methylene Chloride	<26.3	ug/kg	88.0	26.3	1	08/20/20 08:15	08/21/20 13:39	75-09-2	W
Methyl-tert-butyl ether	<25.0	ug/kg	60.0	25.0	1	08/20/20 08:15	08/21/20 13:39	1634-04-4	W
Naphthalene	<27.3	ug/kg	91.0	27.3	1	08/20/20 08:15	08/21/20 13:39	91-20-3	W
n-Propylbenzene	<25.0	ug/kg	60.0	25.0	1	08/20/20 08:15	08/21/20 13:39	103-65-1	W

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 20-697 BANK FIRST MICHIGAN AVE

Pace Project No.: 40213099

Sample: GP-1 2-4' Lab ID: 40213099006 Collected: 08/17/20 12:00 Received: 08/18/20 13:05 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Med Level Normal List									
Analytical Method: EPA 8260 Preparation Method: EPA 5035/5030B									
Pace Analytical Services - Green Bay									
Styrene	<25.0	ug/kg	60.0	25.0	1	08/20/20 08:15	08/21/20 13:39	100-42-5	W
1,1,1,2-Tetrachloroethane	<25.0	ug/kg	60.0	25.0	1	08/20/20 08:15	08/21/20 13:39	630-20-6	W
1,1,2,2-Tetrachloroethane	<25.0	ug/kg	60.0	25.0	1	08/20/20 08:15	08/21/20 13:39	79-34-5	W
Tetrachloroethene	<38.7	ug/kg	129	38.7	1	08/20/20 08:15	08/21/20 13:39	127-18-4	W
Toluene	<25.0	ug/kg	60.0	25.0	1	08/20/20 08:15	08/21/20 13:39	108-88-3	W
1,2,3-Trichlorobenzene	<47.3	ug/kg	158	47.3	1	08/20/20 08:15	08/21/20 13:39	87-61-6	W
1,2,4-Trichlorobenzene	<41.7	ug/kg	250	41.7	1	08/20/20 08:15	08/21/20 13:39	120-82-1	W
1,1,1-Trichloroethane	<25.0	ug/kg	60.0	25.0	1	08/20/20 08:15	08/21/20 13:39	71-55-6	W
1,1,2-Trichloroethane	<25.0	ug/kg	60.0	25.0	1	08/20/20 08:15	08/21/20 13:39	79-00-5	W
Trichloroethene	<25.0	ug/kg	60.0	25.0	1	08/20/20 08:15	08/21/20 13:39	79-01-6	W
Trichlorofluoromethane	<25.0	ug/kg	65.0	25.0	1	08/20/20 08:15	08/21/20 13:39	75-69-4	W
1,2,3-Trichloropropane	<37.4	ug/kg	125	37.4	1	08/20/20 08:15	08/21/20 13:39	96-18-4	W
1,2,4-Trimethylbenzene	<25.0	ug/kg	60.0	25.0	1	08/20/20 08:15	08/21/20 13:39	95-63-6	W
1,3,5-Trimethylbenzene	<25.0	ug/kg	60.0	25.0	1	08/20/20 08:15	08/21/20 13:39	108-67-8	W
Vinyl chloride	<25.0	ug/kg	60.0	25.0	1	08/20/20 08:15	08/21/20 13:39	75-01-4	W
Xylene (Total)	<75.0	ug/kg	180	75.0	1	08/20/20 08:15	08/21/20 13:39	1330-20-7	W
m&p-Xylene	<50.0	ug/kg	120	50.0	1	08/20/20 08:15	08/21/20 13:39	179601-23-1	W
o-Xylene	<25.0	ug/kg	60.0	25.0	1	08/20/20 08:15	08/21/20 13:39	95-47-6	W
Surrogates									
Dibromofluoromethane (S)	236	%	58-145		1	08/20/20 08:15	08/21/20 13:39	1868-53-7	S3
Toluene-d8 (S)	235	%	56-140		1	08/20/20 08:15	08/21/20 13:39	2037-26-5	S3
4-Bromofluorobenzene (S)	221	%	52-137		1	08/20/20 08:15	08/21/20 13:39	460-00-4	S3
Percent Moisture									
Analytical Method: ASTM D2974-87									
Pace Analytical Services - Green Bay									
Percent Moisture	14.1	%	0.10	0.10	1		08/21/20 07:59		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 20-697 BANK FIRST MICHIGAN AVE

Pace Project No.: 40213099

Sample: GP-1 14-16' Lab ID: 40213099007 Collected: 08/17/20 12:30 Received: 08/18/20 13:05 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Med Level Normal List									
Analytical Method: EPA 8260 Preparation Method: EPA 5035/5030B									
Pace Analytical Services - Green Bay									
Benzene	<25.0	ug/kg	60.0	25.0	1	08/20/20 08:15	08/21/20 14:01	71-43-2	W
Bromobenzene	<25.0	ug/kg	62.0	25.0	1	08/20/20 08:15	08/21/20 14:01	108-86-1	W
Bromochloromethane	<25.0	ug/kg	70.0	25.0	1	08/20/20 08:15	08/21/20 14:01	74-97-5	W
Bromodichloromethane	<25.0	ug/kg	60.0	25.0	1	08/20/20 08:15	08/21/20 14:01	75-27-4	W
Bromoform	<25.0	ug/kg	72.0	25.0	1	08/20/20 08:15	08/21/20 14:01	75-25-2	W
Bromomethane	<63.8	ug/kg	250	63.8	1	08/20/20 08:15	08/21/20 14:01	74-83-9	W
n-Butylbenzene	<30.0	ug/kg	100	30.0	1	08/20/20 08:15	08/21/20 14:01	104-51-8	W
sec-Butylbenzene	<25.0	ug/kg	72.0	25.0	1	08/20/20 08:15	08/21/20 14:01	135-98-8	W
tert-Butylbenzene	<25.0	ug/kg	62.0	25.0	1	08/20/20 08:15	08/21/20 14:01	98-06-6	W
Carbon tetrachloride	<25.0	ug/kg	60.0	25.0	1	08/20/20 08:15	08/21/20 14:01	56-23-5	W
Chlorobenzene	<25.0	ug/kg	60.0	25.0	1	08/20/20 08:15	08/21/20 14:01	108-90-7	W
Chloroethane	<46.4	ug/kg	250	46.4	1	08/20/20 08:15	08/21/20 14:01	75-00-3	W
Chloroform	<47.5	ug/kg	250	47.5	1	08/20/20 08:15	08/21/20 14:01	67-66-3	W
Chloromethane	<25.0	ug/kg	80.0	25.0	1	08/20/20 08:15	08/21/20 14:01	74-87-3	W
2-Chlorotoluene	<25.0	ug/kg	64.0	25.0	1	08/20/20 08:15	08/21/20 14:01	95-49-8	W
4-Chlorotoluene	<25.0	ug/kg	64.0	25.0	1	08/20/20 08:15	08/21/20 14:01	106-43-4	W
1,2-Dibromo-3-chloropropane	<237	ug/kg	789	237	1	08/20/20 08:15	08/21/20 14:01	96-12-8	W
Dibromochloromethane	<229	ug/kg	763	229	1	08/20/20 08:15	08/21/20 14:01	124-48-1	W
1,2-Dibromoethane (EDB)	<25.0	ug/kg	60.0	25.0	1	08/20/20 08:15	08/21/20 14:01	106-93-4	W
Dibromomethane	<25.0	ug/kg	60.0	25.0	1	08/20/20 08:15	08/21/20 14:01	74-95-3	W
1,2-Dichlorobenzene	<25.0	ug/kg	60.0	25.0	1	08/20/20 08:15	08/21/20 14:01	95-50-1	W
1,3-Dichlorobenzene	<25.0	ug/kg	60.0	25.0	1	08/20/20 08:15	08/21/20 14:01	541-73-1	W
1,4-Dichlorobenzene	<25.0	ug/kg	60.0	25.0	1	08/20/20 08:15	08/21/20 14:01	106-46-7	W
Dichlorodifluoromethane	<25.0	ug/kg	72.0	25.0	1	08/20/20 08:15	08/21/20 14:01	75-71-8	W
1,1-Dichloroethane	<25.0	ug/kg	60.0	25.0	1	08/20/20 08:15	08/21/20 14:01	75-34-3	W
1,2-Dichloroethane	<25.0	ug/kg	60.0	25.0	1	08/20/20 08:15	08/21/20 14:01	107-06-2	W
1,1-Dichloroethene	<25.0	ug/kg	60.0	25.0	1	08/20/20 08:15	08/21/20 14:01	75-35-4	W
cis-1,2-Dichloroethene	<25.0	ug/kg	60.0	25.0	1	08/20/20 08:15	08/21/20 14:01	156-59-2	W
trans-1,2-Dichloroethene	<25.0	ug/kg	67.0	25.0	1	08/20/20 08:15	08/21/20 14:01	156-60-5	W
1,2-Dichloropropane	<25.0	ug/kg	60.0	25.0	1	08/20/20 08:15	08/21/20 14:01	78-87-5	W
1,3-Dichloropropane	<25.0	ug/kg	60.0	25.0	1	08/20/20 08:15	08/21/20 14:01	142-28-9	W
2,2-Dichloropropane	<25.0	ug/kg	60.0	25.0	1	08/20/20 08:15	08/21/20 14:01	594-20-7	W
1,1-Dichloropropene	<25.0	ug/kg	60.0	25.0	1	08/20/20 08:15	08/21/20 14:01	563-58-6	W
cis-1,3-Dichloropropene	<42.3	ug/kg	141	42.3	1	08/20/20 08:15	08/21/20 14:01	10061-01-5	W
trans-1,3-Dichloropropene	<25.0	ug/kg	74.0	25.0	1	08/20/20 08:15	08/21/20 14:01	10061-02-6	W
Diisopropyl ether	<25.0	ug/kg	60.0	25.0	1	08/20/20 08:15	08/21/20 14:01	108-20-3	W
Ethylbenzene	<25.0	ug/kg	60.0	25.0	1	08/20/20 08:15	08/21/20 14:01	100-41-4	W
Hexachloro-1,3-butadiene	<68.7	ug/kg	229	68.7	1	08/20/20 08:15	08/21/20 14:01	87-68-3	W
Isopropylbenzene (Cumene)	<25.0	ug/kg	60.0	25.0	1	08/20/20 08:15	08/21/20 14:01	98-82-8	W
p-Isopropyltoluene	<25.0	ug/kg	72.0	25.0	1	08/20/20 08:15	08/21/20 14:01	99-87-6	W
Methylene Chloride	<26.3	ug/kg	88.0	26.3	1	08/20/20 08:15	08/21/20 14:01	75-09-2	W
Methyl-tert-butyl ether	<25.0	ug/kg	60.0	25.0	1	08/20/20 08:15	08/21/20 14:01	1634-04-4	W
Naphthalene	<27.3	ug/kg	91.0	27.3	1	08/20/20 08:15	08/21/20 14:01	91-20-3	W
n-Propylbenzene	<25.0	ug/kg	60.0	25.0	1	08/20/20 08:15	08/21/20 14:01	103-65-1	W

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 20-697 BANK FIRST MICHIGAN AVE
Pace Project No.: 40213099

Sample: GP-1 14-16' Lab ID: 40213099007 Collected: 08/17/20 12:30 Received: 08/18/20 13:05 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Med Level Normal List									
Analytical Method: EPA 8260 Preparation Method: EPA 5035/5030B									
Pace Analytical Services - Green Bay									
Styrene	<25.0	ug/kg	60.0	25.0	1	08/20/20 08:15	08/21/20 14:01	100-42-5	W
1,1,1,2-Tetrachloroethane	<25.0	ug/kg	60.0	25.0	1	08/20/20 08:15	08/21/20 14:01	630-20-6	W
1,1,2,2-Tetrachloroethane	<25.0	ug/kg	60.0	25.0	1	08/20/20 08:15	08/21/20 14:01	79-34-5	W
Tetrachloroethene	<38.7	ug/kg	129	38.7	1	08/20/20 08:15	08/21/20 14:01	127-18-4	W
Toluene	<25.0	ug/kg	60.0	25.0	1	08/20/20 08:15	08/21/20 14:01	108-88-3	W
1,2,3-Trichlorobenzene	<47.3	ug/kg	158	47.3	1	08/20/20 08:15	08/21/20 14:01	87-61-6	W
1,2,4-Trichlorobenzene	<41.7	ug/kg	250	41.7	1	08/20/20 08:15	08/21/20 14:01	120-82-1	W
1,1,1-Trichloroethane	<25.0	ug/kg	60.0	25.0	1	08/20/20 08:15	08/21/20 14:01	71-55-6	W
1,1,2-Trichloroethane	<25.0	ug/kg	60.0	25.0	1	08/20/20 08:15	08/21/20 14:01	79-00-5	W
Trichloroethene	<25.0	ug/kg	60.0	25.0	1	08/20/20 08:15	08/21/20 14:01	79-01-6	W
Trichlorofluoromethane	<25.0	ug/kg	65.0	25.0	1	08/20/20 08:15	08/21/20 14:01	75-69-4	W
1,2,3-Trichloropropane	<37.4	ug/kg	125	37.4	1	08/20/20 08:15	08/21/20 14:01	96-18-4	W
1,2,4-Trimethylbenzene	<25.0	ug/kg	60.0	25.0	1	08/20/20 08:15	08/21/20 14:01	95-63-6	W
1,3,5-Trimethylbenzene	<25.0	ug/kg	60.0	25.0	1	08/20/20 08:15	08/21/20 14:01	108-67-8	W
Vinyl chloride	<25.0	ug/kg	60.0	25.0	1	08/20/20 08:15	08/21/20 14:01	75-01-4	W
Xylene (Total)	<75.0	ug/kg	180	75.0	1	08/20/20 08:15	08/21/20 14:01	1330-20-7	W
m&p-Xylene	<50.0	ug/kg	120	50.0	1	08/20/20 08:15	08/21/20 14:01	179601-23-1	W
o-Xylene	<25.0	ug/kg	60.0	25.0	1	08/20/20 08:15	08/21/20 14:01	95-47-6	W
Surrogates									
Dibromofluoromethane (S)	107	%	58-145		1	08/20/20 08:15	08/21/20 14:01	1868-53-7	
Toluene-d8 (S)	108	%	56-140		1	08/20/20 08:15	08/21/20 14:01	2037-26-5	
4-Bromofluorobenzene (S)	104	%	52-137		1	08/20/20 08:15	08/21/20 14:01	460-00-4	
Percent Moisture									
Analytical Method: ASTM D2974-87									
Pace Analytical Services - Green Bay									
Percent Moisture	13.8	%	0.10	0.10	1		08/21/20 07:59		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 20-697 BANK FIRST MICHIGAN AVE

Pace Project No.: 40213099

Sample: GP-2 2-4¹ Lab ID: 40213099008 Collected: 08/17/20 11:00 Received: 08/18/20 13:05 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Med Level Normal List									
Analytical Method: EPA 8260 Preparation Method: EPA 5035/5030B									
Pace Analytical Services - Green Bay									
Benzene	<25.0	ug/kg	60.0	25.0	1	08/20/20 08:15	08/21/20 14:24	71-43-2	W
Bromobenzene	<25.0	ug/kg	62.0	25.0	1	08/20/20 08:15	08/21/20 14:24	108-86-1	W
Bromochloromethane	<25.0	ug/kg	70.0	25.0	1	08/20/20 08:15	08/21/20 14:24	74-97-5	W
Bromodichloromethane	<25.0	ug/kg	60.0	25.0	1	08/20/20 08:15	08/21/20 14:24	75-27-4	W
Bromoform	<25.0	ug/kg	72.0	25.0	1	08/20/20 08:15	08/21/20 14:24	75-25-2	W
Bromomethane	<63.8	ug/kg	250	63.8	1	08/20/20 08:15	08/21/20 14:24	74-83-9	W
n-Butylbenzene	<30.0	ug/kg	100	30.0	1	08/20/20 08:15	08/21/20 14:24	104-51-8	W
sec-Butylbenzene	<25.0	ug/kg	72.0	25.0	1	08/20/20 08:15	08/21/20 14:24	135-98-8	W
tert-Butylbenzene	<25.0	ug/kg	62.0	25.0	1	08/20/20 08:15	08/21/20 14:24	98-06-6	W
Carbon tetrachloride	<25.0	ug/kg	60.0	25.0	1	08/20/20 08:15	08/21/20 14:24	56-23-5	W
Chlorobenzene	<25.0	ug/kg	60.0	25.0	1	08/20/20 08:15	08/21/20 14:24	108-90-7	W
Chloroethane	<46.4	ug/kg	250	46.4	1	08/20/20 08:15	08/21/20 14:24	75-00-3	W
Chloroform	<47.5	ug/kg	250	47.5	1	08/20/20 08:15	08/21/20 14:24	67-66-3	W
Chloromethane	<25.0	ug/kg	80.0	25.0	1	08/20/20 08:15	08/21/20 14:24	74-87-3	W
2-Chlorotoluene	<25.0	ug/kg	64.0	25.0	1	08/20/20 08:15	08/21/20 14:24	95-49-8	W
4-Chlorotoluene	<25.0	ug/kg	64.0	25.0	1	08/20/20 08:15	08/21/20 14:24	106-43-4	W
1,2-Dibromo-3-chloropropane	<237	ug/kg	789	237	1	08/20/20 08:15	08/21/20 14:24	96-12-8	W
Dibromochloromethane	<229	ug/kg	763	229	1	08/20/20 08:15	08/21/20 14:24	124-48-1	W
1,2-Dibromoethane (EDB)	<25.0	ug/kg	60.0	25.0	1	08/20/20 08:15	08/21/20 14:24	106-93-4	W
Dibromomethane	<25.0	ug/kg	60.0	25.0	1	08/20/20 08:15	08/21/20 14:24	74-95-3	W
1,2-Dichlorobenzene	<25.0	ug/kg	60.0	25.0	1	08/20/20 08:15	08/21/20 14:24	95-50-1	W
1,3-Dichlorobenzene	<25.0	ug/kg	60.0	25.0	1	08/20/20 08:15	08/21/20 14:24	541-73-1	W
1,4-Dichlorobenzene	<25.0	ug/kg	60.0	25.0	1	08/20/20 08:15	08/21/20 14:24	106-46-7	W
Dichlorodifluoromethane	<25.0	ug/kg	72.0	25.0	1	08/20/20 08:15	08/21/20 14:24	75-71-8	W
1,1-Dichloroethane	<25.0	ug/kg	60.0	25.0	1	08/20/20 08:15	08/21/20 14:24	75-34-3	W
1,2-Dichloroethane	<25.0	ug/kg	60.0	25.0	1	08/20/20 08:15	08/21/20 14:24	107-06-2	W
1,1-Dichloroethene	<25.0	ug/kg	60.0	25.0	1	08/20/20 08:15	08/21/20 14:24	75-35-4	W
cis-1,2-Dichloroethene	<25.0	ug/kg	60.0	25.0	1	08/20/20 08:15	08/21/20 14:24	156-59-2	W
trans-1,2-Dichloroethene	<25.0	ug/kg	67.0	25.0	1	08/20/20 08:15	08/21/20 14:24	156-60-5	W
1,2-Dichloropropane	<25.0	ug/kg	60.0	25.0	1	08/20/20 08:15	08/21/20 14:24	78-87-5	W
1,3-Dichloropropane	<25.0	ug/kg	60.0	25.0	1	08/20/20 08:15	08/21/20 14:24	142-28-9	W
2,2-Dichloropropane	<25.0	ug/kg	60.0	25.0	1	08/20/20 08:15	08/21/20 14:24	594-20-7	W
1,1-Dichloropropene	<25.0	ug/kg	60.0	25.0	1	08/20/20 08:15	08/21/20 14:24	563-58-6	W
cis-1,3-Dichloropropene	<42.3	ug/kg	141	42.3	1	08/20/20 08:15	08/21/20 14:24	10061-01-5	W
trans-1,3-Dichloropropene	<25.0	ug/kg	74.0	25.0	1	08/20/20 08:15	08/21/20 14:24	10061-02-6	W
Diisopropyl ether	<25.0	ug/kg	60.0	25.0	1	08/20/20 08:15	08/21/20 14:24	108-20-3	W
Ethylbenzene	<25.0	ug/kg	60.0	25.0	1	08/20/20 08:15	08/21/20 14:24	100-41-4	W
Hexachloro-1,3-butadiene	<68.7	ug/kg	229	68.7	1	08/20/20 08:15	08/21/20 14:24	87-68-3	W
Isopropylbenzene (Cumene)	<25.0	ug/kg	60.0	25.0	1	08/20/20 08:15	08/21/20 14:24	98-82-8	W
p-Isopropyltoluene	<25.0	ug/kg	72.0	25.0	1	08/20/20 08:15	08/21/20 14:24	99-87-6	W
Methylene Chloride	<26.3	ug/kg	88.0	26.3	1	08/20/20 08:15	08/21/20 14:24	75-09-2	W
Methyl-tert-butyl ether	<25.0	ug/kg	60.0	25.0	1	08/20/20 08:15	08/21/20 14:24	1634-04-4	W
Naphthalene	<27.3	ug/kg	91.0	27.3	1	08/20/20 08:15	08/21/20 14:24	91-20-3	W
n-Propylbenzene	<25.0	ug/kg	60.0	25.0	1	08/20/20 08:15	08/21/20 14:24	103-65-1	W

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 20-697 BANK FIRST MICHIGAN AVE

Pace Project No.: 40213099

Sample: GP-2 2-4' Lab ID: 40213099008 Collected: 08/17/20 11:00 Received: 08/18/20 13:05 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Med Level Normal List									
Analytical Method: EPA 8260 Preparation Method: EPA 5035/5030B									
Pace Analytical Services - Green Bay									
Styrene	<25.0	ug/kg	60.0	25.0	1	08/20/20 08:15	08/21/20 14:24	100-42-5	W
1,1,1,2-Tetrachloroethane	<25.0	ug/kg	60.0	25.0	1	08/20/20 08:15	08/21/20 14:24	630-20-6	W
1,1,2,2-Tetrachloroethane	<25.0	ug/kg	60.0	25.0	1	08/20/20 08:15	08/21/20 14:24	79-34-5	W
Tetrachloroethene	<38.7	ug/kg	129	38.7	1	08/20/20 08:15	08/21/20 14:24	127-18-4	W
Toluene	<25.0	ug/kg	60.0	25.0	1	08/20/20 08:15	08/21/20 14:24	108-88-3	W
1,2,3-Trichlorobenzene	<47.3	ug/kg	158	47.3	1	08/20/20 08:15	08/21/20 14:24	87-61-6	W
1,2,4-Trichlorobenzene	<41.7	ug/kg	250	41.7	1	08/20/20 08:15	08/21/20 14:24	120-82-1	W
1,1,1-Trichloroethane	<25.0	ug/kg	60.0	25.0	1	08/20/20 08:15	08/21/20 14:24	71-55-6	W
1,1,2-Trichloroethane	<25.0	ug/kg	60.0	25.0	1	08/20/20 08:15	08/21/20 14:24	79-00-5	W
Trichloroethene	<25.0	ug/kg	60.0	25.0	1	08/20/20 08:15	08/21/20 14:24	79-01-6	W
Trichlorofluoromethane	<25.0	ug/kg	65.0	25.0	1	08/20/20 08:15	08/21/20 14:24	75-69-4	W
1,2,3-Trichloropropane	<37.4	ug/kg	125	37.4	1	08/20/20 08:15	08/21/20 14:24	96-18-4	W
1,2,4-Trimethylbenzene	<25.0	ug/kg	60.0	25.0	1	08/20/20 08:15	08/21/20 14:24	95-63-6	W
1,3,5-Trimethylbenzene	<25.0	ug/kg	60.0	25.0	1	08/20/20 08:15	08/21/20 14:24	108-67-8	W
Vinyl chloride	<25.0	ug/kg	60.0	25.0	1	08/20/20 08:15	08/21/20 14:24	75-01-4	W
Xylene (Total)	<75.0	ug/kg	180	75.0	1	08/20/20 08:15	08/21/20 14:24	1330-20-7	W
m&p-Xylene	<50.0	ug/kg	120	50.0	1	08/20/20 08:15	08/21/20 14:24	179601-23-1	W
o-Xylene	<25.0	ug/kg	60.0	25.0	1	08/20/20 08:15	08/21/20 14:24	95-47-6	W
Surrogates									
Dibromofluoromethane (S)	94	%	58-145		1	08/20/20 08:15	08/21/20 14:24	1868-53-7	1q,P4
Toluene-d8 (S)	103	%	56-140		1	08/20/20 08:15	08/21/20 14:24	2037-26-5	
4-Bromofluorobenzene (S)	98	%	52-137		1	08/20/20 08:15	08/21/20 14:24	460-00-4	
Percent Moisture									
Analytical Method: ASTM D2974-87									
Pace Analytical Services - Green Bay									
Percent Moisture	19.2	%	0.10	0.10	1		08/20/20 16:42		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 20-697 BANK FIRST MICHIGAN AVE

Pace Project No.: 40213099

Sample: GP-2 14-16' Lab ID: 40213099009 Collected: 08/17/20 11:30 Received: 08/18/20 13:05 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Med Level Normal List									
Analytical Method: EPA 8260 Preparation Method: EPA 5035/5030B									
Pace Analytical Services - Green Bay									
Benzene	<25.0	ug/kg	60.0	25.0	1	08/20/20 08:15	08/21/20 14:47	71-43-2	W
Bromobenzene	<25.0	ug/kg	62.0	25.0	1	08/20/20 08:15	08/21/20 14:47	108-86-1	W
Bromochloromethane	<25.0	ug/kg	70.0	25.0	1	08/20/20 08:15	08/21/20 14:47	74-97-5	W
Bromodichloromethane	<25.0	ug/kg	60.0	25.0	1	08/20/20 08:15	08/21/20 14:47	75-27-4	W
Bromoform	<25.0	ug/kg	72.0	25.0	1	08/20/20 08:15	08/21/20 14:47	75-25-2	W
Bromomethane	<63.8	ug/kg	250	63.8	1	08/20/20 08:15	08/21/20 14:47	74-83-9	W
n-Butylbenzene	<30.0	ug/kg	100	30.0	1	08/20/20 08:15	08/21/20 14:47	104-51-8	W
sec-Butylbenzene	<25.0	ug/kg	72.0	25.0	1	08/20/20 08:15	08/21/20 14:47	135-98-8	W
tert-Butylbenzene	<25.0	ug/kg	62.0	25.0	1	08/20/20 08:15	08/21/20 14:47	98-06-6	W
Carbon tetrachloride	<25.0	ug/kg	60.0	25.0	1	08/20/20 08:15	08/21/20 14:47	56-23-5	W
Chlorobenzene	<25.0	ug/kg	60.0	25.0	1	08/20/20 08:15	08/21/20 14:47	108-90-7	W
Chloroethane	<46.4	ug/kg	250	46.4	1	08/20/20 08:15	08/21/20 14:47	75-00-3	W
Chloroform	<47.5	ug/kg	250	47.5	1	08/20/20 08:15	08/21/20 14:47	67-66-3	W
Chloromethane	<25.0	ug/kg	80.0	25.0	1	08/20/20 08:15	08/21/20 14:47	74-87-3	W
2-Chlorotoluene	<25.0	ug/kg	64.0	25.0	1	08/20/20 08:15	08/21/20 14:47	95-49-8	W
4-Chlorotoluene	<25.0	ug/kg	64.0	25.0	1	08/20/20 08:15	08/21/20 14:47	106-43-4	W
1,2-Dibromo-3-chloropropane	<237	ug/kg	789	237	1	08/20/20 08:15	08/21/20 14:47	96-12-8	W
Dibromochloromethane	<229	ug/kg	763	229	1	08/20/20 08:15	08/21/20 14:47	124-48-1	W
1,2-Dibromoethane (EDB)	<25.0	ug/kg	60.0	25.0	1	08/20/20 08:15	08/21/20 14:47	106-93-4	W
Dibromomethane	<25.0	ug/kg	60.0	25.0	1	08/20/20 08:15	08/21/20 14:47	74-95-3	W
1,2-Dichlorobenzene	<25.0	ug/kg	60.0	25.0	1	08/20/20 08:15	08/21/20 14:47	95-50-1	W
1,3-Dichlorobenzene	<25.0	ug/kg	60.0	25.0	1	08/20/20 08:15	08/21/20 14:47	541-73-1	W
1,4-Dichlorobenzene	<25.0	ug/kg	60.0	25.0	1	08/20/20 08:15	08/21/20 14:47	106-46-7	W
Dichlorodifluoromethane	<25.0	ug/kg	72.0	25.0	1	08/20/20 08:15	08/21/20 14:47	75-71-8	W
1,1-Dichloroethane	<25.0	ug/kg	60.0	25.0	1	08/20/20 08:15	08/21/20 14:47	75-34-3	W
1,2-Dichloroethane	<25.0	ug/kg	60.0	25.0	1	08/20/20 08:15	08/21/20 14:47	107-06-2	W
1,1-Dichloroethene	<25.0	ug/kg	60.0	25.0	1	08/20/20 08:15	08/21/20 14:47	75-35-4	W
cis-1,2-Dichloroethene	<25.0	ug/kg	60.0	25.0	1	08/20/20 08:15	08/21/20 14:47	156-59-2	W
trans-1,2-Dichloroethene	<25.0	ug/kg	67.0	25.0	1	08/20/20 08:15	08/21/20 14:47	156-60-5	W
1,2-Dichloropropane	<25.0	ug/kg	60.0	25.0	1	08/20/20 08:15	08/21/20 14:47	78-87-5	W
1,3-Dichloropropane	<25.0	ug/kg	60.0	25.0	1	08/20/20 08:15	08/21/20 14:47	142-28-9	W
2,2-Dichloropropane	<25.0	ug/kg	60.0	25.0	1	08/20/20 08:15	08/21/20 14:47	594-20-7	W
1,1-Dichloropropene	<25.0	ug/kg	60.0	25.0	1	08/20/20 08:15	08/21/20 14:47	563-58-6	W
cis-1,3-Dichloropropene	<42.3	ug/kg	141	42.3	1	08/20/20 08:15	08/21/20 14:47	10061-01-5	W
trans-1,3-Dichloropropene	<25.0	ug/kg	74.0	25.0	1	08/20/20 08:15	08/21/20 14:47	10061-02-6	W
Diisopropyl ether	<25.0	ug/kg	60.0	25.0	1	08/20/20 08:15	08/21/20 14:47	108-20-3	W
Ethylbenzene	<25.0	ug/kg	60.0	25.0	1	08/20/20 08:15	08/21/20 14:47	100-41-4	W
Hexachloro-1,3-butadiene	<68.7	ug/kg	229	68.7	1	08/20/20 08:15	08/21/20 14:47	87-68-3	W
Isopropylbenzene (Cumene)	<25.0	ug/kg	60.0	25.0	1	08/20/20 08:15	08/21/20 14:47	98-82-8	W
p-Isopropyltoluene	<25.0	ug/kg	72.0	25.0	1	08/20/20 08:15	08/21/20 14:47	99-87-6	W
Methylene Chloride	<26.3	ug/kg	88.0	26.3	1	08/20/20 08:15	08/21/20 14:47	75-09-2	W
Methyl-tert-butyl ether	<25.0	ug/kg	60.0	25.0	1	08/20/20 08:15	08/21/20 14:47	1634-04-4	W
Naphthalene	<27.3	ug/kg	91.0	27.3	1	08/20/20 08:15	08/21/20 14:47	91-20-3	W
n-Propylbenzene	<25.0	ug/kg	60.0	25.0	1	08/20/20 08:15	08/21/20 14:47	103-65-1	W

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 20-697 BANK FIRST MICHIGAN AVE
Pace Project No.: 40213099

Sample: GP-2 14-16' Lab ID: 40213099009 Collected: 08/17/20 11:30 Received: 08/18/20 13:05 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Med Level Normal List									
Analytical Method: EPA 8260 Preparation Method: EPA 5035/5030B									
Pace Analytical Services - Green Bay									
Styrene	<25.0	ug/kg	60.0	25.0	1	08/20/20 08:15	08/21/20 14:47	100-42-5	W
1,1,1,2-Tetrachloroethane	<25.0	ug/kg	60.0	25.0	1	08/20/20 08:15	08/21/20 14:47	630-20-6	W
1,1,2,2-Tetrachloroethane	<25.0	ug/kg	60.0	25.0	1	08/20/20 08:15	08/21/20 14:47	79-34-5	W
Tetrachloroethene	<38.7	ug/kg	129	38.7	1	08/20/20 08:15	08/21/20 14:47	127-18-4	W
Toluene	<25.0	ug/kg	60.0	25.0	1	08/20/20 08:15	08/21/20 14:47	108-88-3	W
1,2,3-Trichlorobenzene	<47.3	ug/kg	158	47.3	1	08/20/20 08:15	08/21/20 14:47	87-61-6	W
1,2,4-Trichlorobenzene	<41.7	ug/kg	250	41.7	1	08/20/20 08:15	08/21/20 14:47	120-82-1	W
1,1,1-Trichloroethane	<25.0	ug/kg	60.0	25.0	1	08/20/20 08:15	08/21/20 14:47	71-55-6	W
1,1,2-Trichloroethane	<25.0	ug/kg	60.0	25.0	1	08/20/20 08:15	08/21/20 14:47	79-00-5	W
Trichloroethene	<25.0	ug/kg	60.0	25.0	1	08/20/20 08:15	08/21/20 14:47	79-01-6	W
Trichlorofluoromethane	<25.0	ug/kg	65.0	25.0	1	08/20/20 08:15	08/21/20 14:47	75-69-4	W
1,2,3-Trichloropropane	<37.4	ug/kg	125	37.4	1	08/20/20 08:15	08/21/20 14:47	96-18-4	W
1,2,4-Trimethylbenzene	<25.0	ug/kg	60.0	25.0	1	08/20/20 08:15	08/21/20 14:47	95-63-6	W
1,3,5-Trimethylbenzene	<25.0	ug/kg	60.0	25.0	1	08/20/20 08:15	08/21/20 14:47	108-67-8	W
Vinyl chloride	<25.0	ug/kg	60.0	25.0	1	08/20/20 08:15	08/21/20 14:47	75-01-4	W
Xylene (Total)	<75.0	ug/kg	180	75.0	1	08/20/20 08:15	08/21/20 14:47	1330-20-7	W
m&p-Xylene	<50.0	ug/kg	120	50.0	1	08/20/20 08:15	08/21/20 14:47	179601-23-1	W
o-Xylene	<25.0	ug/kg	60.0	25.0	1	08/20/20 08:15	08/21/20 14:47	95-47-6	W
Surrogates									
Dibromofluoromethane (S)	94	%	58-145		1	08/20/20 08:15	08/21/20 14:47	1868-53-7	1q,P4
Toluene-d8 (S)	100	%	56-140		1	08/20/20 08:15	08/21/20 14:47	2037-26-5	
4-Bromofluorobenzene (S)	96	%	52-137		1	08/20/20 08:15	08/21/20 14:47	460-00-4	
Percent Moisture									
Analytical Method: ASTM D2974-87									
Pace Analytical Services - Green Bay									
Percent Moisture	15.4	%	0.10	0.10	1		08/20/20 16:42		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 20-697 BANK FIRST MICHIGAN AVE

Pace Project No.: 40213099

Sample: GP-3 2-4¹ Lab ID: 40213099010 Collected: 08/17/20 13:00 Received: 08/18/20 13:05 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Med Level Normal List									
Analytical Method: EPA 8260 Preparation Method: EPA 5035/5030B									
Pace Analytical Services - Green Bay									
Benzene	<25.0	ug/kg	60.0	25.0	1	08/20/20 08:15	08/21/20 15:09	71-43-2	W
Bromobenzene	<25.0	ug/kg	62.0	25.0	1	08/20/20 08:15	08/21/20 15:09	108-86-1	W
Bromochloromethane	<25.0	ug/kg	70.0	25.0	1	08/20/20 08:15	08/21/20 15:09	74-97-5	W
Bromodichloromethane	<25.0	ug/kg	60.0	25.0	1	08/20/20 08:15	08/21/20 15:09	75-27-4	W
Bromoform	<25.0	ug/kg	72.0	25.0	1	08/20/20 08:15	08/21/20 15:09	75-25-2	W
Bromomethane	<63.8	ug/kg	250	63.8	1	08/20/20 08:15	08/21/20 15:09	74-83-9	W
n-Butylbenzene	<30.0	ug/kg	100	30.0	1	08/20/20 08:15	08/21/20 15:09	104-51-8	W
sec-Butylbenzene	<25.0	ug/kg	72.0	25.0	1	08/20/20 08:15	08/21/20 15:09	135-98-8	W
tert-Butylbenzene	<25.0	ug/kg	62.0	25.0	1	08/20/20 08:15	08/21/20 15:09	98-06-6	W
Carbon tetrachloride	<25.0	ug/kg	60.0	25.0	1	08/20/20 08:15	08/21/20 15:09	56-23-5	W
Chlorobenzene	<25.0	ug/kg	60.0	25.0	1	08/20/20 08:15	08/21/20 15:09	108-90-7	W
Chloroethane	<46.4	ug/kg	250	46.4	1	08/20/20 08:15	08/21/20 15:09	75-00-3	W
Chloroform	<47.5	ug/kg	250	47.5	1	08/20/20 08:15	08/21/20 15:09	67-66-3	W
Chloromethane	<25.0	ug/kg	80.0	25.0	1	08/20/20 08:15	08/21/20 15:09	74-87-3	W
2-Chlorotoluene	<25.0	ug/kg	64.0	25.0	1	08/20/20 08:15	08/21/20 15:09	95-49-8	W
4-Chlorotoluene	<25.0	ug/kg	64.0	25.0	1	08/20/20 08:15	08/21/20 15:09	106-43-4	W
1,2-Dibromo-3-chloropropane	<237	ug/kg	789	237	1	08/20/20 08:15	08/21/20 15:09	96-12-8	W
Dibromochloromethane	<229	ug/kg	763	229	1	08/20/20 08:15	08/21/20 15:09	124-48-1	W
1,2-Dibromoethane (EDB)	<25.0	ug/kg	60.0	25.0	1	08/20/20 08:15	08/21/20 15:09	106-93-4	W
Dibromomethane	<25.0	ug/kg	60.0	25.0	1	08/20/20 08:15	08/21/20 15:09	74-95-3	W
1,2-Dichlorobenzene	<25.0	ug/kg	60.0	25.0	1	08/20/20 08:15	08/21/20 15:09	95-50-1	W
1,3-Dichlorobenzene	<25.0	ug/kg	60.0	25.0	1	08/20/20 08:15	08/21/20 15:09	541-73-1	W
1,4-Dichlorobenzene	<25.0	ug/kg	60.0	25.0	1	08/20/20 08:15	08/21/20 15:09	106-46-7	W
Dichlorodifluoromethane	<25.0	ug/kg	72.0	25.0	1	08/20/20 08:15	08/21/20 15:09	75-71-8	W
1,1-Dichloroethane	<25.0	ug/kg	60.0	25.0	1	08/20/20 08:15	08/21/20 15:09	75-34-3	W
1,2-Dichloroethane	<25.0	ug/kg	60.0	25.0	1	08/20/20 08:15	08/21/20 15:09	107-06-2	W
1,1-Dichloroethene	<25.0	ug/kg	60.0	25.0	1	08/20/20 08:15	08/21/20 15:09	75-35-4	W
cis-1,2-Dichloroethene	<25.0	ug/kg	60.0	25.0	1	08/20/20 08:15	08/21/20 15:09	156-59-2	W
trans-1,2-Dichloroethene	<25.0	ug/kg	67.0	25.0	1	08/20/20 08:15	08/21/20 15:09	156-60-5	W
1,2-Dichloropropane	<25.0	ug/kg	60.0	25.0	1	08/20/20 08:15	08/21/20 15:09	78-87-5	W
1,3-Dichloropropane	<25.0	ug/kg	60.0	25.0	1	08/20/20 08:15	08/21/20 15:09	142-28-9	W
2,2-Dichloropropane	<25.0	ug/kg	60.0	25.0	1	08/20/20 08:15	08/21/20 15:09	594-20-7	W
1,1-Dichloropropene	<25.0	ug/kg	60.0	25.0	1	08/20/20 08:15	08/21/20 15:09	563-58-6	W
cis-1,3-Dichloropropene	<42.3	ug/kg	141	42.3	1	08/20/20 08:15	08/21/20 15:09	10061-01-5	W
trans-1,3-Dichloropropene	<25.0	ug/kg	74.0	25.0	1	08/20/20 08:15	08/21/20 15:09	10061-02-6	W
Diisopropyl ether	<25.0	ug/kg	60.0	25.0	1	08/20/20 08:15	08/21/20 15:09	108-20-3	W
Ethylbenzene	<25.0	ug/kg	60.0	25.0	1	08/20/20 08:15	08/21/20 15:09	100-41-4	W
Hexachloro-1,3-butadiene	<68.7	ug/kg	229	68.7	1	08/20/20 08:15	08/21/20 15:09	87-68-3	W
Isopropylbenzene (Cumene)	<25.0	ug/kg	60.0	25.0	1	08/20/20 08:15	08/21/20 15:09	98-82-8	W
p-Isopropyltoluene	<25.0	ug/kg	72.0	25.0	1	08/20/20 08:15	08/21/20 15:09	99-87-6	W
Methylene Chloride	<26.3	ug/kg	88.0	26.3	1	08/20/20 08:15	08/21/20 15:09	75-09-2	W
Methyl-tert-butyl ether	<25.0	ug/kg	60.0	25.0	1	08/20/20 08:15	08/21/20 15:09	1634-04-4	W
Naphthalene	<27.3	ug/kg	91.0	27.3	1	08/20/20 08:15	08/21/20 15:09	91-20-3	W
n-Propylbenzene	<25.0	ug/kg	60.0	25.0	1	08/20/20 08:15	08/21/20 15:09	103-65-1	W

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 20-697 BANK FIRST MICHIGAN AVE

Pace Project No.: 40213099

Sample: GP-3 2-4' Lab ID: 40213099010 Collected: 08/17/20 13:00 Received: 08/18/20 13:05 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Med Level Normal List									
Analytical Method: EPA 8260 Preparation Method: EPA 5035/5030B									
Pace Analytical Services - Green Bay									
Styrene	<25.0	ug/kg	60.0	25.0	1	08/20/20 08:15	08/21/20 15:09	100-42-5	W
1,1,1,2-Tetrachloroethane	<25.0	ug/kg	60.0	25.0	1	08/20/20 08:15	08/21/20 15:09	630-20-6	W
1,1,2,2-Tetrachloroethane	<25.0	ug/kg	60.0	25.0	1	08/20/20 08:15	08/21/20 15:09	79-34-5	W
Tetrachloroethene	<38.7	ug/kg	129	38.7	1	08/20/20 08:15	08/21/20 15:09	127-18-4	W
Toluene	<25.0	ug/kg	60.0	25.0	1	08/20/20 08:15	08/21/20 15:09	108-88-3	W
1,2,3-Trichlorobenzene	<47.3	ug/kg	158	47.3	1	08/20/20 08:15	08/21/20 15:09	87-61-6	W
1,2,4-Trichlorobenzene	<41.7	ug/kg	250	41.7	1	08/20/20 08:15	08/21/20 15:09	120-82-1	W
1,1,1-Trichloroethane	<25.0	ug/kg	60.0	25.0	1	08/20/20 08:15	08/21/20 15:09	71-55-6	W
1,1,2-Trichloroethane	<25.0	ug/kg	60.0	25.0	1	08/20/20 08:15	08/21/20 15:09	79-00-5	W
Trichloroethene	<25.0	ug/kg	60.0	25.0	1	08/20/20 08:15	08/21/20 15:09	79-01-6	W
Trichlorofluoromethane	<25.0	ug/kg	65.0	25.0	1	08/20/20 08:15	08/21/20 15:09	75-69-4	W
1,2,3-Trichloropropane	<37.4	ug/kg	125	37.4	1	08/20/20 08:15	08/21/20 15:09	96-18-4	W
1,2,4-Trimethylbenzene	<25.0	ug/kg	60.0	25.0	1	08/20/20 08:15	08/21/20 15:09	95-63-6	W
1,3,5-Trimethylbenzene	<25.0	ug/kg	60.0	25.0	1	08/20/20 08:15	08/21/20 15:09	108-67-8	W
Vinyl chloride	<25.0	ug/kg	60.0	25.0	1	08/20/20 08:15	08/21/20 15:09	75-01-4	W
Xylene (Total)	<75.0	ug/kg	180	75.0	1	08/20/20 08:15	08/21/20 15:09	1330-20-7	W
m&p-Xylene	<50.0	ug/kg	120	50.0	1	08/20/20 08:15	08/21/20 15:09	179601-23-1	W
o-Xylene	<25.0	ug/kg	60.0	25.0	1	08/20/20 08:15	08/21/20 15:09	95-47-6	W
Surrogates									
Dibromofluoromethane (S)	100	%	58-145		1	08/20/20 08:15	08/21/20 15:09	1868-53-7	
Toluene-d8 (S)	101	%	56-140		1	08/20/20 08:15	08/21/20 15:09	2037-26-5	
4-Bromofluorobenzene (S)	95	%	52-137		1	08/20/20 08:15	08/21/20 15:09	460-00-4	
Percent Moisture									
Analytical Method: ASTM D2974-87									
Pace Analytical Services - Green Bay									
Percent Moisture	14.8	%	0.10	0.10	1		08/20/20 16:42		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 20-697 BANK FIRST MICHIGAN AVE

Pace Project No.: 40213099

Sample: GP-3 14-16' Lab ID: 40213099011 Collected: 08/17/20 13:30 Received: 08/18/20 13:05 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Med Level Normal List									
Analytical Method: EPA 8260 Preparation Method: EPA 5035/5030B									
Pace Analytical Services - Green Bay									
Benzene	<25.0	ug/kg	60.0	25.0	1	08/20/20 08:15	08/21/20 15:32	71-43-2	W
Bromobenzene	<25.0	ug/kg	62.0	25.0	1	08/20/20 08:15	08/21/20 15:32	108-86-1	W
Bromochloromethane	<25.0	ug/kg	70.0	25.0	1	08/20/20 08:15	08/21/20 15:32	74-97-5	W
Bromodichloromethane	<25.0	ug/kg	60.0	25.0	1	08/20/20 08:15	08/21/20 15:32	75-27-4	W
Bromoform	<25.0	ug/kg	72.0	25.0	1	08/20/20 08:15	08/21/20 15:32	75-25-2	W
Bromomethane	<63.8	ug/kg	250	63.8	1	08/20/20 08:15	08/21/20 15:32	74-83-9	W
n-Butylbenzene	<30.0	ug/kg	100	30.0	1	08/20/20 08:15	08/21/20 15:32	104-51-8	W
sec-Butylbenzene	<25.0	ug/kg	72.0	25.0	1	08/20/20 08:15	08/21/20 15:32	135-98-8	W
tert-Butylbenzene	<25.0	ug/kg	62.0	25.0	1	08/20/20 08:15	08/21/20 15:32	98-06-6	W
Carbon tetrachloride	<25.0	ug/kg	60.0	25.0	1	08/20/20 08:15	08/21/20 15:32	56-23-5	W
Chlorobenzene	<25.0	ug/kg	60.0	25.0	1	08/20/20 08:15	08/21/20 15:32	108-90-7	W
Chloroethane	<46.4	ug/kg	250	46.4	1	08/20/20 08:15	08/21/20 15:32	75-00-3	W
Chloroform	<47.5	ug/kg	250	47.5	1	08/20/20 08:15	08/21/20 15:32	67-66-3	W
Chloromethane	<25.0	ug/kg	80.0	25.0	1	08/20/20 08:15	08/21/20 15:32	74-87-3	W
2-Chlorotoluene	<25.0	ug/kg	64.0	25.0	1	08/20/20 08:15	08/21/20 15:32	95-49-8	W
4-Chlorotoluene	<25.0	ug/kg	64.0	25.0	1	08/20/20 08:15	08/21/20 15:32	106-43-4	W
1,2-Dibromo-3-chloropropane	<237	ug/kg	789	237	1	08/20/20 08:15	08/21/20 15:32	96-12-8	W
Dibromochloromethane	<229	ug/kg	763	229	1	08/20/20 08:15	08/21/20 15:32	124-48-1	W
1,2-Dibromoethane (EDB)	<25.0	ug/kg	60.0	25.0	1	08/20/20 08:15	08/21/20 15:32	106-93-4	W
Dibromomethane	<25.0	ug/kg	60.0	25.0	1	08/20/20 08:15	08/21/20 15:32	74-95-3	W
1,2-Dichlorobenzene	<25.0	ug/kg	60.0	25.0	1	08/20/20 08:15	08/21/20 15:32	95-50-1	W
1,3-Dichlorobenzene	<25.0	ug/kg	60.0	25.0	1	08/20/20 08:15	08/21/20 15:32	541-73-1	W
1,4-Dichlorobenzene	<25.0	ug/kg	60.0	25.0	1	08/20/20 08:15	08/21/20 15:32	106-46-7	W
Dichlorodifluoromethane	<25.0	ug/kg	72.0	25.0	1	08/20/20 08:15	08/21/20 15:32	75-71-8	W
1,1-Dichloroethane	<25.0	ug/kg	60.0	25.0	1	08/20/20 08:15	08/21/20 15:32	75-34-3	W
1,2-Dichloroethane	<25.0	ug/kg	60.0	25.0	1	08/20/20 08:15	08/21/20 15:32	107-06-2	W
1,1-Dichloroethene	<25.0	ug/kg	60.0	25.0	1	08/20/20 08:15	08/21/20 15:32	75-35-4	W
cis-1,2-Dichloroethene	<25.0	ug/kg	60.0	25.0	1	08/20/20 08:15	08/21/20 15:32	156-59-2	W
trans-1,2-Dichloroethene	<25.0	ug/kg	67.0	25.0	1	08/20/20 08:15	08/21/20 15:32	156-60-5	W
1,2-Dichloropropane	<25.0	ug/kg	60.0	25.0	1	08/20/20 08:15	08/21/20 15:32	78-87-5	W
1,3-Dichloropropane	<25.0	ug/kg	60.0	25.0	1	08/20/20 08:15	08/21/20 15:32	142-28-9	W
2,2-Dichloropropane	<25.0	ug/kg	60.0	25.0	1	08/20/20 08:15	08/21/20 15:32	594-20-7	W
1,1-Dichloropropene	<25.0	ug/kg	60.0	25.0	1	08/20/20 08:15	08/21/20 15:32	563-58-6	W
cis-1,3-Dichloropropene	<42.3	ug/kg	141	42.3	1	08/20/20 08:15	08/21/20 15:32	10061-01-5	W
trans-1,3-Dichloropropene	<25.0	ug/kg	74.0	25.0	1	08/20/20 08:15	08/21/20 15:32	10061-02-6	W
Diisopropyl ether	<25.0	ug/kg	60.0	25.0	1	08/20/20 08:15	08/21/20 15:32	108-20-3	W
Ethylbenzene	<25.0	ug/kg	60.0	25.0	1	08/20/20 08:15	08/21/20 15:32	100-41-4	W
Hexachloro-1,3-butadiene	<68.7	ug/kg	229	68.7	1	08/20/20 08:15	08/21/20 15:32	87-68-3	W
Isopropylbenzene (Cumene)	<25.0	ug/kg	60.0	25.0	1	08/20/20 08:15	08/21/20 15:32	98-82-8	W
p-Isopropyltoluene	<25.0	ug/kg	72.0	25.0	1	08/20/20 08:15	08/21/20 15:32	99-87-6	W
Methylene Chloride	<26.3	ug/kg	88.0	26.3	1	08/20/20 08:15	08/21/20 15:32	75-09-2	W
Methyl-tert-butyl ether	<25.0	ug/kg	60.0	25.0	1	08/20/20 08:15	08/21/20 15:32	1634-04-4	W
Naphthalene	<27.3	ug/kg	91.0	27.3	1	08/20/20 08:15	08/21/20 15:32	91-20-3	W
n-Propylbenzene	<25.0	ug/kg	60.0	25.0	1	08/20/20 08:15	08/21/20 15:32	103-65-1	W

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 20-697 BANK FIRST MICHIGAN AVE

Pace Project No.: 40213099

Sample: GP-3 14-16' Lab ID: 40213099011 Collected: 08/17/20 13:30 Received: 08/18/20 13:05 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Med Level Normal List									
Analytical Method: EPA 8260 Preparation Method: EPA 5035/5030B									
Pace Analytical Services - Green Bay									
Styrene	<25.0	ug/kg	60.0	25.0	1	08/20/20 08:15	08/21/20 15:32	100-42-5	W
1,1,1,2-Tetrachloroethane	<25.0	ug/kg	60.0	25.0	1	08/20/20 08:15	08/21/20 15:32	630-20-6	W
1,1,2,2-Tetrachloroethane	<25.0	ug/kg	60.0	25.0	1	08/20/20 08:15	08/21/20 15:32	79-34-5	W
Tetrachloroethene	<38.7	ug/kg	129	38.7	1	08/20/20 08:15	08/21/20 15:32	127-18-4	W
Toluene	<25.0	ug/kg	60.0	25.0	1	08/20/20 08:15	08/21/20 15:32	108-88-3	W
1,2,3-Trichlorobenzene	<47.3	ug/kg	158	47.3	1	08/20/20 08:15	08/21/20 15:32	87-61-6	W
1,2,4-Trichlorobenzene	<41.7	ug/kg	250	41.7	1	08/20/20 08:15	08/21/20 15:32	120-82-1	W
1,1,1-Trichloroethane	<25.0	ug/kg	60.0	25.0	1	08/20/20 08:15	08/21/20 15:32	71-55-6	W
1,1,2-Trichloroethane	<25.0	ug/kg	60.0	25.0	1	08/20/20 08:15	08/21/20 15:32	79-00-5	W
Trichloroethene	<25.0	ug/kg	60.0	25.0	1	08/20/20 08:15	08/21/20 15:32	79-01-6	W
Trichlorofluoromethane	<25.0	ug/kg	65.0	25.0	1	08/20/20 08:15	08/21/20 15:32	75-69-4	W
1,2,3-Trichloropropane	<37.4	ug/kg	125	37.4	1	08/20/20 08:15	08/21/20 15:32	96-18-4	W
1,2,4-Trimethylbenzene	<25.0	ug/kg	60.0	25.0	1	08/20/20 08:15	08/21/20 15:32	95-63-6	W
1,3,5-Trimethylbenzene	<25.0	ug/kg	60.0	25.0	1	08/20/20 08:15	08/21/20 15:32	108-67-8	W
Vinyl chloride	<25.0	ug/kg	60.0	25.0	1	08/20/20 08:15	08/21/20 15:32	75-01-4	W
Xylene (Total)	<75.0	ug/kg	180	75.0	1	08/20/20 08:15	08/21/20 15:32	1330-20-7	W
m&p-Xylene	<50.0	ug/kg	120	50.0	1	08/20/20 08:15	08/21/20 15:32	179601-23-1	W
o-Xylene	<25.0	ug/kg	60.0	25.0	1	08/20/20 08:15	08/21/20 15:32	95-47-6	W
Surrogates									
Dibromofluoromethane (S)	97	%	58-145		1	08/20/20 08:15	08/21/20 15:32	1868-53-7	
Toluene-d8 (S)	99	%	56-140		1	08/20/20 08:15	08/21/20 15:32	2037-26-5	
4-Bromofluorobenzene (S)	92	%	52-137		1	08/20/20 08:15	08/21/20 15:32	460-00-4	
Percent Moisture									
Analytical Method: ASTM D2974-87									
Pace Analytical Services - Green Bay									
Percent Moisture	14.7	%	0.10	0.10	1		08/20/20 16:42		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 20-697 BANK FIRST MICHIGAN AVE

Pace Project No.: 40213099

Sample: GP-4 2-4¹ Lab ID: 40213099012 Collected: 08/17/20 10:15 Received: 08/18/20 13:05 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Med Level Normal List									
Analytical Method: EPA 8260 Preparation Method: EPA 5035/5030B									
Pace Analytical Services - Green Bay									
Benzene	<25.0	ug/kg	60.0	25.0	1	08/20/20 08:15	08/21/20 15:55	71-43-2	W
Bromobenzene	<25.0	ug/kg	62.0	25.0	1	08/20/20 08:15	08/21/20 15:55	108-86-1	W
Bromochloromethane	<25.0	ug/kg	70.0	25.0	1	08/20/20 08:15	08/21/20 15:55	74-97-5	W
Bromodichloromethane	<25.0	ug/kg	60.0	25.0	1	08/20/20 08:15	08/21/20 15:55	75-27-4	W
Bromoform	<25.0	ug/kg	72.0	25.0	1	08/20/20 08:15	08/21/20 15:55	75-25-2	W
Bromomethane	<63.8	ug/kg	250	63.8	1	08/20/20 08:15	08/21/20 15:55	74-83-9	W
n-Butylbenzene	<30.0	ug/kg	100	30.0	1	08/20/20 08:15	08/21/20 15:55	104-51-8	W
sec-Butylbenzene	<25.0	ug/kg	72.0	25.0	1	08/20/20 08:15	08/21/20 15:55	135-98-8	W
tert-Butylbenzene	<25.0	ug/kg	62.0	25.0	1	08/20/20 08:15	08/21/20 15:55	98-06-6	W
Carbon tetrachloride	<25.0	ug/kg	60.0	25.0	1	08/20/20 08:15	08/21/20 15:55	56-23-5	W
Chlorobenzene	<25.0	ug/kg	60.0	25.0	1	08/20/20 08:15	08/21/20 15:55	108-90-7	W
Chloroethane	<46.4	ug/kg	250	46.4	1	08/20/20 08:15	08/21/20 15:55	75-00-3	W
Chloroform	<47.5	ug/kg	250	47.5	1	08/20/20 08:15	08/21/20 15:55	67-66-3	W
Chloromethane	<25.0	ug/kg	80.0	25.0	1	08/20/20 08:15	08/21/20 15:55	74-87-3	W
2-Chlorotoluene	<25.0	ug/kg	64.0	25.0	1	08/20/20 08:15	08/21/20 15:55	95-49-8	W
4-Chlorotoluene	<25.0	ug/kg	64.0	25.0	1	08/20/20 08:15	08/21/20 15:55	106-43-4	W
1,2-Dibromo-3-chloropropane	<237	ug/kg	789	237	1	08/20/20 08:15	08/21/20 15:55	96-12-8	W
Dibromochloromethane	<229	ug/kg	763	229	1	08/20/20 08:15	08/21/20 15:55	124-48-1	W
1,2-Dibromoethane (EDB)	<25.0	ug/kg	60.0	25.0	1	08/20/20 08:15	08/21/20 15:55	106-93-4	W
Dibromomethane	<25.0	ug/kg	60.0	25.0	1	08/20/20 08:15	08/21/20 15:55	74-95-3	W
1,2-Dichlorobenzene	<25.0	ug/kg	60.0	25.0	1	08/20/20 08:15	08/21/20 15:55	95-50-1	W
1,3-Dichlorobenzene	<25.0	ug/kg	60.0	25.0	1	08/20/20 08:15	08/21/20 15:55	541-73-1	W
1,4-Dichlorobenzene	<25.0	ug/kg	60.0	25.0	1	08/20/20 08:15	08/21/20 15:55	106-46-7	W
Dichlorodifluoromethane	<25.0	ug/kg	72.0	25.0	1	08/20/20 08:15	08/21/20 15:55	75-71-8	W
1,1-Dichloroethane	<25.0	ug/kg	60.0	25.0	1	08/20/20 08:15	08/21/20 15:55	75-34-3	W
1,2-Dichloroethane	<25.0	ug/kg	60.0	25.0	1	08/20/20 08:15	08/21/20 15:55	107-06-2	W
1,1-Dichloroethene	<25.0	ug/kg	60.0	25.0	1	08/20/20 08:15	08/21/20 15:55	75-35-4	W
cis-1,2-Dichloroethene	<25.0	ug/kg	60.0	25.0	1	08/20/20 08:15	08/21/20 15:55	156-59-2	W
trans-1,2-Dichloroethene	<25.0	ug/kg	67.0	25.0	1	08/20/20 08:15	08/21/20 15:55	156-60-5	W
1,2-Dichloropropane	<25.0	ug/kg	60.0	25.0	1	08/20/20 08:15	08/21/20 15:55	78-87-5	W
1,3-Dichloropropane	<25.0	ug/kg	60.0	25.0	1	08/20/20 08:15	08/21/20 15:55	142-28-9	W
2,2-Dichloropropane	<25.0	ug/kg	60.0	25.0	1	08/20/20 08:15	08/21/20 15:55	594-20-7	W
1,1-Dichloropropene	<25.0	ug/kg	60.0	25.0	1	08/20/20 08:15	08/21/20 15:55	563-58-6	W
cis-1,3-Dichloropropene	<42.3	ug/kg	141	42.3	1	08/20/20 08:15	08/21/20 15:55	10061-01-5	W
trans-1,3-Dichloropropene	<25.0	ug/kg	74.0	25.0	1	08/20/20 08:15	08/21/20 15:55	10061-02-6	W
Diisopropyl ether	<25.0	ug/kg	60.0	25.0	1	08/20/20 08:15	08/21/20 15:55	108-20-3	W
Ethylbenzene	<25.0	ug/kg	60.0	25.0	1	08/20/20 08:15	08/21/20 15:55	100-41-4	W
Hexachloro-1,3-butadiene	<68.7	ug/kg	229	68.7	1	08/20/20 08:15	08/21/20 15:55	87-68-3	W
Isopropylbenzene (Cumene)	<25.0	ug/kg	60.0	25.0	1	08/20/20 08:15	08/21/20 15:55	98-82-8	W
p-Isopropyltoluene	<25.0	ug/kg	72.0	25.0	1	08/20/20 08:15	08/21/20 15:55	99-87-6	W
Methylene Chloride	32.1J	ug/kg	103	30.8	1	08/20/20 08:15	08/21/20 15:55	75-09-2	W
Methyl-tert-butyl ether	<25.0	ug/kg	60.0	25.0	1	08/20/20 08:15	08/21/20 15:55	1634-04-4	W
Naphthalene	<27.3	ug/kg	91.0	27.3	1	08/20/20 08:15	08/21/20 15:55	91-20-3	W
n-Propylbenzene	<25.0	ug/kg	60.0	25.0	1	08/20/20 08:15	08/21/20 15:55	103-65-1	W

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 20-697 BANK FIRST MICHIGAN AVE

Pace Project No.: 40213099

Sample: GP-4 2-4' Lab ID: 40213099012 Collected: 08/17/20 10:15 Received: 08/18/20 13:05 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Med Level Normal List									
Analytical Method: EPA 8260 Preparation Method: EPA 5035/5030B									
Pace Analytical Services - Green Bay									
Styrene	<25.0	ug/kg	60.0	25.0	1	08/20/20 08:15	08/21/20 15:55	100-42-5	W
1,1,1,2-Tetrachloroethane	<25.0	ug/kg	60.0	25.0	1	08/20/20 08:15	08/21/20 15:55	630-20-6	W
1,1,2,2-Tetrachloroethane	<25.0	ug/kg	60.0	25.0	1	08/20/20 08:15	08/21/20 15:55	79-34-5	W
Tetrachloroethene	<38.7	ug/kg	129	38.7	1	08/20/20 08:15	08/21/20 15:55	127-18-4	W
Toluene	<25.0	ug/kg	60.0	25.0	1	08/20/20 08:15	08/21/20 15:55	108-88-3	W
1,2,3-Trichlorobenzene	<47.3	ug/kg	158	47.3	1	08/20/20 08:15	08/21/20 15:55	87-61-6	W
1,2,4-Trichlorobenzene	<41.7	ug/kg	250	41.7	1	08/20/20 08:15	08/21/20 15:55	120-82-1	W
1,1,1-Trichloroethane	<25.0	ug/kg	60.0	25.0	1	08/20/20 08:15	08/21/20 15:55	71-55-6	W
1,1,2-Trichloroethane	<25.0	ug/kg	60.0	25.0	1	08/20/20 08:15	08/21/20 15:55	79-00-5	W
Trichloroethene	<25.0	ug/kg	60.0	25.0	1	08/20/20 08:15	08/21/20 15:55	79-01-6	W
Trichlorofluoromethane	<25.0	ug/kg	65.0	25.0	1	08/20/20 08:15	08/21/20 15:55	75-69-4	W
1,2,3-Trichloropropane	<37.4	ug/kg	125	37.4	1	08/20/20 08:15	08/21/20 15:55	96-18-4	W
1,2,4-Trimethylbenzene	<25.0	ug/kg	60.0	25.0	1	08/20/20 08:15	08/21/20 15:55	95-63-6	W
1,3,5-Trimethylbenzene	<25.0	ug/kg	60.0	25.0	1	08/20/20 08:15	08/21/20 15:55	108-67-8	W
Vinyl chloride	<25.0	ug/kg	60.0	25.0	1	08/20/20 08:15	08/21/20 15:55	75-01-4	W
Xylene (Total)	<75.0	ug/kg	180	75.0	1	08/20/20 08:15	08/21/20 15:55	1330-20-7	W
m&p-Xylene	<50.0	ug/kg	120	50.0	1	08/20/20 08:15	08/21/20 15:55	179601-23-1	W
o-Xylene	<25.0	ug/kg	60.0	25.0	1	08/20/20 08:15	08/21/20 15:55	95-47-6	W
Surrogates									
Dibromofluoromethane (S)	112	%	58-145		1	08/20/20 08:15	08/21/20 15:55	1868-53-7	
Toluene-d8 (S)	111	%	56-140		1	08/20/20 08:15	08/21/20 15:55	2037-26-5	
4-Bromofluorobenzene (S)	103	%	52-137		1	08/20/20 08:15	08/21/20 15:55	460-00-4	
Percent Moisture									
Analytical Method: ASTM D2974-87									
Pace Analytical Services - Green Bay									
Percent Moisture	14.7	%	0.10	0.10	1		08/20/20 16:42		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 20-697 BANK FIRST MICHIGAN AVE

Pace Project No.: 40213099

Sample: GP-4 14-16' Lab ID: 40213099013 Collected: 08/17/20 10:45 Received: 08/18/20 13:05 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Med Level Normal List									
Analytical Method: EPA 8260 Preparation Method: EPA 5035/5030B									
Pace Analytical Services - Green Bay									
Benzene	<25.0	ug/kg	60.0	25.0	1	08/20/20 08:15	08/21/20 16:18	71-43-2	W
Bromobenzene	<25.0	ug/kg	62.0	25.0	1	08/20/20 08:15	08/21/20 16:18	108-86-1	W
Bromochloromethane	<25.0	ug/kg	70.0	25.0	1	08/20/20 08:15	08/21/20 16:18	74-97-5	W
Bromodichloromethane	<25.0	ug/kg	60.0	25.0	1	08/20/20 08:15	08/21/20 16:18	75-27-4	W
Bromoform	<25.0	ug/kg	72.0	25.0	1	08/20/20 08:15	08/21/20 16:18	75-25-2	W
Bromomethane	<63.8	ug/kg	250	63.8	1	08/20/20 08:15	08/21/20 16:18	74-83-9	W
n-Butylbenzene	<30.0	ug/kg	100	30.0	1	08/20/20 08:15	08/21/20 16:18	104-51-8	W
sec-Butylbenzene	<25.0	ug/kg	72.0	25.0	1	08/20/20 08:15	08/21/20 16:18	135-98-8	W
tert-Butylbenzene	<25.0	ug/kg	62.0	25.0	1	08/20/20 08:15	08/21/20 16:18	98-06-6	W
Carbon tetrachloride	<25.0	ug/kg	60.0	25.0	1	08/20/20 08:15	08/21/20 16:18	56-23-5	W
Chlorobenzene	<25.0	ug/kg	60.0	25.0	1	08/20/20 08:15	08/21/20 16:18	108-90-7	W
Chloroethane	<46.4	ug/kg	250	46.4	1	08/20/20 08:15	08/21/20 16:18	75-00-3	W
Chloroform	<47.5	ug/kg	250	47.5	1	08/20/20 08:15	08/21/20 16:18	67-66-3	W
Chloromethane	<25.0	ug/kg	80.0	25.0	1	08/20/20 08:15	08/21/20 16:18	74-87-3	W
2-Chlorotoluene	<25.0	ug/kg	64.0	25.0	1	08/20/20 08:15	08/21/20 16:18	95-49-8	W
4-Chlorotoluene	<25.0	ug/kg	64.0	25.0	1	08/20/20 08:15	08/21/20 16:18	106-43-4	W
1,2-Dibromo-3-chloropropane	<237	ug/kg	789	237	1	08/20/20 08:15	08/21/20 16:18	96-12-8	W
Dibromochloromethane	<229	ug/kg	763	229	1	08/20/20 08:15	08/21/20 16:18	124-48-1	W
1,2-Dibromoethane (EDB)	<25.0	ug/kg	60.0	25.0	1	08/20/20 08:15	08/21/20 16:18	106-93-4	W
Dibromomethane	<25.0	ug/kg	60.0	25.0	1	08/20/20 08:15	08/21/20 16:18	74-95-3	W
1,2-Dichlorobenzene	<25.0	ug/kg	60.0	25.0	1	08/20/20 08:15	08/21/20 16:18	95-50-1	W
1,3-Dichlorobenzene	<25.0	ug/kg	60.0	25.0	1	08/20/20 08:15	08/21/20 16:18	541-73-1	W
1,4-Dichlorobenzene	<25.0	ug/kg	60.0	25.0	1	08/20/20 08:15	08/21/20 16:18	106-46-7	W
Dichlorodifluoromethane	<25.0	ug/kg	72.0	25.0	1	08/20/20 08:15	08/21/20 16:18	75-71-8	W
1,1-Dichloroethane	<25.0	ug/kg	60.0	25.0	1	08/20/20 08:15	08/21/20 16:18	75-34-3	W
1,2-Dichloroethane	<25.0	ug/kg	60.0	25.0	1	08/20/20 08:15	08/21/20 16:18	107-06-2	W
1,1-Dichloroethene	<25.0	ug/kg	60.0	25.0	1	08/20/20 08:15	08/21/20 16:18	75-35-4	W
cis-1,2-Dichloroethene	<25.0	ug/kg	60.0	25.0	1	08/20/20 08:15	08/21/20 16:18	156-59-2	W
trans-1,2-Dichloroethene	<25.0	ug/kg	67.0	25.0	1	08/20/20 08:15	08/21/20 16:18	156-60-5	W
1,2-Dichloropropane	<25.0	ug/kg	60.0	25.0	1	08/20/20 08:15	08/21/20 16:18	78-87-5	W
1,3-Dichloropropane	<25.0	ug/kg	60.0	25.0	1	08/20/20 08:15	08/21/20 16:18	142-28-9	W
2,2-Dichloropropane	<25.0	ug/kg	60.0	25.0	1	08/20/20 08:15	08/21/20 16:18	594-20-7	W
1,1-Dichloropropene	<25.0	ug/kg	60.0	25.0	1	08/20/20 08:15	08/21/20 16:18	563-58-6	W
cis-1,3-Dichloropropene	<42.3	ug/kg	141	42.3	1	08/20/20 08:15	08/21/20 16:18	10061-01-5	W
trans-1,3-Dichloropropene	<25.0	ug/kg	74.0	25.0	1	08/20/20 08:15	08/21/20 16:18	10061-02-6	W
Diisopropyl ether	<25.0	ug/kg	60.0	25.0	1	08/20/20 08:15	08/21/20 16:18	108-20-3	W
Ethylbenzene	<25.0	ug/kg	60.0	25.0	1	08/20/20 08:15	08/21/20 16:18	100-41-4	W
Hexachloro-1,3-butadiene	<68.7	ug/kg	229	68.7	1	08/20/20 08:15	08/21/20 16:18	87-68-3	W
Isopropylbenzene (Cumene)	<25.0	ug/kg	60.0	25.0	1	08/20/20 08:15	08/21/20 16:18	98-82-8	W
p-Isopropyltoluene	<25.0	ug/kg	72.0	25.0	1	08/20/20 08:15	08/21/20 16:18	99-87-6	W
Methylene Chloride	<26.3	ug/kg	88.0	26.3	1	08/20/20 08:15	08/21/20 16:18	75-09-2	W
Methyl-tert-butyl ether	<25.0	ug/kg	60.0	25.0	1	08/20/20 08:15	08/21/20 16:18	1634-04-4	W
Naphthalene	<27.3	ug/kg	91.0	27.3	1	08/20/20 08:15	08/21/20 16:18	91-20-3	W
n-Propylbenzene	<25.0	ug/kg	60.0	25.0	1	08/20/20 08:15	08/21/20 16:18	103-65-1	W

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 20-697 BANK FIRST MICHIGAN AVE

Pace Project No.: 40213099

Sample: GP-4 14-16' Lab ID: 40213099013 Collected: 08/17/20 10:45 Received: 08/18/20 13:05 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Med Level Normal List									
Analytical Method: EPA 8260 Preparation Method: EPA 5035/5030B									
Pace Analytical Services - Green Bay									
Styrene	<25.0	ug/kg	60.0	25.0	1	08/20/20 08:15	08/21/20 16:18	100-42-5	W
1,1,1,2-Tetrachloroethane	<25.0	ug/kg	60.0	25.0	1	08/20/20 08:15	08/21/20 16:18	630-20-6	W
1,1,2,2-Tetrachloroethane	<25.0	ug/kg	60.0	25.0	1	08/20/20 08:15	08/21/20 16:18	79-34-5	W
Tetrachloroethene	<38.7	ug/kg	129	38.7	1	08/20/20 08:15	08/21/20 16:18	127-18-4	W
Toluene	<25.0	ug/kg	60.0	25.0	1	08/20/20 08:15	08/21/20 16:18	108-88-3	W
1,2,3-Trichlorobenzene	<47.3	ug/kg	158	47.3	1	08/20/20 08:15	08/21/20 16:18	87-61-6	W
1,2,4-Trichlorobenzene	<41.7	ug/kg	250	41.7	1	08/20/20 08:15	08/21/20 16:18	120-82-1	W
1,1,1-Trichloroethane	<25.0	ug/kg	60.0	25.0	1	08/20/20 08:15	08/21/20 16:18	71-55-6	W
1,1,2-Trichloroethane	<25.0	ug/kg	60.0	25.0	1	08/20/20 08:15	08/21/20 16:18	79-00-5	W
Trichloroethene	<25.0	ug/kg	60.0	25.0	1	08/20/20 08:15	08/21/20 16:18	79-01-6	W
Trichlorofluoromethane	<25.0	ug/kg	65.0	25.0	1	08/20/20 08:15	08/21/20 16:18	75-69-4	W
1,2,3-Trichloropropane	<37.4	ug/kg	125	37.4	1	08/20/20 08:15	08/21/20 16:18	96-18-4	W
1,2,4-Trimethylbenzene	<25.0	ug/kg	60.0	25.0	1	08/20/20 08:15	08/21/20 16:18	95-63-6	W
1,3,5-Trimethylbenzene	<25.0	ug/kg	60.0	25.0	1	08/20/20 08:15	08/21/20 16:18	108-67-8	W
Vinyl chloride	<25.0	ug/kg	60.0	25.0	1	08/20/20 08:15	08/21/20 16:18	75-01-4	W
Xylene (Total)	<75.0	ug/kg	180	75.0	1	08/20/20 08:15	08/21/20 16:18	1330-20-7	W
m&p-Xylene	<50.0	ug/kg	120	50.0	1	08/20/20 08:15	08/21/20 16:18	179601-23-1	W
o-Xylene	<25.0	ug/kg	60.0	25.0	1	08/20/20 08:15	08/21/20 16:18	95-47-6	W
Surrogates									
Dibromofluoromethane (S)	95	%	58-145		1	08/20/20 08:15	08/21/20 16:18	1868-53-7	
Toluene-d8 (S)	97	%	56-140		1	08/20/20 08:15	08/21/20 16:18	2037-26-5	
4-Bromofluorobenzene (S)	91	%	52-137		1	08/20/20 08:15	08/21/20 16:18	460-00-4	
Percent Moisture									
Analytical Method: ASTM D2974-87									
Pace Analytical Services - Green Bay									
Percent Moisture	13.3	%	0.10	0.10	1		08/20/20 16:42		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 20-697 BANK FIRST MICHIGAN AVE

Pace Project No.: 40213099

Sample: GP-5 0-1' Lab ID: 40213099014 Collected: 08/17/20 15:05 Received: 08/18/20 13:05 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Med Level Normal List									
Analytical Method: EPA 8260 Preparation Method: EPA 5035/5030B									
Pace Analytical Services - Green Bay									
Benzene	<25.0	ug/kg	60.0	25.0	1	08/20/20 08:15	08/21/20 16:40	71-43-2	W
Bromobenzene	<25.0	ug/kg	62.0	25.0	1	08/20/20 08:15	08/21/20 16:40	108-86-1	W
Bromochloromethane	<25.0	ug/kg	70.0	25.0	1	08/20/20 08:15	08/21/20 16:40	74-97-5	W
Bromodichloromethane	<25.0	ug/kg	60.0	25.0	1	08/20/20 08:15	08/21/20 16:40	75-27-4	W
Bromoform	<25.0	ug/kg	72.0	25.0	1	08/20/20 08:15	08/21/20 16:40	75-25-2	W
Bromomethane	<63.8	ug/kg	250	63.8	1	08/20/20 08:15	08/21/20 16:40	74-83-9	W
n-Butylbenzene	<30.0	ug/kg	100	30.0	1	08/20/20 08:15	08/21/20 16:40	104-51-8	W
sec-Butylbenzene	<25.0	ug/kg	72.0	25.0	1	08/20/20 08:15	08/21/20 16:40	135-98-8	W
tert-Butylbenzene	<25.0	ug/kg	62.0	25.0	1	08/20/20 08:15	08/21/20 16:40	98-06-6	W
Carbon tetrachloride	<25.0	ug/kg	60.0	25.0	1	08/20/20 08:15	08/21/20 16:40	56-23-5	W
Chlorobenzene	<25.0	ug/kg	60.0	25.0	1	08/20/20 08:15	08/21/20 16:40	108-90-7	W
Chloroethane	<46.4	ug/kg	250	46.4	1	08/20/20 08:15	08/21/20 16:40	75-00-3	W
Chloroform	<47.5	ug/kg	250	47.5	1	08/20/20 08:15	08/21/20 16:40	67-66-3	W
Chloromethane	<25.0	ug/kg	80.0	25.0	1	08/20/20 08:15	08/21/20 16:40	74-87-3	W
2-Chlorotoluene	<25.0	ug/kg	64.0	25.0	1	08/20/20 08:15	08/21/20 16:40	95-49-8	W
4-Chlorotoluene	<25.0	ug/kg	64.0	25.0	1	08/20/20 08:15	08/21/20 16:40	106-43-4	W
1,2-Dibromo-3-chloropropane	<237	ug/kg	789	237	1	08/20/20 08:15	08/21/20 16:40	96-12-8	W
Dibromochloromethane	<229	ug/kg	763	229	1	08/20/20 08:15	08/21/20 16:40	124-48-1	W
1,2-Dibromoethane (EDB)	<25.0	ug/kg	60.0	25.0	1	08/20/20 08:15	08/21/20 16:40	106-93-4	W
Dibromomethane	<25.0	ug/kg	60.0	25.0	1	08/20/20 08:15	08/21/20 16:40	74-95-3	W
1,2-Dichlorobenzene	<25.0	ug/kg	60.0	25.0	1	08/20/20 08:15	08/21/20 16:40	95-50-1	W
1,3-Dichlorobenzene	<25.0	ug/kg	60.0	25.0	1	08/20/20 08:15	08/21/20 16:40	541-73-1	W
1,4-Dichlorobenzene	<25.0	ug/kg	60.0	25.0	1	08/20/20 08:15	08/21/20 16:40	106-46-7	W
Dichlorodifluoromethane	<25.0	ug/kg	72.0	25.0	1	08/20/20 08:15	08/21/20 16:40	75-71-8	W
1,1-Dichloroethane	<25.0	ug/kg	60.0	25.0	1	08/20/20 08:15	08/21/20 16:40	75-34-3	W
1,2-Dichloroethane	<25.0	ug/kg	60.0	25.0	1	08/20/20 08:15	08/21/20 16:40	107-06-2	W
1,1-Dichloroethene	<25.0	ug/kg	60.0	25.0	1	08/20/20 08:15	08/21/20 16:40	75-35-4	W
cis-1,2-Dichloroethene	<25.0	ug/kg	60.0	25.0	1	08/20/20 08:15	08/21/20 16:40	156-59-2	W
trans-1,2-Dichloroethene	<25.0	ug/kg	67.0	25.0	1	08/20/20 08:15	08/21/20 16:40	156-60-5	W
1,2-Dichloropropane	<25.0	ug/kg	60.0	25.0	1	08/20/20 08:15	08/21/20 16:40	78-87-5	W
1,3-Dichloropropane	<25.0	ug/kg	60.0	25.0	1	08/20/20 08:15	08/21/20 16:40	142-28-9	W
2,2-Dichloropropane	<25.0	ug/kg	60.0	25.0	1	08/20/20 08:15	08/21/20 16:40	594-20-7	W
1,1-Dichloropropene	<25.0	ug/kg	60.0	25.0	1	08/20/20 08:15	08/21/20 16:40	563-58-6	W
cis-1,3-Dichloropropene	<42.3	ug/kg	141	42.3	1	08/20/20 08:15	08/21/20 16:40	10061-01-5	W
trans-1,3-Dichloropropene	<25.0	ug/kg	74.0	25.0	1	08/20/20 08:15	08/21/20 16:40	10061-02-6	W
Diisopropyl ether	<25.0	ug/kg	60.0	25.0	1	08/20/20 08:15	08/21/20 16:40	108-20-3	W
Ethylbenzene	<25.0	ug/kg	60.0	25.0	1	08/20/20 08:15	08/21/20 16:40	100-41-4	W
Hexachloro-1,3-butadiene	<68.7	ug/kg	229	68.7	1	08/20/20 08:15	08/21/20 16:40	87-68-3	W
Isopropylbenzene (Cumene)	<25.0	ug/kg	60.0	25.0	1	08/20/20 08:15	08/21/20 16:40	98-82-8	W
p-Isopropyltoluene	<25.0	ug/kg	72.0	25.0	1	08/20/20 08:15	08/21/20 16:40	99-87-6	W
Methylene Chloride	<26.3	ug/kg	88.0	26.3	1	08/20/20 08:15	08/21/20 16:40	75-09-2	W
Methyl-tert-butyl ether	<25.0	ug/kg	60.0	25.0	1	08/20/20 08:15	08/21/20 16:40	1634-04-4	W
Naphthalene	<27.3	ug/kg	91.0	27.3	1	08/20/20 08:15	08/21/20 16:40	91-20-3	W
n-Propylbenzene	<25.0	ug/kg	60.0	25.0	1	08/20/20 08:15	08/21/20 16:40	103-65-1	W

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 20-697 BANK FIRST MICHIGAN AVE

Pace Project No.: 40213099

Sample: GP-5 0-1' Lab ID: 40213099014 Collected: 08/17/20 15:05 Received: 08/18/20 13:05 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Med Level Normal List									
Analytical Method: EPA 8260 Preparation Method: EPA 5035/5030B									
Pace Analytical Services - Green Bay									
Styrene	<25.0	ug/kg	60.0	25.0	1	08/20/20 08:15	08/21/20 16:40	100-42-5	W
1,1,1,2-Tetrachloroethane	<25.0	ug/kg	60.0	25.0	1	08/20/20 08:15	08/21/20 16:40	630-20-6	W
1,1,2,2-Tetrachloroethane	<25.0	ug/kg	60.0	25.0	1	08/20/20 08:15	08/21/20 16:40	79-34-5	W
Tetrachloroethene	<38.7	ug/kg	129	38.7	1	08/20/20 08:15	08/21/20 16:40	127-18-4	W
Toluene	<25.0	ug/kg	60.0	25.0	1	08/20/20 08:15	08/21/20 16:40	108-88-3	W
1,2,3-Trichlorobenzene	<47.3	ug/kg	158	47.3	1	08/20/20 08:15	08/21/20 16:40	87-61-6	W
1,2,4-Trichlorobenzene	<41.7	ug/kg	250	41.7	1	08/20/20 08:15	08/21/20 16:40	120-82-1	W
1,1,1-Trichloroethane	<25.0	ug/kg	60.0	25.0	1	08/20/20 08:15	08/21/20 16:40	71-55-6	W
1,1,2-Trichloroethane	<25.0	ug/kg	60.0	25.0	1	08/20/20 08:15	08/21/20 16:40	79-00-5	W
Trichloroethene	<25.0	ug/kg	60.0	25.0	1	08/20/20 08:15	08/21/20 16:40	79-01-6	W
Trichlorofluoromethane	<25.0	ug/kg	65.0	25.0	1	08/20/20 08:15	08/21/20 16:40	75-69-4	W
1,2,3-Trichloropropane	<37.4	ug/kg	125	37.4	1	08/20/20 08:15	08/21/20 16:40	96-18-4	W
1,2,4-Trimethylbenzene	<25.0	ug/kg	60.0	25.0	1	08/20/20 08:15	08/21/20 16:40	95-63-6	W
1,3,5-Trimethylbenzene	<25.0	ug/kg	60.0	25.0	1	08/20/20 08:15	08/21/20 16:40	108-67-8	W
Vinyl chloride	<25.0	ug/kg	60.0	25.0	1	08/20/20 08:15	08/21/20 16:40	75-01-4	W
Xylene (Total)	<75.0	ug/kg	180	75.0	1	08/20/20 08:15	08/21/20 16:40	1330-20-7	W
m&p-Xylene	<50.0	ug/kg	120	50.0	1	08/20/20 08:15	08/21/20 16:40	179601-23-1	W
o-Xylene	<25.0	ug/kg	60.0	25.0	1	08/20/20 08:15	08/21/20 16:40	95-47-6	W
Surrogates									
Dibromofluoromethane (S)	99	%	58-145		1	08/20/20 08:15	08/21/20 16:40	1868-53-7	
Toluene-d8 (S)	101	%	56-140		1	08/20/20 08:15	08/21/20 16:40	2037-26-5	
4-Bromofluorobenzene (S)	94	%	52-137		1	08/20/20 08:15	08/21/20 16:40	460-00-4	
Percent Moisture									
Analytical Method: ASTM D2974-87									
Pace Analytical Services - Green Bay									
Percent Moisture	17.6	%	0.10	0.10	1		08/20/20 16:42		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 20-697 BANK FIRST MICHIGAN AVE

Pace Project No.: 40213099

Sample: GP-6 0-0.5' Lab ID: 40213099015 Collected: 08/17/20 14:30 Received: 08/18/20 13:05 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Med Level Normal List									
Analytical Method: EPA 8260 Preparation Method: EPA 5035/5030B									
Pace Analytical Services - Green Bay									
Benzene	<25.0	ug/kg	60.0	25.0	1	08/20/20 08:15	08/21/20 17:03	71-43-2	W
Bromobenzene	<25.0	ug/kg	62.0	25.0	1	08/20/20 08:15	08/21/20 17:03	108-86-1	W
Bromochloromethane	<25.0	ug/kg	70.0	25.0	1	08/20/20 08:15	08/21/20 17:03	74-97-5	W
Bromodichloromethane	<25.0	ug/kg	60.0	25.0	1	08/20/20 08:15	08/21/20 17:03	75-27-4	W
Bromoform	<25.0	ug/kg	72.0	25.0	1	08/20/20 08:15	08/21/20 17:03	75-25-2	W
Bromomethane	<63.8	ug/kg	250	63.8	1	08/20/20 08:15	08/21/20 17:03	74-83-9	W
n-Butylbenzene	<30.0	ug/kg	100	30.0	1	08/20/20 08:15	08/21/20 17:03	104-51-8	W
sec-Butylbenzene	<25.0	ug/kg	72.0	25.0	1	08/20/20 08:15	08/21/20 17:03	135-98-8	W
tert-Butylbenzene	<25.0	ug/kg	62.0	25.0	1	08/20/20 08:15	08/21/20 17:03	98-06-6	W
Carbon tetrachloride	<25.0	ug/kg	60.0	25.0	1	08/20/20 08:15	08/21/20 17:03	56-23-5	W
Chlorobenzene	<25.0	ug/kg	60.0	25.0	1	08/20/20 08:15	08/21/20 17:03	108-90-7	W
Chloroethane	<46.4	ug/kg	250	46.4	1	08/20/20 08:15	08/21/20 17:03	75-00-3	W
Chloroform	<47.5	ug/kg	250	47.5	1	08/20/20 08:15	08/21/20 17:03	67-66-3	W
Chloromethane	<25.0	ug/kg	80.0	25.0	1	08/20/20 08:15	08/21/20 17:03	74-87-3	W
2-Chlorotoluene	<25.0	ug/kg	64.0	25.0	1	08/20/20 08:15	08/21/20 17:03	95-49-8	W
4-Chlorotoluene	<25.0	ug/kg	64.0	25.0	1	08/20/20 08:15	08/21/20 17:03	106-43-4	W
1,2-Dibromo-3-chloropropane	<237	ug/kg	789	237	1	08/20/20 08:15	08/21/20 17:03	96-12-8	W
Dibromochloromethane	<229	ug/kg	763	229	1	08/20/20 08:15	08/21/20 17:03	124-48-1	W
1,2-Dibromoethane (EDB)	<25.0	ug/kg	60.0	25.0	1	08/20/20 08:15	08/21/20 17:03	106-93-4	W
Dibromomethane	<25.0	ug/kg	60.0	25.0	1	08/20/20 08:15	08/21/20 17:03	74-95-3	W
1,2-Dichlorobenzene	<25.0	ug/kg	60.0	25.0	1	08/20/20 08:15	08/21/20 17:03	95-50-1	W
1,3-Dichlorobenzene	<25.0	ug/kg	60.0	25.0	1	08/20/20 08:15	08/21/20 17:03	541-73-1	W
1,4-Dichlorobenzene	<25.0	ug/kg	60.0	25.0	1	08/20/20 08:15	08/21/20 17:03	106-46-7	W
Dichlorodifluoromethane	<25.0	ug/kg	72.0	25.0	1	08/20/20 08:15	08/21/20 17:03	75-71-8	W
1,1-Dichloroethane	<25.0	ug/kg	60.0	25.0	1	08/20/20 08:15	08/21/20 17:03	75-34-3	W
1,2-Dichloroethane	<25.0	ug/kg	60.0	25.0	1	08/20/20 08:15	08/21/20 17:03	107-06-2	W
1,1-Dichloroethene	<25.0	ug/kg	60.0	25.0	1	08/20/20 08:15	08/21/20 17:03	75-35-4	W
cis-1,2-Dichloroethene	<25.0	ug/kg	60.0	25.0	1	08/20/20 08:15	08/21/20 17:03	156-59-2	W
trans-1,2-Dichloroethene	<25.0	ug/kg	67.0	25.0	1	08/20/20 08:15	08/21/20 17:03	156-60-5	W
1,2-Dichloropropane	<25.0	ug/kg	60.0	25.0	1	08/20/20 08:15	08/21/20 17:03	78-87-5	W
1,3-Dichloropropane	<25.0	ug/kg	60.0	25.0	1	08/20/20 08:15	08/21/20 17:03	142-28-9	W
2,2-Dichloropropane	<25.0	ug/kg	60.0	25.0	1	08/20/20 08:15	08/21/20 17:03	594-20-7	W
1,1-Dichloropropene	<25.0	ug/kg	60.0	25.0	1	08/20/20 08:15	08/21/20 17:03	563-58-6	W
cis-1,3-Dichloropropene	<42.3	ug/kg	141	42.3	1	08/20/20 08:15	08/21/20 17:03	10061-01-5	W
trans-1,3-Dichloropropene	<25.0	ug/kg	74.0	25.0	1	08/20/20 08:15	08/21/20 17:03	10061-02-6	W
Diisopropyl ether	<25.0	ug/kg	60.0	25.0	1	08/20/20 08:15	08/21/20 17:03	108-20-3	W
Ethylbenzene	<25.0	ug/kg	60.0	25.0	1	08/20/20 08:15	08/21/20 17:03	100-41-4	W
Hexachloro-1,3-butadiene	<68.7	ug/kg	229	68.7	1	08/20/20 08:15	08/21/20 17:03	87-68-3	W
Isopropylbenzene (Cumene)	<25.0	ug/kg	60.0	25.0	1	08/20/20 08:15	08/21/20 17:03	98-82-8	W
p-Isopropyltoluene	<25.0	ug/kg	72.0	25.0	1	08/20/20 08:15	08/21/20 17:03	99-87-6	W
Methylene Chloride	<26.3	ug/kg	88.0	26.3	1	08/20/20 08:15	08/21/20 17:03	75-09-2	W
Methyl-tert-butyl ether	<25.0	ug/kg	60.0	25.0	1	08/20/20 08:15	08/21/20 17:03	1634-04-4	W
Naphthalene	<27.3	ug/kg	91.0	27.3	1	08/20/20 08:15	08/21/20 17:03	91-20-3	W
n-Propylbenzene	<25.0	ug/kg	60.0	25.0	1	08/20/20 08:15	08/21/20 17:03	103-65-1	W

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 20-697 BANK FIRST MICHIGAN AVE
Pace Project No.: 40213099

Sample: GP-6 0-0.5' Lab ID: 40213099015 Collected: 08/17/20 14:30 Received: 08/18/20 13:05 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Med Level Normal List									
Analytical Method: EPA 8260 Preparation Method: EPA 5035/5030B									
Pace Analytical Services - Green Bay									
Styrene	<25.0	ug/kg	60.0	25.0	1	08/20/20 08:15	08/21/20 17:03	100-42-5	W
1,1,1,2-Tetrachloroethane	<25.0	ug/kg	60.0	25.0	1	08/20/20 08:15	08/21/20 17:03	630-20-6	W
1,1,2,2-Tetrachloroethane	<25.0	ug/kg	60.0	25.0	1	08/20/20 08:15	08/21/20 17:03	79-34-5	W
Tetrachloroethene	<38.7	ug/kg	129	38.7	1	08/20/20 08:15	08/21/20 17:03	127-18-4	W
Toluene	<25.0	ug/kg	60.0	25.0	1	08/20/20 08:15	08/21/20 17:03	108-88-3	W
1,2,3-Trichlorobenzene	<47.3	ug/kg	158	47.3	1	08/20/20 08:15	08/21/20 17:03	87-61-6	W
1,2,4-Trichlorobenzene	<41.7	ug/kg	250	41.7	1	08/20/20 08:15	08/21/20 17:03	120-82-1	W
1,1,1-Trichloroethane	<25.0	ug/kg	60.0	25.0	1	08/20/20 08:15	08/21/20 17:03	71-55-6	W
1,1,2-Trichloroethane	<25.0	ug/kg	60.0	25.0	1	08/20/20 08:15	08/21/20 17:03	79-00-5	W
Trichloroethene	<25.0	ug/kg	60.0	25.0	1	08/20/20 08:15	08/21/20 17:03	79-01-6	W
Trichlorofluoromethane	<25.0	ug/kg	65.0	25.0	1	08/20/20 08:15	08/21/20 17:03	75-69-4	W
1,2,3-Trichloropropane	<37.4	ug/kg	125	37.4	1	08/20/20 08:15	08/21/20 17:03	96-18-4	W
1,2,4-Trimethylbenzene	<25.0	ug/kg	60.0	25.0	1	08/20/20 08:15	08/21/20 17:03	95-63-6	W
1,3,5-Trimethylbenzene	<25.0	ug/kg	60.0	25.0	1	08/20/20 08:15	08/21/20 17:03	108-67-8	W
Vinyl chloride	<25.0	ug/kg	60.0	25.0	1	08/20/20 08:15	08/21/20 17:03	75-01-4	W
Xylene (Total)	<75.0	ug/kg	180	75.0	1	08/20/20 08:15	08/21/20 17:03	1330-20-7	W
m&p-Xylene	<50.0	ug/kg	120	50.0	1	08/20/20 08:15	08/21/20 17:03	179601-23-1	W
o-Xylene	<25.0	ug/kg	60.0	25.0	1	08/20/20 08:15	08/21/20 17:03	95-47-6	W
Surrogates									
Dibromofluoromethane (S)	107	%	58-145		1	08/20/20 08:15	08/21/20 17:03	1868-53-7	
Toluene-d8 (S)	108	%	56-140		1	08/20/20 08:15	08/21/20 17:03	2037-26-5	
4-Bromofluorobenzene (S)	99	%	52-137		1	08/20/20 08:15	08/21/20 17:03	460-00-4	
Percent Moisture									
Analytical Method: ASTM D2974-87									
Pace Analytical Services - Green Bay									
Percent Moisture	17.0	%	0.10	0.10	1		08/20/20 16:43		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: 20-697 BANK FIRST MICHIGAN AVE
Pace Project No.: 40213099

QC Batch:	363418	Analysis Method:	EPA 8260
QC Batch Method:	EPA 5035/5030B	Analysis Description:	8260 MSV Med Level Normal List
		Laboratory:	Pace Analytical Services - Green Bay

Associated Lab Samples: 40213099006, 40213099007, 40213099008, 40213099009, 40213099010, 40213099011, 40213099012, 40213099013, 40213099014, 40213099015

METHOD BLANK: 2100563 Matrix: Solid
Associated Lab Samples: 40213099006, 40213099007, 40213099008, 40213099009, 40213099010, 40213099011, 40213099012, 40213099013, 40213099014, 40213099015

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
1,1,1,2-Tetrachloroethane	ug/kg	<7.8	50.0	08/21/20 09:06	
1,1,1-Trichloroethane	ug/kg	<13.5	50.0	08/21/20 09:06	
1,1,2,2-Tetrachloroethane	ug/kg	<15.7	52.0	08/21/20 09:06	
1,1,2-Trichloroethane	ug/kg	<15.7	52.0	08/21/20 09:06	
1,1-Dichloroethane	ug/kg	<13.5	50.0	08/21/20 09:06	
1,1-Dichloroethene	ug/kg	<11.8	50.0	08/21/20 09:06	
1,1-Dichloropropene	ug/kg	<10.7	50.0	08/21/20 09:06	
1,2,3-Trichlorobenzene	ug/kg	<47.3	158	08/21/20 09:06	
1,2,3-Trichloropropane	ug/kg	<37.4	125	08/21/20 09:06	
1,2,4-Trichlorobenzene	ug/kg	<41.7	250	08/21/20 09:06	
1,2,4-Trimethylbenzene	ug/kg	<18.1	60.0	08/21/20 09:06	
1,2-Dibromo-3-chloropropane	ug/kg	<237	789	08/21/20 09:06	
1,2-Dibromoethane (EDB)	ug/kg	<17.0	57.0	08/21/20 09:06	
1,2-Dichlorobenzene	ug/kg	<13.1	50.0	08/21/20 09:06	
1,2-Dichloroethane	ug/kg	<13.8	50.0	08/21/20 09:06	
1,2-Dichloropropane	ug/kg	<13.5	50.0	08/21/20 09:06	
1,3,5-Trimethylbenzene	ug/kg	<16.0	53.0	08/21/20 09:06	
1,3-Dichlorobenzene	ug/kg	<13.0	50.0	08/21/20 09:06	
1,3-Dichloropropane	ug/kg	<11.0	50.0	08/21/20 09:06	
1,4-Dichlorobenzene	ug/kg	<12.0	50.0	08/21/20 09:06	
2,2-Dichloropropane	ug/kg	<15.7	52.0	08/21/20 09:06	
2-Chlorotoluene	ug/kg	<19.3	64.0	08/21/20 09:06	
4-Chlorotoluene	ug/kg	<19.3	64.0	08/21/20 09:06	
Benzene	ug/kg	<12.5	42.0	08/21/20 09:06	
Bromobenzene	ug/kg	<18.5	62.0	08/21/20 09:06	
Bromochloromethane	ug/kg	<20.9	70.0	08/21/20 09:06	
Bromodichloromethane	ug/kg	<10.0	50.0	08/21/20 09:06	
Bromoform	ug/kg	<21.6	72.0	08/21/20 09:06	
Bromomethane	ug/kg	<63.8	250	08/21/20 09:06	
Carbon tetrachloride	ug/kg	<7.5	50.0	08/21/20 09:06	
Chlorobenzene	ug/kg	<16.8	56.0	08/21/20 09:06	
Chloroethane	ug/kg	<46.4	250	08/21/20 09:06	
Chloroform	ug/kg	<47.5	250	08/21/20 09:06	
Chloromethane	ug/kg	<24.0	80.0	08/21/20 09:06	
cis-1,2-Dichloroethene	ug/kg	<14.8	50.0	08/21/20 09:06	
cis-1,3-Dichloropropene	ug/kg	<42.3	141	08/21/20 09:06	
Dibromochloromethane	ug/kg	<229	763	08/21/20 09:06	
Dibromomethane	ug/kg	<17.7	59.0	08/21/20 09:06	
Dichlorodifluoromethane	ug/kg	<21.7	72.0	08/21/20 09:06	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: 20-697 BANK FIRST MICHIGAN AVE
Pace Project No.: 40213099

METHOD BLANK: 2100563 Matrix: Solid
Associated Lab Samples: 40213099006, 40213099007, 40213099008, 40213099009, 40213099010, 40213099011, 40213099012, 40213099013, 40213099014, 40213099015

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
Diisopropyl ether	ug/kg	<14.0	50.0	08/21/20 09:06	
Ethylbenzene	ug/kg	<14.5	50.0	08/21/20 09:06	
Hexachloro-1,3-butadiene	ug/kg	<68.7	229	08/21/20 09:06	
Isopropylbenzene (Cumene)	ug/kg	<17.7	59.0	08/21/20 09:06	
m&p-Xylene	ug/kg	<32.4	108	08/21/20 09:06	
Methyl-tert-butyl ether	ug/kg	<16.2	54.0	08/21/20 09:06	
Methylene Chloride	ug/kg	<26.3	88.0	08/21/20 09:06	
n-Butylbenzene	ug/kg	<30.0	100	08/21/20 09:06	
n-Propylbenzene	ug/kg	<17.8	59.0	08/21/20 09:06	
Naphthalene	ug/kg	<27.3	91.0	08/21/20 09:06	
o-Xylene	ug/kg	<18.1	60.0	08/21/20 09:06	
p-Isopropyltoluene	ug/kg	<21.7	72.0	08/21/20 09:06	
sec-Butylbenzene	ug/kg	<21.5	72.0	08/21/20 09:06	
Styrene	ug/kg	<12.3	50.0	08/21/20 09:06	
tert-Butylbenzene	ug/kg	<18.7	62.0	08/21/20 09:06	
Tetrachloroethene	ug/kg	<38.7	129	08/21/20 09:06	
Toluene	ug/kg	<13.1	50.0	08/21/20 09:06	
trans-1,2-Dichloroethene	ug/kg	<20.2	67.0	08/21/20 09:06	
trans-1,3-Dichloropropene	ug/kg	<22.2	74.0	08/21/20 09:06	
Trichloroethene	ug/kg	<12.8	50.0	08/21/20 09:06	
Trichlorofluoromethane	ug/kg	<19.6	65.0	08/21/20 09:06	
Vinyl chloride	ug/kg	<14.5	50.0	08/21/20 09:06	
Xylene (Total)	ug/kg	<50.5	168	08/21/20 09:06	
4-Bromofluorobenzene (S)	%	86	52-137	08/21/20 09:06	
Dibromofluoromethane (S)	%	93	58-145	08/21/20 09:06	
Toluene-d8 (S)	%	94	56-140	08/21/20 09:06	

LABORATORY CONTROL SAMPLE: 2100564

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
1,1,1-Trichloroethane	ug/kg	2500	2720	109	70-130	
1,1,2,2-Tetrachloroethane	ug/kg	2500	2770	111	70-130	
1,1,2-Trichloroethane	ug/kg	2500	2530	101	70-130	
1,1-Dichloroethane	ug/kg	2500	2630	105	69-143	
1,1-Dichloroethene	ug/kg	2500	2380	95	73-118	
1,2,4-Trichlorobenzene	ug/kg	2500	2730	109	60-130	
1,2-Dibromo-3-chloropropane	ug/kg	2500	2700	108	66-130	
1,2-Dibromoethane (EDB)	ug/kg	2500	2560	102	70-130	
1,2-Dichlorobenzene	ug/kg	2500	2530	101	70-130	
1,2-Dichloroethane	ug/kg	2500	2710	108	70-130	
1,2-Dichloropropane	ug/kg	2500	2730	109	78-126	
1,3-Dichlorobenzene	ug/kg	2500	2540	102	70-130	
1,4-Dichlorobenzene	ug/kg	2500	2370	95	70-130	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: 20-697 BANK FIRST MICHIGAN AVE
Pace Project No.: 40213099

LABORATORY CONTROL SAMPLE: 2100564

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Benzene	ug/kg	2500	2400	96	70-130	
Bromodichloromethane	ug/kg	2500	2710	108	70-130	
Bromoform	ug/kg	2500	2190	88	67-130	
Bromomethane	ug/kg	2500	1400	56	45-134	
Carbon tetrachloride	ug/kg	2500	2710	109	70-130	
Chlorobenzene	ug/kg	2500	2480	99	70-130	
Chloroethane	ug/kg	2500	1460	58	58-143	
Chloroform	ug/kg	2500	2630	105	76-122	
Chloromethane	ug/kg	2500	2250	90	45-120	
cis-1,2-Dichloroethene	ug/kg	2500	2380	95	69-130	
cis-1,3-Dichloropropene	ug/kg	2500	2450	98	70-130	
Dibromochloromethane	ug/kg	2500	2430	97	70-130	
Dichlorodifluoromethane	ug/kg	2500	1960	78	26-99	
Ethylbenzene	ug/kg	2500	2610	104	80-120	
Isopropylbenzene (Cumene)	ug/kg	2500	2570	103	70-130	
m&p-Xylene	ug/kg	5000	4840	97	70-130	
Methyl-tert-butyl ether	ug/kg	2500	2680	107	70-130	
Methylene Chloride	ug/kg	2500	2360	95	70-130	
o-Xylene	ug/kg	2500	2530	101	70-130	
Styrene	ug/kg	2500	2340	94	70-130	
Tetrachloroethene	ug/kg	2500	2620	105	70-130	
Toluene	ug/kg	2500	2490	100	80-120	
trans-1,2-Dichloroethene	ug/kg	2500	2720	109	70-130	
trans-1,3-Dichloropropene	ug/kg	2500	2440	98	70-130	
Trichloroethene	ug/kg	2500	2720	109	70-130	
Trichlorofluoromethane	ug/kg	2500	2170	87	70-128	
Vinyl chloride	ug/kg	2500	2330	93	53-110	
Xylene (Total)	ug/kg	7500	7360	98	70-130	
4-Bromofluorobenzene (S)	%			103	52-137	
Dibromofluoromethane (S)	%			103	58-145	
Toluene-d8 (S)	%			101	56-140	

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 2100565 2100566

Parameter	Units	MS		MSD		MS Result	MSD Result	MS % Rec	MSD % Rec	% Rec Limits	RPD	Max RPD	Qual
		10528530006 Result	Spike Conc.	Spike Conc.	Conc.								
1,1,1-Trichloroethane	ug/kg	ND	1540	1540	1530	1590	100	104	66-130	4	20		
1,1,2,2-Tetrachloroethane	ug/kg	ND	1540	1540	1800	1880	117	122	70-133	4	20		
1,1,2-Trichloroethane	ug/kg	ND	1540	1540	1430	1500	93	98	70-130	5	20		
1,1-Dichloroethane	ug/kg	ND	1540	1540	1700	1750	111	114	69-143	3	20		
1,1-Dichloroethene	ug/kg	ND	1540	1540	1380	1400	90	91	58-120	1	20		
1,2,4-Trichlorobenzene	ug/kg	ND	1540	1540	1740	1680	114	110	60-130	4	20		
1,2-Dibromo-3-chloropropane	ug/kg	ND	1540	1540	1820	1710	118	111	59-136	6	20		
1,2-Dibromoethane (EDB)	ug/kg	ND	1540	1540	1390	1420	91	92	70-130	2	20		

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: 20-697 BANK FIRST MICHIGAN AVE

Peace Project No.: 40213099

Parameter	Units	2100565		2100566		MS Result	MSD Result	MS % Rec	MSD % Rec	% Rec Limits	RPD	Max RPD	Qual
		10528530006 Result	MS Spike Conc.	MSD Spike Conc.	MS Result								
1,2-Dichlorobenzene	ug/kg	ND	1540	1540	1460	1500	95	98	70-130	3	20		
1,2-Dichloroethane	ug/kg	ND	1540	1540	1500	1590	98	103	70-136	6	20		
1,2-Dichloropropane	ug/kg	ND	1540	1540	1570	1590	102	103	78-128	1	20		
1,3-Dichlorobenzene	ug/kg	ND	1540	1540	1410	1510	92	99	70-130	7	20		
1,4-Dichlorobenzene	ug/kg	ND	1540	1540	1340	1380	87	90	70-130	3	20		
Benzene	ug/kg	ND	1540	1540	1380	1450	90	95	70-130	5	20		
Bromodichloromethane	ug/kg	ND	1540	1540	1480	1510	96	99	70-130	3	20		
Bromoform	ug/kg	ND	1540	1540	1370	1400	89	91	63-130	2	20		
Bromomethane	ug/kg	ND	1540	1540	853	904	56	59	33-146	6	20		
Carbon tetrachloride	ug/kg	ND	1540	1540	1530	1700	100	111	65-130	11	20		
Chlorobenzene	ug/kg	ND	1540	1540	1370	1450	89	94	70-130	5	20		
Chloroethane	ug/kg	ND	1540	1540	696	692	45	45	46-156	1	20	M1	
Chloroform	ug/kg	ND	1540	1540	1630	1540	106	100	75-130	6	20		
Chloromethane	ug/kg	ND	1540	1540	1230	1260	80	82	20-139	3	20		
cis-1,2-Dichloroethene	ug/kg	ND	1540	1540	1360	1480	89	96	69-130	8	20		
cis-1,3-Dichloropropene	ug/kg	ND	1540	1540	1410	1480	92	96	70-130	5	20		
Dibromochloromethane	ug/kg	ND	1540	1540	1490	1500	97	98	70-130	1	20		
Dichlorodifluoromethane	ug/kg	ND	1540	1540	825	811	54	53	10-99	2	22		
Ethylbenzene	ug/kg	ND	1540	1540	1430	1480	93	96	80-120	4	20		
Isopropylbenzene (Cumene)	ug/kg	ND	1540	1540	1430	1480	93	96	70-130	4	20		
m&p-Xylene	ug/kg	ND	3070	3070	2630	2740	86	89	70-130	4	20		
Methyl-tert-butyl ether	ug/kg	ND	1540	1540	1470	1630	96	106	70-130	10	20		
Methylene Chloride	ug/kg	ND	1540	1540	1320	1510	86	98	70-136	13	20		
o-Xylene	ug/kg	ND	1540	1540	1370	1410	89	92	70-130	3	20		
Styrene	ug/kg	ND	1540	1540	1330	1340	86	87	70-130	1	20		
Tetrachloroethene	ug/kg	ND	1540	1540	1450	1520	95	99	68-130	4	20		
Toluene	ug/kg	ND	1540	1540	1380	1430	90	93	80-120	4	20		
trans-1,2-Dichloroethene	ug/kg	ND	1540	1540	1590	1640	103	107	70-130	3	20		
trans-1,3-Dichloropropene	ug/kg	ND	1540	1540	1410	1450	92	95	70-130	3	20		
Trichloroethene	ug/kg	ND	1540	1540	1510	1570	99	102	70-130	4	20		
Trichlorofluoromethane	ug/kg	ND	1540	1540	1230	1230	80	80	53-128	1	20		
Vinyl chloride	ug/kg	ND	1540	1540	1300	1380	85	90	32-118	6	20		
Xylene (Total)	ug/kg	ND	4610	4610	4000	4150	87	90	70-130	4	20		
4-Bromofluorobenzene (S)	%						93	94	52-137				
Dibromofluoromethane (S)	%						99	103	58-145				
Toluene-d8 (S)	%						92	98	56-140				

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: 20-697 BANK FIRST MICHIGAN AVE
Pace Project No.: 40213099

QC Batch: 363291 Analysis Method: EPA 8260
QC Batch Method: EPA 8260 Analysis Description: 8260 MSV
Laboratory: Pace Analytical Services - Green Bay

Associated Lab Samples: 40213099001, 40213099002, 40213099003, 40213099004, 40213099005

METHOD BLANK: 2100014 Matrix: Water
Associated Lab Samples: 40213099001, 40213099002, 40213099003, 40213099004, 40213099005

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
1,1,1,2-Tetrachloroethane	ug/L	<0.27	1.0	08/19/20 07:53	
1,1,1-Trichloroethane	ug/L	<0.24	1.0	08/19/20 07:53	
1,1,2,2-Tetrachloroethane	ug/L	<0.28	1.0	08/19/20 07:53	
1,1,2-Trichloroethane	ug/L	<0.55	5.0	08/19/20 07:53	
1,1-Dichloroethane	ug/L	<0.27	1.0	08/19/20 07:53	
1,1-Dichloroethene	ug/L	<0.24	1.0	08/19/20 07:53	
1,1-Dichloropropene	ug/L	<0.54	1.8	08/19/20 07:53	
1,2,3-Trichlorobenzene	ug/L	<2.2	7.4	08/19/20 07:53	
1,2,3-Trichloropropane	ug/L	<0.59	5.0	08/19/20 07:53	
1,2,4-Trichlorobenzene	ug/L	<0.95	5.0	08/19/20 07:53	
1,2,4-Trimethylbenzene	ug/L	<0.84	2.8	08/19/20 07:53	
1,2-Dibromo-3-chloropropane	ug/L	<1.8	5.9	08/19/20 07:53	
1,2-Dibromoethane (EDB)	ug/L	<0.83	2.8	08/19/20 07:53	
1,2-Dichlorobenzene	ug/L	<0.71	2.4	08/19/20 07:53	
1,2-Dichloroethane	ug/L	<0.28	1.0	08/19/20 07:53	
1,2-Dichloropropane	ug/L	<0.28	1.0	08/19/20 07:53	
1,3,5-Trimethylbenzene	ug/L	<0.87	2.9	08/19/20 07:53	
1,3-Dichlorobenzene	ug/L	<0.63	2.1	08/19/20 07:53	
1,3-Dichloropropane	ug/L	<0.83	2.8	08/19/20 07:53	
1,4-Dichlorobenzene	ug/L	<0.94	3.1	08/19/20 07:53	
2,2-Dichloropropane	ug/L	<2.3	7.6	08/19/20 07:53	
2-Chlorotoluene	ug/L	<0.93	5.0	08/19/20 07:53	
4-Chlorotoluene	ug/L	<0.76	2.5	08/19/20 07:53	
Benzene	ug/L	<0.25	1.0	08/19/20 07:53	
Bromobenzene	ug/L	<0.24	1.0	08/19/20 07:53	
Bromochloromethane	ug/L	<0.36	5.0	08/19/20 07:53	
Bromodichloromethane	ug/L	<0.36	1.2	08/19/20 07:53	
Bromoform	ug/L	<4.0	13.2	08/19/20 07:53	
Bromomethane	ug/L	<0.97	5.0	08/19/20 07:53	
Carbon tetrachloride	ug/L	<1.1	3.6	08/19/20 07:53	
Chlorobenzene	ug/L	<0.71	2.4	08/19/20 07:53	
Chloroethane	ug/L	<1.3	5.0	08/19/20 07:53	
Chloroform	ug/L	<1.3	5.0	08/19/20 07:53	
Chloromethane	ug/L	<2.2	7.3	08/19/20 07:53	
cis-1,2-Dichloroethene	ug/L	<0.27	1.0	08/19/20 07:53	
cis-1,3-Dichloropropene	ug/L	<3.6	12.1	08/19/20 07:53	
Dibromochloromethane	ug/L	<2.6	8.7	08/19/20 07:53	
Dibromomethane	ug/L	<0.94	3.1	08/19/20 07:53	
Dichlorodifluoromethane	ug/L	<0.50	5.0	08/19/20 07:53	
Diisopropyl ether	ug/L	<1.9	6.3	08/19/20 07:53	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: 20-697 BANK FIRST MICHIGAN AVE

Pace Project No.: 40213099

METHOD BLANK: 2100014

Matrix: Water

Associated Lab Samples: 40213099001, 40213099002, 40213099003, 40213099004, 40213099005

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
Ethylbenzene	ug/L	<0.32	1.1	08/19/20 07:53	
Hexachloro-1,3-butadiene	ug/L	1.8J	4.9	08/19/20 07:53	
Isopropylbenzene (Cumene)	ug/L	<1.7	5.6	08/19/20 07:53	
m&p-Xylene	ug/L	<0.47	2.0	08/19/20 07:53	
Methyl-tert-butyl ether	ug/L	<1.2	4.2	08/19/20 07:53	
Methylene Chloride	ug/L	<0.58	5.0	08/19/20 07:53	
n-Butylbenzene	ug/L	<0.71	2.4	08/19/20 07:53	
n-Propylbenzene	ug/L	<0.81	5.0	08/19/20 07:53	
Naphthalene	ug/L	<1.2	5.0	08/19/20 07:53	
o-Xylene	ug/L	<0.26	1.0	08/19/20 07:53	
p-Isopropyltoluene	ug/L	<0.80	2.7	08/19/20 07:53	
sec-Butylbenzene	ug/L	<0.85	5.0	08/19/20 07:53	
Styrene	ug/L	<3.0	10.0	08/19/20 07:53	
tert-Butylbenzene	ug/L	<0.30	1.0	08/19/20 07:53	
Tetrachloroethene	ug/L	<0.33	1.1	08/19/20 07:53	
Toluene	ug/L	<0.27	1.0	08/19/20 07:53	
trans-1,2-Dichloroethene	ug/L	<0.46	1.5	08/19/20 07:53	
trans-1,3-Dichloropropene	ug/L	<4.4	14.6	08/19/20 07:53	
Trichloroethene	ug/L	<0.26	1.0	08/19/20 07:53	
Trichlorofluoromethane	ug/L	<0.21	1.0	08/19/20 07:53	
Vinyl chloride	ug/L	<0.17	1.0	08/19/20 07:53	
Xylene (Total)	ug/L	<1.5	3.0	08/19/20 07:53	
4-Bromofluorobenzene (S)	%	103	70-130	08/19/20 07:53	
Dibromofluoromethane (S)	%	103	70-130	08/19/20 07:53	
Toluene-d8 (S)	%	101	70-130	08/19/20 07:53	

LABORATORY CONTROL SAMPLE: 2100015

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
1,1,1-Trichloroethane	ug/L	50	46.5	93	70-130	
1,1,2,2-Tetrachloroethane	ug/L	50	51.1	102	64-131	
1,1,2-Trichloroethane	ug/L	50	51.1	102	70-130	
1,1-Dichloroethane	ug/L	50	53.2	106	69-163	
1,1-Dichloroethene	ug/L	50	49.6	99	77-123	
1,2,4-Trichlorobenzene	ug/L	50	47.9	96	68-130	
1,2-Dibromo-3-chloropropane	ug/L	50	36.0	72	63-130	
1,2-Dibromoethane (EDB)	ug/L	50	48.2	96	70-130	
1,2-Dichlorobenzene	ug/L	50	50.2	100	70-130	
1,2-Dichloroethane	ug/L	50	51.9	104	78-142	
1,2-Dichloropropane	ug/L	50	52.0	104	86-134	
1,3-Dichlorobenzene	ug/L	50	50.7	101	70-130	
1,4-Dichlorobenzene	ug/L	50	50.0	100	70-130	
Benzene	ug/L	50	51.8	104	70-130	
Bromodichloromethane	ug/L	50	49.5	99	70-130	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: 20-697 BANK FIRST MICHIGAN AVE

Pace Project No.: 40213099

LABORATORY CONTROL SAMPLE: 2100015

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Bromoform	ug/L	50	44.6	89	70-130	
Bromomethane	ug/L	50	40.3	81	39-129	
Carbon tetrachloride	ug/L	50	42.3	85	70-132	
Chlorobenzene	ug/L	50	51.3	103	70-130	
Chloroethane	ug/L	50	50.2	100	66-140	
Chloroform	ug/L	50	53.4	107	75-132	
Chloromethane	ug/L	50	40.7	81	32-143	
cis-1,2-Dichloroethene	ug/L	50	50.8	102	70-130	
cis-1,3-Dichloropropene	ug/L	50	45.7	91	70-130	
Dibromochloromethane	ug/L	50	44.4	89	70-130	
Dichlorodifluoromethane	ug/L	50	36.8	74	10-141	
Ethylbenzene	ug/L	50	51.8	104	80-120	
Isopropylbenzene (Cumene)	ug/L	50	49.5	99	70-130	
m&p-Xylene	ug/L	100	100	100	70-130	
Methyl-tert-butyl ether	ug/L	50	46.5	93	61-129	
Methylene Chloride	ug/L	50	51.8	104	70-130	
o-Xylene	ug/L	50	49.5	99	70-130	
Styrene	ug/L	50	50.3	101	70-130	
Tetrachloroethene	ug/L	50	49.9	100	70-130	
Toluene	ug/L	50	49.8	100	80-120	
trans-1,2-Dichloroethene	ug/L	50	51.0	102	70-130	
trans-1,3-Dichloropropene	ug/L	50	40.6	81	69-130	
Trichloroethene	ug/L	50	53.1	106	70-130	
Trichlorofluoromethane	ug/L	50	52.3	105	75-145	
Vinyl chloride	ug/L	50	47.6	95	51-140	
Xylene (Total)	ug/L	150	150	100	70-130	
4-Bromofluorobenzene (S)	%			102	70-130	
Dibromofluoromethane (S)	%			105	70-130	
Toluene-d8 (S)	%			100	70-130	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: 20-697 BANK FIRST MICHIGAN AVE

Pace Project No.: 40213099

QC Batch: 363478

Analysis Method: ASTM D2974-87

QC Batch Method: ASTM D2974-87

Analysis Description: Dry Weight/Percent Moisture

Laboratory: Pace Analytical Services - Green Bay

Associated Lab Samples: 40213099006, 40213099007

SAMPLE DUPLICATE: 2100908

Parameter	Units	40213216001 Result	Dup Result	RPD	Max RPD	Qualifiers
Percent Moisture	%	4.7	4.7	0	10	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: 20-697 BANK FIRST MICHIGAN AVE

Pace Project No.: 40213099

QC Batch:	363483	Analysis Method:	ASTM D2974-87
QC Batch Method:	ASTM D2974-87	Analysis Description:	Dry Weight/Percent Moisture
		Laboratory:	Pace Analytical Services - Green Bay

Associated Lab Samples: 40213099008, 40213099009, 40213099010, 40213099011, 40213099012, 40213099013, 40213099014, 40213099015

SAMPLE DUPLICATE: 2101049

Parameter	Units	40213117002 Result	Dup Result	RPD	Max RPD	Qualifiers
Percent Moisture	%	14.1	14.3	1	10	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALIFIERS

Project: 20-697 BANK FIRST MICHIGAN AVE

Pace Project No.: 40213099

DEFINITIONS

DF - Dilution Factor, if reported, represents the factor applied to the reported data due to dilution of the sample aliquot.

ND - Not Detected at or above LOD.

J - Estimated concentration at or above the LOD and below the LOQ.

LOD - Limit of Detection adjusted for dilution factor, percent moisture, initial weight and final volume.

LOQ - Limit of Quantitation adjusted for dilution factor, percent moisture, initial weight and final volume.

S - Surrogate

1,2-Diphenylhydrazine decomposes to and cannot be separated from Azobenzene using Method 8270. The result for each analyte is a combined concentration.

Consistent with EPA guidelines, unrounded data are displayed and have been used to calculate % recovery and RPD values.

LCS(D) - Laboratory Control Sample (Duplicate)

MS(D) - Matrix Spike (Duplicate)

DUP - Sample Duplicate

RPD - Relative Percent Difference

NC - Not Calculable.

SG - Silica Gel - Clean-Up

U - Indicates the compound was analyzed for, but not detected at or above the adjusted LOD.

N-Nitrosodiphenylamine decomposes and cannot be separated from Diphenylamine using Method 8270. The result reported for each analyte is a combined concentration.

Pace Analytical is TNI accredited. Contact your Pace PM for the current list of accredited analytes.

TNI - The NELAC Institute.

ANALYTE QUALIFIERS

- | | |
|----|---|
| 1q | Results are from sample aliquot taken from a 4oz plastic jar with head space and preserved with MeOH in the laboratory. |
| HS | Results are from sample aliquot taken from VOA vial with headspace (air bubble greater than 6 mm diameter). |
| M1 | Matrix spike recovery exceeded QC limits. Batch accepted based on laboratory control sample (LCS) recovery. |
| P4 | Sample field preservation does not meet EPA or method recommendations for this analysis. |
| S3 | Surrogate recovery exceeded laboratory control limits. Analyte presence below reporting limits in associated sample. |
| W | Non-detect results are reported on a wet weight basis. |

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA CROSS REFERENCE TABLE

Project: 20-697 BANK FIRST MICHIGAN AVE

Pace Project No.: 40213099

Lab ID	Sample ID	QC Batch Method	QC Batch	Analytical Method	Analytical Batch
40213099006	GP-1 2-4'	EPA 5035/5030B	363418	EPA 8260	363420
40213099007	GP-1 14-16'	EPA 5035/5030B	363418	EPA 8260	363420
40213099008	GP-2 2-4'	EPA 5035/5030B	363418	EPA 8260	363420
40213099009	GP-2 14-16'	EPA 5035/5030B	363418	EPA 8260	363420
40213099010	GP-3 2-4'	EPA 5035/5030B	363418	EPA 8260	363420
40213099011	GP-3 14-16'	EPA 5035/5030B	363418	EPA 8260	363420
40213099012	GP-4 2-4'	EPA 5035/5030B	363418	EPA 8260	363420
40213099013	GP-4 14-16'	EPA 5035/5030B	363418	EPA 8260	363420
40213099014	GP-5 0-1'	EPA 5035/5030B	363418	EPA 8260	363420
40213099015	GP-6 0-0.5'	EPA 5035/5030B	363418	EPA 8260	363420
40213099001	GP-1	EPA 8260	363291		
40213099002	GP-2	EPA 8260	363291		
40213099003	GP-3	EPA 8260	363291		
40213099004	GP-4	EPA 8260	363291		
40213099005	TRIP BLANK	EPA 8260	363291		
40213099006	GP-1 2-4'	ASTM D2974-87	363478		
40213099007	GP-1 14-16'	ASTM D2974-87	363478		
40213099008	GP-2 2-4'	ASTM D2974-87	363483		
40213099009	GP-2 14-16'	ASTM D2974-87	363483		
40213099010	GP-3 2-4'	ASTM D2974-87	363483		
40213099011	GP-3 14-16'	ASTM D2974-87	363483		
40213099012	GP-4 2-4'	ASTM D2974-87	363483		
40213099013	GP-4 14-16'	ASTM D2974-87	363483		
40213099014	GP-5 0-1'	ASTM D2974-87	363483		
40213099015	GP-6 0-0.5'	ASTM D2974-87	363483		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Sample Preservation Receipt Form

Client Name: Fehr Graham

Project # 40213099

All containers needing preservation have been checked and noted below: Yes No N/A

Initial when completed:

Date/Time:


Lab Lot# of pH paper:

Lab Std #ID of preservation (if pH adjusted):

Pace Lab #	Glass							Plastic					Vials				Jars				General			VOA Vials (>6mm) *	H2SO4 pH ≤2	NaOH+Zn Act pH ≥9	NaOH pH ≥12	HNO3 pH ≤2	pH after adjusted	Volume (mL)					
	AG1U	BG1U	AG1H	AG4S	AG4U	AG5U	AG2S	BG3U	BP1U	BP3U	BP3B	BP3N	BP3S	VG9A	DG9T	VG9U	VG9H	VG9M	VG9D	JGFU	JG9U	WGFU	WPFU								SP5T	ZPLC	GN		
001																3																			2.5 / 5 / 10
002																3																			2.5 / 5 / 10
003																3																			2.5 / 5 / 10
004																3																			2.5 / 5 / 10
005																1																			2.5 / 5 / 10
006																																			2.5 / 5 / 10
007																																			2.5 / 5 / 10
008																																			2.5 / 5 / 10
009																																			2.5 / 5 / 10
010																																			2.5 / 5 / 10
011																																			2.5 / 5 / 10
012																																			2.5 / 5 / 10
013																																			2.5 / 5 / 10
014																																			2.5 / 5 / 10
015																																			2.5 / 5 / 10
016																																			2.5 / 5 / 10
017																																			2.5 / 5 / 10
018																																			2.5 / 5 / 10
019																																			2.5 / 5 / 10
020																																			2.5 / 5 / 10

Exceptions to preservation check: VOA, Coliform, TOC, TOX, TOH, O&G, WI DRO, Phenolics, Other: _____ Headspace in VOA Vials (>6mm) : Yes No N/A *If yes look in headspace column

AG1U 1 liter amber glass	BP1U 1 liter plastic unpres	VG9A 40 mL clear ascorbic	JGFU 4 oz amber jar unpres
BG1U 1 liter clear glass	BP3U 250 mL plastic unpres	DG9T 40 mL amber Na Thio	JG9U 9 oz amber jar unpres
AG1H 1 liter amber glass HCL	BP3B 250 mL plastic NaOH	VG9U 40 mL clear vial unpres	WGFU 4 oz clear jar unpres
AG4S 125 mL amber glass H2SO4	BP3N 250 mL plastic HNO3	VG9H 40 mL clear vial HCL	WPFU 4 oz plastic jar unpres
AG4U 120 mL amber glass unpres	BP3S 250 mL plastic H2SO4	VG9M 40 mL clear vial MeOH	SP5T 120 mL plastic Na Thiosulfate
AG5U 100 mL amber glass unpres		VG9D 40 mL clear vial DI	ZPLC ziploc bag
AG2S 500 mL amber glass H2SO4			GN
BG3U 250 mL clear glass unpres			

 1241 Bellevue Street, Green Bay, WI 54302	Document Name: Sample Condition Upon Receipt (SCUR)	Document Revised: 26Mar2020
	Document No.: ENV-FRM-GBAY-0014-Rev.00	Author: Pace Green Bay Quality Office

Sample Condition Upon Receipt Form (SCUR)

Client Name: Fehr Graham

Project **WO# : 40213099**

Courier: CS Logistics Fed Ex Speedee UPS Walco
 Client Pace Other: _____



Tracking #: _____
 Custody Seal on Cooler/Box Present: yes no Seals intact: yes no
 Custody Seal on Samples Present: yes no Seals intact: yes no
 Packing Material: Bubble Wrap Bubble Bags None Other
 Thermometer Used SR - N/A Type of Ice: Wet Blue Dry None Samples on ice, cooling process has begun
 Cooler Temperature Uncorr: ROT /Corr: _____
 Temp Blank Present: yes no Biological Tissue is Frozen: yes no

Person examining contents:
 Date: 8/18/20 Initials: SRK
 Labeled By Initials: SMW

Temp should be above freezing to 6°C.
 Biota Samples may be received at ≤ 0°C if shipped on Dry Ice.

Chain of Custody Present:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	1.
Chain of Custody Filled Out:	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A	2. <u>Invoice to phone</u>
Chain of Custody Relinquished:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	3.
Sampler Name & Signature on COC:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	4.
Samples Arrived within Hold Time:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	5.
- VOA Samples frozen upon receipt	<input type="checkbox"/> Yes <input type="checkbox"/> No	Date/Time:
Short Hold Time Analysis (<72hr):	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	6.
Rush Turn Around Time Requested:	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	7.
Sufficient Volume:		8.
For Analysis: <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No MS/MSD: <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A		
Correct Containers Used:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	9.
-Pace Containers Used:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	
-Pace IR Containers Used:	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	
Containers Intact:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	10.
Filtered volume received for Dissolved tests	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	11.
Sample Labels match COC:	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A	12. <u>WPFUs have no date/time</u>
-Includes date/time/ID/Analysis Matrix: <u>w/s</u>		<u>8/18/20 SRK</u>
Trip Blank Present:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	13.
Trip Blank Custody Seals Present	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	
Pace Trip Blank Lot # (if purchased): <u>441 / B001501VB</u>		

Client Notification/ Resolution: _____ If checked, see attached form for additional comments
 Person Contacted: Dillon Plamann Date/Time: 8/19/20

Comments/ Resolution: _____
 Insufficient methanol available for VOC analysis in samples GP-2 2-4' and 14-16'. Client approved lab to subsample from plastic jar. 8/19/20 CDH

PM Review is documented electronically in LIMs. By releasing the project, the PM acknowledges they have reviewed the sample logir

FEHR GRAHAM
ENGINEERING & ENVIRONMENTAL

www.fehr-graham.com