




GRATS - 02-41-298106
 FID 041170270

Received DNRISER
 10/24/08

ACTION: 43
 COMMENT: DATA PACKET REC'D



| LEGEND | |
|--------|-----------------------------------|
| | = GEOPROBE BORING LOCATION |
| | = MONITORING WELL LOCATION |
| | = UTILITY POLE |
| | = OVERHEAD UTILITY LINE |
| | = UNDERGROUND GAS LINE |
| | = UNDERGROUND SANITARY SEWER LINE |
| | = UNDERGROUND WATER LINE |
| | = PROPERTY LINE |



| | | | |
|-----------------------------------|-------------|---------------|-----------------------------|
| FRITZKE PROPERTY MILWAUKEE, WI | | | ENVIRONMENTAL SERVICES INC. |
| DATE: 2-2-04 | DR. BY: BEB | DR.# 7029-009 | SCALE: 1" = 30' |
| GEOPROBE BORING LOCATION MAP | | | FIGURE 1 |

PERFORMED ON 7-22-02. BY SURVEYING ASSOCIATES, INC.

March 03, 2006

Client: United Engineering Consultants
10617 W. Oklahoma Avenue; #L2
West Allis, WI 53227

Work Order: WPB0800
Project Name: Colony
Project Number: 04026

Attn: Mr. Timothy Anderson

Date Received: 02/23/06

An executed copy of the chain of custody is also included as an addendum to this report.

If you have any questions relating to this analytical report, please contact your Laboratory Project Manager at 1-800-833-7036

| SAMPLE IDENTIFICATION | LAB NUMBER | COLLECTION DATE AND TIME |
|-----------------------|------------|--------------------------|
| B-15 7-8' | WPB0800-01 | 02/21/06 10:15 |
| B-15 12-13' | WPB0800-02 | 02/21/06 10:30 |
| B-16 5-6' | WPB0800-03 | 02/21/06 11:00 |
| B-16 10-12' | WPB0800-04 | 02/21/06 11:15 |


Samples were received into laboratory at a temperature of 4 °C.

Wisconsin Certification Number: 128053530, DATCP #266

The Chain of Custody, 1 page, is included and is an integral part of this report.

Unless subcontracted, volatiles analyses (including VOC, PVOC, GRO, BTEX, and TPH gasoline) performed by TestAmerica Watertown at 1101 Industrial Drive, Units 9&10. All other analyses performed at the address shown in the heading of this report.

Approved By:



TestAmerica Analytical - Watertown
Brian DeJong For Warren L. Topel
Project Manager

United Engineering Consultants
 10617 W. Oklahoma Avenue; #L2
 West Allis, WI 53227
 Mr. Timothy Anderson

Work Order: WPB0800
 Project: Colony
 Project Number: 04026

Received: 02/23/06
 Reported: 03/03/06 10:14

ANALYTICAL REPORT

| Analyte | Sample Result | Data Qualifiers | Units | MRL | Dilution Factor | Date Analyzed | Seq/ Analyst Batch | Method |
|-------------------------------------------------------|---------------|-----------------|-----------|-----|-----------------|--------------------------------|--------------------|----------|
| Sample ID: WPB0800-01 (B-15 7-8' - Solid/Soil) | | | | | | Sampled: 02/21/06 10:15 | | |
| General Chemistry Parameters | | | | | | | | |
| % Solids | 88 | | % | NA | 1 | 02/24/06 23:59 | ecl 6020655 | SW 5035 |
| VOCs by SW8260B | | | | | | | | |
| Benzene | <29 | | ug/kg dry | 25 | 1 | 03/01/06 17:48 | LG 6030011 | SW 8260B |
| Bromobenzene | <29 | | ug/kg dry | 25 | 1 | 03/01/06 17:48 | LG 6030011 | SW 8260B |
| Bromochloromethane | <40 | | ug/kg dry | 35 | 1 | 03/01/06 17:48 | LG 6030011 | SW 8260B |
| Bromodichloromethane | <29 | | ug/kg dry | 25 | 1 | 03/01/06 17:48 | LG 6030011 | SW 8260B |
| Bromoform | <57 | | ug/kg dry | 50 | 1 | 03/01/06 17:48 | LG 6030011 | SW 8260B |
| Bromomethane | <110 | | ug/kg dry | 100 | 1 | 03/01/06 17:48 | LG 6030011 | SW 8260B |
| n-Butylbenzene | <29 | | ug/kg dry | 25 | 1 | 03/01/06 17:48 | LG 6030011 | SW 8260B |
| sec-Butylbenzene | <29 | | ug/kg dry | 25 | 1 | 03/01/06 17:48 | LG 6030011 | SW 8260B |
| tert-Butylbenzene | <29 | | ug/kg dry | 25 | 1 | 03/01/06 17:48 | LG 6030011 | SW 8260B |
| Carbon Tetrachloride | <29 | | ug/kg dry | 25 | 1 | 03/01/06 17:48 | LG 6030011 | SW 8260B |
| Chlorobenzene | <29 | | ug/kg dry | 25 | 1 | 03/01/06 17:48 | LG 6030011 | SW 8260B |
| Chlorodibromomethane | <29 | | ug/kg dry | 25 | 1 | 03/01/06 17:48 | LG 6030011 | SW 8260B |
| Chloroethane | <57 | | ug/kg dry | 50 | 1 | 03/01/06 17:48 | LG 6030011 | SW 8260B |
| Chloroform | <29 | | ug/kg dry | 25 | 1 | 03/01/06 17:48 | LG 6030011 | SW 8260B |
| Chloromethane | <57 | | ug/kg dry | 50 | 1 | 03/01/06 17:48 | LG 6030011 | SW 8260B |
| 2-Chlorotoluene | <57 | | ug/kg dry | 50 | 1 | 03/01/06 17:48 | LG 6030011 | SW 8260B |
| 4-Chlorotoluene | <29 | | ug/kg dry | 25 | 1 | 03/01/06 17:48 | LG 6030011 | SW 8260B |
| 1,2-Dibromo-3-chloropropane | <57 | | ug/kg dry | 50 | 1 | 03/01/06 17:48 | LG 6030011 | SW 8260B |
| 1,2-Dibromoethane (EDB) | <29 | | ug/kg dry | 25 | 1 | 03/01/06 17:48 | LG 6030011 | SW 8260B |
| Dibromomethane | <29 | | ug/kg dry | 25 | 1 | 03/01/06 17:48 | LG 6030011 | SW 8260B |
| 1,2-Dichlorobenzene | <34 | | ug/kg dry | 30 | 1 | 03/01/06 17:48 | LG 6030011 | SW 8260B |
| 1,3-Dichlorobenzene | <29 | | ug/kg dry | 25 | 1 | 03/01/06 17:48 | LG 6030011 | SW 8260B |
| 1,4-Dichlorobenzene | <29 | | ug/kg dry | 25 | 1 | 03/01/06 17:48 | LG 6030011 | SW 8260B |
| Dichlorodifluoromethane | <57 | | ug/kg dry | 50 | 1 | 03/01/06 17:48 | LG 6030011 | SW 8260B |
| 1,1-Dichloroethane | <29 | | ug/kg dry | 25 | 1 | 03/01/06 17:48 | LG 6030011 | SW 8260B |
| 1,2-Dichloroethane | <29 | | ug/kg dry | 25 | 1 | 03/01/06 17:48 | LG 6030011 | SW 8260B |
| 1,1-Dichloroethene | <29 | | ug/kg dry | 25 | 1 | 03/01/06 17:48 | LG 6030011 | SW 8260B |
| cis-1,2-Dichloroethene | 200 | | ug/kg dry | 25 | 1 | 03/01/06 17:48 | LG 6030011 | SW 8260B |
| trans-1,2-Dichloroethene | 170 | | ug/kg dry | 25 | 1 | 03/01/06 17:48 | LG 6030011 | SW 8260B |
| 1,2-Dichloropropane | <29 | | ug/kg dry | 25 | 1 | 03/01/06 17:48 | LG 6030011 | SW 8260B |
| 1,3-Dichloropropane | <29 | | ug/kg dry | 25 | 1 | 03/01/06 17:48 | LG 6030011 | SW 8260B |
| 2,2-Dichloropropane | <29 | | ug/kg dry | 25 | 1 | 03/01/06 17:48 | LG 6030011 | SW 8260B |
| 1,1-Dichloropropene | <29 | | ug/kg dry | 25 | 1 | 03/01/06 17:48 | LG 6030011 | SW 8260B |
| cis-1,3-Dichloropropene | <29 | | ug/kg dry | 25 | 1 | 03/01/06 17:48 | LG 6030011 | SW 8260B |
| trans-1,3-Dichloropropene | <29 | | ug/kg dry | 25 | 1 | 03/01/06 17:48 | LG 6030011 | SW 8260B |
| 2,3-Dichloropropene | <29 | | ug/kg dry | 25 | 1 | 03/01/06 17:48 | LG 6030011 | SW 8260B |
| Isopropyl Ether | <29 | | ug/kg dry | 25 | 1 | 03/01/06 17:48 | LG 6030011 | SW 8260B |
| Ethylbenzene | 59 | | ug/kg dry | 25 | 1 | 03/02/06 14:45 | EML 6030056 | SW 8260B |
| Hexachlorobutadiene | <40 | | ug/kg dry | 35 | 1 | 03/01/06 17:48 | LG 6030011 | SW 8260B |
| Isopropylbenzene | <29 | | ug/kg dry | 25 | 1 | 03/01/06 17:48 | LG 6030011 | SW 8260B |
| p-Isopropyltoluene | <29 | | ug/kg dry | 25 | 1 | 03/01/06 17:48 | LG 6030011 | SW 8260B |
| Methylene Chloride | <57 | | ug/kg dry | 50 | 1 | 03/01/06 17:48 | LG 6030011 | SW 8260B |
| Methyl tert-Butyl Ether | <29 | | ug/kg dry | 25 | 1 | 03/01/06 17:48 | LG 6030011 | SW 8260B |
| Naphthalene | <57 | | ug/kg dry | 50 | 1 | 03/01/06 17:48 | LG 6030011 | SW 8260B |
| n-Propylbenzene | <29 | | ug/kg dry | 25 | 1 | 03/01/06 17:48 | LG 6030011 | SW 8260B |
| Styrene | <29 | | ug/kg dry | 25 | 1 | 03/01/06 17:48 | LG 6030011 | SW 8260B |
| 1,1,1,2-Tetrachloroethane | <29 | | ug/kg dry | 25 | 1 | 03/01/06 17:48 | LG 6030011 | SW 8260B |

United Engineering Consultants
10617 W. Oklahoma Avenue; #L2
West Allis, WI 53227
Mr. Timothy Anderson

Work Order: WPB0800
Project: Colony
Project Number: 04026

Received: 02/23/06
Reported: 03/03/06 10:14

| Analyte | Sample Result | Data Qualifiers | Units | MRL | Dilution Factor | Date Analyzed | Seq/ Analyst Batch | Method | |
|--------------------------------------------------------|---------------|-----------------|-----------|-----|-----------------|-------------------------|--------------------|----------|--|
| Sample ID: WPB0800-01 (B-15 7-8' - Solid/Soil) - cont. | | | | | | Sampled: 02/21/06 10:15 | | | |
| VOCs by SW8260B - cont. | | | | | | | | | |
| 1,1,2,2-Tetrachloroethane | <29 | | ug/kg dry | 25 | 1 | 03/01/06 17:48 | LG 6030011 | SW 8260B | |
| Tetrachloroethene | 290 | | ug/kg dry | 25 | 1 | 03/01/06 17:48 | LG 6030011 | SW 8260B | |
| Toluene | <29 | | ug/kg dry | 25 | 1 | 03/01/06 17:48 | LG 6030011 | SW 8260B | |
| 1,2,3-Trichlorobenzene | <29 | | ug/kg dry | 25 | 1 | 03/01/06 17:48 | LG 6030011 | SW 8260B | |
| 1,2,4-Trichlorobenzene | <29 | | ug/kg dry | 25 | 1 | 03/01/06 17:48 | LG 6030011 | SW 8260B | |
| 1,1,1-Trichloroethane | <29 | | ug/kg dry | 25 | 1 | 03/01/06 17:48 | LG 6030011 | SW 8260B | |
| 1,1,2-Trichloroethane | <40 | | ug/kg dry | 35 | 1 | 03/01/06 17:48 | LG 6030011 | SW 8260B | |
| Trichloroethene | 430 | | ug/kg dry | 25 | 1 | 03/01/06 17:48 | LG 6030011 | SW 8260B | |
| Trichlorofluoromethane | <29 | | ug/kg dry | 25 | 1 | 03/01/06 17:48 | LG 6030011 | SW 8260B | |
| 1,2,3-Trichloropropane | <86 | | ug/kg dry | 75 | 1 | 03/01/06 17:48 | LG 6030011 | SW 8260B | |
| 1,2,4-Trimethylbenzene | <29 | | ug/kg dry | 25 | 1 | 03/01/06 17:48 | LG 6030011 | SW 8260B | |
| 1,3,5-Trimethylbenzene | <29 | | ug/kg dry | 25 | 1 | 03/01/06 17:48 | LG 6030011 | SW 8260B | |
| Vinyl chloride | <40 | | ug/kg dry | 35 | 1 | 03/01/06 17:48 | LG 6030011 | SW 8260B | |
| Xylenes, total | <97 | | ug/kg dry | 85 | 1 | 03/02/06 14:45 | EML 6030056 | SW 8260B | |
| Surr: Dibromofluoromethane (82-112%) | 92 % | | | | | | | | |
| Surr: Dibromofluoromethane (82-112%) | 104 % | | | | | | | | |
| Surr: Toluene-d8 (91-106%) | 98 % | | | | | | | | |
| Surr: Toluene-d8 (91-106%) | 95 % | | | | | | | | |
| Surr: 4-Bromofluorobenzene (89-110%) | 98 % | | | | | | | | |
| Surr: 4-Bromofluorobenzene (89-110%) | 98 % | | | | | | | | |

Sample ID: WPB0800-02 (B-15 12-13' - Solid/Soil)

Sampled: 02/21/06 10:30

General Chemistry Parameters

| | | | | | | | | | |
|-----------------------------|------|--|-----------|-----|---|----------------|-------------|----------|--|
| % Solids | 90 | | % | NA | 1 | 02/24/06 23:59 | ecl 6020655 | SW 5035 | |
| VOCs by SW8260B | | | | | | | | | |
| Benzene | <28 | | ug/kg dry | 25 | 1 | 03/01/06 18:18 | LG 6030011 | SW 8260B | |
| Bromobenzene | <28 | | ug/kg dry | 25 | 1 | 03/01/06 18:18 | LG 6030011 | SW 8260B | |
| Bromochloromethane | <39 | | ug/kg dry | 35 | 1 | 03/01/06 18:18 | LG 6030011 | SW 8260B | |
| Bromodichloromethane | <28 | | ug/kg dry | 25 | 1 | 03/01/06 18:18 | LG 6030011 | SW 8260B | |
| Bromoform | <56 | | ug/kg dry | 50 | 1 | 03/01/06 18:18 | LG 6030011 | SW 8260B | |
| Bromomethane | <110 | | ug/kg dry | 100 | 1 | 03/01/06 18:18 | LG 6030011 | SW 8260B | |
| n-Butylbenzene | <28 | | ug/kg dry | 25 | 1 | 03/01/06 18:18 | LG 6030011 | SW 8260B | |
| sec-Butylbenzene | <28 | | ug/kg dry | 25 | 1 | 03/01/06 18:18 | LG 6030011 | SW 8260B | |
| tert-Butylbenzene | <28 | | ug/kg dry | 25 | 1 | 03/01/06 18:18 | LG 6030011 | SW 8260B | |
| Carbon Tetrachloride | <28 | | ug/kg dry | 25 | 1 | 03/01/06 18:18 | LG 6030011 | SW 8260B | |
| Chlorobenzene | <28 | | ug/kg dry | 25 | 1 | 03/01/06 18:18 | LG 6030011 | SW 8260B | |
| Chlorodibromomethane | <28 | | ug/kg dry | 25 | 1 | 03/01/06 18:18 | LG 6030011 | SW 8260B | |
| Chloroethane | <56 | | ug/kg dry | 50 | 1 | 03/01/06 18:18 | LG 6030011 | SW 8260B | |
| Chloroform | <28 | | ug/kg dry | 25 | 1 | 03/01/06 18:18 | LG 6030011 | SW 8260B | |
| Chloromethane | <56 | | ug/kg dry | 50 | 1 | 03/01/06 18:18 | LG 6030011 | SW 8260B | |
| 2-Chlorotoluene | <56 | | ug/kg dry | 50 | 1 | 03/01/06 18:18 | LG 6030011 | SW 8260B | |
| 4-Chlorotoluene | <28 | | ug/kg dry | 25 | 1 | 03/01/06 18:18 | LG 6030011 | SW 8260B | |
| 1,2-Dibromo-3-chloropropane | <56 | | ug/kg dry | 50 | 1 | 03/01/06 18:18 | LG 6030011 | SW 8260B | |
| 1,2-Dibromoethane (EDB) | <28 | | ug/kg dry | 25 | 1 | 03/01/06 18:18 | LG 6030011 | SW 8260B | |
| Dibromomethane | <28 | | ug/kg dry | 25 | 1 | 03/01/06 18:18 | LG 6030011 | SW 8260B | |
| 1,2-Dichlorobenzene | <33 | | ug/kg dry | 30 | 1 | 03/01/06 18:18 | LG 6030011 | SW 8260B | |
| 1,3-Dichlorobenzene | <28 | | ug/kg dry | 25 | 1 | 03/01/06 18:18 | LG 6030011 | SW 8260B | |
| 1,4-Dichlorobenzene | <28 | | ug/kg dry | 25 | 1 | 03/01/06 18:18 | LG 6030011 | SW 8260B | |
| Dichlorodifluoromethane | <56 | | ug/kg dry | 50 | 1 | 03/01/06 18:18 | LG 6030011 | SW 8260B | |
| 1,1-Dichloroethane | <28 | | ug/kg dry | 25 | 1 | 03/01/06 18:18 | LG 6030011 | SW 8260B | |
| 1,2-Dichloroethane | <28 | | ug/kg dry | 25 | 1 | 03/01/06 18:18 | LG 6030011 | SW 8260B | |

United Engineering Consultants
 10617 W. Oklahoma Avenue; #L2
 West Allis, WI 53227
 Mr. Timothy Anderson

Work Order: WPB0800
 Project: Colony
 Project Number: 04026

Received: 02/23/06
 Reported: 03/03/06 10:14

| Analyte | Sample Result | Data Qualifiers | Units | MRL | Dilution Factor | Date Analyzed | Seq/ Analyst Batch | Method |
|----------------------------------------------------------|---------------|-----------------|-----------|-----|-----------------|-------------------------|--------------------|----------|
| Sample ID: WPB0800-02 (B-15 12-13' - Solid/Soil) - cont. | | | | | | Sampled: 02/21/06 10:30 | | |
| VOCs by SW8260B - cont. | | | | | | | | |
| 1,1-Dichloroethene | <28 | | ug/kg dry | 25 | 1 | 03/01/06 18:18 | LG 6030011 | SW 8260B |
| cis-1,2-Dichloroethene | <28 | | ug/kg dry | 25 | 1 | 03/01/06 18:18 | LG 6030011 | SW 8260B |
| trans-1,2-Dichloroethene | <28 | | ug/kg dry | 25 | 1 | 03/01/06 18:18 | LG 6030011 | SW 8260B |
| 1,2-Dichloropropane | <28 | | ug/kg dry | 25 | 1 | 03/01/06 18:18 | LG 6030011 | SW 8260B |
| 1,3-Dichloropropane | <28 | | ug/kg dry | 25 | 1 | 03/01/06 18:18 | LG 6030011 | SW 8260B |
| 2,2-Dichloropropane | <28 | | ug/kg dry | 25 | 1 | 03/01/06 18:18 | LG 6030011 | SW 8260B |
| 1,1-Dichloropropene | <28 | | ug/kg dry | 25 | 1 | 03/01/06 18:18 | LG 6030011 | SW 8260B |
| cis-1,3-Dichloropropene | <28 | | ug/kg dry | 25 | 1 | 03/01/06 18:18 | LG 6030011 | SW 8260B |
| trans-1,3-Dichloropropene | <28 | | ug/kg dry | 25 | 1 | 03/01/06 18:18 | LG 6030011 | SW 8260B |
| 2,3-Dichloropropene | <28 | | ug/kg dry | 25 | 1 | 03/01/06 18:18 | LG 6030011 | SW 8260B |
| Isopropyl Ether | <28 | | ug/kg dry | 25 | 1 | 03/01/06 18:18 | LG 6030011 | SW 8260B |
| Ethylbenzene | 42 | | ug/kg dry | 25 | 1 | 03/02/06 15:15 | EML 6030056 | SW 8260B |
| Hexachlorobutadiene | <39 | | ug/kg dry | 35 | 1 | 03/01/06 18:18 | LG 6030011 | SW 8260B |
| Isopropylbenzene | <28 | | ug/kg dry | 25 | 1 | 03/01/06 18:18 | LG 6030011 | SW 8260B |
| p-Isopropyltoluene | <28 | | ug/kg dry | 25 | 1 | 03/01/06 18:18 | LG 6030011 | SW 8260B |
| Methylene Chloride | <56 | | ug/kg dry | 50 | 1 | 03/01/06 18:18 | LG 6030011 | SW 8260B |
| Methyl tert-Butyl Ether | <28 | | ug/kg dry | 25 | 1 | 03/01/06 18:18 | LG 6030011 | SW 8260B |
| Naphthalene | <56 | | ug/kg dry | 50 | 1 | 03/01/06 18:18 | LG 6030011 | SW 8260B |
| n-Propylbenzene | <28 | | ug/kg dry | 25 | 1 | 03/01/06 18:18 | LG 6030011 | SW 8260B |
| Styrene | <28 | | ug/kg dry | 25 | 1 | 03/01/06 18:18 | LG 6030011 | SW 8260B |
| 1,1,1,2-Tetrachloroethane | <28 | | ug/kg dry | 25 | 1 | 03/01/06 18:18 | LG 6030011 | SW 8260B |
| 1,1,2,2-Tetrachloroethane | <28 | | ug/kg dry | 25 | 1 | 03/01/06 18:18 | LG 6030011 | SW 8260B |
| Tetrachloroethene | <28 | | ug/kg dry | 25 | 1 | 03/01/06 18:18 | LG 6030011 | SW 8260B |
| Toluene | <28 | | ug/kg dry | 25 | 1 | 03/01/06 18:18 | LG 6030011 | SW 8260B |
| 1,2,3-Trichlorobenzene | <28 | | ug/kg dry | 25 | 1 | 03/01/06 18:18 | LG 6030011 | SW 8260B |
| 1,2,4-Trichlorobenzene | <28 | | ug/kg dry | 25 | 1 | 03/01/06 18:18 | LG 6030011 | SW 8260B |
| 1,1,1-Trichloroethane | <28 | | ug/kg dry | 25 | 1 | 03/01/06 18:18 | LG 6030011 | SW 8260B |
| 1,1,2-Trichloroethane | <39 | | ug/kg dry | 35 | 1 | 03/01/06 18:18 | LG 6030011 | SW 8260B |
| Trichloroethene | <28 | | ug/kg dry | 25 | 1 | 03/01/06 18:18 | LG 6030011 | SW 8260B |
| Trichlorofluoromethane | <28 | | ug/kg dry | 25 | 1 | 03/01/06 18:18 | LG 6030011 | SW 8260B |
| 1,2,3-Trichloropropane | <84 | | ug/kg dry | 75 | 1 | 03/01/06 18:18 | LG 6030011 | SW 8260B |
| 1,2,4-Trimethylbenzene | <28 | | ug/kg dry | 25 | 1 | 03/01/06 18:18 | LG 6030011 | SW 8260B |
| 1,3,5-Trimethylbenzene | <28 | | ug/kg dry | 25 | 1 | 03/01/06 18:18 | LG 6030011 | SW 8260B |
| Vinyl chloride | <39 | | ug/kg dry | 35 | 1 | 03/01/06 18:18 | LG 6030011 | SW 8260B |
| Xylenes, total | <95 | | ug/kg dry | 85 | 1 | 03/02/06 15:15 | EML 6030056 | SW 8260B |
| Surr: Dibromofluoromethane (82-112%) | 90 % | | | | | | | |
| Surr: Dibromofluoromethane (82-112%) | 94 % | | | | | | | |
| Surr: Toluene-d8 (91-106%) | 101 % | | | | | | | |
| Surr: Toluene-d8 (91-106%) | 99 % | | | | | | | |
| Surr: 4-Bromofluorobenzene (89-110%) | 97 % | | | | | | | |
| Surr: 4-Bromofluorobenzene (89-110%) | 97 % | | | | | | | |

United Engineering Consultants
10617 W. Oklahoma Avenue; #L2
West Allis, WI 53227
Mr. Timothy Anderson

Work Order: WPB0800
Project: Colony
Project Number: 04026

Received: 02/23/06
Reported: 03/03/06 10:14

| Analyte | Sample Result | Data Qualifiers | Units | MRL | Dilution Factor | Date Analyzed | Seq/ Analyst Batch | Method | |
|------------------------------------------------|---------------|-----------------|-----------|-----|-----------------|-------------------------|--------------------|----------|--|
| Sample ID: WPB0800-03 (B-16 5-6' - Solid/Soil) | | | | | | Sampled: 02/21/06 11:00 | | | |
| General Chemistry Parameters | | | | | | | | | |
| % Solids | 88 | | % | NA | 1 | 02/24/06 23:59 | ecl 6020655 | SW 5035 | |
| VOCs by SW8260B | | | | | | | | | |
| Benzene | <28 | | ug/kg dry | 25 | 1 | 03/01/06 18:48 | LG 6030011 | SW 8260B | |
| Bromobenzene | <28 | | ug/kg dry | 25 | 1 | 03/01/06 18:48 | LG 6030011 | SW 8260B | |
| Bromochloromethane | <40 | | ug/kg dry | 35 | 1 | 03/01/06 18:48 | LG 6030011 | SW 8260B | |
| Bromodichloromethane | <28 | | ug/kg dry | 25 | 1 | 03/01/06 18:48 | LG 6030011 | SW 8260B | |
| Bromoform | <57 | | ug/kg dry | 50 | 1 | 03/01/06 18:48 | LG 6030011 | SW 8260B | |
| Bromomethane | <110 | | ug/kg dry | 100 | 1 | 03/01/06 18:48 | LG 6030011 | SW 8260B | |
| n-Butylbenzene | <28 | | ug/kg dry | 25 | 1 | 03/01/06 18:48 | LG 6030011 | SW 8260B | |
| sec-Butylbenzene | <28 | | ug/kg dry | 25 | 1 | 03/01/06 18:48 | LG 6030011 | SW 8260B | |
| tert-Butylbenzene | <28 | | ug/kg dry | 25 | 1 | 03/01/06 18:48 | LG 6030011 | SW 8260B | |
| Carbon Tetrachloride | <28 | | ug/kg dry | 25 | 1 | 03/01/06 18:48 | LG 6030011 | SW 8260B | |
| Chlorobenzene | <28 | | ug/kg dry | 25 | 1 | 03/01/06 18:48 | LG 6030011 | SW 8260B | |
| Chlorodibromomethane | <28 | | ug/kg dry | 25 | 1 | 03/01/06 18:48 | LG 6030011 | SW 8260B | |
| Chloroethane | <57 | | ug/kg dry | 50 | 1 | 03/01/06 18:48 | LG 6030011 | SW 8260B | |
| Chloroform | <28 | | ug/kg dry | 25 | 1 | 03/01/06 18:48 | LG 6030011 | SW 8260B | |
| Chloromethane | <57 | | ug/kg dry | 50 | 1 | 03/01/06 18:48 | LG 6030011 | SW 8260B | |
| 2-Chlorotoluene | <57 | | ug/kg dry | 50 | 1 | 03/01/06 18:48 | LG 6030011 | SW 8260B | |
| 4-Chlorotoluene | <28 | | ug/kg dry | 25 | 1 | 03/01/06 18:48 | LG 6030011 | SW 8260B | |
| 1,2-Dibromo-3-chloropropane | <57 | | ug/kg dry | 50 | 1 | 03/01/06 18:48 | LG 6030011 | SW 8260B | |
| 1,2-Dibromoethane (EDB) | <28 | | ug/kg dry | 25 | 1 | 03/01/06 18:48 | LG 6030011 | SW 8260B | |
| Dibromomethane | <28 | | ug/kg dry | 25 | 1 | 03/01/06 18:48 | LG 6030011 | SW 8260B | |
| 1,2-Dichlorobenzene | <34 | | ug/kg dry | 30 | 1 | 03/01/06 18:48 | LG 6030011 | SW 8260B | |
| 1,3-Dichlorobenzene | <28 | | ug/kg dry | 25 | 1 | 03/01/06 18:48 | LG 6030011 | SW 8260B | |
| 1,4-Dichlorobenzene | <28 | | ug/kg dry | 25 | 1 | 03/01/06 18:48 | LG 6030011 | SW 8260B | |
| Dichlorodifluoromethane | <57 | | ug/kg dry | 50 | 1 | 03/01/06 18:48 | LG 6030011 | SW 8260B | |
| 1,1-Dichloroethane | <28 | | ug/kg dry | 25 | 1 | 03/01/06 18:48 | LG 6030011 | SW 8260B | |
| 1,2-Dichloroethane | <28 | | ug/kg dry | 25 | 1 | 03/01/06 18:48 | LG 6030011 | SW 8260B | |
| 1,1-Dichloroethene | <28 | | ug/kg dry | 25 | 1 | 03/01/06 18:48 | LG 6030011 | SW 8260B | |
| cis-1,2-Dichloroethene | <28 | | ug/kg dry | 25 | 1 | 03/01/06 18:48 | LG 6030011 | SW 8260B | |
| trans-1,2-Dichloroethene | <28 | | ug/kg dry | 25 | 1 | 03/01/06 18:48 | LG 6030011 | SW 8260B | |
| 1,2-Dichloropropane | <28 | | ug/kg dry | 25 | 1 | 03/01/06 18:48 | LG 6030011 | SW 8260B | |
| 1,3-Dichloropropane | <28 | | ug/kg dry | 25 | 1 | 03/01/06 18:48 | LG 6030011 | SW 8260B | |
| 2,2-Dichloropropane | <28 | | ug/kg dry | 25 | 1 | 03/01/06 18:48 | LG 6030011 | SW 8260B | |
| 1,1-Dichloropropene | <28 | | ug/kg dry | 25 | 1 | 03/01/06 18:48 | LG 6030011 | SW 8260B | |
| cis-1,3-Dichloropropene | <28 | | ug/kg dry | 25 | 1 | 03/01/06 18:48 | LG 6030011 | SW 8260B | |
| trans-1,3-Dichloropropene | <28 | | ug/kg dry | 25 | 1 | 03/01/06 18:48 | LG 6030011 | SW 8260B | |
| 2,3-Dichloropropene | <28 | | ug/kg dry | 25 | 1 | 03/01/06 18:48 | LG 6030011 | SW 8260B | |
| Isopropyl Ether | <28 | | ug/kg dry | 25 | 1 | 03/01/06 18:48 | LG 6030011 | SW 8260B | |
| Ethylbenzene | <28 | | ug/kg dry | 25 | 1 | 03/01/06 18:48 | LG 6030011 | SW 8260B | |
| Hexachlorobutadiene | <40 | | ug/kg dry | 35 | 1 | 03/01/06 18:48 | LG 6030011 | SW 8260B | |
| Isopropylbenzene | <28 | | ug/kg dry | 25 | 1 | 03/01/06 18:48 | LG 6030011 | SW 8260B | |
| p-Isopropyltoluene | <28 | | ug/kg dry | 25 | 1 | 03/01/06 18:48 | LG 6030011 | SW 8260B | |
| Methylene Chloride | <57 | | ug/kg dry | 50 | 1 | 03/01/06 18:48 | LG 6030011 | SW 8260B | |
| Methyl tert-Butyl Ether | <28 | | ug/kg dry | 25 | 1 | 03/01/06 18:48 | LG 6030011 | SW 8260B | |
| Naphthalene | <57 | | ug/kg dry | 50 | 1 | 03/01/06 18:48 | LG 6030011 | SW 8260B | |
| n-Propylbenzene | <28 | | ug/kg dry | 25 | 1 | 03/01/06 18:48 | LG 6030011 | SW 8260B | |
| Styrene | <28 | | ug/kg dry | 25 | 1 | 03/01/06 18:48 | LG 6030011 | SW 8260B | |
| 1,1,1,2-Tetrachloroethane | <28 | | ug/kg dry | 25 | 1 | 03/01/06 18:48 | LG 6030011 | SW 8260B | |
| 1,1,2,2-Tetrachloroethane | <28 | | ug/kg dry | 25 | 1 | 03/01/06 18:48 | LG 6030011 | SW 8260B | |
| Tetrachloroethene | <28 | | ug/kg dry | 25 | 1 | 03/01/06 18:48 | LG 6030011 | SW 8260B | |

United Engineering Consultants
 10617 W. Oklahoma Avenue; #L2
 West Allis, WI 53227
 Mr. Timothy Anderson

Work Order: WPB0800
 Project: Colony
 Project Number: 04026

Received: 02/23/06
 Reported: 03/03/06 10:14

| Analyte | Sample Result | Data Qualifiers | Units | MRL | Dilution Factor | Date Analyzed | Seq/ Analyst Batch | Method | |
|--------------------------------------------------------|---------------|-----------------|-----------|-----|-----------------|-------------------------|--------------------|----------|--|
| Sample ID: WPB0800-03 (B-16 5-6' - Solid/Soil) - cont. | | | | | | Sampled: 02/21/06 11:00 | | | |
| VOCs by SW8260B - cont. | | | | | | | | | |
| Toluene | <28 | | ug/kg dry | 25 | 1 | 03/01/06 18:48 | LG 6030011 | SW 8260B | |
| 1,2,3-Trichlorobenzene | <28 | | ug/kg dry | 25 | 1 | 03/01/06 18:48 | LG 6030011 | SW 8260B | |
| 1,2,4-Trichlorobenzene | <28 | | ug/kg dry | 25 | 1 | 03/01/06 18:48 | LG 6030011 | SW 8260B | |
| 1,1,1-Trichloroethane | <28 | | ug/kg dry | 25 | 1 | 03/01/06 18:48 | LG 6030011 | SW 8260B | |
| 1,1,2-Trichloroethane | <40 | | ug/kg dry | 35 | 1 | 03/01/06 18:48 | LG 6030011 | SW 8260B | |
| Trichloroethene | <28 | | ug/kg dry | 25 | 1 | 03/01/06 18:48 | LG 6030011 | SW 8260B | |
| Trichlorofluoromethane | <28 | | ug/kg dry | 25 | 1 | 03/01/06 18:48 | LG 6030011 | SW 8260B | |
| 1,2,3-Trichloropropane | <85 | | ug/kg dry | 75 | 1 | 03/01/06 18:48 | LG 6030011 | SW 8260B | |
| 1,2,4-Trimethylbenzene | <28 | | ug/kg dry | 25 | 1 | 03/01/06 18:48 | LG 6030011 | SW 8260B | |
| 1,3,5-Trimethylbenzene | <28 | | ug/kg dry | 25 | 1 | 03/01/06 18:48 | LG 6030011 | SW 8260B | |
| Vinyl chloride | <40 | | ug/kg dry | 35 | 1 | 03/01/06 18:48 | LG 6030011 | SW 8260B | |
| Xylenes, total | <96 | | ug/kg dry | 85 | 1 | 03/01/06 18:48 | LG 6030011 | SW 8260B | |
| Surr: Dibromofluoromethane (82-112%) | 94 % | | | | | | | | |
| Surr: Toluene-d8 (91-106%) | 102 % | | | | | | | | |
| Surr: 4-Bromofluorobenzene (89-110%) | 98 % | | | | | | | | |

Sample ID: WPB0800-04 (B-16 10-12' - Solid/Soil)

Sampled: 02/21/06 11:15

General Chemistry Parameters

| | | | | | | | | | |
|-----------------------------|------|--|-----------|-----|---|----------------|-------------|----------|--|
| % Solids | 84 | | % | NA | 1 | 02/24/06 23:59 | ecl 6020655 | SW 5035 | |
| VOCs by SW8260B | | | | | | | | | |
| Benzene | <30 | | ug/kg dry | 25 | 1 | 03/01/06 19:17 | LG 6030011 | SW 8260B | |
| Bromobenzene | <30 | | ug/kg dry | 25 | 1 | 03/01/06 19:17 | LG 6030011 | SW 8260B | |
| Bromochloromethane | <41 | | ug/kg dry | 35 | 1 | 03/01/06 19:17 | LG 6030011 | SW 8260B | |
| Bromodichloromethane | <30 | | ug/kg dry | 25 | 1 | 03/01/06 19:17 | LG 6030011 | SW 8260B | |
| Bromoform | <59 | | ug/kg dry | 50 | 1 | 03/01/06 19:17 | LG 6030011 | SW 8260B | |
| Bromomethane | <120 | | ug/kg dry | 100 | 1 | 03/01/06 19:17 | LG 6030011 | SW 8260B | |
| n-Butylbenzene | <30 | | ug/kg dry | 25 | 1 | 03/01/06 19:17 | LG 6030011 | SW 8260B | |
| sec-Butylbenzene | <30 | | ug/kg dry | 25 | 1 | 03/01/06 19:17 | LG 6030011 | SW 8260B | |
| tert-Butylbenzene | <30 | | ug/kg dry | 25 | 1 | 03/01/06 19:17 | LG 6030011 | SW 8260B | |
| Carbon Tetrachloride | <30 | | ug/kg dry | 25 | 1 | 03/01/06 19:17 | LG 6030011 | SW 8260B | |
| Chlorobenzene | <30 | | ug/kg dry | 25 | 1 | 03/01/06 19:17 | LG 6030011 | SW 8260B | |
| Chlorodibromomethane | <30 | | ug/kg dry | 25 | 1 | 03/01/06 19:17 | LG 6030011 | SW 8260B | |
| Chloroethane | <59 | | ug/kg dry | 50 | 1 | 03/01/06 19:17 | LG 6030011 | SW 8260B | |
| Chloroform | <30 | | ug/kg dry | 25 | 1 | 03/01/06 19:17 | LG 6030011 | SW 8260B | |
| Chloromethane | <59 | | ug/kg dry | 50 | 1 | 03/01/06 19:17 | LG 6030011 | SW 8260B | |
| 2-Chlorotoluene | <59 | | ug/kg dry | 50 | 1 | 03/01/06 19:17 | LG 6030011 | SW 8260B | |
| 4-Chlorotoluene | <30 | | ug/kg dry | 25 | 1 | 03/01/06 19:17 | LG 6030011 | SW 8260B | |
| 1,2-Dibromo-3-chloropropane | <59 | | ug/kg dry | 50 | 1 | 03/01/06 19:17 | LG 6030011 | SW 8260B | |
| 1,2-Dibromoethane (EDB) | <30 | | ug/kg dry | 25 | 1 | 03/01/06 19:17 | LG 6030011 | SW 8260B | |
| Dibromomethane | <30 | | ug/kg dry | 25 | 1 | 03/01/06 19:17 | LG 6030011 | SW 8260B | |
| 1,2-Dichlorobenzene | <36 | | ug/kg dry | 30 | 1 | 03/01/06 19:17 | LG 6030011 | SW 8260B | |
| 1,3-Dichlorobenzene | <30 | | ug/kg dry | 25 | 1 | 03/01/06 19:17 | LG 6030011 | SW 8260B | |
| 1,4-Dichlorobenzene | <30 | | ug/kg dry | 25 | 1 | 03/01/06 19:17 | LG 6030011 | SW 8260B | |
| Dichlorodifluoromethane | <59 | | ug/kg dry | 50 | 1 | 03/01/06 19:17 | LG 6030011 | SW 8260B | |
| 1,1-Dichloroethane | <30 | | ug/kg dry | 25 | 1 | 03/01/06 19:17 | LG 6030011 | SW 8260B | |
| 1,2-Dichloroethane | <30 | | ug/kg dry | 25 | 1 | 03/01/06 19:17 | LG 6030011 | SW 8260B | |
| 1,1-Dichloroethene | <30 | | ug/kg dry | 25 | 1 | 03/01/06 19:17 | LG 6030011 | SW 8260B | |
| cis-1,2-Dichloroethene | 62 | | ug/kg dry | 25 | 1 | 03/01/06 19:17 | LG 6030011 | SW 8260B | |
| trans-1,2-Dichloroethene | <30 | | ug/kg dry | 25 | 1 | 03/01/06 19:17 | LG 6030011 | SW 8260B | |
| 1,2-Dichloropropane | <30 | | ug/kg dry | 25 | 1 | 03/01/06 19:17 | LG 6030011 | SW 8260B | |
| 1,3-Dichloropropane | <30 | | ug/kg dry | 25 | 1 | 03/01/06 19:17 | LG 6030011 | SW 8260B | |

United Engineering Consultants
 10617 W. Oklahoma Avenue; #L2
 West Allis, WI 53227
 Mr. Timothy Anderson

Work Order: WPB0800
 Project: Colony
 Project Number: 04026

Received: 02/23/06
 Reported: 03/03/06 10:14

| Analyte | Sample Result | Data Qualifiers | Units | MRL | Dilution Factor | Date Analyzed | Seq/ Analyst Batch | Method |
|----------------------------------------------------------|---------------|-----------------|-----------|-----|-----------------|-------------------------------|--------------------|----------|
| Sample ID: WPB0800-04 (B-16 10-12' - Solid/Soil) - cont. | | | | | | Date Analyzed: 02/21/06 11:15 | | |
| VOCs by SW8260B - cont. | | | | | | | | |
| 2,2-Dichloropropane | <30 | | ug/kg dry | 25 | 1 | 03/01/06 19:17 | LG 6030011 | SW 8260B |
| 1,1-Dichloropropene | <30 | | ug/kg dry | 25 | 1 | 03/01/06 19:17 | LG 6030011 | SW 8260B |
| cis-1,3-Dichloropropene | <30 | | ug/kg dry | 25 | 1 | 03/01/06 19:17 | LG 6030011 | SW 8260B |
| trans-1,3-Dichloropropene | <30 | | ug/kg dry | 25 | 1 | 03/01/06 19:17 | LG 6030011 | SW 8260B |
| 2,3-Dichloropropene | <30 | | ug/kg dry | 25 | 1 | 03/01/06 19:17 | LG 6030011 | SW 8260B |
| Isopropyl Ether | <30 | | ug/kg dry | 25 | 1 | 03/01/06 19:17 | LG 6030011 | SW 8260B |
| Ethylbenzene | 87 | | ug/kg dry | 25 | 1 | 03/02/06 15:45 | EML 6030056 | SW 8260B |
| Hexachlorobutadiene | <41 | | ug/kg dry | 35 | 1 | 03/01/06 19:17 | LG 6030011 | SW 8260B |
| Isopropylbenzene | <30 | | ug/kg dry | 25 | 1 | 03/01/06 19:17 | LG 6030011 | SW 8260B |
| p-Isopropyltoluene | <30 | | ug/kg dry | 25 | 1 | 03/01/06 19:17 | LG 6030011 | SW 8260B |
| Methylene Chloride | <59 | | ug/kg dry | 50 | 1 | 03/01/06 19:17 | LG 6030011 | SW 8260B |
| Methyl tert-Butyl Ether | <30 | | ug/kg dry | 25 | 1 | 03/01/06 19:17 | LG 6030011 | SW 8260B |
| Naphthalene | <59 | | ug/kg dry | 50 | 1 | 03/01/06 19:17 | LG 6030011 | SW 8260B |
| n-Propylbenzene | <30 | | ug/kg dry | 25 | 1 | 03/01/06 19:17 | LG 6030011 | SW 8260B |
| Styrene | <30 | | ug/kg dry | 25 | 1 | 03/01/06 19:17 | LG 6030011 | SW 8260B |
| 1,1,1,2-Tetrachloroethane | <30 | | ug/kg dry | 25 | 1 | 03/01/06 19:17 | LG 6030011 | SW 8260B |
| 1,1,2,2-Tetrachloroethane | <30 | | ug/kg dry | 25 | 1 | 03/01/06 19:17 | LG 6030011 | SW 8260B |
| Tetrachloroethene | 50 | | ug/kg dry | 25 | 1 | 03/01/06 19:17 | LG 6030011 | SW 8260B |
| Toluene | <30 | | ug/kg dry | 25 | 1 | 03/01/06 19:17 | LG 6030011 | SW 8260B |
| 1,2,3-Trichlorobenzene | <30 | | ug/kg dry | 25 | 1 | 03/01/06 19:17 | LG 6030011 | SW 8260B |
| 1,2,4-Trichlorobenzene | <30 | | ug/kg dry | 25 | 1 | 03/01/06 19:17 | LG 6030011 | SW 8260B |
| 1,1,1-Trichloroethane | <30 | | ug/kg dry | 25 | 1 | 03/01/06 19:17 | LG 6030011 | SW 8260B |
| 1,1,2-Trichloroethane | <41 | | ug/kg dry | 35 | 1 | 03/01/06 19:17 | LG 6030011 | SW 8260B |
| Trichloroethene | <30 | | ug/kg dry | 25 | 1 | 03/01/06 19:17 | LG 6030011 | SW 8260B |
| Trichlorofluoromethane | <30 | | ug/kg dry | 25 | 1 | 03/01/06 19:17 | LG 6030011 | SW 8260B |
| 1,2,3-Trichloropropane | <89 | | ug/kg dry | 75 | 1 | 03/01/06 19:17 | LG 6030011 | SW 8260B |
| 1,3,5-Trimethylbenzene | <30 | | ug/kg dry | 25 | 1 | 03/01/06 19:17 | LG 6030011 | SW 8260B |
| Vinyl chloride | <41 | | ug/kg dry | 35 | 1 | 03/01/06 19:17 | LG 6030011 | SW 8260B |
| Xylenes, total | 140 | | ug/kg dry | 85 | 1 | 03/02/06 15:45 | EML 6030056 | SW 8260B |
| Surr: Dibromofluoromethane (82-112%) | 91 % | | | | | | | |
| Surr: Dibromofluoromethane (82-112%) | 95 % | | | | | | | |
| Surr: Toluene-d8 (91-106%) | 104 % | | | | | | | |
| Surr: Toluene-d8 (91-106%) | 102 % | | | | | | | |
| Surr: 4-Bromofluorobenzene (89-110%) | 99 % | | | | | | | |
| Surr: 4-Bromofluorobenzene (89-110%) | 98 % | | | | | | | |

United Engineering Consultants
 10617 W. Oklahoma Avenue; #L2
 West Allis, WI 53227
 Mr. Timothy Anderson

Work Order: WPB0800
 Project: Colony
 Project Number: 04026

Received: 02/23/06
 Reported: 03/03/06 10:14

LABORATORY BLANK QC DATA

| Analyte | Seq/ Batch | Source Spike Result Level | Units | MDL | MRL | Dup Result | % REC | Dup %REC | % REC Limits | RPD RPD | REC Limit | Q |
|-----------------------------|---------------|------------------------------|-----------|-----|-----|---------------|----------|-------------|-----------------|------------|--------------|---|
| VOCs by SW8260B | | | | | | | | | | | | |
| Benzene | 6030011 | | ug/kg wet | N/A | 25 | <25 | | | | | | |
| Bromobenzene | 6030011 | | ug/kg wet | N/A | 25 | <25 | | | | | | |
| Bromochloromethane | 6030011 | | ug/kg wet | N/A | 35 | <35 | | | | | | |
| Bromodichloromethane | 6030011 | | ug/kg wet | N/A | 25 | <25 | | | | | | |
| Bromoform | 6030011 | | ug/kg wet | N/A | 25 | <50 | | | | | | |
| Bromomethane | 6030011 | | ug/kg wet | N/A | 100 | <100 | | | | | | |
| n-Butylbenzene | 6030011 | | ug/kg wet | N/A | 25 | <25 | | | | | | |
| sec-Butylbenzene | 6030011 | | ug/kg wet | N/A | 25 | <25 | | | | | | |
| tert-Butylbenzene | 6030011 | | ug/kg wet | N/A | 25 | <25 | | | | | | |
| Carbon Tetrachloride | 6030011 | | ug/kg wet | N/A | 25 | <25 | | | | | | |
| Chlorobenzene | 6030011 | | ug/kg wet | N/A | 25 | <25 | | | | | | |
| Chlorodibromomethane | 6030011 | | ug/kg wet | N/A | 25 | <25 | | | | | | |
| Chloroethane | 6030011 | | ug/kg wet | N/A | 50 | <50 | | | | | | |
| Chloroform | 6030011 | | ug/kg wet | N/A | 25 | <25 | | | | | | |
| Chloromethane | 6030011 | | ug/kg wet | N/A | 50 | <50 | | | | | | |
| 2-Chlorotoluene | 6030011 | | ug/kg wet | N/A | 50 | <50 | | | | | | |
| 4-Chlorotoluene | 6030011 | | ug/kg wet | N/A | 25 | <25 | | | | | | |
| 1,2-Dibromo-3-chloropropane | 6030011 | | ug/kg wet | N/A | 50 | <50 | | | | | | |
| 1,2-Dibromoethane (EDB) | 6030011 | | ug/kg wet | N/A | 25 | <25 | | | | | | |
| Dibromomethane | 6030011 | | ug/kg wet | N/A | 25 | <25 | | | | | | |
| 1,2-Dichlorobenzene | 6030011 | | ug/kg wet | N/A | 25 | <30 | | | | | | |
| 1,3-Dichlorobenzene | 6030011 | | ug/kg wet | N/A | 25 | <25 | | | | | | |
| 1,4-Dichlorobenzene | 6030011 | | ug/kg wet | N/A | 25 | <25 | | | | | | |
| Dichlorodifluoromethane | 6030011 | | ug/kg wet | N/A | 50 | <50 | | | | | | |
| 1,1-Dichloroethane | 6030011 | | ug/kg wet | N/A | 25 | <25 | | | | | | |
| 1,2-Dichloroethane | 6030011 | | ug/kg wet | N/A | 25 | <25 | | | | | | |
| 1,1-Dichloroethene | 6030011 | | ug/kg wet | N/A | 25 | <25 | | | | | | |
| cis-1,2-Dichloroethene | 6030011 | | ug/kg wet | N/A | 25 | <25 | | | | | | |
| trans-1,2-Dichloroethene | 6030011 | | ug/kg wet | N/A | 25 | <25 | | | | | | |
| 1,2-Dichloropropane | 6030011 | | ug/kg wet | N/A | 25 | <25 | | | | | | |
| 1,3-Dichloropropane | 6030011 | | ug/kg wet | N/A | 25 | <25 | | | | | | |
| 2,2-Dichloropropane | 6030011 | | ug/kg wet | N/A | 25 | <25 | | | | | | |
| 1,1-Dichloropropene | 6030011 | | ug/kg wet | N/A | 25 | <25 | | | | | | |
| cis-1,3-Dichloropropene | 6030011 | | ug/kg wet | N/A | 25 | <25 | | | | | | |
| trans-1,3-Dichloropropene | 6030011 | | ug/kg wet | N/A | 25 | <25 | | | | | | |
| 2,3-Dichloropropene | 6030011 | | ug/kg wet | N/A | 25 | <25 | | | | | | |
| Isopropyl Ether | 6030011 | | ug/kg wet | N/A | 25 | <25 | | | | | | |
| Ethylbenzene | 6030011 | | ug/kg wet | N/A | 25 | <25 | | | | | | |
| Hexachlorobutadiene | 6030011 | | ug/kg wet | N/A | 35 | <35 | | | | | | |
| Isopropylbenzene | 6030011 | | ug/kg wet | N/A | 25 | <25 | | | | | | |
| p-Isopropyltoluene | 6030011 | | ug/kg wet | N/A | 25 | <25 | | | | | | |
| Methylene Chloride | 6030011 | | ug/kg wet | N/A | 50 | <50 | | | | | | |
| Methyl tert-Butyl Ether | 6030011 | | ug/kg wet | N/A | 25 | <25 | | | | | | |
| Naphthalene | 6030011 | | ug/kg wet | N/A | 50 | <50 | | | | | | |
| n-Propylbenzene | 6030011 | | ug/kg wet | N/A | 25 | <25 | | | | | | |

United Engineering Consultants
 10617 W. Oklahoma Avenue; #L2
 West Allis, WI 53227
 Mr. Timothy Anderson

Work Order: WPB0800
 Project: Colony
 Project Number: 04026

Received: 02/23/06
 Reported: 03/03/06 10:14

LABORATORY BLANK QC DATA

| Analyte | Seq/ Batch | Source Spike Result Level | Units | MDL | MRL | Result | Dup Result | % REC | Dup %REC | % REC Limits | RPD | REC Limit | Q |
|----------------------------------------|----------------|------------------------------|------------------|-----|-----|--------|---------------|----------|-------------|-----------------|-----|---------------|-------|
| VOCs by SW8260B | | | | | | | | | | | | | |
| Styrene | 6030011 | | ug/kg wet | N/A | 25 | <25 | | | | | | | |
| 1,1,1,2-Tetrachloroethane | 6030011 | | ug/kg wet | N/A | 25 | <25 | | | | | | | |
| 1,1,2,2-Tetrachloroethane | 6030011 | | ug/kg wet | N/A | 25 | <25 | | | | | | | |
| Tetrachloroethene | 6030011 | | ug/kg wet | N/A | 25 | <25 | | | | | | | |
| Toluene | 6030011 | | ug/kg wet | N/A | 25 | <25 | | | | | | | |
| 1,2,3-Trichlorobenzene | 6030011 | | ug/kg wet | N/A | 25 | <25 | | | | | | | |
| 1,2,4-Trichlorobenzene | 6030011 | | ug/kg wet | N/A | 25 | <25 | | | | | | | |
| 1,1,1-Trichloroethane | 6030011 | | ug/kg wet | N/A | 25 | <25 | | | | | | | |
| 1,1,2-Trichloroethane | 6030011 | | ug/kg wet | N/A | 35 | <35 | | | | | | | |
| Trichloroethene | 6030011 | | ug/kg wet | N/A | 25 | <25 | | | | | | | |
| Trichlorofluoromethane | 6030011 | | ug/kg wet | N/A | 25 | <25 | | | | | | | |
| 1,2,3-Trichloropropane | 6030011 | | ug/kg wet | N/A | 50 | <75 | | | | | | | |
| 1,2,4-Trimethylbenzene | 6030011 | | ug/kg wet | N/A | 25 | <25 | | | | | | | |
| 1,3,5-Trimethylbenzene | 6030011 | | ug/kg wet | N/A | 25 | <25 | | | | | | | |
| Vinyl chloride | 6030011 | | ug/kg wet | N/A | 35 | <35 | | | | | | | |
| Xylenes, total | 6030011 | | ug/kg wet | N/A | 85 | <85 | | | | | | | |
| <i>Surrogate: Dibromofluoromethane</i> | <i>6030011</i> | | <i>ug/kg wet</i> | | | | | | <i>87</i> | | | <i>82-112</i> | |
| <i>Surrogate: Toluene-d8</i> | <i>6030011</i> | | <i>ug/kg wet</i> | | | | | | <i>100</i> | | | <i>91-106</i> | |
| <i>Surrogate: 4-Bromofluorobenzene</i> | <i>6030011</i> | | <i>ug/kg wet</i> | | | | | | <i>92</i> | | | <i>89-110</i> | |
| Benzene | 6030056 | | ug/kg wet | N/A | 25 | <25 | | | | | | | |
| Bromobenzene | 6030056 | | ug/kg wet | N/A | 25 | <25 | | | | | | | |
| Bromochloromethane | 6030056 | | ug/kg wet | N/A | 35 | <35 | | | | | | | |
| Bromodichloromethane | 6030056 | | ug/kg wet | N/A | 25 | <25 | | | | | | | |
| Bromoform | 6030056 | | ug/kg wet | N/A | 25 | <50 | | | | | | | |
| Bromomethane | 6030056 | | ug/kg wet | N/A | 100 | <100 | | | | | | | |
| n-Butylbenzene | 6030056 | | ug/kg wet | N/A | 25 | <25 | | | | | | | |
| sec-Butylbenzene | 6030056 | | ug/kg wet | N/A | 25 | <25 | | | | | | | |
| tert-Butylbenzene | 6030056 | | ug/kg wet | N/A | 25 | <25 | | | | | | | |
| Carbon Tetrachloride | 6030056 | | ug/kg wet | N/A | 25 | <25 | | | | | | | |
| Chlorobenzene | 6030056 | | ug/kg wet | N/A | 25 | <25 | | | | | | | |
| Chlorodibromomethane | 6030056 | | ug/kg wet | N/A | 25 | <25 | | | | | | | |
| Chloroethane | 6030056 | | ug/kg wet | N/A | 50 | <50 | | | | | | | |
| Chloroform | 6030056 | | ug/kg wet | N/A | 25 | <25 | | | | | | | |
| Chloromethane | 6030056 | | ug/kg wet | N/A | 50 | <50 | | | | | | | |
| 2-Chlorotoluene | 6030056 | | ug/kg wet | N/A | 50 | <50 | | | | | | | |
| 4-Chlorotoluene | 6030056 | | ug/kg wet | N/A | 25 | <25 | | | | | | | |
| 1,2-Dibromo-3-chloropropane | 6030056 | | ug/kg wet | N/A | 50 | <50 | | | | | | | L1,R2 |
| 1,2-Dibromoethane (EDB) | 6030056 | | ug/kg wet | N/A | 25 | <25 | | | | | | | |
| Dibromomethane | 6030056 | | ug/kg wet | N/A | 25 | <25 | | | | | | | |
| 1,2-Dichlorobenzene | 6030056 | | ug/kg wet | N/A | 25 | <30 | | | | | | | |
| 1,3-Dichlorobenzene | 6030056 | | ug/kg wet | N/A | 25 | <25 | | | | | | | |
| 1,4-Dichlorobenzene | 6030056 | | ug/kg wet | N/A | 25 | <25 | | | | | | | |
| Dichlorodifluoromethane | 6030056 | | ug/kg wet | N/A | 50 | <50 | | | | | | | C9 |
| 1,1-Dichloroethane | 6030056 | | ug/kg wet | N/A | 25 | <25 | | | | | | | |

United Engineering Consultants
 10617 W. Oklahoma Avenue; #L2
 West Allis, WI 53227
 Mr. Timothy Anderson

Work Order: WPB0800
 Project: Colony
 Project Number: 04026

Received: 02/23/06
 Reported: 03/03/06 10:14

LABORATORY BLANK QC DATA

| Analyte | Seq/ Batch | Source Spike | | MDL | MRL | Result | Dup Result | % REC | Dup %REC | % REC Limits | RPD RPD | RPD Limit | Q |
|---------------------------------|---------------|--------------|-------|-----------|-----|--------|---------------|----------|-------------|-----------------|------------|--------------|---|
| | | Result | Level | | | | | | | | | | |
| VOCs by SW8260B | | | | | | | | | | | | | |
| 1,2-Dichloroethane | 6030056 | | | ug/kg wet | N/A | 25 | <25 | | | | | | |
| 1,1-Dichloroethene | 6030056 | | | ug/kg wet | N/A | 25 | <25 | | | | | | |
| cis-1,2-Dichloroethene | 6030056 | | | ug/kg wet | N/A | 25 | <25 | | | | | | |
| trans-1,2-Dichloroethene | 6030056 | | | ug/kg wet | N/A | 25 | <25 | | | | | | |
| 1,2-Dichloropropane | 6030056 | | | ug/kg wet | N/A | 25 | <25 | | | | | | |
| 1,3-Dichloropropane | 6030056 | | | ug/kg wet | N/A | 25 | <25 | | | | | | |
| 2,2-Dichloropropane | 6030056 | | | ug/kg wet | N/A | 25 | <25 | | | | | | |
| 1,1-Dichloropropene | 6030056 | | | ug/kg wet | N/A | 25 | <25 | | | | | | |
| cis-1,3-Dichloropropene | 6030056 | | | ug/kg wet | N/A | 25 | <25 | | | | | | |
| trans-1,3-Dichloropropene | 6030056 | | | ug/kg wet | N/A | 25 | <25 | | | | | | |
| 2,3-Dichloropropene | 6030056 | | | ug/kg wet | N/A | 25 | <25 | | | | | | |
| Isopropyl Ether | 6030056 | | | ug/kg wet | N/A | 25 | <25 | | | | | | |
| Ethylbenzene | 6030056 | | | ug/kg wet | N/A | 25 | <25 | | | | | | |
| Hexachlorobutadiene | 6030056 | | | ug/kg wet | N/A | 35 | <35 | | | | | | |
| Isopropylbenzene | 6030056 | | | ug/kg wet | N/A | 25 | <25 | | | | | | |
| p-Isopropyltoluene | 6030056 | | | ug/kg wet | N/A | 25 | <25 | | | | | | |
| Methylene Chloride | 6030056 | | | ug/kg wet | N/A | 50 | <50 | | | | | | |
| Methyl tert-Butyl Ether | 6030056 | | | ug/kg wet | N/A | 25 | <25 | | | | | | |
| Naphthalene | 6030056 | | | ug/kg wet | N/A | 50 | <50 | | | | | | |
| n-Propylbenzene | 6030056 | | | ug/kg wet | N/A | 25 | <25 | | | | | | |
| Styrene | 6030056 | | | ug/kg wet | N/A | 25 | <25 | | | | | | |
| 1,1,1,2-Tetrachloroethane | 6030056 | | | ug/kg wet | N/A | 25 | <25 | | | | | | |
| 1,1,1,2,2-Tetrachloroethane | 6030056 | | | ug/kg wet | N/A | 25 | <25 | | | | | | |
| Tetrachloroethene | 6030056 | | | ug/kg wet | N/A | 25 | <25 | | | | | | |
| Toluene | 6030056 | | | ug/kg wet | N/A | 25 | <25 | | | | | | |
| 1,2,3-Trichlorobenzene | 6030056 | | | ug/kg wet | N/A | 25 | <25 | | | | | | |
| 1,2,4-Trichlorobenzene | 6030056 | | | ug/kg wet | N/A | 25 | <25 | | | | | | |
| 1,1,1-Trichloroethane | 6030056 | | | ug/kg wet | N/A | 25 | <25 | | | | | | |
| 1,1,2-Trichloroethane | 6030056 | | | ug/kg wet | N/A | 35 | <35 | | | | | | |
| Trichloroethene | 6030056 | | | ug/kg wet | N/A | 25 | <25 | | | | | | |
| Trichlorofluoromethane | 6030056 | | | ug/kg wet | N/A | 25 | <25 | | | | | | |
| 1,2,3-Trichloropropane | 6030056 | | | ug/kg wet | N/A | 50 | <75 | | | | | | |
| 1,2,4-Trimethylbenzene | 6030056 | | | ug/kg wet | N/A | 25 | <25 | | | | | | |
| 1,3,5-Trimethylbenzene | 6030056 | | | ug/kg wet | N/A | 25 | <25 | | | | | | |
| Vinyl chloride | 6030056 | | | ug/kg wet | N/A | 35 | <35 | | | | | | |
| Xylenes, total | 6030056 | | | ug/kg wet | N/A | 85 | <85 | | | | | | |
| Surrogate: Dibromofluoromethane | 6030056 | | | ug/kg wet | | | | | 90 | | 82-112 | | |
| Surrogate: Toluene-d8 | 6030056 | | | ug/kg wet | | | | | 101 | | 91-106 | | |
| Surrogate: 4-Bromofluorobenzene | 6030056 | | | ug/kg wet | | | | | 94 | | 89-110 | | |

United Engineering Consultants
 10617 W. Oklahoma Avenue; #L2
 West Allis, WI 53227
 Mr. Timothy Anderson

Work Order: WPB0800
 Project: Colony
 Project Number: 04026

Received: 02/23/06
 Reported: 03/03/06 10:14

CCV QC DATA

| Analyte | Seq/ Batch | Source Result | Spike Level | Units | MDL | MRL | Result | Dup Result | % REC | Dup %REC | %REC Limits | RPD RPD | RPD Limit | Q |
|-----------------------------|---------------|------------------|----------------|-----------|-----|-----|--------|---------------|----------|-------------|----------------|------------|--------------|---|
| VOCs by SW8260B | | | | | | | | | | | | | | |
| Benzene | 6C01008 | | 2500 | ug/kg wet | N/A | N/A | 2560 | | 102 | | 80-120 | | | |
| Bromobenzene | 6C01008 | | 2500 | ug/kg wet | N/A | N/A | 2390 | | 96 | | 80-120 | | | |
| Bromochloromethane | 6C01008 | | 2500 | ug/kg wet | N/A | N/A | 2220 | | 89 | | 80-120 | | | |
| Bromodichloromethane | 6C01008 | | 2500 | ug/kg wet | N/A | N/A | 2440 | | 98 | | 80-120 | | | |
| Bromoform | 6C01008 | | 2500 | ug/kg wet | N/A | N/A | 2290 | | 92 | | 80-120 | | | |
| Bromomethane | 6C01008 | | 2500 | ug/kg wet | N/A | N/A | 2460 | | 98 | | 80-120 | | | |
| n-Butylbenzene | 6C01008 | | 2500 | ug/kg wet | N/A | N/A | 2490 | | 100 | | 80-120 | | | |
| sec-Butylbenzene | 6C01008 | | 2500 | ug/kg wet | N/A | N/A | 2500 | | 100 | | 80-120 | | | |
| tert-Butylbenzene | 6C01008 | | 2500 | ug/kg wet | N/A | N/A | 2430 | | 97 | | 80-120 | | | |
| Carbon Tetrachloride | 6C01008 | | 2500 | ug/kg wet | N/A | N/A | 2430 | | 97 | | 80-120 | | | |
| Chlorobenzene | 6C01008 | | 2500 | ug/kg wet | N/A | N/A | 2430 | | 97 | | 80-120 | | | |
| Chlorodibromomethane | 6C01008 | | 2500 | ug/kg wet | N/A | N/A | 2190 | | 88 | | 80-120 | | | |
| Chloroethane | 6C01008 | | 2500 | ug/kg wet | N/A | N/A | 2620 | | 105 | | 80-120 | | | |
| Chloroform | 6C01008 | | 2500 | ug/kg wet | N/A | N/A | 2390 | | 96 | | 80-120 | | | |
| Chloromethane | 6C01008 | | 2500 | ug/kg wet | N/A | N/A | 2320 | | 93 | | 80-120 | | | |
| 2-Chlorotoluene | 6C01008 | | 2500 | ug/kg wet | N/A | N/A | 2580 | | 103 | | 80-120 | | | |
| 4-Chlorotoluene | 6C01008 | | 2500 | ug/kg wet | N/A | N/A | 2260 | | 90 | | 80-120 | | | |
| 1,2-Dibromo-3-chloropropane | 6C01008 | | 2500 | ug/kg wet | N/A | N/A | 2690 | | 108 | | 80-120 | | | |
| 1,2-Dibromoethane (EDB) | 6C01008 | | 2500 | ug/kg wet | N/A | N/A | 2520 | | 101 | | 80-120 | | | |
| Dibromomethane | 6C01008 | | 2500 | ug/kg wet | N/A | N/A | 2520 | | 101 | | 80-120 | | | |
| 1,2-Dichlorobenzene | 6C01008 | | 2500 | ug/kg wet | N/A | N/A | 2380 | | 95 | | 80-120 | | | |
| 1,3-Dichlorobenzene | 6C01008 | | 2500 | ug/kg wet | N/A | N/A | 2430 | | 97 | | 80-120 | | | |
| 1,4-Dichlorobenzene | 6C01008 | | 2500 | ug/kg wet | N/A | N/A | 2440 | | 98 | | 80-120 | | | |
| Dichlorodifluoromethane | 6C01008 | | 2500 | ug/kg wet | N/A | N/A | 2110 | | 84 | | 80-120 | | | |
| 1,1-Dichloroethane | 6C01008 | | 2500 | ug/kg wet | N/A | N/A | 2450 | | 98 | | 80-120 | | | |
| 1,2-Dichloroethane | 6C01008 | | 2500 | ug/kg wet | N/A | N/A | 2260 | | 90 | | 80-120 | | | |
| 1,1-Dichloroethene | 6C01008 | | 2500 | ug/kg wet | N/A | N/A | 2380 | | 95 | | 80-120 | | | |
| cis-1,2-Dichloroethene | 6C01008 | | 2500 | ug/kg wet | N/A | N/A | 2550 | | 102 | | 80-120 | | | |
| trans-1,2-Dichloroethene | 6C01008 | | 2500 | ug/kg wet | N/A | N/A | 2590 | | 104 | | 80-120 | | | |
| 1,2-Dichloropropane | 6C01008 | | 2500 | ug/kg wet | N/A | N/A | 2560 | | 102 | | 80-120 | | | |
| 1,3-Dichloropropane | 6C01008 | | 2500 | ug/kg wet | N/A | N/A | 2310 | | 92 | | 80-120 | | | |
| 2,2-Dichloropropane | 6C01008 | | 2500 | ug/kg wet | N/A | N/A | 2480 | | 99 | | 80-120 | | | |
| 1,1-Dichloropropene | 6C01008 | | 2500 | ug/kg wet | N/A | N/A | 2520 | | 101 | | 80-120 | | | |
| cis-1,3-Dichloropropene | 6C01008 | | 2500 | ug/kg wet | N/A | N/A | 2620 | | 105 | | 80-120 | | | |
| trans-1,3-Dichloropropene | 6C01008 | | 2500 | ug/kg wet | N/A | N/A | 2570 | | 103 | | 80-120 | | | |
| 2,3-Dichloropropene | 6C01008 | | 2500 | ug/kg wet | N/A | N/A | 2590 | | 104 | | 80-120 | | | |
| Isopropyl Ether | 6C01008 | | 2500 | ug/kg wet | N/A | N/A | 2420 | | 97 | | 80-120 | | | |
| Ethylbenzene | 6C01008 | | 2500 | ug/kg wet | N/A | N/A | 2510 | | 100 | | 80-120 | | | |
| Hexachlorobutadiene | 6C01008 | | 2500 | ug/kg wet | N/A | N/A | 2470 | | 99 | | 80-120 | | | |
| Isopropylbenzene | 6C01008 | | 2500 | ug/kg wet | N/A | N/A | 2440 | | 98 | | 80-120 | | | |
| p-Isopropyltoluene | 6C01008 | | 2500 | ug/kg wet | N/A | N/A | 2480 | | 99 | | 80-120 | | | |
| Methylene Chloride | 6C01008 | | 2500 | ug/kg wet | N/A | N/A | 2440 | | 98 | | 80-120 | | | |
| Methyl tert-Butyl Ether | 6C01008 | | 2500 | ug/kg wet | N/A | N/A | 2280 | | 91 | | 80-120 | | | |
| Naphthalene | 6C01008 | | 2500 | ug/kg wet | N/A | N/A | 2570 | | 103 | | 80-120 | | | |
| n-Propylbenzene | 6C01008 | | 2500 | ug/kg wet | N/A | N/A | 2510 | | 100 | | 80-120 | | | |

United Engineering Consultants
 10617 W. Oklahoma Avenue; #L2
 West Allis, WI 53227
 Mr. Timothy Anderson

Work Order: WPB0800
 Project: Colony
 Project Number: 04026

Received: 02/23/06
 Reported: 03/03/06 10:14

CCV QC DATA

| Analyte | Seq/ Batch | Source Result | Spike Level | Units | MDL | MRL | Result | Dup Result | % REC | Dup %REC | % REC Limits | RPD RPD | RPD Limit | Q |
|----------------------------------------|----------------|------------------|------------------|-------|-----|------|--------|---------------|----------|-------------|-----------------|------------|--------------|-------|
| VOCs by SW8260B | | | | | | | | | | | | | | |
| Styrene | 6C01008 | 2500 | ug/kg wet | N/A | N/A | 2620 | | 105 | | | 80-120 | | | |
| 1,1,1,2-Tetrachloroethane | 6C01008 | 2500 | ug/kg wet | N/A | N/A | 2500 | | 100 | | | 80-120 | | | |
| 1,1,2,2-Tetrachloroethane | 6C01008 | 2500 | ug/kg wet | N/A | N/A | 2640 | | 106 | | | 80-120 | | | |
| Tetrachloroethene | 6C01008 | 2500 | ug/kg wet | N/A | N/A | 2490 | | 100 | | | 80-120 | | | |
| Toluene | 6C01008 | 2500 | ug/kg wet | N/A | N/A | 2550 | | 102 | | | 80-120 | | | |
| 1,2,3-Trichlorobenzene | 6C01008 | 2500 | ug/kg wet | N/A | N/A | 2500 | | 100 | | | 80-120 | | | |
| 1,2,4-Trichlorobenzene | 6C01008 | 2500 | ug/kg wet | N/A | N/A | 2340 | | 94 | | | 80-120 | | | |
| 1,1,1-Trichloroethane | 6C01008 | 2500 | ug/kg wet | N/A | N/A | 2390 | | 96 | | | 80-120 | | | |
| 1,1,2-Trichloroethane | 6C01008 | 2500 | ug/kg wet | N/A | N/A | 2430 | | 97 | | | 80-120 | | | |
| Trichloroethene | 6C01008 | 2500 | ug/kg wet | N/A | N/A | 2490 | | 100 | | | 80-120 | | | |
| Trichlorofluoromethane | 6C01008 | 2500 | ug/kg wet | N/A | N/A | 2190 | | 88 | | | 80-120 | | | |
| 1,2,3-Trichloropropane | 6C01008 | 2500 | ug/kg wet | N/A | N/A | 2220 | | 89 | | | 80-120 | | | |
| 1,2,4-Trimethylbenzene | 6C01008 | 2500 | ug/kg wet | N/A | N/A | 2410 | | 96 | | | 80-120 | | | |
| 1,3,5-Trimethylbenzene | 6C01008 | 2500 | ug/kg wet | N/A | N/A | 2410 | | 96 | | | 80-120 | | | |
| Vinyl chloride | 6C01008 | 2500 | ug/kg wet | N/A | N/A | 2360 | | 94 | | | 80-120 | | | |
| Xylenes, total | 6C01008 | 7500 | ug/kg wet | N/A | N/A | 7520 | | 100 | | | 80-120 | | | |
| <i>Surrogate: Dibromofluoromethane</i> | <i>6C01008</i> | | <i>ug/kg wet</i> | | | | | <i>98</i> | | | <i>80-120</i> | | | |
| <i>Surrogate: Toluene-d8</i> | <i>6C01008</i> | | <i>ug/kg wet</i> | | | | | <i>101</i> | | | <i>80-120</i> | | | |
| <i>Surrogate: 4-Bromofluorobenzene</i> | <i>6C01008</i> | | <i>ug/kg wet</i> | | | | | <i>97</i> | | | <i>80-120</i> | | | |
| Benzene | 6C02007 | 2500 | ug/L | N/A | N/A | 2440 | | 98 | | | 80-120 | | | |
| Bromobenzene | 6C02007 | 2500 | ug/L | N/A | N/A | 2280 | | 91 | | | 80-120 | | | |
| Bromochloromethane | 6C02007 | 2500 | ug/L | N/A | N/A | 2090 | | 84 | | | 80-120 | | | |
| Bromodichloromethane | 6C02007 | 2500 | ug/L | N/A | N/A | 2370 | | 95 | | | 80-120 | | | |
| Bromoform | 6C02007 | 2500 | ug/L | N/A | N/A | 2110 | | 84 | | | 80-120 | | | |
| Bromomethane | 6C02007 | 2500 | ug/L | N/A | N/A | 2230 | | 89 | | | 80-120 | | | |
| n-Butylbenzene | 6C02007 | 2500 | ug/L | N/A | N/A | 2320 | | 93 | | | 80-120 | | | |
| sec-Butylbenzene | 6C02007 | 2500 | ug/L | N/A | N/A | 2340 | | 94 | | | 80-120 | | | |
| tert-Butylbenzene | 6C02007 | 2500 | ug/L | N/A | N/A | 2300 | | 92 | | | 80-120 | | | |
| Carbon Tetrachloride | 6C02007 | 2500 | ug/L | N/A | N/A | 2280 | | 91 | | | 80-120 | | | |
| Chlorobenzene | 6C02007 | 2500 | ug/L | N/A | N/A | 2300 | | 92 | | | 80-120 | | | |
| Chlorodibromomethane | 6C02007 | 2500 | ug/L | N/A | N/A | 2060 | | 82 | | | 80-120 | | | |
| Chloroethane | 6C02007 | 2500 | ug/L | N/A | N/A | 2430 | | 97 | | | 80-120 | | | |
| Chloroform | 6C02007 | 2500 | ug/L | N/A | N/A | 2370 | | 95 | | | 80-120 | | | |
| Chloromethane | 6C02007 | 2500 | ug/L | N/A | N/A | 2140 | | 86 | | | 80-120 | | | |
| 2-Chlorotoluene | 6C02007 | 2500 | ug/L | N/A | N/A | 2380 | | 95 | | | 80-120 | | | |
| 4-Chlorotoluene | 6C02007 | 2500 | ug/L | N/A | N/A | 2170 | | 87 | | | 80-120 | | | |
| 1,2-Dibromo-3-chloropropane | 6C02007 | 2500 | ug/L | N/A | N/A | 2370 | | 95 | | | 80-120 | | | L1,R2 |
| 1,2-Dibromoethane (EDB) | 6C02007 | 2500 | ug/L | N/A | N/A | 2350 | | 94 | | | 80-120 | | | |
| Dibromomethane | 6C02007 | 2500 | ug/L | N/A | N/A | 2380 | | 95 | | | 80-120 | | | |
| 1,2-Dichlorobenzene | 6C02007 | 2500 | ug/L | N/A | N/A | 2230 | | 89 | | | 80-120 | | | |
| 1,3-Dichlorobenzene | 6C02007 | 2500 | ug/L | N/A | N/A | 2280 | | 91 | | | 80-120 | | | |
| 1,4-Dichlorobenzene | 6C02007 | 2500 | ug/L | N/A | N/A | 2190 | | 88 | | | 80-120 | | | |
| 1,1-Dichloroethane | 6C02007 | 2500 | ug/L | N/A | N/A | 2400 | | 96 | | | 80-120 | | | |
| 1,2-Dichloroethane | 6C02007 | 2500 | ug/L | N/A | N/A | 2160 | | 86 | | | 80-120 | | | |

United Engineering Consultants
 10617 W. Oklahoma Avenue; #L2
 West Allis, WI 53227
 Mr. Timothy Anderson

Work Order: WPB0800
 Project: Colony
 Project Number: 04026

Received: 02/23/06
 Reported: 03/03/06 10:14

CCV QC DATA

| Analyte | Seq/ Batch | Source Result | Spike Level | Units | MDL | MRL | Result | Dup Result | % REC | Dup %REC | % REC Limits | RPD RPD | RPD Limit | Q |
|---------------------------------|---------------|------------------|----------------|-------|-----|-----|--------|---------------|----------|-------------|-----------------|------------|--------------|---|
| VOCs by SW8260B | | | | | | | | | | | | | | |
| 1,1-Dichloroethene | 6C02007 | | 2500 | ug/L | N/A | N/A | 2310 | | 92 | | 80-120 | | | |
| cis-1,2-Dichloroethene | 6C02007 | | 2500 | ug/L | N/A | N/A | 2530 | | 101 | | 80-120 | | | |
| trans-1,2-Dichloroethene | 6C02007 | | 2500 | ug/L | N/A | N/A | 2640 | | 106 | | 80-120 | | | |
| 1,2-Dichloropropane | 6C02007 | | 2500 | ug/L | N/A | N/A | 2430 | | 97 | | 80-120 | | | |
| 1,3-Dichloropropane | 6C02007 | | 2500 | ug/L | N/A | N/A | 2190 | | 88 | | 80-120 | | | |
| 2,2-Dichloropropane | 6C02007 | | 2500 | ug/L | N/A | N/A | 2430 | | 97 | | 80-120 | | | |
| 1,1-Dichloropropene | 6C02007 | | 2500 | ug/L | N/A | N/A | 2370 | | 95 | | 80-120 | | | |
| cis-1,3-Dichloropropene | 6C02007 | | 2500 | ug/L | N/A | N/A | 2520 | | 101 | | 80-120 | | | |
| trans-1,3-Dichloropropene | 6C02007 | | 2500 | ug/L | N/A | N/A | 2460 | | 98 | | 80-120 | | | |
| Isopropyl Ether | 6C02007 | | 2500 | ug/L | N/A | N/A | 2340 | | 94 | | 80-120 | | | |
| Ethylbenzene | 6C02007 | | 2500 | ug/L | N/A | N/A | 2400 | | 96 | | 80-120 | | | |
| Hexachlorobutadiene | 6C02007 | | 2500 | ug/L | N/A | N/A | 2270 | | 91 | | 80-120 | | | |
| Isopropylbenzene | 6C02007 | | 2500 | ug/L | N/A | N/A | 2300 | | 92 | | 80-120 | | | |
| p-Isopropyltoluene | 6C02007 | | 2500 | ug/L | N/A | N/A | 2340 | | 94 | | 80-120 | | | |
| Methylene Chloride | 6C02007 | | 2500 | ug/L | N/A | N/A | 2340 | | 94 | | 80-120 | | | |
| Methyl tert-Butyl Ether | 6C02007 | | 2500 | ug/L | N/A | N/A | 2160 | | 86 | | 80-120 | | | |
| Naphthalene | 6C02007 | | 2500 | ug/L | N/A | N/A | 2230 | | 89 | | 80-120 | | | |
| n-Propylbenzene | 6C02007 | | 2500 | ug/L | N/A | N/A | 2430 | | 97 | | 80-120 | | | |
| Styrene | 6C02007 | | 2500 | ug/L | N/A | N/A | 2450 | | 98 | | 80-120 | | | |
| 1,1,1,2-Tetrachloroethane | 6C02007 | | 2500 | ug/L | N/A | N/A | 2370 | | 95 | | 80-120 | | | |
| 1,1,2,2-Tetrachloroethane | 6C02007 | | 2500 | ug/L | N/A | N/A | 2430 | | 97 | | 80-120 | | | |
| Tetrachloroethene | 6C02007 | | 2500 | ug/L | N/A | N/A | 2320 | | 93 | | 80-120 | | | |
| Toluene | 6C02007 | | 2500 | ug/L | N/A | N/A | 2370 | | 95 | | 80-120 | | | |
| 1,2,3-Trichlorobenzene | 6C02007 | | 2500 | ug/L | N/A | N/A | 2330 | | 93 | | 80-120 | | | |
| 1,2,4-Trichlorobenzene | 6C02007 | | 2500 | ug/L | N/A | N/A | 2210 | | 88 | | 80-120 | | | |
| 1,1,1-Trichloroethane | 6C02007 | | 2500 | ug/L | N/A | N/A | 2290 | | 92 | | 80-120 | | | |
| 1,1,2-Trichloroethane | 6C02007 | | 2500 | ug/L | N/A | N/A | 2310 | | 92 | | 80-120 | | | |
| Trichloroethene | 6C02007 | | 2500 | ug/L | N/A | N/A | 2330 | | 93 | | 80-120 | | | |
| Trichlorofluoromethane | 6C02007 | | 2500 | ug/L | N/A | N/A | 2090 | | 84 | | 80-120 | | | |
| 1,2,3-Trichloropropane | 6C02007 | | 2500 | ug/L | N/A | N/A | 2000 | | 80 | | 80-120 | | | |
| 1,2,4-Trimethylbenzene | 6C02007 | | 2500 | ug/L | N/A | N/A | 2250 | | 90 | | 80-120 | | | |
| 1,3,5-Trimethylbenzene | 6C02007 | | 2500 | ug/L | N/A | N/A | 2260 | | 90 | | 80-120 | | | |
| Vinyl chloride | 6C02007 | | 2500 | ug/L | N/A | N/A | 2260 | | 90 | | 80-120 | | | |
| Xylenes, Total | 6C02007 | | 7500 | ug/L | N/A | N/A | 7000 | | 93 | | 80-120 | | | |
| Surrogate: Dibromofluoromethane | 6C02007 | | | ug/L | | | | | 102 | | 80-120 | | | |
| Surrogate: Toluene-d8 | 6C02007 | | | ug/L | | | | | 100 | | 80-120 | | | |
| Surrogate: 4-Bromofluorobenzene | 6C02007 | | | ug/L | | | | | 100 | | 80-120 | | | |

United Engineering Consultants
 10617 W. Oklahoma Avenue; #L2
 West Allis, WI 53227
 Mr. Timothy Anderson

Work Order: WPB0800
 Project: Colony
 Project Number: 04026

Received: 02/23/06
 Reported: 03/03/06 10:14

LABORATORY DUPLICATE QC DATA

| Analyte | Seq/ Batch | Source Spike Result Level | Units | MDL | MRL | Result | % REC | Dup %REC | % REC Limits | RPD RPD | RPD Limit | Q |
|-------------------------------------|---------------|------------------------------|-------|-----|-----|--------|----------|-------------|-----------------|------------|--------------|---|
| General Chemistry Parameters | | | | | | | | | | | | |
| QC Source Sample: WPB0801-04 | | | | | | | | | | | | |
| % Solids | 6020655 | 84 | % | N/A | N/A | 83.1 | | | | 1 | 20 | |
| QC Source Sample: WPB0826-01 | | | | | | | | | | | | |
| % Solids | 6020655 | 87 | % | N/A | N/A | 88.6 | | | | 2 | 20 | |

United Engineering Consultants
10617 W. Oklahoma Avenue; #L2
West Allis, WI 53227
Mr. Timothy Anderson

Work Order: WPB0800
Project: Colony
Project Number: 04026

Received: 02/23/06
Reported: 03/03/06 10:14

LCS/LCS DUPLICATE QC DATA

| Analyte | Seq/ Batch | Source Spike | | MDL | MRL | Dup Result | Dup Result | % REC | Dup %REC | % REC Limits | RPD RPD | RPD Limit | Q |
|-----------------------------|---------------|--------------|-----------|-----|-----|---------------|---------------|----------|-------------|-----------------|------------|--------------|---|
| | | Result | Level | | | | | | | | | | |
| VOCs by SW8260B | | | | | | | | | | | | | |
| Benzene | 6030011 | 2500 | ug/kg wet | N/A | N/A | 2610 | 2520 | 104 | 101 | 64-124 | 4 | 29 | |
| Bromobenzene | 6030011 | 2500 | ug/kg wet | N/A | N/A | 2460 | 2420 | 98 | 97 | 70-130 | 2 | 20 | |
| Bromochloromethane | 6030011 | 2500 | ug/kg wet | N/A | N/A | 2360 | 2220 | 94 | 89 | 70-130 | 6 | 20 | |
| Bromodichloromethane | 6030011 | 2500 | ug/kg wet | N/A | N/A | 2460 | 2270 | 98 | 91 | 70-130 | 8 | 20 | |
| Bromoform | 6030011 | 2500 | ug/kg wet | N/A | N/A | 2360 | 2300 | 94 | 92 | 70-130 | 3 | 20 | |
| Bromomethane | 6030011 | 2500 | ug/kg wet | N/A | N/A | 2660 | 2490 | 106 | 100 | 70-130 | 7 | 20 | |
| n-Butylbenzene | 6030011 | 2500 | ug/kg wet | N/A | N/A | 2450 | 2340 | 98 | 94 | 70-130 | 5 | 20 | |
| sec-Butylbenzene | 6030011 | 2500 | ug/kg wet | N/A | N/A | 2440 | 2390 | 98 | 96 | 70-130 | 2 | 20 | |
| tert-Butylbenzene | 6030011 | 2500 | ug/kg wet | N/A | N/A | 2450 | 2390 | 98 | 96 | 70-130 | 2 | 20 | |
| Carbon Tetrachloride | 6030011 | 2500 | ug/kg wet | N/A | N/A | 2380 | 2260 | 95 | 90 | 70-130 | 5 | 20 | |
| Chlorobenzene | 6030011 | 2500 | ug/kg wet | N/A | N/A | 2480 | 2330 | 99 | 93 | 80-123 | 6 | 17 | |
| Chlorodibromomethane | 6030011 | 2500 | ug/kg wet | N/A | N/A | 2310 | 2170 | 92 | 87 | 70-130 | 6 | 20 | |
| Chloroethane | 6030011 | 2500 | ug/kg wet | N/A | N/A | 2930 | 2740 | 117 | 110 | 70-130 | 7 | 20 | |
| Chloroform | 6030011 | 2500 | ug/kg wet | N/A | N/A | 2520 | 2440 | 101 | 98 | 70-130 | 3 | 20 | |
| Chloromethane | 6030011 | 2500 | ug/kg wet | N/A | N/A | 2820 | 2700 | 113 | 108 | 70-130 | 4 | 20 | |
| 2-Chlorotoluene | 6030011 | 2500 | ug/kg wet | N/A | N/A | 2480 | 2320 | 99 | 93 | 70-130 | 7 | 20 | |
| 4-Chlorotoluene | 6030011 | 2500 | ug/kg wet | N/A | N/A | 2270 | 2140 | 91 | 86 | 70-130 | 6 | 20 | |
| 1,2-Dibromo-3-chloropropane | 6030011 | 2500 | ug/kg wet | N/A | N/A | 2770 | 2890 | 111 | 116 | 70-130 | 4 | 20 | |
| 1,2-Dibromoethane (EDB) | 6030011 | 2500 | ug/kg wet | N/A | N/A | 2590 | 2630 | 104 | 105 | 70-130 | 2 | 20 | |
| Dibromomethane | 6030011 | 2500 | ug/kg wet | N/A | N/A | 2550 | 2540 | 102 | 102 | 70-130 | 0 | 20 | |
| 1,2-Dichlorobenzene | 6030011 | 2500 | ug/kg wet | N/A | N/A | 2410 | 2340 | 96 | 94 | 70-130 | 3 | 20 | |
| 1,3-Dichlorobenzene | 6030011 | 2500 | ug/kg wet | N/A | N/A | 2450 | 2340 | 98 | 94 | 70-130 | 5 | 20 | |
| 1,4-Dichlorobenzene | 6030011 | 2500 | ug/kg wet | N/A | N/A | 2460 | 2300 | 98 | 92 | 70-130 | 7 | 20 | |
| Dichlorodifluoromethane | 6030011 | 2500 | ug/kg wet | N/A | N/A | 2920 | 2750 | 117 | 110 | 70-130 | 6 | 20 | |
| 1,1-Dichloroethane | 6030011 | 2500 | ug/kg wet | N/A | N/A | 2510 | 2490 | 100 | 100 | 70-130 | 1 | 20 | |
| 1,2-Dichloroethane | 6030011 | 2500 | ug/kg wet | N/A | N/A | 2390 | 2360 | 96 | 94 | 70-130 | 1 | 20 | |
| 1,1-Dichloroethene | 6030011 | 2500 | ug/kg wet | N/A | N/A | 2440 | 2390 | 98 | 96 | 43-141 | 2 | 44 | |
| cis-1,2-Dichloroethene | 6030011 | 2500 | ug/kg wet | N/A | N/A | 2660 | 2580 | 106 | 103 | 70-130 | 3 | 20 | |
| trans-1,2-Dichloroethene | 6030011 | 2500 | ug/kg wet | N/A | N/A | 2610 | 2480 | 104 | 99 | 70-130 | 5 | 20 | |
| 1,2-Dichloropropane | 6030011 | 2500 | ug/kg wet | N/A | N/A | 2520 | 2470 | 101 | 99 | 70-130 | 2 | 20 | |
| 1,3-Dichloropropane | 6030011 | 2500 | ug/kg wet | N/A | N/A | 2430 | 2380 | 97 | 95 | 70-130 | 2 | 20 | |
| 2,2-Dichloropropane | 6030011 | 2500 | ug/kg wet | N/A | N/A | 2500 | 2150 | 100 | 86 | 70-130 | 15 | 20 | |
| 1,1-Dichloropropene | 6030011 | 2500 | ug/kg wet | N/A | N/A | 2560 | 2420 | 102 | 97 | 70-130 | 6 | 20 | |
| cis-1,3-Dichloropropene | 6030011 | 2500 | ug/kg wet | N/A | N/A | 2660 | 2490 | 106 | 100 | 70-130 | 7 | 20 | |
| trans-1,3-Dichloropropene | 6030011 | 2500 | ug/kg wet | N/A | N/A | 2680 | 2480 | 107 | 99 | 70-130 | 8 | 20 | |
| Ethylbenzene | 6030011 | 2500 | ug/kg wet | N/A | N/A | 2600 | 2450 | 104 | 98 | 79-122 | 6 | 17 | |
| Hexachlorobutadiene | 6030011 | 2500 | ug/kg wet | N/A | N/A | 2460 | 2310 | 98 | 92 | 70-130 | 6 | 20 | |
| Isopropylbenzene | 6030011 | 2500 | ug/kg wet | N/A | N/A | 2400 | 2290 | 96 | 92 | 70-130 | 5 | 20 | |
| p-Isopropyltoluene | 6030011 | 2500 | ug/kg wet | N/A | N/A | 2480 | 2390 | 99 | 96 | 70-130 | 4 | 20 | |
| Methylene Chloride | 6030011 | 2500 | ug/kg wet | N/A | N/A | 2570 | 2480 | 103 | 99 | 70-130 | 4 | 20 | |
| Methyl tert-Butyl Ether | 6030011 | 2410 | ug/kg wet | N/A | N/A | 2320 | 2390 | 96 | 99 | 55-137 | 3 | 36 | |
| Naphthalene | 6030011 | 2500 | ug/kg wet | N/A | N/A | 2550 | 2710 | 102 | 108 | 70-130 | 6 | 20 | |
| n-Propylbenzene | 6030011 | 2500 | ug/kg wet | N/A | N/A | 2560 | 2450 | 102 | 98 | 70-130 | 4 | 20 | |
| Styrene | 6030011 | 2500 | ug/kg wet | N/A | N/A | 2630 | 2500 | 105 | 100 | 70-130 | 5 | 20 | |
| 1,1,1,2-Tetrachloroethane | 6030011 | 2500 | ug/kg wet | N/A | N/A | 2660 | 2460 | 106 | 98 | 70-130 | 8 | 20 | |

United Engineering Consultants
 10617 W. Oklahoma Avenue; #L2
 West Allis, WI 53227
 Mr. Timothy Anderson

Work Order: WPB0800
 Project: Colony
 Project Number: 04026

Received: 02/23/06
 Reported: 03/03/06 10:14

LCS/LCS DUPLICATE QC DATA

| Analyte | Seq/ Batch | Source Result | Spike Level | Units | MDL | MRL | Dup Result | % REC | Dup %REC | % Limits | REC RPD | RPD Limit | Q |
|----------------------------------------|----------------|------------------|----------------|-----------|-----|-----|---------------|----------|-------------|-------------|---------------|--------------|----|
| VOCs by SW8260B | | | | | | | | | | | | | |
| 1,1,2,2-Tetrachloroethane | 6030011 | | 2500 | ug/kg wet | N/A | N/A | 2640 | 2870 | 106 | 115 | 70-130 | 8 | 20 |
| Tetrachloroethene | 6030011 | | 2500 | ug/kg wet | N/A | N/A | 2490 | 2440 | 100 | 98 | 70-130 | 2 | 20 |
| Toluene | 6030011 | | 2500 | ug/kg wet | N/A | N/A | 2580 | 2440 | 103 | 98 | 78-120 | 6 | 18 |
| 1,2,3-Trichlorobenzene | 6030011 | | 2500 | ug/kg wet | N/A | N/A | 2590 | 2560 | 104 | 102 | 70-130 | 1 | 20 |
| 1,2,4-Trichlorobenzene | 6030011 | | 2500 | ug/kg wet | N/A | N/A | 2400 | 2360 | 96 | 94 | 70-130 | 2 | 20 |
| 1,1,1-Trichloroethane | 6030011 | | 2500 | ug/kg wet | N/A | N/A | 2440 | 2280 | 98 | 91 | 70-130 | 7 | 20 |
| 1,1,2-Trichloroethane | 6030011 | | 2500 | ug/kg wet | N/A | N/A | 2550 | 2480 | 102 | 99 | 70-130 | 3 | 20 |
| Trichloroethene | 6030011 | | 2500 | ug/kg wet | N/A | N/A | 2510 | 2410 | 100 | 96 | 78-124 | 4 | 20 |
| Trichlorofluoromethane | 6030011 | | 2500 | ug/kg wet | N/A | N/A | 2260 | 2110 | 90 | 84 | 70-130 | 7 | 20 |
| 1,2,3-Trichloropropane | 6030011 | | 2500 | ug/kg wet | N/A | N/A | 2100 | 2150 | 84 | 86 | 70-130 | 2 | 20 |
| 1,2,4-Trimethylbenzene | 6030011 | | 2500 | ug/kg wet | N/A | N/A | 2430 | 2340 | 97 | 94 | 75-128 | 4 | 20 |
| 1,3,5-Trimethylbenzene | 6030011 | | 2500 | ug/kg wet | N/A | N/A | 2450 | 2340 | 98 | 94 | 76-127 | 5 | 19 |
| Vinyl chloride | 6030011 | | 2500 | ug/kg wet | N/A | N/A | 2720 | 2560 | 109 | 102 | 70-130 | 6 | 20 |
| Xylenes, total | 6030011 | | 7500 | ug/kg wet | N/A | N/A | 7530 | 7220 | 100 | 96 | 79-122 | 4 | 17 |
| <i>Surrogate: Dibromofluoromethane</i> | <i>6030011</i> | | | ug/kg wet | | | | | <i>100</i> | <i>100</i> | <i>82-112</i> | | |
| <i>Surrogate: Toluene-d8</i> | <i>6030011</i> | | | ug/kg wet | | | | | <i>101</i> | <i>102</i> | <i>91-106</i> | | |
| <i>Surrogate: 4-Bromofluorobenzene</i> | <i>6030011</i> | | | ug/kg wet | | | | | <i>100</i> | <i>101</i> | <i>89-110</i> | | |
| Benzene | 6030056 | | 2500 | ug/kg wet | N/A | N/A | 2360 | 2450 | 94 | 98 | 64-124 | 4 | 29 |
| Bromobenzene | 6030056 | | 2500 | ug/kg wet | N/A | N/A | 2220 | 2300 | 89 | 92 | 70-130 | 4 | 20 |
| Bromochloromethane | 6030056 | | 2500 | ug/kg wet | N/A | N/A | 2130 | 2260 | 85 | 90 | 70-130 | 6 | 20 |
| Bromodichloromethane | 6030056 | | 2500 | ug/kg wet | N/A | N/A | 2250 | 2230 | 90 | 89 | 70-130 | 1 | 20 |
| Bromoform | 6030056 | | 2500 | ug/kg wet | N/A | N/A | 2170 | 2330 | 87 | 93 | 70-130 | 7 | 20 |
| Bromomethane | 6030056 | | 2500 | ug/kg wet | N/A | N/A | 2490 | 2480 | 100 | 99 | 70-130 | 0 | 20 |
| n-Butylbenzene | 6030056 | | 2500 | ug/kg wet | N/A | N/A | 2250 | 2240 | 90 | 90 | 70-130 | 0 | 20 |
| sec-Butylbenzene | 6030056 | | 2500 | ug/kg wet | N/A | N/A | 2280 | 2260 | 91 | 90 | 70-130 | 1 | 20 |
| tert-Butylbenzene | 6030056 | | 2500 | ug/kg wet | N/A | N/A | 2260 | 2310 | 90 | 92 | 70-130 | 2 | 20 |
| Carbon Tetrachloride | 6030056 | | 2500 | ug/kg wet | N/A | N/A | 2130 | 2180 | 85 | 87 | 70-130 | 2 | 20 |
| Chlorobenzene | 6030056 | | 2500 | ug/kg wet | N/A | N/A | 2280 | 2280 | 91 | 91 | 80-123 | 0 | 17 |
| Chlorodibromomethane | 6030056 | | 2500 | ug/kg wet | N/A | N/A | 2140 | 2200 | 86 | 88 | 70-130 | 3 | 20 |
| Chloroethane | 6030056 | | 2500 | ug/kg wet | N/A | N/A | 2680 | 2710 | 107 | 108 | 70-130 | 1 | 20 |
| Chloroform | 6030056 | | 2500 | ug/kg wet | N/A | N/A | 2320 | 2500 | 93 | 100 | 70-130 | 7 | 20 |
| Chloromethane | 6030056 | | 2500 | ug/kg wet | N/A | N/A | 2570 | 2640 | 103 | 106 | 70-130 | 3 | 20 |
| 2-Chlorotoluene | 6030056 | | 2500 | ug/kg wet | N/A | N/A | 2260 | 2250 | 90 | 90 | 70-130 | 0 | 20 |
| 4-Chlorotoluene | 6030056 | | 2500 | ug/kg wet | N/A | N/A | 2160 | 2210 | 86 | 88 | 70-130 | 2 | 20 |
| 1,2-Dibromo-3-chloropropane | 6030056 | | 2500 | ug/kg wet | N/A | N/A | 2540 | 3540 | 102 | 142 | 70-130 | 33 | 20 |
| 1,2-Dibromoethane (EDB) | 6030056 | | 2500 | ug/kg wet | N/A | N/A | 2390 | 2620 | 96 | 105 | 70-130 | 9 | 20 |
| Dibromomethane | 6030056 | | 2500 | ug/kg wet | N/A | N/A | 2340 | 2530 | 94 | 101 | 70-130 | 8 | 20 |
| 1,2-Dichlorobenzene | 6030056 | | 2500 | ug/kg wet | N/A | N/A | 2170 | 2320 | 87 | 93 | 70-130 | 7 | 20 |
| 1,3-Dichlorobenzene | 6030056 | | 2500 | ug/kg wet | N/A | N/A | 2200 | 2230 | 88 | 89 | 70-130 | 1 | 20 |
| 1,4-Dichlorobenzene | 6030056 | | 2500 | ug/kg wet | N/A | N/A | 2230 | 2190 | 89 | 88 | 70-130 | 2 | 20 |
| Dichlorodifluoromethane | 6030056 | | 2500 | ug/kg wet | N/A | N/A | 2590 | 2670 | 104 | 107 | 70-130 | 3 | 20 |
| 1,1-Dichloroethane | 6030056 | | 2500 | ug/kg wet | N/A | N/A | 2400 | 2580 | 96 | 103 | 70-130 | 7 | 20 |
| 1,2-Dichloroethane | 6030056 | | 2500 | ug/kg wet | N/A | N/A | 2170 | 2410 | 87 | 96 | 70-130 | 10 | 20 |
| 1,1-Dichloroethene | 6030056 | | 2500 | ug/kg wet | N/A | N/A | 2300 | 2300 | 92 | 92 | 43-141 | 0 | 44 |

United Engineering Consultants
 10617 W. Oklahoma Avenue; #L2
 West Allis, WI 53227
 Mr. Timothy Anderson

Work Order: WPB0800
 Project: Colony
 Project Number: 04026

Received: 02/23/06
 Reported: 03/03/06 10:14

LCS/LCS DUPLICATE QC DATA

| Analyte | Seq/ Batch | Source Result | Spike Level | Units | MDL | MRL | Dup | | % REC | Dup %REC | % REC Limits | RPD | RPD Limit | Q |
|---------------------------------|---------------|------------------|----------------|-------|-----|------|--------|--------|----------|-------------|-----------------|-----|--------------|---|
| | | | | | | | Result | Result | | | | | | |
| VOCs by SW8260B | | | | | | | | | | | | | | |
| cis-1,2-Dichloroethene | 6030056 | 2500 | ug/kg wet | N/A | N/A | 2490 | 2690 | 100 | 108 | 70-130 | 8 | 20 | | |
| trans-1,2-Dichloroethene | 6030056 | 2500 | ug/kg wet | N/A | N/A | 2460 | 2530 | 98 | 101 | 70-130 | 3 | 20 | | |
| 1,2-Dichloropropane | 6030056 | 2500 | ug/kg wet | N/A | N/A | 2300 | 2450 | 92 | 98 | 70-130 | 6 | 20 | | |
| 1,3-Dichloropropane | 6030056 | 2500 | ug/kg wet | N/A | N/A | 2240 | 2440 | 90 | 98 | 70-130 | 9 | 20 | | |
| 2,2-Dichloropropane | 6030056 | 2500 | ug/kg wet | N/A | N/A | 2260 | 2140 | 90 | 86 | 70-130 | 5 | 20 | | |
| 1,1-Dichloropropene | 6030056 | 2500 | ug/kg wet | N/A | N/A | 2320 | 2370 | 93 | 95 | 70-130 | 2 | 20 | | |
| cis-1,3-Dichloropropene | 6030056 | 2500 | ug/kg wet | N/A | N/A | 2470 | 2490 | 99 | 100 | 70-130 | 1 | 20 | | |
| trans-1,3-Dichloropropene | 6030056 | 2500 | ug/kg wet | N/A | N/A | 2480 | 2490 | 99 | 100 | 70-130 | 0 | 20 | | |
| Ethylbenzene | 6030056 | 2500 | ug/kg wet | N/A | N/A | 2280 | 2290 | 91 | 92 | 79-122 | 0 | 17 | | |
| Hexachlorobutadiene | 6030056 | 2500 | ug/kg wet | N/A | N/A | 2230 | 2230 | 89 | 89 | 70-130 | 0 | 20 | | |
| Isopropylbenzene | 6030056 | 2500 | ug/kg wet | N/A | N/A | 2240 | 2170 | 90 | 87 | 70-130 | 3 | 20 | | |
| p-Isopropyltoluene | 6030056 | 2500 | ug/kg wet | N/A | N/A | 2280 | 2320 | 91 | 93 | 70-130 | 2 | 20 | | |
| Methylene Chloride | 6030056 | 2500 | ug/kg wet | N/A | N/A | 2350 | 2510 | 94 | 100 | 70-130 | 7 | 20 | | |
| Methyl tert-Butyl Ether | 6030056 | 2410 | ug/kg wet | N/A | N/A | 2120 | 2470 | 88 | 102 | 55-137 | 15 | 36 | | |
| Naphthalene | 6030056 | 2500 | ug/kg wet | N/A | N/A | 2290 | 2750 | 92 | 110 | 70-130 | 18 | 20 | | |
| n-Propylbenzene | 6030056 | 2500 | ug/kg wet | N/A | N/A | 2380 | 2320 | 95 | 93 | 70-130 | 3 | 20 | | |
| Styrene | 6030056 | 2500 | ug/kg wet | N/A | N/A | 2440 | 2460 | 98 | 98 | 70-130 | 1 | 20 | | |
| 1,1,1,2-Tetrachloroethane | 6030056 | 2500 | ug/kg wet | N/A | N/A | 2350 | 2400 | 94 | 96 | 70-130 | 2 | 20 | | |
| 1,1,1,2,2-Tetrachloroethane | 6030056 | 2500 | ug/kg wet | N/A | N/A | 2520 | 2890 | 101 | 116 | 70-130 | 14 | 20 | | |
| Tetrachloroethene | 6030056 | 2500 | ug/kg wet | N/A | N/A | 2270 | 2310 | 91 | 92 | 70-130 | 2 | 20 | | |
| Toluene | 6030056 | 2500 | ug/kg wet | N/A | N/A | 2310 | 2340 | 92 | 94 | 78-120 | 1 | 18 | | |
| 1,2,3-Trichlorobenzene | 6030056 | 2500 | ug/kg wet | N/A | N/A | 2320 | 2480 | 93 | 99 | 70-130 | 7 | 20 | | |
| 1,2,4-Trichlorobenzene | 6030056 | 2500 | ug/kg wet | N/A | N/A | 2190 | 2290 | 88 | 92 | 70-130 | 4 | 20 | | |
| 1,1,1-Trichloroethane | 6030056 | 2500 | ug/kg wet | N/A | N/A | 2160 | 2240 | 86 | 90 | 70-130 | 4 | 20 | | |
| 1,1,2-Trichloroethane | 6030056 | 2500 | ug/kg wet | N/A | N/A | 2330 | 2540 | 93 | 102 | 70-130 | 9 | 20 | | |
| Trichloroethene | 6030056 | 2500 | ug/kg wet | N/A | N/A | 2270 | 2320 | 91 | 93 | 78-124 | 2 | 20 | | |
| Trichlorofluoromethane | 6030056 | 2500 | ug/kg wet | N/A | N/A | 2080 | 2070 | 83 | 83 | 70-130 | 1 | 20 | | |
| 1,2,3-Trichloropropane | 6030056 | 2500 | ug/kg wet | N/A | N/A | 1970 | 2170 | 79 | 87 | 70-130 | 10 | 20 | | |
| 1,2,4-Trimethylbenzene | 6030056 | 2500 | ug/kg wet | N/A | N/A | 2260 | 2280 | 90 | 91 | 75-128 | 1 | 20 | | |
| 1,3,5-Trimethylbenzene | 6030056 | 2500 | ug/kg wet | N/A | N/A | 2260 | 2290 | 90 | 92 | 76-127 | 1 | 19 | | |
| Vinyl chloride | 6030056 | 2500 | ug/kg wet | N/A | N/A | 2510 | 2520 | 100 | 101 | 70-130 | 0 | 20 | | |
| Xylenes, total | 6030056 | 7500 | ug/kg wet | N/A | N/A | 6840 | 6970 | 91 | 93 | 79-122 | 2 | 17 | | |
| Surrogate: Dibromofluoromethane | 6030056 | | ug/kg wet | | | | | 102 | 105 | 82-112 | | | | |
| Surrogate: Toluene-d8 | 6030056 | | ug/kg wet | | | | | 101 | 100 | 91-106 | | | | |
| Surrogate: 4-Bromofluorobenzene | 6030056 | | ug/kg wet | | | | | 101 | 100 | 89-110 | | | | |

United Engineering Consultants
10617 W. Oklahoma Avenue; #L2
West Allis, WI 53227
Mr. Timothy Anderson

Work Order: WPB0800
Project: Colony
Project Number: 04026

Received: 02/23/06
Reported: 03/03/06 10:14

CERTIFICATION SUMMARY

TestAmerica Analytical - Watertown

| Method | Matrix | Nelac | Wisconsin |
|----------|------------|-------|-----------|
| SW 5035 | Solid/Soil | X | X |
| SW 8260B | Solid/Soil | X | X |

DATA QUALIFIERS AND DEFINITIONS

- C9** Calibration Verification recovery was outside the method control limits for this analyte. The LCS for this analyte met CCV acceptance criteria, and was used to validate the batch.
- L1** Laboratory Control Sample and/or Laboratory Control Sample Duplicate recovery was above acceptance limits.
- R2** The RPD exceeded the acceptance limit.

ADDITIONAL COMMENTS

Results are reported on a wet weight basis unless otherwise noted.



8222 W. Calumet Rd., Milwaukee, WI 53223
 Phone: (414) 355-5800 Fax: (414) 355-3099

Timothy J. Anderson
 United Engineering Consultants
 10617 W. Oklahoma Ave #2
 West Allis, WI 53227

ORGANIC REPORT

BATCH NUMBER: 20060247
 DATE REPORTED: 24-Mar-06
 DATE RECEIVED: 10-Mar-06
 SAMPLE TEMP (C): 9c
 PROJECT ID: 06004
 PROJECT NAME: Colony

Sample Number: 41706

QC Prep Batch Number: 1016240

Collection: 3/8/2006

Time: 12:15

Sample ID: GP-16

Matrix: GW

Sample Description: Temp. Monitoring Well

| Compound | Result | Units | LOD | LOQ | Dilution | RQ | Method | Analyst | Date | |
|----------------------------|--------|-------|-------|-------|----------|-----|--------|---------|-----------|-----------|
| | | | | | | | | | Extract/ | Analyzed |
| 1,1,1,2-Tetrachloroethane | <1.100 | ug/l | 1.100 | 3.500 | 5 | | 8260 | 2402 | 3/17/2006 | 3/17/2006 |
| 1,1,1-Trichloroethane | <1.550 | ug/l | 1.550 | 4.932 | 5 | 3 4 | 8260 | 2402 | 3/17/2006 | 3/17/2006 |
| 1,1,2,2-Tetrachloroethane | <2.200 | ug/l | 2.200 | 7.000 | 5 | | 8260 | 2402 | 3/17/2006 | 3/17/2006 |
| 1,1,2-Trichloroethane | <2.200 | ug/l | 2.200 | 7.000 | 5 | | 8260 | 2402 | 3/17/2006 | 3/17/2006 |
| 1,1-Dichloroethane | <1.600 | ug/l | 1.600 | 5.091 | 5 | | 8260 | 2402 | 3/17/2006 | 3/17/2006 |
| 1,1-Dichloroethene | <1.700 | ug/l | 1.700 | 5.409 | 5 | | 8260 | 2402 | 3/17/2006 | 3/17/2006 |
| 1,1-Dichloropropene | <2.150 | ug/l | 2.150 | 6.841 | 5 | | 8260 | 2402 | 3/17/2006 | 3/17/2006 |
| 1,2,3-Trichlorobenzene | <2.500 | ug/l | 2.500 | 7.954 | 5 | | 8260 | 2402 | 3/17/2006 | 3/17/2006 |
| 1,2,3-Trichloropropane | <2.550 | ug/l | 2.550 | 8.113 | 5 | | 8260 | 2402 | 3/17/2006 | 3/17/2006 |
| 1,2,4-Trichlorobenzene | <2.350 | ug/l | 2.350 | 7.477 | 5 | | 8260 | 2402 | 3/17/2006 | 3/17/2006 |
| 1,2,4-Trimethylbenzene | <1.500 | ug/l | 1.500 | 4.773 | 5 | | 8260 | 2402 | 3/17/2006 | 3/17/2006 |
| 1,2-Dibromoethane | <2.300 | ug/l | 2.300 | 7.318 | 5 | | 8260 | 2402 | 3/17/2006 | 3/17/2006 |
| 1,2-Dichlorobenzene | <1.700 | ug/l | 1.700 | 5.409 | 5 | | 8260 | 2402 | 3/17/2006 | 3/17/2006 |
| 1,2-Dichloroethane | <1.750 | ug/l | 1.750 | 5.568 | 5 | | 8260 | 2402 | 3/17/2006 | 3/17/2006 |
| 1,2-Dichloropropane | <1.600 | ug/l | 1.600 | 5.091 | 5 | | 8260 | 2402 | 3/17/2006 | 3/17/2006 |
| 1,3,5-Trimethylbenzene | <1.700 | ug/l | 1.700 | 5.409 | 5 | | 8260 | 2402 | 3/17/2006 | 3/17/2006 |
| 1,3-Dichlorobenzene | <1.300 | ug/l | 1.300 | 4.136 | 5 | | 8260 | 2402 | 3/17/2006 | 3/17/2006 |
| 1,3-Dichloropropane | <1.950 | ug/l | 1.950 | 6.204 | 5 | | 8260 | 2402 | 3/17/2006 | 3/17/2006 |
| 1,4-Dichlorobenzene | <1.800 | ug/l | 1.800 | 5.727 | 5 | | 8260 | 2402 | 3/17/2006 | 3/17/2006 |
| 1,2-Dibromo-3-chloropropan | <1.650 | ug/l | 1.650 | 5.250 | 5 | | 8260 | 2402 | 3/17/2006 | 3/17/2006 |
| 2,2-Dichloropropane | <1.350 | ug/l | 1.350 | 4.295 | 5 | | 8260 | 2402 | 3/17/2006 | 3/17/2006 |
| 2-Chloroethyl Vinyl Ether | <3.500 | ug/l | 3.500 | 11 | 5 | | 8260 | 2402 | 3/17/2006 | 3/17/2006 |
| 2-Chlorotoluene | <1.500 | ug/l | 1.500 | 4.773 | 5 | | 8260 | 2402 | 3/17/2006 | 3/17/2006 |
| 4-Chlorotoluene | <1.300 | ug/l | 1.300 | 4.136 | 5 | | 8260 | 2402 | 3/17/2006 | 3/17/2006 |
| 4-Methyl-2-Pentanone | <4.000 | ug/l | 4.000 | 13 | 5 | | 8260 | 2402 | 3/17/2006 | 3/17/2006 |
| Benzene | <1.350 | ug/l | 1.350 | 4.295 | 5 | | 8260 | 2402 | 3/17/2006 | 3/17/2006 |
| Bromobenzene | <1.550 | ug/l | 1.550 | 4.932 | 5 | | 8260 | 2402 | 3/17/2006 | 3/17/2006 |
| Bromochloromethane | <1.850 | ug/l | 1.850 | 5.886 | 5 | | 8260 | 2402 | 3/17/2006 | 3/17/2006 |
| Bromodichloromethane | <1.900 | ug/l | 1.900 | 6.045 | 5 | | 8260 | 2402 | 3/17/2006 | 3/17/2006 |
| Bromoform | <1.950 | ug/l | 1.950 | 6.204 | 5 | | 8260 | 2402 | 3/17/2006 | 3/17/2006 |
| Bromomethane | <3.250 | ug/l | 3.250 | 10 | 5 | | 8260 | 2402 | 3/17/2006 | 3/17/2006 |
| Carbon tetrachloride | <1.350 | ug/l | 1.350 | 4.295 | 5 | | 8260 | 2402 | 3/17/2006 | 3/17/2006 |
| Chlorobenzene | <1.300 | ug/l | 1.300 | 4.136 | 5 | | 8260 | 2402 | 3/17/2006 | 3/17/2006 |
| Chloroethane | <3.200 | ug/l | 3.200 | 10 | 5 | | 8260 | 2402 | 3/17/2006 | 3/17/2006 |

Department of Natural Resources State Certified Laboratory #241340550

APL warrants the test results to be of a precision normal for the sample type and methodology employed for each sample submitted. APL disclaims any other warrants, expressed or implied, including warranty of fitness for a particular purpose and warranty of merchantability. APL accepts no legal responsibility for the purpose for which the client uses test results. Any analytical work performed must be governed by this terms and conditions set forth herein.



8222 W. Calumet Rd., Milwaukee, WI 53223
 Phone: (414) 355-5800 Fax: (414) 355-3099

Timothy J. Anderson
 United Engineering Consultants
 10617 W. Oklahoma Ave #2
 West Allis, WI 53227

ORGANIC REPORT

BATCH NUMBER: 20060247
 DATE REPORTED: 24-Mar-06
 DATE RECEIVED: 10-Mar-06
 SAMPLE TEMP (C): 9c
 PROJECT ID: 06004
 PROJECT NAME: Colony

| | | | | | | | | | |
|---------------------------|--------|------|-------|-------|---|------|------|-------------|-----------|
| Chloroform | <1.200 | ug/l | 1.200 | 3.818 | 5 | 8260 | 2402 | 3/17/2006 / | 3/17/2006 |
| Chloromethane | <2.450 | ug/l | 2.450 | 7.795 | 5 | 8260 | 2402 | 3/17/2006 / | 3/17/2006 |
| cis-1,2-Dichloroethene | 587 | ug/l | 1.350 | 4.295 | 5 | 8260 | 2402 | 3/17/2006 / | 3/17/2006 |
| cis-1,3-Dichloropropene | <1.850 | ug/l | 1.850 | 5.886 | 5 | 8260 | 2402 | 3/17/2006 / | 3/17/2006 |
| Dibromochloromethane | <2.050 | ug/l | 2.050 | 6.522 | 5 | 8260 | 2402 | 3/17/2006 / | 3/17/2006 |
| Dibromomethane | <2.300 | ug/l | 2.300 | 7.318 | 5 | 8260 | 2402 | 3/17/2006 / | 3/17/2006 |
| Dichlorodifluoromethane | <1.350 | ug/l | 1.350 | 4.295 | 5 | 8260 | 2402 | 3/17/2006 / | 3/17/2006 |
| Ethylbenzene | <1.250 | ug/l | 1.250 | 3.977 | 5 | 8260 | 2402 | 3/17/2006 / | 3/17/2006 |
| Hexachlorobutadiene | <2.100 | ug/l | 2.100 | 6.682 | 5 | 8260 | 2402 | 3/17/2006 / | 3/17/2006 |
| Isopropyl Ether | <1.500 | ug/l | 1.500 | 4.773 | 5 | 8260 | 2402 | 3/17/2006 / | 3/17/2006 |
| Isopropylbenzene | <1.650 | ug/l | 1.650 | 5.250 | 5 | 8260 | 2402 | 3/17/2006 / | 3/17/2006 |
| m&p-xylene | <2.650 | ug/l | 2.650 | 8.431 | 5 | 8260 | 2402 | 3/17/2006 / | 3/17/2006 |
| Methylene chloride | <1.500 | ug/l | 1.500 | 4.773 | 5 | 8260 | 2402 | 3/17/2006 / | 3/17/2006 |
| Methyl-t-butyl ether | <1.950 | ug/l | 1.950 | 6.204 | 5 | 8260 | 2402 | 3/17/2006 / | 3/17/2006 |
| Naphthalene | <3.750 | ug/l | 3.750 | 12 | 5 | 8260 | 2402 | 3/17/2006 / | 3/17/2006 |
| n-Butylbenzene | <1.800 | ug/l | 1.800 | 5.727 | 5 | 8260 | 2402 | 3/17/2006 / | 3/17/2006 |
| n-Propylbenzene | <1.400 | ug/l | 1.400 | 4.454 | 5 | 8260 | 2402 | 3/17/2006 / | 3/17/2006 |
| o-xylene | <1.250 | ug/l | 1.250 | 3.977 | 5 | 8260 | 2402 | 3/17/2006 / | 3/17/2006 |
| p-Isopropyltoluene | <1.550 | ug/l | 1.550 | 4.932 | 5 | 8260 | 2402 | 3/17/2006 / | 3/17/2006 |
| sec-Butylbenzene | <1.700 | ug/l | 1.700 | 5.409 | 5 | 8260 | 2402 | 3/17/2006 / | 3/17/2006 |
| Styrene | <1.250 | ug/l | 1.250 | 3.977 | 5 | 8260 | 2402 | 3/17/2006 / | 3/17/2006 |
| tert-Butylbenzene | <1.500 | ug/l | 1.500 | 4.773 | 5 | 8260 | 2402 | 3/17/2006 / | 3/17/2006 |
| Tetrachloroethene | 31 | ug/l | 1.550 | 4.932 | 5 | 8260 | 2402 | 3/17/2006 / | 3/17/2006 |
| Toluene | <1.450 | ug/l | 1.450 | 4.613 | 5 | 8260 | 2402 | 3/17/2006 / | 3/17/2006 |
| trans-1,2-Dichloroethene | 16 | ug/l | 1.250 | 3.977 | 5 | 8260 | 2402 | 3/17/2006 / | 3/17/2006 |
| trans-1,3-Dichloropropene | <1.300 | ug/l | 1.300 | 4.136 | 5 | 8260 | 2402 | 3/17/2006 / | 3/17/2006 |
| Trichloroethene | 15 | ug/l | 1.700 | 5.409 | 5 | 8260 | 2402 | 3/17/2006 / | 3/17/2006 |
| Trichlorofluoromethane | <1.200 | ug/l | 1.200 | 3.818 | 5 | 8260 | 2402 | 3/17/2006 / | 3/17/2006 |
| Vinyl chloride | 4.050 | ug/l | 1.000 | 3.182 | 5 | 8260 | 2402 | 3/17/2006 / | 3/17/2006 |

Department of Natural Resources State Certified Laboratory #241340550

APL warrants the test results to be of a precision normal for the sample type and methodology employed for each sample submitted. APL disclaims any other warrants, expressed or implied, including warranty of fitness for a particular purpose and warranty of merchantability. APL accepts no legal responsibility for the purpose for which the client uses test results. Any analytical work performed must be governed by this terms and conditions set forth herein.



| CLIENT INFORMATION | | | REPORTING INFORMATION | | |
|------------------------------------------------------|--|--|-----------------------------------------|--|-------------------------------------------------------------------------------------------|
| Project Manager: <i>TIM ANDERSON</i> | | | Project Name: <i>Colony</i> | | |
| Company: <i>United Engineering Consultants</i> | | | Project ID: <i>06004</i> | | |
| Mailing Address: <i>10617 W. Oklahoma Ave Ste 12</i> | | | Send Report Via: | | Notice: |
| City, State, Zip: <i>West Allis, WI 53227</i> | | | <input checked="" type="checkbox"/> Fax | | • A hard copy of the report will be mailed • • Results will be posted on our website • |
| Tel: <i>414/327-8778</i> Fax: <i>-8772</i> E-mail: | | | <input type="checkbox"/> E-mail | | |

TURNAROUND TIME

Normal (10 working days)
 RUSH Date reported needed: _____

Note: **Call to confirm** that we can provide the desired RUSH processing **before shipping your samples!**

Enter Preservation Code*: *A*

ANALYSIS NEEDED:

VOE

| SAMPLE ID | SAMPLE DESCRIPTION (optional) | COLLECTION | | MATRIX ** | | | | | | | | APL LAB ID | Samples Received on Ice |
|--------------|-------------------------------|---------------|-------------|-----------|----------|--|--|--|--|--|--|--------------|-------------------------------------|
| | | DATE | TIME | | | | | | | | | | |
| <i>GP-14</i> | <i>temp. monitoring well</i> | <i>3/8/06</i> | <i>1215</i> | <i>GW</i> | <i>X</i> | | | | | | | <i>41706</i> | <input type="checkbox"/> |
| | | | | | | | | | | | | | Temp if not on ice |
| | | | | | | | | | | | | | <i>9</i> °C |
| | | | | | | | | | | | | | Samples Intact and Not Leaking |
| | | | | | | | | | | | | | <input checked="" type="checkbox"/> |

* Preservation Codes: A. HCl B. HNO₃ C. NaOH D. H₂SO₄ E. Methanol F. Field Filtered G. None H. Other: _____
 ** Matrix Soil (S), Solid (SD), Surface Water (Water), Groundwater (GW), Wastes (Waste), Oil (O), TCLP (TCLP), SPLP (SPLP)

| Relinquished by (Signature): | Date/Time | Received by (Signature): | Comments / Further Instructions |
|------------------------------|---------------------|--------------------------|---------------------------------|
| <i>[Signature]</i> | <i>3/10/06 0950</i> | <i>[Signature]</i> | |
| <i>[Signature]</i> | <i>3/10/06 1115</i> | <i>[Signature]</i> | |



8222 W. Calumet Rd., Milwaukee, WI 53223
 Phone: (414) 355-5800 Fax: (414) 355-3099

Timothy J. Anderson
 United Engineering Consultants
 10617 W. Oklahoma Ave #2
 West Allis, WI 53227

ORGANIC REPORT

BATCH NUMBER: 20060733
 DATE REPORTED: 04-Aug-06
 DATE RECEIVED: 11-Jul-06
 SAMPLE TEMP (C): Rec On Ice
 PROJECT ID: 04046
 PROJECT NAME: Colony

Sample Number: 50339
 Sample ID: GP-17 4-6'

QC Prep Batch Number: 1018232
 % Solid = 85.2 %

Collection: 7/5/2006 Time: 14:30
 Sample Description:

| Compound | Result | Units | LOD | LOQ | Dil | RQ | Method | Analyst | Date | |
|----------------------------|--------|-------|-----|-----|-----|----|--------|---------|-----------|-----------|
| | | | | | | | | | Extract | Analyzed |
| 1,1,1-Trichloroethane | < 18 | ug/kg | 18 | 58 | 1 | SA | 8260 | 2405 | 7/19/2006 | 7/19/2006 |
| 1,1,2,2-Tetrachloroethane | < 26 | ug/kg | 26 | 82 | 1 | SA | 8260 | 2405 | 7/19/2006 | 7/19/2006 |
| 1,1,2-Trichloroethane | < 26 | ug/kg | 26 | 82 | 1 | SA | 8260 | 2405 | 7/19/2006 | 7/19/2006 |
| 1,1-Dichloroethane | < 19 | ug/kg | 19 | 60 | 1 | SA | 8260 | 2405 | 7/19/2006 | 7/19/2006 |
| 1,1-Dichloroethene | < 20 | ug/kg | 20 | 64 | 1 | SA | 8260 | 2405 | 7/19/2006 | 7/19/2006 |
| 1,2,3-Trichlorobenzene | < 29 | ug/kg | 29 | 93 | 1 | SA | 8260 | 2405 | 7/19/2006 | 7/19/2006 |
| 1,2,4-Trichlorobenzene | < 27 | ug/kg | 27 | 87 | 1 | SA | 8260 | 2405 | 7/19/2006 | 7/19/2006 |
| 1,2,4-Trimethylbenzene | < 18 | ug/kg | 18 | 56 | 1 | SA | 8260 | 2405 | 7/19/2006 | 7/19/2006 |
| 1,2-Dibromo-3-chloropropan | < 19 | ug/kg | 19 | 62 | 1 | SA | 8260 | 2405 | 7/19/2006 | 7/19/2006 |
| 1,2-Dichlorobenzene | < 20 | ug/kg | 20 | 64 | 1 | SA | 8260 | 2405 | 7/19/2006 | 7/19/2006 |
| 1,2-Dichloroethane | < 20 | ug/kg | 20 | 65 | 1 | SA | 8260 | 2405 | 7/19/2006 | 7/19/2006 |
| 1,2-Dichloropropane | < 19 | ug/kg | 19 | 60 | 1 | SA | 8260 | 2405 | 7/19/2006 | 7/19/2006 |
| 1,3,5-Trimethylbenzene | < 20 | ug/kg | 20 | 64 | 1 | SA | 8260 | 2405 | 7/19/2006 | 7/19/2006 |
| 1,3-Dichlorobenzene | < 15 | ug/kg | 15 | 49 | 1 | SA | 8260 | 2405 | 7/19/2006 | 7/19/2006 |
| 1,3-Dichloropropane | < 23 | ug/kg | 23 | 73 | 1 | SA | 8260 | 2405 | 7/19/2006 | 7/19/2006 |
| 1,4-Dichlorobenzene | < 21 | ug/kg | 21 | 67 | 1 | SA | 8260 | 2405 | 7/19/2006 | 7/19/2006 |
| 2,2-Dichloropropane | < 16 | ng/kg | 16 | 51 | 1 | SA | 8260 | 2405 | 7/19/2006 | 7/19/2006 |
| 2-Chlorotoluene | < 17 | ug/kg | 17 | 56 | 1 | SA | 8260 | 2405 | 7/19/2006 | 7/19/2006 |
| 4-Chlorotoluene | < 15 | ug/kg | 15 | 49 | 1 | SA | 8260 | 2405 | 7/19/2006 | 7/19/2006 |
| Benzene | < 16 | ug/kg | 16 | 50 | 1 | SA | 8260 | 2405 | 7/19/2006 | 7/19/2006 |
| Bromobenzene | < 18 | ug/kg | 18 | 58 | 1 | SA | 8260 | 2405 | 7/19/2006 | 7/19/2006 |
| Bromodichloromethane | < 22 | ug/kg | 22 | 72 | 1 | SA | 8260 | 2405 | 7/19/2006 | 7/19/2006 |
| Carbon tetrachloride | < 16 | ug/kg | 16 | 50 | 1 | SA | 8260 | 2405 | 7/19/2006 | 7/19/2006 |
| Chlorobenzene | < 15 | ug/kg | 15 | 49 | 1 | SA | 8260 | 2405 | 7/19/2006 | 7/19/2006 |
| Chloroethane | < 37 | ug/kg | 37 | 119 | 1 | SA | 8260 | 2405 | 7/19/2006 | 7/19/2006 |
| Chloroform | < 14 | ug/kg | 14 | 45 | 1 | SA | 8260 | 2405 | 7/19/2006 | 7/19/2006 |
| Chloromethane | < 29 | ug/kg | 29 | 92 | 1 | SA | 8260 | 2405 | 7/19/2006 | 7/19/2006 |
| cis-1,2-Dichloroethene | < 16 | ug/kg | 16 | 51 | 1 | SA | 8260 | 2405 | 7/19/2006 | 7/19/2006 |
| Dibromochloromethane | < 24 | ug/kg | 24 | 76 | 1 | SA | 8260 | 2405 | 7/19/2006 | 7/19/2006 |
| Dichlorodifluoromethane | < 16 | ug/kg | 16 | 50 | 1 | SA | 8260 | 2405 | 7/19/2006 | 7/19/2006 |
| Ethylbenzene | < 15 | ug/kg | 15 | 47 | 1 | SA | 8260 | 2405 | 7/19/2006 | 7/19/2006 |
| Hexachlorobutadiene | < 25 | ug/kg | 25 | 78 | 1 | SA | 8260 | 2405 | 7/19/2006 | 7/19/2006 |

Department of Natural Resources State Certified Laboratory #241340550

APL warrants the test results to be of a precision normal for the sample type and methodology employed for each sample submitted. APL disclaims any other warrants, expressed or implied, including warranty of fitness for a particular purpose and warranty of merchantability. APL accepts no legal responsibility for the purpose for which the client uses test results. Any analytical work performed must be governed by this terms and conditions set forth herein.



8222 W. Galumet Rd., Milwaukee, WI 53223
 Phone: (414) 355-5000 Fax: (414) 355-3099

Timothy J. Anderson
 United Engineering Consultants
 10617 W. Oklahoma Ave #2
 West Allis, WI 53227

ORGANIC REPORT

BATCH NUMBER: 20060733
 DATE REPORTED: 04-Aug-06
 DATE RECEIVED: 11-Jul-06
 SAMPLE TEMP (C): Rec On Ice
 PROJECT ID: 04046
 PROJECT NAME: Colony

| | | | | | | | | | | |
|--------------------------|------|-------|----|-----|---|----|------|------|-----------|-----------|
| Isopropylbenzene | < 19 | ug/kg | 19 | 61 | 1 | SA | 8260 | 2405 | 7/19/2006 | 7/19/2006 |
| m&p-xylene | < 31 | ug/kg | 31 | 100 | 1 | SA | 8260 | 2405 | 7/19/2006 | 7/19/2006 |
| Methylene chloride | < 18 | ug/kg | 18 | 57 | 1 | SA | 8260 | 2405 | 7/19/2006 | 7/19/2006 |
| MTBE | < 23 | ug/kg | 23 | 73 | 1 | SA | 8260 | 2405 | 7/19/2006 | 7/19/2006 |
| Naphthalene | < 44 | ug/kg | 44 | 141 | 1 | SA | 8260 | 2405 | 7/19/2006 | 7/19/2006 |
| n-Butylbenzene | < 21 | ug/kg | 21 | 67 | 1 | SA | 8260 | 2405 | 7/19/2006 | 7/19/2006 |
| n-Propylbenzene | < 17 | ug/kg | 17 | 53 | 1 | SA | 8260 | 2405 | 7/19/2006 | 7/19/2006 |
| o-xylene | < 15 | ug/kg | 15 | 47 | 1 | SA | 8260 | 2405 | 7/19/2006 | 7/19/2006 |
| p-Isopropyltoluene | < 18 | ug/kg | 18 | 59 | 1 | SA | 8260 | 2405 | 7/19/2006 | 7/19/2006 |
| sec-Butylbenzene | < 20 | ug/kg | 20 | 63 | 1 | SA | 8260 | 2405 | 7/19/2006 | 7/19/2006 |
| tert-Butylbenzene | < 18 | ug/kg | 18 | 56 | 1 | SA | 8260 | 2405 | 7/19/2006 | 7/19/2006 |
| Tetrachloroethene | < 18 | ug/kg | 18 | 57 | 1 | SA | 8260 | 2405 | 7/19/2006 | 7/19/2006 |
| Toluene | < 17 | ug/kg | 17 | 54 | 1 | SA | 8260 | 2405 | 7/19/2006 | 7/19/2006 |
| trans-1,2-Dichloroethene | < 15 | ug/kg | 15 | 47 | 1 | SA | 8260 | 2405 | 7/19/2006 | 7/19/2006 |
| Trichloroethene | < 20 | ug/kg | 20 | 64 | 1 | SA | 8260 | 2405 | 7/19/2006 | 7/19/2006 |
| Trichlorofluoromethane | < 14 | ug/kg | 14 | 45 | 1 | SA | 8260 | 2405 | 7/19/2006 | 7/19/2006 |
| Vinyl chloride | < 13 | ug/kg | 13 | 40 | 1 | SA | 8260 | 2405 | 7/19/2006 | 7/19/2006 |

Sample Number: 50340
 Sample ID: GP-17 12-16'

QC Prep Batch Number: 1018232
 % Solid = 81.3 %

Collection: 7/5/2006
 Time: 14:45
 Sample Description:

| Compound | Result | Units | LOD | LOQ | Dil | RQ | Method | Analyst | Date Extract/Analyzed |
|----------------------------|--------|-------|-----|-----|-----|------|--------|---------|-----------------------|
| 1,1,1-Trichloroethane | < 19 | ug/kg | 19 | 61 | 1 | SA | 8260 | 2405 | 7/19/2006 / 7/19/2006 |
| 1,1,2,2-Tetrachloroethane | < 27 | ug/kg | 27 | 86 | 1 | SA | 8260 | 2405 | 7/19/2006 / 7/19/2006 |
| 1,1,2-Trichloroethane | 135 | ug/kg | 27 | 86 | 1 | SA | 8260 | 2405 | 7/19/2006 / 7/19/2006 |
| 1,1-Dichloroethane | < 20 | ug/kg | 20 | 63 | 1 | SA | 8260 | 2405 | 7/19/2006 / 7/19/2006 |
| 1,1-Dichloroethene | < 21 | ug/kg | 21 | 67 | 1 | SA | 8260 | 2405 | 7/19/2006 / 7/19/2006 |
| 1,2,3-Trichlorobenzene | < 31 | ug/kg | 31 | 97 | 1 | SA | 8260 | 2405 | 7/19/2006 / 7/19/2006 |
| 1,2,4-Trichlorobenzene | < 29 | ug/kg | 29 | 92 | 1 | SA | 8260 | 2405 | 7/19/2006 / 7/19/2006 |
| 1,2,4-Trimethylbenzene | 170 | ug/kg | 19 | 59 | 1 | SA | 8260 | 2405 | 7/19/2006 / 7/19/2006 |
| 1,2-Dibromo-3-chloropropan | < 20 | ug/kg | 20 | 65 | 1 | SA | 8260 | 2405 | 7/19/2006 / 7/19/2006 |
| 1,2-Dichlorobenzene | < 21 | ug/kg | 21 | 67 | 1 | SA | 8260 | 2405 | 7/19/2006 / 7/19/2006 |
| 1,2-Dichloroethane | < 21 | ug/kg | 21 | 68 | 1 | SA | 8260 | 2405 | 7/19/2006 / 7/19/2006 |
| 1,2-Dichloropropane | < 20 | ug/kg | 20 | 63 | 1 | SA | 8260 | 2405 | 7/19/2006 / 7/19/2006 |
| 1,3,5-Trimethylbenzene | 48 | ug/kg | 21 | 67 | 1 | SA J | 8260 | 2405 | 7/19/2006 / 7/19/2006 |
| 1,3-Dichlorobenzene | 50 | ug/kg | 16 | 51 | 1 | SA J | 8260 | 2405 | 7/19/2006 / 7/19/2006 |

Department of Natural Resources State Certified Laboratory #241340550

APL warrants the test results to be of a precision normal for the sample type and methodology employed for each sample submitted. APL disclaims any other warrants, expressed or implied, including warranty of fitness for a particular purpose and warranty of merchantability. APL accepts no legal responsibility for the purpose for which the client uses test results. Any analytical work performed must be governed by this terms and conditions set forth herein.



8222 W. Calumet Rd., Milwaukee, WI 53223
 Phone: (414) 355-5800 Fax: (414) 355-3099

Timothy J. Anderson
 United Engineering Consultants
 10617 W. Oklahoma Ave #2
 West Allis, WI 53227

ORGANIC REPORT

BATCH NUMBER: 20060733
 DATE REPORTED: 04-Aug-06
 DATE RECEIVED: 11-Jul-06
 SAMPLE TEMP (C): Rec On Ice
 PROJECT ID: 04046
 PROJECT NAME: Colony

| | | | | | | | | | |
|--------------------------|------|-------|----|-----|---|------|------|------|-----------------------|
| 1,3-Dichloropropane | < 24 | ug/kg | 24 | 76 | 1 | SA | 8260 | 2405 | 7/19/2006 / 7/19/2006 |
| 1,4-Dichlorobenzene | 50 | ug/kg | 22 | 70 | 1 | SA J | 8260 | 2405 | 7/19/2006 / 7/19/2006 |
| 2,2-Dichloropropane | < 17 | ug/kg | 17 | 54 | 1 | SA | 8260 | 2405 | 7/19/2006 / 7/19/2006 |
| 2-Chlorotoluene | < 18 | ug/kg | 18 | 58 | 1 | SA | 8260 | 2405 | 7/19/2006 / 7/19/2006 |
| 4-Chlorotoluene | < 16 | ug/kg | 16 | 52 | 1 | SA | 8260 | 2405 | 7/19/2006 / 7/19/2006 |
| Benzene | < 17 | ug/kg | 17 | 53 | 1 | SA | 8260 | 2405 | 7/19/2006 / 7/19/2006 |
| Bromobenzene | < 19 | ug/kg | 19 | 61 | 1 | SA | 8260 | 2405 | 7/19/2006 / 7/19/2006 |
| Bromodichloromethane | < 24 | ug/kg | 24 | 75 | 1 | SA | 8260 | 2405 | 7/19/2006 / 7/19/2006 |
| Carbon tetrachloride | < 17 | ug/kg | 17 | 53 | 1 | SA | 8260 | 2405 | 7/19/2006 / 7/19/2006 |
| Chlorobenzene | < 16 | ug/kg | 16 | 51 | 1 | SA | 8260 | 2405 | 7/19/2006 / 7/19/2006 |
| Chloroethane | < 39 | ug/kg | 39 | 124 | 1 | SA | 8260 | 2405 | 7/19/2006 / 7/19/2006 |
| Chloroform | < 15 | ug/kg | 15 | 47 | 1 | SA | 8260 | 2405 | 7/19/2006 / 7/19/2006 |
| Chloromethane | < 30 | ug/kg | 30 | 97 | 1 | SA | 8260 | 2405 | 7/19/2006 / 7/19/2006 |
| cis-1,2-Dichloroethene | 794 | ug/kg | 17 | 53 | 1 | SA | 8260 | 2405 | 7/19/2006 / 7/19/2006 |
| Dibromochloromethane | < 25 | ug/kg | 25 | 80 | 1 | SA | 8260 | 2405 | 7/19/2006 / 7/19/2006 |
| Dichlorodifluoromethane | < 16 | ug/kg | 16 | 52 | 1 | SA | 8260 | 2405 | 7/19/2006 / 7/19/2006 |
| Ethylbenzene | 53 | ug/kg | 16 | 50 | 1 | SA | 8260 | 2405 | 7/19/2006 / 7/19/2006 |
| Hexachlorobutadiene | < 26 | ug/kg | 26 | 82 | 1 | SA | 8260 | 2405 | 7/19/2006 / 7/19/2006 |
| Isopropylbenzene | < 20 | ug/kg | 20 | 64 | 1 | SA | 8260 | 2405 | 7/19/2006 / 7/19/2006 |
| m&p-xylene | 56 | ug/kg | 33 | 105 | 1 | SA J | 8260 | 2405 | 7/19/2006 / 7/19/2006 |
| Methylene chloride | < 19 | ug/kg | 19 | 59 | 1 | SA | 8260 | 2405 | 7/19/2006 / 7/19/2006 |
| MTBE | < 24 | ug/kg | 24 | 76 | 1 | SA | 8260 | 2405 | 7/19/2006 / 7/19/2006 |
| Naphthalene | 82 | ug/kg | 46 | 148 | 1 | SA J | 8260 | 2405 | 7/19/2006 / 7/19/2006 |
| n-Butylbenzene | < 22 | ug/kg | 22 | 70 | 1 | SA | 8260 | 2405 | 7/19/2006 / 7/19/2006 |
| n-Propylbenzene | < 17 | ug/kg | 17 | 55 | 1 | SA | 8260 | 2405 | 7/19/2006 / 7/19/2006 |
| o-xylene | < 15 | ug/kg | 15 | 49 | 1 | SA | 8260 | 2405 | 7/19/2006 / 7/19/2006 |
| p-Isopropyltoluene | < 19 | ug/kg | 19 | 61 | 1 | SA | 8260 | 2405 | 7/19/2006 / 7/19/2006 |
| sec-Butylbenzene | 34 | ug/kg | 21 | 66 | 1 | SA J | 8260 | 2405 | 7/19/2006 / 7/19/2006 |
| tert-Butylbenzene | 23 | ug/kg | 19 | 59 | 1 | SA J | 8260 | 2405 | 7/19/2006 / 7/19/2006 |
| Tetrachloroethene | 5890 | ug/kg | 19 | 60 | 1 | SA | 8260 | 2405 | 7/19/2006 / 7/19/2006 |
| Toluene | 26 | ug/kg | 18 | 57 | 1 | SA J | 8260 | 2405 | 7/19/2006 / 7/19/2006 |
| trans-1,2-Dichloroethene | < 16 | ug/kg | 16 | 50 | 1 | SA | 8260 | 2405 | 7/19/2006 / 7/19/2006 |
| Trichloroethene | 2610 | ug/kg | 21 | 68 | 1 | SA | 8260 | 2405 | 7/19/2006 / 7/19/2006 |
| Trichlorofluoromethane | < 15 | ug/kg | 15 | 47 | 1 | SA | 8260 | 2405 | 7/19/2006 / 7/19/2006 |
| Vinyl chloride | 38 | ug/kg | 13 | 42 | 1 | SA J | 8260 | 2405 | 7/19/2006 / 7/19/2006 |

Department of Natural Resources State Certified Laboratory #241340550

APL warrants the test results to be of a precision normal for the sample type and methodology employed for each sample submitted. APL disclaims any other warrants, expressed or implied, including warranty of fitness for a particular purpose and warranty of merchantability. APL accepts no legal responsibility for the purpose for which the client uses test results. Any analytical work performed must be governed by this terms and conditions set forth herein.



8222 W. Galumet Rd., Milwaukee, WI 53223
 Phone: (414) 355-5800 Fax: (414) 355-3099

Timothy J. Anderson
 United Engineering Consultants
 10617 W. Oklahoma Ave #2
 West Allis, WI 53227

ORGANIC REPORT

BATCH NUMBER: 20060733
 DATE REPORTED: 04-Aug-06
 DATE RECEIVED: 11-Jul-06
 SAMPLE TEMP (C): Rec On Ice
 PROJECT ID: 04046
 PROJECT NAME: Colony

Sample Number: 50341
 Sample ID: GP-18 6-8'

QC Prep Batch Number: 1018232
 % Solid = 83.8 %

Collection: 7/5/2006 Time: 15:00
 Sample Description:

| Compound | Result | Units | LOD | LOQ | Dil | RQ | Method | Analyst | Date Extract/Analyzed |
|----------------------------|--------|-------|-----|-----|-----|------|--------|---------|-----------------------|
| 1,1,1-Trichloroethane | < 19 | ug/kg | 19 | 59 | 1 | SA | 8260 | 2405 | 7/19/2006 / 7/19/2006 |
| 1,1,2,2-Tetrachloroethane | < 26 | ug/kg | 26 | 83 | 1 | SA | 8260 | 2405 | 7/19/2006 / 7/19/2006 |
| 1,1,2-Trichloroethane | 2500 | ug/kg | 26 | 83 | 1 | SA | 8260 | 2405 | 7/19/2006 / 7/19/2006 |
| 1,1-Dichloroethane | < 19 | ug/kg | 19 | 61 | 1 | SA | 8260 | 2405 | 7/19/2006 / 7/19/2006 |
| 1,1-Dichloroethene | < 20 | ug/kg | 20 | 65 | 1 | SA | 8260 | 2405 | 7/19/2006 / 7/19/2006 |
| 1,2,3-Trichlorobenzene | < 30 | ug/kg | 30 | 94 | 1 | SA | 8260 | 2405 | 7/19/2006 / 7/19/2006 |
| 1,2,4-Trichlorobenzene | < 28 | ug/kg | 28 | 89 | 1 | SA | 8260 | 2405 | 7/19/2006 / 7/19/2006 |
| 1,2,4-Trimethylbenzene | 21 | ug/kg | 18 | 57 | 1 | SA J | 8260 | 2405 | 7/19/2006 / 7/19/2006 |
| 1,2-Dibromo-3-chloropropan | < 20 | ug/kg | 20 | 63 | 1 | SA | 8260 | 2405 | 7/19/2006 / 7/19/2006 |
| 1,2-Dichlorobenzene | < 20 | ug/kg | 20 | 65 | 1 | SA | 8260 | 2405 | 7/19/2006 / 7/19/2006 |
| 1,2-Dichloroethane | < 21 | ug/kg | 21 | 66 | 1 | SA | 8260 | 2405 | 7/19/2006 / 7/19/2006 |
| 1,2-Dichloropropane | < 19 | ug/kg | 19 | 61 | 1 | SA | 8260 | 2405 | 7/19/2006 / 7/19/2006 |
| 1,3,5-Trimethylbenzene | < 21 | ug/kg | 21 | 65 | 1 | SA | 8260 | 2405 | 7/19/2006 / 7/19/2006 |
| 1,3-Dichlorobenzene | 64 | ug/kg | 16 | 49 | 1 | SA | 8260 | 2405 | 7/19/2006 / 7/19/2006 |
| 1,3-Dichloropropane | < 23 | ug/kg | 23 | 74 | 1 | SA | 8260 | 2405 | 7/19/2006 / 7/19/2006 |
| 1,4-Dichlorobenzene | 66 | ug/kg | 21 | 68 | 1 | SA J | 8260 | 2405 | 7/19/2006 / 7/19/2006 |
| 2,2-Dichloropropane | < 16 | ug/kg | 16 | 52 | 1 | SA | 8260 | 2405 | 7/19/2006 / 7/19/2006 |
| 2-Chlorotoluene | < 18 | ug/kg | 18 | 57 | 1 | SA | 8260 | 2405 | 7/19/2006 / 7/19/2006 |
| 4-Chlorotoluene | < 16 | ug/kg | 16 | 50 | 1 | SA | 8260 | 2405 | 7/19/2006 / 7/19/2006 |
| Benzene | < 16 | ug/kg | 16 | 51 | 1 | SA | 8260 | 2405 | 7/19/2006 / 7/19/2006 |
| Bromobenzene | < 19 | ug/kg | 19 | 59 | 1 | SA | 8260 | 2405 | 7/19/2006 / 7/19/2006 |
| Bromodichloromethane | < 23 | ug/kg | 23 | 73 | 1 | SA | 8260 | 2405 | 7/19/2006 / 7/19/2006 |
| Carbon tetrachloride | < 16 | ug/kg | 16 | 51 | 1 | SA | 8260 | 2405 | 7/19/2006 / 7/19/2006 |
| Chlorobenzene | < 16 | ug/kg | 16 | 49 | 1 | SA | 8260 | 2405 | 7/19/2006 / 7/19/2006 |
| Chloroethane | < 38 | ug/kg | 38 | 121 | 1 | SA | 8260 | 2405 | 7/19/2006 / 7/19/2006 |
| Chloroform | < 14 | ug/kg | 14 | 46 | 1 | SA | 8260 | 2405 | 7/19/2006 / 7/19/2006 |
| Chloromethane | < 29 | ug/kg | 29 | 94 | 1 | SA | 8260 | 2405 | 7/19/2006 / 7/19/2006 |
| cis-1,2-Dichloroethene | < 16 | ug/kg | 16 | 52 | 1 | SA | 8260 | 2405 | 7/19/2006 / 7/19/2006 |
| Dibromochloromethane | < 24 | ug/kg | 24 | 77 | 1 | SA | 8260 | 2405 | 7/19/2006 / 7/19/2006 |
| Dichlorodifluoromethane | < 16 | ug/kg | 16 | 51 | 1 | SA | 8260 | 2405 | 7/19/2006 / 7/19/2006 |
| Ethylbenzene | 20 | ug/kg | 15 | 48 | 1 | SA J | 8260 | 2405 | 7/19/2006 / 7/19/2006 |
| Hexachlorobutadiene | < 25 | ug/kg | 25 | 79 | 1 | SA | 8260 | 2405 | 7/19/2006 / 7/19/2006 |

Department of Natural Resources State Certified Laboratory #241340550

APL warrants the test results to be of a precision normal for the sample type and methodology employed for each sample submitted. APL disclaims any other warrants, expressed or implied, including warranty of fitness for a particular purpose and warranty of merchantability. APL accepts no legal responsibility for the purpose for which the client uses test results. Any analytical work performed must be governed by this terms and conditions set forth herein.



8222 W. Calumet Rd., Milwaukee, WI 53223
 Phone: (414) 355-5800 Fax: (414) 355-3099

ORGANIC REPORT

Timothy J. Anderson
 United Engineering Consultants
 10617 W. Oklahoma Ave #2
 West Allis, WI 53227

BATCH NUMBER: 20060733
 DATE REPORTED: 04-Aug-06
 DATE RECEIVED: 11-Jul-06
 SAMPLE TEMP (C): Rec On Ice
 PROJECT ID: 04046
 PROJECT NAME: Colony

| | | | | | | | | | | |
|--------------------------|--------|-------|----|-----|---|------|------|------|-----------|-----------|
| Isopropylbenzene | < 20 | ug/kg | 20 | 62 | 1 | SA | 8260 | 2405 | 7/19/2006 | 7/19/2006 |
| m&p-xylene | < 32 | ug/kg | 32 | 101 | 1 | SA | 8260 | 2405 | 7/19/2006 | 7/19/2006 |
| Methylene chloride | < 18 | ug/kg | 18 | 58 | 1 | SA | 8260 | 2405 | 7/19/2006 | 7/19/2006 |
| MTBE | < 23 | ug/kg | 23 | 74 | 1 | SA | 8260 | 2405 | 7/19/2006 | 7/19/2006 |
| Naphthalene | < 45 | ug/kg | 45 | 143 | 1 | SA | 8260 | 2405 | 7/19/2006 | 7/19/2006 |
| n-Butylbenzene | < 21 | ug/kg | 21 | 68 | 1 | SA | 8260 | 2405 | 7/19/2006 | 7/19/2006 |
| n-Propylbenzene | < 17 | ug/kg | 17 | 53 | 1 | SA | 8260 | 2405 | 7/19/2006 | 7/19/2006 |
| o-xylene | < 15 | ug/kg | 15 | 47 | 1 | SA | 8260 | 2405 | 7/19/2006 | 7/19/2006 |
| p-Isopropyltoluene | < 19 | ug/kg | 19 | 60 | 1 | SA | 8260 | 2405 | 7/19/2006 | 7/19/2006 |
| sec-Butylbenzene | < 20 | ug/kg | 20 | 64 | 1 | SA | 8260 | 2405 | 7/19/2006 | 7/19/2006 |
| tert-Butylbenzene | < 18 | ug/kg | 18 | 57 | 1 | SA | 8260 | 2405 | 7/19/2006 | 7/19/2006 |
| Tetrachloroethene | 154000 | ug/kg | 18 | 58 | 1 | E SA | 8260 | 2405 | 7/19/2006 | 7/19/2006 |
| Toluene | 21 | ug/kg | 17 | 55 | 1 | SA J | 8260 | 2405 | 7/19/2006 | 7/19/2006 |
| trans-1,2-Dichloroethene | < 15 | ug/kg | 15 | 48 | 1 | SA | 8260 | 2405 | 7/19/2006 | 7/19/2006 |
| Trichloroethene | 81 | ug/kg | 21 | 65 | 1 | SA | 8260 | 2405 | 7/19/2006 | 7/19/2006 |
| Trichlorofluoromethane | < 14 | ug/kg | 14 | 46 | 1 | SA | 8260 | 2405 | 7/19/2006 | 7/19/2006 |
| Vinyl chloride | < 13 | ug/kg | 13 | 41 | 1 | SA | 8260 | 2405 | 7/19/2006 | 7/19/2006 |

Sample Number: 50342
 Sample ID: GP-18 12-16'

QC Prep Batch Number: 1018232
 % Solid = 79.5 %

Collection: 7/5/2006
 Time: 15:15
 Sample Description:

| Compound | Result | Units | LOD | LOQ | Dil | RQ | Method | Analyst | Extract/Analyzed | Date |
|----------------------------|--------|-------|-----|-----|-----|--------|--------|-----------|------------------|-----------|
| 1,1,1-Trichloroethane | < 39 | ug/kg | 39 | 125 | 2 | SA | 8260 | 2405/2404 | 7/19/2006 | 7/20/2006 |
| 1,1,2,2-Tetrachloroethane | 58 | ug/kg | 55 | 176 | 2 | 3 SA J | 8260 | 2405/2404 | 7/19/2006 | 7/20/2006 |
| 1,1,2-Trichloroethane | < 55 | ug/kg | 55 | 176 | 2 | SA | 8260 | 2405/2404 | 7/19/2006 | 7/20/2006 |
| 1,1-Dichloroethane | < 40 | ug/kg | 40 | 128 | 2 | SA | 8260 | 2405/2404 | 7/19/2006 | 7/20/2006 |
| 1,1-Dichloroethene | < 43 | ug/kg | 43 | 137 | 2 | SA | 8260 | 2405/2404 | 7/19/2006 | 7/20/2006 |
| 1,2,3-Trichlorobenzene | 843 | ug/kg | 63 | 199 | 2 | SA | 8260 | 2405/2404 | 7/19/2006 | 7/20/2006 |
| 1,2,4-Trichlorobenzene | 843 | ug/kg | 59 | 187 | 2 | SA | 8260 | 2405/2404 | 7/19/2006 | 7/20/2006 |
| 1,2,4-Trimethylbenzene | < 38 | ug/kg | 38 | 120 | 2 | SA | 8260 | 2405/2404 | 7/19/2006 | 7/20/2006 |
| 1,2-Dibromo-3-chloropropan | < 42 | ug/kg | 42 | 133 | 2 | 3 SA | 8260 | 2405/2404 | 7/19/2006 | 7/20/2006 |
| 1,2-Dichlorobenzene | 54 | ug/kg | 43 | 136 | 2 | SA J | 8260 | 2405/2404 | 7/19/2006 | 7/20/2006 |
| 1,2-Dichloroethane | < 44 | ug/kg | 44 | 139 | 2 | SA | 8260 | 2405/2404 | 7/19/2006 | 7/20/2006 |
| 1,2-Dichloropropane | < 41 | ug/kg | 41 | 129 | 2 | SA | 8260 | 2405/2404 | 7/19/2006 | 7/20/2006 |
| 1,3,5-Trimethylbenzene | 87 | ug/kg | 43 | 138 | 2 | SA J | 8260 | 2405/2404 | 7/19/2006 | 7/20/2006 |
| 1,3-Dichlorobenzene | 190 | ug/kg | 33 | 104 | 2 | SA | 8260 | 2405/2404 | 7/19/2006 | 7/20/2006 |

Department of Natural Resources State Certified Laboratory #241340550

APL warrants the test results to be of a precision normal for the sample type and methodology employed for each sample submitted. APL disclaims any other warrants, expressed or implied, including warranty of fitness for a particular purpose and warranty of merchantability. APL accepts no legal responsibility for the purpose for which the client uses test results. Any analytical work performed must be governed by this terms and conditions set forth herein.



8222 W. Calumet Rd., Milwaukee, WI 53223
 Phone: (414) 355-5800 Fax: (414) 355-3099

Timothy J. Anderson
 United Engineering Consultants
 10617 W. Oklahoma Ave #2
 West Allis, WI 53227

ORGANIC REPORT

BATCH NUMBER: 20060733
 DATE REPORTED: 04-Aug-06
 DATE RECEIVED: 11-Jul-06
 SAMPLE TEMP (C): Rec On Ice
 PROJECT ID: 04046
 PROJECT NAME: Colony

| | | | | | | | | | | |
|--------------------------|------|-------|----|-----|---|--------|------|-----------|-----------|-----------|
| 1,3-Dichloropropane | < 49 | ug/kg | 49 | 156 | 2 | 3 SA | 8260 | 2405/2404 | 7/19/2006 | 7/20/2006 |
| 1,4-Dichlorobenzene | 189 | ug/kg | 45 | 143 | 2 | 3 SA | 8260 | 2405/2404 | 7/19/2006 | 7/20/2006 |
| 2,2-Dichloropropane | < 34 | ug/kg | 34 | 110 | 2 | 3 4 SA | 8260 | 2405/2404 | 7/19/2006 | 7/20/2006 |
| 2-Chlorotoluene | 101 | ug/kg | 37 | 119 | 2 | SA J | 8260 | 2405/2404 | 7/19/2006 | 7/20/2006 |
| 4-Chlorotoluene | 101 | ug/kg | 33 | 106 | 2 | SA J | 8260 | 2405/2404 | 7/19/2006 | 7/20/2006 |
| Benzene | < 34 | ug/kg | 34 | 108 | 2 | SA | 8260 | 2405/2404 | 7/19/2006 | 7/20/2006 |
| Bromobenzene | < 39 | ug/kg | 39 | 124 | 2 | SA | 8260 | 2405/2404 | 7/19/2006 | 7/20/2006 |
| Bromodichloromethane | < 48 | ug/kg | 48 | 153 | 2 | SA | 8260 | 2405/2404 | 7/19/2006 | 7/20/2006 |
| Carbon tetrachloride | < 34 | ug/kg | 34 | 107 | 2 | 3 4 SA | 8260 | 2405/2404 | 7/19/2006 | 7/20/2006 |
| Chlorobenzene | < 33 | ug/kg | 33 | 104 | 2 | SA | 8260 | 2405/2404 | 7/19/2006 | 7/20/2006 |
| Chloroethane | < 80 | ug/kg | 80 | 254 | 2 | SA | 8260 | 2405/2404 | 7/19/2006 | 7/20/2006 |
| Chloroform | < 30 | ug/kg | 30 | 97 | 2 | SA | 8260 | 2405/2404 | 7/19/2006 | 7/20/2006 |
| Chloromethane | < 62 | ug/kg | 62 | 197 | 2 | SA | 8260 | 2405/2404 | 7/19/2006 | 7/20/2006 |
| cis-1,2-Dichloroethene | 153 | ug/kg | 34 | 109 | 2 | SA | 8260 | 2405/2404 | 7/19/2006 | 7/20/2006 |
| Dibromochloromethane | < 51 | ug/kg | 51 | 163 | 2 | SA | 8260 | 2405/2404 | 7/19/2006 | 7/20/2006 |
| Dichlorodifluoromethane | < 33 | ug/kg | 33 | 107 | 2 | 3 4 SA | 8260 | 2405/2404 | 7/19/2006 | 7/20/2006 |
| Ethylbenzene | 54 | ug/kg | 32 | 101 | 2 | SA J | 8260 | 2405/2404 | 7/19/2006 | 7/20/2006 |
| Hexachlorobutadiene | 756 | ug/kg | 53 | 167 | 2 | SA | 8260 | 2405/2404 | 7/19/2006 | 7/20/2006 |
| Isopropylbenzene | < 41 | ug/kg | 41 | 131 | 2 | SA | 8260 | 2405/2404 | 7/19/2006 | 7/20/2006 |
| m&p-xylene | 127 | ug/kg | 67 | 214 | 2 | 3 SA J | 8260 | 2405/2404 | 7/19/2006 | 7/20/2006 |
| Methylene chloride | 125 | ug/kg | 38 | 121 | 2 | 2 SA | 8260 | 2405/2404 | 7/19/2006 | 7/20/2006 |
| MTBE | < 49 | ug/kg | 49 | 156 | 2 | SA | 8260 | 2405/2404 | 7/19/2006 | 7/20/2006 |
| Naphthalene | 1080 | ug/kg | 95 | 302 | 2 | SA | 8260 | 2405/2404 | 7/19/2006 | 7/20/2006 |
| n-Butylbenzene | 151 | ug/kg | 45 | 143 | 2 | SA | 8260 | 2405/2404 | 7/19/2006 | 7/20/2006 |
| n-Propylbenzene | < 35 | ug/kg | 35 | 113 | 2 | SA | 8260 | 2405/2404 | 7/19/2006 | 7/20/2006 |
| o-xylene | < 31 | ug/kg | 31 | 100 | 2 | SA | 8260 | 2405/2404 | 7/19/2006 | 7/20/2006 |
| p-Isopropyltoluene | 92 | ug/kg | 39 | 126 | 2 | SA J | 8260 | 2405/2404 | 7/19/2006 | 7/20/2006 |
| sec-Butylbenzene | 176 | ug/kg | 42 | 135 | 2 | SA | 8260 | 2405/2404 | 7/19/2006 | 7/20/2006 |
| tert-Butylbenzene | 53 | ug/kg | 38 | 121 | 2 | SA J | 8260 | 2405/2404 | 7/19/2006 | 7/20/2006 |
| Tetrachloroethene | 1140 | ug/kg | 38 | 122 | 2 | SA | 8260 | 2405/2404 | 7/19/2006 | 7/20/2006 |
| Toluene | 59 | ug/kg | 37 | 117 | 2 | SA J | 8260 | 2405/2404 | 7/19/2006 | 7/20/2006 |
| trans-1,2-Dichloroethene | < 32 | ug/kg | 32 | 101 | 2 | 3 4 SA | 8260 | 2405/2404 | 7/19/2006 | 7/20/2006 |
| Trichloroethene | < 43 | ug/kg | 43 | 138 | 2 | SA | 8260 | 2405/2404 | 7/19/2006 | 7/20/2006 |
| Trichlorofluoromethane | < 30 | ug/kg | 30 | 96 | 2 | SA | 8260 | 2405/2404 | 7/19/2006 | 7/20/2006 |
| Vinyl chloride | < 27 | ug/kg | 27 | 85 | 2 | 3 4 SA | 8260 | 2405/2404 | 7/19/2006 | 7/20/2006 |

Department of Natural Resources State Certified Laboratory #241340550

APL warrants the test results to be of a precision normal for the sample type and methodology employed for each sample submitted. APL disclaims any other warrants, expressed or implied, including warranty of fitness for a particular purpose and warranty of merchantability. APL accepts no legal responsibility for the purpose for which the client uses test results. Any analytical work performed must be governed by this terms and conditions set forth herein.



8222 W. Calumet Rd., Milwaukee, WI 53223
 Phone: (414) 355-5800 Fax: (414) 355-3039

Timothy J. Anderson
 United Engineering Consultants
 10617 W. Oklahoma Ave #2
 West Allis, WI 53227

ORGANIC REPORT

BATCH NUMBER: 20060733
 DATE REPORTED: 04-Aug-06
 DATE RECEIVED: 11-Jul-06
 SAMPLE TEMP (C): Rec On Ice
 PROJECT ID: 04046
 PROJECT NAME: Colony

Sample Number: 50343 QC Prep Batch Number: 1018232 Collection: 7/5/2006 Time: 16:00
 Sample ID: GP-19 0-4' % Solid = 83 % Sample Description:

| Compound | Result | Units | LOD | LOQ | Dil | RQ | Method | Analyst | Date | |
|----------------------------|--------|-------|-----|-----|-----|--------|--------|-----------|-----------|-----------|
| | | | | | | | | | Extract | Analyzed |
| 1,1,1-Trichloroethane | < 38 | ug/kg | 38 | 120 | 2 | SA | 8260 | 2405/2404 | 7/19/2006 | 7/20/2006 |
| 1,1,2,2-Tetrachloroethane | 66 | ug/kg | 53 | 168 | 2 | 3 SA J | 8260 | 2405/2404 | 7/19/2006 | 7/20/2006 |
| 1,1,2-Trichloroethane | < 53 | ug/kg | 53 | 168 | 2 | SA | 8260 | 2405/2404 | 7/19/2006 | 7/20/2006 |
| 1,1-Dichloroethane | < 39 | ug/kg | 39 | 123 | 2 | SA | 8260 | 2405/2404 | 7/19/2006 | 7/20/2006 |
| 1,1-Dichloroethene | < 41 | ug/kg | 41 | 131 | 2 | SA | 8260 | 2405/2404 | 7/19/2006 | 7/20/2006 |
| 1,2,3-Trichlorobenzene | 136 | ug/kg | 60 | 191 | 2 | SA J | 8260 | 2405/2404 | 7/19/2006 | 7/20/2006 |
| 1,2,4-Trichlorobenzene | 136 | ug/kg | 56 | 179 | 2 | SA J | 8260 | 2405/2404 | 7/19/2006 | 7/20/2006 |
| 1,2,4-Trimethylbenzene | < 36 | ug/kg | 36 | 115 | 2 | SA | 8260 | 2405/2404 | 7/19/2006 | 7/20/2006 |
| 1,2-Dibromo-3-chloropropan | < 40 | ug/kg | 40 | 127 | 2 | 3 SA | 8260 | 2405/2404 | 7/19/2006 | 7/20/2006 |
| 1,2-Dichlorobenzene | < 41 | ug/kg | 41 | 131 | 2 | SA | 8260 | 2405/2404 | 7/19/2006 | 7/20/2006 |
| 1,2-Dichloroethane | < 42 | ug/kg | 42 | 133 | 2 | SA | 8260 | 2405/2404 | 7/19/2006 | 7/20/2006 |
| 1,2-Dichloropropane | < 39 | ug/kg | 39 | 124 | 2 | SA | 8260 | 2405/2404 | 7/19/2006 | 7/20/2006 |
| 1,3,5-Trimethylbenzene | 84 | ug/kg | 41 | 132 | 2 | SA J | 8260 | 2405/2404 | 7/19/2006 | 7/20/2006 |
| 1,3-Dichlorobenzene | 49 | ug/kg | 31 | 100 | 2 | SA J | 8260 | 2405/2404 | 7/19/2006 | 7/20/2006 |
| 1,3-Dichloropropane | < 47 | ug/kg | 47 | 150 | 2 | 3 SA | 8260 | 2405/2404 | 7/19/2006 | 7/20/2006 |
| 1,4-Dichlorobenzene | 49 | ug/kg | 43 | 137 | 2 | 3 SA J | 8260 | 2405/2404 | 7/19/2006 | 7/20/2006 |
| 2,2-Dichloropropane | < 33 | ug/kg | 33 | 105 | 2 | 3 4 SA | 8260 | 2405/2404 | 7/19/2006 | 7/20/2006 |
| 2-Chlorotoluene | < 36 | ug/kg | 36 | 114 | 2 | SA | 8260 | 2405/2404 | 7/19/2006 | 7/20/2006 |
| 4-Chlorotoluene | < 32 | ug/kg | 32 | 101 | 2 | SA | 8260 | 2405/2404 | 7/19/2006 | 7/20/2006 |
| Benzene | < 32 | ug/kg | 32 | 103 | 2 | SA | 8260 | 2405/2404 | 7/19/2006 | 7/20/2006 |
| Bromobenzene | < 37 | ug/kg | 37 | 119 | 2 | SA | 8260 | 2405/2404 | 7/19/2006 | 7/20/2006 |
| Bromodichloromethane | < 46 | ug/kg | 46 | 147 | 2 | SA | 8260 | 2405/2404 | 7/19/2006 | 7/20/2006 |
| Carbon tetrachloride | < 32 | ug/kg | 32 | 103 | 2 | 3 4 SA | 8260 | 2405/2404 | 7/19/2006 | 7/20/2006 |
| Chlorobenzene | < 31 | ug/kg | 31 | 100 | 2 | SA | 8260 | 2405/2404 | 7/19/2006 | 7/20/2006 |
| Chloroethane | < 77 | ug/kg | 77 | 244 | 2 | SA | 8260 | 2405/2404 | 7/19/2006 | 7/20/2006 |
| Chloroform | < 29 | ug/kg | 29 | 93 | 2 | SA | 8260 | 2405/2404 | 7/19/2006 | 7/20/2006 |
| Chloromethane | < 59 | ug/kg | 59 | 189 | 2 | SA | 8260 | 2405/2404 | 7/19/2006 | 7/20/2006 |
| cis-1,2-Dichloroethene | 1460 | ug/kg | 33 | 104 | 2 | SA | 8260 | 2405/2404 | 7/19/2006 | 7/20/2006 |
| Dibromochloromethane | < 49 | ug/kg | 49 | 156 | 2 | SA | 8260 | 2405/2404 | 7/19/2006 | 7/20/2006 |
| Dichlorodifluoromethane | < 32 | ug/kg | 32 | 102 | 2 | 3 4 SA | 8260 | 2405/2404 | 7/19/2006 | 7/20/2006 |
| Ethylbenzene | < 30 | ug/kg | 30 | 97 | 2 | SA | 8260 | 2405/2404 | 7/19/2006 | 7/20/2006 |
| Hexachlorobutadiene | < 50 | ug/kg | 50 | 160 | 2 | SA | 8260 | 2405/2404 | 7/19/2006 | 7/20/2006 |

Department of Natural Resources State Certified Laboratory #241340550

APL warrants the test results to be of a precision normal for the sample type and methodology employed for each sample submitted. APL disclaims any other warrants, expressed or implied, including warranty of fitness for a particular purpose and warranty of merchantability. APL accepts no legal responsibility for the purpose for which the client uses test results. Any analytical work performed must be governed by this terms and conditions set forth herein.



8222 W. Calumet Rd., Milwaukee, WI 53223
 Phone: (414) 355-5800 Fax: (414) 355-3099

Timothy J. Anderson
 United Engineering Consultants
 10617 W. Oklahoma Ave #2
 West Allis, WI 53227

ORGANIC REPORT

BATCH NUMBER: 20060733
 DATE REPORTED: 04-Aug-06
 DATE RECEIVED: 11-Jul-06
 SAMPLE TEMP (C): Rec On Ice
 PROJECT ID: 04046
 PROJECT NAME: Colony

| | | | | | | | | | |
|--------------------------|------|-------|----|-----|---|----------|------|-----------|-----------------------|
| Isopropylbenzene | < 39 | ug/kg | 39 | 126 | 2 | SA | 8260 | 2405/2404 | 7/19/2006 / 7/20/2006 |
| m&p-xylene | < 64 | ug/kg | 64 | 205 | 2 | 3 SA | 8260 | 2405/2404 | 7/19/2006 / 7/20/2006 |
| Methylene chloride | 114 | ug/kg | 37 | 116 | 2 | 2 SA J | 8260 | 2405/2404 | 7/19/2006 / 7/20/2006 |
| MTBE | < 47 | ug/kg | 47 | 150 | 2 | SA | 8260 | 2405/2404 | 7/19/2006 / 7/20/2006 |
| Naphthalene | 188 | ug/kg | 91 | 289 | 2 | SA J | 8260 | 2405/2404 | 7/19/2006 / 7/20/2006 |
| n-Butylbenzene | < 43 | ug/kg | 43 | 137 | 2 | SA | 8260 | 2405/2404 | 7/19/2006 / 7/20/2006 |
| n-Propylbenzene | < 34 | ug/kg | 34 | 108 | 2 | SA | 8260 | 2405/2404 | 7/19/2006 / 7/20/2006 |
| o-xylene | < 30 | ug/kg | 30 | 96 | 2 | SA | 8260 | 2405/2404 | 7/19/2006 / 7/20/2006 |
| p-Isopropyltoluene | < 38 | ug/kg | 38 | 120 | 2 | SA | 8260 | 2405/2404 | 7/19/2006 / 7/20/2006 |
| sec-Butylbenzene | < 41 | ug/kg | 41 | 129 | 2 | SA | 8260 | 2405/2404 | 7/19/2006 / 7/20/2006 |
| tert-Butylbenzene | < 36 | ug/kg | 36 | 116 | 2 | SA | 8260 | 2405/2404 | 7/19/2006 / 7/20/2006 |
| Tetrachloroethene | 99 | ug/kg | 37 | 117 | 2 | SA J | 8260 | 2405/2404 | 7/19/2006 / 7/20/2006 |
| Toluene | < 35 | ug/kg | 35 | 112 | 2 | SA | 8260 | 2405/2404 | 7/19/2006 / 7/20/2006 |
| trans-1,2-Dichloroethene | 95 | ug/kg | 31 | 97 | 2 | 3-4 SA J | 8260 | 2405/2404 | 7/19/2006 / 7/20/2006 |
| Trichloroethene | < 42 | ug/kg | 42 | 132 | 2 | SA | 8260 | 2405/2404 | 7/19/2006 / 7/20/2006 |
| Trichlorofluoromethane | < 29 | ug/kg | 29 | 92 | 2 | SA | 8260 | 2405/2404 | 7/19/2006 / 7/20/2006 |
| Vinyl chloride | < 26 | ug/kg | 26 | 82 | 2 | 3-4 SA | 8260 | 2405/2404 | 7/19/2006 / 7/20/2006 |

Sample Number: 50344
 Sample ID: GP-19 8-10'

QC Prep Batch Number: 1018232
 % Solid = 83.6 %

Collection: 7/5/2006
 Time: 16:15
 Sample Description:

| Compound | Result | Units | LOD | LOQ | Dil | RQ | Method | Analyst | Date Extract/Analyzed |
|----------------------------|--------|-------|-----|-----|-----|--------|--------|-----------|-----------------------|
| 1,1,1-Trichloroethane | < 37 | ug/kg | 37 | 119 | 2 | SA | 8260 | 2405/2404 | 7/19/2006 / 7/20/2006 |
| 1,1,2,2-Tetrachloroethane | 71 | ug/kg | 53 | 167 | 2 | 3 SA J | 8260 | 2405/2404 | 7/19/2006 / 7/20/2006 |
| 1,1,2-Trichloroethane | < 52 | ug/kg | 52 | 167 | 2 | SA | 8260 | 2405/2404 | 7/19/2006 / 7/20/2006 |
| 1,1-Dichloroethane | < 38 | ug/kg | 38 | 122 | 2 | SA | 8260 | 2405/2404 | 7/19/2006 / 7/20/2006 |
| 1,1-Dichloroethene | < 41 | ug/kg | 41 | 130 | 2 | SA | 8260 | 2405/2404 | 7/19/2006 / 7/20/2006 |
| 1,2,3-Trichlorobenzene | < 59 | ug/kg | 59 | 189 | 2 | SA | 8260 | 2405/2404 | 7/19/2006 / 7/20/2006 |
| 1,2,4-Trichlorobenzene | < 56 | ug/kg | 56 | 178 | 2 | SA | 8260 | 2405/2404 | 7/19/2006 / 7/20/2006 |
| 1,2,4-Trimethylbenzene | < 36 | ug/kg | 36 | 115 | 2 | SA | 8260 | 2405/2404 | 7/19/2006 / 7/20/2006 |
| 1,2-Dibromo-3-chloropropan | < 40 | ug/kg | 40 | 126 | 2 | 3 SA | 8260 | 2405/2404 | 7/19/2006 / 7/20/2006 |
| 1,2-Dichlorobenzene | < 41 | ug/kg | 41 | 130 | 2 | SA | 8260 | 2405/2404 | 7/19/2006 / 7/20/2006 |
| 1,2-Dichloroethane | < 42 | ug/kg | 42 | 132 | 2 | SA | 8260 | 2405/2404 | 7/19/2006 / 7/20/2006 |
| 1,2-Dichloropropane | < 39 | ug/kg | 39 | 123 | 2 | SA | 8260 | 2405/2404 | 7/19/2006 / 7/20/2006 |
| 1,3,5-Trimethylbenzene | < 41 | ug/kg | 41 | 131 | 2 | SA | 8260 | 2405/2404 | 7/19/2006 / 7/20/2006 |
| 1,3-Dichlorobenzene | 89 | ug/kg | 31 | 99 | 2 | SA J | 8260 | 2405/2404 | 7/19/2006 / 7/20/2006 |

Department of Natural Resources State Certified Laboratory #241340550

APL warrants the test results to be of a precision normal for the sample type and methodology employed for each sample submitted. APL disclaims any other warrants, expressed or implied, including warranty of fitness for a particular purpose and warranty of merchantability. APL accepts no legal responsibility for the purpose for which the client uses test results. Any analytical work performed must be governed by this terms and conditions set forth herein.



8222 W. Calumet Rd., Milwaukee, WI 53223
 Phone: (414) 355-5800 Fax: (414) 355-3099

Timothy J. Anderson
 United Engineering Consultants
 10617 W. Oklahoma Ave #2
 West Allis, WI 53227

ORGANIC REPORT

BATCH NUMBER: 20060733
 DATE REPORTED: 04-Aug-06
 DATE RECEIVED: 11-Jul-06
 SAMPLE TEMP (C): Rec On Ice
 PROJECT ID: 04046
 PROJECT NAME: Colony

| | | | | | | | | | |
|--------------------------|------|-------|----|-----|---|--------|------|-----------|-----------------------|
| 1,3-Dichloropropane | < 47 | ug/kg | 47 | 149 | 2 | 3 SA | 8260 | 2405/2404 | 7/19/2006 / 7/20/2006 |
| 1,4-Dichlorobenzene | 89 | ug/kg | 43 | 136 | 2 | 3 SA J | 8260 | 2405/2404 | 7/19/2006 / 7/20/2006 |
| 2,2-Dichloropropane | < 33 | ug/kg | 33 | 104 | 2 | 3 4 SA | 8260 | 2405/2404 | 7/19/2006 / 7/20/2006 |
| 2-Chlorotoluene | < 36 | ug/kg | 36 | 113 | 2 | SA | 8260 | 2405/2404 | 7/19/2006 / 7/20/2006 |
| 4-Chlorotoluene | < 32 | ug/kg | 32 | 100 | 2 | SA | 8260 | 2405/2404 | 7/19/2006 / 7/20/2006 |
| Benzene | < 32 | ug/kg | 32 | 102 | 2 | SA | 8260 | 2405/2404 | 7/19/2006 / 7/20/2006 |
| Bromobenzene | < 37 | ug/kg | 37 | 118 | 2 | SA | 8260 | 2405/2404 | 7/19/2006 / 7/20/2006 |
| Bromodichloromethane | < 46 | ug/kg | 46 | 146 | 2 | SA | 8260 | 2405/2404 | 7/19/2006 / 7/20/2006 |
| Carbon tetrachloride | < 32 | ug/kg | 32 | 102 | 2 | 3 4 SA | 8260 | 2405/2404 | 7/19/2006 / 7/20/2006 |
| Chlorobenzene | < 31 | ug/kg | 31 | 99 | 2 | SA | 8260 | 2405/2404 | 7/19/2006 / 7/20/2006 |
| Chloroethane | < 76 | ug/kg | 76 | 242 | 2 | SA | 8260 | 2405/2404 | 7/19/2006 / 7/20/2006 |
| Chloroform | < 29 | ug/kg | 29 | 92 | 2 | SA | 8260 | 2405/2404 | 7/19/2006 / 7/20/2006 |
| Chloromethane | < 59 | ug/kg | 59 | 188 | 2 | SA | 8260 | 2405/2404 | 7/19/2006 / 7/20/2006 |
| cis-1,2-Dichloroethene | 85 | ug/kg | 32 | 103 | 2 | SA J | 8260 | 2405/2404 | 7/19/2006 / 7/20/2006 |
| Dibromochloromethane | < 49 | ug/kg | 49 | 155 | 2 | SA | 8260 | 2405/2404 | 7/19/2006 / 7/20/2006 |
| Dichlorodifluoromethane | < 32 | ug/kg | 32 | 101 | 2 | 3 4 SA | 8260 | 2405/2404 | 7/19/2006 / 7/20/2006 |
| Ethylbenzene | < 30 | ug/kg | 30 | 96 | 2 | SA | 8260 | 2405/2404 | 7/19/2006 / 7/20/2006 |
| Hexachlorobutadiene | < 50 | ug/kg | 50 | 159 | 2 | SA | 8260 | 2405/2404 | 7/19/2006 / 7/20/2006 |
| Isopropylbenzene | < 39 | ug/kg | 39 | 125 | 2 | SA | 8260 | 2405/2404 | 7/19/2006 / 7/20/2006 |
| m&p-xylene | < 64 | ug/kg | 64 | 203 | 2 | 3 SA | 8260 | 2405/2404 | 7/19/2006 / 7/20/2006 |
| Methylene chloride | 81 | ug/kg | 36 | 115 | 2 | 2 SA J | 8260 | 2405/2404 | 7/19/2006 / 7/20/2006 |
| MTBE | < 47 | ug/kg | 47 | 149 | 2 | SA | 8260 | 2405/2404 | 7/19/2006 / 7/20/2006 |
| Naphthalene | < 90 | ug/kg | 90 | 287 | 2 | SA | 8260 | 2405/2404 | 7/19/2006 / 7/20/2006 |
| n-Butylbenzene | < 43 | ug/kg | 43 | 136 | 2 | SA | 8260 | 2405/2404 | 7/19/2006 / 7/20/2006 |
| n-Propylbenzene | < 34 | ug/kg | 34 | 107 | 2 | SA | 8260 | 2405/2404 | 7/19/2006 / 7/20/2006 |
| o-xylene | < 30 | ug/kg | 30 | 95 | 2 | SA | 8260 | 2405/2404 | 7/19/2006 / 7/20/2006 |
| p-Isopropyltoluene | < 38 | ug/kg | 38 | 119 | 2 | SA | 8260 | 2405/2404 | 7/19/2006 / 7/20/2006 |
| sec-Butylbenzene | < 40 | ug/kg | 40 | 128 | 2 | SA | 8260 | 2405/2404 | 7/19/2006 / 7/20/2006 |
| tert-Butylbenzene | < 36 | ug/kg | 36 | 115 | 2 | SA | 8260 | 2405/2404 | 7/19/2006 / 7/20/2006 |
| Tetrachloroethene | 494 | ug/kg | 37 | 116 | 2 | SA | 8260 | 2405/2404 | 7/19/2006 / 7/20/2006 |
| Toluene | < 35 | ug/kg | 35 | 111 | 2 | SA | 8260 | 2405/2404 | 7/19/2006 / 7/20/2006 |
| trans-1,2-Dichloroethene | < 30 | ug/kg | 30 | 96 | 2 | 3 4 SA | 8260 | 2405/2404 | 7/19/2006 / 7/20/2006 |
| Trichloroethene | < 41 | ug/kg | 41 | 131 | 2 | SA | 8260 | 2405/2404 | 7/19/2006 / 7/20/2006 |
| Trichlorofluoromethane | < 29 | ug/kg | 29 | 92 | 2 | SA | 8260 | 2405/2404 | 7/19/2006 / 7/20/2006 |
| Vinyl chloride | < 26 | ug/kg | 26 | 81 | 2 | 3 4 SA | 8260 | 2405/2404 | 7/19/2006 / 7/20/2006 |

Department of Natural Resources State Certified Laboratory #241340550

APL warrants the test results to be of a precision normal for the sample type and methodology employed for each sample submitted. APL disclaims any other warrants, expressed or implied, including warranty of fitness for a particular purpose and warranty of merchantability. APL accepts no legal responsibility for the purpose for which the client uses test results. Any analytical work performed must be governed by this terms and conditions set forth herein.



8222 W. Galumet Rd., Milwaukee, WI 53223
 Phone: (414) 355-5600 Fax: (414) 355-3099

Timothy J. Anderson
 United Engineering Consultants
 10617 W. Oklahoma Ave #2
 West Allis, WI 53227

ORGANIC REPORT

BATCH NUMBER: 20060733
 DATE REPORTED: 04-Aug-06
 DATE RECEIVED: 11-Jul-06
 SAMPLE TEMP (C): Rec On Ice
 PROJECT ID: 04046
 PROJECT NAME: Colony

Sample Number: 50345 QC Prep Batch Number: 1018232 Collection: 7/5/2006 Time: 16:30
 Sample ID: GP-19 14-16' % Solid = 82.9 % Sample Description:

| Compound | Result | Units | LOD | LOQ | Dil | RQ | Method | Analyst | Date Extract/Analyzed |
|----------------------------|--------|-------|-----|-----|-----|--------|--------|-----------|-----------------------|
| 1,1,1-Trichloroethane | < 38 | ug/kg | 38 | 120 | 2 | SA | 8260 | 2405/2404 | 7/19/2006 / 7/20/2006 |
| 1,1,2,2-Tetrachloroethane | < 53 | ug/kg | 53 | 169 | 2 | 3 SA | 8260 | 2405/2404 | 7/19/2006 / 7/20/2006 |
| 1,1,2-Trichloroethane | < 53 | ug/kg | 53 | 168 | 2 | SA | 8260 | 2405/2404 | 7/19/2006 / 7/20/2006 |
| 1,1-Dichloroethane | < 39 | ug/kg | 39 | 123 | 2 | SA | 8260 | 2405/2404 | 7/19/2006 / 7/20/2006 |
| 1,1-Dichloroethene | < 41 | ug/kg | 41 | 131 | 2 | SA | 8260 | 2405/2404 | 7/19/2006 / 7/20/2006 |
| 1,2,3-Trichlorobenzene | < 60 | ug/kg | 60 | 191 | 2 | SA | 8260 | 2405/2404 | 7/19/2006 / 7/20/2006 |
| 1,2,4-Trichlorobenzene | < 56 | ug/kg | 56 | 180 | 2 | SA | 8260 | 2405/2404 | 7/19/2006 / 7/20/2006 |
| 1,2,4-Trimethylbenzene | 318 | ug/kg | 36 | 116 | 2 | SA | 8260 | 2405/2404 | 7/19/2006 / 7/20/2006 |
| 1,2-Dibromo-3-chloropropan | < 40 | ug/kg | 40 | 127 | 2 | 3 SA | 8260 | 2405/2404 | 7/19/2006 / 7/20/2006 |
| 1,2-Dichlorobenzene | < 41 | ug/kg | 41 | 131 | 2 | SA | 8260 | 2405/2404 | 7/19/2006 / 7/20/2006 |
| 1,2-Dichloroethane | < 42 | ug/kg | 42 | 133 | 2 | SA | 8260 | 2405/2404 | 7/19/2006 / 7/20/2006 |
| 1,2-Dichloropropane | < 39 | ug/kg | 39 | 124 | 2 | SA | 8260 | 2405/2404 | 7/19/2006 / 7/20/2006 |
| 1,3,5-Trimethylbenzene | 60 | ug/kg | 41 | 132 | 2 | SA | 8260 | 2405/2404 | 7/19/2006 / 7/20/2006 |
| 1,3-Dichlorobenzene | 805 | ug/kg | 31 | 100 | 2 | SA | 8260 | 2405/2404 | 7/19/2006 / 7/20/2006 |
| 1,3-Dichloropropane | < 47 | ug/kg | 47 | 150 | 2 | 3 SA | 8260 | 2405/2404 | 7/19/2006 / 7/20/2006 |
| 1,4-Dichlorobenzene | 809 | ug/kg | 43 | 137 | 2 | 3 SA | 8260 | 2405/2404 | 7/19/2006 / 7/20/2006 |
| 2,2-Dichloropropane | < 33 | ug/kg | 33 | 105 | 2 | 3 4 SA | 8260 | 2405/2404 | 7/19/2006 / 7/20/2006 |
| 2-Chlorotoluene | < 36 | ug/kg | 36 | 114 | 2 | SA | 8260 | 2405/2404 | 7/19/2006 / 7/20/2006 |
| 4-Chlorotoluene | < 32 | ug/kg | 32 | 101 | 2 | SA | 8260 | 2405/2404 | 7/19/2006 / 7/20/2006 |
| Benzene | < 32 | ug/kg | 32 | 103 | 2 | SA | 8260 | 2405/2404 | 7/19/2006 / 7/20/2006 |
| Bromobenzene | < 37 | ug/kg | 37 | 119 | 2 | SA | 8260 | 2405/2404 | 7/19/2006 / 7/20/2006 |
| Bromodichloromethane | < 46 | ug/kg | 46 | 147 | 2 | SA | 8260 | 2405/2404 | 7/19/2006 / 7/20/2006 |
| Carbon tetrachloride | < 32 | ug/kg | 32 | 103 | 2 | 3 4 SA | 8260 | 2405/2404 | 7/19/2006 / 7/20/2006 |
| Chlorobenzene | < 31 | ug/kg | 31 | 100 | 2 | SA | 8260 | 2405/2404 | 7/19/2006 / 7/20/2006 |
| Chloroethane | < 77 | ug/kg | 77 | 244 | 2 | SA | 8260 | 2405/2404 | 7/19/2006 / 7/20/2006 |
| Chloroform | 41 | ug/kg | 29 | 93 | 2 | SA | 8260 | 2405/2404 | 7/19/2006 / 7/20/2006 |
| Chloromethane | < 60 | ug/kg | 60 | 189 | 2 | SA | 8260 | 2405/2404 | 7/19/2006 / 7/20/2006 |
| cis-1,2-Dichloroethene | 64 | ug/kg | 33 | 104 | 2 | SA | 8260 | 2405/2404 | 7/19/2006 / 7/20/2006 |
| Dibromochloromethane | < 49 | ug/kg | 49 | 156 | 2 | SA | 8260 | 2405/2404 | 7/19/2006 / 7/20/2006 |
| Dichlorodifluoromethane | < 32 | ug/kg | 32 | 102 | 2 | 3 4 SA | 8260 | 2405/2404 | 7/19/2006 / 7/20/2006 |
| Ethylbenzene | 288 | ug/kg | 31 | 97 | 2 | SA | 8260 | 2405/2404 | 7/19/2006 / 7/20/2006 |
| Hexachlorobutadiene | < 50 | ug/kg | 50 | 160 | 2 | SA | 8260 | 2405/2404 | 7/19/2006 / 7/20/2006 |

Department of Natural Resources State Certified Laboratory #241340550

APL warrants the test results to be of a precision normal for the sample type and methodology employed for each sample submitted. APL disclaims any other warrants, expressed or implied, including warranty of fitness for a particular purpose and warranty of merchantability. APL accepts no legal responsibility for the purpose for which the client uses test results. Any analytical work performed must be governed by the terms and conditions set forth herein.



8222 W. Calumet Rd., Milwaukee, WI 53223
 Phone: (414) 355-5800 Fax: (414) 355-3099

Timothy J. Anderson
 United Engineering Consultants
 10617 W. Oklahoma Ave #2
 West Allis, WI 53227

ORGANIC REPORT

BATCH NUMBER: 20060733
 DATE REPORTED: 04-Aug-06
 DATE RECEIVED: 11-Jul-06
 SAMPLE TEMP (C): Rec On Ice
 PROJECT ID: 04046
 PROJECT NAME: Colony

| | | | | | | | | | |
|--------------------------|------|-------|----|-----|---|--------|------|-----------|-----------------------|
| Isopropylbenzene | < 40 | ug/kg | 40 | 126 | 2 | SA | 8260 | 2405/2404 | 7/19/2006 / 7/20/2006 |
| m&p-xylene | 1020 | ug/kg | 64 | 205 | 2 | 3 SA | 8260 | 2405/2404 | 7/19/2006 / 7/20/2006 |
| Methylene chloride | 92 | ug/kg | 37 | 116 | 2 | 2 SA J | 8260 | 2405/2404 | 7/19/2006 / 7/20/2006 |
| MTBE | < 47 | ug/kg | 47 | 150 | 2 | SA | 8260 | 2405/2404 | 7/19/2006 / 7/20/2006 |
| Naphthalene | < 91 | ug/kg | 91 | 290 | 2 | SA | 8260 | 2405/2404 | 7/19/2006 / 7/20/2006 |
| n-Butylbenzene | < 43 | ug/kg | 43 | 137 | 2 | SA | 8260 | 2405/2404 | 7/19/2006 / 7/20/2006 |
| n-Propylbenzene | < 34 | ug/kg | 34 | 108 | 2 | SA | 8260 | 2405/2404 | 7/19/2006 / 7/20/2006 |
| o-xylene | 286 | ug/kg | 30 | 96 | 2 | SA | 8260 | 2405/2404 | 7/19/2006 / 7/20/2006 |
| p-Isopropyltoluene | < 38 | ug/kg | 38 | 120 | 2 | SA | 8260 | 2405/2404 | 7/19/2006 / 7/20/2006 |
| sec-Butylbenzene | 101 | ug/kg | 41 | 129 | 2 | SA J | 8260 | 2405/2404 | 7/19/2006 / 7/20/2006 |
| tert-Butylbenzene | < 36 | ug/kg | 36 | 116 | 2 | SA | 8260 | 2405/2404 | 7/19/2006 / 7/20/2006 |
| Tetrachloroethene | 971 | ug/kg | 37 | 117 | 2 | SA | 8260 | 2405/2404 | 7/19/2006 / 7/20/2006 |
| Toluene | 1000 | ug/kg | 35 | 112 | 2 | SA | 8260 | 2405/2404 | 7/19/2006 / 7/20/2006 |
| trans-1,2-Dichloroethene | < 31 | ug/kg | 31 | 97 | 2 | 3 4 SA | 8260 | 2405/2404 | 7/19/2006 / 7/20/2006 |
| Trichloroethene | < 42 | ug/kg | 42 | 132 | 2 | SA | 8260 | 2405/2404 | 7/19/2006 / 7/20/2006 |
| Trichlorofluoromethane | < 29 | ug/kg | 29 | 92 | 2 | SA | 8260 | 2405/2404 | 7/19/2006 / 7/20/2006 |
| Vinyl chloride | < 26 | ug/kg | 26 | 82 | 2 | 3 4 SA | 8260 | 2405/2404 | 7/19/2006 / 7/20/2006 |


Department of Natural Resources State Certified Laboratory #241340550

APL warrants the test results to be of a precision normal for the sample type and methodology employed for each sample submitted. APL disclaims any other warrants, expressed or implied, including warranty of fitness for a particular purpose and warranty of merchantability. APL accepts no legal responsibility for the purpose for which the client uses test results. Any analytical work performed must be governed by this terms and conditions set forth herein.



Attachment: QC Qualifiers
Batch 20060733 – VOC

| Sample No. | Analyte(s) | Qualifier(s) |
|------------|--------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| 50339 | VOCs | Calibration verification standard recovery is outside control limits. Batch QC is outside control limits for accuracy; precision not determined. Surrogate recovery associated with the sample is outside control limits. |
| 50340 | VOCs | Calibration verification standard recovery is outside control limits. Batch QC is outside control limits for accuracy; precision not determined. Surrogate recovery associated with the sample is outside control limits. |
| 50341 | VOCs | Calibration verification standard recovery is outside control limits. Batch QC is outside control limits for accuracy; precision not determined. |
| 50342 | VOCs | Calibration verification standard recovery is outside control limits. Surrogate recovery associated with the Batch QC is outside control limits. |
| 50343 | VOCs | Calibration verification standard recovery is outside control limits. Surrogate recovery associated with the sample and the Batch QC is outside control limits. |
| 50344 | VOCs | Calibration verification standard recovery is outside control limits. Surrogate recovery associated with the Batch QC is outside control limits. |
| 50344 | Methylene Chloride | Laboratory Artifact. |
| 50345 | VOCs | Calibration verification standard recovery is outside control limits. Surrogate recovery associated with the Batch QC is outside control limits. |
| 50345 | Methylene Chloride | Laboratory Artifact. |

Approved By:  08 / 04 / 06
Project Manager Date



8222 W. Galumet Rd., Milwaukee, WI 53223
 Phone: (414) 355-5800 Fax: (414) 355-3099

Timothy J. Anderson
 United Engineering Consultants
 10617 W. Oklahoma Ave #2
 West Allis, WI 53227

ORGANIC REPORT

BATCH NUMBER: 20060740
 DATE REPORTED: 04-Aug-06
 DATE RECEIVED: 12-Jul-06
 SAMPLE TEMP (C): Rec On Ice
 PROJECT ID:
 PROJECT NAME:

| Compound | Result | Units | LOD | LOQ | Dil | RQ | Method | Analyst | Date |
|---------------------------|--------|-------|-------|-------|-----|----|--------|-----------|-----------------------|
| Chloroform | <0.240 | ug/l | 0.240 | 0.764 | 1 | | 8260 | 2405/2404 | 7/21/2006 / 7/21/2006 |
| Chloromethane | <0.490 | ug/l | 0.490 | 1.559 | 1 | | 8260 | 2405/2404 | 7/21/2006 / 7/21/2006 |
| cis-1,2-Dichloroethene | 59 | ug/l | 0.270 | 0.859 | 1 | | 8260 | 2405/2404 | 7/21/2006 / 7/21/2006 |
| cis-1,3-Dichloropropene | <0.370 | ug/l | 0.370 | 1.177 | 1 | | 8260 | 2405/2404 | 7/21/2006 / 7/21/2006 |
| Dibromochloromethane | <0.410 | ug/l | 0.410 | 1.304 | 1 | | 8260 | 2405/2404 | 7/21/2006 / 7/21/2006 |
| Dibromomethane | <0.460 | ug/l | 0.460 | 1.464 | 1 | | 8260 | 2405/2404 | 7/21/2006 / 7/21/2006 |
| Dichlorodifluoromethane | <0.270 | ug/l | 0.270 | 0.859 | 1 | | 8260 | 2405/2404 | 7/21/2006 / 7/21/2006 |
| Ethylbenzene | <0.250 | ug/l | 0.250 | 0.795 | 1 | 2 | 8260 | 2405/2404 | 7/21/2006 / 7/21/2006 |
| Hexachlorobutadiene | <0.420 | ug/l | 0.420 | 1.336 | 1 | 2 | 8260 | 2405/2404 | 7/21/2006 / 7/21/2006 |
| Isopropylbenzene | <0.330 | ug/l | 0.330 | 1.050 | 1 | | 8260 | 2405/2404 | 7/21/2006 / 7/21/2006 |
| m&p-xylene | <0.530 | ug/l | 0.530 | 1.686 | 1 | | 8260 | 2405/2404 | 7/21/2006 / 7/21/2006 |
| Methylene chloride | <0.300 | ug/l | 0.300 | 0.955 | 1 | 2 | 8260 | 2405/2404 | 7/21/2006 / 7/21/2006 |
| Methyl-t-butyl ether | <0.390 | ug/l | 0.390 | 1.241 | 1 | | 8260 | 2405/2404 | 7/21/2006 / 7/21/2006 |
| Naphthalene | <0.750 | ug/l | 0.750 | 2.386 | 1 | | 8260 | 2405/2404 | 7/21/2006 / 7/21/2006 |
| n-Butylbenzene | <0.360 | ug/l | 0.360 | 1.145 | 1 | 2 | 8260 | 2405/2404 | 7/21/2006 / 7/21/2006 |
| n-Propylbenzene | <0.280 | ug/l | 0.280 | 0.891 | 1 | | 8260 | 2405/2404 | 7/21/2006 / 7/21/2006 |
| o-xylene | <0.250 | ug/l | 0.250 | 0.795 | 1 | | 8260 | 2405/2404 | 7/21/2006 / 7/21/2006 |
| p-Isopropyltoluene | <0.310 | ug/l | 0.310 | 0.986 | 1 | 2 | 8260 | 2405/2404 | 7/21/2006 / 7/21/2006 |
| sec-Butylbenzene | <0.340 | ug/l | 0.340 | 1.082 | 1 | 2 | 8260 | 2405/2404 | 7/21/2006 / 7/21/2006 |
| Styrene | <0.250 | ug/l | 0.250 | 0.795 | 1 | | 8260 | 2405/2404 | 7/21/2006 / 7/21/2006 |
| tert-Butylbenzene | <0.300 | ug/l | 0.300 | 0.955 | 1 | 2 | 8260 | 2405/2404 | 7/21/2006 / 7/21/2006 |
| Tetrachloroethene | 1330 | ug/l | 0.310 | 0.986 | 1 | E | 8260 | 2405/2404 | 7/21/2006 / 7/21/2006 |
| Toluene | 0.430 | ug/l | 0.290 | 0.923 | 1 | J | 8260 | 2405/2404 | 7/21/2006 / 7/21/2006 |
| trans-1,2-Dichloroethene | 5.000 | ug/l | 0.250 | 0.795 | 1 | | 8260 | 2405/2404 | 7/21/2006 / 7/21/2006 |
| trans-1,3-Dichloropropene | <0.260 | ug/l | 0.260 | 0.827 | 1 | | 8260 | 2405/2404 | 7/21/2006 / 7/21/2006 |
| Trichloroethene | 25 | ug/l | 0.340 | 1.082 | 1 | | 8260 | 2405/2404 | 7/21/2006 / 7/21/2006 |
| Trichlorofluoromethane | <0.240 | ug/l | 0.240 | 0.764 | 1 | | 8260 | 2405/2404 | 7/21/2006 / 7/21/2006 |
| Vinyl chloride | 7.230 | ug/l | 0.200 | 0.636 | 1 | 4 | 8260 | 2405/2404 | 7/21/2006 / 7/21/2006 |

Sample Number: 50363

QC Prep Batch Number: 1018492

Collection: 7/12/2006

Time: 13:40

Sample ID: TW-18

Matrix: GW

Sample Description:

| Compound | Result | Units | LOD | LOQ | Dil | RQ | Method | Analyst | Date |
|---------------------------|--------|-------|-------|-------|-----|----|--------|-----------|-----------------------|
| 1,1,1,2-Tetrachloroethane | <0.220 | ug/l | 0.220 | 0.700 | 1 | | 8260 | 2405/2404 | 7/21/2006 / 7/21/2006 |
| 1,1,1-Trichloroethane | <0.310 | ug/l | 0.310 | 0.986 | 1 | | 8260 | 2405/2404 | 7/21/2006 / 7/21/2006 |
| 1,1,2,2-Tetrachloroethane | <0.440 | ug/l | 0.440 | 1.400 | 1 | | 8260 | 2405/2404 | 7/21/2006 / 7/21/2006 |
| 1,1,2-Trichloroethane | <0.440 | ug/l | 0.440 | 1.400 | 1 | | 8260 | 2405/2404 | 7/21/2006 / 7/21/2006 |
| 1,1-Dichloroethane | <0.320 | ug/l | 0.320 | 1.018 | 1 | | 8260 | 2405/2404 | 7/21/2006 / 7/21/2006 |

Department of Natural Resources State Certified Laboratory #241340550

APL warrants the test results to be of a precision normal for the sample type and methodology employed for each sample submitted. APL disclaims any other warrants, expressed or implied, including warranty of fitness for a particular purpose and warranty of merchantability. APL accepts no legal responsibility for the purpose for which the client uses test results. Any analytical work performed must be governed by this terms and conditions set forth herein.



8222 W. Calumet Rd., Milwaukee, WI 53228
 Phone: (414) 355-5800 Fax: (414) 355-3099

Timothy J. Anderson
 United Engineering Consultants
 10617 W. Oklahoma Ave #2
 West Allis, WI 53227

ORGANIC REPORT

BATCH NUMBER: 20060740
 DATE REPORTED: 04-Aug-06
 DATE RECEIVED: 12-Jul-06
 SAMPLE TEMP (C): Rec On Ice
 PROJECT ID:
 PROJECT NAME:

| | | | | | | | | | | |
|----------------------------|--------|------|-------|-------|---|---|------|-----------|-----------|-----------|
| 1,1-Dichloroethene | <0.340 | ug/l | 0.340 | 1.082 | 1 | | 8260 | 2405/2404 | 7/21/2006 | 7/21/2006 |
| 1,1-Dichloropropene | <0.430 | ug/l | 0.430 | 1.368 | 1 | | 8260 | 2405/2404 | 7/21/2006 | 7/21/2006 |
| 1,2,3-Trichlorobenzene | <0.500 | ug/l | 0.500 | 1.591 | 1 | 2 | 8260 | 2405/2404 | 7/21/2006 | 7/21/2006 |
| 1,2,3-Trichloropropane | <0.510 | ug/l | 0.510 | 1.623 | 1 | | 8260 | 2405/2404 | 7/21/2006 | 7/21/2006 |
| 1,2,4-Trichlorobenzene | <0.470 | ug/l | 0.470 | 1.495 | 1 | 2 | 8260 | 2405/2404 | 7/21/2006 | 7/21/2006 |
| 1,2,4-Trimethylbenzene | <0.300 | ug/l | 0.300 | 0.955 | 1 | 2 | 8260 | 2405/2404 | 7/21/2006 | 7/21/2006 |
| 1,2-Dibromoethane | <0.460 | ug/l | 0.460 | 1.464 | 1 | | 8260 | 2405/2404 | 7/21/2006 | 7/21/2006 |
| 1,2-Dichlorobenzene | <0.340 | ug/l | 0.340 | 1.082 | 1 | | 8260 | 2405/2404 | 7/21/2006 | 7/21/2006 |
| 1,2-Dichloroethane | <0.350 | ug/l | 0.350 | 1.114 | 1 | | 8260 | 2405/2404 | 7/21/2006 | 7/21/2006 |
| 1,2-Dichloropropane | <0.320 | ug/l | 0.320 | 1.018 | 1 | | 8260 | 2405/2404 | 7/21/2006 | 7/21/2006 |
| 1,3,5-Trimethylbenzene | <0.340 | ug/l | 0.340 | 1.082 | 1 | | 8260 | 2405/2404 | 7/21/2006 | 7/21/2006 |
| 1,3-Dichlorobenzene | <0.260 | ug/l | 0.260 | 0.827 | 1 | 2 | 8260 | 2405/2404 | 7/21/2006 | 7/21/2006 |
| 1,3-Dichloropropane | <0.390 | ug/l | 0.390 | 1.241 | 1 | | 8260 | 2405/2404 | 7/21/2006 | 7/21/2006 |
| 1,4-Dichlorobenzene | <0.360 | ug/l | 0.360 | 1.145 | 1 | 2 | 8260 | 2405/2404 | 7/21/2006 | 7/21/2006 |
| 1,2-Dibromo-3-chloropropan | <0.330 | ug/l | 0.330 | 1.050 | 1 | | 8260 | 2405/2404 | 7/21/2006 | 7/21/2006 |
| 2,2-Dichloropropane | <0.270 | ug/l | 0.270 | 0.859 | 1 | | 8260 | 2405/2404 | 7/21/2006 | 7/21/2006 |
| 2-Chloroethyl Vinyl Ether | <0.700 | ug/l | 0.700 | 2.227 | 1 | | 8260 | 2405/2404 | 7/21/2006 | 7/21/2006 |
| 2-Chlorotoluene | <0.300 | ug/l | 0.300 | 0.955 | 1 | 2 | 8260 | 2405/2404 | 7/21/2006 | 7/21/2006 |
| 4-Chlorotoluene | <0.260 | ug/l | 0.260 | 0.827 | 1 | 2 | 8260 | 2405/2404 | 7/21/2006 | 7/21/2006 |
| 4-Methyl-2-Pentanone | <0.800 | ug/l | 0.800 | 2.545 | 1 | | 8260 | 2405/2404 | 7/21/2006 | 7/21/2006 |
| Benzene | <0.270 | ug/l | 0.270 | 0.859 | 1 | 2 | 8260 | 2405/2404 | 7/21/2006 | 7/21/2006 |
| Bromobenzene | <0.310 | ug/l | 0.310 | 0.986 | 1 | | 8260 | 2405/2404 | 7/21/2006 | 7/21/2006 |
| Bromochloromethane | <0.370 | ug/l | 0.370 | 1.177 | 1 | | 8260 | 2405/2404 | 7/21/2006 | 7/21/2006 |
| Bromodichloromethane | <0.380 | ug/l | 0.380 | 1.209 | 1 | | 8260 | 2405/2404 | 7/21/2006 | 7/21/2006 |
| Bromoform | <0.390 | ug/l | 0.390 | 1.241 | 1 | | 8260 | 2405/2404 | 7/21/2006 | 7/21/2006 |
| Bromomethane | <0.650 | ug/l | 0.650 | 2.068 | 1 | | 8260 | 2405/2404 | 7/21/2006 | 7/21/2006 |
| Carbon tetrachloride | <0.270 | ug/l | 0.270 | 0.859 | 1 | | 8260 | 2405/2404 | 7/21/2006 | 7/21/2006 |
| Chlorobenzene | <0.260 | ug/l | 0.260 | 0.827 | 1 | 2 | 8260 | 2405/2404 | 7/21/2006 | 7/21/2006 |
| Chloroethane | <0.640 | ug/l | 0.640 | 2.036 | 1 | | 8260 | 2405/2404 | 7/21/2006 | 7/21/2006 |
| Chloroform | <0.240 | ug/l | 0.240 | 0.764 | 1 | | 8260 | 2405/2404 | 7/21/2006 | 7/21/2006 |
| Chloromethane | <0.490 | ug/l | 0.490 | 1.559 | 1 | | 8260 | 2405/2404 | 7/21/2006 | 7/21/2006 |
| cis-1,2-Dichloroethene | 0.490 | ug/l | 0.270 | 0.859 | 1 | J | 8260 | 2405/2404 | 7/21/2006 | 7/21/2006 |
| cis-1,3-Dichloropropene | <0.370 | ug/l | 0.370 | 1.177 | 1 | | 8260 | 2405/2404 | 7/21/2006 | 7/21/2006 |
| Dibromochloromethane | <0.410 | ug/l | 0.410 | 1.304 | 1 | | 8260 | 2405/2404 | 7/21/2006 | 7/21/2006 |
| Dibromomethane | <0.460 | ug/l | 0.460 | 1.464 | 1 | | 8260 | 2405/2404 | 7/21/2006 | 7/21/2006 |
| Dichlorodifluoromethane | <0.270 | ug/l | 0.270 | 0.859 | 1 | | 8260 | 2405/2404 | 7/21/2006 | 7/21/2006 |
| Ethylbenzene | <0.250 | ug/l | 0.250 | 0.795 | 1 | 2 | 8260 | 2405/2404 | 7/21/2006 | 7/21/2006 |
| Hexachlorobutadiene | <0.420 | ug/l | 0.420 | 1.336 | 1 | 2 | 8260 | 2405/2404 | 7/21/2006 | 7/21/2006 |
| Isopropylbenzene | <0.330 | ug/l | 0.330 | 1.050 | 1 | | 8260 | 2405/2404 | 7/21/2006 | 7/21/2006 |
| m&p-xylene | <0.530 | ug/l | 0.530 | 1.686 | 1 | | 8260 | 2405/2404 | 7/21/2006 | 7/21/2006 |

Department of Natural Resources State Certified Laboratory #241340550

APL warrants the test results to be of a precision normal for the sample type and methodology employed for each sample submitted. APL disclaims any other warranties, expressed or implied, including warranty of fitness for a particular purpose and warranty of merchantability. APL accepts no legal responsibility for the purpose for which the client uses test results. Any analytical work performed must be governed by this terms and conditions set forth herein.



8222 W. Galumet Rd., Milwaukee, WI 53223
 Phone: (414) 355-5800 Fax: (414) 355-3099

ORGANIC REPORT

Timothy J. Anderson
 United Engineering Consultants
 10617 W. Oklahoma Ave #2
 West Allis, WI 53227

BATCH NUMBER: 20060740
 DATE REPORTED: 04-Aug-06
 DATE RECEIVED: 12-Jul-06
 SAMPLE TEMP (C): Rec On Ice
 PROJECT ID:
 PROJECT NAME:

| | | | | | | | | | |
|---------------------------|--------|------|-------|-------|---|---|------|-----------|-----------------------|
| Methylene chloride | <0.300 | ug/l | 0.300 | 0.955 | 1 | 2 | 8260 | 2405/2404 | 7/21/2006 / 7/21/2006 |
| Methyl-t-butyl ether | <0.390 | ug/l | 0.390 | 1.241 | 1 | | 8260 | 2405/2404 | 7/21/2006 / 7/21/2006 |
| Naphthalene | <0.750 | ug/l | 0.750 | 2.386 | 1 | 2 | 8260 | 2405/2404 | 7/21/2006 / 7/21/2006 |
| n-Butylbenzene | <0.360 | ug/l | 0.360 | 1.145 | 1 | 2 | 8260 | 2405/2404 | 7/21/2006 / 7/21/2006 |
| n-Propylbenzene | <0.280 | ug/l | 0.280 | 0.891 | 1 | | 8260 | 2405/2404 | 7/21/2006 / 7/21/2006 |
| o-xylene | <0.250 | ug/l | 0.250 | 0.795 | 1 | | 8260 | 2405/2404 | 7/21/2006 / 7/21/2006 |
| p-Isopropyltoluene | <0.310 | ug/l | 0.310 | 0.986 | 1 | 2 | 8260 | 2405/2404 | 7/21/2006 / 7/21/2006 |
| sec-Butylbenzene | <0.340 | ug/l | 0.340 | 1.082 | 1 | 2 | 8260 | 2405/2404 | 7/21/2006 / 7/21/2006 |
| Styrene | <0.250 | ug/l | 0.250 | 0.795 | 1 | | 8260 | 2405/2404 | 7/21/2006 / 7/21/2006 |
| tert-Butylbenzene | <0.300 | ug/l | 0.300 | 0.955 | 1 | 2 | 8260 | 2405/2404 | 7/21/2006 / 7/21/2006 |
| Tetrachloroethene | 2.990 | ug/l | 0.310 | 0.986 | 1 | | 8260 | 2405/2404 | 7/21/2006 / 7/21/2006 |
| Toluene | <0.290 | ug/l | 0.290 | 0.923 | 1 | | 8260 | 2405/2404 | 7/21/2006 / 7/21/2006 |
| trans-1,2-Dichloroethene | <0.250 | ug/l | 0.250 | 0.795 | 1 | | 8260 | 2405/2404 | 7/21/2006 / 7/21/2006 |
| trans-1,3-Dichloropropene | <0.260 | ug/l | 0.260 | 0.827 | 1 | | 8260 | 2405/2404 | 7/21/2006 / 7/21/2006 |
| Trichloroethene | <0.340 | ug/l | 0.340 | 1.082 | 1 | | 8260 | 2405/2404 | 7/21/2006 / 7/21/2006 |
| Trichlorofluoromethane | <0.240 | ug/l | 0.240 | 0.764 | 1 | | 8260 | 2405/2404 | 7/21/2006 / 7/21/2006 |
| Vinyl chloride | <0.200 | ug/l | 0.200 | 0.636 | 1 | 4 | 8260 | 2405/2404 | 7/21/2006 / 7/21/2006 |

Sample Number: 50364

QC Prep Batch Number: 1018492

Collection: 7/12/2006

Time: 13:50

Sample ID: TW-19

Matrix: GW

Sample Description:

| Compound | Result | Units | LOD | LOQ | Dil | RQ | Method | Analyst | Date Extract/Analyzed |
|---------------------------|--------|-------|-------|-------|-----|----|--------|-----------|-----------------------|
| 1,1,1,2-Tetrachloroethane | <0.220 | ng/l | 0.220 | 0.700 | 1 | | 8260 | 2405/2404 | 7/21/2006 / 7/21/2006 |
| 1,1,1-Trichloroethane | <0.310 | ug/l | 0.310 | 0.986 | 1 | | 8260 | 2405/2404 | 7/21/2006 / 7/21/2006 |
| 1,1,2,2-Tetrachloroethane | <0.440 | ug/l | 0.440 | 1.400 | 1 | | 8260 | 2405/2404 | 7/21/2006 / 7/21/2006 |
| 1,1,2-Trichloroethane | <0.440 | ug/l | 0.440 | 1.400 | 1 | | 8260 | 2405/2404 | 7/21/2006 / 7/21/2006 |
| 1,1-Dichloroethane | <0.320 | ug/l | 0.320 | 1.018 | 1 | | 8260 | 2405/2404 | 7/21/2006 / 7/21/2006 |
| 1,1-Dichloroethene | <0.340 | ug/l | 0.340 | 1.082 | 1 | | 8260 | 2405/2404 | 7/21/2006 / 7/21/2006 |
| 1,1-Dichloropropene | <0.430 | ug/l | 0.430 | 1.368 | 1 | | 8260 | 2405/2404 | 7/21/2006 / 7/21/2006 |
| 1,2,3-Trichlorobenzene | <0.500 | ug/l | 0.500 | 1.591 | 1 | 2 | 8260 | 2405/2404 | 7/21/2006 / 7/21/2006 |
| 1,2,3-Trichloropropane | <0.510 | ug/l | 0.510 | 1.623 | 1 | | 8260 | 2405/2404 | 7/21/2006 / 7/21/2006 |
| 1,2,4-Trichlorobenzene | <0.470 | ug/l | 0.470 | 1.495 | 1 | 2 | 8260 | 2405/2404 | 7/21/2006 / 7/21/2006 |
| 1,2,4-Trimethylbenzene | <0.300 | ug/l | 0.300 | 0.955 | 1 | 2 | 8260 | 2405/2404 | 7/21/2006 / 7/21/2006 |
| 1,2-Dibromoethane | <0.460 | ug/l | 0.460 | 1.464 | 1 | | 8260 | 2405/2404 | 7/21/2006 / 7/21/2006 |
| 1,2-Dichlorobenzene | <0.340 | ug/l | 0.340 | 1.082 | 1 | | 8260 | 2405/2404 | 7/21/2006 / 7/21/2006 |
| 1,2-Dichloroethane | <0.350 | ug/l | 0.350 | 1.114 | 1 | | 8260 | 2405/2404 | 7/21/2006 / 7/21/2006 |
| 1,2-Dichloropropane | <0.320 | ug/l | 0.320 | 1.018 | 1 | | 8260 | 2405/2404 | 7/21/2006 / 7/21/2006 |
| 1,3,5-Trimethylbenzene | <0.340 | ug/l | 0.340 | 1.082 | 1 | | 8260 | 2405/2404 | 7/21/2006 / 7/21/2006 |

Department of Natural Resources State Certified Laboratory #241340550

APL warrants the test results to be of a precision normal for the sample type and methodology employed for each sample submitted. APL disclaims any other warrants, expressed or implied, including warranty of fitness for a particular purpose and warranty of merchantability. APL accepts no legal responsibility for the purpose for which the client uses test results. Any analytical work performed must be governed by this terms and conditions set forth herein.



8222 W. Calumet Rd., Milwaukee, WI 53223
 Phone: (414) 355-5800 Fax: (414) 355-3099

Timothy J. Anderson
 United Engineering Consultants
 10617 W. Oklahoma Ave #2
 West Allis, WI 53227

ORGANIC REPORT

BATCH NUMBER: 20060740
 DATE REPORTED: 04-Aug-06
 DATE RECEIVED: 12-Jul-06
 SAMPLE TEMP (C): Rec On Ice
 PROJECT ID:
 PROJECT NAME:

| | | | | | | | | | | |
|----------------------------|--------|------|-------|-------|---|---|------|-----------|-----------|-----------|
| 1,3-Dichlorobenzene | <0.260 | ug/l | 0.260 | 0.827 | 1 | 2 | 8260 | 2405/2404 | 7/21/2006 | 7/21/2006 |
| 1,3-Dichloropropane | <0.390 | ug/l | 0.390 | 1.241 | 1 | | 8260 | 2405/2404 | 7/21/2006 | 7/21/2006 |
| 1,4-Dichlorobenzene | <0.360 | ug/l | 0.360 | 1.145 | 1 | 2 | 8260 | 2405/2404 | 7/21/2006 | 7/21/2006 |
| 1,2-Dibromo-3-chloropropan | <0.330 | ug/l | 0.330 | 1.050 | 1 | | 8260 | 2405/2404 | 7/21/2006 | 7/21/2006 |
| 2,2-Dichloropropane | <0.270 | ug/l | 0.270 | 0.859 | 1 | | 8260 | 2405/2404 | 7/21/2006 | 7/21/2006 |
| 2-Chloroethyl Vinyl Ether | <0.700 | ug/l | 0.700 | 2.227 | 1 | | 8260 | 2405/2404 | 7/21/2006 | 7/21/2006 |
| 2-Chlorotoluene | <0.300 | ug/l | 0.300 | 0.955 | 1 | 2 | 8260 | 2405/2404 | 7/21/2006 | 7/21/2006 |
| 4-Chlorotoluene | <0.260 | ug/l | 0.260 | 0.827 | 1 | 2 | 8260 | 2405/2404 | 7/21/2006 | 7/21/2006 |
| 4-Methyl-2-Pentanone | <0.800 | ug/l | 0.800 | 2.545 | 1 | | 8260 | 2405/2404 | 7/21/2006 | 7/21/2006 |
| Benzene | <0.270 | ug/l | 0.270 | 0.859 | 1 | 2 | 8260 | 2405/2404 | 7/21/2006 | 7/21/2006 |
| Bromobenzene | <0.310 | ug/l | 0.310 | 0.986 | 1 | | 8260 | 2405/2404 | 7/21/2006 | 7/21/2006 |
| Bromochloromethane | <0.370 | ug/l | 0.370 | 1.177 | 1 | | 8260 | 2405/2404 | 7/21/2006 | 7/21/2006 |
| Bromodichloromethane | <0.380 | ug/l | 0.380 | 1.209 | 1 | | 8260 | 2405/2404 | 7/21/2006 | 7/21/2006 |
| Bromoform | <0.390 | ug/l | 0.390 | 1.241 | 1 | | 8260 | 2405/2404 | 7/21/2006 | 7/21/2006 |
| Bromomethane | <0.650 | ug/l | 0.650 | 2.068 | 1 | | 8260 | 2405/2404 | 7/21/2006 | 7/21/2006 |
| Carbon tetrachloride | <0.270 | ug/l | 0.270 | 0.859 | 1 | | 8260 | 2405/2404 | 7/21/2006 | 7/21/2006 |
| Chlorobenzene | <0.260 | ug/l | 0.260 | 0.827 | 1 | 2 | 8260 | 2405/2404 | 7/21/2006 | 7/21/2006 |
| Chloroethane | <0.640 | ug/l | 0.640 | 2.036 | 1 | | 8260 | 2405/2404 | 7/21/2006 | 7/21/2006 |
| Chloroform | <0.240 | ug/l | 0.240 | 0.764 | 1 | | 8260 | 2405/2404 | 7/21/2006 | 7/21/2006 |
| Chloromethane | <0.490 | ug/l | 0.490 | 1.559 | 1 | | 8260 | 2405/2404 | 7/21/2006 | 7/21/2006 |
| cis-1,2-Dichloroethene | 55 | ug/l | 0.270 | 0.859 | 1 | | 8260 | 2405/2404 | 7/21/2006 | 7/21/2006 |
| cis-1,3-Dichloropropene | <0.370 | ug/l | 0.370 | 1.177 | 1 | | 8260 | 2405/2404 | 7/21/2006 | 7/21/2006 |
| Dibromochloromethane | <0.410 | ug/l | 0.410 | 1.304 | 1 | | 8260 | 2405/2404 | 7/21/2006 | 7/21/2006 |
| Dibromomethane | <0.460 | ug/l | 0.460 | 1.464 | 1 | | 8260 | 2405/2404 | 7/21/2006 | 7/21/2006 |
| Dichlorodifluoromethane | <0.270 | ug/l | 0.270 | 0.859 | 1 | | 8260 | 2405/2404 | 7/21/2006 | 7/21/2006 |
| Ethylbenzene | <0.250 | ug/l | 0.250 | 0.795 | 1 | 2 | 8260 | 2405/2404 | 7/21/2006 | 7/21/2006 |
| Hexachlorobutadiene | <0.420 | ug/l | 0.420 | 1.336 | 1 | 2 | 8260 | 2405/2404 | 7/21/2006 | 7/21/2006 |
| Isopropylbenzene | <0.330 | ug/l | 0.330 | 1.050 | 1 | | 8260 | 2405/2404 | 7/21/2006 | 7/21/2006 |
| m&p-xylene | <0.530 | ug/l | 0.530 | 1.686 | 1 | | 8260 | 2405/2404 | 7/21/2006 | 7/21/2006 |
| Methylene chloride | <0.300 | ug/l | 0.300 | 0.955 | 1 | 2 | 8260 | 2405/2404 | 7/21/2006 | 7/21/2006 |
| Methyl-t-butyl ether | <0.390 | ug/l | 0.390 | 1.241 | 1 | | 8260 | 2405/2404 | 7/21/2006 | 7/21/2006 |
| Naphthalene | <0.750 | ug/l | 0.750 | 2.386 | 1 | 2 | 8260 | 2405/2404 | 7/21/2006 | 7/21/2006 |
| n-Butylbenzene | <0.360 | ug/l | 0.360 | 1.145 | 1 | 2 | 8260 | 2405/2404 | 7/21/2006 | 7/21/2006 |
| n-Propylbenzene | <0.280 | ug/l | 0.280 | 0.891 | 1 | | 8260 | 2405/2404 | 7/21/2006 | 7/21/2006 |
| o-xylene | <0.250 | ug/l | 0.250 | 0.795 | 1 | | 8260 | 2405/2404 | 7/21/2006 | 7/21/2006 |
| p-Isopropyltoluene | <0.310 | ug/l | 0.310 | 0.986 | 1 | 2 | 8260 | 2405/2404 | 7/21/2006 | 7/21/2006 |
| sec-Butylbenzene | <0.340 | ug/l | 0.340 | 1.082 | 1 | 2 | 8260 | 2405/2404 | 7/21/2006 | 7/21/2006 |
| Styrene | <0.250 | ug/l | 0.250 | 0.795 | 1 | | 8260 | 2405/2404 | 7/21/2006 | 7/21/2006 |
| tert-Butylbenzene | <0.300 | ug/l | 0.300 | 0.955 | 1 | 2 | 8260 | 2405/2404 | 7/21/2006 | 7/21/2006 |
| Tetrachloroethene | <0.310 | ug/l | 0.310 | 0.986 | 1 | | 8260 | 2405/2404 | 7/21/2006 | 7/21/2006 |

Department of Natural Resources State Certified Laboratory #241340550

APL warrants the test results to be of a precision normal for the sample type and methodology employed for each sample submitted. APL disclaims any other warrants, expressed or implied, including warranty of fitness for a particular purpose and warranty of merchantability. APL accepts no legal responsibility for the purpose for which the client uses test results. Any analytical work performed must be governed by the terms and conditions set forth herein.




8222 W. Calumet Rd., Milwaukee, WI 53223
 Phone: (414) 355-5800 Fax: (414) 355-3099

ORGANIC REPORT

Timothy J. Anderson
 United Engineering Consultants
 10617 W. Oklahoma Ave #2
 West Allis, WI 53227

BATCH NUMBER: 20060740
 DATE REPORTED: 04-Aug-06
 DATE RECEIVED: 12-Jul-06
 SAMPLE TEMP (C): Rec On Ice
 PROJECT ID:
 PROJECT NAME:

| | | | | | | | | | |
|---------------------------|--------|------|-------|-------|---|----------|-----------|-----------|-----------|
| Toluene | <0.290 | ug/l | 0.290 | 0.923 | 1 | 8260 | 2405/2404 | 7/21/2006 | 7/21/2006 |
| trans-1,2-Dichloroethene | 3.840 | ug/l | 0.250 | 0.795 | 1 | 8260 | 2405/2404 | 7/21/2006 | 7/21/2006 |
| trans-1,3-Dichloropropene | <0.260 | ug/l | 0.260 | 0.827 | 1 | 8260 | 2405/2404 | 7/21/2006 | 7/21/2006 |
| Trichloroethene | <0.340 | ug/l | 0.340 | 1.082 | 1 | 8260 | 2405/2404 | 7/21/2006 | 7/21/2006 |
| Trichlorofluoromethane | <0.240 | ug/l | 0.240 | 0.764 | 1 | 8260 | 2405/2404 | 7/21/2006 | 7/21/2006 |
| Vinyl chloride | 0.460 | ug/l | 0.200 | 0.636 | 1 | 4 J 8260 | 2405/2404 | 7/21/2006 | 7/21/2006 |

Approved By:  Date 8/4/2006
 Project Manager

LOQ = Limit of Quantitation LOD = Limit of Detection

- RQ: Run Qualifier;
- 2 - A high method blank recovery is associated with this batch QC.
 - 3 - The associated batch QC is outside the control limits for precision.
 - 4 - The associated batch QC is outside the control limits for accuracy.
 - 5 - The internal standard associated with this batch QC is outside control limits.
 - 6 - The surrogate associated with this batch QC is outside control limits.
 - 7 - The duplicate analysis associated with this batch QC is outside control limits.
 - 8 - The internal standard associated with this sample is outside control limits.
 - 9 - The surrogate associated with this sample is outside control limits.
- E - Concentration of this compound exceeds the calibration range; the value is an estimate.
 O - Presence of significant peaks outside the DRO or GRO chromatographic window.
 A - The result is an average. # - No LOD or LOQ required.
 J - The result is between the LOD and LOQ. SA - See attachment for QC qualifiers.

Rounding Rules: Three significant figures were used for concentrations above 99 ug/L, two significant figures for concentrations between 1-99 ug/L, and one significant figure for lower concentrations.
 DNR Analytical Detection Limit Guidance, April 1995.

Department of Natural Resources State Certified Laboratory #241340550

APL warrants the test results to be of a precision normal for the sample type and methodology employed for each sample submitted. APL disclaims any other warrants, expressed or implied, including warranty of fitness for a particular purpose and warranty of merchantability. APL accepts no legal responsibility for the purpose for which the client uses test results. Any analytical work performed must be governed by this terms and conditions set forth herein.



| CLIENT INFORMATION | | | REPORTING INFORMATION | |
|-------------------------|------------|---------------|---------------------------------|-------------------------------------------------------------------------------------------|
| Project Manager: _____ | | | Project Name: _____ | |
| Company: _____ | | | Project ID: _____ | |
| Mailing Address: _____ | | | Send Report Via: | Notice: |
| City, State, Zip: _____ | | | <input type="checkbox"/> Fax | • A hard copy of the report will be mailed • • Results will be posted on our website • |
| Tel: _____ | Fax: _____ | E-mail: _____ | <input type="checkbox"/> E-mail | |

TURNAROUND TIME

Normal (10 working days)
 RUSH Date report needed: _____

Note: Call to confirm that we can provide the desired RUSH processing before shipping your samples!

Enter Preservation Code*: _____

ANALYSIS NEEDED:

| SAMPLE ID | SAMPLE DESCRIPTION (optional) | COLLECTION | | MATRIX | | | | | | | | | APL LAB ID | Samples Received on Ice <input type="checkbox"/> |
|-----------|-------------------------------|------------|-------|--------|--|--|--|--|--|--|--|--|------------|--------------------------------------------------|
| | | DATE | TIME | | | | | | | | | | | |
| 10101 | | 7/5/06 | 11:30 | S | | | | | | | | | | <input type="checkbox"/> |
| 10102 | | | 12:15 | S | | | | | | | | | | <input type="checkbox"/> |
| 10103 | | | 12:30 | S | | | | | | | | | | <input type="checkbox"/> |
| 10104 | | | 1:55 | S | | | | | | | | | | <input type="checkbox"/> |
| 10105 | | | 16:00 | S | | | | | | | | | | <input type="checkbox"/> |
| 10106 | | | 16:55 | S | | | | | | | | | | <input type="checkbox"/> |
| 10107 | | | 16:50 | S | | | | | | | | | | <input type="checkbox"/> |

* Preservation Codes: A. HCl B. HNO₃ C. NaOH D. H₂SO₄ E. Methanol F. Field Filtered G. None H. Other: _____
 ** Matrix Soil (S), Solid (SD), Surface Water (Water), Groundwater (GW), Wastes (Waste), Oil (O), TCLP (TCLP), SPLP (SPLP)

| Relinquished by (Signature): | Date/Time | Received by (Signature): | Comments/ Further Instructions |
|------------------------------|-----------|--------------------------|--------------------------------|
| _____ | 7/5/06 | _____ | |
| Relinquished by (Signature): | Date/Time | Received by (Signature): | |
| | | | |



| CLIENT INFORMATION | | | REPORTING INFORMATION | |
|--------------------|------|---------|---------------------------------|-------------------------------------------------------------------------------------------|
| Project Manager: | | | Project Name: | |
| Company: | | | Project ID: | |
| Mailing Address: | | | Send Report Via: | Notice: |
| City, State, Zip: | | | <input type="checkbox"/> Fax | • A hard copy of the report will be mailed • • Results will be posted on our website • |
| Tel: | Fax: | E-mail: | <input type="checkbox"/> E-mail | |

| TURNAROUND TIME |
|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <input type="checkbox"/> Normal (10 working days) <input type="checkbox"/> RUSH Date report needed: _____ <i>Note: Call to confirm that we can provide the desired RUSH processing before shipping your samples!</i> |

Enter Preservation Code*:

ANALYSIS NEEDED:

| SAMPLE ID | SAMPLE DESCRIPTION (optional) | COLLECTION | | MATRIX ** | | | | | | | | | APL LAB ID | Samples Received on Ice <input type="checkbox"/> |
|-----------|-------------------------------|------------|------|-----------|--|--|--|--|--|--|--|--|------------|---------------------------------------------------------|
| | | DATE | TIME | | | | | | | | | | | |
| | | | | | | | | | | | | | | Temp if not on Ice <input type="checkbox"/> °C |
| | | | | | | | | | | | | | | Samples Intact and Not Leaking <input type="checkbox"/> |
| | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | |

* Preservation Codes: A. HCl B. HNO₃ C. NaOH D. H₂SO₄ E. Methanol F. Field Filtered G. None H. Other: _____
 ** Matrix Soil (S), Solid (SD), Surface Water (Water), Groundwater (GW), Wastes (Waste), Oil (O), TCLP (TCLP), SPLP (SPLP)

| Relinquished by (Signature): | Date/Time | Received by (Signature): | Comments / Further Instructions |
|------------------------------|--------------------|--------------------------|---------------------------------|
| <i>[Signature]</i> | <i>[Date/Time]</i> | <i>[Signature]</i> | |
| Relinquished by (Signature): | Date/Time | Received by (Signature): | |
| | | | |