

## Letter of Transmittal

***Submitted to:***

**Riley Neumann**

WI Dept. of Natural Resources  
2300 N. M L King Drive  
Milwaukee WI 53212

Date:

11/16/2020

Attached

Job:

Auto Repair on Vliet

Under Separate Cover

Contents:

Well Abandonment Forms for the Auto Repair on Vliet site located at 2481 W. Vliet Street in Milwaukee, WI.  
BRRTS #: 03-41-286924, FID #: 341043340, PECFA #: 53205-1833-81

### Remarks:

Attached are the well abandonment forms for the above site as requested in your "Remaining Actions Needed....." letter dated 8/25/20. The wells have been properly abandoned, the SSVS port was removed and sealed with concrete, and no investigative waste remains on-site. Attached are well abandonment forms (along with the corresponding well construction report) documenting that the work was completed. Upon review of this information please send the "Final Case Closure" letter to the RP and copy METCO.

If you have any questions please call or email.

Signed: Jason Powell

cc: Raisa Beyder c/o Anna Shtivelberg  
(POA) - client

**METCO**  
**709 Gillette St., Ste 3**  
**La Crosse, WI 54603-2382**  
**(608)781-8879 fax (608)781-8893**

Notice: Completion of this report is required by chs. 160, 281, 283, 289, 291-293, 295, and 299, Wis. Stats., and ch. NR 141, Wis. Adm. Code. In accordance with chs. 281, 289, 291-293, 295, and 299, Wis. Stats., failure to file this form may result in a forfeiture of between \$10-25,000, or imprisonment for up to one year, depending on the program and conduct involved. Personally identifiable information on this form is not intended to be used for any other purpose. Return form to the appropriate DNR office and bureau. See instructions on reverse for more information.

<input type="checkbox"/> <b>Verification Only of Fill and Seal</b>	Route to: <input type="checkbox"/> Drinking Water <input type="checkbox"/> Watershed/Wastewater <input type="checkbox"/> Waste Management <input checked="" type="checkbox"/> Remediation/Redevelopment <input type="checkbox"/> Other: _____
--	--

1. Well Location Information	2. Facility / Owner Information
------------------------------	---------------------------------


<table border="1" style="width: 100%; border-collapse: collapse;"> <tr> <td style="width: 20%;">County</td> <td style="width: 20%;">WI Unique Well # of Removed Well</td> <td style="width: 20%;">Hicap #</td> </tr> <tr> <td>MILWAUKEE</td> <td>VR360</td> <td></td> </tr> <tr> <td colspan="2">Latitude / Longitude (Degrees and Minutes)</td> <td>Method Code (see instructions)</td> </tr> <tr> <td colspan="2">43 ° 2.9 ' N</td> <td></td> </tr> <tr> <td colspan="2">87 ° 56.7 ' W</td> <td></td> </tr> <tr> <td>1/4 SW or Gov't Lot #</td> <td>Section</td> <td>Township</td> </tr> <tr> <td></td> <td>19</td> <td>7 N</td> </tr> <tr> <td colspan="2">Well Street Address</td> <td>Range [X] E</td> </tr> <tr> <td colspan="2">2481 W. Vliet Street</td> <td>22 [ ] W</td> </tr> <tr> <td colspan="2">Well City, Village or Town</td> <td>Well ZIP Code</td> </tr> <tr> <td colspan="2">Milwaukee</td> <td>53205-</td> </tr> <tr> <td colspan="2">Subdivision Name</td> <td>Lot #</td> </tr> <tr> <td colspan="2"></td> <td></td> </tr> <tr> <td colspan="2">Reason For Removal From Service</td> <td>WI Unique Well # of Replacement Well</td> </tr> <tr> <td colspan="2">Site Closure</td> <td>WA171</td> </tr> </table>	County	WI Unique Well # of Removed Well	Hicap #	MILWAUKEE	VR360		Latitude / Longitude (Degrees and Minutes)		Method Code (see instructions)	43 ° 2.9 ' N			87 ° 56.7 ' W			1/4 SW or Gov't Lot #	Section	Township		19	7 N	Well Street Address		Range [X] E	2481 W. Vliet Street		22 [ ] W	Well City, Village or Town		Well ZIP Code	Milwaukee		53205-	Subdivision Name		Lot #				Reason For Removal From Service		WI Unique Well # of Replacement Well	Site Closure		WA171	<table border="1" style="width: 100%; border-collapse: collapse;"> <tr> <td colspan="3">Facility Name</td> </tr> <tr> <td colspan="3">Auto Repair on Vliet</td> </tr> <tr> <td colspan="3">Facility ID (FID or PWS)</td> </tr> <tr> <td colspan="3">341043340</td> </tr> <tr> <td colspan="3">License/Permit/Monitoring #</td> </tr> <tr> <td colspan="3">Original Well Owner</td> </tr> <tr> <td colspan="3">Raisa Beyder c/o Anna Shtivelberg</td> </tr> <tr> <td colspan="3">Present Well Owner</td> </tr> <tr> <td colspan="3">Raisa Beyder c/o Anna Shtivelberg</td> </tr> <tr> <td colspan="3">Mailing Address of Present Owner</td> </tr> <tr> <td colspan="3">242 E. Ravine Bay Road</td> </tr> <tr> <td>City of Present Owner</td> <td>State</td> <td>ZIP Code</td> </tr> <tr> <td>Bayside</td> <td>WI</td> <td>53217-</td> </tr> </table>	Facility Name			Auto Repair on Vliet			Facility ID (FID or PWS)			341043340			License/Permit/Monitoring #			Original Well Owner			Raisa Beyder c/o Anna Shtivelberg			Present Well Owner			Raisa Beyder c/o Anna Shtivelberg			Mailing Address of Present Owner			242 E. Ravine Bay Road			City of Present Owner	State	ZIP Code	Bayside	WI	53217-
County	WI Unique Well # of Removed Well	Hicap #																																																																																			
MILWAUKEE	VR360																																																																																				
Latitude / Longitude (Degrees and Minutes)		Method Code (see instructions)																																																																																			
43 ° 2.9 ' N																																																																																					
87 ° 56.7 ' W																																																																																					
1/4 SW or Gov't Lot #	Section	Township																																																																																			
	19	7 N																																																																																			
Well Street Address		Range [X] E																																																																																			
2481 W. Vliet Street		22 [ ] W																																																																																			
Well City, Village or Town		Well ZIP Code																																																																																			
Milwaukee		53205-																																																																																			
Subdivision Name		Lot #																																																																																			
Reason For Removal From Service		WI Unique Well # of Replacement Well																																																																																			
Site Closure		WA171																																																																																			
Facility Name																																																																																					
Auto Repair on Vliet																																																																																					
Facility ID (FID or PWS)																																																																																					
341043340																																																																																					
License/Permit/Monitoring #																																																																																					
Original Well Owner																																																																																					
Raisa Beyder c/o Anna Shtivelberg																																																																																					
Present Well Owner																																																																																					
Raisa Beyder c/o Anna Shtivelberg																																																																																					
Mailing Address of Present Owner																																																																																					
242 E. Ravine Bay Road																																																																																					
City of Present Owner	State	ZIP Code																																																																																			
Bayside	WI	53217-																																																																																			

3. Well / Drillhole / Borehole Information	4. Pump, Liner, Screen, Casing & Sealing Material
--	---

<table border="1" style="width: 100%; border-collapse: collapse;"> <tr> <td style="width: 20%;"><input checked="" type="checkbox"/> Monitoring Well</td> <td rowspan="2">Original Construction Date (mm/dd/yyyy)</td> </tr> <tr> <td><input type="checkbox"/> Water Well</td> </tr> <tr> <td><input type="checkbox"/> Borehole / Drillhole</td> <td>If a Well Construction Report is available, please attach.</td> </tr> <tr> <td colspan="2">Construction Type:</td> </tr> <tr> <td><input checked="" type="checkbox"/> Drilled</td> <td><input type="checkbox"/> Driven (Sandpoint)</td> </tr> <tr> <td colspan="2"><input type="checkbox"/> Other (specify): _____</td> </tr> <tr> <td colspan="2">Formation Type:</td> </tr> <tr> <td><input checked="" type="checkbox"/> Unconsolidated Formation</td> <td><input type="checkbox"/> Bedrock</td> </tr> <tr> <td>Total Well Depth From Ground Surface (ft.)</td> <td>Casing Diameter (in.)</td> </tr> <tr> <td>17</td> <td>2</td> </tr> <tr> <td>Lower Drillhole Diameter (in.)</td> <td>Casing Depth (ft.)</td> </tr> <tr> <td>8.25</td> <td>7</td> </tr> <tr> <td colspan="2">Was well annular space grouted? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> Unknown</td> </tr> <tr> <td>If yes, to what depth (feet)?</td> <td>Depth to Water (feet)</td> </tr> <tr> <td>4</td> <td>12.92</td> </tr> </table>	<input checked="" type="checkbox"/> Monitoring Well	Original Construction Date (mm/dd/yyyy)	<input type="checkbox"/> Water Well	<input type="checkbox"/> Borehole / Drillhole	If a Well Construction Report is available, please attach.	Construction Type:		<input checked="" type="checkbox"/> Drilled	<input type="checkbox"/> Driven (Sandpoint)	<input type="checkbox"/> Other (specify): _____		Formation Type:		<input checked="" type="checkbox"/> Unconsolidated Formation	<input type="checkbox"/> Bedrock	Total Well Depth From Ground Surface (ft.)	Casing Diameter (in.)	17	2	Lower Drillhole Diameter (in.)	Casing Depth (ft.)	8.25	7	Was well annular space grouted? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> Unknown		If yes, to what depth (feet)?	Depth to Water (feet)	4	12.92	<table border="1" style="width: 100%; border-collapse: collapse;"> <tr> <td>Pump and piping removed?</td> <td><input type="checkbox"/> Yes</td> <td><input type="checkbox"/> No</td> <td><input checked="" type="checkbox"/> N/A</td> </tr> <tr> <td>Liner(s) removed?</td> <td><input type="checkbox"/> Yes</td> <td><input type="checkbox"/> No</td> <td><input checked="" type="checkbox"/> N/A</td> </tr> <tr> <td>Screen removed?</td> <td><input type="checkbox"/> Yes</td> <td><input checked="" type="checkbox"/> No</td> <td><input type="checkbox"/> N/A</td> </tr> <tr> <td>Casing left in place?</td> <td><input checked="" type="checkbox"/> Yes</td> <td><input type="checkbox"/> No</td> <td><input type="checkbox"/> N/A</td> </tr> <tr> <td>Was casing cut off below surface?</td> <td><input checked="" type="checkbox"/> Yes</td> <td><input type="checkbox"/> No</td> <td><input type="checkbox"/> N/A</td> </tr> <tr> <td>Did sealing material rise to surface?</td> <td><input checked="" type="checkbox"/> Yes</td> <td><input type="checkbox"/> No</td> <td><input type="checkbox"/> N/A</td> </tr> <tr> <td>Did material settle after 24 hours?</td> <td><input type="checkbox"/> Yes</td> <td><input checked="" type="checkbox"/> No</td> <td><input type="checkbox"/> N/A</td> </tr> <tr> <td>If yes, was hole retopped?</td> <td><input type="checkbox"/> Yes</td> <td><input type="checkbox"/> No</td> <td><input type="checkbox"/> N/A</td> </tr> <tr> <td>If bentonite chips were used, were they hydrated with water from a known safe source?</td> <td><input checked="" type="checkbox"/> Yes</td> <td><input type="checkbox"/> No</td> <td><input type="checkbox"/> N/A</td> </tr> <tr> <td colspan="4">Required Method of Placing Sealing Material</td> </tr> <tr> <td><input type="checkbox"/> Conductor Pipe-Gravity</td> <td colspan="3"><input type="checkbox"/> Conductor Pipe-Pumped</td> </tr> <tr> <td><input type="checkbox"/> Screened &amp; Poured (Bentonite Chips)</td> <td colspan="3"><input checked="" type="checkbox"/> Other (Explain): Gravity</td> </tr> <tr> <td colspan="4">Sealing Materials</td> </tr> <tr> <td><input type="checkbox"/> Neat Cement Grout</td> <td colspan="3"><input type="checkbox"/> Clay-Sand Slurry (11 lb./gal. wt.)</td> </tr> <tr> <td><input type="checkbox"/> Sand-Cement (Concrete) Grout</td> <td colspan="3"><input type="checkbox"/> Bentonite-Sand Slurry " "</td> </tr> <tr> <td><input type="checkbox"/> Concrete</td> <td colspan="3"><input checked="" type="checkbox"/> Bentonite Chips</td> </tr> <tr> <td colspan="4">For Monitoring Wells and Monitoring Well Boreholes Only:</td> </tr> <tr> <td><input checked="" type="checkbox"/> Bentonite Chips</td> <td colspan="3"><input type="checkbox"/> Bentonite - Cement Grout</td> </tr> <tr> <td><input type="checkbox"/> Granular Bentonite</td> <td colspan="3"><input type="checkbox"/> Bentonite - Sand Slurry</td> </tr> </table>	Pump and piping removed?	<input type="checkbox"/> Yes	<input type="checkbox"/> No	<input checked="" type="checkbox"/> N/A	Liner(s) removed?	<input type="checkbox"/> Yes	<input type="checkbox"/> No	<input checked="" type="checkbox"/> N/A	Screen removed?	<input type="checkbox"/> Yes	<input checked="" type="checkbox"/> No	<input type="checkbox"/> N/A	Casing left in place?	<input checked="" type="checkbox"/> Yes	<input type="checkbox"/> No	<input type="checkbox"/> N/A	Was casing cut off below surface?	<input checked="" type="checkbox"/> Yes	<input type="checkbox"/> No	<input type="checkbox"/> N/A	Did sealing material rise to surface?	<input checked="" type="checkbox"/> Yes	<input type="checkbox"/> No	<input type="checkbox"/> N/A	Did material settle after 24 hours?	<input type="checkbox"/> Yes	<input checked="" type="checkbox"/> No	<input type="checkbox"/> N/A	If yes, was hole retopped?	<input type="checkbox"/> Yes	<input type="checkbox"/> No	<input type="checkbox"/> N/A	If bentonite chips were used, were they hydrated with water from a known safe source?	<input checked="" type="checkbox"/> Yes	<input type="checkbox"/> No	<input type="checkbox"/> N/A	Required Method of Placing Sealing Material				<input type="checkbox"/> Conductor Pipe-Gravity	<input type="checkbox"/> Conductor Pipe-Pumped			<input type="checkbox"/> Screened & Poured (Bentonite Chips)	<input checked="" type="checkbox"/> Other (Explain): Gravity			Sealing Materials				<input type="checkbox"/> Neat Cement Grout	<input type="checkbox"/> Clay-Sand Slurry (11 lb./gal. wt.)			<input type="checkbox"/> Sand-Cement (Concrete) Grout	<input type="checkbox"/> Bentonite-Sand Slurry " "			<input type="checkbox"/> Concrete	<input checked="" type="checkbox"/> Bentonite Chips			For Monitoring Wells and Monitoring Well Boreholes Only:				<input checked="" type="checkbox"/> Bentonite Chips	<input type="checkbox"/> Bentonite - Cement Grout			<input type="checkbox"/> Granular Bentonite	<input type="checkbox"/> Bentonite - Sand Slurry		
<input checked="" type="checkbox"/> Monitoring Well	Original Construction Date (mm/dd/yyyy)																																																																																																									
<input type="checkbox"/> Water Well																																																																																																										
<input type="checkbox"/> Borehole / Drillhole	If a Well Construction Report is available, please attach.																																																																																																									
Construction Type:																																																																																																										
<input checked="" type="checkbox"/> Drilled	<input type="checkbox"/> Driven (Sandpoint)																																																																																																									
<input type="checkbox"/> Other (specify): _____																																																																																																										
Formation Type:																																																																																																										
<input checked="" type="checkbox"/> Unconsolidated Formation	<input type="checkbox"/> Bedrock																																																																																																									
Total Well Depth From Ground Surface (ft.)	Casing Diameter (in.)																																																																																																									
17	2																																																																																																									
Lower Drillhole Diameter (in.)	Casing Depth (ft.)																																																																																																									
8.25	7																																																																																																									
Was well annular space grouted? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> Unknown																																																																																																										
If yes, to what depth (feet)?	Depth to Water (feet)																																																																																																									
4	12.92																																																																																																									
Pump and piping removed?	<input type="checkbox"/> Yes	<input type="checkbox"/> No	<input checked="" type="checkbox"/> N/A																																																																																																							
Liner(s) removed?	<input type="checkbox"/> Yes	<input type="checkbox"/> No	<input checked="" type="checkbox"/> N/A																																																																																																							
Screen removed?	<input type="checkbox"/> Yes	<input checked="" type="checkbox"/> No	<input type="checkbox"/> N/A																																																																																																							
Casing left in place?	<input checked="" type="checkbox"/> Yes	<input type="checkbox"/> No	<input type="checkbox"/> N/A																																																																																																							
Was casing cut off below surface?	<input checked="" type="checkbox"/> Yes	<input type="checkbox"/> No	<input type="checkbox"/> N/A																																																																																																							
Did sealing material rise to surface?	<input checked="" type="checkbox"/> Yes	<input type="checkbox"/> No	<input type="checkbox"/> N/A																																																																																																							
Did material settle after 24 hours?	<input type="checkbox"/> Yes	<input checked="" type="checkbox"/> No	<input type="checkbox"/> N/A																																																																																																							
If yes, was hole retopped?	<input type="checkbox"/> Yes	<input type="checkbox"/> No	<input type="checkbox"/> N/A																																																																																																							
If bentonite chips were used, were they hydrated with water from a known safe source?	<input checked="" type="checkbox"/> Yes	<input type="checkbox"/> No	<input type="checkbox"/> N/A																																																																																																							
Required Method of Placing Sealing Material																																																																																																										
<input type="checkbox"/> Conductor Pipe-Gravity	<input type="checkbox"/> Conductor Pipe-Pumped																																																																																																									
<input type="checkbox"/> Screened & Poured (Bentonite Chips)	<input checked="" type="checkbox"/> Other (Explain): Gravity																																																																																																									
Sealing Materials																																																																																																										
<input type="checkbox"/> Neat Cement Grout	<input type="checkbox"/> Clay-Sand Slurry (11 lb./gal. wt.)																																																																																																									
<input type="checkbox"/> Sand-Cement (Concrete) Grout	<input type="checkbox"/> Bentonite-Sand Slurry " "																																																																																																									
<input type="checkbox"/> Concrete	<input checked="" type="checkbox"/> Bentonite Chips																																																																																																									
For Monitoring Wells and Monitoring Well Boreholes Only:																																																																																																										
<input checked="" type="checkbox"/> Bentonite Chips	<input type="checkbox"/> Bentonite - Cement Grout																																																																																																									
<input type="checkbox"/> Granular Bentonite	<input type="checkbox"/> Bentonite - Sand Slurry																																																																																																									

5. Material Used To Fill Well / Drillhole			
From (ft.)	To (ft.)	lbs	
Surface	17	27	3/8" Medium Chip Bentonite

**6. Comments**  
MW-1R Abandoned

7. Supervision of Work				DNR Use Only	
Name of Person or Firm Doing Filling & Sealing	License #	Date of Filling & Sealing (mm/dd/yyyy)	Date Received	Noted By	
Jason T. Powell/METCO		11/10/2020			
Street or Route		Telephone Number	Comments		
709 Gillette St, Ste. #3		(608) 781-8879			
City	State	ZIP Code	Signature of Person Doing Work		Date Signed
La Crosse	WI	54603-			11-16-20

Facility/Project Name <b>Auto Repair on Vliet</b>	Local Grid Location of Well ft. <input type="checkbox"/> N. <input type="checkbox"/> E. <input type="checkbox"/> S. <input type="checkbox"/> W.	Well Name <b>MW-1R</b>
Facility License, Permit or Monitoring No.	Local Grid Origin <input type="checkbox"/> (estimated: <input type="checkbox"/> ) or Well Location <input type="checkbox"/> Lat. " Long. "	Wis. Unique Well No. <b>WA172</b>
Facility ID	St. Plane ft. N. ft. E. S/C/N	DNR Well ID No.
Type of Well Well Code <b>11, MW</b>	Section Location of Waste/Source 1/4 of 1/4 of Sec. T. N. R. <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	Date Well Installed <b>11/06/2018</b>
Distance from Waste/Source ft. Ent. Stds. Apply <input type="checkbox"/>	Location of Well Relative to Waste/Source a <input type="checkbox"/> Upgradient b <input type="checkbox"/> Sidogradient d <input type="checkbox"/> Downgradient n <input type="checkbox"/> Not Known	Well Installed By: Name (first, last) and Firm <b>Darrin Prentice Geiss Soil + Samples LLC</b>

A. Protective pipe, top elevation ----- ft. MSL	1. Cap and lock? <input type="checkbox"/> Yes <input type="checkbox"/> No
B. Well casing, top elevation ----- ft. MSL	2. Protective cover pipe: a. Inside diameter: ----- in.
C. Land surface elevation ----- ft. MSL	b. Length: ----- ft.
D. Surface seal, bottom ----- ft. MSL or 0 ft.	c. Material: Steel <input type="checkbox"/> 04 Other <input type="checkbox"/>
12. USCS classification of soil near screen: OP <input type="checkbox"/> GM <input type="checkbox"/> GC <input type="checkbox"/> GW <input type="checkbox"/> SW <input type="checkbox"/> SP <input type="checkbox"/> SM <input type="checkbox"/> SC <input type="checkbox"/> ML <input type="checkbox"/> MH <input type="checkbox"/> CL <input type="checkbox"/> CH <input type="checkbox"/> Bedrock <input type="checkbox"/>	d. Additional protection? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No If yes, describe: -----
13. Sieve analysis performed? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	3. Surface seal: Bentonite <input checked="" type="checkbox"/> 30 Concrete <input checked="" type="checkbox"/> 01 Other <input type="checkbox"/>
14. Drilling method used: Rotary <input type="checkbox"/> 30 Hollow Stem Auger <input checked="" type="checkbox"/> 41 Other <input type="checkbox"/>	4. Material between well casing and protective pipe: Bentonite <input checked="" type="checkbox"/> 30 Other <input type="checkbox"/>
15. Drilling fluid used: Water <input type="checkbox"/> 02 Air <input type="checkbox"/> 01 Drilling Mud <input type="checkbox"/> 03 None <input checked="" type="checkbox"/> 99	5. Annular space seal: a. Granular/Chipped Bentonite <input checked="" type="checkbox"/> 33 b. Lbs/gal mud weight... Bentonite-sand slurry <input type="checkbox"/> 35 c. Lbs/gal mud weight... Bentonite slurry <input type="checkbox"/> 31 d. % Bentonite... Bentonite-cement grout <input type="checkbox"/> 50 e. Ft <sup>3</sup> volume added for any of the above f. How installed: Tremie <input type="checkbox"/> 01 Tremie pumped <input type="checkbox"/> 02 Gravity <input checked="" type="checkbox"/> 08
16. Drilling additives used? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No Describe: -----	6. Bentonite seal: a. Bentonite granules <input type="checkbox"/> 33 b. <input type="checkbox"/> 1/4 in. <input checked="" type="checkbox"/> 3/8 in. <input type="checkbox"/> 1/2 in. Bentonite chips <input checked="" type="checkbox"/> 32 c. Other <input type="checkbox"/>
17. Sources of water (attach analysis, if required):	7. Fine sand material: Manufacturer, product name & mesh size <b>#20 Red Flint</b>
E. Bentonite seal, top ----- ft. MSL or 5 ft.	b. Volume added ----- ft <sup>3</sup>
F. Fine sand, top ----- ft. MSL or 4 ft.	8. Filter pack material: Manufacturer, product name & mesh size <b>#40 Red Flint</b>
G. Filter pack, top ----- ft. MSL or 5 ft.	b. Volume added ----- ft <sup>3</sup>
H. Screen joint, top ----- ft. MSL or 7 ft.	9. Well casing: Flush threaded PVC schedule 40 <input type="checkbox"/> 23 Flush threaded PVC schedule 80 <input type="checkbox"/> 24 Other <input type="checkbox"/>
I. Well bottom ----- ft. MSL or 17 ft.	10. Screen material: <b>PVC</b>
J. Filter pack, bottom ----- ft. MSL or 18 ft.	a. Screen type: Factory cut <input checked="" type="checkbox"/> 11 Continuous slot <input type="checkbox"/> 01 Other <input type="checkbox"/>
K. Borehole, bottom ----- ft. MSL or 18 ft.	b. Manufacturer <b>Johnson</b>
L. Borehole, diameter <b>2.25</b> in.	c. Slot size: <b>0.010</b> in.
M. O.D. well casing <b>2.40</b> in.	d. Slotted length: <b>10</b> ft.
N. I.D. well casing <b>2.06</b> in.	11. Backfill material (below filter pack): None <input type="checkbox"/> 14 Other <input checked="" type="checkbox"/>

I hereby certify that the information on this form is true and correct to the best of my knowledge.  
Signature **Darrin Prentice** Firm **Geiss Soil + Samples LLC**

Please complete both Forms 4400-113A and 4400-113B and return them to the appropriate DNR office and bureau. Completion of these reports is required by chs. 160, 281, 283, 289, 291, 292, 293, 295, and 299, Wis. Stats., and ch. NR 141, Wis. Adm. Code. In accordance with chs. 281, 289, 291, 292, 293, 295, and 299, Wis. Stats., failure to file these forms may result in a forfeiture of between \$10 and \$25,000, or imprisonment for up to one year, depending on the program and conduct involved. Personally identifiable information on these forms is not intended to be used for any other purpose. NOTE: See the instructions for more information, including where the completed forms should be sent.

Notice: Completion of this report is required by chs. 160, 281, 283, 289, 291-293, 295, and 299, Wis. Stats., and ch. NR 141, Wis. Adm. Code. In accordance with chs. 281, 289, 291-293, 295, and 299, Wis. Stats., failure to file this form may result in a forfeiture of between \$10-25,000, or imprisonment for up to one year, depending on the program and conduct involved. Personally identifiable information on this form is not intended to be used for any other purpose. Return form to the appropriate DNR office and bureau. See instructions on reverse for more information.

<input type="checkbox"/> <b>Verification Only of Fill and Seal</b>	Route to:		
	<input type="checkbox"/> Drinking Water	<input type="checkbox"/> Watershed/Wastewater	<input checked="" type="checkbox"/> Remediation/Redevelopment
	<input type="checkbox"/> Waste Management	<input type="checkbox"/> Other: _____	

1. Well Location Information				2. Facility / Owner Information			
County <b>MILWAUKEE</b>		WI Unique Well # of Removed Well <b>VR629</b>	Hicap #	Facility Name <b>Auto Repair on Vliet</b>		Facility ID (FID or PWS) <b>341043340</b>	
Latitude / Longitude (Degrees and Minutes) <b>43 ° 2.9 ' N</b> <b>87 ° 56.7 ' W</b>		Method Code (see instructions)		License/Permit/Monitoring #		Original Well Owner <b>Raisa Beyder c/o Anna Shtivelberg</b>	
1/4 SW	1/4 SW	Section <b>19</b>	Township <b>7 N</b>	Range <b>22</b>	<input checked="" type="checkbox"/> E <input type="checkbox"/> W	Present Well Owner <b>Raisa Beyder c/o Anna Shtivelberg</b>	
Well Street Address <b>2481 W. Vliet Street</b>				Mailing Address of Present Owner <b>242 E. Ravine Bay Road</b>			
Well City, Village or Town <b>Milwaukee</b>				Well ZIP Code <b>53205-</b>			
Subdivision Name				City of Present Owner <b>Bayside</b>		State <b>WI</b>	ZIP Code <b>53217-</b>
Reason For Removal From Service Site Closure				WI Unique Well # of Replacement Well			

3. Well / Drillhole / Borehole Information		4. Pump, Liner, Screen, Casing & Sealing Material						
<input checked="" type="checkbox"/> Monitoring Well	Original Construction Date (mm/dd/yyyy) <b>2/6/2017</b>	Pump and piping removed?		<input type="checkbox"/> Yes	<input type="checkbox"/> No	<input checked="" type="checkbox"/> N/A		
<input type="checkbox"/> Water Well	If a Well Construction Report is available, please attach.	Liner(s) removed?		<input type="checkbox"/> Yes	<input type="checkbox"/> No	<input checked="" type="checkbox"/> N/A		
<input type="checkbox"/> Borehole / Drillhole		Screen removed?		<input type="checkbox"/> Yes	<input checked="" type="checkbox"/> No	<input type="checkbox"/> N/A		
Construction Type:		Casing left in place?		<input checked="" type="checkbox"/> Yes	<input type="checkbox"/> No	<input type="checkbox"/> N/A		
<input checked="" type="checkbox"/> Drilled	<input type="checkbox"/> Driven (Sandpoint)	<input type="checkbox"/> Dug	Was casing cut off below surface?		<input checked="" type="checkbox"/> Yes	<input type="checkbox"/> No	<input type="checkbox"/> N/A	
<input type="checkbox"/> Other (specify): _____	Formation Type:		Did sealing material rise to surface?		<input checked="" type="checkbox"/> Yes	<input type="checkbox"/> No	<input type="checkbox"/> N/A	
<input checked="" type="checkbox"/> Unconsolidated Formation	<input type="checkbox"/> Bedrock	Total Well Depth From Ground Surface (ft.) <b>16</b>		Did material settle after 24 hours?		<input type="checkbox"/> Yes	<input checked="" type="checkbox"/> No	<input type="checkbox"/> N/A
Total Well Depth From Ground Surface (ft.) <b>16</b>		Casing Diameter (in.) <b>2</b>		If yes, was hole retopped?		<input type="checkbox"/> Yes	<input type="checkbox"/> No	<input type="checkbox"/> N/A
Lower Drillhole Diameter (in.) <b>8.25</b>		Casing Depth (ft.) <b>6</b>		If bentonite chips were used, were they hydrated with water from a known safe source?		<input checked="" type="checkbox"/> Yes	<input type="checkbox"/> No	<input type="checkbox"/> N/A
Was well annular space grouted?		<input checked="" type="checkbox"/> Yes		<input type="checkbox"/> No		<input type="checkbox"/> Unknown		
If yes, to what depth (feet)? <b>3</b>		Depth to Water (feet) <b>10.70</b>		Required Method of Placing Sealing Material				
				<input type="checkbox"/> Conductor Pipe-Gravity				
				<input type="checkbox"/> Screened & Poured (Bentonite Chips)				
				<input checked="" type="checkbox"/> Other (Explain): <b>Gravity</b>				
				Sealing Materials				
				<input type="checkbox"/> Neat Cement Grout		<input type="checkbox"/> Clay-Sand Slurry (11 lb./gal. wt.)		
				<input type="checkbox"/> Sand-Cement (Concrete) Grout		<input type="checkbox"/> Bentonite-Sand Slurry " "		
				<input type="checkbox"/> Concrete		<input checked="" type="checkbox"/> Bentonite Chips		
				For Monitoring Wells and Monitoring Well Boreholes Only:				
				<input checked="" type="checkbox"/> Bentonite Chips		<input type="checkbox"/> Bentonite - Cement Grout		
				<input type="checkbox"/> Granular Bentonite		<input type="checkbox"/> Bentonite - Sand Slurry		

5. Material Used To Fill Well / Drillhole	From (ft.)	To (ft.)	lbs
3/8" Medium Chip Bentonite	Surface	16	25.5

**6. Comments**  
MW-2 Abandoned

7. Supervision of Work				DNR Use Only	
Name of Person or Firm Doing Filling & Sealing <b>Jason T. Powell/METCO</b>		License #	Date of Filling & Sealing (mm/dd/yyyy) <b>11/10/2020</b>	Date Received	Noted By
Street or Route <b>709 Gillette St, Ste. #3</b>		Telephone Number <b>(608) 781-8879</b>		Comments	
City <b>La Crosse</b>	State <b>WI</b>	ZIP Code <b>54603-</b>	Signature of Person Doing Work <i>Jason T. Powell</i>	Date Signed <b>11-16-20</b>	

Facility/Project Name <b>Auto Repair</b>	Local Grid Location of Well ft. <input type="checkbox"/> N. <input type="checkbox"/> S. <input type="checkbox"/> E. <input type="checkbox"/> W.	Well Name <b>MW-2</b>
Facility License, Permit or Monitoring No.	Local Grid Origin <input type="checkbox"/> (estimated: <input type="checkbox"/> ) or Well Location <input type="checkbox"/>	Wis. Unique Well No. <b>VR629</b> DNR Well ID No.
Facility ID	Lat. _____ Long. _____	Date Well Installed <b>02/06/2017</b> m m d d y y y y
Type of Well Well Code <b>11, MW</b>	Section Location of Waste/Source 1/4 of _____ 1/4 of Sec. _____ T. _____ N, R. <input type="checkbox"/> E <input type="checkbox"/> W	Well Installed By: Name (first, last) and Firm <b>Darrin Prentice</b>
Distance from Waste/Source _____ ft.	Enf. Stds. Apply <input type="checkbox"/>	Location of Well Relative to Waste/Source u <input type="checkbox"/> Upgradient s <input type="checkbox"/> Sidegradient d <input type="checkbox"/> Downgradient n <input type="checkbox"/> Not Known
		Gov. Lot Number

**Geiss Soil & Samples LLC**

A. Protective pipe, top elevation _____ ft. MSL	1. Cap and lock? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No
B. Well casing, top elevation _____ ft. MSL	2. Protective cover pipe: a. Inside diameter: _____ in.
C. Land surface elevation _____ ft. MSL	b. Length: _____ ft.
D. Surface seal, bottom _____ ft. MSL or _____ ft.	c. Material: Steel <input checked="" type="checkbox"/> 04 Other <input type="checkbox"/>
12. USCS classification of soil near screen: GP <input type="checkbox"/> GM <input type="checkbox"/> GC <input type="checkbox"/> GW <input type="checkbox"/> SW <input type="checkbox"/> SP <input type="checkbox"/> SM <input type="checkbox"/> SC <input type="checkbox"/> ML <input type="checkbox"/> MH <input type="checkbox"/> CL <input type="checkbox"/> CH <input type="checkbox"/> Bedrock <input type="checkbox"/>	d. Additional protection? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No If yes, describe: _____
13. Sieve analysis performed? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	3. Surface seal: Bentonite <input checked="" type="checkbox"/> 30 Concrete <input checked="" type="checkbox"/> 01 Other <input type="checkbox"/>
14. Drilling method used: Rotary <input type="checkbox"/> 50 Hollow Stem Auger <input checked="" type="checkbox"/> 41 Other <input type="checkbox"/>	4. Material between well casing and protective pipe: Bentonite <input checked="" type="checkbox"/> 30 Other <input type="checkbox"/>
15. Drilling fluid used: Water <input type="checkbox"/> 02 Air <input type="checkbox"/> 01 Drilling Mud <input type="checkbox"/> 03 None <input checked="" type="checkbox"/> 99	5. Annular space seal: a. Granular/Chipped Bentonite <input checked="" type="checkbox"/> 33 b. _____ Lbs/gal mud weight... Bentonite-sand slurry <input type="checkbox"/> 35 c. _____ Lbs/gal mud weight... Bentonite slurry <input type="checkbox"/> 31 d. _____ % Bentonite... Bentonite-cement grout <input type="checkbox"/> 50 e. _____ Ft <sup>3</sup> volume added for any of the above
16. Drilling additives used? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	f. How installed: Tremie <input type="checkbox"/> 01 Tremie pumped <input type="checkbox"/> 02 Gravity <input checked="" type="checkbox"/> 08
Describe _____	6. Bentonite seal: a. Bentonite granules <input type="checkbox"/> 33 b. <input type="checkbox"/> 1/4 in. <input checked="" type="checkbox"/> 3/8 in. <input type="checkbox"/> 1/2 in. Bentonite chips <input checked="" type="checkbox"/> 32 c. _____ Other <input type="checkbox"/>
17. Source of water (attach analysis, if required): _____	7. Fine sand material: Manufacturer, product name & mesh size a. <b>#15 Red Flint</b>
E. Bentonite seal, top _____ ft. MSL or _____ ft.	b. Volume added _____ ft <sup>3</sup>
F. Fine sand, top _____ ft. MSL or _____ ft.	8. Filter pack material: Manufacturer, product name & mesh size a. <b>#40 Red Flint</b>
G. Filter pack, top _____ ft. MSL or _____ ft.	b. Volume added _____ ft <sup>3</sup>
H. Screen joint, top _____ ft. MSL or _____ ft.	9. Well casing: Flush threaded PVC schedule 40 <input checked="" type="checkbox"/> 23 Flush threaded PVC schedule 80 <input type="checkbox"/> 24 Other <input type="checkbox"/>
I. Well bottom _____ ft. MSL or _____ ft.	10. Screen material: <b>pvc</b>
J. Filter pack, bottom _____ ft. MSL or _____ ft.	a. Screen type: Factory cut <input checked="" type="checkbox"/> 11 Continuous slot <input type="checkbox"/> 01 Other <input type="checkbox"/>
K. Borehole, bottom _____ ft. MSL or _____ ft.	b. Manufacturer: <b>Johnson</b>
L. Borehole, diameter <b>8.25</b> in.	c. Slot size: <b>0.010</b> in.
M. O.D. well casing <b>2.40</b> in.	d. Slotted length: <b>10</b> ft.
N. I.D. well casing <b>2.06</b> in.	11. Backfill material (below filter pack): None <input type="checkbox"/> 14 Other <input checked="" type="checkbox"/>

I hereby certify that the information on this form is true and correct to the best of my knowledge.  
Signature: **Darrin Prentice** Firm: **Geiss Soil & Samples LLC**

Please complete both Forms 4400-113A and 4400-113B and return them to the appropriate DNR office and bureau. Completion of these reports is required by chs. 160, 281, 283, 289, 291, 292, 293, 295, and 299, Wis. Stats., and ch. NR 141, Wis. Adm. Code. In accordance with chs. 281, 289, 291, 292, 293, 295, and 299, Wis. Stats., failure to file these forms may result in a forfeiture of between \$10 and \$25,000, or imprisonment for up to one year, depending on the program and conduct involved. Personally identifiable information on these forms is not intended to be used for any other purpose. NOTE: See the instructions for more information, including where the completed forms should be sent.

Notice: Completion of this report is required by chs. 160, 281, 283, 289, 291-293, 295, and 299, Wis. Stats., and ch. NR 141, Wis. Adm. Code. In accordance with chs. 281, 289, 291-293, 295, and 299, Wis. Stats., failure to file this form may result in a forfeiture of between \$10-25,000, or imprisonment for up to one year, depending on the program and conduct involved. Personally identifiable information on this form is not intended to be used for any other purpose. Return form to the appropriate DNR office and bureau. See instructions on reverse for more information.


<input type="checkbox"/> <b>Verification Only of Fill and Seal</b>	Route to: <input type="checkbox"/> Drinking Water <input type="checkbox"/> Watershed/Wastewater <input checked="" type="checkbox"/> Remediation/Redevelopment <input type="checkbox"/> Waste Management <input type="checkbox"/> Other: _____
--	---

1. Well Location Information				2. Facility / Owner Information			
County <b>MILWAUKEE</b>		WI Unique Well # of Removed Well <b>VR628</b>		Hicap #		Facility Name <b>Auto Repair on Vliet</b>	
Latitude / Longitude (Degrees and Minutes) <b>43 ° 2.9 ' N</b> <b>87 ° 56.7 ' W</b>		Method Code (see instructions)		Facility ID (FID or PWS) <b>341043340</b>		License/Permit/Monitoring #	
1/4 SW or Gov't Lot #		Section <b>19</b>	Township <b>7 N</b>	Range <b>22</b>	Original Well Owner <b>Raisa Beyder c/o Anna Shtivelberg</b>		
Well Street Address <b>2481 W. Vliet Street</b>		Well ZIP Code <b>53205-</b>		Present Well Owner <b>Raisa Beyder c/o Anna Shtivelberg</b>			
Well City, Village or Town <b>Milwaukee</b>		Well ZIP Code <b>53205-</b>		Mailing Address of Present Owner <b>242 E. Ravine Bay Road</b>			
Subdivision Name		Lot #		City of Present Owner <b>Bayside</b>		State <b>WI</b>	ZIP Code <b>53217-</b>
Reason For Removal From Service / Site Closure		WI Unique Well # of Replacement Well		4. Pump, Liner, Screen, Casing & Sealing Material			

3. Well / Drillhole / Borehole Information			
<input checked="" type="checkbox"/> Monitoring Well <input type="checkbox"/> Water Well <input type="checkbox"/> Borehole / Drillhole		Original Construction Date (mm/dd/yyyy) <b>2/6/2017</b>	
Construction Type: <input checked="" type="checkbox"/> Drilled <input type="checkbox"/> Driven (Sandpoint) <input type="checkbox"/> Dug <input type="checkbox"/> Other (specify): _____		If a Well Construction Report is available, please attach.	
Formation Type: <input checked="" type="checkbox"/> Unconsolidated Formation <input type="checkbox"/> Bedrock		Required Method of Placing Sealing Material	
Total Well Depth From Ground Surface (ft.) <b>17</b>		<input type="checkbox"/> Conductor Pipe-Gravity <input type="checkbox"/> Conductor Pipe-Pumped <input type="checkbox"/> Screened & Poured (Bentonite Chips) <input checked="" type="checkbox"/> Other (Explain): <b>Gravity</b>	
Lower Drillhole Diameter (in.) <b>8.25</b>		Casing Diameter (in.) <b>2</b>	
Casing Depth (ft.) <b>7</b>		Sealing Materials	
Was well annular space grouted? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> Unknown		<input type="checkbox"/> Neat Cement Grout <input type="checkbox"/> Clay-Sand Slurry (11 lb./gal. wt.) <input type="checkbox"/> Sand-Cement (Concrete) Grout <input type="checkbox"/> Bentonite-Sand Slurry " " <input type="checkbox"/> Concrete <input checked="" type="checkbox"/> Bentonite Chips	
If yes, to what depth (feet)? <b>4</b>		Depth to Water (feet) <b>11.34</b>	
For Monitoring Wells and Monitoring Well Boreholes Only:		<input checked="" type="checkbox"/> Bentonite Chips <input type="checkbox"/> Bentonite - Cement Grout <input type="checkbox"/> Granular Bentonite <input type="checkbox"/> Bentonite - Sand Slurry	

5. Material Used To Fill Well / Drillhole	From (ft.)	To (ft.)	lbs	
3/8" Medium Chip Bentonite	Surface	17	27	

**6. Comments**  
MW-3 Abandoned

7. Supervision of Work				DNR Use Only	
Name of Person or Firm Doing Filling & Sealing <b>Jason T. Powell/METCO</b>		License #	Date of Filling & Sealing (mm/dd/yyyy) <b>11/10/2020</b>	Date Received	Noted By
Street or Route <b>709 Gillette St, Ste. #3</b>		Telephone Number <b>(608) 781-8879</b>		Comments	
City <b>La Crosse</b>	State <b>WI</b>	ZIP Code <b>54603-</b>	Signature of Person Doing Work 	Date Signed <b>11-16-20</b>	

Facility/Project Name <b>Auto Repair</b>	Local Grid Location of Well ft. <input type="checkbox"/> N. <input type="checkbox"/> S. <input type="checkbox"/> E. <input type="checkbox"/> W.	Well Name <b>MW-3</b>
Facility License, Permit or Monitoring No.	Local Grid Origin <input type="checkbox"/> (estimated: <input type="checkbox"/> ) or Well Location <input type="checkbox"/>	Wis. Unique Well No. <b>VR628</b> DNR Well ID No.
Facility ID	Lat. " Long. " or " or "	Date Well Installed <b>02/06/2017</b> m m d d y y y y
Type of Well Well Code <b>11, MW</b>	Section Location of Waste/Source 1/4 of 1/4 of Sec. T. N. R. <input type="checkbox"/> E. <input type="checkbox"/> W.	Well Installed By: Name (first, last) and Firm <b>Darrin Prentice</b> <b>Geiss Soil &amp; Samples LLC</b>
Distance from Waste/Source ft. <input type="checkbox"/> Apply <input type="checkbox"/>	Location of Well Relative to Waste/Source u <input type="checkbox"/> Upgradient s <input type="checkbox"/> Sidogradient d <input type="checkbox"/> Downgradient n <input type="checkbox"/> Not Known	

A. Protective pipe, top elevation ----- ft. MSL	1. Cap and lock? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No
B. Well casing, top elevation ----- ft. MSL	2. Protective cover pipe: a. Inside diameter: <u>8</u> in.
C. Land surface elevation ----- ft. MSL	b. Length: <u>1</u> ft.
D. Surface seal, bottom ----- ft. MSL or <u>0</u> ft.	c. Material: Steel <input checked="" type="checkbox"/> 04 Other <input type="checkbox"/>
12. USCS classification of soil near screen: GP <input type="checkbox"/> GM <input type="checkbox"/> GC <input type="checkbox"/> GW <input type="checkbox"/> SW <input type="checkbox"/> SP <input type="checkbox"/> SM <input type="checkbox"/> SC <input type="checkbox"/> ML <input type="checkbox"/> MH <input type="checkbox"/> CL <input type="checkbox"/> CH <input type="checkbox"/> Bedrock <input type="checkbox"/>	d. Additional protection? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No If yes, describe: _____
13. Sieve analysis performed? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	3. Surface seal: Bentonite <input checked="" type="checkbox"/> 30 Concrete <input type="checkbox"/> 01 Other <input type="checkbox"/>
14. Drilling method used: Rotary <input type="checkbox"/> 50 Hollow Stem Auger <input checked="" type="checkbox"/> 41 Other <input type="checkbox"/>	4. Material between well casing and protective pipe: Bentonite <input checked="" type="checkbox"/> 30 Other <input type="checkbox"/>
15. Drilling fluid used: Water <input type="checkbox"/> 02 Air <input type="checkbox"/> 01 Drilling Mud <input type="checkbox"/> 03 None <input checked="" type="checkbox"/> 99	5. Annular space seal: a. Granular/Chipped Bentonite <input checked="" type="checkbox"/> 33 b. _____ Lbs/gal mud weight... Bentonite-sand slurry <input type="checkbox"/> 35 c. _____ Lbs/gal mud weight... Bentonite slurry <input type="checkbox"/> 31 d. _____ % Bentonite... Bentonite-cement grout <input type="checkbox"/> 50 e. _____ Ft <sup>3</sup> volume added for any of the above
16. Drilling additives used? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	f. How installed: Tremie <input type="checkbox"/> 01 Tremie pumped <input type="checkbox"/> 02 Gravity <input checked="" type="checkbox"/> 08
Describe _____	6. Bentonite seal: a. Bentonite granules <input type="checkbox"/> 33 b. <input type="checkbox"/> 1/4 in. <input checked="" type="checkbox"/> 3/8 in. <input type="checkbox"/> 1/2 in. Bentonite chips <input checked="" type="checkbox"/> 32 c. _____ Other <input type="checkbox"/>
17. Source of water (attach analysis, if required): _____	7. Fine sand material: Manufacturer, product name & mesh size a. <u>#15 Red Flint</u>
E. Bentonite seal, top ----- ft. MSL or <u>5</u> ft.	b. Volume added _____ ft <sup>3</sup>
F. Fine sand, top ----- ft. MSL or <u>4</u> ft.	8. Filter pack material: Manufacturer, product name & mesh size a. <u>#40 Red Flint</u>
G. Filter pack, top ----- ft. MSL or <u>5</u> ft.	b. Volume added _____ ft <sup>3</sup>
H. Screen joint, top ----- ft. MSL or <u>7</u> ft.	9. Well casing: Flush threaded PVC schedule 40 <input checked="" type="checkbox"/> 23 Flush threaded PVC schedule 80 <input type="checkbox"/> 24 Other <input type="checkbox"/>
I. Well bottom ----- ft. MSL or <u>17</u> ft.	10. Screen material: <u>PVC</u> a. Screen type: Factory cut <input checked="" type="checkbox"/> 11 Continuous slot <input type="checkbox"/> 01 Other <input type="checkbox"/>
J. Filter pack, bottom ----- ft. MSL or <u>17</u> ft.	b. Manufacturer <u>Johnson</u>
K. Borehole, bottom ----- ft. MSL or <u>17</u> ft.	c. Slot size: <u>0.010</u> in.
L. Borehole, diameter <u>8.25</u> in.	d. Slotted length: <u>10</u> ft.
M. O.D. well casing <u>2.40</u> in.	11. Backfill material (below filter pack): None <input type="checkbox"/> 14 Other <input checked="" type="checkbox"/>
N. I.D. well casing <u>2.06</u> in.	

I hereby certify that the information on this form is true and correct to the best of my knowledge.  
Signature: Darrin Prentice Firm: Geiss Soil & Samples LLC

Please complete both Forms 4400-113A and 4400-113B and return them to the appropriate DNR office and bureau. Completion of these reports is required by chs. 160, 281, 283, 289, 291, 292, 293, 295, and 299, Wis. Stat., and ch. NR 141, Wis. Adm. Code. In accordance with chs. 281, 289, 291, 292, 293, 295, and 299, Wis. Stat., failure to file these forms may result in a forfeiture of between \$10 and \$25,000, or imprisonment for up to one year, depending on the program and conduct involved. Personally identifiable information on these forms is not intended to be used for any other purpose. NOTE: See the instructions for more information, including where the completed forms should be sent.

Notice: Completion of this report is required by chs. 160, 281, 283, 289, 291-293, 295, and 299, Wis. Stats., and ch. NR 141, Wis. Adm. Code. In accordance with chs. 281, 289, 291-293, 295, and 299, Wis. Stats., failure to file this form may result in a forfeiture of between \$10-25,000, or imprisonment for up to one year, depending on the program and conduct involved. Personally identifiable information on this form is not intended to be used for any other purpose. Return form to the appropriate DNR office and bureau. See instructions on reverse for more information.

**Verification Only of Fill and Seal**

Route to:  
 Drinking Water       Watershed/Wastewater       Remediation/Redevelopment  
 Waste Management       Other: \_\_\_\_\_

1. Well Location Information				2. Facility / Owner Information			
County <b>MILWAUKEE</b>		WI Unique Well # of Removed Well <b>VR627</b>		Hicap #		Facility Name <b>Auto Repair on Vliet</b>	
Latitude / Longitude (Degrees and Minutes) <b>43 ° 2.9 ' N</b> <b>87 ° 56.7 ' W</b>		Method Code (see instructions)		Facility ID (FID or PWS) <b>341043340</b>		License/Permit/Monitoring #	
1/4 SW or Gov't Lot #		Section <b>19</b>	Township <b>7 N</b>	Range <b>22</b>	<input checked="" type="checkbox"/> E <input type="checkbox"/> W	Original Well Owner <b>Raisa Beyder c/o Anna Shtivelberg</b>	
Well Street Address <b>2481 W. Vliet Street</b>				Present Well Owner <b>Raisa Beyder c/o Anna Shtivelberg</b>			
Well City, Village or Town <b>Milwaukee</b>				Mailing Address of Present Owner <b>242 E. Ravine Bay Road</b>			
Subdivision Name				Well ZIP Code <b>53205-</b>		City of Present Owner <b>Bayside</b>	
				Lot #		State <b>WI</b>	
						ZIP Code <b>53217-</b>	

Reason For Removal From Service Site Closure		WI Unique Well # of Replacement Well		<b>4. Pump, Liner, Screen, Casing &amp; Sealing Material</b>			
<input checked="" type="checkbox"/> Monitoring Well <input type="checkbox"/> Water Well <input type="checkbox"/> Borehole / Drillhole		Original Construction Date (mm/dd/yyyy) <b>2/6/2017</b>		Pump and piping removed? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A Liner(s) removed? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A Screen removed? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A Casing left in place? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A Was casing cut off below surface? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A Did sealing material rise to surface? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A Did material settle after 24 hours? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A If yes, was hole retopped? <input type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A If bentonite chips were used, were they hydrated with water from a known safe source? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A			
Construction Type: <input checked="" type="checkbox"/> Drilled <input type="checkbox"/> Driven (Sandpoint) <input type="checkbox"/> Dug <input type="checkbox"/> Other (specify): _____		If a Well Construction Report is available, please attach.		Required Method of Placing Sealing Material <input type="checkbox"/> Conductor Pipe-Gravity <input type="checkbox"/> Conductor Pipe-Pumped <input type="checkbox"/> Screened & Poured (Bentonite Chips) <input checked="" type="checkbox"/> Other (Explain): <b>Gravity</b>			
Formation Type: <input checked="" type="checkbox"/> Unconsolidated Formation <input type="checkbox"/> Bedrock				Sealing Materials <input type="checkbox"/> Neat Cement Grout <input type="checkbox"/> Clay-Sand Slurry (11 lb./gal. wt.) <input type="checkbox"/> Sand-Cement (Concrete) Grout <input type="checkbox"/> Bentonite-Sand Slurry " " <input type="checkbox"/> Concrete <input checked="" type="checkbox"/> Bentonite Chips			
Total Well Depth From Ground Surface (ft.) <b>16</b>		Casing Diameter (in.) <b>2</b>		For Monitoring Wells and Monitoring Well Boreholes Only: <input checked="" type="checkbox"/> Bentonite Chips <input type="checkbox"/> Bentonite - Cement Grout <input type="checkbox"/> Granular Bentonite <input type="checkbox"/> Bentonite - Sand Slurry			
Lower Drillhole Diameter (in.) <b>8.25</b>		Casing Depth (ft.) <b>6</b>					
Was well annular space grouted? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> Unknown							
If yes, to what depth (feet)? <b>4</b>		Depth to Water (feet) <b>11.95</b>					

5. Material Used To Fill Well / Drillhole			From (ft.)	To (ft.)	lbs
3/8" Medium Chip Bentonite			Surface	16	25.5

**6. Comments**  
MW-4 Abandoned

7. Supervision of Work				DNR Use Only	
Name of Person or Firm Doing Filling & Sealing <b>Jason T. Powell/METCO</b>		License #	Date of Filling & Sealing (mm/dd/yyyy) <b>11/10/2020</b>	Date Received	Noted By
Street or Route <b>709 Gillette St, Ste. #3</b>			Telephone Number <b>( 608 ) 781-8879</b>	Comments	
City <b>La Crosse</b>	State <b>WI</b>	ZIP Code <b>54603-</b>	Signature of Person Doing Work <i>Jason T. Powell</i>	Date Signed <b>11-16-20</b>	



Facility/Project Name <b>Auto Repair</b>	Local Grid Location of Well ft. <input type="checkbox"/> N. <input type="checkbox"/> S. <input type="checkbox"/> E. <input type="checkbox"/> W.	Well Name <b>Mw-4</b>
Facility License, Permit or Monitoring No.	Local Grid Origin (estimated: <input type="checkbox"/> ) or Well Location <input type="checkbox"/>	Wis. Unique Well No. <b>VR627</b> DNR Well ID No.
Facility ID	Lat. _____ Long. _____ or	Date Well Installed <b>02/06/2017</b> m m d d y y y y
Type of Well Well Code <b>11 / MW</b>	St. Plane _____ ft. N. _____ ft. E. S/C/N	Well Installed By: Name (first, last) and Firm <b>Darrin Prentice</b> <b>Geiss Soil &amp; Samples LLC</b>
Distance from Waste/Source _____ ft.	Section Location of Waste/Source 1/4 of _____ 1/4 of Sec. _____ T. _____ N, R. <input type="checkbox"/> E <input type="checkbox"/> W	Gov. Lot Number
Enf. Stds. Apply <input type="checkbox"/>	Location of Well Relative to Waste/Source u <input type="checkbox"/> Upgradient s <input type="checkbox"/> Sidegradient d <input type="checkbox"/> Downgradient n <input type="checkbox"/> Not Known	

- A. Protective pipe, top elevation \_\_\_\_\_ ft. MSL  
 B. Well casing, top elevation \_\_\_\_\_ ft. MSL  
 C. Land surface elevation \_\_\_\_\_ ft. MSL  
 D. Surface seal, bottom \_\_\_\_\_ ft. MSL or \_\_\_\_\_ ft.

12. USCS classification of soil near screen:  
 GP  GM  GC  GW  SW  SP   
 SM  SC  ML  MH  CL  CH   
 Bedrock

13. Sieve analysis performed?  Yes  No

14. Drilling method used: Rotary  50  
 Hollow Stem Auger  41  
 Other

15. Drilling fluid used: Water  02 Air  01  
 Drilling Mud  03 None  99

16. Drilling additives used?  Yes  No  
 Describe \_\_\_\_\_

17. Source of water (attach analysis, if required):  
 \_\_\_\_\_

1. Cap and lock?  Yes  No

2. Protective cover pipe:  
 a. Inside diameter: **8** in.  
 b. Length: **1** ft.  
 c. Material: Steel  04  
 Other

3. Surface seal:  
 Bentonite  30  
 Concrete  01  
 Other

4. Material between well casing and protective pipe:  
 Bentonite  30  
 Other

5. Annular space seal:  
 a. Granular/Chipped Bentonite  33  
 b. \_\_\_\_\_ Lbs/gal mud weight ... Bentonite-sand slurry  35  
 c. \_\_\_\_\_ Lbs/gal mud weight ... Bentonite slurry  31  
 d. \_\_\_\_\_ % Bentonite ... Bentonite-cement grout  50  
 e. \_\_\_\_\_ Ft<sup>3</sup> volume added for any of the above

6. Bentonite seal:  
 a. Bentonite granules  33  
 b.  1/4 in.  3/8 in.  1/2 in. Bentonite chips  32  
 c. \_\_\_\_\_ Other

7. Fine sand material: Manufacturer, product name & mesh size  
 a. **#15 Red Flint**  
 b. Volume added \_\_\_\_\_ ft<sup>3</sup>

8. Filter pack material: Manufacturer, product name & mesh size  
 a. **#40 Red Flint**  
 b. Volume added \_\_\_\_\_ ft<sup>3</sup>

9. Well casing:  
 Flush threaded PVC schedule 40  23  
 Flush threaded PVC schedule 80  24  
 Other

10. Screen material: **pvc**  
 a. Screen type: Factory cut  11  
 Continuous slot  01  
 Other   
 b. Manufacturer **Johnson**  
 c. Slot size: **0.010** in.  
 d. Slotted length: **10** ft.

11. Backfill material (below filter pack):  
 None  14  
 Other

- E. Bentonite seal, top \_\_\_\_\_ ft. MSL or **5** ft.  
 F. Fine sand, top \_\_\_\_\_ ft. MSL or **4** ft.  
 G. Filter pack, top \_\_\_\_\_ ft. MSL or **5** ft.  
 H. Screen joint, top \_\_\_\_\_ ft. MSL or **6** ft.  
 I. Well bottom \_\_\_\_\_ ft. MSL or **16** ft.  
 J. Filter pack, bottom \_\_\_\_\_ ft. MSL or **17** ft.  
 K. Borehole, bottom \_\_\_\_\_ ft. MSL or **17** ft.  
 L. Borehole, diameter **8.25** in.  
 M. O.D. well casing **2.40** in.  
 N. I.D. well casing **2.06** in.

I hereby certify that the information on this form is true and correct to the best of my knowledge.  
 Signature: **Darrin Prentice** Firm: **Geiss Soil & Samples LLC**

Please complete both Forms 4400-113A and 4400-113B and return them to the appropriate DNR office and bureau. Completion of these reports is required by chs. 160, 281, 283, 289, 291, 292, 293, 295, and 299, Wis. Stats., and ch. NR 141, Wis. Adm. Code. In accordance with chs. 281, 289, 291, 292, 293, 295, and 299, Wis. Stats., failure to file these forms may result in a forfeiture of between \$10 and \$25,000, or imprisonment for up to one year, depending on the program and conduct involved. Personally identifiable information on these forms is not intended to be used for any other purpose. NOTE: See the instructions for more information, including where the completed forms should be sent.

Notice: Completion of this report is required by chs. 160, 281, 283, 289, 291-293, 295, and 299, Wis. Stats., and ch. NR 141, Wis. Adm. Code. In accordance with chs. 281, 289, 291-293, 295, and 299, Wis. Stats., failure to file this form may result in a forfeiture of between \$10-25,000, or imprisonment for up to one year, depending on the program and conduct involved. Personally identifiable information on this form is not intended to be used for any other purpose. Return form to the appropriate DNR office and bureau. See instructions on reverse for more information.

<input type="checkbox"/> <b>Verification Only of Fill and Seal</b>	Route to: <input type="checkbox"/> Drinking Water <input type="checkbox"/> Watershed/Wastewater <input checked="" type="checkbox"/> Remediation/Redevelopment <input type="checkbox"/> Waste Management <input type="checkbox"/> Other: _____
--	---

1. Well Location Information	2. Facility / Owner Information
------------------------------	---------------------------------

County <b>MILWAUKEE</b>	WI Unique Well # of Removed Well <b>VR626</b>	Hicap #	Facility Name <b>Auto Repair on Vliet</b>
Latitude / Longitude (Degrees and Minutes) <b>43 ° 2.9 ' N</b> <b>87 ° 56.7 ' W</b>			Facility ID (FID or PWS) <b>341043340</b>
Method Code (see instructions)			License/Permit/Monitoring #
1/4 SW or Gov't Lot #	1/4 SW	Section <b>19</b>	Township <b>7 N</b>
		Range <b>22</b>	Original Well Owner <b>Raisa Beyder c/o Anna Shtivelberg</b>
		<input checked="" type="checkbox"/> E <input type="checkbox"/> W	Present Well Owner <b>Raisa Beyder c/o Anna Shtivelberg</b>
Well Street Address <b>2481 W. Vliet Street</b>			
Well City, Village or Town <b>Milwaukee</b>		Well ZIP Code <b>53205-</b>	
Subdivision Name		Lot #	Mailing Address of Present Owner <b>242 E. Ravine Bay Road</b>
			City of Present Owner <b>Bayside</b>
			State <b>WI</b>
			ZIP Code <b>53217-</b>

3. Well / Drillhole / Borehole Information	4. Pump, Liner, Screen, Casing & Sealing Material
--	---

Reason For Removal From Service <b>Site Closure</b>	WI Unique Well # of Replacement Well
<input checked="" type="checkbox"/> Monitoring Well <input type="checkbox"/> Water Well <input type="checkbox"/> Borehole / Drillhole	
Original Construction Date (mm/dd/yyyy) <b>2/6/2017</b>	
If a Well Construction Report is available, please attach.	
Construction Type: <input checked="" type="checkbox"/> Drilled <input type="checkbox"/> Driven (Sandpoint) <input type="checkbox"/> Dug <input type="checkbox"/> Other (specify): _____	
Formation Type: <input checked="" type="checkbox"/> Unconsolidated Formation <input type="checkbox"/> Bedrock	
Total Well Depth From Ground Surface (ft.) <b>17</b>	Casing Diameter (in.) <b>2</b>
Lower Drillhole Diameter (in.) <b>8.25</b>	Casing Depth (ft.) <b>7</b>
Was well annular space grouted? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> Unknown	
If yes, to what depth (feet)? <b>4</b>	Depth to Water (feet) <b>11.88</b>
Required Method of Placing Sealing Material: <input type="checkbox"/> Conductor Pipe-Gravity <input type="checkbox"/> Conductor Pipe-Pumped <input type="checkbox"/> Screened & Poured (Bentonite Chips) <input checked="" type="checkbox"/> Other (Explain): <b>Gravity</b>	
Sealing Materials: <input type="checkbox"/> Neat Cement Grout <input type="checkbox"/> Clay-Sand Slurry (11 lb./gal. wt.) <input type="checkbox"/> Sand-Cement (Concrete) Grout <input type="checkbox"/> Bentonite-Sand Slurry " " <input type="checkbox"/> Concrete <input checked="" type="checkbox"/> Bentonite Chips	
For Monitoring Wells and Monitoring Well Boreholes Only: <input checked="" type="checkbox"/> Bentonite Chips <input type="checkbox"/> Bentonite - Cement Grout <input type="checkbox"/> Granular Bentonite <input type="checkbox"/> Bentonite - Sand Slurry	

5. Material Used To Fill Well / Drillhole	From (ft.)	To (ft.)	lbs	
3/8" Medium Chip Bentonite	Surface	17	27	

**6. Comments**  
MW-5 Abandoned

7. Supervision of Work			DNR Use Only	
Name of Person or Firm Doing Filling & Sealing <b>Jason T. Powell/METCO</b>	License #	Date of Filling & Sealing (mm/dd/yyyy) <b>11/10/2020</b>	Date Received	Noted By
Street or Route <b>709 Gillette St, Ste. #3</b>		Telephone Number <b>( 608 ) 781-8879</b>	Comments	
City <b>La Crosse</b>	State <b>WI</b>	ZIP Code <b>54603-</b>	Signature of Person Doing Work <i>Jason T. Powell</i>	
			Date Signed <b>11-16-20</b>	

Facility/Project Name <b>Auto Repair</b>	Local Grid Location of Well ft. <input type="checkbox"/> N. <input type="checkbox"/> S. <input type="checkbox"/> E. <input type="checkbox"/> W.	Well Name <b>MW-5</b>
Facility License, Permit or Monitoring No.	Local Grid Origin (estimated: <input type="checkbox"/> ) or Well Location <input type="checkbox"/> Lat. " Long. " or " "	Wis. Unique Well No. <b>VR 626</b>
Facility ID	St. Plane ft. N. ft. E. S/C/N	DNR Well ID No.
Type of Well Well Code <b>11 MW</b>	Section Location of Waste/Source 1/4 of 1/4 of Sec. T. N. R. <input type="checkbox"/> E. <input type="checkbox"/> W.	Date Well Installed <b>02/06/2017</b> m m d d y y y y
Distance from Waste/Source ft.	Location of Well Relative to Waste/Source u <input type="checkbox"/> Upgradient s <input type="checkbox"/> Sidegradient d <input type="checkbox"/> Downgradient n <input type="checkbox"/> Not Known	Well Installed By: Name (first, last) and Firm <b>Darrin Prentice</b> <b>Geiss Soil &amp; Samples LLC</b>

A. Protective pipe, top elevation ----- ft. MSL

B. Well casing, top elevation ----- ft. MSL

C. Land surface elevation ----- ft. MSL

D. Surface seal, bottom ----- ft. MSL or 0 ft.

12. USCS classification of soil near screen:  
 OP  GM  GC  GW  SW  SP   
 SM  SC  ML  MH  CL  CH   
 Bedrock

13. Sieve analysis performed?  Yes  No


14. Drilling method used: Rotary  5 0  
 Hollow Stem Auger  4 1  
 Other

15. Drilling fluid used: Water  0 2 Air  0 1  
 Drilling Mud  0 3 None  9 9

16. Drilling additives used?  Yes  No

Describe \_\_\_\_\_

17. Source of water (attach analysis, if required): \_\_\_\_\_



1. Cap and lock?  Yes  No

2. Protective cover pipe:  
 a. Inside diameter: 8 in.  
 b. Length: 1 ft.  
 c. Material: Steel  0 4  
 Other

d. Additional protection?  Yes  No  
 If yes, describe: \_\_\_\_\_

3. Surface seal: Bentonite  3 0  
 Concrete  0 1  
 Other

4. Material between well casing and protective pipe:  
 Bentonite  3 0  
 Other

5. Annular space seal:  
 a. Granular/Chipped Bentonite  3 3  
 b. Lbs/gal mud weight ... Bentonite-sand slurry  3 5  
 c. Lbs/gal mud weight ... Bentonite slurry  3 1  
 d. % Bentonite ... Bentonite-cement grout  5 0  
 e. Ft<sup>3</sup> volume added for any of the above \_\_\_\_\_

f. How installed: Tremie  0 1  
 Tremie pumped  0 2  
 Gravity  0 8

6. Bentonite seal:  
 a. Bentonite granules  3 3  
 b.  1/4 in.  3/8 in.  1/2 in. Bentonite chips  3 2  
 c. Other

7. Fine sand material: Manufacturer, product name & mesh size  
 a. #15 Red Flint  
 b. Volume added \_\_\_\_\_ ft<sup>3</sup>

8. Filter pack material: Manufacturer, product name & mesh size  
 a. #40 Red Flint  
 b. Volume added \_\_\_\_\_ ft<sup>3</sup>

9. Well casing: Flush threaded PVC schedule 40  2 3  
 Flush threaded PVC schedule 80  2 4  
 Other

10. Screen material: pvc  
 a. Screen type: Factory cut  1 1  
 Continuous slot  0 1  
 Other

b. Manufacturer Johnson  
 c. Slot size: 0.010 in.  
 d. Slotted length: 12 ft.

11. Backfill material (below filter pack): None  1 4  
 Other

E. Bentonite seal, top ----- ft. MSL or 5 ft.

F. Fine sand, top ----- ft. MSL or 4 ft.

G. Filter pack, top ----- ft. MSL or 5 ft.

H. Screen joint, top ----- ft. MSL or 7 ft.

I. Well bottom ----- ft. MSL or 17 ft.

J. Filter pack, bottom ----- ft. MSL or 17 ft.

K. Borehole, bottom ----- ft. MSL or 17 ft.

L. Borehole, diameter 2.25 in.

M. O.D. well casing 2.40 in.

N. I.D. well casing 2.06 in.

I hereby certify that the information on this form is true and correct to the best of my knowledge.

Signature Darrin Prentice Firm Geiss Soil & Samples LLC

Please complete both Forms 4400-113A and 4400-113B and return them to the appropriate DNR office and bureau. Completion of these reports is required by chs. 160, 281, 283, 289, 291, 292, 293, 295, and 299, Wis. Stats., and ch. NR 141, Wis. Adm. Code. In accordance with chs. 281, 289, 291, 292, 293, 295, and 299, Wis. Stats., failure to file these forms may result in a forfeiture of between \$10 and \$25,000, or imprisonment for up to one year, depending on the program and conduct involved. Personally identifiable information on these forms is not intended to be used for any other purpose. NOTE: See the instructions for more information, including where the completed forms should be sent.

Notice: Completion of this report is required by chs. 160, 281, 283, 289, 291-293, 295, and 299, Wis. Stats., and ch. NR 141, Wis. Adm. Code. In accordance with chs. 281, 289, 291-293, 295, and 299, Wis. Stats., failure to file this form may result in a forfeiture of between \$10-25,000, or imprisonment for up to one year, depending on the program and conduct involved. Personally identifiable information on this form is not intended to be used for any other purpose. Return form to the appropriate DNR office and bureau. See instructions on reverse for more information.

<input type="checkbox"/> <b>Verification Only of Fill and Seal</b>	Route to: <input type="checkbox"/> Drinking Water <input type="checkbox"/> Watershed/Wastewater <input checked="" type="checkbox"/> Remediation/Redevelopment <input type="checkbox"/> Waste Management <input type="checkbox"/> Other: _____
--	---

**1. Well Location Information** **2. Facility / Owner Information**

County <b>MILWAUKEE</b>	WI Unique Well # of Removed Well <b>WA172</b>	Hicap #	Facility Name <b>Auto Repair on Vliet</b>												
Latitude / Longitude (Degrees and Minutes) <b>43 ° 2.9 ' N</b> <b>87 ° 56.7 ' W</b>		Method Code (see instructions)	Facility ID (FID or PWS) <b>341043340</b>												
<table border="1" style="width: 100%; border-collapse: collapse;"> <tr> <td style="width: 10%;">1/4 SW</td> <td style="width: 10%;">1/4 SW</td> <td style="width: 10%;">Section</td> <td style="width: 10%;">Township</td> <td style="width: 10%;">Range</td> <td style="width: 10%;">[X] E</td> </tr> <tr> <td>or Gov't Lot #</td> <td></td> <td><b>19</b></td> <td><b>7 N</b></td> <td><b>22</b></td> <td><input type="checkbox"/> W</td> </tr> </table>	1/4 SW	1/4 SW	Section	Township	Range	[X] E	or Gov't Lot #		<b>19</b>	<b>7 N</b>	<b>22</b>	<input type="checkbox"/> W	Original Well Owner <b>Raisa Beyder c/o Anna Shtivelberg</b>		License/Permit/Monitoring #
1/4 SW	1/4 SW	Section	Township	Range	[X] E										
or Gov't Lot #		<b>19</b>	<b>7 N</b>	<b>22</b>	<input type="checkbox"/> W										
Well Street Address <b>2481 W. Vliet Street</b>			Present Well Owner <b>Raisa Beyder c/o Anna Shtivelberg</b>												
Well City, Village or Town <b>Milwaukee</b>			Mailing Address of Present Owner <b>242 E. Ravine Bay Road</b>												
Subdivision Name			City of Present Owner <b>Bayside</b>												
Well ZIP Code <b>53205-</b>			State <b>WI</b>												
Lot #			ZIP Code <b>53217-</b>												

Reason For Removal From Service Site Closure	WI Unique Well # of Replacement Well
---	--------------------------------------

**3. Well / Drillhole / Borehole Information** **4. Pump, Liner, Screen, Casing & Sealing Material**

<input checked="" type="checkbox"/> Monitoring Well <input type="checkbox"/> Water Well <input type="checkbox"/> Borehole / Drillhole	Original Construction Date (mm/dd/yyyy) <b>11/6/2018</b>	If a Well Construction Report is available, please attach.	Pump and piping removed? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A Liner(s) removed? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A Screen removed? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A Casing left in place? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A Was casing cut off below surface? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A Did sealing material rise to surface? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A Did material settle after 24 hours? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A If yes, was hole retopped? <input type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A If bentonite chips were used, were they hydrated with water from a known safe source? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A
Construction Type: <input checked="" type="checkbox"/> Drilled <input type="checkbox"/> Driven (Sandpoint) <input type="checkbox"/> Dug <input type="checkbox"/> Other (specify): _____		Required Method of Placing Sealing Material <input type="checkbox"/> Conductor Pipe-Gravity <input type="checkbox"/> Conductor Pipe-Pumped <input type="checkbox"/> Screened & Poured (Bentonite Chips) <input checked="" type="checkbox"/> Other (Explain): <u>Gravity</u>	
Formation Type: <input checked="" type="checkbox"/> Unconsolidated Formation <input type="checkbox"/> Bedrock		Sealing Materials <input type="checkbox"/> Neat Cement Grout <input type="checkbox"/> Clay-Sand Slurry (11 lb./gal. wt.) <input type="checkbox"/> Sand-Cement (Concrete) Grout <input type="checkbox"/> Bentonite-Sand Slurry " " <input type="checkbox"/> Concrete <input checked="" type="checkbox"/> Bentonite Chips	
Total Well Depth From Ground Surface (ft.) <b>17</b>	Casing Diameter (in.) <b>2</b>	For Monitoring Wells and Monitoring Well Boreholes Only: <input checked="" type="checkbox"/> Bentonite Chips <input type="checkbox"/> Bentonite - Cement Grout <input type="checkbox"/> Granular Bentonite <input type="checkbox"/> Bentonite - Sand Slurry	
Lower Drillhole Diameter (in.) <b>8.25</b>	Casing Depth (ft.) <b>7</b>	Was well annular space grouted? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> Unknown	
If yes, to what depth (feet)? <b>4</b>	Depth to Water (feet) <b>12.18</b>		

5. Material Used To Fill Well / Drillhole	From (ft.)	To (ft.)	lbs	
3/8" Medium Chip Bentonite	Surface	17	27	

**6. Comments**  
MW-6 Abandoned

<b>7. Supervision of Work</b>			<b>DNR Use Only</b>	
Name of Person or Firm Doing Filling & Sealing <b>Jason T. Powell/METCO</b>	License #	Date of Filling & Sealing (mm/dd/yyyy) <b>11/10/2020</b>	Date Received	Noted By
Street or Route <b>709 Gillette St, Ste. #3</b>	Telephone Number <b>( 608 ) 781-8879</b>	Comments		
City <b>La Crosse</b>	State <b>WI</b>	ZIP Code <b>54603-</b>	Signature of Person Doing Work 	Date Signed <b>11-16-20</b>

Facility/Project Name <b>Auto Repair on Vliet</b>	Local Grid Location of Well ft. <input type="checkbox"/> N. <input type="checkbox"/> E. <input type="checkbox"/> S. <input type="checkbox"/> W.	Well Name <b>Mw-6</b>
Facility License, Permit or Monitoring No.	Local Grid Origin <input type="checkbox"/> (estimated: <input type="checkbox"/> ) or Well Location <input type="checkbox"/> Lat. _____ Long. _____	Wis. Unique Well No. <b>WATZ3</b> DNR Well ID No.
Facility ID	St. Plane _____ ft. N. _____ ft. E. S/C/N	Date Well Installed <b>11/06/2018</b>
Type of Well Well Code <b>11, MN</b>	Section Location of Waste/Source 1/4 of _____ 1/4 of Sec. _____ T. _____ N. R. <input type="checkbox"/> W.	Well Installed By: Name (first, last) and Firm <b>Darrin Prentice Geiss Soil + Samples LLC</b>
Distance from Waste/Source ft. _____	Location of Well Relative to Waste/Source a <input type="checkbox"/> Upgradient b <input type="checkbox"/> Sidegradient d <input type="checkbox"/> Downgradient n <input type="checkbox"/> Not Known	Gov. Lot Number

A. Protective pipe, top elevation ----- ft. MSL

B. Well casing, top elevation ----- ft. MSL

C. Land surface elevation ----- ft. MSL

D. Surface seal, bottom ----- ft. MSL or 0 ft.

12. USCS classification of soil near screen:  
 GP  GM  GC  GW  SW  SP   
 SM  SC  ML  MH  CL  CH   
 Bedrock

13. Sieve analysis performed?  Yes  No


14. Drilling method used: Rotary  50  
 Hollow Stem Auger  41  
 Other

15. Drilling fluid used: Water  02 Air  01  
 Drilling Mud  03 None  99

16. Drilling additives used?  Yes  No

Describe \_\_\_\_\_

17. Source of water (attach analysis, if required): \_\_\_\_\_



E. Bentonite seal, top ----- ft. MSL or 5 ft.

F. Fine sand, top ----- ft. MSL or 4 ft.

G. Filter pack, top ----- ft. MSL or 5 ft.

H. Screen joint, top ----- ft. MSL or 7 ft.

I. Well bottom ----- ft. MSL or 17 ft.

J. Filter pack, bottom ----- ft. MSL or 18 ft.

K. Borehole, bottom ----- ft. MSL or 18 ft.

L. Borehole, diameter **2.25** in.

M. O.D. well casing **2.40** in.

N. I.D. well casing **2.06** in.

I hereby certify that the information on this form is true and correct to the best of my knowledge.

Signature: **Darrin Prentice** Firm: **Geiss Soil + Samples LLC**

Please complete both Forms 4400-113A and 4400-113B and return them to the appropriate DNR office and bureau. Completion of these reports is required by chs. 160, 281, 283, 289, 291, 292, 293, 295, and 299, Wis. Stats., and ch. NR 141, Wis. Adm. Code. In accordance with chs. 281, 289, 291, 292, 293, 295, and 299, Wis. Stats., failure to file these forms may result in a forfeiture of between \$10 and \$25,000, or imprisonment for up to one year, depending on the program and conduct involved. Personally identifiable information on these forms is not intended to be used for any other purpose. NOTE: See the instructions for more information, including where the completed forms should be sent.

**Well / Drillhole / Borehole Filling & Sealing**

Form 3300-005 (R 4/08)

Notice: Completion of this report is required by chs. 160, 281, 283, 289, 291-293, 295, and 299, Wis. Stats., and ch. NR 141, Wis. Adm. Code. In accordance with chs. 281, 289, 291-293, 295, and 299, Wis. Stats., failure to file this form may result in a forfeiture of between \$10-25,000, or imprisonment for up to one year, depending on the program and conduct involved. Personally identifiable information on this form is not intended to be used for any other purpose. Return form to the appropriate DNR office and bureau. See instructions on reverse for more information.

Verification Only of Fill and Seal

Route to:  
 Drinking Water       Watershed/Wastewater       Remediation/Redevelopment  
 Waste Management       Other: \_\_\_\_\_

**1. Well Location Information**      **2. Facility / Owner Information**

County <b>MILWAUKEE</b>			WI Unique Well # of Removed Well <b>WB741</b>			Hicap #			Facility Name <b>Auto Repair on Vliet</b>		
Latitude / Longitude (Degrees and Minutes) <b>43 ° 2.9 ' N</b> <b>87 ° 56.7 ' W</b>			Method Code (see instructions)			Facility ID (FID or PWS) <b>341043340</b>			License/Permit/Monitoring #		
1/4 SW		1/4 SW		Section <b>19</b>	Township <b>7 N</b>	Range <b>22</b>	<input checked="" type="checkbox"/> E <input type="checkbox"/> W		Original Well Owner <b>Raisa Beyder c/o Anna Shtivelberg</b>		
Well Street Address <b>2481 W. Vliet Street</b>			Well City, Village or Town <b>Milwaukee</b>			Well ZIP Code <b>53205-</b>			Present Well Owner <b>Raisa Beyder c/o Anna Shtivelberg</b>		
Subdivision Name			Lot #			City of Present Owner <b>Bayside</b>			State <b>WI</b>	ZIP Code <b>53217-</b>	

Reason For Removal From Service Site Closure

WI Unique Well # of Replacement Well

**3. Well / Drillhole / Borehole Information**

Monitoring Well  
 Water Well  
 Borehole / Drillhole

Original Construction Date (mm/dd/yyyy)  
**9/9/2019**

If a Well Construction Report is available, please attach.

Construction Type:  
 Drilled       Driven (Sandpoint)       Dug  
 Other (specify): \_\_\_\_\_

Formation Type:  
 Unconsolidated Formation       Bedrock

Total Well Depth From Ground Surface (ft.) <b>15</b>	Casing Diameter (in.) <b>2</b>
Lower Drillhole Diameter (in.) <b>8.25</b>	Casing Depth (ft.) <b>5</b>

Was well annular space grouted?  Yes     No     Unknown

If yes, to what depth (feet)? **3**      Depth to Water (feet) **11.95**

**4. Pump, Liner, Screen, Casing & Sealing Material**

Pump and piping removed?  Yes     No     N/A

Liner(s) removed?  Yes     No     N/A

Screen removed?  Yes     No     N/A

Casing left in place?  Yes     No     N/A

Was casing cut off below surface?  Yes     No     N/A

Did sealing material rise to surface?  Yes     No     N/A

Did material settle after 24 hours?  Yes     No     N/A

If yes, was hole retopped?  Yes     No     N/A

If bentonite chips were used, were they hydrated with water from a known safe source?  Yes     No     N/A

Required Method of Placing Sealing Material:  
 Conductor Pipe-Gravity     Conductor Pipe-Pumped  
 Screened & Poured (Bentonite Chips)     Other (Explain): **Gravity**

Sealing Materials:  
 Neat Cement Grout       Clay-Sand Slurry (11 lb./gal. wt.)  
 Sand-Cement (Concrete) Grout       Bentonite-Sand Slurry " "  
 Concrete       Bentonite Chips

For Monitoring Wells and Monitoring Well Boreholes Only:  
 Bentonite Chips       Bentonite - Cement Grout  
 Granular Bentonite       Bentonite - Sand Slurry

**5. Material Used To Fill Well / Drillhole**

	From (ft.)	To (ft.)	lbs
3/8" Medium Chip Bentonite	Surface	15	24

**6. Comments**  
MW-7 Abandoned

<b>7. Supervision of Work</b>				<b>DNR Use Only</b>	
Name of Person or Firm Doing Filling & Sealing <b>Jason T. Powell/METCO</b>	License #	Date of Filling & Sealing (mm/dd/yyyy) <b>11/10/2020</b>	Date Received	Noted By	
Street or Route <b>709 Gillette St, Ste. #3</b>		Telephone Number <b>(608) 781-8879</b>	Comments		
City <b>La Crosse</b>	State <b>WI</b>	ZIP Code <b>54603-</b>	Signature of Person Doing Work <i>Jason T. Powell</i>		Date Signed <b>11-16-20</b>

Route to: Watershed/Wastewater  Waste Management   
Remediation/Redevelopment  Other

Facility/Project Name <b>Auto Repair</b>	Local Grid Location of Well ft. <input type="checkbox"/> N. <input type="checkbox"/> S. <input type="checkbox"/> E. <input type="checkbox"/> W.	Well Name <b>MW-7</b>
Facility License, Permit or Monitoring No.	Local Grid Origin (estimated: <input type="checkbox"/> ) or Well Location Lat. " Long. " or	Wis. Unique Well No. <b>WB741</b> DNR Well ID No.
Facility ID	St. Plane ft. N. ft. E. S/C/N	Date Well Installed <b>09/09/2019</b> m m d d y y y y
Type of Well Well Code <b>11/MW</b>	Section Location of Waste/Source 1/4 of 1/4 of Sec. T. N, R. <input type="checkbox"/> E <input type="checkbox"/> W	Well Installed By: Name (first, last) and Firm <b>Darrin Prentice</b> <b>Geiss Soil + Samples LLC</b>
Distance from Waste/Source ft.	Enf. Stds. Apply <input type="checkbox"/>	Location of Well Relative to Waste/Source u <input type="checkbox"/> Upgradient s <input type="checkbox"/> Sidegradient d <input type="checkbox"/> Downgradient n <input type="checkbox"/> Not Known

A. Protective pipe, top elevation	ft. MSL	1. Cap and lock? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No		
B. Well casing, top elevation	ft. MSL	2. Protective cover pipe: a. Inside diameter: <b>8</b> in. b. Length: <b>1</b> ft. c. Material: Steel <input checked="" type="checkbox"/> 0.4 Other <input type="checkbox"/>		
C. Land surface elevation	ft. MSL	d. Additional protection? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No If yes, describe:		
D. Surface seal, bottom	ft. MSL or <b>0</b> ft.	3. Surface seal: Bentonite <input checked="" type="checkbox"/> 3.0 Concrete <input checked="" type="checkbox"/> 0.1 Other <input type="checkbox"/>		
12. USCS classification of soil near screen: GP <input type="checkbox"/> GM <input type="checkbox"/> GC <input type="checkbox"/> GW <input type="checkbox"/> SW <input type="checkbox"/> SP <input type="checkbox"/> SM <input type="checkbox"/> SC <input type="checkbox"/> ML <input type="checkbox"/> MH <input type="checkbox"/> CL <input type="checkbox"/> CH <input type="checkbox"/> Bedrock <input type="checkbox"/>		4. Material between well casing and protective pipe: Bentonite <input checked="" type="checkbox"/> 3.0 Other <input type="checkbox"/>		
13. Sieve analysis performed? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	14. Drilling method used: Rotary <input type="checkbox"/> 5.0 Hollow Stem Auger <input checked="" type="checkbox"/> 4.1 Other <input type="checkbox"/>	5. Annular space seal: a. Granular/Chipped Bentonite <input checked="" type="checkbox"/> 3.3 b. Lbs/gal mud weight... Bentonite-sand slurry <input type="checkbox"/> 3.5 c. Lbs/gal mud weight... Bentonite slurry <input type="checkbox"/> 3.1 d. % Bentonite... Bentonite-cement grout <input type="checkbox"/> 5.0 e. Ft <sup>3</sup> volume added for any of the above f. How installed: Tremie <input type="checkbox"/> 0.1 Tremie pumped <input type="checkbox"/> 0.2 Gravity <input checked="" type="checkbox"/> 0.8		
15. Drilling fluid used: Water <input type="checkbox"/> 0.2 Air <input type="checkbox"/> 0.1 Drilling Mud <input type="checkbox"/> 0.3 None <input checked="" type="checkbox"/> 9.9	16. Drilling additives used? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No Describe	6. Bentonite seal: a. Bentonite granules <input type="checkbox"/> 3.3 b. <input type="checkbox"/> 1/4 in. <input checked="" type="checkbox"/> 3/8 in. <input type="checkbox"/> 1/2 in. Bentonite chips <input checked="" type="checkbox"/> 3.2 c. Other <input type="checkbox"/>		
17. Source of water (attach analysis, if required):	E. Bentonite seal, top	ft. MSL or <b>1</b> ft.	7. Fine sand material: Manufacturer, product name & mesh size <b>#20 Red Flint</b>	
F. Fine sand, top	ft. MSL or <b>3</b> ft.	G. Filter pack, top	ft. MSL or <b>4</b> ft.	a. Volume added ft <sup>3</sup>
H. Screen joint, top	ft. MSL or <b>5</b> ft.	I. Well bottom	ft. MSL or <b>15</b> ft.	8. Filter pack material: Manufacturer, product name & mesh size <b>#40 Red Flint</b>
J. Filter pack, bottom	ft. MSL or <b>16</b> ft.	K. Borehole, bottom	ft. MSL or <b>16</b> ft.	b. Volume added ft <sup>3</sup>
L. Borehole, diameter	<b>8.25</b> in.	M. O.D. well casing	<b>2.40</b> in.	9. Well casing: Flush threaded PVC schedule 40 <input checked="" type="checkbox"/> 2.3 Flush threaded PVC schedule 80 <input type="checkbox"/> 2.4 Other <input type="checkbox"/>
N. I.D. well casing	<b>2.06</b> in.			10. Screen material: <b>PVC</b> a. Screen type: Factory cut <input checked="" type="checkbox"/> 1.1 Continuous slot <input type="checkbox"/> 0.1 Other <input type="checkbox"/>
				b. Manufacturer <b>Johnson</b> c. Slot size: <b>0.010</b> in. d. Slotted length: <b>10</b> ft.
				11. Backfill material (below filter pack): None <input type="checkbox"/> 1.4 Other <input checked="" type="checkbox"/>

I hereby certify that the information on this form is true and correct to the best of my knowledge.

Signature **Darrin Prentice** Firm **Geiss Soil + Samples LLC**