709 Gillette St., ste.3

State

WI

ZIP Code

54603-

City

La Crosse

Well / Drillhole / Borehole Filling & Sealing

Form 3300-005 (R 4/08)

Page 1 of 2

Notice: Completion of this report is required by chs. 160, 281, 283, 289, 291-293, 295, and 299, Wis. Stats., and ch. NR 141, Wis. Adm. Code. In accordance with chs. 281, 289, 291-293, 295, and 299, Wis. Stats., failure to file this form may result in a forfeiture of between \$10-25,000, or imprisonment for up to one year, depending on the program and conduct involved. Personally identifiable information on this form is not intended to be used for any other purpose. Return form to the appropriate DNR office and bureau. See instructions on reverse for more information. Route to: Watershed/Wastewater X Remediation/Redevelopment [X] Verification Only of Fill and Seal Drinking Water Waste Management Other: 1. Well Location information 2. Facility / Owner Information County WI Unique Well # of licap # acility Name Removed Well **Korth Property** VR664_ **OUTAGAMIE** acility ID (FID or PWS) Lattitude / Longitude (Degrees and Minutes) Method Code (see instructions) 445198270 15.76 .icense/Permit/Monitoring # 88 25.93 Original Well Owner 1/4/1/4 Section **Fownship** Range SW XE Robert Korth or Gov't Lot # 27 21 17 N resent Well Owner Well Street Address Robert Korth 1629 West Washington Street Mailing Address of Present Owner Well City, Village or Town Well ZIP Code N2982 Steeple Dr. Appleton 54913-City of Present Owner ZIP Code State Subdivision Name ot # 54913-WI Appleton . Pump, Liner, Screen, Casing & Sealing Material Reason For Removal From Service WI Unique Well # of Replacement Well Yes No Pump and piping removed? Sampling Complete □Yes □No [X]N/A 3. Well / Drillhole / Borehole Information Liner(s) removed? $\square_{\text{Yes}} [X]_{\text{No}} \square_{\text{N/A}}$ Original Construction Date (mm/dd/yyyy) Screen removed? [X] Monitoring Well . [x]_{Yes} \square_{No} 7/10/2017 Casing left in place? Water Well [X]Yes No If a Well Construction Report is available, Was casing cut off below surface? Borehole / Drillhole please attach. X Yes No Did sealing material rise to surface? Construction Type: $\square_{\text{Yes}} [x]_{\text{No}}$ Did material settle after 24 hours? X Drilled Dug Driven (Sandpoint) X N/A If ves, was hole retopped? Yes No If bentonite chips were used, were they hydrated with water from a known safe source? Other (specify): Required Method of Placing Sealing Material Formation Type: Conductor Pipe-Gravity Conductor Pipe-Pumped X Unconsolidated Formation Bedrock Screened & Poured X Other (Explain): Gravity Total Well Depth From Ground Surface (ft.) Casing Diameter (in.) (Bentonite Chips) 2 13 Sealing Materials Lower Drillhole Diameter (in.) Neat Cement Grout Casing Depth (ft.) Clay-Sand Slurry (11 lb./gal. wt.) 3 8.25 Bentonite-Sand Slurry " " Sand-Cement (Concrete) Grout Bentonite Chips Concrete $[x]_{Yes}$ ∐ No Unknown Was well annular space grouted? or Monitoring Wells and Monitoring Well Boreholes Only: If yes, to what depth (feet)? Depth to Water (feet) X Bentonite Chips Bentonite - Cement Grout 3.1 Granular Bentonite Bentonite - Sand Slurry 5. Material Used To Fill Well / Drillhole From (ft.) To (ft.) lbs Benotonite chips Surface 20.8 6. Comments Monitoring Well MW-1 7. Supervision of Work **DNR Use Only** Name of Person or Firm Doing Filling & Sealing Noted By License # Date of Filling & Sealing (mm/dd/yyyy) Date Received Ben Nelson (METCO) 1/14/2020 LHALL HISE Street or Route Telephone Number Comments

608) 781-8879

Signature of Person Doing Work

Date Signed

1/15/2020

Well / Drillhole / Borehole Filling & Sealing Form 3300-005 (R 4/08) Page 1 o

Page 1 of 2

Notice: Completion of this report is required by chs. 160, 281, 283, 289, 291-293, 295, and 299, Wis. Stats., and ch. NR 141, Wis. Adm. Code. In accordance with chs. 281, 289, 291-293, 295, and 299, Wis. Stats., failure to file this form may result in a forfeiture of between \$10-25,000, or imprisonment for up to one year, depending on the program and conduct involved. Personally identifiable information on this form is not intended to be used for any other purpose. Return form to the appropriate DNR office and bureau. See instructions on reverse for more information. Route to:

3. Well / Drillhole / Borshole Information	[x] Verification Only of Fill and Seal			Drinking Water Waste Management			Watershed/Waslewater			ter [X] Remediation/Redevelopment			
Courty Removed Yell VR665 Comments Facility Name Control Yell Conductor Pipe Conductor P	1. Well Location Information	7 W. 1851.	REPUTATION OF	SEL TO	11184879		2. Facility	/ Owner Info	rmation			Line de la line	Phasing.
Earlibude / Longitude (Degrees and Mirutes) Add 1.5.76	Remov	ed Well	(ACCOUNTS)	p#	3370635044	201110	TAXABLE VIDE A DAY FOR	е		11 11 11 11 11 11	Operation of the last	5-7-25-8-7-5-3-7-2-1-7-5-7-5-7-5-7-5-7-5-7-5-7-5-7-5-7-5-7	
Second S	Lattitude / Longitude (Degrees an			de (see in	structio	ons)	Facility ID (F	ID or PWS)	44519	08270	-	1.5	
Activate	<u>44</u> • <u>15.76</u> ·	'N		A!			License/Per	mit/Monitoring		0270			
Well Street Address Construction Street Construction Report is available, please attach. Construction Type: X Dither (specify): X Unconsolidated Formation Bedrock X Yes No Duhnown X X X X X X X X X X X X X	88 - 25.93	·w				_			n				
Well Street Address 1639 West Washington Street Well City, Village or Town Appleton Subdivision Name Lot # Subdivision Name Subdivision Name Lot # Subdivision Name Name Name Name Name Name Name Name Name	WIN NW W SW	Section	Townshi	p Rang	e Ixl	E	Original Wel		. 17				
Robert Korth Robe	or Gov't Lot #	27	21	N 17		W	Organit Ma		ert Korti	1	_		
Mailing Address of Present Owner N2982 Steeple Dr. N2982 Steeple	Well Street Address				- Printer		riesent we		ert Kort	h			
Well City, Village or Town Appleton		1					Mailing Add						
Subdivision Name Lot # Appleton WI State Color			M		ode					82 Steepl	e Dr.		
Appleton Wi 54913- Appleton Will pining Matrial Liner(s) removed? Lyes No [X]N. Liner(s) removed? Liner(s) r	Total Control						City of Prese						
Sampling Complete 3. Well / Drillhole / Borehole Information X Monitoring Well Original Construction Date (mm/dd/yyyy) 7/10/2017 Screen removed? Yes No N/ No N/ Yes No N/ No N/ Yes No N/ No N/ Yes No N/ N/ Yes No N/ N/ Yes No N/ N/ Yes No N/ N/ N/ N/ N/ N/ N/	10 TEST THE STATE OF MAINE		Γ				CARCOSTRIBLE	THE RESERVE OF THE PERSON NAMED IN COLUMN TWO IS NOT THE PERSON NAMED IN COLUMN TWO IS NAME		earan a			Appearant to a
3. Well / Drillhole / Borshole Information	Reason For Removal From Service	e WI Uniq	ue Well # of	Replacer	ment W	ell	4. Pump,	Iner, Screen	, Casing	& Seali	ng Mater	dal	Barrense.
X Monitoring Well Original Construction Date (mm/dd/yyyy) 7/10/2017 Yes X No N/ No No	Sampling Complete						Pump and	piping remove	ed?		닏	Yes HNO	
Water Well Orbition Water Well If a Well Construction Report is available, please attach. Was casing cut off below surface? X yes No No No No No No No N	3. Well / Drillhole / Borehole	Informatio	n i ing	建 油锅生		mi,	Liner(s) n	emoved?			닏		
Water Well If a Well Construction Report is available, please attach. Did sealing material rise to surface? X yes No N/ N/	[Y]Manhadan Mahii	Original Cor			dd/yyyy	1)	Screen re	moved?					₩N/A
Borehole / Drilhole please attach. Borehole / Drilhole Driven (Sendpoint) Dug Did sealing material rise to surface? X Yes No No No No No No No N		7/10/2017											
Construction Type: [X] Drilled		if a Well Construction Report is available,				e,							
Some content of the	Normal Control of the	biesee atta	ur.			_	Did sealir	ig material rise	to surfac	e?	[X]		HN/A
Conductor Pipe-Gravity Conductor Pipe-Pumped Screened & Poured (Explain): Gravity (Bentonite Chips were used, were they hydrated with water from a known safe source? No [X]_N/ Well Depth From Ground Surface (ft.) Casing Diameter (in.) 13 2 Conductor Pipe-Gravity Conductor Pipe-Pumped (Bentonite Chips) Screened & Poured (Bentonite Chips) Screened & Poure		Sandpoint)		Dug			The second secon			•	The state of the last of the l	Part I	[v]
Formation Type: [X] Unconsolidated Formation Total Well Depth From Ground Surface (ft.) Casing Diameter (in.) 13 Lower Drillhole Diameter (in.) 8.25 Casing Depth (ft.) Was well annular space grouted? [Yes, to what depth (feet)? 2 4.54 Bentonite Chips Surface [X] Unconsolidated Formation Required Method of Placing Sealing Material Conductor Pipe-Gravity Screened & Poured (Bentonite Chips) Scaling Materials Neat Cerment Grout Clay-Sand Sturry (11 lb./gal. w. Sand-Cerment (Concrete) Grout Bentonite-Sand Sturry " " Concrete Sand-Cerment (Concrete) Grout Bentonite Chips Bentonite Chips Bentonite Chips Bentonite Chips Bentonite Chips Bentonite - Carment Grout Granular Bentonite Bentonite - Sand Sturry 5. Material Used To Fill Wall / Drillhole From (ft.) To (ft.) Ibs Bentonite chips Surface 13 20.8	Other (specify):									they hydra	ated —	-	
[X] Unconsolidated Formation Bedrock Total Well Depth From Ground Surface (ft.) Casing Diameter (in.) 13 2 Sealing Materials Lower Drillhole Diameter (in.) 8.25 Casing Depth (ft.) 3 Sand-Cement Grout Concrete) Grout Bentonite-Sand Slurry (11 lb./gal. w Sand-Cement (Concrete) Grout Bentonite Chips For Monitoring Wells and Monitoring Well Boreholes Only: [X] Yes No Unknown If yes, to what depth (feet)? 2 4.54 Bentonite Chips Sand-Cement (Concrete) Grout Bentonite Chips For Monitoring Wells and Monitoring Well Boreholes Only: [X] Bentonite Chips Bentonite - Cament Grout Granular Bentonite Surface 13 20.8						=					السما	res LIN	L-JIN/A
Total Well Depth From Ground Surface (ft.) Casing Diameter (in.) 13 Lower Drillhole Diameter (in.) 8.25 Casing Depth (ft.) 8.25 Casing Depth (ft.) 8.25 Casing Depth (ft.) 13 Casing Depth (ft.) 14 Casing Depth (ft.) 15 Sealing Materials Neat Cement Grout Sand-Cement (Concrete) Grout Bentonite-Sand Slurry " " Concrete Bentonite Chips For Monitoring Wells and Monitoring Well Borsholes Only: [X] Bentonite Chips Bentonite - Cement Grout Gravity Clay-Sand Slurry (11 lb./gal. well) Bentonite Chips Gravity Sealing Materials Sand-Cement (Concrete) Grout Bentonite Chips Gravity For Monitoring Wells and Monitoring Well Borsholes Only: [X] Bentonite Chips Gravity Bentonite - Sand Slurry From (ft.) To (ft.) To (ft.) Ibs Surface 13 20.8			Bedrock								ipe-Pump	ed	
Lower Drillhole Diameter (in.) 8.25 Casing Depth (ft.) Sand-Cement Grout Sand-Cement (Concrete) Grout Concrete Bentonite Chips For Monitoring Wells and Monitoring Well Boreholes Only: X Bentonite Chips Bentonite - Cement Grout Granular Bentonite From (ft.) To (ft.) Bentonite - Sand Slurry Surface Surface 13 20.8	Total Well Depth From Ground Su	COLUMN TO SECURIO	-	eter (in.)			- (Bento	nite Chips)	[x] o	her (Expla	in): Gra	vity	
Was well annular space grouted? If yes, to what depth (feet)? Depth to Water (feet) 2 4.54 Depth to Water (feet) Granular Bentonite Chips Dentonite - Sand Slurry From (ft.) From (ft.) Surface Surface Concrete Bentonite Chips Bentonite - Cement Grout Depth to Water (feet) Surface Surface Surface Granular Bentonite Surface Surface Concrete Bentonite Chips Bentonite - Cement Grout Depth to Water (feet) Surface Surface Surface Concrete Bentonite Chips Bentonite - Cament Grout Depth to Water (feet) Surface	Lower Drillhole Diameter (in.)	- la	asing Dept	h (ft.)			Neat C	ement Grout	ete) Grout		*	• •	
If yes, to what depth (feet)? 2 4.54 Granular Bentonite Bentonite - Cement Grout	Was well annular space grouted?	[x]	Yes 🗌	No 🔲	Unkno	wn	Concre	rte					
5. Material Used To Fill Well / Drillhola From (ft.) To (ft.) Ibs Benotonite chips Surface 13 20.8 6. Comments		Depth	to Water (fe		4		X Benton	ite Chips		Benton	ite - Ceme	ent Grout	
Benotonite chips Surface 13 20.8 6. Comments	5. Material Used To Fill Well / D	rillhole	ndie is 1	Vallation Lac. J. C.			142631 A 1454 YES -	all provide and logistic and logist	Trans.	T LEWISCON	4-10-40-10-1	mem dansar	Tanana A
6. Comments	A STATE OF THE SECOND SECTION AND ASSESSMENT OF THE PARTY	OR WHITE ASSET	excharge tempera	204 TiBer W. STREET	ZECESTAN)	146.91	PRINCIPLE INTERIOR	-5-20-41 E - 5-31 D O O O O	103	20.8			
The state of the s	·	*						15		20.0			
The state of the s	e calcinated and annual relate	1. 15.415.A	10 - 10 - 10 - 10 - 10 - 10 - 10 - 10 -	Standard Late	o lines of	e2.4114	Mengalensk (a)		Selvabout R	r Cress Sin	NAR TORRES	982923W4334Th	-Tate extract
Mondoling Well MVV-2	Monitoring Well MW-2		PERMIT	er argebber		50.00							TEN SER
7. Supervision of Work DNR Use Only	7. Supervision of Work			. 1572						D	NR Use	Only	AND DO
Name of Person or Firm Doing Filling & Sealing License # Date of Filling & Sealing (mm/dd/yyyy) Date Received Noted By		ing & Sealir	g License	#	Date o				Date Re	-	1		
Ben Nelson (METCO) 1/14/2020		3.							it lets.	Makaka			MARKET S
[16.28] (RAMERICALITY AND ASSESSED ASSE	Street or Route Te				11000	elephone Number Comments							
709 Gillette St., ste.3 (608) 781-8879		ste.3	lov-t-	10 C :	7111		and the second second	- The same	State 1				Children Carl
City State ZIP Code Signature of Person Doing Work Date Signed La Crosse WI 54603- Cupin Usin 1/15/2020			The second second				Signature of	yw M	work Suu	/	Dat		20

Well / Drillhole / Borehole Filling & Sealing Form 3300-005 (R 4/08) Page 1 of 2

Notice: Completion of this report is required by chs. 160, 281, 283, 289, 291-293, 295, and 299, Wis. Stats., and ch. NR 141, Wis. Adm. Code. In accordance with chs. 281, 289, 291-293, 295, and 299, Wis. Stats., failure to file this form may result in a forfeiture of between \$10-25,000, or imprisonment for up to one year, depending on the program and conduct involved. Personally identifiable information on this form is not intended to be used for any other purpose. Return form to the appropriate DNR office and bureau. See instructions on reverse for more information.

[x] Verification Only	of Fill a	nd Seal	F	=	o: inking Wat aste Mana			Watershed/Was	slewater	[X] Remedi	ation/Redevelopme	
1. Well Location Inform	nation	PARCHE I CH	THE R	STATE OF	Strates.	20070	2. Facility	/ Owner Info	rmation		Langue de la langu	
County	WI Uniqu	ue Well # of	Townson Deliver	icap#	F F 10 4 4 10 10 1 1 1	1011111111111	Facility Nam	SERVED TO THE PARTY OF THE	Copy (14072403) 1083550	Carlotte Service Service	AND SECURITION OF SECURITION O	
OUTAGAMIE	Remove	d Well VR6	66				5-025/eF 4 .	Korth Pro	perty			
	<u> </u>						Facility ID (F	ID or PWS)				
Lattitude / Longitude (Degr	rees and	COLUMN TO COLUMN TO THE OWNER OF THE OWNER	lethod (Code (s	see instruc	tions)	# 7		445198270			
44_ • _15.76		'N					License/Pen	mit/Monitoring	P			
88 * _25.93 .		·w										
14/4 NW 14 SV	v	Section	Town	shin	Range r.	v1E	Original Wel	l Owner				
or Gov't Lot #		27	21		17	~J	Robert Korth					
Well Street Address			1 21	N	Α/	W	Present Wel	l Owner				
1629 West Washington S	44	Q.						Rob	ert Korth			
Well City, Village or Town	treet			Mall	ZIP Code	-	Mailing Add	ress of Present	Owner			
Appleton				1)13-				N2982 Ste	eple Dr.		
Subdivision Name				Lot #	713-		City of Prese	ent Owner		State	ZIP Code	
Subdivision Name				LUL W				Applet	Winds or service or se	WI	54913-	
Reason For Removal From	Service	WI Uniqu	e Well #	of Rep	placement	Well	4. Pump, I	Iner, Screen	, Casing & Se	aling Mate	The second secon	
Sampling Complete							Pump and piping removed?					
3. Well / Drillhole / Bor	ehole Ir	formation		1.H		en inc	Liner(s) n	emoved?			Yes No XN	
	A STATE AND THE PARTY OF THE	riginal Con	THE RESERVE	Date	(mm/dd/yy	(VV)	Screen re	moved?			Yes [X]No IN	
Monitoring Well .	Monitoring Well . 7/10/2017				Casing left in place? [X]Yes No N/A							
Water Well If a Well Construction Report is available,			ble.	Was casing cut off below surface? [x]Yes □ No □ N/A								
Borehole / Dritthole		lease attac				,	0. 101-9-30 90.1139-301	ng material rise			Yes No No	
Construction Type:								ial settle after 2			Yes [X]No IN	
[X] Drilled ·	Oriven (Sa	andpoint)	Г	Dua			1000 3000 8000 8000	, was hole reto			. [x].	
Other (specify):					4				ed, were they hy safe source?	wireted		
						_		And the second second second second	THE RESERVE OF THE PERSON NAMED IN COLUMN TWO IS NOT THE OWNER.	The second second	Yes $\square_{No} \ [\mathtt{x}]_{N}$	
Formation Type:		_					grand .		Sealing Materia			
X Unconsolidated Form	The state of the s		Bedroc	177				ctor Pipe-Gravit led & Poured	2 3	or Pipe-Pump		
Total Well Depth From Gro		ace (ft.) Ca	asing Di	ameter			(Bento	nite Chips)	L^J Other (Ex	ptain): Gra	vity	
	- 13		-		2		Sealing Mate	erials		_		
Lower Drillhole Diameter (in.) 8.25			asing De	Depth (ft.)				ement Grout	Ļ		d Slurry (11 lb./gal.)	
	0.2						F-1	Cement (Concre	te) Grout		-Sand Slurry " "	
Was well annular space gr	outed?	$[x]_Y$	es [No	Unk	nown	☐ Concre		L	Bentonite	•	
If yes, to what depth (feet)?		Depth to		/foot\					onitoring Well Bo	-		
The state of the s		Deptin	, Marci	(icci)	2.40		X Benton		-	tonite - Ceme		
2	TAN DELIBORITA		VI COLORES	WALE DE LA COLUMN	3.42	1	☐ Granul	ar Bentonite	☐ Ben	tonite - Sand	Slurry	
Material Used To Fill V	Well / Dri	Ilhole .	light.				From (ft.)	To (ft)	lbs			
Benotonite chips							Surface	13	20.8			
A CONTROL OF THE PART OF THE PART	A PERMIT	P45, 9317, AX 1, 24	27 11 Sapar	1.0000	s-ennines ari	1 King 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	Wan Jakes to Sell		Unionsetalus zaus	SHE SECOND	(#900011211110111111111111111111111111111	
6. Comments			Childha-1						THE WALL		物种的影片。	
Monitoring Well MW-3		30.										
7. Supervision of Work	T-1 (4) T-1 T-1 T-1	Link			in the state of the	51 2	5,4,414.			DNR Use		
Name of Person or Firm Do	olng Fillin	g & Sealing	Licer	se#	Date	e of Fill	ing & Sealing	(mm/dd/yyyy)	Date Received	Not	ed By	
Ben Nelson (METCO)							114/20		经营销工程	Papada Uta	Bungkan libbas	
Street or Route							ephone Nun		Comments			
709 Gille	ette St., s						608) 781-8879		发送 "你你是严利期期的"			
City			State	ZIP (Person Doing		Dat	e Signed	
La Crosse	*		WI	54	603-		Dev	in M	an		1/15/2020	

Well / Drillhole / Borehole Filling & Sealing Form 3300-005 (R 4/08) Page 1 o

Page 1 of 2 Notice: Completion of this report is required by chs. 160, 281, 283, 289, 291-293, 295, and 299, Wis. Stats., and ch. NR 141, Wis. Adm. Code. In accordance with chs. 281, 289, 291-293, 295, and 299, Wis. Stats., failure to file this form may result in a forfeiture of between \$10-25,000, or imprisonment for up to one year, depending on the program and conduct involved. Personally identifiable information on this form is not intended to be used for any other purpose. Return form to the appropriate DNR office and bureau. See instructions on reverse for more information.

[x]Verification Only of Fill	and Seal	Drinking Waste M	Water anagemen		Watershed/W	/aslewater	[x]Remedi	iation/Redevelo	opment	
1. Well Location Information	Machinello (15 auchadh					formation.	erenesia in company	SERVICE CONTRACTOR		
County WI Unit	que Well # of ed Well VR667_	Hicap #	15-585(E-W1)	Facility Nam	e Korth I	Property	Skuldike 1911s		MANAGE	
Lattitude / Longitude (Degrees and 44 • 15.76		d Code (see ins	structions)		FID or PWS)	445198270)	*		
88 - 25.93	'N			License/Per	mit/Monitoring	g#				
WIN NW W SW	Section Toy	wnship Range	Ix1E	Original We		1 4 77 - 41				
or Gov't Let #	27 2	21 N 17	Π̈́w	Present We		bert Korth				
Well Street Address			- Marine	resent vve		obert Korth				
1629 West Washington Street	*			Mailing Add	ress of Prese					
Well City, Village or Town		Well ZIP Co	de	Tricking I is a		N2982 St	eeple Dr.			
Appleton		54913-		City of Pres	ent Owner		State	ZIP Code		
Subdivision Name		Lot#			App	leton	wi	54913-		
Reason For Removal From Service	e WI Unique We	II # of Replacem	ent Well	4. Pump,	Liner, Scree	n, Casing & Se	ealing Mate	rial 📗 💮		
Sampling Complete				Pump and plping removed?						
3. Well / Drillhole / Borehole Information				Liner(s) removed?						
r-1 Original Construction Date (mm/dd/yyyy)			Screen re				Yes [x]No	□ N/A		
X Monitoring Well .	10/2017	33331	E	ft in place?			Yes No	□N/A		
Water Well If a Well Construction Report is			vailable	- menorous and the sand	ng cut off bel	ow eurface?	[x]	Yes No	DNA	
Borehole / Dritthole	please attach.	acti etapari la al		1	Ser Service	se to surface?	[x]	Yes DNo	□N/A	
Construction Type:					rial settle afte			Yes [X]No	D _{N/A}	
[X] Drilled Driven (Sandpoint) Dug			If yes, was hole retopped?							
Other (specify):					If bentonite chips were used, were they hydrated with water from a known safe source?					
Formation Type:						ng Sealing Materia				
X Unconsolidated Formation Bedrock					Conductor Pipe-Gravity Conductor Pipe-Pumped					
Total Well Depth From Ground Surface (ft.) Casing Diameter (in.) 13 2					Screened & Poured (Bentonite Chips) Sealing Materials [X] Other (Explain): Gravity					
Lower Drillhole Diameter (in.) 8.25 Casing Depth (ft.) 3				Neat Cement Grout Clay-Sand Slurry (11 lb./gal. wt.) Sand-Cement (Concrete) Grout Bentonite-Sand Slurry "						
Was well annular space grouted?	[X] _{Yes}		Unknown	Concri For Monitori		Monitoring Well B	Bentonite oreholes Only			
If yes, to what depth (feet)?	Depth to Wat	ter (feet) 3.51		X Benton	nite Chips	Bei	ntonite - Cem	ent Grout		
5. Material Used To Fill Well / D	rillhole			From (ft.)	ar Bentonite To (ft.)	lbs	ntonne - Sano]		
Benotonite chips	The state of the section of	ruar tarians, man	C Laboratorial St.	Surface	13	20.8			-	
	*			- Con Mico	13	20.0				
6. Comments	- 250 V-40 at 15	7,751,759	716 35 113	1063	NAME OF STREET	To be to the what	TRUCK CO		ALEXAND	
Monitoring Well MW-4	e e e e e e e e e e e e e e e e e e e	August Carrier Ville	12. 1. 11. 11.	a review the self		win little talifi hezale	matty Hillship			
7. Supervision of Work		(* 1 _{0.5} 15.74.	144.4	te que la			DNR Use			
Name of Person or Firm Doing Fill	ing & Sealing Lic	ense#	Date of Fill	ing & Sealin	g (mm/dd/yyy	y) Date Receive	d No	ted By	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	

7. Supervision of Work			DNR Use Only	
Name of Person or Firm Doing Filling & Sealing Ben Nelson (METCO)	g License#	Date of Filling & Sealing (mm/dd/yyyy)	Date Received Noted By	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1
Street or Route 709 Gillette St., ste.3		Telephone Number (608) 781-8879	Comments	
City La Crosse	State ZIP Co WI 5466		Nork Date Signed 1/15/2020	***************************************

City

La Crosse

Well / Drillhole / Borehole Filling & Sealing Form 3300-005 (R 4/08)

Page 1 of 2

Notice: Completion of this report is required by chs. 160, 281, 283, 289, 291-293, 295, and 299, Wis, Stats., and ch. NR 141, Wis, Adm. Code. In accordance with chs. 281, 289, 291-293, 295, and 299, Wis. Stats., failure to file this form may result in a forfeiture of between \$10-25,000, or imprisonment for up to one year, depending on the program and conduct involved. Personally identifiable information on this form is not intended to be used for any other purpose. Return form to the appropriate DNR office and bureau. See instructions on reverse for more information. Route to: X Remediation/Redevelopment Drinking Water Watershed/Wastewater [X] Verification Only of Fill and Seal Waste Management Other: 1. Well Location Information 2. Facility / Owner Information County WI Unique Well # of acility Name Hicap # Removed Well **Korth Property** VR668 **OUTAGAMIE** acility ID (FID or PWS) Lattitude / Longitude (Degrees and Minutes) Method Code (see instructions) 445198270 15.76 .icense/Permit/Monitoring# 88 25.93 · W Original Well Owner 1/4/1/4 Section ownship Range X E Robert Korth or Gov't Lot # 27 21 17 W resent Well Owner Well Street Address Robert Korth 1629 West Washington Street Mailing Address of Present Owner Well ZIP Code Well City, Village or Town N2982 Steeple Dr. Appleton 54913-City of Present Owner ZIP Code State Subdivision Name ot# 54913-WI Appleton Pump, Liner, Screen, Casing & Sealing Material WI Unique Well # of Replacement Well Reason For Removal From Service Pump and piping removed? Sampling Complete Liner(s) removed? 3. Well / Drillhole / Borehole Information Yes [X] No Original Construction Date (mm/dd/yyyy) Screen removed? X Monitoring Well 7/10/2017 Casing left in place? Water Well If a Well Construction Report is available, Was casing cut off below surface? Borehole / Dritthole please attach. X Yes L No Did sealing material rise to surface? Construction Type: [X]_{No} Did material settle after 24 hours? X Drilled Driven (Sandpoint) Dug If yes, was hole retopped? If bentonite chips were used, were they hydrated with water from a known safe source? Other (specify): Required Method of Placing Sealing Material Formation Type: Conductor Pipe-Gravity Conductor Pipe-Pumped X Unconsolidated Formation Bedrock Screened & Poured (Bentonite Chips) X Other (Explain): Gravity Total Well Depth From Ground Surface (ft.) Casing Diameter (in.) 2 13 Sealing Materials Lower Drillhole Diameter (in.) Casing Depth (ft.) Neat Cement Grout Clay-Sand Slurry (11 lb./gal. wt.) 3 8.25 Bentonite-Sand Slurry " " Sand-Cement (Concrete) Grout Concrete Bentonite Chips [x]_{Yes} No Unknown Was well annular space grouted? or Monitoring Wells and Monitoring Well Boreholes Only: If yes, to what depth (feet)? Depth to Water (feet) X Bentonite Chips Bentonite - Cement Grout 3.03 Granular Bentonite Bentonite - Sand Slurry 5. Material Used To Fill Well / Drillhole From (ft.) To (ft.) lbs Benotonite chips Surface 20.8 13 6. Comments Monitoring Well MW-5 7. Supervision of Work **DNR Use Only** Name of Person or Firm Doing Filling & Sealing Date of Filling & Sealing (mm/dd/yyyy) Date Received Noted By icense # 1/14/2020 Ben Nelson (METCO) Street or Route Telephone Number Comments 709 Gillette St., ste.3 (608) 781-8879

ZIP Code

54603-

Signature of Rerson Doing Work

Date Signed

1/15/2020

State

WI

Street or Route

La Crosse

City

709 Gillette St., ste.3

State

WI

ZIP Code

54603-

Well / Drillhole / Borehole Filling & Sealing

Page 1 of 2

Form 3300-005 (R 4/08) Notice: Completion of this report is required by chs. 160, 281, 283, 289, 291-293, 295, and 299, WIs. Stats., and ch. NR 141, Wis. Adm. Code. In accordance with chs. 281, 289, 291-293, 295, and 299, Wis. Stats., failure to file this form may result in a forfeiture of between \$10-25,000, or imprisonment for up to one year, depending on the program and conduct involved. Personally identifiable information on this form is not intended to be used for any other purpose. Return form to the appropriate DNR office and bureau. See instructions on reverse for more information. Route to: X Remediation/Redevelopment Drinking Water Watershed/Wastewater [X] Verification Only of Fill and Seal Waste Management 1. Well Location Information 2. Facility / Owner Information WI Unique Well # of Removed Well County Hicap # acility Name Korth Property **OUTAGAMIE** acility ID (FID or PWS) Lattitude / Longitude (Degrees and Minutes) Method Code (see instructions) 445198270 15.76 icense/Permit/Monitoring# 88 25,93 Original Well Owner 1/4/1/4 NW Section ownship Range SW X E Robert Korth or Gov't Lot # 27 21 17 resent Well Owner Well Street Address Robert Korth 1629 West Washington Street Mailing Address of Present Owner Well City, Village or Town Well ZIP Code N2982 Steeple Dr. Appleton 54913-City of Present Owner ZIP Code Subdivision Name Lot# 54913-WI Appleton 4. Pump, Liner, Screen, Casing & Sealing Material Reason For Removal From Service WI Unique Well # of Replacement Well Yes No Pump and piping removed? Sampling Complete Yes No XNA 3. Well / Drillhole / Borehole Information Liner(s) removed? ☐Yes [X]No ☐NA Original Construction Date (mm/dd/yyyy) Screen removed? [X] Monitoring Well . [x]Yes No No NA 10/25/2018 Casing left in place? Water Well [X]Yes ONO ONA If a Well Construction Report is available, Was casing cut off below surface? Borehole / Dritthole please attach. [X]Yes \square_{No} Did sealing material rise to surface? Construction Type: Tyes [X]No Did material settle after 24 hours? X Drilled Driven (Sandpoint) Dug If yes, was hole retopped? ☐Yes ☐No XIN/A If bentonite chips were used, were they hydrated with water from a known safe source? Other (specify): Required Method of Placing Sealing Material Formation Type: Conductor Pipe-Gravity Conductor Pipe-Pumped X Unconsolidated Formation Bedrock Screened & Poured X Other (Explain): Gravity Total Well Depth From Ground Surface (ft.) Casing Diameter (in.) (Bentonite Chips) 13 Sealing Materials Lower Drillhole Diameter (in.) Casing Depth (ft.) **Neat Cement Grout** Clay-Sand Slurry (11 lb./gal. wt.) 3 8.25 Sand-Cement (Concrete) Grout Bentonite-Sand Slurry " " Concrete Bentonite Chips [x]_{Yes} No Unknown Was well annular space grouted? For Monitoring Wells and Monitoring Well Boreholes Only: If yes, to what depth (feet)? Depth to Water (feet) [X] Bentonite Chips Bentonite - Cement Grout 3.22 Granular Bentonite Bentonite - Sand Slurry 5. Material Used To Fill Well / Drillhole From (ft.) To (ft) lbs Benotonite chips Surface 20.8 13 6. Comments Monitoring Well MW-6 7. Supervision of Work **DNR Use Only** Name of Person or Firm Doing Filling & Sealing Noted By Date of Filling & Sealing (mm/dd/yyyy) License # Date Received Ben Nelson (METCO) 1/14/2020

Telephone Number

608) 781-8879

Signature of Person Doing Work

Comments

Date Signed

1/15/2020