

Source Property Information

BRRTS #:	03-65-002635	Closure Date:	6/26/13
ACTIVITY NAME:	Coachmans Terrace Mobil Home Park	FID#:	265015080
PROPERTY ADDRESS:	W3540 State Rd 50	DATCP#:	N/A
MUNICIPALITY:	Lake Geneva	PECFA #:	53147-3497-40-A
PARCEL ID#:	JG 34 00005A		

***WTM Coordinates:**

X:	645029	Y:	236626
----	--------	----	--------

**Coordinates are in WTM83, NAD83 (1991)*

WTM Coordinates Represent:

- Approximate Center of Contaminant Source
- Approximate Source Parcel Center

Please check as appropriate: (BRRTS Action Code)

Contaminated Media:

- | | |
|--|--|
| <input type="checkbox"/> <u>Groundwater</u> Contamination > ES (236) | <input checked="" type="checkbox"/> <u>Soil</u> Contamination > *RCLs or **SSRCL (232) |
| <input type="checkbox"/> Groundwater Contamination in ROW | <input type="checkbox"/> Soil Contamination in ROW |
| <input type="checkbox"/> Off-Source Contamination | <input type="checkbox"/> Off-Source Contamination |

(note: for list of impacted off-source properties see attached list of "Impacted Off-Source Property")

(note: for list of impacted off-source properties see attached list of "Impacted Off-Source Property")

Land Use Controls:

- | | |
|---|---|
| <input type="checkbox"/> Soil: maintain industrial zoning (220) | <input type="checkbox"/> Cover or Barrier (222) |
| <input checked="" type="checkbox"/> Structural Impediment (224) | <input type="checkbox"/> Vapor Mitigation (226) |
| <input type="checkbox"/> Site-Specific Condition (228) | <input type="checkbox"/> Maintain Liability Exemption (230) |

(note: soil contaminant concentrations between residential and industrial levels)

(note: maintenance plan for groundwater or direct contact)

(note: local government or economic development corporation)

Monitoring wells properly abandoned? (234)

- Yes
 No
 N/A

This Adobe Fillable form is intended to provide a list of information that is required for evaluation for case closure. It is to be used in conjunction with Form 4400-202, Case Closure Request. The closure of a case means that the Department has determined that no further response is required at that time based on the information that has been submitted to the Department.

NOTICE: Completion of this form is mandatory for applications for case closure pursuant to ch. 292, Wis. Stats. and ch. NR 726, Wis. Adm. Code, including cases closed under ch. NR 746 and ch. NR 726. The Department will not consider, or act upon your application, unless all applicable sections are completed on this form and the closure fee and any other applicable fees, required under ch. NR 749, Wis. Adm. Code, Table 1 are included. It is not the Department's intention to use any personally identifiable information from this form for any purpose other than reviewing closure requests and determining the need for additional response action. The Department may provide this information to requesters as required by Wisconsin's Open Records law [ss. 19.31 - 19.39, Wis. Stats.].

BRRTS #: (No Dashes) PARCEL ID #:

ACTIVITY NAME:

CLOSURE DOCUMENTS (The Department adds these items to the final GIS packet for posting on the Registry)

- Closure Letter**
- Maintenance Plan** (If activity is closed with a land use limitation or condition (land use control) under s. 292.12, Wis. Stats.)
- Continuing Obligation Cover Letter** (for property owners affected by residual contamination and/or continuing obligations)
- Conditional Closure Letter**
- Certificate of Completion (COC)** (for VPLE sites)

SOURCE LEGAL DOCUMENTS

- Deed:** The most recent deed as well as legal descriptions, for the **Source Property** (where the contamination originated). Deeds for other, off-source (off-site) properties are located in the **Notification** section.
Note: If a property has been purchased with a land contract and the purchaser has not yet received a deed, a copy of the land contract which includes the legal description shall be submitted instead of the most recent deed. If the property has been inherited, written documentation of the property transfer should be submitted along with the most recent deed.
- Certified Survey Map:** A copy of the certified survey map or the relevant section of the recorded plat map for those properties where the legal description in the most recent deed refers to a certified survey map or a recorded plat map. (lots on subdivided or platted property (e.g. lot 2 of xyz subdivision)).
Figure #: **Title: ALTA/ACSM Land Title Survey of**
- Signed Statement:** A statement signed by the Responsible Party (RP), which states that he or she believes that the attached legal description accurately describes the correct contaminated property.

MAPS (meeting the visual aid requirements of s. NR 716.15(2)(h))

- Maps must be no larger than 11 x 17 inches unless the map is submitted electronically.
- Location Map:** A map outlining all properties within the contaminated site boundaries on a U.S.G.S. topographic map or plat map in sufficient detail to permit easy location of all parcels. If groundwater standards are exceeded, include the location of all potable wells within 1200 feet of the site.
Note: Due to security reasons municipal wells are not identified on GIS Packet maps. However, the locations of these municipal wells must be identified on Case Closure Request maps.
Figure #: **Title: Site Location Map**
 - Detailed Site Map:** A map that shows all relevant features (buildings, roads, individual property boundaries, contaminant sources, utility lines, monitoring wells and potable wells) within the contaminated area. This map is to show the location of all contaminated public streets, and highway and railroad rights-of-way in relation to the source property and in relation to the boundaries of groundwater contamination exceeding a ch. NR 140 Enforcement Standard (ES), and/or in relation to the boundaries of soil contamination exceeding a Residual Contaminant Level (RCL) or a Site Specific Residual Contaminant Levels (SSRCL) as determined under s. NR 720.09, 720.11 and 720.19.
Figure #: **Title: Site Layout Map**
 - Soil Contamination Contour Map:** For sites closing with residual soil contamination, this map is to show the location of all contaminated soil and a single contour showing the horizontal extent of each area of contiguous residual soil contamination that exceeds a Residual Contaminant Level (RCL) or a Site Specific Residual Contaminant Level (SSRCL) as determined under s. NR 720.09, 720.11 and 720.19.
Figure #: **Title: Soil Contamination Map (April 4, 2012)**

BRRTS #: 03-65-002635

ACTIVITY NAME: Coachman's Terrace Mobile Home Park

MAPS (continued)

Geologic Cross-Section Map: A map showing the source location and vertical extent of residual soil contamination exceeding a Residual Contaminant Level (RCL) or a Site Specific Residual Contaminant Level (SSRCL). If groundwater contamination exceeds a ch. NR 140 Enforcement Standard (ES) when closure is requested, show the source location and vertical extent, water table and piezometric elevations, and locations and elevations of geologic units, bedrock and confining units, if any.

Figure #: Title: **Cross-Section Close Up Map**

Figure #: Title: **Geologic Cross-Section**

Groundwater Isoconcentration Map: For sites closing with residual groundwater contamination, this map shows the horizontal extent of all groundwater contamination exceeding a ch. NR 140 Preventive Action Limit (PAL) and an Enforcement Standard (ES). Indicate the direction and date of groundwater flow, based on the most recent sampling data.

Note: This is intended to show the total area of contaminated groundwater.

Figure #: Title:

Groundwater Flow Direction Map: A map that represents groundwater movement at the site. If the flow direction varies by more than 20° over the history of the site, submit 2 groundwater flow maps showing the maximum variation in flow direction.

Figure #: Title:

Figure #: Title:

TABLES (meeting the requirements of s. NR 716.15(2)(b)(3))

Tables must be no larger than 11 x 17 inches unless the table is submitted electronically. Tables must not contain shading and/or cross-hatching. The use of **BOLD** or *ITALICS* is acceptable.

Soil Analytical Table: A table showing remaining soil contamination with analytical results and collection dates.
Note: This is one table of results for the contaminants of concern. Contaminants of concern are those that were found during the site investigation, that remain after remediation. It may be necessary to create a new table to meet this requirement.

Table #: Title: **Soil Analytical Results Summary**

Groundwater Analytical Table: Table(s) that show the most recent analytical results and collection dates, for all monitoring wells and any potable wells for which samples have been collected.

Table #: Title:

Water Level Elevations: Table(s) that show the previous four (at minimum) water level elevation measurements/dates from all monitoring wells. If present, free product is to be noted on the table.

Table #: Title:

IMPROPERLY ABANDONED MONITORING WELLS

For each monitoring well not properly abandoned according to requirements of s. NR 141.25 include the following documents.

Note: If the site is being listed on the GIS Registry for only an improperly abandoned monitoring well you will only need to submit the documents in this section for the GIS Registry Packet.

Not Applicable

Site Location Map: A map showing all surveyed monitoring wells with specific identification of the monitoring wells which have not been properly abandoned.

Note: If the applicable monitoring wells are distinctly identified on the Detailed Site Map this Site Location Map is not needed.

Figure #: Title:

Well Construction Report: Form 4440-113A for the applicable monitoring wells.

Deed: The most recent deed as well as legal descriptions for each property where a monitoring well was not properly abandoned.

Notification Letter: Copy of the notification letter to the affected property owner(s).

BRRTS #: 03-65-002635

ACTIVITY NAME: Coachman's Terrace Mobile Home Park

NOTIFICATIONS

Source Property

Not Applicable

Letter To Current Source Property Owner: If the source property is owned by someone other than the person who is applying for case closure, include a copy of the letter notifying the current owner of the source property that case closure has been requested.

Return Receipt/Signature Confirmation: Written proof of date on which confirmation was received for notifying current source property owner.

Off-Source Property

Group the following information per individual property and label each group according to alphabetic listing on the "Impacted Off-Source Property" attachment.

Not Applicable

Letter To "Off-Source" Property Owners: Copies of all letters sent by the Responsible Party (RP) to owners of properties with groundwater exceeding an Enforcement Standard (ES), and to owners of properties that will be affected by a land use control under s. 292.12, Wis. Stats.

Note: Letters sent to off-source properties regarding residual contamination must contain standard provisions in Appendix A of ch. NR 726.

Number of "Off-Source" Letters:

Return Receipt/Signature Confirmation: Written proof of date on which confirmation was received for notifying any off-source property owner.

Deed of "Off-Source" Property: The most recent deed(s) as well as legal descriptions, for all affected deeded **off-source** property(ies). This does not apply to right-of-ways.

Note: If a property has been purchased with a land contract and the purchaser has not yet received a deed, a copy of the land contract which includes the legal description shall be submitted instead of the most recent deed. If the property has been inherited, written documentation of the property transfer should be submitted along with the most recent deed.

Certified Survey Map: A copy of the certified survey map or the relevant section of the recorded plat map for those properties where the legal description in the most recent deed refers to a certified survey map or a recorded plat map. (lots on subdivided or platted property (e.g. lot 2 of xyz subdivision)).

Figure #: Title:

Letter To "Governmental Unit/Right-Of-Way" Owners: Copies of all letters sent by the Responsible Party (RP) to a city, village, municipality, state agency or any other entity responsible for maintenance of a public street, highway, or railroad right-of-way, within or partially within the contaminated area, for contamination exceeding a groundwater Enforcement Standard (ES) and/or soil exceeding a Residual Contaminant Level (RCL) or a Site Specific Residual Contaminant Level (SSRCL).

Number of "Governmental Unit/Right-Of-Way Owner" Letters:



STATE OF WISCONSIN
Department of Safety and Professional Services

2514 Morse Street
Janesville, Wisconsin 53545-4431

Email: dps@wisconsin.gov
Web: <http://dps.wi.gov>

Governor Scott Walker **Secretary Dave Ross**

June 26, 2013

Jim Reitzner
Coachman's Terrace Community LLC
PO Box 170872
Milwaukee, WI 53217

RE: **Final Closure with a Land Use Limitation for a Structural Impediment**
PECFA # 53147-3497-40-A DNR BRRTS # 03-65-002635
Coachmans Terrace Mobil Home Park, W3540 State Rd 50, Lake Geneva

Dear Mr. Reitzner:

The Wisconsin Department of Safety and Professional Services (DPS) has reviewed the request for case closure prepared by your consultant, METCO, for the site referenced above. It is understood that residual soil contamination remains on site. This letter serves as written notice that no further investigation or remedial action is necessary. DPS has determined that this site does not pose a significant threat to human health or the environment as long as current and subsequent property owners adhere to the following limitation:

If the *garage located next to the former tank* is removed, an investigation of the degree and extent of petroleum contamination must be conducted and the results reported to DPS.

Please be aware that compliance with the requirements of this letter is a responsibility to which you, the current property owner and any subsequent property owners must adhere, pursuant to section 292.12, Wisconsin Stats. If these requirements are not followed, DPS may take enforcement action under section 292.11, Wis. Stats., to ensure compliance with the specified requirements, limitations or other conditions related to the property, or this case may be reopened pursuant to section NR 726.09, Wis. Administrative Code.

Failure to investigate the degree and extent of petroleum contamination if the impediment is removed may result in financial penalties from \$10 to \$5,000 per day in accordance with section 292.99(1), Wis. Stats. This limitation makes it unnecessary to conduct additional activities on the property at this time. In the future, you may request that DPS review *new* information to determine if the limitation requirement can be changed or removed.

This site is now listed as "closed" on the DPS database and will be included on the Department of Natural Resources (DNR) Geographic Information System (GIS) Registry of Closed Remediation Sites to address residual soil and/or groundwater contamination. To review the sites on the GIS Registry web page, visit <http://dnr.wi.gov/topic/Brownfields/rism.html>. It is in your best interest to keep all documentation related to the environmental activities at your site. If it is determined that any remaining contamination poses a threat, the case may be reopened and further investigation or remediation may be required.

If you intend to construct or reconstruct a potable well on this property, you must get prior DNR approval. To obtain approval, complete Form 3300-254, GIS Registry Site Well Approval Application, and submit it to

the DNR Drinking and Groundwater program's regional water supply specialist. This form can be obtained on-line at the web page listed above.

All current and future owners and occupants of the property need to be aware that excavation of contaminated soil may pose a hazard. Special precautions may be needed to prevent inhalation, ingestion or dermal contact with the residual contamination when it is removed. If soil is excavated, the property owner at the time of excavation must have the soil sampled and analyzed to determine if residual contamination remains. If sampling confirms that contamination is present, the property owner at the time of excavation must determine whether the material would be considered solid or hazardous waste and ensure that any storage, treatment or disposal is in compliance with applicable statutes and rules.

Depending on site-specific conditions, construction over contaminated materials may result in vapor migration into enclosed structures or migration along newly placed underground utility lines. The potential for vapor inhalation and migration should be evaluated when planning any future redevelopment, and measures should be taken to ensure the continued protection of public health, safety, welfare and the environment at the site.

Thank you for your efforts to protect Wisconsin's environment. If you have any questions, please contact me in writing at the letterhead address or by telephone at (608) 758-4934.

Sincerely,



Shawn A. Wenzel
Hydrogeologist
PECFA Site Review Section

cc: Jason Powell, METCO

DOCUMENT NO.

RECORDED IN VOL. 660

PAGE 5123

'99 JAN 6 AM 10 00

CONNIE J. WOOLEVER
REGISTER OF DEEDS
WALWORTH COUNTY, WI

This Deed, made between Coachman's Terrace a
California Limited Partnership

Grantor,
and Key Development Group, LLC, a Wisconsin
Corporation

Grantee,
Grantor

conveys to Grantee the following described real estate in Walworth
County, State of Wisconsin:

THIS SPACE RESERVED FOR RECORDING DATA

NAME AND RETURN ADDRESS SECURITY TITLE COMPANY
Stephen L. Chermak MILWAUKEE WISCONSIN ST.
Godfrey & Kahn MILWAUKEE, WISCONSIN 53121
780 N. Water Street 10.00
Milwaukee, WI 53202 66566

JG 34 00005
JG 34 00005A
PARCEL IDENTIFICATION NUMBER


A parcel of land located in the Northwest 1/4 and the Southwest 1/4 of Section 34, Town 2 North, Range 17 East, Town of Geneva, Walworth County, Wisconsin; described as follows, begin at a found iron pipe on the easterly line of Outlot 1 of Pappas Subdivision and the southerly line of Wildwood Subdivision; thence N 88°51'30"E 967.97 feet along the southerly line of Wildwood Subdivision to a found iron rod at the northwest corner of Certified Survey Map No. 115; thence S 1°34'27"E along the westerly line of said Certified Survey Map 670.78 feet to a found iron pipe; thence S 1°19'14"E 655.18 feet to a found iron pipe on the northerly right-of-way line of S.T.H. "50"; thence S 75°12'54"W 683.84 feet along said northerly right-of-way line to a found iron pipe; thence N 1°18'22"W 816.81 feet to a found iron pipe; thence N 89°32'08"W 338.45 feet to a found iron pipe on the easterly line of Outlot 1 of Pappas Subdivision; thence N 1°28'06"E along the easterly line of said subdivision 661.64 feet to the point of beginning.

This is not homestead property.
(is) (is not)

Together with all and singular the hereditaments and appurtenances thereunto belonging;
And Grantor

warrants that the title is good, indefeasible in fee simple and free and clear of encumbrances except municipal and zoning ordinances and agreements entered under them, recorded easements for the distribution of utility and municipal services, recorded building and use restrictions and covenants, general taxes levied in the year of closing and will warrant and defend the same.

Dated this 18th day of November, 1998

 (SEAL)
BARBARA J. LIEN
Comm. # 1079222
NOTARY PUBLIC - CALIFORNIA
Orange County
My Comm. Expires Dec. 3, 1999

Coachman's Terrace, a California
Limited Partnership, (SEAL)

* By: Atikamin, Inc., General Partner
By: Calvin M. Leung (SEAL)
* Calvin M. Leung, President

AUTHENTICATION

TRANSFER
\$ 3000.00
FEE

ACKNOWLEDGMENT

Signature(s) _____
authenticated this _____ day of _____, 19____

State of California,
Wisconsin, } ss.
ORANGE County.
Personally came before me this 18th day of
NOVEMBER, 1998, the above named

Calvin M. Leung, President

TITLE: MEMBER STATE BAR OF WISCONSIN
(If not, _____
authorized by §706.06, Wis. Stats.)

to me known to be the person _____ who executed the foregoing instrument and acknowledge the same.

THIS INSTRUMENT WAS DRAFTED BY
Attorney Steven A. Koch
Seymour, Kremer, Nommensen, Morrissy & Koch
(Signatures may be authenticated or acknowledged. Both are not necessary.)

Barbara J. Lien
Notary Public, ORANGE County, Calif.
My commission is permanent. (If not, state expiration date:
12/3/99, 19____)

* Names of persons signing in any capacity should be typed or printed below their signatures.

WDNR BRRTS Case #: 03-65-002635

WDNR Site Name: Coachman's Terrace Mobil Home Park

Geographic Information System (GIS) Registry of Closed Remediation Sites

In compliance with the revisions to the NR 700 rule series requiring certain closed sites to be listed on the Geographic Information System (GIS) Registry of Closed Remediation Sites (Registry) effective Nov., 2001, I have provided the following information.


To the best of my knowledge the legal descriptions provided and attached to this statement are complete and accurate.

Responsible Party:

SUSAN VAN VLEET EXECUTIVE ASSISTANT
(print name/title)

Susan VanVleet 9-13-12
(signature) (date)

TOPO! map printed on 02/08/12 from "wisconsin.tpo" and "Untitled.tpg"
88°29.000' W WGS84 88°28.000' W



MN TN
3°

88°29.000' W WGS84 88°28.000' W
0 5 1 MILE
0 1000 FEET 0 500 1000 METERS

Printed from TOPO! ©2001 National Geographic Holdings (www.topo.com)

SITE LOCATION MAP – CONTOUR INTERVAL 10 FEET
COACHMAN'S TERRACE MOBIL HOME PARK – LAKE GENEVA, WI
SEAMLESS USGS TOPOGRAPHIC MAPS ON CD-ROM

SITE LAYOUT MAP

COACHMAN'S TERRACE
MOBILE HOME PARK

METCO
709 GILLETTE ST. STE. 3
LA CROSSE, WI 54603
Tel: (608) 781-4879
Fax: (608) 781-8803


LAKE GENEVA,
WISCONSIN

DRAWN BY: ED
DATE: 2/6/12



NOTE: INFORMATION BASED ON AVAILABLE DATA. ACTUAL CONDITIONS MAY DIFFER

- - SPILL RESPONSE SOIL SAMPLING LOCATION
- - GEOPROBE BORING LOCATION
- - GAS LINE
- - BURIED ELECTRIC LINE
- =====
=====
=====
=====
=====
=====
----- - OVERHEAD ELECTRIC LINE
- - PROPERTY LINE
- - TELEPHONE/CABLE LINE
- - SANITARY SEWER LINE



SOIL CONTAMINATION
MAP (APRIL 4, 2012)
COACHMAN'S TERRACE
MOBILE HOME PARK

709 GILLETTE ST., STE. 3
LA CROSSE, WI 54603
Tel: (608) 781-8919
Fax: (608) 781-8993



LAKE GENEVA,
WISCONSIN

DRAWN BY: ED
DATE: 2/8/12

METCO
Environmental Engineering




- NOTE: INFORMATION BASED ON AVAILABLE DATA. ACTUAL CONDITIONS MAY DIFFER.
- - SPILL RESPONSE SOIL SAMPLING LOCATION
 - - GEOPROBE BORING LOCATION
- - GAS LINE
 - - BURIED ELECTRIC LINE
 - =====
=====
=====
=====
----- - OVERHEAD ELECTRIC LINE
 - - TELEPHONE/CABLE LINE
 - - PROPERTY LINE
 - - SANITARY SEWER LINE



CROSS SECTION
CLOSE UP MAP


COACHMAN'S TERRACE
MOBILE HOME PARK



100 GILLETTE ST. STE. 3
LA CROSSE, WI 54603
Tel: (608) 781-8079
Fax: (608) 781-8083

LAKE GENEVA,
WISCONSIN

DRAWN BY: ED
DATE: 2/8/02



NOTE: INFORMATION BASED ON AVAILABLE
DATA. ACTUAL CONDITIONS MAY DIFFER

■ - SPILL RESPONSE SOIL SAMPLING LOCATION

● - GEOPROBE BORING LOCATION

----- - PROPERTY LINE


----- - SANITARY SEWER LINE

----- - GAS LINE

----- - BURIED ELECTRIC LINE


===== - OVERHEAD ELECTRIC LINE

----- - TELEPHONE/CABLE LINE



**GEOLOGIC
CROSS SECTION**

**COACHMAN'S TERRACE
MOBILE HOME PARK**



709 Glendale St., Ste 3
La Crosse, WI 54603
Tel: (608) 781-8879
Fax: (608) 781-8883

**LAKE GENEVA,
WISCONSIN**



DRAWN BY: BW
DATE: 9/20/12

NOTE: SOIL SAMPLE DATA IS BASED ON LABORATORY RESULTS FROM SAMPLES COLLECTED DURING THE FOLLOWING EVENTS- SPILL RESPONSE EXCAVATION PROJECT (4/6/92) GEOPROBE PROJECT (4/4/12)

INFORMATION BASED ON AVAILABLE DATA. ACTUAL CONDITIONS MAY DIFFER.


PVOC SAMPLE RESULTS ARE PRESENTED IN PARTS PER BILLION (PPB). GRO ARE PRESENTED IN PARTS PER MILLION (PPM).

GRO - GASOLINE RANGE ORGANICS
B - BENZENE
E - ETHYLBENZENE
N - NAPHTHALENE
T - TOLUENE
TMB - TRIMETHYLBENZENE
X - XYLENE




- - SPILL RESPONSE SOIL SAMPLING LOCATION
- - GEOPROBE BORING LOCATION
- - SOIL SAMPLE LOCATION - GEOPROBE
- ▲ - HAND SAMPLE LOCATION

SCALE:
1 INCH = 10 FEET



SCALE:
1 INCH = 5 FEET

Soil Analytical Results Summary
 Coachman's Terrace Mobile Home Park BRRTS# 03-65-002635

Sample ID	Depth (feet)	Date	PID	Lead (ppm)	GRO (ppm)	Benzene (ppb)	Ethyl Benzene (ppb)	MTBE (ppb)	Naphthalene (ppb)	Toluene (ppb)	1,2,4-Trime-thylbenzene (ppb)	1,3,5-Trime-thylbenzene (ppb)	Xylene (Total) (ppb)	Other VOC's (ppb)
9212 (6)	2	04/06/92	NM	NS	<5	NS	NS	NS	NS	NS	NS	NS	NS	NS
9213 (1)	Surface	04/06/92	NM	NS	<5	NS	NS	NS	NS	NS	NS	NS	NS	NS
9214 (2)	Surface	04/06/92	NM	NS	120	NS	NS	NS	NS	NS	NS	NS	NS	NS
9215 (3)	Surface	04/06/92	NM	NS	860	NS	NS	NS	NS	NS	NS	NS	NS	NS
9216 (4)	2	04/06/92	NM	NS	18	NS	NS	NS	NS	NS	NS	NS	NS	NS
9217 (5)	2	04/06/92	NM	NS	<5	NS	NS	NS	NS	NS	NS	NS	NS	NS
9218	Stockpile	04/06/92	NM	NS	1600	<1420	9700	NS	NS	32000	NS	NS	63000	ND
G-1-1	3.5	04/04/12	0	7.1	<10	<25	<25	<25	<25	<25	<25	<25	<75	NS
G-1-2	8	04/04/12	0	NS	<10	<25	<25	<25	<25	<25	<25	<25	<75	NS
G-1-3	12	04/04/12	0	NS	<10	<25	<25	<25	<25	<25	<25	<25	<75	NS
G-1-4	16	04/04/12	0	NS	<10	<25	<25	<25	<25	<25	<25	<25	<75	NS
G-1-5	20	04/04/12	0	NS	<10	<25	<25	<25	<25	<25	<25	<25	<75	NS
G-2-1	3.5	04/04/12	50	11	400	190	1200	<12	4700	<50	9100	3100	4830	SEE VOC'S SHEET
G-2-2	8	04/04/12	40	NS	530	560	3700	<250	16000	316	18500	8800	8920	NS
G-2-3	12	04/04/12	5	NS	254	<250	279	<250	1400	<250	1670	2550	1220	NS
G-2-4	16	04/04/12	0	NS	<10	<25	<25	<25	<25	<25	<25	<25	<75	NS
G-2-5	20	04/04/12	0	NS	<10	<25	<25	<25	<25	<25	33	<25	<75	NS
G-3-1	3.5	04/04/12	0	14	<10	<25	<25	<25	<25	<25	<25	<25	<75	NS
G-3-2	8	04/04/12	5	NS	90	44	232	<25	490	45	540	840	523	NS
G-3-3	12	04/04/12	0	NS	<10	<25	<25	<25	31.2	27.8	<25	470	<75	NS
G-3-4	16	04/04/12	0	NS	<10	<25	<25	<25	<25	<25	<25	<25	<75	NS
G-3-5	20	04/04/12	0	NS	<10	<25	<25	<25	<25	<25	<25	<25	<75	NS
G-4-1	3.5	04/04/12	0	11	<10	<25	<25	<25	<25	<25	<25	<25	<75	NS
G-4-2	8	04/04/12	0	NS	<10	<25	<25	<25	<25	<25	<25	<25	<75	NS
G-4-3	12	04/04/12	3	NS	140	440	182	<25	1480	155	10200	8400	305	NS
G-4-4	16	04/04/12	5	NS	<10	85	25.2	<25	33	<25	<25	66	<75	NS
G-4-5	20	04/04/12	0	NS	<10	61	<25	<25	<25	<25	<25	<25	<75	NS
G-5-1	3.5	04/04/12	0	41	<10	<25	<25	<25	<25	<25	<25	<25	<75	NS
G-5-2	8	04/04/12	0											NS
G-5-3	12	04/04/12	0	NS	<10	<25	<25	<25	<25	<25	<25	<25	<75	NS
G-5-4	16	04/04/12	0											NS
G-5-5	20	04/04/12	0	NS	<10	<25	<25	<25	<25	<25	<25	<25	<75	NS
G-6-1	3.5	04/04/12	0											NS
G-6-2	8	04/04/12	0	NS	<10	<25	<25	<25	<25	<25	<25	<25	<75	NS
G-6-3	12	04/04/12	0	NS	<10	<25	<25	<25	<25	<25	<25	<25	<75	NS
G-6-4	16	04/04/12	0											NS
G-6-5	20	04/04/12	0	NS	<10	<25	<25	<25	<25	<25	<25	<25	<75	NS
G-7-1	3.5	04/04/12	0	11	<10	<25	<25	<25	<25	<25	<25	<25	<75	NS
G-7-2	8	04/04/12	0											NS
G-7-3	12	04/04/12	0	NS	<10	<25	<25	<25	<25	<25	<25	<25	<75	NS
G-7-4	16	04/04/12	0											NS
G-7-5	17	04/04/12	0	NS	<10	<25	<25	<25	<25	<25	<25	<25	<75	NS
G-8-1	3.5	04/04/12	0	5	<10	<25	<25	<25	<25	<25	<25	<25	<75	NS
G-8-2	8	04/04/12	0											NS
G-8-3	12	04/04/12	0	NS	<10	<25	<25	<25	<25	<25	<25	<25	<75	NS
G-8-4	16	04/04/12	0											NS
G-8-5	20	04/04/12	0	NS	<10	<25	<25	<25	<25	<25	<25	<25	<75	NS
G-9-1	3.5	04/04/12	10	11	53	98	162	<25	1020	47	3200	1530	443	NS
G-9-2	8	04/04/12	25	NS	1850	7100	16200	<250	57000	1000	72000	27100	41270	NS
G-9-3	12	04/04/12	25	NS	1120	1460	8500	<250	30600	410	28900	13400	11350	NS
G-9-4	16	04/04/12	10	NS	24	<25	44	<25	133	<25	117	249	108	NS
G-9-5	20	04/04/12	0	NS	<10	<25	<25	<25	<25	<25	<25	<25	<75	NS
HS-1	2	04/04/12	0	NS	<10	<25	<25	<25	<25	<25	<25	<25	<75	NS
HS-2	2	04/04/12	0	NS	<10	<25	<25	<25	<25	<25	<25	<25	<75	NS
NR720	---	---	---	50	100	5.5	2900	---	---	1500	---	---	4100	
NR746 Table 1	---	---	---	---	---	8500	4600	---	2700	38000	83000	11000	42000	
NR746 Table 2	---	---	---	---	---	1100	---	---	---	---	---	---	---	

Bold = NR720 Exceedance
 Bold/Underline = NR746 Exceedance