

**Notice:** Completion of this report is required by chs. 160, 281, 283, 289, 291-293, 295, and 299, Wis. Stats., and chs. NR 141 and 812, Wis. Adm. Code. In accordance with chs. 281, 289, 291-293, 295, and 299, Wis. Stats., failure to file this form may result in a forfeiture of between \$10-25,000, or imprisonment for up to one year, depending on the program and conduct involved. Personally identifiable information on this form is not intended to be used for any other purpose. Return form to the appropriate DNR office and bureau. See instructions on reverse for more information.

Verification Only of Fill and Seal

**Route to DNR Bureau:**

- Drinking Water       Watershed/Wastewater       Remediation/Redevelopment  
 Waste Management       Other: \_\_\_\_\_

**1. Well Location Information**      **2. Facility / Owner Information**

County: Sheboygan      WI Unique Well # of Removed Well: \_\_\_\_\_      Hicap #: \_\_\_\_\_  
 Latitude / Longitude (see instructions): \_\_\_\_\_ N      Format Code:  DD      Method Code:  GPS008  
 \_\_\_\_\_ W       DDM       SCR002  
 \_\_\_\_\_       OTH001  
 1/4 1/4 SE      1/4 SE      Section: 35      Township: 14 N      Range: 22       E      Original Well Owner: Appleby's Auto Salvage  
 or Gov't Lot #: \_\_\_\_\_       W  
 Well Street Address: W2578 Holland Lima Road      Present Well Owner: same  
 Well City, Village or Town: Lima      Well ZIP Code: 53070      Mailing Address of Present Owner: 440 W. Bayfield Avenue  
 Subdivision Name: \_\_\_\_\_      Lot #: \_\_\_\_\_      City of Present Owner: Glendale      State: WI      ZIP Code: 53217

Facility Name: Appleby's Auto Salvage  
 Facility ID (FID or PWS): 460006690  
 License/Permit/Monitoring #: MW-4  
 Original Well Owner: Appleby's Auto Salvage  
 Present Well Owner: same  
 Mailing Address of Present Owner: 440 W. Bayfield Avenue  
 City of Present Owner: Glendale      State: WI      ZIP Code: 53217

Reason for Removal from Service: Case closure      WI Unique Well # of Replacement Well: \_\_\_\_\_

**3. Filled & Sealed Well / Drillhole / Borehole Information**

Monitoring Well      Original Construction Date (mm/dd/yyyy): 08/25/1999  
 Water Well  
 Borehole / Drillhole      If a Well Construction Report is available, please attach.

Construction Type:  
 Drilled       Driven (Sandpoint)       Dug  
 Other (specify): \_\_\_\_\_

Formation Type:  
 Unconsolidated Formation       Bedrock

Total Well Depth From Ground Surface (ft.): 16      Casing Diameter (in.): 2.37

Lower Drillhole Diameter (in.): 8.25      Casing Depth (ft.): 6.0

Was well annular space grouted?       Yes       No       Unknown

If yes, to what depth (feet)? N/A      Depth to Water (feet): 3.32

**4. Pump, Liner, Screen, Casing & Sealing Material**

Pump and piping removed?       Yes       No       N/A  
 Liner(s) removed?       Yes       No       N/A  
 Liner(s) perforated?       Yes       No       N/A  
 Screen removed?       Yes       No       N/A  
 Casing left in place?       Yes       No       N/A  
 Was casing cut off below surface?       Yes       No       N/A  
 Did sealing material rise to surface?       Yes       No       N/A  
 Did material settle after 24 hours?       Yes       No       N/A  
 If yes, was hole retopped?       Yes       No       N/A  
 If bentonite chips were used, were they hydrated with water from a known safe source?       Yes       No       N/A

Required Method of Placing Sealing Material  
 Conductor Pipe-Gravity       Conductor Pipe-Pumped  
 Screened & Poured (Bentonite Chips)       Other (Explain): \_\_\_\_\_

Sealing Materials  
 Neat Cement Grout       Concrete  
 Sand-Cement (Concrete) Grout       Bentonite Chips  
 For Monitoring Wells and Monitoring Well Boreholes Only:  
 Bentonite Chips       Bentonite - Cement Grout  
 Granular Bentonite       Bentonite - Sand Slurry

**5. Material Used to Fill Well / Drillhole**

From (ft.)	To (ft.)	No. Yards, Sacks Sealant or Volume (circle one)	Mix Ratio or Mud Weight
Surface	<u>16</u>	<u>0.35</u>	<u>100%</u>
<u>3/8" chipcoal bentonite</u>			

**6. Comments**

**7. Supervision of Work**

Supervision of Work				DNR Use Only	
Name of Person or Firm Doing Filling & Sealing <u>Endeavor Env. Services Inc.</u>	License #	Date of Filling & Sealing or Verification (mm/dd/yyyy) <u>04/28/2017</u>	Date Received	Noted By	
Street or Route <u>2280-B Salscheider Court</u>	Telephone Number <u>(910) 437-2997</u>	Comments			
City <u>Green Bay</u>	State <u>WI</u>	ZIP Code <u>54313</u>	Signature of Person Doing Work <u>[Signature]</u>	Date Signed <u>04/28/2017</u>	

Notice: Completion of this report is required by chs. 160, 281, 283, 289, 291-293, 295, and 299, Wis. Stats., and chs. NR 141 and 812, Wis. Adm. Code. In accordance with chs. 281, 289, 291-293, 295, and 299, Wis. Stats., failure to file this form may result in a forfeiture of between \$10-25,000, or imprisonment for up to one year, depending on the program and conduct involved. Personally identifiable information on this form is not intended to be used for any other purpose. Return form to the appropriate DNR office and bureau. See instructions on reverse for more information.

Verification Only of Fill and Seal

Route to DNR Bureau:

- Drinking Water       Watershed/Wastewater       Remediation/Redevelopment  
 Waste Management       Other: \_\_\_\_\_

**1. Well Location Information**

County <i>Sheboygan</i>	WI Unique Well # of Removed Well	Hicap #
Latitude / Longitude (see instructions) N _____ W _____	Format Code <input type="checkbox"/> DD <input type="checkbox"/> DDM	Method Code <input type="checkbox"/> GPS008 <input type="checkbox"/> SCR002 <input type="checkbox"/> OTH001
1/4 1/4 <i>SE</i> 1/4 <i>SE</i> or Gov't Lot #	Section <i>35</i>	Township <i>14 N</i>
Well Street Address <i>W2578 Holland Lima Road</i>	Range <i>22</i>	Original Well Owner <i>Appleby's Auto Salvage</i>
Well City, Village or Town <i>Lima</i>	Well ZIP Code <i>53070</i>	Present Well Owner <i>same</i>
Subdivision Name	Lot #	Mailing Address of Present Owner <i>440 W. Bayfield Avenue</i>
Reason for Removal from Service <i>Case closure</i>	WI Unique Well # of Replacement Well	City of Present Owner <i>Glendale</i>
<b>3. Filled &amp; Sealed Well / Drillhole / Borehole Information</b> <input checked="" type="checkbox"/> Monitoring Well      Original Construction Date (mm/dd/yyyy) <input type="checkbox"/> Water Well <i>08/25/1999</i> <input type="checkbox"/> Borehole / Drillhole      If a Well Construction Report is available, please attach.		State <i>WI</i>
Construction Type: <input checked="" type="checkbox"/> Drilled <input type="checkbox"/> Driven (Sandpoint) <input type="checkbox"/> Dug <input type="checkbox"/> Other (specify): _____	Formation Type: <input checked="" type="checkbox"/> Unconsolidated Formation <input type="checkbox"/> Bedrock	ZIP Code <i>53217</i>

**2. Facility / Owner Information**

Facility Name <i>Appleby's Auto Salvage</i>
Facility ID (FID or PWS) <i>460006690</i>
License/Permit/Monitoring # <i>MW-5</i>
Original Well Owner <i>Appleby's Auto Salvage</i>
Present Well Owner <i>same</i>
Mailing Address of Present Owner <i>440 W. Bayfield Avenue</i>
City of Present Owner <i>Glendale</i>
State <i>WI</i>
ZIP Code <i>53217</i>

**4. Pump, Liner, Screen, Casing & Sealing Material**

Pump and piping removed?	<input type="checkbox"/> Yes	<input type="checkbox"/> No	<input checked="" type="checkbox"/> N/A
Liner(s) removed?	<input type="checkbox"/> Yes	<input type="checkbox"/> No	<input checked="" type="checkbox"/> N/A
Liner(s) perforated?	<input type="checkbox"/> Yes	<input type="checkbox"/> No	<input checked="" type="checkbox"/> N/A
Screen removed?	<input checked="" type="checkbox"/> Yes	<input type="checkbox"/> No	<input type="checkbox"/> N/A
Casing left in place?	<input type="checkbox"/> Yes	<input checked="" type="checkbox"/> No	<input type="checkbox"/> N/A
Was casing cut off below surface?	<input type="checkbox"/> Yes	<input type="checkbox"/> No	<input checked="" type="checkbox"/> N/A
Did sealing material rise to surface?	<input checked="" type="checkbox"/> Yes	<input type="checkbox"/> No	<input type="checkbox"/> N/A
Did material settle after 24 hours?	<input type="checkbox"/> Yes	<input checked="" type="checkbox"/> No	<input type="checkbox"/> N/A
If yes, was hole retopped?	<input type="checkbox"/> Yes	<input type="checkbox"/> No	<input checked="" type="checkbox"/> N/A
If bentonite chips were used, were they hydrated with water from a known safe source?	<input type="checkbox"/> Yes	<input checked="" type="checkbox"/> No	<input type="checkbox"/> N/A

Required Method of Placing Sealing Material

<input type="checkbox"/> Conductor Pipe-Gravity	<input type="checkbox"/> Conductor Pipe-Pumped
<input checked="" type="checkbox"/> Screened & Poured (Bentonite Chips)	<input type="checkbox"/> Other (Explain): _____

Sealing Materials

<input type="checkbox"/> Neat Cement Grout	<input type="checkbox"/> Concrete
<input type="checkbox"/> Sand-Cement (Concrete) Grout	<input type="checkbox"/> Bentonite Chips

For Monitoring Wells and Monitoring Well Boreholes Only:

<input checked="" type="checkbox"/> Bentonite Chips	<input type="checkbox"/> Bentonite - Cement Grout
<input type="checkbox"/> Granular Bentonite	<input type="checkbox"/> Bentonite - Sand Slurry

**5. Material Used to Fill Well / Drillhole**

	From (ft.)	To (ft.)	No. Yards, Sacks Sealant or Volume (circle one)	Mix Ratio or Mud Weight
<i>3/8" chipped bentonite</i>	<i>Surface</i>	<i>16</i>	<i>0.35</i>	<i>100%</i>

**6. Comments**

**7. Supervision of Work**

Name of Person or Firm Doing Filling & Sealing <i>Endeavor Env. Services Inc.</i>	License #	Date of Filling & Sealing or Verification (mm/dd/yyyy) <i>04/28/2017</i>	DNR Use Only	
Street or Route <i>2280 B Salscheider Court</i>	City <i>Green Bay</i>	State <i>WI</i>	ZIP Code <i>54313</i>	Signature of Person Doing Work <i>[Signature]</i>
Telephone Number <i>(920) 437-2997</i>	Date Received	Noted By	Comments	Date Signed <i>04/28/2017</i>

Notice: Completion of this report is required by chs. 160, 281, 283, 289, 291-293, 295, and 299, Wis. Stats., and chs. NR 141 and 812, Wis. Adm. Code. In accordance with chs. 281, 289, 291-293, 295, and 299, Wis. Stats., failure to file this form may result in a forfeiture of between \$10-25,000, or imprisonment for up to one year, depending on the program and conduct involved. Personally identifiable information on this form is not intended to be used for any other purpose. Return form to the appropriate DNR office and bureau. See instructions on reverse for more information.

Verification Only of Fill and Seal

Route to DNR Bureau:  
 Drinking Water     Watershed/Wastewater     Remediation/Redevelopment  
 Waste Management     Other: \_\_\_\_\_

1. Well Location Information				2. Facility / Owner Information			
County <i>Sheboygan</i>		WI Unique Well # of Removed Well		Hicap #		Facility Name <i>Appleby's Auto Salvage</i>	
Latitude / Longitude (see instructions) N _____ W _____		Format Code <input type="checkbox"/> DD <input type="checkbox"/> DDM		Method Code <input type="checkbox"/> GPS008 <input type="checkbox"/> SCR002 <input type="checkbox"/> OTH001		Facility ID (FID or PWS) <i>460006690</i>	
1/4 1/4 <i>SE</i> 1/4 <i>SE</i> or Gov't Lot #		Section <i>35</i>		Township <i>14 N</i>		Range <input checked="" type="checkbox"/> E <input type="checkbox"/> W	
Well Street Address <i>W2578 Holland Lima Road</i>				Original Well Owner <i>Appleby's Auto Salvage</i>			
Well City, Village or Town <i>Lima</i>				Present Well Owner <i>same</i>			
Subdivision Name				Well ZIP Code <i>53070</i>		Mailing Address of Present Owner <i>440 W. Bayfield Avenue</i>	
				Lot #		City of Present Owner <i>Glendale</i>	
						State <i>WI</i>	
						ZIP Code <i>53217</i>	

Reason for Removal from Service <i>Case closure</i>		WI Unique Well # of Replacement Well	
3. Filled & Sealed Well / Drillhole / Borehole Information			
<input checked="" type="checkbox"/> Monitoring Well		Original Construction Date (mm/dd/yyyy) <i>08/25/1999</i>	
<input type="checkbox"/> Water Well		If a Well Construction Report is available, please attach.	
<input type="checkbox"/> Borehole / Drillhole			
Construction Type: <input checked="" type="checkbox"/> Drilled <input type="checkbox"/> Driven (Sandpoint) <input type="checkbox"/> Dug <input type="checkbox"/> Other (specify): _____			
Formation Type: <input checked="" type="checkbox"/> Unconsolidated Formation <input type="checkbox"/> Bedrock			
Total Well Depth From Ground Surface (ft.) <i>16</i>		Casing Diameter (in.) <i>2.37</i>	
Lower Drillhole Diameter (in.) <i>8.25</i>		Casing Depth (ft.) <i>6</i>	
Was well annular space grouted? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> Unknown			
If yes, to what depth (feet)? <i>N/A</i>		Depth to Water (feet) <i>3.89</i>	

4. Pump, Liner, Screen, Casing & Sealing Material			
Pump and piping removed?	<input type="checkbox"/> Yes	<input type="checkbox"/> No	<input checked="" type="checkbox"/> N/A
Liner(s) removed?	<input type="checkbox"/> Yes	<input type="checkbox"/> No	<input checked="" type="checkbox"/> N/A
Liner(s) perforated?	<input type="checkbox"/> Yes	<input type="checkbox"/> No	<input checked="" type="checkbox"/> N/A
Screen removed?	<input checked="" type="checkbox"/> Yes	<input type="checkbox"/> No	<input type="checkbox"/> N/A
Casing left in place?	<input type="checkbox"/> Yes	<input checked="" type="checkbox"/> No	<input type="checkbox"/> N/A
Was casing cut off below surface?	<input type="checkbox"/> Yes	<input type="checkbox"/> No	<input checked="" type="checkbox"/> N/A
Did sealing material rise to surface?	<input checked="" type="checkbox"/> Yes	<input type="checkbox"/> No	<input type="checkbox"/> N/A
Did material settle after 24 hours?	<input type="checkbox"/> Yes	<input checked="" type="checkbox"/> No	<input type="checkbox"/> N/A
If yes, was hole retopped?	<input type="checkbox"/> Yes	<input type="checkbox"/> No	<input checked="" type="checkbox"/> N/A
If bentonite chips were used, were they hydrated with water from a known safe source?	<input type="checkbox"/> Yes	<input checked="" type="checkbox"/> No	<input type="checkbox"/> N/A
Required Method of Placing Sealing Material			
<input type="checkbox"/> Conductor Pipe-Gravity		<input type="checkbox"/> Conductor Pipe-Pumped	
<input checked="" type="checkbox"/> Screened & Poured (Bentonite Chips)		<input type="checkbox"/> Other (Explain): _____	
Sealing Materials			
<input type="checkbox"/> Neat Cement Grout		<input type="checkbox"/> Concrete	
<input type="checkbox"/> Sand-Cement (Concrete) Grout		<input type="checkbox"/> Bentonite Chips	
For Monitoring Wells and Monitoring Well Boreholes Only:			
<input checked="" type="checkbox"/> Bentonite Chips		<input type="checkbox"/> Bentonite - Cement Grout	
<input type="checkbox"/> Granular Bentonite		<input type="checkbox"/> Bentonite - Sand Slurry	

5. Material Used to Fill Well / Drillhole	From (ft.)	To (ft.)	No. Yards, Sacks Sealant or Volume (circle one)	Mix Ratio or Mud Weight
<i>3/8" chipped bentonite</i>	<i>Surface</i>	<i>16</i>	<i>0.35</i>	<i>100%</i>

**6. Comments**

7. Supervision of Work				DNR Use Only	
Name of Person or Firm Doing Filling & Sealing <i>Endeavor Env. Services Inc.</i>		License #	Date of Filling & Sealing or Verification (mm/dd/yyyy) <i>04/28/2017</i>	Date Received	Noted By
Street or Route <i>2280-B Salscheider Court</i>			Telephone Number <i>(920) 437-2997</i>	Comments	
City <i>Green Bay</i>	State <i>WI</i>	ZIP Code <i>54313</i>	Signature of Person Doing Work <i>[Signature]</i>	Date Signed <i>04/28/2017</i>	

# Well / Drillhole / Borehole Filling & Sealing Report

Form 3300-005 (R 4/2015)

Page 1 of 2

Notice: Completion of this report is required by chs. 160, 281, 283, 289, 291-293, 295, and 299, Wis. Stats., and chs. NR 141 and 812, Wis. Adm. Code. In accordance with chs. 281, 289, 291-293, 295, and 299, Wis. Stats., failure to file this form may result in a forfeiture of between \$10-25,000, or imprisonment for up to one year, depending on the program and conduct involved. Personally identifiable information on this form is not intended to be used for any other purpose. Return form to the appropriate DNR office and bureau. See instructions on reverse for more information.

Verification Only of Fill and Seal

Route to DNR Bureau:

Drinking Water       Watershed/Wastewater       Remediation/Redevelopment

Waste Management       Other: \_\_\_\_\_

1. Well Location Information				2. Facility / Owner Information			
County <i>Sheboygan</i>		WI Unique Well # of Removed Well		Hicap #		Facility Name <i>Appleby's Auto Salvage</i>	
Latitude / Longitude (see instructions) _____ N _____ W		Format Code <input type="checkbox"/> DD <input type="checkbox"/> DDM		Method Code <input type="checkbox"/> GPS008 <input type="checkbox"/> SCR002 <input type="checkbox"/> OTH001		Facility ID (FID or PWS) <i>460006690</i>	
1/4 1/4 <i>SE</i> 1/4 <i>SE</i>		Section <i>35</i>		Township <i>14 N</i>		Range <input checked="" type="checkbox"/> E <input type="checkbox"/> W	
or Gov't Lot #		Range <i>22</i>		Original Well Owner <i>Appleby's Auto Salvage</i>		License/Permit/Monitoring # <i>MW-7</i>	
Well Street Address <i>W2578 Holland Lima Road</i>				Present Well Owner <i>same</i>			
Well City, Village or Town <i>Lima</i>				Mailing Address of Present Owner <i>440 W. Bayfield Avenue</i>			
Subdivision Name				Lot #		City of Present Owner <i>Glendale</i>	
				Well ZIP Code <i>53070</i>		State <i>WI</i>	
						ZIP Code <i>53217</i>	

Reason for Removal from Service  
*Case closure*

WI Unique Well # of Replacement Well

3. Filled & Sealed Well / Drillhole / Borehole Information				4. Pump, Liner, Screen, Casing & Sealing Material					
<input checked="" type="checkbox"/> Monitoring Well		Original Construction Date (mm/dd/yyyy) <i>10/22/1999</i>		Pump and piping removed?		<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A			
<input type="checkbox"/> Water Well		If a Well Construction Report is available, please attach.		Liner(s) removed?		<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A			
<input type="checkbox"/> Borehole / Drillhole				Liner(s) perforated?		<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A			
Construction Type: <input checked="" type="checkbox"/> Drilled <input type="checkbox"/> Driven (Sandpoint) <input type="checkbox"/> Dug <input type="checkbox"/> Other (specify): _____				Screen removed?				<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	
Formation Type: <input checked="" type="checkbox"/> Unconsolidated Formation <input type="checkbox"/> Bedrock				Casing left in place?				<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A	
Total Well Depth From Ground Surface (ft.) <i>12</i>		Casing Diameter (in.) <i>2.37</i>		Was casing cut off below surface?				<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	
Lower Drillhole Diameter (in.) <i>0.25</i>		Casing Depth (ft.) <i>2.0</i>		Did sealing material rise to surface?				<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	
Was well annular space grouted? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> Unknown				Did material settle after 24 hours?				<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A	
If yes, to what depth (feet)? <i>N/A</i>		Depth to Water (feet) <i>3.85</i>		If yes, was hole retopped?				<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	
				If bentonite chips were used, were they hydrated with water from a known safe source?				<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A	
				Required Method of Placing Sealing Material					
				<input type="checkbox"/> Conductor Pipe-Gravity <input type="checkbox"/> Conductor Pipe-Pumped					
				<input checked="" type="checkbox"/> Screened & Poured (Bentonite Chips) <input type="checkbox"/> Other (Explain): _____					
				Sealing Materials					
				<input type="checkbox"/> Neat Cement Grout <input type="checkbox"/> Concrete					
				<input type="checkbox"/> Sand-Cement (Concrete) Grout <input type="checkbox"/> Bentonite Chips					
				For Monitoring Wells and Monitoring Well Boreholes Only:					
				<input checked="" type="checkbox"/> Bentonite Chips <input type="checkbox"/> Bentonite - Cement Grout					
				<input type="checkbox"/> Granular Bentonite <input type="checkbox"/> Bentonite - Sand Slurry					

5. Material Used to Fill Well / Drillhole	From (ft.)	To (ft.)	No. Yards, Sacks Sealant or Volume (circle one)	Mix Ratio or Mud Weight
<i>3/8" chippal bentonite</i>	Surface	<i>12</i>	<i>0.26</i>	<i>100E</i>

## 6. Comments

7. Supervision of Work				DNR Use Only	
Name of Person or Firm Doing Filling & Sealing <i>Endeavor Env. Services Inc.</i>		License #	Date of Filling & Sealing or Verification (mm/dd/yyyy) <i>04/28/2017</i>	Date Received	Noted By
Street or Route <i>2280-B Salscheider Court</i>		Telephone Number <i>(920) 437-2997</i>		Comments	
City <i>Green Bay</i>	State <i>WI</i>	ZIP Code <i>54313</i>	Signature of Person Doing Work <i>[Signature]</i>	Date Signed <i>04/28/2017</i>	

**Notice:** Completion of this report is required by chs. 160, 281, 283, 289, 291-293, 295, and 299, Wis. Stats., and chs. NR 141 and 812, Wis. Adm. Code. In accordance with chs. 281, 289, 291-293, 295, and 299, Wis. Stats., failure to file this form may result in a forfeiture of between \$10-25,000, or imprisonment for up to one year, depending on the program and conduct involved. Personally identifiable information on this form is not intended to be used for any other purpose. Return form to the appropriate DNR office and bureau. See instructions on reverse for more information.

Verification Only of Fill and Seal

Route to DNR Bureau:  
 Drinking Water     Watershed/Wastewater     Remediation/Redevelopment  
 Waste Management     Other: \_\_\_\_\_

1. Well Location Information				2. Facility / Owner Information			
County <i>Sheboygan</i>		WI Unique Well # of Removed Well		Hicap #		Facility Name <i>Appleby's Auto Salvage</i>	
Latitude / Longitude (see instructions) N _____ W _____		Format Code <input type="checkbox"/> DD <input type="checkbox"/> DDM		Method Code <input type="checkbox"/> GPS008 <input type="checkbox"/> SCR002 <input type="checkbox"/> OTH001		Facility ID (FID or PWS) <i>460006690</i>	
1/4 1/4 <i>SE</i> 1/4 <i>SE</i> or Gov't Lot #		Section <i>35</i>		Township <i>14 N</i>		Range <input checked="" type="checkbox"/> E <input type="checkbox"/> W	
Well Street Address <i>12578 Holland Lima Road</i>				Original Well Owner <i>Appleby's Auto Salvage</i>			
Well City, Village or Town <i>Lima</i>				Well ZIP Code <i>53070</i>			
Subdivision Name				Lot #		Present Well Owner <i>same</i>	
Reason for Removal from Service <i>Case closure</i>				WI Unique Well # of Replacement Well			
Mailing Address of Present Owner <i>440 W. Bayfield Avenue</i>				City of Present Owner <i>Glendale</i>			
State <i>WI</i>				ZIP Code <i>53217</i>			

3. Filled & Sealed Well / Drillhole / Borehole Information		4. Pump, Liner, Screen, Casing & Sealing Material			
<input checked="" type="checkbox"/> Monitoring Well		Pump and piping removed? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A			
<input type="checkbox"/> Water Well		Liner(s) removed? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A			
<input type="checkbox"/> Borehole / Drillhole		Liner(s) perforated? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A			
Original Construction Date (mm/dd/yyyy) <i>11/30/1999</i>		Screen removed? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A			
If a Well Construction Report is available, please attach.		Casing left in place? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A			
Construction Type: <input checked="" type="checkbox"/> Drilled <input type="checkbox"/> Driven (Sandpoint) <input type="checkbox"/> Dug <input type="checkbox"/> Other (specify): _____		Was casing cut off below surface? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A			
Formation Type: <input checked="" type="checkbox"/> Unconsolidated Formation <input type="checkbox"/> Bedrock		Did sealing material rise to surface? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A			
Total Well Depth From Ground Surface (ft.) <i>6.0</i>		Did material settle after 24 hours? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A			
Casing Diameter (in.) <i>2.37</i>		If yes, was hole retopped? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A			
Lower Drillhole Diameter (in.) <i>8.25</i>		If bentonite chips were used, were they hydrated with water from a known safe source? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A			
Casing Depth (ft.) <i>1.0</i>		Required Method of Placing Sealing Material			
Was well annular space grouted? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> Unknown		<input type="checkbox"/> Conductor Pipe-Gravity <input type="checkbox"/> Conductor Pipe-Pumped			
If yes, to what depth (feet)? <i>N/A</i>		<input checked="" type="checkbox"/> Screened & Poured (Bentonite Chips) <input type="checkbox"/> Other (Explain): _____			
Depth to Water (feet) <i>4.64</i>		Sealing Materials			
		<input type="checkbox"/> Neat Cement Grout <input type="checkbox"/> Concrete			
		<input type="checkbox"/> Sand-Cement (Concrete) Grout <input type="checkbox"/> Bentonite Chips			
		For Monitoring Wells and Monitoring Well Boreholes Only:			
		<input checked="" type="checkbox"/> Bentonite Chips <input type="checkbox"/> Bentonite - Cement Grout			
		<input type="checkbox"/> Granular Bentonite <input type="checkbox"/> Bentonite - Sand Slurry			

5. Material Used to Fill Well / Drillhole			
From (ft.)	To (ft.)	No. Yards, Sacks Sealant or Volume (circle one)	Mix Ratio or Mud Weight
Surface	<i>6.0</i>	<i>0.13</i>	<i>100%</i>

**6. Comments**

7. Supervision of Work				DNR Use Only	
Name of Person or Firm Doing Filling & Sealing <i>Endeavor Env. Services Inc.</i>		License #	Date of Filling & Sealing or Verification (mm/dd/yyyy) <i>04/28/2017</i>	Date Received	Noted By
Street or Route <i>2200-B Salscheider Court</i>			Telephone Number <i>(920) 437-2997</i>	Comments	
City <i>Green Bay</i>	State <i>WI</i>	ZIP Code <i>54313</i>	Signature of Person Doing Work <i>[Signature]</i>	Date Signed <i>04/28/2017</i>	

Notice: Completion of this report is required by chs. 160, 281, 283, 289, 291-293, 295, and 299, Wis. Stats., and chs. NR 141 and 812, Wis. Adm. Code. In accordance with chs. 281, 289, 291-293, 295, and 299, Wis. Stats., failure to file this form may result in a forfeiture of between \$10-25,000, or imprisonment for up to one year, depending on the program and conduct involved. Personally identifiable information on this form is not intended to be used for any other purpose. Return form to the appropriate DNR office and bureau. See instructions on reverse for more information.

Verification Only of Fill and Seal

Route to DNR Bureau:

Drinking Water       Watershed/Wastewater       Remediation/Redevelopment

Waste Management       Other: \_\_\_\_\_

1. Well Location Information				2. Facility / Owner Information			
County <i>Sheboygan</i>		WI Unique Well # of Removed Well		Hicap #		Facility Name <i>Appleby's Auto Salvage</i>	
Latitude / Longitude (see instructions) _____ N _____ W		Format Code <input type="checkbox"/> DD <input type="checkbox"/> DDM		Method Code <input type="checkbox"/> GPS008 <input type="checkbox"/> SCR002 <input type="checkbox"/> OTH001		Facility ID (FID or PWS) <i>460006690</i>	
1/4 1/4 <i>SE</i> 1/4 <i>SE</i>		Section <i>35</i>		Township <i>14 N</i>		Range <input checked="" type="checkbox"/> E <input type="checkbox"/> W	
or Gov't Lot #		Range <i>22</i>		Original Well Owner <i>Appleby's Auto Salvage</i>		License/Permit/Monitoring # <i>MW-9</i>	
Well Street Address <i>12578 Holland Lima Road</i>				Present Well Owner <i>same</i>			
Well City, Village or Town <i>Lima</i>				Mailing Address of Present Owner <i>440 W. Bayfield Avenue</i>			
Subdivision Name				Lot #		City of Present Owner <i>Glendale</i>	
				Well ZIP Code <i>53070</i>		State <i>WI</i>	
				ZIP Code <i>53217</i>			

Reason for Removal from Service: *Case closure*

WI Unique Well # of Replacement Well: \_\_\_\_\_

3. Filled & Sealed Well / Drillhole / Borehole Information	
<input checked="" type="checkbox"/> Monitoring Well	Original Construction Date (mm/dd/yyyy) <i>10/22/1999</i>
<input type="checkbox"/> Water Well	If a Well Construction Report is available, please attach.
<input type="checkbox"/> Borehole / Drillhole	
Construction Type: <input checked="" type="checkbox"/> Drilled <input type="checkbox"/> Driven (Sandpoint) <input type="checkbox"/> Dug <input type="checkbox"/> Other (specify): _____	
Formation Type: <input checked="" type="checkbox"/> Unconsolidated Formation <input type="checkbox"/> Bedrock	
Total Well Depth From Ground Surface (ft.) <i>12</i>	Casing Diameter (in.) <i>2.37</i>
Lower Drillhole Diameter (in.) <i>8.25</i>	Casing Depth (ft.) <i>20</i>
Was well annular space grouted? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> Unknown	
If yes, to what depth (feet)? <i>NA</i>	Depth to Water (feet) <i>4.57</i>

4. Pump, Liner, Screen, Casing & Sealing Material	
Pump and piping removed?	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A
Liner(s) removed?	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A
Liner(s) perforated?	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A
Screen removed?	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A
Casing left in place?	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A
Was casing cut off below surface?	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A
Did sealing material rise to surface?	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A
Did material settle after 24 hours?	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A
If yes, was hole retopped?	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A
If bentonite chips were used, were they hydrated with water from a known safe source?	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A

Required Method of Placing Sealing Material

Conductor Pipe-Gravity     Conductor Pipe-Pumped

Screened & Poured (Bentonite Chips)     Other (Explain): \_\_\_\_\_

Sealing Materials

Neat Cement Grout     Concrete

Sand-Cement (Concrete) Grout     Bentonite Chips

For Monitoring Wells and Monitoring Well Boreholes Only:

Bentonite Chips     Bentonite - Cement Grout

Granular Bentonite     Bentonite - Sand Slurry

5. Material Used to Fill Well / Drillhole	From (ft.)	To (ft.)	No. Yards, Sacks Sealant or Volume (circle one)	Mix Ratio or Mud Weight
<i>3/8" chipped bentonite</i>	<i>Surface</i>	<i>12</i>	<i>0.26</i>	<i>100%</i>

**6. Comments**

7. Supervision of Work				DNR Use Only	
Name of Person or Firm Doing Filling & Sealing <i>Endeavor Env. Services Inc.</i>	License #	Date of Filling & Sealing or Verification (mm/dd/yyyy) <i>04/28/2017</i>	Date Received	Noted By	
Street or Route <i>2280-B Salscheider Court</i>		Telephone Number <i>(920) 437-2997</i>	Comments		
City <i>Green Bay</i>	State <i>WI</i>	ZIP Code <i>54313</i>	Signature of Person Doing Work <i>[Signature]</i>	Date Signed <i>04/28/2017</i>	

**Notice:** Completion of this report is required by chs. 160, 281, 283, 289, 291-293, 295, and 299, Wis. Stats., and chs. NR 141 and 812, Wis. Adm. Code. In accordance with chs. 281, 289, 291-293, 295, and 299, Wis. Stats., failure to file this form may result in a forfeiture of between \$10-25,000, or imprisonment for up to one year, depending on the program and conduct involved. Personally identifiable information on this form is not intended to be used for any other purpose. Return form to the appropriate DNR office and bureau. See instructions on reverse for more information.

Verification Only of Fill and Seal

Route to DNR Bureau:

Drinking Water       Watershed/Wastewater       Remediation/Redevelopment

Waste Management       Other: \_\_\_\_\_

1. Well Location Information				2. Facility / Owner Information			
County <i>Sheboygan</i>		WI Unique Well # of Removed Well <i>VW207</i>		Hicap #		Facility Name <i>Appleby's Auto Salvage</i>	
Latitude / Longitude (see instructions) _____ N _____ W		Format Code <input type="checkbox"/> DD <input type="checkbox"/> DDM		Method Code <input type="checkbox"/> GPS008 <input type="checkbox"/> SCR002 <input type="checkbox"/> OTH001		Facility ID (FID or PWS) <i>460006690</i>	
1/4 1/4 <i>SE</i> or Gov't Lot #		Section <i>35</i>		Township <i>14 N</i>		License/Permit/Monitoring # <i>MW-11R</i>	
Well Street Address <i>12578 Holland Lima Road</i>		Range <i>22</i>		<input checked="" type="checkbox"/> E <input type="checkbox"/> W		Original Well Owner <i>Appleby's Auto Salvage</i>	
Well City, Village or Town <i>Lima</i>		Well ZIP Code <i>53070</i>		Present Well Owner <i>Same</i>		Mailing Address of Present Owner <i>440 W. Bayfield Avenue</i>	
Subdivision Name		Lot #		City of Present Owner <i>Glendale</i>		State <i>WI</i> ZIP Code <i>53217</i>	

Reason for Removal from Service: *Case closure*

WI Unique Well # of Replacement Well: \_\_\_\_\_

3. Filled & Sealed Well / Drillhole / Borehole Information		4. Pump, Liner, Screen, Casing & Sealing Material			
<input checked="" type="checkbox"/> Monitoring Well		Pump and piping removed? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A			
<input type="checkbox"/> Water Well		Liner(s) removed? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A			
<input type="checkbox"/> Borehole / Drillhole		Liner(s) perforated? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A			
Original Construction Date (mm/dd/yyyy) <i>11/21/2008</i>		Screen removed? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A			
If a Well Construction Report is available, please attach.		Casing left in place? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A			
Construction Type: <input checked="" type="checkbox"/> Drilled <input type="checkbox"/> Driven (Sandpoint) <input type="checkbox"/> Dug <input type="checkbox"/> Other (specify): _____		Was casing cut off below surface? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A			
Formation Type: <input checked="" type="checkbox"/> Unconsolidated Formation <input type="checkbox"/> Bedrock		Did sealing material rise to surface? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A			
Total Well Depth From Ground Surface (ft.) <i>13.5</i>		Did material settle after 24 hours? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A			
Casing Diameter (in.) <i>2.37</i>		If yes, was hole retopped? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A			
Lower Drillhole Diameter (in.) <i>8.25</i>		If bentonite chips were used, were they hydrated with water from a known safe source? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A			
Casing Depth (ft.) <i>3.0</i>		Required Method of Placing Sealing Material			
Was well annular space grouted? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> Unknown		<input type="checkbox"/> Conductor Pipe-Gravity <input type="checkbox"/> Conductor Pipe-Pumped			
If yes, to what depth (feet)?		<input checked="" type="checkbox"/> Screened & Poured (Bentonite Chips) <input type="checkbox"/> Other (Explain): _____			
Depth to Water (feet)		Sealing Materials			
		<input type="checkbox"/> Neat Cement Grout <input type="checkbox"/> Concrete			
		<input type="checkbox"/> Sand-Cement (Concrete) Grout <input type="checkbox"/> Bentonite Chips			
		For Monitoring Wells and Monitoring Well Boreholes Only:			
		<input checked="" type="checkbox"/> Bentonite Chips <input type="checkbox"/> Bentonite - Cement Grout			
		<input type="checkbox"/> Granular Bentonite <input type="checkbox"/> Bentonite - Sand Slurry			

5. Material Used to Fill Well / Drillhole	From (ft.)	To (ft.)	No. Yards, Sacks Sealant or Volume (circle one)	Mix Ratio or Mud Weight
<i>3/8" chipped bentonite</i>	<i>Surface</i>	<i>13.5</i>	<i>0.29</i>	<i>100%</i>

**6. Comments**

7. Supervision of Work				DNR Use Only	
Name of Person or Firm Doing Filling & Sealing <i>Endeavor Env. Services Inc.</i>		License #	Date of Filling & Sealing or Verification (mm/dd/yyyy) <i>04/28/2017</i>	Date Received	Noted By
Street or Route <i>2280-B Salscheider Court</i>		Telephone Number <i>(920) 437-2997</i>		Comments	
City <i>Green Bay</i>	State <i>WI</i>	ZIP Code <i>54313</i>	Signature of Person Doing Work <i>[Signature]</i>	Date Signed <i>04/28/2017</i>	

Notice: Completion of this report is required by chs. 160, 281, 283, 289, 291-293, 295, and 299, Wis. Stats., and chs. NR 141 and 812, Wis. Adm. Code. In accordance with chs. 281, 289, 291-293, 295, and 299, Wis. Stats., failure to file this form may result in a forfeiture of between \$10-25,000, or imprisonment for up to one year, depending on the program and conduct involved. Personally identifiable information on this form is not intended to be used for any other purpose. Return form to the appropriate DNR office and bureau. See instructions on reverse for more information.

Verification Only of Fill and Seal

Route to DNR Bureau:

Drinking Water     Watershed/Wastewater     Remediation/Redevelopment

Waste Management     Other: \_\_\_\_\_

1. Well Location Information				2. Facility / Owner Information			
County <i>Sheboygan</i>	WI Unique Well # of Removed Well	Hicap #		Facility Name <i>Appleby's Auto Salvage</i>	Facility ID (FID or PWS) <i>460006690</i>		
Latitude / Longitude (see instructions) N _____ W _____	Format Code <input type="checkbox"/> DD <input type="checkbox"/> DDM	Method Code <input type="checkbox"/> GPS008 <input type="checkbox"/> SCR002 <input type="checkbox"/> OTH001		License/Permit/Monitoring # <i>MW-12</i>	Original Well Owner <i>Appleby's Auto Salvage</i>		
1/4 1/4 <i>SE</i> 1/4 <i>SE</i> or Gov't Lot #	Section <i>35</i>	Township <i>14 N</i>	Range <i>22</i>	<input checked="" type="checkbox"/> E <input type="checkbox"/> W	Present Well Owner <i>same</i>		
Well Street Address <i>W2578 Holland Lima Road</i>				Mailing Address of Present Owner <i>440 W. Bayfield Avenue</i>			
Well City, Village or Town <i>Lima</i>		Well ZIP Code <i>53070</i>		City of Present Owner <i>Glendale</i>		State <i>WI</i>	ZIP Code <i>53217</i>
Subdivision Name		Lot #					

Reason for Removal from Service <i>Case closure</i>	WI Unique Well # of Replacement Well
3. Filled & Sealed Well / Drillhole / Borehole Information	
<input checked="" type="checkbox"/> Monitoring Well <input type="checkbox"/> Water Well <input type="checkbox"/> Borehole / Drillhole	Original Construction Date (mm/dd/yyyy) <i>05/27/2005</i>
If a Well Construction Report is available, please attach.	

Construction Type: <input checked="" type="checkbox"/> Drilled <input type="checkbox"/> Driven (Sandpoint) <input type="checkbox"/> Dug <input type="checkbox"/> Other (specify): _____		4. Pump, Liner, Screen, Casing & Sealing Material	
Formation Type: <input checked="" type="checkbox"/> Unconsolidated Formation <input type="checkbox"/> Bedrock		Pump and piping removed? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A Liner(s) removed? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A Liner(s) perforated? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A Screen removed? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A Casing left in place? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A Was casing cut off below surface? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A Did sealing material rise to surface? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A Did material settle after 24 hours? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A If yes, was hole retopped? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A If bentonite chips were used, were they hydrated with water from a known safe source? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A	
Total Well Depth From Ground Surface (ft.) <i>12.0</i>	Casing Diameter (in.) <i>2.37</i>	Required Method of Placing Sealing Material <input type="checkbox"/> Conductor Pipe-Gravity <input type="checkbox"/> Conductor Pipe-Pumped <input checked="" type="checkbox"/> Screened & Poured (Bentonite Chips) <input type="checkbox"/> Other (Explain): _____	
Lower Drillhole Diameter (in.) <i>0.25</i>	Casing Depth (ft.) <i>2.0</i>	Sealing Materials <input type="checkbox"/> Neat Cement Grout <input type="checkbox"/> Concrete <input type="checkbox"/> Sand-Cement (Concrete) Grout <input type="checkbox"/> Bentonite Chips	
Was well annular space grouted? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> Unknown	Depth to Water (feet) <i>0.5</i>	For Monitoring Wells and Monitoring Well Boreholes Only: <input checked="" type="checkbox"/> Bentonite Chips <input type="checkbox"/> Bentonite - Cement Grout <input type="checkbox"/> Granular Bentonite <input type="checkbox"/> Bentonite - Sand Slurry	

5. Material Used to Fill Well / Drillhole	From (ft.)	To (ft.)	No. Yards, Sacks Sealant or Volume (circle one)	Mix Ratio or Mud Weight
<i>3/8" chipped bentonite</i>	<i>Surface</i>	<i>12</i>	<i>0.26</i>	<i>100%</i>

**6. Comments**

7. Supervision of Work				DNR Use Only	
Name of Person or Firm Doing Filling & Sealing <i>Endeavor Env. Services Inc.</i>	License #	Date of Filling & Sealing or Verification (mm/dd/yyyy) <i>04/28/2017</i>	Date Received	Noted By	
Street or Route <i>2280-B Salschneider Court</i>		Telephone Number <i>(920) 437-2997</i>	Comments		
City <i>Green Bay</i>	State <i>WI</i>	ZIP Code <i>54313</i>	Signature of Person Doing Work <i>[Signature]</i>	Date Signed <i>04/28/2017</i>	



Notice: Completion of this report is required by chs. 160, 281, 283, 289, 291-293, 295, and 299, Wis. Stats., and chs. NR 141 and 812, Wis. Adm. Code. In accordance with chs. 281, 289, 291-293, 295, and 299, Wis. Stats., failure to file this form may result in a forfeiture of between \$10-25,000, or imprisonment for up to one year, depending on the program and conduct involved. Personally identifiable information on this form is not intended to be used for any other purpose. Return form to the appropriate DNR office and bureau. See instructions on reverse for more information.

Verification Only of Fill and Seal

Route to DNR Bureau:

Drinking Water     Watershed/Wastewater     Remediation/Redevelopment

Waste Management     Other: \_\_\_\_\_

1. Well Location Information				2. Facility / Owner Information			
County <i>Sheboygan</i>		WI Unique Well # of Removed Well		Hicap #		Facility Name <i>Appleby's Auto Salvage</i>	
Latitude / Longitude (see instructions) N _____ W _____		Format Code <input type="checkbox"/> DD <input type="checkbox"/> DDM		Method Code <input type="checkbox"/> GPS008 <input type="checkbox"/> SCR002 <input type="checkbox"/> OTH001		Facility ID (FID or PWS) <i>460006690</i>	
1/4 1/4 <i>SE</i> 1/4 <i>SE</i> or Gov't Lot #		Section <i>35</i>		Township <i>14 N</i>		License/Permit/Monitoring # <i>P2-1</i>	
Well Street Address <i>W2578 Holland Lima Road</i>		Range <i>22</i>		<input checked="" type="checkbox"/> E <input type="checkbox"/> W		Original Well Owner <i>Appleby's Auto Salvage</i>	
Well City, Village or Town <i>Lima</i>		Well ZIP Code <i>53070</i>		Present Well Owner <i>same</i>		Mailing Address of Present Owner <i>440 W. Bayfield Avenue</i>	
Subdivision Name		Lot #		City of Present Owner <i>Glendale</i>		State <i>WI</i> ZIP Code <i>53217</i>	

Reason for Removal from Service <i>Case closure</i>		WI Unique Well # of Replacement Well	
3. Filled & Sealed Well / Drillhole / Borehole Information			
<input checked="" type="checkbox"/> Monitoring Well		Original Construction Date (mm/dd/yyyy) <i>10/22/1999</i>	
<input type="checkbox"/> Water Well		If a Well Construction Report is available, please attach.	
<input type="checkbox"/> Borehole / Drillhole			

Construction Type: <input checked="" type="checkbox"/> Drilled <input type="checkbox"/> Driven (Sandpoint) <input type="checkbox"/> Dug <input type="checkbox"/> Other (specify): _____		Formation Type: <input type="checkbox"/> Unconsolidated Formation <input type="checkbox"/> Bedrock	
Total Well Depth From Ground Surface (ft.) <i>32</i>		Casing Diameter (in.) <i>2.37</i>	
Lower Drillhole Diameter (in.) <i>8.25</i>		Casing Depth (ft.) <i>27</i>	
Was well annular space grouted? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> Unknown		If yes, to what depth (feet)? <i>N/A</i>	
Depth to Water (feet) <i>6.35</i>			

4. Pump, Liner, Screen, Casing & Sealing Material			
Pump and piping removed?	<input type="checkbox"/> Yes <input type="checkbox"/> No	<input checked="" type="checkbox"/> N/A	
Liner(s) removed?	<input type="checkbox"/> Yes <input type="checkbox"/> No	<input checked="" type="checkbox"/> N/A	
Liner(s) perforated?	<input type="checkbox"/> Yes <input type="checkbox"/> No	<input checked="" type="checkbox"/> N/A	
Screen removed?	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	<input type="checkbox"/> N/A	
Casing left in place?	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	<input type="checkbox"/> N/A	
Was casing cut off below surface?	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	<input type="checkbox"/> N/A	
Did sealing material rise to surface?	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	<input type="checkbox"/> N/A	
Did material settle after 24 hours?	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	<input type="checkbox"/> N/A	
If yes, was hole retopped?	<input type="checkbox"/> Yes <input type="checkbox"/> No	<input checked="" type="checkbox"/> N/A	
If bentonite chips were used, were they hydrated with water from a known safe source?	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	<input type="checkbox"/> N/A	
Required Method of Placing Sealing Material			
<input type="checkbox"/> Conductor Pipe-Gravity		<input type="checkbox"/> Conductor Pipe-Pumped	
<input checked="" type="checkbox"/> Screened & Poured (Bentonite Chips)		<input type="checkbox"/> Other (Explain): _____	
Sealing Materials			
<input type="checkbox"/> Neat Cement Grout		<input type="checkbox"/> Concrete	
<input type="checkbox"/> Sand-Cement (Concrete) Grout		<input type="checkbox"/> Bentonite Chips	
For Monitoring Wells and Monitoring Well Boreholes Only:			
<input checked="" type="checkbox"/> Bentonite Chips		<input type="checkbox"/> Bentonite - Cement Grout	
<input type="checkbox"/> Granular Bentonite		<input type="checkbox"/> Bentonite - Sand Slurry	

5. Material Used to Fill Well / Drillhole			
From (ft.)	To (ft.)	No. Yards, Sacks Sealant or Volume (circle one)	Mix Ratio or Mud Weight
Surface	<i>32</i>	<i>0.70</i>	<i>100%</i>

**6. Comments**

7. Supervision of Work				DNR Use Only	
Name of Person or Firm Doing Filling & Sealing <i>Endeavor Env. Services Inc.</i>		License #	Date of Filling & Sealing or Verification (mm/dd/yyyy) <i>04/28/2017</i>	Date Received	Noted By
Street or Route <i>2280-B Salscheider Court</i>		Telephone Number <i>(920) 437-2997</i>		Comments	
City <i>Green Bay</i>	State <i>WI</i>	ZIP Code <i>54313</i>	Signature of Person Doing Work <i>[Signature]</i>	Date Signed <i>04/28/2017</i>	

**Notice:** Completion of this report is required by chs. 160, 281, 283, 289, 291-293, 295, and 299, Wis. Stats., and chs. NR 141 and 812, Wis. Adm. Code. In accordance with chs. 281, 289, 291-293, 295, and 299, Wis. Stats., failure to file this form may result in a forfeiture of between \$10-25,000, or imprisonment for up to one year, depending on the program and conduct involved. Personally identifiable information on this form is not intended to be used for any other purpose. Return form to the appropriate DNR office and bureau. See instructions on reverse for more information.

Verification Only of Fill and Seal

Route to DNR Bureau:

Drinking Water       Watershed/Wastewater       Remediation/Redevelopment

Waste Management       Other: \_\_\_\_\_

1. Well Location Information				2. Facility / Owner Information			
County <i>Sheboygan</i>	WI Unique Well # of Removed Well	Hicap #	Facility Name <i>Appleby's Auto Salvage</i>	Facility ID (FID or PWS) <i>4600006690</i>	License/Permit/Monitoring # <i>P2-2</i>		
Latitude / Longitude (see instructions) N _____ W _____	Format Code <input type="checkbox"/> DD <input type="checkbox"/> DDM	Method Code <input type="checkbox"/> GPS008 <input type="checkbox"/> SCR002 <input type="checkbox"/> OTH001	Original Well Owner <i>Appleby's Auto Salvage</i>	Present Well Owner <i>Same</i>	Mailing Address of Present Owner <i>490 W. Bay View Avenue</i>		
1/4 1/4 SE 1/4 SE or Gov't Lot #	Section <i>35</i>	Township <i>14 N</i>	Range <i>22</i>	<input checked="" type="checkbox"/> E <input type="checkbox"/> W	City of Present Owner <i>Glendale</i>	State <i>WI</i>	ZIP Code <i>53217</i>
Well Street Address <i>W2578 Holland Lima Road</i>				Well ZIP Code <i>53070</i>			
Well City, Village or Town <i>Lima</i>				Subdivision Name Lot #			

Reason for Removal from Service <i>Case closure</i>	WI Unique Well # of Replacement Well	4. Pump, Liner, Screen, Casing & Sealing Material						
<b>3. Filled &amp; Sealed Well / Drillhole / Borehole Information</b> <input checked="" type="checkbox"/> Monitoring Well <input type="checkbox"/> Water Well <input type="checkbox"/> Borehole / Drillhole		Original Construction Date (mm/dd/yyyy) <i>05/27/2005</i>	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A Pump and piping removed?		<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A Liner(s) removed?		<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A Liner(s) perforated?	
Construction Type: <input checked="" type="checkbox"/> Drilled <input type="checkbox"/> Driven (Sandpoint) <input type="checkbox"/> Dug <input type="checkbox"/> Other (specify): _____		If a Well Construction Report is available, please attach.	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A Screen removed?		<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A Casing left in place?		<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A Was casing cut off below surface?	
Formation Type: <input checked="" type="checkbox"/> Unconsolidated Formation <input type="checkbox"/> Bedrock			<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A Did sealing material rise to surface?		<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A Did material settle after 24 hours?		<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A If yes, was hole retopped?	
Total Well Depth From Ground Surface (ft.) <i>20</i>		Casing Diameter (in.) <i>2.37</i>	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A If bentonite chips were used, were they hydrated with water from a known safe source?		Required Method of Placing Sealing Material			
Lower Drillhole Diameter (in.) <i>8.25</i>		Casing Depth (ft.) <i>15</i>	<input type="checkbox"/> Conductor Pipe-Gravity <input type="checkbox"/> Conductor Pipe-Pumped <input checked="" type="checkbox"/> Screened & Poured (Bentonite Chips) <input type="checkbox"/> Other (Explain): _____		Sealing Materials			
Was well annular space grouted? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> Unknown			<input type="checkbox"/> Neat Cement Grout <input type="checkbox"/> Concrete <input type="checkbox"/> Sand-Cement (Concrete) Grout <input type="checkbox"/> Bentonite Chips		For Monitoring Wells and Monitoring Well Boreholes Only:			
If yes, to what depth (feet)? <i>N/A</i>		Depth to Water (feet) <i>2.38</i>	<input checked="" type="checkbox"/> Bentonite Chips <input type="checkbox"/> Bentonite - Cement Grout <input type="checkbox"/> Granular Bentonite <input type="checkbox"/> Bentonite - Sand Slurry					

5. Material Used to Fill Well / Drillhole			
<i>3/8" chipped bentonite</i>	From (ft.) Surface	To (ft.) <i>20</i>	No. Yards, Sacks Sealant or Volume (circle one) <i>8.44</i>
			Mix Ratio or Mud Weight <i>100%</i>

**6. Comments**

---

7. Supervision of Work				DNR Use Only	
Name of Person or Firm Doing Filling & Sealing <i>Endeavor Env. Services Inc.</i>	License #	Date of Filling & Sealing or Verification (mm/dd/yyyy)	Date Received	Noted By	
Street or Route <i>2280-B Salscheider Court</i>	Telephone Number <i>(920) 437-2997</i>	Comments			
City <i>Green Bay</i>	State <i>WI</i>	ZIP Code <i>54313</i>	Signature of Person Doing Work <i>[Signature]</i>	Date Signed <i>04/28/2017</i>	