

## State of Wisconsin \ DEPARTMENT OF NATURAL RESOURCES

Jim Doyle, Governor Matthew J. Frank, Secretary Gloria L. McCutcheon, Regional Director Southeast Region Headquarters 2300 N. Dr. Martin Luther King, Jr. Drive Milwaukee, Wisconsin 53212-3128 FAX 414-263-8606 Telephone 414-263-8500 TTY Access via relay - 711

August 6, 2008

Certified No.: 7007 1490 0003 1778 3410

Bishop Sedgwick Daniels Bishop's Creek Community Development Corporation 4763 North 32nd Street Milwaukee, WI 53209

Subject: Continued Security Issues at the Bishop's Creek Redevelopment Project (Former Kaiser Property), North 32nd Street and Hampton Avenue, Milwaukee, WI

FID: 341055770

BRRTS: 02-41-306192

### Dear Bishop Daniels:

On April 7, 2008, the Wisconsin Department of Natural Resources ("the Department") sent a letter with a CD-Disk of the results of our walk through (Mark Davis, WDNR) with Drake Environmental (D J Burns and Chelsea Corson) to George Marek at Quarles & Brady briefly discussing 16 different points of entry to the facility (see enclosure) as an imminent danger to the general public and needed to be secured. The letter stated that when these areas had been secured, that we would like to revisit the facility and document the results on correcting these problem areas. Four months have elapsed since this letter and there has been no response from Bishop's Creek Redevelopment Corporation or Quarles & Brady except for an e-mail reply dated March 14, 2008 from Mr. Marek (see enclosure) stating that Bishop's Creek CDC will conduct further physical evaluation of the site, and take additional steps meant to reduce the risk of trespassing.

On July 28, 2008, Mark Davis met with Bill Cook of Braxton Environmental at the facility to observe abatement activities. The contractor (Braxton) has had problems with the security of his equipment onsite that has caused the contractor to demobilize and remobilize daily due to trespassers. Davis discussed the current condition of the facility to me stating that some of the issues that were observed during our April 7<sup>th</sup> walk through had not been corrected. As of August 4, 2008, there are suppose to be fencing contractors scoping the facility to correct the fencing problems at the facility in order to secure access to this site.

Because the Department has not been notified that the entry points have been addressed, a reinspection of the facility to document the completed work was never scheduled, and with the latest problems with trespassers, the Department will need to inspect the facility again within 30-days from the date of this letter to ensure that the facility is secured, and is no longer an imminent danger to the public. Please have the work completed and schedule another walk through site visit for myself, Mark Davis, and your representative(s) for the week of September 8, 2008.



If you have any questions, please call me at 414-263-8644, or at the address above at Southeast Region Headquarters.

Sincerely,

John J. Hnat, P. G., C. P. G.

Project Manager\Senior Hydrogeologist

Remediation and Redevelopment

SER HQ

Enclosure: Follow-Up Security Site Walk Letter Dated April 7, 2008 to George Marek

E-Mail from George Marek to John Hnat dated March 14, 2008

C: Mark Davis, WDNR SER

Al Rabin, Commerce


Paul Biedrzycki, City of Milwaukee, Disease Control & Prevention

Don Schaewe & Ron Roberts, City of Milwaukee, Dept. of Neighborhood Services

George Marek, Quarles & Brady

D J Burns & Chelsea Corson, Drake Environmental

WDNR SER Files



## State of Wisconsin \ DEPARTMENT OF NATURAL RESOURCES

Jim Doyle, Governor Matthew J. Frank, Secretary Gloria L. McCutcheon, Regional Director Southeast Region Headquarters 2300 N. Dr. Martin Luther King, Jr. Drive Milwaukee, Wisconsin 53212-3128 FAX 414-263-8606 Telephone 414-263-8500 TTY Access via relay - 711

April 7, 2008

Quarles & Brady Attn: George Marek Bishop's Creek Development Corporation 411 East Wisconsin Avenue Milwaukee, WI 53202-4497

Subject: Follow-Up Security Site Walk Through at Bishop's Creek Redevelopment Project (Former Kaiser Property), North 32nd Street and Hampton Avenue, Milwaukee, WI

FID: 341055770 BRRTS: 02-41-306192

Dear Mr. Marek:

First, thank you for responding to my e-mail on March 14, 2008, alerting you to the security problem at the Bishop's Creek Redevelopment Project site. The gate was secured and Drake Environmental had the signs posted on the same day.

On March 28, 2008, D J Burns and Chelsea Corson of Drake Environmental, Mark Davis (WDNR, Air Management), and I conducted a walk through of the property in order to evaluate the security of the rest of the site. We discovered approximately 16 entry sites to the property. Enclosed you will find a CD-Disk containing a Word Document listing the entry points and associated photographs. The 16 entry points are shown on photos #'s 001, 005, 007, 010, 011, 012, 014, 016, 017, 018, 053, 058, 059, 060, 061, and 062. Also, there is a 15 to 20-foot retaining wall along the new spillway on the westside that has rebars jutting out of the concrete wall that can be used to climb onto the property (see Photo #004). This section of the property has no fence securing the site from entry.

As you can see, the site is unsecured, still accessible to the general public, and a threat to public health, safety, and to the environment. Please call or e-mail me when these areas will be corrected so we can revisit the site and document the efforts on securing the area.

If you have any questions or comments, please feel free to contact me at the above address or at (414) 263-8644. Please refer to the FID number at the top of this letter in any future correspondence.

Sincerely.

John J. Hnat, P. G.

Project Manager\Senior Hydrogeologist

Southeast Region

Remediation and Redevelopment

Enclosure:

CD-Disk Bishop Creek Security Photos 3.28.2008

C: Marcus Smith, WDNR SER

Al Rabin, Commerce

Don Schaewe and Ron Roberts, City of Milwaukee, Dept. of Neighborhood Services

D J Burns and Chelsea Corson, Drake Environmental

WDNR SER Files



## Hnat, John J - DNR

From: Marek, George J. [GJM@quarles.com]

**Sent:** Friday, March 14, 2008 3:56 PM

To: Hnat, John J - DNR

Cc: msgalbr@aol.com; ddaniels@hrcenter.info; ccorson@drake.cc; Daniels Jr., John W.; dburns@drake.cc

Subject: RE: Bishop Creek Update - Imminent Danger

#### Good afternoon, Jay:

At approximately 3:30 p.m., I spoke with Drake Environmental (D.J. Burns and Chelsea Corson). They informed me that, on behalf of Bishop's Creek CDC, they have posted the 4 sets of signs (described below), along 32nd Street as well as at the most likely other attempted points of entry to the property. Drake told me that when they arrived at the property to post the signs, the gates had already been secured along 32nd Street. Thus, immediate steps have been take to address your concerns about site security.

I wish to emphasize that Bishop's Creek CDC has long taken steps to secure the site and reduce trespassing, including prior fence repairs, installation of "no trespassing signs", and periodic site walk-throughs/monitoring. Additionally, Bishop's Creek has alerted the Milwaukee Police Department of its trespassing concerns, and the Police Department has conducted drive-by monitoring. Nevertheless, at times in the past fencing has been breached, and signs stolen and/or otherwise removed.

It is my understanding that Bishop's Creek CDC will conduct further physical evaluation of the site, and take additional steps meant to reduce the risk of trespassing.

If you have any questions, please do not hesitate to contact me.

George Marek

George J. Marek

Quarles Brudy.

Quarles & Brady LLP 411 East Wisconsin Avenue Suite 2040 Milwaukee, Wisconsin 53202

Direct Dial: (414) 277-5537 Direct Fax: (414) 978-8838 E-mail: gjm@quarles.com The 055770

From: Hnat, John J - DNR [mailto:John.Hnat@Wisconsin.gov]

Sent: Friday, March 14, 2008 2:57 PM

**To:** Melby Jr, John H - DNR; Schmidt, James A - DNR; Koonce, Frances M - DNR; Smith, Marcus L - DNR; Marek, George J.; dburns@drake.cc; Chelsea Corson; Roszak, Deborah - DNR; Rabin, Alan; Ferguson, Scott J - DNR; agoodm@milwaukee.gov; ijqows@milwaukee.gov; rrober@milwaukee.gov; dschae@milwaukee.gov

Subject: Bishop Creek Update - Imminent Danger

Gentleman and Ms Corson:

Time: 2:17 PM March 14, 2008

I received a call from Mr. George Marek, Quarles & Brady, at approximately 1:45 PM. Mr. Marek stated that he had called Bishop's Creek about the problem and that the gates will be closed today. He also stated that Drake Environmental will be picking up the signs today.

03/17/2008

received call from DJ Burns and Chelsea Corson, Drake Environmental, from the lobby at 1:55 PM. They came to pick up the warning signs. I gave them 4-English, Spanish, and Hmong warning signs. They stated they were on there way to install the signs. DJ Burns, Chelsea Corson, and I will set a date next week to inspect the site.

told all of them I will drive by on my way home tonight to see if the site is secured and the warning signs are up.

f there are any questions, please call.

A J. Huat, P.G., C.P.G.

roject Manager/Senior Hydrogeologist

temediation and Redevelopment

ioutheast Region Headquarters

Visconsin Department of Natural Resources

**霜)** phone: (414) 263-8644 霭) fax:

(414) 263-8483

🖭) e-mail: John.Hnat@wisconsin.gov

otice: This e-mail and any attachments may contain confidential information. Use and further disclosure of any of this information by the recipient must be consistent with applicable 'isconsin and federal laws, regulations and agreements. If you received this e-mail in error, please notify the sender; delete the e-mail; and do not use, disclose, or store the information it

his electronic mail transmission and any attachments are confidential and may be privileged. hey should be read or retained only by the intended recipient. If you have received this ransmission in error, please notify the sender immediately and delete the transmission from our system. In addition, in order to comply with Treasury Circular 230, we are required to nform you that unless we have specifically stated to the contrary in writing, any advice we rovide in this email or any attachment concerning federal tax issues or submissions is not ntended or written to be used, and cannot be used, to avoid federal tax penalties.

U.S. Postal Service™ CERTIFIED MAIL RECEIPT 3470 (Domestic Mail Only: No Insurance Coverage Provided) For delivery information visit our website at www.usps.com 中国 177 Postage Certified Fee 000 Postmark Return Receipt Fee Here (Endorsement Required) Restacted Delivery Fee 06 (Endorsement Required) 7.4 Total Postage & Fees | \$ Sent To 7007 4763 Street, Apt. No.: mile WI 53209 or PO Box No. City, State, ZIP+4 PS Form 3800. August 2006 See Reverse for Instructions

#### **Certified Mail Provides:**

- A mailing receipt
- A unique identifier for your mailpiece
- A record of delivery kept by the Postal Service for two years

#### Important Reminders:

- Certified Mail may ONLY be combined with First-Class Mail<sub>®</sub> or Priority Mail<sub>®</sub>.
- Certified Mail is not available for any class of international mail.
- NO INSURANCE COVERAGE IS PROVIDED with Certified Mail. For valuables, please consider Insured or Registered Mail.
- For an additional fee, a Return Receipt may be requested to provide proof of delivery. To obtain Return Receipt service, please complete and attach a Return Receipt (PS Form 3811) to the article and add applicable postage to cover the fee. Endorse mailpiece "Return Receipt Requested". To receive a fee waiver for a duplicate return receipt, a USPS<sub>®</sub> postmark on your Certified Matericeipt is required.
- For an additional fee, delivery may be restricted to the addressee or addressee's authorized agent. Advise the clerk or mark the mailpiece with the endorsement "Restricted Delivery".
- If a postmark on the Certified Mail receipt is desired, please present the article at the post office for postmarking. If a postmark on the Certified Mail receipt is not needed, detach and affix label with postage and mail.

# IMPORTANT: Save this receipt and present it when making an inquiry

PS Form 3800, August 2006 (Reverse) PSN 7530-02-000-9047

KER AT TOP OF ENVELOPE TO THE RIGHT TOP OF ENVELOPE TO THE RIGHT	
COMPLETE THIS SECTION	7.00 To 1

### ENDER:

- Complete items 1, 2, and 3. Also complete item 4 if Restricted Delivery is desired.
- Print your name and address on the reverse so that we can return the card to you.
- Attach this card to the back of the mailpiece, or on the front if space permits.
- Article Addressed to:

Bishop Sedywick DANiehs Bishop's Creck Community DC 4763 N. 32 nd ST MilwAukee, WI 53209

COMPLETE THIS SECTION ON DELIVERY

A. Signature ☐ Agent ☐ Addressee

B. Received by (Printed Name)

D. Is delivery address different from item 1? If YES, enter delivery address below:

3. Service Type ☐ Certified Mail ☐ Express Mail

□ Registered □ Return Receipt for Merchandise

☐ Insured Mail T COD

4. Restricted Delivery? (Extra Fee) 1490 0003 1778 3410

2. Article Number (Transfer from service label)


7007

102595-02-M-1540

☐ Yes

C. Date of Delivery

П No



Sender: Please print your name, address, and ZIP+4 in this box

WDNR 40 J HMAT 2300 Dr M L King Dr milwankee WI 53212