



Stantec Consulting Services Inc.
12075 Corporate Parkway, Suite 200
Mequon, WI 53092

January 31, 2018

Attention: Mr. John Feeney, P.G.
Wisconsin Department of Natural Resources
Remediation and Redevelopment Program
Plymouth Service Center
1155 Pilgrim Parkway
Plymouth, Wisconsin 53073

Reference: **Summary of Additional Groundwater Monitoring Activities and Justification for Case Closure**
Former Cedarburg Power Plant Property
W61 N617 Mequon Avenue, Cedarburg, Wisconsin
WDNR BRRTS #02-46-547626 and #03-46-003301
Stantec Project No.: 193705903

Dear Mr. Feeney:

Stantec Consulting Services Inc. (Stantec) prepared this letter report to summarize additional groundwater monitoring activities completed since 2003 at the former Cedarburg Power Plant property located at W61 N617 Mequon Avenue, Cedarburg, Wisconsin (the Property). The report concludes with a request for concurrence that no further investigation or groundwater monitoring is required. The Property location and the overall site layout are illustrated in Figures 1 and 2, respectively.

BACKGROUND

Two open Wisconsin Department of Natural Resources (WDNR) Bureau of Remediation and Redevelopment Tracking System (BRRTS) numbers are associated with the Property. The first case (02-46-547626) is an Emergency Response Program (ERP) case associated with a chlorinated solvent release identified at the Property. The second (03-46-003301) is a leaking underground storage tank (LUST) case that has been investigated, but not closed.

During the 1990s, Northern Environmental Technologies, Inc. performed investigative activities at the Property to address both petroleum and chlorinated solvent contamination. In 1997, a request for case closure was submitted to the WDNR. The WDNR denied the closure request and asked that the source of the chlorinated solvents be identified and additional groundwater sampling be completed to document groundwater trends. Based on further discussions, the required scope of work included one additional year of quarterly groundwater monitoring. Reportedly, the requested monitoring occurred though documentation could not be located and the information was not provided to the WDNR.

In April 2012, Mr. Dale Lythjohan of Cedarburg Light & Water Utility and Stu Gross of Stantec met with Mr. John Feeney, Mr. Mark Gordon, and Mr. Jim Schmidt of the WDNR to discuss the steps needed to close this case.

During the meeting, the WDNR again requested that the source of chlorinated solvent contamination be identified and two separate groundwater sampling events be performed on a quarterly basis.

Shortly after the meeting, Stantec implemented the desired activities requested by the WDNR. Therefore, this document was prepared to summarize that work.



January 31, 2017
Cedarburg Light & Water

Reference: Summary of Additional Groundwater Monitoring Activities and Justification for Case Closure

APPLICABLE GROUNDWATER CLEAN-UP CRITERIA

Public health-related groundwater quality standards are set forth by ch. NR 140 Wisconsin Administrative Code (NR 140). Standards are listed for substances of public health concern (defined as substances having carcinogenic, mutagenic, or teratogenic properties or interactive effects) and substances of public welfare concern (defined as having a negative aesthetic value but with little threat to human health). Two levels of standards are listed: the preventive action limit (PAL) and the enforcement standard (ES). The ES represents a concentration above which action generally must be taken to improve the quality of groundwater. The PAL represents a lower concentration (usually 10 to 20 percent of the ES), above which, groundwater quality should be further evaluated. PAL and ES values relevant to constituents evaluated in groundwater samples collected at the Site are summarized in Table 2.

ADDITIONAL GROUNDWATER MONITORING ACTIVITIES

On May 10, 2012, Stantec evaluated the physical condition of monitoring wells MW200, MW300, and MW400 at the Property for general compliance with Ch. NR 141 Wisconsin Administrative Code well construction requirements. The wells were noted to be in good condition and were over purged for sampling purposes. On May 10 and August 27, 2012, Stantec measured water levels and sampled wells for volatile organic compounds (VOCs).

The observed water table elevation data are provided in Table 1. The depth to water during the August 2012 event ranged from 11.86 to 13.37 feet below top of casing in the monitoring wells. Ground water at the Property generally flows in an easterly direction with a horizontal hydraulic gradient of approximately 0.01 feet per foot. Water table conditions on August 27, 2012 are illustrated on Figure 3. Groundwater flow at the site is likely influenced by the concrete dam located approximately 50 feet south of MW500.

During the May 2012 event, various chlorinated solvents were detected in monitoring well MW200. However, the reported compounds are similar to those previously detected in the well and the concentrations are similar to or lower than historic results. Tetrachloroethene (PCE) and vinyl chloride were present at concentrations above respective NR 140 ESs in MW200. Trichloroethene (TCE) was also reported in the sample at a concentration that exceeded the NR 140 PAL. PCE was the only compound reported in MW300. The result was at the PAL established for that compound but was also "J" flagged by the laboratory meaning that the reported result may not be statistically accurate. PCE was also reported in this well during previous sampling events. No elevated detections of VOCs were reported in the sample collected from MW400.

During the August 2012 event, various chlorinated solvents were again detected in monitoring well MW200. However, none of the reported concentrations exceeded the NR 140 ES. PCE was the only compound present in MW300 with the reported result being just above the NR 140 PAL. No elevated detections were reported in the sample collected from MW400. Groundwater quality results are summarized in Table 2. Groundwater sample laboratory analytical reports and chain-of-custody records are attached.

SOURCE IDENTIFICATION

The WDNR requested additional information related to the source of chlorinated solvent contamination present at the Property. In response to this request, Stantec interviewed Mr. John Brunner. Mr. Brunner was a mechanic at the Cedarburg Power Plant for 23 years. Mr. Brunner stated that a "parts washing area" was present on the southern side of the building. Drums containing fuel oil and solvents were also present in this area and were always stored inside the building near this location. Mr. Brunner stated that Approximately 3 or 4 gallons of fuel oil was



January 31, 2017
Cedarburg Light & Water

Reference: Summary of Additional Groundwater Monitoring Activities and Justification for Case Closure

mixed with a small amount of solvent (Mr. Brunner could not remember the name of the solvent used) then transferred to the parts washer to wash various parts. Mr. Brunner stated that waste liquids from the parts washer was transferred to drums and containerized for off-site disposal. However, on occasion, small amounts (believed to be no more than 3 or 4 gallons per summer) of the waste was used to control weeds in a gravel area located between the former cooling towers and the building (west and northwestern side of building). Mr. Brunner was not aware of any other use of solvents at the Property. He also stated that the area north of the power plant building (area of existing monitoring wells) was, to his knowledge, paved with asphalt during the years he worked at the facility.

This information was forwarded to the WDNR in an email correspondence dated July 26, 2012. In response, the WDNR requested that at a minimum, a hand auger boring be advanced in the area where the solvent waste was used to control weeds and that a soil sample be collected and analyzed for VOCs.

To satisfy the WDNR's request, Stantec personnel met with Mr. Brunner at the Property to discuss historic site operations and locate a representative area to collect a sample. With Mr. Brunner's input, a location was selected in a grassy strip located between the former cooling towers and the building. On August 27, 2012, Stantec personnel attempted to collect a soil sample using a hand auger from this area but refusal occurred just beneath the surface in multiple locations. Therefore, the borehole was moved just south of the existing rear entrance to the building (west side). Mr. Brunner was contacted to ensure that this area was representative of the area where the waste liquid was used to control weeds. Mr. Brunner verified that weed control likely occurred in this area in the past.

Stantec personnel advanced one hand auger borehole (HB-1) to a depth of 2.5 feet below grade (fbg). Soil was collected continuously from the borehole and one sample, collected from 1.5 to 2.5 fbg was containerized for VOC analysis. Based on laboratory analytical results, no VOCs were reported above the analytical limit of detection in the soil sample. Soil sample laboratory analytical reports and chain of custody records are included in the attached August 2012 TestAmerica report.

CONCLUSIONS AND RECOMMENDATIONS

The extent of petroleum and chlorinated solvent contamination in soil and groundwater was defined as part of previous investigation activities completed in the early 1990s. Though residual soil contamination is assumed to be very limited in extent, if present at all, the entire area except for a few small vegetated areas present between the former cooling towers and the building are covered by asphalt, concrete, or an existing building.

Historically, groundwater with TCE and PCE exceeding respective NR 140 ESs were present in monitoring well MW200. However, the reported TCE concentration dropped below the NR 140 PAL and the PCE concentration dropped below the NR 140 ES during the latest sampling event. PCE was also reported above the NR 140 PAL in monitoring well MW300 during this event. In general, overall contaminant concentrations present in these wells have been stable or decreasing.

Soil contamination consisting of diesel range organics identified during initial investigation activities was very limited in extent and present only in boreholes B1 and B2 (MW200). No elevated VOCs readings were reported in historic soil sampling activities that have occurred at the Property. These boreholes are located at least 30 feet from the existing building, are covered with asphalt, and no known utilities are present in the area. Based on this information, coupled with the limited



January 31, 2017
Cedarburg Light & Water

Reference: Summary of Additional Groundwater Monitoring Activities and Justification for Case Closure

extent and low levels of residual groundwater contamination, intrusion of potential contaminant vapor into the building does not appear to be occurring.

Based on the results of historic site investigation and recent groundwater monitoring and soil sampling activities completed at the Property, no further investigation or groundwater monitoring appears to be warranted. On behalf of Cedarburg Light & Water Utility, Stantec requests that WDNR provide concurrence that no further investigation or groundwater monitoring is required. Following this notification, a Case Closure-GIS Registry Packet (Form 4400-202) will be provided to the WDNR along with supporting documentation and appropriate Technical review and closure fees. Cedarburg Light & Water Utility acknowledges the following conditions will likely be required for closure;

- The site will be listed on the WDNR groundwater GIS Registry to address residual chlorinated-solvent contamination in groundwater
- A barrier maintenance plan of the asphalt parking lot and building overlying the residual contaminated groundwater. It should be noted that due its size and intended future use, Cedarburg Light and Water intends to subdivide the current property into at least two separate parcels. The barrier maintenance plan will be prepared for the parcel containing contaminated soil/groundwater.


Upon notification of conditional case closure, the monitoring wells associated with the release will be properly abandoned and documentation provided to the WDNR.

We trust this information meets your needs. Please contact Stantec if you have any questions or comments.

STANTEC CONSULTING SERVICES INC.


Stu Gross, P.G.
Senior Project Manager
Phone: (262) 643-9159
Email: stu.gross@stantec.com

STANTEC CONSULTING SERVICES INC.


Nicholas Heim
Assistant Project Manager/Hydrogeologist
Phone: (262) 643-9157
Email: nicholas.heim@stantec.com

Attachments: Figure 1 – Site Location & Local Topography
Figure 2 – Site Layout
Figure 3 – Groundwater elevation Contour Map (8/27/12)

Table 1 - Groundwater Elevation Data
Table 2 – Groundwater Analysis Results
Table 3 – Inorganic Field Analysis

Attachment A – Laboratory Analytical Results and Chain-of-Custody Record

c. Mr. Dale Lythjohan, Cedarburg Light & Water Utility

LIMITATIONS

The soil and monitoring well/piezometer sampling activities were performed in accordance with generally accepted practices of the profession for performing similar studies at the same time and



January 31, 2017
Cedarburg Light & Water

Reference: Summary of Additional Groundwater Monitoring Activities and Justification for Case Closure


in the same geographical area. Stantec observed that degree of care and skill generally exercised by the profession under similar circumstances and conditions. No other warranty is expressed or implied.

Stantec observations, findings, and opinions must not be considered as scientific certainties, but only an opinion based on our professional judgment concerning the significance of the data gathered during the course of the investigation. Specifically, Stantec does not and cannot represent that the Property contains no hazardous or toxic materials or other latent condition beyond that observed by Stantec.

REFERENCES

Wisconsin Department of Natural Resources, "Groundwater Quality", Wisconsin Administrative Code, Chapter NR 140, July 2015.

Wisconsin Department of Natural Resources, "Groundwater Monitoring Well Requirements", Wisconsin Administrative Code, Chapter NR 141, June 2015.



SCALE IN FEET

1" = 2000'



CONTOUR INTERVAL 10 FEET
NATIONAL GEODETIC VERTICAL DATUM OF 1929



QUADRANGLE LOCATION

BASE MAP SOURCE: USGS 7.5 MINUTE QUADRANGLE, CEDARBURG, WISCONSIN, 1994 (NATIONAL GEOGRAPHIC HOLDINGS, INC.)



12075 CORPORATE PARKWAY, SUITE 200
MEQUON, WISCONSIN, 53092
Phone: 800-766-7140 Fax: 262-241-4901

This drawing and all information contained thereon is the property of Stantec. Stantec will not be held liable for improper or incorrect usage. Professional seals and signatures do not apply to electronic drawing files. The user assumes all responsibility and risk for the accuracy and verification of all information contained in electronic files.

SITE LOCATION & LOCAL TOPOGRAPHY

FORMER CEDARBURG POWER PLANT
CEDARBURG, WISCONSIN


DATE: 01/18/13


DRAWN BY: AJS

REVISED:

PROJECT NUMBER: 193701814

FIGURE 1





Stantec

12075 CORPORATE PARKWAY, SUITE 200
MEQUON, WISCONSIN 53092
P: 800-776-7140 F: 262-241-4901

This drawing and all information contained thereon is the property of Stantec. Stantec will not be held liable for improper or incorrect usage. Professional seals and signatures do not apply to electronic drawing files. The user assumes all responsibility and risk for the accuracy and verification of all information contained in electronic files.

GROUNDWATER ELEVATION
CONTOUR MAP
AUGUST 27, 2012

FORMER CEDARBURG POWER PLANT
CEDARBURG, WISCONSIN

DATE: 2013-1-23 DRAWN BY: AJS REVISED:

PROJECT: 193701814

FIGURE 3

PATH: V:\1937\active\193701814\CAD\DWG\193701814_FIG3.dwg

Table 1 Groundwater Elevation Data, Cedarburg Light & Water Power Plant, Cedarburg, Wisconsin

Well ID	Elevation Ground Surface (feet)	Elevation of Reference Point* (feet)	Date	Depth to Water Below Reference Point* (feet)	Water Table Elevation (feet)
MW200	96.46	95.94	10/18/93 10/25/93 10/28/93 01/07/94 02/14/94 12/28/94 01/18/95 06/08/95 03/21/96 06/10/96 09/13/96 12/06/96 12/19/97 03/26/99 05/10/12 08/27/12	12.71 12.78 12.94 13.30 14.21 13.02 12.90 12.53 12.81 11.49 13.00 12.77 13.00 12.70 12.10 12.51	83.23 83.16 83.00 82.64 81.73 82.92 83.04 83.41 83.13 84.45 82.94 83.17 82.94 83.24 83.84 83.43
MW300	97.22	96.54	10/18/93 10/25/93 10/28/93 01/07/94 02/14/94 12/28/94 01/18/95 06/08/95 03/21/96 06/10/96 09/13/96 12/06/96 12/19/97 03/26/99 05/10/12 08/27/12	14.02 14.01 13.98 14.41 15.16 14.01 12.91 13.42 13.76 12.31 13.91 13.91 14.29 13.63 12.90 13.37	82.52 82.53 82.56 82.13 81.38 82.53 83.63 83.12 82.78 84.23 82.63 82.63 82.25 82.91 83.64 83.17
MW400	95.56	95.28	10/18/93 10/25/93 10/28/93 01/07/94 02/14/94 12/28/94 01/18/95 06/08/95 03/21/96 06/10/96 09/13/96 12/06/96 12/19/97 03/26/99 05/10/12 08/27/12	12.60 12.58 12.55 12.87 13.62 12.50 12.38 12.03 12.28 10.96 12.51 12.36 12.69 12.19 11.37 11.86	82.68 82.70 82.73 82.41 81.66 82.78 82.90 83.25 83.00 84.32 82.77 82.92 82.59 83.09 83.91 83.42
MW500	95.53**	95.56	12/28/94 01/03/95 01/18/95 06/08/95 03/21/96 06/10/96 09/13/96 12/06/96 03/26/99	12.54 12.42 12.42 12.62 12.62 11.42 12.82 12.72 12.40	83.02 83.14 83.14 82.94 82.94 84.14 82.74 82.84 83.16

NOTE: Elevations are referenced to site datum

* = Reference point is the top of the monitoring well casing

** = Elevation of top of protective metal casing

Table 2 Groundwater Analysis Results, Cedarburg Light and Water Power Plant, Cedarburg, Wisconsin

Well I.D.	Date	Concentrations of Detected Analytes (ug/l)																				
		DRO	GRO	Benzene	Ethy-benzene	Toluene	Total Xylenes	MTBE	n-Butyl-benzene	Chloro-ethane	1,1-Dichloro-ethane	cis-1,2-Dichloro-ethene	Naphthalene	Tetrachloro-ethene	Trichloro-ethene	Trimethyl-benzenes	1,2-Dichloro-benzene	1,1,1-Trichloro-ethane	1,2-Dibromo-ethane	Vinyl Chloride	Lead	
NR 140, Wis. Adm. Code ES		NS	NS	5	700	800	2000	60	NS	400	850	70	40	5	5	480	600	200	0.05	0.2	15	
NR 140, Wis. Adm. Code PAL		NS	NS	0.5	140	160	400	12	NS	80	85	7	8	0.5	0.5	96	60	40	0.005	0.02	1.5	
MW200	10/28/93	720	110	<0.6	<1.0	35	5.6	<1.0	6.1	23	7.4	3.5	5.7	5.4	7.6	6.9	<1.0	<0.2	<0.08	<0.54	17	
	01/13/94	<5.0	<10.0	<0.6	<1.0	2.4	1.8	<1.0	3.0	26	3.6	1.2	7.1	1.4	1.6	3.6	1.6	<0.2	<0.08	<0.54	22	
	01/18/95	2000	28	<2.0	<1.0	<1.0	<2.0	<1.0	<2.0	2.2	4.9	22	0.44	19	29	<4.0	0.19	4.9	<0.08	<0.54	4	
	06/09/95	810	NA	0.28	<0.32	<0.69	<1.23	.46	<45	9.4	6.6	8.4	<.41	42	17.5	<1.14	.33	2.9	<0.08	<0.54	<1	
	03/21/95	510	NA	0.28	<0.32	<0.69	<1.23	0.29	<0.45	6.1	4.1	5.5	<.41	11	5.8	<1.14	0.69	0.65	<0.08	<0.54	NA	
	06/10/95	270	NA	0.27	<0.32	<0.69	<1.23	<0.22	<0.45	6.2	5.9	6.9	<.41	56	14	<1.14	0.43	2.8	<0.14	<0.54	NA	
	09/13/95	350	NA	0.48	<0.32	<0.69	<1.23	<0.22	<0.45	2.6	4.7	3.9	<.41	15	4.7	<1.14	0.93	0.97	<0.16	<0.54	NA	
	12/05/95	400	NA	<0.26	<0.32	<0.69	<0.42	<0.22	<0.45	1.2	4.5	3.5	1.1	14	5.1	<1.14	NA	1.1	<0.08	<0.54	NA	
	12/19/97	NA	<100	<0.21	<0.68	<1.5	<1.78	<0.21	<0.38	<0.63	3	5.4	<1	18	5.1	<1.86	<0.24	<0.08	<0.45	<0.045	NA	
	03/25/99	NA	NA	<0.25	<0.32	<0.38	<1.04	<0.21	<0.43	<0.15	3.2	10	<0.73	30	12	<0.70	1.4	<0.24	0.83 "J"	NA		
MW271	05/10/12	NA	NA	<0.074	<0.13	<0.11	<0.068	<0.24	<0.13	<0.34	0.95 "J"	5.5	<0.16	8.3	2.3	<0.32	0.51 "J"	<0.20	<0.36	0.88	NA	
	08/27/12	NA	NA	<0.074	<0.13	<0.11	<0.068	<0.24	<0.13	<0.34	<0.19	2	<0.16	0.46 "J"	<0.32	0.91 "J"	<0.20	<0.36	<0.10			
MW300	10/28/93	<100	<100	1.2	NA	1.5	<2.5	NA	<2.0	3.3	5.0	3.4	<2.0	3.9	<1.0	<2.0	NA	NA	<0.08	<0.54	2	
	01/13/94	<5.0	<10.0	1.3	<1.0	<1.0	<2.5	<1.0	<2.0	<1.0	<1.0	<1.0	<2.0	<1.0	<2.0	<1.0	<2.0	<0.2	<0.08	<0.54	<1.0	
	01/18/95	150	<11.0	0.80	<1.0	<1.0	<2.5	<1.0	<2.0	2.3	1.1	0.90	<2.0	<1.0	<2.0	<1.0	<2.0	<0.2	<0.08	<0.54	1.0	
	06/08/95	<100	NA	0.36	<.32	<.69	<1.23	<.22	<.45	0.93	0.9	0.67	<.41	1.82	0.33	<1.14	<.11	<.63	<0.08	<0.54	1.0	
	03/21/95	400	NA	1.1	<0.32	<0.69	0.62	<0.22	<0.45	3.9	<.37	0.32	4.9	1.5	<1.14	0.31	<0.63	<0.08	<0.54	NA		
	06/10/95	<100	NA	0.41	<0.32	<0.69	<1.23	<0.22	<0.45	1.3	0.75	0.75	1.7	2.1	<1.14	0.12	<0.63	<0.08	<0.54	NA		
	09/13/95	<100	NA	0.34	<0.32	<0.69	<1.23	<0.22	<0.45	1.5	0.63	0.59	0.58	3.2	<1.14	0.14	<0.63	<0.08	<0.54	NA		
	12/05/95	170	NA	0.59	<0.32	<0.69	<0.42	<0.22	<0.45	18	1	0.46	1.2	2	<1.14	0.32	<0.63	0.12	0.71	NA		
	12/19/97	NA	<100	0.56	<0.68	<1.5	0.67	<0.21	<0.38	2.7	0.43	<0.32	3.4	1	<1.86	<0.24	<0.08	<0.45	<0.045	NA		
	03/25/99	NA	NA	0.64 "J"	0.7 "J"	0.68 "J"	2.6 "J"	<0.21	<0.43	4.5	0.61 "J"	<0.34	10	1.1 "J"	<0.39	0.73 "J"	0.56 "J"	<0.35	<0.24	<0.32	NA	
MW400	05/10/12	NA	NA	<0.074	<0.13	<0.11	<0.068	<0.24	<0.13	<0.34	<0.19	<0.12	<0.16	0.50 "J"	<0.19	<0.32	<0.27	<0.20	<0.36	<0.10	NA	
	08/27/12	NA	NA	<0.074	<0.13	<0.11	<0.068	<0.24	<0.13	<0.34	<0.19	<0.12	<0.16	0.15	<0.19	<0.32	<0.27	<0.20	<0.36	<0.10	NA	
	10/28/93	<100	<100	<0.6	<1.0	<1.0	<2.5	<1.0	<2.0	<1.0	<1.0	<1.0	<2.0	<1.0	<2.0	<1.0	<2.0	<0.2	<0.08	<0.54	<1.0	
	01/13/94	<5.0	<10.0	<0.6	<1.0	<1.0	<2.5	<1.0	<2.0	<1.0	<1.0	<1.0	<2.0	<1.0	<2.0	<1.0	<2.0	<0.2	<0.08	<0.54	<1.0	
	01/18/95	120	<11.0	<0.6	<1.0	<1.0	<2.5	<1.0	<2.0	<1.0	<1.0	<1.0	<2.0	<1.0	<2.0	<1.0	<2.0	<0.2	<0.08	<0.54	1.0	
	06/08/95	<100	NA	<0.26	<.32	<.69	<1.23	0.33	<.45	<.5	<.27	<.29	<.41	<.56	<1.18	<1.14	<.11	<.63	<0.08	<0.54	2	
	03/21/95	<100	NA	0.26	<0.32	<0.69	<1.23	<0.22	<0.45	0.5	<.37	<.29	<.41	<.56	<1.18	<1.14	<.11	<.63	<0.08	<0.54	NA	
	06/10/95	<100	NA	0.28	<0.32	<0.69	<1.23	<0.22	<0.45	0.5	<.27	<.29	<.41	<.56	<1.18	<1.14	<.11	<.63	<0.08	<0.54	NA	
	09/13/95	<100	NA	0.26	<0.32	<0.69	<1.23	<0.22	<0.45	0.5	<.27	<.29	<.41	<.56	<1.18	<1.14	<.11	<.63	<0.08	<0.54	NA	
	12/05/95	<100	NA	<0.26	<0.32	<0.69	<0.42	<0.22	<0.45	<0.5	<0.27	<0.29	<0.41	<.56	<1.18	<1.14	<.11	<.63	<0.08	<0.54	NA	
	12/19/97	NA	<100	<0.21	<0.68	<1.5	<1.78	<0.21	<0.38	<0.83	<0.31	<0.32	<1	<0.13	<1.86	<0.24	<0.37	<0.048	<0.045	NA		
MW500	03/25/99	NA	NA	<0.25	<0.32	<0.38	<1.04	<0.21	<0.43	<0.15	<0.32	<0.34	<0.34	<0.32	<0.73	<0.56	<0.39	<0.70	<0.28	<0.35	<0.24	
	08/27/12	NA	NA	<0.25	<0.32	<0.38	<1.04	<0.21	<0.43	<0.15	<0.32	<0.34	<0.34	<0.32	<0.73	<0.56	<0.39	<0.70	<0.28	<0.35	<0.24	

NOTE:
Only those VOCs detected are summarized in this table

XXX = exceeds Chapter NR 140, Wisconsin Administrative Code (NR 140, Wis. Adm. Code) Preventive Action Limit (PAL)

ug/l = micrograms per liter

DRO = diesel range organics

GRO = gasoline range organics

MTBE = methyl-tertiary-butyl-ether

NA = not analyzed

* = duplicate sample

< = analyte not detected to the laboratory detection limit of x

NS = no water quality standard

Table 3 Inorganic Field Analysis, Cedarburg Light and Water Power Plant, Cedarburg, Wisconsin

Well Number	Date Analyzed	Dissolved Oxygen (mg/l)	Nitrate/Nitrogen-Nitrogen Concentration (mg/l)	Ferrous Iron Concentration (mg/l)	Sulfate Concentration (mg/l)	ORP (mV)	Temperature (°C)	pH (su)	Conductivity (µS)
MW200	12/19/97	1	1.1 F	0.26 F	0 F	110	13	7	4300
	03/25/99	1	0.11 F	<0.695	58	-	10	-	-
	05/10/12	7.46	-	-	-	-79.6	51.16	7.68	7291
	08/27/12	7.05	-	-	-	27.6	-	7.68	1434
MW300	12/19/97	0.80	0.7 F	0.96 F	0 F	-35	14	7	3700
	03/25/99	1.67	0.21 F	2	6	-	12	-	-
	05/10/12	43.6	-	-	-	43.6	53.61	7.76	1489
	08/27/12	6.84	-	-	-	70.3	-	8	2088
MW400	12/19/97	0	1.4 F	5.00 F	0 F	<-80	14	7	2100
	03/25/99	0	0.31 F	15	3	-	11	-	-
	05/10/12	7.91	-	-	-	65.6	52.63	7.75	2188
	08/27/12	6.21	-	-	-	-80.2	-	8	6579
MW500	12/19/97	4.99	0.5 F	0.01 F	68 F	235	13	6.74	970
	03/25/99	7.31	1.70 F	<0.139	39	-	11	-	-

Note:

mg/l = milligrams per liter

ORP = oxidation - reduction potential

mV = milli-volts

°C = degrees centigrade

su = standard units

µS = micro Siemens

F = sample was filtered before analysis

- = not analyzed



ATTACHMENT A

LABORATORY ANALYTICAL RESULTS AND CHAIN-OF-CUSTODY RECORD

TestAmerica

THE LEADER IN ENVIRONMENTAL TESTING

ANALYTICAL REPORT

TestAmerica Laboratories, Inc.

TestAmerica Chicago

2417 Bond Street

University Park, IL 60484

Tel: (708)534-5200

TestAmerica Job ID: 500-46344-1

Client Project/Site: Cedarburg Light & Water 193701814

For:

Stantec Consulting Corporation/Bonestroo

12075N Corporate Parkway

Suite 210

Mequon, Wisconsin 53092

Attn: Andy Swaim

Sandie Fredrick

Authorized for release by:

5/21/2012 5:59:51 PM

Sandie Fredrick

Project Manager I

sandie.fredrick@testamericainc.com

Designee for

Dan Milewsky

Project Manager II

dan.milewsky@testamericainc.com

LINKS

Review your project
results through

Total Access

Have a Question?

Ask
The
Expert

Visit us at:

www.testamericainc.com

The test results in this report meet all 2003 NELAC and 2009 TNI requirements for accredited parameters, exceptions are noted in this report. This report may not be reproduced except in full, and with written approval from the laboratory. For questions please contact the Project Manager at the e-mail address or telephone number listed on this page.

This report has been electronically signed and authorized by the signatory. Electronic signature is intended to be the legally binding equivalent of a traditionally handwritten signature.

Results relate only to the items tested and the sample(s) as received by the laboratory.

Table of Contents

Cover Page	1
Table of Contents	2
Case Narrative	3
Detection Summary	4
Method Summary	5
Sample Summary	6
Client Sample Results	7
Definitions	17
QC Association	18
Surrogate Summary	19
QC Sample Results	20
Certification Summary	23
Chain of Custody	24
Receipt Checklists	25

1
2
3
4
5
6
7
8
9
10
11
12
13
14

Case Narrative

Client: Stantec Consulting Corporation/Bonestroo
Project/Site: Cedarburg Light & Water 193701814

TestAmerica Job ID: 500-46344-1

Job ID: 500-46344-1

Laboratory: TestAmerica Chicago

Narrative

Job Narrative
500-46344-1

Comments

No additional comments.

Receipt

The samples were received on 5/15/2012 10:30 AM; the samples arrived in good condition, properly preserved and, where required, on ice. The temperature of the cooler at receipt was 3.7° C.

GC/MS VOA

Method(s) 8260B: Due to the large number of spiked analytes, there is a high probability that one or more analytes will recover outside acceptance limits. The laboratory's SOP allows for 2 analytes to recover outside criteria for this method when a full list spike is utilized. The LCS associated with batch 150197 had 1 analyte outside control limits; therefore, re-analysis was not performed. These results have been reported and qualified.

No other analytical or quality issues were noted.

Detection Summary

Client: Stantec Consulting Corporation/Bonestroo
Project/Site: Cedarburg Light & Water 193701814

TestAmerica Job ID: 500-46344-1

Client Sample ID: MW200

Lab Sample ID: 500-46344-1

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
cis-1,2-Dichloroethene	5.5		1.0	0.12	ug/L	1		8260B	Total/NA
1,2-Dichlorobenzene	0.51	J	1.0	0.27	ug/L	1		8260B	Total/NA
1,1-Dichloroethane	0.95	J	1.0	0.19	ug/L	1		8260B	Total/NA
Tetrachloroethene	8.3		1.0	0.17	ug/L	1		8260B	Total/NA
trans-1,2-Dichloroethene	1.4		1.0	0.25	ug/L	1		8260B	Total/NA
Trichloroethene	2.3		0.50	0.19	ug/L	1		8260B	Total/NA
Vinyl chloride	0.88		0.50	0.10	ug/L	1		8260B	Total/NA

Client Sample ID: MW300

Lab Sample ID: 500-46344-2

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
Tetrachloroethene	0.50	J	1.0	0.17	ug/L	1		8260B	Total/NA

Client Sample ID: MW400

Lab Sample ID: 500-46344-3

No Detections

Client Sample ID: Dup

Lab Sample ID: 500-46344-4

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
cis-1,2-Dichloroethene	6.4		1.0	0.12	ug/L	1		8260B	Total/NA
1,2-Dichlorobenzene	0.66	J	1.0	0.27	ug/L	1		8260B	Total/NA
1,1-Dichloroethane	1.0		1.0	0.19	ug/L	1		8260B	Total/NA
Tetrachloroethene	1.9		1.0	0.17	ug/L	1		8260B	Total/NA
trans-1,2-Dichloroethene	1.7		1.0	0.25	ug/L	1		8260B	Total/NA
Trichloroethene	2.5		0.50	0.19	ug/L	1		8260B	Total/NA
Vinyl chloride	1.2		0.50	0.10	ug/L	1		8260B	Total/NA

Client Sample ID: Trip Blank

Lab Sample ID: 500-46344-5

No Detections

Method Summary

Client: Stantec Consulting Corporation/Bonestroo
Project/Site: Cedarburg Light & Water 193701814

TestAmerica Job ID: 500-46344-1

Method	Method Description	Protocol	Laboratory
8260B	Volatile Organic Compounds (GC/MS)	SW846	TAL CHI

Protocol References:

SW846 = "Test Methods For Evaluating Solid Waste, Physical/Chemical Methods", Third Edition, November 1986 And Its Updates.

Laboratory References:

TAL CHI = TestAmerica Chicago, 2417 Bond Street, University Park, IL 60484, TEL (708)534-5200

Sample Summary

Client: Stantec Consulting Corporation/Bonestroo
Project/Site: Cedarburg Light & Water 193701814

TestAmerica Job ID: 500-46344-1

Lab Sample ID	Client Sample ID	Matrix	Collected	Received
500-46344-1	MW200	Water	05/10/12 14:00	05/15/12 10:30
500-46344-2	MW300	Water	05/10/12 00:00	05/15/12 10:30
500-46344-3	MW400	Water	05/10/12 13:00	05/15/12 10:30
500-46344-4	Dup	Water	05/10/12 14:00	05/15/12 10:30
500-46344-5	Trip Blank	Water	05/10/12 00:00	05/15/12 10:30

1
2
3
4
5
6
7
8
9
10
11
12
13
14

Client Sample Results

Client: Stantec Consulting Corporation/Bonestroo
 Project/Site: Cedarburg Light & Water 193701814

TestAmerica Job ID: 500-46344-1

Client Sample ID: MW200

Date Collected: 05/10/12 14:00

Date Received: 05/15/12 10:30

Lab Sample ID: 500-46344-1

Matrix: Water

Method: 8260B - Volatile Organic Compounds (GC/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Acetone	<1.3		5.0	1.3	ug/L			05/18/12 17:32	1
Benzene	<0.074		0.50	0.074	ug/L			05/18/12 17:32	1
Bromobenzene	<0.25		1.0	0.25	ug/L			05/18/12 17:32	1
Bromochloromethane	<0.40		1.0	0.40	ug/L			05/18/12 17:32	1
Bromodichloromethane	<0.17		1.0	0.17	ug/L			05/18/12 17:32	1
Bromoform	<0.28		1.0	0.28	ug/L			05/18/12 17:32	1
Bromomethane	<0.31		1.0	0.31	ug/L			05/18/12 17:32	1
2-Butanone (MEK)	<1.5		5.0	1.5	ug/L			05/18/12 17:32	1
Carbon tetrachloride	<0.26		1.0	0.26	ug/L			05/18/12 17:32	1
Chlorobenzene	<0.14		1.0	0.14	ug/L			05/18/12 17:32	1
Chloroethane	<0.34		1.0	0.34	ug/L			05/18/12 17:32	1
Chloroform	<0.20		1.0	0.20	ug/L			05/18/12 17:32	1
Chloromethane	<0.18		1.0	0.18	ug/L			05/18/12 17:32	1
2-Chlorotoluene	<0.21		1.0	0.21	ug/L			05/18/12 17:32	1
4-Chlorotoluene	<0.20		1.0	0.20	ug/L			05/18/12 17:32	1
cis-1,2-Dichloroethene	5.5		1.0	0.12	ug/L			05/18/12 17:32	1
cis-1,3-Dichloropropene	<0.18		1.0	0.18	ug/L			05/18/12 17:32	1
Dibromochloromethane	<0.32		1.0	0.32	ug/L			05/18/12 17:32	1
1,2-Dibromo-3-Chloropropane	<0.68		2.0	0.68	ug/L			05/18/12 17:32	1
1,2-Dibromoethane	<0.36		1.0	0.36	ug/L			05/18/12 17:32	1
Dibromomethane	<0.33		1.0	0.33	ug/L			05/18/12 17:32	1
1,2-Dichlorobenzene	0.51 J		1.0	0.27	ug/L			05/18/12 17:32	1
1,3-Dichlorobenzene	<0.15		1.0	0.15	ug/L			05/18/12 17:32	1
1,4-Dichlorobenzene	<0.15		1.0	0.15	ug/L			05/18/12 17:32	1
Dichlorodifluoromethane	<0.20		1.0	0.20	ug/L			05/18/12 17:32	1
1,1-Dichloroethane	0.95 J		1.0	0.19	ug/L			05/18/12 17:32	1
1,2-Dichloroethane	<0.28		1.0	0.28	ug/L			05/18/12 17:32	1
1,1-Dichloroethene	<0.31		1.0	0.31	ug/L			05/18/12 17:32	1
1,2-Dichloropropane	<0.20 *		1.0	0.20	ug/L			05/18/12 17:32	1
1,3-Dichloropropane	<0.13		1.0	0.13	ug/L			05/18/12 17:32	1
2,2-Dichloropropane	<0.32		1.0	0.32	ug/L			05/18/12 17:32	1
1,1-Dichloropropene	<0.34		1.0	0.34	ug/L			05/18/12 17:32	1
Ethylbenzene	<0.13		0.50	0.13	ug/L			05/18/12 17:32	1
Hexachlorobutadiene	<0.26		1.0	0.26	ug/L			05/18/12 17:32	1
2-Hexanone	<0.56		5.0	0.56	ug/L			05/18/12 17:32	1
Isopropylbenzene	<0.14		1.0	0.14	ug/L			05/18/12 17:32	1
Isopropyl ether	<0.15		1.0	0.15	ug/L			05/18/12 17:32	1
Methylene Chloride	<0.68		5.0	0.68	ug/L			05/18/12 17:32	1
4-Methyl-2-pentanone (MIBK)	<0.33		5.0	0.33	ug/L			05/18/12 17:32	1
Methyl tert-butyl ether	<0.24		1.0	0.24	ug/L			05/18/12 17:32	1
Naphthalene	<0.16		1.0	0.16	ug/L			05/18/12 17:32	1
n-Butylbenzene	<0.13		1.0	0.13	ug/L			05/18/12 17:32	1
N-Propylbenzene	<0.13		1.0	0.13	ug/L			05/18/12 17:32	1
p-Isopropyltoluene	<0.17		1.0	0.17	ug/L			05/18/12 17:32	1
sec-Butylbenzene	<0.15		1.0	0.15	ug/L			05/18/12 17:32	1
Styrene	<0.10		1.0	0.10	ug/L			05/18/12 17:32	1
tert-Butylbenzene	<0.14		1.0	0.14	ug/L			05/18/12 17:32	1
1,1,1,2-Tetrachloroethane	<0.25		1.0	0.25	ug/L			05/18/12 17:32	1
1,1,2,2-Tetrachloroethane	<0.23		1.0	0.23	ug/L			05/18/12 17:32	1
Tetrachloroethene	8.3		1.0	0.17	ug/L			05/18/12 17:32	1
Toluene	<0.11		0.50	0.11	ug/L			05/18/12 17:32	1

Client Sample Results

Client: Stantec Consulting Corporation/Bonestroo
 Project/Site: Cedarburg Light & Water 193701814

TestAmerica Job ID: 500-46344-1

Client Sample ID: MW200

Date Collected: 05/10/12 14:00

Date Received: 05/15/12 10:30

Lab Sample ID: 500-46344-1

Matrix: Water

Method: 8260B - Volatile Organic Compounds (GC/MS) (Continued)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
trans-1,2-Dichloroethene	1.4		1.0	0.25	ug/L			05/18/12 17:32	1
trans-1,3-Dichloropropene	<0.21		1.0	0.21	ug/L			05/18/12 17:32	1
1,2,3-Trichlorobenzene	<0.24		1.0	0.24	ug/L			05/18/12 17:32	1
1,2,4-Trichlorobenzene	<0.31		1.0	0.31	ug/L			05/18/12 17:32	1
1,1,1-Trichloroethane	<0.20		1.0	0.20	ug/L			05/18/12 17:32	1
1,1,2-Trichloroethane	<0.28		1.0	0.28	ug/L			05/18/12 17:32	1
Trichloroethene	2.3		0.50	0.19	ug/L			05/18/12 17:32	1
Trichlorofluoromethane	<0.19		1.0	0.19	ug/L			05/18/12 17:32	1
1,2,3-Trichloropropane	<0.45		1.0	0.45	ug/L			05/18/12 17:32	1
1,2,4-Trimethylbenzene	<0.14		1.0	0.14	ug/L			05/18/12 17:32	1
1,3,5-Trimethylbenzene	<0.18		1.0	0.18	ug/L			05/18/12 17:32	1
Vinyl chloride	0.88		0.50	0.10	ug/L			05/18/12 17:32	1
Xylenes, Total	<0.068		1.0	0.068	ug/L			05/18/12 17:32	1
Surrogate	%Recovery	Qualifier	Limits			Prepared	Analyzed	Dil Fac	
4-Bromofluorobenzene (Sur)	97		79 - 120				05/18/12 17:32	1	
Dibromofluoromethane	92		74 - 123				05/18/12 17:32	1	
1,2-Dichloroethane-d4 (Sur)	98		75 - 131				05/18/12 17:32	1	
Toluene-d8 (Sur)	98		80 - 120				05/18/12 17:32	1	

Client Sample Results

Client: Stantec Consulting Corporation/Bonestroo
 Project/Site: Cedarburg Light & Water 193701814

TestAmerica Job ID: 500-46344-1

Client Sample ID: MW300

Date Collected: 05/10/12 00:00

Date Received: 05/15/12 10:30

Lab Sample ID: 500-46344-2

Matrix: Water

Method: 8260B - Volatile Organic Compounds (GC/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Acetone	<1.3		5.0	1.3	ug/L			05/18/12 17:58	1
Benzene	<0.074		0.50	0.074	ug/L			05/18/12 17:58	1
Bromobenzene	<0.25		1.0	0.25	ug/L			05/18/12 17:58	1
Bromochloromethane	<0.40		1.0	0.40	ug/L			05/18/12 17:58	1
Bromodichloromethane	<0.17		1.0	0.17	ug/L			05/18/12 17:58	1
Bromoform	<0.28		1.0	0.28	ug/L			05/18/12 17:58	1
Bromomethane	<0.31		1.0	0.31	ug/L			05/18/12 17:58	1
2-Butanone (MEK)	<1.5		5.0	1.5	ug/L			05/18/12 17:58	1
Carbon tetrachloride	<0.26		1.0	0.26	ug/L			05/18/12 17:58	1
Chlorobenzene	<0.14		1.0	0.14	ug/L			05/18/12 17:58	1
Chloroethane	<0.34		1.0	0.34	ug/L			05/18/12 17:58	1
Chloroform	<0.20		1.0	0.20	ug/L			05/18/12 17:58	1
Chloromethane	<0.18		1.0	0.18	ug/L			05/18/12 17:58	1
2-Chlorotoluene	<0.21		1.0	0.21	ug/L			05/18/12 17:58	1
4-Chlorotoluene	<0.20		1.0	0.20	ug/L			05/18/12 17:58	1
cis-1,2-Dichloroethene	<0.12		1.0	0.12	ug/L			05/18/12 17:58	1
cis-1,3-Dichloropropene	<0.18		1.0	0.18	ug/L			05/18/12 17:58	1
Dibromochloromethane	<0.32		1.0	0.32	ug/L			05/18/12 17:58	1
1,2-Dibromo-3-Chloropropane	<0.68		2.0	0.68	ug/L			05/18/12 17:58	1
1,2-Dibromoethane	<0.36		1.0	0.36	ug/L			05/18/12 17:58	1
Dibromomethane	<0.33		1.0	0.33	ug/L			05/18/12 17:58	1
1,2-Dichlorobenzene	<0.27		1.0	0.27	ug/L			05/18/12 17:58	1
1,3-Dichlorobenzene	<0.15		1.0	0.15	ug/L			05/18/12 17:58	1
1,4-Dichlorobenzene	<0.15		1.0	0.15	ug/L			05/18/12 17:58	1
Dichlorodifluoromethane	<0.20		1.0	0.20	ug/L			05/18/12 17:58	1
1,1-Dichloroethane	<0.19		1.0	0.19	ug/L			05/18/12 17:58	1
1,2-Dichloroethane	<0.28		1.0	0.28	ug/L			05/18/12 17:58	1
1,1-Dichloroethene	<0.31		1.0	0.31	ug/L			05/18/12 17:58	1
1,2-Dichloropropane	<0.20 *		1.0	0.20	ug/L			05/18/12 17:58	1
1,3-Dichloropropane	<0.13		1.0	0.13	ug/L			05/18/12 17:58	1
2,2-Dichloropropane	<0.32		1.0	0.32	ug/L			05/18/12 17:58	1
1,1-Dichloropropene	<0.34		1.0	0.34	ug/L			05/18/12 17:58	1
Ethylbenzene	<0.13		0.50	0.13	ug/L			05/18/12 17:58	1
Hexachlorobutadiene	<0.26		1.0	0.26	ug/L			05/18/12 17:58	1
2-Hexanone	<0.56		5.0	0.56	ug/L			05/18/12 17:58	1
Isopropylbenzene	<0.14		1.0	0.14	ug/L			05/18/12 17:58	1
Isopropyl ether	<0.15		1.0	0.15	ug/L			05/18/12 17:58	1
Methylene Chloride	<0.68		5.0	0.68	ug/L			05/18/12 17:58	1
4-Methyl-2-pentanone (MIBK)	<0.33		5.0	0.33	ug/L			05/18/12 17:58	1
Methyl tert-butyl ether	<0.24		1.0	0.24	ug/L			05/18/12 17:58	1
Naphthalene	<0.16		1.0	0.16	ug/L			05/18/12 17:58	1
n-Butylbenzene	<0.13		1.0	0.13	ug/L			05/18/12 17:58	1
N-Propylbenzene	<0.13		1.0	0.13	ug/L			05/18/12 17:58	1
p-Isopropyltoluene	<0.17		1.0	0.17	ug/L			05/18/12 17:58	1
sec-Butylbenzene	<0.15		1.0	0.15	ug/L			05/18/12 17:58	1
Styrene	<0.10		1.0	0.10	ug/L			05/18/12 17:58	1
tert-Butylbenzene	<0.14		1.0	0.14	ug/L			05/18/12 17:58	1
1,1,1,2-Tetrachloroethane	<0.25		1.0	0.25	ug/L			05/18/12 17:58	1
1,1,2,2-Tetrachloroethane	<0.23		1.0	0.23	ug/L			05/18/12 17:58	1
Tetrachloroethene	0.50 J		1.0	0.17	ug/L			05/18/12 17:58	1
Toluene	<0.11		0.50	0.11	ug/L			05/18/12 17:58	1

Client Sample Results

Client: Stantec Consulting Corporation/Bonestroo
 Project/Site: Cedarburg Light & Water 193701814

TestAmerica Job ID: 500-46344-1

Client Sample ID: MW300

Date Collected: 05/10/12 00:00

Date Received: 05/15/12 10:30

Lab Sample ID: 500-46344-2

Matrix: Water

Method: 8260B - Volatile Organic Compounds (GC/MS) (Continued)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
trans-1,2-Dichloroethene	<0.25		1.0	0.25	ug/L			05/18/12 17:58	1
trans-1,3-Dichloropropene	<0.21		1.0	0.21	ug/L			05/18/12 17:58	1
1,2,3-Trichlorobenzene	<0.24		1.0	0.24	ug/L			05/18/12 17:58	1
1,2,4-Trichlorobenzene	<0.31		1.0	0.31	ug/L			05/18/12 17:58	1
1,1,1-Trichloroethane	<0.20		1.0	0.20	ug/L			05/18/12 17:58	1
1,1,2-Trichloroethane	<0.28		1.0	0.28	ug/L			05/18/12 17:58	1
Trichloroethene	<0.19		0.50	0.19	ug/L			05/18/12 17:58	1
Trichlorofluoromethane	<0.19		1.0	0.19	ug/L			05/18/12 17:58	1
1,2,3-Trichloropropane	<0.45		1.0	0.45	ug/L			05/18/12 17:58	1
1,2,4-Trimethylbenzene	<0.14		1.0	0.14	ug/L			05/18/12 17:58	1
1,3,5-Trimethylbenzene	<0.18		1.0	0.18	ug/L			05/18/12 17:58	1
Vinyl chloride	<0.10		0.50	0.10	ug/L			05/18/12 17:58	1
Xylenes, Total	<0.068		1.0	0.068	ug/L			05/18/12 17:58	1
Surrogate		%Recovery	Qualifier	Limits			Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)		98		79 - 120				05/18/12 17:58	1
Dibromofluoromethane		97		74 - 123				05/18/12 17:58	1
1,2-Dichloroethane-d4 (Surr)		103		75 - 131				05/18/12 17:58	1
Toluene-d8 (Surr)		98		80 - 120				05/18/12 17:58	1

Client Sample Results

Client: Stantec Consulting Corporation/Bonestroo
 Project/Site: Cedarburg Light & Water 193701814

TestAmerica Job ID: 500-46344-1

Client Sample ID: MW400

Date Collected: 05/10/12 13:00

Date Received: 05/15/12 10:30

Lab Sample ID: 500-46344-3

Matrix: Water

Method: 8260B - Volatile Organic Compounds (GC/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Acetone	<1.3		5.0	1.3	ug/L			05/18/12 18:23	1
Benzene	<0.074		0.50	0.074	ug/L			05/18/12 18:23	1
Bromobenzene	<0.25		1.0	0.25	ug/L			05/18/12 18:23	1
Bromochloromethane	<0.40		1.0	0.40	ug/L			05/18/12 18:23	1
Bromodichloromethane	<0.17		1.0	0.17	ug/L			05/18/12 18:23	1
Bromoform	<0.28		1.0	0.28	ug/L			05/18/12 18:23	1
Bromomethane	<0.31		1.0	0.31	ug/L			05/18/12 18:23	1
2-Butanone (MEK)	<1.5		5.0	1.5	ug/L			05/18/12 18:23	1
Carbon tetrachloride	<0.26		1.0	0.26	ug/L			05/18/12 18:23	1
Chlorobenzene	<0.14		1.0	0.14	ug/L			05/18/12 18:23	1
Chloroethane	<0.34		1.0	0.34	ug/L			05/18/12 18:23	1
Chloroform	<0.20		1.0	0.20	ug/L			05/18/12 18:23	1
Chloromethane	<0.18		1.0	0.18	ug/L			05/18/12 18:23	1
2-Chlorotoluene	<0.21		1.0	0.21	ug/L			05/18/12 18:23	1
4-Chlorotoluene	<0.20		1.0	0.20	ug/L			05/18/12 18:23	1
cis-1,2-Dichloroethene	<0.12		1.0	0.12	ug/L			05/18/12 18:23	1
cis-1,3-Dichloropropene	<0.18		1.0	0.18	ug/L			05/18/12 18:23	1
Dibromochloromethane	<0.32		1.0	0.32	ug/L			05/18/12 18:23	1
1,2-Dibromo-3-Chloropropane	<0.68		2.0	0.68	ug/L			05/18/12 18:23	1
1,2-Dibromoethane	<0.36		1.0	0.36	ug/L			05/18/12 18:23	1
Dibromomethane	<0.33		1.0	0.33	ug/L			05/18/12 18:23	1
1,2-Dichlorobenzene	<0.27		1.0	0.27	ug/L			05/18/12 18:23	1
1,3-Dichlorobenzene	<0.15		1.0	0.15	ug/L			05/18/12 18:23	1
1,4-Dichlorobenzene	<0.15		1.0	0.15	ug/L			05/18/12 18:23	1
Dichlorodifluoromethane	<0.20		1.0	0.20	ug/L			05/18/12 18:23	1
1,1-Dichloroethane	<0.19		1.0	0.19	ug/L			05/18/12 18:23	1
1,2-Dichloroethane	<0.28		1.0	0.28	ug/L			05/18/12 18:23	1
1,1-Dichloroethene	<0.31		1.0	0.31	ug/L			05/18/12 18:23	1
1,2-Dichloropropane	<0.20 *		1.0	0.20	ug/L			05/18/12 18:23	1
1,3-Dichloropropane	<0.13		1.0	0.13	ug/L			05/18/12 18:23	1
2,2-Dichloropropane	<0.32		1.0	0.32	ug/L			05/18/12 18:23	1
1,1-Dichloropropene	<0.34		1.0	0.34	ug/L			05/18/12 18:23	1
Ethylbenzene	<0.13		0.50	0.13	ug/L			05/18/12 18:23	1
Hexachlorobutadiene	<0.26		1.0	0.26	ug/L			05/18/12 18:23	1
2-Hexanone	<0.56		5.0	0.56	ug/L			05/18/12 18:23	1
Isopropylbenzene	<0.14		1.0	0.14	ug/L			05/18/12 18:23	1
Isopropyl ether	<0.15		1.0	0.15	ug/L			05/18/12 18:23	1
Methylene Chloride	<0.68		5.0	0.68	ug/L			05/18/12 18:23	1
4-Methyl-2-pentanone (MIBK)	<0.33		5.0	0.33	ug/L			05/18/12 18:23	1
Methyl tert-butyl ether	<0.24		1.0	0.24	ug/L			05/18/12 18:23	1
Naphthalene	<0.16		1.0	0.16	ug/L			05/18/12 18:23	1
n-Butylbenzene	<0.13		1.0	0.13	ug/L			05/18/12 18:23	1
N-Propylbenzene	<0.13		1.0	0.13	ug/L			05/18/12 18:23	1
p-Isopropyltoluene	<0.17		1.0	0.17	ug/L			05/18/12 18:23	1
sec-Butylbenzene	<0.15		1.0	0.15	ug/L			05/18/12 18:23	1
Styrene	<0.10		1.0	0.10	ug/L			05/18/12 18:23	1
tert-Butylbenzene	<0.14		1.0	0.14	ug/L			05/18/12 18:23	1
1,1,1,2-Tetrachloroethane	<0.25		1.0	0.25	ug/L			05/18/12 18:23	1
1,1,2,2-Tetrachloroethane	<0.23		1.0	0.23	ug/L			05/18/12 18:23	1
Tetrachloroethene	<0.17		1.0	0.17	ug/L			05/18/12 18:23	1
Toluene	<0.11		0.50	0.11	ug/L			05/18/12 18:23	1

Client Sample Results

Client: Stantec Consulting Corporation/Bonestroo
 Project/Site: Cedarburg Light & Water 193701814

TestAmerica Job ID: 500-46344-1

Client Sample ID: MW400

Date Collected: 05/10/12 13:00

Date Received: 05/15/12 10:30

Lab Sample ID: 500-46344-3

Matrix: Water

Method: 8260B - Volatile Organic Compounds (GC/MS) (Continued)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
trans-1,2-Dichloroethene	<0.25		1.0	0.25	ug/L			05/18/12 18:23	1
trans-1,3-Dichloropropene	<0.21		1.0	0.21	ug/L			05/18/12 18:23	1
1,2,3-Trichlorobenzene	<0.24		1.0	0.24	ug/L			05/18/12 18:23	1
1,2,4-Trichlorobenzene	<0.31		1.0	0.31	ug/L			05/18/12 18:23	1
1,1,1-Trichloroethane	<0.20		1.0	0.20	ug/L			05/18/12 18:23	1
1,1,2-Trichloroethane	<0.28		1.0	0.28	ug/L			05/18/12 18:23	1
Trichloroethene	<0.19		0.50	0.19	ug/L			05/18/12 18:23	1
Trichlorofluoromethane	<0.19		1.0	0.19	ug/L			05/18/12 18:23	1
1,2,3-Trichloropropane	<0.45		1.0	0.45	ug/L			05/18/12 18:23	1
1,2,4-Trimethylbenzene	<0.14		1.0	0.14	ug/L			05/18/12 18:23	1
1,3,5-Trimethylbenzene	<0.18		1.0	0.18	ug/L			05/18/12 18:23	1
Vinyl chloride	<0.10		0.50	0.10	ug/L			05/18/12 18:23	1
Xylenes, Total	<0.068		1.0	0.068	ug/L			05/18/12 18:23	1
Surrogate		%Recovery	Qualifier	Limits			Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)		96		79 - 120				05/18/12 18:23	1
Dibromofluoromethane		100		74 - 123				05/18/12 18:23	1
1,2-Dichloroethane-d4 (Surr)		103		75 - 131				05/18/12 18:23	1
Toluene-d8 (Surr)		98		80 - 120				05/18/12 18:23	1

Client Sample Results

Client: Stantec Consulting Corporation/Bonestroo
 Project/Site: Cedarburg Light & Water 193701814

TestAmerica Job ID: 500-46344-1

Client Sample ID: Dup

Date Collected: 05/10/12 14:00

Date Received: 05/15/12 10:30

Lab Sample ID: 500-46344-4

Matrix: Water

Method: 8260B - Volatile Organic Compounds (GC/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Acetone	<1.3		5.0	1.3	ug/L			05/18/12 18:48	1
Benzene	<0.074		0.50	0.074	ug/L			05/18/12 18:48	1
Bromobenzene	<0.25		1.0	0.25	ug/L			05/18/12 18:48	1
Bromoform	<0.40		1.0	0.40	ug/L			05/18/12 18:48	1
Bromodichloromethane	<0.17		1.0	0.17	ug/L			05/18/12 18:48	1
Bromochloromethane	<0.28		1.0	0.28	ug/L			05/18/12 18:48	1
Bromomethane	<0.31		1.0	0.31	ug/L			05/18/12 18:48	1
2-Butanone (MEK)	<1.5		5.0	1.5	ug/L			05/18/12 18:48	1
Carbon tetrachloride	<0.26		1.0	0.26	ug/L			05/18/12 18:48	1
Chlorobenzene	<0.14		1.0	0.14	ug/L			05/18/12 18:48	1
Chloroethane	<0.34		1.0	0.34	ug/L			05/18/12 18:48	1
Chloroform	<0.20		1.0	0.20	ug/L			05/18/12 18:48	1
Chloromethane	<0.18		1.0	0.18	ug/L			05/18/12 18:48	1
2-Chlorotoluene	<0.21		1.0	0.21	ug/L			05/18/12 18:48	1
4-Chlorotoluene	<0.20		1.0	0.20	ug/L			05/18/12 18:48	1
cis-1,2-Dichloroethene	6.4		1.0	0.12	ug/L			05/18/12 18:48	1
cis-1,3-Dichloropropene	<0.18		1.0	0.18	ug/L			05/18/12 18:48	1
Dibromochloromethane	<0.32		1.0	0.32	ug/L			05/18/12 18:48	1
1,2-Dibromo-3-Chloropropane	<0.68		2.0	0.68	ug/L			05/18/12 18:48	1
1,2-Dibromoethane	<0.36		1.0	0.36	ug/L			05/18/12 18:48	1
Dibromomethane	<0.33		1.0	0.33	ug/L			05/18/12 18:48	1
1,2-Dichlorobenzene	0.66 J		1.0	0.27	ug/L			05/18/12 18:48	1
1,3-Dichlorobenzene	<0.15		1.0	0.15	ug/L			05/18/12 18:48	1
1,4-Dichlorobenzene	<0.15		1.0	0.15	ug/L			05/18/12 18:48	1
Dichlorodifluoromethane	<0.20		1.0	0.20	ug/L			05/18/12 18:48	1
1,1-Dichloroethane	1.0		1.0	0.19	ug/L			05/18/12 18:48	1
1,2-Dichloroethane	<0.28		1.0	0.28	ug/L			05/18/12 18:48	1
1,1-Dichloroethene	<0.31		1.0	0.31	ug/L			05/18/12 18:48	1
1,2-Dichloropropane	<0.20 *		1.0	0.20	ug/L			05/18/12 18:48	1
1,3-Dichloropropane	<0.13		1.0	0.13	ug/L			05/18/12 18:48	1
2,2-Dichloropropane	<0.32		1.0	0.32	ug/L			05/18/12 18:48	1
1,1-Dichloropropene	<0.34		1.0	0.34	ug/L			05/18/12 18:48	1
Ethylbenzene	<0.13		0.50	0.13	ug/L			05/18/12 18:48	1
Hexachlorobutadiene	<0.26		1.0	0.26	ug/L			05/18/12 18:48	1
2-Hexanone	<0.56		5.0	0.56	ug/L			05/18/12 18:48	1
Isopropylbenzene	<0.14		1.0	0.14	ug/L			05/18/12 18:48	1
Isopropyl ether	<0.15		1.0	0.15	ug/L			05/18/12 18:48	1
Methylene Chloride	<0.68		5.0	0.68	ug/L			05/18/12 18:48	1
4-Methyl-2-pentanone (MIBK)	<0.33		5.0	0.33	ug/L			05/18/12 18:48	1
Methyl tert-butyl ether	<0.24		1.0	0.24	ug/L			05/18/12 18:48	1
Naphthalene	<0.16		1.0	0.16	ug/L			05/18/12 18:48	1
n-Butylbenzene	<0.13		1.0	0.13	ug/L			05/18/12 18:48	1
N-Propylbenzene	<0.13		1.0	0.13	ug/L			05/18/12 18:48	1
p-Isopropyltoluene	<0.17		1.0	0.17	ug/L			05/18/12 18:48	1
sec-Butylbenzene	<0.15		1.0	0.15	ug/L			05/18/12 18:48	1
Styrene	<0.10		1.0	0.10	ug/L			05/18/12 18:48	1
tert-Butylbenzene	<0.14		1.0	0.14	ug/L			05/18/12 18:48	1
1,1,1,2-Tetrachloroethane	<0.25		1.0	0.25	ug/L			05/18/12 18:48	1
1,1,2,2-Tetrachloroethane	<0.23		1.0	0.23	ug/L			05/18/12 18:48	1
Tetrachloroethene	1.9		1.0	0.17	ug/L			05/18/12 18:48	1
Toluene	<0.11		0.50	0.11	ug/L			05/18/12 18:48	1

Client Sample Results

Client: Stantec Consulting Corporation/Bonestroo
 Project/Site: Cedarburg Light & Water 193701814

TestAmerica Job ID: 500-46344-1

Client Sample ID: Dup
Date Collected: 05/10/12 14:00
Date Received: 05/15/12 10:30

Lab Sample ID: 500-46344-4
Matrix: Water

Method: 8260B - Volatile Organic Compounds (GC/MS) (Continued)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
trans-1,2-Dichloroethene	1.7		1.0	0.25	ug/L			05/18/12 18:48	1
trans-1,3-Dichloropropene	<0.21		1.0	0.21	ug/L			05/18/12 18:48	1
1,2,3-Trichlorobenzene	<0.24		1.0	0.24	ug/L			05/18/12 18:48	1
1,2,4-Trichlorobenzene	<0.31		1.0	0.31	ug/L			05/18/12 18:48	1
1,1,1-Trichloroethane	<0.20		1.0	0.20	ug/L			05/18/12 18:48	1
1,1,2-Trichloroethane	<0.28		1.0	0.28	ug/L			05/18/12 18:48	1
Trichloroethene	2.5		0.50	0.19	ug/L			05/18/12 18:48	1
Trichlorofluoromethane	<0.19		1.0	0.19	ug/L			05/18/12 18:48	1
1,2,3-Trichloropropane	<0.45		1.0	0.45	ug/L			05/18/12 18:48	1
1,2,4-Trimethylbenzene	<0.14		1.0	0.14	ug/L			05/18/12 18:48	1
1,3,5-Trimethylbenzene	<0.18		1.0	0.18	ug/L			05/18/12 18:48	1
Vinyl chloride	1.2		0.50	0.10	ug/L			05/18/12 18:48	1
Xylenes, Total	<0.068		1.0	0.068	ug/L			05/18/12 18:48	1
Surrogate	%Recovery	Qualifier	Limits			Prepared	Analyzed	Dil Fac	
4-Bromofluorobenzene (Surr)	104		79 - 120				05/18/12 18:48	1	
Dibromofluoromethane	104		74 - 123				05/18/12 18:48	1	
1,2-Dichloroethane-d4 (Surr)	110		75 - 131				05/18/12 18:48	1	
Toluene-d8 (Surr)	103		80 - 120				05/18/12 18:48	1	

Client Sample Results

Client: Stantec Consulting Corporation/Bonestroo
Project/Site: Cedarburg Light & Water 193701814

TestAmerica Job ID: 500-46344-1

Client Sample ID: Trip Blank

Date Collected: 05/10/12 00:00

Date Received: 05/15/12 10:30

Lab Sample ID: 500-46344-5

Matrix: Water

Method: 8260B - Volatile Organic Compounds (GC/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Acetone	<1.3		5.0	1.3	ug/L			05/18/12 19:13	1
Benzene	<0.074		0.50	0.074	ug/L			05/18/12 19:13	1
Bromobenzene	<0.25		1.0	0.25	ug/L			05/18/12 19:13	1
Bromochloromethane	<0.40		1.0	0.40	ug/L			05/18/12 19:13	1
Bromodichloromethane	<0.17		1.0	0.17	ug/L			05/18/12 19:13	1
Bromoform	<0.28		1.0	0.28	ug/L			05/18/12 19:13	1
Bromomethane	<0.31		1.0	0.31	ug/L			05/18/12 19:13	1
2-Butanone (MEK)	<1.5		5.0	1.5	ug/L			05/18/12 19:13	1
Carbon tetrachloride	<0.26		1.0	0.26	ug/L			05/18/12 19:13	1
Chlorobenzene	<0.14		1.0	0.14	ug/L			05/18/12 19:13	1
Chloroethane	<0.34		1.0	0.34	ug/L			05/18/12 19:13	1
Chloroform	<0.20		1.0	0.20	ug/L			05/18/12 19:13	1
Chloromethane	<0.18		1.0	0.18	ug/L			05/18/12 19:13	1
2-Chlorotoluene	<0.21		1.0	0.21	ug/L			05/18/12 19:13	1
4-Chlorotoluene	<0.20		1.0	0.20	ug/L			05/18/12 19:13	1
cis-1,2-Dichloroethene	<0.12		1.0	0.12	ug/L			05/18/12 19:13	1
cis-1,3-Dichloropropene	<0.18		1.0	0.18	ug/L			05/18/12 19:13	1
Dibromochloromethane	<0.32		1.0	0.32	ug/L			05/18/12 19:13	1
1,2-Dibromo-3-Chloropropane	<0.68		2.0	0.68	ug/L			05/18/12 19:13	1
1,2-Dibromoethane	<0.36		1.0	0.36	ug/L			05/18/12 19:13	1
Dibromomethane	<0.33		1.0	0.33	ug/L			05/18/12 19:13	1
1,2-Dichlorobenzene	<0.27		1.0	0.27	ug/L			05/18/12 19:13	1
1,3-Dichlorobenzene	<0.15		1.0	0.15	ug/L			05/18/12 19:13	1
1,4-Dichlorobenzene	<0.15		1.0	0.15	ug/L			05/18/12 19:13	1
Dichlorodifluoromethane	<0.20		1.0	0.20	ug/L			05/18/12 19:13	1
1,1-Dichloroethane	<0.19		1.0	0.19	ug/L			05/18/12 19:13	1
1,2-Dichloroethane	<0.28		1.0	0.28	ug/L			05/18/12 19:13	1
1,1-Dichloroethene	<0.31		1.0	0.31	ug/L			05/18/12 19:13	1
1,2-Dichloropropane	<0.20 *		1.0	0.20	ug/L			05/18/12 19:13	1
1,3-Dichloropropane	<0.13		1.0	0.13	ug/L			05/18/12 19:13	1
2,2-Dichloropropane	<0.32		1.0	0.32	ug/L			05/18/12 19:13	1
1,1-Dichloropropene	<0.34		1.0	0.34	ug/L			05/18/12 19:13	1
Ethylbenzene	<0.13		0.50	0.13	ug/L			05/18/12 19:13	1
Hexachlorobutadiene	<0.26		1.0	0.26	ug/L			05/18/12 19:13	1
2-Hexanone	<0.56		5.0	0.56	ug/L			05/18/12 19:13	1
Isopropylbenzene	<0.14		1.0	0.14	ug/L			05/18/12 19:13	1
Isopropyl ether	<0.15		1.0	0.15	ug/L			05/18/12 19:13	1
Methylene Chloride	<0.68		5.0	0.68	ug/L			05/18/12 19:13	1
4-Methyl-2-pentanone (MIBK)	<0.33		5.0	0.33	ug/L			05/18/12 19:13	1
Methyl tert-butyl ether	<0.24		1.0	0.24	ug/L			05/18/12 19:13	1
Naphthalene	<0.16		1.0	0.16	ug/L			05/18/12 19:13	1
n-Butylbenzene	<0.13		1.0	0.13	ug/L			05/18/12 19:13	1
N-Propylbenzene	<0.13		1.0	0.13	ug/L			05/18/12 19:13	1
p-Isopropyltoluene	<0.17		1.0	0.17	ug/L			05/18/12 19:13	1
sec-Butylbenzene	<0.15		1.0	0.15	ug/L			05/18/12 19:13	1
Styrene	<0.10		1.0	0.10	ug/L			05/18/12 19:13	1
tert-Butylbenzene	<0.14		1.0	0.14	ug/L			05/18/12 19:13	1
1,1,1,2-Tetrachloroethane	<0.25		1.0	0.25	ug/L			05/18/12 19:13	1
1,1,2,2-Tetrachloroethane	<0.23		1.0	0.23	ug/L			05/18/12 19:13	1
Tetrachloroethene	<0.17		1.0	0.17	ug/L			05/18/12 19:13	1
Toluene	<0.11		0.50	0.11	ug/L			05/18/12 19:13	1

Client Sample Results

Client: Stantec Consulting Corporation/Bonestroo
 Project/Site: Cedarburg Light & Water 193701814

TestAmerica Job ID: 500-46344-1

Client Sample ID: Trip Blank

Date Collected: 05/10/12 00:00

Date Received: 05/15/12 10:30

Lab Sample ID: 500-46344-5

Matrix: Water

Method: 8260B - Volatile Organic Compounds (GC/MS) (Continued)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
trans-1,2-Dichloroethene	<0.25		1.0	0.25	ug/L			05/18/12 19:13	1
trans-1,3-Dichloropropene	<0.21		1.0	0.21	ug/L			05/18/12 19:13	1
1,2,3-Trichlorobenzene	<0.24		1.0	0.24	ug/L			05/18/12 19:13	1
1,2,4-Trichlorobenzene	<0.31		1.0	0.31	ug/L			05/18/12 19:13	1
1,1,1-Trichloroethane	<0.20		1.0	0.20	ug/L			05/18/12 19:13	1
1,1,2-Trichloroethane	<0.28		1.0	0.28	ug/L			05/18/12 19:13	1
Trichloroethene	<0.19		0.50	0.19	ug/L			05/18/12 19:13	1
Trichlorofluoromethane	<0.19		1.0	0.19	ug/L			05/18/12 19:13	1
1,2,3-Trichloropropane	<0.45		1.0	0.45	ug/L			05/18/12 19:13	1
1,2,4-Trimethylbenzene	<0.14		1.0	0.14	ug/L			05/18/12 19:13	1
1,3,5-Trimethylbenzene	<0.18		1.0	0.18	ug/L			05/18/12 19:13	1
Vinyl chloride	<0.10		0.50	0.10	ug/L			05/18/12 19:13	1
Xylenes, Total	<0.068		1.0	0.068	ug/L			05/18/12 19:13	1
Surrogate		%Recovery	Qualifier	Limits			Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)		107		79 - 120				05/18/12 19:13	1
Dibromofluoromethane		103		74 - 123				05/18/12 19:13	1
1,2-Dichloroethane-d4 (Surr)		112		75 - 131				05/18/12 19:13	1
Toluene-d8 (Surr)		106		80 - 120				05/18/12 19:13	1

Definitions/Glossary

Client: Stantec Consulting Corporation/Bonestroo
Project/Site: Cedarburg Light & Water 193701814

TestAmerica Job ID: 500-46344-1

Qualifiers

GC/MS VOA

Qualifier	Qualifier Description
J	Result is less than the RL but greater than or equal to the MDL and the concentration is an approximate value.
*	LCS or LCSD exceeds the control limits

Glossary

Abbreviation	These commonly used abbreviations may or may not be present in this report.
*	Listed under the "D" column to designate that the result is reported on a dry weight basis
%R	Percent Recovery
CNF	Contains no Free Liquid
DL, RA, RE, IN	Indicates a Dilution, Reanalysis, Re-extraction, or additional Initial metals/anion analysis of the sample
EDL	Estimated Detection Limit
EPA	United States Environmental Protection Agency
MDL	Method Detection Limit
ML	Minimum Level (Dioxin)
ND	Not detected at the reporting limit (or MDL or EDL if shown)
PQL	Practical Quantitation Limit
QC	Quality Control
RL	Reporting Limit
RPD	Relative Percent Difference, a measure of the relative difference between two points
TEF	Toxicity Equivalent Factor (Dioxin)
TEQ	Toxicity Equivalent Quotient (Dioxin)

QC Association Summary

Client: Stantec Consulting Corporation/Bonestroo
Project/Site: Cedarburg Light & Water 193701814

TestAmerica Job ID: 500-46344-1

GC/MS VOA

Analysis Batch: 150197

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
500-46344-1	MW200	Total/NA	Water	8260B	
500-46344-2	MW300	Total/NA	Water	8260B	
500-46344-3	MW400	Total/NA	Water	8260B	
500-46344-4	Dup	Total/NA	Water	8260B	
500-46344-5	Trip Blank	Total/NA	Water	8260B	
LCS 500-150197/4	Lab Control Sample	Total/NA	Water	8260B	
MB 500-150197/5	Method Blank	Total/NA	Water	8260B	

Surrogate Summary

Client: Stantec Consulting Corporation/Bonestroo
Project/Site: Cedarburg Light & Water 193701814

TestAmerica Job ID: 500-46344-1

Method: 8260B - Volatile Organic Compounds (GC/MS)

Matrix: Water

Prep Type: Total/NA

Lab Sample ID	Client Sample ID	Percent Surrogate Recovery (Acceptance Limits)			
		BFB (79-120)	DBFM (74-123)	12DCE (75-131)	TOL (80-120)
500-46344-1	MW200	97	92	98	98
500-46344-2	MW300	98	97	103	98
500-46344-3	MW400	96	100	103	98
500-46344-4	Dup	104	104	110	103
500-46344-5	Trip Blank	107	103	112	106
LCS 500-150197/4	Lab Control Sample	104	96	96	100
MB 500-150197/5	Method Blank	97	99	102	101

Surrogate Legend

BFB = 4-Bromofluorobenzene (Surr)

DBFM = Dibromofluoromethane

12DCE = 1,2-Dichloroethane-d4 (Surr)

TOL = Toluene-d8 (Surr)

QC Sample Results

Client: Stantec Consulting Corporation/Bonestroo
 Project/Site: Cedarburg Light & Water 193701814

TestAmerica Job ID: 500-46344-1

Method: 8260B - Volatile Organic Compounds (GC/MS)

Lab Sample ID: MB 500-150197/5

Matrix: Water

Analysis Batch: 150197

Client Sample ID: Method Blank
Prep Type: Total/NA

Analyte	MB	MB	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
	Result	Qualifier							
Acetone	<1.3		5.0	1.3	ug/L		05/18/12 16:41		1
Benzene	<0.074		0.50	0.074	ug/L		05/18/12 16:41		1
Bromobenzene	<0.25		1.0	0.25	ug/L		05/18/12 16:41		1
Bromochloromethane	<0.40		1.0	0.40	ug/L		05/18/12 16:41		1
Bromodichloromethane	<0.17		1.0	0.17	ug/L		05/18/12 16:41		1
Bromoform	<0.28		1.0	0.28	ug/L		05/18/12 16:41		1
Bromomethane	<0.31		1.0	0.31	ug/L		05/18/12 16:41		1
2-Butanone (MEK)	<1.5		5.0	1.5	ug/L		05/18/12 16:41		1
Carbon tetrachloride	<0.26		1.0	0.26	ug/L		05/18/12 16:41		1
Chlorobenzene	<0.14		1.0	0.14	ug/L		05/18/12 16:41		1
Chloroethane	<0.34		1.0	0.34	ug/L		05/18/12 16:41		1
Chloroform	<0.20		1.0	0.20	ug/L		05/18/12 16:41		1
Chloromethane	<0.18		1.0	0.18	ug/L		05/18/12 16:41		1
2-Chlorotoluene	<0.21		1.0	0.21	ug/L		05/18/12 16:41		1
4-Chlorotoluene	<0.20		1.0	0.20	ug/L		05/18/12 16:41		1
cis-1,2-Dichloroethene	<0.12		1.0	0.12	ug/L		05/18/12 16:41		1
cis-1,3-Dichloropropene	<0.18		1.0	0.18	ug/L		05/18/12 16:41		1
Dibromochloromethane	<0.32		1.0	0.32	ug/L		05/18/12 16:41		1
1,2-Dibromo-3-Chloropropane	<0.68		2.0	0.68	ug/L		05/18/12 16:41		1
1,2-Dibromoethane	<0.36		1.0	0.36	ug/L		05/18/12 16:41		1
Dibromomethane	<0.33		1.0	0.33	ug/L		05/18/12 16:41		1
1,2-Dichlorobenzene	<0.27		1.0	0.27	ug/L		05/18/12 16:41		1
1,3-Dichlorobenzene	<0.15		1.0	0.15	ug/L		05/18/12 16:41		1
1,4-Dichlorobenzene	<0.15		1.0	0.15	ug/L		05/18/12 16:41		1
Dichlorodifluoromethane	<0.20		1.0	0.20	ug/L		05/18/12 16:41		1
1,1-Dichloroethane	<0.19		1.0	0.19	ug/L		05/18/12 16:41		1
1,2-Dichloroethane	<0.28		1.0	0.28	ug/L		05/18/12 16:41		1
1,1-Dichloroethene	<0.31		1.0	0.31	ug/L		05/18/12 16:41		1
1,2-Dichloropropane	<0.20		1.0	0.20	ug/L		05/18/12 16:41		1
1,3-Dichloropropane	<0.13		1.0	0.13	ug/L		05/18/12 16:41		1
2,2-Dichloropropane	<0.32		1.0	0.32	ug/L		05/18/12 16:41		1
1,1-Dichloropropene	<0.34		1.0	0.34	ug/L		05/18/12 16:41		1
Ethylbenzene	<0.13		0.50	0.13	ug/L		05/18/12 16:41		1
Hexachlorobutadiene	<0.26		1.0	0.26	ug/L		05/18/12 16:41		1
2-Hexanone	<0.56		5.0	0.56	ug/L		05/18/12 16:41		1
Isopropylbenzene	<0.14		1.0	0.14	ug/L		05/18/12 16:41		1
Isopropyl ether	<0.15		1.0	0.15	ug/L		05/18/12 16:41		1
Methylene Chloride	<0.68		5.0	0.68	ug/L		05/18/12 16:41		1
4-Methyl-2-pentanone (MIBK)	<0.33		5.0	0.33	ug/L		05/18/12 16:41		1
Methyl tert-butyl ether	<0.24		1.0	0.24	ug/L		05/18/12 16:41		1
Naphthalene	<0.16		1.0	0.16	ug/L		05/18/12 16:41		1
n-Butylbenzene	<0.13		1.0	0.13	ug/L		05/18/12 16:41		1
N-Propylbenzene	<0.13		1.0	0.13	ug/L		05/18/12 16:41		1
p-Isopropyltoluene	<0.17		1.0	0.17	ug/L		05/18/12 16:41		1
sec-Butylbenzene	<0.15		1.0	0.15	ug/L		05/18/12 16:41		1
Styrene	<0.10		1.0	0.10	ug/L		05/18/12 16:41		1
tert-Butylbenzene	<0.14		1.0	0.14	ug/L		05/18/12 16:41		1
1,1,1,2-Tetrachloroethane	<0.25		1.0	0.25	ug/L		05/18/12 16:41		1
1,1,2,2-Tetrachloroethane	<0.23		1.0	0.23	ug/L		05/18/12 16:41		1

QC Sample Results

Client: Stantec Consulting Corporation/Bonestroo
 Project/Site: Cedarburg Light & Water 193701814

TestAmerica Job ID: 500-46344-1

Method: 8260B - Volatile Organic Compounds (GC/MS) (Continued)

Lab Sample ID: MB 500-150197/5

Matrix: Water

Analysis Batch: 150197

Client Sample ID: Method Blank

Prep Type: Total/NA

Analyte	MB	MB	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Tetrachloroethene	<0.17				1.0	0.17	ug/L			05/18/12 16:41	1
Toluene	<0.11				0.50	0.11	ug/L			05/18/12 16:41	1
trans-1,2-Dichloroethene	<0.25				1.0	0.25	ug/L			05/18/12 16:41	1
trans-1,3-Dichloropropene	<0.21				1.0	0.21	ug/L			05/18/12 16:41	1
1,2,3-Trichlorobenzene	<0.24				1.0	0.24	ug/L			05/18/12 16:41	1
1,2,4-Trichlorobenzene	<0.31				1.0	0.31	ug/L			05/18/12 16:41	1
1,1,1-Trichloroethane	<0.20				1.0	0.20	ug/L			05/18/12 16:41	1
1,1,2-Trichloroethane	<0.28				1.0	0.28	ug/L			05/18/12 16:41	1
Trichloroethene	<0.19				0.50	0.19	ug/L			05/18/12 16:41	1
Trichlorofluoromethane	<0.19				1.0	0.19	ug/L			05/18/12 16:41	1
1,2,3-Trichloropropane	<0.45				1.0	0.45	ug/L			05/18/12 16:41	1
1,2,4-Trimethylbenzene	<0.14				1.0	0.14	ug/L			05/18/12 16:41	1
1,3,5-Trimethylbenzene	<0.18				1.0	0.18	ug/L			05/18/12 16:41	1
Vinyl chloride	<0.10				0.50	0.10	ug/L			05/18/12 16:41	1
Xylenes, Total	<0.068				1.0	0.068	ug/L			05/18/12 16:41	1

Surrogate	MB	MB	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)			97		79 - 120			1
Dibromofluoromethane			99		74 - 123			1
1,2-Dichloroethane-d4 (Surr)			102		75 - 131			1
Toluene-d8 (Surr)			101		80 - 120			1

Lab Sample ID: LCS 500-150197/4

Matrix: Water

Analysis Batch: 150197

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Analyte	Spike	LCS			Unit	D	%Rec	Limits	%Rec.
	Added	Result	Qualifier						
Acetone	50.0	41.9			ug/L		84	41 - 163	
Benzene	50.0	43.8			ug/L		88	74 - 115	
Bromobenzene	50.0	47.8			ug/L		96	80 - 120	
Bromochloromethane	50.0	39.7			ug/L		79	72 - 119	
Bromodichloromethane	50.0	48.3			ug/L		97	79 - 117	
Bromoform	50.0	47.1			ug/L		94	64 - 127	
Bromomethane	50.0	54.6			ug/L		109	47 - 158	
2-Butanone (MEK)	50.0	32.6			ug/L		65	53 - 140	
Carbon tetrachloride	50.0	45.2			ug/L		90	72 - 124	
Chlorobenzene	50.0	47.9			ug/L		96	80 - 120	
Chloroethane	50.0	52.9			ug/L		106	54 - 143	
Chloroform	50.0	46.8			ug/L		94	76 - 117	
Chloromethane	50.0	39.3			ug/L		79	56 - 144	
2-Chlorotoluene	50.0	49.5			ug/L		99	80 - 120	
4-Chlorotoluene	50.0	49.6			ug/L		99	80 - 120	
cis-1,2-Dichloroethene	50.0	42.5			ug/L		85	75 - 119	
cis-1,3-Dichloropropene	53.8	49.4			ug/L		92	71 - 112	
Dibromochloromethane	50.0	47.3			ug/L		95	73 - 120	
1,2-Dibromo-3-Chloropropane	50.0	52.3			ug/L		105	53 - 133	
1,2-Dibromoethane	50.0	45.1			ug/L		90	79 - 120	
Dibromomethane	50.0	42.1			ug/L		84	76 - 120	
1,2-Dichlorobenzene	50.0	47.1			ug/L		94	80 - 120	

QC Sample Results

Client: Stantec Consulting Corporation/Bonestroo
 Project/Site: Cedarburg Light & Water 193701814

TestAmerica Job ID: 500-46344-1

Method: 8260B - Volatile Organic Compounds (GC/MS) (Continued)

Lab Sample ID: LCS 500-150197/4

Matrix: Water

Analysis Batch: 150197

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Analyte	Spike	LCS	LCS	Unit	D	%Rec	Limits
	Added	Result	Qualifier				
1,3-Dichlorobenzene	50.0	49.1		ug/L		98	80 - 120
1,4-Dichlorobenzene	50.0	48.3		ug/L		97	80 - 120
Dichlorodifluoromethane	50.0	58.0		ug/L		116	43 - 139
1,1-Dichloroethane	50.0	36.4		ug/L		73	66 - 118
1,2-Dichloroethane	50.0	43.5		ug/L		87	76 - 117
1,1-Dichloroethene	50.0	37.2		ug/L		74	58 - 115
1,2-Dichloropropane	50.0	36.0	*	ug/L		72	77 - 118
1,3-Dichloropropane	50.0	47.9		ug/L		96	79 - 114
2,2-Dichloropropane	50.0	51.1		ug/L		102	70 - 117
1,1-Dichloropropene	50.0	44.0		ug/L		88	71 - 113
Ethylbenzene	50.0	47.5		ug/L		95	79 - 115
Hexachlorobutadiene	50.0	53.5		ug/L		107	71 - 128
2-Hexanone	50.0	41.7		ug/L		83	60 - 134
Isopropylbenzene	50.0	43.7		ug/L		87	68 - 120
Methylene Chloride	50.0	43.0		ug/L		86	63 - 130
4-Methyl-2-pentanone (MIBK)	50.0	37.9		ug/L		76	59 - 134
Methyl tert-butyl ether	50.0	43.2		ug/L		86	60 - 125
Naphthalene	50.0	49.4		ug/L		99	72 - 127
n-Butylbenzene	50.0	51.8		ug/L		104	78 - 119
N-Propylbenzene	50.0	49.2		ug/L		98	77 - 114
p-Isopropyltoluene	50.0	48.1		ug/L		96	77 - 120
sec-Butylbenzene	50.0	50.7		ug/L		101	79 - 117
Styrene	50.0	49.9		ug/L		100	80 - 120
tert-Butylbenzene	50.0	49.3		ug/L		99	80 - 120
1,1,1,2-Tetrachloroethane	50.0	46.0		ug/L		92	80 - 120
1,1,2,2-Tetrachloroethane	50.0	48.6		ug/L		97	78 - 123
Tetrachloroethene	50.0	47.5		ug/L		95	71 - 120
Toluene	50.0	46.6		ug/L		93	80 - 120
trans-1,2-Dichloroethene	50.0	42.8		ug/L		86	74 - 119
trans-1,3-Dichloropropene	48.6	47.3		ug/L		97	66 - 116
1,2,3-Trichlorobenzene	50.0	49.7		ug/L		99	74 - 126
1,2,4-Trichlorobenzene	50.0	47.3		ug/L		95	70 - 118
1,1,1-Trichloroethane	50.0	48.3		ug/L		97	77 - 117
1,1,2-Trichloroethane	50.0	44.8		ug/L		90	78 - 121
Trichloroethene	50.0	42.7		ug/L		85	75 - 120
Trichlorofluoromethane	50.0	57.1		ug/L		114	66 - 126
1,2,3-Trichloropropane	50.0	45.0		ug/L		90	77 - 119
1,2,4-Trimethylbenzene	50.0	52.5		ug/L		105	80 - 120
1,3,5-Trimethylbenzene	50.0	54.1		ug/L		108	83 - 120
Vinyl chloride	50.0	47.5		ug/L		95	51 - 149
Xylenes, Total	150	149		ug/L		99	78 - 120

Surrogate	LCS	LCS	Limits
	%Recovery	Qualifier	
4-Bromofluorobenzene (Surr)	104		79 - 120
Dibromofluoromethane	96		74 - 123
1,2-Dichloroethane-d4 (Surr)	96		75 - 131
Toluene-d8 (Surr)	100		80 - 120

Certification Summary

Client: Stantec Consulting Corporation/Bonestroo
 Project/Site: Cedarburg Light & Water 193701814

TestAmerica Job ID: 500-46344-1

Laboratory	Authority	Program	EPA Region	Certification ID
TestAmerica Chicago	A2LA	A2LA		R-194
TestAmerica Chicago	Alabama	State Program	4	40461
TestAmerica Chicago	California	NELAC	9	01132CA
TestAmerica Chicago	Florida	NELAC	4	E871072
TestAmerica Chicago	Georgia	State Program	4	939
TestAmerica Chicago	Georgia	State Program	4	N/A
TestAmerica Chicago	Hawaii	State Program	9	N/A
TestAmerica Chicago	Illinois	NELAC	5	100201
TestAmerica Chicago	Indiana	State Program	5	C-IL-02
TestAmerica Chicago	Iowa	State Program	7	82
TestAmerica Chicago	Kansas	NELAC	7	E-10161
TestAmerica Chicago	Kentucky	State Program	4	90023
TestAmerica Chicago	Kentucky (UST)	State Program	4	66
TestAmerica Chicago	L-A-B	DoD ELAP		L2304
TestAmerica Chicago	L-A-B	ISO/IEC 17025		L2304
TestAmerica Chicago	Louisiana	NELAC	6	30720
TestAmerica Chicago	Massachusetts	State Program	1	M-IL035
TestAmerica Chicago	Mississippi	State Program	4	N/A
TestAmerica Chicago	North Carolina DENR	State Program	4	291
TestAmerica Chicago	North Dakota	State Program	8	R-194
TestAmerica Chicago	Oklahoma	State Program	6	8908
TestAmerica Chicago	South Carolina	State Program	4	77001
TestAmerica Chicago	Texas	NELAC	6	T104704252-09-TX
TestAmerica Chicago	USDA	Federal		P330-12-00038
TestAmerica Chicago	Virginia	NELAC	3	460142
TestAmerica Chicago	Wisconsin	State Program	5	999580010
TestAmerica Chicago	Wyoming	State Program	8	8TMS-Q

Accreditation may not be offered or required for all methods and analytes reported in this package. Please contact your project manager for the laboratory's current list of certified methods and analytes.

TestAmerica

THE LEADER IN ENVIRONMENTAL TESTING

2417 Bond Street, University Park, IL 60484
Phone: 708.534.5200 Fax: 708.534.5211

Report To Contact:	(optional) <i>Andy Swaim</i>	Bill To Contact:	(optional)
Company:	<i>Stantec</i>	Company:	
Address:	<i>12075 Corporate Pkwy</i>	Address:	
Address:	<i>STE 200, Megan Wf</i>	Address:	
Phone:	<i>262-643-9173 S3012</i>	Phone:	
Fax:		Fax:	
E-Mail: <i>andy.swaim@stantec.com</i>			
Q/H# Reference#: _____			

Chain of Custody Record

Lab Job #: 500-46384

Chain of Custody Number: 1

Page 1 of 1

Temperature °C of Cooler: 37

- Preservative Key
1. HCL, Cool to 4°
 2. H2SO4, Cool to 4°
 3. HNO3, Cool to 4°
 4. NaOH, Cool to 4°
 5. NaOH/Zn, Cool to 4°
 6. NaHSO4
 7. Cool to 4°
 8. None
 9. Other

Lab ID	MS/MSD	Sample ID	Sampling		# of Containers	Matrix	Preservative	Parameter	Q/H# Reference#: _____	Comments
			Date	Time						
1		MW200	5/10/12		3	GW	X			
2		MW300	5/10/12		3	GW	X			
3		MW400	5/10/12		3	GW	X			
4		Dup	5/10/12		3	GW	X			
5		Trip Blank					X			

Turnaround Time Required (Business Days)

1 Day 2 Days 5 Days 7 Days 10 Days 15 Days Other _____ Requested Due Date _____

Sample Disposal

Return to Client Disposal by Lab Archive for _____ Months (A fee may be assessed if samples are retained longer than 1 month)

Relinquished By: <i>AB</i>	Company: <i>stantec</i>	Date: <i>5/14/12</i>	Time: <i>2:00 pm</i>	Received By: <i>Benincosa TA-CHE</i>	Company: <i>TA-CHE</i>	Date: <i>5/15/12</i>	Time: <i>10:30</i>
Relinquished By	Company	Date	Time	Received By	Company	Date	Time
Relinquished By	Company	Date	Time	Received By	Company	Date	Time

Lab Courier: _____
Shipped: <i>FedEx</i>
Hand Delivered: _____

Matrix Key
WW - Wastewater
W - Water
S - Soil
SL - Sludge
MS - Miscellaneous
OL - Oil
A - Air
SE - Sediment
SO - Soil
L - Leachate
WI - Wipe
DW - Drinking Water
O - Other

Client Comments

Lab Comments:

Login Sample Receipt Checklist

Client: Stantec Consulting Corporation/Bonestroo

Job Number: 500-46344-1

Login Number: 46344

List Number: 1

Creator: Scott, Sherri L

List Source: TestAmerica Chicago

Question

Answer

Comment

Radioactivity either was not measured or, if measured, is at or below background

True

The cooler's custody seal, if present, is intact.

True

The cooler or samples do not appear to have been compromised or tampered with.

True

Samples were received on ice.

True

Cooler Temperature is acceptable.

True

Cooler Temperature is recorded.

True 3.7

COC is present.

True

COC is filled out in ink and legible.

True

COC is filled out with all pertinent information.

True

Is the Field Sampler's name present on COC?

True

There are no discrepancies between the sample IDs on the containers and the COC.

True

Samples are received within Holding Time.

True

Sample containers have legible labels.

True

Containers are not broken or leaking.

True

Sample collection date/times are provided.

True

Appropriate sample containers are used.

True

Sample bottles are completely filled.

True

Sample Preservation Verified.

True

There is sufficient vol. for all requested analyses, incl. any requested MS/MSDs

True

VOA sample vials do not have headspace or bubble is <6mm (1/4") in diameter.

True

Multiphasic samples are not present.

True

Samples do not require splitting or compositing.

True

Residual Chlorine Checked.

N/A

TestAmerica

THE LEADER IN ENVIRONMENTAL TESTING

ANALYTICAL REPORT

TestAmerica Laboratories, Inc.

TestAmerica Chicago
2417 Bond Street
University Park, IL 60484
Tel: (708)534-5200

TestAmerica Job ID: 500-49680-1

Client Project/Site: Cedarburg Light & Water - 193701814

For:

Stantec Consulting Corporation/Bonestroo
12075N Corporate Parkway
Suite 210
Mequon, Wisconsin 53092

Attn: Andy Swaim

Sandie Fredrick

Authorized for release by:

9/7/2012 3:22:03 PM

Sandie Fredrick
Project Manager I
sandie.fredrick@testamericainc.com

LINKS

Review your project
results through

Total Access

Have a Question?

Ask
The
Expert

Visit us at:

www.testamericainc.com

The test results in this report meet all 2003 NELAC and 2009 TNI requirements for accredited parameters, exceptions are noted in this report. This report may not be reproduced except in full, and with written approval from the laboratory. For questions please contact the Project Manager at the e-mail address or telephone number listed on this page.

This report has been electronically signed and authorized by the signatory. Electronic signature is intended to be the legally binding equivalent of a traditionally handwritten signature.

Results relate only to the items tested and the sample(s) as received by the laboratory.

Table of Contents

Cover Page	1
Table of Contents	2
Case Narrative	3
Detection Summary	4
Method Summary	5
Sample Summary	6
Client Sample Results	7
Definitions	13
QC Association	14
Surrogate Summary	15
QC Sample Results	16
Chronicle	24
Certification Summary	25
Chain of Custody	26
Receipt Checklists	27

1
2
3
4
5
6
7
8
9
10
11
12
13
14
15

Case Narrative

Client: Stantec Consulting Corporation/Bonestroo
Project/Site: Cedarburg Light & Water - 193701814

TestAmerica Job ID: 500-49680-1

Job ID: 500-49680-1

Laboratory: TestAmerica Chicago

Narrative

Job Narrative
500-49680-1

Comments

No additional comments.

Receipt

The samples were received on 8/29/2012 8:00 AM; the samples arrived in good condition, properly preserved and, where required, on ice. The temperature of the cooler at receipt was 6.7° C.

GC/MS VOA

Method(s) 8260B: A full list spike was utilized for this method. Due to the large number of spiked analytes, there is a high probability that one or more analytes will recover outside acceptance limits.

The laboratory's SOP allows for 4 analytes to recover outside criteria from this method when a full list spike is utilized. The extraction LCS associated with preparation batch 161211 had 1 analyte outside control limits. The instrument LCS associated with the analytical batch 161316 had all analytes within control limits; therefore re-analysis was not performed. These results have been reported and qualified.

No other analytical or quality issues were noted.

Metals

No analytical or quality issues were noted.

Detection Summary

Client: Stantec Consulting Corporation/Bonestroo
Project/Site: Cedarburg Light & Water - 193701814

TestAmerica Job ID: 500-49680-1

Client Sample ID: MW200

Lab Sample ID: 500-49680-1

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
1,2-Dichlorobenzene	0.91	J	1.0	0.27	ug/L	1		8260B	Total/NA
cis-1,2-Dichloroethene	2.0		1.0	0.12	ug/L	1		8260B	Total/NA
Tetrachloroethene	1.2		1.0	0.17	ug/L	1		8260B	Total/NA
trans-1,2-Dichloroethene	1.1		1.0	0.25	ug/L	1		8260B	Total/NA
Trichloroethene	0.46	J	0.50	0.19	ug/L	1		8260B	Total/NA

Client Sample ID: MW300

Lab Sample ID: 500-49680-2

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
Tetrachloroethene	1.5		1.0	0.17	ug/L	1		8260B	Total/NA

Client Sample ID: MW400

Lab Sample ID: 500-49680-3

No Detections

Client Sample ID: HB102

Lab Sample ID: 500-49680-4

No Detections

Method Summary

Client: Stantec Consulting Corporation/Bonestroo
Project/Site: Cedarburg Light & Water - 193701814

TestAmerica Job ID: 500-49680-1

Method	Method Description	Protocol	Laboratory
8260B	Volatile Organic Compounds (GC/MS)	SW846	TAL CHI
Moisture	Percent Moisture	EPA	TAL CHI

Protocol References:

EPA = US Environmental Protection Agency

SW846 = "Test Methods For Evaluating Solid Waste, Physical/Chemical Methods", Third Edition, November 1986 And Its Updates.

Laboratory References:

TAL CHI = TestAmerica Chicago, 2417 Bond Street, University Park, IL 60484, TEL (708)534-5200

Sample Summary

Client: Stantec Consulting Corporation/Bonestroo
Project/Site: Cedarburg Light & Water - 193701814

TestAmerica Job ID: 500-49680-1

Lab Sample ID	Client Sample ID	Matrix	Collected	Received
500-49680-1	MW200	Water	08/27/12 11:20	08/29/12 08:00
500-49680-2	MW300	Water	08/27/12 11:30	08/29/12 08:00
500-49680-3	MW400	Water	08/27/12 11:40	08/29/12 08:00
500-49680-4	HB102	Solid	08/27/12 11:05	08/29/12 08:00

Client Sample Results

Client: Stantec Consulting Corporation/Bonestroo
 Project/Site: Cedarburg Light & Water - 193701814

TestAmerica Job ID: 500-49680-1

Client Sample ID: MW200

Date Collected: 08/27/12 11:20

Date Received: 08/29/12 08:00

Lab Sample ID: 500-49680-1

Matrix: Water

Method: 8260B - Volatile Organic Compounds (GC/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,1,1,2-Tetrachloroethane	<0.25		1.0	0.25	ug/L			09/04/12 10:56	1
1,1,1-Trichloroethane	<0.20		1.0	0.20	ug/L			09/04/12 10:56	1
1,1,2,2-Tetrachloroethane	<0.23		1.0	0.23	ug/L			09/04/12 10:56	1
1,1,2-Trichloroethane	<0.28		1.0	0.28	ug/L			09/04/12 10:56	1
1,1-Dichloroethane	<0.19		1.0	0.19	ug/L			09/04/12 10:56	1
1,1-Dichloroethene	<0.31		1.0	0.31	ug/L			09/04/12 10:56	1
1,1-Dichloropropene	<0.34		1.0	0.34	ug/L			09/04/12 10:56	1
1,2,3-Trichlorobenzene	<0.24		1.0	0.24	ug/L			09/04/12 10:56	1
1,2,3-Trichloropropane	<0.45		1.0	0.45	ug/L			09/04/12 10:56	1
1,2,4-Trichlorobenzene	<0.31		1.0	0.31	ug/L			09/04/12 10:56	1
1,2,4-Trimethylbenzene	<0.14		1.0	0.14	ug/L			09/04/12 10:56	1
1,2-Dibromo-3-Chloropropane	<0.87		2.0	0.87	ug/L			09/04/12 10:56	1
1,2-Dibromoethane	<0.36		1.0	0.36	ug/L			09/04/12 10:56	1
1,2-Dichlorobenzene	0.91	J	1.0	0.27	ug/L			09/04/12 10:56	1
1,2-Dichloroethane	<0.28		1.0	0.28	ug/L			09/04/12 10:56	1
1,2-Dichloropropane	<0.20		1.0	0.20	ug/L			09/04/12 10:56	1
1,3,5-Trimethylbenzene	<0.18		1.0	0.18	ug/L			09/04/12 10:56	1
1,3-Dichlorobenzene	<0.15		1.0	0.15	ug/L			09/04/12 10:56	1
1,3-Dichloropropane	<0.13		1.0	0.13	ug/L			09/04/12 10:56	1
1,4-Dichlorobenzene	<0.15		1.0	0.15	ug/L			09/04/12 10:56	1
2,2-Dichloropropane	<0.32		1.0	0.32	ug/L			09/04/12 10:56	1
2-Butanone (MEK)	<1.5		5.0	1.5	ug/L			09/04/12 10:56	1
2-Chlorotoluene	<0.21		1.0	0.21	ug/L			09/04/12 10:56	1
2-Hexanone	<0.56		5.0	0.56	ug/L			09/04/12 10:56	1
4-Chlorotoluene	<0.20		1.0	0.20	ug/L			09/04/12 10:56	1
4-Methyl-2-pentanone (MIBK)	<0.33		5.0	0.33	ug/L			09/04/12 10:56	1
Acetone	<1.3		5.0	1.3	ug/L			09/04/12 10:56	1
Benzene	<0.074		0.50	0.074	ug/L			09/04/12 10:56	1
Bromobenzene	<0.25		1.0	0.25	ug/L			09/04/12 10:56	1
Bromochloromethane	<0.40		1.0	0.40	ug/L			09/04/12 10:56	1
Bromodichloromethane	<0.17		1.0	0.17	ug/L			09/04/12 10:56	1
Bromoform	<0.28		1.0	0.28	ug/L			09/04/12 10:56	1
Bromomethane	<0.31		1.0	0.31	ug/L			09/04/12 10:56	1
Carbon tetrachloride	<0.26		1.0	0.26	ug/L			09/04/12 10:56	1
Chlorobenzene	<0.14		1.0	0.14	ug/L			09/04/12 10:56	1
Chloroethane	<0.34		1.0	0.34	ug/L			09/04/12 10:56	1
Chloroform	<0.20		1.0	0.20	ug/L			09/04/12 10:56	1
Chloromethane	<0.18		1.0	0.18	ug/L			09/04/12 10:56	1
cis-1,2-Dichloroethene	2.0		1.0	0.12	ug/L			09/04/12 10:56	1
cis-1,3-Dichloropropene	<0.18		1.0	0.18	ug/L			09/04/12 10:56	1
Dibromochloromethane	<0.32		1.0	0.32	ug/L			09/04/12 10:56	1
Dibromomethane	<0.33		1.0	0.33	ug/L			09/04/12 10:56	1
Dichlorodifluoromethane	<0.20		1.0	0.20	ug/L			09/04/12 10:56	1
Ethylbenzene	<0.13		0.50	0.13	ug/L			09/04/12 10:56	1
Hexachlorobutadiene	<0.26		1.0	0.26	ug/L			09/04/12 10:56	1
Isopropyl ether	<0.15		1.0	0.15	ug/L			09/04/12 10:56	1
Isopropylbenzene	<0.14		1.0	0.14	ug/L			09/04/12 10:56	1
Methyl tert-butyl ether	<0.24		1.0	0.24	ug/L			09/04/12 10:56	1
Methylene Chloride	<0.68		5.0	0.68	ug/L			09/04/12 10:56	1
Naphthalene	<0.16		1.0	0.16	ug/L			09/04/12 10:56	1
n-Butylbenzene	<0.13		1.0	0.13	ug/L			09/04/12 10:56	1

Client Sample Results

Client: Stantec Consulting Corporation/Bonestroo
 Project/Site: Cedarburg Light & Water - 193701814

TestAmerica Job ID: 500-49680-1

Client Sample ID: MW200

Date Collected: 08/27/12 11:20

Date Received: 08/29/12 08:00

Lab Sample ID: 500-49680-1

Matrix: Water

Method: 8260B - Volatile Organic Compounds (GC/MS) (Continued)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
N-Propylbenzene	<0.13		1.0	0.13	ug/L			09/04/12 10:56	1
p-Isopropyltoluene	<0.17		1.0	0.17	ug/L			09/04/12 10:56	1
sec-Butylbenzene	<0.15		1.0	0.15	ug/L			09/04/12 10:56	1
Styrene	<0.10		1.0	0.10	ug/L			09/04/12 10:56	1
tert-Butylbenzene	<0.14		1.0	0.14	ug/L			09/04/12 10:56	1
Tetrachloroethene	1.2		1.0	0.17	ug/L			09/04/12 10:56	1
Toluene	<0.11		0.50	0.11	ug/L			09/04/12 10:56	1
trans-1,2-Dichloroethene	1.1		1.0	0.25	ug/L			09/04/12 10:56	1
trans-1,3-Dichloropropene	<0.21		1.0	0.21	ug/L			09/04/12 10:56	1
Trichloroethene	0.46 J		0.50	0.19	ug/L			09/04/12 10:56	1
Trichlorofluoromethane	<0.19		1.0	0.19	ug/L			09/04/12 10:56	1
Vinyl chloride	<0.10		0.50	0.10	ug/L			09/04/12 10:56	1
Xylenes, Total	<0.068		1.0	0.068	ug/L			09/04/12 10:56	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	95		75 - 131					09/04/12 10:56	1
4-Bromofluorobenzene (Surr)	99		79 - 120					09/04/12 10:56	1
Dibromofluoromethane	94		74 - 123					09/04/12 10:56	1
Toluene-d8 (Surr)	101		80 - 120					09/04/12 10:56	1

Client Sample ID: MW300

Date Collected: 08/27/12 11:30

Date Received: 08/29/12 08:00

Lab Sample ID: 500-49680-2

Matrix: Water

Method: 8260B - Volatile Organic Compounds (GC/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,1,1,2-Tetrachloroethane	<0.25		1.0	0.25	ug/L			09/04/12 11:20	1
1,1,1-Trichloroethane	<0.20		1.0	0.20	ug/L			09/04/12 11:20	1
1,1,2,2-Tetrachloroethane	<0.23		1.0	0.23	ug/L			09/04/12 11:20	1
1,1,2-Trichloroethane	<0.28		1.0	0.28	ug/L			09/04/12 11:20	1
1,1-Dichloroethane	<0.19		1.0	0.19	ug/L			09/04/12 11:20	1
1,1-Dichloroethene	<0.31		1.0	0.31	ug/L			09/04/12 11:20	1
1,1-Dichloropropene	<0.34		1.0	0.34	ug/L			09/04/12 11:20	1
1,2,3-Trichlorobenzene	<0.24		1.0	0.24	ug/L			09/04/12 11:20	1
1,2,3-Trichloropropane	<0.45		1.0	0.45	ug/L			09/04/12 11:20	1
1,2,4-Trichlorobenzene	<0.31		1.0	0.31	ug/L			09/04/12 11:20	1
1,2,4-Trimethylbenzene	<0.14		1.0	0.14	ug/L			09/04/12 11:20	1
1,2-Dibromo-3-Chloropropane	<0.87		2.0	0.87	ug/L			09/04/12 11:20	1
1,2-Dibromoethane	<0.36		1.0	0.36	ug/L			09/04/12 11:20	1
1,2-Dichlorobenzene	<0.27		1.0	0.27	ug/L			09/04/12 11:20	1
1,2-Dichloroethane	<0.28		1.0	0.28	ug/L			09/04/12 11:20	1
1,2-Dichloropropane	<0.20		1.0	0.20	ug/L			09/04/12 11:20	1
1,3,5-Trimethylbenzene	<0.18		1.0	0.18	ug/L			09/04/12 11:20	1
1,3-Dichlorobenzene	<0.15		1.0	0.15	ug/L			09/04/12 11:20	1
1,3-Dichloropropane	<0.13		1.0	0.13	ug/L			09/04/12 11:20	1
1,4-Dichlorobenzene	<0.15		1.0	0.15	ug/L			09/04/12 11:20	1
2,2-Dichloropropane	<0.32		1.0	0.32	ug/L			09/04/12 11:20	1
2-Butanone (MEK)	<1.5		5.0	1.5	ug/L			09/04/12 11:20	1
2-Chlorotoluene	<0.21		1.0	0.21	ug/L			09/04/12 11:20	1
2-Hexanone	<0.56		5.0	0.56	ug/L			09/04/12 11:20	1
4-Chlorotoluene	<0.20		1.0	0.20	ug/L			09/04/12 11:20	1

Client Sample Results

Client: Stantec Consulting Corporation/Bonestroo
 Project/Site: Cedarburg Light & Water - 193701814

TestAmerica Job ID: 500-49680-1

Client Sample ID: MW300

Date Collected: 08/27/12 11:30

Date Received: 08/29/12 08:00

Lab Sample ID: 500-49680-2

Matrix: Water

Method: 8260B - Volatile Organic Compounds (GC/MS) (Continued)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
4-Methyl-2-pentanone (MIBK)	<0.33		5.0	0.33	ug/L			09/04/12 11:20	1
Acetone	<1.3		5.0	1.3	ug/L			09/04/12 11:20	1
Benzene	<0.074		0.50	0.074	ug/L			09/04/12 11:20	1
Bromobenzene	<0.25		1.0	0.25	ug/L			09/04/12 11:20	1
Bromochloromethane	<0.40		1.0	0.40	ug/L			09/04/12 11:20	1
Bromodichloromethane	<0.17		1.0	0.17	ug/L			09/04/12 11:20	1
Bromoform	<0.28		1.0	0.28	ug/L			09/04/12 11:20	1
Bromomethane	<0.31		1.0	0.31	ug/L			09/04/12 11:20	1
Carbon tetrachloride	<0.26		1.0	0.26	ug/L			09/04/12 11:20	1
Chlorobenzene	<0.14		1.0	0.14	ug/L			09/04/12 11:20	1
Chloroethane	<0.34		1.0	0.34	ug/L			09/04/12 11:20	1
Chloroform	<0.20		1.0	0.20	ug/L			09/04/12 11:20	1
Chloromethane	<0.18		1.0	0.18	ug/L			09/04/12 11:20	1
cis-1,2-Dichloroethene	<0.12		1.0	0.12	ug/L			09/04/12 11:20	1
cis-1,3-Dichloropropene	<0.18		1.0	0.18	ug/L			09/04/12 11:20	1
Dibromochloromethane	<0.32		1.0	0.32	ug/L			09/04/12 11:20	1
Dibromomethane	<0.33		1.0	0.33	ug/L			09/04/12 11:20	1
Dichlorodifluoromethane	<0.20		1.0	0.20	ug/L			09/04/12 11:20	1
Ethylbenzene	<0.13		0.50	0.13	ug/L			09/04/12 11:20	1
Hexachlorobutadiene	<0.26		1.0	0.26	ug/L			09/04/12 11:20	1
Isopropyl ether	<0.15		1.0	0.15	ug/L			09/04/12 11:20	1
Isopropylbenzene	<0.14		1.0	0.14	ug/L			09/04/12 11:20	1
Methyl tert-butyl ether	<0.24		1.0	0.24	ug/L			09/04/12 11:20	1
Methylene Chloride	<0.68		5.0	0.68	ug/L			09/04/12 11:20	1
Naphthalene	<0.16		1.0	0.16	ug/L			09/04/12 11:20	1
n-Butylbenzene	<0.13		1.0	0.13	ug/L			09/04/12 11:20	1
N-Propylbenzene	<0.13		1.0	0.13	ug/L			09/04/12 11:20	1
p-Isopropyltoluene	<0.17		1.0	0.17	ug/L			09/04/12 11:20	1
sec-Butylbenzene	<0.15		1.0	0.15	ug/L			09/04/12 11:20	1
Styrene	<0.10		1.0	0.10	ug/L			09/04/12 11:20	1
tert-Butylbenzene	<0.14		1.0	0.14	ug/L			09/04/12 11:20	1
Tetrachloroethene	1.5		1.0	0.17	ug/L			09/04/12 11:20	1
Toluene	<0.11		0.50	0.11	ug/L			09/04/12 11:20	1
trans-1,2-Dichloroethene	<0.25		1.0	0.25	ug/L			09/04/12 11:20	1
trans-1,3-Dichloropropene	<0.21		1.0	0.21	ug/L			09/04/12 11:20	1
Trichloroethene	<0.19		0.50	0.19	ug/L			09/04/12 11:20	1
Trichlorofluoromethane	<0.19		1.0	0.19	ug/L			09/04/12 11:20	1
Vinyl chloride	<0.10		0.50	0.10	ug/L			09/04/12 11:20	1
Xylenes, Total	<0.068		1.0	0.068	ug/L			09/04/12 11:20	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surrogate)	95		75 - 131		09/04/12 11:20	1
4-Bromofluorobenzene (Surrogate)	99		79 - 120		09/04/12 11:20	1
Dibromofluoromethane	95		74 - 123		09/04/12 11:20	1
Toluene-d8 (Surrogate)	101		80 - 120		09/04/12 11:20	1

Client Sample Results

Client: Stantec Consulting Corporation/Bonestroo
 Project/Site: Cedarburg Light & Water - 193701814

TestAmerica Job ID: 500-49680-1

Client Sample ID: MW400

Date Collected: 08/27/12 11:40

Date Received: 08/29/12 08:00

Lab Sample ID: 500-49680-3

Matrix: Water

Method: 8260B - Volatile Organic Compounds (GC/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,1,1,2-Tetrachloroethane	<0.25		1.0	0.25	ug/L			09/04/12 11:45	1
1,1,1-Trichloroethane	<0.20		1.0	0.20	ug/L			09/04/12 11:45	1
1,1,2,2-Tetrachloroethane	<0.23		1.0	0.23	ug/L			09/04/12 11:45	1
1,1,2-Trichloroethane	<0.28		1.0	0.28	ug/L			09/04/12 11:45	1
1,1-Dichloroethane	<0.19		1.0	0.19	ug/L			09/04/12 11:45	1
1,1-Dichloroethene	<0.31		1.0	0.31	ug/L			09/04/12 11:45	1
1,1-Dichloropropene	<0.34		1.0	0.34	ug/L			09/04/12 11:45	1
1,2,3-Trichlorobenzene	<0.24		1.0	0.24	ug/L			09/04/12 11:45	1
1,2,3-Trichloropropane	<0.45		1.0	0.45	ug/L			09/04/12 11:45	1
1,2,4-Trichlorobenzene	<0.31		1.0	0.31	ug/L			09/04/12 11:45	1
1,2,4-Trimethylbenzene	<0.14		1.0	0.14	ug/L			09/04/12 11:45	1
1,2-Dibromo-3-Chloropropane	<0.87		2.0	0.87	ug/L			09/04/12 11:45	1
1,2-Dibromoethane	<0.36		1.0	0.36	ug/L			09/04/12 11:45	1
1,2-Dichlorobenzene	<0.27		1.0	0.27	ug/L			09/04/12 11:45	1
1,2-Dichloroethane	<0.28		1.0	0.28	ug/L			09/04/12 11:45	1
1,2-Dichloropropane	<0.20		1.0	0.20	ug/L			09/04/12 11:45	1
1,3,5-Trimethylbenzene	<0.18		1.0	0.18	ug/L			09/04/12 11:45	1
1,3-Dichlorobenzene	<0.15		1.0	0.15	ug/L			09/04/12 11:45	1
1,3-Dichloropropane	<0.13		1.0	0.13	ug/L			09/04/12 11:45	1
1,4-Dichlorobenzene	<0.15		1.0	0.15	ug/L			09/04/12 11:45	1
2,2-Dichloropropane	<0.32		1.0	0.32	ug/L			09/04/12 11:45	1
2-Butanone (MEK)	<1.5		5.0	1.5	ug/L			09/04/12 11:45	1
2-Chlorotoluene	<0.21		1.0	0.21	ug/L			09/04/12 11:45	1
2-Hexanone	<0.56		5.0	0.56	ug/L			09/04/12 11:45	1
4-Chlorotoluene	<0.20		1.0	0.20	ug/L			09/04/12 11:45	1
4-Methyl-2-pentanone (MIBK)	<0.33		5.0	0.33	ug/L			09/04/12 11:45	1
Acetone	<1.3		5.0	1.3	ug/L			09/04/12 11:45	1
Benzene	<0.074		0.50	0.074	ug/L			09/04/12 11:45	1
Bromobenzene	<0.25		1.0	0.25	ug/L			09/04/12 11:45	1
Bromochloromethane	<0.40		1.0	0.40	ug/L			09/04/12 11:45	1
Bromodichloromethane	<0.17		1.0	0.17	ug/L			09/04/12 11:45	1
Bromoform	<0.28		1.0	0.28	ug/L			09/04/12 11:45	1
Bromomethane	<0.31		1.0	0.31	ug/L			09/04/12 11:45	1
Carbon tetrachloride	<0.26		1.0	0.26	ug/L			09/04/12 11:45	1
Chlorobenzene	<0.14		1.0	0.14	ug/L			09/04/12 11:45	1
Chloroethane	<0.34		1.0	0.34	ug/L			09/04/12 11:45	1
Chloroform	<0.20		1.0	0.20	ug/L			09/04/12 11:45	1
Chloromethane	<0.18		1.0	0.18	ug/L			09/04/12 11:45	1
cis-1,2-Dichloroethene	<0.12		1.0	0.12	ug/L			09/04/12 11:45	1
cis-1,3-Dichloropropene	<0.18		1.0	0.18	ug/L			09/04/12 11:45	1
Dibromochloromethane	<0.32		1.0	0.32	ug/L			09/04/12 11:45	1
Dibromomethane	<0.33		1.0	0.33	ug/L			09/04/12 11:45	1
Dichlorodifluoromethane	<0.20		1.0	0.20	ug/L			09/04/12 11:45	1
Ethylbenzene	<0.13		0.50	0.13	ug/L			09/04/12 11:45	1
Hexachlorobutadiene	<0.26		1.0	0.26	ug/L			09/04/12 11:45	1
Isopropyl ether	<0.15		1.0	0.15	ug/L			09/04/12 11:45	1
Isopropylbenzene	<0.14		1.0	0.14	ug/L			09/04/12 11:45	1
Methyl tert-butyl ether	<0.24		1.0	0.24	ug/L			09/04/12 11:45	1
Methylene Chloride	<0.68		5.0	0.68	ug/L			09/04/12 11:45	1
Naphthalene	<0.16		1.0	0.16	ug/L			09/04/12 11:45	1
n-Butylbenzene	<0.13		1.0	0.13	ug/L			09/04/12 11:45	1

Client Sample Results

Client: Stantec Consulting Corporation/Bonestroo
 Project/Site: Cedarburg Light & Water - 193701814

TestAmerica Job ID: 500-49680-1

Client Sample ID: MW400

Date Collected: 08/27/12 11:40

Date Received: 08/29/12 08:00

Lab Sample ID: 500-49680-3

Matrix: Water

Method: 8260B - Volatile Organic Compounds (GC/MS) (Continued)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
N-Propylbenzene	<0.13		1.0	0.13	ug/L			09/04/12 11:45	1
p-Isopropyltoluene	<0.17		1.0	0.17	ug/L			09/04/12 11:45	1
sec-Butylbenzene	<0.15		1.0	0.15	ug/L			09/04/12 11:45	1
Styrene	<0.10		1.0	0.10	ug/L			09/04/12 11:45	1
tert-Butylbenzene	<0.14		1.0	0.14	ug/L			09/04/12 11:45	1
Tetrachloroethene	<0.17		1.0	0.17	ug/L			09/04/12 11:45	1
Toluene	<0.11		0.50	0.11	ug/L			09/04/12 11:45	1
trans-1,2-Dichloroethene	<0.25		1.0	0.25	ug/L			09/04/12 11:45	1
trans-1,3-Dichloropropene	<0.21		1.0	0.21	ug/L			09/04/12 11:45	1
Trichloroethene	<0.19		0.50	0.19	ug/L			09/04/12 11:45	1
Trichlorofluoromethane	<0.19		1.0	0.19	ug/L			09/04/12 11:45	1
Vinyl chloride	<0.10		0.50	0.10	ug/L			09/04/12 11:45	1
Xylenes, Total	<0.068		1.0	0.068	ug/L			09/04/12 11:45	1
Surrogate		%Recovery	Qualifier	Limits			Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	96			75 - 131				09/04/12 11:45	1
4-Bromofluorobenzene (Surr)	99			79 - 120				09/04/12 11:45	1
Dibromofluoromethane	96			74 - 123				09/04/12 11:45	1
Toluene-d8 (Surr)	101			80 - 120				09/04/12 11:45	1

Client Sample ID: HB102

Date Collected: 08/27/12 11:05

Date Received: 08/29/12 08:00

Lab Sample ID: 500-49680-4

Matrix: Solid

Percent Solids: 84.9

Method: 8260B - Volatile Organic Compounds (GC/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,1,1,2-Tetrachloroethane	<20		110	20	ug/Kg	*	08/27/12 11:05	08/31/12 18:41	50
1,1,1-Trichloroethane	<11		57	11	ug/Kg	*	08/27/12 11:05	08/31/12 18:41	50
1,1,2,2-Tetrachloroethane	<13		57	13	ug/Kg	*	08/27/12 11:05	08/31/12 18:41	50
1,1,2-Trichloroethane	<16		57	16	ug/Kg	*	08/27/12 11:05	08/31/12 18:41	50
1,1-Dichloroethane	<10		57	10	ug/Kg	*	08/27/12 11:05	08/31/12 18:41	50
1,1-Dichloroethene	<17		57	17	ug/Kg	*	08/27/12 11:05	08/31/12 18:41	50
1,1-Dichloropropene	<20		57	20	ug/Kg	*	08/27/12 11:05	08/31/12 18:41	50
1,2,3-Trichlorobenzene	<20		110	20	ug/Kg	*	08/27/12 11:05	08/31/12 18:41	50
1,2,3-Trichloropropane	<33		110	33	ug/Kg	*	08/27/12 11:05	08/31/12 18:41	50
1,2,4-Trichlorobenzene	<21		110	21	ug/Kg	*	08/27/12 11:05	08/31/12 18:41	50
1,2,4-Trimethylbenzene	<12		110	12	ug/Kg	*	08/27/12 11:05	08/31/12 18:41	50
1,2-Dibromo-3-Chloropropane	<49		110	49	ug/Kg	*	08/27/12 11:05	08/31/12 18:41	50
1,2-Dibromoethane	<18		110	18	ug/Kg	*	08/27/12 11:05	08/31/12 18:41	50
1,2-Dichlorobenzene	<12		110	12	ug/Kg	*	08/27/12 11:05	08/31/12 18:41	50
1,2-Dichloroethane	<16		57	16	ug/Kg	*	08/27/12 11:05	08/31/12 18:41	50
1,2-Dichloropropane	<11		57	11	ug/Kg	*	08/27/12 11:05	08/31/12 18:41	50
1,3,5-Trimethylbenzene	<12		110	12	ug/Kg	*	08/27/12 11:05	08/31/12 18:41	50
1,3-Dichlorobenzene	<15		110	15	ug/Kg	*	08/27/12 11:05	08/31/12 18:41	50
1,3-Dichloropropane	<7.6		57	7.6	ug/Kg	*	08/27/12 11:05	08/31/12 18:41	50
1,4-Dichlorobenzene	<9.9		110	9.9	ug/Kg	*	08/27/12 11:05	08/31/12 18:41	50
2,2-Dichloropropane	<18		57	18	ug/Kg	*	08/27/12 11:05	08/31/12 18:41	50
2-Chlorotoluene	<12		57	12	ug/Kg	*	08/27/12 11:05	08/31/12 18:41	50
4-Chlorotoluene	<11		57	11	ug/Kg	*	08/27/12 11:05	08/31/12 18:41	50
Benzene	<4.2		14	4.2	ug/Kg	*	08/27/12 11:05	08/31/12 18:41	50
Bromobenzene	<24		110	24	ug/Kg	*	08/27/12 11:05	08/31/12 18:41	50

Client Sample Results

Client: Stantec Consulting Corporation/Bonestroo
 Project/Site: Cedarburg Light & Water - 193701814

TestAmerica Job ID: 500-49680-1

Client Sample ID: HB102

Date Collected: 08/27/12 11:05

Date Received: 08/29/12 08:00

Lab Sample ID: 500-49680-4

Matrix: Solid

Percent Solids: 84.9

Method: 8260B - Volatile Organic Compounds (GC/MS) (Continued)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Bromochloromethane	<21		110	21	ug/Kg	⊗	08/27/12 11:05	08/31/12 18:41	50
Bromodichloromethane	<19		110	19	ug/Kg	⊗	08/27/12 11:05	08/31/12 18:41	50
Bromoform	<25		110	25	ug/Kg	⊗	08/27/12 11:05	08/31/12 18:41	50
Bromomethane	<39		110	39	ug/Kg	⊗	08/27/12 11:05	08/31/12 18:41	50
Carbon tetrachloride	<15		57	15	ug/Kg	⊗	08/27/12 11:05	08/31/12 18:41	50
Chlorobenzene	<8.1		57	8.1	ug/Kg	⊗	08/27/12 11:05	08/31/12 18:41	50
Chloroethane	<25		110	25	ug/Kg	⊗	08/27/12 11:05	08/31/12 18:41	50
Chloroform	<12		57	12	ug/Kg	⊗	08/27/12 11:05	08/31/12 18:41	50
Chloromethane	<26 *		110	26	ug/Kg	⊗	08/27/12 11:05	08/31/12 18:41	50
cis-1,2-Dichloroethene	<7.0		57	7.0	ug/Kg	⊗	08/27/12 11:05	08/31/12 18:41	50
cis-1,3-Dichloropropene	<10		57	10	ug/Kg	⊗	08/27/12 11:05	08/31/12 18:41	50
Dibromochloromethane	<20		110	20	ug/Kg	⊗	08/27/12 11:05	08/31/12 18:41	50
Dibromomethane	<27		110	27	ug/Kg	⊗	08/27/12 11:05	08/31/12 18:41	50
Dichlorodifluoromethane	<29		110	29	ug/Kg	⊗	08/27/12 11:05	08/31/12 18:41	50
Ethylbenzene	<7.1		14	7.1	ug/Kg	⊗	08/27/12 11:05	08/31/12 18:41	50
Hexachlorobutadiene	<20		110	20	ug/Kg	⊗	08/27/12 11:05	08/31/12 18:41	50
Isopropyl ether	<8.3		110	8.3	ug/Kg	⊗	08/27/12 11:05	08/31/12 18:41	50
Isopropylbenzene	<14		110	14	ug/Kg	⊗	08/27/12 11:05	08/31/12 18:41	50
Methyl tert-butyl ether	<24		110	24	ug/Kg	⊗	08/27/12 11:05	08/31/12 18:41	50
Methylene Chloride	<39		280	39	ug/Kg	⊗	08/27/12 11:05	08/31/12 18:41	50
Naphthalene	<28		110	28	ug/Kg	⊗	08/27/12 11:05	08/31/12 18:41	50
n-Butylbenzene	<7.3		57	7.3	ug/Kg	⊗	08/27/12 11:05	08/31/12 18:41	50
N-Propylbenzene	<9.9		110	9.9	ug/Kg	⊗	08/27/12 11:05	08/31/12 18:41	50
p-Isopropyltoluene	<10		110	10	ug/Kg	⊗	08/27/12 11:05	08/31/12 18:41	50
sec-Butylbenzene	<8.7		57	8.7	ug/Kg	⊗	08/27/12 11:05	08/31/12 18:41	50
Styrene	<5.6		57	5.6	ug/Kg	⊗	08/27/12 11:05	08/31/12 18:41	50
tert-Butylbenzene	<7.7		57	7.7	ug/Kg	⊗	08/27/12 11:05	08/31/12 18:41	50
Tetrachloroethene	<9.5		57	9.5	ug/Kg	⊗	08/27/12 11:05	08/31/12 18:41	50
Toluene	<6.5		14	6.5	ug/Kg	⊗	08/27/12 11:05	08/31/12 18:41	50
trans-1,2-Dichloroethene	<14		57	14	ug/Kg	⊗	08/27/12 11:05	08/31/12 18:41	50
trans-1,3-Dichloropropene	<12		57	12	ug/Kg	⊗	08/27/12 11:05	08/31/12 18:41	50
Trichloroethene	<11		28	11	ug/Kg	⊗	08/27/12 11:05	08/31/12 18:41	50
Trichlorofluoromethane	<24		110	24	ug/Kg	⊗	08/27/12 11:05	08/31/12 18:41	50
Vinyl chloride	<5.9		14	5.9	ug/Kg	⊗	08/27/12 11:05	08/31/12 18:41	50
Xylenes, Total	<3.9		28	3.9	ug/Kg	⊗	08/27/12 11:05	08/31/12 18:41	50

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	104		75 - 131			
4-Bromofluorobenzene (Surr)	102		79 - 120			
Dibromofluoromethane	102		74 - 123			
Toluene-d8 (Surr)	106		80 - 120			

Definitions/Glossary

Client: Stantec Consulting Corporation/Bonestroo
Project/Site: Cedarburg Light & Water - 193701814

TestAmerica Job ID: 500-49680-1

Qualifiers

GC/MS VOA

Qualifier	Qualifier Description
J	Result is less than the RL but greater than or equal to the MDL and the concentration is an approximate value.
*	LCS or LCSD exceeds the control limits

Glossary

Abbreviation	These commonly used abbreviations may or may not be present in this report.
D	Listed under the "D" column to designate that the result is reported on a dry weight basis
%R	Percent Recovery
CNF	Contains no Free Liquid
DL, RA, RE, IN	Indicates a Dilution, Reanalysis, Re-extraction, or additional Initial metals/anion analysis of the sample
EDL	Estimated Detection Limit
EPA	United States Environmental Protection Agency
MDL	Method Detection Limit
ML	Minimum Level (Dioxin)
ND	Not detected at the reporting limit (or MDL or EDL if shown)
PQL	Practical Quantitation Limit
QC	Quality Control
RL	Reporting Limit
RPD	Relative Percent Difference, a measure of the relative difference between two points
TEF	Toxicity Equivalent Factor (Dioxin)
TEQ	Toxicity Equivalent Quotient (Dioxin)

QC Association Summary

Client: Stantec Consulting Corporation/Bonestroo
Project/Site: Cedarburg Light & Water - 193701814

TestAmerica Job ID: 500-49680-1

GC/MS VOA

Prep Batch: 161211

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
500-49680-4	HB102	Total/NA	Solid	5035	
LB3 500-161211/4-A LB3	Method Blank	Total/NA	Solid	5035	
LCS 500-161211/5-A	Lab Control Sample	Total/NA	Solid	5035	

Analysis Batch: 161316

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
500-49680-4	HB102	Total/NA	Solid	8260B	161211
LB3 500-161211/4-A LB3	Method Blank	Total/NA	Solid	8260B	161211
LCS 500-161211/5-A	Lab Control Sample	Total/NA	Solid	8260B	161211
MB 500-161316/6	Method Blank	Total/NA	Solid	8260B	

Analysis Batch: 161500

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
500-49680-1	MW200	Total/NA	Water	8260B	
500-49680-2	MW300	Total/NA	Water	8260B	
500-49680-3	MW400	Total/NA	Water	8260B	
LCS 500-161500/4	Lab Control Sample	Total/NA	Water	8260B	
MB 500-161500/6	Method Blank	Total/NA	Water	8260B	

General Chemistry

Analysis Batch: 161390

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
500-49680-4	HB102	Total/NA	Solid	Moisture	

Surrogate Summary

Client: Stantec Consulting Corporation/Bonestroo
Project/Site: Cedarburg Light & Water - 193701814

TestAmerica Job ID: 500-49680-1

Method: 8260B - Volatile Organic Compounds (GC/MS)

Matrix: Solid

Prep Type: Total/NA

Lab Sample ID	Client Sample ID	Percent Surrogate Recovery (Acceptance Limits)			
		12DCE (75-131)	BFB (79-120)	DBFM (74-123)	TOL (80-120)
500-49680-4	HB102	104	102	102	106
LB3 500-161211/4-A LB3	Method Blank	99	104	100	105
LCS 500-161211/5-A	Lab Control Sample	93	104	98	104
MB 500-161316/6	Method Blank	95	95	96	99

Surrogate Legend

12DCE = 1,2-Dichloroethane-d4 (Surr)

BFB = 4-Bromofluorobenzene (Surr)

DBFM = Dibromofluoromethane

TOL = Toluene-d8 (Surr)

Method: 8260B - Volatile Organic Compounds (GC/MS)

Matrix: Water

Prep Type: Total/NA

Lab Sample ID	Client Sample ID	Percent Surrogate Recovery (Acceptance Limits)			
		12DCE (75-131)	BFB (79-120)	DBFM (74-123)	TOL (80-120)
500-49680-1	MW200	95	99	94	101
500-49680-2	MW300	95	99	95	101
500-49680-3	MW400	96	99	96	101
LCS 500-161500/4	Lab Control Sample	94	103	93	104
MB 500-161500/6	Method Blank	95	103	94	102

Surrogate Legend

12DCE = 1,2-Dichloroethane-d4 (Surr)

BFB = 4-Bromofluorobenzene (Surr)

DBFM = Dibromofluoromethane

TOL = Toluene-d8 (Surr)

QC Sample Results

Client: Stantec Consulting Corporation/Bonestroo
 Project/Site: Cedarburg Light & Water - 193701814

TestAmerica Job ID: 500-49680-1

Method: 8260B - Volatile Organic Compounds (GC/MS)

Lab Sample ID: LB3 500-161211/4-A LB3
Matrix: Solid
Analysis Batch: 161316

Client Sample ID: Method Blank
Prep Type: Total/NA
Prep Batch: 161211

Analyte	LB3	LB3	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,1,1,2-Tetrachloroethane			<17		100	17	ug/Kg		08/30/12 10:30	08/31/12 19:05	50
1,1,1-Trichloroethane			<10		50	10	ug/Kg		08/30/12 10:30	08/31/12 19:05	50
1,1,2,2-Tetrachloroethane			<12		50	12	ug/Kg		08/30/12 10:30	08/31/12 19:05	50
1,1,2-Trichloroethane			<14		50	14	ug/Kg		08/30/12 10:30	08/31/12 19:05	50
1,1-Dichloroethane			<9.3		50	9.3	ug/Kg		08/30/12 10:30	08/31/12 19:05	50
1,1-Dichloroethene			<15		50	15	ug/Kg		08/30/12 10:30	08/31/12 19:05	50
1,1-Dichloropropene			<17		50	17	ug/Kg		08/30/12 10:30	08/31/12 19:05	50
1,2,3-Trichlorobenzene			<18		100	18	ug/Kg		08/30/12 10:30	08/31/12 19:05	50
1,2,3-Trichloropropane			<29		100	29	ug/Kg		08/30/12 10:30	08/31/12 19:05	50
1,2,4-Trichlorobenzene			<19		100	19	ug/Kg		08/30/12 10:30	08/31/12 19:05	50
1,2,4-Trimethylbenzene			<11		100	11	ug/Kg		08/30/12 10:30	08/31/12 19:05	50
1,2-Dibromo-3-Chloropropane			<44		100	44	ug/Kg		08/30/12 10:30	08/31/12 19:05	50
1,2-Dibromoethane			<16		100	16	ug/Kg		08/30/12 10:30	08/31/12 19:05	50
1,2-Dichlorobenzene			<10		100	10	ug/Kg		08/30/12 10:30	08/31/12 19:05	50
1,2-Dichloroethane			<14		50	14	ug/Kg		08/30/12 10:30	08/31/12 19:05	50
1,2-Dichloropropene			<9.8		50	9.8	ug/Kg		08/30/12 10:30	08/31/12 19:05	50
1,3,5-Trimethylbenzene			<10		100	10	ug/Kg		08/30/12 10:30	08/31/12 19:05	50
1,3-Dichlorobenzene			<13		100	13	ug/Kg		08/30/12 10:30	08/31/12 19:05	50
1,3-Dichloropropane			<6.7		50	6.7	ug/Kg		08/30/12 10:30	08/31/12 19:05	50
1,4-Dichlorobenzene			<8.7		100	8.7	ug/Kg		08/30/12 10:30	08/31/12 19:05	50
2,2-Dichloropropane			<16		50	16	ug/Kg		08/30/12 10:30	08/31/12 19:05	50
2-Chlorotoluene			<10		50	10	ug/Kg		08/30/12 10:30	08/31/12 19:05	50
4-Chlorotoluene			<9.9		50	9.9	ug/Kg		08/30/12 10:30	08/31/12 19:05	50
Benzene			<3.7		13	3.7	ug/Kg		08/30/12 10:30	08/31/12 19:05	50
Bromobenzene			<21		100	21	ug/Kg		08/30/12 10:30	08/31/12 19:05	50
Bromochloromethane			<19		100	19	ug/Kg		08/30/12 10:30	08/31/12 19:05	50
Bromodichloromethane			<17		100	17	ug/Kg		08/30/12 10:30	08/31/12 19:05	50
Bromoform			<22		100	22	ug/Kg		08/30/12 10:30	08/31/12 19:05	50
Bromomethane			<34		100	34	ug/Kg		08/30/12 10:30	08/31/12 19:05	50
Carbon tetrachloride			<13		50	13	ug/Kg		08/30/12 10:30	08/31/12 19:05	50
Chlorobenzene			<7.2		50	7.2	ug/Kg		08/30/12 10:30	08/31/12 19:05	50
Chloroethane			<22		100	22	ug/Kg		08/30/12 10:30	08/31/12 19:05	50
Chloroform			<10		50	10	ug/Kg		08/30/12 10:30	08/31/12 19:05	50
Chloromethane			<23		100	23	ug/Kg		08/30/12 10:30	08/31/12 19:05	50
cis-1,2-Dichloroethene			<6.2		50	6.2	ug/Kg		08/30/12 10:30	08/31/12 19:05	50
cis-1,3-Dichloropropene			<8.9		50	8.9	ug/Kg		08/30/12 10:30	08/31/12 19:05	50
Dibromochloromethane			<17		100	17	ug/Kg		08/30/12 10:30	08/31/12 19:05	50
Dibromomethane			<24		100	24	ug/Kg		08/30/12 10:30	08/31/12 19:05	50
Dichlorodifluoromethane			<26		100	26	ug/Kg		08/30/12 10:30	08/31/12 19:05	50
Ethylbenzene			<6.3		13	6.3	ug/Kg		08/30/12 10:30	08/31/12 19:05	50
Hexachlorobutadiene			<17		100	17	ug/Kg		08/30/12 10:30	08/31/12 19:05	50
Isopropyl ether			<7.4		100	7.4	ug/Kg		08/30/12 10:30	08/31/12 19:05	50
Isopropylbenzene			<13		100	13	ug/Kg		08/30/12 10:30	08/31/12 19:05	50
Methyl tert-butyl ether			<22		100	22	ug/Kg		08/30/12 10:30	08/31/12 19:05	50
Methylene Chloride			<34		250	34	ug/Kg		08/30/12 10:30	08/31/12 19:05	50
Naphthalene			<25		100	25	ug/Kg		08/30/12 10:30	08/31/12 19:05	50
n-Butylbenzene			<6.5		50	6.5	ug/Kg		08/30/12 10:30	08/31/12 19:05	50
N-Propylbenzene			<8.8		100	8.8	ug/Kg		08/30/12 10:30	08/31/12 19:05	50
p-Isopropyltoluene			<9.3		100	9.3	ug/Kg		08/30/12 10:30	08/31/12 19:05	50

QC Sample Results

Client: Stantec Consulting Corporation/Bonestroo
 Project/Site: Cedarburg Light & Water - 193701814

TestAmerica Job ID: 500-49680-1

Method: 8260B - Volatile Organic Compounds (GC/MS) (Continued)

Lab Sample ID: LB3 500-161211/4-A LB3

Matrix: Solid

Analysis Batch: 161316

Client Sample ID: Method Blank

Prep Type: Total/NA

Prep Batch: 161211

Analyte	LB3		RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
	Result	Qualifier							
sec-Butylbenzene	<7.7		50	7.7	ug/Kg		08/30/12 10:30	08/31/12 19:05	50
Styrene	<4.9		50	4.9	ug/Kg		08/30/12 10:30	08/31/12 19:05	50
tert-Butylbenzene	<6.8		50	6.8	ug/Kg		08/30/12 10:30	08/31/12 19:05	50
Tetrachloroethene	<8.4		50	8.4	ug/Kg		08/30/12 10:30	08/31/12 19:05	50
Toluene	<5.8		13	5.8	ug/Kg		08/30/12 10:30	08/31/12 19:05	50
trans-1,2-Dichloroethene	<13		50	13	ug/Kg		08/30/12 10:30	08/31/12 19:05	50
trans-1,3-Dichloropropene	<10		50	10	ug/Kg		08/30/12 10:30	08/31/12 19:05	50
Trichloroethene	<9.3		25	9.3	ug/Kg		08/30/12 10:30	08/31/12 19:05	50
Trichlorofluoromethane	<21		100	21	ug/Kg		08/30/12 10:30	08/31/12 19:05	50
Vinyl chloride	<5.2		13	5.2	ug/Kg		08/30/12 10:30	08/31/12 19:05	50
Xylenes, Total	<3.4		25	3.4	ug/Kg		08/30/12 10:30	08/31/12 19:05	50
LB3		LB3		Limits		Prepared		Analyzed	Dil Fac
Surrogate	%Recovery	Qualifier	Limits						
1,2-Dichloroethane-d4 (Surr)	99		75 - 131				08/30/12 10:30	08/31/12 19:05	50
4-Bromofluorobenzene (Surr)	104		79 - 120				08/30/12 10:30	08/31/12 19:05	50
Dibromofluoromethane	100		74 - 123				08/30/12 10:30	08/31/12 19:05	50
Toluene-d8 (Surr)	105		80 - 120				08/30/12 10:30	08/31/12 19:05	50

Lab Sample ID: LCS 500-161211/5-A

Matrix: Solid

Analysis Batch: 161316

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Prep Batch: 161211

Analyte	Spike	LCS		Unit	D	%Rec	Limits
		Added	Result				
1,1,1,2-Tetrachloroethane	2500	2410		ug/Kg		97	80 - 120
1,1,1-Trichloroethane	2500	2270		ug/Kg		91	77 - 117
1,1,2,2-Tetrachloroethane	2500	2130		ug/Kg		85	78 - 123
1,1,2-Trichloroethane	2500	2140		ug/Kg		86	78 - 121
1,1-Dichloroethane	2500	2060		ug/Kg		82	66 - 118
1,1-Dichloroethene	2500	2130		ug/Kg		85	58 - 115
1,1-Dichloropropene	2500	2100		ug/Kg		84	71 - 113
1,2,3-Trichlorobenzene	2500	2420		ug/Kg		97	74 - 126
1,2,3-Trichloropropane	2500	2150		ug/Kg		86	77 - 119
1,2,4-Trichlorobenzene	2500	2240		ug/Kg		90	70 - 118
1,2,4-Trimethylbenzene	2500	2580		ug/Kg		103	80 - 120
1,2-Dibromo-3-Chloropropane	2500	2060		ug/Kg		82	53 - 133
1,2-Dibromoethane	2500	2300		ug/Kg		92	79 - 120
1,2-Dichlorobenzene	2500	2370		ug/Kg		95	80 - 120
1,2-Dichloroethane	2500	2060		ug/Kg		82	76 - 117
1,2-Dichloropropane	2500	2130		ug/Kg		85	77 - 118
1,3,5-Trimethylbenzene	2500	2620		ug/Kg		105	83 - 120
1,3-Dichlorobenzene	2500	2350		ug/Kg		94	80 - 120
1,3-Dichloropropane	2500	2220		ug/Kg		89	79 - 114
1,4-Dichlorobenzene	2500	2310		ug/Kg		93	80 - 120
2,2-Dichloropropane	2500	2170		ug/Kg		87	70 - 117
2-Chlorotoluene	2500	2410		ug/Kg		96	80 - 120
4-Chlorotoluene	2500	2330		ug/Kg		93	80 - 120
Benzene	2500	2330		ug/Kg		93	74 - 115
Bromobenzene	2500	2430		ug/Kg		97	80 - 120
Bromochloromethane	2500	2220		ug/Kg		89	72 - 119

QC Sample Results

Client: Stantec Consulting Corporation/Bonestroo
 Project/Site: Cedarburg Light & Water - 193701814

TestAmerica Job ID: 500-49680-1

Method: 8260B - Volatile Organic Compounds (GC/MS) (Continued)

Lab Sample ID: LCS 500-161211/5-A		Client Sample ID: Lab Control Sample						
Matrix: Solid		Prep Type: Total/NA						
Analysis Batch: 161316		Prep Batch: 161211						
Analyte		Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	Limits
Bromodichloromethane		2500	2160		ug/Kg	87	79 - 117	
Bromoform		2500	2500		ug/Kg	100	64 - 127	
Bromomethane		2500	2170		ug/Kg	87	47 - 158	
Carbon tetrachloride		2500	2210		ug/Kg	88	72 - 124	
Chlorobenzene		2500	2340		ug/Kg	94	80 - 120	
Chloroethane		2500	2100		ug/Kg	84	54 - 143	
Chloroform		2500	2210		ug/Kg	88	76 - 117	
Chloromethane		2500	1230 *		ug/Kg	49	56 - 144	
cis-1,2-Dichloroethene		2500	2300		ug/Kg	92	75 - 119	
cis-1,3-Dichloropropene		2690	2300		ug/Kg	86	71 - 112	
Dibromochloromethane		2500	2330		ug/Kg	93	73 - 120	
Dibromomethane		2500	2160		ug/Kg	86	76 - 120	
Dichlorodifluoromethane		2500	1210		ug/Kg	48	43 - 139	
Ethylbenzene		2500	2490		ug/Kg	100	79 - 115	
Hexachlorobutadiene		2500	2580		ug/Kg	103	71 - 128	
Isopropylbenzene		2500	2160		ug/Kg	87	68 - 120	
Methyl tert-butyl ether		2500	1990		ug/Kg	79	60 - 125	
Methylene Chloride		2500	2240		ug/Kg	90	63 - 130	
Naphthalene		2500	2420		ug/Kg	97	72 - 127	
n-Butylbenzene		2500	2350		ug/Kg	94	78 - 119	
N-Propylbenzene		2500	2380		ug/Kg	95	77 - 114	
p-Isopropyltoluene		2500	2420		ug/Kg	97	77 - 120	
sec-Butylbenzene		2500	2520		ug/Kg	101	79 - 117	
Styrene		2500	2540		ug/Kg	102	80 - 120	
tert-Butylbenzene		2500	2560		ug/Kg	102	80 - 120	
Tetrachloroethene		2500	2420		ug/Kg	97	71 - 120	
Toluene		2500	2530		ug/Kg	101	80 - 120	
trans-1,2-Dichloroethene		2500	2280		ug/Kg	91	74 - 119	
trans-1,3-Dichloropropene		2430	2070		ug/Kg	85	66 - 116	
Trichloroethene		2500	2440		ug/Kg	98	75 - 120	
Trichlorofluoromethane		2500	2160		ug/Kg	86	66 - 126	
Vinyl chloride		2500	1590		ug/Kg	64	51 - 149	
Xylenes, Total		7500	7610		ug/Kg	102	78 - 120	
Surrogate		LCS %Recovery	LCS Qualifier	Limits				
1,2-Dichloroethane-d4 (Surr)		93		75 - 131				
4-Bromofluorobenzene (Surr)		104		79 - 120				
Dibromofluoromethane		98		74 - 123				
Toluene-d8 (Surr)		104		80 - 120				

Lab Sample ID: MB 500-161316/6

Client Sample ID: Method Blank

Matrix: Solid

Prep Type: Total/NA

Analysis Batch: 161316

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,1,1,2-Tetrachloroethane	<0.35		2.0	0.35	ug/Kg			08/31/12 10:16	1
1,1,1-Trichloroethane	<0.20		1.0	0.20	ug/Kg			08/31/12 10:16	1
1,1,2,2-Tetrachloroethane	<0.23		1.0	0.23	ug/Kg			08/31/12 10:16	1
1,1,2-Trichloroethane	<0.28		1.0	0.28	ug/Kg			08/31/12 10:16	1

QC Sample Results

Client: Stantec Consulting Corporation/Bonestroo
 Project/Site: Cedarburg Light & Water - 193701814

TestAmerica Job ID: 500-49680-1

Method: 8260B - Volatile Organic Compounds (GC/MS) (Continued)

Lab Sample ID: MB 500-161316/6

Matrix: Solid

Analysis Batch: 161316

Client Sample ID: Method Blank

Prep Type: Total/NA

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,1-Dichloroethane	<0.19		1.0	0.19	ug/Kg			08/31/12 10:16	1
1,1-Dichloroethene	<0.31		1.0	0.31	ug/Kg			08/31/12 10:16	1
1,1-Dichloropropene	<0.34		1.0	0.34	ug/Kg			08/31/12 10:16	1
1,2,3-Trichlorobenzene	<0.35		2.0	0.35	ug/Kg			08/31/12 10:16	1
1,2,3-Trichloropropane	<0.57		2.0	0.57	ug/Kg			08/31/12 10:16	1
1,2,4-Trichlorobenzene	<0.38		2.0	0.38	ug/Kg			08/31/12 10:16	1
1,2,4-Trimethylbenzene	<0.21		2.0	0.21	ug/Kg			08/31/12 10:16	1
1,2-Dibromo-3-Chloropropane	<0.87		2.0	0.87	ug/L			08/31/12 10:16	1
1,2-Dibromoethane	<0.31		2.0	0.31	ug/Kg			08/31/12 10:16	1
1,2-Dichlorobenzene	<0.21		2.0	0.21	ug/Kg			08/31/12 10:16	1
1,2-Dichloroethane	<0.29		1.0	0.29	ug/Kg			08/31/12 10:16	1
1,2-Dichloropropane	<0.20		1.0	0.20	ug/Kg			08/31/12 10:16	1
1,3,5-Trimethylbenzene	<0.21		2.0	0.21	ug/Kg			08/31/12 10:16	1
1,3-Dichlorobenzene	<0.26		2.0	0.26	ug/Kg			08/31/12 10:16	1
1,3-Dichloropropane	<0.13		1.0	0.13	ug/Kg			08/31/12 10:16	1
1,4-Dichlorobenzene	<0.17		2.0	0.17	ug/Kg			08/31/12 10:16	1
2,2-Dichloropropane	<0.32		1.0	0.32	ug/Kg			08/31/12 10:16	1
2-Chlorotoluene	<0.21		1.0	0.21	ug/Kg			08/31/12 10:16	1
4-Chlorotoluene	<0.20		1.0	0.20	ug/L			08/31/12 10:16	1
Benzene	<0.074		0.25	0.074	ug/Kg			08/31/12 10:16	1
Bromobenzene	<0.43		2.0	0.43	ug/Kg			08/31/12 10:16	1
Bromochloromethane	<0.38		2.0	0.38	ug/Kg			08/31/12 10:16	1
Bromodichloromethane	<0.34		2.0	0.34	ug/Kg			08/31/12 10:16	1
Bromoform	<0.44		2.0	0.44	ug/Kg			08/31/12 10:16	1
Bromomethane	<0.68		2.0	0.68	ug/Kg			08/31/12 10:16	1
Carbon tetrachloride	<0.26		1.0	0.26	ug/Kg			08/31/12 10:16	1
Chlorobenzene	<0.14		1.0	0.14	ug/Kg			08/31/12 10:16	1
Chloroethane	<0.44		2.0	0.44	ug/Kg			08/31/12 10:16	1
Chloroform	<0.21		1.0	0.21	ug/Kg			08/31/12 10:16	1
Chloromethane	<0.46		2.0	0.46	ug/Kg			08/31/12 10:16	1
cis-1,2-Dichloroethene	<0.12		1.0	0.12	ug/Kg			08/31/12 10:16	1
cis-1,3-Dichloropropene	<0.18		1.0	0.18	ug/Kg			08/31/12 10:16	1
Dibromochloromethane	<0.35		2.0	0.35	ug/Kg			08/31/12 10:16	1
Dibromomethane	<0.48		2.0	0.48	ug/Kg			08/31/12 10:16	1
Dichlorodifluoromethane	<0.51		2.0	0.51	ug/Kg			08/31/12 10:16	1
Ethylbenzene	<0.13		0.25	0.13	ug/Kg			08/31/12 10:16	1
Hexachlorobutadiene	<0.35		2.0	0.35	ug/Kg			08/31/12 10:16	1
Isopropyl ether	<0.15		2.0	0.15	ug/Kg			08/31/12 10:16	1
Isopropylbenzene	<0.25		2.0	0.25	ug/Kg			08/31/12 10:16	1
Methyl tert-butyl ether	<0.43		2.0	0.43	ug/Kg			08/31/12 10:16	1
Methylene Chloride	<0.68		5.0	0.68	ug/Kg			08/31/12 10:16	1
Naphthalene	<0.49		2.0	0.49	ug/Kg			08/31/12 10:16	1
n-Butylbenzene	<0.13		1.0	0.13	ug/Kg			08/31/12 10:16	1
N-Propylbenzene	<0.18		2.0	0.18	ug/Kg			08/31/12 10:16	1
p-Isopropyltoluene	<0.19		2.0	0.19	ug/Kg			08/31/12 10:16	1
sec-Butylbenzene	<0.15		1.0	0.15	ug/Kg			08/31/12 10:16	1
Styrene	<0.099		1.0	0.099	ug/Kg			08/31/12 10:16	1
tert-Butylbenzene	<0.14		1.0	0.14	ug/Kg			08/31/12 10:16	1
Tetrachloroethene	<0.17		1.0	0.17	ug/Kg			08/31/12 10:16	1
Toluene	<0.12		0.25	0.12	ug/Kg			08/31/12 10:16	1

QC Sample Results

Client: Stantec Consulting Corporation/Bonestroo
 Project/Site: Cedarburg Light & Water - 193701814

TestAmerica Job ID: 500-49680-1

Method: 8260B - Volatile Organic Compounds (GC/MS) (Continued)

Lab Sample ID: MB 500-161316/6 **Client Sample ID: Method Blank**
Prep Type: Total/NA
Matrix: Solid
Analysis Batch: 161316

Analyte	MB		RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
	Result	Qualifier							
trans-1,2-Dichloroethene	<0.25		1.0	0.25	ug/Kg			08/31/12 10:16	1
trans-1,3-Dichloropropene	<0.21		1.0	0.21	ug/Kg			08/31/12 10:16	1
Trichloroethene	<0.19		0.50	0.19	ug/Kg			08/31/12 10:16	1
Trichlorofluoromethane	<0.42		2.0	0.42	ug/Kg			08/31/12 10:16	1
Vinyl chloride	<0.10		0.25	0.10	ug/Kg			08/31/12 10:16	1
Xylenes, Total	<0.068		0.50	0.068	ug/Kg			08/31/12 10:16	1

Surrogate	MB		Limits	Prepared	Analyzed	Dil Fac
	%Recovery	Qualifier				
1,2-Dichloroethane-d4 (Surr)	95		75 - 131		08/31/12 10:16	1
4-Bromofluorobenzene (Surr)	95		79 - 120		08/31/12 10:16	1
Dibromofluoromethane	96		74 - 123		08/31/12 10:16	1
Toluene-d8 (Surr)	99		80 - 120		08/31/12 10:16	1

Lab Sample ID: MB 500-161500/6 **Client Sample ID: Method Blank**
Prep Type: Total/NA
Matrix: Water
Analysis Batch: 161500

Analyte	MB		RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
	Result	Qualifier							
1,1,1,2-Tetrachloroethane	<0.25		1.0	0.25	ug/L			09/04/12 09:44	1
1,1,1-Trichloroethane	<0.20		1.0	0.20	ug/L			09/04/12 09:44	1
1,1,2,2-Tetrachloroethane	<0.23		1.0	0.23	ug/L			09/04/12 09:44	1
1,1,2-Trichloroethane	<0.28		1.0	0.28	ug/L			09/04/12 09:44	1
1,1-Dichloroethane	<0.19		1.0	0.19	ug/L			09/04/12 09:44	1
1,1-Dichloroethene	<0.31		1.0	0.31	ug/L			09/04/12 09:44	1
1,1-Dichloropropene	<0.34		1.0	0.34	ug/L			09/04/12 09:44	1
1,2,3-Trichlorobenzene	<0.24		1.0	0.24	ug/L			09/04/12 09:44	1
1,2,3-Trichloropropane	<0.45		1.0	0.45	ug/L			09/04/12 09:44	1
1,2,4-Trichlorobenzene	<0.31		1.0	0.31	ug/L			09/04/12 09:44	1
1,2,4-Trimethylbenzene	<0.14		1.0	0.14	ug/L			09/04/12 09:44	1
1,2-Dibromo-3-Chloropropane	<0.87		2.0	0.87	ug/L			09/04/12 09:44	1
1,2-Dibromoethane	<0.36		1.0	0.36	ug/L			09/04/12 09:44	1
1,2-Dichlorobenzene	<0.27		1.0	0.27	ug/L			09/04/12 09:44	1
1,2-Dichloroethane	<0.28		1.0	0.28	ug/L			09/04/12 09:44	1
1,2-Dichloropropane	<0.20		1.0	0.20	ug/L			09/04/12 09:44	1
1,3,5-Trimethylbenzene	<0.18		1.0	0.18	ug/L			09/04/12 09:44	1
1,3-Dichlorobenzene	<0.15		1.0	0.15	ug/L			09/04/12 09:44	1
1,3-Dichloropropane	<0.13		1.0	0.13	ug/L			09/04/12 09:44	1
1,4-Dichlorobenzene	<0.15		1.0	0.15	ug/L			09/04/12 09:44	1
2,2-Dichloropropane	<0.32		1.0	0.32	ug/L			09/04/12 09:44	1
2-Butanone (MEK)	<1.5		5.0	1.5	ug/L			09/04/12 09:44	1
2-Chlorotoluene	<0.21		1.0	0.21	ug/L			09/04/12 09:44	1
2-Hexanone	<0.56		5.0	0.56	ug/L			09/04/12 09:44	1
4-Chlorotoluene	<0.20		1.0	0.20	ug/L			09/04/12 09:44	1
4-Methyl-2-pentanone (MIBK)	<0.33		5.0	0.33	ug/L			09/04/12 09:44	1
Acetone	<1.3		5.0	1.3	ug/L			09/04/12 09:44	1
Benzene	<0.074		0.50	0.074	ug/L			09/04/12 09:44	1
Bromobenzene	<0.25		1.0	0.25	ug/L			09/04/12 09:44	1
Bromochloromethane	<0.40		1.0	0.40	ug/L			09/04/12 09:44	1
Bromodichloromethane	<0.17		1.0	0.17	ug/L			09/04/12 09:44	1

QC Sample Results

Client: Stantec Consulting Corporation/Bonestroo
 Project/Site: Cedarburg Light & Water - 193701814

TestAmerica Job ID: 500-49680-1

Method: 8260B - Volatile Organic Compounds (GC/MS) (Continued)

Lab Sample ID: MB 500-161500/6

Matrix: Water

Analysis Batch: 161500

Client Sample ID: Method Blank

Prep Type: Total/NA

Analyte	MB	MB	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
	MB	MB									
Bromoform	<0.28				1.0	0.28	ug/L		09/04/12 09:44		1
Bromomethane	<0.31				1.0	0.31	ug/L		09/04/12 09:44		1
Carbon tetrachloride	<0.26				1.0	0.26	ug/L		09/04/12 09:44		1
Chlorobenzene	<0.14				1.0	0.14	ug/L		09/04/12 09:44		1
Chloroethane	<0.34				1.0	0.34	ug/L		09/04/12 09:44		1
Chloroform	<0.20				1.0	0.20	ug/L		09/04/12 09:44		1
Chloromethane	<0.18				1.0	0.18	ug/L		09/04/12 09:44		1
cis-1,2-Dichloroethene	<0.12				1.0	0.12	ug/L		09/04/12 09:44		1
cis-1,3-Dichloropropene	<0.18				1.0	0.18	ug/L		09/04/12 09:44		1
Dibromochloromethane	<0.32				1.0	0.32	ug/L		09/04/12 09:44		1
Dibromomethane	<0.33				1.0	0.33	ug/L		09/04/12 09:44		1
Dichlorodifluoromethane	<0.20				1.0	0.20	ug/L		09/04/12 09:44		1
Ethylbenzene	<0.13				0.50	0.13	ug/L		09/04/12 09:44		1
Hexachlorobutadiene	<0.26				1.0	0.26	ug/L		09/04/12 09:44		1
Isopropyl ether	<0.15				1.0	0.15	ug/L		09/04/12 09:44		1
Isopropylbenzene	<0.14				1.0	0.14	ug/L		09/04/12 09:44		1
Methyl tert-butyl ether	<0.24				1.0	0.24	ug/L		09/04/12 09:44		1
Methylene Chloride	<0.68				5.0	0.68	ug/L		09/04/12 09:44		1
Naphthalene	<0.16				1.0	0.16	ug/L		09/04/12 09:44		1
n-Butylbenzene	<0.13				1.0	0.13	ug/L		09/04/12 09:44		1
N-Propylbenzene	<0.13				1.0	0.13	ug/L		09/04/12 09:44		1
p-Isopropyltoluene	<0.17				1.0	0.17	ug/L		09/04/12 09:44		1
sec-Butylbenzene	<0.15				1.0	0.15	ug/L		09/04/12 09:44		1
Styrene	<0.10				1.0	0.10	ug/L		09/04/12 09:44		1
tert-Butylbenzene	<0.14				1.0	0.14	ug/L		09/04/12 09:44		1
Tetrachloroethene	<0.17				1.0	0.17	ug/L		09/04/12 09:44		1
Toluene	<0.11				0.50	0.11	ug/L		09/04/12 09:44		1
trans-1,2-Dichloroethene	<0.25				1.0	0.25	ug/L		09/04/12 09:44		1
trans-1,3-Dichloropropene	<0.21				1.0	0.21	ug/L		09/04/12 09:44		1
Trichloroethene	<0.19				0.50	0.19	ug/L		09/04/12 09:44		1
Trichlorofluoromethane	<0.19				1.0	0.19	ug/L		09/04/12 09:44		1
Vinyl chloride	<0.10				0.50	0.10	ug/L		09/04/12 09:44		1
Xylenes, Total	<0.068				1.0	0.068	ug/L		09/04/12 09:44		1

Surrogate	MB	MB	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
	MB	MB						
1,2-Dichloroethane-d4 (Surr)	95				75 - 131		09/04/12 09:44	1
4-Bromofluorobenzene (Surr)	103				79 - 120		09/04/12 09:44	1
Dibromofluoromethane	94				74 - 123		09/04/12 09:44	1
Toluene-d8 (Surr)	102				80 - 120		09/04/12 09:44	1

Lab Sample ID: LCS 500-161500/4

Matrix: Water

Analysis Batch: 161500

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Analyte	Spike	LCS	LCS	Unit	D	%Rec	Limits
	Added	Result	Qualifier				
1,1,1,2-Tetrachloroethane	50.0	47.8		ug/L		96	80 - 120
1,1,1-Trichloroethane	50.0	42.3		ug/L		85	77 - 117
1,1,2,2-Tetrachloroethane	50.0	43.8		ug/L		88	78 - 123
1,1,2-Trichloroethane	50.0	41.0		ug/L		82	78 - 121

QC Sample Results

Client: Stantec Consulting Corporation/Bonestroo
 Project/Site: Cedarburg Light & Water - 193701814

TestAmerica Job ID: 500-49680-1

Method: 8260B - Volatile Organic Compounds (GC/MS) (Continued)

Lab Sample ID: LCS 500-161500/4		Client Sample ID: Lab Control Sample						
Matrix: Water		Prep Type: Total/NA						
Analysis Batch: 161500		Spike	LCS	LCS			%Rec.	
Analyte		Added	Result	Qualifier	Unit	D	%Rec	Limits
1,1-Dichloroethane		50.0	38.4		ug/L	77	66 - 118	
1,1-Dichloroethene		50.0	39.7		ug/L	79	58 - 115	
1,1-Dichloropropene		50.0	40.5		ug/L	81	71 - 113	
1,2,3-Trichlorobenzene		50.0	50.1		ug/L	100	74 - 126	
1,2,3-Trichloropropane		50.0	42.5		ug/L	85	77 - 119	
1,2,4-Trichlorobenzene		50.0	49.4		ug/L	99	70 - 118	
1,2,4-Trimethylbenzene		50.0	51.5		ug/L	103	80 - 120	
1,2-Dibromo-3-Chloropropane		50.0	40.7		ug/L	81	53 - 133	
1,2-Dibromoethane		50.0	46.2		ug/L	92	79 - 120	
1,2-Dichlorobenzene		50.0	48.1		ug/L	96	80 - 120	
1,2-Dichloroethane		50.0	40.0		ug/L	80	76 - 117	
1,2-Dichloropropane		50.0	42.1		ug/L	84	77 - 118	
1,3,5-Trimethylbenzene		50.0	51.9		ug/L	104	83 - 120	
1,3-Dichlorobenzene		50.0	48.1		ug/L	96	80 - 120	
1,3-Dichloropropane		50.0	44.6		ug/L	89	79 - 114	
1,4-Dichlorobenzene		50.0	47.5		ug/L	95	80 - 120	
2,2-Dichloropropane		50.0	42.4		ug/L	85	70 - 117	
2-Butanone (MEK)		50.0	38.6		ug/L	77	53 - 140	
2-Chlorotoluene		50.0	48.1		ug/L	96	80 - 120	
2-Hexanone		50.0	39.8		ug/L	80	60 - 134	
4-Chlorotoluene		50.0	46.9		ug/L	94	80 - 120	
4-Methyl-2-pentanone (MIBK)		50.0	37.7		ug/L	75	59 - 134	
Acetone		50.0	53.1		ug/L	106	41 - 163	
Benzene		50.0	45.7		ug/L	91	74 - 115	
Bromobenzene		50.0	48.6		ug/L	97	80 - 120	
Bromochloromethane		50.0	44.5		ug/L	89	72 - 119	
Bromodichloromethane		50.0	42.6		ug/L	85	79 - 117	
Bromoform		50.0	49.5		ug/L	99	64 - 127	
Bromomethane		50.0	42.3		ug/L	85	47 - 158	
Carbon tetrachloride		50.0	43.4		ug/L	87	72 - 124	
Chlorobenzene		50.0	46.8		ug/L	94	80 - 120	
Chloroethane		50.0	39.7		ug/L	79	54 - 143	
Chloroform		50.0	41.1		ug/L	82	76 - 117	
Chloromethane		50.0	27.8		ug/L	56	56 - 144	
cis-1,2-Dichloroethene		50.0	43.6		ug/L	87	75 - 119	
cis-1,3-Dichloropropene		53.8	46.9		ug/L	87	71 - 112	
Dibromochloromethane		50.0	46.6		ug/L	93	73 - 120	
Dibromomethane		50.0	41.5		ug/L	83	76 - 120	
Dichlorodifluoromethane		50.0	31.6		ug/L	63	43 - 139	
Ethylbenzene		50.0	50.1		ug/L	100	79 - 115	
Hexachlorobutadiene		50.0	52.5		ug/L	105	71 - 128	
Isopropylbenzene		50.0	42.5		ug/L	85	68 - 120	
Methyl tert-butyl ether		50.0	43.3		ug/L	87	60 - 125	
Methylene Chloride		50.0	41.8		ug/L	84	63 - 130	
Naphthalene		50.0	48.9		ug/L	98	72 - 127	
n-Butylbenzene		50.0	49.4		ug/L	99	78 - 119	
N-Propylbenzene		50.0	47.8		ug/L	96	77 - 114	
p-Isopropyltoluene		50.0	49.2		ug/L	98	77 - 120	
sec-Butylbenzene		50.0	49.7		ug/L	99	79 - 117	
Styrene		50.0	51.3		ug/L	103	80 - 120	

QC Sample Results

Client: Stantec Consulting Corporation/Bonestroo
 Project/Site: Cedarburg Light & Water - 193701814

TestAmerica Job ID: 500-49680-1

Method: 8260B - Volatile Organic Compounds (GC/MS) (Continued)

Lab Sample ID: LCS 500-161500/4

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Matrix: Water

Analysis Batch: 161500

Analyte	Spike	LCS	LCS	Unit	D	%Rec	%Rec.
	Added	Result	Qualifier				
tert-Butylbenzene	50.0	50.3		ug/L		101	80 - 120
Tetrachloroethene	50.0	48.4		ug/L		97	71 - 120
Toluene	50.0	49.9		ug/L		100	80 - 120
trans-1,2-Dichloroethene	50.0	43.1		ug/L		86	74 - 119
trans-1,3-Dichloropropene	48.6	42.2		ug/L		87	66 - 116
Trichloroethene	50.0	48.6		ug/L		97	75 - 120
Trichlorofluoromethane	50.0	43.3		ug/L		87	66 - 126
Vinyl chloride	50.0	34.2		ug/L		68	51 - 149
Xylenes, Total	150	151		ug/L		101	78 - 120
<hr/>							
Surrogate	LCS	LCS	Limits	Limits	Limits	Limits	Limits
	%Recovery	Qualifier					
1,2-Dichloroethane-d4 (Surr)	94		75 - 131				
4-Bromofluorobenzene (Surr)	103		79 - 120				
Dibromofluoromethane	93		74 - 123				
Toluene-d8 (Surr)	104		80 - 120				

Lab Chronicle

Client: Stantec Consulting Corporation/Bonestroo
Project/Site: Cedarburg Light & Water - 193701814

TestAmerica Job ID: 500-49680-1

Client Sample ID: MW200

Date Collected: 08/27/12 11:20

Date Received: 08/29/12 08:00

Lab Sample ID: 500-49680-1

Matrix: Water

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	8260B		1	161500	09/04/12 10:56	LM	TAL CHI

Client Sample ID: MW300

Date Collected: 08/27/12 11:30

Date Received: 08/29/12 08:00

Lab Sample ID: 500-49680-2

Matrix: Water

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	8260B		1	161500	09/04/12 11:20	LM	TAL CHI

Client Sample ID: MW400

Date Collected: 08/27/12 11:40

Date Received: 08/29/12 08:00

Lab Sample ID: 500-49680-3

Matrix: Water

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	8260B		1	161500	09/04/12 11:45	LM	TAL CHI

Client Sample ID: HB102

Date Collected: 08/27/12 11:05

Date Received: 08/29/12 08:00

Lab Sample ID: 500-49680-4

Matrix: Solid

Percent Solids: 84.9

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	5035			161211	08/27/12 11:05	WRE	TAL CHI
Total/NA	Analysis	8260B		50	161316	08/31/12 18:41	BDA	TAL CHI
Total/NA	Analysis	Moisture		1	161390	08/31/12 13:06	CMV	TAL CHI

Laboratory References:

TAL CHI = TestAmerica Chicago, 2417 Bond Street, University Park, IL 60484, TEL (708)534-5200

Certification Summary

Client: Stantec Consulting Corporation/Bonestroo
Project/Site: Cedarburg Light & Water - 193701814

TestAmerica Job ID: 500-49680-1

Laboratory: TestAmerica Chicago

All certifications held by this laboratory are listed. Not all certifications are applicable to this report.

Authority	Program	EPA Region	Certification ID	Expiration Date
Alabama	State Program	4	40461	04-30-13
California	NELAC	9	01132CA	04-30-13
Georgia	State Program	4	N/A	04-30-13
Georgia	State Program	4	939	04-30-13
Hawaii	State Program	9	N/A	04-30-13
Illinois	NELAC	5	100201	04-30-13
Indiana	State Program	5	C-IL-02	04-30-13
Iowa	State Program	7	82	05-01-14
Kansas	NELAC	7	E-10161	10-31-12
Kentucky	State Program	4	90023	12-31-12
Kentucky (UST)	State Program	4	66	04-11-13
L-A-B	DoD ELAP		L2304	01-06-13
L-A-B	ISO/IEC 17025		L2304	01-06-13
Louisiana	NELAC	6	30720	06-30-13
Massachusetts	State Program	1	M-IL035	06-30-13
Mississippi	State Program	4	N/A	04-30-13
North Carolina DENR	State Program	4	291	12-31-12
North Dakota	State Program	8	R-194	04-30-13
Oklahoma	State Program	6	8908	08-31-13
South Carolina	State Program	4	77001	04-30-13
Texas	NELAC	6	T104704252-09-TX	02-28-13
USDA	Federal		P330-12-00038	02-06-15
Virginia	NELAC	3	460142	06-14-13
Wisconsin	State Program	5	999580010	08-31-13
Wyoming	State Program	8	8TMS-Q	04-30-13

TestAmerica

THE LEADER IN ENVIRONMENTAL TESTING

2417 Bond Street, University Park, IL 60484
Phone: 708.534.5200 Fax: 708.534.5211

(optional)	
Report To Contact: Company: Address: Address: Phone: Fax: E-Mail:	Bill To Contact: Company: Address: Address: Phone: Fax: PO#/Reference#
Andy Swaim Stantec 12075 Corporate Pkwy Mequon WI 53092 262 241-4466 <i>(Handwritten)</i> Andy.Swaim@Stantec.com	

Chain of Custody Record

Lab Job #: 500-49680

Chain of Custody Number: _____

Page _____ of _____

Temperature °C of Cooler: 60

Turnaround Time Required (Business Days)

Normal

Sample Disposal

Delivery Time Required (Business Days)

Day Days Days
Requested Due Date

Satellite

Disposal by Lab

Activity 6: **Math**

Relinquished By <i>Andy J.</i>	Company Stater	Date 8-28-01	Time 9:00	Received By <i>Shawn Scott TA-CHE</i>	Company TA-CHE	Date 8/29/12	Time 8:00	Lab Courier []
Relinquished By	Company	Date	Time	Received By	Company	Date	Time	Shipped <i>FedEx</i>
Relinquished By	Company	Date	Time	Received By	Company	Date	Time	Hand Delivered []
WW - Wastewater W - Water S - Soil SL - Sludge MS - Miscellaneous OL - Oil A - Air	Matrix Key SE - Sediment SO - Soil L - Leachate WI - Wipe DW - Drinking Water O - Other	Client Comments				Lab Comments:		

Login Sample Receipt Checklist

Client: Stantec Consulting Corporation/Bonestroo

Job Number: 500-49680-1

Login Number: 49680

List Source: TestAmerica Chicago

List Number: 1

Creator: Scott, Sherri L

Question	Answer	Comment
Radioactivity either was not measured or, if measured, is at or below background	True	
The cooler's custody seal, if present, is intact.	True	
Sample custody seals, if present, are intact.	True	
The cooler or samples do not appear to have been compromised or tampered with.	True	
Samples were received on ice.	True	
Cooler Temperature is acceptable.	False	
Cooler Temperature is recorded.	True	6.7
COC is present.	True	
COC is filled out in ink and legible.	True	
COC is filled out with all pertinent information.	True	
Is the Field Sampler's name present on COC?	True	
There are no discrepancies between the containers received and the COC.	True	
Samples are received within Holding Time.	True	
Sample containers have legible labels.	True	
Containers are not broken or leaking.	True	
Sample collection date/times are provided.	True	
Appropriate sample containers are used.	True	
Sample bottles are completely filled.	True	
Sample Preservation Verified.	True	
There is sufficient vol. for all requested analyses, incl. any requested MS/MSDs	True	
VOA sample vials do not have headspace or bubble is <6mm (1/4") in diameter.	True	
Multiphasic samples are not present.	True	
Samples do not require splitting or compositing.	True	
Residual Chlorine Checked.	N/A	