



999 Fourier Dr., Ste. 101
Madison, WI 53717

t 608.826.3600

March 26, 2025

Mr. Matt Thompson
Wisconsin Department of Natural Resources
1300 W. Clairemont Avenue
Eau Claire, WI 54701

Subject: 2024 Annual Groundwater Monitoring Report
BRRTS #02-37-000006
Wauleco, Inc.
Wausau, Wisconsin

Dear Mr. Thompson:

On behalf of Wauleco, Inc., TRC Environmental Corporation (TRC) is submitting the 2024 Annual Groundwater Monitoring Report for the Wauleco, Inc. site in Wausau, Wisconsin. This report includes the results of sampling and laboratory analysis for the groundwater monitoring events at the Wauleco site.

If you have any questions or comments regarding this information, please contact me at 608.347.8594.

Sincerely,

TRC

A handwritten signature in blue ink, appearing to read "Steve Sellwood", is written over the printed name.

Steve Sellwood, P.G.
Senior Hydrogeologist

Enclosure: 2024 Annual Groundwater Monitoring Report (electronic only)

cc: Evan Schreiner – Wauleco (1 copy)
Tom Dushek – TRC, Wauleco (1 copy)
David Crass – Michael, Best & Friedrich, L.L.P. (electronic only)

2024 ANNUAL GROUNDWATER MONITORING REPORT

**WAULECO, INC.
WAUSAU FACILITY
WAUSAU, WISCONSIN**

March 2025

**Prepared For:
Wauleco, Inc.
Wausau, Wisconsin**

• • •

**Prepared By:
TRC Environmental Corp.
Madison, Wisconsin**

Project No. 638839

2024 ANNUAL GROUNDWATER MONITORING REPORT

**WAULECO, INC.
WAUSAU FACILITY
WAUSAU, WISCONSIN**

March 2025

Prepared by: Thomas J. Dushek 03/26/2025
Tom Dushek
Environmental Scientist Date

Approved by: Steve Sellwood 03/26/2025
Steve Sellwood, P.G.
Senior Hydrogeologist Date

TABLE OF CONTENTS

<u>Section</u>	<u>Page</u>
INTRODUCTION	1
BACKGROUND	1
SAMPLING EVENT SUMMARY	4
PRESENTATION OF RESULTS	4
Groundwater Elevations	5
Apparent LNAPL Thickness.....	5
LNAPL Recovery.....	6
Dissolved Phase PCP Recovery	6
Total PCP Recovered	7
Groundwater Quality.....	8
SUMMARY AND CONCLUSIONS	13
LNAPL	13
Groundwater Containment	14
Groundwater Quality.....	14
RECOMMENDATIONS.....	14

LIST OF TABLES

Tables

1	2024 Groundwater Monitoring Program
2	Summary of 2024 Groundwater Sampling Locations
3	2024 Groundwater Elevation Data
4a	2024 Winter Groundwater Monitoring Analytical Results
4b	2024 Summer Groundwater Monitoring Analytical Results
5	2024 Groundwater Treatment Removal of Pentachlorophenol (PCP)

LIST OF FIGURES

Figure No.

1	Average Water Level Deviation and Product Recovery Rates Versus Time

LIST OF DRAWINGS

Drawings

1	Site Location Map
2	Site Features Map
3	Water Table Map (January 2, 2024)
4	Water Table Map (July 1, 2024)
5	Product (Oil) Thickness Map (January 2, 2024)
6	Product (Oil) Thickness Map (July 1, 2024)
7	PCP Isoconcentration Map (July 2024)
8	Naphthalene Isoconcentration Map (July 2024)
9	Total Petroleum Hydrocarbons (TPH) as Mineral Spirits Isoconcentration Map (July 2024)
10	1,2,4-Trimethylbenzene Isoconcentration Map (July 2024)
11	Total Xylenes Isoconcentration Map (July 2024)

LIST OF APPENDICES

Appendices

A	-	Correspondence with WDNR
B	-	Historical Groundwater Analytical Results
		B1 Water Quality Indicators
		B2 Phenolics
		B3 Volatile Organic Compounds
C	-	Historical PCP Analysis Results
D	-	Laboratory Report
		D1 January 2024
		D2 July 2024
E	-	PCP Concentration Distance Graphs

2024 ANNUAL GROUNDWATER MONITORING REPORT

WAULECO, INC. WAUSAU FACILITY

INTRODUCTION

This 2024 Annual Groundwater Monitoring Report presents a summary of groundwater quality data collected from the Wauleco, Inc. facility in Wausau, Wisconsin (see Drawing 1) in 2024. The focus of this report is on groundwater quality data collected throughout the year during groundwater remediation system operations and analyses from groundwater samples collected during the semi-annual groundwater monitoring rounds (winter and summer) for 2024. For comparison purposes, this report includes historical groundwater data collected at the site since January 1987.

BACKGROUND

Periodic groundwater sampling has been conducted and recorded at the Wauleco facility since January 1987. A formal Groundwater Monitoring Plan (GMP) was prepared for the site in January 1992 and, with slight modifications, the first sampling round conducted under the GMP occurred during February 1992. Since 1992, the following changes have been made to the groundwater extraction and treatment system at the Wauleco property:

- The infiltration gallery was discontinued in 1992.
- Pumping well PW09 was added in 1992 and PW10 through PW16 were added in 1993.
- Eleven new extraction wells (PW17 through PW27) were installed in the fall of 1998 and an additional two extraction wells (PW28 and PW29) were installed near the northern property line in September 1999.
- An upgraded control system, with additional monitoring and control capabilities, was added in 1999.
- In the fall of 2007, four focused pumping wells, FP1, FP2, FP3, and FP4 were installed and added to the system. These wells were started in January 2008. Extraction wells PW09, PW22, PW28, and PW29 were taken off the piping system to make room for the new focused pumping wells.
- In early 2011 mobile product recovery was deemed complete and that the mobile product recovery system should be shut down (see correspondence with Wisconsin Department of Natural Resources (WDNR) in Appendix A). Further, the groundwater recovery pumping

rate was revised to assess what effect it had on groundwater concentrations as part of a long-term closure evaluation. The plan agreed upon with the WDNR included:

- Reducing the groundwater extraction system's pumping rate from 40-45 gpm to 22-30 gpm, near the 20 gpm rate used prior to implementation of the enhanced product recovery rate in 1999.
- Monthly water level monitoring and preparation of water table maps for a period of three months and then quarterly to assess seasonal changes. This was extended through October 2012 to measure the effect of the water supply lateral leak (as discussed in more detail in this report under Groundwater Elevations).
- The reduced pumping approach was implemented on March 2, 2011 by reducing the pumping rate to approximately 29 gpm. The pumping rate was further reduced from approximately 29 gpm to 22 gpm on June 7, 2012. WDNR concurrence was secured before each of these pumping rate reductions were implemented.

In addition to changes in the extraction and treatment system, the following changes have been made to the groundwater monitoring program:

- Monitoring wells W06, W15, W20, W37, and W38 were abandoned in 1993.
- Monitoring well W43 was lost during utility work prior to 1993.
- Monitoring wells W06R, W68A, W68B, W69 and W70B were installed in 1993.
- Groundwater sampling reduced from quarterly to semi-annually (summer and winter) in 1997. The wells and parameters included in the semi-annual monitoring program are summarized in Table 1.
- Beginning in January 2010, five groundwater monitoring wells on the 3M site, located north of the Wauleco site, were added to the semi-annual monitoring program for pentachlorophenol (PCP) analysis. Results are listed in the tables in Appendix B2.
- As agreed to in November 2010, Wauleco continued to remove apparent mobile product using the socks in wells approach, to assess whether product in wells is representative of mobile product on the water table or due to product trapped in the wells.
- A group of eight wells in the spring and nine wells in the fall of 2011, and nine wells in the spring of 2012 were sampled for PCP to determine if the reduced pumping rate had an adverse effect on groundwater concentrations near the site. Results are listed in the tables in Appendix B2.
- With WDNR approval, in July 2012, VOCs, except naphthalene, were eliminated from the July 2012 groundwater sampling event. Starting in 2013, VOC analysis was limited to naphthalene, 1,2,4 trimethylbenzene, and xylenes.

- With WDNR approval, in 2013 and 2014 (refer to TRC letter dated October 30, 2013 regarding revisions to groundwater monitoring plan and WDNR's conditional approval letter dated March 18, 2014), the groundwater monitoring program was revised to include natural attenuation parameters; dissolved iron and manganese, sulfate, and total organic carbon. Chloride was eliminated, along with nitrite plus nitrate which was replaced with nitrate. Wells W14 and W69 were eliminated; wells FP2 and PW17 were added. 3M wells DFOMW9 and DFOMW10A were also eliminated and abandoned in 2015.
- In 2015, monitoring wells PW02 and W70B, that were located within the footprint of the Soil Mound, were abandoned during Soil Mound removal activities. Additional monitoring wells W71, W72, W73 and W74 were installed to provide additional information concerning water elevations and water quality to the south and west of the Wauleco site.
- In 2015, monthly water level monitoring and quarterly water table map preparation was discontinued as recommended in the TRC document titled "2014 Annual Groundwater Report" dated April 2015. Beginning in 2015, quarterly water level monitoring and semi-annual water table map preparation was performed and continues.
- Monitoring wells W19, W26, W29, W39 and W40 were abandoned in March 2019 due to Thomas Street reconstruction by the City of Wausau. Replacement wells W26R, W29R and W40R were installed in June 2019. Monitoring wells W19 and W39 were not replaced.
- Starting August 3, 2020, the City of Wausau began a dewatering program at the City's Wastewater Treatment Plant (WWTP) for new construction. The City reported that dewatering ended in December 2021 and dewatering equipment was removed in April 2022. Monthly water levels were collected prior to the start of dewatering operations and continued through July 2022 at select wells to monitor changes in groundwater elevations reflected in site wells. A complete summary can be found in the 2022 Annual Groundwater Monitoring Report. Additional sampling of 10 monitoring wells near the WWTP for PCP analysis was conducted quarterly from October 2020 through July 2022.
- During the summer of 2020, the City of Wausau replaced a rock retaining wall on the west bank of the Wisconsin River northwest of the Thomas Street bridge with a driven steel piling wall (refer to Drawing 2). The wall extends for approximately 550 linear feet, with a maximum estimated depth of 35 feet below ground surface.
- On June 29 and 30, 2021, wells W01A and W01B, located along the western fence-line were abandoned due to the railroad property transfer to 3M. These well abandonments were completed per NR-141 and per WDNR approval (WDNR e-mail dated May 28, 2021). The abandonment logs were included in Appendix F of the 2021 Annual Groundwater Monitoring Report dated February 2022.
- The Groundwater Monitoring Report is submitted on an annual basis following completion of the year's monitoring.

The term “free product” has historically been used in this project to describe the light, non-aqueous phase liquid (LNAPL) that could move into a monitoring well or extraction well. In this report the term “free product” is being replaced by “mobile product” or LNAPL. The term “mobile product” is limited to the observation that the LNAPL has moved into a monitoring well or extraction well.

SAMPLING EVENT SUMMARY

This report provides a presentation and interpretation of data collected at Wauleco beginning in 1987 and continuing through December 2024. Sampling activities since 1992 have been conducted in general accordance with Wauleco’s GMP and the WDNR’s conditional approvals, summarized above. During each sampling event, water levels and LNAPL thickness measurements are first recorded, followed by the purging of each well sampled. The groundwater monitoring program is summarized in Table 1 with a list of sampled wells during 2024 in Table 2. The locations of the groundwater monitoring and extraction wells are shown on Drawing 2. No wells planned to be sampled contained mobile LNAPL, so groundwater quality samples were collected from all planned wells in January and July. Groundwater elevation measurements collected during the January 2 and July 1, 2024 rounds are included in Table 3.

Groundwater samples were submitted as appropriate for laboratory analysis of; nitrate (Method EPA 9056A); dissolved mercury (Method EPA 7470A); dissolved iron and manganese (Method EPA 6010C); sulfate (Method EPA 9056A); total organic carbon (Method EPA 9060A); naphthalene (EPA Method 8260C); phenolic compounds (Method EPA 8270D); volatile organic compounds (VOC’s) (Method EPA 8260C); and total petroleum hydrocarbons (TPH) (Method EPA 8015). A summary of the January and July 2024 groundwater analytical results is provided in Tables 4a and 4b respectively; graphs of PCP results are included in Appendix C; and laboratory reports for January and July 2024 are included in Appendices D1 and D2, respectively.

PRESENTATION OF RESULTS

Discussions of the following data are presented in the subsections below:

- Groundwater Elevations
- Apparent LNAPL Thickness
- LNAPL Recovery
- Dissolved PCP Recovery
- Total PCP Recovered
- Groundwater Quality

Groundwater Elevations

Groundwater elevations for 2024 are summarized in Table 3, with Figure 1 showing the historical groundwater elevation at this site as the average water level deviation¹. As shown in Figure 1, since 1990 the average water level deviation has ranged from -2.8 ft. to +4.5 ft. The average water level deviation for 2024 indicates water levels are near historical averages.

As agreed with the WDNR in February 2011 (see correspondence in Appendix A), the mobile LNAPL recovery system was terminated, which included reducing the groundwater extraction rates. The pumping rate was reduced from approximately 43 gpm (January and February 2011 average) to between 22.5 and 32 gpm beginning in March 2011. The pumping rate was further reduced from approximately 28 gpm to 22 gpm beginning in June 2012. Water table maps prepared for the site since 2012 typically show a capture zone extending approximately 150 feet to 300 feet downgradient of the site as a result of site pumping. Water table maps for January and July 2024 are shown on Drawings 3 and 4. The configuration of the January 2024 water table map (Drawing 3) shows a capture zone extending to more than 300 ft. downgradient of the east property line adjacent to extraction wells FP01 and FP02.

Apparent LNAPL Thickness

The apparent LNAPL thicknesses during January and July 2024 are shown on Drawings 5 and 6, respectively. Apparent LNAPL thickness represents a measurable thickness of LNAPL that has moved into a monitoring well. As shown in the following table, three monitoring wells and six extraction wells showed apparent mobile LNAPL in 2024. These occurrences are sporadic at each well. This illustrates that the apparent mobile LNAPL at the site is thin and isolated to very small areas.

Well	January 2024 Apparent LNAPL Thickness (ft)	April 2024 Apparent LNAPL Thickness (ft)	July 2024 Apparent LNAPL Thickness (ft)	October 2024 Apparent LNAPL Thickness (ft)
W07	0.02	0.0	1.86	1.47
W35	0.09	0.07	0.14	0.88
W40/W40R	0.0	0.02	0.0	0.11
FP04	0.0	0.14	0.0	0.0
PW16	0.01	0.0	0.23	0.23
PW20	0.0	0.0	0.38	0.02
PW24	0.0	0.02	0.0	0.0
PW26	0.0	0.16	0.02	0.04
PW27	0.0	0.0	0.0	0.02

In late 2009 a socks-in-wells approach was implemented to remove small quantities of LNAPL in wells to determine whether the LNAPL returns. This has been described in the Annual Groundwater Monitoring Reports since then. This practice is still in effect where apparent LNAPL thickness is present.

¹ The average water level deviation is an index for tracking the average change in groundwater at the site and consists of calculating, for selected on-site wells, the deviation of each month's water level from the well's historical average, and then averaging the deviations for all selected wells.

As shown in the table above, mobile LNAPL was detected at three monitoring wells and six extraction wells at one to four events throughout the year. Each of these LNAPL appearances occurred while pumping 13 extraction wells and demonstrates that very limited areas of mobile LNAPL exist on-site.

LNAPL Recovery

Historic LNAPL recovery is summarized in the following table. No LNAPL was recovered in 2024.

Year	LNAPL Recovery (gallons)
1991 through 1997	38,705
1998	12,901
1999 – 1 st year with new wells	37,500
2000	31,540
2001	13,987
2002	3,287
2003	822.1
2004	457.6
2005	760.1
2006	3,513.2
2007	547.7
2008 – 1 st year with 4 new focused pumping wells	1,964.4
2009	1,198.3
2010	80.8
2011	4.8
2012 through 2024	0.0
Total	147,269

Dissolved Phase PCP Recovery

Dissolved phase PCP is removed through groundwater extraction. The dissolved phase PCP concentration, as influent to the treatment system, is shown in Table 5. During 2024, a total of approximately 11.11 million gallons of water were treated through the fluidized bed reactor (FBR) system. The average PCP concentration of the influent water was 4,276 micrograms per liter (µg/L), and the average PCP concentration in the treatment system effluent was 3.07 µg/L. This translates to 396 pounds (lb) of PCP removed during 2024.

The average PCP concentration of the treatment system influent, as shown in the following table, has declined since 2000, but appears to have stabilized since 2010 between 4,000 ug/L and 6,000 ug/L.

Year	Average Annual Treatment System Influent Concentration (µg/L)
2000	10,226
2001	11,988
2002	9,979
2003	8,566
2004	7,097
2005	7,958
2006	7,199

Year	Average Annual Treatment System Influent Concentration (µg/L)
2007	9,159
2008	7,533
2009	6,213
2010	4,678
2011	5,104
2012	4,966
2013	4,966
2014	5,142
2015	4,377
2016	4,223
2017	4,845
2018	4,428
2019	5,609
2020	5,194
2021	4,636
2022	4,832
2023	5,351
2024	4,276

Total PCP Recovered

The mass of PCP recovered since 1991 is summarized as follows:

Total PCP Recovered			
Year	PCP in LNAPL Recovered¹ (lbs)	PCP in Water² (lbs)	Total PCP Recovered (lbs)
Jan. 1991 – Sept. 1996	10,274	5,518	15,792
Oct. 1996 – Sept. 1997	1,942	1,220	3,162
1998 prior to new wells	4,077	1,460	5,537
1999 1 st year with new wells	12,645	2,550	15,195
2000	10,635	2,212	12,847
2001	4,716	2,146	6,862 ³
2002	1,108	1,766	2,874
2003	277	1,408	1,685
2004	153	1,182	1,335
2005	254	1,332	1,586
2006	1,172	1,359	2,531
2007	183	1,628	1,811
2008	655	1,380	2,035
2009	400	1,194	1,594
2010	27	886	913
2011	2	671	673
2012	0	510	510
2013	0	473	473
2014	0	481	481
2015	0	422	422

Total PCP Recovered			
Year	PCP in LNAPL Recovered ¹ (lbs)	PCP in Water ² (lbs)	Total PCP Recovered (lbs)
2016	0	406	406
2017	0	459	459
2018	0	442	442
2019	0	510	510
2020	0	511	511
2021	0	440	440
2022	0	433	433
2023	0	499	499
2024	0	396	396
Total Project to Date	48,520	33,894	82,414

¹ Assumes 5 percent PCP in LNAPL, based on the original LNAPL used and a LNAPL specific gravity of 0.8. The 5% PCP in LNAPL assumption overestimates the mass of PCP in LNAPL recovered based on lower percent PCP in LNAPL as shown in the Residual Phase LNAPL Investigation Technical Memorandum (TRC, 2019).

² For Jan. 1991 through Jan. 1999 the calculations use an estimated 10,000 ug/L average PCP in influent and measured pumping rates. For Feb. 1992 through current the calculations use the average concentration removed based on results from three to five sampling rounds per month and measured pumping rates.

Groundwater Quality

The historical analytical results for each monitoring well location are provided in Appendix B; the analytical results for the 2024 sampling rounds are summarized in Tables 4a and 4b. Time trend graphs for PCP are provided in Appendix C. Isoconcentration maps for PCP; naphthalene; total petroleum hydrocarbons (TPH); 1,2,4-Trimethylbenzene; and total xylene concentrations are provided on Drawings 7 through 11, respectively.

As noted above, all planned wells were sampled during both sampling events in 2024.

Following is a summary of changes or trends by compound compared to the 2023 Annual Groundwater Monitoring Report:

- **PCP**

Areal Extent – The extent of PCP, shown on Drawing 7, is very similar to prior maps. The 3,000 ug/L contour shown on Drawing 7 extends from the center of the Wauleco property to W40R, following the extent of residual phase LNAPL in that area, also shown on Drawing 7. Concentrations decrease sharply with distance downgradient from the extent of LNAPL, dropping from 3,200 ug/L at W40R to 41 ug/L at W11 and 8.4 ug/L at W26R.

The PCP concentrations to the northeast of the Wauleco property continue to show a similar distribution, with wells W13, W18, and W28 all being <3 ug/L downgradient of wells within the area of residual phase LNAPL.

Overall PCP concentrations continue to decline. These declines are shown in the time-concentration graphs in Appendix C. In particular:

- Well W10A is continuing its decline from 8,800 ug/L in July 2008 to 45 ug/L in July 2024.

- Well W17 is continuing its decline from 940 ug/L in 2007 to 6.8 ug/L in July 2024.
- Wells W41 and W27, at the upgradient and downgradient edge of the southeast residual phase LNAPL, have decreased recently. W41 decreased from 2,600 ug/L in January 2019 to 27 ug/L in July 2024. Well W27 decreased from 5,600 ug/L in July 2020 to 1,400 ug/L in July 2024.
- Well DFOMW11 fluctuates but overall continues its decline in PCP concentration, from 5,800 ug/L in 2014 to 350 in July 2024.

The PCP declines in W10A and W17 are long-term declines that have continued following cessation of WWTP dewatering; therefore, the decreasing PCP concentrations in these wells are not related to changes in groundwater flow due to the WWTP dewatering.

A decline in PCP concentration at well W41 occurred between January 2019 and July 2019, prior to the startup of the WWTP dewatering operations, and has continued following cessation of dewatering. Therefore, this decline is also unrelated to that pumping. A similar decline occurred at well W27 between July 2020 and October 2020. The later decline (Well W27) occurred downgradient of well W41. So, these two declines indicate a significant reduction in PCP concentration in this area and is unrelated to the City's WWTP dewatering operations.

Appendix E includes PCP concentration-distance graphs along four profiles, shown on the map in Figure E-1, to illustrate the concentration decline down the groundwater gradient southeast, east, and northeast of Wauleco and down the centerline of the Site. These concentration-distance graphs for July 2024, added to Figures E-2 through E-5, are consistent with prior years, showing strong concentration declines with distance in the southeast (Figure E-2) and northeast (Figure E-5). The concentration profiles east of Wauleco, shown on Figures E-3 and E-4, extend across multiple areas of the PCP plume and are, therefore, somewhat complicated. Figure E-6 shows the concentration-distance graph along the centerline of the Wauleco Site. Details on these graphs are as follows:

- Figure E-2 shows the concentration-distance profile southeast of Wauleco, from well W41 to W21. This profile shows that the concentration trend is flat or increasing between wells W41 and W27, in the vicinity where there is residual phase LNAPL present. However, downgradient of well W27 the PCP concentration degrades rapidly to non-detect at well W21. Comparison of the July 2024 profile line with those of previous years shown on Figure E-2 shows that PCP concentrations have decreased significantly at W11, W27, and W41 over the last 10 years.
- Figures E-3 and E-4 show the concentration distance profile east of Wauleco, through wells W22 to W32. Figure E-3 shows the profile for the past 10 years, which is fluctuating due to the variable concentrations at wells W26R and W29R. Figure E-4 shows the same profile for selected dates, when the apparent groundwater flow direction was in an easterly direction, so that the concentrations at wells W26R and W29R are not due to southerly flow, causing the PCP concentration to be elevated due to the short flow path from residual phase LNAPL to these wells. This situation is described further under the paragraph titled Wells W26R and W29R.

- Figure E-5 shows the concentration-distance profile northeast of Wauleco, from well DFOMW12 to well W18. This shows the concentration decline with distance from historically over 1,000 ug/L at DFOMW12 (i.e., 4,900 ug/L in July 2016) down to less than 10 ug/L at well W13, and generally non-detect at well W18. The biodegradation causing the PCP decline between wells is also resulting in the decline through time in PCP concentration at DFOMW12 (from 9,500 ug/L in 2012 to 97 in July 2024).
- Figure E-6 shows the concentration-distance profile through the centerline of the Site, from upgradient of the Site (at well W72) through W10A. This centerline profile is present under the residual phase LNAPL footprint throughout most of this profile, from W01A, through the pumping wells, W03A, out to well W10A. The main trends on this profile on Figure E6:
 - PCP concentration in groundwater increases near well W01A, reaching a peak near the former source area and pumping wells.
 - PCP in groundwater declines between the center of the Site and W03A.
 - PCP in groundwater historically increased between W03A and W10A.
 - The continuing decreasing PCP concentrations at W10A from 2008 to 2024 (see graph in Appendix C) reaches a tipping point in 2019, from increasing between W03A and W10A (see Figure E6) to flat in 2019, and declining between W03A and W10A in 2020 through 2024.

3M Wells – The following discussion of PCP around the 3M wells is consistent with the 2019 through 2023 reports. The distribution of PCP concentrations on Drawing 7 includes several 3M wells north of the Site. As shown on this drawing, there is a lobe of dissolved phase PCP present north of the Site, extending from near well W02 through 3M wells DFOMW-12 and DFOMW-11. Based on groundwater flow directions and downgradient groundwater quality, this lobe of PCP is shown to be naturally biodegrading. The bases for this observation are as follows:

- Groundwater flow in this area of PCP between wells W02 and DFOMW-11 (see Drawings 3 and 4) is toward well W28. Historically, well W28 has had PCP concentrations of up to 10,000 ug/L (see 1988 in Appendix C) but declined to non-detect in 2002. Well W28 has stayed at non-detect or very low concentrations since that time. A similar history has occurred at adjacent wells W09 and W18.
- The redox conditions in this area of the PCP plume appear to be more aerobic than the remainder of the plume, based on the presence of nitrate-N and the low concentration of TPH (see Appendix B1) in well W28. Similar redox conditions have been present at adjacent well W18 for the majority of time since 1999 and occasionally at W09. At W28 in 2011, the nitrate-N decreased and TPH increased, indicating somewhat more reducing conditions. This is consistent with the small rise in PCP concentration at W28 in 2011. The cause for these less anaerobic conditions is probably due to a combination of the lower TPH concentrations in this area and the infusion of dissolved oxygen into the plume from the sides of the plume and from surface recharge.

- Based on the groundwater flow directions in this area, the history of redox and PCP concentrations, it appears that biodegradation of PCP is occurring in the area between DFOMW-11 and W28. The biodegradation of PCP in this area would be occurring in the same manner as in the FBR, that is, in an area with some dissolved oxygen.
- The biodegradation shown at downgradient well W28, etc. is also occurring within the upgradient, higher concentration areas (i.e., at wells W02, DFOMW11 and DFOMW12). This is demonstrated by the very distinct decline in PCP in well W02 over its history (from mobile phase LNAPL and PCP concentrations over 10,000 ug/L prior to 2003 to 17 ug/L in 2024). This is supported by the observed declines in PCP at well DFOMW-12 (see time-concentration graphs in Appendix C).

Wells W09, W18, and W28

The PCP concentration at well W18 (<3 ug/L in 2024) continues to be low or non-detect downgradient of significant PCP concentrations. This pattern at W18, and adjacent wells W09 (<3 ug/L in 2024) and W28 (<3 ug/L in 2024), demonstrates the effectiveness of natural attenuation in this area.

Wells W26R and W29R

The PCP concentrations for wells W26/W26R and W29/W29R are shown in the following table from 2009 to 2024. These two wells are located near the residual phase LNAPL footprint (see outline of the residual phase LNAPL on Drawing 7 with the PCP isoconcentration map) and PCP concentrations at these wells reflect the PCP leached from the residual phase LNAPL and the subsequent degradation of PCP that occurs during flow downgradient of the residual phase LNAPL.

Date Sampled	W26/W26R (µg/L)	W29/W29R (µg/L)
July, 2009	190	7.7
July, 2010	2,900	50
July, 2011	1,100	1,700
July, 2012	540	1,800
July, 2013	120	6.4
July, 2014	33	690
July, 2015	2,000	3,300
July, 2016	570	6,600
July, 2017	19	5,100
July, 2018	4.5	1,100
July, 2019	1,800 (W26R)	410 (W29R)
July, 2020	720	1,600
July, 2021	39	78
July, 2022	75	7.2
July, 2023	110	24
July, 2024	8.4	74

Due to the proximity of these wells to the residual phase LNAPL, small changes in groundwater flow directions may result in significant changes in PCP concentrations at

these wells. When groundwater flow has a component of north to south flow, the travel time between the residual phase LNAPL and these wells can be small. Therefore, there is less degradation of PCP, resulting in higher PCP concentrations. When flow is consistently from west to east, the flow line from the residual phase LNAPL to these wells is much longer, with significant degradation occurring, resulting in lower PCP concentrations.

Wells W02, W03A, W06R, and W40/W40R – Concentrations from the wells that had LNAPL removed in 2009 (W02, W03A, W06R, and W40) ranged from 17 ug/L at W02 to 3,200 ug/L at W40R. Results since 2010 are summarized as follows:

Date	W02	W03A	W06R	W40/W40R
July, 2010	2,500	1,300	4,500	8,100
July, 2011	970	640	3,900	6,400
July, 2012	2,000	800	1,000	10,000
July, 2013	1,700	540	3,300	8,300
July, 2014	3,000	450	1,500	8,500
July, 2015	1,900	380	3,200	6,800
July, 2016	1,500	780	210	9,500
July, 2017	830	680	170	19,000
July, 2018	750	500	97	9,600
July, 2019	260	610	2,400	2,000 (W40R)
July, 2020	360	900	330	4,300
July, 2021	690	210	1,200	3,200
July, 2022	290	130	250	No Sample
July, 2023	120	120	610	4,700
July, 2024	17	120	37	3,200

Monitoring wells W02, W03A, W06R, and W40/W40R are within the residual phase LNAPL footprint. Wells W02, W03A, and W06R have not had measurable mobile phase LNAPL since 2010 and all have shown declines in PCP concentrations since 2010. While mobile phase LNAPL is periodically observed in W40R, PCP concentrations at W40R have been declining during the last several years.

Well W36 – PCP concentrations at well W36, located within the central part of the Site, have gone from having mobile LNAPL in the early 1990s, to PCP concentrations greater than 6,000 µg/L in the early 1990s to having <31 µg/L from 2007 through 2023. The presence of chloroform from at least 1996 through at least 2011 at this well (see data in Appendix B3) probably indicates it has received dilution from the documented water supply lateral leak. The same occurrence of chloroform occurred at well W22 when its PCP declined when the nearby water supply lateral leak occurred in 2010 and 2011. In November 2012 the City Water Utility found and repaired a water lateral leak, characterized as about 10 gpm, at the intersection of Rosecrans Street and First Avenue. This leak could have recharged groundwater at this location or flowed along the water line trench, to recharge at some location along the trench. This water line and trench extends east along Rosecrans Street, between 3M and Wauleco. The July 2024 PCP concentration at W36 was 340 µg/L, which is the highest concentration at this well since 2001, but still well below W36 historical high concentrations.

- **Naphthalene** –Naphthalene concentrations declined below the NR 140 Enforcement Standard (ES; 100 ug/L) across the Site in 2020 and were less than the ES in 2021, 2022, and 2024. Monitoring well W40R had a concentration of 130 ug/L in July 2023 and is the only exceedance of the ES since 2019 (see Drawing 8).
- **TPH** – The areal extent of the total petroleum hydrocarbon (TPH) concentrations in 2024 (see Drawing 9) has a similar distribution as in 2023, except that the extent is decreased in the east near W26R and in the north near W09. TPH was not detected at W26R or W09, reducing the areal extent of the <0.04 mg/L TPH contour in these areas.
- **1,2,4-Trimethylbenzene** – The areal extent for 1,2,4-trimethylbenzene has a similar distribution compared to 2023 (Drawing 10) except that the extent is decreased in the north near W2 and the south near W27 and W41. Concentrations of 1,2,4-trimethylbenzene for wells W2, W27, W33, and W41 decreased below the NR 140 Preventive Action Limit (PAL) of 96 ug/L in 2024.
- **Total Xylenes** –The extent of total xylenes across the Site continues to be less than the NR 140 PAL (400 µg/L) since at least 2019 (Drawing 11).

SUMMARY AND CONCLUSIONS

Groundwater sampling around the Wauleco Site has generally documented continued decreasing contaminant concentrations in 2024 (refer to graphs in Appendix C illustrating trends in PCP concentrations). In addition to the effectiveness of the groundwater pump and treat system, the current biodegradation rate of PCP and mineral spirits constituents in groundwater is continuing to maintain stable to declining concentrations within the groundwater. This stable to declining trend is being maintained with the lower groundwater extraction rate since 2011.

The declining trends in PCP concentrations are illustrated by the declining trend in most of the time-concentration trend graphs, but is shown collectively on the PCP isoconcentration map (Drawing 7) as the area encompassed by the 3,000 ug/L contour line shrinking through time when compared to maps in prior Annual Groundwater Monitoring Reports. This continued biodegradation has reduced the source area of the northern lobe of PCP such that results from the wells within the source area (i.e., DFOMW11, DFOMW12, and W02) have declined.

Detailed summary and conclusions are organized by LNAPL, groundwater containment, and groundwater quality.

LNAPL

Apparent LNAPL observed during 2024 on the Site is limited to intermittent presence of LNAPL in three monitoring wells and six extraction wells. The apparent LNAPL is generally thin, and isolated to very small areas.

Groundwater Containment

Water table maps prepared for the site since 2012 typically show a capture zone extending approximately 150 feet to 300 feet downgradient of the site as a result of site pumping. Containment of groundwater on the Wauleco site in 2024 is evident as shown in Drawing 3 for pumping at approximately 22 gpm, extending at least 150 ft. beyond the downgradient property line.

Groundwater Quality

The distance concentration graphs for the northeast and southeast profiles (see Figures E-2 and E-5 in Appendix E) continue to show good PCP biodegradation downgradient of the residual phase LNAPL footprint, achieving non-detectable concentrations downgradient.

Wells on the centerline profile distance concentration graph (see Figure E-6) underlie the residual phase LNAPL footprint (see Figure E1) from near well W01A to W10A. These figures demonstrate that downgradient of the center of the Site, with the decline in PCP concentration at W10A, that the PCP concentration has shifted from increasing between W03A and W10A in 2018 to a continuous decline from the center of the Site, through W03A to W10A in 2020 through 2024.

The areal distributions of naphthalene, TPH, 1,2,4 trimethylbenzene, and xylenes decreased in 2024 compared to the areal extents in 2023. Total xylenes concentrations in groundwater were below the NR 140 PAL across the Site in 2024 and naphthalene concentrations were below the NR 140 ES across the site.

RECOMMENDATIONS

TRC recommends the following:

- Continue operation of the groundwater remediation system without LNAPL recovery.
- Continue to implement the current pumping approach.
- Continue to perform semi-annual groundwater monitoring during 2025.
- Continue the quarterly water level monitoring with preparation of a water table map for the January and July monitoring events.
- Continue the use of absorbent socks in groundwater monitoring wells W07, W35, and W40R (if needed), and extraction wells, if LNAPL is present.

TABLE 1

**2024 GROUNDWATER MONITORING PROGRAM
WAULECO, INC.
WAUSAU, WISCONSIN**

Well Location	Semi-Annual January	Annual July
W1A	Abandoned	Abandoned
W2		S
W3A	W + M	S + M
W3B		S
W6R	W + M	S + M
W8	W + M	S + M
W9		S
W10A	M + P	S + M
W10B		S
W11	M	S + M
W12	M	S + M
W13	W + M	S + M
W16	M	S + M
W17	W + M	S + M
W18	M	S + M
W19	Abandoned	Abandoned
W21		S
W22	W + M	S + M
W25	W	S
W26R	W + M	S + M
W27	M	S + M
W28	M	S + M
W29R	M	S + M
W32		S
W33	W + M	S + M
W36		S
W39	Abandoned	Abandoned
W40R	W + M	S + M
W41	W + M	S + M
DFOMW5	P	P + V + T
DFOMW11	P	P
DFOMW12	P	P
FP2	M	M
PW17	M	M
W71	P	P + V + T
W72	P	P + V + T
W73	P + M	P + V + T + M
W74	P	P + V + T

Notes:

W = Designates well locations to be sampled during the winter sampling round and analyzed for:
phenolic compounds, nitrate, field pH, and field specific conductance.

S = Designates well locations to be sampled during the summer sampling round and analyzed for:
phenolic compounds, total petroleum hydrocarbons, naphthalene, xylenes, 1,2,4-trimethylbenzene,
nitrate, dissolved mercury, field pH, and field specific conductance.

M = Designates well locations to be sampled for MNA parameters:
dissolved manganese and iron, sulfate, total organic carbon, and total petroleum hydrocarbons.
field pH, and field specific conductance in the summer and winter sampling rounds.

P = Designates well locations to be sampled for pentachlorophenol.

V = VOC's

T = TPH

Updated : T. Dushek, 8/2/2024

Checked : S. Sellwood, 2/14/2025

TABLE 2

SUMMARY OF 2024 GROUNDWATER SAMPLING LOCATIONS
WAULECO, INC.
WAUSAU, WISCONSIN

Well Location	January 2024	July 2024
W1A	Abandoned	Abandoned
W2		X
W3A	X	X
W3B		X
W6R	X	X
W8	X	X
W9		X
W10A	X	X
W10B		X
W11	X	X
W12	X	X
W13	X	X
W16	X	X
W17	X	X
W18	X	X
W19	Abandoned	Abandoned
W21		X
W22	X	X
W25	X	X
W26R	X	X
W27	X	X
W28	X	X
W29R	X	X
W32		X
W33	X	X
W36		X
W39	Abandoned	Abandoned
W40R	X	X
W41	X	X
DFOMW5	X	X
DFOMW11	X	X
DFOMW12	X	X
FP2	X	X
PW17	X	X
W71	X	X
W72	X	X
W73	X	X
W74	X	X

Notes:

January 2024 (Winter Sampling Round) samples collected on January 3, 8, 9, 11, 2024.

July 2024 (Summer Sampling Round) samples collected on July 1, 2, 8, 9, and 10, 2024.

X - indicates groundwater sample obtained and sent to laboratory.

Product - indicates a sample was not collected due to the presence of product in the well.

Updated : T. Dushek, 8/2/2024

Checked : S. Sellwood, 2/14/2025

TABLE 3
2024 Groundwater Elevation Data
Wauleco, Inc.
Wausau, Wisconsin

Well No.	Current	January 2, 2024		April 9, 2024		July 1, 2024		October 4, 2024	
	Top of Casing Elevation (ft msl)	Oil Thickness (ft)	Water Table Elevation (ft msl)	Oil Thickness (ft)	Water Table Elevation (ft msl)	Oil Thickness (ft)	Water Table Elevation (ft msl)	Oil Thickness (ft)	Water Table Elevation (ft msl)
PW01	1192.22 ³	0.00	1162.79	0.00	1162.48	0.00	1165.15	0.00	1164.46
PW02	1197.16	-----	Abandoned	-----	Abandoned	-----	Abandoned	-----	Abandoned
PW03	1190.49	0.00	1162.63	0.00	1162.31	0.00	1164.98	0.00	1164.16
PW3S	1189.55	0.00	1161.75	0.00	1161.85	0.00	1165.13	0.00	1163.30
PW04	1190.52	0.00	1161.62	0.00	1161.77	0.00	1164.90	0.00	1163.09
PW05	1188.48	0.00	1161.69	0.00	1161.79	0.00	1164.76	0.00	1163.08
PW06	1191.97	0.00	1162.10	0.00	1162.08	0.00	1164.55	0.00	1163.46
PW07	1189.82	0.00	1161.84	0.00	1161.91	0.00	1164.54	0.00	1163.18
PW08	1191.84	0.00	1163.02	0.00	1162.67	0.00	1165.29	0.00	1164.69
PW9I	1188.58	-----	-----	-----	-----	-----	-----	-----	-----
PW9O	1189.98	0.00	1160.67	0.00	1161.87	0.00	1164.88	0.00	1163.21
PW10	1191.62	0.00	1161.84	0.00	1161.90	0.00	1165.11	0.00	1163.42
PW11	1188.69	0.00	1160.44	0.00	1160.77	0.00	1164.10	0.00	1161.86
PW12	1192.12	0.00	1162.98	0.00	1162.61	0.00	1164.90	0.00	1164.65
PW13	1192.2	0.00	1161.68	0.00	1161.79	0.00	1165.04	0.00	1163.20
PW14	1188.83	0.00	1161.11	0.00	1161.68	0.00	1165.53	0.00	1162.31
PW15	1189.34	0.00	1161.17	0.00	1161.70	0.00	1165.54	0.00	1162.42
PW16	1191.91	0.01	1159.37	0.00	1159.10	0.23	1162.71	0.23	1160.32
PW17	1191.9	0.00	1158.64	0.00	1156.50	0.00	1164.35	0.00	1160.20
PW18	1190.19	0.00	1161.61	0.00	1161.79	0.00	1165.14	0.00	1163.14
PW19	1190.66	0.00	1160.08	0.00	1160.39	0.00	1164.92	0.00	1162.09
PW20	1191.34	0.00	1158.79	0.00	1159.38	0.38	1164.04	0.02	1161.77
PW21	1190.33	0.00	1160.27	0.00	1161.86	0.00	1164.85	0.00	1162.16
PW22	1192.32	0.00	1161.73	0.00	1161.82	0.00	1164.69	0.00	1163.14
PW23	1189.49	0.00	1161.62	0.00	1161.74	0.00	1164.66	0.00	1163.04
PW24	1188.28	0.00	1158.51	0.02	1158.75	0.00	1163.24	0.00	1160.98
PW25	1189.51	0.00	1160.47	0.00	1160.81	0.00	1164.32	0.00	1160.94
PW26	1188.79	0.00	1158.22	0.16	1158.53	0.02	1162.20	0.04	1158.73
PW27	1188.47	0.00	1156.30	0.00	1156.18	0.00	1162.94	0.02	1156.02
PW28	1193.6	0.00	1162.82	0.00	1162.45	0.00	1164.80	0.00	1164.35
PW29	1193.65	0.00	1162.90	0.00	1162.52	0.00	1164.87	0.00	1164.49
P01	1191.48	0.00	1161.60	0.00	1161.75	0.00	1164.89	0.00	1163.06
OW01	1194.62 ³	0.00	1164.05	0.00	1163.69	0.00	1166.07	0.00	1165.79
W01A	1194.08	-----	Abandoned	-----	Abandoned	-----	Abandoned	-----	Abandoned
W01B	1194.92	-----	Abandoned	-----	Abandoned	-----	Abandoned	-----	Abandoned
W02	1193.71	0.00	1162.52	0.00	1162.16	0.00	1164.55	0.00	1164.06
W03A	1187.76	0.00	1160.92	0.00	1161.42	0.00	1164.70	0.00	1162.02
W03B	1187.77	0.00	1161.51	0.00	1161.68	0.00	1163.37	0.00	1162.21

TABLE 3
2024 Groundwater Elevation Data
Wauleco, Inc.
Wausau, Wisconsin

Well No.	Current	January 2, 2024		April 9, 2024		July 1, 2024		October 4, 2024	
	Top of Casing Elevation (ft msl)	Oil Thickness (ft)	Water Table Elevation (ft msl)	Oil Thickness (ft)	Water Table Elevation (ft msl)	Oil Thickness (ft)	Water Table Elevation (ft msl)	Oil Thickness (ft)	Water Table Elevation (ft msl)
W04A	1192.32	0.00	1162.21	0.00	1162.17	0.00	1164.59	0.00	1163.53
W04B	1192.26	0.00	1162.11	0.00	1162.07	0.00	1164.59	0.00	1163.45
W05	1190.63	0.00	1161.67	0.00	1161.78	0.00	1164.76	0.00	1163.17
W06R	1194.06	0.00	1163.11	0.00	1162.69	0.00	1165.16	0.00	1164.93
W07	1192.37 ³	0.02	1162.85	0.00	1162.50	1.86	1165.16	1.47	1164.53
W08	1206.73	0.00	1171.27	0.00	1170.42	0.00	1175.69	0.00	1175.50
W09	1172.80	0.00	1162.05	0.00	1162.03	0.00	1163.33	0.00	1163.05
W10A	1182.59	0.00	1160.85	0.00	1161.14	0.00	1162.12	0.00	1160.93
W10B	1182.44	0.00	1160.91	0.00	1161.14	0.00	1162.02	0.00	1161.07
W11	1175.25	0.00	1160.79	0.00	1161.02	0.00	1161.85	0.00	1160.92
W12	1173.95	0.00	1160.48	0.00	1160.67	0.00	1161.25	0.00	1160.59
W13	1188.73	0.00	1161.33	0.00	1161.72	0.00	1163.25	0.00	1161.73
W14	1172.41	0.00	1160.66	0.00	1160.84	0.00	1161.37	0.00	1160.75
W16	1180.60	0.00	1161.61	0.00	1161.87	0.00	1163.49	0.00	1162.25
W17	1187.4	0.00	1161.13	0.00	1161.72	0.00	1165.17	0.00	1162.29
W18	1172.92	0.00	1160.89	0.00	1161.12	0.00	1161.65	0.00	1161.01
W19	1194.26	-----	Abandoned	-----	Abandoned	-----	Abandoned	-----	Abandoned
W21	1170.14	0.00	1160.71	0.00	1160.90	0.00	1161.34	0.00	1160.73
W22	1186.01	0.00	1160.91	0.00	1161.26	0.00	1164.12	0.00	1161.97
W23	1171.55	0.00	1160.75	0.00	1160.97	0.00	1161.55	0.00	1160.87
W24A	1171.77	0.00	1160.74	0.00	1160.94	0.00	1161.48	0.00	1160.85
W25	1194.48	0.00	1163.16	0.00	1162.88	0.00	1165.24	0.00	1164.97
W26/W26R	1176.90	0.00	1160.90	0.00	1161.19	0.00	1162.17	0.00	1161.01
W27	1180.19	0.00	1161.39	0.00	1161.55	0.00	1163.10	0.00	1161.85
W28	1174.36	0.00	1160.91	0.00	1161.09	0.00	1161.64	0.00	1160.99
W29/W29R	1172.60	0.00	1160.82	0.00	1161.03	0.00	1161.54	0.00	1160.84
W30	1189.97	0.00	1161.60	0.00	1161.74	0.00	1164.86	0.00	1163.06
W31	1169.67	0.00	1160.80	0.00	1160.94	0.00	1161.13	0.00	1160.84
W32	1169.43	0.00	1160.83	0.00	1160.95	0.00	1161.13	0.00	1160.84
W33	1188.51	0.00	1161.89	0.00	1161.92	0.00	1164.49	0.00	1163.20
W34	1191.16	0.00	1161.84	0.00	1161.83	0.00	1164.53	0.00	1163.18
W35	1191.93	0.09	1161.82	0.07	1161.89	0.14	1164.95	0.88	1163.37
W36	1192.34	0.00	1162.38	0.00	1162.25	0.00	1165.14	0.00	1163.95
W39	1187.78	----	Abandoned	----	Abandoned	----	Abandoned	----	Abandoned
W40/W40R	1180.69	0.00	1161.04	0.02	1161.38	0.00	1163.75	0.11	1161.81
W41	1185.04	0.00	1161.85	0.00	1161.99	0.00	1164.14	0.00	1162.96
W42	1194.61	0.00	1162.52	0.00	1162.34	0.00	1163.78	0.00	1163.99
W44	1190.82	0.00	1161.62	0.00	1161.75	0.00	1164.82	0.00	1163.06

TABLE 3
2024 Groundwater Elevation Data
Wauleco, Inc.
Wausau, Wisconsin

Well No.	Current	January 2, 2024		April 9, 2024		July 1, 2024		October 4, 2024	
	Top of Casing Elevation (ft msl)	Oil Thickness (ft)	Water Table Elevation (ft msl)	Oil Thickness (ft)	Water Table Elevation (ft msl)	Oil Thickness (ft)	Water Table Elevation (ft msl)	Oil Thickness (ft)	Water Table Elevation (ft msl)
W45	1190.69	0.00	1161.61	0.00	1162.08	0.00	1164.97	0.00	1163.36
W46	1191.49	0.00	1161.41	0.00	1160.51	0.00	1164.74	0.00	1162.92
W47	1189.37	0.00	1160.44	0.00	1160.90	0.00	1164.13	0.00	1161.95
W48	1189.7	0.00	1160.77	0.00	1161.24	0.00	1164.88	0.00	1162.02
W49	1189.2	0.00	1161.20	0.00	1161.79	0.00	1165.64	0.00	1162.46
W66	1192.41	0.00	1163.02	0.00	1162.65	0.00	1164.94	0.00	1164.70
W67	1191.85	0.00	1162.99	0.00	1162.62	0.00	1164.91	0.00	1164.66
W68A	1190.94	0.00	1163.02	0.00	1162.58	0.00	1165.05	0.00	1164.74
W68B	1191.42	0.00	1162.94	0.00	1162.58	0.00	1164.83	0.00	1164.58
W69	1192.23	0.00	1161.95	0.00	1161.95	0.00	1164.82	0.00	1163.54
W70B	1200.29	-----	Abandoned	-----	Abandoned	-----	Abandoned	-----	Abandoned
River	1164.19	-----	-----	-----	-----	-----	-----	-----	-----
IW01	1190.8	0.00	1161.63	0.00	1161.76	0.00	1164.98	0.00	1163.2
IW01A	1190.74	0.00	1161.64	0.00	1161.76	0.00	1164.88	0.00	1163.14
FP01	1188.04	0.00	1159.71	0.00	1160.14	0.00	1163.70	0.00	1161.27
FP02	1187.6	0.00	1160.01	0.00	1160.43	0.00	1163.77	0.00	1161.52
FP03	1186.66	0.00	1158.48	0.00	1158.81	0.00	1163.08	0.00	1160.41
FP04	1188.29	0.00	1160.06	0.14	1160.53	0.00	1163.99	0.00	1161.69
3M Basin		0.00	Ice/Water in both Basins	-----	Water in both Basins	-----	Water in both Basins	-----	Water in both Basins
DFOWM 5	1188.3	0.00	1162.69	-----	-----	0.00	1164.30	-----	-----
DFOWM 9	1187.56	-----	Abandoned	-----	Abandoned	-----	Abandoned	-----	Abandoned
DFOWM 10A	1187.7	-----	Abandoned	-----	Abandoned	-----	Abandoned	-----	Abandoned
DFOWM 11	1188.8	0.00	1161.49	-----	-----	0.00	1162.85	-----	-----
DFOWM 12	1187.78	0.00	1162.47	-----	-----	0.00	1164.29	-----	-----
W71	1191.95	0.00	1164.92	0.00	1164.24	0.00	1166.68	0.00	1167.80
W72	1190.97	0.00	1163.44	0.00	1162.96	0.00	1165.49	0.00	1165.49
W73	1192.20	0.00	1162.44	0.00	1162.34	0.00	1164.53	0.00	1163.75
W74	1183.13	0.00	1162.03	0.00	1162.12	0.00	1164.01	0.00	1162.99

Notes:

1. ft msl = feet mean sea level
2. PW9O denotes the outer well and PW9I denotes the inner well
3. Re-surveyed after Soil Mound removal in 2015

Updated : T. Dushek, 10/7/2024

Checked : S. Sellwood, 2/14/2025

TABLE 4a

2024 Winter Groundwater Monitoring Analytical Results
January 3, 8, 9, 11, 2024

Wauleco, Inc. - Wausau Facility
Wausau, Wisconsin

Sample ID	ES	PAL	W03A	W06R	W08	W10A	W10A Duplicate	W11	W12	W13	W16	W17	W18	W22	W25	W26R	W27
Indicators																	
Total sulfate (mg/L)	250	125	4.1	15	21	4.4	4.4	8.7	20	15	22	3.4	24	6.6		5.9	5.2
Nitrate nitrogen (mg/L)	10	2	<0.12	0.25	5.2					1.5		<0.12		<0.12	5.4	0.35	
Total organic carbon (mg/L)	None	None	5	6.9	0.98	5.5	5.2	1.3 Y	1.7	1.7	1.6	2.4	1.5	11		6.2	42
Dissolved iron	300	150	1,120	<25	<25	3,110	3,040	<25	<25	<25	<25	371	<25	239		30.2	6,990
Dissolved manganese	50	25	640	1,080	<2.4	4,320	4,300	201	<2.4	<2.4	<2.4	361	<2.4	4,960 M		685	16,100
TPH as mineral spirits (ug/L)	None	None	9,400	2,300	<33	990	970	<33	<33	<33	<33	250	<32	3,400		<33	6,900
Phenols																	
2,3,4,6-Tetrachlorophenol	None	None	2.6	66	<3.0	2.3	2			<3.0		1.8		180	<3.0	2.5	
2,4,5-Trichlorophenol	None	None	<3.0	<3.0	<3.0	6.5	6.7			<3.0		<3.0		<3.0	<3.0	<3.0	
2,4,6-Trichlorophenol	None	None	<3.0	<3.0	<3.0	<3.0	<3.0			<3.0		<3.0		<3.0	<3.0	<3.0	
2,4-Dichlorophenol	None	None	<3.0	<3.0	<3.0	<3.0	<3.0			<3.0		<3.0		<3.0	<3.0	<3.0	
2,4-Dimethylphenol	None	None	<3.0	<3.0	<3.0	<3.0	<3.0			<3.0		<3.0		<3.0	<3.0	<3.0	
2,4-Dinitrophenol	None	None	<3.0	<3.0	<3.0	<3.0	<3.0			<3.0		<3.0		<3.0	<3.0	<3.0	
2,6-Dichlorophenol	None	None	<3.0 Q	<3.0 Q	<3.0 Q	<3.0 Q	<3.0 Q			<3.0 Q		<3.0 Q		<3.0 Q	<3.0 Q	<3.0 Q	
2-Chlorophenol	None	None	<3.0	<3.0	<3.0	<3.0	<3.0			<3.0		<3.0		<3.0	<3.0	<3.0	
2-Methylphenol	None	None	<3.0	<3.0	<3.0	<3.0	<3.0			<3.0		<3.0		<3.0	<3.0	<3.0	
2-Nitrophenol	None	None	<3.0	<3.0	<3.0	<3.0	<3.0			<3.0		<3.0		<3.0	<3.0	<3.0	
3- and 4-Methylphenol	None	None	<3.0	<3.0	<3.0	<3.0	<3.0			<3.0		<3.0		<3.0	<3.0	<3.0	
4,6-Dinitro-2-methylphenol	None	None	<3.0	<3.0	<3.0	<3.0	<3.0			<3.0		<3.0		<3.0	<3.0	<3.0	
4-Chloro-3-methylphenol	None	None	<3.0	<3.0	<3.0	<3.0	<3.0			<3.0		<3.0		<3.0	<3.0	<3.0	
4-Nitrophenol	None	None	<3.0	<3.0	<3.0	<3.0	<3.0			<3.0		<3.0		<3.0	<3.0	<3.0	
Pentachlorophenol	1	0.1	44	1,100	<3.0	32	29			<3.0		100		2,500	3.4	25	
Phenol	6,000	1,200	<3.0	<3.0	<3.0	<3.0	<3.0			<3.0		<3.0		<3.0	<3.0	<3.0	
Total Phenols			46.6	1,166	0	40.8	37.7	-	-	0	-	101.8	-	2,680	3.4	27.5	-

NOTES:
Units are in µg/L unless otherwise noted.
Bold values indicate value above the PAL.
Bold and boxed values indicate value above the ES.
B = Analyte detected in the associated Method Blank
J = estimated value.
Q = laboratory control sample outside acceptance limits.
M = matrix spike and/or spike duplicate recovery outside acceptance limits.
V = raised Quantitation or Reporting Limit due to limited sample amount or dilution for matrix background interference.
Y = replicate/duplicate precision outside acceptance limits.

By: T. Dushek 4/1/2024
Checked by: A. Voit 10/28/2024

TABLE 4a

2024 Winter Groundwater Monitoring Analytical Results
January 3, 8, 9, 11, 2024

Wauleco, Inc. - Wausau Facility
Wausau, Wisconsin

Sample ID	ES	PAL	W27 Duplicate	W28	W29R	W33	W40R	W41	DFOMW5	DFOMW11	DFOMW12	DFOMW12 Duplicate	FP2	PW17	W71	W72	W73	W74	Equipment Blank
Indicators																			
Total sulfate (mg/L)	250	125	5.4	19	4.3	12	6.8	5.4					1.4	15			26		<0.80
Nitrate nitrogen (mg/L)	10	2				<0.12	<0.12	0.13											<0.12
Total organic carbon (mg/L)	None	None	41	1.3	5.1	6.1	15	18					7	3.8			2		<0.40
Dissolved iron (mg/L)	300	150	7,090	<25	51.4	1,290	1,650	23,000					15,000	281			139		<25
Dissolved manganese (mg/L)	50	25	16,400	<2.4	105	1,830	3,380	36,800					6,090	2,140			16.3		<2.4
TPH as mineral spirits (ug/L)	None	None	2,300	<32	<33	8,300	63,000	2,100					3,100	460			<32		<33
Phenols																			
2,3,4,6-Tetrachlorophenol	None	None				480	360	23											<3.0
2,4,5-Trichlorophenol	None	None				<3.0	<3.0	<3.0											<3.0
2,4,6-Trichlorophenol	None	None				<3.0	<3.0	<3.0											<3.0
2,4-Dichlorophenol	None	None				<3.0	<3.0	<3.0											<3.0
2,4-Dimethylphenol	None	None				<3.0	<3.0	<3.0											<3.0
2,4-Dinitrophenol	None	None				<3.0	<3.0	<3.0											<3.0
2,6-Dichlorophenol	None	None				<3.0 Q	<3.0 Q	<3.0 Q											<3.0 Q
2-Chlorophenol	None	None				<3.0	<3.0	<3.0											<3.0
2-Methylphenol	None	None				<3.0	<3.0	<3.0											<3.0
2-Nitrophenol	None	None				<3.0	<3.0	<3.0											<3.0
3- and 4-Methylphenol	None	None				<3.0	<3.0	<3.0											<3.0
4,6-Dinitro-2-methylphenol	None	None				<3.0	<3.0	<3.0											<3.0
4-Chloro-3-methylphenol	None	None				<3.0	<3.0	<3.0											<3.0
4-Nitrophenol	None	None				<3.0	<3.0	<3.0											<3.0
Pentachlorophenol	1	0.1				3,500	4,700	700	<3.0	160	770	780			<3.0	<3.0	<3.0	<3.0	<3.0
Phenol	6,000	1,200				<3.0	<3.0	<3.0											<3.0
Total Phenols			-	-	-	3,980	5,060	723	0	160	770	780	-	-	0	0	0	0	0

NOTES:
Units are in µg/L unless otherwise noted.
Bold values indicate value above the PAL.
Bold and boxed values indicate value above the ES.
B = Analyte detected in the associated Method Blank
J = estimated value.
Q = laboratory control sample outside acceptance limits.
M = matrix spike and/or spike duplicate recovery outside acceptance limits.
V = raised Quantitation or Reporting Limit due to limited sample amount or dilution for matrix background interference.
Y = replicate/duplicate precision outside acceptance limits.

By: T. Dushek 4/1/2024
Checked by: A. Voit 10/28/2024

TABLE 4b

2024

Summer Groundwater Monitoring Analytical Results

July 1, 2, 8, 9, 10, 2024

Wauleco, Inc. - Wausau Facility

Wausau, Wisconsin

Sample ID	ES	PAL	W02	W02 Duplicate	W03A	W03B	W06R	W08	W09	W10A	W10A Duplicate	W10B	W11	W12	W13	W16	W17	W18	W21	W22
Indicators																				
Total sulfate (mg/L)	250	125			4.3		33	14		4.5	4.3		10	18	36	21	8.3	10		13
Nitrate nitrogen (mg/L)	10	2	3.3	3.9	<0.12	2.4	4.8	4.9	0.21	<0.12	<0.12	0.36	6.8	6.4	0.71	4.5	0.31	2.0	2.3	0.69
Total organic carbon (mg/L)	None	None			8.2		2.6	0.73		6.3	5.9		0.61	0.55	2.1	1.3	0.98	<0.4		5.4
Dissolved iron	300	150			1,870		<25	<25		3,310	2,240		<25	<25	<25	<25	327	<25		<25
Dissolved manganese	50	25			1,340		47.1	<2.4		3,990	3,930		291	<2.4	<2.4	<2.4	186	<2.4		458
Dissolved mercury	2	0.2	<0.020	<0.020	<0.020	<0.020	<0.020	<0.020	<0.020	0.1	<0.020	<0.020	<0.020	<0.020	<0.020	<0.020	<0.020	<0.020	<0.020	<0.020
TPH as mineral spirits	None	None	590	940	6,500	<33	32	<33	<32	1,200	1,400	47	<32	<33	<32	<32	1,000	<33	<32	960
Phenols																				
2,3,4,6-Tetrachlorophenol	None	None	1.5	2.2	8.6	<3.0	3.7	<3.0	<3.0	2.6	2.3	<3.0	2.3	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	110
2,4,5-Trichlorophenol	None	None	<3.0	<3.0	1.9	<3.0	<3.0	<3.0	<3.0	3.9	4.4	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0
2,4,6-Trichlorophenol	None	None	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0
2,4-Dichlorophenol	None	None	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0
2,4-Dimethylphenol	None	None	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0
2,4-Dinitrophenol	None	None	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0
2,6-Dichlorophenol	None	None	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0
2-Chlorophenol	None	None	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0
2-Methylphenol	None	None	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0
2-Nitrophenol	None	None	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0
3- and 4-Methylphenol	None	None	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0
4,6-Dinitro-2-methylphenol	None	None	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0
4-Chloro-3-methylphenol	None	None	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0
4-Nitrophenol	None	None	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0
Pentachlorophenol	1	0.1	17	25	120	7.1	37	<3.0	<3.0	45	45	4	41	<3.0	<3.0	<3.0	6.8	<3.0	<3.0	1,400
Phenol	2,000	400	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0
Total Phenols			18.5	27.2	130.5	7.1	40.7	0	0	51.5	51.7	4.00	43.3	0	0	0	6.8	0	0	1,510
Volatile Organics																				
1,2,4-Trimethylbenzene	480 A	96 A	70	52	570	<0.34	4.5	<0.34	<0.34	580	600	12	<0.34	<0.34	<0.34	<0.34	13	<0.34	<0.34	140
Naphthalene	100	10	9.3	13	30	<0.35	<0.35 Q,Y	<0.35	<0.35	30	33	<0.35	<0.35	<0.35	<0.35	<0.35	0.75	<0.35	<0.35	9.6 Q,Y
m & p-Xylene	2,000C	400C	2.5	3.5	26	<0.74	<0.74	<0.74	<0.74	27	27	<0.74	<0.74	<0.74	<0.74	<0.74	<0.74	<0.74	<0.74	11
o-Xylene	2,000C	400C	7.2	10	90	<0.72	2.5	<0.72	<0.72	44	43	<0.72	<0.72	<0.72	<0.72	<0.72	<0.72	<0.72	<0.72	55
Total VOCs			89	78.5	716	0	7	0	0	681	703	12	0	0	0	0	13.75	0	0	216

NOTES:

Units are in µg/L unless otherwise noted.

Bold values indicate value above the PAL.

Bold and boxed values indicate value above the ES.

A = ES and PAL for Trimethylbenzenes (1,2,4- and 1,3,5-combined).

B = Analyte detected in the associated Method Blank.

C = ES and PAL for Xylene includes meta-, ortho-, and para-xylene.

Q = laboratory control sample outside acceptance limits.

H = analyte hold time exceeded.

M = matrix spike and/or spike duplicate recovery outside acceptance limits.

Y = replicate/duplicate precision outside acceptance limits.

By: T. Dushek 8/4/2024

Checked by: A. Voit 10/28/2024

TABLE 4b

2024
Summer Groundwater Monitoring Analytical Results
July 1, 2, 8, 9, 10, 2024
Wauleco, Inc. - Wausau Facility
Wausau, Wisconsin

Sample ID	ES	PAL	W25	W26R	W27	W27 Duplicate	W28	W29R	W32	W33	W36	W40R	W41	FP2	PW17	Field Blank 01	DFOMW5	DFOMW11	DFOMW11 Duplicate	DFOMW12	W71	W72	W73	W74
Indicators																								
Total sulfate (mg/L)	250	125		7.7	13	12	18	11		7.2		6.6	9.2	3.2	16	<0.80							15	
Nitrate nitrogen (mg/L)	10	2	11.0	0.32	0.19	0.16	3	1.3	<0.12	1.6	1.4	<0.12	0.67			<0.12								
Total organic carbon (mg/L)	None	None		3.6	38	40	0.58	3.4		8.8		11	7.5	6.4	19.0	<0.4							1.6	
Dissolved iron	300	150		27.2	6,510	6,210	<25	73		202		1,190	2,290	13,600	11,600	<25							57.4	
Dissolved manganese	50	25		1250	19,600	19,500	<2.4	129		177		4,730	19,200 M	6,500	4,010	<2.4							47.8	
Dissolved mercury	2	0.2	<0.020	<0.020	<0.020	<0.020	<0.020	<0.020	<0.020	0.36	<0.020	<0.020	<0.020			<0.020								
TPH as mineral spirits	None	None	<32	<32	7,700	6,400	<32	<33	<33	2,800	70	150,000	620	2,000	400	<32	69				<33	<32	<32	<33
Phenols																								
2,3,4,6-Tetrachlorophenol	None	None	<3.0	<3.0	110	110	<3.0	6	<3.0	43	23	240	3			<3.0								
2,4,5-Trichlorophenol	None	None	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	2.3			<3.0								
2,4,6-Trichlorophenol	None	None	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0			<3.0								
2,4-Dichlorophenol	None	None	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0			<3.0								
2,4-Dimethylphenol	None	None	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0			<3.0								
2,4-Dinitrophenol	None	None	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0			<3.0								
2,6-Dichlorophenol	None	None	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0			<3.0								
2-Chlorophenol	None	None	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0			<3.0								
2-Methylphenol	None	None	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0			<3.0								
2-Nitrophenol	None	None	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0			<3.0								
3- and 4-Methylphenol	None	None	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0			<3.0								
4,6-Dinitro-2-methylphenol	None	None	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0			<3.0								
4-Chloro-3-methylphenol	None	None	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0			<3.0								
4-Nitrophenol	None	None	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0			<3.0								
Pentachlorophenol	1	0.1	1.4	8.4	1,400	1,300	<3.0	74	<3.0	250	340	3,200	27			<3.0	<3.0	350	390	97	<3.0	<3.0	<3.0	<3.0
Phenol	2,000	400	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0			<3.0								
Total Phenols			1.4	8.4	1,510	1,410	0	80.0	0	293	363.0	3,440	32.3	-	-	0	0	350	390	97	0	0	0	0
Volatile Organics																								
1,2,4-Trimethylbenzene	480 A	96 A	<0.34	<0.34	85	73	<0.34	<0.34	<0.34	15	4	1,100	20			<0.34	<0.34				<0.34	<0.34	<0.34	<0.34
Naphthalene	100	10	<0.35	<0.35	8.8 Q,Y	8.3 Q,Y	<0.35	<0.35	<0.35	0.83 Q,Y	<0.35	76 Q,Y	1.5			<0.35 Q,Y	<0.35				<0.35	<0.35	<0.35	<0.35
m & p-Xylene	2,000C	400C	<0.74	<0.74	7.5	6.1	<0.74	<0.74	<0.74	<0.74	2	34	<0.74			<0.74	<0.74				<0.74	<0.74	<0.74	<0.74
o-Xylene	2,000C	400C	<0.72	<0.72	33	26	<0.72	<0.72	<0.72	1.7	9.6	170	1.8			<0.72	<0.72				<0.72	<0.72	<0.72	<0.72
Total VOCs			0	0	134.3	113.4	0	0	0	18	15.6	1,380	23.3	-	-	0	0	-	-	-	0	0	0	0

NOTES:
Units are in µg/L unless otherwise noted.
Bold values indicate value above the PAL.
Bold and boxed values indicate value above the ES.
A = ES and PAL for Trimethylbenzenes (1,2,4- and 1,3,5-combined).
B = Analyte detected in the associated Method Blank.
C = ES and PAL for Xylene includes meta-, ortho-, and para-xylene.
Q = laboratory control sample outside acceptance limits.
H = analyte hold time exceeded.
M = matrix spike and/or spike duplicate recovery outside acceptance limits.
Y = replicate/duplicate precision outside acceptance limits.

TABLE 5

**2024 Groundwater Treatment Removal of Pentachlorophenol (PCP)
Wauleco, Inc.
Wausau, Wisconsin**

Year	Month	Avg Extracted GPM ⁽¹⁾	Total Gallons ⁽¹⁾	PCP Conc 1 (ug/L)	PCP Conc 2 (ug/L)	PCP Conc 3 (ug/L)	PCP Conc 4 (ug/L)	PCP Conc 5 (ug/L)	System	
									Influent Avg PCP Conc. (ug/L)	Effluent Avg PCP Conc. (ug/L)
2024	January	23.26	1,038,165	5,127	5,886	3,078	4,990		4,770	4.03
	February	22.03	919,960	4,306	4,769	3,990	4,264	4,187	4,303	7.72
	March	21.32	951,517	4,842	5,011	4,237	4,632		4,681	5.90
	April	21.14	913,040	4,659	3,664	5,596	6,368		5,072	2.83
	May	21.13	943,199	5,192	7,200	4,635	3885	3,487	4,880	2.45
	June	20.47	884,234	3,220	3,324	4,492	4,478		3,879	2.60
	July	18.89	843,178	3,626	3,393	4,729	4,983	5,306	4,407	2.03
	August	20.03	894,076	3,631	3,506	4,539	3,440		3,779	1.58
	September	21.17	914,329	3,428	4,151	4,023	3,551		3,788	2.77
	October	21.28	950,078	5,604	3,311	3,825	2,617	3,864	3,844	2.10
	November	20.91	903,217	5,389	3,442	4,046	4,393		4,318	1.33
	December	21.39	954,920	3,528	3,172	3,322	4,349		3,593	1.48
Total Discharged to POTW			11,109,913 gallons	Annual Average					4,276	3.07

Total for Year 2024 11,109,913 gallons

Pounds of PCP treated =	396 pounds

NOTES:

0.264 gallons = 1 liter.

453.6 grams = 1 pound.

PCP = pentachlorophenol.

PCP concentrations from weekly field samples (PCP Conc 1=week 1, etc.) taken of fluidized bed reactor (FBR) influent (Table 1 of Quarterly Reports).

Effluent average PCP concentrations calculated from field sample results taken of system effluent (Table 1 of Quarterly Reports).

gpm = gallons per minute.

FOOTNOTES:


⁽¹⁾ Values from Table 2 of Quarterly Reports.


Prepared by: T. Dushek, 1/6/2025

Checked by: S. Sellwood, 2/14/2025

FIGURE 1

**Average Groundwater Extraction Rate and Water Level Deviation Versus Time
Wauleco, Inc.
Wausau, WI**





LEGEND

- W7 ● MONITORING WELL LOCATION AND NUMBER
- PW12 ☼ EXTRACTION WELL LOCATION AND NUMBER
- DFOMW-9 ▲ (3M) GROUNDWATER MONITORING WELL AND NUMBER
- APPROXIMATE PROPERTY LINE
- FORMER BUILDING OUTLINE
- - - APPROXIMATE LOCATION OF SHEET PILE WALL

NOTES

1. WAULECO WELLS PW02 AND W70B WERE ABANDONED ON 7/21/16 DURING SOIL MOUND REMOVAL ACTIVITIES BY TRC. 3M WELLS DFOMW9 AND DFOMW10A WERE ABANDONED BY 3M IN THE SUMMER OF 2015.
2. WAULECO WELLS W19 AND W39 WERE ABANDONED ON 3/28/19 PRIOR TO THOMAS STREET RECONSTRUCTION. WELLS W26, W29, AND W40 WERE ALSO ABANDONED ON 3/28/19, WITH REPLACEMENT WELLS W26R, W29R, AND W40R INSTALLED ON 6/24/19.
3. THE CITY OF WAUSAU INSTALLED A STEEL SHEET PILING WALL IN 2020 TO REPLACE A ROCK WALL ON THE WISCINSIN RIVER BANK LOCATED WEST OF THE THOMAS STREET BRIDGE.
4. WAULECO WELLS W1A AND W1B WERE ABANDONED ON 6/29/21 AND 6/30/21 DUE TO THE RAILROAD PROPERTY TRANSFER TO 3M.


PROJECT:		HAULECO, INC. ANNUAL GROUNDWATER MONITORING REPORT WAUSAU, WISCONSIN	
TITLE:			
SITE FEATURES MAP			
DRAWN BY:		T. FIEBRANZ	DRAWING 2
CHECKED BY:		T. DUSHEK	
APPROVED BY:		S. SELLWOOD	
DATE:		MARCH 2025	
		999 Fourier Drive Suite 101 Madison, WI 53717 Phone: 608.826.3600	
		FILE NO.: 6388839.0000 02 SF.dwg	



- ## NOTES

PROJECT: WAULECO, INC.	
ANNUAL GROUNDWATER MONITORING REPORT WAUSAU, WISCONSIN	
TITLE: WATER TABLE MAP	
(JANUARY 2, 2024)	
DRAWN BY: T. FIEBRANZ	PROJ NO.: 6388839.0000
CHECKED BY: T. DUSHEK	DRAWING 3
APPROVED BY: S. SELLWOOD	
DATE: MARCH 2025	
 999 Fourth Drive Suite 101 Madison, WI 53717 Phone: 608.826.3600	
FILE NO.: 6388839.0000.04.JAN 24.dwg	

1164 - USER: Tiberius - ATTACHED XREF'S: Baume: JULY 2024.WT.dwg - PLOT DATE: March 25, 2025 - 5:16AM - LAYOUT: WATER TABLE MAP (JULY 1, 2024)
DRAWING NAME: J:\baume\638839 - Annual 2025\0000 Phase 2\638839.0000.04.WT JULY 24.dwg - PLOT DATE: March 25, 2025 - 5:16AM - LAYOUT: WATER TABLE MAP (JULY 1, 2024)
Version: 2017-10-21



- LEGEND**
- W17 ● (1162.42) MONITORING WELL LOCATION, NUMBER AND WATER TABLE ELEVATION
 - PW12 ★ (1164.12) EXTRACTION WELL LOCATION, NUMBER AND WATER TABLE ELEVATION
 - APPROXIMATE PROPERTY LINE
 - - - FORMER BUILDING OUTLINE
 - 1161— WATER TABLE ELEVATION CONTOUR
 - DFOMW-5 ▲ 3M GROUNDWATER MONITORING WELL
 - - - APPROXIMATE LOCATION OF SHEET PILE WALL

- NOTES**
- BASE MAP DEVELOPED FROM DRAWING A107250-1 OF THE SEPTEMBER 1992 SEMI-ANNUAL GROUNDWATER MONITORING REPORT BY KEYSTONE ENVIRONMENTAL, MWH DRAWING 2082658.302160101-B1, AND 3M WELLS LOCATION BASED ON 3M MAPS.
 - WATER ELEVATIONS OBTAINED BY TRC ON JULY 1, 2024. ON THIS DATE, THE PUMPING RATE OF THE GROUNDWATER EXTRACTION SYSTEM WAS APPROXIMATELY 19.3 GPM.
 - WAULECO WELLS PW02 AND W70B WERE ABANDONED ON 7/21/16 DURING SOIL MOUND REMOVAL ACTIVITIES BY TRC. 3M WELLS DFOMW9 AND DFOMW10A WERE ABANDONED BY 3M IN THE SUMMER OF 2015.
 - WAULECO WELLS W19 AND W39 WERE ABANDONED ON 3/28/19 PRIOR TO THOMAS STREET RECONSTRUCTION. WELLS W26, W29, AND W40 WERE ALSO ABANDONED ON 3/28/19, WITH REPLACEMENT WELLS W26R, W29R, AND W40R INSTALLED ON 6/24/19.
 - THE CITY OF WAUSAU INSTALLED A STEEL SHEET PILING WALL IN 2020 TO REPLACE A ROCK WALL ON THE WISCONSIN RIVER BANK LOCATED WEST OF THE THOMAS STREET BRIDGE.
 - WAULECO WELLS W1A AND W1B WERE ABANDONED ON 6/29/21 AND 6/30/21 DUE TO THE RAILROAD PROPERTY TRANSFER TO 3M.

PROJECT: **WAULECO, INC.**
ANNUAL GROUNDWATER MONITORING REPORT
WAUSAU, WISCONSIN

TITLE: **WATER TABLE MAP**
(JULY 1, 2024)

DRAWN BY: T. FIEBRANZ	PROJ NO.: 6388839.0000
CHECKED BY: T. DUSHEK	
APPROVED BY: S. SELLWOOD	
DATE: MARCH 2025	

DRAWING 4

999 Fourier Drive
Suite 101
Madison, WI 53717
Phone: 608.826.3600

FILE NO.: 6388839.0000.04.WT JULY 24.dwg


TRC




W17 ●	MONITORING WELL LOCATION AND PCP CONCENTRATION (ug/L)
PW12 ☒	EXTRACTION WELL LOCATION AND NUMBER
DFOMW-5 ▲	3M GROUNDWATER MONITORING WELL
— — — — —	APPROXIMATE PROPERTY LINE
- - - - -	FORMER BUILDING OUTLINE
— 0.00 —	APPARENT PRODUCT THICKNESS CONTOUR (DASHED WHERE INFERRED)
- - - - -	APPROXIMATE LOCATION OF SHEET PILE WALL

1. BASE MAP DEVELOPED FROM DRAWING A107250-1 OF THE SEPTEMBER 1992 SEMI-ANNUAL GROUNDWATER MONITORING REPORT BY KEYSTONE ENVIRONMENTAL, MWH DRAWING 2082658.302160101-B1, AND 3M WELLS LOCATION BASED ON 3M MAPS.
2. PRODUCT THICKNESS OBTAINED BY TRC ON JANUARY 2, 2024.
3. ALL WELLS WITH NO PRODUCT THICKNESS VALUE INDICATES A VALUE OF "0.00".
4. WAULECO WELLS PW02 AND W70B WERE ABANDONED ON 7/21/16 DURING SOIL MOUND REMOVAL ACTIVITIES BY TRC. 3M WELLS DFORMW9 AND DFORMW10A WERE ABANDONED BY 3M IN THE SUMMER OF 2015.
5. WAULECO WELLS W19 AND W39 WERE ABANDONED ON 3/28/19 PRIOR TO THOMAS STREET RECONSTRUCTION. WELLS W26, W29, AND W40 WERE ALSO ABANDONED ON 3/28/19, WITH REPLACEMENT WELLS W26R, W29R, AND W40R INSTALLED ON 6/24/19.
6. THE CITY OF WAUSAU INSTALLED A STEEL SHEET PILING LINE IN 2020 TO REPLACE A ROCK WALL ON THE WISCINSIN RIVER BANK LOCATED WEST OF THE THOMAS STREET BRIDGE.
7. WAULECO WELLS W1A AND W1B WERE ABANDONED ON 6/29/21 AND 6/30/21 DUE TO THE RAILROAD PROPERTY TRANSFER TO 3M.



PROJECT:	WAULECO, INC. ANNUAL GROUNDWATER MONITORING REPORT WAUSAU, WISCONSIN
TITLE:	PRODUCT (OIL) THICKNESS MAP (JANUARY 2, 2024)
DRAWN BY:	T. FIEBRANZ
CHECKED BY:	T. DUSHEK
APPROVED BY:	S. SELLWOOD
DATE:	MARCH 2025
PROJECT NO.: 6388839.0000 DRAWING 5	
 999 Fourier Drive Suite 101 Madison, WI 53717 Phone: 608.826.3600	
FILE NO.:	6388839.0000.05.dwg



LEGEND

- W17 (15) ● MONITORING WELL LOCATION AND PCP CONCENTRATION (ug/L)
- PW12 ✱ EXTRACTION WELL LOCATION AND NUMBER
- DFOMW-5 ▲ 3M GROUNDWATER MONITORING WELL
- APPROXIMATE PROPERTY LINE
- - - FORMER BUILDING OUTLINE
- 50 PCP ISOCONCENTRATION CONTOUR INTERVAL VARIES (DASHED WHERE INFERRED)
- OUTLINE OF RESIDUAL PHASE PRODUCT
- - - APPROXIMATE LOCATION OF SHEET PILE WALL

NOTES

- BASE MAP DEVELOPED FROM DRAWING A107250-1 OF THE SEPTEMBER 1992 SEMI- ANNUAL GROUNDWATER MONITORING REPORT BY KEYSTONE ENVIRONMENTAL, MWH DRAWING 2082658.302160101-B1, AND 3M WELLS LOCATION BASED ON 3M MAPS.
- GROUNDWATER SAMPLES OBTAINED BY TRC ON JULY 1, 2, 8, 9, 10, 2024.
- ANALYTE CONCENTRATIONS OBTAINED FROM LABORATORY DATA BY CT LABORATORIES, INC.
- IN WELL CLUSTERS THE VALUE FROM THE SHALLOWEST WELL WAS USED TO DETERMINE ISOCONCENTRATIONS FOR THE ANALYTE.
- THE NR140 ENFORCEMENT STANDARD (ES) FOR PCP IS 1.0 ug/L. THE NR140 PREVENTIVE ACTION LIMIT (PAL) FOR PCP IS 0.10 ug/L.
- WAULECO WELLS PW02 AND W70B WERE ABANDONED ON 7/21/16 DURING SOIL MOUND REMOVAL ACTIVITIES BY TRC. 3M WELLS DFOMW9 AND DFOMW10A WERE ABANDONED BY 3M IN THE SUMMER OF 2015.
- WAULECO WELLS W19 AND W39 WERE ABANDONED ON 3/28/19 PRIOR TO THOMAS STREET RECONSTRUCTION. WELLS W26, W29, AND W40 WERE ALSO ABANDONED ON 3/28/19, WITH REPLACEMENT WELLS W26R, W29R, AND W40R INSTALLED ON 6/24/19.
- WAULECO WELLS W01A AND W01B WERE ABANDONED ON 6/29/21 AND 6/30/21 DUE TO THE RAILROAD PROPERTY TRANSFER TO 3M.
- THE CITY OF WAUSAU INSTALLED A STEEL SHEET PILING WALL IN 2020 TO REPLACE A ROCK WALL ON THE WISCONSIN RIVER BANK LOCATED WEST OF THE THOMAS STREET BRIDGE.

PROJECT:

WAULECO, INC.
ANNUAL GROUNDWATER MONITORING REPORT
WAUSAU, WISCONSIN

TITLE:

PCP ISOCONCENTRATION MAP
(JULY 2024)

DRAWN BY:

T. FIEBRANZ

CHECKED BY:

T. DUSHEK

APPROVED BY:

S. SELLWOOD

DATE:

MARCH 2025

PROJ NO.:

6388839.0000


DRAWING 7

999 Fourier Drive
Suite 101
Madison, WI 53717
Phone: 608.826.3600

FILE NO.:

6388839.0000.07.dwg

1064 -- USER: Tfebranz -- ATTACHED XREFS: Barring (this plan); July 2024 PCP Data (this plan) -- ATTACHED IMAGES: DRAWING NAME: J:\Wauleco\638839 - Annual 2024\0000 Phase 2\638839.0000.07.dwg -- PLOT DATE: March 25, 2025 9:17AM -- LAYOUT: PCP ISOCONCENTRATION MAP (JULY 2024)
Version: 2017-10-21



LEGEND

●

W17
(2.7)

MONITORING WELL LOCATION AND
NAPHTHALENE CONCENTRATION (ug/L)

⬤

PW12

EXTRACTION WELL LOCATION AND
NUMBER

▲

DFOMW-5

3M GROUNDWATER MONITORING
WELL

APPROXIMATE PROPERTY LINE

FORMER BUILDING OUTLINE

— 10 —

NAPHTHALENE ISOCONCENTRATION
CONTOUR INTERVAL VARIES (DASHED
WHERE INFERRED)

APPROXIMATE LOCATION OF
SHEET PILE WALL**NOTES**

1. BASE MAP DEVELOPED FROM DRAWING A107250-1 OF THE SEPTEMBER 1992 SEMI- ANNUAL GROUNDWATER MONITORING REPORT BY KEYSTONE ENVIRONMENTAL, MWH DRAWING 2082658.302160101-B1, AND 3M WELLS LOCATION BASED ON 3M MAPS.
2. GROUNDWATER SAMPLES OBTAINED BY TRC ON JULY 1, 2, 8, 9, 10, 2024.
3. ANALYTE CONCENTRATIONS OBTAINED FROM LABORATORY DATA BY CT LABORATORIES, INC.
4. IN WELL CLUSTERS THE VALUE FROM THE SHALLOWEST WELL WAS USED TO DETERMINE ISOCONCENTRATIONS FOR THE ANALYTE.
5. THE NR140 ENFORCEMENT STANDARD (ES) FOR NAPHTHALENE IS 100 ug/L. THE NR140 PREVENTIVE ACTION LIMIT (PAL) FOR NAPHTHALENE IS 10 ug/L.
6. WAULECO WELLS PW02 AND W70B WERE ABANDONED ON 7/21/16 DURING SOIL MOUND REMOVAL ACTIVITIES BY TRC. 3M WELLS DFOMW9 AND DFOMW10A WERE ABANDONED BY 3M IN THE SUMMER OF 2015.
7. WAULECO WELLS W19 AND W39 WERE ABANDONED ON 3/28/19 PRIOR TO THOMAS STREET RECONSTRUCTION. WELLS W26, W29, AND W40 WERE ALSO ABANDONED ON 3/28/19, WITH REPLACEMENT WELLS W26R, W29R, AND W40R INSTALLED ON 6/24/19.
8. THE CITY OF WAUSAU INSTALLED A STEEL SHEET PILING WALL IN 2020 TO REPLACE A ROCK WALL ON THE WISCINSIN RIVER BANK LOCATED WEST OF THE THOMAS STREET BRIDGE.
9. WAULECO WELLS W1A AND W1B WERE ABANDONED ON 6 /29/21 AND 6/30/21 DUE TO THE RAILROAD PROPERTY TRANSFER TO 3M.

1064 -- USER: TIEBRANZ -- ATTACHED XREF'S: Borehole (data plan): July 2024 Naphthalene Data -- ATTACHED IMAGES: DRAWING NAME: J:\Wauleco\638839 - Annual 2025\1000 Phase 2\638839.0000.dwg -- PLOT DATE: March 25, 2025 5:18AM -- LAYOUT: NAPHTHALENE ISOCONCENTRATION MAP (JULY 2024)
Version: 2017-10-21

PROJECT:

WAULECO, INC.
ANNUAL GROUNDWATER MONITORING REPORT
WAUSAU, WISCONSIN

TITLE:

NAPHTHALENE ISOCONCENTRAION MAP
(JULY 2024)

DRAWN BY:

T. FIEBRANZ

CHECKED BY:

T. DUSHEK

APPROVED BY:

S. SELLWOOD

DATE:

MARCH 2025

PROJ NO.:

6388839.0000

DRAWING 8


999 Fourier Drive
Suite 101
Madison, WI 53717
Phone: 608.826.3600

TRC


FILE NO.:

6388839.0000.08.dwg

1104 - ATTACHED FILES: Bureau (data plan); July 2024 TPH Data - ATTACHED MAPS; DRAWING NAME: J:\Waukeco\638839 - Annual 2025\0000 Phase 2\6388839.0000.09.dwg -- PLOT DATE: March 25, 2025 - 5:16 AM -- LAYOUT: TOTAL PETROLEUM HYDROCARBONS (TPH) AS MINER SPIRITS



1064 -- ATTACHED FILES: Bureau (data plan); July 2024 TRIMETHYLBENZENE Data -- ATTACHED IMAGES:
DRAWING NAME: J:\Waukeco\638839 -- Annual 2025\0000 Phase 2\638839.0000.10.dwg -- PLOT DATE: March 25, 2025 5:16AM -- LAYOUT: 1 2 4 TRIMETHYLBENZENE ISOCONCENTRATION MAP (JULY 2024)



LEGEND

●

W17
(22)

MONITORING WELL LOCATION AND
1,2,4 TRIMETHYLBENZENE
CONCENTRATION (ug/L)

⬠

PW12

EXTRACTION WELL LOCATION AND
NUMBER

▲

DFOMW-5

3M GROUNDWATER MONITORING
WELL

APPROXIMATE PROPERTY LINE

FORMER BUILDING OUTLINE

—480—

1,2,4 TRIMETHYLBENZENE
ISOCONCENTRATION CONTOUR (μg/L)
INTERVAL VARIES (DASHED WHERE
INFERRED)

APPROXIMATE LOCATION OF
SHEET PILE WALL

NOTES

1.

BASE MAP DEVELOPED FROM DRAWING A107250-1
OF THE SEPTEMBER 1992 SEMI- ANNUAL
GROUNDWATER MONITORING REPORT BY
KEYSTONE ENVIRONMENTAL, MWH DRAWING
2082658.302160101-B1, AND 3M WELLS LOCATION
BASED ON 3M MAPS.

2.

GROUNDWATER SAMPLES OBTAINED BY TRC ON
JULY 1, 2, 8, 9, & 10, 2024.

3.

ANALYTE CONCENTRATIONS OBTAINED FROM
LABORATORY DATA BY CT LABORATORIES, INC.

4.

IN WELL CLUSTERS THE VALUE FROM THE
SHALLOWEST WELL WAS USED TO DETERMINE
ISOCONCENTRATIONS FOR THE ANALYTE.

5.

THE NR140 ENFORCEMENT STANDARD (ES) FOR
TOTAL TRIMETHYLBENZENES IS 480 μg/L. THE
NR140 PREVENTIVE ACTION LIMIT (PAL) FOR
TOTAL TRIMETHYLBENZENES IS 96 ug/L.

6.

WAULECO WELLS PW02 AND W70B WERE
ABANDONED ON 7/21/16 DURING SOIL MOUND
REMOVAL ACTIVITIES BY TRC. 3M WELLS DFOMW9
AND DFOMW10A WERE ABANDONED BY 3M IN THE
SUMMER OF 2015.

7.

WAULECO WELLS W19 AND W39 WERE ABANDONED
ON 3/28/19 PRIOR TO THOMAS STREET
RECONSTRUCTION. WELLS W26, W29, AND W40
WERE ALSO ABANDONED ON 3/28/19, WITH
REPLACEMENT WELLS W26R, W29R, AND W40R
INSTALLED ON 6/24/19.

8.

THE CITY OF WAUSAU INSTALLED A STEEL SHEET
PILING WALL IN 2020 TO REPLACE A ROCK WALL ON
THE WISCINSIN RIVER BANK LOCATED WEST OF
THE THOMAS STREET BRIDGE.

9.

WAULECO WELLS W1A AND W1B WERE
ABANDONED ON 6 /29/21 AND 6/30/21 DUE TO THE
RAILROAD PROPERTY TRANSFER TO 3M.

PROJECT:

WAULECO, INC.
ANNUAL GROUNDWATER MONITORING REPORT
WAUSAU, WISCONSIN

TITLE:

1 2 4 TRIMETHYLBENZENE
ISOCONCENTRATION MAP (JULY 2024)

DRAWN BY:

T. FIEBRANZ

CHECKED BY:

T. DUSHEK

APPROVED BY:

S. SELLWOOD

DATE:

MARCH 2025

PROJ NO.:

6388839.0000


DRAWING 10

999 Fourier Drive
Suite 101
Madison, WI 53717
Phone: 608.826.3600

FILE NO.:

6388839.0000.10.dwg

1104 - ATTACHED FILES: Baume & Mercier (data plant) July 2024 XYLENE Data - ATTACHED IMAGES
DRAWING NAME: J:\Wauleco\638839 - Annual 2025\0000 Phase 2\638839.0000.11.dwg -- PLOT DATE: March 25, 2025 - 5:18 AM -- LAYOUT: TOTAL XYLENE ISOCONCENTRATION MAP (JULY 2024)



LEGEND

- W17 (4.2) ● MONITORING WELL LOCATION AND TOTAL XYLENES CONCENTRATION (ug/L)
- PW12* EXTRACTION WELL LOCATION AND NUMBER
- DFOMW-5 ▲ 3M GROUNDWATER MONITORING WELL
- - - APPROXIMATE PROPERTY LINE
- - - FORMER BUILDING OUTLINE
- 50 — XYLENE ISOCONCENTRATION CONTOUR (μg/L) INTERVAL VARIES (DASHED WHERE INFERRED)
- - - APPROXIMATE LOCATION OF SHEET PILE WALL

- NOTES**
1. BASE MAP DEVELOPED FROM DRAWING A107250-1 OF THE SEPTEMBER 1992 SEMI-ANNUAL GROUNDWATER MONITORING REPORT BY KEYSTONE ENVIRONMENTAL, MWH DRAWING 2082658.302160101-B1, AND 3M WELLS LOCATION BASED ON 3M MAPS.
 2. GROUNDWATER SAMPLES OBTAINED BY TRC ON JULY 1, 2, 8, 9, & 10, 2024.
 3. ANALYTE CONCENTRATIONS OBTAINED FROM LABORATORY DATA BY CT LABORATORIES, INC.
 4. IN WELL CLUSTERS THE VALUE FROM THE SHALLOWEST WELL WAS USED TO DETERMINE ISOCONCENTRATIONS FOR THE ANALYTE.
 5. THE NR140 ENFORCEMENT STANDARD (ES) FOR TOTAL XYLENES IS 2000 μg/L. THE NR140 PREVENTIVE ACTION LIMIT (PAL) FOR TOTAL XYLENES IS 400 ug/L.
 6. WAULECO WELLS PW02 AND W70B WERE ABANDONED ON 7/21/16 DURING SOIL MOUND REMOVAL ACTIVITIES BY TRC. 3M WELLS DFOMW9 AND DFOMW10A WERE ABANDONED BY 3M IN THE SUMMER OF 2015.
 7. WAULECO WELLS W19 AND W39 WERE ABANDONED ON 3/28/19 PRIOR TO THOMAS STREET RECONSTRUCTION. WELLS W26, W29, AND W40 WERE ALSO ABANDONED ON 3/28/19, WITH REPLACEMENT WELLS W26R, W29R, AND W40R INSTALLED ON 6/24/19.
 8. THE CITY OF WAUSAU INSTALLED A STEEL SHEET PILING WALL IN 2020 TO REPLACE A ROCK WALL ON THE WISCINSIN RIVER BANK LOCATED WEST OF THE THOMAS STREET BRIDGE.
 9. WAULECO WELLS W1A AND W1B WERE ABANDONED ON 6 /29/21 AND 6/30/21 DUE TO THE RAILROAD PROPERTY TRANSFER TO 3M.

PROJECT: **WAULECO, INC.**
ANNUAL GROUNDWATER MONITORING REPORT
WAUSAU, WISCONSIN

TITLE: **TOTAL XYLENE ISOCONCENTRATION MAP**
(JULY 2024)

DRAWN BY: T. FIEBRANZ	PROJ NO.: 6388839.0000
CHECKED BY: T. DUSHEK	DRAWING 11
APPROVED BY: S. SELLWOOD	
DATE: MARCH 2025	

TRC

999 Fourier Drive
Suite 101
Madison, WI 53717
Phone: 608.826.3600

FILE NO.: 6388839.0000.11.dwg

APPENDIX A

WDNR CORRESPONDENCE

MOBILE LNAPL RECOVERY SYSTEM SHUTDOWN

JANUARY AND FEBRUARY 2011

Quinn, Kenneth

From: Gutknecht, Lisa A - DNR <Lisa.Gutknecht@Wisconsin.gov>
Sent: Wednesday, February 23, 2011 10:54 AM
To: Iverson, Bruce
Cc: Brandt Bob; Crass, David A (22267); Quinn, Kenneth
Subject: RE: Wauleco: Proposed Plan to Reduce the Pumping Rate/Responses to Comments

Bruce,

You have answered my questions and the additional activities should be added to your Proposed Plan to Reduce the Pumping Rate.

We can discuss the progress of the plan at the annual meeting or at the end of the year depending on the data that you will have collected. Thanks for addressing these issues. Lisa

 *Lisa Gutknecht*

Remediation & Redevelopment Program
Wausau Service Center
Wisconsin Department of Natural Resources
5301 Rib Mountain Drive
Wausau, WI 54401

(☎) phone: (715) 359-6514

(☎) fax: (715) 355-5253

(✉) e-mail: Lisa.Gutknecht@Wisconsin.gov

From: Iverson, Bruce [mailto:Bruce.Iverson@rmtinc.com]
Sent: Friday, February 11, 2011 2:36 PM
To: Gutknecht, Lisa A - DNR
Cc: Brandt Bob; Crass, David A (22267); Quinn, Kenneth
Subject: RE: Wauleco: Proposed Plan to Reduce the Pumping Rate/Responses to Comments

Lisa:

This email responds to your questions posed during our February 3, 2010 telephone conversation which was conducted in follow-up to my January 25, 2010 email (below) regarding Wauleco's Proposed Plan to Reduce the Pumping Rate. Specifically, you had two questions:

1. How will this change affect the checking for the presence of residual product in wells?

Response: As we've discussed throughout the years and most recently at the 2010 Annual Meeting, when the project moves to the natural attenuation phase, there will be some residual product left on site. At present, the volume of free phase product is small, especially when compared to historic volumes and the volume that has been removed. In addition, we have shown that measuring the apparent product is not the best indicator of actual residual product present at the site. Indeed, the apparent product at several wells has been shown to be a relic from historic presence of free product. While the free product has been removed, the relic, apparent free product remained in some wells. For example, at last year's Annual Meeting, we discussed results of the free product assessment at wells W3A, W40, and W22 that showed no apparent free product remains in the aquifer at these locations. Since that time and per my 11-

18-2010 email that presented the plan for additional free product assessment (November 2010 Product Plan), we have continued removing apparent product from wells and have seen additional improvement. In summary, we are observing the following:

- a. There are currently no off-site monitoring wells with free phase product. Therefore, the reduced pumping will not impact free phase product at off-site monitoring wells.
 - b. Over the last 15 months at on-site monitoring wells W2, W3A, W6R, W42, and W47, the product has been removed using absorbent socks and has not reappeared. There are currently three on-site wells (W4A, W7, and W35) that have had product re-accumulate after bailing and use of absorbent socks. The product has been bailed again, and use of the absorbent socks will continue.
 - c. In summary, there is relatively little free phase product remaining that could go into residual phase with the reduced pumping rate. Per our telephone conversation on December 13, 2010, once the reduced pumping rate is changed, Wauleco will implement the November 2010 Product Plan for pumping wells.
2. Because we are changing conditions, is more monitoring in wells down-gradient of the site needed to see assess groundwater concentrations?

Response: Wauleco proposes to perform quarterly groundwater monitoring at the site for 2011. In addition, to the groundwater monitoring currently being performed during January and July, Wauleco will perform groundwater monitoring in 2011 during: 1) the end of March/beginning of April; and 2) the end of September/beginning of October. This additional monitoring will include the following:

- a. Collect samples at off-site wells W10A, W13, W19, W22, W26, W28, W39, and W41
- b. Analyze samples for PCP.
- c. Report and evaluate results in 2011 Annual Groundwater Monitoring Report that will be prepared and submitted in early 2012. Recommendations for continuing or discontinuing this monitoring will be included in the 2011 Annual Groundwater Monitoring Report.

If you have any questions or comments regarding these responses, please contact us. Thanks, Bruce

Bruce Iverson, Director of Business Development Federal Renewable Energy | **RMT** | 744 Heartland Trail
Madison WI 53717 Direct: 608.662.5269 | Cell: 608.235.4963 | Fax: 608.831.3334 | CREATING BALANCE

From: Iverson, Bruce
Sent: Tuesday, January 25, 2011 8:51 AM
To: Gutknecht, Lisa A - DNR
Cc: 'Brandt Bob'; 'Crass, David A (22267)'; Quinn, Kenneth
Subject: Wauleco: Proposed Plan to Reduce the Pumping Rate

Lisa

In follow-up to our telephone conversation this morning, as requested following is a summary of the proposed approach at Wauleco:

1. Consistent with the remediation sequence we have previously discussed, given the lack of product recovery the past two winters, typically our greatest product recovery months, and in particular these past three months were no product was recovered, we would like to turn off the product recovery system and revise the pumping rate to assess what effect it has on groundwater concentrations as part of our long term closure strategy.

2. As part of this, we will perform monthly water table elevations, similar to what is being done as part of the quarterly reports.
3. We'll continue to implement the "socks in wells" approach as presented in my 11-18-10 email to you.
4. We'll prepare water table elevation maps monthly for the first three months to demonstrate that containment is being achieved, and then quarterly to assess seasonal changes.
5. We'll provide this information in the quarterly reports, unless we see something not expected and then we'll contact you to discuss.
6. We can discuss the results as part of our Annual Meeting that we will target for May 2011 at which time we will have 3 months of results we can discuss

As we discussed, neither of us were aware of any specific approvals needed from the WDNR for Wauleco to implement this plan. However, consistent with our approach and relationship with you to date, we wanted to keep you informed of our approach. Let's plan on touching base next week after you have had a chance to review this proposed plan. In the meantime, if you have any questions, please contact me. Thanks, Bruce

Bruce Iverson, Director of Business Development Federal Renewable Energy | **RMT** | 744 Heartland Trail
Madison WI 53717 Direct: 608.662.5269 | Cell: 608.235.4963 | Fax: 608.831.3334 | CREATING BALANCE

Outgoing messages, along with any attachments, are scanned for viruses prior to sending.

NOTICE-- This email may contain confidential and privileged information for the sole use of the intended recipient. Any review or distribution by others is strictly prohibited. If you are not the intended recipient, please contact the sender immediately and delete all copies.

APPENDIX B

HISTORICAL GROUNDWATER ANALYTICAL RESULTS

B1	Water Quality Indicators
B2	Phenolics
B3	Volatile Organic Compounds

B1

Water Quality Indicators

Water Quality Indicators - Historical Data
WAULECO, INC - Wausau Facility
Well - W01A

Date	#2 Fuel Oil (mg/L)	#6 Fuel Oil (mg/L)	Ammonia Nitrogen Total (mg/L)	Gasoline (mg/L)	Kerosene (mg/L)	Nitrate + Nitrite Nitrogen (mg/L)	Nitrogen, Nitrate (mg/L)	Phosphorus, Phosphate (mg/L)	Total Chloride (mg/L)	Dissolved Mercury (ug/L)	Total Mercury (ug/L)	TPH as Mineral Spirits (ug/L)	Sodium (ug/L)
02/19/1992							3.32		107			<630	
06/14/1992							2.94		85.2			<500	
09/17/1992			<1				1.97	1.86	89.8			<500	43,000
12/18/1992			<1				2.58		62.5			11,000	33,000
03/23/1993			0.24			2.22			83			2,500	36,600
06/28/1993			0.11			2.18			77			2,800	
12/28/1993			<0.2			2.86			92			<1000	
04/25/1994			0.27			1.36			117				
06/21/1994			0.15			1.62			96			6,000	
10/04/1994			0.24			2.3			93				
01/05/1995			0.37			1.69			103				
03/10/1995	<0.25		0.23	<0.25	<0.25	2.2			115				
07/05/1995			0.17			2.77			136			380	
09/13/1995			0.36			1.61			80				
12/18/1995			0.2			2.61			147				
03/21/1996	<0.25	<1	0.4	<0.25	<0.25	2.7			134				
07/10/1996			0.16			2.22			75			950	
09/25/1996			<0.1			2.26			97				
01/21/1997			<0.1			2.14			118				
07/11/1997			<0.1			2.14			89.4			49,000	
01/02/1998			<0.1			2.03			161				
06/23/1998			<0.1			2.1			110		<0.2	33,000	
01/26/1999			<0.1			3.09			245		<0.2		
06/09/1999			0.29			1.98			158			110,000	
01/11/2000			<0.1			2.98			209		<0.16		
07/18/2000			<0.02			3.07			165		<0.16	94,000	
01/31/2001			<0.02			3.80			194		<0.12	560	
07/09/2001			0.15			5.40			100		<0.14	45,000	
01/15/2002			<0.020			4.10			150				
08/06/2002			<0.020			5.80			150		<0.070	13,000	
01/14/2003			<0.070			3.60			76				
07/22/2003			0.14			2.70			51		<0.070	10,000	
01/20/2004			0.068			1.60			65				
07/13/2004			<0.030			3.04			38.1		<0.11	830 Y	
01/19/2005			<0.030			3.20			60				
07/21/2005			<0.030			2.10			66		<0.090	900	
01/17/2006			<0.023			1.73			74.3				
07/18/2006			<0.023			4.00			94		<0.060	15,000	
01/23/2007			<0.023			5.10			190				
07/11/2007			<0.021			4.10			170		0.08	1,800 Q	
01/29/2008			<0.021			5.5 Q			230 Q				
07/23/2008			<0.080			6.60			180		<0.050	500	
01/20/2009			<0.080			4.40			300				
07/06/2009			0.3			7.00			240		<0.040	14,000	
01/18/2010			<0.030			5.20			240				
07/13/2010			<0.050			5.30			290		<0.040	3,800 M	
01/24/2011			0.058			6.50			220				
07/19/2011			0.039			4.90			91		0.10	2,100	
01/23/2012			0.16			3.70			180				
07/06/2012			<0.030			5.10			140		0.020	1,800	
01/04/2013			<0.030			3.20			140				
07/05/2013			0.084			3.30			63		0.030	1,500	
07/07/2014							4.7			<0.016		3,300	
07/07/2015							4.2			<0.050		830	
07/06/2016							4.4			0.042		410	
07/11/2017							4.2			<0.020		360 B	
07/12/2018							3.3			0.054		210 Q	
07/09/2019							3.4			<0.020		120	
07/08/2020							3.7			<0.020		41	

Water Quality Indicators - Historical Data
WAULECO, INC - Wausau Facility
Well - W02

Date	#2 Fuel Oil (mg/L)	#6 Fuel Oil (mg/L)	Ammonia Nitrogen Total (mg/L)	Carbon, Total Organic (mg/L)	Gasoline (mg/L)	Kerosene (mg/L)	Nitrate + Nitrite Nitrogen (mg/L)	Nitrogen, Nitrate (mg/L)	Oil and Grease (mg/L)	Phosphorus, Phosphate (mg/L)	Solids, Total Dissolved (mg/L)	Solids, Total Suspended (mg/L)	Sulfate (mg/L)	Total Chloride (mg/L)	Dissolved Mercury (ug/L)	Total Mercury (ug/L)	TPH as Mineral Spirits (ug/L)	Sodium (ug/L)	Arsenic (ug/L)	Barium (ug/L)	Chromium (ug/L)	Chromium, Total (ug/L)	Iron (ug/L)
01/08/1987				7.01				2.94	<5		436	3848	30.2						22.3	769	<10	371	<100
06/04/1987				6.62				2.73	<5		491	9260	29.9						<10	<200	<10		140
09/03/1987				3.9				3.56	<5		421	11100	20.5						<10	<200	<10		
12/03/1987				1.66				3.56	<6		347	1480	38.5						<10	<200	<10		
03/02/1988				3.49				3.16	14.7		457	1590	32.4	125									
04/07/1988				3.68				3.73	<6		441	1900	27	119					<10	<200	<10		
08/10/1988				7.44				1.47	8.53		585	2040	37.9	133					<10	<200	<10		
11/15/1988				12				0.99	9.39		419	352	28.8	122					<10	<200	<10		
01/26/1989				4.37				1.94	6.45		437	629	<10	128									
04/27/1989				10.5				0.71	19.3		373	2660	31	144					<10	<200	<10		
07/27/1989				50.4				0.78	7.76		1,720	1200	32.6	103					<10	<200	<10		
10/26/1989				4.91				1.05	<6		473	1380	35.8	127					<10	<200	<10		
01/25/1990				13.3				0.3	11.4		331	1190	31.7	95.4					<10	<200	<10		
05/03/1990				10.6				0.61	<6		462	808	10.6	129					<10	<200	<10		
09/20/1990				7.24				0.66	9.21		428	1320	29.4	132					<10	<200	<10		
12/11/1990				11.9				1.83	<6		403	1900	33.6	97.5					<10	<200	<10		
01/30/1991				14.2				4.71	11.6		364	936	35.9	95.8					<10	<200	<10		
05/01/1991				23.9				4.13	20		477	894	32.5	107					<10	<200	<10		
10/08/1991				14				<0.02	12.7		450	1460	29.8	117					<10	<200	<10		
02/20/1992								<0.02	0					119			1,110						
06/14/1992								0.054	220					128			<500						
09/17/1992				<1				0.023		2.52				158			<500	65,800					
12/18/1992				<1				0.093						182			35,000	68,300					
03/24/1993				0.17				0.55						239			3,500	88,600					
04/25/1994				0.17				0.18						151									
06/22/1994				<0.1				1.46						146			5,500						
10/04/1994				0.16				0.13						117									
01/05/1995				<0.1				1.11						120									
03/10/1995				0.13				1.34						117									
07/06/1995	<0.25			0.41	<0.25	<0.25		0.79						113			8,800						
09/13/1995				0.13				0.66						114									
12/18/1995				0.14				0.69						97									
03/21/1996				0.13				0.74						89									
07/10/1996	<0.25	<1		0.13	<0.25	<0.25		1.2						58			4,200						
01/21/1997				<0.1				1.13						93									
07/11/1997				<0.1				0.17						54.5			<450						
01/02/1998				<0.1				0.54						54.8									
06/25/1998				<0.1				1.12						76		0.4	9,100						
01/27/1999				0.1				<0.41						<41		<0.6							
01/15/2003				<0.070				2.4						120									
07/22/2003				0.077				0.96						60		2	35,000						
01/21/2004				0.21 J				0.35 J						35									
01/21/2004				0.19 JB				0.37 J						34									
07/14/2004				0.086 J				1.27						26.9		0.83	9,400 Q						
01/20/2005				0.044Q				0.78						28									
01/20/2005				0.032Q				0.8						28									
07/21/2005				0.16				0.25						44		0.61	19,000						
7/21/2005																							
Duplicate				0.15				0.4						33		0.69	17,000						
01/17/2006				0.15				0.17						31.9									
1/17/2006																							
Duplicate				0.15				0.4						23.4									

Water Quality Indicators - Historical Data
WAULECO, INC - Wausau Facility
Well - W02

Date	#2 Fuel Oil (mg/L)	#6 Fuel Oil (mg/L)	Ammonia Nitrogen Total (mg/L)	Carbon, Total Organic (mg/L)	Gasoline (mg/L)	Kerosene (mg/L)	Nitrate + Nitrite Nitrogen (mg/L)	Nitrogen, Nitrate (mg/L)	Oil and Grease (mg/L)	Phosphorus, Phosphate (mg/L)	Solids, Total Dissolved (mg/L)	Solids, Total Suspended (mg/L)	Sulfate (mg/L)	Total Chloride (mg/L)	Dissolved Mercury (ug/L)	Total Mercury (ug/L)	TPH as Mineral Spirits (ug/L)	Sodium (ug/L)	Arsenic (ug/L)	Barium (ug/L)	Chromium (ug/L)	Chromium, Total (ug/L)	Iron (ug/L)
01/18/2010			0.23				1.7							83									
1/18/2010 Duplicate			0.13				3.9 V							79									
07/15/2010			0.24				1.6							180		0.49	13,000						
01/25/2011			0.12				3.1							200									
07/20/2011			0.042				1.8							84		0.86	17,000						
01/18/2012			0.28				2.3							230									
07/10/2012			0.18				1.2							150		0.8	6,100						
7/10/2012 Duplicate			0.17				1.2							200		0.82	2,800						
01/07/2013			<0.030				3.9							72									
07/08/2013			<0.040				1.6							61		0.29	6,400						
07/16/2014								1.5							<0.016		4,500						
07/08/2015								2.1							<0.050		4,600						
07/07/2016								1.6							0.063		2,400						
7/7/2016 Duplicate								1.6							0.065		2,900						
07/13/2017								0.96							<0.020		3,200						
7/13/2017 Duplicate								2.6							<0.020		3,000						
07/12/2018								3.4							0.037		2700 Q						
7/12/2018 Duplicate								1.3							0.03		2400 Q						
07/11/2019								1.8							<0.020		500						
7/11/2019 Duplicate								1.9							<0.020		520						
07/14/2020								1.4							<0.020		640						
7/14/2020 Duplicate								1.4							<0.020		1,100						
07/13/2021								1.7							<0.020		4,000						
7/13/2021 Duplicate								1.7							<0.020		2,900						
07/12/2022								3.6							0.020		2,600						
7/12/2022 Duplicate								5							0.048		2,500						
07/11/2023								3.1							<0.020		3,000						
7/11/2023 Duplicate								4.1							0.026		2,100						
07/09/2024								3.3							<0.020		590						
7/9/2024 Duplicate								3.9							<0.020		940						

Water Quality Indicators - Historical Data
WAULECO, INC - Wausau Facility
Well - W03A

Date	#2 Fuel Oil	Ammonia Nitrogen Total	Nitrate	Nitrate + Nitrite Nitrogen	Total Chloride	Dissolved Mercury	Total Mercury	TPH as Mineral Spirits	Total Sulfate	Total Organic Carbon	Dissolved Iron	Dissolved Manganese
	(mg/L)	(mg/L)	(mg/L)	(mg/L)	(mg/L)	(ug/L)	(ug/L)	(ug/L)	(mg/L)	(mg/L)	(mg/L)	(ug/L)
01/18/2010		<0.030		<0.12 V	160							
07/15/2010		<0.050		<0.30 V	560		0.97	45,000 MY				
01/24/2011		<0.050		<0.060	35							
07/20/2011		0.031		<0.18	35		0.64	10,000				
01/18/2012		<0.17		<0.18	17							
1/18/2012												
Duplicate		<0.17		<0.18	17							
07/10/2012		<0.030		<0.030	170		0.58	5,900				
01/07/2013		<0.030		<0.040	19							
07/05/2013		<0.040		<0.080	280		0.3	7,900				
01/21/2014			0.19									
07/09/2014			0.13			<0.016		4,600				
7/9/2014												
Duplicate			0.13			<0.016		4,800				
01/19/2015			<0.040									
07/08/2015			<0.040			<0.050		9,700				
7/8/2015												
Duplicate			<0.040			<0.050		11,000				
01/19/2016			<0.040									
07/07/2016			<0.040			0.046		2,900				
01/19/2017			<0.040									
07/17/2017			<0.040			<0.020		3,400	3.1	4.6	2840	4920
01/11/2018			<0.040					5,000	1.7	6.9	1290	1150
07/18/2018			<0.12			<0.020		4,400	220	6.8	7450	12800 M
01/24/2019			<0.12					5,000	4.3	4.6	1460	800
07/11/2019			<0.12			<0.020		9,300	1.1	4.6 Y	7100	13200
01/13/2020			<0.12					31,000	1.4	5.3	1630	915
07/08/2020			0.33			<0.020		27,000	2.1	6.5	4590	3900
01/12/2021			<0.12					3,300	2.2	3.3	1180	1020
07/13/2021			<0.12			<0.020		16,000	2.5	7.1	1880	1540
7/13/2021												
Duplicate			<0.12			<0.020		23,000	2	6.9	2070	1730
01/17/2022			<0.12					2,300	1.9	5.6	911	708
07/11/2022			<0.12			<0.020		11,000	19	4.8	5280 M	6970 M
01/11/2023			<0.12					1,800	3.6	4.6	1530	894
07/10/2023			<0.12			<0.020		28,000	17	6.2	4340	3470
01/09/2024			<0.12					9,400	4.1	5	1120	640
07/09/2024			<0.12			<0.020		6,500	4.3	8.2	1870	1340

Water Quality Indicators - Historical Data
WAULECO, INC - Wausau Facility
Well - W03B

Date	#2 Fuel Oil (mg/L)	#6 Fuel Oil (mg/L)	Ammonia Nitrogen Total (mg/L)	Gasoline (mg/L)	Kerosene (mg/L)	Nitrate + Nitrite Nitrogen (mg/L)	Nitrogen, Nitrate (mg/L)	Phosphorus, Phosphate (mg/L)	Total Chloride (mg/L)	Dissolved Mercury (ug/L)	Total Mercury (ug/L)	TPH as Mineral Spirits (ug/L)	Sodium (ug/L)	Arsenic (ug/L)
06/17/1991							4.2	<1	18			6000		<1
02/22/1992							4.62		16.5			1000		
09/17/1992			<1				4.59	<1	12.2			1100	<5000	
12/18/1992			<1				3.58		13.4			3000	5970	
03/23/1993			<0.1			3.75			14			<500	4900	
06/29/1993			0.33			3.47			18			<1000		
12/28/1993			<0.2			3.88			14			<1000		
06/22/1994			<0.1			4.23			15			<1000		
07/06/1995	<0.25		0.2	<0.25	<0.25	3.66			14			<250		
07/10/1996	<0.25	<1	<0.1	<0.25	<0.25	3.96			14			<250		
07/11/1997			<0.1			3.93			14			<260		
06/24/1998			<0.1			3.48			16.9		<0.2	<250		
06/09/1999			0.12			3.82			15.7			<100		
07/18/2000			<0.02			3.72			20.4		<0.16	<500		
01/31/2001			<0.02			3.87			18.3		<0.12	<500		
07/11/2001			<0.020			3.6			18		<0.14	<500		
08/06/2002			<0.020			4.400			23		<0.070	<500		
07/24/2003			<0.011			3.3			21		<0.070	<27		
07/13/2004			<0.030			4.09			20.8		0.13 J	<27		
07/20/2005			<0.030			3.7			29		<0.090	<27		
07/18/2006			<0.023			2.8			29		<0.060	<510		
07/11/2007			<0.021			2.6			27		<0.080	<27		
07/23/2008			<0.080			3.2			43		<0.050	78		
07/06/2009			0.31			0.74			42		<0.040	<27		
07/15/2010			<0.050			2.5			100		<0.040	430		
07/18/2011			<0.022			2.2			52		<0.030	300		
07/06/2012			<0.030			3.4			57		0.020	50		
07/01/2013			<0.040			2			140		<0.016	110		
07/09/2014							3			<0.016		<27		
07/07/2015							3.3			<0.050		45		
07/05/2016							3.9			0.090		<33		
07/13/2017							2.9			<0.020		57		
07/11/2018							3.4			0.062 M		<31		
07/09/2019							3.1			<0.020		<33		
07/07/2020							3			<0.020		<34		
07/08/2021							3.4			<0.020		<34 Q		
07/11/2022							3.3			<0.020		<32		
07/06/2023							3.5			<0.020		<32		
07/08/2024							2.4			<0.020		<33		

Water Quality Indicators - Historical Data
WAULECO, INC - Wausau Facility
Well - W06R

Date	Ammonia Nitrogen Total (mg/L)	Nitrate (mg/L)	Nitrate + Nitrite Nitrogen (mg/L)	Total Chloride (mg/L)	Dissolved Mercury (ug/L)	Total Mercury (ug/L)	TPH as Mineral Spirits (mg/L)	Total Sulfate (mg/L)	Total Organic Carbon (mg/L)	Dissolved Iron (mg/L)	Dissolved Manganese (ug/L)
07/24/2003	0.018		0.49	47		1.6	140,000				
07/23/2008	0.26		1.4	170		1.6	120,000				
7/23/2008 Duplicate	0.24		1.7	170		0.54	130,000				
01/19/2010	0.096		0.59	140							
07/14/2010	0.23		9.5	96		0.37	69,000				
01/25/2011	0.11		1.7	210							
1/25/2011 Duplicate	0.18		1.4	170							
07/25/2011	<0.022		0.65	86		1.6 Y	10,000				
01/18/2012	0.35		1.6	200							
07/09/2012	0.087		1.3 M	76		0.22	3,900				
01/07/2013	0.068		1.2	77							
07/08/2013	0.14		4.8	52		0.21	14,000				
7/8/2013 Duplicate	0.12		3.9	54		0.24	13,000				
01/21/2014		1.2									
1/21/2014 Duplicate		1.2									
07/09/2014		7.6			<0.016		2,500				
01/19/2015		3									
07/09/2015		3.9			<0.050		3,200				
7/9/2015 Duplicate		3.6			<0.050		2,800				
01/19/2016		3.4									
1/19/2016 Duplicate		3									
07/12/2016		4.6			0.15		400				
01/16/2017		0.8									
07/18/2017		4.9			<0.020		50	83	8.7	<59	12
01/11/2018		1.3					1,900	46 M	7.8	<59	92
07/12/2018		2.7			0.034		97 Q	54 M	3.8	<59	67.7
01/24/2019		0.68					570	30	6	<59	167
07/11/2019		3.2			<0.020		370	50	7.4	<59	652
01/13/2020		0.22					2,900	16	8.6	<59	1010
07/08/2020		3			<0.020		110	35	4.9	<59	53.7
01/07/2021		0.14					4,800	11	15	48	1120 M
07/13/2021		0.98			<0.020		590	38	6.3	<36	219
01/13/2022		0.53					2,100	21	11	67.6	1140
07/12/2022		2.5			<0.020		250	33	3.9	<27	474
01/17/2023		0.59					3,000	20	9.5	<27	1340
07/11/2023		2			<0.020		370	38	3.1	<25	442
7/11/2023 Duplicate		1.7			<0.020		460	32	3.4	<25	359
01/09/2024		0.25					2,300	15	6.9	<25	1080
07/10/2024		4.8			<0.020		32	33	2.6	<25	47.1

Water Quality Indicators - Historical Data
WAULECO, INC - Wausau Facility
Well - W08

Date	#2 Fuel Oil	#6 Fuel Oil	Alkalinity, Bicarbonate	Ammonia Nitrogen Total	Carbon, Total Organic	Gasoline	Kerosene	Nitrate	Nitrate + Nitrite Nitrogen	Nitrogen, Nitrate	Oil and Grease	Phosphorus, Phosphate	Sulfate	Total Chloride	Dissolved Mercury	Total Mercury	TPH as Mineral Spirits	Sodium	Arsenic	Barium	Chromium	Chromium, Total	Dissolved Iron	Iron	Calcium	Magnesium	Dissolved Manganese	Potassium
	(mg/L)	(mg/L)	(mg/L)	(mg/L)	(mg/L)	(mg/L)	(mg/L)	(mg/L)	(mg/L)	(mg/L)	(mg/L)	(mg/L)	(mg/L)	(mg/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)
01/08/1987					6.28					<0.02	<5		22.7	33					<10	382.5	<10	96		250				
06/04/1987					2.74					2.18	<5		<10	28.1					<10	<200	<10			130				
09/03/1987					2.9					0.99	18.5		26	24					<10	<200	<10							
12/03/1987					3.52					0.54	<6		30.1	17.2					<10	<200	<10							
03/03/1988					2.44					0.73	<6		20.7	25.7														
04/07/1988					4.7					1.1	7.38		31.5	25.5					<10	<200	<10							
08/10/1988					3.3				220	0.49	<6		79.1	18.2					<10	<200	<10							
11/15/1988					3.59					0.57	9.22		13	23					<10	<200	<10							
01/26/1989					1.93					0.51	<6		<10	21.5														
04/27/1989					2.82					0.63	8.77		20.7	19					<10	<200	<10							
07/27/1989					50.4					1.01	<6		25.5	20.8					<10	<200	<10							
10/26/1989					3.06					0.59	<6		21.5	18					<10	<200	<10							
01/25/1990					2.99					0.5	<6		24.3	16.4					<10	<200	<10							
05/03/1990					2.58					0.35	<6		20.5	16					<10	<200	<10							
09/20/1990					2.69					0.3	<5		<10	19.5					<10	<200	<10							
12/11/1990					5.52					0.58	<6		14.6	17.5					<10	<200	<10							
01/29/1991					4.12					0.74	<6		16.3	19.7					<10	<200	<10							
05/01/1991					5.96					0.58	<6		10.6	14.4					<10	<200	<10							
10/08/1991					2.94					0.86	<6		21.8	48.6					<10	<200	<10				38600	10500		<5000
10/29/1991			79.4										18	42.6				13500		<200					25400	6970		
12/22/1991			54.5										17.2	31.7				10800		<200								
02/20/1992										2.87				33.7														
06/14/1992										2.66				73			<500											
09/17/1992				<1						2.98		1.53		58			<500	15700										
12/19/1992				<1						2.38				59.8			2000	16000										
03/23/1993				0.2					5.06					60			<500	15300										
06/28/1993				0.18					1.85					66			<1000											
12/27/1993				<0.2					2.58					62			<1000											
04/25/1994				0.1					2.72					74														
06/21/1994				<0.1					2.41					72			<1000											
10/04/1994				<0.1					0.44					56														
01/05/1995				<0.1					2.44					60														
03/09/1995				<0.1					2.52					82														
07/06/1995	<0.25			0.13	<0.25	<0.25			2.53					76			<250											
09/13/1995				<0.1					2.18					73														
12/18/1995				<0.1					1.8					61														
03/20/1996				0.12					3.22					59														
07/08/1996	<0.25	<1		<0.1	<0.25	<0.25			2.18					71			<250											
09/25/1996				<0.1					2.02					46														
01/21/1997				<0.1					2.85					70														
07/11/1997				<0.1					3.62					75.6			<250											
01/02/1998				<0.1					3					74.4														
06/23/1998				<0.1					3.04					84.7		<0.2	<250											
01/26/1999				<0.1					3.18					101		<0.2												
06/07/1999				<0.1					3.16					73.4			<100											
01/11/2000				<0.1					3.45					122		<0.16												
07/17/2000				<0.02					2.77					174		<0.16	<500											
01/30/2001				<0.02					3.71					148		<0.12	<500											
07/10/2001				<0.02					3.20					72		<0.14	<500											
01/15/2002				<0.020					4.50					260														
08/05/2002				<0.020					4.00					100		<0.070	<500											

Water Quality Indicators - Historical Data
WAULECO, INC - Wausau Facility
Well - W08

Date	#2 Fuel Oil	#6 Fuel Oil	Alkalinity, Bicarbonate	Ammonia Nitrogen Total	Carbon, Total Organic	Gasoline	Kerosene	Nitrate	Nitrate + Nitrite Nitrogen	Nitrogen, Nitrate	Oil and Grease	Phosphorus, Phosphate	Sulfate	Total Chloride	Dissolved Mercury	Total Mercury	TPH as Mineral Spirits	Sodium	Arsenic	Barium	Chromium	Chromium, Total	Dissolved Iron	Iron	Calcium	Magnesium	Dissolved Manganese	Potassium
	(mg/L)	(mg/L)	(mg/L)	(mg/L)	(mg/L)	(mg/L)	(mg/L)	(mg/L)	(mg/L)	(mg/L)	(mg/L)	(mg/L)	(mg/L)	(mg/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)
01/14/2003				<0.070					5.60					98														
07/22/2003				0.015					3.90					89		<0.070	<27											
01/20/2004				<0.03					4.80					150														
07/12/2004				<0.030					4.34					76.8		<0.11	30 J											
01/19/2005				<0.030					6.90					130														
07/19/2005				<0.030					5.4					110		<0.090	42											
01/17/2006				<0.023					5.88					99.6														
07/18/2006				<0.023					6.10					60		<0.060	<660											
01/23/2007				<0.023					6.70					100														
07/09/2007				<0.021					5.50					96		<0.080	<31											
01/28/2008				<0.021					6.4 Q					100														
07/22/2008				<0.080					4.20					89		<0.050	77											
01/20/2009				<0.080					7.50					120														
07/06/2009				<0.030					6.00					92		<0.040	<26											
01/18/2010				<0.030					<0.12					130														
07/13/2010				<0.050					6.20					120		<0.040	<26											
01/25/2011				<0.050					4.50					120														
07/18/2011				<0.022					3.90					98		0.050	<27											
01/17/2012				<0.17					6.70					120														
07/06/2012				<0.030					5.00					87		0.030	<27											
01/04/2013				<0.030					4.60					82														
07/01/2013				<0.040					3.40					88		<0.016	<26											
01/22/2014					0.75					5.1			26				<27						<5.0			<0.5		
07/07/2014					0.9					3.1			22		<0.016		<27						12.5			<1.6		
01/15/2015					1.2					3.5			18				<27 M						<10			<1.6		
07/06/2015					2.2					4			20		<0.050		<27						<10			<1.6		
01/13/2016					1					5.5			22				<27						135			<1.6		
07/05/2016					0.86					3.5			18		0.030		<34						32.1			<1.6		
01/16/2017					1.6					4.1			23				<33						<59			<2.2		
07/10/2017					0.90					3			18		<0.020		<43						<59			<2.2		
01/10/2018					0.82					4.6			26				<33						<59			<2.2		
07/10/2018					0.43					4.2			16		<0.020		<31						<59			<2.2		
01/22/2019					1.30					3.5			15				<32						<59			<2.2		
07/08/2019					1.30					3			16		<0.020		<32						<59			<2.2		
01/09/2020					2.80					4.3			15				80 B						<59			<2.2		
07/06/2020					1.50					3.7			18		<0.020		<37 Q						<59			<2.2		
01/07/2021					0.77					4.6			20				<34						<36			<1.4		
07/06/2021					<0.4					4.5			20		<0.020		<35						<36			<1.4		
01/11/2022					1.90					5			20				<31						<27			4.8		
07/05/2022					1.50					4.6			16		<0.020		<32						38.2			1.4		
01/09/2023					0.87					5.1			22				<34						<27			<1.2		
07/05/2023					1.80					3.9 H			15		<0.020		<32						43.2			<2.4		
01/03/2024					0.98					5.2			21				<33						<25			<2.4		
07/02/2024					0.73					4.9			14		<0.020		<33						<25			<2.4		

Water Quality Indicators - Historical Data
WAULECO, INC - Wausau Facility
Well - W09

Date	#2 Fuel Oil (mg/L)	#6 Fuel Oil (mg/L)	Alkalinity, Bicarbonate (mg/L)	Alkalinity, Total (mg/L)	Ammonia Nitrogen Total (mg/L)	Carbon, Total Organic (mg/L)	Gasoline (mg/L)	Kerosene (mg/L)	Nitrate + Nitrite Nitrogen (mg/L)	Nitrogen, Nitrate (mg/L)	Oil and Grease (mg/L)	Phosphorus, Phosphate (mg/L)	Solids, Total Dissolved (mg/L)	Solids, Total Suspended (mg/L)	Sulfate (mg/L)	Total Chloride (mg/L)	Dissolved Mercury (ug/L)	Total Mercury (ug/L)	TPH as Mineral Sprits (ug/L)	Sodium (ug/L)	Arsenic (ug/L)	Barium (ug/L)	Chromium (ug/L)	Iron (ug/L)	Calcium (ug/L)	Magnesium (ug/L)	Potassium (ug/L)
06/04/1987						19.4				0.22	8.15		455	8790	<10	117					<10	<200	<10	3980			
09/03/1987						7.47				0.04	11.2		381	860	<10	71.9					<10	<200	<10				
12/03/1987						8.63				<0.02	<6		312	407	22	40						<200	<10				
03/02/1988						8.33				0.08	13.4		336	1260	13.8	51.4						<200	<10				
04/07/1988						7.3				0.13	<5		272	812	17.3	48					<10	<200	<10				
08/10/1988						10.6				0.02	9.35		163	6430	29.9	45.6					<10	<200	<10				
11/15/1988						8.68				0.05	<6		1330	128	<10	35					<10	<200	<10				
01/26/1989						6.83				0.03	6.47		310	294	<10	39.1											
04/27/1989						6.79				0.09	6.92		338	987	10.9	55					<10	<200	<10				
07/27/1989						31.8				0.12	<6		358	962	12.3	44.7					<10	<200	<10				
10/26/1989						8.25				0.2	<5		344	960	10	45.6					<10	<200	<10				
01/25/1990						7.84				0.07	<6		333	579	<10	58.8					<10	<200	<10				
05/03/1990						15.9				0.02	<6		366	291	<10	71					<10	<200	<10				
09/20/1990						12.1				0.04	<5		346	490	<10	32.5					<10	<200	<10				
12/11/1990						5.91				0.06	<6		416	336	12.1	98.4					<10	<200	<10				
01/29/1991						8.42				0.04	<6		493	467	11.2	153					<10	<200	<10				
05/01/1991						9.83				0.65	<6		527	454	13.1	144					<10	257	<10				
10/08/1991						70.8				0.44	<6		526	1260	<10	142					<10	<200	<10				
10/29/1991			209	209								1.25			11.5	172				90,300	211	<200	<10		67,600	17,600	<5000
12/22/1991			223	223								2.69			<10	118				83,800		<200	<10		50,000	13,100	<5000
06/18/1992					1.36					<0.02						82.6			<500								
12/17/1992					<1					0.063						39.3			3,000	76,400							
06/28/1993					0.27				0.5							40			<1000								
12/28/1993					0.83				0.08							135			<1000								
06/22/1994					0.58				0.23							67			<1000								
07/05/1995	<0.25				0.91		<0.25	<0.25	<0.02	0.1						204			<250								
07/09/1996	<0.25	<1			0.4		<0.25	<0.25	<0.02							67			290								
07/11/1997					0.3				0.16							37.1			<270								
06/24/1998					0.16				<0.14							64		2.5	<250								
06/07/1999					0.39				<0.14							48.2			<100								
07/18/2000					0.08				<0.08							21.9		0.96	<500								
01/30/2001					0.190				<0.08							29.0		1.1	<500								
07/10/2001					0.280				<0.18							31.0		<0.14	<500								
07/23/2003					0.460				<0.13							45.0		0.42	150								
07/12/2004					0.40				<0.13							49.5		0.53	270								
07/18/2005					0.36				<0.10							68		0.92	2,400								
07/18/2006					0.24				220							60		1.0	1,500								
07/10/2007					0.25				0.33							46		2.6	56								
07/23/2008					0.26				<0.12							43		1.1	110								
07/07/2009					0.26				0.48							110		0.22	3,300								
07/13/2010					0.37				0.19 V							180		0.43	1,900								
07/18/2011					0.32				<0.18							370		0.34	2,800								
07/19/2012					0.36				<0.030							480		4.50	2,100								
07/02/2013					0.36				<0.080							280		3.10	560								
07/10/2014									0.16								0.020 B		570								
07/07/2015									<0.040								<0.050		2,100								
07/06/2016									<0.040								0.059		51								
07/11/2017									0.11								<0.020		<38								
07/18/2018									<0.12								<0.020		110								
07/09/2019									<0.12								<0.020		<32								
07/07/2020									0.62								<0.020		<34								
07/12/2021									0.13								<0.020		59 Q								
07/06/2022									<0.12								<0.020		150								
07/06/2023									<0.12								<0.020		78								
07/02/2024									0.21								<0.020		<32								

Water Quality Indicators - Historical Data
WAULECO, INC - Wausau Facility
Well - W10A

Date	#2 Fuel Oil (mg/L)	#6 Fuel Oil (mg/L)	Ammonia Nitrogen Total (mg/L)	Carbon, Total Organic (mg/L)	Gasoline (mg/L)	Kerosene (mg/L)	Nitrate + Nitrite Nitrogen (mg/L)	Nitrogen, Nitrate (mg/L)	Oil and Grease (mg/L)	Phosphorus, Phosphate (mg/L)	Solids, Total Dissolved (mg/L)	Solids, Total Suspended (mg/L)	Sulfate (mg/L)	Total Chloride (mg/L)	Dissolved Mercury (ug/L)	Total Mercury (ug/L)	TPH as Mineral Spirits (ug/L)	Sodium (ug/L)	Arsenic (ug/L)	Barium (ug/L)	Chromium (ug/L)	Chromium, Total (ug/L)	Dissolved Iron (ug/L)	Iron (ug/L)	Dissolved Manganese (ug/L)
01/08/1987				16.2				<0.02	10.5		374	5875	30.4	68					154	1920.5	<10	994		290	
06/04/1987				16.9				<0.02	21.5		328	6360	31.2	74.4					<10	<200	<10			4330	
09/03/1987				7.62				<0.02	35.2		236	7970	24.4	46.9					<10	<200	<10				
12/03/1987				7.21				0.02	8.88		224	1100	38.2	5.07											
03/03/1988				11.2				<0.02	10.5		280	2800	27.6	64.7					<10	<200	<10				
04/07/1988				10.9				0.13	13.7		270	1900	26.2	59.2					<10	<200	<10				
08/10/1988				15.2				<0.02	13.3		153	5930	34.8	58.8					<10	<200	<10				
11/15/1988				15.2				<0.02	21.7		283	153	<10	66					<10	<200	<10				
01/26/1989				13.9				<0.02	18.6		305	399	17	51.8											
04/27/1989				12.3				<0.02	9.5		303	1720	26.7	48					<10	<200	<10				
07/27/1989				68.4				<0.02	15.3		315	2020	32.8	57.6					<10	<200	<10				
10/26/1989				11.2				<0.02	19.3		332	1150	37.4	57					<10	<200	<10				
01/25/1990				17.3				<0.02	15.4		288	1740	36.4	65.6					<10	<200	<10				
05/03/1990				13.1				0.03	19.3		257	214	27.9	55					<10	<200	<10				
09/20/1990				8.34				<0.02	13.7		367	804	23.3	96.8					<10	<200	<10				
12/11/1990				13.4				<0.02	<6		292	684	30.9	66.1					<10	<200	<10				
01/29/1991				14.2				<0.02	18		283	863	26.1	69.1					<10	<200	<10				
05/01/1991				13.8				0.03	10.8		286	1170	23.6	68.3					<10	<200	<10				
10/08/1991				12.5				0.41	14.9		361		25.7	77.4					<10	<200	<10				
07/08/1992			<1					0.22		2.74				124			<500								
12/18/1992			<1					0.096						67			1,000	28,000							
06/30/1993			0.16				<0.02							53			1,200								
12/28/1993			<0.2				0.02							58			<1000								
06/22/1994			0.13				0.03							45			1,400								
07/06/1995	<0.25		0.38		<0.25	<0.25	<0.02							49			2,800								
07/09/1996	<0.25	<1	<0.1		<0.25	<0.25	<0.02							47			2,400								
07/11/1997			<0.1				<0.14							32.5			<260								
06/24/1998			<0.1				<0.14							59.9		0.5	3,300								
06/08/1999			<0.1				<0.14							80			<1000								
07/17/2000			<0.02				<0.08							77.7		0.55	2,900								
01/30/2001			<0.02				<0.08							80.8		<0.12	3,000								
07/10/2001			<0.02				0.30							51		<0.14	2,200								
08/06/2002			<0.020				<0.18							70		0.15	3,000								
07/23/2003			0.041				<0.13							57		0.38	3,600								
07/14/2004			<0.030				<0.13							47.9		0.36	3,500								
07/20/2005			<0.030				<0.10							40		0.15	5300M								
07/19/2006			<0.023				<0.13							48		0.12	4000 Q								
07/09/2007			<0.021				<0.19							160		0.14	3900 Q								
07/23/2008			0.094				<0.12							180		0.17	2,600								
7/23/2008 Duplicate			0.19				0.35							180		0.15	2,800								
07/06/2009			0.052				<0.12		220					92		0.13	4,600								
7/6/2009 Duplicate			0.6				<0.12							94		0.12	3,400								
07/15/2010			<0.050				<0.30 V							120		0.05	6,400								
07/25/2011			<0.022				<0.18							86		0.42	3,900								
7/25/2011 Duplicate			<0.022				<0.18							89		0.42	4,200								

Water Quality Indicators - Historical Data
WAULECO, INC - Wausau Facility
Well - W10A

Date	#2 Fuel Oil (mg/L)	#6 Fuel Oil (mg/L)	Ammonia Nitrogen Total (mg/L)	Carbon, Total Organic (mg/L)	Gasoline (mg/L)	Kerosene (mg/L)	Nitrate + Nitrite Nitrogen (mg/L)	Nitrogen, Nitrate (mg/L)	Oil and Grease (mg/L)	Phosphorus, Phosphate (mg/L)	Solids, Total Dissolved (mg/L)	Solids, Total Suspended (mg/L)	Sulfate (mg/L)	Total Chloride (mg/L)	Dissolved Mercury (ug/L)	Total Mercury (ug/L)	TPH as Mineral Spirits (ug/L)	Sodium (ug/L)	Arsenic (ug/L)	Barium (ug/L)	Chromium (ug/L)	Chromium, Total (ug/L)	Dissolved Iron (ug/L)	Iron (ug/L)	Dissolved Manganese (ug/L)
01/23/2012			<0.060				<0.18							62											
07/09/2012			<0.030				<0.030							59		0.45 B	3,900								
7/9/2012 Duplicate			<0.030				<0.030							65		0.40 B	4,800								
07/05/2013			<0.040				0.082							71		0.11	4,900								
7/5/2013 Duplicate			<0.040				<0.080							73		0.040	4,600								
01/24/2014				5									14				3,600						1,110		3,460
1/24/2014 Duplicate				5.1									14				4,300						1,130		3,510
07/10/2014				5.8				0.14					16		<0.016 Y		3,500						1,030		2,570 M
01/16/2015				5									13				2,200						1,140		2,510
1/16/2015 Duplicate				5.4									13				2,500						1,100		2,500
07/09/2015				7.9				<0.040					10		<0.050		3,300						944		3,050
7/09/2015 Duplicate				8				<0.040					10		<0.050		3,100						985		3,030
01/14/2016				6.3									11				1,000						876		2,150
1/14/2016 Duplicate				6.2									11				950						911		2,150
07/12/2016				7.3				<0.040					12		0.19		950						1,070		2,390
7/12/2016 Duplicate				6.5				<0.040					11		0.18		970						1,070		2,390
01/19/2017				7.6									15				1,500						981		1,970
1/19/2017 Duplicate				7.2									15				1,400						974		1,950
07/18/2017				9.4				<0.040					9.6		<0.020		1,700						1,030		3,050
7/18/2017 Duplicate				8.7				0.056					10		<0.020		1,800						1,040		3,080
01/11/2018				6.1									9.4				640						1,520		2,790
1/11/2018 Duplicate				6.1									9.4				660						1,530		2,840
07/18/2018				7				<0.12					9.6		<0.020		1,600						1,350		3,550
7/18/2018 Duplicate				6.3				<0.12					11		0.024		1,300						1,330		3,340
01/24/2019				6.9									8.4				1,100						1,460		3,240
1/24/2019 Duplicate				7									8.7				910						1,300		3,240
07/15/2019				7				<0.12					7.2		<0.020		870						1,370		3,000
7/15/2019 Duplicate				7.1				<0.12					7.3		<0.020		820						1,390		3,870
01/14/2020				4.5									5.2				1,000						2,060		3,850
1/14/2020 Duplicate				3.3									4.6				1000 B						1,940		3,690
07/13/2020				6.3				0.25					4.1		<0.020		1,900						1,860		4190 M
7/13/2020 Duplicate				5.6				<0.12					5.3		<0.020		1,900						1,900		4,240

Water Quality Indicators - Historical Data
WAULECO, INC - Wausau Facility
Well - W10A

Date	#2 Fuel Oil	#6 Fuel Oil	Ammonia Nitrogen Total	Carbon, Total Organic	Gasoline	Kerosene	Nitrate + Nitrite Nitrogen	Nitrogen, Nitrate	Oil and Grease	Phosphorus, Phosphate	Solids, Total Dissolved	Solids, Total Suspended	Sulfate	Total Chloride	Dissolved Mercury	Total Mercury	TPH as Mineral Spirits	Sodium	Arsenic	Barium	Chromium	Chromium, Total	Dissolved Iron	Iron	Dissolved Manganese
	(mg/L)	(mg/L)	(mg/L)	(mg/L)	(mg/L)	(mg/L)	(mg/L)	(mg/L)	(mg/L)	(mg/L)	(mg/L)	(mg/L)	(mg/L)	(mg/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)
01/12/2021				4									6.1				160						1,760		2,770
1/12/2021				3.8									6.1				220						1,740		2,750
Duplicate				7.6				<0.12					4		0.025		1,500						2,100		3,790
07/13/2021																									
7/13/2021				5.7				<0.12					3.8		<0.020		1,700						2,100		3,840
Duplicate																									
01/17/2022				5.1									4.8				370						2,160		3,150
1/17/2022				4.6									4.8				380						2,080		3,140
Duplicate				8.2				<0.12					5.9		<0.020		1,400						2,160		4,090
07/11/2022																									
7/11/2022				7.3				<0.12					6.7		<0.020		1,300						2,160		4,130
Duplicate																									
01/10/2023				6.1									4.6				640						2,580		3,670
1/10/2023				5.9									4.8				620						2,570		3,660
Duplicate				5.9				<0.12					6.4		<0.020		1,300						2,750		3,700
07/10/2023																									
7/10/2023				6.5				<0.12					6.5		<0.020		1,400						3,140		3,660
Duplicate																									
01/08/2024				5.5									4.4				990						3,110		4,320
1/8/2024																									
Duplicate				5.2									4.4				970						3,040		4,300
07/08/2024				6.3				<0.12					4.5		0.1		1,200						3,310		3,990
7/8/2024																									
Duplicate				5.9				<0.12					4.3		<0.020		1,400						2,240		3,930

Water Quality Indicators - Historical Data
WAULECO, INC - Wausau Facility
Well - W10B

Date	#2 Fuel Oil (mg/L)	#6 Fuel Oil (mg/L)	Ammonia Nitrogen Total (mg/L)	Gasoline (mg/L)	Kerosene (mg/L)	Nitrate + Nitrite Nitrogen (mg/L)	Nitrogen, Nitrate (mg/L)	Phosphorus, Phosphate (mg/L)	Total Chloride (mg/L)	Dissolved Mercury (ug/L)	Total Mercury (ug/L)	TPH as Mineral Spirits (ug/L)	Sodium (ug/L)
07/08/1992			<1				0.191	0.279	37			<500	6680
12/18/1992			<1				0.427		3.57			600	6680
06/29/1993			<0.1			0.37			3			<1000	
12/28/1993			<0.2			0.36			<2			<1000	
06/22/1994			0.16			0.42			<2			<1000	
07/06/1995	<0.25		0.3	<0.25	<0.25	0.33			<2			<250	
07/09/1996	<0.25	<1	<0.1	<0.25	<0.25	0.43			<2			<250	
07/11/1997			<0.1			0.36			2.34			<0.27	
06/24/1998			<0.1			0.35			1.05		<0.2	<250	
06/08/1999			<0.1			0.37			1.16			<100	
07/17/2000			<0.02			0.28			1.85		<0.16	<500	
01/30/2001			<0.02			0.33			1.15		<0.12	<500	
07/10/2001			<0.020			0.37			1.2		<0.14	<500	
08/06/2002			<0.020			1.3			9.7		<0.070	<500	
07/23/2003			<0.011			0.38			3.2		<0.070	<28	
07/14/2004			<0.030			0.750			4.46		<0.11	<27 Q	
07/14/2004			<0.030			0.750			3.42		<0.11	110 Q	
07/20/2005			<0.030			0.610			2.1		<0.090	<27	
7/20/2005 Duplicate			<0.030			0.540			2.2		<0.090	<27	
07/19/2006			<0.023			0.910			2.6		<0.060	<520	
07/09/2007			<0.021			0.420			1.5		<0.080	<26	
07/23/2008			<0.080			0.670			8.8		<0.050	83	
07/06/2009			<0.030			0.280			4.3		<0.040	<27	
07/15/2010			<0.050			0.810			2.5		<0.040	47	
07/20/2011			<0.022			0.510			6.3		<0.030	190	
01/23/2012			<0.060			0.370			3				
07/06/2012			<0.030			0.420			3.5		<0.016	98	
07/05/2013			<0.040			0.380			6.2		<0.016	81	
07/08/2014							0.5			<0.016		<27	
07/07/2015							0.58			<0.050		<27	
07/07/2016							0.6			0.051		<34	
07/17/2017							0.62			<0.020		52	
07/11/2018							0.56			<0.020		<32	
07/15/2019							0.51			<0.020		<33	
07/13/2020							0.63			<0.020		<34	
07/07/2021							0.5			<0.020		<34	
07/06/2022							0.26			<0.020		100	
07/06/2023							0.36			<0.020		44	
07/08/2024							0.36			<0.020		47	

Water Quality Indicators - Historical Data
WAULECO, INC - Wausau Facility
Well - W11

Date	#2 Fuel Oil	#6 Fuel Oil	Ammonia Nitrogen Total	Carbon, Total Organic	Gasoline	Kerosene	Nitrate + Nitrite Nitrogen	Nitrogen, Nitrate	Oil and Grease	Phosphorus, Phosphate	Solids, Total Dissolved	Solids, Total Suspended	Sulfate	Total Chloride	Dissolved Mercury	Total Mercury	TPH as Mineral Spirits	Sodium	Arsenic	Barium	Chromium	Chromium, Total	Dissolved Iron	Iron	Dissolved Manganese
	(mg/L)	(mg/L)	(mg/L)	(mg/L)	(mg/L)	(mg/L)	(mg/L)	(mg/L)	(mg/L)	(mg/L)	(mg/L)	(mg/L)	(mg/L)	(mg/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)
01/08/1987				7.62				2.32	<5		404	2192	23.6	71.9					48.7	936.5	<10	275		<100	
06/04/1987				4.19				2.17	10.2		300	1430	<10	49.8					<10	<200	<10			160	
09/03/1987				5.23				3.04	26.1		253	500	21.8	30.2					<10	<200	<10				
12/03/1987				2.45				2.24	8.31		222	470	26.4	21.7											
03/03/1988				4.55				1.16	<6		267	624	16.2	45.2											
04/07/1988				4.04				1.55	9.97		224	592	14.9	42.9					<10	<200	<10				
08/10/1988				3.87				1.09	19.8		153	3680	31.8	64.1					<10	<200	<10				
11/15/1988				2.54				1.42	6.62		403	424	<10	58					<10	<200	<10				
01/26/1989				4.27				1.55	<6		263	521	<10	45.7											
04/27/1989				12.3				2.14	<6		303	838	14.3	67					<10	<200	<10				
07/27/1989				18.8				2.37	<6		372	1050	18	61.5					<10	<200	<10				
10/26/1989				2.42				0.21	<6		205	340	14.1	22.8					<10	<200	<10				
01/25/1990				3.75				1.35	<6		255	690	16.8	69.4					<10	<200	<10				
05/03/1990				3.54				4.02	<6		268	158	20	60					<10	<200	<10				
09/21/1990				3.87				5.14	6.34		253	366	20.2	54.6					<10	<200	<10				
12/11/1990								6.36																	
12/12/1990				11.8					7.87		325	257	23.9	62.8					<10	<200	<10				
01/30/1991				6.35				8.04	7.2		338		30.6	66.7					<10	<200	<10				
05/01/1991				3.1				7.38	<6		313	606	27	50					<10	<200	<10				
10/08/1991				2.65				2.91	<5		240	670	20.2	26.8					<10	<200	<10				
06/18/1992			<1					2.67		0.736				31.4			<500								
12/17/1992			<1					2.3						32.2			<500	17,500							
06/30/1993			0.1				1.78							31			<1000								
12/28/1993			<0.2				1.89							26			<1000								
06/21/1994			<0.1				0.99							20			<1000								
07/05/1995	<0.25		<0.1		<0.25	<0.25	1.18							25			<250								
07/09/1996	<0.25	<1	<0.1		<0.25	<0.25	0.46							47			<250								
07/11/1997			<0.1				0.52							277			<250								
06/24/1998			<0.1				2.38							38.1		<0.2	<250								
06/08/1999			<0.1				2.56							30.7			<100								
07/18/2000			<0.02				1.43							40.7		0.16	<500								
01/30/2001			<0.02				0.99							39.2		<0.12	<500								
07/11/2001			<0.02				1.6							49		<0.14	<500								
08/06/2002			<0.020				1.2							60		<0.070	<500								
07/22/2003			0.021				1.2							55		<0.070	<30								
07/13/2004			<0.030				1.17							58.9		<0.11	<27								
07/19/2005			<0.030				0.49		220					62		<0.090	130								
07/19/2006			<0.023				0.62							85		<0.060	<520								
07/09/2007			<0.021				0.79							56		<0.080	<27								
07/23/2008			<0.080				0.91							70		<0.050	99								
07/07/2009			<0.030				0.78							58		<0.040	<27								
07/14/2010			<0.050				1.4							64		<0.040	340								
07/19/2011			<0.022				4.4							53		<0.030	90								
07/09/2012			<0.030				1.7							60		<0.016	190								
07/01/2013			<0.040				0.5							54		<0.016	480								
7/1/2013 Duplicate			<0.040				0.49							54		<0.016	490								
01/24/2014				1.1									13				300						<5.0		22.8
07/08/2014				2.4				0.67					16		<0.016		<26						<10		49.1
01/16/2015				2									13				270						323		188
07/06/2015				1.8				1.6					14		<0.050		200						<10		76.5
01/12/2016				1.7									14				59						<10		106
07/05/2016				1.1				1.4					15		0.096		<34						<10		79.7

Water Quality Indicators - Historical Data
WAULECO, INC - Wausau Facility
Well - W11

Date	#2 Fuel Oil	#6 Fuel Oil	Ammonia Nitrogen Total	Carbon, Total Organic	Gasoline	Kerosene	Nitrate + Nitrite Nitrogen	Nitrogen, Nitrate	Oil and Grease	Phosphorus, Phosphate	Solids, Total Dissolved	Solids, Total Suspended	Sulfate	Total Chloride	Dissolved Mercury	Total Mercury	TPH as Mineral Spirits	Sodium	Arsenic	Barium	Chromium	Chromium, Total	Dissolved Iron	Iron	Dissolved Manganese
	(mg/L)	(mg/L)	(mg/L)	(mg/L)	(mg/L)	(mg/L)	(mg/L)	(mg/L)	(mg/L)	(mg/L)	(mg/L)	(mg/L)	(mg/L)	(mg/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)
01/16/2017				2.1									13				270						<59		485
07/17/2017				2.4				0.93					21		<0.020		48						<59		84.2
01/10/2018				1.6									13				<34						<59		385
07/11/2018				1.1				1.6					15		<0.020		<31						<59		151
01/22/2019				1.4									11				<32						<59		415
07/09/2019				2.1				0.35					13		<0.020		<34						<59		1520
01/10/2020				1.2									10				<33						88.3		1400
07/07/2020				1.5				1.2					14		<0.020		<34						<59		372
01/11/2021				1.2									14				<32						<36		659
07/13/2021				1.2				2					8.2		<0.020		<33						<36		386
01/12/2022				1.8									8.2				82						67.2		566
07/06/2022				1.3				1.3					7.9		<0.020		68						<27		494
01/10/2023				0.8									7.6				72						<27		578
07/10/2023				0.87 Y				3.4					11		<0.020		<33						<25		159
01/08/2024				1.3 Y									8.7				<33						<25		201
07/08/2024				0.61				6.8					10		<0.020		<32						<25		291

Water Quality Indicators - Historical Data
WAULECO, INC - Wausau Facility
Well - W12

Date	#2 Fuel Oil (mg/L)	#6 Fuel Oil (mg/L)	Ammonia Nitrogen Total (mg/L)	Gasoline (mg/L)	Kerosene (mg/L)	Nitrate + Nitrite Nitrogen (mg/L)	Nitrogen, Nitrate (mg/L)	Phosphorus, Phosphate (mg/L)	Total Chloride (mg/L)	Dissolved Mercury (ug/L)	Total Mercury (ug/L)	TPH as Mineral Spirits (ug/L)	Sodium (ug/L)	Dissolved Iron (ug/L)	Dissolved Manganese (ug/L)	Sulfate (ug/L)	Total Organic Carbon (ug/L)
06/18/1992			<1				9.28	1.35	159			<500					
12/17/1992			<1				10.3		140			<500	63,000				
06/29/1993			<0.1			11.3			126			<1000					
12/28/1993			0.22			8.14			108			<1000					
06/21/1994			<0.1			7.43			102			<1000					
07/06/1995	<0.25		0.28	<0.25	<0.25	6.25			105			<250					
07/08/1996	<0.25	<1	<0.1	<0.25	<0.25	7.7			89			<250					
07/11/1997			<0.1			5.5			83.6			<260					
06/23/1998			<0.1			3.97			100		<0.2	<250					
06/08/1999			<0.1			3.25			107			<100					
07/17/2000			<0.02			3.675			103.5		<0.16	<500					
01/30/2001			<0.02			5.30			106		<0.12	<500					
07/10/2001			<0.02			8.40			94		<0.14	<500					
08/05/2002			<0.020			8.50			110		<0.070	<500					
07/22/2003			0.05			8.20			94		0.08	29					
07/13/2004			<0.030			7.08			76		<0.11	<27					
07/19/2005			<0.030			3.60			93		<0.090	<27					
07/19/2006			<0.023			8.70			150		<0.060	<540					
07/09/2007			<0.021			8.40			150		<0.080	<26					
07/23/2008			<0.080			9.10			120		<0.050	88					
07/06/2009			<0.030			9.50			140		<0.040	<27					
07/14/2010			<0.050			8.200			150		<0.040	<26					
07/18/2011			<0.022			4.80			160		<0.030	<27					
01/23/2012			<0.060			1.90			91								
07/09/2012			<0.030			2.00			81		0.020 B	300					
07/01/2013			<0.040			5.80			310		<0.016	<26					
01/24/2014												<27		<5.0	<0.50	26	1.2
07/07/2014							6.8			<0.016		<27		<10	<1.6	31	2.2
01/12/2015												<27		<10	<1.6	31	1.1
07/06/2015							6.5			<0.050		<27		<10	<1.6	25	1.8
01/12/2016												<26		50.4	<1.6	<1.0	1.6
07/05/2016							6.1			0.093		<33		<10	<1.6	25	1.8
01/16/2017												<34		<59	<2.2	26	1.8
07/11/2017							6.3			<0.020		35 B		<59	<2.2	22	1.6
01/10/2018												<33		<59	<2.2	23	1.1
07/10/2018							5.9			0.13		<33		<59	<2.2	23	0.48
01/22/2019												<31		<59	<2.2	24	1.1
07/08/2019							5.1			<0.020		<32		<59	<2.2	26	2
01/07/2020												60 B		141	41.3	18	3
07/06/2020							5.7			<0.020		<34 Q		455	82.1	17	2
01/11/2021												<31		<36	<1.4	19	0.64
07/06/2021							5.2			<0.020		<35		<36	<1.4	18	0.6
01/12/2022												<33		<27	6.8	23	1.4
07/06/2022							4.8			<0.020		<32		<27	<1.2	21	1.2
01/10/2023												<33		<27	<1.2	23	0.99
07/06/2023							6.8			<0.020		<32		<25	<2.4	20	<0.4
01/03/2024												<33		<25	<2.4	20	1.7
07/08/2024							6.4			<0.020		<33		<25	<2.4	18	0.55

Water Quality Indicators - Historical Data
WAULECO, INC - Wausau Facility
Well - W13

Sampled	#2 Fuel Oil	#6 Fuel Oil	Ammonia Nitrogen Total	Gasoline	Kerosene	Nitrate	Nitrate + Nitrite Nitrogen	Nitrogen, Nitrate	Phosphorus, Phosphate	Total Chloride	Dissolved Mercury	Total Mercury	TPH as Mineral Spirits	Sodium	Dissolved Iron	Dissolved Manganese	Sulfate	Total Organic Carbon
	(mg/L)	(mg/L)	(mg/L)	(mg/L)	(mg/L)	(mg/L)	(mg/L)	(mg/L)	(mg/L)	(mg/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)
06/22/1992			<1					0.825	4.46	77.4			<500					
12/19/1992			<1					1.48		146			<500	83300				
06/30/1993			<0.1				1.38			80			<1000					
12/27/1993			<0.2				5.01			200			<1000					
04/25/1994			<0.1				2.36			167								
06/22/1994			<0.1				2.84			152			<1000					
10/04/1994			0.2				5.590			132								
03/10/1995			<0.1				7.22			184								
07/06/1995	<0.25		0.3	<0.25	<0.25		6.66			163			<250					
09/13/1995			<0.1				4.59			96								
03/20/1996			0.1				4.65			133								
07/10/1996	<0.25	<1	<0.1	<0.25	<0.25		4.87			83			<250					
09/25/1996			<0.1				4.37			101								
07/11/1997			<0.1				<0.14			75.5			<270					
01/02/1998			<0.1				4.41			211								
06/24/1998			<0.1				3.57			150		<0.2	<250					
01/26/1999			<0.1				4.97			135		<0.2						
06/09/1999			<0.1				3.045			89.4			<100					
01/11/2000			<0.1				1.37			106		0.26						
07/18/2000			<0.02				4.05			119		<0.16	<500					
01/30/2001			<0.02				1.24			135		<0.12	<500					
07/10/2001			<0.02				7.9			95		<0.14	<500					
01/15/2002			0.096				2.6			94								
08/06/2002			<0.020				6.9			84		<0.070	<500					
01/14/2003			<0.070				3.5			210								
07/23/2003			<0.011				4.7			82		0.11	<27					
01/21/2004			<0.03				1.1			130								
01/21/2004			<0.03				0.90			120								
07/14/2004			<0.030				2.42			57.1		<0.11	36 J,Q					
01/19/2005			<0.030				4.9			150								
07/21/2005			<0.030				2.1			76		0.11	67					
01/17/2006			<0.023				1.36			40.3								
07/18/2006			<0.023				1.6			78		0.07	<510					
01/23/2007			<0.023				1.7			36								
1/23/2007 Duplicate																		
07/09/2007			<0.023				1.6			35								
			<0.021				1.9			180		<0.080	<31					
01/28/2008			<0.021				2.3 Q			77								
07/24/2008			<0.080				1.2			75		0.05	83					
01/20/2009			<0.080				2.1			210								
07/06/2009			0.23				<0.12			630		<0.040	<27					
01/18/2010			<0.030				1			85								
07/13/2010			<0.050				1.7			220		0.04	29					
01/25/2011			<0.050				0.51			60								
07/19/2011			<0.022				1.0			50		0.060	42					
01/17/2012			<0.17				0.77			88								
07/06/2012			<0.030				1.00			540		<0.016	34					
01/08/2013			<0.030				1.30			120								
07/10/2013			<0.040				1.10			56		<0.016	46					
01/22/2014								1.6					<27		<5.0	11.7	12	1.6
07/16/2014								1.2			<0.016		58		<10	51.6	20	1.2
01/19/2015								0.67					<27		43.2	77.5	8.2	1.1
07/08/2015								1.3			<0.050		51		38.5 M	43.7	21	2.1
01/14/2016								1					<27		<10	19.4	9.4	2.5
07/11/2016								0.99			0.095		<33		128	40.7	16	3.1

Water Quality Indicators - Historical Data
WAULECO, INC - Wausau Facility
Well - W13

Sampled	#2 Fuel Oil	#6 Fuel Oil	Ammonia Nitrogen Total	Gasoline	Kerosene	Nitrate	Nitrate + Nitrite Nitrogen	Nitrogen, Nitrate	Phosphorus, Phosphate	Total Chloride	Dissolved Mercury	Total Mercury	TPH as Mineral Spirits	Sodium	Dissolved Iron	Dissolved Manganese	Sulfate	Total Organic Carbon
	(mg/L)	(mg/L)	(mg/L)	(mg/L)	(mg/L)	(mg/L)	(mg/L)	(mg/L)	(mg/L)	(mg/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)
01/23/2017								0.89					<34		<59	14.1	12	3.9
07/20/2017								0.66 Y			<0.020		49 B		<59	84.7	19	3.2
01/09/2018								1.7					<33		<59	19.9	12	2.1
07/16/2018								4.4			<0.020		<32		<59	<2.2	19 M	0.67
01/22/2019								0.66					<32		<59	10.4	9.2	1.1
07/16/2019								1.9			<0.020		<34		180	8.1	42	2.3
01/14/2020								0.83					<32		<59	5.2	9.1	2.5
07/13/2020								1.1			<0.020		<34		<59	<2.2	23	1.5
01/13/2021								1.1 H					<34		<36	3.5	5.4	0.89
07/12/2021								1.1			<0.020		<32 Q		<36	<1.4	33	3.5
01/13/2022								0.77					<32		<27	2	4.5	1.4
07/13/2022								1.5			<0.020		<31		<27	7	65	2.2
01/11/2023								1					<31		51.6	2.8	13	1.1
07/10/2023								2.2			<0.020		<32		<25	<2.4	46	1.3
01/08/2024								1.5					<33		<25	<2.4	15	1.7
07/09/2024								0.71			<0.020		<32		<25	<2.4	36	2.1

Water Quality Indicators - Historical Data
WAULECO, INC - Wausau Facility
Well - W14

Date	#2 Fuel Oil	#6 Fuel Oil	Ammonia Nitrogen Total	Carbon, Total Organic	Gasoline	Kerosene	Nitrate + Nitrite Nitrogen	Nitrogen, Nitrate	Oil and Grease	Phosphorus, Phosphate	Solids, Total Dissolved	Solids, Total Suspended	Sulfate	Total Chloride	Total Mercury	TPH as Mineral Spirits	Sodium	Arsenic	Barium	Chromium	Chromium, Total	Iron
	(mg/L)	(mg/L)	(mg/L)	(mg/L)	(mg/L)	(mg/L)	(mg/L)	(mg/L)	(mg/L)	(mg/L)	(mg/L)	(mg/L)	(mg/L)	(mg/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)
01/08/1987				4.51				5.51	<5		574	1684	30.5	128				32.6	1356.5	<10	239	<100
06/04/1987				2.22				4.46	30		443	1670	<10	123				<10	<200	<10		<100
09/03/1987				6.5				3.76	30.1		434	820	18.3	127				<10	<200	<10		
12/03/1987				2.05				4.69	<5		413	2260	32.2	127								
03/03/1988				3.78				6.34	8.74		439	972	22.7	128								
04/07/1988				2.93				6.19	<6		429	1540	21.2	101				<10	<200	<10		
08/10/1988				2.99				5.34	5.7		338	4660	32.2	109				<10	<200	<10		
11/15/1988				2.85				5.96	<5		473	70	<10	115				<10	<200	<10		
01/26/1989				1.71				5.37	<6		469	458	<10	118								
04/27/1989				3.42				5.52	<6		439	2600	22.5	112				<10	<200	<10		
07/27/1989				64.6				5.7	<6		596	2910	23.5	137				<10	<200	<10		
10/26/1989				2.54				5.57	<6		470	1,190	29.2	104				<10	<200	<10		
01/25/1990				1.74				5.31	<6		418	1,800	24.3	87.7				<10	<200	<10		
05/03/1990				4.92				4.46	<5		389	553	22.5	95				<10	<200	<10		
09/21/1990				2.12				5.33	<5		425	912	23.2	107				<10	<200	<10		
12/11/1990								6.07														
12/12/1990				12.4					<6		497	664	21.3	116				<10	253	<10		
01/30/1991				2.86				6.62	<6		463	621	23.8	116				<10	249	<10		
05/01/1991				8.06				6.3	<5		463	1,460	24.7	115				<10	212	<10		
06/18/1991								2														
10/08/1991				1.78				6.47	<6		490	1,320	22.4	114				<10	<200	<10		
06/24/1992								6.04	6	1.96				114		<500		<1	<200	<10		
12/18/1992			<1					5.78						94.7		<500	41,200					
06/29/1993			<0.1				5.76							110		<1000						
12/28/1993			<0.2				4.68							113		<1000						
06/21/1994			<0.1				4.18							112		<1000						
07/06/1995	<0.25		0.4		<0.25	<0.25	4.51							117		<250						
07/08/1996	<0.25	<1	<0.1		<0.25	<0.25	4.98							120		<250						
07/11/1997			<0.1				2.44							186		<260						
06/23/1998			<0.1				1.76							241	<0.2	<250						
06/07/1999			<0.1				2.88							125		<100						
07/17/2000			<0.02				3.63							112	<0.16	<500						
01/30/2001			<0.02				3.88							122	<0.12	<500						
07/10/2001			<0.02				3.8							110	<0.14	<500						
08/05/2002			<0.020				4.0							130	<0.070	<500						
07/22/2003			0.026				5.4							130	<0.070	<29						
07/12/2004			<0.030				5.12		220					208	<0.11	<28						
07/19/2005			<0.030				5.5							83	<0.090	<27						
07/18/2006			<0.023				5.1							100	<0.060	<740						
07/09/2007			<0.021				4.4							130	<0.080	<29						
07/22/2008			0.12				4.8							210	<0.050	75						
07/06/2009			<0.030				5.1							170	<0.040	<27						
07/13/2010			<0.050				5.9							170	<0.040	<27						
07/18/2011			<0.022				5.3							160	<0.030	<27 M						
07/09/2012			<0.030				5.3							110	<0.016	<27						
07/01/2013			<0.040				4.8							170	<0.016	<26						

Note:

WDNR letter dated March 18, 2014 concurred with TRC letter dated October 13, 2013 that this well could be eliminated from the monitoring network.

Water Quality Indicators - Historical Data
WAULECO, INC - Wausau Facility
Well - W16

Date	#2 Fuel Oil	#6 Fuel Oil	Alkalinity, Bicarbonate	Alkalinity, Total	Ammonia Nitrogen Total	Carbon, Total Organic	Gasoline	Kerosene	Nitrate + Nitrite Nitrogen	Nitrogen, Nitrate	Oil and Grease	Phosphorus, Phosphate	Solids, Total Dissolved	Solids, Total Suspended	Sulfate	Total Chloride	Dissolved Mercury	Total Mercury	TPH as Mineral Spirits	Sodium	Arsenic	Barium	Chromium	Chromium, Total	Dissolved Iron	Iron	Calcium	Magnesium	Dissolved Manganese	Potassium	
	(mg/L)	(mg/L)	(mg/L)	(mg/L)	(mg/L)	(mg/L)	(mg/L)	(mg/L)	(mg/L)	(mg/L)	(mg/L)	(mg/L)	(mg/L)	(mg/L)	(mg/L)	(mg/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	
01/08/1987						5.8				8.8	<5		762	1168	31.6	175					188.5	2220	<10	479		<100					
06/04/1987						5.26				11.8	11.6		605	14900	36.8	162					<10	<200	<10			<100					
09/03/1987						3.93				9.27	16		552	12100	24.1	177					<10	<200	<10								
12/03/1987						4.1				7.95	<6		449	2080	35.9	159															
03/03/1988						2.33				10.1	15.4		490	880	31	164															
04/07/1988						4.06				10.3	<5		4.85	6650	25.3	141					<10	<200	<10								
08/10/1988						4.84				12.6	6.88		322	22200	39.9	121					<10	<200	<10								
11/15/1988						4.12				11.1	10		519	519	<10	131					<10	<200	<10								
01/26/1989						2.59				8.12	<5		471	2880	<10	136															
04/27/1989						2.69				8.03	<6		476	5860	27.2	134					<10	<200	<10								
07/27/1989						36.2				9.78	<6		680	4480	27.4	170					<10	<200	<10								
10/26/1989						2.33				7.28	<6		5.49	2460	29.6	157					<10	<200	<10								
01/25/1990						3.45				5.91	<6		525	2,890	25	180					<10	<200	<10								
05/03/1990						3.35				9.75	<6		626	1,750	28.8	186					<10	<200	<10								
09/21/1990						2.57				11	<5		621	3,570	29	178					<10	<200	<10								
12/11/1990										11.5																					
12/12/1990						5.94					<5		615	2,040	29.3	190					<10	<200	<10								
01/30/1991						5.44				11.1	<6		543	1,280	29.6	198					<10	<200	<10								
05/01/1991						3.95				11	<6		460	5,170	31.4	137					<10	<200	<10								
10/08/1991						2.86				13.5	<6		648	7,340	25.9	158					<10	<200	<10								
10/29/1991			94.5	94.5								1.04			32.6	170				#####	0	<200	<10				71800	17900		12500	
12/22/1991			99.5	99.5								1.33			33	126				#####		<200	<10				55400	14100		9980	
06/16/1992										5.8		4.29				101			1,600		<1	<200									
12/18/1992					<1					10.4						125			<500	#####											
06/29/1993					0.53				7.86							126			<1000												
12/28/1993					<0.2				11.5							155			<1000												
06/21/1994					<0.1				6.27							128			<1000												
07/06/1995	<0.25				0.17	<0.25	<0.25		6.03							106			<250												
07/08/1996	<0.25	<1			<0.1	<0.25	<0.25		0.84							28			<250												
07/11/1997					<0.1				5.44							173			<260												
06/24/1998					<0.1				4.13							221		<0.2	<250												
06/07/1999					<0.1				3.24							155			<100												
07/18/2000					<0.02				4.74							122		0.26	<500												
01/30/2001					<0.02				3.39							127		1.2	<500												
07/10/2001					<0.02				220							860		<0.14	<500												
08/05/2002					<0.020				7.2							120		<0.070	<500												
07/22/2003					0.034				6.3							84		<0.070	<28												
07/12/2004					<0.030				6.66							92.5		<0.11	29 J												
07/19/2005					<0.030				6.4							180		<0.090	<28												
07/19/2006					<0.023				5.7							110		<0.060	<520												
07/09/2007					<0.021				6.4							120		<0.080	<33												
07/23/2008					<0.080				6.9							160		<0.050	83												
07/06/2009					<0.030				6.4							110		<0.040	<26												
07/13/2010					<0.050				6.3							190		<0.040	<28												
07/18/2011					<0.022				<0.18							110		0.060	2,000												
01/23/2012					0.12				6.7							240															
1/23/2012 Duplicate					0.11				6.7							250															
07/09/2012					<0.030				6.1							280		0.070 B	27												
07/01/2013					<0.040				4.6							190		0.140	<27												
01/24/2014						1.4									28				26 Y						<5.0				<0.50		
07/08/2014						4.5				5.1					24		<0.016		<27						<10					<1.6	

Water Quality Indicators - Historical Data
WAULECO, INC - Wausau Facility
Well - W16

Date	#2 Fuel Oil	#6 Fuel Oil	Alkalinity, Bicarbonate	Alkalinity, Total	Ammonia Nitrogen Total	Carbon, Total Organic	Gasoline	Kerosene	Nitrate + Nitrite Nitrogen	Nitrogen, Nitrate	Oil and Grease	Phosphorus, Phosphate	Solids, Total Dissolved	Solids, Total Suspended	Sulfate	Total Chloride	Dissolved Mercury	Total Mercury	TPH as Mineral Spirits	Sodium	Arsenic	Barium	Chromium	Chromium, Total	Dissolved Iron	Iron	Calcium	Magnesium	Dissolved Manganese	Potassium
	(mg/L)	(mg/L)	(mg/L)	(mg/L)	(mg/L)	(mg/L)	(mg/L)	(mg/L)	(mg/L)	(mg/L)	(mg/L)	(mg/L)	(mg/L)	(mg/L)	(mg/L)	(mg/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)
01/12/2015						1.5									24				30						12.3				1.8	
07/06/2015						2.5				4.5					20		<0.050		<26						<10				<1.6	
01/12/2016						2.1									22				<27						<10				<1.6	
07/05/2016						1.4				5.4					21		0.094		<33						<10				<1.6	
01/16/2017						1.8									25				<33						<59				<2.2	
07/10/2017						2.7				5.4					21		<0.020		39 B						<59				<2.2	
01/10/2018						1.3									28				<33						<59				<2.2	
07/10/2018						0.71				4.7					21		<0.020		<34						<59				<2.2	
01/22/2019						1.6									20				<31						<59				<2.2	
07/08/2019						2.8				3.7					18		<0.020		<32						607				123	
01/07/2020						3.4									21				52 B						<59				4.9	
07/06/2020						1.3				4.7					17		<0.020		<34 Q						<59				<2.2	
01/11/2021						1.5									28				<31						<36				<1.4	
07/06/2021						1.2				4.2					22		<0.020		<31						<36				7.1	
01/12/2022						2.1									27				<31						<27				<1.2	
07/05/2022						1.4				4.8					20		<0.020		<32						<27				<1.2	
01/10/2023						1.5									22				<31						<27				<1.2	
07/05/2023						2.4				4.9					19		<0.020		<33						33				6.8	
01/03/2024						1.6									22				<33						<25				<2.4	
07/02/2024						1.3				4.5					21		<0.020		<32						<25				<2.4	

Water Quality Indicators - Historical Data
WAULECO, INC - Wausau Facility
Well - W17

Date	Ammonia Nitrogen Total (mg/L)	Nitrate (mg/L)	Nitrate + Nitrite Nitrogen (mg/L)	Total Chloride (mg/L)	Dissolved Mercury (ug/L)	Total Mercury (ug/L)	TPH as Mineral Spirits (ug/L)	Dissolved Iron (ug/L)	Dissolved Manganese (ug/L)	Sulfate (ug/L)	Total Organic Carbon (ug/L)
07/24/2003	<0.011		<0.13	44		0.09	1,600				
07/13/2004	<0.030		<0.13	48.6		<0.11	13,000 Y				
01/20/2005	<0.030		0.31 J	51							
1/20/2005 Duplicate	<0.030		0.30 J	52							
07/20/2005	<0.030		0.77	380		<0.090	1,800				
07/18/2006	<0.023		0.19	200		0.11	1,500				
01/23/2007	<0.023		<0.13	21							
01/23/2007 Duplicate	<0.023		<0.13	23							
07/09/2007	<0.021		0.62	220		0.09	570				
01/28/2008	<0.021		<0.19	32							
07/23/2008	<0.080		0.32	66		0.06	260 M,Y				
07/06/2009	0.2		<0.12	370		<0.040	1,000				
7/6/2009 Duplicate	0.24		<0.12	280		<0.040	<27				
01/18/2010	<0.030		<0.12	30							
07/15/2010	<0.050		<0.30 V	67		0.26	8,800				
01/24/2011	0.069		<0.060	19							
07/19/2011	0.042		0.68	36		0.27	4,600				
01/23/2012	<0.060		<0.18	29							
07/06/2012	0.050		0.036	82		0.12 B	7,300				
7/6/2012 Duplicate	0.092		0.062	81		0.13 B	2,600				
01/07/2013	<0.030		<0.040	27							
07/02/2013	<0.040		0.16	51		0.05	330				
01/22/2014		0.11					760	489	601	3.5	2.9
07/16/2014		0.12			<0.016		2,100	407	2,250	2.3	3.5
01/15/2015		0.16					1,100	262	550	2.2	4.0
1/15/2015 Duplicate		0.16					2,300	250	565	2.1	2.4
07/09/2015		<0.040			<0.050		1,800	366	1,160	5.6	6.6
01/14/2016		<0.040					1,500	305	467	2.2	7.0
1/14/2016 Duplicate		<0.040					3,400	599	827	2.5	7.1
07/07/2016		<0.040			0.052		1,400	850	1,410	2.7	87.0
01/16/2017		0.099					650	250	310	5.0	4.5
07/17/2017		0.070			0.050		710	184	1,440	3.6	4.7
01/11/2018		<0.040					420	332	422	3.1	3.6
07/11/2018		0.310			0.032		2,400	<59	6.5	32	1.4
01/24/2019		<0.12					580	895	391	3.3	3.4
07/11/2019		1.9			<0.020		390	<59	241	10	1.9
01/13/2020		<0.12					<33	98.7	258	3.4	2.7
07/08/2020		0.36			<0.020		360	<59	648 M	3.7	2.0
01/11/2021		<0.12					1,000	307	365	4.5	2.0
07/12/2021		<0.12			<0.020		1800 Q	376	405	3.4	2.7
01/17/2022		<0.12					140	54.8	260	3.6	2.7
07/11/2022		<0.12			0.023		1,900	430	727	15.0	1.7
01/09/2023		<0.12					890	437.0	434	5.1	2.0
07/10/2023		<0.12			<0.020		1,500	471	765	24.0	1.5
01/08/2024		<0.12					250	371	361	3.4	2.4
07/08/2024		0.31			<0.020		1,000	327	186	8.3	0.98

Water Quality Indicators - Historical Data
WAULECO, INC - Wausau Facility
Well - W18

Date	#2 Fuel Oil (mg/L)	#6 Fuel Oil (mg/L)	Ammonia Nitrogen Total (mg/L)	Gasoline (mg/L)	Kerosene (mg/L)	Nitrate + Nitrite Nitrogen (mg/L)	Nitrogen, Nitrate (mg/L)	Phosphorus, Phosphate (mg/L)	Total Chloride (mg/L)	Dissolved Mercury (ug/L)	Total Mercury (ug/L)	TPH as Mineral Spirits (ug/L)	Sodium (ug/L)	Total Sulfate (mg/L)	Total Organic Carbon (mg/L)	Dissolved Iron (mg/L)	Dissolved Manganese (ug/L)
02/25/1992							<0.02		52.4			1,000					
07/08/1992			<1				<0.02	4.02	131			<500					
09/17/1992			<1				<0.02	1.6	50.5			<500	21,100				
12/17/1992			<1				0.05		52.7			1,000	22,800				
03/23/1993			0.14			<0.02			52			2,100	21,800				
06/29/1993			<0.1			0.04			43			<1000					
12/28/1993			<0.2			<0.02			69			1,000					
06/22/1994			<0.1			<0.02			45			<1000					
07/05/1995	<0.25		0.22	<0.25	<0.25	<0.02			39			1,900					
07/09/1996	<0.25	<1	<0.1	<0.25	<0.25	<0.02			28			940					
07/11/1997			<0.1			<0.14			40.7			<260					
06/24/1998			<0.1			<0.14			37.1		<0.2	250					
06/08/1999			<0.1			1.26			23.3			<100					
07/18/2000			<0.02			2.01			34.2		0.27	<500					
01/31/2001			<0.02			0.380			10.8		<0.12	<500					
07/11/2001			<0.020			2.1			25		<0.14	<500					
08/06/2002			<0.020			3.9			29		<0.070	<500					
07/23/2003			<0.011			2.7			45		0.09	<28					
07/12/2004			<0.030			1.840			22.2		<0.11	<27					
07/18/2005			<0.030			2.1			120		<0.090Y	62					
07/18/2006			<0.023			3.0			92		<0.060	<510					
07/09/2007			<0.021			1.2			42		<0.080	<27					
07/23/2008			<0.080			3.0			64		<0.050	66					
07/07/2009			<0.030			1.9			140		<0.040	<26					
07/13/2010			<0.050			2.8			86		<0.040	<27					
07/19/2011			<0.022			<0.18			200		<0.030	330					
01/17/2012			<0.17			0.60			72								
07/19/2012			<0.030			0.45			50		<0.016	38					
07/02/2013			<0.040			1.20			270		<0.016	<27					
07/10/2014							0.92			<0.016		<27					
07/07/2015							0.69			<0.050		<27					
07/06/2016							0.60			<0.020		<34					
07/11/2017							0.15 M			<0.020		34 B		8.9	1	<59	<2.2
01/10/2018												<33		22	0.96	<59	<2.2
07/11/2018							0.84			<0.020		<34		20	<0.40	<59	<2.2
01/23/2019												<32		18	1	<59 M,Y	<2.2
07/08/2019							0.47			<0.020		<32		6.8	<0.40	<59	5
01/07/2020												49 B		16	3.1	<59	<2.2
07/07/2020							1.10			<0.020		<34		6.8	0.85	<59	<2.2
01/07/2021												<34		19	0.45	<36	2.2
07/06/2021							0.94			<0.020		<32		15	1.1	<36	<1.4
01/12/2022												<31		14	1.4	<27	<1.2
07/06/2022							1.20			<0.020		<31		6.7	0.7	28	1.5
01/10/2023												<33		8	0.49	<27	2.1
07/05/2023							1.50			<0.020		<34		11	0.43	<25	<2.4
01/03/2024												<32		24	1.5	<25	<2.4
07/02/2024							2.0			<0.020		<33		10	<0.4	<25	<2.4

Water Quality Indicators - Historical Data
WAULECO, INC - Wausau Facility
Well - W19

Date	Ammonia Nitrogen Total (mg/L)	Nitrate (mg/L)	Nitrate + Nitrite Nitrogen (mg/L)	Total Chloride (mg/L)	Dissolved Mercury (ug/L)	Total Mercury (ug/L)	TPH as Mineral Spirits (ug/L)	Total Sulfate (mg/L)	Total Organic Carbon (mg/L)	Dissolved Iron (mg/L)	Dissolved Manganese (ug/L)
06/24/92				388							
12/18/92				270							
06/30/93				87							
12/28/93				154							
04/25/94				164							
06/21/94				53							
10/04/94				48							
03/10/95				235							
07/06/95				238							
09/13/95				68							
03/20/96				43							
07/10/96				140							
09/25/96				188							
07/11/97				221							
12/31/97				1220							
06/01/1998				648							
07/18/2000	<0.02		3.66	1,610		1	41,000				
07/11/2001	<0.020		4.1	530		0.65	19,000				
01/15/2002	<0.020		3.3	2000							
08/06/2002	<0.020		4.6	630		0.47	37,000				
01/14/2003	<0.070		3.9	400							
07/22/2003	0.046		4.4	260		1.3	16,000				
01/20/2004	0.13 J		4.7	390							
07/13/2004	0.074 J		4.26	653		1.6	12,000 Q				
01/20/2005	<0.030		3.70	720							
07/20/2005	<0.030		3.90	520		0.58	1,100				
01/17/2006	<0.023		4.53	387							
07/20/2006	<0.023		5.30	610		0.47	30000 Q				
01/23/2007	<0.023		3.80	1500							
07/11/2007	<0.021		3.30	880		0.98	5700 Q				
7/11/2007 Duplicate	<0.021		3.00	740		1.3	10000 Q				
01/28/2008	<0.021		3.8 Q	560							
07/24/2008	0.12		4.30	520		0.68	2,100				
01/20/2009	<0.080		5.70	580							
07/07/2009	0.085		3.70	660		1.1	5,900				
01/18/2010	0.088		4.3 V	660							
07/14/2010	<0.050		4.30	440		0.35	330				
01/25/2011	<0.050		2.50	300							
07/19/2011	<0.022		1.50	600		1.4	360				
01/17/2012	0.24		3.10	500							
07/06/2012	<0.030		3.20	430		0.56 B	430				
01/04/2013	<0.030		2.40	450							
07/01/2013	0.047		1.10	370		1.6	330				
01/21/2014		2.10									
07/08/2014		1.50			0.020 B		410				
01/15/2015		1.50									
07/08/2015		2.10			<0.050		430				
01/14/2016		3.10									
07/07/2016		1.60			0.074		310				
01/16/2017		3.40									
07/17/2017		1.60			<0.020		47	16	4	665	82.6
01/10/2018		4.10					190	19	2.4	172	340
07/11/2018		2.90			0.027		170	19	3.2	1210	469
01/23/2019		1.80					<34	20	2.3	<59	80.1

Water Quality Indicators - Historical Data
WAULECO, INC - Wausau Facility
Well - W21

Date	#2 Fuel Oil	#6 Fuel Oil	Alkalinity, Bicarbonate	Alkalinity, Total	Ammonia Nitrogen Total	Carbon, Total Organic	Gasoline	Kerosene	Nitrate + Nitrite Nitrogen	Nitrogen, Nitrate	Oil and Grease	Phosphorus, Phosphate	Solids, Total Dissolved	Solids, Total Suspended	Sulfate	Total Chloride	Dissolved Mercury	Total Mercury	TPH as Mineral Spirits	Sodium	Arsenic	Barium	Chromium	Chromium, Total	Iron	Calcium	Magnesium	Potassium
	(mg/L)	(mg/L)	(mg/L)	(mg/L)	(mg/L)	(mg/L)	(mg/L)	(mg/L)	(mg/L)	(mg/L)	(mg/L)	(mg/L)	(mg/L)	(mg/L)	(mg/L)	(mg/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)
01/08/1987						11				4.02	<5		390	2935	21.8	82.6					64	991	<10		473	360		
06/04/1987						13.8				1.72	<5		293	5760	32	52.7					<10	<200	<10			310		
09/03/1987						3.62				1.74	12.6		243	2480	20.2	53.2					<10	<200	<10					
12/03/1987						3.89				4.59	<6		302	313	33.5	68.4												
03/03/1988						5.6				2.44	<6		331	1560	19.6	69.9												
04/07/1988						2.93				2.76	<6		296	1650	28.9	83					<10	<200	<10					
08/10/1988						5.92				3.25	8.46		127	4420	59.3	71					<10	<200	<10					
11/15/1988						3.86				4.83	10.6		313	170	<10	81					<10	<200	<10					
01/26/1989						2.34				3.91	24.6		392	556	<10	89.8												
04/27/1989						3.54				5.95	8.07		415	2090	19.5	115					<10	<200	<10					
07/27/1989						30				6.45	<6		460	1420	21	101					<10	<200	<10					
10/26/1989						3.74				0.23	<6		161	324	15.8	14.2					<10	<200	<10					
01/25/1990						3.49				2.92	<6		190	450	24.2	33.7					<10	<200	<10					
05/03/1990						4.01				1.2	<6		248	236	14.2	53					<10	<200	<10					
09/21/1990						2.93				0.53	<6		141	106	18.8	30.4					<10	<200	<10					
12/11/1990						0				0.58																		
12/12/1990						5.34					<6		198	175	15.1	31.8					<10	<200	<10					
01/30/1991						4.46				0.83	<6		204	98	13.6	40.6					<10	<200	<10					
05/01/1991						6.74				1.11	<6		175	648	11.2	32.8					<10	<200	<10					
10/08/1991						2.76				0.88	<5		253	388	15.5	56.6					<10	<200	<10					
10/29/1991			94.5	94.5								0.392			16.2	54.8				32400	0	<200				33100	9780	<5000
12/22/1991			85.8	85.8								0.267			13.8	35.2				25000		<200				24300	7430	<5000
06/24/1992										2.5						40.4					<1							
12/18/1992					<1					2.3						59												
06/29/1993					<0.1				1.83							62												
12/28/1993					<0.2				2.4							74												
06/22/1994					0.31				1.3							43												
07/06/1995	<0.25				0.16		<0.25	<0.25	0.78							44												
07/08/1996	<0.25	<1			<0.1		<0.25	<0.25	4.36							88												
07/11/1997					<0.1				2.58							79.1												
06/23/1998					<0.1				2.93							130		<0.2										
06/07/1999					<0.1				1.69							110												
07/17/2000					<0.02				1.51							87.7		<0.16										
01/30/2001					<0.02				1.34							48.0		5.8										
07/10/2001					<0.02				220							99.0		<0.14										
08/05/2002					<0.020				3.1							91.0		<0.070										
07/22/2003					0.015				4.0							68.0		<0.070										
07/13/2004					<0.030				2.77							110		<0.11										
07/19/2005					<0.030				3.10							110		<0.090										
07/18/2006					<0.023				1.60							130		<0.060										
07/09/2007					<0.021				4.10							120		<0.080										
07/22/2008					<0.080				3.60							190		<0.050										
07/07/2009					<0.030				2.3Y							180		<0.040										
07/14/2010					<0.050				2.70							110		<0.040										
07/18/2011					<0.022				2.40							130		0.050										
07/09/2012					<0.030				2.30							75		<0.016										
07/01/2013					<0.040				2.20							130		<0.016										
07/08/2014										1.9							<0.016											
07/07/2015										1.6 H							<0.050											
07/05/2016										1.3							0.092											
07/10/2017										1.8							<0.020											

Water Quality Indicators - Historical Data
WAULECO, INC - Wausau Facility
Well - W21

Date	#2 Fuel Oil	#6 Fuel Oil	Alkalinity, Bicarbonate	Alkalinity, Total	Ammonia Nitrogen Total	Carbon, Total Organic	Gasoline	Kerosene	Nitrate + Nitrite Nitrogen	Nitrogen, Nitrate	Oil and Grease	Phosphorus, Phosphate	Solids, Total Dissolved	Solids, Total Suspended	Sulfate	Total Chloride	Dissolved Mercury	Total Mercury	TPH as Mineral Spirits	Sodium	Arsenic	Barium	Chromium	Chromium, Total	Iron	Calcium	Magnesium	Potassium
	(mg/L)	(mg/L)	(mg/L)	(mg/L)	(mg/L)	(mg/L)	(mg/L)	(mg/L)	(mg/L)	(mg/L)	(mg/L)	(mg/L)	(mg/L)	(mg/L)	(mg/L)	(mg/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)
07/10/2018										1.4							0.340		<34									
07/09/2019										2.3							<0.020		<34									
07/06/2020										2							<0.020		<34 Q									
07/07/2021										0.77							<0.020		<34									
07/06/2022										2.1							<0.020		<31									
07/05/2023										2							<0.020		<37									
07/02/2024										2.3							<0.020		<32									

Water Quality Indicators - Historical Data
WAULECO, INC - Wausau Facility
Well - W22

Date	#2 Fuel Oil (mg/L)	#6 Fuel Oil (mg/L)	Ammonia Nitrogen Total (mg/L)	Gasoline (mg/L)	Kerosene (mg/L)	Nitrate (mg/L)	Nitrate + Nitrite Nitrogen (mg/L)	Nitrogen, Nitrate (mg/L)	Phosphorus, Phosphate (mg/L)	Total Chloride (mg/L)	Dissolved Mercury (ug/L)	Total Mercury (ug/L)	TPH as Mineral Spirits (ug/L)	Dissolved Iron (ug/L)	Dissolved Manganese (ug/L)	Sodium (ug/L)	Sulfate (ug/L)	Total Organic Carbon (ug/L)
02/25/1992								<0.02		386			3000					
06/14/1992								0.14		299			550					
09/17/1992			<1					0.675	0.632	19.6			<500			11300		
12/18/1992			<1					0.081		313			3000			131000		
03/24/1993			<0.1				0.02			307			9900			124000		
06/30/1993			<0.1				0.73			25			<1000					
12/28/1993			0.22				0.06			356			2000					
04/25/1994			0.24				0.13			247								
06/22/1994			<0.1				0.05			180			<1000					
10/04/1994			<0.1				0.15			240								
01/05/1995			<0.1				0.27			248								
03/09/1995			0.13				0.21			196								
07/06/1995	<0.25		0.49	<0.25	<0.25		0.02			167			2000					
09/13/1995			<0.1				0.22			119								
12/18/1995			0.13				<0.1			183								
03/21/1996			0.12				<0.1			138								
07/10/1996	<0.25	<1	<0.1	<0.25	<0.25		0.28			95			1800					
09/25/1996			<0.1				<0.08			100								
01/21/1997			<0.1				0.15			118								
07/11/1997			<0.1				0.2			184			2800					
01/02/1998			<0.1				<0.14			392								
06/24/1998			<0.1				0.16			428		0.3	2900					
01/26/1999			<0.1				<0.14			432.5		1.05						
08/07/2002			<0.020				<0.18			230		0.23	51,000					
01/14/2003			<0.070				<0.18			140								
01/20/2005			<0.030				0.47			150								
07/21/2005			<0.030				<0.10			280		0.36	230,000					
01/17/2006			<0.023				<0.10			441								
07/20/2006			<0.023				<0.13			640		0.27	38000 Q					
01/23/2007			<0.023				0.2			510								
07/11/2007			<0.021				0.41 Y			170		0.33	1900 Q					
01/28/2008			<0.021				<0.019 Q			150 Q								
07/24/2008			<0.080				<0.12			160		0.51	3,000					
01/21/2009			<0.080				0.76			91								
07/07/2009			<0.030				0.26		220	450		0.2	2,400					
01/19/2010			<0.030				1			68								
07/15/2010			<0.050				2.9			160		0.1	2,400					
7/15/2010 Duplicate			<0.050				2.8			160		0.27	5,100					
01/25/2011			<0.050				1.9			82								
07/19/2011			<0.022				0.55			40		0.70	54					
01/18/2012			<0.17				0.51			190								
07/10/2012			<0.030				1.7			270		0.21	3,800					
01/07/2013			<0.030				0.26			240								
1/7/2013 Duplicate			<0.030				0.11			220								
07/08/2013			<0.040				0.43			230		0.62	4,300					
01/22/2014								0.33					3,700	<5.0	2600		13	9.3
07/08/2014								0.56			<0.016		3,400	13.8	768		21	11
01/15/2015								0.32					2,900	22.2	614		11	6.7
07/09/2015								0.51			<0.050		2,900	<10	790		16	9
01/13/2016								0.57					2,100	23.5	965		18	10
07/11/2016								0.6			0.12		1,700	21.1	1010		14	8.9

Water Quality Indicators - Historical Data
WAULECO, INC - Wausau Facility
Well - W22

Date	#2 Fuel Oil	#6 Fuel Oil	Ammonia Nitrogen Total	Gasoline	Kerosene	Nitrate	Nitrate + Nitrite Nitrogen	Nitrogen, Nitrate	Phosphorus, Phosphate	Total Chloride	Dissolved Mercury	Total Mercury	TPH as Mineral Spirits	Dissolved Iron	Dissolved Manganese	Sodium	Sulfate	Total Organic Carbon
	(mg/L)	(mg/L)	(mg/L)	(mg/L)	(mg/L)	(mg/L)	(mg/L)	(mg/L)	(mg/L)	(mg/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)
01/19/2017								<0.24					5,200	392	3310		11	11
1/19/2017 Duplicate								<0.040					5,800	<59	3250		8.1	10
07/18/2017								0.25			<0.020		1,400	191	1370 M		11	9.9
01/15/2018								0.079					4,000	82.2	3590		8.3	12
1/15/2018 Duplicate								<0.040					4,100	86.7	3660		7.4	14
07/18/2018								0.41			<0.020		2,600	<59	2940		15	6.1
01/28/2019								0.6					1,500	<59	1980		26	9.1
1/28/2019 Duplicate								0.47					1,500	<59	1990		22	8.3
07/18/2019								6			<0.020		<34	<59	6.7		32	4.6 Y
01/22/2020								0.82					490	<59	1140		13	4.9
07/13/2020								1.9			<0.020		600	<59	610		14	5.6
01/12/2021								0.43					2,200	<36	4790		6.5	6.2
07/13/2021								1.9			0.023		1,400	573	1620		10	8.1
01/17/2022								<0.12					2,300	52.5	3990		5.1	11
07/12/2022								0.23			<0.020		1,600	161	4080		4.9	9.6
01/17/2023								<0.12					1,700	413	5220		4.5	10
07/11/2023								0.39			<0.020		1,300	44.9	3610		7.7	6.5
01/11/2024								<0.12					3,400	239	4960 M		6.6	11
07/10/2024								0.69			<0.020		960	<25	458		13	5.4

Water Quality Indicators - Historical Data
WAULECO, INC - Wausau Facility
Well - W25

Date	#2 Fuel Oil	Ammonia Nitrogen Total	Gasoline	Kerosene	Nitrate	Nitrate + Nitrite Nitrogen	Nitrogen, Nitrate	Phosphorus, Phosphate	Total Chloride	Dissolved Mercury	Total Mercury	TPH as Mineral Spirits	Sodium
	(mg/L)	(mg/L)	(mg/L)	(mg/L)	(mg/L)	(mg/L)	(mg/L)	(mg/L)	(mg/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)
02/19/1992							7.64		75.8			<610	
07/29/1992							4.66		60.4			<500	
09/17/1992		<1					6.04	1.96	34.6			<500	31900
12/17/1992		<1					6.52		39.3			<500	33700
03/23/1993		<0.1				4.37			77			<500	40200
06/28/1993		0.2				4.2			71			<1000	
12/28/1993		0.26				8.07			136			<1000	
04/25/1994		0.2				1.14			90				
06/21/1994		0.17				2.69			84			1600	
10/04/1994		<0.1				6.02			89				
03/10/1995		0.23				0.58			68				
07/05/1995	<0.25	0.71	<0.25	<0.25		2.58			91			850	
09/13/1995		<0.1				1.14			25				
03/21/1996		0.11				4.55			54				
07/11/1997		<0.1				5.5			156			<260	
01/02/1998		<0.1				3.4			81.2				
06/23/1998		<0.1				2.61			110		<0.2	<250	
01/26/1999		<0.1				4.5			144		<0.2		
06/09/1999		0.2				4.9			187			<100	
01/11/2000		<0.1				4.75			207		<0.16		
07/18/2000		<0.02				5.74			186		<0.16	<500	
01/30/2001		<0.02				5.18			308		144	<500	
07/10/2001		<0.02				4.4			160		<0.14	<500	
01/15/2002		<0.020				5.0			240				
08/05/2002		<0.020				8.4			140		<0.070	<500	
01/14/2003		<0.070				10.0			110				
07/22/2003		0.023				5.6			150		<0.070	<27	
01/20/2004		0.042				3.2			230				
07/13/2004		<0.030				7.70			40.7		<0.11	27 J	
01/19/2005		<0.030				6.30			88				
07/21/2005		<0.030				3.60			120		<0.090	340	
7/21/2005 Duplicate		<0.030				3.8			120		<0.090	380	
07/18/2006		<0.023				2.20			82		<0.060	<530	
7/18/2006 Duplicate		<0.023				2.1			89		<0.060	<530	
01/23/2007		<0.023				2.80			200				
07/11/2007		<0.021				4.8			220		0.14	65	
01/29/2008		<0.021				4.5 Q			190 Q				
07/23/2008		<0.080				7.30			71		0.05	92 Q	
01/20/2009		<0.080				12.00			250M				
07/06/2009		<0.030				6.60			120		<0.04	86	
01/18/2010		<0.030				5.40			150				
07/13/2010		<0.050				4.90			180		0.06	630	
7/13/2010 Duplicate		<0.050				5.10			180		0.04	570	
01/24/2011		<0.050				4.80			46				
07/19/2011		<0.022				4.30			16		0.090	100	
7/19/2011 Duplicate		<0.022				4.30			15		0.160	130	
01/23/2012		0.09				3.90			110				
07/06/2012		<0.030				4.10			150		0.060 B	230	
01/04/2013		<0.030				2.60			60				
07/05/2013		<0.040				4.90			28		0.030	54 MY	
01/21/2014							4.5						
07/09/2014							5.8			<0.016		<27	

Water Quality Indicators - Historical Data
WAULECO, INC - Wausau Facility
Well - W25

Date	#2 Fuel Oil (mg/L)	Ammonia Nitrogen Total (mg/L)	Gasoline (mg/L)	Kerosene (mg/L)	Nitrate (mg/L)	Nitrate + Nitrite Nitrogen (mg/L)	Nitrogen, Nitrate (mg/L)	Phosphorus, Phosphate (mg/L)	Total Chloride (mg/L)	Dissolved Mercury (ug/L)	Total Mercury (ug/L)	TPH as Mineral Sprits (ug/L)	Sodium (ug/L)
01/19/2015							5.2						
07/08/2015							5.4			<0.050		45	
01/14/2016							6						
07/06/2016							5.9			0.050		<33	
01/16/2017							4.2						
07/11/2017							6.8			<0.020		47 B	
01/09/2018							3.9		220				
07/11/2018							5.8			<0.020		<33	
01/21/2019							5.4						
07/08/2019							6.2			<0.020		<32	
01/13/2020							3.3						
07/07/2020							5.9			<0.020		<34	
01/11/2021							4.3						
07/07/2021							3.8			<0.020		<32	
01/13/2022							4.3						
07/06/2022							6.4			<0.020		<31	
01/10/2023							6.1						
07/06/2023							6.8			<0.020		<32	
01/03/2024							5.4						
07/02/2024							11			<0.020		<32	

Water Quality Indicators - Historical Data
WAULECO, INC - Wausau Facility
Well - W26-W26R

Date	#2 Fuel Oil (mg/L)	#6 Fuel Oil (mg/L)	Ammonia Nitrogen Total (mg/L)	Gasoline (mg/L)	Kerosene (mg/L)	Nitrate (mg/L)	Nitrate + Nitrite Nitrogen (mg/L)	Nitrogen, Nitrate (mg/L)	Phosphorus, Phosphate (mg/L)	Total Chloride (mg/L)	Dissolved Mercury (ug/L)	Total Mercury (ug/L)	TPH as Mineral Spirits (ug/L)	Dissolved Iron (ug/L)	Dissolved Manganese (ug/L)	Sodium (ug/L)	Sulfate (ug/L)	Total Organic Carbon (ug/L)
02/25/1992								0.034		103			1,000					
06/14/1992								0.093		130			<500					
09/17/1992			<1					0.031	1.96	166			650			62,800		
12/18/1992			<1					0.337		139			1,000			66,000		
03/24/1993			0.18				0.12			136			4,800			52,800		
06/30/1993			0.19				0.12			133			<1000					
12/27/1993			<0.2				0.16			155			1,000					
04/25/1994			0.11				<0.02			212								
06/22/1994			<0.1				<0.02			181			1,200					
10/04/1994			<0.1				<0.02			178								
03/09/1995			0.12				0.05			169								
07/06/1995	<0.25		0.24	<0.25	<0.25		0.04			143			4,400					
09/13/1995			<0.1				<0.02			245								
03/21/1996			0.16				<0.04			118								
07/09/1996	<0.25	<1	<0.1	<0.25	<0.25		0.81			488			900					
09/25/1996			<0.1				<0.08			359								
07/11/1997			<0.1				0.25			207			<260					
01/02/1998			<0.1				<0.14			287								
06/24/1998			<0.1				<0.14			349		0.2	3,800					
01/27/1999			<0.1				<0.14			691		<0.2						
06/09/1999			<0.1				<0.14			677			<1000					
01/11/2000			<0.1				<0.14			193.5		0.355						
07/18/2000			<0.02				<0.08			375		<0.16	4,800					
01/31/2001			<0.02				<0.08			254		<0.12	2,600					
07/11/2001			<0.020				0.95			420		<0.14	1,700					
01/15/2002			<0.020				<0.18			56								
08/06/2002			<0.020				<0.18			250		<0.070	1,300					
01/14/2003			<0.070				<0.18			340								
07/24/2003			0.042				0.27			300		0.19	410					
01/21/2004			0.045				<0.13			260								
07/13/2004			<0.030				0.60			230		<0.11	230					
01/20/2005			<0.030				0.78			390								
07/20/2005			<0.030				0.84			320		<0.090	850					
01/17/2006			<0.023				0.36			373								
07/20/2006			<0.023				0.68			400		0.10	1600 Q					
7/20/2006 Duplicate			<0.023				0.53			420		0.10	1800 Q					
01/23/2007			<0.023				0.14			1100								
07/09/2007			<0.021				<0.19			460		0.18	320					
7/9/2007 Duplicate			<0.021				<0.19			530		0.21	380					
01/28/2008			<0.021				<0.19			350								
01/28/2008 Duplicate			<0.021				<0.19			410								
07/24/2008			<0.080				<0.12			270		0.06	1,000					
01/20/2009			<0.080				0.310			67								
07/07/2009			<0.030				0.120			22		0.14	<27					
7/7/2009 Duplicate			<0.030				0.140			22		0.13	<27					

Water Quality Indicators - Historical Data
WAULECO, INC - Wausau Facility
Well - W26-W26R

Date	#2 Fuel Oil (mg/L)	#6 Fuel Oil (mg/L)	Ammonia Nitrogen Total (mg/L)	Gasoline (mg/L)	Kerosene (mg/L)	Nitrate (mg/L)	Nitrate + Nitrite Nitrogen (mg/L)	Nitrogen, Nitrate (mg/L)	Phosphorus, Phosphate (mg/L)	Total Chloride (mg/L)	Dissolved Mercury (ug/L)	Total Mercury (ug/L)	TPH as Mineral Spirits (ug/L)	Dissolved Iron (ug/L)	Dissolved Manganese (ug/L)	Sodium (ug/L)	Sulfate (ug/L)	Total Organic Carbon (ug/L)
01/18/2010			<0.030				<0.12			100								
07/15/2010			<0.050				2.20			370		<0.040	3,400					
01/25/2011			<0.050				3.10			560								
07/20/2011			<0.022				4.70			700		0.090	960					
7/20/2011 Duplicate			<0.022				4.70			660		0.090	970					
01/23/2012			<0.060				3.80			620								
07/10/2012			<0.030				3.10			770		<0.016	360					
01/04/2013			<0.030				1.20			590								
07/02/2013			<0.040				1.30			780		<0.016	49					
01/22/2014								3.5	220				50	<5.0	599		26	2.6
07/07/2014								2.5			<0.016		<26	<10	259		29	3.9
01/15/2015								3.7					<27	<10	138		42	3.3
07/09/2015								1.4			<0.050		1,100	<10	263		44	5.2 Y
01/13/2016								3.1					60	<10	265		36	2.3
07/07/2016								2.7			0.042		<33	<10	221		40	3.7
01/16/2017								1.7					420	<59	76.1		28	3.7
07/17/2017								1.8			<0.020		51	<59	270		16	3.2
01/10/2018								1.4					<33	<59	88.3		20	3.2
07/12/2018								1.9			<0.020		<33 Q	<59	<2.2		31	1.2
01/24/2019								3.5					<33	<59	21		33	3.5
07/15/2019								0.54			<0.020		760	164	4270		18	8.1
01/13/2020								0.64					340	<59	640		11	4.9
07/14/2020								0.27			<0.020		120	<59	211		8.8	<0.40
01/11/2021								<0.12					880	60.3	658		5.7	4.6
07/12/2021								0.19			<0.020		72 Q	116	196		4.8	3.4
01/17/2022								<0.12					440	<27	526		6.5	4.5
07/11/2022								0.71			<0.020		80	<27	574		7.2	2.5
01/09/2023								0.22					42	114	196		5.8	3.3
07/06/2023								0.63			<0.020		44	<25	1420		14	2.7
01/08/2024								0.35					<33	30.2	685		5.9	6.2
07/09/2024								0.32			<0.020		<32	27.2	1250		7.7	3.6

Water Quality Indicators - Historical Data
WAULECO, INC - Wausau Facility
Well - W27

Date	#2 Fuel Oil (mg/L)	#6 Fuel Oil (mg/L)	Ammonia Nitrogen Total (mg/L)	Gasoline (mg/L)	Kerosene (mg/L)	Nitrate + Nitrite Nitrogen (mg/L)	Nitrogen, Nitrate (mg/L)	Total Chloride (mg/L)	Dissolved Mercury (ug/L)	Total Mercury (ug/L)	TPH as Mineral Spirits (ug/L)	Sodium (ug/L)	Arsenic (ug/L)	Dissolved Iron (ug/L)	Dissolved Manganese (ug/L)	Sulfate (ug/L)	Total Organic Carbon (ug/L)
06/24/1992							0.926	103			500						
12/17/1992			<1				0.324	140			2,000	58,000	<1				
06/30/1993			<0.1			2.62		162			<1000						
12/28/1993			0.26			0.39		129			1,000						
06/22/1994			<0.1			0.36		116			<1000						
07/06/1995	<0.25		0.47	<0.25	<0.25	1.41		123			3,800						
07/09/1996	<2.5	<10	<0.1	<2.5	<2.5	0.16		173			6,500						
07/11/1997			<0.1			0.32		214			<250						
06/24/1998			<0.1			0.64		187		1	4,900						
06/08/1999			0.25			0.42		359			2,800						
07/18/2000			<0.02			0.295		341.5		0.87	3,850						
01/31/2001			<0.02			0.180		232		0.37	5,300						
07/11/2001			0.12			1.1		520		0.17	<500						
08/06/2002			<0.020			0.81		710		0.31	2,700						
07/22/2003			0.35			0.55		240		0.53	2,800						
07/13/2004			0.44			1.32		189		0.41	3,500						
07/19/2005			0.55			0.72		190		0.4	4,600						
07/19/2006			0.50			0.43		140		0.24	4,100						
07/09/2007			0.64			0.46		260		0.27	3600 Q						
07/23/2008			1.30			0.39		330		0.17	3,200						
07/07/2009			0.54			0.44		280		0.21	3,600						
07/14/2010			0.59			0.94		260		0.12	14,000						
7/14/2010 Duplicate			0.57			1.2 Y		260		0.1	17,000						
07/25/2011			0.15			0.22		46		0.33	7,900						
07/10/2012			0.25			0.051		61		0.15	9,900						
07/05/2013			0.26			1.400		110		0.06	9,000						
01/24/2014											4,900			4,480	11,800	18	8.9
07/09/2014							0.2		<0.016		4,400			5,450	18,800	22 M	17
01/16/2015											6,200			5,290	13,700	22	9.3
07/09/2015							0.23		<0.050		9,200			9,120	20,100	40	22
01/13/2016											7,000			7,020	17,800	38	18
07/11/2016							0.17		0.17		4,300			8,550	19600 M	47	23
01/19/2017											9,800			7,550	22,100	26	18
07/18/2017							<0.040		<0.020		6,300			4,610	15,900	69	52
7/18/2017 Duplicate							<0.040		<0.020		7,200			4,860	16,500	86	47
01/11/2018											6,000			6,000	16,400	25	21
07/18/2018							0.13		<0.020		4,600			5,040	15,300	43	33
01/24/2019											3,000			4,360	16,000	31	14
07/18/2019							<0.12		<0.020		3,200			3,490	10,300	20	44
7/18/2019 Duplicate							<0.12		<0.020		3,000			3,440	9,900	21	46
01/23/2020											2,900			4,210	14,800	6.6	9.8
07/16/2020							0.14		<0.020		2,000			5,040	18,700	8.6	6.9
01/12/2021											3,100			5,040	16,700	6	12
07/12/2021							0.18		<0.020		2100 Q			4,340	17,100	8.9	14
01/18/2022											2,400			5,110	15,400	6.2	19
07/12/2022							0.13		<0.020		3,500			5,890	17,800	18	35
7/12/2022 Duplicate							0.12		<0.020		3,200			5530 M	17700 M	19	29
01/17/2023											1,600			7,100	17,000	7.5	16
1/17/2023 Duplicate											2,200			6,850	16,700	7.5	16
07/11/2023							<0.12		<0.020		3,400			9,190	18,900	15	40
01/11/2024											6,900			6,990	16,100	5.2	42
1/11/2024 Duplicate											2,300			7,090	16,400	5.4	41
07/10/2024							0.19		<0.020		7,700			6,510	19,600	13	38
07/10/2024 Duplicate							0.16		<0.020		6,400			6,210	19,500	12	40

Water Quality Indicators - Historical Data
WAULECO, INC - Wausau Facility
Well - W28

Date	#2 Fuel Oil	#6 Fuel Oil	Ammonia Nitrogen Total	Carbon, Total Organic	Gasoline	Kerosene	Nitrate + Nitrite Nitrogen	Nitrogen, Nitrate	Oil and Grease	Phosphorus, Phosphate	Solids, Total Dissolved	Solids, Total Suspended	Sulfate	Total Chloride	Dissolved Mercury	Total Mercury	TPH as Mineral Spirits	Sodium	Arsenic	Barium	Chromium	Chromium, Total	Dissolved Iron	Iron	Dissolved Manganese
	(mg/L)	(mg/L)	(mg/L)	(mg/L)	(mg/L)	(mg/L)	(mg/L)	(mg/L)	(mg/L)	(mg/L)	(mg/L)	(mg/L)	(mg/L)	(mg/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)
01/08/1987				7.31				<0.02	<5		485	8170	36.8	102					30.45	2285	<10	965		<100	
06/04/1987				4.6				0.29	5.08		385	4290	37.3	88.4					<10	<200	<10			370	
09/03/1987				29.5				0.14	29		343	1650	20.2	102					<10	<200	<10				
12/03/1987				5.64				0.15	<6		351	768	42.7	14											
03/03/1988				12				<0.02	9.52		471	2070	43.5	129											
04/07/1988				8.47				<0.02	<5		386	3300	47.2	123					<10	<200	<10				
08/10/1988				4.63				0.23	8.32		206	4310	53	107					<10	<200	<10				
11/15/1988				4.84				0.18	10.5		402	1970	19.6	100					<10	<200	<10				
01/26/1989				4.66				<0.02	9.28		423	567	<10	121											
04/27/1989				7.26				0.04	7.68		392	1020	35.2	115					<10	<200	<10				
07/27/1989				35.6				0.19	<6		388	2450	38.5	94.3					<10	<200	<10				
10/26/1989				2.77				0.2	<6		365	1050	46.5	85.5					<10	<200	<10				
01/25/1990				4.05				0.11	<6		466	1130	33.6	93.5					<10	<200	<10				
05/03/1990				12				<0.02	<6		384	540	37.1	96					<10	<200	<10				
09/20/1990				4.55				<0.02	<5		317	918	33.6	89.9					<10	<200	<10				
12/11/1990				5.62				0.19	<6		324	528	33.8	79					<10	<200	<10				
01/29/1991				4.41				<0.02	<6		293	963	31.6	76.1					<10	<200	<10				
05/01/1991				7.05				0.08	7.56		281	1400	30.1	74.8					<10	<200	<10				
10/08/1991				4.99				<0.02	<5		329	840	23.3	73.4					<10	<200	<10				
07/08/1992			<1					0.115		0.918							<500								
12/17/1992			<1					0.051						98.3			<500	49,100							
06/29/1993			0.17					<0.02						88			<1000								
12/28/1993			<0.2					0.13						158			<1000								
06/22/1994			<0.1					0.03						130			<1000								
07/05/1995	<0.25		0.14		<0.25	<0.25		0.25						99			<250								
07/09/1996	<0.25	<1	<0.1		<0.25	<0.25		0.1						65			<250								
07/11/1997			<0.1					<0.14						75.5			<270								
06/24/1998			<0.1					0.19						57.2		<0.2	<250								
06/08/1999			<0.1					0.24						53.6			<100								
07/18/2000			<0.02					0.21						50.9		0.24	<500								
01/30/2001			<0.02					0.160						47.4		3.9	<500								
07/10/2001			<0.02					0.84						32		<0.14	<500								
08/06/2002			<0.020					0.80						28		<0.070	<500								
07/23/2003			<0.011					0.77						26		<0.070	110								
07/12/2004			<0.030					0.75						59.2		<0.11	28 J								
07/18/2005			<0.030					1.10						70		<0.090	<27								
07/18/2006			<0.023					2.10						110		<0.060	<520								
07/09/2007			<0.021					1.70						87		<0.080	<31								
07/23/2008			<0.080					2.10						53		<0.050	320								
07/07/2009			<0.030					1.10						78		<0.040	<26								
07/13/2010			<0.050					0.33		220				190		<0.040	<27								
07/18/2011			<0.022					0.50						150		<0.030	90								
01/17/2012			<0.060					0.31						180											
07/19/2012			<0.030					<0.030						56		<0.016	31								
07/02/2013			<0.040					0.64						270		<0.016	<27								
01/24/2014				0.73									20				49						<5.0		23.2
07/10/2014				0.58				0.99					15		<0.016		<26						15.7		13.3
01/16/2015				1.2									17				<27						54.1		<1.6
07/07/2015				1.8				1.2 H					16		<0.050		<27						<10		<0.050
01/12/2016				1.3									16				<27						<10		<1.6
07/06/2016				1				1.2					15		<0.020		<33						<10		<1.6
01/16/2017				1.8									15				<34						<59		<2.2
07/11/2017				1.5				0.81					10		<0.020		34 B						<59		<2.2

Water Quality Indicators - Historical Data
WAULECO, INC - Wausau Facility
Well - W28

Date	#2 Fuel Oil	#6 Fuel Oil	Ammonia Nitrogen Total	Carbon, Total Organic	Gasoline	Kerosene	Nitrate + Nitrite Nitrogen	Nitrogen, Nitrate	Oil and Grease	Phosphorus, Phosphate	Solids, Total Dissolved	Solids, Total Suspended	Sulfate	Total Chloride	Dissolved Mercury	Total Mercury	TPH as Mineral Spirits	Sodium	Arsenic	Barium	Chromium	Chromium, Total	Dissolved Iron	Iron	Dissolved Manganese
	(mg/L)	(mg/L)	(mg/L)	(mg/L)	(mg/L)	(mg/L)	(mg/L)	(mg/L)	(mg/L)	(mg/L)	(mg/L)	(mg/L)	(mg/L)	(mg/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)
01/10/2018				1.3									13				<33						<59		<2.2
07/11/2018				<0.40				1.2					11		<0.020		<32						<59		<2.2
01/23/2019				1									13				<32						70.5		31.1
07/08/2019				1				2.5					16		<0.020		<34						<59		<2.2
01/13/2020				1									17				<32						<59		<2.2
07/07/2020				1.4				1.3					14		<0.020		<34						<59		<2.2
01/07/2021				0.48									13				<34						<36		<1.4
07/06/2021				0.88				1.1					13		<0.020		<33						262		22.3
01/13/2022				1.6									21				<32						<27		2.7
07/06/2022				1.1				0.69					12		<0.020		<32						<27		<1.2
01/10/2023				<0.4									14				<32						<27		1.3
07/05/2023				<0.4				2.7					11		<0.020		<32						<25		2.4
01/10/2024				1.3									19				<32						<25		<2.4
07/02/2024				0.58				3					18		<0.020		<32						<25		<2.4

Water Quality Indicators - Historical Data
WAULECO, INC - Wausau Facility
Well - W29-W29R

Date	#2 Fuel Oil	#6 Fuel Oil	Ammonia Nitrogen Total	Carbon, Total Organic	Gasoline	Kerosene	Nitrate + Nitrite Nitrogen	Nitrogen, Nitrate	Oil and Grease	Solids, Total Dissolved	Solids, Total Suspended	Sulfate	Total Chloride	Dissolved Mercury	Total Mercury	TPH as Mineral Spirits	Sodium	Arsenic	Barium	Chromium	Chromium, Total	Iron	Dissolved Iron	Dissolved Manganese
	(mg/L)	(mg/L)	(mg/L)	(mg/L)	(mg/L)	(mg/L)	(mg/L)	(mg/L)	(mg/L)	(mg/L)	(mg/L)	(mg/L)	(mg/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(mg/L)	(ug/L)
01/08/1987				18.9				0.53	9.8	446	3785	41.1	87.4					50	676	<10	310	2820		
06/04/1987				26.3				0.23	16.8	436	2740	46.1	117					<10	<200	<10		4060		
09/03/1987				27.7				0.95	12.2	308	765	21.3	70.9					<10	<200	<10				
12/03/1987				22.8				0.16	20.2	452	2220	48.1	118											
03/03/1988				16				0.42	13.7	327	1470	34	66.8											
04/07/1988				5.46				2.8	<5	154	1050	30.2	13.2					<10	<200	<10				
08/10/1988				25.2				0.39	20.3	224	5150	55.7	95.6					<10	<200	<10				
11/15/1988				34.3				0.19	27.9	366	1620	48.9	99.5					<10	<200	<10				
01/26/1989				25.3				0.23	28.7	374	361	<10	86.2											
04/27/1989				27.8				<0.02	32.9	408	2060	32.4	81					<10	<200	<10				
07/27/1989				69.8				0.07	16.6	502	1120	50	116					<10	<200	<10				
10/26/1989				15.8				0.34	15.3	395	372	40.2	87.4					<10	<200	<10				
01/25/1990				11.6				0.32	<6	218	758	25.7	45.3					<10	<200	<10				
05/03/1990				4.36				2.07	<6	159	170	11.9	17					<10	<200	<10				
09/21/1990				5.23				0.69	<5	158	376	16.3	23					<10	<200	<10				
12/11/1990				14.3				0.26	<6	192	297	34	19.8					<10	<200	<10				
01/30/1991				5.26				0.28	<6	165	291	13.1	15.1					<10	<200	<10				
05/01/1991				13.1				0.31	<6	190	500	14.4	17.4					<10	<200	<10				
06/25/1992								0.027					21.1			<500		<1						
12/18/1992			<1					0.231					25.9			<500	22,100							
06/30/1993			0.15				0.44						43			<1000								
12/28/1993			<0.2				0.1						24			<1000								
06/22/1994			<0.1				0.6						157			<1000								
07/05/1995	<0.25		0.97		<0.25	<0.25	<0.02						35			<250								
07/09/1996	<0.25	<1	<0.1		<0.25	<0.25	0.08						60			690								
07/11/1997			<0.1				0.15						30.4			<260								
06/23/1998			<0.1				0.14						95.2		<0.2	470								
06/08/1999			<0.1				0.66						354			<100								
07/18/2000			<0.02				1.04						98.7		0.21	<500								
01/30/2001			<0.02				0.290						34.1		<0.12	<500								
07/11/2001			<0.020				0.31						53		<0.14	<500								
08/07/2002			<0.020				<0.18						28		<0.070	<500								
07/24/2003			<0.011				0.24						31		<0.070	<28								
07/13/2004			<0.030				0.400 J						43.1		<0.11	<27								
07/20/2005			<0.030				0.55						13		<0.090	150								
07/19/2006			<0.023				<0.13						30		<0.060	<540								
07/09/2007			<0.021				0.62						18		<0.080	<27								
07/24/2008			<0.080				0.32						79		<0.050	85								
7/24/2008 Duplicate			<0.080				0.35						75		<0.050	86								
07/07/2009			<0.030				<0.12						46		<0.040	<26								
07/14/2010			<0.050				0.57						67		<0.040	31								
07/19/2011			<0.022				<0.18						89		<0.030	1300 M								
07/09/2012			0.073				0.15		220				120		<0.016	1,000								
07/02/2013			<0.040				0.56						70		<0.016	<26								
07/07/2014								0.22						<0.016		140								
07/07/2015								0.29 H						<0.050		1,300								
07/11/2016								1.3						<0.020 M		600								
7/11/2016 Duplicate								1.1						<0.020		600								
07/17/2017				4.9				0.27				20		<0.020		350							<59	35.5

Water Quality Indicators - Historical Data
WAULECO, INC - Wausau Facility
Well - W29-W29R

Date	#2 Fuel Oil	#6 Fuel Oil	Ammonia Nitrogen Total	Carbon, Total Organic	Gasoline	Kerosene	Nitrate + Nitrite Nitrogen	Nitrogen, Nitrate	Oil and Grease	Solids, Total Dissolved	Solids, Total Suspended	Sulfate	Total Chloride	Dissolved Mercury	Total Mercury	TPH as Mineral Spirits	Sodium	Arsenic	Barium	Chromium	Chromium, Total	Iron	Dissolved Iron	Dissolved Manganese
	(mg/L)	(mg/L)	(mg/L)	(mg/L)	(mg/L)	(mg/L)	(mg/L)	(mg/L)	(mg/L)	(mg/L)	(mg/L)	(mg/L)	(mg/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(mg/L)	(ug/L)
01/11/2018				3.1								6				<33							<59	25.1
07/19/2018				2.5				0.13				13		0.022		<32							<59	6.2
7/19/2018 Duplicate				1.8				0.14				13		<0.020		<33							<59	5.5
01/23/2019				2.8								17				42							<59	166
07/16/2019				11				0.47				14		<0.020		<34							<59	103
01/13/2020				8.1								18				140 B							<59	219
07/07/2020				5.6				1.9				22		<0.020		120							<59	53.9
01/12/2021				6.1								4.7				<32							37.5	96.1
07/12/2021				6.7				0.12				8		<0.020		<32 Q							77.3	101
01/13/2022				5.5								5.4				<32							90.8	104
07/11/2022				6.9				0.14				3.8		<0.020		<32							73.1	86.4
01/10/2023				4.7								6				<32							44.4	108
07/06/2023				4.9				<0.12				4.1		<0.020		<32							81.9	86.6
01/08/2024				5.1								4.3				<33							51.4	105
07/08/2024				3.4				1.3				11		<0.020		<33							73	129

Water Quality Indicators - Historical Data
WAULECO, INC - Wausau Facility
Well - W32

Date	#2 Fuel Oil (mg/L)	#6 Fuel Oil (mg/L)	Ammonia Nitrogen Total (mg/L)	Carbon, Total Organic (mg/L)	Gasoline (mg/L)	Kerosene (mg/L)	Nitrate + Nitrite Nitrogen (mg/L)	Nitrogen, Nitrate (mg/L)	Oil and Grease (mg/L)	Phosphorus, Phosphate (mg/L)	Solids, Total Dissolved (mg/L)	Solids, Total Suspended (mg/L)	Sulfate (mg/L)	Total Chloride (mg/L)	Dissolved Mercury (ug/L)	Total Mercury (ug/L)	TPH as Mineral Spirits (ug/L)	Sodium (ug/L)	Arsenic (ug/L)	Barium (ug/L)	Chromium (ug/L)	Chromium, Total (ug/L)	Iron (ug/L)
01/08/1987				34.1				0.03	<5		168	2210	45.9	15.5					48.4	712	<10	361	30500
06/04/1987				23.9				<0.02	<5		221	1730	53	17.6					<10	<200	<10		49500
09/03/1987				14.8				<0.02	<5		191	245	36.2	12.5					<10	<200	<10		
12/03/1987				14.5				<0.02	<6		175	182	57.8	14					<10	<200	<10		
03/03/1988				11.5				<0.02	8.62		89	416	32.6	7.19									
04/07/1988				9.31				<0.02	<5		124	87	32.4	8.11					<10	<200	<10		
08/10/1988				21.1				<0.02	<6		21	1410	58.8	13.8					<10	<200	<10		
11/15/1988				15.7				<0.02	<6		181	342	56.4	15					<10	<200	<10		
01/26/1989				9.35				<0.02	<6		196	91	75.5	12.1									
04/27/1989				16.7				<0.02	<6		193	373	9.8	20					<10	<200	<10		
07/27/1989				42.8				<0.02	<6		224	171	1.5	16.9					<10	<200	<10		
10/26/1989				8				<0.02	<6		136	90	25.1	8.55					<10	<200	<10		
01/25/1990				9.81				<0.02	7.64		111	140	5.7	10.6					<10	<200	<10		
05/03/1990				10.6				<0.02	<6		140	18	4	11					<10	<200	<10		
09/21/1990				13.9				<0.02	<5		81	41	<1	6.1					<10	<200	<10		
12/11/1990				14.1				<0.02	<6		130	30	<1	5.8					<10	<200	<10		
01/30/1991				15.1				<0.02	<6		108	24	<1	4					<10	<200	<10		
05/01/1991				29.2				<0.02	<6		477	109	46.4	72.9					<10	269	<10		
10/08/1991				15.1				<0.02	<5		183	86	<1	5.96					<10	<200	<10		
06/24/1992								<0.02		2.8				27.2			<500		2.64				
12/19/1992			1.96					0.052						25.9			<500	21,800					
06/29/1993			1.8				0.07							56			<1000						
12/28/1993			1.31				0.08							7			<1000						
06/22/1994			1.21				0.04							11			<1000						
07/05/1995	<0.25		1.46		<0.25	<0.25	0.03							12			<250						
07/08/1996	<0.25	<1	1.72		<0.25	<0.25	<0.06							38			<250						
07/11/1997			0.9				0.15							9.4			<270						
06/23/1998			0.92				<0.14							12.1		<0.2	<250						
06/07/1999			1.49				0.15							21.9			<100						
07/17/2000			1.02				<0.08							14.9		<0.16	<500						
01/30/2001			<0.02				<0.08							7.11		0.60	<500						
07/10/2001			1.1				<0.18							23		<0.14	<500						
08/06/2002			<0.020				<0.18							17		<0.070	<500						
07/24/2003			0.99				<0.13							8.5		0.19	<27						
07/13/2004			1.6				<0.13							35.6		<0.11	28 J						
07/20/2005			1.1				<0.10							8.5		<0.090	<27						
07/18/2006			1.2				<0.13							11		<0.060	<540						
07/09/2007			1.3				<0.19							14		<0.080	<33						
07/22/2008			1.4				<0.12							56		<0.050	77						
07/07/2009			1.4				<0.12							45		<0.040	<26						
07/14/2010			1.4				<0.30 V		220					27		<0.040	39						
07/18/2011			1				0.46							22		<0.030	<28						
07/09/2012			0.94				<0.030							14		<0.016	41						
07/01/2013			1.10				0.27 MY							65		<0.016	<26						
07/07/2014								0.13							<0.016		<27						
07/06/2015								<0.040							<0.050		<27						
07/05/2016								<0.040							0.092		<34						
07/10/2017								<0.040							<0.020		39 B						
07/10/2018								<0.12							<0.020		<34						
07/08/2019								<0.12							<0.020		<32						
07/06/2020								0.2							<0.020		<34 Q						
07/07/2021								<0.12							<0.020		<34						
07/06/2022								<0.12							<0.020		<32						
07/05/2023								<0.12							<0.020		<32						
07/02/2024								<0.12							<0.020		<33						

Water Quality Indicators - Historical Data
WAULECO, INC - Wausau Facility
Well - W33

Date	Ammonia Nitrogen Total (mg/L)	Nitrate (mg/L)	Nitrate + Nitrite Nitrogen (mg/L)	Total Chloride (mg/L)	Dissolved Mercury (ug/L)	Total Mercury (ug/L)	TPH as Mineral Spirits (ug/L)	Dissolved Iron (ug/L)	Dissolved Manganese (ug/L)	Sulfate (ug/L)	Total Organic Carbon (ug/L)
08/07/2002	<0.020		0.98	630		3.4	100,000				
07/24/2003	0.018		1.3	370		10	86,000				
07/14/2004	<0.030		1.55	355		2.7	180,000 Q,M				
07/21/2005	<0.030		2	370		13	190,000				
01/23/2007	0.040		1	560							
07/11/2007	0.052		1.3	460		7.1	120,000 Q				
07/24/2008	0.200		1.5	440		12	28,000				
07/07/2009	<0.030		2	470		1.1	12,000				
01/19/2010	0.240		<2.4 V	440							
07/15/2010	0.075		<0.30 V	470		2.7	21,000				
01/25/2011	0.520		<0.30 V	410							
07/25/2011	0.350		0.23	57		3.7	3,800				
01/23/2012	0.230		0.93	170							
07/19/2012	0.073 M		<0.030	190		2.3	15000 M				
01/08/2013	0.150		<0.040	210							
07/08/2013	<0.040		0.23	110		4.3	17,000				
01/22/2014		0.17					26,000	3,140	2,750	20	8.6
07/07/2014		0.2			<0.016		26,000	1,810	2,030	17	11.0
01/15/2015		0.17					15,000	1,400	1,880	23	9.7
07/09/2015		0.37			<0.050		6,500	851	1360 M	12	7.0
01/14/2016		0.10					12,000	1,680	1,430	17	6.7
07/12/2016		0.15			0.21		4,800	1,600	1,500	13	6.4
01/19/2017		<0.040					9,400	2,560	1,510	20	21.0
07/18/2017		0.44			<0.020		3,500	693	1,850	12	9.3
01/11/2018		<0.040					14,000	1,160	1,720	15	9.5
07/19/2018		<0.12			<0.020		7,400	847	1,550	14	5.2
01/28/2019		<0.12					5,700	1,130	2,170	15	7.9
07/15/2019		2.1			<0.020		<34	<59	36.5	7.3	4.6
01/14/2020		1.9					2,400	510	1,480	10	6.9
07/14/2020		0.3			0.94		440	257	423 M	9.8	2.9
01/12/2021		<0.12					4,100	504	1,910	14.0	9.7
07/14/2021		0.67			0.022		2,900	187	1,130	6.0	<0.4
01/18/2022		<0.12					3,900	1,260	2,160	13.0	8.1
1/18/2022 Duplicate		<0.12					3,100	1,270	2,170	13.0	7.0
07/11/2022		0.13			0.029		26,000	428	1,840	10.0	6.7
01/11/2023		0.32					6,000	2,200	2,230 M	10.0	4.7
07/11/2023		<0.12			0.026		2,200	888	1,930	9.5	5.8
01/11/2024		<0.12					8,300	1,290	1,830	12	6.1
07/10/2024		1.6			0.36		2,800	202	177	7.2	8.8

Water Quality Indicators - Historical Data
WAULECO, INC - Wausau Facility
Well - W36

Sampled	#2 Fuel Oil (mg/L)	#6 Fuel Oil (mg/L)	Ammonia Nitrogen Total (mg/L)	Gasoline (mg/L)	Kerosene (mg/L)	Nitrate + Nitrite Nitrogen (mg/L)	Nitrogen, Nitrate (mg/L)	Phosphorus, Phosphate (mg/L)	Total Chloride (mg/L)	Dissolved Mercury (ug/L)	Total Mercury (ug/L)	TPH as Mineral Solids (ug/L)
02/20/1992							<0.02		100			1200
08/03/1992							0.048		102			1000
09/17/1992			<1				0.055	2.93	48.7			650
09/13/1995			<0.1			2.31			136			
07/10/1996	<0.25	<1	<0.1	<0.25	<0.25	0.21			120			1800
07/11/1997			<0.1			1.4			77			33000
01/02/1998			<0.1			1.33			94.2			
06/25/1998			<0.1			2.44			92.8		11.5	2400
01/27/1999			<0.1			2.8			95.1		23	
06/09/1999			0.11			2.755			96.05			<100
01/11/2000			<0.1			3.16			118		10.7	
07/18/2000			<0.02			2.88			133		4.45	1300
01/31/2001			0.250			3.27			107		6.9	<500
07/11/2001			<0.020			3.8			92		<0.14	<500
01/15/2002			0.260			3.6			110			
08/06/2002			<0.020			4			130		<0.070	<500
01/15/2003			<0.070			4.2			150			
07/22/2003			0.053			3.9			250		1.8	150
01/21/2004			<0.030			3.8			230			
07/14/2004			<0.030			4.17			190		0.49	430 Q
01/20/2005			<0.030			4.2			160			
07/21/2005			<0.030			3.6			160		0.91	230
01/18/2006			<0.023			3.420			163			
07/18/2006			<0.023			3.7			150		0.32	<520
01/23/2007			<0.023			4.7			200			
07/09/2007			<0.021			4.4			220		0.29	<28
7/9/2007 Duplicate			<0.021			4.5			220		0.32	<27 MY
01/29/2008			<0.021			5.6 Q			240			
01/29/2008 Duplicate			<0.021			5.6 Q			230			
07/23/2008			<0.080			<0.12			230		0.21	78
01/20/2009			<0.080			5.5			230			
1/20/2009 Duplicate			<0.080			5.6			220			
07/06/2009			<0.030			6.2			250		0.21	<27
01/18/2010			<0.030			6.6			290			
07/14/2010			<0.050			6.4			220		0.37	<27
01/24/2011			<0.050			5.7			210			
07/19/2011			0.042			5.2			180		0.58	<27
01/18/2012			<0.17			2.1			320			
07/09/2012			<0.030			5.2			210		0.86 B	<27
01/07/2013			<0.030			5.4			200			
07/02/2013			<0.040			5.2			200		1.5	<27
07/09/2014							5.4			<0.016		<26
07/07/2015							4.7			<0.050		<27
07/06/2016							5.4			0.049		<33
07/11/2017							5.7			<0.020		44 B
07/12/2018							6.7			<0.020		<33 Q
07/09/2019							5.8			<0.020		<33
07/08/2020							6.4			<0.020		<34
07/07/2021							5.7			<0.020		<33
07/06/2022							6			<0.020		<31
07/06/2023							7			<0.020		<32
07/08/2024							1.4			<0.020		70

Water Quality Indicators - Historical Data
WAULECO, INC - Wausau Facility
Well - W39

Date	#2 Fuel Oil (mg/L)	#6 Fuel Oil (mg/L)	Ammonia Nitrogen Total (mg/L)	Gasoline (mg/L)	Kerosene (mg/L)	Nitrate (mg/L)	Nitrate + Nitrite Nitrogen (mg/L)	Nitrogen, Nitrate (mg/L)	Phosphorus, Phosphate (mg/L)	Total Chloride (mg/L)	Dissolved Mercury (ug/L)	Total Mercury (ug/L)	TPH as Mineral Spirits (ug/L)	Sodium (ug/L)	Arsenic (ug/L)
06/17/1992								0.461	5.36	193			<500		<1
12/18/1992			<1					0.905		195			75,000	96,200	
06/21/1994			<0.1				0.58			185			<1000		
03/10/1995			0.3				0.4			75					
09/13/1995			0.16				0.1			62					
12/18/1995			0.45				0.24			141					
03/20/1996			0.13				<0.1			69					
07/09/1996	<13	<50	0.11	<13	<13		0.08			170			95,000		
01/21/1997			<0.1				1			122					
07/11/1997			<0.1				1.24			163			160,000		
01/02/1998			<0.1				0.57			207					
06/24/1998			<0.1				0.6			189		2.2	45,000		
06/09/1999			0.36				2.78			155			27,000		
07/19/2000			<0.02				1.4			168		3.2	240,000		
07/11/2001			<0.020				1.8			200		1.0	34,000		
08/06/2002			<0.020				2.1			97		0.25	140,000		
01/15/2003			<0.070				3.6			310					
07/22/2003			0.053				2.3			180		1.10	28,000		
01/20/2004			0.037				3.900			320					
07/14/2004			<0.030				3.41			292		1.40	33,000 Q		
01/20/2005			<0.030				3.3			290					
07/20/2005			<0.030				4			210		0.18	1,300		
01/17/2006			<0.023				2.23			297					
07/19/2006			<0.023				2.7			140		0.29	16000 Q		
7/19/2006 Duplicate			<0.023				2.0			140		0.33	15000 Q		
01/23/2007			0.25				1.1			260					
07/11/2007			0.25				1.1			170		1.50	22000 Q		
01/28/2008			<0.021				2.4 Q			190					
07/24/2008			0.59				1.6			270		4.90	9,500		
01/21/2009			<0.080				2.4			370					
07/07/2009			0.17				3.7			320		0.71	11,000		
01/19/2010			0.24				1.3 V			360					
1/19/2010 Duplicate			0.18				1.6 V			350					
07/14/2010			0.51				0.54 V			52		5.40	13,000		
01/25/2011			0.59				<0.060			81					
1/25/2011 Duplicate			0.60				<0.060			78					
07/25/2011			0.067				0.36			61		5.30	6,100		
01/17/2012			0.97				<0.18			150					
1/17/2012 Duplicate			1.00				<0.18			150					
07/10/2012			1.10				1.1			230		1.10	3,600		
01/04/2013			0.65				0.63			240					
1/4/2013 Duplicate			0.71				0.64			230					
07/08/2013			1.40				0.22			360		2.00	4,000		
01/21/2014								0.21							
07/08/2014								0.33			0.030 B		8,600		
01/15/2015								0.22							
07/09/2015								2			<0.050		3,000		
01/14/2016								0.23							
07/07/2016								0.38			0.082		2,000		
01/19/2017								0.15							
07/17/2017								<0.040			0.058		980		
01/09/2018								<0.040							
07/12/2018								<0.12			0.062		2000 Q		
01/21/2019								<0.12							
1/21/2019 Duplicate								<0.12							

Water Quality Indicators - Historical Data
WAULECO, INC - Wausau Facility
Well - W40-W40R

Date	Ammonia Nitrogen Total (mg/L)	Nitrate (mg/L)	Nitrate + Nitrite Nitrogen (mg/L)	Total Chloride (mg/L)	Dissolved Mercury (ug/L)	Total Mercury (ug/L)	TPH as Mineral Spirits (ug/L)	Total Sulfate (mg/L)	Total Organic Carbon (mg/L)	Dissolved Iron (mg/L)	Dissolved Manganese (ug/L)
01/19/2010	<0.030		<1.2 V	290							
07/15/2010	<0.050		<0.30 V	360		7.9	250,000				
01/25/2011	<0.050		<0.30 V	210							
07/25/2011	0.048		0.38	160		3.8	130,000				
01/18/2012	<0.17		0.69	240							
07/19/2012	<0.030		<0.030	220		4.2	56,000				
01/07/2013	<0.030		0.13	210							
07/08/2013	<0.040		<0.080	690		2.5	280,000				
01/21/2014		<0.080									
07/08/2014		<0.080			<0.016		47,000				
01/15/2015		0.15									
07/09/2015		<0.040			<0.050		38,000				
01/19/2016		<0.040									
07/12/2016		<0.040			0.12		28,000				
01/19/2017		<0.040									
07/18/2017		<0.040			<0.020		250,000	10	43	3360	8080
01/15/2018		<0.040					360,000	8.1	72	2460	3210
07/19/2018		<0.12			<0.020		300,000	7.9 M	37	4540	5680
01/28/2019		<0.12					140,000	7.6	24	5050	12800
07/18/2019		<0.12			<0.020		31,000	16	8.8	109	6580 M
01/23/2020		<0.12					36,000	9.5	16	1220	5220
07/16/2020		<0.12			<0.020		15,000	8.8	5.5	374	4670 M
7/16/2020 Duplicate		0.12			<0.020		19,000	8.6	3.1	392	4670
01/13/2021		<0.12					7,600	5.7	8.6	1030	4830 M
07/14/2021		<0.12			0.021		18,000	5.9	10	1430	4000
07/11/2023		<0.12			<0.020		32,000	9.7	11	4250	8160
01/11/2024		<0.12					63,000	6.8	15	1650	3380
07/10/2024		<0.12			<0.020		150,000	6.6	11	1190	4730

Water Quality Indicators - Historical Data
WAULECO, INC - Wausau Facility
Well - W41

Date	#2 Fuel Oil (mg/L)	#6 Fuel Oil (mg/L)	Ammonia Nitrogen Total (mg/L)	Gasoline (mg/L)	Kerosene (mg/L)	Nitrate (mg/L)	Nitrate + Nitrite Nitrogen (mg/L)	Nitrogen, Nitrate (mg/L)	Phosphorus, Phosphate (mg/L)	Total Chloride (mg/L)	Dissolved Mercury (ug/L)	Total Mercury (ug/L)	TPH as Mineral Spirits (ug/L)	Sodium (ug/L)	Arsenic (ug/L)	Total Sulfate (mg/L)	Total Organic Carbon (mg/L)	Dissolved Iron (mg/L)	Dissolved Manganese (ug/L)
02/25/1992								0.759		80.6			141,000						
06/16/1992								0.345	5.11	246			500						
09/17/1992			<1					0.543	2.55	168			900	67,800					
12/19/1992			<1					0.228		211			9,000	103,000					
03/24/1993			0.66				0.34			122			7,100	107,000					
06/30/1993			0.12				0.05			124			330,000						
12/28/1993			0.34				1.75			218			5,600						
04/25/1994			0.34				0.04			115									
06/21/1994			0.22				0.04			91			2,800						
10/04/1994			0.6				0.34			44									
03/10/1995	<0.25		0.47	<0.25	<0.25		0.53			191									
07/06/1995			0.85				0.9			132			5,500						
09/13/1995			0.57				0.29			100									
03/20/1996			0.54				<0.2			162									
07/09/1996	<2.5	<10	0.26	<2.5	<2.5		<0.02			137			13,000						
09/25/1996			0.2				0.74			164									
07/11/1997			0.3				3.76			146			10,000						
01/02/1998			0.26				0.75			323									
06/24/1998			0.22				0.52			281		0.4	5,200						
01/26/1999			0.15				0.35			318		0.4							
06/08/1999			0.57				0.5			414			5,900						
01/11/2000			0.5				0.213			250		0.75							
07/19/2000			0.290				0.55			248		0.22	11,000						
01/31/2001			0.360				<0.08			206		0.21	5,600						
07/11/2001			0.40				0.64			210		0.21	6,300						
01/15/2002			0.88				<0.18			110									
08/06/2002			<0.020				0.63			230		0.12	8,600						
01/14/2003			0.53				1.1			200									
07/22/2003			0.74				1.2			170		0.48	7,000						
01/20/2004			1.10				0.62			240									
07/13/2004			0.90				0.81			1080		0.52	8300 Y						
07/13/2004			0.98				1.28			255		0.43	9300 Y						
01/20/2005			1.00				1.60			220									
07/19/2005			1.20				1.70			230		0.44	8,300						
01/17/2006			0.98				0.89			187									
07/19/2006			0.89				0.54			190		0.48	6,600						
01/23/2007			0.80				0.46			190									
07/09/2007			0.67				0.70			130		0.38	5600 Q						
01/28/2008			0.59				1.6 Q			160									
07/24/2008			0.53				1.40			220		0.62	9,100						
01/21/2009			0.85				1.20			300									
1/21/2009 Duplicate			0.94				0.68			300									
07/07/2009			0.75				1.80			280		0.28	3,300						
01/19/2010			0.77				1.7 V			250									
07/14/2010			0.21				3.80			110		0.2	2,900						
01/25/2011			0.32				1.40			89									
07/20/2011			0.13				<0.18			25		0.34	2,500						
01/17/2012			0.60				<0.18			84									
07/10/2012			0.46				0.098			140		0.94	5,600						
01/04/2013			0.51				0.350			210									
07/05/2013			0.37				<0.080			190		0.27	11,000						
01/21/2014								0.22											
07/09/2014								0.20			<0.016		9,100						

Water Quality Indicators - Historical Data
WAULECO, INC - Wausau Facility
Well - W41

Date	#2 Fuel Oil	#6 Fuel Oil	Ammonia Nitrogen Total	Gasoline	Kerosene	Nitrate	Nitrate + Nitrite Nitrogen	Nitrogen, Nitrate	Phosphorus, Phosphate	Total Chloride	Dissolved Mercury	Total Mercury	TPH as Mineral Spirits	Sodium	Arsenic	Total Sulfate	Total Organic Carbon	Dissolved Iron	Dissolved Manganese
	(mg/L)	(mg/L)	(mg/L)	(mg/L)	(mg/L)	(mg/L)	(mg/L)	(mg/L)	(mg/L)	(mg/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(mg/L)	(mg/L)	(mg/L)	(ug/L)
01/15/2015								0.15											
07/08/2015								<0.040			<0.050		8,200						
01/14/2016								0.27											
07/12/2016								<0.040			0.15		2,500						
01/19/2017								0.20											
07/18/2017								0.14			<0.020		1,400			22	20	1380	14300
01/11/2018								<0.040					1,600			14	31	8200 M	12700 M
07/18/2018								0.15			<0.020		1,300			9.7	26	6930	14600
01/24/2019								<0.12					2,400			4.1	48	7940	17100
07/15/2019								0.36			<0.020		680			7.9	7.7	6070	13700
01/22/2020								<0.12					2,300			1.7	31	15300 M	18700 M
1/22/2020																			
Duplicate								<0.12					1,500			1.5	34	15300	19300
07/08/2020								0.22			<0.020		1,100			1.6	9.6	13700	15100
01/13/2021								<0.12 H					2,900			4.4	20	18500	31200
1/13/2021																			
Duplicate								<0.12 H					2,400			3.1	18	19900	33000
07/13/2021								0.39			<0.020		1,800			9.7	23	3160	18900
01/17/2022								<0.12					1,500			6.3	21	13300	24400
07/11/2022								0.2			0.024		1,300			3.4	21	8360	22300
01/17/2023								0.16					1,700			4.1	24	17900	27900
07/11/2023								<0.12			<0.020		1,500			4	16	11900	24100
01/09/2024								0.13					2,100			5.4	18	23000	36800
07/09/2024								0.67			<0.020		620			9.2	7.5	2290	19200 M

Water Quality Indicators - Historical Data
WAULECO, INC - Wausau Facility
Well - W69

Date	Ammonia Nitrogen Total (mg/L)	Nitrate + Nitrite Nitrogen (mg/L)	Total Chloride (mg/L)	Total Mercury (ug/L)	TPH as Mineral Spirits (ug/L)
07/24/2003	0.095	0.77	120	23	61,000
01/21/2004	0.15 J	0.23 J	130		
07/14/2004	<0.030	1.25	96.7	35.0	76,000 Q
7/14/2004 Duplicate	<0.030	1.20	75.1	16.0	72,000 Q
01/20/2005	0.048 J	0.75	83		
07/23/2008	<0.080	0.92	150	7.4	8,300
01/21/2009	<0.080	1.30	140		
01/25/2011	0.23	0.98	59		
07/25/2011	0.059	0.28	35	56.8	7,900 MY
01/18/2012	<0.17	<0.18	71		
07/10/2012	0.18	0.44	81	<0.016	8,600 M
01/07/2013	0.26	0.054 M	44		
07/08/2013	<0.040	0.120	25	12.6	6,500

Note:

WDNR letter dated March 18, 2014 concurred with TRC letter dated October 13, 2013 that this well could be eliminated from the monitoring network.

Water Quality Indicators - Historical Data
 WAULECO, INC - Wausau Facility
 Well - W71

Date	TPH as Mineral Spirits (ug/L)
07/01/2016	<34
07/10/2017	35 B
07/10/2018	<34
07/15/2019	<33
07/06/2020	<35 Q
07/06/2021	<31
07/05/2022	<31
07/05/2023	<32
07/01/2024	<33

Water Quality Indicators - Historical Data
 WAULECO, INC - Wausau Facility
 Well - W72

Date	TPH as Mineral Spirits (ug/L)
07/01/2016	<33
07/10/2017	<34
07/10/2018	<34
07/11/2019	<34
07/06/2020	<34 Q
07/06/2021	<32
07/05/2022	<31
07/05/2023	<32
07/01/2024	<32

Water Quality Indicators - Historical Data
WAULECO, INC - Wausau Facility
Well - W73

Date	TPH as Mineral Spirits (ug/L)	Nitrate Nitrogen (mg/L)	Total Sulfate (mg/L)	Total Organic Carbon (mg/L)	Dissolved Mercury (mg/L)	Dissolved Iron (mg/L)	Dissolved Manganese (ug/L)
07/01/2016	<34						
07/10/2017	39 B		17	10		<59	10.1
01/09/2018	<33		32	4.8		<59 M,Y	2.4 M,Y
07/10/2018	<31		22	1.5		<59	22.4
01/22/2019	<32		20	2.8		<59	51.4
07/11/2019	<34	4.4	19	3.9		118	70.2
01/10/2020	<32		21	1.9		<59	2.8
07/07/2020	<34		19	2.5	<0.020	<59	17.9
01/07/2021	<33		25	1.5		<36	1.8
07/08/2021	<34 Q		21	2		<36	<1.4
01/12/2022	<31		29	1.9		<27	1.6
07/05/2022	<31		20	1.3		<27	2.2
01/09/2023	<33		26	1.1		538	36.8
07/05/2023	<32	5.3	16	2.4	<0.020	<25	10.2
01/03/2024	<32		26	2		139	16.3
07/02/2024	<32		15	1.6		57.4	47.8

Water Quality Indicators - Historical Data
 WAULECO, INC - Wausau Facility
 Well - W74

Date	TPH as Mineral Spirits (ug/L)
07/01/2016	<33
07/10/2017	36 B
07/10/2018	<34
07/11/2019	<33
07/07/2020	<34
07/06/2021	<31
07/05/2022	<31
07/05/2023	<32
07/01/2024	<33

Water Quality Indicators - Historical Data
WAULECO, INC - Wausau Facility
Well - FP2

Date	Nitrate Nitrogen (mg/L)	Total Sulfate (mg/L)	Total Organic Carbon (mg/L)	Dissolved Iron (mg/L)	Dissolved Manganese (ug/L)	TPH as Mineral Spirits (ug/L)
01/24/2014		3.9	6.9	14,000	9,790	8,300
07/10/2014		6.3	10	12,100	8,340	5,900
01/12/2015		3.5	8.1	15,200	9,970	6,200
07/09/2015	<0.040	4.4	8.6	11,300	7,720	5,800
01/12/2016		2.5	7.9	12,200	7,000	3,700
07/06/2016		2.3	7.8	11,500	7,330 M	3,000
01/16/2017		3.8	12	15,600 M	7,300 M	5,500
07/18/2017		3.3	9.4	16,400	9,430	3,900
01/11/2018		2.6	8.6	13,500	6,600	3,000
07/12/2018		2.9	7.3	16,800	9,500	2,700 Q
01/22/2019		3	7.7	15,600	7,210	2,600
07/11/2019		6.2	8.2	15,900	8,370	1,200
01/13/2020		1.7	6.6	14,400 M	7,310 M	3,500
07/08/2020		2.4	8.8	14,700	7,780	2,400
01/12/2021		1.7	7.3	15,100	7,240	3,100
07/07/2021		2.1	8.1	10,500 M	4,850 M	2,300
01/17/2022		1.5	10	12,600	5,930	2,600
07/12/2022		1.3	7.3	13,200	6,900	2,500
01/11/2023		1.6	6.9	16,900	7,210	2,400
07/11/2023		2.1	6.2	18,400	7,680	1,900
01/11/2024		1.4	7	15,000	6,090	3,100
07/10/2024		3.2	6.4	13,600	6,500	2,000

Water Quality Indicators - Historical Data
WAULECO, INC - Wausau Facility
Well - PW17

Date	Nitrate Nitrogen (mg/L)	Total Sulfate (mg/L)	Total Organic Carbon (mg/L)	Dissolved Iron (mg/L)	Dissolved Manganese (ug/L)	TPH as Mineral Spirits (ug/L)	Dissolved Mercury (ug/L)
01/24/2014		7.8	13	4,250 M	5,980 M	7,300	7,300
07/10/2014		16	6.7	3,910	3,150	3,500	3,500
7/10/2014 Duplicate		16	7.2	3,970	3,140	3,400	3,400
01/12/2015		16	8.3	2770	2680	5,500	
07/09/2015	0.26	14	6.9	5920	3630	3,600	
01/12/2016		13	7	8310	3730	1,800	
07/06/2016		15	5.9	5440	3030	800	
01/16/2017		21	6.6	221	1380	1300	
07/18/2017		12	7.4	3960	3790	2100	
01/11/2018		13	6.5	2520	2110	1400	
07/12/2018		13	5.2	3600	3630	1100 Q	
01/02/2019		9.3	7.3	2910	2810	2200	
07/11/2019		22	11	4840	3930	260	
01/13/2020		11	5.3	3150	2350	<32	
07/08/2020		17	9	6190	4770	2400	
01/12/2021		12	6.4	773	1730	1300	
07/07/2021		12	11	5610	3380	1200	
01/17/2022		11	7.7	2610	2840	1300	
07/12/2022		9.9	4.2	3070	3660	690	
01/11/2023		13	14	8460	2380	230	
07/11/2023		10	3.7	2310	3070	660	
01/11/2024		15	3.8	281	2140	460	
07/10/2024		16	19	11600	4010	400	

Water Quality Indicators - Historical Data
 WAULECO, INC - Wausau Facility
 Well - DFOMW5

Date	TPH as Mineral Spirits (ug/L)
07/11/2016	250
07/20/2017	92 B
07/16/2018	290
07/16/2019	<34
07/13/2020	61
07/12/2021	180 Q
07/13/2022	200
07/10/2023	51
07/09/2024	69

B2

Phenolics

Phenolics - Historical Data
WAULECO, INC - Wausau Facility
Well - W01A

Date	2,3,4,6- Tetrachlorophenol	2,3,5,6- Tetrachlorophenol	2,4,5- Trichlorophenol	2,4,6- Trichlorophenol	2,4- Dichlorophenol	2,4- Dimethylphenol	2,4-Dinitrophenol	2,6- Dichlorophenol	2-Chlorophenol	2-Methylphenol	2-Nitrophenol	3&4-Methylphenol	4,6-Dinitro-2- Methylphenol	4-Chloro-3- Methylphenol	4-Nitrophenol	Dinoseb	Pentachlorophenol	Phenol	Phenol/2- Chlorophenol
02/19/92		<1		<1	<0.5	5.91	5.27		<0.5		<0.5		<1	<0.5	<1		101	<0.5	
06/14/92		<1.02		<1.02	<0.51	<0.51	<1.02		24.3		<0.51		<1.02	<0.51	<1.02		168	<0.51	
09/17/92		<1		34.3	<0.5	67.8	<1		<0.5		<0.5		<1	<0.5	42.1		193	<0.5	
12/18/92		<1		5.18	23.3	<0.5	6.69		<0.5		<0.5		<1	1.77	2.51		150	24.1	
03/23/93		<20		<60	<2	<2	<6		<2		<2		<10	<10	<10		219	<2	
06/28/93	40		<20	<10	<10	<10	310	<10		170	<10	<20	37	<10	430	<10	210		<20
12/28/93	<160		<320	<160	<160	190	<320	<160		<160	<160	<320	<160	<160	<320	<160	310		240
04/25/94	<10		59	55	<10	<10	67	<10		<10	<10	<20	<10	19	24	<10	20		<20
06/21/94	69		160	120	130	29	110	27		64	200	<20	46	59	65	<10	120		<20
10/04/94	<10		58	65	<10	86	34	<10		22	<10	<20	<10	18	<20	<10	89		<20
01/05/95	28		<20	<10	<10	<10	<20	<10		<10	<10	<20	<10	20	<20	<10	50		<20
03/10/95	<10		26	18	10	44	<20	<10		44	50	41	<10	12	<10	<10	28		35
07/05/95	<25		<10	<10	<10	<10	<50	<10	<10	<10	<20	<50	<20	<50	<25	<50	<10		
09/13/95	20		70	130	53	42	89	24	<10	26	21	20	<10	91	29	<10	150	<10	
12/18/95	<100		<100	<100	<100	<100	<200	<100	<100	<100	<100	<200	<100	<100	<200	<100	180	<100	
03/21/96	<10		86	53	12	16	<20	13	<10	<10	<10	<20	20	48	24	<10	140	<10	
07/10/96	<10		<10	<10	<10	<10	<20	<10	<10	14	<20	<10	16	<20	<10	<10	64	<10	
09/25/96	0.77		<0.73	<0.71	<0.8	<1.5	<0.72	<0.87	<1.2	<0.79	<1.5	1.7	<0.75	<0.69	<0.74	<0.85	0.68	<1	
01/21/97	<7.9		<7.5	<7.3	<8.2	<16	<7.4	<9	<12	<8.1	<16	<18	<7.7	<7.1	<7.6	<8.8	185	<11	
07/11/97	<0.182		130	110	310	210	<0.269	690	<0.194	360	380	230	<0.362	300	170		340	230	
01/02/98	50		110	70	260	100	550	410	140	270	230	<0.128	170	65	<0.351		80	<0.127	
06/23/98	67		78	80	200	120	380	440	200	200	320	88	170	160	<60		63	130	
01/26/99			95	68		78	190	110		120	150	86		90	140			120	
06/09/99	<300		<300	<300	500	<300	440	630	2100	340	1100	1200	<300	<300	<300		520	4400	
01/11/00	<75		<75	<75	<75	<75	<75	<75	<75	<75	<75	<75	<75	<75	<75		140	<75	
07/18/00	<150		970	210	2100	1600	<150	2500	3100	2000	2500	2900	200	300	3500		690	2700	
01/31/01	<30		<30	<30	<30	<30	<30	<30	<30	41	<30	<30	<30	<30	79		<30	<30	
07/09/01	<150		<150	<150	<150	<150	<150	<150	<150	<150	<150	<150	<150	<150	<150		280	<150	
08/06/02	<150		<150	<150	200	210	<150	330	190	440	340	730	<150	310	<150		<150	860	
01/14/03	80		<30	42	410	<30	<30	<30	<30	250	510	<30	<30	<30	<30		35	<30	
07/22/03	9.3		<6	<6	59	21	<6	<6	<6	70	72	94	<6	<6	<6		71	7	
01/20/04	15		9.2	<6.0 J	40	9.9 J	15	<6.0	21	81	93	120	<6.0 J	<6.0	8.0		97	22	
07/13/04	<6.0		17	11	28	7.5J	14	<6.0	18	7.7J	23	<6.0	<6.0	<8.0			33	37	
01/19/05	<3.0		<3.0	<3.0	4.4	<3.0	<3.0	<3.0	8.2	6	29	9.3	<3.0	<3.0	<3.0		7.9	7.7	
07/21/05	<6.0 V		<6.0 V	<6.0 V	<6.0 V	<6.0 V	<6.0 V	<6.0 V	22 V	14 V	62 V	19 V	<6.0 V	<6.0 V	<6.0 V		70 V	<6.0 V	
01/17/06	<3.0		<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0		5.6	<3.0	
07/18/06	<60		<60	<60	170	230	88	130	740	600	1800	690	65	62	<60		130	860	
01/24/07	<3.0		<3.0	<3.0	11	4.9	<3.0	<3.0	<3.0	7.7	100	11	<3.0	<3.0	<3.0		13	<3.0	
07/11/07	<3.0		<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0		18	<3.0	
01/29/08	<3.0		<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0		18	<3.0	
07/23/08	<3.0		<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0		22	<3.0	

Phenolics - Historical Data
WAULECO, INC - Wausau Facility
Well - W01A

Date	2,3,4,6- Tetrachlorophenol	2,3,5,6- Tetrachlorophenol	2,4,5- Trichlorophenol	2,4,6- Trichlorophenol	2,4- Dichlorophenol	2,4- Dimethylphenol	2,4-Dinitrophenol	2,6- Dichlorophenol	2-Chlorophenol	2-Methylphenol	2-Nitrophenol	3&4-Methylphenol	4,6-Dinitro-2- Methylphenol	4-Chloro-3- Methylphenol	4-Nitrophenol	Dinoseb	Pentachlorophenol	Phenol	Phenol/2- Chlorophenol
01/20/09	<3.0		<3.0	<3.0	<3.0	<3.0	<3.0	<3.0Q	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0		9.5	<3.0	
07/06/09	3.7		<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0		47	<3.0	
01/18/10	<3.0		<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0		20	<3.0	
07/13/10	<3.0		<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0		20	<3.0	
01/24/11	4.2		<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0		45	<3.0	
07/19/11	1.6		<1.3	<1.2	<1.2	<0.95	<1.7	<1.4	<1.0	<1.0	<1.0	<1.6	<1.9	<0.88	<1.3		11	<0.56	
01/23/12	<3.0		<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0		2.5	<3.0	
07/06/12	2.1		<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0		21	<3.0	
01/04/13	1.4		<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0		14	<3.0	
07/05/13	4.2		<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0		42	<3.0	
07/07/14	4.1		<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0		42	<3.0	
07/07/15	5.8		<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	1.1	<3.0	<3.0	<3.0		60	<3.0	
07/06/16	2.5		<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0		31	<3.0	
07/11/17	2.2		<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0		27	<3.0	
07/12/18	3.8		<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0		40	<3.0	
07/09/19	0.94		<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0		11	<3.0	
07/08/20	<3.0		<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0		5.6	<3.0	

Notes:

Prepared By: T. Dushek, 8/7/20

Checked By: A. Voit, 11/23/20

- 1.) All units are in ug/L.
- 2.) Bold Values indicate detections
- 3.) J = Estimated Value
- 4.) M = Matrix spike and/or Matrix Spike duplicate recovery outside acceptance limits.
- 5.) Q = Laboratory Control Sample outside acceptance limits.
- 6.) Y = Replicate/Duplicate precision outside acceptance limits.
- 7.) V = Raised quantitation or reporting limit due to limited sample amount or dilution for matrix background interference.

Phenolics - Historical Data
WAULECO, INC - Wausau Facility
Well - W02

Date	2,3,4,6-Tetrachlorophenol	2,3,5,6-Tetrachlorophenol	2,4,5-Trichlorophenol	2,4,6-Trichlorophenol	2,4-Dichlorophenol	2,4-Dimethylphenol	2,4-Dinitrophenol	2,6-Dichlorophenol	2-Chlorophenol	2-Methylphenol	2-Nitrophenol	3&4-Methylphenol	4,6-Dinitro-2-Methylphenol	4-Chloro-3-Methylphenol	4-Nitrophenol	Dinoseb	Pentachlorophenol	Phenol	Phenol/2-Chlorophenol
01/08/87																	1220		
06/04/87																	6520		
09/03/87																	394		
12/03/87																	180		
03/02/88																	1200		
04/07/88																	10		
08/10/88																	4200		
11/15/88																	4700		
01/26/89																	455		
04/27/89																	6550		
07/27/89																	5940		
10/26/89																	2340		
01/25/90																	8450		
05/03/90																	2380		
09/20/90																	5940		
12/11/90																	6400		
01/30/91																	11400		
05/01/91																	47000		
06/18/91																	15100		
10/08/91																	14800		
02/20/92		<1		<1	<0.5	19.8	<1		<0.5		<0.5		<1	<0.5	46.3		7550	<0.5	
06/14/92		<1.05		146	<0.526	5.42	47.2		<0.526		<0.526		<1.05	<0.526	39.6		10900	<0.526	
09/17/92		39.4		<1	36.7	1.99	<1		<0.5		<0.5		2.87	<0.5	52.6		9590	<0.5	
12/18/92		12.9		<1	<0.5	<0.5	4.35		<0.5		<0.5		<1	1.77	4.93		12700	45.7	
03/24/93		<20		<6	<2	<2	<6		<2		<2		<10	<10	<10		<10	<2	
04/25/94	600		190	490	<10	89	95	110		300	68	110	75	130	110	40	1500		230
06/22/94	1300		400	290	560	110	340	370		210	410	<200	<100	<100	240	<100	5000		<200
10/04/94	1400		<1000	<500	<500	<500	<1000	<500		<500	<1000	<1000	<100	<500	<1000	<500	14000		<1000
01/05/95	1400		<1000	<500	<500	<500	<1000	<500		<500	<500	<1000	<500	<500	<1000	<500	16000		<1000
03/10/95	<1000		<2000	<1000	<1000	<1000	<2000	<1000		<1000	<1000	<2000	<1000	<1000	<2000	<1000	6900		<2000
07/06/95	<2500		<1000	<1000	<1000	<1000	<5000		<1000	<1000	<1000	<2000	<5000	<2000	<5000	<2500	11000		
09/13/95	<1000		<1000	<1000	<1000	<1000	<2000	<1000	<1000	<1000	<1000	<2000	<1000	<1000	<2000	<1000	9200	<1000	
12/18/95	<5000		<5000	<5000	<5000	<5000	<10000	<5000	<5000	<5000	<10000	<5000	<5000	<10000	<5000	<5000	6700	<5000	
03/21/96	<1000		<1000	<1000	<1000	<1000	<2000	<1000	<1000	<1000	<1000	<2000	1100	<1000	<2000	<1000	11000	<1000	
07/10/96	<5000		<5000	<5000	<5000	<5000	<10000	<5000	<5000	<5000	<10000	<5000	<5000	<10000	<5000	<5000	1400	<5000	
01/21/97	1750		<75	<73	<82	<159	<74	<90	<121	<81	<159	<178	<77	<71	<76	<88	10900	<107	
07/11/97	<0.182		<0.453	<0.469	<0.344	<0.148	<0.269	<0.397	1200	<0.252	<0.104	<0.128	<0.362	<0.105	2300		21000	<0.127	
01/02/98	<0.182		<0.453	<0.469	<0.344	<0.148	<0.269	<0.397	<0.194	<0.252	<0.104	<0.128	<0.362	<0.105	<0.351		12000	<0.127	
06/25/98	<3000		<3000	<3000	<3000	<3000	<3000	<3000	<3000	<3000	<3000	<3000	<3000	<3000	<3000		26000	<3000	
01/27/99							3200		3700	3100							25000		
01/15/03	1500		<1500	<1500	3900	<1500	4500	<1500	<1500	<1500	<1500	<1500	<1500	<1500	<1500		13000	<1500	<1500
07/22/03	<1500		<1500	<1500	<1500	<1500	<1500	<1500	<1500	<1500	<1500	<1500	<1500	<1500	<1500		10000	<1500	<1500
07/13/04	<600		<600	<600J	<600	<600	1100	<600	<600	<600	<600	<600	<600	<600	<800		6600	810	
01/21/04	<1500		<1500	<1500	<1500	<1500	<1500	<1500	<1500 J	<1500 J	<1500	<1500	<1500J	<1500	<1500J		15000	<1500J	
01/20/05	700 JV		<600 V	<600 V	<600 V	<600 V	<600 V	<600 V	<600 V	<600 V	1700 V	<600 V	<600 V	<600 V	<600 V		9600 V	690 V	
1/20/2005 Duplicate	640 JV		<600 V	<600 V	<600 V	<600 V	<600 V	<600 V	<600 V	<600 V	2200 V	<600 V	<600 V	<600 V	<600 V		8700 V	760 V	
07/21/05 Duplicate	670 V		<600 V	<600 V	<600 V	<600 V	<600 V	<600 V	<600 V	<600 V	2500 V	<600 V	<600 V	<600 V	<600 V		9300V	<600 V	
7/21/2005 Duplicate	<600 V		<600 V	<600 V	<600 V	<600 V	<600 V	<600 V	<600 V	<600 V	920 V	<600 V	<600 V	<600 V	<600 V		8300V	<600 V	

Phenolics - Historical Data
WAULECO, INC - Wausau Facility
Well - W02

Date	2,3,4,6-Tetrachlorophenol	2,3,5,6-Tetrachlorophenol	2,4,5-Trichlorophenol	2,4,6-Trichlorophenol	2,4-Dichlorophenol	2,4-Dimethylphenol	2,4-Dinitrophenol	2,6-Dichlorophenol	2-Chlorophenol	2-Methylphenol	2-Nitrophenol	3&4-Methylphenol	4,6-Dinitro-2-Methylphenol	4-Chloro-3-Methylphenol	4-Nitrophenol	Dinoseb	Pentachlorophenol	Phenol	Phenol/2-Chlorophenol
01/17/06 1/17/2006 Duplicate	<600 V		<600 V	<600 V	<600 V	<600 V	<600 V	<600 V	<600 V	<600 V	<600 V	<600 V	<600 V	<600 V	<600 V		7800V	<600 V	
01/18/10 1/18/2010 Duplicate	140		<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	31	<3.0	<3.0	<3.0		3200	<3.0	
07/15/10 Duplicate	110 120 Y		<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	27 <3.0	<3.0	<3.0	<3.0		2600 2500	<3.0	
01/25/11 07/20/11	100 <110		<11	<10	<10	<8.4	<15	<12	<8.9	<8.8	<9.2	<14	<16	<7.8	<11		1500 970	<4.9	
01/18/12 07/09/12 7/9/2012 Duplicate	81 170 190		<11	<10	<10	<8.3	<15	<12	<8.8	<9.1	<14	<16	<7.7	<11	<5.8		1500 2000 2100	<4.8	
01/07/13 07/08/13	160 <110		<56	<51	<51	<41	<76	<61	<44	<43	<45	<71	<81	<38	<56		2800 1700	<24	
07/16/14	<220		<220	<200	<200	<170	<310	<240	<180	<180	<180	<290	<330	<160	<220		3000	<98	
07/08/15	100		<26	<6.3	<26	<9.4	<78	<21	<6.3	<21	<15	<21	<31	<14	<31		1900	<6.8	
07/07/16 7/7/2016 Duplicate	67 57		<6.1	<26	<6.6	<10	<15	<20	<6.1	<7.7	<6.1	<8.7	<15	<7.1	<10		1500 1400	<12	
07/13/17 7/13/2017 Duplicate	49 39		<6.1	<25	<6.6	<10	<15	<20	<6.1	<7.6	<6.1	<8.6	<15	<7.1	<10		830 690	<12	
07/12/18 7/12/2018 Duplicate	47 76		<5.5	<5	<6.2	<4.8	<6.9	<5	<5.7	<4.8	<5	<5.5	<7.1	<5.2	<5.7		750 1100	<6.2	
07/11/19 7/11/2019 Duplicate	13 15		<4.6	<4.2	<5.3	<4	<5.9	<4.2	<4.8	<4	<4.2	<4.6	<6.1	<4.4	<4.8		280 260	<5.3	
7/14/2020 7/14/2020 Duplicate	<3.0 <3.0		<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0		360 330	<3.0	
07/13/21 7/13/2021 Duplicate	49 Q 42 Q		<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0		700 690	<3.0	
07/12/22 7/12/2022 Duplicate	18 17		<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0		290 270	<3.0	
07/11/23 7/11/2023 Duplicate	7.4 7.4		<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0		120 110	<3.0	
07/09/24 7/9/2024 Duplicate	1.5 2.2		<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0		17 25	<3.0	

Notes: Prepared By: T. Dushek, 8/2/24 Checked By: A. Voit, 10/28/24

- 1.) All units are in ug/L.
- 2.) Bold Values indicate detections
- 3.) J = Estimated Value
- 4.) M = Matrix spike and/or Matrix Spike duplicate recovery outside acceptance limits.
- 5.) Q = Laboratory Control Sample outside acceptance limits.
- 6.) Y = Replicate/Duplicate precision outside acceptance limits.
- 7.) V = Raised quantitation or reporting limit due to limited sample amount or dilution for matrix background interference.

Phenolics - Historical Data
WAULECO, INC - Wausau Facility
Well - W03A

Date	2,3,4,6-Tetrachlorophenol	2,3,5,6-Tetrachlorophenol	2,4,5-Trichlorophenol	2,4,6-Trichlorophenol	2,4-Dichlorophenol	2,4-Dimethylphenol	2,4-Dinitrophenol	2,6-Dichlorophenol	2-Chlorophenol	2-Methylphenol	2-Nitrophenol	3&4-Methylphenol	4,6-Dinitro-2-Methylphenol	4-Chloro-3-Methylphenol	4-Nitrophenol	Dinoseb	Pentachlorophenol	Phenol	Phenol/2-Chlorophenol
01/08/87																	1220		
06/04/87																	6520		
09/03/87																	394		
12/03/87																	180		
03/02/88																	1200		
04/07/88																	10		
08/10/88																	4200		
11/15/88																	4700		
01/26/89																	455		
04/27/89																	6550		
07/27/89																	5940		
10/26/89																	2340		
01/25/90																	8450		
05/03/90																	2380		
09/20/90																	5940		
12/11/90																	6400		
01/30/91																	11400		
05/01/91																	47000		
06/18/91																	15100		
10/08/91																	14800		
02/20/92		<1		<1	<0.5	19.8	<1		<0.5		<0.5		<1	<0.5	46.3		7550	<0.5	
06/14/92		<1.05		146	<0.526	5.42	47.2		<0.526		<0.526		<1.05	<0.526	39.6		10900	<0.526	
09/17/92		39.4		<1	36.7	1.99	<1		<0.5		<0.5		2.87	<0.5	52.6		9590	<0.5	
12/18/92		12.9		<1	<0.5	<0.5	4.35		<0.5		<0.5		<1	1.77	4.93		12700	45.7	
03/24/93		<20		<6	<2	<2	<6		<2		<2		<10	<10	<10		<10	<2	
04/25/94	600		190	490	<10	89	95	110		300	68	110	75	130	110	40	1500		230
06/22/94	1300		400	290	560	110	340	370		210	410	<200	<100	<100	240	<100	5000		<200
10/04/94	1400		<1000	<500	<500	<500	<1000	<500		<500	<500	<1000	<500	<500	<1000	<500	14000		<1000
01/05/95	1400		<1000	<500	<500	<500	<1000	<500		<500	<500	<1000	<500	<500	<1000	<500	16000		<1000
03/10/95	<1000		<2000	<1000	<1000	<1000	<2000	<1000		<1000	<1000	<2000	<1000	<1000	<2000	<1000	6900		<2000
07/06/95	<2500		<1000	<1000	<1000	<1000	<5000		<1000	<1000	<1000	<2000	<5000	<2000	<5000	<2500	11000	<1000	
09/13/95	<1000		<1000	<1000	<1000	<1000	<2000	<1000	<1000	<1000	<1000	<2000	<1000	<1000	<2000	<1000	9200	<1000	
12/18/95	<5000		<5000	<5000	<5000	<5000	<10000	<5000	<5000	<5000	<5000	<10000	<5000	<5000	<10000	<5000	6700	< 5000	
03/21/96	<1000		<1000	<1000	<1000	<1000	<2000	<1000	<1000	<1000	<1000	<2000	1100	<1000	<2000	<1000	11000	<1000	
07/10/96	<5000		<5000	<5000	<5000	<5000	<10000	<5000	<5000	<5000	<5000	<10000	<5000	<5000	<10000	<5000	1400	<5000	
01/21/97	1750		<75	<73	<82	<159	<74	<90	<121	<81	<159	<178	<77	<71	<76	< 88	10900	<107	
07/11/97	<0.182		<0.453	<0.469	<0.344	<0.148	<0.269	<0.397	1200	<0.252	<0.104	<0.128	<0.362	<0.105	2300		21000	<0.127	
01/02/98	<0.182		<0.453	<0.469	<0.344	<0.148	<0.269	<0.397	<0.194	<0.252	<0.104	<0.128	<0.362	<0.105	<0.351		12000	<0.127	
06/25/98		<3000	<3000	<3000	<3000	<3000	<3000	<3000	<3000	<3000	<3000	<3000	<3000	<3000	<3000		26000	<3000	
01/27/99							3200		3700	3100							25000		
01/19/10	370 M		<8.1	<8.8	<6.2	<12	<16 M	<9.4	<6.9	<8.9	<6.1	<6.8	<9.5	<11	<6.3 M		3,700 M	<3.2	
07/15/10	75		<45	<41	<41	<33	<61	<49	<36	<35	<37	<57	<65	<31	<45		1,300	<20	
01/24/11	130		<11	<10	<10	<8.5	<15	<12	<9	<8.9	<9.3	<14	<16	<7.8	<11		1,900	<4.9	
07/20/11	47		<1.1	<1.0	<1.0	<0.84	<1.5	<1.2	<0.89	<0.88	<0.92	2.9	<1.6	<0.78	<1.1		640	<0.49	
10/03/11																	1,500		

Phenolics - Historical Data
WAULECO, INC - Wausau Facility
Well - W03A

Date	2,3,4,6- Tetrachlorophenol	2,3,5,6- Tetrachlorophenol	2,4,5- Trichlorophenol	2,4,6- Trichlorophenol	2,4- Dichlorophenol	2,4- Dimethylphenol	2,4-Dinitrophenol	2,6- Dichlorophenol	2-Chlorophenol	2-Methylphenol	2-Nitrophenol	3&4-Methylphenol	4,6-Dinitro-2- Methylphenol	4-Chloro-3- Methylphenol	4-Nitrophenol	Dinoseb	Pentachlorophenol	Phenol	Phenol/2- Chlorophenol
01/18/12	33		<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0		530	<3.0	
1/18/2012 Duplicate	27		<11	<10	<10	<8.3	<15	<12	<8.8	<8.7	<9.1	<14	<16	<7.7	<11		1,100	<4.8	
04/03/12																	390		
07/10/12	44		<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0		800	<3.0	
01/07/13	<23		<23	<21	<21	<17	<32 M	<25	<18	<18	<19	<29	<34 M	<16	<23 Y		320 M	<10	
07/05/13	29		<28	<26	<26	<21	<39	<31	<22	<22	<23	<36	<41	<20	<28		540	<12	
01/21/14	<31		<31	<28	<28	<23	<43 M	<34	<25	<24	<26	<40	<45	<22	<31		580	<14	
07/09/14	<28		<28	<26	<26	<21	<38	<31	<22	<22	<23	<36	<41	<19	<28		450	<12	
7/9/2014 Duplicate	<28		<28	<26	<26	<21	<39	<31	<22	<22	<23	<36	<41	<20	<28		390	<12	
01/19/15	<26		<13	<3.1	<13	<4.6	<38	<10	<3.1	<10	<7.1	<10	<15	<6.9	<15		200	<3.3	
07/08/15	<26		<13	<3.1	<13	<4.6	<39	<10	<3.1	<10	<7.2	<10	<15	<7.0	<15		380	<3.4	
7/8/2015 Duplicate	27		<13	<3.1	<13	<4.6	<39	<10	<3.1	<10	<7.2	<10	<15	<7.0	<15		550	<3.4	
01/19/16	26		<13	<3.0	<13	<4.5	<38	<10	<3.0	<10	<7.1	<10	<15	<6.8	<15		440	<3.3	
07/07/16	39		<3.0	<13	<3.3	<5.1	<7.3	<10	<3.0	<3.8	<3.0	<4.3	<7.6	<3.5	<5.1		780	<6.1	
01/19/17	17		<3.0	<5.0	<3.0	<3.0	<3.0	<4.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0		320	<3.0	
07/17/17	53		<3.0	<13	<3.3	<5.1	<7.3	<10	<3.0	<3.8	<3.0	<4.3	<7.6	<3.5	<5.1		680	<6.1	
01/11/18	20		<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0		340	<3.0	
07/18/18	34 Q		<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0		500	<3.0	
01/24/19	15		<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0		290	<3.0	
07/11/19	38		<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.1	<3.0	<3.0		610	<3.0	
01/13/20	24 Q		<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0		410	<3.0	
07/08/20	47		<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0		900	<3.0	
01/12/21	<3.0		<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0		140	<3.0	
07/13/21	<3.0 Q		<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0		210	<3.0	
7/13/2021 Duplicate	30 Q		<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0		400	<3.0	
01/17/22	4.7		<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0		80	<3.0	
07/11/22	8.9		<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0		130	<3.0	
01/11/23	3.4		<3.0	<3.0	<3.0	<3.0	<3.0 Q	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0		69	<3.0	
07/10/23	<3.0		<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0		120	<3.0	
01/09/24	2.6		<3.0	<3.0	<3.0	<3.0	<3.0	<3.0 Q	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0		44	<3.0	
07/09/24	8.6		1.9	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0		120	<3.0	

Notes:

Prepared By: T. Dushak, 8/2/24

Checked By: A. Voit, 10/28/24

- 1.) All units are in ug/L.
- 2.) Bold Values indicate detections
- 3.) J = Estimated Value
- 4.) M = Matrix spike and/or Matrix Spike duplicate recovery outside acceptance limits.
- 5.) Q = Laboratory Control Sample outside acceptance limits.
- 6.) Y = Replicate/Duplicate precision outside acceptance limits.
- 7.) V = Raised quantitation or reporting limit due to limited sample amount or dilution for matrix background interference.

Phenolics - Historical Data
WAULECO, INC - Wausau Facility
Well - W03B

Date	2,3,4,6-Tetrachlorophenol	2,3,5,6-Tetrachlorophenol	2,4,5-Trichlorophenol	2,4,6-Trichlorophenol	2,4-Dichlorophenol	2,4-Dimethylphenol	2,4-Dinitrophenol	2,6-Dichlorophenol	2-Chlorophenol	2-Methylphenol	2-Nitrophenol	3&4-Methylphenol	4,6-Dinitro-2-Methylphenol	4-Chloro-3-Methylphenol	4-Nitrophenol	Dinoseb	Pentachlorophenol	Phenol
06/17/91		<1.02		5.17	<0.51	<0.51	2.1		<0.51		<0.51		<1.02	<0.51	<1.02		394	<0.51
02/22/92		<1		<1	<0.5	<0.5	<1		1.9		<0.5		<1	<0.5	<1		25.4	<0.5
09/17/92		<1		1.04	<0.5	<0.5	<1		<0.5		<0.5		<1	<0.5	<1		215	<0.5
12/18/92		<1		<1	<0.5	<0.5	<1		1.61		<0.5		<1	<0.5	<1		103	1.31
03/23/93		<10		<3	<1	<1	<3		<1		<1		<5	<5	<5		17.8	<1
06/29/93	75		<20	<10	<10	<10	<20	<10		<10	<10	<20	<10	<10	<20	<10	1300	
12/28/93	<10		<20	<10	<10	<10	<20	<10		<10	<10	<20	<10	<10	<20	<10	24	
06/22/94	11		<20	<10	<10	<10	<20	<10		<10	<10	<20	<10	<10	<20	<10	180	
07/06/95	<25		<10	<10	<10	<10	<50		<10	<10	<10	<20	<50	<20	<50	<25	60	<10
07/10/96	<10		<10	<10	<10	<10	<20	<10	<10	<10	<20		11	<10	<20	<10	110	<10
07/11/97	<0.182		<0.453	<0.469	<0.344	<0.148	<0.269	<0.397	<0.194	<0.252	<0.104	<0.128	<0.362	<0.105	<0.351		71	<0.127
06/24/98	<3		<3	<3	<3	<3	<3	<3	<3	<3	<3	<3	<3	<3	<3		16	<3
06/09/99	3.2		<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0		25	<3.0
07/18/00	<3		<3	<3	<3	<3	<3	<3	<3	<3	<3	<3	<3	<3	4.4		49	<3
01/31/01	<3		17	<3	<3	<3	3.0	<3	<3	<3	<3	<3	<3	<3	<3		18	<3
07/11/01	4.4		<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0		9.7	<3.0
08/06/02	5.7		<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0		43	<3.0
07/24/03	<3.0		<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0		7.6	<3.0
07/13/04	<3.0		<3.0	<3.0	<3.0	<3.0	<4.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<4.0		5.7	<3.0
07/20/05	<3.0		<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0		<3.0	<3.0
07/18/06	<3.0		<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0		3.6	<3.0
07/11/07	<3.0		<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0		4	<3.0
07/23/08	<3.0		<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0		<3.0	<3.0
07/06/09	<3.0		<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0		<3.0	<3.0
07/14/10	31		<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0		250	<3.0
07/18/11	10		<1.1	<1.0	<1.0	<0.84	<1.5	<1.2	<0.89	<0.88	<0.92	<1.4	<1.6	<0.78	<1.1		120	<0.49
07/06/12	<3.0		<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0		1.9	<3.0
07/01/13	3.3		<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0		48	<3.0
07/09/14	<3.0		<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0		9.4	<3.0
07/07/15	<3.0		<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0		8.5	<3.0
07/05/16	<3.0		<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0		2	<3.0
07/13/17	0.74		<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0		19	<3.0
07/11/18	<3.0		<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0		7	<3.0
07/09/19	0.24		<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0		20	<3.0
07/07/20	<3.0		<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0		16	<3.0
07/08/21	<3.0		<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0		9	<3.0
07/11/22	<3.0		<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0		2.8	<3.0
07/06/23	<3.0		<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0		2.4	<3.0
07/08/24	<3.0		<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0		7.1	<3.0

Notes: Prepared By: T. Dushek, 8/2/24 Checked By: A. Voit, 10/28/24

- 1.) All units are in ug/L.
- 2.) Bold Values indicate detections
- 3.) J = Estimated Value
- 4.) M = Matrix spike and/or Matrix Spike duplicate recovery outside acceptance limits.
- 5.) Q = Laboratory Control Sample outside acceptance limits.
- 6.) Y = Replicate/Duplicate precision outside acceptance limits.
- 7.) V = Raised quantitation or reporting limit due to limited sample amount or dilution for matrix background interference.

Phenolics - Historical Data
WAULECO, INC - Wausau Facility
Well - W06R

Date	2,3,4,6-Tetrachlorophenol	2,4,5-Trichlorophenol	2,4,6-Trichlorophenol	2,4-Dichlorophenol	2,4-Dimethylphenol	2,4-Dinitrophenol	2,6-Dichlorophenol	2-Chlorophenol	2-Methylphenol	2-Nitrophenol	3&4-Methylphenol	4,6-Dinitro-2-Methylphenol	4-Chloro-3-Methylphenol	4-Nitrophenol	Pentachlorophenol	Phenol
07/24/03	<3000	<3000	<3000	3,600	<3000	<3000	<3000	<3000	6,300	3,700	<3000	<3000	<3000	<3000	7,200	<3000
07/23/08 7/23/2008 Duplicate	410	<81	<89	<63	<120	<160	<95	<70	<90	<62	<69	<96	<110	<64	5,100	<32
01/19/10 07/14/10	1,800 290	<81 <110	<88 <100	<62 <100	<120 <84	<160 <150	<94 <120	<69 <89	<89 <88	<61 <92	<68 <140	<95 <160	<110 <78	<63 <110	15,000 4,500	<32 <49
01/25/11 1/25/2011 Duplicate	490 490 490 M	<110 <110 <1.1	<100 <100 <1.0	<100 <100 <1.0	<85 <82 <0.84	<150 <150 <1.5	<120 <120 <1.2	<90 <87 <0.89	<89 <86 <0.88	<93 <90 <0.92	<140 <140 <1.4	<160 <160 <1.6	<78 <76 <0.78	<110 <110 <1.1	5,300 5,300 3,900 M	<49 <48 <0.49
01/18/12 07/09/12	290 120 M	<11 <5.8	<10 <5.3	<10 <5.3	<8.5 <4.3	<15 <7.9	<12 <6.3	<9 <4.6	<8.9 <4.5	<9.3 <4.7	<14 <7.4	<16 <8.4	<7.8 <4.0	<11 <5.8	2,900 1,000 M	<4.9 <3.0
01/07/13 07/08/13 7/8/2013 Duplicate	750 300 340	<110 <110 <110	<100 <100 <100	<100 <100 <100	<84 <85 <84	<150 <150 <150	<120 <120 <120	<89 <90 <89	<88 <89 <93	<92 <93 <92	<140 <140 <140	<160 <160 <160	<78 <78 <78	<110 <110 <110	9,000 3,300 3,600	<49 <49 <49
01/21/14 1/21/2014 Duplicate	580 500 120	<120 <110 <110	<110 <100 <100	<110 <100 <100	<87 <85 <85	<160 <150 <150	<130 <120 <120	<93 <90 <90	<91 <89 <89	<96 <93 <93	<150 <140 <140	<170 <160 <160	<81 <78 <78	<120 <110 <110	5,700 5,800 1,500	<51 <49 <49
01/19/15 07/09/15 7/9/2015 Duplicate	320 230 170	<51 <51 <51	<12 <12 <12	<51 <51 <51	<18 <18 <18	<150 <150 <150	<41 <41 <41	<12 <12 <12	<41 <41 <41	<29 <29 <29	<41 <41 <41	<61 <61 <61	<28 <28 <28	<61 <61 <61	4,100 3,200 2,300	<13 <13 <13
01/19/16 1/19/2016 Duplicate	140 100 14	<51 <51 <3.0	<12 <12 <3.0	<51 <51 <3.0	<18 <18 <3.0	<150 <150 <3.0	<40 <41 <3.0	<12 <12 <3.0	<40 <41 <3.0	<28 <29 <3.0	<40 <41 <3.0	<61 <61 <3.0	<27 <28 <3.0	<61 <61 <3.0	1,700 1,300 210	<13 <13 <3.0
01/16/17 07/18/17	370 12	<24 <3.0	<100 <3.0	<26 <3.0	<40 <3.0	<58 <3.0	<80 <3.0	<24 <3.0	<30 <3.0	<24 <3.0	<34 <3.0	<60 <3.0	<28 <3.0	<40 <3.0	5,500 170	<48 <3.0
01/11/18 07/12/18	170 8	<3.0 <3.0	<3.0 <3.0	<3.0 <3.0	<3.0 <3.0	<3.0 <3.0	<3.0 <3.0	<3.0 <3.0	<3.0 <3.0	<3.0 <3.0	<3.0 <3.0	<3.0 <3.0	<3.0 <3.0	<3.0 <3.0	2,500 97	<3.0 <3.0
01/24/19 07/11/19	93 150	<12 <11	<11 <10	<13 <13	<10 <9.6	<15 <14	<11 <10	<12 <12	<10 <9.6	<11 <10	<12 <11	<15 <14	<11 <11	<12 <12	1,600 2,400	<13 <13
01/13/20 07/08/20	210 Q <3.0	<3.0 <3.0	<3.0 <3.0	<3.0 <3.0	<3.0 <3.0	<3.0 <3.0	<3.0 <3.0	<3.0 <3.0	<3.0 <3.0	<3.0 <3.0	<3.0 <3.0	<3.0 <3.0	<3.0 <3.0	<3.0 <3.0	3,200 330	<3 <3
01/07/21 07/13/21	230 95 Q	<3.0 <3.0	<3.0 <3.0	<3.0 <3.0	<3.0 <3.0	<3.0 <3.0	<3.0 <3.0	<3.0 <3.0	<3.0 <3.0	<3.0 <3.0	<3.0 <3.0	<3.0 <3.0	<3.0 <3.0	<3.0 <3.0	4,600 1,200	<3 <3
01/13/22 07/12/22	120 16	<3.0 <3.0	<3.0 <3.0	<3.0 <3.0	<3.0 <3.0	<3.0 <3.0	<3.0 <3.0	<3.0 <3.0	<3.0 <3.0	<3.0 <3.0	<3.0 <3.0	<3.0 <3.0	<3.0 <3.0	<3.0 <3.0	2,100 250	<3 <3
01/17/23 07/11/23 7/11/2023 Duplicate	110 33 40	<3.0 <3.0 <3.0	<3.0 <3.0 <3.0	<3.0 <3.0 <3.0	<3.0 <3.0 <3.0	<3.0 <3.0 <3.0	<3.0 <3.0 <3.0	<3.0 <3.0 <3.0	<3.0 <3.0 <3.0	<3.0 <3.0 <3.0	<3.0 <3.0 <3.0	<3.0 <3.0 <3.0	<3.0 <3.0 <3.0	<3.0 <3.0 <3.0	2,600 610 660	<3 <3 <3
01/09/24 7/10/2024	66 3.7	<3.0 <3.0	<3.0 <3.0	<3.0 <3.0	<3.0 <3.0	<3.0 <3.0	<3.0 <3.0	<3.0 <3.0	<3.0 <3.0	<3.0 <3.0	<3.0 <3.0	<3.0 <3.0	<3.0 <3.0	<3.0 <3.0	1,100 37	<3 <3

Notes:

Prepared By: T. Dushek, 8/2/24

Checked By: A. Voit, 10/28/24

- 1.) All units are in ug/L.
- 2.) Bold Values indicate detections
- 3.) J = Estimated Value
- 4.) M = Matrix spike and/or Matrix Spike duplicate recovery outside acceptance limits.
- 5.) Q = Laboratory Control Sample outside acceptance limits.
- 6.) Y = Replicate/Duplicate precision outside acceptance limits.
- 7.) V = Raised quantitation or reporting limit due to limited sample amount or dilution for matrix background interference.

Phenolics - Historical Data
WAULECO, INC - Wausau Facility
Well - W08

Date	2,3,4,6-Tetrachlorophenol	2,3,5,6-Tetrachlorophenol	2,4,5-Trichlorophenol	2,4,6-Trichlorophenol	2,4-Dichlorophenol	2,4-Dimethylphenol	2,4-Dinitrophenol	2,6-Dichlorophenol	2-Chlorophenol	2-Methylphenol	2-Nitrophenol	3&4-Methylphenol	4,6-Dinitro-2-Methylphenol	4-Chloro-3-Methylphenol	4-Nitrophenol	Dinoseb	Pentachlorophenol	Phenol
01/08/87																	<1	
06/04/87																	14.8	
09/03/87																	<1	
12/03/87																	<1	
03/03/88																	<1	
04/07/88																	<1	
08/10/88																	220	
11/15/88																	153	
01/26/89																	3.63	
04/27/89																	1.18	
07/27/89																	<1	
10/26/89																	<1	
01/25/90																	11.5	
05/03/90																	4.04	
09/20/90																	3.3	
12/11/90																	<1	
01/29/91																	3.21	
05/01/91																	36.7	
06/17/91																	1.12	
10/08/91																	4.7	
02/20/92				1.02	<0.5	<0.5	<1		<0.5		<0.5		<1	<0.5	<1		11	3.5
06/14/92		<1.05		6.69	<0.526	3.77	<1.05		<0.526		<0.526		<1.05	<0.526	<1.05		55.3	<0.526
09/17/92		<1		<1	<0.5	<0.5	<1		<0.5		<0.5		<1	<0.5	<1		23	<0.5
12/19/92		<1		<1	<0.5	<0.5	<1		<0.5		<0.5		<1	<0.5	<1		4.85	<0.5
03/23/93		<20		<6	<2	<2	<6		<2		<2		<10	<10	<10		<10	<2
06/28/93	19		<20	<10	<10	<10	<20	<10		<10	<10	<20	<10	<10	<10	<10	130	
12/27/93	<10		<20	<10	<10	<10	<20	<10		<10	<10	<20	<10	<10	<20	<10	12	
04/25/94	<1		<1	<1	<1	<10	<1	<1		<10	<1	<20	<1	<10	<1	<1	<1	
06/21/94	10		<20	<10	<10	<10	<20	<10		<10	<10	<20	<10	<10	<10	<10	480	
10/04/94	<50		<100	<50	<50	<50	<100	<50		<50	<50	<100	<50	<50	<100	<50	470	
01/05/95	<10		<20	<10	<10	<10	<20	<10		<10	<10	<20	<10	<10	<20	<10	98	
03/09/95	<10		<20	<10	<10	<10	<20	<10		<10	<10	<20	<10	<10	<20	<10	<10	
07/06/95	<25		<10	<10	<10	<10	<50	<10	<10	<10	<10	<20	<50	<20	<50	<25	<50	<10
09/13/95	<10		<10	<10	<10	<10	<20	<10	<10	<10	<10	<20	<10	<10	<20	<10	<1	<10
12/18/95	<10		<10	<10	<10	<10	<20	<10	<10	<10	<10	<20	<10	<10	<20	<10	<1	<10
03/20/96	<10		<10	<10	<10	<10	<20	<10	<10	<10	<10	<20	<10	<10	<20	<10	6.4	<10
07/08/96	<10		<10	<10	<10	<10	<20	<10	<10	<10	<10	<20	<10	<10	<20	<10	1.4	<10
09/25/96	<1.5		<1.5	<1.4	<1.6	<3.1	<1.4	<1.7	<2.3	<1.6	<3.1	<3.5	<1.5	<1.4	<1.5	<1.7	<1.4	<2.1
01/21/97	<1.4		<1.3	<1.2	<1.4	<2.7	<1.3	<1.5	<2.1	<1.4	<2.7	<3	<1.3	<1.2	<1.3	<1.5	<1.2	<1.8
07/11/97	<0.182		<0.453	<0.469	<0.344	<0.148	<0.269	<0.397	<0.194	<0.252	<0.104	<0.128	<0.362	<0.105	5.6		<0.209	<0.127
01/02/98	<0.182		<0.453	<0.469	<0.344	<0.148	8.4	<0.397	<0.194	<0.252	<0.104	<0.128	<0.362	<0.105	4.3		<0.209	<0.127
06/23/98	<3		<3	<3	<3	<3	<3	<3	<3	<3	<3	<3	<3	<3	<3		<3	<3
01/26/99			11	7.7	3.6		3											
06/07/99	<3.0		<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0		<3.0	<3.0
01/11/00	<3		<3	<3	<3	<3	<3	<3	<3	<3	<3	<3	<3	<3	3.5		<3	<3
07/17/00	<3		<3	<3	<3	<3	<3	<3	<3	<3	<3	<3	<3	<3			<3	<3
01/30/01	<3.0		12	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0		<3.0	<3.0
07/10/01	<3.0		<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0		<3.0	<3.0
01/15/02	5.4		11	6.5	25	15	11	14	53	49	62	38	10	<3.0	31		14	57
08/05/02	<3.0		<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0		<3.0	<3.0

Phenolics - Historical Data
WAULECO, INC - Wausau Facility
Well - W08

Date	2,3,4,6-Tetrachlorophenol	2,3,5,6-Tetrachlorophenol	2,4,5-Trichlorophenol	2,4,6-Trichlorophenol	2,4-Dichlorophenol	2,4-Dimethylphenol	2,4-Dinitrophenol	2,6-Dichlorophenol	2-Chlorophenol	2-Methylphenol	2-Nitrophenol	3&4-Methylphenol	4,6-Dinitro-2-Methylphenol	4-Chloro-3-Methylphenol	4-Nitrophenol	Dinoseb	Pentachlorophenol	Phenol
01/14/03	<3.0		5	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0		6.7	<3.0
07/22/03	<3.0		<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0		<3.0	<3.0
01/20/04	<3.0		<3.0 J	<3.0	<3.0 J	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0		<3.0	<3.0 J
07/12/04	<3.0		<3.0	<3.0	<3.0	<3.0	<4.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<4.0		6.4	<3.0
01/19/05	<3.0		<3.0	<3.0	<3.0	<3.0 M	<3.0 MY	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0 M		<3.0	<3.0 M
07/19/05	<3.0		<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0		<3.0	<3.0
01/17/06	8.1		<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0		5.6	<3.0
07/18/06	45		<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0		18	<3.0
01/23/07	<3.0		<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0		<3.0	<3.0
07/09/07	<3.0		<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0		<3.0	<3.0
01/28/08	<3.0		<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0		<3.0	<3.0
07/22/08	<3.0		<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0		<3.0	<3.0
01/20/09	<3.0		<3.0	<3.0	<3.0	<3.0	<3.0	<3.0 Q	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0		<3.0	<3.0
07/06/09	<3.0		<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0		<3.0	<3.0
01/18/10	<3.0		<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0		<3.0	<3.0
07/13/10	<3.0		<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0		<3.0	<3.0
01/25/11	<3.0		<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0		<3.0	<3.0
07/18/11	<1.1		<1.1	<1.0	<1.0	<0.82	<1.5 Q	<1.2	<0.87	<0.86	<0.90	<1.4	<1.6 Q	<0.76	<1.1		<1.1 Q	<0.48
01/17/12	<3.0		<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0		<3.0	<3.0
07/06/12	<3.0		<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0		<3.0	<3.0
01/04/13	<3.0		<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0		<3.0	<3.0
07/01/13	<3.0		<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0		<3.0	<3.0
01/22/14	<3.0		<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0		<3.0	<3.0
07/07/14	<3.0		<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0		<3.0	<3.0
01/15/15	<3.0		<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0		1.8	<3.0
07/06/15	<3.0		<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0		<3.0	<3.0
01/13/16	<3.0		<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0		<3.0	<3.0
07/05/16	<3.0		<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0		<3.0	<3.0
01/16/17	<3.0		<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0		<3.0	<3.0
07/10/17	<3.0		<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0		<3.0	<3.0
01/10/18	<3.0		<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0		<3.0	<3.0
07/10/18	<3.0		<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0		<3.0	<3.0
01/22/19	<3.0		<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0		<3.0	<3.0
07/08/19	<3.0		<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0		<3.0	<3.0
01/09/20	<3.0		<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0		<3.0	<3.0
07/06/20	<3.0		<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0		<3.0	<3.0
01/07/21	<3.0		<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0		<3.0	<3.0
07/06/21	<3.0		<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0		<3.0	<3.0
01/12/22	<3.0		<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0		<3.0	<3.0
07/05/22	<3.0		<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0		<3.0	<3.0
01/09/23	<3.0		<3.0	<3.0	<3.0	<3.0	<3.0 Q	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0		<3.0	<3.0
07/05/23	<3.0		<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0		<3.0	<3.0
01/03/24	<3.0		<3.0	<3.0	<3.0	<3.0	<3.0	<3.0 Q	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0		<3.0	<3.0
07/02/24	<3.0		<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0		<3.0	<3.0

Notes:

Prepared By: T. Dushek, 8/2/24

Checked By: A. Voit, 10/28/24

- 1.) All units are in ug/L.
- 2.) Bold Values indicate detections
- 3.) J = Estimated Value
- 4.) M = Matrix spike and/or Matrix Spike duplicate recovery outside acceptance limits.
- 5.) Q = Laboratory Control Sample outside acceptance limits.
- 6.) Y = Replicate/Duplicate precision outside acceptance limits.
- 7.) V = Raised quantitation or reporting limit due to limited sample amount or dilution for matrix background interference.

Phenolics - Historical Data
WAULECO, INC - Wausau Facility
Well - W09

Date	2,3,4,6-Tetrachlorophenol	2,3,5,6-Tetrachlorophenol	2,4,5-Trichlorophenol	2,4,6-Trichlorophenol	2,4-Dichlorophenol	2,4-Dimethylphenol	2,4-Dinitrophenol	2,6-Dichlorophenol	2-Chlorophenol	2-Methylphenol	2-Nitrophenol	3&4-Methylphenol	4,6-Dinitro-2-Methylphenol	4-Chloro-3-Methylphenol	4-Nitrophenol	Dinoseb	Pentachlorophenol	Phenol
06/04/87																	2.2	
09/03/87																	<1	
12/03/87																	<1	
03/02/88																	<1	
04/07/88																	<1	
08/10/88																	1.05	
11/15/88																	<1	
01/26/89																	<1	
04/27/89																	<1	
07/27/89																	<1	
10/26/89																	<1	
01/25/90																	6.51	
05/03/90																	<1	
09/20/90																	2.37	
12/11/90																	1.53	
01/29/91																	8.59	
05/01/91																	2.07	
06/18/91																	<1	
10/08/91																	5.23	
06/18/92		11		3.79	<0.515	1.29	<1.03		<0.515		<0.515		<1.03	<0.515	<1.03		21.9	2.28
12/17/92		<1		<1	<0.5	<0.5	<1		<0.5		<0.5		<1	<0.5	1.77		26.7	<0.5
06/28/93	<1		<1	<1	<1	<10	<1	<1		<10	<1	<20	<1	<10	<1	<1	<1	
12/28/93	<100		<200	<100	<100	<100	<200	<100		<100	<100	<200	<100	<100	<200	360	640	
06/22/94	<100		<200	<100	<100	<100	<200	<100		<100	<100	<200	<100	<100	<200	<100	120	
07/05/95	<26		<10	<10	<10	<10	<51		<10	<10.2	<10	<20.4	<51	<20	<51	<26	<51	<10
07/09/96	<100		<100	<100	<100	<100	<200	<100	<100	<100	<100	<200	<100	<100	<200	<100	57	<100

Phenolics - Historical Data
WAULECO, INC - Wausau Facility
Well - W09

Date	2,3,4,6-Tetrachlorophenol	2,3,5,6-Tetrachlorophenol	2,4,5-Trichlorophenol	2,4,6-Trichlorophenol	2,4-Dichlorophenol	2,4-Dimethylphenol	2,4-Dinitrophenol	2,6-Dichlorophenol	2-Chlorophenol	2-Methylphenol	2-Nitrophenol	3&4-Methylphenol	4,6-Dinitro-2-Methylphenol	4-Chloro-3-Methylphenol	4-Nitrophenol	Dinoseb	Pentachlorophenol	Phenol
07/11/97	<0.182		<0.453	<0.469	<0.344	<0.148	<0.269	<0.397	<0.194	<0.252	<0.104	<0.128	<0.362	<0.105	<0.351		250	<0.127
06/24/98	<3		7.7	5.6	<3	<3	8.5	<3	<3	<3	<3	<3	7.3	3.4	5.2		4.4	<3
06/07/99	4.00		<3.0	<3.0	<3.0	<3.0	20.0	<3.0	<3.0	<3.0	3.90	<3.0	<3.0	<3.0	<3.0		7.00	<3.0
07/18/00	<15		<15	<15	<15	<15	<15	<15	<15	<15	<15	<15	62	<15	59		33	<15
01/30/01	<30		<30	<30	<30	<30	67	<30	<30	<30	<30	<30	<30	<30	140		<30	<30
07/10/01	<3.0		<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0		<3.0	<3.0
08/06/02	10		9.7	7.5	3.1	<3.0	<3.0	<3.0	<3.0	3.4	4.2	3.0	<3.0	<3.0	7.4		6.1	<3.0
07/23/03	150		<60	<60	<60	<60	<60	<60	<60	<60	<60	<60	<60	<60	<60		140	<60
07/12/04	<30		<30	<30	<30	<30	95	<30	<30	<30	<30	<30	49	<30	<40		63	<30
07/18/05	58 V		<30 V	<30 V	<30 V	<30 V	<30 V	<30 V	<30 V	<30 V	<30 V	<30 V	<30 V	<30 V	<30 V		49 V	<30 V
07/18/06	<3.0		<3.0	<3.0	<3.0	<3.0	10	3.4	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	18		14	<3.0
07/10/07	<3.0		<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0		<3.0	<3.0
07/23/08	<3.0		<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0		<3.0	<3.0
07/07/09	<3.0		<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0		<3.0	<3.0
07/13/10	<3.0		<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0		<3.0	<3.0
07/18/11	<1.2		<1.2	<1.1	<1.1	<0.86	<1.6 Q	<1.3	<0.92	<0.91	<0.95	<1.5	<1.7 Q	<0.80	<1.2		<1.2 Q	<0.51
07/19/12	<3.0		<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0		5.5	<3.0
07/02/13	<3.0		<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0 Y		<3.0	<3.0
07/10/14	<3.0		<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0		<3.0	<3.0
07/07/15	<3.0		<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0		<3.0	<3.0
07/06/16	<3.0		<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0		0.26	<3.0
07/11/17	<3.0		<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0		<3.0	<3.0
07/18/18	<3.0		<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0		2.5	<3.0
07/09/19	<3.0		<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0		1.8	<3.0
07/07/20	<3.0		<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0		<3.0	<3.0
07/12/21	<3.0		<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0		<3.0	<3.0
07/06/22	<3.0		<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0		<3.0	<3.0
07/06/23	<3.0		<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0		<3.0	<3.0
07/02/24	<3.0		<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0		<3.0	<3.0

Notes:

Prepared By: T. Dushek, 8/2/24

Checked By: A. Voit, 10/28/24

- 1.) All units are in ug/L.
- 2.) Bold Values indicate detections
- 3.) J = Estimated Value
- 4.) M = Matrix spike and/or Matrix Spike duplicate recovery outside acceptance limits.
- 5.) Q = Laboratory Control Sample outside acceptance limits.
- 6.) Y = Replicate/Duplicate precision outside acceptance limits.
- 7.) V = Raised quantitation or reporting limit due to limited sample amount or dilution for matrix background interference.

Phenolics - Historical Data
WAULECO, INC - Wausau Facility
Well - W10A

Date	2,3,4,6-Tetrachlorophenol	2,3,5,6-Tetrachlorophenol	2,4,5-Trichlorophenol	2,4,6-Trichlorophenol	2,4-Dichlorophenol	2,4-Dimethylphenol	2,4-Dinitrophenol	2,6-Dichlorophenol	2-Chlorophenol	2-Methylphenol	2-Nitrophenol	3&4-Methylphenol	4,6-Dinitro-2-Methylphenol	4-Chloro-3-Methylphenol	4-Nitrophenol	Dinoseb	Pentachlorophenol	Phenol
01/08/87																	10,800	
06/04/87																	3,200	
09/03/87																	7,510	
12/03/87																	4,830	
03/03/88																	13,500	
04/07/88																	12,100	
08/10/88																	11,900	
11/15/88																	8,600	
01/26/89																	11,500	
04/27/89																	8,580	
07/27/89																	15,200	
10/26/89																	10,100	
01/25/90																	12,700	
05/03/90																	8,450	
09/20/90																	8,520	
12/11/90																	9,320	
01/29/91																	12,300	
05/01/91																	29,800	
06/19/91																	9,550	
10/08/91																	16,500	
07/08/92		13.1		108	<0.526	1.67	47.4		<0.526		4.82		<1.05	<0.526	3.78		7,400	0.714
12/18/92		19.7		<1	<0.5	<0.5	<1		<0.5		<0.5		<1	<0.5	12.3		11,800	60.4
06/30/93	650		220	<100	<100	<100	450	<100	<100	<100	<100	<200	<100	<100	<200	<100	11,000	
12/28/93	1,000		<200	<100	120	<100	<200	<100		<100	<100	<200	<100	<100	<200	<100	14,000	
06/22/94	1,600		540	450	<100	<100	470	<100		<100	<100	<200	<100	<100	240	<100	17,000	
07/06/95	960		<250	<250	<250	<250	<1300		<250	<250	<250	<500	<1300	<500	<1300	<630	6,600	<250
07/09/96	<5000		<5000	<5000	<5000	<5000	<10000	<5000	<5000	<5000	<5000	<10000	<5000	<5000	<10000	<5000	970	<5000
07/11/97	1,700		<0.453	<0.469	<0.344	<0.148	<0.269	<0.397	<0.194	<0.252	<0.104	<0.128	<0.362	<0.105	<0.351		24,000	800
06/24/98	<150		<150	<150	<150	<150	<150	<150	<150	<150	<150	<150	<150	<150	<150		600	<150
06/08/99	<750		<750	<750	<750	<750	<750	<750	<750	<750	<750	<750	<750	<750	<750		3,450	<750
07/17/00	<300		<300	<300	<300	<300	<300	<300	<300	<300	<300	<300	<300	<300	340		9,900	770
01/30/01	<1500		<1500	<1500	<1500	<1500	<1500	<1500	<1500	<1500	<1500	<1500	<1500	<1500	<1500		16,000	<1500
07/10/01	<1500		<1500	<1500	<1500	<1500	<1500	<1500	<1500	<1500	<1500	<1500	<1500	<1500	<1500		4,500	<1500
08/06/02	<600		<600	<600	<600	<600	<600	<600	1,100	<600	<600	<600	<600	<600	<600		5,500	<600
07/23/03	750		<300	<300	<300	<300	<300	<300	1,300	<300	<300	<300	<300	<300	<300		7,300	<300
07/14/04	<300J		<300J	550	<300	<300	570	<300	600	<300	<300	<300	<300	<300	<400		5,100	390
07/20/05	410 V		<300 V	<300 V	<300 V	<300 V	<300 V	<300 V	<300 V	<300 V	<300 V	<300 V	<300 V	<300 V	<300 V		5200 V	<300 V
07/19/06	370		<300	<300	<300	<300	<300	<300	<300	<300	<300	<300	<300	<300	<300		5,800	<300
07/10/07	670		<150	<180	<120	<91	<180	<230	<130	<55	<110	<99	<130	<57	<110		6,700	<46
07/23/08	700		<180	<190	<140	<270	<360	<210	<150	<200	<130	<150	<210	<250	<140		8,800	<70
7/23/2008 Duplicate	740		<180	<200	<140	<280	<370	<210	<160	<200	<140	<150	<210	<250	<140		9,300	<71
07/06/09	370		<160	<170	<120	<240	<320	<190	<140	<180	<120	<140	<190	<220	<130		5,500	<63
7/6/2009 Duplicate	410		<160	<180	<120	<240	<330	<190	<140	<180	<120	<140	<190	<220	<130		6,000	<63
07/15/10	450		<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0		6,200	<3.0

Phenolics - Historical Data
WAULECO, INC - Wausau Facility
Well - W10A

Date	2,3,4,6-Tetrachlorophenol	2,3,5,6-Tetrachlorophenol	2,4,5-Trichlorophenol	2,4,6-Trichlorophenol	2,4-Dichlorophenol	2,4-Dimethylphenol	2,4-Dinitrophenol	2,6-Dichlorophenol	2-Chlorophenol	2-Methylphenol	2-Nitrophenol	3&4-Methylphenol	4,6-Dinitro-2-Methylphenol	4-Chloro-3-Methylphenol	4-Nitrophenol	Dinoseb	Pentachlorophenol	Phenol
04/06/11 4/6/2011 Duplicate	280		<1.1	<1.0	<1.0	<0.85	<1.5	<1.2	<0.90	<0.89	<0.93	<1.4	<1.6	<0.78	<1.1		6,300	
07/25/11 7/25/2011 Duplicate	160		<1.1	<1.0	<1.0	<0.84	<1.5	<1.2	<0.89	<0.88	<0.92	<1.4	<1.6	<0.78	<1.1		5,300 4,200	<0.49
10/03/11 10/3/2011 Duplicate																	2,300 3,900	<0.49
01/23/12 04/03/12 4/3/2012 Duplicate	280 M		<11	<10	<10	<8.5	<15 M	<12	<9.0	<8.9	<9.3	<14	<16 M	<7.8 Y	<11 M		3,100	
07/09/12 7/9/2012 Duplicate	260 V		<11 V	<10 V	<10 V	<8.4 V	<15 V	<12 V	<8.9 V	<8.8 V	<9.2 V	<14 V	<16 V	<7.8 V	<11 V		4,500 M 4,200	<4.9
07/05/13 7/5/2013 Duplicate	210		<110	<100	<100	<85	<150	<120	<90	<89	<93	<140	<160	<78	<110		3,900 3,400 V	<4.9 V
07/10/14 7/9/2015 Duplicate	170		<110	<100	<100	<84	<150	<120	<89	<88	<92	<140	<160	<78	<110		3,300 V	<4.8 V
07/09/15 7/9/2015 Duplicate	120		<52	<12	<52	<19	<150	<41	<12	<41	<29	<41	<62	<28	<62		3,400	<49
07/12/16 7/12/2016 Duplicate	58		<6.3	<26	<6.8	<11	<15	<21	<6.3	<7.9	<6.3	<8.9	<16	<7.4	<11		3,700	<49
07/18/17 7/18/2017 Duplicate	57		<12	<52	<13	<21	<30	<41	<12	<15	<12	<18	<31	<14	<21		3,700	<49
07/18/18 7/18/2018 Duplicate	56 Q		<11	<10	<12	<9.5	<14	<10	<11	<9.5	<10	<11	<14	<10	<11		2,500	<13
07/15/19 7/15/2019 Duplicate	50 Q		<11	<10	<12	<9.5	<14	<10	<11	<9.5	<10	<11	<14	<10	<11		2,300	<13
07/13/20 7/13/2020 Duplicate	26		<12	<11	<13	<10	<15	<11	<12	<10	<11	<12	<15	<11	<12		1,400	<13
07/13/21 7/13/2021 Duplicate	52		<12	<11	<13	<10	<15	<11	<12	<10	<11	<12	<15	<11	<12		1,500	<12
07/13/21 7/13/2021 Duplicate	40		<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0		1,200	<25
07/13/21 7/13/2021 Duplicate	42		<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0		1,100	<25
07/13/21 7/13/2021 Duplicate	52		<12	<11	<13	<10	<15	<11	<12	<10	<11	<12	<15	<11	<12		38	<12
07/13/21 7/13/2021 Duplicate	40		<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0		1,200	<12
07/13/21 7/13/2021 Duplicate	42		<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0		1,100	<12
07/13/21 7/13/2021 Duplicate	52		<12	<11	<13	<10	<15	<11	<12	<10	<11	<12	<15	<11	<12		610	<13
07/13/21 7/13/2021 Duplicate	40		<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0		740	<13
07/13/21 7/13/2021 Duplicate	42		<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0		320	<3.0
07/13/21 7/13/2021 Duplicate	40		<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0		310	<3.0
07/13/21 7/13/2021 Duplicate	42		<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0		80	<3.0
07/13/21 7/13/2021 Duplicate	42		<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0		90	<3.0
01/17/22 1/17/2022 Duplicate	7.3		8.9	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0		130	
07/11/22 7/11/2022 Duplicate	7.3		9.2	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0		140 120	<3.0
01/10/23 1/10/2023 Duplicate	4.9		5.9	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0		130	<3.0
07/10/23 7/10/2023 Duplicate	6.1		6.7	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0		65 60 84	<3.0
																	120	<3.0

Phenolics - Historical Data
WAULECO, INC - Wausau Facility
Well - W10A

Date	2,3,4,6-Tetrachlorophenol	2,3,5,6-Tetrachlorophenol	2,4,5-Trichlorophenol	2,4,6-Trichlorophenol	2,4-Dichlorophenol	2,4-Dimethylphenol	2,4-Dinitrophenol	2,6-Dichlorophenol	2-Chlorophenol	2-Methylphenol	2-Nitrophenol	3&4-Methylphenol	4,6-Dinitro-2-Methylphenol	4-Chloro-3-Methylphenol	4-Nitrophenol	Dinoseb	Pentachlorophenol	Phenol
01/08/24	2.3		6.5	<3.0	<3.0	<3.0	<3.0	<3.0 Q	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0		32	<3.0
1/8/2024																		
Duplicate	2		6.7	<3.0	<3.0	<3.0	<3.0	<3.0 Q	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0		29	<3.0
07/08/24	2.6		3.9	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0		45	<3.0
7/8/2024																		
Duplicate	2.3		4.4	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0		45	<3.0

Notes:

Prepared By: T. Dushek, 8/2/24

Checked By: A. Voit, 10/28/24

- 1.) All units are in ug/L.
- 2.) Bold Values indicate detections
- 3.) J = Estimated Value
- 4.) M = Matrix spike and/or Matrix Spike duplicate recovery outside acceptance limits.
- 5.) Q = Laboratory Control Sample outside acceptance limits.
- 6.) Y = Replicate/Duplicate precision outside acceptance limits.
- 7.) V = Raised quantitation or reporting limit due to limited sample amount or dilution for matrix background interference.

Phenolics - Historical Data
WAULECO, INC - Wausau Facility
Well - W10B

Date	2,3,4,6-Tetrachlorophenol	2,3,5,6-Tetrachlorophenol	2,4,5-Trichlorophenol	2,4,6-Trichlorophenol	2,4-Dichlorophenol	2,4-Dinitrophenol	2,4-Dinitrophenol	2,6-Dichlorophenol	2-Chlorophenol	2-Methylphenol	2-Nitrophenol	3&4-Methylphenol	4-Chloro-3-Methylphenol	4,6-Dinitro-2-Methylphenol	4-Nitrophenol	Dinoseb	Pentachlorophenol	Phenol
07/08/92		<1.07		<1.07	1.31	<0.535	<1.07	<0.535			<0.535		<0.535	<1.07	<1.07		39.2	<0.535
12/18/92		<1		<1	<0.5	<0.5	<1	<0.5			<0.5		<0.5	<1	<1		30.3	<0.5
06/29/93	1.8		<1	<1	<1	<1	<1	<1		<10	<1	<20	<10	<1	<1	<1	8.4	
12/28/93	<10		<20	<10	<10	<10	<20	<10		<10	<10	<20	<10	<10	<20	<10	23	
06/22/94	66		27	16	<10	<10	<20	<10		<10	<10	<20	17	<10	<20	<10	33	
07/06/95	<25		<10	<10	<10	<10	<50		<10	<10	<10	<20	<20	<50	<50	<25	<50	<10
07/09/96	<10		<10	<10	<10	<10	<20	<10		<10	<10	<20	<10	<10	<20	<10	7.7	<10
07/11/97	8.5		<0.453	<0.469	<0.344	<0.148	<0.269	<0.397	<0.194	<0.252	<0.104	<0.128	<0.105	<0.362	<0.351		76	<0.127
06/24/98	<3		<3	<3	<3	<3	<3	<3	<3	<3	<3	<3	<3	<3	<3		11	<3
06/08/99	<3.0		<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0		3.4	<3.0
07/17/00	<30		<30	<30	<30	<30	<30	<30	<30	<30	<30	<30	<30	<30	<30		<30	<30
01/30/01	<3.0		15	<3.0	<3.0	<3.0	4.3	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	4.5		9.8	<3.0
07/10/01	<3.0		<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0		3.3	<3.0
08/06/02	4.9		<3.0	3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0		7.9	<3.0
07/23/03	<3.0		<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0		<3.0	<3.0
07/13/04	<3.0		<3.0	<3.0	4.6	<3.0	4.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<4.0		25	<3.0
07/20/05	<3.0		<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0		8.8	<3.0
7/20/2005 Duplicate	<3.0		<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0		10	<3.0
07/19/06	<3.0		<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0		7.4	<3.0
07/10/07	<3.0		<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0		5.6	<3.0
07/23/08	<3.0		<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0		40	<3.0
07/06/09	<3.0		<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0		12	<3.0
07/15/10	<3.0		<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0		49	<3.0
07/20/11	9.4		<1.1	<1.0	<1.0	<0.84	<1.5	<1.2	<0.89	<0.88	<0.92	<1.4	<1.6	<0.78	<1.1		120	<0.49
01/23/12	<5.9		<5.9	<5.3	<5.3	<4.4	<8	<6.4	<4.6	<4.6	<4.8	<7.4	<8.5	<4.0	<5.9		86	<3.0
04/09/12																	42	
07/06/12	5.5		<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0		87	<3.0
07/05/13	<5.6		<5.6	<5.1	<5.1	<4.1	<7.6	<6.1	<4.4	<4.3	<4.5	<7.1	<8.1	<3.8	<5.6		72	<3.0
07/08/14	<3.0		<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0		16	<3.0
07/07/15	1.1		<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0		22	<3.0
07/07/16	0.61		<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0		14	<3.0
07/17/17	0.54		<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0		7.5 B	<3.0
07/11/18	2.2		<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0		40	<3.0
07/15/19	1.5		<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0		27	<3.0
07/13/20	<3.0		<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0		5.2	<3.0
07/07/21	2.9		<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0		13	<3.0
07/06/22	3.5		2.7	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0		14	<3.0
07/06/23	0.78		2.7	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0		5.9	<3.0
07/08/24	<3.0		<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0		4	<3.0

Notes:

Prepared By: T. Dushek, 8/2/24

Checked By: A. Voit, 10/28/24

1.) All units are in ug/L.

2.) Bold Values indicate detections

3.) B = Analyte detected in the associated Method Blank

4.) J = Estimated Value

5.) M = Matrix spike and/or Matrix Spike duplicate recovery outside acceptance limits.

6.) Q = Laboratory Control Sample outside acceptance limits.

7.) Y = Replicate/Duplicate precision outside acceptance limits.

8.) V = Raised quantitation or reporting limit due to limited sample amount or dilution for matrix background interference.

Phenolics - Historical Data
WAULECO, INC - Wausau Facility
Well - W11

Date	2,3,4,6-Tetrachlorophenol	2,3,5,6-Tetrachlorophenol	2,4,5-Trichlorophenol	2,4,6-Trichlorophenol	2,4-Dichlorophenol	2,4-Dimethylphenol	2,4-Dinitrophenol	2,6-Dichlorophenol	2-Chlorophenol	2-Methylphenol	2-Nitrophenol	3&4-Methylphenol	4,6-Dinitro-2-Methylphenol	4-Chloro-3-Methylphenol	4-Nitrophenol	Pentachlorophenol	Phenol	Dinoseb
01/08/87																2050		
06/04/87																2410		
09/03/87																49.3		
12/03/87																163		
03/03/88																824		
04/07/88																<1		
08/10/88																1000		
11/15/88																329		
01/26/89																321		
04/27/89																384		
07/27/89																142		
10/26/89																1.66		
01/25/90																300		
05/03/90																736		
09/21/90																2940		
12/12/90																2690		
01/30/91																3080		
05/01/91																2410		
06/19/91																1420		
10/08/91																891		
06/18/92		<1.02		<1.02	<0.51	<0.51	<1.02		<0.51		<0.51		<1.02	<0.51	<1.02	44.4	7.16	
12/17/92		<1		<1	<0.5	<0.5	<1		<0.5		<0.5		<1	<0.5	<1	209	<0.5	
06/30/93	<1		<1	<1	<1	<10	<1	<1		<10	<1	<20	<1	<10	<1	82		<1
12/28/93	<10		<20	<10	<10	<10	<20	<10		<10	<10	<20	<10	<10	<20	70		<10
06/21/94	17		<20	<10	<10	<10	<20	<10		<10	<10	<20	<10	<10	<20	140		<10
07/05/95	<25		<10	<10	<10	<10	<50	<10	<10	<10	<10	<20	<50	<20	<50	<50	<10	<25
07/09/96	<10		<10	<10	<10	<10	<20	<10	<10	<10	<10	<20	<10	<10	<20	25	<10	<10
07/11/97	<0.182		<0.453	<0.469	<0.344	<0.148	<0.269	<0.397	<0.194	<0.252	<0.104	<0.128	<0.362	<0.105	<0.351	8.3	<0.127	
06/24/98	<15		<15	<15	<15	<15	<15	<15	<15	<15	<15	<15	<15	<15	<15	88	<15	
06/08/99	<75		<75	<75	<75	<75	180	<75	<75	<75	<75	<75	<75	<75	<75	180	<75	
07/18/00	3.6		<3	<3	<3	<3	<3	<3	<3	<3	<3	<3	<3	<3	3.2	170	<3	
01/30/01	<60		<60	<60	<60	<60	<60	<60	<60	<60	<60	<60	<60	<60	<60	600	<60	
07/11/01	3.7		<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	84	<3.0	

Phenolics - Historical Data
WAULECO, INC - Wausau Facility
Well - W11

Date	2,3,4,6-Tetrachlorophenol	2,3,5,6-Tetrachlorophenol	2,4,5-Trichlorophenol	2,4,6-Trichlorophenol	2,4-Dichlorophenol	2,4-Dimethylphenol	2,4-Dinitrophenol	2,6-Dichlorophenol	2-Chlorophenol	2-Methylphenol	2-Nitrophenol	3&4-Methylphenol	4,6-Dinitro-2-Methylphenol	4-Chloro-3-Methylphenol	4-Nitrophenol	Pentachlorophenol	Phenol	Dinoseb
08/06/02	<3.0		<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	
07/22/03	<3.0		<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	43	<3.0	
07/13/04	<3.0		<3.0	<3.0	<3.0	<3.0	<4.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<4.0	64	<3.0J	
07/19/05	4.8		<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	180	<3.0	
07/19/06	<15		<15	<15	<15	<15	<15	<15	<15	<15	<15	<15	<15	<15	<15	270	<15	
07/10/07	57		<8.5	<10	<6.7	<5.1	<10	<13	<7.1	<3.1	<6.2	<5.5	<7.5	<3.2	<6.1	540	<3	
07/23/08	13		<3.4	<3.7	<3.0	<5.2	<6.9	<4.0	<3.0	<3.7	<3.0	<3.0	<4.0	<4.7	<3.0	140	<3.0	
07/07/09	47		<16	<17	<12	<24	<32	<19	<14	<18	<12	<14	<19	<22	<13	660	<6.3	
07/14/10	46		<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	440	<3.0	
07/19/11	12		<1.1	<1.0	<1.0	<0.82	<1.5	<1.2	<0.87	<0.86	<0.90	<1.4	<1.6	<0.76	<1.1	97	<0.48	
07/09/12	34		<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	360	<3.0	
07/01/13	78		<5.6	<5.1	<5.1	<4.2	<7.7	<6.1	<4.4	<4.4	<4.6	<7.1	<8.2	<3.9	<5.6	960	<3.0	
7/1/2013 Duplicate	67		<5.6	<5.1	<5.1	<4.2	<7.7	<6.1	<4.4	<4.4	<4.6	<7.1	<8.2	<3.9	<5.6	950	<3.0	
07/08/14	37		<5.5	<5.0	<5.0	<4.1	<7.5	<6.0	<4.4	<4.3	<4.5	<7.0	<8.0	<3.8	<5.5	660	3.2	
07/06/15	18		<5.2	<3.0	<5.2	<3.0	<15	<4.1	<3.0	<4.1	<3.0	<4.1	<6.2	<3.0	<6.2	400	<3.0	
07/05/16	6.5		<3.0	<5.2	<3.0	<3.0	<3.0	<4.2	<3.0	<3.0	<3.0	<3.0	<3.1	<3.0	<3.0	180	<3.0	
07/17/17	2.3		<3.0	<5.1	<3.0	<3.0	<3.0	<4.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	52	<3.0	
07/11/18	4.7		<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	120	<3.0	
07/09/19	9.0		<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	170	<3.0	
07/07/20	5.1		<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	90	<3.0	
10/05/20																84		
01/11/21																170		
04/12/21																270		
07/13/21	<3.0 Q		<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	130	<3.0	
10/18/21																300		
01/12/22																410		
04/12/22																690		
07/06/22	19		<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	310	<3.0	
07/10/23	7.5		<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	120	<3.0	
07/08/24	2.3		<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	41	<3.0	

Notes:

Prepared By: T. Dushek, 8/2/24

Checked By: A. Voit, 10/28/24

- 1.) All units are in ug/L.
- 2.) Bold Values indicate detections
- 3.) J = Estimated Value
- 4.) M = Matrix spike and/or Matrix Spike duplicate recovery outside acceptance limits.
- 5.) Q = Laboratory Control Sample outside acceptance limits.
- 6.) Y = Replicate/Duplicate precision outside acceptance limits.
- 7.) V = Raised quantitation or reporting limit due to limited sample amount or dilution for matrix background interference.

Phenolics - Historical Data
WAULECO, INC - Wausau Facility
Well - W12

Date	2,3,4,6-Tetrachlorophenol	2,3,5,6-Tetrachlorophenol	2,4,5-Tetrachlorophenol	2,4,6-Trichlorophenol	2,4-Dichlorophenol	2,4-Dimethylphenol	2,4-Dinitrophenol	2,6-Dichlorophenol	2-Chlorophenol	2-Methylphenol	2-Nitrophenol	3,8,4-Methylphenol	4,6-Dinitro-2-Methylphenol	4-Chloro-3-Methylphenol	4-Nitrophenol	Dinoseb	Pentachlorophenol	Phenol
06/18/92		<1.03		<1.03	<0.515	<0.515	<1.03		<0.515		<0.515		<1.03	<0.515	<1.03		2.83	11.4
12/17/92		<1		<1	<0.5	<0.5	<1		<0.5		<0.5		<1	<0.5	<1		3.67	<0.5
06/29/93	<1		<1	<1	<1	<10	<1	<1		<10	<1	<20	<1	<10	<1	<1	<1	
12/28/93	<1.1		<1.1	<1.1	<1.1	<11	<1.1	<1.1		<11	<1.1	<22	<1.1	<11	<1.1	<1.1	<1.1	
06/21/94	<10		<20	<10	<10	<10	<20	<10		<10	14	<20	<10	<10	<20	<10	73	
07/06/95	47		<10	<10	<10	<10	<50		<10	<10	<20	<50	<20	<50	<25		210	<10
07/08/96	<10		<10	<10	<10	<10	<20	<10	<10	<10	<10	<20	<10	<10	<20	<10	1.5	<10
07/11/97	<0.182		<0.453	<0.469	<0.344	<0.148	<0.269	<0.397	<0.194	<0.252	<0.104	<0.128	<0.362	<0.105	<0.351		3.5	<0.127
06/23/98	<30		<30	<30	<30	<30	<30	<30	<30	<30	<30	<30	<30	<30	<30		220	<30
06/08/99	<150		<150	<150	<150	<150	<150	<150	<150	<150	<150	<150	<150	<150	<150		290	<150
07/17/00	21.5		<3	<3	<3	<3	<3	<3	<3	<3	<3	<3	<3	<3	3.15		510	<3
01/30/01	<60		<60	<60	<60	<60	<60	<60	<60	<60	<60	<60	<60	<60	<60		950	<60
07/10/01	<3.0		<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0		<3.0	<3.0
08/05/02	<3.0		<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0		<3.0	<3.0
07/22/03	<3.0		<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0		<3.0	<3.0
07/13/04	<3.0		<3.0	<3.0	<3.0	<3.0	<4.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<4.0		<3.0	<3.0
07/19/05	<3.0		<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0		<3.0	<3.0
07/19/06	<3.0		<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0		<3.0	<3.0
07/09/07	<3.0		<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0		<3.0	<3.0
07/23/08	<3.0		<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0		<3.0	<3.0
07/06/09	<3.0		<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0		<3.0	<3.0
07/14/10	<3.0		<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0		<3.0	<3.0
07/18/11	<1.2		<1.2	<1.1	<1.1	<0.88	<1.6 Q	<1.3	<0.94	<0.92	<0.97	<1.5	<1.7 Q	<0.82	<1.2		<1.2 Q	<0.52
01/23/12	<3.0		<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0		2.9	<3.0
04/09/12																	450	
4/9/2012 Duplicate																	470	
07/09/12	<3.0		<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0		420	<3.0
07/01/13	<3.0		<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0		<3.0	<3.0
07/07/14	<3.0		<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0		<3.0	<3.0
07/06/15	<3.0		<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0		<3.0	<3.0
07/05/16	<3.0		<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0		<3.0	<3.0
07/11/17	<3.0		<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0		<3.0	<3.0
07/10/18	<3.0		<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0		<3.0	<3.0
07/08/19	<3.0		<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0		<3.0	<3.0
07/06/20	<3.0		<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0		<3.0	<3.0
10/05/20																	<3.0	
01/11/21																	<3.0	
04/12/21	<3.0		<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0		<3.0	<3.0
07/06/21																	<3.0	
10/18/21																	<3.0	
01/12/22																	<3.0	
04/12/22																	<3.0	
07/06/22	<3.0		<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0		<3.0	<3.0
07/06/23	<3.0		<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0		<3.0	<3.0
07/08/24	<3.0		<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0		<3.0	<3.0

Notes:

Prepared By: T. Dushek, 8/2/24

Checked By: A. Voit, 10/28/24

1.) All units are in ug/L.

2.) Bold Values indicate detections

3.) J = Estimated Value

4.) M = Matrix spike and/or Matrix Spike duplicate recovery outside acceptance limits.

5.) Q = Laboratory Control Sample outside acceptance limits.

6.) V = Replicate/Duplicate precision outside acceptance limits.

7.) V = Raised quantitation or reporting limit due to limited sample amount or dilution for matrix background interference.

Phenolics - Historical Data
WAULECO, INC - Wausau Facility
Well - W13

Date	2,3,4,6-Tetrachlorophenol	2,3,5,6-Tetrachlorophenol	2,4,5-Trichlorophenol	2,4,6-Trichlorophenol	2,4-Dichlorophenol	2,4-Dimethylphenol	2,4-Dinitrophenol	2,6-Dichlorophenol	2-Chlorophenol	2-Methylphenol	2-Nitrophenol	3&4-Methylphenol	4,6-Dinitro-2-Methylphenol	4-Chloro-3-Methylphenol	4-Nitrophenol	Dinoseb	Pentachlorophenol	Phenol
06/22/92		<1.02		<1.02	<0.51	<0.51	<1.02		<0.51		<0.51		<1.02	<0.51	<1.02		636	4.42
12/19/92		<1		<1	<0.5	<0.5	<1		<0.5		<0.5		<1	<0.5	<1		4,550	<0.5
06/30/93	<100		<200	<100	<100	<100	<200	<100		<100	<100	<200	<100	<100	<200	<100	540	
12/27/93	120		<200	<100	<100	<100	<200	<100		<100	<100	<200	<100	<100	<200	<100	1,800	
04/25/94	190		25	<10	<10	<10	21	<10		<10	<10	<20	11	<10	<20	<10	520	
06/22/94	120		<200	<100	<100	<100	<200	<100		<100	<100	<200	<100	<100	<200	<100	1,500	
10/04/94	12		<20	<10	<10	<10	<20	<10		<10	<10	<20	<10	<10	<20	<10	220	
03/10/95	<100		<200	<100	<100	<100	<200	<100		<100	<100	<200	<100	<100	<200	<100	530	
07/06/95	33		<10	<10	<10	<10	<50	<10	<10	<10	<10	<20	<50	<20	<50	<25	390	<10
09/13/95	<100		<100	<100	<100	<100	<200	<100	<100	<100	<100	<200	<100	<100	<200	<100	110	<100
03/20/96	<100		<100	<100	<100	<100	<200	<100	<100	<100	<100	<200	<100	<100	<200	<100	740	<100
07/10/96	<100		<100	<100	<100	<100	<200	<100	<100	<100	<100	<200	<100	<100	<200	<100	28	<100
09/25/96	99		<0.73	1.4	<0.8	<1.5	<0.72	<0.87	<1.2	<0.79	<1.5	<1.7	<0.75	<0.69	<0.74	<0.85	754	<1
07/11/97	<0.182		<0.453	<0.469	<0.344	<0.148	<0.269	<0.397	<0.194	<0.252	<0.104	<0.128	<0.362	<0.105	<0.351		260	<0.127
01/02/98	<0.182		<0.453	<0.469	<0.344	<0.148	<0.269	<0.397	<0.194	<0.252	<0.104	<0.128	<0.362	<0.105	<0.351		140	<0.127
06/24/98	<30		<30	<30	<30	<30	<30	<30	<30	<30	<30	<30	<30	<30	<30		150	<30
01/26/99																	120	
06/09/99	<30		<30	<30	<30	<30	<30	<30	<30	<30	<30	<30	<30	<30	<30		56	<30
01/11/00	20		<15	<15	<15	<15	<15	<15	<15	<15	<15	<15	<15	<15	<15		290	<15
07/18/00	16		<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0		300	<3.0
01/31/01	<60		<60	<60	<60	<60	<60	<60	<60	<60	<60	<60	<60	<60	<60		400	<60
07/10/01	12		<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0		150	<3.0
01/15/02	24		<15	<15	<15	<15	<15	<15	<15	<15	<15	<15	<15	<15	<15		180	<15
08/06/02	<3.0		<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0		<3.0	<3.0
01/14/03	<3.0		<3.0	<3.0	<3.0	<3.0	3.3	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0		3.1	<3.0
07/23/03	5.6		<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0		79	<3.0
01/21/04	<15J		<15	<15	<15	<15	<15	<15	<15	<15	<15	<15	<15	<15	<15J		190	<15
07/14/04	<3.0		<3.0	<3.0	<3.0	<3.0	<4.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<4.0		45	<3.0
01/19/05	<3.0		<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0		<3.0	<3.0
07/21/05	<3.0		<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0		<3.0	<3.0
01/17/06	<3.0		<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0		3.7	<3.0
07/18/06	<3.0		<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0		<3.0	<3.0
01/23/07	<3.0		<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0		<3.0	<3.0
1/23/2007 Duplicate	<3.0		<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0		<3.0	<3.0
07/10/07	<3.0		<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0		<3.0	<3.0

Phenolics - Historical Data
WAULECO, INC - Wausau Facility
Well - W13

Date	2,3,4,6-Tetrachlorophenol	2,3,5,6-Tetrachlorophenol	2,4,5-Trichlorophenol	2,4,6-Trichlorophenol	2,4-Dichlorophenol	2,4-Dimethylphenol	2,4-Dinitrophenol	2,6-Dichlorophenol	2-Chlorophenol	2-Methylphenol	2-Nitrophenol	3&4-Methylphenol	4,6-Dinitro-2-Methylphenol	4-Chloro-3-Methylphenol	4-Nitrophenol	Dinoseb	Pentachlorophenol	Phenol
01/28/08	<3.0		<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0		<3.0	<3.0
07/24/08	<3.0		<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0		<3.0	<3.0
01/20/09	<3.0		<3.0	<3.0	<3.0	<3.0	<3.0	<3.0Q	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0		<3.0	<3.0
07/06/09	<3.0		<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0		<3.0	<3.0
01/18/10	<3.0		<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0		<3.0	<3.0
07/13/10	<3.0		<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0		<3.0	<3.0
01/25/11	<3.0		<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0		<3.0	<3.0
04/05/11																	<3.0	
07/19/11	<1.1		<1.1	<1.0	<1.0	<0.82	<1.5	<1.2	<0.87	<0.86	<0.90	<1.4	<1.6	<0.76	<1.1		<1.1	<0.48
10/03/11																	3.2	
01/17/12	<3.0		<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0		<3.0	<3.0
04/03/12																	<3.0	
07/06/12	<3.0		<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0		<3.0	<3.0
01/08/13	<3.0		<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0		<3.0	<3.0
07/10/13	<3.0		<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0		1.4	<3.0
01/22/14	<3.0		<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0		<3.0	<3.0
07/16/14	<3.0		<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0		1.6	<3.0
01/19/15	<3.0		<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0		2.5	<3.0
07/08/15	<3.0		<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0		<3.0	<3.0
01/14/16	<3.0		<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0		<3.0	<3.0
07/11/16	<3.0		<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0		<3.0	<3.0
01/23/17	0.66		<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0		3.7	<3.0
07/20/17	<3.0		<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0		0.75 B	<3.0
01/09/18	<3.0		<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0		<3.0	<3.0
07/16/18	<3.0		<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0		2.7	<3.0
01/22/19	<3.0		<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0		<3.0	<3.0
07/16/19	<3.0		<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0		<3.0	<3.0
01/14/20	<3.0		<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0		<3.0	<3.0
07/13/20	<3.0		<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0		<3.0	<3.0
01/13/21	<3.0		<3.0	<3.0	<3.0	<3.0 Q	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0		<3.0	<3.0
07/12/21	<3.0		<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0		<3.0	<3.0
01/13/22	<3.0		<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0		<3.0	<3.0
07/13/22	<3.0		<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0		<3.0	<3.0
01/11/23	<3.0		<3.0	<3.0	<3.0	<3.0	<3.0 Q	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0		<3.0	<3.0
07/10/23	<3.0		<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0		<3.0	<3.0
01/08/24	<3.0		<3.0	<3.0	<3.0	<3.0	<3.0	<3.0 Q	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0		<3.0	<3.0
07/09/24	<3.0		<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0		<3.0	<3.0

Notes: Prepared By: T. Dushek, 8/2/24 Checked By: A. Voit, 10/28/24

- 1.) All units are in ug/L.
- 2.) Bold Values indicate detections
- 3.) B = Analyte detected in the associated Method Blank
- 4.) J = Estimated Value
- 5.) M = Matrix spike and/or Matrix Spike duplicate recovery outside acceptance limits.
- 6.) Q = Laboratory Control Sample outside acceptance limits.
- 7.) Y = Replicate/Duplicate precision outside acceptance limits.
- 8.) V = Raised quantitation or reporting limit due to limited sample amount or dilution for matrix background interference.

Phenolics - Historical Data
WAULECO, INC - Wausau Facility
Well - W14

Date	2,3,4,6-Tetrachlorophenol	2,3,5,6-Tetrachlorophenol	2,4,5-Trichlorophenol	2,4,6-Trichlorophenol	2,4-Dichlorophenol	2,4-Dimethylphenol	2,4-Dinitrophenol	2,6-Dichlorophenol	2-Chlorophenol	2-Methylphenol	2-Nitrophenol	3&4-Methylphenol	4,6-Dinitro-2-Methylphenol	4-Chloro-3-Methylphenol	4-Nitrophenol	Dinoseb	Pentachlorophenol	Phenol
01/08/87																	<1	
06/04/87																	<1	
09/03/87																	<1	
12/03/87																	4.74	
03/03/88																	<1	
04/07/88																	<1	
08/10/88																	<1	
11/15/88																	<1	
01/26/89																	1.93	
04/27/89																	<1	
07/27/89																	<1	
10/26/89																	<1	
01/25/90																	<1	
05/03/90																	<1	
09/21/90																	1.64	
12/12/90																	<1	
01/30/91																	1.65	
05/01/91																	2.79	
06/18/91																	<1	
10/08/91																	6.49	
06/24/92		<1.02		<1.02	2.39	<0.51	<1.02		<0.51		<0.51		1.23	0.582	<1.02		<1.02	<0.51
12/18/92		<1		<1	<0.5	<0.5	<1		<0.5		<0.5		<1	<0.5	<1		2.43	<0.5
06/29/93	<1		<1	<1	<1	<10	<1	<1		<10	<1	<20	<1	<10	<1	<1	<1	
12/28/93	<10		<20	<10	<10	<10	<20	<10		<10	<10	<20	<10	<10	<20	<10	11	
06/21/94	<10		<20	<10	<10	<10	<20	<10		<10	<10	<20	<10	<10	<20	<10	26	
07/06/95	<25		<10	<10	<10	<10	<50		<10	<10	<10	<20	<50	<20	<50	<25	<50	<10
07/08/96	<10		<10	<10	<10	<10	<20	<10	<10	<10	<10	<20	<10	<10	<20	<10	<1	<10
07/11/97	<0.182		<0.453	<0.469	<0.344	<0.148	<0.269	<0.397	<0.194	<0.252	<0.104	<0.128	<0.362	<0.105	5		4.7	<0.127
06/23/98	<3.0		<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0		6.6	<3.0
06/07/99	<3.0		<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0		<3.0	<3.0
07/17/00	<3.0		<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	4		7.4	<3.0
01/30/01	<3.0		11	<3.0	<3.0	<3.0	4.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	6.7		<3.0	<3.0
07/10/01	<3.0		<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0		<3.0	<3.0

Phenolics - Historical Data
WAULECO, INC - Wausau Facility
Well - W14

Date	2,3,4,6-Tetrachlorophenol	2,3,5,6-Tetrachlorophenol	2,4,5-Trichlorophenol	2,4,6-Trichlorophenol	2,4-Dichlorophenol	2,4-Dimethylphenol	2,4-Dinitrophenol	2,6-Dichlorophenol	2-Chlorophenol	2-Methylphenol	2-Nitrophenol	3&4-Methylphenol	4,6-Dinitro-2-Methylphenol	4-Chloro-3-Methylphenol	4-Nitrophenol	Dinoseb	Pentachlorophenol	Phenol
08/05/02	<3.0		<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0		<3.0	<3.0
07/22/03	<3.0		<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0		<3.0	<3.0
07/12/04	<3.0		<3.0	<3.0	14	<3.0	<4.0	<3.0J	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<4.0		<3.0	<3.0
07/19/05	<3.0		<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0		<3.0	<3.0
07/18/06	<3.0		<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0		<3.0	<3.0
07/09/07	<3.0		<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0		<3.0	<3.0
07/22/08	<3.0		<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0		<3.0	<3.0
07/06/09	<3.0		<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0		<3.0	<3.0
07/13/10	<3.0		<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0		<3.0	<3.0
07/18/11	<1.2		<1.2	<1.1	<1.1	<0.86	<1.6 Q	<1.3	<0.92	<0.91	<0.95	<1.5	<1.7 Q	<0.80	<1.2		<1.2 Q	<0.51
07/09/12	<3.0		<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0		<3.0	<3.0
07/01/13	<3.0		<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0		<3.0	<3.0
07/06/20																	<3.0	
10/05/20																	<3.0	
01/11/21																	<3.0	
04/12/21																	<3.0	
07/08/21																	<3.0	
10/18/21																	<3.0	
01/12/22																	<3.0	
04/12/22																	<3.0	
07/06/22																	<3.0	

Notes:

Prepared By: T. Dushek, 8/9/22

Checked By: A. Voit, 9/11/22

- 1.) All units are in ug/L.
- 2.) Bold Values indicate detections
- 3.) J = Estimated Value
- 4.) M = Matrix spike and/or Matrix Spike duplicate recovery outside acceptance limits.
- 5.) Q = Laboratory Control Sample outside acceptance limits.
- 6.) Y = Replicate/Duplicate precision outside acceptance limits.
- 7.) V = Raised quantitation or reporting limit due to limited sample amount or dilution for matrix background interference.
- 8.) WDNR letter dated March 18, 2014 concurred with a TRC letter dated October 13, 2013 that this well could be eliminated from the monitoring network.

Phenolics - Historical Data
WAULECO, INC - Wausau Facility
Well - W16

Date	2,3,4,6-Tetrachlorophenol	2,3,5,6-Tetrachlorophenol	2,4,5-Trichlorophenol	2,4,6-Trichlorophenol	2,4-Dichlorophenol	2,4-Dimethylphenol	2,4-Dinitrophenol	2,6-Dichlorophenol	2-Chlorophenol	2-Methylphenol	2-Nitrophenol	3&4-Methylphenol	4,6-Dinitro-2-Methylphenol	4-Chloro-3-Methylphenol	4-Nitrophenol	Dinoseb	Pentachlorophenol	Phenol
01/08/87																	12.4	
06/04/87																	27.3	
09/03/87																	<1	
12/03/87																	<1	
03/03/88																	13.9	
04/07/88																	<1	
08/10/88																	13.7	
11/15/88																	19.8	
01/26/89																	2.34	
04/27/89																	265	
07/27/89																	2.04	
10/26/89																	1.49	
01/25/90																	31	
05/03/90																	1.66	
09/21/90																	3.44	
12/12/90																	1.93	
01/30/91																	4.53	
05/01/91																	<1	
06/19/91																	2.03	
10/08/91																	5.35	
06/16/92		<1.02		<1.02	<0.51	<0.51	<1.02		<0.51		<0.51		<1.02	<0.51	<1.02		<1.02	27.6
12/18/92		<1		<1	<0.5	<0.5	<1		<0.5		<0.5		<1	<0.5	<1		4.79	<0.5
06/29/93	<1		<1	<1	<1	<10	<1	<1		<10	<1	<20	<1	<10	<1	<1	<1	
12/28/93	<10		<20	<10	<10	<10	<20	<10		<10	<10	<20	<10	<10	<20	<10	11	
06/21/94	<10		<20	<10	<10	<10	<20	<10		<10	<10	<20	<10	<10	<20	<10	43	
07/06/95	<34		<14	<14	<14	<14	<69		<14	<13.7	<14	<27.4	<69	<27	<69	<34	<69	<14
07/08/96	<10		<10	<10	<10	<10	<20	<10	<10	<10	<10	<20	<10	<10	<20	<10	<1	<10
07/11/97	<0.182		<0.453	<0.469	<0.344	<0.148	<0.269	<0.397	<0.194	<0.252	<0.104	<0.128	<0.362	<0.105	<0.351		2.9	<0.127
06/24/98	<3.0		<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0		<3.0	<3.0
06/07/99	<3.0		<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0		<3.0	<3.0
07/18/00	<3.0		<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	3.2		9.6	<3.0
01/30/01	<3.0		10	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0		<3.0	<3.0
07/10/01	<3.0		<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0		<3.0	<3.0

Phenolics - Historical Data
WAULECO, INC - Wausau Facility
Well - W16

Date	2,3,4,6-Tetrachlorophenol	2,3,5,6-Tetrachlorophenol	2,4,5-Trichlorophenol	2,4,6-Trichlorophenol	2,4-Dichlorophenol	2,4-Dimethylphenol	2,4-Dinitrophenol	2,6-Dichlorophenol	2-Chlorophenol	2-Methylphenol	2-Nitrophenol	3&4-Methylphenol	4,6-Dinitro-2-Methylphenol	4-Chloro-3-Methylphenol	4-Nitrophenol	Dinoseb	Pentachlorophenol	Phenol
08/05/02	<3.0		<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0		<3.0	<3.0
07/22/03	<3.0		<3.0	<3.0	<3.0	<3.0	<3.0	3.3	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0		<3.0	<3.0
07/12/04	<3.0		<3.0	<3.0	<3.0	<3.0	<4.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<4.0		<3.0	<3.0
07/19/05	<3.0		<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0		<3.0	<3.0
07/19/06	<3.0		<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0		<3.0	<3.0
07/09/07	<3.0		<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0		<3.0	<3.0
07/23/08	<3.0		<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0		<3.0	<3.0
07/06/09	<3.0		<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0		<3.0	<3.0
07/13/10	<3.0		<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0		<3.0	<3.0
07/18/11	190		<1.2	<1.1	<1.1	<0.89	<1.6 Q	<1.3	<0.95	<0.93	<0.98	<1.5	<1.7 Q	<0.83	<1.2		3,000	<0.52
01/23/12	<3.0		<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0		<3.0	<3.0
1/23/2012 Duplicate	<3.0		<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0		<3.0	<3.0
04/09/12																	<3.0	
07/06/12	<3.0		<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0		<3.0	<3.0
07/01/13	<3.0		<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0		<3.0	<3.0
07/08/14	<3.0		<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0		<3.0	<3.0
07/06/15	<3.0		<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0		<3.0	<3.0
07/05/16	<3.0		<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0		<3.0	<3.0
07/10/17	<3.0		<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0		<3.0	<3.0
07/10/18	<3.0		<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0		<3.0	<3.0
07/08/19	<3.0		<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0		<3.0	<3.0
07/06/20	<3.0		<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0		<3.0	<3.0
10/05/20																	<3.0	
01/11/21																	<3.0	
04/12/21																	<3.0	
07/06/21	<3.0		<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0		<3.0	<3.0
10/18/21																	<3.0	
01/12/22																	<3.0	
04/12/22																	<3.0	
07/05/22	<3.0		<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0		<3.0	<3.0
07/05/23	<3.0		<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0		<3.0	<3.0
07/02/24	<3.0		<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0		<3.0	<3.0

Notes:

Prepared By: T. Dushek, 8/2/24

Checked By: A. Voit, 10/28/24

- 1.) All units are in ug/L.
- 2.) Bold Values indicate detections
- 3.) J = Estimated Value
- 4.) M = Matrix spike and/or Matrix Spike duplicate recovery outside acceptance limits.
- 5.) Q = Laboratory Control Sample outside acceptance limits.
- 6.) Y = Replicate/Duplicate precision outside acceptance limits.
- 7.) V = Raised quantitation or reporting limit due to limited sample amount or dilution for matrix background interference.

Phenolics - Historical Data
WAULECO, INC - Wausau Facility
Well - W17

Date	2,3,4,6-Tetrachlorophenol	2,4,5-Trichlorophenol	2,4,6-Trichlorophenol	2,4-Dichlorophenol	2,4-Dimethylphenol	2,4-Dinitrophenol	2,6-Dichlorophenol	2-Chlorophenol	2-Methylphenol	2-Nitrophenol	3&4-Methylphenol	4,6-Dinitro-2-Methylphenol	4-Chloro-3-Methylphenol	4-Nitrophenol	Pentachlorophenol	Phenol
07/24/03	72	<60	<60	250	98	<60	<60	<60	340	340	<60	<60	<60	<60	1,400	91
07/13/04	<60	<60	<60	<60	<60	110	130	<60	190	180	150	<60	<60	<80	1,000	390
01/21/05 1/21/2005 Duplicate	<30 V	<30 V	<30 V	<30 V	<30 V	<30 V	<30 V	94 V	65 V	420 V	67 V	<30 V	<30 V	<30 V	240 V	110 V
07/20/05	<60 V	<60 V	<60 V	<60 V	<60 V	<60 V	<60 V	95 V	67 V	420 V	68 V	<30 V	<30 V	<30 V	230 V	70 V
07/18/06	<60	91	<60	<60	<60	<60	<60	<60	<60	260	<60	<60	<60	<60	830	69
01/23/07 1/23/2007 Duplicate	<60	<60	<60	<60	<60	<60	<60	<60	<60	110	<60	<60	<60	<60	940	<60
07/10/07	24	<15	<18	<12	<8.9	<18	<23	<12	<5.4	160	<60	<60	<60	<60	920	<60
01/28/08	<21	<17	<20	<13	<10	<20	<26	<14	<6	<12	<11	<15	<6.3	<12	620	<5.1
07/23/08	20	<16	<18	<13	<25	<33	<19	<14	<18	<12	<14	<19	<23	<13	460	<6.4
07/06/09 7/6/2009 Duplicate	19	<16	<18	<12	<24	<33	<19	<14	<18	<12	<14	<19	<22	<13	570	<6.3
01/18/10	25	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	440	<3.0
07/15/10	42	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	520	<3.0
01/24/11	21	<11.0	<10.0	<10.0	<8.5	<15.0	<12.0	<9.0	<8.9	<9.3	<14.0	<16.0	<7.8	<11.0	370	<4.9
07/19/11	17	<1.1	<1.0	<1.0	<0.84	<1.5	<1.2	<0.89	<0.88	<0.92	<1.4	<1.6	<0.78	<1.1	180	<0.49
01/23/12	11	<6	<5.5	<5.5	<4.5	<8.2	<6.6	<4.8	<4.7	<4.9	<7.7	<8.8	<4.2	<6	330	<3.0
07/06/12 7/6/2012 Duplicate	8.1	1.1	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	190	<3.0
01/07/13	<11	<11	<10	<10	<8.3	<15	<12	<8.8	<8.7	<9.1	<14	<16	<7.7	<11	220	<4.8
07/02/13	16	<11	<10	<10	<8.5	<15	<12	<9	<8.9	<9.3	<14	<16	<7.8	<11	370	<4.9
01/22/14	<12	<12	<11	<11	<9	<16	<13	<9.6	<9.5	<9.9	<15	<18	<8.4	<12	190	<5.3
07/16/14	11	<11	<10	<10	<8.4	<15	<12	<8.9	<8.8	<9.2	<14	<16	<7.8	<11	230	<4.9
01/15/15 1/15/2015 Duplicate	<10	<5.2	<3.0	<5.2	<3.0	<15	<4.1	<3.0	<4.1	<3.0	<4.1	<6.2	<3.0	<6.2	300	<3.0
07/09/15	<10	<5.1	<3.0	<5.1	<3.0	<15	<4.1	<3.0	<4.1	<3.0	<4.1	<6.1	<3.0	<6.1	81	<3.0
01/14/16 1/14/2016 Duplicate	<10	<5.2	<3.0	<5.2	<3.0	<15	<4.1	<3.0	<4.1	<3.0	<4.1	<6.2	<3.0	<6.2	110	<3.0
07/07/16	1.3	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	60	<3.0
01/16/17	3.6	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	170	<3.0
07/11/17	3.2	<3.0	<5.1	<3.0	<3.0	<3.0	<4.1	<3.0	<3.0	<3.0	<3.0	<3.1	<3.0	<3.0	69	<3.0
01/11/18	2.6	0.52	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	72	<3.0
07/11/18	4.6	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.1	<3.0	<3.0	99	<3.0
01/24/19	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	67	<3.0
07/11/19	3.9	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	77	<3.0
01/13/20 07/08/20	3.1 Q	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	61	<3.0
01/11/21	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	42	<3.0
07/12/21	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	15	<3.0
01/17/22	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	120	<3.0
07/11/22	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	61	<3.0
01/09/23	2	<3.0	<3.0	<3.0	<3.0	<3.0 Q	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	190	<3.0
07/10/23	1.3	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	31	<3.0
01/08/24	1.8	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0 Q	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	100	<3.0
07/08/24	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	6.8	<3.0

Notes:

Prepared By: T. Dushek, 8/2/24

Checked By: A. Voit, 10/28/24

- 1.) All units are in ug/L.
- 2.) Bold Values indicate detections
- 3.) J = Estimated Value
- 4.) M = Matrix spike and/or Matrix Spike duplicate recovery outside acceptance limits.
- 5.) Q = Laboratory Control Sample outside acceptance limits.
- 6.) Y = Replicate/Duplicate precision outside acceptance limits.
- 7.) V = Raised quantitation or reporting limit due to limited sample amount or dilution for matrix background interference.

Phenolics - Historical Data
WAULECO, INC - Wausau Facility
Well - W18

[illegible]

Notes:

Prepared By: T. Dushek, 8/2/24

Checked By: A. Voit, 10/28/24

- 1.) All units are in ug/L.
- 2.) Bold Values indicate detections
- 3.) J = Estimated Value
- 4.) M = Matrix spike and/or Matrix Spike duplicate recovery outside acceptance limits.
- 5.) Q = Laboratory Control Sample outside acceptance limits.
- 6.) Y = Replicate/Duplicate precision outside acceptance limits.
- 7.) Y = Raised quantitation or reporting limit due to limited sample amount or dilution for matrix background interference.

Phenolics - Historical Data
WAULECO, INC - Wausau Facility
Well - W19

Date	2,3,4,6-Tetrachlorophenol	2,4,5-Trichlorophenol	2,4,6-Trichlorophenol	2,4-Dichlorophenol	2,4-Dimethylphenol	2,4-Dinitrophenol	2,6-Dichlorophenol	2-Chlorophenol	2-Methylphenol	2-Nitrophenol	3&4-Methylphenol	4,6-Dinitro-2-Methylphenol	4-Chloro-3-Methylphenol	4-Nitrophenol	Pentachlorophenol	Phenol
07/18/00	<300	<300	<300	570	<300	<300	630	870	910	1,100	2,400	<300	<300	1,000	<300	3,600
07/11/01	<150	<150	<150	<150	<150	<150	<150	<150	<150	<150	<150	<150	<150	<150	<150	<150
01/15/02	150	48	110	150	220	320	78	570	750	260	200	36	120	120	94	240
08/06/02	<150	<150	<150	190	250	<150	410	490	590	530	720	<150	<150	<150	<150	2,000
01/14/03	16	<3.0	4.9	45	<3.0	<3.0	<3.0	<3.0	<3.0	29	<3.0	<3.0	<3.0	<3.0	44	<3.0
07/22/03	1,700	<60	<60	<60	<60	<60	<60	1,400	<60	170	<60	<60	<60	<60	710	960
01/20/04	<60	<60	<60	<60J	<60	<60J	<60	<60	95	<60J	<60J	<60	<60	<60J	50	200
07/13/04	<60	65J	<60J	72	<60	180	72	700	380	110	85J	<60	85	<80	210	640
01/21/05	41 V	<600 V	<600 V	<600 V	<600 V	<600 V	<600 V	7900 V	4100 V	4600 V	4100 V	<600 V	<600 V	<600 V	72 V	5100 V
07/20/05	4.9	<3.0	<3.0	<3.0	<3.0	3.8	<3.0	20	13	4.1	18	4.4	<3.0	<3.0	21	<3.0
01/17/06	290 V	<30.0	96 V	<1500	<1500	400 V	280 V	7600 V	1900 V	23000 V	2200 V	200 V	280 V	78 V	260 V	7400 V
07/20/06	37.0	26	11	86	140	77.0	81	3,400	500	1,800.0	570	100.0	47	18	72	430
01/23/07	10.0	<3.0	3	<3.0	11	<3.0	<3.0	<3.0	<3.0	150.0	27	15.0	3.1	4.5	27	70
07/11/07	11.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	68	<3.0
7/11/2007 Duplicate	9.6	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	57	<3.0
01/28/08	6.2	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	49	<3.0
07/24/08	9.9	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	60	<3.0
01/20/09	3.3	<3.0	<3.0	<3.0	<3.0	<3.5	<3.0Q	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	22	<3.0
07/07/09	9.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.3	<3.0	<3.0	<3.0	7.1	<3.0	<3.0	<3.0	87	<3.0
01/18/10	4.5	<3.0	<3.0	<3.0	<3.0	<3.3	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	28	<3.0
07/14/10	11.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.2	<3.0	<3.0	59	<3.0
01/25/11	75.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	430	<3.0
04/05/11															710	
07/19/11	27	<1.1	<1.0	<1.0	<0.85	<1.6	<1.3	<0.91	<0.90	<0.94	<1.5	<1.7	<0.79	<1.1	150	<0.50
10/03/11															210	
01/17/12	81	2.6	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	570	<3.0
04/03/12															270	
07/06/12	85	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	640	<3.0
01/04/13	24.0	<11	<10	<10	<8.4	<15	<12	<8.9	<8.8	<9.2	<14	<16	<7.8	<11	260	<4.9
07/01/13	15.0	<11	<10	<10	<8.3	<15	<12	<8.8	<8.7	<9.1	<14	<16	<7.7	<11	120	<4.8
01/21/14	50.0	<11	<10	<10	<8.5	<15	<12	<9	<8.9	<9.3	<14	35	<7.8	<11	310	<4.9
07/08/14	33.0	<11	<10	<10	<8.5	<15	<12	<9	<8.9	<9.3	<14	<16	<7.8	<11	260	<4.9
01/15/15	40.0	<5.1	<3.0	<5.1	<3.0	<15	<4.0	<3.0	<4.0	<3.0	<4.0	<6.1	<3.0	<6.1	270	<3.0
07/08/15	<10	<5.1	<3.0	<5.1	<3.0	<15	<4.1	<3.0	<4.1	<3.0	<4.1	<6.1	<3.0	<6.1	250	<3.0
01/14/16	72.0	<5.1	<3.0	<5.1	<3.0	<15	<4.1	<3.0	<4.1	<3.0	<4.1	<6.1	<3.0	<6.1	610	<3.0
07/07/16	77.0	<3.0	<5.1	<3.0	<3.0	<3.0	<4.1	<3.0	<3.0	<3.0	<3.0	<3.1	<3.0	<3.0	660	<3.0
01/16/17	25.0	<3.0	<5.1	<3.0	<3.0	<3.0	<4.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	230	<3.0
07/17/17	16.0	<3.0	<5.1	<3.0	<3.0	<3.0	<4.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	120	<3.0
01/10/18	41.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	290	<3.0
07/11/18	25.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	180	<3.0
01/23/19	11.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	89	<3.0

Notes:

Prepared By: T. Dushek, 8/20/19

Checked By: A. Voit, 11/27/19

1.) All units are in ug/L.

2.) Bold Values indicate detections

3.) J = Estimated Value

4.) M = Matrix spike and/or Matrix Spike duplicate recovery outside acceptance limits.

5.) Q = Laboratory Control Sample outside acceptance limits.

6.) Y = Replicate/Duplicate precision outside acceptance limits.

7.) V = Raised quantitation or reporting limit due to limited sample amount or dilution for matrix background interference.

Phenolics - Historical Data
WAULECO, INC - Wausau Facility
Well - W21

Date	2,3,4,6-Tetrachlorophenol	2,3,5,6-Tetrachlorophenol	2,4,5-Trichlorophenol	2,4,6-Trichlorophenol	2,4-Dichlorophenol	2,4-Dimethylphenol	2,4-Dinitrophenol	2,6-Dichlorophenol	2-Chlorophenol	2-Methylphenol	2-Nitrophenol	3&4-Methylphenol	4,6-Dinitro-2-Methylphenol	4-Chloro-3-Methylphenol	4-Nitrophenol	Dinoseb	Pentachlorophenol	Phenol
01/08/87																	1.96	
06/04/87																	<1	
09/03/87																	<1	
12/03/87																	<1	
03/03/88																	<1	
04/07/88																	<1	
08/10/88																	5.55	
11/15/88																	182	
01/26/89																	2.47	
04/27/89																	<1	
07/27/89																	<1	
10/26/89																	<1	
01/25/90																	3.86	
05/03/90																	1.09	
09/21/90																	8.96	
12/12/90																	2.36	
01/30/91																	1.84	
05/01/91																	<1	
06/19/91																	2.33	
10/08/91																	4.21	
06/24/92		<1.02		<1.02	<0.51	<0.51	<1.02		<0.51		<0.51		<1.02	<0.51	<1.02		<1.02	<0.51
12/18/92		<1		<1	<0.5	<0.5	<1		<0.5		<0.5		<1	<0.5	<1		26.5	2.63
06/29/93	<1		<1	<1	<1	<10	<1	<10		<10	<1	<20	<1	<10	<1	<1	2.8	
12/28/93	<10		<20	<10	<10	<10	<20	<10		<10	<10	<20	<10	<10	<20	<10	33	
06/22/94	100		56	27	<10	<10	<20	<10		<10	<10	<20	<10	<10	<20	<10	44	
07/06/95	<25		<10	<10	<10	<10	<50		<10	<10	<10	<20	<50	<20	<50	<25	<50	<10
07/08/96	<10		<10	<10	<10	<10	<20	<10	<10	<10	<10	<20	<10	<10	<20	<10	<1	<10
07/11/97	<0.182		<0.453	<0.469	<0.344	<0.148	<0.269	<0.397	<0.194	<0.252	<0.104	<0.128	<0.362	<0.105	<0.351		3.1	<0.127
06/23/98	<3.0		<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0		5.1	<3.0
06/07/99	<3.0		<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0		<3.0	<3.0
07/17/00	<3.0		<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	3.4		10	<3.0
01/30/01	<3.0		7.9	<3.0	<3.0	<3.0	27	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	8.2		44	<3.0
07/10/01	<3.0		<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0		<3.0	<3.0

Phenolics - Historical Data
WAULECO, INC - Wausau Facility
Well - W21

Date	2,3,4,6-Tetrachlorophenol	2,3,5,6-Tetrachlorophenol	2,4,5-Trichlorophenol	2,4,6-Trichlorophenol	2,4-Dichlorophenol	2,4-Dimethylphenol	2,4-Dinitrophenol	2,6-Dichlorophenol	2-Chlorophenol	2-Methylphenol	2-Nitrophenol	3&4-Methylphenol	4,6-Dinitro-2-Methylphenol	4-Chloro-3-Methylphenol	4-Nitrophenol	Dinoseb	Pentachlorophenol	Phenol
08/05/02	<3.0		<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0		<3.0	<3.0
07/22/03	<3.0		<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0		<3.0	<3.0
07/13/04	<3.0		<3.0	<3.0	<3.0	<3.0	<4.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<4.0		<3.0	<3.0
07/19/05	<3.0		<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0		<3.0	<3.0
07/18/06	<3.0		<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0		<3.0	<3.0
07/09/07	<3.0		<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0		<3.0	<3.0
07/22/08	<3.0		<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0		<3.0	<3.0
07/07/09	<3.0		<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0		<3.0	<3.0
07/14/10	<3.0		<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0		<3.0	<3.0
07/18/11	<1.1		<1.1	<1.0	<1.0	<0.85	<1.5 Q	<1.2	<0.90	<0.89	<0.93	<1.4	<1.6 Q	<0.78	<1.1		1.3 Q	<0.49
07/09/12	<3.0		<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0		<3.0	<3.0
07/01/13	<3.0		<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0		<3.0	<3.0
07/08/14	<3.0		<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0		<3.0	<3.0
07/07/15	<3.0		<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0		<3.0	<3.0
07/05/16	<3.0		<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0		<3.0	<3.0
07/10/17	<3.0		<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0		<3.0	<3.0
07/10/18	<3.0		<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0		<3.0	<3.0
07/09/19	0.58		<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0		5.0	<3.0
07/06/20	<3.0		<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0		<3.0	<3.0
10/05/20																	<3.0	
01/12/21																	<3.0	
04/12/21																	<3.0	
07/07/21	<3.0		<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0		<3.0	<3.0
10/18/21																	<3.0	
01/12/22																	<3.0	
04/12/22																	<3.0	
07/05/22	<3.0		<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0		<3.0	<3.0
07/05/23	<3.0		<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0		<3.0	<3.0
07/02/24	<3.0		<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0		<3.0	<3.0

Notes:

Prepared By: T. Dushek, 8/2/24

Checked By: A. Voit, 10/28/24

- 1.) All units are in ug/L.
- 2.) Bold Values indicate detections
- 3.) J = Estimated Value
- 4.) M = Matrix spike and/or Matrix Spike duplicate recovery outside acceptance limits.
- 5.) Q = Laboratory Control Sample outside acceptance limits.
- 6.) Y = Replicate/Duplicate precision outside acceptance limits.
- 7.) V = Raised quantitation or reporting limit due to limited sample amount or dilution for matrix background interference.

Phenolics - Historical Data
WAULECO, INC - Wausau Facility
Well - W22

Date	2,3,4,6-Tetrachlorophenol	2,3,5,6-Tetrachlorophenol	2,4,5-Trichlorophenol	2,4,6-Trichlorophenol	2,4-Dichlorophenol	2,4-Dimethylphenol	2,4-Dinitrophenol	2,6-Dichlorophenol	2-Chlorophenol	2-Methylphenol	2-Nitrophenol	3&4-Methylphenol	4,6-Dinitro-2-Methylphenol	4-Chloro-3-Methylphenol	4-Nitrophenol	Dinoseb	Pentachlorophenol	Phenol	Phenol/2-Chlorophenol
02/25/92		<10		<10	<5	<5	<10		<5		<5		12	<5	<10		37,300	<5	
06/14/92		73.1		<11.1	77.9	<5.56	<11.1		<0.556		<5.56		1.7	<5.56	<1.11		33,500	<0.556	
09/17/92		<1		<1	1.62	<0.5	<1		<0.5		<0.5		<1	<0.5	1.14		117	<0.5	
12/18/92		69.9		1230	<0.5	<0.5	<1		<0.5		70.1		<1	<0.5	25.8		74,300	119	
03/24/93		<20		<6	<2	<2	<6000		<2		<2		<10	<10	<10		81,440	<2	
06/30/93	<1		<1	<1	<1	<10	<1	<1		<10	<1	<20	<1	<10	<1	<1	1		<20
12/28/93	<100		<200	<100	<100	<100	<200	<100		<100	<100	<200	<100	<100	<200	<100	1,500		460
04/25/94	430		<20	<10	140	110	45	66		17	110	<20	19	130	71	24	1,100		27
06/22/94	2,900		930	1,800	600	<100	200	310		<100	210	<200	150	300	300	<100	6,100		<200
10/04/94	190		<100	<50	<50	<50	<100	<50		<50	<50	<100	<50	<50	<100	<50	1,400		<100
03/09/95	<1000		<2000	<1000	<1000	<1000	<2000	<1000		<1000	<1000	<2000	<1000	<1000	<2000	<1000	7,300		<2000
07/06/95	<630		<250	<250	<250	<250	<1300	<250	<250	<250	<250	<1300	<500	<1300	<630		2,600	<250	
09/13/95	<1000		<1000	<1000	<1000	<1000	<2000	<1000	<1000	<1000	<1000	<2000	<1000	<1000	<2000	<1000	2,000	<1000	
12/18/95	<100		<100	<100	<100	<100	<200	<100	<100	<100	<100	<200	<100	<100	<200	<100	3,200	<100	
03/21/96	<1000		<1000	<1000	<1000	<1000	<2000	<1000	<1000	<1000	<1000	<2000	<1000	<1000	<2000	<1000	610	<1000	
07/10/96	<1000		<1000	<1000	<1000	<1000	<2000	<1000	<1000	<1000	<1000	<2000	<1000	<1000	<2000	<1000	730	<1000	
09/25/96	1,280		<7.3	<7.1	<8	<15	<7.2	<8.7	<12	<7.9	<15	<17	<7.5	<6.9	<7.4	<8.5	7,540	<10	
01/21/97	1,180		<37	<36	<40	<78	<36	<44	<59	<40	<78	<87	<38	<35	<37	<43	5,800	<53	
07/11/97	3,100		<0.453	<0.469	<0.344	<0.148	<0.269	<0.397	500	<0.252	<0.104	<0.128	<0.362	<0.105	<0.351		17,000	<0.127	
01/02/98	<0.182		<0.453	<0.469	<0.344	<0.148	<0.269	<0.397	<0.194	<0.252	<0.104	<0.128	<0.362	<0.105	<0.351		12,000	<0.127	
06/24/98	<1500		<1500	<1500	<1500	<1500	<1500	<1500	<1500	<1500	<1500	<1500	<1500	<1500	<1500		6,800	<1500	
01/26/99							11,000	12,000	49,500	15,500	10,550	4,350					36,000	111,500	
08/07/02	1,400		920	910	3,600	3,300	<750	5,700	4,200	7,500	5,600	13,000	<750	<750	<750		3,900	19,000	
01/14/03	2,200		<750	<750	6,500	<750	3,300	<750	<750	<750	9,300	<750	<750	<750	<750		5,700	<750	
01/20/05	200 V		<60 V	<60 V	<60 V	<60 V	<60 V	<60 V	190 V	100 V	540 V	89 JV	<60 V	<60 V	<60 V		1100 V	110 V	
07/21/05	620 V		<600 V	<600 V	<600 V	<600 V	<600 V	<600 V	3200 V	1700 V	9700 V	1300 V	<600 V	<600 V	<600 V		4500 V	<600 V	
07/20/06	1,100		<600	<600	<600	940	<600	<600	<600	3,900	17,000	3,700	710	<600	<600		5,600	<600	
01/23/07	970		<300	<300	<300	<300	<300	<300	<300	<300	2,300	<300	<300	<300	<300		5,900	890	
07/11/07	450		<73	<87	<58	<44	<89	<110	<61	<27	<54	<48	<65	<28	<53		3,500	<22	
01/28/08	520		<82	<97	<65	<49	<99	<130	<68	<30	<60	<53	<73	<31	<59		5,000	<25	
07/24/08	470		<86	<93	<66	<130	<170	<100	<74	<95	<65	<73	<100	<120	<67		4,400	<34	
01/21/09	170		<82	<90	<64	<130	<170	<96Q	<71	<91	<63	<70	<97	<110	<65		2,300	<32	
07/07/09	580		<160	<170	<120	<240	<320	<190	<140	<180	<120	<140	<190	<220	<130		5,800	<63	
01/19/10	31		<8.2	<9	<6.4	<13	<17	<9.6	<7.1	<9.1	<6.3	<7	<9.7	<11	<6.5		480	<3.2	
07/15/10	<3.0		<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.2	<3.0	<3.0		19	<3.0	
7/15/2010																			
Duplicate	<3.0		<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0		52	<3.0	

Phenolics - Historical Data
WAULECO, INC - Wausau Facility
Well - W22

Date	2,3,4,6-Tetrachlorophenol	2,3,5,6-Tetrachlorophenol	2,4,5-Trichlorophenol	2,4,6-Trichlorophenol	2,4-Dichlorophenol	2,4-Dimethylphenol	2,4-Dinitrophenol	2,6-Dichlorophenol	2-Chlorophenol	2-Methylphenol	2-Nitrophenol	3&4-Methylphenol	4,6-Dinitro-2-Methylphenol	4-Chloro-3-Methylphenol	4-Nitrophenol	Dinoseb	Pentachlorophenol	Phenol	Phenol/2-Chlorophenol
01/25/11	<3.0		<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0 Q	<3.0	<3.0		12	<3.0	
04/05/11																	7.1		
07/19/11	1.3		<1.1	<1.0	<1.0	<0.84	<1.5	<1.2	<0.89	<0.88	<0.92	<1.4	<1.6	<0.78	<1.1		24	<0.49	
10/03/11																	36		
01/18/12	130		<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0		1,100	<3.0	
04/03/12																	8,000		
07/10/12	310		<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0		2,600	<3.0	
01/07/13	730		<28	<26	<26	<21	<39	<31	<22	<22	<23	<36	<41	<20	<28		5200	<12	
1/7/2013 Duplicate	850		<28	<26	<26	<21	<38	<31	<22	<22	<23	<36	<41	<19	<28		6900	<12	
07/08/13	430		<29	<26	<26	<21	<39	<31	<23	<22	<23	<36	<42	<20	<29		3700	<13	
01/22/14	520		<120	<110	<110	<88	<160	<130	<94	<92	<97	<150	<170	<82	<120		5100	<52	
07/08/14	200		<110	<100	<100	<84	<150	<120	<89	<88	<92	<140	<160	<78	<110		2900	<49	
01/15/15	190		<54	<13	<54	<20	<160	<43	<13	<43	<30	<43	<65	<29	<65		1800	<14	
07/09/15	260		<51	<12	<51	<18	<150	<41	<12	<41	<29	<41	<61	<28	<61		2700	<13	
01/13/16	150		<52	<13	<52	<19	<160	<42	<13	<42	<29	<42	<63	<28	<63		1400	<14	
07/11/16	240		<12	<51	<13	<20	<30	<41	<12	<15	<12	<17	<31	<14	<20		3000	<24	
01/19/17	430		<24	<100	<26	<40	<59	<81	<24	<30	<24	<34	<61	<28	<40		6,100	<48	
1/19/2017 Duplicate	460		<24	<100	<26	<40	<59	<81	<24	<30	<24	<34	<61	<28	<40		6,100	<48	
07/18/17	390		<12	<51	<13	<20	<29	<40	<12	<15	<12	<17	<30	<14	<20		4,200	<24	
01/15/18	440		<23	<21	<26	<20	<29	<21	<24	<20	<21	<23	<30	<22	<24		4,900	<26	
1/15/2018 Duplicate	470		<23	<21	<26	<20	<29	<21	<24	<20	<21	<23	<30	<22	<24		5,300	<26	
07/18/18	420 Q		<46	<42	<52	<40	<58	<42	<48	<40	<42	<46	<60	<44	<48		5,200	<52	
01/28/19	160		<22	<20	<25	<19	<28	<20	<23	<19	<20	<22	<29	<21	<23		3,000	<25	
1/28/2019 Duplicate	200		<22	<20	<25	<19	<28	<20	<23	<19	<20	<22	<29	<21	<23		3,100	<25	
07/18/19	1.0		<3.0	<3.0	<3.0	<3.0	<3.0 Q	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0		13	<3.0	
01/22/20	42		1.4	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0		680	<3	
07/13/20	<3.0		<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0		960	<3.0	
10/05/20																	690		
01/12/21	170		<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0		2,400	<3.0	
04/13/21																	1,900		
07/13/21	210 Q		<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0		2,600	<3.0	
10/18/21																	1,000		
01/17/22	150		<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0		2,200	<3.0	
04/12/22																	2,600		
07/12/22	190		<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0		2,500	<3.0	
01/17/23	300		<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0		4,400	<3.0	
07/11/23	180		<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0		2,600	<3.0	
01/11/24	180		<3.0	<3.0	<3.0	<3.0	<3.0	<3.0 Q	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0		2,500	<3.0	
07/10/24	110		<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0		1,400	<3.0	

Notes:

Prepared By: T. Dushek, 8/2/24

Checked By: A. Voit, 10/28/24

- 1.) All units are in ug/L.
- 2.) Bold Values indicate detections
- 3.) J = Estimated Value
- 4.) M = Matrix spike and/or Matrix Spike duplicate recovery outside acceptance limits.
- 5.) Q = Laboratory Control Sample outside acceptance limits.
- 6.) Y = Replicate/Duplicate precision outside acceptance limits.
- 7.) V = Raised quantitation or reporting limit due to limited sample amount or dilution for matrix background interference.

Phenolics - Historical Data
WAULECO, INC - Wausau Facility
Well - W25

Date	2,3,4,6-Tetrachlorophenol	2,3,5,6-Tetrachlorophenol	2,4,5-Trichlorophenol	2,4,6-Trichlorophenol	2,4-Dichlorophenol	2,4-Dimethylphenol	2,4-Dinitrophenol	2,6-Dichlorophenol	2-Chlorophenol	2-Methylphenol	2-Nitrophenol	3&4-Methylphenol	4,6-Dinitro-2-Methylphenol	4-Chloro-3-Methylphenol	4-Nitrophenol	Dinoseb	Pentachlorophenol	Phenol	Phenol/2-Chlorophenol
02/19/92		<1		<1	7.15	8	<1		5.85		<0.5		<0.5	<1	0		3570	<0.5	0
07/29/92		10.3		1.3	9.9	1.87	3.09		<0.5		<0.5		<1	1.64	1.75	0	71.1	<0.5	0
09/17/92		<1		10.4	2.1	<0.5	1.57		0.547		<0.5		<1	<0.5	1.29		55.4	<0.5	
12/17/92		7.02		4.04	10.2	<0.5	<1		<0.5		<0.5		<1	<0.5	<1		42.2	<0.5	
03/23/93		<20		<6	<2	<2	<6		<2		<2		<10	<10	<10		99.9	<2	
06/28/93	<10		<20	<10	<10	<10	<20	<10		12	53	<20	<10	<10	38	<10	<10		37
12/28/93	16		<1	<1	<1	<10	<1	<1		<10	<1	<20	<1	<10	<1	<1	4.3		<20
04/25/94	140		310	260	53	52	190	42		<10	19	23	17	100	28	<10	410		<20
06/21/94	280		140	110	110	32	60	32		23	77	<20	33	41	71	<10	2400		34
10/04/94	<250		<500	<250	<250	<250	<500	<250		<250	<250	<500	<250	<250	<500	<250	2300		<500
03/10/95	<1000		<2000	<1000	<1000	<1000	<2000	<1000		<1000	<1000	<2000	<1000	<1000	<2000	<1000	4500		<2000
03/23/95	12		95	220	120	65	51	<10		19	54	29	150	10	<20	<10	360		170
05/02/95	<100		<100	<100	<100	<100	<200	<100	<100	<100	<100	<200	180	<100	<200	<100	1700	<100	
05/24/95	<100		<100	<100	<100	<100	<200	<100	<100	<100	<100	<200	160	<100	<200	<100	1600	<100	
06/13/95	<100		<100	<100	<100	<100	<200	<100	<100	<100	<100	<200	110	<100	<200	<100	1500	<100	
07/05/95	320		<10	<10	<10	<10	<50	<10	<10	<10	<10	<20	<50	<20	<50	<25	560	<10	
07/26/95	<100		<100	<100	<100	<100	<200	<100	<100	<100	<100	<200	160	<100	<200	<100	180	<100	
09/07/95	<10		<10	<10	<10	<10	<20	<10	<10	<10	<10	<20	<10	<10	<20	<10	2.8	<10	
09/13/95	<1000		<1000	<1000	<1000	<1000	<2000	<1000	<1000	<1000	<1000	<2000	<1000	<1000	<2000	<1000	810	<1000	
01/18/96	<10		<10	<10	<10	<10	<20	<10	<10	<10	<10	<20	<10	<10	<20	<10	10		<20
03/21/96	<10		<10	<10	<10	<10	<20	<10	<10	<10	<10	<20	<10	<10	<20	<10	<1	<10	
07/11/97	<0.182		<0.453	<0.469	150	<0.148	230	170	<0.194	140	160	<0.128	<0.362	<0.105	<0.351		590	120	
01/02/98	<0.182		<0.453	<0.469	<0.344	<0.148	<0.269	<0.397	<0.194	<0.252	<0.104	<0.128	<0.362	<0.105	<0.351		120	<0.127	
06/23/98	<150		<150	<150	<150	<150	<150	<150	<150	<150	<150	<150	<150	<150	<150		880	<150	
01/26/99																	290		
06/09/99	<150		<150	<150	<150	<150	<150	<150	<150	<150	<150	<150	<150	<150	<150		230	<150	
01/11/00	<30		<30	<30	<30	<30	<30	<30	<30	<30	<30	<30	<30	<30	<30		330	<30	
07/18/00	7.4		<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	4.7		160	20	
01/30/01	<30		<30	<30	<30	<30	<30	<30	<30	<30	<30	<30	<30	<30	<30		150	<30	
07/10/01	12		<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	24	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0		100	<3.0	
08/06/02	<3.0		<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	4.2	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0		16	<3.0	
01/14/03	<3.0		<3.0	<3.0	<3.0	<3.0	3.6	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0		6.2	<3.0	
07/22/03	4.4		<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	5.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0		44	<3.0	
01/20/04	<151		<15	<15	<15	<15	<15	<15	32	<15	<15	<15	<15	<15	<151		210	<15	
01/19/05	<3.0		<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0		14.0	<3.0	
07/20/05	6.3		<3.0	<3.0	3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0		150	<3.0	
7/20/2005 Duplicate	<3.0		<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0		59	<3.0	

Phenolics - Historical Data
WAULECO, INC - Wausau Facility
Well - W25

Date	2,3,4,6-Tetrachlorophenol	2,3,5,6-Tetrachlorophenol	2,4,5-Trichlorophenol	2,4,6-Trichlorophenol	2,4-Dichlorophenol	2,4-Dimethylphenol	2,4-Dinitrophenol	2,6-Dichlorophenol	2-Chlorophenol	2-Methylphenol	2-Nitrophenol	3&4-Methylphenol	4,6-Dinitro-2-Methylphenol	4-Chloro-3-Methylphenol	4-Nitrophenol	Dinoseb	Pentachlorophenol	Phenol	Phenol/2-Chlorophenol
01/17/06	<30 V		<30 V	<30 V	<30 V	<30 V	<30 V	<30 V	<30 V	<30 V	<30 V	<30 V	<30 V	<30 V	<30 V		310 V	<30 V	
07/18/06	<15.0		<15.0	<15.0	<15.0	<15.0	<15.0	<15.0	<15.0	<15.0	<15.0	<15.0	<15.0	<15.0	<15.0		68	36	
01/24/07	<30		<30	<30	<30	<30	<30	<30	<30	<30	<30	<30	<30	<30	<30		350	<30	
07/11/07	3.9		<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0		60	<3.0	
01/29/08	7.7		<4.2	<4.9	<3.3	<3.0	<5.1	<6.4	<3.5	<3.0	<3.1	<3.0	<3.7	<3.0	<3.0		230 M	<3.0	
07/23/08	<3.0		<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0		9.6	<3.0	
01/20/09	8.9		<4.2	<4.5	<3.2	<6.3	<8.4	<4.8Q	<3.6	<4.6	<3.2	<3.5	<4.9	<3.8	<3.3		210	<3.0	
07/06/09	11.0		<4	<4.4	<3.1	<6.1	<8.2	<4.7	<3.5	<4.4	<3.1	<3.4	<4.7	<5.6	<3.2		150	<3.0	
01/18/10	5.9		<4.1	<4.5	<3.2	<6.3	<8.3	<4.8	<3.5	<4.5	<3.1	<3.5	<4.8	<5.7	<3.2		65	<3.0	
07/13/10	6.1		<3.0	<3.0	<3.0	<3.0	<3.1	<3.0	<3.0	<3.0	<3.0	<3.0	<3.3	<3.0	<3.0		130	<3.0	
7/13/2010 Duplicate	4.6		<3.0	<3.0	<3.0	<3.0	<3.1	<3.0	<3.0	<3.0	<3.0	<3.0	<3.3	<3.0	<3.0		93	<3.0	
01/24/11	<3.0		<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0		5.4	<3.0	
07/19/11	<1.1		<1.1	<1.0	<1.0	<0.84	<1.5	<1.2	<0.89	<0.88	<0.92	<1.4	<1.6	<0.78	<1.1		3.7	<0.49	
7/19/2011 Duplicate	<1.1		<1.1	<1.0	<1.0	<0.84	<1.5	<1.2	<0.89	<0.88	<0.92	<1.4	<1.6	<0.78	<1.1		5.6	<0.49	
01/23/12	<3.0		<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0		6.6	<3.0	
07/06/12	<3.0		<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0		5.4	<3.0	
01/04/13	<3.0		<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0		10	<3.0	
07/05/13	<3.0		<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0		4.2	<3.0	
01/21/14	<3.0		<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0		4.1	<3.0	
07/09/14	<3.0		<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0		4.7	<3.0	
01/19/15	<3.0		<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0		6.4	<3.0	
07/08/15	<3.0		<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0		5.0	<3.0	
01/14/16	<3.0		<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0		4.9	<3.0	
07/06/16	<3.0		<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0		3.0	<3.0	
01/16/17	0.6		<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0		6.2	<3.0	
07/11/17	<3.0		<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0		3.0	<3.0	
01/09/18	<3.0		<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0		4.6	<3.0	
07/11/18	0.41		<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0		8.0	<3.0	
01/21/19	<3.0		<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0		3.1	<3.0	
07/25/19	0.22		<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0		3.7	<3.0	
01/13/20	0.25		<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0		5.4	<3.0	
07/07/20	<3.0		<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0		3.5	<3.0	
01/11/21	<3.0		<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0		2.4	<3.0	
07/07/21	<3.0		<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0		4.5	<3.0	
01/13/22	<3.0		<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0		3.6	<3.0	
07/06/22	<3.0		<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0		1.9	<3.0	
01/10/23	<3.0		<3.0	<3.0	<3.0	<3.0	<3.0 Q	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0		2.7	<3.0	
07/06/23	<3.0		<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0		2.3	<3.0	
01/02/24	<3.0		<3.0	<3.0	<3.0	<3.0	<3.0 Q	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0		3.4	<3.0	
07/02/24	<3.0		<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0		1.4	<3.0	

Notes:

Prepared By: T. Dushek, 8/2/24

Checked By: A. Voit, 10/28/24

- 1.) All units are in ug/L.
- 2.) Bold Values indicate detections
- 3.) J = Estimated Value
- 4.) M = Matrix spike and/or Matrix Spike duplicate recovery outside acceptance limits.
- 5.) Q = Laboratory Control Sample outside acceptance limits.
- 6.) Y = Replicate/Duplicate precision outside acceptance limits.
- 7.) V = Raised quantitation or reporting limit due to limited sample amount or dilution for matrix background interference.

Phenolics - Historical Data
WAULECO, INC - Wausau Facility
Well - W26-W26R

Date	2,3,4,6-Tetrachlorophenol	2,3,5,6-Tetrachlorophenol	2,4,5-Trichlorophenol	2,4,6-Trichlorophenol	2,4-Dichlorophenol	2,4-Dimethylphenol	2,4-Dinitrophenol	2,6-Dichlorophenol	2-Chlorophenol	2-Methylphenol	2-Nitrophenol	3&4-Methylphenol	4,6-Dinitro-2-Methylphenol	4-Chloro-3-Methylphenol	4-Nitrophenol	Dimoseb	Pentachlorophenol	Phenol
02/25/92		<10		<10	<5	<5	<10		<5		25.7		<10	<5	<10		22,300	<5
06/14/92		69.9		<10.5	<5.26	<5.26	<1.05		<0.526		<5.26		<1.05	<5.26	<1.05		26,100	<0.526
09/17/92		74		<1	177	<0.5	<1		5.74		110		<1	<0.5	139		31,700	<0.5
12/18/92		40.6		<1	<0.5	<0.5	<1		<0.5		71.2		<1	<0.5	<1		45,100	152
03/24/93		<10		<3	<1	<1	<3000		<1		<1		<5	<5	<5		30,400	<1
06/30/93	1,600		<200	<100	130	<100	450	<100		<100	<100	<200	<100	<100	<200	<100	16,000	
12/27/93	1,600		380	<100	<100	<100	<200	<100		<100	<100	<200	<100	<100	<200	<100	3,500	
04/25/94	4,800		<2000	<1000	<1000	<1000	<2000	<1000		<1000	<1000	<2000	<1000	<1000	<2000	<1000	32,000	
06/22/94	2,900		690	1,100	250	<100	480	270		<100	180	<200	<100	280	230	<100	6,400	
10/04/94	4,100		<500	<250	450	<250	<500	<250		<250	<250	<500	<250	<250	<500	<250	12,000	
03/09/95	<1000		<2000	<1000	<1000	<1000	<2000	<1000		<1000	<1000	<2000	<1000	<1000	2900	<1000	14,000	
07/06/95	7,600		<10	<10	<10	<10	<50	<10	<10	<10	<10	<20	<50	<20	<50	<25	<5000	<10
09/13/95	1000		<1000	1,100	<1000	<1000	<2000	<1000	<1000	<1000	<1000	<2000	2,900	<1000	<2000	<1000	4,000	<1000
03/21/96	<2000		<2000	<2000	<2000	<2000	<4000	<2000	<2000	<2000	<2000	<4000	<2000	<2000	<4000	<2000	8,200	<2000
07/09/96	<5000		<5000	<5000	<5000	<5000	<10000	<5000	<5000	<5000	<5000	<10000	<5000	<5000	<10000	<5000	1,800	<5000
09/25/96	2,950		<7.3	87	<8	<15	<7.2	<8.7	<12	<7.9	<15	<17	<7.5	54	<7.4	<8.5	17,300	<10
07/11/97	5,100		<0.453	<0.469	<0.344	<0.148	<0.269	<0.397	<0.194	<0.252	<0.104	<0.128	<0.362	<0.105	<0.351		47,000	1,100
01/02/98	<0.182		<0.453	<0.469	<0.344	<0.148	<0.269	<0.397	<0.194	<0.252	<0.104	<0.128	<0.362	<0.105	<0.351		14,000	<0.127
06/24/98	1,600		<1500	<1500	<1500	<1500	<1500	<1500	<1500	<1500	<1500	<1500	<1500	<1500	<1500		15,000	<1500
01/27/99																	18,000	
06/09/99	<1500		<1500	<1500	<1500	<1500	<1500	<1500	<1500	<1500	<1500	<1500	<1500	<1500	<1500		4,600	<1500
01/11/00	<1500		<1500	<1500	<1500	<1500	<1500	<1500	<1500	<1500	<1500	<1500	<1500	<1500	<1500		12,500	<1500
07/18/00	<1500		<1500	<1500	<1500	<1500	<1500	<1500	<1500	<1500	<1500	<1500	<1500	<1500	1,600		23,000	<1500
01/31/01	<15		<15	<15	<15	<15	<15	<15	<15	<15	<15	<15	<15	<15	<15		210	<15
07/11/01	1,100		<150	<150	<150	<150	<150	<150	<150	<150	<150	<150	<150	<150	<150		6,500	<150
01/15/02	260		<150	<150	<150	<150	<150	<150	<150	<150	<150	<150	<150	<150	<150		1,500	<150
08/06/02	890		<600	<600	<600	<600	<600	<600	<600	<600	<600	<600	<600	<600	<600		6,800	<600
01/14/03	300		<60	<60	<60	<60	<60	<60	<60	<60	<60	<60	<60	<60	<60		2,700	<60
07/24/03	190		<60	<60	<60	<60	<60	<60	<60	<60	<60	<60	160	<60	<60		1,800	<60
01/21/04	<300J		<300	<300	<300	<300	<300	<300	<300	<300	<300	<300	<300	<300	<300		3,600	<300J
07/13/04	<60J		<60	<60	<60	<60	<80	<60	<60	<60	<60	<60	<60	<60	<80		1,900	<60
01/20/05	<300 V		<300 V	<300 V	<300 V	<300 V	<300 V	<300 V	<300 V	<300 V	<300 V	<300 V	<300 V	<300 V	<300 V		2000 V	<300 V
07/20/05	<300 V		<300 V	<300 V	<300 V	<300 V	<300 V	<300 V	<300 V	<300 V	<300 V	<300 V	<300 V	<300 V	<300 V		1900 V	<300 V
01/17/06	360 V		<300 V	<300 V	<300 V	<300 V	<300 V	<300 V	<300 V	<300 V	<300 V	<300 V	<300 V	<300 V	<300 V		2800 V	<300 V
07/20/06	320		<300	<300	<300	<300	<300	<300	<300	<300	<300	<300	<300	<300	<300		2,400	<300
01/23/07	120		<60	<60	<60	<60	<60	<60	<60	72	<60	<60	<60	<60	<60		960	<60
07/10/07	160		<30	<35	<24	<18	<36	<45	<25	<11	<22	<19	<26	<11	<21		1,200	<9.1
7/10/2007 Duplicate	160		<35	<41	<28	<21	<42	<54	<29	<13	<26	<23	<31	<13	<25		1,200	<11
01/28/08	290		<80	<94	<63	<48	<97	<120	<67	<29	<59	<52	<71	<30	<58		3,700	<24
01/28/08 Duplicate	380		<81	<96	<64	<48	<98	<120	<67	<29	<60	<53	<72	<30	<58		4,600	<25
07/24/08	680		<170	<180	<130	<250	<340	<190	<140	<180	<130	<140	<200	<230	<130		6,500	<65
01/20/09	42		<17	<18	<13	<25	<34	<190	<14	<18	<13	<14	<20	<23	<13		840	<6.5
07/07/09	8.5		<8.1	<8.8	<6.2	<12	<16	<9.4	<6.9	<8.9	<6.1	<6.8	<9.5	<11	<6.3		190	<3.2
7/7/2009 Duplicate	8.6		<8.0	<8.7	<6.2	<12	<16	<9.3	<6.9	<8.8	<6.1	<6.8	<9.4	<11	<6.3		190	<3.1
01/18/10	99		<8.4	<9.1	<6.5	<13	<17	<9.8	<7.2	<9.3	<6.4	<7.1	<9.9	<12	<6.6		1,600	<3.3
07/15/10	380		<11	<10	<10	<8.4	<15	<12	<8.9	<8.8	<9.2	<14	<16	<7.8	<11		2,900	<4.9

Phenolics - Historical Data
WAULECO, INC - Wausau Facility
Well - W26-W26R

Date	2,3,4,6-Tetrachlorophenol	2,3,5,6-Tetrachlorophenol	2,4,5-Trichlorophenol	2,4,6-Trichlorophenol	2,4-Dichlorophenol	2,4-Dimethylphenol	2,4-Dinitrophenol	2,6-Dichlorophenol	2-Chlorophenol	2-Methylphenol	2-Nitrophenol	3&4-Methylphenol	4,6-Dinitro-2-Methylphenol	4-Chloro-3-Methylphenol	4-Nitrophenol	Dimoseb	Pentachlorophenol	Phenol
01/25/11	60		<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0		640	<3.0
04/06/11																	680	
07/20/11	<110		<1.1	<1.0	<1.0	<0.84	<1.5	<1.2	<0.89	<0.88	<0.92	<1.4	<1.6	<0.78	<1.1		1100	<0.49
7/20/2011																		
Duplicate	<110		<1.1	<1.0	<1.0	<0.85	<1.6	<1.3	<0.91	<0.90	<0.94	<1.5	<1.7	<0.79	<1.1		1100	<0.50
10/03/11																	750	
01/23/12	27		<23	<21	<21	<17	<31	<25	<18	<18	<19	<29	<33	<16	<23		460	<9.9
04/03/12																	580	
07/10/12	40 V		<11 V	<10 V	<10 V	<8.3 V	<15 V	<12 V	<8.8 V	<8.7 V	<9.1 V	<14 V	<16 V	<7.7 V	<11 V		540 V	<4.8 V
01/04/13	42		<12	<11	<11	<8.6	<16	<13	<9.2	<9.1	<9.5	<15	<17	<8	<12		560	<5.1
07/02/13	<22		<22	<20	<20	<17	<30	<24	<18	<17	<18	<28	<32	<15	<22		120	<9.7
01/22/14	<11		<11	<10	<10	<8.5	<15	<12	<9	<8.9	<9.3	<14	<16	<7.8	<11		59	<4.9
07/07/14	2.9		<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0		33	<3.0
01/15/15	11		<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0		92	<3.0
07/09/15	170		<3.0	<3.0	<3.0	<3.0	<7.7	<3.0	<3.0	<3.0	<3.0	<3.0	<3.1	<3.0	<3.1		2,000	<3.0
01/13/16	27		<3.0	<3.0	<3.0	<3.0	<7.7	<3.0	<3.0	<3.0	<3.0	<3.0	<3.1	<3.0	<3.1		260	<3.0
07/07/16	46		<3.0	<5.1	<3.0	<3.0	<3.0	<4.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0		570	<3.0
01/16/17	69		<3.0	<10	<3.0	<4.0	<5.8	<8.0	<3.0	<3.0	<3.0	<3.4	<6.0	<3.0	<4.0		830	<4.8
07/17/17	2.0		<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0		19	<3.0
01/10/18	19		<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0		270	<3.0
07/12/18	0.99		<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0		4.5	<3.0
01/24/19	<3.0		<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0		6.8	<3.0
07/15/19	120		<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0		1,800	<3.0
01/13/20	190 Q		<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0		2,600	<3.0
07/14/20	43		<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0		720	<3.0
10/05/20																	490	
10/5/2020																		
Duplicate																	500	
01/11/21	<3.0		<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0		630	<3.0
04/13/21																	500	
07/12/21	2.1		<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0		39	<3.0
10/18/21																	100	
01/17/22	27		<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0		320	<3.0
04/12/22																	160	
07/11/22	5		<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0		75	<3.0
01/09/23	4.4		<3.0	<3.0	<3.0	<3.0	<3.0 Q	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0		51	<3.0
07/06/23	7		<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0		110	<3.0
01/08/24	2.5		<3.0	<3.0	<3.0	<3.0	<3.0	<3.0 Q	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0		25	<3.0
07/09/24	<3.0		<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0		8.4	<3.0

Notes:

Prepared By: T. Dushek, 8/2/24

Checked By: A. Voit, 10/28/24

- 1.) All units are in ug/L.
- 2.) Bold Values indicate detections
- 3.) J = Estimated Value
- 4.) M = Matrix spike and/or Matrix Spike duplicate recovery outside acceptance limits.
- 5.) Q = Laboratory Control Sample outside acceptance limits.
- 6.) Y = Replicate/Duplicate precision outside acceptance limits.
- 7.) V = Raised quantitation or reporting limit due to limited sample amount or dilution for matrix background interference.

Phenolics - Historical Data
WAULECO, INC - Wausau Facility
Well - W27

Date	2,3,4,6-Tetrachlorophenol	2,3,5,6-Tetrachlorophenol	2,4,5-Trichlorophenol	2,4,6-Trichlorophenol	2,4-Dichlorophenol	2,4,5-Dimethylphenol	2,4-Dinitrophenol	2,6-Dichlorophenol	2-Chlorophenol	2-Methylphenol	2-Nitrophenol	3&4-Methylphenol	4,6-Dinitro-2-Methylphenol	4-Chloro-3-Methylphenol	4-Nitrophenol	Dimoseb	Pentachlorophenol	Phenol
06/24/92		23.5		<10.5	<5.26	<5.26	<10.5		<5.26		32.3		<10.5	15.7	<10.5		16,600	74.4
12/17/92		<1		<1	19	7.9	<1		<0.5		<0.5		<1	81.2	<1		21,300	105
06/30/93	710		<200	<100	<100	<100	<200	<100		<100	<100	<200	<100	<100	<200	<100	10,000	
12/28/93	3,000		400	<100	320	<100	<200	<100		110	<100	<200	370	<100	<200	<100	30,000	
06/22/94	3,000		210	980	150	<100	250	<100		<100	<100	<200	<100	270	340	<100	33,000	
07/06/95	<1300		<500	<500	<500	<500	<2500		<500	<500	<500	<1000	<2500	<1000	<2500	<1300	7,700	<500
07/09/96	<10000		<10000	<10000	<10000	<10000	<20000	<10000	<10000	<10000	<10000	<20000	<10000	<10000	<20000	<10000	3,900	<10000
07/11/97	<0.182		<0.453	<0.469	<0.344	<0.148	<0.269	<0.397	<0.194	<0.252	<0.104	<0.128	<0.362	<0.105	<0.351		25,000	530
06/24/98	<3000		<3000	<3000	<3000	<3000	<3000	<3000	<3000	<3000	<3000	<3000	<3000	<3000	<3000		16,000	<3000
06/08/99	<3000		<3000	<3000	<3000	<3000	<3000	<3000	<3000	<3000	<3000	<3000	<3000	<3000	<3000		14,000	<3000
07/18/00	1,125		800	<150	<150	<150	600	<150	<150	<150	<150	<150	<150	<150	400		13,000	755
01/31/01	<1500		<1500	<1500	<1500	<1500	<1500	<1500	<1500	<1500	<1500	<1500	<1500	<1500	<1500		16,000	<1500
07/11/01	530		<60	<60	<60	<60	<60	<60	<60	<60	<60	<60	90	<60	<60		5,200	<60
08/06/02	760		<600	<600	<600	<600	<600	<600	<600	<600	<600	<600	<600	<600	<600		7,000	<600
07/22/03	320		<150	340	<150	<150	<150	<150	<150	<150	<150	<150	<150	<150	<150		4,900	<150
07/13/04	30J		61	190	<30	<30	99	<30J	<30	30J	<30	<30J	<30J	<30J	64		7,400	110
07/19/05	<600 V		<600 V	<600 V	<600 V	<600 V	<600 V	<600 V	<600 V	<600 V	<600 V	<600 V	<600 V	<600 V	<600 V		4500 V	<600 V
07/19/06	<300		<300	<300	<300	<300	<300	<300	<300	<300	<300	<300	<300	<300	<300		3,500	<300
07/10/07	520		<79	<93	<63	<47	<96	<120	<66	<29	<58	<52	<70	<30	<57		5,500	<24
07/23/08	650		<170	<180	<130	<260	<340	<200	<150	<190	<130	<140	<200	<240	<130		7,800	<67
07/07/09	510		<160	<180	<120	<240	<330	<190	<140	<180	<120	<140	<190	<220	<130		6,200	<63
07/14/10	640		<12	<11	<11	<8.9	<16 M	<13	<9.5	<9.3	<9.8 M	<15	<17	<8.3	<12 M		9,600	<5.2
7/14/2010 Duplicate	700		<12	<11	<11	<8.7	<16	<13	<9.3	<9.1	<9.6	<15	<17	<8.1	<12		10,000	<5.1
07/25/11	290		<1.1	<1.0	<1.0	<0.85	<1.5	<1.2	<0.90	<0.89	<0.93	<1.4	<1.6	<0.78	<1.1		3,500	<0.49
07/10/12	580		<5.6	<5.1	<5.1	<4.2	<7.7	<6.1	<4.4	<4.4	<4.6	<7.1	<8.2	<3.9	<5.6		9,200	5.1
07/05/13	460		<57	<52	<52	<43	<78	<63	<45	<45	<47	<73	<83	<40	<57		6,400	<25
07/09/14	270		<110	<100	<100	<85	<160	<130	<91	<90	<94	<150	<170	<79	<110		4,600	<50
07/09/15	330		<26	<6.2	<26	<9.3	<77	<21	<6.2	<21	<14	<21	<31	<14	<31		4,300	<6.7
07/11/16	350		<12	<51	<13	<20	<30	<41	<12	<15	<12	<17	<31	<14	<20		5,200	<24
07/18/17	250		<12	<52	<13	<21	<30	<41	<12	<15	<12	<18	<31	<14	<21		3,700	<25
7/18/2017 Duplicate	290		<12	<51	<13	<20	<30	<41	<12	<15	<12	<17	<31	<14	<20		3,800	<24
07/18/18	520 Q		<22	<20	<25	<19	<28	<20	<23	<19	<20	<22	<29	<21	<23		5,200	<25
07/18/19	530		<47	<43	<53	<41 Q	<59	<43	<49	<41	<43	<47	<61	<45	<49		4,900	<53
7/18/2019 Duplicate	490		<46	<42	<53	<40 Q	<59	<42	<48	<40	<42	<46	<61	<44	<48		4,700	<53
07/16/20	<3.0		<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0		5,600	<3.0
10/05/20																	2,400	
01/12/21																	2,700	
04/13/21																	1,800	
4/13/2021 Duplicate																	1,900	
07/12/21	220		<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0		2,900	<3.0
10/18/21																	1,900	
10/18/21 Duplicate																	2,000	

Phenolics - Historical Data
WAULECO, INC - Wausau Facility
Well - W27

Date	2,3,4,6-Tetrachlorophenol	2,3,5,6-Tetrachlorophenol	2,4,5-Trichlorophenol	2,4,6-Trichlorophenol	2,4-Dichlorophenol	2,4-Dimethylphenol	2,4-Dinitrophenol	2,6-Dichlorophenol	2-Chlorophenol	2-Methylphenol	2-Nitrophenol	3&4-Methylphenol	4,6-Dinitro-2-Methylphenol	4-Chloro-3-Methylphenol	4-Nitrophenol	Dimoseb	Pentachlorophenol	Phenol
01/18/22																	1,700	
04/12/22																	1,500	
4/12/2022 Duplicate																	1,600	
07/12/22	240		<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0		3,500	<3.0
7/12/2022 Duplicate	240		<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0		3,600	<3.0
07/11/23	150		<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0		3,000	<3.0
07/10/24	110		<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0		1,400	<3.0
7/10/2024 Duplicate	110		<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0		1,300	<3.0

Notes:

Prepared By: T. Dushek, 8/2/24

Checked By: A. Voit, 10/28/24

- 1.) All units are in ug/L.
- 2.) Bold Values indicate detections
- 3.) J = Estimated Value
- 4.) M = Matrix spike and/or Matrix Spike duplicate recovery outside acceptance limits.
- 5.) Q = Laboratory Control Sample outside acceptance limits.
- 6.) Y = Replicate/Duplicate precision outside acceptance limits.
- 7.) V = Raised quantitation or reporting limit due to limited sample amount or dilution for matrix background interference.

Phenolics - Historical Data
WAULECO, INC - Wausau Facility
Well - W28

Date	2,3,4,6-Tetrachlorophenol	2,3,5,6-Tetrachlorophenol	2,4,5-Trichlorophenol	2,4,6-Trichlorophenol	2,4-Dichlorophenol	2,4-Dimethylphenol	2,4-Dinitrophenol	2,6-Dichlorophenol	2-Chlorophenol	2-Methylphenol	2-Nitrophenol	3&4-Methylphenol	4,6-Dinitro-2-Methylphenol	4-Chloro-3-Methylphenol	4-Nitrophenol	Dinoseb	Pentachlorophenol	Phenol
01/08/87																	350	
06/04/87																	887	
09/03/87																	488	
12/03/87																	2710	
03/03/88																	10000	
04/07/88																	6480	
08/10/88																	1100	
11/15/88																	466	
01/26/89																	1750	
04/27/89																	3670	
07/27/89																	57.4	
10/26/89																	226	
01/25/90																	301	
05/03/90																	4460	
09/20/90																	2260	
12/11/90																	2120	
01/29/91																	3150	
05/01/91																	4600	
06/18/91																	4600	
10/08/91																	4270	
07/08/92		<1.49		<1.49	<0.746	<0.746	<1.49		<0.746		<0.746		<1.49	<0.746	<1.49		793	<0.746
12/17/92		4.29		2.62	<0.5	<0.5	<1		<0.5		<0.5		<1	<0.5	<1		6640	3.15
06/29/93	120		<20	<10	<10	<10	<20	<10		<10	<10	<20	<10	<10	<20	<10	2300	
12/28/93	46		<20	<10	<10	<10	<20	<10		<10	<10	<20	<10	<10	<20	<10	800	
06/22/94	53		<20	<10	<10	<10	<20	<10		<10	<10	<20	<10	<10	<20	<10	660	
07/05/95	87		<10	<10	<10	<10	<50		<10	<10	<10	<20	<50	<20	<50	<25	380	<10
07/09/96	<100		<100	<100	<100	<100	<200	<100	<100	<100	<100	<200	<100	<100	<200	<100	83	<100
07/11/97	<0.182		<0.453	<0.469	<0.344	<0.148	<0.269	<0.397	<0.194	<0.252	<0.104	<0.128	<0.362	<0.105	<0.351		150	<0.127
06/24/98	<6		<6	<6	<6	<6	<6	<6	<6	<6	<6	<6	<6	<6	<6		61	<6
06/08/99	<15		<15	<15	<15	<15	<15	<15	<15	<15	<15	<15	<15	<15	<15		34	<15
07/18/00	<3.0		<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0		4.6	<3.0
01/30/01	<3.0		<60	<3.0	<3.0	<3.0	<60	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0		360	<3.0
07/10/01	<3.0		<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0		6.2	<3.0

Phenolics - Historical Data
WAULECO, INC - Wausau Facility
Well - W28

Date	2,3,4,6-Tetrachlorophenol	2,3,5,6-Tetrachlorophenol	2,4,5-Trichlorophenol	2,4,6-Trichlorophenol	2,4-Dichlorophenol	2,4-Dimethylphenol	2,4-Dinitrophenol	2,6-Dichlorophenol	2-Chlorophenol	2-Methylphenol	2-Nitrophenol	3&4-Methylphenol	4,6-Dinitro-2-Methylphenol	4-Chloro-3-Methylphenol	4-Nitrophenol	Dinoseb	Pentachlorophenol	Phenol
08/06/02	<3.0		<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0		<3.0	<3.0
07/23/03	<3.0		<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0		<3.0	<3.0
07/12/04	<3.0		<3.0	<3.0	<3.0	<3.0	<4.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<4.0		5.8	<3.0
07/18/05	<3.0		<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0		31	<3.0
07/18/06	39		<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0		27	<3.0
07/10/07	<3.0		<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0		<3.0	<3.0
07/23/08	<3.0		<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0		<3.0	<3.0
07/07/09	<3.0		<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0		<3.0	<3.0
07/13/10	<3.0		<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0		<3.0	<3.0
04/05/11																	31	
07/18/11	<1.2		<1.2	<1.1	<1.1	<0.86	<1.6 Q	<1.3	<0.92	<0.91	<0.95	<1.5	<1.7 Q	<0.80	<1.2		<1.2 Q	<0.51
10/03/11																	<3.0	
01/17/12	<3.0		<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0		<3.0	<3.0
04/03/12																	28	
07/19/12	<3.0		<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0		1.9	<3.0
07/02/13	<3.0		<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0		<3.0	<3.0
07/10/14	<3.0		<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0		1.1	<3.0
07/07/15	<3.0		<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0		<3.0	<3.0
07/06/16	<3.0		<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0		0.45	<3.0
07/11/17	<3.0		<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0		<3.0	<3.0
07/11/18	<3.0		<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0		2.5	<3.0
07/08/19	<3.0		<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0		<3.0	<3.0
07/07/20	<3.0		<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0		2	<3.0
07/06/21	<3.0		<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0		<3.0	<3.0
07/06/22	<3.0		<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0		<3.0	<3.0
07/05/23	<3.0		<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0		<3.0	<3.0
07/02/24	<3.0		<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0		<3.0	<3.0

Notes:

Prepared By: T. Dushek, 8/2/24

Checked By: A. Voit, 10/28/24

- 1.) All units are in ug/L.
- 2.) Bold Values indicate detections
- 3.) J = Estimated Value
- 4.) M = Matrix spike and/or Matrix Spike duplicate recovery outside acceptance limits.
- 5.) Q = Laboratory Control Sample outside acceptance limits.
- 6.) Y = Replicate/Duplicate precision outside acceptance limits.
- 7.) V = Raised quantitation or reporting limit due to limited sample amount or dilution for matrix background interference.

Phenolics - Historical Data
WAULECO, INC - Wausau Facility
Well - W29-W29R

Date	2,3,4,6-Tetrachlorophenol	2,3,5,6-Tetrachlorophenol	2,4,5-Trichlorophenol	2,4,6-Trichlorophenol	2,4-Dichlorophenol	2,4-Dimethylphenol	2,4-Dinitrophenol	2,6-Dichlorophenol	2-Chlorophenol	2-Methylphenol	2-Nitrophenol	3&4-Methylphenol	4,6-Dinitro-2-Methylphenol	4-Chloro-3-Methylphenol	4-Nitrophenol	Dinoseb	Pentachlorophenol	Phenol
01/08/87																	10,300	
06/04/87																	33,900	
09/03/87																	12,700	
12/03/87																	18,600	
03/03/88																	16,400	
04/07/88																	560	
08/10/88																	1,600	
11/15/88																	12,800	
01/26/89																	19,000	
04/27/89																	16,500	
07/27/89																	12,700	
10/26/89																	8,520	
01/25/90																	4,960	
05/03/90																	37	
09/21/90																	1,420	
12/11/90																	921	
01/30/91																	373	
05/01/91																	419	
06/25/92		<1.02		<1.02	<0.51	<0.51	<1.02		<0.51		<0.51		<1.02	<0.51	<1.02		120	0.714
12/18/92		<1		<1	<0.5	<0.5	<1		<0.5		<0.5		<1	<0.5	<1		1,100	3.31
06/30/93	<1		<1	<1	<1	<10	<1	<1		<10	<1	<20	<1	<10	<1	<1	65	
12/28/93	81		66	<10	<10	<10	<20	<10		<10	<10	<20	<10	<10	<20	<10	440	
06/22/94	31		30	21	<10	<10	<20	<10		<10	<10	<20	<10	<10	<20	<10	120	
07/05/95	140		<10	<10	<10	<10	<50		<10	<10	<10	<20	<50	<20	<50	<25	210	<10
07/09/96	<10		93	60	24	<10	73	<10	<10	<10	<10	<20	450	24	55	<10	2,300	38
07/11/97	<0.182		<0.453	<0.469	<0.344	<0.148	<0.269	<0.397	<0.194	<0.252	<0.104	<0.128	<0.362	<0.105	<0.351		1,500	<0.127
06/23/98	<600		<600	<600	<600	<600	<600	<600	<600	<600	<600	<600	<600	<600	<600		5,500	<600
06/08/99	<3.0		<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0		<3.0	<3.0
07/18/00	<3		<3	<3	<3	<3	<3	<3	<3	<3	<3	<3	<3	<3	6.2		19	<3
01/30/01	<3.0		3.5	<3.0	<3.0	<3.0	5.5	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0		3.7	<3.0
07/11/01	<3.0		<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0		7.2	<3.0
08/06/02	<3.0		<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0		16	<3.0
07/24/03	<3.0		<3.0	<3.0	<3.0	<3.0	<3.0	<3.0		<3.0	<3.0	<3.0	<3.0	<3.0	<3.0		18	<3.0
07/13/04	<3.0		<3.0	<3.0	4.4	<3.0	<4.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<4.0		32	<3.0
07/20/05	<3.0		<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0		12	<3.0
07/19/06	<3.0		<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0		16	<3.0
07/10/07	68		5.1	<5.1	<3.4	<3.0	<5.2	<6.5	<3.6	<3.0	<3.2	<3.0	<3.8	<3.0	<3.1		260	<3.0

Phenolics - Historical Data
WAULECO, INC - Wausau Facility
Well - W29-W29R

Date	2,3,4,6-Tetrachlorophenol	2,3,5,6-Tetrachlorophenol	2,4,5-Trichlorophenol	2,4,6-Trichlorophenol	2,4-Dichlorophenol	2,4-Dimethylphenol	2,4-Dinitrophenol	2,6-Dichlorophenol	2-Chlorophenol	2-Methylphenol	2-Nitrophenol	3&4-Methylphenol	4,6-Dinitro-2-Methylphenol	4-Chloro-3-Methylphenol	4-Nitrophenol	Dinoseb	Pentachlorophenol	Phenol
07/24/08	4.7		<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0		6.8	<3.0
7/24/2008 Duplicate	5.1		<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0		7.2	<3.0
07/07/09	<3.0		<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0		7.7	<3.0
07/14/10	<3.0		<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0		50	<3.0
07/19/11	180		<1.1	<1.0	<1.0	<0.83	<1.5	<1.2	<0.88	<0.87	<0.91	<1.4	<1.6	<0.77	<1.1		1,700	<0.48
07/09/12	200 V		<11 V	<10 V	<10 V	<8.4 V	<15 V	<12 V	<8.9 V	<8.8 V	<9.2 V	<14 V	<16 V	<7.8 V	<11 V		1,800 V	<4.9 V
07/02/13	<3.0		<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0		6.4	<3.0
07/07/14	80		<57	<52	<52	<42	<77	<62	<45	<44	<46	<72	<82	<39	<57		690	<25
07/07/15	300		<52	<13	<52	<19	<160	<42	<13	<42	<29	<42	<63	<28	<63		3,300	<14
07/11/16	710		<12	<51	<13	<20	<29	<40	<12	<15	<12	<17	<30	<14	<20		6,600	<24
7/11/2016 Duplicate	660		<12	<51	<13	<20	<29	<40	<12	<15	<12	<17	<30	<14	<20		6,400	<24
07/17/17	490		<12	<50	<13	<20	<29	<40	<12	<15	<12	<17	<30	<14	<20		5,100	<24
07/19/18	68 Q		<23	<21	<26	<20	<29	<21	<24	<20	<21	<23	<30	<22	<24		1,100	<26
7/19/2018 Duplicate	80 Q		<12	<11	<13	<10	<15	<11	<12	<10	<11	<12	<15	<11	<12		1,100	<13
07/16/19	87		<12	<11	<13	<10 Q	<15	<11	<12	<10	<11	<12	<15	<11	<12		410	<13
07/07/20	240		<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0		1,600	<3.0
10/05/20																	33	
01/12/21																	12	
04/12/21																	43	
07/12/21	35		<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0		78	<3.0
10/18/21																	12	
01/13/22																	4	
04/12/22																	2.9	
07/11/22	<3.0		<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0		7.2	<3.0
07/06/23	4.6		<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0		24	<3.0
07/08/24	6		<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0		74	<3.0

Notes:

Prepared By: T. Dushek, 8/2/24

Checked By: A. Voit, 10/28/24

- 1.) All units are in ug/L.
- 2.) Bold Values indicate detections
- 3.) J = Estimated Value
- 4.) M = Matrix spike and/or Matrix Spike duplicate recovery outside acceptance limits.
- 5.) Q = Laboratory Control Sample outside acceptance limits.
- 6.) Y = Replicate/Duplicate precision outside acceptance limits.
- 7.) V = Raised quantitation or reporting limit due to limited sample amount or dilution for matrix background interference.

Phenolics - Historical Data
WAULECO, INC - Wausau Facility
Well - W32

Date	2,3,4,6-Tetrachlorophenol	2,3,5,6-Tetrachlorophenol	2,4,5-Trichlorophenol	2,4,6-Trichlorophenol	2,4-Dichlorophenol	2,4-Dimethylphenol	2,4-Dinitrophenol	2,6-Dichlorophenol	2-Chlorophenol	2-Methylphenol	2-Nitrophenol	3&4-Methylphenol	4,6-Dinitro-2-Methylphenol	4-Chloro-3-Methylphenol	4-Nitrophenol	Dinoseb	Pentachlorophenol	Phenol
01/08/87																	<1	
06/04/87																	<1	
09/03/87																	<1	
12/03/87																	<1	
03/03/88																	<1	
04/07/88																	<1	
08/10/88																	1.45	
11/15/88																	<1	
01/26/89																	<1	
04/27/89																	<1	
07/27/89																	<1	
10/26/89																	<1	
01/25/90																	1.67	
05/03/90																	1.14	
09/21/90																	2.13	
12/11/90																	<1	
01/30/91																	8.36	
05/01/91																	<1	
06/19/91																	1.33	
10/08/91																	3.61	
06/24/92		<1.02		<1.02	<0.51	<0.51	2.05		<0.51		<0.51		<1.02	<0.51	<1.02		2.08	0.583
12/19/92		<1		<1	<0.5	<0.5	<1		<0.5		<0.5		<1	<0.5	<1		<1	<0.5
06/29/93	<1		<1	<1	<1	<10	<1	<1		<10	<1	<20	<1	<10	<1	<1	<1	
12/28/93	<10		<20	<10	<10	<10	<20	<10		<10	<10	<20	<10	<10	<20	<10	10	
06/22/94	<10		<20	<10	<10	<10	<20	<10		<10	<10	<20	<10	<10	<20	<10	15	
07/05/95	<25		<10	<10	<10	<10	<50		<10	<10	<10	<20	<50	<20	<50	<25	<50	<10
07/08/96	<10		<10	<10	<10	<10	<20	<10	<10	<10	<10	<20	<10	<10	<20	<10	5.1	<10
07/11/97	<0.182		<0.453	<0.469	<0.344	<0.148	<0.269	<0.397	<0.194	<0.252	5.6	<0.128	<0.362	<0.105	<0.351		7.2	<0.127
06/23/98	<3.0		<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0		7.9	<3.0
06/07/99	<3.0		<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0		<3.0	<3.0
07/17/00	<3.0		<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	4.2		<3	<3.0
01/30/01	<3.0		13	<3.0	<3.0	<3.0	15	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	5.7		<3.0	<3.0
07/10/01	<3.0		<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0		<3.0	<3.0

Phenolics - Historical Data
WAULECO, INC - Wausau Facility
Well - W32

Date	2,3,4,6-Tetrachlorophenol	2,3,5,6-Tetrachlorophenol	2,4,5-Trichlorophenol	2,4,6-Trichlorophenol	2,4-Dichlorophenol	2,4-Dimethylphenol	2,4-Dinitrophenol	2,6-Dichlorophenol	2-Chlorophenol	2-Methylphenol	2-Nitrophenol	3&4-Methylphenol	4,6-Dinitro-2-Methylphenol	4-Chloro-3-Methylphenol	4-Nitrophenol	Dinoseb	Pentachlorophenol	Phenol
08/06/02	<3.0		<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0		<3.0	<3.0
07/24/03	<3.0		<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0		<3.0	<3.0
07/13/04	<3.0		<3.0	<3.0	<3.0	<3.0	<4.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<4.0		<3.0	<3.0
07/20/05	<3.0		<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0		<3.0	<3.0
07/18/06	<3.0		<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0		3.3	<3.0
07/09/07	<3.0		<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0		<3.0	<3.0
07/22/08	<3.0		<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0		<3.0	<3.0
07/07/09	<3.0		<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0		<3.0	<3.0
07/14/10	<3.0		<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0		<3.0	<3.0
07/18/11	<1.1		<1.1	<1.0	<1.0	<0.84	<1.5 Q	<1.2	<0.89	<0.88	<0.92	<1.4	<1.6 Q	<0.78	<1.1		<1.1 Q	<0.49
07/09/12	<3.0		<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0		<3.0	<3.0
07/01/13	<3.0		<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0		<3.0	<3.0
07/07/14	<3.0		<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0		<3.0	<3.0
07/06/15	<3.0		<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0		<3.0	<3.0
07/05/16	<3.0		<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0		<3.0	<3.0
07/10/17	<3.0		<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0		<3.0	<3.0
07/10/18	<3.0		<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0		<3.0	<3.0
07/08/19	<3.0		<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0		<3.0	<3.0
07/06/20	<3.0		<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0		<3.0	<3.0
10/05/20																	<3.0	
01/11/21																	<3.0	
04/12/21																	<3.0	
07/07/21	<3.0		<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0		<3.0	<3.0
10/18/21																	<3.0	
01/11/22																	<3.0	
04/12/22																	<3.0	
07/05/22	<3.0		<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0		<3.0	<3.0
07/05/23	<3.0		<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0		<3.0	<3.0
07/02/24	<3.0		<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0		<3.0	<3.0

Notes:

Prepared By: T. Dushek, 8/2/24

Checked By: A. Voit, 10/28/24

- 1.) All units are in ug/L.
- 2.) Bold Values indicate detections
- 3.) J = Estimated Value
- 4.) M = Matrix spike and/or Matrix Spike duplicate recovery outside acceptance limits.
- 5.) Q = Laboratory Control Sample outside acceptance limits.
- 6.) Y = Replicate/Duplicate precision outside acceptance limits.
- 7.) V = Raised quantitation or reporting limit due to limited sample amount or dilution for matrix background interference.

Phenolics - Historical Data
WAULECO, INC - Wausau Facility
Well - W33

Date	2,3,4,6-Tetrachlorophenol	2,3,5,6-Tetrachlorophenol	2,4,5-Trichlorophenol	2,4,6-Trichlorophenol	2,4-Dichlorophenol	2,4-Dimethylphenol	2,4-Dinitrophenol	2,6-Dichlorophenol	2-Chlorophenol	2-Methylphenol	2-Nitrophenol	3&4-Methylphenol	4,6-Dinitro-2-Methylphenol	4-Chloro-3-Methylphenol	4-Nitrophenol	Pentachlorophenol	Phenol
08/07/02	2,000		<750	<750	<750	1,000	<750	880	6,500	6,100	2,300	3,000	<750	<750	<750	9,600	7,100
07/24/03	4,000		<1500	<1500	1600	<1500	<1500	<1500	<1500	3,300	1,600	2,900	<1500	<1500	<1500	13,000	<1500
07/14/04	<1500		<1500	<1500	3900	1500J	4,000	<1500	<1500	9,000	3,300	6,200	<1500	<1500	<2000	28,000	23,000
07/21/05	1400 V		<600 V	<600 V	<600 V	<600 V	<600 V	<600 V	6200 V	2800 V	16000 V	2400 V	600 V	<600 V	<600 V	8600 V	<600 V
01/23/07	5,700		<3000	<3000	<3000	<3000	<3000	<3000	<3000	7,300	66,000	<3000	<3000	<3000	<3000	30,000	33,000
07/11/07	3,100		<410	<490	<330	<250	<500	<630	<340	<150	<300	<270	<370	<160	<300	18,000	<130
07/24/08	1,900		<450	<490	<350	<680	<910	<520	<390	<490	<340	<380	<530	<630	<350	16,000	<180
07/07/09	900		<160	<170	<120	<240	<320	<190	<140	<180	<120	<140	<190	<220	<130	7,200	<63
01/19/10	630		<160	<180	<130	<250	<330	<190	<140	<180	<120	<140	<190	<230	<130	2,500	<64
07/15/10	970		<220	<200	<200	<160	<300	<240	<170	<170	<180	<280	<320	<150	<220	7,200	<96
01/26/11	580		<230	<210	<210	<170	<320	<250	<180	<180	<190	<290	<340 Q	<160	<230	5,700	<100
07/25/11	150		<1.1	<1.0	<1.0	<0.83	<1.5	<1.2	<0.88	<0.87	<0.91	<1.4	<1.6	<0.77	<1.1	2,100	<0.48
01/23/12	990		<57	<52	<52	<42	<77	<62	<45	<44	<46	<72	<82	<39	<57	9,100	<25
07/09/12	530		<12	<11	<11	<8.8	<16	<13	<9.4	<9.2	<9.7	<15	<17	<8.2	<12	3,700	<5.2
01/08/13	1,000		<220	<200	<200	<170	<310	<240	<180	<180	<180	<290	<330	<160	<220	7,800	<98
07/08/13	360		<220	<200	<200	<170	<300	<240	<180	<170	<180	<280	<320	<150	<220	3,000	<97
01/22/14	760		<230	<210	<210	<170	<310	<250	<180	<180	<190	<290	<330	<160	<230	5,900	<99
07/07/14	370		<230	<210	<210	<170	<310	<250	<180	<180	<190	<290	<330	<160	<230	3,200	<99
01/15/15	1,500		<100	<25	<100	<37	<310	<82	<25	<82	<58	<82	<120	<56	<120	8,800	<27
07/09/15	220		<100	<25	<100	<37	<310	<82	<25	<82	<58	<82	<120	<56	<120	1,700	<27
01/14/16	660		<110	<26	<110	<38	<320	<85	<26	<85	<60	<85	<130	<57	<130	4,200	<28
07/12/16	430		<25	<110	<27	<42	<61	<84	<25	<32	<25	<36	<63	<29	<42	3,300	<51
01/19/17	2,000		<48	<200	<53	<81	<120	<160	<48	<61	<48	<69	<120	<57	<81	14,000	<97
07/18/17	1,200		<32	<130	<35	<54	<78	<110	<32	<40	<32	<46	<81	<38	<54	7,400	<65
01/11/18	1,500		<120	<110	<130	<100	<150	<110	<120	<100	<110	<120	<150	<110	<120	10,000	<130
07/19/18	430 Q		<11	<10	<12	<9.5	<14	<10	<11	<9.5	<10	<11	<14	<10	<11	2,800	<12
01/28/19	1,100		<44	<40	<50	<38	<56	<40	<46	<38	<40	<44	<58	<42	<46	8,000	<50
07/15/19	30		<46	<42	<53	<40	<59	<42	<48	<40	<42	<46	<61	<44	<48	1,500	<53
01/14/20	720 Q		<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	5,600	<3
07/14/20	260		<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	2,400	<3
01/12/21	1,900		<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	14,000	<3
07/14/21	43 Q		<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	340	<3
01/18/22	560		<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	5,400	<3
1/18/2022 Duplicate	580		<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	5,400	<3
07/11/22	390		<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	3,200	<3
01/11/23	390		<3.0	<3.0	<3.0	<3.0	<3.0	<3.0 Q	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	3,400	<3
07/11/23	640		<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	4,000	<3
01/11/24	480		<3.0	<3.0	<3.0	<3.0	<3.0	<3.0 Q	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	3,500	<3
07/10/24	43		<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	250	<3

Notes:

Prepared By: T. Dushek, 8/2/24

Checked By: A. Voit, 10/28/24

1.) All units are in ug/L.

2.) Bold Values indicate detections

3.) J = Estimated Value

4.) M = Matrix spike and/or Matrix Spike duplicate recovery outside acceptance limits.

5.) Q = Laboratory Control Sample outside acceptance limits.

6.) Y = Replicate/Duplicate precision outside acceptance limits.

7.) V = Raised quantitation or reporting limit due to limited sample amount or dilution for matrix background interference.

Phenolics - Historical Data
WAULECO, INC - Wausau Facility
Well - W36

Date	2,3,4,6-Tetrachlorophenol	2,3,5,6-Tetrachlorophenol	2,4,5-Trichlorophenol	2,4,6-Trichlorophenol	2,4-Dichlorophenol	2,4-Dimethylphenol	2,4-Dinitrophenol	2,6-Dichlorophenol	2-Chlorophenol	2-Methylphenol	2-Nitrophenol	3&4-Methylphenol	4,6-Dinitro-2-Methylphenol	4-Chloro-3-Methylphenol	4-Nitrophenol	Dinoseb	Pentachlorophenol	Phenol
02/20/92		<1		<1	<0.5	22.1	<1		<0.5		<0.5		<1	<0.5	<1		7,180	<0.5
08/03/92		<1		<10	11.3	<0.5	<10		<5		<5		<1	<0.5	<1		14,800	155
09/17/92		26		<1	132	29.2	15.2		<0.5		240		<1	<0.5	67		8,350	<0.5
09/13/95	<1000		<1000	<1000	<1000	<1000	<2000	<1000	<1000	<1000	<1000	<2000	<1000	<1000	<2000	<1000	1,700	<1000
07/10/96	<500		<500	<500	<500	<500	<1000	<500	<500	<500	<500	<1000	<500	<500	<1000	<500	1,800	<500
07/11/97	120		94	71	480	210	660	430	<0.194	1400	1200	440	<0.362	240	110		1,600	1600
01/02/98	57		<0.453	<0.469	310	170	430	230	<0.194	540	420	190	150	160	<0.351		480	<0.127
06/25/98	<30		<30	<30	<30	<30	<30	<30	93	46	52	<30	<30	<30	<30		190	46
01/27/99			30						89	43		33					240	60
06/09/99	<30		<30	<30	<30	<30	<30	<30	<30	<30	<30	<30	<30	<30	<30		67.0	<30
01/11/00	<30		<30	<30	<30	<30	<30	<30	<30	<30	<30	<30	<30	<30	<30		280	<30
07/18/00	<3		<3	<3	12.5	4.75	<3	13	130	32	9.75	52.5	<3	<3	9		65	62
01/31/01	<30		<30	<30	<30	<30	<30	<30	<30	<30	<30	<30	<30	<30	<30		360	<30
07/11/01	11		<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	3.6	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0		120	<3.0
01/15/02	5.5		<3.0	3.5	<3.0	<3.0	<3.0	<3.0	12	6.8	<3.0	4.1	<3.0	<3.0	<3.0		43	3.7
08/06/02	<30		<30	<30	<30	<30	<30	<30	<30	<30	<30	<30	<30	<30	<30		31	<30
01/15/03	14		<3.0	<3.0	5.9	4.2	4.6	<3.0	<3.0	<3.0	8.9	<3.0	<3.0	<3.0	<3.0		140	<3.0
07/22/03	4.2		<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	3.2	<3.0	<3.0	<3.0	<3.0	<3.0		43	11
01/21/04	3.1J		<3.0	<3.0	<3.0J	<3.0	<3.0	<3.0	3.9	4.4	<3.0	<3.0	<3.0J	<3.0	<3.0J		45	3
07/14/04	<3.0		<3.0	<3.0	<3.0	<3.0	<4.0	<3.0J	<3.0	5.4	<3.0J	<3.0J	<3.0	<3.0	<4.0		65	22
01/20/05	<3.0		<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	5	<3.0	8.2	3.1 J	<3.0	<3.0	<3.0		24	4.5
07/21/05	6.5		<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	4.9	<3.0	4.9	<3.0	<3.0	<3.0	<3.0		81	21
01/18/06	8.5 V		<6.0 V	<6.0 V	<6.0 V	<6.0 V	<6.0 V	<6.0 V	<6.0 V	<6.0 V	<6.0 V	<6.0 V	<6.0 V	<6.0 V	<6.0 V		89 V	<6.0 V
07/18/06	<6.0		<6.0	<6.0	<6.0	<6.0	<6.0	<6.0	<6.0	<6.0	<6.0	<6.0	<6.0	<6.0	<6.0		16	<6.0
01/23/07	<3.0		<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0		11	<3.0
07/10/07	<3.0		<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0		11	<3.0
7/10/2007 Duplicate	3		<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0		42	<3.0
01/29/08	<3.0		<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0		8.1	<3.0
1/29/2008 Duplicate	<3.0		<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0		8.2	<3.0
07/23/08	<3.0		<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0		4.1	<3.0
01/20/09	<3.0		<3.0	<3.0	<3.0	<3.0	<3.0	<3.0Q	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0		<3.0	<3.0
1/20/2009 Duplicate	<3.0		<3.0	<3.0	<3.0	<3.0	<3.0	<3.0Q	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0		<3.0	<3.0
07/06/09	<3.0		<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0		<3.0	<3.0
01/18/10	<3.0		<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0		<3.0	<3.0
07/14/10	<3.0		<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0		8.6	<3.0

Phenolics - Historical Data
WAULECO, INC - Wausau Facility
Well - W36

Date	2,3,4,6-Tetrachlorophenol	2,3,5,6-Tetrachlorophenol	2,4,5-Trichlorophenol	2,4,6-Trichlorophenol	2,4-Dichlorophenol	2,4-Dimethylphenol	2,4-Dinitrophenol	2,6-Dichlorophenol	2-Chlorophenol	2-Methylphenol	2-Nitrophenol	3&4-Methylphenol	4,6-Dinitro-2-Methylphenol	4-Chloro-3-Methylphenol	4-Nitrophenol	Dinoseb	Pentachlorophenol	Phenol
01/24/11	<3.0		<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0		3	<3.0
07/19/11	<1.1		<1.1	<1.0	<1.0	<0.84	<1.5	<1.2	<0.89	<0.88	<0.92	<1.4	<1.6	<0.78	<1.1		7.8	<0.49
01/18/12	<3.0		<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0		<3.0	<3.0
07/09/12	<3.0		<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0		1.1	<3.0
01/07/13	<3.0		<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0		1.2	<3.0
07/02/13	<3.0		<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0		3.6	<3.0
07/09/14	<3.0		<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0		6.8	<3.0
07/07/15	1.1		<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0		15	<3.0
07/06/16	<3.0		<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0		5	<3.0
07/11/17	2.0		<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0		31	<3.0
07/12/18	2.8		<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0		29	<3.0
07/09/19	0.74		<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0		10	<3.0
07/08/20	<3.0		<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0		7	<3.0
07/07/21	<3.0		<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0		19	<3.0
07/06/22	<3.0		<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0		2.4	<3.0
07/06/23	<3.0		<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0		3.1	<3.0
07/08/24	23		<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0		340	<3.0

Notes:

Prepared By: T. Dushek, 8/2/24

Checked By: A. Voit, 10/28/24

- 1.) All units are in ug/L.
- 2.) Bold Values indicate detections
- 3.) J = Estimated Value
- 4.) M = Matrix spike and/or Matrix Spike duplicate recovery outside acceptance limits.
- 5.) Q = Laboratory Control Sample outside acceptance limits.
- 6.) Y = Replicate/Duplicate precision outside acceptance limits.
- 7.) V = Raised quantitation or reporting limit due to limited sample amount or dilution for matrix background interference.

Phenolics - Historical Data
WAULECO, INC - Wausau Facility
Well - W39

Date	2,3,4,6-Tetrachlorophenol	2,3,5,6-Tetrachlorophenol	2,4,5-Trichlorophenol	2,4,6-Trichlorophenol	2,4-Dichlorophenol	2,4-Dimethylphenol	2,4-Dinitrophenol	2,6-Dichlorophenol	2-Chlorophenol	2-Methylphenol	2-Nitrophenol	3&4-Methylphenol	4,6-Dinitro-2-Methylphenol	4-Chloro-3-Methylphenol	4-Nitrophenol	Dinoseb	Pentachlorophenol	Phenol
06/17/92		360		236	835	569	<10.3		<25.8		<25.8		13.3	33.9	171		9,290	<25.8
12/18/92		403		267	1,710	<50	<100		<50		<50		<100	<50	178		13,900	<50
06/21/94	2,900		1,000	3,500	6,900	2,700	420	1,500		<100	5,200	8,400	310	550	1,300	<100	6,900	
03/10/95	<1000		<2000	<1000	<1000	1,500	<2000	<1000		3,600	10,000	3,100	<1000	<1000	<2000	<1000	3,700	
09/13/95	<1000		<1000	<1000	<1000	1,500	<2000	<1000	<1000	3,300	<1000	<2000	<1000	<1000	<2000	<1000	1,200	<1000
12/18/95	<1000		<1000	<1000	<1000	<1000	<2000	<1000	<1000	2,100	2,800	4,400	<1000	<1000	<2000	<1000	2,400	<1000
03/20/96	<1000		<1000	<1000	1,100	1,500	<2000	<1000	5000	2,300	6,700	<2000	<1000	<1000	<2000	<1000	1,900	6900
07/09/96	<1000		<1000	<1000	<1000	<1000	<2000	<1000	<1000	<1000	<1000	<2000	<1000	<1000	<2000	<1000	170	1000
01/21/97	<7.9		<7.5	<7.3	<8.2	<16	<7.4	<9	<12	<8.1	<16	<18	<7.7	<7.1	<7.6	<8.8	782	<11
07/11/97	<0.182		<0.453	<0.469	2,800	<0.148	<0.269	3,400	<0.194	3,800	3,300	<0.128	<0.362	<0.105	<0.351		2,300	3600
01/02/98	<0.182		<0.453	310	2,600	<0.148	2,400	710	2400	3,800	2,200	<0.128	840	1,200	<0.351		1,100	<0.127
06/24/98	<150		<150	<150	<150	<150	<150	400	640	510	320	<150	<150	<150	<150		830	2800
06/09/99	<150		<150	<150	<150	<150	<150	<150	510	<150	180	<150	<150	<150	<150		1,800	560
07/19/00	<1500		<1500	<1500	3,200	<1500	<1500	3,900	10000	4,200	5,200	8,900	<1500	<1500	3,300		3,300	13000
08/06/02	300		270	230	1,200	1,600	230	2,600	2,100	2,300	3,100	6,100	<150	190	<150		750	5,300
01/15/03	240		<150	<150	720	300	<150	<150	<150	1400	1500	1200	<150	<150	<150		510	<150
07/22/03	1,100		<150	<150	<150	<150	<150	<150	190	210	<150	180	<150	<150	<150		820	<150
01/20/04	<150		<150	<150	<150J	<150	<150	<150	290	510	<150J	210J	<150	<150	<150J		550	230
07/14/04	<300		300J	<300J	<300J	420J	630	<300	450J	4,800	1,100	1,400	<300J	<300	<400		1,000	3,200
01/20/05	<150 V		<150 V	<150 V	<150 V	<150 V	<150 V	<150 V	710 V	350 V	1400 V	360 V	<150 V	<150 V	<150 V		1200 V	340 V
07/20/05	<60 V		<60 V	<60 V	<60 V	<60 V	<60 V	<60 V	<60 V	<60 V	<60 V	<60 V	<60 V	<60 V	<60 V		330 V	<60 V
01/17/06	130 V		<60 V	<60 V	<60 V	<60 V	<60 V	<60 V	150 V	<60 V	250 V	<60 V	<60 V	<60 V	<60 V		1600 V	<60 V
07/19/06	77		<60 V	<60	<60	100	<60	<60	460	110	1,600	200	77	<60	<60		820	480
01/23/07	950		<300	<300	<300	<300	<300	<300	<300	350	3,200	<300	<300	<300	<300		8,200	1,200
07/11/07	260		<73	<86	<58	<43	<88	<110	<61	<26	<54	<47	<65	<27	<53		2,600	<22
01/28/08	63		<29	<34	<23	<17	<35	<44	<24	<11	<21	<19	<26	<11	<21		960	<8.9
07/24/08	630		<81	<88	<62	<120	<160	<94	<69	<89	<61	<68	<95	<110	<63		4,100	<32
01/21/09	120		<45	<49	<35	<69	<92	<53Q	<39	<50	<34	<39	<53	<63	<36		1,300	<18
07/07/09	310		<81	<89	<63	<120	<160	<95	<70	<90	<62	<69	<96	<110	<64		3,400	<32
01/19/10	150		<40	<43	<31	<61	<81	<46	<34	<44	<30	<34	<47	<56	<31		910	<16
1/19/2010																		
Duplicate	130		<40	<43	<31	<61	<81	<46	<34	<44	<30	<34	<47	<56	<31		740	<16
07/14/10	1,600		<57	<52	<52	<42	<77	<62	<45	<44	<46	<72	<82	<39	<57		9,100	<25
01/25/11	1,100		<230	<210	<210	<170	<310	<250	<180	<180	<190	<290	<330 Q	<160	<230		7,300	<100
1/25/2011																		
Duplicate	1,100		<230	<210	<210	<170	<310	<250	<180	<180	<190	<290	<330 Q	<160	<230		6,900	<99
04/06/11																	4,000	
07/25/11	520		<1.1	<1.0	<1.0	<0.84	<1.5	<1.2	<0.89	<0.88	<0.92	<1.4	<1.6	<0.78	<1.1		3,700	<0.49
10/03/11																	3,500	

Phenolics - Historical Data
WAULECO, INC - Wausau Facility
Well - W39

Date	2,3,4,6-Tetrachlorophenol	2,3,5,6-Tetrachlorophenol	2,4,5-Trichlorophenol	2,4,6-Trichlorophenol	2,4-Dichlorophenol	2,4-Dimethylphenol	2,4-Dinitrophenol	2,6-Dichlorophenol	2-Chlorophenol	2-Methylphenol	2-Nitrophenol	3&4-Methylphenol	4,6-Dinitro-2-Methylphenol	4-Chloro-3-Methylphenol	4-Nitrophenol	Dinoseb	Pentachlorophenol	Phenol
01/17/12	220		<60	<54	<54	<45	<82	<65	<47	<47	<49	<76	<87	<41	<60		3,800	<26
1/17/2012 Duplicate	140		<56	<51	<51	<41	<76	<61	<44	<43	<45	<71	<81	<38	<56		2,500	<24
04/03/12																	2,200	
07/10/12	110		<11	<10	<10	<8.3	<15	<12	<8.8	<8.7	<9.1	<14	<16	<7.7	<11		1,200	<4.8
01/04/13	140		<110	<100	<100	<85	<150	<120	<90	<89	<93	<140	<160	<78	<110		2,300	<49
1/4/2013 Duplicate	<110		<110	<100	<100	<85	<160	<130	<91	<90	<94	<150	<170	<79	<110		1,800	<50
07/08/13	<110		<110	<100	<100	<83	<150	<120	<88	<87	<91	<140	<160	<77	<110		1,000	<48
01/21/14	170		<110	<100	<100	<85	<150	<120	<90	<89	<93	<140	<160	<78	<110		2,700	<49
07/08/14	<110		<110	<100	<100	<84	<150	<120	<89	<88	<92	<140	<160	<78	<110		1,100	<49
01/15/15	<100		<52	<12	<52	<19	<150	<41	<12	<41	<29	<41	<62	<28	<62		1,600	<13
07/09/15	54		<10	<3.0	<10 M	<3.7	<31 M	<8.2	<3.0	<8.2	<5.8 M	<8.2	<12 MY	<5.6	<12		970 M	<3.0
01/14/16	<100		<52	<12	<52	<19	<150	<41	<12	<41	<29	<41	<62	<28	<62		1,600	<13
07/07/16	33		<3.0	<10.0	<3.0	<4.0	<5.9	<8.1	<3.0	<3.0	<3.0	<3.4	<6.1	<3.0	<4.0		790	<4.8
01/19/17	96		<6.2	<26	<6.7	<10	<15	<21	<6.2	<7.7	<6.2	<8.8	<15	<7.2	<10		1,700	<12
07/11/17	40		3.0	<10	<3.0	<4.0	<5.9	<8.1	<3.0	<3.0	<3.0	<3.4	<6.1	<3.0	<4.0		800	<4.8
01/09/18	53		<12	<11	<13	<10	<15	<11	<12	<10	<11	<12	<15	<11	<12		980	<13
07/12/18	26		<11	<10	<12	<9.5	<14	<10	<11	<9.5	<10	<11	<14	<10	<11		620	<12
01/21/19	30		<4.4	<4.0	<5.0	<3.8	<5.6	<4.0	<4.6	<3.8	<4.0	<4.4	<5.8	<4.2	<4.6		720	>5.0
1/21/2019 Duplicate	33		<4.4	<4.0	<5.0	<3.8	<5.6	<4.0	<4.6	<3.8	<4.0	<4.4	<5.8	<4.2	<4.6		720	<5.0
7/2019																		

Notes:

Prepared By: T. Dushek, 8/20/19

Checked By: A. Voit, 11/27/19

- 1.) All units are in ug/L.
- 2.) Bold Values indicate detections
- 3.) J = Estimated Value
- 4.) M = Matrix spike and/or Matrix Spike duplicate recovery outside acceptance limits.
- 5.) Q = Laboratory Control Sample outside acceptance limits.
- 6.) Y = Replicate/Duplicate precision outside acceptance limits.
- 7.) V = Raised quantitation or reporting limit due to limited sample amount or dilution for matrix background interference.

Phenolics - Historical Data
WAULECO, INC - Wausau Facility
Well - W40-W40R

Date	2,3,4,6-Tetrachlorophenol	2,3,5,6-Tetrachlorophenol	2,4,5-Trichlorophenol	2,4,6-Trichlorophenol	2,4-Dichlorophenol	2,4-Dimethylphenol	2,4-Dinitrophenol	2,6-Dichlorophenol	2-Chlorophenol	2-Methylphenol	2-Nitrophenol	3&4-Methylphenol	4,6-Dinitro-2-Methylphenol	4-Chloro-3-Methylphenol	4-Nitrophenol	Dinoseb	Pentachlorophenol	Phenol
01/19/10	650		<16	<18	<13	<25	<33	<19	<14	<18	<13	<14	<19	<23	<13		6,400	<6.5
07/15/10	1,100		<110	<100	<100	<85	<150	<120	<90	<89	<93	<140	<160	<78	<110		8,100	<49
01/25/11	1,400		<560	<510	<510	<420	<770	<610	<440	<440	<460	<710	<820 Q	<390	<560		13,000	<240
07/25/11	630		<230	<210	<210	<170	<310	<250	<180	<180	<190	<290	<330	<160	<230		6,400	<99
01/18/12	<590		<12	<11	<11	<8.7	<16	<13	<9.3	<9.1	<9.6	<15	<17	<8.1	<12		6,200	<5.1
07/09/12	900 M		<11	<10	<10	<8.4	<15 M	<12	<8.9	<8.8	<9.2	<14	<16	<7.8	<11 M		10,000 M	<4.9
01/07/13	510		<230	<210	<210	<170	<320	<260	<190	<180	<190	<300	<340	<160	<230		4,400	<100
07/08/13	900		<280	<250	<250	<210	<380	<300	<220	<220	<230	<350	<400	<190	<280		8,300	<120
01/21/14	750		<230	<210	<210	<170	<310	<250	<180	<180	<190	<290	<330	<160	<230		7,800	<99
07/08/14	690		<560	<510	<510	<410	<760	<610	<440	<430	<450	<710	<810	<380	<560		8,500	<240
01/15/15	1,000		<130	<31	<130	<46	<390	<100	<31	<100	<72	<100	<150	<70	<150		10,000	<34
07/09/15	590		<100	<25	<100	<37	<310	<82	<25	<82	<58	<82	<120	<56	<120		6,800	<27
01/19/16	1,300		<130	<30	<130	<45	<380	<100	<30	<100	<71	<100	<150	<68	<150		12,000	<33
07/12/16	830		<24	<100	<26	<40	<59	<81	<24	<30	<24	<34	<61	<28	<40		9,500	<48
01/19/17	940		<49	<200	<53	<82	<120	<160	<49	<61	<49	<69	<120	<57	<82		11,000	<98
07/18/17	1,700		<60	<250	<65	<100	<150	<200	<60	<75	<60	<85	<150	<70	<100		19,000	<120
01/15/18	950		<12	<11	<13	<10	<15	<11	<12	<10	<11	<12	<15	<11	<12		10,000	<13
07/19/18	900 Q		<59	<54	<66	<51	<74	<54	<61	<51	<54	<59	<77	<56	<61		9,600	<66
01/28/19	670		<45	<41	<51	<39	<57	<41	<47	<39	<41	<45	<59	<43	<47		7,400	<51
07/18/19	120		<23	<21	<26	<20 Q	<29	<21	<24	<20	<21	<23	<30	<22	<24		2,000	<26
01/23/20	390		<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0		4,400	<3
07/16/20	280		<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0		4,300	<3
7/16/2020 Duplicate	290		<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0		4,200	<3
01/13/21	<3		<3.0	<3.0	<3.0	<3.0 Q	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0		3,400	<3
07/14/21	280 Q		<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0		3,200	<3
07/11/23	370		<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0		4,700	<3
01/11/24	360		<3.0	<3.0	<3.0	<3.0	<3.0	<3.0 Q	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0		4,700	<3
07/10/24	240		<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0		3,200	<3

Notes:

Prepared By: T. Dushek, 8/2/24

Checked By: A. Voit, 10/28/24

- 1.) All units are in ug/L.
- 2.) Bold Values indicate detections
- 3.) J = Estimated Value
- 4.) M = Matrix spike and/or Matrix Spike duplicate recovery outside acceptance limits.
- 5.) Q = Laboratory Control Sample outside acceptance limits.
- 6.) Y = Replicate/Duplicate precision outside acceptance limits.
- 7.) V = Raised quantitation or reporting limit due to limited sample amount or dilution for matrix background interference.

Phenolics - Historical Data
WAULECO, INC - Wausau Facility
Well - W41

Date	2,3,4,6-Tetrachlorophenol	2,3,5,6-Tetrachlorophenol	2,4,5-Trichlorophenol	2,4,6-Trichlorophenol	2,4-Dichlorophenol	2,4-Dimethylphenol	2,4-Dinitrophenol	2,6-Dichlorophenol	2-Chlorophenol	2-Methylphenol	2-Nitrophenol	3&4-Methylphenol	4,6-Dinitro-2-Methylphenol	4-Chloro-3-Methylphenol	4-Nitrophenol	Dinoseb	Pentachlorophenol	Phenol
02/25/92		<20		<20	119	<10	<20		<10		85.9		<20	68	<20		8,610	<10
06/16/92		441		703	227	60.9	170		<5.1		143		<51	44.1	<51		16,600	<5.1
09/17/92		<1		<1	<0.5	<0.5	223		<0.5		<0.5		<1	<0.5	109		6,070	<0.5
12/19/92		<1		<1	<0.5	<0.5	<1		<0.5		<0.5		<1	<0.5	<1		16,400	<0.5
03/24/93		<8000		<2400	<800	<800	<2400		<800		<800		<4000	<4000	<4000		14,300	<800
06/30/93	3,600		<200	<100	<100	<100	<200	3,600		<100	<100	<200	<100	1,600	<200	<100	32,000	
12/28/93	710		<200	150	320	260	<200	140		180	150	<200	<100	<100	<200	<100	9,500	
04/25/94	1,000		<2000	<1000	<1000	<1000	<2000	<1000		<1000	<1000	<2000	<1000	<1000	<2000	<1000	12,000	
06/21/94	930			980	820	430	110	1100	210	<100	330	<200	230	250	500	<100	4,900	
10/04/94	<500		<1000	<500	<500	<500	<1000	<500	<500	<500	<500	<1000	<500	<500	<1000	<500	690	
03/10/95	<1000		<2000	<1000	<1000	<1000	<2000	<1000		<1000	<1000	<2000	<1000	<1000	<2000	<1000	3,600	
07/06/95	480		<11	<11	<11	<11	<53	<11	<10.65	<11	<21.3	<53	<21	<53	<27		3,400	<11
09/13/95	<1000		<1000	3,400	<1000	<1000	<2000	<1000	<1000	<1000	<2000	<1000	<1000	<1000	<2000	<1000	9,600	<1000
03/20/96	<1000		<1000	<1000	<1000	<1000	<2000	<1000	<1000	<1000	<2000	<1000	<1000	<1000	<2000	<1000	7,000	<1000
07/09/96	<2500		<2500	<2500	<2500	<2500	<5000	<2500	<2500	<2500	<5000	<2500	<2500	<5000	<2500	<2500	10,000	<2500
09/25/96	1,130		<7.3	<7.1	<8	<15	<7.2	<8.7	<12	<7.9	<15	<17	<7.5	<6.9	<7.4	<8.5	13,800	<10
07/11/97	<0.182		<0.453	<0.469	<0.344	<0.148	<0.269	<0.397	<0.194	<0.252	<0.104	<0.128	<0.362	<0.105	<0.351		18,000	<0.127
01/02/98	<0.182		<0.453	<0.469	<0.344	<0.148	<0.269	<0.397	<0.194	<0.252	<0.104	<0.128	<0.362	<0.105	<0.351		3,700	<0.127
06/24/98	<600		<600	<600	<600	<600	<600	<600	<600	<600	<600	<600	<600	<600	<600		5,200	<600
01/26/99				690	820	730	890	760					630				6,700	1,500
06/08/99	<600		<600	<600	<600	<600	<600	<600	<600	<600	<600	<600	<600	<600	<600		5,800	<600
01/11/00	<600		<600	<600	<600	<600	<600	<600	<600	<600	<600	<600	<600	<600	<600		7,800	<600
07/19/00	<150		330	<150	<150	<150	250	<150	<150	<150	<150	170	<150	<150	240		3,500	320
01/31/01	<600		<600	<600	<600	<600	<600	<600	<600	<600	<600	<600	<600	<600	<600		7,600	<600
07/11/01	<1500		<1500	<1500	<1500	<1500	<1500	<1500	<1500	<1500	<1500	<1500	<1500	<1500	<1500		2,200	<1500
01/15/02	150		<60	120	<60	<60	74	<60	180	120	140	79	73	66	94		1,100	<60
08/06/02	<300		<300	370	<300	<300	<300	<300	<300	<300	<300	<300	<300	<300	<300		3,100	
01/14/03	610		600	<600	<600	<600	<600	<600	<600	<600	<600	<600	<600	<600	<600		7,200	<600
07/22/03	280		<150	220	<150	<150	<150	<150	<150	<150	<150	<150	<150	<150	<150		4,300	160
01/20/04	190J		<150J	<150	<150J	<150	<150	<150	270	<150J	<150	<150J	<150	<150	<150J		3,500	<150
07/13/04	<300		780	<300	<300J	<300	930	<300	<300	<300	<300	<300	<300	<300J	<400		5,900	380
01/19/05	<300 V		<300 V	<300 V	<300 V	<300 V	<300 V	<300 V	<300 V	<300 V	<300 V	<300 V	<300 V	<300 V	<300 V		3700 V	<300 V
07/19/05	390 V		<300 V	<300 V	<300 V	<300 V	<300 V	<300 V	<300 V	<300 V	<300 V	<300 V	<300 V	<300 V	<300 V		5900 V	320 V
01/17/06	<300 V		<300 V	<300 V	<300 V	<300 V	<300 V	<300 V	<300 V	<300 V	<300 V	<300 V	<300 V	<300 V	<300 V		3900 V	<300 V
07/19/06	<300		<300	<300	<300	<300	<300	<300	<300	<300	<300	<300	<300	<300	<300		4,300	<300
01/23/07	150		<60	<60	<60	<60	<60	<60	<60	<60	64	<60	<60	<60	<60		1,700	92
07/10/07	180		<38	<44	<30	<22	<45	<57	<31	<14	<28	<24	<33	<14	<27		2,000	<11
01/28/08	150		<80	<94	<63	<48	<97	<120	<67	<29	<59	<52	<71	<30	<58		2,800	<24
07/24/08	630		<160	<180	<130	<250	<330	<190	<140	<190	<120	<140	<190	<230	<130		6,500	<64
01/21/09	250		<83	<91	<64	<130	<170	<97Q	<72	<92	<63	<71	<98	<120	<65		4,400	<33
1/21/2009 Duplicate	230		<83	<91	<64	<130	<170	<97Q	<72	<92	<63	<71	<98	<120	<65		4,000	<33
07/07/09	140		<81	<88	<62	<120	<160	<94	<69	<89	<61	<68	<95	<110	<63		2,800	<32

Phenolics - Historical Data
WAULECO, INC - Wausau Facility
Well - W41

Date	2,3,4,6-Tetrachlorophenol	2,3,5,6-Tetrachlorophenol	2,4,5-Trichlorophenol	2,4,6-Trichlorophenol	2,4-Dichlorophenol	2,4-Dimethylphenol	2,4-Dinitrophenol	2,6-Dichlorophenol	2-Chlorophenol	2-Methylphenol	2-Nitrophenol	3&4-Methylphenol	4,6-Dinitro-2-Methylphenol	4-Chloro-3-Methylphenol	4-Nitrophenol	Dinoseb	Pentachlorophenol	Phenol
01/19/10	230		<85	<92	<66	<130	<170	<99	<73	<94	<65	<72	<100	<120	<67		2,000	<33
07/14/10	72		<44	<40	<40	<33	<61	<48	<35	<35	<36	<57	<65	<31	<44		1,200	<19
01/25/11	150		<110	<100	<100	<85	<160	<130	<91	<90	<94	<150	<170 Q	<79	<110		2,400	<50
04/05/11																	1,900	
07/20/11	64		<1.1	<1.0	<1.0	<0.85	<1.5	<1.2	<0.90	<0.89	<0.93	18	<1.6	<0.78	<1.1		790	<0.49
10/03/11																	1,500	
01/17/12	140		<57	<52	<52	<42	<77	<62	<45	<44	<46	<72	<82	<39	<57		2,700	<25
04/03/12																	7,600	
07/10/12	190 V		<5.6 V	<5.1 V	<5.1 V	<4.2 V	<7.7 V	<6.1 V	<4.4 V	<4.4 V	<4.6 V	<7.1 V	<8.2 V	<3.9 V	<5.6 V		980 V	<3.0 V
01/04/13	310		<110	<100	<100	<83	<150	<120	<88	<87	<91	<140	<160	<77	<110		3,300	<48
07/05/13	820		<110	<100	<100	<85	<160	<130	<91	<90	<94	<150	<170	<79	<110		6,600	<50
01/21/14	380		<120	<110	<110	<86	<160	<130	<92	<91	<95	<150	<170	<80	<120		4,400	<51
07/09/14	850		<230	<210	<210	<170	<310	<250	<180	<180	<190	<290	<330	<160	<230		8,300	<99
01/15/15	460		<100	<25	<100	<38	<310	<83	<25	<83	<58	<83	<130	<56	<130		8,500	<27
07/08/15	430		<100	<24	<100	<37	<310	<82	<24	<82	<57	<82	<120	<55	<120		8,800	<27
01/14/16	260		<100	<25	<100	<37	<310	<82	<25	<82	<58	<82	<120	<56	<120		5,200	<27
07/12/16	140		<24	<100	<27	<41	<59	<82	<24	<31	<24	<35	<61	<29	<41		6,000	<49
01/19/17	110		<13	<52	<14	<21	<30	<42	<13	<16	<13	<18	<31	<15	<21		2,600	<25
07/18/17	110		<24	<100	<27	<41	<59	<82	<24	<31	<24	<35	<61	<29	<41		4,100	<49
01/11/18	100		<23	<21	<26	<20	<29	<21	<24	<20	<21	<23	<30	<22	<24		2,700	<26
07/18/18	100 Q		<23	<21	<26	<20	<29	<21	<24	<20	<21	<23	<30	<22	<24		2,900	<26
01/24/19	66		<23	<21	<25	<20	<28	<21	<24	<20	<21	<23	<29	<22	<24		2,600	<25
07/15/19	26		<23	<21	<26	<20	<29	<21	<24	<20	<21	<23	<30	<22	<24		670	<26
01/22/20	39		<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0		950	<3
1/22/2020																		
Duplicate	52		<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0		1,100	<3
07/08/20	<3.0		<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0		940	<3.0
01/13/21	<3.0		<3.0	<3.0	<3.0	<3.0 Q	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0		1,400	<3.0
1/13/2021																		
Duplicate	<3.0		<3.0	<3.0	<3.0	<3.0 Q	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0		1,200	<3.0
07/13/21	42 Q		<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0		760	<3.0
01/17/22	39		<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0		1,000	<3.0
07/11/22	26		<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0		460	<3.0
01/17/23	33		<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0		800	<3.0
07/11/23	27		<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0		470	<3.0
01/09/24	23		<3.0	<3.0	<3.0	<3.0	<3.0	<3.0 Q	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0		700	<3.0
07/09/24	3		2.3	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0		27	<3.0

Notes:

Prepared By: T. Dushek, 8/2/24

Checked By: A. Voit, 10/28/24

1.) All units are in ug/L.

2.) Bold Values indicate detections

3.) J = Estimated Value

4.) M = Matrix spike and/or Matrix Spike duplicate recovery outside acceptance limits.

5.) Q = Laboratory Control Sample outside acceptance limits.

6.) Y = Replicate/Duplicate precision outside acceptance limits.

7.) V = Raised quantitation or reporting limit due to limited sample amount or dilution for matrix background interference.

Phenolics - Historical Data
WAULECO, INC - Wausau Facility
Well - W69

Date	2,3,4,6-Tetrachlorophenol	2,4,5-Trichlorophenol	2,4,6-Trichlorophenol	2,4-Dichlorophenol	2,4-Dimethylphenol	2,4-Dinitrophenol	2,6-Dichlorophenol	2-Chlorophenol	2-Methylphenol	2-Nitrophenol	3&4-Methylphenol	4,6-Dinitro-2-Methylphenol	4-Chloro-3-Methylphenol	4-Nitrophenol	Pentachlorophenol	Phenol
07/24/03	2,100	<1500	<1500	<1500	<1500	<1500	<1500	4,700	2,500	<1500	2,600	<1500	<1500	<1500	14,000	8,600
01/21/04	6,700	<3000	<3000	<3000J	<3000	<3000J	<3000	19,000	11,000	<3000	<3,000J	<3000	<3000	<3,000J	64,000	19,000
07/14/04	870J	<600	<600	<600J	<600	1,300	<600	<600	1,200	<600J	<600J	<600	<600	<800	9,600	3,900
01/20/05	1,300 V	<600 V	<600 V	<600 V	<600 V	<600 V	<600 V	2,200 V	910 V	3,100 V	770 JV	<600 V	<600 V	<600 V	11,000 V	1500 V
01/23/08	630	<160	<180	<130	<250	<330	<190	<140	<180	<120	<140	<190	<230	<130	6,500	<64
07/24/08	1,100	<160	<180	<130	<250	<330	<190	<140	<180	<130	<140	<190	<230	<130	10,000	<65
01/21/09	1,000	<170	<180	<130	<250	<340	<190Q	<140	<180	<130	<140	<200	<230	<130	9,800	<65
01/26/11	520	<230	<210	<210	<170	<310	<250	<180	<180	<190	<290	<330 Q	<160	<230	6,200	<99
07/25/11	570	<1.1	<1.0	<1.0	<0.83	<1.5	<1.2	<0.88	<0.87	<0.91	<1.4	<1.6	<0.77	<1.1	4,300	<0.48
01/18/12	340 M	<12	<11	<11	<8.6	<16 M	<13	9.2 MY	<9.1 Y	<9.5 M	<15	<17 MY	<8	<12 M	4,100 M	<5.1 Y
07/10/12	140	<5.6	<5.1	<5.1	<4.1	<7.6	<6.1	<4.4	<4.3	<4.5	<7.1	<8.1	<3.8	<5.6	1500	<3.0
01/07/13	560	<110	<100	<100	<85	<150	<120	<90	<89	<93	<140	<160	<78	<110	8,900	<49
07/08/13	430	<120	<110	<110	<88	<160	<130	<94	<92	<97	<150	<170	<82	<120	5,000	<52

Notes:

Prepared By: T. Dushek, 8/5/13

Checked By: A. Voit, 9/21/13

1.) All units are in ug/L.

2.) Bold Values indicate detections

3.) J = Estimated Value

4.) M = Matrix spike and/or Matrix Spike duplicate recovery outside acceptance limits

5.) Q = Laboratory Control Sample outside acceptance limits.

6.) Y = Replicate/Duplicate precision outside acceptance limits.

7.) V = Raised quantitation or reporting limit due to limited sample amount or dilution for matrix background interference

8.) WDNR letter dated March 18, 2014 concurred with a TRC letter dated October 13, 2013 that this well could be eliminated from the monitoring network

Phenolics - Historical Data
WAULECO, INC - Wausau Facility
Well - DFOMW5

Date	Pentachlorophenol
01/19/10	5.3
07/13/10	<3
01/25/11	6.6
07/15/11	<1.1
01/17/12	<3
07/02/12	4.4
01/08/13	<3
07/10/13	<3
01/20/14	2.0
07/15/14	<3
01/19/15	2.0
07/08/15	<3
01/15/16	<3
07/11/16	0.55
01/23/17	2.10
07/20/17	0.55 B
01/09/18	<3.0
07/16/18	2.60
01/21/19	<3.0
07/16/19	2.0
01/14/20	<3.0
07/13/20	<3.0
01/13/21	<3.0
07/12/21	1.7
01/13/22	2.8
07/13/22	<3.0
01/11/23	<3.0
07/10/23	<3.0
01/08/24	<3.0
07/09/24	<3.0

Notes:

- 1.) All units are in ug/L.
- 2.) Bold Values indicate detections
- 3.) B = Analyte detected in the associated Method Blank
- 4.) J = Estimated Value
- 5.) M = Matrix spike and/or Matrix Spike duplicate recovery outside acceptance limits.
- 6.) Q = Laboratory Control Sample outside acceptance limits.
- 7.) Y = Replicate/Duplicate precision outside acceptance limits.
- 8.) V = Raised quantitation or reporting limit due to limited sample amount or dilution for matrix background interference.

Prepared By: T. Dushek, 8/2/24

Checked By: A. Voit, 10/28/24

Phenolics - Historical Data
WAULECO, INC - Wausau Facility
Well - DFOMW9

Date	Pentachlorophenol
01/19/10	160
07/13/10	45
07/13/10	
Duplicate	58
01/25/11	210
07/15/11	98
01/17/12	95
07/02/12	130
01/08/13	77
07/10/13	200

Notes:

- 1.) All units are in ug/L.
- 2.) Bold Values indicate detections
- 3.) J = Estimated Value
- 4.) M = Matrix spike and/or Matrix Spike duplicate recovery outside acceptance limits.
- 5.) Q = Laboratory Control Sample outside acceptance limits.
- 6.) Y = Replicate/Duplicate precision outside acceptance limits.
- 7.) V = Raised quantitation or reporting limit due to limited sample amount or dilution for matrix background interference.
- 8.) WDNR letter dated March 18, 2014 concurred with a TRC letter dated October 13, 2013 that this well could be eliminated from the monitoring network.

Prepared By: T. Dushek, 8/5/13

Checked By: A. Voit, 9/21/13

Phenolics - Historical Data
WAULECO, INC - Wausau Facility
Well - DFOMW10A

Date	Pentachlorophenol
01/19/10	3,200
01/19/10	
Duplicate	3,300
07/15/10	1,500
01/25/11	1,800
07/15/11	610
01/17/12	2,300
07/02/12	590
01/08/13	1,800
07/10/13	950

Notes:

- 1.) All units are in ug/L.
- 2.) Bold Values indicate detections
- 3.) J = Estimated Value
- 4.) M = Matrix spike and/or Matrix Spike duplicate recovery outside acceptance limits.
- 5.) Q = Laboratory Control Sample outside acceptance limits.
- 6.) Y = Replicate/Duplicate precision outside acceptance limits.
- 7.) V = Raised quantitation or reporting limit due to limited sample amount or dilution for matrix background interference.
- 8.) WDNR letter dated March 18, 2014 concurred with a TRC letter dated October 13, 2013 that this well could be eliminated from the monitoring network.

Prepared By: T. Dushek, 8/5/13

Checked By: A. Voit, 9/21/13

Phenolics - Historical Data
WAULECO, INC - Wausau Facility
Well - DFOMW11

Date	Pentachlorophenol
01/19/10	3,900
07/13/10	4,800
01/25/11	3,100
07/15/11	5,000
01/17/12	2,200
07/02/12	4,200
7/2/2012 Duplicate	4,000
01/08/13	3,300
07/10/13	580
01/20/14	2,400
1/20/14 Duplicate	3,000
07/15/14	5,800
01/19/15	3,100
07/08/15	5,300
01/15/16	3,100
07/11/16	2,900
01/23/17	2,800
07/20/17	810
01/09/18	1,300
07/16/18	4,100
01/21/19	890
07/16/19	240
01/14/20	410
07/13/20	580
01/13/21	470
1/13/2021 Duplicate	420
07/12/21	1,700
01/13/22	300
1/13/2022 Duplicate	220
07/13/22	810
7/13/2022 Duplicate	890
01/11/23	280
1/11/2023 Duplicate	270
07/10/23	300
01/08/24	160
7/9/2024	350
7/9/2024 Duplicate	390

Notes:

- 1.) All units are in ug/L.
- 2.) Bold Values indicate detections
- 3.) J = Estimated Value
- 4.) M = Matrix spike and/or Matrix Spike duplicate recovery outside acceptance limits.
- 5.) Q = Laboratory Control Sample outside acceptance limits.
- 6.) Y = Replicate/Duplicate precision outside acceptance limits.

Prepared By: T. Dushek, 8/2/24

Checked By: A. Voit, 10/28/24

Phenolics - Historical Data
WAULECO, INC - Wausau Facility
Well - DFOMW12

Date	Pentachlorophenol
01/19/10	3,600
07/13/10	2,600
01/25/11	7,900
1/25/2011	
Duplicate	7,300
07/15/11	4,800
7/15/2011	
Duplicate	3,000
01/17/12	7,600
1/17/2012	
Duplicate	8,400
07/02/12	9,500
01/08/13	5,400
1/8/2013	
Duplicate	5,500
07/10/13	6,100
7/10/2013	
Duplicate	5,800
07/15/14	5,200
7/15/2014	
Duplicate	6,100
01/19/15	10,000
1/19/2015	
Duplicate	10,000
07/08/15	4,500
7/8/2015	
Duplicate	4,500
01/19/16	5,900
07/11/16	4,900
7/11/2016	
Duplicate	4,800
01/23/17	5,000
1/23/2017	
Duplicate	4,500
07/20/17	2,300
7/20/2017	
Duplicate	2,800
01/09/18	2,400
1/9/2018	
Duplicate	2,600
07/16/18	2,300
7/16/2018	
Duplicate	1,700
01/21/19	3,300
1/21/2019	
Duplicate	3,500
07/16/19	400
7/16/2019	
Duplicate	390

Phenolics - Historical Data
WAULECO, INC - Wausau Facility
Well - DFOMW12

Date	Pentachlorophenol
01/14/20	1,500
1/14/2020	
Duplicate	1,400
07/13/20	520
7/13/2020	
Duplicate	450
01/13/21	1,400
07/12/21	660
7/12/2021	
Duplicate	600
01/13/22	2,000
07/13/22	1,200
01/11/23	1,400
07/10/23	770
Duplicate	870
01/08/24	770
1/8/2024	
Duplicate	780
07/09/24	97

Notes:

- 1.) All units are in ug/L.
- 2.) Bold Values indicate detections
- 3.) J = Estimated Value
- 4.) M = Matrix spike and/or Matrix Spike duplicate recovery outside acceptance limits
- 5.) Q = Laboratory Control Sample outside acceptance limits
- 6.) Y = Replicate/Duplicate precision outside acceptance limits.
- 7.) V = Raised quantitation or reporting limit due to limited sample amount or dilution for matrix background interference.

Prepared By: T. Dushek, 8/2/24

Checked By: A. Voit, 10/28/24

Phenolics - Historical Data
WAULECO, INC - Wausau Facility
Well - W71

Date	Pentachlorophenol
07/06/15	<3.0
01/15/16	<3.0
07/01/16	<3.0
01/23/17	<3.0
07/10/17	<3.0
01/09/18	<3.0
07/10/18	<3.0
01/21/19	<3.0
07/15/19	2.1
01/09/20	<3.0
07/06/20	<3.0
01/07/21	<3.0
07/06/21	<3.0
01/11/22	<3.0
07/05/22	<3.0
01/09/23	<3.0
07/05/23	<3.0
01/03/24	<3.0
07/01/24	<3.0

Notes:

- 1.) All units are in ug/L.
- 2.) Bold Values indicate detections
- 3.) J = Estimated Value
- 4.) M = Matrix spike and/or Matrix Spike duplicate recovery outside acceptance limits.
- 5.) Q = Laboratory Control Sample outside acceptance limits.
- 6.) Y = Replicate/Duplicate precision outside acceptance limits.
- 7.) V = Raised quantitation or reporting limit due to limited sample amount or dilution for matrix background interference.

Prepared By: T. Dushek, 8/2/24

Checked By: A. Voit, 10/28/24

Phenolics - Historical Data
WAULECO, INC - Wausau Facility
Well - W72

Date	Pentachlorophenol
07/06/15	<3.0
01/15/16	<3.0
07/01/16	<3.0
01/23/17	<3.0
07/10/17	<3.0
01/30/18	<3.0
07/10/18	<3.0
01/21/19	<3.0
07/11/19	<3.0
01/09/20	<3.0
07/06/20	<3.0
01/07/21	<3.0
07/06/21	<3.0
01/11/22	<3.0
07/05/22	<3.0
01/09/23	<3.0
07/05/23	<3.0
01/03/24	<3.0
07/01/24	<3.0

Notes:

- 1.) All units are in ug/L.
- 2.) Bold Values indicate detections
- 3.) J = Estimated Value
- 4.) M = Matrix spike and/or Matrix Spike duplicate recovery outside acceptance limits.
- 5.) Q = Laboratory Control Sample outside acceptance limits.
- 6.) Y = Replicate/Duplicate precision outside acceptance limits.
- 7.) V = Raised quantitation or reporting limit due to limited sample amount or dilution for matrix background interference.

Prepared By: T. Dushek, 8/2/24

Checked By: A. Voit, 10/28/24

Phenolics - Historical Data
WAULECO, INC - Wausau Facility
Well - W73

Date	2,3,4,6- Tetrachlorophenol	2,4,5- Trichlorophenol	2,4,6- Trichlorophenol	2,4-Dichlorophenol	2,4-Dimethylphenol	2,4-Dinitrophenol	2,6-Dichlorophenol	2-Chlorophenol	2-Methylphenol	2-Nitrophenol	3&4-Methylphenol	4,6-Dinitro-2- Methylphenol	4-Chloro-3- Methylphenol	4-Nitrophenol	Pentachlorophenol	Phenol
07/06/15															<3.0	
01/15/16															<3.0	
07/01/16															<3.0	
01/23/17															<3.0	
07/10/17															<3.0	
01/30/18															<3.0	
07/10/18															<3.0	
01/22/19	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0
07/11/19	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0
01/10/20	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0
07/07/20															<3.0	
01/07/21	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0
07/08/21															1.8	
01/12/22															<3.0	
07/05/22															<3.0	
01/09/23															<3.0	
07/05/23															<3.0	
01/03/24															<3.0	
07/02/24															<3.0	

Notes:

Prepared By: T. Dushek, 8/2/24

Checked By: A. Voit, 10/28/24

- 1.) All units are in ug/L.
- 2.) Bold Values indicate detections
- 3.) J = Estimated Value
- 4.) M = Matrix spike and/or Matrix Spike duplicate recovery outside acceptance limits.
- 5.) Q = Laboratory Control Sample outside acceptance limits.
- 6.) Y = Replicate/Duplicate precision outside acceptance limits.
- 7.) V = Raised quantitation or reporting limit due to limited sample amount or dilution for matrix background interference.

Phenolics - Historical Data
WAULECO, INC - Wausau Facility
Well - W74

Date	Pentachlorophenol
07/06/15	<3.0
01/15/16	<3.0
07/01/16	<3.0
01/23/17	<3.0
07/10/17	<3.0
01/09/18	<3.0
07/10/18	<3.0
01/21/19	<3.0
07/11/19	<3.0
01/10/20	<3.0
07/07/20	<3.0
01/07/21	<3.0
07/06/21	<3.0
01/11/22	<3.0
07/05/22	<3.0
01/09/23	<3.0
07/05/23	<3.0
01/03/24	<3.0
07/01/24	<3.0

Notes:

- 1.) All units are in ug/L.
- 2.) Bold Values indicate detections
- 3.) J = Estimated Value
- 4.) M = Matrix spike and/or Matrix Spike duplicate recovery outside acceptance limits.
- 5.) Q = Laboratory Control Sample outside acceptance limits.
- 6.) Y = Replicate/Duplicate precision outside acceptance limits.
- 7.) V = Raised quantitation or reporting limit due to limited sample amount or dilution for matrix background interference.

Prepared By: T. Dushek, 8/2/24

Checked By: A. Voit, 10/28/24

Phenolics - Historical Data
WAULECO, INC - Wausau Facility
Well - W44

Date	Pentachlorophenol
07/14/21	5,000

Notes:

Prepared By: T. Dushek, 10/8/21

Checked By: A. Voit, 11/24/21

- 1.) All units are in ug/L.
- 2.) Bold Values indicate detections
- 3.) J = Estimated Value
- 4.) M = Matrix spike and/or Matrix Spike duplicate recovery outside acceptance limits.
- 5.) Q = Laboratory Control Sample outside acceptance limits.
- 6.) Y = Replicate/Duplicate precision outside acceptance limits.
- 7.) V = Raised quantitation or reporting limit due to limited sample amount or dilution for matrix background interference.

B3

Volatile Organic Compounds

Volatile Organic Compounds - Historical Data
WAULECO, INC - Wausau Facility
Well - W01A

Parameter	06/14/92	09/17/92	12/18/92	03/23/93	06/28/93	12/28/93	06/21/94	07/05/95	07/10/96	07/11/97	06/23/98	06/09/99	07/18/00	01/31/01	07/09/01	08/06/02	07/22/03	07/13/04	07/21/05	07/18/06	07/11/07	07/23/08	07/06/09	07/13/10	07/19/11	07/06/12	07/05/13	07/07/14	07/07/15	07/06/16	07/11/17	07/12/18	07/09/19	07/08/20	
1,1,1,2-Tetrachloroethane				<1		<1	<1		<1	<0.2	<0.2	<0.2	<4	<0.20	<2.0	<0.90	<1.8	<0.90	<0.50	<0.70	<0.60	<0.60	<0.60	<0.24	<0.40										
1,1,1-Trichloroethane	5	50	5	1	1	1	1	<1.5	1.0	0.3	0.3	0.3	3	0.54	<1.5	<0.50	<1.0	<0.50	<0.60	<0.50	<0.60	<0.60	<0.60	<0.21	<0.29										
1,1,2,2-Tetrachloroethane	<5	<50	<5	<1	<1	<1	<1	1.5	<1	<0.2	<0.2	<0.2	<4	<0.20	<2.0	<0.80	<1.6	<0.80	<0.15	<0.13	<0.14	3.5	<0.14	<0.19	<0.30										
1,1,2-Trichloroethane	<5	<50	<5	<1	<1	<1	<1	<1	<1	<1	<0.2	<0.2	<2	<0.10	<1.0	<0.90	<1.8	<0.90	<0.40	<0.50	<0.50	<0.50	<0.50	<0.26	<0.30										
1,1-Dichloroethane	<5	<50	<5	<1	<1	<1	<1	<1	<1	<0.2	<0.2	<0.2	<4	<0.10	<2.0	<0.50	<1.0	<0.50	<0.50	<0.40	<0.40	<0.40	<0.40	<0.20	<0.28										
1,1-Dichloroethene	<5	<50	<5	<1	<1	<1	<1	<1	<1	<0.4	<0.2	<0.2	<9	<0.20	<4.5	<0.40	<0.80	<0.40	<0.50	<0.30	<0.40	<0.40	<0.40	<0.24	<0.29										
1,1-Dichloropropene				<1		<1	<1	<1	<1	<0.2	<0.3	<0.3	<4	<0.20	<2.0	<0.50	<1.0	<0.50	<0.50	<0.60	<0.50	<0.50	<0.50	<0.24	<0.40										
1,2,3-Trichlorobenzene				<1	<1	<1	<1	<1	<1	<0.5	<0.4	<0.4	<5	<0.30	<2.5	<0.50	<1.0	<0.50	<0.60	<0.50	<0.50	<0.50	<0.50	<0.30	<0.40										
1,2,3-Trichloropropane				<1		<1	<1	<1	<1	<0.3	<0.2	<0.2	<3	<0.10	<1.5	<0.80	<1.6	<0.80	<0.60	<0.70	<0.30	<0.30	<0.30	<0.21	<0.40										
1,2,4-Trichlorobenzene				<1	<1	<1	<1	<1	<1	<0.5	<0.3	<0.3	<5	<0.30	<2.5	<0.50	<1.0	<0.50	<0.70	<0.70	<0.40	<0.40	<0.40	<0.30	<0.30										
1,2,4-Trimethylbenzene				140	430	68	320		89.6	300	290	100	130	2.8	180	45	34	18	<0.40	15	3	3.8	23	16	16		18	9	8.1	8	5.5	16	4.1	0.66	
1,2-Dibromo-3-chloropropane				<3	<3	<3	<3		<3	<0.3	<0.3	<0.3	<3	<0.40	<1.5	<0.40	<0.80	<0.40	<1.1	<0.30	<0.40	<0.40	<0.40	<0.40	<0.50										
1,2-Dibromoethane				<2	<2	<2	<2		<2	<0.2	<0.4	<0.4	<3	<0.10	<1.5	<0.30	<0.60	<0.30	<0.60	<0.50	<0.13	<0.13	<0.13	<0.16	<0.30										
1,2-Dichlorobenzene				<1	<1	<1	<1	<1	<1	<0.3	<0.3	<0.3	<3	<0.20	<1.5	<0.70	<1.4	<0.70	<0.50	<0.50	<0.40	<0.40	<0.40	<0.23	<0.40										
1,2-Dichloroethane	<5	<50	<5	<1	<1	<1	<1	<1	<1	<0.2	<0.2	<0.2	<4	<0.20	<2.0	<0.90	<1.8	<0.90	<0.50	<0.50	<0.30	<0.30	<0.30	<0.30	<0.30										
cis-1,2-Dichloroethene				<1	<1	<1	<1	<1	<1	<0.2	<0.2	<0.2	<4	<0.20	<2.0	<0.50	<1.0	<0.50	<0.60	<0.40	<0.40	<0.40	<0.40	<0.25	<0.30										
trans-1,2-Dichloroethene	<5	<50	<5	<1	<1	<1	<1	<1	<1	<0.2	<0.3	<0.3	<8	<0.10	<4.0	<0.40	<0.80	<0.40	<0.60	<0.40	<0.50	<0.50	<0.50	<0.25	<0.30										
1,2-Dichloropropane	<5	<50	<5	<1	<1	<1	<1	<1	<1	<0.1	<0.2	<0.2	<3	<0.20	<1.5	<0.40	<0.80	<0.40	<0.50	<0.50	<0.21	<0.21	<0.21	<0.22	<0.29										
1,3,5-Trimethylbenzene				38	110	21	130		14.4	130	140	150	97	0.45	97	35	21	10	<0.50	12	2.3	2.5	27	17	16										
1,3-Dichlorobenzene				<1	<1	<1	<1	<1	<1	<0.7	<0.4	<0.4	<4	<0.10	<2.0	<0.50	<1.0	<0.50	<0.50	<0.40	<0.40	<0.40	<0.40	<0.26	<0.30										
cis-1,3-Dichloropropene	<5	<50	<5	<1	<1	<1	<1	<1	<1	<0.3	<0.3	<0.3	<2	<0.10	<1.0	<0.60	<1.2	<0.60	<0.12	<0.15	<0.14	<0.14	<0.14	<0.19	<0.28										
1,3-Dichloropropane				<1	<1	<1	<1	<1	<1	<0.3	<0.6	<0.6	<4	<0.10	<2.0	<1.2	<2.4	<1.2	<0.60	<0.50	<0.19	<0.19	<0.19	<0.23	<0.30										
trans-1,3-Dichloropropene	<5	<50	<5	<1	<1	<1	<1	<1	<1	<0.2	<0.2	<0.2	<5	<0.10	<2.5	<0.70	<1.4	<0.70	<0.14	<0.14	<0.14	<0.14	<0.14	<0.19	<0.30										
1,4-Dichlorobenzene				<1	<1	<1	<1	<1	<1	<0.3	<0.3	<0.3	<4	<0.10	<2.0	<0.50	<1.0	<0.50	<0.50	<0.60	<0.50	<0.50	<0.50	<0.23	<0.30										
2,2-Dichloropropane				<1	<1	<1	<1		<1	<0.2	<0.5	<0.5	<2	<0.20	<1.0	<0.60	<1.2	<0.60	<0.60	<0.60	<0.30	<0.30	<0.30	<0.25	<0.28										
2-Butanone (MEK)	<10	<100	<10																<7.0	<5.0	<4.0	<4.0	<4.0	<2.4	<3.0										
2-Chloroethyl vinyl ether								<10																											
2-Chlorotoluene				<1	<1	<1	<1		<1	<0.4	<0.3	<0.3	<4	<0.10	<2.0	<0.60	<1.2	<0.60	<0.50	<0.50	<0.30	<0.30	<0.30	<0.22	<0.30										
2-Hexanone	<10	<100	<10																<7.0	<8.0	<4.0	<4.0	<4.0	<4.0	<4.0										
4-Chlorotoluene				<1	<1	<1	<1		<1	<0.3	<0.3	<0.3	<3	<0.20	<1.5	<0.60	<1.2	<0.60	<0.40	<0.60	<0.30	<0.30	<0.30	<0.21	<0.29										
4-Methyl-2-Pentanone (MIBK)	<10	<100	<10																<7.0	<6.0	<3.0	<3.0	<3.0	<3.0	<3.0										
Acetone	<10	2230	11.7																<9.0	<10.0	<7.0	<7.0	<7.0	<5.0	<5.0										
Benzene	<5	<50	<5	<1	<1	<1	<1	<1	<1	<0.2	<0.3	<0.3	<1	<0.10	<0.5	0.51	<0.80	<0.40	<0.40	<0.40	<0.16	<0.16	<0.16	<0.19	<0.30										
Bromobenzene				<1	<1	<1	<1		<1	<0.3	<0.2	<0.2	<5	<0.10	<2.5	<0.50	<1.0	<0.50	<0.50	<0.60	<0.30	<0.30	<0.30	<0.20	<0.30										
Bromochloromethane				<1		<1	<1		<1	<0.4	<0.2	<0.2	<4	<0.10	<2.0	<0.50	<1.0	<0.50	<0.50	<0.70	<0.21	<0.21	<0.21	<0.22	<0.40										
Bromodichloromethane	<5	<50	<5	<1	<1	<1	<1	<1	<1	<0.2	<0.2	<0.2	<2	0.20	<1.0	<0.40	<0.80	<0.40	<0.13	<0.15	<0.19	<0.19	<0.19	<0.20	<0.30										
Bromoform	<5	<50	<5	<1		<1	<1	<1	<1	<0.3	<0.2	<0.2	<1	<0.20	<0.5	<0.60	<1.2	<0.60	<0.50	<0.21	<0.50	<0.50	<0.50	<0.22	<0.24										
Bromomethane	<10	<100	<10	<2		<2	<2	<2	<2	<0.3	<0.9	<0.9	<4	<0.40	<2.0	<0.80	<1.6	<0.80	<0.80	<0.90	<0.40	<0.40	<0.40	<0.50	<0.30										
n-Butylbenzene				34	130	28	140		15.2	160	180	150	170	0.32																					

Volatile Organic Compounds - Historical Data
WAULECO, INC - Wausau Facility
Well - W01A

Parameter	06/14/92	09/17/92	12/18/92	03/23/93	06/28/93	12/28/93	06/21/94	07/05/95	07/10/96	07/11/97	06/23/98	06/09/99	07/18/00	01/31/01	07/09/01	08/06/02	07/22/03	07/13/04	07/21/05	07/18/06	07/11/07	07/23/08	07/06/09	07/13/10	07/19/11	07/06/12	07/05/13	07/07/14	07/07/15	07/06/16	07/11/17	07/12/18	07/09/19	07/08/20
Carbon disulfide	<5	<50	<5												170				<1.1	<1.0	<0.50	<0.50	<0.50	<0.50	<0.60									
Carbon tetrachloride	<5	<50	<5	<1	<1	<1	<1	<1	<1	<0.2	<0.4	<0.4	<3	<0.10	<1.5	<0.60	<1.2	<0.60	<0.50	<0.50	<0.40	<0.40	<0.40	<0.23	<0.40									
Chlorobenzene	<5	<50	<5	<1	<1	<1	<1	<1	<1	<0.3	<0.3	<0.3	<3	<0.10	<1.5	<0.80	<1.6	<0.80	<0.50	<0.40	<0.30	<0.30	<0.30	<0.24	<0.30									
Dibromochloromethane	<5	<50	<5	<1	<1	<1	<1	<1	<1	<0.3	<0.3	<0.3	<4	<0.20	<2.0	<0.40	<0.80	<0.40	<0.60	<0.60	<0.23	<0.23	<0.23	<0.19	<0.26									
Chloroethane	<10	<100	<10	<2	<2	<2	<2	<2	<2	<0.4	<0.8	<0.8	<5	0.58	<2.5	<0.50	<1.0	<0.50	<0.70	1.2	0.48	1.2	<0.40	<0.40	<0.30									
Chloroform	6.19	<50	<5	5.2	5.2	4.2	1.4	1.1	2.3	<0.2	<0.2	<0.2	<5	4.2	<2.5	<0.60	<1.2	<0.60	1.3	0.61	0.41	0.23	<0.22	0.57	<0.23									
Chloromethane	<10	<100	<10	<2	<2	<2	<2	<2	<2	<0.7	<0.9	<0.9	<3	0.27	<1.5	<0.40	<0.80	<0.40	<0.24	0.32	<0.30	<0.30	0.56B	<0.40	<0.40									
Dibromomethane				<1		<1	<1	<1		<1	<0.1	<0.2	<0.2	<4	<0.20	<2.0	<0.50	<1.0	<0.50	<0.70	<0.80	<0.40	<0.40	<0.24	<0.30									
Dichlorodifluoromethane				<2	<2	<2	<2		<2	<0.3	<1.2	<1.2	<5	<0.10	<2.5	<0.50	<1.0	<0.50	<0.60	<0.29	<0.40	<0.40	<0.40	<0.26	<0.30									
Diisopropyl Ether					<1					<0.3	<1	<0.10	<0.5	<0.50	<1.0	<0.50	<0.50	<0.40	<0.50	<0.40	<0.50	<0.50	<0.50	<0.20	<0.30									
Ethylbenzene	<5	<50	<5	<1	<1	<1	<1	<1	<1	<0.2	<0.2	<0.2	<1	<0.10	<0.5	<0.50	<1.0	<0.50	<0.50	<0.50	<0.28	<0.28	<0.28	<0.22	<0.29									
Hexachlorobutadiene				<1	<1	<1	<1		<1	<0.5	<0.6	<0.6	<6	<0.20	<3.0	<0.50	<1.0	<0.50	<0.60	<0.90	<0.60	<0.60	<0.30	<0.40										
Isopropylbenzene				26	25	4.2	27		3.1	<0.2	38	12	<1	0.47	16	6.1	1.1	2	<0.40	<0.60	<0.20	0.91	0.31	<0.18	<0.30									
p-Isopropyltoluene				<1	39	9.7	50		4.0	24	67	60	34	0.89	47	18	11	5	<0.40	15	3.2	3.4	15	11	10									
Methyl tert-butyl ether					<1							<0.2	<11	<0.30	<5.5	<0.50	<1.0	<0.50	<0.60	<0.40	<0.23	<0.23	<0.23	<0.29	<0.30									
Methylene chloride	<5	116	14.1	<3	<3	<3	<3	<3	<3	<0.3	<0.5	<0.5	<19	<0.40	<9.5	<1.0	<2.0	3 J,A,B,Q	<0.40	<1.0	<0.50	<0.50	<0.50	<0.40	<0.40									
Naphthalene	<11	<10	<10	6	38	4.2	19	2.9	3.8	<0.8	17	7.5	<7	0.89	6.9 e	0.95	<1.0	0.95 J	<0.60	<0.70	<0.60	<0.60	1.3	<0.40	<0.40	<0.31	2.7	1.5	1.3	1.2	1.1	1.9	1.1	<0.90
n-Propylbenzene				7	25	5.2	23		5.0	<0.3	76	10	<3	0.47	15	6	2.4	1.9	<0.40	0.57	0.26	0.27	0.61	0.5	0.4									
Styrene	<5	<50	<5	4.4		<1	<1		<1	<0.2	<0.2	<0.2	<2	<0.10	<1.0	14	4.5	4.7	<0.50	<0.50	<0.30	<0.30	<0.30	<0.20	<0.30									
Tetrachloroethene	<5	<50	<5	<1	<1	<1	6.3	<1	<1	<0.3	<0.6	<0.6	<4	<0.10	<2.0	4.7	1.5	1.6	<0.40	<0.29	<0.40	<0.40	<0.40	<0.30	<0.30									
Tetrahydrofuran																			0.60	<7.0	<4.0	<4.0	<4.0	<3.0	<4.0									
Toluene	<5	<50	<5	<1	<1	<1	<1	<1	<1	<0.2	<0.2	<0.2	<1	<0.20	<0.5	0.95	<1.0	<0.50	<7.0	<0.40	<0.20	<0.20	<0.20	<0.22	<0.30									
Trichloroethene	<5	<50	<5	<1	<1	<1	<1	<1	<1	<0.2	<0.3	<0.3	<3	<0.20	<1.5	<0.60	<1.2	<0.60	<0.15	<0.15	<0.15	<0.15	<0.15	<0.21	<0.40									
Trichlorofluoromethane				<1	<1	<1	<1	<1	<1	<0.5	<0.6	<0.6	<4	<0.20	<2.0	<0.40	<0.80	<0.40	<0.50	<0.70	<0.40	<0.40	<0.40	<0.20	<0.40									
Vinyl acetate	<10	<100	<10																<8.0	<1.7	<1.1	<1.1	<1.1	<3.0	<4.0									
Vinyl chloride	<10	<100	<10	<1	<1	<1	<1	<1	<1	<0.3	<0.5	<0.5	<4	<0.10	<2.0	<0.30	<0.60	<0.30	<0.12	<0.15	<0.15	<0.15	<0.15	<0.18	<0.19									
Xylene, m & p-				<2	15	2.8	15	<2	4.6	<0.4	24	<0.3	<2	<0.20	4.4	2.5	<1.2	<0.60	<1.0	<0.9	<0.50	<0.50	<0.50	<0.50	<0.60	<0.90	<1.0	<1.1	0.81	<0.80	<0.80	<0.80	<0.80	
Xylene, o-				8.9	30	6.3	49	1.4	7.4	<0.2	<0.5	24	<1	0.16	<0.5	<0.50	<1.0	<0.50	<0.40	<0.60	<0.50	<0.50	<0.50	<0.24	<0.29		4.2	1.7	2	2.3	1.8	2.4	<0.40	<0.40
Xylenes, Total	5.88	<50	18.3																	<1.5	<1.0	<1.0	<1.0	<1.0	<0.89		4.2	1.7	2	3.11	1.8	2.4	5.2	<1.2

Prepared By: T. Dushek, 8/8/20

Checked by: A. Voit, 11/23/20

NOTES:

All Units are in ug/L

Bold values indicate detections

A = Analyte averaged calibration criteria within acceptable limits

B = Analyte detected in associated Method Blank

M = Matrix spike or matrix spike duplicate outside acceptance limits.

J = Estimated Value

Q = Lab Control Sample outside acceptance limits

* = Suspected methylene chloride laboratory contamination.

Volatile Organic Compounds - Historical Data
WAULECO, INC - Wausau Facility
Well - W02

Parameter	06/14/92	09/17/92	12/18/92	03/24/93	06/22/94	07/06/95	07/10/96	07/11/97	06/25/98	07/22/03	07/14/04	07/21/05	7/21/2005 duplicate	07/15/10	07/20/11	07/09/12	7/9/2012 Duplicate	7/8/2013	7/16/2014	7/8/2015	7/7/2016	7/7/2016 Duplicate	7/13/2017	7/13/2017 Duplicate	7/12/2018	7/12/2018 Duplicate	7/11/2019	7/11/2019 Duplicate	7/14/2020	7/14/2020 Duplicate	7/13/2021	7/13/2021 Duplicate	7/12/2022	7/12/2022 Duplicate	7/11/2023	7/11/2023 Duplicate	7/9/2024	7/9/2024 Duplicate	
1,1,1,2-Tetrachloroethane				<1	<1		<10	<0.1	<0.3	<18	<18	<25	<25	<4.8	<4.0																								
1,1,1-Trichloroethane	<5	<50	<5	<1	<1	<20	<10	<0.3	<0.3	<10	<10	<30	<30	<4.2	<2.9																								
1,1,2,2-Tetrachloroethane	<5	<50	<5	<1	<1	<20	<10	<0.2	<0.2	<16	<16	<7.5	<7.5	<3.8	4.5																								
1,1,2-Trichloroethane	<5	<50	<5	<1	<1	<20	<10	<1	<0.2	<18	<18	<20	<20	<5.2	<3.0																								
1,1-Dichloroethane	<5	<50	<5	<1	<1	<20	<10	<0.2	<0.2	<10	<10	<25	<25	<4.0	<2.8																								
1,1-Dichloroethene	<5	<50	<5	<1	<1	<20	<10	<0.4	<0.2	<8.0	<8.0	<25	<25	<4.8	<2.9																								
1,1-Dichloropropene				<1	<1		<10	<0.2	<0.3	<10	<10	<25	<25	<4.8	<4.0																								
1,2,3-Trichlorobenzene				<1	<1		<10	<0.5	<0.4	<10	<10	<30	<30	<6.0	<4.0																								
1,2,3-Trichloropropane				<1	<1		<10	<0.3	<0.2	<16	<16	<30	<30	<4.2	<4.0																								
1,2,4-Trichlorobenzene				<1	<1		<10	<0.5	<0.3	<10	<10	<35	<35	<6.0	<3.0																								
1,2,4-Trimethylbenzene				490	850		623.6	1400	1300	740	510	1300	1200	600	520			600	680	710	750		880	110	130	1000	970	370	380	210	220	700	600	510	510	580	560	70	52
1,2-Dibromo-3-chloropropane				<3	<3		<30	<0.3	<0.3	<8.0	<8.0	<55	<55	<8.0	<5.0																								
1,2-Dibromoethane				<2	<2		<20	<0.2	<0.4	<6.0	<6.0	<30	<30	<3.2	<3.0																								
1,2-Dichlorobenzene				<1	<1	<20	<10	<0.3	<0.3	<14	<14	<25	<25	<4.6	<4.0																								
1,2-Dichloroethane	<5	<50	<5	<1	<1	<20	<10	<0.2	<0.2	<18	<18	<25	<25	<6.0	<3.0																								
cis-1,2-Dichloroethene				<1	<1	<20	<10	<0.2	<0.2	<10	<10	<30	<30	<5.0	<3.0																								
trans-1,2-Dichloroethene	<5	<50	<5	<1	<1	<20	<10	<0.2	<0.3	<8.0	<8.0	<30	<30	<5.0	<3.0																								
1,2-Dichloropropane	<5	<50	<5	<1	<1	<20	<10	<0.1	<0.2	<8.0	<8.0	<25	<25	<4.4	<2.9																								
1,3,5-Trimethylbenzene				120	200		21,291	420	415	360	300	530	530	260	200																								
1,3-Dichlorobenzene				<1	<1	<20	<10	<0.7	<0.4	<10	<10	<25	<25	<5.2	<3.0																								
cis-1,3-Dichloropropene	<5	<50	<5	<1	<1	<20	<10	<0.3	<0.3	<12	<12	<6	<6	<3.8	<2.8																								
1,3-Dichloropropane				<1	<1		<10	<0.3	<0.6	<24	<14	<30	<30	<4.6	<3.0																								
trans-1,3-Dichloropropene	<5	<50	<5	<1	<1	<20	<10	<0.2	<0.2	<14	<24	<7	<7	<3.8	<3.0																								
1,4-Dichlorobenzene				<1	<1	<20	<10	<0.3	<0.3	<10	<10	<25	<25	<4.6	<3.0																								
2,2-Dichloropropane				<1	<1		<10	<0.2	<0.5	<12	<12	<30	<30	<5.0	<2.8																								
2-Butanone (MEK)	<10	<100	<10									<350	<350	<48	<30																								
2-Chloroethyl vinyl ether						<200																																	
2-Chlorotoluene				<1	<1		<10	<0.4	<0.3	<12	<12	<25	<25	<4.4	<3.0																								
2-Hexanone	<10	<100	<10									<350	<350	<80	<40																								
4-Chlorotoluene				<1	<1		<10	<0.3	<0.3	<12	<12	<20	<20	<4.2	<2.9																								
4-Methyl-2-Pentanone (MIBK)	<10	<100	<10									<350	<350	<60	<30																								
Acetone	<10	1620	16.8									<450	<450	<100	<50																								
Benzene	<5	<50	<5	2.8	4	<20	<10	<0.2	<0.3	<8.0	<8.0	<20	<20	<3.8	<3.0																								
Bromobenzene				<1	<1		<10	<0.3	<0.2	<10	<10	<25	<25	<4.0Q	<3.0																								
Bromochloromethane				<1	<1		<10	<0.4	<0.2	<10	<10	<25	<25	<4.4	<4.0																								
Bromodichloromethane	<5	<50	<5	<1	<1	<20	<10	<0.2	<0.2	<8.0	<8.0	<6.5	<6.5	<4.0	<3.0																								
Bromoform	<5	<50	<5	<1	<1	<20	<10	<0.3	<0.2	<12	<12	<25	<25	<4.4	<2.4																								
Bromomethane	<10	<100	<10	<2	<2	<40	<20	<0.3	<0.9	<16	<16	<40	<40	<10	<3.0																								
n-Butylbenzene				85	140		91.59	140	180	260	230	160	31	31	21																								
sec-Butylbenzene				36	43		<10	30	72.5	31	35	59	18	18	14																								
tert-Butylbenzene				<1	<1		<10	<0.3	<0.3	<10	<10	<25	<25	<4.0	6.2																								

Volatile Organic Compounds - Historical Data
WAULECO, INC - Wausau Facility
Well - W02

Parameter	06/14/92	09/17/92	12/18/92	03/24/93	06/22/94	07/06/95	07/10/96	07/11/97	06/25/98	07/22/03	07/14/04	07/21/05	7/21/2005 duplicate	07/15/10	07/20/11	07/09/12	7/9/2012 Duplicate	7/8/2013	7/16/2014	7/8/2015	7/7/2016	7/7/2016 Duplicate	7/13/2017	7/13/2017 Duplicate	7/12/2018	7/12/2018 Duplicate	7/11/2019	7/11/2019 Duplicate	7/14/2020	7/14/2020 Duplicate	7/13/2021	7/13/2021 Duplicate	7/12/2022	7/12/2022 Duplicate	7/11/2023	7/11/2023 Duplicate	7/9/2024	7/9/2024 Duplicate
Carbon disulfide	<5	<50	<5									<55	<55	<10	<6.0																							
Carbon tetrachloride	<5	<50	<5	<1	<1	<20	<10	<0.2	<0.4	<12	<12	<25	<25	<4.6	<4.0																							
Chlorobenzene	<5	<50	<5	<1	<1	<20	<10	<0.3	<0.3	<16	<16	<25	<25	<4.8	<3.0																							
Chlorodibromomethane	<5	<50	<5	<1	<1	<20	<10	<0.3	<0.3	<8.0	<8.0	<30	<30	<3.8	<2.6																							
Chloroethane	<10	<100	<10	<2	<2	<40	<20	<0.4	<0.8	<10	<10	<35	<35	<8.0	<3.0																							
Chloroform	6.24	<50	<5	3.2	4.3	<20	<10	<0.2	<0.2	<12	<12	<25	<25	<3.0	<2.3																							
Chloromethane	<10	<100	<10	<2	<2	<40	<20	<0.7	<0.9	<8.0	<8.0	<12	<12	<8.0	<4.0																							
Dibromomethane				<1	<1		<10	<0.1	<0.2	<10	<10	<35	<35	<4.8	<3.0																							
Dichlorodifluoromethane				<2	<2		<20	<0.3	<1.2	<10	<10	<30	<30	<5.2	<3.0																							
Diisopropyl ether										<10	<10	<25	<25	<4.0	<3.0																							
Ethylbenzene	25.1	<50	25.2	17	18	<20	<10	35	67.5	<10	<10	<25	9.7	9.7	11																							
Hexachlorobutadiene				<1	<1		<10	<0.5	<0.6	<10	<10	<30	<30	<6.0	<4.0																							
Isopropylbenzene				38	35		11	60	85	21	22	29	29	<3.6	22																							
p-Isopropyltoluene				<1	<1		<10	<0.4	72.5	48	47	80	87	25	26																							
Methyl tert-butyl ether (MTBE)										<10	<10	<30	<30	<5.8	<3.0																							
Methylene chloride	<5	745	10.4	<3	<3	<60	<30	<0.3	<0.5	<20	92	28	25	25	9.2 B																							
Naphthalene	55.4	84.6	74	140	49	73	85	180	195	120	93	150 A	140 A	85	82	49	45	90	89	87	91	110	10	12	100	100	39	40	10	<9.0	11 Y	11 Y	69	68	57	63	9.3	13
n-Propylbenzene				43	49		67.52	<0.3	140	46	31	48	47	24	35																							
Styrene	<5	<50	<5	16	<1		<10	<0.2	<0.2	24	<10	<25	<25	<4.0	<3.0																							
Tetrachloroethene	<5	<50	<5	<1	7.6	<20	<10	<0.3	<0.6	<10	<10	<20	<20	<6.0	<3.0																							
Tetrahydrofuran												<350	<350	<60	<40																							
Toluene	5.61	<50	<5	3.5	3.8	<20	<10	<0.2	40	<10	<10	<20	<20	<4.4	<3.0																							
Trichloroethene	51.1	<50	27.6	16	10	<20	<10	<0.2	<0.3	<12	<12	<7.5	<7.5	<4.2	<4.0																							
Trichlorofluoromethane				<1	<1	<20	<10	<0.5	<0.6	<8.0	<8.0	<25	<25	<4.0	<4.0																							
Vinyl acetate	<10	<100	<10									<400	<400	<60	<40																							
Vinyl chloride	<10	<100	<10	<1	<1	<20	<10	<0.3	<0.5	<6.0	<6.0	<6.0	<6.0	<3.6	<1.9																							
Xylene, m & p-				83	52	<40	155	180	210	35	24	<50	<50	25	23			17	<20	<22	31	49	<4.0	<4.0	24	23	<16	<16	<8	<8	13	13	<40	<40	<40	<40	2.5	3.5
Xylene, o-				170	200	97	218	550	440	280	240	290	270	160	120			83	91	90	95	120	69	64	110	100	39	43	13	10	80	79	52	51	62	59	7.2	10
Xylenes, Total	181	257	292	253	252	97	373	730	650	315	264	290	270	185	143			100	91	90	126	169	69	64	134	123	39	43	13	10	93	92	52	51	62	59	9.7	13.5

Prepared By: T. Dushak, 8/27/24

Checked by: A. Voit, 10/28/24

NOTES:

All Units are in ug/L

Bold values indicate detections

A = Analyte averaged calibration criteria within acceptable limits

B = Analyte detected in associated Method Blank

M = Matrix spike or matrix spike duplicate outside acceptance limits.

J = Estimated Value

Q = Lab Control Sample outside acceptance limits

* = Suspected methylene chloride laboratory contamination.

Volatile Organic Compounds - Historical Data
WAULECO, INC - Wausau Facility
Well - W03A

Parameter	07/15/10	07/20/11	07/10/12	07/05/13	07/09/14	7/9/2014 Duplicate	7/8/2015	7/8/2015 Duplicate	7/7/2016	7/17/2017	7/18/2018	7/11/2019	7/8/2020	7/13/2021	7/13/2021 Duplicate	7/11/2022	7/10/2023	7/9/2024
1,1,1,2-Tetrachloroethane	<4.8	<8.0																
1,1,1-Trichloroethane	<4.2	<5.8																
1,1,2,2-Tetrachloroethane	<3.8	<6.0																
1,1,2-Trichloroethane	<5.2	<6.0																
1,1-Dichloroethane	<4.0	<5.6																
1,1-Dichloroethene	<4.8	<5.8																
1,1-Dichloropropene	<4.8	<8.0																
1,2,3-Trichlorobenzene	<6.0	<8.0																
1,2,3-Trichloropropane	<4.2	<8.0																
1,2,4-Trichlorobenzene	<6.0	<6.0																
1,2,4-Trimethylbenzene	1,400	630		470	650	490	500	390	310	700	440	730	500	620	700	780	590	570
1,2-Dibromo-3-chloropropane	<8.0	<10																
1,2-Dibromoethane	<3.2	<6.0																
1,2-Dichlorobenzene	<4.6	<8.0																
1,2-Dichloroethane	<6.0	<6.0																
cis-1,2-Dichloroethene	<5.0	<6.0																
trans-1,2-Dichloroethene	<5.0	<6.0																
1,2-Dichloropropane	<4.4	<5.8																
1,3,5-Trimethylbenzene	500	92																
1,3-Dichlorobenzene	<5.2	<6.0																
cis-1,3-Dichloropropene	<3.8	<5.6																
1,3-Dichloropropane	<4.6	<6.0																
trans-1,3-Dichloropropene	<3.8	<6.0																
1,4-Dichlorobenzene	<4.6	<6.0																
2,2-Dichloropropane	<5.0	<5.6																
2-Butanone (MEK)	<48	<60																
2-Chloroethyl vinyl ether																		
2-Chlorotoluene	<4.4	<6.0																
2-Hexanone	<80	<80																
4-Chlorotoluene	48	<5.8																
4-Methyl-2-Pentanone (MIBK)	<60	<60																
Acetone	<100	<100																
Benzene	<3.8	<6.0																
Bromobenzene	<4.0Q	<6.0																
Bromochloromethane	<4.4	<8.0																
Bromodichloromethane	<4.0	<6.0																
Bromoform	<4.4	<4.8																
Bromomethane	<10	<6.0																
n-Butylbenzene	94	25																
sec-Butylbenzene	71	37																
tert-Butylbenzene	13	11																
Carbon disulfide	<10	<12																
Carbon tetrachloride	<4.6	<8.0																
Chlorobenzene	<4.8	<6.0																
Dibromochloromethane	<3.8	<5.2																
Chloroethane	<8.0	<6.0																
Chloroform	<3.0	<4.6																
Chloromethane	<8.0	<8.0																
Dibromomethane	<4.8	<6.0																
Dichlorodifluoromethane	<5.2	<6.0																
Diisopropyl Ether	<4.0	<6.0																
Ethylbenzene	18	13																
Hexachlorobutadiene	<6.0	<8.0																
Isopropylbenzene	22	41																

Volatile Organic Compounds - Historical Data
WAULECO, INC - Wausau Facility
Well - W03A

Parameter	07/15/10	07/20/11	07/10/12	07/05/13	07/09/14	7/9/2014 Duplicate	7/8/2015	7/8/2015 Duplicate	7/7/2016	7/17/2017	7/18/2018	7/11/2019	7/8/2020	7/13/2021	7/13/2021 Duplicate	7/11/2022	7/10/2023	7/9/2024
p-Isopropyltoluene	78	18																
Methyl tert-butyl ether	<5.8	<6.0																
Methylene chloride	19	23 B																
Naphthalene	95	55	18	47	40	34	38	25	27	53	11	46	43	5.9 Y	6.2 Y	<22	30	30
n-Propylbenzene	74	33																
Styrene	<4.0	<6.0																
Tetrachloroethene	<6.0	<6.0																
Tetrahydrofuran	<60	<80																
Toluene	<4.4	<6.0																
Trichloroethene	<4.2	<8.0																
Trichlorofluoromethane	<4.0	<8.0																
Vinyl acetate	<60	<80																
Vinyl chloride	<3.6	<3.8																
Xylene, m & p-	55	21		16	<20	<20	<22	<22	21	18	<8.0	<16	27	19	23	<40	<40	26
Xylene, o-	200	87		72	90	66	67	45	59	100	25	96	84	85	96	93	68	90
Xylenes, Total	255	108		88	90	66	67	45	80	118	25	96	111	104	119	93	68	116

Prepared By: T. Dushek, 8/9/24

Checked by: A. Voit, 10/28/24

NOTES:

All Units are in ug/L

Bold values indicate detections

A = Analyte averaged calibration criteria within acceptable limits

B = Analyte detected in associated Method Blank

M = Matrix spike or matrix spike duplicate outside acceptance limits.

J = Estimated Value

Q = Lab Control Sample outside acceptance limits

* = Suspected methylene chloride laboratory contamination.

Volatile Organic Compounds - Historical Data
WAULECO, INC - Wausau Facility
Well - W03B

Parameter	02/22/92	09/17/92	12/18/92	03/23/93	06/29/93	12/28/93	06/22/94	07/06/95	07/10/96	07/11/97	06/24/98	06/09/99	07/18/00	01/31/01	07/11/01	08/06/02	07/24/03	07/13/04
1,1,1,2-Tetrachloroethane				<1		<1	<1		<1	<0.1	<0.3	<0.3	<0.4	<0.20	<0.4	<0.90	<0.90	<0.90
1,1,1-Trichloroethane	<5	<50	<5	<1	<1	<1	<1	<1	<1	<0.3	<0.3	<0.3	<0.3	<0.20	<0.3	<0.50	<0.50	<0.50
1,1,2,2-Tetrachloroethane	<5	<50	<5	<1	<1	<1	<1	<1	<1	<0.2	<0.2	<0.2	<0.4	<0.20	<0.4	<0.80	<0.80	<0.80
1,1,2-Trichloroethane	<5	<50	<5	<1	<1	<1	<1	<1	<1	<1	<0.2	<0.2	<0.2	<0.10	<0.2	<0.90	<0.90	<0.90
1,1-Dichloroethane	<5	<50	<5	<1	<1	<1	<1	<1	<1	<0.2	<0.2	<0.2	<0.4	<0.10	<0.4	<0.50	<0.50	<0.50
1,1-Dichloroethene	<5	<50	<5	<1	<1	<1	<1	<1	<1	<0.4	<0.2	<0.2	<0.9	<0.20	<0.9	<0.40	<0.40	<0.40
1,1-Dichloropropene				<1		<1	<1	<1	<1	<0.2	<0.3	<0.3	<0.4	<0.20	<0.4	<0.50	<0.50	<0.50
1,2,3-Trichlorobenzene				<1	<1	<1	<1		<1	<0.5	<0.4	<0.4	<0.5	<0.30	<0.5	<0.50	<0.50	<0.50
1,2,3-Trichloropropane				<1		<1	<1		<1	<0.3	<0.2	<0.2	<0.3	<0.10	<0.3	<0.80	<0.80	<0.80
1,2,4-Trichlorobenzene				<1	<1	<1	<1		<1	<0.5	<0.3	<0.3	<0.5	<0.30	<0.5	<0.50	<0.50	<0.50
1,2,4-Trimethylbenzene				<1	5	3.8	8.2		4.6	<0.7	5.8	1.3	<0.2	<0.10	<0.2	<0.50	<0.50	<0.50
1,2-Dibromo-3-chloropropane				<3	<3	<3	<3		<3	<0.3	<0.3	<0.3	<0.3	<0.40	<0.3	<0.40	<0.40	<0.40
1,2-Dibromoethane				<2	<2	<2	<2		<2	<0.2	<0.4	<0.4	<0.3	<0.10	<0.3	<0.30	<0.30	<0.30
1,2-Dichlorobenzene				<1	<1	<1	<1	<1	<1	<0.3	<0.3	<0.3	<0.3	<0.20	<0.3	<0.70	<0.70	<0.70
1,2-Dichloroethane	<5	<50	<5	<1	<1	<1	<1	<1	<1	<0.2	<0.2	<0.2	<0.4	<0.20	<0.4	<0.90	<0.90	<0.90
cis-1,2-Dichloroethene				<1	<1	<1	<1	<1	<1	<0.2	<0.2	<0.2	<0.4	<0.20	<0.4	<0.50	<0.50	<0.50
trans-1,2-Dichloroethene	<5	<50	<5	<1	<1	<1	<1	<1	<1	<0.2	<0.3	<0.3	<0.8	<0.10	<0.8	<0.40	<0.40	<0.40
1,2-Dichloropropane	<5	<50	<5	<1	<1	<1	<1	<1	<1	<0.1	<0.2	<0.2	<0.3	<0.20	<0.3	<0.40	<0.40	<0.40
1,3,5-Trimethylbenzene				<1	2.4	1.8	3.3		2.4	<0.4	3.2	1.3	<0.3	<0.10	<0.3	<0.50	<0.50	<0.50
1,3-Dichlorobenzene				<1	<1	<1	<1	<1	<1	<0.7	<0.4	<0.4	<0.4	<0.10	<0.4	<0.50	<0.50	<0.50
cis-1,3-Dichloropropene	<5	<50	<5	<1		<1	<1	<1	<1	<0.3	<0.3	<0.3	<0.2	<0.10	<0.2	<0.60	<0.60	<0.60
1,3-Dichloropropane				<1	<1	<1	<1		<1	<0.3	<0.6	<0.6	<0.4	<0.10	<0.4	<1.2	<1.2	<1.2
trans-1,3-Dichloropropene	<5	<50	<5	<1		<1	<1	<1	<1	<0.2	<0.2	<0.2	<0.5	<0.10	<0.5	<0.70	<0.70	<0.70
1,4-Dichlorobenzene				<1	<1	<1	<1	<1	<1	<0.3	<0.3	<0.3	<0.4	<0.10	<0.4	<0.50	<0.50	<0.50
2,2-Dichloropropane				<1	<1	<1	<1		<1	<0.2	<0.5	<0.5	<0.2	<0.20	<0.2	<0.60	<0.60	<0.60
2-Butanone (MEK)	<10	<100	<10															
2-Chloroethyl vinyl ether								<10										
2-Chlorotoluene				<1	<1	<1	<1		<1	<0.4	<0.3	<0.3	<0.4	<0.10	<0.4	<0.60	<0.60	<0.60
2-Hexanone	<10	<100	<10															
4-Chlorotoluene				<1	<1	<1	<1		<1	<0.3	<0.3	<0.3	<0.3	<0.20	<0.3	<0.60	<0.60	<0.60
4-Methyl-2-Pentanone (MIBK)	<10	<100	<10															
Acetone	12.3	1040	<10															
Benzene	<5	<50	<5	<1	<1	<1	<1	<1	<1	<0.2	<0.3	<0.3	<0.1	<0.10	<0.1	<0.40	<0.40	<0.40
Bromobenzene				<1	<1	<1	<1		<1	<0.3	<0.2	<0.2	<0.5	<0.10	<0.5	<0.50	<0.50	<0.50
Bromochloromethane				<1		<1	<1		<1	<0.4	<0.2	<0.2	<0.4	<0.10	<0.4	<0.50	<0.50	<0.50
Bromodichloromethane	<5	<50	<5	<1	<1	<1	<1	<1	<1	<0.2	<0.2	<0.2	<0.2	<0.10	<0.2	<0.40	<0.40	<0.40

Volatile Organic Compounds - Historical Data
WAULECO, INC - Wausau Facility
Well - W03B

Parameter	02/22/92	09/17/92	12/18/92	03/23/93	06/29/93	12/28/93	06/22/94	07/06/95	07/10/96	07/11/97	06/24/98	06/09/99	07/18/00	01/31/01	07/11/01	08/06/02	07/24/03	07/13/04
Bromoform	<5	<50	<5	<1		<1	<1	<1	<1	<0.3	<0.2	<0.2	<0.1	<0.20	<0.1	<0.60	<0.60	<0.60
Bromomethane	<10	<100	<10	<2		<2	<2	<2	<2	<0.3	<0.9	<0.9	<0.4	<0.40	<0.4	<0.80	<0.80	<0.80
n-Butylbenzene				<1	<1	1.6	3		3.6	<0.6	3.2	3.1	<0.4	<0.10	<0.4	<0.50	<0.50	14
sec-Butylbenzene				<1	1.6	<1	<1		1.1	<0.3	1.1	<0.2	<0.3	<0.20	<0.3	<0.50	<0.50	8
tert-Butylbenzene				<1	<1	<1	<1		<1	<0.3	<0.3	<0.3	<0.1	<0.10	<0.1	<0.50	<0.50	5.6
Carbon disulfide	<5	<50	<5															
Carbon tetrachloride	<5	<50	<5	<1	<1	<1	<1	<1	<1	<0.2	<0.4	<0.4	<0.3	<0.10	<0.3	<0.60	<0.60	<0.60
Chlorobenzene	<5	<50	<5	<1	<1	<1	<1	<1	<1	<0.3	<0.3	<0.3	<0.3	<0.10	<0.3	<0.80	<0.80	<0.80
Chlorodibromomethane	<5	<50	<5	<1	<1	<1	<1	<1	<1	<0.3	<0.3	<0.3	<0.4	<0.20	<0.4	<0.40	<0.40	<0.40
Chloroethane	<10	<100	<10	<2	<10	<2	<2	<2	<2	<0.4	<0.8	<0.8	<0.5	<0.40	<0.5	<0.50	<0.50	<0.50
Chloroform	<5	<50	<5	<1	<1	<1	<1	<1	<1	<0.2	<0.2	<0.2	<0.5	<0.10	<0.5	<0.60	<0.60	<0.60
Chloromethane	<10	<100	<10	<2	<20	<2	<2	<2	<2	<0.7	<0.9	<0.9	<0.3	<0.20	<0.3	<0.40	<0.40	<0.40
Dibromomethane				<1		<1	<1		<1	<0.1	<0.2	<0.2	<0.4	<0.20	<0.4	<0.50	<0.50	<0.50
Dichlorodifluoromethane				<2	<40	<2	<2		<2	<0.3	<1.2	<1.2	<0.5	<0.10	<0.5	<0.50	<0.50	<0.50
Diisopropyl Ether					<1							<0.3	<0.1	<0.10	<0.1	<0.50	<0.50	<0.50
Ethylbenzene	<5	<50	<5	<1	<1	<1	<1	<1	<1	<0.2	<0.2	<0.2	<0.1	<0.10	<0.1	<0.50	<0.50	<0.50
Hexachlorobutadiene				<1	<1	<1	<1		<1	<0.5	<0.6	<0.6	<0.6	<0.20	<0.6	<0.50	<0.50	<0.50
Isopropylbenzene				<1	<1	<1	<1		<1	<0.2	0.8	<0.2	<0.1	<0.10	<0.1	<0.50	<0.50	<0.50
p-Isopropyltoluene				<1	<1	<1	<1		1.6	<0.4	1.4	0.8	<0.2	<0.10	<0.2	<0.50	<0.50	<0.50
Methyl tert-butyl ether					<1							<0.2	<1.1	<0.30	<1.1	<0.50	<0.50	<0.50
Methylene chloride	<5	534	<10	<3	<3	<3	<3	<3	<3	<0.3	<0.5	<0.5	<1.9	<0.40	<1.9	<1.0	<1.0	3.1 J,A,B,Q
Naphthalene	<10	91.6	<10	<1	1.5	<1	<1	<1	1.4	<0.8	1.3	<1.1	<0.7	<0.20	<0.7	<0.50	<0.50	<0.50
n-Propylbenzene				<1	<1	<1	<1		1.1	<0.3	1.1	<0.2	<0.3	<0.10	<0.3	<0.50	<0.50	<0.50
Styrene	<5	<50	<5	<1		<1	<1		<1	<0.2	<0.2	<0.2	<0.2	<0.10	<0.2	<0.50	<0.50	<0.50
Tetrachloroethene	<5	<50	<5	<1	<1	<1	<1	1.3	<1	<0.3	<0.6	<0.6	<0.4	<0.10	<0.4	<0.50	<0.50	<0.50
Tetrahydrofuran																		0.60
Toluene	<5	<50	<5	<1	<1	<1	<1	<1	<1	<0.2	<0.2	<0.2	<0.1	<0.20	<0.1	<0.50	<0.50	<0.50
Trichloroethene	<5	<50	<5	<1	8.9	<1	2.2	1.8	4.4	1	3.5	0.3	0.55	0.76	0.46 e	2.1	2.1	<0.15
Trichlorofluoromethane				<1	<1	<1	<1	<1	<1	<0.5	<0.6	<0.6	<0.4	<0.20	<0.4	<0.40	<0.40	<0.40
Vinyl acetate	<10	<100	<10															
Vinyl chloride	<10	<100	<10	<1	<1	<1	<1	<1	<1	<0.3	<0.5	<0.5	<0.4	<0.10	<0.4	<0.30	<0.30	<0.30
Xylene, o-				<1	6.4	<1	1.9	<1	2.2	<0.2	<0.5	<0.5	<0.1	<0.20	<0.2	<0.60	<0.60	<0.60
Xylene, m & p-				<2	<2	<2	<2	<2	<2	<0.4	1.4	<0.3	<0.2	<0.10	<0.1	<0.50	<0.50	<0.50
Xylenes, Total	<5	<50	<5	<3	6.4	<3	1.9	<3	2.2	<0.6	1.4	<0.8	<0.3					

Volatile Organic Compounds - Historical Data
WAULECO, INC - Wausau Facility
Well - W03B

Parameter	07/20/05	07/18/06	07/11/07	07/23/08	07/06/09	07/15/10	07/18/11	07/06/12	07/01/13	07/09/14	07/07/15	07/05/16	07/13/17	07/11/18	07/09/19	07/07/20	07/08/21	07/11/22	07/07/23	07/08/24
1,1,1,2-Tetrachloroethane	<0.50	<0.70	<0.60	<0.60	<0.60	<0.24	<0.40													
1,1,1-Trichloroethane	<0.60	<0.50	<0.60	<0.60	<0.60	<0.21	<0.29													
1,1,2,2-Tetrachloroethane	<0.15	<0.13	<0.14	<0.14	<0.14	<0.19	<0.30													
1,1,2-Trichloroethane	<0.40	<0.50	<0.50	<0.50	<0.50	<0.26	<0.30													
1,1-Dichloroethane	<0.50	<0.40	<0.40	<0.40	<0.40	<0.20	<0.28													
1,1-Dichloroethene	<0.50	<0.30	<0.40	<0.40	<0.40	<0.24	<0.29													
1,1-Dichloropropene	<0.50	<0.60	<0.50	<0.50	<0.50	<0.24	<0.40													
1,2,3-Trichlorobenzene	<0.60	<0.50	<0.50	<0.50	<0.50	<0.30	<0.40													
1,2,3-Trichloropropane	<0.60	<0.70	<0.30	<0.30	<0.30	<0.21	<0.40													
1,2,4-Trichlorobenzene	<0.70	<0.70	<0.40	<0.40	<0.40	<0.30	<0.30													
1,2,4-Trimethylbenzene	<0.40	<0.50	<0.24	<0.24	<0.24	12	11		<0.40	<0.60	<0.50	<0.40	0.54	<0.40	<0.40	<0.40	1.4	<0.91	<0.91	<0.34
1,2-Dibromo-3-chloropropane	<1.1	<0.30	<0.40	<0.40	<0.40	<0.40	<0.50													
1,2-Dibromoethane	<0.60	<0.50	<0.13	<0.13	<0.13	<0.16	<0.30													
1,2-Dichlorobenzene	<0.50	<0.50	<0.40	<0.40	<0.40	<0.23	<0.40													
1,2-Dichloroethane	<0.50	<0.50	<0.30	<0.30	<0.30	<0.30	<0.30													
cis-1,2-Dichloroethene	<0.60	<0.40	<0.40	<0.40	<0.40	0.58	0.4													
trans-1,2-Dichloroethene	<0.60	<0.40	<0.50	<0.50	<0.50	<0.25	<0.30													
1,2-Dichloropropane	<0.50	<0.50	<0.21	<0.21	<0.21	<0.22	<0.29													
1,3,5-Trimethylbenzene	<0.50	<0.40	<0.19	<0.19	<0.19	1.6	<0.30													
1,3-Dichlorobenzene	<0.50	<0.40	<0.40	<0.40	<0.40	<0.26	<0.30													
cis-1,3-Dichloropropene	<0.12	<0.15	<0.14	<0.14	<0.14	<0.19	<0.28													
1,3-Dichloropropane	<0.60	<0.50	<0.19	<0.19	<0.19	<0.23	<0.30													
trans-1,3-Dichloropropene	<0.14	<0.14	<0.14	<0.14	<0.14	<0.19	<0.30													
1,4-Dichlorobenzene	<0.50	<0.60	<0.50	<0.50	<0.50	<0.23	<0.30													
2,2-Dichloropropane	<0.60	<0.60	<0.30	<0.30	<0.30	<0.25	<0.28													
2-Butanone (MEK)	<7.0	<5.0	<4.0	<4.0	<4.0	<2.4	<3.0													
2-Chloroethyl vinyl ether																				
2-Chlorotoluene	<0.50	<0.50	<0.30	<0.30	<0.30	<0.22	<0.30													
2-Hexanone	<7.0	<8.0	<4.0	<4.0	<4.0	<4.0	<4.0													
4-Chlorotoluene	<0.40	<0.60	<0.30	<0.30	<0.30	<0.21	<0.29													
4-Methyl-2-Pentanone (MIBK)	<7.0	<6.0	<3.0	<3.0	<3.0	<3.0	<3.0													
Acetone	<9.0	<10.0	<7.0	<7.0	<7.0	<5.0	<5.0													
Benzene	<0.40	<0.40	<0.16	<0.16	<0.16	<0.19	<0.30													
Bromobenzene	<0.50	<0.60	<0.30	<0.30	<0.30	<0.20Q	<0.30													
Bromochloromethane	<0.50	<0.70	<0.21	<0.21	<0.21	<0.22	<0.40													
Bromodichloromethane	<0.13	<0.15	<0.19	<0.19	<0.19	<0.20	<0.30													

Volatile Organic Compounds - Historical Data
WAULECO, INC - Wausau Facility
Well - W03B

Parameter	07/20/05	07/18/06	07/11/07	07/23/08	07/06/09	07/15/10	07/18/11	07/06/12	07/01/13	07/09/14	07/07/15	07/05/16	07/13/17	07/11/18	07/09/19	07/07/20	07/08/21	07/11/22	07/07/23	07/08/24
Bromoform	<0.50	<0.21	<0.50	<0.50	<0.50	<0.22	<0.24													
Bromomethane	<0.80	<0.90	<0.40	<0.40	<0.40	<0.50	<0.30													
n-Butylbenzene	<0.60	<0.40	<0.24	<0.24	<0.24	0.57	0.38													
sec-Butylbenzene	<0.50	<0.50	<0.29	<0.29	<0.29	3.6	2.3													
tert-Butylbenzene	<0.50	<0.50	<0.23	<0.23	<0.23	0.88	1.1													
Carbon disulfide	<1.1	<1.0	<0.50	<0.50	<0.50	<0.50	<0.60													
Carbon tetrachloride	<0.50	<0.50	<0.40	<0.40	<0.40	<0.23	<0.40													
Chlorobenzene	<0.50	<0.40	<0.30	<0.30	<0.30	<0.24	<0.30													
Chlorodibromomethane	<0.60	<0.60	<0.23	<0.23	<0.23	<0.19	<0.26													
Chloroethane	<0.70	<0.60	<0.40	<0.40	<0.40	<0.40	<0.30													
Chloroform	<0.50	<0.50	0.3	0.88	0.36	0.93	1.2													
Chloromethane	<0.24	<0.30	<0.30	<0.30	0.93B	<0.40	<0.40													
Dibromomethane	<0.70	<0.80	<0.40	<0.40	<0.40	<0.24	<0.30													
Dichlorodifluoromethane	<0.60	<0.29	<0.40	<0.40	<0.40	<0.26	<0.30													
Diisopropyl Ether	<0.50	<0.40	<0.50	<0.50	<0.50	<0.20	<0.30													
Ethylbenzene	<0.50	<0.50	<0.28	<0.28	<0.28	1.7	0.31													
Hexachlorobutadiene	<0.60	<0.90	<0.60	<0.60	<0.60	<0.30	<0.40													
Isopropylbenzene	<0.40	<0.60	<0.20	<0.20	<0.20	3	0.96													
p-Isopropyltoluene	<0.40	<0.40	<0.17	<0.17	<0.17	<0.23	<0.30													
Methyl tert-butyl ether	<0.60	<0.40	<0.23	<0.23	<0.23	<0.29	<0.30													
Methylene chloride	<0.40	<1.0	<0.50	<0.50	<0.50	<0.40	<0.40													
Naphthalene	<0.60	<0.70	<0.60	<0.60	<0.60	3.9	2.2	<0.32	<0.50	<1.2	<0.50	<0.90	<0.90	<0.90	<0.90	<0.90	<0.90	<1.1	<1.1	<0.35
n-Propylbenzene	<0.40	<0.40	<0.20	<0.20	<0.20	3.8	0.81													
Styrene	<0.50	<0.50	<0.30	<0.30	<0.30	<0.20	<0.30													
Tetrachloroethene	<0.40	<0.29	<0.40	<0.40	<0.40	0.33	<0.30													
Tetrahydrofuran	<7.0	<7.0	<4.0	<4.0	<4.0	<3.0	<4.0													
Toluene	<0.40	<0.40	<0.20	<0.20	<0.20	<0.22	<0.30													
Trichloroethene	3.6 M	2.8	2.9	7.7	3.4	8.8	6.5													
Trichlorofluoromethane	<0.50	<0.70	<0.40	<0.40	<0.40	<0.20	<0.40													
Vinyl acetate	<8.0	<1.7	<1.1	<1.1	<1.1	<3.0	<4.0													
Vinyl chloride	<0.12	<0.15	<0.15	<0.15	<0.15	<0.18	<0.19													
Xylene, o-	<0.40	<0.9	<0.50	<0.50	<0.50	0.5	3.2		<0.90	<1.0	<1.1	<0.80	<0.80	<0.80	<0.80	<0.80	<0.80	<2.0	<2.0	<0.74
Xylene, m & p-	<1.0	<0.60	<0.50	<0.50	<0.50	15	<0.60		<0.50	<0.50	<0.50	<0.40	<0.40	<0.40	<0.40	<0.40	<0.40	<1.1	<1.1	<0.72
Xylenes, Total		<1.5	<1.0	<1.0	<1.0	15.5	3.2		<1.4	<1.5	<1.6	<1.2	<1.2	<1.2	<1.2	<1.2	<1.2	<3.1	<3.1	<1.46

Prepared By: T. Dushek, 8/27/24

Checked by: A. Voit, 10/28/24

NOTES:

All Units are in ug/L

B = Analyte detected in associated Method Blank

J = Estimated Value

Volatile Organic Compounds - Historical Data
WAULECO, INC - Wausau Facility
Well - W6R

Parameter	07/24/03	07/23/08	7/23/2008 Duplicate	07/14/10	07/25/11	07/09/12	07/08/13	7/8/2013 Duplicate	07/09/14	07/09/15	7/9/2015 Duplicate	07/12/16	07/18/17	07/12/18	07/11/19	07/08/20	07/13/21	07/12/22	07/11/23	7/11/2023 Duplicate	07/10/24
1,1,1,2-Tetrachloroethane	<90	<30	<30	<6.0	<2.0																
1,1,1-Trichloroethane	<50	<30	<30	<5.3	<1.5																
1,1,2,2-Tetrachloroethane	<80	<7	<7	<4.8	<1.5																
1,1,2-Trichloroethane	<90	<25	<25	<6.5	<1.5																
1,1-Dichloroethane	<50	<20	<20	<5.0	<1.4																
1,1-Dichloroethene	<40	<20	<20	<6.0	3.9																
1,1-Dichloropropene	<50	<25	<25	<6.0	<2.0																
1,2,3-Trichlorobenzene	<50	<25	<25	<7.5	<2.0																
1,2,3-Trichloropropane	<80	<15	<15	<5.3	<2.0																
1,2,4-Trichlorobenzene	<50	<20	<20	<7.5	<1.5																
1,2,4-Trimethylbenzene	1500	1400	1800	1000	230		200	280	66	49	61	13	1.1	14	120	4.9	77	74	75	64	4.5
1,2-Dibromo-3-chloropropane	<40	<20	<20	<10	<2.5																
1,2-Dibromoethane	<30	<6.5	<6.5	<4.0	<1.5																
1,2-Dichlorobenzene	<70	<20	<20	<5.8	<2.0																
1,2-Dichloroethane	<90	<15	<15	<7.5	<1.5																
cis-1,2-Dichloroethene	<50	<20	<20	<6.3	<1.5																
trans-1,2-Dichloroethene	<40	<25	<25	<6.3	<1.5																
1,2-Dichloropropane	<40	<11	<11	<5.5	<1.5																
1,3,5-Trimethylbenzene	680	560	720	520	150																
1,3-Dichlorobenzene	<50	<20	<20	<6.5	<1.5																
cis-1,3-Dichloropropene	<60	<7	<7	<4.8	<1.4																
1,3-Dichloropropane	<120	<9.5	<9.5	<5.8	<1.5																
trans-1,3-Dichloropropene	<70	<7	<7	<4.8	<1.5																
1,4-Dichlorobenzene	<50	<25	<25	<5.8	<1.5																
2,2-Dichloropropane	<60	<15	<15	<6.3	<1.4																
2-Butanone (MEK)		<200	<200	<60	<15																
2-Chloroethyl vinyl ether																					
2-Chlorotoluene	<60	<15	<15	<5.5	<1.5																
2-Hexanone		<200	<200	<100	<20																
4-Chlorotoluene	<60	<15	<15	<5.3	<1.5																
4-Methyl-2-Pentanone (MIBK)		<150	<150	<75	<15																
Acetone		<350	<350	<130	<25																
Benzene	<40	<8	<8	<4.8	<1.5																
Bromobenzene	<50	<15	<15	<5.0	<1.5																
Bromochloromethane	<50	<11	<11	<5.5	<2.0																
Bromodichloromethane	<40	<9.5	<9.5	<5.0	<1.5																
Bromoform	<60	<25	<25	<5.5	<1.2																
Bromomethane	<80	<20	<20	<13	<1.5																
n-Butylbenzene	400	96	130	66	34																
sec-Butylbenzene	<50	55	76	48	20																
tert-Butylbenzene	<50	14	20	<5.0	6.7																
Carbon disulfide		<25	<25	<13	<3.0																
Carbon tetrachloride	<60	<20	<20	<5.8	<2.0																
Chlorobenzene	<80	<15	<15	<6.0	<1.5																
Chlorodibromomethane	<40	<12	<12	<4.8	<1.3																
Chloroethane	<50	<20	<20	<10	<1.5																
Chloroform	<60	<11	<11	<3.8	1.7																

Volatile Organic Compounds - Historical Data
WAULECO, INC - Wausau Facility
Well - W6R

Parameter	07/24/03	07/23/08	7/23/2008 Duplicate	07/14/10	07/25/11	07/09/12	07/08/13	7/8/2013 Duplicate	07/09/14	07/09/15	7/9/2015 Duplicate	07/12/16	07/18/17	07/12/18	07/11/19	07/08/20	07/13/21	07/12/22	07/11/23	7/11/2023 Duplicate	07/10/24
Chloromethane	<40	<15	<15	<10	<2.0																
Dibromomethane	<50	<20	<20	<6.0	<1.5																
Dichlorodifluoromethane	<50	<20	<20	<6.5	<1.5																
Diisopropyl Ether	<50	<25	<25	<5.0	<1.5																
Ethylbenzene	<50	<14	<14	7.6	5.9																
Hexachlorobutadiene	<50	<30	<30	<7.5	<2.0																
Isopropylbenzene	<50	45	53	8.1	17																
p-Isopropyltoluene	66	76	110	51	27																
Methyl tert-butyl ether	<50	<12	<12	<7.3	<1.5																
Methylene chloride	<100	<25	<25	33	2.3 B																
Naphthalene	200	100	110	96	36	2.1	25	26	11	12	12	1.6	<0.90	2.4	17	<0.90	<4.5 Y	<5.5	<5.5	<5.5	<0.35 Q,Y
n-Propylbenzene	78	74	96	79	28																
Styrene	<50	<15	<15	<5.0	<1.5																
Tetrachloroethene	<50	<20	<20	7.7	4.8																
Tetrahydrofuran		<200	<200	<75	<20																
Toluene	<50	<10	<10	<5.5	<1.5																
Trichloroethene	<60	<7.5	<7.5	<5.3	22																
Trichlorofluoromethane	<40	<20	<20	<5.0	<2.0																
Vinyl acetate		<55	<55	<75	<20																
Vinyl chloride	<30	<7.5	<7.5	<4.5	<0.95																
Xylene, m & p-	82	40	42	22	12		<9.0	<9.0	2.7	5.7	5.7	1.5	<0.80	<0.80	12	<0.80	6.4	<10	<10	<10	<0.74
Xylene, o-	300	190	210	170	93		48	45	40	41	41	9.2	1.5	11	54	2	38	14	8.7	7.6	2.5
Xylenes, Total	382	230	252	192	105		48	45	42.7	46.7	46.7	10.7	1.5	11	66	2	44.4	14	8.7	7.6	2.5

Prepared By: T. Dushek, 8/27/24

Checked by: A. Voit, 10/28/24

NOTES:

All Units are in ug/L

Bold values indicate detections

A = Analyte averaged calibration criteria within acceptable limits

B = Analyte detected in associated Method Blank

M = Matrix spike or matrix spike duplicate outside acceptance limits.

J = Estimated Value

Q = Lab Control Sample outside acceptance limits

* = Suspected methylene chloride laboratory contamination.

Volatile Organic Compounds - Historical Data
WAULECO, INC - Wausau Facility
Well - W08

Parameter	06/14/92	09/17/92	12/19/92	03/23/93	06/28/93	12/27/93	06/21/94	07/06/95	07/08/96	07/11/97	06/23/98	06/07/99	07/17/00	01/30/01	07/10/01	08/05/02	07/22/03	07/12/04	07/19/05
1,1,1,2-Tetrachloroethane				<1		<1	<1		<1	<0.1	<0.3	<0.3	<0.4	<0.20	<0.4	<0.90	<0.90	<0.90	<0.50
1,1,1-Trichloroethane	<5	<50	<5	<1	<1	<1	<1	<1	<1	<0.3	<0.3	<0.3	<0.3	<0.20	<0.3	<0.50	<0.50	<0.50	<0.60
1,1,2,2-Tetrachloroethane	<5	<50	<5	<1	<1	<1	<1	<1	<1	<0.2	<0.2	<0.2	<0.4	<0.20	<0.4	<0.80	<0.80	<0.80	<0.15
1,1,2-Trichloroethane	<5	<50	<5	<1	<1	<1	<1	<1	<1	<1	<0.2	<0.2	<0.2	<0.10	<0.2	<0.90	<0.90	<0.90	<0.40
1,1-Dichloroethane	<5	<50	<5	<1	<1	<1	<1	<1	<1	<0.2	<0.2	<0.2	<0.4	<0.10	<0.4	<0.50	<0.50	<0.50	<0.50
1,1-Dichloroethene	<5	<50	<5	<1	<1	<1	<1	<1	<1	<0.4	<0.2	<0.2	<0.9	<0.20	<0.9	<0.40	<0.40	<0.40	<0.50
1,1-Dichloropropene				<1		<1	<1		<1	<0.2	<0.3	<0.3	<0.4	<0.20	<0.4	<0.50	<0.50	<0.50	<0.50
1,2,3-Trichlorobenzene				<1	<1	<1	<1		<1	<0.5	<0.4	<0.4	<0.5	<0.30	<0.5	<0.50	<0.50	<0.50	<0.60
1,2,3-Trichloropropane				<1		<1	<1		<1	<0.3	<0.2	<0.2	<0.3	<0.10	<0.3	<0.80	<0.80	<0.80	<0.60
1,2,4-Trichlorobenzene				<1	<1	<1	<1		<1	<0.5	<0.3	<0.3	<0.5	<0.30	<0.5	<0.50	<0.50	<0.50	<0.70
1,2,4-Trimethylbenzene				<1	<1	<1	<1		<1	<0.7	<0.6	<0.6	<0.2	<0.10	<0.2	<0.50	<0.50	<0.50	<0.40
1,2-Dibromo-3-chloropropane				<3	<3	<3	<3		<3	<0.3	<0.3	<0.3	<0.3	<0.40	<0.3	<0.40	<0.40	<0.40	<1.1
1,2-Dibromoethane				<2	<2	<2	<2		<2	<0.2	<0.4	<0.4	<0.3	<0.10	<0.3	<0.30	<0.30	<0.30	<0.60
1,2-Dichlorobenzene				<1	<1	<1	<1	<1	<1	<0.3	<0.3	<0.3	<0.3	<0.20	<0.3	<0.70	<0.70	<0.70	<0.50
1,2-Dichloroethane	<5	<50	<5	<1	<1	<1	<1	<1	<1	<0.2	<0.2	<0.2	<0.4	<0.20	<0.4	<0.90	<0.90	<0.90	<0.50
cis-1,2-Dichloroethene				<1	<1	<1	<1	<1	<1	<0.2	<0.2	<0.2	<0.4	<0.20	<0.4	<0.50	<0.50	<0.50	<0.60
trans-1,2-Dichloroethene	<5	<50	<5	<1	<1	<1	<1	<1	<1	<0.2	<0.3	<0.3	<0.8	<0.10	<0.8	<0.40	<0.40	<0.40	<0.60
1,2-Dichloropropane	<5	<50	<5	<1	<1	<1	<1	<1	<1	<0.1	<0.2	<0.2	<0.3	<0.20	<0.3	<0.40	<0.40	<0.40	<0.50
1,3,5-Trimethylbenzene				<1	<1	<1	<1		<1	<0.4	<0.3	<0.3	<0.3	<0.10	<0.3	<0.50	<0.50	<0.50	<0.50
1,3-Dichlorobenzene				<1	<1	<1	<1	<1	<1	<0.7	<0.4	<0.4	<0.4	<0.10	<0.4	<0.50	<0.50	<0.50	<0.50
cis-1,3-Dichloropropene	<5	<50	<5	<1		<1	<1	<1	<1	<0.3	<0.3	<0.3	<0.2	<0.10	<0.2	<0.60	<0.60	<0.60	<0.12
1,3-Dichloropropane				<1	<1	<1	<1		<1	<0.3	<0.6	<0.6	<0.4	<0.10	<0.4	<1.2	<1.2	<1.2	<0.60
trans-1,3-Dichloropropene	<5	<50	<5	<1		<1	<1	<1	<1	<0.2	<0.2	<0.2	<0.5	<0.10	<0.5	<0.70	<0.70	<0.70	<0.14
1,4-Dichlorobenzene				<1	<1	<1	<1	<1	<1	<0.3	<0.3	<0.3	<0.4	<0.10	<0.4	<0.50	<0.50	<0.50	<0.50
2,2-Dichloropropane				<1	<1	<1	<1		<1	<0.2	<0.5	<0.5	<0.2	<0.20	<0.2	<0.60	<0.60	<0.60	<0.60
2-Butanone (MEK)	<10	<100	<10																<7.0
2-Chloroethyl vinyl ether								<10											
2-Chlorotoluene				<1	<1	<1	<1		<1	<0.4	<0.3	<0.3	<0.4	<0.10	<0.4	<0.60	<0.60	<0.60	<0.50
2-Hexanone	<10	<100	<10																<7.0
4-Chlorotoluene				<1	<1	<1	<1		<1	<0.3	<0.3	<0.3	<0.3	<0.20	<0.3	<0.60	<0.60	<0.60	<0.40
4-Methyl-2-Pentanone (MIBK)	<10	<100	<10																<7.0
Acetone	<10	1980	<10																<9.0
Benzene	<5	<50	<5	<1	<1	<1	<1	<1	<1	<0.2	<0.3	<0.3	<0.1	<0.10	<0.1	<0.40	<0.40	<0.40	<0.40
Bromobenzene				<1	<1	<1	<1		<1	<0.3	<0.2	<0.2	<0.5	<0.10	<0.5	<0.50	<0.50	<0.50	<0.50
Bromochloromethane				<1		<1	<1		<1	<0.4	<0.2	<0.2	<0.4	<0.10	<0.4	<0.50	<0.50	<0.50	<0.50
Bromodichloromethane	<5	<50	<5	<1	<1	<1	<1	<1	<1	<0.2	<0.2	<0.2	<0.2	<0.10	<0.2	<0.40	<0.40	<0.40	<0.13

Volatile Organic Compounds - Historical Data
WAULECO, INC - Wausau Facility
Well - W08

Parameter	06/14/92	09/17/92	12/19/92	03/23/93	06/28/93	12/27/93	06/21/94	07/06/95	07/08/96	07/11/97	06/23/98	06/07/99	07/17/00	01/30/01	07/10/01	08/05/02	07/22/03	07/12/04	07/19/05
Bromoform	<5	<50	<5	<1		<1	<1	<1	<1	<0.3	<0.2	<0.2	<0.1	<0.20	<0.1	<0.60	<0.60	<0.60	<0.50
Bromomethane	<10	<100	<10	<2		<2	<2	<2	<2	<0.3	<0.9	<0.9	<0.4	<0.40	<0.4	<0.80	<0.80	<0.80	<0.80
n-Butylbenzene				<1	<1	<1	<1		<1	<0.6	<0.3	<0.3	<0.4	<0.10	<0.4	<0.50	<0.50	14	<0.60
sec-Butylbenzene				<1	<1	<1	<1		<1	<0.3	<0.2	<0.2	<0.3	<0.20	<0.3	<0.50	<0.50	8	<0.50
tert-Butylbenzene				<1	<1	<1	<1		<1	<0.3	<0.3	<0.3	<0.1	<0.10	<0.1	<0.50	<0.50	5.6	<0.50
Carbon disulfide	<5	<50	<5											<0.10	<0.3				<1.1
Carbon tetrachloride	<5	<50	<5	<1	<1	<1	<1	<1	<1	<0.2	<0.4	<0.4	<0.3			<0.60	<0.60	<0.60	<0.50
Chlorobenzene	<5	<50	<5	<1	<1	<1	<1	<1	<1	<0.3	<0.3	<0.3	<0.3	<0.10	<0.3	<0.80	<0.80	<0.80	<0.50
Chlorodibromomethane	<5	<50	<5	<1	<1	<1	<1	<1	<1	<0.3	<0.3	<0.3	<0.4	<0.20	<0.4	<0.40	<0.40	<0.40	<0.60
Chloroethane	<10	<100	<10	<2	<2	<2	<2	<2	<2	<0.4	<0.8	<0.8	<0.5	<0.40	<0.5	<0.50	<0.50	<0.50	<0.70
Chloroform	8.76	<50	<5	1.8	1.6	<1	1.3	<1	<1	0.9	1.6	<0.2	<0.5	1.4	1.6	<0.60	<0.60	<0.60	<0.50
Chloromethane	<10	<100	<10	<2	<2	<2	<2	<2	<2	<0.7	<0.9	<0.9	<0.3	<0.20	<0.3	<0.40	<0.40	<0.40	<0.24
Dibromomethane				<1		<1	<1		<1	<0.1	<0.2	<0.2	<0.4	<0.20	<0.4	<0.50	<0.50	<0.50	<0.70
Dichlorodifluoromethane				<2	<2	<2	<2		<2	<0.3	<1.2	<1.2	<0.5	<0.10	<0.5	<0.50	<0.50	<0.50	<0.60
Diisopropyl Ether					<1							<0.3	<0.1	<0.10	<0.1	<0.50	<0.50	<0.50	<0.50
Ethylbenzene	<5	<50	<5	<1	<1	<1	<1	<1	<1	<0.2	<0.2	<0.2	<0.1	<0.10	<0.1	<0.50	<0.50	<0.50	<0.50
Hexachlorobutadiene				<1	<1	<1	<1		<1	<0.5	<0.6	<0.6	<0.6	<0.20	<0.6	<0.50	<0.50	<0.50	<0.60
Isopropylbenzene				<1	<1	<1	<1	<1	<1	<0.2	<0.2	<0.2	<0.1	<0.10	<0.1	<0.50	<0.50	<0.50	<0.40
p-Isopropyltoluene				<1	<1	<1	<1		<1	<0.4	<0.2	<0.2	<0.2	<0.10	<0.2	<0.50	<0.50	<0.50	<0.40
Methyl tert-butyl ether					<1							<0.2	<1.1	<0.30	<1.1	<0.50	<0.50	<0.50	<0.60
Methylene chloride	<5	1210	<10	<3	<3	<3	<3	<3	<3	<0.3	<0.5	<0.5	<1.9	<0.40	<1.9	<1.0	<1.0	3 J, A, B, Q	<0.40
Naphthalene	<11	<10	<10	<1	<1	<1	<1	<1	<1	<0.8	<1.1	<1.1	<0.7	<0.20	<0.7	<0.50	<0.50	<0.50	<0.60
n-Propylbenzene				<1	<1	<1	<1		<1	<0.3	<0.2	<0.2	<0.3	<0.10	<0.3	<0.50	<0.50	<0.50	<0.40
Styrene	6.24	<50	<5	<1		<1	<1		<1	<0.2	<0.2	<0.2	<0.2	<0.10	<0.2	<0.50	<0.50	<0.50	<0.50
Tetrachloroethene	<5	7	<5	<1	<1	<1	<1	<1	<1	<0.3	<0.6	<0.6	<0.4	<0.10	<0.4	<0.50	<0.50	<0.50	<0.40
Tetrahydrofuran																		0.60	<7.0
Toluene	<5	<50	<5	<1	<1	<1	<1	<1	<1	<0.2	<0.2	<0.2	<0.1	<0.20	<0.1	<0.50	<0.50	<0.50	<0.40
Trichloroethene	<5	<50	<5	<1	<1	<1	<1	<1	<1	<0.2	<0.3	<0.3	<0.3	<0.20	<0.3	<0.60	<0.60	<0.15	<0.15
Trichlorofluoromethane				<1	<1	<1	<1	<1	<1	<0.5	<0.6	<0.6	<0.4	<0.20	<0.4	<0.40	<0.40	<0.40	<0.50
Vinyl acetate	<10	<100	<10																<8.0
Vinyl chloride	<10	<100	<10	<1	<1	<1	<1	<1	<1	<0.3	<0.5	<0.5	<0.4	<0.10	<0.4	<0.30	<0.30	<0.30	<0.12
Xylene, m & p-				<2	<2	<2	<2	<2	<2	<0.4	<0.3	<0.3	<0.2	<0.20	<0.2	<0.60	<0.60	<0.60	<1.0
Xylene, o-				<1	<1	<1	<1	<1	<1	<0.2	<0.5	<0.5	<0.1	<0.10	<0.1	<0.50	<0.50	<0.50	<0.40
Xylenes, Total	<5	<50	<5																

Volatile Organic Compounds - Historical Data
WAULECO, INC - Wausau Facility
Well - W08

Parameter	07/18/06	07/09/07	07/22/08	07/06/09	07/13/10	07/18/11	07/06/12	07/01/13	07/07/14	07/06/15	07/05/16	07/10/17	07/10/18	07/08/19	07/06/20	07/06/21	07/05/22	07/05/23	07/02/24
1,1,1,2-Tetrachloroethane	<0.70	<0.60	<0.60	<0.60	<0.24	<0.40													
1,1,1,1-Trichloroethane	<0.50	<0.60	<0.60	<0.60	<0.21	<0.29													
1,1,2,2-Tetrachloroethane	<0.13	<0.14	<0.14	<0.14	<0.19	<0.30													
1,1,2-Trichloroethane	<0.50	<0.50	<0.50	<0.50	<0.26	<0.30													
1,1-Dichloroethane	<0.40	<0.40	<0.40	<0.40	<0.20	<0.28													
1,1-Dichloroethene	<0.30	<0.40	<0.40	<0.40	<0.24	<0.29													
1,1-Dichloropropene	<0.60	<0.50	<0.50	<0.50	<0.24	<0.40													
1,2,3-Trichlorobenzene	<0.50	<0.50	<0.50	<0.50	<0.30	<0.40													
1,2,3-Trichloropropane	<0.70	<0.30	<0.30	<0.30	<0.21	<0.40													
1,2,4-Trichlorobenzene	<0.70	<0.40	<0.40	<0.40	<0.30	<0.30													
1,2,4-Trimethylbenzene	<0.50	<0.24	<0.24	<0.24	<0.20	<0.30		<0.40 MY	<0.60 Y	<0.50	<0.40	<0.40	<0.40	<0.40	<0.40	<0.40	<0.91	<0.91	<0.34
1,2-Dibromo-3-chloropropane	<0.30	<0.40	<0.40	<0.40	<0.40	<0.50													
1,2-Dibromoethane	<0.50	<0.13	<0.13	<0.13	<0.16	<0.30													
1,2-Dichlorobenzene	<0.50	<0.40	<0.40	<0.40	<0.23	<0.40													
1,2-Dichloroethane	<0.50	<0.30	<0.30	<0.30	<0.30	<0.30													
cis-1,2-Dichloroethene	<0.40	<0.40	<0.40	<0.40	<0.25	<0.30													
trans-1,2-Dichloroethene	<0.40	<0.50	<0.50	<0.50	<0.25	<0.30													
1,2-Dichloropropane	<0.50	<0.21	<0.21	<0.21	<0.22	<0.29													
1,3,5-Trimethylbenzene	<0.40	<0.19	<0.19	<0.19	<0.23	<0.30													
1,3-Dichlorobenzene	<0.40	<0.40	<0.40	<0.40	<0.26	<0.30													
cis-1,3-Dichloropropene	<0.15	<0.14	<0.14	<0.14	<0.19	<0.28													
1,3-Dichloropropane	<0.50	<0.19	<0.19	<0.19	<0.23	<0.30													
trans-1,3-Dichloropropene	<0.14	<0.14	<0.14	<0.14	<0.19	<0.30													
1,4-Dichlorobenzene	<0.60	<0.50	<0.50	<0.50	<0.23	<0.30													
2,2-Dichloropropane	<0.60	<0.30	<0.30	<0.30	<0.25	<0.28													
2-Butanone (MEK)	<5.0	<4.0	<4.0	<4.0	<2.4	<3.0													
2-Chloroethyl vinyl ether																			
2-Chlorotoluene	<0.50	<0.30	<0.30	<0.30	<0.22	<0.30													
2-Hexanone	<8.0	<4.0	<4.0	<4.0	<4.0	<4.0													
4-Chlorotoluene	<0.60	<0.30	<0.30	<0.30	<0.21	<0.29													
4-Methyl-2-Pentanone (MIBK)	<6.0	<3.0	<3.0	<3.0	<3.0	<3.0													
Acetone	<10.0	<7.0	<7.0	<7.0	<5.0	<5.0													
Benzene	<0.40	<0.16	<0.16	<0.16	<0.19	<0.30													
Bromobenzene	<0.60	<0.30	<0.30	<0.30	<0.20	<0.30													
Bromochloromethane	<0.70	<0.21	<0.21	<0.21	<0.22	<0.40													
Bromodichloromethane	<0.15	<0.19	<0.19	<0.19	<0.20	<0.30													

Volatile Organic Compounds - Historical Data
WAULECO, INC - Wausau Facility
Well - W08

Parameter	07/18/06	07/09/07	07/22/08	07/06/09	07/13/10	07/18/11	07/06/12	07/01/13	07/07/14	07/06/15	07/05/16	07/10/17	07/10/18	07/08/19	07/06/20	07/06/21	07/05/22	07/05/23	07/02/24
Bromoform	<0.21	<0.50	<0.50	<0.50	<0.22	<0.24													
Bromomethane	<0.90	<0.40	<0.40	<0.40	<0.40	<0.50	<0.30												
n-Butylbenzene	<0.40	<0.24	<0.24	<0.24	<0.23	<0.29													
sec-Butylbenzene	<0.50	<0.29	<0.29	<0.29	<0.21	<0.30													
tert-Butylbenzene	<0.50	<0.23	<0.23	<0.23	<0.20	<0.40													
Carbon disulfide	<1.0	<0.50	<0.50	<0.50	<0.50	<0.60													
Carbon tetrachloride	<0.50	<0.40	<0.40	<0.40	<0.23	<0.40													
Chlorobenzene	<0.40	<0.30	<0.30	<0.30	<0.24	<0.30													
Chlorodibromomethane	<0.60	<0.23	<0.23	<0.23	<0.19	<0.26													
Chloroethane	<0.60	<0.40	<0.40	<0.40	<0.40	<0.30													
Chloroform	<0.50	<0.22	0.26	<0.22	<0.15	0.76													
Chloromethane	<0.30	<0.30	<0.30	0.58B	0.5B	<0.40													
Dibromomethane	<0.80	<0.40	<0.40	<0.40	<0.24	<0.30													
Dichlorodifluoromethane	<0.29	<0.40	<0.40	<0.40	<0.26	<0.30													
Diisopropyl Ether	<0.40	<0.50	<0.50	<0.50	<0.20	<0.30													
Ethylbenzene	<0.50	<0.28	<0.28	<0.28	<0.22	<0.29													
Hexachlorobutadiene	<0.90	<0.60	<0.60	<0.60	<0.30	<0.40													
Isopropylbenzene	<0.60	<0.20	<0.20	<0.20	<0.18	<0.30													
p-Isopropyltoluene	<0.40	<0.17	<0.17	<0.17	<0.23	<0.30													
Methyl tert-butyl ether	<0.40	<0.23	<0.23	<0.23	<0.29	<0.30													
Methylene chloride	<1.0	<0.50	<0.50	<0.50	<0.40	<0.40													
Naphthalene	<0.70	<0.60	<0.60	<0.60	<0.40	<0.40	<0.32	<0.50	<1.2	<0.50	<0.90	<0.90	<0.90	<0.90	<0.90	<0.90	<1.1	<1.1	<0.35
n-Propylbenzene	<0.40	<0.20	<0.20	<0.20	<0.20	<0.30													
Styrene	<0.50	<0.30	<0.30	<0.30	<0.20	<0.30													
Tetrachloroethene	<0.29	<0.40	<0.40	<0.40	<0.30	<0.30													
Tetrahydrofuran	<7.0	<4.0	<4.0	<4.0	<3.0	<4.0													
Toluene	<0.40	<0.20	<0.20	<0.20	<0.22	<0.30													
Trichloroethene	<0.15	<0.15	<0.15	<0.15	<0.21	<0.40													
Trichlorofluoromethane	<0.70	<0.40	<0.40	<0.40	<0.20	<0.40													
Vinyl acetate	<1.7	<1.1	<1.1	<1.1	<1.1	<3.0	<4.0												
Vinyl chloride	<0.15	<0.15	<0.15	<0.15	<0.18	<0.19													
Xylene, m & p-	<0.9	<0.50	<0.50	<0.50	<0.50	<0.60		<0.90 MY	<1.0 Y	<1.1	<0.80	<0.80	<0.80	<0.80	<0.80	<0.80	<2.0	<2.0	<0.74
Xylene, o-	<0.60	<0.50	<0.50	<0.50	<0.24	<0.29		<0.50 MY	<0.50 Y	<0.50	<0.40	<0.40	<0.40	<0.40	<0.40	<0.40	<1.1	<1.1	<0.72
Xylenes, Total	<1.5	<1.0	<1.0	<1.0	<1.0	<0.89		<1.4 MY	<1.5	<1.6	<1.2	<1.2	<1.2	<1.2	<1.2	<1.2	<3.1	<3.1	<1.46

Prepared By: T. Dushek, 8/27/24

Checked by: A. Voit, 10/28/24

NOTES:

All Units are in ug/L

Bold values indicate detections

A = Analyte averaged calibration criteria within acceptable limits

B = Analyte detected in associated Method Blank

M = Matrix spike or matrix spike duplicate outside acceptance limits.

J = Estimated Value

Q = Lab Control Sample outside acceptance limits

* = Suspected methylene chloride laboratory contamination.

Volatile Organic Compounds - Historical Data
WAULECO, INC - Wausau Facility
Well - W09

Parameter	12/17/92	06/28/93	12/28/93	06/22/94	07/05/95	07/09/96	07/11/97	06/24/98	06/07/99	07/18/00	01/30/01	07/10/01	08/06/02	07/23/03	07/12/04	07/18/05	07/18/06	07/10/07	07/23/08	07/07/09	07/13/10	07/18/11	07/19/12	07/02/13	07/10/14	07/07/15	07/06/16	07/11/17	07/18/18	07/09/19	07/07/20	07/12/21	07/06/22	07/06/23	07/02/24	
1,1,1,2-Tetrachloroethane			<1	<1		<1	<0.1	<0.3	<0.3	<0.4	<0.20	<0.4	<0.90	<0.90	<0.90	<0.50	<0.70	<0.60	<0.60	<0.60	<0.24	<0.40														
1,1,1-Trichloroethane	<5	<1	<1	<1	<1	<1	<0.3	<0.3	<0.3	<0.3	<0.20	<0.3	<0.50	<0.50	<0.50	<0.60	<0.50	<0.60	<0.60	<0.60	<0.21	<0.29														
1,1,2,2-Tetrachloroethane	<5	<1	<1	<1	<1	<1	<0.2	<0.2	<0.2	<0.4	<0.20	<0.4	<0.80	<0.80	<0.80	<0.15	<0.13	<0.14	<0.14	<0.14	<0.19	<0.30														
1,1,2-Trichloroethane	<5	<1	<1	<1	<1	<1	<1	<0.2	<0.2	<0.2	<0.10	<0.2	<0.90	<0.90	<0.90	<0.40	<0.50	<0.50	<0.50	<0.50	<0.26	<0.30														
1,1-Dichloroethane	<5	<1	<1	<1	<1	<1	<0.2	<0.2	<0.2	<0.4	<0.10	<0.4	<0.50	<0.50	<0.50	<0.50	<0.40	<0.40	<0.40	<0.40	<0.20	<0.28														
1,1-Dichloroethene	<5	<1	<1	<1	<1	<1	<0.4	<0.2	<0.2	<0.9	<0.20	<0.9	<0.40	<0.40	<0.40	<0.50	<0.30	<0.40	<0.40	<0.40	<0.24	<0.29														
1,1-Dichloropropene			<1	<1		<1	<0.2	<0.3	<0.3	<0.4	<0.20	<0.4	<0.50	<0.50	<0.50	<0.50	<0.60	<0.50	<0.50	<0.50	<0.24	<0.40														
1,2,3-Trichlorobenzene		<1	<1	<1		<1	<0.5	<0.4	<0.4	<0.5	<0.30	<0.5	<0.50	<0.50	<0.50	<0.60	<0.50	<0.50	<0.50	<0.50	<0.30	<0.40														
1,2,3-Trichloropropane			<1	<1		<1	<0.3	<0.2	<0.2	<0.3	<0.10	<0.3	<0.80	<0.80	<0.80	<0.60	<0.70	<0.30	<0.30	<0.30	<0.21	<0.40														
1,2,4-Trichlorobenzene		<1	<1	<1		<1	<0.5	<0.3	<0.3	<0.5	<0.30	<0.5	<0.50	<0.50	<0.50	<0.70	<0.70	<0.40	<0.40	<0.40	<0.30	<0.30														
1,2,4-Trimethylbenzene		<1	<1	1.3		1.8	3.4	1	<0.6	<0.2	0.11	<0.2	<0.50	<0.50	<0.50	<0.40	<0.50	<0.24	<0.24	<0.24	<0.20	<0.30		<0.40	<0.60	<0.50	<0.40	<0.40	<0.40	<0.40	<0.40	1.2	<0.91	<0.91	<0.34	
1,2-Dibromo-3-chloropropane		<3	<3	<3		<3	<0.3	<0.3	<0.3	<0.40	<0.3	<0.40	<0.40	<0.40	<0.40	<1.1	<0.30	<0.40	<0.40	<0.40	<0.40	<0.50														
1,2-Dibromoethane		<2	<2	<2		<2	<0.2	<0.4	<0.4	<0.3	<0.10	<0.3	<0.30	<0.30	<0.30	<0.60	<0.50	<0.13	<0.13	<0.13	<0.16	<0.30														
1,2-Dichlorobenzene		<1	<1	<1	<1	<1	<0.3	<0.3	<0.3	<0.30	<0.3	<0.70	<0.70	<0.70	<0.70	<0.50	<0.50	<0.40	<0.40	<0.40	<0.23	<0.40														
1,2-Dichloroethane	<5	<1	<1	<1	<1	<1	<0.2	<0.2	<0.2	<0.4	<0.20	<0.4	<0.90	<0.90	<0.90	<0.50	<0.50	<0.30	<0.30	<0.30	<0.30	<0.30														
cis-1,2-Dichloroethene		<1	<1	<1	<1	<1	<0.2	<0.2	<0.2	<0.4	<0.20	<0.4	<0.50	<0.50	<0.50	<0.60	<0.40	<0.40	<0.40	<0.40	<0.25	<0.30														
trans-1,2-Dichloroethene	<5	<1	<1	<1	<1	<1	<0.2	<0.3	<0.3	<0.8	<0.10	<0.8	<0.40	<0.40	<0.40	<0.60	<0.40	<0.50	<0.50	<0.50	<0.25	<0.30														
1,2-Dichloropropane	<5	<1	<1	<1	<1	<1	<0.1	<0.2	<0.2	<0.3	<0.20	<0.3	<0.40	<0.40	<0.40	<0.50	<0.50	<0.21	<0.21	<0.21	<0.22	<0.29														
1,3,5-Trimethylbenzene		<1	<1	<1		<1	<0.4	<0.3	<0.3	<0.3	<0.10	<0.3	<0.50	<0.50	<0.50	<0.50	<0.40	<0.19	<0.19	<0.19	<0.23	<0.30														
1,3-Dichlorobenzene		<1	<1	<1	<1	<1	<0.7	<0.4	<0.4	<0.4	<0.10	<0.4	<0.50	<0.50	<0.50	<0.50	<0.40	<0.40	<0.40	<0.40	<0.26	<0.30														
cis-1,3-Dichloropropene	<5		<1	<1	<1	<1	<0.3	<0.3	<0.3	<0.2	<0.10	<0.2	<0.60	<0.60	<0.60	<0.12	<0.15	<0.14	<0.14	<0.14	<0.19	<0.28														
1,3-Dichloropropane		<1	<1	<1		<1	<0.3	<0.6	<0.6	<0.4	<0.10	<0.4	<1.2	<1.2	<1.2	<0.60	<0.50	<0.19	<0.19	<0.19	<0.23	<0.30														
trans-1,3-Dichloropropene	<5		<1	<1	<1	<1	<0.2	<0.2	<0.2	<0.5	<0.10	<0.5	<0.70	<0.70	<0.70	<0.14	<0.14	<0.14	<0.14	<0.14	<0.19	<0.30														
1,4-Dichlorobenzene		<1	<1	<1	<1	<1	<0.3	<0.3	<0.3	<0.4	<0.10	<0.4	<0.50	<0.50	<0.50	<0.50	<0.60	<0.50	<0.50	<0.50	<0.23	<0.30														
2,2-Dichloropropane		<1	<1	<1		<1	<0.2	<0.5	<0.5	<0.2	<0.20	<0.2	<0.60	<0.60	<0.60	<0.60	<0.60	<0.30	<0.30	<0.30	<0.25	<0.28														
2-Butanone (MEK)	<10															<7.0	<5.0	<4.0	<4.0	<4.0	<2.4	<3.0														
2-Chloroethyl vinyl ether					<10																															
2-Chlorotoluene		<1	<1	<1		<1	<0.4	<0.3	<0.3	<0.4	<0.10	<0.4	<0.60	<0.60	<0.60	<0.50	<0.50	<0.30	<0.30	<0.30	<0.22	<0.30														
2-Hexanone	<10															<7.0	<8.0	<4.0	<4.0	<4.0	<4.0	<4.0	<4.0													
4-Chlorotoluene		<1	<1	<1		<1	<0.3	<0.3	<0.3	<0.3	<0.20	<0.3	<0.60	<0.60	<0.60	<0.40	<0.60	<0.30	<0.30	<0.30	<0.21	<0.29														
4-Methyl-2-Pentanone (MIBK)	<10															<7.0	<6.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0													
Acetone	<10															<9.0	<10.0	<7.0	<7.0	<7.0	<5.0	<5.0														
Benzene	<5	<1	2.2	<1	<1	1.7	1.7	1.5	<0.3	<0.1	0.60	<0.1	<0.40	<0.40	<0.40	<0.40	<0.40	<0.40	<0.16	<0.16	0.3	<0.19	<0.30													
Bromobenzene		<1	<1	<1		<1	<0.3	<0.2	<0.2	<0.5	<0.10	<0.5	<0.50	<0.50	<0.50	<0.50	<0.60	<0.30	<0.30	<0.30	<0.20	<0.30														
Bromochloromethane			<1	<1		<1	<0.4	<0.2	<0.2	<0.4	<0.10	<0.4	<0.50	<0.50	<0.50	<0.50	<0.70	<0.21	<0.21	<0.21	<0.22	<0.40														
Bromodichloromethane	<5	<1	<1	<1	<1	<1	<0.2	<0.2	<0.2	<0.2	<0.10	<0.2	<0.40	<0.40	<0.40	<0.13	<0.15	<0.19	<0.19	<0.19	<0.20	<0.30														
Bromoform	<5		<1	<1	<1	<1	<0.3	<0.2	<0.2	<0.1	<0.20	<0.1	<0.60	<0.60	<0.60	<0.50	<0.21	<0.50	<0.50	<0.50	<0.22	<0.24														
Bromomethane	<10		<2	<2	<2	<2	<0.3	<0.9	<0.9	<0.4	<0.40	<0.4	<0.80	<0.80	<0.80	<0.80	<0.90	<0.40	<0.40	<0.40	<0.50	<0.30														
n-Butylbenzene		2.9	1.6	1.8		3.8	4.5	3.6	2	1.4	0.76	<0.4	<0.50	2.5	2.6	<0.60	<0.40	<0.24	<0.24	<0.24	<0.23	<0.29														
sec-Butylbenzene		2	9.4	7.7		8.4	12	9.2	5.7	5.8	8.6	2.8	2.6	7.8	7.3	5.2	2.9	4.1	2.6	5.4	4	1.4														
tert-Butylbenzene		<1	<1	<1		1.0	<0.3	1.2	<0.3	<0.1	0.13	<0.1	<0.50	<0.50	<0.50	<0.50	<0.50	<0.23	<0.23	<0.23	<0.20	<0.40														
Carbon disulfide	<5															<1.1	<1.0	<0.50	<0.50	<0.50	<0.50	<0.60														
Carbon tetrachloride	<5	<1	<1	<1	<1	<1	<0.2	<0.4	<0.4	<0.3	<0.10	<0.3	<0.60	<0.60	<0.60	<0.50	&lt																			

Volatile Organic Compounds - Historical Data
WAULECO, INC - Wausau Facility
Well - W09

Parameter	12/17/92	06/28/93	12/28/93	06/22/94	07/05/95	07/09/96	07/11/97	06/24/98	06/07/99	07/18/00	01/30/01	07/10/01	08/06/02	07/23/03	07/12/04	07/18/05	07/18/06	07/10/07	07/23/08	07/07/09	07/13/10	07/18/11	07/19/12	07/02/13	07/10/14	07/07/15	07/06/16	07/11/17	07/18/18	07/09/19	07/07/20	07/12/21	07/06/22	07/06/23	07/02/24	
p-Isopropyltoluene		<1	<1	<1		<1	<0.4	1.4	<0.2	<0.2	<0.10	<0.2	<0.50	<0.50	<0.50	<0.40	<0.40	<0.17	<0.17	<0.17	<0.23	<0.30														
Methyl tert-butyl ether		<1							<0.2	<1.1	<0.30	<1.1	<0.50	<0.50	<0.50	<0.60	<0.40	<0.23	<0.23	<0.23	<0.29	<0.30														
Methylene chloride	<10	<3	<3	<3	<3	<3	<0.3	<0.5	<1.9	<0.40	<1.9	<1.0	<1.0	3 J,A,B,Q	<0.40	<0.40	<1.0	<0.50	<0.50	<0.50	<0.40	<0.40														
Naphthalene		<1	<1	2.2	<1	3.1	7.7	4.6	1.8	0.81	<0.20	<0.7	<0.50	<0.50	<0.50	<0.60	<0.70	<0.60	<0.60	<0.60	<0.40	<0.40	<0.33	1.2	1.3	1.6	1.8	<0.90	1.5	1.2	<0.90	4.1	4.4	<1.1	<0.35	
n-Propylbenzene		1.7	<1	3.2		7.8	12	4.8	0.8	<0.3	1.9	<0.3	<0.50	1.8	1.1 J	<0.40	<0.40	<0.20	<0.20	<0.20	<0.20	<0.30														
Styrene	<5		<1	<1		<1	<0.2	<0.2	<0.2	<0.10	<0.2	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.30	<0.30	<0.30	<0.20	<0.30														
Tetrachloroethene	<5	<1	<1	<1	1.3	<1	<0.3	<0.6	<0.6	<0.4	<0.10	<0.4	<0.50	<0.50	<0.50	<0.40	<0.29	<0.40	<0.40	<0.40	<0.30	<0.30														
Tetrahydrofuran																<7.0	<7.0	<4.0	<4.0	<4.0	<3.0	<4.0														
Toluene	<5	<1	<1	<1	<1	<1	<0.2	<0.2	<0.2	<0.1	<0.20	<0.1	<0.50	<0.50	<0.50	<0.40	<0.40	<0.20	<0.20	<0.20	<0.22	<0.30														
Trichloroethene	<5	<1	<1	<1	<1	<1	<0.2	<0.3	<0.3	<0.3	<0.20	<0.3	<0.60	<0.60	<0.60	<0.15	<0.15	<0.15	<0.15	<0.15	<0.21	<0.40														
Trichlorofluoromethane		<1	<1	<1	<1	<1	<0.5	<0.6	<0.6	<0.4	<0.20	<0.4	<0.40	<0.40	<0.40	<0.50	<0.70	<0.40	<0.40	<0.40	<0.20	<0.40														
Vinyl acetate	<10															<8.0	<1.7	<1.1	<1.1	<1.1	<3.0	<4.0														
Vinyl chloride	<10	<1	<1	<1	<1	<1	<0.3	<0.5	<0.5	<0.4	<0.10	<0.4	0.83	<0.30	<0.30	<0.12	<0.15	<0.15	<0.15	<0.15	<0.18	<0.19														
Xylene, m & p-		<2	<2	<2	<2	<2	1.3	1.8	<0.3	<0.2	<0.20	<0.2	<0.60	<0.60	<0.60	<1.0	<0.9	<0.50	<0.50	<0.50	<0.50	<0.60		<0.90	<1.0	<1.1	<0.80	<0.80	<0.80	<0.80	<0.80	<0.80	<2.0	<2.0	<0.74	
Xylene, o-		<1	<1	<1	<1	1.1	<0.2	1.4	<0.5	<0.1	<0.10	<0.1	<0.50	<0.50	<0.50	<0.40	<0.60	<0.50	<0.50	<0.50	<0.24	<0.29		<0.50	<0.50	<0.50	<0.40	<0.40	<0.40	<0.40	<0.40	<0.40	<1.1	<1.1	<0.72	
Xylenes, Total	<5																<1.5	<1.0	<1.0	<1.0	<1.0	<0.89		<1.4	<1.5	<1.6	<1.2	<1.2	<1.2	<1.2	<1.2	<3.1	<3.1	<1.1	<1.46	

Prepared By: T. Dushek, 8/27/24

Checked by: A. Voit, 10/28/24

NOTES:

All Units are in ug/L

Bold values indicate detections

A = Analyte averaged calibration criteria within acceptable limit

B = Analyte detected in associated Method Blank

M = Matrix spike or matrix spike duplicate outside acceptance limits

J = Estimated Value

Q = Lab Control Sample outside acceptance limit

* = Suspected methylene chloride laboratory contamination.

Volatile Organic Compounds - Historical Data
WAULECO, INC - Wausau Facility
Well - W10A

Parameter	12/18/92	06/30/93	12/28/93	06/22/94	07/06/95	07/09/96	07/11/97	06/24/98	06/08/99	07/17/00	01/30/01	07/10/01	08/06/02	07/23/03	07/14/04	07/20/05	07/19/06	07/10/07	07/23/08	7/23/2008 Duplicate	07/06/09	7/6/2009 Duplicate	07/15/10	07/25/11	7/25/2011 Duplicate	07/09/12	7/9/2012 Duplicate	07/05/13	7/5/2013 Duplicate	
1,1,1,2-Tetrachloroethane			<1	<1		<10	<0.1	<0.3	<6	<8	<4.0	<10	<23	<23	<0.90	<0.50	<35 *	<30	<30	<30	<15	<15	<4.8	<8.0	<8.0					
1,1,1-Trichloroethane	<5	<1	<1	<1	<10	<10	<0.3	<0.3	<6	<6	<4.0	<7.5	<13	<13	<0.50	<0.60	<25 *	<30	<30	<30	<15	<15	<4.2	<5.8	<5.8					
1,1,2,2-Tetrachloroethane	<5	<1	<1	<1	11	<10	<0.2	<0.2	<4	<8	<4.0	<10	<20	<20	<0.80	<0.15	<6.5 *	<7.0	<7.0	<7.0	<3.5	<3.5	<3.8	<6.0	<6.0					
1,1,2-Trichloroethane	<5	<1	<1	<1	<10	<10	<1	<0.2	<4	<4	<2.0	<5.0	<23	<23	<0.90	<0.40	<25 *	<25	<25	<25	<13	<13	<5.2	<6.0	<6.0					
1,1-Dichloroethane	<5	<1	<1	<1	<10	<10	<0.2	<0.2	<4	<8	<2.0	<10	<13	<13	<0.50	<0.50	<20 *	<20	<20	<20	<10	<10	<4.0	<5.6	<5.6					
1,1-Dichloroethene	<5	<1	<1	<1	<10	<10	<0.4	<0.2	<4	<18	<2.0	<23	<10	<10	<0.40	<0.50	<15 *	<20	<20	<20	<10	<10	<4.8	<5.8	<5.8					
1,1-Dichloropropene			<1	<1		<10	<0.2	<0.3	<6	<8	<4.0	<10	<13	<13	<0.50	<0.50	<30 *	<25	<25	<25	<13	<13	<4.8	<8.0	<8.0					
1,2,3-Trichlorobenzene		<1	<1	<1		<10	<0.5	<0.4	<8	<10	<6.0	<13	<13	<13	<0.50	<0.60	<25 *	<25	<25	<25	<13	<13	<6.0	<8.0	<8.0					
1,2,3-Trichloropropane			<1	<1		<10	<0.3	<0.2	<4	<6	<2.0	<7.5	<20	<20	<0.80	<0.60	<35 *	<15	<15	<15	<7.5	<7.5	<4.2	<8.0	<8.0					
1,2,4-Trichlorobenzene		<1	<1	<1		<10	<0.5	<0.3	<6	<10	<6.0	<13	<13	<13	<0.50	<0.70	<35 *	<20	<20	<20	<10	<10	<6.0	<6.0	<6.0					
1,2,4-Trimethylbenzene		500	900	700		524.8	440	800	530	700	810	760	750	820	31	1000	700 *	1100	1300	1400	760	730	900	610	680			530	430	
1,2-Dibromo-3-chloropropane		<3	<3	<3		<30	<0.3	<0.3	<6	<6	<8.0	<7.5	<10	<10	<0.40	<1.1	<15 *	<20	<20	<20	<10	<10	<8.0	<10	<10					
1,2-Dibromoethane		<2	<2	<2		<20	<0.2	<0.4	<8	<6	<2.0	<7.5	<7.5	<7.5	<0.30	<0.60	<25 *	6.5	<6.5	<6.5	<3.3	<3.3	<3.2	<6.0	<6.0					
1,2-Dichlorobenzene		<1	<1	<1	<10	<10	<0.3	<0.3	<6	<6	<4.0	<7.5	<18	<18	<0.40	<0.50	<25 *	<20	<20	<20	<10	<10	<4.6	<8.0	<8.0					
1,2-Dichloroethane	<5	<1	<1	<1	<10	<10	<0.2	<0.2	<4	<8	<4.0	<10	<23	<23	<0.90	<0.50	<25 *	<15	<15	<15	<7.5	<7.5	<6.0	<6.0	<6.0					
cis-1,2-Dichloroethene		<1	<1	<1	<10	<10	<0.2	<0.2	<4	<8	<4.0	<10	<13	<13	<0.50	<0.60	<20 *	<20	<20	<20	<10	<10	<5.0	<6.0	<6.0					
trans-1,2-Dichloroethene	<5	<1	<1	<1	<10	<10	<0.2	<0.3	<6	<16	<2.0	<20	<10	<10	<0.40	<0.60	<20 *	<25	<25	<25	<13	<13	<5.0	<6.0	<6.0					
1,2-Dichloropropane	<5	<1	<1	<1	<10	<10	<0.1	<0.2	<4	<6	<4.0	<7.5	<10	<10	<0.40	<0.50	<25 *	<11	<11	<11	<5.3	<5.3	<4.4	<5.8	<5.8					
1,3,5-Trimethylbenzene		170	140	60		27.7	50	130	57	78	9.5	120	94	61	1.8	9.6	20 *	63	81	100	20	17	25	77	88					
1,3-Dichlorobenzene		<1	<1	<1	<10	<10	<0.7	<0.4	<8	<8	<2.0	<5.0	<13	<13	<0.50	<0.50	<20 *	<20	<20	<20	<10	<10	<5.2	<6.0	<6.0					
cis-1,3-Dichloropropene	<5		<1	<1	<10	<10	<0.3	<0.3	<6	<4	<2.0	<10	<15	<15	<0.60	<0.12	<7.5 *	<7.0	<7.0	<7.0	<3.5	<3.5	<3.8	<5.6	<5.6					
1,3-Dichloropropane		<1	<1	<1		<10	<0.3	<0.6	<12	<8	<2.0	<10	<30	<30	<1.2	<0.60	<25 *	<9.5	<9.5	<9.5	<4.8	<4.8	<4.6	<6.0	<6.0					
trans-1,3-Dichloropropene	<5		<1	<1	<10	<10	<0.2	<0.2	<4	<10	<2.0	<13	<18	<18	<0.70	<0.14	<7.0 *	<7.0	<7.0	<7.0	<3.5	<3.5	<3.8	<6.0	<6.0					
1,4-Dichlorobenzene		<1	<1	<1	<10	<10	<0.3	<0.3	<6	<8	<2.0	<10	<13	<13	<0.50	<0.50	<30 *	<25	<25	<25	<13	<13	<4.6	<6.0	<6.0					
2,2-Dichloropropane		<1	<1	<1		<10	<0.2	<0.5	<10	<4	<4.0	<5.0	<15	<15	<0.60	<0.60	<30 *	<15	<15	<15	<7.5	<7.5	<5.0	<5.6	<5.6					
2-Butanone (MEK)	<10															<7.0	<250 *	<200	<200	<200	<100	<100	<48	<60	<60					
2-Chloroethyl vinyl ether					<100																									
2-Chlorotoluene		<1	<1	<1		<10	<0.4	<0.3	<6	<8	<2.0	<10	<15	<15	<0.60	<0.50	<25 *	<15	<15	<15	<7.5	<7.5	<4.4	<6.0	<6.0					
2-Hexanone	<10															<7.0	<400 *	<200	<200	<200	<100	<100	<80	<80	<80					
4-Chlorotoluene		<1	<1	<1		<10	<0.3	<0.3	<6	<6	<4.0	<7.5	<15	<15	<0.60	0.81	<30 *	<15	<15	<15	<7.5	<7.5	<4.2	<5.8	<5.8					
4-Methyl-2-Pentanone (MIBK)	<10															<7.0	<300 *	<150	<150	<150	<75	<75	<60	<60	<60					
Acetone	<10															<9.0	<500 *	<350	<350	<350	<180	<180	<100	<100	<100					
Benzene	<5	3.3	5.2	5	<10	<10	<0.2	25	<6	<2	<2.0	<2.5	<10	<10	<0.40	0.86	<20 *	<8.0	<8.0	<8.0	<4.0	4.3	<3.8	<6.0	<6.0					
Bromobenzene		<1	<1	<1		<10	<0.3	<0.2	<4	<10	<2.0	<13	<13	<13	<0.50	<0.50	<30 *	<15	<15	<15	<7.5	<7.5	<4.0Q	<6.0 M	<6.0					
Bromochloromethane			<1	<1		<10	<0.4	<0.2	<4	<8	<2.0	<10	<13	<13	<0.50	<0.50	<35 *	<11	<11	<11	<5.3	<5.3	<4.4	<8.0	<8.0					
Bromodichloromethane	<5	<1	<1	<1	41	<10	<0.2	<0.2	<4	<4	<2.0	<5.0	<10	<10	<0.40	<0.13	<7.5 *	<9.5	<9.5	<9.5	<4.8	<4.8	<4.0	<6.0	<6.0					
Bromoform	<5		<1	<1	<10	<10	<0.3	<0.2	<4	<2	<4.0	<2.5	<15	<15	<0.60	<0.50	<11 *	<25	<25	<25	<13	<13	<4.4	<4.8	<4.8					
Bromomethane	<10		<2	<2	<20	<20	<0.3	<0.9	<18	<8	<8.0	<10	<20	<20	<0.80	<0.80	<45 *	<20	<20	<20	<10	<10	<10	<6.0	<6.0					
n-Butylbenzene		110	58	85		71.2	32	88	67	86	18	66	78	76	2.9	22	<20 *	30	61	<12	21	24	23	15	17					
sec-Butylbenzene		14	24	<1		<10	<0.3	48	33	37	19	16 j	23	20	0.94 J	30	<25 *	29	48	50	34	32	37	23	26					
tert-Butylbenzene		<1	<1	250		<10	<0.3	<0.3	<6	<2	6.1	<2.5	<13	<13	<0.50	11	<25 *	<12	<12	36	12	11	6.4	9.3	9.3					
Carbon disulfide	<5															<1.1	<50 *	<25	<25	<25	<13	<13	<10	<12	<12					
Carbon tetrachloride	<5	<1	<1	<1	<10	<10	<0.2	<0.4	<8	<6	<2.0	<7.5	<15	<15	<0.60	<0.50	<25 *	<20	<20	<20	<10	<10	<4.6	<8.0	<8.0					
Chlorobenzene	<5	<1	<1	<1	<10	<10	<0.3	<0.3	<6	<6	<2.0	<7.5	<20	<20	<0.80	<0.50	<20 *	<15	<15	<15	<7.5	<7.5	<4.8	<6.0	<6.0					
Chlorodibromomethane	<5	<1	<1	<1	<10	<10	<0.3	<0.3	<6	<8	<2.0	<10	<10	<10	<0.40	<0.60	<30 *	<12	<12	<12	<5.8	<5.8	<3.8	<5.2	<5.2					
Chloroethane	<10	<2	<2	<2	<20	<20	<0.4	<0.8	<16	<10	<8.0	<13	<13	<13	<0.50	0.71	<30 *	<20	<20	<20	<10	<10	<8.0	<6.0	<6.0					
Chloroform	<5	1.4	<1	1.7	<10	<10	<0.2	<0.2	<4	<10	5.5	<13	<15	<15	<0.60	0.89	<25 *	<11	<11	<11	<5.5	<5.5	<3.0	<4.6	<4.6					
Chloromethane	<10	<2	<2	<2	<20	<20	<0.7	<0.9	<18	<6	<4.0	<7.5	<10	<10	<0.40	0.33	<15 *	<15	<15	<15	<7.5	<7.5	<8.0	<8.0	<8.0					
Dibromomethane			<1</																											

Volatile Organic Compounds - Historical Data
WAULECO, INC - Wausau Facility
Well - W10A

Parameter	12/18/92	06/30/93	12/28/93	06/22/94	07/06/95	07/09/96	07/11/97	06/24/98	06/08/99	07/17/00	01/30/01	07/10/01	08/06/02	07/23/03	07/14/04	07/20/05	07/19/06	07/10/07	07/23/08	7/23/2008 Duplicate	07/06/09	7/6/2009 Duplicate	07/15/10	07/25/11	7/25/2011 Duplicate	07/09/12	7/9/2012 Duplicate	07/05/13	7/5/2013 Duplicate
p-Isopropyltoluene		<1	<1	3.4		<10	<0.4	35	7	<4	<2.0	16 j	<13	<13	<0.50	<0.40	<20 *	<8.5	<8.5	12	<4.3	<4.3	<4.6	<6.0	<6.0				
Methyl tert-butyl ether		<1							<4	<22	<6.0	<28	<13	<13	<0.50	<0.60	<20 *	<12	<12	<12	<5.8	<5.8	<5.8	<6.0	<6.0				
Methylene chloride	<10	<3	<3	<3	<30	<30	<0.3	<0.5	<10	<38	<8.0	<48	<25	<25	4.7 A,B,Q	<0.40	65 Q*	170 A	<25	<25	<13	<13	23	27 B	27 B				
Naphthalene	62.6	70	100	12	110	79.4	66	140	125	130	110	140	120	110	4.4	120 A	77 *	150	180	170	110	130	160	90	100	11 V	11 V	55	57
n-Propylbenzene		38	57	<1		63.5	34	78	49	54	48	50	59	66	2.4	64	40 *	90	89	87	67	66	93	46	51				
Styrene	<5		<1	<1		<10	<0.2	<0.2	<4	<4	<2.0	<5.0	<13	<13	<0.50	<0.50	<25 *	<15	<15	<15	<7.5	<7.5	<4.0	<6.0	<6.0				
Tetrachloroethene	<5	<1	3.6	2.8	<10	<10	<0.3	<0.6	<12	<8	<2.0	<10	<13	<13	<0.50	1.8	<15 *	<20	<20	<20	<10	<10	<6.0	<6.0	<6.0				
Tetrahydrofuran																<7.0	<350 *	<200	<200	<200	<100	<100	<60	<80	<80				
Toluene	11.3	8.9	12	10	57	<10	<0.2	18	<4	7.1	<4.0	<2.5	<13	<13	<0.50	0.4	<20 *	<10	<10	<10	<5.0	<5.0	<4.4	<6.0	<6.0				
Trichloroethene	31.5	22	30	25	20	25.6	<0.2	35	<6	<6	19	9.4 j	<15	<15	0.67	17	<7.5 *	23	19	29	17	16	21	9	9.7				
Trichlorofluoromethane		<1	<1	<1	<10	<10	<0.5	<0.6	<12	<8	<4.0	<10	<10	<10	<0.40	<0.50	<35 *	<20	<20	<20	<10	<10	<4.0	<8.0	<8.0				
Vinyl acetate	<10															<8.0	<85 *	<55	<55	<55	<28	<28	<60	<80	<80				
Vinyl chloride	<10	<1	<1	<1	<10	<10	<0.3	<0.5	<10	<8	<2.0	<10	<7.5	<7.5	<0.30	<0.12	<7.5 *	<7.5	<7.5	<7.5	<3.8	<3.8	<3.6	<3.8	<3.8				
Xylene, m & p-		65	61	16	300	92.1	20	68	37	49	25	47	55	52	1.8 J	34	<45 *	51	54	58	33	32	41	30	32			25	25
Xylene, o-		180	200	210	350	172.8	80	170	96	110	9.4	140	110	83	3.1	23	32 *	60	88	93	34	28	32	87	94			84	79
Xylenes, Total	252															57	32 *	111	142	151	67	60	185	117	126			109	104

Volatile Organic Compounds - Historical Data
WAULECO, INC - Wausau Facility
Well - W10A

Parameter	07/10/14	07/09/15	7/9/2015 Duplicate	07/12/16	7/12/2016 Duplicate	7/18/2017	7/18/2017 Duplicate	7/18/2018	7/18/2018 Duplicate	7/15/2019	7/15/2019 Duplicate	7/13/2020	7/13/2020 Duplicate	7/13/2020	7/13/2020 Duplicate	7/13/2021	7/13/2021 Duplicate	7/11/2022	7/11/2022 Duplicate	7/10/2023	7/10/2023 Duplicate	7/8/2024	7/8/2024 Duplicate
1,1,1,2-Tetrachloroethane																							
1,1,1-Trichloroethane																							
1,1,2,2-Tetrachloroethane																							
1,1,2-Trichloroethane																							
1,1-Dichloroethane																							
1,1-Dichloroethene																							
1,1-Dichloropropene																							
1,2,3-Trichlorobenzene																							
1,2,3-Trichloropropane																							
1,2,4-Trichlorobenzene																							
1,2,4-Trimethylbenzene	450	290	290	150	170	490	590	500	490	580	610	630	630	630	630	440	410	490	520	650	740	580	600
1,2-Dibromo-3-chloropropane																							
1,2-Dibromoethane																							
1,2-Dichlorobenzene																							
1,2-Dichloroethane																							
cis-1,2-Dichloroethene																							
trans-1,2-Dichloroethene																							
1,2-Dichloropropane																							
1,3,5-Trimethylbenzene																							
1,3-Dichlorobenzene																							
cis-1,3-Dichloropropene																							
1,3-Dichloropropane																							
trans-1,3-Dichloropropene																							
1,4-Dichlorobenzene																							
2,2-Dichloropropane																							
2-Butanone (MEK)																							
2-Chloroethyl vinyl ether																							
2-Chlorotoluene																							
2-Hexanone																							
4-Chlorotoluene																							
4-Methyl-2-Pentanone (MIBK)																							
Acetone																							
Benzene																							
Bromobenzene																							
Bromochloromethane																							
Bromodichloromethane																							
Bromoform																							
Bromomethane																							
n-Butylbenzene																							
sec-Butylbenzene																							
tert-Butylbenzene																							
Carbon disulfide																							
Carbon tetrachloride																							
Chlorobenzene																							
Chlorodibromomethane																							
Chloroethane																							
Chloroform																							
Chloromethane																							
Dibromomethane																							
Dichlorodifluoromethane																							
Diisopropyl Ether																							
Ethylbenzene																							
Hexachlorobutadiene																							
Isopropylbenzene																							

Volatile Organic Compounds - Historical Data
WAULECO, INC - Wausau Facility
Well - W10A

Parameter	07/10/14	07/09/15	7/9/2015 Duplicate	07/12/16	7/12/2016 Duplicate	7/18/2017	7/18/2017 Duplicate	7/18/2018	7/18/2018 Duplicate	7/15/2019	7/15/2019 Duplicate	7/13/2020	7/13/2020 Duplicate	7/13/2020	7/13/2020 Duplicate	7/13/2021	7/13/2021 Duplicate	7/11/2022	7/11/2022 Duplicate	7/10/2023	7/10/2023 Duplicate	7/8/2024	7/8/2024 Duplicate
p-Isopropyltoluene																							
Methyl tert-butyl ether																							
Methylene chloride																							
Naphthalene	46	8.6	8.8	<9.0	<9.0	28	33	28	29	26	26	<18	<18	<18	<18	4.9 Y	4.5 Y	<22	<22	<22	<22	30	33
n-Propylbenzene																							
Styrene																							
Tetrachloroethene																							
Tetrahydrofuran																							
Toluene																							
Trichloroethene																							
Trichlorofluoromethane																							
Vinyl acetate																							
Vinyl chloride																							
Xylene, m & p-	<20	<11	<11	15	16	18	19	29	29	<16	<16	<16	<16	<16	<16	20	19	<40	<40	<40	<40	27	27
Xylene, o-	58	39	38	28	31	84	100	97	93	76	79	68	68	68	68	42	40	23	24	25	28	44	43
Xylenes, Total	58	39	38	43	47	102	119	126	122	76	79	68	68	68	68	62	59	23	24	25	28	71	70

Prepared By: T. Dushek, 8/27/24

Checked by: A. Voit, 10/28/24

NOTES:

All Units are in ug/L

Bold values indicate detections

A = Analyte averaged calibration criteria within acceptable limits

B = Analyte detected in associated Method Blank

M = Matrix spike or matrix spike duplicate outside acceptance limits.

J = Estimated Value

Q = Lab Control Sample outside acceptance limits

V = Raised quantitation or reporting limit due to limited sample amount or dilution for matrix background interference

* = Suspected methylene chloride laboratory contamination.

Volatile Organic Compounds - Historical Data
WAULECO, INC - Wausau Facility
Well - W10B

Parameter	12/18/92	06/29/93	12/28/93	06/22/94	07/06/95	07/09/96	07/11/97	06/24/98	06/08/99	07/17/00	01/30/01	07/10/01	08/06/02	07/23/03	07/14/04	7/14/2004 duplicate	07/20/05	7/20/2005 duplicate	07/19/06	07/10/07	07/23/08	07/06/09	07/15/10	07/20/11	07/06/12	07/05/13	07/08/14	07/07/15	07/07/16	07/17/17	07/11/18	07/15/19	07/13/20	07/07/21	07/06/22	07/06/23	07/08/24	
1,1,1,2-Tetrachloroethane			<1	<1		<1	<0.1	<0.3	<0.3	<0.4	<0.20	<0.4	<0.90	<0.90	<0.90	<0.90	<0.50	<0.50	<0.70	<0.60	<0.60	<0.60	<0.24	<0.40														
1,1,1-Trichloroethane	<5	<1	<1	<1	<1	<1	<0.3	<0.3	<0.3	<0.3	<0.20	<0.3	<0.50	<0.50	<0.50	<0.50	<0.60	<0.60	<0.50	<0.60	<0.60	<0.60	<0.21	<0.29														
1,1,2,2-Tetrachloroethane	<5	<1	<1	<1	<1	<1	<0.2	<0.2	<0.2	<0.4	<0.20	<0.4	<0.80	<0.80	<0.80	<0.80	<0.15	<0.15	<0.13	<0.14	<0.14	<0.14	<0.19	<0.30														
1,1,2-Trichloroethane	<5	<1	<1	<1	<1	<1	<1	<0.2	<0.2	<0.2	<0.10	<0.2	<0.90	<0.90	<0.90	<0.90	<0.40	<0.40	<0.50	<0.50	<0.50	<0.50	<0.26	<0.30														
1,1-Dichloroethane	<5	<1	<1	<1	<1	<1	<0.2	<0.2	<0.2	<0.4	<0.10	<0.4	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.40	<0.40	<0.40	<0.40	<0.20	<0.28														
1,1-Dichloroethene	<5	<1	<1	<1	<1	<1	<0.4	<0.2	<0.2	<0.9	<0.20	<0.9	<0.40	<0.40	<0.40	<0.40	<0.50	<0.50	<0.30	<0.40	<0.40	<0.40	<0.24	<0.29														
1,1-Dichloropropene		<1	<1	<1	<1	<1	<0.2	<0.3	<0.3	<0.4	<0.20	<0.4	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.60	<0.50	<0.50	<0.50	<0.24	<0.40														
1,2,3-Trichlorobenzene		<1	<1	<1		<1	<0.5	<0.4	<0.4	<0.5	<0.30	<0.5	<0.50	<0.50	<0.50	<0.50	<0.60	<0.60	<0.50	<0.50	<0.50	<0.50	<0.30	<0.40														
1,2,3-Trichloropropane			<1	<1		<1	<0.3	<0.2	<0.2	<0.3	<0.10	<0.3	<0.80	<0.80	<0.80	<0.80	<0.60	<0.60	<0.70	<0.30	<0.30	<0.30	<0.21	<0.40														
1,2,4-Trichlorobenzene		<1	<1	<1		<1	<0.5	<0.3	<0.3	<0.5	<0.30	<0.5	<0.50	<0.50	<0.50	<0.50	<0.70	<0.70	<0.70	<0.40	<0.40	<0.40	<0.30	<0.30														
1,2,4-Trimethylbenzene		<1	1.8	<1	1.0	<0.7	<0.6	<0.6	<0.2	<0.10	<0.2	<0.50	<0.50	<0.50	<0.50	<0.50	<0.40	<0.40	<0.50	<0.24	<0.24	2.8	22			3 Y	1.1	<0.50	0.90	<0.40	<0.40	5.9	4.7	5.6	0.96	1.0	12.0	
1,2-Dibromo-3-chloropropane	<3	<3	<3	<3	<3	<3	<0.3	<0.3	<0.3	<0.3	<0.40	<0.3	<0.40	<0.40	<0.40	<0.40	<1.1	<1.1	<0.30	<0.40	<0.40	<0.40	<0.40	<0.50														
1,2-Dibromoethane		<2	<2	<2		<2	<0.2	<0.4	<0.4	<0.3	<0.10	<0.3	<0.30	<0.30	<0.30	<0.30	<0.60	<0.60	<0.50	<0.13	<0.13	<0.13	<0.16	<0.30														
1,2-Dichlorobenzene		<1	<1	<1	<1	<1	<0.3	<0.3	<0.3	<0.3	<0.20	<0.3	<0.70	<0.70	<0.70	<0.70	<0.50	<0.50	<0.50	<0.40	<0.40	<0.40	<0.23	<0.40														
1,2-Dichloroethane	<5	<1	<1	<1	<1	<1	<0.2	<0.2	<0.2	<0.4	<0.20	<0.4	<0.90	<0.90	<0.90	<0.90	<0.50	<0.50	<0.50	<0.30	<0.30	<0.30	<0.30	<0.30														
cis-1,2-Dichloroethene		<1	<1	<1	<1	<1	<0.2	<0.2	<0.2	<0.4	<0.20	<0.4	<0.50	<0.50	<0.50	<0.50	<0.60	<0.60	<0.40	<0.40	<0.40	<0.40	<0.25	<0.30														
trans-1,2-Dichloroethene	<5	<1	<1	<1	<1	<1	<0.2	<0.3	<0.3	<0.8	<0.10	<0.8	<0.40	<0.40	<0.40	<0.40	<0.60	<0.60	<0.40	<0.50	<0.50	<0.50	<0.25	<0.30														
1,2-Dichloropropane	<5	<1	<1	<1	<1	<1	<0.1	<0.2	<0.2	<0.3	<0.20	<0.3	<0.40	<0.40	<0.40	<0.40	<0.50	<0.50	<0.50	<0.21	<0.21	<0.21	<0.22	<0.29														
1,3,5-Trimethylbenzene		<1	<1	<1		<1	<0.4	<0.3	<0.3	<0.3	<0.10	<0.3	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.40	<0.19	<0.19	<0.19	<0.23	3.3														
1,3-Dichlorobenzene		<1	<1	<1	<1	<1	<0.7	<0.4	<0.4	<0.4	<0.10	<0.4	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.40	<0.40	<0.40	<0.40	<0.26	<0.30														
cis-1,3-Dichloropropene	<5		<1	<1	<1	<1	<0.3	<0.3	<0.3	<0.2	<0.10	<0.2	<0.60	<0.60	<0.60	<0.60	<0.12	<0.12	<0.15	<0.14	<0.14	<0.14	<0.19	<0.28														
1,3-Dichloropropane		<1	<1	<1		<1	<0.3	<0.6	<0.6	<0.4	<0.10	<0.4	<1.2	<1.2	<1.2	<1.2	<0.60	<0.60	<0.50	<0.19	<0.19	<0.19	<0.23	<0.30														
trans-1,3-Dichloropropene	<5		<1	<1	<1	<1	<0.2	<0.2	<0.2	<0.5	<0.10	<0.5	<0.70	<0.70	<0.70	<0.70	<0.14	<0.14	<0.14	<0.14	<0.14	<0.14	<0.19	<0.30														
1,4-Dichlorobenzene		<1	<1	<1	<1	<1	<0.3	<0.3	<0.3	<0.4	<0.10	<0.4	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.60	<0.50	<0.50	<0.50	<0.23	<0.30														
2,2-Dichloropropane		<1	<1	<1		<1	<0.2	<0.5	<0.5	<0.2	<0.20	<0.2	<0.60	<0.60	<0.60	<0.60	<0.60	<0.60	<0.60	<0.30	<0.30	<0.30	<0.25	<0.28														
2-Butanone (MEK)	<10																<7.0	<7.0	<5.0	<4.0	<4.0	<4.0	<2.4	<3.0														
2-Chloroethyl vinyl ether					<10																																	
2-Chlorotoluene		<1	<1	<1		<1	<0.4	<0.3	<0.3	<0.4	<0.10	<0.4	<0.60	<0.60	<0.60	<0.60	<0.50	<0.50	<0.50	<0.30	<0.30	<0.30	<0.22	<0.30														
2-Hexanone	<10																<7.0	<7.0	<8.0	<4.0	<4.0	<4.0	<4.0	<4.0														
4-Chlorotoluene		<1	<1	<1		<1	<0.3	<0.3	<0.3	<0.3	<0.20	<0.3	<0.60	<0.60	<0.60	<0.60	<0.40	<0.40	<0.60	<0.30	<0.30	<0.30	<0.21	<0.29														
4-Methyl-2-Pentanone (MIBK)	<10																<7.0	<7.0	<6.0	<3.0	<3.0	<3.0	<3.0	<3.0														
Acetone	<10																<9.0	<9.0	<10.0	<7.0	<7.0	<7.0	<5.0	<5.0														
Benzene	<5	<1	<1	<1	<1	<1	<0.2	<0.3	<0.3	<0.1	<0.10	<0.1	<0.40	<0.40	<0.40	<0.40	<0.40	<0.40	<0.40	<0.16	<0.16	<0.16	<0.19	<0.30														
Bromobenzene		<1	<1	<1		<1	<0.3	<0.2	<0.2	<0.5	<0.10	<0.5	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.60	<0.30	<0.30	<0.30	<0.20Q	<0.30														
Bromochloromethane			<1	<1		<1	<0.4	<0.2	<0.2	<0.4	<0.10	<0.4	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.70	<0.21	<0.21	<0.21	<0.22	<0.40														
Bromodichloromethane	<5	<1	<1	<1	<1	<1	<0.2	<0.2	<0.2	<0.2	<0.10	<0.2	<0.40	<0.40	<0.40	<0.40	<0.13	<0.13	<0.15	<0.19	<0.19	<0.19	<0.20	<0.30														

Volatile Organic Compounds - Historical Data
WAULECO, INC - Wausau Facility
Well - W10B

Parameter	12/18/92	06/29/93	12/28/93	06/22/94	07/06/95	07/09/96	07/11/97	06/24/98	06/08/99	07/17/00	01/30/01	07/10/01	08/06/02	07/23/03	07/14/04	7/14/2004 duplicate	07/20/05	7/20/2005 duplicate	07/19/06	07/10/07	07/23/08	07/06/09	07/15/10	07/20/11	07/06/12	07/05/13	07/08/14	07/07/15	07/07/16	07/17/17	07/11/18	07/15/19	07/13/20	07/07/21	07/06/22	07/06/23	07/08/24		
Bromoform	<5		<1	<1	<1	<1	<0.3	<0.2	<0.2	<0.1	<0.20	<0.1	<0.60	<0.60	<0.60	<0.60	<0.50	<0.50	<0.21	<0.50	<0.50	<0.50	<0.22	<0.24															
Bromomethane	<10		<2	<2	<2	<2	<0.3	<0.9	<0.9	<0.4	<0.40	<0.4	<0.80	<0.80	<0.80	<0.80	<0.80	<0.80	<0.90	<0.40	<0.40	<0.40	<0.50	<0.30															
n-Butylbenzene		<1	<1	<1		<1	<0.6	<0.3	<0.3	<0.4	<0.10	<0.4	<0.50	<0.50	<0.50	<0.50	<0.60	<0.60	14	<0.24	<0.24	<0.24	<0.23	0.38															
sec-Butylbenzene		<1	<1	<1		<1	<0.3	<0.2	<0.2	<0.3	0.22	<0.3	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	8	<0.29	<0.29	<0.29	<0.21	0.95															
tert-Butylbenzene		<1	<1	<1		<1	<0.3	<0.3	<0.3	<0.1	<0.10	<0.1	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	5.6	<0.23	<0.23	<0.23	<0.20	0.4															
Carbon disulfide	<5																<1.1	<1.1	<1.0	<0.50	<0.50	<0.50	<0.50	<0.60															
Carbon tetrachloride	<5	<1	<1	<1	<1	<1	<0.2	<0.4	<0.4	<0.3	<0.10	<0.3	<0.60	<0.60	<0.60	<0.60	<0.50	<0.50	<0.50	<0.40	<0.40	<0.40	<0.23	<0.40															
Chlorobenzene	<5	<1	<1	<1	<1	<1	<0.3	<0.3	<0.3	<0.3	<0.10	<0.3	<0.80	<0.80	<0.80	<0.80	<0.50	<0.50	<0.40	<0.30	<0.30	<0.30	<0.24	<0.30															
Chlorodibromomethane	<5	<1	<1	<1	<1	<1	<0.3	<0.3	<0.3	<0.4	<0.10	<0.4	<0.40	<0.40	<0.40	<0.40	<0.60	<0.60	<0.60	<0.23	<0.23	<0.23	<0.19	<0.26															
Chloroethane	<10	<2	<2	<2	<2	<2	<0.4	<0.8	<0.8	<0.5	<0.40	<0.5	<0.50	<0.50	<0.50	<0.50	<0.70	<0.70	<0.60	<0.40	<0.40	<0.40	<0.40	<0.30															
Chloroform	<5	<1	<1	<1	<1	<1	<0.2	<0.2	<0.2	<0.5	<0.10	<0.5	<0.60	<0.60	<0.60	<0.60	<0.50	<0.50	<0.50	<0.22	<0.22	<0.22	<0.15	<0.23															
Chloromethane	<10	<2	<2	<2	<2	<2	<0.7	<0.9	<0.9	<0.3	<0.20	<0.3	<0.40	<0.40	<0.40	<0.40	<0.24	<0.24	<0.30	<0.30	<0.30	1.5B	<0.40	<0.40															
Dibromomethane			<1	<1		<1	<0.1	<0.2	<0.2	<0.4	<0.20	<0.4	<0.50	<0.50	<0.50	<0.50	<0.70	<0.70	<0.80	<0.40	<0.40	<0.40	<0.24	<0.30															
Dichlorodifluoromethane		<2	<2	<2		<2	<0.3	<1.2	<1.2	<0.5	<0.10	<0.5	<0.50	<0.50	<0.50	<0.50	<0.60	<0.60	<0.29	<0.40	<0.40	<0.40	<0.26	<0.30															
Diisopropyl Ether		<1								<0.3	<0.1	<0.10	<0.1	<0.50	<0.50	<0.50	<0.50	<0.50	<0.40	<0.50	<0.50	<0.50	<0.20	<0.30															
Ethylbenzene	<5	<1	<1	<1	<1	<1	<0.2	<0.2	<0.2	<0.1	<0.10	<0.1	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.28	<0.28	<0.28	<0.22	0.34															
Hexachlorobutadiene		<1	<1	<1	<1	<1	<0.5	<0.6	<0.6	<0.6	<0.20	<0.6	<0.50	<0.50	<0.50	<0.50	<0.60	<0.60	<0.90	<0.60	<0.60	<0.60	<0.30	<0.40															
Isopropylbenzene		<1	<1	<1		<1	<0.2	<0.2	<0.2	<0.1	0.23	<0.1	<0.50	<0.50	<0.50	<0.50	<0.40	<0.40	<0.60	<0.20	<0.20	<0.20	<0.18	0.84															
p-Isopropyltoluene		<1	<1	<1		<1	<0.4	<0.2	<0.2	<0.2	<0.10	<0.2	<0.50	<0.50	<0.50	<0.50	<0.40	<0.40	<0.40	<0.17	<0.17	<0.17	<0.23	<0.30															
Methyl tert-butyl ether		<1							<0.2	<1.1	<0.30	<1.1	<0.50	<0.50	<0.50	<0.50	<0.60	<0.60	<0.40	<0.23	<0.23	<0.23	<0.29	<0.30															
Methylene chloride	<10	<3	<3	<3	<3	<3	<0.3	<0.5	<0.5	<1.9	<0.40	<1.9	<1.0	<1.0	3 J, A, B, Q	3 J, A, B, Q	<0.40	<0.40	<1.0	<0.50	<0.50	<0.50	<0.40	<0.40															
Naphthalene	<10	<1	<1	<1	<1	<1	<0.8	<1.1	<1.1	<0.7	<0.20	<0.7	<0.50	<0.50	<0.50	<0.50	<0.60	<0.60	<0.70	<0.60	<0.60	<0.60	<0.40	2.8	<0.33	0.69	<1.2	<0.50	<0.90	<0.90	<0.90	0.94	<0.90	<0.90	1.5	<1.1	<0.35		
n-Propylbenzene		<1	<1	<1		<1	<0.3	<0.2	<0.2	<0.3	<0.10	<0.3	<0.50	<0.50	<0.50	<0.50	<0.40	<0.40	<0.40	<0.20	<0.20	<0.20	<0.20	0.63															
Styrene	<5		<1	<1		<1	<0.2	<0.2	<0.2	<0.2	<0.10	<0.2	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.30	<0.30	<0.30	<0.20	<0.30															
Tetrachloroethene	<5	<1	<1	<1	<1	<1	<0.3	<0.6	<0.6	<0.4	<0.10	<0.4	<0.50	<0.50	<0.50	<0.50	<0.40	<0.40	<0.29	<0.40	<0.40	<0.40	<0.30	<0.30															
Tetrahydrofuran																	<7.0	0.60	<4.0	<4.0	<4.0	<4.0	<3.0	<4.0															
Toluene	<5	<1	<1	<1	<1	<1	<0.2	<0.2	<0.2	<0.1	<0.20	<0.1	<0.50	<0.50	<0.50	<0.50	<0.40	<0.40	<0.40	<0.20	<0.20	<0.20	<0.22	<0.30															
Trichloroethene	<5	<1	<1	<1	<1	<1	<0.2	<0.3	<0.3	<0.3	<0.20	<0.3	<0.60	<0.60	0.63 J	0.75 J	<0.15	<0.15	<0.15	<0.15	0.98	0.39	<0.21	0.45															
Trichlorofluoromethane		<1	<1	<1	<1	<1	<0.5	<0.6	<0.6	<0.4	<0.20	<0.4	<0.40	<0.40	<0.40	<0.40	<0.50	<0.50	<0.70	<0.40	<0.40	<0.40	<0.20	<0.40															
Vinyl acetate	<10																<8.0	<8.0	<1.7	<1.1	<1.1	<1.1	<3.0	<4.0															
Vinyl chloride	<10	<1	<1	<1	<1	<1	<0.3	<0.5	<0.5	<0.4	<0.10	<0.4	<0.30	<0.30	<0.30	<0.30	<0.12	<0.12	<0.15	<0.15	<0.15	<0.15	<0.18	<0.19															
Xylene, m & p-		<2	<2	<2	<2	<2	<0.4	<0.3	<0.3	<0.2	<0.20	<0.2	<0.60	<0.60	<0.60	<0.60	<1.0	<1.0	<0.9	<0.50	<0.50	<0.50	<0.50	0.7	<0.90 MY	<1.0	<1.1	<0.80	<0.80	<0.80	<0.80	<0.80	<0.80	<0.80	<2.0	<2.0	<0.74		
Xylene, o-		<1	<1	<1	<1	<1	<0.2	<0.5	<0.5	<0.1	<0.10	<0.1	<0.50	<0.50	<0.50	<0.50	<0.40	<0.40	<0.60	<0.50	<0.50	<0.50	<0.24	2.1	0.57 MY	<0.50	<0.50	<0.40	<0.40	<0.40	<0.40	<0.40	<0.40	<1.1	<1.1	<0.72			
Xylenes, Total	<5																<1.5	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	2.8	0.57 MY	<1.5	<1.6	<1.2	<1.2	<1.2	<1.2	<1.2	<1.2	<1.2	<3.1	<3.1	<1.46		

Prepared By: T. Dushek, 8/27/24

Checked by: A. Voit, 10/28/24

NOTES:

All Units are in ug/L

Bold values indicate detections

A = Analyte averaged calibration criteria within acceptable limits

B = Analyte detected in associated Method Blank

M = Matrix spike or matrix spike duplicate outside acceptance limits.

J = Estimated Value

Q = Lab Control Sample outside acceptance limits

* = Suspected methylene chloride laboratory contamination.

Volatile Organic Compounds - Historical Data
WAULECO, INC - Wausau Facility
Well - W11

Parameter	12/17/92	06/30/93	12/28/93	06/21/94	07/05/95	07/09/96	07/11/97	06/24/98	06/08/99	07/18/00	01/30/01	07/11/01	08/06/02	07/22/03	07/13/04	07/19/05	07/19/06	07/10/07	07/23/08	07/07/09	07/14/10	07/19/11	07/09/12	07/01/13	7/1/2013 Duplicate	07/08/14	07/06/15	07/05/16	07/17/17	07/11/18	07/09/19	07/07/20	07/13/21	07/06/22	07/10/23	07/08/24	
1,1,1,2-Tetrachloroethane			<1	<1		<1	<0.1	<0.3	<0.3	<0.4	<0.20	<0.4	<0.90	<0.90	<0.90	<0.50	<0.70	<0.60	<0.60	<0.60	<0.24	<0.40															
1,1,1-Trichloroethane	<5	<1	<1	<1	<1	<1	<0.3	<0.3	<0.3	<0.3	<0.20	<0.3	<0.50	<0.50	<0.50	<0.60	<0.50	<0.60	<0.60	<0.60	<0.21	<0.29															
1,1,2,2-Tetrachloroethane	<5	<1	<1	<1	<1	<1	<0.2	<0.2	<0.2	<0.4	<0.20	<0.4	<0.80	<0.80	<0.80	<0.15	<0.13	<0.14	<0.14	<0.14	<0.19	<0.30															
1,1,2-Trichloroethane	<5	<1	<1	<1	<1	<1	<1	<0.2	<0.2	<0.2	<0.10	<0.2	<0.90	<0.90	<0.90	<0.40	<0.50	<0.50	<0.50	<0.50	<0.26	<0.30															
1,1-Dichloroethane	<5	<1	<1	<1	<1	<1	<0.2	<0.2	<0.2	<0.4	<0.10	<0.4	<0.50	<0.50	<0.50	<0.50	<0.40	<0.40	<0.40	<0.40	<0.20	<0.28															
1,1-Dichloroethene	<5	<1	<1	<1	<1	<1	<0.4	<0.2	<0.2	<0.9	<0.20	<0.9	<0.40	<0.40	<0.40	<0.50	<0.30	<0.40	<0.40	<0.40	<0.24	<0.29															
1,1-Dichloropropene			<1	<1		<1	<0.2	<0.3	<0.3	<0.4	<0.20	<0.4	<0.50	<0.50	<0.50	<0.50	<0.60	<0.50	<0.50	<0.50	<0.24	<0.40															
1,2,3-Trichlorobenzene		<1	<1	<1		<1	<0.5	<0.4	<0.4	<0.5	<0.30	<0.5	<0.50	<0.50	<0.50	<0.60	<0.50	<0.50	<0.50	<0.50	<0.30	<0.40															
1,2,3-Trichloropropane			<1	<1		<1	<0.3	<0.2	<0.2	<0.3	<0.10	<0.3	<0.80	<0.80	<0.80	<0.60	<0.70	<0.30	<0.30	<0.30	<0.21	<0.40															
1,2,4-Trichlorobenzene		<1	<1	<1		<1	<0.5	<0.3	<0.3	<0.5	<0.30	<0.5	<0.50	<0.50	<0.50	<0.70	<0.70	<0.40	<0.40	<0.40	<0.30	<0.30															
1,2,4-Trimethylbenzene		<1	<1	<1		<1	<0.7	<0.6	7.1	<0.2	0.48	<0.2	<0.50	<0.50	<0.50	<0.40	<0.50	<0.24	<0.24	<0.24	<0.20	<0.30		<0.40	<0.40	<0.60	<0.50	<0.40	<0.40	<0.40	<0.40	<0.40	<0.91	<0.91	<0.34		
1,2-Dibromo-3-chloropropane		<3	<3	<3		<3	<0.3	<0.3	<0.3	<0.3	<0.40	<0.3	<0.40	<0.40	<0.40	<0.40	<1.1	<0.30	<0.40	<0.40	<0.40	<0.50															
1,2-Dibromoethane		<2	<2	<2		<2	<0.2	<0.4	<0.4	<0.3	<0.10	<0.3	<0.30	<0.30	<0.30	<0.60	<0.50	<0.13	<0.13	<0.13	<0.16	<0.30															
1,2-Dichlorobenzene		<1	<1	<1	<1	<1	<0.3	<0.3	<0.3	<0.3	<0.20	<0.3	<0.70	<0.70	<0.70	<0.50	<0.50	<0.40	<0.40	<0.40	<0.23	<0.40															
1,2-Dichloroethane	<5	<1	<1	<1	<1	<1	<0.2	<0.2	<0.2	<0.4	<0.20	<0.4	<0.90	<0.90	<0.90	<0.50	<0.50	<0.30	<0.30	<0.30	<0.30	<0.30															
cis-1,2-Dichloroethene		<1	<1	<1	<1	<1	<0.2	<0.2	<0.2	<0.4	<0.20	<0.4	<0.50	<0.50	<0.50	<0.60	<0.40	<0.40	<0.40	<0.40	<0.25	<0.30															
trans-1,2-Dichloroethene	<5	<1	<1	<1	<1	<1	<0.2	<0.3	<0.3	<0.8	<0.10	<0.8	<0.40	<0.40	<0.40	<0.60	<0.40	<0.50	<0.50	<0.50	<0.25	<0.30															
1,2-Dichloropropane	<5	<1	<1	<1	<1	<1	<0.1	<0.2	<0.2	<0.3	<0.20	<0.3	<0.40	<0.40	<0.40	<0.50	<0.50	<0.21	<0.21	<0.21	<0.22	<0.29															
1,3,5-Trimethylbenzene		<1	<1	<1		<1	<0.4	<0.3	0.9	<0.3	<0.10	<0.3	<0.50	<0.50	<0.50	<0.50	<0.40	<0.19	<0.19	<0.19	<0.23	<0.30															
1,3-Dichlorobenzene		<1	<1	<1	<1	<1	<0.7	<0.4	<0.4	<0.4	<0.10	<0.4	<0.50	<0.50	<0.50	<0.50	<0.40	<0.40	<0.40	<0.40	<0.26	<0.30															
cis-1,3-Dichloropropene	<5		<1	<1	<1	<1	<0.3	<0.3	<0.3	<0.2	<0.10	<0.2	<0.60	<0.60	<0.60	<0.12	<0.15	<0.14	<0.14	<0.14	<0.19	<0.28															
1,3-Dichloropropane		<1	<1	<1		<1	<0.3	<0.6	<0.6	<0.4	<0.10	<0.4	<1.2	<1.2	<1.2	<0.60	<0.50	<0.19	<0.19	<0.19	<0.23	<0.30															
trans-1,3-Dichloropropene	<5		<1	<1	<1	<1	<0.2	<0.2	<0.2	<0.5	<0.10	<0.5	<0.70	<0.70	<0.70	<0.14	<0.14	<0.14	<0.14	<0.14	<0.19	<0.30															
1,4-Dichlorobenzene		<1	<1	<1	<1	<1	<0.3	<0.3	<0.3	<0.4	<0.10	<0.4	<0.50	<0.50	<0.50	<0.50	<0.60	<0.50	<0.50	<0.50	<0.23	<0.30															
2,2-Dichloropropane		<1	<1	<1		<1	<0.2	<0.5	<0.5	<0.2	<0.20	<0.2	<0.60	<0.60	<0.60	<0.60	<0.60	<0.30	<0.30	<0.30	<0.25	<0.28															
2-Butanone (MEK)	<10															<7.0	<5.0	<4.0	<4.0	<4.0	<2.4	<3.0															
2-Chloroethyl vinyl ether					<10																																
2-Chlorotoluene			<1	<1	<1		<1	<0.4	<0.3	<0.3	<0.4	<0.10	<0.4	<0.60	<0.60	<0.60	<0.50	<0.50	<0.30	<0.30	<0.30	<0.22	<0.30														
2-Hexanone	<10																<7.0	<8.0	<4.0	<4.0	<4.0	<4.0	<4.0														
4-Chlorotoluene		<1	<1	<1		<1	<0.3	<0.3	<0.3	<0.3	<0.20	<0.3	<0.60	<0.60	<0.60	<0.40	<0.60	<0.30	<0.30	<0.30	<0.21	<0.29															
4-Methyl-2-Pentanone (MIBK)	<10																<7.0	<6.0	<3.0	<3.0	<3.0	<3.0	<3.0														
Acetone	<10																<9.0	<10.0	<7.0	<7.0	<7.0	<5.0	<5.0														
Benzene	<5	<1	<1	<1	<1	<1	<0.2	<0.3	<0.3	<0.1	0.59	<0.1	<0.40	<0.40	<0.40	<0.40	<0.40	<0.16	<0.16	<0.16	<0.19	<0.30															
Bromobenzene		<1	<1	<1		<1	<0.3	<0.2	<0.2	<0.5	<0.10	<0.5	<0.50	<0.50	<0.50	<0.50	<0.60	<0.30	<0.30	<0.30	<0.20	<0.30															
Bromochloromethane		<1	<1	<1		<1	<0.4	<0.2	<0.2	<0.4	<0.10	<0.4	<0.50	<0.50	<0.50	<0.50	<0.70	<0.21	<0.21	<0.21	<0.22	<0.40															
Bromodichloromethane	<5	<1	<1	<1	<1	2.1	1.8	<0.2	<0.2	<0.2	<0.10	<0.2	<0.40	<0.40	<0.40	<0.40	<0.13	<0.15	<0.19	<0.19	<0.19	<0.20	<0.30														

Volatile Organic Compounds - Historical Data
WAULECO, INC - Wausau Facility
Well - W11

Parameter	12/17/92	06/30/93	12/28/93	06/21/94	07/05/95	07/09/96	07/11/97	06/24/98	06/08/99	07/18/00	01/30/01	07/11/01	08/06/02	07/22/03	07/13/04	07/19/05	07/19/06	07/10/07	07/23/08	07/07/09	07/14/10	07/19/11	07/09/12	07/01/13	7/1/2013 Duplicate	07/08/14	07/06/15	07/05/16	07/17/17	07/11/18	07/09/19	07/07/20	07/13/21	07/06/22	07/10/23	07/08/24		
Bromoform	<5		<1	<1	<1	<1	<0.3	<0.2	<0.2	<0.1	<0.20	<0.1	<0.60	<0.60	<0.60	<0.50	<0.21	<0.50	<0.50	<0.50	<0.22	<0.24																
Bromomethane	<10		<2	<2	<2	<2	<0.3	<0.9	<0.9	<0.4	<0.40	<0.4	<0.80	<0.80	<0.80	<0.80	<0.90	<0.40	<0.40	<0.40	<0.50	<0.30																
n-Butylbenzene		<1	<1	<1			<1	<0.6	<0.3	2.3	<0.4	0.22	<0.4	<0.50	<0.50	<0.60	<0.40	0.31	<0.24	<0.24	<0.23	<0.29																
sec-Butylbenzene		<1	<1	<1		<1	<0.3	<0.2	2.4	1.3	0.86	<0.3	<0.50	<0.50	<0.50	<0.50	<0.52	2.2	<0.29	1.6	1.4	1																
tert-Butylbenzene		<1	<1	<1		<1	<0.3	<0.3	0.8	<0.1	0.33	<0.1	<0.50	<0.50	<0.50	<0.50	<0.50	1.1	<0.23	0.7	<0.20	0.49																
Carbon disulfide	<5															<1.1	<1.0	<0.50	<0.50	<0.50	<0.50	<0.60																
Carbon tetrachloride	<5	<1	<1	<1	<1	<1	<0.2	<0.4	<0.4	<0.3	<0.10	<0.3	<0.60	<0.60	<0.60	<0.50	<0.50	<0.40	<0.40	<0.40	<0.23	<0.40																
Chlorobenzene	<5	<1	<1	<1	<1	<1	<0.3	<0.3	<0.3	<0.3	<0.10	<0.3	<0.80	<0.80	<0.80	<0.50	<0.40	<0.30	<0.30	<0.30	<0.24	<0.30																
Chlorodibromomethane	<5	<1	<1	<1	<1	<1	<0.3	<0.3	<0.3	<0.4	<0.20	<0.4	<0.40	<0.40	<0.40	<0.60	<0.60	<0.23	<0.23	<0.23	<0.19	<0.26																
Chloroethane	<10	<2	<2	<2	<2	<2	<0.4	<0.8	<0.8	<0.5	<0.40	<0.5	<0.50	<0.50	<0.50	<0.70	<0.60	<0.40	<0.40	<0.40	<0.40	<0.30																
Chloroform	<5	<1	<1	17	15	34.7	36.0	<0.2	<0.2	<0.5	0.37	<0.5	<0.60	<0.60	<0.60	<0.50	<0.50	<0.22	<0.22	<0.22	<0.15	<0.23																
Chloromethane	<10	<2	<2	<2	<2	<2	<0.7	<0.9	<0.9	<0.3	<0.20	<0.3	<0.40	<0.40	<0.40	<0.24	<0.30	<0.30	<0.30	1.3AB	<0.40	<0.40																
Dibromomethane			<1	<1			<1	<0.1	<0.2	<0.2	<0.4	<0.20	<0.4	<0.50	<0.50	<0.70	<0.80	<0.40	<0.40	<0.40	<0.24	<0.30																
Dichlorodifluoromethane		<2	<2	<2		<2	<0.3	<1.2	<1.2	<0.5	<0.10	<0.5	<0.50	<0.50	<0.50	<0.60	<0.29	<0.40	<0.40	<0.40	<0.26	<0.30																
Diisopropyl Ether		<1							<0.3	<0.1	<0.10	<0.1	<0.50	<0.50	<0.50	<0.50	<0.40	<0.50	<0.50	<0.50	<0.20	<0.30																
Ethylbenzene	<5	<1	<1	<1	<1	<1	<0.2	<0.2	0.2	<0.1	0.11	<0.1	<0.50	<0.50	<0.50	<0.50	<0.50	<0.28	<0.28	<0.28	<0.22	<0.29																
Hexachlorobutadiene		<1	<1	<1		<1	<0.5	<0.6	<0.6	<0.6	<0.20	<0.6	<0.50	<0.50	<0.50	<0.60	<0.90	<0.60	<0.60	<0.60	<0.30	<0.40																
Isopropylbenzene		<1	<1	<1		<1	<0.2	<0.2	1.8	<0.1	0.29	<0.1	<0.50	<0.50	<0.50	<0.40	<0.60	<0.20	<0.20	<0.20	<0.18	<0.30																
p-Isopropyltoluene		<1	<1	<1		<1	<0.4	<0.2	<0.2	<0.2	<0.10	<0.2	<0.50	<0.50	<0.50	<0.40	<0.40	<0.17	<0.17	<0.17	<0.23	<0.30																
Methyl tert-butyl ether		<1						<0.2	<1.1	<0.30	<1.1	<0.50	<0.50	<0.50	<0.50	<0.60	<0.40	<0.23	<0.23	<0.23	<0.29	<0.30																
Methylene chloride	<10	<3	<3	<3	<3	<3	<0.3	<0.5	<0.5	<1.9	<0.40	<1.9	<1.0	<1.0	3 J,A,B,Q	<0.40	<1.0	<0.50	<0.50	<0.50	<0.40	<0.40																
Naphthalene	<10	<1	<1	<1	<1	<1	<0.8	<1.1	3.8	<0.7	<0.20	<0.7	<0.50	<0.50	<0.50	<0.60	<0.70	<0.60	<0.60	<0.60	<0.40	<0.40	<0.33	0.70	0.94	<1.2	<0.50	<0.90	<0.90	<0.90	<0.90	<0.90	<0.90	<0.90	Y	<1.1	<1.1	<0.35
n-Propylbenzene		<1	<1	<1		<1	<0.3	<0.2	1	<0.3	0.17	<0.3	<0.50	<0.50	<0.50	<0.40	<0.40	<0.20	<0.20	<0.20	<0.20	<0.30																
Styrene	<5		<1	<1			<1	<0.2	<0.2	<0.2	<0.10	<0.2	<0.50	<0.50	<0.50	<0.50	<0.50	<0.30	<0.30	<0.30	<0.20	<0.30																
Tetrachloroethene	<5	<1	<1	<1	1.4	<1	<0.3	<0.6	<0.6	<0.4	<0.10	<0.4	<0.50	<0.50	<0.50	<0.40	<0.29	<0.40	<0.40	<0.40	<0.30	<0.30																
Tetrahydrofuran																<7.0	<7.0	<4.0	<4.0	<4.0	<3.0	<4.0																
Toluene	<5	<1	<1	<1	<1	<1	<0.2	<0.2	<0.2	<0.1	<0.20	<0.1	<0.50	<0.50	<0.50	<0.40	<0.40	<0.20	<0.20	<0.20	<0.22	<0.30																
Trichloroethene	<5	<1	<1	1.3	<1	<0.2	<0.3	1.6	0.62	2.2	<0.3	<0.60	<0.60	<0.60	<0.60	0.34	0.62	1.3	0.28	0.76	0.7	0.41																
Trichlorofluoromethane		<1	<1	<1	<1	<1	<0.5	<0.6	<0.6	<0.4	<0.20	<0.4	<0.40	<0.40	<0.40	<0.50	<0.70	<0.40	<0.40	<0.40	<0.20	<0.40																
Vinyl acetate	<10															<8.0	<1.7	<1.1	<1.1	<1.1	<3.0	<4.0																
Vinyl chloride	<10	<1	<1	<1	<1	<1	<0.3	<0.5	<0.5	<0.4	<0.10	<0.4	<0.30	<0.30	<0.30	<0.12	<0.15	<0.15	<0.15	<0.15	<0.18	<0.19																
Xylene, m & p-		<2	<2	<2	<2	<2	<0.4	<0.3	0.3	<0.2	<0.20	<0.2	<0.60	<0.60	<0.60	<1.0	<0.9	<0.50	<0.50	<0.50	<0.50	<0.60		<0.90	<0.90	<1.0	<1.1	<0.80	<0.80	<0.80	<0.80	<0.80	<0.80	<2.0	<2.0	<0.74		
Xylene, o-		<1	<1	<1	<1	<1	<0.2	<0.5	4.7	<0.1	0.65	<0.1	<0.50	<0.50	<0.50	<0.40	<0.60	<0.50	<0.50	<0.50	<0.24	<0.29		<0.50	<0.50	<0.50	<0.50	<0.40	<0.40	<0.40	<0.40	<0.40	<1.1	<1.1	<1.1	<0.72		
Xylenes, Total	<5																<1.5	<1.0	<1.0	<1.0	<1.0	<0.89		<1.4	<1.4	<1.5	<1.6	<1.2	<1.2	<1.2	<1.2	<1.2	<3.1	<3.1	<1.46			

Prepared By: T. Dushek, 8/27/24

Checked by: A. Voit, 10/28/24

NOTES:

All Units are in ug/L

Bold values indicate detections

A = Analyte averaged calibration criteria within acceptable limits

B = Analyte detected in associated Method Blank

M = Matrix spike or matrix spike duplicate outside acceptance limits.

J = Estimated Value

Q = Lab Control Sample outside acceptance limits

* = Suspected methylene chloride laboratory contamination.

Volatile Organic Compounds - Historical Data
WAULECO, INC - Wausau Facility
Well - W12

Parameter	12/17/92	06/29/93	12/28/93	06/21/94	07/06/95	07/08/96	07/11/97	06/23/98	06/08/99	07/17/00	01/30/01	07/10/01	08/05/02	07/22/03	07/13/04	07/19/05	07/19/06	07/09/07	07/23/08	07/06/09	07/14/10	07/18/11	07/09/12	07/01/13	07/07/14	07/06/15	07/05/16	07/11/17	07/11/18	07/08/19	07/06/20	07/06/21	07/06/22	07/06/23	07/08/24		
1,1,1,2-Tetrachloroethane			<1	<1		<1	<0.1	<0.3	<0.3	<0.4	<0.20	<0.4	<0.90	<0.90	<0.90	<0.50	<0.70	<0.60	<0.60	<0.60	<0.24	<0.40															
1,1,1-Trichloroethane	<5	<1	<1	<1	<1	<1	<0.3	<0.3	<0.3	<0.3	<0.20	<0.3	<0.50	<0.50	<0.50	<0.60	<0.50	<0.60	<0.60	<0.60	<0.21	<0.29															
1,1,2,2-Tetrachloroethane	<5	<1	<1	<1	<1	<1	<0.2	<0.2	<0.2	<0.4	<0.20	<0.4	<0.80	<0.80	<0.80	<0.15	<0.13	<0.14	<0.14	<0.14	<0.19	<0.30															
1,1,2-Trichloroethane	<5	<1	<1	<1	<1	<1	<1	<0.2	<0.2	<0.2	<0.10	<0.2	<0.90	<0.90	<0.90	<0.40	<0.50	<0.50	<0.50	<0.50	<0.26	<0.30															
1,1-Dichloroethane	<5	<1	<1	<1	<1	<1	<0.2	<0.2	<0.2	<0.4	<0.10	<0.4	<0.50	<0.50	<0.50	<0.50	<0.50	<0.40	<0.40	<0.40	<0.20	<0.28															
1,1-Dichloroethene	<5	<1	<1	<1	<1	<1	<0.4	<0.2	<0.2	<0.9	<0.20	<0.9	<0.40	<0.40	<0.40	<0.50	<0.30	<0.40	<0.40	<0.40	<0.24	<0.29															
1,1-Dichloropropene			<1	<1		<1	<0.2	<0.3	<0.3	<0.4	<0.20	<0.4	<0.50	<0.50	<0.50	<0.50	<0.60	<0.50	<0.50	<0.50	<0.24	<0.40															
1,2,3-Trichlorobenzene		<1	<1	<1		<1	<0.5	<0.4	<0.4	<0.5	<0.30	<0.5	<0.50	<0.50	<0.50	<0.60	<0.50	<0.50	<0.50	<0.50	<0.30	<0.40															
1,2,3-Trichloropropane		<1	<1	<1	<1	<1	<0.3	<0.2	<0.2	<0.3	<0.10	<0.3	<0.80	<0.80	<0.80	<0.60	<0.70	<0.30	<0.30	<0.30	<0.21	<0.40															
1,2,4-Trichlorobenzene		<1	<1	<1	<1	<1	<0.5	<0.3	<0.3	<0.5	<0.30	<0.5	<0.50	<0.50	<0.50	<0.70	<0.70	<0.40	<0.40	<0.40	<0.30	<0.30															
1,2,4-Trimethylbenzene		<1	<1		2.1	<0.7	<0.6	<0.6	<0.6	<0.2	<0.10	<0.2	<0.50	<0.50	<0.50	<0.40	<0.50	<0.24	<0.24	<0.24	<0.20	<0.30		<0.40	<0.60	<0.50	<0.40	<0.40	<0.40	<0.40	<0.40	<0.91	<0.91	<0.91	<0.34		
1,2-Dibromo-3-chloropropane		<3	<3	<3		<3	<0.3	<0.3	<0.3	<0.3	<0.40	<0.3	<0.40	<0.40	<0.40	<1.1	<0.30	<0.40	<0.40	<0.40	<0.40	<0.50															
1,2-Dibromoethane		<2	<2	<2		<2	<0.2	<0.4	<0.4	<0.3	<0.10	<0.3	<0.30	<0.30	<0.30	<0.60	<0.50	<0.13	<0.13	<0.13	<0.16	<0.30															
1,2-Dichlorobenzene		<1	<1	<1	<1	<1	<0.3	<0.3	<0.3	<0.3	<0.20	<0.3	<0.70	<0.70	<0.70	<0.50	<0.50	<0.40	<0.40	<0.40	<0.23	<0.40															
1,2-Dichloroethane	<5	<1	<1	<1	<1	<1	<0.2	<0.2	<0.2	<0.4	<0.20	<0.4	<0.90	<0.90	<0.90	<0.50	<0.50	<0.30	<0.30	<0.30	<0.30	<0.30															
cis-1,2-Dichloroethene		<1	<1	<1	<1	<1	<0.2	<0.2	<0.2	<0.4	<0.20	<0.4	<0.50	<0.50	<0.50	<0.60	<0.40	<0.40	<0.40	<0.40	<0.25	<0.30															
trans-1,2-Dichloroethene	<5	<1	<1	<1	<1	<1	<0.2	<0.3	<0.3	<0.8	<0.10	<0.8	<0.40	<0.40	<0.40	<0.60	<0.40	<0.50	<0.50	<0.50	<0.25	<0.30															
1,2-Dichloropropane	<5	<1	<1	<1	<1	<1	<0.1	<0.2	<0.2	<0.3	<0.20	<0.3	<0.40	<0.40	<0.40	<0.50	<0.50	<0.21	<0.21	<0.21	<0.22	<0.29															
1,3,5-Trimethylbenzene		<1	<1	<1	<1	<1	<0.4	<0.3	<0.3	<0.3	<0.10	<0.3	<0.50	<0.50	<0.50	<0.50	<0.40	<0.19	<0.19	<0.19	<0.23	<0.30															
1,3-Dichlorobenzene		<1	<1	<1	<1	<1	<0.7	<0.4	<0.4	<0.4	<0.10	<0.4	<0.50	<0.50	<0.50	<0.50	<0.40	<0.40	<0.40	<0.40	<0.26	<0.30															
cis-1,3-Dichloropropene	<5	<1	<1	<1	<1	<1	<0.3	<0.3	<0.3	<0.2	<0.10	<0.2	<0.60	<0.60	<0.60	<0.12	<0.15	<0.14	<0.14	<0.14	<0.19	<0.28															
1,3-Dichloropropane		<1	<1	<1	<1	<1	<0.3	<0.6	<0.6	<0.4	<0.10	<0.4	<1.2	<1.2	<1.2	<0.60	<0.50	<0.19	<0.19	<0.19	<0.23	<0.30															
trans-1,3-Dichloropropene	<5	0	<1	<1	<1	<1	<0.2	<0.2	<0.2	<0.5	<0.10	<0.5	<0.70	<0.70	<0.70	<0.14	<0.14	<0.14	<0.14	<0.14	<0.19	<0.30															
1,4-Dichlorobenzene		<1	<1	<1	<1	<1	<0.3	<0.3	<0.3	<0.4	<0.10	<0.4	<0.50	<0.50	<0.50	<0.50	<0.60	<0.50	<0.50	<0.50	<0.23	<0.30															
2,2-Dichloropropane		<1	<1	<1	<1	<1	<0.2	<0.5	<0.5	<0.2	<0.20	<0.2	<0.60	<0.60	<0.60	<0.60	<0.60	<0.30	<0.30	<0.30	<0.25	<0.28															
2-Butanone (MEK)	<10																<7.0	<5.0	<4.0	<4.0	<2.4	<3.0															
2-Chloroethyl vinyl ether					<10																																
2-Chlorotoluene		<1	<1	<1		<1	<0.4	<0.3	<0.3	<0.4	<0.10	<0.4	<0.60	<0.60	<0.60	<0.50	<0.50	<0.30	<0.30	<0.30	<0.22	<0.30															
2-Hexanone	<10																<7.0	<8.0	<4.0	<4.0	<4.0	<4.0	<4.0														
4-Chlorotoluene		<1	<1	<1	<1	<1	<0.3	<0.3	<0.3	<0.3	<0.20	<0.3	<0.60	<0.60	<0.60	<0.40	<0.60	<0.30	<0.30	<0.30	<0.21	<0.29															
4-Methyl-2-Pentanone (MIBK)	<10																<7.0	<6.0	<3.0	<3.0	<3.0	<3.0	<3.0														
Acetone	<10																<9.0	<10.0	<7.0	<7.0	<7.0	<5.0	<5.0														
Benzene	<5	<1	<1	<1	<1	<1	<0.2	<0.3	<0.3	<0.1	<0.10	<0.1	<0.40	<0.40	<0.40	<0.40	<0.40	<0.16	<0.16	<0.16	<0.19	<0.30															
Bromobenzene		<1	<1	<1	<1	<1	<0.3	<0.2	<0.2	<0.5	<0.10	<0.5	<0.50	<0.50	<0.50	<0.50	<0.60	<0.30	<0.30	<0.30	<0.20	<0.30															
Bromochloromethane		<1	<1	<1	<1	<1	<0.4	<0.2	<0.2	<0.4	<0.10	<0.4	<0.50	<0.50	<0.50	<0.50	<0.70	<0.21	<0.21	<0.21	<0.22	<0.40															
Bromodichloromethane	<5	<1	<1	<1	<1	<1	<0.2	<0.2	<0.2	<0.2	<0.10	<0.2	<0.40	<0.40	<0.40	<0.13	<0.15	<0.19	<0.19	<0.19	<0.20	<0.30															

Volatile Organic Compounds - Historical Data
WAULECO, INC - Wausau Facility
Well - W12

Parameter	12/17/92	06/29/93	12/28/93	06/21/94	07/06/95	07/08/96	07/11/97	06/23/98	06/08/99	07/17/00	01/30/01	07/10/01	08/05/02	07/22/03	07/13/04	07/19/05	07/19/06	07/09/07	07/23/08	07/06/09	07/14/10	07/18/11	07/09/12	07/01/13	07/07/14	07/06/15	07/05/16	07/11/17	07/11/18	07/08/19	07/06/20	07/06/21	07/06/22	07/06/23	07/08/24	
Bromoform	<5		<1	<1	<1	<1	<0.3	<0.2	<0.2	<0.1	<0.20	<0.1	<0.60	<0.60	<0.60	<0.50	<0.21	<0.50	<0.50	<0.50	<0.22	<0.24														
Bromomethane	<10		<2	<2	<2	<2	<0.3	<0.9	<0.9	<0.4	<0.40	<0.4	<0.80	<0.80	<0.80	<0.80	<0.90	<0.40	<0.40	<0.40	<0.50	<0.30														
n-Butylbenzene		<1	<1	<1		<1	<0.6	<0.3	<0.3	<0.4	<0.10	<0.4	<0.50	<0.50	<0.50	<0.60	<0.40	<0.24	<0.24	<0.24	<0.23	<0.29														
sec-Butylbenzene		<1	<1	<1		<1	<0.3	<0.2	<0.2	<0.3	0.28	<0.3	<0.50	<0.50	<0.50	<0.50	<0.50	<0.29	<0.29	<0.29	<0.21	<0.30														
tert-Butylbenzene		<1	<1	<1		<1	<0.3	<0.3	<0.3	<0.1	0.15	<0.1	<0.50	<0.50	<0.50	<0.50	<0.50	<0.23	<0.23	<0.23	<0.20	<0.40														
Carbon disulfide	<5														<1.1	<1.0	<0.50	<0.50	<0.50	<0.50	<0.60	<0.60														
Carbon tetrachloride	<5	<1	<1	<1	<1	<1	<0.2	<0.4	<0.4	<0.3	<0.10	<0.3	<0.60	<0.60	<0.60	<0.50	<0.50	<0.40	<0.40	<0.40	<0.23	<0.40														
Chlorobenzene	<5	<1	<1	<1	<1	<1	<0.3	<0.3	<0.3	<0.3	<0.10	<0.3	<0.80	<0.80	<0.80	<0.50	<0.40	<0.30	<0.30	<0.30	<0.24	<0.30														
Chlorodibromomethane	<5	<1	<1	<1	<1	<1	<0.3	<0.3	<0.3	<0.4	<0.20	<0.4	<0.40	<0.40	<0.40	<0.60	<0.60	<0.23	<0.23	<0.23	<0.19	<0.26														
Chloroethane	<10	<2	<2	<2	<2	<2	<0.4	<0.8	<0.8	<0.5	<0.40	<0.5	<0.50	<0.50	<0.50	<0.70	<0.60	<0.40	<0.40	<0.40	<0.40	<0.30														
Chloroform	<5	<1	<1	<1	<1	<1	5.2	1	0.7	1.6	1.8	<0.5	<0.60	<0.60	<0.60	<0.50	<0.50	0.23	<0.22	<0.22	<0.15	1.1														
Chloromethane	<10	<2	<2	<2	<2	<2	<0.7	<0.9	<0.9	<0.3	<0.20	<0.3	<0.40	<0.40	<0.40	<0.24	<0.30	<0.30	<0.30	0.48B	<0.40	<0.40														
Dibromomethane			<1	<1		<1	<0.1	<0.2	<0.2	<0.4	<0.20	<0.4	<0.50	<0.50	<0.50	<0.70	<0.80	<0.40	<0.40	<0.40	<0.24	<0.30														
Dichlorodifluoromethane		<2	<2	<2		<2	<0.3	<1.2	<1.2	<0.5	<0.10	<0.5	<0.50	<0.50	<0.50	<0.60	<0.29	<0.40	<0.40	<0.40	<0.26	<0.30														
Diisopropyl Ether		<1							<0.3	<0.1	<0.10	<0.1	<0.50	<0.50	<0.50	<0.50	<0.40	<0.50	<0.50	<0.50	<0.20	<0.30														
Ethylbenzene	<5	<1	<1	<1	<1	<1	<0.2	<0.2	<0.2	<0.1	<0.10	<0.1	<0.50	<0.50	<0.50	<0.50	<0.50	<0.28	<0.28	<0.28	<0.22	<0.29														
Hexachlorobutadiene		<1	<1	<1		<1	<0.5	<0.6	<0.6	<0.6	<0.20	<0.6	<0.50	<0.50	<0.50	<0.60	<0.90	<0.60	<0.60	<0.60	<0.30	<0.40														
Isopropylbenzene		<1	<1	<1		<1	<0.2	<0.2	<0.2	<0.1	<0.10	<0.1	<0.50	<0.50	<0.50	<0.40	<0.60	<0.20	<0.20	<0.20	<0.18	<0.30														
p-Isopropyltoluene		<1	<1	<1		<1	<0.4	<0.2	<0.2	<0.10	<0.2	<0.50	<0.50	<0.50	<0.40	<0.40	<0.40	<0.17	<0.17	<0.17	<0.23	<0.30														
Methyl tert-butyl ether		<1							<0.2	<1.1	<0.30	<1.1	<0.50	<0.50	<0.50	<0.60	<0.40	<0.23	<0.23	<0.23	<0.29	<0.30														
Methylene chloride	<10	<3	<3	<3	<3	<3	<0.3	<0.5	<0.5	<1.9	<0.40	<1.9	<1.0	<1.0	2.9	<0.40	<1.0	<0.50	<0.50	<0.50	<0.40	<0.40														
Naphthalene	<10	<1	<1	<1	<1	<1	<0.8	<1.1	<1.1	<0.7	<0.20	<0.7	<0.50	<0.50	<0.50	<0.60	<0.70	<0.60	<0.60	<0.60	<0.40	<0.40	<0.32	<0.50	<1.2	<0.50	<0.90	<0.90	<0.90	<0.90	<0.90	<0.90	<0.90	<1.1	<1.1	<0.35
n-Propylbenzene		<1	<1	<1		<1	<0.3	<0.2	<0.2	<0.3	<0.10	<0.3	<0.50	<0.50	<0.50	<0.40	<0.40	<0.20	<0.20	<0.20	<0.20	<0.30														
Styrene	<5	<1	<1	<1		<1	<0.2	<0.2	<0.2	<0.2	<0.10	<0.2	<0.50	<0.50	<0.50	<0.50	<0.50	<0.30	<0.30	<0.30	<0.20	<0.30														
Tetrachloroethene	<5	<1	<1	<1	<1	<1	<0.3	<0.6	<0.6	<0.4	0.34	<0.4	0.76	<0.50	0.83	0.74	0.65	0.53	0.6	0.70	0.61	0.62														
Tetrahydrofuran															<7.0	<7.0	<4.0	<4.0	<4.0	<4.0	<3.0	<4.0														
Toluene	<5	<1	<1	<1	<1	<1	<0.2	<0.2	<0.2	<0.1	<0.20	<0.1	<0.50	<0.50	<0.50	<0.40	<0.40	<0.20	<0.20	<0.20	<0.22	<0.30														
Trichloroethene	22.4	7.6	8.1	4.2	5.3	<1	<0.2	1.65	1.2	1.12	1.7	0.38 J	<0.60	<0.60	<0.60	0.21	<0.15	0.22	<0.15	0.18	<0.21	<0.40														
Trichlorofluoromethane		<1	<1	<1	<1	<1	<0.5	<0.6	<0.6	<0.4	<0.20	<0.4	<0.40	<0.40	<0.40	<0.50	<0.70	<0.40	<0.40	<0.40	<0.20	<0.40														
Vinyl acetate	<10														<8.0	<1.7	<1.1	<1.1	<1.1	<1.1	<3.0	<4.0														
Vinyl chloride	<10	<1	<1	<1	<1	<1	<0.3	<0.5	<0.5	<0.4	<0.10	<0.4	<0.30	<0.30	<0.30	<0.12	<0.15	<0.15	<0.15	<0.15	<0.18	<0.19														
Xylene, m & p-		<2	<2	<2	<2	<2	<0.4	<0.3	<0.3	<0.2	<0.20	<0.2	<0.60	<0.60	<0.60	<1.0	<0.9	<0.50	<0.50	<0.50	<0.50	<0.60	<0.90	<1.0	<1.1	<0.80	<0.80	<0.80	<0.80	<0.80	<0.80	<0.80	<2.0	<2.0	<0.74	
Xylene, o-		<1	<1	<1	<1	<1	<0.2	<0.5	<0.5	<0.1	<0.10	<0.1	<0.50	<0.50	<0.50	<0.40	<0.60	<0.50	<0.50	<0.50	<0.24	<0.29	<0.50	<0.50	<0.50	<0.40	<0.40	<0.40	<0.40	<0.40	<0.40	<1.1	<1.1	<0.72		
Xylenes, Total	<5																<1.5	<1.0	<1.0	<1.0	<1.0	<0.89	<1.4	<1.5	<1.6	<1.2	<1.2	<1.2	<1.2	<1.2	<1.2	<3.1	<3.1	<1.46		

Prepared By: T. Dushak, 8/27/24

Checked by: A. Voit, 10/28/24

NOTES:

All Units are in ug/L

Bold values indicate detections

A = Analyte averaged calibration criteria within acceptable limits

B = Analyte detected in associated Method Blank

M = Matrix spike or matrix spike duplicate outside acceptance limits.

J = Estimated Value

Q = Lab Control Sample outside acceptance limits

* = Suspected methylene chloride laboratory contamination.

Volatile Organic Compounds - Historical Data
WAULECO, INC - Wausau Facility
Well - W13

Parameter	12/19/92	06/30/93	12/27/93	06/22/94	07/06/95	07/10/96	07/11/97	06/24/98	06/09/99	07/18/00	01/31/01	07/10/01	08/06/02	07/23/03	07/14/04	07/20/05	07/18/06	07/10/07	07/24/08	07/06/09	07/13/10	07/19/11	07/06/12	07/10/13	07/16/14	07/08/15	07/11/16	07/20/17	07/16/18	07/16/19	07/13/20	07/12/21	07/13/22	07/10/23	07/09/24	
1,1,1,2-Tetrachloroethane			<1	<1		<1	<0.1	<0.3	<0.3	<0.4	<0.20	<0.4	<0.90	<0.90	<0.90	<0.50	<0.70	<0.60	<0.60	<0.60	<0.24	<0.40														
1,1,1-Trichloroethane	<5	<1	<1	<1	<1	<1	<0.3	<0.3	<0.3	<0.3	<0.20	<0.3	<0.50	<0.50	<0.50	<0.50	<0.60	<0.60	<0.60	<0.60	<0.21	<0.29														
1,1,2,2-Tetrachloroethane	<5	<1	<1	<1	<1	<1	<0.2	<0.2	<0.2	<0.4	<0.20	<0.4	<0.80	<0.80	<0.80	<0.15	<0.13	<0.14	<0.14	<0.14	<0.19	<0.30														
1,1,2-Trichloroethane	<5	<1	<1	<1	<1	<1	<1	<0.2	<0.2	<0.2	<0.10	<0.2	<0.90	<0.90	<0.90	<0.40	<0.50	<0.50	<0.50	<0.50	<0.26	<0.30														
1,1-Dichloroethane	<5	<1	<1	<1	<1	<1	<0.2	<0.2	<0.2	<0.4	<0.10	<0.4	<0.50	<0.50	<0.50	<0.50	<0.50	<0.40	<0.40	<0.40	<0.20	<0.28														
1,1-Dichloroethene	<5	<1	<1	<1	<1	<1	<0.4	<0.2	<0.2	<0.9	<0.20	<0.9	<0.40	<0.40	<0.40	<0.50	<0.30	<0.40	<0.40	<0.40	<0.24	<0.29														
1,1-Dichloropropene			<1	<1	<1	<1	<0.2	<0.3	<0.3	<0.4	<0.20	<0.4	<0.50	<0.50	<0.50	<0.50	<0.60	<0.50	<0.50	<0.50	<0.24	<0.40														
1,2,3-Trichlorobenzene		<1	<1	<1		<1	<0.5	<0.4	<0.4	<0.5	<0.30	<0.5	<0.50	<0.50	<0.50	<0.60	<0.50	<0.50	<0.50	<0.50	<0.30	<0.40														
1,2,3-Trichloropropane			<1	<1		<1	<0.3	<0.2	<0.2	<0.3	<0.10	<0.3	<0.80	<0.80	<0.80	<0.80	<0.60	<0.70	<0.30	<0.30	<0.21	<0.40														
1,2,4-Trichlorobenzene		<1	<1	<1		<1	<0.5	<0.3	<0.3	<0.5	<0.30	<0.5	<0.50	<0.50	<0.50	<0.70	<0.70	<0.40	<0.40	<0.40	<0.30	<0.30														
1,2,4-Trimethylbenzene		3.2	<1	1.4		<1	<0.7	<0.6	<0.6	<0.2	<0.10	<0.2	<0.50	<0.50	<0.50	<0.40	<0.50	<0.24	<0.24	<0.24	<0.20	<0.30		<0.40	<0.60	<0.50	<0.40	<0.40	<0.40	<0.40	<0.40	<0.91	<0.91	<0.91	<0.34	
1,2-Dibromo-3-chloropropane		<3	<3	<3		<3	<0.3	<0.3	<0.3	<0.3	<0.40	<0.3	<0.40	<0.40	<0.40	<1.1	<0.30	<0.40	<0.40	<0.40	<0.40	<0.50														
1,2-Dibromoethane		<2	<2	<2		<2	<0.2	<0.4	<0.4	<0.3	<0.10	<0.3	<0.30	<0.30	<0.30	<0.30	<0.60	<0.50	<0.13	<0.13	<0.13	<0.16	<0.30													
1,2-Dichlorobenzene		<1	<1	<1	<1	<1	<0.3	<0.3	<0.3	<0.3	<0.20	<0.3	<0.70	<0.70	<0.70	<0.70	<0.50	<0.40	<0.40	<0.40	<0.23	<0.40														
1,2-Dichloroethane	<5	<1	<1	<1	<1	<1	<0.2	<0.2	<0.2	<0.4	<0.20	<0.4	<0.90	<0.90	<0.90	<0.50	<0.50	<0.30	<0.30	<0.30	<0.30	<0.30														
cis-1,2-Dichloroethene		<1	<1	<1	<1	<1	<0.2	<0.2	<0.2	<0.4	<0.20	<0.4	<0.50	<0.50	<0.50	<0.50	<0.60	<0.40	<0.40	<0.40	<0.25	<0.30														
trans-1,2-Dichloroethene	<5	<1	<1	<1	<1	<1	<0.2	<0.3	<0.3	<0.8	<0.10	<0.8	<0.40	<0.40	<0.40	<0.60	<0.60	<0.40	<0.50	<0.50	<0.25	<0.30														
1,2-Dichloropropane	<5	<1	<1	<1	<1	<1	<0.1	<0.2	<0.2	<0.3	<0.20	<0.3	<0.40	<0.40	<0.40	<0.40	<0.50	<0.50	<0.21	<0.21	<0.21	<0.22	<0.29													
1,3,5-Trimethylbenzene		1.8	<1	<1	<1	<1	<0.4	<0.3	<0.3	<0.3	<0.10	<0.3	<0.50	<0.50	<0.50	<0.50	<0.40	<0.19	<0.19	<0.19	<0.23	<0.30														
1,3-Dichlorobenzene		<1	<1	<1	<1	<1	<0.7	<0.4	<0.4	<0.4	<0.10	<0.4	<0.50	<0.50	<0.50	<0.50	<0.40	<0.40	<0.40	<0.40	<0.26	<0.30														
cis-1,3-Dichloropropene	<5		<1	<1	<1	<1	<0.3	<0.3	<0.3	<0.2	<0.10	<0.2	<0.60	<0.60	<0.60	<0.60	<0.12	<0.15	<0.14	<0.14	<0.19	<0.28														
1,3-Dichloropropane		<1	<1	<1		<1	<0.3	<0.6	<0.6	<0.4	<0.10	<0.4	<1.2	<1.2	<1.2	<0.60	<0.50	<0.19	<0.19	<0.19	<0.23	<0.30														
trans-1,3-Dichloropropene	<5		<1	<1	<1	<1	<0.2	<0.2	<0.2	<0.5	<0.10	<0.5	<0.70	<0.70	<0.70	<0.14	<0.14	<0.14	<0.14	<0.14	<0.19	<0.30														
1,4-Dichlorobenzene		<1	<1	<1	<1	<1	<0.3	<0.3	<0.3	<0.4	<0.10	<0.4	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.23	<0.30														
2,2-Dichloropropane		<1	<1	<1		<1	<0.2	<0.5	<0.5	<0.2	<0.20	<0.2	<0.60	<0.60	<0.60	<0.60	<0.60	<0.30	<0.30	<0.30	<0.25	<0.28														
2-Butanone (MEK)	<10															<7.0	<5.0	<4.0	<4.0	<4.0	<2.4	<3.0														
2-Chloroethyl vinyl ether					<10																															
2-Chlorotoluene		<1	<1	<1		<1	<0.4	<0.3	<0.3	<0.4	<0.10	<0.4	<0.60	<0.60	<0.60	<0.60	<0.50	<0.30	<0.30	<0.30	<0.22	<0.30														
2-Hexanone	<10															<7.0	<8.0	<4.0	<4.0	<4.0	<4.0	<4.0														
4-Chlorotoluene		<1	<1	<1		<1	<0.3	<0.3	<0.3	<0.3	<0.20	<0.3	<0.60	<0.60	<0.60	<0.40	<0.60	<0.30	<0.30	<0.30	<0.21	<0.29														
4-Methyl-2-Pentanone (MIBK)	<10															<7.0	<6.0	<3.0	<3.0	<3.0	<3.0	<3.0														
Acetone	<10															<9.0	<10.0	<7.0	<7.0	<7.0	<5.0	<5.0														
Benzene	<5	<1	<1	<1	<1	<1	<0.2	<0.3	<0.3	<0.1	<0.10	<0.1	<0.40	<0.40	<0.40	<0.40	<0.40	<0.16	<0.16	<0.16	<0.19	<0.30														
Bromobenzene		<1	<1	<1		<1	<0.3	<0.2	<0.2	<0.5	<0.10	<0.5	<0.50	<0.50	<0.50	<0.50	<0.60	<0.30	<0.30	<0.30	<0.20	<0.30														
Bromochloromethane			<1	<1		<1	<0.4	<0.2	<0.2	<0.4	<0.10	<0.4	<0.50	<0.50	<0.50	<0.50	<0.70	<0.21	<0.21	<0.21	<0.22	<0.40														
Bromodichloromethane	<5	<1	<1	<1	<1	<1	<0.2	<0.2	<0.2	<0.2	<0.10	<0.2	<0.40	<0.40	<0.40	<0.40	<0.13	<0.15	<0.19	<0.19	<0.19	<0.20	<0.30													
Bromoform	<5		<1	<1	<1	<1	<0.3	<0.2	<0.2	<0.1	<0.20	<0.1	<0.60	<0.60	<0.60	<0.50	<0.21	<0.50	<0.50	<0.50	<0.22	<0.24														
Bromomethane	<10	<2	<2	<2	<2	<2	<0.3	<0.9	<0.9	<0.4	<0.40	<0.4	<0.80	<0.80	<0.80	<0.80	<0.90	<0.40	<0.40	<0.40	<0.50	<0.30														
n-Butylbenzene		2.6	<1	<1		<1	<0.6	<0.3	<0.3	<0.4	0.15	<0.4	<0.50	<0.50	<0.50	<0.60	<0.40	<0.24	<0.24	<0.24	<0.23	<0.29														
sec-Butylbenzene		<1	1.5	<1		<1	<0.3	0.45	<0.2	1.4	0.43	<0.3	<0.50	<0.50	<0.50	<0.50	<0.29	<0.29	<0.29	<0.29	<0.21	<0.30														
tert-Butylbenzene		<1	<1	<1		<1	<0.3	<0.3	<0.3	<0.1	0.18	<0.1	<0.50	<0.50	<0.50	<0.50	<0.50	<0.23	<0.23	<0.23	<0.20	<0.40														
Carbon disulfide	<5															<1.1	<1.0	<0.50	<0.50	<0.50	<0.50	<0.60														
Carbon tetrachloride	<5	<1	<1	<1	<1	<1	<0.2	<0.4	<0.4	<0.3	<0.10	<0.3	<0.60	<0.60	<0.60	<0.50	<0.50	<0.40	<0.40	<0.40	<0.23															

Volatile Organic Compounds - Historical Data
WAULECO, INC - Wausau Facility
Well - W13

Parameter	12/19/92	06/30/93	12/27/93	06/22/94	07/06/95	07/10/96	07/11/97	06/24/98	06/09/99	07/18/00	01/31/01	07/10/01	08/06/02	07/23/03	07/14/04	07/20/05	07/18/06	07/10/07	07/24/08	07/06/09	07/13/10	07/19/11	07/06/12	07/10/13	07/16/14	07/08/15	07/11/16	07/20/17	07/16/18	07/16/19	07/13/20	07/12/21	07/13/22	07/10/23	07/09/24		
Tetrachloroethene	<5	<1	1.5	<1	<1	<1	<0.3	1.05	<0.6	0.51	0.55	<0.4	<0.50	<0.50	0.85 J	<0.40	<0.29	<0.40	<0.40	<0.40	<0.30	<0.30															
Tetrahydrofuran																<7.0	<7.0	<4.0	<4.0	<4.0	<3.0	<4.0															
Toluene	<5	<1	<1	<1	<1	<1	<0.2	<0.2	<0.2	<0.1	<0.20	<0.1	<0.50	<0.50	<0.50	<0.40	<0.40	<0.20	<0.20	<0.20	<0.22	<0.30															
Trichloroethene	10.6	2.3	4.9	3.4	4.6	1.98	3.3	2.95	1.8	1.5	1.5	0.72 J	<0.60	0.61	1.1 J	<0.15	<0.15	<0.15	<0.15	<0.15	<0.21	<0.40															
Trichlorofluoromethane		<1	<1	<1	<1	<1	<0.5	<0.6	<0.6	<0.4	<0.20	<0.4	<0.40	<0.40	<0.40	<0.50	<0.70	<0.40	<0.40	<0.40	<0.20	<0.40															
Vinyl acetate	<10															<8.0	<1.7	<1.1	<1.1	<1.1	<3.0	<4.0															
Vinyl chloride	<10	<1	<1	<1	<1	<1	<0.3	<0.5	<0.5	<0.4	<0.10	<0.4	<0.30	<0.30	<0.30	<0.12	<0.15	<0.15	<0.15	<0.15	<0.18	<0.19															
Xylene, m & p-		<2	<2	<2	<2	<2	<0.4	<0.3	<0.3	<0.2	<0.20	<0.2	<0.60	<0.60	<0.60	<1.0	<0.9	<0.50	<0.50	<0.50	<0.60		<0.90	<1.0	<1.1	<0.80	<0.80	<0.80	<0.80	<0.80	<0.80	<0.80	<2.0	<2.0	<0.74		
Xylene, o-		<1	<1	<1	<1	<1	<0.2	<0.5	<0.5	<0.1	<0.10	<0.1	<0.50	<0.50	<0.50	<0.40	<0.60	<0.50	<0.50	<0.50	<0.24	<0.29	<0.50	<0.50	<0.50	<0.40	<0.40	<0.40	<0.40	<0.40	<0.40	<1.1	<1.1	<0.72			
Xylenes, Total	<5																<1.5	<1.0	<1.0	<1.0	<1.0	<0.89		<1.4	<1.5	<1.6	<1.2	<1.2	<1.2	<1.2	<1.2	<3.1	<3.1	<1.46			

Prepared By: T. Dushek, 8/27/24

Checked by: A. Voit, 10/28/24

NOTES:

All Units are in ug/L

Bold values indicate detections

A = Analyte averaged calibration criteria within acceptable limits

B = Analyte detected in associated Method Blank

M = Matrix spike or matrix spike duplicate outside acceptance limits.

J = Estimated Value

Q = Lab Control Sample outside acceptance limits

* = Suspected methylene chloride laboratory contamination.

Volatile Organic Compounds - Historical Data
WAULECO, INC - Wausau Facility
Well - W14

Parameter	12/18/92	06/29/93	12/28/93	06/21/94	07/06/95	07/08/96	07/11/97	06/23/98	06/07/99	07/17/00	01/30/01	07/10/01	08/05/02	07/22/03	07/12/04	07/19/05	07/18/06	07/09/07	07/22/08	07/06/09	07/13/10	07/18/11	07/09/12	07/01/13
1,1,1,2-Tetrachloroethane			<1	<1		<1	<0.1	<0.3	<0.3	<0.4	<0.20	<0.4	<0.90	<0.90	<0.90	<0.50	<0.70	<0.60	<0.60	<0.60	<0.24	<0.40		
1,1,1-Trichloroethane	<5	<1	<1	<1	<10	<1	<0.3	<0.3	<0.3	<0.3	<0.20	<0.3	<0.50	<0.50	<0.50	<0.60	<0.50	<0.60	<0.60	<0.60	<0.21	<0.29		
1,1,2,2-Tetrachloroethane	<5	<1	<1	<1	<10	<1	<0.2	<0.2	<0.2	<0.4	<0.20	<0.4	<0.80	<0.80	<0.80	<0.15	<0.13	<0.14	<0.14	<0.14	<0.19	<0.30		
1,1,2-Trichloroethane	<5	<1	<1	<1	<10	<1	<1	<0.2	<0.2	<0.2	<0.10	<0.2	<0.90	<0.90	<0.90	<0.40	<0.50	<0.50	<0.50	<0.50	<0.26	<0.30		
1,1-Dichloroethane	<5	<1	<1	<1	<10	<1	<0.2	<0.2	<0.2	<0.4	<0.10	<0.4	<0.50	<0.50	<0.50	<0.50	<0.40	<0.40	<0.40	<0.40	<0.20	<0.28		
1,1-Dichloroethene	<5	<1	<1	<1	<10	<1	<0.4	<0.2	<0.2	<0.9	<0.20	<0.9	<0.40	<0.40	<0.40	<0.50	<0.30	<0.40	<0.40	<0.40	<0.24	<0.29		
1,1-Dichloropropene			<1	<1		<1	<0.2	<0.3	<0.3	<0.4	<0.20	<0.4	<0.50	<0.50	<0.50	<0.50	<0.60	<0.50	<0.50	<0.50	<0.24	<0.40		
1,2,3-Trichlorobenzene		<1	<1	<1		<1	<0.5	<0.4	<0.4	<0.5	<0.30	<0.5	<0.50	<0.50	<0.50	<0.50	<0.60	<0.50	<0.50	<0.50	<0.30	<0.40		
1,2,3-Trichloropropane			<1	<1		<1	<0.3	<0.2	<0.2	<0.3	<0.10	<0.3	<0.80	<0.80	<0.80	<0.60	<0.70	<0.30	<0.30	<0.30	<0.21	<0.40		
1,2,4-Trichlorobenzene		<1	<1	<1		<1	<0.5	<0.3	<0.3	<0.5	<0.30	<0.5	<0.50	<0.50	<0.50	<0.70	<0.70	<0.40	<0.40	<0.40	<0.30	<0.30		
1,2,4-Trimethylbenzene		<1	<1	<1		<1	<0.7	<0.6	<0.6	<0.2	<0.10	<0.2	<0.50	<0.50	<0.50	<0.40	<0.50	<0.24	<0.24	<0.24	<0.20	<0.30		<0.40
1,2-Dibromo-3-chloropropane	<3	<3	<3	<3		<3	<0.3	<0.3	<0.3	<0.3	<0.40	<0.3	<0.40	<0.40	<0.40	<1.1	<0.30	<0.40	<0.40	<0.40	<0.40	<0.50		
1,2-Dibromoethane	<2	<2	<2	<2		<2	<0.2	<0.4	<0.4	<0.3	<0.10	<0.3	<0.30	<0.30	<0.30	<0.60	<0.50	<0.13	<0.13	<0.13	<0.16	<0.30		
1,2-Dichlorobenzene		<1	<1	<1	<10	<1	<0.3	<0.3	<0.3	<0.3	<0.20	<0.3	<0.70	<0.70	<0.70	<0.50	<0.50	<0.40	<0.40	<0.40	<0.23	<0.40		
1,2-Dichloroethane	<5	<1	<1	<1	<10	<1	<0.2	<0.2	<0.2	<0.4	<0.20	<0.4	<0.90	<0.90	<0.90	<0.50	<0.50	<0.30	<0.30	<0.30	<0.30	<0.30		
cis-1,2-Dichloroethene		<1	<1	<1	<10	<1	<0.2	<0.2	<0.2	<0.4	<0.20	<0.4	<0.50	<0.50	<0.50	<0.60	<0.40	<0.40	<0.40	<0.40	<0.25	<0.30		
trans-1,2-Dichloroethene	<5	<1	<1	<1	<10	<1	<0.2	<0.3	<0.3	<0.8	<0.10	<0.8	<0.40	<0.40	<0.40	<0.60	<0.40	<0.50	<0.50	<0.50	<0.25	<0.30		
1,2-Dichloropropane	<5	<1	<1	<1	<10	<1	<0.1	<0.2	<0.2	<0.3	<0.20	<0.3	<0.40	<0.40	<0.40	<0.50	<0.50	<0.21	<0.21	<0.21	<0.22	<0.29		
1,3,5-Trimethylbenzene		<1	<1	<1		<1	<0.4	<0.3	<0.3	<0.3	<0.10	<0.3	<0.50	<0.50	<0.50	<0.50	<0.40	<0.19	<0.19	<0.19	<0.23	<0.30		
1,3-Dichlorobenzene		<1	<1	<1	<10	<1	<0.7	<0.4	<0.4	<0.4	<0.10	<0.4	<0.50	<0.50	<0.50	<0.50	<0.40	<0.40	<0.40	<0.40	<0.26	<0.30		
cis-1,3-Dichloropropene	<5		<1	<1	<10	<1	<0.3	<0.3	<0.3	<0.2	<0.10	<0.2	<0.60	<0.60	<0.60	<0.12	<0.15	<0.14	<0.14	<0.14	<0.19	<0.28		
1,3-Dichloropropane		<1	<1	<1		<1	<0.3	<0.6	<0.6	<0.4	<0.10	<0.4	<1.2	<1.2	<1.2	<0.60	<0.50	<0.19	<0.19	<0.19	<0.23	<0.30		
trans-1,3-Dichloropropene	<5		<1	<1	<10	<1	<0.2	<0.2	<0.2	<0.5	<0.10	<0.5	<0.70	<0.70	<0.70	<0.70	<0.14	<0.14	<0.14	<0.14	<0.19	<0.30		
1,4-Dichlorobenzene		<1	<1	<1	<10	<1	<0.3	<0.3	<0.3	<0.4	<0.10	<0.4	<0.50	<0.50	<0.50	<0.50	<0.60	<0.50	<0.50	<0.50	<0.23	<0.30		
2,2-Dichloropropane		<1	<1	<1		<1	<0.2	<0.5	<0.5	<0.2	<0.20	<0.2	<0.60	<0.60	<0.60	<0.60	<0.60	<0.30	<0.30	<0.30	<0.25	<0.28		
2-Butanone (MEK)	<10															<7.0	<5.0	<4.0	<4.0	<4.0	<2.4	<3.0		
2-Chloroethyl vinyl ether					<100																			
2-Chlorotoluene		<1	<1	<1		<1	<0.4	<0.3	<0.3	<0.4	<0.10	<0.4	<0.60	<0.60	<0.60	<0.50	<0.50	<0.30	<0.30	<0.30	<0.22	<0.30		
2-Hexanone	<10															<7.0	<8.0	<4.0	<4.0	<4.0	<4.0	<4.0		
4-Chlorotoluene		<1	<1	<1		<1	<0.3	<0.3	<0.3	<0.3	<0.20	<0.3	<0.60	<0.60	<0.60	<0.40	<0.60	<0.30	<0.30	<0.30	<0.21	<0.29		
4-Methyl-2-Pentanone (MIBK)	<10															<7.0	<6.0	<3.0	<3.0	<3.0	<3.0	<3.0		
Acetone	13.3															<9.0	<10.0	<7.0	<7.0	<7.0	<5.0	<5.0		
Benzene	<5	<1	<1	<1	<10	<1	<0.2	<0.3	<0.3	<0.1	<0.10	<0.1	<0.40	<0.40	<0.40	<0.40	<0.40	<0.16	<0.16	<0.16	<0.19	<0.30		
Bromobenzene		<1	<1	<1		<1	<0.3	<0.2	<0.2	<0.5	<0.10	<0.5	<0.50	<0.50	<0.50	<0.50	<0.60	<0.30	<0.30	<0.30	<0.20	<0.30		
Bromochloromethane			<1	<1		<1	<0.4	<0.2	<0.2	<0.4	<0.10	<0.4	<0.50	<0.50	<0.50	<0.50	<0.70	<0.21	<0.21	<0.21	<0.22	<0.40		
Bromodichloromethane	<5	<1	<1	<1	30	<1	<0.2	0.3	<0.2	<0.2	<0.10	<0.2	<0.40	<0.40	<0.40	<0.13	<0.15	<0.19	<0.19	<0.19	<0.20	<0.30		

Volatile Organic Compounds - Historical Data
WAULECO, INC - Wausau Facility
Well - W14

Parameter	12/18/92	06/29/93	12/28/93	06/21/94	07/06/95	07/08/96	07/11/97	06/23/98	06/07/99	07/17/00	01/30/01	07/10/01	08/05/02	07/22/03	07/12/04	07/19/05	07/18/06	07/09/07	07/22/08	07/06/09	07/13/10	07/18/11	07/09/12	07/01/13
Bromoform	<5		<1	<1	<10	<1	<0.3	<0.2	<0.2	<0.1	<0.20	<0.1	<0.60	<0.60	<0.60	<0.50	<0.21	<0.50	<0.50	<0.50	<0.22	<0.24		
Bromomethane	<10		<2	<2	<10	<2	<0.3	<0.9	<0.9	<0.4	<0.40	<0.4	<0.80	<0.80	<0.80	<0.80	<0.90	<0.40	<0.40	<0.40	<0.50	<0.30		
n-Butylbenzene		<1	<1	<1		<1	<0.6	<0.3	<0.3	<0.4	<0.10	<0.4	<0.50	<0.50	<0.50	<0.60	<0.40	<0.24	<0.24	<0.24	<0.23	<0.29		
sec-Butylbenzene		<1	<1	<1		<1	<0.3	<0.2	<0.2	<0.3	<0.20	<0.3	<0.50	<0.50	<0.50	<0.50	<0.50	<0.29	<0.29	<0.29	<0.21	<0.30		
tert-Butylbenzene		<1	<1	<1		<1	<0.3	<0.3	<0.3	<0.1	<0.10	<0.1	<0.50	<0.50	<0.50	<0.50	<0.50	<0.23	<0.23	<0.23	<0.20	<0.40		
Carbon disulfide	<5															<1.1	<1.0	<0.50	<0.50	<0.50	<0.50	<0.60		
Carbon tetrachloride	<5	<1	<1	<1	<10	<1	<0.2	<0.4	<0.4	<0.3	<0.10	<0.3	<0.60	<0.60	<0.60	<0.50	<0.50	<0.40	<0.40	<0.40	<0.23	<0.40		
Chlorobenzene	<5	<1	<1	<1	<10	<1	<0.3	<0.3	<0.3	<0.3	<0.10	<0.3	<0.80	<0.80	<0.80	<0.50	<0.40	<0.30	<0.30	<0.30	<0.24	<0.30		
Chlorodibromomethane	<5	<1	<1	<1	<10	<1	<0.3	<0.3	<0.3	<0.4	<0.20	<0.4	<0.40	<0.40	<0.40	<0.60	<0.60	<0.23	<0.23	<0.23	<0.19	<0.26		
Chloroethane	<10	<2	<2	<2	<20	<2	<0.4	<0.8	<0.8	<0.5	<0.40	<0.5	<0.50	<0.50	<0.50	<0.70	<0.60	<0.40	<0.40	<0.40	<0.40	<0.30		
Chloroform	<5	<1	<1	<1	<10	<1	22	22	<0.2	<0.5	<0.10	<0.5	<0.60	<0.60	<0.60	<0.50	<0.50	<0.22	<0.22	<0.22	<0.15	<0.23		
Chloromethane	<10	<2	<2	<2	<20	<2	<0.7	<0.9	<0.9	<0.3	<0.20	<0.3	<0.40	<0.40	<0.40	<0.40	<0.24	<0.30	<0.30	0.84B	<0.40	<0.40		
Dibromomethane			<1	<1		<1	<0.1	<0.2	<0.2	<0.4	<0.20	<0.4	<0.50	<0.50	<0.50	<0.70	<0.80	<0.40	<0.40	<0.40	<0.24	<0.30		
Dichlorodifluoromethane		<2	<2	<2		<2	<0.3	<1.2	<1.2	<0.5	<0.10	<0.5	<0.50	<0.50	<0.50	<0.60	<0.29	<0.40	<0.40	<0.40	<0.26	<0.30		
Diisopropyl Ether		<1							<0.3	<0.1	<0.10	<0.1	<0.50	<0.50	<0.50	<0.50	<0.40	<0.50	<0.50	<0.50	<0.20	<0.30		
Ethylbenzene	<5	<1	<1	<1	33	<1	<0.2	<0.2	<0.2	<0.1	<0.10	<0.1	<0.50	<0.50	<0.50	<0.50	<0.50	<0.28	<0.28	<0.28	<0.22	<0.29		
Hexachlorobutadiene		<1	<1	<1		<1	<0.5	<0.6	<0.6	<0.6	<0.20	<0.6	<0.50	<0.50	<0.50	<0.60	<0.90	<0.60	<0.60	<0.60	<0.30	<0.40		
Isopropylbenzene		<1	<1	<1		<1	<0.2	<0.2	<0.2	<0.1	<0.10	<0.1	<0.50	<0.50	<0.50	<0.40	<0.60	<0.20	<0.20	<0.20	<0.18	<0.30		
p-Isopropyltoluene		<1	<1	<1		<1	<0.4	<0.2	<0.2	<0.2	<0.10	<0.2	<0.50	<0.50	<0.50	<0.40	<0.40	<0.17	<0.17	<0.17	<0.23	<0.30		
Methyl tert-butyl ether		<1							<0.2	<1.1	<0.30	<1.1	<0.50	<0.50	<0.50	<0.60	<0.40	<0.23	<0.23	<0.23	<0.29	<0.30		
Methylene chloride	<10	<3	<3	<3	<30	<3	<0.3	<0.5	<0.5	<1.9	<0.40	<1.9	<1.0	<1.0	2.9 J,A,B,Q	<0.40	<1.0	<0.50	<0.50	<0.50	<0.40	<0.40		
Naphthalene		<1	<1	<1	110	<1	<0.8	<1.1	<1.1	<0.7	<0.20	<0.7	<0.50	<0.50	<0.50	<0.60	<0.70	<0.60	<0.60	<0.60	<0.40	<0.40	<0.31	<0.50
n-Propylbenzene		<1	<1	<1		<1	<0.3	<0.2	<0.2	<0.3	<0.10	<0.3	<0.50	<0.50	<0.50	<0.40	<0.40	<0.20	<0.20	<0.20	<0.20	<0.30		
Styrene	<5		<1	<1		<1	<0.2	<0.2	<0.2	<0.2	<0.10	<0.2	<0.50	<0.50	<0.50	<0.50	<0.50	<0.30	<0.30	<0.30	<0.20	<0.30		
Tetrachloroethene	<5	2	1.8	1.4	<10	<1	<0.3	0.9	<0.6	<0.4	0.25	<0.4	<0.50	<0.50	<0.50	<0.40	<0.29	<0.40	<0.40	<0.40	<0.30	<0.30		
Tetrahydrofuran																<7.0	<7.0	<4.0	<4.0	<4.0	<3.0	<4.0		
Toluene	<5	<1	<1	<1	<10	<1	<0.2	<0.2	<0.2	<0.1	<0.20	<0.1	<0.50	<0.50	<0.50	<0.40	<0.40	<0.20	<0.20	<0.20	<0.22	<0.30		
Trichloroethene	<5	<1	<1	<1	41	<1	<0.2	<0.3	<0.3	<0.3	<0.20	<0.3	<0.60	<0.60	<0.60	<0.60	<0.15	<0.15	<0.15	<0.15	<0.21	<0.40		
Trichlorofluoromethane		<1	<1	<1	<10	<1	<0.5	<0.6	<0.6	<0.4	<0.20	<0.4	<0.40	<0.40	<0.40	<0.50	<0.70	<0.40	<0.40	<0.40	<0.20	<0.40		
Vinyl acetate	<10															<8.0	<1.7	<1.1	<1.1	<1.1	<3.0	<4.0		
Vinyl chloride	<10	<1	<1	<1	<10	<1	<0.3	<0.5	<0.5	<0.4	<0.10	<0.4	<0.30	<0.30	<0.30	<0.12	<0.15	<0.15	<0.15	<0.15	<0.18	<0.19		
Xylene, m & p-		<2	<2	<2	120	<2	<0.4	<0.3	<0.3	<0.2	<0.20	<0.2	<0.60	<0.60	<0.60	<1.0	<0.9	<0.50	<0.50	<0.50	<0.50	<0.60	<0.90	
Xylene, o-		<1	<1	<1	200	<1	<0.2	<0.5	<0.5	<0.1	<0.10	<0.1	<0.50	<0.50	<0.50	<0.40	<0.60	<0.50	<0.50	<0.50	<0.24	<0.29		
Xylenes, Total	<5																<1.5	<1.0	<1.0	<1.0	<1.0	<0.89	<1.40	

Prepared By: T. Dushek, 8/7/13

Checked by: A. Voit, 9/21/13

NOTES:

All Units are in ug/L

Bold values indicate detections

A = Analyte averaged calibration criteria within acceptable limits

B = Analyte detected in associated Method Blank

M = Matrix spike or matrix spike duplicate outside acceptance limits.

J = Estimated Value

Q = Lab Control Sample outside acceptance limits

* = Suspected methylene chloride laboratory contamination.

WDNR letter dated March 18, 2014 concurred with a TRC letter dated October 13, 2013 that this well could be eliminated from the monitoring network.

Volatile Organic Compounds - Historical Data
WAULECO, INC - Wausau Facility
Well - W16

Parameter	12/18/92	06/29/93	12/28/93	06/21/94	07/06/95	07/08/96	07/11/97	06/24/98	06/07/99	07/18/00	01/30/01	07/10/01	08/05/02	07/22/03	07/12/04	07/19/05	07/19/06	07/09/07	07/23/08	07/06/09	07/13/10	07/18/11	07/09/12	07/01/13	07/08/14	07/06/15	07/05/16	07/10/17	07/10/18	07/08/19	07/06/20	07/06/21	07/05/22	07/05/23	07/02/24		
1,1,1,2-Tetrachloroethane			<1	<1		<1	<0.1	<0.3	<0.3	<0.4	<0.20	<0.4	<0.90	<0.90	<0.90	<0.50	<0.70	<0.60	<0.60	<0.60	<0.24	<0.40															
1,1,1-Trichloroethane	<5	<1	<1	<1	<1	<1	<0.3	<0.3	<0.3	<0.3	<0.20	<0.3	<0.50	<0.50	<0.50	<0.60	<0.50	<0.60	<0.60	<0.60	<0.21	<0.29															
1,1,2,2-Tetrachloroethane	<5	<1	<1	<1	<1	<1	<0.2	<0.2	<0.2	<0.4	<0.20	<0.4	<0.80	<0.80	<0.80	<0.15	<0.13	<0.14	<0.14	<0.14	<0.19	<0.30															
1,1,2-Trichloroethane	<5	<1	<1	<1	<1	<1	<1	<0.2	<0.2	<0.2	<0.10	<0.2	<0.90	<0.90	<0.90	<0.40	<0.50	<0.50	<0.50	<0.50	<0.26	<0.30															
1,1-Dichloroethane	<5	<1	<1	<1	<1	<1	<0.2	<0.2	<0.2	<0.4	<0.10	<0.4	<0.50	<0.50	<0.50	<0.40	<0.50	<0.40	<0.40	<0.40	<0.20	<0.28															
1,1-Dichloroethene	<5	<1	<1	<1	<1	<1	<0.4	<0.2	<0.2	<0.9	<0.20	<0.9	<0.40	<0.40	<0.40	<0.50	<0.30	<0.40	<0.40	<0.40	<0.24	<0.29															
1,1-Dichloropropene			<1	<1		<1	<0.2	<0.3	<0.3	<0.4	<0.20	<0.4	<0.50	<0.50	<0.50	<0.50	<0.60	<0.50	<0.50	<0.50	<0.24	<0.40															
1,2,3-Trichlorobenzene			<1	<1		<1	<0.5	<0.4	<0.4	<0.5	<0.30	<0.5	<0.50	<0.50	<0.50	<0.60	<0.50	<0.50	<0.50	<0.50	<0.30	<0.40															
1,2,3-Trichloropropane			<1	<1		<1	<0.3	<0.2	<0.2	<0.3	<0.10	<0.3	<0.80	<0.80	<0.80	<0.60	<0.70	<0.30	<0.30	<0.30	<0.21	<0.40															
1,2,4-Trichlorobenzene		<1	<1	<1		<1	<0.5	<0.3	<0.3	<0.5	<0.30	<0.5	<0.50	<0.50	<0.50	<0.70	<0.70	<0.40	<0.40	<0.40	<0.30	<0.30															
1,2,4-Trimethylbenzene	<1	<1	<1	<1		<1	<0.7	<0.6	<0.6	<0.2	<0.10	<0.2	<0.50	<0.50	<0.50	<0.40	<0.50	<0.24	<0.24	<0.24	<0.20	0.46		<0.40	<0.60	<0.50	<0.40	<0.40	<0.40	<0.40	<0.40	<0.40	<0.40	<0.40	<0.91	<0.91	<0.34
1,2-Dibromo-3-chloropropane	<3	<3	<3			<3	<0.3	<0.3	<0.3	<0.3	<0.40	<0.3	<0.40	<0.40	<0.40	<1.1	<0.30	<0.40	<0.40	<0.40	<0.40	<0.50															
1,2-Dibromoethane		<2	<2	<2		<2	<0.2	<0.4	<0.4	<0.3	<0.10	<0.3	<0.30	<0.30	<0.30	<0.60	<0.50	<0.13	<0.13	<0.13	<0.16	<0.30															
1,2-Dichlorobenzene		<1	<1	<1	<1	<1	<0.3	<0.3	<0.3	<0.3	<0.20	<0.3	<0.70	<0.70	<0.70	<0.50	<0.50	<0.40	<0.40	<0.40	<0.23	<0.40															
1,2-Dichloroethane	<5	<1	<1	<1	<1	<1	<0.2	<0.2	<0.2	<0.4	<0.20	<0.4	<0.90	<0.90	<0.90	<0.50	<0.50	<0.30	<0.30	<0.30	<0.30	<0.30															
cis-1,2-Dichloroethene		<1	<1	<1	<1	<1	<0.2	<0.2	<0.2	<0.4	<0.20	<0.4	<0.50	<0.50	<0.50	<0.60	<0.40	<0.40	<0.40	<0.40	<0.25	<0.30															
trans-1,2-Dichloroethene	<5	<1	<1	<1	<1	<1	<0.2	<0.3	<0.3	<0.8	<0.10	<0.8	<0.40	<0.40	<0.40	<0.60	<0.40	<0.50	<0.50	<0.50	<0.25	<0.30															
1,2-Dichloropropane	<5	<1	<1	<1	<1	<1	<0.1	<0.2	<0.2	<0.3	<0.20	<0.3	<0.40	<0.40	<0.40	<0.50	<0.50	<0.21	<0.21	<0.21	<0.22	<0.29															
1,3,5-Trimethylbenzene		<1	<1	<1		<1	<0.4	<0.3	<0.3	<0.3	<0.10	<0.3	<0.50	<0.50	<0.50	<0.50	<0.40	<0.19	<0.19	<0.19	<0.19	<0.23	<0.30														
1,3-Dichlorobenzene		<1	<1	<1	<1	<1	<0.7	<0.4	<0.4	<0.4	<0.10	<0.4	<0.50	<0.50	<0.50	<0.50	<0.40	<0.40	<0.40	<0.40	<0.26	<0.30															
cis-1,3-Dichloropropene	<5		<1	<1	<1	<1	<0.3	<0.3	<0.3	<0.2	<0.10	<0.2	<0.60	<0.60	<0.60	<0.12	<0.15	<0.14	<0.14	<0.14	<0.19	<0.28															
1,3-Dichloropropane		<1	<1	<1		<1	<0.3	<0.6	<0.6	<0.4	<0.10	<0.4	<1.2	<1.2	<1.2	<0.60	<0.50	<0.19	<0.19	<0.19	<0.23	<0.30															
trans-1,3-Dichloropropene	<5		<1	<1	<1	<1	<0.2	<0.2	<0.2	<0.5	<0.10	<0.5	<0.70	<0.70	<0.70	<0.14	<0.14	<0.14	<0.14	<0.14	<0.19	<0.30															
1,4-Dichlorobenzene		<1	<1	<1	<1	<1	<0.3	<0.3	<0.3	<0.4	<0.10	<0.4	<0.50	<0.50	<0.50	<0.60	<0.50	<0.50	<0.50	<0.50	<0.23	<0.30															
2,2-Dichloropropane		<1	<1	<1		<1	<0.2	<0.5	<0.5	<0.2	<0.20	<0.2	<0.60	<0.60	<0.60	<0.60	<0.60	<0.30	<0.30	<0.30	<0.25	<0.28															
2-Butanone (MEK)	<10																<7.0	<5.0	<4.0	<4.0	<4.0	<2.4	<3.0														
2-Chloroethyl vinyl ether					<10																																
2-Chlorotoluene		<1	<1	<1		<1	<0.4	<0.3	<0.3	<0.4	<0.10	<0.4	<0.60	<0.60	<0.60	<0.50	<0.50	<0.30	<0.30	<0.30	<0.22	<0.30															
2-Hexanone	<10																<7.0	<8.0	<4.0	<4.0	<4.0	<4.0	<4.0														
4-Chlorotoluene	0	<1	<1	<1		<1	<0.3	<0.3	<0.3	<0.3	<0.20	<0.3	<0.60	<0.60	<0.60	<0.40	<0.60	<0.30	<0.30	<0.30	<0.21	<0.29															
4-Methyl-2-Pentanone (MIBK)	<10																<7.0	<6.0	<3.0	<3.0	<3.0	<3.0	<3.0														
Acetone	18.3																<9.0	<10.0	<7.0	<7.0	<7.0	<5.0	<5.0														
Benzene	<5	<1	<1	<1	<1	<1	<0.2	<0.3	<0.3	<0.1	<0.10	<0.1	<0.40	<0.40	<0.40	<0.40	<0.40	<0.16	<0.16	<0.16	<0.19	<0.30															
Bromobenzene		<1	<1	<1	0	<1	<0.3	<0.2	<0.2	<0.5	<0.10	<0.5	<0.50	<0.50	<0.50	<0.60	<0.30	<0.30	<0.30	<0.30	<0.20	<0.30															
Bromochloromethane			<1	<1	0	<1	<0.4	<0.2	<0.2	<0.4	<0.10	<0.4	<0.50	<0.50	<0.50	<0.50	<0.70	<0.21	<0.21	<0.21	<0.22	<0.40															
Bromodichloromethane	<5	<1	<1	<1	2.957	<0.2	<0.2	<0.2	<0.2	<0.10	<0.2	<0.40	<0.40	<0.40	<0.40	<0.13	<0.15	<0.19	<0.19	<0.19	<0.20	<0.30															
Bromoform	<5		<1	<1	<1	<1	<0.3	<0.2	<0.2	<0.1	<0.20	<0.1	<0.60	<0.60	<0.60	<0.50	<0.21	<0.50	<0.50	<0.50	<0.22	<0.24															
Bromomethane	<10		<2	<2	<2	<2	<0.3	<0.9	<0.9	<0.4	<0.40	<0.4	<0.80	<0.80	<0.80	<0.80	<0.90	<0.40	<0.40	<0.40	<0.50	<0.30															
n-Butylbenzene		<1	<1	<1		<1	<0.6	<0.3	<0.3	<0.4	<0.10	<0.4	<0.50	<0.50	<0.50	<0.60	<0.40	<0.24	<0.24	<0.24	<0.23	0.74															
sec-Butylbenzene		<1	<1	<1		<1	<0.3	<0.2	<0.2	<0.3	<0.20	<0.3	<0.50	<0.50	<0.50	<0.50	<0.50	<0.29	<0.29	<0.29	<0.21	4.0															
tert-Butylbenzene		<1	<1	<1		<1	<0.3	<0.3	<0.3	<0.1	<0.10	<0.1	<0.50	<0.50	<0.50	<0.50	<0.50	<0.23	<0.23	<0.23	<0.20	2.3															
Carbon disulfide	<5																<1.1	<1.0	<0.50	<0.50	<0.50	<0.60															
Carbon tetrachloride	<5	<1	&lt																																		

Volatile Organic Compounds - Historical Data
WAULECO, INC - Wausau Facility
Well - W16

Parameter	12/18/92	06/29/93	12/28/93	06/21/94	07/06/95	07/08/96	07/11/97	06/24/98	06/07/99	07/18/00	01/30/01	07/10/01	08/05/02	07/22/03	07/12/04	07/19/05	07/19/06	07/09/07	07/23/08	07/06/09	07/13/10	07/18/11	07/09/12	07/01/13	07/08/14	07/06/15	07/05/16	07/10/17	07/10/18	07/08/19	07/06/20	07/06/21	07/05/22	07/05/23	07/02/24	
Tetrachloroethene	<5	<1	<1	<1	<1	<1	<0.3	1.4	<0.6	<0.4	0.21	<0.4	<0.50	0.73	0.61 J	0.7	<0.29	<0.40	0.78	0.68	0.36	1.8														
Tetrahydrofuran																<7.0	<7.0	<4.0	<4.0	<4.0	<3.0	<4.0														
Toluene	<5	<1	<1	<1	<1	<1	<0.2	<0.2	<0.2	<0.1	<0.20	<0.1	<0.50	<0.50	<0.50	<0.40	<0.40	<0.20	<0.20	<0.20	<0.22	<0.30														
Trichloroethene	<5	1.3	<1	<1	<1	<1	<0.2	<0.3	<0.3	<0.3	<0.20	<0.3	<0.60	<0.60	<0.60	<0.15	<0.15	<0.15	<0.15	<0.15	<0.21	0.44														
Trichlorofluoromethane		<1	<1	<1	<1	<1	<0.5	<0.6	<0.6	<0.4	<0.20	<0.4	<0.40	<0.40	<0.40	<0.50	<0.70	<0.40	<0.40	<0.40	<0.20	<0.40														
Vinyl acetate	<10															<8.0	<1.7	<1.1	<1.1	<1.1	<3.0	<4.0														
Vinyl chloride	<10	<1	<1	<1	<1	<1	<0.3	<0.5	<0.5	<0.4	<0.10	<0.4	<0.30	<0.30	<0.30	<0.12	<0.15	<0.15	<0.15	<0.15	<0.18	<0.19														
Xylene, m & p-		<2	<2	<2	<2	<2	<0.4	<0.3	<0.3	<0.2	<0.20	<0.2	<0.60	<0.60	<0.60	<1.0	<0.9	<0.50	<0.50	<0.50	<0.50	<0.60		<0.90	<1.0	<1.1	<0.80	<0.80	<0.80	<0.80	<0.80	<0.80	<2.0	<2.0	<0.74	
Xylene, o-		<1	<1	<1	<1	<1	<0.2	<0.5	<0.5	<0.1	<0.10	<0.1	<0.50	<0.50	<0.50	<0.40	<0.60	<0.50	<0.50	<0.50	<0.24	0.9		<0.50	<0.50	<0.50	<0.40	<0.40	<0.40	<0.40	<0.40	<0.40	<1.1	<1.1	<0.72	
Xylenes, Total	<5																<1.5	<1.0	<1.0	<1.0	<1.0	0.9		<1.4	<1.5	<1.6	<1.2	<1.2	<1.2	<1.2	<1.2	<1.2	<3.1	<3.1	<1.46	

Prepared By: T. Dushek, 8/27/24

Checked by: A. Voit, 10/28/24

NOTES:

All Units are in ug/L

Bold values indicate detections

A = Analyte averaged calibration criteria within acceptable limits

B = Analyte detected in associated Method Blank

M = Matrix spike or matrix spike duplicate outside acceptance limits.

J = Estimated Value

Q = Lab Control Sample outside acceptance limits

* = Suspected methylene chloride laboratory contamination.

Volatile Organic Compounds - Historical Data
WAULECO, INC - Wausau Facility
Well - W17

Parameter	07/13/04	07/20/05	07/18/06	07/10/07	07/23/08	07/06/09	7/6/2009 Duplicate	07/15/10	07/19/11	07/06/12	7/6/2012 Duplicate	7/2/2013	7/16/2014	7/9/2015	7/7/2016	7/17/2017	7/11/2018	7/11/2019	7/8/2020	7/12/2021	7/11/2022	7/10/2023	7/8/2024
1,1,1,2-Tetrachloroethane	<4.5	<5.0	<0.70	<3.0	<3.0	<3.0	<3.0	<0.24	<0.40														
1,1,1-Trichloroethane	<2.5	<6.0	<0.50	<3.0	<3.0	<3.0	<3.0	<0.21	<0.29														
1,1,2,2-Tetrachloroethane	<4.0	<1.5	<0.13	<0.70	6.7	<0.70	<0.70	<0.19	<0.30														
1,1,2-Trichloroethane	<4.5	<4.0	<0.50	<2.5	<2.5	<2.5	<2.5	<0.26	<0.30														
1,1-Dichloroethane	<2.5	<5.0	<0.40	<2.0	<2.0	<2.0	<2.0	<0.20	<0.28														
1,1-Dichloroethene	<2.0	<5.0	<0.30	<2.0	<2.0	<2.0	<2.0	<0.24	<0.29														
1,1-Dichloropropene	<2.5	<5.0	<0.60	<2.5	<2.5	<2.5	<2.5	<0.24	<0.40														
1,2,3-Trichlorobenzene	<2.5	<6.0	<0.50	<2.5	<2.5	<2.5	<2.5	<0.30	<0.40														
1,2,3-Trichloropropane	<4.0	<6.0	<0.70	<1.5	<1.5	<1.5	<1.5	<0.21	<0.40														
1,2,4-Trichlorobenzene	<2.5	<7.0	<0.70	<2.0	<2.0	<2.0	<2.0	<0.30	<0.30														
1,2,4-Trimethylbenzene	150	200	95	180	190	260	270	92	60			92	78	71	20	29	36	22	32	6.3	19	49	13
1,2-Dibromo-3-chloropropane	<2.0	<11.	<0.30	<2.0	<2.0	<2.0	<2.0	<0.40	<0.50														
1,2-Dibromoethane	<1.5	<6.0	<0.50	<0.65	<0.65	<0.65	<0.65	<0.16	<0.30														
1,2-Dichlorobenzene	<3.5	<5.0	<0.50	<2.0	<2.0	<2.0	<2.0	<0.23	<0.40														
1,2-Dichloroethane	<4.5	<5.0	<0.50	<1.5	<1.5	<1.5	<1.5	<0.30	<0.30														
cis-1,2-Dichloroethene	<2.5	<6.0	0.78	<2.0	<2.0	<2.0	<2.0	<0.25	<0.30														
trans-1,2-Dichloroethene	<2.0	<6.0	<0.40	<2.5	<2.5	<2.5	<2.5	<0.25	<0.30														
1,2-Dichloropropane	<2.0	<5.0	<0.50	<1.1	<1.1	<1.1	<1.1	<0.22	<0.29														
1,3,5-Trimethylbenzene	57	72	33	72	79	110	120	39	19														
1,3-Dichlorobenzene	<2.5	<5.0	<0.40	<2.0	<0.95	<2.0	<2.0	<0.26	<0.30														
cis-1,3-Dichloropropene	<3.0	<1.2	<0.15	<0.70	<0.70	<0.70	<0.70	<0.19	<0.28														
1,3-Dichloropropane	<6.0	<6.0	<0.50	<0.95	<0.95	<0.95	<0.95	<0.23	<0.30														
trans-1,3-Dichloropropene	<3.5	<1.4	<0.14	<0.70	<0.70	<0.70	<0.70	<0.19	<0.30														
1,4-Dichlorobenzene	<2.5	<5.0	<0.60	<2.5	<2.5	<2.5	<2.5	<0.23	<0.30														
2,2-Dichloropropane	<3.0	<6.0	<0.60	<1.5	<1.5	<1.5	<1.5	<0.25	<0.28														
2-Butanone (MEK)		<7.0	<5.0	<2.0	<2.0	<2.0	<2.0	<2.4	<3.0														
2-Chloroethyl vinyl ether																							
2-Chlorotoluene	<3.0	<5.0	<0.50	<1.5	<1.5	<1.5	<1.5	<0.22	<0.30														
2-Hexanone		<7.0	<8.0	<2.0	<2.0	<2.0	<2.0	<4.0	<4.0														
4-Chlorotoluene	<3.0	<4.0	<0.60	<1.5	<1.5	<1.5	<1.5	<0.21	<0.29														
4-Methyl-2-Pentanone (MIBK)		<7.0	<6.0	<15	<15	<15	<15	<3.0	<3.0														
Acetone		<90.	23	<35	<35	<35	<35	<5.0	<5.0														
Benzene	<2.0	<4.0	<0.40	<0.80	<0.80	<0.80	<0.80	<0.19	<0.30														
Bromobenzene	<2.5	<5.0	<0.60	<1.5	<1.5	<1.5	<1.5	<0.20Q	<0.30														
Bromochloromethane	<2.5	<5.0	<0.70	<1.1	<1.1	<1.1	<1.1	<0.22	<0.40														
Bromodichloromethane	<2.0	<1.3	<0.15	<0.95	<0.95	<0.95	<0.95	<0.20	<0.30														
Bromoform	<3.0	<5.0	<0.21	<2.5	<2.5	<2.5	<2.5	<0.22	<0.24														
Bromomethane	<4.0	<8.0	<0.90	<2.0	<2.0	<2.0	<2.0	<0.50	<0.30														
n-Butylbenzene	78	42	9.1	20	<1.2	37	41	9	4.4														
sec-Butylbenzene	21	16	12	15	15	27	26	8.3	17														
tert-Butylbenzene	<2.5	7.2	4.8	6.8	7.5	8.9	9	4	6.2														
Carbon disulfide		<11.	<1.0	<2.5	<2.5	<2.5	<2.5	<0.50	<0.60														
Carbon tetrachloride	<3.0	<5.0	<0.50	<2.0	<2.0	<2.0	<2.0	<0.23	<0.40														
Chlorobenzene	<4.0	<5.0	<0.40	<1.5	<1.5	<1.5	<1.5	<0.24	<0.30														
Chlorodibromomethane	<2.0	<6.0	<0.60	<1.2	<1.2	<1.2	<1.2	<0.19	<0.26														
Chloroethane	<2.5	<7.0	<0.60	<2.0	<2.0	<2.0	<2.0	<0.40	<0.30														

Volatile Organic Compounds - Historical Data
WAULECO, INC - Wausau Facility
Well - W17

Parameter	07/13/04	07/20/05	07/18/06	07/10/07	07/23/08	07/06/09	7/6/2009 Duplicate	07/15/10	07/19/11	07/06/12	7/6/2012 Duplicate	7/2/2013	7/16/2014	7/9/2015	7/7/2016	7/17/2017	7/11/2018	7/11/2019	7/8/2020	7/12/2021	7/11/2022	7/10/2023	7/8/2024
Chloroform	<3.0	<5.0	<0.50	<1.1	<1.1	<1.1	<1.1	<0.15	<0.23														
Chloromethane	<2.0	<2.4	0.32	<1.5	<1.5	<1.5	<1.5	<0.40	<0.40														
Dibromomethane	<2.5	<7.0	<0.80	<2.0	<2.0	<2.0	<2.0	<0.24	<0.30														
Dichlorodifluoromethane	<2.5	<6.0	<0.29	<2.0	<2.0	<2.0	<2.0	<0.26	<0.30														
Diisopropyl Ether	<2.5	<5.0	<0.40	<2.5	<2.5	<2.5	<2.5	<0.20	<0.30														
Ethylbenzene	<2.5	<5.0	<0.50	<1.4	<1.4	<1.4	<1.4	2.1	2														
Hexachlorobutadiene	<2.5	<6.0	<0.90	<3.0	<3.0	<3.0	<3.0	<0.30	<0.40														
Isopropylbenzene	4.1 J	<4.0	3.2	3.3	6.4	5	5.4	3.4	8.8														
p-Isopropyltoluene	16	28 A	12	24	21	41	45	7.4	4.2														
Methyl tert-butyl ether	<2.5	<6.0	<0.40	<1.2	<1.2	<1.2	<1.2	<0.29	<0.30														
Methylene chloride	19 J,A,B,Q	<4.0	<1.0	3	<2.5	<2.5	<2.5	<0.40	<0.40														
Naphthalene	16	<6.0	17	13	24	32	38	4.6	<0.40	<0.32	<0.32	19	8.5	6.9	3.4	7.1	4	2.7	1.9	7.1	2.2	6.4	0.75
n-Propylbenzene	<2.5	<4.0	1.9	2	1.5	4.6	4.9	3.5	4														
Styrene	<2.5	<5.0	<0.50	<1.5	<1.5	<1.5	<1.5	<0.20	<0.30														
Tetrachloroethene	<2.5	<4.0	0.43	<2.0	<2.0	<2.0	<2.0	0.73	0.67														
Tetrahydrofuran		<7.0	<7.0	<20	<20	<20	<20	<3.0	<4.0														
Toluene	<2.5	<4.0	<0.40	<1.0	<1.0	<1.0	<1.0	<0.22	<0.30														
Trichloroethene	11	18	14	10	10	7.6	8.4	1.1	0.75														
Trichlorofluoromethane	<2.0	<5.0	<0.70	<2.0	<2.0	<2.0	<2.0	<0.20	<0.40														
Vinyl acetate		<8.0	<1.7	<5.5	<5.5	<5.5	<5.5	<3.0	<4.0														
Vinyl chloride	<1.5	<1.2	<0.15	<0.75	<0.75	<0.75	<0.75	<0.18	<0.19														
Xylene, m & p-	5.2 J	<10	4.4	4.9	3.7	5	5.8	3.9	2.9			2.8	<2.0	<2.2	<1.6	<0.80	<0.80	<0.80	<0.80	1.4	<2.0	<2.0	<0.74
Xylene, o-	27	12	16	17	20	20	21	18	4.4			22	22	8.9	4.1	6.7	6.6	4.2	4.7	7.3	2.2	5.5	<0.72
Xylenes, Total		12	20.4	21.9	23.7	25	26.8	21.9	7.3			24.8	22	8.9	4.1	6.7	6.6	4.2	4.7	8.7	2.2	5.5	<1.46

Prepared By: T. Dushek, 8/27/24

Checked by: A. Voit, 10/28/24

NOTES:

All Units are in ug/L

Bold values indicate detections

A = Analyte averaged calibration criteria within acceptable limits

B = Analyte detected in associated Method Blank

M = Matrix spike or matrix spike duplicate outside acceptance limits.

J = Estimated Value

Q = Lab Control Sample outside acceptance limits

* = Suspected methylene chloride laboratory contamination.

Volatile Organic Compounds - Historical Data
WAULECO, INC - Wausau Facility
Well - W18

Parameter	07/08/92	09/17/92	12/17/92	03/23/93	06/29/93	12/28/93	06/22/94	07/05/95	07/09/96	07/11/97	06/24/98	06/08/99	01/31/01	07/11/01	08/06/02	07/23/03	07/12/04	07/18/05	07/18/06
1,1,1,2-Tetrachloroethane				<1		<1	<1		<1	<0.1	<0.3	<0.3	<0.20	<0.4	<0.90	<0.90	<0.90	<0.50	<0.70
1,1,1-Trichloroethane	<50	<50	<5	<1	<1	<1	<1	<1	<1	<0.3	<0.3	<0.3	<0.20	<0.3	<0.50	<0.50	<0.50	<0.60	<0.50
1,1,2,2-Tetrachloroethane	<50	<50	<5	<1	<1	<1	<1	1.3	<1	<0.2	<0.2	<0.2	<0.20	<0.4	<0.80	<0.80	<0.80	<0.15	<0.13
1,1,2-Trichloroethane	<50	<50	<5	<1	<1	<1	<1	<1	<1	<1	<0.2	<0.2	<0.10	<0.2	<0.90	<0.90	<0.90	<0.40	<0.50
1,1-Dichloroethane	<50	<50	<5	<1	<1	<1	<1	<1	<1	<0.2	<0.2	<0.2	<0.10	<0.4	<0.50	<0.50	<0.50	<0.50	<0.40
1,1-Dichloroethene	<50	<50	<5	<1	<1	<1	<1	<1	<1	<0.4	<0.2	<0.2	<0.20	<0.9	<0.40	<0.40	<0.40	<0.50	<0.30
1,1-Dichloropropene				<1		<1	<1		<1	<0.2	<0.3	<0.3	<0.20	<0.4	<0.50	<0.50	<0.50	<0.50	<0.60
1,2,3-Trichlorobenzene				<1	<1	<1	<1		<1	<0.5	<0.4	<0.4	<0.30	<0.5	<0.50	<0.50	<0.50	<0.60	<0.50
1,2,3-Trichloropropane				<1		<1	<1		<1	<0.3	<0.2	<0.2	<0.10	<0.3	<0.80	<0.80	<0.80	<0.60	<0.70
1,2,4-Trichlorobenzene				<1	<1	<1	<1		<1	<0.5	<0.3	<0.3	<0.30	<0.5	<0.50	<0.50	<0.50	<0.70	<0.70
1,2,4-Trimethylbenzene				600	330	600	480		204.1	380	50	<0.6	<0.10	<0.2	<0.50	<0.50	<0.50	<0.40	<0.50
1,2-Dibromo-3-chloropropane				<3	<3	<3	<3		<3	<0.3	<0.3	<0.3	<0.40	<0.3	<0.40	<0.40	<0.40	<1.1	<0.30
1,2-Dibromoethane				<2	<2	<2	<2		<2	<0.2	<0.4	<0.4	<0.10	<0.3	<0.30	<0.30	<0.30	<0.60	<0.50
1,2-Dichlorobenzene				<1	<1	<1	<1	<1	<1	<0.3	<0.3	<0.3	<0.20	<0.3	<0.70	<0.70	<0.70	<0.50	<0.50
1,2-Dichloroethane	<50	<50	<5	<1	<1	<1	<1	<1	<1	<0.2	<0.2	<0.2	<0.20	<0.4	<0.90	<0.90	<0.90	<0.50	<0.50
cis-1,2-Dichloroethene				<1	<1	<1	<1		<1	<0.2	0.2	0.2	<0.20	<0.4	<0.50	<0.50	<0.50	<0.60	<0.40
trans-1,2-Dichloroethene	<50	<50	<5	<1	<1	<1	<1	<1	<1	<0.2	<0.2	<0.2	<0.10	<0.8	<0.40	<0.40	<0.40	<0.60	<0.40
1,2-Dichloropropane	<50	<50	<5	<1	<1	<1	<1	<1	<1	<0.1	<0.2	<0.2	<0.20	<0.3	<0.40	<0.40	<0.40	<0.50	<0.50
1,3,5-Trimethylbenzene				3.4	28	11	10		5.4	<0.4	<0.3	<0.3	<0.10	<0.3	<0.50	<0.50	<0.50	<0.50	<0.40
1,3-Dichlorobenzene				<1	<1	<1	<1	<1	<1	<0.7	<0.4	<0.4	<0.10	<0.4	<0.50	<0.50	<0.50	<0.50	<0.40
cis-1,3-Dichloropropene	<50	<50	<5	<1		<1	<1	<1	<1	<0.3	<0.3	<0.3	<0.10	<0.2	<0.60	<0.60	<0.60	<0.12	<0.15
1,3-Dichloropropane				<1	<1	<1	<1		<1	<0.3	<0.6	<0.6	<0.10	<0.4	<1.2	<1.2	<1.2	<0.60	<0.50
trans-1,3-Dichloropropene	<50	<50	<5	<1	<1	<1	<1	<1	<1	<0.2	<0.2	<0.2	<0.10	<0.5	<0.70	<0.70	<0.70	<0.14	<0.14
1,4-Dichlorobenzene				<1	<1	<1	<1	<1	<1	<0.3	<0.3	<0.3	<0.10	<0.4	<0.50	<0.50	<0.50	<0.50	<0.60
2,2-Dichloropropane				<1	<1	<1	<1		<1	<0.2	<0.5	<0.5	<0.20	<0.2	<0.60	<0.60	<0.60	<0.60	<0.60
2-Butanone (MEK)	<100	<100	<10															<7.0	<5.0
2-Chloroethyl vinyl ether								<10											
2-Chlorotoluene				<1	<1	<1	<1		<1	<0.4	<0.3	<0.3	<0.10	<0.4	<0.60	<0.60	<0.60	<0.50	<0.50
2-Hexanone	<100	<100	<10															<7.0	<8.0
4-Chlorotoluene				<1	<1	<1	<1		<1	<0.3	<0.3	<0.3	<0.20	<0.3	<0.60	<0.60	<0.60	<0.40	<0.60
4-Methyl-2-Pentanone (MIBK)	<100	<100	<10															<7.0	<6.0
Acetone	<100	1950	25															<9.0	<10.0
Benzene	<50	<50	<5	2.1	1.7	3.2	2.3	<1	<1	<0.2	1.1	<0.3	<0.10	<0.1	<0.40	<0.40	<0.40	<0.40	<0.40
Bromobenzene				<1	<1	<1	<1		<1	<0.3	<0.2	<0.2	<0.10	<0.5	<0.50	<0.50	<0.50	<0.50	<0.60
Bromochloromethane				<1		<1	<1		<1	<0.4	<0.2	<0.2	<0.10	<0.4	<0.50	<0.50	<0.50	<0.50	<0.70
Bromodichloromethane	<50	<50	<5	<1	<1	<1	<1	<1	<1	<0.2	<0.2	<0.2	<0.10	<0.2	<0.40	<0.40	<0.40	<0.13	<0.13
Bromoform	<50	<50	<5	<1		<1	<1	<1	<1	<0.3	<0.2	<0.2	<0.20	<0.1	<0.60	<0.60	<0.60	<0.50	<0.21
Bromomethane	<100	<100	<10	<2		<2	<2	<2	<2	<0.3	<0.9	<0.9	<0.40	<0.4	<0.80	<0.80	<0.80	<0.80	<0.90
n-Butylbenzene				100	40	45	41		27.1	22	6.5	<0.3	<0.10	<0.4	<0.50	<0.50	<0.50	14	<0.40
sec-Butylbenzene				28	14	21	21		16.1	14	10	0.7	<0.20	<0.3	<0.50	<0.50	<0.50	8	<0.50
tert-Butylbenzene				<1	<1	<1	180		<1	<0.3	3.8	<0.3	<0.10	<0.1	<0.50	<0.50	<0.50	5.6	<0.50
Carbon disulfide	<50	<50	<5															<1.1	<1.0
Carbon tetrachloride	<50	<50	<5	<1	<1	<1	<1	<1	<1	<0.2	<0.4	<0.4	<0.10	<0.3	<0.60	<0.60	<0.60	<0.50	<0.50
Chlorobenzene	<50	<50	<5	<1	<1	<1	<1	<1	<1	<0.3	<0.3	<0.3	<0.10	<0.3	<0.80	<0.80	<0.80	<0.50	<0.40
Chlorodibromomethane	<50	<50	<5	<1	<1	<1	<1	<1	<1	<0.3	<0.3	<0.3	<0.20	<0.4	<0.40	<0.40	<0.40	<0.60	<0.60
Chloroethane	<100	<100	<10	<2	<2	<2	<2	<2	<2	<0.4	<0.8	<0.8	<0.40	<0.5	<0.50	<0.50	<0.50	<0.70	<0.60
Chloroform	<50	<50	<5	<1	<1	<1	<1	<1	<1	<0.2	<0.2	<0.2	<0.10	<0.5	<0.60	<0.60	<0.60	<0.50	<0.50
Chloromethane	<100	<100	<10	<2	<2	<2	<2	<2	<2	<0.7	<0.9	<0.9	<0.20	<0.3	<0.40	<0.40	<0.40	<0.24	<0.30
Dibromomethane				<1		<1	<1		<1	<0.1	<0.2	<0.2	<0.20	<0.4	<0.50	<0.50	<0.50	<0.70	<0.80
Dichlorodifluoromethane				<2	<5	<2	<2		<2	<0.3	<1.2	<1.2	<0.10	<0.5	<0.50	<0.50	<0.50	<0.60	<0.29

Volatile Organic Compounds - Historical Data
WAULECO, INC - Wausau Facility
Well - W18

Parameter	07/08/92	09/17/92	12/17/92	03/23/93	06/29/93	12/28/93	06/22/94	07/05/95	07/09/96	07/11/97	06/24/98	06/08/99	01/31/01	07/11/01	08/06/02	07/23/03	07/12/04	07/18/05	07/18/06
Diisopropyl Ether					<1							<0.3	<0.10	<0.1	<0.50	<0.50	<0.50	<0.50	<0.40
Ethylbenzene	<50	<50	29.8	21	18	34	20	8.3	8.3	<0.2	1.6	<0.2	<0.10	<0.1	<0.50	<0.50	<0.50	<0.50	<0.50
Hexachlorobutadiene				<1	<1	<1	<1		<1	<0.5	<0.6	<0.6	<0.20	<0.6	<0.50	<0.50	<0.50	<0.60	<0.90
Isopropylbenzene				36	19	33	28		15.1	16	6.6	<0.2	<0.10	<0.1	<0.50	<0.50	<0.50	<0.40	<0.60
p-Isopropyltoluene				<1	5.7	<1	1.8		<1	<0.4	<0.2	<0.2	<0.10	<0.2	<0.50	<0.50	<0.50	<0.40	<0.40
Methyl tert-butyl ether					<1							<0.2	<0.30	<1.1	<0.50	<0.50	<0.50	<0.60	<0.40
Methylene chloride	742	644	<10	<3	<3	<3	<3	<3	<3	<0.3	<0.5	<0.5	<0.40	<1.9	<1.0	<1.0	3.1 J,A,B,Q	<0.40	<1.0
Naphthalene	44	46.3	59.3	100	70	90	18	75	68.1	54	70	<1.1	<0.20	<0.7	<0.50	<0.50	<0.50	<0.60	<0.70
n-Propylbenzene				33	30	54	40		20.2	26	7.2	<0.2	<0.10	<0.3	<0.50	<0.50	<0.50	<0.40	<0.40
Styrene	<50	<50	<5	<1		<1	<1		<1	<0.2	<0.2	<0.2	<0.10	<0.2	<0.50	<0.50	<0.50	<0.50	<0.50
Tetrachloroethene	<50	<50	<5	<1	<1	2.5	2.2	<1	1.3	<0.3	2	<0.6	<0.10	<0.4	<0.50	<0.50	<0.50	<0.40	<0.29
Tetrahydrofuran																		0.60	<7.0
Toluene	<50	<50	6.47	<1	4.1	3.3	1.3	1.2	<1	<0.2	<0.2	<0.2	<0.20	<0.1	<0.50	<0.50	<0.50	<0.40	<0.40
Trichloroethene	<50	<50	<5	6.3	4.3	7.4	4.4	2.8	2.9	<0.2	2.3	<0.3	<0.20	<0.3	<0.60	<0.60	<0.60	<0.15	0.47
Trichlorofluoromethane				<1	<1	<1	<1	<1	<1	<0.5	<0.6	<0.6	<0.20	<0.4	<0.40	<0.40	<0.40	<0.50	<0.70
Vinyl acetate	<100	<100	<10															<8.0	<1.7
Vinyl chloride	<100	<100	<10	<1	<1	<1	<1	<1	<1	<0.3	<0.5	<0.5	<0.10	<0.4	<0.30	<0.30	<0.30	<0.12	<0.15
Xylene, m & p-				19	34	39	32	12	10.7	<0.4	3.2	<0.3	<0.20	<0.2	<0.60	<0.60	<0.60	<1.0	<0.9
Xylene, o-				160	120	170	16	29	34.5	54	4.8	<0.5	<0.10	<0.1	<0.50	<0.50	<0.50	<0.40	<0.60
Xylenes, Total	123	122	195																<1.5

Volatile Organic Compounds - Historical Data
WAULECO, INC - Wausau Facility
Well - W18

Parameter	07/10/07	07/23/08	07/07/09	07/13/10	07/19/11	07/19/12	07/02/13	07/10/14	07/07/15	07/06/16	07/11/17	07/11/18	07/08/19	07/07/20	07/06/21	07/06/22	07/05/23	07/02/24
1,1,1,2-Tetrachloroethane	<0.60	<0.60	<0.60	<0.24	<0.40													
1,1,1-Trichloroethane	<0.60	<0.60	<0.60	<0.21	<0.29													
1,1,2,2-Tetrachloroethane	<0.14	<0.14	<0.14	<0.19	<0.30													
1,1,2-Trichloroethane	<0.50	<0.50	<0.50	<0.26	<0.30													
1,1-Dichloroethane	<0.40	<0.40	<0.40	<0.20	<0.28													
1,1-Dichloroethene	<0.40	<0.40	<0.40	<0.24	<0.29													
1,1-Dichloropropene	<0.50	<0.50	<0.50	<0.24	<0.40													
1,2,3-Trichlorobenzene	<0.50	<0.50	<0.50	<0.30	<0.40													
1,2,3-Trichloropropane	<0.30	<0.30	<0.30	<0.21	<0.40													
1,2,4-Trichlorobenzene	<0.40	<0.40	<0.40	<0.30	<0.30													
1,2,4-Trimethylbenzene	<0.24	<0.24	<0.24	<0.20	<0.30		<0.40	<0.60	<0.50	<0.40	<0.40	<0.40	<0.40	<0.40	<0.40	<0.91	<0.91	<0.34
1,2-Dibromo-3-chloropropane	<0.40	<0.40M	<0.40	<0.40	<0.50													
1,2-Dibromoethane	<0.13	<0.13	<0.13	<0.16	<0.30													
1,2-Dichlorobenzene	<0.40	<0.40	<0.40	<0.23	<0.40													
1,2-Dichloroethane	<0.30	<0.30	<0.30	<0.30	<0.30													
cis-1,2-Dichloroethene	<0.40	<0.40	<0.40	<0.25	<0.30													
trans-1,2-Dichloroethene	<0.50	<0.50	<0.50	<0.25	<0.30													
1,2-Dichloropropane	<0.21	<0.21	<0.21	<0.22	<0.29													
1,3,5-Trimethylbenzene	<0.19	<0.19	<0.19	<0.23	<0.30													
1,3-Dichlorobenzene	<0.40	<0.40	<0.40	<0.26	<0.30													
cis-1,3-Dichloropropene	<0.14	<0.14	<0.14	<0.19	<0.28													
1,3-Dichloropropane	<0.19	<0.19	<0.19	<0.23	<0.30													
trans-1,3-Dichloropropene	<0.14	<0.14	<0.14	<0.19	<0.30													
1,4-Dichlorobenzene	<0.50	<0.50	<0.50	<0.23	<0.30													
2,2-Dichloropropane	<0.30	<0.30	<0.30	<0.25	<0.28													
2-Butanone (MEK)	<4.0	<4.0	<4.0	<2.4	<3.0													
2-Chloroethyl vinyl ether																		
2-Chlorotoluene	<0.30	<0.30	<0.30	<0.22	<0.30													
2-Hexanone	<4.0	<4.0	<4.0	<4.0	<4.0													
4-Chlorotoluene	<0.30	<0.30	<0.30	<0.21	<0.29													
4-Methyl-2-Pentanone (MIBK)	<3.0	<3.0	<3.0	<3.0	<3.0													
Acetone	<7.0	<7.0	<7.0	<5.0	<5.0													
Benzene	<0.16	<0.16	<0.16	<0.19	<0.30													
Bromobenzene	<0.30	<0.30	<0.30	<0.20	<0.30													
Bromochloromethane	<0.21	<0.21	<0.21	<0.22	<0.40													
Bromodichloromethane	<0.19	<0.19	<0.19	<0.20	<0.30													
Bromoform	<0.50	<0.50	<0.50	<0.22	<0.24													
Bromomethane	<0.40	<0.40	<0.40	<0.50	<0.30													
n-Butylbenzene	<0.24	<0.24	<0.24	<0.23	0.41													
sec-Butylbenzene	<0.29	<0.29	<0.29	<0.21	17													
tert-Butylbenzene	<0.23	<0.23	<0.23	<0.20	5.7													
Carbon disulfide	<0.50	<0.50	<0.50	<0.50	<0.60													
Carbon tetrachloride	<0.40	<0.40	<0.40	<0.23	<0.40													
Chlorobenzene	<0.30	<0.30	<0.30	<0.24	<0.30													
Chlorodibromomethane	<0.23	<0.23	<0.23	<0.19	<0.26													
Chloroethane	<0.40	<0.40	<0.40	<0.40	<0.30													
Chloroform	<0.22	<0.22	<0.22	<0.15	<0.23													
Chloromethane	<0.30	<0.30	1.1AB	<0.40	<0.40													
Dibromomethane	<0.40	<0.40	<0.40	<0.24	<0.30													
Dichlorodifluoromethane	<0.40	<0.40	<0.40	<0.26	<0.30													

Volatile Organic Compounds - Historical Data
WAULECO, INC - Wausau Facility
Well - W18

Parameter	07/10/07	07/23/08	07/07/09	07/13/10	07/19/11	07/19/12	07/02/13	07/10/14	07/07/15	07/06/16	07/11/17	07/11/18	07/08/19	07/07/20	07/06/21	07/06/22	07/05/23	07/02/24
Diisopropyl Ether	<0.50	<0.50	<0.50	<0.20	<0.30													
Ethylbenzene	<0.28	<0.28	<0.28	<0.22	<0.29													
Hexachlorobutadiene	<0.60	<0.60	<0.60	<0.30	<0.40													
Isopropylbenzene	<0.20	<0.20	<0.20	<0.18	<0.30													
p-Isopropyltoluene	<0.17	<0.17	<0.17	<0.23	<0.30													
Methyl tert-butyl ether	<0.23	<0.23	<0.23	<0.29	<0.30													
Methylene chloride	<0.50	<0.50	<0.50	0.4	<0.40													
Naphthalene	<0.60	<0.60	<0.60	<0.40	<0.40	<0.32	<0.50	<1.2	<0.50	<0.90	<0.90	<0.90	<0.90	<0.90	<0.90	<1.1	<1.1	<0.35
n-Propylbenzene	<0.20	<0.20	<0.20	<0.20	<0.30													
Styrene	<0.30	<0.30	<0.30	<0.20	<0.30													
Tetrachloroethene	<0.40	<0.40	<0.40	<0.30	0.44													
Tetrahydrofuran	<4.0	<4.0	<4.0	<3.0	<4.0													
Toluene	<0.20	<0.20	<0.20	<0.22	<0.30													
Trichloroethene	0.31	<0.15	0.37	0.28	<0.40													
Trichlorofluoromethane	<0.40	<0.40	<0.40	<0.20	<0.40													
Vinyl acetate	<1.1	<1.1	<1.1	<3.0	<4.0													
Vinyl chloride	<0.15	<0.15	<0.15	<0.18	<0.19													
Xylene, m & p-	<0.50	<0.50	<0.50	<0.50	<0.60		<0.90	<1.0	<1.1	<0.80	<0.80	<0.80	<0.80	<0.80	<0.80	<2.0	<2.0	<0.74
Xylene, o-	<0.50	<0.50	<0.50	<0.24	<0.29		<0.50	<0.50	<0.50	<0.40	<0.40	<0.40	<0.40	<0.40	<0.40	<1.1	<1.1	<0.72
Xylenes, Total	<1.0	<1.0	<1.0	<1.0	<0.89		<1.4	<1.5	<1.6	<1.2	<1.2	<1.2	<1.2	<1.2	<1.2	<3.1	<3.1	<1.46

Prepared By: T. Dushek, 8/27/24

Checked by: A. Voit, 10/28/24

NOTES:

All Units are in ug/L

Bold values indicate detections

A = Analyte averaged calibration criteria within acceptable limits

B = Analyte detected in associated Method Blank

M = Matrix spike or matrix spike duplicate outside acceptance limits.

J = Estimated Value

Q = Lab Control Sample outside acceptance limits

* = Suspected methylene chloride laboratory contamination.

Volatile Organic Compounds - Historical Data
WAULECO, INC - Wausau Facility
Well - W19

Parameter	07/11/01	07/22/03	07/13/04	07/20/05	07/20/06	07/11/07	7/11/2007 Duplicate	07/24/08	07/07/09	07/14/10	07/19/11	07/06/12	07/01/13	07/08/14	07/08/15	07/07/16	07/17/17	07/11/18
1,1,1,2-Tetrachloroethane	<4.0	<0.9	<1.8	<0.50	<0.70	<0.60	<0.60	<0.60	<0.60	<0.24	<0.40							
1,1,1-Trichloroethane	<3.0	<0.5	<1.0	<0.60	<0.50	<0.60	<0.60	<0.60	<0.60	<0.21	<0.29							
1,1,2,2-Tetrachloroethane	<4.0	<0.8	<1.6	<0.15	<0.13	<0.14	<0.14	<0.14	<0.14	<0.19	<0.30							
1,1,2-Trichloroethane	<2.0	<0.9	<1.8	<0.40	<0.50	<0.50	<0.50	<0.50	<0.50	<0.26	<0.30							
1,1-Dichloroethane	<4.0	<0.5	<1.0	<0.50	<0.40	<0.40	<0.40	<0.40	<0.40	<0.20	<0.28							
1,1-Dichloroethene	<9.0	<0.4	<0.80	<0.50	<0.30	<0.40	<0.40	<0.40	<0.40	<0.24	<0.29							
1,1-Dichloropropene	<4.0	<0.5	<1.0	<0.50	<0.60	<0.50	<0.50	<0.50	<0.50	<0.24	<0.40							
1,2,3-Trichlorobenzene	<5.0	<0.5	<1.0	<0.60	<0.50	<0.50	<0.50	<0.50	<0.50	<0.30	<0.40							
1,2,3-Trichloropropane	<3.0	<0.8	<1.6	<0.60	<0.70	<0.30	<0.30	<0.30	<0.30	<0.21	<0.40							
1,2,4-Trichlorobenzene	<5.0	<0.5	<1.0	<0.70	<0.70	<0.40	<0.40	<0.40	<0.40	<0.30	<0.30							
1,2,4-Trimethylbenzene	310	10	26	1.9	2.9	13	13	6.3	7.8	5.7	11		10	20	12	52	3.1	31
1,2-Dibromo-3-chloropropane	<3.0	<0.4	<0.80	<1.1	<0.30	<0.40	<0.40	<0.40	<0.40	<0.40	<0.50							
1,2-Dibromoethane	<3.0	<0.3	<0.60	<0.60	<0.50	<0.13	<0.13	<0.13	<0.13	<0.16	<0.30							
1,2-Dichlorobenzene	<3.0	<0.7	<1.4	<0.50	<0.50	<0.40	<0.40	<0.40	<0.40	<0.23	<0.40							
1,2-Dichloroethane	<4.0	<0.9	<1.8	<0.50	<0.50	<0.30	<0.30	<0.30	<0.30	<0.30	<0.30							
cis-1,2-Dichloroethene	<4.0	<0.5	<1.0	<0.60	<0.40	<0.40	<0.40	<0.40	<0.40	<0.25	<0.30							
trans-1,2-Dichloroethene	<8.0	<0.4	<0.80	<0.60	<0.40	<0.50	<0.50	<0.50	<0.50	<0.25	<0.30							
1,2-Dichloropropane	<3.0	<0.4	<0.80	<0.50	<0.50	<0.21	<0.21	<0.21	<0.21	<0.22	<0.29							
1,3,5-Trimethylbenzene	140	9.9	17	1.5	3.8	6.6	7	2.7	3.8	3.4	5.1							
1,3-Dichlorobenzene	<4.0	<0.5	<1.0	<0.50	<0.40	<0.40	<0.40	<0.40	<0.40	<0.26	<0.30							
cis-1,3-Dichloropropene	<2.0	<0.6	<1.2	<0.12	<0.15	<0.14	<0.14	<0.14	<0.14	<0.19	<0.28							
1,3-Dichloropropane	<4.0	<1.2	<1.4	<0.60	<0.50	<0.19	<0.19	<0.19	<0.19	<0.23	<0.30							
trans-1,3-Dichloropropene	<5.0	<0.7	<2.4	<0.14	<0.14	<0.14	<0.14	<0.14	<0.14	<0.19	<0.30							
1,4-Dichlorobenzene	<4.0	<0.5	<1.0	<0.50	<0.60	<0.50	<0.50	<0.50	<0.50	<0.23	<0.30							
2,2-Dichloropropane	<2.0	<0.6	<1.2	<0.60	<0.60	<0.30	<0.30	<0.30	<0.30	<0.25	<0.28							
2-Butanone (MEK)				<7.0	7.8	11	9.9	<4.0	<4.0	<2.4	<3.0							
2-Chlorethyl vinyl ether																		
2-Chlorotoluene	<4.0	<0.6	<1.2	<0.50	<0.50	<0.30	<0.30	<0.30	<0.30	<0.22	<0.30							
2-Hexanone				<7.0	<8.0	<4.0	<4.0	<4.0	<4.0	<4.0	<4.0							
4-Chlorotoluene	<3.0	<0.6	<1.2	<0.40	<0.60	<0.30	<0.30	<0.30	<0.30	<0.21	<0.29							
4-Methyl-2-Pentanone (MIBK)				<7.0	<6.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0							
Acetone				<9.0	<10.0	<7.0	<7.0	<7.0	<7.0	<5.0	<5.0							
Benzene	<1.0	<0.40	<0.80	<0.40	<0.40	<0.16	<0.16	<0.16	<0.16	<0.19	<0.30							
Bromobenzene	<5.0	<0.5	<1.0	<0.50	<0.60	<0.30	<0.30	<0.30	<0.30	<0.20Q	<0.30							
Bromochloromethane	<4.0	<0.5	<1.0	<0.50	<0.70	<0.21	<0.21	<0.21	<0.21	<0.22	<0.40							
Bromodichloromethane	<2.0	<0.4	<0.80	<0.13	<0.15	<0.19	<0.19	<0.19	<0.19	<0.20	<0.30							
Bromoform	<1.0	<0.6	<1.2	<0.50	<0.21	<0.50	<0.50	<0.50	<0.50	<0.22	<0.24							
Bromomethane	<4.0	<0.8	<1.6	<0.80	<0.90	<0.40	<0.40	<0.40	<0.40	<0.50	<0.30							
n-Butylbenzene	180	15	26	<0.60	2.9	2	2.3	1	1.3	0.37	1.3							
sec-Butylbenzene	29	6.7	4.6	1.4	3.5	2.9	3	3.8	1.7	2.4	2.5							
tert-Butylbenzene	<1.0	9.0	5.3	<0.50	1.3	1.1	1.1	1.1	0.62	0.39	1.1							
Carbon disulfide				<1.1	<1.0	<0.50	<0.50	<0.50	<0.50	<0.50	<0.60							
Carbon tetrachloride	<3.0	<0.6	<1.2	<0.50	<0.50	<0.40	<0.40	<0.40	<0.40	<0.23	<0.40							
Chlorobenzene	<3.0	<0.8	<1.6	<0.50	<0.40	<0.30	<0.30	<0.30	<0.30	<0.24	<0.30							
Chlorodibromomethane	<4.0	<0.4	<0.80	<0.60	<0.60	<0.23	<0.23	<0.23	<0.23	<0.19	<0.26							
Chloroethane	<5.0	1.8	<1.0	<0.70	<0.60	<0.40	<0.40	<0.40	<0.40	<0.40	<0.30							
Chloroform	<5.0	2.0	1.4 J	1.4	1.1	0.5	0.55	0.39	0.31	0.3	<0.23							
Chloromethane	<3.0	<0.4	<0.80	<0.24	<0.30	<0.30	<0.30	<0.30	0.92AB	<0.40	<0.40							
Dibromomethane	<4.0	<0.5	<1.0	<0.70	<0.80	<0.40	<0.40	<0.40	<0.40	<0.24	<0.30							

Volatile Organic Compounds - Historical Data
WAULECO, INC - Wausau Facility
Well - W19

Parameter	07/11/01	07/22/03	07/13/04	07/20/05	07/20/06	07/11/07	7/11/2007 Duplicate	07/24/08	07/07/09	07/14/10	07/19/11	07/06/12	07/01/13	07/08/14	07/08/15	07/07/16	07/17/17	07/11/18
Dichlorodifluoromethane	<5.0	<0.5	<1.0	<0.60	<0.29	<0.40	<0.40	<0.40	<0.40	<0.26	<0.30							
Diisopropyl ether	<1.0	<0.5	<1.0	<0.50	<0.40	<0.50	<0.50	<0.50	<0.50	<0.20	<0.30							
Ethylbenzene	<1.0	<0.5	<1.0	<0.50	<0.50	0.33	0.34	<0.28	<0.28	0.29	<0.29							
Hexachlorobutadiene	<6.0	<0.5	<1.0 M	<0.60	<0.90	<0.60	<0.60	<0.60	<0.60	<0.30	<0.40							
Isopropylbenzene	24	7.5	4.7	0.62	0.77	2	2	1.8	1.1	1.4	2.8							
p-Isopropyltoluene	29	8.2	7.5	0.55	2.5	2.4	2.8	1.2	1.2	<0.23	0.78							
Methyl tert-butyl ether	<11	<0.5	<1.0	<0.60	<0.40	<0.23	<0.23	<0.23	<0.23	<0.29	<0.30							
Methylene chloride	<19	<1.0	7.3 A,B,Q	<0.40	<1.0	<0.50	<0.50	<0.50	<0.50	<0.40	<0.40							
Naphthalene	27	2.4	2.2 J	<0.60	<0.70	1.4	1.4	0.85	1.4	<0.40	1.8	<0.32	2.3	2.2	1.8	3.5	0.98	2
n-Propylbenzene	56.0	7.2	5.6	1.1	1.2	3.2	3.3	2	1.8	2.8	3.9							
Styrene	<2.0	16	15	<0.50	<0.50	<0.30	<0.30	<0.30	<0.30	<0.20	<0.30							
Tetrachloroethene	<4.0	2.8	2.3 J	<0.40	0.29	<0.40	<0.40	<0.40	0.45	<0.30	0.38							
Tetrahydrofuran				<7.0	<7.0	<4.0	<4.0	<4.0	<4.0	<3.0	<4.0							
Toluene	<1.0	<0.5	<1.0	<0.40	<0.40	<0.20	<0.20	<0.20	<0.20	<0.22	<0.30							
Trichloroethene	<3.0	0.63	<1.2	0.8	0.43	0.33	0.31	0.33	0.25	0.68	<0.40							
Trichlorofluoromethane	<4.0	<0.4	<0.80	<0.50	<0.70	<0.40	<0.40	<0.40	<0.40	<0.20	<0.40							
Vinyl acetate				<8.0	<1.7	<1.1	<1.1	<1.1	<1.1	<3.0	<4.0							
Vinyl chloride	<4.0	<0.3	<0.60	<0.12	<0.15	<0.15	<0.15	<0.15	<0.15	<0.18	<0.19							
m & p-Xylene	5.6	2.6	1.8 J	<1.0	<0.9	0.61	0.62	<0.50	<0.50	<0.50	<0.60		<0.90	<1.0	<1.1	2.9	<0.80	0.87
o-Xylene	23	5.0	<1.0	0.86	<0.60	2.4	2.6	1.7	1.6	10	7.4		4.2	6.9	4.8	12	1.8	8.3
Xylenes, Total				0.86	<1.5	3.01	3.22	1.7	1.6	10	7.4		4.2	6.9	4.8	14.9	1.8	9.17

Prepared By: T. Dushek, 12/5/18

Checked by: A.Voit, 12/16/18

NOTES:

All Units are in ug/L

Bold values indicate detections

A = Analyte averaged calibration criteria within acceptable limits

B = Analyte detected in associated Method Blank

M = Matrix spike or matrix spike duplicate outside acceptance limits.

J = Estimated Value

Q = Lab Control Sample outside acceptance limits

* = Suspected methylene chloride laboratory contamination.

Volatile Organic Compounds - Historical Data
WAULECO, INC - Wausau Facility
Well - W21

Parameter	12/18/92	06/29/93	12/28/93	06/22/94	07/06/95	07/08/96	07/11/97	06/23/98	06/07/99	07/17/00	01/30/01	07/10/01	08/05/02	07/22/03	07/13/04	07/19/05	07/18/06	07/09/07	07/22/08	07/07/09	07/14/10	07/18/11	07/09/12	07/01/13	07/08/14	07/07/15	07/05/16	07/10/17	07/10/18	07/09/19	07/06/20	07/07/21	07/05/22	07/05/23	07/02/24
1,1,1,2-Tetrachloroethane			<1	<1		<1	<0.1	<0.3	<0.3		<0.20	<0.4	<0.90	<0.90	<0.90	<0.50	<0.70	<0.60	<0.60	<0.60	<0.24	<0.40													
1,1,1-Trichloroethane	<5	<1	<1	<1	<1	<1	<0.3	<0.3	<0.3	<0.3	<0.20	<0.3	<0.50	<0.50	<0.50	<0.50	<0.60	<0.50	<0.60	<0.60	<0.21	<0.29													
1,1,2,2-Tetrachloroethane	<5	<1	<1	<1	<1	<1	<0.2	<0.2	<0.2	<0.4	<0.20	<0.4	<0.80	<0.80	<0.80	<0.15	<0.13	<0.14	<0.14	<0.14	<0.19	<0.30													
1,1,2-Trichloroethane	<5	<1	<1	<1	<1	<1	<1	<0.2	<0.2	<0.2	<0.10	<0.2	<0.90	<0.90	<0.90	<0.40	<0.50	<0.50	<0.50	<0.50	<0.26	<0.30													
1,1-Dichloroethane	<5	<1	<1	<1	<1	<1	<0.2	<0.2	<0.2	<0.4	<0.10	<0.4	<0.50	<0.50	<0.50	<0.50	<0.50	<0.40	<0.40	<0.40	<0.20	<0.28													
1,1-Dichloroethene	<5	<1	<1	<1	<1		<0.4	<0.2	<0.2	<0.9	<0.20	<0.9	<0.40	<0.40	<0.40	<0.40	<0.50	<0.30	<0.40	<0.40	<0.24	<0.29													
1,1-Dichloropropene			<1	<1		<1	<0.2	<0.3	<0.3	<0.4	<0.20	<0.4	<0.50	<0.50	<0.50	<0.50	<0.60	<0.50	<0.50	<0.50	<0.24	<0.40													
1,2,3-Trichlorobenzene		<1	<1	<1		<1	<0.5	<0.4	<0.4	<0.5	<0.30	<0.5	<0.50	<0.50	<0.50	<0.50	<0.60	<0.50	<0.50	<0.50	<0.30	<0.40													
1,2,3-Trichloropropane			<1	<1		<1	<0.3	<0.2	<0.2	<0.3	<0.10	<0.3	<0.80	<0.80	<0.80	<0.80	<0.60	<0.70	<0.30	<0.30	<0.21	<0.40													
1,2,4-Trichlorobenzene		<1	<1	<1		<1	<0.5	<0.3	<0.3	<0.5	<0.30	<0.5	<0.50	<0.50	<0.50	<0.50	<0.70	<0.70	<0.40	<0.40	<0.30	<0.30													
1,2,4-Trimethylbenzene		<1	<1	<1		<1	<0.7	<0.6	<0.6	<0.2	<0.10	<0.2	<0.50	<0.50	<0.50	<0.50	<0.40	<0.50	<0.24	<0.24	<0.24	<0.20	<0.30	<0.40	<0.60	<0.50	<0.40	<0.40	<0.40	<0.40	<0.40	<0.40	<0.91	<0.91	<0.34
1,2-Dibromo-3-chloropropane		<3	<3	<3		<3	<0.3	<0.3	<0.3	<0.3	<0.40	<0.3	<0.40	<0.40	<0.40	<0.40	<0.30	<0.40	<0.40	<0.40	<0.40	<0.50													
1,2-Dibromothane		<2	<2	<2		<2	<0.2	<0.4	<0.4	<0.3	<0.10	<0.3	<0.30	<0.30	<0.30	<0.30	<0.60	<0.50	<0.13	<0.13	<0.13	<0.16	<0.30												
1,2-Dichlorobenzene		<1	<1	<1	<1	<1	<0.3	<0.3	<0.3	<0.3	<0.20	<0.3	<0.70	<0.70	<0.70	<0.70	<0.50	<0.50	<0.40	<0.40	<0.23	<0.40													
1,2-Dichloroethane	<5	<1	<1	<1	<1	<1	<0.2	<0.2	<0.2	<0.4	<0.20	<0.4	<0.90	<0.90	<0.90	<0.90	<0.50	<0.50	<0.30	<0.30	<0.30	<0.30													
cis-1,2-Dichloroethene		<1	<1	<1	<1	<1	<0.2	<0.2	<0.2	<0.4	<0.20	<0.4	<0.50	<0.50	<0.50	<0.50	<0.60	<0.40	<0.40	<0.40	<0.25	<0.30													
trans-1,2-Dichloroethene	<5	<1	<1	<1	<1	<1	<0.2	<0.3	<0.3	<0.8	<0.10	<0.8	<0.40	<0.40	<0.40	<0.40	<0.60	<0.40	<0.50	<0.50	<0.50	<0.25	<0.30												
1,2-Dichloropropane	<5	<1	<1	<1	<1	<1	<0.1	<0.2	<0.2	<0.3	<0.20	<0.3	<0.40	<0.40	<0.40	<0.40	<0.50	<0.50	<0.21	<0.21	<0.21	<0.22	<0.29												
1,3,5-Trimethylbenzene		<1	<1	<1		<1	<0.4	<0.3	<0.3	<0.3	<0.10	<0.3	<0.50	<0.50	<0.50	<0.50	<0.50	<0.40	<0.19	<0.19	<0.23	<0.30													
1,3-Dichlorobenzene		<1	<1	<1	<1	<1	<0.7	<0.4	<0.4	<0.4	<0.10	<0.4	<0.50	<0.50	<0.50	<0.50	<0.50	<0.40	<0.40	<0.40	<0.26	<0.30													
cis-1,3-Dichloropropene	<5		<1	<1	<1	<1	<0.3	<0.3	<0.3	<0.2	<0.10	<0.2	<0.60	<0.60	<0.60	<0.60	<0.12	<0.15	<0.14	<0.14	<0.19	<0.28													
1,3-Dichloropropane		<1	<1	<1		<1	<0.3	<0.6	<0.6	<0.4	<0.10	<0.4	<1.2	<1.2	<1.2	<0.60	<0.50	<0.19	<0.19	<0.19	<0.23	<0.30													
trans-1,3-Dichloropropene	<5	0	<1	<1	<1	<1	<0.2	<0.2	<0.2	<0.5	<0.10	<0.5	<0.70	<0.70	<0.70	<0.70	<0.14	<0.14	<0.14	<0.14	<0.19	<0.30													
1,4-Dichlorobenzene		<1	<1	<1	<1	<1	<0.3	<0.3	<0.3	<0.4	<0.10	<0.4	<0.50	<0.50	<0.50	<0.50	<0.60	<0.50	<0.50	<0.50	<0.23	<0.30													
2,2-Dichloropropane		<1	<1	<1		<1	<0.2	<0.5	<0.5	<0.2	<0.20	<0.2	<0.60	<0.60	<0.60	<0.60	<0.60	<0.30	<0.30	<0.30	<0.25	<0.28													
2-Butanone (MEK)	<10																<7.0	<6.0	<4.0	<4.0	<2.4	<3.0													
2-Chloroethyl vinyl ether					<10																														
2-Chlorotoluene		<1	<1	<1		<1	<0.4	<0.3	<0.3	<0.4	<0.10	<0.4	<0.60	<0.60	<0.60	<0.50	<0.50	<0.30	<0.30	<0.30	<0.22	<0.30													
2-Hexanone	<10																<7.0	<8.0	<4.0	<4.0	<4.0	<4.0	<4.0												
4-Chlorotoluene		<1	<1	<1		<1	<0.3	<0.3	<0.3	<0.3	<0.20	<0.3	<0.60	<0.60	<0.60	<0.60	<0.40	<0.60	<0.30	<0.30	<0.21	<0.29													
4-Methyl-2-Pentanone (MIBK)	<10																<7.0	<6.0	<3.0	<3.0	<3.0	<3.0	<3.0												
Acetone	22.3																<9.0	<10.0	<7.0	<7.0	<7.0	<5.0	<5.0												
Benzene	<5	<1	<1	<1	<1	<1	<0.2	<0.3	<0.3	<0.1	<0.10	<0.1	<0.40	<0.40	<0.40	<0.40	<0.40	<0.40	<0.16	<0.16	<0.16	<0.19	<0.30												
Bromobenzene		<1	<1	<1	0	<1	<0.3	<0.2	<0.2	<0.5	<0.10	<0.5	<0.50	<0.50	<0.50	<0.50	<0.50	<0.60	<0.30	<0.30	<0.30	<0.20	<0.30												
Bromochloromethane			<1	<1	0	<1	<0.4	<0.2	<0.2	<0.4	<0.10	<0.4	<0.50	<0.50	<0.50	<0.50	<0.50	<0.70	<0.21	<0.21	<0.21	<0.22	<0.40												
Bromodichloromethane	<5	<1	<1	<1	<1	<1	<0.2	<0.2	<0.2	<0.2	<0.10	<0.2	<0.40	<0.40	<0.40	<0.40	<0.13	<0.15	<0.19	<0.19	<0.19	<0.20	<0.30												
Bromoform	<5		<1	<1	<1	<1	<0.3	<0.2	<0.2	<0.1	<0.20	<0.1	<0.60	<0.60	<0.60	<0.60	<0.50	<0.21	<0.50	<0.50	<0.50	<0.22	<0.24												
Bromomethane	<10		<2	<2	<2	<2	<0.3	<0.9	<0.9	<0.4	<0.40	<0.4	<0.80	<0.80	<0.80	<0.80	<0.80	<0.90	<0.40	<0.40	<0.40	<0.50	<0.30												
n-Butylbenzene		<1	<1	<1		<1	<0.6	<0.3	<0.3	<0.4	<0.10	<0.4	<0.50	<0.50	<0.50	<0.50	<0.60	<0.40	<0.24	<0.24	<0.24	<0.23	<0.29												
sec-Butylbenzene		<1	<1	<1		<1	<0.3	<0.2	<0.2	<0.3	<0.20	<0.3	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.29	<0.29	<0.29	<0.21	<0.30												
tert-Butylbenzene		<1	<1	<1		<1	<0.3	<0.3	<0.3	<0.1	<0.10	<0.1	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.23	<0.23	<0.23	<0.20	<0.40												
Carbon disulfide	<5																<1.1	<1.0	<0.50	<0.50	<0.50	<0.50	<0.60												
Carbon tetrachloride	<5	<1	<1	<1	<1	<1	<0.2	<0.4	<0.4	<0.3	<0.10	<0.3	<0.60	<0.60	<0.60	<0.60	<0.50	<0.50	<0.40	<0.40	<0.40	<0.23	<0.40												

Volatile Organic Compounds - Historical Data
WAULECO, INC - Wausau Facility
Well - W21

Parameter	12/18/92	06/29/93	12/28/93	06/22/94	07/06/95	07/08/96	07/11/97	06/23/98	06/07/99	07/17/00	01/30/01	07/10/01	08/05/02	07/22/03	07/13/04	07/19/05	07/18/06	07/09/07	07/22/08	07/07/09	07/14/10	07/18/11	07/09/12	07/01/13	07/08/14	07/07/15	07/05/16	07/10/17	07/10/18	07/09/19	07/06/20	07/07/21	07/05/22	07/05/23	07/02/24
Tetrachloroethene	<5	<1	<1	<1	<1	<1	<0.3	<0.6	<0.6	<0.4	<0.10	<0.4	<0.50	<0.50	<0.50	<0.40	<0.29	<0.40	0.93	1.9	0.86	0.65													
Tetrahydrofuran																<7.0	<7.0	<4.0	<4.0	<4.0	<3.0	<4.0													
Toluene	<5	<1	<1	<1	<1	<1	<0.2	<0.2	<0.2	<0.1	<0.20	<0.1	<0.50	<0.50	<0.50	<0.40	<0.40	<0.20	<0.20	<0.20	<0.22	<0.30													
Trichloroethene	<5	<1	<1	<1	<1	<1	<0.2	<0.3	<0.3	<0.3	<0.20	<0.3	<0.60	<0.60	<0.60	<0.15	<0.15	<0.15	<0.15	<0.15	<0.21	<0.40													
Trichlorofluoromethane		<1	<1	<1	<1	<1	<0.5	<0.6	<0.6	<0.4	<0.20	<0.4	<0.40	<0.40	<0.40	<0.50	<0.70	<0.40	<0.40	<0.40	<0.20	<0.40													
Vinyl acetate	<10															<8.0	<1.7	<1.1	<1.1	<1.1	<3.0	<4.0													
Vinyl chloride	<10	<1	<1	<1	<1	<1	<0.3	<0.5	<0.5	<0.4	<0.10	<0.4	<0.30	<0.30	<0.30	<0.12	<0.15	<0.15	<0.15	<0.15	<0.18	<0.19													
Xylene, m & p-		<2	<2	<2	<2	<2	<0.4	<0.3	<0.3	<0.2	<0.20	<0.2	<0.60	<0.60	<0.60	<1.0	<0.9	<0.50	<0.50	<0.50	<0.60			<0.90	<1.0	<1.1	<0.80	<0.80	<0.80	<0.80	<0.80	<0.80	<2.0	<2.0	<0.74
Xylene, o-		<1	<1	<1	<1	<1	<0.2	<0.5	<0.5	<0.1	<0.10	<0.1	<0.50	<0.50	<0.50	<0.40	<0.60	<0.50	<0.50	<0.50	<0.24	<0.29		<0.50	<0.50	<0.50	<0.40	<0.40	<0.40	<0.40	<0.40	<0.40	<1.1	<1.1	<0.72
Xylenes, Total	<5															<1.5	<1.0	<1.0	<1.0	<1.0	<0.89			<1.4	<1.5	<1.6	<1.2	<1.2	<1.2	<1.2	<1.2	<1.2	<3.1	<3.1	<1.46

Prepared By: T. Dushak, 8/27/24

Checked by: A. Voit, 10/28/24

NOTES:

All Units are in ug/L

Bold values indicate detections

A = Analyte averaged calibration criteria within acceptable limits

B = Analyte detected in associated Method Blank

M = Matrix spike or matrix spike duplicate outside acceptance limits.

J = Estimated Value

Q = Lab Control Sample outside acceptance limits

* = Suspected methylene chloride laboratory contamination.

Volatile Organic Compounds - Historical Data
WAULECO, INC - Wausau Facility
Well - W22

Parameter	06/14/92	09/17/92	12/18/92	03/24/93	06/30/93	12/28/93	06/22/94	07/06/95	07/10/96	07/11/97	06/24/98	08/07/02	07/21/05	07/20/06	07/11/07	07/24/08	07/07/09	07/15/10	7/15/2010 Duplicate	07/19/11	07/10/12	07/08/13	07/08/14	07/09/15	07/11/16	07/18/17	07/18/18	07/18/19	07/13/20	07/13/21	07/12/22	07/11/23	07/10/24	
1,1,1,2-Tetrachloroethane				<10		<1	<1		<5	<0.1	<0.3	<23	<10.0	<3.5 *	<3.0	<3.0	<6	<0.24	<0.24	<0.40														
1,1,1-Trichloroethane	<5	<50	<50	<10	<1	<1	<1	<20	<5	<0.3	<0.3	<13	<12.0	<2.5 *	<3.0	<3.0	<6	<0.21	<0.21	<0.29														
1,1,2,2-Tetrachloroethane	<5	<50	<50	<10	<1	<1	<1	<20	<5	<0.2	<0.2	<20	<3.0	<0.65 *	<0.70	<0.70	<1.4	<0.19	<0.19	<0.30														
1,1,2-Trichloroethane	<5	<50	<50	<10	<1	<1	<1	<20	<5	<1	<0.2	<23	<8.0	<2.5 *	<2.5	<2.5	<5	<0.26	<0.26	<0.30														
1,1-Dichloroethane	<5	<50	<50	<10	<1	<1	<1	<20	<5	<0.2	<0.2	<13	<10.0	<2.0 *	<2.0	<2.0	<4	<0.20	<0.20	<0.28														
1,1-Dichloroethene	<5	<50	<50	<10	<1	<1	<1	<20	<5	<0.4	<0.2	<10	<10.0	<1.5 *	<2.0	<2.0	<4	<0.24	<0.24	<0.29														
1,1-Dichloropropene				<10		<1	<1		<5	<0.2	<0.3	<13	<10.0	<3.0 *	<2.5	<2.5	<5	<0.24	<0.24	<0.40														
1,2,3-Trichlorobenzene				<10	<1	<1	<1		<5	<0.5	<0.4	<13	<12.0	<2.5 *	<2.5	<2.5	<5	<0.30	<0.30	<0.40														
1,2,3-Trichloropropene				<10		<1	<1		<5	<0.3	<0.2	<20	<12.0	<3.5 *	<1.5	<1.5	<3	<0.21	<0.21	<0.40														
1,2,4-Trichlorobenzene				<10	<1	<1	<1		<5	<0.5	<0.3	<13	<14.0	<3.5 *	<2.0	<2.0	<4	<0.30	<0.30	<0.30														
1,2,4-Trimethylbenzene				1500	3.8	1500	1000		121	360	820	640	470	180 *	340	480	360	46	78	62		300	250	310	300	270	540	<0.4	150	230	160	330	140	
1,2-Dibromo-3-chloropropane				<30	<3	<3	<3		<15	<0.3	<0.3	<10	<22	<1.5 *	<2.0	<2.0	<4	<0.40	<0.40	<0.50														
1,2-Dibromoethane				<20	<2	<2	<2		<10	<0.2	<0.4	<7.5	<12.0	<2.5 *	<0.65	<0.65	<1.3	<0.16	<0.16	<0.30														
1,2-Dichlorobenzene				<10	<1	<1	<1	<20	<5	<0.3	<0.3	<18	<10.0	<2.5 *	<2.0	<2.0	<4	<0.23	<0.23	<0.40														
1,2-Dichloroethane	<5	<50	<50	<10	<1	<1	<1	<20	<5	<0.2	<0.2	<23	<10.0	<2.5 *	<1.5	<1.5	<3	<0.30	<0.30	<0.30														
cis-1,2-Dichloroethene				<10	<1	1.4	<1	<20	<5	<0.2	0.2	<13	<12.0	<2.0 *	<2.0	<2.0	<4	<0.25	<0.25	<0.30														
trans-1,2-Dichloroethene	<5	<50	<50	<10	<1	<1	<1	<20	<5	<0.2	0.2	<10	<12.0	<2.0 *	<2.5	<2.5	<5	<0.25	<0.25	<0.30														
1,2-Dichloropropane	<5	<50	<50	<10	<1	<1	<1	<20	<5	<0.1	<0.2	<10	<10.0	<2.5 *	<1.1	<1.1	<2.1	<0.22	<0.22	<0.29														
1,3,5-Trimethylbenzene				310	2.9	360	220		23	24	110	330	380	6.3 *	31	72	31	47	34	20														
1,3-Dichlorobenzene				<10	<1	<1	<1	<20	<5	<0.7	<0.4	<13	<10.0	<2.0 *	<2.0	<0.95	<4	<0.26	<0.26	<0.30														
cis-1,3-Dichloropropene	<5	<50	<50	<10		<1	<1	<20	<5	<0.3	<0.3	<15	<2.4	<0.75 *	<0.70	<0.70	<1.4	<0.19	<0.19	<0.28														
1,3-Dichloropropane				<10	<1	<1	<1		<5	<0.3	<0.6	<30	<12.0	<2.5 *	<0.95	<0.95	<1.9	<0.23	<0.23	<0.30														
trans-1,3-Dichloropropene	<5	<50	<50	<10		<1	<1	<20	<5	<0.2	<0.2	<18	<2.8	<0.70 *	<0.70	<0.70	<1.4	<0.19	<0.19	<0.30														
1,4-Dichlorobenzene				<10	<1	<1	<1	<20	<5	<0.3	<0.3	<13	<10.0	<3.0 *	<2.5	<2.5	<5	<0.23	<0.23	<0.30														
2,2-Dichloropropane				<10	<1	<1	<1		<5	<0.2	<0.5	<15	<12.0	<3.0 *	<1.5	<1.5	<3	<0.25	<0.25	<0.28														
2-Butanone (MEK)	<10	<100	<100										<140	<25 *	<20	<20	<40	<2.4	<2.4	<3.0														
2-Chloroethyl vinyl ether								<200																										
2-Chlorotoluene				<10	<1	<1	<1		<5	<0.4	<0.3	<15	<10.0	<2.5 *	<1.5	<1.5	<3	<0.22	<0.22	<0.30														
2-Hexanone	<10	<100	<100										<140	<40 *	<20	<20	<40	<4.0	<4.0	<4.0														
4-Chlorotoluene				<10	<1	<1	<1		<5	<0.3	<0.3	<15	<8.0	<3.0 *	<1.5	<1.5	<3	<0.21	<0.21	<0.29														
4-Methyl-2-Pentanone (MIBK)	<10	<100	<100										<140	<30 *	<15	<15	<30	<3.0	<3.0	<3.0														
Acetone	11.1	2120	<100										<180	<50 *	<35	<35	<70	<5.0	<5.0	<5.0														
Benzene	26.1	<50	<50	42	<1	34	21	<20	7	10	32	15	<8.0	3.4 *	1.1	1.8	2.9	<0.19	<0.19	<0.30														
Bromobenzene				<10	<1	<1	<1		<5	<0.3	<0.2	<13	<10.0	<3.0 *	<1.5	<1.5	<3	<0.20	<0.20	<0.30														
Bromochloromethane				<10		<1	<1		<5	<0.4	<0.2	<13	<10.0	<3.5 *	<1.1	<1.1	<2.1	<0.22	<0.22	<0.40														
Bromodichloromethane	<5	<50	<50	<10	<1	<1	<1	<20	<5	<0.2	<0.2	<10	<2.6	<0.75 *	<0.95	<0.95	<1.9	0.47	0.36	0.46														
Bromoform	<5	<50	<50	<10		<1	<1	<20	<5	<0.3	<0.2	<15	<10.0	<1.1 *	<2.5	<2.5	<5	<0.22	<0.22	<0.24														
Bromomethane	<10	<100	<100	<20		<2	<2	<40	<10	<0.3	<0.9	<20	<16.0	<4.5 *	<2.0	<2.0	<4	<0.50	<0.50	<0.30														
n-Butylbenzene				210	2.1	73	100		48	32	150	920	240	12 *	20	18	23	38	33	15														
sec-Butylbenzene				43	<1	29	58		19	12	55	130	140	16 *	21	20	27	22	18	19														
tert-Butylbenzene				<10	<1	<1	350		<5	<0.3	<0.3	<13	23	5.6 *	6.4	7.3	9	3.4	2.4	4.1														
Carbon disulfide	<5	<50	<50										<22	<5.0 *	<2.5	<2.5	<5	<0.50	<0.50	<0.60														
Carbon tetrachloride	<5	<50	<50	<10	<1	<1	<1	<20	<5	<0.2	<0.4	<15	<10.0	<2.5 *	<2.0	<2.0	<4	<0.23	<0.23	<0.40														
Chlorobenzene	<5	<50	<50	<10	<1	<1	<1	<20	<5	<0.3	<0.3	<20	<10.0	<2.0 *	<1.5	<1.5	<3	<0.24	<0.24	<0.30														
Chlorodibromomethane	<5	<50	<50	<10	<1	<1	<1	<20	<5	<0.3	<0.3	<10	<12.0	<3.0 *	<1.2	<1.2	<2.3	<0.19	<0.19	<0.26														
Chloroethane	<10	<100	<100	<20	<2	<2	<2	<40	<10	<0.4	<0.8	<13	<14.0	<3.0 *	<2.0	<2.0	<4	<0.40	<0.40	<0.30														
Chloroform	6.55	<50	<50	<10	<1	2.6	<1	<20	<5	<0.2	<0.2	<15	<10.0	<2.5 *	<1.1	2.2	<2.2	5.9	5.9	14														
Chloromethane	<10	<100	<100	<20	<2	<2	<2	<40	<10	<0.7	<0.9	<10	<4.8	<1.5 *	<1.5	<1.5	<3	<0.40	<0.40	<0.40														
Dibromomethane				<10		<1	<1		<5	<0.1	<0.2	<13	<14.0	<4.0 *	<2.0	<2.0	<4	<0.24	<0.24	<0.30														
Dichlorodifluoromethane				<20	<2	<2	<2		<10	<0.3	<0.3	<13	<12.0	<1.5 *																				

Volatile Organic Compounds - Historical Data
WAULECO, INC - Wausau Facility
Well - W22

Parameter	06/14/92	09/17/92	12/18/92	03/24/93	06/30/93	12/28/93	06/22/94	07/06/95	07/10/96	07/11/97	06/24/98	08/07/02	07/21/05	07/20/06	07/11/07	07/24/08	07/07/09	07/15/10	7/15/2010 Duplicate	07/19/11	07/10/12	07/08/13	07/08/14	07/09/15	07/11/16	07/18/17	07/18/18	07/18/19	07/13/20	07/13/21	07/12/22	07/11/23	07/10/24
Isopropylbenzene				100	3.3	63	50		15	14	62	130	42	23 *	25	40	31	3.3	1.9	9.9													
p-Isopropyltoluene				<10	<1	28	58		13	<0.4	45	180	170 A	5 *	12	9.2	8.1	29	24	11													
Methyl tert-butyl ether					<1							<13	<12.0	<2.0 *	<1.2	<1.2	<2.3	<0.29	<0.29	<0.30													
Methylene chloride	<5	946	142	<30	<3	<3	<3	<60	<15	<0.3	<0.5	<25	<8.0	15 Q*	<2.5	<2.5	<5	<0.40	<0.40	1.2 B													
Naphthalene	122	<10	108	260	<1	140	110	130	70	70	110	95	51	82 *	26	47	64	1.7	1.4	2.8	22	97	36	36	45	47	69	<0.9	<0.9	8.8 Y	8.3	19	9.6 Q,Y
n-Propylbenzene				120	1.6	120			25	28	92	120	98	11 *	17	30	28	14	10	8.8													
Styrene	<5	<50	<50	<10		<1	<25		<5	<0.2	<0.2	440	<10.0	<2.5 *	<1.5	<1.5	<3	<0.20	<0.20	<0.30													
Tetrachloroethene	<5	<50	<50	<10	<1	3.9	4	<20	<5	<0.3	<0.6	69	<8.0	<1.5 *	<2.0	<2.0	<4	<0.30	<0.30	<0.30													
Tetrahydrofuran													<140	<35 *	<20	<20	<40	<3.0	<3.0	<4.0													
Toluene	100	<50	114	140	<1	90	55	<20	6	<0.2	25	20	<8.0	2.8 *	1.8	8	4.9	<0.22	<0.22	<0.30													
Trichloroethene	72	<50	92	85	<1	71	28	<20	15	24	32	<15	13	14 *	5.7	7	10	<0.21	<0.21	<0.40													
Trichlorofluoromethane				<10	<1	<1	<1	<20	<5	<0.5	<0.6	<10	<10.0	<3.5 *	<2.0	<2.0	<4	<0.20	<0.20	<0.40													
Vinyl acetate	<10	<100	<100										<160	<8.5 *	<5.5	<5.5	<11	<3.0	<3.0	<4.0													
Vinyl chloride	<10	<100	<100	<10	<1	<1	<1	<20	<5	<0.3	<0.5	<7.5	<2.4	<0.75 *	<0.75	<0.75	<1.5	<0.18	<0.18	<0.19													
Xylene, m & p-				700	<2	440	350	110	22	20	80	82	23	9.5 *	15	41	27	4.3	3.1	3		38	11	13	26	12	30	<0.8	8.2	11	<10	20	11
Xylene, o-				640	2.3	590	400	260	61	190	250	<13	89	110 *	80	150	120	4.7	3.5	3.2		170	65	97	89	58	130	<0.4	23	71	79	120	55
Xylenes, Total	472	<50	871										112	119.5 *	95	191	147	9	6.6	6.2		208	76	110	115	70	160	<1.2	31.2	82	79	140	66

Prepared By: T. Dushck, 8/27/24

Checked by: A. Voit, 10/28/24

NOTES:

All Units are in ug/L

Bold values indicate detections

A = Analyte averaged calibration criteria within acceptable limits

B = Analyte detected in associated Method Blank

M = Matrix spike or matrix spike duplicate outside acceptance limits.

J = Estimated Value

Q = Lab Control Sample outside acceptance limits

* = Suspected methylene chloride laboratory contamination.

Volatile Organic Compounds - Historical Data
WAULECO, INC - Wausau Facility
Well - W25

Parameter	02/19/92	09/17/92	12/17/92	03/23/93	06/28/93	12/28/93	06/21/94	07/05/95	07/11/97	06/23/98	06/09/99	07/18/00	01/30/01	07/10/01	08/06/02	07/22/03	07/13/04	07/20/05	7/20/2005 duplicate
1,1,1,2-Tetrachloroethane				<1		<1	<1		<0.1	<0.3	<1.5	<0.4	<0.20	<0.4	<0.90	<0.90	<0.90	<0.50	<0.50
1,1,1-Trichloroethane	<5	<50	<5	<1	<1	<1	<1	<1	<0.3	<0.3	<1.5	<0.3	<0.20	<0.3	<0.50	<0.50	<0.50	<0.60	<0.60
1,1,2,2-Tetrachloroethane	<5	<50	<5	<1	<1	<1	<1	55	<0.2	<0.2	<1	<0.4	<0.20	<0.4	<0.80	<0.80	<0.80	<0.15	<0.15
1,1,2-Trichloroethane	<5	<50	<5	<1	<1	<1	<1	<1	<1	<0.2	<1	<0.2	<0.10	<0.2	<0.90	<0.90	<0.90	<0.40	<0.40
1,1-Dichloroethane	<5	<50	<5	<1	<1	<1	<1	<1	<0.2	<0.2	<1	<0.4	<0.10	<0.4	<0.50	<0.50	<0.50	<0.50	<0.50
1,1-Dichloroethene	<5	<50	<5	<1	<1	<1	<1	<1	<0.4	<0.2	<1	<0.9	<0.20	<0.9	<0.40	<0.40	<0.40	<0.50	<0.50
1,1-Dichloropropene				<1		<1	<1		<0.2	<0.3	<1.5	<0.4	<0.20	<0.4	<0.50	<0.50	<0.50	<0.50	<0.50
1,2,3-Trichlorobenzene				<1	<1	<1	<1		<0.5	<0.4	<2	<0.5	<0.30	<0.5	<0.50	<0.50	<0.50	<0.60	<0.60
1,2,3-Trichloropropane				<1		<1	<1		<0.3	<0.2	<1	<0.3	<0.10	<0.3	<0.80	<0.80	<0.80	<0.60	<0.60
1,2,4-Trichlorobenzene				<1	<1	<1	<1		<0.5	<0.3	<1.5	<0.5	<0.30	<0.5	<0.50	<0.50	<0.50	<0.70	<0.70
1,2,4-Trimethylbenzene				8.8	5.2	5.2	47		7	58	28	37	1.8	32	<0.50	<0.50	0.73 J	40	22
1,2-Dibromo-3-chloropropane				<3	<3	<3	<3		<0.3	<0.3	<1.5	<0.3	<0.40	<0.3	<0.40	<0.40	<0.40	<1.1	<1.1
1,2-Dibromoethane				<2	<2	<2	<2		<0.2	<0.4	<2	<0.3	<0.10	<0.3	<0.30	<0.30	<0.30	<0.60	<0.60
1,2-Dichlorobenzene				<1	<1	<1	<1	<1	<0.3	<0.3	<1.5	<0.3	<0.20	<0.3	<0.70	<0.70	<0.70	<0.50	<0.50
1,2-Dichloroethane	<5	<50	<5	<1	<1	<1	<1	<1	<0.2	<0.2	<1	<0.4	<0.20	<0.4	<0.90	<0.90	<0.90	<0.50	<0.50
cis-1,2-Dichloroethene				44	<1	17	3	<1	8	18	14	7.7	8.6	2.2	2.3	2.8	<0.50	1.8	1.4
trans-1,2-Dichloroethene	<5	<50	<5	<1	<1	<1	<1	<1	<0.2	<0.3	<1.5	<0.8	<0.10	<0.8	<0.40	<0.40	<0.40	<0.60	<0.60
1,2-Dichloropropane	<5	<50	<5	<1	<1	<1	<1	<1	<0.1	<0.2	<1	<0.3	<0.20	<0.3	<0.40	<0.40	<0.40	<0.50	<0.50
1,3,5-Trimethylbenzene				2.6	3.7	<1	12		2.8	20	12	15	0.60	13	1.4	1.5	<0.50	14	6.9
1,3-Dichlorobenzene				<1	<1	<1	<1	<1	<0.7	<0.4	<2	<0.4	<0.10	<0.4	<0.50	<0.50	<0.50	<0.50	<0.50
cis-1,3-Dichloropropene	<5	<50	<5	<1		<1	<1	<1	<0.3	<0.3	<1.5	<0.2	<0.10	<0.2	<0.60	<0.60	<0.60	<0.12	<0.12
1,3-Dichloropropane				<1	<1	<1	<1		<0.3	<0.6	<3	<0.4	<0.10	<0.4	<1.2	<1.2	<1.2	<0.60	<0.60
trans-1,3-Dichloropropene	<5	<50	<5	<1		<1	<1	<1	<0.2	<0.2	<1	<0.5	<0.10	<0.5	<0.70	<0.70	<0.70	<0.14	<0.14
1,4-Dichlorobenzene				<1	<1	<1	<1	<1	<0.3	<0.3	<1.5	<0.4	<0.10	<0.4	<0.50	<0.50	<0.50	<0.50	<0.50
2,2-Dichloropropane				<1	<1	<1	<1		<0.2	<0.5	<2.5	<0.2	<0.20	<0.2	<0.60	<0.60	<0.60	<0.60	<0.60
2-Butanone (MEK)	<10	<100	<10															<7.0	<7.0
2-Chloroethyl vinyl ether								<10											
2-Chlorotoluene				<1	<1	<1	<1		<0.4	<0.3	<1.5	<0.4	<0.10	<0.4	<0.60	<0.60	<0.60	<0.50	<0.50
2-Hexanone	<10	<100	<10															<7.0	<7.0
4-Chlorotoluene				<1	<1	<1	<1		<0.3	<0.3	<1.5	<0.3	<0.20	<0.3	<0.60	<0.60	<0.60	<0.40	<0.40
4-Methyl-2-Pentanone (MIBK)	<10	<100	<10															<7.0	<7.0
Acetone	<10	108	13.1															<9.0	<9.0
Benzene	<5	<50	<5	<1	<1	<1	<1	<1	<0.2	2	<1.5	<0.1	<0.10	<0.1	<0.40	<0.40	<0.40	<0.40	<0.40
Bromobenzene				<1	<1	<1	<1		<0.3	<0.2	<1	<0.5	<0.10	<0.5	<0.50	<0.50	<0.50	<0.50	<0.50
Bromochloromethane				<1		<1	<1		<0.4	<0.2	<1	<0.4	<0.10	<0.4	<0.50	<0.50	<0.50	<0.50	<0.50
Bromodichloromethane	<5	<50	<5	5.4	<1	<1	<1	<1	<0.2	<0.2	<1	<0.2	<0.10	<0.2	<0.40	<0.40	<0.40	<0.13	<0.13
Bromoform	<5	<50	<5	<1		<1	<1	<1	<0.3	<0.2	<1	<0.1	<0.20	<0.1	<0.60	<0.60	<0.60	<0.50	<0.50
Bromomethane	<10	<100	<10	<2		<2	<2	<2	<0.3	<0.9	<4.5	<0.4	<0.40	<0.4	<0.80	<0.80	<0.80	<0.80	<0.80

Volatile Organic Compounds - Historical Data
WAULECO, INC - Wausau Facility
Well - W25

Parameter	02/19/92	09/17/92	12/17/92	03/23/93	06/28/93	12/28/93	06/21/94	07/05/95	07/11/97	06/23/98	06/09/99	07/18/00	01/30/01	07/10/01	08/06/02	07/22/03	07/13/04	07/20/05	7/20/2005 duplicate
n-Butylbenzene				6.8	3.8	2	6		<0.6	6.2	7.5	6.9	0.11	4.5	0.98	0.66	<0.50	2.8 A	14
sec-Butylbenzene				1.9	2.6	<1	9.3		<0.3	6.8	5.5	4.5	0.39	2.5	0.8	<0.5	<0.50	2.8	8
tert-Butylbenzene				<1	<1	<1	<1		<0.3	26	<1.5	<0.1	0.12	<0.1	2.8	<0.5	<0.50	0.83	5.6
Carbon disulfide	<5	<50	<5															<1.1	<1.1
Carbon tetrachloride	<5	<50	<5	<1	<1	<1	<1	<1	<0.2	<0.4	<2	<0.3	<0.10	<0.3	<0.60	<0.60	<0.60	<0.50	<0.50
Chlorobenzene	<5	<50	<5	<1	<1	<1	<1	<1	<0.3	<0.3	<1.5	<0.3	<0.10	<0.3	<0.80	<0.80	<0.80	<0.50	<0.50
Chlorodibromomethane	<5	<50	<5	<1	<1	<1	<1	<1	<0.3	<0.3	<1.5	<0.4	<0.20	<0.4	<0.40	<0.40	<0.40	<0.60	<0.60
Chloroethane	<10	<100	<10	<2	<2	<2	<2	<2	<0.4	<0.8	<4	<0.5	<0.40	<0.5	<0.50	<0.50	<0.50	<0.70	<0.70
Chloroform	<5	<50	<5	2.3	<1	<1	<1	<1	<0.2	<0.2	<1	<0.5	1.1	<0.5	<0.60	<0.60	<0.60	0.62	0.58
Chloromethane	<10	<100	<10	<2	<2	<2	<2	<2	<0.7	<0.9	<4.5	<0.3	<0.20	<0.3	<0.40	<0.40	<0.40	<0.24	<0.24
Dibromomethane				<1		<1	<1		<0.1	<0.2	<1	<0.4	<0.20	<0.4	<0.50	<0.50	<0.50	<0.70	<0.70
Dichlorodifluoromethane				<2	<2	<2	<2		<0.3	<1.2	<6	<0.5	<0.10	<0.5	<0.50	<0.50	<0.50	<0.60	<0.60
Diisopropyl Ether					<1						<1.5	<0.1	<0.10	<0.1	<0.50	<0.50	<0.50	<0.50	<0.50
Ethylbenzene	<5	<50	<5	<1	<1	<1	3.4	2	<0.2	2.8	<1	<0.5	0.21	1.2	0.57	<0.50	<0.50	1.6	0.91
Hexachlorobutadiene				<1	<1	<1	<1		<0.5	<0.6	<3	<0.6	<0.20	<0.6	<0.50	<0.50	<0.50	<0.60	<0.60
Isopropylbenzene				4.2	6.3	<1	16		<0.2	5.6	8.5	3.2	0.34	2.8	0.85	0.52	<0.50	4.2	2.3
p-Isopropyltoluene				<1	<1	<1	<1		<0.4	2.6	<1	2	<0.10	0.98	<0.50	<0.50	<0.50	0.59	<4.0
Methyl tert-butyl ether					<1						<1	<1.1	<0.30	<1.1	<0.50	<0.50	<0.50	<0.60	<0.60
Methylene chloride	<5	128	<10	<3	<3	<3	<3	<3	<0.3	<0.5	<2.5	<1.9	<0.40	<1.9	<1.0	<1.0	3.0 J,A,B,Q	<0.40	<0.40
Naphthalene	28	<10	<10	3.2	<1	<1	19	30.5	<0.8	11	11	6.1	1.5	7.1	<0.50	<0.50	<0.50	4.7	3.6
n-Propylbenzene				<1	2.1	<1	11		<0.3	8.2	4.5	5.9	0.44	5.5	0.93	0.75	<0.50	7.8	4.2
Styrene	<5	<50	<5	<1		<1	<1		<0.2	<0.2	<1	<0.2	<0.10	<0.2	<0.50	<0.5	<0.50	<0.50	<0.50
Tetrachloroethene	<5	<50	<5	<1	<1	<1	<1	<1	<0.3	3	<3	<0.4	0.58	0.62 J	1.5	0.98	1.0 J	0.78	0.73
Tetrahydrofuran																		<7.0	0.60
Toluene	<5	<50	<5	<1	<1	<1	1.1	1.25	<0.2	1.8	<1	<0.1	<0.20	<0.1	<0.50	<0.50	<0.50	<0.40	<0.40
Trichloroethene	221	<50	41.3	380	11	130	95	49.5	48	130	95	49	39	43	31	34	14	37	<0.15
Trichlorofluoromethane				<1	<1	<1	<1	<1	<0.5	<0.6	<3	<0.4	<0.20	<0.4	<0.40	<0.40	<0.40	<0.50	<0.50
Vinyl acetate	<10	<100	<10															<8.0	<8.0
Vinyl chloride	<10	<100	<10	<1	<1	<1	<1	<1	<0.3	<0.5	<2.5	<0.4	<0.10	<0.4	<0.30	<0.30	<0.30	<0.12	<0.12
Xylene, m & p-				<2	<2	<2	16	8.1	<0.4	6	<1.5	2.1	0.22	2.2	0.99	<0.60	<0.60	1.7	<1.0
Xylene, o-				3.1	2.4	1.6	100	29.5	1.6	28	13	15	1.3	11	2.6	5.2	<0.50	12	5.8
Xylenes, Total	62	<50	<5																5.8

Volatile Organic Compounds - Historical Data
WAULECO, INC - Wausau Facility
Well - W25

Parameter	07/18/06	7/18/2006 duplicate	07/11/07	07/23/08	07/06/09	07/13/10	7/13/2010 Duplicate	07/19/11	7/19/2011 Duplicate	7/6/2012	7/5/2013	7/9/2014	7/8/2015	7/6/2016	7/11/2017	7/11/2018	7/8/2019	7/7/2020	7/7/2021	07/06/22	07/06/23	07/02/24
1,1,1,2-Tetrachloroethane	<0.70	<0.70	<1.2	<0.60	<0.60	<0.24	<0.24	<0.40	<0.40													
1,1,1-Trichloroethane	<0.50	<0.50	<1.2	<0.60	<0.60	<0.21	<0.21	<0.29	<0.29													
1,1,2,2-Tetrachloroethane	<0.13	<0.13	<0.28	<0.14	<0.14	<0.19	<0.19	<0.30	<0.30													
1,1,2-Trichloroethane	<0.50	<0.50	<1.0	<0.50	<0.50	<0.26	<0.26	<0.30	<0.30													
1,1-Dichloroethane	<0.40	<0.40	<0.80	<0.40	<0.40	<0.20	<0.20	<0.28	<0.28													
1,1-Dichloroethene	<0.30	<0.30	<0.80	<0.40	<0.40	<0.24	<0.24	<0.29	<0.29													
1,1-Dichloropropene	<0.60	<0.60	<1.0	<0.50	<0.50	<0.24	<0.24	<0.40	<0.40													
1,2,3-Trichlorobenzene	<0.50	<0.50	<1.0	<0.50	<0.50	<0.30	<0.30	<0.40	<0.40													
1,2,3-Trichloropropane	<0.70	<0.70	<0.60	<0.30	<0.30	<0.21	<0.21	<0.40	<0.40													
1,2,4-Trichlorobenzene	<0.70	<0.70	<0.80	<0.40	<0.40	<0.30	<0.30	<0.30	<0.30													
1,2,4-Trimethylbenzene	110	110	49	1	11	42	71	42	40		<0.40	<0.60	<0.50	2.8	<0.40	<0.40	<0.40	<0.40	1.3	<0.91	<0.91	<0.34
1,2-Dibromo-3-chloropropane	<0.30	<0.30	<0.80	<0.40	<0.40	<0.40	<0.40	<0.50	<0.50													
1,2-Dibromoethane	<0.50	<0.50	<0.26	<0.13	<0.13	<0.16	<0.16	<0.30	<0.30													
1,2-Dichlorobenzene	<0.50	<0.50	<0.80	<0.40	<0.40	<0.23	<0.23	<0.40	<0.40													
1,2-Dichloroethane	<0.50	<0.50	<0.60	<0.30	<0.30	<0.30	<0.30	<0.30	<0.30													
cis-1,2-Dichloroethene	1.4	1.2	1.2	<0.40	2.7	1.7	2.3	<0.30	<0.30													
trans-1,2-Dichloroethene	<0.40	<0.40	<1.0	<0.50	<0.50	<0.25	<0.25	<0.30	<0.30													
1,2-Dichloropropane	<0.50	<0.50	<0.42	<0.21	<0.21	<0.22	<0.22	<0.29	<0.29													
1,3,5-Trimethylbenzene	28	31	8.8	<0.19	3	2.3	5.7	24	22													
1,3-Dichlorobenzene	<0.40	<0.40	<0.80	<0.40	<0.40	<0.26	<0.26	<0.30	<0.30													
cis-1,3-Dichloropropene	<0.15	<0.15	<0.28	<0.14	<0.14	<0.19	<0.19	<0.28	<0.28													
1,3-Dichloropropane	<0.50	<0.50	<0.38	<0.19	<0.19	<0.23	<0.23	<0.30	<0.30													
trans-1,3-Dichloropropene	<0.14	<0.14	<0.28	<0.14	<0.14	<0.19	<0.19	<0.30	<0.30													
1,4-Dichlorobenzene	<0.60	<0.60	<1.0	<0.50	<0.50	<0.23	<0.23	<0.30	<0.30													
2,2-Dichloropropane	<0.60	<0.60	<0.60	<0.30	<0.30	<0.25	<0.25	<0.28	<0.28													
2-Butanone (MEK)	<5.0	<5.0	<8.0	<4.0	<4.0	<2.4	<2.4	<3.0	<3.0													
2-Chloroethyl vinyl ether																						
2-Chlorotoluene	<0.50	<0.50	<0.60	<0.30	<0.30	<0.22	<0.22	<0.30	<0.30													
2-Hexanone	<8.0	<8.0	<8.0	<4.0	<4.0	<4.0	<4.0	<4.0	<4.0													
4-Chlorotoluene	<0.60	<0.60	<0.60	<0.30	<0.30	<0.21	<0.21	<0.29	<0.29													
4-Methyl-2-Pentanone (MIBK)	<6.0	<6.0	<6.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0													
Acetone	<10.0	<10.0	<14	<7.0	<7.0	<5.0	<5.0	<5.0	<5.0													
Benzene	<0.40	<0.40	<0.32	<0.16	<0.16	<0.19	<0.19	<0.30	<0.30													
Bromobenzene	<0.60	<0.60	<0.60	<0.30	<0.30	<0.20	<0.20	<0.30	<0.30													
Bromochloromethane	<0.70	<0.70	<0.42	<0.21	<0.21	<0.22	<0.22	<0.40	<0.40													
Bromodichloromethane	<0.15	<0.15	<0.38	<0.19	<0.19	<0.20	<0.20	<0.30	<0.30													
Bromoform	<0.21	<0.21	<1.0	<0.50	<0.50	<0.22	<0.22	<0.24	<0.24													
Bromomethane	<0.90	<0.90	<0.80	<0.40	<0.40	<0.50	<0.50	<0.30	<0.30													

Volatile Organic Compounds - Historical Data
WAULECO, INC - Wausau Facility
Well - W25

Parameter	07/18/06	7/18/2006 duplicate	07/11/07	07/23/08	07/06/09	07/13/10	7/13/2010 Duplicate	07/19/11	7/19/2011 Duplicate	7/6/2012	7/5/2013	7/9/2014	7/8/2015	7/6/2016	7/11/2017	7/11/2018	7/8/2019	7/7/2020	7/7/2021	07/06/22	07/06/23	07/02/24
n-Butylbenzene	1.2	1.2	1.2	<0.24	0.27	<0.23	0.57	2.7	2.5													
sec-Butylbenzene	4.8	4.8	2.5	0.89	2.9	4.3	5.5	3.2	3													
tert-Butylbenzene	2	2.1	0.81	<0.23	0.97	0.95	1.5	1.1	1													
Carbon disulfide	<1.0	<1.0	<1.0	<0.50	<0.50	<0.50	<0.50	<0.60	<0.60													
Carbon tetrachloride	<0.50	<0.50	<0.80	<0.40	<0.40	<0.23	<0.23	<0.40	<0.40													
Chlorobenzene	<0.40	<0.40	<0.60	<0.30	<0.30	<0.24	<0.24	<0.30	<0.30													
Chlorodibromomethane	<0.60	<0.60	<0.46	<0.23	<0.23	<0.19	<0.19	<0.26	<0.26													
Chloroethane	<0.60	<0.60	<0.80	<0.40	<0.40	<0.40	<0.40	<0.30	<0.30													
Chloroform	<0.50	<0.50	<0.44	<0.22	<0.22	<0.15	<0.15	<0.23	<0.23													
Chloromethane	<0.30	<0.30	<0.60	<0.30	0.47B	<0.40	<0.40	<0.40	<0.40													
Dibromomethane	<0.80	<0.80	<0.80	<0.40	<0.40	<0.24	<0.24	<0.30	<0.30													
Dichlorodifluoromethane	<0.29	<0.29	<0.80	<0.40	<0.40	<0.26	<0.26	<0.30	<0.30													
Diisopropyl Ether	<0.40	<0.40	<1.0	<0.50	<0.50	<0.20	<0.20	<0.30	<0.30													
Ethylbenzene	3.2	2.7	0.92	<0.28	0.72	0.88	1.7	0.89	0.73													
Hexachlorobutadiene	<0.90	<0.90	<1.2	<0.60	<0.60	<0.30	<0.30	<0.40	<0.40													
Isopropylbenzene	14	14	3.4	0.84	2.1	1.8	4.7	4.6	4.2													
p-Isopropyltoluene	1.2	1.1	0.54	<0.17	<0.17	<0.23	<0.23	1.7	1.5													
Methyl tert-butyl ether	<0.40	<0.40	<0.46	<0.23	<0.23	<0.29	<0.29	<0.30	<0.30													
Methylene chloride	<1.0	<1.0	4	<0.50	<0.50	<0.40	<0.40	<0.40	<0.40													
Naphthalene	5.2	4.6	3.7	1.1	1.1	<0.40	0.63	3.8	3.4	<0.32	<0.50	<1.2	<0.50	<0.90	<0.90	<0.90	<0.90	<0.90	<0.90	<1.1	<1.1	<0.35
n-Propylbenzene	12	11	4.7	<0.20	2	1.6	3.5	7.4	6.8													
Styrene	<0.50	<0.50	<0.60	<0.30	<0.30	<0.20	<0.20	<0.30	<0.30													
Tetrachloroethene	1.2	1.3	<0.80	0.78	1.2	1.5	1.6	0.67	0.69													
Tetrahydrofuran	<7.0	<7.0	<8.0	<4.0	<4.0	<3.0	<3.0	<4.0	<4.0													
Toluene	<0.40	<0.40	<0.40	<0.20	<0.20	<0.22	<0.22	<0.30	<0.30													
Trichloroethene	45	49	17	15	35	34	39	3.8	3.8													
Trichlorofluoromethane	<0.70	<0.70	<0.80	<0.40	<0.40	<0.20	<0.20	<0.40	<0.40													
Vinyl acetate	<1.7	<1.7	<2.2	<1.1	<1.1	<3.0	<3.0	<4.0	<4.0													
Vinyl chloride	<0.15	<0.15	<0.30	<0.15	<0.15	<0.18	<0.18	<0.19	<0.19													
Xylene, m & p-	19	20	1.1	<0.50	0.58	0.82	1.9	1.1	0.99		<0.90	<1.0	<1.1	<0.80	<0.80	<0.80	<0.80	<0.80	<0.80	<2.0	<2.0	<0.74
Xylene, o-	44	47	5.3	<0.50	14	3.4	7.4	2	1.9		<0.50	<0.50	<0.50	<0.40	<0.40	<0.40	<0.40	<0.40	<0.40	<1.1	<1.1	<0.72
Xylenes, Total	63	67	6.4	<1	14.58	4.22	9.3	3.1	2.89		<1.4	<1.5	<1.6	<1.2	<1.2	<1.2	<1.2	<1.2	<1.2	<3.1	<3.1	<1.46

Prepared By: T. Dushek, 8/27/24

Checked by: A. Voit, 10/28/24

NOTES:

All Units are in ug/L

Bold values indicate detections

A = Analyte averaged calibration criteria within acceptable limits

B = Analyte detected in associated Method Blank

M = Matrix spike or matrix spike duplicate outside acceptance limits.

J = Estimated Value

Q = Lab Control Sample outside acceptance limits

* = Suspected methylene chloride laboratory contamination.

Volatile Organic Compounds - Historical Data
WAULECO, INC - Wausau Facility
Well - W26-W26R

Parameter	06/14/92	09/17/92	12/18/92	03/24/93	06/30/93	12/27/93	06/22/94	07/06/95	07/09/96	07/11/97	06/24/98	06/09/99	07/18/00	01/31/01	07/11/01	08/06/02	07/24/03	07/13/04	07/20/05
1,1,1,2-Tetrachloroethane				<1		<5	<1		<1	<0.1	<0.3	<1.5	<20	<4.0	<10	<23	<1.8	<0.90	<0.50
1,1,1-Trichloroethane	<5	<50	<50	<1	<1	<5	<1	<1	<1	<0.3	<0.3	<1.5	<15	<4.0	<7.5	<13	5.5	<0.50	<0.60
1,1,2,2-Tetrachloroethane	<5	<50	<50	<1	<1	<5	<1	1.25	<1	<0.2	<0.2	<1	<20	<4.0	<10	<20	<1.6	<0.80	<0.15
1,1,2-Trichloroethane	<5	<50	<50	<1	<1	<5	<1	<1	<1	<0.2	<0.2	<1	<10	<2.0	<5.0	<23	<1.8	<0.90	<0.40
1,1-Dichloroethane	<5	<50	<50	<1	<1	<5	<1	<1	<1	<0.2	<0.2	<1	<20	<2.0	<10	<13	<1.0	<0.50	<0.50
1,1-Dichloroethene	<5	<50	<50	<1	<1	<5	<1	<1	<1	<0.4	<0.2	<1	<45	<4.0	<23	<10	<0.80	<0.40	<0.50
1,1-Dichloropropene				<1		<5	<1		<1	<0.2	<0.3	<1.5	<20	<4.0	<10	<13	<1.0	<0.50	<0.50
1,2,3-Trichlorobenzene				<1	<1	<5	<1		<1	<0.5	<0.4	<2	<25	<6.0	<13	<13	<1.0	<0.50	<0.60
1,2,3-Trichloropropane				<1		<5	<1		<1	<0.3	<0.2	<1	<15	<2.0	<7.5	<20	<1.6	<0.80	<0.60
1,2,4-Trichlorobenzene				<1	<1	<5	<1		<1	<0.5	<0.3	<1.5	<25	<6.0	<13	<13	<1.0	<0.50	<0.70
1,2,4-Trimethylbenzene				960	550	600	500		94.7	1300	900	230	570	570	500	440	46	15	19
1,2-Dibromo-3-chloropropane				<3	<3	<15	<3		<3	<0.3	<0.3	<1.5	<15	<8.0	<7.5	<10	<0.80	<0.40	<1.1
1,2-Dibromoethane				<2	<2	<10	<2		<2	<0.2	<0.4	<2	<15	<2.0	<7.5	<7.5	<0.60	<0.30	<0.60
1,2-Dichlorobenzene				<1	<1	<5	<1	<1	<1	<0.3	<0.3	<1.5	<15	<4.0	<7.5	<18	<1.4	<0.70	<0.50
1,2-Dichloroethane	<5	<50	<50	<1	<1	<5	<1	<1	<1	<0.2	<0.2	<1	<20	<4.0	<10	<23	<1.8	<0.90	<0.50
cis-1,2-Dichloroethene				<1	<1	<5	<1	2.3	<1	<0.2	<0.2	<1	<20	<4.0	<10	<13	<1.0	<0.50	<0.60
trans-1,2-Dichloroethene	<5	<50	<50	<1	<1	<5	<1	<1	<1	<0.2	<0.3	<1.5	<40	<2.0	<20	<10	<0.80	<0.40	<0.60
1,2-Dichloropropane	<5	<50	<50	<1	<1	<5	<1	<1	<1	<0.1	<0.2	<1	<15	<4.0	<7.5	<10	<0.80	<0.40	<0.50
1,3,5-Trimethylbenzene				340	160	80	88		16.0	380	300	70	210	120	140	99	1.2	<0.50	<0.50
1,3-Dichlorobenzene				<1	<1	<5	<1	<1	<1	<0.7	<0.4	<2	<20	<2.0	<10	<13	<1.0	<0.50	<0.50
cis-1,3-Dichloropropene	<5	<50	<50	<1		<5	<1	<1	<1	<0.3	<0.3	<1.5	<10	<2.0	<5.0	<15	<1.2	<0.60	<0.12
1,3-Dichloropropane				<1	<1	<5	<1		<1	<0.3	<0.6	<3	<20	<2.0	<10	<30	<2.4	<1.2	<0.60
trans-1,3-Dichloropropene	<5	<50	<50	<1		<5	<1	<1	<1	<0.2	<0.2	<1	<25	<2.0	<13	<18	<1.4	<0.70	<0.14
1,4-Dichlorobenzene				<1	<1	<5	<1	<1	<1	<0.3	<0.3	<1.5	<20	<2.0	<10	<13	<1.0	<0.50	<0.50
2,2-Dichloropropane				<1	<1	<5	<1		<1	<0.2	<0.5	<2.5	<10	<4.0	<5.0	<15	<1.2	<0.60	<0.60
2-Butanone (MEK)	<10	<100	<100																<7.0
2-Chloroethyl vinyl ether								<10											
2-Chlorotoluene				<1	<1	<5	<1		<1	<0.4	<0.3	<1.5	<20	<2.0	<10	<15	<1.2	<0.60	<0.50
2-Hexanone	<10	<100	<100																<7.0
4-Chlorotoluene				<1	<1	<5	<1		<1	<0.3	<0.3	<1.5	<15	<4.0	<7.5	<15	<1.2	<0.60	<0.40
4-Methyl-2-Pentanone (MIBK)	<10	<100	<100																<7.0
Acetone	10.5	<100	<100																<9.0
Benzene	27.5	<50	<50	24	18	25	13	37	3.8	<0.2	55	4	11	15	4.2 J	20	0.87	0.40 J	0.46
Bromobenzene				<1	<1	<5	<1	0	<1	<0.3	<0.2	<1	<25	<2.0	<13	<13	<1.0	<0.50	<0.50
Bromochloromethane				<1		<5	<1	0	<1	<0.4	<0.2	<1	<20	<2.0	<10	<13	<1.0	<0.50	<0.50
Bromodichloromethane	<5	<50	<50	<1	<1	<5	<1	<1	<1	<0.2	<0.2	<1	<10	<2.0	<5.0	<10	<0.80	<0.40	<0.13
Bromoform	<5	<50	<50	<1		<5	<1	<1	<1	<0.3	<0.2	<1	<5	<4.0	<2.5	<15	<1.2	<0.60	<0.50
Bromomethane	<10	<100	<100	<2		<10	<2	<2	<2	<0.3	<0.9	<4.5	<20	<8.0	<10	<20	<1.6	<0.80	<0.80

Volatile Organic Compounds - Historical Data
WAULECO, INC - Wausau Facility
Well - W26-W26R

Parameter	06/14/92	09/17/92	12/18/92	03/24/93	06/30/93	12/27/93	06/22/94	07/06/95	07/09/96	07/11/97	06/24/98	06/09/99	07/18/00	01/31/01	07/11/01	08/06/02	07/24/03	07/13/04	07/20/05
n-Butylbenzene				190	65	21	26		11.1	100	120	29	76	11	39	56	5.3	14	0.64
sec-Butylbenzene				27	12	15	13		4.5	30	60	10	<15	12	10 J	25	2.1	8	2.6
tert-Butylbenzene				<1	<1	<5	<25		<1	<0.3	<0.3	<1.5	<5	4.6	<2.5	<13	<1.0	5.6	1.4
Carbon disulfide	<5	<50	<50																<1.1
Carbon tetrachloride	<5	<50	<50	<1	<1	<5	<1	<1	<1	<0.2	<0.4	<2	<15	<2.0	<7.5	<15	<1.2	<0.60	<0.50
Chlorobenzene	<5	<50	<50	<1	<1	<5	<1	1.3	<1	<0.3	<0.3	<1.5	<15	<2.0	<7.5	<20	<1.6	<0.80	<0.50
Chlorodibromomethane	<5	<50	<50	<1	<1	<5	<1	<1	<1	<0.3	<0.3	<1.5	<20	<4.0	<10	<10	<0.80	<0.40	<0.60
Chloroethane	<10	<100	<100	<2	<2	<10	<2	<2	<2	<0.4	<0.8	<4	<25	<8.0	<13	<13	<1.0	<0.50	<0.70
Chloroform	12.7	<50	<50	7.2	4.4	<5	2.6	<1	<1	<0.2	<0.2	<1	<25	<2.0	<13	<15	<1.2	<0.60	<0.50
Chloromethane	<10	<100	<100	<2	<2	<10	<2	3.95	<2	<0.7	<0.9	<4.5	<15	<4.0	<7.5	<10	<0.80	<0.40	<0.24
Dibromomethane				<1		<5	<1		<1	<0.1	<0.2	<1	<20	<4.0	<10	<13	<1.0	<0.50	<0.70
Dichlorodifluoromethane				<2	<2	<10	<2		<2	<0.3	<1.2	<6	<25	<2.0	<13	<13	<1.0	<0.50	<0.60
Diisopropyl Ether				0	<1							<1.5	<5	<2.0	<2.5	<13	<1.0	<0.50	<0.50
Ethylbenzene	79.3	54.5	<50	49	31	42	27	67.5	8.5	35	60	7.5	26	24	15	28	<1.0	<0.50	<0.50
Hexachlorobutadiene				<1	<1	<5	<1		<1	<0.5	<0.6	<3	<30	<4.0	<15	<13	<1.0	<0.50	<0.60
Isopropylbenzene				58	26	32	22		7.3	40	60	16	34	19	19	33	1.5	0.52 J	1.7
p-Isopropyltoluene				<1	21	12	<1		3.8	<0.4	55	3.5	<10	6.1	<5.0	20	<1.0	<0.50	<0.40
Methyl tert-butyl ether					<1							<1	<55	<6.0	<28	<13	<1.0	<0.50	<0.60
Methylene chloride	<5	82.7	103	<3	<3	<15	<3	<3	<3	<0.3	<0.5	<2.5	<95	<8.0	<48	<25	<2.0	3.1 J,A,B,Q	<0.40
Naphthalene	38.5	84.9	<100	150	70	75	80	114.5	19.5	120	140	46	80	90	110	87	10	2.1	<0.60
n-Propylbenzene				58	46	55	39		12.5	90	95	18	63	36	33	47	1.5	<0.50	0.95
Styrene	<5	<50	<50	<1		<5	<25		<1	<0.2	<0.2	<1	<10	<2.0	<5.0	<13	<1.0	<0.50	<0.50
Tetrachloroethene	<5	<50	<50	<1	<1	<5	1.5	1.45	<1	<0.3	<0.6	<3	<20	<2.0	<10	<13	<1.0	0.77 J	0.62
Tetrahydrofuran																		0.60	<7.0
Toluene	102	107	77.5	85	45	65	42	98.5	7.8	45	60	3.5	42	36	7.8 J	23	<1.0	<0.50	<0.40
Trichloroethene	72.7	56.8	63.3	60	35	38	20	40	11.1	15	<0.3	9	<15	24	<7.5	23	1.3	<0.15	1.7
Trichlorofluoromethane				<1	<1	<5	<1	<1	<1	<0.5	<0.6	<3	<20	<4.0	<10	<10	<0.80	<0.40	<0.50
Vinyl acetate	<10	<100	<100																<8.0
Vinyl chloride	<10	<100	<100	<1	<1	<5	<1	<1	<1	<0.3	<0.5	<2.5	<20	<2.0	<10	<7.5	<0.60	<0.30	<0.12
Xylene, m & p-				280	190	220	170	284.5	34.2	200	150	13	110	86	26	57	1.8	<0.60	<1.0
Xylene, o-				460	260	300	220	321.5	43.0	480	310	85	300	190	180	160	6.4	1.0 J	0.64
Xylenes, Total	569	993	523																0.64

Volatile Organic Compounds - Historical Data
WAULECO, INC - Wausau Facility
Well - W26-W26R

Parameter	07/20/06	7/20/2006 Duplicate	07/10/07	7/10/2007 Duplicate	07/24/08	07/07/09	7/7/2009 Duplicate	07/15/10	07/20/11	7/20/2011 Duplicate	7/10/2012	7/2/2013	7/7/2014	7/9/2015	7/7/2016	7/17/2017	7/12/2018	7/15/2019	7/14/2020	7/12/2021	7/11/2022	7/6/2023	7/9/2024
1,1,1,2-Tetrachloroethane	<0.70	<0.70	<0.60	<0.60	<1.2	<0.60	<0.60	<0.24	<0.40	<0.40													
1,1,1-Trichloroethane	<0.50	<0.50	<0.60	<0.60	<1.2	<0.60	<0.60	<0.21	<0.29	<0.29													
1,1,2,2-Tetrachloroethane	<0.13	<0.13	<0.14	<0.14	<.28	<0.14	<0.14	<0.19	<0.30	<0.30													
1,1,2-Trichloroethane	<0.50	<0.50	<0.50	<0.50	<1	<0.50	<0.50	<0.26	<0.30	<0.30													
1,1-Dichloroethane	<0.40	<0.40	<0.40	<0.40	<.80	<0.40	<0.40	<0.20	<0.28	<0.28													
1,1-Dichloroethene	<0.30	<0.30	<0.40	<0.40	<.80	<0.40	<0.40	<0.24	<0.29	<0.29													
1,1-Dichloropropene	<0.60	<0.60	<0.50	<0.50	<1	<0.50	<0.50	<0.24	<0.40	<0.40													
1,2,3-Trichlorobenzene	<0.50	<0.50	<0.50	<0.50	<1	<0.50	<0.50	<0.30	<0.40	<0.40													
1,2,3-Trichloropropane	<0.70	<0.70	<0.30	<0.30	<0.60	<0.30	<0.30	<0.21	<0.40	<0.40													
1,2,4-Trichlorobenzene	<0.70	<0.70	<0.40	<0.40	<0.80	<0.40	<0.40	<0.30	<0.30	<0.30													
1,2,4-Trimethylbenzene	49	61	1	52	140	<0.24	<0.24	44	0.66	0.42		<0.40	<0.60	1.2	0.5	<0.40	<0.40	180	2.2	2.1	<0.91	1.5	<0.34
1,2-Dibromo-3-chloropropane	<0.30	<0.30	<0.40	<0.40	<0.80	<0.40	<0.40	<0.40	<0.50	<0.50													
1,2-Dibromoethane	<0.50	<0.50	<0.13	<0.13	<0.26	<0.13	<0.13	<0.16	<0.30	<0.30													
1,2-Dichlorobenzene	<0.50	<0.50	<0.40	<0.40	<0.80	<0.40	<0.40	<0.23	<0.40	<0.40													
1,2-Dichloroethane	<0.50	<0.50	<0.30	<0.30	<0.60	<0.30	<0.30	<0.30	<0.30	<0.30													
cis-1,2-Dichloroethene	<0.40	<0.40	<0.40	<0.40	<0.80	<0.40	<0.40	0.25	<0.30	<0.30													
trans-1,2-Dichloroethene	<0.40	<0.40	<0.50	<0.50	<1	<0.50	<0.50	<0.25	<0.30	<0.30													
1,2-Dichloropropane	<0.50	<0.50	<0.21	<0.21	<0.42	<0.21	<0.21	<0.22	<0.29	<0.29													
1,3,5-Trimethylbenzene	<0.40	<0.19	0.28	<0.19	20	<0.19	<0.19	0.4	0.55	0.47													
1,3-Dichlorobenzene	<0.40	<0.40	<0.40	<0.40	<0.80	<0.40	<0.40	<0.26	<0.30	<0.30													
cis-1,3-Dichloropropene	<0.15	<0.14	<0.14	<0.14	<0.28	<0.14	<0.14	<0.19	<0.28	<0.28													
1,3-Dichloropropane	<0.50	<0.19	<0.19	<0.19	<0.38	<0.19	<0.19	<0.23	<0.30	<0.30													
trans-1,3-Dichloropropene	<0.14	<0.14	<0.14	<0.14	<0.28	<0.14	<0.14	<0.19	<0.30	<0.30													
1,4-Dichlorobenzene	<0.60	<0.60	<0.50	<0.50	<1	<0.50	<0.50	<0.23	<0.30	<0.30													
2,2-Dichloropropane	<0.60	<0.60	<0.30	<0.30	<0.60	<0.30	<0.30	<0.25	<0.28	<0.28													
2-Butanone (MEK)	<5.0	<5.0	<4.0	<4.0	<8.0	<4.0	<4.0	<2.4	<3.0	<3.0													
2-Chloroethyl vinyl ether																							
2-Chlorotoluene	<0.50	<0.50	<0.30	<0.30	<0.60	<0.30	<0.30	<0.22	<0.30	<0.30													
2-Hexanone	<8.0	<8.0	<4.0	<4.0	<8.0	<4.0	<4.0	<4.0	<4.0	<4.0													
4-Chlorotoluene	<0.60	<0.60	<0.30	<0.30	<0.60	<0.30	<0.30	<0.21	<0.29	<0.29													
4-Methyl-2-Pentanone (MIBK)	<6.0	<6.0	<3.0	<3.0	<6.0	<3.0	<3.0	<3.0	<3.0	<3.0													
Acetone	<10.0	<10.0	<7.0	<7.0	<14.0	<7.0	<7.0	<5.0	<5.0	<5.0													
Benzene	0.94	1.0	0.96	1	4	<0.16	<0.16	2.3	0.32	0.39													
Bromobenzene	<0.60	<0.60	<0.30	<0.30	<0.60	<0.30	<0.30	<0.20Q	<0.30	<0.30													
Bromochloromethane	<0.70	<0.70	<0.21	<0.21	<0.42	<0.21	<0.21	<0.22	<0.40	<0.40													
Bromodichloromethane	<0.15	<0.15	<0.19	<0.19	<0.38	<0.19	0.26	<0.20	<0.30	<0.30													
Bromoform	<0.21	<0.21	<0.50	<0.50	<1	<0.50	<0.50	<0.22	<0.24	<0.24													
Bromomethane	<0.90	<0.90	<0.40	<0.40	<0.80	<0.40	<0.40	<0.50	<0.30	<0.30													

Volatile Organic Compounds - Historical Data
WAULECO, INC - Wausau Facility
Well - W26-W26R

Parameter	07/20/06	7/20/2006 Duplicate	07/10/07	7/10/2007 Duplicate	07/24/08	07/07/09	7/7/2009 Duplicate	07/15/10	07/20/11	7/20/2011 Duplicate	7/10/2012	7/2/2013	7/7/2014	7/9/2015	7/7/2016	7/17/2017	7/12/2018	7/15/2019	7/14/2020	7/12/2021	7/11/2022	7/6/2023	7/9/2024
n-Butylbenzene	1.1	1.2	0.6	0.39	2.5	<0.24	<0.24	1.6	0.68	0.65													
sec-Butylbenzene	3.2	3.5	2.9	3.1	5.6	<0.29	<0.29	7.1	5.5	5.5													
tert-Butylbenzene	1.6	1.6	1.5	1.6	2.5	<0.23	<0.23	3.1	2.3	2.4													
Carbon disulfide	<1.0	<1.0	<0.50	<0.50	<1	<0.50	<0.50	<0.50	<0.60	<0.60													
Carbon tetrachloride	<0.50	<0.50	<0.40	<0.40	<0.80	<0.40	<0.40	<0.23	<0.40	<0.40													
Chlorobenzene	<0.40	<0.40	<0.30	<0.30	<0.60	<0.30	<0.30	<0.24	<0.30	<0.30													
Chlorodibromomethane	<0.60	<0.60	<0.23	<0.23	<0.46	<0.23	<0.23	<0.19	<0.26	<0.26													
Chloroethane	<0.60	<0.60	<0.40	<0.40	<0.80	<0.40	<0.40	<0.40	<0.30	<0.30													
Chloroform	<0.50	<0.50	<0.22	<0.22	0.48	5.9	6.5	0.42	0.46	0.45													
Chloromethane	<0.30	<0.30	<0.30	<0.30	<0.60	0.88AB	1.3AB	<0.40	<0.40	<0.40													
Dibromomethane	<0.80	<0.80	<0.40	<0.40	<0.80	<0.40	<0.40	<0.24	<0.30	<0.30													
Dichlorodifluoromethane	<0.29	<0.29	<0.40	<0.40	<0.80	<0.40	<0.40	<0.26	<0.30	<0.30													
Diisopropyl Ether	<0.40	<0.40	<0.50	<0.50	<1	<0.50	<0.50	<0.20	<0.30	<0.30													
Ethylbenzene	0.67	0.76	<0.28	<0.28	8.3	<0.28	<0.28	0.45	1.2	1.2													
Hexachlorobutadiene	<0.90	<0.90	<0.60	<0.60	<1.2	<0.60	<0.60	<0.30	<0.40	<0.40													
Isopropylbenzene	2.8	3.2	1.3	1.4	11	<0.20	<0.20	3	5	5.1													
p-Isopropyltoluene	<0.40	<0.40	<0.17	<0.17	0.94	<0.17	<0.17	<0.23	<0.30	<0.30													
Methyl tert-butyl ether	<0.40	<0.40	<0.23	<0.23	<0.46	<0.23	<0.23	<0.29	<0.30	<0.30													
Methylene chloride	<1.0	<1.0	<0.50	<0.50	<1	<0.50	<0.50	<0.40	<0.40	<0.40													
Naphthalene	3.5	4.1	<0.60	<0.60	32	<0.60	<0.60	15	8	8.1	<3.1 V	<0.50	<1.2	<0.50	<0.90	<0.90	<0.90	4.9	<0.90	2	<1.1	<1.1	<0.35
n-Propylbenzene	2.1	2.3	0.21	<0.20	13	<0.20	<0.20	2.5	3.9	4.1													
Styrene	<0.50	<0.50	<0.30	<0.30	<0.60	<0.30	<0.30	<0.20	<0.30	0.55													
Tetrachloroethene	0.59	0.70	0.57	0.55	1.1	<0.40	<0.40	0.91	1.4	1.3													
Tetrahydrofuran	<7.0	<7.0	<4.0	<4.0	<8.0	<4.0	<4.0	<3.0	<4.0	<4.0													
Toluene	<0.40	<0.40	<0.20	<0.20	6.7	<0.20	<0.20	<0.22	<0.30	<0.30													
Trichloroethene	2.2	2.3	2.3	2.5	7	0.2	<0.15	3.6	2.7	2.8													
Trichlorofluoromethane	<0.70	<0.70	<0.40	<0.40	<0.80	<0.40	<0.40	<0.20	<0.40	<0.40													
Vinyl acetate	<1.7	<1.7	<1.1	<1.1	<2.2	<1.1	<1.1	<3.0	<4.0	<4.0													
Vinyl chloride	<0.15	<0.15	<0.15	<0.15	<0.30	<0.15	<0.15	<0.18	<0.19	<0.19													
Xylene, m & p-	1.5	1.8	1	1.1	21	<0.50	<0.50	2.6	<0.60	<0.60		<0.90	<1.0	<1.1	<0.80	<0.80	<0.80	7.7	<0.80	<0.80	<2.0	<2.0	<0.74
Xylene, o-	2.6	2.9	1.1	1.2	52	<0.50	<0.50	2.4	18	19		<0.50	<0.50	<0.50	<0.40	<0.40	<0.40	25	1.2	0.72	<1.1	<1.1	<0.72
Xylenes, Total	4.1	4.7	2.1	2.3	73	<1.0	<1.0	5	18	19		<1.4	<1.5	<1.6	<1.2	<1.2	<1.2	32.7	1.2	0.72	<3.1	<3.1	<1.46

Prepared By: T. Dushek, 8/27/24

Checked by: A. Voit, 10/28/24

NOTES:

All Units are in ug/L

Bold values indicate detections

A = Analyte averaged calibration criteria within acceptable limits

B = Analyte detected in associated Method Blank

M = Matrix spike or matrix spike duplicate outside acceptance limits.

J = Estimated Value

Q = Lab Control Sample outside acceptance limits

* = Suspected methylene chloride laboratory contamination.

Volatile Organic Compounds - Historical Data
 WAULECO, INC - Wausau Facility
 Well - W27

Parameter	12/17/92	06/30/93	12/28/93	06/22/94	07/06/95	07/09/96	07/11/97	06/24/98	06/08/99	07/18/00	01/30/01	07/11/01	08/06/02	07/22/03	07/13/04	07/19/05	07/19/06	07/10/07	07/23/08	07/07/09	07/14/10	7/14/2010 Duplicate	07/25/11	07/10/12	07/05/13	07/09/14	07/09/15	07/11/16	07/18/17	7/18/2017 Duplicate	7/18/2018	7/18/2019	7/18/2019 Duplicate	7/16/2020	7/12/2021	07/12/22	7/12/2022 Duplicate	7/11/2023	7/10/2024	7/10/2024 Duplicate		
1,1,1,2-Tetrachloroethane			<1	<1		<10	<0.1	<0.3	<1.5	<4	<2.0	<4.0	<4.5	<2.3		<18	<10.0	<3.5 *	<3.0	<12	<6	<2.4	<2.4	<4.0																		
1,1,1-Trichloroethane	<5	<1	<1	<1	<10	<10	<0.3	<0.3	<1.5	<3	<2.0	<3.0	<2.5	<1.3		<10	<12.0	<2.5 *	<3.0	<12	<6	<2.1	<2.1	<2.9																		
1,1,2,2-Tetrachloroethane	<5	<1	<1	<1	<10	<10	<0.2	<0.2	<1	<4	<2.0	<4.0	<4.0	<2.0		<16	<3.0	<0.65 *	<0.70	<2.8	<1.4	<1.9	<1.9	<3.0																		
1,1,2-Trichloroethane	<5	<1	<1	<1	<10	<10	<1	<0.2	<1	<2	<1.0	<2.0	<4.5	<2.3		<18	<8.0	<2.5 *	<2.5	<10	<5	<2.6	<2.6	<3.0																		
1,1-Dichloroethane	<5	<1	<1	<1	<10	<10	<0.2	<0.2	<1	<4	<1.0	<4.0	<2.5	<1.3		<10	<10.0	<2.0 *	<2.0	<8	<4	<2.0	<2.0	<2.8																		
1,1-Dichloroethene	<5	<1	<1	<1	<10	<10	<0.4	<0.2	<1	<9	<2.0	<9.0	<2.0	<1.0		<8.0	<10.0	<1.5 *	<2.0	<8	<4	<2.4	<2.4	<2.9																		
1,1-Dichloropropene			<1	<1		<10	<0.2	<0.3	<1.5	<4	<2.0	<4.0	<2.5	<1.3		<10	<10.0	<3.0 *	<2.5	<10	<5	<2.4	<2.4	<4.0																		
1,2,3-Trichlorobenzene		<1	<1	<1		<10	<0.5	<0.4	<2	<5	<3.0	<5.0	<2.5	<1.3		<10	<12.0	<2.5 *	<2.5	<10	<5	<3.0	<3.0	<4.0																		
1,2,3-Trichloropropane			<1	<1		<10	<0.3	<0.2	<1	<3	<1.0	<3.0	<4.0	<2.0		<16	<12.0	<3.5 *	<1.5	<6	<3	<2.1	<2.1	<4.0																		
1,2,4-Trichlorobenzene	<1	<1	<1			<10	<0.5	<0.3	<1.5	<5	<3.0	<5.0	<2.5	<1.3		<10	<14.0	<3.5 *	<2.0	<8	<4	<3.0	<3.0	<4.0																		
1,2,4-Trimethylbenzene	190	1100	540			387.9	750	800	240	365	970	180	140	230		510	370	190 *	390	350	400	710	650	540			470	450	550	720	600	610	720	150	110	500	26	190	200	290	85	73
1,2-Dibromo-3-chloropropane	<3	<3	<3			<30	<0.3	<0.3	<1.5	<3	<4.0	<3.0	<2.0	<1.0		<8.0	<22	<1.5 *	<2.0	<8	<4	<4.0	<4.0	<5.0																		
1,2-Dibromoethane	<2	<2	<2			<20	<0.2	<0.4	<2	<3	<1.0	<3.0	<1.5	<0.75		<6.0	<12.0	<2.5 *	<0.65	<2.6	<1.3	<1.6	<1.6	<3.0																		
1,2-Dichlorobenzene	<1	<1	<1	<10	<10	<10	<0.3	<0.3	<1.5	<3	<2.0	<3.0	<3.5	<1.8		<14	<10.0	<2.5 *	<2.0	<8	<4	<2.3	<2.3	<4.0																		
1,2-Dichloroethane	<5	<1	<1	<1	<10	<10	<0.2	<0.2	<1	<4	<2.0	<4.0	<4.5	<2.3		<18	<10.0	<2.5 *	<1.5	<6	<3	<3.0	<3.0	<3.0																		
cis-1,2-Dichloroethene	<1	<1	<1	<10	<10	<0.2	<0.2	<1	<4	<2.0	<4.0	<2.5	<1.3		<10	<12.0	<2.0 *	<2.0	<8	<4	<2.5	<2.5	<3.0																			
trans-1,2-Dichloroethene	<5	<1	<1	<1	<10	<10	<0.2	<0.3	<1.5	<8	<1.0	<8.0	<2.0	<1.0		<8.0	<12.0	<2.0 *	<2.5	<10	<5	<2.5	<2.5	<3.0																		
1,2-Dichloropropane	<5	<1	<1	<1	<10	<10	<0.1	<0.2	<1	<3	<2.0	<3.0	<2.0	<1.0		<8.0	<10.0	<2.5 *	<1.1	<4.2	<2.1	<2.2	<2.2	<2.9																		
1,3,5-Trimethylbenzene	95	230	130			86.5	240	240	100	120	56	110	56	69		130	82	14 *	110	62	74	62	49	90																		
1,3-Dichlorobenzene	<1	<1	<1	<10	<10	<0.7	<0.4	<2	<4	<1.0	<4.0	<2.5	<1.3		<10	<10.0	<2.0 *	<2.0	<8	<4	<2.6	<2.6	<3.0																			
cis-1,3-Dichloropropene	<5		<1	<1	<10	<10	<0.3	<0.3	<1.5	<2	<1.0	<2.0	<3.0	<1.5		<12	<2.4	<0.75 *	<0.70	<2.8	<1.4	<1.9	<1.9	<2.8																		
1,3-Dichloropropane		<1	<1	<1		<10	<0.3	<0.6	<3	<4	<1.0	<4.0	<6.0	<3.0		<24	<12.0	<2.5 *	<0.95	<3.8	<1.9	<2.3	<2.3	<3.0																		
trans-1,3-Dichloropropene	<5	0	<1	<1	<10	<10	<0.2	<0.2	<1	<5	<1.0	<5.0	<3.5	<1.8		<14	<2.8	<0.70 *	<0.70	<3.8	<1.4	<1.9	<1.9	<3.0																		
1,4-Dichlorobenzene	<1	<1	<1	<10	<10	<0.3	<0.3	<1.5	<4	<1.0	<4.0	<2.5	<1.3		<10	<10.0	<3.0 *	<2.5	<10	<5	<2.3	<2.3	<3.0																			
2,2-Dichloropropane	<1	<1	<1	<1	<10	<10	<0.2	<0.5	<2.5	<2	<2.0	<2.0	<3.0	<1.5		<12	<12.0	<3.0 *	<1.5	<6	<3	<2.5	<2.5	<2.8																		
2-Butanone (MEK)	<10																<140.	<25 *	81	<80	<40	50	49	<30																		
2-Chloroethyl vinyl ether				<100																																						
2-Chlorotoluene		<1	<1	<1		<10	<0.4	<0.3	<1.5	<4	<1.0	<4.0	<3.0	<1.5		<12	<10.0	<2.5 *	<1.5	<6	<3	<2.2	<2.2	<3.0																		
2-Hexanone	<10																<140.	<40 *	<20	<80	<40	<40	<40	<40																		
4-Chlorotoluene		<1	<1	<1		<10	<0.3	<0.3	<1.5	<3	<2.0	<3.0	<3.0	<1.5		<12	<8.0	<3.0 *	<1.5	<6	<3	<2.1	<2.1	<2.9																		
4-Methyl-2-Pentanone (MIBK)	<10																<140.	<30 *	<15	<60	<30	<30	<30	<30																		
Acetone	20.1																<180.	<50 *	<35	<140	<70	<50	<50	<50																		
Benzene	12.9	2.4	11	7.5	39	<10	<0.2	12	<1.5	<1	<1.0	<1.0	<2.0	<1.0		<8.0	<8.0	<2.0 *	<0.80	<3.2	<1.6	<1.9	<1.9	<3.0																		
Bromobenzene		<1	<1	<1		<10	<0.3	<0.2	<1	<5	<1.0	<5.0	<2.5	<1.3		<10	<10.0	<3.0 *	<1.5	<6	<3	<2.0	<2.0	<3.0																		
Bromochloromethane						<10	<0.4	<0.2	<1	<4	<1.0	<4.0	<2.5	<1.3		<10	<10.0	<3.5 *	<1.1	<4.2	<2.1	<2.2	<2.2	<4.0																		
Bromodichloromethane	<5	<1	<1	<1	31	<10	<0.2	<0.2	<1	<2	<1.0	<2.0	<2.0	<1.0		<8.0	<2.6	<0.75 *	<0.95	<3.8	<1.9	<2.0	<2.0	<3.0																		
Bromoform	<5		<1	<10	<10	<0.3	<0.2	<1	<1	<2.0	<1.0	<3.0	<1.5		<12	<10.0	<1.1 *	<2.5	<10	<5	<2.2	<2.2	<2.4																			
Bromomethane	<10		<2	<2	<20	<20	<0.3	<0.9	<4.5	<4	<4.0	<4.0	<4.0	<2.0		<16	<16.0	<4.5 *	<2.0	<8	<4	<5.0	<5.0	<3.0																		
n-Butylbenzene	34	86	77			64.5	120	120	60	84.5	26	73	36	49		110	17	12 *	15	14	15	18	22	19																		
sec-Butylbenzene		5.2	17	18		16.8	28	32	23	11.5	22	13	6.2	9.2		14.1	12	14 *	6.1	8	10	20	18	14																		
tert-Butylbenzene		<1	<1	<1		<10	<0.3	<0.3	<1.5	<1	9.2	<1.0	<2.5	<1.3		<10	<10	7.7 *	6.8	5.6	7.9	4.7	4.7	6.6																		
Carbon disulfide	<5																																									

Volatile Organic Compounds - Historical Data
WAULECO, INC - Wausau Facility
Well - W27

Parameter	12/17/92	06/30/93	12/28/93	06/22/94	07/06/95	07/09/96	07/11/97	06/24/98	06/08/99	07/18/00	01/30/01	07/11/01	08/06/02	07/22/03	07/13/04	07/19/05	07/19/06	07/10/07	07/23/08	07/07/09	07/14/10	7/14/2010 Duplicate	07/25/11	07/10/12	07/05/13	07/09/14	07/09/15	07/11/16	07/18/17	7/18/2017 Duplicate	7/18/2018	7/18/2019	7/18/2019 Duplicate	7/16/2020	7/12/2021	07/12/22	7/12/2022 Duplicate	7/11/2023	7/10/2024	7/10/2024 Duplicate				
Tetrachloroethene	<5	<1	3.2	2.8	<10	<10	<0.3	<0.6	<3	<4	1.4	<4.0	<2.5	2.5	<10	<8.0	<1.5 *	<2.0	<8	<4	<3.0	<3.0	<3.0																					
Tetrahydrofuran																<140	<35 *	<20	<80	<40	<30	<30	<40																					
Toluene	63.9	8.9	71	36	100	<10	6	18	1	6.4	3.4	<1.0	<2.5	<1.3	<10	<8.0	<2.0 *	<1.0	<4	<2	<2.2	2.8	<3.0																					
Trichloroethene	20.8	4.4	17	12	61	<10	4	15	<1.5	<3	5.8	<3.0	<3.0	<1.5	<12	3.6	3.4 *	3.3	5.4	4.1	6.8	6.4	<4.0																					
Trichlorofluoromethane		<1	<1	<1	<10	<10	<0.5	<0.6	<3	<4	<2.0	<4.0	<2.0	<1.0	<8.0	<10.0	<3.5 *	<2.0	<8	<4	<2.0	<2.0	<4.0																					
Vinyl acetate	<10															<160.	<8.5 *	<5.5	<22	<11	<30	<30	<40																					
Vinyl chloride	<10	<1	<1	<1	<10	<10	<0.3	<0.5	<2.5	<4	<1.0	<4.0	<1.5	<0.75	<6.0	<2.4	<0.75 *	<0.75	<3	<1.5	<1.8	<1.8	<1.9																					
Xylene, m & p-		36	300	240	480	42.6	46	70	22	19.5	33	2.7 J	6.9	9.3	21 J	<20	5.7 *	15	17	20	37	33	33		18	<20	<22	45	33	39	6.3	<4	24	27	20	<20	<20	7.5	6.1					
Xylene, o-		200	380	300	510	93.5	260	300	90	125	240	28	42	59	150	87	110 *	100	120	170	260	240	180		130	150	130	130	79	80	92	20	13	39	41	41	40	63	33	26				
Xylenes, Total	620															87	115.7 *	115	137	190	297	273	213		148	150	130	175	112	113	131	26.3	13	63	68	61	40	63	40.5	32.1				

Prepared By: T. Dushek, 8/27/24

Checked by: A. Voit, 10/28/24

NOTES:

All Units are in ug/L

Bold values indicate detections

A = Analyte averaged calibration criteria within acceptable limits

B = Analyte detected in associated Method Blank

M = Matrix spike or matrix spike duplicate outside acceptance limits.

J = Estimated Value

Q = Lab Control Sample outside acceptance limits

* = Suspected methylene chloride laboratory contamination.

Volatile Organic Compounds - Historical Data
WAULECO, INC - Wausau Facility
Well - W28

Parameter	07/08/92	06/29/93	12/28/93	06/22/94	07/05/95	07/09/96	07/11/97	06/24/98	06/08/99	07/18/00	01/30/01	07/10/01	08/06/02	07/23/03	07/12/04	07/18/05	07/18/06	07/10/07	07/23/08	07/07/09	07/13/10	07/18/11	07/19/12	07/02/13	07/10/14	07/07/15	07/06/16	07/11/17	07/11/18	07/08/19	07/07/20	07/06/21	07/06/22	07/05/23	07/02/24	
1,1,1,2-Tetrachloroethane			<1	<1		<1	<0.1	<0.3	<0.3	<0.4	<0.20	<0.4	<0.90	<0.90	<0.90	<0.50	<0.70	<0.60	<0.60	<0.60	<0.24	<0.40														
1,1,1-Trichloroethane	<50	<1	<1	<1	<1	<1	<0.3	<0.3	<0.3	<0.20	<0.3	<0.50	<0.50	<0.50	<0.50	<0.50	<0.60	<0.60	<0.60	<0.60	<0.21	<0.29														
1,1,2,2-Tetrachloroethane	<50	<1	<1	<1	<1	<1	<0.2	<0.2	<0.2	<0.4	<0.20	<0.4	<0.80	<0.80	<0.80	<0.15	<0.13	<0.14	<0.14	<0.14	<0.19	<0.30														
1,1,2-Trichloroethane	<50	<1	<1	<1	<1	<1	<1	<0.2	<0.2	<0.2	<0.10	<0.2	<0.90	<0.90	<0.90	<0.40	<0.50	<0.50	<0.50	<0.50	<0.26	<0.30														
1,1-Dichloroethane	<50	<1	<1	<1	<1	<1	<0.2	<0.2	<0.2	<0.4	<0.10	<0.4	<0.50	<0.50	<0.50	<0.50	<0.40	<0.40	<0.40	<0.40	<0.20	<0.28														
1,1-Dichloroethene	<50	<1	<1	<1	<1	<1	<0.4	<0.2	<0.2	<0.9	<0.20	<0.9	<0.40	<0.40	<0.40	<0.40	<0.50	<0.30	<0.40	<0.40	<0.24	<0.29														
1,1-Dichloropropene			<1	<1		<1	<0.2	<0.3	<0.3	<0.4	<0.20	<0.4	<0.50	<0.50	<0.50	<0.50	<0.60	<0.50	<0.50	<0.50	<0.24	<0.40														
1,2,3-Trichlorobenzene		<1	<1	<1		<1	<0.5	<0.4	<0.4	<0.5	<0.30	<0.5	<0.50	<0.50	<0.50	<0.50	<0.60	<0.50	<0.50	<0.50	<0.30	<0.40														
1,2,3-Trichloropropane			<1	<1		<1	<0.3	<0.2	<0.2	<0.3	<0.10	<0.3	<0.80	<0.80	<0.80	<0.80	<0.60	<0.70	<0.30	<0.30	<0.21	<0.40														
1,2,4-Trichlorobenzene		<1	<1	<1		<1	<0.5	<0.3	<0.3	<0.5	<0.30	<0.5	<0.50	<0.50	<0.50	<0.50	<0.70	<0.70	<0.40	<0.40	<0.40	<0.30	<0.30													
1,2,4-Trimethylbenzene		<1	7	15		<1	<0.7	<0.6	<0.6	<0.2	<0.10	<0.2	<0.50	<0.50	<0.50	<0.50	<0.40	<0.50	<0.24	<0.24	<0.24	0.35	<0.30		<0.40	<0.60	<0.50	<0.40	<0.40	<0.40	<0.40	<0.91	<0.91	<0.91	<0.34	
1,2-Dibromo-3-chloropropane		<3	<3	<3		<3	<0.3	<0.3	<0.3	<0.3	<0.40	<0.3	<0.40	<0.40	<0.40	<0.40	<1.1	<0.30	<0.40	<0.40	<0.40	<0.50														
1,2-Dibromomethane		<2	<2	<2		<2	<0.2	<0.4	<0.4	<0.3	<0.10	<0.3	<0.30	<0.30	<0.30	<0.30	<0.60	<0.50	<0.13	<0.13	<0.13	<0.16	<0.30													
1,2-Dichlorobenzene		<1	<1	<1	<1	<1	<0.3	<0.3	<0.3	<0.3	<0.20	<0.3	<0.70	<0.70	<0.70	<0.70	<0.50	<0.50	<0.40	<0.40	<0.40	<0.23	<0.40													
1,2-Dichloroethane	<50	<1	<1	<1	<1	<1	<0.2	<0.2	<0.2	<0.4	<0.20	<0.4	<0.90	<0.90	<0.90	<0.90	<0.50	<0.50	<0.30	<0.30	<0.30	<0.30	<0.30													
cis-1,2-Dichloroethene	<50	<1	<1	<1	<1	<1	<0.2	<0.2	<0.2	<0.4	<0.20	<0.4	<0.50	<0.50	<0.50	<0.50	<0.60	<0.40	<0.40	<0.40	<0.40	<0.25	<0.30													
trans-1,2-Dichloroethene	<50	<1	<1	<1	<1	<1	<0.2	<0.3	<0.3	<0.8	<0.10	<0.8	<0.40	<0.40	<0.40	<0.40	<0.60	<0.40	<0.50	<0.50	<0.50	<0.25	<0.30													
1,2-Dichloropropane	<50	<1	<1	<1	<1	<1	<0.1	<0.2	<0.2	<0.3	<0.20	<0.3	<0.40	<0.40	<0.40	<0.40	<0.50	<0.50	<0.21	<0.21	<0.21	<0.22	<0.29													
1,3,5-Trimethylbenzene		<1	<1	<1		<1	<0.4	<0.3	<0.3	<0.3	<0.10	<0.3	<0.50	<0.50	<0.50	<0.50	<0.50	<0.19	<0.19	<0.19	<0.19	<0.23	<0.30													
1,3-Dichlorobenzene		<1	<1	<1	<1	<1	<0.7	<0.4	<0.4	<0.4	<0.10	<0.4	<0.50	<0.50	<0.50	<0.50	<0.50	<0.40	<0.40	<0.40	<0.40	<0.26	<0.30													
cis-1,3-Dichloropropene	<50		<1	<1	<1	<1	<0.3	<0.3	<0.3	<0.2	<0.10	<0.2	<0.60	<0.60	<0.60	<0.60	<0.12	<0.14	<0.14	<0.14	<0.14	<0.19	<0.28													
1,3-Dichloropropane		<1	<1	<1		<1	<0.3	<0.6	<0.6	<0.4	<0.10	<0.4	<1.2	<1.2	<1.2	<1.2	<0.60	<0.19	<0.19	<0.19	<0.19	<0.23	<0.30													
trans-1,3-Dichloropropene	<50		<1	<1	<1	<1	<0.2	<0.2	<0.2	<0.5	<0.10	<0.5	<0.70	<0.70	<0.70	<0.70	<0.14	<0.14	<0.14	<0.14	<0.14	<0.19	<0.30													
1,4-Dichlorobenzene		<1	<1	<1	<1	<1	<0.3	<0.3	<0.3	<0.4	<0.10	<0.4	<0.50	<0.50	<0.50	<0.50	<0.50	<0.60	<0.50	<0.50	<0.50	<0.23	<0.30													
2,2-Dichloropropane		<1	<1	<1		<1	<0.2	<0.5	<0.5	<0.2	<0.20	<0.2	<0.60	<0.60	<0.60	<0.60	<0.60	<0.60	<0.40	<0.40	<0.30	<0.25	<0.28													
2-Butanone (MEK)	<100																<7.0	<5.0	<4.0	<4.0	<4.0	<2.4	<3.0													
2-Chloroethyl vinyl ether					<10																															
2-Chlorotoluene		<1	<1	<1		<1	<0.4	<0.3	<0.3	<0.4	<0.10	<0.4	<0.60	<0.60	<0.60	<0.60	<0.50	<0.50	<0.30	<0.30	<0.30	<0.22	<0.30													
2-Hexanone	<100																<7.0	<8.0	<4.0	<4.0	<4.0	<4.0	<4.0													
4-Chlorotoluene		<1	<1	<1		<1	<0.3	<0.3	<0.3	<0.3	<0.20	<0.3	<0.60	<0.60	<0.60	<0.60	<0.40	<0.60	<0.30	<0.30	<0.30	<0.21	<0.29													
4-Methyl-2-Pentanone (MIBK)	<100																<7.0	<6.0	<3.0	<3.0	<3.0	<3.0	<3.0													
Acetone	<100																<9.0	<10.0	<7.0	<7.0	<7.0	<5.0	<5.0													
Benzene	<50	<1	<1	<1	<1	<1	<0.2	<0.3	<0.3	<0.1	<0.10	<0.1	<0.40	<0.40	<0.40	<0.40	<0.40	<0.40	<0.16	<0.16	<0.16	<0.19	<0.30													
Bromobenzene		<1	<1	<1		<1	<0.3	<0.2	<0.2	<0.5	<0.10	<0.5	<0.50	<0.50	<0.50	<0.50	<0.50	<0.60	<0.30	<0.30	<0.30	<0.20	<0.30													
Bromochloromethane		<1	<1	<1		<1	<0.4	<0.2	<0.2	<0.4	<0.10	<0.4	<0.50	<0.50	<0.50	<0.50	<0.50	<0.70	<0.21	<0.21	<0.21	<0.22	<0.40													
Bromodichloromethane	<50	<1	<1	<1	<1	<1	<0.2	<0.2	<0.2	<0.2	<0.10	<0.2	<0.40	<0.40	<0.40	<0.40	<0.13	<0.15	<0.19	<0.19	<0.19	<0.20	<0.30													
Bromoform	<50		<1	<1	<1	<1	<0.3	<0.2	<0.2	<0.1	<0.20	<0.1	<0.60	<0.60	<0.60	<0.60	<0.50	<0.21	<0.50	<0.50	<0.50	<0.22	<0.24													
Bromomethane	<100		<2	<2	<2	<2	<0.3	<0.9	<0.9	<0.4	<0.40	<0.4	<0.80	<0.80	<0.80	<0.80	<0.80	<0.90	<0.40	<0.40	<0.40	<0.50	<0.30													
n-Butylbenzene		<1	<1	1.6		<1	<0.6	<0.3	<0.3	<0.4	<0.10	<0.4	<0.50	<0.50	<0.50	<0.50	<0.60	<0.40	<0.24	<0.24	<0.24	<0.23	<0.29													
sec-Butylbenzene		<1	<1	<1		<1	<0.3	<0.2	<0.2	<0.3	0.21	<0.3	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.29	<0.29	<0.29	<0.21	<0.30													
tert-Butylbenzene		<1	<1	<1		<1	<0.3	<0.3	<0.3	<0.1	<0.10	<0.1	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.23	<0.23	<0.23	<0.20	<0.40													
Carbon disulfide	<50																<1.1	<1.0	<0.50	<0.50	<0.50	<0.50	<0.60													
Carbon tetrachloride	<50	<1	<1	<1	<1	<1	<0.2	<0.4	<0.4	<0.3	<0.10	<0.3	<0.																							

Volatile Organic Compounds - Historical Data
WAULECO, INC - Wausau Facility
Well - W28

Parameter	07/08/92	06/29/93	12/28/93	06/22/94	07/05/95	07/09/96	07/11/97	06/24/98	06/08/99	07/18/00	01/30/01	07/10/01	08/06/02	07/23/03	07/12/04	07/18/05	07/18/06	07/10/07	07/23/08	07/07/09	07/13/10	07/18/11	07/19/12	07/02/13	07/10/14	07/07/15	07/06/16	07/11/17	07/11/18	07/08/19	07/07/20	07/06/21	07/06/22	07/05/23	07/02/24	
Tetrachloroethene	<50	<1	<1	<1	1.3	<1	0.3	1.2	0.6	<0.4	0.40	<0.4	<0.50	<0.50	0.94 J	0.65	0.41	<0.40	<0.40	0.62	0.49	0.66														
Tetrahydrofuran																<7.0	<7.0	<4.0	<4.0	<4.0	<3.0	<4.0														
Toluene	<50	<1	<1	<1	<1	<1	<0.2	<0.2	<0.2	<0.1	<0.20	<0.1	<0.50	<0.50	<0.50	<0.40	<0.40	<0.20	<0.20	<0.20	<0.22	<0.30														
Trichloroethene	<50	7	5.5	4.5	6.5	4.9	4.2	3.9	3	1.9	2.4	0.37 J	0.75	1.0	1.8 J	1.3	0.91	0.89	0.38	0.92	0.59	0.56														
Trichlorofluoromethane		<1	<1	<1	<1	<1	<0.5	<0.6	<0.6	<0.4	<0.20	<0.4	<0.40	<0.40	<0.40	<0.50	<0.70	<0.40	<0.40	<0.40	<0.20	<0.40														
Vinyl acetate	<100															<8.0	<1.7	<1.1	<1.1	<1.1	<3.0	<4.0														
Vinyl chloride	<100	<1	<1	<1	<1	<1	<0.3	<0.5	<0.5	<0.4	<0.10	<0.4	<0.30	<0.30	<0.30	<0.12	<0.15	<0.15	<0.15	<0.15	<0.18	<0.19														
Xylene, m & p-		<2	<2	<2	<2	<2	<0.4	<0.3	<0.3	<0.2	<0.20	<0.2	<0.60	<0.60	<0.60	<1.0	<0.9	<0.50	<0.50	<0.50	<0.50	<0.60		<0.90	<1.0	<1.1	<0.80	<0.80	<0.80	<0.80	<0.80	<0.80	<0.80	<2.0	<2.0	<0.74
Xylene, o-		<1	<1	<1	<1	<1	<0.2	<0.5	<0.5	<0.1	<0.10	<0.1	<0.50	<0.50	<0.50	<0.40	<0.60	<0.50	<0.50	<0.50	<0.24	<0.29		<0.50	<0.50	<0.50	<0.40	<0.40	<0.40	<0.40	<0.40	<0.40	<1.1	<1.1	<0.72	
Xylenes, Total	<50																<1.5	<1.0	<1.0	<1.0	<1.0	<0.89		<1.4	<1.5	<1.6	<1.2	<1.2	<1.2	<1.2	<1.2	<1.2	<3.1	<3.1	<1.46	

Prepared By: T. Dushek, 8/27/24

Checked by: A. Voit, 10/28/24

NOTES:

All Units are in ug/L

Bold values indicate detections

A = Analyte averaged calibration criteria within acceptable limits

B = Analyte detected in associated Method Blank

M = Matrix spike or matrix spike duplicate outside acceptance limits.

J = Estimated Value

Q = Lab Control Sample outside acceptance limits

* = Suspected methylene chloride laboratory contamination.

Volatile Organic Compounds - Historical Data
WAULECO, INC - Wausau Facility
Well - W29-W29R

Parameter	06/25/92	06/30/93	12/28/93	06/22/94	07/05/95	07/09/96	07/11/97	06/23/98	06/08/99	07/18/00	01/30/01	07/11/01	08/07/02	07/24/03	07/13/04	07/20/05	07/19/06	07/10/07	07/24/08	7/24/2008 Duplicate	07/07/09	07/14/10	07/19/11	07/09/12	07/02/13	07/07/14	07/07/15	07/11/16	7/11/2016 Duplicate	7/17/2017	7/19/2018	7/19/2018 Duplicate	7/16/2019	7/7/2020	7/12/2021	7/1/2022	7/6/2023	07/09/24		
1,1,1,2-Tetrachloroethane			<1	<1	<1	<1	<1	<0.3	<0.3	<0.4	<0.20	<0.4	<0.90	<0.90	<0.90	<0.50	<0.70	<0.60	<0.60	<0.60	<0.60	<0.24	<0.40																	
1,1,1-Trichloroethane	<50	<1	<1	<1	<1	<1	<1	<0.3	<0.3	<0.3	<0.20	<0.3	<0.50	<0.50	<0.50	<0.60	<0.50	<0.60	<0.60	<0.60	<0.21	<0.29																		
1,1,2,2-Tetrachloroethane	<50	<1	<1	<1	<1	<1	<1	<0.2	<0.2	<0.4	<0.20	<0.4	<0.80	<0.80	<0.80	<0.15	<0.13	<0.14	<0.14	<0.14	<0.14	<0.19	<0.30																	
1,1,2-Trichloroethane	<50	<1	<1	<1	<1	<1	<1	<0.2	<0.2	<0.2	<0.10	<0.2	<0.90	<0.90	<0.90	<0.40	<0.50	<0.50	<0.50	<0.50	<0.50	<0.26	<0.30																	
1,1-Dichloroethane	<50	<1	<1	<1	<1	<1	<1	<0.2	<0.2	<0.4	<0.10	<0.4	<0.50	<0.50	<0.50	<0.50	<0.40	<0.40	<0.40	<0.40	<0.40	<0.20	<0.28																	
1,1-Dichloroethene	<50	<1	<1	<1	<1	<1	<1	<0.4	<0.2	<0.2	<0.9	<0.20	<0.9	<0.40	<0.40	<0.40	<0.50	<0.30	<0.40	<0.40	<0.40	<0.24	<0.29																	
1,1-Dichloropropene			<1	<1	<1	<1	<1	<0.2	<0.3	<0.3	<0.4	<0.20	<0.4	<0.50	<0.50	<0.50	<0.50	<0.60	<0.50	<0.50	<0.50	<0.24	<0.40																	
1,2,3-Trichlorobenzene		<1	<1	<1	<1	<1	<1	<0.5	<0.4	<0.4	<0.5	<0.30	<0.5	<0.50	<0.50	<0.50	<0.60	<0.50	<0.50	<0.50	<0.50	<0.30	<0.40																	
1,2,3-Trichloropropane			<1	<1	<1	<1	<1	<0.3	<0.2	<0.2	<0.3	<0.10	<0.3	<0.80	<0.80	<0.80	<0.60	<0.70	<0.30	<0.30	<0.30	<0.21	<0.40																	
1,2,4-Trichlorobenzene		<1	<1	<1	<1	<1	<1	<0.5	<0.3	<0.3	<0.5	<0.30	<0.5	<0.50	<0.50	<0.50	<0.70	<0.70	<0.40	<0.40	<0.40	<0.40	<0.30	<0.30																
1,2,4-Trimethylbenzene		<1	10	4.8		126.8	29	140	<0.6	<0.2	<0.10	<0.2	<0.50	<0.50	<0.50	<0.40	<0.50	<0.24	<0.24	<0.24	<0.24	<0.20	1.4		<0.40	<0.60	<0.50	8.2		7.5	3.8	<0.40	<0.40	<0.40	1.1	<0.40	<0.91	<0.91	<0.34	
1,2-Dibromo-3-chloropropane		<3	<3	<3		<3	<3	<0.3	<0.3	<0.3	<0.3	<0.40	<0.3	<0.40	<0.40	<0.40	<1.1	<0.30	<0.40	<0.40	<0.40	<0.40	<0.40	<0.50																
1,2-Dibromoethane		<2	<2			<2	<0.2	<0.4	<0.4	<0.3	<0.10	<0.3	<0.30	<0.30	<0.30	<0.30	<0.60	<0.50	<0.13	<0.13	<0.13	<0.16	<0.30																	
1,2-Dichlorobenzene		<1	<1	<1	<1	<1	3.8	<0.3	<0.3	<0.3	<0.20	<0.3	<0.70	<0.70	<0.70	<0.50	<0.50	<0.40	<0.40	<0.40	<0.40	<0.23	<0.40																	
1,2-Dichloroethane	<50	<1	<1	<1	<1	<1	<0.2	<0.2	<0.2	<0.4	<0.20	<0.4	<0.90	<0.90	<0.90	<0.50	<0.40	<0.50	<0.24	<0.24	<0.24	<0.20	<0.30																	
cis-1,2-Dichloroethene		<1	<1	<1	<1	1.4	0.7	1.3	<0.2	<0.4	<0.20	<0.4	<0.50	<0.50	<0.50	<0.60	<0.60	<0.40	<0.40	<0.40	<0.40	<0.25	0.44																	
trans-1,2-Dichloroethene	<50	<1	<1	<1	<1	<1	<0.2	<0.3	<0.3	<0.8	<0.10	<0.8	<0.40	<0.40	<0.40	<0.40	<0.60	<0.40	<0.50	<0.50	<0.50	<0.25	<0.30																	
1,2-Dichloropropane	<50	<1	<1	<1	<1	<1	<0.1	<0.2	<0.2	<0.3	<0.20	<0.3	<0.40	<0.40	<0.40	<0.40	<0.50	<0.50	<0.21	<0.21	<0.21	<0.22	<0.29																	
1,3,5-Trimethylbenzene		<1	<1	<1	<1	<1	<0.4	6.2	<0.3	<0.3	<0.10	<0.3	<0.50	<0.50	<0.50	<0.50	<0.50	<0.19	<0.19	<0.19	<0.19	<0.23	<0.30																	
1,3-Dichlorobenzene		<1	<1	<1	<1	<1	<0.7	<0.4	<0.4	<0.4	<0.10	<0.4	<0.50	<0.50	<0.50	<0.50	<0.50	<0.40	<0.40	<0.40	<0.40	<0.26	<0.30																	
cis-1,3-Dichloropropene	<50		<1	<1	<1	<1	<0.3	<0.3	<0.3	<0.2	<0.10	<0.2	<0.60	<0.60	<0.60	<0.60	<0.12	<0.14	<0.14	<0.14	<0.14	<0.19	<0.28																	
1,3-Dichloropropane		<1	<1	<1	<1	<1	<0.3	<0.6	<0.6	<0.4	<0.10	<0.4	<1.2	<1.2	<1.2	<1.2	<0.60	<0.19	<0.19	<0.19	<0.19	<0.19	<0.23	<0.30																
trans-1,3-Dichloropropene	<50		<1	<1	<1	<1	<0.2	<0.2	<0.2	<0.5	<0.10	<0.5	<0.70	<0.70	<0.70	<0.70	<0.14	<0.14	<0.14	<0.14	<0.14	<0.19	<0.30																	
1,4-Dichlorobenzene		<1	<1	<1	<1	<1	<0.3	<0.3	<0.3	<0.4	<0.10	<0.4	<0.50	<0.50	<0.50	<0.50	<0.50	<0.60	<0.50	<0.50	<0.50	<0.23	<0.30																	
2,2-Dichloropropane		<1	<1	<1		<1	<0.2	<0.5	<0.5	<0.2	<0.20	<0.2	<0.60	<0.60	<0.60	<0.60	<0.60	<0.60	<0.30	<0.30	<0.30	<0.25	<0.28																	
2-Butanone (MEK)	<100															<7.0	<5.0	<4.0	<4.0	<4.0	<4.0	<2.4	<3.0																	
2-Chloroethyl vinyl ether					<10																																			
2-Chlorotoluene		<1	<1	<1		<1	<0.4	<0.3	<0.3	<0.4	<0.10	<0.4	<0.60	<0.60	<0.60	<0.60	<0.50	<0.50	<0.30	<0.30	<0.30	<0.22	<0.30																	
2-Hexanone	<100															<7.0	<8.0	<4.0	<4.0	<4.0	<4.0	<4.0	<4.0	<4.0																
4-Chlorotoluene		<1	<1	<1		<1	<0.3	<0.3	<0.3	<0.3	<0.20	<0.3	<0.60	<0.60	<0.60	<0.60	<0.40	<0.60	<0.30	<0.30	<0.30	<0.21	<0.29																	
4-Methyl-2-Pentanone (MIBK)	<100															<7.0	<6.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0																
Acetone	<100															<9.0	<10.0	<7.0	<7.0	<7.0	<7.0	<5.0	<5.0																	
Benzene	<50	<1	1.5	<1	2.3	2.9	1.3	3	<0.3	<0.1	<0.10	<0.1	<0.40	<0.40	<0.40	<0.40	<0.40	<0.16	<0.16	<0.16	<0.16	<0.19	2.7																	
Bromobenzene		<1	<1	<1		<1	<0.3	<0.2	<0.2	<0.5	<0.10	<0.5	<0.50	<0.50	<0.50	<0.50	<0.50	<0.60	<0.30	<0.30	<0.30	<0.30	<0.20Q	<0.30																
Bromochloromethane			<1	<1		<1	<0.4	<0.2	<0.2	<0.4	<0.10	<0.4	<0.50	<0.50	<0.50	<0.50	<0.50	<0.70	<0.21	<0.21	<0.21	<0.21	<0.22	<0.40																
Bromodichloromethane	<50	<1	<1	<1	<1	<1	<0.2	1.5	<0.2	<0.2	<0.10	<0.2	<0.40	<0.40	<0.40	<0.40	<0.13	<0.15	<0.19	<0.19	<0.19	<0.19	<0.20	<0.30																
Bromoform	<50		<1	<1	<1	<1	<0.3	<0.2	<0.2	<0.1	<0.20	<0.1	<0.60	<0.60	<0.60	<0.60	<0.50	<0.21	<0.50	<0.50	<0.50	<0.22	<0.24																	
Bromomethane	<100		<2	<2	<2	<2	<0.3	<0.9	<0.9	<0.4	<0.40	<0.4	<0.80	<0.80	<0.80	<0.80	<0.80	<0.90	<0.40	<0.40	<0.40	<0.40	<0.50	<0.30																
n-Butylbenzene		<1	1.4	<1		8.4	<0.6	12	<0.3	<0.4	<0.10	<0.4	<0.50	<0.50	<0.50	<0.50	<0.60	<0.40	<0.24	<0.24	<0.24	<0.23	<0.29																	
sec-Butylbenzene		<1	<1	<1																																				

Volatile Organic Compounds - Historical Data
WAULECO, INC - Wausau Facility
Well - W29-W29R

Parameter	06/25/92	06/30/93	12/28/93	06/22/94	07/05/95	07/09/96	07/11/97	06/23/98	06/08/99	07/18/00	01/30/01	07/11/01	08/07/02	07/24/03	07/13/04	07/20/05	07/19/06	07/10/07	07/24/08	7/24/2008 Duplicate	07/07/09	07/14/10	07/19/11	07/09/12	07/02/13	07/07/14	07/07/15	07/11/16	7/11/2016 Duplicate	7/17/2017	7/19/2018	7/19/2018 Duplicate	7/16/2019	7/7/2020	7/12/2021	7/11/2022	7/6/2023	07/09/24	
Tetrachloroethene	<50	<1	<1	<1	<1	<1	<0.3	1.8	<0.6	<0.4	<0.10	<0.4	<0.50	<0.50	<0.50	<0.40	<0.29	<0.40	<0.40	<0.40	<0.40	<0.30	0.51																
Tetrahydrofuran																<7.0	<7.0	<4.0	<4.0	<4.0	<4.0	<3.0	<4.0																
Toluene	<50	<1	<1	<1	<1	<1	<0.2	1.8	<0.2	<0.1	<0.20	<0.1	<0.50	<0.50	<0.50	<0.40	<0.40	<0.20	<0.20	<0.20	<0.20	<0.22	<0.30																
Trichloroethene	<50	3.4	10	3.1	20	34.4	16	17	<0.3	<0.3	<0.20	<0.3	<0.60	0.79	0.65 J	<0.15	<0.15	0.61	<0.15	<0.15	0.28	1.3	9.2																
Trichlorofluoromethane		<1	<1	<1	<1	<1	<0.5	<0.6	<0.6	<0.4	<0.20	<0.4	<0.40	<0.40	<0.40	<0.50	<0.70	<0.40	<0.40	<0.40	<0.40	<0.20	<0.40																
Vinyl acetate	<100															<8.0	<1.7	<1.1	<1.1	<1.1	<1.1	<3.0	<4.0																
Vinyl chloride	<100	<1	<1	<1	<1	<1	<0.3	<0.5	<0.5	<0.4	<0.10	<0.4	<0.30	<0.30	<0.30	<0.12	<0.15	<0.15	<0.15	<0.15	<0.15	<0.18	<0.19																
Xylene, m & p-		<2	<2	<2	<2	6.5	1.1	10	<0.3	<0.2	<0.20	<0.2	<0.60	<0.60	<0.60	<1.0	<0.9	<0.50	<0.50	<0.50	<0.50	<0.50	<0.60		<0.90	<1.0	<1.1	5.7	5.3	3.6	<0.80	<0.80	<0.80	<0.80	<0.80	<2.0	<2.0	<0.74	
Xylene, o-		<1	3.7	<1	6.5	40.2	8.8	60	<0.5	<0.1	<0.10	<0.1	<0.50	<0.50	<0.50	<0.40	<0.60	<0.50	<0.50	<0.50	<0.50	<0.24	<0.29		<0.50	<0.50	<0.50	2.4	2.2	1.4	<0.40	<0.40	<0.40	<0.40	<0.40	<1.1	<1.1	<0.72	
Xylenes, Total	<50															<1.5	<1.0	<1.0	<1.0	<1.0	<1.0	<0.89	<0.89		<1.4	<1.5	<1.6	8.1	7.5	5	<1.2	<1.2	<1.2	<1.2	<1.2	<3.1	<3.1	<1.46	

Prepared By: T. Dushek, 8/27/24

Checked by: A. Voit, 10/28/24

NOTES:

All Units are in ug/L

Bold values indicate detection:

A = Analyte averaged calibration criteria within acceptable limit

B = Analyte detected in associated Method Blank

M = Matrix spike or matrix spike duplicate outside acceptance limits

J = Estimated Value

Q = Lab Control Sample outside acceptance limit

V = Raised quantitation or reporting limit due to limited sample amount or dilution for matrix background interference

* = Suspected methylene chloride laboratory contamination.

Volatile Organic Compounds - Historical Data
WAULECO, INC - Wausau Facility
Well - W32

Parameter	06/24/92	06/29/93	12/28/93	06/22/94	07/05/95	07/08/96	07/11/97	06/23/98	06/07/99	07/17/00	01/30/01	07/10/01	08/06/02	07/24/03	07/13/04	07/20/05	07/18/06	07/09/07	07/22/08	07/07/09	07/14/10	07/18/11	07/09/12	07/01/13	07/07/14	07/06/15	07/05/16	07/10/17	07/10/18	07/08/19	07/06/20	07/07/21	07/05/22	07/05/23	07/02/24	
1,1,1,2-Tetrachloroethane			<1	<1		<1	<0.1	<0.3	<0.3	<0.4	<0.20	<0.4	<0.90	<0.90	<0.90	<0.50	<0.70	<0.60	<0.60	<0.60	<0.24	<0.40														
1,1,1-Trichloroethane	<50	<1	<1	<1	<1	<1	<0.3	<0.3	<0.3	<0.3	<0.20	<0.3	<0.50	<0.50	<0.50	<0.60	<0.50	<0.60	<0.60	<0.60	<0.21	<0.29														
1,1,2,2-Tetrachloroethane	<50	<1	<1	<1	<1	<1	<0.2	<0.2	<0.2	<0.4	<0.20	<0.4	<0.80	<0.80	<0.80	<0.15	<0.13	<0.14	<0.14	<0.14	<0.19	<0.30														
1,1,2-Trichloroethane	<50	<1	<1	<1	<1	<1	<1	<0.2	<0.2	<0.2	<0.10	<0.2	<0.90	<0.90	<0.90	<0.40	<0.50	<0.50	<0.50	<0.50	<0.26	<0.30														
1,1-Dichloroethane	<50	<1	<1	<1	<1	<1	<0.2	<0.2	<0.2	<0.4	<0.10	<0.4	<0.50	<0.50	<0.50	<0.50	<0.40	<0.40	<0.40	<0.40	<0.20	<0.28														
1,1-Dichloroethene	<50	<1	<1	<1	<1	<1	<0.4	<0.2	<0.2	<0.9	<0.20	<0.9	<0.40	<0.40	<0.40	<0.50	<0.30	<0.40	<0.40	<0.40	<0.24	<0.29														
1,1-Dichloropropene			<1	<1		<1	<0.2	<0.3	<0.3	<0.4	<0.20	<0.4	<0.50	<0.50	<0.50	<0.50	<0.60	<0.50	<0.50	<0.50	<0.24	<0.40														
1,2,3-Trichlorobenzene		<1	<1	<1		<1	<0.5	<0.4	<0.4	<0.5	<0.30	<0.5	<0.50	<0.50	<0.50	<0.60	<0.50	<0.50	<0.50	<0.50	<0.30	<0.40														
1,2,3-Trichloropropane			<1	<1		<1	<0.3	<0.2	<0.2	<0.3	<0.10	<0.3	<0.80	<0.80	<0.80	<0.60	<0.70	<0.30	<0.30	<0.30	<0.21	<0.40														
1,2,4-Trichlorobenzene		<1	<1	<1		<1	<0.5	<0.3	<0.3	<0.5	<0.30	<0.5	<0.50	<0.50	<0.50	<0.70	<0.70	<0.40	<0.40	<0.40	<0.30	<0.30														
1,2,4-Trimethylbenzene		<1	<1	<1		<1	<0.7	<0.6	<0.6	<0.2	<0.10	<0.2	<0.50	<0.50	<0.50	<0.40	<0.50	<0.24	<0.24	<0.24	<0.20	<0.30		<0.40	<0.60	<0.50	<0.40	<0.40	<0.40	<0.40	<0.40	<0.91	<0.91	<0.34		
1,2-Dibromo-3-chloropropane		<3	<3	<3		<3	<0.3	<0.3	<0.3	<0.3	<0.40	<0.3	<0.40	<0.40	<0.40	<1.1	<0.30	<0.40	<0.40	<0.40	<0.40	<0.50														
1,2-Dibromoethane		<2	<2	<2		<2	<0.2	<0.4	<0.4	<0.3	<0.10	<0.3	<0.30	<0.30	<0.30	<0.30	<0.60	<0.50	<0.13	<0.13	<0.13	<0.16	<0.30													
1,2-Dichlorobenzene		<1	<1	<1	<1	<1	<0.3	<0.3	<0.3	<0.3	<0.20	<0.3	<0.70	<0.70	<0.70	<0.50	<0.50	<0.40	<0.40	<0.40	<0.23	<0.40														
1,2-Dichloroethane	<50	<1	<1	<1	<1	<1	<0.2	<0.2	<0.2	<0.4	<0.20	<0.4	<0.90	<0.90	<0.90	<0.90	<0.50	<0.30	<0.30	<0.30	<0.30	<0.30														
cis-1,2-Dichloroethene		<1	<1	<1	<1	<1	<0.2	<0.2	<0.2	<0.4	<0.20	<0.4	<0.50	<0.50	<0.50	<0.60	<0.40	<0.40	<0.40	<0.40	<0.25	<0.30														
trans-1,2-Dichloroethene	<50	<1	<1	<1	<1	<1	<0.2	<0.3	<0.3	<0.8	<0.10	<0.8	<0.40	<0.40	<0.40	<0.60	<0.40	<0.50	<0.50	<0.50	<0.25	<0.30														
1,2-Dichloropropane	<50	<1	<1	<1	<1	<1	<0.1	<0.2	<0.2	<0.3	<0.20	<0.3	<0.40	<0.40	<0.40	<0.50	<0.50	<0.21	<0.21	<0.21	<0.22	<0.29														
1,3,5-Trimethylbenzene		<1	<1	<1		<1	<0.4	<0.3	<0.3	<0.3	<0.10	<0.3	<0.50	<0.50	<0.50	<0.50	<0.19	<0.19	<0.19	<0.19	<0.23	<0.30														
1,3-Dichlorobenzene		<1	<1	<1	<1	<1	<0.7	<0.4	<0.4	<0.4	<0.10	<0.4	<0.50	<0.50	<0.50	<0.50	<0.40	<0.40	<0.40	<0.40	<0.26	<0.30														
cis-1,3-Dichloropropene	<50		<1	<1	<1	<1	<0.3	<0.3	<0.3	<0.2	<0.10	<0.2	<0.60	<0.60	<0.60	<0.12	<0.14	<0.14	<0.14	<0.14	<0.19	<0.28														
1,3-Dichloropropane		<1	<1	<1		<1	<0.3	<0.6	<0.6	<0.4	<0.10	<0.4	<1.2	<1.2	<1.2	<1.2	<0.60	<0.19	<0.19	<0.19	<0.19	<0.23	<0.30													
trans-1,3-Dichloropropene	<50		<1	<1	<1	<1	<0.2	<0.2	<0.2	<0.5	<0.10	<0.5	<0.70	<0.70	<0.70	<0.14	<0.14	<0.14	<0.14	<0.14	<0.19	<0.30														
1,4-Dichlorobenzene		<1	<1	<1	<1	<1	<0.3	<0.3	<0.3	<0.4	<0.10	<0.4	<0.50	<0.50	<0.50	<0.50	<0.60	<0.50	<0.50	<0.50	<0.23	<0.30														
2,2-Dichloropropane		<1	<1	<1		<1	<0.2	<0.5	<0.5	<0.2	<0.20	<0.2	<0.60	<0.60	<0.60	<0.60	<0.60	<0.30	<0.30	<0.30	<0.25	<0.28														
2-Butanone (MEK)	<100															<7.0	<5.0	<4.0	<4.0	<4.0	<2.4	<3.0														
2-Chloroethyl vinyl ether					<10																															
2-Chlorotoluene		<1	<1	<1		<1	<0.4	<0.3	<0.3	<0.4	<0.10	<0.4	<0.60	<0.60	<0.60	<0.50	<0.50	<0.30	<0.30	<0.30	<0.22	<0.30														
2-Hexanone	<100															<7.0	<8.0	<4.0	<4.0	<4.0	<4.0	<4.0														
4-Chlorotoluene		<1	<1	<1		<1	<0.3	<0.3	<0.3	<0.3	<0.20	<0.3	<0.60	<0.60	<0.60	<0.40	<0.60	<0.30	<0.30	<0.30	<0.21	<0.29														
4-Methyl-2-Pentanone (MIBK)	<100															<7.0	<6.0	<3.0	<3.0	<3.0	<3.0	<3.0														
Acetone	<100															<9.0	<10.0	<7.0	<7.0	<7.0	<5.0	<5.0														
Benzene	<50	<1	<1	<1	<1	<1	<0.2	<0.3	<0.3	<0.1	<0.10	<0.1	<0.40	<0.40	<0.40	<0.40	<0.40	<0.16	<0.16	<0.16	<0.19	<0.30														
Bromobenzene		<1	<1	<1		<1	<0.3	<0.2	<0.2	<0.5	<0.10	<0.5	<0.50	<0.50	<0.50	<0.50	<0.60	<0.30	<0.30	<0.30	<0.20	<0.30														
Bromochloromethane		<1	<1			<1	<0.4	<0.2	<0.2	<0.4	<0.10	<0.4	<0.50	<0.50	<0.50	<0.50	<0.70	<0.21	<0.21	<0.21	<0.22	<0.40														
Bromodichloromethane	<50	<1	<1	<1	<1	<1	<0.2	<0.2	<0.2	<0.2	<0.10	<0.2	<0.40	<0.40	<0.40	<0.40	<0.13	<0.15	<0.19	<0.19	<0.20	<0.30														

Volatile Organic Compounds - Historical Data
WAULECO, INC - Wausau Facility
Well - W32

Parameter	06/24/92	06/29/93	12/28/93	06/22/94	07/05/95	07/08/96	07/11/97	06/23/98	06/07/99	07/17/00	01/30/01	07/10/01	08/06/02	07/24/03	07/13/04	07/20/05	07/18/06	07/09/07	07/22/08	07/07/09	07/14/10	07/18/11	07/09/12	07/01/13	07/07/14	07/06/15	07/05/16	07/10/17	07/10/18	07/08/19	07/06/20	07/07/21	07/05/22	07/05/23	07/02/24
Bromoform	<50		<1	<1	<1	<1	<0.3	<0.2	<0.2	<0.1	<0.20	<0.1	<0.60	<0.60	<0.60	<0.50	<0.21	<0.50	<0.50	<0.50	<0.22	<0.24													
Bromomethane	<100		<2	<2	<2	<2	<0.3	<0.9	<0.9	<0.4	<0.40	<0.4	<0.80	<0.80	<0.80	<0.80	<0.90	<0.40	<0.40	<0.40	<0.50	<0.30													
n-Butylbenzene		<1	<1	<1		<1	<0.6	<0.3	<0.3	<0.4	<0.10	<0.4	<0.50	<0.50	<0.50	<0.60	<0.40	<0.24	<0.24	<0.24	<0.23	<0.29													
sec-Butylbenzene		<1	<1	<1		<1	<0.3	<0.2	<0.2	<0.3	<0.20	<0.3	<0.50	<0.50	<0.50	<0.50	<0.50	<0.29	<0.29	<0.29	<0.21	<0.30													
tert-Butylbenzene		<1	<1	<1		<1	<0.3	<0.3	<0.3	<0.1	<0.10	<0.1	<0.50	<0.50	<0.50	<0.50	<0.50	<0.23	<0.23	<0.23	<0.20	<0.40													
Carbon disulfide	<50															<1.1	<1.0	<0.50	<0.50	<0.50	<0.50	<0.60													
Carbon tetrachloride	<50	<1	<1	<1	<1	<1	<0.2	<0.4	<0.4	<0.3	<0.10	<0.3	<0.60	<0.60	<0.60	<0.60	<0.50	<0.50	<0.40	<0.40	<0.40	<0.23	<0.40												
Chlorobenzene	<50	<1	<1	<1	<1	<1	<0.3	<0.3	<0.3	<0.3	<0.10	<0.3	<0.80	<0.80	<0.80	<0.80	<0.50	<0.40	<0.30	<0.30	<0.30	<0.24	<0.30												
Chlorodibromomethane	<50	<1	<1	<1	<1	<1	<0.3	<0.3	<0.3	<0.4	<0.20	<0.4	<0.40	<0.40	<0.40	<0.60	<0.60	<0.23	<0.23	<0.23	<0.19	<0.26													
Chloroethane	<100	<2	<2	<2	<2	<2	<0.4	<0.8	<0.8	<0.5	<0.40	<0.5	<0.50	<0.50	<0.50	<0.70	<0.60	<0.40	<0.40	<0.40	<0.40	<0.30													
Chloroform	<50	<1	<1	<1	<1	<1	<0.2	<0.2	<0.2	<0.5	<0.10	<0.5	<0.60	<0.60	<0.60	<0.60	<0.50	<0.22	<0.22	<0.22	<0.15	<0.23													
Chloromethane	<100	<2	<2	<2	<2	<2	<0.7	<0.9	<0.9	<0.3	<0.20	<0.3	<0.40	<0.40	<0.40	<0.40	<0.24	<0.30	<0.30	<0.30	0.40AB	<0.40	<0.40												
Dibromomethane			<1	<1		<1	<0.1	<0.2	<0.2	<0.4	<0.20	<0.4	<0.50	<0.50	<0.50	<0.70	<0.80	<0.40	<0.40	<0.40	<0.40	<0.24	<0.30												
Dichlorodifluoromethane		<2	<2	<2		<2	<0.3	<1.2	<1.2	<0.5	<0.10	<0.5	<0.50	<0.50	<0.50	<0.60	<0.29	<0.40	<0.40	<0.40	<0.26	<0.30													
Diisopropyl Ether		<1								<0.3	<0.1	<0.10	<0.1	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.20	<0.30													
Ethylbenzene	<50	<1	<1	<1	<1	<1	<0.2	<0.2	<0.2	<0.1	<0.10	<0.1	<0.50	<0.50	<0.50	<0.50	<0.50	<0.28	<0.28	<0.28	<0.22	<0.29													
Hexachlorobutadiene		<1	<1	<1		<1	<0.5	<0.6	<0.6	<0.6	<0.20	<0.6	<0.50	<0.50	<0.50	<0.60	<0.60	<0.60	<0.60	<0.60	<0.30	<0.40													
Isopropylbenzene		<1	<1	<1		<1	<0.2	<0.2	<0.2	<0.1	<0.10	<0.1	<0.50	<0.50	<0.50	<0.50	<0.40	<0.60	<0.20	<0.20	<0.20	<0.18	<0.30												
p-Isopropyltoluene		<1	<1	<1		<1	<0.4	<0.2	<0.2	<0.2	<0.10	<0.2	<0.50	<0.50	<0.50	<0.50	<0.40	<0.40	<0.17	<0.17	<0.17	<0.23	<0.30												
Methyl tert-butyl ether		<1							<0.2	<1.1	<0.30	<1.1	<0.50	<0.50	<0.50	<0.60	<0.40	<0.23	<0.23	<0.23	<0.29	<0.30													
Methylene chloride	<50	<3	<3	<3	<3	<3	<0.3	<0.5	<0.5	<1.9	<0.40	<1.9	<1.0	<1.0	3.0 J,A,B,Q	<0.40	<1.0	<0.50	<0.50	<0.50	<0.40	<0.40													
Naphthalene		<1	<1	<1	<1	<1	<0.8	<1.1	<1.1	<0.7	<0.20	<0.7	<0.50	<0.50	<0.50	<0.60	<0.70	<0.60	<0.60	<0.60	<0.40	<0.40	<0.32	<0.50	<1.2	<0.50	<0.90	<0.90	<0.90	<0.90	<0.90	<1.1	<1.1	<0.35	
n-Propylbenzene		<1	<1	<1		<1	<0.3	<0.2	<0.2	<0.3	<0.10	<0.3	<0.50	<0.50	<0.50	<0.50	<0.40	<0.20	<0.20	<0.20	<0.20	<0.30													
Styrene	<50		<1	<1		<1	<0.2	<0.2	<0.2	<0.2	<0.10	<0.2	<0.50	<0.50	<0.50	<0.50	<0.50	<0.30	<0.30	<0.30	<0.20	<0.30													
Tetrachloroethene	<50	<1	<1	<1	<1	<1	<0.3	<0.6	<0.6	<0.4	<0.10	<0.4	<0.50	<0.50	<0.50	<0.50	<0.40	<0.29	<0.40	<0.40	<0.40	<0.30	<0.30												
Tetrahydrofuran																<7.0	<7.0	<4.0	<4.0	<4.0	<3.0	<4.0													
Toluene	<50	<1	<1	<1	<1	<1	<0.2	<0.2	<0.2	<0.1	<0.20	<0.1	<0.50	<0.50	<0.50	<0.40	<0.40	<0.20	<0.20	<0.20	<0.22	<0.30													
Trichloroethene	<50	<1	<1	<1	<1	<1	<0.2	<0.3	<0.3	<0.3	<0.20	<0.3	<0.60	<0.60	<0.60	<0.60	<0.15	<0.15	<0.15	<0.15	<0.15	<0.21	<0.40												
Trichlorofluoromethane		<1	<1	<1	<1	<1	<0.5	<0.6	<0.6	<0.4	<0.20	<0.4	<0.40	<0.40	<0.40	<0.50	<0.70	<0.40	<0.40	<0.40	<0.20	<0.40													
Vinyl acetate	<100															<8.0	<1.7	<1.1	<1.1	<1.1	<3.0	<4.0													
Vinyl chloride	<100	<1	<1	<1	<1	<1	<0.3	<0.5	<0.5	<0.4	<0.10	<0.4	<0.30	<0.30	<0.30	<0.30	<0.12	<0.15	<0.15	<0.15	<0.18	<0.19													
Xylene, m & p-		<2	<2	<2	<2	<2	<0.4	<0.3	<0.3	<0.2	<0.20	<0.2	<0.60	<0.60	<0.60	<0.60	<1.0	<0.9	<0.50	<0.50	<0.50	<0.60	<0.90	<1.0	<1.1	<0.80	<0.80	<0.80	<0.80	<0.80	<0.80	<0.80	<2.0	<2.0	<0.74
Xylene, o-		<1	<1	<1	<1	<1	<0.2	<0.5	<0.5	<0.1	<0.10	<0.1	<0.50	<0.50	<0.50	<0.40	<0.60	<0.50	<0.50	<0.50	<0.24	<0.29	<0.50	<0.50	<0.50	<0.50	<0.40	<0.40	<0.40	<0.40	<0.40	<1.1	<1.1	<0.72	
Xylenes, Total	<50															<1.5	<1.0	<1.0	<1.0	<1.0	<0.89	<1.4	<1.5	<1.6	<1.2	<1.2	<1.2	<1.2	<1.2	<1.2	<1.2	<3.1	<3.1	<1.46	

Prepared By: T. Dushek, 8/27/24

Checked by: A. Voit, 10/28/24

NOTES:

All Units are in ug/L

Bold values indicate detections

A = Analyte averaged calibration criteria within acceptable limits

B = Analyte detected in associated Method Blank

M = Matrix spike or matrix spike duplicate outside acceptance limits.

J = Estimated Value

Q = Lab Control Sample outside acceptance limits

* = Suspected methylene chloride laboratory contamination.

Volatile Organic Compounds - Historical Data
WAULECO, INC - Wausau Facility
Well - W33

Parameter	06/25/92	06/30/93	12/28/93	06/22/94	07/05/95	08/07/02	07/24/03	07/14/04	07/21/05	07/11/07	07/24/08	07/07/09	07/15/10	07/25/11	07/19/12	07/08/13	07/07/14	07/09/15	07/12/16	07/18/17	07/19/18	07/15/19	07/14/20	07/14/21	07/11/22	07/11/23	07/10/24
1,1,1,2-Tetrachloroethane			<1	<1		<90	<45	<45	<25	<30	<30	<30	<6.0	<0.80													
1,1,1-Trichloroethane	<50	<1	<1	<1	<1	<50	110	<25	<30	<30	<30	<30	<5.3	<0.58													
1,1,2,2-Tetrachloroethane	<50	<1	<1	<1	<1	<80	<40	<40	<7.5	<7.0	<7.0	<7.0	<4.8	<0.60													
1,1,2-Trichloroethane	<50	<1	<1	<1	<1	<90	<45	<45	<20	<25	<25	<25	<6.5	<0.60													
1,1-Dichloroethane	<50	<1	<1	<1	<1	<50	<25	<25	<25	<20	<20	<20	<5.0	<0.56													
1,1-Dichloroethene	<50	<1	<1	<1	<1	<40	<20	<20	<25	<20	<20	<20	<6.0	<0.58													
1,1-Dichloropropene			<1	<1	<1	<50	<25	<25	<25	<25	<25	<25	<6.0	<0.80													
1,2,3-Trichlorobenzene		<1	<1	<1		<50	<25	<25	<30	<25	<25	<25	<7.5	<0.80													
1,2,3-Trichloropropane			<1	<1		<80	<40	<40	<30	<15	<15	<15	<5.3	<0.80													
1,2,4-Trichlorobenzene		<1	<1	<1		<50	<25	<25	<35	<20	<20	<20	<7.5	<0.60													
1,2,4-Trimethylbenzene		<1	10	4.8		1700	1400	1200	1400	1600	2800	1300	1200	100		210	230	120	170	270	170	8.5	53	48	110	200	15
1,2-Dibromo-3-chloropropane		<3	<3	<3		<40	<20	<20	<55	<20	<20	<20	<10	<1.0													
1,2-Dibromoethane		<2	<2	<2		<30	<15	<15	<30	<6.5	<6.5	<6.5	<4.0	<0.60													
1,2-Dichlorobenzene		<1	<1	<1	<1	<70	<35	<35	<25	<20	<20	<20	<5.8	<0.80													
1,2-Dichloroethane	<50	<1	<1	<1	<1	<90	<45	<45	<25	<15	<15	<15	<7.5	<0.60													
cis-1,2-Dichloroethene		<1	<1	<1	<1	<50	<25	<25	<30	<20	<20	<20	<6.3	<0.60													
trans-1,2-Dichloroethene	<50	<1	<1	<1	<1	<40	<20	<20	<30	<25	<25	<25	<6.3	<0.60													
1,2-Dichloropropane	<50	<1	<1	<1	<1	<40	<20	<20	<25	<11	<11	<11	<5.5	<0.58													
1,3,5-Trimethylbenzene		<1	<1	<1		2900	1500	820	730	1100	1000	770	650	65													
1,3-Dichlorobenzene		<1	<1	<1	<1	<50	<25	<25	<25	<20	<20	<20	<6.5	<0.60													
cis-1,3-Dichloropropene	<50		<1	<1	<1	<60	<30	<30	<6	<7.0	<7.0	<7.0	<4.8	<0.56													
1,3-Dichloropropane		<1	<1	<1		<120	<60	<35	<30	<9.5	<9.5	<9.5	<5.8	<0.60													
trans-1,3-Dichloropropene	<50		<1	<1	<1	<70	<35	<60	<7	<7.0	<7.0	<7.0	<4.8	<0.60													
1,4-Dichlorobenzene		<1	<1	<1	<1	<50	<25	<25	<25	<25	<25	<25	<5.8	<0.60													
2,2-Dichloropropane		<1	<1	<1		<60	<30	<30	<30	<15	<15	<15	<6.3	<0.56													
2-Butanone (MEK)	<100								<350	<200	<200	<200	<60	<6.0													
2-Chloroethyl vinyl ether					<10																						
2-Chlorotoluene		<1	<1	<1		<60	<30	<30	<25	<15	<15	<15	<5.5	<0.60													
2-Hexanone	<100								<350	<200	<200	<200	<100	<8.0													
4-Chlorotoluene		<1	<1	<1		<60	<30	<30	<20	<15	<15	<15	<5.3	<0.58													
4-Methyl-2-Pentanone (MIBK)	<100								<350	<150	<150	<150	<75	<6.0													
Acetone	<100								<450	<350	<350	<350	<130	<10													
Benzene	<50	<1	1.5	<1	2.3	82	<20	<20	<20	<8.0	<8.0	<8.0	<4.8	<0.60													
Bromobenzene		<1	<1	<1		<50	<25	<25	<25	<15	<15	<15	<5.00	<0.60													
Bromochloromethane			<1	<1		<50	<25	<25	<25	<11	<11	<11	<5.5	<0.80													
Bromodichloromethane	<50	<1	<1	<1	<1	<40	<20	<20	<6.5	<9.5	<9.5	<9.5	<5.0	<0.60													
Bromoform	<50		<1	<1	<1	<60	<30	<30	<25	<25	<25	<25	<5.5	<0.48													
Bromomethane	<100		<2	<2	<2	<80	<40	<40	<40	<20	<20	<20	<13	<0.60													
n-Butylbenzene		<1	1.4	<1		1800	1100	380	140	150	110	62	45	11													
sec-Butylbenzene		<1	<1	<1		520	220	89	50	120	90	49	50	7.1													
tert-Butylbenzene		<1	<1	<1		<50	<25	<25	<25	29	26	14	7.7	3.2													
Carbon disulfide	<50								<55	<25	<25	<25	<13	<1.2													
Carbon tetrachloride	<50	<1	<1	<1	<1	<60	<30	<30	<25	<20	<20	<20	<5.8	<0.80													
Chlorobenzene	<50	<1	<1	<1	<1	<80	<40	<40	<25	<15	<15	<15	<6.0	<0.60													
Chlorodibromomethane	<50	<1	<1	<1	<1	<40	<20	<20	<30	<12	<12	<12	<4.8	<0.52													
Chloroethane	<100	<2	<2	<2	<2	<50	<25	<25	<35	<20	<20	<20	<10	<0.60													
Chloroform	<50	<1	<1	<1	<1	<60	<30	<30	<25	<11	<11	<11	<3.8	12													
Chloromethane	<100	<2	<2	<2	<2	<40	<20	<20	<12	<15	<15	<15	<10	<0.80													
Dibromomethane			<1	<1		<50	<25	<25	<35	<20	<20	<20	<6.0	<0.60													
Dichlorodifluoromethane		<2	<2	<2		<50	<25	<25	<30	<20	<20	<20	<6.5	<0.60													
Diisopropyl Ether		<1				<50	<25	<25	<25	<25	<25	<25	<5.0	<0.60													
Ethylbenzene	<50	<1	<1	<1	1.2	110	<25	<25	<25	19	20	15	19	<0.58													
Hexachlorobutadiene		<1	<1	<1		<50	<25	<25	<30	<30	<30	<30	<7.5	<0.80													
Isopropylbenzene		<1	1.7	<1		400	110	70 J	38	58	67	37	17	2.7													
p-Isopropyltoluene		<1	<1	<1		550	270	110	77	160	130	75	48	11													
Methyl tert-butyl ether		<1				<50	<25	<25	<30	<12	<12	<12	<7.3	<0.60													
Methylene chloride	<50	<3	<3	<3	<3	<100	<50	230 A,B,Q	35	<25	<25	<25	33	1.8 B													
Naphthalene	<10	<1	1.6	<1	2.3	<50	190	120	110 A	160	140	120	140	7.2	5.6	19	19	9.4	9.7	15	8.3	1.6	<0.90	2.3	4.6	12	0.83 Q,Y
n-Propylbenzene		<1	1.7	<1		490	210	80	58	97	100	61	97	4.4													
Styrene	<50		<1	<1		<50	430	<25	<25	<15	<15	<15	<5.0	<0.60													

Volatile Organic Compounds - Historical Data
WAULECO, INC - Wausau Facility
Well - W33

Parameter	06/25/92	06/30/93	12/28/93	06/22/94	07/05/95	08/07/02	07/24/03	07/14/04	07/21/05	07/11/07	07/24/08	07/07/09	07/15/10	07/25/11	07/19/12	07/08/13	07/07/14	07/09/15	07/12/16	07/18/17	07/19/18	07/15/19	07/14/20	07/14/21	07/11/22	07/11/23	07/10/24
Tetrachloroethene	<50	<1	<1	<1	<1	160	<25	<25	<20	<20	<20	<20	7.7	<0.60													
Tetrahydrofuran									<350	<200	<200	<200	<75	<8.0													
Toluene	<50	<1	<1	<1	<1	100	<25	<25	<20	<10	11	<10	<5.5	<0.60													
Trichloroethene	<50	3.4	10	3.1	20	<60	<30	<30	<7.5	<7.5	<7.5	<7.5	<5.3	<0.80													
Trichlorofluoromethane		<1	<1	<1	<1	<40	<20	<20	<25	<20	<20	<20	<5.0	<0.80													
Vinyl acetate	<100								<400	<55	<55	<55	<75	<8.0													
Vinyl chloride	<100	<1	<1	<1	<1	<30	<15	<15	<6.0	<7.5	<7.5	<7.5	<4.5	<0.38													
Xylene, m & p-		<2	<2	<2	<2	590	260	110	110	170	230	160	130	1.9		<9.0	<5.0	<5.5	12	<8.0	4.1	<0.8	1.7	2.1	<4.0	13	<0.74
Xylene, o-		<1	3.7	<1	6.5	2200	740	570	360	430	490	370	310	9.3		42	52	43	54	25	38	5.1	8.8	18	35	68	1.7
Xylenes, Total	<50								470	600	720	530	440	11.2		42	52	43	66	25	42.1	5.1	10.5	20.1	35	81	1.7

Prepared By: T. Dushek, 8/27/24

Checked by: A. Voit, 10/28/24

NOTES:

All Units are in ug/L

Bold values indicate detections

A = Analyte averaged calibration criteria within acceptable limits

B = Analyte detected in associated Method Blank

M = Matrix spike or matrix spike duplicate outside acceptance limits.

J = Estimated Value

Q = Lab Control Sample outside acceptance limits

* = Suspected methylene chloride laboratory contamination.

Volatile Organic Compounds - Historical Data
WAULECO, INC - Wausau Facility
Well - W36

Parameter	08/03/92	09/17/92	07/10/96	07/11/97	06/25/98	06/09/99	07/18/00	01/31/01	07/11/01	08/06/02	07/22/03	07/14/04	07/21/05	07/18/06	07/10/07	7/10/2007 Duplicate	07/23/08	07/06/09	07/14/10	07/19/11	07/09/12	07/02/13	07/09/14	07/07/15	07/06/16	07/11/17	07/12/18	07/09/19	07/08/20	07/07/21	07/06/22	07/06/23	07/08/24	
1,1,1,2-Tetrachloroethane			<1	<0.1	<0.3	<0.3	<0.4	<0.20	<0.4	<0.90	<0.90	<0.90	<0.50	<0.70	<0.60	<0.60	<0.60	<0.60	<0.24	<0.40														
1,1,1-Trichloroethane	<50	<50	<1	<0.3	<0.3	<0.3	<0.3	<0.20	<0.3	<0.50	<0.50	<0.50	<0.60	<0.50	<0.60	<0.60	<0.60	<0.60	<0.21	<0.29														
1,1,2,2-Tetrachloroethane	<50	<50	<1	<0.2	<0.2	<0.2	<0.4	<0.20	<0.4	<0.80	<0.80	<0.80	<0.15	<0.13	<0.14	<0.14	<0.14	<0.14	<0.14	<0.19	<0.30													
1,1,2-Trichloroethane	<50	<50	<1	<1	<0.2	<0.2	<0.2	<0.10	<0.2	<0.90	<0.90	<0.90	<0.40	<0.50	<0.50	<0.50	<0.50	<0.50	<0.26	<0.30														
1,1-Dichloroethane	<50	<50	<1	<0.2	<0.2	<0.2	<0.4	<0.10	<0.4	<0.50	<0.50	<0.50	<0.50	<0.40	<0.40	<0.40	<0.40	<0.40	<0.20	<0.28														
1,1-Dichloroethene	<50	<50	<1	<0.4	<0.2	<0.2	<0.9	<0.20	<0.9	<0.40	<0.40	<0.40	<0.50	<0.30	<0.40	<0.40	<0.40	<0.40	<0.24	<0.29														
1,1-Dichloropropene			<1	<0.2	<0.3	<0.3	<0.4	<0.20	<0.4	<0.50	<0.50	<0.50	<0.50	<0.60	<0.50	<0.50	<0.50	<0.50	<0.24	<0.40														
1,2,3-Trichlorobenzene	<1	<0.5	<0.4	<0.4	<0.5	<0.30	<0.5	<0.50	<0.50	<0.50	<0.50	<0.50	<0.60	<0.50	<0.50	<0.50	<0.50	<0.50	<0.30	<0.40														
1,2,3-Trichloropropane	<1	<0.3	<0.2	<0.2	<0.3	<0.10	<0.3	<0.80	<0.80	<0.80	<0.80	<0.80	<0.60	<0.70	<0.30	<0.30	<0.30	<0.30	<0.21	<0.40														
1,2,4-Trichlorobenzene	<1	<0.5	<0.3	<0.3	<0.5	<0.30	<0.5	<0.50	<0.50	<0.50	<0.50	<0.50	<0.70	<0.70	<0.40	<0.40	<0.40	<0.40	<0.3	<0.30														
1,2,4-Trimethylbenzene	637.5	130	180	7.45	15	0.50	0.84	3.3	<0.50	7.4	<0.40	<0.50	<0.50	<0.24	<0.24	<0.24	<0.24	<0.24	1.2	<0.30		<0.40	<0.60	<0.50	0.58	0.5	<0.40	<0.40	<0.40	<0.40	<0.91	<0.91	4	
1,2-Dibromo-3-chloropropane	<3	<0.3	<0.3	<0.3	<0.3	<0.40	<0.3	<0.40	<0.40	<0.40	<0.40	<0.40	<1.1	<0.30	<0.40	<0.40	<0.40	<0.40	<0.40	<0.50														
1,2-Dibromoethane	<2	<0.2	<0.4	<0.4	<0.3	<0.10	<0.3	<0.30	<0.30	<0.30	<0.30	<0.30	<0.60	<0.50	<0.13	<0.13	<0.13	<0.13	<0.16	<0.30														
1,2-Dichlorobenzene	<1	<0.3	<0.3	<0.3	<0.3	<0.20	<0.3	<0.70	<0.70	<0.70	<0.70	<0.70	<0.50	<0.50	<0.40	<0.40	<0.40	<0.40	<0.23	<0.40														
1,2-Dichloroethane	<50	<50	<1	<0.2	<0.2	<0.2	<0.4	<0.20	<0.4	<0.90	<0.90	<0.90	<0.50	<0.50	<0.30	<0.30	<0.30	<0.30	<0.30	<0.30														
cis-1,2-Dichloroethene			<1	<0.2	<0.2	<0.2	<0.4	<0.20	<0.4	<0.50	<0.50	<0.50	<0.60	<0.40	<0.40	<0.40	<0.40	<0.40	<0.25	<0.30														
trans-1,2-Dichloroethene	<50	<50	<1	<0.2	<0.3	<0.3	<0.8	<0.10	<0.8	<0.40	<0.40	<0.40	<0.60	<0.40	<0.50	<0.50	<0.50	<0.50	<0.25	<0.30														
1,2-Dichloropropane	<50	<50	<1	<0.1	<0.2	<0.2	<0.3	<0.20	<0.3	<0.40	<0.40	<0.40	<0.40	<0.50	<0.50	<0.21	<0.21	<0.21	<0.21	<0.22	<0.29													
1,3,5-Trimethylbenzene			122.2	44	77	3.9	6.15	0.20	1.3	1.4	<0.50	4.0	<0.50	<0.19	<0.19	<0.19	<0.19	<0.19	0.35	<0.30														
1,3-Dichlorobenzene			<1	<0.7	<0.4	<0.4	<0.4	<0.10	<0.4	<0.50	<0.50	<0.50	<0.50	<0.40	<0.40	<0.40	<0.40	<0.40	<0.26	<0.30														
cis-1,3-Dichloropropene	<50	<50	<1	<0.3	<0.3	<0.3	<0.2	<0.10	<0.2	<0.60	<0.60	<0.60	<0.60	<0.12	<0.14	<0.14	<0.14	<0.14	<0.19	<0.28														
1,3-Dichloropropane			<1	<0.3	<0.6	<0.6	<0.4	<0.10	<0.4	<1.2	<1.2	<1.2	<0.60	<0.19	<0.19	<0.19	<0.19	<0.19	<0.23	<0.30														
trans-1,3-Dichloropropene	<50	<50	<1	<0.2	<0.2	<0.2	<0.5	<0.10	<0.5	<0.70	<0.70	<0.70	<0.14	<0.14	<0.14	<0.14	<0.14	<0.14	<0.19	<0.30														
1,4-Dichlorobenzene			<1	<0.3	<0.3	<0.3	<0.4	<0.10	<0.4	<0.50	<0.50	<0.50	<0.50	<0.60	<0.50	<0.50	<0.50	<0.50	<0.23	<0.30														
2,2-Dichloropropane			<1	<0.2	<0.5	<0.5	<0.2	<0.20	<0.2	<0.60	<0.60	<0.60	<0.60	<0.60	<0.30	<0.30	<0.30	<0.30	<0.25	<0.28														
2-Butanone (MEK)	<100	<100											<7.0	<5.0	<4.0	<4.0	<4.0	<4.0	<2.4	<3.0														
2-Chloroethyl vinyl ether																																		
2-Chlorotoluene			<1	<0.4	<0.3	<0.3	<0.4	<0.10	<0.4	<0.60	<0.60	<0.60	<0.50	<0.50	<0.30	<0.30	<0.30	<0.30	<0.22	<0.30														
2-Hexanone	<100	<100											<7.0	<8.0	<4.0	<4.0	<4.0	<4.0	<4.0	<4.0														
4-Chlorotoluene			<1	<0.3	<0.3	<0.3	<0.3	<0.20	<0.3	<0.60	<0.60	<0.60	<0.60	<0.60	<0.30	<0.30	<0.30	<0.30	<0.21	<0.29														
4-Methyl-2-Pentanone (MIBK)	<100	<100											<7.0	<6.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0														
Acetone	<100	<100											<9.0	<10.0	<7.0	<7.0	<7.0	<7.0	<5.0	<5.0														
Benzene	<50	<50	<1	<0.2	<0.3	<0.3	<0.1	<0.10	<0.1	<0.40	<0.40	<0.40	<0.40	<0.40	<0.16	<0.16	<0.16	<0.16	<0.19	<0.30														
Bromobenzene			<1	<0.3	<0.2	<0.2	<0.5	<0.10	<0.5	<0.50	<0.50	<0.50	<0.50	<0.60	<0.30	<0.30	<0.30	<0.30	<0.20Q	<0.30														
Bromochloromethane			<1	<0.4	<0.2	<0.2	<0.4	<0.10	<0.4	<0.50	<0.50	<0.50	<0.50	<0.70	<0.21	<0.21	<0.21	<0.21	<0.22	<0.40														
Bromodichloromethane	<50	<50	<1	<0.2	<0.2	<0.2	<0.2	0.33	<0.2	<0.40	<0.40	<0.40	<0.40	<0.13	<0.15	<0.19	<0.19	<0.19	<0.20	<0.30														

Volatile Organic Compounds - Historical Data
 WAULECO, INC - Wausau Facility
 Well - W36

Parameter	08/03/92	09/17/92	07/10/96	07/11/97	06/25/98	06/09/99	07/18/00	01/31/01	07/11/01	08/06/02	07/22/03	07/14/04	07/21/05	07/18/06	07/10/07	7/10/2007 Duplicate	07/23/08	07/06/09	07/14/10	07/19/11	07/09/12	07/02/13	07/09/14	07/07/15	07/06/16	07/11/17	07/12/18	07/09/19	07/08/20	07/07/21	07/06/22	07/06/23	07/08/24
Bromoform	<50	<50	<1	<0.3	<0.2	<0.2	<0.1	<0.20	<0.1	<0.60	<0.60	<0.60	<0.50	<0.21	<0.50	<0.50	<0.50	<0.50	<0.22	<0.24													
Bromomethane	<100	<100	<2	<0.3	<0.9	<0.9	<0.4	<0.40	<0.4	<0.80	<0.80	<0.80	<0.80	<0.90	<0.40	<0.40	<0.40	<0.40	<0.50	<0.30													
n-Butylbenzene			137.3	12	56	4.7	7.1	<0.10	<0.4	2.2	1.4		6.5	<0.60	<0.40	<0.24	<0.24	<0.24	<0.24	<0.23	<0.29												
sec-Butylbenzene			22.7	7	25	2.25	3.3	0.48	<0.3	0.64	<0.50		1.7	<0.50	<0.50	<0.29	<0.29	<0.29	<0.29	0.53	<0.30												
tert-Butylbenzene			<1	<0.3	<0.3	2.75	0.85	0.10	<0.1	<0.50	<0.50	1.4 J	<0.50	<0.50	<0.50	<0.23	<0.23	<0.23	<0.23	<0.20	<0.40												
Carbon disulfide	<50	<50												<1.1	<1.0	<0.50	<0.50	<0.50	<0.50	<0.60													
Carbon tetrachloride	<50	<50	<1	<0.2	<0.4	<0.4	<0.3	<0.10	<0.3	<0.60	<0.60	<0.60	<0.50	<0.50	<0.40	<0.40	<0.40	<0.40	<0.23	<0.40													
Chlorobenzene	<50	<50	<1	<0.3	<0.3	<0.3	<0.3	<0.10	<0.3	<0.80	<0.80	<0.80	<0.50	<0.40	<0.30	<0.30	<0.30	<0.30	<0.30	<0.24	<0.30												
Chlorodibromomethane	<50	<50	<1	<0.3	<0.3	<0.3	<0.4	<0.20	<0.4	<0.40	<0.40	<0.40	<0.60	<0.60	<0.23	<0.23	<0.23	<0.23	<0.19	<0.26													
Chloroethane	<100	<100	<2	<0.4	<0.8	<0.8	<0.5	<0.40	<0.5	<0.50	<0.50	<0.50	<0.50	<0.70	<0.60	<0.40	<0.40	<0.40	<0.40	<0.30													
Chloroform	<50	<50	12.5	24	14	7.7	4.75	5.7	4.1	4.5	2.1	1.8 J	1.6	1.3	1.7	1.6	1.3	0.63	0.55	0.65													
Chloromethane	<100	<100	<2	<0.7	<0.9	<0.9	<0.3	<0.20	<0.3	<0.40	<0.40	<0.40	<0.40	<0.24	<0.30	<0.30	<0.30	<0.30	0.70B	<0.40	<0.40												
Dibromomethane			<1	<0.1	<0.2	<0.2	<0.4	<0.20	<0.4	<0.50	<0.50	<0.50	<0.50	<0.70	<0.80	<0.40	<0.40	<0.40	<0.40	<0.24	<0.30												
Dichlorodifluoromethane			<2	<0.3	<1.2	<1.2	<0.5	<0.10	<0.5	<0.50	<0.50	<0.50	<0.50	<0.60	<0.29	<0.40	<0.40	<0.40	<0.40	<0.26	<0.30												
Diisopropyl Ether						<0.3	<0.1	<0.10	<0.1	<0.50	<0.50	<0.50	<0.50	<0.50	<0.40	<0.50	<0.50	<0.50	<0.50	<0.20	<0.30												
Ethylbenzene	<50	<50	<1	<0.2	<0.2	<0.2	<0.1	<0.10	<0.1	<0.50	<0.50	<0.50	<0.50	<0.50	<0.28	<0.28	<0.28	<0.28	<0.22	<0.29													
Hexachlorobutadiene			<1	<0.5	<0.6	<0.6	<0.6	<0.20	<0.6	<0.50	<0.50	<0.50	<0.50	<0.60	<0.60	<0.60	<0.60	<0.60	<0.30	<0.40													
Isopropylbenzene			36.0	6.5	23	3.4	1.55	0.25	<0.1	<0.50	<0.50		1.6	<0.40	<0.60	<0.20	<0.20	<0.20	<0.20	<0.18	<0.30												
p-Isopropyltoluene			22.0	<0.4	25	1.3	2.7	0.28	<0.2	0.59	<0.50		1.8	<0.40	<0.17	<0.17	<0.17	<0.17	<0.17	<0.23	<0.30												
Methyl tert-butyl ether						<0.2	<1.1	<0.30	<1.1	<0.50	<0.50	<0.50	<0.50	<0.60	<0.40	<0.23	<0.23	<0.23	<0.23	<0.29	<0.30												
Methylene chloride	<50	113	<3	<0.3	<0.5	<0.5	<1.9	<0.40	<1.9	<1.0	<1.0	2.9 J,A,B,O	<0.50	<0.60	<0.40	<0.50	<0.50	<0.50	<0.50	<0.40	<0.40												
Naphthalene	71.8	<10	122.4	7	14	1.75	1.75	0.89	<0.7	0.64	<0.50	<0.50	<0.60	<0.70	<0.60	<0.60	<0.60	<0.60	<0.40	<0.40	<0.32	<0.50	<1.2	<0.50	<0.90	<0.90	<0.90	<0.90	<0.90	<0.90	<1.1	<1.1	<0.35
n-Propylbenzene			123.1	12	25	2.8	3.3	0.48	<0.3	0.7	<0.50		2.3	<0.40	<0.20	<0.20	<0.20	<0.20	<0.20	<0.30													
Styrene	<50	<50	<1	<0.2	<0.2	<0.2	<0.2	<0.3	<0.2	0.61	1.3	4.8	<0.50	<0.50	<0.30	<0.30	<0.30	<0.30	<0.30	<0.20	<0.30												
Tetrachloroethene	<50	<50	<1	<0.3	<0.6	<0.6	<0.4	0.12	<0.4	<0.50	<0.50	1.4 J	<0.40	<0.29	<0.40	<0.40	<0.40	<0.40	<0.30	<0.30													
Tetrahydrofuran													<7.0	<7.0	<4.0	<4.0	<4.0	<4.0	<3.0	<4.0													
Toluene	<50	<50	<1	<0.2	<0.2	<0.2	<0.1	<0.20	<0.1	<0.50	<0.50	<0.50	<0.50	<0.40	<0.40	<0.20	<0.20	<0.20	<0.20	<0.22	<0.30												
Trichloroethene	<50	<50	4.4	6	<0.3	4.4	3.75	3.0	1.6	1.5	1.2	0.9 J	1.2	0.81	0.94	0.73	0.7	1.4	1.5	0.94													
Trichlorofluoromethane			<1	<0.5	<0.6	<0.6	<0.4	<0.20	<0.4	<0.40	<0.40	<0.40	<0.40	<0.50	<0.70	<0.40	<0.40	<0.40	<0.40	<0.20	<0.40												
Vinyl acetate	<100	<100												<8.0	<1.7	<1.1	<1.1	<1.1	<3.0	<4.0													
Vinyl chloride	<100	<100	<1	<0.3	<0.5	<0.5	<0.4	<0.10	<0.4	<0.30	<0.30	<0.30	<0.12	<0.15	<0.15	<0.15	<0.15	<0.15	<0.18	<0.19													
Xylene, m & p-			<200	4.5	<0.3	0.6	0.59	<0.20	<0.2	<0.60	<0.60	<0.60	<0.60	<1.0	<0.9	<0.50	<0.50	<0.50	<0.50	<0.60	<0.90	<1.0	<1.1	<0.80	<0.80	<0.80	<0.80	<0.80	<0.80	<0.80	<2.0	<2.0	2
Xylene, o-			201.6	32	<0.5	<0.5	1.55	<0.10	0.28	0.84	<0.50	<0.50	<0.40	<0.60	<0.50	<0.50	<0.50	<0.50	<0.24	<0.29	<0.50	<1.0	<0.50	0.60	<0.40	<0.40	<0.40	<0.40	<0.40	<1.1	<1.1	9.6	
Xylenes, Total	297	447														<1.5	<1.0	<1.0	<1.0	<1.0	<0.89	<1.4	<1.5	<1.6	0.60	<1.2	<1.2	<1.2	<1.2	<1.2	<3.1	<3.1	11.0

Prepared By: T. Dushek, 8/27/24
Checked by: A. Voit, 10/28/24

NOTES:

All Units are in ug/L

Bold values indicate detections

A = Analyte averaged calibration criteria within acceptable limits

B = Analyte detected in associated Method Blank

M = Matrix spike or matrix spike duplicate outside acceptance limits.

J = Estimated Value

Q = Lab Control Sample outside acceptance limits

* = Suspected methylene chloride laboratory contamination.

Volatile Organic Compounds - Historical Data
WAULECO, INC - Wausau Facility
Well - W39

Parameter	06/17/92	06/21/94	07/09/96	07/11/97	06/24/98	06/09/99	07/19/00	07/11/01	08/06/02	07/22/03	07/14/04	07/20/05	07/19/06	7/19/2006 Duplicate	07/11/07	07/24/08	07/07/09	07/14/10	07/25/11	07/10/12	07/08/13	07/08/14	07/09/15	07/07/16	07/17/17	07/12/18
1,1,1,2-Tetrachloroethane		<1	<100	<0.1	<0.3	<3	<20	<20	<18	<9.0	<0.90	<0.50	<0.70	<0.70	<3.0	<6	<3.0	<2.4	<4.0							
1,1,1-Trichloroethane	<50	<1	<100	<0.3	<0.3	<3	<15	<15	<10	<5.0	<0.50	<0.60	<0.50	<0.50	<3.0	<6	<3.0	<2.1	<2.9							
1,1,2,2-Tetrachloroethane	<50	<1	<100	<0.2	<0.2	<2	<20	<20	<16	<8.0	<0.80	<0.15	<0.13	<0.13	<0.70	<1.4	<0.70	<1.9	<3.0							
1,1,2-Trichloroethane	<50	<1	<100	<1	<0.2	<2	<10	<10	<18	<9.0	<0.90	<0.40	<0.50	<0.50	<2.5	<5	<2.5	<2.6	<3.0							
1,1-Dichloroethane	<50	<1	<100	<0.2	<0.2	<2	<20	<20	<10	<5.0	<0.50	<0.50	<0.40	<0.40	<2.0	<4	<2.0	<2.0	<2.8							
1,1-Dichloroethene	<50	<1	<100	<0.4	<0.2	<2	<45	<45	<8.0	<4.0	<0.40	<0.50	<0.30	<0.30	<2.0	<4	<2.0	<2.4	<2.9							
1,1-Dichloropropene		<1	<100	<0.2	<0.3	<3	<20	<20	<10	<5.0	<0.50	<0.50	<0.60	<0.60	<2.5	<5	<2.5	<2.4	<4.0							
1,2,3-Trichlorobenzene		<1	<100	<0.5	<0.4	<4	<25	<25	<10	<5.0	<0.50	<0.60	<0.50	<0.50	<2.5	<5	<2.5	<3.0	<4.0							
1,2,3-Trichloropropane		<1	<100	<0.3	<0.2	<2	<15	<15	<16	<8.0	<0.80	<0.60	<0.70	<0.70	<1.5	<3	<1.5	<2.1	<4.0							
1,2,4-Trichlorobenzene		<1	<100	<0.5	<0.3	<3	<25	<25	<10	<5.0	<0.50	<0.70	<0.70	<0.70	<2.0	<4	<2.0	<3.0	<3.0							
1,2,4-Trimethylbenzene		2400	606.2	1030	440	450	780	1200	530	210	24	8.1	130	79	350	210	390	420	380		150	130	56	130	96	100
1,2-Dibromo-3-chloropropane		<3	<300	<0.3	<0.3	<3	<15	<15	<8.0	<4.0	<0.40	<1.1	<0.30	<0.30	<2.0	<4	<2.0	<4.0	<5.0							
1,2-Dibromoethane		<2	<200	<0.2	<0.4	<4	<15	<15	<6.0	<3.0	<0.30	<0.60	<0.50	<0.50	<0.65	<1.3	<0.65	<1.6	<3.0							
1,2-Dichlorobenzene		<1	<100	<0.3	<0.3	<3	<15	<15	<14	<7.0	<0.70	<0.50	<0.50	<0.50	<2.0	<4	<2.0	<2.3	<4.0							
1,2-Dichloroethane	<50	<1	<100	<0.2	<0.2	<2	<20	<20	<18	<9.0	<0.90	<0.50	<0.50	<0.50	<1.5	<3	<1.5	<3.0	<3.0							
cis-1,2-Dichloroethene		<1	<100	<0.2	<0.2	<2	<20	<20	<10	<5.0	<0.50	<0.60	<0.40	<0.40	<2.0	<4	<2.0	<2.5	<3.0							
trans-1,2-Dichloroethene	<50	<1	<100	<0.2	<0.3	<3	<40	<40	<8.0	<4.0	<0.40	<0.60	<0.40	<0.40	<2.5	<5	<2.5	<2.5	<3.0							
1,2-Dichloropropane	<50	<1	<100	<0.1	<0.2	<2	<15	<15	<8.0	<4.0	<0.40	<0.50	<0.50	<0.50	<1.1	<2.1	<1.1	<2.2	<2.9							
1,3,5-Trimethylbenzene		600	328.24	520	200	330	470	590	600	140	20	7.3	130	81	150	71	190	230	140							
1,3-Dichlorobenzene		<1	<100	<0.7	<0.4	<4	<20	<20	<10	<5.0	<0.50	<0.50	<0.40	<0.40	<2.0	<4	<2.0	<2.6	<3.0							
cis-1,3-Dichloropropene	<50	<1	<100	<0.3	<0.3	<3	<10	<10	<12	<6.0	<0.60	<0.12	<0.14	<0.14	<0.70	<1.4	<0.70	<1.9	<2.8							
1,3-Dichloropropane		<1	<100	<0.3	<0.6	<6	<20	<25	<24	<12	<1.2	<0.60	<0.19	<0.19	<0.95	<1.9	<0.95	<2.3	<3.0							
trans-1,3-Dichloropropene	<50	<1	<100	<0.2	<0.2	<2	<25	<25	<14	<7.0	<0.70	<0.14	<0.14	<0.14	<0.70	<1.4	<0.70	<1.9	<3.0							
1,4-Dichlorobenzene		<1	<100	<0.3	<0.3	<3	<20	<20	<10	<5.0	<0.50	<0.50	<0.60	<0.60	<2.5	<5	<2.5	<2.3	<3.0							
2,2-Dichloropropane		<1	<100	<0.2	<0.5	<5	<10	<10	<12	<6.0	<0.60	<0.60	<0.60	<0.60	<1.5	<3	<1.5	<2.5	<2.8							
2-Butanone (MEK)	<100											<7.0	<5.0	<5.0	<20	<40	<20	<24	<30							
2-Chlorethyl vinyl ether																										
2-Chlorotoluene		<1	<100	<0.4	<0.3	<3	<20	<20	<12	<6.0	<0.60	<0.50	<0.50	<0.50	<1.5	<3	<1.5	<2.2	<3.0							
2-Hexanone	<100											<7.0	<8.0	<8.0	<20	<40	<20	<40	<40							
4-Chlorotoluene		<1	<100	<0.3	<0.3	<3	<15	<15	<12	<6.0	<0.60	<0.40	<0.60	<0.60	<1.5	<3	<1.5	<2.1	<2.9							
4-Methyl-2-Pentanone (MIBK)	<100											<7.0	<6.0	<6.0	<15	<30	<15	<30	<30							
Acetone	190											<9.0	12	16	<35	<70	<35	<50	<50							
Benzene	<50	5.3	<100	<0.2	<0.3	<3	<5	<5.0	<8.0	<4.0	<0.40	<0.40	<0.40	<0.40	<0.80	<1.6	<0.80	<1.9	<3.0							
Bromobenzene		<1	<100	<0.3	<0.2	<2	<25	<25	<10	<5.0	<0.50	<0.50	<0.60	<0.60	<1.5	<3	<1.5	<2.0	<3.0							
Bromochloromethane		<1	<100	<0.4	<0.2	<2	<20	<20	<10	<5.0	<0.50	<0.50	<0.70	<0.70	<1.1	<2.1	<1.1	<2.2	<4.0							
Bromodichloromethane	<50	<1	<100	<0.2	<0.2	<2	<10	<10	<8.0	<4.0	<0.40	<0.13	<0.15	<0.15	<0.95	<1.9	<0.95	<2.0	<3.0							

Volatile Organic Compounds - Historical Data
WAULECO, INC - Wausau Facility
Well - W39

Parameter	06/17/92	06/21/94	07/09/96	07/11/97	06/24/98	06/09/99	07/19/00	07/11/01	08/06/02	07/22/03	07/14/04	07/20/05	07/19/06	7/19/2006 Duplicate	07/11/07	07/24/08	07/07/09	07/14/10	07/25/11	07/10/12	07/08/13	07/08/14	07/09/15	07/07/16	07/17/17	07/12/18
Bromoform	<50	<1	<100	<0.3	<0.2	<2	<5	<5.0	<12	<6.0	<0.60	<0.50	<0.21	<0.21	<2.5	<5	<2.5	<2.2	<2.4							
Bromomethane	<100	<2	<200	<0.3	<0.9	<9	<20	<20	<16	<8.0	<0.80	<0.80	<0.90	<0.90	<2.0	<4	<2.0	<5.0	<3.0							
n-Butylbenzene		320	631.4	360	130	240	250	350	570	180	37	4.5	19	22	29	15	41	42	12							
sec-Butylbenzene		160	238.3	260	66	66	79	47 J	78	26	9.9	6.1	10	11	21	12	30	27	15							
tert-Butylbenzene		<25	<100	<0.3	<0.3	<3	<5	<5.0	<10	<5.0	7	2.1	7.2	8.4	8.7	4.4	11	5.2	5.6							
Carbon disulfide	<50											<1.1	<1.0	<1.0	<2.5	<5	<2.5	<5.0	<6.0							
Carbon tetrachloride	<50	<1	<100	<0.2	<0.4	<4	<15	<15	<12	<6.0	<0.60	<0.50	<0.50	<0.50	<2.0	<4	<2.0	<2.3	<4.0							
Chlorobenzene	<50	<1	<100	<0.3	<0.3	<3	<15	<15	<16	<8.0	<0.80	<0.50	<0.40	<0.40	<1.5	<3	<1.5	<2.4	<3.0							
Chlorodibromomethane	<50	<1	<100	<0.3	<0.3	<3	<20	<20	<8.0	<4.0	<0.40	<0.60	<0.60	<0.60	<1.2	<2.3	<1.2	<1.9	<2.6							
Chloroethane	<100	<2	<200	<0.4	<0.8	<8	<25	<25	<10	<5.0	<0.50	<0.70	<0.60	<0.60	<2.0	<4	<2.0	<4.0	<3.0							
Chloroform	<50	3.5	<100	<0.2	<0.2	<2	<25	<25	<12	<6.0	<0.60	<0.50	<0.50	<0.50	<1.1	<2.2	<1.1	4.8	5.9							
Chloromethane	<100	<2	<200	<0.7	<0.9	<9	<15	<15	<8.0	<4.0	<0.40	<0.24	<0.30	0.36	<1.5	<3	<1.5	<4.0	<4.0							
Dibromomethane		<1	<100	<0.1	<0.2	<2	<20	<20	<10	<5.0	<0.50	<0.70	<0.80	<0.80	<2.0	<4	<2.0	<2.4	<3.0							
Dichlorodifluoromethane		<2	<200	<0.3	<1.2	<12	<25	<25	<10	<5.0	<0.50	<0.60	<0.29	<0.29	<2.0	<4	<2.0	<2.6	<3.0							
Diisopropyl Ether						<3	<5	<5.0	<10	<5.0	<0.50	<0.50	<0.40	<0.40	<2.5	<5	<2.5	<2.0	<3.0							
Ethylbenzene	69.5	75	<100	<0.2	<0.2	<2	<5	<5.0	<10	<5.0	<0.50	<0.50	<0.50	<0.50	2.2	<2.8	6.8	3.4	3							
Hexachlorobutadiene		<1	<100	<0.5	<0.6	<6	<30	<30	<10	<5.0	<0.50	<0.60	<0.90	<0.90	<3.0	<6	<3.0	<3.0	<4.0							
Isopropylbenzene	180	180.87	310	44	27	25	24	33	33	<5.0	5.7	0.45	0.99	1.2	10	6.7	16	<1.8	15							
p-Isopropyltoluene		<25	<100	480	56	78	78	64	110	37	9.9	4.6	23	27	30	13	42	38	13							
Methyl tert-butyl ether						<2	<55	<55	<10	<5.0	<0.50	<0.60	<0.40	<0.40	<1.2	<2.3	<1.2	<2.9	<3.0							
Methylene chloride	<50	<3	<300	<0.3	<0.5	<5	<95	<95	<20	<10	2.9 J,A,B,Q	<0.40	<1.0	<1.0	2.7	<5	<2.5	10	9.8 B							
Naphthalene	632	160	121.68	<0.8	48	40	84	130	54	<5.0	1.2 J	0.75	5	6.9	35	25	72	30	13	19	21	23	12	19	13	14
n-Propylbenzene		280	<100	710	54	34	41	53	58	14	5.1	0.98	2.1	2.5	16	10	27	17	21							
Styrene	<50	<25	309.4	<0.2	<0.2	<2	<10	<10	63	27	14	<0.50	<0.50	<0.50	<1.5	<3	<1.5	<2.0	<3.0							
Tetrachloroethene	<50	3	<100	<0.3	<0.6	<6	<20	<20	<10	<5.0	5	0.47	1.6	2	<2.0	<4	<2.0	<3.0	<3.0							
Tetrahydrofuran												<7.0	<7.0	<7.0	<20	<40	<20	<30	<40							
Toluene	189	<1	<100	<0.2	<0.2	<2	18	<5.0	<10	<5.0	<0.50	<0.40	<0.40	<0.40	<1.0	<2	<1.0	<2.2	<3.0							
Trichloroethene	<50	19	<100	<0.2	<0.3	<3	<15	<15	<12	<6.0	<0.60	0.31	0.34	0.33	<0.75	<1.5	<0.75	<2.1	<4.0							
Trichlorofluoromethane		<1	<100	<0.5	<0.6	<6	<20	<20	<8.0	<4.0	<0.40	<0.50	<0.70	<0.70	<2.0	<4	<2.0	<2.0	<4.0							
Vinyl acetate	<100											<8.0	<1.7	<1.7	<5.5	<11	<5.5	<30	<40							
Vinyl chloride	<100	<1	<100	<0.3	<0.5	<5	<20	<20	<6.0	<3.0	<0.30	<0.12	<0.15	<0.15	<0.75	<1.5	<0.75	<1.8	<1.9							
Xylene, m & p-		450	<200	90	46	23	87	75	33	6.4	2	<1.0	1.3	1.8	9.3	8.3	22	17	19		<4.5	<5.0	<2.2	6	<4.0	<4.0
Xylene, o-		600	<100	<0.2	<0.5	87	230	190	82	14	<0.50	0.62	4.6	6.5	38	38	86	76	55		23	18	11	20	13	15
Xylenes, Total	1000											0.62	5.9	8.3	47.3	46.3	108	93	74		23	18	11	26	13	15

Prepared By: T. Dushek, 12/5/18

Checked by: A. Voit, 12/16/18

NOTES:

All Units are in ug/L

Bold values indicate detections

A = Analyte averaged calibration criteria within acceptable limits

B = Analyte detected in associated Method Blank

M = Matrix spike or matrix spike duplicate outside acceptance limits.

J = Estimated Value

Q = Lab Control Sample outside acceptance limits

* = Suspected methylene chloride laboratory contamination.

Volatile Organic Compounds - Historical Data
WAULECO, INC - Wausau Facility
Well - W40-W40R

Parameter	07/15/10	07/25/11	07/19/12	07/08/13	07/08/14	07/09/15	07/12/16	07/18/17	07/19/18	07/18/19	07/16/20	7/16/2020 Duplicate	7/14/2021	7/11/2023	7/10/2024
1,1,1,2-Tetrachloroethane	<2.4	<10													
1,1,1-Trichloroethane	<2.1	<7.3													
1,1,2,2-Tetrachloroethane	<1.9	<7.5													
1,1,2-Trichloroethane	<2.6	<7.5													
1,1-Dichloroethane	<2.0	<7.0													
1,1-Dichloroethene	<2.4	<7.3													
1,1-Dichloropropene	<2.4	<10													
1,2,3-Trichlorobenzene	<3.0	<10													
1,2,3-Trichloropropane	<2.1	<10													
1,2,4-Trichlorobenzene	<3.0	<7.5													
1,2,4-Trimethylbenzene	2000	1700		4300	1600	1400	1400	2200	4400	1200	460	470	510	1200	1100
1,2-Dibromo-3-chloropropane	<4.0	<13													
1,2-Dibromoethane	<1.6	<7.5													
1,2-Dichlorobenzene	<2.3	<10													
1,2-Dichloroethane	<3.0	<7.5													
cis-1,2-Dichloroethene	<2.5	<7.5													
trans-1,2-Dichloroethene	<2.5	<7.5													
1,2-Dichloropropane	<2.2	<7.3													
1,3,5-Trimethylbenzene	590	610													
1,3-Dichlorobenzene	<2.6	<7.5													
cis-1,3-Dichloropropene	<1.9	<7.0													
1,3-Dichloropropane	<2.3	<7.5													
trans-1,3-Dichloropropene	<1.9	<7.5													
1,4-Dichlorobenzene	<2.3	<7.5													
2,2-Dichloropropane	<2.5	<7.0													
2-Butanone (MEK)	<24	<75													
2-Chlorethyl vinyl ether															
2-Chlorotoluene	<2.2	<7.5													
2-Hexanone	<40	<100													
4-Chlorotoluene	<2.1	<7.3													
4-Methyl-2-Pentanone (MIBK)	<30	<75													
Acetone	<50	<130													
Benzene	2.7	<7.5													
Bromobenzene	<2.0Q	<7.5													
Bromochloromethane	<2.2	<10													
Bromodichloromethane	<2.0	<7.5													
Bromoform	<2.2	<6.0													
Bromomethane	<5.0	<7.5													
n-Butylbenzene	150	73													
sec-Butylbenzene	78	49													
tert-Butylbenzene	22	17													
Carbon disulfide	<5.0	<15													
Carbon tetrachloride	<2.3	<10													
Chlorobenzene	<2.4	<7.5													
Chlorodibromomethane	<1.9	<6.5													
Chloroethane	<4.0	<7.5													
Chloroform	8	6.2													
Chloromethane	<4.0	<10													
Dibromomethane	<2.4	<7.5													
Dichlorodifluoromethane	<2.6	<7.5													
Diisopropyl Ether	<2.0	<7.5													
Ethylbenzene	38	36													
Hexachlorobutadiene	<3.0	<10													
Isopropylbenzene	49	50													

Volatile Organic Compounds - Historical Data
WAULECO, INC - Wausau Facility
Well - W40-W40R

Parameter	07/15/10	07/25/11	07/19/12	07/08/13	07/08/14	07/09/15	07/12/16	07/18/17	07/19/18	07/18/19	07/16/20	7/16/2020 Duplicate	7/14/2021	7/11/2023	7/10/2024
p-Isopropyltoluene	120	83													
Methyl tert-butyl ether	<2.9	<7.5													
Methylene chloride	8.9	31 B													
Naphthalene	170	230	150 M	600	250	200	200	300	580	150	<18	53	53	130	76 Q,Y
n-Propylbenzene	100	79													
Styrene	<2.0	<7.5													
Tetrachloroethene	<3.0	<7.5													
Tetrahydrofuran	<30	<100													
Toluene	12	14													
Trichloroethene	21	17													
Trichlorofluoromethane	<2.0	<10													
Vinyl acetate	<30	<100													
Vinyl chloride	<1.8	<4.8													
Xylene, m & p-	160	170		130	<50	66	120	89	100	31	<16	<16	21	57	34
Xylene, o-	460	450		680	440	380	450	440	790	270	88	88	82	280	170
Xylenes, Total	620	620		810	440	446	570	529	890	301	88	88	103	337	204

Prepared By: T. Dushek, 8/27/24

Checked by: A. Voit, 10/28/24

NOTES:

All Units are in ug/L

Bold values indicate detections

A = Analyte averaged calibration criteria within acceptable limits

B = Analyte detected in associated Method Blank

M = Matrix spike or matrix spike duplicate outside acceptance limits.

J = Estimated Value

Q = Lab Control Sample outside acceptance limits

* = Suspected methylene chloride laboratory contamination.

Volatile Organic Compounds - Historical Data
WAULECO, INC - Wausau Facility
Well - W41

Parameter	06/16/92	09/17/92	12/19/92	03/24/93	06/30/93	12/28/93	06/21/94	07/06/95	07/09/96	07/11/97	06/24/98	06/08/99	07/19/00	01/31/01	07/11/01	08/06/02	07/22/03	07/13/04	7/13/2004 Duplicate	07/19/05
1,1,1,2-Tetrachloroethane				<1		<1	<1		<10	<0.1	<0.3	<3	<4	<2.0	<2.0	<4.5	<4.5	<0.90	<4.5	<10.0
1,1,1-Trichloroethane	<50	<50	<5	<1	<100	<1	<1	<20	<10	<0.3	<0.3	<3	<3	<2.0	<1.5	<2.5	<2.5	<0.50	<2.5	<12.0
1,1,2,2-Tetrachloroethane	<50	<50	<5	<1	<100	<1	<1	<20	<10	<0.2	<0.2	<2	<4	<2.0	<2.0	<4.0	<4.0	<0.80	<4.0	<3.0
1,1,2-Trichloroethane	<50	<50	<5	<1	<100	<1	<1	<20	<10	<1	<0.2	<2	<2	<1.0	<1.0	<4.5	<4.5	<0.90	<4.5	<8.0
1,1-Dichloroethane	<50	<50	<5	<1	<100	<1	<1	<20	<10	<0.2	<0.2	<2	<4	<1.0	<2.0	<2.5	<2.5	<0.50	<2.5	<10.0
1,1-Dichloroethene	<50	<50	<5	<1	<100	<1	<1	<20	<10	<0.4	<0.2	<2	<9	<2.0	<4.5	<2.0	<2.0	<0.40	<2.0	<10.0
1,1-Dichloropropene				<1		<1	<1		<10	<0.2	<0.3	<3	<4	<2.0	<2.0	<2.5	<2.5	<0.50	<2.5	<10.0
1,2,3-Trichlorobenzene				<1	<100	<1	<1		<10	<0.5	<0.4	<4	<5	<3.0	<2.5	<2.5	<2.5	<0.50	<2.5	<12.0
1,2,3-Trichloropropane				<1		<1	<1		<10	<0.3	<0.2	<2	<3	<1.0	<1.5	<4.0	<4.0	<0.80	<4.0	<12.0
1,2,4-Trichlorobenzene				<1	<100	<1	<1		<10	<0.5	<0.3	<3	<5	<3.0	<2.5	<2.5	<2.5	<0.50	<2.5	<14.0
1,2,4-Trimethylbenzene				620	2200	110	20		137.7	160	340	310	250	270	200	86	130	4.0	90	220
1,2-Dibromo-3-chloropropane				<3	<300	<3	<3		<30	<0.3	<0.3	<3	<3	<4.0	<1.5	<2.0	<2.0	<0.40	<2.0	<22.0
1,2-Dibromoethane				<2	<200	<2	<2		<20	<0.2	<0.4	<4	<3	<1.0	<1.5	<1.5	<1.5	<0.30	<1.5	<12.0
1,2-Dichlorobenzene				<1	<100	<1	<1	<20	<10	<0.3	<0.3	<3	<3	<2.0	<1.5	<3.5	<3.5	<0.70	<3.5	<10.0
1,2-Dichloroethane	<50	<50	<5	<1	<100	<1	<1	<20	<10	<0.2	<0.2	<2	<4	<2.0	<2.0	<4.5	<4.5	<0.90	<4.5	<10.0
cis-1,2-Dichloroethene				<1	<100	<1	<1	<20	<10	<0.2	<0.2	<2	<4	<2.0	<2.0	<2.5	<2.5	<0.50	<2.5	<12.0
trans-1,2-Dichloroethene	<50	<50	<5	<1	<100	<1	<1	<20	<10	<0.2	<0.3	<3	<8	<1.0	<4.0	<2.0	<2.0	<0.40	<2.0	<12.0
1,2-Dichloropropane	<50	<50	<5	<1	<100	<1	<1	<20	<10	<0.1	<0.2	<2	<3	<2.0	<1.5	<2.0	<2.0	<0.40	<2.0	<10.0
1,3,5-Trimethylbenzene				230	2400	130	400		85.0	140	190	180	140	140	100	47	75	2.4	55	140
1,3-Dichlorobenzene				<1	<100	<1	<1	<20	<10	<0.7	<0.4	<4	<4	<1.0	<2.0	<2.5	<2.5	<0.50	<2.5	<10.0
cis-1,3-Dichloropropene	<50	<50	<5	<1	<100	<1	<1	<20	<10	<0.3	<0.3	<3	<2	<1.0	<1.0	<3.0	<3.0	<0.60	<3.0	<2.4
1,3-Dichloropropane				<1	<100	<1	<1		<10	<0.3	<0.6	<6	<4	<1.0	<2.0	<6.0	<6.0	<1.2	<6.0	<12.0
trans-1,3-Dichloropropene	<50	<50	<5	<1		<1	<1	<20	<10	<0.2	<0.2	<2	<5	<1.0	<2.5	<3.5	<3.5	<0.70	<3.5	<2.8
1,4-Dichlorobenzene				<1	<100	<1	<1	<20	<10	<0.3	<0.3	<3	<4	<1.0	<2.0	<2.5	<2.5	<0.50	<2.5	<10.0
2,2-Dichloropropane				<1	<100	<1	<1		<10	<0.2	<0.5	<5	<2	<2.0	<1.0	<3.0	<3.0	<0.60	<3.0	<12.0
2-Butanone (MEK)	<100	<100	38.5																	<140.
2-Chloroethyl vinyl ether								<200												
2-Chlorotoluene				<1	<100	<1	<1		<10	<0.4	<0.3	<3	<4	<1.0	<2.0	<3.0	<3.0	<0.60	<3.0	<10.0
2-Hexanone	<100	<100	<10																	<140.
4-Chlorotoluene				<1	<100	<1	<1		<10	<0.3	<0.3	<3	<3	<2.0	<1.5	<3.0	<3.0	<0.60	<3.0	<8.0
4-Methyl-2-Pentanone (MIBK)	<100	<100	<10																	<140.
Acetone	191	123	170																	<180.
Benzene	<50	<50	<5	<1	<100	<1	<1	<20	<10	<0.2	<0.3	<3	<1	<1.0	<0.5	<2.0	<2.0	<0.40	<2.0	<8.0
Bromobenzene				<1	<100	<1	<1		<10	<0.3	<0.2	<2	<5	<1.0	<2.5	<2.5	<2.5	<0.50	<2.5	<10.0
Bromochloromethane				<1		<1	<1		<10	<0.4	<0.2	<2	<4	<1.0	<2.0	<2.5	<2.5	<0.50	<2.5	<10.0
Bromodichloromethane	<50	<50	<5	<1	<100	<1	<1	<20	<10	<0.2	<0.2	<2	<2	<1.0	<1.0	<2.0	<2.0	<0.40	<2.0	<2.6
Bromoform	<50	<50	<5	<1		<1	<1	<20	<10	<0.3	<0.2	<2	<1	<2.0	<0.5	<3.0	<3.0	<0.60	<3.0	<10.0
Bromomethane	<100	<100	<10	<2		<2	<2	<40	<20	<0.3	<0.9	<9	<4	<4.0	<2.0	<4.0	<4.0	<0.80	<4.0	<16.0
n-Butylbenzene				230	4800	120	280		128.9	110	170	180	190	18	120	76	150	14	64	18
sec-Butylbenzene				58	2900	12	13		21.7	<0.3	60	75	47	18	39	15	35	8	21	14
tert-Butylbenzene				<1	<100	<1	<1		<10	<0.3	40	<3	<1	9.1	<0.5	<2.5	<2.5	5.6	<2.5	<10.0
Carbon disulfide	<50	<50	<5																	<22.
Carbon tetrachloride	<50	<50	<5	<1	<100	<1	<1	<20	<10	<0.2	<0.4	<4	<3	<1.0	<1.5	<3.0	<3.0	<0.60	<3.0	<10.0
Chlorobenzene	<50	<50	<5	<1	<100	<1	<1	<20	<10	<0.3	<0.3	<3	<3	<1.0	<1.5	<4.0	<4.0	<0.80	<4.0	<10.0
Chlorodibromomethane	<50	<50	<5	<1	<100	<1	<1	<20	<10	<0.3	<0.3	<3	<4	<2.0	<2.0	<2.0	<2.0	<0.40	<2.0	<12.0
Chloroethane	<100	<100	<10	<2	<200	<2	<2	<40	<20	<0.4	<0.8	<8	<5	<4.0	<2.5	<2.5	<2.5	<0.50	<2.5	<14.0
Chloroform	<50	<50	<5	<1	<100	<1	2.8	<20	<10	<0.2	<0.2	<2	<5	<1.0	<2.5	<3.0	<3.0	<0.60	<3.0	<10.0

Volatile Organic Compounds - Historical Data
WAULECO, INC - Wausau Facility
Well - W41

Parameter	06/16/92	09/17/92	12/19/92	03/24/93	06/30/93	12/28/93	06/21/94	07/06/95	07/09/96	07/11/97	06/24/98	06/08/99	07/19/00	01/31/01	07/11/01	08/06/02	07/22/03	07/13/04	7/13/2004 Duplicate	07/19/05
Chloromethane	<100	<100	<10	<2	<200	<2	<2	<40	<20	<0.7	<0.9	<9	<3	<2.0	<1.5	<2.0	<2.0	<0.40	<2.0	<4.8
Dibromomethane				<1		<1	<1		<10	<0.1	<0.2	<2	<4	<2.0	<2.0	<2.5	<2.5	<0.50	<2.5	<14.0
Dichlorodifluoromethane				<2	<200	<2	<2		<20	<0.3	<1.2	<12	<5	<1.0	<2.5	<2.5	<2.5	<0.50	<2.5	<12.0
Diisopropyl Ether					<100							<3	<1	<1.0	<0.5	<2.5	<2.5	<0.50	<2.5	<10.0
Ethylbenzene	<50	<50	<5	6.3	600	<1	<1	<20	<10	<0.2	<0.2	<2	<1	1.4	<0.5	<2.5	<2.5	<0.50	<2.5	<10.0
Hexachlorobutadiene				<1	<100	<1	<1		<10	<0.5	<0.6	<6	<6	<2.0	<3.0	<2.5	<2.5	<0.50	<2.5	<12.0
Isopropylbenzene				57	2000	7.1	14		21.9	<0.2	68	60	22	8.9	35	10	<2.5	0.92 J	18	<8.0
p-Isopropyltoluene				<1	1200	13	<1		56.0	<0.4	40	160	40	16	39	16	42	<0.50	<2.5	19
Methyl tert-butyl ether					<100							<2	<11	<3.0	<5.5	<2.5	<2.5	<0.50	<2.5	<12.0
Methylene chloride	<50	53.7	<10	<3	<300	<3	<3	<60	<30	<0.3	<0.5	<5	<19	<4.0	<9.5	<5.0	<5.0	3.0 J,A,B,Q	25 A,B,Q	<8.0
Naphthalene	<103	48.1	52.3	95	630	44	27	52	17.2	<0.8	34	32	19	26	15	4.6	10	0.84 J	5.5 J	<12.0
n-Propylbenzene				36	2400	6.6	<1		25.6	110	54	57	32	14	35	12	23	0.78 J	16	12
Styrene	<50	<50	<5	5.9		<1	<1		<10	<0.2	<0.2	<2	<2	<1.0	<1.0	18	65	2.1	36	<10.0
Tetrachloroethene	<50	<50	<5	1.3	<100	3.8	6.5	<20	<10	<0.3	<0.6	<6	<4	1.6	10	4.1	9.0	<0.50	5.7 J	<8.0
Tetrahydrofuran																		0.60		<140
Toluene	<50	<50	<5	7.5	<100	3.6	<1	<20	<10	<0.2	<0.2	<2	4	<2.0	<0.5	<2.5	<2.5	<0.50	<2.5	<8.0
Trichloroethene	<50	<50	<5	3.8	<100	4	4.4	<20	<10	<0.2	<0.3	<3	<3	<2.0	<1.5	<3.0	<3.0	<0.15	<3.0	<3.0
Trichlorofluoromethane				<1	<100	<1	<1	<20	<10	<0.5	<0.6	<6	<4	<2.0	<2.0	<2.0	<2.0	<0.40	<2.0	<10.0
Vinyl acetate	<100	<100	<10																	<160.
Vinyl chloride	<100	<100	<10	<1	<100	<1	<1	<20	<10	<0.3	<0.5	<5	<4	<1.0	<2.0	<1.5	<1.5	<0.30	<1.5	<2.4
Xylene, m & p-				60	500	5	5.8	77	<20	<0.4	48	22	11	7.6	13	4.7	14	<0.60	7.1 J	<20.0
Xylene, o-				190	2700	18	160	140	<10	<0.2	<0.5	140	69	21	<0.5	<2.5	<2.5	<0.50	<2.5	15
Xylenes, Total	66.2	135	67.3																	15

Volatile Organic Compounds - Historical Data
WAULECO, INC - Wausau Facility
Well - W41

Parameter	07/19/06	07/10/07	07/24/08	07/07/09	07/14/10	07/20/11	07/10/12	07/05/13	07/09/14	07/08/15	07/12/16	07/18/17	07/18/18	07/15/19	07/08/20	07/13/21	07/11/22	07/11/23	07/09/24
1,1,1,2-Tetrachloroethane	<3.5 *	<3.0	<3.0	<0.60	<0.24	<0.40													
1,1,1-Trichloroethane	<2.5 *	<3.0	<3.0	<0.60	<0.21	<0.29													
1,1,2,2-Tetrachloroethane	<0.65 *	<0.70	<0.70	<0.14	<0.19	<0.30													
1,1,2-Trichloroethane	<2.5 *	<2.5	<2.5	<0.50	<0.26	<0.30													
1,1-Dichloroethane	<2.0 *	<2.0	<2.0	<0.40	<0.20	<0.28													
1,1-Dichloroethene	<1.5 *	<2.0	<2.0	<0.40	<0.24	<0.29													
1,1-Dichloropropene	<3.0 *	<2.5	<2.5	<0.50	<0.24	<0.40													
1,2,3-Trichlorobenzene	<2.5 *	<2.5	<2.5	<0.50	<0.30	<0.40													
1,2,3-Trichloropropane	<3.5 *	<1.5	<1.5	<0.30	<0.21	<0.40													
1,2,4-Trichlorobenzene	<3.5 *	<2.0	<2.0	<0.40	<0.30	<0.30													
1,2,4-Trimethylbenzene	200 *	1	29	120	49	150		54	170	230	300	160	220	310	290	150	140	170	20
1,2-Dibromo-3-chloropropane	<1.5 *	<2.0	<2.0	<0.40	<0.40	<0.50													
1,2-Dibromoethane	<2.5 *	<0.65	<0.65	<0.13	<0.16	<0.30													
1,2-Dichlorobenzene	<2.5 *	<2.0	<2.0	<0.40	<0.23	<0.40													
1,2-Dichloroethane	<2.5 *	<1.5	<1.5	<0.30	<0.30	<0.30													
cis-1,2-Dichloroethene	<2.0 *	<2.0	<2.0	<0.40	<0.25	<0.30													
trans-1,2-Dichloroethene	<2.0 *	<2.5	<2.5	<0.50	<0.25	<0.30													
1,2-Dichloropropane	<2.5 *	<1.1	<1.1	<0.21	<0.22	<0.29													
1,3,5-Trimethylbenzene	110 *	150	27	120	47	60													
1,3-Dichlorobenzene	<2.0 *	<2.0	<0.95	<0.40	<0.26	<0.30													
cis-1,3-Dichloropropene	<0.75 *	<0.70	<0.70	<0.14	<0.19	<0.28													
1,3-Dichloropropane	<2.5 *	<0.95	<0.95	<0.19	<0.23	<0.30													
trans-1,3-Dichloropropene	<0.70 *	<0.70	<0.70	<0.14	<0.19	<0.30													
1,4-Dichlorobenzene	<3.0 *	<2.5	<2.5	<0.50	<0.23	<0.30													
2,2-Dichloropropane	<3.0 *	<1.5	<1.5	<0.30	<0.25	<0.28													
2-Butanone (MEK)	46 *	27	<20	9.7	2.4	3.8													
2-Chloroethyl vinyl ether																			
2-Chlorotoluene	<2.5 *	<1.5	<1.5	<0.30	<0.22	<0.30													
2-Hexanone	<40 *	<20	<20	<4.0	<4.0	<4.0													
4-Chlorotoluene	<3.0 *	<1.5	<1.5	<0.30	<0.21	<0.29													
4-Methyl-2-Pentanone (MIBK)	<30 *	<15	<15	<3.0	<3.0	<3.0													
Acetone	55 *	43	<35	<7.0	<5.0	<5.0													
Benzene	<2.0 *	<0.80	<0.80	<0.16	<0.19	<0.30													
Bromobenzene	<3.0 *	<1.5	<1.5	<0.30	<0.20	<0.30													
Bromochloromethane	<3.5 *	<1.1	<1.1	<0.21	<0.22	<0.40													
Bromodichloromethane	<0.75 *	<0.95	<0.95	<0.19	<0.20	<0.30													
Bromoform	<1.1 *	<2.5	<2.5	<0.50	<0.22	<0.24													
Bromomethane	<4.5 *	<2.0	<2.0	<0.40	<0.50	<0.30													
n-Butylbenzene	21 *	26	10	28	11	6.1													
sec-Butylbenzene	20 *	20	7.4	18	9.2	4.7													
tert-Butylbenzene	10 *	9.7	2.4	9.4	3.5	4.5													
Carbon disulfide	<5.0 *	<2.5	<2.5	<0.50	<0.50	<0.60													
Carbon tetrachloride	<2.5 *	<2.0	<2.0	<0.40	<0.23	<0.40													
Chlorobenzene	<2.0 *	<1.5	<1.5	<0.30	<0.24	<0.30													
Chlorodibromomethane	<3.0 *	<1.2	<1.2	<0.23	<0.19	<0.26													
Chloroethane	4.9 *	3.4	<2.0	<0.40	<0.40	<0.30													
Chloroform	<2.5 *	<1.1	<1.1	<0.22	<0.15	11													

Volatile Organic Compounds - Historical Data
WAULECO, INC - Wausau Facility
Well - W41

Parameter	07/19/06	07/10/07	07/24/08	07/07/09	07/14/10	07/20/11	07/10/12	07/05/13	07/09/14	07/08/15	07/12/16	07/18/17	07/18/18	07/15/19	07/08/20	07/13/21	07/11/22	07/11/23	07/09/24
Chloromethane	2.3 *	2.8	<1.5	0.68AB	<0.40	<0.40													
Dibromomethane	<4.0 *	<2.0	<2.0	<0.40	<0.24	<0.30													
Dichlorodifluoromethane	<1.5 *	<2.0	<2.0	<0.40	<0.26	<0.30													
Diisopropyl Ether	<2.0 *	<2.5	<2.5	<0.50	<0.20	<0.30													
Ethylbenzene	<2.5 *	<1.4	<1.4	0.47	0.41	0.91													
Hexachlorobutadiene	<4.5 *	<3.0	<3.0	<0.60	<0.30	<0.40													
Isopropylbenzene	7.4 *	7.1	<1	3.8	0.27	7.7													
p-Isopropyltoluene	24 *	23	8.8	22	8.7	3.3													
Methyl tert-butyl ether	<2.0 *	<1.2	<1.2	<0.23	<0.29	<0.30													
Methylene chloride	19 Q*	12	<2.5	<0.50	<0.40	0.54 B													
Naphthalene	9.4 *	11	<3.0	5.2	<0.40	22	<1.6 V	25	50	52	42	26	40	38	26	21 Y	11	14	1.5
n-Propylbenzene	14 *	15	3	8.5	3.7	11													
Styrene	<2.5 *	<1.5	<1.5	<0.30	<0.20	<0.30													
Tetrachloroethene	2.1 *	<2.0	3	2.4	1.8	2.3													
Tetrahydrofuran	<35 *	<20	<20	<4.0	<3.0	<4.0													
Toluene	<2.0 *	<1.0	<1.0	<0.20	<0.22	<0.30													
Trichloroethene	<0.75 *	<0.75	<0.75	0.36	<0.21	<0.40													
Trichlorofluoromethane	<3.5 *	<2.0	<2.0	<0.40	<0.20	<0.40													
Vinyl acetate	<8.5 *	<5.5	<5.5	<1.1	<3.0	<4.0													
Vinyl chloride	<0.75 *	<0.75	<0.75	<0.15	<0.18	<0.19													
Xylene, m & p-	<4.5 *	4.1	<2.5	2.3	2.1	3.6		5.1	6.8	8.1	16	<8.0	6	<8	2.5	<8	<20	<20	<0.74
Xylene, o-	18 *	19	12	17	14	31		57	96	89	110	56	50	45	31	<4.0	18	21	1.8
Xylenes, Total	18 *	23.1	12	19.3	16.1	34.6		62.1	102.8	97.1	126	56	56	45	33.5	<12	18	21	1.8

Prepared By: T. Dushek, 8/27/24

Checked by: A. Voit, 10/28/24

NOTES:

All Units are in ug/L

Bold values indicate detections

A = Analyte averaged calibration criteria within acceptable limits

B = Analyte detected in associated Method Blank

M = Matrix spike or matrix spike duplicate outside acceptance limits.

J = Estimated Value

Q = Lab Control Sample outside acceptance limits

* = Suspected methylene chloride laboratory contamination.

Volatile Organic Compounds - Historical Data
WAULECO, INC - Wausau Facility
Well - W69

Parameter	07/14/04	7/14/2004 Duplicate	07/23/08	07/25/11	07/10/12	07/08/13
1,1,1,2-Tetrachloroethane	<18	<18	<6	<0.80		
1,1,1-Trichloroethane	<10	<10	<6	<0.58		
1,1,2,2-Tetrachloroethane	<16	<16	<1.4	<0.60		
1,1,2-Trichloroethane	<18	<18	<5	<0.60		
1,1-Dichloroethane	<10	<10	<4	<0.56		
1,1-Dichloroethene	<8.0	<8.0	<4	<0.58		
1,1-Dichloropropene	<10	<10	<5	<0.80		
1,2,3-Trichlorobenzene	<10	<10	<5	<0.80		
1,2,3-Trichloropropane	<16	<16	<3	<0.80		
1,2,4-Trichlorobenzene	<10	<10	<4	<0.60		
1,2,4-Trimethylbenzene	740	1700	620	140		210
1,2-Dibromo-3-chloropropane	<8.0	<8.0	<4	<1.0		
1,2-Dibromoethane	<6.0	<6.0	<1.3	<0.60		
1,2-Dichlorobenzene	<14	<14	<4	<0.80		
1,2-Dichloroethane	<18	<18	<3	<0.60		
cis-1,2-Dichloroethene	<10	<10	<4	<0.60		
trans-1,2-Dichloroethene	<8.0	<8.0	<5	<0.60		
1,2-Dichloropropane	<8.0	<8.0	<2.1	<0.58		
1,3,5-Trimethylbenzene	320	820	170	72		
1,3-Dichlorobenzene	<10	<10	<4	<0.60		
cis-1,3-Dichloropropene	<12	<12	<1.4	<0.56		
1,3-Dichloropropane	<24	<24	<1.9	<0.60		
trans-1,3-Dichloropropene	<14	<14	<1.4	<0.60		
1,4-Dichlorobenzene	<10	<10	<5	<0.60		
2,2-Dichloropropane	<12	<12	<3	<0.56		
2-Butanone (MEK)			<40	<6.0		
2-Chloroethyl vinyl ether						
2-Chlorotoluene	<12	<12	<3	<0.60		
2-Hexanone			<40	<8.0		
4-Chlorotoluene	<12	<12	<3	<0.58		
4-Methyl-2-Pentanone (MIBK)			<30	<6.0		
Acetone			<70	<10		
Benzene	<8.0	<8.0	<1.6	<0.60		
Bromobenzene	<10	<10	<3	<0.60		
Bromochloromethane	<10	<10	<2.1	<0.80		
Bromodichloromethane	<8.0	<8.0	<1.9	<0.60		
Bromoform	<12	<12	<5	<0.48		
Bromomethane	<16	<16	<4	<0.60		
n-Butylbenzene	270	760	14	21		
sec-Butylbenzene	45	130	13	16		
tert-Butylbenzene	<10	<10	4.1	3.7		

Volatile Organic Compounds - Historical Data
WAULECO, INC - Wausau Facility
Well - W69

Parameter	07/14/04	7/14/2004 Duplicate	07/23/08	07/25/11	07/10/12	07/08/13
Carbon disulfide			<5	<1.2		
Carbon tetrachloride	<12	<12	<4	<0.80		
Chlorobenzene	<16	<16	<3	<0.60		
Chlorodibromomethane	<8.0	<8.0	<2.3	<0.52		
Chloroethane	<10	<10	<4	<0.60		
Chloroform	<12	<12	<2.2	<0.46		
Chloromethane	<8	<8	<3	<0.80		
Dibromomethane	<10	<10	<4	<0.60		
Dichlorodifluoromethane	<10	<10	<4	<0.60		
Diisopropyl Ether	<10	<10	<5	<0.60		
Ethylbenzene	<10	16	24	3.5		
Hexachlorobutadiene	<10	<10	<6	<0.80		
Isopropylbenzene	46	110	40	9.5		
p-Isopropyltoluene	56	180	15	16		
Methyl tert-butyl ether	<10	<10	<2.3	<0.60		
Methylene chloride	76	78	<5	<0.80		
Naphthalene	32	46	33	7	2.8	23
n-Propylbenzene	78	190	67	18		
Styrene	<10	<10	<3	<0.60		
Tetrachloroethene	15	49	<4	2.4		
Tetrahydrofuran			<40	<8.0		
Toluene	<10	<10	4.5	0.75		
Trichloroethene	<12	<12	8.5	3.2		
Trichlorofluoromethane	<8.0	<8.0	<4	<0.80		
Vinyl acetate			<11	<8.0		
Vinyl chloride	<6.0	<6.0	<1.5	<0.38		
Xylene, m & p-	54	96	76	9.6		10
Xylene, o-	230	470	220	56		52
Xylenes, Total	284	566	296	65.6		62

Prepared By: T. Dushek, 8/7/13

Checked by: A.Voit, 9/21/13

NOTES:

All Units are in ug/L

Bold values indicate detections

A = Analyte averaged calibration criteria within acceptable limits

B = Analyte detected in associated Method Blank

M = Matrix spike or matrix spike duplicate outside acceptance limits.

J = Estimated Value

Q = Lab Control Sample outside acceptance limits

* = Suspected methylene chloride laboratory contamination.

WDNR letter dated March 18, 2014 concurred with a TRC letter dated October 13, 2013 that this well could be eliminated from the monitoring network.

Volatile Organic Compounds - Historical Data
WAULECO, INC - Wausau Facility
Well - W71

Parameter	07/01/16	07/10/17	07/10/18	07/15/19	07/06/20	07/06/21	07/05/22	07/05/23	07/01/24
1,1,1,2-Tetrachloroethane									
1,1,1-Trichloroethane									
1,1,2,2-Tetrachloroethane									
1,1,2-Trichloroethane									
1,1-Dichloroethane									
1,1-Dichloroethene									
1,1-Dichloropropene									
1,2,3-Trichlorobenzene									
1,2,3-Trichloropropane									
1,2,4-Trichlorobenzene									
1,2,4-Trimethylbenzene	<0.40	<0.40	<0.40	<0.40	<0.40	<0.40	<0.91	<0.91	<0.34
1,2-Dibromo-3-chloropropane									
1,2-Dibromoethane									
1,2-Dichlorobenzene									
1,2-Dichloroethane									
cis-1,2-Dichloroethene									
trans-1,2-Dichloroethene									
1,2-Dichloropropane									
1,3,5-Trimethylbenzene									
1,3-Dichlorobenzene									
cis-1,3-Dichloropropene									
1,3-Dichloropropane									
trans-1,3-Dichloropropene									
1,4-Dichlorobenzene									
2,2-Dichloropropane									
2-Butanone (MEK)									
2-Chlorethyl vinyl ether									
2-Chlorotoluene									
2-Hexanone									
4-Chlorotoluene									
4-Methyl-2-Pentanone (MIBK)									
Acetone									
Benzene									
Bromobenzene									
Bromochloromethane									
Bromodichloromethane									
Bromoform									
Bromomethane									
n-Butylbenzene									
sec-Butylbenzene									
tert-Butylbenzene									
Carbon disulfide									
Carbon tetrachloride									
Chlorobenzene									
Chlorodibromomethane									
Chloroethane									
Chloroform									
Chloromethane									
Dibromomethane									
Dichlorodifluoromethane									
Diisopropyl Ether									
Ethylbenzene									
Hexachlorobutadiene									
Isopropylbenzene									

Volatile Organic Compounds - Historical Data
WAULECO, INC - Wausau Facility
Well - W71

Parameter	07/01/16	07/10/17	07/10/18	07/15/19	07/06/20	07/06/21	07/05/22	07/05/23	07/01/24
p-Isopropyltoluene									
Methyl tert-butyl ether									
Methylene chloride									
Naphthalene	<0.90	<0.90	<0.90	<0.90	<0.90	<0.90	<1.1	<1.1	<0.35
n-Propylbenzene									
Styrene									
Tetrachloroethene									
Tetrahydrofuran									
Toluene									
Trichloroethene									
Trichlorofluoromethane									
Vinyl acetate									
Vinyl chloride									
Xylene, m & p-	<0.80	<0.80	<0.80	<0.80	<0.80	<0.80	<2.0	<2.0	<0.74
Xylene, o-	<0.40	<0.40	<0.40	<0.40	<0.40	<0.40	<1.1	<1.1	<0.72
Xylenes, Total	<1.2	<1.2	<1.2	<1.2	<1.2	<1.2	<3.1	<3.1	<1.46

Prepared By: T. Dushek, 8/27/24

Checked by: A. Voit, 10/28/24

NOTES:

All Units are in ug/L

Bold values indicate detections

A = Analyte averaged calibration criteria within acceptable limits

B = Analyte detected in associated Method Blank

M = Matrix spike or matrix spike duplicate outside acceptance limits.

J = Estimated Value

Q = Lab Control Sample outside acceptance limits

* = Suspected methylene chloride laboratory contamination.

Volatile Organic Compounds - Historical Data
WAULECO, INC - Wausau Facility
Well - W72

Parameter	07/01/16	07/10/17	07/10/18	07/11/19	07/06/20	07/06/21	07/05/22	07/05/23	07/01/24
1,1,1,2-Tetrachloroethane									
1,1,1-Trichloroethane									
1,1,2,2-Tetrachloroethane									
1,1,2-Trichloroethane									
1,1-Dichloroethane									
1,1-Dichloroethene									
1,1-Dichloropropene									
1,2,3-Trichlorobenzene									
1,2,3-Trichloropropane									
1,2,4-Trichlorobenzene									
1,2,4-Trimethylbenzene	<0.40	<0.40	<0.40	<0.40	<0.40	<0.40	<0.91	<0.91	<0.34
1,2-Dibromo-3-chloropropane									
1,2-Dibromoethane									
1,2-Dichlorobenzene									
1,2-Dichloroethane									
cis-1,2-Dichloroethene									
trans-1,2-Dichloroethene									
1,2-Dichloropropane									
1,3,5-Trimethylbenzene									
1,3-Dichlorobenzene									
cis-1,3-Dichloropropene									
1,3-Dichloropropane									
trans-1,3-Dichloropropene									
1,4-Dichlorobenzene									
2,2-Dichloropropane									
2-Butanone (MEK)									
2-Chlorethyl vinyl ether									
2-Chlorotoluene									
2-Hexanone									
4-Chlorotoluene									
4-Methyl-2-Pentanone (MIBK)									
Acetone									
Benzene									
Bromobenzene									
Bromochloromethane									
Bromodichloromethane									
Bromoform									
Bromomethane									
n-Butylbenzene									
sec-Butylbenzene									
tert-Butylbenzene									
Carbon disulfide									
Carbon tetrachloride									
Chlorobenzene									
Chlorodibromomethane									
Chloroethane									
Chloroform									
Chloromethane									
Dibromomethane									
Dichlorodifluoromethane									
Diisopropyl Ether									
Ethylbenzene									
Hexachlorobutadiene									
Isopropylbenzene									

Volatile Organic Compounds - Historical Data
WAULECO, INC - Wausau Facility
Well - W72

Parameter	07/01/16	07/10/17	07/10/18	07/11/19	07/06/20	07/06/21	07/05/22	07/05/23	07/01/24
p-Isopropyltoluene									
Methyl tert-butyl ether									
Methylene chloride									
Naphthalene	<0.90	<0.90	<0.90	<0.90	<0.90	<0.90	<1.1	<1.1	<0.35
n-Propylbenzene									
Styrene									
Tetrachloroethene									
Tetrahydrofuran									
Toluene									
Trichloroethene									
Trichlorofluoromethane									
Vinyl acetate									
Vinyl chloride									
Xylene, m & p-	<0.80	<0.80	<0.80	<0.80	<0.80	<0.80	<2.0	<2.0	<0.74
Xylene, o-	<0.40	<0.40	<0.40	<0.40	<0.40	<0.40	<1.1	<1.1	<0.72
Xylenes, Total	<1.2	<1.2	<1.2	<1.2	<1.2	<1.2	<3.1	<3.1	<1.46

Prepared By: T. Dushek, 8/27/24

Checked by: A. Voit, 10/28/24

NOTES:

All Units are in ug/L

Bold values indicate detections

A = Analyte averaged calibration criteria within acceptable limits

B = Analyte detected in associated Method Blank

M = Matrix spike or matrix spike duplicate outside acceptance limits.

J = Estimated Value

Q = Lab Control Sample outside acceptance limits

* = Suspected methylene chloride laboratory contamination.

Volatile Organic Compounds - Historical Data
WAULECO, INC - Wausau Facility
Well - W73

Parameter	07/01/16	07/10/17	07/10/18	07/11/19	07/07/20	07/08/21	07/05/22	07/05/23	07/02/24
1,1,1,2-Tetrachloroethane									
1,1,1-Trichloroethane									
1,1,2,2-Tetrachloroethane									
1,1,2-Trichloroethane									
1,1-Dichloroethane									
1,1-Dichloroethene									
1,1-Dichloropropene									
1,2,3-Trichlorobenzene									
1,2,3-Trichloropropane									
1,2,4-Trichlorobenzene									
1,2,4-Trimethylbenzene	<0.40	<0.40	<0.40	<0.40	<0.40	<0.40	<0.91	<0.91	<0.34
1,2-Dibromo-3-chloropropane									
1,2-Dibromoethane									
1,2-Dichlorobenzene									
1,2-Dichloroethane									
cis-1,2-Dichloroethene									
trans-1,2-Dichloroethene									
1,2-Dichloropropane									
1,3,5-Trimethylbenzene									
1,3-Dichlorobenzene									
cis-1,3-Dichloropropene									
1,3-Dichloropropane									
trans-1,3-Dichloropropene									
1,4-Dichlorobenzene									
2,2-Dichloropropane									
2-Butanone (MEK)									
2-Chlorethyl vinyl ether									
2-Chlorotoluene									
2-Hexanone									
4-Chlorotoluene									
4-Methyl-2-Pentanone (MIBK)									
Acetone									
Benzene									
Bromobenzene									
Bromochloromethane									
Bromodichloromethane									
Bromoform									
Bromomethane									
n-Butylbenzene									
sec-Butylbenzene									
tert-Butylbenzene									
Carbon disulfide									
Carbon tetrachloride									
Chlorobenzene									
Chlorodibromomethane									
Chloroethane									
Chloroform									
Chloromethane									
Dibromomethane									
Dichlorodifluoromethane									
Diisopropyl Ether									
Ethylbenzene									
Hexachlorobutadiene									
Isopropylbenzene									

Volatile Organic Compounds - Historical Data
WAULECO, INC - Wausau Facility
Well - W73

Parameter	07/01/16	07/10/17	07/10/18	07/11/19	07/07/20	07/08/21	07/05/22	07/05/23	07/02/24
p-Isopropyltoluene									
Methyl tert-butyl ether									
Methylene chloride									
Naphthalene	<0.90	<0.90	<0.90	<0.90	<0.90	<0.90	<1.1	<1.1	<0.35
n-Propylbenzene									
Styrene									
Tetrachloroethene									
Tetrahydrofuran									
Toluene									
Trichloroethene									
Trichlorofluoromethane									
Vinyl acetate									
Vinyl chloride									
Xylene, m & p-	<0.80	<0.80	<0.80	<0.80	<0.80	<0.80	<2.0	<2.0	<0.74
Xylene, o-	<0.40	<0.40	<0.40	<0.40	<0.40	<0.40	<1.1	<1.1	<0.72
Xylenes, Total	<1.2	<1.2	<1.2	<1.2	<1.2	<1.2	<3.1	<3.1	<1.46

Prepared By: T. Dushek, 8/27/24

Checked by: A. Voit, 10/28/24

NOTES:

All Units are in ug/L

Bold values indicate detections

A = Analyte averaged calibration criteria within acceptable limits

B = Analyte detected in associated Method Blank

M = Matrix spike or matrix spike duplicate outside acceptance limits.

J = Estimated Value

Q = Lab Control Sample outside acceptance limits

* = Suspected methylene chloride laboratory contamination.

Volatile Organic Compounds - Historical Data
WAULECO, INC - Wausau Facility
Well - W74

Parameter	07/01/16	07/10/17	07/10/18	07/11/19	07/07/20	07/06/21	07/05/22	07/05/23	07/01/24
1,1,1,2-Tetrachloroethane									
1,1,1-Trichloroethane									
1,1,2,2-Tetrachloroethane									
1,1,2-Trichloroethane									
1,1-Dichloroethane									
1,1-Dichloroethene									
1,1-Dichloropropene									
1,2,3-Trichlorobenzene									
1,2,3-Trichloropropane									
1,2,4-Trichlorobenzene									
1,2,4-Trimethylbenzene	<0.40	<0.40	<0.40	<0.40	<0.40	<0.40	<0.91	<0.91	<0.34
1,2-Dibromo-3-chloropropane									
1,2-Dibromoethane									
1,2-Dichlorobenzene									
1,2-Dichloroethane									
cis-1,2-Dichloroethene									
trans-1,2-Dichloroethene									
1,2-Dichloropropane									
1,3,5-Trimethylbenzene									
1,3-Dichlorobenzene									
cis-1,3-Dichloropropene									
1,3-Dichloropropane									
trans-1,3-Dichloropropene									
1,4-Dichlorobenzene									
2,2-Dichloropropane									
2-Butanone (MEK)									
2-Chlorethyl vinyl ether									
2-Chlorotoluene									
2-Hexanone									
4-Chlorotoluene									
4-Methyl-2-Pentanone (MIBK)									
Acetone									
Benzene									
Bromobenzene									
Bromochloromethane									
Bromodichloromethane									
Bromoform									
Bromomethane									
n-Butylbenzene									
sec-Butylbenzene									
tert-Butylbenzene									
Carbon disulfide									
Carbon tetrachloride									
Chlorobenzene									
Chlorodibromomethane									
Chloroethane									
Chloroform									
Chloromethane									
Dibromomethane									
Dichlorodifluoromethane									
Diisopropyl Ether									
Ethylbenzene									
Hexachlorobutadiene									
Isopropylbenzene									

Volatile Organic Compounds - Historical Data
WAULECO, INC - Wausau Facility
Well - W74

Parameter	07/01/16	07/10/17	07/10/18	07/11/19	07/07/20	07/06/21	07/05/22	07/05/23	07/01/24
p-Isopropyltoluene									
Methyl tert-butyl ether									
Methylene chloride									
Naphthalene	<0.90	<0.90	<0.90	<0.90	<0.90	<0.90	<1.1	<1.1	<0.35
n-Propylbenzene									
Styrene									
Tetrachloroethene									
Tetrahydrofuran									
Toluene									
Trichloroethene									
Trichlorofluoromethane									
Vinyl acetate									
Vinyl chloride									
Xylene, m & p-	<0.80	<0.80	<0.80	<0.80	<0.80	<0.80	<2.0	<2.0	<0.74
Xylene, o-	<0.40	<0.40	<0.40	<0.40	<0.40	<0.40	<1.1	<1.1	<0.72
Xylenes, Total	<1.2	<1.2	<1.2	<1.2	<1.2	<1.2	<3.1	<3.1	<1.46

Prepared By: T. Dushek, 8/27/24

Checked by: A. Voit, 10/28/24

NOTES:

All Units are in ug/L

Bold values indicate detections

A = Analyte averaged calibration criteria within acceptable limits

B = Analyte detected in associated Method Blank

M = Matrix spike or matrix spike duplicate outside acceptance limits.

J = Estimated Value

Q = Lab Control Sample outside acceptance limits

* = Suspected methylene chloride laboratory contamination.

Volatile Organic Compounds - Historical Data
WAULECO, INC - Wausau Facility
Well - DFOMW5

Parameter	07/11/16	07/20/17	07/16/18	07/16/19	07/13/20	07/12/21	07/13/22	07/10/23	07/09/24
1,1,1,2-Tetrachloroethane									
1,1,1-Trichloroethane									
1,1,2,2-Tetrachloroethane									
1,1,2-Trichloroethane									
1,1-Dichloroethane									
1,1-Dichloroethene									
1,1-Dichloropropene									
1,2,3-Trichlorobenzene									
1,2,3-Trichloropropane									
1,2,4-Trichlorobenzene									
1,2,4-Trimethylbenzene	0.50	<0.40	<0.40	<0.40	<0.40	2.60	<0.91	<0.91	<0.34
1,2-Dibromo-3-chloropropane									
1,2-Dibromoethane									
1,2-Dichlorobenzene									
1,2-Dichloroethane									
cis-1,2-Dichloroethene									
trans-1,2-Dichloroethene									
1,2-Dichloropropane									
1,3,5-Trimethylbenzene									
1,3-Dichlorobenzene									
cis-1,3-Dichloropropene									
1,3-Dichloropropane									
trans-1,3-Dichloropropene									
1,4-Dichlorobenzene									
2,2-Dichloropropane									
2-Butanone (MEK)									
2-Chlorethyl vinyl ether									
2-Chlorotoluene									
2-Hexanone									
4-Chlorotoluene									
4-Methyl-2-Pentanone (MIBK)									
Acetone									
Benzene									
Bromobenzene									
Bromochloromethane									
Bromodichloromethane									
Bromoform									
Bromomethane									
n-Butylbenzene									
sec-Butylbenzene									
tert-Butylbenzene									
Carbon disulfide									
Carbon tetrachloride									
Chlorobenzene									
Chlorodibromomethane									
Chloroethane									
Chloroform									
Chloromethane									
Dibromomethane									
Dichlorodifluoromethane									
Diisopropyl Ether									
Ethylbenzene									
Hexachlorobutadiene									
Isopropylbenzene									

Volatile Organic Compounds - Historical Data
WAULECO, INC - Wausau Facility
Well - DFOMW5

Parameter	07/11/16	07/20/17	07/16/18	07/16/19	07/13/20	07/12/21	07/13/22	07/10/23	07/09/24
p-Isopropyltoluene									
Methyl tert-butyl ether									
Methylene chloride									
Naphthalene	3.3	3	5.8	0.97	1.3	12	9	2.1	<0.35
n-Propylbenzene									
Styrene									
Tetrachloroethene									
Tetrahydrofuran									
Toluene									
Trichloroethene									
Trichlorofluoromethane									
Vinyl acetate									
Vinyl chloride									
Xylene, m & p-	<0.80	<0.80	<0.80	<0.80	<0.80	<0.80	<2.0	<2.0	<0.74
Xylene, o-	0.53	<0.40	<0.40	<0.40	<0.40	<0.40	<1.1	<1.1	<0.72
Xylenes, Total	0.53	<1.20	<1.20	<1.20	<1.20	<1.20	<3.1	<3.1	<1.46

Prepared By: T. Dushek, 8/27/24

Checked by: A. Voit, 10/28/24

NOTES:

All Units are in ug/L

Bold values indicate detections

A = Analyte averaged calibration criteria within acceptable limits

B = Analyte detected in associated Method Blank

M = Matrix spike or matrix spike duplicate outside acceptance limits.


J = Estimated Value

Q = Lab Control Sample outside acceptance limits

* = Suspected methylene chloride laboratory contamination.


APPENDIX C
HISTORICAL PCP ANALYSIS RESULTS

**Pentachlorophenol Concentrations
Historical Groundwater Monitoring
Well W01A**




Wauleco abandoned this well in 2020 due to property ownership change.

**Pentachlorophenol Concentrations
Historical Groundwater Monitoring
Well W02**




PCP data gap due to measurable product present in well.


**Pentachlorophenol Concentrations
Historical Groundwater Monitoring
Well W03A**



**Pentachlorophenol Concentrations
Historical Groundwater Monitoring
Well W03B**




**Pentachlorophenol Concentrations
Historical Groundwater Monitoring
Well W06R**




PCP data gap due to measurable product present in well.


**Pentachlorophenol Concentrations
Historical Groundwater Monitoring
Well W08**




**Pentachlorophenol Concentrations
Historical Groundwater Monitoring
Well W09**




**Pentachlorophenol Concentrations
Historical Groundwater Monitoring
Well W10A**




**Pentachlorophenol Concentrations
Historical Groundwater Monitoring
Well W10B**




**Pentachlorophenol Concentrations
Historical Groundwater Monitoring
Well W11**




**Pentachlorophenol Concentrations
Historical Groundwater Monitoring
Well W12**



**Pentachlorophenol Concentrations
Historical Groundwater Monitoring
Well W13**




**Pentachlorophenol Concentrations
Historical Groundwater Monitoring
Well W14**




Well W14 discontinued from the monitoring program beginning in 2014.

**Pentachlorophenol Concentrations
Historical Groundwater Monitoring
Well W16**




**Pentachlorophenol Concentrations
Historical Groundwater Monitoring
Well W17**




PCP data gap due to measurable product in well.

**Pentachlorophenol Concentrations
Historical Groundwater Monitoring
Well W18**




**Pentachlorophenol Concentrations
Historical Groundwater Monitoring
Well W19**




Wauleco abandoned this well in 2019 due to Thomas Street constuction.


**Pentachlorophenol Concentrations
Historical Groundwater Monitoring
Well W21**




Pentachlorophenol Concentrations Historical Groundwater Monitoring Well W22




**Pentachlorophenol Concentrations
Historical Groundwater Monitoring
Well W25**




**Pentachlorophenol Concentrations
Historical Groundwater Monitoring
Well W26-W26R**




**Pentachlorophenol Concentrations
Historical Groundwater Monitoring
Well W27**




**Pentachlorophenol Concentrations
Historical Groundwater Monitoring
Well W28**




**Pentachlorophenol Concentrations
Historical Groundwater Monitoring
Well W29-W29R**



**Pentachlorophenol Concentrations
Historical Groundwater Monitoring
Well W32**




**Pentachlorophenol Concentrations
Historical Groundwater Monitoring
Well W33**




PCP data gap due to measurable product present in well.

**Pentachlorophenol Concentrations
Historical Groundwater Monitoring
Well W36**




PCP data gap due to measurable product present in well.

Pentachlorophenol Concentrations Historical Groundwater Monitoring Well W39




**Pentachlorophenol Concentrations
Historical Groundwater Monitoring
Well W40-W40R**




PCP data gap due to measurable product present in well.

Spike in PCP concentration in July 2017 probably due to presence of a small amount of product in water sample.


Pentachlorophenol Concentrations **Historical Groundwater Monitoring** **Well W41**




**Pentachlorophenol Concentrations
Historical Groundwater Monitoring
Well W69**




**Pentachlorophenol Concentrations
Historical Groundwater Monitoring
Well DFOMW5**



**Pentachlorophenol Concentrations
Historical Groundwater Monitoring
Well DFOMW9**




**Pentachlorophenol Concentrations
Historical Groundwater Monitoring
Well DFOMW10A**




Well DFOMW10A discontinued from monitoring program beginning in 2014.
3M abandoned this well in 2015.


**Pentachlorophenol Concentrations
Historical Groundwater Monitoring
Well DFOMW11**



**Pentachlorophenol Concentrations
Historical Groundwater Monitoring
Well DFOMW12**




**Pentachlorophenol Concentrations
Historical Groundwater Monitoring
Well W71**




Well W71 installed in June 2015.

**Pentachlorophenol Concentrations
Historical Groundwater Monitoring
Well W72**




Well W72 installed in June 2015.

**Pentachlorophenol Concentrations
Historical Groundwater Monitoring
Well W73**




Well W73 installed in June 2015.

**Pentachlorophenol Concentrations
Historical Groundwater Monitoring
Well W74**



Well W74 installed in June 2015.

**Pentachlorophenol Concentrations
Historical Groundwater Monitoring
Well W44**



Sample first collected in March 2021 as part of the Bio-Trap Study.

APPENDIX D

LABORATORY REPORT

D1	January 2024
D2	July 2024

D1

January 2024

ANALYTICAL REPORT

TRC ENVIRONMENTAL
STEVE SELLWOOD
999 FOURIER DRIVE
SUITE 101
MADISON, WI 53717

Project Name: WAULECO
Project Phase:
Contract #: 2399
Project #: 189597.0013
Folder #: 183183
Purchase Order #: 210979

Page 1 of 7
Arrival Temperature: 2.9
Report Date: 1/18/2024
Date Received: 1/4/2024
Reprint Date: 1/18/2024

CT LAB Sample#: 1411875		Sample Description: W71							Sampled: 1/3/2024 08:05	

Analyte	Result	Units	LOD	LOQ	Dilution	Qualifier	Prep Date/Time	Analysis Date/Time	Analyst	Method
Organic Results										
Pentachlorophenol	<3.0	ug/L	0.94	3.2	1		1/9/2024 11:00	1/10/2024 13:30	ALD	EPA 8270D

CT LAB Sample#: 1411880		Sample Description: W72							Sampled: 1/3/2024 08:45	

Analyte	Result	Units	LOD	LOQ	Dilution	Qualifier	Prep Date/Time	Analysis Date/Time	Analyst	Method
Organic Results										
Pentachlorophenol	<3.0	ug/L	0.95	3.2	1		1/9/2024 11:00	1/10/2024 13:53	ALD	EPA 8270D

CT LAB Sample#: 1411881		Sample Description: W74							Sampled: 1/3/2024 09:30	

Analyte	Result	Units	LOD	LOQ	Dilution	Qualifier	Prep Date/Time	Analysis Date/Time	Analyst	Method
Organic Results										
Pentachlorophenol	<3.0	ug/L	0.95	3.2	1		1/9/2024 11:00	1/10/2024 14:16	ALD	EPA 8270D

Unless specifically stated to the contrary, soil/sediment/sludge sample results/LOD/LOQ/RLs were reported on a Dry Weight Basis

CT LAB Sample#: 1411882 Sample Description: W8

Sampled: 1/3/2024 10:10

Analyte	Result	Units	LOD	LOQ	Dilution	Qualifier	Prep Date/Time	Analysis Date/Time	Analyst	Method
Inorganic Results										
Nitrate Nitrogen Total	5.2	mg/L	0.12	0.40	1			1/4/2024 18:39	TMG	EPA 9056A
Total Sulfate	21	mg/L	0.80	2.5	1			1/4/2024 18:39	TMG	EPA 9056A
Total Organic Carbon	0.98	mg/L	0.4 *	3.0	1			1/8/2024 12:24	TMG	EPA 9060A
Metals Results										
Dissolved Iron	<25	ug/L	25	84	1			1/4/2024 15:18	NAH	EPA 6010C
Dissolved Manganese	<2.4	ug/L	2.4	8.0	1			1/4/2024 15:18	NAH	EPA 6010C
Organic Results										
TPH as Mineral Spirits	<33	ug/L	33	110	1		1/9/2024 09:30	1/16/2024 23:50	AJZ	EPA 8015
2,3,4,6-Tetrachlorophenol	<3.0	ug/L	0.75	2.5	1		1/9/2024 11:00	1/10/2024 14:39	ALD	EPA 8270D
2,4,5-Trichlorophenol	<3.0	ug/L	0.94	3.2	1		1/9/2024 11:00	1/10/2024 14:39	ALD	EPA 8270D
2,4,6-Trichlorophenol	<3.0	ug/L	0.88	3.0	1		1/9/2024 11:00	1/10/2024 14:39	ALD	EPA 8270D
2,4-Dichlorophenol	<3.0	ug/L	0.96	3.3	1		1/9/2024 11:00	1/10/2024 14:39	ALD	EPA 8270D
2,4-Dimethylphenol	<3.0	ug/L	0.53	1.8	1		1/9/2024 11:00	1/10/2024 14:39	ALD	EPA 8270D
2,4-Dinitrophenol	<3.0	ug/L	1.1	3.6	1		1/9/2024 11:00	1/10/2024 14:39	ALD	EPA 8270D
2,6-Dichlorophenol	<3.0	ug/L	0.93	3.2	1	Q	1/9/2024 11:00	1/10/2024 14:39	ALD	EPA 8270D
2-Chlorophenol	<3.0	ug/L	0.67	2.3	1		1/9/2024 11:00	1/10/2024 14:39	ALD	EPA 8270D
2-Methylphenol	<3.0	ug/L	0.57	1.9	1		1/9/2024 11:00	1/10/2024 14:39	ALD	EPA 8270D
2-Nitrophenol	<3.0	ug/L	0.78	2.6	1		1/9/2024 11:00	1/10/2024 14:39	ALD	EPA 8270D
3 & 4-Methylphenol	<3.0	ug/L	0.95	3.2	1		1/9/2024 11:00	1/10/2024 14:39	ALD	EPA 8270D
4,6-Dinitro-2-methylphenol	<3.0	ug/L	1.6	5.5	1		1/9/2024 11:00	1/10/2024 14:39	ALD	EPA 8270D
4-Chloro-3-methylphenol	<3.0	ug/L	0.70	2.4	1		1/9/2024 11:00	1/10/2024 14:39	ALD	EPA 8270D
4-Nitrophenol	<3.0	ug/L	0.50	1.7	1		1/9/2024 11:00	1/10/2024 14:39	ALD	EPA 8270D
Pentachlorophenol	<3.0	ug/L	0.91	3.1	1		1/9/2024 11:00	1/10/2024 14:39	ALD	EPA 8270D

Unless specifically stated to the contrary, soil/sediment/sludge sample results/LOD/LOQ/RLs were reported on a Dry Weight Basis

CT LAB Sample#: 1411882 Sample Description: W8 Sampled: 1/3/2024 10:10

Analyte	Result	Units	LOD	LOQ	Dilution	Qualifier	Prep Date/Time	Analysis Date/Time	Analyst	Method
Phenol	<3.0	ug/L	0.41	1.4	1		1/9/2024 11:00	1/10/2024 14:39	ALD	EPA 8270D

CT LAB Sample#: 1411883 Sample Description: W73 Sampled: 1/3/2024 10:50

Analyte	Result	Units	LOD	LOQ	Dilution	Qualifier	Prep Date/Time	Analysis Date/Time	Analyst	Method

Inorganic Results

Total Sulfate	26	mg/L	0.80	2.5	1			1/8/2024 13:23	TMG	EPA 9056A
Total Organic Carbon	2.0	mg/L	0.4 *	3.0	1			1/8/2024 13:14	TMG	EPA 9060A

Metals Results

Dissolved Iron	139	ug/L	25	84	1			1/4/2024 15:40	NAH	EPA 6010C
Dissolved Manganese	16.3	ug/L	2.4	8.0	1			1/4/2024 15:40	NAH	EPA 6010C

Organic Results

TPH as Mineral Spirits	<32	ug/L	32	110	1		1/9/2024 09:30	1/17/2024 00:24	AJZ	EPA 8015
Pentachlorophenol	<3.0	ug/L	0.95	3.2	1		1/9/2024 11:00	1/10/2024 15:02	ALD	EPA 8270D

CT LAB Sample#: 1411884 Sample Description: W16 Sampled: 1/3/2024 11:35

Analyte	Result	Units	LOD	LOQ	Dilution	Qualifier	Prep Date/Time	Analysis Date/Time	Analyst	Method

Inorganic Results

Total Sulfate	22	mg/L	0.80	2.5	1			1/8/2024 13:43	TMG	EPA 9056A
Total Organic Carbon	1.6	mg/L	0.4 *	3.0	1			1/8/2024 14:04	TMG	EPA 9060A

Metals Results

CT LAB Sample#: 1411884 Sample Description: W16 Sampled: 1/3/2024 11:35

Analyte	Result	Units	LOD	LOQ	Dilution	Qualifier	Prep Date/Time	Analysis Date/Time	Analyst	Method
Dissolved Iron	<25	ug/L	25	84	1			1/4/2024 15:48	NAH	EPA 6010C
Dissolved Manganese	<2.4	ug/L	2.4	8.0	1			1/4/2024 15:48	NAH	EPA 6010C
Organic Results										
TPH as Mineral Spirits	<33	ug/L	33	110	1		1/9/2024 09:30	1/17/2024 00:59	AJZ	EPA 8015

CT LAB Sample#: 1411885 Sample Description: W18 Sampled: 1/3/2024 12:30

Analyte	Result	Units	LOD	LOQ	Dilution	Qualifier	Prep Date/Time	Analysis Date/Time	Analyst	Method
Inorganic Results										
Total Sulfate	24	mg/L	0.80	2.5	1			1/8/2024 14:02	TMG	EPA 9056A
Total Organic Carbon	1.5	mg/L	0.4 *	3.0	1			1/8/2024 14:17	TMG	EPA 9060A
Metals Results										
Dissolved Iron	<25	ug/L	25	84	1			1/4/2024 15:56	NAH	EPA 6010C
Dissolved Manganese	<2.4	ug/L	2.4	8.0	1			1/4/2024 15:56	NAH	EPA 6010C
Organic Results										
TPH as Mineral Spirits	<32	ug/L	32	110	1		1/9/2024 09:30	1/17/2024 01:34	AJZ	EPA 8015

CT LAB Sample#: 1411886 Sample Description: W28 Sampled: 1/3/2024 13:15

Analyte	Result	Units	LOD	LOQ	Dilution	Qualifier	Prep Date/Time	Analysis Date/Time	Analyst	Method
Inorganic Results										
Total Sulfate	19	mg/L	0.80	2.5	1			1/8/2024 14:22	TMG	EPA 9056A
Total Organic Carbon	1.3	mg/L	0.4 *	3.0	1			1/8/2024 14:28	TMG	EPA 9060A

CT LAB Sample#: 1411886 Sample Description: W28 Sampled: 1/3/2024 13:15

Analyte	Result	Units	LOD	LOQ	Dilution	Qualifier	Prep Date/Time	Analysis Date/Time	Analyst	Method
Metals Results										
Dissolved Iron	<25	ug/L	25	84	1			1/4/2024 16:04	NAH	EPA 6010C
Dissolved Manganese	<2.4	ug/L	2.4	8.0	1			1/4/2024 16:04	NAH	EPA 6010C
Organic Results										
TPH as Mineral Spirits	<32	ug/L	32	110	1		1/9/2024 09:30	1/17/2024 02:09	AJZ	EPA 8015

CT LAB Sample#: 1411887 Sample Description: W12 Sampled: 1/3/2024 13:55

Analyte	Result	Units	LOD	LOQ	Dilution	Qualifier	Prep Date/Time	Analysis Date/Time	Analyst	Method
Inorganic Results										
Total Sulfate	20	mg/L	0.80	2.5	1			1/8/2024 14:41	TMG	EPA 9056A
Total Organic Carbon	1.7	mg/L	0.4 *	3.0	1			1/8/2024 14:39	TMG	EPA 9060A
Metals Results										
Dissolved Iron	<25	ug/L	25	84	1			1/4/2024 16:11	NAH	EPA 6010C
Dissolved Manganese	<2.4	ug/L	2.4	8.0	1			1/4/2024 16:11	NAH	EPA 6010C
Organic Results										
TPH as Mineral Spirits	<33	ug/L	33	110	1		1/9/2024 09:30	1/17/2024 02:44	AJZ	EPA 8015

CT LAB Sample#: 1411888 Sample Description: W25 Sampled: 1/3/2024 14:30

Analyte	Result	Units	LOD	LOQ	Dilution	Qualifier	Prep Date/Time	Analysis Date/Time	Analyst	Method

Inorganic Results

CT LAB Sample#: 1411888

Sample Description: W25

Sampled: 1/3/2024 14:30

Analyte	Result	Units	LOD	LOQ	Dilution	Qualifier	Prep Date/Time	Analysis Date/Time	Analyst	Method
Nitrate Nitrogen Total	5.4	mg/L	0.12	0.40	1			1/5/2024 07:59	TMG	EPA 9056A
Organic Results										
2,3,4,6-Tetrachlorophenol	<3.0	ug/L	0.78	2.6	1		1/9/2024 11:00	1/10/2024 15:25	ALD	EPA 8270D
2,4,5-Trichlorophenol	<3.0	ug/L	0.98	3.3	1		1/9/2024 11:00	1/10/2024 15:25	ALD	EPA 8270D
2,4,6-Trichlorophenol	<3.0	ug/L	0.91	3.1	1		1/9/2024 11:00	1/10/2024 15:25	ALD	EPA 8270D
2,4-Dichlorophenol	<3.0	ug/L	1.0	3.4	1		1/9/2024 11:00	1/10/2024 15:25	ALD	EPA 8270D
2,4-Dimethylphenol	<3.0	ug/L	0.55	1.9	1		1/9/2024 11:00	1/10/2024 15:25	ALD	EPA 8270D
2,4-Dinitrophenol	<3.0	ug/L	1.1	3.7	1		1/9/2024 11:00	1/10/2024 15:25	ALD	EPA 8270D
2,6-Dichlorophenol	<3.0	ug/L	0.97	3.3	1	Q	1/9/2024 11:00	1/10/2024 15:25	ALD	EPA 8270D
2-Chlorophenol	<3.0	ug/L	0.70	2.4	1		1/9/2024 11:00	1/10/2024 15:25	ALD	EPA 8270D
2-Methylphenol	<3.0	ug/L	0.59	2.0	1		1/9/2024 11:00	1/10/2024 15:25	ALD	EPA 8270D
2-Nitrophenol	<3.0	ug/L	0.81	2.7	1		1/9/2024 11:00	1/10/2024 15:25	ALD	EPA 8270D
3 & 4-Methylphenol	<3.0	ug/L	0.99	3.3	1		1/9/2024 11:00	1/10/2024 15:25	ALD	EPA 8270D
4,6-Dinitro-2-methylphenol	<3.0	ug/L	1.7	5.7	1		1/9/2024 11:00	1/10/2024 15:25	ALD	EPA 8270D
4-Chloro-3-methylphenol	<3.0	ug/L	0.73	2.5	1		1/9/2024 11:00	1/10/2024 15:25	ALD	EPA 8270D
4-Nitrophenol	<3.0	ug/L	0.52	1.8	1		1/9/2024 11:00	1/10/2024 15:25	ALD	EPA 8270D
Pentachlorophenol	3.4	ug/L	0.95	3.2	1		1/9/2024 11:00	1/10/2024 15:25	ALD	EPA 8270D
Phenol	<3.0	ug/L	0.43	1.5	1		1/9/2024 11:00	1/10/2024 15:25	ALD	EPA 8270D

Notes: * Indicates a value in between the LOD (limit of detection) and the LOQ (limit of quantitation). All LOD/LOQs are adjusted to reflect dilution and also any differences in the sample weight / volume as compared to standard amounts.

All samples were received intact and properly preserved unless otherwise noted. The results reported relate only to the samples tested. This report shall not be reproduced, except in full, without written approval of this laboratory. The Chain of Custody is attached.

Submitted by: Brett M. Szymanski
 Project Manager
 608-356-2760

QC Qualifiers

<u>Code</u>	<u>Description</u>
B	Analyte detected in the associated Method Blank.
C	Toxicity present in BOD sample.
D	Diluted Out.
E	Safe, No Total Coliform detected.
F	Unsafe, Total Coliform detected, no E. Coli detected.
G	Unsafe, Total Coliform detected and E. Coli detected.
H	Holding time exceeded.
I	Incubator temperature was outside acceptance limits during test period.
J	Estimated value.
L	Significant peaks were detected outside the chromatographic window.
M	Matrix spike and/or Matrix Spike Duplicate recovery outside acceptance limits.
N	Insufficient BOD oxygen depletion.
O	Complete BOD oxygen depletion.
P	Concentration of analyte differs more than 40% between primary and confirmation analysis.
Q	Laboratory Control Sample outside acceptance limits.
R	See Narrative at end of report.
S	Surrogate standard recovery outside acceptance limits due to apparent matrix effects.
T	Sample received with improper preservation or temperature.
U	Analyte concentration was below detection limit.
V	Raised Quantitation or Reporting Limit due to limited sample amount or dilution for matrix background interference.
W	Sample amount received was below program minimum.
X	Analyte exceeded calibration range.
Y	Replicate/Duplicate precision outside acceptance limits.
Z	Specified calibration criteria was not met.

Current CT Laboratories Certifications

Wisconsin (WDNR) Chemistry ID# 157066030
 Wisconsin (DATCP) Bacteriology ID# 289
 Louisiana NELAP (primary) ID# 115843
 Illinois NELAP Lab ID# 200073
 Kansas NELAP Lab ID# E-10368
 Virginia NELAP Lab ID# 460203
 ISO/IEC 17025-2005 A2LA Cert # 3806.01
 DoD-ELAP A2LA 3806.01

Company Name: TRC
 Project Contact: Bruce Iverson
 Telephone: 608-826-3644
 Project Name: Wauleco
 Project Number: 189597.0013
 Project Location: Wausau, WI
 Sampled By: Tom Dushek

CTLaboratories

Folder # 183183

Company TRC ENVIRONMENTAL

Project WAULECO

Logged By: erc PM: BMS

1230 Lange Court, Baraboo, WI 53913
 608-356-2760 Tel. Fx 608-356-2766
 www.ctlaboratories.com

Ice Present ☒ Yes ☐ NoTemperature 130 32Initials ER BMSDate 1/3/24 Time 9:45Cooler # 649, 6599

Mail Report To: Steve Sellwood
 Company: TRC
 Address: 999 Fourier Drive
 City/State/Zip: Madison, WI 53717

Invoice To: Accounts Payable

Company: TRC

Address:

City/State/Zip:

PO No. 210979

Contract No.

Regulatory Program:

UST RCRA SDWA NPDES
 Solid Waste Other _____

Turnaround Time

Normal RUSH* Date Needed _____

*Notify Lab prior to sending in RUSH

Surcharges 24 hr 200% 2-3 days 100% 4-9 days 50%

Surcharges subject to change without notice.

Landfill License Number _____

Collection		Field Screen	Field ID	Grab/Comp	Sample ID Description	Filt'd Y/N	WDNR Well ID #	**Matrix:	TPH	TOC	Sulfate	Diss. Mn, Fe	Phenols (8270)	Nitrate	PCP (8270)	Total No of Containers	Total No of Cont. Rec'd	Preservation*	Client Special Instructions: Metals are filtered.
Date	Time																		Lab ID #
1/3/24	0805			G	W71	N		GW							2	2			1711875
	0845				W72										2	2			80
	0930				W74										2	2			81
	1010				W8				1	1	1	1	2	✓		6			82
	1050				W73				1	1	1	1			2	6			83
	1135				W16				1	1	1	1				4			84
	1230				W18				1	1	1	1				4			85
	1315				W28				1	1	1	1				4			86
✓	1355			✓	W12	✓		✓	1	1	1	1				4			87
									A	C	A	D	A	A	A				

Relinquished By:

J. J. Dushek

Date/Time

1/3/24

1600

Relinquished By:

Date/Time

Received by:

Date/Time

Received by:

Date/Time

Er 1/3/24 1028

**Matrix

S=Soil A=Air Slg=Sludge M=Misc Waste
 GW=Groundwater SW=Surface Water
 WW=Wastewater DW=Drinking Water

* Preservation Code

A=None B=HCL
 C=H2SO4 D=HNO3
 E=Encore F=Methanol
 G=NaOH
 O=Other _____

A=None B=HCL
C=H2SO4 D=HNO3
E=Encore F=Methanol
G=NaOH
O=Other

ANALYTICAL REPORT

TRC ENVIRONMENTAL
STEVE SELLWOOD
999 FOURIER DRIVE
SUITE 101
MADISON, WI 53717

Project Name: WAULECO
Project Phase:
Contract #: 2399
Project #: 189597.0013
Folder #: 183272
Purchase Order #: 210979

Page 1 of 10
Arrival Temperature: 4.1
Report Date: 1/23/2024
Date Received: 1/9/2024
Reprint Date: 1/23/2024

CT LAB Sample#: 1413107 Sample Description: W29R									Sampled: 1/8/2024 07:45	
Analyte	Result	Units	LOD	LOQ	Dilution	Qualifier	Prep Date/Time	Analysis Date/Time	Analyst	Method
Inorganic Results										
Total Sulfate	4.3	mg/L	0.80	2.5	1			1/9/2024 16:55	TMG	EPA 9056A
Total Organic Carbon	5.1	mg/L	0.4	3.0	1			1/16/2024 14:46	TMG	EPA 9060A
Metals Results										
Dissolved Iron	51.4	ug/L	25 *	84	1			1/12/2024 12:56	NAH	EPA 6010C
Dissolved Manganese	105	ug/L	2.4	8.0	1			1/12/2024 12:56	NAH	EPA 6010C
Organic Results										
TPH as Mineral Spirits	<33	ug/L	33	110	1		1/15/2024 13:00	1/19/2024 03:59	AJZ	EPA 8015

CT LAB Sample#: 1413108 Sample Description: W26R									Sampled: 1/8/2024 08:25	
Analyte	Result	Units	LOD	LOQ	Dilution	Qualifier	Prep Date/Time	Analysis Date/Time	Analyst	Method
Inorganic Results										
Nitrate Nitrogen Total	0.35	mg/L	0.12 *	0.40	1			1/9/2024 17:15	TMG	EPA 9056A
Total Sulfate	5.9	mg/L	0.80	2.5	1			1/9/2024 17:15	TMG	EPA 9056A

Unless specifically stated to the contrary, soil/sediment/sludge sample results/LOD/LOQ/RLs were reported on a Dry Weight Basis

CT LAB Sample#: 1413108

Sample Description: W26R

Sampled: 1/8/2024 08:25

Analyte	Result	Units	LOD	LOQ	Dilution	Qualifier	Prep Date/Time	Analysis Date/Time	Analyst	Method
Total Organic Carbon	6.2	mg/L	0.4	3.0	1			1/16/2024 14:57	TMG	EPA 9060A
Metals Results										
Dissolved Iron	30.2	ug/L	25 *	84	1			1/12/2024 13:39	NAH	EPA 6010C
Dissolved Manganese	685	ug/L	2.4	8.0	1			1/12/2024 13:39	NAH	EPA 6010C
Organic Results										
TPH as Mineral Spirits	<33	ug/L	33	110	1		1/15/2024 13:00	1/19/2024 04:33	AJZ	EPA 8015
2,3,4,6-Tetrachlorophenol	2.5	ug/L	0.76	2.5	1		1/15/2024 13:00	1/17/2024 15:40	ALD	EPA 8270D
2,4,5-Trichlorophenol	<3.0	ug/L	0.96	3.2	1		1/15/2024 13:00	1/17/2024 15:40	ALD	EPA 8270D
2,4,6-Trichlorophenol	<3.0	ug/L	0.89	3.0	1		1/15/2024 13:00	1/17/2024 15:40	ALD	EPA 8270D
2,4-Dichlorophenol	<3.0	ug/L	0.98	3.3	1		1/15/2024 13:00	1/17/2024 15:40	ALD	EPA 8270D
2,4-Dimethylphenol	<3.0	ug/L	0.54	1.9	1		1/15/2024 13:00	1/17/2024 15:40	ALD	EPA 8270D
2,4-Dinitrophenol	<3.0	ug/L	1.1	3.6	1		1/15/2024 13:00	1/17/2024 15:40	ALD	EPA 8270D
2,6-Dichlorophenol	<3.0	ug/L	0.95	3.2	1	Q	1/15/2024 13:00	1/17/2024 15:40	ALD	EPA 8270D
2-Chlorophenol	<3.0	ug/L	0.69	2.4	1		1/15/2024 13:00	1/17/2024 15:40	ALD	EPA 8270D
2-Methylphenol	<3.0	ug/L	0.58	2.0	1		1/15/2024 13:00	1/17/2024 15:40	ALD	EPA 8270D
2-Nitrophenol	<3.0	ug/L	0.79	2.6	1		1/15/2024 13:00	1/17/2024 15:40	ALD	EPA 8270D
3 & 4-Methylphenol	<3.0	ug/L	0.97	3.2	1		1/15/2024 13:00	1/17/2024 15:40	ALD	EPA 8270D
4,6-Dinitro-2-methylphenol	<3.0	ug/L	1.7	5.6	1		1/15/2024 13:00	1/17/2024 15:40	ALD	EPA 8270D
4-Chloro-3-methylphenol	<3.0	ug/L	0.72	2.5	1		1/15/2024 13:00	1/17/2024 15:40	ALD	EPA 8270D
4-Nitrophenol	<3.0	ug/L	0.51	1.8	1		1/15/2024 13:00	1/17/2024 15:40	ALD	EPA 8270D
Pentachlorophenol	25	ug/L	0.93	3.1	1		1/15/2024 13:00	1/17/2024 15:40	ALD	EPA 8270D
Phenol	<3.0	ug/L	0.42	1.5	1		1/15/2024 13:00	1/17/2024 15:40	ALD	EPA 8270D

CT LAB Sample#: 1413109

Sample Description: W10A

Sampled: 1/8/2024 09:15

Analyte	Result	Units	LOD	LOQ	Dilution	Qualifier	Prep Date/Time	Analysis Date/Time	Analyst	Method
Inorganic Results										
Total Sulfate	4.4	mg/L	0.80	2.5	1			1/9/2024 17:34	TMG	EPA 9056A
Total Organic Carbon	5.5	mg/L	0.4	3.0	1			1/16/2024 15:08	TMG	EPA 9060A
Metals Results										
Dissolved Iron	3110	ug/L	25	84	1			1/12/2024 13:47	NAH	EPA 6010C
Dissolved Manganese	4320	ug/L	2.4	8.0	1			1/12/2024 13:47	NAH	EPA 6010C
Organic Results										
TPH as Mineral Spirits	990	ug/L	33	110	1		1/15/2024 13:00	1/19/2024 05:07	AJZ	EPA 8015
2,3,4,6-Tetrachlorophenol	2.3	ug/L	0.76 *	2.5	1		1/15/2024 13:00	1/17/2024 16:03	ALD	EPA 8270D
2,4,5-Trichlorophenol	6.5	ug/L	0.96	3.2	1		1/15/2024 13:00	1/17/2024 16:03	ALD	EPA 8270D
2,4,6-Trichlorophenol	<3.0	ug/L	0.89	3.0	1		1/15/2024 13:00	1/17/2024 16:03	ALD	EPA 8270D
2,4-Dichlorophenol	<3.0	ug/L	0.98	3.3	1		1/15/2024 13:00	1/17/2024 16:03	ALD	EPA 8270D
2,4-Dimethylphenol	<3.0	ug/L	0.54	1.9	1		1/15/2024 13:00	1/17/2024 16:03	ALD	EPA 8270D
2,4-Dinitrophenol	<3.0	ug/L	1.1	3.6	1		1/15/2024 13:00	1/17/2024 16:03	ALD	EPA 8270D
2,6-Dichlorophenol	<3.0	ug/L	0.95	3.2	1	Q	1/15/2024 13:00	1/17/2024 16:03	ALD	EPA 8270D
2-Chlorophenol	<3.0	ug/L	0.69	2.4	1		1/15/2024 13:00	1/17/2024 16:03	ALD	EPA 8270D
2-Methylphenol	<3.0	ug/L	0.58	2.0	1		1/15/2024 13:00	1/17/2024 16:03	ALD	EPA 8270D
2-Nitrophenol	<3.0	ug/L	0.79	2.6	1		1/15/2024 13:00	1/17/2024 16:03	ALD	EPA 8270D
3 & 4-Methylphenol	<3.0	ug/L	0.97	3.2	1		1/15/2024 13:00	1/17/2024 16:03	ALD	EPA 8270D
4,6-Dinitro-2-methylphenol	<3.0	ug/L	1.7	5.6	1		1/15/2024 13:00	1/17/2024 16:03	ALD	EPA 8270D
4-Chloro-3-methylphenol	<3.0	ug/L	0.72	2.5	1		1/15/2024 13:00	1/17/2024 16:03	ALD	EPA 8270D
4-Nitrophenol	<3.0	ug/L	0.51	1.8	1		1/15/2024 13:00	1/17/2024 16:03	ALD	EPA 8270D
Pentachlorophenol	32	ug/L	0.93	3.1	1		1/15/2024 13:00	1/17/2024 16:03	ALD	EPA 8270D
Phenol	<3.0	ug/L	0.42	1.5	1		1/15/2024 13:00	1/17/2024 16:03	ALD	EPA 8270D

Unless specifically stated to the contrary, soil/sediment/sludge sample results/LOD/LOQ/RLs were reported on a Dry Weight Basis

CT LAB Sample#: 1413109 Sample Description: W10A Sampled: 1/8/2024 09:15

Analyte	Result	Units	LOD	LOQ	Dilution	Qualifier	Prep Date/Time	Analysis Date/Time	Analyst	Method

CT LAB Sample#: 1413110 Sample Description: W10A DUP Sampled: 1/8/2024 09:15

Analyte	Result	Units	LOD	LOQ	Dilution	Qualifier	Prep Date/Time	Analysis Date/Time	Analyst	Method

Inorganic Results

Total Sulfate	4.4	mg/L	0.80	2.5	1			1/9/2024 17:54	TMG	EPA 9056A
Total Organic Carbon	5.2	mg/L	0.4	3.0	1			1/16/2024 15:59	TMG	EPA 9060A

Metals Results

Dissolved Iron	3040	ug/L	25	84	1			1/12/2024 13:54	NAH	EPA 6010C
Dissolved Manganese	4300	ug/L	2.4	8.0	1			1/12/2024 13:54	NAH	EPA 6010C

Organic Results

TPH as Mineral Spirits	970	ug/L	33	110	1		1/15/2024 13:00	1/19/2024 05:41	AJZ	EPA 8015
2,3,4,6-Tetrachlorophenol	2.0	ug/L	0.78 *	2.6	1		1/15/2024 13:00	1/17/2024 16:26	ALD	EPA 8270D
2,4,5-Trichlorophenol	6.7	ug/L	0.98	3.3	1		1/15/2024 13:00	1/17/2024 16:26	ALD	EPA 8270D
2,4,6-Trichlorophenol	<3.0	ug/L	0.91	3.1	1		1/15/2024 13:00	1/17/2024 16:26	ALD	EPA 8270D
2,4-Dichlorophenol	<3.0	ug/L	1.0	3.4	1		1/15/2024 13:00	1/17/2024 16:26	ALD	EPA 8270D
2,4-Dimethylphenol	<3.0	ug/L	0.55	1.9	1		1/15/2024 13:00	1/17/2024 16:26	ALD	EPA 8270D
2,4-Dinitrophenol	<3.0	ug/L	1.1	3.7	1		1/15/2024 13:00	1/17/2024 16:26	ALD	EPA 8270D
2,6-Dichlorophenol	<3.0	ug/L	0.97	3.3	1	Q	1/15/2024 13:00	1/17/2024 16:26	ALD	EPA 8270D
2-Chlorophenol	<3.0	ug/L	0.70	2.4	1		1/15/2024 13:00	1/17/2024 16:26	ALD	EPA 8270D
2-Methylphenol	<3.0	ug/L	0.59	2.0	1		1/15/2024 13:00	1/17/2024 16:26	ALD	EPA 8270D
2-Nitrophenol	<3.0	ug/L	0.81	2.7	1		1/15/2024 13:00	1/17/2024 16:26	ALD	EPA 8270D
3 & 4-Methylphenol	<3.0	ug/L	0.99	3.3	1		1/15/2024 13:00	1/17/2024 16:26	ALD	EPA 8270D

CT LAB Sample#: 1413110 Sample Description: W10A DUP Sampled: 1/8/2024 09:15

Analyte	Result	Units	LOD	LOQ	Dilution	Qualifier	Prep Date/Time	Analysis Date/Time	Analyst	Method
4,6-Dinitro-2-methylphenol	<3.0	ug/L	1.7	5.7	1		1/15/2024 13:00	1/17/2024 16:26	ALD	EPA 8270D
4-Chloro-3-methylphenol	<3.0	ug/L	0.73	2.5	1		1/15/2024 13:00	1/17/2024 16:26	ALD	EPA 8270D
4-Nitrophenol	<3.0	ug/L	0.52	1.8	1		1/15/2024 13:00	1/17/2024 16:26	ALD	EPA 8270D
Pentachlorophenol	29	ug/L	0.95	3.2	1		1/15/2024 13:00	1/17/2024 16:26	ALD	EPA 8270D
Phenol	<3.0	ug/L	0.43	1.5	1		1/15/2024 13:00	1/17/2024 16:26	ALD	EPA 8270D

CT LAB Sample#: 1413111 Sample Description: W11 Sampled: 1/8/2024 10:00

Analyte	Result	Units	LOD	LOQ	Dilution	Qualifier	Prep Date/Time	Analysis Date/Time	Analyst	Method
Inorganic Results										
Total Sulfate	8.7	mg/L	0.80	2.5	1			1/9/2024 18:13	TMG	EPA 9056A
Total Organic Carbon	1.3	mg/L	0.4 *	3.0	1	Y		1/16/2024 16:10	TMG	EPA 9060A
Metals Results										
Dissolved Iron	<25	ug/L	25	84	1			1/12/2024 14:02	NAH	EPA 6010C
Dissolved Manganese	201	ug/L	2.4	8.0	1			1/12/2024 14:02	NAH	EPA 6010C
Organic Results										
TPH as Mineral Spirits	<33	ug/L	33	110	1		1/15/2024 13:00	1/19/2024 06:14	AJZ	EPA 8015

CT LAB Sample#: 1413112 Sample Description: W13 Sampled: 1/8/2024 12:15

Analyte	Result	Units	LOD	LOQ	Dilution	Qualifier	Prep Date/Time	Analysis Date/Time	Analyst	Method
Inorganic Results										
Nitrate Nitrogen Total	1.5	mg/L	0.12	0.40	1			1/9/2024 19:11	TMG	EPA 9056A

CT LAB Sample#: 1413112 Sample Description: W13

Sampled: 1/8/2024 12:15

Analyte	Result	Units	LOD	LOQ	Dilution	Qualifier	Prep Date/Time	Analysis Date/Time	Analyst	Method
Total Sulfate	15	mg/L	0.80	2.5	1			1/9/2024 19:11	TMG	EPA 9056A
Total Organic Carbon	1.7	mg/L	0.4 *	3.0	1			1/16/2024 16:59	TMG	EPA 9060A
Metals Results										
Dissolved Iron	<25	ug/L	25	84	1			1/12/2024 14:10	NAH	EPA 6010C
Dissolved Manganese	<2.4	ug/L	2.4	8.0	1			1/12/2024 14:10	NAH	EPA 6010C
Organic Results										
TPH as Mineral Spirits	<33	ug/L	33	110	1		1/15/2024 13:00	1/19/2024 06:48	AJZ	EPA 8015
2,3,4,6-Tetrachlorophenol	<3.0	ug/L	0.77	2.6	1		1/15/2024 13:00	1/17/2024 10:42	ALD	EPA 8270D
2,4,5-Trichlorophenol	<3.0	ug/L	0.97	3.3	1		1/15/2024 13:00	1/17/2024 10:42	ALD	EPA 8270D
2,4,6-Trichlorophenol	<3.0	ug/L	0.90	3.1	1		1/15/2024 13:00	1/17/2024 10:42	ALD	EPA 8270D
2,4-Dichlorophenol	<3.0	ug/L	0.99	3.4	1		1/15/2024 13:00	1/17/2024 10:42	ALD	EPA 8270D
2,4-Dimethylphenol	<3.0	ug/L	0.54	1.9	1		1/15/2024 13:00	1/17/2024 10:42	ALD	EPA 8270D
2,4-Dinitrophenol	<3.0	ug/L	1.1	3.7	1		1/15/2024 13:00	1/17/2024 10:42	ALD	EPA 8270D
2,6-Dichlorophenol	<3.0	ug/L	0.96	3.3	1	Q	1/15/2024 13:00	1/17/2024 10:42	ALD	EPA 8270D
2-Chlorophenol	<3.0	ug/L	0.69	2.4	1		1/15/2024 13:00	1/17/2024 10:42	ALD	EPA 8270D
2-Methylphenol	<3.0	ug/L	0.58	2.0	1		1/15/2024 13:00	1/17/2024 10:42	ALD	EPA 8270D
2-Nitrophenol	<3.0	ug/L	0.80	2.7	1		1/15/2024 13:00	1/17/2024 10:42	ALD	EPA 8270D
3 & 4-Methylphenol	<3.0	ug/L	0.98	3.3	1		1/15/2024 13:00	1/17/2024 10:42	ALD	EPA 8270D
4,6-Dinitro-2-methylphenol	<3.0	ug/L	1.7	5.6	1		1/15/2024 13:00	1/17/2024 10:42	ALD	EPA 8270D
4-Chloro-3-methylphenol	<3.0	ug/L	0.72	2.5	1		1/15/2024 13:00	1/17/2024 10:42	ALD	EPA 8270D
4-Nitrophenol	<3.0	ug/L	0.51	1.8	1		1/15/2024 13:00	1/17/2024 10:42	ALD	EPA 8270D
Pentachlorophenol	<3.0	ug/L	0.94	3.2	1		1/15/2024 13:00	1/17/2024 10:42	ALD	EPA 8270D
Phenol	<3.0	ug/L	0.43	1.5	1		1/15/2024 13:00	1/17/2024 10:42	ALD	EPA 8270D

Unless specifically stated to the contrary, soil/sediment/sludge sample results/LOD/LOQ/RLs were reported on a Dry Weight Basis

CT LAB Sample#: 1413113 Sample Description: DFOMW5 Sampled: 1/8/2024 13:00

Analyte	Result	Units	LOD	LOQ	Dilution	Qualifier	Prep Date/Time	Analysis Date/Time	Analyst	Method

Organic Results

Pentachlorophenol	<3.0	ug/L	0.92	3.1	1		1/15/2024 13:00	1/17/2024 11:05	ALD	EPA 8270D

CT LAB Sample#: 1413114 Sample Description: DFOMW11 Sampled: 1/8/2024 13:25

Analyte	Result	Units	LOD	LOQ	Dilution	Qualifier	Prep Date/Time	Analysis Date/Time	Analyst	Method

Organic Results

Pentachlorophenol	160	ug/L	4.7	16	5		1/15/2024 13:00	1/17/2024 17:12	ALD	EPA 8270D

CT LAB Sample#: 1413115 Sample Description: DFOMW12 Sampled: 1/8/2024 14:10

Analyte	Result	Units	LOD	LOQ	Dilution	Qualifier	Prep Date/Time	Analysis Date/Time	Analyst	Method

Organic Results

Pentachlorophenol	770	ug/L	24	80	25		1/15/2024 13:00	1/17/2024 17:35	ALD	EPA 8270D

CT LAB Sample#: 1413116 Sample Description: DFOMW12 DUP Sampled: 1/8/2024 14:10

Analyte	Result	Units	LOD	LOQ	Dilution	Qualifier	Prep Date/Time	Analysis Date/Time	Analyst	Method

Organic Results

Pentachlorophenol	780	ug/L	24	80	25		1/15/2024 13:00	1/17/2024 17:58	ALD	EPA 8270D

CT LAB Sample#: 1413117 Sample Description: W17

Sampled: 1/8/2024 15:10

Analyte	Result	Units	LOD	LOQ	Dilution	Qualifier	Prep Date/Time	Analysis Date/Time	Analyst	Method
Inorganic Results										
Nitrate Nitrogen Total	<0.12	mg/L	0.12	0.40	1			1/9/2024 19:31	TMG	EPA 9056A
Total Sulfate	3.4	mg/L	0.80	2.5	1			1/9/2024 19:31	TMG	EPA 9056A
Total Organic Carbon	2.4	mg/L	0.4 *	3.0	1			1/16/2024 17:12	TMG	EPA 9060A
Metals Results										
Dissolved Iron	371	ug/L	25	84	1			1/12/2024 14:17	NAH	EPA 6010C
Dissolved Manganese	361	ug/L	2.4	8.0	1			1/12/2024 14:17	NAH	EPA 6010C
Organic Results										
TPH as Mineral Spirits	250	ug/L	33	110	1		1/15/2024 13:00	1/19/2024 07:22	AJZ	EPA 8015
2,3,4,6-Tetrachlorophenol	1.8	ug/L	0.78 *	2.6	1		1/15/2024 13:00	1/17/2024 11:28	ALD	EPA 8270D
2,4,5-Trichlorophenol	<3.0	ug/L	0.98	3.3	1		1/15/2024 13:00	1/17/2024 11:28	ALD	EPA 8270D
2,4,6-Trichlorophenol	<3.0	ug/L	0.91	3.1	1		1/15/2024 13:00	1/17/2024 11:28	ALD	EPA 8270D
2,4-Dichlorophenol	<3.0	ug/L	1.0	3.4	1		1/15/2024 13:00	1/17/2024 11:28	ALD	EPA 8270D
2,4-Dimethylphenol	<3.0	ug/L	0.55	1.9	1		1/15/2024 13:00	1/17/2024 11:28	ALD	EPA 8270D
2,4-Dinitrophenol	<3.0	ug/L	1.1	3.7	1		1/15/2024 13:00	1/17/2024 11:28	ALD	EPA 8270D
2,6-Dichlorophenol	<3.0	ug/L	0.97	3.3	1	Q	1/15/2024 13:00	1/17/2024 11:28	ALD	EPA 8270D
2-Chlorophenol	<3.0	ug/L	0.70	2.4	1		1/15/2024 13:00	1/17/2024 11:28	ALD	EPA 8270D
2-Methylphenol	<3.0	ug/L	0.59	2.0	1		1/15/2024 13:00	1/17/2024 11:28	ALD	EPA 8270D
2-Nitrophenol	<3.0	ug/L	0.81	2.7	1		1/15/2024 13:00	1/17/2024 11:28	ALD	EPA 8270D
3 & 4-Methylphenol	<3.0	ug/L	0.99	3.3	1		1/15/2024 13:00	1/17/2024 11:28	ALD	EPA 8270D
4,6-Dinitro-2-methylphenol	<3.0	ug/L	1.7	5.7	1		1/15/2024 13:00	1/17/2024 11:28	ALD	EPA 8270D
4-Chloro-3-methylphenol	<3.0	ug/L	0.73	2.5	1		1/15/2024 13:00	1/17/2024 11:28	ALD	EPA 8270D
4-Nitrophenol	<3.0	ug/L	0.52	1.8	1		1/15/2024 13:00	1/17/2024 11:28	ALD	EPA 8270D
Pentachlorophenol	100	ug/L	4.8	16	5		1/15/2024 13:00	1/17/2024 15:17	ALD	EPA 8270D

Unless specifically stated to the contrary, soil/sediment/sludge sample results/LOD/LOQ/RLs were reported on a Dry Weight Basis

CT LAB Sample#: 1413117 Sample Description: W17								Sampled: 1/8/2024 15:10		
Analyte	Result	Units	LOD	LOQ	Dilution	Qualifier	Prep Date/Time	Analysis Date/Time	Analyst	Method
Phenol	<3.0	ug/L	0.43	1.5	1		1/15/2024 13:00	1/17/2024 11:28	ALD	EPA 8270D

Notes: * Indicates a value in between the LOD (limit of detection) and the LOQ (limit of quantitation). All LOD/LOQs are adjusted to reflect dilution and also any differences in the sample weight / volume as compared to standard amounts.

All samples were received intact and properly preserved unless otherwise noted. The results reported relate only to the samples tested. This report shall not be reproduced, except in full, without written approval of this laboratory. The Chain of Custody is attached.

Submitted by: Brett M. Szymanski
 Project Manager
 608-356-2760

QC Qualifiers

<u>Code</u>	<u>Description</u>
B	Analyte detected in the associated Method Blank.
C	Toxicity present in BOD sample.
D	Diluted Out.
E	Safe, No Total Coliform detected.
F	Unsafe, Total Coliform detected, no E. Coli detected.
G	Unsafe, Total Coliform detected and E. Coli detected.
H	Holding time exceeded.
I	Incubator temperature was outside acceptance limits during test period.
J	Estimated value.
L	Significant peaks were detected outside the chromatographic window.
M	Matrix spike and/or Matrix Spike Duplicate recovery outside acceptance limits.
N	Insufficient BOD oxygen depletion.
O	Complete BOD oxygen depletion.
P	Concentration of analyte differs more than 40% between primary and confirmation analysis.
Q	Laboratory Control Sample outside acceptance limits.
R	See Narrative at end of report.
S	Surrogate standard recovery outside acceptance limits due to apparent matrix effects.
T	Sample received with improper preservation or temperature.
U	Analyte concentration was below detection limit.
V	Raised Quantitation or Reporting Limit due to limited sample amount or dilution for matrix background interference.
W	Sample amount received was below program minimum.
X	Analyte exceeded calibration range.
Y	Replicate/Duplicate precision outside acceptance limits.
Z	Specified calibration criteria was not met.

Current CT Laboratories Certifications

Wisconsin (WDNR) Chemistry ID# 157066030
 Wisconsin (DATCP) Bacteriology ID# 289
 Louisiana NELAP (primary) ID# 115843
 Illinois NELAP Lab ID# 200073
 Kansas NELAP Lab ID# E-10368
 Virginia NELAP Lab ID# 460203
 ISO/IEC 17025-2005 A2LA Cert # 3806.01
 DoD-ELAP A2LA 3806.01

Company Name: TRC
 Project Contact: Bruce Iverson
 Telephone: 608-826-3644
 Project Name: Wauleco
 Project Number: 189597.0013
 Project Location: Wausau, WI
 Sampled By: Tom Dushek

CTLaboratories

1230 Lange Court, Baraboo, WI 53913
 608-356-2760 Tel. Fx 608-356-2766
 www.ctllaboratories.com

Mail Report To: Steve Sellwood
 Company: TRC
 Address: 999 Fourier Drive
 City/State/Zip: Madison, WI 53717

Folder # 183272

Company: TRC ENVIRONMENTAL

Project: WAULECO

Logged By: erc PM: BMS

Ice Present ☒ Yes ☐ No

Temperature 24.2 °C

Initials *Er*

Date 1/9/04 Time 9:00

Cooler # 6671, 522, 6473

Invoice To: Accounts Payable

Company: TRC

Address:

City/State/Zip:

PO No. 210979

Contract No.

Regulatory Program:
 UST RCRA SDWA NPDES
 Solid Waste Other

Turnaround Time

Normal RUSH* Date Needed

*Notify Lab prior to sending in RUSH

Surcharges 24 hr 200% 2-3 days 100% 4-9 days 50%

Surcharges subject to change without notice.

Landfill License Number

Collection		Field Screen	Field ID	Grab/Comp	Sample ID Description	Filter'd Y/N	WDNR Well ID #	**Matrix:	TPH	TOC	Sulfate	Diss. Mn, Fe	Phenols (8270)	Nitrate	PCP (8270)	Total No of Containers	Total No of Cont. Rec'd	Preservation*	Client Special Instructions: Metals are filtered.	Lab ID #
Date	Time																			
1/8/24	0745			G	W29R	N		GW	1	1	1	1	2	✓		4				1413107
	0825				W26R				1	1	1	1	2	✓		6				08
	0915				W10A				1	1	1	1	2			6				09
	0915				W10A Dup				1	1	1	1	2			6				10
	1000				W11				1	1	1	1				4				11
	1215				W13				1	1	1	1	2	✓		6				12
	1300				DFomw5										2	2				13
	1325				DFomw11										2	2				14
↓	1410			↓	DFomw12	↓		↓							2	2				15
								A	C	A	D	A	A	A						

Relinquished By:

S.J. Dushek

Date/Time

1/8/24

1600

Relinquished By:

Date/Time

Received by:

Date/Time

Received by:

Date/Time

Er 1/9/04 10:18

**Matrix

S-Soil A-Air Slg-Sludge M-Misc Waste
 GW-Groundwater SW-Surface Water
 WW-Wastewater DW-Drinking Water

* Preservation Code

A=None B=HCL
 C=H2SO4 D=HNO3
 E=Encore F=Methanol
 G=NaOH
 O=Other

ANALYTICAL REPORT

TRC ENVIRONMENTAL
STEVE SELLWOOD
999 FOURIER DRIVE
SUITE 101
MADISON, WI 53717

Project Name: WAULECO
Project Phase:
Contract #: 2399
Project #: 189597.0013
Folder #: 183296
Purchase Order #: 210979

Page 1 of 5
Arrival Temperature: 3.2
Report Date: 1/23/2024
Date Received: 1/10/2024
Reprint Date: 1/23/2024

CT LAB Sample#: 1413372	Sample Description: W3A	Sampled: 1/9/2024 08:05

Analyte	Result	Units	LOD	LOQ	Dilution	Qualifier	Prep Date/Time	Analysis Date/Time	Analyst	Method
Inorganic Results										
Nitrate Nitrogen Total	<0.12	mg/L	0.12	0.40	1			1/10/2024 15:45	TMG	EPA 9056A
Total Sulfate	4.1	mg/L	0.80	2.5	1			1/10/2024 15:45	TMG	EPA 9056A
Total Organic Carbon	5.0	mg/L	0.4	3.0	1			1/16/2024 17:23	TMG	EPA 9060A
Metals Results										
Dissolved Iron	1120	ug/L	25	84	1			1/12/2024 14:25	NAH	EPA 6010C
Dissolved Manganese	640	ug/L	2.4	8.0	1			1/12/2024 14:25	NAH	EPA 6010C
Organic Results										
TPH as Mineral Spirits	9400	ug/L	32	110	1		1/15/2024 13:00	1/19/2024 07:56	AJZ	EPA 8015
2,3,4,6-Tetrachlorophenol	2.6	ug/L	1.6 *	5.2	2		1/15/2024 13:00	1/17/2024 16:49	ALD	EPA 8270D
2,4,5-Trichlorophenol	<3.0	ug/L	2.0	6.6	2		1/15/2024 13:00	1/17/2024 16:49	ALD	EPA 8270D
2,4,6-Trichlorophenol	<3.0	ug/L	1.8	6.2	2		1/15/2024 13:00	1/17/2024 16:49	ALD	EPA 8270D
2,4-Dichlorophenol	<3.0	ug/L	2.0	6.8	2		1/15/2024 13:00	1/17/2024 16:49	ALD	EPA 8270D
2,4-Dimethylphenol	<3.0	ug/L	1.1	3.8	2		1/15/2024 13:00	1/17/2024 16:49	ALD	EPA 8270D
2,4-Dinitrophenol	<3.0	ug/L	2.2	7.4	2		1/15/2024 13:00	1/17/2024 16:49	ALD	EPA 8270D

Unless specifically stated to the contrary, soil/sediment/sludge sample results/LOD/LOQ/RLs were reported on a Dry Weight Basis

CT LAB Sample#: 1413372 Sample Description: W3A

Sampled: 1/9/2024 08:05

Analyte	Result	Units	LOD	LOQ	Dilution	Qualifier	Prep Date/Time	Analysis Date/Time	Analyst	Method
2,6-Dichlorophenol	<3.0	ug/L	1.9	6.6	2	Q	1/15/2024 13:00	1/17/2024 16:49	ALD	EPA 8270D
2-Chlorophenol	<3.0	ug/L	1.4	4.8	2		1/15/2024 13:00	1/17/2024 16:49	ALD	EPA 8270D
2-Methylphenol	<3.0	ug/L	1.2	4.0	2		1/15/2024 13:00	1/17/2024 16:49	ALD	EPA 8270D
2-Nitrophenol	<3.0	ug/L	1.6	5.4	2		1/15/2024 13:00	1/17/2024 16:49	ALD	EPA 8270D
3 & 4-Methylphenol	<3.0	ug/L	2.0	6.6	2		1/15/2024 13:00	1/17/2024 16:49	ALD	EPA 8270D
4,6-Dinitro-2-methylphenol	<3.0	ug/L	3.4	11	2		1/15/2024 13:00	1/17/2024 16:49	ALD	EPA 8270D
4-Chloro-3-methylphenol	<3.0	ug/L	1.5	5.0	2		1/15/2024 13:00	1/17/2024 16:49	ALD	EPA 8270D
4-Nitrophenol	<3.0	ug/L	1.0	3.6	2		1/15/2024 13:00	1/17/2024 16:49	ALD	EPA 8270D
Pentachlorophenol	44	ug/L	1.9	6.4	2		1/15/2024 13:00	1/17/2024 16:49	ALD	EPA 8270D
Phenol	<3.0	ug/L	0.86	3.0	2		1/15/2024 13:00	1/17/2024 16:49	ALD	EPA 8270D

CT LAB Sample#: 1413373 Sample Description: W6R

Sampled: 1/9/2024 08:50

Analyte	Result	Units	LOD	LOQ	Dilution	Qualifier	Prep Date/Time	Analysis Date/Time	Analyst	Method
Inorganic Results										
Nitrate Nitrogen Total	0.25	mg/L	0.12 *	0.40	1			1/10/2024 16:44	TMG	EPA 9056A
Total Sulfate	15	mg/L	0.80	2.5	1			1/10/2024 16:44	TMG	EPA 9056A
Total Organic Carbon	6.9	mg/L	0.4	3.0	1			1/16/2024 17:34	TMG	EPA 9060A
Metals Results										
Dissolved Iron	<25	ug/L	25	84	1			1/12/2024 14:33	NAH	EPA 6010C
Dissolved Manganese	1080	ug/L	2.4	8.0	1			1/12/2024 14:33	NAH	EPA 6010C
Organic Results										
TPH as Mineral Spirits	2300	ug/L	33	110	1		1/15/2024 13:00	1/19/2024 10:13	AJZ	EPA 8015

CT LAB Sample#: 1413373 Sample Description: W6R Sampled: 1/9/2024 08:50

Analyte	Result	Units	LOD	LOQ	Dilution	Qualifier	Prep Date/Time	Analysis Date/Time	Analyst	Method
2,3,4,6-Tetrachlorophenol	66	ug/L	20	65	25		1/15/2024 13:00	1/17/2024 13:45	ALD	EPA 8270D
2,4,5-Trichlorophenol	<3.0	ug/L	25	83	25		1/15/2024 13:00	1/17/2024 13:45	ALD	EPA 8270D
2,4,6-Trichlorophenol	<3.0	ug/L	23	78	25		1/15/2024 13:00	1/17/2024 13:45	ALD	EPA 8270D
2,4-Dichlorophenol	<3.0	ug/L	25	85	25		1/15/2024 13:00	1/17/2024 13:45	ALD	EPA 8270D
2,4-Dimethylphenol	<3.0	ug/L	14	48	25		1/15/2024 13:00	1/17/2024 13:45	ALD	EPA 8270D
2,4-Dinitrophenol	<3.0	ug/L	28	93	25		1/15/2024 13:00	1/17/2024 13:45	ALD	EPA 8270D
2,6-Dichlorophenol	<3.0	ug/L	24	83	25	Q	1/15/2024 13:00	1/17/2024 13:45	ALD	EPA 8270D
2-Chlorophenol	<3.0	ug/L	18	60	25		1/15/2024 13:00	1/17/2024 13:45	ALD	EPA 8270D
2-Methylphenol	<3.0	ug/L	15	50	25		1/15/2024 13:00	1/17/2024 13:45	ALD	EPA 8270D
2-Nitrophenol	<3.0	ug/L	20	68	25		1/15/2024 13:00	1/17/2024 13:45	ALD	EPA 8270D
3 & 4-Methylphenol	<3.0	ug/L	25	83	25		1/15/2024 13:00	1/17/2024 13:45	ALD	EPA 8270D
4,6-Dinitro-2-methylphenol	<3.0	ug/L	43	140	25		1/15/2024 13:00	1/17/2024 13:45	ALD	EPA 8270D
4-Chloro-3-methylphenol	<3.0	ug/L	18	63	25		1/15/2024 13:00	1/17/2024 13:45	ALD	EPA 8270D
4-Nitrophenol	<3.0	ug/L	13	45	25		1/15/2024 13:00	1/17/2024 13:45	ALD	EPA 8270D
Pentachlorophenol	1100	ug/L	24	80	25		1/15/2024 13:00	1/17/2024 13:45	ALD	EPA 8270D
Phenol	<3.0	ug/L	11	38	25		1/15/2024 13:00	1/17/2024 13:45	ALD	EPA 8270D

CT LAB Sample#: 1413374 Sample Description: W41 Sampled: 1/9/2024 10:45

Analyte	Result	Units	LOD	LOQ	Dilution	Qualifier	Prep Date/Time	Analysis Date/Time	Analyst	Method
Inorganic Results										
Nitrate Nitrogen Total	0.13	mg/L	0.12 *	0.40	1			1/10/2024 17:03	TMG	EPA 9056A
Total Sulfate	5.4	mg/L	0.80	2.5	1			1/10/2024 17:03	TMG	EPA 9056A
Total Organic Carbon	18	mg/L	0.4	3.0	1			1/16/2024 17:45	TMG	EPA 9060A

CT LAB Sample#: 1413374 Sample Description: W41

Sampled: 1/9/2024 10:45

Analyte	Result	Units	LOD	LOQ	Dilution	Qualifier	Prep Date/Time	Analysis Date/Time	Analyst	Method
Metals Results										
Dissolved Iron	23000	ug/L	25	84	1			1/12/2024 14:40	NAH	EPA 6010C
Dissolved Manganese	36800	ug/L	2.4	8.0	1			1/12/2024 14:40	NAH	EPA 6010C
Organic Results										
TPH as Mineral Spirits	2100	ug/L	32	110	1		1/15/2024 13:00	1/19/2024 10:47	AJZ	EPA 8015
2,3,4,6-Tetrachlorophenol	23	ug/L	20 *	66	25		1/15/2024 13:00	1/17/2024 14:08	ALD	EPA 8270D
2,4,5-Trichlorophenol	<3.0	ug/L	25	83	25		1/15/2024 13:00	1/17/2024 14:08	ALD	EPA 8270D
2,4,6-Trichlorophenol	<3.0	ug/L	23	78	25		1/15/2024 13:00	1/17/2024 14:08	ALD	EPA 8270D
2,4-Dichlorophenol	<3.0	ug/L	25	86	25		1/15/2024 13:00	1/17/2024 14:08	ALD	EPA 8270D
2,4-Dimethylphenol	<3.0	ug/L	14	48	25		1/15/2024 13:00	1/17/2024 14:08	ALD	EPA 8270D
2,4-Dinitrophenol	<3.0	ug/L	28	93	25		1/15/2024 13:00	1/17/2024 14:08	ALD	EPA 8270D
2,6-Dichlorophenol	<3.0	ug/L	24	83	25	Q	1/15/2024 13:00	1/17/2024 14:08	ALD	EPA 8270D
2-Chlorophenol	<3.0	ug/L	18	61	25		1/15/2024 13:00	1/17/2024 14:08	ALD	EPA 8270D
2-Methylphenol	<3.0	ug/L	15	51	25		1/15/2024 13:00	1/17/2024 14:08	ALD	EPA 8270D
2-Nitrophenol	<3.0	ug/L	20	68	25		1/15/2024 13:00	1/17/2024 14:08	ALD	EPA 8270D
3 & 4-Methylphenol	<3.0	ug/L	25	83	25		1/15/2024 13:00	1/17/2024 14:08	ALD	EPA 8270D
4,6-Dinitro-2-methylphenol	<3.0	ug/L	43	140	25		1/15/2024 13:00	1/17/2024 14:08	ALD	EPA 8270D
4-Chloro-3-methylphenol	<3.0	ug/L	18	63	25		1/15/2024 13:00	1/17/2024 14:08	ALD	EPA 8270D
4-Nitrophenol	<3.0	ug/L	13	45	25		1/15/2024 13:00	1/17/2024 14:08	ALD	EPA 8270D
Pentachlorophenol	700	ug/L	24	81	25		1/15/2024 13:00	1/17/2024 14:08	ALD	EPA 8270D
Phenol	<3.0	ug/L	11	38	25		1/15/2024 13:00	1/17/2024 14:08	ALD	EPA 8270D

Notes: * Indicates a value in between the LOD (limit of detection) and the LOQ (limit of quantitation). All LOD/LOQs are adjusted to reflect dilution and also any differences in the sample weight / volume as compared to standard amounts.

All samples were received intact and properly preserved unless otherwise noted. The results reported relate only to the samples tested. This report shall not be reproduced, except in full, without written approval of this laboratory. The Chain of Custody is attached.

Submitted by: Brett M. Szymanski
 Project Manager
 608-356-2760

QC Qualifiers

<u>Code</u>	<u>Description</u>
B	Analyte detected in the associated Method Blank.
C	Toxicity present in BOD sample.
D	Diluted Out.
E	Safe, No Total Coliform detected.
F	Unsafe, Total Coliform detected, no E. Coli detected.
G	Unsafe, Total Coliform detected and E. Coli detected.
H	Holding time exceeded.
I	Incubator temperature was outside acceptance limits during test period.
J	Estimated value.
L	Significant peaks were detected outside the chromatographic window.
M	Matrix spike and/or Matrix Spike Duplicate recovery outside acceptance limits.
N	Insufficient BOD oxygen depletion.
O	Complete BOD oxygen depletion.
P	Concentration of analyte differs more than 40% between primary and confirmation analysis.
Q	Laboratory Control Sample outside acceptance limits.
R	See Narrative at end of report.
S	Surrogate standard recovery outside acceptance limits due to apparent matrix effects.
T	Sample received with improper preservation or temperature.
U	Analyte concentration was below detection limit.
V	Raised Quantitation or Reporting Limit due to limited sample amount or dilution for matrix background interference.
W	Sample amount received was below program minimum.
X	Analyte exceeded calibration range.
Y	Replicate/Duplicate precision outside acceptance limits.
Z	Specified calibration criteria was not met.

Current CT Laboratories Certifications

Wisconsin (WDNR) Chemistry ID# 157066030
 Wisconsin (DATCP) Bacteriology ID# 289
 Louisiana NELAP (primary) ID# 115843
 Illinois NELAP Lab ID# 200073
 Kansas NELAP Lab ID# E-10368
 Virginia NELAP Lab ID# 460203
 ISO/IEC 17025-2005 A2LA Cert # 3806.01
 DoD-ELAP A2LA 3806.01

CTLaboratories

Mail Report To: Steve Sellwood
Company: TRC
Address: 999 Fourier Drive
City/State/Zip: Madison, WI 53717

Regulatory Program:
 UST RCRA SDWA NPDES
 Solid Waste Other

Order # 183296
Company TRC ENVIRONMENTAL
Project WAULECO

1230 Lange Court, Baraboo, WI 53913
608-356-2760 Tel. Fx 608-356-2766
www.ctlaboratories.com

Ice Present	~~Yes~~	No

Temperature 3.2 POSC

Initials EDL G DL

Date 1/10/24 Time 1000

Cooler # 6412

Invoice To: Accounts Payable
Company: TRC
Address:
City/State/Zip:
PO No. 210979

Contract No.

Turnaround Time

☒ Normal ☐ RUSH* Date Needed

***Notify Lab prior to sending in RUSH**

Surcharges 24 hr 200% 2-3 days 100% 4-9 days 50%

Surcharges subject to change without notice.

Landfill License Number

Collection		Field Screen	Field ID	Grab/Comp	Sample ID Description	Filt'd Y/N	W	Al	TP	TC	Su	Di	Ph	Ni	PC	To	To	Pr	Lab ID #
Date	Time																		
1/9/24	1805			G	W3A	N		GW	1	1	1	1	2	✓		6			143272
	1850			↓	W4R	↓		↓	1	1	1	1	2	✓		6			(73
↓	1045			↓	W4I	↓		↓	1	1	1	1	2	✓		6			(71
									A	C	A	D	A	A	A				

-Relinquished-By:

Date/Time

Relinquished By:

Date/Time

Received by:

Date/Time

Received by:

Date/Time

**Matrix

S-Soil A-Air Slg-Sludge M-Misc Waste
GW-Groundwater SW-Surface Water
WW-Wastewater DW-Drinking Water

* Preservation Code

A=None B=HCL
C=H2SO4 D=HNO3
E=Encore F=Methanol
G=NaOH
O=Other

ANALYTICAL REPORT

TRC ENVIRONMENTAL
STEVE SELLWOOD
999 FOURIER DRIVE
SUITE 101
MADISON, WI 53717

Project Name: WAULECO
Project Phase:
Contract #: 2399
Project #: 189597.0013
Folder #: 183384
Purchase Order #: 210979

Page 1 of 9
Arrival Temperature: 3.9
Report Date: 1/25/2024
Date Received: 1/12/2024
Reprint Date: 1/25/2024

CT LAB Sample#: 1414167	Sample Description: W22	Sampled: 1/11/2024 08:10

Analyte	Result	Units	LOD	LOQ	Dilution	Qualifier	Prep Date/Time	Analysis Date/Time	Analyst	Method
Inorganic Results										
Nitrate Nitrogen Total	<0.12	mg/L	0.12	0.40	1			1/12/2024 11:09	TMG	EPA 9056A
Total Sulfate	6.6	mg/L	0.80	2.5	1			1/12/2024 11:09	TMG	EPA 9056A
Total Organic Carbon	11	mg/L	0.4	3.0	1			1/16/2024 18:22	TMG	EPA 9060A
Metals Results										
Dissolved Iron	239	ug/L	25	84	1			1/15/2024 14:07	NAH	EPA 6010C
Dissolved Manganese	4960	ug/L	2.4	8.0	1	M		1/15/2024 14:07	NAH	EPA 6010C
Organic Results										
TPH as Mineral Spirits	3400	ug/L	33	110	1		1/18/2024 10:15	1/22/2024 14:56	AJZ	EPA 8015
2,3,4,6-Tetrachlorophenol	180	ug/L	7.8	26	10		1/18/2024 11:00	1/22/2024 11:11	ALD	EPA 8270D
2,4,5-Trichlorophenol	<3.0	ug/L	9.8	33	10		1/18/2024 11:00	1/22/2024 11:11	ALD	EPA 8270D
2,4,6-Trichlorophenol	<3.0	ug/L	9.1	31	10		1/18/2024 11:00	1/22/2024 11:11	ALD	EPA 8270D
2,4-Dichlorophenol	<3.0	ug/L	10	34	10		1/18/2024 11:00	1/22/2024 11:11	ALD	EPA 8270D
2,4-Dimethylphenol	<3.0	ug/L	5.5	19	10		1/18/2024 11:00	1/22/2024 11:11	ALD	EPA 8270D
2,4-Dinitrophenol	<3.0	ug/L	11	37	10		1/18/2024 11:00	1/22/2024 11:11	ALD	EPA 8270D

Unless specifically stated to the contrary, soil/sediment/sludge sample results/LOD/LOQ/RLs were reported on a Dry Weight Basis

CT LAB Sample#: 1414167 Sample Description: W22 Sampled: 1/11/2024 08:10

Analyte	Result	Units	LOD	LOQ	Dilution	Qualifier	Prep Date/Time	Analysis Date/Time	Analyst	Method
2,6-Dichlorophenol	<3.0	ug/L	9.7	33	10	Q	1/18/2024 11:00	1/22/2024 11:11	ALD	EPA 8270D
2-Chlorophenol	<3.0	ug/L	7.0	24	10		1/18/2024 11:00	1/22/2024 11:11	ALD	EPA 8270D
2-Methylphenol	<3.0	ug/L	5.9	20	10		1/18/2024 11:00	1/22/2024 11:11	ALD	EPA 8270D
2-Nitrophenol	<3.0	ug/L	8.1	27	10		1/18/2024 11:00	1/22/2024 11:11	ALD	EPA 8270D
3 & 4-Methylphenol	<3.0	ug/L	9.9	33	10		1/18/2024 11:00	1/22/2024 11:11	ALD	EPA 8270D
4,6-Dinitro-2-methylphenol	<3.0	ug/L	17	57	10		1/18/2024 11:00	1/22/2024 11:11	ALD	EPA 8270D
4-Chloro-3-methylphenol	<3.0	ug/L	7.3	25	10		1/18/2024 11:00	1/22/2024 11:11	ALD	EPA 8270D
4-Nitrophenol	<3.0	ug/L	5.2	18	10		1/18/2024 11:00	1/22/2024 11:11	ALD	EPA 8270D
Pentachlorophenol	2500	ug/L	48	160	50		1/18/2024 11:00	1/22/2024 12:41	ALD	EPA 8270D
Phenol	<3.0	ug/L	4.3	15	10		1/18/2024 11:00	1/22/2024 11:11	ALD	EPA 8270D

CT LAB Sample#: 1414168 Sample Description: PW17 Sampled: 1/11/2024 08:40

Analyte	Result	Units	LOD	LOQ	Dilution	Qualifier	Prep Date/Time	Analysis Date/Time	Analyst	Method
Inorganic Results										
Total Sulfate	15	mg/L	0.80	2.5	1			1/12/2024 13:05	TMG	EPA 9056A
Total Organic Carbon	3.8	mg/L	0.4	3.0	1			1/16/2024 18:33	TMG	EPA 9060A
Metals Results										
Dissolved Iron	281	ug/L	25	84	1			1/15/2024 14:29	NAH	EPA 6010C
Dissolved Manganese	2140	ug/L	2.4	8.0	1			1/15/2024 14:29	NAH	EPA 6010C
Organic Results										
TPH as Mineral Spirits	460	ug/L	33	110	1		1/18/2024 10:15	1/22/2024 15:30	AJZ	EPA 8015

CT LAB Sample#: 1414169 Sample Description: FP2 Sampled: 1/11/2024 09:00

Analyte	Result	Units	LOD	LOQ	Dilution	Qualifier	Prep Date/Time	Analysis Date/Time	Analyst	Method
Inorganic Results										
Total Sulfate	1.4	mg/L	0.80 *	2.5	1			1/12/2024 14:04	TMG	EPA 9056A
Total Organic Carbon	7.0	mg/L	0.4	3.0	1			1/16/2024 18:44	TMG	EPA 9060A
Metals Results										
Dissolved Iron	15000	ug/L	25	84	1			1/15/2024 14:36	NAH	EPA 6010C
Dissolved Manganese	6090	ug/L	2.4	8.0	1			1/15/2024 14:36	NAH	EPA 6010C
Organic Results										
TPH as Mineral Spirits	3100	ug/L	33	110	1		1/18/2024 10:15	1/22/2024 16:04	AJZ	EPA 8015

CT LAB Sample#: 1414170 Sample Description: W33 Sampled: 1/11/2024 09:50

Analyte	Result	Units	LOD	LOQ	Dilution	Qualifier	Prep Date/Time	Analysis Date/Time	Analyst	Method
Inorganic Results										
Nitrate Nitrogen Total	<0.12	mg/L	0.12	0.40	1			1/12/2024 11:28	TMG	EPA 9056A
Total Sulfate	12	mg/L	0.80	2.5	1			1/12/2024 11:28	TMG	EPA 9056A
Total Organic Carbon	6.1	mg/L	0.4	3.0	1			1/16/2024 18:56	TMG	EPA 9060A
Metals Results										
Dissolved Iron	1290	ug/L	25	84	1			1/15/2024 14:44	NAH	EPA 6010C
Dissolved Manganese	1830	ug/L	2.4	8.0	1			1/15/2024 14:44	NAH	EPA 6010C
Organic Results										
TPH as Mineral Spirits	8300	ug/L	33	110	1		1/18/2024 10:15	1/22/2024 16:39	AJZ	EPA 8015
2,3,4,6-Tetrachlorophenol	480	ug/L	7.8	26	10		1/18/2024 11:00	1/22/2024 11:34	ALD	EPA 8270D

CT LAB Sample#: 1414170

Sample Description: W33

Sampled: 1/11/2024 09:50

Analyte	Result	Units	LOD	LOQ	Dilution	Qualifier	Prep Date/Time	Analysis Date/Time	Analyst	Method
2,4,5-Trichlorophenol	<3.0	ug/L	9.8	33	10		1/18/2024 11:00	1/22/2024 11:34	ALD	EPA 8270D
2,4,6-Trichlorophenol	<3.0	ug/L	9.1	31	10		1/18/2024 11:00	1/22/2024 11:34	ALD	EPA 8270D
2,4-Dichlorophenol	<3.0	ug/L	10	34	10		1/18/2024 11:00	1/22/2024 11:34	ALD	EPA 8270D
2,4-Dimethylphenol	<3.0	ug/L	5.5	19	10		1/18/2024 11:00	1/22/2024 11:34	ALD	EPA 8270D
2,4-Dinitrophenol	<3.0	ug/L	11	37	10		1/18/2024 11:00	1/22/2024 11:34	ALD	EPA 8270D
2,6-Dichlorophenol	<3.0	ug/L	9.7	33	10	Q	1/18/2024 11:00	1/22/2024 11:34	ALD	EPA 8270D
2-Chlorophenol	<3.0	ug/L	7.0	24	10		1/18/2024 11:00	1/22/2024 11:34	ALD	EPA 8270D
2-Methylphenol	<3.0	ug/L	5.9	20	10		1/18/2024 11:00	1/22/2024 11:34	ALD	EPA 8270D
2-Nitrophenol	<3.0	ug/L	8.1	27	10		1/18/2024 11:00	1/22/2024 11:34	ALD	EPA 8270D
3 & 4-Methylphenol	<3.0	ug/L	9.9	33	10		1/18/2024 11:00	1/22/2024 11:34	ALD	EPA 8270D
4,6-Dinitro-2-methylphenol	<3.0	ug/L	17	57	10		1/18/2024 11:00	1/22/2024 11:34	ALD	EPA 8270D
4-Chloro-3-methylphenol	<3.0	ug/L	7.3	25	10		1/18/2024 11:00	1/22/2024 11:34	ALD	EPA 8270D
4-Nitrophenol	<3.0	ug/L	5.2	18	10		1/18/2024 11:00	1/22/2024 11:34	ALD	EPA 8270D
Pentachlorophenol	3500	ug/L	95	320	100		1/18/2024 11:00	1/22/2024 13:03	ALD	EPA 8270D
Phenol	<3.0	ug/L	4.3	15	10		1/18/2024 11:00	1/22/2024 11:34	ALD	EPA 8270D

CT LAB Sample#: 1414171

Sample Description: W27

Sampled: 1/11/2024 10:30

Analyte	Result	Units	LOD	LOQ	Dilution	Qualifier	Prep Date/Time	Analysis Date/Time	Analyst	Method
Inorganic Results										
Total Sulfate	5.2	mg/L	0.80	2.5	1			1/12/2024 14:23	TMG	EPA 9056A
Total Organic Carbon	42	mg/L	0.4	3.0	1			1/16/2024 19:07	TMG	EPA 9060A
Metals Results										
Dissolved Iron	6990	ug/L	25	84	1			1/15/2024 14:52	NAH	EPA 6010C

CT LAB Sample#: 1414171 Sample Description: W27 Sampled: 1/11/2024 10:30

Analyte	Result	Units	LOD	LOQ	Dilution	Qualifier	Prep Date/Time	Analysis Date/Time	Analyst	Method
Dissolved Manganese	16100	ug/L	2.4	8.0	1			1/15/2024 14:52	NAH	EPA 6010C
Organic Results										
TPH as Mineral Spirits	6900	ug/L	33	110	1		1/18/2024 10:15	1/22/2024 17:14	AJZ	EPA 8015

CT LAB Sample#: 1414172 Sample Description: W27 DUP Sampled: 1/11/2024 10:30

Analyte	Result	Units	LOD	LOQ	Dilution	Qualifier	Prep Date/Time	Analysis Date/Time	Analyst	Method
Inorganic Results										
Total Sulfate	5.4	mg/L	0.80	2.5	1			1/12/2024 14:43	TMG	EPA 9056A
Total Organic Carbon	41	mg/L	0.4	3.0	1			1/16/2024 19:19	TMG	EPA 9060A
Metals Results										
Dissolved Iron	7090	ug/L	25	84	1			1/15/2024 15:00	NAH	EPA 6010C
Dissolved Manganese	16400	ug/L	2.4	8.0	1			1/15/2024 15:00	NAH	EPA 6010C
Organic Results										
TPH as Mineral Spirits	2300	ug/L	33	110	1		1/18/2024 10:15	1/22/2024 17:49	AJZ	EPA 8015

CT LAB Sample#: 1414173 Sample Description: BLANK 01 Sampled: 1/11/2024 11:15

Analyte	Result	Units	LOD	LOQ	Dilution	Qualifier	Prep Date/Time	Analysis Date/Time	Analyst	Method
Inorganic Results										
Nitrate Nitrogen Total	<0.12	mg/L	0.12	0.40	1			1/12/2024 11:47	TMG	EPA 9056A
Total Sulfate	<0.80	mg/L	0.80	2.5	1			1/12/2024 11:47	TMG	EPA 9056A
Total Organic Carbon	<0.4	mg/L	0.4	3.0	1			1/16/2024 19:31	TMG	EPA 9060A

CT LAB Sample#: 1414173 Sample Description: BLANK 01

Sampled: 1/11/2024 11:15

Analyte	Result	Units	LOD	LOQ	Dilution	Qualifier	Prep Date/Time	Analysis Date/Time	Analyst	Method
Metals Results										
Dissolved Iron	<25	ug/L	25	84	1			1/15/2024 15:07	NAH	EPA 6010C
Dissolved Manganese	<2.4	ug/L	2.4	8.0	1			1/15/2024 15:07	NAH	EPA 6010C
Organic Results										
TPH as Mineral Spirits	<33	ug/L	33	110	1		1/18/2024 10:15	1/22/2024 18:23	AJZ	EPA 8015
2,3,4,6-Tetrachlorophenol	<3.0	ug/L	0.78	2.6	1		1/18/2024 11:00	1/22/2024 11:56	ALD	EPA 8270D
2,4,5-Trichlorophenol	<3.0	ug/L	0.98	3.3	1		1/18/2024 11:00	1/22/2024 11:56	ALD	EPA 8270D
2,4,6-Trichlorophenol	<3.0	ug/L	0.91	3.1	1		1/18/2024 11:00	1/22/2024 11:56	ALD	EPA 8270D
2,4-Dichlorophenol	<3.0	ug/L	1.0	3.4	1		1/18/2024 11:00	1/22/2024 11:56	ALD	EPA 8270D
2,4-Dimethylphenol	<3.0	ug/L	0.55	1.9	1		1/18/2024 11:00	1/22/2024 11:56	ALD	EPA 8270D
2,4-Dinitrophenol	<3.0	ug/L	1.1	3.7	1		1/18/2024 11:00	1/22/2024 11:56	ALD	EPA 8270D
2,6-Dichlorophenol	<3.0	ug/L	0.97	3.3	1	Q	1/18/2024 11:00	1/22/2024 11:56	ALD	EPA 8270D
2-Chlorophenol	<3.0	ug/L	0.70	2.4	1		1/18/2024 11:00	1/22/2024 11:56	ALD	EPA 8270D
2-Methylphenol	<3.0	ug/L	0.59	2.0	1		1/18/2024 11:00	1/22/2024 11:56	ALD	EPA 8270D
2-Nitrophenol	<3.0	ug/L	0.81	2.7	1		1/18/2024 11:00	1/22/2024 11:56	ALD	EPA 8270D
3 & 4-Methylphenol	<3.0	ug/L	0.99	3.3	1		1/18/2024 11:00	1/22/2024 11:56	ALD	EPA 8270D
4,6-Dinitro-2-methylphenol	<3.0	ug/L	1.7	5.7	1		1/18/2024 11:00	1/22/2024 11:56	ALD	EPA 8270D
4-Chloro-3-methylphenol	<3.0	ug/L	0.73	2.5	1		1/18/2024 11:00	1/22/2024 11:56	ALD	EPA 8270D
4-Nitrophenol	<3.0	ug/L	0.52	1.8	1		1/18/2024 11:00	1/22/2024 11:56	ALD	EPA 8270D
Pentachlorophenol	<3.0	ug/L	0.95	3.2	1		1/18/2024 11:00	1/22/2024 11:56	ALD	EPA 8270D
Phenol	<3.0	ug/L	0.43	1.5	1		1/18/2024 11:00	1/22/2024 11:56	ALD	EPA 8270D

CT LAB Sample#: 1414174

Sample Description: W40R

Sampled: 1/11/2024 12:00

Analyte	Result	Units	LOD	LOQ	Dilution	Qualifier	Prep Date/Time	Analysis Date/Time	Analyst	Method
Inorganic Results										
Nitrate Nitrogen Total	<0.12	mg/L	0.12	0.40	1			1/12/2024 12:07	TMG	EPA 9056A
Total Sulfate	6.8	mg/L	0.80	2.5	1			1/12/2024 12:07	TMG	EPA 9056A
Total Organic Carbon	15	mg/L	0.4	3.0	1			1/16/2024 19:45	TMG	EPA 9060A
Metals Results										
Dissolved Iron	1650	ug/L	25	84	1			1/15/2024 15:36	NAH	EPA 6010C
Dissolved Manganese	3380	ug/L	2.4	8.0	1			1/15/2024 15:36	NAH	EPA 6010C
Organic Results										
TPH as Mineral Spirits	63000	ug/L	660	2200	20		1/18/2024 10:15	1/23/2024 15:14	AJZ	EPA 8015
2,3,4,6-Tetrachlorophenol	360	ug/L	7.8	26	10		1/18/2024 11:00	1/22/2024 12:19	ALD	EPA 8270D
2,4,5-Trichlorophenol	<3.0	ug/L	9.8	33	10		1/18/2024 11:00	1/22/2024 12:19	ALD	EPA 8270D
2,4,6-Trichlorophenol	<3.0	ug/L	9.1	31	10		1/18/2024 11:00	1/22/2024 12:19	ALD	EPA 8270D
2,4-Dichlorophenol	<3.0	ug/L	10	34	10		1/18/2024 11:00	1/22/2024 12:19	ALD	EPA 8270D
2,4-Dimethylphenol	<3.0	ug/L	5.5	19	10		1/18/2024 11:00	1/22/2024 12:19	ALD	EPA 8270D
2,4-Dinitrophenol	<3.0	ug/L	11	37	10		1/18/2024 11:00	1/22/2024 12:19	ALD	EPA 8270D
2,6-Dichlorophenol	<3.0	ug/L	9.7	33	10	Q	1/18/2024 11:00	1/22/2024 12:19	ALD	EPA 8270D
2-Chlorophenol	<3.0	ug/L	7.0	24	10		1/18/2024 11:00	1/22/2024 12:19	ALD	EPA 8270D
2-Methylphenol	<3.0	ug/L	5.9	20	10		1/18/2024 11:00	1/22/2024 12:19	ALD	EPA 8270D
2-Nitrophenol	<3.0	ug/L	8.1	27	10		1/18/2024 11:00	1/22/2024 12:19	ALD	EPA 8270D
3 & 4-Methylphenol	<3.0	ug/L	9.9	33	10		1/18/2024 11:00	1/22/2024 12:19	ALD	EPA 8270D
4,6-Dinitro-2-methylphenol	<3.0	ug/L	17	57	10		1/18/2024 11:00	1/22/2024 12:19	ALD	EPA 8270D
4-Chloro-3-methylphenol	<3.0	ug/L	7.3	25	10		1/18/2024 11:00	1/22/2024 12:19	ALD	EPA 8270D
4-Nitrophenol	<3.0	ug/L	5.2	18	10		1/18/2024 11:00	1/22/2024 12:19	ALD	EPA 8270D
Pentachlorophenol	4700	ug/L	95	320	100		1/18/2024 11:00	1/22/2024 13:26	ALD	EPA 8270D

Unless specifically stated to the contrary, soil/sediment/sludge sample results/LOD/LOQ/RLs were reported on a Dry Weight Basis

CT LAB Sample#: 1414174 Sample Description: W40R								Sampled: 1/11/2024 12:00		
Analyte	Result	Units	LOD	LOQ	Dilution	Qualifier	Prep Date/Time	Analysis Date/Time	Analyst	Method
Phenol	<3.0	ug/L	4.3	15	10		1/18/2024 11:00	1/22/2024 12:19	ALD	EPA 8270D

Notes: * Indicates a value in between the LOD (limit of detection) and the LOQ (limit of quantitation). All LOD/LOQs are adjusted to reflect dilution and also any differences in the sample weight / volume as compared to standard amounts.

All samples were received intact and properly preserved unless otherwise noted. The results reported relate only to the samples tested. This report shall not be reproduced, except in full, without written approval of this laboratory. The Chain of Custody is attached.

Submitted by: Brett M. Szymanski
 Project Manager
 608-356-2760

QC Qualifiers

<u>Code</u>	<u>Description</u>
B	Analyte detected in the associated Method Blank.
C	Toxicity present in BOD sample.
D	Diluted Out.
E	Safe, No Total Coliform detected.
F	Unsafe, Total Coliform detected, no E. Coli detected.
G	Unsafe, Total Coliform detected and E. Coli detected.
H	Holding time exceeded.
I	Incubator temperature was outside acceptance limits during test period.
J	Estimated value.
L	Significant peaks were detected outside the chromatographic window.
M	Matrix spike and/or Matrix Spike Duplicate recovery outside acceptance limits.
N	Insufficient BOD oxygen depletion.
O	Complete BOD oxygen depletion.
P	Concentration of analyte differs more than 40% between primary and confirmation analysis.
Q	Laboratory Control Sample outside acceptance limits.
R	See Narrative at end of report.
S	Surrogate standard recovery outside acceptance limits due to apparent matrix effects.
T	Sample received with improper preservation or temperature.
U	Analyte concentration was below detection limit.
V	Raised Quantitation or Reporting Limit due to limited sample amount or dilution for matrix background interference.
W	Sample amount received was below program minimum.
X	Analyte exceeded calibration range.
Y	Replicate/Duplicate precision outside acceptance limits.
Z	Specified calibration criteria was not met.

Current CT Laboratories Certifications

Wisconsin (WDNR) Chemistry ID# 157066030
 Wisconsin (DATCP) Bacteriology ID# 289
 Louisiana NELAP (primary) ID# 115843
 Illinois NELAP Lab ID# 200073
 Kansas NELAP Lab ID# E-10368
 Virginia NELAP Lab ID# 460203
 ISO/IEC 17025-2005 A2LA Cert # 3806.01
 DoD-ELAP A2LA 3806.01

Company Name: TRC
 Project Contact: Bruce Iverson
 Telephone: 608-826-3644
 Project Name: Wauleco
 Project Number: 189597.0013
 Project Location: Wausau, WI
 Sampled By: Tom Dushek

CTLaboratories

Folder #: 183384
 Company: TRC ENVIRONMENTAL
 Project: WAULECO
 Logged By: erc PM: BMS

1230 Lange Court, Baraboo, WI 53913
 608-356-2760 Tel. Fx 608-356-2766
 www.ctlaboratories.com

Mail Report To: Steve Sellwood
 Company: TRC
 Address: 999 Fourier Drive
 City/State/Zip: Madison, WI 53717

Invoice To: Accounts Payable
 Company: TRC
 Address:
 City/State/Zip:
 PO No. 210979

Regulatory Program:
 UST RCRA SDWA NPDES
 Solid Waste Other _____

Ice Present Yes No

Temperature 49.0
 Initials erc

Date 1/11/04 Time 946

Cooler # 6409, 6593

Contract No.

Turnaround Time

Normal RUSH* Date Needed _____

*Notify Lab prior to sending in RUSH

Surcharges 24 hr 200% 2-3 days 100% 4-9 days 50%

Surcharges subject to change without notice.

Landfill License Number

Collection		Field Screen	Field ID	Grab/Comp	Sample ID Description	File'd Y/N	WDNR Well ID #	**Matrix:	TPH	TOC	Sulfate	Diss. Mn, Fe	Phenols (8270)	Nitrate	PCP (8270)	Total No of Containers	Total No of Cont. Rec'd	Preservation*	Client Special Instructions: Metals are filtered.	Lab ID #
Date	Time						Fill in Spaces with Bottles per Test													
1/11/24	0810			G	W22	N		GW	1	1	1	1	2	✓		6				1917167
	0840				PW17				1	1	1	1				4				68
	0900				FP2				1	1	1	1				4				69
	0950				W33				1	1	1	1	2	✓		6				70
	1030				W27				1	1	1	1				4				71
	1030				W27 Dup				1	1	1	1				4				72
	1115				Blank 01				1	1	1	1	2	✓	2150	6				73
✓	1200			✓	W40R	✓		✓	1	1	1	1	2	✓		6				74
									A	C	A	D	A	A	A					

Relinquished By: J. J. Dushek

Date/Time
 1/11/24
 1530

Relinquished By:

Date/Time

Received by:

Date/Time

Received by:

Date/Time

****Matrix**
 S=Soil A=Air Slg=Sludge M=Misc Waste
 GW=Groundwater SW=Surface Water
 WW=Wastewater DW=Drinking Water

*** Preservation Code**
 A=None B=HCL
 C=H2SO4 D=HNO3
 E=Encore F=Methanol
 G=NaOH
 O=Other _____

1/11/24 959

D2

July 2024

ANALYTICAL REPORT

TRC ENVIRONMENTAL
STEVE SELLWOOD
999 FOURIER DRIVE
SUITE 101
MADISON, WI 53717

Project Name: WAULECO
Project Phase:
Contract #: 2399
Project #: 189597.0013
Folder #: 187528
Purchase Order #: 210979

Page 1 of 15
Arrival Temperature: 5.7
Report Date: 7/23/2024
Date Received: 7/3/2024
Reprint Date: 7/23/2024

CT LAB Sample#: 1475998	Sample Description: W72	Sampled: 7/1/2024 13:10

Analyte	Result	Units	LOD	LOQ	Dilution	Qualifier	Prep Date/Time	Analysis Date/Time	Analyst	Method
Organic Results										
TPH as Mineral Spirits	<32	ug/L	32	110	1		7/5/2024 14:45	7/12/2024 17:30	AJZ	EPA 8015
1,2,4-Trimethylbenzene	<0.34	ug/L	0.34	1.2	1			7/9/2024 20:56	DGS	EPA 8260C
m & p-Xylene	<0.74	ug/L	0.74	2.5	1			7/9/2024 20:56	DGS	EPA 8260C
Naphthalene	<0.35	ug/L	0.35	1.2	1			7/9/2024 20:56	DGS	EPA 8260C
o-Xylene	<0.72	ug/L	0.72	2.4	1			7/9/2024 20:56	DGS	EPA 8260C
Pentachlorophenol	<3.0	ug/L	0.94	3.2	1		7/8/2024 10:45	7/9/2024 12:35	ALD	EPA 8270D

CT LAB Sample#: 1475999	Sample Description: W71	Sampled: 7/1/2024 14:00

Analyte	Result	Units	LOD	LOQ	Dilution	Qualifier	Prep Date/Time	Analysis Date/Time	Analyst	Method
Organic Results										
TPH as Mineral Spirits	<33	ug/L	33	110	1		7/5/2024 14:45	7/12/2024 18:04	AJZ	EPA 8015
1,2,4-Trimethylbenzene	<0.34	ug/L	0.34	1.2	1			7/9/2024 21:24	DGS	EPA 8260C

Unless specifically stated to the contrary, soil/sediment/sludge sample results/LOD/LOQ/RLs were reported on a Dry Weight Basis

CT LAB Sample#: 1475999 Sample Description: W71 Sampled: 7/1/2024 14:00

Analyte	Result	Units	LOD	LOQ	Dilution	Qualifier	Prep Date/Time	Analysis Date/Time	Analyst	Method
m & p-Xylene	<0.74	ug/L	0.74	2.5	1			7/9/2024 21:24	DGS	EPA 8260C
Naphthalene	<0.35	ug/L	0.35	1.2	1			7/9/2024 21:24	DGS	EPA 8260C
o-Xylene	<0.72	ug/L	0.72	2.4	1			7/9/2024 21:24	DGS	EPA 8260C
Pentachlorophenol	<3.0	ug/L	0.92	3.1	1		7/8/2024 10:45	7/9/2024 12:58	ALD	EPA 8270D

CT LAB Sample#: 1476000 Sample Description: W74 Sampled: 7/1/2024 14:45

Analyte	Result	Units	LOD	LOQ	Dilution	Qualifier	Prep Date/Time	Analysis Date/Time	Analyst	Method
Organic Results										
TPH as Mineral Spirits	<33	ug/L	33	110	1		7/5/2024 14:45	7/12/2024 18:38	AJZ	EPA 8015
1,2,4-Trimethylbenzene	<0.34	ug/L	0.34	1.2	1			7/9/2024 21:52	DGS	EPA 8260C
m & p-Xylene	<0.74	ug/L	0.74	2.5	1			7/9/2024 21:52	DGS	EPA 8260C
Naphthalene	<0.35	ug/L	0.35	1.2	1			7/9/2024 21:52	DGS	EPA 8260C
o-Xylene	<0.72	ug/L	0.72	2.4	1			7/9/2024 21:52	DGS	EPA 8260C
Pentachlorophenol	<3.0	ug/L	1.0	3.4	1		7/8/2024 10:45	7/9/2024 13:22	ALD	EPA 8270D

CT LAB Sample#: 1476001 Sample Description: TRIP BLANK 01 Sampled: 7/1/2024 14:05

Analyte	Result	Units	LOD	LOQ	Dilution	Qualifier	Prep Date/Time	Analysis Date/Time	Analyst	Method
Organic Results										
1,2,4-Trimethylbenzene	<0.34	ug/L	0.34	1.2	1			7/9/2024 20:29	DGS	EPA 8260C
m & p-Xylene	<0.74	ug/L	0.74	2.5	1			7/9/2024 20:29	DGS	EPA 8260C
Naphthalene	<0.35	ug/L	0.35	1.2	1			7/9/2024 20:29	DGS	EPA 8260C

CT LAB Sample#: 1476001 Sample Description: TRIP BLANK 01 Sampled: 7/1/2024 14:05

Analyte	Result	Units	LOD	LOQ	Dilution	Qualifier	Prep Date/Time	Analysis Date/Time	Analyst	Method
o-Xylene	<0.72	ug/L	0.72	2.4	1			7/9/2024 20:29	DGS	EPA 8260C

CT LAB Sample#: 1476002 Sample Description: W8 Sampled: 7/2/2024 07:40

Analyte	Result	Units	LOD	LOQ	Dilution	Qualifier	Prep Date/Time	Analysis Date/Time	Analyst	Method

Inorganic Results

Nitrate Nitrogen Total	4.9	mg/L	0.12	0.40	1			7/3/2024 13:03	TMG	EPA 9056A
Total Sulfate	14	mg/L	0.80	2.5	1			7/3/2024 13:03	TMG	EPA 9056A
Total Organic Carbon	0.73	mg/L	0.4 *	3.0	1			7/5/2024 11:43	TMG	EPA 9060A

Metals Results

Dissolved Iron	<25	ug/L	25	84	1			7/3/2024 20:29	NAH	EPA 6010C
Dissolved Manganese	<2.4	ug/L	2.4	8.0	1			7/3/2024 20:29	NAH	EPA 6010C
Dissolved Mercury	<0.020	ug/L	0.020	0.080	1		7/9/2024 13:30	7/10/2024 11:52	MDS	EPA 7470A

Organic Results

TPH as Mineral Spirits	<33	ug/L	33	110	1		7/5/2024 14:45	7/12/2024 19:12	AJZ	EPA 8015
1,2,4-Trimethylbenzene	<0.34	ug/L	0.34	1.2	1			7/9/2024 22:20	DGS	EPA 8260C
m & p-Xylene	<0.74	ug/L	0.74	2.5	1			7/9/2024 22:20	DGS	EPA 8260C
Naphthalene	<0.35	ug/L	0.35	1.2	1			7/9/2024 22:20	DGS	EPA 8260C
o-Xylene	<0.72	ug/L	0.72	2.4	1			7/9/2024 22:20	DGS	EPA 8260C
2,3,4,6-Tetrachlorophenol	<3.0	ug/L	0.80	2.7	1		7/8/2024 10:45	7/9/2024 13:45	ALD	EPA 8270D
2,4,5-Trichlorophenol	<3.0	ug/L	1.0	3.4	1		7/8/2024 10:45	7/9/2024 13:45	ALD	EPA 8270D
2,4,6-Trichlorophenol	<3.0	ug/L	0.93	3.2	1		7/8/2024 10:45	7/9/2024 13:45	ALD	EPA 8270D
2,4-Dichlorophenol	<3.0	ug/L	1.0	3.5	1		7/8/2024 10:45	7/9/2024 13:45	ALD	EPA 8270D

CT LAB Sample#: 1476002 Sample Description: W8

Sampled: 7/2/2024 07:40

Analyte	Result	Units	LOD	LOQ	Dilution	Qualifier	Prep Date/Time	Analysis Date/Time	Analyst	Method
2,4-Dimethylphenol	<3.0	ug/L	0.56	1.9	1		7/8/2024 10:45	7/9/2024 13:45	ALD	EPA 8270D
2,4-Dinitrophenol	<3.0	ug/L	1.1	3.8	1		7/8/2024 10:45	7/9/2024 13:45	ALD	EPA 8270D
2,6-Dichlorophenol	<3.0	ug/L	0.99	3.4	1		7/8/2024 10:45	7/9/2024 13:45	ALD	EPA 8270D
2-Chlorophenol	<3.0	ug/L	0.71	2.4	1		7/8/2024 10:45	7/9/2024 13:45	ALD	EPA 8270D
2-Methylphenol	<3.0	ug/L	0.60	2.0	1		7/8/2024 10:45	7/9/2024 13:45	ALD	EPA 8270D
2-Nitrophenol	<3.0	ug/L	0.83	2.8	1		7/8/2024 10:45	7/9/2024 13:45	ALD	EPA 8270D
3 & 4-Methylphenol	<3.0	ug/L	1.0	3.4	1		7/8/2024 10:45	7/9/2024 13:45	ALD	EPA 8270D
4,6-Dinitro-2-methylphenol	<3.0	ug/L	1.7	5.8	1		7/8/2024 10:45	7/9/2024 13:45	ALD	EPA 8270D
4-Chloro-3-methylphenol	<3.0	ug/L	0.74	2.6	1		7/8/2024 10:45	7/9/2024 13:45	ALD	EPA 8270D
4-Nitrophenol	<3.0	ug/L	0.53	1.8	1		7/8/2024 10:45	7/9/2024 13:45	ALD	EPA 8270D
Pentachlorophenol	<3.0	ug/L	0.97	3.3	1		7/8/2024 10:45	7/9/2024 13:45	ALD	EPA 8270D
Phenol	<3.0	ug/L	0.44	1.5	1		7/8/2024 10:45	7/9/2024 13:45	ALD	EPA 8270D

CT LAB Sample#: 1476003 Sample Description: W73

Sampled: 7/2/2024 08:30

Analyte	Result	Units	LOD	LOQ	Dilution	Qualifier	Prep Date/Time	Analysis Date/Time	Analyst	Method
Inorganic Results										
Total Sulfate	15	mg/L	0.80	2.5	1			7/3/2024 13:59	TMG	EPA 9056A
Total Organic Carbon	1.6	mg/L	0.4 *	3.0	1			7/5/2024 12:28	TMG	EPA 9060A
Metals Results										
Dissolved Iron	57.4	ug/L	25 *	84	1			7/3/2024 20:36	NAH	EPA 6010C
Dissolved Manganese	47.8	ug/L	2.4	8.0	1			7/3/2024 20:36	NAH	EPA 6010C
Organic Results										
TPH as Mineral Spirits	<32	ug/L	32	110	1		7/5/2024 14:45	7/12/2024 19:47	AJZ	EPA 8015

CT LAB Sample#: 1476003 Sample Description: W73 Sampled: 7/2/2024 08:30

Analyte	Result	Units	LOD	LOQ	Dilution	Qualifier	Prep Date/Time	Analysis Date/Time	Analyst	Method
1,2,4-Trimethylbenzene	<0.34	ug/L	0.34	1.2	1			7/9/2024 22:47	DGS	EPA 8260C
m & p-Xylene	<0.74	ug/L	0.74	2.5	1			7/9/2024 22:47	DGS	EPA 8260C
Naphthalene	<0.35	ug/L	0.35	1.2	1			7/9/2024 22:47	DGS	EPA 8260C
o-Xylene	<0.72	ug/L	0.72	2.4	1			7/9/2024 22:47	DGS	EPA 8260C
Pentachlorophenol	<3.0	ug/L	0.93	3.1	1		7/8/2024 10:45	7/9/2024 14:08	ALD	EPA 8270D

CT LAB Sample#: 1476004 Sample Description: W32 Sampled: 7/2/2024 09:20

Analyte	Result	Units	LOD	LOQ	Dilution	Qualifier	Prep Date/Time	Analysis Date/Time	Analyst	Method
Inorganic Results										
Nitrate Nitrogen Total	<0.12	mg/L	0.12	0.40	1			7/3/2024 14:27	TMG	EPA 9056A
Metals Results										
Dissolved Mercury	<0.020	ug/L	0.020	0.080	1		7/9/2024 13:30	7/10/2024 11:55	MDS	EPA 7470A
Organic Results										
TPH as Mineral Spirits	<33	ug/L	33	110	1		7/5/2024 14:45	7/12/2024 20:21	AJZ	EPA 8015
1,2,4-Trimethylbenzene	<0.34	ug/L	0.34	1.2	1			7/9/2024 23:15	DGS	EPA 8260C
m & p-Xylene	<0.74	ug/L	0.74	2.5	1			7/9/2024 23:15	DGS	EPA 8260C
Naphthalene	<0.35	ug/L	0.35	1.2	1			7/9/2024 23:15	DGS	EPA 8260C
o-Xylene	<0.72	ug/L	0.72	2.4	1			7/9/2024 23:15	DGS	EPA 8260C
2,3,4,6-Tetrachlorophenol	<3.0	ug/L	0.76	2.5	1		7/8/2024 10:45	7/9/2024 14:32	ALD	EPA 8270D
2,4,5-Trichlorophenol	<3.0	ug/L	0.96	3.2	1		7/8/2024 10:45	7/9/2024 14:32	ALD	EPA 8270D
2,4,6-Trichlorophenol	<3.0	ug/L	0.89	3.0	1		7/8/2024 10:45	7/9/2024 14:32	ALD	EPA 8270D

CT LAB Sample#: 1476004 Sample Description: W32

Sampled: 7/2/2024 09:20

Analyte	Result	Units	LOD	LOQ	Dilution	Qualifier	Prep Date/Time	Analysis Date/Time	Analyst	Method
2,4-Dichlorophenol	<3.0	ug/L	0.98	3.3	1		7/8/2024 10:45	7/9/2024 14:32	ALD	EPA 8270D
2,4-Dimethylphenol	<3.0	ug/L	0.54	1.9	1		7/8/2024 10:45	7/9/2024 14:32	ALD	EPA 8270D
2,4-Dinitrophenol	<3.0	ug/L	1.1	3.6	1		7/8/2024 10:45	7/9/2024 14:32	ALD	EPA 8270D
2,6-Dichlorophenol	<3.0	ug/L	0.95	3.2	1		7/8/2024 10:45	7/9/2024 14:32	ALD	EPA 8270D
2-Chlorophenol	<3.0	ug/L	0.69	2.4	1		7/8/2024 10:45	7/9/2024 14:32	ALD	EPA 8270D
2-Methylphenol	<3.0	ug/L	0.58	2.0	1		7/8/2024 10:45	7/9/2024 14:32	ALD	EPA 8270D
2-Nitrophenol	<3.0	ug/L	0.79	2.6	1		7/8/2024 10:45	7/9/2024 14:32	ALD	EPA 8270D
3 & 4-Methylphenol	<3.0	ug/L	0.97	3.2	1		7/8/2024 10:45	7/9/2024 14:32	ALD	EPA 8270D
4,6-Dinitro-2-methylphenol	<3.0	ug/L	1.7	5.6	1		7/8/2024 10:45	7/9/2024 14:32	ALD	EPA 8270D
4-Chloro-3-methylphenol	<3.0	ug/L	0.72	2.5	1		7/8/2024 10:45	7/9/2024 14:32	ALD	EPA 8270D
4-Nitrophenol	<3.0	ug/L	0.51	1.8	1		7/8/2024 10:45	7/9/2024 14:32	ALD	EPA 8270D
Pentachlorophenol	<3.0	ug/L	0.93	3.1	1		7/8/2024 10:45	7/9/2024 14:32	ALD	EPA 8270D
Phenol	<3.0	ug/L	0.42	1.5	1		7/8/2024 10:45	7/9/2024 14:32	ALD	EPA 8270D

CT LAB Sample#: 1476005 Sample Description: W16

Sampled: 7/2/2024 10:20

Analyte	Result	Units	LOD	LOQ	Dilution	Qualifier	Prep Date/Time	Analysis Date/Time	Analyst	Method
Inorganic Results										
Nitrate Nitrogen Total	4.5	mg/L	0.12	0.40	1			7/3/2024 15:22	TMG	EPA 9056A
Total Sulfate	21	mg/L	0.80	2.5	1			7/3/2024 15:22	TMG	EPA 9056A
Total Organic Carbon	1.3	mg/L	0.4 *	3.0	1			7/5/2024 13:16	TMG	EPA 9060A
Metals Results										
Dissolved Iron	<25	ug/L	25	84	1			7/3/2024 20:44	NAH	EPA 6010C
Dissolved Manganese	<2.4	ug/L	2.4	8.0	1			7/3/2024 20:44	NAH	EPA 6010C

Unless specifically stated to the contrary, soil/sediment/sludge sample results/LOD/LOQ/RLs were reported on a Dry Weight Basis

CT LAB Sample#: 1476005

Sample Description: W16

Sampled: 7/2/2024 10:20

Analyte	Result	Units	LOD	LOQ	Dilution	Qualifier	Prep Date/Time	Analysis Date/Time	Analyst	Method
Dissolved Mercury	<0.020	ug/L	0.020	0.080	1		7/9/2024 13:30	7/10/2024 11:58	MDS	EPA 7470A
Organic Results										
TPH as Mineral Spirits	<32	ug/L	32	110	1		7/5/2024 14:45	7/12/2024 20:55	AJZ	EPA 8015
1,2,4-Trimethylbenzene	<0.34	ug/L	0.34	1.2	1			7/9/2024 23:43	DGS	EPA 8260C
m & p-Xylene	<0.74	ug/L	0.74	2.5	1			7/9/2024 23:43	DGS	EPA 8260C
Naphthalene	<0.35	ug/L	0.35	1.2	1			7/9/2024 23:43	DGS	EPA 8260C
o-Xylene	<0.72	ug/L	0.72	2.4	1			7/9/2024 23:43	DGS	EPA 8260C
2,3,4,6-Tetrachlorophenol	<3.0	ug/L	0.76	2.5	1		7/8/2024 10:45	7/9/2024 14:55	ALD	EPA 8270D
2,4,5-Trichlorophenol	<3.0	ug/L	0.96	3.2	1		7/8/2024 10:45	7/9/2024 14:55	ALD	EPA 8270D
2,4,6-Trichlorophenol	<3.0	ug/L	0.89	3.0	1		7/8/2024 10:45	7/9/2024 14:55	ALD	EPA 8270D
2,4-Dichlorophenol	<3.0	ug/L	0.98	3.3	1		7/8/2024 10:45	7/9/2024 14:55	ALD	EPA 8270D
2,4-Dimethylphenol	<3.0	ug/L	0.54	1.9	1		7/8/2024 10:45	7/9/2024 14:55	ALD	EPA 8270D
2,4-Dinitrophenol	<3.0	ug/L	1.1	3.6	1		7/8/2024 10:45	7/9/2024 14:55	ALD	EPA 8270D
2,6-Dichlorophenol	<3.0	ug/L	0.95	3.2	1		7/8/2024 10:45	7/9/2024 14:55	ALD	EPA 8270D
2-Chlorophenol	<3.0	ug/L	0.69	2.4	1		7/8/2024 10:45	7/9/2024 14:55	ALD	EPA 8270D
2-Methylphenol	<3.0	ug/L	0.58	2.0	1		7/8/2024 10:45	7/9/2024 14:55	ALD	EPA 8270D
2-Nitrophenol	<3.0	ug/L	0.79	2.6	1		7/8/2024 10:45	7/9/2024 14:55	ALD	EPA 8270D
3 & 4-Methylphenol	<3.0	ug/L	0.97	3.2	1		7/8/2024 10:45	7/9/2024 14:55	ALD	EPA 8270D
4,6-Dinitro-2-methylphenol	<3.0	ug/L	1.7	5.6	1		7/8/2024 10:45	7/9/2024 14:55	ALD	EPA 8270D
4-Chloro-3-methylphenol	<3.0	ug/L	0.72	2.5	1		7/8/2024 10:45	7/9/2024 14:55	ALD	EPA 8270D
4-Nitrophenol	<3.0	ug/L	0.51	1.8	1		7/8/2024 10:45	7/9/2024 14:55	ALD	EPA 8270D
Pentachlorophenol	<3.0	ug/L	0.93	3.1	1		7/8/2024 10:45	7/9/2024 14:55	ALD	EPA 8270D
Phenol	<3.0	ug/L	0.42	1.5	1		7/8/2024 10:45	7/9/2024 14:55	ALD	EPA 8270D

CT LAB Sample#: 1476006

Sample Description: W18

Sampled: 7/2/2024 11:05

Analyte	Result	Units	LOD	LOQ	Dilution	Qualifier	Prep Date/Time	Analysis Date/Time	Analyst	Method
Inorganic Results										
Nitrate Nitrogen Total	2.0	mg/L	0.12	0.40	1			7/3/2024 16:18	TMG	EPA 9056A
Total Sulfate	10	mg/L	0.80	2.5	1			7/3/2024 16:18	TMG	EPA 9056A
Total Organic Carbon	<0.4	mg/L	0.4	3.0	1			7/5/2024 13:27	TMG	EPA 9060A
Metals Results										
Dissolved Iron	<25	ug/L	25	84	1			7/3/2024 20:52	NAH	EPA 6010C
Dissolved Manganese	<2.4	ug/L	2.4	8.0	1			7/3/2024 20:52	NAH	EPA 6010C
Dissolved Mercury	<0.020	ug/L	0.020	0.080	1		7/9/2024 13:30	7/10/2024 12:02	MDS	EPA 7470A
Organic Results										
TPH as Mineral Spirits	<33	ug/L	33	110	1		7/5/2024 14:45	7/12/2024 22:38	AJZ	EPA 8015
1,2,4-Trimethylbenzene	<0.34	ug/L	0.34	1.2	1			7/10/2024 00:11	DGS	EPA 8260C
m & p-Xylene	<0.74	ug/L	0.74	2.5	1			7/10/2024 00:11	DGS	EPA 8260C
Naphthalene	<0.35	ug/L	0.35	1.2	1			7/10/2024 00:11	DGS	EPA 8260C
o-Xylene	<0.72	ug/L	0.72	2.4	1			7/10/2024 00:11	DGS	EPA 8260C
2,3,4,6-Tetrachlorophenol	<3.0	ug/L	0.76	2.5	1		7/8/2024 10:45	7/9/2024 15:18	ALD	EPA 8270D
2,4,5-Trichlorophenol	<3.0	ug/L	0.95	3.2	1		7/8/2024 10:45	7/9/2024 15:18	ALD	EPA 8270D
2,4,6-Trichlorophenol	<3.0	ug/L	0.88	3.0	1		7/8/2024 10:45	7/9/2024 15:18	ALD	EPA 8270D
2,4-Dichlorophenol	<3.0	ug/L	0.97	3.3	1		7/8/2024 10:45	7/9/2024 15:18	ALD	EPA 8270D
2,4-Dimethylphenol	<3.0	ug/L	0.53	1.8	1		7/8/2024 10:45	7/9/2024 15:18	ALD	EPA 8270D
2,4-Dinitrophenol	<3.0	ug/L	1.1	3.6	1		7/8/2024 10:45	7/9/2024 15:18	ALD	EPA 8270D
2,6-Dichlorophenol	<3.0	ug/L	0.94	3.2	1		7/8/2024 10:45	7/9/2024 15:18	ALD	EPA 8270D
2-Chlorophenol	<3.0	ug/L	0.68	2.3	1		7/8/2024 10:45	7/9/2024 15:18	ALD	EPA 8270D
2-Methylphenol	<3.0	ug/L	0.57	1.9	1		7/8/2024 10:45	7/9/2024 15:18	ALD	EPA 8270D

Unless specifically stated to the contrary, soil/sediment/sludge sample results/LOD/LOQ/RLs were reported on a Dry Weight Basis

CT LAB Sample#: 1476006 Sample Description: W18

Sampled: 7/2/2024 11:05

Analyte	Result	Units	LOD	LOQ	Dilution	Qualifier	Prep Date/Time	Analysis Date/Time	Analyst	Method
2-Nitrophenol	<3.0	ug/L	0.79	2.6	1		7/8/2024 10:45	7/9/2024 15:18	ALD	EPA 8270D
3 & 4-Methylphenol	<3.0	ug/L	0.96	3.2	1		7/8/2024 10:45	7/9/2024 15:18	ALD	EPA 8270D
4,6-Dinitro-2-methylphenol	<3.0	ug/L	1.7	5.5	1		7/8/2024 10:45	7/9/2024 15:18	ALD	EPA 8270D
4-Chloro-3-methylphenol	<3.0	ug/L	0.71	2.4	1		7/8/2024 10:45	7/9/2024 15:18	ALD	EPA 8270D
4-Nitrophenol	<3.0	ug/L	0.50	1.7	1		7/8/2024 10:45	7/9/2024 15:18	ALD	EPA 8270D
Pentachlorophenol	<3.0	ug/L	0.92	3.1	1		7/8/2024 10:45	7/9/2024 15:18	ALD	EPA 8270D
Phenol	<3.0	ug/L	0.42	1.5	1		7/8/2024 10:45	7/9/2024 15:18	ALD	EPA 8270D

CT LAB Sample#: 1476007 Sample Description: W28

Sampled: 7/2/2024 11:50

Analyte	Result	Units	LOD	LOQ	Dilution	Qualifier	Prep Date/Time	Analysis Date/Time	Analyst	Method
Inorganic Results										
Nitrate Nitrogen Total	3.0	mg/L	0.12	0.40	1			7/3/2024 17:14	TMG	EPA 9056A
Total Sulfate	18	mg/L	0.80	2.5	1			7/3/2024 17:14	TMG	EPA 9056A
Total Organic Carbon	0.58	mg/L	0.4 *	3.0	1			7/5/2024 13:38	TMG	EPA 9060A
Metals Results										
Dissolved Iron	<25	ug/L	25	84	1			7/3/2024 21:00	NAH	EPA 6010C
Dissolved Manganese	<2.4	ug/L	2.4	8.0	1			7/3/2024 21:00	NAH	EPA 6010C
Dissolved Mercury	<0.020	ug/L	0.020	0.080	1		7/9/2024 13:30	7/10/2024 12:05	MDS	EPA 7470A
Organic Results										
TPH as Mineral Spirits	<32	ug/L	32	110	1		7/5/2024 14:45	7/12/2024 23:14	AJZ	EPA 8015
1,2,4-Trimethylbenzene	<0.34	ug/L	0.34	1.2	1			7/10/2024 00:38	DGS	EPA 8260C
m & p-Xylene	<0.74	ug/L	0.74	2.5	1			7/10/2024 00:38	DGS	EPA 8260C

CT LAB Sample#: 1476007 Sample Description: W28

Sampled: 7/2/2024 11:50

Analyte	Result	Units	LOD	LOQ	Dilution	Qualifier	Prep Date/Time	Analysis Date/Time	Analyst	Method
Naphthalene	<0.35	ug/L	0.35	1.2	1			7/10/2024 00:38	DGS	EPA 8260C
o-Xylene	<0.72	ug/L	0.72	2.4	1			7/10/2024 00:38	DGS	EPA 8260C
2,3,4,6-Tetrachlorophenol	<3.0	ug/L	0.76	2.5	1		7/8/2024 10:45	7/9/2024 15:42	ALD	EPA 8270D
2,4,5-Trichlorophenol	<3.0	ug/L	0.96	3.2	1		7/8/2024 10:45	7/9/2024 15:42	ALD	EPA 8270D
2,4,6-Trichlorophenol	<3.0	ug/L	0.89	3.0	1		7/8/2024 10:45	7/9/2024 15:42	ALD	EPA 8270D
2,4-Dichlorophenol	<3.0	ug/L	0.98	3.3	1		7/8/2024 10:45	7/9/2024 15:42	ALD	EPA 8270D
2,4-Dimethylphenol	<3.0	ug/L	0.54	1.9	1		7/8/2024 10:45	7/9/2024 15:42	ALD	EPA 8270D
2,4-Dinitrophenol	<3.0	ug/L	1.1	3.6	1		7/8/2024 10:45	7/9/2024 15:42	ALD	EPA 8270D
2,6-Dichlorophenol	<3.0	ug/L	0.95	3.2	1		7/8/2024 10:45	7/9/2024 15:42	ALD	EPA 8270D
2-Chlorophenol	<3.0	ug/L	0.69	2.4	1		7/8/2024 10:45	7/9/2024 15:42	ALD	EPA 8270D
2-Methylphenol	<3.0	ug/L	0.58	2.0	1		7/8/2024 10:45	7/9/2024 15:42	ALD	EPA 8270D
2-Nitrophenol	<3.0	ug/L	0.79	2.6	1		7/8/2024 10:45	7/9/2024 15:42	ALD	EPA 8270D
3 & 4-Methylphenol	<3.0	ug/L	0.97	3.2	1		7/8/2024 10:45	7/9/2024 15:42	ALD	EPA 8270D
4,6-Dinitro-2-methylphenol	<3.0	ug/L	1.7	5.6	1		7/8/2024 10:45	7/9/2024 15:42	ALD	EPA 8270D
4-Chloro-3-methylphenol	<3.0	ug/L	0.72	2.5	1		7/8/2024 10:45	7/9/2024 15:42	ALD	EPA 8270D
4-Nitrophenol	<3.0	ug/L	0.51	1.8	1		7/8/2024 10:45	7/9/2024 15:42	ALD	EPA 8270D
Pentachlorophenol	<3.0	ug/L	0.93	3.1	1		7/8/2024 10:45	7/9/2024 15:42	ALD	EPA 8270D
Phenol	<3.0	ug/L	0.42	1.5	1		7/8/2024 10:45	7/9/2024 15:42	ALD	EPA 8270D

CT LAB Sample#: 1476008 Sample Description: W9

Sampled: 7/2/2024 13:15

Analyte	Result	Units	LOD	LOQ	Dilution	Qualifier	Prep Date/Time	Analysis Date/Time	Analyst	Method
Inorganic Results										
Nitrate Nitrogen Total	0.21	mg/L	0.12 *	0.40	1			7/3/2024 20:01	TMG	EPA 9056A

CT LAB Sample#: 1476008

Sample Description: W9

Sampled: 7/2/2024 13:15

Analyte	Result	Units	LOD	LOQ	Dilution	Qualifier	Prep Date/Time	Analysis Date/Time	Analyst	Method
Metals Results										
Dissolved Mercury	<0.020	ug/L	0.020	0.080	1		7/9/2024 13:30	7/10/2024 12:08	MDS	EPA 7470A
Organic Results										
TPH as Mineral Spirits	<32	ug/L	32	110	1		7/5/2024 14:45	7/12/2024 23:49	AJZ	EPA 8015
1,2,4-Trimethylbenzene	<0.34	ug/L	0.34	1.2	1			7/10/2024 01:06	DGS	EPA 8260C
m & p-Xylene	<0.74	ug/L	0.74	2.5	1			7/10/2024 01:06	DGS	EPA 8260C
Naphthalene	<0.35	ug/L	0.35	1.2	1			7/10/2024 01:06	DGS	EPA 8260C
o-Xylene	<0.72	ug/L	0.72	2.4	1			7/10/2024 01:06	DGS	EPA 8260C
2,3,4,6-Tetrachlorophenol	<3.0	ug/L	0.78	2.6	1		7/8/2024 10:45	7/9/2024 16:05	ALD	EPA 8270D
2,4,5-Trichlorophenol	<3.0	ug/L	0.98	3.3	1		7/8/2024 10:45	7/9/2024 16:05	ALD	EPA 8270D
2,4,6-Trichlorophenol	<3.0	ug/L	0.91	3.1	1		7/8/2024 10:45	7/9/2024 16:05	ALD	EPA 8270D
2,4-Dichlorophenol	<3.0	ug/L	1.0	3.4	1		7/8/2024 10:45	7/9/2024 16:05	ALD	EPA 8270D
2,4-Dimethylphenol	<3.0	ug/L	0.55	1.9	1		7/8/2024 10:45	7/9/2024 16:05	ALD	EPA 8270D
2,4-Dinitrophenol	<3.0	ug/L	1.1	3.7	1		7/8/2024 10:45	7/9/2024 16:05	ALD	EPA 8270D
2,6-Dichlorophenol	<3.0	ug/L	0.97	3.3	1		7/8/2024 10:45	7/9/2024 16:05	ALD	EPA 8270D
2-Chlorophenol	<3.0	ug/L	0.70	2.4	1		7/8/2024 10:45	7/9/2024 16:05	ALD	EPA 8270D
2-Methylphenol	<3.0	ug/L	0.59	2.0	1		7/8/2024 10:45	7/9/2024 16:05	ALD	EPA 8270D
2-Nitrophenol	<3.0	ug/L	0.81	2.7	1		7/8/2024 10:45	7/9/2024 16:05	ALD	EPA 8270D
3 & 4-Methylphenol	<3.0	ug/L	0.99	3.3	1		7/8/2024 10:45	7/9/2024 16:05	ALD	EPA 8270D
4,6-Dinitro-2-methylphenol	<3.0	ug/L	1.7	5.7	1		7/8/2024 10:45	7/9/2024 16:05	ALD	EPA 8270D
4-Chloro-3-methylphenol	<3.0	ug/L	0.73	2.5	1		7/8/2024 10:45	7/9/2024 16:05	ALD	EPA 8270D
4-Nitrophenol	<3.0	ug/L	0.52	1.8	1		7/8/2024 10:45	7/9/2024 16:05	ALD	EPA 8270D
Pentachlorophenol	<3.0	ug/L	0.95	3.2	1		7/8/2024 10:45	7/9/2024 16:05	ALD	EPA 8270D
Phenol	<3.0	ug/L	0.43	1.5	1		7/8/2024 10:45	7/9/2024 16:05	ALD	EPA 8270D

Unless specifically stated to the contrary, soil/sediment/sludge sample results/LOD/LOQ/RLs were reported on a Dry Weight Basis

CT LAB Sample#: 1476009 Sample Description: W21

Sampled: 7/2/2024 14:10

Analyte	Result	Units	LOD	LOQ	Dilution	Qualifier	Prep Date/Time	Analysis Date/Time	Analyst	Method
Inorganic Results										
Nitrate Nitrogen Total	2.3	mg/L	0.12	0.40	1			7/3/2024 20:57	TMG	EPA 9056A
Metals Results										
Dissolved Mercury	<0.020	ug/L	0.020	0.080	1		7/9/2024 13:30	7/10/2024 12:12	MDS	EPA 7470A
Organic Results										
TPH as Mineral Spirits	<32	ug/L	32	110	1		7/5/2024 14:45	7/13/2024 00:23	AJZ	EPA 8015
1,2,4-Trimethylbenzene	<0.34	ug/L	0.34	1.2	1			7/10/2024 01:33	DGS	EPA 8260C
m & p-Xylene	<0.74	ug/L	0.74	2.5	1			7/10/2024 01:33	DGS	EPA 8260C
Naphthalene	<0.35	ug/L	0.35	1.2	1			7/10/2024 01:33	DGS	EPA 8260C
o-Xylene	<0.72	ug/L	0.72	2.4	1			7/10/2024 01:33	DGS	EPA 8260C
2,3,4,6-Tetrachlorophenol	<3.0	ug/L	0.76	2.5	1		7/8/2024 10:45	7/9/2024 16:28	ALD	EPA 8270D
2,4,5-Trichlorophenol	<3.0	ug/L	0.96	3.2	1		7/8/2024 10:45	7/9/2024 16:28	ALD	EPA 8270D
2,4,6-Trichlorophenol	<3.0	ug/L	0.89	3.0	1		7/8/2024 10:45	7/9/2024 16:28	ALD	EPA 8270D
2,4-Dichlorophenol	<3.0	ug/L	0.98	3.3	1		7/8/2024 10:45	7/9/2024 16:28	ALD	EPA 8270D
2,4-Dimethylphenol	<3.0	ug/L	0.54	1.9	1		7/8/2024 10:45	7/9/2024 16:28	ALD	EPA 8270D
2,4-Dinitrophenol	<3.0	ug/L	1.1	3.6	1		7/8/2024 10:45	7/9/2024 16:28	ALD	EPA 8270D
2,6-Dichlorophenol	<3.0	ug/L	0.95	3.2	1		7/8/2024 10:45	7/9/2024 16:28	ALD	EPA 8270D
2-Chlorophenol	<3.0	ug/L	0.69	2.4	1		7/8/2024 10:45	7/9/2024 16:28	ALD	EPA 8270D
2-Methylphenol	<3.0	ug/L	0.58	2.0	1		7/8/2024 10:45	7/9/2024 16:28	ALD	EPA 8270D
2-Nitrophenol	<3.0	ug/L	0.79	2.6	1		7/8/2024 10:45	7/9/2024 16:28	ALD	EPA 8270D
3 & 4-Methylphenol	<3.0	ug/L	0.97	3.2	1		7/8/2024 10:45	7/9/2024 16:28	ALD	EPA 8270D
4,6-Dinitro-2-methylphenol	<3.0	ug/L	1.7	5.6	1		7/8/2024 10:45	7/9/2024 16:28	ALD	EPA 8270D
4-Chloro-3-methylphenol	<3.0	ug/L	0.72	2.5	1		7/8/2024 10:45	7/9/2024 16:28	ALD	EPA 8270D

Unless specifically stated to the contrary, soil/sediment/sludge sample results/LOD/LOQ/RLs were reported on a Dry Weight Basis

CT LAB Sample#: 1476009 Sample Description: W21 Sampled: 7/2/2024 14:10

Analyte	Result	Units	LOD	LOQ	Dilution	Qualifier	Prep Date/Time	Analysis Date/Time	Analyst	Method
4-Nitrophenol	<3.0	ug/L	0.51	1.8	1		7/8/2024 10:45	7/9/2024 16:28	ALD	EPA 8270D
Pentachlorophenol	<3.0	ug/L	0.93	3.1	1		7/8/2024 10:45	7/9/2024 16:28	ALD	EPA 8270D
Phenol	<3.0	ug/L	0.42	1.5	1		7/8/2024 10:45	7/9/2024 16:28	ALD	EPA 8270D

CT LAB Sample#: 1476010 Sample Description: W25 Sampled: 7/2/2024 14:55

Analyte	Result	Units	LOD	LOQ	Dilution	Qualifier	Prep Date/Time	Analysis Date/Time	Analyst	Method
Inorganic Results										
Nitrate Nitrogen Total	11	mg/L	0.60	2.0	5			7/3/2024 22:20	TMG	EPA 9056A
Metals Results										
Dissolved Mercury	<0.020	ug/L	0.020	0.080	1		7/9/2024 13:30	7/10/2024 12:15	MDS	EPA 7470A
Organic Results										
TPH as Mineral Spirits	<32	ug/L	32	110	1		7/5/2024 14:45	7/13/2024 00:58	AJZ	EPA 8015
1,2,4-Trimethylbenzene	<0.34	ug/L	0.34	1.2	1			7/10/2024 02:02	DGS	EPA 8260C
m & p-Xylene	<0.74	ug/L	0.74	2.5	1			7/10/2024 02:02	DGS	EPA 8260C
Naphthalene	<0.35	ug/L	0.35	1.2	1			7/10/2024 02:02	DGS	EPA 8260C
o-Xylene	<0.72	ug/L	0.72	2.4	1			7/10/2024 02:02	DGS	EPA 8260C
2,3,4,6-Tetrachlorophenol	<3.0	ug/L	0.80	2.7	1		7/8/2024 10:45	7/9/2024 16:52	ALD	EPA 8270D
2,4,5-Trichlorophenol	<3.0	ug/L	1.0	3.4	1		7/8/2024 10:45	7/9/2024 16:52	ALD	EPA 8270D
2,4,6-Trichlorophenol	<3.0	ug/L	0.93	3.2	1		7/8/2024 10:45	7/9/2024 16:52	ALD	EPA 8270D
2,4-Dichlorophenol	<3.0	ug/L	1.0	3.5	1		7/8/2024 10:45	7/9/2024 16:52	ALD	EPA 8270D
2,4-Dimethylphenol	<3.0	ug/L	0.56	1.9	1		7/8/2024 10:45	7/9/2024 16:52	ALD	EPA 8270D
2,4-Dinitrophenol	<3.0	ug/L	1.1	3.8	1		7/8/2024 10:45	7/9/2024 16:52	ALD	EPA 8270D

CT LAB Sample#: 1476010

Sample Description: W25

Sampled: 7/2/2024 14:55

Analyte	Result	Units	LOD	LOQ	Dilution	Qualifier	Prep Date/Time	Analysis Date/Time	Analyst	Method
2,6-Dichlorophenol	<3.0	ug/L	0.99	3.4	1		7/8/2024 10:45	7/9/2024 16:52	ALD	EPA 8270D
2-Chlorophenol	<3.0	ug/L	0.71	2.4	1		7/8/2024 10:45	7/9/2024 16:52	ALD	EPA 8270D
2-Methylphenol	<3.0	ug/L	0.60	2.0	1		7/8/2024 10:45	7/9/2024 16:52	ALD	EPA 8270D
2-Nitrophenol	<3.0	ug/L	0.83	2.8	1		7/8/2024 10:45	7/9/2024 16:52	ALD	EPA 8270D
3 & 4-Methylphenol	<3.0	ug/L	1.0	3.4	1		7/8/2024 10:45	7/9/2024 16:52	ALD	EPA 8270D
4,6-Dinitro-2-methylphenol	<3.0	ug/L	1.7	5.8	1		7/8/2024 10:45	7/9/2024 16:52	ALD	EPA 8270D
4-Chloro-3-methylphenol	<3.0	ug/L	0.74	2.6	1		7/8/2024 10:45	7/9/2024 16:52	ALD	EPA 8270D
4-Nitrophenol	<3.0	ug/L	0.53	1.8	1		7/8/2024 10:45	7/9/2024 16:52	ALD	EPA 8270D
Pentachlorophenol	1.4	ug/L	0.97 *	3.3	1		7/8/2024 10:45	7/9/2024 16:52	ALD	EPA 8270D
Phenol	<3.0	ug/L	0.44	1.5	1		7/8/2024 10:45	7/9/2024 16:52	ALD	EPA 8270D

Notes: * Indicates a value in between the LOD (limit of detection) and the LOQ (limit of quantitation). All LOD/LOQs are adjusted to reflect dilution and also any differences in the sample weight / volume as compared to standard amounts.

All samples were received intact and properly preserved unless otherwise noted. The results reported relate only to the samples tested. This report shall not be reproduced, except in full, without written approval of this laboratory. The Chain of Custody is attached.

Submitted by: Brett M. Szymanski
Project Manager
608-356-2760

Current CT Laboratories Certifications

Wisconsin (WDNR) Chemistry ID# 157066030
Wisconsin (DATCP) Bacteriology ID# 289
Louisiana NELAP (primary) ID# 115843
Illinois NELAP Lab ID# 200073
Kansas NELAP Lab ID# E-10368
Virginia NELAP Lab ID# 460203
ISO/IEC 17025-2005 A2LA Cert # 3806.01
DoD-ELAP A2LA 3806.01

Company Name: TRC
 Project Contact: Steve Sellwood
 Telephone: 608-347-8594
 Project Name: Wauleco
 Project Number: 189597.0013
 Project Location: Wausau, WI
 Sampled By: Tom Dushek

CTLaboratories

Folder # 187528

Company: TRC ENVIRONMENTAL

Project: WAULECO

Logged By: erc PM BMS

1230 Lange Court, Baraboo, WI 53913
 608-356-2760 Tel. Fx 608-356-2766
 www.ctlaboratories.com

Ice Present Yes NoTemperature 25.8 133Initials ErDate 7/24 Time 9:00Cooler # 6581, 6175, 6412, 6310

Mail Report To: Steve Sellwood
 Company: TRC
 Address: 999 Fourier Drive
 City/State/Zip: Madison, WI 53717

Invoice To: Accounts Payable

Company: TRC

Address:

City/State/Zip:

PO No. 210979

Contract No.

Regulatory Program:

UST RCRA SDWA NPDES

Solid Waste Other

Turnaround Time

Normal RUSH* Date Needed

*Notify Lab prior to sending in RUSH

Surcharges 24 hr 200% 2-3 days 100% 4-9 days 50%

Surcharges subject to change without notice.

Landfill License Number

Collection		Field Screen	Field ID	Grab/Comp	Sample ID Description	Filled Y/N	WDNR Well ID #	**Matrix:	Phenols (8270)	TPH	VOC's (8020)	Diss. Hg	Nitrate	Sulfate	TOC	Diss. Fe, Mn	Total No of Containers	Total No of Cont. Rec'd	Preservation*	Client Special Instructions: VOC's - Report only Naphthalene, xylenes, 1,2,4-trimethylbenzene. Metals are filtered. See below *	Lab ID #
Date	Time																				
7/1/24	1310			G	W72	N		GW	2	1	3						6				1475998
	1400				W71				2	1	3						6				5449
	1445				W74				2	1	3						6				6000
	1405				Trip Blank 01				1								1				61
7/2/24	0740				W8				2	1	3	1	1	✓	1	✓	9				02
	0830				W73				2	1	3			1	1	1	9				01
	0920				W32				2	1	3	1	1				8				01
	1020				W16				2	1	3	1	1	✓	1	✓	9				08
	1105				W18				2	1	3	1	1	✓	1	✓	9				06
									A	A	B	D	A	A	C	D					

Relinquished By:

S.J. Dushek

Date/Time

7/2/24
1600

Relinquished By:

Date/Time

Received by:

Date/Time

Received by:

Date/Time

Er 7/24 1:35

****Matrix**
 S-Soil A-Air Slg-Sludge M-Misc Waste
 GW-Groundwater SW-Surface Water
 WW-Wastewater DW-Drinking Water



* Preservation Code

A=None B=HCL
 C=H2SO4 D=HNO3
 E=Encore F=Methanol
 G=NaOH
 O=Other

* Report only PCP For W71, W72, W73, W74

for 7324 1.31

Ice Present Yes No Yes
 Temperature 3.3
 Initials FW
 Date 7/24 Time 9:52
 Cooler # 6581

TOM DUSHEK TFC ENVIRONMENTAL 125 ROSECRANS STREET WAUSAU WI 54401		50 LBS 1 OF 1
SHIP TO: SHIPPING DEPT 6083562760 CT LABS 1230 LANGE CT BARABOO WI 53913		 WI 539 0-10 
UPS GROUND TRACKING #: 1Z 1A3 77E 90 5338 4908		
		
BILLING: P/P DESC: Environmental Samples RETURN SERVICE		
XOL 240032 NV45 270A 06/2004*		


CUSTODY SEAL DATE <u>7-24</u> SIGNATURE <u>T. J. Dushak</u>		QEC Quality Environmental Containers 800-255-3950 • www.qecusa.com	UPS A ADVA #4703 1020 S WAUS

CUST	QEC Quality Environmental Containers 800-255-3950 • www.qecusa.com


Customer Center, UPS Allstate partners (Vehicle Depot or Staples) or an Authorized Shipping Outlet near you. Return items sent via UPS Returns® services (including via UPS Ground) are accepted at all UPS Drop Box locations. To find the closest drop box location, visit UPS.GlobalLocator.

1. Ensure that there are no other tracking labels attached to your shipment.
2. Fold the printed label at the dotted line. Place the label in a UPS Shipping Pouch. If you do not have a pouch, affix the folded label using clear plastic shipping tape over the entire label. Take care not to cover seams or closures.

UPS Electronic Return Label: View/Print Label

Ice Present **Yes** NoTemperature 2.9 u31Initials EmDate 7/31 Time 952Cooler # 6176TOM DUSHEK
TRC ENVIRONMENTAL
125 ROSECRANS STREET
WAUSAU WI 54401**50 LBS**
RS
1 OF 1SHIP TO:
SHIPPING DEPT
6083562760
CT LABS
1230 LANGE CT
BARABOO WI 53913**WI 539 0-10**
UPS GROUND

TRACKING #: 1Z 1A3 77E 90 5485 9082

BILLING: P/P
DESC: Environmental Samples
RETURN SERVICE

XOL240632

NV45 220A 06/2024*

**CUSTODY SEAL**DATE 7-2-24SIGNATURE T J Dushak**QEC**Quality Environmental Containers
800-255-3950 • www.qecusa.comWV
1020
#4703
ADVAUPS Access Point™
GOIN POSTAL

UPS Access Point™

Value items sent via UPS Return services (including via UPS Ground) are accepted at all UPS Drop Box locations. To find the closest drop box location, visit UPS.GlobalLocator

CUSTODY SEALDATE 7-2-24SIGNATURE T J Dushak**QEC**Quality Environmental Containers
800-255-3950 • www.qecusa.com

1. Ensure that there are no other tracking labels attached to your shipment.
2. Fold the printed label at the dotted line. Place the label in a UPS Shipping Pouch. If you do not have a pouch, affix the folded label using clear plastic shipping tape over the entire label. Take care not to cover any seams or closures.

UPS Electronic Return Label: View/Print Label

UPS Electronic Return Label: View/Print Label

7/12/24, 12:46 PM

UPS Electronic Return Label: View/Print Label

1. Ensure that there are no other tracking labels attached to your shipment.
2. Fold the printed label at the dotted line. Place the label in a UPS Shipping Pouch. If you do not have a pouch, affix the folded label using clear plastic shipping tape over the entire label. Take care not to cover any seams or closures.
3. GETTING YOUR SHIPMENT TO UPS
 - Daily Pick up customers may add return package(s) to their outbound shipments by having them ready for the driver as usual.
 - Take this parcel to any location of The UPS Store®, UPS Access Point™, UPS Drop Box, UPS Customer Center, UPS Alliance partners (Office Depot® or Staples®) or an Authorized Shipping Outlet near you. Return items sent via UPS Returns® services (including via UPS Ground) are accepted at all UPS Drop Box locations. To find the closest drop box location, visit [UPS Global Locator](https://www.ups.com/global).

UPS Access Point™ UPS Access Point™ UPS Access Point™		FC WAL 1020 #470 ADV
CUSTODY SEAL DATE <u>7-2-24</u> SIGNATURE <u>T. J. Dushak</u>		QEC Quality Environmental Containers 800-255-3950 • www.qecusa.com

TOM DUSHEK TRC ENVIRONMENTAL 125 ROSECANS STREET WAUSAU WI 54401	50 LBS 1 OF 1 RS
SHIP TO: SHIPPING DEPT 6083562760 CT LABS 1230 LANGE CT BARABOO WI 53913	WT 539 0-10
UPS GROUND TRACKING #: 1Z 1A3 77E 90 5322 6490	
BILLING: P/P DESC: Environmental Samples RETURN SERVICE	
XOL 24.06.32 NV45 27.0A 06/2024	

Ice Present Yes No
 Temperature 3.3 133
 Initials FW
 Date 7/4/24 Time 9:52
 Cooler # 6713

Ice Present (yes) NU
 Temperature 5-7 833
 Initials Five
 Date 7/3/24 Time 952
 Cooler # 5316

SHIP TO:
 SHIPPING DEPT
 6083562760
 CT LABS
 1230 LANGE CT
 BARABOO WI 53913

50 LBS
RS
1 OF 1

WT 539 0-10

UPS GROUND
 TRACKING #: 1Z 1A3 77E 90 5443 4316

BILLING: P/P
DESC: Environmental Samples
RETURN SERVICE

XOL 24.00.32 NV45 27.0A 06/2024

CUSTODY SEAL

DATE: 7-2-24

SIGNATURE: [Signature]

QEC

Quality Environmental Containers
 800-255-3950 • www.qecusa.com

FOLD HERE

UPS Access Point™
 ADVAD
 #4703
 1020 S
 WAUS

UPS Access Point™
 GOIN POSTAL

Outlet near you. Return items sent via UPS Return services (including via UPS Global) accepted at all UPS Drop Box locations. To find the closest drop box location, visit UPS.GlobalLocator

CUSTODY SEAL

DATE: 7-2-24

SIGNATURE: [Signature]

QEC

Quality Environmental Containers
 800-255-3950 • www.qecusa.com

3. C

1. Ensure that there are no other tracking labels attached to your shipment.
2. Fold the printed label at the dotted line. Place the label in a UPS Shipping Pouch. If you do not have a pouch, affix the folded label using clear plastic shipping tape over the entire label. Take care not to cover any seams or closures.

UPS Electronic Return Label: View/Print Label

UPS Electronic Return Label: View/Print Label

7/2/24, 12:46 PM

ANALYTICAL REPORT

TRC ENVIRONMENTAL
STEVE SELLWOOD
999 FOURIER DRIVE
SUITE 101
MADISON, WI 53717

Project Name: WAULECO
Project Phase:
Contract #: 2399
Project #: 189597.0013
Folder #: 187593
Purchase Order #: 210979

Page 1 of 14
Arrival Temperature: 5.1
Report Date: 7/23/2024
Date Received: 7/9/2024
Reprint Date: 7/23/2024

CT LAB Sample#: 1477294	Sample Description: W3B	Sampled: 7/8/2024 07:40

Analyte	Result	Units	LOD	LOQ	Dilution	Qualifier	Prep Date/Time	Analysis Date/Time	Analyst	Method
Inorganic Results										
Nitrate Nitrogen Total	2.4	mg/L	0.12	0.40	1			7/9/2024 20:33	TMG	EPA 9056A
Metals Results										
Dissolved Mercury	<0.020	ug/L	0.020	0.080	1		7/9/2024 13:30	7/10/2024 12:18	MDS	EPA 7470A
Organic Results										
TPH as Mineral Spirits	<33	ug/L	33	110	1		7/11/2024 16:00	7/15/2024 20:16	AJZ	EPA 8015
1,2,4-Trimethylbenzene	<0.34	ug/L	0.34	1.2	1			7/10/2024 09:34	DGS	EPA 8260C
m & p-Xylene	<0.74	ug/L	0.74	2.5	1			7/10/2024 09:34	DGS	EPA 8260C
Naphthalene	<0.35	ug/L	0.35	1.2	1			7/10/2024 09:34	DGS	EPA 8260C
o-Xylene	<0.72	ug/L	0.72	2.4	1			7/10/2024 09:34	DGS	EPA 8260C
2,3,4,6-Tetrachlorophenol	<3.0	ug/L	0.77	2.6	1		7/12/2024 10:00	7/15/2024 14:20	ALD	EPA 8270D
2,4,5-Trichlorophenol	<3.0	ug/L	0.97	3.3	1		7/12/2024 10:00	7/15/2024 14:20	ALD	EPA 8270D
2,4,6-Trichlorophenol	<3.0	ug/L	0.90	3.1	1		7/12/2024 10:00	7/15/2024 14:20	ALD	EPA 8270D
2,4-Dichlorophenol	<3.0	ug/L	0.99	3.4	1		7/12/2024 10:00	7/15/2024 14:20	ALD	EPA 8270D
2,4-Dimethylphenol	<3.0	ug/L	0.54	1.9	1		7/12/2024 10:00	7/15/2024 14:20	ALD	EPA 8270D

Unless specifically stated to the contrary, soil/sediment/sludge sample results/LOD/LOQ/RLs were reported on a Dry Weight Basis

CT LAB Sample#: 1477294 Sample Description: W3B Sampled: 7/8/2024 07:40

Analyte	Result	Units	LOD	LOQ	Dilution	Qualifier	Prep Date/Time	Analysis Date/Time	Analyst	Method
2,4-Dinitrophenol	<3.0	ug/L	1.1	3.7	1		7/12/2024 10:00	7/15/2024 14:20	ALD	EPA 8270D
2,6-Dichlorophenol	<3.0	ug/L	0.96	3.3	1		7/12/2024 10:00	7/15/2024 14:20	ALD	EPA 8270D
2-Chlorophenol	<3.0	ug/L	0.69	2.4	1		7/12/2024 10:00	7/15/2024 14:20	ALD	EPA 8270D
2-Methylphenol	<3.0	ug/L	0.58	2.0	1		7/12/2024 10:00	7/15/2024 14:20	ALD	EPA 8270D
2-Nitrophenol	<3.0	ug/L	0.80	2.7	1		7/12/2024 10:00	7/15/2024 14:20	ALD	EPA 8270D
3 & 4-Methylphenol	<3.0	ug/L	0.98	3.3	1		7/12/2024 10:00	7/15/2024 14:20	ALD	EPA 8270D
4,6-Dinitro-2-methylphenol	<3.0	ug/L	1.7	5.6	1		7/12/2024 10:00	7/15/2024 14:20	ALD	EPA 8270D
4-Chloro-3-methylphenol	<3.0	ug/L	0.72	2.5	1		7/12/2024 10:00	7/15/2024 14:20	ALD	EPA 8270D
4-Nitrophenol	<3.0	ug/L	0.51	1.8	1		7/12/2024 10:00	7/15/2024 14:20	ALD	EPA 8270D
Pentachlorophenol	7.1	ug/L	0.94	3.2	1		7/12/2024 10:00	7/15/2024 14:20	ALD	EPA 8270D
Phenol	<3.0	ug/L	0.43	1.5	1		7/12/2024 10:00	7/15/2024 14:20	ALD	EPA 8270D

CT LAB Sample#: 1477295 Sample Description: W12 Sampled: 7/8/2024 08:30

Analyte	Result	Units	LOD	LOQ	Dilution	Qualifier	Prep Date/Time	Analysis Date/Time	Analyst	Method
Inorganic Results										
Nitrate Nitrogen Total	6.4	mg/L	0.60	2.0	5			7/9/2024 23:20	TMG	EPA 9056A
Total Sulfate	18	mg/L	0.80	2.5	1			7/9/2024 21:29	TMG	EPA 9056A
Total Organic Carbon	0.55	mg/L	0.4 *	3.0	1			7/10/2024 16:06	TMG	EPA 9060A
Metals Results										
Dissolved Iron	<25	ug/L	25	84	1			7/10/2024 12:19	NAH	EPA 6010C
Dissolved Manganese	<2.4	ug/L	2.4	8.0	1			7/10/2024 12:19	NAH	EPA 6010C
Dissolved Mercury	<0.020	ug/L	0.020	0.080	1		7/9/2024 13:30	7/10/2024 12:32	MDS	EPA 7470A

Organic Results

Unless specifically stated to the contrary, soil/sediment/sludge sample results/LOD/LOQ/RLs were reported on a Dry Weight Basis

CT LAB Sample#: 1477295 Sample Description: W12

Sampled: 7/8/2024 08:30

Analyte	Result	Units	LOD	LOQ	Dilution	Qualifier	Prep Date/Time	Analysis Date/Time	Analyst	Method
TPH as Mineral Spirits	<33	ug/L	33	110	1		7/11/2024 16:00	7/15/2024 20:49	AJZ	EPA 8015
1,2,4-Trimethylbenzene	<0.34	ug/L	0.34	1.2	1			7/10/2024 10:02	DGS	EPA 8260C
m & p-Xylene	<0.74	ug/L	0.74	2.5	1			7/10/2024 10:02	DGS	EPA 8260C
Naphthalene	<0.35	ug/L	0.35	1.2	1			7/10/2024 10:02	DGS	EPA 8260C
o-Xylene	<0.72	ug/L	0.72	2.4	1			7/10/2024 10:02	DGS	EPA 8260C
2,3,4,6-Tetrachlorophenol	<3.0	ug/L	0.78	2.6	1		7/12/2024 10:00	7/15/2024 14:43	ALD	EPA 8270D
2,4,5-Trichlorophenol	<3.0	ug/L	0.98	3.3	1		7/12/2024 10:00	7/15/2024 14:43	ALD	EPA 8270D
2,4,6-Trichlorophenol	<3.0	ug/L	0.91	3.1	1		7/12/2024 10:00	7/15/2024 14:43	ALD	EPA 8270D
2,4-Dichlorophenol	<3.0	ug/L	1.0	3.4	1		7/12/2024 10:00	7/15/2024 14:43	ALD	EPA 8270D
2,4-Dimethylphenol	<3.0	ug/L	0.55	1.9	1		7/12/2024 10:00	7/15/2024 14:43	ALD	EPA 8270D
2,4-Dinitrophenol	<3.0	ug/L	1.1	3.7	1		7/12/2024 10:00	7/15/2024 14:43	ALD	EPA 8270D
2,6-Dichlorophenol	<3.0	ug/L	0.97	3.3	1		7/12/2024 10:00	7/15/2024 14:43	ALD	EPA 8270D
2-Chlorophenol	<3.0	ug/L	0.70	2.4	1		7/12/2024 10:00	7/15/2024 14:43	ALD	EPA 8270D
2-Methylphenol	<3.0	ug/L	0.59	2.0	1		7/12/2024 10:00	7/15/2024 14:43	ALD	EPA 8270D
2-Nitrophenol	<3.0	ug/L	0.81	2.7	1		7/12/2024 10:00	7/15/2024 14:43	ALD	EPA 8270D
3 & 4-Methylphenol	<3.0	ug/L	0.99	3.3	1		7/12/2024 10:00	7/15/2024 14:43	ALD	EPA 8270D
4,6-Dinitro-2-methylphenol	<3.0	ug/L	1.7	5.7	1		7/12/2024 10:00	7/15/2024 14:43	ALD	EPA 8270D
4-Chloro-3-methylphenol	<3.0	ug/L	0.73	2.5	1		7/12/2024 10:00	7/15/2024 14:43	ALD	EPA 8270D
4-Nitrophenol	<3.0	ug/L	0.52	1.8	1		7/12/2024 10:00	7/15/2024 14:43	ALD	EPA 8270D
Pentachlorophenol	<3.0	ug/L	0.95	3.2	1		7/12/2024 10:00	7/15/2024 14:43	ALD	EPA 8270D
Phenol	<3.0	ug/L	0.43	1.5	1		7/12/2024 10:00	7/15/2024 14:43	ALD	EPA 8270D

CT LAB Sample#: 1477296

Sample Description: W29R

Sampled: 7/8/2024 09:30

Analyte	Result	Units	LOD	LOQ	Dilution	Qualifier	Prep Date/Time	Analysis Date/Time	Analyst	Method
Inorganic Results										
Nitrate Nitrogen Total	1.3	mg/L	0.12	0.40	1			7/9/2024 23:48	TMG	EPA 9056A
Total Sulfate	11	mg/L	0.80	2.5	1			7/9/2024 23:48	TMG	EPA 9056A
Total Organic Carbon	3.4	mg/L	0.4	3.0	1			7/10/2024 16:54	TMG	EPA 9060A
Metals Results										
Dissolved Iron	73.0	ug/L	25 *	84	1			7/10/2024 12:27	NAH	EPA 6010C
Dissolved Manganese	129	ug/L	2.4	8.0	1			7/10/2024 12:27	NAH	EPA 6010C
Dissolved Mercury	<0.020	ug/L	0.020	0.080	1		7/9/2024 13:30	7/10/2024 12:35	MDS	EPA 7470A
Organic Results										
TPH as Mineral Spirits	<33	ug/L	33	110	1		7/11/2024 16:00	7/15/2024 21:24	AJZ	EPA 8015
1,2,4-Trimethylbenzene	<0.34	ug/L	0.34	1.2	1			7/10/2024 10:30	DGS	EPA 8260C
m & p-Xylene	<0.74	ug/L	0.74	2.5	1			7/10/2024 10:30	DGS	EPA 8260C
Naphthalene	<0.35	ug/L	0.35	1.2	1			7/10/2024 10:30	DGS	EPA 8260C
o-Xylene	<0.72	ug/L	0.72	2.4	1			7/10/2024 10:30	DGS	EPA 8260C
2,3,4,6-Tetrachlorophenol	6.0	ug/L	1.5	5.0	2		7/12/2024 10:00	7/16/2024 11:11	ALD	EPA 8270D
2,4,5-Trichlorophenol	<3.0	ug/L	1.9	6.3	2		7/12/2024 10:00	7/16/2024 11:11	ALD	EPA 8270D
2,4,6-Trichlorophenol	<3.0	ug/L	1.8	6.0	2		7/12/2024 10:00	7/16/2024 11:11	ALD	EPA 8270D
2,4-Dichlorophenol	<3.0	ug/L	1.9	6.5	2		7/12/2024 10:00	7/16/2024 11:11	ALD	EPA 8270D
2,4-Dimethylphenol	<3.0	ug/L	1.1	3.7	2		7/12/2024 10:00	7/16/2024 11:11	ALD	EPA 8270D
2,4-Dinitrophenol	<3.0	ug/L	2.1	7.1	2		7/12/2024 10:00	7/16/2024 11:11	ALD	EPA 8270D
2,6-Dichlorophenol	<3.0	ug/L	1.9	6.3	2		7/12/2024 10:00	7/16/2024 11:11	ALD	EPA 8270D
2-Chlorophenol	<3.0	ug/L	1.3	4.6	2		7/12/2024 10:00	7/16/2024 11:11	ALD	EPA 8270D
2-Methylphenol	<3.0	ug/L	1.1	3.8	2		7/12/2024 10:00	7/16/2024 11:11	ALD	EPA 8270D

Unless specifically stated to the contrary, soil/sediment/sludge sample results/LOD/LOQ/RLs were reported on a Dry Weight Basis

CT LAB Sample#: 1477296 Sample Description: W29R Sampled: 7/8/2024 09:30

Analyte	Result	Units	LOD	LOQ	Dilution	Qualifier	Prep Date/Time	Analysis Date/Time	Analyst	Method
2-Nitrophenol	<3.0	ug/L	1.6	5.2	2		7/12/2024 10:00	7/16/2024 11:11	ALD	EPA 8270D
3 & 4-Methylphenol	<3.0	ug/L	1.9	6.3	2		7/12/2024 10:00	7/16/2024 11:11	ALD	EPA 8270D
4,6-Dinitro-2-methylphenol	<3.0	ug/L	3.3	11	2		7/12/2024 10:00	7/16/2024 11:11	ALD	EPA 8270D
4-Chloro-3-methylphenol	<3.0	ug/L	1.4	4.8	2		7/12/2024 10:00	7/16/2024 11:11	ALD	EPA 8270D
4-Nitrophenol	<3.0	ug/L	1.0	3.5	2		7/12/2024 10:00	7/16/2024 11:11	ALD	EPA 8270D
Pentachlorophenol	74	ug/L	1.8	6.2	2		7/12/2024 10:00	7/16/2024 11:11	ALD	EPA 8270D
Phenol	<3.0	ug/L	0.83	2.9	2		7/12/2024 10:00	7/16/2024 11:11	ALD	EPA 8270D

CT LAB Sample#: 1477297 Sample Description: W36 Sampled: 7/8/2024 10:10

Analyte	Result	Units	LOD	LOQ	Dilution	Qualifier	Prep Date/Time	Analysis Date/Time	Analyst	Method
Inorganic Results										
Nitrate Nitrogen Total	1.4	mg/L	0.12	0.40	1			7/10/2024 00:16	TMG	EPA 9056A
Metals Results										
Dissolved Mercury	<0.020	ug/L	0.020	0.080	1		7/9/2024 13:30	7/10/2024 12:38	MDS	EPA 7470A
Organic Results										
TPH as Mineral Spirits	70	ug/L	33 *	110	1		7/11/2024 16:00	7/15/2024 21:59	AJZ	EPA 8015
1,2,4-Trimethylbenzene	4.0	ug/L	0.34	1.2	1			7/10/2024 10:58	DGS	EPA 8260C
m & p-Xylene	2.0	ug/L	0.74 *	2.5	1			7/10/2024 10:58	DGS	EPA 8260C
Naphthalene	<0.35	ug/L	0.35	1.2	1			7/10/2024 10:58	DGS	EPA 8260C
o-Xylene	9.6	ug/L	0.72	2.4	1			7/10/2024 10:58	DGS	EPA 8260C
2,3,4,6-Tetrachlorophenol	23	ug/L	0.76	2.5	1		7/12/2024 10:00	7/15/2024 15:29	ALD	EPA 8270D
2,4,5-Trichlorophenol	<3.0	ug/L	0.96	3.2	1		7/12/2024 10:00	7/15/2024 15:29	ALD	EPA 8270D

Unless specifically stated to the contrary, soil/sediment/sludge sample results/LOD/LOQ/RLs were reported on a Dry Weight Basis

CT LAB Sample#: 1477297 Sample Description: W36 Sampled: 7/8/2024 10:10

Analyte	Result	Units	LOD	LOQ	Dilution	Qualifier	Prep Date/Time	Analysis Date/Time	Analyst	Method
2,4,6-Trichlorophenol	<3.0	ug/L	0.89	3.0	1		7/12/2024 10:00	7/15/2024 15:29	ALD	EPA 8270D
2,4-Dichlorophenol	<3.0	ug/L	0.98	3.3	1		7/12/2024 10:00	7/15/2024 15:29	ALD	EPA 8270D
2,4-Dimethylphenol	<3.0	ug/L	0.54	1.9	1		7/12/2024 10:00	7/15/2024 15:29	ALD	EPA 8270D
2,4-Dinitrophenol	<3.0	ug/L	1.1	3.6	1		7/12/2024 10:00	7/15/2024 15:29	ALD	EPA 8270D
2,6-Dichlorophenol	<3.0	ug/L	0.95	3.2	1		7/12/2024 10:00	7/15/2024 15:29	ALD	EPA 8270D
2-Chlorophenol	<3.0	ug/L	0.69	2.4	1		7/12/2024 10:00	7/15/2024 15:29	ALD	EPA 8270D
2-Methylphenol	<3.0	ug/L	0.58	2.0	1		7/12/2024 10:00	7/15/2024 15:29	ALD	EPA 8270D
2-Nitrophenol	<3.0	ug/L	0.79	2.6	1		7/12/2024 10:00	7/15/2024 15:29	ALD	EPA 8270D
3 & 4-Methylphenol	<3.0	ug/L	0.97	3.2	1		7/12/2024 10:00	7/15/2024 15:29	ALD	EPA 8270D
4,6-Dinitro-2-methylphenol	<3.0	ug/L	1.7	5.6	1		7/12/2024 10:00	7/15/2024 15:29	ALD	EPA 8270D
4-Chloro-3-methylphenol	<3.0	ug/L	0.72	2.5	1		7/12/2024 10:00	7/15/2024 15:29	ALD	EPA 8270D
4-Nitrophenol	<3.0	ug/L	0.51	1.8	1		7/12/2024 10:00	7/15/2024 15:29	ALD	EPA 8270D
Pentachlorophenol	340	ug/L	19	63	20		7/12/2024 10:00	7/15/2024 18:09	ALD	EPA 8270D
Phenol	<3.0	ug/L	0.42	1.5	1		7/12/2024 10:00	7/15/2024 15:29	ALD	EPA 8270D

CT LAB Sample#: 1477298 Sample Description: W10B Sampled: 7/8/2024 11:15

Analyte	Result	Units	LOD	LOQ	Dilution	Qualifier	Prep Date/Time	Analysis Date/Time	Analyst	Method
Inorganic Results										
Nitrate Nitrogen Total	0.36	mg/L	0.12 *	0.40	1			7/10/2024 00:44	TMG	EPA 9056A
Metals Results										
Dissolved Mercury	<0.020	ug/L	0.020	0.080	1		7/9/2024 13:30	7/10/2024 12:42	MDS	EPA 7470A
Organic Results										
TPH as Mineral Spirits	47	ug/L	33 *	110	1		7/11/2024 16:00	7/15/2024 22:33	AJZ	EPA 8015

Unless specifically stated to the contrary, soil/sediment/sludge sample results/LOD/LOQ/RLs were reported on a Dry Weight Basis

CT LAB Sample#: 1477298 Sample Description: W10B

Sampled: 7/8/2024 11:15

Analyte	Result	Units	LOD	LOQ	Dilution	Qualifier	Prep Date/Time	Analysis Date/Time	Analyst	Method
1,2,4-Trimethylbenzene	12	ug/L	0.34	1.2	1			7/10/2024 11:26	DGS	EPA 8260C
m & p-Xylene	<0.74	ug/L	0.74	2.5	1			7/10/2024 11:26	DGS	EPA 8260C
Naphthalene	<0.35	ug/L	0.35	1.2	1			7/10/2024 11:26	DGS	EPA 8260C
o-Xylene	<0.72	ug/L	0.72	2.4	1			7/10/2024 11:26	DGS	EPA 8260C
2,3,4,6-Tetrachlorophenol	<3.0	ug/L	0.76	2.5	1		7/12/2024 10:00	7/15/2024 15:52	ALD	EPA 8270D
2,4,5-Trichlorophenol	<3.0	ug/L	0.95	3.2	1		7/12/2024 10:00	7/15/2024 15:52	ALD	EPA 8270D
2,4,6-Trichlorophenol	<3.0	ug/L	0.88	3.0	1		7/12/2024 10:00	7/15/2024 15:52	ALD	EPA 8270D
2,4-Dichlorophenol	<3.0	ug/L	0.97	3.3	1		7/12/2024 10:00	7/15/2024 15:52	ALD	EPA 8270D
2,4-Dimethylphenol	<3.0	ug/L	0.53	1.8	1		7/12/2024 10:00	7/15/2024 15:52	ALD	EPA 8270D
2,4-Dinitrophenol	<3.0	ug/L	1.1	3.6	1		7/12/2024 10:00	7/15/2024 15:52	ALD	EPA 8270D
2,6-Dichlorophenol	<3.0	ug/L	0.94	3.2	1		7/12/2024 10:00	7/15/2024 15:52	ALD	EPA 8270D
2-Chlorophenol	<3.0	ug/L	0.68	2.3	1		7/12/2024 10:00	7/15/2024 15:52	ALD	EPA 8270D
2-Methylphenol	<3.0	ug/L	0.57	1.9	1		7/12/2024 10:00	7/15/2024 15:52	ALD	EPA 8270D
2-Nitrophenol	<3.0	ug/L	0.79	2.6	1		7/12/2024 10:00	7/15/2024 15:52	ALD	EPA 8270D
3 & 4-Methylphenol	<3.0	ug/L	0.96	3.2	1		7/12/2024 10:00	7/15/2024 15:52	ALD	EPA 8270D
4,6-Dinitro-2-methylphenol	<3.0	ug/L	1.7	5.5	1		7/12/2024 10:00	7/15/2024 15:52	ALD	EPA 8270D
4-Chloro-3-methylphenol	<3.0	ug/L	0.71	2.4	1		7/12/2024 10:00	7/15/2024 15:52	ALD	EPA 8270D
4-Nitrophenol	<3.0	ug/L	0.50	1.7	1		7/12/2024 10:00	7/15/2024 15:52	ALD	EPA 8270D
Pentachlorophenol	4.0	ug/L	0.92	3.1	1		7/12/2024 10:00	7/15/2024 15:52	ALD	EPA 8270D
Phenol	<3.0	ug/L	0.42	1.5	1		7/12/2024 10:00	7/15/2024 15:52	ALD	EPA 8270D

CT LAB Sample#: 1477299 Sample Description: W17

Sampled: 7/8/2024 12:15

Analyte	Result	Units	LOD	LOQ	Dilution	Qualifier	Prep Date/Time	Analysis Date/Time	Analyst	Method

CT LAB Sample#: 1477299 Sample Description: W17

Sampled: 7/8/2024 12:15

Analyte	Result	Units	LOD	LOQ	Dilution	Qualifier	Prep Date/Time	Analysis Date/Time	Analyst	Method
Inorganic Results										
Nitrate Nitrogen Total	0.31	mg/L	0.12 *	0.40	1			7/10/2024 01:12	TMG	EPA 9056A
Total Sulfate	8.3	mg/L	0.80	2.5	1			7/10/2024 01:12	TMG	EPA 9056A
Total Organic Carbon	0.98	mg/L	0.4 *	3.0	1			7/10/2024 17:05	TMG	EPA 9060A
Metals Results										
Dissolved Iron	327	ug/L	25	84	1			7/10/2024 12:35	NAH	EPA 6010C
Dissolved Manganese	186	ug/L	2.4	8.0	1			7/10/2024 12:35	NAH	EPA 6010C
Dissolved Mercury	<0.020	ug/L	0.020	0.080	1		7/9/2024 13:30	7/10/2024 12:45	MDS	EPA 7470A
Organic Results										
TPH as Mineral Spirits	1000	ug/L	33	110	1		7/11/2024 16:00	7/15/2024 23:08	AJZ	EPA 8015
1,2,4-Trimethylbenzene	13	ug/L	0.34	1.2	1			7/10/2024 11:53	DGS	EPA 8260C
m & p-Xylene	<0.74	ug/L	0.74	2.5	1			7/10/2024 11:53	DGS	EPA 8260C
Naphthalene	0.75	ug/L	0.35 *	1.2	1			7/10/2024 11:53	DGS	EPA 8260C
o-Xylene	<0.72	ug/L	0.72	2.4	1			7/10/2024 11:53	DGS	EPA 8260C
2,3,4,6-Tetrachlorophenol	<3.0	ug/L	0.79	2.6	1		7/12/2024 10:00	7/15/2024 18:32	ALD	EPA 8270D
2,4,5-Trichlorophenol	<3.0	ug/L	0.99	3.3	1		7/12/2024 10:00	7/15/2024 18:32	ALD	EPA 8270D
2,4,6-Trichlorophenol	<3.0	ug/L	0.92	3.1	1		7/12/2024 10:00	7/15/2024 18:32	ALD	EPA 8270D
2,4-Dichlorophenol	<3.0	ug/L	1.0	3.4	1		7/12/2024 10:00	7/15/2024 18:32	ALD	EPA 8270D
2,4-Dimethylphenol	<3.0	ug/L	0.56	1.9	1		7/12/2024 10:00	7/15/2024 18:32	ALD	EPA 8270D
2,4-Dinitrophenol	<3.0	ug/L	1.1	3.7	1		7/12/2024 10:00	7/15/2024 18:32	ALD	EPA 8270D
2,6-Dichlorophenol	<3.0	ug/L	0.98	3.3	1		7/12/2024 10:00	7/15/2024 18:32	ALD	EPA 8270D
2-Chlorophenol	<3.0	ug/L	0.71	2.4	1		7/12/2024 10:00	7/15/2024 18:32	ALD	EPA 8270D
2-Methylphenol	<3.0	ug/L	0.60	2.0	1		7/12/2024 10:00	7/15/2024 18:32	ALD	EPA 8270D
2-Nitrophenol	<3.0	ug/L	0.82	2.7	1		7/12/2024 10:00	7/15/2024 18:32	ALD	EPA 8270D

Unless specifically stated to the contrary, soil/sediment/sludge sample results/LOD/LOQ/RLs were reported on a Dry Weight Basis

CT LAB Sample#: 1477299 Sample Description: W17 Sampled: 7/8/2024 12:15

Analyte	Result	Units	LOD	LOQ	Dilution	Qualifier	Prep Date/Time	Analysis Date/Time	Analyst	Method
3 & 4-Methylphenol	<3.0	ug/L	1.0	3.3	1		7/12/2024 10:00	7/15/2024 18:32	ALD	EPA 8270D
4,6-Dinitro-2-methylphenol	<3.0	ug/L	1.7	5.8	1		7/12/2024 10:00	7/15/2024 18:32	ALD	EPA 8270D
4-Chloro-3-methylphenol	<3.0	ug/L	0.74	2.5	1		7/12/2024 10:00	7/15/2024 18:32	ALD	EPA 8270D
4-Nitrophenol	<3.0	ug/L	0.53	1.8	1		7/12/2024 10:00	7/15/2024 18:32	ALD	EPA 8270D
Pentachlorophenol	6.8	ug/L	0.96	3.2	1		7/12/2024 10:00	7/15/2024 18:32	ALD	EPA 8270D
Phenol	<3.0	ug/L	0.43	1.5	1		7/12/2024 10:00	7/15/2024 18:32	ALD	EPA 8270D

CT LAB Sample#: 1477300 Sample Description: TRIP BLANK 02 Sampled: 7/8/2024 12:30

Analyte	Result	Units	LOD	LOQ	Dilution	Qualifier	Prep Date/Time	Analysis Date/Time	Analyst	Method
Organic Results										
1,2,4-Trimethylbenzene	<0.34	ug/L	0.34	1.2	1			7/10/2024 09:06	DGS	EPA 8260C
m & p-Xylene	<0.74	ug/L	0.74	2.5	1			7/10/2024 09:06	DGS	EPA 8260C
Naphthalene	<0.35	ug/L	0.35	1.2	1			7/10/2024 09:06	DGS	EPA 8260C
o-Xylene	<0.72	ug/L	0.72	2.4	1			7/10/2024 09:06	DGS	EPA 8260C

CT LAB Sample#: 1477301 Sample Description: W10A Sampled: 7/8/2024 13:35

Analyte	Result	Units	LOD	LOQ	Dilution	Qualifier	Prep Date/Time	Analysis Date/Time	Analyst	Method
Inorganic Results										
Nitrate Nitrogen Total	<0.12	mg/L	0.12	0.40	1			7/10/2024 01:40	TMG	EPA 9056A
Total Sulfate	4.5	mg/L	0.80	2.5	1			7/10/2024 01:40	TMG	EPA 9056A
Total Organic Carbon	6.3	mg/L	0.4	3.0	1			7/10/2024 17:16	TMG	EPA 9060A

CT LAB Sample#: 1477301 Sample Description: W10A

Sampled: 7/8/2024 13:35

Analyte	Result	Units	LOD	LOQ	Dilution	Qualifier	Prep Date/Time	Analysis Date/Time	Analyst	Method
Metals Results										
Dissolved Iron	3310	ug/L	25	84	1			7/10/2024 12:42	NAH	EPA 6010C
Dissolved Manganese	3990	ug/L	2.4	8.0	1			7/10/2024 12:42	NAH	EPA 6010C
Dissolved Mercury	0.10	ug/L	0.020	0.080	1		7/9/2024 13:30	7/10/2024 12:48	MDS	EPA 7470A
Organic Results										
TPH as Mineral Spirits	1200	ug/L	34	110	1		7/11/2024 16:00	7/15/2024 23:42	AJZ	EPA 8015
1,2,4-Trimethylbenzene	580	ug/L	3.4	12	10			7/10/2024 17:54	DGS	EPA 8260C
m & p-Xylene	27	ug/L	0.74	2.5	1			7/10/2024 12:21	DGS	EPA 8260C
Naphthalene	30	ug/L	0.35	1.2	1			7/10/2024 12:21	DGS	EPA 8260C
o-Xylene	44	ug/L	0.72	2.4	1			7/10/2024 12:21	DGS	EPA 8260C
2,3,4,6-Tetrachlorophenol	2.6	ug/L	0.80 *	2.7	1		7/12/2024 10:00	7/15/2024 16:38	ALD	EPA 8270D
2,4,5-Trichlorophenol	3.9	ug/L	1.0	3.4	1		7/12/2024 10:00	7/15/2024 16:38	ALD	EPA 8270D
2,4,6-Trichlorophenol	<3.0	ug/L	0.94	3.2	1		7/12/2024 10:00	7/15/2024 16:38	ALD	EPA 8270D
2,4-Dichlorophenol	<3.0	ug/L	1.0	3.5	1		7/12/2024 10:00	7/15/2024 16:38	ALD	EPA 8270D
2,4-Dimethylphenol	<3.0	ug/L	0.57	2.0	1		7/12/2024 10:00	7/15/2024 16:38	ALD	EPA 8270D
2,4-Dinitrophenol	<3.0	ug/L	1.1	3.8	1		7/12/2024 10:00	7/15/2024 16:38	ALD	EPA 8270D
2,6-Dichlorophenol	<3.0	ug/L	1.0	3.4	1		7/12/2024 10:00	7/15/2024 16:38	ALD	EPA 8270D
2-Chlorophenol	<3.0	ug/L	0.72	2.5	1		7/12/2024 10:00	7/15/2024 16:38	ALD	EPA 8270D
2-Methylphenol	<3.0	ug/L	0.61	2.1	1		7/12/2024 10:00	7/15/2024 16:38	ALD	EPA 8270D
2-Nitrophenol	<3.0	ug/L	0.84	2.8	1		7/12/2024 10:00	7/15/2024 16:38	ALD	EPA 8270D
3 & 4-Methylphenol	<3.0	ug/L	1.0	3.4	1		7/12/2024 10:00	7/15/2024 16:38	ALD	EPA 8270D
4,6-Dinitro-2-methylphenol	<3.0	ug/L	1.8	5.9	1		7/12/2024 10:00	7/15/2024 16:38	ALD	EPA 8270D
4-Chloro-3-methylphenol	<3.0	ug/L	0.75	2.6	1		7/12/2024 10:00	7/15/2024 16:38	ALD	EPA 8270D
4-Nitrophenol	<3.0	ug/L	0.54	1.9	1		7/12/2024 10:00	7/15/2024 16:38	ALD	EPA 8270D

Unless specifically stated to the contrary, soil/sediment/sludge sample results/LOD/LOQ/RLs were reported on a Dry Weight Basis

CT LAB Sample#: 1477301 Sample Description: W10A Sampled: 7/8/2024 13:35

Analyte	Result	Units	LOD	LOQ	Dilution	Qualifier	Prep Date/Time	Analysis Date/Time	Analyst	Method
Pentachlorophenol	45	ug/L	0.98	3.3	1		7/12/2024 10:00	7/15/2024 16:38	ALD	EPA 8270D
Phenol	<3.0	ug/L	0.44	1.5	1		7/12/2024 10:00	7/15/2024 16:38	ALD	EPA 8270D

CT LAB Sample#: 1477302 Sample Description: W10A DUP Sampled: 7/8/2024 13:35

Analyte	Result	Units	LOD	LOQ	Dilution	Qualifier	Prep Date/Time	Analysis Date/Time	Analyst	Method

Inorganic Results

Nitrate Nitrogen Total	<0.12	mg/L	0.12	0.40	1			7/10/2024 02:07	TMG	EPA 9056A
Total Sulfate	4.3	mg/L	0.80	2.5	1			7/10/2024 02:07	TMG	EPA 9056A
Total Organic Carbon	5.9	mg/L	0.4	3.0	1			7/10/2024 18:01	TMG	EPA 9060A

Metals Results

Dissolved Iron	2240	ug/L	25	84	1			7/10/2024 12:50	NAH	EPA 6010C
Dissolved Manganese	3930	ug/L	2.4	8.0	1			7/10/2024 12:50	NAH	EPA 6010C
Dissolved Mercury	<0.020	ug/L	0.020	0.080	1		7/9/2024 13:30	7/10/2024 12:52	MDS	EPA 7470A

Organic Results

TPH as Mineral Spirits	1400	ug/L	34	110	1		7/11/2024 16:00	7/16/2024 01:26	AJZ	EPA 8015
1,2,4-Trimethylbenzene	600	ug/L	3.4	12	10			7/10/2024 18:22	DGS	EPA 8260C
m & p-Xylene	27	ug/L	0.74	2.5	1			7/10/2024 12:50	DGS	EPA 8260C
Naphthalene	33	ug/L	0.35	1.2	1			7/10/2024 12:50	DGS	EPA 8260C
o-Xylene	43	ug/L	0.72	2.4	1			7/10/2024 12:50	DGS	EPA 8260C
2,3,4,6-Tetrachlorophenol	2.3	ug/L	0.78 *	2.6	1		7/12/2024 10:00	7/15/2024 17:00	ALD	EPA 8270D
2,4,5-Trichlorophenol	4.4	ug/L	0.98	3.3	1		7/12/2024 10:00	7/15/2024 17:00	ALD	EPA 8270D
2,4,6-Trichlorophenol	<3.0	ug/L	0.91	3.1	1		7/12/2024 10:00	7/15/2024 17:00	ALD	EPA 8270D

CT LAB Sample#: 1477302 Sample Description: W10A DUP

Sampled: 7/8/2024 13:35

Analyte	Result	Units	LOD	LOQ	Dilution	Qualifier	Prep Date/Time	Analysis Date/Time	Analyst	Method
2,4-Dichlorophenol	<3.0	ug/L	1.0	3.4	1		7/12/2024 10:00	7/15/2024 17:00	ALD	EPA 8270D
2,4-Dimethylphenol	<3.0	ug/L	0.55	1.9	1		7/12/2024 10:00	7/15/2024 17:00	ALD	EPA 8270D
2,4-Dinitrophenol	<3.0	ug/L	1.1	3.7	1		7/12/2024 10:00	7/15/2024 17:00	ALD	EPA 8270D
2,6-Dichlorophenol	<3.0	ug/L	0.97	3.3	1		7/12/2024 10:00	7/15/2024 17:00	ALD	EPA 8270D
2-Chlorophenol	<3.0	ug/L	0.70	2.4	1		7/12/2024 10:00	7/15/2024 17:00	ALD	EPA 8270D
2-Methylphenol	<3.0	ug/L	0.59	2.0	1		7/12/2024 10:00	7/15/2024 17:00	ALD	EPA 8270D
2-Nitrophenol	<3.0	ug/L	0.81	2.7	1		7/12/2024 10:00	7/15/2024 17:00	ALD	EPA 8270D
3 & 4-Methylphenol	<3.0	ug/L	0.99	3.3	1		7/12/2024 10:00	7/15/2024 17:00	ALD	EPA 8270D
4,6-Dinitro-2-methylphenol	<3.0	ug/L	1.7	5.7	1		7/12/2024 10:00	7/15/2024 17:00	ALD	EPA 8270D
4-Chloro-3-methylphenol	<3.0	ug/L	0.73	2.5	1		7/12/2024 10:00	7/15/2024 17:00	ALD	EPA 8270D
4-Nitrophenol	<3.0	ug/L	0.52	1.8	1		7/12/2024 10:00	7/15/2024 17:00	ALD	EPA 8270D
Pentachlorophenol	45	ug/L	0.95	3.2	1		7/12/2024 10:00	7/15/2024 17:00	ALD	EPA 8270D
Phenol	<3.0	ug/L	0.43	1.5	1		7/12/2024 10:00	7/15/2024 17:00	ALD	EPA 8270D

CT LAB Sample#: 1477303 Sample Description: W11

Sampled: 7/8/2024 14:30

Analyte	Result	Units	LOD	LOQ	Dilution	Qualifier	Prep Date/Time	Analysis Date/Time	Analyst	Method
Inorganic Results										
Nitrate Nitrogen Total	6.8	mg/L	0.12	0.40	1			7/10/2024 03:31	TMG	EPA 9056A
Total Sulfate	10	mg/L	0.80	2.5	1			7/10/2024 03:31	TMG	EPA 9056A
Total Organic Carbon	0.61	mg/L	0.4 *	3.0	1			7/10/2024 18:12	TMG	EPA 9060A
Metals Results										
Dissolved Iron	<25	ug/L	25	84	1			7/10/2024 12:58	NAH	EPA 6010C
Dissolved Manganese	291	ug/L	2.4	8.0	1			7/10/2024 12:58	NAH	EPA 6010C

Unless specifically stated to the contrary, soil/sediment/sludge sample results/LOD/LOQ/RLs were reported on a Dry Weight Basis

CT LAB Sample#: 1477303

Sample Description: W11

Sampled: 7/8/2024 14:30

Analyte	Result	Units	LOD	LOQ	Dilution	Qualifier	Prep Date/Time	Analysis Date/Time	Analyst	Method
Dissolved Mercury	<0.020	ug/L	0.020	0.080	1		7/9/2024 13:30	7/10/2024 12:55	MDS	EPA 7470A
Organic Results										
TPH as Mineral Spirits	<32	ug/L	32	110	1		7/11/2024 16:00	7/16/2024 02:01	AJZ	EPA 8015
1,2,4-Trimethylbenzene	<0.34	ug/L	0.34	1.2	1			7/11/2024 09:39	DGS	EPA 8260C
m & p-Xylene	<0.74	ug/L	0.74	2.5	1			7/11/2024 09:39	DGS	EPA 8260C
Naphthalene	<0.35	ug/L	0.35	1.2	1			7/11/2024 09:39	DGS	EPA 8260C
o-Xylene	<0.72	ug/L	0.72	2.4	1			7/11/2024 09:39	DGS	EPA 8260C
2,3,4,6-Tetrachlorophenol	2.3	ug/L	1.5 *	5.1	2		7/12/2024 10:00	7/16/2024 10:49	ALD	EPA 8270D
2,4,5-Trichlorophenol	<3.0	ug/L	1.9	6.5	2		7/12/2024 10:00	7/16/2024 10:49	ALD	EPA 8270D
2,4,6-Trichlorophenol	<3.0	ug/L	1.8	6.1	2		7/12/2024 10:00	7/16/2024 10:49	ALD	EPA 8270D
2,4-Dichlorophenol	<3.0	ug/L	2.0	6.7	2		7/12/2024 10:00	7/16/2024 10:49	ALD	EPA 8270D
2,4-Dimethylphenol	<3.0	ug/L	1.1	3.7	2		7/12/2024 10:00	7/16/2024 10:49	ALD	EPA 8270D
2,4-Dinitrophenol	<3.0	ug/L	2.2	7.3	2		7/12/2024 10:00	7/16/2024 10:49	ALD	EPA 8270D
2,6-Dichlorophenol	<3.0	ug/L	1.9	6.5	2		7/12/2024 10:00	7/16/2024 10:49	ALD	EPA 8270D
2-Chlorophenol	<3.0	ug/L	1.4	4.7	2		7/12/2024 10:00	7/16/2024 10:49	ALD	EPA 8270D
2-Methylphenol	<3.0	ug/L	1.2	3.9	2		7/12/2024 10:00	7/16/2024 10:49	ALD	EPA 8270D
2-Nitrophenol	<3.0	ug/L	1.6	5.3	2		7/12/2024 10:00	7/16/2024 10:49	ALD	EPA 8270D
3 & 4-Methylphenol	<3.0	ug/L	1.9	6.5	2		7/12/2024 10:00	7/16/2024 10:49	ALD	EPA 8270D
4,6-Dinitro-2-methylphenol	<3.0	ug/L	3.3	11	2		7/12/2024 10:00	7/16/2024 10:49	ALD	EPA 8270D
4-Chloro-3-methylphenol	<3.0	ug/L	1.4	4.9	2		7/12/2024 10:00	7/16/2024 10:49	ALD	EPA 8270D
4-Nitrophenol	<3.0	ug/L	1.0	3.5	2		7/12/2024 10:00	7/16/2024 10:49	ALD	EPA 8270D
Pentachlorophenol	41	ug/L	1.9	6.3	2		7/12/2024 10:00	7/16/2024 10:49	ALD	EPA 8270D
Phenol	<3.0	ug/L	0.84	2.9	2		7/12/2024 10:00	7/16/2024 10:49	ALD	EPA 8270D

Notes: * Indicates a value in between the LOD (limit of detection) and the LOQ (limit of quantitation). All LOD/LOQs are adjusted to reflect dilution and also any differences in the sample weight / volume as compared to standard amounts.

All samples were received intact and properly preserved unless otherwise noted. The results reported relate only to the samples tested. This report shall not be reproduced, except in full, without written approval of this laboratory. The Chain of Custody is attached.

Submitted by: Brett M. Szymanski
 Project Manager
 608-356-2760

QC Qualifiers

<u>Code</u>	<u>Description</u>
B	Analyte detected in the associated Method Blank.
C	Toxicity present in BOD sample.
D	Diluted Out.
E	Safe, No Total Coliform detected.
F	Unsafe, Total Coliform detected, no E. Coli detected.
G	Unsafe, Total Coliform detected and E. Coli detected.
H	Holding time exceeded.
I	Incubator temperature was outside acceptance limits during test period.
J	Estimated value.
L	Significant peaks were detected outside the chromatographic window.
M	Matrix spike and/or Matrix Spike Duplicate recovery outside acceptance limits.
N	Insufficient BOD oxygen depletion.
O	Complete BOD oxygen depletion.
P	Concentration of analyte differs more than 40% between primary and confirmation analysis.
Q	Laboratory Control Sample outside acceptance limits.
R	See Narrative at end of report.
S	Surrogate standard recovery outside acceptance limits due to apparent matrix effects.
T	Sample received with improper preservation or temperature.
U	Analyte concentration was below detection limit.
V	Raised Quantitation or Reporting Limit due to limited sample amount or dilution for matrix background interference.
W	Sample amount received was below program minimum.
X	Analyte exceeded calibration range.
Y	Replicate/Duplicate precision outside acceptance limits.
Z	Specified calibration criteria was not met.

Current CT Laboratories Certifications

Wisconsin (WDNR) Chemistry ID# 157066030
 Wisconsin (DATCP) Bacteriology ID# 289
 Louisiana NELAP (primary) ID# 115843
 Illinois NELAP Lab ID# 200073
 Kansas NELAP Lab ID# E-10368
 Virginia NELAP Lab ID# 460203
 ISO/IEC 17025-2005 A2LA Cert # 3806.01
 DoD-ELAP A2LA 3806.01

Company Name: TRC
 Project Contact: Steve Sellwood
 Telephone: 608-347-8594
 Project Name: Wauleco
 Project Number: 189597.0013
 Project Location: Wausau, WI
 Sampled By: Tom Dushek

CTLaboratories

 Folder # 187593
 Company: TRC ENVIRONMENTAL
 Project: WAULECO
 Logged By: erc PM: BMS

1230 Lange Court, Baraboo, WI 53913
 608-356-2760 Tel. Fx 608-356-2766
 www.ctlaboratories.com

Mail Report To: Steve Sellwood
 Company: TRC
 Address: 999 Fourier Drive
 City/State/Zip: Madison, WI 53717

Invoice To: Accounts Payable
 Company: TRC
 Address:
 City/State/Zip:
 PO No. 210979

Regulatory Program:
 UST RCRA SDWA NPDES
 Solid Waste Other _____

Ice Present Yes No
 Temperature 45.2 ASJ
 Initials Er For
 Date 7/11/04 Time 1:00
 Cooler # 662, 6017, 680

Contract No.

Turnaround Time

Normal RUSH* Date Needed _____

*Notify Lab prior to sending in RUSH
 Surcharges 24 hr 200% 2-3 days 100% 4-9 days 50%
 Surcharges subject to change without notice.

Landfill License Number

Collection		Field Screen	Field ID	Grab/Comp	Sample ID Description	Filt'd Y/N	WDNR Well ID #	**Matrix:	Phenols (8270)	TPH	VOC's (8020)	Diss. Hg	Nitrate	Sulfate	TOC	Diss. Fe, Mn	Total No of Containers	Total No of Cont. Rec'd	Preservation*	Client Special Instructions: VOC's - Report only Naphthalene, xylenes, 1,2,4-trimethylbenzene. Metals are filtered.
Date	Time																			Lab ID #
7/8/24	0740			G	W3B	N		GW	2	1	3	1	1				8			1777297
	0830				W12				2	1	3	1	1	✓	1	✓	9			296
	0930				W29R				2	1	3	1	1	✓	1	✓	9			296
	1010				W36				2	1	3	1	1				8			297
	1115				W10B				2	1	3	1	1				8			298
	1215				W17				2	1	3	1	1	✓	1	✓	9			299
	1230				Trip Blank 02						1						1			300
	1335				W10A				2	1	3	1	1	✓	1	✓	9			301
↓	1335			↓	W10A Dup.	↓		↓	2	1	3	1	1	✓	1	✓	9			302
									A	A	B	D	A	A	C	D				

Relinquished By:
Er. Dushek

Date/Time
7/8/24
1600

Relinquished By:

Date/Time

Received by:

Date/Time

Received by:

Date/Time

Er 7/11/04

****Matrix**
 S-Soil A-Air Slg-Sludge M-Misc Waste
 GW-Groundwater SW-Surface Water
 WW-Wastewater DW-Drinking Water

*** Preservation Code**
 A=None B=HCL
 C=H2SO4 D=HNO3
 E=Encore F=Methanol
 G=NaOH
 O=Other _____

CTLaboratories

Mail Report To: Steve Sellwood
Company: TRC
Address: 999 Fourier Drive
City/State/Zip: Madison, WI 53717

Place Header Sticker Here:
Lab Use Only

1230 Lange Court, Baraboo, WI 53913
608-356-2760 Tel. Fx 608-356-2766
www.ctlaboratories.com

Ice Present	~~Yes~~	No

Temperature 15.2 11/11
Initials Enc for OSC

Date 7/27/00 Time 1000
Cooler # 6028, 6017, 6585

Invoice To: Accounts Payable
Company: TRC
Address:
City/State/Zip:
PO No. 210979

Contract No.

Normal RUSH* Date Needed _____

*Notify Lab prior to sending in RUSH
 Surcharges 24 hr 200% 2-3 days 100% 4-9 days 50%
 Surcharges subject to change without notice.

Client Special Instructions:
VOC's - Report only
Naphthalene, xylenes,
1,2,4-
trimethylbenzene.
Metals are filtered.

Landfill License Number

Lab ID #

[illegible]

WIDNR Well ID #

****Matrix:**

Phenols (8270)

Index

VOCs (8020)

Diss. Hg

Nitrate

Sulfate

2014

Diss. Fe, Mn

Total No of Containers

Total No of Cont Rec'd

Preservation*

Fill in Spaces with Bottles per Test

Date/Time	

Date/Time
7/8/24
1600

Relinquished By:

Date/Time

Date/Time

Received by:

Relinquished By: J. J. Durbin

Received by:

****Matrix**
S-Soil A-Air Slg-Sludge M-Misc Waste
GW-Groundwater SW-Surface Water
WW-Wastewater DW-Drinking Water

* Preservation Code

A=None B=HCL
C=H2SO4 D=HNO3
E=Encore F=Methanol
G=NaOH
O=Other

UPS Electronic Return Label: View/Print Label

1. Ensure that there are no other tracking labels attached to your shipment.
2. Fold the printed label at the dotted line. Place the label in a UPS Shipping Pouch. If you do not have a pouch, affix the folded label using clear plastic shipping tape over the entire label. Take care not to cover any seams or closures.

3. GETTING YOUR SHIPMENT TO UPS

- o Daily Pick up customers may add return package(s) to their outbound shipments by having them ready for the driver as usual.
- o Take this parcel to any location of The UPS Store®, UPS Access Point™, UPS Drop Box, UPS Customer Center, UPS Alliance partners (Office Depot® or Staples®) or an Authorized Shipping Outlet near you. Return items sent via UPS Returns® services (including via UPS Ground) are accepted at all UPS Drop Box locations. To find the closest drop box location, visit [UPS Global Locator](#)

UPS Access Point™
ADVANCE AUTO PARTS STORE
#4703
1020 S 17TH AVE
WAUSAU WI 54401-5741

UPS Access Point™
CVS STORE # 10172
102 CENTRAL BRIDGE ST
WAUSAU WI 54401-5741

UPS Access Point™
GOIN POSTAL
607 S 24TH AVE

Quality Environmental Containers
800-255-3950 • www.qecusa.com

QEC

USE TODAY SEAL

SIGNATURE


TOM DUSHEK
TRC ENVIRONMENTAL
125 ROSECRANS STREET
WAUSAU WI 54401

50 LBS
RS

1 OF


SHIP TO:
SHIPPING DEPT
6083562760
CT LABS
1230 LANGE CT
BARABOO WI 53913

WI 539 0-10



UPS GROUND

TRACKING #: 1Z 1A3 77E 90 5260 6134



BILLING: P/P
DESC: Environmental Samples
RETURN SERVICE



XOL 24.06.32 NV45 28.04 07/2024*

Ice Present ☒ Yes ☐ No

Temperature ☒ 5.1

Initials ☒ 2/24

Date ☒ 10:00

Cooler # ☒ 6628

UPS Electronic Return Label: View/Print Label

1. Ensure that there are no other tracking labels attached to your shipment.
2. Fold the printed label at the dotted line. Place the label in a UPS Shipping Pouch. If you do not have a pouch, affix the folded label using clear plastic shipping tape over the entire label. Take care not to cover any seams or closures.

3. GETTING YOUR SHIPMENT TO UPS

- o Daily Pick up customers may add return package(s) to their outbound shipments by having them ready for the driver as usual.
- o Take this parcel to any location of The UPS Store®, UPS Access Point™, UPS Drop Box, UPS Customer Center, UPS Alliance partners (Office Depot® or Staples®) or an Authorized Shipping Outlet near you. Return items sent via UPS Returns® services (including via UPS Ground) are accepted at all UPS Drop Box locations. To find the closest drop box location, visit [UPS Global Locator](#)

UPS Access Point™
ADVANCE AUTO PARTS STORE
#4703
1020 S 17TH AVE
WAUSAU WI 54401-5741

UPS Access Point™
CVS STORE # 10172
102 CENTRAL BRIDGE ST
WAUSAU WI 54401-2944

UPS Access Point™
GOIN POSTAL
607 S 24TH AVE
WAUSAU WI 54401-5741

FOI

Quality Environmental Containers
800-266-3950 • www.qecusa.com

QEC

CUSTODY SEAL

SIGNATURE

DATE

50 LBS
RS
TOM DUSHEK
TRC ENVIRONMENTAL
125 ROSECRANS STREET
WAUSAU WI 54401

SHIP TO:
SHIPPING DEPT
6083562760
CT LABS
1230 LANGE CT
BARABOO WI 53913

WI 539 0-10



UPS GROUND

TRACKING #: 1Z 1A3 77E 90 5254 1954



BILLING: P/P
DESC: Environmental Samples
RETURN SERVICE

XOL 24.06.32 NV45 28.0A 07/2024*

Ice Present ☒ Yes ☐ No
Temperature 2.1
Initials JD
Date 7/9/24 Time 10:00
Cooler # 1007

UPS Electronic Return Label: View/Print Label

1. Ensure that there are no other tracking labels attached to your shipment.
2. Fold the printed label at the dotted line. Place the label in a UPS Shipping Pouch. If you do not have a pouch, affix the folded label using clear plastic shipping tape over the entire label. Take care not to cover any seams or closures.

3. GETTING YOUR SHIPMENT TO UPS

- o Daily Pick up customers may add return package(s) to their outbound shipments by having them ready for the driver as usual.
- o Take this parcel to any location of The UPS Store®, UPS Access Point™, UPS Drop Box, UPS Customer Center, UPS Alliance partners (Office Depot® or Staples®) or an Authorized Shipping Outlet near you. Return items sent via UPS Returns® services (including via UPS Ground) are accepted at all UPS Drop Box locations. To find the closest drop box location, visit [UPS Global Locator](#)

UPS Access Point™
ADVANCE AUTO PARTS STORE

UPS Access Point™
CVS STORE # 10172

UPS Access Point™
GOIN POSTAL

#A772



TOM DUSHEK TRC ENVIRONMENTAL 125 ROSECRANS STREET WAUSAU WI 54401	50 LBS RS	1 OF 1
	SHIP TO: SHIPPING DEPT 6083562760 CT LABS 1230 LANGE CT BARABOO WI 53913	
WI 539 0-10 		
UPS GROUND TRACKING #: 1Z 1A3 77E 90 5392 8544		
BILLING: P/P DESC: Environmental Samples RETURN SERVICE		
XOL 24.06.32 NV45 2R.0A 07/2024*		

Ice Present ☒ No ☐
 Temperature 3.9
 Initials JD
 Date 7/9/24 Time 10:00
 Cooler # 60620

ANALYTICAL REPORT

TRC ENVIRONMENTAL
STEVE SELLWOOD
999 FOURIER DRIVE
SUITE 101
MADISON, WI 53717

Project Name: WAULECO
Project Phase:
Contract #: 2399
Project #: 189597.0013
Folder #: 187648
Purchase Order #: 210979

Page 1 of 11
Arrival Temperature: 4.1
Report Date: 7/23/2024
Date Received: 7/10/2024
Reprint Date: 7/23/2024

CT LAB Sample#: 1477718 Sample Description: W26R

Sampled: 7/9/2024 07:30

Analyte	Result	Units	LOD	LOQ	Dilution	Qualifier	Prep Date/Time	Analysis Date/Time	Analyst	Method
Inorganic Results										
Nitrate Nitrogen Total	0.32	mg/L	0.12 *	0.40	1			7/10/2024 20:22	TMG	EPA 9056A
Total Sulfate	7.7	mg/L	0.80	2.5	1			7/10/2024 20:22	TMG	EPA 9056A
Total Organic Carbon	3.6	mg/L	0.4	3.0	1			7/17/2024 12:21	TMG	EPA 9060A
Metals Results										
Dissolved Iron	27.2	ug/L	25 *	84	1			7/10/2024 17:54	NAH	EPA 6010C
Dissolved Manganese	1250	ug/L	2.4	8.0	1			7/10/2024 17:54	NAH	EPA 6010C
Dissolved Mercury	<0.020	ug/L	0.020	0.080	1		7/15/2024 14:00	7/16/2024 12:00	MDS	EPA 7470A
Organic Results										
TPH as Mineral Spirits	<32	ug/L	32	110	1		7/15/2024 10:20	7/17/2024 15:29	AJZ	EPA 8015
1,2,4-Trimethylbenzene	<0.34	ug/L	0.34	1.2	1			7/10/2024 14:41	DGS	EPA 8260C
m & p-Xylene	<0.74	ug/L	0.74	2.5	1			7/10/2024 14:41	DGS	EPA 8260C
Naphthalene	<0.35	ug/L	0.35	1.2	1			7/10/2024 14:41	DGS	EPA 8260C
o-Xylene	<0.72	ug/L	0.72	2.4	1			7/10/2024 14:41	DGS	EPA 8260C
2,3,4,6-Tetrachlorophenol	<3.0	ug/L	0.76	2.5	1		7/15/2024 12:00	7/17/2024 12:06	ALD	EPA 8270D

Unless specifically stated to the contrary, soil/sediment/sludge sample results/LOD/LOQ/RLs were reported on a Dry Weight Basis

CT LAB Sample#: 1477718 Sample Description: W26R Sampled: 7/9/2024 07:30

Analyte	Result	Units	LOD	LOQ	Dilution	Qualifier	Prep Date/Time	Analysis Date/Time	Analyst	Method
2,4,5-Trichlorophenol	<3.0	ug/L	0.96	3.2	1		7/15/2024 12:00	7/17/2024 12:06	ALD	EPA 8270D
2,4,6-Trichlorophenol	<3.0	ug/L	0.89	3.0	1		7/15/2024 12:00	7/17/2024 12:06	ALD	EPA 8270D
2,4-Dichlorophenol	<3.0	ug/L	0.98	3.3	1		7/15/2024 12:00	7/17/2024 12:06	ALD	EPA 8270D
2,4-Dimethylphenol	<3.0	ug/L	0.54	1.9	1		7/15/2024 12:00	7/17/2024 12:06	ALD	EPA 8270D
2,4-Dinitrophenol	<3.0	ug/L	1.1	3.6	1		7/15/2024 12:00	7/17/2024 12:06	ALD	EPA 8270D
2,6-Dichlorophenol	<3.0	ug/L	0.95	3.2	1		7/15/2024 12:00	7/17/2024 12:06	ALD	EPA 8270D
2-Chlorophenol	<3.0	ug/L	0.69	2.4	1		7/15/2024 12:00	7/17/2024 12:06	ALD	EPA 8270D
2-Methylphenol	<3.0	ug/L	0.58	2.0	1		7/15/2024 12:00	7/17/2024 12:06	ALD	EPA 8270D
2-Nitrophenol	<3.0	ug/L	0.79	2.6	1		7/15/2024 12:00	7/17/2024 12:06	ALD	EPA 8270D
3 & 4-Methylphenol	<3.0	ug/L	0.97	3.2	1		7/15/2024 12:00	7/17/2024 12:06	ALD	EPA 8270D
4,6-Dinitro-2-methylphenol	<3.0	ug/L	1.7	5.6	1		7/15/2024 12:00	7/17/2024 12:06	ALD	EPA 8270D
4-Chloro-3-methylphenol	<3.0	ug/L	0.72	2.5	1		7/15/2024 12:00	7/17/2024 12:06	ALD	EPA 8270D
4-Nitrophenol	<3.0	ug/L	0.51	1.8	1		7/15/2024 12:00	7/17/2024 12:06	ALD	EPA 8270D
Pentachlorophenol	8.4	ug/L	0.93	3.1	1		7/15/2024 12:00	7/17/2024 12:06	ALD	EPA 8270D
Phenol	<3.0	ug/L	0.42	1.5	1		7/15/2024 12:00	7/17/2024 12:06	ALD	EPA 8270D

CT LAB Sample#: 1477719 Sample Description: W3A Sampled: 7/9/2024 08:15

Analyte	Result	Units	LOD	LOQ	Dilution	Qualifier	Prep Date/Time	Analysis Date/Time	Analyst	Method
Inorganic Results										
Nitrate Nitrogen Total	<0.12	mg/L	0.12	0.40	1			7/10/2024 21:18	TMG	EPA 9056A
Total Sulfate	4.3	mg/L	0.80	2.5	1			7/10/2024 21:18	TMG	EPA 9056A
Total Organic Carbon	8.2	mg/L	0.4	3.0	1			7/17/2024 13:10	TMG	EPA 9060A

Metals Results

Unless specifically stated to the contrary, soil/sediment/sludge sample results/LOD/LOQ/RLs were reported on a Dry Weight Basis

CT LAB Sample#: 1477719

Sample Description: W3A

Sampled: 7/9/2024 08:15

Analyte	Result	Units	LOD	LOQ	Dilution	Qualifier	Prep Date/Time	Analysis Date/Time	Analyst	Method
Dissolved Iron	1870	ug/L	25	84	1			7/10/2024 18:02	NAH	EPA 6010C
Dissolved Manganese	1340	ug/L	2.4	8.0	1			7/10/2024 18:02	NAH	EPA 6010C
Dissolved Mercury	<0.020	ug/L	0.020	0.080	1		7/15/2024 14:00	7/16/2024 12:03	MDS	EPA 7470A
Organic Results										
TPH as Mineral Spirits	6500	ug/L	64	210	2		7/15/2024 10:20	7/18/2024 12:11	AJZ	EPA 8015
1,2,4-Trimethylbenzene	570	ug/L	3.4	12	10			7/11/2024 10:34	DGS	EPA 8260C
m & p-Xylene	26	ug/L	0.74	2.5	1			7/10/2024 15:08	DGS	EPA 8260C
Naphthalene	30	ug/L	0.35	1.2	1			7/10/2024 15:08	DGS	EPA 8260C
o-Xylene	90	ug/L	7.2	24	10			7/11/2024 10:34	DGS	EPA 8260C
2,3,4,6-Tetrachlorophenol	8.6	ug/L	1.5	5.1	2		7/15/2024 12:00	7/17/2024 13:14	ALD	EPA 8270D
2,4,5-Trichlorophenol	1.9	ug/L	1.9 *	6.5	2		7/15/2024 12:00	7/17/2024 13:14	ALD	EPA 8270D
2,4,6-Trichlorophenol	<3.0	ug/L	1.8	6.1	2		7/15/2024 12:00	7/17/2024 13:14	ALD	EPA 8270D
2,4-Dichlorophenol	<3.0	ug/L	2.0	6.7	2		7/15/2024 12:00	7/17/2024 13:14	ALD	EPA 8270D
2,4-Dimethylphenol	<3.0	ug/L	1.1	3.8	2		7/15/2024 12:00	7/17/2024 13:14	ALD	EPA 8270D
2,4-Dinitrophenol	<3.0	ug/L	2.2	7.3	2		7/15/2024 12:00	7/17/2024 13:14	ALD	EPA 8270D
2,6-Dichlorophenol	<3.0	ug/L	1.9	6.5	2		7/15/2024 12:00	7/17/2024 13:14	ALD	EPA 8270D
2-Chlorophenol	<3.0	ug/L	1.4	4.8	2		7/15/2024 12:00	7/17/2024 13:14	ALD	EPA 8270D
2-Methylphenol	<3.0	ug/L	1.2	4.0	2		7/15/2024 12:00	7/17/2024 13:14	ALD	EPA 8270D
2-Nitrophenol	<3.0	ug/L	1.6	5.3	2		7/15/2024 12:00	7/17/2024 13:14	ALD	EPA 8270D
3 & 4-Methylphenol	<3.0	ug/L	2.0	6.5	2		7/15/2024 12:00	7/17/2024 13:14	ALD	EPA 8270D
4,6-Dinitro-2-methylphenol	<3.0	ug/L	3.4	11	2		7/15/2024 12:00	7/17/2024 13:14	ALD	EPA 8270D
4-Chloro-3-methylphenol	<3.0	ug/L	1.4	5.0	2		7/15/2024 12:00	7/17/2024 13:14	ALD	EPA 8270D
4-Nitrophenol	<3.0	ug/L	1.0	3.6	2		7/15/2024 12:00	7/17/2024 13:14	ALD	EPA 8270D
Pentachlorophenol	120	ug/L	4.7	16	5		7/15/2024 12:00	7/17/2024 18:12	ALD	EPA 8270D

Unless specifically stated to the contrary, soil/sediment/sludge sample results/LOD/LOQ/RLs were reported on a Dry Weight Basis

CT LAB Sample#: 1477719 Sample Description: W3A Sampled: 7/9/2024 08:15

Analyte	Result	Units	LOD	LOQ	Dilution	Qualifier	Prep Date/Time	Analysis Date/Time	Analyst	Method
Phenol	<3.0	ug/L	0.85	3.0	2		7/15/2024 12:00	7/17/2024 13:14	ALD	EPA 8270D

CT LAB Sample#: 1477720 Sample Description: W13 Sampled: 7/9/2024 09:05

Analyte	Result	Units	LOD	LOQ	Dilution	Qualifier	Prep Date/Time	Analysis Date/Time	Analyst	Method

Inorganic Results

Nitrate Nitrogen Total	0.71	mg/L	0.12	0.40	1			7/10/2024 22:13	TMG	EPA 9056A
Total Sulfate	36	mg/L	0.80	2.5	1			7/10/2024 22:13	TMG	EPA 9056A
Total Organic Carbon	2.1	mg/L	0.4 *	3.0	1			7/17/2024 13:21	TMG	EPA 9060A

Metals Results

Dissolved Iron	<25	ug/L	25	84	1			7/10/2024 18:31	NAH	EPA 6010C
Dissolved Manganese	<2.4	ug/L	2.4	8.0	1			7/10/2024 18:31	NAH	EPA 6010C
Dissolved Mercury	<0.020	ug/L	0.020	0.080	1		7/15/2024 14:00	7/16/2024 12:06	MDS	EPA 7470A

Organic Results

TPH as Mineral Spirits	<32	ug/L	32	110	1		7/15/2024 10:20	7/17/2024 16:38	AJZ	EPA 8015
1,2,4-Trimethylbenzene	<0.34	ug/L	0.34	1.2	1			7/11/2024 10:06	DGS	EPA 8260C
m & p-Xylene	<0.74	ug/L	0.74	2.5	1			7/11/2024 10:06	DGS	EPA 8260C
Naphthalene	<0.35	ug/L	0.35	1.2	1			7/11/2024 10:06	DGS	EPA 8260C
o-Xylene	<0.72	ug/L	0.72	2.4	1			7/11/2024 10:06	DGS	EPA 8260C
2,3,4,6-Tetrachlorophenol	<3.0	ug/L	0.76	2.5	1		7/15/2024 12:00	7/17/2024 12:29	ALD	EPA 8270D
2,4,5-Trichlorophenol	<3.0	ug/L	0.95	3.2	1		7/15/2024 12:00	7/17/2024 12:29	ALD	EPA 8270D
2,4,6-Trichlorophenol	<3.0	ug/L	0.88	3.0	1		7/15/2024 12:00	7/17/2024 12:29	ALD	EPA 8270D
2,4-Dichlorophenol	<3.0	ug/L	0.97	3.3	1		7/15/2024 12:00	7/17/2024 12:29	ALD	EPA 8270D

CT LAB Sample#: 1477720 Sample Description: W13 Sampled: 7/9/2024 09:05

Analyte	Result	Units	LOD	LOQ	Dilution	Qualifier	Prep Date/Time	Analysis Date/Time	Analyst	Method
2,4-Dimethylphenol	<3.0	ug/L	0.53	1.8	1		7/15/2024 12:00	7/17/2024 12:29	ALD	EPA 8270D
2,4-Dinitrophenol	<3.0	ug/L	1.1	3.6	1		7/15/2024 12:00	7/17/2024 12:29	ALD	EPA 8270D
2,6-Dichlorophenol	<3.0	ug/L	0.94	3.2	1		7/15/2024 12:00	7/17/2024 12:29	ALD	EPA 8270D
2-Chlorophenol	<3.0	ug/L	0.68	2.3	1		7/15/2024 12:00	7/17/2024 12:29	ALD	EPA 8270D
2-Methylphenol	<3.0	ug/L	0.57	1.9	1		7/15/2024 12:00	7/17/2024 12:29	ALD	EPA 8270D
2-Nitrophenol	<3.0	ug/L	0.79	2.6	1		7/15/2024 12:00	7/17/2024 12:29	ALD	EPA 8270D
3 & 4-Methylphenol	<3.0	ug/L	0.96	3.2	1		7/15/2024 12:00	7/17/2024 12:29	ALD	EPA 8270D
4,6-Dinitro-2-methylphenol	<3.0	ug/L	1.7	5.5	1		7/15/2024 12:00	7/17/2024 12:29	ALD	EPA 8270D
4-Chloro-3-methylphenol	<3.0	ug/L	0.71	2.4	1		7/15/2024 12:00	7/17/2024 12:29	ALD	EPA 8270D
4-Nitrophenol	<3.0	ug/L	0.50	1.7	1		7/15/2024 12:00	7/17/2024 12:29	ALD	EPA 8270D
Pentachlorophenol	<3.0	ug/L	0.92	3.1	1		7/15/2024 12:00	7/17/2024 12:29	ALD	EPA 8270D
Phenol	<3.0	ug/L	0.42	1.5	1		7/15/2024 12:00	7/17/2024 12:29	ALD	EPA 8270D

CT LAB Sample#: 1477721 Sample Description: DFOMW5 Sampled: 7/9/2024 10:00

Analyte	Result	Units	LOD	LOQ	Dilution	Qualifier	Prep Date/Time	Analysis Date/Time	Analyst	Method
Organic Results										
TPH as Mineral Spirits	69	ug/L	32 *	110	1		7/15/2024 10:20	7/17/2024 17:13	AJZ	EPA 8015
1,2,4-Trimethylbenzene	<0.34	ug/L	0.34	1.2	1			7/10/2024 16:04	DGS	EPA 8260C
m & p-Xylene	<0.74	ug/L	0.74	2.5	1			7/10/2024 16:04	DGS	EPA 8260C
Naphthalene	<0.35	ug/L	0.35	1.2	1			7/10/2024 16:04	DGS	EPA 8260C
o-Xylene	<0.72	ug/L	0.72	2.4	1			7/10/2024 16:04	DGS	EPA 8260C
Pentachlorophenol	<3.0	ug/L	0.92	3.1	1		7/15/2024 12:00	7/17/2024 12:51	ALD	EPA 8270D

CT LAB Sample#: 1477722 Sample Description: DFOMW11 Sampled: 7/9/2024 10:40

Analyte	Result	Units	LOD	LOQ	Dilution	Qualifier	Prep Date/Time	Analysis Date/Time	Analyst	Method
Organic Results										
Pentachlorophenol	350	ug/L	19	64	20		7/15/2024 12:00	7/17/2024 18:35	ALD	EPA 8270D

CT LAB Sample#: 1477723 Sample Description: DFOMW11 DUP Sampled: 7/9/2024 10:40

Analyte	Result	Units	LOD	LOQ	Dilution	Qualifier	Prep Date/Time	Analysis Date/Time	Analyst	Method
Organic Results										
Pentachlorophenol	390	ug/L	19	63	20		7/15/2024 12:00	7/17/2024 18:58	ALD	EPA 8270D

CT LAB Sample#: 1477724 Sample Description: DFOMW12 Sampled: 7/9/2024 11:35

Analyte	Result	Units	LOD	LOQ	Dilution	Qualifier	Prep Date/Time	Analysis Date/Time	Analyst	Method
Organic Results										
Pentachlorophenol	97	ug/L	4.7	16	5		7/15/2024 12:00	7/18/2024 10:13	ALD	EPA 8270D

CT LAB Sample#: 1477725 Sample Description: W2 Sampled: 7/9/2024 13:05

Analyte	Result	Units	LOD	LOQ	Dilution	Qualifier	Prep Date/Time	Analysis Date/Time	Analyst	Method
Inorganic Results										
Nitrate Nitrogen Total	3.3	mg/L	0.12	0.40	1			7/10/2024 22:41	TMG	EPA 9056A
Metals Results										
Dissolved Mercury	<0.020	ug/L	0.020	0.080	1		7/15/2024 14:00	7/16/2024 12:09	MDS	EPA 7470A

CT LAB Sample#: 1477725 Sample Description: W2

Sampled: 7/9/2024 13:05

Analyte	Result	Units	LOD	LOQ	Dilution	Qualifier	Prep Date/Time	Analysis Date/Time	Analyst	Method
Organic Results										
TPH as Mineral Spirits	590	ug/L	32	110	1		7/15/2024 10:20	7/17/2024 17:47	AJZ	EPA 8015
1,2,4-Trimethylbenzene	70	ug/L	0.34	1.2	1			7/10/2024 16:32	DGS	EPA 8260C
m & p-Xylene	2.5	ug/L	0.74	2.5	1			7/10/2024 16:32	DGS	EPA 8260C
Naphthalene	9.3	ug/L	0.35	1.2	1			7/10/2024 16:32	DGS	EPA 8260C
o-Xylene	7.2	ug/L	0.72	2.4	1			7/10/2024 16:32	DGS	EPA 8260C
2,3,4,6-Tetrachlorophenol	1.5	ug/L	0.76 *	2.5	1		7/15/2024 12:00	7/17/2024 19:21	ALD	EPA 8270D
2,4,5-Trichlorophenol	<3.0	ug/L	0.95	3.2	1		7/15/2024 12:00	7/17/2024 19:21	ALD	EPA 8270D
2,4,6-Trichlorophenol	<3.0	ug/L	0.88	3.0	1		7/15/2024 12:00	7/17/2024 19:21	ALD	EPA 8270D
2,4-Dichlorophenol	<3.0	ug/L	0.97	3.3	1		7/15/2024 12:00	7/17/2024 19:21	ALD	EPA 8270D
2,4-Dimethylphenol	<3.0	ug/L	0.53	1.8	1		7/15/2024 12:00	7/17/2024 19:21	ALD	EPA 8270D
2,4-Dinitrophenol	<3.0	ug/L	1.1	3.6	1		7/15/2024 12:00	7/17/2024 19:21	ALD	EPA 8270D
2,6-Dichlorophenol	<3.0	ug/L	0.94	3.2	1		7/15/2024 12:00	7/17/2024 19:21	ALD	EPA 8270D
2-Chlorophenol	<3.0	ug/L	0.68	2.3	1		7/15/2024 12:00	7/17/2024 19:21	ALD	EPA 8270D
2-Methylphenol	<3.0	ug/L	0.57	1.9	1		7/15/2024 12:00	7/17/2024 19:21	ALD	EPA 8270D
2-Nitrophenol	<3.0	ug/L	0.79	2.6	1		7/15/2024 12:00	7/17/2024 19:21	ALD	EPA 8270D
3 & 4-Methylphenol	<3.0	ug/L	0.96	3.2	1		7/15/2024 12:00	7/17/2024 19:21	ALD	EPA 8270D
4,6-Dinitro-2-methylphenol	<3.0	ug/L	1.7	5.5	1		7/15/2024 12:00	7/17/2024 19:21	ALD	EPA 8270D
4-Chloro-3-methylphenol	<3.0	ug/L	0.71	2.4	1		7/15/2024 12:00	7/17/2024 19:21	ALD	EPA 8270D
4-Nitrophenol	<3.0	ug/L	0.50	1.7	1		7/15/2024 12:00	7/17/2024 19:21	ALD	EPA 8270D
Pentachlorophenol	17	ug/L	0.92	3.1	1		7/15/2024 12:00	7/17/2024 19:21	ALD	EPA 8270D
Phenol	<3.0	ug/L	0.42	1.5	1		7/15/2024 12:00	7/17/2024 19:21	ALD	EPA 8270D

CT LAB Sample#: 1477726 Sample Description: TRIP BLANK 03 Sampled: 7/9/2024 10:15

Analyte	Result	Units	LOD	LOQ	Dilution	Qualifier	Prep Date/Time	Analysis Date/Time	Analyst	Method
Organic Results										
1,2,4-Trimethylbenzene	<0.34	ug/L	0.34	1.2	1			7/10/2024 14:13	DGS	EPA 8260C
m & p-Xylene	<0.74	ug/L	0.74	2.5	1			7/10/2024 14:13	DGS	EPA 8260C
Naphthalene	<0.35	ug/L	0.35	1.2	1			7/10/2024 14:13	DGS	EPA 8260C
o-Xylene	<0.72	ug/L	0.72	2.4	1			7/10/2024 14:13	DGS	EPA 8260C

CT LAB Sample#: 1477727 Sample Description: W2 DUP Sampled: 7/9/2024 13:05

Analyte	Result	Units	LOD	LOQ	Dilution	Qualifier	Prep Date/Time	Analysis Date/Time	Analyst	Method
Inorganic Results										
Nitrate Nitrogen Total	3.9	mg/L	0.12	0.40	1			7/10/2024 23:09	TMG	EPA 9056A
Metals Results										
Dissolved Mercury	<0.020	ug/L	0.020	0.080	1		7/15/2024 14:00	7/16/2024 12:13	MDS	EPA 7470A
Organic Results										
TPH as Mineral Spirits	940	ug/L	32	110	1		7/15/2024 10:20	7/17/2024 18:22	AJZ	EPA 8015
1,2,4-Trimethylbenzene	52	ug/L	1.7	6.0	5			7/11/2024 11:02	DGS	EPA 8260C
m & p-Xylene	3.5	ug/L	0.74	2.5	1			7/10/2024 17:00	DGS	EPA 8260C
Naphthalene	13	ug/L	0.35	1.2	1			7/10/2024 17:00	DGS	EPA 8260C
o-Xylene	10	ug/L	0.72	2.4	1			7/10/2024 17:00	DGS	EPA 8260C
2,3,4,6-Tetrachlorophenol	2.2	ug/L	0.75 *	2.5	1		7/15/2024 12:00	7/18/2024 09:50	ALD	EPA 8270D
2,4,5-Trichlorophenol	<3.0	ug/L	0.94	3.2	1		7/15/2024 12:00	7/18/2024 09:50	ALD	EPA 8270D
2,4,6-Trichlorophenol	<3.0	ug/L	0.88	3.0	1		7/15/2024 12:00	7/18/2024 09:50	ALD	EPA 8270D
2,4-Dichlorophenol	<3.0	ug/L	0.96	3.3	1		7/15/2024 12:00	7/18/2024 09:50	ALD	EPA 8270D

Unless specifically stated to the contrary, soil/sediment/sludge sample results/LOD/LOQ/RLs were reported on a Dry Weight Basis

CT LAB Sample#: 1477727 Sample Description: W2 DUP Sampled: 7/9/2024 13:05

Analyte	Result	Units	LOD	LOQ	Dilution	Qualifier	Prep Date/Time	Analysis Date/Time	Analyst	Method
2,4-Dimethylphenol	<3.0	ug/L	0.53	1.8	1		7/15/2024 12:00	7/18/2024 09:50	ALD	EPA 8270D
2,4-Dinitrophenol	<3.0	ug/L	1.1	3.6	1		7/15/2024 12:00	7/18/2024 09:50	ALD	EPA 8270D
2,6-Dichlorophenol	<3.0	ug/L	0.93	3.2	1		7/15/2024 12:00	7/18/2024 09:50	ALD	EPA 8270D
2-Chlorophenol	<3.0	ug/L	0.67	2.3	1		7/15/2024 12:00	7/18/2024 09:50	ALD	EPA 8270D
2-Methylphenol	<3.0	ug/L	0.57	1.9	1		7/15/2024 12:00	7/18/2024 09:50	ALD	EPA 8270D
2-Nitrophenol	<3.0	ug/L	0.78	2.6	1		7/15/2024 12:00	7/18/2024 09:50	ALD	EPA 8270D
3 & 4-Methylphenol	<3.0	ug/L	0.95	3.2	1		7/15/2024 12:00	7/18/2024 09:50	ALD	EPA 8270D
4,6-Dinitro-2-methylphenol	<3.0	ug/L	1.6	5.5	1		7/15/2024 12:00	7/18/2024 09:50	ALD	EPA 8270D
4-Chloro-3-methylphenol	<3.0	ug/L	0.70	2.4	1		7/15/2024 12:00	7/18/2024 09:50	ALD	EPA 8270D
4-Nitrophenol	<3.0	ug/L	0.50	1.7	1		7/15/2024 12:00	7/18/2024 09:50	ALD	EPA 8270D
Pentachlorophenol	25	ug/L	0.91	3.1	1		7/15/2024 12:00	7/18/2024 09:50	ALD	EPA 8270D
Phenol	<3.0	ug/L	0.41	1.4	1		7/15/2024 12:00	7/18/2024 09:50	ALD	EPA 8270D

CT LAB Sample#: 1477728 Sample Description: W41 Sampled: 7/9/2024 14:00

Analyte	Result	Units	LOD	LOQ	Dilution	Qualifier	Prep Date/Time	Analysis Date/Time	Analyst	Method
Inorganic Results										
Nitrate Nitrogen Total	0.67	mg/L	0.12	0.40	1			7/10/2024 23:37	TMG	EPA 9056A
Total Sulfate	9.2	mg/L	0.80	2.5	1			7/10/2024 23:37	TMG	EPA 9056A
Total Organic Carbon	7.5	mg/L	0.4	3.0	1			7/17/2024 13:35	TMG	EPA 9060A
Metals Results										
Dissolved Iron	2290	ug/L	25	84	1			7/10/2024 18:39	NAH	EPA 6010C
Dissolved Manganese	19200	ug/L	2.4	8.0	1	M		7/10/2024 18:39	NAH	EPA 6010C
Dissolved Mercury	<0.020	ug/L	0.020	0.080	1		7/15/2024 14:00	7/16/2024 12:16	MDS	EPA 7470A

CT LAB Sample#: 1477728 Sample Description: W41

Sampled: 7/9/2024 14:00

Analyte	Result	Units	LOD	LOQ	Dilution	Qualifier	Prep Date/Time	Analysis Date/Time	Analyst	Method
Organic Results										
TPH as Mineral Spirits	620	ug/L	32	110	1		7/15/2024 10:20	7/17/2024 18:57	AJZ	EPA 8015
1,2,4-Trimethylbenzene	20	ug/L	0.34	1.2	1			7/10/2024 17:27	DGS	EPA 8260C
m & p-Xylene	<0.74	ug/L	0.74	2.5	1			7/10/2024 17:27	DGS	EPA 8260C
Naphthalene	1.5	ug/L	0.35	1.2	1			7/10/2024 17:27	DGS	EPA 8260C
o-Xylene	1.8	ug/L	0.72 *	2.4	1			7/10/2024 17:27	DGS	EPA 8260C
2,3,4,6-Tetrachlorophenol	3.0	ug/L	1.5 *	5.0	2		7/15/2024 12:00	7/18/2024 10:36	ALD	EPA 8270D
2,4,5-Trichlorophenol	2.3	ug/L	1.9 *	6.4	2		7/15/2024 12:00	7/18/2024 10:36	ALD	EPA 8270D
2,4,6-Trichlorophenol	<3.0	ug/L	1.8	6.0	2		7/15/2024 12:00	7/18/2024 10:36	ALD	EPA 8270D
2,4-Dichlorophenol	<3.0	ug/L	1.9	6.6	2		7/15/2024 12:00	7/18/2024 10:36	ALD	EPA 8270D
2,4-Dimethylphenol	<3.0	ug/L	1.1	3.7	2		7/15/2024 12:00	7/18/2024 10:36	ALD	EPA 8270D
2,4-Dinitrophenol	<3.0	ug/L	2.1	7.2	2		7/15/2024 12:00	7/18/2024 10:36	ALD	EPA 8270D
2,6-Dichlorophenol	<3.0	ug/L	1.9	6.4	2		7/15/2024 12:00	7/18/2024 10:36	ALD	EPA 8270D
2-Chlorophenol	<3.0	ug/L	1.4	4.7	2		7/15/2024 12:00	7/18/2024 10:36	ALD	EPA 8270D
2-Methylphenol	<3.0	ug/L	1.1	3.9	2		7/15/2024 12:00	7/18/2024 10:36	ALD	EPA 8270D
2-Nitrophenol	<3.0	ug/L	1.6	5.2	2		7/15/2024 12:00	7/18/2024 10:36	ALD	EPA 8270D
3 & 4-Methylphenol	<3.0	ug/L	1.9	6.4	2		7/15/2024 12:00	7/18/2024 10:36	ALD	EPA 8270D
4,6-Dinitro-2-methylphenol	<3.0	ug/L	3.3	11	2		7/15/2024 12:00	7/18/2024 10:36	ALD	EPA 8270D
4-Chloro-3-methylphenol	<3.0	ug/L	1.4	4.9	2		7/15/2024 12:00	7/18/2024 10:36	ALD	EPA 8270D
4-Nitrophenol	<3.0	ug/L	1.0	3.5	2		7/15/2024 12:00	7/18/2024 10:36	ALD	EPA 8270D
Pentachlorophenol	27	ug/L	1.8	6.2	2		7/15/2024 12:00	7/18/2024 10:36	ALD	EPA 8270D
Phenol	<3.0	ug/L	0.83	2.9	2		7/15/2024 12:00	7/18/2024 10:36	ALD	EPA 8270D

Notes: * Indicates a value in between the LOD (limit of detection) and the LOQ (limit of quantitation). All LOD/LOQs are adjusted to reflect dilution and also any differences in the sample weight / volume as compared to standard amounts.

All samples were received intact and properly preserved unless otherwise noted. The results reported relate only to the samples tested. This report shall not be reproduced, except in full, without written approval of this laboratory. The Chain of Custody is attached.

Submitted by: Brett M. Szymanski
 Project Manager
 608-356-2760

QC Qualifiers

<u>Code</u>	<u>Description</u>
B	Analyte detected in the associated Method Blank.
C	Toxicity present in BOD sample.
D	Diluted Out.
E	Safe, No Total Coliform detected.
F	Unsafe, Total Coliform detected, no E. Coli detected.
G	Unsafe, Total Coliform detected and E. Coli detected.
H	Holding time exceeded.
I	Incubator temperature was outside acceptance limits during test period.
J	Estimated value.
L	Significant peaks were detected outside the chromatographic window.
M	Matrix spike and/or Matrix Spike Duplicate recovery outside acceptance limits.
N	Insufficient BOD oxygen depletion.
O	Complete BOD oxygen depletion.
P	Concentration of analyte differs more than 40% between primary and confirmation analysis.
Q	Laboratory Control Sample outside acceptance limits.
R	See Narrative at end of report.
S	Surrogate standard recovery outside acceptance limits due to apparent matrix effects.
T	Sample received with improper preservation or temperature.
U	Analyte concentration was below detection limit.
V	Raised Quantitation or Reporting Limit due to limited sample amount or dilution for matrix background interference.
W	Sample amount received was below program minimum.
X	Analyte exceeded calibration range.
Y	Replicate/Duplicate precision outside acceptance limits.
Z	Specified calibration criteria was not met.

Current CT Laboratories Certifications

Wisconsin (WDNR) Chemistry ID# 157066030
 Wisconsin (DATCP) Bacteriology ID# 289
 Louisiana NELAP (primary) ID# 115843
 Illinois NELAP Lab ID# 200073
 Kansas NELAP Lab ID# E-10368
 Virginia NELAP Lab ID# 460203
 ISO/IEC 17025-2005 A2LA Cert # 3806.01
 DoD-ELAP A2LA 3806.01

Company Name: TRC
 Project Contact: Steve Sellwood
 Telephone: 608-347-8594
 Project Name: Wauleco
 Project Number: 189597.0013
 Project Location: Wausau, WI
 Sampled By: Tom Dushek

CTLaboratories

1230 Lange Court, Baraboo, WI 53913
 608-356-2760 Tel. Fx 608-356-2766
 www.ctlaboratories.com

Mail Report To: Steve Sellwood
 Company: TRC
 Address: 999 Fourier Drive
 City/State/Zip: Madison, WI 53717

Folder #: 187648
 Company: TRC ENVIRONMENTAL
 Project: WAULECO

Ice Present ☒ Yes ☐ No

Temperature 24.2 °C
 Initials *MD*

Date 7/9/04 Time 10:00

Cooler # 6694, 6557, 1653

Invoice To: Accounts Payable
 Company: TRC
 Address:
 City/State/Zip:
 PO No. 210979

Contract No.

Regulatory Program:
 UST RCRA SDWA NPDES
 Solid Waste Other

Turnaround Time

Normal RUSH* Date Needed

*Notify Lab prior to sending in RUSH
 Surcharges 24 hr 200% 2-3 days 100% 4-9 days 50%
 Surcharges subject to change without notice.

Landfill License Number

Collection		Field Screen	Field ID	Grab/Comp	Sample ID Description	Filt'd Y/N	WDNR Well ID #	**Matrix:	Phenols (8270)	TPH	VOC's (8020)	Diss. Hg	Nitrate	Sulfate	TOC	Diss. Fe, Mn	Total No of Containers	Total No of Cont. Rec'd	Preservation*	Client Special Instructions: VOC's - Report only Naphthalene, xylenes, 1,2,4-trimethylbenzene. Metals are filtered. * See below	Lab ID #
Fill in Spaces with Bottles per Test																					
7/9/04	0730			G	W26R	N		GW	2	1	3	1	1	✓	1	✓	9				1977718
	0815				W3A				2	1	3	1	1	✓	1	✓	9				19
	0905				W13				2	1	3	1	1	✓	1	✓	9				20
	1000				DFOMW5				2	1	3						6				21
	1040				DFOMW11				2								2				22
	1040				DFOMW11 Dup				2								2				21
	1135				DFOMW12				2								2				23
	1305				W2				2	1	3	1	1				8				24
✓	1015			✓	Trip Blank 03	✓		✓			1						1				25
									A	A	B	D	A	A	C	D					

Relinquished By:

S.J. Dushek

Date/Time

7/9/04

1530

Relinquished By:

Date/Time

Received by:

Date/Time

Received by:

Date/Time

MD 7/9/04

****Matrix**
 S-Soil A-Air Slg-Sludge M-Misc Waste
 GW-Groundwater SW-Surface Water
 WW-Wastewater DW-Drinking Water

*** Preservation Code**

A=None B=HCL
 C=H2SO4 D=HNO3
 E=Encore F=Methanol
 G=NaOH
 O=Other

* Report only PCP for Phenols for DFOMW5, DFOMW11 & Dup. & DFOMW12.

Contract No.

Lab ID #

A=None B=HCL
C=H2SO4 D=HNO3
E=Encore F=Methanol
G=NaOH
O=Other

UPS Electronic Return Label: View/Print Label

1. Ensure that there are no other tracking labels attached to your shipment.

2. Fold the printed label at the dotted line. Place the label in a UPS Shipping Pouch. If you do not have a pouch, affix the folded label using clear plastic shipping tape over the entire label. Take care not to cover any seams or closures.

3. GETTING YOUR SHIPMENT TO UPS

- Daily Pick up customers may add return package(s) to their outbound shipments by having them ready for the driver as usual.
- Take this parcel to any location of The UPS Store®, UPS Access Point™, UPS Drop Box, UPS Customer Center, UPS Alliance partners (Office Depot® or Staples®) or an Authorized Shipping Outlet near you. Return items sent via UPS Returns® services (including via UPS Ground) are accepted at all UPS Drop Box locations. To find the closest drop box location, visit UPS.GlobalLocator

UPS Access Point™ ADVANCE AUTO PARTS STORE #4703
 UPS Access Point™ CVS STORE # 10172
 UPS Access Point™
 SIGNATURE *T. J. Dushak*
 VOID SEAL
 QEC Quality Environmental Containers
 800-255-3950 • www.qecusa.com
 WAT 10201
 FOR

Ice Present Yes No
 Temperature 4.1
 Initials JD
 Date 7/10/24 Time 10:10
 Cooler # 6693

SHIP TO:
 SHIPPING DEPT
 6083562760
 CT LABS
 1230 LANGE CT
 BARABOO WI 53913

50 LBS 1 OF 1

RS

WI 539 0-10

UPS GROUND

TRACKING #: 1Z 1A3 77E 90 5447 4005

BILLING: P/P
 DEST: Environmental Samples
 RETURN SERVICE

XOL 240706 NV45 28.0A 07/2024

UPS Electronic Return Label: View/Print Label

1. Ensure that there are no other tracking labels attached to your shipment.
 2. Fold the printed label at the dotted line. Place the label in a UPS Shipping Pouch. If you do not have a pouch, affix the folded label using clear plastic shipping tape over the entire label. Take care not to cover any scans or closures.
- ### 3. GETTING YOUR SHIPMENT TO UPS
- Daily Pick up customers may add return package(s) to their outbound shipments by having them ready for the driver as usual.
 - Take this parcel to any location of The UPS Store®, UPS Access Point™, UPS Drop Box, UPS Customer Center, UPS Alliance partners (Office Depot® or Staples®) or an Authorized Shipping Outlet near you. Return items sent via UPS Returns® services (including via UPS Ground) are accepted at all UPS Drop Box locations. To find the closest drop box location, visit [UPS Global Location](#).

UPS Access Point™ ADVANCE AUTO PARTS STORE
UPS Access Point™ CVS STORE # 10172
UPS Access Point™ GOIN POSTAL

#4703
1020 S
WAUS
FOI

Quality Environmental Containers
800-255-3950 • www.qecusa.com

QEC

CUSTODY SEAL

DATE

SIGNATURE

**BILLING: P/P
DISC: Environmental Samples
RETURN SERVICE**

XOL 24.07.06 NV45 28.0A 07/2024*

17

43



UPS GROUND
TRACKING #: 1Z 1A3 77E 90 5290 5598

WI 539 0-10

SHIP TO:

SHIPPING DEPT
6083562760

**1230 LANGE CT
BARABOO WI 53913**

TOM DUSHEK
TRC ENVIRONMENTAL
125 ROSECRANS STREET
WAUSAU WI 54401

50 LBS
RS

50 LBS

10F1

UPS Electronic Return Label: View/Print Label

1. Ensure that there are no other tracking labels attached to your shipment.
2. Fold the printed label at the dotted line. Place the label in a UPS Shipping Pouch. If you do not have a pouch, affix the folded label using clear shipping tape over the entire label. Take care not to cover any seams or closures.
3. GETTING YOUR SHIPMENT TO UPS

- Daily Pick up customers may add return packages(s) to their outbound shipments by having them ready for the driver as usual.
- Take this parcel to any location of The UPS Store®, UPS Access Point™, UPS Drop Box, UPS Customer Center, UPS Alliance partners (Office Depot® or Staples®) or an Authorized Shipping Outlet near you. Return items sent via UPS Returns® services (including via UPS Ground) are accepted at all UPS Drop Box locations. To find the closest drop box location, visit UPS.GlobalLocator

UPS Access Point™ UPS Access Point™ UPS Access Point™
 ADVANCE AUTO PARTS STORE CVS STORE # 10172
 1020 S 17TH AVE
 #4703
 WAUSAU WI 54401-5741
 102 CENTRAL BRIDGE ST
 WAUSAU WI 54401-2944
 607 S 24TH AVE
 WAUSAU WI 54401-5226

CUSTODY SEAL

DATE 7-9-24

SIGNATURE [Signature]

QEC
 Quality Environmental Containers
 800-255-3850 • www.qecusa.com

Ice Present Yes No
 Temperature 3.9
 Initials [Signature]
 Date 7/10/24 Time 10:10
 Cooler # 3653

SHIP TO:
 SHIPPING DEPT
 6083562760
 CT LABS
 1230 LANGE CT
 BARABOO WI 53913

50 LBS
RS
1 OF

WI 539 0-10

UPS GROUND
 TRACKING #: 1Z 1A3 77E 90 5312 8186

BILLING: P/P
 DESC: Environmental Samples
 RETURN SERVICE

XOL240706 NV45 28.DA 07/2024

TOM DUSHEK
 TRC ENVIRONMENTAL
 125 ROSECRANS STREET
 WAUSAU WI 54401

ANALYTICAL REPORT

TRC ENVIRONMENTAL
STEVE SELLWOOD
999 FOURIER DRIVE
SUITE 101
MADISON, WI 53717

Project Name: WAULECO
Project Phase:
Contract #: 2399
Project #: 189597.0013
Folder #: 187688
Purchase Order #: 210979

Page 1 of 13
Arrival Temperature: 4.1
Report Date: 7/23/2024
Date Received: 7/11/2024
Reprint Date: 7/23/2024

CT LAB Sample#: 1478193	Sample Description: PW17	Sampled: 7/10/2024 07:00

Analyte	Result	Units	LOD	LOQ	Dilution	Qualifier	Prep Date/Time	Analysis Date/Time	Analyst	Method
Inorganic Results										
Total Sulfate	16	mg/L	0.80	2.5	1			7/15/2024 11:37	TMG	EPA 9056A
Total Organic Carbon	19	mg/L	0.4	3.0	1			7/17/2024 13:46	TMG	EPA 9060A
Metals Results										
Dissolved Iron	11600	ug/L	25	84	1			7/11/2024 14:41	NAH	EPA 6010C
Dissolved Manganese	4010	ug/L	2.4	8.0	1			7/11/2024 14:41	NAH	EPA 6010C
Organic Results										
TPH as Mineral Spirits	400	ug/L	32	110	1		7/15/2024 10:20	7/17/2024 19:31	AJZ	EPA 8015

CT LAB Sample#: 1478194	Sample Description: FP12	Sampled: 7/10/2024 07:20

Analyte	Result	Units	LOD	LOQ	Dilution	Qualifier	Prep Date/Time	Analysis Date/Time	Analyst	Method
Inorganic Results										
Total Sulfate	3.2	mg/L	0.80	2.5	1			7/15/2024 12:04	TMG	EPA 9056A
Total Organic Carbon	6.4	mg/L	0.4	3.0	1			7/17/2024 13:58	TMG	EPA 9060A

Unless specifically stated to the contrary, soil/sediment/sludge sample results/LOD/LOQ/RLs were reported on a Dry Weight Basis

CT LAB Sample#: 1478194 Sample Description: FP12 Sampled: 7/10/2024 07:20

Analyte	Result	Units	LOD	LOQ	Dilution	Qualifier	Prep Date/Time	Analysis Date/Time	Analyst	Method
Metals Results										
Dissolved Iron	13600	ug/L	25	84	1			7/11/2024 14:49	NAH	EPA 6010C
Dissolved Manganese	6500	ug/L	2.4	8.0	1			7/11/2024 14:49	NAH	EPA 6010C
Organic Results										
TPH as Mineral Spirits	2000	ug/L	34	110	1		7/15/2024 10:20	7/17/2024 20:05	AJZ	EPA 8015

CT LAB Sample#: 1478195 Sample Description: W6R Sampled: 7/10/2024 07:40

Analyte	Result	Units	LOD	LOQ	Dilution	Qualifier	Prep Date/Time	Analysis Date/Time	Analyst	Method
Inorganic Results										
Nitrate Nitrogen Total	4.8	mg/L	0.12	0.40	1			7/11/2024 18:10	TMG	EPA 9056A
Total Sulfate	33	mg/L	0.80	2.5	1			7/11/2024 18:10	TMG	EPA 9056A
Total Organic Carbon	2.6	mg/L	0.4 *	3.0	1			7/17/2024 14:10	TMG	EPA 9060A
Metals Results										
Dissolved Iron	<25	ug/L	25	84	1			7/11/2024 14:56	NAH	EPA 6010C
Dissolved Manganese	47.1	ug/L	2.4	8.0	1			7/11/2024 14:56	NAH	EPA 6010C
Dissolved Mercury	<0.020	ug/L	0.020	0.080	1		7/15/2024 14:00	7/16/2024 12:29	MDS	EPA 7470A
Organic Results										
TPH as Mineral Spirits	32	ug/L	32 *	110	1		7/15/2024 10:20	7/17/2024 21:50	AJZ	EPA 8015
1,2,4-Trimethylbenzene	4.5	ug/L	0.34	1.2	1			7/16/2024 01:16	DGS	EPA 8260C
m & p-Xylene	<0.74	ug/L	0.74	2.5	1			7/16/2024 01:16	DGS	EPA 8260C
Naphthalene	<0.35	ug/L	0.35	1.2	1	Q,Y		7/16/2024 01:16	DGS	EPA 8260C
o-Xylene	2.5	ug/L	0.72	2.4	1			7/16/2024 01:16	DGS	EPA 8260C

CT LAB Sample#: 1478195 Sample Description: W6R

Sampled: 7/10/2024 07:40

Analyte	Result	Units	LOD	LOQ	Dilution	Qualifier	Prep Date/Time	Analysis Date/Time	Analyst	Method
2,3,4,6-Tetrachlorophenol	3.7	ug/L	0.75	2.5	1		7/15/2024 12:00	7/18/2024 10:59	ALD	EPA 8270D
2,4,5-Trichlorophenol	<3.0	ug/L	0.94	3.2	1		7/15/2024 12:00	7/18/2024 10:59	ALD	EPA 8270D
2,4,6-Trichlorophenol	<3.0	ug/L	0.88	3.0	1		7/15/2024 12:00	7/18/2024 10:59	ALD	EPA 8270D
2,4-Dichlorophenol	<3.0	ug/L	0.96	3.3	1		7/15/2024 12:00	7/18/2024 10:59	ALD	EPA 8270D
2,4-Dimethylphenol	<3.0	ug/L	0.53	1.8	1		7/15/2024 12:00	7/18/2024 10:59	ALD	EPA 8270D
2,4-Dinitrophenol	<3.0	ug/L	1.1	3.6	1		7/15/2024 12:00	7/18/2024 10:59	ALD	EPA 8270D
2,6-Dichlorophenol	<3.0	ug/L	0.93	3.2	1		7/15/2024 12:00	7/18/2024 10:59	ALD	EPA 8270D
2-Chlorophenol	<3.0	ug/L	0.67	2.3	1		7/15/2024 12:00	7/18/2024 10:59	ALD	EPA 8270D
2-Methylphenol	<3.0	ug/L	0.57	1.9	1		7/15/2024 12:00	7/18/2024 10:59	ALD	EPA 8270D
2-Nitrophenol	<3.0	ug/L	0.78	2.6	1		7/15/2024 12:00	7/18/2024 10:59	ALD	EPA 8270D
3 & 4-Methylphenol	<3.0	ug/L	0.95	3.2	1		7/15/2024 12:00	7/18/2024 10:59	ALD	EPA 8270D
4,6-Dinitro-2-methylphenol	<3.0	ug/L	1.6	5.5	1		7/15/2024 12:00	7/18/2024 10:59	ALD	EPA 8270D
4-Chloro-3-methylphenol	<3.0	ug/L	0.70	2.4	1		7/15/2024 12:00	7/18/2024 10:59	ALD	EPA 8270D
4-Nitrophenol	<3.0	ug/L	0.50	1.7	1		7/15/2024 12:00	7/18/2024 10:59	ALD	EPA 8270D
Pentachlorophenol	37	ug/L	0.91	3.1	1		7/15/2024 12:00	7/18/2024 10:59	ALD	EPA 8270D
Phenol	<3.0	ug/L	0.41	1.4	1		7/15/2024 12:00	7/18/2024 10:59	ALD	EPA 8270D

CT LAB Sample#: 1478196 Sample Description: W22

Sampled: 7/10/2024 08:40

Analyte	Result	Units	LOD	LOQ	Dilution	Qualifier	Prep Date/Time	Analysis Date/Time	Analyst	Method
Inorganic Results										
Nitrate Nitrogen Total	0.69	mg/L	0.12	0.40	1			7/11/2024 18:38	TMG	EPA 9056A
Total Sulfate	13	mg/L	0.80	2.5	1			7/11/2024 18:38	TMG	EPA 9056A
Total Organic Carbon	5.4	mg/L	0.4	3.0	1			7/17/2024 14:48	TMG	EPA 9060A

CT LAB Sample#: 1478196

Sample Description: W22

Sampled: 7/10/2024 08:40

Analyte	Result	Units	LOD	LOQ	Dilution	Qualifier	Prep Date/Time	Analysis Date/Time	Analyst	Method
Metals Results										
Dissolved Iron	<25	ug/L	25	84	1			7/11/2024 15:04	NAH	EPA 6010C
Dissolved Manganese	458	ug/L	2.4	8.0	1			7/11/2024 15:04	NAH	EPA 6010C
Dissolved Mercury	<0.020	ug/L	0.020	0.080	1		7/15/2024 14:00	7/16/2024 12:33	MDS	EPA 7470A
Organic Results										
TPH as Mineral Spirits	960	ug/L	32	110	1		7/15/2024 10:20	7/17/2024 22:25	AJZ	EPA 8015
1,2,4-Trimethylbenzene	140	ug/L	1.7	6.0	5			7/16/2024 21:00	DGS	EPA 8260C
m & p-Xylene	11	ug/L	0.74	2.5	1			7/16/2024 01:45	DGS	EPA 8260C
Naphthalene	9.6	ug/L	0.35	1.2	1	Q,Y		7/16/2024 01:45	DGS	EPA 8260C
o-Xylene	55	ug/L	0.72	2.4	1			7/16/2024 01:45	DGS	EPA 8260C
2,3,4,6-Tetrachlorophenol	110	ug/L	38 *	130	50		7/15/2024 12:00	7/17/2024 16:17	ALD	EPA 8270D
2,4,5-Trichlorophenol	<3.0	ug/L	48	160	50		7/15/2024 12:00	7/17/2024 16:17	ALD	EPA 8270D
2,4,6-Trichlorophenol	<3.0	ug/L	45	150	50		7/15/2024 12:00	7/17/2024 16:17	ALD	EPA 8270D
2,4-Dichlorophenol	<3.0	ug/L	49	170	50		7/15/2024 12:00	7/17/2024 16:17	ALD	EPA 8270D
2,4-Dimethylphenol	<3.0	ug/L	27	93	50		7/15/2024 12:00	7/17/2024 16:17	ALD	EPA 8270D
2,4-Dinitrophenol	<3.0	ug/L	54	180	50		7/15/2024 12:00	7/17/2024 16:17	ALD	EPA 8270D
2,6-Dichlorophenol	<3.0	ug/L	48	160	50		7/15/2024 12:00	7/17/2024 16:17	ALD	EPA 8270D
2-Chlorophenol	<3.0	ug/L	34	120	50		7/15/2024 12:00	7/17/2024 16:17	ALD	EPA 8270D
2-Methylphenol	<3.0	ug/L	29	98	50		7/15/2024 12:00	7/17/2024 16:17	ALD	EPA 8270D
2-Nitrophenol	<3.0	ug/L	40	130	50		7/15/2024 12:00	7/17/2024 16:17	ALD	EPA 8270D
3 & 4-Methylphenol	<3.0	ug/L	49	160	50		7/15/2024 12:00	7/17/2024 16:17	ALD	EPA 8270D
4,6-Dinitro-2-methylphenol	<3.0	ug/L	83	280	50		7/15/2024 12:00	7/17/2024 16:17	ALD	EPA 8270D
4-Chloro-3-methylphenol	<3.0	ug/L	36	120	50		7/15/2024 12:00	7/17/2024 16:17	ALD	EPA 8270D
4-Nitrophenol	<3.0	ug/L	25	88	50		7/15/2024 12:00	7/17/2024 16:17	ALD	EPA 8270D

Unless specifically stated to the contrary, soil/sediment/sludge sample results/LOD/LOQ/RLs were reported on a Dry Weight Basis

CT LAB Sample#: 1478196 Sample Description: W22 Sampled: 7/10/2024 08:40

Analyte	Result	Units	LOD	LOQ	Dilution	Qualifier	Prep Date/Time	Analysis Date/Time	Analyst	Method
Pentachlorophenol	1400	ug/L	47	160	50		7/15/2024 12:00	7/17/2024 16:17	ALD	EPA 8270D
Phenol	<3.0	ug/L	21	74	50		7/15/2024 12:00	7/17/2024 16:17	ALD	EPA 8270D

CT LAB Sample#: 1478197 Sample Description: W27 Sampled: 7/10/2024 09:50

Analyte	Result	Units	LOD	LOQ	Dilution	Qualifier	Prep Date/Time	Analysis Date/Time	Analyst	Method

Inorganic Results

Nitrate Nitrogen Total	0.19	mg/L	0.12 *	0.40	1			7/11/2024 19:06	TMG	EPA 9056A
Total Sulfate	13	mg/L	0.80	2.5	1			7/11/2024 19:06	TMG	EPA 9056A
Total Organic Carbon	38	mg/L	0.4	3.0	1			7/17/2024 15:00	TMG	EPA 9060A

Metals Results

Dissolved Iron	6510	ug/L	25	84	1			7/11/2024 15:12	NAH	EPA 6010C
Dissolved Manganese	19600	ug/L	2.4	8.0	1			7/11/2024 15:12	NAH	EPA 6010C
Dissolved Mercury	<0.020	ug/L	0.020	0.080	1		7/15/2024 14:00	7/16/2024 12:36	MDS	EPA 7470A

Organic Results

TPH as Mineral Spirits	7700	ug/L	160	540	5		7/15/2024 10:20	7/18/2024 08:41	AJZ	EPA 8015
1,2,4-Trimethylbenzene	85	ug/L	1.7	6.0	5			7/16/2024 21:27	DGS	EPA 8260C
m & p-Xylene	7.5	ug/L	0.74	2.5	1			7/16/2024 02:13	DGS	EPA 8260C
Naphthalene	8.8	ug/L	0.35	1.2	1	Q,Y		7/16/2024 02:13	DGS	EPA 8260C
o-Xylene	33	ug/L	0.72	2.4	1			7/16/2024 02:13	DGS	EPA 8260C
2,3,4,6-Tetrachlorophenol	110	ug/L	38 *	130	50		7/15/2024 12:00	7/18/2024 11:22	ALD	EPA 8270D
2,4,5-Trichlorophenol	<3.0	ug/L	48	160	50		7/15/2024 12:00	7/18/2024 11:22	ALD	EPA 8270D
2,4,6-Trichlorophenol	<3.0	ug/L	45	150	50		7/15/2024 12:00	7/18/2024 11:22	ALD	EPA 8270D

CT LAB Sample#: 1478197 Sample Description: W27

Sampled: 7/10/2024 09:50

Analyte	Result	Units	LOD	LOQ	Dilution	Qualifier	Prep Date/Time	Analysis Date/Time	Analyst	Method
2,4-Dichlorophenol	<3.0	ug/L	49	170	50		7/15/2024 12:00	7/18/2024 11:22	ALD	EPA 8270D
2,4-Dimethylphenol	<3.0	ug/L	27	93	50		7/15/2024 12:00	7/18/2024 11:22	ALD	EPA 8270D
2,4-Dinitrophenol	<3.0	ug/L	54	180	50		7/15/2024 12:00	7/18/2024 11:22	ALD	EPA 8270D
2,6-Dichlorophenol	<3.0	ug/L	48	160	50		7/15/2024 12:00	7/18/2024 11:22	ALD	EPA 8270D
2-Chlorophenol	<3.0	ug/L	34	120	50		7/15/2024 12:00	7/18/2024 11:22	ALD	EPA 8270D
2-Methylphenol	<3.0	ug/L	29	98	50		7/15/2024 12:00	7/18/2024 11:22	ALD	EPA 8270D
2-Nitrophenol	<3.0	ug/L	40	130	50		7/15/2024 12:00	7/18/2024 11:22	ALD	EPA 8270D
3 & 4-Methylphenol	<3.0	ug/L	49	160	50		7/15/2024 12:00	7/18/2024 11:22	ALD	EPA 8270D
4,6-Dinitro-2-methylphenol	<3.0	ug/L	83	280	50		7/15/2024 12:00	7/18/2024 11:22	ALD	EPA 8270D
4-Chloro-3-methylphenol	<3.0	ug/L	36	120	50		7/15/2024 12:00	7/18/2024 11:22	ALD	EPA 8270D
4-Nitrophenol	<3.0	ug/L	25	88	50		7/15/2024 12:00	7/18/2024 11:22	ALD	EPA 8270D
Pentachlorophenol	1400	ug/L	47	160	50		7/15/2024 12:00	7/18/2024 11:22	ALD	EPA 8270D
Phenol	<3.0	ug/L	21	74	50		7/15/2024 12:00	7/18/2024 11:22	ALD	EPA 8270D

CT LAB Sample#: 1478198 Sample Description: W27 DUP

Sampled: 7/10/2024 09:50

Analyte	Result	Units	LOD	LOQ	Dilution	Qualifier	Prep Date/Time	Analysis Date/Time	Analyst	Method
Inorganic Results										
Nitrate Nitrogen Total	0.16	mg/L	0.12 *	0.40	1			7/11/2024 19:34	TMG	EPA 9056A
Total Sulfate	12	mg/L	0.80	2.5	1			7/11/2024 19:34	TMG	EPA 9056A
Total Organic Carbon	40	mg/L	0.4	3.0	1			7/17/2024 15:12	TMG	EPA 9060A
Metals Results										
Dissolved Iron	6210	ug/L	25	84	1			7/11/2024 15:20	NAH	EPA 6010C
Dissolved Manganese	19500	ug/L	2.4	8.0	1			7/11/2024 15:20	NAH	EPA 6010C

Unless specifically stated to the contrary, soil/sediment/sludge sample results/LOD/LOQ/RLs were reported on a Dry Weight Basis

CT LAB Sample#: 1478198 Sample Description: W27 DUP

Sampled: 7/10/2024 09:50

Analyte	Result	Units	LOD	LOQ	Dilution	Qualifier	Prep Date/Time	Analysis Date/Time	Analyst	Method
Dissolved Mercury	<0.020	ug/L	0.020	0.080	1		7/15/2024 14:00	7/16/2024 12:39	MDS	EPA 7470A
Organic Results										
TPH as Mineral Spirits	6400	ug/L	65	220	2		7/15/2024 10:20	7/18/2024 09:16	AJZ	EPA 8015
1,2,4-Trimethylbenzene	73	ug/L	0.34	1.2	1			7/16/2024 02:42	DGS	EPA 8260C
m & p-Xylene	6.1	ug/L	0.74	2.5	1			7/16/2024 02:42	DGS	EPA 8260C
Naphthalene	8.3	ug/L	0.35	1.2	1	Q,Y		7/16/2024 02:42	DGS	EPA 8260C
o-Xylene	26	ug/L	0.72	2.4	1			7/16/2024 02:42	DGS	EPA 8260C
2,3,4,6-Tetrachlorophenol	110	ug/L	39 *	130	50		7/15/2024 12:00	7/18/2024 11:45	ALD	EPA 8270D
2,4,5-Trichlorophenol	<3.0	ug/L	49	160	50		7/15/2024 12:00	7/18/2024 11:45	ALD	EPA 8270D
2,4,6-Trichlorophenol	<3.0	ug/L	45	150	50		7/15/2024 12:00	7/18/2024 11:45	ALD	EPA 8270D
2,4-Dichlorophenol	<3.0	ug/L	50	170	50		7/15/2024 12:00	7/18/2024 11:45	ALD	EPA 8270D
2,4-Dimethylphenol	<3.0	ug/L	27	94	50		7/15/2024 12:00	7/18/2024 11:45	ALD	EPA 8270D
2,4-Dinitrophenol	<3.0	ug/L	54	180	50		7/15/2024 12:00	7/18/2024 11:45	ALD	EPA 8270D
2,6-Dichlorophenol	<3.0	ug/L	48	160	50		7/15/2024 12:00	7/18/2024 11:45	ALD	EPA 8270D
2-Chlorophenol	<3.0	ug/L	35	120	50		7/15/2024 12:00	7/18/2024 11:45	ALD	EPA 8270D
2-Methylphenol	<3.0	ug/L	29	99	50		7/15/2024 12:00	7/18/2024 11:45	ALD	EPA 8270D
2-Nitrophenol	<3.0	ug/L	40	130	50		7/15/2024 12:00	7/18/2024 11:45	ALD	EPA 8270D
3 & 4-Methylphenol	<3.0	ug/L	49	160	50		7/15/2024 12:00	7/18/2024 11:45	ALD	EPA 8270D
4,6-Dinitro-2-methylphenol	<3.0	ug/L	84	280	50		7/15/2024 12:00	7/18/2024 11:45	ALD	EPA 8270D
4-Chloro-3-methylphenol	<3.0	ug/L	36	120	50		7/15/2024 12:00	7/18/2024 11:45	ALD	EPA 8270D
4-Nitrophenol	<3.0	ug/L	26	89	50		7/15/2024 12:00	7/18/2024 11:45	ALD	EPA 8270D
Pentachlorophenol	1300	ug/L	47	160	50		7/15/2024 12:00	7/18/2024 11:45	ALD	EPA 8270D
Phenol	<3.0	ug/L	21	74	50		7/15/2024 12:00	7/18/2024 11:45	ALD	EPA 8270D

CT LAB Sample#: 1478199

Sample Description: W33

Sampled: 7/10/2024 10:50

Analyte	Result	Units	LOD	LOQ	Dilution	Qualifier	Prep Date/Time	Analysis Date/Time	Analyst	Method
Inorganic Results										
Nitrate Nitrogen Total	1.6	mg/L	0.12	0.40	1			7/11/2024 20:02	TMG	EPA 9056A
Total Sulfate	7.2	mg/L	0.80	2.5	1			7/11/2024 20:02	TMG	EPA 9056A
Total Organic Carbon	8.8	mg/L	0.4	3.0	1			7/17/2024 15:25	TMG	EPA 9060A
Metals Results										
Dissolved Iron	202	ug/L	25	84	1			7/11/2024 15:28	NAH	EPA 6010C
Dissolved Manganese	177	ug/L	2.4	8.0	1			7/11/2024 15:28	NAH	EPA 6010C
Dissolved Mercury	0.36	ug/L	0.020	0.080	1		7/15/2024 14:00	7/16/2024 12:43	MDS	EPA 7470A
Organic Results										
TPH as Mineral Spirits	2800	ug/L	32	110	1		7/15/2024 10:20	7/18/2024 00:08	AJZ	EPA 8015
1,2,4-Trimethylbenzene	15	ug/L	0.34	1.2	1			7/16/2024 03:10	DGS	EPA 8260C
m & p-Xylene	<0.74	ug/L	0.74	2.5	1			7/16/2024 03:10	DGS	EPA 8260C
Naphthalene	0.83	ug/L	0.35 *	1.2	1	Q,Y		7/16/2024 03:10	DGS	EPA 8260C
o-Xylene	1.7	ug/L	0.72 *	2.4	1			7/16/2024 03:10	DGS	EPA 8260C
2,3,4,6-Tetrachlorophenol	43	ug/L	7.6	25	10		7/15/2024 12:00	7/18/2024 12:08	ALD	EPA 8270D
2,4,5-Trichlorophenol	<3.0	ug/L	9.6	32	10		7/15/2024 12:00	7/18/2024 12:08	ALD	EPA 8270D
2,4,6-Trichlorophenol	<3.0	ug/L	8.9	30	10		7/15/2024 12:00	7/18/2024 12:08	ALD	EPA 8270D
2,4-Dichlorophenol	<3.0	ug/L	9.8	33	10		7/15/2024 12:00	7/18/2024 12:08	ALD	EPA 8270D
2,4-Dimethylphenol	<3.0	ug/L	5.4	19	10		7/15/2024 12:00	7/18/2024 12:08	ALD	EPA 8270D
2,4-Dinitrophenol	<3.0	ug/L	11	36	10		7/15/2024 12:00	7/18/2024 12:08	ALD	EPA 8270D
2,6-Dichlorophenol	<3.0	ug/L	9.5	32	10		7/15/2024 12:00	7/18/2024 12:08	ALD	EPA 8270D
2-Chlorophenol	<3.0	ug/L	6.9	24	10		7/15/2024 12:00	7/18/2024 12:08	ALD	EPA 8270D
2-Methylphenol	<3.0	ug/L	5.8	20	10		7/15/2024 12:00	7/18/2024 12:08	ALD	EPA 8270D

Unless specifically stated to the contrary, soil/sediment/sludge sample results/LOD/LOQ/RLs were reported on a Dry Weight Basis

CT LAB Sample#: 1478199 Sample Description: W33 Sampled: 7/10/2024 10:50

Analyte	Result	Units	LOD	LOQ	Dilution	Qualifier	Prep Date/Time	Analysis Date/Time	Analyst	Method
2-Nitrophenol	<3.0	ug/L	7.9	26	10		7/15/2024 12:00	7/18/2024 12:08	ALD	EPA 8270D
3 & 4-Methylphenol	<3.0	ug/L	9.7	32	10		7/15/2024 12:00	7/18/2024 12:08	ALD	EPA 8270D
4,6-Dinitro-2-methylphenol	<3.0	ug/L	17	56	10		7/15/2024 12:00	7/18/2024 12:08	ALD	EPA 8270D
4-Chloro-3-methylphenol	<3.0	ug/L	7.2	25	10		7/15/2024 12:00	7/18/2024 12:08	ALD	EPA 8270D
4-Nitrophenol	<3.0	ug/L	5.1	18	10		7/15/2024 12:00	7/18/2024 12:08	ALD	EPA 8270D
Pentachlorophenol	250	ug/L	9.3	31	10		7/15/2024 12:00	7/18/2024 12:08	ALD	EPA 8270D
Phenol	<3.0	ug/L	4.2	15	10		7/15/2024 12:00	7/18/2024 12:08	ALD	EPA 8270D

CT LAB Sample#: 1478200 Sample Description: BLANK 01 Sampled: 7/10/2024 11:20

Analyte	Result	Units	LOD	LOQ	Dilution	Qualifier	Prep Date/Time	Analysis Date/Time	Analyst	Method
Inorganic Results										
Nitrate Nitrogen Total	<0.12	mg/L	0.12	0.40	1			7/11/2024 20:29	TMG	EPA 9056A
Total Sulfate	<0.80	mg/L	0.80	2.5	1			7/11/2024 20:29	TMG	EPA 9056A
Total Organic Carbon	<0.4	mg/L	0.4	3.0	1			7/17/2024 15:36	TMG	EPA 9060A
Metals Results										
Dissolved Iron	<25	ug/L	25	84	1			7/11/2024 15:57	NAH	EPA 6010C
Dissolved Manganese	<2.4	ug/L	2.4	8.0	1			7/11/2024 15:57	NAH	EPA 6010C
Dissolved Mercury	<0.020	ug/L	0.020	0.080	1		7/15/2024 14:00	7/16/2024 12:46	MDS	EPA 7470A
Organic Results										
TPH as Mineral Spirits	<32	ug/L	32	110	1		7/15/2024 10:20	7/18/2024 00:43	AJZ	EPA 8015
1,2,4-Trimethylbenzene	<0.34	ug/L	0.34	1.2	1			7/15/2024 23:24	DGS	EPA 8260C
m & p-Xylene	<0.74	ug/L	0.74	2.5	1			7/15/2024 23:24	DGS	EPA 8260C

CT LAB Sample#: 1478200 Sample Description: BLANK 01 Sampled: 7/10/2024 11:20

Analyte	Result	Units	LOD	LOQ	Dilution	Qualifier	Prep Date/Time	Analysis Date/Time	Analyst	Method
Naphthalene	<0.35	ug/L	0.35	1.2	1	Q,Y		7/15/2024 23:24	DGS	EPA 8260C
o-Xylene	<0.72	ug/L	0.72	2.4	1			7/15/2024 23:24	DGS	EPA 8260C
2,3,4,6-Tetrachlorophenol	<3.0	ug/L	0.76	2.5	1		7/15/2024 12:00	7/17/2024 11:43	ALD	EPA 8270D
2,4,5-Trichlorophenol	<3.0	ug/L	0.96	3.2	1		7/15/2024 12:00	7/17/2024 11:43	ALD	EPA 8270D
2,4,6-Trichlorophenol	<3.0	ug/L	0.89	3.0	1		7/15/2024 12:00	7/17/2024 11:43	ALD	EPA 8270D
2,4-Dichlorophenol	<3.0	ug/L	0.98	3.3	1		7/15/2024 12:00	7/17/2024 11:43	ALD	EPA 8270D
2,4-Dimethylphenol	<3.0	ug/L	0.54	1.9	1		7/15/2024 12:00	7/17/2024 11:43	ALD	EPA 8270D
2,4-Dinitrophenol	<3.0	ug/L	1.1	3.6	1		7/15/2024 12:00	7/17/2024 11:43	ALD	EPA 8270D
2,6-Dichlorophenol	<3.0	ug/L	0.95	3.2	1		7/15/2024 12:00	7/17/2024 11:43	ALD	EPA 8270D
2-Chlorophenol	<3.0	ug/L	0.69	2.4	1		7/15/2024 12:00	7/17/2024 11:43	ALD	EPA 8270D
2-Methylphenol	<3.0	ug/L	0.58	2.0	1		7/15/2024 12:00	7/17/2024 11:43	ALD	EPA 8270D
2-Nitrophenol	<3.0	ug/L	0.79	2.6	1		7/15/2024 12:00	7/17/2024 11:43	ALD	EPA 8270D
3 & 4-Methylphenol	<3.0	ug/L	0.97	3.2	1		7/15/2024 12:00	7/17/2024 11:43	ALD	EPA 8270D
4,6-Dinitro-2-methylphenol	<3.0	ug/L	1.7	5.6	1		7/15/2024 12:00	7/17/2024 11:43	ALD	EPA 8270D
4-Chloro-3-methylphenol	<3.0	ug/L	0.72	2.5	1		7/15/2024 12:00	7/17/2024 11:43	ALD	EPA 8270D
4-Nitrophenol	<3.0	ug/L	0.51	1.8	1		7/15/2024 12:00	7/17/2024 11:43	ALD	EPA 8270D
Pentachlorophenol	<3.0	ug/L	0.93	3.1	1		7/15/2024 12:00	7/17/2024 11:43	ALD	EPA 8270D
Phenol	<3.0	ug/L	0.42	1.5	1		7/15/2024 12:00	7/17/2024 11:43	ALD	EPA 8270D

CT LAB Sample#: 1478201 Sample Description: TRIP BLANK 04 Sampled: 7/10/2024 08:00

Analyte	Result	Units	LOD	LOQ	Dilution	Qualifier	Prep Date/Time	Analysis Date/Time	Analyst	Method
Organic Results										
1,2,4-Trimethylbenzene	<0.34	ug/L	0.34	1.2	1			7/15/2024 22:56	DGS	EPA 8260C

CT LAB Sample#: 1478201 Sample Description: TRIP BLANK 04 Sampled: 7/10/2024 08:00

Analyte	Result	Units	LOD	LOQ	Dilution	Qualifier	Prep Date/Time	Analysis Date/Time	Analyst	Method
m & p-Xylene	<0.74	ug/L	0.74	2.5	1			7/15/2024 22:56	DGS	EPA 8260C
Naphthalene	<0.35	ug/L	0.35	1.2	1	Q,Y		7/15/2024 22:56	DGS	EPA 8260C
o-Xylene	<0.72	ug/L	0.72	2.4	1			7/15/2024 22:56	DGS	EPA 8260C

CT LAB Sample#: 1478202 Sample Description: W40R Sampled: 7/10/2024 12:15

Analyte	Result	Units	LOD	LOQ	Dilution	Qualifier	Prep Date/Time	Analysis Date/Time	Analyst	Method
Inorganic Results										
Nitrate Nitrogen Total	<0.12	mg/L	0.12	0.40	1			7/11/2024 20:57	TMG	EPA 9056A
Total Sulfate	6.6	mg/L	0.80	2.5	1			7/11/2024 20:57	TMG	EPA 9056A
Total Organic Carbon	11	mg/L	0.4	3.0	1			7/17/2024 15:48	TMG	EPA 9060A
Metals Results										
Dissolved Iron	1190	ug/L	25	84	1			7/11/2024 16:04	NAH	EPA 6010C
Dissolved Manganese	4730	ug/L	2.4	8.0	1			7/11/2024 16:04	NAH	EPA 6010C
Dissolved Mercury	<0.020	ug/L	0.020	0.080	1		7/15/2024 14:00	7/16/2024 12:49	MDS	EPA 7470A
Organic Results										
TPH as Mineral Spirits	150000	ug/L	3200	11000	100		7/15/2024 10:20	7/18/2024 09:50	AJZ	EPA 8015
1,2,4-Trimethylbenzene	1100	ug/L	6.8	24	20			7/17/2024 21:07	DGS	EPA 8260C
m & p-Xylene	34	ug/L	0.74	2.5	1			7/16/2024 03:37	DGS	EPA 8260C
Naphthalene	76	ug/L	0.35	1.2	1	Q,Y		7/16/2024 03:37	DGS	EPA 8260C
o-Xylene	170	ug/L	14	48	20			7/17/2024 21:07	DGS	EPA 8260C
2,3,4,6-Tetrachlorophenol	240	ug/L	76 *	250	100		7/15/2024 12:00	7/17/2024 17:49	ALD	EPA 8270D
2,4,5-Trichlorophenol	<3.0	ug/L	96	320	100		7/15/2024 12:00	7/17/2024 17:49	ALD	EPA 8270D

CT LAB Sample#: 1478202 Sample Description: W40R

Sampled: 7/10/2024 12:15

Analyte	Result	Units	LOD	LOQ	Dilution	Qualifier	Prep Date/Time	Analysis Date/Time	Analyst	Method
2,4,6-Trichlorophenol	<3.0	ug/L	89	300	100		7/15/2024 12:00	7/17/2024 17:49	ALD	EPA 8270D
2,4-Dichlorophenol	<3.0	ug/L	98	330	100		7/15/2024 12:00	7/17/2024 17:49	ALD	EPA 8270D
2,4-Dimethylphenol	<3.0	ug/L	54	190	100		7/15/2024 12:00	7/17/2024 17:49	ALD	EPA 8270D
2,4-Dinitrophenol	<3.0	ug/L	110	360	100		7/15/2024 12:00	7/17/2024 17:49	ALD	EPA 8270D
2,6-Dichlorophenol	<3.0	ug/L	95	320	100		7/15/2024 12:00	7/17/2024 17:49	ALD	EPA 8270D
2-Chlorophenol	<3.0	ug/L	69	240	100		7/15/2024 12:00	7/17/2024 17:49	ALD	EPA 8270D
2-Methylphenol	<3.0	ug/L	58	200	100		7/15/2024 12:00	7/17/2024 17:49	ALD	EPA 8270D
2-Nitrophenol	<3.0	ug/L	79	260	100		7/15/2024 12:00	7/17/2024 17:49	ALD	EPA 8270D
3 & 4-Methylphenol	<3.0	ug/L	97	320	100		7/15/2024 12:00	7/17/2024 17:49	ALD	EPA 8270D
4,6-Dinitro-2-methylphenol	<3.0	ug/L	170	560	100		7/15/2024 12:00	7/17/2024 17:49	ALD	EPA 8270D
4-Chloro-3-methylphenol	<3.0	ug/L	72	250	100		7/15/2024 12:00	7/17/2024 17:49	ALD	EPA 8270D
4-Nitrophenol	<3.0	ug/L	51	180	100		7/15/2024 12:00	7/17/2024 17:49	ALD	EPA 8270D
Pentachlorophenol	3200	ug/L	93	310	100		7/15/2024 12:00	7/17/2024 17:49	ALD	EPA 8270D
Phenol	<3.0	ug/L	42	150	100		7/15/2024 12:00	7/17/2024 17:49	ALD	EPA 8270D

Notes: * Indicates a value in between the LOD (limit of detection) and the LOQ (limit of quantitation). All LOD/LOQs are adjusted to reflect dilution and also any differences in the sample weight / volume as compared to standard amounts.

All samples were received intact and properly preserved unless otherwise noted. The results reported relate only to the samples tested. This report shall not be reproduced, except in full, without written approval of this laboratory. The Chain of Custody is attached.

Submitted by: Brett M. Szymanski
 Project Manager
 608-356-2760

QC Qualifiers

<u>Code</u>	<u>Description</u>
B	Analyte detected in the associated Method Blank.
C	Toxicity present in BOD sample.
D	Diluted Out.
E	Safe, No Total Coliform detected.
F	Unsafe, Total Coliform detected, no E. Coli detected.
G	Unsafe, Total Coliform detected and E. Coli detected.
H	Holding time exceeded.
I	Incubator temperature was outside acceptance limits during test period.
J	Estimated value.
L	Significant peaks were detected outside the chromatographic window.
M	Matrix spike and/or Matrix Spike Duplicate recovery outside acceptance limits.
N	Insufficient BOD oxygen depletion.
O	Complete BOD oxygen depletion.
P	Concentration of analyte differs more than 40% between primary and confirmation analysis.
Q	Laboratory Control Sample outside acceptance limits.
R	See Narrative at end of report.
S	Surrogate standard recovery outside acceptance limits due to apparent matrix effects.
T	Sample received with improper preservation or temperature.
U	Analyte concentration was below detection limit.
V	Raised Quantitation or Reporting Limit due to limited sample amount or dilution for matrix background interference.
W	Sample amount received was below program minimum.
X	Analyte exceeded calibration range.
Y	Replicate/Duplicate precision outside acceptance limits.
Z	Specified calibration criteria was not met.

Current CT Laboratories Certifications

Wisconsin (WDNR) Chemistry ID# 157066030
 Wisconsin (DATCP) Bacteriology ID# 289
 Louisiana NELAP (primary) ID# 115843
 Illinois NELAP Lab ID# 200073
 Kansas NELAP Lab ID# E-10368
 Virginia NELAP Lab ID# 460203
 ISO/IEC 17025-2005 A2LA Cert # 3806.01
 DoD-ELAP A2LA 3806.01

Company Name: TRC
 Project Contact: Steve Sellwood
 Telephone: 608-347-8594
 Project Name: Wauleco
 Project Number: 189597.0013
 Project Location: Wausau, WI
 Sampled By: Tom Dushek

CTLaboratories

Mail Report To: Steve Sellwood
 Company: TRC
 Address: 999 Fourier Drive
 City/State/Zip: Madison, WI 53717

Folder #: 187688
 Company: TRC ENVIRONMENTAL
 Project: WAULECO

1230 Lange Court, Baraboo, WI 53913
 608-356-2760 Tel. Fx 608-356-2766
 www.ctlaboratories.com

Ice Present Yes No at 11

Temperature 64.2

Initials FW DC

Date 7/11/05 Time 1:30

Cooler # 5531, 6646, 6600

Invoice To: Accounts Payable
 Company: TRC
 Address:
 City/State/Zip:
 PO No. 210979

Contract No.

Regulatory Program:
 UST RCRA SDWA NPDES
 Solid Waste Other _____

Turnaround Time

Normal RUSH* Date Needed _____

*Notify Lab prior to sending in RUSH

Surcharges 24 hr 200% 2-3 days 100% 4-9 days 50%

Surcharges subject to change without notice.

Landfill License Number

Collection		Field Screen	Field ID	Grab/Comp	Sample ID Description	Fill'd Y/N
Date	Time					
7/10/24	0700			G	PW17	N
	0720				FP12	
	0740				W6R	
	0840				W22	
	0950				W27	
	0950				W27 Dup.	
	1050				W33	
	1120				Blank 01	
↓	0800			↓	Trip Blank 04	↓

WDNR Well ID #	**Matrix:	Phenols (8270)	TPH	VOC's (8020)	Diss. Hg	Nitrate	Sulfate	TOC	Diss. Fe, Mn	Total No of Containers	Total No of Cont. Rec'd	Preservation*
Fill in Spaces with Bottles per Test												
	GW		1				1	1	1	4		
			1				1	1	1	4		
		2	1	3	1	1	✓	1	✓	9		
		2	1	3	1	1	✓	1	✓	9		
		2	1	3	1	1	✓	1	✓	9		
		2	1	3	1	1	✓	1	✓	9		
		2	1	3	1	1	✓	1	✓	9		
		2	1	3	1	1	✓	1	✓	9		
		2	1	3	1	1	✓	1	✓	9		
				1						1		
		A	A	B	D	A	A	C	D			

Client Special Instructions:
 VOC's - Report only
 Naphthalene, xylenes,
 1,2,4-trimethylbenzene.
 Metals are filtered.

Lab ID #

1778193
 194
 195
 196
 197
 198
 199
 200
 201

Relinquished By: T. J. Dushek

Date/Time
 7/10/24
 1530

Relinquished By:

Date/Time

Received by:

Date/Time

Received by:

Date/Time

FW 7/11/05

****Matrix**
 S-Soil A-Air Slg-Sludge M-Misc Waste
 GW-Groundwater SW-Surface Water
 WW-Wastewater DW-Drinking Water

*** Preservation Code**
 A=None B=HCL
 C=H2SO4 D=HNO3
 E=Encore F=Methanol
 G=NaOH
 O=Other _____

A=None B=HCL
C=H2SO4 D=HNO3
E=Encore F=Methanol
G=NaOH
O=Other

UPS Electronic Return Label: View/Print Label

1. Ensure that there are no other tracking labels attached to your shipment.
2. Fold the printed label at the dotted line. Place the label in a UPS Shipping Pouch. If you do not have a pouch, affix the folded label using clear plastic shipping tape over the entire label. Take care not to cover any seams or closures.

3. GETTING YOUR SHIPMENT TO UPS

- o Daily Pick up customers may add return package(s) to their outbound shipments by having them ready for the driver as usual.
- o Take this parcel to any location of The UPS Store®, UPS Access Point™, UPS Drop Box, UPS Customer Center, UPS Alliance partners (Office Depot® or Staples®) or an Authorized Shipping Outlet near you. Return items sent via UPS Returns® services (including via UPS Ground) are accepted at all UPS Drop Box locations. To find the closest drop box location, visit [UPS Global Locator](#)

UPS Access Point™
ADVANCE AUTO PARTS STORE

#4703

1020 S S 1' **800-266-3960 • www.ups.com**
Wausau Environmental Containers

UPS Access Point™
CVS STORE # 10172

UPS Access Point™
GOIN POSTAL

FOLD



TOM DUSHEK TRC ENVIRONMENTAL 125 ROSECRANS STREET WAUSAU WI 54401	SHIP TO: SHIPPING DEPT 6083562760 CT LABS 1230 LANGE CT BARABOO WI 53913	50 LBS	1 OF 1
		RS	
		WI 539 0-10	
UPS GROUND		TRACKING #: 1Z 1A3 77E 90 5492 5232	
BILLING: P/P DESC: Environmental Samples RETURN SERVICE			
		XOL 24.07.06 NV45 28.0A 07/2024*	

Ice Present ☒ No ☐
Temperature 4.1
Initials 7
Date 7/11/24 Time 10:30
Cooler # 5531

CUSTODY SEAL

DATE
TIME
INITIALS

UPS Electronic Return Label: View/Print Label

1. Ensure that there are no other tracking labels attached to your shipment.

2. Fold the printed label at the dotted line. Place the label in a UPS Shipping Pouch. If you do not have a pouch, affix the folded label using clear plastic shipping tape over the entire label. Take care not to cover any seams or closures.

3. GETTING YOUR SHIPMENT TO UPS

- Daily Pick up customers may add return package(s) to their outbound shipments by having them ready for the driver as usual.
- Take this parcel to any location of The UPS Store®, UPS Access Point™, UPS Drop Box, UPS Customer Center, UPS Alliance partners (Office Depot® or Staples®) or an Authorized Shipping Outlet near you. Return items sent via UPS Returns® services (including via UPS Ground) are accepted at all UPS Drop Box locations. To find the closest drop box location, visit [UPS Global Locator](#)

UPS Access Point™
ADVANCE AUTO PARTS STORE
#4703
1020 S 17TH AVE
WAUSAU WI 54401

UPS Access Point™
CVS STORE # 10172
102 CENTRAL BRIDGE ST

UPS Access Point™
GOIN POSTAL

FOL

Quality Environmental Containers
800-255-3950 • www.qecusa.com

QEC

1 OF 1


50 LBS

RS

TOM DUSHEK
TRC ENVIRONMENTAL
125 ROSECRANS STREET
WAUSAU WI 54401


SHIP TO:
SHIPPING DEPT
6083562760
CT LABS
1230 LANGE CT
BARABOO WI 53913

WI 539 0-10



UPS GROUND

TRACKING #: 1Z 1A3 77E 90 5338 3829



BILLING: P/P
DESC: Environmental Samples
RETURN SERVICE

XOL 24.07.05 NVAS 25.0A 07/2024*

No

Ice Present

Temperature

Initials

Date

Time

Cooler #

7/11/24 10:30
6646

UPS Electronic Return Label: View/Print Label

1. Ensure that there are no other tracking labels attached to your shipment.

2. Fold the printed label at the dotted line. Place the label in a UPS Shipping Pouch. If you do not have a pouch, affix the folded label using clear plastic shipping tape over the entire label. Take care not to cover any seams or closures.

3. GETTING YOUR SHIPMENT TO UPS

- Daily Pick up customers may add return package(s) to their outbound shipments by having them ready for the driver as usual.
- Take this parcel to any location of The UPS Store®, UPS Access Point™, UPS Drop Box, UPS Customer Center, UPS Alliance partners (Office Depot® or Staples®) or an Authorized Shipping Outlet near you. Return items sent via UPS Returns® services (including via UPS Ground) are accepted at all UPS Drop Box locations. To find the closest drop box location, visit [UPS Global Locator](#)

UPS Access Point™
ADVANCE AUTO PARTS STORE
#4703

1020 S 17TH AVE
WAUSAU WI

UPS Access Point™
CVS STORE # 10172

UPS Access Point™
GOIN POSTAL

FOLD HERE

Quality Environmental
0800-265-3950 • www.qec.com



SIGNATURE

DATE

CUSTODY SEAL


1 OF 1		50 LBS		RS	
TOM DUSHEK TRC ENVIRONMENTAL 125 ROSECRANS STREET WAUSAU WI 54401		SHIP TO: SHIPPING DEPT 6083562760 CT LABS 1230 LANGE CT BARABOO WI 53913		WI 539 0-10	
		UPS GROUND		TRACKING #: 1Z 1A3 77E 90 5465 7648	
BILLING: P/P DESC: Environmental Samples RETURN SERVICE				XOL 24.07.06 NV45 25.0A 07/2024	

Ice Present ☒ No ☐
Temperature 3.3
Initials *JD*
Date 7/11/24 Time 10:30
Cooler # 6600

APPENDIX E

PCP CONCENTRATION DISTANCE GRAPHS

10-64 -- USER: T. Fiebranz -- ATTACHED XREF'S: Borehole (data plan); July 2024 PCP Data (SITE PLAN) -- ATTACHED IMAGES: DRAWING NAME: J:\WAULECO\638839 -- Annual 2024\0000 Phase 2\638839.0000.E-1.dwg -- PLOT DATE: March 25, 2025 -- 9:17AM -- LAYOUT: PCP ISOCONCENTRATION MAP WITH CONCENTRATION DISTANCE PROFILES



LEGEND

- W17 (15) ● MONITORING WELL LOCATION AND PCP CONCENTRATION (ug/L)
- PW12 ☆ EXTRACTION WELL LOCATION AND NUMBER
- DFOMW-5 ▲ 3M GROUNDWATER MONITORING WELL
- APPROXIMATE PROPERTY LINE
- - - FORMER BUILDING OUTLINE
- 50 PCP ISOCONCENTRATION CONTOUR INTERVAL VARIES (DASHED WHERE INFERRED)
- OUTLINE OF RESIDUAL PHASE PRODUCT
- - - APPROXIMATE LOCATION OF SHEET PILE WALL

NOTES

- BASE MAP DEVELOPED FROM DRAWING A107250-1 OF THE SEPTEMBER 1992 SEMI-ANNUAL GROUNDWATER MONITORING REPORT BY KEYSTONE ENVIRONMENTAL, MWH DRAWING 2082658.302160101-B1, AND 3M WELLS LOCATION BASED ON 3M MAPS.
- GROUNDWATER SAMPLES OBTAINED BY TRC ON JULY 1, 2, 8, 9, 10, 2024.
- ANALYTE CONCENTRATIONS OBTAINED FROM LABORATORY DATA BY CT LABORATORIES, INC.
- IN WELL CLUSTERS THE VALUE FROM THE SHALLOWEST WELL WAS USED TO DETERMINE ISOCONCENTRATIONS FOR THE ANALYTE.
- THE NR140 ENFORCEMENT STANDARD (ES) FOR PCP IS 1.0 ug/L. THE NR140 PREVENTIVE ACTION LIMIT (PAL) FOR PCP IS 0.10 ug/L.
- WAULECO WELLS PW02 AND W70B WERE ABANDONED ON 7/21/16 DURING SOIL MOUND REMOVAL ACTIVITIES BY TRC. 3M WELLS DFOMW9 AND DFOMW10A WERE ABANDONED BY 3M IN THE SUMMER OF 2015.
- WAULECO WELLS W19 AND W39 WERE ABANDONED ON 3/28/19 PRIOR TO THOMAS STREET RECONSTRUCTION. WELLS W26, W29, AND W40 WERE ALSO ABANDONED ON 3/28/19, WITH REPLACEMENT WELLS W26R, W29R, AND W40R INSTALLED ON 6/24/19.
- WAULECO WELLS W01A AND W01B WERE ABANDONED ON 6/29/21 AND 6/30/21 DUE TO THE RAILROAD PROPERTY TRANSFER TO 3M.
- THE CITY OF WAUSAU INSTALLED A STEEL SHEET PILING WALL IN 2020 TO REPLACE A ROCK WALL ON THE WISCONSIN RIVER BANK LOCATED WEST OF THE THOMAS STREET BRIDGE.

PROJECT:

WAULECO, INC.

ANNUAL GROUNDWATER MONITORING REPORT

WAUSAU, WISCONSIN

TITLE:

PCP ISOCONCENTRATION MAP WITH

CONCENTRATION DISTANCE PROFILES

(JULY 2024)

DRAWN BY:	T. FIEBRANZ	PROJ NO.:	6388839.0000
CHECKED BY:	T. DUSHEK		
APPROVED BY:	S. SELLWOOD		
DATE:	MARCH 2025		

FIGURE E-1

999 Fourier Drive

Suite 101

Madison, WI 53717

Phone: 608.826.3600

FILE NO.:

6388839.0000.E-1.dwg



Southeast Profile
PCP Concentration-Distance Graphs
Wells W41-W27-W11-W21
2015 to 2024




Figure E-2

Stagnation Zone Profile
PCP Concentration-Distance Graphs
Wells W22-W40R-W26R-W29R-W32
2015 to 2024




Figure E-3

Stagnation Zone Profile
PCP Concentration-Distance Graphs
Wells W22-W40R-W26R-W29R-W32
2021 to 2024




Figure E-4

Northeast Profile
PCP Concentration-Distance Graphs
Wells DFOMW12-W13-W18
2015 to 2024





Figure E-5

Centerline Profile
PCP Concentration-Distance Graphs
Wells W72, W01A, W03A, W10A
2015 to 2024



Non-detects plotted at 1 ug/L for convenience

Figure E-6