

State of Wisconsin
DEPARTMENT OF NATURAL RESOURCES
1300 W. Clairemont Ave.
Eau Claire WI 54701

Scott Walker, Governor
Daniel L. Meyer, Secretary
Telephone 608-266-2621
Toll Free 1-888-936-7463
TTY Access via relay - 711



November 15, 2018

FID # 737055770
WUWN #UA645
RR/CORR

Eugene Willfahrt
Or Current Resident
652 CTH B
Mosinee WI 54455

Subject: Water Supply Sample Results from well located at 652 CTH B, near the Gorski Sanitary Landfill, License #
1830, Marathon County, DNR Point ID 903

Dear Mr. Willfahrt:

As part of the groundwater-monitoring plan for the Gorski Sanitary Landfill, a water sample was collected from your well on October 24, 2018. The department received the results on October 31, 2018. Enclosed is the laboratory report for your water sample.

None of the parameters tested for were found to exceed Wisconsin's health-based drinking water standards. Your drinking water therefore meets health-based drinking water quality standards for the parameters tested from your well water.

Your well will continue to be sampled on a regular basis and you will continue to be notified of the results. Should you have any questions regarding the enclosed results, please contact me at (715) 839-3750.

Sincerely,


Matt Thompson
Hydrogeologist
Remediation & Redevelopment Program

MT/ad

cc: Facility File
Mark Mejac, ENVIRON International Corp (electronic copy)
Adam Scheunemann, WDNR

State of Wisconsin
DEPARTMENT OF NATURAL RESOURCES
1300 W. Clairemont Ave.
Eau Claire WI 54701

Scott Walker, Governor
Daniel L. Meyer, Secretary
Telephone 608-266-2621
Toll Free 1-888-936-7463
TTY Access via relay - 711



November 15, 2018

FID # 737055770
WUWN #BK464
RR/CORR

Charles and Brigetta Michalski
Or Current Resident
1058 CTH KK
Mosinee WI 54455

Subject: Water Supply Sample Results from well located at 1058 CTH KK, near the Gorski Sanitary Landfill,
License # 1830, Marathon County, DNR Point ID 908

Dear Mr. and Mrs. Michalski:

As part of the groundwater-monitoring plan for the Gorski Sanitary Landfill, a water sample was collected from your well on October 24, 2018. The department received the results on October 31, 2018. Enclosed is the laboratory report for your water sample.

None of the parameters tested for were found to exceed Wisconsin's health-based drinking water standards. Your drinking water therefore meets health-based drinking water quality standards for the parameters tested from your well water.

Your well will continue to be sampled on a regular basis and you will continue to be notified of the results. Should you have any questions regarding the enclosed results, please contact me at (715) 839-3750.

Sincerely,


Matt Thompson
Hydrogeologist
Remediation & Redevelopment Program

MT/ad

cc: Facility File
Mark Mejac, ENVIRON International Corp (electronic copy)
Adam Scheunemann, WDNR

State of Wisconsin
DEPARTMENT OF NATURAL RESOURCES
1300 W. Clairemont Ave.
Eau Claire WI 54701

Scott Walker, Governor
Daniel L. Meyer, Secretary
Telephone 608-266-2621
Toll Free 1-888-936-7463
TTY Access via relay - 711



November 15, 2018

FID # 737055770
WUWN #EC171
RR/CORR

Current Resident
626 CTH B
Mosinee WI 54455

Subject: Water Supply Sample Results from well located at 626 CTH B, near the Gorski Sanitary Landfill, License # 1830, Marathon County, DNR Point ID 910

Dear Current Resident:

As part of the groundwater-monitoring plan for the Gorski Sanitary Landfill, a water sample was collected from your well on October 24, 2018. The department received the results on October 31, 2018. Enclosed is the laboratory report for your water sample.

None of the parameters tested for were found to exceed Wisconsin's health-based drinking water standards. Your drinking water therefore meets health-based drinking water quality standards for the parameters tested from your well water.

Your well will continue to be sampled on a regular basis and you will continue to be notified of the results. Should you have any questions regarding the enclosed results, please contact me at (715) 839-3750.

Sincerely,


Matt Thompson
Hydrogeologist
Remediation & Redevelopment Program

MT/ad

cc: Facility File
Mark Mejac, ENVIRON International Corp (electronic copy)
Adam Scheunemann, WDNR

State of Wisconsin
DEPARTMENT OF NATURAL RESOURCES
1300 W. Clairemont Ave.
Eau Claire WI 54701

Scott Walker, Governor
Daniel L. Meyer, Secretary
Telephone 608-266-2621
Toll Free 1-888-936-7463
TTY Access via relay - 711



November 15, 2018

FID # 737055770
WUWN #BK463
RR/CORR

Roger & Diane Dittman
Or Current Resident
1096 CTH KK
Mosinee, WI 54455

Subject: Water Supply Sample Results from well located at 1096 CTH KK, near the Gorski Sanitary Landfill,
License # 1830, Marathon County, DNR Point ID 920

Dear Mr. and Mrs. Dittman:

As part of the groundwater-monitoring plan for the Gorski Sanitary Landfill, a water sample was collected from your well on October 24, 2018. The department received the results on October 31, 2018. Enclosed is the laboratory report for your water sample.

None of the parameters tested for were found to exceed Wisconsin's health-based drinking water standards. Your drinking water therefore meets health-based drinking water quality standards for the parameters tested from your well water.

Your well will continue to be sampled on a regular basis and you will continue to be notified of the results. Should you have any questions regarding the enclosed results, please contact me at (715) 839-3750.

Sincerely,


Matt Thompson
Hydrogeologist
Remediation & Redevelopment Program

MT/ad

cc: Facility File
Mark Mejac, ENVIRON International Corp (electronic copy)
Adam Scheunemann, WDNR

State of Wisconsin
DEPARTMENT OF NATURAL RESOURCES
1300 W. Clairemont Ave.
Eau Claire WI 54701

Scott Walker, Governor
Daniel L. Meyer, Secretary
Telephone 608-266-2621
Toll Free 1-888-936-7463
TTY Access via relay - 711



November 15, 2018

FID # 737055770
WUWN #IX174
RR/CORR

Jeff and Pam Michalski
Or Current Resident
1054 County Rd KK
Mosinee WI 54455

Subject: Water Supply Sample Results from well located at 1054 CTH KK, near the Gorski Sanitary Landfill,
License # 1830, Marathon County, DNR Point ID 934

Dear Mr. and Mrs. Michalski:

As part of the groundwater-monitoring plan for the Gorski Sanitary Landfill, a water sample was collected from your well on October 24, 2018. The department received the results on October 31, 2018. Enclosed is the laboratory report for your water sample.

None of the parameters tested for were found to exceed Wisconsin's health-based drinking water standards. Your drinking water therefore meets health-based drinking water quality standards for the parameters tested from your well water.

Your well will continue to be sampled on a regular basis and you will continue to be notified of the results. Should you have any questions regarding the enclosed results, please contact me at (715) 839-3750.

Sincerely,


Matt Thompson
Hydrogeologist
Remediation & Redevelopment Program

MT/ad

cc: Facility File
Mark Mejac, ENVIRON International Corp (electronic copy)
Adam Scheunemann, WDNR

State of Wisconsin
DEPARTMENT OF NATURAL RESOURCES
1300 W. Clairemont Ave.
Eau Claire WI 54701

Scott Walker, Governor
Daniel L. Meyer, Secretary
Telephone 608-266-2621
Toll Free 1-888-936-7463
TTY Access via relay - 711



November 15, 2018

FID # 737055770
WUWN #IA676
RR/CORR

Current Resident
1101 CTH KK
Mosinee WI 54455

Subject: Water Supply Sample Results from well located at 1101 CTH KK, near the Gorski Sanitary Landfill,
License # 1830, Marathon County, DNR Point ID 936

Dear Current Resident:

As part of the groundwater-monitoring plan for the Gorski Sanitary Landfill, a water sample was collected from your well on October 24, 2018. The department received the results on October 31, 2018. Enclosed is the laboratory report for your water sample.

None of the parameters tested for were found to exceed Wisconsin's health-based drinking water standards. Your drinking water therefore meets health-based drinking water quality standards for the parameters tested from your well water.

Your well will continue to be sampled on a regular basis and you will continue to be notified of the results. Should you have any questions regarding the enclosed results, please contact me at (715) 839-3750.

Sincerely,


Matt Thompson
Hydrogeologist
Remediation & Redevelopment Program

MT/ad

cc: Facility File
Mark Mejac, ENVIRON International Corp (electronic copy)
Adam Scheunemann, WDNR

State of Wisconsin
DEPARTMENT OF NATURAL RESOURCES
1300 W. Clairemont Ave.
Eau Claire WI 54701

Scott Walker, Governor
Daniel L. Meyer, Secretary
Telephone 608-266-2621
Toll Free 1-888-936-7463
TTY Access via relay - 711



November 15, 2018

FID # 737055770
WUWN #BK451
RR/CORR

Bruce and Laura Thompson
Or Current Resident
666 CTH B
Mosinee WI 54455

Subject: Water Supply Sample Results from well located at 666 CTH B, near the Gorski Sanitary Landfill, License #
1830, Marathon County, DNR Point ID 904

Dear Mr. and Mrs. Thompson:

As part of the groundwater-monitoring plan for the Gorski Sanitary Landfill, a water sample was collected from your well on October 24, 2018. The department received the results on October 31, 2018. Enclosed is the laboratory report for your water sample.

None of the parameters tested for were found to exceed Wisconsin's health-based drinking water standards. Your drinking water therefore meets health-based drinking water quality standards for the parameters tested from your well water.

Your well will continue to be sampled on a regular basis and you will continue to be notified of the results. Should you have any questions regarding the enclosed results, please contact me at (715) 839-3750.

Sincerely,


Matt Thompson
Hydrogeologist
Remediation & Redevelopment Program

MT/ad

cc: Facility File
Mark Mejac, ENVIRON International Corp (electronic copy)
Adam Scheunemann, WDNR

State of Wisconsin
DEPARTMENT OF NATURAL RESOURCES
1300 W. Clairemont Ave.
Eau Claire WI 54701

Scott Walker, Governor
Daniel L. Meyer, Secretary
Telephone 608-266-2621
Toll Free 1-888-936-7463
TTY Access via relay - 711



November 15, 2018

FID # 737055770
WUWN #BK468
RR/CORR

Current Resident
669 CTH B
Mosinee WI 54455

Subject: Water Supply Sample Results from well located at 669 CTH B, near the Gorski Sanitary Landfill, License # 1830, Marathon County, DNR Point ID 912

Dear Current Resident:

As part of the groundwater-monitoring plan for the Gorski Sanitary Landfill, a water sample was collected from your well on October 24, 2018. The department received the results on October 31, 2018. Enclosed is the laboratory report for your water sample.

None of the parameters tested for were found to exceed Wisconsin's health-based drinking water standards. Your drinking water therefore meets health-based drinking water quality standards for the parameters tested from your well water.

Your well will continue to be sampled on a regular basis and you will continue to be notified of the results. Should you have any questions regarding the enclosed results, please contact me at (715) 839-3750.

Sincerely,


Matt Thompson
Hydrogeologist
Remediation & Redevelopment Program

MT/ad

cc: Facility File
Mark Mejac, ENVIRON International Corp (electronic copy)
Adam Scheunemann, WDNR
Sandra Sanders, 30105 Hunstock St, Val Verde, CA, 91384

State of Wisconsin
DEPARTMENT OF NATURAL RESOURCES
1300 W. Clairemont Ave.
Eau Claire WI 54701

Scott Walker, Governor
Daniel L. Meyer, Secretary
Telephone 608-266-2621
Toll Free 1-888-936-7463
TTY Access via relay - 711



November 15, 2018

FID # 737055770
WUWN #BK450
RR/CORR

Current Resident
666 CTH B
Mosinee WI 54455

Subject: Water Supply Sample Results from well located at 666 CTH B, near the Gorski Sanitary Landfill, License # 1830, Marathon County, DNR Point ID 906

Dear Current Resident:

As part of the groundwater-monitoring plan for the Gorski Sanitary Landfill, a water sample was collected from your well on October 24, 2018. The department received the results on October 31, 2018. Enclosed is the laboratory report for your water sample.

None of the parameters tested for were found to exceed Wisconsin's health-based drinking water standards. Your drinking water therefore meets health-based drinking water quality standards for the parameters tested from your well water.

Your well will continue to be sampled on a regular basis and you will continue to be notified of the results. Should you have any questions regarding the enclosed results, please contact me at (715) 839-3750.

Sincerely,


Matt Thompson
Hydrogeologist
Remediation & Redevelopment Program

MT/ad

cc: Facility File
Mark Mejac, ENVIRON International Corp (electronic copy)
Adam Scheunemann, WDNR

State of Wisconsin
DEPARTMENT OF NATURAL RESOURCES
1300 W. Clairemont Ave.
Eau Claire WI 54701

Scott Walker, Governor
Daniel L. Meyer, Secretary
Telephone 608-266-2621
Toll Free 1-888-936-7463
TTY Access via relay - 711



November 15, 2018

FID # 737055770
WUWN #UA646
RR/CORR

Jeff and Robin Mulder
Or Current Resident
642 CTH B
Mosinee WI 54455

Subject: Water Supply Sample Results from well located at 642 CTH B, near the Gorski Sanitary Landfill, License # 1830, Marathon County, DNR Point ID 901

Dear Mr. and Mrs. Mulder:

As part of the groundwater-monitoring plan for the Gorski Sanitary Landfill, a water sample was collected from your well on October 24, 2018. The department received the results on October 31, 2018. Enclosed is the laboratory report for your water sample.

None of the parameters tested for were found to exceed Wisconsin's health-based drinking water standards. Your drinking water therefore meets health-based drinking water quality standards for the parameters tested from your well water.

Your well will continue to be sampled on a regular basis and you will continue to be notified of the results. Should you have any questions regarding the enclosed results, please contact me at (715) 839-3750.

Sincerely,


Matt Thompson
Hydrogeologist
Remediation & Redevelopment Program

MT/ad

cc: Facility File
Mark Mejac, ENVIRON International Corp (electronic copy)
Adam Scheunemann, WDNR