

Ms. Candace Sykora
Hydrogeologist – Remediation and Redevelopment
Wisconsin Department of Natural Resources
890 Spruce Street
Baldwin, WI 54002

**ANNUAL LANDFILL MONITORING REPORT
FORMER GORSKI LANDFILL, MOSINEE, WISCONSIN**

Dear Ms. Sykora:

This Annual Landfill Monitoring Report has been prepared by Ramboll US Corporation (Ramboll) on behalf of an ad hoc group of parties (the “Group”) associated with the former Gorski Landfill located in Mosinee, Wisconsin (Figure 1). Contact information for the involved parties is provided in Attachment A. Pursuant to the Wisconsin Department of Natural Resources (WDNR) correspondence dated February 17, 2017, regarding the former Gorski Landfill site, Ramboll has prepared this letter to document the annual landfill cover inspection and groundwater monitoring event that was conducted in October 2018. The methodology and results of these October 2018 activities are provided as follows.

March 8, 2019

Ramboll
175 North Corporate Drive
Suite 160
Brookfield, WI 53045
USA

T +1 262 901 0099
F +1 262 901 0079
www.ramboll.com

Landfill Cover Inspection

The annual landfill cover inspection was conducted by Ramboll on October 24, 2018, by traversing the entire site and observing the surface of the cover for evidence of erosion and exposed waste materials. The adequacy of the cover integrity was reviewed. Photographs were also taken as appropriate to document site conditions. No exposed waste materials and no erosion of the vegetated landfill cover was observed. Based on the results of the October 2018 landfill cover inspection, the condition of the landfill cover is concluded to be consistent with its designed intent and repairs to the landfill cover are not necessary at this time.

Ref. 1690010425

Monitoring Well Samples

Pursuant to the WDNR correspondence dated February 17, 2017, the following monitoring wells in the vicinity of the former landfill were sampled in October 2018 as part of the annual landfill monitoring event: MW-4, MW-6, PZ-3, and PZ-4 (Figure 2). The groundwater samples collected from these monitoring wells were submitted to Pace Analytical of Green Bay, Wisconsin, a Wisconsin-certified laboratory, and the laboratory reports are provided in Attachment B. The groundwater samples were analyzed for volatile organic compounds (VOCs) and the following field parameters: groundwater elevation, temperature, specific conductivity, pH, oxidation-reduction potential (ORP), and dissolved oxygen (DO).

The results of field parameter analyses are summarized in Table 1. As shown in Table 1, temperatures of the October 2018 groundwater samples ranged from 12.99 to 18.39 degrees Celsius (55.38 to 65.10 degrees Fahrenheit). The October

2018 groundwater samples revealed pH values that ranged from 5.71 to 5.91, and specific conductivity values ranged from 60 to 157 microsiemens (μs).

DO concentrations ranged from 4.32 to 13.00 milligrams per liter (mg/L), and ORP values ranged from -4 to +196 millivolts (mV). The presence of DO concentrations greater than 0.5 mg/L and ORP values greater than -100 mV are consistent with historical values and represent conditions that are not highly favourable for naturally occurring reductive dechlorination of chlorinated VOCs through anaerobic biodegradation. However, some degree of reductive dechlorination may occur at DO concentrations as high as 5 mg/L and ORP values as high as +50 mV (United States Environmental Protection Agency [USEPA], 1998: "Technical Protocol for Evaluating Natural Attenuation of Chlorinated Solvents in Groundwater," EPA/600/R-98/128). Based on the detected DO and ORP values, the groundwater monitoring information lead to the conclusion that groundwater within the vicinity of the former Gorski Landfill is generally aerobic and not highly favourable for the occurrence of naturally occurring reductive dechlorination of more chlorinated VOCs such as tetrachloroethene (PCE) and trichloroethene (TCE). Lesser halogenated VOCs such as vinyl chloride (VC), however, can be biodegraded in an aerobic environment.

Previous Annual Groundwater Monitoring Reports have included evaluations of PCE, TCE, cis-1,2-dichloroethene (cDCE), and VC concentration trends for the monitoring wells by using the Mann-Kendall Statistical Test for Trends, as formerly recommended by the WDNR for evaluating natural attenuation processes. Per current WDNR guidance, the Mann-Whitney U Test should be conducted by assembling well data for the most recent eight consecutive quarterly or semi-annual sampling events for each contaminant that has exceeded the Wisconsin Administrative Code (WAC) NR 140 Enforcement Standard (ES) at one or more monitoring wells. Because the monitoring well sampling frequency was modified from semi-annual to annual in 2011, the October 2018 groundwater sampling event was not preceded by consecutive quarterly or semi-annual sampling events. Therefore, the results could not be analyzed using the Mann-Whitney U Test. As such, qualitative discussions of the October 2018 groundwater sampling results (Table 2 and Attachment B) are provided as follows:

- At deep monitoring well PZ-3, concentrations of TCE, cDCE, trans-1,2-dichloroethene (tDCE), and VC have been generally decreasing since 2009. The October 2018 groundwater sample contained 1.2 micrograms per liter ($\mu\text{g/L}$) TCE, which is above the WAC NR 140 Preventive Action Limit (PAL) (0.5 $\mu\text{g/L}$) but less than the WAC NR 140 ES (5 $\mu\text{g/L}$). The October 2018 groundwater sample also contained 10.4 $\mu\text{g/L}$ TCE, which is above the WAC NR 140 PAL (7 $\mu\text{g/L}$) but less than the WAC NR 140 ES (70 $\mu\text{g/L}$). The TCE concentration has not exceeded the WAC NR 140 ES (5 $\mu\text{g/L}$) since October 2013, and the cDCE concentration has not exceeded the WAC NR 140 ES (70 $\mu\text{g/L}$) since October 2014. The analyte tDCE was not detected based on the analytical results of the October 2018 sampling event and has historically only exceeded the WAC NR 140 ES (100 $\mu\text{g/L}$) on one occasion (April 2008). The tDCE concentration has not exceeded the WAC NR 140 PAL since January 2009. VC has not been detected since October 2014.
- At shallow monitoring well MW-4, historical TCE concentrations have ranged from <0.13 to 14.9 $\mu\text{g/L}$ and have remained less than 10 $\mu\text{g/L}$ since April 2008. The October 2018 groundwater sample contained 2.2 $\mu\text{g/L}$ of TCE, which is above the WAC NR 140 PAL (0.5 $\mu\text{g/L}$) but below the WAC NR 140 ES (5 $\mu\text{g/L}$). The analyte cDCE was not detected based on the October 2018 analytical results and detected cDCE concentrations to date have not exceeded the WAC NR 140 PAL.
- At shallow monitoring well MW-6, detected concentrations of TCE have been generally decreasing since 2009. The October 2018 groundwater sample contained 5.2 $\mu\text{g/L}$ TCE, which is slightly above the WAC

NR 140 ES (5 µg/L) but well within the historical TCE concentration range of 1.57 to 23.9 µg/L. The October 2018 sample contained 2.3 µg/L cDCE, which consistent with historical results has remained below the WAC NR 140 PAL (7 µg/L).

- At deep monitoring well PZ-4 adjacent to MW-6, concentrations of TCE have been generally decreasing since 2010. The October 2018 groundwater sample contained 6.6 µg/L TCE, which is slightly above the WAC NR 140 ES (5 µg/L) but well within the historical TCE concentration range of 6.2 to 21.6 µg/L. The October 2018 sample contained 1.4 µg/L cDCE, which consistent with historical results has remained below the WAC NR 140 PAL (7 µg/L).
- October 2017 groundwater samples from monitoring wells MW-4, MW-6, PZ-3, and PZ-4 had contained detectable concentrations of chloromethane, which exceeded the WAC NR 140 PAL (3 µg/L) but did not exceed the WAC NR 140 ES (30 µg/L). Chloromethane had previously not been detected (and the October 2017 duplicate sample from MW-4 did not contain chloromethane). None of the 2018 groundwater samples contained detectable concentrations of chloromethane, such that the 2017 monitoring well results are apparently anomalous. The possible presence of chloromethane will continue to be a monitored as part of future sampling events.

Based on the October 2018 groundwater monitoring results, slight exceedances of the WAC NR 140 ES for TCE were detected in groundwater samples from two monitoring wells (5.2 µg/L at MW-6 and 6.6 µg/L at PZ-4). No other exceedances of WAC NR 140 ES values were detected. The continued overall decreasing chlorinated VOC concentrations support the conclusion that the residual (low parts per billion) chlorinated VOCs in groundwater are naturally attenuating.

Residential Well Samples

Pursuant to the WDNR correspondence dated February 17, 2017, the following residential wells were sampled in October 2018 as part of the annual landfill monitoring event: 626 CTHB, 642R CTH B, 652R CTH B, 666 CTH B, 669 CTH B, 670 CTHB, 1054 CTHKK, 1058 CTHKK, 1096 CTHKK, and 1101 CTHKK. The water samples obtained from the residential wells were submitted to the Wisconsin-certified laboratory and were analyzed for VOCs, the results of which are provided in Attachment B and summarized in Table 3.

As shown in Table 3, the residential well water sample from 666 CTH B was the only October 2018 sample that contained a detectable VOC concentration. Methyl-tert-butyl ether (MTBE) was detected at a concentration of 12.1 µg/L, which slightly exceeds the WAC Public Health NR 140 PAL (12 µg/L) but is below the WAC Public Health NR 140 ES (60 µg/L). The USEPA has not established a Safe Drinking Water Act maximum contaminant level (MCL) for MTBE. A source of MTBE has not been identified associated with the former Gorski Landfill, and MTBE has not been detected to date in any of the residential well or monitoring well samples obtained as part of the site groundwater monitoring program. The possible presence of MTBE in residential well water samples will be evaluated as part of future groundwater monitoring events.

October 2017 water samples from residential wells 642R CTHB, 652R CTH B, 669 CTHB, 1096 CTH KK, and 1101 CTH KK had contained detectable concentrations of chloromethane between 2.7 and 12.5 µg/L, none of which exceeded the WAC Public Health NR 140 ES (30 µg/L). None of the October 2018 residential well samples contained detectable concentrations of chloromethane, such that (similar to the monitoring well results) the October 2017 chloromethane results from the residential wells are apparently anomalous. The possible presence of chloromethane in residential well water samples will continue to be evaluated as part of future groundwater monitoring events.


Recommended 2019 Groundwater Monitoring Program

Pursuant to the February 2017 WDNR correspondence and the information contained herein, Ramboll recommends that the 2019 groundwater monitoring program be conducted in accordance with the following:

1. Monitoring wells MW-4, MW-6, PZ-3, and PZ-4 will continue to be sampled on an annual basis in October.
2. The monitoring well groundwater samples will continue to be analyzed for VOCs (using USEPA Method 8260 or 8021B), field conductivity, pH, temperature, ORP and DO, and groundwater elevations will be obtained.
3. The following private wells will continue to be sampled on an annual basis in October: 626 CTH B, 642R CTH B, 652R CTH B, 666 CTH B, 669 CTH B, 670 CTH B, 1054 CTH KK, 1058 CTH KK, 1096 CTH KK, and 1101 CTH KK.
4. The private well water samples will continue to be analyzed for VOCs using USEPA Methods 8260, 502.2, or 524.4. The analytical methods will have method detection limits sufficiently low to detect VOCs at or below their respective WAC NR 140 ES values.
5. The analytical results of the water sample analyses will continue to be submitted within 60 days of sample collection on computer diskette to the WDNR Bureau of Waste & Materials Management.
6. The analytical results of the residential water sample analyses will also continue to be submitted within 10 days of Ramboll's receipt of those results to Ms. Amanda Dehmlow of the WDNR Solid Waste Program.


We trust that the information contained herein adequately meets your current needs. If you have any questions, please feel free to contact us. Thank you very much for your assistance with this matter.

Yours sincerely,



Mark M. Mejac, PG
Senior Managing Consultant

D 262 901 0127
mmejac@ramboll.com



Jeanne M. Tarvin, PG, CPG
Managing Principal

D 262 901 0085
jtarvin@ramboll.com



TABLES

**TABLE 1
FIELD PARAMETER RESULTS OF GROUNDWATER SAMPLES
FORMER GORSKI LANDFILL, MOSINEE, WI
RAMBOLL PROJECT NO. 1690004763**

Well Location	Sample Date	Top of PVC Elevation	Depth to Groundwater	Potential Surface (MSL)	pH	ORP (mV)	Temperature (°C)	Specific Conductivity @ 25°C (µs)	Dissolved Oxygen (ppm)
MW-1	7/27/2006	1177.31	12.91	1164.40	4.80	128	12.3	470	3
	10/17/06	1177.31	11.52	1165.79	5.65	211	12.6	290	4
	1/18/07	1177.31	10.32	1166.99	5.30	129	8.0	410	5
	4/17/07	1177.31	9.95	1167.36	5.32	149	8.4	310	8
	7/19/07	1177.31	12.68	1164.63	5.49	141	13.9	560	5
	10/23/07	1177.31	10.26	1167.05	5.46	162	12.1	590	4
	2/6/08	1177.31	NS	NS	NS	NS	NS	NS	NS
	4/29/08	1177.31	8.86	1168.45	5.68	209	7.2	330	9
	7/28/08	1177.31	10.71	1166.60	6.44	193	14.3	320	6
	10/22/08	1177.31	13.60	1163.71	5.76	180	11.9	650	5
	1/8/09	1177.31	13.98	1163.33	6.25	200	8.0	590	4
	10/17/09	1177.31	12.73	1164.58	6.63	209	11.4	710	4
	4/1/10	1177.31	14.08	1163.23	NS	NS	NS	NS	NS
	10/25/10	1177.31	10.55	1166.76	5.38	211	12.6	580	3
	10/25/11	1177.31	11.51	1165.80	5.50	391	10.46	450	3
10/23/12	1177.31	13.17	1164.14	5.17	205	12.29	452	3	
10/21/13	1177.31	10.20	1167.11	Abandoned 10-21-2013					
MW-2	7/27/2006	1156.24	17.27	1138.97	5.09	168	11.1	40	8
	10/17/06	1156.24	17.45	1138.79	5.75	238	11.5	40	3
	1/16/07	1156.24	16.77	1139.47	5.76	178	8.5	60	6
	4/18/07	1156.24	16.18	1140.06	5.64	240	9.1	80	8
	7/17/07	1156.24	17.41	1138.83	6.01	229	10.8	60	6
	10/25/07	1156.24	16.70	1139.54	5.67	105	10.9	60	7
	2/7/08	1156.24	17.95	1138.29	5.85	20	7.4	60	NS
	4/28/08	1156.24	14.30	1141.94	6.35	160	6.6	40	8
	7/28/08	1156.26	16.40	1139.86	7.10	163	11.0	80	9
	10/22/08	1156.26	17.36	1138.90	5.76	118	10.3	80	8
	1/9/09	1156.26	18.05	1138.21	5.81	90	8.3	90	5
	10/18/09	1156.26	17.72	1138.54	6.46	235	11.5	80	4
	4/1/10	1156.26	17.12	1139.14	7.53	50	11.2	60	7
	10/25/10	1156.26	15.61	1140.65	6.04	196	11.9	110	4
	10/24/11	1156.26	17.25	1139.01	6.68	300	17.87	50	7
	10/24/12	1156.26	17.95	1138.31	5.01	183	12.03	59	6
	10/21/13	1156.26	16.55	1139.71	4.45	200	9.5	61	7
	10/8/2014	1156.26	15.70	1140.56	5.83	100	10.19	36	10.40
	10/7/2015	1156.26	17.29	1138.97	5.67	121	11.94	92	8.50
10/18/2016	1156.26	16.63	1139.63	5.44	109	12.05	49	9.54	
10/24/2017	Abandoned 10-24-2017								
MW-3	7/27/2006	1156.19	16.68	1139.51	4.97	198	9.8	460	4
	10/17/06	1156.19	17.08	1139.11	5.42	275	10.4	210	3
	1/18/07	1156.19	16.45	1139.74	5.47	124	7.9	520	5
	4/17/07	1156.19	15.43	1140.76	5.38	353	9.1	580	7
	7/17/07	1156.19	16.91	1139.28	5.83	190	10.3	440	7
	10/23/07	1156.19	17.30	1138.89	5.44	206	8.8	800	6
	2/6/08	1156.19	17.65	1138.54	5.54	182	8.1	800	5
	4/28/08	1156.19	13.06	1143.13	5.80	189	7.0	1000	8
	7/28/08	1156.19	15.61	1140.58	6.90	171	10.4	390	8
	10/23/08	1156.19	17.11	1139.08	5.61	189	8.4	500	7
	1/8/09	1156.19	17.05	1139.14	6.65	220	8.0	590	6
	10/18/09	1156.19	17.42	1138.77	6.35	181	8.1	800	5
	4/1/10	1156.19	14.08	1142.11	NS	NS	NS	NS	NS
	10/22/10	1156.19	14.42	1141.77	6.11	203	10.9	690	5
	10/24/11	1156.19	17.25	1138.94	5.88	248	14.24	430	5
10/24/12	1156.19	17.68	1138.51	5.30	166	10.77	366	6	
10/21/13	1156.19	18.10	1138.09	Abandoned 10-21-2013					

**TABLE 1
FIELD PARAMETER RESULTS OF GROUNDWATER SAMPLES
FORMER GORSKI LANDFILL, MOSINEE, WI
RAMBOLL PROJECT NO. 1690004763**

Well Location	Sample Date	Top of PVC Elevation	Depth to Groundwater	Potentiometric Surface (MSL)	pH	ORP (mV)	Temperature (°C)	Specific Conductivity @ 25°C (µs)	Dissolved Oxygen (ppm)
MW-4	7/27/2006	1155.34	16.82	1138.52	5.21	150	11.0	90	5
	10/17/06	1155.34	16.86	1138.48	5.73	232	11.4	70	5
	1/16/07	1155.34	15.98	1139.36	5.70	141	8.6	70	5
	4/18/07	1155.34	15.61	1139.73	6.14	202	9.7	110	5
	7/17/07	1155.34	17.02	1138.32	6.22	196	12.1	80	8
	10/25/07	1155.34	15.90	1139.44	5.74	110	11.3	90	6
	2/6/08	1155.34	17.35	1137.99	5.98	158	8.3	120	6
	4/29/08	1155.34	14.83	1140.51	6.23	133	9.1	110	6
	7/28/08	1155.34	15.95	1139.39	7.48	175	11.9	60	8
	10/22/08	1155.34	16.71	1138.63	5.85	103	10.6	70	8
	1/8/09	1155.34	17.52	1137.82	7.19	170	8.2	110	5
	10/19/09	1155.34	17.12	1138.22	6.63	181	11.3	80	4
	4/1/10	1155.34	16.21	1139.13	6.99	158	11.51	50	7
	10/25/10	1155.34	15.50	1139.84	5.93	168	11.9	100	5
	10/25/11	1155.34	16.62	1138.72	7.99	316	10.40	80	7
	10/24/12	1155.34	17.35	1137.99	5.38	168	12.11	106	7
	10/21/13	1155.34	15.93	1139.41	5.30	134	10.55	97	6
	10/8/2014	1155.34	15.46	1139.88	5.80	141	11.38	91	7.76
	10/7/2015	1155.34	16.68	1138.66	5.94	114	12.12	47	10.74
	10/18/2016	1155.34	16.00	1139.34	5.64	130	11.47	93	7.40
10/24/2017	1155.34	19.05	1136.29	5.62	148	9.89	68	9.77	
10/24/2018	1155.34	15.05	1140.29	5.89	167	18.39	65	8.78	
MW-5	7/26/2006	1197.85	17.85	1180.00	5.21	150	11.0	90	5
	10/18/06	1197.85	16.98	1180.87	5.76	216	9.7	110	4
	1/17/07	1197.85	13.77	1184.08	5.38	262	8.2	180	4
	4/17/07	1197.85	12.03	1185.82	5.39	195	9.3	80	7
	7/19/07	1197.85	15.91	1181.94	5.95	280	12.2	110	6
	10/23/07	1197.85	12.92	1184.93	5.54	181	12.5	100	6
	2/6/08	1197.85	19.47	1178.38	5.87	180	7.4	110	5
	4/29/08	1197.85	10.42	1187.43	5.70	165	6.7	90	7
	7/29/08	1197.85	13.67	1184.18	6.57	176	12.6	80	8
	10/23/08	1197.85	20.39	1177.46	5.70	197	12.1	80	6
	1/8/09	1197.85	21.72	1176.13	6.84	172	7.9	100	6
	10/17/09	1197.85	14.15	1183.70	6.74	107	9.8	290	5
	4/1/10	1197.85	11.51	1186.34	5.60	142	11.21	220	6
	10/27/10	1197.85	12.22	1185.63	5.39	93	12.5	320	5
	10/24/11	1197.85	13.76	1184.09	5.36	355	13.63	100	3
	10/23/12	1197.85	12.43	1185.42	4.70	162	13.50	144	4
	10/21/13	1197.85	11.24	1186.61	4.94	250	11.97	170	4
	10/7/2014	1197.85	11.15	1186.70	5.41	110	12.80	131	6.10
	10/7/2015	1197.85	14.41	1183.44	5.43	103	13.10	144	6.38
	10/18/2016	1197.85	13.45	1184.40	5.16	200	13.65	128	5.2
10/24/2017	Abandoned 10-24-2017								
MW-6	7/26/2006	1154.92	16.33	1138.59	5.21	150	11.0	90	5
	10/17/06	1154.92	16.45	1138.47	5.69	125	11.8	80	5
	1/16/07	1154.92	15.68	1139.24	6.11	150	9.6	80	5
	4/17/07	1154.92	15.05	1139.87	5.82	253	10.8	100	6
	7/17/07	1154.92	16.58	1138.34	4.46	212	12.8	90	7
	10/25/07	1154.92	16.20	1138.72	5.88	113	11.3	100	6
	2/7/08	1154.92	16.89	1138.03	5.89	73	7.4	140	NS
	4/28/08	1154.92	19.06	1135.86	6.11	123	6.6	110	8
	7/28/08	1154.92	15.17	1139.75	7.40	160	13.0	50	7
	10/22/08	1154.92	16.35	1138.57	6.02	133	10.5	90	6
	1/8/09	1154.92	17.05	1137.87	6.23	153	9.5	110	4
	10/18/09	1154.92	16.68	1138.24	6.19	183	10.8	80	3
	4/1/10	1154.92	17.02	1137.90	6.80	86	10.8	100	8
	10/25/10	1154.92	14.91	1140.01	6.00	169	12.1	60	3
	10/24/11	1154.92	13.76	1141.16	6.15	270	14.34	60	8
	10/24/12	1154.92	16.90	1138.02	5.47	143	12.11	94	7
	10/21/13	1154.92	15.51	1139.41	5.28	141	10.70	97	6
	10/8/2014	1154.92	14.88	1140.04	5.75	101	11.00	77	10.03
	10/7/2015	1154.92	16.27	1138.65	5.87	132	11.79	102	9.90
	10/18/2016	1154.92	15.57	1139.35	5.89	118	11.77	81	9.19
10/24/2017	1154.92	17.62	1137.30	5.66	150	9.77	99	8.53	
10/24/2018	1154.92	14.40	1140.52	5.71	196	12.99	60	13.00	

**TABLE 1
FIELD PARAMETER RESULTS OF GROUNDWATER SAMPLES
FORMER GORSKI LANDFILL, MOSINEE, WI
RAMBOLL PROJECT NO. 1690004763**

Well Location	Sample Date	Top of PVC Elevation	Depth to Groundwater	Potentiometric Surface (MSL)	pH	ORP (mV)	Temperature (°C)	Specific Conductivity @ 25°C (µs)	Dissolved Oxygen (ppm)
PZ-1	7/27/2006	1194.22	16.73	1177.49	5.71	194	10.6	110	4
	10/17/06	1194.22	17.38	1176.84	6.17	221	9.0	240	5
	1/17/07	1194.22	14.20	1180.02	6.07	143	7.9	340	5
	4/18/07	1194.22	13.32	1180.90	6.34	196	9.1	270	7
	7/19/07	1194.22	16.25	1177.97	6.21	166	14.9	410	5
	10/24/07	1194.22	13.00	1181.22	6.04	121	9.9	200	7
	2/6/08	1194.22	19.03	1175.19	6.09	170	7.4	190	7
	4/29/08	1194.22	11.58	1182.64	6.26	187	7.7	250	8
	7/29/08	1194.22	14.42	1179.80	6.90	192	14.8	150	7
	10/23/08	1194.22	21.51	1172.71	5.85	157	9.2	170	6
	1/9/09	1194.22	23.66	1170.56	6.43	163	7.7	370	5
	10/17/09	1194.22	16.80	1177.42	7.91	139	9.8	290	6
	4/1/10	1194.22	14.01	1180.21	6.03	161	11.0	260	5
	10/27/10	1194.22	15.45	1178.77	5.75	117	9.3	240	5
	10/25/11	1194.22	15.71	1178.51	5.67	364	8.91	360	7
	10/23/12	1194.22	15.52	1178.70	5.24	189	11.16	293	6
	10/21/13	1194.22	13.50	1180.72	5.91	201	9.47	211	3
	10/7/2014	1194.22	13.38	1180.84	5.85	81	12.49	335	5.21
	10/7/2015	1194.22	16.65	1177.57	5.74	124	10.49	311	6.81
10/19/2016	1194.22	15.73	1178.49	5.70	197	11.45	275	5.74	
10/24/2017	Abandoned 10-24-2017								
PZ-2	7/27/2006	1156.40	17.44	1138.96	5.71	194	10.6	110	4
	10/17/06	1156.40	17.60	1138.80	5.83	198	10.8	110	4
	1/16/07	1156.40	17.01	1139.39	6.28	102	7.8	120	5
	4/18/07	1156.40	16.22	1140.18	6.37	108	10.2	140	6
	7/17/07	1156.40	17.65	1138.75	5.78	120	11.1	110	5
	10/25/07	1156.40	16.62	1139.78	5.75	64	10.1	120	5
	2/7/08	1156.40	18.15	1138.25	6.31	15	7.5	110	NS
	4/28/08	1156.40	14.51	1141.89	6.61	143	7.2	170	4
	7/28/08	1156.40	16.52	1139.88	6.99	151	11.4	100	8
	10/22/08	1156.40	17.50	1138.90	5.81	110	9.6	130	4
	1/9/09	1156.40	18.11	1138.29	6.01	131	8.2	120	5
	10/18/09	1156.40	17.82	1138.58	6.59	165	10.4	130	4
	4/1/10	1156.40	17.00	1139.40	7.60	62	11.3	120	3
	10/25/10	1156.40	15.74	1140.66	6.50	135	11.9	110	4
	10/24/11	1156.40	17.41	1138.99	6.77	152	17.35	120	1
	10/24/12	1156.40	18.11	1138.29	5.79	52	9.35	127	7
	10/21/12	1156.40	16.69	1139.71	5.79	49	9.14	128	0.29
	10/8/2014	1156.40	15.90	1140.50	6.38	39	9.46	101	0.64
	10/7/2015	1156.40	17.45	1138.95	6.54	102	10.80	111	10.40
10/18/2016	1156.40	16.81	1139.59	6.64	-22.1	9.88	103	0.29	
10/24/2017	Abandoned 10-24-2017								
PZ-3	7/26/2006	1197.98	34.85	1163.13	5.71	194	10.6	110	4
	10/17/06	1197.98	26.81	1171.17	6.56	139	8.9	250	5
	1/17/07	1197.98	23.73	1174.25	6.13	235	7.6	500	5
	4/17/07	1197.98	22.45	1175.53	6.31	150	10.6	360	3
	7/19/07	1197.98	27.13	1170.85	6.20	260	12.4	480	5
	10/24/07	1197.98	22.95	1175.03	6.00	128	9.9	410	6
	2/6/08	1197.98	28.73	1169.25	6.28	208	5.5	320	6
	4/29/08	1197.98	20.45	1177.53	6.40	128	7.8	510	5
	7/29/08	1197.98	24.11	1173.87	6.65	210	12.8	330	5
	10/23/08	1197.98	29.95	1168.03	5.96	145	11.9	410	6
	1/9/09	1197.98	31.02	1166.96	6.33	210	7.6	560	5
	10/17/09	1197.98	26.60	1171.38	5.66	145	11.4	140	4
	4/1/10	1197.98	22.80	1175.18	6.35	144	11.4	110	4
	10/27/10	1197.98	23.70	1174.28	6.09	160	10.8	150	4
	10/24/11	1197.98	22.38	1175.60	6.22	184	12.48	2320	2
	10/23/12	1197.98	23.66	1174.32	5.41	127	11.19	212	5
	10/21/14	1197.98	19.85	1178.13	5.84	98	8.41	170	4
	10/7/2014	1197.98	19.81	1178.17	6.24	60.7	10.26	131	2.92
	10/7/2015	1197.98	23.13	1174.85	6.41	97.5	11.17	147	4.40
10/19/2016	1197.98	22.10	1175.88	5.96	165	11.29	169	7.31	
10/24/2017	1197.98	20.88	1177.10	5.67	115	10.34	212	4.53	
10/24/2018	1197.98	17.82	1180.16	5.91	-4	14.43	157	4.32	

**TABLE 1
FIELD PARAMETER RESULTS OF GROUNDWATER SAMPLES
FORMER GORSKI LANDFILL, MOSINEE, WI
RAMBOLL PROJECT NO. 1690004763**

Well Location	Sample Date	Top of PVC Elevation	Depth to Groundwater	Potential Surface (MSL)	pH	ORP (mV)	Temperature (°C)	Specific Conductivity @ 25°C (µs)	Dissolved Oxygen (ppm)
PZ-4	7/26/2006	1155.27	16.60	1138.67	5.71	194	10.6	110	4
	10/17/06	1155.27	16.68	1138.59	5.97	302	10.8	90	5
	1/16/07	1155.27	15.95	1139.32	5.92	116	9.1	110	5
	4/18/07	1155.27	15.51	1139.76	6.14	262	11.0	130	6
	7/17/07	1155.27	18.80	1136.47	5.52	131	11.2	80	7
	10/25/07	1155.27	15.97	1139.30	5.70	135	10.5	90	6
	2/7/08	1155.27	17.22	1138.05	6.25	98	8.1	130	NS
	4/28/08	1155.27	14.20	1141.07	6.27	121	8.2	130	7
	7/28/08	1155.27	15.69	1139.58	6.72	152	11.6	100	8
	10/22/08	1155.27	16.61	1138.66	5.68	148	9.9	110	7
	1/9/09	1155.27	17.25	1138.02	6.01	165	8.7	130	5
	10/18/09	1155.27	16.94	1138.33	6.21	152	10.2	100	4
	4/1/10	1155.27	16.09	1139.18	7.16	135	10.61	130	6
	10/22/10	1155.27	15.22	1140.05	6.09	160	10.8	150	4
	10/24/11	1155.27	16.50	1138.77	6.13	298	12.76	110	7
	10/24/12	1155.27	17.17	1138.10	5.56	143	10.40	110	7
	10/21/13	1155.27	15.80	1139.47	5.32	126	9.82	137	5
	10/8/2014	1155.27	15.23	1140.04	5.85	64.4	10.06	112	7.77
	10/7/2015	1155.27	16.54	1138.73	6.02	122.2	10.81	122	11.55
	10/18/2016	1155.27	15.85	1139.42	6.02	81	10.54	112	8.06
10/24/2017	1155.27	15.42	1139.85	5.74	158	8.95	107	8.17	
10/24/2018	1155.27	14.77	1140.50	5.89	182	15.91	89	6.75	
G-2	7/27/2006	1198.71	dry	dry	dry	dry	dry	dry	dry
	10/17/06	1198.71	dry	dry	dry	dry	dry	dry	dry
	1/16/07	1198.71	dry	dry	dry	dry	dry	dry	dry
	4/18/07	1198.71	12.67	1186.04	6.10	230	5.5	50	8
	7/17/07	1198.71	dry	dry	dry	dry	dry	dry	dry
	10/23/07	1198.71	12.46	1186.25	5.36	173	14.7	50	7
	2/6/08	1198.71	dry	dry	dry	dry	dry	dry	dry
	4/29/08	1198.71	9.26	1189.45	5.90	185	6.8	40	7
	7/29/08	1198.71	16.15	1182.56	NS	NS	NS	NS	NS
	10/23/08	1198.71	dry	dry	NS	NS	NS	NS	NS
	1/8/09	1198.71	dry	dry	NS	NS	NS	NS	NS
	10/17/09	1198.71	dry	dry	NS	NS	NS	NS	NS
	4/1/10	1198.71	dry	dry	NS	NS	NS	NS	NS
	10/22/10	1198.71	16.67	1182.04	5.71	158	14.8	260	5
10/24/11	1198.71	dry	dry	NS	NS	NS	NS	NS	
10/23/12	1198.71	dry	dry	NS	NS	NS	NS	NS	
10/21/13	1198.71	13.35	1185.36	Abandoned 10-21-2013					
G-3	7/26/2006	1185.99	13.65	1172.34	5.71	194	10.6	110	4
	10/18/06	1185.99	13.88	1172.11	5.69	201	10.1	220	4
	1/18/07	1185.99	12.48	1173.51	5.56	140	9.5	260	4
	4/17/07	1185.99	11.24	1174.75	5.52	123	10	220	3
	7/19/07	1185.99	14.63	1171.36	5.61	153	14.8	300	5
	10/24/07	1185.99	12.30	1173.69	5.40	137	12.7	310	5
	2/6/08	1185.99	15.10	1170.89	5.82	152	6.5	600	5
	4/28/08	1185.99	9.23	1176.76	5.83	145	7.1	290	4
	7/29/08	1185.99	12.29	1173.70	6.04	143	15.1	310	6
	10/22/08	1185.99	16.57	1169.42	5.52	153	12.1	330	4
	1/8/09	1185.99	17.60	1168.39	5.61	153	9.2	310	4
	10/17/09	1185.99	15.31	1170.68	6.60	151	12.8	310	3
	4/1/10	1185.99	16.90	1169.09	NS	NS	NS	NS	NS
	10/22/10	1185.99	12.34	1173.65	5.76	130	13.1	240	3
	10/24/11	1185.99	NS	NS	NS	NS	NS	NS	NS
	10/23/12	1185.99	NS	NS	NS	NS	NS	NS	NS
	10/21/13	1185.99	NS	NS	NS	NS	NS	NS	NS
	10/7/2014	1185.99	NS	NS	NS	NS	NS	NS	NS
10/7/2015	1185.99	NS	NS	NS	NS	NS	NS	NS	
10/18/2016	1185.99	NS	NS	NS	NS	NS	NS	NS	

TABLE 1
FIELD PARAMETER RESULTS OF GROUNDWATER SAMPLES
FORMER GORSKI LANDFILL, MOSINEE, WI
RAMBOLL PROJECT NO. 1690004763

Well Location	Sample Date	Top of PVC Elevation	Depth to Groundwater	Potentiometric Surface (MSL)	pH	ORP (mV)	Temperature (°C)	Specific Conductivity @ 25°C (µs)	Dissolved Oxygen (ppm)
G-4A	7/27/2006	1195.74	15.07	1180.67	5.71	194	10.6	110	4
	10/17/06	1195.74	11.80	1183.94	6.07	126	9.9	40	5
	1/17/07	1195.74	8.77	1186.97	5.01	162	4.3	50	5
	4/18/07	1195.74	7.90	1187.84	6.94	182	5.9	70	8
	7/19/07	1195.74	14.00	1181.74	5.43	211	16.7	30	7
	10/24/07	1195.74	8.95	1186.79	5.51	73	12.1	50	7
	2/6/08	1195.74	12.90	1182.84	5.83	230	4.9	50	7
	4/29/08	1195.74	6.10	1189.64	5.93	91	8.0	30	6
	7/29/08	1195.74	10.72	1185.02	6.04	230	16.9	70	8
	10/23/08	1195.74	18.65	1177.09	5.63	96	12.0	60	8
	1/9/09	1195.74	19.49	1176.25	NS	NS	NS	NS	NS
	10/17/09	1195.74	16.09	1179.65	5.50	191	12.8	60	6
	4/1/10	1195.74	19.27	1176.47	NS	NS	NS	NS	NS
	10/29/10	1195.74	10.76	1184.98	6.21	210	12.2	110	6
	10/25/11	1195.74	12.10	1183.64	10.86	148	10.04	550	7
10/24/12	1195.74	14.97	1180.77	4.42	210	13.70	43	8	
10/21/13	1195.74	9.00	1186.74	Abandoned 10-21-2013					
G-4B	7/27/2006	1195.50	NS	NS	NS	NS	NS	NS	NS
	10/18/06	1195.50	49.05	1146.45	11.46	126	7.9	760	4
	1/17/07	1195.50	53.60	1141.90	11.62	-39	7.5	320	5
	4/18/07	1195.50	49.91	1145.59	11.95	24	8.9	290	6
	7/19/07	1195.50	52.05	1143.45	11.58	-7	15.4	1700	8
	10/24/07	1195.50	55.40	1140.10	11.54	-88	9.1	2600	8
	2/26/08	1195.50	53.88	1141.62	12.43	108	7.4	2300	7
	4/29/08	1195.50	55.90	1139.60	11.99	-35	11.0	2700	8
	7/29/08	1195.50	54.20	1141.30	11.83	10	16.0	1900	7
	10/23/08	1195.50	60.90	1134.60	11.27	-3	8.7	1900	8
	1/9/09	1195.50	63.25	1132.25	11.09	-11	7.2	1400	7
	10/17/09	1195.50	26.05	1169.45	11.10	87	8.8	1210	6
	4/1/10	1195.50	63.94	1131.56	NS	NS	NS	NS	NS
	10/29/10	1195.50	15.40	1180.10	11.21	123	9.6	1030	5
	10/25/11	1195.50	19.20	1176.30	12.42	148	8.25	1670	8
10/24/12	1195.50	21.77	1173.73	11.27	95	11.13	1885	8	
10/21/13	1195.50	8.45	1187.05	Abandoned 10-21-2013					
G-5	7/26/2006	1194.20	15.97	1178.23	5.71	194	10.6	110	4
	10/18/06	1194.20	14.60	1179.60	5.40	251	10.7	110	5
	1/17/07	1194.20	11.89	1182.31	5.04	151	7.2	140	5
	4/18/07	1194.20	11.38	1182.82	5.41	283	6.3	130	7
	7/19/07	1194.20	14.98	1179.22	5.68	137	13.8	90	5
	10/23/07	1194.20	11.35	1182.85	5.21	293	13.6	130	7
	2/6/08	1194.20	16.56	1177.64	5.35	156	7.7	100	6
	4/29/08	1194.20	10.60	1183.60	5.48	171	6.5	190	8
	7/29/08	1194.20	12.50	1181.70	6.69	191	13.9	90	8
	10/23/08	1194.20	21.16	1173.04	5.40	219	12.6	110	8
	1/9/09	1194.20	dry	dry	NS	NS	NS	NS	NS
	10/17/09	1194.20	14.16	1180.04	7.02	173	12.7	580	5
	4/1/10	1194.20	11.98	1182.22	5.61	158	9.3	158	6
	10/27/10	1194.20	12.24	1181.96	5.32	147	12.4	260	3
	10/25/11	1194.20	13.45	1180.75	5.31	406	8.25	270	5
	10/23/12	1194.20	12.61	1181.59	4.99	187	13.75	164	7
	10/21/13	1194.20	11.86	1182.34	4.92	235	11.62	247	4
	10/7/2014	1194.20	11.54	1182.66	5.23	186	13.84	242	5.28
	10/7/2015	1194.20	14.54	1179.66	5.31	128	13.24	248	5.21
	10/19/2016	1194.20	13.92	1180.28	5.21	198	13.41	249	4.27
10/24/2017	Abandoned 10-24-2017								

Notes:

- NS = Not sampled
- MSL = Mean Sea Level
- ORP = Oxidation Reduction Potential
- µs = Microsiemens
- ppm = Parts per million
- mV = Millivolts
- PVC = Polyvinyl chloride

**TABLE 2
LABORATORY RESULTS OF GROUNDWATER SAMPLES COLLECTED FROM MONITORING WELLS
FORMER GORSKI LANDFILL, MOSINEE, WI
RAMBOLL PROJECT NO. 1690004763**

Well Location	Sample Date	Iron (mg/L)	Sulfate (mg/L)	Acetone (ug/L)	Benzene (ug/L)	Chloro methane (ug/L)	1,1-DCE (ug/L)	cDCE (ug/L)	Ethyl benzene (ug/L)	Methylene Chloride (ug/L)	Naphthalene (ug/L)	Tetrachloroethene (ug/L)	tDCE (ug/L)	Toluene (ug/L)	TCE (ug/L)	VC (ug/L)	Xylene Totals (ug/L)	Styrene (ug/L)	1,1,2-TCA (ug/L)	1,1-DCA (ug/L)	THF (ug/L)
MW-1	8/8/03	0.016	12.2	NA	<0.31	ND	<0.39	<0.23	<0.5	<0.51	<0.8	<0.32	<0.39	<0.3	<0.36	<0.2	<0.92	<0.32	<0.5	<0.36	<2.0
	10/2/03	<0.01	10.1	NA	<0.31	ND	<0.39	<0.23	<0.5	<0.51	<0.8	<0.32	<0.39	<0.3	<0.36	<0.2	<0.92	<0.32	<0.5	<0.36	<2.0
	7/27/06	<0.100	17.4	<1.4	<0.23	ND	<0.25	<0.20	<0.21	<0.24	<0.37	<0.18	<0.29	<0.18	<0.13	<0.16	<0.19	<0.18	<0.10	<0.15	<2.0
	10/17/06	<0.010	11.6	<6.5	<0.15	ND	<0.15	<0.20	<0.10	<0.40	<1.0	<0.10	<0.10	<0.40	<0.20	<0.15	<0.50	<0.10	<0.10	<0.15	<2.0
	1/18/07	<0.010	17.9	<6.5	<0.15	ND	<0.15	<0.20	<0.10	<0.40	<1.0	<0.10	<0.10	<0.40	<0.20	<0.15	<0.50	<0.10	<0.10	<0.15	<2.0
	4/17/07	0.021	14.1	<6.5	<0.20	ND	<0.15	<0.20	<0.10	<0.40	<1.0	<0.10	<0.10	<0.40	<0.20	<0.20	<0.50	<0.10	<0.20	<0.20	<2.0
	7/19/07	<0.010	18.5	<6.5	<0.20	ND	<0.15	<0.20	<0.10	<0.40	<1.0	<0.10	<0.10	<0.40	<0.20	<0.20	<0.50	<0.10	<0.20	<0.20	<2.0
	10/23/07	<0.010	21.6	<6.5	<0.20	ND	<0.15	<0.20	<0.10	<0.40	<1.0	<0.10	<0.10	<0.40	<0.20	<0.20	<0.50	<0.10	<0.20	<0.20	<2.0
	4/29/08	<0.010	16.6	<6.5	<0.20	ND	<0.15	<0.20	<0.10	<0.40	<1.0	<0.10	<0.10	<0.40	<0.20	<0.20	<0.50	<0.10	<0.20	<0.20	<2.0
	7/28/08	<0.010	13.7	<6.5	<0.20	ND	<0.15	<0.20	<0.10	<0.40	<1.0	<0.10	<0.10	<0.40	<0.20	<0.20	<0.50	<0.10	<0.20	<0.20	<2.0
	10/22/08	<0.010	16.7	<6.5	<0.20	ND	<0.15	<0.20	<0.10	<0.40	<1.0	<0.10	<0.10	<0.40	<0.20	<0.20	<0.50	<0.10	<0.20	<0.20	<2.0
	1/8/09	<0.010	19.8	<6.5	<0.20	ND	<0.15	<0.20	<0.10	<0.40	<1.0	<0.10	<0.10	<0.40	<0.20	<0.20	<0.50	<0.10	<0.20	<0.20	<2.0
	10/17/09	NA	NA	<6.5	<0.20	ND	<0.15	<0.20	<0.10	<0.40	<1.0	<0.10	<0.10	<0.40	<0.20	<0.20	<0.50	<0.10	<0.20	<0.20	<2.0
	10/25/10	NA	NA	<6.5	<0.20	ND	<0.15	<0.20	<0.10	<0.40	<1.0	<0.10	<0.10	<0.40	<0.20	<0.20	<0.50	<0.10	<0.20	<0.20	<2.0
10/25/11	NA	NA	<6.5	<0.20	ND	<0.15	<0.20	<0.10	<0.40	<1.0	<0.10	<0.10	<0.40	<0.20	<0.20	<0.50	<0.10	<0.20	<0.20	<2.0	
10/23/12	NA	NA	NA	<0.41	ND	<0.57	<0.83	<0.54	<0.43	<0.89	<0.45	<0.89	<0.67	<0.48	<0.18	<1.8	<0.86	<0.42	<0.75	NA	
Abandoned 10-21-2013																					
MW-1D	1/8/09	<0.010	19.0	<6.5	<0.20	ND	<0.15	<0.20	<0.10	<0.40	<1.0	<0.10	<0.10	<0.40	<0.20	<0.20	<0.50	<0.10	<0.20	<0.20	<2.0
	Abandoned 10-21-2013																				
MW-2	8/8/03	<0.01	9.44	NA	<0.31	ND	<0.39	<0.23	<0.5	<0.51	<0.8	<0.32	<0.39	<0.3	<u>0.726</u>	<0.2	<0.92	<0.32	<0.5	<0.36	<2.0
	10/2/03	0.0132	9.04	NA	<0.31	ND	<0.39	<0.23	<0.5	<0.51	<0.8	<0.32	<0.39	<0.3	<0.36	<0.2	<0.92	<0.32	<0.5	<0.36	<2.0
	7/27/06	<0.010	9.6	<1.4	<0.23	ND	<0.25	<0.20	<0.21	<0.24	<0.37	<0.18	<0.29	<0.18	<0.13	<0.16	<0.19	<0.18	<0.10	<0.15	<2.0
	10/17/06	0.014 J	7.91	<6.5	<0.15	ND	<0.15	0.77	<0.10	<0.40	<1.0	<0.10	<0.10	<0.40	<u>2.93</u>	<0.15	<0.50	<0.10	<0.10	<0.15	<2.0
	1/16/07	<0.010	8.78	<6.5	<0.15	ND	<0.15	0.25	<0.10	<0.40	<1.0	<0.10	<0.10	<0.40	<u>1.6</u>	<0.15	<0.50	<0.10	<0.10	<0.15	<2.0
	4/18/07	0.025	8.40	<6.5	<0.20	ND	<0.15	<0.20	<0.10	<0.40	<1.0	<0.10	<0.10	<0.40	<u>0.95</u>	<0.20	<0.50	<0.10	<0.20	<0.20	<2.0
	7/17/07	<0.010	8.38	<6.5	<0.20	ND	<0.15	<0.20	<0.10	<0.40	<1.0	<0.10	<0.10	<0.40	<u>0.89</u>	<0.20	<0.50	<0.10	<0.20	<0.20	<2.0
	10/25/07	<0.010	9.02	<6.5	<0.20	ND	<0.15	0.21 J	<0.10	<0.40	<1.0	<0.10	<0.10	<0.40	<u>1.21</u>	<0.20	<0.50	<0.10	<0.20	<0.20	<2.0
	2/6/08	<0.010	8.10	<6.5	<0.20	ND	<0.40	<0.30	<0.20	<0.40	<1.0	<0.30	<0.20	<0.40	<u>0.57 J</u>	<0.20	<0.40	<0.10	<0.30	<0.20	<2.0
	4/28/08	<0.10	7.73	<6.5	<0.20	ND	<0.40	<0.30	<0.20	<0.40	<1.0	<0.30	<0.20	<0.40	<0.40	<0.20	<0.40	<0.10	<0.30	<0.20	<2.0
	7/28/08	<0.010	7.29	<6.5	<0.20	ND	<0.40	<0.30	<0.20	<0.40	<1.0	<0.30	<0.20	<0.40	<u>1.06 J</u>	<0.20	<0.40	<0.10	<0.30	<0.20	<2.0
	10/22/08	<0.010	7.29	<6.5	<0.20	ND	<0.40	<0.30	<0.20	<0.40	<1.0	<0.30	<0.20	<0.40	<u>0.58 J</u>	<0.20	<0.40	<0.10	<0.30	<0.20	<2.0
	1/9/09	<0.010	7.25	<6.5	<0.20	ND	<0.40	<0.30	<0.20	<0.40	<1.0	<0.30	<0.20	<0.40	0.41 J	<0.20	<0.40	<0.10	<0.30	<0.20	<2.0
	4/30/09	NA	NA	<6.5	<0.20	ND	<0.40	<0.30	<0.20	<0.40	<1.0	<0.30	<0.20	<0.40	<0.40	<0.20	<0.40	<0.10	<0.30	<0.20	<2.0
	10/18/09	NA	NA	<6.5	<0.20	ND	<0.40	<0.30	<0.20	<0.40	<1.0	<0.30	<0.20	<0.40	<u>1.57</u>	<0.20	<0.40	<0.10	<0.30	<0.20	<2.0
	4/1/10	NA	NA	<6.5	<0.20	ND	<0.40	<0.30	<0.20	<0.40	<1.0	<0.30	<0.20	<0.40	<u>1.72</u>	<0.20	<0.40	<0.10	<0.30	<0.20	<2.0
	10/25/10	NA	NA	<6.5	<0.20	ND	<0.40	<0.30	<0.20	<0.40	<1.0	<0.30	<0.20	<0.40	<u>1.3</u>	<0.20	<0.40	<0.10	<0.30	<0.20	<2.0
	10/24/11	NA	NA	<6.5	<0.20	ND	<0.40	<0.30	<0.20	<0.40	<1.0	<0.30	<0.20	<0.40	<0.40	<0.20	<0.40	<0.10	<0.30	<0.20	<2.0
	10/24/12	NA	NA	NA	<0.41	ND	<0.57	<0.83	<0.54	<0.43	<0.89	<0.45	<0.89	<0.67	<u>0.68 J</u>	<0.18	<1.8	<0.86	<0.42	<0.75	NA
	10/21/13	NA	NA	NA	<0.50	ND	<0.43	<0.42	<0.50	<0.36	<2.5	<0.47	<0.37	<0.44	<0.36	<0.18	<1.32	<0.35	<0.39	<0.28	NA
10/8/14	NA	NA	NA	<0.50	ND	<0.41	<0.26	<0.50	<0.23	<2.5	<0.50	<0.26	<0.50	<0.33	<0.18	<1.50	<0.50	<0.16	<0.24	NA	
10/7/15	NA	NA	NA	<0.50	ND	<0.41	<0.26	<0.50	<0.23	<2.5	<0.50	<0.26	<0.50	<0.33	<0.18	<1.5	<0.50	<0.20	<0.24	NA	
10/18/16	NA	NA	NA	<0.50	ND	<0.41	<0.26	<0.50	<0.23	<2.5	<0.50	<0.26	<0.50	<0.33	<0.18	<1.5	<0.50	<0.20	<0.24	NA	
Abandoned 10-24-2017																					
MW-2D	1/16/07	<0.010	8.81	<6.5	<0.15	ND	<0.15	0.28 J	<0.10	<0.40	<1.0	<0.10	<0.10	<0.40	<u>1.61</u>	<0.15	<0.50	<0.10	<0.10	<0.15	<2.0
	4/28/08	<0.010	7.72	<6.5	<0.15	ND	<0.15	0.28 J	<0.10	<0.40	<1.0	<0.10	<0.10	<0.40	<u>0.67 J</u>	<0.15	<0.50	<0.10	<0.10	<0.15	<2.0
	Abandoned 10-24-2017																				

**TABLE 2
LABORATORY RESULTS OF GROUNDWATER SAMPLES COLLECTED FROM MONITORING WELLS
FORMER GORSKI LANDFILL, MOSINEE, WI
RAMBOLL PROJECT NO. 1690004763**

Well Location	Sample Date	Iron (mg/L)	Sulfate (mg/L)	Acetone (ug/L)	Benzene (ug/L)	Chloro methane (ug/L)	1,1-DCE (ug/L)	cDCE (ug/L)	Ethyl benzene (ug/L)	Methylene Chloride (ug/L)	Naphthalene (ug/L)	Tetrachloroethene (ug/L)	tDCE (ug/L)	Toluene (ug/L)	TCE (ug/L)	VC (ug/L)	Xylene Totals (ug/L)	Styrene (ug/L)	1,1,2-TCA (ug/L)	1,1-DCA (ug/L)	THF (ug/L)
MW-3	8/8/03	0.014	10.8	NA	<0.31	ND	<0.39	<0.23	<0.5	<0.51	<0.8	<0.32	<0.39	<0.3	<0.36	<0.2	<0.92	<0.32	<0.5	<0.36	<2.0
	10/2/03	0.0119	9.42	NA	<0.31	ND	<0.39	<0.23	<0.5	<0.51	<0.8	<0.32	<0.39	<0.3	<0.36	<0.2	<0.92	<0.32	<0.5	<0.36	<2.0
	7/27/06	<0.010	12.3	<1.4	<0.23	ND	<0.25	<0.20	<0.21	<0.24	<0.37	<0.18	<0.29	<0.18	<0.13	<0.16	<0.19	<0.18	<0.10	<0.15	<2.0
	10/17/06	<0.010	8.75	<6.5	<0.15	ND	<0.15	<0.20	<0.10	<0.40	<1.00	<0.10	<0.10	<0.40	<0.20	<0.15	<0.50	<0.10	<0.10	<0.15	<2.0
	1/18/07	<0.010	11.2	<6.5	<0.15	ND	<0.15	<0.20	<0.10	<0.40	<1.00	<0.10	<0.10	<0.40	<0.20	<0.15	<0.50	<0.10	<0.10	<0.15	<2.0
	4/17/07	0.019	9.51	<6.5	<0.20	ND	<0.15	<0.20	<0.10	<0.40	<1.00	<0.10	<0.10	<0.40	<0.20	<0.20	<0.50	<0.10	<0.20	<0.20	<2.0
	7/17/07	<0.010	10.4	<6.5	<0.20	ND	<0.15	<0.20	<0.10	<0.40	<1.00	<0.10	<0.10	<0.40	<0.20	<0.20	<0.50	<0.10	<0.20	<0.20	<2.0
	10/23/07	<0.010	14.2	<6.5	<0.20	ND	<0.15	<0.20	<0.10	<0.40	<1.00	<0.10	<0.10	<0.40	<0.20	<0.20	<0.50	<0.10	<0.20	<0.20	<2.0
	2/6/08	0.015 J	9.77	<6.5	<0.20	ND	<0.40	<0.30	<0.20	<0.40	<1.00	<0.30	<0.20	<0.40	<0.40	<0.20	<0.40	<0.10	<0.30	<0.20	<2.0
	4/28/08	<0.010	10.1	<6.5	<0.20	ND	<0.40	<0.30	<0.20	<0.40	<1.00	<0.30	<0.20	<0.40	<0.40	<0.20	<0.40	<0.10	<0.30	<0.20	<2.0
	7/28/08	<0.010	9.58	<6.5	<0.20	ND	<0.40	<0.30	<0.20	<0.40	<1.00	<0.30	<0.20	<0.40	<0.40	<0.20	<0.40	<0.10	<0.30	<0.20	<2.0
	10/23/08	<0.010	11.1	<6.5	<0.20	ND	<0.40	<0.30	<0.20	<0.40	<1.00	<0.30	<0.20	<0.40	<0.40	<0.20	<0.40	<0.10	<0.30	<0.20	<2.0
	1/8/09	0.016 J	11.5	<6.5	<0.20	ND	<0.40	<0.30	<0.20	<0.40	<1.00	<0.30	0.30 J	<0.40	<0.40	<0.20	<0.40	<0.10	<0.30	<0.20	<2.0
	10/18/09	NA	NA	<6.5	<0.20	ND	<0.40	<0.30	<0.20	<0.40	<1.00	<0.30	<0.50	<0.40	<0.40	<0.20	<0.40	<0.10	<0.30	<0.20	<2.0
	10/22/10	NA	NA	<6.5	<0.20	ND	<0.40	<0.30	<0.20	<0.40	<1.00	<0.30	<0.50	<0.40	<0.40	<0.20	<0.40	<0.10	<0.30	<0.20	<2.0
10/24/11	NA	NA	<6.5	<0.20	ND	<0.40	<0.30	<0.20	<0.40	<1.00	<0.30	<0.50	<0.40	<0.40	<0.20	<0.40	<0.10	<0.30	<0.20	<2.0	
10/24/12	NA	NA	<0.41	<0.41	ND	<0.57	<0.83	<0.54	<0.43	<0.89	<0.45	<0.89	<0.67	<0.48	<0.18	<1.8	<0.86	<0.42	<0.75	NA	
Abandoned 10-21-2013																					
MW-3D	10/23/08	<0.010	10.8	<6.5	<0.20	ND	<0.40	<0.30	<0.20	<0.40	<1.00	<0.30	<0.20	<0.40	<0.40	<0.20	<0.40	<0.10	<0.30	<0.20	<2.0
	Abandoned 10-21-2013																				
MW-4	8/8/03	<0.01	8.15	NA	<0.31	ND	<0.39	<0.23	<0.5	<0.51	<0.8	<0.32	<0.39	<0.3	3.8	<0.2	<0.92	<0.32	<0.5	<0.36	<2.0
	10/2/03	0.143	7.17	NA	<0.31	ND	<0.39	<0.23	<0.5	<0.51	<0.8	<0.32	<0.39	<0.3	3.6	<0.2	<0.92	<0.32	<0.5	<0.36	<2.0
	7/27/06	<0.010	7.63	<1.4	<0.23	ND	<0.25	<0.20	<0.21	<0.24	<0.37	<0.18	<0.29	<0.18	<0.13	<0.16	<0.19	<0.18	<0.10	<0.15	<2.0
	10/17/06	<0.010	6.97	<6.5	<0.15	ND	<0.15	0.29 J	<0.10	<0.40	<1.0	0.14 J	<0.10	<0.40	3.67	<0.15	<0.50	<0.10	<0.10	<0.15	<2.0
	1/16/07	0.013 J	7.47	<6.5	<0.15	ND	<0.15	<0.20	0.14 J	<0.40	<1.0	0.11 J	<0.10	<0.40	2.93	<0.15	0.62 J	<0.10	<0.10	<0.15	<2.0
	4/18/07	0.028	6.89	<6.5	<0.20	ND	<0.40	0.49 J	<0.10	<0.40	<1.0	<0.30	<0.10	<0.40	7.91	<0.20	<0.50	<0.10	<0.20	<0.20	<2.0
	7/17/07	<0.010	8.7	<6.5	<0.20	ND	<0.40	<0.20	<0.10	<0.40	<1.0	<0.30	<0.10	<0.40	3.13	<0.20	<0.50	<0.10	<0.20	<0.20	<2.0
	10/25/07	<0.010	7.62	<6.5	<0.20	ND	<0.40	1.24	<0.10	<0.40	<1.0	<0.30	<0.10	<0.40	10.6	<0.20	<0.50	<0.10	<0.20	<0.20	<2.0
	2/6/08	0.026 J	7.45	<6.5	<0.20	ND	<0.40	1.87	<0.20	<0.40	<1.0	0.43 J	0.25 J	<0.40	14.9	<0.20	<0.40	<0.10	<0.30	<0.20	<2.0
	4/29/08	<0.010	7.38	<6.5	<0.20	ND	<0.40	0.98 J	<0.20	<0.40	<1.0	<0.30	<0.20	<0.40	13.0	<0.20	<0.40	<0.10	<0.30	<0.20	<2.0
	7/28/08	<0.010	6.57	<6.5	<0.20	ND	<0.40	<0.30	<0.20	<0.40	<1.0	<0.30	<0.20	<0.40	2.41	<0.20	<0.40	<0.10	<0.30	<0.20	<2.0
	10/22/08	<0.010	6.81	<6.5	<0.20	ND	<0.40	<0.30	<0.20	<0.40	<1.0	<0.30	<0.20	<0.40	2.70	<0.20	<0.40	<0.10	<0.30	<0.20	<2.0
	1/8/09	0.024 J	6.89	<6.5	<0.20	ND	<0.40	0.65 J	<0.20	<0.40	<1.0	0.30 J	<0.20	<0.40	7.53	<0.20	<0.40	<0.10	<0.30	<0.20	<2.0
	4/30/09	NA	NA	<6.5	<0.20	ND	<0.40	0.66 J	<0.20	<0.40	<1.0	<0.30	<0.20	<0.40	8.98	<0.20	<0.40	<0.10	<0.30	<0.20	<2.0
	10/19/09	NA	NA	<6.5	<0.20	ND	<0.40	<0.40	<0.20	<0.40	<1.0	<0.30	<0.20	<0.40	3.91	<0.20	<0.40	<0.10	<0.30	<0.20	<2.0
	4/1/10	NA	NA	<6.5	<0.20	ND	<0.40	0.58 J	<0.20	<0.40	<1.0	<0.30	<0.20	<0.40	6.80	<0.20	<0.40	<0.10	<0.30	<0.20	<2.0
	10/25/10	NA	NA	<6.5	<0.20	ND	<0.40	0.58 J	<0.20	<0.40	<1.0	<0.30	<0.20	<0.40	4.51	<0.20	<0.40	<0.10	<0.30	<0.20	<2.0
	10/25/11	NA	NA	<6.5	<0.20	ND	<0.40	<0.30	<0.20	<0.40	<1.0	<0.30	<0.20	<0.40	3.63	<0.20	<0.40	<0.10	<0.30	<0.20	<2.0
	10/24/12	NA	NA	NA	<0.41	ND	<0.57	<0.83	<0.54	<0.43	<0.89	<0.45	<0.89	<0.67	5.2	<0.18	<1.8	<0.86	<0.42	<0.75	NA
	10/21/13	NA	NA	NA	<0.50	ND	<0.43	<0.42	<0.50	<0.36	<2.5	<0.47	<0.37	<0.44	1.9	<0.18	NA	<0.35	<0.39	<0.28	NA
	10/8/14	NA	NA	NA	<0.50	ND	<0.41	0.53 J	<0.50	<0.23	<2.5	<0.50	<0.26	<0.50	4.2	<0.18	<1.50	<0.50	<0.16	<0.24	NA
10/7/15	NA	NA	NA	<0.50	ND	<0.41	0.97 J	<0.50	<0.23	<2.5	<0.50	<0.26	<0.50	5.0	<0.18	<1.5	<0.50	<0.20	<0.24	NA	
10/18/16	NA	NA	NA	<0.50	ND	<0.41	1.1	<0.50	<0.23	<2.5	<0.50	<0.26	<0.50	6.0	<0.18	<1.5	<0.50	<0.20	<0.24	NA	
10/24/17	NA	NA	NA	<0.50	22.2	<0.41	1.2	<0.50	<0.23	<2.5	<0.50	<0.26	<0.50	5.3	<0.18	<1.5	<0.50	<0.20	<0.24	NA	
10/24/18	NA	NA	NA	<0.25	<2.2	<0.24	<0.27	<0.22	<0.58	<1.2	<0.33	<1.1	<0.17	2.2	<0.17	<1.5	<0.47	<0.55	<0.27	NA	
MW-4D	10/24/17	NA	NA	NA	<0.50	<0.50	<0.41	1.1	<0.50	<0.23	<2.5	<0.50	<0.26	<0.50	4.8	<0.18	<1.5	<0.50	<0.20	<0.24	NA
	10/24/18	NA	NA	NA	<0.25	<2.2	<0.24	<0.27	<0.22	<0.58	<1.2	<0.33	<1.1	<0.17	2.3	<0.17	<1.5	<0.47	<0.55	<0.27	NA

**TABLE 2
LABORATORY RESULTS OF GROUNDWATER SAMPLES COLLECTED FROM MONITORING WELLS
FORMER GORSKI LANDFILL, MOSINEE, WI
RAMBOLL PROJECT NO. 1690004763**

Well Location	Sample Date	Iron (mg/L)	Sulfate (mg/L)	Acetone (ug/L)	Benzene (ug/L)	Chloro methane (ug/L)	1,1-DCE (ug/L)	cDCE (ug/L)	Ethyl benzene (ug/L)	Methylene Chloride (ug/L)	Naphthalene (ug/L)	Tetrachloroethene (ug/L)	tDCE (ug/L)	Toluene (ug/L)	TCE (ug/L)	VC (ug/L)	Xylene Totals (ug/L)	Styrene (ug/L)	1,1,2-TCA (ug/L)	1,1-DCA (ug/L)	THF (ug/L)
MW-5	7/26/06	<0.010	5.79	<6.5	<0.15	ND	<u>1.01</u>	148	<0.10	<0.40	<1.0	<u>0.68</u>	1.30	<0.40	31.2	<0.15	<0.50	<0.10	<0.10	<0.15	<2.0
	9/6/06	NA	NA	<32.5	<0.75	ND	<u>1.24</u>	215	<0.50	<2.00	<5.00	<u>1.28</u>	2.19	<2.00	45	2.5	<2.50	<0.10	<0.50	<0.75	<2.0
	10/18/06	<0.010	6.21	<6.5	<1.5	ND	<u>1.89</u>	239	<1.0	<4.00	<10.0	7.13	3.71	<4.0	47.2	<1.5	<4.00	<0.10	<1	<1.5	<2.0
	1/17/07	<0.010	21.1	<6.5	<1.5	ND	0.6	91.3	<0.10	<0.40	<1.0	<u>0.99</u>	1.38	<0.40	13.5	1.71	<0.40	<0.10	<0.10	<0.15	<2.0
	4/17/07	0.125	9.81	<32.5	<1.00	ND	<2.00	<u>27.6</u>	<0.50	<2.00	<5.00	<1.50	<1.00	<2.00	5.45	<1.00	<1.00	<0.10	<1	<1	<2.0
	7/19/07	<0.010	13.7	<32.5	<1.00	ND	<2.00	<u>62.2</u>	<0.50	<2.00	<5.00	<u>1.16</u>	1.87	<2.00	13.2	<1.00	<1.00	<0.10	<0.20	<0.20	<2.0
	10/23/07	0.021	11.1	<6.5	<0.20	ND	<0.40	<u>55.8</u>	<0.10	<0.40	<1.00	<u>0.78 J</u>	0.9	<0.40	11.6	<0.20	<0.20	<0.10	<0.20	<0.20	<2.0
	2/6/08	<0.010	7.71	<6.5	<0.20	ND	<0.40	71.8	<0.20	<0.40	<1.00	<u>1.06</u>	2.21	<0.40	14.2	<0.20	<0.40	<0.10	<0.30	<0.20	<2.0
	4/29/08	<0.010	13.7	<6.5	<0.20	ND	<0.40	3.13	<0.20	<0.40	<1.00	<0.30	<0.20	<0.40	<u>0.69 J</u>	<0.20	<0.40	<0.10	<0.30	<0.20	<2.0
	7/29/08	0.053	14.9	<6.5	<0.20	ND	<0.40	6.28	<0.20	<0.40	<1.00	<0.30	<0.20	<0.40	<u>2.06</u>	<0.20	<0.40	<0.10	<0.30	<0.20	<2.0
	10/23/08	0.022	11.3	<6.5	<0.20	ND	<0.40	<u>34.5</u>	<0.20	<0.40	<1.00	<u>0.99 J</u>	0.61 J	<0.40	12.6	<0.20	<0.40	<0.10	<0.30	<0.20	<2.0
	1/8/09	0.076 J	10.5	<6.5	<0.20	ND	0.59 J	<u>49.5</u>	<0.20	<0.40	<1.00	<u>1.1</u>	0.9	<0.40	13.9	<0.20	<0.40	<0.10	<0.30	<0.20	<2.0
	4/30/09	NA	NA	<6.5	<0.20	ND	<0.40	<0.40	<0.20	<0.40	<1.00	<0.30	<0.50	<0.40	<u>0.70 J</u>	<0.20	<0.40	<0.10	<0.30	<0.20	<2.0
	10/17/09	NA	NA	<6.5	<0.20	ND	<0.40	1.44	<0.20	<0.40	<1.00	<0.30	<0.50	<0.40	<u>0.72</u>	<0.20	<0.40	<0.10	<0.30	<0.20	<2.0
	4/1/10	NA	NA	<6.5	<0.20	ND	<0.40	0.46 J	<0.20	<0.40	<1.00	<0.30	<0.50	<0.40	<0.40	<0.20	<0.40	<0.10	<0.30	<0.20	<2.0
	10/27/10	NA	NA	<6.5	<0.20	ND	<0.40	7.18	<0.20	<0.40	<1.00	<u>0.43 J</u>	<0.50	<0.40	<u>1.99</u>	0.64 J	<0.40	<0.10	<0.30	<0.20	<2.0
	10/24/11	NA	NA	<6.5	<0.20	ND	<0.40	0.60 J	<0.20	<0.40	<1.00	<0.30	<0.50	<0.40	<0.40	<0.20	<0.40	<0.10	<0.30	<0.20	<2.0
	10/23/12	NA	NA	NA	<0.41	ND	<0.57	<0.83	<0.54	<0.43	<0.89	<0.45	<0.89	<0.67	<0.48	<0.18	<1.8	<0.86	<0.42	<0.75	NA
	10/21/13	NA	NA	NA	<0.50	ND	<0.43	<0.42	<0.50	<0.36	<2.5	<0.47	<0.37	<0.44	<0.36	<0.18	<1.32	<0.35	<0.39	<0.28	NA
	10/7/14	NA	NA	NA	<0.50	ND	<0.41	<0.26	<0.50	<0.23	<2.5	<0.50	<0.26	<0.50	<0.33	<0.18	<1.50	<0.50	<0.16	<0.24	NA
10/7/15	NA	NA	NA	<0.50	ND	<0.41	0.62 J	<0.50	<0.23	<2.5	<0.50	<0.26	<0.50	<0.33	<0.18	<1.5	<0.50	<0.20	<0.24	NA	
10/18/16	NA	NA	NA	<0.50	ND	<0.41	<0.26	<0.50	<0.23	<2.5	<0.50	<0.26	<0.50	<0.33	<0.18	<1.5	<0.50	<0.20	<0.24	NA	
Abandoned 10-24-2017																					
MW-5D	10/23/07	0.010	13.0	<6.5	<0.20	ND	0.043 J	<u>54.0</u>	<0.10	<0.40	<1.0	<u>0.73 J</u>	0.92	<0.40	11.4	<0.20	<0.40	<0.10	<0.20	<0.20	<2.0
	10/7/14	NA	NA	NA	<0.50	ND	<0.41	<0.26	<0.50	<0.23	<2.5	<0.50	<0.26	<0.50	<0.33	<0.18	<1.50	<0.50	<0.16	<0.24	NA
Abandoned 10-24-2017																					
MW-6	7/26/06	<0.010	10.1	<6.5	<0.15	ND	<0.15	6.15	<0.10	<0.40	<1.0	0.44 J	<0.10	<0.40	23.9	<0.15	<0.50	<0.10	<0.10	<0.15	<2.0
	10/17/06	0.016 J	8.71	<6.5	<0.15	ND	<0.15	3.15	<0.10	<0.40	<1.0	0.23 J	0.14 J	<0.40	11.2	<0.15	<0.50	<0.10	<0.10	<0.15	<2.0
	1/16/07	<0.010	9.14	<6.5	<0.15	ND	<0.15	2.67	<0.10	<0.40	<1.0	0.19 J	0.13 J	<0.40	10.1	<0.15	<0.50	<0.10	<0.10	<0.15	<2.0
	4/18/07	0.039	7.82	<6.5	<0.20	ND	<0.40	1.9	<0.10	<0.40	<1.0	<0.30	<0.20	<0.40	9.42	<0.20	<0.50	<0.30	<0.20	<0.20	<2.0
	7/17/07	<0.010	9.07	<6.5	<0.20	ND	<0.40	4.64	<0.10	<0.40	<1.0	<0.30	<0.20	<0.40	14.9	<0.20	<0.50	<0.30	<0.20	<0.20	<2.0
	10/25/07	0.049 J	10.1	<6.5	<0.20	ND	<0.40	4.38	<0.10	<0.40	<1.0	<0.30	<0.20	<0.40	14.2	<0.20	<0.50	<0.10	<0.20	<0.20	<2.0
	2/6/08	<0.010	10.2	<6.5	<0.20	ND	<0.40	3.23	<0.20	<0.40	<1.0	0.34 J	0.27 J	<0.40	12.1	<0.20	<0.40	<0.10	<0.30	<0.20	<2.0
	4/28/08	0.024 J	9.19	<6.5	<0.20	ND	<0.40	2.11	<0.20	<0.40	<1.0	<0.30	<0.20	<0.40	9.05	<0.20	<0.40	<0.10	<0.30	<0.20	<2.0
	7/28/08	<0.010	7.29	<6.5	<0.20	ND	<0.40	0.97 J	<0.20	<0.40	<1.0	<0.30	<0.20	<0.40	4.63	<0.20	<0.40	<0.10	<0.30	<0.20	<2.0
	10/22/08	<0.010	7.87	<6.5	<0.20	ND	<0.40	1.46	<0.20	<0.40	<1.0	<0.30	<0.20	<0.40	8.55	<0.20	<0.40	<0.10	<0.30	<0.20	<2.0
	1/9/09	0.014 J	6.91	<6.5	<0.20	ND	<0.40	1.45	<0.20	<0.40	<1.0	<0.30	<0.20	<0.40	8.53	<0.20	<0.40	<0.10	<0.30	<0.20	<2.0
	4/30/09	NA	NA	<6.5	<0.20	ND	<0.40	0.86 J	<0.20	<0.40	<1.0	<0.30	<0.20	<0.40	5.99	<0.20	<0.40	<0.10	<0.30	<0.20	<2.0
	10/18/09	NA	NA	<6.5	<0.20	ND	<0.40	4.72	<0.20	<0.40	<1.0	<0.30	<0.20	<0.40	16.7	<0.20	<0.40	<0.10	<0.30	<0.20	<2.0
	4/1/10	NA	NA	<6.5	<0.20	ND	<0.40	<0.40	<0.20	<0.40	<1.0	<0.30	<0.20	<0.40	<u>1.57</u>	<0.20	<0.40	<0.10	<0.30	<0.20	<2.0
	10/25/10	NA	NA	<6.5	<0.20	ND	<0.40	1.16 J	<0.20	<0.40	<1.0	<0.30	<0.20	<0.40	5.91	<0.20	<0.40	<0.10	<0.30	<0.20	<2.0
	10/24/11	NA	NA	<6.5	<0.20	ND	<0.40	1.04 J	<0.20	<0.40	<1.0	<0.30	<0.20	<0.40	<u>4.70</u>	<0.20	<0.40	<0.10	<0.30	<0.20	<2.0
	10/24/12	NA	NA	NA	<0.41	ND	<0.57	3.7	<0.54	<0.43	<0.89	<0.45	<0.89	<0.67	12.2	<0.18	<1.8	<0.86	<0.42	<0.75	NA
	10/21/13	NA	NA	NA	<0.50	ND	<0.43	<0.42	<0.50	<0.36	<2.5	<0.47	<0.37	<0.44	2.5	<0.18	<1.32	<0.35	<0.39	<0.28	NA
	10/8/14	NA	NA	NA	<0.50	ND	<0.41	0.92 J	<0.50	<0.23	<2.5	<0.50	<0.26	<0.50	<u>3.5</u>	<0.18	<1.50	<0.50	<0.16	<0.24	NA
	10/7/15	NA	NA	NA	<0.50	ND	<0.41	1.4	<0.50	<0.23	<2.5	<0.50	<0.26	<0.50	<u>4.5</u>	<0.18	<1.5	<0.50	<0.20	<0.24	NA
10/18/16	NA	NA	NA	<0.50	ND	<0.41	1.1	<0.50	<0.23	<2.5	<0.50	<0.26	<0.50	<u>3.5</u>	<0.18	<1.5	<0.50	<0.20	<0.24	NA	
10/24/17	NA	NA	NA	<0.50	4.9	<0.41	0.34 J	<0.50	<0.23	<2.5	<0.50	<0.26	<0.50	<u>1.9</u>	<0.18	<1.5	<0.50	<0.20	<0.24	NA	
10/24/18	NA	NA	NA	<0.25	<2.2	<0.24	2.3	<0.22	<0.58	<1.2	<0.33	<1.1	<0.17	5.2	<0.17	<1.5	<0.47	<0.55	<0.27	NA	

**TABLE 2
LABORATORY RESULTS OF GROUNDWATER SAMPLES COLLECTED FROM MONITORING WELLS
FORMER GORSKI LANDFILL, MOSINEE, WI
RAMBOLL PROJECT NO. 1690004763**

Well Location	Sample Date	Iron (mg/L)	Sulfate (mg/L)	Acetone (ug/L)	Benzene (ug/L)	Chloro methane (ug/L)	1,1-DCE (ug/L)	cDCE (ug/L)	Ethyl benzene (ug/L)	Methylene Chloride (ug/L)	Naphthalene (ug/L)	Tetrachloroethene (ug/L)	tDCE (ug/L)	Toluene (ug/L)	TCE (ug/L)	VC (ug/L)	Xylene Totals (ug/L)	Styrene (ug/L)	1,1,2-TCA (ug/L)	1,1-DCA (ug/L)	THF (ug/L)
MW-6D	4/18/07	<u>0.044</u>	7.74	<6.5	<0.20	ND	<0.40	2.00	<0.10	<0.40	<1.0	<0.30	<0.20	<0.40	9.86	<0.20	<0.50	<0.60	<0.20	<0.20	<2.0
	4/30/09	NA	NA	<6.5	<0.20	ND	<0.40	1.05 J	<0.10	<0.40	<1.0	<0.30	<0.20	<0.40	6.13	<0.20	<0.50	<0.60	<0.20	<0.20	<2.0
	10/18/09	NA	NA	<6.5	<0.20	ND	<0.40	4.65	<0.10	<0.40	<1.0	<0.30	<0.20	<0.40	16.8	<0.20	<0.50	<0.60	<0.20	<0.20	<2.0
PZ-1	8/8/03	<u>0.211</u>	140	NA	<0.31	ND	<0.39	<0.23	<0.5	<0.51	<0.8	<u>0.547</u>	<0.39	<0.3	6.46	<0.2	<0.92	<0.30	<0.5	<0.36	<2.0
	10/2/03	0.449	95.1	NA	<0.31	ND	<0.39	0.547	<0.5	<0.51	<0.8	<u>0.675</u>	<0.39	<0.3	7.35	<0.2	<0.92	<0.30	<0.5	<0.36	<2.0
	7/27/06	<u>0.199</u>	22.1	<1.4	<0.23	ND	<0.25	3.3	<0.21	<0.24	<0.37	<0.18	<0.29	<0.18	<u>1.3</u>	<0.16	<0.19	<0.18	<0.10	<0.15	<2.0
	10/18/06	0.018	60.0	<6.5	<0.15	ND	<0.15	3.16	<0.10	<0.40	<1.0	0.37	0.14	<0.40	<u>1.6</u>	<0.15	<0.40	<0.10	<0.10	<0.15	<2.0
	1/17/07	0.025 J	50.0	<6.5	<0.15	ND	<0.15	2.78	<0.10	<0.40	<1.0	0.28 J	0.10 J	<0.40	<u>1.13</u>	<0.15	<0.40	<0.10	<0.10	<0.15	<2.0
	4/18/07	0.100	20.3	<6.5	<0.20	ND	<0.15	3.23	<0.10	<0.40	<1.0	0.30	<0.20	<0.40	<u>1.28</u>	<0.20	<0.40	<0.10	<0.20	<0.20	<2.0
	7/19/07	0.083	27.7	<6.5	<0.20	ND	<0.15	2.87	<0.10	<0.40	<1.0	<0.30	<0.20	<0.40	<u>0.96</u>	<0.20	<0.40	<0.10	<0.20	<0.20	<2.0
	10/24/07	<u>0.151</u>	26.6	<6.5	<0.20	ND	<0.15	3.56	<0.10	<0.40	<1.0	<0.30	<0.20	<0.40	<u>0.97</u>	<0.20	<0.40	<0.10	<0.20	<0.20	<2.0
	2/6/08	<0.010	24.1	<6.5	<0.20	ND	<0.40	3.44	<0.20	<0.40	<1.0	0.49 J	<0.20	<0.40	<u>1.13 J</u>	<0.20	<0.40	<0.10	<0.30	<0.20	<2.0
	4/29/08	<0.010	25.4	<6.5	<0.20	ND	<0.40	2.39	<0.20	<0.40	<1.0	0.40 J	<0.20	<0.40	<u>0.59 J</u>	<0.20	<0.40	<0.10	<0.30	<0.20	<2.0
	7/28/08	0.39	15.4	<6.5	<0.20	ND	<0.40	2.08	<0.20	<0.40	<1.0	<0.30	<0.20	<0.40	<u>0.77J</u>	<0.20	<0.40	<0.10	<0.30	<0.20	<2.0
	10/23/08	<0.010	17.8	<6.5	<0.20	ND	<0.40	4.37	<0.20	<0.40	<1.0	<0.30	<0.20	<0.40	<u>1.22 J</u>	<0.20	<0.40	<0.10	<0.30	<0.20	<2.0
	1/9/09	0.049 J	15.5	<6.5	<0.20	ND	<0.40	5.66	<0.20	<0.40	<1.0	0.49 J	<0.20	<0.40	<u>1.46</u>	<0.20	<0.40	<0.10	<0.30	<0.20	<2.0
	4/30/09	NA	NA	<6.5	<0.20	ND	<0.40	4.75	<0.20	<0.40	<1.0	<0.30	<0.20	<0.40	<u>1.19 J</u>	<0.20	<0.40	<0.10	<0.30	<0.20	<2.0
	10/17/09	NA	NA	<6.5	<0.20	ND	<0.40	5.34	<0.20	<0.40	<1.0	0.31	<0.20	<0.40	<u>0.98 J</u>	<0.20	<0.40	<0.10	<0.30	<0.20	<2.0
	4/1/10	NA	NA	<6.5	<0.20	ND	<0.40	3.52	<0.20	<0.40	<1.0	0.36 J	<0.20	<0.40	<u>0.84 J</u>	<0.20	<0.40	<0.10	<0.30	<0.20	2.03 J
	10/27/10	NA	NA	<6.5	<0.20	ND	<0.40	2.57	<0.20	<0.40	<1.0	0.47 J	<0.20	<0.40	<u>0.72 J</u>	<0.20	<0.40	<0.10	<0.30	<0.20	<2.0
	10/25/11	NA	NA	<6.5	<0.20	ND	<0.40	2.70	<0.20	<0.40	<1.0	0.47 J	<0.20	<0.40	<u>0.51 J</u>	<0.20	<0.40	<0.10	<0.30	<0.20	<2.0
	10/23/12	NA	NA	NA	<0.41	ND	<0.57	2.1	<0.54	<0.43	<0.89	<0.45	<0.89	<0.67	<0.48	<0.18	<1.8	<0.86	<0.42	<0.75	NA
	10/21/13	NA	NA	NA	<0.50	ND	<0.43	0.44 J	<0.50	<0.36	<2.5	<0.47	<0.37	<0.44	<0.36	<0.18	<1.32	<0.35	<0.39	<0.28	NA
	10/7/14	NA	NA	NA	<0.50	ND	<0.41	0.51 J	<0.50	<0.23	<2.5	<0.50	<0.26	<0.50	<0.33	<0.18	<1.50	<0.50	<0.16	<0.24	NA
10/7/15	NA	NA	NA	<0.50	ND	<0.41	0.81 J	<0.50	<0.23	<2.5	<0.50	<0.26	<0.50	<0.33	<0.18	<1.5	<0.50	<0.20	<0.24	NA	
10/19/16	NA	NA	NA	<0.50	ND	<0.41	0.50 J	<0.50	<0.23	<2.5	<0.50	<0.26	<0.50	<0.33	<0.18	<1.5	<0.50	<0.20	<0.24	NA	
Abandoned 10-24-2017																					
PZ-1D	4/18/07	0.044	20.3	<6.5	<0.20	ND	<0.15	3.32	<0.10	<0.40	<1.0	0.31	<0.20	<0.40	<u>1.28</u>	<0.20	<0.40	<0.10	<0.20	<0.20	<2.0
	1/9/09	0.029 J	15.5	<6.5	<0.20	ND	<0.15	5.86	<0.10	<0.40	<1.0	0.60 J	<0.20	<0.40	<u>1.49</u>	<0.20	<0.40	<0.10	<0.20	<0.20	<2.0
	4/30/09	NA	NA	<6.5	<0.20	ND	<0.15	4.72	<0.10	<0.40	<1.0	0.45 J	<0.20	<0.40	<0.40	<0.20	<0.40	<0.10	<0.20	<0.20	<2.0
	10/17/09	NA	NA	<6.5	<0.20	ND	<0.15	5.45	<0.10	<0.40	<1.0	0.32 J	<0.20	<0.40	<0.40	<0.20	<0.40	<0.10	<0.20	<0.20	<2.0
Abandoned 10-24-2017																					
PZ-2	8/8/03	0.119	5.42	NA	<0.31	ND	<0.39	<0.23	<0.5	<0.51	<0.8	<0.32	<0.39	<0.3	<u>0.544</u>	<0.2	<0.92	<0.32	<0.5	<0.36	<2.0
	10/2/03	<u>0.206</u>	3.88	NA	<0.31	ND	<0.39	<0.23	<0.5	<0.51	<0.8	<0.32	<0.39	<0.3	<0.36	<0.2	<0.92	<0.32	<0.5	<0.36	<2.0
	7/27/06	13	7.76	<1.4	<0.23	ND	<0.25	<0.20	<0.21	<0.24	<0.37	<0.18	<0.29	<0.18	<0.13	<0.16	<0.19	<0.18	<0.10	<0.15	<2.0
	10/17/06	1.48	6.41	<6.5	<0.15	ND	<0.15	<0.20	<0.10	<0.40	<1.0	<0.10	<0.10	<0.40	<u>0.56</u>	<0.15	<0.50	<0.10	<0.10	<0.15	<2.0
	1/16/07	1.61	5.93	<6.5	<0.15	ND	<0.15	<0.20	<0.10	<0.40	<1.0	<0.10	<0.10	<0.40	<u>0.58</u>	<0.15	<0.50	<0.10	<0.10	<0.15	<2.0
	4/18/07	1.72	5.31	<6.5	<0.20	ND	<0.15	<0.20	<0.10	<0.40	<1.0	<0.30	<0.10	<0.40	<u>0.72</u>	<0.20	<0.50	<0.10	<0.20	<0.20	<2.0
	7/17/07	1.60	6.17	<6.5	<0.20	ND	<0.15	<0.20	<0.10	<0.40	<1.0	<0.30	<0.10	<0.40	<u>0.83</u>	<0.20	<0.50	<0.10	<0.20	<0.20	<2.0
	10/25/07	1.5	5.26	<6.5	<0.20	ND	<0.15	0.24 J	<0.10	<0.40	<1.0	<0.30	<0.10	<0.40	<u>0.64 J</u>	<0.20	<0.50	<0.10	<0.20	<0.20	<2.0
	2/6/08	1.79	4.85	<6.5	<0.20	ND	<0.40	<0.30	<0.20	<0.40	<1.0	<0.30	<0.20	<0.40	<u>0.77 J</u>	<0.20	<0.40	<0.10	<0.30	<0.20	<2.0
	4/28/08	1.26	5.16	<6.5	<0.20	ND	<0.40	<0.30	<0.20	<0.40	<1.0	<0.30	<0.20	<0.40	<u>0.84 J</u>	<0.20	<0.40	<0.10	<0.30	<0.20	<2.0
	7/29/08	1.13	6.43	<6.5	<0.20	ND	<0.40	<0.30	<0.20	<0.40	<1.0	<0.30	<0.20	<0.40	<u>0.78J</u>	<0.20	<0.40	<0.10	<0.30	<0.20	<2.0
	10/22/08	1.64	3.90	<6.5	<0.20	ND	<0.40	<0.30	<0.20	<0.40	<1.0	<0.30	<0.20	<0.40	<0.40	<0.20	<0.40	<0.10	<0.30	<0.20	<2.0
1/9/09	1.52	4.53	<6.5	<0.20	ND	<0.40	<0.30	<0.20	<0.40	<1.0	<0.30	0.50 J	<0.40	<u>1.24 J</u>	<0.20	<0.40	<0.10	<0.30	<0.20	<2.0	

**TABLE 2
LABORATORY RESULTS OF GROUNDWATER SAMPLES COLLECTED FROM MONITORING WELLS
FORMER GORSKI LANDFILL, MOSINEE, WI
RAMBOLL PROJECT NO. 1690004763**

Well Location	Sample Date	Iron (mg/L)	Sulfate (mg/L)	Acetone (ug/L)	Benzene (ug/L)	Chloro methane (ug/L)	1,1-DCE (ug/L)	cDCE (ug/L)	Ethyl benzene (ug/L)	Methylene Chloride (ug/L)	Naphthalene (ug/L)	Tetrachloroethene (ug/L)	tDCE (ug/L)	Toluene (ug/L)	TCE (ug/L)	VC (ug/L)	Xylene Totals (ug/L)	Styrene (ug/L)	1,1,2-TCA (ug/L)	1,1-DCA (ug/L)	THF (ug/L)
PZ-2 (cont.)	4/30/09	NA	NA	<6.5	<0.20	ND	<0.40	<0.30	<0.20	<0.40	<1.0	<0.30	<0.50	<0.40	<0.40	<0.20	<0.40	<0.10	<0.30	<0.20	<2.0
	10/18/09	NA	NA	<6.5	<0.20	ND	<0.40	<0.30	<0.20	<0.40	<1.0	<0.30	<0.50	<0.40	<0.40	<0.20	<0.40	<0.10	<0.30	<0.20	<2.0
	4/1/10	NA	NA	<6.5	<0.20	ND	<0.40	<0.30	<0.20	<0.40	<1.0	<0.30	<0.50	<0.40	0.44 J	<0.20	<0.40	<0.10	<0.30	<0.20	<2.0
	10/25/10	NA	NA	<6.5	<0.20	ND	<0.40	<0.30	<0.20	<0.40	<1.0	<0.30	<0.50	<0.40	1.45	<0.20	<0.40	<0.10	<0.30	<0.20	<2.0
	10/24/11	NA	NA	<6.5	<0.20	ND	<0.40	<0.30	<0.20	<0.40	<1.0	<0.30	<0.50	<0.40	<0.40	<0.20	<0.40	<0.10	<0.30	<0.20	<2.0
	10/24/12	NA	NA	NA	<0.41	ND	<0.57	<0.83	<0.54	<0.43	<0.89	<0.45	<0.89	<0.67	<0.48	<0.18	<1.8	<0.86	<0.42	<0.75	NA
	10/21/13	NA	NA	NA	NA	ND	<0.43	<0.42	<0.50	<0.36	<2.5	<0.47	<0.37	<0.44	<0.36	<0.18	<1.32	<0.35	<0.39	<0.28	NA
	10/8/14	NA	NA	NA	<0.50	ND	<0.41	<0.26	<0.50	<0.23	<2.5	<0.50	<0.26	<0.50	<0.33	<0.18	<1.50	<0.50	<0.16	<0.24	NA
	10/7/15	NA	NA	NA	<0.50	ND	<0.41	<0.26	<0.50	<0.23	<2.5	<0.50	<0.26	<0.50	<0.33	<0.18	<1.5	<0.50	<0.20	<0.24	NA
	10/18/16	NA	NA	NA	<0.50	ND	<0.41	<0.26	<0.50	<0.23	<2.5	<0.50	<0.26	<0.50	<0.33	<0.18	<1.5	<0.50	<0.20	<0.24	NA
Abandoned 10-24-2017																					
PZ-2D	10/2/03	0.306	4.09	NA	<0.31	ND	<0.39	<0.23	<0.5	<0.51	<0.8	<0.32	<0.39	<0.3	<0.36	<0.2	<0.92	<0.32	<0.5	<0.36	<2.0
	7/27/06	2.12	7.94	<1.4	<0.23	ND	<0.25	<0.20	<0.21	<0.24	<0.37	<0.18	<0.29	<0.18	<0.13	<0.16	<0.19	<0.18	<0.10	<0.15	<2.0
	10/17/06	1.46	6.35	<6.5	<0.15	ND	<0.15	<0.20	<0.10	<0.40	<1.0	<0.10	<0.10	<0.40	0.58	<0.15	<0.50	<0.10	<0.10	<0.15	<2.0
	7/28/08	1.17	5.03	<6.5	<0.15	ND	<0.15	<0.20	<0.10	<0.40	<1.0	<0.10	<0.10	<0.40	0.88J	<0.15	<0.50	<0.10	<0.10	<0.15	<2.0
	10/22/08	1.51	3.84	<6.5	<0.15	ND	<0.15	<0.20	<0.10	<0.40	<1.0	<0.10	<0.10	<0.40	<0.40	<0.15	<0.50	<0.10	<0.10	<0.15	<2.0
	10/18/16	NA	NA	NA	<0.50	ND	<0.41	<0.26	<0.50	<0.23	<2.5	<0.50	<0.26	<0.50	<0.33	<0.18	<1.50	<0.50	<0.20	<0.24	NA
Abandoned 10-24-2017																					
PZ-3	7/27/06	<0.010	5.85	19	4.8	ND	12	4,000	23	<0.24	1.4	<0.18	27	6.5	300	580	5.4	<0.18	<0.24	<0.15	<200
	9/6/06	NA	NA	<32.5	5.3	ND	11	4,300	35.6	<2.00	<5.00	<0.50	28.4	7.75	356	685	9.89	<0.50	1.20 J^A	<0.75	<200
	10/18/06	<0.010	10.7	<65	3.17	ND	6.45	2,470	18.4	<4.00	<1.00	<1.0	25.7	5.07	261	677	3.36	<1.0	1.00 J^A	<1.5	<200
	1/17/07	0.011 J	54.2	<6.5	0.16 J	ND	6.4	1,650	<0.10	<0.40	<1.00	0.14 J	16.1	<0.40	99.8	9.71	<0.40	<1.0	0.6^A	0.20 J	<200
	4/17/07	0.029	50.7	<32.5	<1.00	ND	3.31	1,480	<0.50	<2.00	<5.00	<1.50	8.82	<2.00	47.9	11.1	<2.00	<1.5	<1	<1	<200
	7/19/07	<0.010	49.1	<650	<20	ND	<40	1,410	<10	<40	<100	<30	<20	<40	53.9	<20	<40	<10	<20	<20	<200
	10/24/07	0.061 J	20.7	<6.5	5.08	ND	9.18	2,530	35.9	<0.40	1.68 J	<0.30	31.3	11.5	118	392	3.37	<0.10	1.09^A	0.28 J	<200
	2/6/08	0.223	6.05	<6.5	5.41	ND	8.98	2,830	16.5	<0.40	1.05 J	<0.30	36.7	9.1	109 J	593	5.38	<0.10	0.92 J^A	0.32 J	<200
	4/29/08	1.37	6.94	<65	5.69 J	ND	14	3,240	14	<4.0	<10	<3.0	109	9.93 J	160	945	2.21 J	<1.0	<3.0	<2.0	<200
	7/29/08	<0.010	33.3	<65	<2.00	ND	4.11J	1,570	<2.0	<4.0	<10	<3.0	13.9	<4.0	55.7	10.1	<4.0	<1.0	<3.0	<2.0	<200
	10/23/08	<0.010	29.7	<65	0.27 J	ND	4.5	1,500	0.61 J	<4.0	<10	<3.0	22.5	0.47 J	72.7	39.1	<4.0	<1.0	<3.0	<2.0	<200
	1/9/09	<0.010	8.16	<650	<20	ND	<40	3,470	<20	<40	<100	<30	43.5	<40	141	771	<20	<10	<30	<20	<200
	4/30/09	NA	NA	<650	<20	ND	<40	3,870	33.8 J	<40	<100	<30	<50	<40	189	920	77.3 J	<10	<30	<20	<200
	10/17/09	NA	NA	<6.50	<0.20	ND	3.79	1,300	<0.20	<0.40	<1.00	<0.30	15.8	<0.40	40.2	3.95	<0.40	<0.10	0.50 J	<0.40	<200
	4/1/10	NA	NA	<650	<20	ND	<40	1,600	<20	<40	<100	<30	<50	<40	<40	<10	<40	<10	<40	<40	<200
	10/27/10	NA	NA	<650	<20	ND	<40	936	<20	<40	<100	<30	<50	<40	<40	<10	<40	<10	<40	<40	<200
	10/24/11	NA	NA	<6.5	<0.20	ND	1.7	752	<0.20	<0.40	<1.0	<0.30	8.09	<0.40	12.7	4.36	<0.40	0.2	<0.30	<0.20	<2.0
	10/23/12	NA	NA	NA	<1.6	ND	<2.3	340	<2.2	<1.7	<3.6	<1.8	4.2	<2.7	6.1	<0.72	<0.72	<3.4	<1.7	<3.0	NA
	10/21/13	NA	NA	NA	<0.50	ND	<0.43	186	<0.50	<0.36	<2.5	<0.47	2.8	<0.44	5.2	0.38 J	<1.32	<0.35	<0.39	<0.28	NA
	10/7/14	NA	NA	NA	<0.50	ND	<0.41	86.5	<0.50	<0.23	<2.5	<0.50	1.7	<0.50	3.5	0.81 J	<1.50	<0.50	<0.16	<0.24	NA
10/7/15	NA	NA	NA	<0.50	ND	<0.41	47.5	<0.50	<0.23	<2.5	<0.50	<0.26	<0.50	3.0	<0.18	<1.5	<0.50	<0.20	<0.24	NA	
10/19/16	NA	NA	NA	<0.50	ND	<0.41	28.2	<0.50	<0.23	<2.5	<0.50	0.84 J	<0.50	2.4	<0.18	<1.5	<0.50	<0.20	<0.24	NA	
10/24/17	NA	NA	NA	<0.50	3.1	<0.41	14.9	<0.50	<0.23	<2.5	<0.50	0.59 J	<0.50	1.7	<0.18	<1.5	<0.50	<0.20	<0.24	NA	
10/24/18	NA	NA	NA	<0.25	<2.2	<0.24	10.4	<0.22	<0.58	<1.2	<0.33	<1.1	<0.17	1.2	<0.17	<1.5	<0.47	<0.55	<0.27	NA	
PZ-3D	7/19/07	<0.010	47.9	<650	<20	ND	<40	1,400	<10	<40	<100	<30	<20	<40	59.7 J	<20	<20	<10	<20	<20	<200
	4/29/08	1.43	6.98	<65	6.65 J	ND	10.3 J	3,670	13.7	<4.0	<10	<3.0	94.6	11.6 J	158	981	3.67 J	<1.0	<3.0	<2.0	<200
	10/24/11	NA	NA	<6.5	<0.20	ND	1.37	667	<0.20	<0.40	<1.0	<0.30	7.43	<0.40	11.3	3.59	<0.40	0.27 J	<0.30	<0.20	<2.0
	10/24/12	NA	NA	NA	<1.6	ND	<2.3	348	<2.2	<1.7	<3.6	<1.8	5.5	<2.7	6.2	0.99 J	<7.2	<3.4	<1.7	<3.0	NA

**TABLE 2
LABORATORY RESULTS OF GROUNDWATER SAMPLES COLLECTED FROM MONITORING WELLS
FORMER GORSKI LANDFILL, MOSINEE, WI
RAMBOLL PROJECT NO. 1690004763**

Well Location	Sample Date	Iron (mg/L)	Sulfate (mg/L)	Acetone (ug/L)	Benzene (ug/L)	Chloro methane (ug/L)	1,1-DCE (ug/L)	cDCE (ug/L)	Ethyl benzene (ug/L)	Methylene Chloride (ug/L)	Naphthalene (ug/L)	Tetrachloroethene (ug/L)	tDCE (ug/L)	Toluene (ug/L)	TCE (ug/L)	VC (ug/L)	Xylene Totals (ug/L)	Styrene (ug/L)	1,1,2-TCA (ug/L)	1,1-DCA (ug/L)	THF (ug/L)
PZ-4	7/26/06	<0.010	8.36	<6.5	<0.15	ND	<0.15	2.78	<0.10	<0.40	<1.0	0.46 J	<0.10	<0.40	16.5	<0.15	<0.50	<0.10	<0.10	<0.15	<2.0
	10/17/06	<0.010	7.60	<6.5	<0.15	ND	<0.15	3.04	<0.10	<0.40	<1.0	0.48 J	0.13 J	<0.40	16	<0.15	<0.50	<0.10	<0.10	<0.15	<2.0
	1/16/07	<0.010	7.96	<6.5	<0.15	ND	<0.15	3.27	<0.10	<0.40	<1.0	0.59	0.12 J	<0.40	17.8	<0.15	<0.50	<0.10	<0.10	<0.15	<2.0
	4/18/07	0.033	7.56	<6.5	<0.20	ND	<0.40	3.51	<0.10	<0.40	<1.0	0.63	<0.20	<0.40	21.1	<0.20	<0.40	<0.10	<0.20	<0.20	<2.0
	7/17/07	<0.010	8.01	<6.5	<0.20	ND	<0.40	2.53	<0.10	<0.40	<1.0	0.35 J	<0.20	<0.40	13.6	<0.20	<0.40	<0.10	<0.20	<0.20	<2.0
	10/25/07	<0.010	8.46	<6.5	<0.20	ND	<0.40	3.14	<0.10	<0.40	<1.0	0.42 J	<0.20	<0.40	16.1	<0.20	<0.40	<0.10	<0.20	<0.20	<2.0
	2/7/08	<0.010	7.46	<6.5	<0.20	ND	<0.40	3.87	<0.20	<0.40	<1.0	0.60 J	0.34 J	<0.40	17.5	<0.20	<0.40	<0.10	<0.30	<0.20	<2.0
	4/28/08	<0.010	7.59	<6.5	<0.20	ND	<0.40	3.68	<0.20	<0.40	<1.0	0.80 J	0.34 J	<0.40	20.4	<0.20	<0.40	<0.10	<0.30	<0.20	<2.0
	7/28/08	<0.010	7.29	<6.5	<0.20	ND	<0.40	4.58	<0.20	<0.40	<1.0	0.56 J	<0.20	<0.40	20	<0.20	<0.40	<0.10	<0.30	<0.20	<2.0
	10/22/08	<0.010	8.03	<6.5	<0.20	ND	<0.40	5.25	<0.20	<0.40	<1.0	0.62 J	<0.20	<0.40	21.4	<0.20	<0.40	<0.10	<0.30	<0.20	<2.0
	1/9/09	<0.010	7.39	<6.5	<0.20	ND	<0.40	4.89	<0.20	<0.40	<1.0	0.60 J	<0.20	<0.40	21.5	<0.20	<0.40	<0.10	<0.30	<0.20	<2.0
	4/30/09	NA	NA	<6.5	<0.20	ND	<0.40	4.45	<0.20	<0.40	<1.0	<0.30	<0.20	<0.40	19.2	<0.20	<0.40	<0.10	<0.30	<0.20	<2.0
	10/18/09	NA	NA	<6.5	<0.20	ND	<0.40	3.40	<0.20	<0.40	<1.0	0.39 J	<0.20	<0.40	14.7	<0.20	<0.40	<0.10	<0.30	<0.20	<2.0
	4/1/10	NA	NA	<6.5	<0.20	ND	<0.40	3.75	<0.20	<0.40	<1.0	0.44 J	<0.20	<0.40	17.4	<0.20	<0.40	<0.10	<0.30	<0.20	<2.0
	10/25/10	NA	NA	<6.5	<0.20	ND	<0.40	4.48	<0.20	<0.40	<1.0	0.61 J	<0.20	<0.40	21.6	<0.20	<0.40	<0.10	<0.30	<0.20	<2.0
	10/24/11	NA	NA	<6.5	<0.20	ND	<0.40	3.43	<0.20	<0.40	<1.0	0.34 J	<0.20	<0.40	13.8	<0.20	<0.40	<0.10	<0.30	<0.20	<2.0
	10/24/12	NA	NA	NA	<0.41	ND	<0.57	4.5	<0.54	<0.43	<0.89	0.49 J	<0.89	<0.67	18.3	<0.18	<1.8	<0.86	<0.42	<0.75	NA
	10/21/13	NA	NA	NA	<0.50	ND	<0.43	4.2	<0.50	<0.36	<2.5	<0.47	<0.37	<0.44	15.9	<0.18	<1.32	<0.35	<0.39	<0.28	NA
	10/8/14	NA	NA	NA	<0.50	ND	<0.41	3.5	<0.50	<0.23	<2.5	<0.50	<0.26	<0.50	11.9	<0.18	<1.50	<0.50	<0.16	<0.24	NA
	10/7/15	NA	NA	NA	<0.50	ND	<0.41	1.4	<0.50	<0.23	<2.5	<0.50	<0.26	<0.50	8.8	<0.18	<1.5	<0.50	<0.20	<0.24	NA
10/18/16	NA	NA	NA	<0.50	ND	<0.41	2.1	<0.50	<0.23	<2.5	<0.50	<0.26	<0.50	8.1	<0.18	<1.5	<0.50	<0.20	<0.24	NA	
10/24/17	NA	NA	NA	<0.50	12.2	<0.41	1.5	<0.50	<0.23	<2.5	<0.50	<0.26	<0.50	6.2	<0.18	<1.5	<0.50	<0.20	<0.24	NA	
10/24/18	NA	NA	NA	<0.25	<2.2	<0.24	1.4	<0.22	<0.58	<1.2	<0.33	<1.1	<0.17	6.6	<0.17	<1.5	<0.47	<0.55	<0.27	NA	
PZ-4D	10/25/07	<0.010	8.37	<6.5	<0.20	ND	<0.40	3.1	<0.10	<0.40	<1.0	0.43 J	<0.20	<0.40	16	<0.20	<0.40	<0.10	<0.20	<0.20	<2.0
	2/7/08	<0.010	7.43	<6.5	<0.20	ND	<0.40	3.69	<0.20	<0.40	<1.0	0.62 J	0.28 J	<0.40	17.7	<0.20	<0.40	<0.10	<0.30	<0.20	<2.0
G-2	8/8/03	0.025	5.66	NA	<0.31	ND	<0.39	<0.23	<0.5	<0.51	<0.8	<0.32	<0.39	<0.3	<0.36	<0.2	<0.92	<0.10	<0.5	<0.36	<2.0
	4/18/07	0.027	5.29	<6.5	<0.20	ND	<0.40	<0.20	<0.10	<0.40	<1.0	<0.30	<0.20	<0.40	<0.20	<0.20	<0.40	<0.10	<0.20	<0.20	<2.0
	10/23/07	0.010	6.30	<6.5	<0.20	ND	<0.40	<0.20	<0.10	<0.40	<1.0	<0.30	<0.20	<0.40	<0.20	<0.20	<0.40	<0.10	<0.20	<0.20	<2.0
	4/29/08	<0.010	5.48	<6.5	<0.20	ND	<0.40	<0.20	<0.10	<0.40	<1.0	<0.30	<0.20	<0.40	<0.20	<0.20	<0.40	<0.10	<0.20	<0.20	<2.0
	10/22/10	NA	NA	<6.5	<0.20	ND	<0.40	<0.20	<0.10	<0.40	<1.0	<0.30	<0.20	<0.40	<0.20	<0.20	<0.40	<0.10	<0.20	<0.20	<2.0
Abandoned 10-21-2013																					
G-3	7/28/03	NA	NA	NA	<1	ND	<1	<1	<1	<5	<5	<1	<1	<1	<1	<2	<3	<1	<1	<1	<2.0
	8/8/03	0.022	25.8	NA	<0.31	ND	<0.39	<0.23	<0.5	<0.51	<0.8	<0.32	<0.39	<0.3	<0.36	<0.2	<0.92	<0.32	<0.5	<0.36	<2.0
	10/2/03	<0.01	14.6	NA	<0.31	ND	<0.39	<0.23	<0.5	<0.51	<0.8	<0.32	<0.39	<0.3	<0.36	<0.2	<0.92	<0.32	<0.5	<0.36	<2.0
	7/26/06	0.108	21.4	<6.5	<0.15	ND	<0.15	<0.20	<0.10	<0.40	<1.0	<0.01	<0.10	<0.40	<0.02	<0.15	<0.50	<0.10	<0.10	<0.15	<2.0
	10/18/06	0.043	12	<6.5	<0.15	ND	<0.15	<0.20	<0.10	<0.40	<1.0	<0.10	<0.10	<0.40	<0.020	<0.15	<0.50	<0.10	<0.10	<0.15	<2.0
	1/18/07	0.013	18.7	<6.5	<0.15	ND	<0.15	<0.20	<0.10	<0.40	<1.0	<0.10	<0.10	<0.40	<0.020	<0.15	<0.50	<0.10	<0.10	<0.15	<2.0
	4/17/07	0.025	11.5	<6.5	<0.15	ND	<0.15	<0.20	<0.10	<0.40	<1.0	<0.10	<0.10	<0.40	<0.020	<0.20	<0.50	<0.10	<0.20	<0.20	<2.0
	7/17/07	<0.010	16.6	<6.5	<0.15	ND	<0.15	<0.20	<0.10	<0.40	<1.0	<0.10	<0.10	<0.40	<0.020	<0.20	<0.50	<0.10	<0.20	<0.20	<2.0
	10/24/07	<0.010	18.4	<6.5	<0.15	ND	<0.15	<0.20	<0.10	<0.40	<1.0	<0.10	<0.10	<0.40	<0.020	<0.20	<0.50	<0.10	<0.20	<0.20	<2.0
	2/6/08	<0.010	28	<6.5	<0.20	ND	<0.40	0.41 J	<0.20	<0.40	<1.0	<0.30	<0.20	<0.40	<0.40	<0.20	<0.40	<0.10	<0.30	<0.20	<2.0
	4/29/08	<0.010	21.9	<6.5	<0.20	ND	<0.40	<0.30	<0.20	<0.40	<1.0	<0.30	<0.20	<0.40	<0.40	<0.20	<0.40	<0.10	<0.30	<0.20	<2.0
	7/29/08	<0.010	12.4	<6.5	<0.20	ND	<0.40	0.38J	<0.20	<0.40	<1.0	<0.30	<0.20	<0.40	<0.40	<0.20	<0.40	<0.10	<0.30	<0.20	<2.0
	10/22/08	0.015 J	23.7	<6.5	<0.20	ND	<0.40	0.38J	<0.20	<0.40	<1.0	<0.30	<0.20	<0.40	<0.40	<0.20	<0.40	<0.10	<0.30	<0.20	<2.0
	1/8/09	0.033 J	29.5	<6.5	<0.20	ND	<0.40	<0.30	<0.20	<0.40	<1.0	<0.30	<0.20	<0.40	<0.40	<0.20	<0.40	<0.10	<0.30	<0.20	<2.0
10/17/09	NA	NA	<6.5	<0.20	ND	<0.40	<0.30	<0.20	<0.40	<1.0	<0.30	<0.20	<0.40	<0.40	<0.20	<0.40	<0.10	<0.30	<0.20	<2.0	
10/22/10	NA	NA	<6.5	<0.20	ND	<0.40	<0.30	<0.20	<0.40	<1.0	<0.30	<0.20	<0.40	<0.40	<0.20	<0.40	<0.10	<0.30	<0.20	<2.0	
G-3D	7/19/07	<0.010	20.8	<6.5	<0.15	ND	<0.15	<0.20	<0.10	<0.40	<1.0	<0.10	<0.10	<0.40	<0.020	<0.20	<0.50	<0.10	<0.20	<0.20	<2.0
	2/6/08	<0.010	29.1	<6.5	<0.20	ND	<0.40	<0.30	<0.20	<0.40	<1.0	<0.30	<0.20	<0.40	<0.40	<0.20	<0.40	<0.10	<0.30	<0.20	<2.0

**TABLE 2
LABORATORY RESULTS OF GROUNDWATER SAMPLES COLLECTED FROM MONITORING WELLS
FORMER GORSKI LANDFILL, MOSINEE, WI
RAMBOLL PROJECT NO. 1690004763**

Well Location	Sample Date	Iron (mg/L)	Sulfate (mg/L)	Acetone (ug/L)	Benzene (ug/L)	Chloro methane (ug/L)	1,1-DCE (ug/L)	cDCE (ug/L)	Ethyl benzene (ug/L)	Methylene Chloride (ug/L)	Naphthalene (ug/L)	Tetrachloroethene (ug/L)	tDCE (ug/L)	Toluene (ug/L)	TCE (ug/L)	VC (ug/L)	Xylene Totals (ug/L)	Styrene (ug/L)	1,1,2-TCA (ug/L)	1,1-DCA (ug/L)	THF (ug/L)
G-4A	7/28/03	NA	NA	NA	<1	ND	<1	<1	<1	<5	<5	<1	<1	<1	<1	<2	<3	<1	<1	<1	<2.0
	8/8/03	0.016	7.13	NA	<0.31	ND	<0.39	<0.23	<0.5	<0.51	<0.8	<0.32	<0.39	<0.3	<0.36	<0.2	<0.92	<0.32	<0.5	<0.36	<2.0
	10/2/03	0.0482	8.29	NA	<0.31	ND	<0.39	<0.23	<0.5	<0.51	<0.8	<0.32	<0.39	<0.3	<0.36	<0.2	<0.92	<0.32	<0.5	<0.36	<2.0
	7/28/06	<0.010	11.5	<1.4	<0.23	ND	<0.25	<0.20	<0.21	<0.24	<0.37	<0.18	<0.29	<0.18	<0.13	<0.16	<0.19	<0.10	<0.10	<0.15	<2.0
	10/18/06	<0.010	5.7	<6.5	<0.15	ND	<0.15	<0.20	<0.10	<0.40	<1.0	<0.70	<0.10	<0.40	<0.20	<0.15	<0.40	<0.10	<0.10	<0.15	<2.0
	1/17/07	<0.010	7.76	<6.5	<0.15	ND	<0.15	0.73	<0.10	<0.40	<1.0	<0.70	<0.10	<0.40	<0.20	<0.15	<0.40	<0.10	<0.10	<0.15	<2.0
	4/18/07	0.31	6.69	<6.5	<0.20	ND	<0.15	<0.20	<0.10	<0.40	<1.0	<0.70	<0.10	<0.40	<0.20	<0.20	<0.40	<0.10	<0.20	<0.20	<2.0
	7/19/07	<0.010	9.23	<6.5	<0.20	ND	<0.15	<0.20	<0.10	<0.40	<1.0	<0.70	<0.10	<0.40	<0.20	<0.20	<0.40	<0.10	<0.20	<0.20	<2.0
	10/23/07	0.016 J	10.7	<6.5	<0.20	ND	<0.15	<0.20	<0.10	<0.40	<1.0	<0.70	<0.10	<0.40	<0.20	<0.20	<0.40	<0.10	<0.20	<0.20	<2.0
	2/6/08	<0.010	7.32	<6.5	<0.20	ND	<0.40	<0.30	<0.20	<0.40	<1.0	<0.30	<0.20	<0.40	<0.40	<0.20	<0.40	<0.10	<0.30	<0.20	<2.0
	4/29/08	<0.010	9.25	<6.5	<0.20	ND	<0.40	<0.30	<0.20	<0.40	<1.0	<0.30	<0.20	<0.40	<0.40	<0.20	<0.40	<0.10	<0.30	<0.20	<2.0
	7/29/08	<0.010	6.72	<6.5	<0.20	ND	<0.40	<0.30	<0.20	<0.40	<1.0	<0.30	<0.20	<0.40	<0.40	<0.20	<0.40	<0.10	<0.30	<0.20	<2.0
	10/23/08	<0.010	10.4	<6.5	<0.20	ND	<0.40	<0.30	<0.20	<0.40	<1.0	<0.30	<0.20	<0.40	<0.40	<0.20	<0.40	<0.10	<0.30	<0.20	<2.0
	10/17/09	NA	NA	<6.5	<0.20	ND	<0.40	<0.30	<0.20	<0.40	<1.0	<0.30	<0.20	<0.40	<0.40	<0.20	<0.40	<0.10	<0.30	<0.20	<2.0
	10/29/10	NA	NA	<6.5	<0.20	ND	<0.40	<0.30	<0.20	<0.40	<1.0	<0.30	<0.20	<0.40	<0.40	<0.20	<0.40	<0.10	<0.30	<0.20	<2.0
10/25/11	NA	NA	<6.5	<0.20	ND	<0.40	<0.30	<0.20	<0.40	<1.0	<0.30	<0.20	<0.40	<0.40	<0.20	<0.40	<0.10	<0.30	<0.20	<2.0	
10/24/12	NA	NA	NA	<0.41	ND	<0.57	<0.83	<0.54	<0.43	<0.89	<0.45	<0.89	<0.67	<0.48	<0.18	<1.8	<0.86	<0.42	<0.75	NA	
Abandoned 10-21-2013																					
G-4B	7/28/03	NA	NA	NA	<1	ND	<1	<1	<1	<5	<5	<1	<1	<1	<1	<2	<3	<1	<1	<1	<2.0
	8/8/03	0.04	6.15	NA	<0.31	ND	<0.39	<0.23	<0.5	<0.51	<0.8	<0.32	<0.39	<0.3	<0.36	<0.2	<0.92	<0.32	<0.5	<0.36	<2.0
	10/2/03	0.0433	7.47	NA	<0.31	ND	<0.39	<0.23	<0.5	<0.51	<0.8	<0.32	<0.39	<0.3	<0.36	<0.2	<0.92	<0.32	<0.5	<0.36	<2.0
	7/28/06	<0.010	12.1	20	<0.23	ND	<0.25	<0.20	<0.21	<0.24	<0.37	<0.18	<0.29	<0.18	<0.13	<0.16	<0.19	<0.18	<0.10	<0.15	<2.0
	10/18/06	0.041 J	11.4	19.7	<0.15	ND	<0.15	<0.20	0.14 J	<0.40	<1.00	<0.10	<0.10	<0.40	<0.20	<0.15	<0.40	<0.10	<0.10	<0.15	<2.0
	1/17/07	0.032 J	14.1	15.7 J	<0.15	ND	<0.15	0.20 J	<0.10	<0.40	<1.00	<0.10	<0.10	<0.40	<0.20	<0.15	<0.40	<0.10	<0.10	<0.15	<2.0
	4/18/07	0.052	13.4	8.67	<0.20	ND	<0.15	<0.10	<0.10	<0.40	<1.00	<0.10	<0.10	<0.40	<0.20	<0.20	<0.40	<0.10	<0.20	<0.20	<2.0
	7/19/07	0.025	14.7	9.37	<0.20	ND	<0.15	<0.10	<0.10	<0.40	<1.00	<0.10	<0.10	<0.40	<0.20	<0.20	<0.40	0.21 J	<0.20	<0.20	<2.0
	10/24/07	0.021 J	14.5	10.9 J	<0.20	ND	<0.15	<0.10	0.10 J	<0.40	<1.00	<0.10	<0.10	<0.40	<0.20	<0.20	<0.40	<0.010	<0.20	<0.20	<2.0
	2/6/08	0.017 J	12.9	9.92 J	<0.20	ND	<0.40	0.60 J	<0.20	<0.40	<1.00	<0.30	<0.20	<0.40	<0.40	<0.20	<0.40	0.337 J	<0.30	<0.20	<2.0
	4/29/08	0.020 J	12.6	9.06 J	<0.20	ND	<0.40	<0.30	<0.20	<0.40	<1.00	<0.30	<0.20	<0.40	<0.40	<0.20	<0.40	0.21 J	<0.30	<0.20	<2.0
	7/29/08	0.017J	11.7	8.23J	<0.20	ND	<0.40	0.48J	<0.20	<0.40	<1.00	<0.30	<0.20	<0.40	<0.40	<0.20	<0.40	0.31J	<0.30	<0.20	<2.0
	10/23/08	0.017J	12.6	6.97 J	<0.20	ND	<0.40	<0.30	<0.20	<0.40	<1.00	<0.30	<0.20	<0.40	<0.40	<0.20	<0.40	0.31J	<0.30	<0.20	<2.0
	1/9/09	0.016 J	11.2	7.73 J	<0.20	ND	<0.40	<0.30	<0.20	<0.40	<1.00	<0.30	<0.20	<0.40	<0.40	<0.20	<0.40	0.28 J	<0.30	<0.20	<2.0
	10/17/09	NA	NA	10.9	<0.20	ND	<0.40	<0.30	<0.20	<0.40	<1.00	<0.30	<0.20	<0.40	<0.40	<0.20	<0.40	0.22	<0.30	<0.20	<2.0
10/29/10	NA	NA	11.1	<0.20	ND	<0.40	<0.30	<0.20	<0.40	<1.00	<0.30	<0.20	<0.40	<0.40	<0.20	<0.40	0.12	<0.30	<0.20	<2.0	
10/25/11	NA	NA	10.5 J	<0.20	ND	<0.40	<0.30	<0.20	<0.40	<1.00	<0.30	<0.20	<0.40	<0.40	<0.20	<0.40	0.25 J	<0.30	<0.20	<2.0	
10/24/12	NA	NA	NA	<0.41	ND	<0.57	<0.83	<0.54	<0.43	<0.89	<0.45	<0.89	<0.67	<0.48	<0.18	<1.8	<0.86	<0.42	<0.75	NA	
Abandoned 10-21-2013																					

**TABLE 3
LABORATORY RESULTS OF GROUNDWATER SAMPLES COLLECTED FROM RESIDENTIAL WELLS
FORMER GORSKI LANDFILL, MOSINEE, WI
RAMBOLL PROJECT NO. 1690004763**

Well Location	Sample Date	1,1,1-TCA	1,1,2-TCA	CBenzene	Benzene	1,3-DCB	1,4-DCB	DCFM	1,2-DCA	Chloroform	Chloro methane	1,1-DCE	cDCE	MEK	MTBE	tDCE	PCE	TCE	1,2,4-TCB	VC	1,1-DCA	THF	Toluene
626 CTH B	08/07/03	<0.42	<0.5	<0.31	<0.31	<0.29	<0.3	<0.46	<0.17	<0.17	<0.39	<0.39	<0.23	<2	ND	<0.39	<0.32	<0.36	<0.47	<0.2	<0.2	<0.2	<0.2
	10/01/03	<0.42	<0.5	<0.31	<0.31	<0.29	<0.3	<0.46	<0.17	<0.17	<0.39	<0.39	<0.23	<2	ND	<0.39	<0.32	<0.36	<0.47	<0.2	<0.2	<0.2	<0.2
	10/19/06	<0.42	<0.10	<0.10	<0.15	<0.15	<0.75	<0.10	<0.10	<0.10	<0.15	<0.20	<2	ND	<0.10	<0.10	0.52J	NA	<0.15	<0.15	<0.15	<0.15	<0.15
	10/24/07	<0.20	<0.20	<0.10	<0.20	<0.20	<0.80	<0.30	<0.20	<0.20	<0.30	<0.40	<0.20	<2	ND	<0.20	<0.30	<0.20	NA	<0.20	<0.20	<1.0	<0.40
	10/24/08	<0.20	<0.20	<0.10	<0.20	<0.20	<0.80	<0.30	<0.20	<0.20	<0.30	<0.40	<0.20	<2	ND	<0.20	<0.30	<0.20	NA	<0.20	<0.20	<1.0	<0.40
	10/19/09	<0.50	<0.40	<0.20	<0.20	<0.20	<0.80	<0.30	<0.30	<0.20	<0.40	<0.40	<0.40	<2	ND	<0.50	<0.30	<0.40	NA	<0.20	<0.40	<2.0	<0.40
	11/04/10	<0.50	<0.40	<0.20	<0.20	<0.20	<0.80	<0.30	<0.30	<0.20	<0.40	<0.40	<0.40	<2	ND	<0.50	<0.30	<0.40	NA	<0.20	<0.40	<2.0	<0.40
	10/24/11	<0.50	<0.40	<0.20	<0.20	<0.20	<0.80	<0.30	<0.30	<0.20	<0.40	<0.40	<0.40	<2	<0.50	<0.50	<0.30	<0.40	NA	<0.20	<0.40	<2.0	<0.40
	10/23/12	<0.90	<0.42	<0.41	<0.82	<0.87	<0.95	<0.99	<0.36	<1.3	<0.24	<0.57	<0.83	<0.61	<0.61	<0.89	<0.45	<0.48	<0.97	<0.18	<0.75	NA	<0.67
	10/21/13	<0.44	<0.39	<0.36	<0.50	<0.45	<0.43	<0.40	<0.48	<0.69	<0.39	<0.43	<0.42	NA	<0.49	<0.37	<0.47	<0.36	<2.5	<0.18	<0.28	NA	<0.44
	10/07/14	<0.50	<0.16	<0.50	<0.50	<0.50	<0.50	<0.20	<0.17	<2.5	<0.50	<0.41	<0.26	NA	<0.17	<0.26	<0.50	<0.33	<2.2	<0.18	<0.24	NA	<0.50
	10/07/15	<0.50	<0.20	<0.50	<0.50	<0.50	<0.50	<0.22	<0.17	<2.5	<0.50	<0.41	<0.26	NA	<0.17	<0.26	<0.50	<0.33	<2.2	<0.18	<0.24	NA	<0.50
	10/18/16	<0.50	<0.20	<0.50	<0.50	<0.50	<0.50	<0.22	<0.17	<2.5	<0.50	<0.41	<0.26	NA	<0.17	<0.26	<0.50	<0.33	<2.2	<0.18	<0.24	NA	<0.50
10/24/17	<0.50	<0.20	<0.50	<0.50	<0.50	<0.50	<0.22	<0.17	<2.5	<0.50	<0.41	<0.26	NA	<0.17	<0.26	<0.50	<0.33	<2.2	<0.18	<0.24	NA	<0.50	
10/24/18	<0.24	<0.55	<0.71	<0.25	<0.63	<0.94	<0.50	<0.28	<1.3	<2.2	<0.24	<0.27	NA	<1.2	<1.1	<0.33	<0.26	<0.95	<0.17	<0.27	NA	<0.17	
626 CTH B-D	10/18/16	<0.50	<0.20	<0.50	<0.50	<0.50	<0.50	<0.22	<0.17	<2.5	<0.50	<0.41	<0.26	NA	<0.17	<0.26	<0.50	<0.33	<2.2	<0.18	<0.24	NA	<0.50
642 CTH B	08/07/03	<0.42	<0.5	<0.31	<0.31	<0.29	<0.3	<0.46	<0.17	<0.17	<0.39	<0.39	4.33	<2	ND	<0.39	0.954	9.9	<0.47	<0.2	<0.2	<0.2	<0.2
	10/01/03	<0.42	<0.5	<0.31	<0.31	<0.29	<0.3	<0.46	<0.17	<0.17	<0.39	<0.39	5.59	<2	ND	<0.39	0.986	11.4	<0.47	<0.2	<0.2	<0.2	<0.2
	07/25/06	<0.20	<0.10	<0.10	<0.15	<0.15	<0.75	<0.25	<0.10	<0.10	<0.15	<0.15	7.24	<2	ND	<0.15	0.89	12.9	NA	<0.15	<0.15	<0.15	<0.15
	10/19/06	<0.20	<0.10	<0.10	<0.15	<0.15	<0.75	<0.10	<0.10	<0.10	<0.15	<0.15	0.15J	<2	ND	0.10J	0.7	6.81	NA	<0.15	<0.15	<0.15	<0.15
	01/18/07	<0.20	<0.10	<0.10	<0.15	<0.15	<0.75	<0.10	<0.10	<0.10	<0.15	<0.15	3.36	<2	ND	<0.10	0.44	4.96	NA	<0.15	<0.15	<0.70	<0.70
	04/18/07	<0.20	<0.20	<0.10	<0.20	<0.20	<0.80	<0.30	<0.20	<0.20	<0.40	<0.40	3.58	<2	ND	<0.20	0.65J	6.82	NA	<0.20	<0.20	<0.70	<0.70
642R CTH B	06/12/07	<0.20	<0.20	<0.10	<0.2	<0.80	<0.30	<0.20	<0.20	12.2	<0.30	<0.40	<0.20	<2	ND	<0.20	<0.30	<0.20	NA	<0.20	<0.20	<0.70	4.84
	06/19/07	<0.20	<0.20	<0.10	<0.2	<0.80	<0.30	<0.20	<0.20	4.69	<0.30	<0.40	<0.20	<2	ND	<0.20	<0.30	<0.20	NA	<0.20	<0.20	<0.70	1.18J
	07/19/07	<0.20	<0.20	<0.10	<0.2	<0.80	<0.30	<0.20	<0.20	0.52J	<0.30	<0.40	<0.20	<2	ND	<0.20	<0.30	<0.20	NA	<0.20	<0.20	<1	0.48J
	08/28/07	<0.20	<0.20	<0.10	<0.2	<0.80	<0.30	<0.20	<0.20	0.27J	0.33J	<0.40	<0.20	<2	ND	<0.20	<0.30	<0.20	NA	<0.20	<0.20	<1	<0.40
	09/25/07	<0.20	<0.20	<0.10	<0.2	<0.80	<0.30	<0.20	<0.20	<0.20	0.75J	<0.40	<0.20	<2	ND	<0.20	<0.30	<0.20	NA	<0.20	<0.20	<1	0.75J
	05/08/08	<0.20	<0.30	<0.10	<0.2	<0.20	<0.80	<0.30	<0.30	<0.20	<0.40	<0.40	<0.30	<2	ND	<0.20	<0.30	<0.40	NA	<0.20	<0.20	<1	<0.40
	07/31/08	<0.20	<0.30	<0.10	<0.2	<0.20	<0.80	<0.30	<0.30	<0.20	<0.40	<0.40	<0.30	<2	ND	<0.20	<0.30	<0.40	NA	<0.20	<0.20	<1	<0.40
	10/23/08	<0.20	<0.30	<0.10	<0.2	<0.20	<0.80	<0.30	<0.30	<0.20	<0.40	<0.40	<0.30	<2	ND	<0.20	<0.30	<0.40	NA	<0.20	<0.20	<1	<0.40
	04/30/09	<0.20	<0.30	<0.10	<0.2	<0.20	<0.80	<0.30	<0.30	<0.20	<0.40	<0.40	<0.30	<2	ND	<0.20	<0.30	<0.40	NA	<0.20	<0.20	<1	<0.40
	07/29/09	<0.50	<0.40	<0.20	<0.2	<0.20	<0.80	<0.30	<0.30	<0.20	<0.40	<0.40	<0.40	<2	ND	<0.50	<0.30	<0.40	NA	<0.20	<0.40	<2	<0.40
	10/19/09	<0.50	<0.40	<0.20	<0.2	<0.20	<0.80	<0.30	<0.30	<0.20	<0.40	<0.40	<0.40	<2	ND	<0.50	<0.30	<0.40	NA	<0.20	<0.40	<2	<0.40
	04/02/10	<0.50	<0.40	<0.20	<0.2	<0.20	<0.80	<0.30	<0.30	<0.20	<0.40	<0.40	<0.40	<2	ND	<0.50	<0.30	<0.40	NA	<0.20	<0.40	<2	<0.40
	07/06/10	<0.50	<0.40	<0.20	<0.2	<0.20	<0.80	<0.30	<0.30	<0.20	<0.40	<0.40	<0.40	<2	ND	<0.50	<0.30	<0.40	NA	<0.20	<0.40	<2	<0.40
	11/11/10	<0.50	<0.40	<0.20	<0.2	<0.20	<0.80	<0.30	<0.30	<0.20	<0.40	<0.40	<0.40	<2	ND	<0.50	<0.30	<0.40	NA	<0.20	<0.40	<2	<0.40
	10/24/11	<0.50	<0.40	<0.20	<0.2	<0.20	<0.80	<0.30	<0.30	<0.20	<0.40	<0.40	<0.40	<2	<0.50	<0.50	<0.30	<0.40	NA	<0.20	<0.40	<2	<0.40
	04/23/12	<0.50	<0.40	<0.20	<0.2	<0.20	<0.80	<0.30	<0.30	<0.20	<0.40	<0.40	<0.40	NA	<0.50	<0.50	<0.30	<0.40	NA	<0.20	<0.40	<2	<0.40
	10/23/12	<0.90	<0.42	<0.41	<0.41	<0.87	<0.95	<0.99	<0.36	<1.3	<0.24	<0.57	<0.83	NA	<0.61	<0.89	<0.45	<0.48	<0.97	<0.18	<0.75	NA	<0.67
	04/08/13	<0.90	<0.42	<0.41	<0.41	<0.87	<0.95	<0.99	<0.36	<1.3	<0.24	<0.57	<0.83	NA	<0.61	<0.89	<0.45	<0.48	<0.97	<0.18	<0.75	NA	<0.67
	10/21/13	<0.44	<0.39	<0.36	<0.50	<0.45	<0.43	<0.40	<0.48	<0.69	<0.39	<0.43	<0.42	NA	<0.49	<0.37	<0.47	<0.36	<2.5	<0.18	<0.28	NA	<0.44
	04/28/14	<0.50	<0.16	<0.50	<0.50	<0.50	<0.50	<0.16	<0.17	<2.5	<0.50	<0.41	<0.26	NA	<0.17	<0.24	<0.50	<0.33	<2.2	<0.18	<0.16	NA	<0.50
10/07/14	<0.50	<0.16	<0.50	<0.50	<0.50	<0.50	<0.20	<0.17	<2.5	<0.50	<0.41	<0.26	NA	<0.17	<0.26	<0.50	<0.33	<2.2	<0.18	<0.24	NA	<0.50	
04/22/15	<0.50	<0.20	<0.50	<0.50	<0.50	<0.50	<0.22	<0.17	<2.5	<0.50	<0.41	<0.26	NA	<0.17	<0.26	<0.50							

**TABLE 3
LABORATORY RESULTS OF GROUNDWATER SAMPLES COLLECTED FROM RESIDENTIAL WELLS
FORMER GORSKI LANDFILL, MOSINEE, WI
RAMBOLL PROJECT NO. 1690004763**


Well Location	Sample Date	1,1,1-TCA	1,1,2-TCA	CBenzene	Benzene	1,3-DCB	1,4-DCB	DCFM	1,2-DCA	Chloroform	Chloro methane	1,1-DCE	cDCE	MEK	MTBE	tDCE	PCE	TCE	1,2,4-TCB	VC	1,1-DCA	THF	Toluene	
652R CTH B	06/12/07	<0.42	<0.20	<0.10	<0.20	<0.20	<0.80	<0.30	<0.20	9.94	0.43J	<0.40	<0.20	<2	ND	<0.20	<0.30	<0.20	NA	<0.20	<0.20	<0.70	1.04J	
	06/19/07	<0.20	<0.20	<0.10	<0.20	<0.20	<0.80	<0.30	<0.20	2.51	<0.30	<0.40	<0.20	2.71J	ND	<0.20	<0.30	<0.20	NA	<0.20	<0.20	1.40J	1.63	
	07/19/07	<0.20	<0.20	<0.10	<0.20	<0.20	<0.80	<0.30	<0.20	0.45J	<0.30	<0.40	<0.20	<2	ND	<0.20	<0.30	0.35J	NA	<0.20	<0.20	<1	<0.40	
	08/28/07	<0.20	<0.20	<0.10	<0.20	<0.20	<0.80	<0.30	<0.20	<0.20	<0.30	<0.40	<0.20	<2	ND	<0.20	<0.30	0.32J	NA	<0.20	<0.20	<1	<0.40	
	09/25/07	<0.20	<0.20	<0.10	<0.20	<0.20	<0.80	<0.30	<0.20	0.38J	<0.30	<0.40	<0.20	<2	ND	<0.20	<0.30	<0.20	NA	<0.20	<0.20	<1	<0.40	
	02/11/08	<0.20	<0.30	<0.10	<0.20	<0.20	<0.80	<0.30	<0.30	<0.20	<0.40	<0.40	<0.30	<2	ND	<0.20	<0.30	<0.40	NA	<0.20	<0.20	<1	<0.40	
	04/29/08	<0.20	<0.30	<0.10	<0.20	<0.20	<0.80	<0.30	<0.30	<0.20	<0.40	<0.40	<0.30	<2	ND	<0.20	<0.30	<0.40	NA	<0.20	<0.20	<1	<0.40	
	07/31/08	<0.20	<0.30	<0.10	<0.20	<0.20	<0.80	<0.30	<0.30	<0.20	<0.40	<0.40	<0.30	<2	ND	<0.20	<0.30	0.44J	NA	<0.20	<0.20	<1	<0.40	
	10/24/08	0.69	<0.30	<0.10	<0.20	<0.20	<0.80	<0.30	<0.30	0.45 J	<0.40	<0.40	<0.30	3.18 J	ND	<0.20	<0.30	<0.40	NA	<0.20	<0.20	<1	17.5	
	01/13/09	<0.20	<0.30	<0.10	<0.20	<0.20	<0.80	<0.30	<0.30	<0.20	<0.40	<0.40	<0.30	<2	ND	<0.20	<0.30	<0.40	NA	<0.20	<0.20	<1	<0.40	
	04/30/09	<0.20	<0.30	<0.10	<0.20	<0.20	<0.80	<0.30	<0.30	<0.20	<0.40	<0.40	<0.30	<2	ND	<0.20	<0.30	<0.40	NA	<0.20	<0.20	<1	<0.40	
	07/29/09	<0.50	<0.40	<0.20	<0.2	<0.20	<0.80	<0.30	<0.30	<0.20	<0.40	<0.40	<0.40	<2	ND	<0.50	<0.30	<0.40	NA	<0.20	<0.40	<2	<0.40	
	10/17/09	<0.50	<0.40	<0.20	<0.2	<0.20	<0.80	<0.30	<0.30	<0.20	<0.40	<0.40	<0.40	<2	ND	<0.50	<0.30	<0.40	NA	<0.20	<0.40	<2	<0.40	
	01/28/10	<0.50	<0.40	<0.20	<0.20	<0.20	<0.80	<0.30	<0.30	<0.20	<0.40	<0.40	<0.40	<2	ND	<0.50	<0.30	<0.40	NA	<0.20	<0.40	<2	<0.40	
	04/02/10	<0.50	<0.40	<0.20	<0.20	<0.20	<0.80	<0.30	<0.30	<0.20	<0.40	<0.40	<0.40	<2	ND	<0.50	<0.30	<0.40	NA	<0.20	<0.40	<2	<0.40	
	07/07/10	<0.50	<0.40	<0.20	<0.20	<0.20	<0.80	<0.30	<0.30	<0.20	<0.40	<0.40	<0.40	<2	ND	<0.50	<0.30	0.46J	NA	<0.20	<0.40	<2	<0.40	
	11/04/10	<0.50	<0.40	<0.20	<0.20	<0.20	<0.80	<0.30	<0.30	<0.20	<0.40	<0.40	<0.40	<2	ND	<0.50	<0.30	<0.40	NA	<0.20	<0.40	<2	<0.40	
	01/06/11	<0.50	<0.40	<0.20	<0.20	<0.20	<0.80	<0.30	<0.30	<0.20	<0.40	<0.40	<0.40	<2	ND	<0.50	<0.30	<0.40	NA	<0.20	<0.40	<2	<0.40	
	10/24/11	<0.50	<0.40	<0.20	<0.20	<0.20	<0.80	<0.30	<0.30	<0.20	<0.40	<0.40	<0.40	<2	<0.50	<0.50	<0.30	0.40 J	NA	<0.20	<0.40	<2	<0.40	
	04/23/12	<0.50	<0.40	<0.20	<0.20	<0.20	<0.80	<0.30	<0.30	<0.20	<0.40	<0.40	<0.40	NA	<0.50	<0.50	<0.30	<0.40	NA	<0.20	<0.40	<2	<0.40	
	10/23/12	<0.90	<0.42	<0.41	<0.41	<0.87	<0.95	<0.99	<0.36	<1.3	<0.24	<0.57	<0.83	NA	<0.61	<0.89	<0.45	<0.48	<0.97	<0.18	<0.75	NA	<0.67	
	04/08/13	<0.90	<0.42	<0.41	<0.41	<0.87	<0.95	<0.99	<0.36	<1.3	<0.24	<0.57	<0.83	NA	<0.61	<0.89	<0.45	<0.48	<0.97	<0.18	<0.75	NA	<0.67	
	10/21/13	<0.44	<0.39	<0.36	<0.50	<0.45	<0.43	<0.40	<0.48	<0.69	<0.39	<0.43	<0.42	NA	<0.49	<0.37	<0.47	<0.36	<2.5	<0.18	<0.28	NA	<0.44	
	04/28/14	<0.50	<0.16	<0.50	<0.50	<0.50	<0.50	<0.50	<0.16	<0.17	<2.5	<0.50	<0.41	<0.26	NA	<0.17	<0.24	<0.50	<0.33	<2.2	<0.18	<0.16	NA	<0.50
	10/07/14	<0.50	<0.16	<0.50	<0.50	<0.50	<0.50	<0.50	<0.20	<0.17	<2.5	<0.50	<0.41	<0.26	NA	<0.17	<0.26	<0.50	<0.33	<2.2	<0.18	<0.24	NA	<0.50
	04/22/15	<0.50	<0.20	<0.50	<0.50	<0.50	<0.50	<0.50	<0.22	<0.17	<2.5	<0.50	<0.41	<0.26	NA	<0.17	<0.26	<0.50	<0.33	<2.2	<0.18	<0.24	NA	<0.50
10/07/15	<0.50	<0.20	<0.50	<0.50	<0.50	<0.50	<0.50	<0.22	<0.17	<2.5	<0.50	<0.41	<0.26	NA	<0.17	<0.26	<0.50	0.44 J	<2.2	<0.18	<0.24	NA	<0.50	
10/18/16	<0.50	<0.20	<0.50	<0.50	<0.50	<0.50	<0.50	<0.22	<0.17	<2.5	<0.50	<0.41	<0.26	NA	<0.17	<0.26	<0.50	<0.33	<2.2	<0.18	<0.24	NA	<0.50	
10/24/17	<0.50	<0.20	<0.50	<0.50	<0.50	<0.50	<0.50	<0.22	<0.17	<2.5	<0.50	<0.41	<0.26	NA	<0.17	<0.26	<0.50	0.39 J	<2.2	<0.18	<0.24	NA	<0.50	
10/24/18	<0.24	<0.55	<0.71	<0.25	<0.63	<0.94	<0.50	<0.28	<1.3	<2.2	<0.24	<0.27	NA	<1.2	<1.1	<0.33	<0.26	<0.95	<0.17	<0.27	NA	<0.17		
666 CTHB	08/07/03	<0.42	<0.5	<0.31	<0.31	<0.29	<0.3	<0.46	<0.17	<0.17	<0.39	<0.39	<0.23	<2	ND	<0.39	1.05	<0.36	<0.47	<0.2	<0.2	<0.2	<0.2	
	10/01/03	<0.42	<0.5	<0.31	<0.31	<0.29	<0.3	<0.46	<0.17	<0.17	<0.39	<0.39	<0.23	<2	ND	<0.39	0.475	<0.36	<0.47	<0.2	<0.2	<0.2	<0.2	
	10/18/06	<0.42	<0.1	<0.10	0.17J	<0.15	<0.75	<0.10	<0.10	<0.10	<0.15	<0.15	<0.20	<2	ND	<0.10	0.15J	<0.20	NA	<0.15	<0.15	<0.15	<0.15	
	04/18/07	<0.20	<0.20	<0.10	<0.20	<0.20	<0.80	<0.30	<0.20	<0.20	<0.40	<0.40	<0.20	<2	ND	<0.20	<0.30	<0.20	NA	<0.20	<0.20	<0.70	<0.70	
	10/24/08	<0.20	<0.20	<0.10	<0.20	<0.20	<0.80	<0.30	<0.20	<0.20	<0.40	<0.40	<0.20	<2	ND	<0.20	<0.30	<0.20	NA	<0.20	<0.20	<0.70	<0.70	
	05/15/09	<0.50	<0.40	<0.20	<0.40	<0.20	<0.80	<0.30	<0.30	<0.20	<0.40	<0.40	<0.40	<2	ND	<0.50	<0.30	<0.40	NA	<0.20	<0.40	<2	<0.40	
	10/19/09	<0.50	<0.40	<0.20	<0.40	<0.20	<0.80	<0.30	<0.30	<0.20	<0.40	<0.40	<0.40	<2	ND	<0.50	<0.30	<0.40	NA	<0.20	<0.40	<2	<0.40	
	04/02/10	<0.50	<0.40	<0.20	0.22J	<0.20	<0.80	<0.30	<0.30	<0.20	<0.40	<0.40	<0.40	<2	ND	<0.50	<0.30	<0.40	NA	<0.20	<0.40	<2	<0.40	
	11/02/10	<0.50	<0.40	<0.20	0.27J	<0.20	<0.80	<0.30	<0.30	<0.20	<0.40	<0.40	<0.40	<2	ND	<0.50	<0.30	<0.40	NA	<0.20	<0.40	<2	<0.40	
	10/24/11	<0.50	<0.40	<0.20	<0.20	<0.20	<0.80	<0.30	<0.30	<0.20	<0.40	<0.40	<0.40	<2	<0.50	<0.50	<0.30	<0.40	NA	<0.20	<0.40	<2	<0.40	
10/21/13	<0.44	<0.39	<0.36	<0.50	<0.45	<0.43	<0.40	<0.48	<0.69	<0.39	<0.43	<0.42	NA	<0.49	<0.37	<0.47	<0.36	<2.5	<0.18	<0.28	NA	<0.44		
10/24/18	<0.24	<0.55	<0.71	<0.25	<0.63	<0.94	<0.50	<0.28	<1.3	<2.2	<0.24	<0.27	NA	12.1	<1.1	<0.33	<0.26	<0.95	<0.17	<0.27	NA	<0.17		
669 CTH B	08/07/03	<0.42	<0.5	<0.31	<0.31	0.349	1.97	<0.46	<0.17	<0.17	<0.39	<0.39	0.66	<2	ND	<0.39	0.646	3.15	2.12	<0.2	<0.2	<0.2	<0.2	
	10/01/03	<0.42	<0.5	<0.31	<0.31	<0.29	0.658	0.632	<0.17	<0.17	<0.39	<0.39	<0.23	<2	ND	<0.39	<0.32	1.25	0.686	<0.2	<0.2	<0.2	<0.2	

**TABLE 3
LABORATORY RESULTS OF GROUNDWATER SAMPLES COLLECTED FROM RESIDENTIAL WELLS
FORMER GORSKI LANDFILL, MOSINEE, WI
RAMBOLL PROJECT NO. 1690004763**


Well Location	Sample Date	1,1,1-TCA	1,1,2-TCA	CBenzene	Benzene	1,3-DCB	1,4-DCB	DCFM	1,2-DCA	Chloroform	Chloro methane	1,1-DCE	cDCE	MEK	MTBE	tDCE	PCE	TCE	1,2,4-TCB	VC	1,1-DCA	THF	Toluene
669 CTH B (continued)	08/05/10	<0.50	<0.40	<0.20	<0.20	<0.20	<0.80	<0.30	<0.30	<0.20	<0.40	<0.40	<0.40	<2	ND	<0.50	<0.30	0.69J	NA	<0.20	<0.40	<2	<0.40
	11/04/10	<0.50	<0.40	0.34J	<0.20	0.40J	1.37J	<0.30	<0.30	<0.20	<0.40	<0.40	0.70J	<2	ND	<0.50	0.40J	2.34	NA	<0.20	<0.40	<2	<0.40
	01/06/11	<0.50	<0.40	<0.20	<0.20	<0.20	<0.80	<0.30	<0.30	<0.20	<0.40	<0.40	<0.40	<2	ND	<0.50	<0.30	0.71 J	NA	<0.20	<0.40	<2	<0.40
	10/24/11	<0.50	<0.40	<0.20	<0.20	0.24 J	<0.80	<0.30	<0.30	<0.20	<0.40	<0.40	0.45 J	<2	<0.50	<0.50	<0.30	1.32	NA	<0.20	<0.40	<2	<0.40
	04/23/12	<0.50	<0.40	<0.20	<0.20	0.25 J	<0.80	<0.30	<0.30	<0.20	<0.40	<0.40	<0.40	<2	<0.50	<0.50	<0.30	0.69 J	NA	<0.20	<0.40	<2	<0.40
	10/23/12	<0.90	<0.42	<0.41	<0.41	<0.87	<0.95	<0.99	<0.36	<1.3	<0.24	<0.57	<0.83	NA	<0.61	<0.89	<0.45	0.99 J	<0.97	<0.18	<0.75	NA	<0.67
	04/08/13	<0.90	<0.42	<0.41	<0.41	<0.87	<0.95	<0.99	<0.36	<1.3	<0.24	<0.57	<0.83	NA	<0.61	<0.89	<0.45	0.99 J	<0.97	<0.18	<0.75	NA	<0.67
	10/21/13	<0.44	<0.39	<0.36	<0.50	<0.45	0.60 J	<0.40	<0.48	<0.69	<0.39	<0.43	<0.42	NA	<0.49	<0.37	<0.47	0.98 J	<2.5	<0.18	<0.28	NA	<0.44
	04/28/14	<0.50	<0.16	<0.50	<0.50	<0.50	<0.50	<0.16	<0.17	<2.5	<0.50	<0.41	<0.26	NA	<0.49	<0.24	<0.50	<0.33	<2.2	<0.18	<0.16	NA	<0.50
	10/07/14	<0.50	<0.16	<0.50	<0.50	<0.50	0.90 J	<0.20	<0.17	<2.5	<0.50	<0.41	0.30 J	NA	<0.17	<0.26	<0.50	1.0	<2.2	<0.18	<0.24	NA	<0.50
	04/22/15	<0.50	<0.20	<0.50	<0.50	<0.50	<0.50	<0.22	<0.17	<2.5	<0.50	<0.41	<0.26	NA	<0.17	<0.26	<0.50	0.46 J	<2.2	<0.18	<0.24	NA	<0.50
	10/07/15	<0.50	<0.20	<0.50	<0.50	<0.50	<0.50	<0.22	<0.17	<2.5	<0.50	<0.41	<0.26	NA	<0.17	<0.26	<0.50	0.50 J	<2.2	<0.18	<0.24	NA	<0.50
	10/18/16	<0.50	<0.20	<0.50	<0.50	<0.50	0.85 J	<0.22	<0.17	<2.5	<0.50	<0.41	0.50 J	NA	<0.17	<0.26	<0.50	0.92 J	<2.2	<0.18	<0.24	NA	<0.50
	10/24/17	<0.50	<0.20	<0.50	<0.50	<0.50	<0.50	<0.22	<0.17	<2.5	<0.50	<0.41	<0.26	NA	<0.17	<0.26	<0.50	<0.33	<2.2	<0.18	<0.24	NA	<0.50
10/24/18	<0.24	<0.55	<0.71	<0.25	<0.63	<0.94	<0.50	<0.28	<1.3	<2.2	<0.24	<0.27	NA	<1.2	<1.1	<0.33	<0.26	<0.95	<0.17	<0.27	NA	<0.17	
669 CTH B-D	10/19/06	<0.20	<0.10	0.10 J	<0.15	0.15 J	<0.75	<0.25	0.15 J	<0.10	<0.15	<0.15	0.25 J	<2	ND	<0.10	0.23 J	0.57 J	NA	<0.15	<0.15	<0.15	<0.15
	10/24/11	<0.50	<0.40	<0.20	<0.20	<0.20	<0.80	<0.30	<0.30	<0.20	<0.40	<0.40	<0.40	<2	ND	<0.50	0.31 J	1.04 J	NA	<0.20	<0.40	<2	<0.40
	04/23/12	<0.50	<0.40	<0.20	<0.20	<0.20	<0.80	<0.30	<0.30	<0.20	<0.40	<0.40	<0.40	<2	<0.50	<0.50	<0.30	0.52 J	N/A	<0.20	<0.40	<2	<0.40
	10/24/12	<0.90	<0.42	<0.41	<0.41	<0.87	<0.95	<0.99	<0.36	<1.3	<0.24	<0.57	<0.83	NA	<0.61	<0.89	<0.45	0.96 J	<0.97	<0.18	<0.75	NA	<0.67
	10/21/13	<0.44	<0.39	<0.36	<0.50	<0.45	0.61 J	<0.40	<0.48	<0.69	<0.39	<0.43	<0.42	NA	<0.49	<0.37	<0.47	1.0	<2.5	<0.18	<0.28	NA	<0.44
	04/28/14	<0.50	<0.16	<0.50	<0.50	<0.50	<0.50	<0.16	<0.17	<2.5	<0.50	<0.41	<0.26	NA	<0.17	<0.24	<0.50	<0.33	<2.2	<0.18	<0.16	NA	<0.50
	10/07/14	<0.50	<0.16	<0.50	<0.50	<0.50	0.91 J	<0.20	<0.17	<2.5	<0.50	<0.41	0.31 J	NA	<0.17	<0.26	<0.50	0.95 J	<2.2	<0.18	<0.24	NA	<0.50
	04/22/15	<0.50	<0.20	<0.50	<0.50	<0.50	<0.50	<0.22	<0.17	<2.5	<0.50	<0.41	<0.26	NA	<0.17	<0.26	<0.50	0.44 J	<2.2	<0.18	<0.24	NA	<0.50
	10/07/15	<0.50	<0.20	<0.50	<0.50	<0.50	<0.50	<0.22	<0.17	<2.5	<0.50	<0.41	<0.26	NA	<0.17	<0.26	<0.50	0.48 J	<2.2	<0.18	<0.24	NA	<0.50
	10/24/17	<0.50	<0.20	<0.50	<0.50	<0.50	<0.50	<0.22	<0.17	<2.5	3.2	<0.41	<0.26	NA	<0.17	<0.26	<0.50	<0.33	<2.2	<0.18	<0.24	NA	<0.50
10/24/18	<0.24	<0.55	<0.71	<0.25	<0.63	<0.94	<0.50	<0.28	<1.3	<2.2	<0.24	<0.27	NA	<1.2	<1.1	<0.33	<0.26	<0.95	<0.17	<0.27	NA	<0.17	
670 CTH B	08/07/03	<0.42	<0.5	<0.31	<0.31	<0.29	<0.3	<0.46	<0.17	<0.17	<0.39	<0.39	<0.23	<2	ND	<0.39	<0.32	<0.36	<0.47	<0.2	<0.2	<0.2	<0.2
	10/01/03	<0.42	<0.5	<0.31	<0.31	<0.29	<0.3	<0.46	<0.17	<0.17	<0.39	<0.39	<0.23	<2	ND	<0.39	<0.32	<0.36	<0.47	<0.2	<0.2	<0.2	<0.2
	10/19/06	<0.20	<0.10	<0.10	<0.15	<0.15	<0.75	0.30 J	<0.10	<0.10	<0.15	<0.15	<0.20	<2	ND	<0.10	<0.10	<0.20	NA	<0.15	<0.15	<0.15	<0.15
	10/24/07	<0.20	<0.20	<0.10	<0.20	<0.20	<0.80	<0.30	<0.20	<0.20	<0.30	<0.40	<0.20	<2	ND	<0.20	<0.30	<0.20	NA	<0.20	<0.20	<1.0	<0.40
	10/23/08	<0.20	<0.30	<0.10	<0.20	<0.20	<0.80	<0.30	<0.20	<0.20	<0.30	<0.40	0.91 J	<2	ND	<0.20	<0.30	<0.20	NA	<0.20	<0.20	1.24 J	<0.40
	10/19/09	<0.20	<0.30	<0.10	<0.20	<0.20	<0.80	<0.30	<0.20	<0.20	<0.30	<0.40	<0.40	<2	ND	<0.20	<0.30	<0.20	NA	<0.20	<0.20	<2.00	<0.40
	11/05/10	<0.50	<0.40	<0.20	<0.20	<0.20	<0.80	0.30 J	<0.30	<0.20	<0.40	<0.40	<0.40	<2	ND	<0.50	<0.30	<0.40	NA	<0.20	<0.40	<2.00	<0.40
	10/24/11	<0.50	<0.40	<0.20	<0.20	<0.20	<0.80	<0.30	<0.30	<0.20	<0.40	<0.40	<0.40	<2	<0.50	<0.50	<0.30	<0.40	NA	<0.20	<0.40	<2.00	<0.40
	10/23/12	<0.90	<0.42	<0.41	<0.41	<0.87	<0.95	<0.99	<0.36	<1.3	<0.24	<0.57	<0.83	NA	<0.61	<0.89	<0.45	<0.48	<0.97	<0.18	<0.75	NA	<0.67
	10/21/13	<0.44	<0.39	<0.36	<0.50	<0.45	<0.43	<0.40	<0.48	<0.69	<0.39	<0.43	<0.42	NA	<0.49	<0.37	<0.47	<0.36	<2.5	<0.18	<0.28	NA	<0.44
	10/07/14	<0.50	<0.16	<0.50	<0.50	<0.50	<0.50	<0.20	<0.17	<2.5	<0.50	<0.41	<0.26	NA	<0.17	<0.26	<0.50	<0.33	<2.2	<0.18	<0.24	NA	<0.50
	10/07/15	<0.50	<0.20	<0.50	<0.50	<0.50	<0.50	<0.22	<0.17	<2.5	<0.50	<0.41	<0.26	NA	<0.17	<0.26	<0.50	<0.33	<2.2	<0.18	<0.24	NA	<0.50
	10/18/16	<0.50	<0.20	<0.50	<0.50	<0.50	<0.50	<0.22	<0.17	<2.5	<0.50	<0.41	<0.26	NA	<0.17	<0.26	<0.50	<0.33	<2.2	<0.18	<0.24	NA	<0.50
	10/24/17	<0.50	<0.20	<0.50	<0.50	<0.50	<0.50	<0.22	<0.17	<2.5	<0.50	<0.41	<0.26	NA	<0.17	<0.26	<0.50	<0.33	<2.2	<0.18	<0.24	NA	<0.50
10/24/18	<0.24	<0.55	<0.71	<0.25	<0.63	<0.94	<0.50	<0.28	<1.3	<2.2	<0.24	<0.27	NA	<1.2	<1.1	<0.33	<0.26	<0.95	<0.17	<0.27	NA	<0.17	
1054 CTH KK	08/07/03	<0.42	<0.5	<0.31	<0.31	<0.29	<0.3	<0.46	<0.17	<0.17	<0.39	<0.39	<0.23	<2	ND	<0.39	<0.32	<0.36	<0.47	<0.2	<0.2	<0.2	<0.2
	10/01/03	<0.42	<0.5	<0.31	<0.31	<0.29	<0.3	<0.46	<0.17	<0.17	<0.39	<0.39	<0.23	<2	ND	<0.39	<0.32	<0.36	<0.47	<0.2	<0.2	<0.2	<0.2
	10/26/06	<0.20	<0.10	<1.10	<0.15	<0.15	<0.75	<0.10	<0.10	<0.10	<0.15	<0.15	<0.20	<2	ND	<0.10	<0.10	0.76	NA	<0.15	<0.15	<0.15	<0.15

FIGURES

L:\Loop Project Files\00_CAD FILES\2\Gorski Landfill 2016-2017 Env Serv 2128201D\01_Site Location.dwg



CONTOUR INTERVAL 10 FEET



LEGEND:

— SITE BOUNDARY (APPROXIMATE)

SOURCE:
2015 USGS 7.5 Minute Series Mosinee and Halder, Wisconsin Topographic Quadrangles.
Site Location: N: 44.810364° W: 98.731903° WGS84



QUADRANGLE LOCATION



**SITE LOCATION
FORMER GORSKI LANDFILL
MOSINEE, WISCONSIN**

**FIGURE
1**

DRAFTED BY: ELS

DATE: 3/2/18

1690004763

I:\Loop Project Files\CAD\1690004763_Fmr Gorski LF 2016-2017_Env Serv\02_Sample Locations.dwg



LEGEND	
	PARCEL BOUNDARY (APPROXIMATE)
	METALLIC DEBRIS AREA (INTERPOLATED)
	MONITORING WELL
	ABANDONED MONITORING WELL (OCTOBER 2013)
	ABANDONED MONITORING WELL (OCTOBER 2017)
	PRIVATE WELL
	ABANDONED PRIVATE WELL (JUNE 2007)
	PIEZOMETER
	ABANDONED PIEZOMETER (OCTOBER 2017)
	STAFF GAUGE
	SHALLOW LANDFILL GAS WELL POINT
	HYDROPUNCH BORING



SAMPLE LOCATIONS
FORMER GORSKI LANDFILL
MOSINEE, WISCONSIN



FIGURE
2

DRAFTED BY: ELS

DATE: 3/2/18

1690004763

Source: Aerial Imagery, Google Earth™, 9/15/2013; Parcels, Marathon County/City of Wausau live Mapping application.



ATTACHMENT A

INVOLVED PARTIES LIST

INVOLVED PARTIES LIST

Responsible Parties: ad hoc Group
c/o City of Mosinee
225 Main Street
Mosinee, Wisconsin 54445

ad hoc Group Members: Ms. Cara Kurtenbach
Director of Environmental Affairs
Wausau Paper, an SCA Company
5405 County Road J
Weston, Wisconsin 54476
(715) 297-1834
cara.kurtenbach@essity.com

Mr. Troy Williams
NA Region EHSE Manager
CNH Industrial (f/k/a Case Corporation)
3301 South Hoover Road
Wichita, Kansas 67215-1215
(316) 941-2265
troy.williams@cnhind.com

Jeff Gates
City Administrator
City of Mosinee
225 Main Street
Mosinee, Wisconsin 54455
(715) 693-2275
cityadm@mosinee.wi.us

Consultant: Ramboll US Corporation
175 North Corporate Drive, Suite 160
Brookfield, Wisconsin 53045
Contact: Ms. Jeanne Tarvin (262) 901-0085
Mr. Mark Mejac (262) 901-0127

Agency: Wisconsin Department of Natural Resources
890 Spruce Street
Baldwin, Wisconsin 54002
Contact: Ms. Candace Sykora (715) 684-2914



ATTACHMENT B

LABORATORY RESULTS OF GROUNDWATER SAMPLES

October 29, 2018

Mark Mejac
Ramboll Environ
175 North Corporate Drive
Suite 160
Brookfield, WI 53045

RE: Project: 1690010425 GORSKI LF
Pace Project No.: 40178374

Dear Mark Mejac:

Enclosed are the analytical results for sample(s) received by the laboratory on October 25, 2018. The results relate only to the samples included in this report. Results reported herein conform to the most current, applicable TNI/NELAC standards and the laboratory's Quality Assurance Manual, where applicable, unless otherwise noted in the body of the report.

If you have any questions concerning this report, please feel free to contact me.

Sincerely,



Steven Mleczko
steve.mleczko@pacelabs.com
(920)469-2436
Project Manager

Enclosures



REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

CERTIFICATIONS

Project: 1690010425 GORSKI LF

Pace Project No.: 40178374

Green Bay Certification IDs

1241 Bellevue Street, Green Bay, WI 54302

Florida/NELAP Certification #: E87948

Illinois Certification #: 200050

Kentucky UST Certification #: 82

Louisiana Certification #: 04168

Minnesota Certification #: 055-999-334

New York Certification #: 12064

North Dakota Certification #: R-150

Virginia VELAP ID: 460263

South Carolina Certification #: 83006001

Texas Certification #: T104704529-14-1

Wisconsin Certification #: 405132750

Wisconsin DATCP Certification #: 105-444

USDA Soil Permit #: P330-16-00157

Federal Fish & Wildlife Permit #: LE51774A-0

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

SAMPLE SUMMARY

Project: 1690010425 GORSKI LF

Pace Project No.: 40178374

Lab ID	Sample ID	Matrix	Date Collected	Date Received
40178374001	1096 CTH KK	Water	10/24/18 09:45	10/25/18 14:55
40178374002	1101 CTH KK	Water	10/24/18 10:00	10/25/18 14:55
40178374003	1058 CTH KK	Water	10/24/18 10:15	10/25/18 14:55
40178374004	1054 CTH KK	Water	10/24/18 10:30	10/25/18 14:55
40178374005	666 CTH B	Water	10/24/18 11:00	10/25/18 14:55
40178374006	670 CTH B	Water	10/24/18 11:15	10/25/18 14:55
40178374007	669 CTH B	Water	10/24/18 11:30	10/25/18 14:55
40178374008	669 CTH BD	Water	10/24/18 11:32	10/25/18 14:55
40178374009	626 CTH B	Water	10/24/18 11:45	10/25/18 14:55
40178374010	642R CTH B	Water	10/24/18 12:00	10/25/18 14:55
40178374011	652R CTH B	Water	10/24/18 12:15	10/25/18 14:55
40178374012	PZ-3	Water	10/24/18 13:45	10/25/18 14:55
40178374013	MW-4	Water	10/24/18 14:40	10/25/18 14:55
40178374014	MW-4D	Water	10/24/18 14:42	10/25/18 14:55
40178374015	PZ-4	Water	10/24/18 15:20	10/25/18 14:55
40178374016	MW-6	Water	10/24/18 15:50	10/25/18 14:55
40178374017	TRIP BLANK	Water	10/24/18 00:00	10/25/18 14:55

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

SAMPLE ANALYTE COUNT

Project: 1690010425 GORSKI LF
Pace Project No.: 40178374

Lab ID	Sample ID	Method	Analysts	Analytes Reported	Laboratory
40178374001	1096 CTH KK	EPA 8260	LAP	65	PASI-G
40178374002	1101 CTH KK	EPA 8260	LAP	65	PASI-G
40178374003	1058 CTH KK	EPA 8260	LAP	65	PASI-G
40178374004	1054 CTH KK	EPA 8260	LAP	65	PASI-G
40178374005	666 CTH B	EPA 8260	LAP	65	PASI-G
40178374006	670 CTH B	EPA 8260	LAP	65	PASI-G
40178374007	669 CTH B	EPA 8260	LAP	65	PASI-G
40178374008	669 CTH BD	EPA 8260	LAP	65	PASI-G
40178374009	626 CTH B	EPA 8260	LAP	65	PASI-G
40178374010	642R CTH B	EPA 8260	LAP	65	PASI-G
40178374011	652R CTH B	EPA 8260	LAP	65	PASI-G
40178374012	PZ-3	EPA 8260	LAP	65	PASI-G
40178374013	MW-4	EPA 8260	LAP	65	PASI-G
40178374014	MW-4D	EPA 8260	LAP	65	PASI-G
40178374015	PZ-4	EPA 8260	LAP	65	PASI-G
40178374016	MW-6	EPA 8260	LAP	65	PASI-G
40178374017	TRIP BLANK	EPA 8260	LAP	65	PASI-G

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

SUMMARY OF DETECTION

Project: 1690010425 GORSKI LF

Pace Project No.: 40178374

Lab Sample ID Method	Client Sample ID Parameters	Result	Units	Report Limit	Analyzed	Qualifiers
40178374005	666 CTH B					
EPA 8260	Methyl-tert-butyl ether	12.1	ug/L	4.2	10/26/18 20:26	
40178374012	PZ-3					
EPA 8260	cis-1,2-Dichloroethene	10.4	ug/L	1.0	10/26/18 18:35	
EPA 8260	Trichloroethene	1.2	ug/L	1.0	10/26/18 18:35	
40178374013	MW-4					
EPA 8260	Trichloroethene	2.2	ug/L	1.0	10/26/18 23:01	
40178374014	MW-4D					
EPA 8260	Trichloroethene	2.3	ug/L	1.0	10/26/18 23:23	
40178374015	PZ-4					
EPA 8260	cis-1,2-Dichloroethene	1.4	ug/L	1.0	10/26/18 23:45	
EPA 8260	Trichloroethene	6.6	ug/L	1.0	10/26/18 23:45	
40178374016	MW-6					
EPA 8260	cis-1,2-Dichloroethene	2.3	ug/L	1.0	10/27/18 00:07	
EPA 8260	Trichloroethene	5.2	ug/L	1.0	10/27/18 00:07	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 1690010425 GORSKI LF

Pace Project No.: 40178374

Sample: 1096 CTH KK **Lab ID: 40178374001** Collected: 10/24/18 09:45 Received: 10/25/18 14:55 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Analytical Method: EPA 8260									
Benzene	<0.25	ug/L	1.0	0.25	1		10/26/18 18:58	71-43-2	
Bromobenzene	<0.24	ug/L	1.0	0.24	1		10/26/18 18:58	108-86-1	
Bromochloromethane	<0.36	ug/L	5.0	0.36	1		10/26/18 18:58	74-97-5	
Bromodichloromethane	<0.36	ug/L	1.2	0.36	1		10/26/18 18:58	75-27-4	
Bromoform	<4.0	ug/L	13.2	4.0	1		10/26/18 18:58	75-25-2	
Bromomethane	<0.97	ug/L	5.0	0.97	1		10/26/18 18:58	74-83-9	
n-Butylbenzene	<0.71	ug/L	2.4	0.71	1		10/26/18 18:58	104-51-8	
sec-Butylbenzene	<0.85	ug/L	5.0	0.85	1		10/26/18 18:58	135-98-8	
tert-Butylbenzene	<0.30	ug/L	1.0	0.30	1		10/26/18 18:58	98-06-6	
Carbon tetrachloride	<0.17	ug/L	1.0	0.17	1		10/26/18 18:58	56-23-5	
Chlorobenzene	<0.71	ug/L	2.4	0.71	1		10/26/18 18:58	108-90-7	
Chloroethane	<1.3	ug/L	5.0	1.3	1		10/26/18 18:58	75-00-3	
Chloroform	<1.3	ug/L	5.0	1.3	1		10/26/18 18:58	67-66-3	
Chloromethane	<2.2	ug/L	7.3	2.2	1		10/26/18 18:58	74-87-3	
2-Chlorotoluene	<0.93	ug/L	5.0	0.93	1		10/26/18 18:58	95-49-8	
4-Chlorotoluene	<0.76	ug/L	2.5	0.76	1		10/26/18 18:58	106-43-4	
1,2-Dibromo-3-chloropropane	<1.8	ug/L	5.9	1.8	1		10/26/18 18:58	96-12-8	
Dibromochloromethane	<2.6	ug/L	8.7	2.6	1		10/26/18 18:58	124-48-1	
1,2-Dibromoethane (EDB)	<0.83	ug/L	2.8	0.83	1		10/26/18 18:58	106-93-4	
Dibromomethane	<0.94	ug/L	3.1	0.94	1		10/26/18 18:58	74-95-3	
1,2-Dichlorobenzene	<0.71	ug/L	2.4	0.71	1		10/26/18 18:58	95-50-1	
1,3-Dichlorobenzene	<0.63	ug/L	2.1	0.63	1		10/26/18 18:58	541-73-1	
1,4-Dichlorobenzene	<0.94	ug/L	3.1	0.94	1		10/26/18 18:58	106-46-7	
Dichlorodifluoromethane	<0.50	ug/L	5.0	0.50	1		10/26/18 18:58	75-71-8	
1,1-Dichloroethane	<0.27	ug/L	1.0	0.27	1		10/26/18 18:58	75-34-3	
1,2-Dichloroethane	<0.28	ug/L	1.0	0.28	1		10/26/18 18:58	107-06-2	
1,1-Dichloroethene	<0.24	ug/L	1.0	0.24	1		10/26/18 18:58	75-35-4	
cis-1,2-Dichloroethene	<0.27	ug/L	1.0	0.27	1		10/26/18 18:58	156-59-2	
trans-1,2-Dichloroethene	<1.1	ug/L	3.6	1.1	1		10/26/18 18:58	156-60-5	
1,2-Dichloropropane	<0.28	ug/L	1.0	0.28	1		10/26/18 18:58	78-87-5	
1,3-Dichloropropane	<0.83	ug/L	2.8	0.83	1		10/26/18 18:58	142-28-9	
2,2-Dichloropropane	<2.3	ug/L	7.6	2.3	1		10/26/18 18:58	594-20-7	
1,1-Dichloropropene	<0.54	ug/L	1.8	0.54	1		10/26/18 18:58	563-58-6	
cis-1,3-Dichloropropene	<3.6	ug/L	12.1	3.6	1		10/26/18 18:58	10061-01-5	
trans-1,3-Dichloropropene	<4.4	ug/L	14.6	4.4	1		10/26/18 18:58	10061-02-6	
Diisopropyl ether	<1.9	ug/L	6.3	1.9	1		10/26/18 18:58	108-20-3	
Ethylbenzene	<0.22	ug/L	1.0	0.22	1		10/26/18 18:58	100-41-4	
Hexachloro-1,3-butadiene	<1.2	ug/L	5.0	1.2	1		10/26/18 18:58	87-68-3	
Isopropylbenzene (Cumene)	<0.39	ug/L	5.0	0.39	1		10/26/18 18:58	98-82-8	
p-Isopropyltoluene	<0.80	ug/L	2.7	0.80	1		10/26/18 18:58	99-87-6	
Methylene Chloride	<0.58	ug/L	5.0	0.58	1		10/26/18 18:58	75-09-2	
Methyl-tert-butyl ether	<1.2	ug/L	4.2	1.2	1		10/26/18 18:58	1634-04-4	
Naphthalene	<1.2	ug/L	5.0	1.2	1		10/26/18 18:58	91-20-3	
n-Propylbenzene	<0.81	ug/L	5.0	0.81	1		10/26/18 18:58	103-65-1	
Styrene	<0.47	ug/L	1.6	0.47	1		10/26/18 18:58	100-42-5	
1,1,1,2-Tetrachloroethane	<0.27	ug/L	1.0	0.27	1		10/26/18 18:58	630-20-6	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 1690010425 GORSKI LF

Pace Project No.: 40178374

Sample: 1096 CTH KK **Lab ID: 40178374001** Collected: 10/24/18 09:45 Received: 10/25/18 14:55 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV		Analytical Method: EPA 8260							
1,1,2,2-Tetrachloroethane	<0.28	ug/L	1.0	0.28	1		10/26/18 18:58	79-34-5	
Tetrachloroethene	<0.33	ug/L	1.1	0.33	1		10/26/18 18:58	127-18-4	
Toluene	<0.17	ug/L	5.0	0.17	1		10/26/18 18:58	108-88-3	
1,2,3-Trichlorobenzene	<0.63	ug/L	5.0	0.63	1		10/26/18 18:58	87-61-6	
1,2,4-Trichlorobenzene	<0.95	ug/L	5.0	0.95	1		10/26/18 18:58	120-82-1	
1,1,1-Trichloroethane	<0.24	ug/L	1.0	0.24	1		10/26/18 18:58	71-55-6	
1,1,2-Trichloroethane	<0.55	ug/L	5.0	0.55	1		10/26/18 18:58	79-00-5	
Trichloroethene	<0.26	ug/L	1.0	0.26	1		10/26/18 18:58	79-01-6	
Trichlorofluoromethane	<0.21	ug/L	1.0	0.21	1		10/26/18 18:58	75-69-4	
1,2,3-Trichloropropane	<0.59	ug/L	5.0	0.59	1		10/26/18 18:58	96-18-4	
1,2,4-Trimethylbenzene	<0.84	ug/L	2.8	0.84	1		10/26/18 18:58	95-63-6	
1,3,5-Trimethylbenzene	<0.87	ug/L	2.9	0.87	1		10/26/18 18:58	108-67-8	
Vinyl chloride	<0.17	ug/L	1.0	0.17	1		10/26/18 18:58	75-01-4	
Xylene (Total)	<1.5	ug/L	3.0	1.5	1		10/26/18 18:58	1330-20-7	
m&p-Xylene	<0.47	ug/L	2.0	0.47	1		10/26/18 18:58	179601-23-1	
o-Xylene	<0.26	ug/L	1.0	0.26	1		10/26/18 18:58	95-47-6	
Surrogates									
4-Bromofluorobenzene (S)	89	%	70-130		1		10/26/18 18:58	460-00-4	
Dibromofluoromethane (S)	97	%	70-130		1		10/26/18 18:58	1868-53-7	
Toluene-d8 (S)	97	%	70-130		1		10/26/18 18:58	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 1690010425 GORSKI LF

Pace Project No.: 40178374

Sample: 1101 CTH KK **Lab ID: 40178374002** Collected: 10/24/18 10:00 Received: 10/25/18 14:55 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV		Analytical Method: EPA 8260							
Benzene	<0.25	ug/L	1.0	0.25	1		10/26/18 19:20	71-43-2	
Bromobenzene	<0.24	ug/L	1.0	0.24	1		10/26/18 19:20	108-86-1	
Bromochloromethane	<0.36	ug/L	5.0	0.36	1		10/26/18 19:20	74-97-5	
Bromodichloromethane	<0.36	ug/L	1.2	0.36	1		10/26/18 19:20	75-27-4	
Bromoform	<4.0	ug/L	13.2	4.0	1		10/26/18 19:20	75-25-2	
Bromomethane	<0.97	ug/L	5.0	0.97	1		10/26/18 19:20	74-83-9	
n-Butylbenzene	<0.71	ug/L	2.4	0.71	1		10/26/18 19:20	104-51-8	
sec-Butylbenzene	<0.85	ug/L	5.0	0.85	1		10/26/18 19:20	135-98-8	
tert-Butylbenzene	<0.30	ug/L	1.0	0.30	1		10/26/18 19:20	98-06-6	
Carbon tetrachloride	<0.17	ug/L	1.0	0.17	1		10/26/18 19:20	56-23-5	
Chlorobenzene	<0.71	ug/L	2.4	0.71	1		10/26/18 19:20	108-90-7	
Chloroethane	<1.3	ug/L	5.0	1.3	1		10/26/18 19:20	75-00-3	
Chloroform	<1.3	ug/L	5.0	1.3	1		10/26/18 19:20	67-66-3	
Chloromethane	<2.2	ug/L	7.3	2.2	1		10/26/18 19:20	74-87-3	
2-Chlorotoluene	<0.93	ug/L	5.0	0.93	1		10/26/18 19:20	95-49-8	
4-Chlorotoluene	<0.76	ug/L	2.5	0.76	1		10/26/18 19:20	106-43-4	
1,2-Dibromo-3-chloropropane	<1.8	ug/L	5.9	1.8	1		10/26/18 19:20	96-12-8	
Dibromochloromethane	<2.6	ug/L	8.7	2.6	1		10/26/18 19:20	124-48-1	
1,2-Dibromoethane (EDB)	<0.83	ug/L	2.8	0.83	1		10/26/18 19:20	106-93-4	
Dibromomethane	<0.94	ug/L	3.1	0.94	1		10/26/18 19:20	74-95-3	
1,2-Dichlorobenzene	<0.71	ug/L	2.4	0.71	1		10/26/18 19:20	95-50-1	
1,3-Dichlorobenzene	<0.63	ug/L	2.1	0.63	1		10/26/18 19:20	541-73-1	
1,4-Dichlorobenzene	<0.94	ug/L	3.1	0.94	1		10/26/18 19:20	106-46-7	
Dichlorodifluoromethane	<0.50	ug/L	5.0	0.50	1		10/26/18 19:20	75-71-8	
1,1-Dichloroethane	<0.27	ug/L	1.0	0.27	1		10/26/18 19:20	75-34-3	
1,2-Dichloroethane	<0.28	ug/L	1.0	0.28	1		10/26/18 19:20	107-06-2	
1,1-Dichloroethene	<0.24	ug/L	1.0	0.24	1		10/26/18 19:20	75-35-4	
cis-1,2-Dichloroethene	<0.27	ug/L	1.0	0.27	1		10/26/18 19:20	156-59-2	
trans-1,2-Dichloroethene	<1.1	ug/L	3.6	1.1	1		10/26/18 19:20	156-60-5	
1,2-Dichloropropane	<0.28	ug/L	1.0	0.28	1		10/26/18 19:20	78-87-5	
1,3-Dichloropropane	<0.83	ug/L	2.8	0.83	1		10/26/18 19:20	142-28-9	
2,2-Dichloropropane	<2.3	ug/L	7.6	2.3	1		10/26/18 19:20	594-20-7	
1,1-Dichloropropene	<0.54	ug/L	1.8	0.54	1		10/26/18 19:20	563-58-6	
cis-1,3-Dichloropropene	<3.6	ug/L	12.1	3.6	1		10/26/18 19:20	10061-01-5	
trans-1,3-Dichloropropene	<4.4	ug/L	14.6	4.4	1		10/26/18 19:20	10061-02-6	
Diisopropyl ether	<1.9	ug/L	6.3	1.9	1		10/26/18 19:20	108-20-3	
Ethylbenzene	<0.22	ug/L	1.0	0.22	1		10/26/18 19:20	100-41-4	
Hexachloro-1,3-butadiene	<1.2	ug/L	5.0	1.2	1		10/26/18 19:20	87-68-3	
Isopropylbenzene (Cumene)	<0.39	ug/L	5.0	0.39	1		10/26/18 19:20	98-82-8	
p-Isopropyltoluene	<0.80	ug/L	2.7	0.80	1		10/26/18 19:20	99-87-6	
Methylene Chloride	<0.58	ug/L	5.0	0.58	1		10/26/18 19:20	75-09-2	
Methyl-tert-butyl ether	<1.2	ug/L	4.2	1.2	1		10/26/18 19:20	1634-04-4	
Naphthalene	<1.2	ug/L	5.0	1.2	1		10/26/18 19:20	91-20-3	
n-Propylbenzene	<0.81	ug/L	5.0	0.81	1		10/26/18 19:20	103-65-1	
Styrene	<0.47	ug/L	1.6	0.47	1		10/26/18 19:20	100-42-5	
1,1,1,2-Tetrachloroethane	<0.27	ug/L	1.0	0.27	1		10/26/18 19:20	630-20-6	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 1690010425 GORSKI LF

Pace Project No.: 40178374

Sample: 1101 CTH KK **Lab ID: 40178374002** Collected: 10/24/18 10:00 Received: 10/25/18 14:55 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV									
Analytical Method: EPA 8260									
1,1,2,2-Tetrachloroethane	<0.28	ug/L	1.0	0.28	1		10/26/18 19:20	79-34-5	
Tetrachloroethene	<0.33	ug/L	1.1	0.33	1		10/26/18 19:20	127-18-4	
Toluene	<0.17	ug/L	5.0	0.17	1		10/26/18 19:20	108-88-3	
1,2,3-Trichlorobenzene	<0.63	ug/L	5.0	0.63	1		10/26/18 19:20	87-61-6	
1,2,4-Trichlorobenzene	<0.95	ug/L	5.0	0.95	1		10/26/18 19:20	120-82-1	
1,1,1-Trichloroethane	<0.24	ug/L	1.0	0.24	1		10/26/18 19:20	71-55-6	
1,1,2-Trichloroethane	<0.55	ug/L	5.0	0.55	1		10/26/18 19:20	79-00-5	
Trichloroethene	<0.26	ug/L	1.0	0.26	1		10/26/18 19:20	79-01-6	
Trichlorofluoromethane	<0.21	ug/L	1.0	0.21	1		10/26/18 19:20	75-69-4	
1,2,3-Trichloropropane	<0.59	ug/L	5.0	0.59	1		10/26/18 19:20	96-18-4	
1,2,4-Trimethylbenzene	<0.84	ug/L	2.8	0.84	1		10/26/18 19:20	95-63-6	
1,3,5-Trimethylbenzene	<0.87	ug/L	2.9	0.87	1		10/26/18 19:20	108-67-8	
Vinyl chloride	<0.17	ug/L	1.0	0.17	1		10/26/18 19:20	75-01-4	
Xylene (Total)	<1.5	ug/L	3.0	1.5	1		10/26/18 19:20	1330-20-7	
m&p-Xylene	<0.47	ug/L	2.0	0.47	1		10/26/18 19:20	179601-23-1	
o-Xylene	<0.26	ug/L	1.0	0.26	1		10/26/18 19:20	95-47-6	
Surrogates									
4-Bromofluorobenzene (S)	91	%	70-130		1		10/26/18 19:20	460-00-4	
Dibromofluoromethane (S)	97	%	70-130		1		10/26/18 19:20	1868-53-7	
Toluene-d8 (S)	100	%	70-130		1		10/26/18 19:20	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 1690010425 GORSKI LF

Pace Project No.: 40178374

Sample: 1058 CTH KK **Lab ID: 40178374003** Collected: 10/24/18 10:15 Received: 10/25/18 14:55 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Analytical Method: EPA 8260									
Benzene	<0.25	ug/L	1.0	0.25	1		10/26/18 19:42	71-43-2	
Bromobenzene	<0.24	ug/L	1.0	0.24	1		10/26/18 19:42	108-86-1	
Bromochloromethane	<0.36	ug/L	5.0	0.36	1		10/26/18 19:42	74-97-5	
Bromodichloromethane	<0.36	ug/L	1.2	0.36	1		10/26/18 19:42	75-27-4	
Bromoform	<4.0	ug/L	13.2	4.0	1		10/26/18 19:42	75-25-2	
Bromomethane	<0.97	ug/L	5.0	0.97	1		10/26/18 19:42	74-83-9	
n-Butylbenzene	<0.71	ug/L	2.4	0.71	1		10/26/18 19:42	104-51-8	
sec-Butylbenzene	<0.85	ug/L	5.0	0.85	1		10/26/18 19:42	135-98-8	
tert-Butylbenzene	<0.30	ug/L	1.0	0.30	1		10/26/18 19:42	98-06-6	
Carbon tetrachloride	<0.17	ug/L	1.0	0.17	1		10/26/18 19:42	56-23-5	
Chlorobenzene	<0.71	ug/L	2.4	0.71	1		10/26/18 19:42	108-90-7	
Chloroethane	<1.3	ug/L	5.0	1.3	1		10/26/18 19:42	75-00-3	
Chloroform	<1.3	ug/L	5.0	1.3	1		10/26/18 19:42	67-66-3	
Chloromethane	<2.2	ug/L	7.3	2.2	1		10/26/18 19:42	74-87-3	
2-Chlorotoluene	<0.93	ug/L	5.0	0.93	1		10/26/18 19:42	95-49-8	
4-Chlorotoluene	<0.76	ug/L	2.5	0.76	1		10/26/18 19:42	106-43-4	
1,2-Dibromo-3-chloropropane	<1.8	ug/L	5.9	1.8	1		10/26/18 19:42	96-12-8	
Dibromochloromethane	<2.6	ug/L	8.7	2.6	1		10/26/18 19:42	124-48-1	
1,2-Dibromoethane (EDB)	<0.83	ug/L	2.8	0.83	1		10/26/18 19:42	106-93-4	
Dibromomethane	<0.94	ug/L	3.1	0.94	1		10/26/18 19:42	74-95-3	
1,2-Dichlorobenzene	<0.71	ug/L	2.4	0.71	1		10/26/18 19:42	95-50-1	
1,3-Dichlorobenzene	<0.63	ug/L	2.1	0.63	1		10/26/18 19:42	541-73-1	
1,4-Dichlorobenzene	<0.94	ug/L	3.1	0.94	1		10/26/18 19:42	106-46-7	
Dichlorodifluoromethane	<0.50	ug/L	5.0	0.50	1		10/26/18 19:42	75-71-8	
1,1-Dichloroethane	<0.27	ug/L	1.0	0.27	1		10/26/18 19:42	75-34-3	
1,2-Dichloroethane	<0.28	ug/L	1.0	0.28	1		10/26/18 19:42	107-06-2	
1,1-Dichloroethene	<0.24	ug/L	1.0	0.24	1		10/26/18 19:42	75-35-4	
cis-1,2-Dichloroethene	<0.27	ug/L	1.0	0.27	1		10/26/18 19:42	156-59-2	
trans-1,2-Dichloroethene	<1.1	ug/L	3.6	1.1	1		10/26/18 19:42	156-60-5	
1,2-Dichloropropane	<0.28	ug/L	1.0	0.28	1		10/26/18 19:42	78-87-5	
1,3-Dichloropropane	<0.83	ug/L	2.8	0.83	1		10/26/18 19:42	142-28-9	
2,2-Dichloropropane	<2.3	ug/L	7.6	2.3	1		10/26/18 19:42	594-20-7	
1,1-Dichloropropene	<0.54	ug/L	1.8	0.54	1		10/26/18 19:42	563-58-6	
cis-1,3-Dichloropropene	<3.6	ug/L	12.1	3.6	1		10/26/18 19:42	10061-01-5	
trans-1,3-Dichloropropene	<4.4	ug/L	14.6	4.4	1		10/26/18 19:42	10061-02-6	
Diisopropyl ether	<1.9	ug/L	6.3	1.9	1		10/26/18 19:42	108-20-3	
Ethylbenzene	<0.22	ug/L	1.0	0.22	1		10/26/18 19:42	100-41-4	
Hexachloro-1,3-butadiene	<1.2	ug/L	5.0	1.2	1		10/26/18 19:42	87-68-3	
Isopropylbenzene (Cumene)	<0.39	ug/L	5.0	0.39	1		10/26/18 19:42	98-82-8	
p-Isopropyltoluene	<0.80	ug/L	2.7	0.80	1		10/26/18 19:42	99-87-6	
Methylene Chloride	<0.58	ug/L	5.0	0.58	1		10/26/18 19:42	75-09-2	
Methyl-tert-butyl ether	<1.2	ug/L	4.2	1.2	1		10/26/18 19:42	1634-04-4	
Naphthalene	<1.2	ug/L	5.0	1.2	1		10/26/18 19:42	91-20-3	
n-Propylbenzene	<0.81	ug/L	5.0	0.81	1		10/26/18 19:42	103-65-1	
Styrene	<0.47	ug/L	1.6	0.47	1		10/26/18 19:42	100-42-5	
1,1,1,2-Tetrachloroethane	<0.27	ug/L	1.0	0.27	1		10/26/18 19:42	630-20-6	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 1690010425 GORSKI LF

Pace Project No.: 40178374

Sample: 1058 CTH KK **Lab ID: 40178374003** Collected: 10/24/18 10:15 Received: 10/25/18 14:55 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV		Analytical Method: EPA 8260							
1,1,2,2-Tetrachloroethane	<0.28	ug/L	1.0	0.28	1		10/26/18 19:42	79-34-5	
Tetrachloroethene	<0.33	ug/L	1.1	0.33	1		10/26/18 19:42	127-18-4	
Toluene	<0.17	ug/L	5.0	0.17	1		10/26/18 19:42	108-88-3	
1,2,3-Trichlorobenzene	<0.63	ug/L	5.0	0.63	1		10/26/18 19:42	87-61-6	
1,2,4-Trichlorobenzene	<0.95	ug/L	5.0	0.95	1		10/26/18 19:42	120-82-1	
1,1,1-Trichloroethane	<0.24	ug/L	1.0	0.24	1		10/26/18 19:42	71-55-6	
1,1,2-Trichloroethane	<0.55	ug/L	5.0	0.55	1		10/26/18 19:42	79-00-5	
Trichloroethene	<0.26	ug/L	1.0	0.26	1		10/26/18 19:42	79-01-6	
Trichlorofluoromethane	<0.21	ug/L	1.0	0.21	1		10/26/18 19:42	75-69-4	
1,2,3-Trichloropropane	<0.59	ug/L	5.0	0.59	1		10/26/18 19:42	96-18-4	
1,2,4-Trimethylbenzene	<0.84	ug/L	2.8	0.84	1		10/26/18 19:42	95-63-6	
1,3,5-Trimethylbenzene	<0.87	ug/L	2.9	0.87	1		10/26/18 19:42	108-67-8	
Vinyl chloride	<0.17	ug/L	1.0	0.17	1		10/26/18 19:42	75-01-4	
Xylene (Total)	<1.5	ug/L	3.0	1.5	1		10/26/18 19:42	1330-20-7	
m&p-Xylene	<0.47	ug/L	2.0	0.47	1		10/26/18 19:42	179601-23-1	
o-Xylene	<0.26	ug/L	1.0	0.26	1		10/26/18 19:42	95-47-6	
Surrogates									
4-Bromofluorobenzene (S)	91	%	70-130		1		10/26/18 19:42	460-00-4	
Dibromofluoromethane (S)	99	%	70-130		1		10/26/18 19:42	1868-53-7	
Toluene-d8 (S)	99	%	70-130		1		10/26/18 19:42	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 1690010425 GORSKI LF

Pace Project No.: 40178374

Sample: 1054 CTH KK Lab ID: 40178374004 Collected: 10/24/18 10:30 Received: 10/25/18 14:55 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV		Analytical Method: EPA 8260							
Benzene	<0.25	ug/L	1.0	0.25	1		10/26/18 20:04	71-43-2	
Bromobenzene	<0.24	ug/L	1.0	0.24	1		10/26/18 20:04	108-86-1	
Bromochloromethane	<0.36	ug/L	5.0	0.36	1		10/26/18 20:04	74-97-5	
Bromodichloromethane	<0.36	ug/L	1.2	0.36	1		10/26/18 20:04	75-27-4	
Bromoform	<4.0	ug/L	13.2	4.0	1		10/26/18 20:04	75-25-2	
Bromomethane	<0.97	ug/L	5.0	0.97	1		10/26/18 20:04	74-83-9	
n-Butylbenzene	<0.71	ug/L	2.4	0.71	1		10/26/18 20:04	104-51-8	
sec-Butylbenzene	<0.85	ug/L	5.0	0.85	1		10/26/18 20:04	135-98-8	
tert-Butylbenzene	<0.30	ug/L	1.0	0.30	1		10/26/18 20:04	98-06-6	
Carbon tetrachloride	<0.17	ug/L	1.0	0.17	1		10/26/18 20:04	56-23-5	
Chlorobenzene	<0.71	ug/L	2.4	0.71	1		10/26/18 20:04	108-90-7	
Chloroethane	<1.3	ug/L	5.0	1.3	1		10/26/18 20:04	75-00-3	
Chloroform	<1.3	ug/L	5.0	1.3	1		10/26/18 20:04	67-66-3	
Chloromethane	<2.2	ug/L	7.3	2.2	1		10/26/18 20:04	74-87-3	
2-Chlorotoluene	<0.93	ug/L	5.0	0.93	1		10/26/18 20:04	95-49-8	
4-Chlorotoluene	<0.76	ug/L	2.5	0.76	1		10/26/18 20:04	106-43-4	
1,2-Dibromo-3-chloropropane	<1.8	ug/L	5.9	1.8	1		10/26/18 20:04	96-12-8	
Dibromochloromethane	<2.6	ug/L	8.7	2.6	1		10/26/18 20:04	124-48-1	
1,2-Dibromoethane (EDB)	<0.83	ug/L	2.8	0.83	1		10/26/18 20:04	106-93-4	
Dibromomethane	<0.94	ug/L	3.1	0.94	1		10/26/18 20:04	74-95-3	
1,2-Dichlorobenzene	<0.71	ug/L	2.4	0.71	1		10/26/18 20:04	95-50-1	
1,3-Dichlorobenzene	<0.63	ug/L	2.1	0.63	1		10/26/18 20:04	541-73-1	
1,4-Dichlorobenzene	<0.94	ug/L	3.1	0.94	1		10/26/18 20:04	106-46-7	
Dichlorodifluoromethane	<0.50	ug/L	5.0	0.50	1		10/26/18 20:04	75-71-8	
1,1-Dichloroethane	<0.27	ug/L	1.0	0.27	1		10/26/18 20:04	75-34-3	
1,2-Dichloroethane	<0.28	ug/L	1.0	0.28	1		10/26/18 20:04	107-06-2	
1,1-Dichloroethene	<0.24	ug/L	1.0	0.24	1		10/26/18 20:04	75-35-4	
cis-1,2-Dichloroethene	<0.27	ug/L	1.0	0.27	1		10/26/18 20:04	156-59-2	
trans-1,2-Dichloroethene	<1.1	ug/L	3.6	1.1	1		10/26/18 20:04	156-60-5	
1,2-Dichloropropane	<0.28	ug/L	1.0	0.28	1		10/26/18 20:04	78-87-5	
1,3-Dichloropropane	<0.83	ug/L	2.8	0.83	1		10/26/18 20:04	142-28-9	
2,2-Dichloropropane	<2.3	ug/L	7.6	2.3	1		10/26/18 20:04	594-20-7	
1,1-Dichloropropene	<0.54	ug/L	1.8	0.54	1		10/26/18 20:04	563-58-6	
cis-1,3-Dichloropropene	<3.6	ug/L	12.1	3.6	1		10/26/18 20:04	10061-01-5	
trans-1,3-Dichloropropene	<4.4	ug/L	14.6	4.4	1		10/26/18 20:04	10061-02-6	
Diisopropyl ether	<1.9	ug/L	6.3	1.9	1		10/26/18 20:04	108-20-3	
Ethylbenzene	<0.22	ug/L	1.0	0.22	1		10/26/18 20:04	100-41-4	
Hexachloro-1,3-butadiene	<1.2	ug/L	5.0	1.2	1		10/26/18 20:04	87-68-3	
Isopropylbenzene (Cumene)	<0.39	ug/L	5.0	0.39	1		10/26/18 20:04	98-82-8	
p-Isopropyltoluene	<0.80	ug/L	2.7	0.80	1		10/26/18 20:04	99-87-6	
Methylene Chloride	<0.58	ug/L	5.0	0.58	1		10/26/18 20:04	75-09-2	
Methyl-tert-butyl ether	<1.2	ug/L	4.2	1.2	1		10/26/18 20:04	1634-04-4	
Naphthalene	<1.2	ug/L	5.0	1.2	1		10/26/18 20:04	91-20-3	
n-Propylbenzene	<0.81	ug/L	5.0	0.81	1		10/26/18 20:04	103-65-1	
Styrene	<0.47	ug/L	1.6	0.47	1		10/26/18 20:04	100-42-5	
1,1,1,2-Tetrachloroethane	<0.27	ug/L	1.0	0.27	1		10/26/18 20:04	630-20-6	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 1690010425 GORSKI LF
Pace Project No.: 40178374

Sample: 1054 CTH KK **Lab ID: 40178374004** Collected: 10/24/18 10:30 Received: 10/25/18 14:55 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV		Analytical Method: EPA 8260							
1,1,2,2-Tetrachloroethane	<0.28	ug/L	1.0	0.28	1		10/26/18 20:04	79-34-5	
Tetrachloroethene	<0.33	ug/L	1.1	0.33	1		10/26/18 20:04	127-18-4	
Toluene	<0.17	ug/L	5.0	0.17	1		10/26/18 20:04	108-88-3	
1,2,3-Trichlorobenzene	<0.63	ug/L	5.0	0.63	1		10/26/18 20:04	87-61-6	
1,2,4-Trichlorobenzene	<0.95	ug/L	5.0	0.95	1		10/26/18 20:04	120-82-1	
1,1,1-Trichloroethane	<0.24	ug/L	1.0	0.24	1		10/26/18 20:04	71-55-6	
1,1,2-Trichloroethane	<0.55	ug/L	5.0	0.55	1		10/26/18 20:04	79-00-5	
Trichloroethene	<0.26	ug/L	1.0	0.26	1		10/26/18 20:04	79-01-6	
Trichlorofluoromethane	<0.21	ug/L	1.0	0.21	1		10/26/18 20:04	75-69-4	
1,2,3-Trichloropropane	<0.59	ug/L	5.0	0.59	1		10/26/18 20:04	96-18-4	
1,2,4-Trimethylbenzene	<0.84	ug/L	2.8	0.84	1		10/26/18 20:04	95-63-6	
1,3,5-Trimethylbenzene	<0.87	ug/L	2.9	0.87	1		10/26/18 20:04	108-67-8	
Vinyl chloride	<0.17	ug/L	1.0	0.17	1		10/26/18 20:04	75-01-4	
Xylene (Total)	<1.5	ug/L	3.0	1.5	1		10/26/18 20:04	1330-20-7	
m&p-Xylene	<0.47	ug/L	2.0	0.47	1		10/26/18 20:04	179601-23-1	
o-Xylene	<0.26	ug/L	1.0	0.26	1		10/26/18 20:04	95-47-6	
Surrogates									
4-Bromofluorobenzene (S)	89	%	70-130		1		10/26/18 20:04	460-00-4	
Dibromofluoromethane (S)	100	%	70-130		1		10/26/18 20:04	1868-53-7	
Toluene-d8 (S)	102	%	70-130		1		10/26/18 20:04	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 1690010425 GORSKI LF

Pace Project No.: 40178374

Sample: 666 CTH B **Lab ID: 40178374005** Collected: 10/24/18 11:00 Received: 10/25/18 14:55 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV		Analytical Method: EPA 8260							
Benzene	<0.25	ug/L	1.0	0.25	1		10/26/18 20:26	71-43-2	
Bromobenzene	<0.24	ug/L	1.0	0.24	1		10/26/18 20:26	108-86-1	
Bromochloromethane	<0.36	ug/L	5.0	0.36	1		10/26/18 20:26	74-97-5	
Bromodichloromethane	<0.36	ug/L	1.2	0.36	1		10/26/18 20:26	75-27-4	
Bromoform	<4.0	ug/L	13.2	4.0	1		10/26/18 20:26	75-25-2	
Bromomethane	<0.97	ug/L	5.0	0.97	1		10/26/18 20:26	74-83-9	
n-Butylbenzene	<0.71	ug/L	2.4	0.71	1		10/26/18 20:26	104-51-8	
sec-Butylbenzene	<0.85	ug/L	5.0	0.85	1		10/26/18 20:26	135-98-8	
tert-Butylbenzene	<0.30	ug/L	1.0	0.30	1		10/26/18 20:26	98-06-6	
Carbon tetrachloride	<0.17	ug/L	1.0	0.17	1		10/26/18 20:26	56-23-5	
Chlorobenzene	<0.71	ug/L	2.4	0.71	1		10/26/18 20:26	108-90-7	
Chloroethane	<1.3	ug/L	5.0	1.3	1		10/26/18 20:26	75-00-3	
Chloroform	<1.3	ug/L	5.0	1.3	1		10/26/18 20:26	67-66-3	
Chloromethane	<2.2	ug/L	7.3	2.2	1		10/26/18 20:26	74-87-3	
2-Chlorotoluene	<0.93	ug/L	5.0	0.93	1		10/26/18 20:26	95-49-8	
4-Chlorotoluene	<0.76	ug/L	2.5	0.76	1		10/26/18 20:26	106-43-4	
1,2-Dibromo-3-chloropropane	<1.8	ug/L	5.9	1.8	1		10/26/18 20:26	96-12-8	
Dibromochloromethane	<2.6	ug/L	8.7	2.6	1		10/26/18 20:26	124-48-1	
1,2-Dibromoethane (EDB)	<0.83	ug/L	2.8	0.83	1		10/26/18 20:26	106-93-4	
Dibromomethane	<0.94	ug/L	3.1	0.94	1		10/26/18 20:26	74-95-3	
1,2-Dichlorobenzene	<0.71	ug/L	2.4	0.71	1		10/26/18 20:26	95-50-1	
1,3-Dichlorobenzene	<0.63	ug/L	2.1	0.63	1		10/26/18 20:26	541-73-1	
1,4-Dichlorobenzene	<0.94	ug/L	3.1	0.94	1		10/26/18 20:26	106-46-7	
Dichlorodifluoromethane	<0.50	ug/L	5.0	0.50	1		10/26/18 20:26	75-71-8	
1,1-Dichloroethane	<0.27	ug/L	1.0	0.27	1		10/26/18 20:26	75-34-3	
1,2-Dichloroethane	<0.28	ug/L	1.0	0.28	1		10/26/18 20:26	107-06-2	
1,1-Dichloroethene	<0.24	ug/L	1.0	0.24	1		10/26/18 20:26	75-35-4	
cis-1,2-Dichloroethene	<0.27	ug/L	1.0	0.27	1		10/26/18 20:26	156-59-2	
trans-1,2-Dichloroethene	<1.1	ug/L	3.6	1.1	1		10/26/18 20:26	156-60-5	
1,2-Dichloropropane	<0.28	ug/L	1.0	0.28	1		10/26/18 20:26	78-87-5	
1,3-Dichloropropane	<0.83	ug/L	2.8	0.83	1		10/26/18 20:26	142-28-9	
2,2-Dichloropropane	<2.3	ug/L	7.6	2.3	1		10/26/18 20:26	594-20-7	
1,1-Dichloropropene	<0.54	ug/L	1.8	0.54	1		10/26/18 20:26	563-58-6	
cis-1,3-Dichloropropene	<3.6	ug/L	12.1	3.6	1		10/26/18 20:26	10061-01-5	
trans-1,3-Dichloropropene	<4.4	ug/L	14.6	4.4	1		10/26/18 20:26	10061-02-6	
Diisopropyl ether	<1.9	ug/L	6.3	1.9	1		10/26/18 20:26	108-20-3	
Ethylbenzene	<0.22	ug/L	1.0	0.22	1		10/26/18 20:26	100-41-4	
Hexachloro-1,3-butadiene	<1.2	ug/L	5.0	1.2	1		10/26/18 20:26	87-68-3	
Isopropylbenzene (Cumene)	<0.39	ug/L	5.0	0.39	1		10/26/18 20:26	98-82-8	
p-Isopropyltoluene	<0.80	ug/L	2.7	0.80	1		10/26/18 20:26	99-87-6	
Methylene Chloride	<0.58	ug/L	5.0	0.58	1		10/26/18 20:26	75-09-2	
Methyl-tert-butyl ether	12.1	ug/L	4.2	1.2	1		10/26/18 20:26	1634-04-4	
Naphthalene	<1.2	ug/L	5.0	1.2	1		10/26/18 20:26	91-20-3	
n-Propylbenzene	<0.81	ug/L	5.0	0.81	1		10/26/18 20:26	103-65-1	
Styrene	<0.47	ug/L	1.6	0.47	1		10/26/18 20:26	100-42-5	
1,1,1,2-Tetrachloroethane	<0.27	ug/L	1.0	0.27	1		10/26/18 20:26	630-20-6	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 1690010425 GORSKI LF

Pace Project No.: 40178374

Sample: 666 CTH B **Lab ID: 40178374005** Collected: 10/24/18 11:00 Received: 10/25/18 14:55 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV									
Analytical Method: EPA 8260									
1,1,2,2-Tetrachloroethane	<0.28	ug/L	1.0	0.28	1		10/26/18 20:26	79-34-5	
Tetrachloroethene	<0.33	ug/L	1.1	0.33	1		10/26/18 20:26	127-18-4	
Toluene	<0.17	ug/L	5.0	0.17	1		10/26/18 20:26	108-88-3	
1,2,3-Trichlorobenzene	<0.63	ug/L	5.0	0.63	1		10/26/18 20:26	87-61-6	
1,2,4-Trichlorobenzene	<0.95	ug/L	5.0	0.95	1		10/26/18 20:26	120-82-1	
1,1,1-Trichloroethane	<0.24	ug/L	1.0	0.24	1		10/26/18 20:26	71-55-6	
1,1,2-Trichloroethane	<0.55	ug/L	5.0	0.55	1		10/26/18 20:26	79-00-5	
Trichloroethene	<0.26	ug/L	1.0	0.26	1		10/26/18 20:26	79-01-6	
Trichlorofluoromethane	<0.21	ug/L	1.0	0.21	1		10/26/18 20:26	75-69-4	
1,2,3-Trichloropropane	<0.59	ug/L	5.0	0.59	1		10/26/18 20:26	96-18-4	
1,2,4-Trimethylbenzene	<0.84	ug/L	2.8	0.84	1		10/26/18 20:26	95-63-6	
1,3,5-Trimethylbenzene	<0.87	ug/L	2.9	0.87	1		10/26/18 20:26	108-67-8	
Vinyl chloride	<0.17	ug/L	1.0	0.17	1		10/26/18 20:26	75-01-4	
Xylene (Total)	<1.5	ug/L	3.0	1.5	1		10/26/18 20:26	1330-20-7	
m&p-Xylene	<0.47	ug/L	2.0	0.47	1		10/26/18 20:26	179601-23-1	
o-Xylene	<0.26	ug/L	1.0	0.26	1		10/26/18 20:26	95-47-6	
Surrogates									
4-Bromofluorobenzene (S)	92	%	70-130		1		10/26/18 20:26	460-00-4	
Dibromofluoromethane (S)	97	%	70-130		1		10/26/18 20:26	1868-53-7	
Toluene-d8 (S)	100	%	70-130		1		10/26/18 20:26	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 1690010425 GORSKI LF

Pace Project No.: 40178374

Sample: 670 CTH B **Lab ID: 40178374006** Collected: 10/24/18 11:15 Received: 10/25/18 14:55 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Analytical Method: EPA 8260									
Benzene	<0.25	ug/L	1.0	0.25	1		10/26/18 20:48	71-43-2	
Bromobenzene	<0.24	ug/L	1.0	0.24	1		10/26/18 20:48	108-86-1	
Bromochloromethane	<0.36	ug/L	5.0	0.36	1		10/26/18 20:48	74-97-5	
Bromodichloromethane	<0.36	ug/L	1.2	0.36	1		10/26/18 20:48	75-27-4	
Bromoform	<4.0	ug/L	13.2	4.0	1		10/26/18 20:48	75-25-2	
Bromomethane	<0.97	ug/L	5.0	0.97	1		10/26/18 20:48	74-83-9	
n-Butylbenzene	<0.71	ug/L	2.4	0.71	1		10/26/18 20:48	104-51-8	
sec-Butylbenzene	<0.85	ug/L	5.0	0.85	1		10/26/18 20:48	135-98-8	
tert-Butylbenzene	<0.30	ug/L	1.0	0.30	1		10/26/18 20:48	98-06-6	
Carbon tetrachloride	<0.17	ug/L	1.0	0.17	1		10/26/18 20:48	56-23-5	
Chlorobenzene	<0.71	ug/L	2.4	0.71	1		10/26/18 20:48	108-90-7	
Chloroethane	<1.3	ug/L	5.0	1.3	1		10/26/18 20:48	75-00-3	
Chloroform	<1.3	ug/L	5.0	1.3	1		10/26/18 20:48	67-66-3	
Chloromethane	<2.2	ug/L	7.3	2.2	1		10/26/18 20:48	74-87-3	
2-Chlorotoluene	<0.93	ug/L	5.0	0.93	1		10/26/18 20:48	95-49-8	
4-Chlorotoluene	<0.76	ug/L	2.5	0.76	1		10/26/18 20:48	106-43-4	
1,2-Dibromo-3-chloropropane	<1.8	ug/L	5.9	1.8	1		10/26/18 20:48	96-12-8	
Dibromochloromethane	<2.6	ug/L	8.7	2.6	1		10/26/18 20:48	124-48-1	
1,2-Dibromoethane (EDB)	<0.83	ug/L	2.8	0.83	1		10/26/18 20:48	106-93-4	
Dibromomethane	<0.94	ug/L	3.1	0.94	1		10/26/18 20:48	74-95-3	
1,2-Dichlorobenzene	<0.71	ug/L	2.4	0.71	1		10/26/18 20:48	95-50-1	
1,3-Dichlorobenzene	<0.63	ug/L	2.1	0.63	1		10/26/18 20:48	541-73-1	
1,4-Dichlorobenzene	<0.94	ug/L	3.1	0.94	1		10/26/18 20:48	106-46-7	
Dichlorodifluoromethane	<0.50	ug/L	5.0	0.50	1		10/26/18 20:48	75-71-8	
1,1-Dichloroethane	<0.27	ug/L	1.0	0.27	1		10/26/18 20:48	75-34-3	
1,2-Dichloroethane	<0.28	ug/L	1.0	0.28	1		10/26/18 20:48	107-06-2	
1,1-Dichloroethene	<0.24	ug/L	1.0	0.24	1		10/26/18 20:48	75-35-4	
cis-1,2-Dichloroethene	<0.27	ug/L	1.0	0.27	1		10/26/18 20:48	156-59-2	
trans-1,2-Dichloroethene	<1.1	ug/L	3.6	1.1	1		10/26/18 20:48	156-60-5	
1,2-Dichloropropane	<0.28	ug/L	1.0	0.28	1		10/26/18 20:48	78-87-5	
1,3-Dichloropropane	<0.83	ug/L	2.8	0.83	1		10/26/18 20:48	142-28-9	
2,2-Dichloropropane	<2.3	ug/L	7.6	2.3	1		10/26/18 20:48	594-20-7	
1,1-Dichloropropene	<0.54	ug/L	1.8	0.54	1		10/26/18 20:48	563-58-6	
cis-1,3-Dichloropropene	<3.6	ug/L	12.1	3.6	1		10/26/18 20:48	10061-01-5	
trans-1,3-Dichloropropene	<4.4	ug/L	14.6	4.4	1		10/26/18 20:48	10061-02-6	
Diisopropyl ether	<1.9	ug/L	6.3	1.9	1		10/26/18 20:48	108-20-3	
Ethylbenzene	<0.22	ug/L	1.0	0.22	1		10/26/18 20:48	100-41-4	
Hexachloro-1,3-butadiene	<1.2	ug/L	5.0	1.2	1		10/26/18 20:48	87-68-3	
Isopropylbenzene (Cumene)	<0.39	ug/L	5.0	0.39	1		10/26/18 20:48	98-82-8	
p-Isopropyltoluene	<0.80	ug/L	2.7	0.80	1		10/26/18 20:48	99-87-6	
Methylene Chloride	<0.58	ug/L	5.0	0.58	1		10/26/18 20:48	75-09-2	
Methyl-tert-butyl ether	<1.2	ug/L	4.2	1.2	1		10/26/18 20:48	1634-04-4	
Naphthalene	<1.2	ug/L	5.0	1.2	1		10/26/18 20:48	91-20-3	
n-Propylbenzene	<0.81	ug/L	5.0	0.81	1		10/26/18 20:48	103-65-1	
Styrene	<0.47	ug/L	1.6	0.47	1		10/26/18 20:48	100-42-5	
1,1,1,2-Tetrachloroethane	<0.27	ug/L	1.0	0.27	1		10/26/18 20:48	630-20-6	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 1690010425 GORSKI LF

Pace Project No.: 40178374

Sample: 670 CTH B **Lab ID: 40178374006** Collected: 10/24/18 11:15 Received: 10/25/18 14:55 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV									
Analytical Method: EPA 8260									
1,1,2,2-Tetrachloroethane	<0.28	ug/L	1.0	0.28	1		10/26/18 20:48	79-34-5	
Tetrachloroethene	<0.33	ug/L	1.1	0.33	1		10/26/18 20:48	127-18-4	
Toluene	<0.17	ug/L	5.0	0.17	1		10/26/18 20:48	108-88-3	
1,2,3-Trichlorobenzene	<0.63	ug/L	5.0	0.63	1		10/26/18 20:48	87-61-6	
1,2,4-Trichlorobenzene	<0.95	ug/L	5.0	0.95	1		10/26/18 20:48	120-82-1	
1,1,1-Trichloroethane	<0.24	ug/L	1.0	0.24	1		10/26/18 20:48	71-55-6	
1,1,2-Trichloroethane	<0.55	ug/L	5.0	0.55	1		10/26/18 20:48	79-00-5	
Trichloroethene	<0.26	ug/L	1.0	0.26	1		10/26/18 20:48	79-01-6	
Trichlorofluoromethane	<0.21	ug/L	1.0	0.21	1		10/26/18 20:48	75-69-4	
1,2,3-Trichloropropane	<0.59	ug/L	5.0	0.59	1		10/26/18 20:48	96-18-4	
1,2,4-Trimethylbenzene	<0.84	ug/L	2.8	0.84	1		10/26/18 20:48	95-63-6	
1,3,5-Trimethylbenzene	<0.87	ug/L	2.9	0.87	1		10/26/18 20:48	108-67-8	
Vinyl chloride	<0.17	ug/L	1.0	0.17	1		10/26/18 20:48	75-01-4	
Xylene (Total)	<1.5	ug/L	3.0	1.5	1		10/26/18 20:48	1330-20-7	
m&p-Xylene	<0.47	ug/L	2.0	0.47	1		10/26/18 20:48	179601-23-1	
o-Xylene	<0.26	ug/L	1.0	0.26	1		10/26/18 20:48	95-47-6	
Surrogates									
4-Bromofluorobenzene (S)	89	%	70-130		1		10/26/18 20:48	460-00-4	
Dibromofluoromethane (S)	96	%	70-130		1		10/26/18 20:48	1868-53-7	
Toluene-d8 (S)	96	%	70-130		1		10/26/18 20:48	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 1690010425 GORSKI LF

Pace Project No.: 40178374

Sample: 669 CTH B **Lab ID: 40178374007** Collected: 10/24/18 11:30 Received: 10/25/18 14:55 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Analytical Method: EPA 8260									
Benzene	<0.25	ug/L	1.0	0.25	1		10/26/18 21:10	71-43-2	
Bromobenzene	<0.24	ug/L	1.0	0.24	1		10/26/18 21:10	108-86-1	
Bromochloromethane	<0.36	ug/L	5.0	0.36	1		10/26/18 21:10	74-97-5	
Bromodichloromethane	<0.36	ug/L	1.2	0.36	1		10/26/18 21:10	75-27-4	
Bromoform	<4.0	ug/L	13.2	4.0	1		10/26/18 21:10	75-25-2	
Bromomethane	<0.97	ug/L	5.0	0.97	1		10/26/18 21:10	74-83-9	
n-Butylbenzene	<0.71	ug/L	2.4	0.71	1		10/26/18 21:10	104-51-8	
sec-Butylbenzene	<0.85	ug/L	5.0	0.85	1		10/26/18 21:10	135-98-8	
tert-Butylbenzene	<0.30	ug/L	1.0	0.30	1		10/26/18 21:10	98-06-6	
Carbon tetrachloride	<0.17	ug/L	1.0	0.17	1		10/26/18 21:10	56-23-5	
Chlorobenzene	<0.71	ug/L	2.4	0.71	1		10/26/18 21:10	108-90-7	
Chloroethane	<1.3	ug/L	5.0	1.3	1		10/26/18 21:10	75-00-3	
Chloroform	<1.3	ug/L	5.0	1.3	1		10/26/18 21:10	67-66-3	
Chloromethane	<2.2	ug/L	7.3	2.2	1		10/26/18 21:10	74-87-3	
2-Chlorotoluene	<0.93	ug/L	5.0	0.93	1		10/26/18 21:10	95-49-8	
4-Chlorotoluene	<0.76	ug/L	2.5	0.76	1		10/26/18 21:10	106-43-4	
1,2-Dibromo-3-chloropropane	<1.8	ug/L	5.9	1.8	1		10/26/18 21:10	96-12-8	
Dibromochloromethane	<2.6	ug/L	8.7	2.6	1		10/26/18 21:10	124-48-1	
1,2-Dibromoethane (EDB)	<0.83	ug/L	2.8	0.83	1		10/26/18 21:10	106-93-4	
Dibromomethane	<0.94	ug/L	3.1	0.94	1		10/26/18 21:10	74-95-3	
1,2-Dichlorobenzene	<0.71	ug/L	2.4	0.71	1		10/26/18 21:10	95-50-1	
1,3-Dichlorobenzene	<0.63	ug/L	2.1	0.63	1		10/26/18 21:10	541-73-1	
1,4-Dichlorobenzene	<0.94	ug/L	3.1	0.94	1		10/26/18 21:10	106-46-7	
Dichlorodifluoromethane	<0.50	ug/L	5.0	0.50	1		10/26/18 21:10	75-71-8	
1,1-Dichloroethane	<0.27	ug/L	1.0	0.27	1		10/26/18 21:10	75-34-3	
1,2-Dichloroethane	<0.28	ug/L	1.0	0.28	1		10/26/18 21:10	107-06-2	
1,1-Dichloroethene	<0.24	ug/L	1.0	0.24	1		10/26/18 21:10	75-35-4	
cis-1,2-Dichloroethene	<0.27	ug/L	1.0	0.27	1		10/26/18 21:10	156-59-2	
trans-1,2-Dichloroethene	<1.1	ug/L	3.6	1.1	1		10/26/18 21:10	156-60-5	
1,2-Dichloropropane	<0.28	ug/L	1.0	0.28	1		10/26/18 21:10	78-87-5	
1,3-Dichloropropane	<0.83	ug/L	2.8	0.83	1		10/26/18 21:10	142-28-9	
2,2-Dichloropropane	<2.3	ug/L	7.6	2.3	1		10/26/18 21:10	594-20-7	
1,1-Dichloropropene	<0.54	ug/L	1.8	0.54	1		10/26/18 21:10	563-58-6	
cis-1,3-Dichloropropene	<3.6	ug/L	12.1	3.6	1		10/26/18 21:10	10061-01-5	
trans-1,3-Dichloropropene	<4.4	ug/L	14.6	4.4	1		10/26/18 21:10	10061-02-6	
Diisopropyl ether	<1.9	ug/L	6.3	1.9	1		10/26/18 21:10	108-20-3	
Ethylbenzene	<0.22	ug/L	1.0	0.22	1		10/26/18 21:10	100-41-4	
Hexachloro-1,3-butadiene	<1.2	ug/L	5.0	1.2	1		10/26/18 21:10	87-68-3	
Isopropylbenzene (Cumene)	<0.39	ug/L	5.0	0.39	1		10/26/18 21:10	98-82-8	
p-Isopropyltoluene	<0.80	ug/L	2.7	0.80	1		10/26/18 21:10	99-87-6	
Methylene Chloride	<0.58	ug/L	5.0	0.58	1		10/26/18 21:10	75-09-2	
Methyl-tert-butyl ether	<1.2	ug/L	4.2	1.2	1		10/26/18 21:10	1634-04-4	
Naphthalene	<1.2	ug/L	5.0	1.2	1		10/26/18 21:10	91-20-3	
n-Propylbenzene	<0.81	ug/L	5.0	0.81	1		10/26/18 21:10	103-65-1	
Styrene	<0.47	ug/L	1.6	0.47	1		10/26/18 21:10	100-42-5	
1,1,1,2-Tetrachloroethane	<0.27	ug/L	1.0	0.27	1		10/26/18 21:10	630-20-6	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 1690010425 GORSKI LF

Pace Project No.: 40178374

Sample: 669 CTH B **Lab ID: 40178374007** Collected: 10/24/18 11:30 Received: 10/25/18 14:55 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Analytical Method: EPA 8260									
1,1,2,2-Tetrachloroethane	<0.28	ug/L	1.0	0.28	1		10/26/18 21:10	79-34-5	
Tetrachloroethene	<0.33	ug/L	1.1	0.33	1		10/26/18 21:10	127-18-4	
Toluene	<0.17	ug/L	5.0	0.17	1		10/26/18 21:10	108-88-3	
1,2,3-Trichlorobenzene	<0.63	ug/L	5.0	0.63	1		10/26/18 21:10	87-61-6	
1,2,4-Trichlorobenzene	<0.95	ug/L	5.0	0.95	1		10/26/18 21:10	120-82-1	
1,1,1-Trichloroethane	<0.24	ug/L	1.0	0.24	1		10/26/18 21:10	71-55-6	
1,1,2-Trichloroethane	<0.55	ug/L	5.0	0.55	1		10/26/18 21:10	79-00-5	
Trichloroethene	<0.26	ug/L	1.0	0.26	1		10/26/18 21:10	79-01-6	
Trichlorofluoromethane	<0.21	ug/L	1.0	0.21	1		10/26/18 21:10	75-69-4	
1,2,3-Trichloropropane	<0.59	ug/L	5.0	0.59	1		10/26/18 21:10	96-18-4	
1,2,4-Trimethylbenzene	<0.84	ug/L	2.8	0.84	1		10/26/18 21:10	95-63-6	
1,3,5-Trimethylbenzene	<0.87	ug/L	2.9	0.87	1		10/26/18 21:10	108-67-8	
Vinyl chloride	<0.17	ug/L	1.0	0.17	1		10/26/18 21:10	75-01-4	
Xylene (Total)	<1.5	ug/L	3.0	1.5	1		10/26/18 21:10	1330-20-7	
m&p-Xylene	<0.47	ug/L	2.0	0.47	1		10/26/18 21:10	179601-23-1	
o-Xylene	<0.26	ug/L	1.0	0.26	1		10/26/18 21:10	95-47-6	
Surrogates									
4-Bromofluorobenzene (S)	91	%	70-130		1		10/26/18 21:10	460-00-4	
Dibromofluoromethane (S)	98	%	70-130		1		10/26/18 21:10	1868-53-7	
Toluene-d8 (S)	100	%	70-130		1		10/26/18 21:10	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 1690010425 GORSKI LF

Pace Project No.: 40178374

Sample: 669 CTH BD **Lab ID: 40178374008** Collected: 10/24/18 11:32 Received: 10/25/18 14:55 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV		Analytical Method: EPA 8260							
Benzene	<0.25	ug/L	1.0	0.25	1		10/26/18 21:32	71-43-2	
Bromobenzene	<0.24	ug/L	1.0	0.24	1		10/26/18 21:32	108-86-1	
Bromochloromethane	<0.36	ug/L	5.0	0.36	1		10/26/18 21:32	74-97-5	
Bromodichloromethane	<0.36	ug/L	1.2	0.36	1		10/26/18 21:32	75-27-4	
Bromoform	<4.0	ug/L	13.2	4.0	1		10/26/18 21:32	75-25-2	
Bromomethane	<0.97	ug/L	5.0	0.97	1		10/26/18 21:32	74-83-9	
n-Butylbenzene	<0.71	ug/L	2.4	0.71	1		10/26/18 21:32	104-51-8	
sec-Butylbenzene	<0.85	ug/L	5.0	0.85	1		10/26/18 21:32	135-98-8	
tert-Butylbenzene	<0.30	ug/L	1.0	0.30	1		10/26/18 21:32	98-06-6	
Carbon tetrachloride	<0.17	ug/L	1.0	0.17	1		10/26/18 21:32	56-23-5	
Chlorobenzene	<0.71	ug/L	2.4	0.71	1		10/26/18 21:32	108-90-7	
Chloroethane	<1.3	ug/L	5.0	1.3	1		10/26/18 21:32	75-00-3	
Chloroform	<1.3	ug/L	5.0	1.3	1		10/26/18 21:32	67-66-3	
Chloromethane	<2.2	ug/L	7.3	2.2	1		10/26/18 21:32	74-87-3	
2-Chlorotoluene	<0.93	ug/L	5.0	0.93	1		10/26/18 21:32	95-49-8	
4-Chlorotoluene	<0.76	ug/L	2.5	0.76	1		10/26/18 21:32	106-43-4	
1,2-Dibromo-3-chloropropane	<1.8	ug/L	5.9	1.8	1		10/26/18 21:32	96-12-8	
Dibromochloromethane	<2.6	ug/L	8.7	2.6	1		10/26/18 21:32	124-48-1	
1,2-Dibromoethane (EDB)	<0.83	ug/L	2.8	0.83	1		10/26/18 21:32	106-93-4	
Dibromomethane	<0.94	ug/L	3.1	0.94	1		10/26/18 21:32	74-95-3	
1,2-Dichlorobenzene	<0.71	ug/L	2.4	0.71	1		10/26/18 21:32	95-50-1	
1,3-Dichlorobenzene	<0.63	ug/L	2.1	0.63	1		10/26/18 21:32	541-73-1	
1,4-Dichlorobenzene	<0.94	ug/L	3.1	0.94	1		10/26/18 21:32	106-46-7	
Dichlorodifluoromethane	<0.50	ug/L	5.0	0.50	1		10/26/18 21:32	75-71-8	
1,1-Dichloroethane	<0.27	ug/L	1.0	0.27	1		10/26/18 21:32	75-34-3	
1,2-Dichloroethane	<0.28	ug/L	1.0	0.28	1		10/26/18 21:32	107-06-2	
1,1-Dichloroethene	<0.24	ug/L	1.0	0.24	1		10/26/18 21:32	75-35-4	
cis-1,2-Dichloroethene	<0.27	ug/L	1.0	0.27	1		10/26/18 21:32	156-59-2	
trans-1,2-Dichloroethene	<1.1	ug/L	3.6	1.1	1		10/26/18 21:32	156-60-5	
1,2-Dichloropropane	<0.28	ug/L	1.0	0.28	1		10/26/18 21:32	78-87-5	
1,3-Dichloropropane	<0.83	ug/L	2.8	0.83	1		10/26/18 21:32	142-28-9	
2,2-Dichloropropane	<2.3	ug/L	7.6	2.3	1		10/26/18 21:32	594-20-7	
1,1-Dichloropropene	<0.54	ug/L	1.8	0.54	1		10/26/18 21:32	563-58-6	
cis-1,3-Dichloropropene	<3.6	ug/L	12.1	3.6	1		10/26/18 21:32	10061-01-5	
trans-1,3-Dichloropropene	<4.4	ug/L	14.6	4.4	1		10/26/18 21:32	10061-02-6	
Diisopropyl ether	<1.9	ug/L	6.3	1.9	1		10/26/18 21:32	108-20-3	
Ethylbenzene	<0.22	ug/L	1.0	0.22	1		10/26/18 21:32	100-41-4	
Hexachloro-1,3-butadiene	<1.2	ug/L	5.0	1.2	1		10/26/18 21:32	87-68-3	
Isopropylbenzene (Cumene)	<0.39	ug/L	5.0	0.39	1		10/26/18 21:32	98-82-8	
p-Isopropyltoluene	<0.80	ug/L	2.7	0.80	1		10/26/18 21:32	99-87-6	
Methylene Chloride	<0.58	ug/L	5.0	0.58	1		10/26/18 21:32	75-09-2	
Methyl-tert-butyl ether	<1.2	ug/L	4.2	1.2	1		10/26/18 21:32	1634-04-4	
Naphthalene	<1.2	ug/L	5.0	1.2	1		10/26/18 21:32	91-20-3	
n-Propylbenzene	<0.81	ug/L	5.0	0.81	1		10/26/18 21:32	103-65-1	
Styrene	<0.47	ug/L	1.6	0.47	1		10/26/18 21:32	100-42-5	
1,1,1,2-Tetrachloroethane	<0.27	ug/L	1.0	0.27	1		10/26/18 21:32	630-20-6	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 1690010425 GORSKI LF

Pace Project No.: 40178374

Sample: 669 CTH BD **Lab ID: 40178374008** Collected: 10/24/18 11:32 Received: 10/25/18 14:55 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Analytical Method: EPA 8260									
1,1,2,2-Tetrachloroethane	<0.28	ug/L	1.0	0.28	1		10/26/18 21:32	79-34-5	
Tetrachloroethene	<0.33	ug/L	1.1	0.33	1		10/26/18 21:32	127-18-4	
Toluene	<0.17	ug/L	5.0	0.17	1		10/26/18 21:32	108-88-3	
1,2,3-Trichlorobenzene	<0.63	ug/L	5.0	0.63	1		10/26/18 21:32	87-61-6	
1,2,4-Trichlorobenzene	<0.95	ug/L	5.0	0.95	1		10/26/18 21:32	120-82-1	
1,1,1-Trichloroethane	<0.24	ug/L	1.0	0.24	1		10/26/18 21:32	71-55-6	
1,1,2-Trichloroethane	<0.55	ug/L	5.0	0.55	1		10/26/18 21:32	79-00-5	
Trichloroethene	<0.26	ug/L	1.0	0.26	1		10/26/18 21:32	79-01-6	
Trichlorofluoromethane	<0.21	ug/L	1.0	0.21	1		10/26/18 21:32	75-69-4	
1,2,3-Trichloropropane	<0.59	ug/L	5.0	0.59	1		10/26/18 21:32	96-18-4	
1,2,4-Trimethylbenzene	<0.84	ug/L	2.8	0.84	1		10/26/18 21:32	95-63-6	
1,3,5-Trimethylbenzene	<0.87	ug/L	2.9	0.87	1		10/26/18 21:32	108-67-8	
Vinyl chloride	<0.17	ug/L	1.0	0.17	1		10/26/18 21:32	75-01-4	
Xylene (Total)	<1.5	ug/L	3.0	1.5	1		10/26/18 21:32	1330-20-7	
m&p-Xylene	<0.47	ug/L	2.0	0.47	1		10/26/18 21:32	179601-23-1	
o-Xylene	<0.26	ug/L	1.0	0.26	1		10/26/18 21:32	95-47-6	
Surrogates									
4-Bromofluorobenzene (S)	84	%	70-130		1		10/26/18 21:32	460-00-4	
Dibromofluoromethane (S)	99	%	70-130		1		10/26/18 21:32	1868-53-7	
Toluene-d8 (S)	96	%	70-130		1		10/26/18 21:32	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 1690010425 GORSKI LF

Pace Project No.: 40178374

Sample: 626 CTH B **Lab ID: 40178374009** Collected: 10/24/18 11:45 Received: 10/25/18 14:55 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV		Analytical Method: EPA 8260							
Benzene	<0.25	ug/L	1.0	0.25	1		10/26/18 21:54	71-43-2	
Bromobenzene	<0.24	ug/L	1.0	0.24	1		10/26/18 21:54	108-86-1	
Bromochloromethane	<0.36	ug/L	5.0	0.36	1		10/26/18 21:54	74-97-5	
Bromodichloromethane	<0.36	ug/L	1.2	0.36	1		10/26/18 21:54	75-27-4	
Bromoform	<4.0	ug/L	13.2	4.0	1		10/26/18 21:54	75-25-2	
Bromomethane	<0.97	ug/L	5.0	0.97	1		10/26/18 21:54	74-83-9	
n-Butylbenzene	<0.71	ug/L	2.4	0.71	1		10/26/18 21:54	104-51-8	
sec-Butylbenzene	<0.85	ug/L	5.0	0.85	1		10/26/18 21:54	135-98-8	
tert-Butylbenzene	<0.30	ug/L	1.0	0.30	1		10/26/18 21:54	98-06-6	
Carbon tetrachloride	<0.17	ug/L	1.0	0.17	1		10/26/18 21:54	56-23-5	
Chlorobenzene	<0.71	ug/L	2.4	0.71	1		10/26/18 21:54	108-90-7	
Chloroethane	<1.3	ug/L	5.0	1.3	1		10/26/18 21:54	75-00-3	
Chloroform	<1.3	ug/L	5.0	1.3	1		10/26/18 21:54	67-66-3	
Chloromethane	<2.2	ug/L	7.3	2.2	1		10/26/18 21:54	74-87-3	
2-Chlorotoluene	<0.93	ug/L	5.0	0.93	1		10/26/18 21:54	95-49-8	
4-Chlorotoluene	<0.76	ug/L	2.5	0.76	1		10/26/18 21:54	106-43-4	
1,2-Dibromo-3-chloropropane	<1.8	ug/L	5.9	1.8	1		10/26/18 21:54	96-12-8	
Dibromochloromethane	<2.6	ug/L	8.7	2.6	1		10/26/18 21:54	124-48-1	
1,2-Dibromoethane (EDB)	<0.83	ug/L	2.8	0.83	1		10/26/18 21:54	106-93-4	
Dibromomethane	<0.94	ug/L	3.1	0.94	1		10/26/18 21:54	74-95-3	
1,2-Dichlorobenzene	<0.71	ug/L	2.4	0.71	1		10/26/18 21:54	95-50-1	
1,3-Dichlorobenzene	<0.63	ug/L	2.1	0.63	1		10/26/18 21:54	541-73-1	
1,4-Dichlorobenzene	<0.94	ug/L	3.1	0.94	1		10/26/18 21:54	106-46-7	
Dichlorodifluoromethane	<0.50	ug/L	5.0	0.50	1		10/26/18 21:54	75-71-8	
1,1-Dichloroethane	<0.27	ug/L	1.0	0.27	1		10/26/18 21:54	75-34-3	
1,2-Dichloroethane	<0.28	ug/L	1.0	0.28	1		10/26/18 21:54	107-06-2	
1,1-Dichloroethene	<0.24	ug/L	1.0	0.24	1		10/26/18 21:54	75-35-4	
cis-1,2-Dichloroethene	<0.27	ug/L	1.0	0.27	1		10/26/18 21:54	156-59-2	
trans-1,2-Dichloroethene	<1.1	ug/L	3.6	1.1	1		10/26/18 21:54	156-60-5	
1,2-Dichloropropane	<0.28	ug/L	1.0	0.28	1		10/26/18 21:54	78-87-5	
1,3-Dichloropropane	<0.83	ug/L	2.8	0.83	1		10/26/18 21:54	142-28-9	
2,2-Dichloropropane	<2.3	ug/L	7.6	2.3	1		10/26/18 21:54	594-20-7	
1,1-Dichloropropene	<0.54	ug/L	1.8	0.54	1		10/26/18 21:54	563-58-6	
cis-1,3-Dichloropropene	<3.6	ug/L	12.1	3.6	1		10/26/18 21:54	10061-01-5	
trans-1,3-Dichloropropene	<4.4	ug/L	14.6	4.4	1		10/26/18 21:54	10061-02-6	
Diisopropyl ether	<1.9	ug/L	6.3	1.9	1		10/26/18 21:54	108-20-3	
Ethylbenzene	<0.22	ug/L	1.0	0.22	1		10/26/18 21:54	100-41-4	
Hexachloro-1,3-butadiene	<1.2	ug/L	5.0	1.2	1		10/26/18 21:54	87-68-3	
Isopropylbenzene (Cumene)	<0.39	ug/L	5.0	0.39	1		10/26/18 21:54	98-82-8	
p-Isopropyltoluene	<0.80	ug/L	2.7	0.80	1		10/26/18 21:54	99-87-6	
Methylene Chloride	<0.58	ug/L	5.0	0.58	1		10/26/18 21:54	75-09-2	
Methyl-tert-butyl ether	<1.2	ug/L	4.2	1.2	1		10/26/18 21:54	1634-04-4	
Naphthalene	<1.2	ug/L	5.0	1.2	1		10/26/18 21:54	91-20-3	
n-Propylbenzene	<0.81	ug/L	5.0	0.81	1		10/26/18 21:54	103-65-1	
Styrene	<0.47	ug/L	1.6	0.47	1		10/26/18 21:54	100-42-5	
1,1,1,2-Tetrachloroethane	<0.27	ug/L	1.0	0.27	1		10/26/18 21:54	630-20-6	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 1690010425 GORSKI LF

Pace Project No.: 40178374

Sample: 626 CTH B **Lab ID: 40178374009** Collected: 10/24/18 11:45 Received: 10/25/18 14:55 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV		Analytical Method: EPA 8260							
1,1,2,2-Tetrachloroethane	<0.28	ug/L	1.0	0.28	1		10/26/18 21:54	79-34-5	
Tetrachloroethene	<0.33	ug/L	1.1	0.33	1		10/26/18 21:54	127-18-4	
Toluene	<0.17	ug/L	5.0	0.17	1		10/26/18 21:54	108-88-3	
1,2,3-Trichlorobenzene	<0.63	ug/L	5.0	0.63	1		10/26/18 21:54	87-61-6	
1,2,4-Trichlorobenzene	<0.95	ug/L	5.0	0.95	1		10/26/18 21:54	120-82-1	
1,1,1-Trichloroethane	<0.24	ug/L	1.0	0.24	1		10/26/18 21:54	71-55-6	
1,1,2-Trichloroethane	<0.55	ug/L	5.0	0.55	1		10/26/18 21:54	79-00-5	
Trichloroethene	<0.26	ug/L	1.0	0.26	1		10/26/18 21:54	79-01-6	
Trichlorofluoromethane	<0.21	ug/L	1.0	0.21	1		10/26/18 21:54	75-69-4	
1,2,3-Trichloropropane	<0.59	ug/L	5.0	0.59	1		10/26/18 21:54	96-18-4	
1,2,4-Trimethylbenzene	<0.84	ug/L	2.8	0.84	1		10/26/18 21:54	95-63-6	
1,3,5-Trimethylbenzene	<0.87	ug/L	2.9	0.87	1		10/26/18 21:54	108-67-8	
Vinyl chloride	<0.17	ug/L	1.0	0.17	1		10/26/18 21:54	75-01-4	
Xylene (Total)	<1.5	ug/L	3.0	1.5	1		10/26/18 21:54	1330-20-7	
m&p-Xylene	<0.47	ug/L	2.0	0.47	1		10/26/18 21:54	179601-23-1	
o-Xylene	<0.26	ug/L	1.0	0.26	1		10/26/18 21:54	95-47-6	
Surrogates									
4-Bromofluorobenzene (S)	90	%	70-130		1		10/26/18 21:54	460-00-4	
Dibromofluoromethane (S)	98	%	70-130		1		10/26/18 21:54	1868-53-7	
Toluene-d8 (S)	98	%	70-130		1		10/26/18 21:54	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 1690010425 GORSKI LF

Pace Project No.: 40178374

Sample: 642R CTH B **Lab ID: 40178374010** Collected: 10/24/18 12:00 Received: 10/25/18 14:55 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV		Analytical Method: EPA 8260							
Benzene	<0.25	ug/L	1.0	0.25	1		10/26/18 22:17	71-43-2	
Bromobenzene	<0.24	ug/L	1.0	0.24	1		10/26/18 22:17	108-86-1	
Bromochloromethane	<0.36	ug/L	5.0	0.36	1		10/26/18 22:17	74-97-5	
Bromodichloromethane	<0.36	ug/L	1.2	0.36	1		10/26/18 22:17	75-27-4	
Bromoform	<4.0	ug/L	13.2	4.0	1		10/26/18 22:17	75-25-2	
Bromomethane	<0.97	ug/L	5.0	0.97	1		10/26/18 22:17	74-83-9	
n-Butylbenzene	<0.71	ug/L	2.4	0.71	1		10/26/18 22:17	104-51-8	
sec-Butylbenzene	<0.85	ug/L	5.0	0.85	1		10/26/18 22:17	135-98-8	
tert-Butylbenzene	<0.30	ug/L	1.0	0.30	1		10/26/18 22:17	98-06-6	
Carbon tetrachloride	<0.17	ug/L	1.0	0.17	1		10/26/18 22:17	56-23-5	
Chlorobenzene	<0.71	ug/L	2.4	0.71	1		10/26/18 22:17	108-90-7	
Chloroethane	<1.3	ug/L	5.0	1.3	1		10/26/18 22:17	75-00-3	
Chloroform	<1.3	ug/L	5.0	1.3	1		10/26/18 22:17	67-66-3	
Chloromethane	<2.2	ug/L	7.3	2.2	1		10/26/18 22:17	74-87-3	
2-Chlorotoluene	<0.93	ug/L	5.0	0.93	1		10/26/18 22:17	95-49-8	
4-Chlorotoluene	<0.76	ug/L	2.5	0.76	1		10/26/18 22:17	106-43-4	
1,2-Dibromo-3-chloropropane	<1.8	ug/L	5.9	1.8	1		10/26/18 22:17	96-12-8	
Dibromochloromethane	<2.6	ug/L	8.7	2.6	1		10/26/18 22:17	124-48-1	
1,2-Dibromoethane (EDB)	<0.83	ug/L	2.8	0.83	1		10/26/18 22:17	106-93-4	
Dibromomethane	<0.94	ug/L	3.1	0.94	1		10/26/18 22:17	74-95-3	
1,2-Dichlorobenzene	<0.71	ug/L	2.4	0.71	1		10/26/18 22:17	95-50-1	
1,3-Dichlorobenzene	<0.63	ug/L	2.1	0.63	1		10/26/18 22:17	541-73-1	
1,4-Dichlorobenzene	<0.94	ug/L	3.1	0.94	1		10/26/18 22:17	106-46-7	
Dichlorodifluoromethane	<0.50	ug/L	5.0	0.50	1		10/26/18 22:17	75-71-8	
1,1-Dichloroethane	<0.27	ug/L	1.0	0.27	1		10/26/18 22:17	75-34-3	
1,2-Dichloroethane	<0.28	ug/L	1.0	0.28	1		10/26/18 22:17	107-06-2	
1,1-Dichloroethene	<0.24	ug/L	1.0	0.24	1		10/26/18 22:17	75-35-4	
cis-1,2-Dichloroethene	<0.27	ug/L	1.0	0.27	1		10/26/18 22:17	156-59-2	
trans-1,2-Dichloroethene	<1.1	ug/L	3.6	1.1	1		10/26/18 22:17	156-60-5	
1,2-Dichloropropane	<0.28	ug/L	1.0	0.28	1		10/26/18 22:17	78-87-5	
1,3-Dichloropropane	<0.83	ug/L	2.8	0.83	1		10/26/18 22:17	142-28-9	
2,2-Dichloropropane	<2.3	ug/L	7.6	2.3	1		10/26/18 22:17	594-20-7	
1,1-Dichloropropene	<0.54	ug/L	1.8	0.54	1		10/26/18 22:17	563-58-6	
cis-1,3-Dichloropropene	<3.6	ug/L	12.1	3.6	1		10/26/18 22:17	10061-01-5	
trans-1,3-Dichloropropene	<4.4	ug/L	14.6	4.4	1		10/26/18 22:17	10061-02-6	
Diisopropyl ether	<1.9	ug/L	6.3	1.9	1		10/26/18 22:17	108-20-3	
Ethylbenzene	<0.22	ug/L	1.0	0.22	1		10/26/18 22:17	100-41-4	
Hexachloro-1,3-butadiene	<1.2	ug/L	5.0	1.2	1		10/26/18 22:17	87-68-3	
Isopropylbenzene (Cumene)	<0.39	ug/L	5.0	0.39	1		10/26/18 22:17	98-82-8	
p-Isopropyltoluene	<0.80	ug/L	2.7	0.80	1		10/26/18 22:17	99-87-6	
Methylene Chloride	<0.58	ug/L	5.0	0.58	1		10/26/18 22:17	75-09-2	
Methyl-tert-butyl ether	<1.2	ug/L	4.2	1.2	1		10/26/18 22:17	1634-04-4	
Naphthalene	<1.2	ug/L	5.0	1.2	1		10/26/18 22:17	91-20-3	
n-Propylbenzene	<0.81	ug/L	5.0	0.81	1		10/26/18 22:17	103-65-1	
Styrene	<0.47	ug/L	1.6	0.47	1		10/26/18 22:17	100-42-5	
1,1,1,2-Tetrachloroethane	<0.27	ug/L	1.0	0.27	1		10/26/18 22:17	630-20-6	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 1690010425 GORSKI LF

Pace Project No.: 40178374

Sample: 642R CTH B **Lab ID: 40178374010** Collected: 10/24/18 12:00 Received: 10/25/18 14:55 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Analytical Method: EPA 8260									
1,1,2,2-Tetrachloroethane	<0.28	ug/L	1.0	0.28	1		10/26/18 22:17	79-34-5	
Tetrachloroethene	<0.33	ug/L	1.1	0.33	1		10/26/18 22:17	127-18-4	
Toluene	<0.17	ug/L	5.0	0.17	1		10/26/18 22:17	108-88-3	
1,2,3-Trichlorobenzene	<0.63	ug/L	5.0	0.63	1		10/26/18 22:17	87-61-6	
1,2,4-Trichlorobenzene	<0.95	ug/L	5.0	0.95	1		10/26/18 22:17	120-82-1	
1,1,1-Trichloroethane	<0.24	ug/L	1.0	0.24	1		10/26/18 22:17	71-55-6	
1,1,2-Trichloroethane	<0.55	ug/L	5.0	0.55	1		10/26/18 22:17	79-00-5	
Trichloroethene	<0.26	ug/L	1.0	0.26	1		10/26/18 22:17	79-01-6	
Trichlorofluoromethane	<0.21	ug/L	1.0	0.21	1		10/26/18 22:17	75-69-4	
1,2,3-Trichloropropane	<0.59	ug/L	5.0	0.59	1		10/26/18 22:17	96-18-4	
1,2,4-Trimethylbenzene	<0.84	ug/L	2.8	0.84	1		10/26/18 22:17	95-63-6	
1,3,5-Trimethylbenzene	<0.87	ug/L	2.9	0.87	1		10/26/18 22:17	108-67-8	
Vinyl chloride	<0.17	ug/L	1.0	0.17	1		10/26/18 22:17	75-01-4	
Xylene (Total)	<1.5	ug/L	3.0	1.5	1		10/26/18 22:17	1330-20-7	
m&p-Xylene	<0.47	ug/L	2.0	0.47	1		10/26/18 22:17	179601-23-1	
o-Xylene	<0.26	ug/L	1.0	0.26	1		10/26/18 22:17	95-47-6	
Surrogates									
4-Bromofluorobenzene (S)	85	%	70-130		1		10/26/18 22:17	460-00-4	
Dibromofluoromethane (S)	98	%	70-130		1		10/26/18 22:17	1868-53-7	
Toluene-d8 (S)	98	%	70-130		1		10/26/18 22:17	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 1690010425 GORSKI LF

Pace Project No.: 40178374

Sample: 652R CTH B **Lab ID: 40178374011** Collected: 10/24/18 12:15 Received: 10/25/18 14:55 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV		Analytical Method: EPA 8260							
Benzene	<0.25	ug/L	1.0	0.25	1		10/26/18 22:39	71-43-2	
Bromobenzene	<0.24	ug/L	1.0	0.24	1		10/26/18 22:39	108-86-1	
Bromochloromethane	<0.36	ug/L	5.0	0.36	1		10/26/18 22:39	74-97-5	
Bromodichloromethane	<0.36	ug/L	1.2	0.36	1		10/26/18 22:39	75-27-4	
Bromoform	<4.0	ug/L	13.2	4.0	1		10/26/18 22:39	75-25-2	
Bromomethane	<0.97	ug/L	5.0	0.97	1		10/26/18 22:39	74-83-9	
n-Butylbenzene	<0.71	ug/L	2.4	0.71	1		10/26/18 22:39	104-51-8	
sec-Butylbenzene	<0.85	ug/L	5.0	0.85	1		10/26/18 22:39	135-98-8	
tert-Butylbenzene	<0.30	ug/L	1.0	0.30	1		10/26/18 22:39	98-06-6	
Carbon tetrachloride	<0.17	ug/L	1.0	0.17	1		10/26/18 22:39	56-23-5	
Chlorobenzene	<0.71	ug/L	2.4	0.71	1		10/26/18 22:39	108-90-7	
Chloroethane	<1.3	ug/L	5.0	1.3	1		10/26/18 22:39	75-00-3	
Chloroform	<1.3	ug/L	5.0	1.3	1		10/26/18 22:39	67-66-3	
Chloromethane	<2.2	ug/L	7.3	2.2	1		10/26/18 22:39	74-87-3	
2-Chlorotoluene	<0.93	ug/L	5.0	0.93	1		10/26/18 22:39	95-49-8	
4-Chlorotoluene	<0.76	ug/L	2.5	0.76	1		10/26/18 22:39	106-43-4	
1,2-Dibromo-3-chloropropane	<1.8	ug/L	5.9	1.8	1		10/26/18 22:39	96-12-8	
Dibromochloromethane	<2.6	ug/L	8.7	2.6	1		10/26/18 22:39	124-48-1	
1,2-Dibromoethane (EDB)	<0.83	ug/L	2.8	0.83	1		10/26/18 22:39	106-93-4	
Dibromomethane	<0.94	ug/L	3.1	0.94	1		10/26/18 22:39	74-95-3	
1,2-Dichlorobenzene	<0.71	ug/L	2.4	0.71	1		10/26/18 22:39	95-50-1	
1,3-Dichlorobenzene	<0.63	ug/L	2.1	0.63	1		10/26/18 22:39	541-73-1	
1,4-Dichlorobenzene	<0.94	ug/L	3.1	0.94	1		10/26/18 22:39	106-46-7	
Dichlorodifluoromethane	<0.50	ug/L	5.0	0.50	1		10/26/18 22:39	75-71-8	
1,1-Dichloroethane	<0.27	ug/L	1.0	0.27	1		10/26/18 22:39	75-34-3	
1,2-Dichloroethane	<0.28	ug/L	1.0	0.28	1		10/26/18 22:39	107-06-2	
1,1-Dichloroethene	<0.24	ug/L	1.0	0.24	1		10/26/18 22:39	75-35-4	
cis-1,2-Dichloroethene	<0.27	ug/L	1.0	0.27	1		10/26/18 22:39	156-59-2	
trans-1,2-Dichloroethene	<1.1	ug/L	3.6	1.1	1		10/26/18 22:39	156-60-5	
1,2-Dichloropropane	<0.28	ug/L	1.0	0.28	1		10/26/18 22:39	78-87-5	
1,3-Dichloropropane	<0.83	ug/L	2.8	0.83	1		10/26/18 22:39	142-28-9	
2,2-Dichloropropane	<2.3	ug/L	7.6	2.3	1		10/26/18 22:39	594-20-7	
1,1-Dichloropropene	<0.54	ug/L	1.8	0.54	1		10/26/18 22:39	563-58-6	
cis-1,3-Dichloropropene	<3.6	ug/L	12.1	3.6	1		10/26/18 22:39	10061-01-5	
trans-1,3-Dichloropropene	<4.4	ug/L	14.6	4.4	1		10/26/18 22:39	10061-02-6	
Diisopropyl ether	<1.9	ug/L	6.3	1.9	1		10/26/18 22:39	108-20-3	
Ethylbenzene	<0.22	ug/L	1.0	0.22	1		10/26/18 22:39	100-41-4	
Hexachloro-1,3-butadiene	<1.2	ug/L	5.0	1.2	1		10/26/18 22:39	87-68-3	
Isopropylbenzene (Cumene)	<0.39	ug/L	5.0	0.39	1		10/26/18 22:39	98-82-8	
p-Isopropyltoluene	<0.80	ug/L	2.7	0.80	1		10/26/18 22:39	99-87-6	
Methylene Chloride	<0.58	ug/L	5.0	0.58	1		10/26/18 22:39	75-09-2	
Methyl-tert-butyl ether	<1.2	ug/L	4.2	1.2	1		10/26/18 22:39	1634-04-4	
Naphthalene	<1.2	ug/L	5.0	1.2	1		10/26/18 22:39	91-20-3	
n-Propylbenzene	<0.81	ug/L	5.0	0.81	1		10/26/18 22:39	103-65-1	
Styrene	<0.47	ug/L	1.6	0.47	1		10/26/18 22:39	100-42-5	
1,1,1,2-Tetrachloroethane	<0.27	ug/L	1.0	0.27	1		10/26/18 22:39	630-20-6	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 1690010425 GORSKI LF

Pace Project No.: 40178374

Sample: 652R CTH B **Lab ID: 40178374011** Collected: 10/24/18 12:15 Received: 10/25/18 14:55 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV									
Analytical Method: EPA 8260									
1,1,2,2-Tetrachloroethane	<0.28	ug/L	1.0	0.28	1		10/26/18 22:39	79-34-5	
Tetrachloroethene	<0.33	ug/L	1.1	0.33	1		10/26/18 22:39	127-18-4	
Toluene	<0.17	ug/L	5.0	0.17	1		10/26/18 22:39	108-88-3	
1,2,3-Trichlorobenzene	<0.63	ug/L	5.0	0.63	1		10/26/18 22:39	87-61-6	
1,2,4-Trichlorobenzene	<0.95	ug/L	5.0	0.95	1		10/26/18 22:39	120-82-1	
1,1,1-Trichloroethane	<0.24	ug/L	1.0	0.24	1		10/26/18 22:39	71-55-6	
1,1,2-Trichloroethane	<0.55	ug/L	5.0	0.55	1		10/26/18 22:39	79-00-5	
Trichloroethene	<0.26	ug/L	1.0	0.26	1		10/26/18 22:39	79-01-6	
Trichlorofluoromethane	<0.21	ug/L	1.0	0.21	1		10/26/18 22:39	75-69-4	
1,2,3-Trichloropropane	<0.59	ug/L	5.0	0.59	1		10/26/18 22:39	96-18-4	
1,2,4-Trimethylbenzene	<0.84	ug/L	2.8	0.84	1		10/26/18 22:39	95-63-6	
1,3,5-Trimethylbenzene	<0.87	ug/L	2.9	0.87	1		10/26/18 22:39	108-67-8	
Vinyl chloride	<0.17	ug/L	1.0	0.17	1		10/26/18 22:39	75-01-4	
Xylene (Total)	<1.5	ug/L	3.0	1.5	1		10/26/18 22:39	1330-20-7	
m&p-Xylene	<0.47	ug/L	2.0	0.47	1		10/26/18 22:39	179601-23-1	
o-Xylene	<0.26	ug/L	1.0	0.26	1		10/26/18 22:39	95-47-6	
Surrogates									
4-Bromofluorobenzene (S)	90	%	70-130		1		10/26/18 22:39	460-00-4	
Dibromofluoromethane (S)	98	%	70-130		1		10/26/18 22:39	1868-53-7	
Toluene-d8 (S)	98	%	70-130		1		10/26/18 22:39	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 1690010425 GORSKI LF

Pace Project No.: 40178374

Sample: PZ-3 **Lab ID: 40178374012** Collected: 10/24/18 13:45 Received: 10/25/18 14:55 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Analytical Method: EPA 8260									
Benzene	<0.25	ug/L	1.0	0.25	1		10/26/18 18:35	71-43-2	
Bromobenzene	<0.24	ug/L	1.0	0.24	1		10/26/18 18:35	108-86-1	
Bromochloromethane	<0.36	ug/L	5.0	0.36	1		10/26/18 18:35	74-97-5	
Bromodichloromethane	<0.36	ug/L	1.2	0.36	1		10/26/18 18:35	75-27-4	
Bromoform	<4.0	ug/L	13.2	4.0	1		10/26/18 18:35	75-25-2	
Bromomethane	<0.97	ug/L	5.0	0.97	1		10/26/18 18:35	74-83-9	
n-Butylbenzene	<0.71	ug/L	2.4	0.71	1		10/26/18 18:35	104-51-8	
sec-Butylbenzene	<0.85	ug/L	5.0	0.85	1		10/26/18 18:35	135-98-8	
tert-Butylbenzene	<0.30	ug/L	1.0	0.30	1		10/26/18 18:35	98-06-6	
Carbon tetrachloride	<0.17	ug/L	1.0	0.17	1		10/26/18 18:35	56-23-5	
Chlorobenzene	<0.71	ug/L	2.4	0.71	1		10/26/18 18:35	108-90-7	
Chloroethane	<1.3	ug/L	5.0	1.3	1		10/26/18 18:35	75-00-3	
Chloroform	<1.3	ug/L	5.0	1.3	1		10/26/18 18:35	67-66-3	
Chloromethane	<2.2	ug/L	7.3	2.2	1		10/26/18 18:35	74-87-3	
2-Chlorotoluene	<0.93	ug/L	5.0	0.93	1		10/26/18 18:35	95-49-8	
4-Chlorotoluene	<0.76	ug/L	2.5	0.76	1		10/26/18 18:35	106-43-4	
1,2-Dibromo-3-chloropropane	<1.8	ug/L	5.9	1.8	1		10/26/18 18:35	96-12-8	
Dibromochloromethane	<2.6	ug/L	8.7	2.6	1		10/26/18 18:35	124-48-1	
1,2-Dibromoethane (EDB)	<0.83	ug/L	2.8	0.83	1		10/26/18 18:35	106-93-4	
Dibromomethane	<0.94	ug/L	3.1	0.94	1		10/26/18 18:35	74-95-3	
1,2-Dichlorobenzene	<0.71	ug/L	2.4	0.71	1		10/26/18 18:35	95-50-1	
1,3-Dichlorobenzene	<0.63	ug/L	2.1	0.63	1		10/26/18 18:35	541-73-1	
1,4-Dichlorobenzene	<0.94	ug/L	3.1	0.94	1		10/26/18 18:35	106-46-7	
Dichlorodifluoromethane	<0.50	ug/L	5.0	0.50	1		10/26/18 18:35	75-71-8	
1,1-Dichloroethane	<0.27	ug/L	1.0	0.27	1		10/26/18 18:35	75-34-3	
1,2-Dichloroethane	<0.28	ug/L	1.0	0.28	1		10/26/18 18:35	107-06-2	
1,1-Dichloroethene	<0.24	ug/L	1.0	0.24	1		10/26/18 18:35	75-35-4	
cis-1,2-Dichloroethene	10.4	ug/L	1.0	0.27	1		10/26/18 18:35	156-59-2	
trans-1,2-Dichloroethene	<1.1	ug/L	3.6	1.1	1		10/26/18 18:35	156-60-5	
1,2-Dichloropropane	<0.28	ug/L	1.0	0.28	1		10/26/18 18:35	78-87-5	
1,3-Dichloropropane	<0.83	ug/L	2.8	0.83	1		10/26/18 18:35	142-28-9	
2,2-Dichloropropane	<2.3	ug/L	7.6	2.3	1		10/26/18 18:35	594-20-7	
1,1-Dichloropropene	<0.54	ug/L	1.8	0.54	1		10/26/18 18:35	563-58-6	
cis-1,3-Dichloropropene	<3.6	ug/L	12.1	3.6	1		10/26/18 18:35	10061-01-5	
trans-1,3-Dichloropropene	<4.4	ug/L	14.6	4.4	1		10/26/18 18:35	10061-02-6	
Diisopropyl ether	<1.9	ug/L	6.3	1.9	1		10/26/18 18:35	108-20-3	
Ethylbenzene	<0.22	ug/L	1.0	0.22	1		10/26/18 18:35	100-41-4	
Hexachloro-1,3-butadiene	<1.2	ug/L	5.0	1.2	1		10/26/18 18:35	87-68-3	
Isopropylbenzene (Cumene)	<0.39	ug/L	5.0	0.39	1		10/26/18 18:35	98-82-8	
p-Isopropyltoluene	<0.80	ug/L	2.7	0.80	1		10/26/18 18:35	99-87-6	
Methylene Chloride	<0.58	ug/L	5.0	0.58	1		10/26/18 18:35	75-09-2	
Methyl-tert-butyl ether	<1.2	ug/L	4.2	1.2	1		10/26/18 18:35	1634-04-4	
Naphthalene	<1.2	ug/L	5.0	1.2	1		10/26/18 18:35	91-20-3	
n-Propylbenzene	<0.81	ug/L	5.0	0.81	1		10/26/18 18:35	103-65-1	
Styrene	<0.47	ug/L	1.6	0.47	1		10/26/18 18:35	100-42-5	
1,1,1,2-Tetrachloroethane	<0.27	ug/L	1.0	0.27	1		10/26/18 18:35	630-20-6	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 1690010425 GORSKI LF

Pace Project No.: 40178374

Sample: PZ-3 **Lab ID: 40178374012** Collected: 10/24/18 13:45 Received: 10/25/18 14:55 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Analytical Method: EPA 8260									
1,1,2,2-Tetrachloroethane	<0.28	ug/L	1.0	0.28	1		10/26/18 18:35	79-34-5	
Tetrachloroethene	<0.33	ug/L	1.1	0.33	1		10/26/18 18:35	127-18-4	
Toluene	<0.17	ug/L	5.0	0.17	1		10/26/18 18:35	108-88-3	
1,2,3-Trichlorobenzene	<0.63	ug/L	5.0	0.63	1		10/26/18 18:35	87-61-6	
1,2,4-Trichlorobenzene	<0.95	ug/L	5.0	0.95	1		10/26/18 18:35	120-82-1	
1,1,1-Trichloroethane	<0.24	ug/L	1.0	0.24	1		10/26/18 18:35	71-55-6	
1,1,2-Trichloroethane	<0.55	ug/L	5.0	0.55	1		10/26/18 18:35	79-00-5	
Trichloroethene	1.2	ug/L	1.0	0.26	1		10/26/18 18:35	79-01-6	
Trichlorofluoromethane	<0.21	ug/L	1.0	0.21	1		10/26/18 18:35	75-69-4	
1,2,3-Trichloropropane	<0.59	ug/L	5.0	0.59	1		10/26/18 18:35	96-18-4	
1,2,4-Trimethylbenzene	<0.84	ug/L	2.8	0.84	1		10/26/18 18:35	95-63-6	
1,3,5-Trimethylbenzene	<0.87	ug/L	2.9	0.87	1		10/26/18 18:35	108-67-8	
Vinyl chloride	<0.17	ug/L	1.0	0.17	1		10/26/18 18:35	75-01-4	
Xylene (Total)	<1.5	ug/L	3.0	1.5	1		10/26/18 18:35	1330-20-7	
m&p-Xylene	<0.47	ug/L	2.0	0.47	1		10/26/18 18:35	179601-23-1	
o-Xylene	<0.26	ug/L	1.0	0.26	1		10/26/18 18:35	95-47-6	
Surrogates									
4-Bromofluorobenzene (S)	90	%	70-130		1		10/26/18 18:35	460-00-4	
Dibromofluoromethane (S)	97	%	70-130		1		10/26/18 18:35	1868-53-7	
Toluene-d8 (S)	98	%	70-130		1		10/26/18 18:35	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 1690010425 GORSKI LF

Pace Project No.: 40178374

Sample: MW-4 **Lab ID: 40178374013** Collected: 10/24/18 14:40 Received: 10/25/18 14:55 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Analytical Method: EPA 8260									
Benzene	<0.25	ug/L	1.0	0.25	1		10/26/18 23:01	71-43-2	
Bromobenzene	<0.24	ug/L	1.0	0.24	1		10/26/18 23:01	108-86-1	
Bromochloromethane	<0.36	ug/L	5.0	0.36	1		10/26/18 23:01	74-97-5	
Bromodichloromethane	<0.36	ug/L	1.2	0.36	1		10/26/18 23:01	75-27-4	
Bromoform	<4.0	ug/L	13.2	4.0	1		10/26/18 23:01	75-25-2	
Bromomethane	<0.97	ug/L	5.0	0.97	1		10/26/18 23:01	74-83-9	
n-Butylbenzene	<0.71	ug/L	2.4	0.71	1		10/26/18 23:01	104-51-8	
sec-Butylbenzene	<0.85	ug/L	5.0	0.85	1		10/26/18 23:01	135-98-8	
tert-Butylbenzene	<0.30	ug/L	1.0	0.30	1		10/26/18 23:01	98-06-6	
Carbon tetrachloride	<0.17	ug/L	1.0	0.17	1		10/26/18 23:01	56-23-5	
Chlorobenzene	<0.71	ug/L	2.4	0.71	1		10/26/18 23:01	108-90-7	
Chloroethane	<1.3	ug/L	5.0	1.3	1		10/26/18 23:01	75-00-3	
Chloroform	<1.3	ug/L	5.0	1.3	1		10/26/18 23:01	67-66-3	
Chloromethane	<2.2	ug/L	7.3	2.2	1		10/26/18 23:01	74-87-3	
2-Chlorotoluene	<0.93	ug/L	5.0	0.93	1		10/26/18 23:01	95-49-8	
4-Chlorotoluene	<0.76	ug/L	2.5	0.76	1		10/26/18 23:01	106-43-4	
1,2-Dibromo-3-chloropropane	<1.8	ug/L	5.9	1.8	1		10/26/18 23:01	96-12-8	
Dibromochloromethane	<2.6	ug/L	8.7	2.6	1		10/26/18 23:01	124-48-1	
1,2-Dibromoethane (EDB)	<0.83	ug/L	2.8	0.83	1		10/26/18 23:01	106-93-4	
Dibromomethane	<0.94	ug/L	3.1	0.94	1		10/26/18 23:01	74-95-3	
1,2-Dichlorobenzene	<0.71	ug/L	2.4	0.71	1		10/26/18 23:01	95-50-1	
1,3-Dichlorobenzene	<0.63	ug/L	2.1	0.63	1		10/26/18 23:01	541-73-1	
1,4-Dichlorobenzene	<0.94	ug/L	3.1	0.94	1		10/26/18 23:01	106-46-7	
Dichlorodifluoromethane	<0.50	ug/L	5.0	0.50	1		10/26/18 23:01	75-71-8	
1,1-Dichloroethane	<0.27	ug/L	1.0	0.27	1		10/26/18 23:01	75-34-3	
1,2-Dichloroethane	<0.28	ug/L	1.0	0.28	1		10/26/18 23:01	107-06-2	
1,1-Dichloroethene	<0.24	ug/L	1.0	0.24	1		10/26/18 23:01	75-35-4	
cis-1,2-Dichloroethene	<0.27	ug/L	1.0	0.27	1		10/26/18 23:01	156-59-2	
trans-1,2-Dichloroethene	<1.1	ug/L	3.6	1.1	1		10/26/18 23:01	156-60-5	
1,2-Dichloropropane	<0.28	ug/L	1.0	0.28	1		10/26/18 23:01	78-87-5	
1,3-Dichloropropane	<0.83	ug/L	2.8	0.83	1		10/26/18 23:01	142-28-9	
2,2-Dichloropropane	<2.3	ug/L	7.6	2.3	1		10/26/18 23:01	594-20-7	
1,1-Dichloropropene	<0.54	ug/L	1.8	0.54	1		10/26/18 23:01	563-58-6	
cis-1,3-Dichloropropene	<3.6	ug/L	12.1	3.6	1		10/26/18 23:01	10061-01-5	
trans-1,3-Dichloropropene	<4.4	ug/L	14.6	4.4	1		10/26/18 23:01	10061-02-6	
Diisopropyl ether	<1.9	ug/L	6.3	1.9	1		10/26/18 23:01	108-20-3	
Ethylbenzene	<0.22	ug/L	1.0	0.22	1		10/26/18 23:01	100-41-4	
Hexachloro-1,3-butadiene	<1.2	ug/L	5.0	1.2	1		10/26/18 23:01	87-68-3	
Isopropylbenzene (Cumene)	<0.39	ug/L	5.0	0.39	1		10/26/18 23:01	98-82-8	
p-Isopropyltoluene	<0.80	ug/L	2.7	0.80	1		10/26/18 23:01	99-87-6	
Methylene Chloride	<0.58	ug/L	5.0	0.58	1		10/26/18 23:01	75-09-2	
Methyl-tert-butyl ether	<1.2	ug/L	4.2	1.2	1		10/26/18 23:01	1634-04-4	
Naphthalene	<1.2	ug/L	5.0	1.2	1		10/26/18 23:01	91-20-3	
n-Propylbenzene	<0.81	ug/L	5.0	0.81	1		10/26/18 23:01	103-65-1	
Styrene	<0.47	ug/L	1.6	0.47	1		10/26/18 23:01	100-42-5	
1,1,1,2-Tetrachloroethane	<0.27	ug/L	1.0	0.27	1		10/26/18 23:01	630-20-6	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 1690010425 GORSKI LF

Pace Project No.: 40178374

Sample: MW-4 **Lab ID: 40178374013** Collected: 10/24/18 14:40 Received: 10/25/18 14:55 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Analytical Method: EPA 8260									
1,1,2,2-Tetrachloroethane	<0.28	ug/L	1.0	0.28	1		10/26/18 23:01	79-34-5	
Tetrachloroethene	<0.33	ug/L	1.1	0.33	1		10/26/18 23:01	127-18-4	
Toluene	<0.17	ug/L	5.0	0.17	1		10/26/18 23:01	108-88-3	
1,2,3-Trichlorobenzene	<0.63	ug/L	5.0	0.63	1		10/26/18 23:01	87-61-6	
1,2,4-Trichlorobenzene	<0.95	ug/L	5.0	0.95	1		10/26/18 23:01	120-82-1	
1,1,1-Trichloroethane	<0.24	ug/L	1.0	0.24	1		10/26/18 23:01	71-55-6	
1,1,2-Trichloroethane	<0.55	ug/L	5.0	0.55	1		10/26/18 23:01	79-00-5	
Trichloroethene	2.2	ug/L	1.0	0.26	1		10/26/18 23:01	79-01-6	
Trichlorofluoromethane	<0.21	ug/L	1.0	0.21	1		10/26/18 23:01	75-69-4	
1,2,3-Trichloropropane	<0.59	ug/L	5.0	0.59	1		10/26/18 23:01	96-18-4	
1,2,4-Trimethylbenzene	<0.84	ug/L	2.8	0.84	1		10/26/18 23:01	95-63-6	
1,3,5-Trimethylbenzene	<0.87	ug/L	2.9	0.87	1		10/26/18 23:01	108-67-8	
Vinyl chloride	<0.17	ug/L	1.0	0.17	1		10/26/18 23:01	75-01-4	
Xylene (Total)	<1.5	ug/L	3.0	1.5	1		10/26/18 23:01	1330-20-7	
m&p-Xylene	<0.47	ug/L	2.0	0.47	1		10/26/18 23:01	179601-23-1	
o-Xylene	<0.26	ug/L	1.0	0.26	1		10/26/18 23:01	95-47-6	
Surrogates									
4-Bromofluorobenzene (S)	92	%	70-130		1		10/26/18 23:01	460-00-4	
Dibromofluoromethane (S)	99	%	70-130		1		10/26/18 23:01	1868-53-7	
Toluene-d8 (S)	98	%	70-130		1		10/26/18 23:01	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 1690010425 GORSKI LF

Pace Project No.: 40178374

Sample: MW-4D **Lab ID: 40178374014** Collected: 10/24/18 14:42 Received: 10/25/18 14:55 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Analytical Method: EPA 8260									
Benzene	<0.25	ug/L	1.0	0.25	1		10/26/18 23:23	71-43-2	
Bromobenzene	<0.24	ug/L	1.0	0.24	1		10/26/18 23:23	108-86-1	
Bromochloromethane	<0.36	ug/L	5.0	0.36	1		10/26/18 23:23	74-97-5	
Bromodichloromethane	<0.36	ug/L	1.2	0.36	1		10/26/18 23:23	75-27-4	
Bromoform	<4.0	ug/L	13.2	4.0	1		10/26/18 23:23	75-25-2	
Bromomethane	<0.97	ug/L	5.0	0.97	1		10/26/18 23:23	74-83-9	
n-Butylbenzene	<0.71	ug/L	2.4	0.71	1		10/26/18 23:23	104-51-8	
sec-Butylbenzene	<0.85	ug/L	5.0	0.85	1		10/26/18 23:23	135-98-8	
tert-Butylbenzene	<0.30	ug/L	1.0	0.30	1		10/26/18 23:23	98-06-6	
Carbon tetrachloride	<0.17	ug/L	1.0	0.17	1		10/26/18 23:23	56-23-5	
Chlorobenzene	<0.71	ug/L	2.4	0.71	1		10/26/18 23:23	108-90-7	
Chloroethane	<1.3	ug/L	5.0	1.3	1		10/26/18 23:23	75-00-3	
Chloroform	<1.3	ug/L	5.0	1.3	1		10/26/18 23:23	67-66-3	
Chloromethane	<2.2	ug/L	7.3	2.2	1		10/26/18 23:23	74-87-3	
2-Chlorotoluene	<0.93	ug/L	5.0	0.93	1		10/26/18 23:23	95-49-8	
4-Chlorotoluene	<0.76	ug/L	2.5	0.76	1		10/26/18 23:23	106-43-4	
1,2-Dibromo-3-chloropropane	<1.8	ug/L	5.9	1.8	1		10/26/18 23:23	96-12-8	
Dibromochloromethane	<2.6	ug/L	8.7	2.6	1		10/26/18 23:23	124-48-1	
1,2-Dibromoethane (EDB)	<0.83	ug/L	2.8	0.83	1		10/26/18 23:23	106-93-4	
Dibromomethane	<0.94	ug/L	3.1	0.94	1		10/26/18 23:23	74-95-3	
1,2-Dichlorobenzene	<0.71	ug/L	2.4	0.71	1		10/26/18 23:23	95-50-1	
1,3-Dichlorobenzene	<0.63	ug/L	2.1	0.63	1		10/26/18 23:23	541-73-1	
1,4-Dichlorobenzene	<0.94	ug/L	3.1	0.94	1		10/26/18 23:23	106-46-7	
Dichlorodifluoromethane	<0.50	ug/L	5.0	0.50	1		10/26/18 23:23	75-71-8	
1,1-Dichloroethane	<0.27	ug/L	1.0	0.27	1		10/26/18 23:23	75-34-3	
1,2-Dichloroethane	<0.28	ug/L	1.0	0.28	1		10/26/18 23:23	107-06-2	
1,1-Dichloroethene	<0.24	ug/L	1.0	0.24	1		10/26/18 23:23	75-35-4	
cis-1,2-Dichloroethene	<0.27	ug/L	1.0	0.27	1		10/26/18 23:23	156-59-2	
trans-1,2-Dichloroethene	<1.1	ug/L	3.6	1.1	1		10/26/18 23:23	156-60-5	
1,2-Dichloropropane	<0.28	ug/L	1.0	0.28	1		10/26/18 23:23	78-87-5	
1,3-Dichloropropane	<0.83	ug/L	2.8	0.83	1		10/26/18 23:23	142-28-9	
2,2-Dichloropropane	<2.3	ug/L	7.6	2.3	1		10/26/18 23:23	594-20-7	
1,1-Dichloropropene	<0.54	ug/L	1.8	0.54	1		10/26/18 23:23	563-58-6	
cis-1,3-Dichloropropene	<3.6	ug/L	12.1	3.6	1		10/26/18 23:23	10061-01-5	
trans-1,3-Dichloropropene	<4.4	ug/L	14.6	4.4	1		10/26/18 23:23	10061-02-6	
Diisopropyl ether	<1.9	ug/L	6.3	1.9	1		10/26/18 23:23	108-20-3	
Ethylbenzene	<0.22	ug/L	1.0	0.22	1		10/26/18 23:23	100-41-4	
Hexachloro-1,3-butadiene	<1.2	ug/L	5.0	1.2	1		10/26/18 23:23	87-68-3	
Isopropylbenzene (Cumene)	<0.39	ug/L	5.0	0.39	1		10/26/18 23:23	98-82-8	
p-Isopropyltoluene	<0.80	ug/L	2.7	0.80	1		10/26/18 23:23	99-87-6	
Methylene Chloride	<0.58	ug/L	5.0	0.58	1		10/26/18 23:23	75-09-2	
Methyl-tert-butyl ether	<1.2	ug/L	4.2	1.2	1		10/26/18 23:23	1634-04-4	
Naphthalene	<1.2	ug/L	5.0	1.2	1		10/26/18 23:23	91-20-3	
n-Propylbenzene	<0.81	ug/L	5.0	0.81	1		10/26/18 23:23	103-65-1	
Styrene	<0.47	ug/L	1.6	0.47	1		10/26/18 23:23	100-42-5	
1,1,1,2-Tetrachloroethane	<0.27	ug/L	1.0	0.27	1		10/26/18 23:23	630-20-6	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 1690010425 GORSKI LF

Pace Project No.: 40178374

Sample: MW-4D **Lab ID: 40178374014** Collected: 10/24/18 14:42 Received: 10/25/18 14:55 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Analytical Method: EPA 8260									
1,1,2,2-Tetrachloroethane	<0.28	ug/L	1.0	0.28	1		10/26/18 23:23	79-34-5	
Tetrachloroethene	<0.33	ug/L	1.1	0.33	1		10/26/18 23:23	127-18-4	
Toluene	<0.17	ug/L	5.0	0.17	1		10/26/18 23:23	108-88-3	
1,2,3-Trichlorobenzene	<0.63	ug/L	5.0	0.63	1		10/26/18 23:23	87-61-6	
1,2,4-Trichlorobenzene	<0.95	ug/L	5.0	0.95	1		10/26/18 23:23	120-82-1	
1,1,1-Trichloroethane	<0.24	ug/L	1.0	0.24	1		10/26/18 23:23	71-55-6	
1,1,2-Trichloroethane	<0.55	ug/L	5.0	0.55	1		10/26/18 23:23	79-00-5	
Trichloroethene	2.3	ug/L	1.0	0.26	1		10/26/18 23:23	79-01-6	
Trichlorofluoromethane	<0.21	ug/L	1.0	0.21	1		10/26/18 23:23	75-69-4	
1,2,3-Trichloropropane	<0.59	ug/L	5.0	0.59	1		10/26/18 23:23	96-18-4	
1,2,4-Trimethylbenzene	<0.84	ug/L	2.8	0.84	1		10/26/18 23:23	95-63-6	
1,3,5-Trimethylbenzene	<0.87	ug/L	2.9	0.87	1		10/26/18 23:23	108-67-8	
Vinyl chloride	<0.17	ug/L	1.0	0.17	1		10/26/18 23:23	75-01-4	
Xylene (Total)	<1.5	ug/L	3.0	1.5	1		10/26/18 23:23	1330-20-7	
m&p-Xylene	<0.47	ug/L	2.0	0.47	1		10/26/18 23:23	179601-23-1	
o-Xylene	<0.26	ug/L	1.0	0.26	1		10/26/18 23:23	95-47-6	
Surrogates									
4-Bromofluorobenzene (S)	92	%	70-130		1		10/26/18 23:23	460-00-4	
Dibromofluoromethane (S)	97	%	70-130		1		10/26/18 23:23	1868-53-7	
Toluene-d8 (S)	100	%	70-130		1		10/26/18 23:23	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 1690010425 GORSKI LF

Pace Project No.: 40178374

Sample: PZ-4 **Lab ID: 40178374015** Collected: 10/24/18 15:20 Received: 10/25/18 14:55 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV		Analytical Method: EPA 8260							
Benzene	<0.25	ug/L	1.0	0.25	1		10/26/18 23:45	71-43-2	
Bromobenzene	<0.24	ug/L	1.0	0.24	1		10/26/18 23:45	108-86-1	
Bromochloromethane	<0.36	ug/L	5.0	0.36	1		10/26/18 23:45	74-97-5	
Bromodichloromethane	<0.36	ug/L	1.2	0.36	1		10/26/18 23:45	75-27-4	
Bromoform	<4.0	ug/L	13.2	4.0	1		10/26/18 23:45	75-25-2	
Bromomethane	<0.97	ug/L	5.0	0.97	1		10/26/18 23:45	74-83-9	
n-Butylbenzene	<0.71	ug/L	2.4	0.71	1		10/26/18 23:45	104-51-8	
sec-Butylbenzene	<0.85	ug/L	5.0	0.85	1		10/26/18 23:45	135-98-8	
tert-Butylbenzene	<0.30	ug/L	1.0	0.30	1		10/26/18 23:45	98-06-6	
Carbon tetrachloride	<0.17	ug/L	1.0	0.17	1		10/26/18 23:45	56-23-5	
Chlorobenzene	<0.71	ug/L	2.4	0.71	1		10/26/18 23:45	108-90-7	
Chloroethane	<1.3	ug/L	5.0	1.3	1		10/26/18 23:45	75-00-3	
Chloroform	<1.3	ug/L	5.0	1.3	1		10/26/18 23:45	67-66-3	
Chloromethane	<2.2	ug/L	7.3	2.2	1		10/26/18 23:45	74-87-3	
2-Chlorotoluene	<0.93	ug/L	5.0	0.93	1		10/26/18 23:45	95-49-8	
4-Chlorotoluene	<0.76	ug/L	2.5	0.76	1		10/26/18 23:45	106-43-4	
1,2-Dibromo-3-chloropropane	<1.8	ug/L	5.9	1.8	1		10/26/18 23:45	96-12-8	
Dibromochloromethane	<2.6	ug/L	8.7	2.6	1		10/26/18 23:45	124-48-1	
1,2-Dibromoethane (EDB)	<0.83	ug/L	2.8	0.83	1		10/26/18 23:45	106-93-4	
Dibromomethane	<0.94	ug/L	3.1	0.94	1		10/26/18 23:45	74-95-3	
1,2-Dichlorobenzene	<0.71	ug/L	2.4	0.71	1		10/26/18 23:45	95-50-1	
1,3-Dichlorobenzene	<0.63	ug/L	2.1	0.63	1		10/26/18 23:45	541-73-1	
1,4-Dichlorobenzene	<0.94	ug/L	3.1	0.94	1		10/26/18 23:45	106-46-7	
Dichlorodifluoromethane	<0.50	ug/L	5.0	0.50	1		10/26/18 23:45	75-71-8	
1,1-Dichloroethane	<0.27	ug/L	1.0	0.27	1		10/26/18 23:45	75-34-3	
1,2-Dichloroethane	<0.28	ug/L	1.0	0.28	1		10/26/18 23:45	107-06-2	
1,1-Dichloroethene	<0.24	ug/L	1.0	0.24	1		10/26/18 23:45	75-35-4	
cis-1,2-Dichloroethene	1.4	ug/L	1.0	0.27	1		10/26/18 23:45	156-59-2	
trans-1,2-Dichloroethene	<1.1	ug/L	3.6	1.1	1		10/26/18 23:45	156-60-5	
1,2-Dichloropropane	<0.28	ug/L	1.0	0.28	1		10/26/18 23:45	78-87-5	
1,3-Dichloropropane	<0.83	ug/L	2.8	0.83	1		10/26/18 23:45	142-28-9	
2,2-Dichloropropane	<2.3	ug/L	7.6	2.3	1		10/26/18 23:45	594-20-7	
1,1-Dichloropropene	<0.54	ug/L	1.8	0.54	1		10/26/18 23:45	563-58-6	
cis-1,3-Dichloropropene	<3.6	ug/L	12.1	3.6	1		10/26/18 23:45	10061-01-5	
trans-1,3-Dichloropropene	<4.4	ug/L	14.6	4.4	1		10/26/18 23:45	10061-02-6	
Diisopropyl ether	<1.9	ug/L	6.3	1.9	1		10/26/18 23:45	108-20-3	
Ethylbenzene	<0.22	ug/L	1.0	0.22	1		10/26/18 23:45	100-41-4	
Hexachloro-1,3-butadiene	<1.2	ug/L	5.0	1.2	1		10/26/18 23:45	87-68-3	
Isopropylbenzene (Cumene)	<0.39	ug/L	5.0	0.39	1		10/26/18 23:45	98-82-8	
p-Isopropyltoluene	<0.80	ug/L	2.7	0.80	1		10/26/18 23:45	99-87-6	
Methylene Chloride	<0.58	ug/L	5.0	0.58	1		10/26/18 23:45	75-09-2	
Methyl-tert-butyl ether	<1.2	ug/L	4.2	1.2	1		10/26/18 23:45	1634-04-4	
Naphthalene	<1.2	ug/L	5.0	1.2	1		10/26/18 23:45	91-20-3	
n-Propylbenzene	<0.81	ug/L	5.0	0.81	1		10/26/18 23:45	103-65-1	
Styrene	<0.47	ug/L	1.6	0.47	1		10/26/18 23:45	100-42-5	
1,1,1,2-Tetrachloroethane	<0.27	ug/L	1.0	0.27	1		10/26/18 23:45	630-20-6	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 1690010425 GORSKI LF

Pace Project No.: 40178374

Sample: PZ-4 **Lab ID: 40178374015** Collected: 10/24/18 15:20 Received: 10/25/18 14:55 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Analytical Method: EPA 8260									
1,1,2,2-Tetrachloroethane	<0.28	ug/L	1.0	0.28	1		10/26/18 23:45	79-34-5	
Tetrachloroethene	<0.33	ug/L	1.1	0.33	1		10/26/18 23:45	127-18-4	
Toluene	<0.17	ug/L	5.0	0.17	1		10/26/18 23:45	108-88-3	
1,2,3-Trichlorobenzene	<0.63	ug/L	5.0	0.63	1		10/26/18 23:45	87-61-6	
1,2,4-Trichlorobenzene	<0.95	ug/L	5.0	0.95	1		10/26/18 23:45	120-82-1	
1,1,1-Trichloroethane	<0.24	ug/L	1.0	0.24	1		10/26/18 23:45	71-55-6	
1,1,2-Trichloroethane	<0.55	ug/L	5.0	0.55	1		10/26/18 23:45	79-00-5	
Trichloroethene	6.6	ug/L	1.0	0.26	1		10/26/18 23:45	79-01-6	
Trichlorofluoromethane	<0.21	ug/L	1.0	0.21	1		10/26/18 23:45	75-69-4	
1,2,3-Trichloropropane	<0.59	ug/L	5.0	0.59	1		10/26/18 23:45	96-18-4	
1,2,4-Trimethylbenzene	<0.84	ug/L	2.8	0.84	1		10/26/18 23:45	95-63-6	
1,3,5-Trimethylbenzene	<0.87	ug/L	2.9	0.87	1		10/26/18 23:45	108-67-8	
Vinyl chloride	<0.17	ug/L	1.0	0.17	1		10/26/18 23:45	75-01-4	
Xylene (Total)	<1.5	ug/L	3.0	1.5	1		10/26/18 23:45	1330-20-7	
m&p-Xylene	<0.47	ug/L	2.0	0.47	1		10/26/18 23:45	179601-23-1	
o-Xylene	<0.26	ug/L	1.0	0.26	1		10/26/18 23:45	95-47-6	
Surrogates									
4-Bromofluorobenzene (S)	88	%	70-130		1		10/26/18 23:45	460-00-4	
Dibromofluoromethane (S)	98	%	70-130		1		10/26/18 23:45	1868-53-7	
Toluene-d8 (S)	97	%	70-130		1		10/26/18 23:45	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 1690010425 GORSKI LF

Pace Project No.: 40178374

Sample: MW-6 **Lab ID: 40178374016** Collected: 10/24/18 15:50 Received: 10/25/18 14:55 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Analytical Method: EPA 8260									
Benzene	<0.25	ug/L	1.0	0.25	1		10/27/18 00:07	71-43-2	
Bromobenzene	<0.24	ug/L	1.0	0.24	1		10/27/18 00:07	108-86-1	
Bromochloromethane	<0.36	ug/L	5.0	0.36	1		10/27/18 00:07	74-97-5	
Bromodichloromethane	<0.36	ug/L	1.2	0.36	1		10/27/18 00:07	75-27-4	
Bromoform	<4.0	ug/L	13.2	4.0	1		10/27/18 00:07	75-25-2	
Bromomethane	<0.97	ug/L	5.0	0.97	1		10/27/18 00:07	74-83-9	
n-Butylbenzene	<0.71	ug/L	2.4	0.71	1		10/27/18 00:07	104-51-8	
sec-Butylbenzene	<0.85	ug/L	5.0	0.85	1		10/27/18 00:07	135-98-8	
tert-Butylbenzene	<0.30	ug/L	1.0	0.30	1		10/27/18 00:07	98-06-6	
Carbon tetrachloride	<0.17	ug/L	1.0	0.17	1		10/27/18 00:07	56-23-5	
Chlorobenzene	<0.71	ug/L	2.4	0.71	1		10/27/18 00:07	108-90-7	
Chloroethane	<1.3	ug/L	5.0	1.3	1		10/27/18 00:07	75-00-3	
Chloroform	<1.3	ug/L	5.0	1.3	1		10/27/18 00:07	67-66-3	
Chloromethane	<2.2	ug/L	7.3	2.2	1		10/27/18 00:07	74-87-3	
2-Chlorotoluene	<0.93	ug/L	5.0	0.93	1		10/27/18 00:07	95-49-8	
4-Chlorotoluene	<0.76	ug/L	2.5	0.76	1		10/27/18 00:07	106-43-4	
1,2-Dibromo-3-chloropropane	<1.8	ug/L	5.9	1.8	1		10/27/18 00:07	96-12-8	
Dibromochloromethane	<2.6	ug/L	8.7	2.6	1		10/27/18 00:07	124-48-1	
1,2-Dibromoethane (EDB)	<0.83	ug/L	2.8	0.83	1		10/27/18 00:07	106-93-4	
Dibromomethane	<0.94	ug/L	3.1	0.94	1		10/27/18 00:07	74-95-3	
1,2-Dichlorobenzene	<0.71	ug/L	2.4	0.71	1		10/27/18 00:07	95-50-1	
1,3-Dichlorobenzene	<0.63	ug/L	2.1	0.63	1		10/27/18 00:07	541-73-1	
1,4-Dichlorobenzene	<0.94	ug/L	3.1	0.94	1		10/27/18 00:07	106-46-7	
Dichlorodifluoromethane	<0.50	ug/L	5.0	0.50	1		10/27/18 00:07	75-71-8	
1,1-Dichloroethane	<0.27	ug/L	1.0	0.27	1		10/27/18 00:07	75-34-3	
1,2-Dichloroethane	<0.28	ug/L	1.0	0.28	1		10/27/18 00:07	107-06-2	
1,1-Dichloroethene	<0.24	ug/L	1.0	0.24	1		10/27/18 00:07	75-35-4	
cis-1,2-Dichloroethene	2.3	ug/L	1.0	0.27	1		10/27/18 00:07	156-59-2	
trans-1,2-Dichloroethene	<1.1	ug/L	3.6	1.1	1		10/27/18 00:07	156-60-5	
1,2-Dichloropropane	<0.28	ug/L	1.0	0.28	1		10/27/18 00:07	78-87-5	
1,3-Dichloropropane	<0.83	ug/L	2.8	0.83	1		10/27/18 00:07	142-28-9	
2,2-Dichloropropane	<2.3	ug/L	7.6	2.3	1		10/27/18 00:07	594-20-7	
1,1-Dichloropropene	<0.54	ug/L	1.8	0.54	1		10/27/18 00:07	563-58-6	
cis-1,3-Dichloropropene	<3.6	ug/L	12.1	3.6	1		10/27/18 00:07	10061-01-5	
trans-1,3-Dichloropropene	<4.4	ug/L	14.6	4.4	1		10/27/18 00:07	10061-02-6	
Diisopropyl ether	<1.9	ug/L	6.3	1.9	1		10/27/18 00:07	108-20-3	
Ethylbenzene	<0.22	ug/L	1.0	0.22	1		10/27/18 00:07	100-41-4	
Hexachloro-1,3-butadiene	<1.2	ug/L	5.0	1.2	1		10/27/18 00:07	87-68-3	
Isopropylbenzene (Cumene)	<0.39	ug/L	5.0	0.39	1		10/27/18 00:07	98-82-8	
p-Isopropyltoluene	<0.80	ug/L	2.7	0.80	1		10/27/18 00:07	99-87-6	
Methylene Chloride	<0.58	ug/L	5.0	0.58	1		10/27/18 00:07	75-09-2	
Methyl-tert-butyl ether	<1.2	ug/L	4.2	1.2	1		10/27/18 00:07	1634-04-4	
Naphthalene	<1.2	ug/L	5.0	1.2	1		10/27/18 00:07	91-20-3	
n-Propylbenzene	<0.81	ug/L	5.0	0.81	1		10/27/18 00:07	103-65-1	
Styrene	<0.47	ug/L	1.6	0.47	1		10/27/18 00:07	100-42-5	
1,1,1,2-Tetrachloroethane	<0.27	ug/L	1.0	0.27	1		10/27/18 00:07	630-20-6	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 1690010425 GORSKI LF

Pace Project No.: 40178374

Sample: MW-6 **Lab ID: 40178374016** Collected: 10/24/18 15:50 Received: 10/25/18 14:55 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV									
Analytical Method: EPA 8260									
1,1,2,2-Tetrachloroethane	<0.28	ug/L	1.0	0.28	1		10/27/18 00:07	79-34-5	
Tetrachloroethene	<0.33	ug/L	1.1	0.33	1		10/27/18 00:07	127-18-4	
Toluene	<0.17	ug/L	5.0	0.17	1		10/27/18 00:07	108-88-3	
1,2,3-Trichlorobenzene	<0.63	ug/L	5.0	0.63	1		10/27/18 00:07	87-61-6	
1,2,4-Trichlorobenzene	<0.95	ug/L	5.0	0.95	1		10/27/18 00:07	120-82-1	
1,1,1-Trichloroethane	<0.24	ug/L	1.0	0.24	1		10/27/18 00:07	71-55-6	
1,1,2-Trichloroethane	<0.55	ug/L	5.0	0.55	1		10/27/18 00:07	79-00-5	
Trichloroethene	5.2	ug/L	1.0	0.26	1		10/27/18 00:07	79-01-6	
Trichlorofluoromethane	<0.21	ug/L	1.0	0.21	1		10/27/18 00:07	75-69-4	
1,2,3-Trichloropropane	<0.59	ug/L	5.0	0.59	1		10/27/18 00:07	96-18-4	
1,2,4-Trimethylbenzene	<0.84	ug/L	2.8	0.84	1		10/27/18 00:07	95-63-6	
1,3,5-Trimethylbenzene	<0.87	ug/L	2.9	0.87	1		10/27/18 00:07	108-67-8	
Vinyl chloride	<0.17	ug/L	1.0	0.17	1		10/27/18 00:07	75-01-4	
Xylene (Total)	<1.5	ug/L	3.0	1.5	1		10/27/18 00:07	1330-20-7	
m&p-Xylene	<0.47	ug/L	2.0	0.47	1		10/27/18 00:07	179601-23-1	
o-Xylene	<0.26	ug/L	1.0	0.26	1		10/27/18 00:07	95-47-6	
Surrogates									
4-Bromofluorobenzene (S)	88	%	70-130		1		10/27/18 00:07	460-00-4	
Dibromofluoromethane (S)	98	%	70-130		1		10/27/18 00:07	1868-53-7	
Toluene-d8 (S)	98	%	70-130		1		10/27/18 00:07	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 1690010425 GORSKI LF

Pace Project No.: 40178374

Sample: TRIP BLANK **Lab ID: 40178374017** Collected: 10/24/18 00:00 Received: 10/25/18 14:55 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Analytical Method: EPA 8260									
Benzene	<0.25	ug/L	1.0	0.25	1		10/27/18 00:29	71-43-2	
Bromobenzene	<0.24	ug/L	1.0	0.24	1		10/27/18 00:29	108-86-1	
Bromochloromethane	<0.36	ug/L	5.0	0.36	1		10/27/18 00:29	74-97-5	
Bromodichloromethane	<0.36	ug/L	1.2	0.36	1		10/27/18 00:29	75-27-4	
Bromoform	<4.0	ug/L	13.2	4.0	1		10/27/18 00:29	75-25-2	
Bromomethane	<0.97	ug/L	5.0	0.97	1		10/27/18 00:29	74-83-9	
n-Butylbenzene	<0.71	ug/L	2.4	0.71	1		10/27/18 00:29	104-51-8	
sec-Butylbenzene	<0.85	ug/L	5.0	0.85	1		10/27/18 00:29	135-98-8	
tert-Butylbenzene	<0.30	ug/L	1.0	0.30	1		10/27/18 00:29	98-06-6	
Carbon tetrachloride	<0.17	ug/L	1.0	0.17	1		10/27/18 00:29	56-23-5	
Chlorobenzene	<0.71	ug/L	2.4	0.71	1		10/27/18 00:29	108-90-7	
Chloroethane	<1.3	ug/L	5.0	1.3	1		10/27/18 00:29	75-00-3	
Chloroform	<1.3	ug/L	5.0	1.3	1		10/27/18 00:29	67-66-3	
Chloromethane	<2.2	ug/L	7.3	2.2	1		10/27/18 00:29	74-87-3	
2-Chlorotoluene	<0.93	ug/L	5.0	0.93	1		10/27/18 00:29	95-49-8	
4-Chlorotoluene	<0.76	ug/L	2.5	0.76	1		10/27/18 00:29	106-43-4	
1,2-Dibromo-3-chloropropane	<1.8	ug/L	5.9	1.8	1		10/27/18 00:29	96-12-8	
Dibromochloromethane	<2.6	ug/L	8.7	2.6	1		10/27/18 00:29	124-48-1	
1,2-Dibromoethane (EDB)	<0.83	ug/L	2.8	0.83	1		10/27/18 00:29	106-93-4	
Dibromomethane	<0.94	ug/L	3.1	0.94	1		10/27/18 00:29	74-95-3	
1,2-Dichlorobenzene	<0.71	ug/L	2.4	0.71	1		10/27/18 00:29	95-50-1	
1,3-Dichlorobenzene	<0.63	ug/L	2.1	0.63	1		10/27/18 00:29	541-73-1	
1,4-Dichlorobenzene	<0.94	ug/L	3.1	0.94	1		10/27/18 00:29	106-46-7	
Dichlorodifluoromethane	<0.50	ug/L	5.0	0.50	1		10/27/18 00:29	75-71-8	
1,1-Dichloroethane	<0.27	ug/L	1.0	0.27	1		10/27/18 00:29	75-34-3	
1,2-Dichloroethane	<0.28	ug/L	1.0	0.28	1		10/27/18 00:29	107-06-2	
1,1-Dichloroethene	<0.24	ug/L	1.0	0.24	1		10/27/18 00:29	75-35-4	
cis-1,2-Dichloroethene	<0.27	ug/L	1.0	0.27	1		10/27/18 00:29	156-59-2	
trans-1,2-Dichloroethene	<1.1	ug/L	3.6	1.1	1		10/27/18 00:29	156-60-5	
1,2-Dichloropropane	<0.28	ug/L	1.0	0.28	1		10/27/18 00:29	78-87-5	
1,3-Dichloropropane	<0.83	ug/L	2.8	0.83	1		10/27/18 00:29	142-28-9	
2,2-Dichloropropane	<2.3	ug/L	7.6	2.3	1		10/27/18 00:29	594-20-7	
1,1-Dichloropropene	<0.54	ug/L	1.8	0.54	1		10/27/18 00:29	563-58-6	
cis-1,3-Dichloropropene	<3.6	ug/L	12.1	3.6	1		10/27/18 00:29	10061-01-5	
trans-1,3-Dichloropropene	<4.4	ug/L	14.6	4.4	1		10/27/18 00:29	10061-02-6	
Diisopropyl ether	<1.9	ug/L	6.3	1.9	1		10/27/18 00:29	108-20-3	
Ethylbenzene	<0.22	ug/L	1.0	0.22	1		10/27/18 00:29	100-41-4	
Hexachloro-1,3-butadiene	<1.2	ug/L	5.0	1.2	1		10/27/18 00:29	87-68-3	
Isopropylbenzene (Cumene)	<0.39	ug/L	5.0	0.39	1		10/27/18 00:29	98-82-8	
p-Isopropyltoluene	<0.80	ug/L	2.7	0.80	1		10/27/18 00:29	99-87-6	
Methylene Chloride	<0.58	ug/L	5.0	0.58	1		10/27/18 00:29	75-09-2	
Methyl-tert-butyl ether	<1.2	ug/L	4.2	1.2	1		10/27/18 00:29	1634-04-4	
Naphthalene	<1.2	ug/L	5.0	1.2	1		10/27/18 00:29	91-20-3	
n-Propylbenzene	<0.81	ug/L	5.0	0.81	1		10/27/18 00:29	103-65-1	
Styrene	<0.47	ug/L	1.6	0.47	1		10/27/18 00:29	100-42-5	
1,1,1,2-Tetrachloroethane	<0.27	ug/L	1.0	0.27	1		10/27/18 00:29	630-20-6	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 1690010425 GORSKI LF

Pace Project No.: 40178374

Sample: TRIP BLANK **Lab ID: 40178374017** Collected: 10/24/18 00:00 Received: 10/25/18 14:55 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV		Analytical Method: EPA 8260							
1,1,2,2-Tetrachloroethane	<0.28	ug/L	1.0	0.28	1		10/27/18 00:29	79-34-5	
Tetrachloroethene	<0.33	ug/L	1.1	0.33	1		10/27/18 00:29	127-18-4	
Toluene	<0.17	ug/L	5.0	0.17	1		10/27/18 00:29	108-88-3	
1,2,3-Trichlorobenzene	<0.63	ug/L	5.0	0.63	1		10/27/18 00:29	87-61-6	
1,2,4-Trichlorobenzene	<0.95	ug/L	5.0	0.95	1		10/27/18 00:29	120-82-1	
1,1,1-Trichloroethane	<0.24	ug/L	1.0	0.24	1		10/27/18 00:29	71-55-6	
1,1,2-Trichloroethane	<0.55	ug/L	5.0	0.55	1		10/27/18 00:29	79-00-5	
Trichloroethene	<0.26	ug/L	1.0	0.26	1		10/27/18 00:29	79-01-6	
Trichlorofluoromethane	<0.21	ug/L	1.0	0.21	1		10/27/18 00:29	75-69-4	
1,2,3-Trichloropropane	<0.59	ug/L	5.0	0.59	1		10/27/18 00:29	96-18-4	
1,2,4-Trimethylbenzene	<0.84	ug/L	2.8	0.84	1		10/27/18 00:29	95-63-6	
1,3,5-Trimethylbenzene	<0.87	ug/L	2.9	0.87	1		10/27/18 00:29	108-67-8	
Vinyl chloride	<0.17	ug/L	1.0	0.17	1		10/27/18 00:29	75-01-4	
Xylene (Total)	<1.5	ug/L	3.0	1.5	1		10/27/18 00:29	1330-20-7	
m&p-Xylene	<0.47	ug/L	2.0	0.47	1		10/27/18 00:29	179601-23-1	
o-Xylene	<0.26	ug/L	1.0	0.26	1		10/27/18 00:29	95-47-6	
Surrogates									
4-Bromofluorobenzene (S)	91	%	70-130		1		10/27/18 00:29	460-00-4	
Dibromofluoromethane (S)	99	%	70-130		1		10/27/18 00:29	1868-53-7	
Toluene-d8 (S)	100	%	70-130		1		10/27/18 00:29	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: 1690010425 GORSKI LF
Pace Project No.: 40178374

METHOD BLANK: 1778654

Matrix: Water

Associated Lab Samples: 40178374001, 40178374002, 40178374003, 40178374004, 40178374005, 40178374006, 40178374007, 40178374008, 40178374009, 40178374010, 40178374011, 40178374012, 40178374013, 40178374014, 40178374015, 40178374016, 40178374017

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
Dichlorodifluoromethane	ug/L	<0.50	5.0	10/26/18 14:11	
Diisopropyl ether	ug/L	<1.9	6.3	10/26/18 14:11	
Ethylbenzene	ug/L	<0.22	1.0	10/26/18 14:11	
Hexachloro-1,3-butadiene	ug/L	<1.2	5.0	10/26/18 14:11	
Isopropylbenzene (Cumene)	ug/L	<0.39	5.0	10/26/18 14:11	
m&p-Xylene	ug/L	<0.47	2.0	10/26/18 14:11	
Methyl-tert-butyl ether	ug/L	<1.2	4.2	10/26/18 14:11	
Methylene Chloride	ug/L	<0.58	5.0	10/26/18 14:11	
n-Butylbenzene	ug/L	<0.71	2.4	10/26/18 14:11	
n-Propylbenzene	ug/L	<0.81	5.0	10/26/18 14:11	
Naphthalene	ug/L	<1.2	5.0	10/26/18 14:11	
o-Xylene	ug/L	<0.26	1.0	10/26/18 14:11	
p-Isopropyltoluene	ug/L	<0.80	2.7	10/26/18 14:11	
sec-Butylbenzene	ug/L	<0.85	5.0	10/26/18 14:11	
Styrene	ug/L	<0.47	1.6	10/26/18 14:11	
tert-Butylbenzene	ug/L	<0.30	1.0	10/26/18 14:11	
Tetrachloroethene	ug/L	<0.33	1.1	10/26/18 14:11	
Toluene	ug/L	<0.17	5.0	10/26/18 14:11	
trans-1,2-Dichloroethene	ug/L	<1.1	3.6	10/26/18 14:11	
trans-1,3-Dichloropropene	ug/L	<4.4	14.6	10/26/18 14:11	
Trichloroethene	ug/L	<0.26	1.0	10/26/18 14:11	
Trichlorofluoromethane	ug/L	<0.21	1.0	10/26/18 14:11	
Vinyl chloride	ug/L	<0.17	1.0	10/26/18 14:11	
Xylene (Total)	ug/L	<1.5	3.0	10/26/18 14:11	
4-Bromofluorobenzene (S)	%	90	70-130	10/26/18 14:11	
Dibromofluoromethane (S)	%	96	70-130	10/26/18 14:11	
Toluene-d8 (S)	%	98	70-130	10/26/18 14:11	

LABORATORY CONTROL SAMPLE: 1778655

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
1,1,1-Trichloroethane	ug/L	50	46.5	93	70-133	
1,1,2,2-Tetrachloroethane	ug/L	50	40.5	81	67-130	
1,1,2-Trichloroethane	ug/L	50	42.1	84	70-130	
1,1-Dichloroethane	ug/L	50	49.0	98	70-134	
1,1-Dichloroethene	ug/L	50	52.5	105	75-132	
1,2,4-Trichlorobenzene	ug/L	50	40.4	81	68-130	
1,2-Dibromo-3-chloropropane	ug/L	50	37.1	74	60-126	
1,2-Dibromoethane (EDB)	ug/L	50	47.5	95	70-130	
1,2-Dichlorobenzene	ug/L	50	47.3	95	70-130	
1,2-Dichloroethane	ug/L	50	47.0	94	73-134	
1,2-Dichloropropane	ug/L	50	43.6	87	79-128	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: 1690010425 GORSKI LF

Pace Project No.: 40178374

LABORATORY CONTROL SAMPLE: 1778655

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
1,3-Dichlorobenzene	ug/L	50	47.0	94	70-130	
1,4-Dichlorobenzene	ug/L	50	48.0	96	70-130	
Benzene	ug/L	50	45.7	91	69-137	
Bromodichloromethane	ug/L	50	43.2	86	70-130	
Bromoform	ug/L	50	40.6	81	64-133	
Bromomethane	ug/L	50	38.9	78	29-123	
Carbon tetrachloride	ug/L	50	46.7	93	73-142	
Chlorobenzene	ug/L	50	48.3	97	70-130	
Chloroethane	ug/L	50	48.6	97	59-133	
Chloroform	ug/L	50	46.9	94	80-129	
Chloromethane	ug/L	50	33.4	67	27-125	
cis-1,2-Dichloroethene	ug/L	50	45.9	92	70-134	
cis-1,3-Dichloropropene	ug/L	50	43.5	87	70-130	
Dibromochloromethane	ug/L	50	43.7	87	70-130	
Dichlorodifluoromethane	ug/L	50	35.3	71	12-127	
Ethylbenzene	ug/L	50	46.5	93	86-127	
Isopropylbenzene (Cumene)	ug/L	50	47.2	94	70-130	
m&p-Xylene	ug/L	100	98.2	98	70-131	
Methyl-tert-butyl ether	ug/L	50	44.0	88	65-136	
Methylene Chloride	ug/L	50	48.4	97	72-133	
o-Xylene	ug/L	50	45.6	91	70-130	
Styrene	ug/L	50	47.5	95	70-130	
Tetrachloroethene	ug/L	50	49.5	99	70-130	
Toluene	ug/L	50	46.8	94	84-124	
trans-1,2-Dichloroethene	ug/L	50	50.9	102	70-133	
trans-1,3-Dichloropropene	ug/L	50	40.7	81	67-130	
Trichloroethene	ug/L	50	49.2	98	70-130	
Trichlorofluoromethane	ug/L	50	53.6	107	69-147	
Vinyl chloride	ug/L	50	42.3	85	48-134	
Xylene (Total)	ug/L	150	144	96	70-130	
4-Bromofluorobenzene (S)	%			93	70-130	
Dibromofluoromethane (S)	%			100	70-130	
Toluene-d8 (S)	%			95	70-130	

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 1778656 1778657

Parameter	Units	MS		MSD		MS Result	MSD Result	MS % Rec	MSD % Rec	% Rec Limits	RPD	Max RPD	Qual
		40178374012 Result	Spike Conc.	Spike Conc.	Result								
1,1,1-Trichloroethane	ug/L	<0.24	50	50	47.4	47.0	95	94	70-136	1	20		
1,1,2,2-Tetrachloroethane	ug/L	<0.28	50	50	41.7	40.9	83	82	67-133	2	20		
1,1,2-Trichloroethane	ug/L	<0.55	50	50	43.6	43.2	87	86	70-130	1	20		
1,1,2-Dichloroethane	ug/L	<0.27	50	50	50.5	50.1	101	100	70-139	1	20		
1,1-Dichloroethene	ug/L	<0.24	50	50	53.6	53.0	107	106	72-137	1	20		
1,2,4-Trichlorobenzene	ug/L	<0.95	50	50	41.5	42.4	83	85	68-130	2	20		

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: 1690010425 GORSKI LF

Pace Project No.: 40178374

MATRIX SPIKE & MATRIX SPIKE DUPLICATE:		1778656		1778657									
Parameter	Units	40178374012	MS	MSD	MS	MSD	MS	MSD	% Rec	Max	RPD	RPD	Qual
		Result	Spike Conc.	Spike Conc.	Result	Result	% Rec	% Rec	Limits				
1,2-Dibromo-3-chloropropane	ug/L	<1.8	50	50	36.4	37.0	73	74	60-130	2	21		
1,2-Dibromoethane (EDB)	ug/L	<0.83	50	50	47.9	48.0	96	96	70-130	0	20		
1,2-Dichlorobenzene	ug/L	<0.71	50	50	48.3	47.6	97	95	70-130	2	20		
1,2-Dichloroethane	ug/L	<0.28	50	50	47.5	45.7	95	91	71-137	4	20		
1,2-Dichloropropane	ug/L	<0.28	50	50	44.3	43.8	89	88	78-130	1	20		
1,3-Dichlorobenzene	ug/L	<0.63	50	50	48.4	47.6	97	95	70-130	2	20		
1,4-Dichlorobenzene	ug/L	<0.94	50	50	49.6	49.6	99	99	70-130	0	20		
Benzene	ug/L	<0.25	50	50	47.2	46.6	94	93	66-143	1	20		
Bromodichloromethane	ug/L	<0.36	50	50	44.1	42.7	88	85	70-130	3	20		
Bromoform	ug/L	<4.0	50	50	41.7	41.8	83	84	64-134	0	20		
Bromomethane	ug/L	<0.97	50	50	39.6	39.9	79	80	29-136	1	25		
Carbon tetrachloride	ug/L	<0.17	50	50	48.4	48.2	97	96	73-142	0	20		
Chlorobenzene	ug/L	<0.71	50	50	50.1	49.1	100	98	70-130	2	20		
Chloroethane	ug/L	<1.3	50	50	50.7	48.7	101	97	58-138	4	20		
Chloroform	ug/L	<1.3	50	50	47.6	46.5	95	93	80-131	2	20		
Chloromethane	ug/L	<2.2	50	50	33.3	33.5	67	67	24-125	1	20		
cis-1,2-Dichloroethene	ug/L	10.4	50	50	56.4	56.3	92	92	68-137	0	22		
cis-1,3-Dichloropropene	ug/L	<3.6	50	50	44.1	43.5	88	87	70-130	1	20		
Dibromochloromethane	ug/L	<2.6	50	50	44.4	45.8	89	92	70-131	3	20		
Dichlorodifluoromethane	ug/L	<0.50	50	50	35.6	35.9	71	72	10-127	1	20		
Ethylbenzene	ug/L	<0.22	50	50	47.9	47.4	96	95	81-136	1	20		
Isopropylbenzene (Cumene)	ug/L	<0.39	50	50	46.8	46.6	94	93	70-132	0	20		
m&p-Xylene	ug/L	<0.47	100	100	98.2	99.2	98	99	70-135	1	20		
Methyl-tert-butyl ether	ug/L	<1.2	50	50	45.0	44.3	90	89	58-142	2	23		
Methylene Chloride	ug/L	<0.58	50	50	49.4	48.5	99	97	69-137	2	20		
o-Xylene	ug/L	<0.26	50	50	48.3	46.8	97	94	70-132	3	20		
Styrene	ug/L	<0.47	50	50	49.0	48.3	98	97	70-130	1	20		
Tetrachloroethene	ug/L	<0.33	50	50	50.3	49.6	101	99	70-132	1	20		
Toluene	ug/L	<0.17	50	50	47.7	47.8	95	96	81-130	0	20		
trans-1,2-Dichloroethene	ug/L	<1.1	50	50	52.5	52.6	104	104	70-136	0	20		
trans-1,3-Dichloropropene	ug/L	<4.4	50	50	40.7	41.1	81	82	67-130	1	20		
Trichloroethene	ug/L	1.2	50	50	49.3	49.4	96	96	70-131	0	20		
Trichlorofluoromethane	ug/L	<0.21	50	50	55.3	55.0	111	110	66-150	1	20		
Vinyl chloride	ug/L	<0.17	50	50	43.6	43.3	87	87	46-134	1	20		
Xylene (Total)	ug/L	<1.5	150	150	146	146	98	97	70-134	0	20		
4-Bromofluorobenzene (S)	%						92	91	70-130				
Dibromofluoromethane (S)	%						100	101	70-130				
Toluene-d8 (S)	%						96	96	70-130				

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALIFIERS

Project: 1690010425 GORSKI LF

Pace Project No.: 40178374

DEFINITIONS

DF - Dilution Factor, if reported, represents the factor applied to the reported data due to dilution of the sample aliquot.

ND - Not Detected at or above LOD.

J - Estimated concentration at or above the LOD and below the LOQ.

LOD - Limit of Detection adjusted for dilution factor and percent moisture.

LOQ - Limit of Quantitation adjusted for dilution factor and percent moisture.

S - Surrogate

1,2-Diphenylhydrazine decomposes to and cannot be separated from Azobenzene using Method 8270. The result for each analyte is a combined concentration.

Consistent with EPA guidelines, unrounded data are displayed and have been used to calculate % recovery and RPD values.

LCS(D) - Laboratory Control Sample (Duplicate)

MS(D) - Matrix Spike (Duplicate)

DUP - Sample Duplicate

RPD - Relative Percent Difference

NC - Not Calculable.

SG - Silica Gel - Clean-Up

U - Indicates the compound was analyzed for, but not detected at or above the adjusted LOD.

N-Nitrosodiphenylamine decomposes and cannot be separated from Diphenylamine using Method 8270. The result reported for each analyte is a combined concentration.

Pace Analytical is TNI accredited. Contact your Pace PM for the current list of accredited analytes.

TNI - The NELAC Institute.

LABORATORIES

PASI-G Pace Analytical Services - Green Bay

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA CROSS REFERENCE TABLE

Project: 1690010425 GORSKI LF

Pace Project No.: 40178374

Lab ID	Sample ID	QC Batch Method	QC Batch	Analytical Method	Analytical Batch
40178374001	1096 CTH KK	EPA 8260	304420		
40178374002	1101 CTH KK	EPA 8260	304420		
40178374003	1058 CTH KK	EPA 8260	304420		
40178374004	1054 CTH KK	EPA 8260	304420		
40178374005	666 CTH B	EPA 8260	304420		
40178374006	670 CTH B	EPA 8260	304420		
40178374007	669 CTH B	EPA 8260	304420		
40178374008	669 CTH BD	EPA 8260	304420		
40178374009	626 CTH B	EPA 8260	304420		
40178374010	642R CTH B	EPA 8260	304420		
40178374011	652R CTH B	EPA 8260	304420		
40178374012	PZ-3	EPA 8260	304420		
40178374013	MW-4	EPA 8260	304420		
40178374014	MW-4D	EPA 8260	304420		
40178374015	PZ-4	EPA 8260	304420		
40178374016	MW-6	EPA 8260	304420		
40178374017	TRIP BLANK	EPA 8260	304420		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Sample Preservation Receipt Form

Client Name: Rambold

Project # 20170314

All containers needing preservation have been checked and noted below: Yes No N/A

Lab Lot# of pH paper: _____ Lab Std #/ID of preservation (if pH adjusted): _____

Initial when completed: _____

Date/Time: _____

Pace Analytical Services, LLC
1241 Bellevue Street, Suite 9
Green Bay, WI 54302

Page Lab #	Glass						Plastic						Vials			Jars		General		VOA Vials (>6mm) *	H2SO4 pH ≤2	NaOH+Zn Act pH ≥9	NaOH pH ≥12	HNO3 pH ≤2	pH after adjusted	Volume (mL)		
	AG1U	AG1H	AG4S	AG4U	AG5U	AG2S	BG3U	BP1U	BP2N	BP2Z	BP3U	BP3C	BP3N	BP3S	DG9A	DG9T	VG9U	VG9H	VG9M								VG9D	JGFU
001																												2.5 / 5 / 10
002																												2.5 / 5 / 10
003																												2.5 / 5 / 10
004																												2.5 / 5 / 10
005																												2.5 / 5 / 10
006																												2.5 / 5 / 10
007																												2.5 / 5 / 10
008																												2.5 / 5 / 10
009																												2.5 / 5 / 10
010																												2.5 / 5 / 10
011																												2.5 / 5 / 10
012																												2.5 / 5 / 10
013																												2.5 / 5 / 10
014																												2.5 / 5 / 10
015																												2.5 / 5 / 10
016																												2.5 / 5 / 10
017																												2.5 / 5 / 10
018																												2.5 / 5 / 10
019																												2.5 / 5 / 10
020																												2.5 / 5 / 10

Exceptions to preservation check: VOA, Coliform, TOC, TOX, TOH, O&G, WI DRO, Phenolics, Other: _____

Headspace in VOA Vials (>6mm) : <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A *If yes look in headspace column			
AG1U 1 liter amber glass	BP1U 1 liter plastic unpres	DG9A 40 ml amber ascorbic	JGFU 4 oz amber jar unpres
AG1H 1 liter amber glass HCL	BP2N 500 ml plastic HNO3	DG9T 40 ml clear vial unpres	WGFU 4 oz clear jar unpres
AG4S 125 ml amber glass H2SO4	BP2Z 500 ml plastic NaOH, Znact	VG9U 40 ml clear vial HCL	WPFU 4 oz plastic jar unpres
AG4U 120 ml amber glass unpres	BP3U 250 ml plastic unpres	VG9H 40 ml clear vial MeOH	
AG5U 100 ml amber glass unpres	BP3C 250 ml plastic HNO3	VG9M 40 ml clear vial DI	
AG2S 500 ml amber glass H2SO4	BP3N 250 ml plastic HNO3		
BG3U 250 ml clear glass unpres	BP3S 250 ml plastic H2SO4		



Document Name:
Sample Condition Upon Receipt (SCUR)
 Document No.:
F-GB-C-031-Rev.07

Document Revised: 25Apr2018
 Issuing Authority:
 Pace Green Bay Quality Office

Sample Condition Upon Receipt Form (SCUR)

Client Name: Ramboll
Courier: CS Logistics Fed Ex Speedee UPS Walco
 Client Pace Other: _____

Project #:
WO#: 40178374

 40178374

Tracking #: _____
Custody Seal on Cooler/Box Present: yes no Seals intact: yes no
Custody Seal on Samples Present: yes no Seals intact: yes no
Packing Material: Bubble Wrap Bubble Bags None Other _____
Thermometer Used SR - NA **Type of Ice:** Wet Blue Dry None Samples on ice, cooling process has begun
Cooler Temperature Uncorr: _____ ICorr: 201

Temp Blank Present: yes no **Biological Tissue is Frozen:** yes no
 Temp should be above freezing to 6°C.
 Biota Samples may be received at ≤ 0°C.

Person examining contents:
 Date: 10/25/18
 Initials: RL

Chain of Custody Present:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	1.
Chain of Custody Filled Out:	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A	2. <u>no mail to</u>
Chain of Custody Relinquished:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	3. <u>no time</u>
Sampler Name & Signature on COC:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	4.
Samples Arrived within Hold Time:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	5.
- VOA Samples frozen upon receipt	<input type="checkbox"/> Yes <input type="checkbox"/> No	Date/Time:
Short Hold Time Analysis (<72hr):	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	6.
Rush Turn Around Time Requested:	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	7.
Sufficient Volume:		8.
For Analysis: <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	MS/MSD: <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	
Correct Containers Used:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	9.
-Pace Containers Used:	<input type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	
-Pace IR Containers Used:	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	
Containers Intact:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	10.
Filtered volume received for Dissolved tests	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	11.
Sample Labels match COC:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	12.
-Includes date/time/ID/Analysis Matrix:		
Trip Blank Present:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	13.
Trip Blank Custody Seals Present	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	
Pace Trip Blank Lot # (if purchased): <u>410</u>		

Client Notification/ Resolution: _____ If checked, see attached form for additional comments
 Person Contacted: _____ Date/Time: _____
 Comments/ Resolution: _____

Project Manager Review: **Date:** 10/26/18