

November 04, 2020

Jeanne Tarvin
Ramboll Environ
175 North Corporate Drive
Suite 160
Brookfield, WI 53045

RE: Project: 1690019237 GORSKI LF 21-28201B
Pace Project No.: 40217313

Dear Jeanne Tarvin:

Enclosed are the analytical results for sample(s) received by the laboratory on October 28, 2020. The results relate only to the samples included in this report. Results reported herein conform to the applicable TNI/NELAC Standards and the laboratory's Quality Manual, where applicable, unless otherwise noted in the body of the report.

The test results provided in this final report were generated by each of the following laboratories within the Pace Network:

- Pace Analytical Services - Green Bay

If you have any questions concerning this report, please feel free to contact me.

Sincerely,



Steven Mleczko
steve.mleczko@pacelabs.com
(920)469-2436
Project Manager

Enclosures

cc: David L. Markelz, Ramboll Environ
Mark Mejac, Ramboll Environ
Abigail M. Wedig, Environ International Corp
Jason Wilkinson, Ramboll



REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

CERTIFICATIONS

Project: 1690019237 GORSKI LF 21-28201B

Pace Project No.: 40217313

Pace Analytical Services Green Bay

1241 Bellevue Street, Green Bay, WI 54302

Florida/NELAP Certification #: E87948

Illinois Certification #: 200050

Kentucky UST Certification #: 82

Louisiana Certification #: 04168

Minnesota Certification #: 055-999-334

New York Certification #: 12064

North Dakota Certification #: R-150

Virginia VELAP ID: 460263

South Carolina Certification #: 83006001

Texas Certification #: T104704529-14-1

Wisconsin Certification #: 405132750

Wisconsin DATCP Certification #: 105-444

USDA Soil Permit #: P330-16-00157

Federal Fish & Wildlife Permit #: LE51774A-0

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

SAMPLE SUMMARY

Project: 1690019237 GORSKI LF 21-28201B
Pace Project No.: 40217313

Lab ID	Sample ID	Matrix	Date Collected	Date Received
40217313001	652R CTH B	Water	10/26/20 11:55	10/28/20 10:20
40217313002	642R CTH B	Water	10/26/20 10:50	10/28/20 10:20
40217313003	626 CTH B	Water	10/26/20 10:35	10/28/20 10:20
40217313004	669 CTH B	Water	10/26/20 12:15	10/28/20 10:20
40217313005	670 CTH B	Water	10/26/20 12:25	10/28/20 10:20
40217313006	1096 CTH KK	Water	10/26/20 11:10	10/28/20 10:20
40217313007	1101 CTH KK	Water	10/26/20 11:25	10/28/20 10:20
40217313008	1058 CTH KK	Water	10/26/20 11:30	10/28/20 10:20
40217313009	PZ-3	Water	10/26/20 13:15	10/28/20 10:20
40217313010	MW-4	Water	10/26/20 15:20	10/28/20 10:20
40217313011	MW-6	Water	10/26/20 14:05	10/28/20 10:20
40217313012	PZ-4	Water	10/26/20 14:40	10/28/20 10:20
40217313013	MW-4D	Water	10/26/20 15:22	10/28/20 10:20
40217313014	669 CTH BD	Water	10/26/20 12:17	10/28/20 10:20
40217313015	666 CTH B	Water	10/26/20 11:00	10/28/20 10:20
40217313016	1054 CTH KK	Water	10/26/20 11:40	10/28/20 10:20
40217313017	TRIP BLANK	Water	10/26/20 15:00	10/28/20 10:20

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

SAMPLE ANALYTE COUNT

Project: 1690019237 GORSKI LF 21-28201B
Pace Project No.: 40217313

Lab ID	Sample ID	Method	Analysts	Analytes Reported
40217313001	652R CTH B	EPA 8260	LAP	65
40217313002	642R CTH B	EPA 8260	LAP	65
40217313003	626 CTH B	EPA 8260	LAP	65
40217313004	669 CTH B	EPA 8260	LAP	65
40217313005	670 CTH B	EPA 8260	LAP	65
40217313006	1096 CTH KK	EPA 8260	LAP	65
40217313007	1101 CTH KK	EPA 8260	LAP	65
40217313008	1058 CTH KK	EPA 8260	LAP	65
40217313009	PZ-3	EPA 8260	LAP	65
40217313010	MW-4	EPA 8260	LAP	65
40217313011	MW-6	EPA 8260	LAP	65
40217313012	PZ-4	EPA 8260	LAP	65
40217313013	MW-4D	EPA 8260	LAP	65
40217313014	669 CTH BD	EPA 8260	LAP	65
40217313015	666 CTH B	EPA 8260	LAP	65
40217313016	1054 CTH KK	EPA 8260	LAP	65
40217313017	TRIP BLANK	EPA 8260	LAP	65

PASI-G = Pace Analytical Services - Green Bay

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

SUMMARY OF DETECTION

Project: 1690019237 GORSKI LF 21-28201B

Pace Project No.: 40217313

Lab Sample ID Method	Client Sample ID Parameters	Result	Units	Report Limit	Analyzed	Qualifiers
40217313009	PZ-3					
EPA 8260	Trichloroethene	0.90J	ug/L	1.0	11/03/20 11:15	
EPA 8260	cis-1,2-Dichloroethene	11.4	ug/L	1.0	11/03/20 11:15	
EPA 8260	trans-1,2-Dichloroethene	0.62J	ug/L	1.5	11/03/20 11:15	
40217313010	MW-4					
EPA 8260	Trichloroethene	6.0	ug/L	1.0	11/03/20 11:39	
EPA 8260	cis-1,2-Dichloroethene	2.1	ug/L	1.0	11/03/20 11:39	
40217313011	MW-6					
EPA 8260	Trichloroethene	1.0	ug/L	1.0	11/03/20 12:03	
EPA 8260	cis-1,2-Dichloroethene	0.28J	ug/L	1.0	11/03/20 12:03	
40217313012	PZ-4					
EPA 8260	Trichloroethene	3.7	ug/L	1.0	11/03/20 12:27	
EPA 8260	cis-1,2-Dichloroethene	1.5	ug/L	1.0	11/03/20 12:27	
40217313013	MW-4D					
EPA 8260	Trichloroethene	6.6	ug/L	1.0	11/03/20 12:50	
EPA 8260	cis-1,2-Dichloroethene	2.0	ug/L	1.0	11/03/20 12:50	
40217313017	TRIP BLANK					
EPA 8260	Methylene Chloride	0.79J	ug/L	5.0	11/03/20 07:19	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 1690019237 GORSKI LF 21-28201B

Pace Project No.: 40217313

Sample: 652R CTH B **Lab ID: 40217313001** Collected: 10/26/20 11:55 Received: 10/28/20 10:20 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV									
Analytical Method: EPA 8260									
Pace Analytical Services - Green Bay									
1,1,1,2-Tetrachloroethane	<0.27	ug/L	1.0	0.27	1		11/03/20 08:30	630-20-6	
1,1,1-Trichloroethane	<0.24	ug/L	1.0	0.24	1		11/03/20 08:30	71-55-6	
1,1,2,2-Tetrachloroethane	<0.28	ug/L	1.0	0.28	1		11/03/20 08:30	79-34-5	
1,1,2-Trichloroethane	<0.55	ug/L	5.0	0.55	1		11/03/20 08:30	79-00-5	
1,1-Dichloroethane	<0.27	ug/L	1.0	0.27	1		11/03/20 08:30	75-34-3	
1,1-Dichloroethene	<0.24	ug/L	1.0	0.24	1		11/03/20 08:30	75-35-4	
1,1-Dichloropropene	<0.54	ug/L	1.8	0.54	1		11/03/20 08:30	563-58-6	
1,2,3-Trichlorobenzene	<2.2	ug/L	7.4	2.2	1		11/03/20 08:30	87-61-6	
1,2,3-Trichloropropane	<0.59	ug/L	5.0	0.59	1		11/03/20 08:30	96-18-4	
1,2,4-Trichlorobenzene	<0.95	ug/L	5.0	0.95	1		11/03/20 08:30	120-82-1	
1,2,4-Trimethylbenzene	<0.84	ug/L	2.8	0.84	1		11/03/20 08:30	95-63-6	
1,2-Dibromo-3-chloropropane	<1.8	ug/L	5.9	1.8	1		11/03/20 08:30	96-12-8	
1,2-Dibromoethane (EDB)	<0.83	ug/L	2.8	0.83	1		11/03/20 08:30	106-93-4	
1,2-Dichlorobenzene	<0.71	ug/L	2.4	0.71	1		11/03/20 08:30	95-50-1	
1,2-Dichloroethane	<0.28	ug/L	1.0	0.28	1		11/03/20 08:30	107-06-2	
1,2-Dichloropropane	<0.28	ug/L	1.0	0.28	1		11/03/20 08:30	78-87-5	
1,3,5-Trimethylbenzene	<0.87	ug/L	2.9	0.87	1		11/03/20 08:30	108-67-8	
1,3-Dichlorobenzene	<0.63	ug/L	2.1	0.63	1		11/03/20 08:30	541-73-1	
1,3-Dichloropropane	<0.83	ug/L	2.8	0.83	1		11/03/20 08:30	142-28-9	
1,4-Dichlorobenzene	<0.94	ug/L	3.1	0.94	1		11/03/20 08:30	106-46-7	
2,2-Dichloropropane	<2.3	ug/L	7.6	2.3	1		11/03/20 08:30	594-20-7	
2-Chlorotoluene	<0.93	ug/L	5.0	0.93	1		11/03/20 08:30	95-49-8	
4-Chlorotoluene	<0.76	ug/L	2.5	0.76	1		11/03/20 08:30	106-43-4	
Benzene	<0.25	ug/L	1.0	0.25	1		11/03/20 08:30	71-43-2	
Bromobenzene	<0.24	ug/L	1.0	0.24	1		11/03/20 08:30	108-86-1	
Bromochloromethane	<0.36	ug/L	5.0	0.36	1		11/03/20 08:30	74-97-5	
Bromodichloromethane	<0.36	ug/L	1.2	0.36	1		11/03/20 08:30	75-27-4	
Bromoform	<4.0	ug/L	13.2	4.0	1		11/03/20 08:30	75-25-2	
Bromomethane	<0.97	ug/L	5.0	0.97	1		11/03/20 08:30	74-83-9	
Carbon tetrachloride	<1.1	ug/L	3.6	1.1	1		11/03/20 08:30	56-23-5	
Chlorobenzene	<0.71	ug/L	2.4	0.71	1		11/03/20 08:30	108-90-7	
Chloroethane	<1.3	ug/L	5.0	1.3	1		11/03/20 08:30	75-00-3	
Chloroform	<1.3	ug/L	5.0	1.3	1		11/03/20 08:30	67-66-3	
Chloromethane	<2.2	ug/L	7.3	2.2	1		11/03/20 08:30	74-87-3	
Dibromochloromethane	<2.6	ug/L	8.7	2.6	1		11/03/20 08:30	124-48-1	
Dibromomethane	<0.94	ug/L	3.1	0.94	1		11/03/20 08:30	74-95-3	
Dichlorodifluoromethane	<0.50	ug/L	5.0	0.50	1		11/03/20 08:30	75-71-8	
Diisopropyl ether	<1.9	ug/L	6.3	1.9	1		11/03/20 08:30	108-20-3	
Ethylbenzene	<0.32	ug/L	1.1	0.32	1		11/03/20 08:30	100-41-4	
Hexachloro-1,3-butadiene	<1.5	ug/L	4.9	1.5	1		11/03/20 08:30	87-68-3	
Isopropylbenzene (Cumene)	<1.7	ug/L	5.6	1.7	1		11/03/20 08:30	98-82-8	
Methyl-tert-butyl ether	<1.2	ug/L	4.2	1.2	1		11/03/20 08:30	1634-04-4	
Methylene Chloride	<0.58	ug/L	5.0	0.58	1		11/03/20 08:30	75-09-2	
Naphthalene	<1.2	ug/L	5.0	1.2	1		11/03/20 08:30	91-20-3	
Styrene	<3.0	ug/L	10.0	3.0	1		11/03/20 08:30	100-42-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 1690019237 GORSKI LF 21-28201B
Pace Project No.: 40217313

Sample: 652R CTH B **Lab ID: 40217313001** Collected: 10/26/20 11:55 Received: 10/28/20 10:20 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV									
Analytical Method: EPA 8260									
Pace Analytical Services - Green Bay									
Tetrachloroethene	<0.33	ug/L	1.1	0.33	1		11/03/20 08:30	127-18-4	
Toluene	<0.27	ug/L	1.0	0.27	1		11/03/20 08:30	108-88-3	
Trichloroethene	<0.26	ug/L	1.0	0.26	1		11/03/20 08:30	79-01-6	
Trichlorofluoromethane	<0.21	ug/L	1.0	0.21	1		11/03/20 08:30	75-69-4	
Vinyl chloride	<0.17	ug/L	1.0	0.17	1		11/03/20 08:30	75-01-4	
Xylene (Total)	<1.5	ug/L	3.0	1.5	1		11/03/20 08:30	1330-20-7	
cis-1,2-Dichloroethene	<0.27	ug/L	1.0	0.27	1		11/03/20 08:30	156-59-2	
cis-1,3-Dichloropropene	<3.6	ug/L	12.1	3.6	1		11/03/20 08:30	10061-01-5	
m&p-Xylene	<0.47	ug/L	2.0	0.47	1		11/03/20 08:30	179601-23-1	
n-Butylbenzene	<0.71	ug/L	2.4	0.71	1		11/03/20 08:30	104-51-8	
n-Propylbenzene	<0.81	ug/L	5.0	0.81	1		11/03/20 08:30	103-65-1	
o-Xylene	<0.26	ug/L	1.0	0.26	1		11/03/20 08:30	95-47-6	
p-Isopropyltoluene	<0.80	ug/L	2.7	0.80	1		11/03/20 08:30	99-87-6	
sec-Butylbenzene	<0.85	ug/L	5.0	0.85	1		11/03/20 08:30	135-98-8	
tert-Butylbenzene	<0.30	ug/L	1.0	0.30	1		11/03/20 08:30	98-06-6	
trans-1,2-Dichloroethene	<0.46	ug/L	1.5	0.46	1		11/03/20 08:30	156-60-5	
trans-1,3-Dichloropropene	<4.4	ug/L	14.6	4.4	1		11/03/20 08:30	10061-02-6	
Surrogates									
4-Bromofluorobenzene (S)	99	%	70-130		1		11/03/20 08:30	460-00-4	
Dibromofluoromethane (S)	97	%	70-130		1		11/03/20 08:30	1868-53-7	
Toluene-d8 (S)	98	%	70-130		1		11/03/20 08:30	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 1690019237 GORSKI LF 21-28201B

Pace Project No.: 40217313

Sample: 642R CTH B **Lab ID: 40217313002** Collected: 10/26/20 10:50 Received: 10/28/20 10:20 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV									
Analytical Method: EPA 8260									
Pace Analytical Services - Green Bay									
1,1,1,2-Tetrachloroethane	<0.27	ug/L	1.0	0.27	1		11/03/20 08:54	630-20-6	
1,1,1-Trichloroethane	<0.24	ug/L	1.0	0.24	1		11/03/20 08:54	71-55-6	
1,1,2,2-Tetrachloroethane	<0.28	ug/L	1.0	0.28	1		11/03/20 08:54	79-34-5	
1,1,2-Trichloroethane	<0.55	ug/L	5.0	0.55	1		11/03/20 08:54	79-00-5	
1,1-Dichloroethane	<0.27	ug/L	1.0	0.27	1		11/03/20 08:54	75-34-3	
1,1-Dichloroethene	<0.24	ug/L	1.0	0.24	1		11/03/20 08:54	75-35-4	
1,1-Dichloropropene	<0.54	ug/L	1.8	0.54	1		11/03/20 08:54	563-58-6	
1,2,3-Trichlorobenzene	<2.2	ug/L	7.4	2.2	1		11/03/20 08:54	87-61-6	
1,2,3-Trichloropropane	<0.59	ug/L	5.0	0.59	1		11/03/20 08:54	96-18-4	
1,2,4-Trichlorobenzene	<0.95	ug/L	5.0	0.95	1		11/03/20 08:54	120-82-1	
1,2,4-Trimethylbenzene	<0.84	ug/L	2.8	0.84	1		11/03/20 08:54	95-63-6	
1,2-Dibromo-3-chloropropane	<1.8	ug/L	5.9	1.8	1		11/03/20 08:54	96-12-8	
1,2-Dibromoethane (EDB)	<0.83	ug/L	2.8	0.83	1		11/03/20 08:54	106-93-4	
1,2-Dichlorobenzene	<0.71	ug/L	2.4	0.71	1		11/03/20 08:54	95-50-1	
1,2-Dichloroethane	<0.28	ug/L	1.0	0.28	1		11/03/20 08:54	107-06-2	
1,2-Dichloropropane	<0.28	ug/L	1.0	0.28	1		11/03/20 08:54	78-87-5	
1,3,5-Trimethylbenzene	<0.87	ug/L	2.9	0.87	1		11/03/20 08:54	108-67-8	
1,3-Dichlorobenzene	<0.63	ug/L	2.1	0.63	1		11/03/20 08:54	541-73-1	
1,3-Dichloropropane	<0.83	ug/L	2.8	0.83	1		11/03/20 08:54	142-28-9	
1,4-Dichlorobenzene	<0.94	ug/L	3.1	0.94	1		11/03/20 08:54	106-46-7	
2,2-Dichloropropane	<2.3	ug/L	7.6	2.3	1		11/03/20 08:54	594-20-7	
2-Chlorotoluene	<0.93	ug/L	5.0	0.93	1		11/03/20 08:54	95-49-8	
4-Chlorotoluene	<0.76	ug/L	2.5	0.76	1		11/03/20 08:54	106-43-4	
Benzene	<0.25	ug/L	1.0	0.25	1		11/03/20 08:54	71-43-2	
Bromobenzene	<0.24	ug/L	1.0	0.24	1		11/03/20 08:54	108-86-1	
Bromochloromethane	<0.36	ug/L	5.0	0.36	1		11/03/20 08:54	74-97-5	
Bromodichloromethane	<0.36	ug/L	1.2	0.36	1		11/03/20 08:54	75-27-4	
Bromoform	<4.0	ug/L	13.2	4.0	1		11/03/20 08:54	75-25-2	
Bromomethane	<0.97	ug/L	5.0	0.97	1		11/03/20 08:54	74-83-9	
Carbon tetrachloride	<1.1	ug/L	3.6	1.1	1		11/03/20 08:54	56-23-5	
Chlorobenzene	<0.71	ug/L	2.4	0.71	1		11/03/20 08:54	108-90-7	
Chloroethane	<1.3	ug/L	5.0	1.3	1		11/03/20 08:54	75-00-3	
Chloroform	<1.3	ug/L	5.0	1.3	1		11/03/20 08:54	67-66-3	
Chloromethane	<2.2	ug/L	7.3	2.2	1		11/03/20 08:54	74-87-3	
Dibromochloromethane	<2.6	ug/L	8.7	2.6	1		11/03/20 08:54	124-48-1	
Dibromomethane	<0.94	ug/L	3.1	0.94	1		11/03/20 08:54	74-95-3	
Dichlorodifluoromethane	<0.50	ug/L	5.0	0.50	1		11/03/20 08:54	75-71-8	
Diisopropyl ether	<1.9	ug/L	6.3	1.9	1		11/03/20 08:54	108-20-3	
Ethylbenzene	<0.32	ug/L	1.1	0.32	1		11/03/20 08:54	100-41-4	
Hexachloro-1,3-butadiene	<1.5	ug/L	4.9	1.5	1		11/03/20 08:54	87-68-3	
Isopropylbenzene (Cumene)	<1.7	ug/L	5.6	1.7	1		11/03/20 08:54	98-82-8	
Methyl-tert-butyl ether	<1.2	ug/L	4.2	1.2	1		11/03/20 08:54	1634-04-4	
Methylene Chloride	<0.58	ug/L	5.0	0.58	1		11/03/20 08:54	75-09-2	
Naphthalene	<1.2	ug/L	5.0	1.2	1		11/03/20 08:54	91-20-3	
Styrene	<3.0	ug/L	10.0	3.0	1		11/03/20 08:54	100-42-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 1690019237 GORSKI LF 21-28201B

Pace Project No.: 40217313

Sample: 642R CTH B **Lab ID: 40217313002** Collected: 10/26/20 10:50 Received: 10/28/20 10:20 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV									
Analytical Method: EPA 8260									
Pace Analytical Services - Green Bay									
Tetrachloroethene	<0.33	ug/L	1.1	0.33	1		11/03/20 08:54	127-18-4	
Toluene	<0.27	ug/L	1.0	0.27	1		11/03/20 08:54	108-88-3	
Trichloroethene	<0.26	ug/L	1.0	0.26	1		11/03/20 08:54	79-01-6	
Trichlorofluoromethane	<0.21	ug/L	1.0	0.21	1		11/03/20 08:54	75-69-4	
Vinyl chloride	<0.17	ug/L	1.0	0.17	1		11/03/20 08:54	75-01-4	
Xylene (Total)	<1.5	ug/L	3.0	1.5	1		11/03/20 08:54	1330-20-7	
cis-1,2-Dichloroethene	<0.27	ug/L	1.0	0.27	1		11/03/20 08:54	156-59-2	
cis-1,3-Dichloropropene	<3.6	ug/L	12.1	3.6	1		11/03/20 08:54	10061-01-5	
m&p-Xylene	<0.47	ug/L	2.0	0.47	1		11/03/20 08:54	179601-23-1	
n-Butylbenzene	<0.71	ug/L	2.4	0.71	1		11/03/20 08:54	104-51-8	
n-Propylbenzene	<0.81	ug/L	5.0	0.81	1		11/03/20 08:54	103-65-1	
o-Xylene	<0.26	ug/L	1.0	0.26	1		11/03/20 08:54	95-47-6	
p-Isopropyltoluene	<0.80	ug/L	2.7	0.80	1		11/03/20 08:54	99-87-6	
sec-Butylbenzene	<0.85	ug/L	5.0	0.85	1		11/03/20 08:54	135-98-8	
tert-Butylbenzene	<0.30	ug/L	1.0	0.30	1		11/03/20 08:54	98-06-6	
trans-1,2-Dichloroethene	<0.46	ug/L	1.5	0.46	1		11/03/20 08:54	156-60-5	
trans-1,3-Dichloropropene	<4.4	ug/L	14.6	4.4	1		11/03/20 08:54	10061-02-6	
Surrogates									
4-Bromofluorobenzene (S)	99	%	70-130		1		11/03/20 08:54	460-00-4	
Dibromofluoromethane (S)	99	%	70-130		1		11/03/20 08:54	1868-53-7	
Toluene-d8 (S)	100	%	70-130		1		11/03/20 08:54	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 1690019237 GORSKI LF 21-28201B

Pace Project No.: 40217313

Sample: 626 CTH B **Lab ID: 40217313003** Collected: 10/26/20 10:35 Received: 10/28/20 10:20 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV									
Analytical Method: EPA 8260									
Pace Analytical Services - Green Bay									
1,1,1,2-Tetrachloroethane	<0.27	ug/L	1.0	0.27	1		11/03/20 08:06	630-20-6	
1,1,1-Trichloroethane	<0.24	ug/L	1.0	0.24	1		11/03/20 08:06	71-55-6	
1,1,2,2-Tetrachloroethane	<0.28	ug/L	1.0	0.28	1		11/03/20 08:06	79-34-5	
1,1,2-Trichloroethane	<0.55	ug/L	5.0	0.55	1		11/03/20 08:06	79-00-5	
1,1-Dichloroethane	<0.27	ug/L	1.0	0.27	1		11/03/20 08:06	75-34-3	
1,1-Dichloroethene	<0.24	ug/L	1.0	0.24	1		11/03/20 08:06	75-35-4	
1,1-Dichloropropene	<0.54	ug/L	1.8	0.54	1		11/03/20 08:06	563-58-6	
1,2,3-Trichlorobenzene	<2.2	ug/L	7.4	2.2	1		11/03/20 08:06	87-61-6	
1,2,3-Trichloropropane	<0.59	ug/L	5.0	0.59	1		11/03/20 08:06	96-18-4	
1,2,4-Trichlorobenzene	<0.95	ug/L	5.0	0.95	1		11/03/20 08:06	120-82-1	
1,2,4-Trimethylbenzene	<0.84	ug/L	2.8	0.84	1		11/03/20 08:06	95-63-6	
1,2-Dibromo-3-chloropropane	<1.8	ug/L	5.9	1.8	1		11/03/20 08:06	96-12-8	
1,2-Dibromoethane (EDB)	<0.83	ug/L	2.8	0.83	1		11/03/20 08:06	106-93-4	
1,2-Dichlorobenzene	<0.71	ug/L	2.4	0.71	1		11/03/20 08:06	95-50-1	
1,2-Dichloroethane	<0.28	ug/L	1.0	0.28	1		11/03/20 08:06	107-06-2	
1,2-Dichloropropane	<0.28	ug/L	1.0	0.28	1		11/03/20 08:06	78-87-5	
1,3,5-Trimethylbenzene	<0.87	ug/L	2.9	0.87	1		11/03/20 08:06	108-67-8	
1,3-Dichlorobenzene	<0.63	ug/L	2.1	0.63	1		11/03/20 08:06	541-73-1	
1,3-Dichloropropane	<0.83	ug/L	2.8	0.83	1		11/03/20 08:06	142-28-9	
1,4-Dichlorobenzene	<0.94	ug/L	3.1	0.94	1		11/03/20 08:06	106-46-7	
2,2-Dichloropropane	<2.3	ug/L	7.6	2.3	1		11/03/20 08:06	594-20-7	
2-Chlorotoluene	<0.93	ug/L	5.0	0.93	1		11/03/20 08:06	95-49-8	
4-Chlorotoluene	<0.76	ug/L	2.5	0.76	1		11/03/20 08:06	106-43-4	
Benzene	<0.25	ug/L	1.0	0.25	1		11/03/20 08:06	71-43-2	
Bromobenzene	<0.24	ug/L	1.0	0.24	1		11/03/20 08:06	108-86-1	
Bromochloromethane	<0.36	ug/L	5.0	0.36	1		11/03/20 08:06	74-97-5	
Bromodichloromethane	<0.36	ug/L	1.2	0.36	1		11/03/20 08:06	75-27-4	
Bromoform	<4.0	ug/L	13.2	4.0	1		11/03/20 08:06	75-25-2	
Bromomethane	<0.97	ug/L	5.0	0.97	1		11/03/20 08:06	74-83-9	
Carbon tetrachloride	<1.1	ug/L	3.6	1.1	1		11/03/20 08:06	56-23-5	
Chlorobenzene	<0.71	ug/L	2.4	0.71	1		11/03/20 08:06	108-90-7	
Chloroethane	<1.3	ug/L	5.0	1.3	1		11/03/20 08:06	75-00-3	
Chloroform	<1.3	ug/L	5.0	1.3	1		11/03/20 08:06	67-66-3	
Chloromethane	<2.2	ug/L	7.3	2.2	1		11/03/20 08:06	74-87-3	
Dibromochloromethane	<2.6	ug/L	8.7	2.6	1		11/03/20 08:06	124-48-1	
Dibromomethane	<0.94	ug/L	3.1	0.94	1		11/03/20 08:06	74-95-3	
Dichlorodifluoromethane	<0.50	ug/L	5.0	0.50	1		11/03/20 08:06	75-71-8	
Diisopropyl ether	<1.9	ug/L	6.3	1.9	1		11/03/20 08:06	108-20-3	
Ethylbenzene	<0.32	ug/L	1.1	0.32	1		11/03/20 08:06	100-41-4	
Hexachloro-1,3-butadiene	<1.5	ug/L	4.9	1.5	1		11/03/20 08:06	87-68-3	
Isopropylbenzene (Cumene)	<1.7	ug/L	5.6	1.7	1		11/03/20 08:06	98-82-8	
Methyl-tert-butyl ether	<1.2	ug/L	4.2	1.2	1		11/03/20 08:06	1634-04-4	
Methylene Chloride	<0.58	ug/L	5.0	0.58	1		11/03/20 08:06	75-09-2	
Naphthalene	<1.2	ug/L	5.0	1.2	1		11/03/20 08:06	91-20-3	
Styrene	<3.0	ug/L	10.0	3.0	1		11/03/20 08:06	100-42-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 1690019237 GORSKI LF 21-28201B

Pace Project No.: 40217313

Sample: 626 CTH B **Lab ID: 40217313003** Collected: 10/26/20 10:35 Received: 10/28/20 10:20 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV									
Analytical Method: EPA 8260									
Pace Analytical Services - Green Bay									
Tetrachloroethene	<0.33	ug/L	1.1	0.33	1		11/03/20 08:06	127-18-4	
Toluene	<0.27	ug/L	1.0	0.27	1		11/03/20 08:06	108-88-3	
Trichloroethene	<0.26	ug/L	1.0	0.26	1		11/03/20 08:06	79-01-6	
Trichlorofluoromethane	<0.21	ug/L	1.0	0.21	1		11/03/20 08:06	75-69-4	
Vinyl chloride	<0.17	ug/L	1.0	0.17	1		11/03/20 08:06	75-01-4	
Xylene (Total)	<1.5	ug/L	3.0	1.5	1		11/03/20 08:06	1330-20-7	
cis-1,2-Dichloroethene	<0.27	ug/L	1.0	0.27	1		11/03/20 08:06	156-59-2	
cis-1,3-Dichloropropene	<3.6	ug/L	12.1	3.6	1		11/03/20 08:06	10061-01-5	
m&p-Xylene	<0.47	ug/L	2.0	0.47	1		11/03/20 08:06	179601-23-1	
n-Butylbenzene	<0.71	ug/L	2.4	0.71	1		11/03/20 08:06	104-51-8	
n-Propylbenzene	<0.81	ug/L	5.0	0.81	1		11/03/20 08:06	103-65-1	
o-Xylene	<0.26	ug/L	1.0	0.26	1		11/03/20 08:06	95-47-6	
p-Isopropyltoluene	<0.80	ug/L	2.7	0.80	1		11/03/20 08:06	99-87-6	
sec-Butylbenzene	<0.85	ug/L	5.0	0.85	1		11/03/20 08:06	135-98-8	
tert-Butylbenzene	<0.30	ug/L	1.0	0.30	1		11/03/20 08:06	98-06-6	
trans-1,2-Dichloroethene	<0.46	ug/L	1.5	0.46	1		11/03/20 08:06	156-60-5	
trans-1,3-Dichloropropene	<4.4	ug/L	14.6	4.4	1		11/03/20 08:06	10061-02-6	
Surrogates									
4-Bromofluorobenzene (S)	101	%	70-130		1		11/03/20 08:06	460-00-4	
Dibromofluoromethane (S)	94	%	70-130		1		11/03/20 08:06	1868-53-7	
Toluene-d8 (S)	98	%	70-130		1		11/03/20 08:06	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 1690019237 GORSKI LF 21-28201B

Pace Project No.: 40217313

Sample: 669 CTH B **Lab ID: 40217313004** Collected: 10/26/20 12:15 Received: 10/28/20 10:20 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV									
Analytical Method: EPA 8260									
Pace Analytical Services - Green Bay									
1,1,1,2-Tetrachloroethane	<0.27	ug/L	1.0	0.27	1		11/03/20 09:17	630-20-6	
1,1,1-Trichloroethane	<0.24	ug/L	1.0	0.24	1		11/03/20 09:17	71-55-6	
1,1,2,2-Tetrachloroethane	<0.28	ug/L	1.0	0.28	1		11/03/20 09:17	79-34-5	
1,1,2-Trichloroethane	<0.55	ug/L	5.0	0.55	1		11/03/20 09:17	79-00-5	
1,1-Dichloroethane	<0.27	ug/L	1.0	0.27	1		11/03/20 09:17	75-34-3	
1,1-Dichloroethene	<0.24	ug/L	1.0	0.24	1		11/03/20 09:17	75-35-4	
1,1-Dichloropropene	<0.54	ug/L	1.8	0.54	1		11/03/20 09:17	563-58-6	
1,2,3-Trichlorobenzene	<2.2	ug/L	7.4	2.2	1		11/03/20 09:17	87-61-6	
1,2,3-Trichloropropane	<0.59	ug/L	5.0	0.59	1		11/03/20 09:17	96-18-4	
1,2,4-Trichlorobenzene	<0.95	ug/L	5.0	0.95	1		11/03/20 09:17	120-82-1	
1,2,4-Trimethylbenzene	<0.84	ug/L	2.8	0.84	1		11/03/20 09:17	95-63-6	
1,2-Dibromo-3-chloropropane	<1.8	ug/L	5.9	1.8	1		11/03/20 09:17	96-12-8	
1,2-Dibromoethane (EDB)	<0.83	ug/L	2.8	0.83	1		11/03/20 09:17	106-93-4	
1,2-Dichlorobenzene	<0.71	ug/L	2.4	0.71	1		11/03/20 09:17	95-50-1	
1,2-Dichloroethane	<0.28	ug/L	1.0	0.28	1		11/03/20 09:17	107-06-2	
1,2-Dichloropropane	<0.28	ug/L	1.0	0.28	1		11/03/20 09:17	78-87-5	
1,3,5-Trimethylbenzene	<0.87	ug/L	2.9	0.87	1		11/03/20 09:17	108-67-8	
1,3-Dichlorobenzene	<0.63	ug/L	2.1	0.63	1		11/03/20 09:17	541-73-1	
1,3-Dichloropropane	<0.83	ug/L	2.8	0.83	1		11/03/20 09:17	142-28-9	
1,4-Dichlorobenzene	<0.94	ug/L	3.1	0.94	1		11/03/20 09:17	106-46-7	
2,2-Dichloropropane	<2.3	ug/L	7.6	2.3	1		11/03/20 09:17	594-20-7	
2-Chlorotoluene	<0.93	ug/L	5.0	0.93	1		11/03/20 09:17	95-49-8	
4-Chlorotoluene	<0.76	ug/L	2.5	0.76	1		11/03/20 09:17	106-43-4	
Benzene	<0.25	ug/L	1.0	0.25	1		11/03/20 09:17	71-43-2	
Bromobenzene	<0.24	ug/L	1.0	0.24	1		11/03/20 09:17	108-86-1	
Bromochloromethane	<0.36	ug/L	5.0	0.36	1		11/03/20 09:17	74-97-5	
Bromodichloromethane	<0.36	ug/L	1.2	0.36	1		11/03/20 09:17	75-27-4	
Bromoform	<4.0	ug/L	13.2	4.0	1		11/03/20 09:17	75-25-2	
Bromomethane	<0.97	ug/L	5.0	0.97	1		11/03/20 09:17	74-83-9	
Carbon tetrachloride	<1.1	ug/L	3.6	1.1	1		11/03/20 09:17	56-23-5	
Chlorobenzene	<0.71	ug/L	2.4	0.71	1		11/03/20 09:17	108-90-7	
Chloroethane	<1.3	ug/L	5.0	1.3	1		11/03/20 09:17	75-00-3	
Chloroform	<1.3	ug/L	5.0	1.3	1		11/03/20 09:17	67-66-3	
Chloromethane	<2.2	ug/L	7.3	2.2	1		11/03/20 09:17	74-87-3	
Dibromochloromethane	<2.6	ug/L	8.7	2.6	1		11/03/20 09:17	124-48-1	
Dibromomethane	<0.94	ug/L	3.1	0.94	1		11/03/20 09:17	74-95-3	
Dichlorodifluoromethane	<0.50	ug/L	5.0	0.50	1		11/03/20 09:17	75-71-8	
Diisopropyl ether	<1.9	ug/L	6.3	1.9	1		11/03/20 09:17	108-20-3	
Ethylbenzene	<0.32	ug/L	1.1	0.32	1		11/03/20 09:17	100-41-4	
Hexachloro-1,3-butadiene	<1.5	ug/L	4.9	1.5	1		11/03/20 09:17	87-68-3	
Isopropylbenzene (Cumene)	<1.7	ug/L	5.6	1.7	1		11/03/20 09:17	98-82-8	
Methyl-tert-butyl ether	<1.2	ug/L	4.2	1.2	1		11/03/20 09:17	1634-04-4	
Methylene Chloride	<0.58	ug/L	5.0	0.58	1		11/03/20 09:17	75-09-2	
Naphthalene	<1.2	ug/L	5.0	1.2	1		11/03/20 09:17	91-20-3	
Styrene	<3.0	ug/L	10.0	3.0	1		11/03/20 09:17	100-42-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 1690019237 GORSKI LF 21-28201B
Pace Project No.: 40217313

Sample: 669 CTH B **Lab ID: 40217313004** Collected: 10/26/20 12:15 Received: 10/28/20 10:20 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV									
Analytical Method: EPA 8260									
Pace Analytical Services - Green Bay									
Tetrachloroethene	<0.33	ug/L	1.1	0.33	1		11/03/20 09:17	127-18-4	
Toluene	<0.27	ug/L	1.0	0.27	1		11/03/20 09:17	108-88-3	
Trichloroethene	<0.26	ug/L	1.0	0.26	1		11/03/20 09:17	79-01-6	
Trichlorofluoromethane	<0.21	ug/L	1.0	0.21	1		11/03/20 09:17	75-69-4	
Vinyl chloride	<0.17	ug/L	1.0	0.17	1		11/03/20 09:17	75-01-4	
Xylene (Total)	<1.5	ug/L	3.0	1.5	1		11/03/20 09:17	1330-20-7	
cis-1,2-Dichloroethene	<0.27	ug/L	1.0	0.27	1		11/03/20 09:17	156-59-2	
cis-1,3-Dichloropropene	<3.6	ug/L	12.1	3.6	1		11/03/20 09:17	10061-01-5	
m&p-Xylene	<0.47	ug/L	2.0	0.47	1		11/03/20 09:17	179601-23-1	
n-Butylbenzene	<0.71	ug/L	2.4	0.71	1		11/03/20 09:17	104-51-8	
n-Propylbenzene	<0.81	ug/L	5.0	0.81	1		11/03/20 09:17	103-65-1	
o-Xylene	<0.26	ug/L	1.0	0.26	1		11/03/20 09:17	95-47-6	
p-Isopropyltoluene	<0.80	ug/L	2.7	0.80	1		11/03/20 09:17	99-87-6	
sec-Butylbenzene	<0.85	ug/L	5.0	0.85	1		11/03/20 09:17	135-98-8	
tert-Butylbenzene	<0.30	ug/L	1.0	0.30	1		11/03/20 09:17	98-06-6	
trans-1,2-Dichloroethene	<0.46	ug/L	1.5	0.46	1		11/03/20 09:17	156-60-5	
trans-1,3-Dichloropropene	<4.4	ug/L	14.6	4.4	1		11/03/20 09:17	10061-02-6	
Surrogates									
4-Bromofluorobenzene (S)	101	%	70-130		1		11/03/20 09:17	460-00-4	
Dibromofluoromethane (S)	94	%	70-130		1		11/03/20 09:17	1868-53-7	
Toluene-d8 (S)	98	%	70-130		1		11/03/20 09:17	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 1690019237 GORSKI LF 21-28201B
Pace Project No.: 40217313

Sample: 670 CTH B **Lab ID: 40217313005** Collected: 10/26/20 12:25 Received: 10/28/20 10:20 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV									
Analytical Method: EPA 8260									
Pace Analytical Services - Green Bay									
1,1,1,2-Tetrachloroethane	<0.27	ug/L	1.0	0.27	1		11/03/20 09:41	630-20-6	
1,1,1-Trichloroethane	<0.24	ug/L	1.0	0.24	1		11/03/20 09:41	71-55-6	
1,1,2,2-Tetrachloroethane	<0.28	ug/L	1.0	0.28	1		11/03/20 09:41	79-34-5	
1,1,2-Trichloroethane	<0.55	ug/L	5.0	0.55	1		11/03/20 09:41	79-00-5	
1,1-Dichloroethane	<0.27	ug/L	1.0	0.27	1		11/03/20 09:41	75-34-3	
1,1-Dichloroethene	<0.24	ug/L	1.0	0.24	1		11/03/20 09:41	75-35-4	
1,1-Dichloropropene	<0.54	ug/L	1.8	0.54	1		11/03/20 09:41	563-58-6	
1,2,3-Trichlorobenzene	<2.2	ug/L	7.4	2.2	1		11/03/20 09:41	87-61-6	
1,2,3-Trichloropropane	<0.59	ug/L	5.0	0.59	1		11/03/20 09:41	96-18-4	
1,2,4-Trichlorobenzene	<0.95	ug/L	5.0	0.95	1		11/03/20 09:41	120-82-1	
1,2,4-Trimethylbenzene	<0.84	ug/L	2.8	0.84	1		11/03/20 09:41	95-63-6	
1,2-Dibromo-3-chloropropane	<1.8	ug/L	5.9	1.8	1		11/03/20 09:41	96-12-8	
1,2-Dibromoethane (EDB)	<0.83	ug/L	2.8	0.83	1		11/03/20 09:41	106-93-4	
1,2-Dichlorobenzene	<0.71	ug/L	2.4	0.71	1		11/03/20 09:41	95-50-1	
1,2-Dichloroethane	<0.28	ug/L	1.0	0.28	1		11/03/20 09:41	107-06-2	
1,2-Dichloropropane	<0.28	ug/L	1.0	0.28	1		11/03/20 09:41	78-87-5	
1,3,5-Trimethylbenzene	<0.87	ug/L	2.9	0.87	1		11/03/20 09:41	108-67-8	
1,3-Dichlorobenzene	<0.63	ug/L	2.1	0.63	1		11/03/20 09:41	541-73-1	
1,3-Dichloropropane	<0.83	ug/L	2.8	0.83	1		11/03/20 09:41	142-28-9	
1,4-Dichlorobenzene	<0.94	ug/L	3.1	0.94	1		11/03/20 09:41	106-46-7	
2,2-Dichloropropane	<2.3	ug/L	7.6	2.3	1		11/03/20 09:41	594-20-7	
2-Chlorotoluene	<0.93	ug/L	5.0	0.93	1		11/03/20 09:41	95-49-8	
4-Chlorotoluene	<0.76	ug/L	2.5	0.76	1		11/03/20 09:41	106-43-4	
Benzene	<0.25	ug/L	1.0	0.25	1		11/03/20 09:41	71-43-2	
Bromobenzene	<0.24	ug/L	1.0	0.24	1		11/03/20 09:41	108-86-1	
Bromochloromethane	<0.36	ug/L	5.0	0.36	1		11/03/20 09:41	74-97-5	
Bromodichloromethane	<0.36	ug/L	1.2	0.36	1		11/03/20 09:41	75-27-4	
Bromoform	<4.0	ug/L	13.2	4.0	1		11/03/20 09:41	75-25-2	
Bromomethane	<0.97	ug/L	5.0	0.97	1		11/03/20 09:41	74-83-9	
Carbon tetrachloride	<1.1	ug/L	3.6	1.1	1		11/03/20 09:41	56-23-5	
Chlorobenzene	<0.71	ug/L	2.4	0.71	1		11/03/20 09:41	108-90-7	
Chloroethane	<1.3	ug/L	5.0	1.3	1		11/03/20 09:41	75-00-3	
Chloroform	<1.3	ug/L	5.0	1.3	1		11/03/20 09:41	67-66-3	
Chloromethane	<2.2	ug/L	7.3	2.2	1		11/03/20 09:41	74-87-3	
Dibromochloromethane	<2.6	ug/L	8.7	2.6	1		11/03/20 09:41	124-48-1	
Dibromomethane	<0.94	ug/L	3.1	0.94	1		11/03/20 09:41	74-95-3	
Dichlorodifluoromethane	<0.50	ug/L	5.0	0.50	1		11/03/20 09:41	75-71-8	
Diisopropyl ether	<1.9	ug/L	6.3	1.9	1		11/03/20 09:41	108-20-3	
Ethylbenzene	<0.32	ug/L	1.1	0.32	1		11/03/20 09:41	100-41-4	
Hexachloro-1,3-butadiene	<1.5	ug/L	4.9	1.5	1		11/03/20 09:41	87-68-3	
Isopropylbenzene (Cumene)	<1.7	ug/L	5.6	1.7	1		11/03/20 09:41	98-82-8	
Methyl-tert-butyl ether	<1.2	ug/L	4.2	1.2	1		11/03/20 09:41	1634-04-4	
Methylene Chloride	<0.58	ug/L	5.0	0.58	1		11/03/20 09:41	75-09-2	
Naphthalene	<1.2	ug/L	5.0	1.2	1		11/03/20 09:41	91-20-3	
Styrene	<3.0	ug/L	10.0	3.0	1		11/03/20 09:41	100-42-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 1690019237 GORSKI LF 21-28201B

Pace Project No.: 40217313

Sample: 670 CTH B **Lab ID: 40217313005** Collected: 10/26/20 12:25 Received: 10/28/20 10:20 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV									
Analytical Method: EPA 8260									
Pace Analytical Services - Green Bay									
Tetrachloroethene	<0.33	ug/L	1.1	0.33	1		11/03/20 09:41	127-18-4	
Toluene	<0.27	ug/L	1.0	0.27	1		11/03/20 09:41	108-88-3	
Trichloroethene	<0.26	ug/L	1.0	0.26	1		11/03/20 09:41	79-01-6	
Trichlorofluoromethane	<0.21	ug/L	1.0	0.21	1		11/03/20 09:41	75-69-4	
Vinyl chloride	<0.17	ug/L	1.0	0.17	1		11/03/20 09:41	75-01-4	
Xylene (Total)	<1.5	ug/L	3.0	1.5	1		11/03/20 09:41	1330-20-7	
cis-1,2-Dichloroethene	<0.27	ug/L	1.0	0.27	1		11/03/20 09:41	156-59-2	
cis-1,3-Dichloropropene	<3.6	ug/L	12.1	3.6	1		11/03/20 09:41	10061-01-5	
m&p-Xylene	<0.47	ug/L	2.0	0.47	1		11/03/20 09:41	179601-23-1	
n-Butylbenzene	<0.71	ug/L	2.4	0.71	1		11/03/20 09:41	104-51-8	
n-Propylbenzene	<0.81	ug/L	5.0	0.81	1		11/03/20 09:41	103-65-1	
o-Xylene	<0.26	ug/L	1.0	0.26	1		11/03/20 09:41	95-47-6	
p-Isopropyltoluene	<0.80	ug/L	2.7	0.80	1		11/03/20 09:41	99-87-6	
sec-Butylbenzene	<0.85	ug/L	5.0	0.85	1		11/03/20 09:41	135-98-8	
tert-Butylbenzene	<0.30	ug/L	1.0	0.30	1		11/03/20 09:41	98-06-6	
trans-1,2-Dichloroethene	<0.46	ug/L	1.5	0.46	1		11/03/20 09:41	156-60-5	
trans-1,3-Dichloropropene	<4.4	ug/L	14.6	4.4	1		11/03/20 09:41	10061-02-6	
Surrogates									
4-Bromofluorobenzene (S)	100	%	70-130		1		11/03/20 09:41	460-00-4	
Dibromofluoromethane (S)	86	%	70-130		1		11/03/20 09:41	1868-53-7	
Toluene-d8 (S)	101	%	70-130		1		11/03/20 09:41	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 1690019237 GORSKI LF 21-28201B

Pace Project No.: 40217313

Sample: 1096 CTH KK **Lab ID: 40217313006** Collected: 10/26/20 11:10 Received: 10/28/20 10:20 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV									
Analytical Method: EPA 8260									
Pace Analytical Services - Green Bay									
1,1,1,2-Tetrachloroethane	<0.27	ug/L	1.0	0.27	1		11/03/20 10:05	630-20-6	
1,1,1-Trichloroethane	<0.24	ug/L	1.0	0.24	1		11/03/20 10:05	71-55-6	
1,1,2,2-Tetrachloroethane	<0.28	ug/L	1.0	0.28	1		11/03/20 10:05	79-34-5	
1,1,2-Trichloroethane	<0.55	ug/L	5.0	0.55	1		11/03/20 10:05	79-00-5	
1,1-Dichloroethane	<0.27	ug/L	1.0	0.27	1		11/03/20 10:05	75-34-3	
1,1-Dichloroethene	<0.24	ug/L	1.0	0.24	1		11/03/20 10:05	75-35-4	
1,1-Dichloropropene	<0.54	ug/L	1.8	0.54	1		11/03/20 10:05	563-58-6	
1,2,3-Trichlorobenzene	<2.2	ug/L	7.4	2.2	1		11/03/20 10:05	87-61-6	
1,2,3-Trichloropropane	<0.59	ug/L	5.0	0.59	1		11/03/20 10:05	96-18-4	
1,2,4-Trichlorobenzene	<0.95	ug/L	5.0	0.95	1		11/03/20 10:05	120-82-1	
1,2,4-Trimethylbenzene	<0.84	ug/L	2.8	0.84	1		11/03/20 10:05	95-63-6	
1,2-Dibromo-3-chloropropane	<1.8	ug/L	5.9	1.8	1		11/03/20 10:05	96-12-8	
1,2-Dibromoethane (EDB)	<0.83	ug/L	2.8	0.83	1		11/03/20 10:05	106-93-4	
1,2-Dichlorobenzene	<0.71	ug/L	2.4	0.71	1		11/03/20 10:05	95-50-1	
1,2-Dichloroethane	<0.28	ug/L	1.0	0.28	1		11/03/20 10:05	107-06-2	
1,2-Dichloropropane	<0.28	ug/L	1.0	0.28	1		11/03/20 10:05	78-87-5	
1,3,5-Trimethylbenzene	<0.87	ug/L	2.9	0.87	1		11/03/20 10:05	108-67-8	
1,3-Dichlorobenzene	<0.63	ug/L	2.1	0.63	1		11/03/20 10:05	541-73-1	
1,3-Dichloropropane	<0.83	ug/L	2.8	0.83	1		11/03/20 10:05	142-28-9	
1,4-Dichlorobenzene	<0.94	ug/L	3.1	0.94	1		11/03/20 10:05	106-46-7	
2,2-Dichloropropane	<2.3	ug/L	7.6	2.3	1		11/03/20 10:05	594-20-7	
2-Chlorotoluene	<0.93	ug/L	5.0	0.93	1		11/03/20 10:05	95-49-8	
4-Chlorotoluene	<0.76	ug/L	2.5	0.76	1		11/03/20 10:05	106-43-4	
Benzene	<0.25	ug/L	1.0	0.25	1		11/03/20 10:05	71-43-2	
Bromobenzene	<0.24	ug/L	1.0	0.24	1		11/03/20 10:05	108-86-1	
Bromochloromethane	<0.36	ug/L	5.0	0.36	1		11/03/20 10:05	74-97-5	
Bromodichloromethane	<0.36	ug/L	1.2	0.36	1		11/03/20 10:05	75-27-4	
Bromoform	<4.0	ug/L	13.2	4.0	1		11/03/20 10:05	75-25-2	
Bromomethane	<0.97	ug/L	5.0	0.97	1		11/03/20 10:05	74-83-9	
Carbon tetrachloride	<1.1	ug/L	3.6	1.1	1		11/03/20 10:05	56-23-5	
Chlorobenzene	<0.71	ug/L	2.4	0.71	1		11/03/20 10:05	108-90-7	
Chloroethane	<1.3	ug/L	5.0	1.3	1		11/03/20 10:05	75-00-3	
Chloroform	<1.3	ug/L	5.0	1.3	1		11/03/20 10:05	67-66-3	
Chloromethane	<2.2	ug/L	7.3	2.2	1		11/03/20 10:05	74-87-3	
Dibromochloromethane	<2.6	ug/L	8.7	2.6	1		11/03/20 10:05	124-48-1	
Dibromomethane	<0.94	ug/L	3.1	0.94	1		11/03/20 10:05	74-95-3	
Dichlorodifluoromethane	<0.50	ug/L	5.0	0.50	1		11/03/20 10:05	75-71-8	
Diisopropyl ether	<1.9	ug/L	6.3	1.9	1		11/03/20 10:05	108-20-3	
Ethylbenzene	<0.32	ug/L	1.1	0.32	1		11/03/20 10:05	100-41-4	
Hexachloro-1,3-butadiene	<1.5	ug/L	4.9	1.5	1		11/03/20 10:05	87-68-3	
Isopropylbenzene (Cumene)	<1.7	ug/L	5.6	1.7	1		11/03/20 10:05	98-82-8	
Methyl-tert-butyl ether	<1.2	ug/L	4.2	1.2	1		11/03/20 10:05	1634-04-4	
Methylene Chloride	<0.58	ug/L	5.0	0.58	1		11/03/20 10:05	75-09-2	
Naphthalene	<1.2	ug/L	5.0	1.2	1		11/03/20 10:05	91-20-3	
Styrene	<3.0	ug/L	10.0	3.0	1		11/03/20 10:05	100-42-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 1690019237 GORSKI LF 21-28201B
Pace Project No.: 40217313

Sample: 1096 CTH KK **Lab ID: 40217313006** Collected: 10/26/20 11:10 Received: 10/28/20 10:20 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV									
Analytical Method: EPA 8260									
Pace Analytical Services - Green Bay									
Tetrachloroethene	<0.33	ug/L	1.1	0.33	1		11/03/20 10:05	127-18-4	
Toluene	<0.27	ug/L	1.0	0.27	1		11/03/20 10:05	108-88-3	
Trichloroethene	<0.26	ug/L	1.0	0.26	1		11/03/20 10:05	79-01-6	
Trichlorofluoromethane	<0.21	ug/L	1.0	0.21	1		11/03/20 10:05	75-69-4	
Vinyl chloride	<0.17	ug/L	1.0	0.17	1		11/03/20 10:05	75-01-4	
Xylene (Total)	<1.5	ug/L	3.0	1.5	1		11/03/20 10:05	1330-20-7	
cis-1,2-Dichloroethene	<0.27	ug/L	1.0	0.27	1		11/03/20 10:05	156-59-2	
cis-1,3-Dichloropropene	<3.6	ug/L	12.1	3.6	1		11/03/20 10:05	10061-01-5	
m&p-Xylene	<0.47	ug/L	2.0	0.47	1		11/03/20 10:05	179601-23-1	
n-Butylbenzene	<0.71	ug/L	2.4	0.71	1		11/03/20 10:05	104-51-8	
n-Propylbenzene	<0.81	ug/L	5.0	0.81	1		11/03/20 10:05	103-65-1	
o-Xylene	<0.26	ug/L	1.0	0.26	1		11/03/20 10:05	95-47-6	
p-Isopropyltoluene	<0.80	ug/L	2.7	0.80	1		11/03/20 10:05	99-87-6	
sec-Butylbenzene	<0.85	ug/L	5.0	0.85	1		11/03/20 10:05	135-98-8	
tert-Butylbenzene	<0.30	ug/L	1.0	0.30	1		11/03/20 10:05	98-06-6	
trans-1,2-Dichloroethene	<0.46	ug/L	1.5	0.46	1		11/03/20 10:05	156-60-5	
trans-1,3-Dichloropropene	<4.4	ug/L	14.6	4.4	1		11/03/20 10:05	10061-02-6	
Surrogates									
4-Bromofluorobenzene (S)	101	%	70-130		1		11/03/20 10:05	460-00-4	
Dibromofluoromethane (S)	91	%	70-130		1		11/03/20 10:05	1868-53-7	
Toluene-d8 (S)	101	%	70-130		1		11/03/20 10:05	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 1690019237 GORSKI LF 21-28201B

Pace Project No.: 40217313

Sample: 1101 CTH KK **Lab ID: 40217313007** Collected: 10/26/20 11:25 Received: 10/28/20 10:20 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV									
Analytical Method: EPA 8260									
Pace Analytical Services - Green Bay									
1,1,1,2-Tetrachloroethane	<0.27	ug/L	1.0	0.27	1		11/03/20 10:28	630-20-6	
1,1,1-Trichloroethane	<0.24	ug/L	1.0	0.24	1		11/03/20 10:28	71-55-6	
1,1,2,2-Tetrachloroethane	<0.28	ug/L	1.0	0.28	1		11/03/20 10:28	79-34-5	
1,1,2-Trichloroethane	<0.55	ug/L	5.0	0.55	1		11/03/20 10:28	79-00-5	
1,1-Dichloroethane	<0.27	ug/L	1.0	0.27	1		11/03/20 10:28	75-34-3	
1,1-Dichloroethene	<0.24	ug/L	1.0	0.24	1		11/03/20 10:28	75-35-4	
1,1-Dichloropropene	<0.54	ug/L	1.8	0.54	1		11/03/20 10:28	563-58-6	
1,2,3-Trichlorobenzene	<2.2	ug/L	7.4	2.2	1		11/03/20 10:28	87-61-6	
1,2,3-Trichloropropane	<0.59	ug/L	5.0	0.59	1		11/03/20 10:28	96-18-4	
1,2,4-Trichlorobenzene	<0.95	ug/L	5.0	0.95	1		11/03/20 10:28	120-82-1	
1,2,4-Trimethylbenzene	<0.84	ug/L	2.8	0.84	1		11/03/20 10:28	95-63-6	
1,2-Dibromo-3-chloropropane	<1.8	ug/L	5.9	1.8	1		11/03/20 10:28	96-12-8	
1,2-Dibromoethane (EDB)	<0.83	ug/L	2.8	0.83	1		11/03/20 10:28	106-93-4	
1,2-Dichlorobenzene	<0.71	ug/L	2.4	0.71	1		11/03/20 10:28	95-50-1	
1,2-Dichloroethane	<0.28	ug/L	1.0	0.28	1		11/03/20 10:28	107-06-2	
1,2-Dichloropropane	<0.28	ug/L	1.0	0.28	1		11/03/20 10:28	78-87-5	
1,3,5-Trimethylbenzene	<0.87	ug/L	2.9	0.87	1		11/03/20 10:28	108-67-8	
1,3-Dichlorobenzene	<0.63	ug/L	2.1	0.63	1		11/03/20 10:28	541-73-1	
1,3-Dichloropropane	<0.83	ug/L	2.8	0.83	1		11/03/20 10:28	142-28-9	
1,4-Dichlorobenzene	<0.94	ug/L	3.1	0.94	1		11/03/20 10:28	106-46-7	
2,2-Dichloropropane	<2.3	ug/L	7.6	2.3	1		11/03/20 10:28	594-20-7	
2-Chlorotoluene	<0.93	ug/L	5.0	0.93	1		11/03/20 10:28	95-49-8	
4-Chlorotoluene	<0.76	ug/L	2.5	0.76	1		11/03/20 10:28	106-43-4	
Benzene	<0.25	ug/L	1.0	0.25	1		11/03/20 10:28	71-43-2	
Bromobenzene	<0.24	ug/L	1.0	0.24	1		11/03/20 10:28	108-86-1	
Bromochloromethane	<0.36	ug/L	5.0	0.36	1		11/03/20 10:28	74-97-5	
Bromodichloromethane	<0.36	ug/L	1.2	0.36	1		11/03/20 10:28	75-27-4	
Bromoform	<4.0	ug/L	13.2	4.0	1		11/03/20 10:28	75-25-2	
Bromomethane	<0.97	ug/L	5.0	0.97	1		11/03/20 10:28	74-83-9	
Carbon tetrachloride	<1.1	ug/L	3.6	1.1	1		11/03/20 10:28	56-23-5	
Chlorobenzene	<0.71	ug/L	2.4	0.71	1		11/03/20 10:28	108-90-7	
Chloroethane	<1.3	ug/L	5.0	1.3	1		11/03/20 10:28	75-00-3	
Chloroform	<1.3	ug/L	5.0	1.3	1		11/03/20 10:28	67-66-3	
Chloromethane	<2.2	ug/L	7.3	2.2	1		11/03/20 10:28	74-87-3	
Dibromochloromethane	<2.6	ug/L	8.7	2.6	1		11/03/20 10:28	124-48-1	
Dibromomethane	<0.94	ug/L	3.1	0.94	1		11/03/20 10:28	74-95-3	
Dichlorodifluoromethane	<0.50	ug/L	5.0	0.50	1		11/03/20 10:28	75-71-8	
Diisopropyl ether	<1.9	ug/L	6.3	1.9	1		11/03/20 10:28	108-20-3	
Ethylbenzene	<0.32	ug/L	1.1	0.32	1		11/03/20 10:28	100-41-4	
Hexachloro-1,3-butadiene	<1.5	ug/L	4.9	1.5	1		11/03/20 10:28	87-68-3	
Isopropylbenzene (Cumene)	<1.7	ug/L	5.6	1.7	1		11/03/20 10:28	98-82-8	
Methyl-tert-butyl ether	<1.2	ug/L	4.2	1.2	1		11/03/20 10:28	1634-04-4	
Methylene Chloride	<0.58	ug/L	5.0	0.58	1		11/03/20 10:28	75-09-2	
Naphthalene	<1.2	ug/L	5.0	1.2	1		11/03/20 10:28	91-20-3	
Styrene	<3.0	ug/L	10.0	3.0	1		11/03/20 10:28	100-42-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 1690019237 GORSKI LF 21-28201B

Pace Project No.: 40217313

Sample: 1101 CTH KK **Lab ID: 40217313007** Collected: 10/26/20 11:25 Received: 10/28/20 10:20 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV									
Analytical Method: EPA 8260									
Pace Analytical Services - Green Bay									
Tetrachloroethene	<0.33	ug/L	1.1	0.33	1		11/03/20 10:28	127-18-4	
Toluene	<0.27	ug/L	1.0	0.27	1		11/03/20 10:28	108-88-3	
Trichloroethene	<0.26	ug/L	1.0	0.26	1		11/03/20 10:28	79-01-6	
Trichlorofluoromethane	<0.21	ug/L	1.0	0.21	1		11/03/20 10:28	75-69-4	
Vinyl chloride	<0.17	ug/L	1.0	0.17	1		11/03/20 10:28	75-01-4	
Xylene (Total)	<1.5	ug/L	3.0	1.5	1		11/03/20 10:28	1330-20-7	
cis-1,2-Dichloroethene	<0.27	ug/L	1.0	0.27	1		11/03/20 10:28	156-59-2	
cis-1,3-Dichloropropene	<3.6	ug/L	12.1	3.6	1		11/03/20 10:28	10061-01-5	
m&p-Xylene	<0.47	ug/L	2.0	0.47	1		11/03/20 10:28	179601-23-1	
n-Butylbenzene	<0.71	ug/L	2.4	0.71	1		11/03/20 10:28	104-51-8	
n-Propylbenzene	<0.81	ug/L	5.0	0.81	1		11/03/20 10:28	103-65-1	
o-Xylene	<0.26	ug/L	1.0	0.26	1		11/03/20 10:28	95-47-6	
p-Isopropyltoluene	<0.80	ug/L	2.7	0.80	1		11/03/20 10:28	99-87-6	
sec-Butylbenzene	<0.85	ug/L	5.0	0.85	1		11/03/20 10:28	135-98-8	
tert-Butylbenzene	<0.30	ug/L	1.0	0.30	1		11/03/20 10:28	98-06-6	
trans-1,2-Dichloroethene	<0.46	ug/L	1.5	0.46	1		11/03/20 10:28	156-60-5	
trans-1,3-Dichloropropene	<4.4	ug/L	14.6	4.4	1		11/03/20 10:28	10061-02-6	
Surrogates									
4-Bromofluorobenzene (S)	99	%	70-130		1		11/03/20 10:28	460-00-4	
Dibromofluoromethane (S)	91	%	70-130		1		11/03/20 10:28	1868-53-7	
Toluene-d8 (S)	98	%	70-130		1		11/03/20 10:28	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 1690019237 GORSKI LF 21-28201B

Pace Project No.: 40217313

Sample: 1058 CTH KK **Lab ID: 40217313008** Collected: 10/26/20 11:30 Received: 10/28/20 10:20 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV									
Analytical Method: EPA 8260									
Pace Analytical Services - Green Bay									
1,1,1,2-Tetrachloroethane	<0.27	ug/L	1.0	0.27	1		11/03/20 10:52	630-20-6	
1,1,1-Trichloroethane	<0.24	ug/L	1.0	0.24	1		11/03/20 10:52	71-55-6	
1,1,2,2-Tetrachloroethane	<0.28	ug/L	1.0	0.28	1		11/03/20 10:52	79-34-5	
1,1,2-Trichloroethane	<0.55	ug/L	5.0	0.55	1		11/03/20 10:52	79-00-5	
1,1-Dichloroethane	<0.27	ug/L	1.0	0.27	1		11/03/20 10:52	75-34-3	
1,1-Dichloroethene	<0.24	ug/L	1.0	0.24	1		11/03/20 10:52	75-35-4	
1,1-Dichloropropene	<0.54	ug/L	1.8	0.54	1		11/03/20 10:52	563-58-6	
1,2,3-Trichlorobenzene	<2.2	ug/L	7.4	2.2	1		11/03/20 10:52	87-61-6	
1,2,3-Trichloropropane	<0.59	ug/L	5.0	0.59	1		11/03/20 10:52	96-18-4	
1,2,4-Trichlorobenzene	<0.95	ug/L	5.0	0.95	1		11/03/20 10:52	120-82-1	
1,2,4-Trimethylbenzene	<0.84	ug/L	2.8	0.84	1		11/03/20 10:52	95-63-6	
1,2-Dibromo-3-chloropropane	<1.8	ug/L	5.9	1.8	1		11/03/20 10:52	96-12-8	
1,2-Dibromoethane (EDB)	<0.83	ug/L	2.8	0.83	1		11/03/20 10:52	106-93-4	
1,2-Dichlorobenzene	<0.71	ug/L	2.4	0.71	1		11/03/20 10:52	95-50-1	
1,2-Dichloroethane	<0.28	ug/L	1.0	0.28	1		11/03/20 10:52	107-06-2	
1,2-Dichloropropane	<0.28	ug/L	1.0	0.28	1		11/03/20 10:52	78-87-5	
1,3,5-Trimethylbenzene	<0.87	ug/L	2.9	0.87	1		11/03/20 10:52	108-67-8	
1,3-Dichlorobenzene	<0.63	ug/L	2.1	0.63	1		11/03/20 10:52	541-73-1	
1,3-Dichloropropane	<0.83	ug/L	2.8	0.83	1		11/03/20 10:52	142-28-9	
1,4-Dichlorobenzene	<0.94	ug/L	3.1	0.94	1		11/03/20 10:52	106-46-7	
2,2-Dichloropropane	<2.3	ug/L	7.6	2.3	1		11/03/20 10:52	594-20-7	
2-Chlorotoluene	<0.93	ug/L	5.0	0.93	1		11/03/20 10:52	95-49-8	
4-Chlorotoluene	<0.76	ug/L	2.5	0.76	1		11/03/20 10:52	106-43-4	
Benzene	<0.25	ug/L	1.0	0.25	1		11/03/20 10:52	71-43-2	
Bromobenzene	<0.24	ug/L	1.0	0.24	1		11/03/20 10:52	108-86-1	
Bromochloromethane	<0.36	ug/L	5.0	0.36	1		11/03/20 10:52	74-97-5	
Bromodichloromethane	<0.36	ug/L	1.2	0.36	1		11/03/20 10:52	75-27-4	
Bromoform	<4.0	ug/L	13.2	4.0	1		11/03/20 10:52	75-25-2	
Bromomethane	<0.97	ug/L	5.0	0.97	1		11/03/20 10:52	74-83-9	
Carbon tetrachloride	<1.1	ug/L	3.6	1.1	1		11/03/20 10:52	56-23-5	
Chlorobenzene	<0.71	ug/L	2.4	0.71	1		11/03/20 10:52	108-90-7	
Chloroethane	<1.3	ug/L	5.0	1.3	1		11/03/20 10:52	75-00-3	
Chloroform	<1.3	ug/L	5.0	1.3	1		11/03/20 10:52	67-66-3	
Chloromethane	<2.2	ug/L	7.3	2.2	1		11/03/20 10:52	74-87-3	
Dibromochloromethane	<2.6	ug/L	8.7	2.6	1		11/03/20 10:52	124-48-1	
Dibromomethane	<0.94	ug/L	3.1	0.94	1		11/03/20 10:52	74-95-3	
Dichlorodifluoromethane	<0.50	ug/L	5.0	0.50	1		11/03/20 10:52	75-71-8	
Diisopropyl ether	<1.9	ug/L	6.3	1.9	1		11/03/20 10:52	108-20-3	
Ethylbenzene	<0.32	ug/L	1.1	0.32	1		11/03/20 10:52	100-41-4	
Hexachloro-1,3-butadiene	<1.5	ug/L	4.9	1.5	1		11/03/20 10:52	87-68-3	
Isopropylbenzene (Cumene)	<1.7	ug/L	5.6	1.7	1		11/03/20 10:52	98-82-8	
Methyl-tert-butyl ether	<1.2	ug/L	4.2	1.2	1		11/03/20 10:52	1634-04-4	
Methylene Chloride	<0.58	ug/L	5.0	0.58	1		11/03/20 10:52	75-09-2	
Naphthalene	<1.2	ug/L	5.0	1.2	1		11/03/20 10:52	91-20-3	
Styrene	<3.0	ug/L	10.0	3.0	1		11/03/20 10:52	100-42-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 1690019237 GORSKI LF 21-28201B
Pace Project No.: 40217313

Sample: 1058 CTH KK **Lab ID: 40217313008** Collected: 10/26/20 11:30 Received: 10/28/20 10:20 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV									
Analytical Method: EPA 8260									
Pace Analytical Services - Green Bay									
Tetrachloroethene	<0.33	ug/L	1.1	0.33	1		11/03/20 10:52	127-18-4	
Toluene	<0.27	ug/L	1.0	0.27	1		11/03/20 10:52	108-88-3	
Trichloroethene	<0.26	ug/L	1.0	0.26	1		11/03/20 10:52	79-01-6	
Trichlorofluoromethane	<0.21	ug/L	1.0	0.21	1		11/03/20 10:52	75-69-4	
Vinyl chloride	<0.17	ug/L	1.0	0.17	1		11/03/20 10:52	75-01-4	
Xylene (Total)	<1.5	ug/L	3.0	1.5	1		11/03/20 10:52	1330-20-7	
cis-1,2-Dichloroethene	<0.27	ug/L	1.0	0.27	1		11/03/20 10:52	156-59-2	
cis-1,3-Dichloropropene	<3.6	ug/L	12.1	3.6	1		11/03/20 10:52	10061-01-5	
m&p-Xylene	<0.47	ug/L	2.0	0.47	1		11/03/20 10:52	179601-23-1	
n-Butylbenzene	<0.71	ug/L	2.4	0.71	1		11/03/20 10:52	104-51-8	
n-Propylbenzene	<0.81	ug/L	5.0	0.81	1		11/03/20 10:52	103-65-1	
o-Xylene	<0.26	ug/L	1.0	0.26	1		11/03/20 10:52	95-47-6	
p-Isopropyltoluene	<0.80	ug/L	2.7	0.80	1		11/03/20 10:52	99-87-6	
sec-Butylbenzene	<0.85	ug/L	5.0	0.85	1		11/03/20 10:52	135-98-8	
tert-Butylbenzene	<0.30	ug/L	1.0	0.30	1		11/03/20 10:52	98-06-6	
trans-1,2-Dichloroethene	<0.46	ug/L	1.5	0.46	1		11/03/20 10:52	156-60-5	
trans-1,3-Dichloropropene	<4.4	ug/L	14.6	4.4	1		11/03/20 10:52	10061-02-6	
Surrogates									
4-Bromofluorobenzene (S)	101	%	70-130		1		11/03/20 10:52	460-00-4	
Dibromofluoromethane (S)	93	%	70-130		1		11/03/20 10:52	1868-53-7	
Toluene-d8 (S)	97	%	70-130		1		11/03/20 10:52	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 1690019237 GORSKI LF 21-28201B

Pace Project No.: 40217313

Sample: PZ-3 **Lab ID: 40217313009** Collected: 10/26/20 13:15 Received: 10/28/20 10:20 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV									
Analytical Method: EPA 8260									
Pace Analytical Services - Green Bay									
1,1,1,2-Tetrachloroethane	<0.27	ug/L	1.0	0.27	1		11/03/20 11:15	630-20-6	
1,1,1-Trichloroethane	<0.24	ug/L	1.0	0.24	1		11/03/20 11:15	71-55-6	
1,1,2,2-Tetrachloroethane	<0.28	ug/L	1.0	0.28	1		11/03/20 11:15	79-34-5	
1,1,2-Trichloroethane	<0.55	ug/L	5.0	0.55	1		11/03/20 11:15	79-00-5	
1,1-Dichloroethane	<0.27	ug/L	1.0	0.27	1		11/03/20 11:15	75-34-3	
1,1-Dichloroethene	<0.24	ug/L	1.0	0.24	1		11/03/20 11:15	75-35-4	
1,1-Dichloropropene	<0.54	ug/L	1.8	0.54	1		11/03/20 11:15	563-58-6	
1,2,3-Trichlorobenzene	<2.2	ug/L	7.4	2.2	1		11/03/20 11:15	87-61-6	
1,2,3-Trichloropropane	<0.59	ug/L	5.0	0.59	1		11/03/20 11:15	96-18-4	
1,2,4-Trichlorobenzene	<0.95	ug/L	5.0	0.95	1		11/03/20 11:15	120-82-1	
1,2,4-Trimethylbenzene	<0.84	ug/L	2.8	0.84	1		11/03/20 11:15	95-63-6	
1,2-Dibromo-3-chloropropane	<1.8	ug/L	5.9	1.8	1		11/03/20 11:15	96-12-8	
1,2-Dibromoethane (EDB)	<0.83	ug/L	2.8	0.83	1		11/03/20 11:15	106-93-4	
1,2-Dichlorobenzene	<0.71	ug/L	2.4	0.71	1		11/03/20 11:15	95-50-1	
1,2-Dichloroethane	<0.28	ug/L	1.0	0.28	1		11/03/20 11:15	107-06-2	
1,2-Dichloropropane	<0.28	ug/L	1.0	0.28	1		11/03/20 11:15	78-87-5	
1,3,5-Trimethylbenzene	<0.87	ug/L	2.9	0.87	1		11/03/20 11:15	108-67-8	
1,3-Dichlorobenzene	<0.63	ug/L	2.1	0.63	1		11/03/20 11:15	541-73-1	
1,3-Dichloropropane	<0.83	ug/L	2.8	0.83	1		11/03/20 11:15	142-28-9	
1,4-Dichlorobenzene	<0.94	ug/L	3.1	0.94	1		11/03/20 11:15	106-46-7	
2,2-Dichloropropane	<2.3	ug/L	7.6	2.3	1		11/03/20 11:15	594-20-7	
2-Chlorotoluene	<0.93	ug/L	5.0	0.93	1		11/03/20 11:15	95-49-8	
4-Chlorotoluene	<0.76	ug/L	2.5	0.76	1		11/03/20 11:15	106-43-4	
Benzene	<0.25	ug/L	1.0	0.25	1		11/03/20 11:15	71-43-2	
Bromobenzene	<0.24	ug/L	1.0	0.24	1		11/03/20 11:15	108-86-1	
Bromochloromethane	<0.36	ug/L	5.0	0.36	1		11/03/20 11:15	74-97-5	
Bromodichloromethane	<0.36	ug/L	1.2	0.36	1		11/03/20 11:15	75-27-4	
Bromoform	<4.0	ug/L	13.2	4.0	1		11/03/20 11:15	75-25-2	
Bromomethane	<0.97	ug/L	5.0	0.97	1		11/03/20 11:15	74-83-9	
Carbon tetrachloride	<1.1	ug/L	3.6	1.1	1		11/03/20 11:15	56-23-5	
Chlorobenzene	<0.71	ug/L	2.4	0.71	1		11/03/20 11:15	108-90-7	
Chloroethane	<1.3	ug/L	5.0	1.3	1		11/03/20 11:15	75-00-3	
Chloroform	<1.3	ug/L	5.0	1.3	1		11/03/20 11:15	67-66-3	
Chloromethane	<2.2	ug/L	7.3	2.2	1		11/03/20 11:15	74-87-3	
Dibromochloromethane	<2.6	ug/L	8.7	2.6	1		11/03/20 11:15	124-48-1	
Dibromomethane	<0.94	ug/L	3.1	0.94	1		11/03/20 11:15	74-95-3	
Dichlorodifluoromethane	<0.50	ug/L	5.0	0.50	1		11/03/20 11:15	75-71-8	
Diisopropyl ether	<1.9	ug/L	6.3	1.9	1		11/03/20 11:15	108-20-3	
Ethylbenzene	<0.32	ug/L	1.1	0.32	1		11/03/20 11:15	100-41-4	
Hexachloro-1,3-butadiene	<1.5	ug/L	4.9	1.5	1		11/03/20 11:15	87-68-3	
Isopropylbenzene (Cumene)	<1.7	ug/L	5.6	1.7	1		11/03/20 11:15	98-82-8	
Methyl-tert-butyl ether	<1.2	ug/L	4.2	1.2	1		11/03/20 11:15	1634-04-4	
Methylene Chloride	<0.58	ug/L	5.0	0.58	1		11/03/20 11:15	75-09-2	
Naphthalene	<1.2	ug/L	5.0	1.2	1		11/03/20 11:15	91-20-3	
Styrene	<3.0	ug/L	10.0	3.0	1		11/03/20 11:15	100-42-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 1690019237 GORSKI LF 21-28201B

Pace Project No.: 40217313

Sample: PZ-3 **Lab ID: 40217313009** Collected: 10/26/20 13:15 Received: 10/28/20 10:20 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV									
Analytical Method: EPA 8260									
Pace Analytical Services - Green Bay									
Tetrachloroethene	<0.33	ug/L	1.1	0.33	1		11/03/20 11:15	127-18-4	
Toluene	<0.27	ug/L	1.0	0.27	1		11/03/20 11:15	108-88-3	
Trichloroethene	0.90J	ug/L	1.0	0.26	1		11/03/20 11:15	79-01-6	
Trichlorofluoromethane	<0.21	ug/L	1.0	0.21	1		11/03/20 11:15	75-69-4	
Vinyl chloride	<0.17	ug/L	1.0	0.17	1		11/03/20 11:15	75-01-4	
Xylene (Total)	<1.5	ug/L	3.0	1.5	1		11/03/20 11:15	1330-20-7	
cis-1,2-Dichloroethene	11.4	ug/L	1.0	0.27	1		11/03/20 11:15	156-59-2	
cis-1,3-Dichloropropene	<3.6	ug/L	12.1	3.6	1		11/03/20 11:15	10061-01-5	
m&p-Xylene	<0.47	ug/L	2.0	0.47	1		11/03/20 11:15	179601-23-1	
n-Butylbenzene	<0.71	ug/L	2.4	0.71	1		11/03/20 11:15	104-51-8	
n-Propylbenzene	<0.81	ug/L	5.0	0.81	1		11/03/20 11:15	103-65-1	
o-Xylene	<0.26	ug/L	1.0	0.26	1		11/03/20 11:15	95-47-6	
p-Isopropyltoluene	<0.80	ug/L	2.7	0.80	1		11/03/20 11:15	99-87-6	
sec-Butylbenzene	<0.85	ug/L	5.0	0.85	1		11/03/20 11:15	135-98-8	
tert-Butylbenzene	<0.30	ug/L	1.0	0.30	1		11/03/20 11:15	98-06-6	
trans-1,2-Dichloroethene	0.62J	ug/L	1.5	0.46	1		11/03/20 11:15	156-60-5	
trans-1,3-Dichloropropene	<4.4	ug/L	14.6	4.4	1		11/03/20 11:15	10061-02-6	
Surrogates									
4-Bromofluorobenzene (S)	100	%	70-130		1		11/03/20 11:15	460-00-4	
Dibromofluoromethane (S)	91	%	70-130		1		11/03/20 11:15	1868-53-7	
Toluene-d8 (S)	97	%	70-130		1		11/03/20 11:15	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 1690019237 GORSKI LF 21-28201B

Pace Project No.: 40217313

Sample: MW-4 **Lab ID: 40217313010** Collected: 10/26/20 15:20 Received: 10/28/20 10:20 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV									
Analytical Method: EPA 8260									
Pace Analytical Services - Green Bay									
1,1,1,2-Tetrachloroethane	<0.27	ug/L	1.0	0.27	1		11/03/20 11:39	630-20-6	
1,1,1-Trichloroethane	<0.24	ug/L	1.0	0.24	1		11/03/20 11:39	71-55-6	
1,1,2,2-Tetrachloroethane	<0.28	ug/L	1.0	0.28	1		11/03/20 11:39	79-34-5	
1,1,2-Trichloroethane	<0.55	ug/L	5.0	0.55	1		11/03/20 11:39	79-00-5	
1,1-Dichloroethane	<0.27	ug/L	1.0	0.27	1		11/03/20 11:39	75-34-3	
1,1-Dichloroethene	<0.24	ug/L	1.0	0.24	1		11/03/20 11:39	75-35-4	
1,1-Dichloropropene	<0.54	ug/L	1.8	0.54	1		11/03/20 11:39	563-58-6	
1,2,3-Trichlorobenzene	<2.2	ug/L	7.4	2.2	1		11/03/20 11:39	87-61-6	
1,2,3-Trichloropropane	<0.59	ug/L	5.0	0.59	1		11/03/20 11:39	96-18-4	
1,2,4-Trichlorobenzene	<0.95	ug/L	5.0	0.95	1		11/03/20 11:39	120-82-1	
1,2,4-Trimethylbenzene	<0.84	ug/L	2.8	0.84	1		11/03/20 11:39	95-63-6	
1,2-Dibromo-3-chloropropane	<1.8	ug/L	5.9	1.8	1		11/03/20 11:39	96-12-8	
1,2-Dibromoethane (EDB)	<0.83	ug/L	2.8	0.83	1		11/03/20 11:39	106-93-4	
1,2-Dichlorobenzene	<0.71	ug/L	2.4	0.71	1		11/03/20 11:39	95-50-1	
1,2-Dichloroethane	<0.28	ug/L	1.0	0.28	1		11/03/20 11:39	107-06-2	
1,2-Dichloropropane	<0.28	ug/L	1.0	0.28	1		11/03/20 11:39	78-87-5	
1,3,5-Trimethylbenzene	<0.87	ug/L	2.9	0.87	1		11/03/20 11:39	108-67-8	
1,3-Dichlorobenzene	<0.63	ug/L	2.1	0.63	1		11/03/20 11:39	541-73-1	
1,3-Dichloropropane	<0.83	ug/L	2.8	0.83	1		11/03/20 11:39	142-28-9	
1,4-Dichlorobenzene	<0.94	ug/L	3.1	0.94	1		11/03/20 11:39	106-46-7	
2,2-Dichloropropane	<2.3	ug/L	7.6	2.3	1		11/03/20 11:39	594-20-7	
2-Chlorotoluene	<0.93	ug/L	5.0	0.93	1		11/03/20 11:39	95-49-8	
4-Chlorotoluene	<0.76	ug/L	2.5	0.76	1		11/03/20 11:39	106-43-4	
Benzene	<0.25	ug/L	1.0	0.25	1		11/03/20 11:39	71-43-2	
Bromobenzene	<0.24	ug/L	1.0	0.24	1		11/03/20 11:39	108-86-1	
Bromochloromethane	<0.36	ug/L	5.0	0.36	1		11/03/20 11:39	74-97-5	
Bromodichloromethane	<0.36	ug/L	1.2	0.36	1		11/03/20 11:39	75-27-4	
Bromoform	<4.0	ug/L	13.2	4.0	1		11/03/20 11:39	75-25-2	
Bromomethane	<0.97	ug/L	5.0	0.97	1		11/03/20 11:39	74-83-9	
Carbon tetrachloride	<1.1	ug/L	3.6	1.1	1		11/03/20 11:39	56-23-5	
Chlorobenzene	<0.71	ug/L	2.4	0.71	1		11/03/20 11:39	108-90-7	
Chloroethane	<1.3	ug/L	5.0	1.3	1		11/03/20 11:39	75-00-3	
Chloroform	<1.3	ug/L	5.0	1.3	1		11/03/20 11:39	67-66-3	
Chloromethane	<2.2	ug/L	7.3	2.2	1		11/03/20 11:39	74-87-3	
Dibromochloromethane	<2.6	ug/L	8.7	2.6	1		11/03/20 11:39	124-48-1	
Dibromomethane	<0.94	ug/L	3.1	0.94	1		11/03/20 11:39	74-95-3	
Dichlorodifluoromethane	<0.50	ug/L	5.0	0.50	1		11/03/20 11:39	75-71-8	
Diisopropyl ether	<1.9	ug/L	6.3	1.9	1		11/03/20 11:39	108-20-3	
Ethylbenzene	<0.32	ug/L	1.1	0.32	1		11/03/20 11:39	100-41-4	
Hexachloro-1,3-butadiene	<1.5	ug/L	4.9	1.5	1		11/03/20 11:39	87-68-3	
Isopropylbenzene (Cumene)	<1.7	ug/L	5.6	1.7	1		11/03/20 11:39	98-82-8	
Methyl-tert-butyl ether	<1.2	ug/L	4.2	1.2	1		11/03/20 11:39	1634-04-4	
Methylene Chloride	<0.58	ug/L	5.0	0.58	1		11/03/20 11:39	75-09-2	
Naphthalene	<1.2	ug/L	5.0	1.2	1		11/03/20 11:39	91-20-3	
Styrene	<3.0	ug/L	10.0	3.0	1		11/03/20 11:39	100-42-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 1690019237 GORSKI LF 21-28201B

Pace Project No.: 40217313

Sample: MW-4 **Lab ID: 40217313010** Collected: 10/26/20 15:20 Received: 10/28/20 10:20 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV									
Analytical Method: EPA 8260									
Pace Analytical Services - Green Bay									
Tetrachloroethene	<0.33	ug/L	1.1	0.33	1		11/03/20 11:39	127-18-4	
Toluene	<0.27	ug/L	1.0	0.27	1		11/03/20 11:39	108-88-3	
Trichloroethene	6.0	ug/L	1.0	0.26	1		11/03/20 11:39	79-01-6	
Trichlorofluoromethane	<0.21	ug/L	1.0	0.21	1		11/03/20 11:39	75-69-4	
Vinyl chloride	<0.17	ug/L	1.0	0.17	1		11/03/20 11:39	75-01-4	
Xylene (Total)	<1.5	ug/L	3.0	1.5	1		11/03/20 11:39	1330-20-7	
cis-1,2-Dichloroethene	2.1	ug/L	1.0	0.27	1		11/03/20 11:39	156-59-2	
cis-1,3-Dichloropropene	<3.6	ug/L	12.1	3.6	1		11/03/20 11:39	10061-01-5	
m&p-Xylene	<0.47	ug/L	2.0	0.47	1		11/03/20 11:39	179601-23-1	
n-Butylbenzene	<0.71	ug/L	2.4	0.71	1		11/03/20 11:39	104-51-8	
n-Propylbenzene	<0.81	ug/L	5.0	0.81	1		11/03/20 11:39	103-65-1	
o-Xylene	<0.26	ug/L	1.0	0.26	1		11/03/20 11:39	95-47-6	
p-Isopropyltoluene	<0.80	ug/L	2.7	0.80	1		11/03/20 11:39	99-87-6	
sec-Butylbenzene	<0.85	ug/L	5.0	0.85	1		11/03/20 11:39	135-98-8	
tert-Butylbenzene	<0.30	ug/L	1.0	0.30	1		11/03/20 11:39	98-06-6	
trans-1,2-Dichloroethene	<0.46	ug/L	1.5	0.46	1		11/03/20 11:39	156-60-5	
trans-1,3-Dichloropropene	<4.4	ug/L	14.6	4.4	1		11/03/20 11:39	10061-02-6	
Surrogates									
4-Bromofluorobenzene (S)	101	%	70-130		1		11/03/20 11:39	460-00-4	
Dibromofluoromethane (S)	93	%	70-130		1		11/03/20 11:39	1868-53-7	
Toluene-d8 (S)	102	%	70-130		1		11/03/20 11:39	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 1690019237 GORSKI LF 21-28201B

Pace Project No.: 40217313

Sample: MW-6 **Lab ID: 40217313011** Collected: 10/26/20 14:05 Received: 10/28/20 10:20 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV									
Analytical Method: EPA 8260									
Pace Analytical Services - Green Bay									
1,1,1,2-Tetrachloroethane	<0.27	ug/L	1.0	0.27	1		11/03/20 12:03	630-20-6	
1,1,1-Trichloroethane	<0.24	ug/L	1.0	0.24	1		11/03/20 12:03	71-55-6	
1,1,2,2-Tetrachloroethane	<0.28	ug/L	1.0	0.28	1		11/03/20 12:03	79-34-5	
1,1,2-Trichloroethane	<0.55	ug/L	5.0	0.55	1		11/03/20 12:03	79-00-5	
1,1-Dichloroethane	<0.27	ug/L	1.0	0.27	1		11/03/20 12:03	75-34-3	
1,1-Dichloroethene	<0.24	ug/L	1.0	0.24	1		11/03/20 12:03	75-35-4	
1,1-Dichloropropene	<0.54	ug/L	1.8	0.54	1		11/03/20 12:03	563-58-6	
1,2,3-Trichlorobenzene	<2.2	ug/L	7.4	2.2	1		11/03/20 12:03	87-61-6	
1,2,3-Trichloropropane	<0.59	ug/L	5.0	0.59	1		11/03/20 12:03	96-18-4	
1,2,4-Trichlorobenzene	<0.95	ug/L	5.0	0.95	1		11/03/20 12:03	120-82-1	
1,2,4-Trimethylbenzene	<0.84	ug/L	2.8	0.84	1		11/03/20 12:03	95-63-6	
1,2-Dibromo-3-chloropropane	<1.8	ug/L	5.9	1.8	1		11/03/20 12:03	96-12-8	
1,2-Dibromoethane (EDB)	<0.83	ug/L	2.8	0.83	1		11/03/20 12:03	106-93-4	
1,2-Dichlorobenzene	<0.71	ug/L	2.4	0.71	1		11/03/20 12:03	95-50-1	
1,2-Dichloroethane	<0.28	ug/L	1.0	0.28	1		11/03/20 12:03	107-06-2	
1,2-Dichloropropane	<0.28	ug/L	1.0	0.28	1		11/03/20 12:03	78-87-5	
1,3,5-Trimethylbenzene	<0.87	ug/L	2.9	0.87	1		11/03/20 12:03	108-67-8	
1,3-Dichlorobenzene	<0.63	ug/L	2.1	0.63	1		11/03/20 12:03	541-73-1	
1,3-Dichloropropane	<0.83	ug/L	2.8	0.83	1		11/03/20 12:03	142-28-9	
1,4-Dichlorobenzene	<0.94	ug/L	3.1	0.94	1		11/03/20 12:03	106-46-7	
2,2-Dichloropropane	<2.3	ug/L	7.6	2.3	1		11/03/20 12:03	594-20-7	
2-Chlorotoluene	<0.93	ug/L	5.0	0.93	1		11/03/20 12:03	95-49-8	
4-Chlorotoluene	<0.76	ug/L	2.5	0.76	1		11/03/20 12:03	106-43-4	
Benzene	<0.25	ug/L	1.0	0.25	1		11/03/20 12:03	71-43-2	
Bromobenzene	<0.24	ug/L	1.0	0.24	1		11/03/20 12:03	108-86-1	
Bromochloromethane	<0.36	ug/L	5.0	0.36	1		11/03/20 12:03	74-97-5	
Bromodichloromethane	<0.36	ug/L	1.2	0.36	1		11/03/20 12:03	75-27-4	
Bromoform	<4.0	ug/L	13.2	4.0	1		11/03/20 12:03	75-25-2	
Bromomethane	<0.97	ug/L	5.0	0.97	1		11/03/20 12:03	74-83-9	
Carbon tetrachloride	<1.1	ug/L	3.6	1.1	1		11/03/20 12:03	56-23-5	
Chlorobenzene	<0.71	ug/L	2.4	0.71	1		11/03/20 12:03	108-90-7	
Chloroethane	<1.3	ug/L	5.0	1.3	1		11/03/20 12:03	75-00-3	
Chloroform	<1.3	ug/L	5.0	1.3	1		11/03/20 12:03	67-66-3	
Chloromethane	<2.2	ug/L	7.3	2.2	1		11/03/20 12:03	74-87-3	
Dibromochloromethane	<2.6	ug/L	8.7	2.6	1		11/03/20 12:03	124-48-1	
Dibromomethane	<0.94	ug/L	3.1	0.94	1		11/03/20 12:03	74-95-3	
Dichlorodifluoromethane	<0.50	ug/L	5.0	0.50	1		11/03/20 12:03	75-71-8	
Diisopropyl ether	<1.9	ug/L	6.3	1.9	1		11/03/20 12:03	108-20-3	
Ethylbenzene	<0.32	ug/L	1.1	0.32	1		11/03/20 12:03	100-41-4	
Hexachloro-1,3-butadiene	<1.5	ug/L	4.9	1.5	1		11/03/20 12:03	87-68-3	
Isopropylbenzene (Cumene)	<1.7	ug/L	5.6	1.7	1		11/03/20 12:03	98-82-8	
Methyl-tert-butyl ether	<1.2	ug/L	4.2	1.2	1		11/03/20 12:03	1634-04-4	
Methylene Chloride	<0.58	ug/L	5.0	0.58	1		11/03/20 12:03	75-09-2	
Naphthalene	<1.2	ug/L	5.0	1.2	1		11/03/20 12:03	91-20-3	
Styrene	<3.0	ug/L	10.0	3.0	1		11/03/20 12:03	100-42-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 1690019237 GORSKI LF 21-28201B
Pace Project No.: 40217313

Sample: MW-6 **Lab ID: 40217313011** Collected: 10/26/20 14:05 Received: 10/28/20 10:20 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV									
Analytical Method: EPA 8260									
Pace Analytical Services - Green Bay									
Tetrachloroethene	<0.33	ug/L	1.1	0.33	1		11/03/20 12:03	127-18-4	
Toluene	<0.27	ug/L	1.0	0.27	1		11/03/20 12:03	108-88-3	
Trichloroethene	1.0	ug/L	1.0	0.26	1		11/03/20 12:03	79-01-6	
Trichlorofluoromethane	<0.21	ug/L	1.0	0.21	1		11/03/20 12:03	75-69-4	
Vinyl chloride	<0.17	ug/L	1.0	0.17	1		11/03/20 12:03	75-01-4	
Xylene (Total)	<1.5	ug/L	3.0	1.5	1		11/03/20 12:03	1330-20-7	
cis-1,2-Dichloroethene	0.28J	ug/L	1.0	0.27	1		11/03/20 12:03	156-59-2	
cis-1,3-Dichloropropene	<3.6	ug/L	12.1	3.6	1		11/03/20 12:03	10061-01-5	
m&p-Xylene	<0.47	ug/L	2.0	0.47	1		11/03/20 12:03	179601-23-1	
n-Butylbenzene	<0.71	ug/L	2.4	0.71	1		11/03/20 12:03	104-51-8	
n-Propylbenzene	<0.81	ug/L	5.0	0.81	1		11/03/20 12:03	103-65-1	
o-Xylene	<0.26	ug/L	1.0	0.26	1		11/03/20 12:03	95-47-6	
p-Isopropyltoluene	<0.80	ug/L	2.7	0.80	1		11/03/20 12:03	99-87-6	
sec-Butylbenzene	<0.85	ug/L	5.0	0.85	1		11/03/20 12:03	135-98-8	
tert-Butylbenzene	<0.30	ug/L	1.0	0.30	1		11/03/20 12:03	98-06-6	
trans-1,2-Dichloroethene	<0.46	ug/L	1.5	0.46	1		11/03/20 12:03	156-60-5	
trans-1,3-Dichloropropene	<4.4	ug/L	14.6	4.4	1		11/03/20 12:03	10061-02-6	
Surrogates									
4-Bromofluorobenzene (S)	102	%	70-130		1		11/03/20 12:03	460-00-4	
Dibromofluoromethane (S)	90	%	70-130		1		11/03/20 12:03	1868-53-7	
Toluene-d8 (S)	98	%	70-130		1		11/03/20 12:03	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 1690019237 GORSKI LF 21-28201B
Pace Project No.: 40217313

Sample: PZ-4 **Lab ID: 40217313012** Collected: 10/26/20 14:40 Received: 10/28/20 10:20 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV									
Analytical Method: EPA 8260									
Pace Analytical Services - Green Bay									
1,1,1,2-Tetrachloroethane	<0.27	ug/L	1.0	0.27	1		11/03/20 12:27	630-20-6	
1,1,1-Trichloroethane	<0.24	ug/L	1.0	0.24	1		11/03/20 12:27	71-55-6	
1,1,2,2-Tetrachloroethane	<0.28	ug/L	1.0	0.28	1		11/03/20 12:27	79-34-5	
1,1,2-Trichloroethane	<0.55	ug/L	5.0	0.55	1		11/03/20 12:27	79-00-5	
1,1-Dichloroethane	<0.27	ug/L	1.0	0.27	1		11/03/20 12:27	75-34-3	
1,1-Dichloroethene	<0.24	ug/L	1.0	0.24	1		11/03/20 12:27	75-35-4	
1,1-Dichloropropene	<0.54	ug/L	1.8	0.54	1		11/03/20 12:27	563-58-6	
1,2,3-Trichlorobenzene	<2.2	ug/L	7.4	2.2	1		11/03/20 12:27	87-61-6	
1,2,3-Trichloropropane	<0.59	ug/L	5.0	0.59	1		11/03/20 12:27	96-18-4	
1,2,4-Trichlorobenzene	<0.95	ug/L	5.0	0.95	1		11/03/20 12:27	120-82-1	
1,2,4-Trimethylbenzene	<0.84	ug/L	2.8	0.84	1		11/03/20 12:27	95-63-6	
1,2-Dibromo-3-chloropropane	<1.8	ug/L	5.9	1.8	1		11/03/20 12:27	96-12-8	
1,2-Dibromoethane (EDB)	<0.83	ug/L	2.8	0.83	1		11/03/20 12:27	106-93-4	
1,2-Dichlorobenzene	<0.71	ug/L	2.4	0.71	1		11/03/20 12:27	95-50-1	
1,2-Dichloroethane	<0.28	ug/L	1.0	0.28	1		11/03/20 12:27	107-06-2	
1,2-Dichloropropane	<0.28	ug/L	1.0	0.28	1		11/03/20 12:27	78-87-5	
1,3,5-Trimethylbenzene	<0.87	ug/L	2.9	0.87	1		11/03/20 12:27	108-67-8	
1,3-Dichlorobenzene	<0.63	ug/L	2.1	0.63	1		11/03/20 12:27	541-73-1	
1,3-Dichloropropane	<0.83	ug/L	2.8	0.83	1		11/03/20 12:27	142-28-9	
1,4-Dichlorobenzene	<0.94	ug/L	3.1	0.94	1		11/03/20 12:27	106-46-7	
2,2-Dichloropropane	<2.3	ug/L	7.6	2.3	1		11/03/20 12:27	594-20-7	
2-Chlorotoluene	<0.93	ug/L	5.0	0.93	1		11/03/20 12:27	95-49-8	
4-Chlorotoluene	<0.76	ug/L	2.5	0.76	1		11/03/20 12:27	106-43-4	
Benzene	<0.25	ug/L	1.0	0.25	1		11/03/20 12:27	71-43-2	
Bromobenzene	<0.24	ug/L	1.0	0.24	1		11/03/20 12:27	108-86-1	
Bromochloromethane	<0.36	ug/L	5.0	0.36	1		11/03/20 12:27	74-97-5	
Bromodichloromethane	<0.36	ug/L	1.2	0.36	1		11/03/20 12:27	75-27-4	
Bromoform	<4.0	ug/L	13.2	4.0	1		11/03/20 12:27	75-25-2	
Bromomethane	<0.97	ug/L	5.0	0.97	1		11/03/20 12:27	74-83-9	
Carbon tetrachloride	<1.1	ug/L	3.6	1.1	1		11/03/20 12:27	56-23-5	
Chlorobenzene	<0.71	ug/L	2.4	0.71	1		11/03/20 12:27	108-90-7	
Chloroethane	<1.3	ug/L	5.0	1.3	1		11/03/20 12:27	75-00-3	
Chloroform	<1.3	ug/L	5.0	1.3	1		11/03/20 12:27	67-66-3	
Chloromethane	<2.2	ug/L	7.3	2.2	1		11/03/20 12:27	74-87-3	
Dibromochloromethane	<2.6	ug/L	8.7	2.6	1		11/03/20 12:27	124-48-1	
Dibromomethane	<0.94	ug/L	3.1	0.94	1		11/03/20 12:27	74-95-3	
Dichlorodifluoromethane	<0.50	ug/L	5.0	0.50	1		11/03/20 12:27	75-71-8	
Diisopropyl ether	<1.9	ug/L	6.3	1.9	1		11/03/20 12:27	108-20-3	
Ethylbenzene	<0.32	ug/L	1.1	0.32	1		11/03/20 12:27	100-41-4	
Hexachloro-1,3-butadiene	<1.5	ug/L	4.9	1.5	1		11/03/20 12:27	87-68-3	
Isopropylbenzene (Cumene)	<1.7	ug/L	5.6	1.7	1		11/03/20 12:27	98-82-8	
Methyl-tert-butyl ether	<1.2	ug/L	4.2	1.2	1		11/03/20 12:27	1634-04-4	
Methylene Chloride	<0.58	ug/L	5.0	0.58	1		11/03/20 12:27	75-09-2	
Naphthalene	<1.2	ug/L	5.0	1.2	1		11/03/20 12:27	91-20-3	
Styrene	<3.0	ug/L	10.0	3.0	1		11/03/20 12:27	100-42-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 1690019237 GORSKI LF 21-28201B

Pace Project No.: 40217313

Sample: PZ-4 **Lab ID: 40217313012** Collected: 10/26/20 14:40 Received: 10/28/20 10:20 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV									
Analytical Method: EPA 8260									
Pace Analytical Services - Green Bay									
Tetrachloroethene	<0.33	ug/L	1.1	0.33	1		11/03/20 12:27	127-18-4	
Toluene	<0.27	ug/L	1.0	0.27	1		11/03/20 12:27	108-88-3	
Trichloroethene	3.7	ug/L	1.0	0.26	1		11/03/20 12:27	79-01-6	
Trichlorofluoromethane	<0.21	ug/L	1.0	0.21	1		11/03/20 12:27	75-69-4	
Vinyl chloride	<0.17	ug/L	1.0	0.17	1		11/03/20 12:27	75-01-4	
Xylene (Total)	<1.5	ug/L	3.0	1.5	1		11/03/20 12:27	1330-20-7	
cis-1,2-Dichloroethene	1.5	ug/L	1.0	0.27	1		11/03/20 12:27	156-59-2	
cis-1,3-Dichloropropene	<3.6	ug/L	12.1	3.6	1		11/03/20 12:27	10061-01-5	
m&p-Xylene	<0.47	ug/L	2.0	0.47	1		11/03/20 12:27	179601-23-1	
n-Butylbenzene	<0.71	ug/L	2.4	0.71	1		11/03/20 12:27	104-51-8	
n-Propylbenzene	<0.81	ug/L	5.0	0.81	1		11/03/20 12:27	103-65-1	
o-Xylene	<0.26	ug/L	1.0	0.26	1		11/03/20 12:27	95-47-6	
p-Isopropyltoluene	<0.80	ug/L	2.7	0.80	1		11/03/20 12:27	99-87-6	
sec-Butylbenzene	<0.85	ug/L	5.0	0.85	1		11/03/20 12:27	135-98-8	
tert-Butylbenzene	<0.30	ug/L	1.0	0.30	1		11/03/20 12:27	98-06-6	
trans-1,2-Dichloroethene	<0.46	ug/L	1.5	0.46	1		11/03/20 12:27	156-60-5	
trans-1,3-Dichloropropene	<4.4	ug/L	14.6	4.4	1		11/03/20 12:27	10061-02-6	
Surrogates									
4-Bromofluorobenzene (S)	102	%	70-130		1		11/03/20 12:27	460-00-4	
Dibromofluoromethane (S)	92	%	70-130		1		11/03/20 12:27	1868-53-7	
Toluene-d8 (S)	99	%	70-130		1		11/03/20 12:27	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 1690019237 GORSKI LF 21-28201B

Pace Project No.: 40217313

Sample: MW-4D **Lab ID: 40217313013** Collected: 10/26/20 15:22 Received: 10/28/20 10:20 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV									
Analytical Method: EPA 8260									
Pace Analytical Services - Green Bay									
1,1,1,2-Tetrachloroethane	<0.27	ug/L	1.0	0.27	1		11/03/20 12:50	630-20-6	
1,1,1-Trichloroethane	<0.24	ug/L	1.0	0.24	1		11/03/20 12:50	71-55-6	
1,1,2,2-Tetrachloroethane	<0.28	ug/L	1.0	0.28	1		11/03/20 12:50	79-34-5	
1,1,2-Trichloroethane	<0.55	ug/L	5.0	0.55	1		11/03/20 12:50	79-00-5	
1,1-Dichloroethane	<0.27	ug/L	1.0	0.27	1		11/03/20 12:50	75-34-3	
1,1-Dichloroethene	<0.24	ug/L	1.0	0.24	1		11/03/20 12:50	75-35-4	
1,1-Dichloropropene	<0.54	ug/L	1.8	0.54	1		11/03/20 12:50	563-58-6	
1,2,3-Trichlorobenzene	<2.2	ug/L	7.4	2.2	1		11/03/20 12:50	87-61-6	
1,2,3-Trichloropropane	<0.59	ug/L	5.0	0.59	1		11/03/20 12:50	96-18-4	
1,2,4-Trichlorobenzene	<0.95	ug/L	5.0	0.95	1		11/03/20 12:50	120-82-1	
1,2,4-Trimethylbenzene	<0.84	ug/L	2.8	0.84	1		11/03/20 12:50	95-63-6	
1,2-Dibromo-3-chloropropane	<1.8	ug/L	5.9	1.8	1		11/03/20 12:50	96-12-8	
1,2-Dibromoethane (EDB)	<0.83	ug/L	2.8	0.83	1		11/03/20 12:50	106-93-4	
1,2-Dichlorobenzene	<0.71	ug/L	2.4	0.71	1		11/03/20 12:50	95-50-1	
1,2-Dichloroethane	<0.28	ug/L	1.0	0.28	1		11/03/20 12:50	107-06-2	
1,2-Dichloropropane	<0.28	ug/L	1.0	0.28	1		11/03/20 12:50	78-87-5	
1,3,5-Trimethylbenzene	<0.87	ug/L	2.9	0.87	1		11/03/20 12:50	108-67-8	
1,3-Dichlorobenzene	<0.63	ug/L	2.1	0.63	1		11/03/20 12:50	541-73-1	
1,3-Dichloropropane	<0.83	ug/L	2.8	0.83	1		11/03/20 12:50	142-28-9	
1,4-Dichlorobenzene	<0.94	ug/L	3.1	0.94	1		11/03/20 12:50	106-46-7	
2,2-Dichloropropane	<2.3	ug/L	7.6	2.3	1		11/03/20 12:50	594-20-7	
2-Chlorotoluene	<0.93	ug/L	5.0	0.93	1		11/03/20 12:50	95-49-8	
4-Chlorotoluene	<0.76	ug/L	2.5	0.76	1		11/03/20 12:50	106-43-4	
Benzene	<0.25	ug/L	1.0	0.25	1		11/03/20 12:50	71-43-2	
Bromobenzene	<0.24	ug/L	1.0	0.24	1		11/03/20 12:50	108-86-1	
Bromochloromethane	<0.36	ug/L	5.0	0.36	1		11/03/20 12:50	74-97-5	
Bromodichloromethane	<0.36	ug/L	1.2	0.36	1		11/03/20 12:50	75-27-4	
Bromoform	<4.0	ug/L	13.2	4.0	1		11/03/20 12:50	75-25-2	
Bromomethane	<0.97	ug/L	5.0	0.97	1		11/03/20 12:50	74-83-9	
Carbon tetrachloride	<1.1	ug/L	3.6	1.1	1		11/03/20 12:50	56-23-5	
Chlorobenzene	<0.71	ug/L	2.4	0.71	1		11/03/20 12:50	108-90-7	
Chloroethane	<1.3	ug/L	5.0	1.3	1		11/03/20 12:50	75-00-3	
Chloroform	<1.3	ug/L	5.0	1.3	1		11/03/20 12:50	67-66-3	
Chloromethane	<2.2	ug/L	7.3	2.2	1		11/03/20 12:50	74-87-3	
Dibromochloromethane	<2.6	ug/L	8.7	2.6	1		11/03/20 12:50	124-48-1	
Dibromomethane	<0.94	ug/L	3.1	0.94	1		11/03/20 12:50	74-95-3	
Dichlorodifluoromethane	<0.50	ug/L	5.0	0.50	1		11/03/20 12:50	75-71-8	
Diisopropyl ether	<1.9	ug/L	6.3	1.9	1		11/03/20 12:50	108-20-3	
Ethylbenzene	<0.32	ug/L	1.1	0.32	1		11/03/20 12:50	100-41-4	
Hexachloro-1,3-butadiene	<1.5	ug/L	4.9	1.5	1		11/03/20 12:50	87-68-3	
Isopropylbenzene (Cumene)	<1.7	ug/L	5.6	1.7	1		11/03/20 12:50	98-82-8	
Methyl-tert-butyl ether	<1.2	ug/L	4.2	1.2	1		11/03/20 12:50	1634-04-4	
Methylene Chloride	<0.58	ug/L	5.0	0.58	1		11/03/20 12:50	75-09-2	
Naphthalene	<1.2	ug/L	5.0	1.2	1		11/03/20 12:50	91-20-3	
Styrene	<3.0	ug/L	10.0	3.0	1		11/03/20 12:50	100-42-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 1690019237 GORSKI LF 21-28201B
Pace Project No.: 40217313

Sample: MW-4D **Lab ID: 40217313013** Collected: 10/26/20 15:22 Received: 10/28/20 10:20 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV									
Analytical Method: EPA 8260									
Pace Analytical Services - Green Bay									
Tetrachloroethene	<0.33	ug/L	1.1	0.33	1		11/03/20 12:50	127-18-4	
Toluene	<0.27	ug/L	1.0	0.27	1		11/03/20 12:50	108-88-3	
Trichloroethene	6.6	ug/L	1.0	0.26	1		11/03/20 12:50	79-01-6	
Trichlorofluoromethane	<0.21	ug/L	1.0	0.21	1		11/03/20 12:50	75-69-4	
Vinyl chloride	<0.17	ug/L	1.0	0.17	1		11/03/20 12:50	75-01-4	
Xylene (Total)	<1.5	ug/L	3.0	1.5	1		11/03/20 12:50	1330-20-7	
cis-1,2-Dichloroethene	2.0	ug/L	1.0	0.27	1		11/03/20 12:50	156-59-2	
cis-1,3-Dichloropropene	<3.6	ug/L	12.1	3.6	1		11/03/20 12:50	10061-01-5	
m&p-Xylene	<0.47	ug/L	2.0	0.47	1		11/03/20 12:50	179601-23-1	
n-Butylbenzene	<0.71	ug/L	2.4	0.71	1		11/03/20 12:50	104-51-8	
n-Propylbenzene	<0.81	ug/L	5.0	0.81	1		11/03/20 12:50	103-65-1	
o-Xylene	<0.26	ug/L	1.0	0.26	1		11/03/20 12:50	95-47-6	
p-Isopropyltoluene	<0.80	ug/L	2.7	0.80	1		11/03/20 12:50	99-87-6	
sec-Butylbenzene	<0.85	ug/L	5.0	0.85	1		11/03/20 12:50	135-98-8	
tert-Butylbenzene	<0.30	ug/L	1.0	0.30	1		11/03/20 12:50	98-06-6	
trans-1,2-Dichloroethene	<0.46	ug/L	1.5	0.46	1		11/03/20 12:50	156-60-5	
trans-1,3-Dichloropropene	<4.4	ug/L	14.6	4.4	1		11/03/20 12:50	10061-02-6	
Surrogates									
4-Bromofluorobenzene (S)	100	%	70-130		1		11/03/20 12:50	460-00-4	
Dibromofluoromethane (S)	94	%	70-130		1		11/03/20 12:50	1868-53-7	
Toluene-d8 (S)	98	%	70-130		1		11/03/20 12:50	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 1690019237 GORSKI LF 21-28201B
Pace Project No.: 40217313

Sample: 669 CTH BD **Lab ID: 40217313014** Collected: 10/26/20 12:17 Received: 10/28/20 10:20 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV									
Analytical Method: EPA 8260									
Pace Analytical Services - Green Bay									
1,1,1,2-Tetrachloroethane	<0.27	ug/L	1.0	0.27	1		11/03/20 14:41	630-20-6	
1,1,1-Trichloroethane	<0.24	ug/L	1.0	0.24	1		11/03/20 14:41	71-55-6	
1,1,2,2-Tetrachloroethane	<0.28	ug/L	1.0	0.28	1		11/03/20 14:41	79-34-5	
1,1,2-Trichloroethane	<0.55	ug/L	5.0	0.55	1		11/03/20 14:41	79-00-5	
1,1-Dichloroethane	<0.27	ug/L	1.0	0.27	1		11/03/20 14:41	75-34-3	
1,1-Dichloroethene	<0.24	ug/L	1.0	0.24	1		11/03/20 14:41	75-35-4	
1,1-Dichloropropene	<0.54	ug/L	1.8	0.54	1		11/03/20 14:41	563-58-6	
1,2,3-Trichlorobenzene	<2.2	ug/L	7.4	2.2	1		11/03/20 14:41	87-61-6	
1,2,3-Trichloropropane	<0.59	ug/L	5.0	0.59	1		11/03/20 14:41	96-18-4	
1,2,4-Trichlorobenzene	<0.95	ug/L	5.0	0.95	1		11/03/20 14:41	120-82-1	
1,2,4-Trimethylbenzene	<0.84	ug/L	2.8	0.84	1		11/03/20 14:41	95-63-6	
1,2-Dibromo-3-chloropropane	<1.8	ug/L	5.9	1.8	1		11/03/20 14:41	96-12-8	
1,2-Dibromoethane (EDB)	<0.83	ug/L	2.8	0.83	1		11/03/20 14:41	106-93-4	
1,2-Dichlorobenzene	<0.71	ug/L	2.4	0.71	1		11/03/20 14:41	95-50-1	
1,2-Dichloroethane	<0.28	ug/L	1.0	0.28	1		11/03/20 14:41	107-06-2	
1,2-Dichloropropane	<0.28	ug/L	1.0	0.28	1		11/03/20 14:41	78-87-5	
1,3,5-Trimethylbenzene	<0.87	ug/L	2.9	0.87	1		11/03/20 14:41	108-67-8	
1,3-Dichlorobenzene	<0.63	ug/L	2.1	0.63	1		11/03/20 14:41	541-73-1	
1,3-Dichloropropane	<0.83	ug/L	2.8	0.83	1		11/03/20 14:41	142-28-9	
1,4-Dichlorobenzene	<0.94	ug/L	3.1	0.94	1		11/03/20 14:41	106-46-7	
2,2-Dichloropropane	<2.3	ug/L	7.6	2.3	1		11/03/20 14:41	594-20-7	
2-Chlorotoluene	<0.93	ug/L	5.0	0.93	1		11/03/20 14:41	95-49-8	
4-Chlorotoluene	<0.76	ug/L	2.5	0.76	1		11/03/20 14:41	106-43-4	
Benzene	<0.25	ug/L	1.0	0.25	1		11/03/20 14:41	71-43-2	
Bromobenzene	<0.24	ug/L	1.0	0.24	1		11/03/20 14:41	108-86-1	
Bromochloromethane	<0.36	ug/L	5.0	0.36	1		11/03/20 14:41	74-97-5	
Bromodichloromethane	<0.36	ug/L	1.2	0.36	1		11/03/20 14:41	75-27-4	
Bromoform	<4.0	ug/L	13.2	4.0	1		11/03/20 14:41	75-25-2	
Bromomethane	<0.97	ug/L	5.0	0.97	1		11/03/20 14:41	74-83-9	
Carbon tetrachloride	<1.1	ug/L	3.6	1.1	1		11/03/20 14:41	56-23-5	
Chlorobenzene	<0.71	ug/L	2.4	0.71	1		11/03/20 14:41	108-90-7	
Chloroethane	<1.3	ug/L	5.0	1.3	1		11/03/20 14:41	75-00-3	
Chloroform	<1.3	ug/L	5.0	1.3	1		11/03/20 14:41	67-66-3	
Chloromethane	<2.2	ug/L	7.3	2.2	1		11/03/20 14:41	74-87-3	
Dibromochloromethane	<2.6	ug/L	8.7	2.6	1		11/03/20 14:41	124-48-1	
Dibromomethane	<0.94	ug/L	3.1	0.94	1		11/03/20 14:41	74-95-3	
Dichlorodifluoromethane	<0.50	ug/L	5.0	0.50	1		11/03/20 14:41	75-71-8	
Diisopropyl ether	<1.9	ug/L	6.3	1.9	1		11/03/20 14:41	108-20-3	
Ethylbenzene	<0.32	ug/L	1.1	0.32	1		11/03/20 14:41	100-41-4	
Hexachloro-1,3-butadiene	<1.5	ug/L	4.9	1.5	1		11/03/20 14:41	87-68-3	
Isopropylbenzene (Cumene)	<1.7	ug/L	5.6	1.7	1		11/03/20 14:41	98-82-8	
Methyl-tert-butyl ether	<1.2	ug/L	4.2	1.2	1		11/03/20 14:41	1634-04-4	
Methylene Chloride	<0.58	ug/L	5.0	0.58	1		11/03/20 14:41	75-09-2	
Naphthalene	<1.2	ug/L	5.0	1.2	1		11/03/20 14:41	91-20-3	
Styrene	<3.0	ug/L	10.0	3.0	1		11/03/20 14:41	100-42-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 1690019237 GORSKI LF 21-28201B
Pace Project No.: 40217313

Sample: 669 CTH BD **Lab ID: 40217313014** Collected: 10/26/20 12:17 Received: 10/28/20 10:20 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV									
Analytical Method: EPA 8260									
Pace Analytical Services - Green Bay									
Tetrachloroethene	<0.33	ug/L	1.1	0.33	1		11/03/20 14:41	127-18-4	
Toluene	<0.27	ug/L	1.0	0.27	1		11/03/20 14:41	108-88-3	
Trichloroethene	<0.26	ug/L	1.0	0.26	1		11/03/20 14:41	79-01-6	
Trichlorofluoromethane	<0.21	ug/L	1.0	0.21	1		11/03/20 14:41	75-69-4	
Vinyl chloride	<0.17	ug/L	1.0	0.17	1		11/03/20 14:41	75-01-4	
Xylene (Total)	<1.5	ug/L	3.0	1.5	1		11/03/20 14:41	1330-20-7	
cis-1,2-Dichloroethene	<0.27	ug/L	1.0	0.27	1		11/03/20 14:41	156-59-2	
cis-1,3-Dichloropropene	<3.6	ug/L	12.1	3.6	1		11/03/20 14:41	10061-01-5	
m&p-Xylene	<0.47	ug/L	2.0	0.47	1		11/03/20 14:41	179601-23-1	
n-Butylbenzene	<0.71	ug/L	2.4	0.71	1		11/03/20 14:41	104-51-8	
n-Propylbenzene	<0.81	ug/L	5.0	0.81	1		11/03/20 14:41	103-65-1	
o-Xylene	<0.26	ug/L	1.0	0.26	1		11/03/20 14:41	95-47-6	
p-Isopropyltoluene	<0.80	ug/L	2.7	0.80	1		11/03/20 14:41	99-87-6	
sec-Butylbenzene	<0.85	ug/L	5.0	0.85	1		11/03/20 14:41	135-98-8	
tert-Butylbenzene	<0.30	ug/L	1.0	0.30	1		11/03/20 14:41	98-06-6	
trans-1,2-Dichloroethene	<0.46	ug/L	1.5	0.46	1		11/03/20 14:41	156-60-5	
trans-1,3-Dichloropropene	<4.4	ug/L	14.6	4.4	1		11/03/20 14:41	10061-02-6	
Surrogates									
4-Bromofluorobenzene (S)	98	%	70-130		1		11/03/20 14:41	460-00-4	
Dibromofluoromethane (S)	98	%	70-130		1		11/03/20 14:41	1868-53-7	
Toluene-d8 (S)	99	%	70-130		1		11/03/20 14:41	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 1690019237 GORSKI LF 21-28201B

Pace Project No.: 40217313

Sample: 666 CTH B **Lab ID: 40217313015** Collected: 10/26/20 11:00 Received: 10/28/20 10:20 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV									
Analytical Method: EPA 8260									
Pace Analytical Services - Green Bay									
1,1,1,2-Tetrachloroethane	<0.27	ug/L	1.0	0.27	1		11/03/20 15:04	630-20-6	
1,1,1-Trichloroethane	<0.24	ug/L	1.0	0.24	1		11/03/20 15:04	71-55-6	
1,1,2,2-Tetrachloroethane	<0.28	ug/L	1.0	0.28	1		11/03/20 15:04	79-34-5	
1,1,2-Trichloroethane	<0.55	ug/L	5.0	0.55	1		11/03/20 15:04	79-00-5	
1,1-Dichloroethane	<0.27	ug/L	1.0	0.27	1		11/03/20 15:04	75-34-3	
1,1-Dichloroethene	<0.24	ug/L	1.0	0.24	1		11/03/20 15:04	75-35-4	
1,1-Dichloropropene	<0.54	ug/L	1.8	0.54	1		11/03/20 15:04	563-58-6	
1,2,3-Trichlorobenzene	<2.2	ug/L	7.4	2.2	1		11/03/20 15:04	87-61-6	
1,2,3-Trichloropropane	<0.59	ug/L	5.0	0.59	1		11/03/20 15:04	96-18-4	
1,2,4-Trichlorobenzene	<0.95	ug/L	5.0	0.95	1		11/03/20 15:04	120-82-1	
1,2,4-Trimethylbenzene	<0.84	ug/L	2.8	0.84	1		11/03/20 15:04	95-63-6	
1,2-Dibromo-3-chloropropane	<1.8	ug/L	5.9	1.8	1		11/03/20 15:04	96-12-8	
1,2-Dibromoethane (EDB)	<0.83	ug/L	2.8	0.83	1		11/03/20 15:04	106-93-4	
1,2-Dichlorobenzene	<0.71	ug/L	2.4	0.71	1		11/03/20 15:04	95-50-1	
1,2-Dichloroethane	<0.28	ug/L	1.0	0.28	1		11/03/20 15:04	107-06-2	
1,2-Dichloropropane	<0.28	ug/L	1.0	0.28	1		11/03/20 15:04	78-87-5	
1,3,5-Trimethylbenzene	<0.87	ug/L	2.9	0.87	1		11/03/20 15:04	108-67-8	
1,3-Dichlorobenzene	<0.63	ug/L	2.1	0.63	1		11/03/20 15:04	541-73-1	
1,3-Dichloropropane	<0.83	ug/L	2.8	0.83	1		11/03/20 15:04	142-28-9	
1,4-Dichlorobenzene	<0.94	ug/L	3.1	0.94	1		11/03/20 15:04	106-46-7	
2,2-Dichloropropane	<2.3	ug/L	7.6	2.3	1		11/03/20 15:04	594-20-7	
2-Chlorotoluene	<0.93	ug/L	5.0	0.93	1		11/03/20 15:04	95-49-8	
4-Chlorotoluene	<0.76	ug/L	2.5	0.76	1		11/03/20 15:04	106-43-4	
Benzene	<0.25	ug/L	1.0	0.25	1		11/03/20 15:04	71-43-2	
Bromobenzene	<0.24	ug/L	1.0	0.24	1		11/03/20 15:04	108-86-1	
Bromochloromethane	<0.36	ug/L	5.0	0.36	1		11/03/20 15:04	74-97-5	
Bromodichloromethane	<0.36	ug/L	1.2	0.36	1		11/03/20 15:04	75-27-4	
Bromoform	<4.0	ug/L	13.2	4.0	1		11/03/20 15:04	75-25-2	
Bromomethane	<0.97	ug/L	5.0	0.97	1		11/03/20 15:04	74-83-9	
Carbon tetrachloride	<1.1	ug/L	3.6	1.1	1		11/03/20 15:04	56-23-5	
Chlorobenzene	<0.71	ug/L	2.4	0.71	1		11/03/20 15:04	108-90-7	
Chloroethane	<1.3	ug/L	5.0	1.3	1		11/03/20 15:04	75-00-3	
Chloroform	<1.3	ug/L	5.0	1.3	1		11/03/20 15:04	67-66-3	
Chloromethane	<2.2	ug/L	7.3	2.2	1		11/03/20 15:04	74-87-3	
Dibromochloromethane	<2.6	ug/L	8.7	2.6	1		11/03/20 15:04	124-48-1	
Dibromomethane	<0.94	ug/L	3.1	0.94	1		11/03/20 15:04	74-95-3	
Dichlorodifluoromethane	<0.50	ug/L	5.0	0.50	1		11/03/20 15:04	75-71-8	
Diisopropyl ether	<1.9	ug/L	6.3	1.9	1		11/03/20 15:04	108-20-3	
Ethylbenzene	<0.32	ug/L	1.1	0.32	1		11/03/20 15:04	100-41-4	
Hexachloro-1,3-butadiene	<1.5	ug/L	4.9	1.5	1		11/03/20 15:04	87-68-3	
Isopropylbenzene (Cumene)	<1.7	ug/L	5.6	1.7	1		11/03/20 15:04	98-82-8	
Methyl-tert-butyl ether	<1.2	ug/L	4.2	1.2	1		11/03/20 15:04	1634-04-4	
Methylene Chloride	<0.58	ug/L	5.0	0.58	1		11/03/20 15:04	75-09-2	
Naphthalene	<1.2	ug/L	5.0	1.2	1		11/03/20 15:04	91-20-3	
Styrene	<3.0	ug/L	10.0	3.0	1		11/03/20 15:04	100-42-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 1690019237 GORSKI LF 21-28201B
Pace Project No.: 40217313

Sample: 666 CTH B **Lab ID: 40217313015** Collected: 10/26/20 11:00 Received: 10/28/20 10:20 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV									
Analytical Method: EPA 8260									
Pace Analytical Services - Green Bay									
Tetrachloroethene	<0.33	ug/L	1.1	0.33	1		11/03/20 15:04	127-18-4	
Toluene	<0.27	ug/L	1.0	0.27	1		11/03/20 15:04	108-88-3	
Trichloroethene	<0.26	ug/L	1.0	0.26	1		11/03/20 15:04	79-01-6	
Trichlorofluoromethane	<0.21	ug/L	1.0	0.21	1		11/03/20 15:04	75-69-4	
Vinyl chloride	<0.17	ug/L	1.0	0.17	1		11/03/20 15:04	75-01-4	
Xylene (Total)	<1.5	ug/L	3.0	1.5	1		11/03/20 15:04	1330-20-7	
cis-1,2-Dichloroethene	<0.27	ug/L	1.0	0.27	1		11/03/20 15:04	156-59-2	
cis-1,3-Dichloropropene	<3.6	ug/L	12.1	3.6	1		11/03/20 15:04	10061-01-5	
m&p-Xylene	<0.47	ug/L	2.0	0.47	1		11/03/20 15:04	179601-23-1	
n-Butylbenzene	<0.71	ug/L	2.4	0.71	1		11/03/20 15:04	104-51-8	
n-Propylbenzene	<0.81	ug/L	5.0	0.81	1		11/03/20 15:04	103-65-1	
o-Xylene	<0.26	ug/L	1.0	0.26	1		11/03/20 15:04	95-47-6	
p-Isopropyltoluene	<0.80	ug/L	2.7	0.80	1		11/03/20 15:04	99-87-6	
sec-Butylbenzene	<0.85	ug/L	5.0	0.85	1		11/03/20 15:04	135-98-8	
tert-Butylbenzene	<0.30	ug/L	1.0	0.30	1		11/03/20 15:04	98-06-6	
trans-1,2-Dichloroethene	<0.46	ug/L	1.5	0.46	1		11/03/20 15:04	156-60-5	
trans-1,3-Dichloropropene	<4.4	ug/L	14.6	4.4	1		11/03/20 15:04	10061-02-6	
Surrogates									
4-Bromofluorobenzene (S)	100	%	70-130		1		11/03/20 15:04	460-00-4	
Dibromofluoromethane (S)	95	%	70-130		1		11/03/20 15:04	1868-53-7	
Toluene-d8 (S)	99	%	70-130		1		11/03/20 15:04	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 1690019237 GORSKI LF 21-28201B

Pace Project No.: 40217313

Sample: 1054 CTH KK **Lab ID: 40217313016** Collected: 10/26/20 11:40 Received: 10/28/20 10:20 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV									
Analytical Method: EPA 8260									
Pace Analytical Services - Green Bay									
1,1,1,2-Tetrachloroethane	<0.27	ug/L	1.0	0.27	1		11/03/20 15:28	630-20-6	
1,1,1-Trichloroethane	<0.24	ug/L	1.0	0.24	1		11/03/20 15:28	71-55-6	
1,1,2,2-Tetrachloroethane	<0.28	ug/L	1.0	0.28	1		11/03/20 15:28	79-34-5	
1,1,2-Trichloroethane	<0.55	ug/L	5.0	0.55	1		11/03/20 15:28	79-00-5	
1,1-Dichloroethane	<0.27	ug/L	1.0	0.27	1		11/03/20 15:28	75-34-3	
1,1-Dichloroethene	<0.24	ug/L	1.0	0.24	1		11/03/20 15:28	75-35-4	
1,1-Dichloropropene	<0.54	ug/L	1.8	0.54	1		11/03/20 15:28	563-58-6	
1,2,3-Trichlorobenzene	<2.2	ug/L	7.4	2.2	1		11/03/20 15:28	87-61-6	
1,2,3-Trichloropropane	<0.59	ug/L	5.0	0.59	1		11/03/20 15:28	96-18-4	
1,2,4-Trichlorobenzene	<0.95	ug/L	5.0	0.95	1		11/03/20 15:28	120-82-1	
1,2,4-Trimethylbenzene	<0.84	ug/L	2.8	0.84	1		11/03/20 15:28	95-63-6	
1,2-Dibromo-3-chloropropane	<1.8	ug/L	5.9	1.8	1		11/03/20 15:28	96-12-8	
1,2-Dibromoethane (EDB)	<0.83	ug/L	2.8	0.83	1		11/03/20 15:28	106-93-4	
1,2-Dichlorobenzene	<0.71	ug/L	2.4	0.71	1		11/03/20 15:28	95-50-1	
1,2-Dichloroethane	<0.28	ug/L	1.0	0.28	1		11/03/20 15:28	107-06-2	
1,2-Dichloropropane	<0.28	ug/L	1.0	0.28	1		11/03/20 15:28	78-87-5	
1,3,5-Trimethylbenzene	<0.87	ug/L	2.9	0.87	1		11/03/20 15:28	108-67-8	
1,3-Dichlorobenzene	<0.63	ug/L	2.1	0.63	1		11/03/20 15:28	541-73-1	
1,3-Dichloropropane	<0.83	ug/L	2.8	0.83	1		11/03/20 15:28	142-28-9	
1,4-Dichlorobenzene	<0.94	ug/L	3.1	0.94	1		11/03/20 15:28	106-46-7	
2,2-Dichloropropane	<2.3	ug/L	7.6	2.3	1		11/03/20 15:28	594-20-7	
2-Chlorotoluene	<0.93	ug/L	5.0	0.93	1		11/03/20 15:28	95-49-8	
4-Chlorotoluene	<0.76	ug/L	2.5	0.76	1		11/03/20 15:28	106-43-4	
Benzene	<0.25	ug/L	1.0	0.25	1		11/03/20 15:28	71-43-2	
Bromobenzene	<0.24	ug/L	1.0	0.24	1		11/03/20 15:28	108-86-1	
Bromochloromethane	<0.36	ug/L	5.0	0.36	1		11/03/20 15:28	74-97-5	
Bromodichloromethane	<0.36	ug/L	1.2	0.36	1		11/03/20 15:28	75-27-4	
Bromoform	<4.0	ug/L	13.2	4.0	1		11/03/20 15:28	75-25-2	
Bromomethane	<0.97	ug/L	5.0	0.97	1		11/03/20 15:28	74-83-9	
Carbon tetrachloride	<1.1	ug/L	3.6	1.1	1		11/03/20 15:28	56-23-5	
Chlorobenzene	<0.71	ug/L	2.4	0.71	1		11/03/20 15:28	108-90-7	
Chloroethane	<1.3	ug/L	5.0	1.3	1		11/03/20 15:28	75-00-3	
Chloroform	<1.3	ug/L	5.0	1.3	1		11/03/20 15:28	67-66-3	
Chloromethane	<2.2	ug/L	7.3	2.2	1		11/03/20 15:28	74-87-3	
Dibromochloromethane	<2.6	ug/L	8.7	2.6	1		11/03/20 15:28	124-48-1	
Dibromomethane	<0.94	ug/L	3.1	0.94	1		11/03/20 15:28	74-95-3	
Dichlorodifluoromethane	<0.50	ug/L	5.0	0.50	1		11/03/20 15:28	75-71-8	
Diisopropyl ether	<1.9	ug/L	6.3	1.9	1		11/03/20 15:28	108-20-3	
Ethylbenzene	<0.32	ug/L	1.1	0.32	1		11/03/20 15:28	100-41-4	
Hexachloro-1,3-butadiene	<1.5	ug/L	4.9	1.5	1		11/03/20 15:28	87-68-3	
Isopropylbenzene (Cumene)	<1.7	ug/L	5.6	1.7	1		11/03/20 15:28	98-82-8	
Methyl-tert-butyl ether	<1.2	ug/L	4.2	1.2	1		11/03/20 15:28	1634-04-4	
Methylene Chloride	<0.58	ug/L	5.0	0.58	1		11/03/20 15:28	75-09-2	
Naphthalene	<1.2	ug/L	5.0	1.2	1		11/03/20 15:28	91-20-3	
Styrene	<3.0	ug/L	10.0	3.0	1		11/03/20 15:28	100-42-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 1690019237 GORSKI LF 21-28201B
Pace Project No.: 40217313

Sample: 1054 CTH KK **Lab ID: 40217313016** Collected: 10/26/20 11:40 Received: 10/28/20 10:20 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV									
Analytical Method: EPA 8260									
Pace Analytical Services - Green Bay									
Tetrachloroethene	<0.33	ug/L	1.1	0.33	1		11/03/20 15:28	127-18-4	
Toluene	<0.27	ug/L	1.0	0.27	1		11/03/20 15:28	108-88-3	
Trichloroethene	<0.26	ug/L	1.0	0.26	1		11/03/20 15:28	79-01-6	
Trichlorofluoromethane	<0.21	ug/L	1.0	0.21	1		11/03/20 15:28	75-69-4	
Vinyl chloride	<0.17	ug/L	1.0	0.17	1		11/03/20 15:28	75-01-4	
Xylene (Total)	<1.5	ug/L	3.0	1.5	1		11/03/20 15:28	1330-20-7	
cis-1,2-Dichloroethene	<0.27	ug/L	1.0	0.27	1		11/03/20 15:28	156-59-2	
cis-1,3-Dichloropropene	<3.6	ug/L	12.1	3.6	1		11/03/20 15:28	10061-01-5	
m&p-Xylene	<0.47	ug/L	2.0	0.47	1		11/03/20 15:28	179601-23-1	
n-Butylbenzene	<0.71	ug/L	2.4	0.71	1		11/03/20 15:28	104-51-8	
n-Propylbenzene	<0.81	ug/L	5.0	0.81	1		11/03/20 15:28	103-65-1	
o-Xylene	<0.26	ug/L	1.0	0.26	1		11/03/20 15:28	95-47-6	
p-Isopropyltoluene	<0.80	ug/L	2.7	0.80	1		11/03/20 15:28	99-87-6	
sec-Butylbenzene	<0.85	ug/L	5.0	0.85	1		11/03/20 15:28	135-98-8	
tert-Butylbenzene	<0.30	ug/L	1.0	0.30	1		11/03/20 15:28	98-06-6	
trans-1,2-Dichloroethene	<0.46	ug/L	1.5	0.46	1		11/03/20 15:28	156-60-5	
trans-1,3-Dichloropropene	<4.4	ug/L	14.6	4.4	1		11/03/20 15:28	10061-02-6	
Surrogates									
4-Bromofluorobenzene (S)	100	%	70-130		1		11/03/20 15:28	460-00-4	
Dibromofluoromethane (S)	95	%	70-130		1		11/03/20 15:28	1868-53-7	
Toluene-d8 (S)	99	%	70-130		1		11/03/20 15:28	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 1690019237 GORSKI LF 21-28201B

Pace Project No.: 40217313

Sample: TRIP BLANK **Lab ID: 40217313017** Collected: 10/26/20 15:00 Received: 10/28/20 10:20 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV									
Analytical Method: EPA 8260									
Pace Analytical Services - Green Bay									
1,1,1,2-Tetrachloroethane	<0.27	ug/L	1.0	0.27	1		11/03/20 07:19	630-20-6	
1,1,1-Trichloroethane	<0.24	ug/L	1.0	0.24	1		11/03/20 07:19	71-55-6	
1,1,2,2-Tetrachloroethane	<0.28	ug/L	1.0	0.28	1		11/03/20 07:19	79-34-5	
1,1,2-Trichloroethane	<0.55	ug/L	5.0	0.55	1		11/03/20 07:19	79-00-5	
1,1-Dichloroethane	<0.27	ug/L	1.0	0.27	1		11/03/20 07:19	75-34-3	
1,1-Dichloroethene	<0.24	ug/L	1.0	0.24	1		11/03/20 07:19	75-35-4	
1,1-Dichloropropene	<0.54	ug/L	1.8	0.54	1		11/03/20 07:19	563-58-6	
1,2,3-Trichlorobenzene	<2.2	ug/L	7.4	2.2	1		11/03/20 07:19	87-61-6	
1,2,3-Trichloropropane	<0.59	ug/L	5.0	0.59	1		11/03/20 07:19	96-18-4	
1,2,4-Trichlorobenzene	<0.95	ug/L	5.0	0.95	1		11/03/20 07:19	120-82-1	
1,2,4-Trimethylbenzene	<0.84	ug/L	2.8	0.84	1		11/03/20 07:19	95-63-6	
1,2-Dibromo-3-chloropropane	<1.8	ug/L	5.9	1.8	1		11/03/20 07:19	96-12-8	
1,2-Dibromoethane (EDB)	<0.83	ug/L	2.8	0.83	1		11/03/20 07:19	106-93-4	
1,2-Dichlorobenzene	<0.71	ug/L	2.4	0.71	1		11/03/20 07:19	95-50-1	
1,2-Dichloroethane	<0.28	ug/L	1.0	0.28	1		11/03/20 07:19	107-06-2	
1,2-Dichloropropane	<0.28	ug/L	1.0	0.28	1		11/03/20 07:19	78-87-5	
1,3,5-Trimethylbenzene	<0.87	ug/L	2.9	0.87	1		11/03/20 07:19	108-67-8	
1,3-Dichlorobenzene	<0.63	ug/L	2.1	0.63	1		11/03/20 07:19	541-73-1	
1,3-Dichloropropane	<0.83	ug/L	2.8	0.83	1		11/03/20 07:19	142-28-9	
1,4-Dichlorobenzene	<0.94	ug/L	3.1	0.94	1		11/03/20 07:19	106-46-7	
2,2-Dichloropropane	<2.3	ug/L	7.6	2.3	1		11/03/20 07:19	594-20-7	
2-Chlorotoluene	<0.93	ug/L	5.0	0.93	1		11/03/20 07:19	95-49-8	
4-Chlorotoluene	<0.76	ug/L	2.5	0.76	1		11/03/20 07:19	106-43-4	
Benzene	<0.25	ug/L	1.0	0.25	1		11/03/20 07:19	71-43-2	
Bromobenzene	<0.24	ug/L	1.0	0.24	1		11/03/20 07:19	108-86-1	
Bromochloromethane	<0.36	ug/L	5.0	0.36	1		11/03/20 07:19	74-97-5	
Bromodichloromethane	<0.36	ug/L	1.2	0.36	1		11/03/20 07:19	75-27-4	
Bromoform	<4.0	ug/L	13.2	4.0	1		11/03/20 07:19	75-25-2	
Bromomethane	<0.97	ug/L	5.0	0.97	1		11/03/20 07:19	74-83-9	
Carbon tetrachloride	<1.1	ug/L	3.6	1.1	1		11/03/20 07:19	56-23-5	
Chlorobenzene	<0.71	ug/L	2.4	0.71	1		11/03/20 07:19	108-90-7	
Chloroethane	<1.3	ug/L	5.0	1.3	1		11/03/20 07:19	75-00-3	
Chloroform	<1.3	ug/L	5.0	1.3	1		11/03/20 07:19	67-66-3	
Chloromethane	<2.2	ug/L	7.3	2.2	1		11/03/20 07:19	74-87-3	
Dibromochloromethane	<2.6	ug/L	8.7	2.6	1		11/03/20 07:19	124-48-1	
Dibromomethane	<0.94	ug/L	3.1	0.94	1		11/03/20 07:19	74-95-3	
Dichlorodifluoromethane	<0.50	ug/L	5.0	0.50	1		11/03/20 07:19	75-71-8	
Diisopropyl ether	<1.9	ug/L	6.3	1.9	1		11/03/20 07:19	108-20-3	
Ethylbenzene	<0.32	ug/L	1.1	0.32	1		11/03/20 07:19	100-41-4	
Hexachloro-1,3-butadiene	<1.5	ug/L	4.9	1.5	1		11/03/20 07:19	87-68-3	
Isopropylbenzene (Cumene)	<1.7	ug/L	5.6	1.7	1		11/03/20 07:19	98-82-8	
Methyl-tert-butyl ether	<1.2	ug/L	4.2	1.2	1		11/03/20 07:19	1634-04-4	
Methylene Chloride	0.79J	ug/L	5.0	0.58	1		11/03/20 07:19	75-09-2	
Naphthalene	<1.2	ug/L	5.0	1.2	1		11/03/20 07:19	91-20-3	
Styrene	<3.0	ug/L	10.0	3.0	1		11/03/20 07:19	100-42-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 1690019237 GORSKI LF 21-28201B
Pace Project No.: 40217313

Sample: TRIP BLANK **Lab ID: 40217313017** Collected: 10/26/20 15:00 Received: 10/28/20 10:20 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV									
Analytical Method: EPA 8260									
Pace Analytical Services - Green Bay									
Tetrachloroethene	<0.33	ug/L	1.1	0.33	1		11/03/20 07:19	127-18-4	
Toluene	<0.27	ug/L	1.0	0.27	1		11/03/20 07:19	108-88-3	
Trichloroethene	<0.26	ug/L	1.0	0.26	1		11/03/20 07:19	79-01-6	
Trichlorofluoromethane	<0.21	ug/L	1.0	0.21	1		11/03/20 07:19	75-69-4	
Vinyl chloride	<0.17	ug/L	1.0	0.17	1		11/03/20 07:19	75-01-4	
Xylene (Total)	<1.5	ug/L	3.0	1.5	1		11/03/20 07:19	1330-20-7	
cis-1,2-Dichloroethene	<0.27	ug/L	1.0	0.27	1		11/03/20 07:19	156-59-2	
cis-1,3-Dichloropropene	<3.6	ug/L	12.1	3.6	1		11/03/20 07:19	10061-01-5	
m&p-Xylene	<0.47	ug/L	2.0	0.47	1		11/03/20 07:19	179601-23-1	
n-Butylbenzene	<0.71	ug/L	2.4	0.71	1		11/03/20 07:19	104-51-8	
n-Propylbenzene	<0.81	ug/L	5.0	0.81	1		11/03/20 07:19	103-65-1	
o-Xylene	<0.26	ug/L	1.0	0.26	1		11/03/20 07:19	95-47-6	
p-Isopropyltoluene	<0.80	ug/L	2.7	0.80	1		11/03/20 07:19	99-87-6	
sec-Butylbenzene	<0.85	ug/L	5.0	0.85	1		11/03/20 07:19	135-98-8	
tert-Butylbenzene	<0.30	ug/L	1.0	0.30	1		11/03/20 07:19	98-06-6	
trans-1,2-Dichloroethene	<0.46	ug/L	1.5	0.46	1		11/03/20 07:19	156-60-5	
trans-1,3-Dichloropropene	<4.4	ug/L	14.6	4.4	1		11/03/20 07:19	10061-02-6	
Surrogates									
4-Bromofluorobenzene (S)	101	%	70-130		1		11/03/20 07:19	460-00-4	
Dibromofluoromethane (S)	89	%	70-130		1		11/03/20 07:19	1868-53-7	
Toluene-d8 (S)	99	%	70-130		1		11/03/20 07:19	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: 1690019237 GORSKI LF 21-28201B

Pace Project No.: 40217313

METHOD BLANK: 2137308

Matrix: Water

Associated Lab Samples: 40217313001, 40217313002, 40217313003, 40217313004, 40217313005, 40217313006, 40217313007, 40217313008, 40217313009, 40217313010, 40217313011, 40217313012, 40217313013, 40217313014, 40217313015, 40217313016, 40217313017

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
Dibromomethane	ug/L	<0.94	3.1	11/02/20 17:27	
Dichlorodifluoromethane	ug/L	<0.50	5.0	11/02/20 17:27	
Diisopropyl ether	ug/L	<1.9	6.3	11/02/20 17:27	
Ethylbenzene	ug/L	<0.32	1.1	11/02/20 17:27	
Hexachloro-1,3-butadiene	ug/L	<1.5	4.9	11/02/20 17:27	
Isopropylbenzene (Cumene)	ug/L	<1.7	5.6	11/02/20 17:27	
m&p-Xylene	ug/L	<0.47	2.0	11/02/20 17:27	
Methyl-tert-butyl ether	ug/L	<1.2	4.2	11/02/20 17:27	
Methylene Chloride	ug/L	<0.58	5.0	11/02/20 17:27	
n-Butylbenzene	ug/L	<0.71	2.4	11/02/20 17:27	
n-Propylbenzene	ug/L	<0.81	5.0	11/02/20 17:27	
Naphthalene	ug/L	<1.2	5.0	11/02/20 17:27	
o-Xylene	ug/L	<0.26	1.0	11/02/20 17:27	
p-Isopropyltoluene	ug/L	<0.80	2.7	11/02/20 17:27	
sec-Butylbenzene	ug/L	<0.85	5.0	11/02/20 17:27	
Styrene	ug/L	<3.0	10.0	11/02/20 17:27	
tert-Butylbenzene	ug/L	<0.30	1.0	11/02/20 17:27	
Tetrachloroethene	ug/L	<0.33	1.1	11/02/20 17:27	
Toluene	ug/L	<0.27	1.0	11/02/20 17:27	
trans-1,2-Dichloroethene	ug/L	<0.46	1.5	11/02/20 17:27	
trans-1,3-Dichloropropene	ug/L	<4.4	14.6	11/02/20 17:27	
Trichloroethene	ug/L	<0.26	1.0	11/02/20 17:27	
Trichlorofluoromethane	ug/L	<0.21	1.0	11/02/20 17:27	
Vinyl chloride	ug/L	<0.17	1.0	11/02/20 17:27	
Xylene (Total)	ug/L	<1.5	3.0	11/02/20 17:27	
4-Bromofluorobenzene (S)	%	102	70-130	11/02/20 17:27	
Dibromofluoromethane (S)	%	90	70-130	11/02/20 17:27	
Toluene-d8 (S)	%	96	70-130	11/02/20 17:27	

LABORATORY CONTROL SAMPLE: 2137309

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
1,1,1-Trichloroethane	ug/L	50	53.6	107	70-130	
1,1,2,2-Tetrachloroethane	ug/L	50	47.6	95	64-131	
1,1,2-Trichloroethane	ug/L	50	45.2	90	70-130	
1,1-Dichloroethane	ug/L	50	52.5	105	69-163	
1,1-Dichloroethene	ug/L	50	48.5	97	77-123	
1,2,4-Trichlorobenzene	ug/L	50	49.2	98	68-130	
1,2-Dibromo-3-chloropropane	ug/L	50	47.5	95	63-130	
1,2-Dibromoethane (EDB)	ug/L	50	45.8	92	70-130	
1,2-Dichlorobenzene	ug/L	50	51.3	103	70-130	
1,2-Dichloroethane	ug/L	50	48.0	96	78-142	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: 1690019237 GORSKI LF 21-28201B

Pace Project No.: 40217313

LABORATORY CONTROL SAMPLE: 2137309

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
1,2-Dichloropropane	ug/L	50	50.2	100	86-134	
1,3-Dichlorobenzene	ug/L	50	53.6	107	70-130	
1,4-Dichlorobenzene	ug/L	50	51.4	103	70-130	
Benzene	ug/L	50	50.1	100	70-130	
Bromodichloromethane	ug/L	50	49.4	99	70-130	
Bromoform	ug/L	50	46.2	92	70-130	
Bromomethane	ug/L	50	33.4	67	39-129	
Carbon tetrachloride	ug/L	50	55.2	110	70-132	
Chlorobenzene	ug/L	50	50.4	101	70-130	
Chloroethane	ug/L	50	47.1	94	66-140	
Chloroform	ug/L	50	49.7	99	75-132	
Chloromethane	ug/L	50	34.7	69	32-143	
cis-1,2-Dichloroethene	ug/L	50	49.2	98	70-130	
cis-1,3-Dichloropropene	ug/L	50	50.4	101	70-130	
Dibromochloromethane	ug/L	50	47.0	94	70-130	
Dichlorodifluoromethane	ug/L	50	28.1	56	10-141	
Ethylbenzene	ug/L	50	52.1	104	80-120	
Isopropylbenzene (Cumene)	ug/L	50	51.8	104	70-130	
m&p-Xylene	ug/L	100	103	103	70-130	
Methyl-tert-butyl ether	ug/L	50	46.2	92	61-129	
Methylene Chloride	ug/L	50	48.4	97	70-130	
o-Xylene	ug/L	50	50.4	101	70-130	
Styrene	ug/L	50	50.7	101	70-130	
Tetrachloroethene	ug/L	50	50.1	100	70-130	
Toluene	ug/L	50	49.8	100	80-120	
trans-1,2-Dichloroethene	ug/L	50	50.0	100	70-130	
trans-1,3-Dichloropropene	ug/L	50	46.5	93	69-130	
Trichloroethene	ug/L	50	50.1	100	70-130	
Trichlorofluoromethane	ug/L	50	53.3	107	75-145	
Vinyl chloride	ug/L	50	40.8	82	51-140	
Xylene (Total)	ug/L	150	153	102	70-130	
4-Bromofluorobenzene (S)	%			100	70-130	
Dibromofluoromethane (S)	%			101	70-130	
Toluene-d8 (S)	%			101	70-130	

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 2137310 2137311

Parameter	Units	2137310		2137311		MS % Rec	MSD % Rec	% Rec Limits	RPD	Max RPD	Qual	
		40217313003 Result	MS Spike Conc.	MSD Spike Conc.	MS Result							MSD Result
1,1,1-Trichloroethane	ug/L	<0.24	50	50	53.5	54.0	107	108	70-130	1	20	
1,1,2,2-Tetrachloroethane	ug/L	<0.28	50	50	51.8	52.2	104	104	64-137	1	20	
1,1,2-Trichloroethane	ug/L	<0.55	50	50	47.4	47.3	95	95	70-137	0	20	
1,1-Dichloroethane	ug/L	<0.27	50	50	53.1	52.8	106	106	69-163	1	20	
1,1-Dichloroethene	ug/L	<0.24	50	50	49.0	49.9	98	100	77-129	2	20	
1,2,4-Trichlorobenzene	ug/L	<0.95	50	50	50.7	50.8	101	102	68-130	0	20	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: 1690019237 GORSKI LF 21-28201B

Pace Project No.: 40217313

Parameter	Units	2137310		2137311		MS Result	MSD Result	MS % Rec	MSD % Rec	% Rec Limits	Max RPD	RPD	Qual
		40217313003 Result	MS Spike Conc.	MSD Spike Conc.	MS Result								
1,2-Dibromo-3-chloropropane	ug/L	<1.8	50	50	51.8	50.6	104	101	60-130	2	20		
1,2-Dibromoethane (EDB)	ug/L	<0.83	50	50	47.8	48.0	96	96	70-130	0	20		
1,2-Dichlorobenzene	ug/L	<0.71	50	50	52.4	51.9	105	104	70-130	1	20		
1,2-Dichloroethane	ug/L	<0.28	50	50	49.0	49.2	98	98	78-145	0	20		
1,2-Dichloropropane	ug/L	<0.28	50	50	51.2	49.9	102	100	86-135	3	20		
1,3-Dichlorobenzene	ug/L	<0.63	50	50	53.9	53.4	108	107	70-130	1	20		
1,4-Dichlorobenzene	ug/L	<0.94	50	50	51.7	51.5	103	103	70-130	0	20		
Benzene	ug/L	<0.25	50	50	50.0	50.1	100	100	70-136	0	20		
Bromodichloromethane	ug/L	<0.36	50	50	50.4	49.9	101	100	70-130	1	20		
Bromoform	ug/L	<4.0	50	50	47.5	48.3	95	97	69-130	2	20		
Bromomethane	ug/L	<0.97	50	50	34.0	36.4	68	73	39-138	7	20		
Carbon tetrachloride	ug/L	<1.1	50	50	55.2	56.3	110	113	70-142	2	20		
Chlorobenzene	ug/L	<0.71	50	50	51.0	50.6	102	101	70-130	1	20		
Chloroethane	ug/L	<1.3	50	50	44.9	45.9	90	92	61-149	2	20		
Chloroform	ug/L	<1.3	50	50	50.6	50.1	101	100	75-133	1	20		
Chloromethane	ug/L	<2.2	50	50	33.8	33.9	68	68	32-143	0	20		
cis-1,2-Dichloroethene	ug/L	<0.27	50	50	49.8	50.6	100	101	70-130	2	20		
cis-1,3-Dichloropropene	ug/L	<3.6	50	50	51.7	51.0	103	102	70-130	1	20		
Dibromochloromethane	ug/L	<2.6	50	50	48.2	48.2	96	96	70-130	0	20		
Dichlorodifluoromethane	ug/L	<0.50	50	50	26.9	27.1	54	54	10-141	1	20		
Ethylbenzene	ug/L	<0.32	50	50	51.8	52.1	104	104	80-120	1	20		
Isopropylbenzene (Cumene)	ug/L	<1.7	50	50	50.7	51.7	101	103	70-130	2	20		
m&p-Xylene	ug/L	<0.47	100	100	100	101	100	101	70-130	1	20		
Methyl-tert-butyl ether	ug/L	<1.2	50	50	49.7	50.5	99	101	61-136	2	20		
Methylene Chloride	ug/L	<0.58	50	50	47.3	48.7	95	97	68-137	3	20		
o-Xylene	ug/L	<0.26	50	50	50.9	49.6	102	99	70-130	3	20		
Styrene	ug/L	<3.0	50	50	49.4	49.9	99	100	70-130	1	20		
Tetrachloroethene	ug/L	<0.33	50	50	49.8	50.8	100	102	70-130	2	20		
Toluene	ug/L	<0.27	50	50	49.4	50.4	99	101	80-120	2	20		
trans-1,2-Dichloroethene	ug/L	<0.46	50	50	52.1	50.8	104	102	70-130	2	20		
trans-1,3-Dichloropropene	ug/L	<4.4	50	50	48.6	48.2	97	96	69-130	1	20		
Trichloroethene	ug/L	<0.26	50	50	52.2	52.2	104	104	70-130	0	20		
Trichlorofluoromethane	ug/L	<0.21	50	50	51.4	52.5	103	105	74-157	2	20		
Vinyl chloride	ug/L	<0.17	50	50	39.7	40.6	79	81	51-140	2	20		
Xylene (Total)	ug/L	<1.5	150	150	151	151	101	100	70-130	0	20		
4-Bromofluorobenzene (S)	%						95	99	70-130				
Dibromofluoromethane (S)	%						99	103	70-130				
Toluene-d8 (S)	%						97	101	70-130				

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALIFIERS

Project: 1690019237 GORSKI LF 21-28201B
Pace Project No.: 40217313

DEFINITIONS

DF - Dilution Factor, if reported, represents the factor applied to the reported data due to dilution of the sample aliquot.

ND - Not Detected at or above LOD.

J - Estimated concentration at or above the LOD and below the LOQ.

LOD - Limit of Detection adjusted for dilution factor, percent moisture, initial weight and final volume.

LOQ - Limit of Quantitation adjusted for dilution factor, percent moisture, initial weight and final volume.

S - Surrogate

1,2-Diphenylhydrazine decomposes to and cannot be separated from Azobenzene using Method 8270. The result for each analyte is a combined concentration.

Consistent with EPA guidelines, unrounded data are displayed and have been used to calculate % recovery and RPD values.

LCS(D) - Laboratory Control Sample (Duplicate)

MS(D) - Matrix Spike (Duplicate)

DUP - Sample Duplicate

RPD - Relative Percent Difference

NC - Not Calculable.

SG - Silica Gel - Clean-Up

U - Indicates the compound was analyzed for, but not detected at or above the adjusted LOD.

N-Nitrosodiphenylamine decomposes and cannot be separated from Diphenylamine using Method 8270. The result reported for each analyte is a combined concentration.

Pace Analytical is TNI accredited. Contact your Pace PM for the current list of accredited analytes.

TNI - The NELAC Institute.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA CROSS REFERENCE TABLE

Project: 1690019237 GORSKI LF 21-28201B

Pace Project No.: 40217313

Lab ID	Sample ID	QC Batch Method	QC Batch	Analytical Method	Analytical Batch
40217313001	652R CTH B	EPA 8260	369758		
40217313002	642R CTH B	EPA 8260	369758		
40217313003	626 CTH B	EPA 8260	369758		
40217313004	669 CTH B	EPA 8260	369758		
40217313005	670 CTH B	EPA 8260	369758		
40217313006	1096 CTH KK	EPA 8260	369758		
40217313007	1101 CTH KK	EPA 8260	369758		
40217313008	1058 CTH KK	EPA 8260	369758		
40217313009	PZ-3	EPA 8260	369758		
40217313010	MW-4	EPA 8260	369758		
40217313011	MW-6	EPA 8260	369758		
40217313012	PZ-4	EPA 8260	369758		
40217313013	MW-4D	EPA 8260	369758		
40217313014	669 CTH BD	EPA 8260	369758		
40217313015	666 CTH B	EPA 8260	369758		
40217313016	1054 CTH KK	EPA 8260	369758		
40217313017	TRIP BLANK	EPA 8260	369758		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



CHAIN-OF-CUSTODY / Analytical Request Document
The Chain-of-Custody is a LEGAL DOCUMENT. All relevant fields must be completed accurately.

40217313

Page: 1 of 2

Section A
Required Client Information:
Company: Ramboll Environ - Waunakeesa
Address: 175 North Corporate Drive
Bookfield, WI 53045
Email: dmarkel@ramboll.com
Phone: 262.422.9422
Requested Due Date: 5/10

Section B
Required Project Information:
Report To: David Markelz
Copy To: Mark Males
Purchase Order #: Males@ramboll.com
Project Name: Gorski LF

Section C
Invoice Information:
Attention: Mark Males
Company Name: Ramboll WI
Address: Roskind WI
Pace Quote:
Pace Project Manager: slava.meczko@pacelabs.com
Pace Profile #:

Regulatory Agency
State / Location: WI

ITEM #	SAMPLE ID One Character per box. (A-Z, 0-9, -,) Sample ids must be unique	MATRIX	CODE	COLLECTED		SAMPLE TEMP AT COLLECTION	PRESERVATIVES							Analyses Test	Residual Chlorine (Y/N)	SAMPLE CONDITIONS		
				START	END		Unpreserved	H2SO4	HNO3	HCl	NaOH	Na2S2O3	Methanol				Other	VOC by 8260
1	652R CTH B	Drinking Water	DW	10/26/20	11:55 am	6									X			001
2	642R CTH B	Water	WT			7									X			002
3	628 CTH B	Water	WT			3									X			ms/ms 003
4	669 CTH B	Water	WT			3									X			004
5	670 CTH B	Water	WT			3									X			005
6	1096 CTH KK	Water	WT			3									X			006
7	1101 CTH KK	Water	WT			3									X			007
8	1058 CTH KK	Water	WT			3									X			008
9	PZ3	Water	WT			3									X			009
10	MW-4	Water	WT			3									X			010
11	MW-6	Water	WT			3									X			011
12	PZ-4	Water	WT			3									X			012

SAMPLER NAME AND SIGNATURE		DATE	TIME	ACCEPTED BY/AFFILIATION		DATE	TIME
D. Markelz		10/21/20	1350	Markelz		10/27/20	1350
Mary Fahmin		10/27/20	1320	Mary Fahmin		10/27/20	1350
C. Stephens		10/28/20	1020	Stephens		10/28/20	1020
PRINT Name of SAMPLER:		DATE Signed:					
SIGNATURE of SAMPLER:		10/27/20					
TEMP in C	Received on Ice (Y/N)	Custody Sealed Cooler (Y/N)	Samples Intact (Y/N)				
0.5	Y	Y	Y				

Client Name: Lamps 1
 Project # 40217313

Sample Preservation Receipt Form

All containers needing preservation have been checked and noted below: Yes No *N/A*

Lab Lot# of pH paper:

Lab Std #ID of preservation (if pH adjusted):

Initial when completed:

Date/Time:

Pace Analytical Services, LLC
 1241 Bellevue Street, Suite 9
 Green Bay, WI 54303

Pace Lab #	Glass	Plastic	Vials	Jars	General	VOA Vials (>6mm) *	H2SO4 pH ≤2	NaOH+Zn Act pH ≥9	NaOH pH ≥12	HNO3 pH ≤2	pH after adjusted	Volume (mL)
001			3									2.5/5/10
002			3									2.5/5/10
003			4									2.5/5/10
004			3									2.5/5/10
005			3									2.5/5/10
006			3									2.5/5/10
007			3									2.5/5/10
008			3									2.5/5/10
009			3									2.5/5/10
010			3									2.5/5/10
011			3									2.5/5/10
012			3									2.5/5/10
013			3									2.5/5/10
014			3									2.5/5/10
015			3									2.5/5/10
016			3									2.5/5/10
017			3									2.5/5/10
018												2.5/5/10
019												2.5/5/10
020												2.5/5/10


Exceptions to preservation check: VOA Coliform, TOC, TOX, TOH, O&G, WI DRO, Phenolics, Other: _____

AG1U	1 liter amber glass
BG1U	1 liter clear glass
AG1H	1 liter amber glass HCL
AG4S	125 mL amber glass H2SO4
AG4U	120 mL amber glass unpres
AG5U	100 mL amber glass unpres
AG2S	500 mL amber glass H2SO4
BG3U	250 mL clear glass unpres

BP1U	1 liter plastic unpres
BP3U	250 mL plastic unpres
BP3B	250 mL plastic NaOH
BP3N	250 mL plastic HNO3
BP3S	250 mL plastic H2SO4

VG9A	40 mL clear ascorbic
DG9T	40 mL amber Na Thio
VG9U	40 mL clear vial unpres
VG9H	40 mL clear vial HCL
VG9M	40 mL clear vial MeOH
VG9D	40 mL clear vial DI

JGFU	4 oz amber jar unpres
JG9U	9 oz amber jar unpres
WGFU	4 oz clear jar unpres
WPFU	4 oz plastic jar unpres
SP5T	120 mL plastic Na Thiosulfate
ZPLC	ziploc bag
GN	


 1241 Bellevue Street, Green Bay, WI 54302	Document Name: Sample Condition Upon Receipt (SCUR)	Document Revised: 26Mar2020
	Document No.: ENV-FRM-GBAY-0014-Rev.00	Author: Pace Green Bay Quality Office

Sample Condition Upon Receipt Form (SCUR)

Client Name: Lamboll
Courier: CS Logistics Fed Ex Speedee UPS Waltco
 Client Pace Other: _____

Project #: _____

WO#: 40217313



40217313

Tracking #: _____
Custody Seal on Cooler/Box Present: yes no **Seals intact:** yes no
Custody Seal on Samples Present: yes no **Seals intact:** yes no
Packing Material: Bubble Wrap Bubble Bags None Other
Thermometer Used SR - 86 **Type of Ice:** Wet Blue Dry None Samples on ice, cooling process has begun
Cooler Temperature Uncorr: 0 / Corr: 0.5
Temp Blank Present: yes no **Biological Tissue is Frozen:** yes no

Person examining contents:	
Date: <u>10/28/20</u>	Initials: <u>[Signature]</u>
Labeled By Initials: <u>[Signature]</u>	

Temp should be above freezing to 6°C.
 Biota Samples may be received at ≤ 0°C if shipped on Dry Ice.

Chain of Custody Present:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	1.
Chain of Custody Filled Out:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	2.
Chain of Custody Relinquished:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	3.
Sampler Name & Signature on COC:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	4.
Samples Arrived within Hold Time:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	5.
- VOA Samples frozen upon receipt	<input type="checkbox"/> Yes <input type="checkbox"/> No	Date/Time: _____
Short Hold Time Analysis (<72hr):	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	6.
Rush Turn Around Time Requested:	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	7.
Sufficient Volume:		8.
For Analysis: <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No MS/MSD: <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A		
Correct Containers Used:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	9.
-Pace Containers Used:	<input checked="" type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A	
-Pace IR Containers Used:	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	
Containers Intact:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	10.
Filtered volume received for Dissolved tests	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	11.
Sample Labels match COC:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	12.
-Includes date/time/ID/Analysis Matrix: <u>W</u>		
Trip Blank Present:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	13.
Trip Blank Custody Seals Present	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	
Pace Trip Blank Lot # (if purchased): <u>NA</u>		

Client Notification/ Resolution: _____ If checked, see attached form for additional comments
 Person Contacted: _____ Date/Time: _____
 Comments/ Resolution: _____

PM Review is documented electronically in LIMs. By releasing the project, the PM acknowledges they have reviewed the sample logir