

Ms. Candace Sykora
Hydrogeologist – Remediation and Redevelopment
Wisconsin Department of Natural Resources
890 Spruce Street
Baldwin, WI 54002

**ANNUAL LANDFILL MONITORING REPORT
FORMER GORSKI LANDFILL, MOSINEE, WISCONSIN**

Dear Ms. Sykora:

This Annual Landfill Monitoring Report has been prepared by Ramboll US Consulting, Inc. (Ramboll) on behalf of an ad hoc group of parties (the “Group”) associated with the former Gorski Landfill located in Mosinee, Wisconsin (Figure 1). Contact information for the involved parties is provided in Attachment A. Pursuant to the Wisconsin Department of Natural Resources (WDNR) correspondence dated February 17, 2017, regarding the former Gorski Landfill site, Ramboll has prepared this letter to document the annual landfill cover inspection and groundwater monitoring event that was conducted in October 2020. The methodology and results of these October 2020 activities are provided as follows.

March 23, 2021

Ramboll
234 W. Florida Street
Fifth Floor
Milwaukee, WI 53204
USA

T +1 414 837 3607
F +1 414 837 3608
www.ramboll.com

LANDFILL COVER INSPECTION

The annual landfill cover inspection was conducted by Ramboll on October 23, 2020, by traversing the entire site and observing the surface of the cover for evidence of erosion and exposed waste materials. The adequacy of the cover integrity was reviewed. Photographs were also taken to document site conditions. No exposed waste materials and no erosion of the vegetated landfill cover was observed. Based on the results of the October 2020 landfill cover inspection, the condition of the landfill cover is concluded to be consistent with its designed intent such that repairs to the landfill cover are not necessary at this time.

Ref. 1690019237

MONITORING WELL SAMPLES

In conformance with the February 2017 WDNR correspondence, the following monitoring wells in the vicinity of the former landfill were sampled in October 2020 as part of the annual landfill monitoring event: MW-4, MW-6, PZ-3, and PZ-4 (Figure 2). The groundwater samples collected from these monitoring wells were submitted to Pace Analytical Services, Inc. (Pace) of Green Bay, Wisconsin, a Wisconsin-certified laboratory, and the laboratory reports are provided in Attachment B. The groundwater samples were analyzed for volatile organic compounds (VOCs) and the following field parameters: groundwater elevation, temperature, specific conductivity, pH, oxidation-reduction potential (ORP), and dissolved oxygen (DO).

The results of field parameter analyses are summarized in Table 1. As shown in Table 1, the measured temperatures of the October 2020 groundwater samples

ranged from 9.1 to 10.4 degrees Celsius (48 to 51 degrees Fahrenheit). The October 2020 groundwater samples revealed pH values that ranged from 5.96 to 6.40, and specific conductivity values ranged from 75.5 to 190 microsiemens (μs).

DO concentrations ranged from 4.10 to 9.63 milligrams per liter (mg/L), and ORP values ranged from +148 to +227 millivolts (mV). The presence of DO concentrations greater than 0.5 mg/L and ORP values greater than -100 mV are consistent with historical values and represent conditions that are not highly favorable for naturally occurring reductive dechlorination of chlorinated volatile organic compounds (CVOCs) through anaerobic biodegradation. However, some degree of reductive dechlorination may occur at DO concentrations as high as 5 mg/L and ORP values as high as +50 mV (United States Environmental Protection Agency [USEPA], 1998: "Technical Protocol for Evaluating Natural Attenuation of Chlorinated Solvents in Groundwater," EPA/600/R-98/128). Based on the detected DO and ORP values, the groundwater monitoring information lead to the conclusion that groundwater within the vicinity of the former Gorski Landfill is generally aerobic and not highly favourable for the occurrence of naturally occurring reductive dechlorination of more CVOCs such as tetrachloroethene (PCE) and trichloroethene (TCE). Lesser halogenated VOCs such as vinyl chloride (VC), however, can be biodegraded in an aerobic environment.

Previous *Annual Groundwater Monitoring Reports* have included evaluations of PCE, TCE, cis-1,2-dichloroethene (cDCE), and VC concentration trends for the monitoring wells by using the Mann-Kendall Statistical Test for Trends, as formerly recommended by the WDNR for evaluating natural attenuation processes. Per current WDNR guidance, the Mann-Whitney U Test should be conducted by assembling well data for the most recent eight consecutive quarterly or semi-annual sampling events for each contaminant that has exceeded the Wisconsin Administrative Code (WAC) NR 140 Enforcement Standard (ES) at one or more monitoring wells. Because the monitoring well sampling frequency was modified from semi-annual to annual in 2011, the October 2020 groundwater sampling event was not preceded by consecutive quarterly or semi-annual sampling events. Post-2011 groundwater monitoring results have therefore not been analyzed using the Mann-Whitney U Test. As such, qualitative discussions of the October 2020 groundwater sampling results (Table 2, Figure 3, and Attachment B) are provided as follows:

- At deep on-site monitoring well PZ-3, concentrations of TCE, cDCE, trans-1,2-dichloroethene (tDCE), and VC have been generally decreasing since 2009. The October 2020 groundwater sample contained 0.90J¹ micrograms per liter ($\mu\text{g/L}$) TCE, which is above the WAC NR 140 Preventive Action Limit (PAL) (0.5 $\mu\text{g/L}$) but less than the WAC NR 140 ES (5 $\mu\text{g/L}$). The October 2020 groundwater sample also contained 11.4 $\mu\text{g/L}$ cDCE, which is above the WAC NR 140 PAL (7 $\mu\text{g/L}$) but less than the WAC NR 140 ES (70 $\mu\text{g/L}$). The TCE concentration has not exceeded the WAC NR 140 ES (5 $\mu\text{g/L}$) since October 2013, and the cDCE concentration has not exceeded the WAC NR 140 ES (70 $\mu\text{g/L}$) since October 2014. The analyte tDCE was detected at a concentration of 0.62J $\mu\text{g/L}$, which is below its respective WAC NR 140 PAL (20 $\mu\text{g/L}$) and ES (100 $\mu\text{g/L}$) values and has historically only exceeded the WAC NR 140 ES on one occasion (April 2008). The tDCE concentration has not exceeded the WAC NR 140 PAL since January 2009. VC has not been detected since October 2014.
- At shallow off-site monitoring well MW-4, historical TCE concentrations have ranged from <0.13 to 14.9 $\mu\text{g/L}$ and have remained less than 10 $\mu\text{g/L}$ since July 2008. The October 2020 groundwater sample contained 6.0 $\mu\text{g/L}$ of TCE, which is above the WAC NR 140 PAL (0.5 $\mu\text{g/L}$) and WAC NR 140 ES

¹ Qualified by project laboratory as an estimated value between the limit of detection and limit of quantification.

(5 µg/L). The October 2020 groundwater sample also contained 2.1 µg/L cDCE, which is below the WAC NR 140 PAL (7 µg/L) and consistent with historical results has remained below the WAC NR 140 PAL.

- At off-site shallow monitoring well MW-6, detected concentrations of TCE have been generally decreasing since 2009. The October 2020 groundwater sample contained a TCE concentration of 1.0 µg/L, which is above the WAC NR 140 PAL (0.5 µg/L) but less than the WAC NR 140 ES (5 µg/L). The October 2020 sample contained cDCE at an estimated concentration of 0.28 µg/L, which is below the WAC NR 140 PAL (7 µg/L) and consistent with historical results has remained below the WAC NR 140 PAL.
- At deep monitoring well PZ-4 adjacent to MW-6, concentrations of TCE have been generally decreasing since 2010. The October 2020 groundwater sample contained 3.7 µg/L TCE, which is above the WAC NR 140 PAL (0.5 µg/L) but less than the WAC NR 140 ES (5 µg/L), and below the historical TCE concentration range of 5.4 to 21.6 µg/L. The October 2020 sample contained 1.5 µg/L cDCE, which consistent with historical results has remained below the WAC NR 140 PAL (7 µg/L).

Based on the October 2020 groundwater monitoring results, a slight exceedance of the WAC NR 140 ES for TCE was detected in the groundwater sample from one monitoring well (6.0 µg/L at MW-4). No other exceedances of WAC NR 140 ES values were detected. The continued overall decreasing CVOC concentrations support the conclusion that the residual (low parts per billion) CVOCs in groundwater are naturally attenuating.

RESIDENTIAL WELL SAMPLES

In conformance with the February 2017 WDNR correspondence, the following residential wells were sampled in October 2020 as part of the annual landfill monitoring event: 626 CTHB, 642R CTH B, 652R CTH B, 666 CTH B, 669 CTH B, 670 CTHB, 1054 CTHKK, 1058 CTHKK, 1096 CTHKK, and 1101 CTHKK. The water samples obtained from the residential wells were submitted to the Wisconsin-certified laboratory and were analyzed for VOCs, the results of which are provided in Attachment B and summarized in Table 3.

As shown in Table 3, none of the October 2020 residential well water samples contained detectable VOC concentrations. During the previous annual sampling event, the residential well water duplicate sample from 669 CTH B was the only October 2019 sample that contained a detectable VOC concentration. TCE was detected in that October 2019 sample at an estimated concentration of 0.33J µg/L, which is below the WAC Public Health NR 140 PAL (0.5 µg/L) and WAC Public Health NR 140 ES (5 µg/L). This estimated October 2019 TCE concentration was also below the Safe Drinking Water Act Maximum Contaminant Level (MCL) for TCE of 5 µg/L. The October 2020 sample results are consistent with previous groundwater sample results from local residential wells, which have generally not contained detectable VOC concentrations.

SUMMARY OF SITE CONDITIONS

On-Site Receptors

Sediment quality was evaluated through the collection and laboratory analysis of sediment samples from surface waters immediately adjacent to the former landfill as part of the AECOM WAC NR 716 Site Investigation that was conducted in 2003. The occurrence of waste materials and possible leachate seeps at the landfill site were also evaluated at that time.

Field observations during the 2003 site investigation activities and a May 2006 site visit revealed the presence of several small isolated areas of exposed non-soil materials (mainly metallic debris) within the former Gorski Landfill footprint. During both the 2003 and 2006 site investigations, leachate seeps were not

observed by AECOM such that no leachate samples were collected. Two sediment samples collected from areas of standing water within the former landfill limits in 2003 revealed detected concentrations of arsenic, barium, chromium, and lead that were within their respective observed ranges of naturally-occurring concentrations in soils. Detected concentrations of cadmium were substantially lower than the non-industrial land use WAC NR 720 direct contact Residual Contaminant Level (RCL). Moreover, the former Gorski Landfill was reportedly covered with 8 to 12 inches of decomposed granite after landfilling activities ceased in approximately 1976. In addition, waste mitigation activities were completed in June and July 2010. The presence of the 8 to 12-inch layer of decomposed granite followed by imported clean fill and vegetation in 2010 over the former landfill serves to restrict completion of the direct contact pathway.

Based on toxicity, concentration, and frequency of detection, the remaining constituents of interest in groundwater near the former Gorski Landfill site are TCE, and to a lesser degree cDCE. Historically, the most heavily impacted well was PZ-3, which is located on site. As shown in Table 2, TCE and cDCE concentrations in groundwater samples obtained from well PZ-3 have been decreasing since 2006. The detected TCE concentrations historically ranged as high as 356 µg/L in 2006 but declined to 0.90J µg/L as of October 2020, which is less than its WAC NR 140 ES value of 5 µg/L. Based on the October 2020 groundwater monitoring results, no VOCs other than TCE and cDCE were detected at concentrations greater than WAC NR 140 PAL values at well PZ-3. It can therefore be concluded that the source of TCE in groundwater at the landfill has been substantially depleted, and the downgradient residual TCE concentrations (1.0 to 6.0 µg/L at wells MW-4, MW-6 and PZ-4 as shown on Figure 3) should continue to decline in response to the upgradient source depletion.

As shown on Figure 3, none of the October 2020 groundwater samples contained cDCE concentrations greater than the WAC NR 140 ES of 70 µg/L. The maximum cDCE concentration was detected in the groundwater sample from on-site well PZ-3, which contained 11.4 µg/L. None of the other monitoring wells within the site vicinity exceeded the WAC NR 140 PAL of 7 µg/L for cDCE. As with TCE, cDCE concentrations in groundwater samples obtained from well PZ-3 have substantially decreased since 2006 (from 4,300 µg/L in 2006 to 10.6 µg/L in October 2019). It can therefore be concluded that:

- reductive dechlorination of the depleted source of TCE in groundwater at the landfill (0.90J µg/L at PZ-3) has likely contributed to a residual on-site concentration of 11.4 µg/L of degradation product cDCE (well below the ES of 70 µg/L); and
- downgradient residual cDCE concentrations (0.28J to 2.1 µg/L at wells MW-4, MW-6, and PZ-4 as shown in Table 2), which are already less than the WAC NR 140 PAL of 7 µg/L, should continue to decline in response to the upgradient source depletion.

Off-Site Receptors

Two replacement water-supply wells were installed in April 2007 in the northeast portion of the adjacent east property (St. Paul's Cemetery) to provide potable groundwater for the 642 and 652 CTH B residences. The existing water-supply wells on the 642 and 652 CTH B properties were abandoned in June 2007, and the properties were connected via water supply pipeline to the new off-site water-supply wells. The replacement private wells are identified as 642R and 652R CTH B on Figure 2. Since the replacement of these water-supply wells in April 2007, none of the water samples obtained from any of the residential wells identified in Table 3 have contained concentrations of any analyzed parameter greater than its respective USEPA Safe Drinking Water Act MCL.

The Mosinee Flowage, located approximately 2,000 feet to the east of the former Gorski Landfill site, represents a potential surface water receptor. Possible impact to the Mosinee Flowage was evaluated as part of the 2003 WAC NR 716 Site Investigation through the installation and sampling of monitoring wells MW-2, MW-3, MW-4, and PZ-2, and as part of the 2006 to 2008 Supplemental Site Investigation through the installation and sampling of monitoring wells MW-6 and PZ-4 (as well as monitoring of previously-installed monitoring wells MW-2, MW-3, MW-4, and PZ-2).

Remedial objectives for surface water in the downgradient Mosinee Flowage are contained in WAC NR 105.08 non-public water supply surface water quality human threshold criteria, and WAC NR 105.09 human cancer criteria. The probable site-specific remedial objectives are located under the surface water classification “Warm Water Forage, Limited Forage, and Warm Water Sport Fish Communities.” Based on concentration, toxicity and frequency of detection, TCE was selected as the constituent of concern for the purpose of evaluating the extent of affected groundwater within the vicinity of the former Gorski Landfill. The applicable WAC NR 105 non-public water supply human cancer criterion for TCE is 539 µg/L. The greatest detected TCE concentration in a monitoring well near the Mosinee Flowage occurred at well PZ-4 in October 2010 (21.6 µg/L TCE). This maximum detected TCE concentration at PZ-4 is substantially lower than the WAC NR 105 surface water quality human cancer criterion for TCE. Moreover, the residual TCE concentrations at well PZ-4 have steadily declined from 21.6 µg/L in October 2010 to 3.7 µg/L in October 2020 (as shown in Table 2). Similar declines in TCE concentrations have been observed at the other two downgradient monitoring wells MW-4 (14.9 µg/L in 2008 to 6.0 µg/L in October 2020) and MW-6 (23.9 µg/L in 2006 to 1.0 µg/L in October 2020).

WDNR vapor intrusion guidance for CVOCs indicates that the vapor intrusion pathway should be investigated if any of the following conditions are met:

- The building of interest is located over a CVOC source.
- The building is located within 100 feet of a VOC source that has the potential to enter preferential pathways that connect to the building.
- The building overlies a groundwater plume that exceeds WAC NR 140 ES concentrations.
- Groundwater with CVOC concentrations that exceed WAC NR 140 PAL values is entering the building or is in contact with the building foundation or sump.
- Vapors have the potential to enter preferential pathways that connect to the building.

As none of the conditions identified above have been met, Ramboll concludes that an investigation of the vapor intrusion pathway is not warranted near the site, based on the available groundwater quality data and WDNR guidance.


CONCLUSIONS AND RECOMMENDATIONS

Based on the presence of the 8 to 12-inch layer of decomposed granite followed by imported clean fill and vegetation in 2010 over the former landfill, the sole slight exceedance of the ES value for TCE detected in the October 2020 groundwater sample from monitoring well MW-4, and the decreasing CVOC concentrations in the collected groundwater samples since 2006, Ramboll concludes that natural attenuation processes are occurring, and that regulatory case closure is appropriate for the former Gorski Landfill site. Based on the slight exceedance of the ES value for TCE at well MW-4, the regulatory case closure would be subject to the provisions that: 1) the site would be included on the WDNR geographic information system (GIS) Registry of

Closed Remediation Sites; and 2) in the event of future site development, evaluation of the vapor intrusion pathway would be conducted in accordance with WAC NR 700. Ramboll respectfully requests WDNR's concurrence that natural attenuation processes are occurring to the extent that regulatory case closure in accordance with WAC NR 726 can be requested for the former Gorski Landfill site, subject to the two provisions identified above. Upon receipt of regulatory case closure, existing monitoring wells MW-4, MW-6, PZ-3, and PZ-4 would be abandoned in accordance with WAC NR 141.


If you have any questions regarding the information contained herein, please feel free to contact us. Thank you very much for your assistance with this matter.

Yours sincerely,



Mark M. Mejac, PG
Senior Managing Consultant

D 262 901 0127
mmejac@ramboll.com



Jeanne M. Tarvin, PG, CPG
Managing Principal

D 262 901 0085
jtarvin@ramboll.com

TABLES

**TABLE 1
FIELD PARAMETER RESULTS OF GROUNDWATER SAMPLES
FORMER GORSKI LANDFILL, MOSINEE, WI
RAMBOLL PROJECT NO. 1690019237**

Well Location	Sample Date	Top of PVC Elevation	Depth to Groundwater	Potential Surface (MSL)	pH	ORP (mV)	Temperature (°C)	Specific Conductivity @ 25°C (µs)	Dissolved Oxygen (ppm)
MW-1	7/27/2006	1177.31	12.91	1164.40	4.80	128	12.3	470	3
	10/17/06	1177.31	11.52	1165.79	5.65	211	12.6	290	4
	1/18/07	1177.31	10.32	1166.99	5.30	129	8.0	410	5
	4/17/07	1177.31	9.95	1167.36	5.32	149	8.4	310	8
	7/19/07	1177.31	12.68	1164.63	5.49	141	13.9	560	5
	10/23/07	1177.31	10.26	1167.05	5.46	162	12.1	590	4
	2/6/08	1177.31	NS	NS	NS	NS	NS	NS	NS
	4/29/08	1177.31	8.86	1168.45	5.68	209	7.2	330	9
	7/28/08	1177.31	10.71	1166.60	6.44	193	14.3	320	6
	10/22/08	1177.31	13.60	1163.71	5.76	180	11.9	650	5
	1/8/09	1177.31	13.98	1163.33	6.25	200	8.0	590	4
	10/17/09	1177.31	12.73	1164.58	6.63	209	11.4	710	4
	4/1/10	1177.31	14.08	1163.23	NS	NS	NS	NS	NS
	10/25/10	1177.31	10.55	1166.76	5.38	211	12.6	580	3
10/25/11	1177.31	11.51	1165.80	5.50	391	10.46	450	3	
10/23/12	1177.31	13.17	1164.14	5.17	205	12.29	452	3	
10/21/13	1177.31	10.20	1167.11	Abandoned 10-21-2013					
MW-2	7/27/2006	1156.24	17.27	1138.97	5.09	168	11.1	40	8
	10/17/06	1156.24	17.45	1138.79	5.75	238	11.5	40	3
	1/16/07	1156.24	16.77	1139.47	5.76	178	8.5	60	6
	4/18/07	1156.24	16.18	1140.06	5.64	240	9.1	80	8
	7/17/07	1156.24	17.41	1138.83	6.01	229	10.8	60	6
	10/25/07	1156.24	16.70	1139.54	5.67	105	10.9	60	7
	2/7/08	1156.24	17.95	1138.29	5.85	20	7.4	60	NS
	4/28/08	1156.24	14.30	1141.94	6.35	160	6.6	40	8
	7/28/08	1156.26	16.40	1139.86	7.10	163	11.0	80	9
	10/22/08	1156.26	17.36	1138.90	5.76	118	10.3	80	8
	1/9/09	1156.26	18.05	1138.21	5.81	90	8.3	90	5
	10/18/09	1156.26	17.72	1138.54	6.46	235	11.5	80	4
	4/1/10	1156.26	17.12	1139.14	7.53	50	11.2	60	7
	10/25/10	1156.26	15.61	1140.65	6.04	196	11.9	110	4
	10/24/11	1156.26	17.25	1139.01	6.68	300	17.87	50	7
	10/24/12	1156.26	17.95	1138.31	5.01	183	12.03	59	6
	10/21/13	1156.26	16.55	1139.71	4.45	200	9.5	61	7
	10/8/2014	1156.26	15.70	1140.56	5.83	100	10.19	36	10.40
	10/7/2015	1156.26	17.29	1138.97	5.67	121	11.94	92	8.50
10/18/2016	1156.26	16.63	1139.63	5.44	109	12.05	49	9.54	
10/24/2017	Abandoned 10-24-2017								
MW-3	7/27/2006	1156.19	16.68	1139.51	4.97	198	9.8	460	4
	10/17/06	1156.19	17.08	1139.11	5.42	275	10.4	210	3
	1/18/07	1156.19	16.45	1139.74	5.47	124	7.9	520	5
	4/17/07	1156.19	15.43	1140.76	5.38	353	9.1	580	7
	7/17/07	1156.19	16.91	1139.28	5.83	190	10.3	440	7
	10/23/07	1156.19	17.30	1138.89	5.44	206	8.8	800	6
	2/6/08	1156.19	17.65	1138.54	5.54	182	8.1	800	5
	4/28/08	1156.19	13.06	1143.13	5.80	189	7.0	1000	8
	7/28/08	1156.19	15.61	1140.58	6.90	171	10.4	390	8
	10/23/08	1156.19	17.11	1139.08	5.61	189	8.4	500	7
	1/8/09	1156.19	17.05	1139.14	6.65	220	8.0	590	6
	10/18/09	1156.19	17.42	1138.77	6.35	181	8.1	800	5
	4/1/10	1156.19	14.08	1142.11	NS	NS	NS	NS	NS
	10/22/10	1156.19	14.42	1141.77	6.11	203	10.9	690	5
	10/24/11	1156.19	17.25	1138.94	5.88	248	14.24	430	5
	10/24/12	1156.19	17.68	1138.51	5.30	166	10.77	366	6
10/21/13	1156.19	18.10	1138.09	Abandoned 10-21-2013					

**TABLE 1
FIELD PARAMETER RESULTS OF GROUNDWATER SAMPLES
FORMER GORSKI LANDFILL, MOSINEE, WI
RAMBOLL PROJECT NO. 1690019237**

Well Location	Sample Date	Top of PVC Elevation	Depth to Groundwater	Potentiometric Surface (MSL)	pH	ORP (mV)	Temperature (°C)	Specific Conductivity @ 25°C (µs)	Dissolved Oxygen (ppm)
MW-4	7/27/2006	1155.34	16.82	1138.52	5.21	150	11.0	90	5
	10/17/06	1155.34	16.86	1138.48	5.73	232	11.4	70	5
	1/16/07	1155.34	15.98	1139.36	5.70	141	8.6	70	5
	4/18/07	1155.34	15.61	1139.73	6.14	202	9.7	110	5
	7/17/07	1155.34	17.02	1138.32	6.22	196	12.1	80	8
	10/25/07	1155.34	15.90	1139.44	5.74	110	11.3	90	6
	2/6/08	1155.34	17.35	1137.99	5.98	158	8.3	120	6
	4/29/08	1155.34	14.83	1140.51	6.23	133	9.1	110	6
	7/28/08	1155.34	15.95	1139.39	7.48	175	11.9	60	8
	10/22/08	1155.34	16.71	1138.63	5.85	103	10.6	70	8
	1/8/09	1155.34	17.52	1137.82	7.19	170	8.2	110	5
	10/19/09	1155.34	17.12	1138.22	6.63	181	11.3	80	4
	4/1/10	1155.34	16.21	1139.13	6.99	158	11.51	50	7
	10/25/10	1155.34	15.50	1139.84	5.93	168	11.9	100	5
	10/25/11	1155.34	16.62	1138.72	7.99	316	10.40	80	7
	10/24/12	1155.34	17.35	1137.99	5.38	168	12.11	106	7
	10/21/13	1155.34	15.93	1139.41	5.30	134	10.55	97	6
	10/8/2014	1155.34	15.46	1139.88	5.80	141	11.38	91	7.76
	10/7/2015	1155.34	16.68	1138.66	5.94	114	12.12	47	10.74
	10/18/2016	1155.34	16.00	1139.34	5.64	130	11.47	93	7.40
10/24/2017	1155.34	19.05	1136.29	5.62	148	9.89	68	9.77	
10/24/2018	1155.34	15.05	1140.29	5.89	167	18.39	65	8.78	
10/21/2019	1155.34	15.05	1140.29	5.08	203	10.42	88	8.07	
10/23/2020	1155.34	16.33	1139.01	6.06	227	9.1	88.4	9.04	
MW-5	7/26/2006	1197.85	17.85	1180.00	5.21	150	11.0	90	5
	10/18/06	1197.85	16.98	1180.87	5.76	216	9.7	110	4
	1/17/07	1197.85	13.77	1184.08	5.38	262	8.2	180	4
	4/17/07	1197.85	12.03	1185.82	5.39	195	9.3	80	7
	7/19/07	1197.85	15.91	1181.94	5.95	280	12.2	110	6
	10/23/07	1197.85	12.92	1184.93	5.54	181	12.5	100	6
	2/6/08	1197.85	19.47	1178.38	5.87	180	7.4	110	5
	4/29/08	1197.85	10.42	1187.43	5.70	165	6.7	90	7
	7/29/08	1197.85	13.67	1184.18	6.57	176	12.6	80	8
	10/23/08	1197.85	20.39	1177.46	5.70	197	12.1	80	6
	1/8/09	1197.85	21.72	1176.13	6.84	172	7.9	100	6
	10/17/09	1197.85	14.15	1183.70	6.74	107	9.8	290	5
	4/1/10	1197.85	11.51	1186.34	5.60	142	11.21	220	6
	10/27/10	1197.85	12.22	1185.63	5.39	93	12.5	320	5
	10/24/11	1197.85	13.76	1184.09	5.36	355	13.63	100	3
	10/23/12	1197.85	12.43	1185.42	4.70	162	13.50	144	4
	10/21/13	1197.85	11.24	1186.61	4.94	250	11.97	170	4
10/7/2014	1197.85	11.15	1186.70	5.41	110	12.80	131	6.10	
10/7/2015	1197.85	14.41	1183.44	5.43	103	13.10	144	6.38	
10/18/2016	1197.85	13.45	1184.40	5.16	200	13.65	128	5.2	
10/24/2017	Abandoned 10-24-2017								
MW-6	7/26/2006	1154.92	16.33	1138.59	5.21	150	11.0	90	5
	10/17/06	1154.92	16.45	1138.47	5.69	125	11.8	80	5
	1/16/07	1154.92	15.68	1139.24	6.11	150	9.6	80	5
	4/17/07	1154.92	15.05	1139.87	5.82	253	10.8	100	6
	7/17/07	1154.92	16.58	1138.34	4.46	212	12.8	90	7
	10/25/07	1154.92	16.20	1138.72	5.88	113	11.3	100	6
	2/7/08	1154.92	16.89	1138.03	5.89	73	7.4	140	NS
	4/28/08	1154.92	19.06	1135.86	6.11	123	6.6	110	8
	7/28/08	1154.92	15.17	1139.75	7.40	160	13.0	50	7
	10/22/08	1154.92	16.35	1138.57	6.02	133	10.5	90	6
	1/8/09	1154.92	17.05	1137.87	6.23	153	9.5	110	4
	10/18/09	1154.92	16.68	1138.24	6.19	183	10.8	80	3
	4/1/10	1154.92	17.02	1137.90	6.80	86	10.8	100	8
	10/25/10	1154.92	14.91	1140.01	6.00	169	12.1	60	3
	10/24/11	1154.92	13.76	1141.16	6.15	270	14.34	60	8
	10/24/12	1154.92	16.90	1138.02	5.47	143	12.11	94	7
	10/21/13	1154.92	15.51	1139.41	5.28	141	10.70	97	6
	10/8/2014	1154.92	14.88	1140.04	5.75	101	11.00	77	10.03
	10/7/2015	1154.92	16.27	1138.65	5.87	132	11.79	102	9.90
	10/18/2016	1154.92	15.57	1139.35	5.89	118	11.77	81	9.19
10/24/2017	1154.92	17.62	1137.30	5.66	150	9.77	99	8.53	
10/24/2018	1154.92	14.40	1140.52	5.71	196	12.99	60	13.00	
10/21/2019	1154.92	14.41	1140.51	4.87	163	10.49	99	8.57	
10/23/2020	1154.92	15.92	1139.00	5.96	210	9.7	75.5	9.63	

**TABLE 1
FIELD PARAMETER RESULTS OF GROUNDWATER SAMPLES
FORMER GORSKI LANDFILL, MOSINEE, WI
RAMBOLL PROJECT NO. 1690019237**

Well Location	Sample Date	Top of PVC Elevation	Depth to Groundwater	Potential Surface (MSL)	pH	ORP (mV)	Temperature (°C)	Specific Conductivity @ 25°C (µs)	Dissolved Oxygen (ppm)
PZ-1	7/27/2006	1194.22	16.73	1177.49	5.71	194	10.6	110	4
	10/17/06	1194.22	17.38	1176.84	6.17	221	9.0	240	5
	1/17/07	1194.22	14.20	1180.02	6.07	143	7.9	340	5
	4/18/07	1194.22	13.32	1180.90	6.34	196	9.1	270	7
	7/19/07	1194.22	16.25	1177.97	6.21	166	14.9	410	5
	10/24/07	1194.22	13.00	1181.22	6.04	121	9.9	200	7
	2/6/08	1194.22	19.03	1175.19	6.09	170	7.4	190	7
	4/29/08	1194.22	11.58	1182.64	6.26	187	7.7	250	8
	7/29/08	1194.22	14.42	1179.80	6.90	192	14.8	150	7
	10/23/08	1194.22	21.51	1172.71	5.85	157	9.2	170	6
	1/9/09	1194.22	23.66	1170.56	6.43	163	7.7	370	5
	10/17/09	1194.22	16.80	1177.42	7.91	139	9.8	290	6
	4/1/10	1194.22	14.01	1180.21	6.03	161	11.0	260	5
	10/27/10	1194.22	15.45	1178.77	5.75	117	9.3	240	5
	10/25/11	1194.22	15.71	1178.51	5.67	364	8.91	360	7
	10/23/12	1194.22	15.52	1178.70	5.24	189	11.16	293	6
	10/21/13	1194.22	13.50	1180.72	5.91	201	9.47	211	3
10/7/2014	1194.22	13.38	1180.84	5.85	81	12.49	335	5.21	
10/7/2015	1194.22	16.65	1177.57	5.74	124	10.49	311	6.81	
10/19/2016	1194.22	15.73	1178.49	5.70	197	11.45	275	5.74	
10/24/2017	Abandoned 10-24-2017								
PZ-2	7/27/2006	1156.40	17.44	1138.96	5.71	194	10.6	110	4
	10/17/06	1156.40	17.60	1138.80	5.83	198	10.8	110	4
	1/16/07	1156.40	17.01	1139.39	6.28	102	7.8	120	5
	4/18/07	1156.40	16.22	1140.18	6.37	108	10.2	140	6
	7/17/07	1156.40	17.65	1138.75	5.78	120	11.1	110	5
	10/25/07	1156.40	16.62	1139.78	5.75	64	10.1	120	5
	2/7/08	1156.40	18.15	1138.25	6.31	15	7.5	110	NS
	4/28/08	1156.40	14.51	1141.89	6.61	143	7.2	170	4
	7/28/08	1156.40	16.52	1139.88	6.99	151	11.4	100	8
	10/22/08	1156.40	17.50	1138.90	5.81	110	9.6	130	4
	1/9/09	1156.40	18.11	1138.29	6.01	131	8.2	120	5
	10/18/09	1156.40	17.82	1138.58	6.59	165	10.4	130	4
	4/1/10	1156.40	17.00	1139.40	7.60	62	11.3	120	3
	10/25/10	1156.40	15.74	1140.66	6.50	135	11.9	110	4
	10/24/11	1156.40	17.41	1138.99	6.77	152	17.35	120	1
	10/24/12	1156.40	18.11	1138.29	5.79	52	9.35	127	7
	10/21/12	1156.40	16.69	1139.71	5.79	49	9.14	128	0.29
10/8/2014	1156.40	15.90	1140.50	6.38	39	9.46	101	0.64	
10/7/2015	1156.40	17.45	1138.95	6.54	102	10.80	111	10.40	
10/18/2016	1156.40	16.81	1139.59	6.64	-22.1	9.88	103	0.29	
10/24/2017	Abandoned 10-24-2017								
PZ-3	7/26/2006	1197.98	34.85	1163.13	5.71	194	10.6	110	4
	10/17/06	1197.98	26.81	1171.17	6.56	139	8.9	250	5
	1/17/07	1197.98	23.73	1174.25	6.13	235	7.6	500	5
	4/17/07	1197.98	22.45	1175.53	6.31	150	10.6	360	3
	7/19/07	1197.98	27.13	1170.85	6.20	260	12.4	480	5
	10/24/07	1197.98	22.95	1175.03	6.00	128	9.9	410	6
	2/6/08	1197.98	28.73	1169.25	6.28	208	5.5	320	6
	4/29/08	1197.98	20.45	1177.53	6.40	128	7.8	510	5
	7/29/08	1197.98	24.11	1173.87	6.65	210	12.8	330	5
	10/23/08	1197.98	29.95	1168.03	5.96	145	11.9	410	6
	1/9/09	1197.98	31.02	1166.96	6.33	210	7.6	560	5
	10/17/09	1197.98	26.60	1171.38	5.66	145	11.4	140	4
	4/1/10	1197.98	22.80	1175.18	6.35	144	11.4	110	4
	10/27/10	1197.98	23.70	1174.28	6.09	160	10.8	150	4
	10/24/11	1197.98	22.38	1175.60	6.22	184	12.48	2320	2
	10/23/12	1197.98	23.66	1174.32	5.41	127	11.19	212	5
	10/21/14	1197.98	19.85	1178.13	5.84	98	8.41	170	4
	10/7/2014	1197.98	19.81	1178.17	6.24	60.7	10.26	131	2.92
	10/7/2015	1197.98	23.13	1174.85	6.41	97.5	11.17	147	4.40
	10/19/2016	1197.98	22.10	1175.88	5.96	165	11.29	169	7.31
10/24/2017	1197.98	20.88	1177.10	5.67	115	10.34	212	4.53	
10/24/2018	1197.98	17.82	1180.16	5.91	-4	14.43	157	4.32	
10/21/2019	1197.98	18.85	1179.13	5.68	130	11.90	200	1.97	
10/23/2020	1197.98	22.02	1175.96	6.40	148	10.4	190	4.10	

**TABLE 1
FIELD PARAMETER RESULTS OF GROUNDWATER SAMPLES
FORMER GORSKI LANDFILL, MOSINEE, WI
RAMBOLL PROJECT NO. 1690019237**

Well Location	Sample Date	Top of PVC Elevation	Depth to Groundwater	Potentiometric Surface (MSL)	pH	ORP (mV)	Temperature (°C)	Specific Conductivity @ 25°C (µs)	Dissolved Oxygen (ppm)	
PZ-4	7/26/2006	1155.27	16.60	1138.67	5.71	194	10.6	110	4	
	10/17/06	1155.27	16.68	1138.59	5.97	302	10.8	90	5	
	1/16/07	1155.27	15.95	1139.32	5.92	116	9.1	110	5	
	4/18/07	1155.27	15.51	1139.76	6.14	262	11.0	130	6	
	7/17/07	1155.27	18.80	1136.47	5.52	131	11.2	80	7	
	10/25/07	1155.27	15.97	1139.30	5.70	135	10.5	90	6	
	2/7/08	1155.27	17.22	1138.05	6.25	98	8.1	130	NS	
	4/28/08	1155.27	14.20	1141.07	6.27	121	8.2	130	7	
	7/28/08	1155.27	15.69	1139.58	6.72	152	11.6	100	8	
	10/22/08	1155.27	16.61	1138.66	5.68	148	9.9	110	7	
	1/9/09	1155.27	17.25	1138.02	6.01	165	8.7	130	5	
	10/18/09	1155.27	16.94	1138.33	6.21	152	10.2	100	4	
	4/1/10	1155.27	16.09	1139.18	7.16	135	10.61	130	6	
	10/22/10	1155.27	15.22	1140.05	6.09	160	10.8	150	4	
	10/24/11	1155.27	16.50	1138.77	6.13	298	12.76	110	7	
	10/24/12	1155.27	17.17	1138.10	5.56	143	10.40	110	7	
	10/21/13	1155.27	15.80	1139.47	5.32	126	9.82	137	5	
	10/8/2014	1155.27	15.23	1140.04	5.85	64.4	10.06	112	7.77	
	10/7/2015	1155.27	16.54	1138.73	6.02	122.2	10.81	122	11.55	
	10/18/2016	1155.27	15.85	1139.42	6.02	81	10.54	112	8.06	
10/24/2017	1155.27	15.42	1139.85	5.74	158	8.95	107	8.17		
10/24/2018	1155.27	14.77	1140.50	5.89	182	15.91	89	6.75		
10/21/2019	1155.27	14.70	1140.57	5.36	199	10.42	116	7.57		
10/23/2020	1155.27	16.22	1139.05	6.04	188	9.1	134.2	7.41		
G-2	7/27/2006	1198.71	dry	dry	dry	dry	dry	dry	dry	
	10/17/06	1198.71	dry	dry	dry	dry	dry	dry	dry	
	1/16/07	1198.71	dry	dry	dry	dry	dry	dry	dry	
	4/18/07	1198.71	12.67	1186.04	6.10	230	5.5	50	8	
	7/17/07	1198.71	dry	dry	dry	dry	dry	dry	dry	
	10/23/07	1198.71	12.46	1186.25	5.36	173	14.7	50	7	
	2/6/08	1198.71	dry	dry	dry	dry	dry	dry	dry	
	4/29/08	1198.71	9.26	1189.45	5.90	185	6.8	40	7	
	7/29/08	1198.71	16.15	1182.56	NS	NS	NS	NS	NS	
	10/23/08	1198.71	dry	dry	NS	NS	NS	NS	NS	
	1/8/09	1198.71	dry	dry	NS	NS	NS	NS	NS	
	10/17/09	1198.71	dry	dry	NS	NS	NS	NS	NS	
	4/1/10	1198.71	dry	dry	NS	NS	NS	NS	NS	
	10/22/10	1198.71	16.67	1182.04	5.71	158	14.8	260	5	
	10/24/11	1198.71	dry	dry	NS	NS	NS	NS	NS	
10/23/12	1198.71	dry	dry	NS	NS	NS	NS	NS		
10/21/13	1198.71	13.35	1185.36	Abandoned 10-21-2013						
G-3	7/26/2006	1185.99	13.65	1172.34	5.71	194	10.6	110	4	
	10/18/06	1185.99	13.88	1172.11	5.69	201	10.1	220	4	
	1/18/07	1185.99	12.48	1173.51	5.56	140	9.5	260	4	
	4/17/07	1185.99	11.24	1174.75	5.52	123	10	220	3	
	7/19/07	1185.99	14.63	1171.36	5.61	153	14.8	300	5	
	10/24/07	1185.99	12.30	1173.69	5.40	137	12.7	310	5	
	2/6/08	1185.99	15.10	1170.89	5.82	152	6.5	600	5	
	4/28/08	1185.99	9.23	1176.76	5.83	145	7.1	290	4	
	7/29/08	1185.99	12.29	1173.70	6.04	143	15.1	310	6	
	10/22/08	1185.99	16.57	1169.42	5.52	153	12.1	330	4	
	1/8/09	1185.99	17.60	1168.39	5.61	153	9.2	310	4	
	10/17/09	1185.99	15.31	1170.68	6.60	151	12.8	310	3	
	4/1/10	1185.99	16.90	1169.09	NS	NS	NS	NS	NS	
	10/22/10	1185.99	12.34	1173.65	5.76	130	13.1	240	3	
	10/24/11	1185.99	NS	NS	NS	NS	NS	NS	NS	
	10/23/12	1185.99	NS	NS	NS	NS	NS	NS	NS	
	10/21/13	1185.99	NS	NS	NS	NS	NS	NS	NS	
	10/7/2014	1185.99	NS	NS	NS	NS	NS	NS	NS	
10/7/2015	1185.99	NS	NS	NS	NS	NS	NS	NS		
10/18/2016	1185.99	NS	NS	NS	NS	NS	NS	NS		

**TABLE 1
FIELD PARAMETER RESULTS OF GROUNDWATER SAMPLES
FORMER GORSKI LANDFILL, MOSINEE, WI
RAMBOLL PROJECT NO. 1690019237**

Well Location	Sample Date	Top of PVC Elevation	Depth to Groundwater	Potentiometric Surface (MSL)	pH	ORP (mV)	Temperature (°C)	Specific Conductivity @ 25°C (µs)	Dissolved Oxygen (ppm)	
G-4A	7/27/2006	1195.74	15.07	1180.67	5.71	194	10.6	110	4	
	10/17/06	1195.74	11.80	1183.94	6.07	126	9.9	40	5	
	1/17/07	1195.74	8.77	1186.97	5.01	162	4.3	50	5	
	4/18/07	1195.74	7.90	1187.84	6.94	182	5.9	70	8	
	7/19/07	1195.74	14.00	1181.74	5.43	211	16.7	30	7	
	10/24/07	1195.74	8.95	1186.79	5.51	73	12.1	50	7	
	2/6/08	1195.74	12.90	1182.84	5.83	230	4.9	50	7	
	4/29/08	1195.74	6.10	1189.64	5.93	91	8.0	30	6	
	7/29/08	1195.74	10.72	1185.02	6.04	230	16.9	70	8	
	10/23/08	1195.74	18.65	1177.09	5.63	96	12.0	60	8	
	1/9/09	1195.74	19.49	1176.25	NS	NS	NS	NS	NS	
	10/17/09	1195.74	16.09	1179.65	5.50	191	12.8	60	6	
	4/1/10	1195.74	19.27	1176.47	NS	NS	NS	NS	NS	
	10/29/10	1195.74	10.76	1184.98	6.21	210	12.2	110	6	
10/25/11	1195.74	12.10	1183.64	10.86	148	10.04	550	7		
10/24/12	1195.74	14.97	1180.77	4.42	210	13.70	43	8		
10/21/13	1195.74	9.00	1186.74	Abandoned 10-21-2013						
G-4B	7/27/2006	1195.50	NS	NS	NS	NS	NS	NS	NS	
	10/18/06	1195.50	49.05	1146.45	11.46	126	7.9	760	4	
	1/17/07	1195.50	53.60	1141.90	11.62	-39	7.5	320	5	
	4/18/07	1195.50	49.91	1145.59	11.95	24	8.9	290	6	
	7/19/07	1195.50	52.05	1143.45	11.58	-7	15.4	1700	8	
	10/24/07	1195.50	55.40	1140.10	11.54	-88	9.1	2600	8	
	2/26/08	1195.50	53.88	1141.62	12.43	108	7.4	2300	7	
	4/29/08	1195.50	55.90	1139.60	11.99	-35	11.0	2700	8	
	7/29/08	1195.50	54.20	1141.30	11.83	10	16.0	1900	7	
	10/23/08	1195.50	60.90	1134.60	11.27	-3	8.7	1900	8	
	1/9/09	1195.50	63.25	1132.25	11.09	-11	7.2	1400	7	
	10/17/09	1195.50	26.05	1169.45	11.10	87	8.8	1210	6	
	4/1/10	1195.50	63.94	1131.56	NS	NS	NS	NS	NS	
	10/29/10	1195.50	15.40	1180.10	11.21	123	9.6	1030	5	
10/25/11	1195.50	19.20	1176.30	12.42	148	8.25	1670	8		
10/24/12	1195.50	21.77	1173.73	11.27	95	11.13	1885	8		
10/21/13	1195.50	8.45	1187.05	Abandoned 10-21-2013						
G-5	7/26/2006	1194.20	15.97	1178.23	5.71	194	10.6	110	4	
	10/18/06	1194.20	14.60	1179.60	5.40	251	10.7	110	5	
	1/17/07	1194.20	11.89	1182.31	5.04	151	7.2	140	5	
	4/18/07	1194.20	11.38	1182.82	5.41	283	6.3	130	7	
	7/19/07	1194.20	14.98	1179.22	5.68	137	13.8	90	5	
	10/23/07	1194.20	11.35	1182.85	5.21	293	13.6	130	7	
	2/6/08	1194.20	16.56	1177.64	5.35	156	7.7	100	6	
	4/29/08	1194.20	10.60	1183.60	5.48	171	6.5	190	8	
	7/29/08	1194.20	12.50	1181.70	6.69	191	13.9	90	8	
	10/23/08	1194.20	21.16	1173.04	5.40	219	12.6	110	8	
	1/9/09	1194.20	dry	dry	NS	NS	NS	NS	NS	
	10/17/09	1194.20	14.16	1180.04	7.02	173	12.7	580	5	
	4/1/10	1194.20	11.98	1182.22	5.61	158	9.3	158	6	
	10/27/10	1194.20	12.24	1181.96	5.32	147	12.4	260	3	
	10/25/11	1194.20	13.45	1180.75	5.31	406	8.25	270	5	
	10/23/12	1194.20	12.61	1181.59	4.99	187	13.75	164	7	
	10/21/13	1194.20	11.86	1182.34	4.92	235	11.62	247	4	
	10/7/2014	1194.20	11.54	1182.66	5.23	186	13.84	242	5.28	
	10/7/2015	1194.20	14.54	1179.66	5.31	128	13.24	248	5.21	
10/19/2016	1194.20	13.92	1180.28	5.21	198	13.41	249	4.27		
10/24/2017	Abandoned 10-24-2017									

Notes:

- NS = Not sampled
- MSL = Mean Sea Level
- ORP = Oxidation Reduction Potential
- µs = Microsiemens
- ppm = Parts per million
- mV = Millivolts
- PVC = Polyvinyl chloride

**TABLE 2
LABORATORY RESULTS OF GROUNDWATER SAMPLES COLLECTED FROM MONITORING WELLS
FORMER GORSKI LANDFILL, MOSINEE, WI
RAMBOLL PROJECT NO. 1690019237**

Well Location	Sample Date	Iron (ug/L)	Sulfate (mg/L)	Acetone (ug/L)	Benzene (ug/L)	Chloro methane (ug/L)	1,1-DCE (ug/L)	cDCE (ug/L)	Ethyl benzene (ug/L)	Methylene Chloride (ug/L)	Naphthalene (ug/L)	Tetrachloroethene (ug/L)	tDCE (ug/L)	Toluene (ug/L)	TCE (ug/L)	VC (ug/L)	Xylene Totals (ug/L)	Styrene (ug/L)	1,1,2-TCA (ug/L)	1,1-DCA (ug/L)	THF (ug/L)
MW-1	8/8/03	0.016	12.2	NA	<0.31	ND	<0.39	<0.23	<0.5	<0.51	<0.8	<0.32	<0.39	<0.3	<0.36	<0.2	<0.92	<0.32	<0.5	<0.36	<2.0
	10/2/03	<0.01	10.1	NA	<0.31	ND	<0.39	<0.23	<0.5	<0.51	<0.8	<0.32	<0.39	<0.3	<0.36	<0.2	<0.92	<0.32	<0.5	<0.36	<2.0
	7/27/06	<0.100	17.4	<1.4	<0.23	ND	<0.25	<0.20	<0.21	<0.24	<0.37	<0.18	<0.29	<0.18	<0.13	<0.16	<0.19	<0.18	<0.10	<0.15	<2.0
	10/17/06	<0.010	11.6	<6.5	<0.15	ND	<0.15	<0.20	<0.10	<0.40	<1.0	<0.10	<0.10	<0.40	<0.20	<0.15	<0.50	<0.10	<0.10	<0.15	<2.0
	1/18/07	<0.010	17.9	<6.5	<0.15	ND	<0.15	<0.20	<0.10	<0.40	<1.0	<0.10	<0.10	<0.40	<0.20	<0.15	<0.50	<0.10	<0.10	<0.15	<2.0
	4/17/07	0.021	14.1	<6.5	<0.20	ND	<0.15	<0.20	<0.10	<0.40	<1.0	<0.10	<0.10	<0.40	<0.20	<0.20	<0.50	<0.10	<0.20	<0.20	<2.0
	7/19/07	<0.010	18.5	<6.5	<0.20	ND	<0.15	<0.20	<0.10	<0.40	<1.0	<0.10	<0.10	<0.40	<0.20	<0.20	<0.50	<0.10	<0.20	<0.20	<2.0
	10/23/07	<0.010	21.6	<6.5	<0.20	ND	<0.15	<0.20	<0.10	<0.40	<1.0	<0.10	<0.10	<0.40	<0.20	<0.20	<0.50	<0.10	<0.20	<0.20	<2.0
	4/29/08	<0.010	16.6	<6.5	<0.20	ND	<0.15	<0.20	<0.10	<0.40	<1.0	<0.10	<0.10	<0.40	<0.20	<0.20	<0.50	<0.10	<0.20	<0.20	<2.0
	7/28/08	<0.010	13.7	<6.5	<0.20	ND	<0.15	<0.20	<0.10	<0.40	<1.0	<0.10	<0.10	<0.40	<0.20	<0.20	<0.50	<0.10	<0.20	<0.20	<2.0
	10/22/08	<0.010	16.7	<6.5	<0.20	ND	<0.15	<0.20	<0.10	<0.40	<1.0	<0.10	<0.10	<0.40	<0.20	<0.20	<0.50	<0.10	<0.20	<0.20	<2.0
	1/8/09	<0.010	19.8	<6.5	<0.20	ND	<0.15	<0.20	<0.10	<0.40	<1.0	<0.10	<0.10	<0.40	<0.20	<0.20	<0.50	<0.10	<0.20	<0.20	<2.0
	10/17/09	NA	NA	<6.5	<0.20	ND	<0.15	<0.20	<0.10	<0.40	<1.0	<0.10	<0.10	<0.40	<0.20	<0.20	<0.50	<0.10	<0.20	<0.20	<2.0
	10/25/10	NA	NA	<6.5	<0.20	ND	<0.15	<0.20	<0.10	<0.40	<1.0	<0.10	<0.10	<0.40	<0.20	<0.20	<0.50	<0.10	<0.20	<0.20	<2.0
	10/25/11	NA	NA	<6.5	<0.20	ND	<0.15	<0.20	<0.10	<0.40	<1.0	<0.10	<0.10	<0.40	<0.20	<0.20	<0.50	<0.10	<0.20	<0.20	<2.0
10/23/12	NA	NA	NA	<0.41	ND	<0.57	<0.83	<0.54	<0.43	<0.89	<0.45	<0.89	<0.67	<0.48	<0.18	<1.8	<0.86	<0.42	<0.75	NA	
Abandoned 10-21-2013																					
MW-1D	1/8/09	<0.010	19.0	<6.5	<0.20	ND	<0.15	<0.20	<0.10	<0.40	<1.0	<0.10	<0.10	<0.40	<0.20	<0.20	<0.50	<0.10	<0.20	<0.20	<2.0
	Abandoned 10-21-2013																				
MW-2	8/8/03	<0.01	9.44	NA	<0.31	ND	<0.39	<0.23	<0.5	<0.51	<0.8	<0.32	<0.39	<0.3	<u>0.726</u>	<0.2	<0.92	<0.32	<0.5	<0.36	<2.0
	10/2/03	0.0132	9.04	NA	<0.31	ND	<0.39	<0.23	<0.5	<0.51	<0.8	<0.32	<0.39	<0.3	<0.36	<0.2	<0.92	<0.32	<0.5	<0.36	<2.0
	7/27/06	<0.010	9.6	<1.4	<0.23	ND	<0.25	<0.20	<0.21	<0.24	<0.37	<0.18	<0.29	<0.18	<0.13	<0.16	<0.19	<0.18	<0.10	<0.15	<2.0
	10/17/06	0.014 J	7.91	<6.5	<0.15	ND	<0.15	0.77	<0.10	<0.40	<1.0	<0.10	<0.10	<0.40	<u>2.93</u>	<0.15	<0.50	<0.10	<0.10	<0.15	<2.0
	1/16/07	<0.010	8.78	<6.5	<0.15	ND	<0.15	0.25	<0.10	<0.40	<1.0	<0.10	<0.10	<0.40	<u>1.6</u>	<0.15	<0.50	<0.10	<0.10	<0.15	<2.0
	4/18/07	0.025	8.40	<6.5	<0.20	ND	<0.15	<0.20	<0.10	<0.40	<1.0	<0.10	<0.10	<0.40	<u>0.95</u>	<0.20	<0.50	<0.10	<0.20	<0.20	<2.0
	7/17/07	<0.010	8.38	<6.5	<0.20	ND	<0.15	<0.20	<0.10	<0.40	<1.0	<0.10	<0.10	<0.40	<u>0.89</u>	<0.20	<0.50	<0.10	<0.20	<0.20	<2.0
	10/25/07	<0.010	9.02	<6.5	<0.20	ND	<0.15	0.21 J	<0.10	<0.40	<1.0	<0.10	<0.10	<0.40	<u>1.21</u>	<0.20	<0.50	<0.10	<0.20	<0.20	<2.0
	2/6/08	<0.010	8.10	<6.5	<0.20	ND	<0.40	<0.30	<0.20	<0.40	<1.0	<0.30	<0.20	<0.40	<u>0.57 J</u>	<0.20	<0.40	<0.10	<0.30	<0.20	<2.0
	4/28/08	<0.10	7.73	<6.5	<0.20	ND	<0.40	<0.30	<0.20	<0.40	<1.0	<0.30	<0.20	<0.40	<0.40	<0.20	<0.40	<0.10	<0.30	<0.20	<2.0
	7/28/08	<0.010	7.29	<6.5	<0.20	ND	<0.40	<0.30	<0.20	<0.40	<1.0	<0.30	<0.20	<0.40	<u>1.06 J</u>	<0.20	<0.40	<0.10	<0.30	<0.20	<2.0
	10/22/08	<0.010	7.29	<6.5	<0.20	ND	<0.40	<0.30	<0.20	<0.40	<1.0	<0.30	<0.20	<0.40	<u>0.58 J</u>	<0.20	<0.40	<0.10	<0.30	<0.20	<2.0
	1/9/09	<0.010	7.25	<6.5	<0.20	ND	<0.40	<0.30	<0.20	<0.40	<1.0	<0.30	<0.20	<0.40	<u>0.41 J</u>	<0.20	<0.40	<0.10	<0.30	<0.20	<2.0
	4/30/09	NA	NA	<6.5	<0.20	ND	<0.40	<0.30	<0.20	<0.40	<1.0	<0.30	<0.20	<0.40	<0.40	<0.20	<0.40	<0.10	<0.30	<0.20	<2.0
	10/18/09	NA	NA	<6.5	<0.20	ND	<0.40	<0.30	<0.20	<0.40	<1.0	<0.30	<0.20	<0.40	<u>1.57</u>	<0.20	<0.40	<0.10	<0.30	<0.20	<2.0
	4/1/10	NA	NA	<6.5	<0.20	ND	<0.40	<0.30	<0.20	<0.40	<1.0	<0.30	<0.20	<0.40	<u>1.72</u>	<0.20	<0.40	<0.10	<0.30	<0.20	<2.0
	10/25/10	NA	NA	<6.5	<0.20	ND	<0.40	<0.30	<0.20	<0.40	<1.0	<0.30	<0.20	<0.40	<u>1.3</u>	<0.20	<0.40	<0.10	<0.30	<0.20	<2.0
	10/24/11	NA	NA	<6.5	<0.20	ND	<0.40	<0.30	<0.20	<0.40	<1.0	<0.30	<0.20	<0.40	<0.40	<0.20	<0.40	<0.10	<0.30	<0.20	<2.0
	10/24/12	NA	NA	NA	<0.41	ND	<0.57	<0.83	<0.54	<0.43	<0.89	<0.45	<0.89	<0.67	<u>0.68 J</u>	<0.18	<1.8	<0.86	<0.42	<0.75	NA
	10/21/13	NA	NA	NA	<0.50	ND	<0.43	<0.42	<0.50	<0.36	<2.5	<0.47	<0.37	<0.44	<0.36	<0.18	<1.32	<0.35	<0.39	<0.28	NA
10/8/14	NA	NA	NA	<0.50	ND	<0.41	<0.26	<0.50	<0.23	<2.5	<0.50	<0.26	<0.50	<0.33	<0.18	<1.50	<0.50	<0.16	<0.24	NA	
10/7/15	NA	NA	NA	<0.50	ND	<0.41	<0.26	<0.50	<0.23	<2.5	<0.50	<0.26	<0.50	<0.33	<0.18	<1.5	<0.50	<0.20	<0.24	NA	
10/18/16	NA	NA	NA	<0.50	ND	<0.41	<0.26	<0.50	<0.23	<2.5	<0.50	<0.26	<0.50	<0.33	<0.18	<1.5	<0.50	<0.20	<0.24	NA	
Abandoned 10-24-2017																					
MW-2D	1/16/07	<0.010	8.81	<6.5	<0.15	ND	<0.15	0.28 J	<0.10	<0.40	<1.0	<0.10	<0.10	<0.40	<u>1.61</u>	<0.15	<0.50	<0.10	<0.10	<0.15	<2.0
	4/28/08	<0.010	7.72	<6.5	<0.15	ND	<0.15	0.28 J	<0.10	<0.40	<1.0	<0.10	<0.10	<0.40	<u>0.67 J</u>	<0.15	<0.50	<0.10	<0.10	<0.15	<2.0
Abandoned 10-24-2017																					

**TABLE 2
LABORATORY RESULTS OF GROUNDWATER SAMPLES COLLECTED FROM MONITORING WELLS
FORMER GORSKI LANDFILL, MOSINEE, WI
RAMBOLL PROJECT NO. 1690019237**

Well Location	Sample Date	Iron (ug/L)	Sulfate (ug/L)	Acetone (ug/L)	Benzene (ug/L)	Chloro methane (ug/L)	1,1-DCE (ug/L)	cDCE (ug/L)	Ethyl benzene (ug/L)	Methylene Chloride (ug/L)	Naphthalene (ug/L)	Tetrachloroethene (ug/L)	tDCE (ug/L)	Toluene (ug/L)	TCE (ug/L)	VC (ug/L)	Xylene Totals (ug/L)	Styrene (ug/L)	1,1,2-TCA (ug/L)	1,1-DCA (ug/L)	THF (ug/L)
MW-3	8/8/03	0.014	10.8	NA	<0.31	ND	<0.39	<0.23	<0.5	<0.51	<0.8	<0.32	<0.39	<0.3	<0.36	<0.2	<0.92	<0.32	<0.5	<0.36	<2.0
	10/2/03	0.0119	9.42	NA	<0.31	ND	<0.39	<0.23	<0.5	<0.51	<0.8	<0.32	<0.39	<0.3	<0.36	<0.2	<0.92	<0.32	<0.5	<0.36	<2.0
	7/27/06	<0.010	12.3	<1.4	<0.23	ND	<0.25	<0.20	<0.21	<0.24	<0.37	<0.18	<0.29	<0.18	<0.13	<0.16	<0.19	<0.18	<0.10	<0.15	<2.0
	10/17/06	<0.010	8.75	<6.5	<0.15	ND	<0.15	<0.20	<0.10	<0.40	<1.00	<0.10	<0.10	<0.40	<0.20	<0.15	<0.50	<0.10	<0.10	<0.15	<2.0
	1/18/07	<0.010	11.2	<6.5	<0.15	ND	<0.15	<0.20	<0.10	<0.40	<1.00	<0.10	<0.10	<0.40	<0.20	<0.15	<0.50	<0.10	<0.10	<0.15	<2.0
	4/17/07	0.019	9.51	<6.5	<0.20	ND	<0.15	<0.20	<0.10	<0.40	<1.00	<0.10	<0.10	<0.40	<0.20	<0.20	<0.50	<0.10	<0.20	<0.20	<2.0
	7/17/07	<0.010	10.4	<6.5	<0.20	ND	<0.15	<0.20	<0.10	<0.40	<1.00	<0.10	<0.10	<0.40	<0.20	<0.20	<0.50	<0.10	<0.20	<0.20	<2.0
	10/23/07	<0.010	14.2	<6.5	<0.20	ND	<0.15	<0.20	<0.10	<0.40	<1.00	<0.10	<0.10	<0.40	<0.20	<0.20	<0.50	<0.10	<0.20	<0.20	<2.0
	2/6/08	0.015 J	9.77	<6.5	<0.20	ND	<0.40	<0.30	<0.20	<0.40	<1.00	<0.30	<0.20	<0.40	<0.40	<0.20	<0.40	<0.10	<0.30	<0.20	<2.0
	4/28/08	<0.010	10.1	<6.5	<0.20	ND	<0.40	<0.30	<0.20	<0.40	<1.00	<0.30	<0.20	<0.40	<0.40	<0.20	<0.40	<0.10	<0.30	<0.20	<2.0
	7/28/08	<0.010	9.58	<6.5	<0.20	ND	<0.40	<0.30	<0.20	<0.40	<1.00	<0.30	<0.20	<0.40	<0.40	<0.20	<0.40	<0.10	<0.30	<0.20	<2.0
	10/23/08	<0.010	11.1	<6.5	<0.20	ND	<0.40	<0.30	<0.20	<0.40	<1.00	<0.30	<0.20	<0.40	<0.40	<0.20	<0.40	<0.10	<0.30	<0.20	<2.0
	1/8/09	0.016 J	11.5	<6.5	<0.20	ND	<0.40	<0.30	<0.20	<0.40	<1.00	<0.30	0.30 J	<0.40	<0.40	<0.20	<0.40	<0.10	<0.30	<0.20	<2.0
	10/18/09	NA	NA	<6.5	<0.20	ND	<0.40	<0.30	<0.20	<0.40	<1.00	<0.30	<0.50	<0.40	<0.40	<0.20	<0.40	<0.10	<0.30	<0.20	<2.0
	10/22/10	NA	NA	<6.5	<0.20	ND	<0.40	<0.30	<0.20	<0.40	<1.00	<0.30	<0.50	<0.40	<0.40	<0.20	<0.40	<0.10	<0.30	<0.20	<2.0
	10/24/11	NA	NA	<6.5	<0.20	ND	<0.40	<0.30	<0.20	<0.40	<1.00	<0.30	<0.50	<0.40	<0.40	<0.20	<0.40	<0.10	<0.30	<0.20	<2.0
	10/24/12	NA	NA	<0.41	<0.41	ND	<0.57	<0.83	<0.54	<0.43	<0.89	<0.45	<0.89	<0.67	<0.48	<0.18	<1.8	<0.86	<0.42	<0.75	NA
	Abandoned 10-21-2013																				
MW-3D	10/23/08	<0.010	10.8	<6.5	<0.20	ND	<0.40	<0.30	<0.20	<0.40	<1.00	<0.30	<0.20	<0.40	<0.40	<0.20	<0.40	<0.10	<0.30	<0.20	<2.0
	Abandoned 10-21-2013																				
MW-4	8/8/03	<0.01	8.15	NA	<0.31	ND	<0.39	<0.23	<0.5	<0.51	<0.8	<0.32	<0.39	<0.3	3.8	<0.2	<0.92	<0.32	<0.5	<0.36	<2.0
	10/2/03	0.143	7.17	NA	<0.31	ND	<0.39	<0.23	<0.5	<0.51	<0.8	<0.32	<0.39	<0.3	3.6	<0.2	<0.92	<0.32	<0.5	<0.36	<2.0
	7/27/06	<0.010	7.63	<1.4	<0.23	ND	<0.25	<0.20	<0.21	<0.24	<0.37	<0.18	<0.29	<0.18	<0.13	<0.16	<0.19	<0.18	<0.10	<0.15	<2.0
	10/17/06	<0.010	6.97	<6.5	<0.15	ND	<0.15	0.29 J	<0.10	<0.40	<1.0	0.14 J	<0.10	<0.40	3.67	<0.15	<0.50	<0.10	<0.10	<0.15	<2.0
	1/16/07	0.013 J	7.47	<6.5	<0.15	ND	<0.15	<0.20	0.14 J	<0.40	<1.0	0.11 J	<0.10	<0.40	2.93	<0.15	0.62 J	<0.10	<0.10	<0.15	<2.0
	4/18/07	0.028	6.89	<6.5	<0.20	ND	<0.40	0.49 J	<0.10	<0.40	<1.0	<0.30	<0.10	<0.40	7.91	<0.20	<0.50	<0.10	<0.20	<0.20	<2.0
	7/17/07	<0.010	8.7	<6.5	<0.20	ND	<0.40	<0.20	<0.10	<0.40	<1.0	<0.30	<0.10	<0.40	3.13	<0.20	<0.50	<0.10	<0.20	<0.20	<2.0
	10/25/07	<0.010	7.62	<6.5	<0.20	ND	<0.40	1.24	<0.10	<0.40	<1.0	<0.30	<0.10	<0.40	10.6	<0.20	<0.50	<0.10	<0.20	<0.20	<2.0
	2/6/08	0.026 J	7.45	<6.5	<0.20	ND	<0.40	1.87	<0.20	<0.40	<1.0	0.43 J	0.25 J	<0.40	14.9	<0.20	<0.40	<0.10	<0.30	<0.20	<2.0
	4/29/08	<0.010	7.38	<6.5	<0.20	ND	<0.40	0.98 J	<0.20	<0.40	<1.0	<0.30	<0.20	<0.40	13.0	<0.20	<0.40	<0.10	<0.30	<0.20	<2.0
	7/28/08	<0.010	6.57	<6.5	<0.20	ND	<0.40	<0.30	<0.20	<0.40	<1.0	<0.30	<0.20	<0.40	2.41	<0.20	<0.40	<0.10	<0.30	<0.20	<2.0
	10/22/08	<0.010	6.81	<6.5	<0.20	ND	<0.40	<0.30	<0.20	<0.40	<1.0	<0.30	<0.20	<0.40	2.70	<0.20	<0.40	<0.10	<0.30	<0.20	<2.0
	1/8/09	0.024 J	6.89	<6.5	<0.20	ND	<0.40	0.65 J	<0.20	<0.40	<1.0	0.30 J	<0.20	<0.40	7.53	<0.20	<0.40	<0.10	<0.30	<0.20	<2.0
	4/30/09	NA	NA	<6.5	<0.20	ND	<0.40	0.66 J	<0.20	<0.40	<1.0	<0.30	<0.20	<0.40	8.98	<0.20	<0.40	<0.10	<0.30	<0.20	<2.0
	10/19/09	NA	NA	<6.5	<0.20	ND	<0.40	<0.40	<0.20	<0.40	<1.0	<0.30	<0.20	<0.40	3.91	<0.20	<0.40	<0.10	<0.30	<0.20	<2.0
	4/1/10	NA	NA	<6.5	<0.20	ND	<0.40	0.58 J	<0.20	<0.40	<1.0	<0.30	<0.20	<0.40	6.80	<0.20	<0.40	<0.10	<0.30	<0.20	<2.0
	10/25/10	NA	NA	<6.5	<0.20	ND	<0.40	0.58 J	<0.20	<0.40	<1.0	<0.30	<0.20	<0.40	4.51	<0.20	<0.40	<0.10	<0.30	<0.20	<2.0
	10/25/11	NA	NA	<6.5	<0.20	ND	<0.40	<0.30	<0.20	<0.40	<1.0	<0.30	<0.20	<0.40	3.63	<0.20	<0.40	<0.10	<0.30	<0.20	<2.0
	10/24/12	NA	NA	NA	<0.41	ND	<0.57	<0.83	<0.54	<0.43	<0.89	<0.45	<0.89	<0.67	5.2	<0.18	<1.8	<0.86	<0.42	<0.75	NA
	10/21/13	NA	NA	NA	<0.50	ND	<0.43	<0.42	<0.50	<0.36	<2.5	<0.47	<0.37	<0.44	1.9	<0.18	NA	<0.35	<0.39	<0.28	NA
	10/8/14	NA	NA	NA	<0.50	ND	<0.41	0.53 J	<0.50	<0.23	<2.5	<0.50	<0.26	<0.50	4.2	<0.18	<1.50	<0.50	<0.16	<0.24	NA
	10/7/15	NA	NA	NA	<0.50	ND	<0.41	0.97 J	<0.50	<0.23	<2.5	<0.50	<0.26	<0.50	5.0	<0.18	<1.5	<0.50	<0.20	<0.24	NA
	10/18/16	NA	NA	NA	<0.50	ND	<0.41	1.1	<0.50	<0.23	<2.5	<0.50	<0.26	<0.50	6.0	<0.18	<1.5	<0.50	<0.20	<0.24	NA
	10/24/17	NA	NA	NA	<0.50	22.2	<0.41	1.2	<0.50	<0.23	<2.5	<0.50	<0.26	<0.50	5.3	<0.18	<1.5	<0.50	<0.20	<0.24	NA
	10/24/18	NA	NA	NA	<0.25	<2.2	<0.24	<0.27	<0.22	<0.58	<1.2	<0.33	<1.1	<0.17	2.2	<0.17	<1.5	<0.47	<0.55	<0.27	NA
	10/21/19	NA	NA	NA	<0.25	<2.2	<0.24	1.3	<0.22	<0.58	<1.2	<0.33	<1.1	<0.17	6.0	<0.17	<1.5	<0.47	<0.55	<0.27	NA
10/23/20	NA	NA	NA	<0.25	<2.2	<0.24	2.1	<0.32	<0.58	<1.2	<0.33	<0.46	<0.27	6.0	<0.17	<1.5	<3.0	<0.55	<0.27	NA	
MW-4D	10/24/17	NA	NA	NA	<0.50	<0.50	<0.41	1.1	<0.50	<0.23	<2.5	<0.50	<0.26	<0.50	4.8	<0.18	<1.5	<0.50	<0.20	<0.24	NA
	10/24/18	NA	NA	NA	<0.25	<2.2	<0.24	<0.27	<0.22	<0.58	<1.2	<0.33	<1.1	2.3	<0.17	<1.5	<0.47	<0.55	<0.27	NA	
	10/21/19	NA	NA	NA	<0.25	<2.2	<0.24	1.1	<0.22	<0.58	<1.2	<0.33	<1.1	5.8	<0.17	<1.5	<0.47	<0.55	<0.27	NA	
	10/23/20	NA	NA	NA	<0.25	<2.2	<0.24	2.0	<0.32	<0.58	<1.2	<0.33	<0.46	6.6	<0.17	<1.5	<3.0	<0.55	<0.27	NA	

**TABLE 2
LABORATORY RESULTS OF GROUNDWATER SAMPLES COLLECTED FROM MONITORING WELLS
FORMER GORSKI LANDFILL, MOSINEE, WI
RAMBOLL PROJECT NO. 1690019237**

Well Location	Sample Date	Iron (mg/L)	Sulfate (mg/L)	Acetone (ug/L)	Benzene (ug/L)	Chloro methane (ug/L)	1,1-DCE (ug/L)	cDCE (ug/L)	Ethyl benzene (ug/L)	Methylene Chloride (ug/L)	Naph thalene (ug/L)	Tetrachlor-oethene (ug/L)	tDCE (ug/L)	Toluene (ug/L)	TCE (ug/L)	VC (ug/L)	Xylene Totals (ug/L)	Styrene (ug/L)	1,1,2-TCA (ug/L)	1,1-DCA (ug/L)	THF (ug/L)
MW-5	7/26/06	<0.010	5.79	<6.5	<0.15	ND	<u>1.01</u>	148	<0.10	<0.40	<1.0	<u>0.68</u>	1.30	<0.40	31.2	<0.15	<0.50	<0.10	<0.10	<0.15	<2.0
	9/6/06	NA	NA	<32.5	<0.75	ND	<u>1.24</u>	215	<0.50	<2.00	<5.00	<u>1.28</u>	2.19	<2.00	45	2.5	<2.50	<0.10	<0.50	<0.75	<2.0
	10/18/06	<0.010	6.21	<6.5	<1.5	ND	<u>1.89</u>	239	<1.0	<4.00	<10.0	<u>7.13</u>	3.71	<4.0	47.2	<1.5	<4.00	<0.10	<1	<1.5	<2.0
	1/17/07	<0.010	21.1	<6.5	<1.5	ND	0.6	91.3	<0.10	<0.40	<1.0	<u>0.99</u>	1.38	<0.40	13.5	1.71	<0.40	<0.10	<0.10	<0.15	<2.0
	4/17/07	0.125	9.81	<32.5	<1.00	ND	<2.00	<u>27.6</u>	<0.50	<2.00	<5.00	<1.50	<1.00	<2.00	5.45	<1.00	<1.00	<0.10	<1	<1	<2.0
	7/19/07	<0.010	13.7	<32.5	<1.00	ND	<2.00	<u>62.2</u>	<0.50	<2.00	<5.00	<u>1.16</u>	1.87	<2.00	13.2	<1.00	<1.00	<0.10	<0.20	<0.20	<2.0
	10/23/07	0.021	11.1	<6.5	<0.20	ND	<0.40	<u>55.8</u>	<0.10	<0.40	<1.00	<u>0.78 J</u>	0.9	<0.40	11.6	<0.20	<0.20	<0.10	<0.20	<0.20	<2.0
	2/6/08	<0.010	7.71	<6.5	<0.20	ND	<0.40	71.8	<0.20	<0.40	<1.00	<u>1.06</u>	2.21	<0.40	14.2	<0.20	<0.40	<0.10	<0.30	<0.20	<2.0
	4/29/08	<0.010	13.7	<6.5	<0.20	ND	<0.40	3.13	<0.20	<0.40	<1.00	<0.30	<0.20	<0.40	<u>0.69 J</u>	<0.20	<0.40	<0.10	<0.30	<0.20	<2.0
	7/29/08	0.053	14.9	<6.5	<0.20	ND	<0.40	6.28	<0.20	<0.40	<1.00	<0.30	<0.20	<0.40	2.06	<0.20	<0.40	<0.10	<0.30	<0.20	<2.0
	10/23/08	0.022	11.3	<6.5	<0.20	ND	<0.40	34.5	<0.20	<0.40	<1.00	<u>0.99 J</u>	0.61 J	<0.40	12.6	<0.20	<0.40	<0.10	<0.30	<0.20	<2.0
	1/8/09	0.076 J	10.5	<6.5	<0.20	ND	0.59 J	<u>49.5</u>	<0.20	<0.40	<1.00	<u>1.1</u>	0.9	<0.40	13.9	<0.20	<0.40	<0.10	<0.30	<0.20	<2.0
	4/30/09	NA	NA	<6.5	<0.20	ND	<0.40	<0.40	<0.20	<0.40	<1.00	<0.30	<0.50	<0.40	<u>0.70 J</u>	<0.20	<0.40	<0.10	<0.30	<0.20	<2.0
	10/17/09	NA	NA	<6.5	<0.20	ND	<0.40	1.44	<0.20	<0.40	<1.00	<0.30	<0.50	<0.40	<u>0.72</u>	<0.20	<0.40	<0.10	<0.30	<0.20	<2.0
	4/1/10	NA	NA	<6.5	<0.20	ND	<0.40	0.46 J	<0.20	<0.40	<1.00	<0.30	<0.50	<0.40	<0.40	<0.20	<0.40	<0.10	<0.30	<0.20	<2.0
	10/27/10	NA	NA	<6.5	<0.20	ND	<0.40	7.18	<0.20	<0.40	<1.00	<u>0.43 J</u>	<0.50	<0.40	1.99	0.64 J	<0.40	<0.10	<0.30	<0.20	<2.0
	10/24/11	NA	NA	<6.5	<0.20	ND	<0.40	0.60 J	<0.20	<0.40	<1.00	<0.30	<0.50	<0.40	<0.40	<0.20	<0.40	<0.10	<0.30	<0.20	<2.0
	10/23/12	NA	NA	NA	<0.41	ND	<0.57	<0.83	<0.54	<0.43	<0.89	<0.45	<0.89	<0.67	<0.48	<0.18	<1.8	<0.86	<0.42	<0.75	NA
	10/21/13	NA	NA	NA	<0.50	ND	<0.43	<0.42	<0.50	<0.36	<2.5	<0.47	<0.37	<0.44	<0.36	<0.18	<1.32	<0.35	<0.39	<0.28	NA
	10/7/14	NA	NA	NA	<0.50	ND	<0.41	<0.26	<0.50	<0.23	<2.5	<0.50	<0.26	<0.50	<0.33	<0.18	<1.50	<0.50	<0.16	<0.24	NA
10/7/15	NA	NA	NA	<0.50	ND	<0.41	0.62 J	<0.50	<0.23	<2.5	<0.50	<0.26	<0.50	<0.33	<0.18	<1.5	<0.50	<0.20	<0.24	NA	
10/18/16	NA	NA	NA	<0.50	ND	<0.41	<0.26	<0.50	<0.23	<2.5	<0.50	<0.26	<0.50	<0.33	<0.18	<1.5	<0.50	<0.20	<0.24	NA	
Abandoned 10-24-2017																					
MW-5D	10/23/07	0.010	13.0	<6.5	<0.20	ND	0.043 J	<u>54.0</u>	<0.10	<0.40	<1.0	<u>0.73 J</u>	0.92	<0.40	11.4	<0.20	<0.40	<0.10	<0.20	<0.20	<2.0
	10/7/14	NA	NA	NA	<0.50	ND	<0.41	<0.26	<0.50	<0.23	<2.5	<0.50	<0.26	<0.50	<0.33	<0.18	<1.50	<0.50	<0.16	<0.24	NA
	Abandoned 10-24-2017																				
MW-6	7/26/06	<0.010	10.1	<6.5	<0.15	ND	<0.15	6.15	<0.10	<0.40	<1.0	0.44 J	<0.10	<0.40	23.9	<0.15	<0.50	<0.10	<0.10	<0.15	<2.0
	10/17/06	0.016 J	8.71	<6.5	<0.15	ND	<0.15	3.15	<0.10	<0.40	<1.0	0.23 J	0.14 J	<0.40	11.2	<0.15	<0.50	<0.10	<0.10	<0.15	<2.0
	1/16/07	<0.010	9.14	<6.5	<0.15	ND	<0.15	2.67	<0.10	<0.40	<1.0	0.19 J	0.13 J	<0.40	10.1	<0.15	<0.50	<0.10	<0.10	<0.15	<2.0
	4/18/07	0.039	7.82	<6.5	<0.20	ND	<0.40	1.9	<0.10	<0.40	<1.0	<0.30	<0.20	<0.40	9.42	<0.20	<0.50	<0.30	<0.20	<0.20	<2.0
	7/17/07	<0.010	9.07	<6.5	<0.20	ND	<0.40	4.64	<0.10	<0.40	<1.0	<0.30	<0.20	<0.40	14.9	<0.20	<0.50	<0.30	<0.20	<0.20	<2.0
	10/25/07	0.049 J	10.1	<6.5	<0.20	ND	<0.40	4.38	<0.10	<0.40	<1.0	<0.30	<0.20	<0.40	14.2	<0.20	<0.50	<0.10	<0.20	<0.20	<2.0
	2/6/08	<0.010	10.2	<6.5	<0.20	ND	<0.40	3.23	<0.20	<0.40	<1.0	0.34 J	0.27 J	<0.40	12.1	<0.20	<0.40	<0.10	<0.30	<0.20	<2.0
	4/28/08	0.024 J	9.19	<6.5	<0.20	ND	<0.40	2.11	<0.20	<0.40	<1.0	<0.30	<0.20	<0.40	9.05	<0.20	<0.40	<0.10	<0.30	<0.20	<2.0
	7/28/08	<0.010	7.29	<6.5	<0.20	ND	<0.40	0.97 J	<0.20	<0.40	<1.0	<0.30	<0.20	<0.40	4.63	<0.20	<0.40	<0.10	<0.30	<0.20	<2.0
	10/22/08	<0.010	7.87	<6.5	<0.20	ND	<0.40	1.46	<0.20	<0.40	<1.0	<0.30	<0.20	<0.40	8.55	<0.20	<0.40	<0.10	<0.30	<0.20	<2.0
	1/9/09	0.014 J	6.91	<6.5	<0.20	ND	<0.40	1.45	<0.20	<0.40	<1.0	<0.30	<0.20	<0.40	8.53	<0.20	<0.40	<0.10	<0.30	<0.20	<2.0
	4/30/09	NA	NA	<6.5	<0.20	ND	<0.40	0.86 J	<0.20	<0.40	<1.0	<0.30	<0.20	<0.40	5.99	<0.20	<0.40	<0.10	<0.30	<0.20	<2.0
	10/18/09	NA	NA	<6.5	<0.20	ND	<0.40	4.72	<0.20	<0.40	<1.0	<0.30	<0.20	<0.40	16.7	<0.20	<0.40	<0.10	<0.30	<0.20	<2.0
	4/1/10	NA	NA	<6.5	<0.20	ND	<0.40	<0.40	<0.20	<0.40	<1.0	<0.30	<0.20	<0.40	<u>1.57</u>	<0.20	<0.40	<0.10	<0.30	<0.20	<2.0
	10/25/10	NA	NA	<6.5	<0.20	ND	<0.40	1.16 J	<0.20	<0.40	<1.0	<0.30	<0.20	<0.40	5.91	<0.20	<0.40	<0.10	<0.30	<0.20	<2.0
	10/24/11	NA	NA	<6.5	<0.20	ND	<0.40	1.04 J	<0.20	<0.40	<1.0	<0.30	<0.20	<0.40	4.70	<0.20	<0.40	<0.10	<0.30	<0.20	<2.0
	10/24/12	NA	NA	NA	<0.41	ND	<0.57	3.7	<0.54	<0.43	<0.89	<0.45	<0.89	<0.67	12.2	<0.18	<1.8	<0.86	<0.42	<0.75	NA
	10/21/13	NA	NA	NA	<0.50	ND	<0.43	<0.42	<0.50	<0.36	<2.5	<0.47	<0.37	<0.44	2.5	<0.18	<1.32	<0.35	<0.39	<0.28	NA
	10/8/14	NA	NA	NA	<0.50	ND	<0.41	0.92 J	<0.50	<0.23	<2.5	<0.50	<0.26	<0.50	3.5	<0.18	<1.50	<0.50	<0.16	<0.24	NA
	10/7/15	NA	NA	NA	<0.50	ND	<0.41	1.4	<0.50	<0.23	<2.5	<0.50	<0.26	<0.50	4.5	<0.18	<1.5	<0.50	<0.20	<0.24	NA
	10/18/16	NA	NA	NA	<0.50	ND	<0.41	1.1	<0.50	<0.23	<2.5	<0.50	<0.26	<0.50	3.5	<0.18	<1.5	<0.50	<0.20	<0.24	NA
	10/24/17	NA	NA	NA	<0.50	4.9	<0.41	0.34 J	<0.50	<0.23	<2.5	<0.50	<0.26	<0.50	1.9	<0.18	<1.5	<0.50	<0.20	<0.24	NA
	10/24/18	NA	NA	NA	<0.25	<2.2	<0.24	2.3	<0.22	<0.58	<1.2	<0.33	<1.1	<0.17	5.2	<0.17	<1.5	<0.47	<0.55	<0.27	NA
	10/21/19	NA	NA	NA	<0.25	<2.2	<0.24	0.30 J	<0.22	<0.58	<1.2	<0.33	<1.1	<0.17	<u>0.95 J</u>	<0.17	<1.5	<0.47	<0.55	<0.27	NA
	10/23/20	NA	NA	NA	<0.25	<2.2	<0.24	0.28 J	<0.32	<0.58	<1.2	<0.33	<0.46	<0.27	1.0	<0.17	<1.5	<3.0	<0.55	<0.27	NA

**TABLE 2
LABORATORY RESULTS OF GROUNDWATER SAMPLES COLLECTED FROM MONITORING WELLS
FORMER GORSKI LANDFILL, MOSINEE, WI
RAMBOLL PROJECT NO. 1690019237**

Well Location	Sample Date	Iron (mg/L)	Sulfate (mg/L)	Acetone (ug/L)	Benzene (ug/L)	Chloro methane (ug/L)	1,1-DCE (ug/L)	cDCE (ug/L)	Ethyl benzene (ug/L)	Methylene Chloride (ug/L)	Naphthalene (ug/L)	Tetrachloroethene (ug/L)	tDCE (ug/L)	Toluene (ug/L)	TCE (ug/L)	VC (ug/L)	Xylene Totals (ug/L)	Styrene (ug/L)	1,1,2-TCA (ug/L)	1,1-DCA (ug/L)	THF (ug/L)
MW-6D	4/18/07	<u>0.044</u>	7.74	<6.5	<0.20	ND	<0.40	2.00	<0.10	<0.40	<1.0	<0.30	<0.20	<0.40	9.86	<0.20	<0.50	<0.60	<0.20	<0.20	<2.0
	4/30/09	NA	NA	<6.5	<0.20	ND	<0.40	1.05 J	<0.10	<0.40	<1.0	<0.30	<0.20	<0.40	6.13	<0.20	<0.50	<0.60	<0.20	<0.20	<2.0
	10/18/09	NA	NA	<6.5	<0.20	ND	<0.40	4.65	<0.10	<0.40	<1.0	<0.30	<0.20	<0.40	16.8	<0.20	<0.50	<0.60	<0.20	<0.20	<2.0
PZ-1	8/8/03	<u>0.211</u>	140	NA	<0.31	ND	<0.39	<0.23	<0.5	<0.51	<0.8	<u>0.547</u>	<0.39	<0.3	6.46	<0.2	<0.92	<0.30	<0.5	<0.36	<2.0
	10/2/03	0.449	95.1	NA	<0.31	ND	<0.39	0.547	<0.5	<0.51	<0.8	<u>0.675</u>	<0.39	<0.3	7.35	<0.2	<0.92	<0.30	<0.5	<0.36	<2.0
	7/27/06	<u>0.199</u>	22.1	<1.4	<0.23	ND	<0.25	3.3	<0.21	<0.24	<0.37	<0.18	<0.29	<0.18	<u>1.3</u>	<0.16	<0.19	<0.18	<0.10	<0.15	<2.0
	10/18/06	<u>0.018</u>	60.0	<6.5	<0.15	ND	<0.15	3.16	<0.10	<0.40	<1.0	0.37	0.14	<0.40	<u>1.6</u>	<0.15	<0.40	<0.10	<0.10	<0.15	<2.0
	1/17/07	0.025 J	50.0	<6.5	<0.15	ND	<0.15	2.78	<0.10	<0.40	<1.0	0.28 J	0.10 J	<0.40	<u>1.13</u>	<0.15	<0.40	<0.10	<0.10	<0.15	<2.0
	4/18/07	<u>0.100</u>	20.3	<6.5	<0.20	ND	<0.15	3.23	<0.10	<0.40	<1.0	0.30	<0.20	<0.40	<u>1.28</u>	<0.20	<0.40	<0.10	<0.20	<0.20	<2.0
	7/19/07	<u>0.083</u>	27.7	<6.5	<0.20	ND	<0.15	2.87	<0.10	<0.40	<1.0	<0.30	<0.20	<0.40	<u>0.96</u>	<0.20	<0.40	<0.10	<0.20	<0.20	<2.0
	10/24/07	<u>0.151</u>	26.6	<6.5	<0.20	ND	<0.15	3.56	<0.10	<0.40	<1.0	<0.30	<0.20	<0.40	<u>0.97</u>	<0.20	<0.40	<0.10	<0.20	<0.20	<2.0
	2/6/08	<0.010	24.1	<6.5	<0.20	ND	<0.40	3.44	<0.20	<0.40	<1.0	0.49 J	<0.20	<0.40	<u>1.13 J</u>	<0.20	<0.40	<0.10	<0.30	<0.20	<2.0
	4/29/08	<0.010	25.4	<6.5	<0.20	ND	<0.40	2.39	<0.20	<0.40	<1.0	0.40 J	<0.20	<0.40	<u>0.59 J</u>	<0.20	<0.40	<0.10	<0.30	<0.20	<2.0
	7/28/08	0.39	15.4	<6.5	<0.20	ND	<0.40	2.08	<0.20	<0.40	<1.0	<0.30	<0.20	<0.40	<u>0.77J</u>	<0.20	<0.40	<0.10	<0.30	<0.20	<2.0
	10/23/08	<0.010	17.8	<6.5	<0.20	ND	<0.40	4.37	<0.20	<0.40	<1.0	<0.30	<0.20	<0.40	<u>1.22 J</u>	<0.20	<0.40	<0.10	<0.30	<0.20	<2.0
	1/9/09	0.049 J	15.5	<6.5	<0.20	ND	<0.40	5.66	<0.20	<0.40	<1.0	0.49 J	<0.20	<0.40	<u>1.46</u>	<0.20	<0.40	<0.10	<0.30	<0.20	<2.0
	4/30/09	NA	NA	<6.5	<0.20	ND	<0.40	4.75	<0.20	<0.40	<1.0	<0.30	<0.20	<0.40	<u>1.19 J</u>	<0.20	<0.40	<0.10	<0.30	<0.20	<2.0
	10/17/09	NA	NA	<6.5	<0.20	ND	<0.40	5.34	<0.20	<0.40	<1.0	0.31	<0.20	<0.40	<u>0.98 J</u>	<0.20	<0.40	<0.10	<0.30	<0.20	<2.0
	4/1/10	NA	NA	<6.5	<0.20	ND	<0.40	3.52	<0.20	<0.40	<1.0	0.36 J	<0.20	<0.40	<u>0.84 J</u>	<0.20	<0.40	<0.10	<0.30	<0.20	2.03 J
	10/27/10	NA	NA	<6.5	<0.20	ND	<0.40	2.57	<0.20	<0.40	<1.0	0.47 J	<0.20	<0.40	<u>0.72 J</u>	<0.20	<0.40	<0.10	<0.30	<0.20	<2.0
	10/25/11	NA	NA	<6.5	<0.20	ND	<0.40	2.70	<0.20	<0.40	<1.0	0.47 J	<0.20	<0.40	<u>0.51 J</u>	<0.20	<0.40	<0.10	<0.30	<0.20	<2.0
	10/23/12	NA	NA	NA	<0.41	ND	<0.57	2.1	<0.54	<0.43	<0.89	<0.45	<0.89	<0.67	<0.48	<0.18	<1.8	<0.86	<0.42	<0.75	NA
	10/21/13	NA	NA	NA	<0.50	ND	<0.43	0.44 J	<0.50	<0.36	<2.5	<0.47	<0.37	<0.44	<0.36	<0.18	<1.32	<0.35	<0.39	<0.28	NA
	10/7/14	NA	NA	NA	<0.50	ND	<0.41	0.51 J	<0.50	<0.23	<2.5	<0.50	<0.26	<0.50	<0.33	<0.18	<1.50	<0.50	<0.16	<0.24	NA
10/7/15	NA	NA	NA	<0.50	ND	<0.41	0.81 J	<0.50	<0.23	<2.5	<0.50	<0.26	<0.50	<0.33	<0.18	<1.5	<0.50	<0.20	<0.24	NA	
10/19/16	NA	NA	NA	<0.50	ND	<0.41	0.50 J	<0.50	<0.23	<2.5	<0.50	<0.26	<0.50	<0.33	<0.18	<1.5	<0.50	<0.20	<0.24	NA	
Abandoned 10-24-2017																					
PZ-1D	4/18/07	0.044	20.3	<6.5	<0.20	ND	<0.15	3.32	<0.10	<0.40	<1.0	0.31	<0.20	<0.40	<u>1.28</u>	<0.20	<0.40	<0.10	<0.20	<0.20	<2.0
	1/9/09	0.029 J	15.5	<6.5	<0.20	ND	<0.15	5.86	<0.10	<0.40	<1.0	0.60 J	<0.20	<0.40	<u>1.49</u>	<0.20	<0.40	<0.10	<0.20	<0.20	<2.0
	4/30/09	NA	NA	<6.5	<0.20	ND	<0.15	4.72	<0.10	<0.40	<1.0	0.45 J	<0.20	<0.40	<0.40	<0.20	<0.40	<0.10	<0.20	<0.20	<2.0
	10/17/09	NA	NA	<6.5	<0.20	ND	<0.15	5.45	<0.10	<0.40	<1.0	0.32 J	<0.20	<0.40	<0.40	<0.20	<0.40	<0.10	<0.20	<0.20	<2.0
Abandoned 10-24-2017																					
PZ-2	8/8/03	0.119	5.42	NA	<0.31	ND	<0.39	<0.23	<0.5	<0.51	<0.8	<0.32	<0.39	<0.3	<u>0.544</u>	<0.2	<0.92	<0.32	<0.5	<0.36	<2.0
	10/2/03	<u>0.206</u>	3.88	NA	<0.31	ND	<0.39	<0.23	<0.5	<0.51	<0.8	<0.32	<0.39	<0.3	<0.36	<0.2	<0.92	<0.32	<0.5	<0.36	<2.0
	7/27/06	13	7.76	<1.4	<0.23	ND	<0.25	<0.20	<0.21	<0.24	<0.37	<0.18	<0.29	<0.18	<0.13	<0.16	<0.19	<0.18	<0.10	<0.15	<2.0
	10/17/06	1.48	6.41	<6.5	<0.15	ND	<0.15	<0.20	<0.10	<0.40	<1.0	<0.10	<0.10	<0.40	<u>0.56</u>	<0.15	<0.50	<0.10	<0.10	<0.15	<2.0
	1/16/07	1.61	5.93	<6.5	<0.15	ND	<0.15	<0.20	<0.10	<0.40	<1.0	<0.10	<0.10	<0.40	<u>0.58</u>	<0.15	<0.50	<0.10	<0.10	<0.15	<2.0
	4/18/07	1.72	5.31	<6.5	<0.20	ND	<0.15	<0.20	<0.10	<0.40	<1.0	<0.30	<0.10	<0.40	<u>0.72</u>	<0.20	<0.50	<0.10	<0.20	<0.20	<2.0
	7/17/07	1.60	6.17	<6.5	<0.20	ND	<0.15	<0.20	<0.10	<0.40	<1.0	<0.30	<0.10	<0.40	<u>0.83</u>	<0.20	<0.50	<0.10	<0.20	<0.20	<2.0
	10/25/07	1.5	5.26	<6.5	<0.20	ND	<0.15	0.24 J	<0.10	<0.40	<1.0	<0.30	<0.10	<0.40	<u>0.64 J</u>	<0.20	<0.50	<0.10	<0.20	<0.20	<2.0
	2/6/08	1.79	4.85	<6.5	<0.20	ND	<0.40	<0.30	<0.20	<0.40	<1.0	<0.30	<0.20	<0.40	<u>0.77 J</u>	<0.20	<0.40	<0.10	<0.30	<0.20	<2.0
	4/28/08	1.26	5.16	<6.5	<0.20	ND	<0.40	<0.30	<0.20	<0.40	<1.0	<0.30	<0.20	<0.40	<u>0.84 J</u>	<0.20	<0.40	<0.10	<0.30	<0.20	<2.0
	7/29/08	1.13	6.43	<6.5	<0.20	ND	<0.40	<0.30	<0.20	<0.40	<1.0	<0.30	<0.20	<0.40	<u>0.78 J</u>	<0.20	<0.40	<0.10	<0.30	<0.20	<2.0
	10/22/08	1.64	3.90	<6.5	<0.20	ND	<0.40	<0.30	<0.20	<0.40	<1.0	<0.30	<0.20	<0.40	<0.40	<0.20	<0.40	<0.10	<0.30	<0.20	<2.0
	1/9/09	1.52	4.53	<6.5	<0.20	ND	<0.40	<0.30	<0.20	<0.40	<1.0	<0.30	0.50 J	<0.40	<u>1.24 J</u>	<0.20	<0.40	<0.10	<0.30	<0.20	<2.0

**TABLE 2
LABORATORY RESULTS OF GROUNDWATER SAMPLES COLLECTED FROM MONITORING WELLS
FORMER GORSKI LANDFILL, MOSINEE, WI
RAMBOLL PROJECT NO. 1690019237**

Well Location	Sample Date	Iron (ug/L)	Sulfate (ug/L)	Acetone (ug/L)	Benzene (ug/L)	Chloro methane (ug/L)	1,1-DCE (ug/L)	cDCE (ug/L)	Ethyl benzene (ug/L)	Methylene Chloride (ug/L)	Naph thalene (ug/L)	Tetrachlor- oethene (ug/L)	tDCE (ug/L)	Toluene (ug/L)	TCE (ug/L)	VC (ug/L)	Xylene Totals (ug/L)	Styrene (ug/L)	1,1,2-TCA (ug/L)	1,1-DCA (ug/L)	THF (ug/L)
PZ-2 (cont.)	4/30/09	NA	NA	<6.5	<0.20	ND	<0.40	<0.30	<0.20	<0.40	<1.0	<0.30	<0.50	<0.40	<0.40	<0.20	<0.40	<0.10	<0.30	<0.20	<2.0
	10/18/09	NA	NA	<6.5	<0.20	ND	<0.40	<0.30	<0.20	<0.40	<1.0	<0.30	<0.50	<0.40	<0.40	<0.20	<0.40	<0.10	<0.30	<0.20	<2.0
	4/1/10	NA	NA	<6.5	<0.20	ND	<0.40	<0.30	<0.20	<0.40	<1.0	<0.30	<0.50	<0.40	0.44 J	<0.20	<0.40	<0.10	<0.30	<0.20	<2.0
	10/25/10	NA	NA	<6.5	<0.20	ND	<0.40	<0.30	<0.20	<0.40	<1.0	<0.30	<0.50	<0.40	1.45	<0.20	<0.40	<0.10	<0.30	<0.20	<2.0
	10/24/11	NA	NA	<6.5	<0.20	ND	<0.40	<0.30	<0.20	<0.40	<1.0	<0.30	<0.50	<0.40	<0.40	<0.20	<0.40	<0.10	<0.30	<0.20	<2.0
	10/24/12	NA	NA	NA	<0.41	ND	<0.57	<0.83	<0.54	<0.43	<0.89	<0.45	<0.89	<0.67	<0.48	<0.18	<1.8	<0.86	<0.42	<0.75	NA
	10/21/13	NA	NA	NA	NA	ND	<0.43	<0.42	<0.50	<0.36	<2.5	<0.47	<0.37	<0.44	<0.36	<0.18	<1.32	<0.35	<0.39	<0.28	NA
	10/8/14	NA	NA	NA	<0.50	ND	<0.41	<0.26	<0.50	<0.23	<2.5	<0.50	<0.26	<0.50	<0.33	<0.18	<1.50	<0.50	<0.16	<0.24	NA
	10/7/15	NA	NA	NA	<0.50	ND	<0.41	<0.26	<0.50	<0.23	<2.5	<0.50	<0.26	<0.50	<0.33	<0.18	<1.5	<0.50	<0.20	<0.24	NA
	10/18/16	NA	NA	NA	<0.50	ND	<0.41	<0.26	<0.50	<0.23	<2.5	<0.50	<0.26	<0.50	<0.33	<0.18	<1.5	<0.50	<0.20	<0.24	NA
Abandoned 10-24-2017																					
PZ-2D	10/2/03	0.306	4.09	NA	<0.31	ND	<0.39	<0.23	<0.5	<0.51	<0.8	<0.32	<0.39	<0.3	<0.36	<0.2	<0.92	<0.32	<0.5	<0.36	<2.0
	7/27/06	2.12	7.94	<1.4	<0.23	ND	<0.25	<0.20	<0.21	<0.24	<0.37	<0.18	<0.29	<0.18	<0.13	<0.16	<0.19	<0.18	<0.10	<0.15	<2.0
	10/17/06	1.46	6.35	<6.5	<0.15	ND	<0.15	<0.20	<0.10	<0.40	<1.0	<0.10	<0.10	<0.40	0.58	<0.15	<0.50	<0.10	<0.10	<0.15	<2.0
	7/28/08	1.17	5.03	<6.5	<0.15	ND	<0.15	<0.20	<0.10	<0.40	<1.0	<0.10	<0.10	<0.40	0.88J	<0.15	<0.50	<0.10	<0.10	<0.15	<2.0
	10/22/08	1.51	3.84	<6.5	<0.15	ND	<0.15	<0.20	<0.10	<0.40	<1.0	<0.10	<0.10	<0.40	<0.40	<0.15	<0.50	<0.10	<0.10	<0.15	<2.0
	10/18/16	NA	NA	NA	<0.50	ND	<0.41	<0.26	<0.50	<0.23	<2.5	<0.50	<0.26	<0.50	<0.33	<0.18	<1.50	<0.50	<0.20	<0.24	NA
Abandoned 10-24-2017																					
PZ-3	7/27/06	<0.010	5.85	19	4.8	ND	12	4,000	23	<0.24	1.4	<0.18	27	6.5	300	580	5.4	<0.18	<0.24	<0.15	<200
	9/6/06	NA	NA	<32.5	5.3	ND	11	4,300	35.6	<2.00	<5.00	<0.50	28.4	7.75	356	685	9.89	<0.50	1.20 J^A	<0.75	<200
	10/18/06	<0.010	10.7	<65	3.17	ND	6.45	2,470	18.4	<4.00	<1.00	<1.0	25.7	5.07	261	677	3.36	<1.0	1.00 J^A	<1.5	<200
	1/17/07	0.011 J	54.2	<6.5	0.16 J	ND	6.4	1,650	<0.10	<0.40	<1.00	0.14 J	16.1	<0.40	99.8	9.71	<0.40	<1.0	0.6^A	0.20 J	<200
	4/17/07	0.029	50.7	<32.5	<1.00	ND	3.31	1,480	<0.50	<2.00	<5.00	<1.50	8.82	<2.00	47.9	11.1	<2.00	<1.5	<1	<1	<200
	7/19/07	<0.010	49.1	<650	<20	ND	<40	1,410	<10	<40	<100	<30	<20	<40	53.9	<20	<40	<10	<20	<20	<200
	10/24/07	0.061 J	20.7	<6.5	5.08	ND	9.18	2,530	35.9	<0.40	1.68 J	<0.30	31.3	11.5	118	392	3.37	<0.10	1.09^A	0.28 J	<200
	2/6/08	0.223	6.05	<6.5	5.41	ND	8.98	2,830	16.5	<0.40	1.05 J	<0.30	36.7	9.1	109 J	593	5.38	<0.10	0.92 J^A	0.32 J	<200
	4/29/08	1.37	6.94	<65	5.69 J	ND	14	3,240	14	<4.0	<10	<3.0	109	9.93 J	160	945	2.21 J	<1.0	<3.0	<2.0	<200
	7/29/08	<0.010	33.3	<65	<2.00	ND	4.11J	1,570	<2.0	<4.0	<10	<3.0	13.9	<4.0	55.7	10.1	<4.0	<1.0	<3.0	<2.0	<200
	10/23/08	<0.010	29.7	<65	0.27 J	ND	4.5	1,500	0.61 J	<4.0	<10	<3.0	22.5	0.47 J	72.7	39.1	<4.0	<1.0	<3.0	<2.0	<200
	1/9/09	<0.010	8.16	<650	<20	ND	<40	3,470	<20	<40	<100	<30	43.5	<40	141	771	<20	<10	<30	<20	<200
	4/30/09	NA	NA	<650	<20	ND	<40	3,870	33.8 J	<40	<100	<30	<50	<40	189	920	77.3 J	<10	<30	<20	<200
	10/17/09	NA	NA	<6.50	<0.20	ND	3.79	1,300	<0.20	<0.40	<1.00	<0.30	15.8	<0.40	40.2	3.95	<0.40	<0.10	0.50 J	<0.40	<200
	4/1/10	NA	NA	<650	<20	ND	<40	1,600	<20	<40	<100	<30	<50	<40	<40	<10	<40	<10	<40	<40	<200
	10/27/10	NA	NA	<650	<20	ND	<40	936	<20	<40	<100	<30	<50	<40	<40	<10	<40	<10	<40	<40	<200
	10/24/11	NA	NA	<6.5	<0.20	ND	1.7	752	<0.20	<0.40	<1.0	<0.30	8.09	<0.40	12.7	4.36	<0.40	0.2	<0.30	<0.20	<2.0
	10/23/12	NA	NA	NA	<1.6	ND	<2.3	340	<2.2	<1.7	<3.6	<1.8	4.2	<2.7	6.1	<0.72	<0.72	<3.4	<1.7	<3.0	NA
	10/21/13	NA	NA	NA	<0.50	ND	<0.43	186	<0.50	<0.36	<2.5	<0.47	2.8	<0.44	5.2	0.38 J	<1.32	<0.35	<0.39	<0.28	NA
	10/7/14	NA	NA	NA	<0.50	ND	<0.41	86.5	<0.50	<0.23	<2.5	<0.50	1.7	<0.50	3.5	0.81 J	<1.50	<0.50	<0.16	<0.24	NA
	10/7/15	NA	NA	NA	<0.50	ND	<0.41	47.5	<0.50	<0.23	<2.5	<0.50	<0.26	<0.50	3.0	<0.18	<1.5	<0.50	<0.20	<0.24	NA
	10/19/16	NA	NA	NA	<0.50	ND	<0.41	28.2	<0.50	<0.23	<2.5	<0.50	0.84 J	<0.50	2.4	<0.18	<1.5	<0.50	<0.20	<0.24	NA
	10/24/17	NA	NA	NA	<0.50	3.1	<0.41	14.9	<0.50	<0.23	<2.5	<0.50	0.59 J	<0.50	1.7	<0.18	<1.5	<0.50	<0.20	<0.24	NA
10/24/18	NA	NA	NA	<0.25	<2.2	<0.24	10.4	<0.22	<0.58	<1.2	<0.33	<1.1	<0.17	1.2	<0.17	<1.5	<0.47	<0.55	<0.27	NA	
10/21/19	NA	NA	NA	<0.25	<2.2	<0.24	10.6	<0.22	<0.58	<1.2	<0.33	<1.1	<0.17	1.1	<0.17	<1.5	<0.47	<0.55	<0.27	NA	
10/23/20	NA	NA	NA	<0.25	<2.2	<0.24	11.4	<0.32	<0.58	<1.2	<0.33	0.62 J	<0.27	0.90 J	<0.17	<1.5	<3.0	<0.55	<0.27	NA	
PZ-3D	7/19/07	<0.010	47.9	<650	<20	ND	<40	1,400	<10	<40	<100	<30	<20	<40	59.7 J	<20	<20	<10	<20	<20	<200
	4/29/08	1.43	6.98	<65	6.65 J	ND	10.3 J	3,670	13.7	<4.0	<10	<3.0	94.6	11.6 J	158	981	3.67 J	<1.0	<3.0	<2.0	<200
	10/24/11	NA	NA	<6.5	<0.20	ND	1.37	667	<0.20	<0.40	<1.0	<0.30	7.43	<0.40	11.3	3.59	<0.40	0.27 J	<0.30	<0.20	<2.0
	10/24/12	NA	NA	NA	<1.6	ND	<2.3	348	<2.2	<1.7	<3.6	<1.8	5.5	<2.7	6.2	0.99 J	<7.2	<3.4	<1.7	<3.0	NA

**TABLE 2
LABORATORY RESULTS OF GROUNDWATER SAMPLES COLLECTED FROM MONITORING WELLS
FORMER GORSKI LANDFILL, MOSINEE, WI
RAMBOLL PROJECT NO. 1690019237**

Well Location	Sample Date	Iron (ug/L)	Sulfate (mg/L)	Acetone (ug/L)	Benzene (ug/L)	Chloro methane (ug/L)	1,1-DCE (ug/L)	cDCE (ug/L)	Ethyl benzene (ug/L)	Methylene Chloride (ug/L)	Naphthalene (ug/L)	Tetrachloroethene (ug/L)	tDCE (ug/L)	Toluene (ug/L)	TCE (ug/L)	VC (ug/L)	Xylene Totals (ug/L)	Styrene (ug/L)	1,1,2-TCA (ug/L)	1,1-DCA (ug/L)	THF (ug/L)
PZ-4	7/26/06	<0.010	8.36	<6.5	<0.15	ND	<0.15	2.78	<0.10	<0.40	<1.0	0.46 J	<0.10	<0.40	16.5	<0.15	<0.50	<0.10	<0.10	<0.15	<2.0
	10/17/06	<0.010	7.60	<6.5	<0.15	ND	<0.15	3.04	<0.10	<0.40	<1.0	0.48 J	0.13 J	<0.40	16	<0.15	<0.50	<0.10	<0.10	<0.15	<2.0
	1/16/07	<0.010	7.96	<6.5	<0.15	ND	<0.15	3.27	<0.10	<0.40	<1.0	0.59	0.12 J	<0.40	17.8	<0.15	<0.50	<0.10	<0.10	<0.15	<2.0
	4/18/07	0.033	7.56	<6.5	<0.20	ND	<0.40	3.51	<0.10	<0.40	<1.0	0.63	<0.20	<0.40	21.1	<0.20	<0.40	<0.10	<0.20	<0.20	<2.0
	7/17/07	<0.010	8.01	<6.5	<0.20	ND	<0.40	2.53	<0.10	<0.40	<1.0	0.35 J	<0.20	<0.40	13.6	<0.20	<0.40	<0.10	<0.20	<0.20	<2.0
	10/25/07	<0.010	8.46	<6.5	<0.20	ND	<0.40	3.14	<0.10	<0.40	<1.0	0.42 J	<0.20	<0.40	16.1	<0.20	<0.40	<0.10	<0.20	<0.20	<2.0
	2/7/08	<0.010	7.46	<6.5	<0.20	ND	<0.40	3.87	<0.20	<0.40	<1.0	0.60 J	0.34 J	<0.40	17.5	<0.20	<0.40	<0.10	<0.30	<0.20	<2.0
	4/28/08	<0.010	7.59	<6.5	<0.20	ND	<0.40	3.68	<0.20	<0.40	<1.0	0.80 J	0.34 J	<0.40	20.4	<0.20	<0.40	<0.10	<0.30	<0.20	<2.0
	7/28/08	<0.010	7.29	<6.5	<0.20	ND	<0.40	4.58	<0.20	<0.40	<1.0	0.56 J	<0.20	<0.40	20	<0.20	<0.40	<0.10	<0.30	<0.20	<2.0
	10/22/08	<0.010	8.03	<6.5	<0.20	ND	<0.40	5.25	<0.20	<0.40	<1.0	0.62 J	<0.20	<0.40	21.4	<0.20	<0.40	<0.10	<0.30	<0.20	<2.0
	1/9/09	<0.010	7.39	<6.5	<0.20	ND	<0.40	4.89	<0.20	<0.40	<1.0	0.60 J	<0.20	<0.40	21.5	<0.20	<0.40	<0.10	<0.30	<0.20	<2.0
	4/30/09	NA	NA	<6.5	<0.20	ND	<0.40	4.45	<0.20	<0.40	<1.0	<0.30	<0.20	<0.40	19.2	<0.20	<0.40	<0.10	<0.30	<0.20	<2.0
	10/18/09	NA	NA	<6.5	<0.20	ND	<0.40	3.40	<0.20	<0.40	<1.0	0.39 J	<0.20	<0.40	14.7	<0.20	<0.40	<0.10	<0.30	<0.20	<2.0
	4/1/10	NA	NA	<6.5	<0.20	ND	<0.40	3.75	<0.20	<0.40	<1.0	0.44 J	<0.20	<0.40	17.4	<0.20	<0.40	<0.10	<0.30	<0.20	<2.0
	10/25/10	NA	NA	<6.5	<0.20	ND	<0.40	4.48	<0.20	<0.40	<1.0	0.61 J	<0.20	<0.40	21.6	<0.20	<0.40	<0.10	<0.30	<0.20	<2.0
	10/24/11	NA	NA	<6.5	<0.20	ND	<0.40	3.43	<0.20	<0.40	<1.0	0.34 J	<0.20	<0.40	13.8	<0.20	<0.40	<0.10	<0.30	<0.20	<2.0
	10/24/12	NA	NA	NA	<0.41	ND	<0.57	4.5	<0.54	<0.43	<0.89	0.49 J	<0.89	<0.67	18.3	<0.18	<1.8	<0.86	<0.42	<0.75	NA
	10/21/13	NA	NA	NA	<0.50	ND	<0.43	4.2	<0.50	<0.36	<2.5	<0.47	<0.37	<0.44	15.9	<0.18	<1.32	<0.35	<0.39	<0.28	NA
	10/8/14	NA	NA	NA	<0.50	ND	<0.41	3.5	<0.50	<0.23	<2.5	<0.50	<0.26	<0.50	11.9	<0.18	<1.50	<0.50	<0.16	<0.24	NA
	10/7/15	NA	NA	NA	<0.50	ND	<0.41	1.4	<0.50	<0.23	<2.5	<0.50	<0.26	<0.50	8.8	<0.18	<1.5	<0.50	<0.20	<0.24	NA
10/18/16	NA	NA	NA	<0.50	ND	<0.41	2.1	<0.50	<0.23	<2.5	<0.50	<0.26	<0.50	8.1	<0.18	<1.5	<0.50	<0.20	<0.24	NA	
10/24/17	NA	NA	NA	<0.50	12.2	<0.41	1.5	<0.50	<0.23	<2.5	<0.50	<0.26	<0.50	6.2	<0.18	<1.5	<0.50	<0.20	<0.24	NA	
10/24/18	NA	NA	NA	<0.25	<2.2	<0.24	1.4	<0.22	<0.58	<1.2	<0.33	<1.1	<0.17	6.6	<0.17	<1.5	<0.47	<0.55	<0.27	NA	
10/21/19	NA	NA	NA	<0.25	<2.2	<0.24	1.7	<0.22	<0.58	<1.2	<0.33	<1.1	<0.17	5.4	<0.17	<1.5	<0.47	<0.55	<0.27	NA	
10/23/20	NA	NA	NA	<0.25	<2.2	<0.24	1.5	<0.32	<0.58	<1.2	<0.33	<0.46	<0.27	3.7	<0.17	<1.5	<3.0	<0.55	<0.27	NA	
PZ-4D	10/25/07	<0.010	8.37	<6.5	<0.20	ND	<0.40	3.1	<0.10	<0.40	<1.0	0.43 J	<0.20	<0.40	16	<0.20	<0.40	<0.10	<0.20	<0.20	<2.0
	2/7/08	<0.010	7.43	<6.5	<0.20	ND	<0.40	3.69	<0.20	<0.40	<1.0	0.62 J	0.28 J	<0.40	17.7	<0.20	<0.40	<0.10	<0.30	<0.20	<2.0
G-2	8/8/03	0.025	5.66	NA	<0.31	ND	<0.39	<0.23	<0.5	<0.51	<0.8	<0.32	<0.39	<0.3	<0.36	<0.2	<0.92	<0.10	<0.5	<0.36	<2.0
	4/18/07	0.027	5.29	<6.5	<0.20	ND	<0.40	<0.20	<0.10	<0.40	<1.0	<0.30	<0.20	<0.40	<0.20	<0.20	<0.40	<0.10	<0.20	<0.20	<2.0
	10/23/07	0.010	6.30	<6.5	<0.20	ND	<0.40	<0.20	<0.10	<0.40	<1.0	<0.30	<0.20	<0.40	<0.20	<0.20	<0.40	<0.10	<0.20	<0.20	<2.0
	4/29/08	<0.010	5.48	<6.5	<0.20	ND	<0.40	<0.20	<0.10	<0.40	<1.0	<0.30	<0.20	<0.40	<0.20	<0.20	<0.40	<0.10	<0.20	<0.20	<2.0
	10/22/10	NA	NA	<6.5	<0.20	ND	<0.40	<0.20	<0.10	<0.40	<1.0	<0.30	<0.20	<0.40	<0.20	<0.20	<0.40	<0.10	<0.20	<0.20	<2.0
Abandoned 10-21-2013																					
G-3	7/28/03	NA	NA	NA	<1	ND	<1	<1	<1	<5	<5	<1	<1	<1	<1	<2	<3	<1	<1	<1	<2.0
	8/8/03	0.022	25.8	NA	<0.31	ND	<0.39	<0.23	<0.5	<0.51	<0.8	<0.32	<0.39	<0.3	<0.36	<0.2	<0.92	<0.32	<0.5	<0.36	<2.0
	10/2/03	<0.01	14.6	NA	<0.31	ND	<0.39	<0.23	<0.5	<0.51	<0.8	<0.32	<0.39	<0.3	<0.36	<0.2	<0.92	<0.32	<0.5	<0.36	<2.0
	7/26/06	0.108	21.4	<6.5	<0.15	ND	<0.15	<0.20	<0.10	<0.40	<1.0	<0.01	<0.10	<0.40	<0.02	<0.15	<0.50	<0.10	<0.10	<0.15	<2.0
	10/18/06	0.043	12	<6.5	<0.15	ND	<0.15	<0.20	<0.10	<0.40	<1.0	<0.10	<0.10	<0.40	<0.020	<0.15	<0.50	<0.10	<0.10	<0.15	<2.0
	1/18/07	0.013	18.7	<6.5	<0.15	ND	<0.15	<0.20	<0.10	<0.40	<1.0	<0.10	<0.10	<0.40	<0.020	<0.15	<0.50	<0.10	<0.10	<0.15	<2.0
	4/17/07	0.025	11.5	<6.5	<0.15	ND	<0.15	<0.20	<0.10	<0.40	<1.0	<0.10	<0.10	<0.40	<0.020	<0.20	<0.50	<0.10	<0.20	<0.20	<2.0
	7/17/07	<0.010	16.6	<6.5	<0.15	ND	<0.15	<0.20	<0.10	<0.40	<1.0	<0.10	<0.10	<0.40	<0.020	<0.20	<0.50	<0.10	<0.20	<0.20	<2.0
	10/24/07	<0.010	18.4	<6.5	<0.15	ND	<0.15	<0.20	<0.10	<0.40	<1.0	<0.10	<0.10	<0.40	<0.020	<0.20	<0.50	<0.10	<0.20	<0.20	<2.0
	2/6/08	<0.010	28	<6.5	<0.20	ND	<0.40	0.41 J	<0.20	<0.40	<1.0	<0.30	<0.20	<0.40	<0.40	<0.20	<0.40	<0.10	<0.30	<0.20	<2.0
	4/29/08	<0.010	21.9	<6.5	<0.20	ND	<0.40	<0.30	<0.20	<0.40	<1.0	<0.30	<0.20	<0.40	<0.40	<0.20	<0.40	<0.10	<0.30	<0.20	<2.0
	7/29/08	<0.010	12.4	<6.5	<0.20	ND	<0.40	0.38J	<0.20	<0.40	<1.0	<0.30	<0.20	<0.40	<0.40	<0.20	<0.40	<0.10	<0.30	<0.20	<2.0
	10/22/08	0.015 J	23.7	<6.5	<0.20	ND	<0.40	0.38J	<0.20	<0.40	<1.0	<0.30	<0.20	<0.40	<0.40	<0.20	<0.40	<0.10	<0.30	<0.20	<2.0
	1/8/09	0.033 J	29.5	<6.5	<0.20	ND	<0.40	<0.30	<0.20	<0.40	<1.0	<0.30	<0.20	<0.40	<0.40	<0.20	<0.40	<0.10	<0.30	<0.20	<2.0
10/17/09	NA	NA	<6.5	<0.20	ND	<0.40	<0.30	<0.20	<0.40	<1.0	<0.30	<0.20	<0.40	<0.40	<0.20	<0.40	<0.10	<0.30	<0.20	<2.0	
10/22/10	NA	NA	<6.5	<0.20	ND	<0.40	<0.30	<0.20	<0.40	<1.0	<0.30	<0.20	<0.40	<0.40	<0.20	<0.40	<0.10	<0.30	<0.20	<2.0	
G-3D	7/19/07	<0.010	20.8	<6.5	<0.15	ND	<0.15	<0.20	<0.10	<0.40	<1.0	<0.10	<0.10	<0.40	<0.020	<0.20	<0.50	<0.10	<0.20	<0.20	<2.0
	2/6/08	<0.																			

**TABLE 2
LABORATORY RESULTS OF GROUNDWATER SAMPLES COLLECTED FROM MONITORING WELLS
FORMER GORSKI LANDFILL, MOSINEE, WI
RAMBOLL PROJECT NO. 1690019237**

Well Location	Sample Date	Iron (mg/L)	Sulfate (mg/L)	Acetone (ug/L)	Benzene (ug/L)	Chloro methane (ug/L)	1,1-DCE (ug/L)	cDCE (ug/L)	Ethyl benzene (ug/L)	Methylene Chloride (ug/L)	Naphthalene (ug/L)	Tetrachloroethene (ug/L)	tDCE (ug/L)	Toluene (ug/L)	TCE (ug/L)	VC (ug/L)	Xylene Totals (ug/L)	Styrene (ug/L)	1,1,2-TCA (ug/L)	1,1-DCA (ug/L)	THF (ug/L)
G-4A	7/28/03	NA	NA	NA	<1	ND	<1	<1	<1	<5	<5	<1	<1	<1	<1	<2	<3	<1	<1	<1	<2.0
	8/8/03	0.016	7.13	NA	<0.31	ND	<0.39	<0.23	<0.5	<0.51	<0.8	<0.32	<0.39	<0.3	<0.36	<0.2	<0.92	<0.32	<0.5	<0.36	<2.0
	10/2/03	0.0482	8.29	NA	<0.31	ND	<0.39	<0.23	<0.5	<0.51	<0.8	<0.32	<0.39	<0.3	<0.36	<0.2	<0.92	<0.32	<0.5	<0.36	<2.0
	7/28/06	<0.010	11.5	<1.4	<0.23	ND	<0.25	<0.20	<0.21	<0.24	<0.37	<0.18	<0.29	<0.18	<0.13	<0.16	<0.19	<0.10	<0.10	<0.15	<2.0
	10/18/06	<0.010	5.7	<6.5	<0.15	ND	<0.15	<0.20	<0.10	<0.40	<1.0	<0.70	<0.10	<0.40	<0.20	<0.15	<0.40	<0.10	<0.10	<0.15	<2.0
	1/17/07	<0.010	7.76	<6.5	<0.15	ND	<0.15	0.73	<0.10	<0.40	<1.0	<0.70	<0.10	<0.40	<0.20	<0.15	<0.40	<0.10	<0.10	<0.15	<2.0
	4/18/07	0.31	6.69	<6.5	<0.20	ND	<0.15	<0.20	<0.10	<0.40	<1.0	<0.70	<0.10	<0.40	<0.20	<0.20	<0.40	<0.10	<0.20	<0.20	<2.0
	7/19/07	<0.010	9.23	<6.5	<0.20	ND	<0.15	<0.20	<0.10	<0.40	<1.0	<0.70	<0.10	<0.40	<0.20	<0.20	<0.40	<0.10	<0.20	<0.20	<2.0
	10/23/07	0.016 J	10.7	<6.5	<0.20	ND	<0.15	<0.20	<0.10	<0.40	<1.0	<0.70	<0.10	<0.40	<0.20	<0.20	<0.40	<0.10	<0.20	<0.20	<2.0
	2/6/08	<0.010	7.32	<6.5	<0.20	ND	<0.40	<0.30	<0.20	<0.40	<1.0	<0.30	<0.20	<0.40	<0.40	<0.20	<0.40	<0.10	<0.30	<0.20	<2.0
	4/29/08	<0.010	9.25	<6.5	<0.20	ND	<0.40	<0.30	<0.20	<0.40	<1.0	<0.30	<0.20	<0.40	<0.40	<0.20	<0.40	<0.10	<0.30	<0.20	<2.0
	7/29/08	<0.010	6.72	<6.5	<0.20	ND	<0.40	<0.30	<0.20	<0.40	<1.0	<0.30	<0.20	<0.40	<0.40	<0.20	<0.40	<0.10	<0.30	<0.20	<2.0
	10/23/08	<0.010	10.4	<6.5	<0.20	ND	<0.40	<0.30	<0.20	<0.40	<1.0	<0.30	<0.20	<0.40	<0.40	<0.20	<0.40	<0.10	<0.30	<0.20	<2.0
	10/17/09	NA	NA	<6.5	<0.20	ND	<0.40	<0.30	<0.20	<0.40	<1.0	<0.30	<0.20	<0.40	<0.40	<0.20	<0.40	<0.10	<0.30	<0.20	<2.0
	10/29/10	NA	NA	<6.5	<0.20	ND	<0.40	<0.30	<0.20	<0.40	<1.0	<0.30	<0.20	<0.40	<0.40	<0.20	<0.40	<0.10	<0.30	<0.20	<2.0
	10/25/11	NA	NA	<6.5	<0.20	ND	<0.40	<0.30	<0.20	<0.40	<1.0	<0.30	<0.20	<0.40	<0.40	<0.20	<0.40	<0.10	<0.30	<0.20	<2.0
	10/24/12	NA	NA	NA	<0.41	ND	<0.57	<0.83	<0.54	<0.43	<0.89	<0.45	<0.89	<0.67	<0.48	<0.18	<1.8	<0.86	<0.42	<0.75	NA
Abandoned 10-21-2013																					
G-4B	7/28/03	NA	NA	NA	<1	ND	<1	<1	<1	<5	<5	<1	<1	<1	<1	<2	<3	<1	<1	<1	<2.0
	8/8/03	0.04	6.15	NA	<0.31	ND	<0.39	<0.23	<0.5	<0.51	<0.8	<0.32	<0.39	<0.3	<0.36	<0.2	<0.92	<0.32	<0.5	<0.36	<2.0
	10/2/03	0.0433	7.47	NA	<0.31	ND	<0.39	<0.23	<0.5	<0.51	<0.8	<0.32	<0.39	<0.3	<0.36	<0.2	<0.92	<0.32	<0.5	<0.36	<2.0
	7/28/06	<0.010	12.1	20	<0.23	ND	<0.25	<0.20	<0.21	<0.24	<0.37	<0.18	<0.29	<0.18	<0.13	<0.16	<0.19	<0.18	<0.10	<0.15	<2.0
	10/18/06	0.041 J	11.4	19.7	<0.15	ND	<0.15	<0.20	0.14 J	<0.40	<1.00	<0.10	<0.10	<0.40	<0.20	<0.15	<0.40	<0.10	<0.10	<0.15	<2.0
	1/17/07	0.032 J	14.1	15.7 J	<0.15	ND	<0.15	0.20 J	<0.10	<0.40	<1.00	<0.10	<0.10	<0.40	<0.20	<0.15	<0.40	<0.10	<0.10	<0.15	<2.0
	4/18/07	0.052	13.4	8.67	<0.20	ND	<0.15	<0.10	<0.10	<0.40	<1.00	<0.10	<0.10	<0.40	<0.20	<0.20	<0.40	<0.10	<0.20	<0.20	<2.0
	7/19/07	0.025	14.7	9.37	<0.20	ND	<0.15	<0.10	<0.10	<0.40	<1.00	<0.10	<0.10	<0.40	<0.20	<0.20	<0.40	0.21 J	<0.20	<0.20	<2.0
	10/24/07	0.021 J	14.5	10.9 J	<0.20	ND	<0.15	<0.10	0.10 J	<0.40	<1.00	<0.10	<0.10	<0.40	<0.20	<0.20	<0.40	<0.010	<0.20	<0.20	<2.0
	2/6/08	0.017 J	12.9	9.92 J	<0.20	ND	<0.40	0.60 J	<0.20	<0.40	<1.00	<0.30	<0.20	<0.40	<0.40	<0.20	<0.40	0.337 J	<0.30	<0.20	<2.0
	4/29/08	0.020 J	12.6	9.06 J	<0.20	ND	<0.40	<0.30	<0.20	<0.40	<1.00	<0.30	<0.20	<0.40	<0.40	<0.20	<0.40	0.21 J	<0.30	<0.20	<2.0
	7/29/08	0.017J	11.7	8.23J	<0.20	ND	<0.40	0.48J	<0.20	<0.40	<1.00	<0.30	<0.20	<0.40	<0.40	<0.20	<0.40	0.31J	<0.30	<0.20	<2.0
	10/23/08	0.017J	12.6	6.97 J	<0.20	ND	<0.40	<0.30	<0.20	<0.40	<1.00	<0.30	<0.20	<0.40	<0.40	<0.20	<0.40	0.31J	<0.30	<0.20	<2.0
	1/9/09	0.016 J	11.2	7.73 J	<0.20	ND	<0.40	<0.30	<0.20	<0.40	<1.00	<0.30	<0.20	<0.40	<0.40	<0.20	<0.40	0.28 J	<0.30	<0.20	<2.0
	10/17/09	NA	NA	10.9	<0.20	ND	<0.40	<0.30	<0.20	<0.40	<1.00	<0.30	<0.20	<0.40	<0.40	<0.20	<0.40	0.22	<0.30	<0.20	<2.0
	10/29/10	NA	NA	11.1	<0.20	ND	<0.40	<0.30	<0.20	<0.40	<1.00	<0.30	<0.20	<0.40	<0.40	<0.20	<0.40	0.12	<0.30	<0.20	<2.0
	10/25/11	NA	NA	10.5 J	<0.20	ND	<0.40	<0.30	<0.20	<0.40	<1.00	<0.30	<0.20	<0.40	<0.40	<0.20	<0.40	0.25 J	<0.30	<0.20	<2.0
10/24/12	NA	NA	NA	<0.41	ND	<0.57	<0.83	<0.54	<0.43	<0.89	<0.45	<0.89	<0.67	<0.48	<0.18	<1.8	<0.86	<0.42	<0.75	NA	
Abandoned 10-21-2013																					

**TABLE 2
LABORATORY RESULTS OF GROUNDWATER SAMPLES COLLECTED FROM MONITORING WELLS
FORMER GORSKI LANDFILL, MOSINEE, WI
RAMBOLL PROJECT NO. 1690019237**

Well Location	Sample Date	Iron (mg/L)	Sulfate (mg/L)	Acetone (ug/L)	Benzene (ug/L)	Chloro methane (ug/L)	1,1-DCE (ug/L)	cDCE (ug/L)	Ethyl benzene (ug/L)	Methylene Chloride (ug/L)	Naphthalene (ug/L)	Tetrachloroethene (ug/L)	tDCE (ug/L)	Toluene (ug/L)	TCE (ug/L)	VC (ug/L)	Xylene Totals (ug/L)	Styrene (ug/L)	1,1,2-TCA (ug/L)	1,1-DCA (ug/L)	THF (ug/L)
G-5	7/28/03	NA	NA	NA	<1	ND	<1	<u>15</u>	<1	<5	<5	<1	<1	<1	6.2	<2	<3	<1	<1	<1	<2.0
	8/8/03	<0.01	11.7	NA	<0.31	ND	<0.39	<u>19.9</u>	<0.5	<0.51	<0.8	<u>0.813</u>	<0.39	<0.3	8.09	<0.2	<0.92	<0.5	<0.5	<0.36	<2.0
	10/2/03	0.0213	10.5	NA	<0.31	ND	<0.39	<u>10.6</u>	<0.5	<0.51	<0.8	<u>0.739</u>	<0.39	<0.3	5.07	<0.2	<0.92	<0.5	<0.5	<0.36	<2.0
	7/26/06	<0.010	20.8	<6.5	<0.15	ND	<0.15	6.33	<0.10	<0.40	<1.0	0.37 J	<0.10	<0.40	<u>1.73</u>	<0.15	<0.50	<0.1	<0.10	<0.15	<2.0
	10/18/06	<0.010	13.9	<6.5	<0.15	ND	<0.15	4.39	<0.10	<0.40	<1.0	0.48	<0.10	<0.40	<u>1.26</u>	<0.15	<0.40	<0.1	<0.10	<0.15	<2.0
	1/17/07	0.021 J	25.6	<6.5	<0.15	ND	<0.15	3.31	<0.10	<0.40	<1.0	0.32 J	<0.10	<0.40	<u>0.82</u>	<0.15	<0.40	<0.1	<0.10	<0.15	<2.0
	4/18/07	0.017	13.2	<6.5	<0.20	ND	<0.15	4.83	<0.10	<0.40	<1.0	<u>0.88</u>	<0.10	<0.40	<0.20	<0.20	<0.40	<0.1	<0.20	<0.20	<2.0
	7/19/07	<0.010	17.5	<6.5	<0.20	ND	<0.15	<u>8.57</u>	<0.10	<0.40	<1.0	0.37 J	<0.10	<0.40	<u>1.61</u>	<0.20	17.5	<0.1	<0.20	<0.20	<2.0
	10/23/07	0.010 J	23	<6.5	<0.20	ND	<0.15	1.65	<0.10	<0.40	<1.0	<0.30	<0.20	<0.40	0.43 J	<0.20	<0.20	<0.10	<0.20	<0.20	<2.0
	2/6/08	<0.010	16.2	<6.5	<0.20	ND	<0.40	0.39 J	<0.20	<0.40	<1.0	<0.30	<0.20	<0.40	<0.40	<0.20	<0.40	<0.10	<0.30	<0.20	<2.0
	4/29/08	<0.010	10.2	<6.5	<0.20	ND	<0.40	2.29	<0.20	<0.40	<1.0	<0.30	<0.20	<0.40	<u>0.58 J</u>	<0.20	<0.40	<0.10	<0.30	<0.20	<2.0
	7/29/08	<0.010	10.6	<6.5	<0.20	ND	<0.40	<u>11.1</u>	<0.20	<0.40	<1.0	<u>0.57 J</u>	0.41J	<0.40	<u>1.91</u>	<0.20	<0.40	<0.10	<0.30	<0.20	<2.0
	10/23/08	<0.010	13.5	<6.5	<0.20	ND	<0.40	<u>7.31</u>	<0.20	<0.40	<1.0	0.48J	<0.20	<0.40	<u>2.13</u>	<0.20	<0.40	<0.10	<0.30	<0.20	<2.0
	4/30/09	NA	NA	<6.5	<0.20	ND	<0.40	1.59	<0.20	<0.40	<1.0	<0.30	<0.20	<0.40	<0.40	<0.20	<0.40	<0.10	<0.30	<0.20	<2.0
	10/17/09	NA	NA	<6.5	<0.20	ND	<0.40	<u>7.58</u>	<0.20	<0.40	<1.0	0.47 J	<0.20	<0.40	<u>1.29 J</u>	<0.20	<0.40	<0.10	<0.30	<0.20	<2.0
	4/1/10	NA	NA	<6.5	<0.20	ND	<0.40	1.82	<0.20	<0.40	<1.0	<0.30	<0.20	<0.40	0.42 J	<0.20	<0.40	<0.10	<0.30	<0.20	2.30 J
	10/22/10	NA	NA	<6.5	<0.20	ND	<0.40	5.14	<0.20	<0.40	<1.0	<u>1.04</u>	<0.20	<0.40	<u>0.95</u>	<0.20	<0.40	<0.10	<0.30	<0.20	<2.0
	10/25/11	NA	NA	<6.5	<0.20	ND	<0.40	4.04	<0.20	<0.40	<1.0	0.47 J	<0.20	<0.40	<u>0.57 J</u>	<0.20	<0.40	<0.10	<0.30	<0.20	<2.0
	10/24/12	NA	NA	NA	<0.41	ND	<0.57	<0.83	<0.54	<0.43	<0.89	<0.45	<0.89	<0.67	<0.48	<0.18	<1.8	<0.86	<0.42	<0.75	NA
	10/21/13	NA	NA	NA	<0.50	ND	<0.43	0.49 J	<0.50	<0.36	<2.5	<0.47	<0.37	<0.44	<0.36	<0.18	<1.32	<0.35	<0.39	<0.28	NA
10/7/14	NA	NA	NA	<0.50	ND	<0.41	0.64 J	<0.50	<0.23	<2.5	<0.50	<0.26	<0.50	<0.33	0.60 J	<1.50	<0.50	<0.16	<0.24	NA	
10/7/15	NA	NA	NA	<0.50	ND	<0.41	1.5	<0.50	<0.23	<2.5	<0.50	<0.26	<0.50	<0.33	<0.18	<1.5	<0.50	<0.20	<0.24	NA	
10/19/16	NA	NA	NA	<0.50	ND	<0.41	1.3	<0.50	<0.23	<2.5	<0.50	<0.26	<0.50	<0.33	<0.18	<1.5	<0.50	<0.20	<0.24	NA	
Abandoned 10-24-2017																					
G-5D	7/28/03	NA	NA	NA	<0.31	ND	<0.39	<u>18.3</u>	<0.5	<0.51	<0.8	<u>0.921</u>	<0.39	<0.3	6.72	<0.2	<0.92	<0.5	<0.5	<0.36	<2.0
	8/8/03	0.015	13.6	NA	<0.31	ND	<0.39	<u>19.4</u>	<0.5	<0.51	<0.8	<u>0.895</u>	<0.39	<0.3	8.18	<0.2	<0.92	<0.5	<0.5	<0.36	<2.0
	7/26/06	<0.010	21	<6.5	<0.15	ND	<0.15	6.86	<0.10	<0.40	<1.0	0.41 J	<0.10	<0.40	<u>2.02</u>	<0.15	<0.50	<0.10	<0.10	<0.15	<2.0
	10/18/06	<0.010	13.8	<6.5	<0.15	ND	0.21 J	4.37	<0.10	<0.40	<1.0	0.43 J	<0.10	<0.40	<u>1.18</u>	<0.15	<0.40	<0.10	<0.10	<0.15	<2.0
	1/17/07	0.015 J	27.6	<6.5	<0.15	ND	0.21 J	3.18	<0.10	<0.40	<1.0	0.36 J	<0.10	<0.40	<u>0.71</u>	<0.15	<0.40	<0.10	<0.10	<0.15	<2.0
	7/29/08	<0.010	10.6	<6.5	<0.15	ND	<0.40	<u>10.7</u>	<0.20	<0.40	<1.0	0.49J	0.24J	<0.40	<u>2.21</u>	<0.20	<0.20	<0.10	<0.30	<0.20	<2.0
	10/25/11	NA	NA	<6.5	<0.20	ND	<0.40	3.8	<0.20	<0.40	<1.0	0.50 J	<0.20	<0.40	<u>0.59 J</u>	<0.20	<0.40	<0.10	<0.30	<0.20	<2.0
	10/24/12	NA	NA	NA	<0.41	ND	<0.57	0.86 J	<0.54	<0.43	<0.89	<0.45	<0.89	<0.67	<0.48	<0.18	<1.8	<0.86	<0.42	<0.75	NA
	10/21/13	NA	NA	NA	<0.50	ND	<0.43	0.52 J	<0.50	<0.36	<2.5	<0.47	<0.37	<0.44	<0.36	<0.18	<1.32	<0.35	<0.39	<0.28	NA
	Abandoned 10-24-2017																				
PAL ^A		0.15	125	1800	0.5	3	0.7	7	140	0.5	10	0.5	20	160	0.5	0.02	400	10	0.5	85	10
ES ^B		0.3	250	9000	5	30	7	70	700	5	100	5	100	800	5	0.2	2,000	100	5	850	50

Notes:

PAL - Preventive Action Limit, Wisconsin Administrative Code NR 140.10 Table 1, January 2011, exceedances are underlined italics.

ES - Enforcement Standard, Wisconsin Administrative Code NR 140.10 Table 1, January 2011, exceedances are **bold**.

*PAL or ES is for total trimethylbenzenes or total xylenes

J = Estimated value

Abbreviations:

1,1-DCE = 1,1-Dichloroethene
 cDCE = cis-1,2-Dichloroethene
 tDCE = trans-1,2-Dichloroethene
 TCE = Trichloroethene
 VC = Vinyl Chloride
 1,1,2-TCA = 1,1,2-Trichloroethane
 1,1-DCA = 1,1-Dichloroethane
 THF = Tetrahydrofuran

ug/L = micrograms per liter
 mg/L = milligrams per liter
 NA = Not Analyzed
 ND or < = Analyte was not detected above laboratory method detection limit
 NE = Not Established

**TABLE 3
LABORATORY RESULTS OF GROUNDWATER SAMPLES COLLECTED FROM RESIDENTIAL WELLS
FORMER GORSKI LANDFILL, MOSINEE, WI
RAMBOLL PROJECT NO. 1690019237**

Well Location	Sample Date	1,1,1-TCA	1,1,2-TCA	CBenzene	Benzene	1,3-DCB	1,4-DCB	DCFM	1,2-DCA	Chloroform	Chloro methane	1,1-DCE	cDCE	MEK	MTBE	tDCE	PCE	TCE	1,2,4-TCB	VC	1,1-DCA	THF	Toluene	
626 CTH B	08/07/03	<0.42	<0.5	<0.31	<0.31	<0.29	<0.3	<0.46	<0.17	<0.17	<0.39	<0.39	<0.23	<2	ND	<0.39	<0.32	<0.36	<0.47	<0.2	<0.2	<0.2	<0.2	
	10/01/03	<0.42	<0.5	<0.31	<0.31	<0.29	<0.3	<0.46	<0.17	<0.17	<0.39	<0.39	<0.23	<2	ND	<0.39	<0.32	<0.36	<0.47	<0.2	<0.2	<0.2	<0.2	
	10/19/06	<0.42	<0.10	<0.10	<0.15	<0.15	<0.75	<0.10	<0.10	<0.10	<0.15	<0.15	<0.20	<2	ND	<0.10	<0.10	0.52J	NA	<0.15	<0.15	<0.15	<0.15	
	10/24/07	<0.20	<0.20	<0.10	<0.20	<0.20	<0.80	<0.30	<0.20	<0.20	<0.30	<0.40	<0.20	<2	ND	<0.20	<0.30	<0.20	NA	<0.20	<0.20	<1.0	<0.40	
	10/24/08	<0.20	<0.20	<0.10	<0.20	<0.20	<0.80	<0.30	<0.20	<0.20	<0.30	<0.40	<0.20	<2	ND	<0.20	<0.30	<0.20	NA	<0.20	<0.20	<1.0	<0.40	
	10/19/09	<0.50	<0.40	<0.20	<0.20	<0.20	<0.80	<0.30	<0.30	<0.20	<0.40	<0.40	<0.40	<2	ND	<0.50	<0.30	<0.40	NA	<0.20	<0.40	<2.0	<0.40	
	11/04/10	<0.50	<0.40	<0.20	<0.20	<0.20	<0.80	<0.30	<0.30	<0.20	<0.40	<0.40	<0.40	<2	ND	<0.50	<0.30	<0.40	NA	<0.20	<0.40	<2.0	<0.40	
	10/24/11	<0.50	<0.40	<0.20	<0.20	<0.20	<0.80	<0.30	<0.30	<0.20	<0.40	<0.40	<0.40	<2	<0.50	<0.50	<0.30	<0.40	NA	<0.20	<0.40	<2.0	<0.40	
	10/23/12	<0.90	<0.42	<0.41	<0.82	<0.87	<0.95	<0.99	<0.36	<1.3	<0.24	<0.57	<0.83	<0.61	<0.61	<0.89	<0.45	<0.48	<0.97	<0.18	<0.75	NA	<0.67	
	10/21/13	<0.44	<0.39	<0.36	<0.50	<0.45	<0.43	<0.40	<0.48	<0.69	<0.39	<0.43	<0.42	NA	<0.49	<0.37	<0.47	<0.36	<2.5	<0.18	<0.28	NA	<0.44	
	10/07/14	<0.50	<0.16	<0.50	<0.50	<0.50	<0.50	<0.50	<0.22	<0.17	<2.5	<0.50	<0.41	<0.26	NA	<0.17	<0.26	<0.50	<0.33	<2.2	<0.18	<0.24	NA	<0.50
	10/07/15	<0.50	<0.20	<0.50	<0.50	<0.50	<0.50	<0.50	<0.22	<0.17	<2.5	<0.50	<0.41	<0.26	NA	<0.17	<0.26	<0.50	<0.33	<2.2	<0.18	<0.24	NA	<0.50
	10/18/16	<0.50	<0.20	<0.50	<0.50	<0.50	<0.50	<0.50	<0.22	<0.17	<2.5	<0.50	<0.41	<0.26	NA	<0.17	<0.26	<0.50	<0.33	<2.2	<0.18	<0.24	NA	<0.50
	10/24/17	<0.50	<0.20	<0.50	<0.50	<0.50	<0.50	<0.50	<0.22	<0.17	<2.5	<0.50	<0.41	<0.26	NA	<0.17	<0.26	<0.50	<0.33	<2.2	<0.18	<0.24	NA	<0.50
	10/24/18	<0.24	<0.55	<0.71	<0.25	<0.63	<0.94	<0.50	<0.28	<1.3	<2.2	<0.24	<0.27	NA	<1.2	<1.1	<0.33	<0.26	<0.95	<0.17	<0.27	NA	<0.17	
	10/22/19	<0.24	<0.55	<0.71	<0.25	<0.63	<0.94	<0.50	<0.28	<1.3	<2.2	<0.24	<0.27	NA	<1.2	<1.1	<0.33	<0.26	<0.95	<0.17	<0.27	NA	<0.17	
	10/26/20	<0.24	<0.55	<0.71	<0.25	<0.63	<0.94	<0.50	<0.28	<1.3	<2.2	<0.24	<0.27	NA	<1.2	<0.46	<0.33	<0.26	<0.95	<0.17	<0.27	NA	<0.27	
	626 CTH B-D	10/18/16	<0.50	<0.20	<0.50	<0.50	<0.50	<0.50	<0.22	<0.17	<2.5	<0.50	<0.41	<0.26	NA	<0.17	<0.26	<0.50	<0.33	<2.2	<0.18	<0.24	NA	<0.50
	642 CTH B	08/07/03	<0.42	<0.5	<0.31	<0.31	<0.29	<0.3	<0.46	<0.17	<0.17	<0.39	<0.39	4.33	<2	ND	<0.39	0.954	9.9	<0.47	<0.2	<0.2	<0.2	<0.2
		10/01/03	<0.42	<0.5	<0.31	<0.31	<0.29	<0.3	<0.46	<0.17	<0.17	<0.39	<0.39	5.59	<2	ND	<0.39	0.986	11.4	<0.47	<0.2	<0.2	<0.2	<0.2
07/25/06		<0.20	<0.10	<0.10	<0.15	<0.15	<0.75	<0.25	<0.10	<0.10	<0.15	<0.15	7.24	<2	ND	<0.15	0.89	12.9	NA	<0.15	<0.15	<0.15	<0.15	
10/19/06		<0.20	<0.10	<0.10	<0.15	<0.15	<0.75	<0.10	<0.10	<0.10	<0.15	0.15J	3.31	<2	ND	0.10J	0.7	6.81	NA	<0.15	<0.15	<0.15	<0.15	
01/18/07		<0.20	<0.10	<0.10	<0.15	<0.15	<0.75	<0.10	<0.10	<0.10	<0.15	<0.15	3.36	<2	ND	<0.10	0.44	4.96	NA	<0.15	<0.15	<0.70	<0.70	
04/18/07	<0.20	<0.20	<0.10	<0.20	<0.20	<0.80	<0.30	<0.20	<0.20	<0.40	<0.40	3.58	<2	ND	<0.20	0.65J	6.82	NA	<0.20	<0.20	<0.70	<0.70		
642R CTH B	06/12/07	<0.20	<0.20	<0.10	<0.2	<0.80	<0.30	<0.20	<0.20	12.2	<0.30	<0.40	<0.20	<2	ND	<0.20	<0.30	<0.20	NA	<0.20	<0.20	<0.70	4.84	
	06/19/07	<0.20	<0.20	<0.10	<0.2	<0.80	<0.30	<0.20	<0.20	4.69	<0.30	<0.40	<0.20	<2	ND	<0.20	<0.30	<0.20	NA	<0.20	<0.20	<0.70	1.18J	
	07/19/07	<0.20	<0.20	<0.10	<0.2	<0.80	<0.30	<0.20	<0.20	0.52J	<0.30	<0.40	<0.20	<2	ND	<0.20	<0.30	<0.20	NA	<0.20	<0.20	<1	0.48J	
	08/28/07	<0.20	<0.20	<0.10	<0.2	<0.80	<0.30	<0.20	<0.20	0.27J	0.33J	<0.40	<0.20	<2	ND	<0.20	<0.30	<0.20	NA	<0.20	<0.20	<1	<0.40	
	09/25/07	<0.20	<0.20	<0.10	<0.2	<0.80	<0.30	<0.20	<0.20	<0.20	0.75J	<0.40	<0.20	<2	ND	<0.20	<0.30	<0.20	NA	<0.20	<0.20	<1	0.75J	
	05/08/08	<0.20	<0.30	<0.10	<0.2	<0.20	<0.80	<0.30	<0.30	<0.20	<0.40	<0.40	<0.30	<2	ND	<0.20	<0.30	<0.40	NA	<0.20	<0.20	<1	<0.40	
	07/31/08	<0.20	<0.30	<0.10	<0.2	<0.20	<0.80	<0.30	<0.30	<0.20	<0.40	<0.40	<0.30	<2	ND	<0.20	<0.30	<0.40	NA	<0.20	<0.20	<1	<0.40	
	10/23/08	<0.20	<0.30	<0.10	<0.2	<0.20	<0.80	<0.30	<0.30	<0.20	<0.40	<0.40	<0.30	<2	ND	<0.20	<0.30	<0.40	NA	<0.20	<0.20	<1	<0.40	
	04/30/09	<0.20	<0.30	<0.10	<0.2	<0.20	<0.80	<0.30	<0.30	<0.20	<0.40	<0.40	<0.30	<2	ND	<0.20	<0.30	<0.40	NA	<0.20	<0.20	<1	<0.40	
	07/29/09	<0.50	<0.40	<0.20	<0.2	<0.20	<0.80	<0.30	<0.30	<0.20	<0.40	<0.40	<0.40	<2	ND	<0.50	<0.30	<0.40	NA	<0.20	<0.40	<2	<0.40	
	10/19/09	<0.50	<0.40	<0.20	<0.2	<0.20	<0.80	<0.30	<0.30	<0.20	<0.40	<0.40	<0.40	<2	ND	<0.50	<0.30	<0.40	NA	<0.20	<0.40	<2	<0.40	
	04/02/10	<0.50	<0.40	<0.20	<0.2	<0.20	<0.80	<0.30	<0.30	<0.20	<0.40	<0.40	<0.40	<2	ND	<0.50	<0.30	<0.40	NA	<0.20	<0.40	<2	<0.40	
	07/06/10	<0.50	<0.40	<0.20	<0.2	<0.20	<0.80	<0.30	<0.30	<0.20	<0.40	<0.40	<0.40	<2	ND	<0.50	<0.30	<0.40	NA	<0.20	<0.40	<2	<0.40	
	11/11/10	<0.50	<0.40	<0.20	<0.2	<0.20	<0.80	<0.30	<0.30	<0.20	<0.40	<0.40	<0.40	<2	ND	<0.50	<0.30	<0.40	NA	<0.20	<0.40	<2	<0.40	
	10/24/11	<0.50	<0.40	<0.20	<0.2	<0.20	<0.80	<0.30	<0.30	<0.20	<0.40	<0.40	<0.40	<2	<0.50	<0.50	<0.30	<0.40	NA	<0.20	<0.40	<2	<0.40	
	04/23/12	<0.50	<0.40	<0.20	<0.2	<0.20	<0.80	<0.30	<0.30	<0.20	<0.40	<0.40	<0.40	NA	<0.50	<0.50	<0.30	<0.40	NA	<0.20	<0.40	<2	<0.40	
	10/23/12	<0.90	<0.42	<0.41	<0.41	<0.87	<0.95	<0.99	<0.36	<1.3	<0.24	<0.57	<0.83	NA	<0.61	<0.89	<0.45	<0.48	<0.97	<0.18	<0.75	NA	<0.67	
	04/08/13	<0.90	<0.42	<0.41	<0.41	<0.87	<0.95	<0.99	<0.36	<1.3	<0.24	<0.57	<0.83	NA	<0.61	<0.89	<0.45	<0.48	<0.97	<0.18	<0.75	NA	<0.67	
	10/21/13	<0.44	<0.39	<0.36	<0.50	<0.45	<0.43	<0.40	<0.48	<0.69	<0.39	<0.43	<0.42	NA	<0.49	<0.37	<0.47	<0.36	<2.5	<0.18	<0.28	NA	<0.44	
	04/28/14	<0.50	<0.16	<0.50	<0.50	<0.50	<0.50	<0.50	<0.22	<0.17	<2.5	<0.50	<0.4											


**TABLE 3
LABORATORY RESULTS OF GROUNDWATER SAMPLES COLLECTED FROM RESIDENTIAL WELLS
FORMER GORSKI LANDFILL, MOSINEE, WI
RAMBOLL PROJECT NO. 1690019237**

Well Location	Sample Date	1,1,1-TCA	1,1,2-TCA	CBenzene	Benzene	1,3-DCB	1,4-DCB	DCFM	1,2-DCA	Chloroform	Chloro methane	1,1-DCE	cDCE	MEK	MTBE	tDCE	PCE	TCE	1,2,4-TCB	VC	1,1-DCA	THF	Toluene
652R CTH B	06/12/07	<0.42	<0.20	<0.10	<0.20	<0.20	<0.80	<0.30	<0.20	9.94	0.43J	<0.40	<0.20	<2	ND	<0.20	<0.30	<0.20	NA	<0.20	<0.70	<0.70	1.04J
	06/19/07	<0.20	<0.10	<0.20	<0.20	<0.20	<0.80	<0.30	<0.20	2.51	<0.30	<0.40	<0.20	2.71J	ND	<0.20	<0.30	<0.20	NA	<0.20	<0.20	1.40J	1.63
	07/19/07	<0.20	<0.20	<0.10	<0.20	<0.20	<0.80	<0.30	<0.20	0.45J	<0.30	<0.40	<0.20	<2	ND	<0.20	<0.30	0.35J	NA	<0.20	<0.20	<1	<0.40
	08/28/07	<0.20	<0.20	<0.10	<0.20	<0.20	<0.80	<0.30	<0.20	<0.20	<0.30	<0.40	<0.20	<2	ND	<0.20	<0.30	0.32J	NA	<0.20	<0.20	<1	<0.40
	09/25/07	<0.20	<0.20	<0.10	<0.20	<0.20	<0.80	<0.30	<0.20	0.38J	<0.30	<0.40	<0.20	<2	ND	<0.20	<0.30	<0.20	NA	<0.20	<0.20	<1	<0.40
	02/11/08	<0.20	<0.30	<0.10	<0.20	<0.20	<0.80	<0.30	<0.30	<0.20	<0.40	<0.40	<0.30	<2	ND	<0.20	<0.30	<0.40	NA	<0.20	<0.20	<1	<0.40
	04/29/08	<0.20	<0.30	<0.10	<0.20	<0.20	<0.80	<0.30	<0.30	<0.20	<0.40	<0.40	<0.30	<2	ND	<0.20	<0.30	<0.40	NA	<0.20	<0.20	<1	<0.40
	07/31/08	<0.20	<0.30	<0.10	<0.20	<0.20	<0.80	<0.30	<0.30	<0.20	<0.40	<0.40	<0.30	<2	ND	<0.20	<0.30	0.44J	NA	<0.20	<0.20	<1	<0.40
	10/24/08	0.69	<0.30	<0.10	<0.20	<0.20	<0.80	<0.30	<0.30	0.45 J	<0.40	<0.40	<0.30	3.18 J	ND	<0.20	<0.30	<0.40	NA	<0.20	<0.20	<1	17.5
	01/13/09	<0.20	<0.30	<0.10	<0.20	<0.20	<0.80	<0.30	<0.30	<0.20	<0.40	<0.40	<0.30	<2	ND	<0.20	<0.30	<0.40	NA	<0.20	<0.20	<1	<0.40
	04/30/09	<0.20	<0.30	<0.10	<0.20	<0.20	<0.80	<0.30	<0.30	<0.20	<0.40	<0.40	<0.30	<2	ND	<0.20	<0.30	<0.40	NA	<0.20	<0.20	<1	<0.40
	07/29/09	<0.50	<0.40	<0.20	<0.20	<0.20	<0.80	<0.30	<0.30	<0.20	<0.40	<0.40	<0.40	<2	ND	<0.50	<0.30	<0.40	NA	<0.20	<0.40	<2	<0.40
	10/17/09	<0.50	<0.40	<0.20	<0.20	<0.20	<0.80	<0.30	<0.30	<0.20	<0.40	<0.40	<0.40	<2	ND	<0.50	<0.30	<0.40	NA	<0.20	<0.40	<2	<0.40
	01/28/10	<0.50	<0.40	<0.20	<0.20	<0.20	<0.80	<0.30	<0.30	<0.20	<0.40	<0.40	<0.40	<2	ND	<0.50	<0.30	<0.40	NA	<0.20	<0.40	<2	<0.40
	04/02/10	<0.50	<0.40	<0.20	<0.20	<0.20	<0.80	<0.30	<0.30	<0.20	<0.40	<0.40	<0.40	<2	ND	<0.50	<0.30	<0.40	NA	<0.20	<0.40	<2	<0.40
	07/07/10	<0.50	<0.40	<0.20	<0.20	<0.20	<0.80	<0.30	<0.30	<0.20	<0.40	<0.40	<0.40	<2	ND	<0.50	<0.30	0.46J	NA	<0.20	<0.40	<2	<0.40
	11/04/10	<0.50	<0.40	<0.20	<0.20	<0.20	<0.80	<0.30	<0.30	<0.20	<0.40	<0.40	<0.40	<2	ND	<0.50	<0.30	<0.40	NA	<0.20	<0.40	<2	<0.40
	01/06/11	<0.50	<0.40	<0.20	<0.20	<0.20	<0.80	<0.30	<0.30	<0.20	<0.40	<0.40	<0.40	<2	ND	<0.50	<0.30	<0.40	NA	<0.20	<0.40	<2	<0.40
	10/24/11	<0.50	<0.40	<0.20	<0.20	<0.20	<0.80	<0.30	<0.30	<0.20	<0.40	<0.40	<0.40	<2	<0.50	<0.50	<0.30	0.40 J	NA	<0.20	<0.40	<2	<0.40
	04/23/12	<0.50	<0.40	<0.20	<0.20	<0.20	<0.80	<0.30	<0.30	<0.20	<0.40	<0.40	<0.40	NA	<0.50	<0.50	<0.30	<0.40	NA	<0.20	<0.40	<2	<0.40
	10/23/12	<0.90	<0.42	<0.41	<0.41	<0.87	<0.95	<0.99	<0.36	<1.3	<0.24	<0.57	<0.83	NA	<0.61	<0.89	<0.45	<0.48	<0.97	<0.18	<0.75	NA	<0.67
	04/08/13	<0.90	<0.42	<0.41	<0.41	<0.87	<0.95	<0.99	<0.36	<1.3	<0.24	<0.57	<0.83	NA	<0.61	<0.89	<0.45	<0.48	<0.97	<0.18	<0.75	NA	<0.67
	10/21/13	<0.44	<0.39	<0.36	<0.50	<0.45	<0.43	<0.40	<0.46	<0.69	<0.39	<0.43	<0.42	NA	<0.49	<0.37	<0.47	<0.36	<2.5	<0.18	<0.28	NA	<0.44
	04/28/14	<0.50	<0.16	<0.50	<0.50	<0.50	<0.50	<0.16	<0.17	<2.5	<0.50	<0.41	<0.26	NA	<0.17	<0.24	<0.50	<0.33	<2.2	<0.18	<0.16	NA	<0.50
	10/07/14	<0.50	<0.16	<0.50	<0.50	<0.50	<0.50	<0.20	<0.17	<2.5	<0.50	<0.41	<0.26	NA	<0.17	<0.26	<0.50	<0.33	<2.2	<0.18	<0.24	NA	<0.50
	04/22/15	<0.50	<0.20	<0.50	<0.50	<0.50	<0.50	<0.22	<0.17	<2.5	<0.50	<0.41	<0.26	NA	<0.17	<0.26	<0.50	<0.33	<2.2	<0.18	<0.24	NA	<0.50
	10/07/15	<0.50	<0.20	<0.50	<0.50	<0.50	<0.50	<0.22	<0.17	<2.5	<0.50	<0.41	<0.26	NA	<0.17	<0.26	<0.50	0.44 J	<2.2	<0.18	<0.24	NA	<0.50
	10/18/16	<0.50	<0.20	<0.50	<0.50	<0.50	<0.50	<0.22	<0.17	<2.5	<0.50	<0.41	<0.26	NA	<0.17	<0.26	<0.50	<0.33	<2.2	<0.18	<0.24	NA	<0.50
	10/24/17	<0.50	<0.20	<0.50	<0.50	<0.50	<0.50	<0.22	<0.17	<2.5	4.2	<0.41	<0.26	NA	<0.17	<0.26	<0.50	0.39 J	<2.2	<0.18	<0.24	NA	<0.50
	10/24/18	<0.24	<0.55	<0.71	<0.25	<0.63	<0.94	<0.50	<0.28	<1.3	<2.2	<0.24	<0.27	NA	<1.2	<1.1	<0.33	<0.26	<0.95	<0.17	<0.27	NA	<0.17
	10/22/19	<0.24	<0.55	<0.71	<0.25	<0.63	<0.94	<0.50	<0.28	<1.3	<2.2	<0.24	<0.27	NA	<1.2	<1.1	<0.33	<0.26	<0.95	<0.17	<0.27	NA	<0.17
	10/26/20	<0.24	<0.55	<0.71	<0.25	<0.63	<0.94	<0.50	<0.28	<1.3	<2.2	<0.24	<0.27	NA	<1.2	<0.46	<0.33	<0.26	<0.95	<0.17	<0.27	NA	<0.27
666 CTHB	08/07/03	<0.42	<0.5	<0.31	<0.31	<0.29	<0.3	<0.46	<0.17	<0.17	<0.39	<0.39	<0.23	<2	ND	<0.39	1.05	<0.36	<0.47	<0.2	<0.2	<0.2	<0.2
	10/01/03	<0.42	<0.5	<0.31	<0.31	<0.29	<0.3	<0.46	<0.17	<0.17	<0.39	<0.39	<0.23	<2	ND	<0.39	0.475	<0.36	<0.47	<0.2	<0.2	<0.2	<0.2
	10/18/06	<0.42	<0.1	<0.10	0.17J	<0.15	<0.75	<0.10	<0.10	<0.10	<0.15	<0.15	<0.20	<2	ND	<0.10	0.15J	<0.20	NA	<0.15	<0.15	<0.15	<0.15
	04/18/07	<0.20	<0.20	<0.10	<0.20	<0.20	<0.80	<0.30	<0.20	<0.20	<0.40	<0.40	<0.20	<2	ND	<0.20	<0.30	<0.20	NA	<0.20	<0.20	<0.70	<0.70
	10/24/08	<0.20	<0.20	<0.10	<0.20	<0.20	<0.80	<0.30	<0.20	<0.20	<0.40	<0.40	<0.20	<2	ND	<0.20	<0.30	<0.20	NA	<0.20	<0.20	<0.70	<0.70
	05/15/09	<0.50	<0.40	<0.20	<0.40	<0.20	<0.80	<0.30	<0.30	<0.20	<0.40	<0.40	<0.40	<2	ND	<0.50	<0.30	<0.40	NA	<0.20	<0.40	<2	<0.40
	10/19/09	<0.50	<0.40	<0.20	<0.40	<0.20	<0.80	<0.30	<0.30	<0.20	<0.40	<0.40	<0.40	<2	ND	<0.50	<0.30	<0.40	NA	<0.20	<0.40	<2	<0.40
	04/02/10	<0.50	<0.40	<0.20	0.22J	<0.20	<0.80	<0.30	<0.30	<0.20	<0.40	<0.40	<0.40	<2	ND	<0.50	<0.30	<0.40	NA	<0.20	<0.40	<2	<0.40
	11/02/10	<0.50	<0.40	<0.20	0.27J	<0.20	<0.80	<0.30	<0.30	<0.20	<0.40	<0.40	<0.40	<2	ND	<0.50	<0.30	<0.40	NA	<0.20	<0.40	<2	<0.40
	10/24/11	<0.50	<0.40	<0.20	<0.20	<0.20	<0.80	<0.30	<0.30	<0.20	<0.40	<0.40	<0.40	<2	ND	<0.50	<0.30	<0.40	NA	<0.20	<0.40	<2	<0.40
	10/21/13	<0.44	<0.39	<0.36	<0.50	<0.45	<0.43	<0.40	<0.48	<0.69	<0.39	<0.43	<0.42	NA	<0.49	<0.37	<0.47	<0.36	<2.5	<0.18	<0.28	NA	<0.44
	10/24/18	<0.24	<0.55	<0.71	<0.25	<0.63	<0.94	<0.50	<0.28	<1.3	<2.2	<0.24	<0.27	NA	12.1	<1.1	<0.33	<0.26	<0.95	<0.17	<0.27	NA	<0.17
10/22/19	<0.24	<0.55	<0.71	<0.25	<0.63	<0																	

**TABLE 3
LABORATORY RESULTS OF GROUNDWATER SAMPLES COLLECTED FROM RESIDENTIAL WELLS
FORMER GORSKI LANDFILL, MOSINEE, WI
RAMBOLL PROJECT NO. 1690019237**

Well Location	Sample Date	1,1,1-TCA	1,1,2-TCA	CBenzene	Benzene	1,3-DCB	1,4-DCB	DCFM	1,2-DCA	Chloroform	Chloro methane	1,1-DCE	cDCE	MEK	MTBE	TDCE	PCE	TCE	1,2,4-TCB	VC	1,1-DCA	THF	Toluene	
669 CTH B (continued)	08/05/10	<0.50	<0.40	<0.20	<0.20	<0.20	<0.80	<0.30	<0.30	<0.20	<0.40	<0.40	<0.40	<2	ND	<0.50	<0.30	0.69 J	NA	<0.20	<0.40	<2	<0.40	
	11/04/10	<0.50	<0.40	0.34 J	0.20	0.40 J	1.37 J	<0.30	<0.30	<0.20	<0.40	<0.40	0.70 J	<2	ND	<0.50	0.40 J	2.34	NA	<0.20	<0.40	<2	<0.40	
	01/06/11	<0.50	<0.40	<0.20	<0.20	<0.20	<0.80	<0.30	<0.30	<0.20	<0.40	<0.40	<0.40	<2	ND	<0.50	<0.30	0.71 J	NA	<0.20	<0.40	<2	<0.40	
	10/24/11	<0.50	<0.40	<0.20	<0.20	0.24 J	<0.80	<0.30	<0.30	<0.20	<0.40	<0.40	0.45 J	<2	<0.50	<0.50	<0.30	1.32	NA	<0.20	<0.40	<2	<0.40	
	04/23/12	<0.50	<0.40	<0.20	<0.20	0.25 J	<0.80	<0.30	<0.30	<0.20	<0.40	<0.40	<0.40	<2	<0.50	<0.50	<0.30	0.69 J	NA	<0.20	<0.40	<2	<0.40	
	10/23/12	<0.90	<0.42	<0.41	<0.41	<0.87	<0.95	<0.99	<0.36	<1.3	<0.24	<0.57	<0.83	NA	<0.61	<0.89	<0.45	0.99 J	<0.97	<0.18	<0.75	NA	<0.67	
	04/08/13	<0.90	<0.42	<0.41	<0.41	<0.87	<0.95	<0.99	<0.36	<1.3	<0.24	<0.57	<0.83	NA	<0.61	<0.89	<0.45	0.99 J	<0.97	<0.18	<0.75	NA	<0.67	
	10/21/13	<0.44	<0.39	<0.36	<0.50	<0.45	0.60 J	<0.40	<0.48	<0.69	<0.39	<0.43	<0.42	NA	<0.49	<0.37	<0.47	0.98 J	<2.5	<0.18	<0.28	NA	<0.44	
	04/28/14	<0.50	<0.16	<0.50	<0.50	<0.50	<0.50	<0.16	<0.17	<2.5	<0.50	<0.41	<0.26	NA	<0.49	<0.24	<0.50	<0.33	<2.2	<0.18	<0.16	NA	<0.50	
	10/07/14	<0.50	<0.16	<0.50	<0.50	<0.50	0.90 J	<0.20	<0.17	<2.5	<0.50	<0.41	0.30 J	NA	<0.17	<0.26	<0.50	1.0	<2.2	<0.18	<0.24	NA	<0.50	
	04/22/15	<0.50	<0.20	<0.50	<0.50	<0.50	<0.50	<0.22	<0.17	<2.5	<0.50	<0.41	<0.26	NA	<0.17	<0.26	<0.50	0.46 J	<2.2	<0.18	<0.24	NA	<0.50	
	10/07/15	<0.50	<0.20	<0.50	<0.50	<0.50	<0.50	<0.22	<0.17	<2.5	<0.50	<0.41	<0.26	NA	<0.17	<0.26	<0.50	0.50 J	<2.2	<0.18	<0.24	NA	<0.50	
	10/18/16	<0.50	<0.20	<0.50	<0.50	<0.50	0.85 J	<0.22	<0.17	<2.5	<0.50	<0.41	0.50 J	NA	<0.17	<0.26	<0.50	0.92 J	<2.2	<0.18	<0.24	NA	<0.50	
	10/24/17	<0.50	<0.20	<0.50	<0.50	<0.50	<0.50	<0.22	<0.17	<2.5	5.1	<0.41	<0.26	NA	<0.17	<0.26	<0.50	<0.33	<2.2	<0.18	<0.24	NA	<0.50	
	10/24/18	<0.24	<0.55	<0.71	<0.25	<0.63	<0.94	<0.50	<0.28	<1.3	<2.2	<0.24	<0.27	NA	<1.2	<1.1	<0.33	<0.26	<0.95	<0.17	<0.27	NA	<0.17	
	10/22/19	<0.24	<0.55	<0.71	<0.25	<0.63	<0.94	<0.50	<0.28	<1.3	<2.2	<0.24	<0.27	NA	<1.2	<1.1	<0.33	<0.26	<0.95	<0.17	<0.27	NA	<0.17	
	10/26/20	<0.24	<0.55	<0.71	<0.25	<0.63	<0.94	<0.50	<0.28	<1.3	<2.2	<0.24	<0.27	NA	<1.2	<0.46	<0.33	<0.26	<0.95	<0.17	<0.27	NA	<0.27	
	669 CTH B-D	10/19/06	<0.20	<0.10	0.10 J	<0.15	0.15 J	<0.75	<0.25	0.15 J	<0.10	<0.15	<0.15	0.25 J	<2	ND	<0.10	0.23 J	0.57 J	NA	<0.15	<0.15	<0.15	<0.15
		10/24/11	<0.50	<0.40	<0.20	<0.20	<0.20	<0.80	<0.30	<0.30	<0.20	<0.40	<0.40	<0.40	<2	ND	<0.50	0.31 J	1.04 J	NA	<0.20	<0.40	<2	<0.40
		04/23/12	<0.50	<0.40	<0.20	<0.20	<0.20	<0.80	<0.30	<0.30	<0.20	<0.40	<0.40	<0.40	<2	<0.50	<0.50	<0.30	0.52 J	N/A	<0.20	<0.40	<2	<0.40
10/24/12		<0.90	<0.42	<0.41	<0.41	<0.87	<0.95	<0.99	<0.36	<1.3	<0.24	<0.57	<0.83	NA	<0.61	<0.89	<0.45	0.96 J	<0.97	<0.18	<0.75	NA	<0.67	
10/21/13		<0.44	<0.39	<0.36	<0.50	<0.45	0.61 J	<0.40	<0.48	<0.69	<0.39	<0.43	<0.42	NA	<0.49	<0.37	<0.47	1.0	<2.5	<0.18	<0.28	NA	<0.44	
04/28/14		<0.50	<0.16	<0.50	<0.50	<0.50	<0.50	<0.16	<0.17	<2.5	<0.50	<0.41	<0.26	NA	<0.17	<0.24	<0.50	<0.33	<2.2	<0.18	<0.16	NA	<0.50	
10/07/14		<0.50	<0.16	<0.50	<0.50	<0.50	0.91 J	<0.20	<0.17	<2.5	<0.50	<0.41	0.31 J	NA	<0.17	<0.26	<0.50	0.95 J	<2.2	<0.18	<0.24	NA	<0.50	
04/22/15		<0.50	<0.20	<0.50	<0.50	<0.50	<0.50	<0.22	<0.17	<2.5	<0.50	<0.41	<0.26	NA	<0.17	<0.26	<0.50	0.44 J	<2.2	<0.18	<0.24	NA	<0.50	
10/07/15		<0.50	<0.20	<0.50	<0.50	<0.50	<0.50	<0.22	<0.17	<2.5	<0.50	<0.41	<0.26	NA	<0.17	<0.26	<0.50	0.48 J	<2.2	<0.18	<0.24	NA	<0.50	
10/24/17		<0.50	<0.20	<0.50	<0.50	<0.50	<0.50	<0.22	<0.17	<2.5	3.2	<0.41	<0.26	NA	<0.17	<0.26	<0.50	<0.33	<2.2	<0.18	<0.24	NA	<0.50	
10/24/18		<0.24	<0.55	<0.71	<0.25	<0.63	<0.94	<0.50	<0.28	<1.3	<2.2	<0.24	<0.27	NA	<1.2	<1.1	<0.33	<0.26	<0.95	<0.17	<0.27	NA	<0.17	
10/22/19	<0.24	<0.55	<0.71	<0.25	<0.63	<0.94	<0.50	<0.28	<1.3	<2.2	<0.24	<0.27	NA	<1.2	<1.1	<0.33	0.33 J	<0.95	<0.17	<0.27	NA	<0.17		
10/26/20	<0.24	<0.55	<0.71	<0.25	<0.63	<0.94	<0.50	<0.28	<1.3	<2.2	<0.24	<0.27	NA	<1.2	<0.46	<0.33	<0.26	<0.95	<0.17	<0.27	NA	<0.27		
670 CTH B	08/07/03	<0.42	<0.5	<0.31	<0.31	<0.29	<0.3	<0.46	<0.17	<0.17	<0.39	<0.39	<0.23	<2	ND	<0.39	<0.32	<0.36	<0.47	<0.2	<0.2	<0.2	<0.2	
	10/01/03	<0.42	<0.5	<0.31	<0.31	<0.29	<0.3	<0.46	<0.17	<0.17	<0.39	<0.39	<0.23	<2	ND	<0.39	<0.32	<0.36	<0.47	<0.2	<0.2	<0.2	<0.2	
	10/19/06	<0.20	<0.10	<0.10	<0.15	<0.15	0.30 J	<0.10	<0.10	<0.10	<0.15	<0.15	<0.20	<2	ND	<0.10	<0.10	<0.20	NA	<0.15	<0.15	<0.15	<0.15	
	10/24/07	<0.20	<0.20	<0.10	<0.20	<0.20	<0.80	<0.30	<0.20	<0.20	<0.30	<0.40	<0.20	<2	ND	<0.20	<0.30	<0.20	NA	<0.20	<0.20	<1.0	<0.40	
	10/23/08	<0.20	<0.30	<0.10	<0.20	<0.20	<0.80	<0.30	<0.20	<0.20	<0.30	<0.40	0.91 J	<2	ND	<0.20	<0.30	<0.20	NA	<0.20	<0.20	1.24 J	<0.40	
	10/19/09	<0.20	<0.30	<0.10	<0.20	<0.20	<0.80	<0.30	<0.20	<0.20	<0.30	<0.40	<0.40	<2	ND	<0.20	<0.30	<0.20	NA	<0.20	<0.20	<2.00	<0.40	
	11/05/10	<0.50	<0.40	<0.20	<0.20	<0.20	<0.80	<0.30	<0.30	<0.20	<0.40	<0.40	<0.40	<2	ND	<0.50	<0.30	<0.40	NA	<0.20	<0.40	<2.00	<0.40	
	10/24/11	<0.50	<0.40	<0.20	<0.20	<0.20	<0.80	<0.30	<0.30	<0.20	<0.40	<0.40	<0.40	<2	<0.50	<0.50	<0.30	<0.40	NA	<0.20	<0.40	<2.00	<0.40	
	10/23/12	<0.90	<0.42	<0.41	<0.41	<0.87	<0.95	<0.99	<0.36	<1.3	<0.24	<0.57	<0.83	NA	<0.61	<0.89	<0.45	<0.48	<0.97	<0.18	<0.75	NA	<0.67	
	10/21/13	<0.44	<0.39	<0.36	<0.50	<0.45	<0.43	<0.40	<0.48	<0.69	<0.39	<0.43	<0.42	NA	<0.49	<0.37	<0.47	<0.36	<2.5	<0.18	<0.28	NA	<0.44	
	10/07/14	<0.50	<0.16	<0.50	<0.50	<0.50	<0.50	<0.20	<0.17	<2.5	<0.50	<0.41	<0.26	NA	<0.17	<0.26	<0.50	<0.33	<2.2	<0.18	<0.24	NA	<0.50	
	10/07/15	<0.50	<0.20	<0.50	<0.50	<0.50	<0.50	<0.22	<0.17	<2.5	<0.50	<0.41	<0.26	NA	<0.17	<0.26	<0.50	<0.33	<2.2	<0.18	<0.24	NA	<0.50	
	10/18/16	<0.50	<0.20	<0.50	<0.50	<0.50	<0.50	<0.22	<0.17	<2.5	<0.50	<0.41	<0.26	NA	<0.17	<0.26	<0.50	<0.33	<2.2	<0.18	<0.24	NA	<0.50	
	10/24/17	<0.50	<0.20	<0.50	<0.50	<0.50	<0.50	<																

FIGURES



KEY MAP

SITE LOCATION

FIGURE 1

RAMBOLL US CONSULTING, INC.
A RAMBOLL COMPANY

FORMER GORSKI LANDFILL
MOSINEE, WISCONSIN





Source: Aerial Imagery: Google Earth™ image dated 09/15/2013.

LEGEND

- PARCEL BOUNDARY (APPROXIMATE)
- METALLIC DEBRIS AREA (INTERPOLATED)
- ⊕ MONITORING WELL
- ⊕ ABANDONED MONITORING WELL (OCTOBER 2013)
- ⊕ ABANDONED MONITORING WELL (OCTOBER 2017)
- PRIVATE WELL
- ABANDONED PRIVATE WELL (JUNE 2007)
- ▲ PIEZOMETER
- ▲ ABANDONED PIEZOMETER (OCTOBER 2017)
- ▲ STAFF GAUGE
- ⊗ SHALLOW LANDFILL GAS WELL POINT
- × HYDROPUNCH BORING

SAMPLE LOCATIONS

FORMER GORSKI LANDFILL
MOSINEE, WISCONSIN

FIGURE 2

RAMBOLL US CONSULTING, INC.
A RAMBOLL COMPANY





- LEGEND**
- PARCEL BOUNDARY (APPROXIMATE)
 - METALLIC DEBRIS AREA (INTERPOLATED)
 - ⊕ MONITORING WELL
 - ⊕ ABANDONED MONITORING WELL (OCTOBER 2013)
 - ⊕ ABANDONED MONITORING WELL (OCTOBER 2017)
 - PRIVATE WELL
 - ABANDONED PRIVATE WELL (JUNE 2007)
 - ▲ PIEZOMETER
 - ▲ ABANDONED PIEZOMETER (OCTOBER 2017)
 - ▲ STAFF GAUGE
 - ⊗ SHALLOW LANDFILL GAS WELL POINT
 - × HYDROPUNCH BORING
 - 3.7 TCE CONCENTRATION IN OCTOBER 2020 GROUNDWATER SAMPLE (µg/L)
 - J ESTIMATED TCE CONCENTRATION AT OR ABOVE THE LIMIT OF DETECTION (LOD) AND BELOW THE LIMIT OF QUANTITATION (LOQ).

**OCTOBER 2020
TCE CONCENTRATIONS IN
GROUNDWATER**

FORMER GORSKI LANDFILL
MOSINEE, WISCONSIN

FIGURE 3



ATTACHMENT A
INVOLVED PARTIES LIST

INVOLVED PARTIES LIST

Responsible Parties:

ad hoc Group
c/o City of Mosinee
225 Main Street
Mosinee, WI 54445

ad hoc Group Members:

Ms. Tracey Driessen
Environmental and Risk Manager
Global Manufacturing – Tissue North America
Essity Professional Hygiene North America LLC
(920) 224-2857
tracey.driessen@essity.com

Mr. Troy Williams
NA Region EHSE Manager
CNH Industrial (f/k/a Case Corporation)
3301 South Hoover Road
Wichita, KS 67215-1215
(316) 941-2265
troy.williams@cnhind.com

Mr. Jeff Gates
City Administrator
City of Mosinee
225 Main Street
Mosinee, WI 54455
(715) 693-2275
cityadm@mosinee.wi.us

Consultant:

Ramboll US Consulting, Inc.
234 W. Florida Street, Fifth Floor
Milwaukee, WI 53204
Contact: Ms. Jeanne Tarvin, (262) 901-0085
Mr. Mark Mejac, (262) 901-0127

Agency:

Wisconsin Department of Natural Resources
890 Spruce Street
Baldwin, WI 54002
Contact: Ms. Candace Sykora, (715) 684-2914



ATTACHMENT B
LABORATORY RESULTS OF GROUNDWATER SAMPLES

November 04, 2020

Jeanne Tarvin
Ramboll Environ
175 North Corporate Drive
Suite 160
Brookfield, WI 53045

RE: Project: 1690019237 GORSKI LF 21-28201B
Pace Project No.: 40217313

Dear Jeanne Tarvin:

Enclosed are the analytical results for sample(s) received by the laboratory on October 28, 2020. The results relate only to the samples included in this report. Results reported herein conform to the applicable TNI/NELAC Standards and the laboratory's Quality Manual, where applicable, unless otherwise noted in the body of the report.

The test results provided in this final report were generated by each of the following laboratories within the Pace Network:

- Pace Analytical Services - Green Bay

If you have any questions concerning this report, please feel free to contact me.

Sincerely,



Steven Mleczko
steve.mleczko@pacelabs.com
(920)469-2436
Project Manager

Enclosures

cc: David L. Markelz, Ramboll Environ
Mark Mejac, Ramboll Environ
Abigail M. Wedig, Environ International Corp
Jason Wilkinson, Ramboll



REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

CERTIFICATIONS

Project: 1690019237 GORSKI LF 21-28201B

Pace Project No.: 40217313

Pace Analytical Services Green Bay

1241 Bellevue Street, Green Bay, WI 54302

Florida/NELAP Certification #: E87948

Illinois Certification #: 200050

Kentucky UST Certification #: 82

Louisiana Certification #: 04168

Minnesota Certification #: 055-999-334

New York Certification #: 12064

North Dakota Certification #: R-150

Virginia VELAP ID: 460263

South Carolina Certification #: 83006001

Texas Certification #: T104704529-14-1

Wisconsin Certification #: 405132750

Wisconsin DATCP Certification #: 105-444

USDA Soil Permit #: P330-16-00157

Federal Fish & Wildlife Permit #: LE51774A-0

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

SAMPLE SUMMARY

Project: 1690019237 GORSKI LF 21-28201B

Pace Project No.: 40217313

Lab ID	Sample ID	Matrix	Date Collected	Date Received
40217313001	652R CTH B	Water	10/26/20 11:55	10/28/20 10:20
40217313002	642R CTH B	Water	10/26/20 10:50	10/28/20 10:20
40217313003	626 CTH B	Water	10/26/20 10:35	10/28/20 10:20
40217313004	669 CTH B	Water	10/26/20 12:15	10/28/20 10:20
40217313005	670 CTH B	Water	10/26/20 12:25	10/28/20 10:20
40217313006	1096 CTH KK	Water	10/26/20 11:10	10/28/20 10:20
40217313007	1101 CTH KK	Water	10/26/20 11:25	10/28/20 10:20
40217313008	1058 CTH KK	Water	10/26/20 11:30	10/28/20 10:20
40217313009	PZ-3	Water	10/26/20 13:15	10/28/20 10:20
40217313010	MW-4	Water	10/26/20 15:20	10/28/20 10:20
40217313011	MW-6	Water	10/26/20 14:05	10/28/20 10:20
40217313012	PZ-4	Water	10/26/20 14:40	10/28/20 10:20
40217313013	MW-4D	Water	10/26/20 15:22	10/28/20 10:20
40217313014	669 CTH BD	Water	10/26/20 12:17	10/28/20 10:20
40217313015	666 CTH B	Water	10/26/20 11:00	10/28/20 10:20
40217313016	1054 CTH KK	Water	10/26/20 11:40	10/28/20 10:20
40217313017	TRIP BLANK	Water	10/26/20 15:00	10/28/20 10:20

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

SAMPLE ANALYTE COUNT

Project: 1690019237 GORSKI LF 21-28201B

Pace Project No.: 40217313

Lab ID	Sample ID	Method	Analysts	Analytes Reported
40217313001	652R CTH B	EPA 8260	LAP	65
40217313002	642R CTH B	EPA 8260	LAP	65
40217313003	626 CTH B	EPA 8260	LAP	65
40217313004	669 CTH B	EPA 8260	LAP	65
40217313005	670 CTH B	EPA 8260	LAP	65
40217313006	1096 CTH KK	EPA 8260	LAP	65
40217313007	1101 CTH KK	EPA 8260	LAP	65
40217313008	1058 CTH KK	EPA 8260	LAP	65
40217313009	PZ-3	EPA 8260	LAP	65
40217313010	MW-4	EPA 8260	LAP	65
40217313011	MW-6	EPA 8260	LAP	65
40217313012	PZ-4	EPA 8260	LAP	65
40217313013	MW-4D	EPA 8260	LAP	65
40217313014	669 CTH BD	EPA 8260	LAP	65
40217313015	666 CTH B	EPA 8260	LAP	65
40217313016	1054 CTH KK	EPA 8260	LAP	65
40217313017	TRIP BLANK	EPA 8260	LAP	65

PASI-G = Pace Analytical Services - Green Bay

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

SUMMARY OF DETECTION

Project: 1690019237 GORSKI LF 21-28201B
Pace Project No.: 40217313

Lab Sample ID Method	Client Sample ID Parameters	Result	Units	Report Limit	Analyzed	Qualifiers
40217313009	PZ-3					
EPA 8260	Trichloroethene	0.90J	ug/L	1.0	11/03/20 11:15	
EPA 8260	cis-1,2-Dichloroethene	11.4	ug/L	1.0	11/03/20 11:15	
EPA 8260	trans-1,2-Dichloroethene	0.62J	ug/L	1.5	11/03/20 11:15	
40217313010	MW-4					
EPA 8260	Trichloroethene	6.0	ug/L	1.0	11/03/20 11:39	
EPA 8260	cis-1,2-Dichloroethene	2.1	ug/L	1.0	11/03/20 11:39	
40217313011	MW-6					
EPA 8260	Trichloroethene	1.0	ug/L	1.0	11/03/20 12:03	
EPA 8260	cis-1,2-Dichloroethene	0.28J	ug/L	1.0	11/03/20 12:03	
40217313012	PZ-4					
EPA 8260	Trichloroethene	3.7	ug/L	1.0	11/03/20 12:27	
EPA 8260	cis-1,2-Dichloroethene	1.5	ug/L	1.0	11/03/20 12:27	
40217313013	MW-4D					
EPA 8260	Trichloroethene	6.6	ug/L	1.0	11/03/20 12:50	
EPA 8260	cis-1,2-Dichloroethene	2.0	ug/L	1.0	11/03/20 12:50	
40217313017	TRIP BLANK					
EPA 8260	Methylene Chloride	0.79J	ug/L	5.0	11/03/20 07:19	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 1690019237 GORSKI LF 21-28201B

Pace Project No.: 40217313

Sample: 652R CTH B **Lab ID: 40217313001** Collected: 10/26/20 11:55 Received: 10/28/20 10:20 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV									
Analytical Method: EPA 8260									
Pace Analytical Services - Green Bay									
1,1,1,2-Tetrachloroethane	<0.27	ug/L	1.0	0.27	1		11/03/20 08:30	630-20-6	
1,1,1-Trichloroethane	<0.24	ug/L	1.0	0.24	1		11/03/20 08:30	71-55-6	
1,1,2,2-Tetrachloroethane	<0.28	ug/L	1.0	0.28	1		11/03/20 08:30	79-34-5	
1,1,2-Trichloroethane	<0.55	ug/L	5.0	0.55	1		11/03/20 08:30	79-00-5	
1,1-Dichloroethane	<0.27	ug/L	1.0	0.27	1		11/03/20 08:30	75-34-3	
1,1-Dichloroethene	<0.24	ug/L	1.0	0.24	1		11/03/20 08:30	75-35-4	
1,1-Dichloropropene	<0.54	ug/L	1.8	0.54	1		11/03/20 08:30	563-58-6	
1,2,3-Trichlorobenzene	<2.2	ug/L	7.4	2.2	1		11/03/20 08:30	87-61-6	
1,2,3-Trichloropropane	<0.59	ug/L	5.0	0.59	1		11/03/20 08:30	96-18-4	
1,2,4-Trichlorobenzene	<0.95	ug/L	5.0	0.95	1		11/03/20 08:30	120-82-1	
1,2,4-Trimethylbenzene	<0.84	ug/L	2.8	0.84	1		11/03/20 08:30	95-63-6	
1,2-Dibromo-3-chloropropane	<1.8	ug/L	5.9	1.8	1		11/03/20 08:30	96-12-8	
1,2-Dibromoethane (EDB)	<0.83	ug/L	2.8	0.83	1		11/03/20 08:30	106-93-4	
1,2-Dichlorobenzene	<0.71	ug/L	2.4	0.71	1		11/03/20 08:30	95-50-1	
1,2-Dichloroethane	<0.28	ug/L	1.0	0.28	1		11/03/20 08:30	107-06-2	
1,2-Dichloropropane	<0.28	ug/L	1.0	0.28	1		11/03/20 08:30	78-87-5	
1,3,5-Trimethylbenzene	<0.87	ug/L	2.9	0.87	1		11/03/20 08:30	108-67-8	
1,3-Dichlorobenzene	<0.63	ug/L	2.1	0.63	1		11/03/20 08:30	541-73-1	
1,3-Dichloropropane	<0.83	ug/L	2.8	0.83	1		11/03/20 08:30	142-28-9	
1,4-Dichlorobenzene	<0.94	ug/L	3.1	0.94	1		11/03/20 08:30	106-46-7	
2,2-Dichloropropane	<2.3	ug/L	7.6	2.3	1		11/03/20 08:30	594-20-7	
2-Chlorotoluene	<0.93	ug/L	5.0	0.93	1		11/03/20 08:30	95-49-8	
4-Chlorotoluene	<0.76	ug/L	2.5	0.76	1		11/03/20 08:30	106-43-4	
Benzene	<0.25	ug/L	1.0	0.25	1		11/03/20 08:30	71-43-2	
Bromobenzene	<0.24	ug/L	1.0	0.24	1		11/03/20 08:30	108-86-1	
Bromochloromethane	<0.36	ug/L	5.0	0.36	1		11/03/20 08:30	74-97-5	
Bromodichloromethane	<0.36	ug/L	1.2	0.36	1		11/03/20 08:30	75-27-4	
Bromoform	<4.0	ug/L	13.2	4.0	1		11/03/20 08:30	75-25-2	
Bromomethane	<0.97	ug/L	5.0	0.97	1		11/03/20 08:30	74-83-9	
Carbon tetrachloride	<1.1	ug/L	3.6	1.1	1		11/03/20 08:30	56-23-5	
Chlorobenzene	<0.71	ug/L	2.4	0.71	1		11/03/20 08:30	108-90-7	
Chloroethane	<1.3	ug/L	5.0	1.3	1		11/03/20 08:30	75-00-3	
Chloroform	<1.3	ug/L	5.0	1.3	1		11/03/20 08:30	67-66-3	
Chloromethane	<2.2	ug/L	7.3	2.2	1		11/03/20 08:30	74-87-3	
Dibromochloromethane	<2.6	ug/L	8.7	2.6	1		11/03/20 08:30	124-48-1	
Dibromomethane	<0.94	ug/L	3.1	0.94	1		11/03/20 08:30	74-95-3	
Dichlorodifluoromethane	<0.50	ug/L	5.0	0.50	1		11/03/20 08:30	75-71-8	
Diisopropyl ether	<1.9	ug/L	6.3	1.9	1		11/03/20 08:30	108-20-3	
Ethylbenzene	<0.32	ug/L	1.1	0.32	1		11/03/20 08:30	100-41-4	
Hexachloro-1,3-butadiene	<1.5	ug/L	4.9	1.5	1		11/03/20 08:30	87-68-3	
Isopropylbenzene (Cumene)	<1.7	ug/L	5.6	1.7	1		11/03/20 08:30	98-82-8	
Methyl-tert-butyl ether	<1.2	ug/L	4.2	1.2	1		11/03/20 08:30	1634-04-4	
Methylene Chloride	<0.58	ug/L	5.0	0.58	1		11/03/20 08:30	75-09-2	
Naphthalene	<1.2	ug/L	5.0	1.2	1		11/03/20 08:30	91-20-3	
Styrene	<3.0	ug/L	10.0	3.0	1		11/03/20 08:30	100-42-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 1690019237 GORSKI LF 21-28201B

Pace Project No.: 40217313

Sample: 652R CTH B **Lab ID: 40217313001** Collected: 10/26/20 11:55 Received: 10/28/20 10:20 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV									
Analytical Method: EPA 8260									
Pace Analytical Services - Green Bay									
Tetrachloroethene	<0.33	ug/L	1.1	0.33	1		11/03/20 08:30	127-18-4	
Toluene	<0.27	ug/L	1.0	0.27	1		11/03/20 08:30	108-88-3	
Trichloroethene	<0.26	ug/L	1.0	0.26	1		11/03/20 08:30	79-01-6	
Trichlorofluoromethane	<0.21	ug/L	1.0	0.21	1		11/03/20 08:30	75-69-4	
Vinyl chloride	<0.17	ug/L	1.0	0.17	1		11/03/20 08:30	75-01-4	
Xylene (Total)	<1.5	ug/L	3.0	1.5	1		11/03/20 08:30	1330-20-7	
cis-1,2-Dichloroethene	<0.27	ug/L	1.0	0.27	1		11/03/20 08:30	156-59-2	
cis-1,3-Dichloropropene	<3.6	ug/L	12.1	3.6	1		11/03/20 08:30	10061-01-5	
m&p-Xylene	<0.47	ug/L	2.0	0.47	1		11/03/20 08:30	179601-23-1	
n-Butylbenzene	<0.71	ug/L	2.4	0.71	1		11/03/20 08:30	104-51-8	
n-Propylbenzene	<0.81	ug/L	5.0	0.81	1		11/03/20 08:30	103-65-1	
o-Xylene	<0.26	ug/L	1.0	0.26	1		11/03/20 08:30	95-47-6	
p-Isopropyltoluene	<0.80	ug/L	2.7	0.80	1		11/03/20 08:30	99-87-6	
sec-Butylbenzene	<0.85	ug/L	5.0	0.85	1		11/03/20 08:30	135-98-8	
tert-Butylbenzene	<0.30	ug/L	1.0	0.30	1		11/03/20 08:30	98-06-6	
trans-1,2-Dichloroethene	<0.46	ug/L	1.5	0.46	1		11/03/20 08:30	156-60-5	
trans-1,3-Dichloropropene	<4.4	ug/L	14.6	4.4	1		11/03/20 08:30	10061-02-6	
Surrogates									
4-Bromofluorobenzene (S)	99	%	70-130		1		11/03/20 08:30	460-00-4	
Dibromofluoromethane (S)	97	%	70-130		1		11/03/20 08:30	1868-53-7	
Toluene-d8 (S)	98	%	70-130		1		11/03/20 08:30	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 1690019237 GORSKI LF 21-28201B

Pace Project No.: 40217313

Sample: 642R CTH B **Lab ID: 40217313002** Collected: 10/26/20 10:50 Received: 10/28/20 10:20 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV									
Analytical Method: EPA 8260									
Pace Analytical Services - Green Bay									
1,1,1,2-Tetrachloroethane	<0.27	ug/L	1.0	0.27	1		11/03/20 08:54	630-20-6	
1,1,1-Trichloroethane	<0.24	ug/L	1.0	0.24	1		11/03/20 08:54	71-55-6	
1,1,2,2-Tetrachloroethane	<0.28	ug/L	1.0	0.28	1		11/03/20 08:54	79-34-5	
1,1,2-Trichloroethane	<0.55	ug/L	5.0	0.55	1		11/03/20 08:54	79-00-5	
1,1-Dichloroethane	<0.27	ug/L	1.0	0.27	1		11/03/20 08:54	75-34-3	
1,1-Dichloroethene	<0.24	ug/L	1.0	0.24	1		11/03/20 08:54	75-35-4	
1,1-Dichloropropene	<0.54	ug/L	1.8	0.54	1		11/03/20 08:54	563-58-6	
1,2,3-Trichlorobenzene	<2.2	ug/L	7.4	2.2	1		11/03/20 08:54	87-61-6	
1,2,3-Trichloropropane	<0.59	ug/L	5.0	0.59	1		11/03/20 08:54	96-18-4	
1,2,4-Trichlorobenzene	<0.95	ug/L	5.0	0.95	1		11/03/20 08:54	120-82-1	
1,2,4-Trimethylbenzene	<0.84	ug/L	2.8	0.84	1		11/03/20 08:54	95-63-6	
1,2-Dibromo-3-chloropropane	<1.8	ug/L	5.9	1.8	1		11/03/20 08:54	96-12-8	
1,2-Dibromoethane (EDB)	<0.83	ug/L	2.8	0.83	1		11/03/20 08:54	106-93-4	
1,2-Dichlorobenzene	<0.71	ug/L	2.4	0.71	1		11/03/20 08:54	95-50-1	
1,2-Dichloroethane	<0.28	ug/L	1.0	0.28	1		11/03/20 08:54	107-06-2	
1,2-Dichloropropane	<0.28	ug/L	1.0	0.28	1		11/03/20 08:54	78-87-5	
1,3,5-Trimethylbenzene	<0.87	ug/L	2.9	0.87	1		11/03/20 08:54	108-67-8	
1,3-Dichlorobenzene	<0.63	ug/L	2.1	0.63	1		11/03/20 08:54	541-73-1	
1,3-Dichloropropane	<0.83	ug/L	2.8	0.83	1		11/03/20 08:54	142-28-9	
1,4-Dichlorobenzene	<0.94	ug/L	3.1	0.94	1		11/03/20 08:54	106-46-7	
2,2-Dichloropropane	<2.3	ug/L	7.6	2.3	1		11/03/20 08:54	594-20-7	
2-Chlorotoluene	<0.93	ug/L	5.0	0.93	1		11/03/20 08:54	95-49-8	
4-Chlorotoluene	<0.76	ug/L	2.5	0.76	1		11/03/20 08:54	106-43-4	
Benzene	<0.25	ug/L	1.0	0.25	1		11/03/20 08:54	71-43-2	
Bromobenzene	<0.24	ug/L	1.0	0.24	1		11/03/20 08:54	108-86-1	
Bromochloromethane	<0.36	ug/L	5.0	0.36	1		11/03/20 08:54	74-97-5	
Bromodichloromethane	<0.36	ug/L	1.2	0.36	1		11/03/20 08:54	75-27-4	
Bromoform	<4.0	ug/L	13.2	4.0	1		11/03/20 08:54	75-25-2	
Bromomethane	<0.97	ug/L	5.0	0.97	1		11/03/20 08:54	74-83-9	
Carbon tetrachloride	<1.1	ug/L	3.6	1.1	1		11/03/20 08:54	56-23-5	
Chlorobenzene	<0.71	ug/L	2.4	0.71	1		11/03/20 08:54	108-90-7	
Chloroethane	<1.3	ug/L	5.0	1.3	1		11/03/20 08:54	75-00-3	
Chloroform	<1.3	ug/L	5.0	1.3	1		11/03/20 08:54	67-66-3	
Chloromethane	<2.2	ug/L	7.3	2.2	1		11/03/20 08:54	74-87-3	
Dibromochloromethane	<2.6	ug/L	8.7	2.6	1		11/03/20 08:54	124-48-1	
Dibromomethane	<0.94	ug/L	3.1	0.94	1		11/03/20 08:54	74-95-3	
Dichlorodifluoromethane	<0.50	ug/L	5.0	0.50	1		11/03/20 08:54	75-71-8	
Diisopropyl ether	<1.9	ug/L	6.3	1.9	1		11/03/20 08:54	108-20-3	
Ethylbenzene	<0.32	ug/L	1.1	0.32	1		11/03/20 08:54	100-41-4	
Hexachloro-1,3-butadiene	<1.5	ug/L	4.9	1.5	1		11/03/20 08:54	87-68-3	
Isopropylbenzene (Cumene)	<1.7	ug/L	5.6	1.7	1		11/03/20 08:54	98-82-8	
Methyl-tert-butyl ether	<1.2	ug/L	4.2	1.2	1		11/03/20 08:54	1634-04-4	
Methylene Chloride	<0.58	ug/L	5.0	0.58	1		11/03/20 08:54	75-09-2	
Naphthalene	<1.2	ug/L	5.0	1.2	1		11/03/20 08:54	91-20-3	
Styrene	<3.0	ug/L	10.0	3.0	1		11/03/20 08:54	100-42-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 1690019237 GORSKI LF 21-28201B

Pace Project No.: 40217313

Sample: 642R CTH B **Lab ID: 40217313002** Collected: 10/26/20 10:50 Received: 10/28/20 10:20 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV									
Analytical Method: EPA 8260									
Pace Analytical Services - Green Bay									
Tetrachloroethene	<0.33	ug/L	1.1	0.33	1		11/03/20 08:54	127-18-4	
Toluene	<0.27	ug/L	1.0	0.27	1		11/03/20 08:54	108-88-3	
Trichloroethene	<0.26	ug/L	1.0	0.26	1		11/03/20 08:54	79-01-6	
Trichlorofluoromethane	<0.21	ug/L	1.0	0.21	1		11/03/20 08:54	75-69-4	
Vinyl chloride	<0.17	ug/L	1.0	0.17	1		11/03/20 08:54	75-01-4	
Xylene (Total)	<1.5	ug/L	3.0	1.5	1		11/03/20 08:54	1330-20-7	
cis-1,2-Dichloroethene	<0.27	ug/L	1.0	0.27	1		11/03/20 08:54	156-59-2	
cis-1,3-Dichloropropene	<3.6	ug/L	12.1	3.6	1		11/03/20 08:54	10061-01-5	
m&p-Xylene	<0.47	ug/L	2.0	0.47	1		11/03/20 08:54	179601-23-1	
n-Butylbenzene	<0.71	ug/L	2.4	0.71	1		11/03/20 08:54	104-51-8	
n-Propylbenzene	<0.81	ug/L	5.0	0.81	1		11/03/20 08:54	103-65-1	
o-Xylene	<0.26	ug/L	1.0	0.26	1		11/03/20 08:54	95-47-6	
p-Isopropyltoluene	<0.80	ug/L	2.7	0.80	1		11/03/20 08:54	99-87-6	
sec-Butylbenzene	<0.85	ug/L	5.0	0.85	1		11/03/20 08:54	135-98-8	
tert-Butylbenzene	<0.30	ug/L	1.0	0.30	1		11/03/20 08:54	98-06-6	
trans-1,2-Dichloroethene	<0.46	ug/L	1.5	0.46	1		11/03/20 08:54	156-60-5	
trans-1,3-Dichloropropene	<4.4	ug/L	14.6	4.4	1		11/03/20 08:54	10061-02-6	
Surrogates									
4-Bromofluorobenzene (S)	99	%	70-130		1		11/03/20 08:54	460-00-4	
Dibromofluoromethane (S)	99	%	70-130		1		11/03/20 08:54	1868-53-7	
Toluene-d8 (S)	100	%	70-130		1		11/03/20 08:54	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 1690019237 GORSKI LF 21-28201B

Pace Project No.: 40217313

Sample: 626 CTH B **Lab ID: 40217313003** Collected: 10/26/20 10:35 Received: 10/28/20 10:20 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV									
Analytical Method: EPA 8260									
Pace Analytical Services - Green Bay									
1,1,1,2-Tetrachloroethane	<0.27	ug/L	1.0	0.27	1		11/03/20 08:06	630-20-6	
1,1,1-Trichloroethane	<0.24	ug/L	1.0	0.24	1		11/03/20 08:06	71-55-6	
1,1,2,2-Tetrachloroethane	<0.28	ug/L	1.0	0.28	1		11/03/20 08:06	79-34-5	
1,1,2-Trichloroethane	<0.55	ug/L	5.0	0.55	1		11/03/20 08:06	79-00-5	
1,1-Dichloroethane	<0.27	ug/L	1.0	0.27	1		11/03/20 08:06	75-34-3	
1,1-Dichloroethene	<0.24	ug/L	1.0	0.24	1		11/03/20 08:06	75-35-4	
1,1-Dichloropropene	<0.54	ug/L	1.8	0.54	1		11/03/20 08:06	563-58-6	
1,2,3-Trichlorobenzene	<2.2	ug/L	7.4	2.2	1		11/03/20 08:06	87-61-6	
1,2,3-Trichloropropane	<0.59	ug/L	5.0	0.59	1		11/03/20 08:06	96-18-4	
1,2,4-Trichlorobenzene	<0.95	ug/L	5.0	0.95	1		11/03/20 08:06	120-82-1	
1,2,4-Trimethylbenzene	<0.84	ug/L	2.8	0.84	1		11/03/20 08:06	95-63-6	
1,2-Dibromo-3-chloropropane	<1.8	ug/L	5.9	1.8	1		11/03/20 08:06	96-12-8	
1,2-Dibromoethane (EDB)	<0.83	ug/L	2.8	0.83	1		11/03/20 08:06	106-93-4	
1,2-Dichlorobenzene	<0.71	ug/L	2.4	0.71	1		11/03/20 08:06	95-50-1	
1,2-Dichloroethane	<0.28	ug/L	1.0	0.28	1		11/03/20 08:06	107-06-2	
1,2-Dichloropropane	<0.28	ug/L	1.0	0.28	1		11/03/20 08:06	78-87-5	
1,3,5-Trimethylbenzene	<0.87	ug/L	2.9	0.87	1		11/03/20 08:06	108-67-8	
1,3-Dichlorobenzene	<0.63	ug/L	2.1	0.63	1		11/03/20 08:06	541-73-1	
1,3-Dichloropropane	<0.83	ug/L	2.8	0.83	1		11/03/20 08:06	142-28-9	
1,4-Dichlorobenzene	<0.94	ug/L	3.1	0.94	1		11/03/20 08:06	106-46-7	
2,2-Dichloropropane	<2.3	ug/L	7.6	2.3	1		11/03/20 08:06	594-20-7	
2-Chlorotoluene	<0.93	ug/L	5.0	0.93	1		11/03/20 08:06	95-49-8	
4-Chlorotoluene	<0.76	ug/L	2.5	0.76	1		11/03/20 08:06	106-43-4	
Benzene	<0.25	ug/L	1.0	0.25	1		11/03/20 08:06	71-43-2	
Bromobenzene	<0.24	ug/L	1.0	0.24	1		11/03/20 08:06	108-86-1	
Bromochloromethane	<0.36	ug/L	5.0	0.36	1		11/03/20 08:06	74-97-5	
Bromodichloromethane	<0.36	ug/L	1.2	0.36	1		11/03/20 08:06	75-27-4	
Bromoform	<4.0	ug/L	13.2	4.0	1		11/03/20 08:06	75-25-2	
Bromomethane	<0.97	ug/L	5.0	0.97	1		11/03/20 08:06	74-83-9	
Carbon tetrachloride	<1.1	ug/L	3.6	1.1	1		11/03/20 08:06	56-23-5	
Chlorobenzene	<0.71	ug/L	2.4	0.71	1		11/03/20 08:06	108-90-7	
Chloroethane	<1.3	ug/L	5.0	1.3	1		11/03/20 08:06	75-00-3	
Chloroform	<1.3	ug/L	5.0	1.3	1		11/03/20 08:06	67-66-3	
Chloromethane	<2.2	ug/L	7.3	2.2	1		11/03/20 08:06	74-87-3	
Dibromochloromethane	<2.6	ug/L	8.7	2.6	1		11/03/20 08:06	124-48-1	
Dibromomethane	<0.94	ug/L	3.1	0.94	1		11/03/20 08:06	74-95-3	
Dichlorodifluoromethane	<0.50	ug/L	5.0	0.50	1		11/03/20 08:06	75-71-8	
Diisopropyl ether	<1.9	ug/L	6.3	1.9	1		11/03/20 08:06	108-20-3	
Ethylbenzene	<0.32	ug/L	1.1	0.32	1		11/03/20 08:06	100-41-4	
Hexachloro-1,3-butadiene	<1.5	ug/L	4.9	1.5	1		11/03/20 08:06	87-68-3	
Isopropylbenzene (Cumene)	<1.7	ug/L	5.6	1.7	1		11/03/20 08:06	98-82-8	
Methyl-tert-butyl ether	<1.2	ug/L	4.2	1.2	1		11/03/20 08:06	1634-04-4	
Methylene Chloride	<0.58	ug/L	5.0	0.58	1		11/03/20 08:06	75-09-2	
Naphthalene	<1.2	ug/L	5.0	1.2	1		11/03/20 08:06	91-20-3	
Styrene	<3.0	ug/L	10.0	3.0	1		11/03/20 08:06	100-42-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 1690019237 GORSKI LF 21-28201B
Pace Project No.: 40217313

Sample: 626 CTH B **Lab ID: 40217313003** Collected: 10/26/20 10:35 Received: 10/28/20 10:20 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV									
Analytical Method: EPA 8260									
Pace Analytical Services - Green Bay									
Tetrachloroethene	<0.33	ug/L	1.1	0.33	1		11/03/20 08:06	127-18-4	
Toluene	<0.27	ug/L	1.0	0.27	1		11/03/20 08:06	108-88-3	
Trichloroethene	<0.26	ug/L	1.0	0.26	1		11/03/20 08:06	79-01-6	
Trichlorofluoromethane	<0.21	ug/L	1.0	0.21	1		11/03/20 08:06	75-69-4	
Vinyl chloride	<0.17	ug/L	1.0	0.17	1		11/03/20 08:06	75-01-4	
Xylene (Total)	<1.5	ug/L	3.0	1.5	1		11/03/20 08:06	1330-20-7	
cis-1,2-Dichloroethene	<0.27	ug/L	1.0	0.27	1		11/03/20 08:06	156-59-2	
cis-1,3-Dichloropropene	<3.6	ug/L	12.1	3.6	1		11/03/20 08:06	10061-01-5	
m&p-Xylene	<0.47	ug/L	2.0	0.47	1		11/03/20 08:06	179601-23-1	
n-Butylbenzene	<0.71	ug/L	2.4	0.71	1		11/03/20 08:06	104-51-8	
n-Propylbenzene	<0.81	ug/L	5.0	0.81	1		11/03/20 08:06	103-65-1	
o-Xylene	<0.26	ug/L	1.0	0.26	1		11/03/20 08:06	95-47-6	
p-Isopropyltoluene	<0.80	ug/L	2.7	0.80	1		11/03/20 08:06	99-87-6	
sec-Butylbenzene	<0.85	ug/L	5.0	0.85	1		11/03/20 08:06	135-98-8	
tert-Butylbenzene	<0.30	ug/L	1.0	0.30	1		11/03/20 08:06	98-06-6	
trans-1,2-Dichloroethene	<0.46	ug/L	1.5	0.46	1		11/03/20 08:06	156-60-5	
trans-1,3-Dichloropropene	<4.4	ug/L	14.6	4.4	1		11/03/20 08:06	10061-02-6	
Surrogates									
4-Bromofluorobenzene (S)	101	%	70-130		1		11/03/20 08:06	460-00-4	
Dibromofluoromethane (S)	94	%	70-130		1		11/03/20 08:06	1868-53-7	
Toluene-d8 (S)	98	%	70-130		1		11/03/20 08:06	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 1690019237 GORSKI LF 21-28201B

Pace Project No.: 40217313

Sample: 669 CTH B **Lab ID: 40217313004** Collected: 10/26/20 12:15 Received: 10/28/20 10:20 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV									
Analytical Method: EPA 8260									
Pace Analytical Services - Green Bay									
1,1,1,2-Tetrachloroethane	<0.27	ug/L	1.0	0.27	1		11/03/20 09:17	630-20-6	
1,1,1-Trichloroethane	<0.24	ug/L	1.0	0.24	1		11/03/20 09:17	71-55-6	
1,1,2,2-Tetrachloroethane	<0.28	ug/L	1.0	0.28	1		11/03/20 09:17	79-34-5	
1,1,2-Trichloroethane	<0.55	ug/L	5.0	0.55	1		11/03/20 09:17	79-00-5	
1,1-Dichloroethane	<0.27	ug/L	1.0	0.27	1		11/03/20 09:17	75-34-3	
1,1-Dichloroethene	<0.24	ug/L	1.0	0.24	1		11/03/20 09:17	75-35-4	
1,1-Dichloropropene	<0.54	ug/L	1.8	0.54	1		11/03/20 09:17	563-58-6	
1,2,3-Trichlorobenzene	<2.2	ug/L	7.4	2.2	1		11/03/20 09:17	87-61-6	
1,2,3-Trichloropropane	<0.59	ug/L	5.0	0.59	1		11/03/20 09:17	96-18-4	
1,2,4-Trichlorobenzene	<0.95	ug/L	5.0	0.95	1		11/03/20 09:17	120-82-1	
1,2,4-Trimethylbenzene	<0.84	ug/L	2.8	0.84	1		11/03/20 09:17	95-63-6	
1,2-Dibromo-3-chloropropane	<1.8	ug/L	5.9	1.8	1		11/03/20 09:17	96-12-8	
1,2-Dibromoethane (EDB)	<0.83	ug/L	2.8	0.83	1		11/03/20 09:17	106-93-4	
1,2-Dichlorobenzene	<0.71	ug/L	2.4	0.71	1		11/03/20 09:17	95-50-1	
1,2-Dichloroethane	<0.28	ug/L	1.0	0.28	1		11/03/20 09:17	107-06-2	
1,2-Dichloropropane	<0.28	ug/L	1.0	0.28	1		11/03/20 09:17	78-87-5	
1,3,5-Trimethylbenzene	<0.87	ug/L	2.9	0.87	1		11/03/20 09:17	108-67-8	
1,3-Dichlorobenzene	<0.63	ug/L	2.1	0.63	1		11/03/20 09:17	541-73-1	
1,3-Dichloropropane	<0.83	ug/L	2.8	0.83	1		11/03/20 09:17	142-28-9	
1,4-Dichlorobenzene	<0.94	ug/L	3.1	0.94	1		11/03/20 09:17	106-46-7	
2,2-Dichloropropane	<2.3	ug/L	7.6	2.3	1		11/03/20 09:17	594-20-7	
2-Chlorotoluene	<0.93	ug/L	5.0	0.93	1		11/03/20 09:17	95-49-8	
4-Chlorotoluene	<0.76	ug/L	2.5	0.76	1		11/03/20 09:17	106-43-4	
Benzene	<0.25	ug/L	1.0	0.25	1		11/03/20 09:17	71-43-2	
Bromobenzene	<0.24	ug/L	1.0	0.24	1		11/03/20 09:17	108-86-1	
Bromochloromethane	<0.36	ug/L	5.0	0.36	1		11/03/20 09:17	74-97-5	
Bromodichloromethane	<0.36	ug/L	1.2	0.36	1		11/03/20 09:17	75-27-4	
Bromoform	<4.0	ug/L	13.2	4.0	1		11/03/20 09:17	75-25-2	
Bromomethane	<0.97	ug/L	5.0	0.97	1		11/03/20 09:17	74-83-9	
Carbon tetrachloride	<1.1	ug/L	3.6	1.1	1		11/03/20 09:17	56-23-5	
Chlorobenzene	<0.71	ug/L	2.4	0.71	1		11/03/20 09:17	108-90-7	
Chloroethane	<1.3	ug/L	5.0	1.3	1		11/03/20 09:17	75-00-3	
Chloroform	<1.3	ug/L	5.0	1.3	1		11/03/20 09:17	67-66-3	
Chloromethane	<2.2	ug/L	7.3	2.2	1		11/03/20 09:17	74-87-3	
Dibromochloromethane	<2.6	ug/L	8.7	2.6	1		11/03/20 09:17	124-48-1	
Dibromomethane	<0.94	ug/L	3.1	0.94	1		11/03/20 09:17	74-95-3	
Dichlorodifluoromethane	<0.50	ug/L	5.0	0.50	1		11/03/20 09:17	75-71-8	
Diisopropyl ether	<1.9	ug/L	6.3	1.9	1		11/03/20 09:17	108-20-3	
Ethylbenzene	<0.32	ug/L	1.1	0.32	1		11/03/20 09:17	100-41-4	
Hexachloro-1,3-butadiene	<1.5	ug/L	4.9	1.5	1		11/03/20 09:17	87-68-3	
Isopropylbenzene (Cumene)	<1.7	ug/L	5.6	1.7	1		11/03/20 09:17	98-82-8	
Methyl-tert-butyl ether	<1.2	ug/L	4.2	1.2	1		11/03/20 09:17	1634-04-4	
Methylene Chloride	<0.58	ug/L	5.0	0.58	1		11/03/20 09:17	75-09-2	
Naphthalene	<1.2	ug/L	5.0	1.2	1		11/03/20 09:17	91-20-3	
Styrene	<3.0	ug/L	10.0	3.0	1		11/03/20 09:17	100-42-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 1690019237 GORSKI LF 21-28201B

Pace Project No.: 40217313

Sample: 669 CTH B **Lab ID: 40217313004** Collected: 10/26/20 12:15 Received: 10/28/20 10:20 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV		Analytical Method: EPA 8260 Pace Analytical Services - Green Bay							
Tetrachloroethene	<0.33	ug/L	1.1	0.33	1		11/03/20 09:17	127-18-4	
Toluene	<0.27	ug/L	1.0	0.27	1		11/03/20 09:17	108-88-3	
Trichloroethene	<0.26	ug/L	1.0	0.26	1		11/03/20 09:17	79-01-6	
Trichlorofluoromethane	<0.21	ug/L	1.0	0.21	1		11/03/20 09:17	75-69-4	
Vinyl chloride	<0.17	ug/L	1.0	0.17	1		11/03/20 09:17	75-01-4	
Xylene (Total)	<1.5	ug/L	3.0	1.5	1		11/03/20 09:17	1330-20-7	
cis-1,2-Dichloroethene	<0.27	ug/L	1.0	0.27	1		11/03/20 09:17	156-59-2	
cis-1,3-Dichloropropene	<3.6	ug/L	12.1	3.6	1		11/03/20 09:17	10061-01-5	
m&p-Xylene	<0.47	ug/L	2.0	0.47	1		11/03/20 09:17	179601-23-1	
n-Butylbenzene	<0.71	ug/L	2.4	0.71	1		11/03/20 09:17	104-51-8	
n-Propylbenzene	<0.81	ug/L	5.0	0.81	1		11/03/20 09:17	103-65-1	
o-Xylene	<0.26	ug/L	1.0	0.26	1		11/03/20 09:17	95-47-6	
p-Isopropyltoluene	<0.80	ug/L	2.7	0.80	1		11/03/20 09:17	99-87-6	
sec-Butylbenzene	<0.85	ug/L	5.0	0.85	1		11/03/20 09:17	135-98-8	
tert-Butylbenzene	<0.30	ug/L	1.0	0.30	1		11/03/20 09:17	98-06-6	
trans-1,2-Dichloroethene	<0.46	ug/L	1.5	0.46	1		11/03/20 09:17	156-60-5	
trans-1,3-Dichloropropene	<4.4	ug/L	14.6	4.4	1		11/03/20 09:17	10061-02-6	
Surrogates									
4-Bromofluorobenzene (S)	101	%	70-130		1		11/03/20 09:17	460-00-4	
Dibromofluoromethane (S)	94	%	70-130		1		11/03/20 09:17	1868-53-7	
Toluene-d8 (S)	98	%	70-130		1		11/03/20 09:17	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 1690019237 GORSKI LF 21-28201B

Pace Project No.: 40217313

Sample: 670 CTH B **Lab ID: 40217313005** Collected: 10/26/20 12:25 Received: 10/28/20 10:20 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV									
Analytical Method: EPA 8260									
Pace Analytical Services - Green Bay									
1,1,1,2-Tetrachloroethane	<0.27	ug/L	1.0	0.27	1		11/03/20 09:41	630-20-6	
1,1,1-Trichloroethane	<0.24	ug/L	1.0	0.24	1		11/03/20 09:41	71-55-6	
1,1,2,2-Tetrachloroethane	<0.28	ug/L	1.0	0.28	1		11/03/20 09:41	79-34-5	
1,1,2-Trichloroethane	<0.55	ug/L	5.0	0.55	1		11/03/20 09:41	79-00-5	
1,1-Dichloroethane	<0.27	ug/L	1.0	0.27	1		11/03/20 09:41	75-34-3	
1,1-Dichloroethene	<0.24	ug/L	1.0	0.24	1		11/03/20 09:41	75-35-4	
1,1-Dichloropropene	<0.54	ug/L	1.8	0.54	1		11/03/20 09:41	563-58-6	
1,2,3-Trichlorobenzene	<2.2	ug/L	7.4	2.2	1		11/03/20 09:41	87-61-6	
1,2,3-Trichloropropane	<0.59	ug/L	5.0	0.59	1		11/03/20 09:41	96-18-4	
1,2,4-Trichlorobenzene	<0.95	ug/L	5.0	0.95	1		11/03/20 09:41	120-82-1	
1,2,4-Trimethylbenzene	<0.84	ug/L	2.8	0.84	1		11/03/20 09:41	95-63-6	
1,2-Dibromo-3-chloropropane	<1.8	ug/L	5.9	1.8	1		11/03/20 09:41	96-12-8	
1,2-Dibromoethane (EDB)	<0.83	ug/L	2.8	0.83	1		11/03/20 09:41	106-93-4	
1,2-Dichlorobenzene	<0.71	ug/L	2.4	0.71	1		11/03/20 09:41	95-50-1	
1,2-Dichloroethane	<0.28	ug/L	1.0	0.28	1		11/03/20 09:41	107-06-2	
1,2-Dichloropropane	<0.28	ug/L	1.0	0.28	1		11/03/20 09:41	78-87-5	
1,3,5-Trimethylbenzene	<0.87	ug/L	2.9	0.87	1		11/03/20 09:41	108-67-8	
1,3-Dichlorobenzene	<0.63	ug/L	2.1	0.63	1		11/03/20 09:41	541-73-1	
1,3-Dichloropropane	<0.83	ug/L	2.8	0.83	1		11/03/20 09:41	142-28-9	
1,4-Dichlorobenzene	<0.94	ug/L	3.1	0.94	1		11/03/20 09:41	106-46-7	
2,2-Dichloropropane	<2.3	ug/L	7.6	2.3	1		11/03/20 09:41	594-20-7	
2-Chlorotoluene	<0.93	ug/L	5.0	0.93	1		11/03/20 09:41	95-49-8	
4-Chlorotoluene	<0.76	ug/L	2.5	0.76	1		11/03/20 09:41	106-43-4	
Benzene	<0.25	ug/L	1.0	0.25	1		11/03/20 09:41	71-43-2	
Bromobenzene	<0.24	ug/L	1.0	0.24	1		11/03/20 09:41	108-86-1	
Bromochloromethane	<0.36	ug/L	5.0	0.36	1		11/03/20 09:41	74-97-5	
Bromodichloromethane	<0.36	ug/L	1.2	0.36	1		11/03/20 09:41	75-27-4	
Bromoform	<4.0	ug/L	13.2	4.0	1		11/03/20 09:41	75-25-2	
Bromomethane	<0.97	ug/L	5.0	0.97	1		11/03/20 09:41	74-83-9	
Carbon tetrachloride	<1.1	ug/L	3.6	1.1	1		11/03/20 09:41	56-23-5	
Chlorobenzene	<0.71	ug/L	2.4	0.71	1		11/03/20 09:41	108-90-7	
Chloroethane	<1.3	ug/L	5.0	1.3	1		11/03/20 09:41	75-00-3	
Chloroform	<1.3	ug/L	5.0	1.3	1		11/03/20 09:41	67-66-3	
Chloromethane	<2.2	ug/L	7.3	2.2	1		11/03/20 09:41	74-87-3	
Dibromochloromethane	<2.6	ug/L	8.7	2.6	1		11/03/20 09:41	124-48-1	
Dibromomethane	<0.94	ug/L	3.1	0.94	1		11/03/20 09:41	74-95-3	
Dichlorodifluoromethane	<0.50	ug/L	5.0	0.50	1		11/03/20 09:41	75-71-8	
Diisopropyl ether	<1.9	ug/L	6.3	1.9	1		11/03/20 09:41	108-20-3	
Ethylbenzene	<0.32	ug/L	1.1	0.32	1		11/03/20 09:41	100-41-4	
Hexachloro-1,3-butadiene	<1.5	ug/L	4.9	1.5	1		11/03/20 09:41	87-68-3	
Isopropylbenzene (Cumene)	<1.7	ug/L	5.6	1.7	1		11/03/20 09:41	98-82-8	
Methyl-tert-butyl ether	<1.2	ug/L	4.2	1.2	1		11/03/20 09:41	1634-04-4	
Methylene Chloride	<0.58	ug/L	5.0	0.58	1		11/03/20 09:41	75-09-2	
Naphthalene	<1.2	ug/L	5.0	1.2	1		11/03/20 09:41	91-20-3	
Styrene	<3.0	ug/L	10.0	3.0	1		11/03/20 09:41	100-42-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 1690019237 GORSKI LF 21-28201B

Pace Project No.: 40217313

Sample: 670 CTH B **Lab ID: 40217313005** Collected: 10/26/20 12:25 Received: 10/28/20 10:20 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV									
Analytical Method: EPA 8260									
Pace Analytical Services - Green Bay									
Tetrachloroethene	<0.33	ug/L	1.1	0.33	1		11/03/20 09:41	127-18-4	
Toluene	<0.27	ug/L	1.0	0.27	1		11/03/20 09:41	108-88-3	
Trichloroethene	<0.26	ug/L	1.0	0.26	1		11/03/20 09:41	79-01-6	
Trichlorofluoromethane	<0.21	ug/L	1.0	0.21	1		11/03/20 09:41	75-69-4	
Vinyl chloride	<0.17	ug/L	1.0	0.17	1		11/03/20 09:41	75-01-4	
Xylene (Total)	<1.5	ug/L	3.0	1.5	1		11/03/20 09:41	1330-20-7	
cis-1,2-Dichloroethene	<0.27	ug/L	1.0	0.27	1		11/03/20 09:41	156-59-2	
cis-1,3-Dichloropropene	<3.6	ug/L	12.1	3.6	1		11/03/20 09:41	10061-01-5	
m&p-Xylene	<0.47	ug/L	2.0	0.47	1		11/03/20 09:41	179601-23-1	
n-Butylbenzene	<0.71	ug/L	2.4	0.71	1		11/03/20 09:41	104-51-8	
n-Propylbenzene	<0.81	ug/L	5.0	0.81	1		11/03/20 09:41	103-65-1	
o-Xylene	<0.26	ug/L	1.0	0.26	1		11/03/20 09:41	95-47-6	
p-Isopropyltoluene	<0.80	ug/L	2.7	0.80	1		11/03/20 09:41	99-87-6	
sec-Butylbenzene	<0.85	ug/L	5.0	0.85	1		11/03/20 09:41	135-98-8	
tert-Butylbenzene	<0.30	ug/L	1.0	0.30	1		11/03/20 09:41	98-06-6	
trans-1,2-Dichloroethene	<0.46	ug/L	1.5	0.46	1		11/03/20 09:41	156-60-5	
trans-1,3-Dichloropropene	<4.4	ug/L	14.6	4.4	1		11/03/20 09:41	10061-02-6	
Surrogates									
4-Bromofluorobenzene (S)	100	%	70-130		1		11/03/20 09:41	460-00-4	
Dibromofluoromethane (S)	86	%	70-130		1		11/03/20 09:41	1868-53-7	
Toluene-d8 (S)	101	%	70-130		1		11/03/20 09:41	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 1690019237 GORSKI LF 21-28201B

Pace Project No.: 40217313

Sample: 1096 CTH KK **Lab ID: 40217313006** Collected: 10/26/20 11:10 Received: 10/28/20 10:20 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV									
Analytical Method: EPA 8260									
Pace Analytical Services - Green Bay									
1,1,1,2-Tetrachloroethane	<0.27	ug/L	1.0	0.27	1		11/03/20 10:05	630-20-6	
1,1,1-Trichloroethane	<0.24	ug/L	1.0	0.24	1		11/03/20 10:05	71-55-6	
1,1,2,2-Tetrachloroethane	<0.28	ug/L	1.0	0.28	1		11/03/20 10:05	79-34-5	
1,1,2-Trichloroethane	<0.55	ug/L	5.0	0.55	1		11/03/20 10:05	79-00-5	
1,1-Dichloroethane	<0.27	ug/L	1.0	0.27	1		11/03/20 10:05	75-34-3	
1,1-Dichloroethene	<0.24	ug/L	1.0	0.24	1		11/03/20 10:05	75-35-4	
1,1-Dichloropropene	<0.54	ug/L	1.8	0.54	1		11/03/20 10:05	563-58-6	
1,2,3-Trichlorobenzene	<2.2	ug/L	7.4	2.2	1		11/03/20 10:05	87-61-6	
1,2,3-Trichloropropane	<0.59	ug/L	5.0	0.59	1		11/03/20 10:05	96-18-4	
1,2,4-Trichlorobenzene	<0.95	ug/L	5.0	0.95	1		11/03/20 10:05	120-82-1	
1,2,4-Trimethylbenzene	<0.84	ug/L	2.8	0.84	1		11/03/20 10:05	95-63-6	
1,2-Dibromo-3-chloropropane	<1.8	ug/L	5.9	1.8	1		11/03/20 10:05	96-12-8	
1,2-Dibromoethane (EDB)	<0.83	ug/L	2.8	0.83	1		11/03/20 10:05	106-93-4	
1,2-Dichlorobenzene	<0.71	ug/L	2.4	0.71	1		11/03/20 10:05	95-50-1	
1,2-Dichloroethane	<0.28	ug/L	1.0	0.28	1		11/03/20 10:05	107-06-2	
1,2-Dichloropropane	<0.28	ug/L	1.0	0.28	1		11/03/20 10:05	78-87-5	
1,3,5-Trimethylbenzene	<0.87	ug/L	2.9	0.87	1		11/03/20 10:05	108-67-8	
1,3-Dichlorobenzene	<0.63	ug/L	2.1	0.63	1		11/03/20 10:05	541-73-1	
1,3-Dichloropropane	<0.83	ug/L	2.8	0.83	1		11/03/20 10:05	142-28-9	
1,4-Dichlorobenzene	<0.94	ug/L	3.1	0.94	1		11/03/20 10:05	106-46-7	
2,2-Dichloropropane	<2.3	ug/L	7.6	2.3	1		11/03/20 10:05	594-20-7	
2-Chlorotoluene	<0.93	ug/L	5.0	0.93	1		11/03/20 10:05	95-49-8	
4-Chlorotoluene	<0.76	ug/L	2.5	0.76	1		11/03/20 10:05	106-43-4	
Benzene	<0.25	ug/L	1.0	0.25	1		11/03/20 10:05	71-43-2	
Bromobenzene	<0.24	ug/L	1.0	0.24	1		11/03/20 10:05	108-86-1	
Bromochloromethane	<0.36	ug/L	5.0	0.36	1		11/03/20 10:05	74-97-5	
Bromodichloromethane	<0.36	ug/L	1.2	0.36	1		11/03/20 10:05	75-27-4	
Bromoform	<4.0	ug/L	13.2	4.0	1		11/03/20 10:05	75-25-2	
Bromomethane	<0.97	ug/L	5.0	0.97	1		11/03/20 10:05	74-83-9	
Carbon tetrachloride	<1.1	ug/L	3.6	1.1	1		11/03/20 10:05	56-23-5	
Chlorobenzene	<0.71	ug/L	2.4	0.71	1		11/03/20 10:05	108-90-7	
Chloroethane	<1.3	ug/L	5.0	1.3	1		11/03/20 10:05	75-00-3	
Chloroform	<1.3	ug/L	5.0	1.3	1		11/03/20 10:05	67-66-3	
Chloromethane	<2.2	ug/L	7.3	2.2	1		11/03/20 10:05	74-87-3	
Dibromochloromethane	<2.6	ug/L	8.7	2.6	1		11/03/20 10:05	124-48-1	
Dibromomethane	<0.94	ug/L	3.1	0.94	1		11/03/20 10:05	74-95-3	
Dichlorodifluoromethane	<0.50	ug/L	5.0	0.50	1		11/03/20 10:05	75-71-8	
Diisopropyl ether	<1.9	ug/L	6.3	1.9	1		11/03/20 10:05	108-20-3	
Ethylbenzene	<0.32	ug/L	1.1	0.32	1		11/03/20 10:05	100-41-4	
Hexachloro-1,3-butadiene	<1.5	ug/L	4.9	1.5	1		11/03/20 10:05	87-68-3	
Isopropylbenzene (Cumene)	<1.7	ug/L	5.6	1.7	1		11/03/20 10:05	98-82-8	
Methyl-tert-butyl ether	<1.2	ug/L	4.2	1.2	1		11/03/20 10:05	1634-04-4	
Methylene Chloride	<0.58	ug/L	5.0	0.58	1		11/03/20 10:05	75-09-2	
Naphthalene	<1.2	ug/L	5.0	1.2	1		11/03/20 10:05	91-20-3	
Styrene	<3.0	ug/L	10.0	3.0	1		11/03/20 10:05	100-42-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 1690019237 GORSKI LF 21-28201B

Pace Project No.: 40217313

Sample: 1096 CTH KK **Lab ID: 40217313006** Collected: 10/26/20 11:10 Received: 10/28/20 10:20 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV									
Analytical Method: EPA 8260									
Pace Analytical Services - Green Bay									
Tetrachloroethene	<0.33	ug/L	1.1	0.33	1		11/03/20 10:05	127-18-4	
Toluene	<0.27	ug/L	1.0	0.27	1		11/03/20 10:05	108-88-3	
Trichloroethene	<0.26	ug/L	1.0	0.26	1		11/03/20 10:05	79-01-6	
Trichlorofluoromethane	<0.21	ug/L	1.0	0.21	1		11/03/20 10:05	75-69-4	
Vinyl chloride	<0.17	ug/L	1.0	0.17	1		11/03/20 10:05	75-01-4	
Xylene (Total)	<1.5	ug/L	3.0	1.5	1		11/03/20 10:05	1330-20-7	
cis-1,2-Dichloroethene	<0.27	ug/L	1.0	0.27	1		11/03/20 10:05	156-59-2	
cis-1,3-Dichloropropene	<3.6	ug/L	12.1	3.6	1		11/03/20 10:05	10061-01-5	
m&p-Xylene	<0.47	ug/L	2.0	0.47	1		11/03/20 10:05	179601-23-1	
n-Butylbenzene	<0.71	ug/L	2.4	0.71	1		11/03/20 10:05	104-51-8	
n-Propylbenzene	<0.81	ug/L	5.0	0.81	1		11/03/20 10:05	103-65-1	
o-Xylene	<0.26	ug/L	1.0	0.26	1		11/03/20 10:05	95-47-6	
p-Isopropyltoluene	<0.80	ug/L	2.7	0.80	1		11/03/20 10:05	99-87-6	
sec-Butylbenzene	<0.85	ug/L	5.0	0.85	1		11/03/20 10:05	135-98-8	
tert-Butylbenzene	<0.30	ug/L	1.0	0.30	1		11/03/20 10:05	98-06-6	
trans-1,2-Dichloroethene	<0.46	ug/L	1.5	0.46	1		11/03/20 10:05	156-60-5	
trans-1,3-Dichloropropene	<4.4	ug/L	14.6	4.4	1		11/03/20 10:05	10061-02-6	
Surrogates									
4-Bromofluorobenzene (S)	101	%	70-130		1		11/03/20 10:05	460-00-4	
Dibromofluoromethane (S)	91	%	70-130		1		11/03/20 10:05	1868-53-7	
Toluene-d8 (S)	101	%	70-130		1		11/03/20 10:05	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 1690019237 GORSKI LF 21-28201B

Pace Project No.: 40217313

Sample: 1101 CTH KK **Lab ID: 40217313007** Collected: 10/26/20 11:25 Received: 10/28/20 10:20 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV									
Analytical Method: EPA 8260									
Pace Analytical Services - Green Bay									
1,1,1,2-Tetrachloroethane	<0.27	ug/L	1.0	0.27	1		11/03/20 10:28	630-20-6	
1,1,1-Trichloroethane	<0.24	ug/L	1.0	0.24	1		11/03/20 10:28	71-55-6	
1,1,2,2-Tetrachloroethane	<0.28	ug/L	1.0	0.28	1		11/03/20 10:28	79-34-5	
1,1,2-Trichloroethane	<0.55	ug/L	5.0	0.55	1		11/03/20 10:28	79-00-5	
1,1-Dichloroethane	<0.27	ug/L	1.0	0.27	1		11/03/20 10:28	75-34-3	
1,1-Dichloroethene	<0.24	ug/L	1.0	0.24	1		11/03/20 10:28	75-35-4	
1,1-Dichloropropene	<0.54	ug/L	1.8	0.54	1		11/03/20 10:28	563-58-6	
1,2,3-Trichlorobenzene	<2.2	ug/L	7.4	2.2	1		11/03/20 10:28	87-61-6	
1,2,3-Trichloropropane	<0.59	ug/L	5.0	0.59	1		11/03/20 10:28	96-18-4	
1,2,4-Trichlorobenzene	<0.95	ug/L	5.0	0.95	1		11/03/20 10:28	120-82-1	
1,2,4-Trimethylbenzene	<0.84	ug/L	2.8	0.84	1		11/03/20 10:28	95-63-6	
1,2-Dibromo-3-chloropropane	<1.8	ug/L	5.9	1.8	1		11/03/20 10:28	96-12-8	
1,2-Dibromoethane (EDB)	<0.83	ug/L	2.8	0.83	1		11/03/20 10:28	106-93-4	
1,2-Dichlorobenzene	<0.71	ug/L	2.4	0.71	1		11/03/20 10:28	95-50-1	
1,2-Dichloroethane	<0.28	ug/L	1.0	0.28	1		11/03/20 10:28	107-06-2	
1,2-Dichloropropane	<0.28	ug/L	1.0	0.28	1		11/03/20 10:28	78-87-5	
1,3,5-Trimethylbenzene	<0.87	ug/L	2.9	0.87	1		11/03/20 10:28	108-67-8	
1,3-Dichlorobenzene	<0.63	ug/L	2.1	0.63	1		11/03/20 10:28	541-73-1	
1,3-Dichloropropane	<0.83	ug/L	2.8	0.83	1		11/03/20 10:28	142-28-9	
1,4-Dichlorobenzene	<0.94	ug/L	3.1	0.94	1		11/03/20 10:28	106-46-7	
2,2-Dichloropropane	<2.3	ug/L	7.6	2.3	1		11/03/20 10:28	594-20-7	
2-Chlorotoluene	<0.93	ug/L	5.0	0.93	1		11/03/20 10:28	95-49-8	
4-Chlorotoluene	<0.76	ug/L	2.5	0.76	1		11/03/20 10:28	106-43-4	
Benzene	<0.25	ug/L	1.0	0.25	1		11/03/20 10:28	71-43-2	
Bromobenzene	<0.24	ug/L	1.0	0.24	1		11/03/20 10:28	108-86-1	
Bromochloromethane	<0.36	ug/L	5.0	0.36	1		11/03/20 10:28	74-97-5	
Bromodichloromethane	<0.36	ug/L	1.2	0.36	1		11/03/20 10:28	75-27-4	
Bromoform	<4.0	ug/L	13.2	4.0	1		11/03/20 10:28	75-25-2	
Bromomethane	<0.97	ug/L	5.0	0.97	1		11/03/20 10:28	74-83-9	
Carbon tetrachloride	<1.1	ug/L	3.6	1.1	1		11/03/20 10:28	56-23-5	
Chlorobenzene	<0.71	ug/L	2.4	0.71	1		11/03/20 10:28	108-90-7	
Chloroethane	<1.3	ug/L	5.0	1.3	1		11/03/20 10:28	75-00-3	
Chloroform	<1.3	ug/L	5.0	1.3	1		11/03/20 10:28	67-66-3	
Chloromethane	<2.2	ug/L	7.3	2.2	1		11/03/20 10:28	74-87-3	
Dibromochloromethane	<2.6	ug/L	8.7	2.6	1		11/03/20 10:28	124-48-1	
Dibromomethane	<0.94	ug/L	3.1	0.94	1		11/03/20 10:28	74-95-3	
Dichlorodifluoromethane	<0.50	ug/L	5.0	0.50	1		11/03/20 10:28	75-71-8	
Diisopropyl ether	<1.9	ug/L	6.3	1.9	1		11/03/20 10:28	108-20-3	
Ethylbenzene	<0.32	ug/L	1.1	0.32	1		11/03/20 10:28	100-41-4	
Hexachloro-1,3-butadiene	<1.5	ug/L	4.9	1.5	1		11/03/20 10:28	87-68-3	
Isopropylbenzene (Cumene)	<1.7	ug/L	5.6	1.7	1		11/03/20 10:28	98-82-8	
Methyl-tert-butyl ether	<1.2	ug/L	4.2	1.2	1		11/03/20 10:28	1634-04-4	
Methylene Chloride	<0.58	ug/L	5.0	0.58	1		11/03/20 10:28	75-09-2	
Naphthalene	<1.2	ug/L	5.0	1.2	1		11/03/20 10:28	91-20-3	
Styrene	<3.0	ug/L	10.0	3.0	1		11/03/20 10:28	100-42-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 1690019237 GORSKI LF 21-28201B

Pace Project No.: 40217313

Sample: 1101 CTH KK **Lab ID: 40217313007** Collected: 10/26/20 11:25 Received: 10/28/20 10:20 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV									
Analytical Method: EPA 8260									
Pace Analytical Services - Green Bay									
Tetrachloroethene	<0.33	ug/L	1.1	0.33	1		11/03/20 10:28	127-18-4	
Toluene	<0.27	ug/L	1.0	0.27	1		11/03/20 10:28	108-88-3	
Trichloroethene	<0.26	ug/L	1.0	0.26	1		11/03/20 10:28	79-01-6	
Trichlorofluoromethane	<0.21	ug/L	1.0	0.21	1		11/03/20 10:28	75-69-4	
Vinyl chloride	<0.17	ug/L	1.0	0.17	1		11/03/20 10:28	75-01-4	
Xylene (Total)	<1.5	ug/L	3.0	1.5	1		11/03/20 10:28	1330-20-7	
cis-1,2-Dichloroethene	<0.27	ug/L	1.0	0.27	1		11/03/20 10:28	156-59-2	
cis-1,3-Dichloropropene	<3.6	ug/L	12.1	3.6	1		11/03/20 10:28	10061-01-5	
m&p-Xylene	<0.47	ug/L	2.0	0.47	1		11/03/20 10:28	179601-23-1	
n-Butylbenzene	<0.71	ug/L	2.4	0.71	1		11/03/20 10:28	104-51-8	
n-Propylbenzene	<0.81	ug/L	5.0	0.81	1		11/03/20 10:28	103-65-1	
o-Xylene	<0.26	ug/L	1.0	0.26	1		11/03/20 10:28	95-47-6	
p-Isopropyltoluene	<0.80	ug/L	2.7	0.80	1		11/03/20 10:28	99-87-6	
sec-Butylbenzene	<0.85	ug/L	5.0	0.85	1		11/03/20 10:28	135-98-8	
tert-Butylbenzene	<0.30	ug/L	1.0	0.30	1		11/03/20 10:28	98-06-6	
trans-1,2-Dichloroethene	<0.46	ug/L	1.5	0.46	1		11/03/20 10:28	156-60-5	
trans-1,3-Dichloropropene	<4.4	ug/L	14.6	4.4	1		11/03/20 10:28	10061-02-6	
Surrogates									
4-Bromofluorobenzene (S)	99	%	70-130		1		11/03/20 10:28	460-00-4	
Dibromofluoromethane (S)	91	%	70-130		1		11/03/20 10:28	1868-53-7	
Toluene-d8 (S)	98	%	70-130		1		11/03/20 10:28	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 1690019237 GORSKI LF 21-28201B

Pace Project No.: 40217313

Sample: 1058 CTH KK **Lab ID: 40217313008** Collected: 10/26/20 11:30 Received: 10/28/20 10:20 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV									
Analytical Method: EPA 8260									
Pace Analytical Services - Green Bay									
1,1,1,2-Tetrachloroethane	<0.27	ug/L	1.0	0.27	1		11/03/20 10:52	630-20-6	
1,1,1-Trichloroethane	<0.24	ug/L	1.0	0.24	1		11/03/20 10:52	71-55-6	
1,1,2,2-Tetrachloroethane	<0.28	ug/L	1.0	0.28	1		11/03/20 10:52	79-34-5	
1,1,2-Trichloroethane	<0.55	ug/L	5.0	0.55	1		11/03/20 10:52	79-00-5	
1,1-Dichloroethane	<0.27	ug/L	1.0	0.27	1		11/03/20 10:52	75-34-3	
1,1-Dichloroethene	<0.24	ug/L	1.0	0.24	1		11/03/20 10:52	75-35-4	
1,1-Dichloropropene	<0.54	ug/L	1.8	0.54	1		11/03/20 10:52	563-58-6	
1,2,3-Trichlorobenzene	<2.2	ug/L	7.4	2.2	1		11/03/20 10:52	87-61-6	
1,2,3-Trichloropropane	<0.59	ug/L	5.0	0.59	1		11/03/20 10:52	96-18-4	
1,2,4-Trichlorobenzene	<0.95	ug/L	5.0	0.95	1		11/03/20 10:52	120-82-1	
1,2,4-Trimethylbenzene	<0.84	ug/L	2.8	0.84	1		11/03/20 10:52	95-63-6	
1,2-Dibromo-3-chloropropane	<1.8	ug/L	5.9	1.8	1		11/03/20 10:52	96-12-8	
1,2-Dibromoethane (EDB)	<0.83	ug/L	2.8	0.83	1		11/03/20 10:52	106-93-4	
1,2-Dichlorobenzene	<0.71	ug/L	2.4	0.71	1		11/03/20 10:52	95-50-1	
1,2-Dichloroethane	<0.28	ug/L	1.0	0.28	1		11/03/20 10:52	107-06-2	
1,2-Dichloropropane	<0.28	ug/L	1.0	0.28	1		11/03/20 10:52	78-87-5	
1,3,5-Trimethylbenzene	<0.87	ug/L	2.9	0.87	1		11/03/20 10:52	108-67-8	
1,3-Dichlorobenzene	<0.63	ug/L	2.1	0.63	1		11/03/20 10:52	541-73-1	
1,3-Dichloropropane	<0.83	ug/L	2.8	0.83	1		11/03/20 10:52	142-28-9	
1,4-Dichlorobenzene	<0.94	ug/L	3.1	0.94	1		11/03/20 10:52	106-46-7	
2,2-Dichloropropane	<2.3	ug/L	7.6	2.3	1		11/03/20 10:52	594-20-7	
2-Chlorotoluene	<0.93	ug/L	5.0	0.93	1		11/03/20 10:52	95-49-8	
4-Chlorotoluene	<0.76	ug/L	2.5	0.76	1		11/03/20 10:52	106-43-4	
Benzene	<0.25	ug/L	1.0	0.25	1		11/03/20 10:52	71-43-2	
Bromobenzene	<0.24	ug/L	1.0	0.24	1		11/03/20 10:52	108-86-1	
Bromochloromethane	<0.36	ug/L	5.0	0.36	1		11/03/20 10:52	74-97-5	
Bromodichloromethane	<0.36	ug/L	1.2	0.36	1		11/03/20 10:52	75-27-4	
Bromoform	<4.0	ug/L	13.2	4.0	1		11/03/20 10:52	75-25-2	
Bromomethane	<0.97	ug/L	5.0	0.97	1		11/03/20 10:52	74-83-9	
Carbon tetrachloride	<1.1	ug/L	3.6	1.1	1		11/03/20 10:52	56-23-5	
Chlorobenzene	<0.71	ug/L	2.4	0.71	1		11/03/20 10:52	108-90-7	
Chloroethane	<1.3	ug/L	5.0	1.3	1		11/03/20 10:52	75-00-3	
Chloroform	<1.3	ug/L	5.0	1.3	1		11/03/20 10:52	67-66-3	
Chloromethane	<2.2	ug/L	7.3	2.2	1		11/03/20 10:52	74-87-3	
Dibromochloromethane	<2.6	ug/L	8.7	2.6	1		11/03/20 10:52	124-48-1	
Dibromomethane	<0.94	ug/L	3.1	0.94	1		11/03/20 10:52	74-95-3	
Dichlorodifluoromethane	<0.50	ug/L	5.0	0.50	1		11/03/20 10:52	75-71-8	
Diisopropyl ether	<1.9	ug/L	6.3	1.9	1		11/03/20 10:52	108-20-3	
Ethylbenzene	<0.32	ug/L	1.1	0.32	1		11/03/20 10:52	100-41-4	
Hexachloro-1,3-butadiene	<1.5	ug/L	4.9	1.5	1		11/03/20 10:52	87-68-3	
Isopropylbenzene (Cumene)	<1.7	ug/L	5.6	1.7	1		11/03/20 10:52	98-82-8	
Methyl-tert-butyl ether	<1.2	ug/L	4.2	1.2	1		11/03/20 10:52	1634-04-4	
Methylene Chloride	<0.58	ug/L	5.0	0.58	1		11/03/20 10:52	75-09-2	
Naphthalene	<1.2	ug/L	5.0	1.2	1		11/03/20 10:52	91-20-3	
Styrene	<3.0	ug/L	10.0	3.0	1		11/03/20 10:52	100-42-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 1690019237 GORSKI LF 21-28201B

Pace Project No.: 40217313

Sample: 1058 CTH KK **Lab ID: 40217313008** Collected: 10/26/20 11:30 Received: 10/28/20 10:20 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV									
Analytical Method: EPA 8260									
Pace Analytical Services - Green Bay									
Tetrachloroethene	<0.33	ug/L	1.1	0.33	1		11/03/20 10:52	127-18-4	
Toluene	<0.27	ug/L	1.0	0.27	1		11/03/20 10:52	108-88-3	
Trichloroethene	<0.26	ug/L	1.0	0.26	1		11/03/20 10:52	79-01-6	
Trichlorofluoromethane	<0.21	ug/L	1.0	0.21	1		11/03/20 10:52	75-69-4	
Vinyl chloride	<0.17	ug/L	1.0	0.17	1		11/03/20 10:52	75-01-4	
Xylene (Total)	<1.5	ug/L	3.0	1.5	1		11/03/20 10:52	1330-20-7	
cis-1,2-Dichloroethene	<0.27	ug/L	1.0	0.27	1		11/03/20 10:52	156-59-2	
cis-1,3-Dichloropropene	<3.6	ug/L	12.1	3.6	1		11/03/20 10:52	10061-01-5	
m&p-Xylene	<0.47	ug/L	2.0	0.47	1		11/03/20 10:52	179601-23-1	
n-Butylbenzene	<0.71	ug/L	2.4	0.71	1		11/03/20 10:52	104-51-8	
n-Propylbenzene	<0.81	ug/L	5.0	0.81	1		11/03/20 10:52	103-65-1	
o-Xylene	<0.26	ug/L	1.0	0.26	1		11/03/20 10:52	95-47-6	
p-Isopropyltoluene	<0.80	ug/L	2.7	0.80	1		11/03/20 10:52	99-87-6	
sec-Butylbenzene	<0.85	ug/L	5.0	0.85	1		11/03/20 10:52	135-98-8	
tert-Butylbenzene	<0.30	ug/L	1.0	0.30	1		11/03/20 10:52	98-06-6	
trans-1,2-Dichloroethene	<0.46	ug/L	1.5	0.46	1		11/03/20 10:52	156-60-5	
trans-1,3-Dichloropropene	<4.4	ug/L	14.6	4.4	1		11/03/20 10:52	10061-02-6	
Surrogates									
4-Bromofluorobenzene (S)	101	%	70-130		1		11/03/20 10:52	460-00-4	
Dibromofluoromethane (S)	93	%	70-130		1		11/03/20 10:52	1868-53-7	
Toluene-d8 (S)	97	%	70-130		1		11/03/20 10:52	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 1690019237 GORSKI LF 21-28201B

Pace Project No.: 40217313

Sample: PZ-3 **Lab ID: 40217313009** Collected: 10/26/20 13:15 Received: 10/28/20 10:20 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV									
Analytical Method: EPA 8260									
Pace Analytical Services - Green Bay									
1,1,1,2-Tetrachloroethane	<0.27	ug/L	1.0	0.27	1		11/03/20 11:15	630-20-6	
1,1,1-Trichloroethane	<0.24	ug/L	1.0	0.24	1		11/03/20 11:15	71-55-6	
1,1,2,2-Tetrachloroethane	<0.28	ug/L	1.0	0.28	1		11/03/20 11:15	79-34-5	
1,1,2-Trichloroethane	<0.55	ug/L	5.0	0.55	1		11/03/20 11:15	79-00-5	
1,1-Dichloroethane	<0.27	ug/L	1.0	0.27	1		11/03/20 11:15	75-34-3	
1,1-Dichloroethene	<0.24	ug/L	1.0	0.24	1		11/03/20 11:15	75-35-4	
1,1-Dichloropropene	<0.54	ug/L	1.8	0.54	1		11/03/20 11:15	563-58-6	
1,2,3-Trichlorobenzene	<2.2	ug/L	7.4	2.2	1		11/03/20 11:15	87-61-6	
1,2,3-Trichloropropane	<0.59	ug/L	5.0	0.59	1		11/03/20 11:15	96-18-4	
1,2,4-Trichlorobenzene	<0.95	ug/L	5.0	0.95	1		11/03/20 11:15	120-82-1	
1,2,4-Trimethylbenzene	<0.84	ug/L	2.8	0.84	1		11/03/20 11:15	95-63-6	
1,2-Dibromo-3-chloropropane	<1.8	ug/L	5.9	1.8	1		11/03/20 11:15	96-12-8	
1,2-Dibromoethane (EDB)	<0.83	ug/L	2.8	0.83	1		11/03/20 11:15	106-93-4	
1,2-Dichlorobenzene	<0.71	ug/L	2.4	0.71	1		11/03/20 11:15	95-50-1	
1,2-Dichloroethane	<0.28	ug/L	1.0	0.28	1		11/03/20 11:15	107-06-2	
1,2-Dichloropropane	<0.28	ug/L	1.0	0.28	1		11/03/20 11:15	78-87-5	
1,3,5-Trimethylbenzene	<0.87	ug/L	2.9	0.87	1		11/03/20 11:15	108-67-8	
1,3-Dichlorobenzene	<0.63	ug/L	2.1	0.63	1		11/03/20 11:15	541-73-1	
1,3-Dichloropropane	<0.83	ug/L	2.8	0.83	1		11/03/20 11:15	142-28-9	
1,4-Dichlorobenzene	<0.94	ug/L	3.1	0.94	1		11/03/20 11:15	106-46-7	
2,2-Dichloropropane	<2.3	ug/L	7.6	2.3	1		11/03/20 11:15	594-20-7	
2-Chlorotoluene	<0.93	ug/L	5.0	0.93	1		11/03/20 11:15	95-49-8	
4-Chlorotoluene	<0.76	ug/L	2.5	0.76	1		11/03/20 11:15	106-43-4	
Benzene	<0.25	ug/L	1.0	0.25	1		11/03/20 11:15	71-43-2	
Bromobenzene	<0.24	ug/L	1.0	0.24	1		11/03/20 11:15	108-86-1	
Bromochloromethane	<0.36	ug/L	5.0	0.36	1		11/03/20 11:15	74-97-5	
Bromodichloromethane	<0.36	ug/L	1.2	0.36	1		11/03/20 11:15	75-27-4	
Bromoform	<4.0	ug/L	13.2	4.0	1		11/03/20 11:15	75-25-2	
Bromomethane	<0.97	ug/L	5.0	0.97	1		11/03/20 11:15	74-83-9	
Carbon tetrachloride	<1.1	ug/L	3.6	1.1	1		11/03/20 11:15	56-23-5	
Chlorobenzene	<0.71	ug/L	2.4	0.71	1		11/03/20 11:15	108-90-7	
Chloroethane	<1.3	ug/L	5.0	1.3	1		11/03/20 11:15	75-00-3	
Chloroform	<1.3	ug/L	5.0	1.3	1		11/03/20 11:15	67-66-3	
Chloromethane	<2.2	ug/L	7.3	2.2	1		11/03/20 11:15	74-87-3	
Dibromochloromethane	<2.6	ug/L	8.7	2.6	1		11/03/20 11:15	124-48-1	
Dibromomethane	<0.94	ug/L	3.1	0.94	1		11/03/20 11:15	74-95-3	
Dichlorodifluoromethane	<0.50	ug/L	5.0	0.50	1		11/03/20 11:15	75-71-8	
Diisopropyl ether	<1.9	ug/L	6.3	1.9	1		11/03/20 11:15	108-20-3	
Ethylbenzene	<0.32	ug/L	1.1	0.32	1		11/03/20 11:15	100-41-4	
Hexachloro-1,3-butadiene	<1.5	ug/L	4.9	1.5	1		11/03/20 11:15	87-68-3	
Isopropylbenzene (Cumene)	<1.7	ug/L	5.6	1.7	1		11/03/20 11:15	98-82-8	
Methyl-tert-butyl ether	<1.2	ug/L	4.2	1.2	1		11/03/20 11:15	1634-04-4	
Methylene Chloride	<0.58	ug/L	5.0	0.58	1		11/03/20 11:15	75-09-2	
Naphthalene	<1.2	ug/L	5.0	1.2	1		11/03/20 11:15	91-20-3	
Styrene	<3.0	ug/L	10.0	3.0	1		11/03/20 11:15	100-42-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 1690019237 GORSKI LF 21-28201B

Pace Project No.: 40217313

Sample: PZ-3 **Lab ID: 40217313009** Collected: 10/26/20 13:15 Received: 10/28/20 10:20 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV									
Analytical Method: EPA 8260									
Pace Analytical Services - Green Bay									
Tetrachloroethene	<0.33	ug/L	1.1	0.33	1		11/03/20 11:15	127-18-4	
Toluene	<0.27	ug/L	1.0	0.27	1		11/03/20 11:15	108-88-3	
Trichloroethene	0.90J	ug/L	1.0	0.26	1		11/03/20 11:15	79-01-6	
Trichlorofluoromethane	<0.21	ug/L	1.0	0.21	1		11/03/20 11:15	75-69-4	
Vinyl chloride	<0.17	ug/L	1.0	0.17	1		11/03/20 11:15	75-01-4	
Xylene (Total)	<1.5	ug/L	3.0	1.5	1		11/03/20 11:15	1330-20-7	
cis-1,2-Dichloroethene	11.4	ug/L	1.0	0.27	1		11/03/20 11:15	156-59-2	
cis-1,3-Dichloropropene	<3.6	ug/L	12.1	3.6	1		11/03/20 11:15	10061-01-5	
m&p-Xylene	<0.47	ug/L	2.0	0.47	1		11/03/20 11:15	179601-23-1	
n-Butylbenzene	<0.71	ug/L	2.4	0.71	1		11/03/20 11:15	104-51-8	
n-Propylbenzene	<0.81	ug/L	5.0	0.81	1		11/03/20 11:15	103-65-1	
o-Xylene	<0.26	ug/L	1.0	0.26	1		11/03/20 11:15	95-47-6	
p-Isopropyltoluene	<0.80	ug/L	2.7	0.80	1		11/03/20 11:15	99-87-6	
sec-Butylbenzene	<0.85	ug/L	5.0	0.85	1		11/03/20 11:15	135-98-8	
tert-Butylbenzene	<0.30	ug/L	1.0	0.30	1		11/03/20 11:15	98-06-6	
trans-1,2-Dichloroethene	0.62J	ug/L	1.5	0.46	1		11/03/20 11:15	156-60-5	
trans-1,3-Dichloropropene	<4.4	ug/L	14.6	4.4	1		11/03/20 11:15	10061-02-6	
Surrogates									
4-Bromofluorobenzene (S)	100	%	70-130		1		11/03/20 11:15	460-00-4	
Dibromofluoromethane (S)	91	%	70-130		1		11/03/20 11:15	1868-53-7	
Toluene-d8 (S)	97	%	70-130		1		11/03/20 11:15	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 1690019237 GORSKI LF 21-28201B

Pace Project No.: 40217313

Sample: MW-4 **Lab ID: 40217313010** Collected: 10/26/20 15:20 Received: 10/28/20 10:20 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV									
Analytical Method: EPA 8260									
Pace Analytical Services - Green Bay									
1,1,1,2-Tetrachloroethane	<0.27	ug/L	1.0	0.27	1		11/03/20 11:39	630-20-6	
1,1,1-Trichloroethane	<0.24	ug/L	1.0	0.24	1		11/03/20 11:39	71-55-6	
1,1,2,2-Tetrachloroethane	<0.28	ug/L	1.0	0.28	1		11/03/20 11:39	79-34-5	
1,1,2-Trichloroethane	<0.55	ug/L	5.0	0.55	1		11/03/20 11:39	79-00-5	
1,1-Dichloroethane	<0.27	ug/L	1.0	0.27	1		11/03/20 11:39	75-34-3	
1,1-Dichloroethene	<0.24	ug/L	1.0	0.24	1		11/03/20 11:39	75-35-4	
1,1-Dichloropropene	<0.54	ug/L	1.8	0.54	1		11/03/20 11:39	563-58-6	
1,2,3-Trichlorobenzene	<2.2	ug/L	7.4	2.2	1		11/03/20 11:39	87-61-6	
1,2,3-Trichloropropane	<0.59	ug/L	5.0	0.59	1		11/03/20 11:39	96-18-4	
1,2,4-Trichlorobenzene	<0.95	ug/L	5.0	0.95	1		11/03/20 11:39	120-82-1	
1,2,4-Trimethylbenzene	<0.84	ug/L	2.8	0.84	1		11/03/20 11:39	95-63-6	
1,2-Dibromo-3-chloropropane	<1.8	ug/L	5.9	1.8	1		11/03/20 11:39	96-12-8	
1,2-Dibromoethane (EDB)	<0.83	ug/L	2.8	0.83	1		11/03/20 11:39	106-93-4	
1,2-Dichlorobenzene	<0.71	ug/L	2.4	0.71	1		11/03/20 11:39	95-50-1	
1,2-Dichloroethane	<0.28	ug/L	1.0	0.28	1		11/03/20 11:39	107-06-2	
1,2-Dichloropropane	<0.28	ug/L	1.0	0.28	1		11/03/20 11:39	78-87-5	
1,3,5-Trimethylbenzene	<0.87	ug/L	2.9	0.87	1		11/03/20 11:39	108-67-8	
1,3-Dichlorobenzene	<0.63	ug/L	2.1	0.63	1		11/03/20 11:39	541-73-1	
1,3-Dichloropropane	<0.83	ug/L	2.8	0.83	1		11/03/20 11:39	142-28-9	
1,4-Dichlorobenzene	<0.94	ug/L	3.1	0.94	1		11/03/20 11:39	106-46-7	
2,2-Dichloropropane	<2.3	ug/L	7.6	2.3	1		11/03/20 11:39	594-20-7	
2-Chlorotoluene	<0.93	ug/L	5.0	0.93	1		11/03/20 11:39	95-49-8	
4-Chlorotoluene	<0.76	ug/L	2.5	0.76	1		11/03/20 11:39	106-43-4	
Benzene	<0.25	ug/L	1.0	0.25	1		11/03/20 11:39	71-43-2	
Bromobenzene	<0.24	ug/L	1.0	0.24	1		11/03/20 11:39	108-86-1	
Bromochloromethane	<0.36	ug/L	5.0	0.36	1		11/03/20 11:39	74-97-5	
Bromodichloromethane	<0.36	ug/L	1.2	0.36	1		11/03/20 11:39	75-27-4	
Bromoform	<4.0	ug/L	13.2	4.0	1		11/03/20 11:39	75-25-2	
Bromomethane	<0.97	ug/L	5.0	0.97	1		11/03/20 11:39	74-83-9	
Carbon tetrachloride	<1.1	ug/L	3.6	1.1	1		11/03/20 11:39	56-23-5	
Chlorobenzene	<0.71	ug/L	2.4	0.71	1		11/03/20 11:39	108-90-7	
Chloroethane	<1.3	ug/L	5.0	1.3	1		11/03/20 11:39	75-00-3	
Chloroform	<1.3	ug/L	5.0	1.3	1		11/03/20 11:39	67-66-3	
Chloromethane	<2.2	ug/L	7.3	2.2	1		11/03/20 11:39	74-87-3	
Dibromochloromethane	<2.6	ug/L	8.7	2.6	1		11/03/20 11:39	124-48-1	
Dibromomethane	<0.94	ug/L	3.1	0.94	1		11/03/20 11:39	74-95-3	
Dichlorodifluoromethane	<0.50	ug/L	5.0	0.50	1		11/03/20 11:39	75-71-8	
Diisopropyl ether	<1.9	ug/L	6.3	1.9	1		11/03/20 11:39	108-20-3	
Ethylbenzene	<0.32	ug/L	1.1	0.32	1		11/03/20 11:39	100-41-4	
Hexachloro-1,3-butadiene	<1.5	ug/L	4.9	1.5	1		11/03/20 11:39	87-68-3	
Isopropylbenzene (Cumene)	<1.7	ug/L	5.6	1.7	1		11/03/20 11:39	98-82-8	
Methyl-tert-butyl ether	<1.2	ug/L	4.2	1.2	1		11/03/20 11:39	1634-04-4	
Methylene Chloride	<0.58	ug/L	5.0	0.58	1		11/03/20 11:39	75-09-2	
Naphthalene	<1.2	ug/L	5.0	1.2	1		11/03/20 11:39	91-20-3	
Styrene	<3.0	ug/L	10.0	3.0	1		11/03/20 11:39	100-42-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 1690019237 GORSKI LF 21-28201B

Pace Project No.: 40217313

Sample: MW-4 **Lab ID: 40217313010** Collected: 10/26/20 15:20 Received: 10/28/20 10:20 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV									
Analytical Method: EPA 8260									
Pace Analytical Services - Green Bay									
Tetrachloroethene	<0.33	ug/L	1.1	0.33	1		11/03/20 11:39	127-18-4	
Toluene	<0.27	ug/L	1.0	0.27	1		11/03/20 11:39	108-88-3	
Trichloroethene	6.0	ug/L	1.0	0.26	1		11/03/20 11:39	79-01-6	
Trichlorofluoromethane	<0.21	ug/L	1.0	0.21	1		11/03/20 11:39	75-69-4	
Vinyl chloride	<0.17	ug/L	1.0	0.17	1		11/03/20 11:39	75-01-4	
Xylene (Total)	<1.5	ug/L	3.0	1.5	1		11/03/20 11:39	1330-20-7	
cis-1,2-Dichloroethene	2.1	ug/L	1.0	0.27	1		11/03/20 11:39	156-59-2	
cis-1,3-Dichloropropene	<3.6	ug/L	12.1	3.6	1		11/03/20 11:39	10061-01-5	
m&p-Xylene	<0.47	ug/L	2.0	0.47	1		11/03/20 11:39	179601-23-1	
n-Butylbenzene	<0.71	ug/L	2.4	0.71	1		11/03/20 11:39	104-51-8	
n-Propylbenzene	<0.81	ug/L	5.0	0.81	1		11/03/20 11:39	103-65-1	
o-Xylene	<0.26	ug/L	1.0	0.26	1		11/03/20 11:39	95-47-6	
p-Isopropyltoluene	<0.80	ug/L	2.7	0.80	1		11/03/20 11:39	99-87-6	
sec-Butylbenzene	<0.85	ug/L	5.0	0.85	1		11/03/20 11:39	135-98-8	
tert-Butylbenzene	<0.30	ug/L	1.0	0.30	1		11/03/20 11:39	98-06-6	
trans-1,2-Dichloroethene	<0.46	ug/L	1.5	0.46	1		11/03/20 11:39	156-60-5	
trans-1,3-Dichloropropene	<4.4	ug/L	14.6	4.4	1		11/03/20 11:39	10061-02-6	
Surrogates									
4-Bromofluorobenzene (S)	101	%	70-130		1		11/03/20 11:39	460-00-4	
Dibromofluoromethane (S)	93	%	70-130		1		11/03/20 11:39	1868-53-7	
Toluene-d8 (S)	102	%	70-130		1		11/03/20 11:39	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 1690019237 GORSKI LF 21-28201B

Pace Project No.: 40217313

Sample: MW-6 **Lab ID: 40217313011** Collected: 10/26/20 14:05 Received: 10/28/20 10:20 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV									
Analytical Method: EPA 8260									
Pace Analytical Services - Green Bay									
1,1,1,2-Tetrachloroethane	<0.27	ug/L	1.0	0.27	1		11/03/20 12:03	630-20-6	
1,1,1-Trichloroethane	<0.24	ug/L	1.0	0.24	1		11/03/20 12:03	71-55-6	
1,1,2,2-Tetrachloroethane	<0.28	ug/L	1.0	0.28	1		11/03/20 12:03	79-34-5	
1,1,2-Trichloroethane	<0.55	ug/L	5.0	0.55	1		11/03/20 12:03	79-00-5	
1,1-Dichloroethane	<0.27	ug/L	1.0	0.27	1		11/03/20 12:03	75-34-3	
1,1-Dichloroethene	<0.24	ug/L	1.0	0.24	1		11/03/20 12:03	75-35-4	
1,1-Dichloropropene	<0.54	ug/L	1.8	0.54	1		11/03/20 12:03	563-58-6	
1,2,3-Trichlorobenzene	<2.2	ug/L	7.4	2.2	1		11/03/20 12:03	87-61-6	
1,2,3-Trichloropropane	<0.59	ug/L	5.0	0.59	1		11/03/20 12:03	96-18-4	
1,2,4-Trichlorobenzene	<0.95	ug/L	5.0	0.95	1		11/03/20 12:03	120-82-1	
1,2,4-Trimethylbenzene	<0.84	ug/L	2.8	0.84	1		11/03/20 12:03	95-63-6	
1,2-Dibromo-3-chloropropane	<1.8	ug/L	5.9	1.8	1		11/03/20 12:03	96-12-8	
1,2-Dibromoethane (EDB)	<0.83	ug/L	2.8	0.83	1		11/03/20 12:03	106-93-4	
1,2-Dichlorobenzene	<0.71	ug/L	2.4	0.71	1		11/03/20 12:03	95-50-1	
1,2-Dichloroethane	<0.28	ug/L	1.0	0.28	1		11/03/20 12:03	107-06-2	
1,2-Dichloropropane	<0.28	ug/L	1.0	0.28	1		11/03/20 12:03	78-87-5	
1,3,5-Trimethylbenzene	<0.87	ug/L	2.9	0.87	1		11/03/20 12:03	108-67-8	
1,3-Dichlorobenzene	<0.63	ug/L	2.1	0.63	1		11/03/20 12:03	541-73-1	
1,3-Dichloropropane	<0.83	ug/L	2.8	0.83	1		11/03/20 12:03	142-28-9	
1,4-Dichlorobenzene	<0.94	ug/L	3.1	0.94	1		11/03/20 12:03	106-46-7	
2,2-Dichloropropane	<2.3	ug/L	7.6	2.3	1		11/03/20 12:03	594-20-7	
2-Chlorotoluene	<0.93	ug/L	5.0	0.93	1		11/03/20 12:03	95-49-8	
4-Chlorotoluene	<0.76	ug/L	2.5	0.76	1		11/03/20 12:03	106-43-4	
Benzene	<0.25	ug/L	1.0	0.25	1		11/03/20 12:03	71-43-2	
Bromobenzene	<0.24	ug/L	1.0	0.24	1		11/03/20 12:03	108-86-1	
Bromochloromethane	<0.36	ug/L	5.0	0.36	1		11/03/20 12:03	74-97-5	
Bromodichloromethane	<0.36	ug/L	1.2	0.36	1		11/03/20 12:03	75-27-4	
Bromoform	<4.0	ug/L	13.2	4.0	1		11/03/20 12:03	75-25-2	
Bromomethane	<0.97	ug/L	5.0	0.97	1		11/03/20 12:03	74-83-9	
Carbon tetrachloride	<1.1	ug/L	3.6	1.1	1		11/03/20 12:03	56-23-5	
Chlorobenzene	<0.71	ug/L	2.4	0.71	1		11/03/20 12:03	108-90-7	
Chloroethane	<1.3	ug/L	5.0	1.3	1		11/03/20 12:03	75-00-3	
Chloroform	<1.3	ug/L	5.0	1.3	1		11/03/20 12:03	67-66-3	
Chloromethane	<2.2	ug/L	7.3	2.2	1		11/03/20 12:03	74-87-3	
Dibromochloromethane	<2.6	ug/L	8.7	2.6	1		11/03/20 12:03	124-48-1	
Dibromomethane	<0.94	ug/L	3.1	0.94	1		11/03/20 12:03	74-95-3	
Dichlorodifluoromethane	<0.50	ug/L	5.0	0.50	1		11/03/20 12:03	75-71-8	
Diisopropyl ether	<1.9	ug/L	6.3	1.9	1		11/03/20 12:03	108-20-3	
Ethylbenzene	<0.32	ug/L	1.1	0.32	1		11/03/20 12:03	100-41-4	
Hexachloro-1,3-butadiene	<1.5	ug/L	4.9	1.5	1		11/03/20 12:03	87-68-3	
Isopropylbenzene (Cumene)	<1.7	ug/L	5.6	1.7	1		11/03/20 12:03	98-82-8	
Methyl-tert-butyl ether	<1.2	ug/L	4.2	1.2	1		11/03/20 12:03	1634-04-4	
Methylene Chloride	<0.58	ug/L	5.0	0.58	1		11/03/20 12:03	75-09-2	
Naphthalene	<1.2	ug/L	5.0	1.2	1		11/03/20 12:03	91-20-3	
Styrene	<3.0	ug/L	10.0	3.0	1		11/03/20 12:03	100-42-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 1690019237 GORSKI LF 21-28201B

Pace Project No.: 40217313

Sample: MW-6 **Lab ID: 40217313011** Collected: 10/26/20 14:05 Received: 10/28/20 10:20 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV									
Analytical Method: EPA 8260									
Pace Analytical Services - Green Bay									
Tetrachloroethene	<0.33	ug/L	1.1	0.33	1		11/03/20 12:03	127-18-4	
Toluene	<0.27	ug/L	1.0	0.27	1		11/03/20 12:03	108-88-3	
Trichloroethene	1.0	ug/L	1.0	0.26	1		11/03/20 12:03	79-01-6	
Trichlorofluoromethane	<0.21	ug/L	1.0	0.21	1		11/03/20 12:03	75-69-4	
Vinyl chloride	<0.17	ug/L	1.0	0.17	1		11/03/20 12:03	75-01-4	
Xylene (Total)	<1.5	ug/L	3.0	1.5	1		11/03/20 12:03	1330-20-7	
cis-1,2-Dichloroethene	0.28J	ug/L	1.0	0.27	1		11/03/20 12:03	156-59-2	
cis-1,3-Dichloropropene	<3.6	ug/L	12.1	3.6	1		11/03/20 12:03	10061-01-5	
m&p-Xylene	<0.47	ug/L	2.0	0.47	1		11/03/20 12:03	179601-23-1	
n-Butylbenzene	<0.71	ug/L	2.4	0.71	1		11/03/20 12:03	104-51-8	
n-Propylbenzene	<0.81	ug/L	5.0	0.81	1		11/03/20 12:03	103-65-1	
o-Xylene	<0.26	ug/L	1.0	0.26	1		11/03/20 12:03	95-47-6	
p-Isopropyltoluene	<0.80	ug/L	2.7	0.80	1		11/03/20 12:03	99-87-6	
sec-Butylbenzene	<0.85	ug/L	5.0	0.85	1		11/03/20 12:03	135-98-8	
tert-Butylbenzene	<0.30	ug/L	1.0	0.30	1		11/03/20 12:03	98-06-6	
trans-1,2-Dichloroethene	<0.46	ug/L	1.5	0.46	1		11/03/20 12:03	156-60-5	
trans-1,3-Dichloropropene	<4.4	ug/L	14.6	4.4	1		11/03/20 12:03	10061-02-6	
Surrogates									
4-Bromofluorobenzene (S)	102	%	70-130		1		11/03/20 12:03	460-00-4	
Dibromofluoromethane (S)	90	%	70-130		1		11/03/20 12:03	1868-53-7	
Toluene-d8 (S)	98	%	70-130		1		11/03/20 12:03	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 1690019237 GORSKI LF 21-28201B

Pace Project No.: 40217313

Sample: PZ-4 **Lab ID: 40217313012** Collected: 10/26/20 14:40 Received: 10/28/20 10:20 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV									
Analytical Method: EPA 8260									
Pace Analytical Services - Green Bay									
1,1,1,2-Tetrachloroethane	<0.27	ug/L	1.0	0.27	1		11/03/20 12:27	630-20-6	
1,1,1-Trichloroethane	<0.24	ug/L	1.0	0.24	1		11/03/20 12:27	71-55-6	
1,1,2,2-Tetrachloroethane	<0.28	ug/L	1.0	0.28	1		11/03/20 12:27	79-34-5	
1,1,2-Trichloroethane	<0.55	ug/L	5.0	0.55	1		11/03/20 12:27	79-00-5	
1,1-Dichloroethane	<0.27	ug/L	1.0	0.27	1		11/03/20 12:27	75-34-3	
1,1-Dichloroethene	<0.24	ug/L	1.0	0.24	1		11/03/20 12:27	75-35-4	
1,1-Dichloropropene	<0.54	ug/L	1.8	0.54	1		11/03/20 12:27	563-58-6	
1,2,3-Trichlorobenzene	<2.2	ug/L	7.4	2.2	1		11/03/20 12:27	87-61-6	
1,2,3-Trichloropropane	<0.59	ug/L	5.0	0.59	1		11/03/20 12:27	96-18-4	
1,2,4-Trichlorobenzene	<0.95	ug/L	5.0	0.95	1		11/03/20 12:27	120-82-1	
1,2,4-Trimethylbenzene	<0.84	ug/L	2.8	0.84	1		11/03/20 12:27	95-63-6	
1,2-Dibromo-3-chloropropane	<1.8	ug/L	5.9	1.8	1		11/03/20 12:27	96-12-8	
1,2-Dibromoethane (EDB)	<0.83	ug/L	2.8	0.83	1		11/03/20 12:27	106-93-4	
1,2-Dichlorobenzene	<0.71	ug/L	2.4	0.71	1		11/03/20 12:27	95-50-1	
1,2-Dichloroethane	<0.28	ug/L	1.0	0.28	1		11/03/20 12:27	107-06-2	
1,2-Dichloropropane	<0.28	ug/L	1.0	0.28	1		11/03/20 12:27	78-87-5	
1,3,5-Trimethylbenzene	<0.87	ug/L	2.9	0.87	1		11/03/20 12:27	108-67-8	
1,3-Dichlorobenzene	<0.63	ug/L	2.1	0.63	1		11/03/20 12:27	541-73-1	
1,3-Dichloropropane	<0.83	ug/L	2.8	0.83	1		11/03/20 12:27	142-28-9	
1,4-Dichlorobenzene	<0.94	ug/L	3.1	0.94	1		11/03/20 12:27	106-46-7	
2,2-Dichloropropane	<2.3	ug/L	7.6	2.3	1		11/03/20 12:27	594-20-7	
2-Chlorotoluene	<0.93	ug/L	5.0	0.93	1		11/03/20 12:27	95-49-8	
4-Chlorotoluene	<0.76	ug/L	2.5	0.76	1		11/03/20 12:27	106-43-4	
Benzene	<0.25	ug/L	1.0	0.25	1		11/03/20 12:27	71-43-2	
Bromobenzene	<0.24	ug/L	1.0	0.24	1		11/03/20 12:27	108-86-1	
Bromochloromethane	<0.36	ug/L	5.0	0.36	1		11/03/20 12:27	74-97-5	
Bromodichloromethane	<0.36	ug/L	1.2	0.36	1		11/03/20 12:27	75-27-4	
Bromoform	<4.0	ug/L	13.2	4.0	1		11/03/20 12:27	75-25-2	
Bromomethane	<0.97	ug/L	5.0	0.97	1		11/03/20 12:27	74-83-9	
Carbon tetrachloride	<1.1	ug/L	3.6	1.1	1		11/03/20 12:27	56-23-5	
Chlorobenzene	<0.71	ug/L	2.4	0.71	1		11/03/20 12:27	108-90-7	
Chloroethane	<1.3	ug/L	5.0	1.3	1		11/03/20 12:27	75-00-3	
Chloroform	<1.3	ug/L	5.0	1.3	1		11/03/20 12:27	67-66-3	
Chloromethane	<2.2	ug/L	7.3	2.2	1		11/03/20 12:27	74-87-3	
Dibromochloromethane	<2.6	ug/L	8.7	2.6	1		11/03/20 12:27	124-48-1	
Dibromomethane	<0.94	ug/L	3.1	0.94	1		11/03/20 12:27	74-95-3	
Dichlorodifluoromethane	<0.50	ug/L	5.0	0.50	1		11/03/20 12:27	75-71-8	
Diisopropyl ether	<1.9	ug/L	6.3	1.9	1		11/03/20 12:27	108-20-3	
Ethylbenzene	<0.32	ug/L	1.1	0.32	1		11/03/20 12:27	100-41-4	
Hexachloro-1,3-butadiene	<1.5	ug/L	4.9	1.5	1		11/03/20 12:27	87-68-3	
Isopropylbenzene (Cumene)	<1.7	ug/L	5.6	1.7	1		11/03/20 12:27	98-82-8	
Methyl-tert-butyl ether	<1.2	ug/L	4.2	1.2	1		11/03/20 12:27	1634-04-4	
Methylene Chloride	<0.58	ug/L	5.0	0.58	1		11/03/20 12:27	75-09-2	
Naphthalene	<1.2	ug/L	5.0	1.2	1		11/03/20 12:27	91-20-3	
Styrene	<3.0	ug/L	10.0	3.0	1		11/03/20 12:27	100-42-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 1690019237 GORSKI LF 21-28201B

Pace Project No.: 40217313

Sample: PZ-4 **Lab ID: 40217313012** Collected: 10/26/20 14:40 Received: 10/28/20 10:20 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV									
Analytical Method: EPA 8260									
Pace Analytical Services - Green Bay									
Tetrachloroethene	<0.33	ug/L	1.1	0.33	1		11/03/20 12:27	127-18-4	
Toluene	<0.27	ug/L	1.0	0.27	1		11/03/20 12:27	108-88-3	
Trichloroethene	3.7	ug/L	1.0	0.26	1		11/03/20 12:27	79-01-6	
Trichlorofluoromethane	<0.21	ug/L	1.0	0.21	1		11/03/20 12:27	75-69-4	
Vinyl chloride	<0.17	ug/L	1.0	0.17	1		11/03/20 12:27	75-01-4	
Xylene (Total)	<1.5	ug/L	3.0	1.5	1		11/03/20 12:27	1330-20-7	
cis-1,2-Dichloroethene	1.5	ug/L	1.0	0.27	1		11/03/20 12:27	156-59-2	
cis-1,3-Dichloropropene	<3.6	ug/L	12.1	3.6	1		11/03/20 12:27	10061-01-5	
m&p-Xylene	<0.47	ug/L	2.0	0.47	1		11/03/20 12:27	179601-23-1	
n-Butylbenzene	<0.71	ug/L	2.4	0.71	1		11/03/20 12:27	104-51-8	
n-Propylbenzene	<0.81	ug/L	5.0	0.81	1		11/03/20 12:27	103-65-1	
o-Xylene	<0.26	ug/L	1.0	0.26	1		11/03/20 12:27	95-47-6	
p-Isopropyltoluene	<0.80	ug/L	2.7	0.80	1		11/03/20 12:27	99-87-6	
sec-Butylbenzene	<0.85	ug/L	5.0	0.85	1		11/03/20 12:27	135-98-8	
tert-Butylbenzene	<0.30	ug/L	1.0	0.30	1		11/03/20 12:27	98-06-6	
trans-1,2-Dichloroethene	<0.46	ug/L	1.5	0.46	1		11/03/20 12:27	156-60-5	
trans-1,3-Dichloropropene	<4.4	ug/L	14.6	4.4	1		11/03/20 12:27	10061-02-6	
Surrogates									
4-Bromofluorobenzene (S)	102	%	70-130		1		11/03/20 12:27	460-00-4	
Dibromofluoromethane (S)	92	%	70-130		1		11/03/20 12:27	1868-53-7	
Toluene-d8 (S)	99	%	70-130		1		11/03/20 12:27	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 1690019237 GORSKI LF 21-28201B

Pace Project No.: 40217313

Sample: MW-4D **Lab ID: 40217313013** Collected: 10/26/20 15:22 Received: 10/28/20 10:20 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV									
Analytical Method: EPA 8260									
Pace Analytical Services - Green Bay									
1,1,1,2-Tetrachloroethane	<0.27	ug/L	1.0	0.27	1		11/03/20 12:50	630-20-6	
1,1,1-Trichloroethane	<0.24	ug/L	1.0	0.24	1		11/03/20 12:50	71-55-6	
1,1,2,2-Tetrachloroethane	<0.28	ug/L	1.0	0.28	1		11/03/20 12:50	79-34-5	
1,1,2-Trichloroethane	<0.55	ug/L	5.0	0.55	1		11/03/20 12:50	79-00-5	
1,1-Dichloroethane	<0.27	ug/L	1.0	0.27	1		11/03/20 12:50	75-34-3	
1,1-Dichloroethene	<0.24	ug/L	1.0	0.24	1		11/03/20 12:50	75-35-4	
1,1-Dichloropropene	<0.54	ug/L	1.8	0.54	1		11/03/20 12:50	563-58-6	
1,2,3-Trichlorobenzene	<2.2	ug/L	7.4	2.2	1		11/03/20 12:50	87-61-6	
1,2,3-Trichloropropane	<0.59	ug/L	5.0	0.59	1		11/03/20 12:50	96-18-4	
1,2,4-Trichlorobenzene	<0.95	ug/L	5.0	0.95	1		11/03/20 12:50	120-82-1	
1,2,4-Trimethylbenzene	<0.84	ug/L	2.8	0.84	1		11/03/20 12:50	95-63-6	
1,2-Dibromo-3-chloropropane	<1.8	ug/L	5.9	1.8	1		11/03/20 12:50	96-12-8	
1,2-Dibromoethane (EDB)	<0.83	ug/L	2.8	0.83	1		11/03/20 12:50	106-93-4	
1,2-Dichlorobenzene	<0.71	ug/L	2.4	0.71	1		11/03/20 12:50	95-50-1	
1,2-Dichloroethane	<0.28	ug/L	1.0	0.28	1		11/03/20 12:50	107-06-2	
1,2-Dichloropropane	<0.28	ug/L	1.0	0.28	1		11/03/20 12:50	78-87-5	
1,3,5-Trimethylbenzene	<0.87	ug/L	2.9	0.87	1		11/03/20 12:50	108-67-8	
1,3-Dichlorobenzene	<0.63	ug/L	2.1	0.63	1		11/03/20 12:50	541-73-1	
1,3-Dichloropropane	<0.83	ug/L	2.8	0.83	1		11/03/20 12:50	142-28-9	
1,4-Dichlorobenzene	<0.94	ug/L	3.1	0.94	1		11/03/20 12:50	106-46-7	
2,2-Dichloropropane	<2.3	ug/L	7.6	2.3	1		11/03/20 12:50	594-20-7	
2-Chlorotoluene	<0.93	ug/L	5.0	0.93	1		11/03/20 12:50	95-49-8	
4-Chlorotoluene	<0.76	ug/L	2.5	0.76	1		11/03/20 12:50	106-43-4	
Benzene	<0.25	ug/L	1.0	0.25	1		11/03/20 12:50	71-43-2	
Bromobenzene	<0.24	ug/L	1.0	0.24	1		11/03/20 12:50	108-86-1	
Bromochloromethane	<0.36	ug/L	5.0	0.36	1		11/03/20 12:50	74-97-5	
Bromodichloromethane	<0.36	ug/L	1.2	0.36	1		11/03/20 12:50	75-27-4	
Bromoform	<4.0	ug/L	13.2	4.0	1		11/03/20 12:50	75-25-2	
Bromomethane	<0.97	ug/L	5.0	0.97	1		11/03/20 12:50	74-83-9	
Carbon tetrachloride	<1.1	ug/L	3.6	1.1	1		11/03/20 12:50	56-23-5	
Chlorobenzene	<0.71	ug/L	2.4	0.71	1		11/03/20 12:50	108-90-7	
Chloroethane	<1.3	ug/L	5.0	1.3	1		11/03/20 12:50	75-00-3	
Chloroform	<1.3	ug/L	5.0	1.3	1		11/03/20 12:50	67-66-3	
Chloromethane	<2.2	ug/L	7.3	2.2	1		11/03/20 12:50	74-87-3	
Dibromochloromethane	<2.6	ug/L	8.7	2.6	1		11/03/20 12:50	124-48-1	
Dibromomethane	<0.94	ug/L	3.1	0.94	1		11/03/20 12:50	74-95-3	
Dichlorodifluoromethane	<0.50	ug/L	5.0	0.50	1		11/03/20 12:50	75-71-8	
Diisopropyl ether	<1.9	ug/L	6.3	1.9	1		11/03/20 12:50	108-20-3	
Ethylbenzene	<0.32	ug/L	1.1	0.32	1		11/03/20 12:50	100-41-4	
Hexachloro-1,3-butadiene	<1.5	ug/L	4.9	1.5	1		11/03/20 12:50	87-68-3	
Isopropylbenzene (Cumene)	<1.7	ug/L	5.6	1.7	1		11/03/20 12:50	98-82-8	
Methyl-tert-butyl ether	<1.2	ug/L	4.2	1.2	1		11/03/20 12:50	1634-04-4	
Methylene Chloride	<0.58	ug/L	5.0	0.58	1		11/03/20 12:50	75-09-2	
Naphthalene	<1.2	ug/L	5.0	1.2	1		11/03/20 12:50	91-20-3	
Styrene	<3.0	ug/L	10.0	3.0	1		11/03/20 12:50	100-42-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 1690019237 GORSKI LF 21-28201B

Pace Project No.: 40217313

Sample: MW-4D **Lab ID: 40217313013** Collected: 10/26/20 15:22 Received: 10/28/20 10:20 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV									
Analytical Method: EPA 8260									
Pace Analytical Services - Green Bay									
Tetrachloroethene	<0.33	ug/L	1.1	0.33	1		11/03/20 12:50	127-18-4	
Toluene	<0.27	ug/L	1.0	0.27	1		11/03/20 12:50	108-88-3	
Trichloroethene	6.6	ug/L	1.0	0.26	1		11/03/20 12:50	79-01-6	
Trichlorofluoromethane	<0.21	ug/L	1.0	0.21	1		11/03/20 12:50	75-69-4	
Vinyl chloride	<0.17	ug/L	1.0	0.17	1		11/03/20 12:50	75-01-4	
Xylene (Total)	<1.5	ug/L	3.0	1.5	1		11/03/20 12:50	1330-20-7	
cis-1,2-Dichloroethene	2.0	ug/L	1.0	0.27	1		11/03/20 12:50	156-59-2	
cis-1,3-Dichloropropene	<3.6	ug/L	12.1	3.6	1		11/03/20 12:50	10061-01-5	
m&p-Xylene	<0.47	ug/L	2.0	0.47	1		11/03/20 12:50	179601-23-1	
n-Butylbenzene	<0.71	ug/L	2.4	0.71	1		11/03/20 12:50	104-51-8	
n-Propylbenzene	<0.81	ug/L	5.0	0.81	1		11/03/20 12:50	103-65-1	
o-Xylene	<0.26	ug/L	1.0	0.26	1		11/03/20 12:50	95-47-6	
p-Isopropyltoluene	<0.80	ug/L	2.7	0.80	1		11/03/20 12:50	99-87-6	
sec-Butylbenzene	<0.85	ug/L	5.0	0.85	1		11/03/20 12:50	135-98-8	
tert-Butylbenzene	<0.30	ug/L	1.0	0.30	1		11/03/20 12:50	98-06-6	
trans-1,2-Dichloroethene	<0.46	ug/L	1.5	0.46	1		11/03/20 12:50	156-60-5	
trans-1,3-Dichloropropene	<4.4	ug/L	14.6	4.4	1		11/03/20 12:50	10061-02-6	
Surrogates									
4-Bromofluorobenzene (S)	100	%	70-130		1		11/03/20 12:50	460-00-4	
Dibromofluoromethane (S)	94	%	70-130		1		11/03/20 12:50	1868-53-7	
Toluene-d8 (S)	98	%	70-130		1		11/03/20 12:50	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 1690019237 GORSKI LF 21-28201B

Pace Project No.: 40217313

Sample: 669 CTH BD **Lab ID: 40217313014** Collected: 10/26/20 12:17 Received: 10/28/20 10:20 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV									
Analytical Method: EPA 8260									
Pace Analytical Services - Green Bay									
1,1,1,2-Tetrachloroethane	<0.27	ug/L	1.0	0.27	1		11/03/20 14:41	630-20-6	
1,1,1-Trichloroethane	<0.24	ug/L	1.0	0.24	1		11/03/20 14:41	71-55-6	
1,1,2,2-Tetrachloroethane	<0.28	ug/L	1.0	0.28	1		11/03/20 14:41	79-34-5	
1,1,2-Trichloroethane	<0.55	ug/L	5.0	0.55	1		11/03/20 14:41	79-00-5	
1,1-Dichloroethane	<0.27	ug/L	1.0	0.27	1		11/03/20 14:41	75-34-3	
1,1-Dichloroethene	<0.24	ug/L	1.0	0.24	1		11/03/20 14:41	75-35-4	
1,1-Dichloropropene	<0.54	ug/L	1.8	0.54	1		11/03/20 14:41	563-58-6	
1,2,3-Trichlorobenzene	<2.2	ug/L	7.4	2.2	1		11/03/20 14:41	87-61-6	
1,2,3-Trichloropropane	<0.59	ug/L	5.0	0.59	1		11/03/20 14:41	96-18-4	
1,2,4-Trichlorobenzene	<0.95	ug/L	5.0	0.95	1		11/03/20 14:41	120-82-1	
1,2,4-Trimethylbenzene	<0.84	ug/L	2.8	0.84	1		11/03/20 14:41	95-63-6	
1,2-Dibromo-3-chloropropane	<1.8	ug/L	5.9	1.8	1		11/03/20 14:41	96-12-8	
1,2-Dibromoethane (EDB)	<0.83	ug/L	2.8	0.83	1		11/03/20 14:41	106-93-4	
1,2-Dichlorobenzene	<0.71	ug/L	2.4	0.71	1		11/03/20 14:41	95-50-1	
1,2-Dichloroethane	<0.28	ug/L	1.0	0.28	1		11/03/20 14:41	107-06-2	
1,2-Dichloropropane	<0.28	ug/L	1.0	0.28	1		11/03/20 14:41	78-87-5	
1,3,5-Trimethylbenzene	<0.87	ug/L	2.9	0.87	1		11/03/20 14:41	108-67-8	
1,3-Dichlorobenzene	<0.63	ug/L	2.1	0.63	1		11/03/20 14:41	541-73-1	
1,3-Dichloropropane	<0.83	ug/L	2.8	0.83	1		11/03/20 14:41	142-28-9	
1,4-Dichlorobenzene	<0.94	ug/L	3.1	0.94	1		11/03/20 14:41	106-46-7	
2,2-Dichloropropane	<2.3	ug/L	7.6	2.3	1		11/03/20 14:41	594-20-7	
2-Chlorotoluene	<0.93	ug/L	5.0	0.93	1		11/03/20 14:41	95-49-8	
4-Chlorotoluene	<0.76	ug/L	2.5	0.76	1		11/03/20 14:41	106-43-4	
Benzene	<0.25	ug/L	1.0	0.25	1		11/03/20 14:41	71-43-2	
Bromobenzene	<0.24	ug/L	1.0	0.24	1		11/03/20 14:41	108-86-1	
Bromochloromethane	<0.36	ug/L	5.0	0.36	1		11/03/20 14:41	74-97-5	
Bromodichloromethane	<0.36	ug/L	1.2	0.36	1		11/03/20 14:41	75-27-4	
Bromoform	<4.0	ug/L	13.2	4.0	1		11/03/20 14:41	75-25-2	
Bromomethane	<0.97	ug/L	5.0	0.97	1		11/03/20 14:41	74-83-9	
Carbon tetrachloride	<1.1	ug/L	3.6	1.1	1		11/03/20 14:41	56-23-5	
Chlorobenzene	<0.71	ug/L	2.4	0.71	1		11/03/20 14:41	108-90-7	
Chloroethane	<1.3	ug/L	5.0	1.3	1		11/03/20 14:41	75-00-3	
Chloroform	<1.3	ug/L	5.0	1.3	1		11/03/20 14:41	67-66-3	
Chloromethane	<2.2	ug/L	7.3	2.2	1		11/03/20 14:41	74-87-3	
Dibromochloromethane	<2.6	ug/L	8.7	2.6	1		11/03/20 14:41	124-48-1	
Dibromomethane	<0.94	ug/L	3.1	0.94	1		11/03/20 14:41	74-95-3	
Dichlorodifluoromethane	<0.50	ug/L	5.0	0.50	1		11/03/20 14:41	75-71-8	
Diisopropyl ether	<1.9	ug/L	6.3	1.9	1		11/03/20 14:41	108-20-3	
Ethylbenzene	<0.32	ug/L	1.1	0.32	1		11/03/20 14:41	100-41-4	
Hexachloro-1,3-butadiene	<1.5	ug/L	4.9	1.5	1		11/03/20 14:41	87-68-3	
Isopropylbenzene (Cumene)	<1.7	ug/L	5.6	1.7	1		11/03/20 14:41	98-82-8	
Methyl-tert-butyl ether	<1.2	ug/L	4.2	1.2	1		11/03/20 14:41	1634-04-4	
Methylene Chloride	<0.58	ug/L	5.0	0.58	1		11/03/20 14:41	75-09-2	
Naphthalene	<1.2	ug/L	5.0	1.2	1		11/03/20 14:41	91-20-3	
Styrene	<3.0	ug/L	10.0	3.0	1		11/03/20 14:41	100-42-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 1690019237 GORSKI LF 21-28201B

Pace Project No.: 40217313

Sample: 669 CTH BD **Lab ID: 40217313014** Collected: 10/26/20 12:17 Received: 10/28/20 10:20 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV									
Analytical Method: EPA 8260									
Pace Analytical Services - Green Bay									
Tetrachloroethene	<0.33	ug/L	1.1	0.33	1		11/03/20 14:41	127-18-4	
Toluene	<0.27	ug/L	1.0	0.27	1		11/03/20 14:41	108-88-3	
Trichloroethene	<0.26	ug/L	1.0	0.26	1		11/03/20 14:41	79-01-6	
Trichlorofluoromethane	<0.21	ug/L	1.0	0.21	1		11/03/20 14:41	75-69-4	
Vinyl chloride	<0.17	ug/L	1.0	0.17	1		11/03/20 14:41	75-01-4	
Xylene (Total)	<1.5	ug/L	3.0	1.5	1		11/03/20 14:41	1330-20-7	
cis-1,2-Dichloroethene	<0.27	ug/L	1.0	0.27	1		11/03/20 14:41	156-59-2	
cis-1,3-Dichloropropene	<3.6	ug/L	12.1	3.6	1		11/03/20 14:41	10061-01-5	
m&p-Xylene	<0.47	ug/L	2.0	0.47	1		11/03/20 14:41	179601-23-1	
n-Butylbenzene	<0.71	ug/L	2.4	0.71	1		11/03/20 14:41	104-51-8	
n-Propylbenzene	<0.81	ug/L	5.0	0.81	1		11/03/20 14:41	103-65-1	
o-Xylene	<0.26	ug/L	1.0	0.26	1		11/03/20 14:41	95-47-6	
p-Isopropyltoluene	<0.80	ug/L	2.7	0.80	1		11/03/20 14:41	99-87-6	
sec-Butylbenzene	<0.85	ug/L	5.0	0.85	1		11/03/20 14:41	135-98-8	
tert-Butylbenzene	<0.30	ug/L	1.0	0.30	1		11/03/20 14:41	98-06-6	
trans-1,2-Dichloroethene	<0.46	ug/L	1.5	0.46	1		11/03/20 14:41	156-60-5	
trans-1,3-Dichloropropene	<4.4	ug/L	14.6	4.4	1		11/03/20 14:41	10061-02-6	
Surrogates									
4-Bromofluorobenzene (S)	98	%	70-130		1		11/03/20 14:41	460-00-4	
Dibromofluoromethane (S)	98	%	70-130		1		11/03/20 14:41	1868-53-7	
Toluene-d8 (S)	99	%	70-130		1		11/03/20 14:41	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 1690019237 GORSKI LF 21-28201B

Pace Project No.: 40217313

Sample: 666 CTH B **Lab ID: 40217313015** Collected: 10/26/20 11:00 Received: 10/28/20 10:20 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV									
Analytical Method: EPA 8260									
Pace Analytical Services - Green Bay									
1,1,1,2-Tetrachloroethane	<0.27	ug/L	1.0	0.27	1		11/03/20 15:04	630-20-6	
1,1,1-Trichloroethane	<0.24	ug/L	1.0	0.24	1		11/03/20 15:04	71-55-6	
1,1,2,2-Tetrachloroethane	<0.28	ug/L	1.0	0.28	1		11/03/20 15:04	79-34-5	
1,1,2-Trichloroethane	<0.55	ug/L	5.0	0.55	1		11/03/20 15:04	79-00-5	
1,1-Dichloroethane	<0.27	ug/L	1.0	0.27	1		11/03/20 15:04	75-34-3	
1,1-Dichloroethene	<0.24	ug/L	1.0	0.24	1		11/03/20 15:04	75-35-4	
1,1-Dichloropropene	<0.54	ug/L	1.8	0.54	1		11/03/20 15:04	563-58-6	
1,2,3-Trichlorobenzene	<2.2	ug/L	7.4	2.2	1		11/03/20 15:04	87-61-6	
1,2,3-Trichloropropane	<0.59	ug/L	5.0	0.59	1		11/03/20 15:04	96-18-4	
1,2,4-Trichlorobenzene	<0.95	ug/L	5.0	0.95	1		11/03/20 15:04	120-82-1	
1,2,4-Trimethylbenzene	<0.84	ug/L	2.8	0.84	1		11/03/20 15:04	95-63-6	
1,2-Dibromo-3-chloropropane	<1.8	ug/L	5.9	1.8	1		11/03/20 15:04	96-12-8	
1,2-Dibromoethane (EDB)	<0.83	ug/L	2.8	0.83	1		11/03/20 15:04	106-93-4	
1,2-Dichlorobenzene	<0.71	ug/L	2.4	0.71	1		11/03/20 15:04	95-50-1	
1,2-Dichloroethane	<0.28	ug/L	1.0	0.28	1		11/03/20 15:04	107-06-2	
1,2-Dichloropropane	<0.28	ug/L	1.0	0.28	1		11/03/20 15:04	78-87-5	
1,3,5-Trimethylbenzene	<0.87	ug/L	2.9	0.87	1		11/03/20 15:04	108-67-8	
1,3-Dichlorobenzene	<0.63	ug/L	2.1	0.63	1		11/03/20 15:04	541-73-1	
1,3-Dichloropropane	<0.83	ug/L	2.8	0.83	1		11/03/20 15:04	142-28-9	
1,4-Dichlorobenzene	<0.94	ug/L	3.1	0.94	1		11/03/20 15:04	106-46-7	
2,2-Dichloropropane	<2.3	ug/L	7.6	2.3	1		11/03/20 15:04	594-20-7	
2-Chlorotoluene	<0.93	ug/L	5.0	0.93	1		11/03/20 15:04	95-49-8	
4-Chlorotoluene	<0.76	ug/L	2.5	0.76	1		11/03/20 15:04	106-43-4	
Benzene	<0.25	ug/L	1.0	0.25	1		11/03/20 15:04	71-43-2	
Bromobenzene	<0.24	ug/L	1.0	0.24	1		11/03/20 15:04	108-86-1	
Bromochloromethane	<0.36	ug/L	5.0	0.36	1		11/03/20 15:04	74-97-5	
Bromodichloromethane	<0.36	ug/L	1.2	0.36	1		11/03/20 15:04	75-27-4	
Bromoform	<4.0	ug/L	13.2	4.0	1		11/03/20 15:04	75-25-2	
Bromomethane	<0.97	ug/L	5.0	0.97	1		11/03/20 15:04	74-83-9	
Carbon tetrachloride	<1.1	ug/L	3.6	1.1	1		11/03/20 15:04	56-23-5	
Chlorobenzene	<0.71	ug/L	2.4	0.71	1		11/03/20 15:04	108-90-7	
Chloroethane	<1.3	ug/L	5.0	1.3	1		11/03/20 15:04	75-00-3	
Chloroform	<1.3	ug/L	5.0	1.3	1		11/03/20 15:04	67-66-3	
Chloromethane	<2.2	ug/L	7.3	2.2	1		11/03/20 15:04	74-87-3	
Dibromochloromethane	<2.6	ug/L	8.7	2.6	1		11/03/20 15:04	124-48-1	
Dibromomethane	<0.94	ug/L	3.1	0.94	1		11/03/20 15:04	74-95-3	
Dichlorodifluoromethane	<0.50	ug/L	5.0	0.50	1		11/03/20 15:04	75-71-8	
Diisopropyl ether	<1.9	ug/L	6.3	1.9	1		11/03/20 15:04	108-20-3	
Ethylbenzene	<0.32	ug/L	1.1	0.32	1		11/03/20 15:04	100-41-4	
Hexachloro-1,3-butadiene	<1.5	ug/L	4.9	1.5	1		11/03/20 15:04	87-68-3	
Isopropylbenzene (Cumene)	<1.7	ug/L	5.6	1.7	1		11/03/20 15:04	98-82-8	
Methyl-tert-butyl ether	<1.2	ug/L	4.2	1.2	1		11/03/20 15:04	1634-04-4	
Methylene Chloride	<0.58	ug/L	5.0	0.58	1		11/03/20 15:04	75-09-2	
Naphthalene	<1.2	ug/L	5.0	1.2	1		11/03/20 15:04	91-20-3	
Styrene	<3.0	ug/L	10.0	3.0	1		11/03/20 15:04	100-42-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 1690019237 GORSKI LF 21-28201B

Pace Project No.: 40217313

Sample: 666 CTH B **Lab ID: 40217313015** Collected: 10/26/20 11:00 Received: 10/28/20 10:20 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV									
Analytical Method: EPA 8260									
Pace Analytical Services - Green Bay									
Tetrachloroethene	<0.33	ug/L	1.1	0.33	1		11/03/20 15:04	127-18-4	
Toluene	<0.27	ug/L	1.0	0.27	1		11/03/20 15:04	108-88-3	
Trichloroethene	<0.26	ug/L	1.0	0.26	1		11/03/20 15:04	79-01-6	
Trichlorofluoromethane	<0.21	ug/L	1.0	0.21	1		11/03/20 15:04	75-69-4	
Vinyl chloride	<0.17	ug/L	1.0	0.17	1		11/03/20 15:04	75-01-4	
Xylene (Total)	<1.5	ug/L	3.0	1.5	1		11/03/20 15:04	1330-20-7	
cis-1,2-Dichloroethene	<0.27	ug/L	1.0	0.27	1		11/03/20 15:04	156-59-2	
cis-1,3-Dichloropropene	<3.6	ug/L	12.1	3.6	1		11/03/20 15:04	10061-01-5	
m&p-Xylene	<0.47	ug/L	2.0	0.47	1		11/03/20 15:04	179601-23-1	
n-Butylbenzene	<0.71	ug/L	2.4	0.71	1		11/03/20 15:04	104-51-8	
n-Propylbenzene	<0.81	ug/L	5.0	0.81	1		11/03/20 15:04	103-65-1	
o-Xylene	<0.26	ug/L	1.0	0.26	1		11/03/20 15:04	95-47-6	
p-Isopropyltoluene	<0.80	ug/L	2.7	0.80	1		11/03/20 15:04	99-87-6	
sec-Butylbenzene	<0.85	ug/L	5.0	0.85	1		11/03/20 15:04	135-98-8	
tert-Butylbenzene	<0.30	ug/L	1.0	0.30	1		11/03/20 15:04	98-06-6	
trans-1,2-Dichloroethene	<0.46	ug/L	1.5	0.46	1		11/03/20 15:04	156-60-5	
trans-1,3-Dichloropropene	<4.4	ug/L	14.6	4.4	1		11/03/20 15:04	10061-02-6	
Surrogates									
4-Bromofluorobenzene (S)	100	%	70-130		1		11/03/20 15:04	460-00-4	
Dibromofluoromethane (S)	95	%	70-130		1		11/03/20 15:04	1868-53-7	
Toluene-d8 (S)	99	%	70-130		1		11/03/20 15:04	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 1690019237 GORSKI LF 21-28201B

Pace Project No.: 40217313

Sample: 1054 CTH KK Lab ID: 40217313016 Collected: 10/26/20 11:40 Received: 10/28/20 10:20 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV									
Analytical Method: EPA 8260									
Pace Analytical Services - Green Bay									
1,1,1,2-Tetrachloroethane	<0.27	ug/L	1.0	0.27	1		11/03/20 15:28	630-20-6	
1,1,1-Trichloroethane	<0.24	ug/L	1.0	0.24	1		11/03/20 15:28	71-55-6	
1,1,2,2-Tetrachloroethane	<0.28	ug/L	1.0	0.28	1		11/03/20 15:28	79-34-5	
1,1,2-Trichloroethane	<0.55	ug/L	5.0	0.55	1		11/03/20 15:28	79-00-5	
1,1-Dichloroethane	<0.27	ug/L	1.0	0.27	1		11/03/20 15:28	75-34-3	
1,1-Dichloroethene	<0.24	ug/L	1.0	0.24	1		11/03/20 15:28	75-35-4	
1,1-Dichloropropene	<0.54	ug/L	1.8	0.54	1		11/03/20 15:28	563-58-6	
1,2,3-Trichlorobenzene	<2.2	ug/L	7.4	2.2	1		11/03/20 15:28	87-61-6	
1,2,3-Trichloropropane	<0.59	ug/L	5.0	0.59	1		11/03/20 15:28	96-18-4	
1,2,4-Trichlorobenzene	<0.95	ug/L	5.0	0.95	1		11/03/20 15:28	120-82-1	
1,2,4-Trimethylbenzene	<0.84	ug/L	2.8	0.84	1		11/03/20 15:28	95-63-6	
1,2-Dibromo-3-chloropropane	<1.8	ug/L	5.9	1.8	1		11/03/20 15:28	96-12-8	
1,2-Dibromoethane (EDB)	<0.83	ug/L	2.8	0.83	1		11/03/20 15:28	106-93-4	
1,2-Dichlorobenzene	<0.71	ug/L	2.4	0.71	1		11/03/20 15:28	95-50-1	
1,2-Dichloroethane	<0.28	ug/L	1.0	0.28	1		11/03/20 15:28	107-06-2	
1,2-Dichloropropane	<0.28	ug/L	1.0	0.28	1		11/03/20 15:28	78-87-5	
1,3,5-Trimethylbenzene	<0.87	ug/L	2.9	0.87	1		11/03/20 15:28	108-67-8	
1,3-Dichlorobenzene	<0.63	ug/L	2.1	0.63	1		11/03/20 15:28	541-73-1	
1,3-Dichloropropane	<0.83	ug/L	2.8	0.83	1		11/03/20 15:28	142-28-9	
1,4-Dichlorobenzene	<0.94	ug/L	3.1	0.94	1		11/03/20 15:28	106-46-7	
2,2-Dichloropropane	<2.3	ug/L	7.6	2.3	1		11/03/20 15:28	594-20-7	
2-Chlorotoluene	<0.93	ug/L	5.0	0.93	1		11/03/20 15:28	95-49-8	
4-Chlorotoluene	<0.76	ug/L	2.5	0.76	1		11/03/20 15:28	106-43-4	
Benzene	<0.25	ug/L	1.0	0.25	1		11/03/20 15:28	71-43-2	
Bromobenzene	<0.24	ug/L	1.0	0.24	1		11/03/20 15:28	108-86-1	
Bromochloromethane	<0.36	ug/L	5.0	0.36	1		11/03/20 15:28	74-97-5	
Bromodichloromethane	<0.36	ug/L	1.2	0.36	1		11/03/20 15:28	75-27-4	
Bromoform	<4.0	ug/L	13.2	4.0	1		11/03/20 15:28	75-25-2	
Bromomethane	<0.97	ug/L	5.0	0.97	1		11/03/20 15:28	74-83-9	
Carbon tetrachloride	<1.1	ug/L	3.6	1.1	1		11/03/20 15:28	56-23-5	
Chlorobenzene	<0.71	ug/L	2.4	0.71	1		11/03/20 15:28	108-90-7	
Chloroethane	<1.3	ug/L	5.0	1.3	1		11/03/20 15:28	75-00-3	
Chloroform	<1.3	ug/L	5.0	1.3	1		11/03/20 15:28	67-66-3	
Chloromethane	<2.2	ug/L	7.3	2.2	1		11/03/20 15:28	74-87-3	
Dibromochloromethane	<2.6	ug/L	8.7	2.6	1		11/03/20 15:28	124-48-1	
Dibromomethane	<0.94	ug/L	3.1	0.94	1		11/03/20 15:28	74-95-3	
Dichlorodifluoromethane	<0.50	ug/L	5.0	0.50	1		11/03/20 15:28	75-71-8	
Diisopropyl ether	<1.9	ug/L	6.3	1.9	1		11/03/20 15:28	108-20-3	
Ethylbenzene	<0.32	ug/L	1.1	0.32	1		11/03/20 15:28	100-41-4	
Hexachloro-1,3-butadiene	<1.5	ug/L	4.9	1.5	1		11/03/20 15:28	87-68-3	
Isopropylbenzene (Cumene)	<1.7	ug/L	5.6	1.7	1		11/03/20 15:28	98-82-8	
Methyl-tert-butyl ether	<1.2	ug/L	4.2	1.2	1		11/03/20 15:28	1634-04-4	
Methylene Chloride	<0.58	ug/L	5.0	0.58	1		11/03/20 15:28	75-09-2	
Naphthalene	<1.2	ug/L	5.0	1.2	1		11/03/20 15:28	91-20-3	
Styrene	<3.0	ug/L	10.0	3.0	1		11/03/20 15:28	100-42-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 1690019237 GORSKI LF 21-28201B

Pace Project No.: 40217313

Sample: 1054 CTH KK **Lab ID: 40217313016** Collected: 10/26/20 11:40 Received: 10/28/20 10:20 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV									
Analytical Method: EPA 8260									
Pace Analytical Services - Green Bay									
Tetrachloroethene	<0.33	ug/L	1.1	0.33	1		11/03/20 15:28	127-18-4	
Toluene	<0.27	ug/L	1.0	0.27	1		11/03/20 15:28	108-88-3	
Trichloroethene	<0.26	ug/L	1.0	0.26	1		11/03/20 15:28	79-01-6	
Trichlorofluoromethane	<0.21	ug/L	1.0	0.21	1		11/03/20 15:28	75-69-4	
Vinyl chloride	<0.17	ug/L	1.0	0.17	1		11/03/20 15:28	75-01-4	
Xylene (Total)	<1.5	ug/L	3.0	1.5	1		11/03/20 15:28	1330-20-7	
cis-1,2-Dichloroethene	<0.27	ug/L	1.0	0.27	1		11/03/20 15:28	156-59-2	
cis-1,3-Dichloropropene	<3.6	ug/L	12.1	3.6	1		11/03/20 15:28	10061-01-5	
m&p-Xylene	<0.47	ug/L	2.0	0.47	1		11/03/20 15:28	179601-23-1	
n-Butylbenzene	<0.71	ug/L	2.4	0.71	1		11/03/20 15:28	104-51-8	
n-Propylbenzene	<0.81	ug/L	5.0	0.81	1		11/03/20 15:28	103-65-1	
o-Xylene	<0.26	ug/L	1.0	0.26	1		11/03/20 15:28	95-47-6	
p-Isopropyltoluene	<0.80	ug/L	2.7	0.80	1		11/03/20 15:28	99-87-6	
sec-Butylbenzene	<0.85	ug/L	5.0	0.85	1		11/03/20 15:28	135-98-8	
tert-Butylbenzene	<0.30	ug/L	1.0	0.30	1		11/03/20 15:28	98-06-6	
trans-1,2-Dichloroethene	<0.46	ug/L	1.5	0.46	1		11/03/20 15:28	156-60-5	
trans-1,3-Dichloropropene	<4.4	ug/L	14.6	4.4	1		11/03/20 15:28	10061-02-6	
Surrogates									
4-Bromofluorobenzene (S)	100	%	70-130		1		11/03/20 15:28	460-00-4	
Dibromofluoromethane (S)	95	%	70-130		1		11/03/20 15:28	1868-53-7	
Toluene-d8 (S)	99	%	70-130		1		11/03/20 15:28	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 1690019237 GORSKI LF 21-28201B
Pace Project No.: 40217313

Sample: TRIP BLANK **Lab ID: 40217313017** Collected: 10/26/20 15:00 Received: 10/28/20 10:20 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV									
Analytical Method: EPA 8260									
Pace Analytical Services - Green Bay									
1,1,1,2-Tetrachloroethane	<0.27	ug/L	1.0	0.27	1		11/03/20 07:19	630-20-6	
1,1,1-Trichloroethane	<0.24	ug/L	1.0	0.24	1		11/03/20 07:19	71-55-6	
1,1,2,2-Tetrachloroethane	<0.28	ug/L	1.0	0.28	1		11/03/20 07:19	79-34-5	
1,1,2-Trichloroethane	<0.55	ug/L	5.0	0.55	1		11/03/20 07:19	79-00-5	
1,1-Dichloroethane	<0.27	ug/L	1.0	0.27	1		11/03/20 07:19	75-34-3	
1,1-Dichloroethene	<0.24	ug/L	1.0	0.24	1		11/03/20 07:19	75-35-4	
1,1-Dichloropropene	<0.54	ug/L	1.8	0.54	1		11/03/20 07:19	563-58-6	
1,2,3-Trichlorobenzene	<2.2	ug/L	7.4	2.2	1		11/03/20 07:19	87-61-6	
1,2,3-Trichloropropane	<0.59	ug/L	5.0	0.59	1		11/03/20 07:19	96-18-4	
1,2,4-Trichlorobenzene	<0.95	ug/L	5.0	0.95	1		11/03/20 07:19	120-82-1	
1,2,4-Trimethylbenzene	<0.84	ug/L	2.8	0.84	1		11/03/20 07:19	95-63-6	
1,2-Dibromo-3-chloropropane	<1.8	ug/L	5.9	1.8	1		11/03/20 07:19	96-12-8	
1,2-Dibromoethane (EDB)	<0.83	ug/L	2.8	0.83	1		11/03/20 07:19	106-93-4	
1,2-Dichlorobenzene	<0.71	ug/L	2.4	0.71	1		11/03/20 07:19	95-50-1	
1,2-Dichloroethane	<0.28	ug/L	1.0	0.28	1		11/03/20 07:19	107-06-2	
1,2-Dichloropropane	<0.28	ug/L	1.0	0.28	1		11/03/20 07:19	78-87-5	
1,3,5-Trimethylbenzene	<0.87	ug/L	2.9	0.87	1		11/03/20 07:19	108-67-8	
1,3-Dichlorobenzene	<0.63	ug/L	2.1	0.63	1		11/03/20 07:19	541-73-1	
1,3-Dichloropropane	<0.83	ug/L	2.8	0.83	1		11/03/20 07:19	142-28-9	
1,4-Dichlorobenzene	<0.94	ug/L	3.1	0.94	1		11/03/20 07:19	106-46-7	
2,2-Dichloropropane	<2.3	ug/L	7.6	2.3	1		11/03/20 07:19	594-20-7	
2-Chlorotoluene	<0.93	ug/L	5.0	0.93	1		11/03/20 07:19	95-49-8	
4-Chlorotoluene	<0.76	ug/L	2.5	0.76	1		11/03/20 07:19	106-43-4	
Benzene	<0.25	ug/L	1.0	0.25	1		11/03/20 07:19	71-43-2	
Bromobenzene	<0.24	ug/L	1.0	0.24	1		11/03/20 07:19	108-86-1	
Bromochloromethane	<0.36	ug/L	5.0	0.36	1		11/03/20 07:19	74-97-5	
Bromodichloromethane	<0.36	ug/L	1.2	0.36	1		11/03/20 07:19	75-27-4	
Bromoform	<4.0	ug/L	13.2	4.0	1		11/03/20 07:19	75-25-2	
Bromomethane	<0.97	ug/L	5.0	0.97	1		11/03/20 07:19	74-83-9	
Carbon tetrachloride	<1.1	ug/L	3.6	1.1	1		11/03/20 07:19	56-23-5	
Chlorobenzene	<0.71	ug/L	2.4	0.71	1		11/03/20 07:19	108-90-7	
Chloroethane	<1.3	ug/L	5.0	1.3	1		11/03/20 07:19	75-00-3	
Chloroform	<1.3	ug/L	5.0	1.3	1		11/03/20 07:19	67-66-3	
Chloromethane	<2.2	ug/L	7.3	2.2	1		11/03/20 07:19	74-87-3	
Dibromochloromethane	<2.6	ug/L	8.7	2.6	1		11/03/20 07:19	124-48-1	
Dibromomethane	<0.94	ug/L	3.1	0.94	1		11/03/20 07:19	74-95-3	
Dichlorodifluoromethane	<0.50	ug/L	5.0	0.50	1		11/03/20 07:19	75-71-8	
Diisopropyl ether	<1.9	ug/L	6.3	1.9	1		11/03/20 07:19	108-20-3	
Ethylbenzene	<0.32	ug/L	1.1	0.32	1		11/03/20 07:19	100-41-4	
Hexachloro-1,3-butadiene	<1.5	ug/L	4.9	1.5	1		11/03/20 07:19	87-68-3	
Isopropylbenzene (Cumene)	<1.7	ug/L	5.6	1.7	1		11/03/20 07:19	98-82-8	
Methyl-tert-butyl ether	<1.2	ug/L	4.2	1.2	1		11/03/20 07:19	1634-04-4	
Methylene Chloride	0.79J	ug/L	5.0	0.58	1		11/03/20 07:19	75-09-2	
Naphthalene	<1.2	ug/L	5.0	1.2	1		11/03/20 07:19	91-20-3	
Styrene	<3.0	ug/L	10.0	3.0	1		11/03/20 07:19	100-42-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 1690019237 GORSKI LF 21-28201B

Pace Project No.: 40217313

Sample: TRIP BLANK **Lab ID: 40217313017** Collected: 10/26/20 15:00 Received: 10/28/20 10:20 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV									
Analytical Method: EPA 8260									
Pace Analytical Services - Green Bay									
Tetrachloroethene	<0.33	ug/L	1.1	0.33	1		11/03/20 07:19	127-18-4	
Toluene	<0.27	ug/L	1.0	0.27	1		11/03/20 07:19	108-88-3	
Trichloroethene	<0.26	ug/L	1.0	0.26	1		11/03/20 07:19	79-01-6	
Trichlorofluoromethane	<0.21	ug/L	1.0	0.21	1		11/03/20 07:19	75-69-4	
Vinyl chloride	<0.17	ug/L	1.0	0.17	1		11/03/20 07:19	75-01-4	
Xylene (Total)	<1.5	ug/L	3.0	1.5	1		11/03/20 07:19	1330-20-7	
cis-1,2-Dichloroethene	<0.27	ug/L	1.0	0.27	1		11/03/20 07:19	156-59-2	
cis-1,3-Dichloropropene	<3.6	ug/L	12.1	3.6	1		11/03/20 07:19	10061-01-5	
m&p-Xylene	<0.47	ug/L	2.0	0.47	1		11/03/20 07:19	179601-23-1	
n-Butylbenzene	<0.71	ug/L	2.4	0.71	1		11/03/20 07:19	104-51-8	
n-Propylbenzene	<0.81	ug/L	5.0	0.81	1		11/03/20 07:19	103-65-1	
o-Xylene	<0.26	ug/L	1.0	0.26	1		11/03/20 07:19	95-47-6	
p-Isopropyltoluene	<0.80	ug/L	2.7	0.80	1		11/03/20 07:19	99-87-6	
sec-Butylbenzene	<0.85	ug/L	5.0	0.85	1		11/03/20 07:19	135-98-8	
tert-Butylbenzene	<0.30	ug/L	1.0	0.30	1		11/03/20 07:19	98-06-6	
trans-1,2-Dichloroethene	<0.46	ug/L	1.5	0.46	1		11/03/20 07:19	156-60-5	
trans-1,3-Dichloropropene	<4.4	ug/L	14.6	4.4	1		11/03/20 07:19	10061-02-6	
Surrogates									
4-Bromofluorobenzene (S)	101	%	70-130		1		11/03/20 07:19	460-00-4	
Dibromofluoromethane (S)	89	%	70-130		1		11/03/20 07:19	1868-53-7	
Toluene-d8 (S)	99	%	70-130		1		11/03/20 07:19	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: 1690019237 GORSKI LF 21-28201B

Pace Project No.: 40217313

METHOD BLANK: 2137308

Matrix: Water

Associated Lab Samples: 40217313001, 40217313002, 40217313003, 40217313004, 40217313005, 40217313006, 40217313007, 40217313008, 40217313009, 40217313010, 40217313011, 40217313012, 40217313013, 40217313014, 40217313015, 40217313016, 40217313017

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
Dibromomethane	ug/L	<0.94	3.1	11/02/20 17:27	
Dichlorodifluoromethane	ug/L	<0.50	5.0	11/02/20 17:27	
Diisopropyl ether	ug/L	<1.9	6.3	11/02/20 17:27	
Ethylbenzene	ug/L	<0.32	1.1	11/02/20 17:27	
Hexachloro-1,3-butadiene	ug/L	<1.5	4.9	11/02/20 17:27	
Isopropylbenzene (Cumene)	ug/L	<1.7	5.6	11/02/20 17:27	
m&p-Xylene	ug/L	<0.47	2.0	11/02/20 17:27	
Methyl-tert-butyl ether	ug/L	<1.2	4.2	11/02/20 17:27	
Methylene Chloride	ug/L	<0.58	5.0	11/02/20 17:27	
n-Butylbenzene	ug/L	<0.71	2.4	11/02/20 17:27	
n-Propylbenzene	ug/L	<0.81	5.0	11/02/20 17:27	
Naphthalene	ug/L	<1.2	5.0	11/02/20 17:27	
o-Xylene	ug/L	<0.26	1.0	11/02/20 17:27	
p-Isopropyltoluene	ug/L	<0.80	2.7	11/02/20 17:27	
sec-Butylbenzene	ug/L	<0.85	5.0	11/02/20 17:27	
Styrene	ug/L	<3.0	10.0	11/02/20 17:27	
tert-Butylbenzene	ug/L	<0.30	1.0	11/02/20 17:27	
Tetrachloroethene	ug/L	<0.33	1.1	11/02/20 17:27	
Toluene	ug/L	<0.27	1.0	11/02/20 17:27	
trans-1,2-Dichloroethene	ug/L	<0.46	1.5	11/02/20 17:27	
trans-1,3-Dichloropropene	ug/L	<4.4	14.6	11/02/20 17:27	
Trichloroethene	ug/L	<0.26	1.0	11/02/20 17:27	
Trichlorofluoromethane	ug/L	<0.21	1.0	11/02/20 17:27	
Vinyl chloride	ug/L	<0.17	1.0	11/02/20 17:27	
Xylene (Total)	ug/L	<1.5	3.0	11/02/20 17:27	
4-Bromofluorobenzene (S)	%	102	70-130	11/02/20 17:27	
Dibromofluoromethane (S)	%	90	70-130	11/02/20 17:27	
Toluene-d8 (S)	%	96	70-130	11/02/20 17:27	

LABORATORY CONTROL SAMPLE: 2137309

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
1,1,1-Trichloroethane	ug/L	50	53.6	107	70-130	
1,1,2,2-Tetrachloroethane	ug/L	50	47.6	95	64-131	
1,1,2-Trichloroethane	ug/L	50	45.2	90	70-130	
1,1-Dichloroethane	ug/L	50	52.5	105	69-163	
1,1-Dichloroethene	ug/L	50	48.5	97	77-123	
1,2,4-Trichlorobenzene	ug/L	50	49.2	98	68-130	
1,2-Dibromo-3-chloropropane	ug/L	50	47.5	95	63-130	
1,2-Dibromoethane (EDB)	ug/L	50	45.8	92	70-130	
1,2-Dichlorobenzene	ug/L	50	51.3	103	70-130	
1,2-Dichloroethane	ug/L	50	48.0	96	78-142	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: 1690019237 GORSKI LF 21-28201B

Pace Project No.: 40217313

LABORATORY CONTROL SAMPLE: 2137309

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
1,2-Dichloropropane	ug/L	50	50.2	100	86-134	
1,3-Dichlorobenzene	ug/L	50	53.6	107	70-130	
1,4-Dichlorobenzene	ug/L	50	51.4	103	70-130	
Benzene	ug/L	50	50.1	100	70-130	
Bromodichloromethane	ug/L	50	49.4	99	70-130	
Bromoform	ug/L	50	46.2	92	70-130	
Bromomethane	ug/L	50	33.4	67	39-129	
Carbon tetrachloride	ug/L	50	55.2	110	70-132	
Chlorobenzene	ug/L	50	50.4	101	70-130	
Chloroethane	ug/L	50	47.1	94	66-140	
Chloroform	ug/L	50	49.7	99	75-132	
Chloromethane	ug/L	50	34.7	69	32-143	
cis-1,2-Dichloroethene	ug/L	50	49.2	98	70-130	
cis-1,3-Dichloropropene	ug/L	50	50.4	101	70-130	
Dibromochloromethane	ug/L	50	47.0	94	70-130	
Dichlorodifluoromethane	ug/L	50	28.1	56	10-141	
Ethylbenzene	ug/L	50	52.1	104	80-120	
Isopropylbenzene (Cumene)	ug/L	50	51.8	104	70-130	
m&p-Xylene	ug/L	100	103	103	70-130	
Methyl-tert-butyl ether	ug/L	50	46.2	92	61-129	
Methylene Chloride	ug/L	50	48.4	97	70-130	
o-Xylene	ug/L	50	50.4	101	70-130	
Styrene	ug/L	50	50.7	101	70-130	
Tetrachloroethene	ug/L	50	50.1	100	70-130	
Toluene	ug/L	50	49.8	100	80-120	
trans-1,2-Dichloroethene	ug/L	50	50.0	100	70-130	
trans-1,3-Dichloropropene	ug/L	50	46.5	93	69-130	
Trichloroethene	ug/L	50	50.1	100	70-130	
Trichlorofluoromethane	ug/L	50	53.3	107	75-145	
Vinyl chloride	ug/L	50	40.8	82	51-140	
Xylene (Total)	ug/L	150	153	102	70-130	
4-Bromofluorobenzene (S)	%			100	70-130	
Dibromofluoromethane (S)	%			101	70-130	
Toluene-d8 (S)	%			101	70-130	

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 2137310 2137311

Parameter	Units	2137310		2137311		MS % Rec	MSD % Rec	% Rec Limits	RPD	Max RPD	Qual	
		MS Spike Conc.	MSD Spike Conc.	MS Result	MSD Result							
1,1,1-Trichloroethane	ug/L	<0.24	50	50	53.5	54.0	107	108	70-130	1	20	
1,1,2,2-Tetrachloroethane	ug/L	<0.28	50	50	51.8	52.2	104	104	64-137	1	20	
1,1,2-Trichloroethane	ug/L	<0.55	50	50	47.4	47.3	95	95	70-137	0	20	
1,1-Dichloroethane	ug/L	<0.27	50	50	53.1	52.8	106	106	69-163	1	20	
1,1-Dichloroethene	ug/L	<0.24	50	50	49.0	49.9	98	100	77-129	2	20	
1,2,4-Trichlorobenzene	ug/L	<0.95	50	50	50.7	50.8	101	102	68-130	0	20	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: 1690019237 GORSKI LF 21-28201B

Pace Project No.: 40217313

Parameter	Units	2137310		2137311		MS Result	MSD Result	MS % Rec	MSD % Rec	% Rec Limits	RPD	Max RPD	Qual
		40217313003 Result	MS Spike Conc.	MSD Spike Conc.	MS Result								
1,2-Dibromo-3-chloropropane	ug/L	<1.8	50	50	51.8	50.6	104	101	60-130	2	20		
1,2-Dibromoethane (EDB)	ug/L	<0.83	50	50	47.8	48.0	96	96	70-130	0	20		
1,2-Dichlorobenzene	ug/L	<0.71	50	50	52.4	51.9	105	104	70-130	1	20		
1,2-Dichloroethane	ug/L	<0.28	50	50	49.0	49.2	98	98	78-145	0	20		
1,2-Dichloropropane	ug/L	<0.28	50	50	51.2	49.9	102	100	86-135	3	20		
1,3-Dichlorobenzene	ug/L	<0.63	50	50	53.9	53.4	108	107	70-130	1	20		
1,4-Dichlorobenzene	ug/L	<0.94	50	50	51.7	51.5	103	103	70-130	0	20		
Benzene	ug/L	<0.25	50	50	50.0	50.1	100	100	70-136	0	20		
Bromodichloromethane	ug/L	<0.36	50	50	50.4	49.9	101	100	70-130	1	20		
Bromoform	ug/L	<4.0	50	50	47.5	48.3	95	97	69-130	2	20		
Bromomethane	ug/L	<0.97	50	50	34.0	36.4	68	73	39-138	7	20		
Carbon tetrachloride	ug/L	<1.1	50	50	55.2	56.3	110	113	70-142	2	20		
Chlorobenzene	ug/L	<0.71	50	50	51.0	50.6	102	101	70-130	1	20		
Chloroethane	ug/L	<1.3	50	50	44.9	45.9	90	92	61-149	2	20		
Chloroform	ug/L	<1.3	50	50	50.6	50.1	101	100	75-133	1	20		
Chloromethane	ug/L	<2.2	50	50	33.8	33.9	68	68	32-143	0	20		
cis-1,2-Dichloroethene	ug/L	<0.27	50	50	49.8	50.6	100	101	70-130	2	20		
cis-1,3-Dichloropropene	ug/L	<3.6	50	50	51.7	51.0	103	102	70-130	1	20		
Dibromochloromethane	ug/L	<2.6	50	50	48.2	48.2	96	96	70-130	0	20		
Dichlorodifluoromethane	ug/L	<0.50	50	50	26.9	27.1	54	54	10-141	1	20		
Ethylbenzene	ug/L	<0.32	50	50	51.8	52.1	104	104	80-120	1	20		
Isopropylbenzene (Cumene)	ug/L	<1.7	50	50	50.7	51.7	101	103	70-130	2	20		
m&p-Xylene	ug/L	<0.47	100	100	100	101	100	101	70-130	1	20		
Methyl-tert-butyl ether	ug/L	<1.2	50	50	49.7	50.5	99	101	61-136	2	20		
Methylene Chloride	ug/L	<0.58	50	50	47.3	48.7	95	97	68-137	3	20		
o-Xylene	ug/L	<0.26	50	50	50.9	49.6	102	99	70-130	3	20		
Styrene	ug/L	<3.0	50	50	49.4	49.9	99	100	70-130	1	20		
Tetrachloroethene	ug/L	<0.33	50	50	49.8	50.8	100	102	70-130	2	20		
Toluene	ug/L	<0.27	50	50	49.4	50.4	99	101	80-120	2	20		
trans-1,2-Dichloroethene	ug/L	<0.46	50	50	52.1	50.8	104	102	70-130	2	20		
trans-1,3-Dichloropropene	ug/L	<4.4	50	50	48.6	48.2	97	96	69-130	1	20		
Trichloroethene	ug/L	<0.26	50	50	52.2	52.2	104	104	70-130	0	20		
Trichlorofluoromethane	ug/L	<0.21	50	50	51.4	52.5	103	105	74-157	2	20		
Vinyl chloride	ug/L	<0.17	50	50	39.7	40.6	79	81	51-140	2	20		
Xylene (Total)	ug/L	<1.5	150	150	151	151	101	100	70-130	0	20		
4-Bromofluorobenzene (S)	%						95	99	70-130				
Dibromofluoromethane (S)	%						99	103	70-130				
Toluene-d8 (S)	%						97	101	70-130				

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALIFIERS

Project: 1690019237 GORSKI LF 21-28201B

Pace Project No.: 40217313

DEFINITIONS

DF - Dilution Factor, if reported, represents the factor applied to the reported data due to dilution of the sample aliquot.

ND - Not Detected at or above LOD.

J - Estimated concentration at or above the LOD and below the LOQ.

LOD - Limit of Detection adjusted for dilution factor, percent moisture, initial weight and final volume.

LOQ - Limit of Quantitation adjusted for dilution factor, percent moisture, initial weight and final volume.

S - Surrogate

1,2-Diphenylhydrazine decomposes to and cannot be separated from Azobenzene using Method 8270. The result for each analyte is a combined concentration.

Consistent with EPA guidelines, unrounded data are displayed and have been used to calculate % recovery and RPD values.

LCS(D) - Laboratory Control Sample (Duplicate)

MS(D) - Matrix Spike (Duplicate)

DUP - Sample Duplicate

RPD - Relative Percent Difference

NC - Not Calculable.

SG - Silica Gel - Clean-Up

U - Indicates the compound was analyzed for, but not detected at or above the adjusted LOD.

N-Nitrosodiphenylamine decomposes and cannot be separated from Diphenylamine using Method 8270. The result reported for each analyte is a combined concentration.

Pace Analytical is TNI accredited. Contact your Pace PM for the current list of accredited analytes.

TNI - The NELAC Institute.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA CROSS REFERENCE TABLE

Project: 1690019237 GORSKI LF 21-28201B

Pace Project No.: 40217313

Lab ID	Sample ID	QC Batch Method	QC Batch	Analytical Method	Analytical Batch
40217313001	652R CTH B	EPA 8260	369758		
40217313002	642R CTH B	EPA 8260	369758		
40217313003	626 CTH B	EPA 8260	369758		
40217313004	669 CTH B	EPA 8260	369758		
40217313005	670 CTH B	EPA 8260	369758		
40217313006	1096 CTH KK	EPA 8260	369758		
40217313007	1101 CTH KK	EPA 8260	369758		
40217313008	1058 CTH KK	EPA 8260	369758		
40217313009	PZ-3	EPA 8260	369758		
40217313010	MW-4	EPA 8260	369758		
40217313011	MW-6	EPA 8260	369758		
40217313012	PZ-4	EPA 8260	369758		
40217313013	MW-4D	EPA 8260	369758		
40217313014	669 CTH BD	EPA 8260	369758		
40217313015	666 CTH B	EPA 8260	369758		
40217313016	1054 CTH KK	EPA 8260	369758		
40217313017	TRIP BLANK	EPA 8260	369758		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Sample Preservation Receipt Form

Pace Analytical Services, LLC
1241 Bellevue Street, Suite 100
Green Bay, WI 54303

Page 4 of 6

Client Name: Rambell

Project # 40217313

All containers needing preservation have been checked and noted below: Yes No N/A

Lab Lot# of pH paper:

Lab Std #ID of preservation (if pH adjusted):

Initial when completed:

Date/Time:

Pace Lab #	Glass							Plastic					Vials					Jars				General			VOA Vials (>6mm) *	H2SO4 pH ≤2	NaOH+Zn Act pH ≥9	NaOH pH ≥12	HNO3 pH ≤2	pH after adjusted	Volume (mL)				
	AG1U	BG1U	AG1H	AG4S	AG4U	AG5U	AG2S	BP1U	BP3U	BP3B	BP3N	BP3S	VG9A	DG9T	VG9U	VG9H	VG9M	VG9D	JGFU	JG9U	WGFU	WPFU	SP5T	ZPLC								GN			
001															3																				2.5 / 5 / 10
002															3																				2.5 / 5 / 10
003															7																				2.5 / 5 / 10
004															3																				2.5 / 5 / 10
005															3																				2.5 / 5 / 10
006															3																				2.5 / 5 / 10
007															3																				2.5 / 5 / 10
008															3																				2.5 / 5 / 10
009															3																				2.5 / 5 / 10
010															3																				2.5 / 5 / 10
011															3																				2.5 / 5 / 10
012															3																				2.5 / 5 / 10
013															3																				2.5 / 5 / 10
014															3																				2.5 / 5 / 10
015															3																				2.5 / 5 / 10
016															3																				2.5 / 5 / 10
017															2																				2.5 / 5 / 10
018																																			2.5 / 5 / 10
019																																			2.5 / 5 / 10
020																																			2.5 / 5 / 10

10/28/20
10

Exceptions to preservation check: (VOA) Coliform, TOC, TOX, TOH, O&G, WI DRO, Phenolics, Other: _____ Headspace in VOA Vials (>6mm) : Yes No N/A *If yes look in headspace column

AG1U	1 liter amber glass
BG1U	1 liter clear glass
AG1H	1 liter amber glass HCL
AG4S	125 mL amber glass H2SO4
AG4U	120 mL amber glass unpres
AG5U	100 mL amber glass unpres
AG2S	500 mL amber glass H2SO4
BG3U	250 mL clear glass unpres

BP1U	1 liter plastic unpres
BP3U	250 mL plastic unpres
BP3B	250 mL plastic NaOH
BP3N	250 mL plastic HNO3
BP3S	250 mL plastic H2SO4

VG9A	40 mL clear ascorbic
DG9T	40 mL amber Na Thio
VG9U	40 mL clear vial unpres
VG9H	40 mL clear vial HCL
VG9M	40 mL clear vial MeOH
VG9D	40 mL clear vial DI


JGFU	4 oz amber jar unpres
JG9U	9 oz amber jar unpres
WGFU	4 oz clear jar unpres
WPFU	4 oz plastic jar unpres
SP5T	120 mL plastic Na Thiosulfate
ZPLC	ziploc bag
GN	

Sample Condition Upon Receipt Form (SCUR)

Client Name: Lamboll

Project #: _____

WO#: 40217313



Courier: CS Logistics Fed Ex Speedee UPS Waltco
 Client Pace Other: _____

Tracking #: _____

Custody Seal on Cooler/Box Present: yes no Seals intact: yes no

Custody Seal on Samples Present: yes no Seals intact: yes no

Packing Material: Bubble Wrap Bubble Bags None Other

Thermometer Used SR - 86 Type of Ice: Wet Blue Dry None Samples on ice, cooling process has begun

Cooler Temperature Uncorr: 0 / Corr: 0.5

Temp Blank Present: yes no Biological Tissue is Frozen: yes no

Temp should be above freezing to 6°C.
Biota Samples may be received at ≤ 0°C if shipped on Dry Ice.

Person examining contents:
Date: 10/28/20 Initials: [Signature]
Labeled By Initials: [Signature]

Chain of Custody Present:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	1.
Chain of Custody Filled Out:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	2.
Chain of Custody Relinquished:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	3.
Sampler Name & Signature on COC:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	4.
Samples Arrived within Hold Time:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	5.
- VOA Samples frozen upon receipt	<input type="checkbox"/> Yes <input type="checkbox"/> No	Date/Time: _____
Short Hold Time Analysis (<72hr):	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	6.
Rush Turn Around Time Requested:	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	7.
Sufficient Volume:		8.
For Analysis: <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No MS/MSD: <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A		
Correct Containers Used:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	9.
-Pace Containers Used:	<input checked="" type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A	
-Pace IR Containers Used:	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	
Containers Intact:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	10.
Filtered volume received for Dissolved tests	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	11.
Sample Labels match COC:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	12.
-Includes date/time/ID/Analysis Matrix: <u>W</u>		
Trip Blank Present:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	13.
Trip Blank Custody Seals Present	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	
Pace Trip Blank Lot # (if purchased): <u>NA</u>		

Client Notification/ Resolution: _____ If checked, see attached form for additional comments
 Person Contacted: _____ Date/Time: _____
 Comments/ Resolution: _____