

From: Mark Mejac <mmej@ramboll.com>
Sent: Monday, October 18, 2021 4:39 PM
To: Sykora, Candace A - DNR
Cc: DRIESSEN Tracey; Jeff Gates; WILLIAMS Troy (CNH Industrial); Jeanne Tarvin
Subject: Former Gorski Landfill Site, Mosinee, Wisconsin
Attachments: 40235044_frc.pdf

Follow Up Flag: Follow up
Flag Status: Completed

**CAUTION: This email originated from outside the organization.
Do not click links or open attachments unless you recognize the sender and know the content is safe.**

Hello Candace,

Please find attached laboratory reports dated October 18, 2021 associated with the most recent groundwater monitoring event at the former Gorski Landfill site near Mosinee, Wisconsin. As indicated, nine of the ten water samples obtained from the private water-supply wells did not contain detectable concentrations of volatile organic compounds (VOCs), and none of the water samples obtained from the private water-supply wells contained VOC concentrations greater than Safe Drinking Water Act Maximum Contaminant Levels (MCLs).

We will also provide these data to the WDNR central office for loading into the GEMS database. If you require any additional information or documentation, please do not hesitate to contact us.

Thank you, Mark

Kind regards
Mark M. Mejac, PG
Senior Managing Consultant

D +1 (262) 901-0127
M +1 (414) 949-0395
mmej@ramboll.com

October 18, 2021

Mark Mejac
Ramboll
234 W. Florida Street
Fifth Floor
Milwaukee, WI 53204

RE: Project: 1690019237 GORSKI LF
Pace Project No.: 40235044

Dear Mark Mejac:

Enclosed are the analytical results for sample(s) received by the laboratory on October 13, 2021. The results relate only to the samples included in this report. Results reported herein conform to the applicable TNI/NELAC Standards and the laboratory's Quality Manual, where applicable, unless otherwise noted in the body of the report.

The test results provided in this final report were generated by each of the following laboratories within the Pace Network:

- Pace Analytical Services - Green Bay

If you have any questions concerning this report, please feel free to contact me.

Sincerely,



Steven Mleczko
steve.mleczko@pacelabs.com
(920)469-2436
Project Manager

Enclosures



REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

CERTIFICATIONS

Project: 1690019237 GORSKI LF

Pace Project No.: 40235044

Pace Analytical Services Green Bay

1241 Bellevue Street, Green Bay, WI 54302

Florida/NELAP Certification #: E87948

Illinois Certification #: 200050

Kentucky UST Certification #: 82

Louisiana Certification #: 04168

Minnesota Certification #: 055-999-334

New York Certification #: 12064

North Dakota Certification #: R-150

Virginia VELAP ID: 460263

South Carolina Certification #: 83006001

Texas Certification #: T104704529-14-1

Wisconsin Certification #: 405132750

Wisconsin DATCP Certification #: 105-444

USDA Soil Permit #: P330-16-00157

Federal Fish & Wildlife Permit #: LE51774A-0

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

SAMPLE SUMMARY

Project: 1690019237 GORSKI LF
Pace Project No.: 40235044

Lab ID	Sample ID	Matrix	Date Collected	Date Received
40235044001	652R CTH B	Water	10/11/21 10:25	10/13/21 07:35
40235044002	642R CTH B	Water	10/11/21 10:30	10/13/21 07:35
40235044003	626 CTH B	Water	10/11/21 10:45	10/13/21 07:35
40235044004	669 CTH B	Water	10/11/21 09:47	10/13/21 07:35
40235044005	670 CTH B	Water	10/11/21 09:55	10/13/21 07:35
40235044006	1096 CTH KK	Water	10/11/21 11:15	10/13/21 07:35
40235044007	1101 CTH KK	Water	10/11/21 11:05	10/13/21 07:35
40235044008	1058 CTH KK	Water	10/11/21 11:25	10/13/21 07:35
40235044009	PZ-3	Water	10/11/21 12:30	10/13/21 07:35
40235044010	MW-4	Water	10/11/21 14:30	10/13/21 07:35
40235044011	MW-6	Water	10/11/21 14:00	10/13/21 07:35
40235044012	PZ-4	Water	10/11/21 13:30	10/13/21 07:35
40235044013	MW-4D	Water	10/11/21 14:32	10/13/21 07:35
40235044014	669 CTH BD	Water	10/11/21 09:45	10/13/21 07:35
40235044015	666 CTH B	Water	10/11/21 10:10	10/13/21 07:35
40235044016	1054 CTH KK	Water	10/11/21 11:35	10/13/21 07:35
40235044017	TRIP BLANK	Water	10/11/21 00:00	10/13/21 07:35

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

SAMPLE ANALYTE COUNT

Project: 1690019237 GORSKI LF
Pace Project No.: 40235044

Lab ID	Sample ID	Method	Analysts	Analytes Reported	Laboratory
40235044001	652R CTH B	EPA 8260	LAP	65	PASI-G
40235044002	642R CTH B	EPA 8260	LAP	65	PASI-G
40235044003	626 CTH B	EPA 8260	LAP	65	PASI-G
40235044004	669 CTH B	EPA 8260	LAP	65	PASI-G
40235044005	670 CTH B	EPA 8260	LAP	65	PASI-G
40235044006	1096 CTH KK	EPA 8260	LAP	65	PASI-G
40235044007	1101 CTH KK	EPA 8260	LAP	65	PASI-G
40235044008	1058 CTH KK	EPA 8260	LAP	65	PASI-G
40235044009	PZ-3	EPA 8260	LAP	65	PASI-G
40235044010	MW-4	EPA 8260	LAP	65	PASI-G
40235044011	MW-6	EPA 8260	LAP	65	PASI-G
40235044012	PZ-4	EPA 8260	LAP	65	PASI-G
40235044013	MW-4D	EPA 8260	LAP	65	PASI-G
40235044014	669 CTH BD	EPA 8260	LAP	65	PASI-G
40235044015	666 CTH B	EPA 8260	LAP	65	PASI-G
40235044016	1054 CTH KK	EPA 8260	LAP	65	PASI-G
40235044017	TRIP BLANK	EPA 8260	LAP	65	PASI-G

PASI-G = Pace Analytical Services - Green Bay

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

SUMMARY OF DETECTION

Project: 1690019237 GORSKI LF

Pace Project No.: 40235044

Lab Sample ID Method	Client Sample ID Parameters	Result	Units	Report Limit	Analyzed	Qualifiers
40235044004	669 CTH B					
EPA 8260	Trichloroethene	0.33J	ug/L	1.0	10/14/21 20:53	
40235044009	PZ-3					
EPA 8260	cis-1,2-Dichloroethene	7.4	ug/L	1.0	10/14/21 22:30	
EPA 8260	Trichloroethene	1.1	ug/L	1.0	10/14/21 22:30	
40235044010	MW-4					
EPA 8260	cis-1,2-Dichloroethene	0.71J	ug/L	1.0	10/14/21 22:49	
EPA 8260	Trichloroethene	4.1	ug/L	1.0	10/14/21 22:49	
40235044011	MW-6					
EPA 8260	cis-1,2-Dichloroethene	2.1	ug/L	1.0	10/14/21 23:08	
EPA 8260	Trichloroethene	4.1	ug/L	1.0	10/14/21 23:08	
40235044012	PZ-4					
EPA 8260	cis-1,2-Dichloroethene	1.3	ug/L	1.0	10/14/21 23:28	
EPA 8260	Trichloroethene	5.6	ug/L	1.0	10/14/21 23:28	
40235044013	MW-4D					
EPA 8260	cis-1,2-Dichloroethene	0.82J	ug/L	1.0	10/14/21 23:47	
EPA 8260	Trichloroethene	4.6	ug/L	1.0	10/14/21 23:47	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 1690019237 GORSKI LF

Pace Project No.: 40235044

Sample: 652R CTH B **Lab ID: 40235044001** Collected: 10/11/21 10:25 Received: 10/13/21 07:35 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV		Analytical Method: EPA 8260 Pace Analytical Services - Green Bay							
Benzene	<0.30	ug/L	1.0	0.30	1		10/14/21 20:15	71-43-2	
Bromobenzene	<0.36	ug/L	1.0	0.36	1		10/14/21 20:15	108-86-1	
Bromochloromethane	<0.36	ug/L	5.0	0.36	1		10/14/21 20:15	74-97-5	
Bromodichloromethane	<0.42	ug/L	1.0	0.42	1		10/14/21 20:15	75-27-4	
Bromoform	<3.8	ug/L	5.0	3.8	1		10/14/21 20:15	75-25-2	
Bromomethane	<1.2	ug/L	5.0	1.2	1		10/14/21 20:15	74-83-9	
n-Butylbenzene	<0.86	ug/L	1.0	0.86	1		10/14/21 20:15	104-51-8	
sec-Butylbenzene	<0.42	ug/L	1.0	0.42	1		10/14/21 20:15	135-98-8	
tert-Butylbenzene	<0.59	ug/L	1.0	0.59	1		10/14/21 20:15	98-06-6	
Carbon tetrachloride	<0.37	ug/L	1.0	0.37	1		10/14/21 20:15	56-23-5	
Chlorobenzene	<0.86	ug/L	1.0	0.86	1		10/14/21 20:15	108-90-7	
Chloroethane	<1.4	ug/L	5.0	1.4	1		10/14/21 20:15	75-00-3	
Chloroform	<1.2	ug/L	5.0	1.2	1		10/14/21 20:15	67-66-3	
Chloromethane	<1.6	ug/L	5.0	1.6	1		10/14/21 20:15	74-87-3	
2-Chlorotoluene	<0.89	ug/L	5.0	0.89	1		10/14/21 20:15	95-49-8	
4-Chlorotoluene	<0.89	ug/L	5.0	0.89	1		10/14/21 20:15	106-43-4	
1,2-Dibromo-3-chloropropane	<2.4	ug/L	5.0	2.4	1		10/14/21 20:15	96-12-8	
Dibromochloromethane	<2.6	ug/L	5.0	2.6	1		10/14/21 20:15	124-48-1	
1,2-Dibromoethane (EDB)	<0.31	ug/L	1.0	0.31	1		10/14/21 20:15	106-93-4	
Dibromomethane	<0.99	ug/L	5.0	0.99	1		10/14/21 20:15	74-95-3	
1,2-Dichlorobenzene	<0.33	ug/L	1.0	0.33	1		10/14/21 20:15	95-50-1	
1,3-Dichlorobenzene	<0.35	ug/L	1.0	0.35	1		10/14/21 20:15	541-73-1	
1,4-Dichlorobenzene	<0.89	ug/L	1.0	0.89	1		10/14/21 20:15	106-46-7	
Dichlorodifluoromethane	<0.46	ug/L	5.0	0.46	1		10/14/21 20:15	75-71-8	
1,1-Dichloroethane	<0.30	ug/L	1.0	0.30	1		10/14/21 20:15	75-34-3	
1,2-Dichloroethane	<0.29	ug/L	1.0	0.29	1		10/14/21 20:15	107-06-2	
1,1-Dichloroethene	<0.58	ug/L	1.0	0.58	1		10/14/21 20:15	75-35-4	
cis-1,2-Dichloroethene	<0.47	ug/L	1.0	0.47	1		10/14/21 20:15	156-59-2	
trans-1,2-Dichloroethene	<0.53	ug/L	1.0	0.53	1		10/14/21 20:15	156-60-5	
1,2-Dichloropropane	<0.45	ug/L	1.0	0.45	1		10/14/21 20:15	78-87-5	
1,3-Dichloropropane	<0.30	ug/L	1.0	0.30	1		10/14/21 20:15	142-28-9	
2,2-Dichloropropane	<4.2	ug/L	5.0	4.2	1		10/14/21 20:15	594-20-7	
1,1-Dichloropropene	<0.41	ug/L	1.0	0.41	1		10/14/21 20:15	563-58-6	
cis-1,3-Dichloropropene	<0.36	ug/L	1.0	0.36	1		10/14/21 20:15	10061-01-5	
trans-1,3-Dichloropropene	<3.5	ug/L	5.0	3.5	1		10/14/21 20:15	10061-02-6	
Diisopropyl ether	<1.1	ug/L	5.0	1.1	1		10/14/21 20:15	108-20-3	
Ethylbenzene	<0.33	ug/L	1.0	0.33	1		10/14/21 20:15	100-41-4	
Hexachloro-1,3-butadiene	<2.7	ug/L	5.0	2.7	1		10/14/21 20:15	87-68-3	
Isopropylbenzene (Cumene)	<1.0	ug/L	5.0	1.0	1		10/14/21 20:15	98-82-8	
p-Isopropyltoluene	<1.0	ug/L	5.0	1.0	1		10/14/21 20:15	99-87-6	
Methylene Chloride	<0.32	ug/L	5.0	0.32	1		10/14/21 20:15	75-09-2	
Methyl-tert-butyl ether	<1.1	ug/L	5.0	1.1	1		10/14/21 20:15	1634-04-4	
Naphthalene	<1.1	ug/L	5.0	1.1	1		10/14/21 20:15	91-20-3	
n-Propylbenzene	<0.35	ug/L	1.0	0.35	1		10/14/21 20:15	103-65-1	
Styrene	<0.36	ug/L	1.0	0.36	1		10/14/21 20:15	100-42-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 1690019237 GORSKI LF
Pace Project No.: 40235044

Sample: 652R CTH B **Lab ID: 40235044001** Collected: 10/11/21 10:25 Received: 10/13/21 07:35 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV									
Analytical Method: EPA 8260									
Pace Analytical Services - Green Bay									
1,1,1,2-Tetrachloroethane	<0.36	ug/L	1.0	0.36	1		10/14/21 20:15	630-20-6	
1,1,1,2-Tetrachloroethane	<0.38	ug/L	1.0	0.38	1		10/14/21 20:15	79-34-5	
Tetrachloroethene	<0.41	ug/L	1.0	0.41	1		10/14/21 20:15	127-18-4	
Toluene	<0.29	ug/L	1.0	0.29	1		10/14/21 20:15	108-88-3	
1,2,3-Trichlorobenzene	<1.0	ug/L	5.0	1.0	1		10/14/21 20:15	87-61-6	
1,2,4-Trichlorobenzene	<0.95	ug/L	5.0	0.95	1		10/14/21 20:15	120-82-1	
1,1,1-Trichloroethane	<0.30	ug/L	1.0	0.30	1		10/14/21 20:15	71-55-6	
1,1,2-Trichloroethane	<0.34	ug/L	5.0	0.34	1		10/14/21 20:15	79-00-5	
Trichloroethene	<0.32	ug/L	1.0	0.32	1		10/14/21 20:15	79-01-6	
Trichlorofluoromethane	<0.42	ug/L	1.0	0.42	1		10/14/21 20:15	75-69-4	
1,2,3-Trichloropropane	<0.56	ug/L	5.0	0.56	1		10/14/21 20:15	96-18-4	
1,2,4-Trimethylbenzene	<0.45	ug/L	1.0	0.45	1		10/14/21 20:15	95-63-6	
1,3,5-Trimethylbenzene	<0.36	ug/L	1.0	0.36	1		10/14/21 20:15	108-67-8	
Vinyl chloride	<0.17	ug/L	1.0	0.17	1		10/14/21 20:15	75-01-4	
Xylene (Total)	<1.0	ug/L	3.0	1.0	1		10/14/21 20:15	1330-20-7	
m&p-Xylene	<0.70	ug/L	2.0	0.70	1		10/14/21 20:15	179601-23-1	
o-Xylene	<0.35	ug/L	1.0	0.35	1		10/14/21 20:15	95-47-6	
Surrogates									
4-Bromofluorobenzene (S)	97	%	70-130		1		10/14/21 20:15	460-00-4	
1,2-Dichlorobenzene-d4 (S)	101	%	70-130		1		10/14/21 20:15	2199-69-1	
Toluene-d8 (S)	104	%	70-130		1		10/14/21 20:15	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 1690019237 GORSKI LF
Pace Project No.: 40235044

Sample: 642R CTH B **Lab ID: 40235044002** Collected: 10/11/21 10:30 Received: 10/13/21 07:35 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV									
Analytical Method: EPA 8260									
Pace Analytical Services - Green Bay									
Benzene	<0.30	ug/L	1.0	0.30	1		10/14/21 20:34	71-43-2	
Bromobenzene	<0.36	ug/L	1.0	0.36	1		10/14/21 20:34	108-86-1	
Bromochloromethane	<0.36	ug/L	5.0	0.36	1		10/14/21 20:34	74-97-5	
Bromodichloromethane	<0.42	ug/L	1.0	0.42	1		10/14/21 20:34	75-27-4	
Bromoform	<3.8	ug/L	5.0	3.8	1		10/14/21 20:34	75-25-2	
Bromomethane	<1.2	ug/L	5.0	1.2	1		10/14/21 20:34	74-83-9	
n-Butylbenzene	<0.86	ug/L	1.0	0.86	1		10/14/21 20:34	104-51-8	
sec-Butylbenzene	<0.42	ug/L	1.0	0.42	1		10/14/21 20:34	135-98-8	
tert-Butylbenzene	<0.59	ug/L	1.0	0.59	1		10/14/21 20:34	98-06-6	
Carbon tetrachloride	<0.37	ug/L	1.0	0.37	1		10/14/21 20:34	56-23-5	
Chlorobenzene	<0.86	ug/L	1.0	0.86	1		10/14/21 20:34	108-90-7	
Chloroethane	<1.4	ug/L	5.0	1.4	1		10/14/21 20:34	75-00-3	
Chloroform	<1.2	ug/L	5.0	1.2	1		10/14/21 20:34	67-66-3	
Chloromethane	<1.6	ug/L	5.0	1.6	1		10/14/21 20:34	74-87-3	
2-Chlorotoluene	<0.89	ug/L	5.0	0.89	1		10/14/21 20:34	95-49-8	
4-Chlorotoluene	<0.89	ug/L	5.0	0.89	1		10/14/21 20:34	106-43-4	
1,2-Dibromo-3-chloropropane	<2.4	ug/L	5.0	2.4	1		10/14/21 20:34	96-12-8	
Dibromochloromethane	<2.6	ug/L	5.0	2.6	1		10/14/21 20:34	124-48-1	
1,2-Dibromoethane (EDB)	<0.31	ug/L	1.0	0.31	1		10/14/21 20:34	106-93-4	
Dibromomethane	<0.99	ug/L	5.0	0.99	1		10/14/21 20:34	74-95-3	
1,2-Dichlorobenzene	<0.33	ug/L	1.0	0.33	1		10/14/21 20:34	95-50-1	
1,3-Dichlorobenzene	<0.35	ug/L	1.0	0.35	1		10/14/21 20:34	541-73-1	
1,4-Dichlorobenzene	<0.89	ug/L	1.0	0.89	1		10/14/21 20:34	106-46-7	
Dichlorodifluoromethane	<0.46	ug/L	5.0	0.46	1		10/14/21 20:34	75-71-8	
1,1-Dichloroethane	<0.30	ug/L	1.0	0.30	1		10/14/21 20:34	75-34-3	
1,2-Dichloroethane	<0.29	ug/L	1.0	0.29	1		10/14/21 20:34	107-06-2	
1,1-Dichloroethene	<0.58	ug/L	1.0	0.58	1		10/14/21 20:34	75-35-4	
cis-1,2-Dichloroethene	<0.47	ug/L	1.0	0.47	1		10/14/21 20:34	156-59-2	
trans-1,2-Dichloroethene	<0.53	ug/L	1.0	0.53	1		10/14/21 20:34	156-60-5	
1,2-Dichloropropane	<0.45	ug/L	1.0	0.45	1		10/14/21 20:34	78-87-5	
1,3-Dichloropropane	<0.30	ug/L	1.0	0.30	1		10/14/21 20:34	142-28-9	
2,2-Dichloropropane	<4.2	ug/L	5.0	4.2	1		10/14/21 20:34	594-20-7	
1,1-Dichloropropene	<0.41	ug/L	1.0	0.41	1		10/14/21 20:34	563-58-6	
cis-1,3-Dichloropropene	<0.36	ug/L	1.0	0.36	1		10/14/21 20:34	10061-01-5	
trans-1,3-Dichloropropene	<3.5	ug/L	5.0	3.5	1		10/14/21 20:34	10061-02-6	
Diisopropyl ether	<1.1	ug/L	5.0	1.1	1		10/14/21 20:34	108-20-3	
Ethylbenzene	<0.33	ug/L	1.0	0.33	1		10/14/21 20:34	100-41-4	
Hexachloro-1,3-butadiene	<2.7	ug/L	5.0	2.7	1		10/14/21 20:34	87-68-3	
Isopropylbenzene (Cumene)	<1.0	ug/L	5.0	1.0	1		10/14/21 20:34	98-82-8	
p-Isopropyltoluene	<1.0	ug/L	5.0	1.0	1		10/14/21 20:34	99-87-6	
Methylene Chloride	<0.32	ug/L	5.0	0.32	1		10/14/21 20:34	75-09-2	
Methyl-tert-butyl ether	<1.1	ug/L	5.0	1.1	1		10/14/21 20:34	1634-04-4	
Naphthalene	<1.1	ug/L	5.0	1.1	1		10/14/21 20:34	91-20-3	
n-Propylbenzene	<0.35	ug/L	1.0	0.35	1		10/14/21 20:34	103-65-1	
Styrene	<0.36	ug/L	1.0	0.36	1		10/14/21 20:34	100-42-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 1690019237 GORSKI LF

Pace Project No.: 40235044

Sample: 642R CTH B **Lab ID: 40235044002** Collected: 10/11/21 10:30 Received: 10/13/21 07:35 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV									
Analytical Method: EPA 8260									
Pace Analytical Services - Green Bay									
1,1,1,2-Tetrachloroethane	<0.36	ug/L	1.0	0.36	1		10/14/21 20:34	630-20-6	
1,1,1,2-Tetrachloroethane	<0.38	ug/L	1.0	0.38	1		10/14/21 20:34	79-34-5	
Tetrachloroethene	<0.41	ug/L	1.0	0.41	1		10/14/21 20:34	127-18-4	
Toluene	<0.29	ug/L	1.0	0.29	1		10/14/21 20:34	108-88-3	
1,2,3-Trichlorobenzene	<1.0	ug/L	5.0	1.0	1		10/14/21 20:34	87-61-6	
1,2,4-Trichlorobenzene	<0.95	ug/L	5.0	0.95	1		10/14/21 20:34	120-82-1	
1,1,1-Trichloroethane	<0.30	ug/L	1.0	0.30	1		10/14/21 20:34	71-55-6	
1,1,2-Trichloroethane	<0.34	ug/L	5.0	0.34	1		10/14/21 20:34	79-00-5	
Trichloroethene	<0.32	ug/L	1.0	0.32	1		10/14/21 20:34	79-01-6	
Trichlorofluoromethane	<0.42	ug/L	1.0	0.42	1		10/14/21 20:34	75-69-4	
1,2,3-Trichloropropane	<0.56	ug/L	5.0	0.56	1		10/14/21 20:34	96-18-4	
1,2,4-Trimethylbenzene	<0.45	ug/L	1.0	0.45	1		10/14/21 20:34	95-63-6	
1,3,5-Trimethylbenzene	<0.36	ug/L	1.0	0.36	1		10/14/21 20:34	108-67-8	
Vinyl chloride	<0.17	ug/L	1.0	0.17	1		10/14/21 20:34	75-01-4	
Xylene (Total)	<1.0	ug/L	3.0	1.0	1		10/14/21 20:34	1330-20-7	
m&p-Xylene	<0.70	ug/L	2.0	0.70	1		10/14/21 20:34	179601-23-1	
o-Xylene	<0.35	ug/L	1.0	0.35	1		10/14/21 20:34	95-47-6	
Surrogates									
4-Bromofluorobenzene (S)	95	%	70-130		1		10/14/21 20:34	460-00-4	
1,2-Dichlorobenzene-d4 (S)	98	%	70-130		1		10/14/21 20:34	2199-69-1	
Toluene-d8 (S)	102	%	70-130		1		10/14/21 20:34	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 1690019237 GORSKI LF

Pace Project No.: 40235044

Sample: 626 CTH B **Lab ID: 40235044003** Collected: 10/11/21 10:45 Received: 10/13/21 07:35 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV									
Analytical Method: EPA 8260									
Pace Analytical Services - Green Bay									
Benzene	<0.30	ug/L	1.0	0.30	1		10/14/21 19:55	71-43-2	
Bromobenzene	<0.36	ug/L	1.0	0.36	1		10/14/21 19:55	108-86-1	
Bromochloromethane	<0.36	ug/L	5.0	0.36	1		10/14/21 19:55	74-97-5	
Bromodichloromethane	<0.42	ug/L	1.0	0.42	1		10/14/21 19:55	75-27-4	
Bromoform	<3.8	ug/L	5.0	3.8	1		10/14/21 19:55	75-25-2	
Bromomethane	<1.2	ug/L	5.0	1.2	1		10/14/21 19:55	74-83-9	
n-Butylbenzene	<0.86	ug/L	1.0	0.86	1		10/14/21 19:55	104-51-8	
sec-Butylbenzene	<0.42	ug/L	1.0	0.42	1		10/14/21 19:55	135-98-8	
tert-Butylbenzene	<0.59	ug/L	1.0	0.59	1		10/14/21 19:55	98-06-6	
Carbon tetrachloride	<0.37	ug/L	1.0	0.37	1		10/14/21 19:55	56-23-5	
Chlorobenzene	<0.86	ug/L	1.0	0.86	1		10/14/21 19:55	108-90-7	
Chloroethane	<1.4	ug/L	5.0	1.4	1		10/14/21 19:55	75-00-3	
Chloroform	<1.2	ug/L	5.0	1.2	1		10/14/21 19:55	67-66-3	
Chloromethane	<1.6	ug/L	5.0	1.6	1		10/14/21 19:55	74-87-3	
2-Chlorotoluene	<0.89	ug/L	5.0	0.89	1		10/14/21 19:55	95-49-8	
4-Chlorotoluene	<0.89	ug/L	5.0	0.89	1		10/14/21 19:55	106-43-4	
1,2-Dibromo-3-chloropropane	<2.4	ug/L	5.0	2.4	1		10/14/21 19:55	96-12-8	
Dibromochloromethane	<2.6	ug/L	5.0	2.6	1		10/14/21 19:55	124-48-1	
1,2-Dibromoethane (EDB)	<0.31	ug/L	1.0	0.31	1		10/14/21 19:55	106-93-4	
Dibromomethane	<0.99	ug/L	5.0	0.99	1		10/14/21 19:55	74-95-3	
1,2-Dichlorobenzene	<0.33	ug/L	1.0	0.33	1		10/14/21 19:55	95-50-1	
1,3-Dichlorobenzene	<0.35	ug/L	1.0	0.35	1		10/14/21 19:55	541-73-1	
1,4-Dichlorobenzene	<0.89	ug/L	1.0	0.89	1		10/14/21 19:55	106-46-7	
Dichlorodifluoromethane	<0.46	ug/L	5.0	0.46	1		10/14/21 19:55	75-71-8	
1,1-Dichloroethane	<0.30	ug/L	1.0	0.30	1		10/14/21 19:55	75-34-3	
1,2-Dichloroethane	<0.29	ug/L	1.0	0.29	1		10/14/21 19:55	107-06-2	
1,1-Dichloroethene	<0.58	ug/L	1.0	0.58	1		10/14/21 19:55	75-35-4	
cis-1,2-Dichloroethene	<0.47	ug/L	1.0	0.47	1		10/14/21 19:55	156-59-2	
trans-1,2-Dichloroethene	<0.53	ug/L	1.0	0.53	1		10/14/21 19:55	156-60-5	
1,2-Dichloropropane	<0.45	ug/L	1.0	0.45	1		10/14/21 19:55	78-87-5	
1,3-Dichloropropane	<0.30	ug/L	1.0	0.30	1		10/14/21 19:55	142-28-9	
2,2-Dichloropropane	<4.2	ug/L	5.0	4.2	1		10/14/21 19:55	594-20-7	
1,1-Dichloropropene	<0.41	ug/L	1.0	0.41	1		10/14/21 19:55	563-58-6	
cis-1,3-Dichloropropene	<0.36	ug/L	1.0	0.36	1		10/14/21 19:55	10061-01-5	
trans-1,3-Dichloropropene	<3.5	ug/L	5.0	3.5	1		10/14/21 19:55	10061-02-6	
Diisopropyl ether	<1.1	ug/L	5.0	1.1	1		10/14/21 19:55	108-20-3	
Ethylbenzene	<0.33	ug/L	1.0	0.33	1		10/14/21 19:55	100-41-4	
Hexachloro-1,3-butadiene	<2.7	ug/L	5.0	2.7	1		10/14/21 19:55	87-68-3	
Isopropylbenzene (Cumene)	<1.0	ug/L	5.0	1.0	1		10/14/21 19:55	98-82-8	
p-Isopropyltoluene	<1.0	ug/L	5.0	1.0	1		10/14/21 19:55	99-87-6	
Methylene Chloride	<0.32	ug/L	5.0	0.32	1		10/14/21 19:55	75-09-2	
Methyl-tert-butyl ether	<1.1	ug/L	5.0	1.1	1		10/14/21 19:55	1634-04-4	
Naphthalene	<1.1	ug/L	5.0	1.1	1		10/14/21 19:55	91-20-3	
n-Propylbenzene	<0.35	ug/L	1.0	0.35	1		10/14/21 19:55	103-65-1	
Styrene	<0.36	ug/L	1.0	0.36	1		10/14/21 19:55	100-42-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 1690019237 GORSKI LF

Pace Project No.: 40235044

Sample: 626 CTH B **Lab ID: 40235044003** Collected: 10/11/21 10:45 Received: 10/13/21 07:35 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV									
Analytical Method: EPA 8260									
Pace Analytical Services - Green Bay									
1,1,1,2-Tetrachloroethane	<0.36	ug/L	1.0	0.36	1		10/14/21 19:55	630-20-6	
1,1,1,2-Tetrachloroethane	<0.38	ug/L	1.0	0.38	1		10/14/21 19:55	79-34-5	
Tetrachloroethene	<0.41	ug/L	1.0	0.41	1		10/14/21 19:55	127-18-4	
Toluene	<0.29	ug/L	1.0	0.29	1		10/14/21 19:55	108-88-3	
1,2,3-Trichlorobenzene	<1.0	ug/L	5.0	1.0	1		10/14/21 19:55	87-61-6	
1,2,4-Trichlorobenzene	<0.95	ug/L	5.0	0.95	1		10/14/21 19:55	120-82-1	
1,1,1-Trichloroethane	<0.30	ug/L	1.0	0.30	1		10/14/21 19:55	71-55-6	
1,1,2-Trichloroethane	<0.34	ug/L	5.0	0.34	1		10/14/21 19:55	79-00-5	
Trichloroethene	<0.32	ug/L	1.0	0.32	1		10/14/21 19:55	79-01-6	
Trichlorofluoromethane	<0.42	ug/L	1.0	0.42	1		10/14/21 19:55	75-69-4	
1,2,3-Trichloropropane	<0.56	ug/L	5.0	0.56	1		10/14/21 19:55	96-18-4	
1,2,4-Trimethylbenzene	<0.45	ug/L	1.0	0.45	1		10/14/21 19:55	95-63-6	
1,3,5-Trimethylbenzene	<0.36	ug/L	1.0	0.36	1		10/14/21 19:55	108-67-8	
Vinyl chloride	<0.17	ug/L	1.0	0.17	1		10/14/21 19:55	75-01-4	
Xylene (Total)	<1.0	ug/L	3.0	1.0	1		10/14/21 19:55	1330-20-7	
m&p-Xylene	<0.70	ug/L	2.0	0.70	1		10/14/21 19:55	179601-23-1	
o-Xylene	<0.35	ug/L	1.0	0.35	1		10/14/21 19:55	95-47-6	
Surrogates									
4-Bromofluorobenzene (S)	95	%	70-130		1		10/14/21 19:55	460-00-4	
1,2-Dichlorobenzene-d4 (S)	101	%	70-130		1		10/14/21 19:55	2199-69-1	
Toluene-d8 (S)	103	%	70-130		1		10/14/21 19:55	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 1690019237 GORSKI LF

Pace Project No.: 40235044

Sample: 669 CTH B **Lab ID: 40235044004** Collected: 10/11/21 09:47 Received: 10/13/21 07:35 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV									
Analytical Method: EPA 8260									
Pace Analytical Services - Green Bay									
Benzene	<0.30	ug/L	1.0	0.30	1		10/14/21 20:53	71-43-2	
Bromobenzene	<0.36	ug/L	1.0	0.36	1		10/14/21 20:53	108-86-1	
Bromochloromethane	<0.36	ug/L	5.0	0.36	1		10/14/21 20:53	74-97-5	
Bromodichloromethane	<0.42	ug/L	1.0	0.42	1		10/14/21 20:53	75-27-4	
Bromoform	<3.8	ug/L	5.0	3.8	1		10/14/21 20:53	75-25-2	
Bromomethane	<1.2	ug/L	5.0	1.2	1		10/14/21 20:53	74-83-9	
n-Butylbenzene	<0.86	ug/L	1.0	0.86	1		10/14/21 20:53	104-51-8	
sec-Butylbenzene	<0.42	ug/L	1.0	0.42	1		10/14/21 20:53	135-98-8	
tert-Butylbenzene	<0.59	ug/L	1.0	0.59	1		10/14/21 20:53	98-06-6	
Carbon tetrachloride	<0.37	ug/L	1.0	0.37	1		10/14/21 20:53	56-23-5	
Chlorobenzene	<0.86	ug/L	1.0	0.86	1		10/14/21 20:53	108-90-7	
Chloroethane	<1.4	ug/L	5.0	1.4	1		10/14/21 20:53	75-00-3	
Chloroform	<1.2	ug/L	5.0	1.2	1		10/14/21 20:53	67-66-3	
Chloromethane	<1.6	ug/L	5.0	1.6	1		10/14/21 20:53	74-87-3	
2-Chlorotoluene	<0.89	ug/L	5.0	0.89	1		10/14/21 20:53	95-49-8	
4-Chlorotoluene	<0.89	ug/L	5.0	0.89	1		10/14/21 20:53	106-43-4	
1,2-Dibromo-3-chloropropane	<2.4	ug/L	5.0	2.4	1		10/14/21 20:53	96-12-8	
Dibromochloromethane	<2.6	ug/L	5.0	2.6	1		10/14/21 20:53	124-48-1	
1,2-Dibromoethane (EDB)	<0.31	ug/L	1.0	0.31	1		10/14/21 20:53	106-93-4	
Dibromomethane	<0.99	ug/L	5.0	0.99	1		10/14/21 20:53	74-95-3	
1,2-Dichlorobenzene	<0.33	ug/L	1.0	0.33	1		10/14/21 20:53	95-50-1	
1,3-Dichlorobenzene	<0.35	ug/L	1.0	0.35	1		10/14/21 20:53	541-73-1	
1,4-Dichlorobenzene	<0.89	ug/L	1.0	0.89	1		10/14/21 20:53	106-46-7	
Dichlorodifluoromethane	<0.46	ug/L	5.0	0.46	1		10/14/21 20:53	75-71-8	
1,1-Dichloroethane	<0.30	ug/L	1.0	0.30	1		10/14/21 20:53	75-34-3	
1,2-Dichloroethane	<0.29	ug/L	1.0	0.29	1		10/14/21 20:53	107-06-2	
1,1-Dichloroethene	<0.58	ug/L	1.0	0.58	1		10/14/21 20:53	75-35-4	
cis-1,2-Dichloroethene	<0.47	ug/L	1.0	0.47	1		10/14/21 20:53	156-59-2	
trans-1,2-Dichloroethene	<0.53	ug/L	1.0	0.53	1		10/14/21 20:53	156-60-5	
1,2-Dichloropropane	<0.45	ug/L	1.0	0.45	1		10/14/21 20:53	78-87-5	
1,3-Dichloropropane	<0.30	ug/L	1.0	0.30	1		10/14/21 20:53	142-28-9	
2,2-Dichloropropane	<4.2	ug/L	5.0	4.2	1		10/14/21 20:53	594-20-7	
1,1-Dichloropropene	<0.41	ug/L	1.0	0.41	1		10/14/21 20:53	563-58-6	
cis-1,3-Dichloropropene	<0.36	ug/L	1.0	0.36	1		10/14/21 20:53	10061-01-5	
trans-1,3-Dichloropropene	<3.5	ug/L	5.0	3.5	1		10/14/21 20:53	10061-02-6	
Diisopropyl ether	<1.1	ug/L	5.0	1.1	1		10/14/21 20:53	108-20-3	
Ethylbenzene	<0.33	ug/L	1.0	0.33	1		10/14/21 20:53	100-41-4	
Hexachloro-1,3-butadiene	<2.7	ug/L	5.0	2.7	1		10/14/21 20:53	87-68-3	
Isopropylbenzene (Cumene)	<1.0	ug/L	5.0	1.0	1		10/14/21 20:53	98-82-8	
p-Isopropyltoluene	<1.0	ug/L	5.0	1.0	1		10/14/21 20:53	99-87-6	
Methylene Chloride	<0.32	ug/L	5.0	0.32	1		10/14/21 20:53	75-09-2	
Methyl-tert-butyl ether	<1.1	ug/L	5.0	1.1	1		10/14/21 20:53	1634-04-4	
Naphthalene	<1.1	ug/L	5.0	1.1	1		10/14/21 20:53	91-20-3	
n-Propylbenzene	<0.35	ug/L	1.0	0.35	1		10/14/21 20:53	103-65-1	
Styrene	<0.36	ug/L	1.0	0.36	1		10/14/21 20:53	100-42-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 1690019237 GORSKI LF
Pace Project No.: 40235044

Sample: 669 CTH B **Lab ID: 40235044004** Collected: 10/11/21 09:47 Received: 10/13/21 07:35 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV									
Analytical Method: EPA 8260									
Pace Analytical Services - Green Bay									
1,1,1,2-Tetrachloroethane	<0.36	ug/L	1.0	0.36	1		10/14/21 20:53	630-20-6	
1,1,1,2-Tetrachloroethane	<0.38	ug/L	1.0	0.38	1		10/14/21 20:53	79-34-5	
Tetrachloroethene	<0.41	ug/L	1.0	0.41	1		10/14/21 20:53	127-18-4	
Toluene	<0.29	ug/L	1.0	0.29	1		10/14/21 20:53	108-88-3	
1,2,3-Trichlorobenzene	<1.0	ug/L	5.0	1.0	1		10/14/21 20:53	87-61-6	
1,2,4-Trichlorobenzene	<0.95	ug/L	5.0	0.95	1		10/14/21 20:53	120-82-1	
1,1,1-Trichloroethane	<0.30	ug/L	1.0	0.30	1		10/14/21 20:53	71-55-6	
1,1,2-Trichloroethane	<0.34	ug/L	5.0	0.34	1		10/14/21 20:53	79-00-5	
Trichloroethene	0.33J	ug/L	1.0	0.32	1		10/14/21 20:53	79-01-6	
Trichlorofluoromethane	<0.42	ug/L	1.0	0.42	1		10/14/21 20:53	75-69-4	
1,2,3-Trichloropropane	<0.56	ug/L	5.0	0.56	1		10/14/21 20:53	96-18-4	
1,2,4-Trimethylbenzene	<0.45	ug/L	1.0	0.45	1		10/14/21 20:53	95-63-6	
1,3,5-Trimethylbenzene	<0.36	ug/L	1.0	0.36	1		10/14/21 20:53	108-67-8	
Vinyl chloride	<0.17	ug/L	1.0	0.17	1		10/14/21 20:53	75-01-4	
Xylene (Total)	<1.0	ug/L	3.0	1.0	1		10/14/21 20:53	1330-20-7	
m&p-Xylene	<0.70	ug/L	2.0	0.70	1		10/14/21 20:53	179601-23-1	
o-Xylene	<0.35	ug/L	1.0	0.35	1		10/14/21 20:53	95-47-6	
Surrogates									
4-Bromofluorobenzene (S)	96	%	70-130		1		10/14/21 20:53	460-00-4	
1,2-Dichlorobenzene-d4 (S)	99	%	70-130		1		10/14/21 20:53	2199-69-1	
Toluene-d8 (S)	104	%	70-130		1		10/14/21 20:53	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 1690019237 GORSKI LF

Pace Project No.: 40235044

Sample: 670 CTH B **Lab ID: 40235044005** Collected: 10/11/21 09:55 Received: 10/13/21 07:35 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV		Analytical Method: EPA 8260 Pace Analytical Services - Green Bay							
Benzene	<0.30	ug/L	1.0	0.30	1		10/14/21 21:12	71-43-2	
Bromobenzene	<0.36	ug/L	1.0	0.36	1		10/14/21 21:12	108-86-1	
Bromochloromethane	<0.36	ug/L	5.0	0.36	1		10/14/21 21:12	74-97-5	
Bromodichloromethane	<0.42	ug/L	1.0	0.42	1		10/14/21 21:12	75-27-4	
Bromoform	<3.8	ug/L	5.0	3.8	1		10/14/21 21:12	75-25-2	
Bromomethane	<1.2	ug/L	5.0	1.2	1		10/14/21 21:12	74-83-9	
n-Butylbenzene	<0.86	ug/L	1.0	0.86	1		10/14/21 21:12	104-51-8	
sec-Butylbenzene	<0.42	ug/L	1.0	0.42	1		10/14/21 21:12	135-98-8	
tert-Butylbenzene	<0.59	ug/L	1.0	0.59	1		10/14/21 21:12	98-06-6	
Carbon tetrachloride	<0.37	ug/L	1.0	0.37	1		10/14/21 21:12	56-23-5	
Chlorobenzene	<0.86	ug/L	1.0	0.86	1		10/14/21 21:12	108-90-7	
Chloroethane	<1.4	ug/L	5.0	1.4	1		10/14/21 21:12	75-00-3	
Chloroform	<1.2	ug/L	5.0	1.2	1		10/14/21 21:12	67-66-3	
Chloromethane	<1.6	ug/L	5.0	1.6	1		10/14/21 21:12	74-87-3	
2-Chlorotoluene	<0.89	ug/L	5.0	0.89	1		10/14/21 21:12	95-49-8	
4-Chlorotoluene	<0.89	ug/L	5.0	0.89	1		10/14/21 21:12	106-43-4	
1,2-Dibromo-3-chloropropane	<2.4	ug/L	5.0	2.4	1		10/14/21 21:12	96-12-8	
Dibromochloromethane	<2.6	ug/L	5.0	2.6	1		10/14/21 21:12	124-48-1	
1,2-Dibromoethane (EDB)	<0.31	ug/L	1.0	0.31	1		10/14/21 21:12	106-93-4	
Dibromomethane	<0.99	ug/L	5.0	0.99	1		10/14/21 21:12	74-95-3	
1,2-Dichlorobenzene	<0.33	ug/L	1.0	0.33	1		10/14/21 21:12	95-50-1	
1,3-Dichlorobenzene	<0.35	ug/L	1.0	0.35	1		10/14/21 21:12	541-73-1	
1,4-Dichlorobenzene	<0.89	ug/L	1.0	0.89	1		10/14/21 21:12	106-46-7	
Dichlorodifluoromethane	<0.46	ug/L	5.0	0.46	1		10/14/21 21:12	75-71-8	
1,1-Dichloroethane	<0.30	ug/L	1.0	0.30	1		10/14/21 21:12	75-34-3	
1,2-Dichloroethane	<0.29	ug/L	1.0	0.29	1		10/14/21 21:12	107-06-2	
1,1-Dichloroethene	<0.58	ug/L	1.0	0.58	1		10/14/21 21:12	75-35-4	
cis-1,2-Dichloroethene	<0.47	ug/L	1.0	0.47	1		10/14/21 21:12	156-59-2	
trans-1,2-Dichloroethene	<0.53	ug/L	1.0	0.53	1		10/14/21 21:12	156-60-5	
1,2-Dichloropropane	<0.45	ug/L	1.0	0.45	1		10/14/21 21:12	78-87-5	
1,3-Dichloropropane	<0.30	ug/L	1.0	0.30	1		10/14/21 21:12	142-28-9	
2,2-Dichloropropane	<4.2	ug/L	5.0	4.2	1		10/14/21 21:12	594-20-7	
1,1-Dichloropropene	<0.41	ug/L	1.0	0.41	1		10/14/21 21:12	563-58-6	
cis-1,3-Dichloropropene	<0.36	ug/L	1.0	0.36	1		10/14/21 21:12	10061-01-5	
trans-1,3-Dichloropropene	<3.5	ug/L	5.0	3.5	1		10/14/21 21:12	10061-02-6	
Diisopropyl ether	<1.1	ug/L	5.0	1.1	1		10/14/21 21:12	108-20-3	
Ethylbenzene	<0.33	ug/L	1.0	0.33	1		10/14/21 21:12	100-41-4	
Hexachloro-1,3-butadiene	<2.7	ug/L	5.0	2.7	1		10/14/21 21:12	87-68-3	
Isopropylbenzene (Cumene)	<1.0	ug/L	5.0	1.0	1		10/14/21 21:12	98-82-8	
p-Isopropyltoluene	<1.0	ug/L	5.0	1.0	1		10/14/21 21:12	99-87-6	
Methylene Chloride	<0.32	ug/L	5.0	0.32	1		10/14/21 21:12	75-09-2	
Methyl-tert-butyl ether	<1.1	ug/L	5.0	1.1	1		10/14/21 21:12	1634-04-4	
Naphthalene	<1.1	ug/L	5.0	1.1	1		10/14/21 21:12	91-20-3	
n-Propylbenzene	<0.35	ug/L	1.0	0.35	1		10/14/21 21:12	103-65-1	
Styrene	<0.36	ug/L	1.0	0.36	1		10/14/21 21:12	100-42-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 1690019237 GORSKI LF
Pace Project No.: 40235044

Sample: 670 CTH B **Lab ID: 40235044005** Collected: 10/11/21 09:55 Received: 10/13/21 07:35 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV									
Analytical Method: EPA 8260									
Pace Analytical Services - Green Bay									
1,1,1,2-Tetrachloroethane	<0.36	ug/L	1.0	0.36	1		10/14/21 21:12	630-20-6	
1,1,1,2-Tetrachloroethane	<0.38	ug/L	1.0	0.38	1		10/14/21 21:12	79-34-5	
Tetrachloroethene	<0.41	ug/L	1.0	0.41	1		10/14/21 21:12	127-18-4	
Toluene	<0.29	ug/L	1.0	0.29	1		10/14/21 21:12	108-88-3	
1,2,3-Trichlorobenzene	<1.0	ug/L	5.0	1.0	1		10/14/21 21:12	87-61-6	
1,2,4-Trichlorobenzene	<0.95	ug/L	5.0	0.95	1		10/14/21 21:12	120-82-1	
1,1,1-Trichloroethane	<0.30	ug/L	1.0	0.30	1		10/14/21 21:12	71-55-6	
1,1,2-Trichloroethane	<0.34	ug/L	5.0	0.34	1		10/14/21 21:12	79-00-5	
Trichloroethene	<0.32	ug/L	1.0	0.32	1		10/14/21 21:12	79-01-6	
Trichlorofluoromethane	<0.42	ug/L	1.0	0.42	1		10/14/21 21:12	75-69-4	
1,2,3-Trichloropropane	<0.56	ug/L	5.0	0.56	1		10/14/21 21:12	96-18-4	
1,2,4-Trimethylbenzene	<0.45	ug/L	1.0	0.45	1		10/14/21 21:12	95-63-6	
1,3,5-Trimethylbenzene	<0.36	ug/L	1.0	0.36	1		10/14/21 21:12	108-67-8	
Vinyl chloride	<0.17	ug/L	1.0	0.17	1		10/14/21 21:12	75-01-4	
Xylene (Total)	<1.0	ug/L	3.0	1.0	1		10/14/21 21:12	1330-20-7	
m&p-Xylene	<0.70	ug/L	2.0	0.70	1		10/14/21 21:12	179601-23-1	
o-Xylene	<0.35	ug/L	1.0	0.35	1		10/14/21 21:12	95-47-6	
Surrogates									
4-Bromofluorobenzene (S)	96	%	70-130		1		10/14/21 21:12	460-00-4	
1,2-Dichlorobenzene-d4 (S)	99	%	70-130		1		10/14/21 21:12	2199-69-1	
Toluene-d8 (S)	104	%	70-130		1		10/14/21 21:12	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 1690019237 GORSKI LF

Pace Project No.: 40235044

Sample: 1096 CTH KK **Lab ID: 40235044006** Collected: 10/11/21 11:15 Received: 10/13/21 07:35 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV									
Analytical Method: EPA 8260									
Pace Analytical Services - Green Bay									
Benzene	<0.30	ug/L	1.0	0.30	1		10/14/21 21:32	71-43-2	
Bromobenzene	<0.36	ug/L	1.0	0.36	1		10/14/21 21:32	108-86-1	
Bromochloromethane	<0.36	ug/L	5.0	0.36	1		10/14/21 21:32	74-97-5	
Bromodichloromethane	<0.42	ug/L	1.0	0.42	1		10/14/21 21:32	75-27-4	
Bromoform	<3.8	ug/L	5.0	3.8	1		10/14/21 21:32	75-25-2	
Bromomethane	<1.2	ug/L	5.0	1.2	1		10/14/21 21:32	74-83-9	
n-Butylbenzene	<0.86	ug/L	1.0	0.86	1		10/14/21 21:32	104-51-8	
sec-Butylbenzene	<0.42	ug/L	1.0	0.42	1		10/14/21 21:32	135-98-8	
tert-Butylbenzene	<0.59	ug/L	1.0	0.59	1		10/14/21 21:32	98-06-6	
Carbon tetrachloride	<0.37	ug/L	1.0	0.37	1		10/14/21 21:32	56-23-5	
Chlorobenzene	<0.86	ug/L	1.0	0.86	1		10/14/21 21:32	108-90-7	
Chloroethane	<1.4	ug/L	5.0	1.4	1		10/14/21 21:32	75-00-3	
Chloroform	<1.2	ug/L	5.0	1.2	1		10/14/21 21:32	67-66-3	
Chloromethane	<1.6	ug/L	5.0	1.6	1		10/14/21 21:32	74-87-3	
2-Chlorotoluene	<0.89	ug/L	5.0	0.89	1		10/14/21 21:32	95-49-8	
4-Chlorotoluene	<0.89	ug/L	5.0	0.89	1		10/14/21 21:32	106-43-4	
1,2-Dibromo-3-chloropropane	<2.4	ug/L	5.0	2.4	1		10/14/21 21:32	96-12-8	
Dibromochloromethane	<2.6	ug/L	5.0	2.6	1		10/14/21 21:32	124-48-1	
1,2-Dibromoethane (EDB)	<0.31	ug/L	1.0	0.31	1		10/14/21 21:32	106-93-4	
Dibromomethane	<0.99	ug/L	5.0	0.99	1		10/14/21 21:32	74-95-3	
1,2-Dichlorobenzene	<0.33	ug/L	1.0	0.33	1		10/14/21 21:32	95-50-1	
1,3-Dichlorobenzene	<0.35	ug/L	1.0	0.35	1		10/14/21 21:32	541-73-1	
1,4-Dichlorobenzene	<0.89	ug/L	1.0	0.89	1		10/14/21 21:32	106-46-7	
Dichlorodifluoromethane	<0.46	ug/L	5.0	0.46	1		10/14/21 21:32	75-71-8	
1,1-Dichloroethane	<0.30	ug/L	1.0	0.30	1		10/14/21 21:32	75-34-3	
1,2-Dichloroethane	<0.29	ug/L	1.0	0.29	1		10/14/21 21:32	107-06-2	
1,1-Dichloroethene	<0.58	ug/L	1.0	0.58	1		10/14/21 21:32	75-35-4	
cis-1,2-Dichloroethene	<0.47	ug/L	1.0	0.47	1		10/14/21 21:32	156-59-2	
trans-1,2-Dichloroethene	<0.53	ug/L	1.0	0.53	1		10/14/21 21:32	156-60-5	
1,2-Dichloropropane	<0.45	ug/L	1.0	0.45	1		10/14/21 21:32	78-87-5	
1,3-Dichloropropane	<0.30	ug/L	1.0	0.30	1		10/14/21 21:32	142-28-9	
2,2-Dichloropropane	<4.2	ug/L	5.0	4.2	1		10/14/21 21:32	594-20-7	
1,1-Dichloropropene	<0.41	ug/L	1.0	0.41	1		10/14/21 21:32	563-58-6	
cis-1,3-Dichloropropene	<0.36	ug/L	1.0	0.36	1		10/14/21 21:32	10061-01-5	
trans-1,3-Dichloropropene	<3.5	ug/L	5.0	3.5	1		10/14/21 21:32	10061-02-6	
Diisopropyl ether	<1.1	ug/L	5.0	1.1	1		10/14/21 21:32	108-20-3	
Ethylbenzene	<0.33	ug/L	1.0	0.33	1		10/14/21 21:32	100-41-4	
Hexachloro-1,3-butadiene	<2.7	ug/L	5.0	2.7	1		10/14/21 21:32	87-68-3	
Isopropylbenzene (Cumene)	<1.0	ug/L	5.0	1.0	1		10/14/21 21:32	98-82-8	
p-Isopropyltoluene	<1.0	ug/L	5.0	1.0	1		10/14/21 21:32	99-87-6	
Methylene Chloride	<0.32	ug/L	5.0	0.32	1		10/14/21 21:32	75-09-2	
Methyl-tert-butyl ether	<1.1	ug/L	5.0	1.1	1		10/14/21 21:32	1634-04-4	
Naphthalene	<1.1	ug/L	5.0	1.1	1		10/14/21 21:32	91-20-3	
n-Propylbenzene	<0.35	ug/L	1.0	0.35	1		10/14/21 21:32	103-65-1	
Styrene	<0.36	ug/L	1.0	0.36	1		10/14/21 21:32	100-42-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 1690019237 GORSKI LF

Pace Project No.: 40235044

Sample: 1096 CTH KK **Lab ID: 40235044006** Collected: 10/11/21 11:15 Received: 10/13/21 07:35 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV									
Analytical Method: EPA 8260									
Pace Analytical Services - Green Bay									
1,1,1,2-Tetrachloroethane	<0.36	ug/L	1.0	0.36	1		10/14/21 21:32	630-20-6	
1,1,1,2-Tetrachloroethane	<0.38	ug/L	1.0	0.38	1		10/14/21 21:32	79-34-5	
Tetrachloroethene	<0.41	ug/L	1.0	0.41	1		10/14/21 21:32	127-18-4	
Toluene	<0.29	ug/L	1.0	0.29	1		10/14/21 21:32	108-88-3	
1,2,3-Trichlorobenzene	<1.0	ug/L	5.0	1.0	1		10/14/21 21:32	87-61-6	
1,2,4-Trichlorobenzene	<0.95	ug/L	5.0	0.95	1		10/14/21 21:32	120-82-1	
1,1,1-Trichloroethane	<0.30	ug/L	1.0	0.30	1		10/14/21 21:32	71-55-6	
1,1,2-Trichloroethane	<0.34	ug/L	5.0	0.34	1		10/14/21 21:32	79-00-5	
Trichloroethene	<0.32	ug/L	1.0	0.32	1		10/14/21 21:32	79-01-6	
Trichlorofluoromethane	<0.42	ug/L	1.0	0.42	1		10/14/21 21:32	75-69-4	
1,2,3-Trichloropropane	<0.56	ug/L	5.0	0.56	1		10/14/21 21:32	96-18-4	
1,2,4-Trimethylbenzene	<0.45	ug/L	1.0	0.45	1		10/14/21 21:32	95-63-6	
1,3,5-Trimethylbenzene	<0.36	ug/L	1.0	0.36	1		10/14/21 21:32	108-67-8	
Vinyl chloride	<0.17	ug/L	1.0	0.17	1		10/14/21 21:32	75-01-4	
Xylene (Total)	<1.0	ug/L	3.0	1.0	1		10/14/21 21:32	1330-20-7	
m&p-Xylene	<0.70	ug/L	2.0	0.70	1		10/14/21 21:32	179601-23-1	
o-Xylene	<0.35	ug/L	1.0	0.35	1		10/14/21 21:32	95-47-6	
Surrogates									
4-Bromofluorobenzene (S)	95	%	70-130		1		10/14/21 21:32	460-00-4	
1,2-Dichlorobenzene-d4 (S)	99	%	70-130		1		10/14/21 21:32	2199-69-1	
Toluene-d8 (S)	103	%	70-130		1		10/14/21 21:32	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 1690019237 GORSKI LF

Pace Project No.: 40235044

Sample: 1101 CTH KK **Lab ID: 40235044007** Collected: 10/11/21 11:05 Received: 10/13/21 07:35 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV									
Analytical Method: EPA 8260									
Pace Analytical Services - Green Bay									
Benzene	<0.30	ug/L	1.0	0.30	1		10/14/21 21:51	71-43-2	
Bromobenzene	<0.36	ug/L	1.0	0.36	1		10/14/21 21:51	108-86-1	
Bromochloromethane	<0.36	ug/L	5.0	0.36	1		10/14/21 21:51	74-97-5	
Bromodichloromethane	<0.42	ug/L	1.0	0.42	1		10/14/21 21:51	75-27-4	
Bromoform	<3.8	ug/L	5.0	3.8	1		10/14/21 21:51	75-25-2	
Bromomethane	<1.2	ug/L	5.0	1.2	1		10/14/21 21:51	74-83-9	
n-Butylbenzene	<0.86	ug/L	1.0	0.86	1		10/14/21 21:51	104-51-8	
sec-Butylbenzene	<0.42	ug/L	1.0	0.42	1		10/14/21 21:51	135-98-8	
tert-Butylbenzene	<0.59	ug/L	1.0	0.59	1		10/14/21 21:51	98-06-6	
Carbon tetrachloride	<0.37	ug/L	1.0	0.37	1		10/14/21 21:51	56-23-5	
Chlorobenzene	<0.86	ug/L	1.0	0.86	1		10/14/21 21:51	108-90-7	
Chloroethane	<1.4	ug/L	5.0	1.4	1		10/14/21 21:51	75-00-3	
Chloroform	<1.2	ug/L	5.0	1.2	1		10/14/21 21:51	67-66-3	
Chloromethane	<1.6	ug/L	5.0	1.6	1		10/14/21 21:51	74-87-3	
2-Chlorotoluene	<0.89	ug/L	5.0	0.89	1		10/14/21 21:51	95-49-8	
4-Chlorotoluene	<0.89	ug/L	5.0	0.89	1		10/14/21 21:51	106-43-4	
1,2-Dibromo-3-chloropropane	<2.4	ug/L	5.0	2.4	1		10/14/21 21:51	96-12-8	
Dibromochloromethane	<2.6	ug/L	5.0	2.6	1		10/14/21 21:51	124-48-1	
1,2-Dibromoethane (EDB)	<0.31	ug/L	1.0	0.31	1		10/14/21 21:51	106-93-4	
Dibromomethane	<0.99	ug/L	5.0	0.99	1		10/14/21 21:51	74-95-3	
1,2-Dichlorobenzene	<0.33	ug/L	1.0	0.33	1		10/14/21 21:51	95-50-1	
1,3-Dichlorobenzene	<0.35	ug/L	1.0	0.35	1		10/14/21 21:51	541-73-1	
1,4-Dichlorobenzene	<0.89	ug/L	1.0	0.89	1		10/14/21 21:51	106-46-7	
Dichlorodifluoromethane	<0.46	ug/L	5.0	0.46	1		10/14/21 21:51	75-71-8	
1,1-Dichloroethane	<0.30	ug/L	1.0	0.30	1		10/14/21 21:51	75-34-3	
1,2-Dichloroethane	<0.29	ug/L	1.0	0.29	1		10/14/21 21:51	107-06-2	
1,1-Dichloroethene	<0.58	ug/L	1.0	0.58	1		10/14/21 21:51	75-35-4	
cis-1,2-Dichloroethene	<0.47	ug/L	1.0	0.47	1		10/14/21 21:51	156-59-2	
trans-1,2-Dichloroethene	<0.53	ug/L	1.0	0.53	1		10/14/21 21:51	156-60-5	
1,2-Dichloropropane	<0.45	ug/L	1.0	0.45	1		10/14/21 21:51	78-87-5	
1,3-Dichloropropane	<0.30	ug/L	1.0	0.30	1		10/14/21 21:51	142-28-9	
2,2-Dichloropropane	<4.2	ug/L	5.0	4.2	1		10/14/21 21:51	594-20-7	
1,1-Dichloropropene	<0.41	ug/L	1.0	0.41	1		10/14/21 21:51	563-58-6	
cis-1,3-Dichloropropene	<0.36	ug/L	1.0	0.36	1		10/14/21 21:51	10061-01-5	
trans-1,3-Dichloropropene	<3.5	ug/L	5.0	3.5	1		10/14/21 21:51	10061-02-6	
Diisopropyl ether	<1.1	ug/L	5.0	1.1	1		10/14/21 21:51	108-20-3	
Ethylbenzene	<0.33	ug/L	1.0	0.33	1		10/14/21 21:51	100-41-4	
Hexachloro-1,3-butadiene	<2.7	ug/L	5.0	2.7	1		10/14/21 21:51	87-68-3	
Isopropylbenzene (Cumene)	<1.0	ug/L	5.0	1.0	1		10/14/21 21:51	98-82-8	
p-Isopropyltoluene	<1.0	ug/L	5.0	1.0	1		10/14/21 21:51	99-87-6	
Methylene Chloride	<0.32	ug/L	5.0	0.32	1		10/14/21 21:51	75-09-2	
Methyl-tert-butyl ether	<1.1	ug/L	5.0	1.1	1		10/14/21 21:51	1634-04-4	
Naphthalene	<1.1	ug/L	5.0	1.1	1		10/14/21 21:51	91-20-3	
n-Propylbenzene	<0.35	ug/L	1.0	0.35	1		10/14/21 21:51	103-65-1	
Styrene	<0.36	ug/L	1.0	0.36	1		10/14/21 21:51	100-42-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 1690019237 GORSKI LF
Pace Project No.: 40235044

Sample: 1101 CTH KK **Lab ID: 40235044007** Collected: 10/11/21 11:05 Received: 10/13/21 07:35 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV									
Analytical Method: EPA 8260									
Pace Analytical Services - Green Bay									
1,1,1,2-Tetrachloroethane	<0.36	ug/L	1.0	0.36	1		10/14/21 21:51	630-20-6	
1,1,1,2-Tetrachloroethane	<0.38	ug/L	1.0	0.38	1		10/14/21 21:51	79-34-5	
Tetrachloroethene	<0.41	ug/L	1.0	0.41	1		10/14/21 21:51	127-18-4	
Toluene	<0.29	ug/L	1.0	0.29	1		10/14/21 21:51	108-88-3	
1,2,3-Trichlorobenzene	<1.0	ug/L	5.0	1.0	1		10/14/21 21:51	87-61-6	
1,2,4-Trichlorobenzene	<0.95	ug/L	5.0	0.95	1		10/14/21 21:51	120-82-1	
1,1,1-Trichloroethane	<0.30	ug/L	1.0	0.30	1		10/14/21 21:51	71-55-6	
1,1,2-Trichloroethane	<0.34	ug/L	5.0	0.34	1		10/14/21 21:51	79-00-5	
Trichloroethene	<0.32	ug/L	1.0	0.32	1		10/14/21 21:51	79-01-6	
Trichlorofluoromethane	<0.42	ug/L	1.0	0.42	1		10/14/21 21:51	75-69-4	
1,2,3-Trichloropropane	<0.56	ug/L	5.0	0.56	1		10/14/21 21:51	96-18-4	
1,2,4-Trimethylbenzene	<0.45	ug/L	1.0	0.45	1		10/14/21 21:51	95-63-6	
1,3,5-Trimethylbenzene	<0.36	ug/L	1.0	0.36	1		10/14/21 21:51	108-67-8	
Vinyl chloride	<0.17	ug/L	1.0	0.17	1		10/14/21 21:51	75-01-4	
Xylene (Total)	<1.0	ug/L	3.0	1.0	1		10/14/21 21:51	1330-20-7	
m&p-Xylene	<0.70	ug/L	2.0	0.70	1		10/14/21 21:51	179601-23-1	
o-Xylene	<0.35	ug/L	1.0	0.35	1		10/14/21 21:51	95-47-6	
Surrogates									
4-Bromofluorobenzene (S)	95	%	70-130		1		10/14/21 21:51	460-00-4	
1,2-Dichlorobenzene-d4 (S)	99	%	70-130		1		10/14/21 21:51	2199-69-1	
Toluene-d8 (S)	104	%	70-130		1		10/14/21 21:51	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 1690019237 GORSKI LF

Pace Project No.: 40235044

Sample: 1058 CTH KK **Lab ID: 40235044008** Collected: 10/11/21 11:25 Received: 10/13/21 07:35 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV									
Analytical Method: EPA 8260									
Pace Analytical Services - Green Bay									
Benzene	<0.30	ug/L	1.0	0.30	1		10/14/21 22:10	71-43-2	
Bromobenzene	<0.36	ug/L	1.0	0.36	1		10/14/21 22:10	108-86-1	
Bromochloromethane	<0.36	ug/L	5.0	0.36	1		10/14/21 22:10	74-97-5	
Bromodichloromethane	<0.42	ug/L	1.0	0.42	1		10/14/21 22:10	75-27-4	
Bromoform	<3.8	ug/L	5.0	3.8	1		10/14/21 22:10	75-25-2	
Bromomethane	<1.2	ug/L	5.0	1.2	1		10/14/21 22:10	74-83-9	
n-Butylbenzene	<0.86	ug/L	1.0	0.86	1		10/14/21 22:10	104-51-8	
sec-Butylbenzene	<0.42	ug/L	1.0	0.42	1		10/14/21 22:10	135-98-8	
tert-Butylbenzene	<0.59	ug/L	1.0	0.59	1		10/14/21 22:10	98-06-6	
Carbon tetrachloride	<0.37	ug/L	1.0	0.37	1		10/14/21 22:10	56-23-5	
Chlorobenzene	<0.86	ug/L	1.0	0.86	1		10/14/21 22:10	108-90-7	
Chloroethane	<1.4	ug/L	5.0	1.4	1		10/14/21 22:10	75-00-3	
Chloroform	<1.2	ug/L	5.0	1.2	1		10/14/21 22:10	67-66-3	
Chloromethane	<1.6	ug/L	5.0	1.6	1		10/14/21 22:10	74-87-3	
2-Chlorotoluene	<0.89	ug/L	5.0	0.89	1		10/14/21 22:10	95-49-8	
4-Chlorotoluene	<0.89	ug/L	5.0	0.89	1		10/14/21 22:10	106-43-4	
1,2-Dibromo-3-chloropropane	<2.4	ug/L	5.0	2.4	1		10/14/21 22:10	96-12-8	
Dibromochloromethane	<2.6	ug/L	5.0	2.6	1		10/14/21 22:10	124-48-1	
1,2-Dibromoethane (EDB)	<0.31	ug/L	1.0	0.31	1		10/14/21 22:10	106-93-4	
Dibromomethane	<0.99	ug/L	5.0	0.99	1		10/14/21 22:10	74-95-3	
1,2-Dichlorobenzene	<0.33	ug/L	1.0	0.33	1		10/14/21 22:10	95-50-1	
1,3-Dichlorobenzene	<0.35	ug/L	1.0	0.35	1		10/14/21 22:10	541-73-1	
1,4-Dichlorobenzene	<0.89	ug/L	1.0	0.89	1		10/14/21 22:10	106-46-7	
Dichlorodifluoromethane	<0.46	ug/L	5.0	0.46	1		10/14/21 22:10	75-71-8	
1,1-Dichloroethane	<0.30	ug/L	1.0	0.30	1		10/14/21 22:10	75-34-3	
1,2-Dichloroethane	<0.29	ug/L	1.0	0.29	1		10/14/21 22:10	107-06-2	
1,1-Dichloroethene	<0.58	ug/L	1.0	0.58	1		10/14/21 22:10	75-35-4	
cis-1,2-Dichloroethene	<0.47	ug/L	1.0	0.47	1		10/14/21 22:10	156-59-2	
trans-1,2-Dichloroethene	<0.53	ug/L	1.0	0.53	1		10/14/21 22:10	156-60-5	
1,2-Dichloropropane	<0.45	ug/L	1.0	0.45	1		10/14/21 22:10	78-87-5	
1,3-Dichloropropane	<0.30	ug/L	1.0	0.30	1		10/14/21 22:10	142-28-9	
2,2-Dichloropropane	<4.2	ug/L	5.0	4.2	1		10/14/21 22:10	594-20-7	
1,1-Dichloropropene	<0.41	ug/L	1.0	0.41	1		10/14/21 22:10	563-58-6	
cis-1,3-Dichloropropene	<0.36	ug/L	1.0	0.36	1		10/14/21 22:10	10061-01-5	
trans-1,3-Dichloropropene	<3.5	ug/L	5.0	3.5	1		10/14/21 22:10	10061-02-6	
Diisopropyl ether	<1.1	ug/L	5.0	1.1	1		10/14/21 22:10	108-20-3	
Ethylbenzene	<0.33	ug/L	1.0	0.33	1		10/14/21 22:10	100-41-4	
Hexachloro-1,3-butadiene	<2.7	ug/L	5.0	2.7	1		10/14/21 22:10	87-68-3	
Isopropylbenzene (Cumene)	<1.0	ug/L	5.0	1.0	1		10/14/21 22:10	98-82-8	
p-Isopropyltoluene	<1.0	ug/L	5.0	1.0	1		10/14/21 22:10	99-87-6	
Methylene Chloride	<0.32	ug/L	5.0	0.32	1		10/14/21 22:10	75-09-2	
Methyl-tert-butyl ether	<1.1	ug/L	5.0	1.1	1		10/14/21 22:10	1634-04-4	
Naphthalene	<1.1	ug/L	5.0	1.1	1		10/14/21 22:10	91-20-3	
n-Propylbenzene	<0.35	ug/L	1.0	0.35	1		10/14/21 22:10	103-65-1	
Styrene	<0.36	ug/L	1.0	0.36	1		10/14/21 22:10	100-42-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 1690019237 GORSKI LF
Pace Project No.: 40235044

Sample: 1058 CTH KK **Lab ID: 40235044008** Collected: 10/11/21 11:25 Received: 10/13/21 07:35 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV									
Analytical Method: EPA 8260									
Pace Analytical Services - Green Bay									
1,1,1,2-Tetrachloroethane	<0.36	ug/L	1.0	0.36	1		10/14/21 22:10	630-20-6	
1,1,1,2-Tetrachloroethane	<0.38	ug/L	1.0	0.38	1		10/14/21 22:10	79-34-5	
Tetrachloroethene	<0.41	ug/L	1.0	0.41	1		10/14/21 22:10	127-18-4	
Toluene	<0.29	ug/L	1.0	0.29	1		10/14/21 22:10	108-88-3	
1,2,3-Trichlorobenzene	<1.0	ug/L	5.0	1.0	1		10/14/21 22:10	87-61-6	
1,2,4-Trichlorobenzene	<0.95	ug/L	5.0	0.95	1		10/14/21 22:10	120-82-1	
1,1,1-Trichloroethane	<0.30	ug/L	1.0	0.30	1		10/14/21 22:10	71-55-6	
1,1,2-Trichloroethane	<0.34	ug/L	5.0	0.34	1		10/14/21 22:10	79-00-5	
Trichloroethene	<0.32	ug/L	1.0	0.32	1		10/14/21 22:10	79-01-6	
Trichlorofluoromethane	<0.42	ug/L	1.0	0.42	1		10/14/21 22:10	75-69-4	
1,2,3-Trichloropropane	<0.56	ug/L	5.0	0.56	1		10/14/21 22:10	96-18-4	
1,2,4-Trimethylbenzene	<0.45	ug/L	1.0	0.45	1		10/14/21 22:10	95-63-6	
1,3,5-Trimethylbenzene	<0.36	ug/L	1.0	0.36	1		10/14/21 22:10	108-67-8	
Vinyl chloride	<0.17	ug/L	1.0	0.17	1		10/14/21 22:10	75-01-4	
Xylene (Total)	<1.0	ug/L	3.0	1.0	1		10/14/21 22:10	1330-20-7	
m&p-Xylene	<0.70	ug/L	2.0	0.70	1		10/14/21 22:10	179601-23-1	
o-Xylene	<0.35	ug/L	1.0	0.35	1		10/14/21 22:10	95-47-6	
Surrogates									
4-Bromofluorobenzene (S)	95	%	70-130		1		10/14/21 22:10	460-00-4	
1,2-Dichlorobenzene-d4 (S)	99	%	70-130		1		10/14/21 22:10	2199-69-1	
Toluene-d8 (S)	103	%	70-130		1		10/14/21 22:10	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 1690019237 GORSKI LF

Pace Project No.: 40235044

Sample: PZ-3 **Lab ID: 40235044009** Collected: 10/11/21 12:30 Received: 10/13/21 07:35 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV									
Analytical Method: EPA 8260									
Pace Analytical Services - Green Bay									
Benzene	<0.30	ug/L	1.0	0.30	1		10/14/21 22:30	71-43-2	
Bromobenzene	<0.36	ug/L	1.0	0.36	1		10/14/21 22:30	108-86-1	
Bromochloromethane	<0.36	ug/L	5.0	0.36	1		10/14/21 22:30	74-97-5	
Bromodichloromethane	<0.42	ug/L	1.0	0.42	1		10/14/21 22:30	75-27-4	
Bromoform	<3.8	ug/L	5.0	3.8	1		10/14/21 22:30	75-25-2	
Bromomethane	<1.2	ug/L	5.0	1.2	1		10/14/21 22:30	74-83-9	
n-Butylbenzene	<0.86	ug/L	1.0	0.86	1		10/14/21 22:30	104-51-8	
sec-Butylbenzene	<0.42	ug/L	1.0	0.42	1		10/14/21 22:30	135-98-8	
tert-Butylbenzene	<0.59	ug/L	1.0	0.59	1		10/14/21 22:30	98-06-6	
Carbon tetrachloride	<0.37	ug/L	1.0	0.37	1		10/14/21 22:30	56-23-5	
Chlorobenzene	<0.86	ug/L	1.0	0.86	1		10/14/21 22:30	108-90-7	
Chloroethane	<1.4	ug/L	5.0	1.4	1		10/14/21 22:30	75-00-3	
Chloroform	<1.2	ug/L	5.0	1.2	1		10/14/21 22:30	67-66-3	
Chloromethane	<1.6	ug/L	5.0	1.6	1		10/14/21 22:30	74-87-3	
2-Chlorotoluene	<0.89	ug/L	5.0	0.89	1		10/14/21 22:30	95-49-8	
4-Chlorotoluene	<0.89	ug/L	5.0	0.89	1		10/14/21 22:30	106-43-4	
1,2-Dibromo-3-chloropropane	<2.4	ug/L	5.0	2.4	1		10/14/21 22:30	96-12-8	
Dibromochloromethane	<2.6	ug/L	5.0	2.6	1		10/14/21 22:30	124-48-1	
1,2-Dibromoethane (EDB)	<0.31	ug/L	1.0	0.31	1		10/14/21 22:30	106-93-4	
Dibromomethane	<0.99	ug/L	5.0	0.99	1		10/14/21 22:30	74-95-3	
1,2-Dichlorobenzene	<0.33	ug/L	1.0	0.33	1		10/14/21 22:30	95-50-1	
1,3-Dichlorobenzene	<0.35	ug/L	1.0	0.35	1		10/14/21 22:30	541-73-1	
1,4-Dichlorobenzene	<0.89	ug/L	1.0	0.89	1		10/14/21 22:30	106-46-7	
Dichlorodifluoromethane	<0.46	ug/L	5.0	0.46	1		10/14/21 22:30	75-71-8	
1,1-Dichloroethane	<0.30	ug/L	1.0	0.30	1		10/14/21 22:30	75-34-3	
1,2-Dichloroethane	<0.29	ug/L	1.0	0.29	1		10/14/21 22:30	107-06-2	
1,1-Dichloroethene	<0.58	ug/L	1.0	0.58	1		10/14/21 22:30	75-35-4	
cis-1,2-Dichloroethene	7.4	ug/L	1.0	0.47	1		10/14/21 22:30	156-59-2	
trans-1,2-Dichloroethene	<0.53	ug/L	1.0	0.53	1		10/14/21 22:30	156-60-5	
1,2-Dichloropropane	<0.45	ug/L	1.0	0.45	1		10/14/21 22:30	78-87-5	
1,3-Dichloropropane	<0.30	ug/L	1.0	0.30	1		10/14/21 22:30	142-28-9	
2,2-Dichloropropane	<4.2	ug/L	5.0	4.2	1		10/14/21 22:30	594-20-7	
1,1-Dichloropropene	<0.41	ug/L	1.0	0.41	1		10/14/21 22:30	563-58-6	
cis-1,3-Dichloropropene	<0.36	ug/L	1.0	0.36	1		10/14/21 22:30	10061-01-5	
trans-1,3-Dichloropropene	<3.5	ug/L	5.0	3.5	1		10/14/21 22:30	10061-02-6	
Diisopropyl ether	<1.1	ug/L	5.0	1.1	1		10/14/21 22:30	108-20-3	
Ethylbenzene	<0.33	ug/L	1.0	0.33	1		10/14/21 22:30	100-41-4	
Hexachloro-1,3-butadiene	<2.7	ug/L	5.0	2.7	1		10/14/21 22:30	87-68-3	
Isopropylbenzene (Cumene)	<1.0	ug/L	5.0	1.0	1		10/14/21 22:30	98-82-8	
p-Isopropyltoluene	<1.0	ug/L	5.0	1.0	1		10/14/21 22:30	99-87-6	
Methylene Chloride	<0.32	ug/L	5.0	0.32	1		10/14/21 22:30	75-09-2	
Methyl-tert-butyl ether	<1.1	ug/L	5.0	1.1	1		10/14/21 22:30	1634-04-4	
Naphthalene	<1.1	ug/L	5.0	1.1	1		10/14/21 22:30	91-20-3	
n-Propylbenzene	<0.35	ug/L	1.0	0.35	1		10/14/21 22:30	103-65-1	
Styrene	<0.36	ug/L	1.0	0.36	1		10/14/21 22:30	100-42-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 1690019237 GORSKI LF
Pace Project No.: 40235044

Sample: PZ-3 **Lab ID: 40235044009** Collected: 10/11/21 12:30 Received: 10/13/21 07:35 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV									
Analytical Method: EPA 8260									
Pace Analytical Services - Green Bay									
1,1,1,2-Tetrachloroethane	<0.36	ug/L	1.0	0.36	1		10/14/21 22:30	630-20-6	
1,1,2,2-Tetrachloroethane	<0.38	ug/L	1.0	0.38	1		10/14/21 22:30	79-34-5	
Tetrachloroethene	<0.41	ug/L	1.0	0.41	1		10/14/21 22:30	127-18-4	
Toluene	<0.29	ug/L	1.0	0.29	1		10/14/21 22:30	108-88-3	
1,2,3-Trichlorobenzene	<1.0	ug/L	5.0	1.0	1		10/14/21 22:30	87-61-6	
1,2,4-Trichlorobenzene	<0.95	ug/L	5.0	0.95	1		10/14/21 22:30	120-82-1	
1,1,1-Trichloroethane	<0.30	ug/L	1.0	0.30	1		10/14/21 22:30	71-55-6	
1,1,2-Trichloroethane	<0.34	ug/L	5.0	0.34	1		10/14/21 22:30	79-00-5	
Trichloroethene	1.1	ug/L	1.0	0.32	1		10/14/21 22:30	79-01-6	
Trichlorofluoromethane	<0.42	ug/L	1.0	0.42	1		10/14/21 22:30	75-69-4	
1,2,3-Trichloropropane	<0.56	ug/L	5.0	0.56	1		10/14/21 22:30	96-18-4	
1,2,4-Trimethylbenzene	<0.45	ug/L	1.0	0.45	1		10/14/21 22:30	95-63-6	
1,3,5-Trimethylbenzene	<0.36	ug/L	1.0	0.36	1		10/14/21 22:30	108-67-8	
Vinyl chloride	<0.17	ug/L	1.0	0.17	1		10/14/21 22:30	75-01-4	
Xylene (Total)	<1.0	ug/L	3.0	1.0	1		10/14/21 22:30	1330-20-7	
m&p-Xylene	<0.70	ug/L	2.0	0.70	1		10/14/21 22:30	179601-23-1	
o-Xylene	<0.35	ug/L	1.0	0.35	1		10/14/21 22:30	95-47-6	
Surrogates									
4-Bromofluorobenzene (S)	94	%	70-130		1		10/14/21 22:30	460-00-4	
1,2-Dichlorobenzene-d4 (S)	101	%	70-130		1		10/14/21 22:30	2199-69-1	
Toluene-d8 (S)	103	%	70-130		1		10/14/21 22:30	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 1690019237 GORSKI LF

Pace Project No.: 40235044

Sample: MW-4 **Lab ID: 40235044010** Collected: 10/11/21 14:30 Received: 10/13/21 07:35 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV									
Analytical Method: EPA 8260									
Pace Analytical Services - Green Bay									
Benzene	<0.30	ug/L	1.0	0.30	1		10/14/21 22:49	71-43-2	
Bromobenzene	<0.36	ug/L	1.0	0.36	1		10/14/21 22:49	108-86-1	
Bromochloromethane	<0.36	ug/L	5.0	0.36	1		10/14/21 22:49	74-97-5	
Bromodichloromethane	<0.42	ug/L	1.0	0.42	1		10/14/21 22:49	75-27-4	
Bromoform	<3.8	ug/L	5.0	3.8	1		10/14/21 22:49	75-25-2	
Bromomethane	<1.2	ug/L	5.0	1.2	1		10/14/21 22:49	74-83-9	
n-Butylbenzene	<0.86	ug/L	1.0	0.86	1		10/14/21 22:49	104-51-8	
sec-Butylbenzene	<0.42	ug/L	1.0	0.42	1		10/14/21 22:49	135-98-8	
tert-Butylbenzene	<0.59	ug/L	1.0	0.59	1		10/14/21 22:49	98-06-6	
Carbon tetrachloride	<0.37	ug/L	1.0	0.37	1		10/14/21 22:49	56-23-5	
Chlorobenzene	<0.86	ug/L	1.0	0.86	1		10/14/21 22:49	108-90-7	
Chloroethane	<1.4	ug/L	5.0	1.4	1		10/14/21 22:49	75-00-3	
Chloroform	<1.2	ug/L	5.0	1.2	1		10/14/21 22:49	67-66-3	
Chloromethane	<1.6	ug/L	5.0	1.6	1		10/14/21 22:49	74-87-3	
2-Chlorotoluene	<0.89	ug/L	5.0	0.89	1		10/14/21 22:49	95-49-8	
4-Chlorotoluene	<0.89	ug/L	5.0	0.89	1		10/14/21 22:49	106-43-4	
1,2-Dibromo-3-chloropropane	<2.4	ug/L	5.0	2.4	1		10/14/21 22:49	96-12-8	
Dibromochloromethane	<2.6	ug/L	5.0	2.6	1		10/14/21 22:49	124-48-1	
1,2-Dibromoethane (EDB)	<0.31	ug/L	1.0	0.31	1		10/14/21 22:49	106-93-4	
Dibromomethane	<0.99	ug/L	5.0	0.99	1		10/14/21 22:49	74-95-3	
1,2-Dichlorobenzene	<0.33	ug/L	1.0	0.33	1		10/14/21 22:49	95-50-1	
1,3-Dichlorobenzene	<0.35	ug/L	1.0	0.35	1		10/14/21 22:49	541-73-1	
1,4-Dichlorobenzene	<0.89	ug/L	1.0	0.89	1		10/14/21 22:49	106-46-7	
Dichlorodifluoromethane	<0.46	ug/L	5.0	0.46	1		10/14/21 22:49	75-71-8	
1,1-Dichloroethane	<0.30	ug/L	1.0	0.30	1		10/14/21 22:49	75-34-3	
1,2-Dichloroethane	<0.29	ug/L	1.0	0.29	1		10/14/21 22:49	107-06-2	
1,1-Dichloroethene	<0.58	ug/L	1.0	0.58	1		10/14/21 22:49	75-35-4	
cis-1,2-Dichloroethene	0.71J	ug/L	1.0	0.47	1		10/14/21 22:49	156-59-2	
trans-1,2-Dichloroethene	<0.53	ug/L	1.0	0.53	1		10/14/21 22:49	156-60-5	
1,2-Dichloropropane	<0.45	ug/L	1.0	0.45	1		10/14/21 22:49	78-87-5	
1,3-Dichloropropane	<0.30	ug/L	1.0	0.30	1		10/14/21 22:49	142-28-9	
2,2-Dichloropropane	<4.2	ug/L	5.0	4.2	1		10/14/21 22:49	594-20-7	
1,1-Dichloropropene	<0.41	ug/L	1.0	0.41	1		10/14/21 22:49	563-58-6	
cis-1,3-Dichloropropene	<0.36	ug/L	1.0	0.36	1		10/14/21 22:49	10061-01-5	
trans-1,3-Dichloropropene	<3.5	ug/L	5.0	3.5	1		10/14/21 22:49	10061-02-6	
Diisopropyl ether	<1.1	ug/L	5.0	1.1	1		10/14/21 22:49	108-20-3	
Ethylbenzene	<0.33	ug/L	1.0	0.33	1		10/14/21 22:49	100-41-4	
Hexachloro-1,3-butadiene	<2.7	ug/L	5.0	2.7	1		10/14/21 22:49	87-68-3	
Isopropylbenzene (Cumene)	<1.0	ug/L	5.0	1.0	1		10/14/21 22:49	98-82-8	
p-Isopropyltoluene	<1.0	ug/L	5.0	1.0	1		10/14/21 22:49	99-87-6	
Methylene Chloride	<0.32	ug/L	5.0	0.32	1		10/14/21 22:49	75-09-2	
Methyl-tert-butyl ether	<1.1	ug/L	5.0	1.1	1		10/14/21 22:49	1634-04-4	
Naphthalene	<1.1	ug/L	5.0	1.1	1		10/14/21 22:49	91-20-3	
n-Propylbenzene	<0.35	ug/L	1.0	0.35	1		10/14/21 22:49	103-65-1	
Styrene	<0.36	ug/L	1.0	0.36	1		10/14/21 22:49	100-42-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 1690019237 GORSKI LF

Pace Project No.: 40235044

Sample: MW-4 **Lab ID: 40235044010** Collected: 10/11/21 14:30 Received: 10/13/21 07:35 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV									
Analytical Method: EPA 8260									
Pace Analytical Services - Green Bay									
1,1,1,2-Tetrachloroethane	<0.36	ug/L	1.0	0.36	1		10/14/21 22:49	630-20-6	
1,1,1,2-Tetrachloroethane	<0.38	ug/L	1.0	0.38	1		10/14/21 22:49	79-34-5	
Tetrachloroethene	<0.41	ug/L	1.0	0.41	1		10/14/21 22:49	127-18-4	
Toluene	<0.29	ug/L	1.0	0.29	1		10/14/21 22:49	108-88-3	
1,2,3-Trichlorobenzene	<1.0	ug/L	5.0	1.0	1		10/14/21 22:49	87-61-6	
1,2,4-Trichlorobenzene	<0.95	ug/L	5.0	0.95	1		10/14/21 22:49	120-82-1	
1,1,1-Trichloroethane	<0.30	ug/L	1.0	0.30	1		10/14/21 22:49	71-55-6	
1,1,2-Trichloroethane	<0.34	ug/L	5.0	0.34	1		10/14/21 22:49	79-00-5	
Trichloroethene	4.1	ug/L	1.0	0.32	1		10/14/21 22:49	79-01-6	
Trichlorofluoromethane	<0.42	ug/L	1.0	0.42	1		10/14/21 22:49	75-69-4	
1,2,3-Trichloropropane	<0.56	ug/L	5.0	0.56	1		10/14/21 22:49	96-18-4	
1,2,4-Trimethylbenzene	<0.45	ug/L	1.0	0.45	1		10/14/21 22:49	95-63-6	
1,3,5-Trimethylbenzene	<0.36	ug/L	1.0	0.36	1		10/14/21 22:49	108-67-8	
Vinyl chloride	<0.17	ug/L	1.0	0.17	1		10/14/21 22:49	75-01-4	
Xylene (Total)	<1.0	ug/L	3.0	1.0	1		10/14/21 22:49	1330-20-7	
m&p-Xylene	<0.70	ug/L	2.0	0.70	1		10/14/21 22:49	179601-23-1	
o-Xylene	<0.35	ug/L	1.0	0.35	1		10/14/21 22:49	95-47-6	
Surrogates									
4-Bromofluorobenzene (S)	96	%	70-130		1		10/14/21 22:49	460-00-4	
1,2-Dichlorobenzene-d4 (S)	102	%	70-130		1		10/14/21 22:49	2199-69-1	
Toluene-d8 (S)	102	%	70-130		1		10/14/21 22:49	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 1690019237 GORSKI LF

Pace Project No.: 40235044

Sample: MW-6 **Lab ID: 40235044011** Collected: 10/11/21 14:00 Received: 10/13/21 07:35 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV									
Analytical Method: EPA 8260									
Pace Analytical Services - Green Bay									
Benzene	<0.30	ug/L	1.0	0.30	1		10/14/21 23:08	71-43-2	
Bromobenzene	<0.36	ug/L	1.0	0.36	1		10/14/21 23:08	108-86-1	
Bromochloromethane	<0.36	ug/L	5.0	0.36	1		10/14/21 23:08	74-97-5	
Bromodichloromethane	<0.42	ug/L	1.0	0.42	1		10/14/21 23:08	75-27-4	
Bromoform	<3.8	ug/L	5.0	3.8	1		10/14/21 23:08	75-25-2	
Bromomethane	<1.2	ug/L	5.0	1.2	1		10/14/21 23:08	74-83-9	
n-Butylbenzene	<0.86	ug/L	1.0	0.86	1		10/14/21 23:08	104-51-8	
sec-Butylbenzene	<0.42	ug/L	1.0	0.42	1		10/14/21 23:08	135-98-8	
tert-Butylbenzene	<0.59	ug/L	1.0	0.59	1		10/14/21 23:08	98-06-6	
Carbon tetrachloride	<0.37	ug/L	1.0	0.37	1		10/14/21 23:08	56-23-5	
Chlorobenzene	<0.86	ug/L	1.0	0.86	1		10/14/21 23:08	108-90-7	
Chloroethane	<1.4	ug/L	5.0	1.4	1		10/14/21 23:08	75-00-3	
Chloroform	<1.2	ug/L	5.0	1.2	1		10/14/21 23:08	67-66-3	
Chloromethane	<1.6	ug/L	5.0	1.6	1		10/14/21 23:08	74-87-3	
2-Chlorotoluene	<0.89	ug/L	5.0	0.89	1		10/14/21 23:08	95-49-8	
4-Chlorotoluene	<0.89	ug/L	5.0	0.89	1		10/14/21 23:08	106-43-4	
1,2-Dibromo-3-chloropropane	<2.4	ug/L	5.0	2.4	1		10/14/21 23:08	96-12-8	
Dibromochloromethane	<2.6	ug/L	5.0	2.6	1		10/14/21 23:08	124-48-1	
1,2-Dibromoethane (EDB)	<0.31	ug/L	1.0	0.31	1		10/14/21 23:08	106-93-4	
Dibromomethane	<0.99	ug/L	5.0	0.99	1		10/14/21 23:08	74-95-3	
1,2-Dichlorobenzene	<0.33	ug/L	1.0	0.33	1		10/14/21 23:08	95-50-1	
1,3-Dichlorobenzene	<0.35	ug/L	1.0	0.35	1		10/14/21 23:08	541-73-1	
1,4-Dichlorobenzene	<0.89	ug/L	1.0	0.89	1		10/14/21 23:08	106-46-7	
Dichlorodifluoromethane	<0.46	ug/L	5.0	0.46	1		10/14/21 23:08	75-71-8	
1,1-Dichloroethane	<0.30	ug/L	1.0	0.30	1		10/14/21 23:08	75-34-3	
1,2-Dichloroethane	<0.29	ug/L	1.0	0.29	1		10/14/21 23:08	107-06-2	
1,1-Dichloroethene	<0.58	ug/L	1.0	0.58	1		10/14/21 23:08	75-35-4	
cis-1,2-Dichloroethene	2.1	ug/L	1.0	0.47	1		10/14/21 23:08	156-59-2	
trans-1,2-Dichloroethene	<0.53	ug/L	1.0	0.53	1		10/14/21 23:08	156-60-5	
1,2-Dichloropropane	<0.45	ug/L	1.0	0.45	1		10/14/21 23:08	78-87-5	
1,3-Dichloropropane	<0.30	ug/L	1.0	0.30	1		10/14/21 23:08	142-28-9	
2,2-Dichloropropane	<4.2	ug/L	5.0	4.2	1		10/14/21 23:08	594-20-7	
1,1-Dichloropropene	<0.41	ug/L	1.0	0.41	1		10/14/21 23:08	563-58-6	
cis-1,3-Dichloropropene	<0.36	ug/L	1.0	0.36	1		10/14/21 23:08	10061-01-5	
trans-1,3-Dichloropropene	<3.5	ug/L	5.0	3.5	1		10/14/21 23:08	10061-02-6	
Diisopropyl ether	<1.1	ug/L	5.0	1.1	1		10/14/21 23:08	108-20-3	
Ethylbenzene	<0.33	ug/L	1.0	0.33	1		10/14/21 23:08	100-41-4	
Hexachloro-1,3-butadiene	<2.7	ug/L	5.0	2.7	1		10/14/21 23:08	87-68-3	
Isopropylbenzene (Cumene)	<1.0	ug/L	5.0	1.0	1		10/14/21 23:08	98-82-8	
p-Isopropyltoluene	<1.0	ug/L	5.0	1.0	1		10/14/21 23:08	99-87-6	
Methylene Chloride	<0.32	ug/L	5.0	0.32	1		10/14/21 23:08	75-09-2	
Methyl-tert-butyl ether	<1.1	ug/L	5.0	1.1	1		10/14/21 23:08	1634-04-4	
Naphthalene	<1.1	ug/L	5.0	1.1	1		10/14/21 23:08	91-20-3	
n-Propylbenzene	<0.35	ug/L	1.0	0.35	1		10/14/21 23:08	103-65-1	
Styrene	<0.36	ug/L	1.0	0.36	1		10/14/21 23:08	100-42-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 1690019237 GORSKI LF

Pace Project No.: 40235044

Sample: MW-6 **Lab ID: 40235044011** Collected: 10/11/21 14:00 Received: 10/13/21 07:35 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV									
Analytical Method: EPA 8260									
Pace Analytical Services - Green Bay									
1,1,1,2-Tetrachloroethane	<0.36	ug/L	1.0	0.36	1		10/14/21 23:08	630-20-6	
1,1,1,2-Tetrachloroethane	<0.38	ug/L	1.0	0.38	1		10/14/21 23:08	79-34-5	
Tetrachloroethene	<0.41	ug/L	1.0	0.41	1		10/14/21 23:08	127-18-4	
Toluene	<0.29	ug/L	1.0	0.29	1		10/14/21 23:08	108-88-3	
1,2,3-Trichlorobenzene	<1.0	ug/L	5.0	1.0	1		10/14/21 23:08	87-61-6	
1,2,4-Trichlorobenzene	<0.95	ug/L	5.0	0.95	1		10/14/21 23:08	120-82-1	
1,1,1-Trichloroethane	<0.30	ug/L	1.0	0.30	1		10/14/21 23:08	71-55-6	
1,1,2-Trichloroethane	<0.34	ug/L	5.0	0.34	1		10/14/21 23:08	79-00-5	
Trichloroethene	4.1	ug/L	1.0	0.32	1		10/14/21 23:08	79-01-6	
Trichlorofluoromethane	<0.42	ug/L	1.0	0.42	1		10/14/21 23:08	75-69-4	
1,2,3-Trichloropropane	<0.56	ug/L	5.0	0.56	1		10/14/21 23:08	96-18-4	
1,2,4-Trimethylbenzene	<0.45	ug/L	1.0	0.45	1		10/14/21 23:08	95-63-6	
1,3,5-Trimethylbenzene	<0.36	ug/L	1.0	0.36	1		10/14/21 23:08	108-67-8	
Vinyl chloride	<0.17	ug/L	1.0	0.17	1		10/14/21 23:08	75-01-4	
Xylene (Total)	<1.0	ug/L	3.0	1.0	1		10/14/21 23:08	1330-20-7	
m&p-Xylene	<0.70	ug/L	2.0	0.70	1		10/14/21 23:08	179601-23-1	
o-Xylene	<0.35	ug/L	1.0	0.35	1		10/14/21 23:08	95-47-6	
Surrogates									
4-Bromofluorobenzene (S)	97	%	70-130		1		10/14/21 23:08	460-00-4	
1,2-Dichlorobenzene-d4 (S)	102	%	70-130		1		10/14/21 23:08	2199-69-1	
Toluene-d8 (S)	103	%	70-130		1		10/14/21 23:08	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 1690019237 GORSKI LF

Pace Project No.: 40235044

Sample: PZ-4 **Lab ID: 40235044012** Collected: 10/11/21 13:30 Received: 10/13/21 07:35 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV									
Analytical Method: EPA 8260									
Pace Analytical Services - Green Bay									
Benzene	<0.30	ug/L	1.0	0.30	1		10/14/21 23:28	71-43-2	
Bromobenzene	<0.36	ug/L	1.0	0.36	1		10/14/21 23:28	108-86-1	
Bromochloromethane	<0.36	ug/L	5.0	0.36	1		10/14/21 23:28	74-97-5	
Bromodichloromethane	<0.42	ug/L	1.0	0.42	1		10/14/21 23:28	75-27-4	
Bromoform	<3.8	ug/L	5.0	3.8	1		10/14/21 23:28	75-25-2	
Bromomethane	<1.2	ug/L	5.0	1.2	1		10/14/21 23:28	74-83-9	
n-Butylbenzene	<0.86	ug/L	1.0	0.86	1		10/14/21 23:28	104-51-8	
sec-Butylbenzene	<0.42	ug/L	1.0	0.42	1		10/14/21 23:28	135-98-8	
tert-Butylbenzene	<0.59	ug/L	1.0	0.59	1		10/14/21 23:28	98-06-6	
Carbon tetrachloride	<0.37	ug/L	1.0	0.37	1		10/14/21 23:28	56-23-5	
Chlorobenzene	<0.86	ug/L	1.0	0.86	1		10/14/21 23:28	108-90-7	
Chloroethane	<1.4	ug/L	5.0	1.4	1		10/14/21 23:28	75-00-3	
Chloroform	<1.2	ug/L	5.0	1.2	1		10/14/21 23:28	67-66-3	
Chloromethane	<1.6	ug/L	5.0	1.6	1		10/14/21 23:28	74-87-3	
2-Chlorotoluene	<0.89	ug/L	5.0	0.89	1		10/14/21 23:28	95-49-8	
4-Chlorotoluene	<0.89	ug/L	5.0	0.89	1		10/14/21 23:28	106-43-4	
1,2-Dibromo-3-chloropropane	<2.4	ug/L	5.0	2.4	1		10/14/21 23:28	96-12-8	
Dibromochloromethane	<2.6	ug/L	5.0	2.6	1		10/14/21 23:28	124-48-1	
1,2-Dibromoethane (EDB)	<0.31	ug/L	1.0	0.31	1		10/14/21 23:28	106-93-4	
Dibromomethane	<0.99	ug/L	5.0	0.99	1		10/14/21 23:28	74-95-3	
1,2-Dichlorobenzene	<0.33	ug/L	1.0	0.33	1		10/14/21 23:28	95-50-1	
1,3-Dichlorobenzene	<0.35	ug/L	1.0	0.35	1		10/14/21 23:28	541-73-1	
1,4-Dichlorobenzene	<0.89	ug/L	1.0	0.89	1		10/14/21 23:28	106-46-7	
Dichlorodifluoromethane	<0.46	ug/L	5.0	0.46	1		10/14/21 23:28	75-71-8	
1,1-Dichloroethane	<0.30	ug/L	1.0	0.30	1		10/14/21 23:28	75-34-3	
1,2-Dichloroethane	<0.29	ug/L	1.0	0.29	1		10/14/21 23:28	107-06-2	
1,1-Dichloroethene	<0.58	ug/L	1.0	0.58	1		10/14/21 23:28	75-35-4	
cis-1,2-Dichloroethene	1.3	ug/L	1.0	0.47	1		10/14/21 23:28	156-59-2	
trans-1,2-Dichloroethene	<0.53	ug/L	1.0	0.53	1		10/14/21 23:28	156-60-5	
1,2-Dichloropropane	<0.45	ug/L	1.0	0.45	1		10/14/21 23:28	78-87-5	
1,3-Dichloropropane	<0.30	ug/L	1.0	0.30	1		10/14/21 23:28	142-28-9	
2,2-Dichloropropane	<4.2	ug/L	5.0	4.2	1		10/14/21 23:28	594-20-7	
1,1-Dichloropropene	<0.41	ug/L	1.0	0.41	1		10/14/21 23:28	563-58-6	
cis-1,3-Dichloropropene	<0.36	ug/L	1.0	0.36	1		10/14/21 23:28	10061-01-5	
trans-1,3-Dichloropropene	<3.5	ug/L	5.0	3.5	1		10/14/21 23:28	10061-02-6	
Diisopropyl ether	<1.1	ug/L	5.0	1.1	1		10/14/21 23:28	108-20-3	
Ethylbenzene	<0.33	ug/L	1.0	0.33	1		10/14/21 23:28	100-41-4	
Hexachloro-1,3-butadiene	<2.7	ug/L	5.0	2.7	1		10/14/21 23:28	87-68-3	
Isopropylbenzene (Cumene)	<1.0	ug/L	5.0	1.0	1		10/14/21 23:28	98-82-8	
p-Isopropyltoluene	<1.0	ug/L	5.0	1.0	1		10/14/21 23:28	99-87-6	
Methylene Chloride	<0.32	ug/L	5.0	0.32	1		10/14/21 23:28	75-09-2	
Methyl-tert-butyl ether	<1.1	ug/L	5.0	1.1	1		10/14/21 23:28	1634-04-4	
Naphthalene	<1.1	ug/L	5.0	1.1	1		10/14/21 23:28	91-20-3	
n-Propylbenzene	<0.35	ug/L	1.0	0.35	1		10/14/21 23:28	103-65-1	
Styrene	<0.36	ug/L	1.0	0.36	1		10/14/21 23:28	100-42-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 1690019237 GORSKI LF

Pace Project No.: 40235044

Sample: PZ-4 **Lab ID: 40235044012** Collected: 10/11/21 13:30 Received: 10/13/21 07:35 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV									
Analytical Method: EPA 8260									
Pace Analytical Services - Green Bay									
1,1,1,2-Tetrachloroethane	<0.36	ug/L	1.0	0.36	1		10/14/21 23:28	630-20-6	
1,1,2,2-Tetrachloroethane	<0.38	ug/L	1.0	0.38	1		10/14/21 23:28	79-34-5	
Tetrachloroethene	<0.41	ug/L	1.0	0.41	1		10/14/21 23:28	127-18-4	
Toluene	<0.29	ug/L	1.0	0.29	1		10/14/21 23:28	108-88-3	
1,2,3-Trichlorobenzene	<1.0	ug/L	5.0	1.0	1		10/14/21 23:28	87-61-6	
1,2,4-Trichlorobenzene	<0.95	ug/L	5.0	0.95	1		10/14/21 23:28	120-82-1	
1,1,1-Trichloroethane	<0.30	ug/L	1.0	0.30	1		10/14/21 23:28	71-55-6	
1,1,2-Trichloroethane	<0.34	ug/L	5.0	0.34	1		10/14/21 23:28	79-00-5	
Trichloroethene	5.6	ug/L	1.0	0.32	1		10/14/21 23:28	79-01-6	
Trichlorofluoromethane	<0.42	ug/L	1.0	0.42	1		10/14/21 23:28	75-69-4	
1,2,3-Trichloropropane	<0.56	ug/L	5.0	0.56	1		10/14/21 23:28	96-18-4	
1,2,4-Trimethylbenzene	<0.45	ug/L	1.0	0.45	1		10/14/21 23:28	95-63-6	
1,3,5-Trimethylbenzene	<0.36	ug/L	1.0	0.36	1		10/14/21 23:28	108-67-8	
Vinyl chloride	<0.17	ug/L	1.0	0.17	1		10/14/21 23:28	75-01-4	
Xylene (Total)	<1.0	ug/L	3.0	1.0	1		10/14/21 23:28	1330-20-7	
m&p-Xylene	<0.70	ug/L	2.0	0.70	1		10/14/21 23:28	179601-23-1	
o-Xylene	<0.35	ug/L	1.0	0.35	1		10/14/21 23:28	95-47-6	
Surrogates									
4-Bromofluorobenzene (S)	96	%	70-130		1		10/14/21 23:28	460-00-4	
1,2-Dichlorobenzene-d4 (S)	99	%	70-130		1		10/14/21 23:28	2199-69-1	
Toluene-d8 (S)	103	%	70-130		1		10/14/21 23:28	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 1690019237 GORSKI LF

Pace Project No.: 40235044

Sample: MW-4D **Lab ID: 40235044013** Collected: 10/11/21 14:32 Received: 10/13/21 07:35 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV									
Analytical Method: EPA 8260									
Pace Analytical Services - Green Bay									
Benzene	<0.30	ug/L	1.0	0.30	1		10/14/21 23:47	71-43-2	
Bromobenzene	<0.36	ug/L	1.0	0.36	1		10/14/21 23:47	108-86-1	
Bromochloromethane	<0.36	ug/L	5.0	0.36	1		10/14/21 23:47	74-97-5	
Bromodichloromethane	<0.42	ug/L	1.0	0.42	1		10/14/21 23:47	75-27-4	
Bromoform	<3.8	ug/L	5.0	3.8	1		10/14/21 23:47	75-25-2	
Bromomethane	<1.2	ug/L	5.0	1.2	1		10/14/21 23:47	74-83-9	
n-Butylbenzene	<0.86	ug/L	1.0	0.86	1		10/14/21 23:47	104-51-8	
sec-Butylbenzene	<0.42	ug/L	1.0	0.42	1		10/14/21 23:47	135-98-8	
tert-Butylbenzene	<0.59	ug/L	1.0	0.59	1		10/14/21 23:47	98-06-6	
Carbon tetrachloride	<0.37	ug/L	1.0	0.37	1		10/14/21 23:47	56-23-5	
Chlorobenzene	<0.86	ug/L	1.0	0.86	1		10/14/21 23:47	108-90-7	
Chloroethane	<1.4	ug/L	5.0	1.4	1		10/14/21 23:47	75-00-3	
Chloroform	<1.2	ug/L	5.0	1.2	1		10/14/21 23:47	67-66-3	
Chloromethane	<1.6	ug/L	5.0	1.6	1		10/14/21 23:47	74-87-3	
2-Chlorotoluene	<0.89	ug/L	5.0	0.89	1		10/14/21 23:47	95-49-8	
4-Chlorotoluene	<0.89	ug/L	5.0	0.89	1		10/14/21 23:47	106-43-4	
1,2-Dibromo-3-chloropropane	<2.4	ug/L	5.0	2.4	1		10/14/21 23:47	96-12-8	
Dibromochloromethane	<2.6	ug/L	5.0	2.6	1		10/14/21 23:47	124-48-1	
1,2-Dibromoethane (EDB)	<0.31	ug/L	1.0	0.31	1		10/14/21 23:47	106-93-4	
Dibromomethane	<0.99	ug/L	5.0	0.99	1		10/14/21 23:47	74-95-3	
1,2-Dichlorobenzene	<0.33	ug/L	1.0	0.33	1		10/14/21 23:47	95-50-1	
1,3-Dichlorobenzene	<0.35	ug/L	1.0	0.35	1		10/14/21 23:47	541-73-1	
1,4-Dichlorobenzene	<0.89	ug/L	1.0	0.89	1		10/14/21 23:47	106-46-7	
Dichlorodifluoromethane	<0.46	ug/L	5.0	0.46	1		10/14/21 23:47	75-71-8	
1,1-Dichloroethane	<0.30	ug/L	1.0	0.30	1		10/14/21 23:47	75-34-3	
1,2-Dichloroethane	<0.29	ug/L	1.0	0.29	1		10/14/21 23:47	107-06-2	
1,1-Dichloroethene	<0.58	ug/L	1.0	0.58	1		10/14/21 23:47	75-35-4	
cis-1,2-Dichloroethene	0.82J	ug/L	1.0	0.47	1		10/14/21 23:47	156-59-2	
trans-1,2-Dichloroethene	<0.53	ug/L	1.0	0.53	1		10/14/21 23:47	156-60-5	
1,2-Dichloropropane	<0.45	ug/L	1.0	0.45	1		10/14/21 23:47	78-87-5	
1,3-Dichloropropane	<0.30	ug/L	1.0	0.30	1		10/14/21 23:47	142-28-9	
2,2-Dichloropropane	<4.2	ug/L	5.0	4.2	1		10/14/21 23:47	594-20-7	
1,1-Dichloropropene	<0.41	ug/L	1.0	0.41	1		10/14/21 23:47	563-58-6	
cis-1,3-Dichloropropene	<0.36	ug/L	1.0	0.36	1		10/14/21 23:47	10061-01-5	
trans-1,3-Dichloropropene	<3.5	ug/L	5.0	3.5	1		10/14/21 23:47	10061-02-6	
Diisopropyl ether	<1.1	ug/L	5.0	1.1	1		10/14/21 23:47	108-20-3	
Ethylbenzene	<0.33	ug/L	1.0	0.33	1		10/14/21 23:47	100-41-4	
Hexachloro-1,3-butadiene	<2.7	ug/L	5.0	2.7	1		10/14/21 23:47	87-68-3	
Isopropylbenzene (Cumene)	<1.0	ug/L	5.0	1.0	1		10/14/21 23:47	98-82-8	
p-Isopropyltoluene	<1.0	ug/L	5.0	1.0	1		10/14/21 23:47	99-87-6	
Methylene Chloride	<0.32	ug/L	5.0	0.32	1		10/14/21 23:47	75-09-2	
Methyl-tert-butyl ether	<1.1	ug/L	5.0	1.1	1		10/14/21 23:47	1634-04-4	
Naphthalene	<1.1	ug/L	5.0	1.1	1		10/14/21 23:47	91-20-3	
n-Propylbenzene	<0.35	ug/L	1.0	0.35	1		10/14/21 23:47	103-65-1	
Styrene	<0.36	ug/L	1.0	0.36	1		10/14/21 23:47	100-42-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 1690019237 GORSKI LF
Pace Project No.: 40235044

Sample: MW-4D **Lab ID: 40235044013** Collected: 10/11/21 14:32 Received: 10/13/21 07:35 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV									
Analytical Method: EPA 8260									
Pace Analytical Services - Green Bay									
1,1,1,2-Tetrachloroethane	<0.36	ug/L	1.0	0.36	1		10/14/21 23:47	630-20-6	
1,1,1,2-Tetrachloroethane	<0.38	ug/L	1.0	0.38	1		10/14/21 23:47	79-34-5	
Tetrachloroethene	<0.41	ug/L	1.0	0.41	1		10/14/21 23:47	127-18-4	
Toluene	<0.29	ug/L	1.0	0.29	1		10/14/21 23:47	108-88-3	
1,2,3-Trichlorobenzene	<1.0	ug/L	5.0	1.0	1		10/14/21 23:47	87-61-6	
1,2,4-Trichlorobenzene	<0.95	ug/L	5.0	0.95	1		10/14/21 23:47	120-82-1	
1,1,1-Trichloroethane	<0.30	ug/L	1.0	0.30	1		10/14/21 23:47	71-55-6	
1,1,2-Trichloroethane	<0.34	ug/L	5.0	0.34	1		10/14/21 23:47	79-00-5	
Trichloroethene	4.6	ug/L	1.0	0.32	1		10/14/21 23:47	79-01-6	
Trichlorofluoromethane	<0.42	ug/L	1.0	0.42	1		10/14/21 23:47	75-69-4	
1,2,3-Trichloropropane	<0.56	ug/L	5.0	0.56	1		10/14/21 23:47	96-18-4	
1,2,4-Trimethylbenzene	<0.45	ug/L	1.0	0.45	1		10/14/21 23:47	95-63-6	
1,3,5-Trimethylbenzene	<0.36	ug/L	1.0	0.36	1		10/14/21 23:47	108-67-8	
Vinyl chloride	<0.17	ug/L	1.0	0.17	1		10/14/21 23:47	75-01-4	
Xylene (Total)	<1.0	ug/L	3.0	1.0	1		10/14/21 23:47	1330-20-7	
m&p-Xylene	<0.70	ug/L	2.0	0.70	1		10/14/21 23:47	179601-23-1	
o-Xylene	<0.35	ug/L	1.0	0.35	1		10/14/21 23:47	95-47-6	
Surrogates									
4-Bromofluorobenzene (S)	96	%	70-130		1		10/14/21 23:47	460-00-4	
1,2-Dichlorobenzene-d4 (S)	99	%	70-130		1		10/14/21 23:47	2199-69-1	
Toluene-d8 (S)	103	%	70-130		1		10/14/21 23:47	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 1690019237 GORSKI LF

Pace Project No.: 40235044

Sample: 669 CTH BD **Lab ID: 40235044014** Collected: 10/11/21 09:45 Received: 10/13/21 07:35 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV									
Analytical Method: EPA 8260									
Pace Analytical Services - Green Bay									
Benzene	<0.30	ug/L	1.0	0.30	1		10/15/21 00:06	71-43-2	
Bromobenzene	<0.36	ug/L	1.0	0.36	1		10/15/21 00:06	108-86-1	
Bromochloromethane	<0.36	ug/L	5.0	0.36	1		10/15/21 00:06	74-97-5	
Bromodichloromethane	<0.42	ug/L	1.0	0.42	1		10/15/21 00:06	75-27-4	
Bromoform	<3.8	ug/L	5.0	3.8	1		10/15/21 00:06	75-25-2	
Bromomethane	<1.2	ug/L	5.0	1.2	1		10/15/21 00:06	74-83-9	
n-Butylbenzene	<0.86	ug/L	1.0	0.86	1		10/15/21 00:06	104-51-8	
sec-Butylbenzene	<0.42	ug/L	1.0	0.42	1		10/15/21 00:06	135-98-8	
tert-Butylbenzene	<0.59	ug/L	1.0	0.59	1		10/15/21 00:06	98-06-6	
Carbon tetrachloride	<0.37	ug/L	1.0	0.37	1		10/15/21 00:06	56-23-5	
Chlorobenzene	<0.86	ug/L	1.0	0.86	1		10/15/21 00:06	108-90-7	
Chloroethane	<1.4	ug/L	5.0	1.4	1		10/15/21 00:06	75-00-3	
Chloroform	<1.2	ug/L	5.0	1.2	1		10/15/21 00:06	67-66-3	
Chloromethane	<1.6	ug/L	5.0	1.6	1		10/15/21 00:06	74-87-3	
2-Chlorotoluene	<0.89	ug/L	5.0	0.89	1		10/15/21 00:06	95-49-8	
4-Chlorotoluene	<0.89	ug/L	5.0	0.89	1		10/15/21 00:06	106-43-4	
1,2-Dibromo-3-chloropropane	<2.4	ug/L	5.0	2.4	1		10/15/21 00:06	96-12-8	
Dibromochloromethane	<2.6	ug/L	5.0	2.6	1		10/15/21 00:06	124-48-1	
1,2-Dibromoethane (EDB)	<0.31	ug/L	1.0	0.31	1		10/15/21 00:06	106-93-4	
Dibromomethane	<0.99	ug/L	5.0	0.99	1		10/15/21 00:06	74-95-3	
1,2-Dichlorobenzene	<0.33	ug/L	1.0	0.33	1		10/15/21 00:06	95-50-1	
1,3-Dichlorobenzene	<0.35	ug/L	1.0	0.35	1		10/15/21 00:06	541-73-1	
1,4-Dichlorobenzene	<0.89	ug/L	1.0	0.89	1		10/15/21 00:06	106-46-7	
Dichlorodifluoromethane	<0.46	ug/L	5.0	0.46	1		10/15/21 00:06	75-71-8	
1,1-Dichloroethane	<0.30	ug/L	1.0	0.30	1		10/15/21 00:06	75-34-3	
1,2-Dichloroethane	<0.29	ug/L	1.0	0.29	1		10/15/21 00:06	107-06-2	
1,1-Dichloroethene	<0.58	ug/L	1.0	0.58	1		10/15/21 00:06	75-35-4	
cis-1,2-Dichloroethene	<0.47	ug/L	1.0	0.47	1		10/15/21 00:06	156-59-2	
trans-1,2-Dichloroethene	<0.53	ug/L	1.0	0.53	1		10/15/21 00:06	156-60-5	
1,2-Dichloropropane	<0.45	ug/L	1.0	0.45	1		10/15/21 00:06	78-87-5	
1,3-Dichloropropane	<0.30	ug/L	1.0	0.30	1		10/15/21 00:06	142-28-9	
2,2-Dichloropropane	<4.2	ug/L	5.0	4.2	1		10/15/21 00:06	594-20-7	
1,1-Dichloropropene	<0.41	ug/L	1.0	0.41	1		10/15/21 00:06	563-58-6	
cis-1,3-Dichloropropene	<0.36	ug/L	1.0	0.36	1		10/15/21 00:06	10061-01-5	
trans-1,3-Dichloropropene	<3.5	ug/L	5.0	3.5	1		10/15/21 00:06	10061-02-6	
Diisopropyl ether	<1.1	ug/L	5.0	1.1	1		10/15/21 00:06	108-20-3	
Ethylbenzene	<0.33	ug/L	1.0	0.33	1		10/15/21 00:06	100-41-4	
Hexachloro-1,3-butadiene	<2.7	ug/L	5.0	2.7	1		10/15/21 00:06	87-68-3	
Isopropylbenzene (Cumene)	<1.0	ug/L	5.0	1.0	1		10/15/21 00:06	98-82-8	
p-Isopropyltoluene	<1.0	ug/L	5.0	1.0	1		10/15/21 00:06	99-87-6	
Methylene Chloride	<0.32	ug/L	5.0	0.32	1		10/15/21 00:06	75-09-2	
Methyl-tert-butyl ether	<1.1	ug/L	5.0	1.1	1		10/15/21 00:06	1634-04-4	
Naphthalene	<1.1	ug/L	5.0	1.1	1		10/15/21 00:06	91-20-3	
n-Propylbenzene	<0.35	ug/L	1.0	0.35	1		10/15/21 00:06	103-65-1	
Styrene	<0.36	ug/L	1.0	0.36	1		10/15/21 00:06	100-42-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 1690019237 GORSKI LF

Pace Project No.: 40235044

Sample: 669 CTH BD **Lab ID: 40235044014** Collected: 10/11/21 09:45 Received: 10/13/21 07:35 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV									
Analytical Method: EPA 8260									
Pace Analytical Services - Green Bay									
1,1,1,2-Tetrachloroethane	<0.36	ug/L	1.0	0.36	1		10/15/21 00:06	630-20-6	
1,1,1,2-Tetrachloroethane	<0.38	ug/L	1.0	0.38	1		10/15/21 00:06	79-34-5	
Tetrachloroethene	<0.41	ug/L	1.0	0.41	1		10/15/21 00:06	127-18-4	
Toluene	<0.29	ug/L	1.0	0.29	1		10/15/21 00:06	108-88-3	
1,2,3-Trichlorobenzene	<1.0	ug/L	5.0	1.0	1		10/15/21 00:06	87-61-6	
1,2,4-Trichlorobenzene	<0.95	ug/L	5.0	0.95	1		10/15/21 00:06	120-82-1	
1,1,1-Trichloroethane	<0.30	ug/L	1.0	0.30	1		10/15/21 00:06	71-55-6	
1,1,2-Trichloroethane	<0.34	ug/L	5.0	0.34	1		10/15/21 00:06	79-00-5	
Trichloroethene	<0.32	ug/L	1.0	0.32	1		10/15/21 00:06	79-01-6	
Trichlorofluoromethane	<0.42	ug/L	1.0	0.42	1		10/15/21 00:06	75-69-4	
1,2,3-Trichloropropane	<0.56	ug/L	5.0	0.56	1		10/15/21 00:06	96-18-4	
1,2,4-Trimethylbenzene	<0.45	ug/L	1.0	0.45	1		10/15/21 00:06	95-63-6	
1,3,5-Trimethylbenzene	<0.36	ug/L	1.0	0.36	1		10/15/21 00:06	108-67-8	
Vinyl chloride	<0.17	ug/L	1.0	0.17	1		10/15/21 00:06	75-01-4	
Xylene (Total)	<1.0	ug/L	3.0	1.0	1		10/15/21 00:06	1330-20-7	
m&p-Xylene	<0.70	ug/L	2.0	0.70	1		10/15/21 00:06	179601-23-1	
o-Xylene	<0.35	ug/L	1.0	0.35	1		10/15/21 00:06	95-47-6	
Surrogates									
4-Bromofluorobenzene (S)	94	%	70-130		1		10/15/21 00:06	460-00-4	
1,2-Dichlorobenzene-d4 (S)	99	%	70-130		1		10/15/21 00:06	2199-69-1	
Toluene-d8 (S)	104	%	70-130		1		10/15/21 00:06	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 1690019237 GORSKI LF

Pace Project No.: 40235044

Sample: 666 CTH B **Lab ID: 40235044015** Collected: 10/11/21 10:10 Received: 10/13/21 07:35 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV									
Analytical Method: EPA 8260									
Pace Analytical Services - Green Bay									
Benzene	<0.30	ug/L	1.0	0.30	1		10/15/21 00:25	71-43-2	
Bromobenzene	<0.36	ug/L	1.0	0.36	1		10/15/21 00:25	108-86-1	
Bromochloromethane	<0.36	ug/L	5.0	0.36	1		10/15/21 00:25	74-97-5	
Bromodichloromethane	<0.42	ug/L	1.0	0.42	1		10/15/21 00:25	75-27-4	
Bromoform	<3.8	ug/L	5.0	3.8	1		10/15/21 00:25	75-25-2	
Bromomethane	<1.2	ug/L	5.0	1.2	1		10/15/21 00:25	74-83-9	
n-Butylbenzene	<0.86	ug/L	1.0	0.86	1		10/15/21 00:25	104-51-8	
sec-Butylbenzene	<0.42	ug/L	1.0	0.42	1		10/15/21 00:25	135-98-8	
tert-Butylbenzene	<0.59	ug/L	1.0	0.59	1		10/15/21 00:25	98-06-6	
Carbon tetrachloride	<0.37	ug/L	1.0	0.37	1		10/15/21 00:25	56-23-5	
Chlorobenzene	<0.86	ug/L	1.0	0.86	1		10/15/21 00:25	108-90-7	
Chloroethane	<1.4	ug/L	5.0	1.4	1		10/15/21 00:25	75-00-3	
Chloroform	<1.2	ug/L	5.0	1.2	1		10/15/21 00:25	67-66-3	
Chloromethane	<1.6	ug/L	5.0	1.6	1		10/15/21 00:25	74-87-3	
2-Chlorotoluene	<0.89	ug/L	5.0	0.89	1		10/15/21 00:25	95-49-8	
4-Chlorotoluene	<0.89	ug/L	5.0	0.89	1		10/15/21 00:25	106-43-4	
1,2-Dibromo-3-chloropropane	<2.4	ug/L	5.0	2.4	1		10/15/21 00:25	96-12-8	
Dibromochloromethane	<2.6	ug/L	5.0	2.6	1		10/15/21 00:25	124-48-1	
1,2-Dibromoethane (EDB)	<0.31	ug/L	1.0	0.31	1		10/15/21 00:25	106-93-4	
Dibromomethane	<0.99	ug/L	5.0	0.99	1		10/15/21 00:25	74-95-3	
1,2-Dichlorobenzene	<0.33	ug/L	1.0	0.33	1		10/15/21 00:25	95-50-1	
1,3-Dichlorobenzene	<0.35	ug/L	1.0	0.35	1		10/15/21 00:25	541-73-1	
1,4-Dichlorobenzene	<0.89	ug/L	1.0	0.89	1		10/15/21 00:25	106-46-7	
Dichlorodifluoromethane	<0.46	ug/L	5.0	0.46	1		10/15/21 00:25	75-71-8	
1,1-Dichloroethane	<0.30	ug/L	1.0	0.30	1		10/15/21 00:25	75-34-3	
1,2-Dichloroethane	<0.29	ug/L	1.0	0.29	1		10/15/21 00:25	107-06-2	
1,1-Dichloroethene	<0.58	ug/L	1.0	0.58	1		10/15/21 00:25	75-35-4	
cis-1,2-Dichloroethene	<0.47	ug/L	1.0	0.47	1		10/15/21 00:25	156-59-2	
trans-1,2-Dichloroethene	<0.53	ug/L	1.0	0.53	1		10/15/21 00:25	156-60-5	
1,2-Dichloropropane	<0.45	ug/L	1.0	0.45	1		10/15/21 00:25	78-87-5	
1,3-Dichloropropane	<0.30	ug/L	1.0	0.30	1		10/15/21 00:25	142-28-9	
2,2-Dichloropropane	<4.2	ug/L	5.0	4.2	1		10/15/21 00:25	594-20-7	
1,1-Dichloropropene	<0.41	ug/L	1.0	0.41	1		10/15/21 00:25	563-58-6	
cis-1,3-Dichloropropene	<0.36	ug/L	1.0	0.36	1		10/15/21 00:25	10061-01-5	
trans-1,3-Dichloropropene	<3.5	ug/L	5.0	3.5	1		10/15/21 00:25	10061-02-6	
Diisopropyl ether	<1.1	ug/L	5.0	1.1	1		10/15/21 00:25	108-20-3	
Ethylbenzene	<0.33	ug/L	1.0	0.33	1		10/15/21 00:25	100-41-4	
Hexachloro-1,3-butadiene	<2.7	ug/L	5.0	2.7	1		10/15/21 00:25	87-68-3	
Isopropylbenzene (Cumene)	<1.0	ug/L	5.0	1.0	1		10/15/21 00:25	98-82-8	
p-Isopropyltoluene	<1.0	ug/L	5.0	1.0	1		10/15/21 00:25	99-87-6	
Methylene Chloride	<0.32	ug/L	5.0	0.32	1		10/15/21 00:25	75-09-2	
Methyl-tert-butyl ether	<1.1	ug/L	5.0	1.1	1		10/15/21 00:25	1634-04-4	
Naphthalene	<1.1	ug/L	5.0	1.1	1		10/15/21 00:25	91-20-3	
n-Propylbenzene	<0.35	ug/L	1.0	0.35	1		10/15/21 00:25	103-65-1	
Styrene	<0.36	ug/L	1.0	0.36	1		10/15/21 00:25	100-42-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 1690019237 GORSKI LF

Pace Project No.: 40235044

Sample: 666 CTH B **Lab ID: 40235044015** Collected: 10/11/21 10:10 Received: 10/13/21 07:35 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV									
Analytical Method: EPA 8260									
Pace Analytical Services - Green Bay									
1,1,1,2-Tetrachloroethane	<0.36	ug/L	1.0	0.36	1		10/15/21 00:25	630-20-6	
1,1,2,2-Tetrachloroethane	<0.38	ug/L	1.0	0.38	1		10/15/21 00:25	79-34-5	
Tetrachloroethene	<0.41	ug/L	1.0	0.41	1		10/15/21 00:25	127-18-4	
Toluene	<0.29	ug/L	1.0	0.29	1		10/15/21 00:25	108-88-3	
1,2,3-Trichlorobenzene	<1.0	ug/L	5.0	1.0	1		10/15/21 00:25	87-61-6	
1,2,4-Trichlorobenzene	<0.95	ug/L	5.0	0.95	1		10/15/21 00:25	120-82-1	
1,1,1-Trichloroethane	<0.30	ug/L	1.0	0.30	1		10/15/21 00:25	71-55-6	
1,1,2-Trichloroethane	<0.34	ug/L	5.0	0.34	1		10/15/21 00:25	79-00-5	
Trichloroethene	<0.32	ug/L	1.0	0.32	1		10/15/21 00:25	79-01-6	
Trichlorofluoromethane	<0.42	ug/L	1.0	0.42	1		10/15/21 00:25	75-69-4	
1,2,3-Trichloropropane	<0.56	ug/L	5.0	0.56	1		10/15/21 00:25	96-18-4	
1,2,4-Trimethylbenzene	<0.45	ug/L	1.0	0.45	1		10/15/21 00:25	95-63-6	
1,3,5-Trimethylbenzene	<0.36	ug/L	1.0	0.36	1		10/15/21 00:25	108-67-8	
Vinyl chloride	<0.17	ug/L	1.0	0.17	1		10/15/21 00:25	75-01-4	
Xylene (Total)	<1.0	ug/L	3.0	1.0	1		10/15/21 00:25	1330-20-7	
m&p-Xylene	<0.70	ug/L	2.0	0.70	1		10/15/21 00:25	179601-23-1	
o-Xylene	<0.35	ug/L	1.0	0.35	1		10/15/21 00:25	95-47-6	
Surrogates									
4-Bromofluorobenzene (S)	95	%	70-130		1		10/15/21 00:25	460-00-4	
1,2-Dichlorobenzene-d4 (S)	99	%	70-130		1		10/15/21 00:25	2199-69-1	
Toluene-d8 (S)	103	%	70-130		1		10/15/21 00:25	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 1690019237 GORSKI LF

Pace Project No.: 40235044

Sample: 1054 CTH KK Lab ID: 40235044016 Collected: 10/11/21 11:35 Received: 10/13/21 07:35 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV									
Analytical Method: EPA 8260									
Pace Analytical Services - Green Bay									
Benzene	<0.30	ug/L	1.0	0.30	1		10/15/21 00:45	71-43-2	
Bromobenzene	<0.36	ug/L	1.0	0.36	1		10/15/21 00:45	108-86-1	
Bromochloromethane	<0.36	ug/L	5.0	0.36	1		10/15/21 00:45	74-97-5	
Bromodichloromethane	<0.42	ug/L	1.0	0.42	1		10/15/21 00:45	75-27-4	
Bromoform	<3.8	ug/L	5.0	3.8	1		10/15/21 00:45	75-25-2	
Bromomethane	<1.2	ug/L	5.0	1.2	1		10/15/21 00:45	74-83-9	
n-Butylbenzene	<0.86	ug/L	1.0	0.86	1		10/15/21 00:45	104-51-8	
sec-Butylbenzene	<0.42	ug/L	1.0	0.42	1		10/15/21 00:45	135-98-8	
tert-Butylbenzene	<0.59	ug/L	1.0	0.59	1		10/15/21 00:45	98-06-6	
Carbon tetrachloride	<0.37	ug/L	1.0	0.37	1		10/15/21 00:45	56-23-5	
Chlorobenzene	<0.86	ug/L	1.0	0.86	1		10/15/21 00:45	108-90-7	
Chloroethane	<1.4	ug/L	5.0	1.4	1		10/15/21 00:45	75-00-3	
Chloroform	<1.2	ug/L	5.0	1.2	1		10/15/21 00:45	67-66-3	
Chloromethane	<1.6	ug/L	5.0	1.6	1		10/15/21 00:45	74-87-3	
2-Chlorotoluene	<0.89	ug/L	5.0	0.89	1		10/15/21 00:45	95-49-8	
4-Chlorotoluene	<0.89	ug/L	5.0	0.89	1		10/15/21 00:45	106-43-4	
1,2-Dibromo-3-chloropropane	<2.4	ug/L	5.0	2.4	1		10/15/21 00:45	96-12-8	
Dibromochloromethane	<2.6	ug/L	5.0	2.6	1		10/15/21 00:45	124-48-1	
1,2-Dibromoethane (EDB)	<0.31	ug/L	1.0	0.31	1		10/15/21 00:45	106-93-4	
Dibromomethane	<0.99	ug/L	5.0	0.99	1		10/15/21 00:45	74-95-3	
1,2-Dichlorobenzene	<0.33	ug/L	1.0	0.33	1		10/15/21 00:45	95-50-1	
1,3-Dichlorobenzene	<0.35	ug/L	1.0	0.35	1		10/15/21 00:45	541-73-1	
1,4-Dichlorobenzene	<0.89	ug/L	1.0	0.89	1		10/15/21 00:45	106-46-7	
Dichlorodifluoromethane	<0.46	ug/L	5.0	0.46	1		10/15/21 00:45	75-71-8	
1,1-Dichloroethane	<0.30	ug/L	1.0	0.30	1		10/15/21 00:45	75-34-3	
1,2-Dichloroethane	<0.29	ug/L	1.0	0.29	1		10/15/21 00:45	107-06-2	
1,1-Dichloroethene	<0.58	ug/L	1.0	0.58	1		10/15/21 00:45	75-35-4	
cis-1,2-Dichloroethene	<0.47	ug/L	1.0	0.47	1		10/15/21 00:45	156-59-2	
trans-1,2-Dichloroethene	<0.53	ug/L	1.0	0.53	1		10/15/21 00:45	156-60-5	
1,2-Dichloropropane	<0.45	ug/L	1.0	0.45	1		10/15/21 00:45	78-87-5	
1,3-Dichloropropane	<0.30	ug/L	1.0	0.30	1		10/15/21 00:45	142-28-9	
2,2-Dichloropropane	<4.2	ug/L	5.0	4.2	1		10/15/21 00:45	594-20-7	
1,1-Dichloropropene	<0.41	ug/L	1.0	0.41	1		10/15/21 00:45	563-58-6	
cis-1,3-Dichloropropene	<0.36	ug/L	1.0	0.36	1		10/15/21 00:45	10061-01-5	
trans-1,3-Dichloropropene	<3.5	ug/L	5.0	3.5	1		10/15/21 00:45	10061-02-6	
Diisopropyl ether	<1.1	ug/L	5.0	1.1	1		10/15/21 00:45	108-20-3	
Ethylbenzene	<0.33	ug/L	1.0	0.33	1		10/15/21 00:45	100-41-4	
Hexachloro-1,3-butadiene	<2.7	ug/L	5.0	2.7	1		10/15/21 00:45	87-68-3	
Isopropylbenzene (Cumene)	<1.0	ug/L	5.0	1.0	1		10/15/21 00:45	98-82-8	
p-Isopropyltoluene	<1.0	ug/L	5.0	1.0	1		10/15/21 00:45	99-87-6	
Methylene Chloride	<0.32	ug/L	5.0	0.32	1		10/15/21 00:45	75-09-2	
Methyl-tert-butyl ether	<1.1	ug/L	5.0	1.1	1		10/15/21 00:45	1634-04-4	
Naphthalene	<1.1	ug/L	5.0	1.1	1		10/15/21 00:45	91-20-3	
n-Propylbenzene	<0.35	ug/L	1.0	0.35	1		10/15/21 00:45	103-65-1	
Styrene	<0.36	ug/L	1.0	0.36	1		10/15/21 00:45	100-42-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 1690019237 GORSKI LF

Pace Project No.: 40235044

Sample: 1054 CTH KK **Lab ID: 40235044016** Collected: 10/11/21 11:35 Received: 10/13/21 07:35 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV									
Analytical Method: EPA 8260									
Pace Analytical Services - Green Bay									
1,1,1,2-Tetrachloroethane	<0.36	ug/L	1.0	0.36	1		10/15/21 00:45	630-20-6	
1,1,2,2-Tetrachloroethane	<0.38	ug/L	1.0	0.38	1		10/15/21 00:45	79-34-5	
Tetrachloroethene	<0.41	ug/L	1.0	0.41	1		10/15/21 00:45	127-18-4	
Toluene	<0.29	ug/L	1.0	0.29	1		10/15/21 00:45	108-88-3	
1,2,3-Trichlorobenzene	<1.0	ug/L	5.0	1.0	1		10/15/21 00:45	87-61-6	
1,2,4-Trichlorobenzene	<0.95	ug/L	5.0	0.95	1		10/15/21 00:45	120-82-1	
1,1,1-Trichloroethane	<0.30	ug/L	1.0	0.30	1		10/15/21 00:45	71-55-6	
1,1,2-Trichloroethane	<0.34	ug/L	5.0	0.34	1		10/15/21 00:45	79-00-5	
Trichloroethene	<0.32	ug/L	1.0	0.32	1		10/15/21 00:45	79-01-6	
Trichlorofluoromethane	<0.42	ug/L	1.0	0.42	1		10/15/21 00:45	75-69-4	
1,2,3-Trichloropropane	<0.56	ug/L	5.0	0.56	1		10/15/21 00:45	96-18-4	
1,2,4-Trimethylbenzene	<0.45	ug/L	1.0	0.45	1		10/15/21 00:45	95-63-6	
1,3,5-Trimethylbenzene	<0.36	ug/L	1.0	0.36	1		10/15/21 00:45	108-67-8	
Vinyl chloride	<0.17	ug/L	1.0	0.17	1		10/15/21 00:45	75-01-4	
Xylene (Total)	<1.0	ug/L	3.0	1.0	1		10/15/21 00:45	1330-20-7	
m&p-Xylene	<0.70	ug/L	2.0	0.70	1		10/15/21 00:45	179601-23-1	
o-Xylene	<0.35	ug/L	1.0	0.35	1		10/15/21 00:45	95-47-6	
Surrogates									
4-Bromofluorobenzene (S)	96	%	70-130		1		10/15/21 00:45	460-00-4	
1,2-Dichlorobenzene-d4 (S)	100	%	70-130		1		10/15/21 00:45	2199-69-1	
Toluene-d8 (S)	103	%	70-130		1		10/15/21 00:45	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 1690019237 GORSKI LF
Pace Project No.: 40235044

Sample: TRIP BLANK **Lab ID: 40235044017** Collected: 10/11/21 00:00 Received: 10/13/21 07:35 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV									
Analytical Method: EPA 8260									
Pace Analytical Services - Green Bay									
Benzene	<0.30	ug/L	1.0	0.30	1		10/14/21 19:36	71-43-2	
Bromobenzene	<0.36	ug/L	1.0	0.36	1		10/14/21 19:36	108-86-1	
Bromochloromethane	<0.36	ug/L	5.0	0.36	1		10/14/21 19:36	74-97-5	
Bromodichloromethane	<0.42	ug/L	1.0	0.42	1		10/14/21 19:36	75-27-4	
Bromoform	<3.8	ug/L	5.0	3.8	1		10/14/21 19:36	75-25-2	
Bromomethane	<1.2	ug/L	5.0	1.2	1		10/14/21 19:36	74-83-9	
n-Butylbenzene	<0.86	ug/L	1.0	0.86	1		10/14/21 19:36	104-51-8	
sec-Butylbenzene	<0.42	ug/L	1.0	0.42	1		10/14/21 19:36	135-98-8	
tert-Butylbenzene	<0.59	ug/L	1.0	0.59	1		10/14/21 19:36	98-06-6	
Carbon tetrachloride	<0.37	ug/L	1.0	0.37	1		10/14/21 19:36	56-23-5	
Chlorobenzene	<0.86	ug/L	1.0	0.86	1		10/14/21 19:36	108-90-7	
Chloroethane	<1.4	ug/L	5.0	1.4	1		10/14/21 19:36	75-00-3	
Chloroform	<1.2	ug/L	5.0	1.2	1		10/14/21 19:36	67-66-3	
Chloromethane	<1.6	ug/L	5.0	1.6	1		10/14/21 19:36	74-87-3	
2-Chlorotoluene	<0.89	ug/L	5.0	0.89	1		10/14/21 19:36	95-49-8	
4-Chlorotoluene	<0.89	ug/L	5.0	0.89	1		10/14/21 19:36	106-43-4	
1,2-Dibromo-3-chloropropane	<2.4	ug/L	5.0	2.4	1		10/14/21 19:36	96-12-8	
Dibromochloromethane	<2.6	ug/L	5.0	2.6	1		10/14/21 19:36	124-48-1	
1,2-Dibromoethane (EDB)	<0.31	ug/L	1.0	0.31	1		10/14/21 19:36	106-93-4	
Dibromomethane	<0.99	ug/L	5.0	0.99	1		10/14/21 19:36	74-95-3	
1,2-Dichlorobenzene	<0.33	ug/L	1.0	0.33	1		10/14/21 19:36	95-50-1	
1,3-Dichlorobenzene	<0.35	ug/L	1.0	0.35	1		10/14/21 19:36	541-73-1	
1,4-Dichlorobenzene	<0.89	ug/L	1.0	0.89	1		10/14/21 19:36	106-46-7	
Dichlorodifluoromethane	<0.46	ug/L	5.0	0.46	1		10/14/21 19:36	75-71-8	
1,1-Dichloroethane	<0.30	ug/L	1.0	0.30	1		10/14/21 19:36	75-34-3	
1,2-Dichloroethane	<0.29	ug/L	1.0	0.29	1		10/14/21 19:36	107-06-2	
1,1-Dichloroethene	<0.58	ug/L	1.0	0.58	1		10/14/21 19:36	75-35-4	
cis-1,2-Dichloroethene	<0.47	ug/L	1.0	0.47	1		10/14/21 19:36	156-59-2	
trans-1,2-Dichloroethene	<0.53	ug/L	1.0	0.53	1		10/14/21 19:36	156-60-5	
1,2-Dichloropropane	<0.45	ug/L	1.0	0.45	1		10/14/21 19:36	78-87-5	
1,3-Dichloropropane	<0.30	ug/L	1.0	0.30	1		10/14/21 19:36	142-28-9	
2,2-Dichloropropane	<4.2	ug/L	5.0	4.2	1		10/14/21 19:36	594-20-7	
1,1-Dichloropropene	<0.41	ug/L	1.0	0.41	1		10/14/21 19:36	563-58-6	
cis-1,3-Dichloropropene	<0.36	ug/L	1.0	0.36	1		10/14/21 19:36	10061-01-5	
trans-1,3-Dichloropropene	<3.5	ug/L	5.0	3.5	1		10/14/21 19:36	10061-02-6	
Diisopropyl ether	<1.1	ug/L	5.0	1.1	1		10/14/21 19:36	108-20-3	
Ethylbenzene	<0.33	ug/L	1.0	0.33	1		10/14/21 19:36	100-41-4	
Hexachloro-1,3-butadiene	<2.7	ug/L	5.0	2.7	1		10/14/21 19:36	87-68-3	
Isopropylbenzene (Cumene)	<1.0	ug/L	5.0	1.0	1		10/14/21 19:36	98-82-8	
p-Isopropyltoluene	<1.0	ug/L	5.0	1.0	1		10/14/21 19:36	99-87-6	
Methylene Chloride	<0.32	ug/L	5.0	0.32	1		10/14/21 19:36	75-09-2	
Methyl-tert-butyl ether	<1.1	ug/L	5.0	1.1	1		10/14/21 19:36	1634-04-4	
Naphthalene	<1.1	ug/L	5.0	1.1	1		10/14/21 19:36	91-20-3	
n-Propylbenzene	<0.35	ug/L	1.0	0.35	1		10/14/21 19:36	103-65-1	
Styrene	<0.36	ug/L	1.0	0.36	1		10/14/21 19:36	100-42-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 1690019237 GORSKI LF

Pace Project No.: 40235044

Sample: TRIP BLANK **Lab ID: 40235044017** Collected: 10/11/21 00:00 Received: 10/13/21 07:35 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV									
Analytical Method: EPA 8260									
Pace Analytical Services - Green Bay									
1,1,1,2-Tetrachloroethane	<0.36	ug/L	1.0	0.36	1		10/14/21 19:36	630-20-6	
1,1,1,2-Tetrachloroethane	<0.38	ug/L	1.0	0.38	1		10/14/21 19:36	79-34-5	
Tetrachloroethene	<0.41	ug/L	1.0	0.41	1		10/14/21 19:36	127-18-4	
Toluene	<0.29	ug/L	1.0	0.29	1		10/14/21 19:36	108-88-3	
1,2,3-Trichlorobenzene	<1.0	ug/L	5.0	1.0	1		10/14/21 19:36	87-61-6	
1,2,4-Trichlorobenzene	<0.95	ug/L	5.0	0.95	1		10/14/21 19:36	120-82-1	
1,1,1-Trichloroethane	<0.30	ug/L	1.0	0.30	1		10/14/21 19:36	71-55-6	
1,1,2-Trichloroethane	<0.34	ug/L	5.0	0.34	1		10/14/21 19:36	79-00-5	
Trichloroethene	<0.32	ug/L	1.0	0.32	1		10/14/21 19:36	79-01-6	
Trichlorofluoromethane	<0.42	ug/L	1.0	0.42	1		10/14/21 19:36	75-69-4	
1,2,3-Trichloropropane	<0.56	ug/L	5.0	0.56	1		10/14/21 19:36	96-18-4	
1,2,4-Trimethylbenzene	<0.45	ug/L	1.0	0.45	1		10/14/21 19:36	95-63-6	
1,3,5-Trimethylbenzene	<0.36	ug/L	1.0	0.36	1		10/14/21 19:36	108-67-8	
Vinyl chloride	<0.17	ug/L	1.0	0.17	1		10/14/21 19:36	75-01-4	
Xylene (Total)	<1.0	ug/L	3.0	1.0	1		10/14/21 19:36	1330-20-7	
m&p-Xylene	<0.70	ug/L	2.0	0.70	1		10/14/21 19:36	179601-23-1	
o-Xylene	<0.35	ug/L	1.0	0.35	1		10/14/21 19:36	95-47-6	
Surrogates									
4-Bromofluorobenzene (S)	96	%	70-130		1		10/14/21 19:36	460-00-4	
1,2-Dichlorobenzene-d4 (S)	100	%	70-130		1		10/14/21 19:36	2199-69-1	
Toluene-d8 (S)	103	%	70-130		1		10/14/21 19:36	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: 1690019237 GORSKI LF

Pace Project No.: 40235044

QC Batch:	398518	Analysis Method:	EPA 8260
QC Batch Method:	EPA 8260	Analysis Description:	8260 MSV
		Laboratory:	Pace Analytical Services - Green Bay

Associated Lab Samples: 40235044001, 40235044002, 40235044003, 40235044004, 40235044005, 40235044006, 40235044007, 40235044008, 40235044009, 40235044010, 40235044011, 40235044012, 40235044013, 40235044014, 40235044015, 40235044016, 40235044017

METHOD BLANK: 2300505 Matrix: Water

Associated Lab Samples: 40235044001, 40235044002, 40235044003, 40235044004, 40235044005, 40235044006, 40235044007, 40235044008, 40235044009, 40235044010, 40235044011, 40235044012, 40235044013, 40235044014, 40235044015, 40235044016, 40235044017

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
1,1,1,2-Tetrachloroethane	ug/L	<0.36	1.0	10/14/21 17:40	
1,1,1-Trichloroethane	ug/L	<0.30	1.0	10/14/21 17:40	
1,1,2,2-Tetrachloroethane	ug/L	<0.38	1.0	10/14/21 17:40	
1,1,2-Trichloroethane	ug/L	<0.34	5.0	10/14/21 17:40	
1,1-Dichloroethane	ug/L	<0.30	1.0	10/14/21 17:40	
1,1-Dichloroethene	ug/L	<0.58	1.0	10/14/21 17:40	
1,1-Dichloropropene	ug/L	<0.41	1.0	10/14/21 17:40	
1,2,3-Trichlorobenzene	ug/L	<1.0	5.0	10/14/21 17:40	
1,2,3-Trichloropropane	ug/L	<0.56	5.0	10/14/21 17:40	
1,2,4-Trichlorobenzene	ug/L	<0.95	5.0	10/14/21 17:40	
1,2,4-Trimethylbenzene	ug/L	<0.45	1.0	10/14/21 17:40	
1,2-Dibromo-3-chloropropane	ug/L	<2.4	5.0	10/14/21 17:40	
1,2-Dibromoethane (EDB)	ug/L	<0.31	1.0	10/14/21 17:40	
1,2-Dichlorobenzene	ug/L	<0.33	1.0	10/14/21 17:40	
1,2-Dichloroethane	ug/L	<0.29	1.0	10/14/21 17:40	
1,2-Dichloropropane	ug/L	<0.45	1.0	10/14/21 17:40	
1,3,5-Trimethylbenzene	ug/L	<0.36	1.0	10/14/21 17:40	
1,3-Dichlorobenzene	ug/L	<0.35	1.0	10/14/21 17:40	
1,3-Dichloropropane	ug/L	<0.30	1.0	10/14/21 17:40	
1,4-Dichlorobenzene	ug/L	<0.89	1.0	10/14/21 17:40	
2,2-Dichloropropane	ug/L	<4.2	5.0	10/14/21 17:40	
2-Chlorotoluene	ug/L	<0.89	5.0	10/14/21 17:40	
4-Chlorotoluene	ug/L	<0.89	5.0	10/14/21 17:40	
Benzene	ug/L	<0.30	1.0	10/14/21 17:40	
Bromobenzene	ug/L	<0.36	1.0	10/14/21 17:40	
Bromochloromethane	ug/L	<0.36	5.0	10/14/21 17:40	
Bromodichloromethane	ug/L	<0.42	1.0	10/14/21 17:40	
Bromoform	ug/L	<3.8	5.0	10/14/21 17:40	
Bromomethane	ug/L	<1.2	5.0	10/14/21 17:40	
Carbon tetrachloride	ug/L	<0.37	1.0	10/14/21 17:40	
Chlorobenzene	ug/L	<0.86	1.0	10/14/21 17:40	
Chloroethane	ug/L	<1.4	5.0	10/14/21 17:40	
Chloroform	ug/L	<1.2	5.0	10/14/21 17:40	
Chloromethane	ug/L	<1.6	5.0	10/14/21 17:40	
cis-1,2-Dichloroethene	ug/L	<0.47	1.0	10/14/21 17:40	
cis-1,3-Dichloropropene	ug/L	<0.36	1.0	10/14/21 17:40	
Dibromochloromethane	ug/L	<2.6	5.0	10/14/21 17:40	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: 1690019237 GORSKI LF
Pace Project No.: 40235044

METHOD BLANK: 2300505

Matrix: Water

Associated Lab Samples: 40235044001, 40235044002, 40235044003, 40235044004, 40235044005, 40235044006, 40235044007, 40235044008, 40235044009, 40235044010, 40235044011, 40235044012, 40235044013, 40235044014, 40235044015, 40235044016, 40235044017

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
Dibromomethane	ug/L	<0.99	5.0	10/14/21 17:40	
Dichlorodifluoromethane	ug/L	<0.46	5.0	10/14/21 17:40	
Diisopropyl ether	ug/L	<1.1	5.0	10/14/21 17:40	
Ethylbenzene	ug/L	<0.33	1.0	10/14/21 17:40	
Hexachloro-1,3-butadiene	ug/L	<2.7	5.0	10/14/21 17:40	
Isopropylbenzene (Cumene)	ug/L	<1.0	5.0	10/14/21 17:40	
m&p-Xylene	ug/L	<0.70	2.0	10/14/21 17:40	
Methyl-tert-butyl ether	ug/L	<1.1	5.0	10/14/21 17:40	
Methylene Chloride	ug/L	<0.32	5.0	10/14/21 17:40	
n-Butylbenzene	ug/L	<0.86	1.0	10/14/21 17:40	
n-Propylbenzene	ug/L	<0.35	1.0	10/14/21 17:40	
Naphthalene	ug/L	<1.1	5.0	10/14/21 17:40	
o-Xylene	ug/L	<0.35	1.0	10/14/21 17:40	
p-Isopropyltoluene	ug/L	<1.0	5.0	10/14/21 17:40	
sec-Butylbenzene	ug/L	<0.42	1.0	10/14/21 17:40	
Styrene	ug/L	<0.36	1.0	10/14/21 17:40	
tert-Butylbenzene	ug/L	<0.59	1.0	10/14/21 17:40	
Tetrachloroethene	ug/L	<0.41	1.0	10/14/21 17:40	
Toluene	ug/L	<0.29	1.0	10/14/21 17:40	
trans-1,2-Dichloroethene	ug/L	<0.53	1.0	10/14/21 17:40	
trans-1,3-Dichloropropene	ug/L	<3.5	5.0	10/14/21 17:40	
Trichloroethene	ug/L	<0.32	1.0	10/14/21 17:40	
Trichlorofluoromethane	ug/L	<0.42	1.0	10/14/21 17:40	
Vinyl chloride	ug/L	<0.17	1.0	10/14/21 17:40	
Xylene (Total)	ug/L	<1.0	3.0	10/14/21 17:40	
1,2-Dichlorobenzene-d4 (S)	%	102	70-130	10/14/21 17:40	
4-Bromofluorobenzene (S)	%	97	70-130	10/14/21 17:40	
Toluene-d8 (S)	%	102	70-130	10/14/21 17:40	

LABORATORY CONTROL SAMPLE: 2300506

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
1,1,1-Trichloroethane	ug/L	50	52.9	106	70-130	
1,1,2,2-Tetrachloroethane	ug/L	50	58.8	118	66-130	
1,1,2-Trichloroethane	ug/L	50	58.4	117	70-130	
1,1-Dichloroethane	ug/L	50	60.9	122	68-132	
1,1-Dichloroethene	ug/L	50	50.8	102	85-126	
1,2,4-Trichlorobenzene	ug/L	50	50.9	102	70-130	
1,2-Dibromo-3-chloropropane	ug/L	50	47.5	95	51-126	
1,2-Dibromoethane (EDB)	ug/L	50	54.7	109	70-130	
1,2-Dichlorobenzene	ug/L	50	58.1	116	70-130	
1,2-Dichloroethane	ug/L	50	54.7	109	70-130	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: 1690019237 GORSKI LF

Pace Project No.: 40235044

LABORATORY CONTROL SAMPLE: 2300506

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
1,2-Dichloropropane	ug/L	50	59.3	119	78-125	
1,3-Dichlorobenzene	ug/L	50	57.8	116	70-130	
1,4-Dichlorobenzene	ug/L	50	57.8	116	70-130	
Benzene	ug/L	50	56.1	112	70-132	
Bromodichloromethane	ug/L	50	53.3	107	70-130	
Bromoform	ug/L	50	42.5	85	65-130	
Bromomethane	ug/L	50	38.4	77	44-128	
Carbon tetrachloride	ug/L	50	54.1	108	70-130	
Chlorobenzene	ug/L	50	58.8	118	70-130	
Chloroethane	ug/L	50	57.2	114	73-137	
Chloroform	ug/L	50	54.9	110	80-122	
Chloromethane	ug/L	50	37.8	76	27-148	
cis-1,2-Dichloroethene	ug/L	50	52.3	105	70-130	
cis-1,3-Dichloropropene	ug/L	50	49.7	99	70-130	
Dibromochloromethane	ug/L	50	51.5	103	70-130	
Dichlorodifluoromethane	ug/L	50	22.7	45	22-151	
Ethylbenzene	ug/L	50	58.9	118	80-123	
Isopropylbenzene (Cumene)	ug/L	50	59.7	119	70-130	
m&p-Xylene	ug/L	100	116	116	70-130	
Methyl-tert-butyl ether	ug/L	50	48.1	96	66-130	
Methylene Chloride	ug/L	50	50.2	100	70-130	
o-Xylene	ug/L	50	57.8	116	70-130	
Styrene	ug/L	50	59.5	119	70-130	
Tetrachloroethene	ug/L	50	55.9	112	70-130	
Toluene	ug/L	50	57.4	115	80-121	
trans-1,2-Dichloroethene	ug/L	50	55.1	110	70-130	
trans-1,3-Dichloropropene	ug/L	50	48.4	97	58-125	
Trichloroethene	ug/L	50	54.8	110	70-130	
Trichlorofluoromethane	ug/L	50	47.2	94	84-148	
Vinyl chloride	ug/L	50	45.5	91	63-142	
Xylene (Total)	ug/L	150	173	116	70-130	
1,2-Dichlorobenzene-d4 (S)	%			98	70-130	
4-Bromofluorobenzene (S)	%			98	70-130	
Toluene-d8 (S)	%			103	70-130	

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 2300507 2300508

Parameter	Units	MS		MSD		MS Result	MSD Result	MS % Rec	MSD % Rec	% Rec Limits	RPD	Max RPD	Qual
		40235044003 Result	Spike Conc.	Spike Conc.	Conc.								
1,1,1-Trichloroethane	ug/L	<0.30	50	50	52.6	53.3	105	107	70-130	1	20		
1,1,2,2-Tetrachloroethane	ug/L	<0.38	50	50	57.7	57.2	115	114	66-130	1	20		
1,1,2-Trichloroethane	ug/L	<0.34	50	50	58.5	57.1	117	114	70-130	2	20		
1,1-Dichloroethane	ug/L	<0.30	50	50	60.3	60.0	121	120	68-132	1	20		
1,1-Dichloroethene	ug/L	<0.58	50	50	49.9	50.7	100	101	76-132	2	20		
1,2,4-Trichlorobenzene	ug/L	<0.95	50	50	53.0	52.5	106	105	70-130	1	20		

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: 1690019237 GORSKI LF
Pace Project No.: 40235044

Parameter	Units	2300507		2300508		MS Result	MSD Result	MS % Rec	MSD % Rec	% Rec Limits	RPD	Max RPD	Qual
		40235044003 Result	MS Spike Conc.	MSD Spike Conc.	MSD Result								
1,2-Dibromo-3-chloropropane	ug/L	<2.4	50	50	47.3	46.7	95	93	51-126	1	20		
1,2-Dibromoethane (EDB)	ug/L	<0.31	50	50	55.9	54.7	112	109	70-130	2	20		
1,2-Dichlorobenzene	ug/L	<0.33	50	50	58.7	57.9	117	116	70-130	1	20		
1,2-Dichloroethane	ug/L	<0.29	50	50	53.5	53.8	107	108	70-130	0	20		
1,2-Dichloropropane	ug/L	<0.45	50	50	58.7	59.3	117	119	77-125	1	20		
1,3-Dichlorobenzene	ug/L	<0.35	50	50	56.3	56.5	113	113	70-130	0	20		
1,4-Dichlorobenzene	ug/L	<0.89	50	50	58.6	58.5	117	117	70-130	0	20		
Benzene	ug/L	<0.30	50	50	55.7	55.7	111	111	70-132	0	20		
Bromodichloromethane	ug/L	<0.42	50	50	53.4	53.6	107	107	70-130	0	20		
Bromoform	ug/L	<3.8	50	50	42.9	42.9	86	86	65-130	0	20		
Bromomethane	ug/L	<1.2	50	50	45.3	48.9	91	98	44-128	8	21		
Carbon tetrachloride	ug/L	<0.37	50	50	53.7	53.9	107	108	70-132	0	20		
Chlorobenzene	ug/L	<0.86	50	50	58.4	58.5	117	117	70-130	0	20		
Chloroethane	ug/L	<1.4	50	50	55.7	55.6	111	111	70-137	0	20		
Chloroform	ug/L	<1.2	50	50	55.4	56.3	111	113	80-122	2	20		
Chloromethane	ug/L	<1.6	50	50	36.6	36.3	73	73	17-149	1	20		
cis-1,2-Dichloroethene	ug/L	<0.47	50	50	52.9	52.4	106	105	70-130	1	20		
cis-1,3-Dichloropropene	ug/L	<0.36	50	50	50.2	49.5	100	99	70-130	1	20		
Dibromochloromethane	ug/L	<2.6	50	50	52.4	52.2	105	104	70-130	0	20		
Dichlorodifluoromethane	ug/L	<0.46	50	50	22.4	21.5	45	43	22-158	4	20		
Ethylbenzene	ug/L	<0.33	50	50	58.7	57.4	117	115	80-123	2	20		
Isopropylbenzene (Cumene)	ug/L	<1.0	50	50	59.7	59.5	119	119	70-130	0	20		
m&p-Xylene	ug/L	<0.70	100	100	116	115	116	115	70-130	0	20		
Methyl-tert-butyl ether	ug/L	<1.1	50	50	46.5	46.2	93	92	66-130	1	20		
Methylene Chloride	ug/L	<0.32	50	50	49.6	49.7	99	99	70-130	0	20		
o-Xylene	ug/L	<0.35	50	50	57.6	57.2	115	114	70-130	1	20		
Styrene	ug/L	<0.36	50	50	59.7	59.7	119	119	70-130	0	20		
Tetrachloroethene	ug/L	<0.41	50	50	56.2	55.3	112	111	70-130	2	20		
Toluene	ug/L	<0.29	50	50	57.4	56.7	115	113	80-121	1	20		
trans-1,2-Dichloroethene	ug/L	<0.53	50	50	52.1	52.9	104	106	70-134	1	20		
trans-1,3-Dichloropropene	ug/L	<3.5	50	50	49.7	49.1	99	98	58-130	1	20		
Trichloroethene	ug/L	<0.32	50	50	53.4	54.2	107	108	70-130	1	20		
Trichlorofluoromethane	ug/L	<0.42	50	50	46.2	45.6	92	91	82-151	1	20		
Vinyl chloride	ug/L	<0.17	50	50	45.3	43.8	91	88	61-143	3	20		
Xylene (Total)	ug/L	<1.0	150	150	173	173	116	115	70-130	0	20		
1,2-Dichlorobenzene-d4 (S)	%						98	96	70-130				
4-Bromofluorobenzene (S)	%						98	98	70-130				
Toluene-d8 (S)	%						103	103	70-130				

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALIFIERS

Project: 1690019237 GORSKI LF

Pace Project No.: 40235044

DEFINITIONS

DF - Dilution Factor, if reported, represents the factor applied to the reported data due to dilution of the sample aliquot.

ND - Not Detected at or above LOD.

J - Estimated concentration at or above the LOD and below the LOQ.

LOD - Limit of Detection adjusted for dilution factor, percent moisture, initial weight and final volume.

LOQ - Limit of Quantitation adjusted for dilution factor, percent moisture, initial weight and final volume.

S - Surrogate

1,2-Diphenylhydrazine decomposes to and cannot be separated from Azobenzene using Method 8270. The result for each analyte is a combined concentration.

Consistent with EPA guidelines, unrounded data are displayed and have been used to calculate % recovery and RPD values.

LCS(D) - Laboratory Control Sample (Duplicate)

MS(D) - Matrix Spike (Duplicate)

DUP - Sample Duplicate

RPD - Relative Percent Difference

NC - Not Calculable.

SG - Silica Gel - Clean-Up

U - Indicates the compound was analyzed for, but not detected at or above the adjusted LOD.

N-Nitrosodiphenylamine decomposes and cannot be separated from Diphenylamine using Method 8270. The result reported for each analyte is a combined concentration.

Pace Analytical is TNI accredited. Contact your Pace PM for the current list of accredited analytes.

TNI - The NELAC Institute.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.


QUALITY CONTROL DATA CROSS REFERENCE TABLE

Project: 1690019237 GORSKI LF
Pace Project No.: 40235044

Lab ID	Sample ID	QC Batch Method	QC Batch	Analytical Method	Analytical Batch
40235044001	652R CTH B	EPA 8260	398518		
40235044002	642R CTH B	EPA 8260	398518		
40235044003	626 CTH B	EPA 8260	398518		
40235044004	669 CTH B	EPA 8260	398518		
40235044005	670 CTH B	EPA 8260	398518		
40235044006	1096 CTH KK	EPA 8260	398518		
40235044007	1101 CTH KK	EPA 8260	398518		
40235044008	1058 CTH KK	EPA 8260	398518		
40235044009	PZ-3	EPA 8260	398518		
40235044010	MW-4	EPA 8260	398518		
40235044011	MW-6	EPA 8260	398518		
40235044012	PZ-4	EPA 8260	398518		
40235044013	MW-4D	EPA 8260	398518		
40235044014	669 CTH BD	EPA 8260	398518		
40235044015	666 CTH B	EPA 8260	398518		
40235044016	1054 CTH KK	EPA 8260	398518		
40235044017	TRIP BLANK	EPA 8260	398518		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

 1241 Bellevue Street, Green Bay, WI 54302	Document Name: Sample Condition Upon Receipt (SCUR)	Document Revised: 26Mar2020
	Document No.: ENV-FRM-GBAY-0014-Rev.00	Author: Pace Green Bay Quality Office

Sample Condition Upon Receipt Form (SCUR)

Project #:

Client Name: Ramboll

WO#: **40235044**

Courier: CS Logistics Fed Ex Speedee UPS Waltco
 Client Pace Other: _____



Tracking #: 750.101221

Custody Seal on Cooler/Box Present: yes no Seals intact: yes no

Custody Seal on Samples Present: yes no Seals intact: yes no

Packing Material: Bubble Wrap Bubble Bags None Other

Thermometer Used SR-107 Type of Ice: Wet Blue Dry None

Samples on ice, cooling process has begun

Cooler Temperature Uncorr: 5 /Corr: 5

Person examining contents:

Temp Blank Present: yes no

Biological Tissue is Frozen: yes no

Date: 10/13/21 /Initials: ALW

Temp should be above freezing to 6°C.

Biota Samples may be received at ≤ 0°C if shipped on Dry Ice.

Labeled By Initials: ALW

Chain of Custody Present:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	1.
Chain of Custody Filled Out:	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A	2. <u>no phone, mail into 10/13/21 ALW</u>
Chain of Custody Relinquished:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	3.
Sampler Name & Signature on COC:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	4.
Samples Arrived within Hold Time:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	5.
- VOA Samples frozen upon receipt	<input type="checkbox"/> Yes <input type="checkbox"/> No	Date/Time:
Short Hold Time Analysis (<72hr):	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	6.
Rush Turn Around Time Requested:	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	7.
Sufficient Volume:		8.
For Analysis: <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No MS/MSD: <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A		
Correct Containers Used:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	9.
-Pace Containers Used:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	
-Pace IR Containers Used:	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	
Containers Intact:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	10.
Filtered volume received for Dissolved tests	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	11.
Sample Labels match COC:	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A	12. <u>OH: "947" 10/13/21 ALW</u>
-Includes date/time/ID/Analysis Matrix: <u>W</u>		
Trip Blank Present:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	13.
Trip Blank Custody Seals Present	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	
Pace Trip Blank Lot # (if purchased): <u>471</u>		

Client Notification/ Resolution:

If checked, see attached form for additional comments

Person Contacted: _____ Date/Time: _____

Comments/ Resolution: _____

PM Review is documented electronically in LIMs. By releasing the project, the PM acknowledges they have reviewed the sample logir