

Ms. Candace Sykora
Hydrogeologist – Remediation and Redevelopment
Wisconsin Department of Natural Resources
890 Spruce Street
Baldwin, WI 54002

**ANNUAL LANDFILL MONITORING REPORT
FORMER GORSKI LANDFILL, MOSINEE, WISCONSIN**

Dear Ms. Sykora:

February 23, 2022

This Annual Landfill Monitoring Report has been prepared by Ramboll US Consulting, Inc. (Ramboll) on behalf of an ad hoc group of parties (the "Group") associated with the former Gorski Landfill located in Mosinee, Wisconsin (Figure 1). Contact information for the involved parties is provided in Attachment A. Pursuant to the Wisconsin Department of Natural Resources (WDNR) correspondence dated February 17, 2017, regarding the former Gorski Landfill site, Ramboll has prepared this letter to document the annual landfill cover inspection and groundwater monitoring event that was conducted in October 2021. The methodology and results of these October 2021 activities are provided as follows.

Ramboll
234 W. Florida Street
Fifth Floor
Milwaukee, WI 53204
USA

T +1 414 837 3607
F +1 414 837 3608
www.ramboll.com

LANDFILL COVER INSPECTION

The annual landfill cover inspection was conducted by Ramboll on October 11, 2021, by traversing the entire site and observing the surface of the cover for evidence of erosion and exposed waste materials. The adequacy of the cover integrity was reviewed. Photographs were also taken to document site conditions. No exposed waste materials and no erosion of the vegetated landfill cover was observed. Based on the results of the October 2021 landfill cover inspection, the condition of the landfill cover is concluded to be consistent with its designed intent such that repairs to the landfill cover are not necessary at this time.

Ref. 1690023987

MONITORING WELL SAMPLES

In conformance with the February 2017 WDNR correspondence, the following monitoring wells in the vicinity of the former landfill were sampled in October 2021 as part of the annual landfill monitoring event: MW-4, MW-6, PZ-3, and PZ-4 (Figure 2). The groundwater samples collected from these monitoring wells were submitted to Pace Analytical Services, Inc. (Pace) of Green Bay, Wisconsin, a Wisconsin-certified laboratory, and the laboratory reports are provided in Attachment B. The groundwater samples were analyzed for volatile organic compounds (VOCs) and the following field parameters: groundwater elevation, temperature, specific conductivity, pH, oxidation-reduction potential (ORP), and dissolved oxygen (DO).

The results of field parameter analyses are summarized in Table 1. As shown in Table 1, the measured temperatures of the October 2021 groundwater samples ranged from 12.4 to 13.5 degrees Celsius (54 to 56 degrees Fahrenheit). The

October 2021 groundwater samples revealed pH values that ranged from 5.85 to 6.06, and specific conductivity values ranged from 44 to 173 microsiemens (μs).

DO concentrations ranged from 4.21 to 9.90 milligrams per liter (mg/L), and ORP values ranged from +82 to +170 millivolts (mV). Some degree of reductive dechlorination may occur at DO concentrations as high as 5 mg/L and ORP values as high as +50 mV (United States Environmental Protection Agency [USEPA], 1998: "Technical Protocol for Evaluating Natural Attenuation of Chlorinated Solvents in Groundwater," EPA/600/R-98/128). Based on the detected DO and ORP values, however, the groundwater monitoring information lead to the conclusion that groundwater within the vicinity of the former Gorski Landfill is generally aerobic and not highly favorable for naturally occurring reductive dechlorination of more halogenated chlorinated volatile organic compounds (CVOCs) such as tetrachloroethene (PCE) and trichloroethene (TCE). Lesser halogenated VOCs such as vinyl chloride (VC), however, can be biodegraded in an aerobic environment.

Previous *Annual Groundwater Monitoring Reports* have included evaluations of PCE, TCE, cis-1,2-dichloroethene (cDCE), and VC concentration trends for the monitoring wells by using the Mann-Kendall Statistical Test for Trends, as formerly recommended by the WDNR for evaluating natural attenuation processes. Per current WDNR guidance, the Mann-Whitney U Test should be conducted by assembling well data for the most recent eight consecutive quarterly or semi-annual sampling events for each contaminant that has exceeded the Wisconsin Administrative Code (WAC) NR 140 Enforcement Standard (ES) at one or more monitoring wells. Because the monitoring well sampling frequency was modified from semi-annual to annual in 2011, the October 2021 groundwater sampling event was not preceded by consecutive quarterly or semi-annual sampling events. Post-2011 groundwater monitoring results have therefore not been analyzed using the Mann-Whitney U Test. As such, qualitative discussions of the October 2021 groundwater sampling results (Table 2, Figure 3, and Attachment B) are provided as follows:

- At deep on-site monitoring well PZ-3, concentrations of TCE, cDCE, trans-1,2-dichloroethene (tDCE), and VC have been generally decreasing since 2009. The October 2021 groundwater sample contained 1.1 micrograms per liter ($\mu\text{g}/\text{L}$) TCE, which is above the WAC NR 140 Preventive Action Limit (PAL) (0.5 $\mu\text{g}/\text{L}$) but less than the WAC NR 140 ES (5 $\mu\text{g}/\text{L}$). The October 2021 groundwater sample also contained 7.4 $\mu\text{g}/\text{L}$ cDCE, which is just above the WAC NR 140 PAL (7 $\mu\text{g}/\text{L}$) but less than the WAC NR 140 ES (70 $\mu\text{g}/\text{L}$). The TCE concentration has not exceeded the WAC NR 140 ES (5 $\mu\text{g}/\text{L}$) since October 2013, and the cDCE concentration has not exceeded the WAC NR 140 ES (70 $\mu\text{g}/\text{L}$) since October 2014. VC has not been detected since October 2014.
- At shallow off-site monitoring well MW-4, historical TCE concentrations have ranged from <0.13 to 14.9 $\mu\text{g}/\text{L}$ and have remained less than 10 $\mu\text{g}/\text{L}$ since July 2008. The October 2021 groundwater sample contained 4.1 $\mu\text{g}/\text{L}$ of TCE, which is above the WAC NR 140 PAL (0.5 $\mu\text{g}/\text{L}$) but less than the WAC NR 140 ES (5 $\mu\text{g}/\text{L}$). The October 2021 groundwater sample also contained 0.71¹ $\mu\text{g}/\text{L}$ cDCE, which is below the WAC NR 140 PAL (7 $\mu\text{g}/\text{L}$) and consistent with historical results has remained below the WAC NR 140 PAL.
- At off-site shallow monitoring well MW-6, detected concentrations of TCE have been generally decreasing since 2009. The October 2021 groundwater sample contained a TCE concentration of 4.1 $\mu\text{g}/\text{L}$, which is above the WAC NR 140 PAL (0.5 $\mu\text{g}/\text{L}$) but less than the WAC NR 140 ES (5 $\mu\text{g}/\text{L}$). The October 2021 sample contained cDCE at an estimated concentration of 2.1 $\mu\text{g}/\text{L}$, which is below the WAC NR 140 PAL (7 $\mu\text{g}/\text{L}$) and consistent with historical results has remained below the WAC NR 140 PAL.

¹ Estimated value between limit of detection and limit of quantification.

- At deep monitoring well PZ-4 adjacent to MW-6, concentrations of TCE have been generally decreasing since 2010. The October 2021 groundwater sample contained 5.6 µg/L TCE, which is above the WAC NR 140 PAL (0.5 µg/L) and the WAC NR 140 ES (5 µg/L), slightly above the lower end of the historical TCE concentration range of 3.7 to 21.6 µg/L. The October 2021 sample contained 1.3 µg/L cDCE, which consistent with historical results has remained below the WAC NR 140 PAL (7 µg/L).

Based on the October 2021 groundwater monitoring results, a slight exceedance of the WAC NR 140 ES for TCE was detected in the groundwater sample from one monitoring well (5.6 µg/L at PZ-4). No other exceedances of WAC NR 140 ES values were detected. The continued overall decreasing CVOC concentrations support the conclusion that the residual (low parts per billion) CVOCs in groundwater are naturally attenuating.

RESIDENTIAL WELL SAMPLES

In conformance with the February 2017 WDNR correspondence, the following residential wells were sampled in October 2021 as part of the annual landfill monitoring event: 626 CTHB, 642R CTH B, 652R CTH B, 666 CTH B, 669 CTH B, 670 CTHB, 1054 CTHKK, 1058 CTHKK, 1096 CTHKK, and 1101 CTHKK. The water samples obtained from the residential wells were submitted to the Wisconsin-certified laboratory and were analyzed for VOCs, the results of which are provided in Attachment B and summarized in Table 3.

As shown in Table 3, only one of the October 2021 residential well water samples contained a single detectable VOC concentration. The residential well water sample collected from 669 CTH B contained TCE at a laboratory-qualified estimated concentration of 0.33J µg/L, which is below the WAC NR 140 PAL (0.5 µg/L) and the WAC NR 140 ES (5 µg/L). This estimated October 2019 TCE concentration is also below the Safe Drinking Water Act Maximum Contaminant Level (MCL) for TCE of 5 µg/L. The October 2021 sample results are consistent with previous groundwater sample results from local residential wells, which have generally not contained detectable VOC concentrations.

SUMMARY OF SITE CONDITIONS

On-Site Receptors

Sediment quality was evaluated through the collection and laboratory analysis of sediment samples from surface waters immediately adjacent to the former landfill as part of the AECOM WAC NR 716 Site Investigation that was conducted in 2003. The occurrence of waste materials and possible leachate seeps at the landfill site were also evaluated at that time.

Field observations during the 2003 site investigation activities and a May 2006 site visit revealed the presence of several small, isolated areas of exposed non-soil materials (mainly metallic debris) within the former Gorski Landfill footprint. During both the 2003 and 2006 site investigations, leachate seeps were not observed by AECOM such that no leachate samples were collected. Two sediment samples collected from areas of standing water within the former landfill limits in 2003 revealed detected concentrations of arsenic, barium, chromium, and lead that were within their respective observed ranges of naturally-occurring concentrations in soils. Detected concentrations of cadmium were substantially lower than the non-industrial land use WAC NR 720 direct contact Residual Contaminant Level (RCL). Moreover, the former Gorski Landfill was reportedly covered with 8 to 12 inches of decomposed granite after landfilling activities ceased in approximately 1976. In addition, waste mitigation activities were completed in June and July 2010. The presence of the 8 to 12-inch layer of decomposed granite followed by imported clean fill and vegetation in 2010 over the former landfill serves to restrict completion of the direct contact pathway.

Based on toxicity, concentration, and frequency of detection, the remaining constituents of interest in groundwater near the former Gorski Landfill site are TCE, and to a lesser degree cDCE. Historically, the most heavily impacted well was PZ-3, which is located on site. As shown in Table 2, TCE and cDCE concentrations in groundwater samples obtained from well PZ-3 have been decreasing since 2006. The detected TCE concentrations historically ranged as high as 356 µg/L in 2006 but declined to 1.1 µg/L as of October 2021, which is less than its WAC NR 140 ES value of 5 µg/L. Based on the October 2021 groundwater monitoring results, no VOCs other than TCE and cDCE were detected at concentrations greater than WAC NR 140 PAL values at well PZ-3. It can therefore be concluded that the source of TCE in groundwater at the landfill has been substantially depleted, and the downgradient residual TCE concentrations (4.1 to 5.6 µg/L at wells MW-4, MW-6, and PZ-4 as shown on Figure 3) should continue to decline in response to the upgradient source depletion.

As shown on Figure 3, none of the October 2021 groundwater samples contained cDCE concentrations greater than the WAC NR 140 ES of 70 µg/L. The maximum cDCE concentration was detected in the groundwater sample from on-site well PZ-3, which contained 7.4 µg/L. None of the other monitoring wells within the site vicinity exceeded the WAC NR 140 PAL of 7 µg/L for cDCE. As with TCE, cDCE concentrations in groundwater samples obtained from well PZ-3 have substantially decreased since 2006 (from 4,300 µg/L in 2006 to 7.4 µg/L in October 2021). It can therefore be concluded that:

- reductive dechlorination of the depleted source of TCE in groundwater at the landfill (1.1 µg/L at PZ-3) has likely contributed to a residual on-site concentration of 7.4 µg/L of degradation product cDCE (well below the ES of 70 µg/L); and
- downgradient residual cDCE concentrations (0.71J to 2.1 µg/L at wells MW-4, MW-6, and PZ-4 as shown in Table 2), which are already less than the WAC NR 140 PAL of 7 µg/L, should continue to decline in response to the upgradient source depletion.

Off-Site Receptors

Two replacement water-supply wells were installed in April 2007 in the northeast portion of the adjacent east property (St. Paul's Cemetery) to provide potable groundwater for the 642 and 652 CTH B residences. The existing water-supply wells on the 642 and 652 CTH B properties were abandoned in June 2007, and the properties were connected via water supply pipeline to the new off-site water-supply wells. The replacement private wells are identified as 642R and 652R CTH B on Figure 2. Since the replacement of these water-supply wells in April 2007, none of the water samples obtained from any of the residential wells identified in Table 3 have contained concentrations of any analyzed parameter greater than its respective USEPA Safe Drinking Water Act MCL.

The Mosinee Flowage, located approximately 2,000 feet to the east of the former Gorski Landfill site, represents a potential surface water receptor. Possible impact to the Mosinee Flowage was evaluated as part of the 2003 WAC NR 716 Site Investigation through the installation and sampling of monitoring wells MW-2, MW-3, MW-4, and PZ-2, and as part of the 2006 to 2008 Supplemental Site Investigation through the installation and sampling of monitoring wells MW-6 and PZ-4 (as well as monitoring of previously-installed monitoring wells MW-2, MW-3, MW-4, and PZ-2).

Remedial objectives for surface water in the downgradient Mosinee Flowage are contained in WAC NR 105.08 non-public water supply surface water quality human threshold criteria, and WAC NR 105.09 human cancer criteria. The probable site-specific remedial objectives are located under the surface water classification

"Warm Water Forage, Limited Forage, and Warm Water Sport Fish Communities." Based on concentration, toxicity and frequency of detection, TCE was selected as the constituent of concern for the purpose of evaluating the extent of affected groundwater within the vicinity of the former Gorski Landfill. The applicable WAC NR 105 non-public water supply human cancer criterion for TCE is 539 µg/L. The greatest detected TCE concentration in a monitoring well near the Mosinee Flowage occurred at well PZ-4 in October 2010 (21.6 µg/L TCE). This maximum detected TCE concentration at PZ-4 is substantially lower than the WAC NR 105 surface water quality human cancer criterion for TCE. Moreover, the residual TCE concentrations at well PZ-4 have steadily declined from 21.6 µg/L in October 2010 to 5.6 µg/L in October 2021 (as shown in Table 2). Similar declines in TCE concentrations have been observed at the other two downgradient monitoring wells MW-4 (14.9 µg/L in 2008 to 4.1 µg/L in October 2021) and MW-6 (23.9 µg/L in 2006 to 4.1 µg/L in October 2021).

WDNR vapor intrusion guidance for CVOCs indicates that the vapor intrusion pathway should be investigated if any of the following conditions are met:

- The building of interest is located over a CVOC source.
- The building is located within 100 feet of a VOC source that has the potential to enter preferential pathways that connect to the building.
- The building overlies a groundwater plume that exceeds WAC NR 140 ES concentrations.
- Groundwater with CVOC concentrations that exceed WAC NR 140 PAL values is entering the building or is in contact with the building foundation or sump.
- Vapors have the potential to enter preferential pathways that connect to the building.

As none of the conditions identified above have been met, Ramboll concludes that an investigation of the vapor intrusion pathway is not warranted near the site, based on the available groundwater quality data and WDNR guidance.


CONCLUSIONS AND RECOMMENDATIONS

Based on the presence of the 8 to 12-inch layer of decomposed granite followed by imported clean fill and vegetation in 2010 over the former landfill, the sole slight exceedance of the ES value for TCE detected in the October 2021 groundwater sample from monitoring well PZ-4, and the decreasing CVOC concentrations in the collected groundwater samples since 2006, Ramboll concludes that natural attenuation processes are occurring, and that regulatory case closure is appropriate for the former Gorski Landfill site. Based on the slight exceedance of the ES value for TCE at well PZ-4, the regulatory case closure would be subject to the provisions that: 1) the site would be included on the WDNR geographic information system (GIS) Registry of Closed Remediation Sites; 2) the landfill cover be maintained consistent with its designed intent; and 3) in the event of future site development, evaluation of the vapor intrusion pathway would be conducted in accordance with WAC NR 700.

Ramboll respectfully requests WDNR's concurrence that natural attenuation processes are occurring to the extent that regulatory case closure in accordance with WAC NR 726 can be requested for the former Gorski Landfill site, subject to the two provisions identified above. Upon receipt of regulatory case closure, existing monitoring wells MW-4, MW-6, PZ-3, and PZ-4 would be abandoned in accordance with WAC NR 141.

If you have any questions regarding the information contained herein, please feel free to contact us. Thank you very much for your assistance with this matter.

Yours sincerely,



Mark M. Mejac, PG

Senior Managing Consultant

D 262 901 0127

mmejac@ramboll.com



Jeanne M. Tarvin, PG, CPG

E&H Americas Country Market Director

D 262 901 0085

jtarvin@ramboll.com

Enclosures

cc: Ms. Tracey Driessen, Essity
Mr. Jeff Gates, City of Mosinee
Mr. Troy Williams , CNH Industrial

TABLES

TABLE 1
FIELD PARAMETER RESULTS OF GOUNDWATER SAMPLES
FORMER GORSKI LANDFILL, MOSINEE, WI
RAMBOLL PROJECT NO. 1690019237

Well Location	Sample Date	Top of PVC Elevation	Depth to Groundwater	Potentiometric Surface (MSL)	pH	ORP (mV)	Temperature (°C)	Specific Conductivity @ 25°C (µs)	Dissolved Oxygen (ppm)
MW-1	7/27/2006	1,177.31	12.91	1,164.40	4.80	128	12.3	470	3
	10/17/06	1,177.31	11.52	1,165.79	5.65	211	12.6	290	4
	1/18/07	1,177.31	10.32	1,166.99	5.30	129	8.0	410	5
	4/17/07	1,177.31	9.95	1,167.36	5.32	149	8.4	310	8
	7/19/07	1,177.31	12.68	1,164.63	5.49	141	13.9	560	5
	10/23/07	1,177.31	10.26	1,167.05	5.46	162	12.1	590	4
	2/6/08	1,177.31	NS	NS	NS	NS	NS	NS	NS
	4/29/08	1,177.31	8.86	1,168.45	5.68	209	7.2	330	9
	7/28/08	1,177.31	10.71	1,166.60	6.44	193	14.3	320	6
	10/22/08	1,177.31	13.60	1,163.71	5.76	180	11.9	650	5
	1/8/09	1,177.31	13.98	1,163.33	6.25	200	8.0	590	4
	10/17/09	1,177.31	12.73	1,164.58	6.63	209	11.4	710	4
	4/1/10	1,177.31	14.08	1,163.23	NS	NS	NS	NS	NS
	10/25/10	1,177.31	10.55	1,166.76	5.38	211	12.6	580	3
	10/25/11	1,177.31	11.51	1,165.80	5.50	391	10.46	450	3
	10/23/12	1,177.31	13.17	1,164.14	5.17	205	12.29	452	3
	10/21/13	1,177.31	10.20	1,167.11					Abandoned 10-21-2013
MW-2	7/27/2006	1,156.24	17.27	1,138.97	5.09	168	11.1	40	8
	10/17/06	1,156.24	17.45	1,138.79	5.75	238	11.5	40	3
	1/16/07	1,156.24	16.77	1,139.47	5.76	178	8.5	60	6
	4/18/07	1,156.24	16.18	1,140.06	5.64	240	9.1	80	8
	7/17/07	1,156.24	17.41	1,138.83	6.01	229	10.8	60	6
	10/25/07	1,156.24	16.70	1,139.54	5.67	105	10.9	60	7
	2/7/08	1,156.24	17.95	1,138.29	5.85	20	7.4	60	NS
	4/28/08	1,156.24	14.30	1,141.94	6.35	160	6.6	40	8
	7/28/08	1,156.26	16.40	1,139.86	7.10	163	11.0	80	9
	10/22/08	1,156.26	17.36	1,138.90	5.76	118	10.3	80	8
	1/9/09	1,156.26	18.05	1,138.21	5.81	90	8.3	90	5
	10/18/09	1,156.26	17.72	1,138.54	6.46	235	11.5	80	4
	4/1/10	1,156.26	17.12	1,139.14	7.53	50	11.2	60	7
	10/25/10	1,156.26	15.61	1,140.65	6.04	196	11.9	110	4
	10/24/11	1,156.26	17.25	1,139.01	6.68	300	17.87	50	7
	10/24/12	1,156.26	17.95	1,138.31	5.01	183	12.03	59	6
	10/21/13	1,156.26	16.55	1,139.71	4.45	200	9.5	61	7
	10/8/2014	1,156.26	15.70	1,140.56	5.83	100	10.19	36	10.40
	10/7/2015	1,156.26	17.29	1,138.97	5.67	121	11.94	92	8.50
	10/18/2016	1,156.26	16.63	1,139.63	5.44	109	12.05	49	9.54
	10/24/2017								Abandoned 10-24-2017
MW-3	7/27/2006	1,156.19	16.68	1,139.51	4.97	198	9.8	460	4
	10/17/06	1,156.19	17.08	1,139.11	5.42	275	10.4	210	3
	1/18/07	1,156.19	16.45	1,139.74	5.47	124	7.9	520	5
	4/17/07	1,156.19	15.43	1,140.76	5.38	353	9.1	580	7
	7/17/07	1,156.19	16.91	1,139.28	5.83	190	10.3	440	7
	10/23/07	1,156.19	17.30	1,138.89	5.44	206	8.8	800	6
	2/6/08	1,156.19	17.65	1,138.54	5.54	182	8.1	800	5
	4/28/08	1,156.19	13.06	1,143.13	5.80	189	7.0	1000	8
	7/28/08	1,156.19	15.61	1,140.58	6.90	171	10.4	390	8
	10/23/08	1,156.19	17.11	1,139.08	5.61	189	8.4	500	7
	1/8/09	1,156.19	17.05	1,139.14	6.65	220	8.0	590	6
	10/18/09	1,156.19	17.42	1,138.77	6.35	181	8.1	800	5
	4/1/10	1,156.19	14.08	1,142.11	NS	NS	NS	NS	NS
	10/22/10	1,156.19	14.42	1,141.77	6.11	203	10.9	690	5
	10/24/11	1,156.19	17.25	1,138.94	5.88	248	14.24	430	5
	10/24/12	1,156.19	17.68	1,138.51	5.30	166	10.77	366	6
	10/21/13	1,156.19	18.10	1,138.09					Abandoned 10-21-2013

TABLE 1
FIELD PARAMETER RESULTS OF GOUNDWATER SAMPLES
FORMER GORSKI LANDFILL, MOSINEE, WI
RAMBOLL PROJECT NO. 1690019237

Well Location	Sample Date	Top of PVC Elevation	Depth to Groundwater	Potentiometric Surface (MSL)	pH	ORP (mV)	Temperature (°C)	Specific Conductivity @ 25°C (µs)	Dissolved Oxygen (ppm)
MW-4	7/27/2006	1,155.34	16.82	1,138.52	5.21	150	11.0	90	5
	10/17/06	1,155.34	16.86	1,138.48	5.73	232	11.4	70	5
	1/16/07	1,155.34	15.98	1,139.36	5.70	141	8.6	70	5
	4/18/07	1,155.34	15.61	1,139.73	6.14	202	9.7	110	5
	7/17/07	1,155.34	17.02	1,138.32	6.22	196	12.1	80	8
	10/25/07	1,155.34	15.90	1,139.44	5.74	110	11.3	90	6
	2/6/08	1,155.34	17.35	1,137.99	5.98	158	8.3	120	6
	4/29/08	1,155.34	14.83	1,140.51	6.23	133	9.1	110	6
	7/28/08	1,155.34	15.95	1,139.39	7.48	175	11.9	60	8
	10/22/08	1,155.34	16.71	1,138.63	5.85	103	10.6	70	8
	1/8/09	1,155.34	17.52	1,137.82	7.19	170	8.2	110	5
	10/19/09	1,155.34	17.12	1,138.22	6.63	181	11.3	80	4
	4/1/10	1,155.34	16.21	1,139.13	6.99	158	11.51	50	7
	10/25/10	1,155.34	15.50	1,139.84	5.93	168	11.9	100	5
	10/25/11	1,155.34	16.62	1,138.72	7.99	316	10.40	80	7
	10/24/12	1,155.34	17.35	1,137.99	5.38	168	12.11	106	7
	10/21/13	1,155.34	15.93	1,139.41	5.30	134	10.55	97	6
	10/8/2014	1,155.34	15.46	1,139.88	5.80	141	11.38	91	7.76
	10/7/2015	1,155.34	16.68	1,138.66	5.94	114	12.12	47	10.74
	10/18/2016	1,155.34	16.00	1,139.34	5.64	130	11.47	93	7.40
	10/24/2017	1,155.34	19.05	1,136.29	5.62	148	9.89	68	9.77
	10/24/2018	1,155.34	15.05	1,140.29	5.89	167	18.39	65	8.78
	10/21/2019	1,155.34	15.05	1,140.29	5.08	203	10.42	88	8.07
	10/23/2020	1,155.34	16.33	1,139.01	6.06	227	9.1	88.4	9.04
	10/11/2021	1,155.34	15.90	1,139.44	5.85	170.1	12.37	44.26	9.75
MW-5	7/26/2006	1,197.85	17.85	1,180.00	5.21	150	11.0	90	5
	10/18/06	1,197.85	16.98	1,180.87	5.76	216	9.7	110	4
	1/17/07	1,197.85	13.77	1,184.08	5.38	262	8.2	180	4
	4/17/07	1,197.85	12.03	1,185.82	5.39	195	9.3	80	7
	7/19/07	1,197.85	15.91	1,181.94	5.95	280	12.2	110	6
	10/23/07	1,197.85	12.92	1,184.93	5.54	181	12.5	100	6
	2/6/08	1,197.85	19.47	1,178.38	5.87	180	7.4	110	5
	4/29/08	1,197.85	10.42	1,187.43	5.70	165	6.7	90	7
	7/29/08	1,197.85	13.67	1,184.18	6.57	176	12.6	80	8
	10/23/08	1,197.85	20.39	1,177.46	5.70	197	12.1	80	6
	1/8/09	1,197.85	21.72	1,176.13	6.84	172	7.9	100	6
	10/17/09	1,197.85	14.15	1,183.70	6.74	107	9.8	290	5
	4/1/10	1,197.85	11.51	1,186.34	5.60	142	11.21	220	6
	10/27/10	1,197.85	12.22	1,185.63	5.39	93	12.5	320	5
	10/24/11	1,197.85	13.76	1,184.09	5.36	355	13.63	100	3
	10/23/12	1,197.85	12.43	1,185.42	4.70	162	13.50	144	4
	10/21/13	1,197.85	11.24	1,186.61	4.94	250	11.97	170	4
	10/7/2014	1,197.85	11.15	1,186.70	5.41	110	12.80	131	6.10
	10/7/2015	1,197.85	14.41	1,183.44	5.43	103	13.10	144	6.38
	10/18/2016	1,197.85	13.45	1,184.40	5.16	200	13.65	128	5.2
	10/24/2017						Abandoned 10-24-2017		
MW-6	7/26/2006	1,154.92	16.33	1,138.59	5.21	150	11.0	90	5
	10/17/06	1,154.92	16.45	1,138.47	5.69	125	11.8	80	5
	1/16/07	1,154.92	15.68	1,139.24	6.11	150	9.6	80	5
	4/17/07	1,154.92	15.05	1,139.87	5.82	253	10.8	100	6
	7/17/07	1,154.92	16.58	1,138.34	4.46	212	12.8	90	7
	10/25/07	1,154.92	16.20	1,138.72	5.88	113	11.3	100	6
	2/7/08	1,154.92	16.89	1,138.03	5.89	73	7.4	140	NS
	4/28/08	1,154.92	19.06	1,135.86	6.11	123	6.6	110	8
	7/28/08	1,154.92	15.17	1,139.75	7.40	160	13.0	50	7
	10/22/08	1,154.92	16.35	1,138.57	6.02	133	10.5	90	6
	1/8/09	1,154.92	17.05	1,137.87	6.23	153	9.5	110	4
	10/18/09	1,154.92	16.68	1,138.24	6.19	183	10.8	80	3
	4/1/10	1,154.92	17.02	1,137.90	6.80	86	10.8	100	8
	10/25/10	1,154.92	14.91	1,140.01	6.00	169	12.1	60	3
	10/24/11	1,154.92	13.76	1,141.16	6.15	270	14.34	60	8
	10/24/12	1,154.92	16.90	1,138.02	5.47	143	12.11	94	7
	10/21/13	1,154.92	15.51	1,139.41	5.28	141	10.70	97	6
	10/8/2014	1,154.92	14.88	1,140.04	5.75	101	11.00	77	10.03
	10/7/2015	1,154.92	16.27	1,138.65	5.87	132	11.79	102	9.90
	10/18/2016	1,154.92	15.57	1,139.35	5.89	118	11.77	81	9.19
	10/24/2017	1,154.92	17.62	1,137.30	5.66	150	9.77	99	8.53
	10/24/2018	1,154.92	14.40	1,140.52	5.71	196	12.99	60	13.00
	10/21/2019	1,154.92	14.41	1,140.51	4.87	163	10.49	99	8.57
	10/23/2020	1,154.92	15.92	1,139.00	5.96	210	9.7	75.5	9.63
	10/11/2021	1,154.92	15.40	1,139.52	5.94	147.3	12.53	68.09	9.90

TABLE 1
FIELD PARAMETER RESULTS OF GOUNDWATER SAMPLES
FORMER GORSKI LANDFILL, MOSINEE, WI
RAMBOLL PROJECT NO. 1690019237

Well Location	Sample Date	Top of PVC Elevation	Depth to Groundwater	Potentio metric Surface (MSL)	pH	ORP (mV)	Temperature (°C)	Specific Conductivity @ 25°C (µs)	Dissolved Oxygen (ppm)
PZ-1	7/27/2006	1,194.22	16.73	1,177.49	5.71	194	10.6	110	4
	10/17/06	1,194.22	17.38	1,176.84	6.17	221	9.0	240	5
	1/17/07	1,194.22	14.20	1,180.02	6.07	143	7.9	340	5
	4/18/07	1,194.22	13.32	1,180.90	6.34	196	9.1	270	7
	7/19/07	1,194.22	16.25	1,177.97	6.21	166	14.9	410	5
	10/24/07	1,194.22	13.00	1,181.22	6.04	121	9.9	200	7
	2/6/08	1,194.22	19.03	1,175.19	6.09	170	7.4	190	7
	4/29/08	1,194.22	11.58	1,182.64	6.26	187	7.7	250	8
	7/29/08	1,194.22	14.42	1,179.80	6.90	192	14.8	150	7
	10/23/08	1,194.22	21.51	1,172.71	5.85	157	9.2	170	6
	1/9/09	1,194.22	23.66	1,170.56	6.43	163	7.7	370	5
	10/17/09	1,194.22	16.80	1,177.42	7.91	139	9.8	290	6
	4/1/10	1,194.22	14.01	1,180.21	6.03	161	11.0	260	5
	10/27/10	1,194.22	15.45	1,178.77	5.75	117	9.3	240	5
	10/25/11	1,194.22	15.71	1,178.51	5.67	364	8.91	360	7
	10/23/12	1,194.22	15.52	1,178.70	5.24	189	11.16	293	6
	10/21/13	1,194.22	13.50	1,180.72	5.91	201	9.47	211	3
	10/7/2014	1,194.22	13.38	1,180.84	5.85	81	12.49	335	5.21
	10/7/2015	1,194.22	16.65	1,177.57	5.74	124	10.49	311	6.81
	10/19/2016	1,194.22	15.73	1,178.49	5.70	197	11.45	275	5.74
	10/24/2017								
Abandoned 10-24-2017									
PZ-2	7/27/2006	1,156.40	17.44	1,138.96	5.71	194	10.6	110	4
	10/17/06	1,156.40	17.60	1,138.80	5.83	198	10.8	110	4
	1/16/07	1,156.40	17.01	1,139.39	6.28	102	7.8	120	5
	4/18/07	1,156.40	16.22	1,140.18	6.37	108	10.2	140	6
	7/17/07	1,156.40	17.65	1,138.75	5.78	120	11.1	110	5
	10/25/07	1,156.40	16.62	1,139.78	5.75	64	10.1	120	5
	2/7/08	1,156.40	18.15	1,138.25	6.31	15	7.5	110	NS
	4/28/08	1,156.40	14.51	1,141.89	6.61	143	7.2	170	4
	7/28/08	1,156.40	16.52	1,139.88	6.99	151	11.4	100	8
	10/22/08	1,156.40	17.50	1,138.90	5.81	110	9.6	130	4
	1/9/09	1,156.40	18.11	1,138.29	6.01	131	8.2	120	5
	10/18/09	1,156.40	17.82	1,138.58	6.59	165	10.4	130	4
	4/1/10	1,156.40	17.00	1,139.40	7.60	62	11.3	120	3
	10/25/10	1,156.40	15.74	1,140.66	6.50	135	11.9	110	4
	10/24/11	1,156.40	17.41	1,138.99	6.77	152	17.35	120	1
	10/24/12	1,156.40	18.11	1,138.29	5.79	52	9.35	127	7
	10/21/12	1,156.40	16.69	1,139.71	5.79	49	9.14	128	0.29
	10/8/2014	1,156.40	15.90	1,140.50	6.38	39	9.46	101	0.64
	10/7/2015	1,156.40	17.45	1,138.95	6.54	102	10.80	111	10.40
	10/18/2016	1,156.40	16.81	1,139.59	6.64	-22.1	9.88	103	0.29
	10/24/2017								
Abandoned 10-24-2017									
PZ-3	7/26/2006	1,197.98	34.85	1,163.13	5.71	194	10.6	110	4
	10/17/06	1,197.98	26.81	1,171.17	6.56	139	8.9	250	5
	1/17/07	1,197.98	23.73	1,174.25	6.13	235	7.6	500	5
	4/17/07	1,197.98	22.45	1,175.53	6.31	150	10.6	360	3
	7/19/07	1,197.98	27.13	1,170.85	6.20	260	12.4	480	5
	10/24/07	1,197.98	22.95	1,175.03	6.00	128	9.9	410	6
	2/6/08	1,197.98	28.73	1,169.25	6.28	208	5.5	320	6
	4/29/08	1,197.98	20.45	1,177.53	6.40	128	7.8	510	5
	7/29/08	1,197.98	24.11	1,173.87	6.65	210	12.8	330	5
	10/23/08	1,197.98	29.95	1,168.03	5.96	145	11.9	410	6
	1/9/09	1,197.98	31.02	1,166.96	6.33	210	7.6	560	5
	10/17/09	1,197.98	26.60	1,171.38	5.66	145	11.4	140	4
	4/1/10	1,197.98	22.80	1,175.18	6.35	144	11.4	110	4
	10/27/10	1,197.98	23.70	1,174.28	6.09	160	10.8	150	4
	10/24/11	1,197.98	22.38	1,175.60	6.22	184	12.48	2320	2
	10/23/12	1,197.98	23.66	1,174.32	5.41	127	11.19	212	5
	10/21/14	1,197.98	19.85	1,178.13	5.84	98	8.41	170	4
	10/7/2014	1,197.98	19.81	1,178.17	6.24	60.7	10.26	131	2.92
	10/7/2015	1,197.98	23.13	1,174.85	6.41	97.5	11.17	147	4.40
	10/19/2016	1,197.98	22.10	1,175.88	5.96	165	11.29	169	7.31
	10/24/2017	1,197.98	20.88	1,177.10	5.67	115	10.34	212	4.53
	10/24/2018	1,197.98	17.82	1,180.16	5.91	-4	14.43	157	4.32
	10/21/2019	1,197.98	18.85	1,179.13	5.68	130	11.90	200	1.97
	10/23/2020	1,197.98	22.02	1,175.96	6.40	148	10.4	190	4.10
	10/11/2021	1,197.98	21.65	1,176.33	5.91	82.1	13.52	172.73	4.21

TABLE 1
FIELD PARAMETER RESULTS OF GOUNDWATER SAMPLES
FORMER GORSKI LANDFILL, MOSINEE, WI
RAMBOLL PROJECT NO. 1690019237

Well Location	Sample Date	Top of PVC Elevation	Depth to Groundwater	Potentiometric Surface (MSL)	pH	ORP (mV)	Temperature (°C)	Specific Conductivity @ 25°C (µs)	Dissolved Oxygen (ppm)
PZ-4	7/26/2006	1,155.27	16.60	1,138.67	5.71	194	10.6	110	4
	10/17/06	1,155.27	16.68	1,138.59	5.97	302	10.8	90	5
	1/16/07	1,155.27	15.95	1,139.32	5.92	116	9.1	110	5
	4/18/07	1,155.27	15.51	1,139.76	6.14	262	11.0	130	6
	7/17/07	1,155.27	18.80	1,136.47	5.52	131	11.2	80	7
	10/25/07	1,155.27	15.97	1,139.30	5.70	135	10.5	90	6
	2/7/08	1,155.27	17.22	1,138.05	6.25	98	8.1	130	NS
	4/28/08	1,155.27	14.20	1,141.07	6.27	121	8.2	130	7
	7/28/08	1,155.27	15.69	1,139.58	6.72	152	11.6	100	8
	10/22/08	1,155.27	16.61	1,138.66	5.68	148	9.9	110	7
	1/9/09	1,155.27	17.25	1,138.02	6.01	165	8.7	130	5
	10/18/09	1,155.27	16.94	1,138.33	6.21	152	10.2	100	4
	4/1/10	1,155.27	16.09	1,139.18	7.16	135	10.61	130	6
	10/22/10	1,155.27	15.22	1,140.05	6.09	160	10.8	150	4
	10/24/11	1,155.27	16.50	1,138.77	6.13	298	12.76	110	7
	10/24/12	1,155.27	17.17	1,138.10	5.56	143	10.40	110	7
	10/21/13	1,155.27	15.80	1,139.47	5.32	126	9.82	137	5
	10/8/2014	1,155.27	15.23	1,140.04	5.85	64.4	10.06	112	7.77
	10/7/2015	1,155.27	16.54	1,138.73	6.02	122.2	10.81	122	11.55
	10/18/2016	1,155.27	15.85	1,139.42	6.02	81	10.54	112	8.06
	10/24/2017	1,155.27	15.42	1,139.85	5.74	158	8.95	107	8.17
	10/24/2018	1,155.27	14.77	1,140.50	5.89	182	15.91	89	6.75
	10/21/2019	1,155.27	14.70	1,140.57	5.36	199	10.42	116	7.57
	10/23/2020	1,155.27	16.22	1,139.05	6.04	188	9.1	134.2	7.41
	10/11/2021	1,155.27	15.68	1,139.59	6.06	114.7	13.15	99.97	7.13
G-2	7/27/2006	1,198.71	dry	dry	dry	dry	dry	dry	dry
	10/17/06	1,198.71	dry	dry	dry	dry	dry	dry	dry
	1/16/07	1,198.71	dry	dry	dry	dry	dry	dry	dry
	4/18/07	1,198.71	12.67	1,186.04	6.10	230	5.5	50	8
	7/17/07	1,198.71	dry	dry	dry	dry	dry	dry	dry
	10/23/07	1,198.71	12.46	1,186.25	5.36	173	14.7	50	7
	2/6/08	1,198.71	dry	dry	dry	dry	dry	dry	dry
	4/29/08	1,198.71	9.26	1,189.45	5.90	185	6.8	40	7
	7/29/08	1,198.71	16.15	1,182.56	NS	NS	NS	NS	NS
	10/23/08	1,198.71	dry	dry	NS	NS	NS	NS	NS
	1/8/09	1,198.71	dry	dry	NS	NS	NS	NS	NS
	10/17/09	1,198.71	dry	dry	NS	NS	NS	NS	NS
	4/1/10	1,198.71	dry	dry	NS	NS	NS	NS	NS
	10/22/10	1,198.71	16.67	1,182.04	5.71	158	14.8	260	5
	10/24/11	1,198.71	dry	dry	NS	NS	NS	NS	NS
	10/23/12	1,198.71	dry	dry	NS	NS	NS	NS	NS
	10/21/13	1,198.71	13.35	1,185.36			Abandoned 10-21-2013		
G-3	7/26/2006	1,185.99	13.65	1,172.34	5.71	194	10.6	110	4
	10/18/06	1,185.99	13.88	1,172.11	5.69	201	10.1	220	4
	1/18/07	1,185.99	12.48	1,173.51	5.56	140	9.5	260	4
	4/17/07	1,185.99	11.24	1,174.75	5.52	123	10	220	3
	7/19/07	1,185.99	14.63	1,171.36	5.61	153	14.8	300	5
	10/24/07	1,185.99	12.30	1,173.69	5.40	137	12.7	310	5
	2/6/08	1,185.99	15.10	1,170.89	5.82	152	6.5	600	5
	4/28/08	1,185.99	9.23	1,176.76	5.83	145	7.1	290	4
	7/29/08	1,185.99	12.29	1,173.70	6.04	143	15.1	310	6
	10/22/08	1,185.99	16.57	1,169.42	5.52	153	12.1	330	4
	1/8/09	1,185.99	17.60	1,168.39	5.61	153	9.2	310	4
	10/17/09	1,185.99	15.31	1,170.68	6.60	151	12.8	310	3
	4/1/10	1,185.99	16.90	1,169.09	NS	NS	NS	NS	NS
	10/22/10	1,185.99	12.34	1,173.65	5.76	130	13.1	240	3
	10/24/11	1,185.99	NS	NS	NS	NS	NS	NS	NS
	10/23/12	1,185.99	NS	NS	NS	NS	NS	NS	NS
	10/21/13	1,185.99	NS	NS	NS	NS	NS	NS	NS
	10/7/2014	1,185.99	NS	NS	NS	NS	NS	NS	NS
	10/7/2015	1,185.99	NS	NS	NS	NS	NS	NS	NS
	10/18/2016	1,185.99	NS	NS	NS	NS	NS	NS	NS

TABLE 1
FIELD PARAMETER RESULTS OF GOUNDWATER SAMPLES
FORMER GORSKI LANDFILL, MOSINEE, WI
RAMBOLL PROJECT NO. 1690019237

Well Location	Sample Date	Top of PVC Elevation	Depth to Groundwater	Potentio metric Surface (MSL)	pH	ORP (mV)	Temperature (°C)	Specific Conductivity @ 25°C (µs)	Dissolved Oxygen (ppm)
G-4A	7/27/2006	1,195.74	15.07	1,180.67	5.71	194	10.6	110	4
	10/17/06	1,195.74	11.80	1,183.94	6.07	126	9.9	40	5
	1/17/07	1,195.74	8.77	1,186.97	5.01	162	4.3	50	5
	4/18/07	1,195.74	7.90	1,187.84	6.94	182	5.9	70	8
	7/19/07	1,195.74	14.00	1,181.74	5.43	211	16.7	30	7
	10/24/07	1,195.74	8.95	1,186.79	5.51	73	12.1	50	7
	2/6/08	1,195.74	12.90	1,182.84	5.83	230	4.9	50	7
	4/29/08	1,195.74	6.10	1,189.64	5.93	91	8.0	30	6
	7/29/08	1,195.74	10.72	1,185.02	6.04	230	16.9	70	8
	10/23/08	1,195.74	18.65	1,177.09	5.63	96	12.0	60	8
	1/9/09	1,195.74	19.49	1,176.25	NS	NS	NS	NS	NS
	10/17/09	1,195.74	16.09	1,179.65	5.50	191	12.8	60	6
	4/1/10	1,195.74	19.27	1,176.47	NS	NS	NS	NS	NS
	10/29/10	1,195.74	10.76	1,184.98	6.21	210	12.2	110	6
	10/25/11	1,195.74	12.10	1,183.64	10.86	148	10.04	550	7
	10/24/12	1,195.74	14.97	1,180.77	4.42	210	13.70	43	8
	10/21/13	1,195.74	9.00	1,186.74					Abandoned 10-21-2013
G-4B	7/27/2006	1,195.50	NS	NS	NS	NS	NS	NS	NS
	10/18/06	1,195.50	49.05	1,146.45	11.46	126	7.9	760	4
	1/17/07	1,195.50	53.60	1,141.90	11.62	-39	7.5	320	5
	4/18/07	1,195.50	49.91	1,145.59	11.95	24	8.9	290	6
	7/19/07	1,195.50	52.05	1,143.45	11.58	-7	15.4	1700	8
	10/24/07	1,195.50	55.40	1,140.10	11.54	-88	9.1	2600	8
	2/26/08	1,195.50	53.88	1,141.62	12.43	108	7.4	2300	7
	4/29/08	1,195.50	55.90	1,139.60	11.99	-35	11.0	2700	8
	7/29/08	1,195.50	54.20	1,141.30	11.83	10	16.0	1900	7
	10/23/08	1,195.50	60.90	1,134.60	11.27	-3	8.7	1900	8
	1/9/09	1,195.50	63.25	1,132.25	11.09	-11	7.2	1400	7
	10/17/09	1,195.50	26.05	1,169.45	11.10	87	8.8	1210	6
	4/1/10	1,195.50	63.94	1,131.56	NS	NS	NS	NS	NS
	10/29/10	1,195.50	15.40	1,180.10	11.21	123	9.6	1030	5
	10/25/11	1,195.50	19.20	1,176.30	12.42	148	8.25	1670	8
	10/24/12	1,195.50	21.77	1,173.73	11.27	95	11.13	1885	8
	10/21/13	1,195.50	8.45	1,187.05					Abandoned 10-21-2013
G-5	7/26/2006	1,194.20	15.97	1,178.23	5.71	194	10.6	110	4
	10/18/06	1,194.20	14.60	1,179.60	5.40	251	10.7	110	5
	1/17/07	1,194.20	11.89	1,182.31	5.04	151	7.2	140	5
	4/18/07	1,194.20	11.38	1,182.82	5.41	283	6.3	130	7
	7/19/07	1,194.20	14.98	1,179.22	5.68	137	13.8	90	5
	10/23/07	1,194.20	11.35	1,182.85	5.21	293	13.6	130	7
	2/6/08	1,194.20	16.56	1,177.64	5.35	156	7.7	100	6
	4/29/08	1,194.20	10.60	1,183.60	5.48	171	6.5	190	8
	7/29/08	1,194.20	12.50	1,181.70	6.69	191	13.9	90	8
	10/23/08	1,194.20	21.16	1,173.04	5.40	219	12.6	110	8
	1/9/09	1,194.20	dry	dry	NS	NS	NS	NS	NS
	10/17/09	1,194.20	14.16	1,180.04	7.02	173	12.7	580	5
	4/1/10	1,194.20	11.98	1,182.22	5.61	158	9.3	158	6
	10/27/10	1,194.20	12.24	1,181.96	5.32	147	12.4	260	3
	10/25/11	1,194.20	13.45	1,180.75	5.31	406	8.25	270	5
	10/23/12	1,194.20	12.61	1,181.59	4.99	187	13.75	164	7
	10/21/13	1,194.20	11.86	1,182.34	4.92	235	11.62	247	4
	10/7/2014	1,194.20	11.54	1,182.66	5.23	186	13.84	242	5.28
	10/7/2015	1,194.20	14.54	1,179.66	5.31	128	13.24	248	5.21
	10/19/2016	1,194.20	13.92	1,180.28	5.21	198	13.41	249	4.27
	10/24/2017								

Notes:

NS = Not sampled

MSL = Mean Sea Level

ORP = Oxidation Reduction Potential

µs = Microsiemens

ppm = Parts per million

mV = Millivolts

PVC = Polyvinyl chloride

TABLE 2
LABORATORY RESULTS OF GROUNDWATER SAMPLES COLLECTED FROM MONITORING WELLS
FORMER GORSKI LANDFILL, MOSINEE, WI
RAMBOLL PROJECT NO. 1690019237

TABLE 2
LABORATORY RESULTS OF GROUNDWATER SAMPLES COLLECTED FROM MONITORING WELLS
FORMER GORSKI LANDFILL, MOSINEE, WI
RAMBOLL PROJECT NO. 1690019237

TABLE 2
 LABORATORY RESULTS OF GROUNDWATER SAMPLES COLLECTED FROM MONITORING WELLS
 FORMER GORSKI LANDFILL, MOSINEE, WI
 RAMBOLL PROJECT NO. 1690019237

Well Location	Sample Date	Iron (mg/L)	Sulfate (mg/L)	Acetone (ug/L)	Benzene (ug/L)	Chloro methane (ug/L)	1,1-DCE (ug/L)	cDCE (ug/L)	Ethyl benzene (ug/L)	Methylene Chloride (ug/L)	Naphthalene (ug/L)	Tetrachlor-oethene (ug/L)	TDCE (ug/L)	Toluene (ug/L)	TCE (ug/L)	VC (ug/L)	Xylene Totals (ug/L)	Styrene (ug/L)	1,1,2-TCA (ug/L)	1,1-DCA (ug/L)	THF (ug/L)	
MW-5	7/26/06	<0.010	5.79	<6.5	<0.15	ND	1.01	148	<0.10	<0.40	<1.0	0.68	1.30	<0.40	31.2	<0.15	<0.50	<0.10	<0.10	<0.15	<2.0	
	9/6/06	NA	NA	<32.5	<0.75	ND	1.24	215	<0.50	<2.00	<5.00	1.28	2.19	<2.00	45	2.5	<2.50	<0.10	<0.50	<0.75	<2.0	
	10/18/06	<0.010	6.21	<6.5	<1.5	ND	1.89	239	<1.0	<4.00	<10.0	7.13	3.71	<4.0	47.2	<1.5	<4.00	<0.10	<1	<1.5	<2.0	
	1/17/07	<0.010	21.1	<6.5	<1.5	ND	0.6	91.3	<0.10	<0.40	<1.0	0.99	1.38	<0.40	13.5	1.71	<0.40	<0.10	<0.10	<0.15	<2.0	
	4/17/07	0.125	9.81	<32.5	<1.00	ND	<2.00	27.6	<0.50	<2.00	<5.00	<1.50	<1.00	<2.00	5.45	<1.00	<1.00	<0.10	<1	<1	<2.0	
	7/19/07	<0.010	13.7	<32.5	<1.00	ND	<2.00	62.2	<0.50	<2.00	<5.00	1.16	1.87	<2.00	13.2	<1.00	<1.00	<0.10	<0.20	<0.20	<2.0	
	10/23/07	0.021	11.1	<6.5	<0.20	ND	<0.40	55.8	<0.10	<0.40	<1.00	0.78 J	0.9	<0.40	11.6	<0.20	<0.20	<0.10	<0.20	<0.20	<2.0	
	2/6/08	<0.010	7.71	<6.5	<0.20	ND	<0.40	71.8	<0.20	<0.40	<1.00	1.06	2.21	<0.40	14.2	<0.20	<0.40	<0.10	<0.30	<0.20	<2.0	
	4/29/08	<0.010	13.7	<6.5	<0.20	ND	<0.40	3.13	<0.20	<0.40	<1.00	<0.30	<0.20	<0.40	0.69 J	<0.20	<0.40	<0.10	<0.30	<0.20	<2.0	
	7/29/08	0.053	14.9	<6.5	<0.20	ND	<0.40	6.28	<0.20	<0.40	<1.00	<0.30	<0.20	<0.40	2.06	<0.20	<0.40	<0.10	<0.30	<0.20	<2.0	
	10/23/08	0.022	11.3	<6.5	<0.20	ND	<0.40	34.5	<0.20	<0.40	<1.00	0.99 J	0.61 J	<0.40	12.6	<0.20	<0.40	<0.10	<0.30	<0.20	<2.0	
	1/8/09	0.076 J	10.5	<6.5	<0.20	ND	0.59 J	49.5	<0.20	<0.40	<1.00	1.1	0.9	<0.40	13.9	<0.20	<0.40	<0.10	<0.30	<0.20	<2.0	
	4/30/09	NA	NA	<6.5	<0.20	ND	<0.40	<0.40	<0.20	<0.40	<1.00	<0.30	<0.50	<0.40	0.70 J	<0.20	<0.40	<0.10	<0.30	<0.20	<2.0	
	10/17/09	NA	NA	<6.5	<0.20	ND	<0.40	1.44	<0.20	<0.40	<1.00	<0.30	<0.50	<0.40	0.72	<0.20	<0.40	<0.10	<0.30	<0.20	<2.0	
	4/1/10	NA	NA	<6.5	<0.20	ND	<0.40	0.46 J	<0.20	<0.40	<1.00	<0.30	<0.50	<0.40	<0.40	<0.20	<0.40	<0.10	<0.30	<0.20	<2.0	
	10/27/10	NA	NA	<6.5	<0.20	ND	<0.40	7.18	<0.20	<0.40	<1.00	0.43J	<0.50	<0.40	1.99	0.64J	<0.40	<0.10	<0.30	<0.20	<2.0	
	10/24/11	NA	NA	<6.5	<0.20	ND	<0.40	0.60 J	<0.20	<0.40	<1.00	<0.30	<0.50	<0.40	<0.40	<0.20	<0.40	<0.10	<0.30	<0.20	<2.0	
	10/23/12	NA	NA	<0.41	ND	<0.57	<0.83	<0.54	<0.43	<0.89	<0.45	<0.89	<0.67	<0.48	<0.18	<1.8	<0.86	<0.42	<0.75	NA		
	10/21/13	NA	NA	NA	<0.50	ND	<0.43	<0.42	<0.50	<0.36	<2.5	<0.47	<0.37	<0.44	<0.36	<0.18	<1.32	<0.35	<0.39	<0.28	NA	
	10/7/14	NA	NA	NA	<0.50	ND	<0.41	<0.26	<0.50	<0.23	<2.5	<0.50	<0.26	<0.50	<0.33	<0.18	<1.50	<0.50	<0.16	<0.24	NA	
	10/7/15	NA	NA	NA	<0.50	ND	<0.41	0.62 J	<0.50	<0.23	<2.5	<0.50	<0.26	<0.50	<0.33	<0.18	<1.5	<0.50	<0.20	<0.24	NA	
	10/18/16	NA	NA	NA	<0.50	ND	<0.41	<0.26	<0.50	<0.23	<2.5	<0.50	<0.26	<0.50	<0.33	<0.18	<1.5	<0.50	<0.20	<0.24	NA	
Abandoned 10-24-2017																						
MW-5D	10/23/07	0.010	13.0	<6.5	<0.20	ND	0.043 J	54.0	<0.10	<0.40	<1.0	0.73 J	0.92	<0.40	11.4	<0.20	<0.40	<0.10	<0.20	<0.20	<2.0	
	10/7/14	NA	NA	NA	<0.50	ND	<0.41	<0.26	<0.50	<0.23	<2.5	<0.50	<0.26	<0.50	<0.33	<0.18	<1.50	<0.50	<0.16	<0.24	NA	
Abandoned 10-24-2017																						
MW-6	7/26/06	<0.010	10.1	<6.5	<0.15	ND	<0.15	6.15	<0.10	<0.40	<1.0	0.44 J	<0.10	<0.40	23.9	<0.15	<0.50	<0.10	<0.10	<0.15	<2.0	
	10/17/06	0.016 J	8.71	<6.5	<0.15	ND	<0.15	3.15	<0.10	<0.40	<1.0	0.23 J	0.14 J	<0.40	11.2	<0.15	<0.50	<0.10	<0.10	<0.15	<2.0	
	1/16/07	<0.010	9.14	<6.5	<0.15	ND	<0.15	2.67	<0.10	<0.40	<1.0	0.19 J	0.13 J	<0.40	10.1	<0.15	<0.50	<0.10	<0.10	<0.15	<2.0	
	4/18/07	0.039	7.82	<6.5	<0.20	ND	<0.40	1.9	<0.10	<0.40	<1.0	<0.30	<0.20	<0.40	9.42	<0.20	<0.50	<0.30	<0.20	<0.20	<2.0	
	7/17/07	<0.010	9.07	<6.5	<0.20	ND	<0.40	4.64	<0.10	<0.40	<1.0	<0.30	<0.20	<0.40	14.9	<0.20	<0.50	<0.30	<0.20	<0.20	<2.0	
	10/25/07	0.049 J	10.1	<6.5	<0.20	ND	<0.40	4.38	<0.10	<0.40	<1.0	<0.30	<0.20	<0.40	14.2	<0.20	<0.50	<0.10	<0.20	<0.20	<2.0	
	2/6/08	<0.010	10.2	<6.5	<0.20	ND	<0.40	3.23	<0.20	<0.40	<1.0	0.34 J	0.27 J	<0.40	12.1	<0.20	<0.40	<0.10	<0.30	<0.20	<2.0	
	4/28/08	0.024 J	9.19	<6.5	<0.20	ND	<0.40	2.11	<0.20	<0.40	<1.0	<0.30	<0.20	<0.40	9.05	<0.20	<0.40	<0.10	<0.30	<0.20	<2.0	
	7/28/08	<0.010	7.29	<6.5	<0.20	ND	<0.40	0.97 J	<0.20	<0.40	<1.0	<0.30	<0.20	<0.40	4.63	<0.20	<0.40	<0.10	<0.30	<0.20	<2.0	
	10/22/08	<0.010	7.87	<6.5	<0.20	ND	<0.40	1.46	<0.20	<0.40	<1.0	<0.30	<0.20	<0.40	8.55	<0.20	<0.40	<0.10	<0.30	<0.20	<2.0	
	1/9/09	0.014 J	6.91	<6.5	<0.20	ND	<0.40	1.45	<0.20	<0.40	<1.0	<0.30	<0.20	<0.40	8.53	<0.20	<0.40	<0.10	<0.30	<0.20	<2.0	
	4/30/09	NA	NA	<6.5	<0.20	ND	<0.40	0.86 J	<0.20	<0.40	<1.0	<0.30	<0.20	<0.40	5.99	<0.20	<0.40	<0.10	<0.30	<0.20	<2.0	
	10/18/09	NA	NA	<6.5	<0.20	ND	<0.40	4.72	<0.20	<0.40	<1.0	<0.30	<0.20	<0.40	16.7	<0.20	<0.40	<0.10	<0.30	<0.20	<2.0	
	4/1/10	NA	NA	<6.5	<0.20	ND	<0.40	<0.40	<0.20	<0.40	<1.0	<0.30	<0.20	<0.40	1.57	<0.20	<0.40	<0.10	<0.30	<0.20	<2.0	
	10/25/10	NA	NA	<6.5	<0.20	ND	<0.40	1.16 J	<0.20	<0.40	<1.0	<0.30	<0.20	<0.40	5.91	<0.20	<0.40	<0.10	<0.30	<0.20	<2.0	
	10/24/11	NA	NA	<6.5	<0.20	ND	<0.40	1.04 J	<0.20	<0.40	<1.0	<0.30	<0.20	<0.40	4.70	<0.20	<0.40	<0.10	<0.30	<0.20	<2.0	
	10/24/12	NA	NA	<0.41	ND	<0.57	3.7	<0.54	<0.43	<0.89	<0.45	<0.89	<0.67	12.2	<0.18	<1.8	<0.86	<0.42	<0.75	NA		
	10/21/13	NA	NA	<0.50	ND	<0.43	<0.42	<0.50	<0.36	<2.5	<0.47	<0.37	<0.44	2.5	<0.18	<1.32	<0.35	<0.39	<0.28	NA		
	10/8/14	NA	NA	<0.50	ND	<0.41	0.92 J	<0.50	<0.23	<2.5	<0.50	<0.26	<0.50	3.5	<0.18	<1.50	<0.50	<0.16	<0.24	NA		
	10/7/15	NA	NA	<0.50	ND	<0.41	1.4	<0.50	<0.23	<2.5</												

TABLE 2
LABORATORY RESULTS OF GROUNDWATER SAMPLES COLLECTED FROM MONITORING WELLS
FORMER GORSKI LANDFILL, MOSINEE, WI
RAMBOLL PROJECT NO. 1690019237

Well Location	Sample Date	Iron (mg/L)	Sulfate (mg/L)	Acetone (ug/L)	Benzene (ug/L)	Chloro methane (ug/L)	1,1-DCE (ug/L)	cDCE (ug/L)	Ethyl benzene (ug/L)	Methylene Chloride (ug/L)	Naphthalene (ug/L)	Tetrachlor-oethene (ug/L)	TDCE (ug/L)	Toluene (ug/L)	TCE (ug/L)	VC (ug/L)	Xylene Totals (ug/L)	Styrene (ug/L)	1,1,2-TCA (ug/L)	1,1-DCA (ug/L)	THF (ug/L)	
MW-6D	4/18/07	<u>0.044</u>	7.74	<6.5	<0.20	ND	<0.40	2.00	<0.10	<0.40	<1.0	<0.30	<0.20	<0.40	9.86	<0.20	<0.50	<0.60	<0.20	<0.20	<2.0	
	4/30/09	NA	NA	<6.5	<0.20	ND	<0.40	1.05 J	<0.10	<0.40	<1.0	<0.30	<0.20	<0.40	6.13	<0.20	<0.50	<0.60	<0.20	<0.20	<2.0	
	10/18/09	NA	NA	<6.5	<0.20	ND	<0.40	4.65	<0.10	<0.40	<1.0	<0.30	<0.20	<0.40	16.8	<0.20	<0.50	<0.60	<0.20	<0.20	<2.0	
PZ-1	8/8/03	<u>0.211</u>	140	NA	<0.31	ND	<0.39	<0.23	<0.5	<0.51	<0.8	0.547	<0.39	<0.3	6.46	<0.2	<0.92	<0.30	<0.5	<0.36	<2.0	
	10/2/03	<u>0.449</u>	95.1	NA	<0.31	ND	<0.39	0.547	<0.5	<0.51	<0.8	0.675	<0.39	<0.3	7.35	<0.2	<0.92	<0.30	<0.5	<0.36	<2.0	
	7/27/06	<u>0.199</u>	22.1	<1.4	<0.23	ND	<0.25	3.3	<0.21	<0.24	<0.37	<0.18	<0.29	<0.18	1.3	<0.16	<0.19	<0.18	<0.10	<0.15	<2.0	
	10/18/06	0.018	60.0	<6.5	<0.15	ND	<0.15	3.16	<0.10	<0.40	<1.0	0.37	0.14	<0.40	1.6	<0.15	<0.40	<0.10	<0.10	<0.15	<2.0	
	1/17/07	<u>0.025 J</u>	50.0	<6.5	<0.15	ND	<0.15	2.78	<0.10	<0.40	<1.0	0.28 J	0.10 J	<0.40	1.13	<0.15	<0.40	<0.10	<0.10	<0.15	<2.0	
	4/18/07	0.100	20.3	<6.5	<0.20	ND	<0.15	3.23	<0.10	<0.40	<1.0	0.30	<0.20	<0.40	1.28	<0.20	<0.40	<0.10	<0.20	<0.20	<2.0	
	7/19/07	0.083	27.7	<6.5	<0.20	ND	<0.15	2.87	<0.10	<0.40	<1.0	<0.30	<0.20	<0.40	0.96	<0.20	<0.40	<0.10	<0.20	<0.20	<2.0	
	10/24/07	<u>0.151</u>	26.6	<6.5	<0.20	ND	<0.15	3.56	<0.10	<0.40	<1.0	<0.30	<0.20	<0.40	0.97	<0.20	<0.40	<0.10	<0.20	<0.20	<2.0	
	2/6/08	<0.010	24.1	<6.5	<0.20	ND	<0.40	3.44	<0.20	<0.40	<1.0	0.49 J	<0.20	<0.40	1.13 J	<0.20	<0.40	<0.10	<0.30	<0.20	<2.0	
	4/29/08	<0.010	25.4	<6.5	<0.20	ND	<0.40	2.39	<0.20	<0.40	<1.0	0.40 J	<0.20	<0.40	0.59 J	<0.20	<0.40	<0.10	<0.30	<0.20	<2.0	
	7/28/08	<u>0.39</u>	15.4	<6.5	<0.20	ND	<0.40	2.08	<0.20	<0.40	<1.0	<0.30	<0.20	<0.40	0.77 J	<0.20	<0.40	<0.10	<0.30	<0.20	<2.0	
	10/23/08	<0.010	17.8	<6.5	<0.20	ND	<0.40	4.37	<0.20	<0.40	<1.0	<0.30	<0.20	<0.40	1.22 J	<0.20	<0.40	<0.10	<0.30	<0.20	<2.0	
	1/9/09	<u>0.049 J</u>	15.5	<6.5	<0.20	ND	<0.40	5.66	<0.20	<0.40	<1.0	0.49 J	<0.20	<0.40	1.46	<0.20	<0.40	<0.10	<0.30	<0.20	<2.0	
	4/30/09	NA	NA	<6.5	<0.20	ND	<0.40	4.75	<0.20	<0.40	<1.0	<0.30	<0.20	<0.40	1.19 J	<0.20	<0.40	<0.10	<0.30	<0.20	<2.0	
	10/17/09	NA	NA	<6.5	<0.20	ND	<0.40	5.34	<0.20	<0.40	<1.0	0.31	<0.20	<0.40	0.98 J	<0.20	<0.40	<0.10	<0.30	<0.20	<2.0	
	4/1/10	NA	NA	<6.5	<0.20	ND	<0.40	3.52	<0.20	<0.40	<1.0	0.36 J	<0.20	<0.40	0.84 J	<0.20	<0.40	<0.10	<0.30	<0.20	2.03 J	
	10/27/10	NA	NA	<6.5	<0.20	ND	<0.40	2.57	<0.20	<0.40	<1.0	0.47 J	<0.20	<0.40	0.72 J	<0.20	<0.40	<0.10	<0.30	<0.20	<2.0	
	10/25/11	NA	NA	<6.5	<0.20	ND	<0.40	2.70	<0.20	<0.40	<1.0	0.47 J	<0.20	<0.40	0.51 J	<0.20	<0.40	<0.10	<0.30	<0.20	<2.0	
	10/23/12	NA	NA	<0.41	ND	<0.57	2.1	<0.54	<0.43	<0.89	<0.45	<0.89	<0.67	<0.48	<0.18	<1.8	<0.86	<0.42	<0.75	NA		
	10/21/13	NA	NA	NA	<0.50	ND	<0.43	0.44 J	<0.50	<0.36	<2.5	<0.47	<0.37	<0.44	<0.36	<0.18	<1.32	<0.35	<0.39	<0.28	NA	
	10/7/14	NA	NA	NA	<0.50	ND	<0.41	0.51 J	<0.50	<0.23	<2.5	<0.50	<0.26	<0.50	<0.33	<0.18	<1.50	<0.50	<0.16	<0.24	NA	
	10/7/15	NA	NA	NA	<0.50	ND	<0.41	0.81 J	<0.50	<0.23	<2.5	<0.50	<0.26	<0.50	<0.33	<0.18	<1.5	<0.50	<0.20	<0.24	NA	
	10/19/16	NA	NA	NA	<0.50	ND	<0.41	0.50 J	<0.50	<0.23	<2.5	<0.50	<0.26	<0.50	<0.33	<0.18	<1.5	<0.50	<0.20	<0.24	NA	
Abandoned 10-24-2017																						
PZ-1D	4/18/07	0.044	20.3	<6.5	<0.20	ND	<0.15	3.32	<0.10	<0.40	<1.0	0.31	<0.20	<0.40	1.28	<0.20	<0.40	<0.10	<0.20	<0.20	<2.0	
	1/9/09	<u>0.029 J</u>	15.5	<6.5	<0.20	ND	<0.15	5.86	<0.10	<0.40	<1.0	0.60 J	<0.20	<0.40	1.49	<0.20	<0.40	<0.10	<0.20	<0.20	<2.0	
	4/30/09	NA	NA	<6.5	<0.20	ND	<0.15	4.72	<0.10	<0.40	<1.0	0.45 J	<0.20	<0.40	<0.40	<0.20	<0.40	<0.10	<0.20	<0.20	<2.0	
	10/17/09	NA	NA	<6.5	<0.20	ND	<0.15	5.45	<0.10	<0.40	<1.0	0.32 J	<0.20	<0.40	<0.40	<0.20	<0.40	<0.10	<0.20	<0.20	<2.0	
Abandoned 10-24-2017																						
PZ-2	8/8/03	0.119	5.42	NA	<0.31	ND	<0.39	<0.23	<0.5	<0.51	<0.8	<0.32	<0.39	<0.3	0.544	<0.2	<0.92	<0.32	<0.5	<0.36	<2.0	
	10/2/03	<u>0.206</u>	3.88	NA	<0.31	ND	<0.39	<0.23	<0.5	<0.51	<0.8	<0.32	<0.39	<0.3	<0.36	<0.2	<0.92	<0.32	<0.5	<0.36	<2.0	
	7/27/06	<u>13</u>	7.76	<1.4	<0.23	ND	<0.25	<0.20	<0.21	<0.24	<0.37	<0.18	<0.29	<0.18	<0.13	<0.16	<0.19	<0.18	<0.10	<0.15	<2.0	
	10/17/06	<u>1.48</u>	6.41	<6.5	<0.15	ND	<0.15	0.20	<0.10	<0.40	<1.0	<0.10	<0.10	<0.40	0.56	<0.15	<0.50	<0.10	<0.10	<0.15	<2.0	
	1/16/07	<u>1.61</u>	5.93	<6.5	<0.15	ND	<0.15	0.20	<0.10	<0.40	<1.0	<0.10	<0.10	<0.40	0.58	<0.15	<0.50	<0.10	<0.10	<0.15	<2.0	
	4/18/07	<u>1.72</u>	5.31	<6.5	<0.20	ND	<0.15	0.20	<0.10	<0.40	<1.0	<0.30	<0.10	<0.40	0.72	<0.20	<0.50	<0.10	<0.20	<0.20	<2.0	
	7/17/07	<u>1.60</u>	6.17	<6.5	<0.20	ND	<0.15	0.20	<0.10	<0.40	<1.0	<0.30	<0.10	<0.40	0.83	<0.20	<0.50	<0.10	<0.20	<0.20	<2.0	
	10/25/07	<u>1.5</u>	5.26	<6.5	<0.20	ND	<0.15	0.24 J	<0.10	<0.40	<1.0	<0.30	<0.10	<0.40	0.64 J	<0.20	<0.50	<0.10	<0.20	<0.20	<2.0	
	2/6/08	<u>1.79</u>	4.85	<6.5	<0.20	ND	<0.40	<0.30	<0.20	<0.40	<1.0	<0.30	<0.20	<0.40	0.77 J	<0.20	<0.40	<0.10	<0.30	<0.20	<2.0	
	4/28/08	<u>1.26</u>	5.16	<6.5	<0.20	ND	<0.40	<0.30	<0.20	<0.40	<1.0	<0.30	<0.20	<0.40	0.84 J	<0.20	<0.40	<0.10	<0.30	<0.20	<2.0	
	7/29/08	<u>1.13</u>	6.43	<6.5	<0.20	ND	<0.40	<0.30	<0.20	<0.40	<1.0	<0.30	<0.20	<0.40	0.78 J	<0.20	<0.40	<0.10	<0.30	<0.20	<2.0	
	10/22/08	<u>1.64</u>	3.90	<6.5	<0.20	ND	<0.40	<0.30	<0.20	<0.40	<1.0	<0.30	<0.20	<0.40	<0.40	<0.20	<0.40	<0.10	<0.30	<0.20	<2.0	
	1/9/09	<u>1.52</u>	4.53	<6.5	<0.20	ND	<0.40	<0.30	<0.20	<0.40	<1.0	<0.30	<0.20	<0.40	0.50 J	<0.40	<0.40	<0.10	<0.30	<0.20	<2.0	

TABLE 2
LABORATORY RESULTS OF GROUNDWATER SAMPLES COLLECTED FROM MONITORING WELLS
FORMER GORSKI LANDFILL, MOSINEE, WI
RAMBOLL PROJECT NO. 1690019237

Well Location	Sample Date	Iron (mg/L)	Sulfate (mg/L)	Acetone (ug/L)	Benzene (ug/L)	Chloro methane (ug/L)	1,1-DCE (ug/L)	cDCE (ug/L)	Ethyl benzene (ug/L)	Methylene Chloride (ug/L)	Naphthalene (ug/L)	Tetrachloroethene (ug/L)	TDCE (ug/L)	Toluene (ug/L)	TCE (ug/L)	VC (ug/L)	Xylene Totals (ug/L)	Styrene (ug/L)	1,1,2-TCA (ug/L)	1,1-DCA (ug/L)	THF (ug/L)	
PZ-2 <i>(cont.)</i>	4/30/09	NA	NA	<6.5	<0.20	ND	<0.40	<0.30	<0.20	<0.40	<1.0	<0.30	<0.50	<0.40	<0.40	<0.20	<0.40	<0.10	<0.30	<0.20	<2.0	
	10/18/09	NA	NA	<6.5	<0.20	ND	<0.40	<0.30	<0.20	<0.40	<1.0	<0.30	<0.50	<0.40	<0.40	<0.20	<0.40	<0.10	<0.30	<0.20	<2.0	
	4/1/10	NA	NA	<6.5	<0.20	ND	<0.40	<0.30	<0.20	<0.40	<1.0	<0.30	<0.50	<0.40	0.44 J	<0.20	<0.40	<0.10	<0.30	<0.20	<2.0	
	10/25/10	NA	NA	<6.5	<0.20	ND	<0.40	<0.30	<0.20	<0.40	<1.0	<0.30	<0.50	<0.40	1.45	<0.20	<0.40	<0.10	<0.30	<0.20	<2.0	
	10/24/11	NA	NA	<6.5	<0.20	ND	<0.40	<0.30	<0.20	<0.40	<1.0	<0.30	<0.50	<0.40	<0.40	<0.20	<0.40	<0.10	<0.30	<0.20	<2.0	
	10/24/12	NA	NA	<0.41	ND	<0.57	<0.83	<0.54	<0.43	<0.89	<0.45	<0.89	<0.67	<0.48	<0.18	<1.8	<0.86	<0.42	<0.75	NA		
	10/21/13	NA	NA	NA	ND	<0.43	<0.42	<0.50	<0.36	<2.5	<0.47	<0.37	<0.44	<0.36	<0.18	<1.32	<0.35	<0.39	<0.28	NA		
	10/8/14	NA	NA	NA	<0.50	ND	<0.41	<0.26	<0.50	<0.23	<2.5	<0.50	<0.26	<0.50	<0.33	<0.18	<1.50	<0.50	<0.16	<0.24	NA	
	10/7/15	NA	NA	<0.50	ND	<0.41	<0.26	<0.50	<0.23	<2.5	<0.50	<0.26	<0.50	<0.33	<0.18	<1.5	<0.50	<0.20	<0.24	NA		
	10/18/16	NA	NA	<0.50	ND	<0.41	<0.26	<0.50	<0.23	<2.5	<0.50	<0.26	<0.50	<0.33	<0.18	<1.5	<0.50	<0.20	<0.24	NA		
	Abandoned 10-24-2017																					
PZ-2D	10/2/03	0.306	4.09	NA	<0.31	ND	<0.39	<0.23	<0.5	<0.51	<0.8	<0.32	<0.39	<0.3	<0.36	<0.2	<0.92	<0.32	<0.5	<0.36	<2.0	
	7/27/06	2.12	7.94	<1.4	<0.23	ND	<0.25	<0.20	<0.21	<0.24	<0.37	<0.18	<0.29	<0.18	<0.13	<0.16	<0.19	<0.18	<0.10	<0.15	<2.0	
	10/17/06	1.46	6.35	<6.5	<0.15	ND	<0.15	<0.20	<0.10	<0.40	<1.0	<0.10	<0.10	<0.40	0.58	<0.15	<0.50	<0.10	<0.10	<0.15	<2.0	
	7/28/08	1.17	5.03	<6.5	<0.15	ND	<0.15	<0.20	<0.10	<0.40	<1.0	<0.10	<0.10	<0.40	0.88J	<0.15	<0.50	<0.10	<0.10	<0.15	<2.0	
	10/22/08	1.51	3.84	<6.5	<0.15	ND	<0.15	<0.20	<0.10	<0.40	<1.0	<0.10	<0.10	<0.40	<0.40	<0.15	<0.50	<0.10	<0.15	<2.0		
	10/18/16	NA	NA	<0.50	ND	<0.41	<0.26	<0.50	<0.23	<2.5	<0.50	<0.26	<0.50	<0.33	<0.18	<1.50	<0.50	<0.20	<0.24	NA		
	Abandoned 10-24-2017																					
PZ-3	7/27/06	<0.010	5.85	19	4.8	ND	12	4,000	23	<0.24	1.4	<0.18	27	6.5	300	580	5.4	<0.18	<0.24	<0.15	<200	
	9/6/06	NA	NA	<32.5	5.3	ND	11	4,300	35.6	<2.00	<5.00	<0.50	28.4	7.75	356	685	9.89	<0.50	1.20 J^A	<0.75	<200	
	10/18/06	<0.010	10.7	<65	3.17	ND	6.45	2,470	18.4	<4.00	<1.00	<1.0	25.7	5.07	261	677	3.36	<1.0	1.00 J^A	<1.5	<200	
	1/17/07	0.011 J	54.2	<6.5	0.16 J	ND	6.4	1,650	<0.10	<0.40	<1.00	0.14 J	16.1	<0.40	99.8	9.71	<0.40	<1.0	0.6 J^A	0.20 J	<200	
	4/17/07	0.029	50.7	<32.5	<1.00	ND	3.31	1,480	<0.50	<2.00	<5.00	<1.50	8.82	<2.00	47.9	11.1	<2.00	<1.5	<1	<1	<200	
	7/19/07	<0.010	49.1	<650	<20	ND	<40	1,410	<10	<40	<100	<30	<20	<40	53.9	<20	<40	<10	<20	<200		
	10/24/07	0.061 J	20.7	<6.5	5.08	ND	9.18	2,530	35.9	<0.40	1.68 J	<0.30	31.3	11.5	118	392	3.37	<0.10	1.09 J^A	0.28 J	<200	
	2/6/08	0.223	6.05	<6.5	5.41	ND	8.98	2,830	16.5	<0.40	1.05 J	<0.30	36.7	9.1	109 J	593	5.38	<0.10	0.92 J^A	0.32 J	<200	
	4/29/08	1.37	6.94	<65	5.69 J	ND	14	3,240	14	<4.0	<10	<3.0	109	9.93 J	160	945	2.21 J	<1.0	<3.0	<2.0	<200	
	7/29/08	<0.010	33.3	<65	<2.00	ND	4.11 J	1,570	<2.0	<4.0	<10	<3.0	13.9	<4.0	55.7	10.1	<4.0	<1.0	<3.0	<2.0	<200	
	10/23/08	<0.010	29.7	<65	0.27 J	ND	4.5	1,500	0.61 J	<4.0	<10	<3.0	22.5	0.47 J	72.7	39.1	<4.0	<1.0	<3.0	<2.0	<200	
	1/9/09	<0.010	8.16	<650	<20	ND	<40	3,470	3.470	<20	<40	<100	<30	43.5	<40	141	771	<20	<10	<30	<20	
	4/30/09	NA	NA	<650	<20	ND	<40	3,870	33.8 J	<40	<100	<30	<50	<40	189	920	77.3 J	<10	<30	<20	<200	
	10/17/09	NA	NA	<650	<20	ND	3.79	1,300	<20	<0.40	<1.00	<30	15.8	<0.40	40.2	3.95	<0.40	<0.10	0.50 J	<0.40	<200	
	4/1/10	NA	NA	<650	<20	ND	<40	1,600	<20	<40	<100	<30	<50	<40	<40	<10	<40	<10	<40	<40	<200	
	10/27/10	NA	NA	<650	<20	ND	<40	936	<20	<40	<100	<30	<50	<40	<40	<10	<40	<10	<40	<40	<200	
	10/24/11	NA	NA	<6.5	<0.20	ND	1.7	752	<0.20	<0.40	<1.0	<0.30	8.09	<0.40	12.7	4.36	<0.40	0.2	<0.30	<0.20	<2.0	
	10/23/12	NA	NA	<1.6	ND	<2.3	340	<2.2	<1.7	<3.6	<1.8	4.2	<2.7	6.1	<0.72	0.72	<3.4	<1.7	<3.0	NA		
	10/21/13	NA	NA	<0.50	ND	<0.43	186	<0.50	<0.36	<2.5	<0.47	2.8	<0.44	5.2	0.38 J	<1.32	<0.35	<0.39	<0.28	NA		
	10/7/14	NA	NA	<0.50	ND	<0.41	86.5	<0.50	<0.23	<2.5	<0.50	1.7	<0.50	3.5	0.81 J	<1.50	<0.50	<0.16	<0.24	NA		
	10/7/15	NA	NA	<0.50	ND	<0.41	47.5	<0.50	<0.23	<2.5	<0.50	<0.26	<0.50	3.0	<0.18	<1.5	<0.50	<0.20	<0.24	NA		
	10/19/16	NA	NA	<0.50	ND	<0.41	28.2	<0.50	<0.23	<2.5	<0.50	0.84 J	<0.50	2.4	<0.18	<1.5	<0.50	<0.20	<0.24	NA		
	10/24/17	NA	NA	<0.50	ND	3.1	<0.41	14.9	<0.50	<0.23	<2.5	<0.50	0.59 J	<0.50	1.7	<0.18	<1.5	<0.50	<0.20	<0.24	NA	
	10/24/18	NA	NA	<0.25	<2.2	<0.24	10.4	<0.22	<0.58	<1.2	<0.33	<1.1	<0.17	1.2	<0.17	<1.5	<0.47	<0.55	<0.27	NA		
	10/21/19	NA	NA	<0.25	<2.2	<0.24	10.6	<0.22	<0.58	<1.2	<0.33	<1.1	<0.17	1.1	<0.17	<1.5	<0.47	<0.55	<0.27	NA		
	10/23/20	NA	NA	<0.25	<2.2	<0.24	11.4	<0.32	<0.58	<1.2	<0.33	0.62 J	<0.27	0.90 J	<0.17	<1.5	<0.50	<0.25	<0.27	NA		
	10/11/21	NA	NA	<0.30	<1.6	<0.58	7.4	<0.33	<0.32	<1.1	<0.41	<0.53	<0.29	1.1	<0.17	<1.0	<0.36	<0.34	<0.30	NA		
PZ-3D	7/19/07	<0.010	47.9	<650	<20	ND	<40	1,400	<10	<40	<100	<30	<20	<40	59.7 J	<20	<20	<10	<20	<20	<200	
	4/29/08	1.43	6.98	<65	6.65 J																	

TABLE 2
LABORATORY RESULTS OF GROUNDWATER SAMPLES COLLECTED FROM MONITORING WELLS
FORMER GORSKI LANDFILL, MOSINEE, WI
RAMBOLL PROJECT NO. 1690019237

Well Location	Sample Date	Iron (mg/L)	Sulfate (mg/L)	Acetone (ug/L)	Benzene (ug/L)	Chloro methane (ug/L)	1,1-DCE (ug/L)	cDCE (ug/L)	Ethyl benzene (ug/L)	Methylene Chloride (ug/L)	Naphthalene (ug/L)	Tetrachloroethene (ug/L)	TDCE (ug/L)	Toluene (ug/L)	TCE (ug/L)	VC (ug/L)	Xylene Totals (ug/L)	Styrene (ug/L)	1,1,2-TCA (ug/L)	1,1-DCA (ug/L)	THF (ug/L)
PZ-4	7/26/06	<0.010	8.36	<6.5	<0.15	ND	<0.15	2.78	<0.10	<0.40	<1.0	0.46 J	<0.10	<0.40	16.5	<0.15	<0.50	<0.10	<0.10	<0.15	<2.0
	10/17/06	<0.010	7.60	<6.5	<0.15	ND	<0.15	3.04	<0.10	<0.40	<1.0	0.48 J	0.13 J	<0.40	16	<0.15	<0.50	<0.10	<0.10	<0.15	<2.0
	1/16/07	<0.010	7.96	<6.5	<0.15	ND	<0.15	3.27	<0.10	<0.40	<1.0	0.59	0.12 J	<0.40	17.8	<0.15	<0.50	<0.10	<0.10	<0.15	<2.0
	4/18/07	0.033	7.56	<6.5	<0.20	ND	<0.40	3.51	<0.10	<0.40	<1.0	0.63	<0.20	<0.40	21.1	<0.20	<0.40	<0.10	<0.20	<0.20	<2.0
	7/17/07	<0.010	8.01	<6.5	<0.20	ND	<0.40	2.53	<0.10	<0.40	<1.0	0.35 J	<0.20	<0.40	13.6	<0.20	<0.40	<0.10	<0.20	<0.20	<2.0
	10/25/07	<0.010	8.46	<6.5	<0.20	ND	<0.40	3.14	<0.10	<0.40	<1.0	0.42 J	<0.20	<0.40	16.1	<0.20	<0.40	<0.10	<0.20	<0.20	<2.0
	2/7/08	<0.010	7.46	<6.5	<0.20	ND	<0.40	3.87	<0.20	<0.40	<1.0	0.60 J	0.34 J	<0.40	17.5	<0.20	<0.40	<0.10	<0.30	<0.20	<2.0
	4/28/08	<0.010	7.59	<6.5	<0.20	ND	<0.40	3.68	<0.20	<0.40	<1.0	0.80 J	0.34 J	<0.40	20.4	<0.20	<0.40	<0.10	<0.30	<0.20	<2.0
	7/28/08	<0.010	7.29	<6.5	<0.20	ND	<0.40	4.58	<0.20	<0.40	<1.0	0.56 J	<0.20	<0.40	20	<0.20	<0.40	<0.10	<0.30	<0.20	<2.0
	10/22/08	<0.010	8.03	<6.5	<0.20	ND	<0.40	5.25	<0.20	<0.40	<1.0	0.62 J	<0.20	<0.40	21.4	<0.20	<0.40	<0.10	<0.30	<0.20	<2.0
	1/9/09	<0.010	7.39	<6.5	<0.20	ND	<0.40	4.89	<0.20	<0.40	<1.0	0.60 J	<0.20	<0.40	21.5	<0.20	<0.40	<0.10	<0.30	<0.20	<2.0
	4/30/09	NA	NA	<6.5	<0.20	ND	<0.40	4.45	<0.20	<0.40	<1.0	<0.30	<0.20	<0.40	19.2	<0.20	<0.40	<0.10	<0.30	<0.20	<2.0
	10/18/09	NA	NA	<6.5	<0.20	ND	<0.40	3.40	<0.20	<0.40	<1.0	0.39 J	<0.20	<0.40	14.7	<0.20	<0.40	<0.10	<0.30	<0.20	<2.0
	4/1/10	NA	NA	<6.5	<0.20	ND	<0.40	3.75	<0.20	<0.40	<1.0	0.44 J	<0.20	<0.40	17.4	<0.20	<0.40	<0.10	<0.30	<0.20	<2.0
	10/25/10	NA	NA	<6.5	<0.20	ND	<0.40	4.48	<0.20	<0.40	<1.0	0.61 J	<0.20	<0.40	21.6	<0.20	<0.40	<0.10	<0.30	<0.20	<2.0
	10/24/11	NA	NA	<6.5	<0.20	ND	<0.40	3.43	<0.20	<0.40	<1.0	0.34 J	<0.20	<0.40	13.8	<0.20	<0.40	<0.10	<0.30	<0.20	<2.0
	10/24/12	NA	NA	<0.41	ND	<0.57	4.5	<0.54	<0.43	<0.89	0.49 J	<0.89	<0.67	18.3	<0.18	<1.8	<0.86	<0.42	<0.75	NA	
	10/21/13	NA	NA	<0.50	ND	<0.43	4.2	<0.50	<0.36	<2.5	<0.47	<0.37	<0.44	15.9	<0.18	<1.32	<0.35	<0.28	NA		
	10/8/14	NA	NA	<0.50	ND	<0.41	3.5	<0.50	<0.23	<2.5	<0.50	<0.26	<0.50	11.9	<0.18	<1.50	<0.50	<0.16	<0.24	NA	
	10/7/15	NA	NA	<0.50	ND	<0.41	1.4	<0.50	<0.23	<2.5	<0.50	<0.26	<0.50	8.8	<0.18	<1.5	<0.50	<0.20	<0.24	NA	
	10/18/16	NA	NA	<0.50	ND	<0.41	2.1	<0.50	<0.23	<2.5	<0.50	<0.26	<0.50	8.1	<0.18	<1.5	<0.50	<0.20	<0.24	NA	
	10/24/17	NA	NA	<0.50	12.2	<0.41	1.5	<0.50	<0.23	<2.5	<0.50	<0.26	<0.50	6.2	<0.18	<1.5	<0.50	<0.20	<0.24	NA	
	10/24/18	NA	NA	<0.25	<2.2	<0.24	1.4	<0.22	<0.58	<1.2	<0.33	<1.1	<0.17	6.6	<0.17	<1.5	<0.47	<0.55	<0.27	NA	
	10/21/19	NA	NA	<0.25	<2.2	<0.24	1.7	<0.22	<0.58	<1.2	<0.33	<1.1	<0.17	5.4	<0.17	<1.5	<0.47	<0.55	<0.27	NA	
	10/23/20	NA	NA	<0.25	<2.2	<0.24	1.5	<0.32	<0.58	<1.2	<0.33	<0.46	<0.27	3.7	<0.17	<1.5	<3.0	<0.55	<0.27	NA	
	10/11/21	NA	NA	<0.30	<1.6	<0.58	1.3	<0.33	<0.32	<1.1	<0.41	<0.53	<0.29	5.6	<0.17	<1.0	<0.36	<0.34	<0.30	<2.0	
Abandoned 10-21-2013																					
G-2	8/8/03	0.025	5.66	NA	<0.31	ND	<0.39	<0.23	<0.5	<0.51	<0.8	<0.32	<0.39	<0.3	<0.36	<0.2	<0.92	<0.10	<0.5	<0.36	<2.0
	4/18/07	0.027	5.29	<6.5	<0.20	ND	<0.40	<0.20	<0.10	<0.40	<1.0	<0.30	<0.20	<0.40	<0.20	<0.40	<0.10	<0.20	<0.20	<2.0	
	10/23/07	0.010	6.30	<6.5	<0.20	ND	<0.40	<0.20	<0.10	<0.40	<1.0	<0.30	<0.20	<0.40	<0.20	<0.40	<0.10	<0.20	<0.20	<2.0	
	4/29/08	<0.010	5.48	<6.5	<0.20	ND	<0.40	<0.20	<0.10	<0.40	<1.0	<0.30	<0.20	<0.40	<0.20	<0.40	<0.10	<0.20	<0.20	<2.0	
	10/22/10	NA	NA	<6.5	<0.20	ND	<0.40	<0.20	<0.10	<0.40	<1.0	<0.30	<0.20	<0.40	<0.20	<0.40	<0.10	<0.20	<0.20	<2.0	
	7/28/03	NA	NA	NA	<1	ND	<1	<1	<1	<5	<5	<1	<1	<1	<1	<2	<3	<1	<1	<1	<2.0
	8/8/03	0.022	25.8	NA	<0.31	ND	<0.39	<0.23	<0.5	<0.51	<0.8	<0.32	<0.39	<0.3	<0.36	<0.2	<0.92	<0.32	<0.5	<0.36	<2.0
	10/2/03	<0.01	14.6	NA	<0.31	ND	<0.39	<0.23	<0.5	<0.51	<0.8	<0.32	<0.39	<0.3	<0.36	<0.2	<0.92	<0.32	<0.5	<0.36	<2.0
	7/26/06	0.108	21.4	<6.5	<0.15	ND	<0.15	<0.20	<0.10	<0.40	<1.0	<0.01	<0.10	<0.40	<20.0	<0.02	<0.15	<0.50	<0.10	<0.15	<2.0
	10/18/06	0.043	12	<6.5	<0.15	ND	<0.15	<0.20	<0.10	<0.40	<1.0	<0.10	<0.10	<0.40	<0.020	<0.15	<0.50	<0.10	<0.10	<0.15	<2.0
G-3	1/18/07	0.013	18.7	<6.5	<0.15	ND	<0.15	<0.20	<0.10	<0.40	<1.0	<0.10	<0.10	<0.40	<0.020	<0.15	<0.50	<0.10	<0.10	<0.15	<2.0
	4/17/07	0.025	11.5	<6.5	<0.15	ND	<0.15	<0.20	<0.10	<0.40	<1.0	<0.10	<0.10	<0.40	<0.020	<0.20	<0.50	<0.10	<0.20	<0.20	<2.0
	7/17/07	<0.010	16.6	<6.5	<0.15	ND	<0.15	<0.20	<0.10	<0.40	<1.0	<0.10	<0.10	<0.40	<0.020	<0.20	<0.50	<0.10	<0.20	<0.20	<2.0
	10/24/07	<0.010	18.4	<6.5	<0.15	ND	<0.15	<0.20	<0.10	<0.40	<1.0	<0.10	<0.10	<0.40	<0.020	<0.20	<0.50	<0.10	<0.20	<0.20	<2.0
	2/6/08	<0.010	28	<6.5	<0.20	ND	<0.40	0.41J	<0.20	<0.40	<1.0	<0.30	<0.20	<0.40	<0.40	<0.20	<0.40	<0.10	<0.30	<0.20	<2.0
	4/29/08	<0.010	21.9	<6.5	<0.20	ND	<0.40	<0.30	<0.20	<0.40	<1.0	<0.30	<0.20	<0.40	<0.40	<0.20	<0.40	<0.10	<0.30	<0.20	<2.0
	7/29/08	<0.010	12.4	<6.5	<0.20	ND	<0.40	0.38J	<0.20	<0.40	<1.0	<0.30	<0.20	<0.40	<0.40	<0.20	<0.40	<0.10	<0.30	<0.20	<2.0
	10/22/08	0.015 J	23.7	<6.5	<0.20	ND	<0.40	0.38J	<0.20	<0.40	<1.0	<0.30	<0.20	<0.40	<0.40	<0.20	<0.40	<0.10	<0.30	<0.20	<2.0
	1/8/09	0.033 J	29.5	<6.5	<0.20	ND	<0.40	<0.30	<0.20	<0.40	<1.0	<0.30	<0.20	<0.40	<0.40	<0.20	<0.40				

TABLE 2
LABORATORY RESULTS OF GROUNDWATER SAMPLES COLLECTED FROM MONITORING WELLS
FORMER GORSKI LANDFILL, MOSINEE, WI
RAMBOLL PROJECT NO. 1690019237

Well Location	Sample Date	Iron (mg/L)	Sulfate (mg/L)	Acetone (ug/L)	Benzene (ug/L)	Chloro methane (ug/L)	1,1-DCE (ug/L)	cDCE (ug/L)	Ethyl benzene (ug/L)	Methylene Chloride (ug/L)	Naphthalene (ug/L)	Tetrachloroethene (ug/L)	TDCE (ug/L)	Toluene (ug/L)	TCE (ug/L)	VC (ug/L)	Xylene Totals (ug/L)	Styrene (ug/L)	1,1,2-TCA (ug/L)	1,1-DCA (ug/L)	THF (ug/L)
G-4A	7/28/03	NA	NA	NA	<1	ND	<1	<1	<5	<5	<1	<1	<1	<2	<3	<1	<1	<1	<1	<2.0	
	8/8/03	0.016	7.13	NA	<0.31	ND	<0.39	<0.23	<0.5	<0.51	<0.8	<0.32	<0.39	<0.3	<0.36	<0.2	<0.92	<0.32	<0.5	<0.36	<2.0
	10/2/03	0.0482	8.29	NA	<0.31	ND	<0.39	<0.23	<0.5	<0.51	<0.8	<0.32	<0.39	<0.3	<0.36	<0.2	<0.92	<0.32	<0.5	<0.36	<2.0
	7/28/06	<0.010	11.5	<1.4	<0.23	ND	<0.25	<0.20	<0.21	<0.24	<0.37	<0.18	<0.29	<0.18	<0.13	<0.16	<0.19	<0.10	<0.10	<0.15	<2.0
	10/18/06	<0.010	5.7	<6.5	<0.15	ND	<0.15	<0.20	<0.10	<0.40	<1.0	<0.70	<0.10	<0.40	<0.20	<0.15	<0.40	<0.10	<0.10	<0.15	<2.0
	1/17/07	<0.010	7.76	<6.5	<0.15	ND	<0.15	0.73	<0.10	<0.40	<1.0	<0.70	<0.10	<0.40	<0.20	<0.15	<0.40	<0.10	<0.10	<0.15	<2.0
	4/18/07	0.31	6.69	<6.5	<0.20	ND	<0.15	<0.20	<0.10	<0.40	<1.0	<0.70	<0.10	<0.40	<0.20	<0.20	<0.40	<0.10	<0.20	<0.20	<2.0
	7/19/07	<0.010	9.23	<6.5	<0.20	ND	<0.15	<0.20	<0.10	<0.40	<1.0	<0.70	<0.10	<0.40	<0.20	<0.20	<0.40	<0.10	<0.20	<0.20	<2.0
	10/23/07	0.016 J	10.7	<6.5	<0.20	ND	<0.15	<0.20	<0.10	<0.40	<1.0	<0.70	<0.10	<0.40	<0.20	<0.20	<0.40	<0.10	<0.20	<0.20	<2.0
	2/6/08	<0.010	7.32	<6.5	<0.20	ND	<0.40	<0.30	<0.20	<0.40	<1.0	<0.30	<0.20	<0.40	<0.40	<0.20	<0.40	<0.10	<0.30	<0.20	<2.0
	4/29/08	<0.010	9.25	<6.5	<0.20	ND	<0.40	<0.30	<0.20	<0.40	<1.0	<0.30	<0.20	<0.40	<0.40	<0.20	<0.40	<0.10	<0.30	<0.20	<2.0
	7/29/08	<0.010	6.72	<6.5	<0.20	ND	<0.40	<0.30	<0.20	<0.40	<1.0	<0.30	<0.20	<0.40	<0.40	<0.20	<0.40	<0.10	<0.30	<0.20	<2.0
	10/23/08	<0.010	10.4	<6.5	<0.20	ND	<0.40	<0.30	<0.20	<0.40	<1.0	<0.30	<0.20	<0.40	<0.40	<0.20	<0.40	<0.10	<0.30	<0.20	<2.0
	10/17/09	NA	NA	<6.5	<0.20	ND	<0.40	<0.30	<0.20	<0.40	<1.0	<0.30	<0.20	<0.40	<0.40	<0.20	<0.40	<0.10	<0.30	<0.20	<2.0
	10/29/10	NA	NA	<6.5	<0.20	ND	<0.40	<0.30	<0.20	<0.40	<1.0	<0.30	<0.20	<0.40	<0.40	<0.20	<0.40	<0.10	<0.30	<0.20	<2.0
	10/25/11	NA	NA	<6.5	<0.20	ND	<0.40	<0.30	<0.20	<0.40	<1.0	<0.30	<0.20	<0.40	<0.40	<0.20	<0.40	<0.10	<0.30	<0.20	<2.0
	10/24/12	NA	NA	NA	<0.41	ND	<0.57	<0.83	<0.54	<0.43	<0.89	<0.45	<0.89	<0.67	<0.48	<0.18	<1.8	<0.86	<0.42	<0.75	NA
Abandoned 10-21-2013																					
G-4B	7/28/03	NA	NA	NA	<1	ND	<1	<1	<1	<5	<5	<1	<1	<1	<1	<2	<3	<1	<1	<1	<2.0
	8/8/03	0.04	6.15	NA	<0.31	ND	<0.39	<0.23	<0.5	<0.51	<0.8	<0.32	<0.39	<0.3	<0.36	<0.2	<0.92	<0.32	<0.5	<0.36	<2.0
	10/2/03	0.0433	7.47	NA	<0.31	ND	<0.39	<0.23	<0.5	<0.51	<0.8	<0.32	<0.39	<0.3	<0.36	<0.2	<0.92	<0.32	<0.5	<0.36	<2.0
	7/28/06	<0.010	12.1	20	<0.23	ND	<0.25	<0.20	<0.21	<0.24	<0.37	<0.18	<0.29	<0.18	<0.13	<0.16	<0.19	<0.18	<0.10	<0.15	<2.0
	10/18/06	0.041 J	11.4	19.7	<0.15	ND	<0.15	<0.20	0.14 J	<0.40	<1.00	<0.10	<0.10	<0.40	<0.20	<0.15	<0.40	<0.10	<0.10	<0.15	<2.0
	1/17/07	0.032 J	14.1	15.7 J	<0.15	ND	<0.15	0.20 J	<0.10	<0.40	<1.00	<0.10	<0.10	<0.40	<0.20	<0.15	<0.40	<0.10	<0.10	<0.15	<2.0
	4/18/07	0.052	13.4	8.67	<0.20	ND	<0.15	<0.10	<0.10	<0.40	<1.00	<0.10	<0.10	<0.40	<0.20	<0.20	<0.40	<0.10	<0.20	<0.20	<2.0
	7/19/07	0.025	14.7	9.37	<0.20	ND	<0.15	<0.10	<0.10	<0.40	<1.00	<0.10	<0.10	<0.40	<0.20	<0.20	<0.40	0.21 J	<0.20	<0.20	<2.0
	10/24/07	0.021 J	14.5	10.9 J	<0.20	ND	<0.15	<0.10	0.10 J	<0.40	<1.00	<0.10	<0.10	<0.40	<0.20	<0.20	<0.40	<0.010	<0.20	<0.20	<2.0
	2/6/08	0.017 J	12.9	9.92 J	<0.20	ND	<0.40	0.60 J	<0.20	<0.40	<1.00	<0.30	<0.20	<0.40	<0.40	<0.20	<0.40	0.337 J	<0.30	<0.20	<2.0
	4/29/08	0.020 J	12.6	9.06 J	<0.20	ND	<0.40	<0.30	<0.20	<0.40	<1.00	<0.30	<0.20	<0.40	<0.40	<0.20	<0.40	0.21 J	<0.30	<0.20	<2.0
	7/29/08	0.017J	11.7	8.23J	<0.20	ND	<0.40	0.48J	<0.20	<0.40	<1.00	<0.30	<0.20	<0.40	<0.40	<0.20	<0.40	0.31J	<0.30	<0.20	<2.0
	10/23/08	0.017J	12.6	6.97 J	<0.20	ND	<0.40	<0.30	<0.20	<0.40	<1.00	<0.30	<0.20	<0.40	<0.40	<0.20	<0.40	0.31J	<0.30	<0.20	<2.0
	1/9/09	0.016 J	11.2	7.73 J	<0.20	ND	<0.40	<0.30	<0.20	<0.40	<1.00	<0.30	<0.20	<0.40	<0.40	<0.20	<0.40	0.28 J	<0.30	<0.20	<2.0
	10/17/09	NA	NA	10.9	<0.20	ND	<0.40	<0.30	<0.20	<0.40	<1.00	<0.30	<0.20	<0.40	<0.40	<0.20	<0.40	0.22	<0.30	<0.20	<2.0
	10/29/10	NA	NA	11.1	<0.20	ND	<0.40	<0.30	<0.20	<0.40	<1.00	<0.30	<0.20	<0.40	<0.40	<0.20	<0.40	0.12	<0.30	<0.20	<2.0
	10/25/11	NA	NA	10.5 J	<0.20	ND	<0.40	<0.30	<0.20	<0.40	<1.00	<0.30	<0.20	<0.40	<0.40	<0.20	<0.40	0.25 J	<0.30	<0.20	<2.0
	10/24/12	NA	NA	NA	<0.41	ND	<0.57	<0.83	<0.54	<0.43	<0.89	<0.45	<0.89	<0.67	<0.48	<0.18	<1.8	<0.86	<0.42	<0.75	NA
Abandoned 10-21-2013																					

TABLE 2
LABORATORY RESULTS OF GROUNDWATER SAMPLES COLLECTED FROM MONITORING WELLS
FORMER GORSKI LANDFILL, MOSINEE, WI
RAMBOLL PROJECT NO. 1690019237

Well Location	Sample Date	Iron (mg/L)	Sulfate (mg/L)	Acetone (ug/L)	Benzene (ug/L)	Chloro methane (ug/L)	1,1-DCE (ug/L)	cDCE (ug/L)	Ethyl benzene (ug/L)	Methylene Chloride (ug/L)	Naphthalene (ug/L)	Tetrachloroethene (ug/L)	tDCE (ug/L)	Toluene (ug/L)	TCE (ug/L)	VC (ug/L)	Xylene Totals (ug/L)	Styrene (ug/L)	1,1,2-TCA (ug/L)	1,1-DCA (ug/L)	THF (ug/L)
G-5	7/28/03	NA	NA	NA	<1	ND	<1	<u>15</u>	<1	<5	<1	<1	6.2	<2	<3	<1	<1	<1	<1	<2.0	
	8/8/03	<0.01	11.7	NA	<0.31	ND	<0.39	<u>19.9</u>	<0.5	<0.51	<0.8	<u>0.813</u>	<0.39	<0.3	8.09	<0.2	<0.92	<0.5	<0.5	<0.36	<2.0
	10/2/03	0.0213	10.5	NA	<0.31	ND	<0.39	<u>10.6</u>	<0.5	<0.51	<0.8	<u>0.739</u>	<0.39	<0.3	5.07	<0.2	<0.92	<0.5	<0.5	<0.36	<2.0
	7/26/06	<0.010	20.8	<6.5	<0.15	ND	<0.15	6.33	<0.10	<0.40	<1.0	0.37 J	<0.10	<0.40	<u>1.73</u>	<0.15	<0.50	<0.1	<0.10	<0.15	<2.0
	10/18/06	<0.010	13.9	<6.5	<0.15	ND	<0.15	4.39	<0.10	<0.40	<1.0	0.48	<0.10	<0.40	<u>1.26</u>	<0.15	<0.40	<0.1	<0.10	<0.15	<2.0
	1/17/07	0.021 J	25.6	<6.5	<0.15	ND	<0.15	3.31	<0.10	<0.40	<1.0	0.32 J	<0.10	<0.40	<u>0.82</u>	<0.15	<0.40	<0.1	<0.10	<0.15	<2.0
	4/18/07	0.017	13.2	<6.5	<0.20	ND	<0.15	4.83	<0.10	<0.40	<1.0	0.88	<0.10	<0.40	<0.20	<0.20	<0.40	<0.1	<0.20	<0.20	<2.0
	7/19/07	<0.010	17.5	<6.5	<0.20	ND	<0.15	<u>8.57</u>	<0.10	<0.40	<1.0	0.37 J	<0.10	<0.40	<u>1.61</u>	<0.20	17.5	<0.1	<0.20	<0.20	<2.0
	10/23/07	0.010 J	23	<6.5	<0.20	ND	<0.15	1.65	<0.10	<0.40	<1.0	<0.30	<0.20	<0.40	<u>0.43 J</u>	<0.20	<0.20	<0.10	<0.20	<0.20	<2.0
	2/6/08	<0.010	16.2	<6.5	<0.20	ND	<0.40	<u>0.39 J</u>	<0.20	<0.40	<1.0	<0.30	<0.20	<0.40	<0.40	<0.20	<0.40	<0.10	<0.30	<0.20	<2.0
	4/29/08	<0.010	10.2	<6.5	<0.20	ND	<0.40	2.29	<0.20	<0.40	<1.0	<0.30	<0.20	<0.40	<u>0.58 J</u>	<0.20	<0.40	<0.10	<0.30	<0.20	<2.0
	7/29/08	<0.010	10.6	<6.5	<0.20	ND	<0.40	<u>11.1</u>	<0.20	<0.40	<1.0	<u>0.57 J</u>	<u>0.41 J</u>	<0.40	<u>1.91</u>	<0.20	<0.40	<0.10	<0.30	<0.20	<2.0
	10/23/08	<0.010	13.5	<6.5	<0.20	ND	<0.40	<u>7.31</u>	<0.20	<0.40	<1.0	<u>0.48 J</u>	<0.20	<0.40	<u>2.13</u>	<0.20	<0.40	<0.10	<0.30	<0.20	<2.0
	4/30/09	NA	NA	<6.5	<0.20	ND	<0.40	1.59	<0.20	<0.40	<1.0	<0.30	<0.20	<0.40	<0.40	<0.20	<0.40	<0.10	<0.30	<0.20	<2.0
	10/17/09	NA	NA	<6.5	<0.20	ND	<0.40	<u>7.58</u>	<0.20	<0.40	<1.0	<u>0.47 J</u>	<0.20	<0.40	<u>1.29 J</u>	<0.20	<0.40	<0.10	<0.30	<0.20	<2.0
	4/1/10	NA	NA	<6.5	<0.20	ND	<0.40	1.82	<0.20	<0.40	<1.0	<0.30	<0.20	<0.40	<u>0.42 J</u>	<0.20	<0.40	<0.10	<0.30	<0.20	2.30 J
	10/22/10	NA	NA	<6.5	<0.20	ND	<0.40	<u>5.14</u>	<0.20	<0.40	<1.0	<u>1.04</u>	<0.20	<0.40	<u>0.95</u>	<0.20	<0.40	<0.10	<0.30	<0.20	<2.0
	10/25/11	NA	NA	<6.5	<0.20	ND	<0.40	4.04	<0.20	<0.40	<1.0	<u>0.47 J</u>	<0.20	<0.40	<u>0.57 J</u>	<0.20	<0.40	<0.10	<0.30	<0.20	<2.0
	10/24/12	NA	NA	NA	<0.41	ND	<0.57	<0.83	<0.54	<0.43	<0.89	<0.45	<0.89	<0.67	<0.48	<0.18	<1.8	<0.86	<0.42	<0.75	NA
	10/21/13	NA	NA	NA	<0.50	ND	<0.43	<u>0.49 J</u>	<0.50	<0.36	<2.5	<0.47	<0.37	<0.44	<0.36	<0.18	<1.32	<0.35	<0.39	<0.28	NA
	10/7/14	NA	NA	NA	<0.50	ND	<0.41	<u>0.64 J</u>	<0.50	<0.23	<2.5	<0.50	<0.26	<0.50	<0.33	0.60 J	<1.50	<0.50	<0.16	<0.24	NA
	10/7/15	NA	NA	NA	<0.50	ND	<0.41	1.5	<0.50	<0.23	<2.5	<0.50	<0.26	<0.50	<0.33	<0.18	<1.5	<0.50	<0.20	<0.24	NA
	10/19/16	NA	NA	NA	<0.50	ND	<0.41	1.3	<0.50	<0.23	<2.5	<0.50	<0.26	<0.50	<0.33	<0.18	<1.5	<0.50	<0.20	<0.24	NA
Abandoned 10-24-2017																					
G-5D	7/28/03	NA	NA	NA	<0.31	ND	<0.39	<u>18.3</u>	<0.5	<0.51	<0.8	<u>0.921</u>	<0.39	<0.3	6.72	<0.2	<0.92	<0.5	<0.5	<0.36	<2.0
	8/8/03	0.015	13.6	NA	<0.31	ND	<0.39	<u>19.4</u>	<0.5	<0.51	<0.8	<u>0.895</u>	<0.39	<0.3	8.18	<0.2	<0.92	<0.5	<0.5	<0.36	<2.0
	7/26/06	<0.010	21	<6.5	<0.15	ND	<0.15	<u>6.86</u>	<0.10	<0.40	<1.0	<u>0.41 J</u>	<0.10	<0.40	<u>2.02</u>	<0.15	<0.50	<0.10	<0.10	<0.15	<2.0
	10/18/06	<0.010	13.8	<6.5	<0.15	ND	0.21 J	4.37	<0.10	<0.40	<1.0	<u>0.43 J</u>	<0.10	<0.40	<u>1.18</u>	<0.15	<0.40	<0.10	<0.10	<0.15	<2.0
	1/17/07	0.015 J	27.6	<6.5	<0.15	ND	<u>0.21 J</u>	3.18	<0.10	<0.40	<1.0	<u>0.36 J</u>	<0.10	<0.40	<u>0.71</u>	<0.15	<0.40	<0.10	<0.10	<0.15	<2.0
	7/29/08	<0.010	10.6	<6.5	<0.15	ND	<0.40	<u>10.7</u>	<0.20	<0.40	<1.0	<u>0.49 J</u>	<u>0.24 J</u>	<0.40	<u>2.21</u>	<0.20	<0.20	<0.10	<0.30	<0.20	<2.0
	10/25/11	NA	NA	<6.5	<0.20	ND	<0.40	<u>3.8</u>	<0.20	<0.40	<1.0	<u>0.50 J</u>	<0.20	<0.40	<u>0.59 J</u>	<0.20	<0.40	<0.10	<0.30	<0.20	<2.0
	10/24/12	NA	NA	NA	<0.41	ND	<0.57	<u>0.86 J</u>	<0.54	<0.43	<0.89	<0.45	<0.89	<0.67	<0.48	<0.18	<1.8	<0.86	<0.42	<0.75	NA
	10/21/13	NA	NA	NA	<0.50	ND	<0.43	<u>0.52 J</u>	<0.50	<0.36	<2.5	<0.47	<0.37	<0.44	<0.36	<0.18	<1.32	<0.35	<0.39	<0.28	NA
Abandoned 10-24-2017																					
PAL ^A		0.15	125	1800	0.5	3	0.7	7	140	0.5	10	0.5	20	160	0.5	0.02	400	10	0.5	85	10
ES ^B		0.3	250	9000	5	30	7	70	700	5	100	5	100	800	5	0.2	2,000	100	5	850	50

Notes:

PAL - Preventive Action Limit, Wisconsin Administrative Code NR 140.10 Table 1, January 2011, exceedances are underlined italics.

ES - Enforcement Standard, Wisconsin Administrative Code NR 140.10 Table 1, January 2011, exceedances are **bold**.

*PAL or ES is for total trimethylbenzenes or total xylenes

J = Estimated value

Abbreviations:

1,1-DCE = 1,1-Dichloroethene

ug/L = micrograms per liter

cDCE = cis-1,2-Dichloroethene

mg/L = milligrams per liter

tDCE = trans-1,2-Dichloroethene

NA = Not Analyzed

TCE = Trichloroethene

ND or < = Analyte was not detected above laboratory method detection limit

VC = Vinyl Chloride

NE = Not Established

1,1,2-TCA = 1,1,2-Trichloroethane

1,1-DCA = 1,1-Dichloroethane

THF = Tetrahydrofuran

TABLE 3
LABORATORY RESULTS OF GROUNDWATER SAMPLES COLLECTED FROM RESIDENTIAL WELLS
FORMER GORSKI LANDFILL, MOSINEE, WI
RAMBOLL PROJECT NO. 1690019237

Well Location	Sample Date	1,1,1-TCA	1,1,2-TCA	CBenzene	Benzene	1,3-DCB	1,4-DCB	DCFm	1,2-DCA	Chloroform	Chloro methane	1,1-DCE	cDCE	MEK	MTBE	IDCE	PCE	TCE	1,2,4-TCB	VC	1,1-DCA	THF	Toluene
626 CTH B	08/07/03	<0.42	<0.5	<0.31	<0.31	<0.29	<0.3	<0.46	<0.17	<0.17	<0.39	<0.39	<0.23	<2	ND	<0.39	<0.32	<0.36	<0.47	<0.2	<0.2	<0.2	<0.2
	10/01/03	<0.42	<0.5	<0.31	<0.31	<0.29	<0.3	<0.46	<0.17	<0.17	<0.39	<0.39	<0.23	<2	ND	<0.39	<0.32	<0.36	<0.47	<0.2	<0.2	<0.2	<0.2
	10/19/06	<0.42	<0.10	<0.10	<0.15	<0.15	<0.75	<0.10	<0.10	<0.15	<0.15	<0.20	<2	ND	<0.10	<0.10	0.52J	NA	<0.15	<0.15	<0.15	<0.15	<0.15
	10/24/07	<0.20	<0.20	<0.10	<0.20	<0.20	<0.80	<0.30	<0.20	<0.20	<0.30	<0.40	<0.20	<2	ND	<0.20	<0.30	<0.20	<0.20	<0.20	<0.20	<1.0	<0.40
	10/24/08	<0.20	<0.20	<0.10	<0.20	<0.20	<0.80	<0.30	<0.20	<0.20	<0.30	<0.40	<0.20	<2	ND	<0.20	<0.30	<0.20	NA	<0.20	<0.20	<0.20	<0.40
	10/19/09	<0.50	<0.40	<0.20	<0.20	<0.20	<0.80	<0.30	<0.30	<0.20	<0.40	<0.40	<0.40	<2	ND	<0.50	<0.30	<0.40	NA	<0.20	<0.40	<2.0	<0.40
	11/04/10	<0.50	<0.40	<0.20	<0.20	<0.20	<0.80	<0.30	<0.30	<0.20	<0.40	<0.40	<0.40	<2	ND	<0.50	<0.30	<0.40	NA	<0.20	<0.40	<2.0	<0.40
	10/24/11	<0.50	<0.40	<0.20	<0.20	<0.20	<0.80	<0.30	<0.30	<0.20	<0.40	<0.40	<0.40	<2	<0.50	<0.50	<0.30	<0.40	NA	<0.20	<0.40	<2.0	<0.40
	10/23/12	<0.90	<0.42	<0.41	<0.82	<0.87	<0.95	<0.99	<0.36	<1.3	<0.24	<0.57	<0.83	<0.61	<0.61	<0.89	<0.45	<0.48	<0.97	<0.18	<0.75	NA	<0.67
	10/21/13	<0.44	<0.39	<0.36	<0.50	<0.45	<0.43	<0.40	<0.48	<0.69	<0.39	<0.43	<0.42	NA	<0.49	<0.37	<0.47	<0.36	<2.5	<0.18	<0.28	NA	<0.44
	10/07/14	<0.50	<0.16	<0.50	<0.50	<0.50	<0.50	<0.20	<0.17	<2.5	<0.50	<0.41	<0.26	NA	<0.17	<0.26	<0.50	<0.33	<2.2	<0.18	<0.24	NA	<0.50
	10/07/15	<0.50	<0.20	<0.50	<0.50	<0.50	<0.50	<0.22	<0.17	<2.5	<0.50	<0.41	<0.26	NA	<0.17	<0.26	<0.50	<0.33	<2.2	<0.18	<0.24	NA	<0.50
	10/18/16	<0.50	<0.20	<0.50	<0.50	<0.50	<0.50	<0.22	<0.17	<2.5	<0.50	<0.41	<0.26	NA	<0.17	<0.26	<0.50	<0.33	<2.2	<0.18	<0.24	NA	<0.50
	10/24/17	<0.50	<0.20	<0.50	<0.50	<0.50	<0.50	<0.22	<0.17	<2.5	<0.50	<0.41	<0.26	NA	<0.17	<0.26	<0.50	<0.33	<2.2	<0.18	<0.24	NA	<0.50
	10/24/18	<0.24	<0.55	<0.71	<0.25	<0.63	<0.94	<0.50	<0.28	<1.3	<2.2	<0.24	<0.27	NA	<1.2	<1.1	<0.33	<0.26	<0.95	<0.17	<0.27	NA	<0.17
	10/22/19	<0.24	<0.55	<0.71	<0.25	<0.63	<0.94	<0.50	<0.28	<1.3	<2.2	<0.24	<0.27	NA	<1.2	<1.1	<0.33	<0.26	<0.95	<0.17	<0.27	NA	<0.17
	10/26/20	<0.24	<0.55	<0.71	<0.25	<0.63	<0.94	<0.50	<0.28	<1.3	<2.2	<0.24	<0.27	NA	<1.2	<1.1	<0.33	<0.26	<0.95	<0.17	<0.27	NA	<0.17
	10/11/21	<0.30	<0.34	<0.86	<0.30	<0.35	<0.89	<0.46	<0.29	<1.2	<1.6	<0.58	<0.47	NA	<1.1	<0.53	<0.41	<0.32	<0.95	<0.17	<0.30	NA	<0.29
626 CTH B-D	10/18/16	<0.50	<0.20	<0.50	<0.50	<0.50	<0.50	<0.22	<0.17	<2.5	<0.50	<0.41	<0.26	NA	<0.17	<0.26	<0.50	<0.33	<2.2	<0.18	<0.24	NA	<0.50
642 CTH B	08/07/03	<0.42	<0.5	<0.31	<0.31	<0.29	<0.3	<0.46	<0.17	<0.17	<0.39	4.33	<2	ND	<0.39	0.954	9.9	<0.47	<0.2	<0.2	<0.2	<0.2	<0.2
	10/01/03	<0.42	<0.5	<0.31	<0.31	<0.29	<0.3	<0.46	<0.17	<0.17	<0.39	5.59	<2	ND	<0.39	0.986	11.4	<0.47	<0.2	<0.2	<0.2	<0.2	<0.2
	07/25/06	<0.20	<0.10	<0.10	<0.15	<0.15	<0.75	<0.25	<0.10	<0.10	<0.15	7.24	<2	ND	<0.15	0.89	12.9	NA	<0.15	<0.15	<0.15	<0.15	<0.15
	10/19/06	<0.20	<0.10	<0.10	<0.15	<0.15	<0.75	<0.10	<0.10	<0.15	0.15J	3.31	<2	ND	0.10J	0.7	6.81	NA	<0.15	<0.15	<0.15	<0.15	<0.15
	01/18/07	<0.20	<0.10	<0.10	<0.15	<0.15	<0.75	<0.10	<0.10	<0.15	0.15	3.36	<2	ND	<0.10	0.44	4.96	NA	<0.15	<0.15	<0.70	<0.70	<0.70
	04/18/07	<0.20	<0.10	<0.20	<0.20	<0.80	<0.30	<0.20	<0.20	<0.40	3.58	<2	ND	<0.20	0.65J	6.82	NA	<0.20	<0.20	<0.70	<0.70	<0.70	
642 R CTH B	06/12/07	<0.20	<0.20	<0.10	<0.2	<0.80	<0.30	<0.20	<0.20	12.2	<0.30	<0.40	<0.20	<2	ND	<0.20	<0.30	<0.20	<0.20	<0.20	<0.20	4.84	
	06/19/07	<0.20	<0.20	<0.10	<0.2	<0.80	<0.30	<0.20	<0.20	4.69	<0.30	<0.40	<0.20	<2	ND	<0.20	<0.30	<0.20	<0.20	<0.20	<0.20	1.18J	
	07/19/07	<0.20	<0.20	<0.10	<0.2	<0.80	<0.30	<0.20	<0.20	0.52J	<0.30	<0.40	<0.20	<2	ND	<0.20	<0.30	<0.20	<0.20	<0.20	<0.20	0.48J	
	08/28/07	<0.20	<0.20	<0.10	<0.2	<0.80	<0.30	<0.20	<0.20	0.27J	0.33J	<0.40	<0.20	<2	ND	<0.20	<0.30	<0.20	<0.20	<0.20	<0.20	<0.40	
	09/25/07	<0.20	<0.20	<0.10	<0.2	<0.80	<0.30	<0.20	<0.20	0.75J	<0.40	<0.20	<0.20	<2	ND	<0.20	<0.30	<0.20	<0.20	<0.20	<0.20	0.75J	
	05/08/08	<0.20	<0.30	<0.10	<0.2	<0.20	<0.80	<0.30	<0.30	<0.20	<0.40	<0.40	<0.30	<2	ND	<0.20	<0.30	<0.40	NA	<0.20	<0.20	<0.20	<0.40
	07/31/08	<0.20	<0.30	<0.10	<0.2	<0.20	<0.80	<0.30	<0.30	<0.20	<0.40	<0.40	<0.30	<2	ND	<0.20	<0.30	<0.40	NA	<0.20	<0.20	<0.20	<0.40
	10/23/08	<0.20	<0.30	<0.10	<0.2	<0.20	<0.80	<0.30	<0.30	<0.20	<0.40	<0.40	<0.30	<2	ND	<0.20	<0.30	<0.40	NA	<0.20	<0.20	<0.20	<0.40
	04/30/09	<0.20	<0.30	<0.10	<0.2	<0.20	<0.80	<0.30	<0.30	<0.20	<0.40	<0.40	<0.30	<2	ND	<0.20	<0.30	<0.40	NA	<0.20	<0.20	<0.20	<0.40
	07/29/09	<0.50	<0.40	<0.20	<0.2	<0.80	<0.30	<0.30	<0.20	<0.40	<0.40	<0.40	<0.40	<2	ND	<0.50	<0.30	<0.40	NA	<0.20	<0.40	<2	<0.40
	10/19/09	<0.50	<0.40	<0.20	<0.2	<0.80	<0.30	<0.30	<0.20	<0.40	<0.40	<0.40	<0.40	<2	ND	<0.50	<0.30	<0.40	NA	<0.20	<0.40	<2	<0.40
	04/02/10	<0.50	<0.40	<0.20	<0.2	<0.80	<0.30	<0.30	<0.20	<0.40	<0.40	<0.40	<0.40	<2	ND	<0.50	<0.30	<0.40	NA	<0.20	<0.40	<2	<0.40
	07/06/10	<0.50	<0.40	<0.20	<0.2	<0.80	<0.30	<0.30	<0.20	<0.40	<0.40	<0.40	<0.40	<2	ND	<0.50	<0.30	<0.40	NA	<0.20	<0.40	<2	<0.40
	11/11/10	<0.50	<0.40	<0.20	<0.2	<0.80	<0.30	<0.30	<0.20	<0.40	<0.40	<0.40	<0.40	<2	ND	<0.50	<0.30	<0.40	NA	<0.20	<0.40	<2	<0.40
	10/24/11	<0.50	<0.40	<0.20	<0.2	<0.80	<0.30	<0.30	<0.20	<0.40	<0.40	<0.40	<0.40	<2	ND	<0.50	<0.30	<0.40	NA	<0.20	<0.40	<2	<0.40
	04/23/12	<0.50	<0.40	<0.20	<0.2	<0.80	<0.30	<0.30	<0.20	<0.40	<0.40	<0.40	<0.40	<2	ND	<0.50	<0.30	<0.40	NA	<0.20	<0.40	<2	<0.40
	04/08/13	<0.90	<0.42	<0.41	<0.87	<0.95	<0.99	<0.36	<1.3	<0.24	<0.57	<0.83	<0.61	<0.89	<0.45	<0.48	<0.97	<0.18	<0.75	NA	<0.67		
	10/21/13	<0.44	<0.39	<0.36	<0.50	<0.45	<0.43	<0.40</															

TABLE 3
LABORATORY RESULTS OF GROUNDWATER SAMPLES COLLECTED FROM RESIDENTIAL WELLS
FORMER GORSKI LANDFILL, MOSINEE, WI
RAMBOLL PROJECT NO. 1690019237

Well Location	Sample Date	1,1,1-TCA	1,1,2-TCA	CBenzene	Benzene	1,3-DCB	1,4-DCB	DCFm	1,2-DCA	Chloroform	Chloro methane	1,1-DCE	cDCE	MEK	MTBE	IDCE	PCE	TCE	1,2,4-TCB	VC	1,1-DCA	THF	Toluene
652R CTH B	06/12/07	<0.42	<0.20	<0.10	<0.20	<0.20	<0.80	<0.30	<0.20	9.94	0.43J	<0.40	<0.20	ND	<0.20	<0.30	<0.20	NA	<0.20	<0.20	<0.70	1.04J	
	06/19/07	<0.20	<0.20	<0.10	<0.20	<0.20	<0.80	<0.30	<0.20	2.51	<0.30	<0.40	<0.20	2.71J	ND	<0.20	<0.30	<0.20	NA	<0.20	<0.20	1.40J	1.63
	07/19/07	<0.20	<0.20	<0.10	<0.20	<0.20	<0.80	<0.30	<0.20	0.45J	<0.30	<0.40	<0.20	<2	ND	<0.20	<0.30	0.35J	NA	<0.20	<0.20	<1	<0.40
	08/28/07	<0.20	<0.20	<0.10	<0.20	<0.20	<0.80	<0.30	<0.20	<20	<0.30	<0.40	<0.20	<2	ND	<0.20	<0.30	0.32J	NA	<0.20	<0.20	<1	<0.40
	09/25/07	<0.20	<0.20	<0.10	<0.20	<0.20	<0.80	<0.30	<0.20	0.38J	<0.30	<0.40	<0.20	<2	ND	<0.20	<0.30	<0.20	NA	<0.20	<0.20	<1	<0.40
	02/11/08	<0.20	<0.30	<0.10	<0.20	<0.20	<0.80	<0.30	<0.20	<20	<0.30	<0.40	<0.20	<2	ND	<0.20	<0.30	<0.40	NA	<0.20	<0.20	<1	<0.40
	04/29/08	<0.20	<0.30	<0.10	<0.20	<0.20	<0.80	<0.30	<0.20	<20	<0.30	<0.40	<0.20	<2	ND	<0.20	<0.30	<0.40	NA	<0.20	<0.20	<1	<0.40
	07/31/08	<0.20	<0.30	<0.10	<0.20	<0.20	<0.80	<0.30	<0.20	<40	<0.40	<0.40	<0.30	<2	ND	<0.20	<0.30	0.44J	NA	<0.20	<0.20	<1	<0.40
	10/24/08	0.69	<0.30	<0.10	<0.20	<0.20	<0.80	<0.30	<0.20	0.45 J	<0.40	<0.40	<0.30	3.18 J	ND	<0.20	<0.30	<0.40	NA	<0.20	<0.20	<1	17.5
	01/13/09	<0.20	<0.30	<0.10	<0.20	<0.20	<0.80	<0.30	<0.20	<40	<0.40	<0.40	<0.30	<2	ND	<0.20	<0.30	<0.40	NA	<0.20	<0.20	<1	<0.40
	04/30/09	<0.20	<0.30	<0.10	<0.20	<0.20	<0.80	<0.30	<0.20	<40	<0.40	<0.40	<0.30	<2	ND	<0.20	<0.30	<0.40	NA	<0.20	<0.20	<1	<0.40
	07/29/09	0.50	<0.40	<0.20	<0.2	<0.20	<0.80	<0.30	<0.20	<40	<0.40	<0.40	<0.30	<2	ND	<0.50	<0.30	<0.40	NA	<0.20	<0.40	<2	<0.40
	10/17/09	<0.50	<0.40	<0.20	<0.2	<0.20	<0.80	<0.30	<0.20	<40	<0.40	<0.40	<0.30	<2	ND	<0.50	<0.30	<0.40	NA	<0.20	<0.40	<2	<0.40
	01/28/10	<0.50	<0.40	<0.20	<0.20	<0.20	<0.80	<0.30	<0.20	<40	<0.40	<0.40	<0.30	<2	ND	<0.50	<0.30	<0.40	NA	<0.20	<0.40	<2	<0.40
	04/02/10	<0.50	<0.40	<0.20	<0.20	<0.20	<0.80	<0.30	<0.20	<40	<0.40	<0.40	<0.30	<2	ND	<0.50	<0.30	<0.40	NA	<0.20	<0.40	<2	<0.40
	07/07/10	<0.50	<0.40	<0.20	<0.20	<0.20	<0.80	<0.30	<0.20	<40	<0.40	<0.40	<0.30	<2	ND	<0.50	<0.30	0.46J	NA	<0.20	<0.40	<2	<0.40
	11/04/10	<0.50	<0.40	<0.20	<0.20	<0.20	<0.80	<0.30	<0.20	<40	<0.40	<0.40	<0.30	<2	ND	<0.50	<0.30	<0.40	NA	<0.20	<0.40	<2	<0.40
	01/06/11	<0.50	<0.40	<0.20	<0.20	<0.20	<0.80	<0.30	<0.20	<40	<0.40	<0.40	<0.30	<2	ND	<0.50	<0.30	<0.40	NA	<0.20	<0.40	<2	<0.40
	10/24/11	<0.50	<0.40	<0.20	<0.20	<0.20	<0.80	<0.30	<0.20	<40	<0.40	<0.40	<0.30	<2	ND	<0.50	<0.30	0.40 J	NA	<0.20	<0.40	<2	<0.40
	04/23/12	<0.50	<0.40	<0.20	<0.20	<0.20	<0.80	<0.30	<0.20	<40	<0.40	<0.40	<0.30	<2	ND	<0.50	<0.30	<0.40	NA	<0.20	<0.40	<2	<0.40
	10/23/12	<0.90	<0.42	<0.41	<0.41	<0.87	<0.95	<0.99	<0.36	<1.3	<0.24	<0.57	<0.83	NA	<0.61	<0.89	<0.45	<0.48	<0.97	<0.18	<0.75	NA	<0.67
	04/08/13	<0.90	<0.42	<0.41	<0.41	<0.87	<0.95	<0.99	<0.36	<1.3	<0.24	<0.57	<0.83	NA	<0.61	<0.89	<0.45	<0.48	<0.97	<0.18	<0.75	NA	<0.67
	10/21/13	<0.44	<0.39	<0.36	<0.50	<0.45	<0.40	<0.48	<0.69	<0.39	<0.43	<0.42	<0.49	<0.37	<0.47	<0.36	<0.25	<0.18	<0.28	NA	<0.44		
	04/28/14	<0.50	<0.16	<0.50	<0.50	<0.50	<0.16	<0.17	<2.5	<0.50	<0.41	<0.26	NA	<0.17	<0.24	<0.50	<0.33	<0.22	<0.18	<0.24	NA	<0.50	
	10/07/14	<0.50	<0.16	<0.50	<0.50	<0.50	<0.16	<0.17	<2.5	<0.50	<0.41	<0.26	NA	<0.17	<0.24	<0.50	<0.33	<0.22	<0.18	<0.24	NA	<0.50	
	04/22/15	<0.50	<0.20	<0.50	<0.50	<0.50	<0.20	<0.17	<2.5	<0.50	<0.41	<0.26	NA	<0.17	<0.26	<0.50	<0.33	<0.22	<0.18	<0.24	NA	<0.50	
	10/07/15	<0.50	<0.20	<0.50	<0.50	<0.50	<0.20	<0.17	<2.5	<0.50	<0.41	<0.26	NA	<0.17	<0.26	<0.50	0.44 J	<0.22	<0.18	<0.24	NA	<0.50	
	10/18/16	<0.50	<0.20	<0.50	<0.50	<0.50	<0.20	<0.17	<2.5	<0.50	<0.41	<0.26	NA	<0.17	<0.26	<0.50	<0.33	<0.22	<0.18	<0.24	NA	<0.50	
	10/24/17	<0.50	<0.20	<0.50	<0.50	<0.50	<0.20	<0.17	<2.5	4.2	<0.50	<0.41	<0.26	NA	<0.17	<0.26	<0.50	0.39 J	<0.22	<0.18	<0.24	NA	<0.50
	10/24/18	<0.24	<0.55	<0.71	<0.25	<0.63	<0.94	<0.50	<0.28	<1.3	<0.22	<0.24	<0.27	NA	<1.2	<0.33	<0.26	<0.95	<0.17	<0.27	NA	<0.17	
	10/22/19	<0.24	<0.55	<0.71	<0.25	<0.63	<0.94	<0.50	<0.28	<1.3	<0.22	<0.24	<0.27	NA	<1.2	<0.46	<0.33	<0.26	<0.95	<0.17	<0.27	NA	<0.27
	10/26/20	<0.24	<0.55	<0.71	<0.25	<0.63	<0.94	<0.50	<0.28	<1.3	<0.22	<0.24	<0.27	NA	<1.2	<0.46	<0.33	<0.26	<0.95	<0.17	<0.27	NA	<0.27
	10/11/21	<0.30	<0.34	<0.86	<0.30	<0.35	<0.89	<0.46	<0.29	<1.2	<1.6	<0.58	<0.47	NA	<1.1	<0.53	<0.41	<0.32	<0.95	<0.17	<0.30	NA	<0.29
666 CTHB	08/07/03	<0.42	<0.5	<0.31	<0.31	0.349	1.97	<0.46	<0.17	<0.39	<0.39	0.66	<2	ND	<0.39	1.05	<0.36	<0.47	<0.2	<0.2	<0.2	<0.2	
	10/01/03	<0.42	<0.5	<0.31	<0.31	<0.29	0.658	0.632	<0.17	<0.39	<0.39	<0.23	<2	ND	<0.39	<0.32	1.25	0.686	<0.2	<0.2	<0.2	<0.2	
	07/25/06	<0.20	<0.10	0.28J	<0.15	<0.15	1.02J	<0.25	<0.10	<0.15	<0.15	0.90	<2	ND	<0.10	0.20J	1.49	NA	<0.15	<0.15	<0.15	<0.15	
	10/19/06	<0.20	<0.10	0.11J	<0.15	<0.15	<0.75	<0.10	0.18J	<0.10	<0.15	<0.15	0.28J	<2	ND	<0.10	0.24J	0.57J	NA	<0.15	<0.15	<0.15	<0.15
	01/18/07	<0.20	<0.10	0.31J	<0.15	0.33J	1.07J	<0.10	<0.10	<0.10	<0.15	0.44J	<2	ND	<0.10	0.28J	0.95	NA	<0.15	0.33J	0.87J	0.87J	
	04/17/07	<0.20	<0.20	<0.10	<0.20	<0.80	<0.30	<0.20	<0.20	<0.40	<0.40	<0.20	<0.20	<2	ND	<0.20	<0.30	0.58	NA	<0.20	<0.20	<0.70	
	07/20/07	<0.20	<0.20	0.21 J	<0.20	0.79	<0.80	<0.30	<0.20	<0.40	<0.40	0.76	<2	ND	<0.20	<0.30	1.22	NA	<0.20	0.20J	<0.70		
	10/24/07	<0.20	<0.20	<0.10	<0.20	<0.80	<0.30	<0.20	<0.20	<0.40	<0.40	<0.20	<0.20	<2	ND	<0.20	<0.30	0.47J	NA	<0.20	<0.20	<1.0	
	02/13/08	<0.20	<0.30	<0.10	<0.20	<0.80	<0.30	<0.20	<0.20	<0.40	<0.40	<0.30	<2	ND	<0.20	<0.30	<0.40	NA	<0.20	<0.20	<1.0		
	04/29/08	<0.20	<0.30	<0.10	<0.20	<0.80	<0.30	<0.20	<0.20	<0.40	<0.40	<0.30	<2	ND	<0.20	<0.30	<0.40	NA	<0.20	<0.20	<1.0		
	07/31/08	<0.20																					

TABLE 3
LABORATORY RESULTS OF GROUNDWATER SAMPLES COLLECTED FROM RESIDENTIAL WELLS
FORMER GORSKI LANDFILL, MOSINEE, WI
RAMBOLL PROJECT NO. 1690019237

Well Location	Sample Date	1,1,1-TCA	1,1,2-TCA	CBenzene	Benzene	1,3-DCB	1,4-DCB	DCFM	1,2-DCA	Chloroform	1,1-DCE	cDCE	MEK	MTBE	IDCE	PCE	TCE	1,2,4-TCB	VC	1,1-DCA	THF	Toluene	
669 CTH B (continued)	08/05/10	<0.50	<0.40	<0.20	<0.20	<0.20	<0.80	<0.30	<0.30	<0.20	<0.40	<0.40	<2	ND	<0.50	<0.30	0.69 J	NA	<0.20	<0.40	<2	<0.40	
	11/04/10	<0.50	<0.40	0.34 J	<0.20	0.40 J	1.37 J	<0.30	<0.30	<0.20	<0.40	<0.40	<2	ND	<0.50	0.40 J	2.34	NA	<0.20	<0.40	<2	<0.40	
	01/06/11	<0.50	<0.40	<0.20	<0.20	<0.20	<0.80	<0.30	<0.30	<0.20	<0.40	<0.40	<2	ND	<0.50	<0.30	0.71 J	NA	<0.20	<0.40	<2	<0.40	
	10/24/11	<0.50	<0.40	<0.20	<0.20	0.24 J	0.80	<0.30	<0.30	<0.20	<0.40	<0.40	<2	<0.50	<0.50	<0.30	1.32	NA	<0.20	<0.40	<2	<0.40	
	04/23/12	<0.50	<0.40	<0.20	<0.20	0.25 J	<0.80	<0.30	<0.30	<0.20	<0.40	<0.40	<2	<0.50	<0.50	<0.30	0.69 J	NA	<0.20	<0.40	<2	<0.40	
	10/23/12	<0.90	<0.42	<0.41	<0.41	<0.87	<0.95	<0.99	<0.36	<1.3	<0.24	<0.57	<0.83	NA	<0.61	<0.89	<0.45	0.99 J	<0.97	<0.18	<0.75	NA	<0.67
	04/08/13	<0.90	<0.42	<0.41	<0.41	<0.87	<0.95	<0.99	<0.36	<1.3	<0.24	<0.57	<0.83	NA	<0.61	<0.89	<0.45	0.99 J	<0.97	<0.18	<0.75	NA	<0.67
	10/21/13	<0.44	<0.39	<0.36	<0.50	<0.45	0.60 J	<0.40	<0.48	<0.69	<0.39	<0.43	<0.42	NA	<0.49	<0.37	<0.47	0.98 J	<2.5	<0.18	<0.28	NA	<0.44
	04/28/14	<0.50	<0.16	<0.50	<0.50	<0.50	<0.50	<0.16	<0.17	<2.5	<0.50	<0.41	<0.26	NA	<0.49	<0.24	<0.50	<0.33	<2.2	<0.18	<0.16	NA	<0.50
	10/07/14	<0.50	<0.16	<0.50	<0.50	<0.50	0.90 J	<0.20	<0.17	<2.5	<0.50	<0.41	0.30 J	NA	<0.17	<0.26	<0.50	1.0	<2.2	<0.18	<0.24	NA	<0.50
	04/22/15	<0.50	<0.20	<0.50	<0.50	<0.50	<0.50	<0.22	<0.17	<2.5	<0.50	<0.41	<0.26	NA	<0.17	<0.26	<0.50	0.46 J	<2.2	<0.18	<0.24	NA	<0.50
	10/07/15	<0.50	<0.20	<0.50	<0.50	<0.50	<0.50	<0.22	<0.17	<2.5	<0.50	<0.41	<0.26	NA	<0.17	<0.26	<0.50	0.50 J	<2.2	<0.18	<0.24	NA	<0.50
	10/18/16	<0.50	<0.20	<0.50	<0.50	<0.50	0.85 J	<0.22	<0.17	<2.5	<0.50	<0.41	0.50 J	NA	<0.17	<0.26	<0.50	0.92 J	<2.2	<0.18	<0.24	NA	<0.50
	10/24/17	<0.50	<0.20	<0.50	<0.50	<0.50	<0.50	<0.22	<0.17	<2.5	5.1	<0.41	<0.26	NA	<0.17	<0.26	<0.50	<0.33	<2.2	<0.18	<0.24	NA	<0.50
	10/24/18	<0.24	<0.55	<0.71	<0.25	<0.63	<0.94	<0.50	<0.28	<1.3	<0.22	<0.24	<0.27	NA	<1.2	<1.1	<0.33	<0.26	<0.95	<0.17	<0.27	NA	<0.17
	10/22/19	<0.24	<0.55	<0.71	<0.25	<0.63	<0.94	<0.50	<0.28	<1.3	<0.22	<0.24	<0.27	NA	<1.2	<1.1	<0.33	<0.26	<0.95	<0.17	<0.27	NA	<0.17
	10/26/20	<0.24	<0.55	<0.71	<0.25	<0.63	<0.94	<0.50	<0.28	<1.3	<0.22	<0.24	<0.27	NA	<1.2	<1.1	<0.33	<0.26	<0.95	<0.17	<0.27	NA	<0.17
	10/11/21	<0.30	<0.34	<0.86	<0.30	<0.35	<0.89	<0.46	<0.29	<1.2	<1.6	<0.58	<0.47	NA	<1.1	<0.53	<0.41	0.33 J	<0.95	<0.17	<0.30	NA	<0.29
669 CTH B-D	10/19/06	<0.20	<0.10	0.10 J	<0.15	0.15 J	<0.75	<0.25	0.15 J	<0.10	<0.15	<0.15	0.25 J	<2	ND	<0.10	0.23 J	0.57 J	NA	<0.15	<0.15	<0.15	<0.15
	10/24/11	<0.50	<0.40	<0.20	<0.20	<0.80	<0.30	<0.20	<0.40	<0.40	<0.40	<0.40	<2	ND	<0.50	0.31 J	1.04 J	NA	<0.20	<0.40	<2	<0.40	
	04/23/12	<0.50	<0.40	<0.20	<0.20	<0.80	<0.30	<0.20	<0.40	<0.40	<0.40	<0.40	<2	<0.50	<0.50	<0.30	0.52 J	N/A	<0.20	<0.40	<2	<0.40	
	10/24/12	<0.90	<0.42	<0.41	<0.41	<0.87	<0.95	<0.99	<0.36	<1.3	<0.24	<0.57	<0.83	NA	<0.61	<0.89	<0.45	0.96 J	<0.97	<0.18	<0.75	NA	<0.67
	10/21/13	<0.44	<0.39	<0.36	<0.50	<0.45	0.61 J	<0.40	<0.48	<0.69	<0.39	<0.43	<0.42	NA	<0.49	<0.37	<0.47	1.0	<2.5	<0.18	<0.28	NA	<0.44
	04/28/14	<0.50	<0.16	<0.50	<0.50	<0.50	<0.50	<0.16	<0.17	<2.5	<0.50	<0.41	<0.26	NA	<0.17	<0.24	<0.50	<0.33	<2.2	<0.18	<0.16	NA	<0.50
	10/07/14	<0.50	<0.16	<0.50	<0.50	<0.50	0.91 J	<0.20	<0.17	<2.5	<0.50	<0.41	<0.26	NA	<0.17	<0.26	<0.50	0.95 J	<2.2	<0.18	<0.24	NA	<0.50
	04/22/15	<0.50	<0.20	<0.50	<0.50	<0.50	<0.50	<0.22	<0.17	<2.5	<0.50	<0.41	<0.26	NA	<0.17	<0.26	<0.50	0.44 J	<2.2	<0.18	<0.24	NA	<0.50
	10/07/15	<0.50	<0.20	<0.50	<0.50	<0.50	<0.50	<0.22	<0.17	<2.5	<0.50	<0.41	<0.26	NA	<0.17	<0.26	<0.50	0.48 J	<2.2	<0.18	<0.24	NA	<0.50
	10/24/18	<0.24	<0.55	<0.71	<0.25	<0.63	<0.94	<0.50	<0.28	<1.3	<0.22	<0.24	<0.27	NA	<1.2	<1.1	<0.33	<0.26	<0.95	<0.17	<0.27	NA	<0.17
	10/22/19	<0.24	<0.55	<0.71	<0.25	<0.63	<0.94	<0.50	<0.28	<1.3	<0.22	<0.24	<0.27	NA	<1.2	<1.1	<0.33	0.33 J	<0.95	<0.17	<0.27	NA	<0.17
	10/26/20	<0.24	<0.55	<0.71	<0.25	<0.63	<0.94	<0.50	<0.28	<1.3	<0.22	<0.24	<0.27	NA	<1.2	<1.1	<0.33	<0.26	<0.95	<0.17	<0.27	NA	<0.17
	10/11/21	<0.30	<0.34	<0.86	<0.30	<0.35	<0.89	<0.46	<0.29	<1.2	<1.6	<0.58	<0.47	NA	<1.1	<0.53	<0.41	<0.32	<0.95	<0.17	<0.30	NA	<0.29
670 CTH B	08/07/03	<0.42	<0.5	<0.31	<0.31	<0.29	<0.3	<0.46	<0.17	<0.39	<0.39	<0.23	<2	ND	<0.39	<0.32	<0.36	0.47	<0.2	<0.2	<0.2	<0.2	
	10/01/03	<0.42	<0.5	<0.31	<0.31	<0.29	<0.3	<0.46	<0.17	<0.39	<0.39	<0.23	<2	ND	<0.39	<0.32	<0.36	0.47	<0.2	<0.2	<0.2	<0.2	
	10/19/06	<0.20	<0.10	<0.10	<0.15	<0.15	<0.75	0.30 J	<0.10	<0.10	<0.15	<0.15	<2	ND	<0.10	<0.10	<0.15	<0.15	<0.15	<0.15	<0.15	<0.15	
	10/24/07	<0.20	<0.20	<0.10	<0.20	<0.20	<0.80	<0.30	<0.20	<0.20	<0.30	<0.40	<0.20	<2	ND	<0.20	<0.30	<0.20	<0.20	<1.0	<0.40		
	10/23/08	<0.20	<0.30	<0.10	<0.20	<0.20	<0.80	<0.30	<0.20	<0.20	<0.30	<0.40	<0.20	<2	ND	<0.20	<0.30	<0.20	<0.20	<1.0	<0.40		
	10/19/09	<0.20	<0.30	<0.10	<0.20	<0.20	<0.80	<0.30	<0.20	<0.20	<0.30	<0.40	<0.20	<2	ND	<0.20	<0.30	<0.20	<0.20	<1.0	<0.40		
	11/05/10	<0.50	<0.40	<0.20	<0.20	<0.80	0.30 J	<0.30	<0.20	<0.40	<0.40	<0.40	<2	ND	<0.50	<0.30	<0.40	NA	<0.20	<0.40	<2.00	<0.40	
	10/24/11	<0.50	<0.40	<0.20	<0.20	<0.80	<0.30	<0.20	<0.40	<0.40	<0.40	<0.40	<2	ND	<0.50	<0.30	<0.40	NA	<0.20	<0.40	<2.00	<0.40	
	10/23/12	<0.90	<0.42	<0.41	<0.87	<0.95	<0.99	<0.36	<1.3	<0.24	<0.57	<0.83	NA	<0.61	<0.89	<0.45	<0.48	<0.97	<0.18	<0.28	NA	<0.67	
	10/21/13	<0.44	<0.39	<0.36	<0.50	<0.45	<0.43	<0.48	<0.69	<0.39	<0.43	<0.42	NA	<0.49	<0.37	<0.47	<0.36	<2.5	<0.18	<0.28	NA	<0.44	
	10/07/14	<0.50	<0.16	<0.50	<0.50	<0.50	<0.20	<0.17	<2.5	<0.50	<0.41	<0.26	NA	<0.17	<0.26	<0.50	<0.33	<2.2	<0.18	<0.24	NA	<0.50	
	10/07/15	<0.50	<0.20	<0.50	<0.50	<0.50	<0.20	<0.17	<2.5	<0.50	<0.41	<0.26	NA	<0.17	<0.26	<0.50	<0.33</						

TABLE 3
LABORATORY RESULTS OF GROUNDWATER SAMPLES COLLECTED FROM RESIDENTIAL WELLS
FORMER GORSKI LANDFILL, MOSINEE, WI
RAMBOLL PROJECT NO. 1690019237

Well Location	Sample Date	1,1,1-TCA	1,1,2-TCA	CBenzene	Benzene	1,3-DCB	1,4-DCB	DCFM	1,2-DCA	Chloroform	Chloro methane	1,1-DCE	cDCE	MEK	MTBE	IDCE	PCE	TCE	1,2,4-TCB	VC	1,1-DCA	THF	Toluene
1058 CTH KK	08/07/03	<0.42	<0.5	<0.31	<0.31	<0.29	<0.3	<0.46	<0.17	<0.17	<0.39	<0.23	<2	ND	<0.39	<0.32	<0.36	<0.47	<0.2	<0.2	<0.2	<0.2	
	10/01/03	<0.42	<0.5	<0.31	<0.31	<0.29	<0.3	<0.46	<0.17	<0.17	<0.39	<0.23	<2	ND	<0.39	<0.32	<0.36	<0.47	<0.2	<0.2	<0.2	<0.2	
	10/18/06	<0.20	<0.10	<0.10	<0.15	<0.15	<0.75	<0.10	<0.10	<0.15	<0.15	<0.20	<2	ND	<0.10	<0.10	<0.20	NA	<0.15	<0.15	<0.15	<0.15	
	10/25/07	<0.20	<0.20	<0.10	<0.20	<0.20	<0.80	<0.30	<0.20	<0.20	<0.30	<0.40	<0.20	<2	ND	<0.20	<0.30	<0.20	NA	<0.20	<0.20	<1.00	<0.40
	10/24/08	<0.20	<0.20	<0.10	<0.20	<0.20	<0.80	<0.30	<0.20	<0.20	<0.30	<0.40	<0.20	<2	ND	<0.20	<0.30	<0.20	NA	<0.20	<0.20	<1.00	<0.40
	10/21/09	<0.20	<0.20	<0.10	<0.20	<0.20	<0.80	<0.30	<0.20	<0.20	<0.30	<0.40	<0.20	<2	ND	<0.20	<0.30	<0.20	NA	<0.20	<0.20	<1.00	<0.40
	11/04/10	<0.50	<0.40	<0.20	<0.20	<0.20	<0.80	<0.30	<0.30	<0.20	<0.40	<0.40	<0.40	<2	ND	<0.50	<0.30	<0.40	NA	<0.20	<0.40	<2.00	<0.40
	10/24/11	<0.50	<0.40	<0.20	<0.20	<0.20	<0.80	<0.30	<0.30	<0.20	<0.40	<0.40	<0.40	<2	<0.50	<0.50	<0.30	<0.40	NA	<0.20	<0.40	<2.00	<0.40
	10/23/12	<0.90	<0.42	<0.41	<0.41	<0.87	<0.95	<0.99	<0.36	<1.3	<0.24	<0.57	<0.83	NA	<0.61	<0.89	<0.45	<0.48	<0.97	<0.18	<0.75	NA	<0.67
	10/21/13	<0.44	<0.39	<0.36	<0.50	<0.45	<0.43	<0.40	<0.48	<0.69	<0.39	<0.43	<0.42	NA	<0.49	<0.37	<0.47	<0.36	<2.5	<0.18	<0.28	NA	<0.44
	10/07/14	<0.50	<0.16	<0.50	<0.50	<0.50	<0.50	<0.20	<0.17	<2.5	<0.50	<0.41	<0.26	NA	<0.17	<0.26	<0.50	<0.33	<2.2	<0.18	<0.24	NA	<0.50
	10/07/15	<0.50	<0.20	<0.50	<0.50	<0.50	<0.50	<0.22	<0.17	<2.5	<0.50	<0.41	<0.26	NA	<0.17	<0.26	<0.50	<0.33	<2.2	<0.18	<0.24	NA	<0.50
	10/18/16	<0.50	<0.20	<0.50	<0.50	<0.50	<0.50	<0.22	<0.17	<2.5	<0.50	<0.41	<0.26	NA	<0.17	<0.26	<0.50	<0.33	<2.2	<0.18	<0.24	NA	<0.50
	10/24/17	<0.50	<0.20	<0.50	<0.50	<0.50	<0.50	<0.22	<0.17	<2.5	<0.50	<0.41	<0.26	NA	<0.17	<0.26	<0.50	<0.33	<2.2	<0.18	<0.24	NA	<0.50
	10/24/18	<0.24	<0.55	<0.71	<0.25	<0.63	<0.94	<0.50	<0.28	<1.3	<2.2	<0.24	<0.27	NA	<1.2	<1.1	<0.33	<0.26	<0.95	<0.17	<0.27	NA	<0.17
	10/22/19	<0.24	<0.55	<0.71	<0.25	<0.63	<0.94	<0.50	<0.28	<1.3	<2.2	<0.24	<0.27	NA	<1.2	<1.1	<0.33	<0.26	<0.95	<0.17	<0.27	NA	<0.17
	10/26/20	<0.24	<0.55	<0.71	<0.25	<0.63	<0.94	<0.50	<0.28	<1.3	<2.2	<0.24	<0.27	NA	<1.2	<1.1	<0.33	<0.26	<0.95	<0.17	<0.27	NA	<0.27
	10/11/21	<0.30	<0.34	<0.86	<0.30	<0.35	<0.89	<0.46	<0.29	<1.2	<1.6	<0.58	<0.47	NA	<1.1	<0.53	<0.41	<0.32	<0.95	<0.17	<0.30	NA	<0.29
1096 CTH KK	08/07/03	<0.42	<0.5	<0.31	<0.31	<0.29	<0.3	<0.46	<0.17	<0.17	<0.39	<0.23	<2	ND	<0.39	<0.32	<0.36	<0.47	<0.2	<0.2	<0.2	<0.2	
	10/01/03	<0.42	<0.5	<0.31	<0.31	<0.29	<0.3	<0.46	<0.17	<0.17	<0.39	<0.23	<2	ND	<0.39	<0.32	<0.36	<0.47	<0.2	<0.2	<0.2	<0.2	
	10/18/06	<0.20	<0.10	<0.10	<0.15	<0.15	<0.75	<0.25	<0.10	<0.10	<0.15	<0.15	0.26J	<2	ND	<0.10	<0.10	<0.20	NA	<0.15	<0.15	<0.15	<0.15
	10/24/07	<0.20	<0.20	<0.10	<0.20	<0.20	<0.80	<0.30	<0.20	0.66J	<0.30	<0.40	<0.20	<2	ND	<0.20	<0.30	<0.20	<0.20	<1.0	<0.40		
	10/24/08	<0.20	<0.20	<0.10	<0.20	<0.20	<0.80	<0.30	<0.20	0.36 J	<0.30	<0.40	<0.20	<2	ND	<0.20	<0.30	<0.20	<0.20	<1.0	<0.40		
	10/20/09	<0.20	<0.20	<0.10	<0.20	<0.20	<0.80	<0.30	<0.20	0.42 J	<0.30	<0.40	<0.20	<2	ND	<0.20	<0.30	<0.20	<0.20	<1.0	<0.40		
	11/04/10	<0.50	<0.40	<0.20	<0.20	<0.20	<0.80	<0.30	<0.30	<0.20	<0.40	<0.40	<0.40	<2	ND	<0.50	<0.30	<0.40	NA	<0.20	<0.40	<2.00	<0.40
	10/24/11	<0.50	<0.40	<0.20	<0.20	<0.20	<0.80	<0.30	<0.30	<0.20	<0.40	<0.40	<0.40	<2	<0.50	<0.50	<0.30	<0.40	NA	<0.20	<0.40	<2.00	<0.40
	10/23/12	<0.90	<0.42	<0.41	0.49 J	<0.87	<0.95	<0.99	<0.36	<1.3	<0.24	<0.57	<0.83	NA	<0.61	<0.89	<0.45	<0.48	<0.97	<0.18	<0.75	NA	1.7
	10/21/13	<0.44	<0.39	<0.36	<0.50	<0.45	<0.43	<0.40	<0.48	<0.69	<0.39	<0.43	<0.42	NA	<0.49	<0.37	<0.47	<0.36	<2.5	<0.18	<0.28	NA	<0.44
	10/07/14	<0.50	<0.16	<0.50	<0.50	<0.50	<0.50	<0.20	<0.17	<2.5	<0.50	<0.41	<0.26	NA	<0.17	<0.26	<0.50	<0.33	<2.2	<0.18	<0.24	NA	<0.50
	10/07/15	<0.50	<0.20	<0.50	<0.50	<0.50	<0.50	<0.22	<0.17	<2.5	<0.50	<0.41	<0.26	NA	<0.17	<0.26	<0.50	<0.33	<2.2	<0.18	<0.24	NA	<0.50
	10/18/16	<0.50	<0.20	<0.50	<0.50	<0.50	<0.50	<0.22	<0.17	<2.5	<0.50	<0.41	<0.26	NA	<0.17	<0.26	<0.50	<0.33	<2.2	<0.18	<0.24	NA	<0.50
	10/24/17	<0.50	<0.20	<0.50	<0.50	<0.50	<0.50	<0.22	<0.17	<2.5	12.5	<0.41	<0.26	NA	<0.17	<0.26	<0.50	<0.33	<2.2	<0.18	<0.24	NA	<0.50
	10/24/18	<0.24	<0.55	<0.71	<0.25	<0.63	<0.94	<0.50	<0.28	<1.3	<2.2	<0.24	<0.27	NA	<1.2	<1.1	<0.33	<0.26	<0.95	<0.17	<0.27	NA	<0.17
	10/22/19	<0.24	<0.55	<0.71	<0.25	<0.63	<0.94	<0.50	<0.28	<1.3	<2.2	<0.24	<0.27	NA	<1.2	<1.1	<0.33	<0.26	<0.95	<0.17	<0.27	NA	<0.17
	10/26/20	<0.24	<0.55	<0.71	<0.25	<0.63	<0.94	<0.50	<0.28	<1.3	<2.2	<0.24	<0.27	NA	<1.2	<1.1	<0.33	<0.26	<0.95	<0.17	<0.27	NA	<0.17
	10/11/21	<0.30	<0.34	<0.86	<0.30	<0.35	<0.89	<0.46	<0.29	<1.2	<1.6	<0.58	<0.47	NA	<1.1	<0.53	<0.41	<0.32	<0.95	<0.17	<0.30	NA	<0.29
MCL		200	5	100	5	1250*	75	1000*	5	NE	NE	7	70		60*	100	5	5	70	2	850*	NE	1000

Notes:

Only detected constituents are included in this table

Results presented in micrograms per liter ($\mu\text{g/L}$)

* No USEPA MCL established - NR140 Enforcement Standard provided

Bold indicates exceedances of MCL

ND = Not Detected

J = Estimated Value

NA = Not Analyzed

MCL = Maximum Contaminant Level

VOCs = Volatile Organic Compounds

1. Wells 642 CTH B and 652 CTH B were replaced by wells 642R CTH B and 652R CTH B in 2007.

2. Well 666 CTH B has not been sampled since 2013, as the property is not occupied and the well pump is inoperative.

Abbreviations:

1,1,1-TCA = 1,1,1-Trichloroethane

1,1,2-TCA = 1,1,2-Trichloroethane

CBenzene = Chlorobenzene

1,3-DCB = 1,3-Dichlorobenzene

1,4-DCB = 1,4-Dichlorobenzene

DCFM = Dichlorodifluoromethane

1,2-DCA = 1,2-Dichloroethane

1,1-DCE = 1,1-Dichloroethane

cDCE = cis-1,2-Dichloroethylene

MEK = Methyl Ethyl Ketone (2-Butanone)

MTBE = Methyl-tert-butyl Ether


tDCE = trans-1,2-Dichloroethylene

PCE = Tetrachloroethene

TCE = Trichloroethene

1,2,4-TCB = 1,2,4-Trichlorobenzene

FIGURES



SITE LOCATION

FIGURE 1

FORMER GORSKI LANDFILL
MOSINEEE, WISCONSIN

RAMBOLL US CONSULTING, INC.
A RAMBOLL COMPANY

RAMBOLL



LEGEND

- PARCEL BOUNDARY (APPROXIMATE)
- METALLIC DEBRIS AREA (INTERPOLATED)
- MONITORING WELL
- ABANDONED MONITORING WELL (OCTOBER 2013)
- ABANDONED MONITORING WELL (OCTOBER 2017)
- PRIVATE WELL
- ABANDONED PRIVATE WELL (JUNE 2007)
- PIEZOMETER
- ABANDONED PIEZOMETER (OCTOBER 2017)
- STAFF GAUGE
- SHALLOW LANDFILL GAS WELL POINT
- HYDROPUCH BORING


SAMPLE LOCATIONS

FORMER GORSKI LANDFILL
MOSINEE, WISCONSIN

FIGURE 2

RAMBOLL US CONSULTING, INC.
A RAMBOLL COMPANY

RAMBOLL



L:\Loop Project Files\ CAD1690023987_Essity_Gorski\Acad03_October 2021 TCE Concentrations in GW.dwg

LEGEND

- PARCEL BOUNDARY (APPROXIMATE))
- METALLIC DEBRIS AREA (INTERPOLATED)
- MONITORING WELL
- ABANDONED MONITORING WELL (OCTOBER 2013)
- ABANDONED MONITORING WELL (OCTOBER 2017)
- PRIVATE WELL
- ABANDONED PRIVATE WELL (JUNE 2007)
- PIEZOMETER
- ABANDONED PIEZOMETER (OCTOBER 2017)
- STAFF GAUGE
- SHALLOW LANDFILL GAS WELL POINT
- HYDROPUCK BORING
- TCE CONCENTRATION IN OCTOBER 2021 GROUNDWATER SAMPLE ($\mu\text{g/L}$)
- ESTIMATED TCE CONCENTRATION AT OR ABOVE THE LIMIT OF DETECTION (LOD) AND BELOW THE LIMIT OF QUANTITATION (LOQ).

ATTACHMENT A
INVOLVED PARTIES LIST

INVOLVED PARTIES LIST

Responsible Parties:

ad hoc Group
c/o City of Mosinee
225 Main Street
Mosinee, WI 54445

ad hoc Group Members:

Ms. Tracey Driessen
Environmental and Risk Manager
Global Manufacturing – Tissue North America
Essity Professional Hygiene North America LLC
(920) 224-2857
tracey.driessen@essity.com

Mr. Troy Williams
NA Region EHSE Manager
CNH Industrial (f/k/a Case Corporation)
3301 South Hoover Road
Wichita, KS 67215-1215
(316) 941-2265
troy.williams@cnhind.com

Mr. Jeff Gates
City Administrator
City of Mosinee
225 Main Street
Mosinee, WI 54455
(715) 693-2275
cityadmn@mosinee.wi.us

Consultant:

Ramboll US Consulting, Inc.
234 W. Florida Street, Fifth Floor
Milwaukee, WI 53204
Contact: Ms. Jeanne Tarvin, (262) 901-0085
Mr. Mark Mejac, (262) 901-0127

Agency:

Wisconsin Department of Natural Resources
890 Spruce Street
Baldwin, WI 54002
Contact: Ms. Candace Sykora, (715) 684-2914

ATTACHMENT B
LABORATORY RESULTS OF GROUNDWATER SAMPLES

October 18, 2021

Mark Mejac
Ramboll
234 W. Florida Street
Fifth Floor
Milwaukee, WI 53204

RE: Project: 1690019237 GORSKI LF
Pace Project No.: 40235044

Dear Mark Mejac:

Enclosed are the analytical results for sample(s) received by the laboratory on October 13, 2021. The results relate only to the samples included in this report. Results reported herein conform to the applicable TNI/NELAC Standards and the laboratory's Quality Manual, where applicable, unless otherwise noted in the body of the report.

The test results provided in this final report were generated by each of the following laboratories within the Pace Network:

- Pace Analytical Services - Green Bay

If you have any questions concerning this report, please feel free to contact me.

Sincerely,



Steven Mleczko
steve.mleczko@pacelabs.com
(920)469-2436
Project Manager

Enclosures



REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

CERTIFICATIONS

Project: 1690019237 GORSKI LF
Pace Project No.: 40235044

Pace Analytical Services Green Bay

1241 Bellevue Street, Green Bay, WI 54302
Florida/NELAP Certification #: E87948
Illinois Certification #: 200050
Kentucky UST Certification #: 82
Louisiana Certification #: 04168
Minnesota Certification #: 055-999-334
New York Certification #: 12064
North Dakota Certification #: R-150

Virginia VELAP ID: 460263
South Carolina Certification #: 83006001
Texas Certification #: T104704529-14-1
Wisconsin Certification #: 405132750
Wisconsin DATCP Certification #: 105-444
USDA Soil Permit #: P330-16-00157
Federal Fish & Wildlife Permit #: LE51774A-0

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

SAMPLE SUMMARY

Project: 1690019237 GORSKI LF

Pace Project No.: 40235044

Lab ID	Sample ID	Matrix	Date Collected	Date Received
40235044001	652R CTH B	Water	10/11/21 10:25	10/13/21 07:35
40235044002	642R CTH B	Water	10/11/21 10:30	10/13/21 07:35
40235044003	626 CTH B	Water	10/11/21 10:45	10/13/21 07:35
40235044004	669 CTH B	Water	10/11/21 09:47	10/13/21 07:35
40235044005	670 CTH B	Water	10/11/21 09:55	10/13/21 07:35
40235044006	1096 CTH KK	Water	10/11/21 11:15	10/13/21 07:35
40235044007	1101 CTH KK	Water	10/11/21 11:05	10/13/21 07:35
40235044008	1058 CTH KK	Water	10/11/21 11:25	10/13/21 07:35
40235044009	PZ-3	Water	10/11/21 12:30	10/13/21 07:35
40235044010	MW-4	Water	10/11/21 14:30	10/13/21 07:35
40235044011	MW-6	Water	10/11/21 14:00	10/13/21 07:35
40235044012	PZ-4	Water	10/11/21 13:30	10/13/21 07:35
40235044013	MW-4D	Water	10/11/21 14:32	10/13/21 07:35
40235044014	669 CTH BD	Water	10/11/21 09:45	10/13/21 07:35
40235044015	666 CTH B	Water	10/11/21 10:10	10/13/21 07:35
40235044016	1054 CTH KK	Water	10/11/21 11:35	10/13/21 07:35
40235044017	TRIP BLANK	Water	10/11/21 00:00	10/13/21 07:35

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

SAMPLE ANALYTE COUNT

Project: 1690019237 GORSKI LF

Pace Project No.: 40235044

Lab ID	Sample ID	Method	Analysts	Analytes Reported	Laboratory
40235044001	652R CTH B	EPA 8260	LAP	65	PASI-G
40235044002	642R CTH B	EPA 8260	LAP	65	PASI-G
40235044003	626 CTH B	EPA 8260	LAP	65	PASI-G
40235044004	669 CTH B	EPA 8260	LAP	65	PASI-G
40235044005	670 CTH B	EPA 8260	LAP	65	PASI-G
40235044006	1096 CTH KK	EPA 8260	LAP	65	PASI-G
40235044007	1101 CTH KK	EPA 8260	LAP	65	PASI-G
40235044008	1058 CTH KK	EPA 8260	LAP	65	PASI-G
40235044009	PZ-3	EPA 8260	LAP	65	PASI-G
40235044010	MW-4	EPA 8260	LAP	65	PASI-G
40235044011	MW-6	EPA 8260	LAP	65	PASI-G
40235044012	PZ-4	EPA 8260	LAP	65	PASI-G
40235044013	MW-4D	EPA 8260	LAP	65	PASI-G
40235044014	669 CTH BD	EPA 8260	LAP	65	PASI-G
40235044015	666 CTH B	EPA 8260	LAP	65	PASI-G
40235044016	1054 CTH KK	EPA 8260	LAP	65	PASI-G
40235044017	TRIP BLANK	EPA 8260	LAP	65	PASI-G

PASI-G = Pace Analytical Services - Green Bay

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

SUMMARY OF DETECTION

Project: 1690019237 GORSKI LF
Pace Project No.: 40235044

Lab Sample ID	Client Sample ID					
Method	Parameters	Result	Units	Report Limit	Analyzed	Qualifiers
40235044004	669 CTH B					
EPA 8260	Trichloroethene	0.33J	ug/L	1.0	10/14/21 20:53	
40235044009	PZ-3					
EPA 8260	cis-1,2-Dichloroethene	7.4	ug/L	1.0	10/14/21 22:30	
EPA 8260	Trichloroethene	1.1	ug/L	1.0	10/14/21 22:30	
40235044010	MW-4					
EPA 8260	cis-1,2-Dichloroethene	0.71J	ug/L	1.0	10/14/21 22:49	
EPA 8260	Trichloroethene	4.1	ug/L	1.0	10/14/21 22:49	
40235044011	MW-6					
EPA 8260	cis-1,2-Dichloroethene	2.1	ug/L	1.0	10/14/21 23:08	
EPA 8260	Trichloroethene	4.1	ug/L	1.0	10/14/21 23:08	
40235044012	PZ-4					
EPA 8260	cis-1,2-Dichloroethene	1.3	ug/L	1.0	10/14/21 23:28	
EPA 8260	Trichloroethene	5.6	ug/L	1.0	10/14/21 23:28	
40235044013	MW-4D					
EPA 8260	cis-1,2-Dichloroethene	0.82J	ug/L	1.0	10/14/21 23:47	
EPA 8260	Trichloroethene	4.6	ug/L	1.0	10/14/21 23:47	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 1690019237 GORSKI LF

Pace Project No.: 40235044

Sample: 652R CTH B Lab ID: 40235044001 Collected: 10/11/21 10:25 Received: 10/13/21 07:35 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV	Analytical Method: EPA 8260								
	Pace Analytical Services - Green Bay								
Benzene	<0.30	ug/L	1.0	0.30	1		10/14/21 20:15	71-43-2	
Bromobenzene	<0.36	ug/L	1.0	0.36	1		10/14/21 20:15	108-86-1	
Bromo(chloromethane)	<0.36	ug/L	5.0	0.36	1		10/14/21 20:15	74-97-5	
Bromodichloromethane	<0.42	ug/L	1.0	0.42	1		10/14/21 20:15	75-27-4	
Bromoform	<3.8	ug/L	5.0	3.8	1		10/14/21 20:15	75-25-2	
Bromomethane	<1.2	ug/L	5.0	1.2	1		10/14/21 20:15	74-83-9	
n-Butylbenzene	<0.86	ug/L	1.0	0.86	1		10/14/21 20:15	104-51-8	
sec-Butylbenzene	<0.42	ug/L	1.0	0.42	1		10/14/21 20:15	135-98-8	
tert-Butylbenzene	<0.59	ug/L	1.0	0.59	1		10/14/21 20:15	98-06-6	
Carbon tetrachloride	<0.37	ug/L	1.0	0.37	1		10/14/21 20:15	56-23-5	
Chlorobenzene	<0.86	ug/L	1.0	0.86	1		10/14/21 20:15	108-90-7	
Chloroethane	<1.4	ug/L	5.0	1.4	1		10/14/21 20:15	75-00-3	
Chloroform	<1.2	ug/L	5.0	1.2	1		10/14/21 20:15	67-66-3	
Chloromethane	<1.6	ug/L	5.0	1.6	1		10/14/21 20:15	74-87-3	
2-Chlorotoluene	<0.89	ug/L	5.0	0.89	1		10/14/21 20:15	95-49-8	
4-Chlorotoluene	<0.89	ug/L	5.0	0.89	1		10/14/21 20:15	106-43-4	
1,2-Dibromo-3-chloropropane	<2.4	ug/L	5.0	2.4	1		10/14/21 20:15	96-12-8	
Dibromochloromethane	<2.6	ug/L	5.0	2.6	1		10/14/21 20:15	124-48-1	
1,2-Dibromoethane (EDB)	<0.31	ug/L	1.0	0.31	1		10/14/21 20:15	106-93-4	
Dibromomethane	<0.99	ug/L	5.0	0.99	1		10/14/21 20:15	74-95-3	
1,2-Dichlorobenzene	<0.33	ug/L	1.0	0.33	1		10/14/21 20:15	95-50-1	
1,3-Dichlorobenzene	<0.35	ug/L	1.0	0.35	1		10/14/21 20:15	541-73-1	
1,4-Dichlorobenzene	<0.89	ug/L	1.0	0.89	1		10/14/21 20:15	106-46-7	
Dichlorodifluoromethane	<0.46	ug/L	5.0	0.46	1		10/14/21 20:15	75-71-8	
1,1-Dichloroethane	<0.30	ug/L	1.0	0.30	1		10/14/21 20:15	75-34-3	
1,2-Dichloroethane	<0.29	ug/L	1.0	0.29	1		10/14/21 20:15	107-06-2	
1,1-Dichloroethene	<0.58	ug/L	1.0	0.58	1		10/14/21 20:15	75-35-4	
cis-1,2-Dichloroethene	<0.47	ug/L	1.0	0.47	1		10/14/21 20:15	156-59-2	
trans-1,2-Dichloroethene	<0.53	ug/L	1.0	0.53	1		10/14/21 20:15	156-60-5	
1,2-Dichloropropane	<0.45	ug/L	1.0	0.45	1		10/14/21 20:15	78-87-5	
1,3-Dichloropropane	<0.30	ug/L	1.0	0.30	1		10/14/21 20:15	142-28-9	
2,2-Dichloropropane	<4.2	ug/L	5.0	4.2	1		10/14/21 20:15	594-20-7	
1,1-Dichloropropene	<0.41	ug/L	1.0	0.41	1		10/14/21 20:15	563-58-6	
cis-1,3-Dichloropropene	<0.36	ug/L	1.0	0.36	1		10/14/21 20:15	10061-01-5	
trans-1,3-Dichloropropene	<3.5	ug/L	5.0	3.5	1		10/14/21 20:15	10061-02-6	
Diisopropyl ether	<1.1	ug/L	5.0	1.1	1		10/14/21 20:15	108-20-3	
Ethylbenzene	<0.33	ug/L	1.0	0.33	1		10/14/21 20:15	100-41-4	
Hexachloro-1,3-butadiene	<2.7	ug/L	5.0	2.7	1		10/14/21 20:15	87-68-3	
Isopropylbenzene (Cumene)	<1.0	ug/L	5.0	1.0	1		10/14/21 20:15	98-82-8	
p-Isopropyltoluene	<1.0	ug/L	5.0	1.0	1		10/14/21 20:15	99-87-6	
Methylene Chloride	<0.32	ug/L	5.0	0.32	1		10/14/21 20:15	75-09-2	
Methyl-tert-butyl ether	<1.1	ug/L	5.0	1.1	1		10/14/21 20:15	1634-04-4	
Naphthalene	<1.1	ug/L	5.0	1.1	1		10/14/21 20:15	91-20-3	
n-Propylbenzene	<0.35	ug/L	1.0	0.35	1		10/14/21 20:15	103-65-1	
Styrene	<0.36	ug/L	1.0	0.36	1		10/14/21 20:15	100-42-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 1690019237 GORSKI LF

Pace Project No.: 40235044

Sample: 652R CTH B Lab ID: 40235044001 Collected: 10/11/21 10:25 Received: 10/13/21 07:35 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV	Analytical Method: EPA 8260								
	Pace Analytical Services - Green Bay								
1,1,1,2-Tetrachloroethane	<0.36	ug/L	1.0	0.36	1		10/14/21 20:15	630-20-6	
1,1,2,2-Tetrachloroethane	<0.38	ug/L	1.0	0.38	1		10/14/21 20:15	79-34-5	
Tetrachloroethene	<0.41	ug/L	1.0	0.41	1		10/14/21 20:15	127-18-4	
Toluene	<0.29	ug/L	1.0	0.29	1		10/14/21 20:15	108-88-3	
1,2,3-Trichlorobenzene	<1.0	ug/L	5.0	1.0	1		10/14/21 20:15	87-61-6	
1,2,4-Trichlorobenzene	<0.95	ug/L	5.0	0.95	1		10/14/21 20:15	120-82-1	
1,1,1-Trichloroethane	<0.30	ug/L	1.0	0.30	1		10/14/21 20:15	71-55-6	
1,1,2-Trichloroethane	<0.34	ug/L	5.0	0.34	1		10/14/21 20:15	79-00-5	
Trichloroethene	<0.32	ug/L	1.0	0.32	1		10/14/21 20:15	79-01-6	
Trichlorofluoromethane	<0.42	ug/L	1.0	0.42	1		10/14/21 20:15	75-69-4	
1,2,3-Trichloropropane	<0.56	ug/L	5.0	0.56	1		10/14/21 20:15	96-18-4	
1,2,4-Trimethylbenzene	<0.45	ug/L	1.0	0.45	1		10/14/21 20:15	95-63-6	
1,3,5-Trimethylbenzene	<0.36	ug/L	1.0	0.36	1		10/14/21 20:15	108-67-8	
Vinyl chloride	<0.17	ug/L	1.0	0.17	1		10/14/21 20:15	75-01-4	
Xylene (Total)	<1.0	ug/L	3.0	1.0	1		10/14/21 20:15	1330-20-7	
m&p-Xylene	<0.70	ug/L	2.0	0.70	1		10/14/21 20:15	179601-23-1	
o-Xylene	<0.35	ug/L	1.0	0.35	1		10/14/21 20:15	95-47-6	
Surrogates									
4-Bromofluorobenzene (S)	97	%	70-130		1		10/14/21 20:15	460-00-4	
1,2-Dichlorobenzene-d4 (S)	101	%	70-130		1		10/14/21 20:15	2199-69-1	
Toluene-d8 (S)	104	%	70-130		1		10/14/21 20:15	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 1690019237 GORSKI LF

Pace Project No.: 40235044

Sample: 642R CTH B Lab ID: 40235044002 Collected: 10/11/21 10:30 Received: 10/13/21 07:35 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV	Analytical Method: EPA 8260								
	Pace Analytical Services - Green Bay								
Benzene	<0.30	ug/L	1.0	0.30	1		10/14/21 20:34	71-43-2	
Bromobenzene	<0.36	ug/L	1.0	0.36	1		10/14/21 20:34	108-86-1	
Bromo(chloromethane)	<0.36	ug/L	5.0	0.36	1		10/14/21 20:34	74-97-5	
Bromodichloromethane	<0.42	ug/L	1.0	0.42	1		10/14/21 20:34	75-27-4	
Bromoform	<3.8	ug/L	5.0	3.8	1		10/14/21 20:34	75-25-2	
Bromomethane	<1.2	ug/L	5.0	1.2	1		10/14/21 20:34	74-83-9	
n-Butylbenzene	<0.86	ug/L	1.0	0.86	1		10/14/21 20:34	104-51-8	
sec-Butylbenzene	<0.42	ug/L	1.0	0.42	1		10/14/21 20:34	135-98-8	
tert-Butylbenzene	<0.59	ug/L	1.0	0.59	1		10/14/21 20:34	98-06-6	
Carbon tetrachloride	<0.37	ug/L	1.0	0.37	1		10/14/21 20:34	56-23-5	
Chlorobenzene	<0.86	ug/L	1.0	0.86	1		10/14/21 20:34	108-90-7	
Chloroethane	<1.4	ug/L	5.0	1.4	1		10/14/21 20:34	75-00-3	
Chloroform	<1.2	ug/L	5.0	1.2	1		10/14/21 20:34	67-66-3	
Chloromethane	<1.6	ug/L	5.0	1.6	1		10/14/21 20:34	74-87-3	
2-Chlorotoluene	<0.89	ug/L	5.0	0.89	1		10/14/21 20:34	95-49-8	
4-Chlorotoluene	<0.89	ug/L	5.0	0.89	1		10/14/21 20:34	106-43-4	
1,2-Dibromo-3-chloropropane	<2.4	ug/L	5.0	2.4	1		10/14/21 20:34	96-12-8	
Dibromochloromethane	<2.6	ug/L	5.0	2.6	1		10/14/21 20:34	124-48-1	
1,2-Dibromoethane (EDB)	<0.31	ug/L	1.0	0.31	1		10/14/21 20:34	106-93-4	
Dibromomethane	<0.99	ug/L	5.0	0.99	1		10/14/21 20:34	74-95-3	
1,2-Dichlorobenzene	<0.33	ug/L	1.0	0.33	1		10/14/21 20:34	95-50-1	
1,3-Dichlorobenzene	<0.35	ug/L	1.0	0.35	1		10/14/21 20:34	541-73-1	
1,4-Dichlorobenzene	<0.89	ug/L	1.0	0.89	1		10/14/21 20:34	106-46-7	
Dichlorodifluoromethane	<0.46	ug/L	5.0	0.46	1		10/14/21 20:34	75-71-8	
1,1-Dichloroethane	<0.30	ug/L	1.0	0.30	1		10/14/21 20:34	75-34-3	
1,2-Dichloroethane	<0.29	ug/L	1.0	0.29	1		10/14/21 20:34	107-06-2	
1,1-Dichloroethene	<0.58	ug/L	1.0	0.58	1		10/14/21 20:34	75-35-4	
cis-1,2-Dichloroethene	<0.47	ug/L	1.0	0.47	1		10/14/21 20:34	156-59-2	
trans-1,2-Dichloroethene	<0.53	ug/L	1.0	0.53	1		10/14/21 20:34	156-60-5	
1,2-Dichloropropane	<0.45	ug/L	1.0	0.45	1		10/14/21 20:34	78-87-5	
1,3-Dichloropropane	<0.30	ug/L	1.0	0.30	1		10/14/21 20:34	142-28-9	
2,2-Dichloropropane	<4.2	ug/L	5.0	4.2	1		10/14/21 20:34	594-20-7	
1,1-Dichloropropene	<0.41	ug/L	1.0	0.41	1		10/14/21 20:34	563-58-6	
cis-1,3-Dichloropropene	<0.36	ug/L	1.0	0.36	1		10/14/21 20:34	10061-01-5	
trans-1,3-Dichloropropene	<3.5	ug/L	5.0	3.5	1		10/14/21 20:34	10061-02-6	
Diisopropyl ether	<1.1	ug/L	5.0	1.1	1		10/14/21 20:34	108-20-3	
Ethylbenzene	<0.33	ug/L	1.0	0.33	1		10/14/21 20:34	100-41-4	
Hexachloro-1,3-butadiene	<2.7	ug/L	5.0	2.7	1		10/14/21 20:34	87-68-3	
Isopropylbenzene (Cumene)	<1.0	ug/L	5.0	1.0	1		10/14/21 20:34	98-82-8	
p-Isopropyltoluene	<1.0	ug/L	5.0	1.0	1		10/14/21 20:34	99-87-6	
Methylene Chloride	<0.32	ug/L	5.0	0.32	1		10/14/21 20:34	75-09-2	
Methyl-tert-butyl ether	<1.1	ug/L	5.0	1.1	1		10/14/21 20:34	1634-04-4	
Naphthalene	<1.1	ug/L	5.0	1.1	1		10/14/21 20:34	91-20-3	
n-Propylbenzene	<0.35	ug/L	1.0	0.35	1		10/14/21 20:34	103-65-1	
Styrene	<0.36	ug/L	1.0	0.36	1		10/14/21 20:34	100-42-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 1690019237 GORSKI LF

Pace Project No.: 40235044

Sample: 642R CTH B Lab ID: 40235044002 Collected: 10/11/21 10:30 Received: 10/13/21 07:35 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV	Analytical Method: EPA 8260								
	Pace Analytical Services - Green Bay								
1,1,1,2-Tetrachloroethane	<0.36	ug/L	1.0	0.36	1		10/14/21 20:34	630-20-6	
1,1,2,2-Tetrachloroethane	<0.38	ug/L	1.0	0.38	1		10/14/21 20:34	79-34-5	
Tetrachloroethene	<0.41	ug/L	1.0	0.41	1		10/14/21 20:34	127-18-4	
Toluene	<0.29	ug/L	1.0	0.29	1		10/14/21 20:34	108-88-3	
1,2,3-Trichlorobenzene	<1.0	ug/L	5.0	1.0	1		10/14/21 20:34	87-61-6	
1,2,4-Trichlorobenzene	<0.95	ug/L	5.0	0.95	1		10/14/21 20:34	120-82-1	
1,1,1-Trichloroethane	<0.30	ug/L	1.0	0.30	1		10/14/21 20:34	71-55-6	
1,1,2-Trichloroethane	<0.34	ug/L	5.0	0.34	1		10/14/21 20:34	79-00-5	
Trichloroethene	<0.32	ug/L	1.0	0.32	1		10/14/21 20:34	79-01-6	
Trichlorofluoromethane	<0.42	ug/L	1.0	0.42	1		10/14/21 20:34	75-69-4	
1,2,3-Trichloropropane	<0.56	ug/L	5.0	0.56	1		10/14/21 20:34	96-18-4	
1,2,4-Trimethylbenzene	<0.45	ug/L	1.0	0.45	1		10/14/21 20:34	95-63-6	
1,3,5-Trimethylbenzene	<0.36	ug/L	1.0	0.36	1		10/14/21 20:34	108-67-8	
Vinyl chloride	<0.17	ug/L	1.0	0.17	1		10/14/21 20:34	75-01-4	
Xylene (Total)	<1.0	ug/L	3.0	1.0	1		10/14/21 20:34	1330-20-7	
m&p-Xylene	<0.70	ug/L	2.0	0.70	1		10/14/21 20:34	179601-23-1	
o-Xylene	<0.35	ug/L	1.0	0.35	1		10/14/21 20:34	95-47-6	
Surrogates									
4-Bromofluorobenzene (S)	95	%	70-130		1		10/14/21 20:34	460-00-4	
1,2-Dichlorobenzene-d4 (S)	98	%	70-130		1		10/14/21 20:34	2199-69-1	
Toluene-d8 (S)	102	%	70-130		1		10/14/21 20:34	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 1690019237 GORSKI LF

Pace Project No.: 40235044

Sample: 626 CTH B Lab ID: 40235044003 Collected: 10/11/21 10:45 Received: 10/13/21 07:35 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV	Analytical Method: EPA 8260								
	Pace Analytical Services - Green Bay								
Benzene	<0.30	ug/L	1.0	0.30	1		10/14/21 19:55	71-43-2	
Bromobenzene	<0.36	ug/L	1.0	0.36	1		10/14/21 19:55	108-86-1	
Bromoform	<3.8	ug/L	5.0	0.36	1		10/14/21 19:55	74-97-5	
Bromochloromethane	<0.42	ug/L	1.0	0.42	1		10/14/21 19:55	75-27-4	
Bromodichloromethane	<0.42	ug/L	5.0	3.8	1		10/14/21 19:55	75-25-2	
Bromoform	<1.2	ug/L	5.0	1.2	1		10/14/21 19:55	74-83-9	
Bromomethane	<0.86	ug/L	1.0	0.86	1		10/14/21 19:55	104-51-8	
n-Butylbenzene	<0.42	ug/L	1.0	0.42	1		10/14/21 19:55	135-98-8	
sec-Butylbenzene	<0.59	ug/L	1.0	0.59	1		10/14/21 19:55	98-06-6	
Carbon tetrachloride	<0.37	ug/L	1.0	0.37	1		10/14/21 19:55	56-23-5	
Chlorobenzene	<0.86	ug/L	1.0	0.86	1		10/14/21 19:55	108-90-7	
Chloroethane	<1.4	ug/L	5.0	1.4	1		10/14/21 19:55	75-00-3	
Chloroform	<1.2	ug/L	5.0	1.2	1		10/14/21 19:55	67-66-3	
Chloromethane	<1.6	ug/L	5.0	1.6	1		10/14/21 19:55	74-87-3	
2-Chlorotoluene	<0.89	ug/L	5.0	0.89	1		10/14/21 19:55	95-49-8	
4-Chlorotoluene	<0.89	ug/L	5.0	0.89	1		10/14/21 19:55	106-43-4	
1,2-Dibromo-3-chloropropane	<2.4	ug/L	5.0	2.4	1		10/14/21 19:55	96-12-8	
Dibromochloromethane	<2.6	ug/L	5.0	2.6	1		10/14/21 19:55	124-48-1	
1,2-Dibromoethane (EDB)	<0.31	ug/L	1.0	0.31	1		10/14/21 19:55	106-93-4	
Dibromomethane	<0.99	ug/L	5.0	0.99	1		10/14/21 19:55	74-95-3	
1,2-Dichlorobenzene	<0.33	ug/L	1.0	0.33	1		10/14/21 19:55	95-50-1	
1,3-Dichlorobenzene	<0.35	ug/L	1.0	0.35	1		10/14/21 19:55	541-73-1	
1,4-Dichlorobenzene	<0.89	ug/L	1.0	0.89	1		10/14/21 19:55	106-46-7	
Dichlorodifluoromethane	<0.46	ug/L	5.0	0.46	1		10/14/21 19:55	75-71-8	
1,1-Dichloroethane	<0.30	ug/L	1.0	0.30	1		10/14/21 19:55	75-34-3	
1,2-Dichloroethane	<0.29	ug/L	1.0	0.29	1		10/14/21 19:55	107-06-2	
1,1-Dichloroethene	<0.58	ug/L	1.0	0.58	1		10/14/21 19:55	75-35-4	
cis-1,2-Dichloroethene	<0.47	ug/L	1.0	0.47	1		10/14/21 19:55	156-59-2	
trans-1,2-Dichloroethene	<0.53	ug/L	1.0	0.53	1		10/14/21 19:55	156-60-5	
1,2-Dichloropropane	<0.45	ug/L	1.0	0.45	1		10/14/21 19:55	78-87-5	
1,3-Dichloropropane	<0.30	ug/L	1.0	0.30	1		10/14/21 19:55	142-28-9	
2,2-Dichloropropane	<4.2	ug/L	5.0	4.2	1		10/14/21 19:55	594-20-7	
1,1-Dichloropropene	<0.41	ug/L	1.0	0.41	1		10/14/21 19:55	563-58-6	
cis-1,3-Dichloropropene	<0.36	ug/L	1.0	0.36	1		10/14/21 19:55	10061-01-5	
trans-1,3-Dichloropropene	<3.5	ug/L	5.0	3.5	1		10/14/21 19:55	10061-02-6	
Diisopropyl ether	<1.1	ug/L	5.0	1.1	1		10/14/21 19:55	108-20-3	
Ethylbenzene	<0.33	ug/L	1.0	0.33	1		10/14/21 19:55	100-41-4	
Hexachloro-1,3-butadiene	<2.7	ug/L	5.0	2.7	1		10/14/21 19:55	87-68-3	
Isopropylbenzene (Cumene)	<1.0	ug/L	5.0	1.0	1		10/14/21 19:55	98-82-8	
p-Isopropyltoluene	<1.0	ug/L	5.0	1.0	1		10/14/21 19:55	99-87-6	
Methylene Chloride	<0.32	ug/L	5.0	0.32	1		10/14/21 19:55	75-09-2	
Methyl-tert-butyl ether	<1.1	ug/L	5.0	1.1	1		10/14/21 19:55	1634-04-4	
Naphthalene	<1.1	ug/L	5.0	1.1	1		10/14/21 19:55	91-20-3	
n-Propylbenzene	<0.35	ug/L	1.0	0.35	1		10/14/21 19:55	103-65-1	
Styrene	<0.36	ug/L	1.0	0.36	1		10/14/21 19:55	100-42-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 1690019237 GORSKI LF

Pace Project No.: 40235044

Sample: 626 CTH B Lab ID: 40235044003 Collected: 10/11/21 10:45 Received: 10/13/21 07:35 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV	Analytical Method: EPA 8260 Pace Analytical Services - Green Bay								
1,1,1,2-Tetrachloroethane	<0.36	ug/L	1.0	0.36	1		10/14/21 19:55	630-20-6	
1,1,2,2-Tetrachloroethane	<0.38	ug/L	1.0	0.38	1		10/14/21 19:55	79-34-5	
Tetrachloroethene	<0.41	ug/L	1.0	0.41	1		10/14/21 19:55	127-18-4	
Toluene	<0.29	ug/L	1.0	0.29	1		10/14/21 19:55	108-88-3	
1,2,3-Trichlorobenzene	<1.0	ug/L	5.0	1.0	1		10/14/21 19:55	87-61-6	
1,2,4-Trichlorobenzene	<0.95	ug/L	5.0	0.95	1		10/14/21 19:55	120-82-1	
1,1,1-Trichloroethane	<0.30	ug/L	1.0	0.30	1		10/14/21 19:55	71-55-6	
1,1,2-Trichloroethane	<0.34	ug/L	5.0	0.34	1		10/14/21 19:55	79-00-5	
Trichloroethene	<0.32	ug/L	1.0	0.32	1		10/14/21 19:55	79-01-6	
Trichlorofluoromethane	<0.42	ug/L	1.0	0.42	1		10/14/21 19:55	75-69-4	
1,2,3-Trichloropropane	<0.56	ug/L	5.0	0.56	1		10/14/21 19:55	96-18-4	
1,2,4-Trimethylbenzene	<0.45	ug/L	1.0	0.45	1		10/14/21 19:55	95-63-6	
1,3,5-Trimethylbenzene	<0.36	ug/L	1.0	0.36	1		10/14/21 19:55	108-67-8	
Vinyl chloride	<0.17	ug/L	1.0	0.17	1		10/14/21 19:55	75-01-4	
Xylene (Total)	<1.0	ug/L	3.0	1.0	1		10/14/21 19:55	1330-20-7	
m&p-Xylene	<0.70	ug/L	2.0	0.70	1		10/14/21 19:55	179601-23-1	
o-Xylene	<0.35	ug/L	1.0	0.35	1		10/14/21 19:55	95-47-6	
Surrogates									
4-Bromofluorobenzene (S)	95	%	70-130		1		10/14/21 19:55	460-00-4	
1,2-Dichlorobenzene-d4 (S)	101	%	70-130		1		10/14/21 19:55	2199-69-1	
Toluene-d8 (S)	103	%	70-130		1		10/14/21 19:55	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 1690019237 GORSKI LF

Pace Project No.: 40235044

Sample: 669 CTH B Lab ID: 40235044004 Collected: 10/11/21 09:47 Received: 10/13/21 07:35 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV	Analytical Method: EPA 8260								
	Pace Analytical Services - Green Bay								
Benzene	<0.30	ug/L	1.0	0.30	1		10/14/21 20:53	71-43-2	
Bromobenzene	<0.36	ug/L	1.0	0.36	1		10/14/21 20:53	108-86-1	
Bromo(chloromethane)	<0.36	ug/L	5.0	0.36	1		10/14/21 20:53	74-97-5	
Bromodichloromethane	<0.42	ug/L	1.0	0.42	1		10/14/21 20:53	75-27-4	
Bromoform	<3.8	ug/L	5.0	3.8	1		10/14/21 20:53	75-25-2	
Bromomethane	<1.2	ug/L	5.0	1.2	1		10/14/21 20:53	74-83-9	
n-Butylbenzene	<0.86	ug/L	1.0	0.86	1		10/14/21 20:53	104-51-8	
sec-Butylbenzene	<0.42	ug/L	1.0	0.42	1		10/14/21 20:53	135-98-8	
tert-Butylbenzene	<0.59	ug/L	1.0	0.59	1		10/14/21 20:53	98-06-6	
Carbon tetrachloride	<0.37	ug/L	1.0	0.37	1		10/14/21 20:53	56-23-5	
Chlorobenzene	<0.86	ug/L	1.0	0.86	1		10/14/21 20:53	108-90-7	
Chloroethane	<1.4	ug/L	5.0	1.4	1		10/14/21 20:53	75-00-3	
Chloroform	<1.2	ug/L	5.0	1.2	1		10/14/21 20:53	67-66-3	
Chloromethane	<1.6	ug/L	5.0	1.6	1		10/14/21 20:53	74-87-3	
2-Chlorotoluene	<0.89	ug/L	5.0	0.89	1		10/14/21 20:53	95-49-8	
4-Chlorotoluene	<0.89	ug/L	5.0	0.89	1		10/14/21 20:53	106-43-4	
1,2-Dibromo-3-chloropropane	<2.4	ug/L	5.0	2.4	1		10/14/21 20:53	96-12-8	
Dibromochloromethane	<2.6	ug/L	5.0	2.6	1		10/14/21 20:53	124-48-1	
1,2-Dibromoethane (EDB)	<0.31	ug/L	1.0	0.31	1		10/14/21 20:53	106-93-4	
Dibromomethane	<0.99	ug/L	5.0	0.99	1		10/14/21 20:53	74-95-3	
1,2-Dichlorobenzene	<0.33	ug/L	1.0	0.33	1		10/14/21 20:53	95-50-1	
1,3-Dichlorobenzene	<0.35	ug/L	1.0	0.35	1		10/14/21 20:53	541-73-1	
1,4-Dichlorobenzene	<0.89	ug/L	1.0	0.89	1		10/14/21 20:53	106-46-7	
Dichlorodifluoromethane	<0.46	ug/L	5.0	0.46	1		10/14/21 20:53	75-71-8	
1,1-Dichloroethane	<0.30	ug/L	1.0	0.30	1		10/14/21 20:53	75-34-3	
1,2-Dichloroethane	<0.29	ug/L	1.0	0.29	1		10/14/21 20:53	107-06-2	
1,1-Dichloroethene	<0.58	ug/L	1.0	0.58	1		10/14/21 20:53	75-35-4	
cis-1,2-Dichloroethene	<0.47	ug/L	1.0	0.47	1		10/14/21 20:53	156-59-2	
trans-1,2-Dichloroethene	<0.53	ug/L	1.0	0.53	1		10/14/21 20:53	156-60-5	
1,2-Dichloropropane	<0.45	ug/L	1.0	0.45	1		10/14/21 20:53	78-87-5	
1,3-Dichloropropane	<0.30	ug/L	1.0	0.30	1		10/14/21 20:53	142-28-9	
2,2-Dichloropropane	<4.2	ug/L	5.0	4.2	1		10/14/21 20:53	594-20-7	
1,1-Dichloropropene	<0.41	ug/L	1.0	0.41	1		10/14/21 20:53	563-58-6	
cis-1,3-Dichloropropene	<0.36	ug/L	1.0	0.36	1		10/14/21 20:53	10061-01-5	
trans-1,3-Dichloropropene	<3.5	ug/L	5.0	3.5	1		10/14/21 20:53	10061-02-6	
Diisopropyl ether	<1.1	ug/L	5.0	1.1	1		10/14/21 20:53	108-20-3	
Ethylbenzene	<0.33	ug/L	1.0	0.33	1		10/14/21 20:53	100-41-4	
Hexachloro-1,3-butadiene	<2.7	ug/L	5.0	2.7	1		10/14/21 20:53	87-68-3	
Isopropylbenzene (Cumene)	<1.0	ug/L	5.0	1.0	1		10/14/21 20:53	98-82-8	
p-Isopropyltoluene	<1.0	ug/L	5.0	1.0	1		10/14/21 20:53	99-87-6	
Methylene Chloride	<0.32	ug/L	5.0	0.32	1		10/14/21 20:53	75-09-2	
Methyl-tert-butyl ether	<1.1	ug/L	5.0	1.1	1		10/14/21 20:53	1634-04-4	
Naphthalene	<1.1	ug/L	5.0	1.1	1		10/14/21 20:53	91-20-3	
n-Propylbenzene	<0.35	ug/L	1.0	0.35	1		10/14/21 20:53	103-65-1	
Styrene	<0.36	ug/L	1.0	0.36	1		10/14/21 20:53	100-42-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 1690019237 GORSKI LF

Pace Project No.: 40235044

Sample: 669 CTH B Lab ID: 40235044004 Collected: 10/11/21 09:47 Received: 10/13/21 07:35 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV	Analytical Method: EPA 8260								
	Pace Analytical Services - Green Bay								
1,1,1,2-Tetrachloroethane	<0.36	ug/L	1.0	0.36	1		10/14/21 20:53	630-20-6	
1,1,2,2-Tetrachloroethane	<0.38	ug/L	1.0	0.38	1		10/14/21 20:53	79-34-5	
Tetrachloroethene	<0.41	ug/L	1.0	0.41	1		10/14/21 20:53	127-18-4	
Toluene	<0.29	ug/L	1.0	0.29	1		10/14/21 20:53	108-88-3	
1,2,3-Trichlorobenzene	<1.0	ug/L	5.0	1.0	1		10/14/21 20:53	87-61-6	
1,2,4-Trichlorobenzene	<0.95	ug/L	5.0	0.95	1		10/14/21 20:53	120-82-1	
1,1,1-Trichloroethane	<0.30	ug/L	1.0	0.30	1		10/14/21 20:53	71-55-6	
1,1,2-Trichloroethane	<0.34	ug/L	5.0	0.34	1		10/14/21 20:53	79-00-5	
Trichloroethene	0.33J	ug/L	1.0	0.32	1		10/14/21 20:53	79-01-6	
Trichlorofluoromethane	<0.42	ug/L	1.0	0.42	1		10/14/21 20:53	75-69-4	
1,2,3-Trichloropropane	<0.56	ug/L	5.0	0.56	1		10/14/21 20:53	96-18-4	
1,2,4-Trimethylbenzene	<0.45	ug/L	1.0	0.45	1		10/14/21 20:53	95-63-6	
1,3,5-Trimethylbenzene	<0.36	ug/L	1.0	0.36	1		10/14/21 20:53	108-67-8	
Vinyl chloride	<0.17	ug/L	1.0	0.17	1		10/14/21 20:53	75-01-4	
Xylene (Total)	<1.0	ug/L	3.0	1.0	1		10/14/21 20:53	1330-20-7	
m&p-Xylene	<0.70	ug/L	2.0	0.70	1		10/14/21 20:53	179601-23-1	
o-Xylene	<0.35	ug/L	1.0	0.35	1		10/14/21 20:53	95-47-6	
Surrogates									
4-Bromofluorobenzene (S)	96	%	70-130		1		10/14/21 20:53	460-00-4	
1,2-Dichlorobenzene-d4 (S)	99	%	70-130		1		10/14/21 20:53	2199-69-1	
Toluene-d8 (S)	104	%	70-130		1		10/14/21 20:53	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 1690019237 GORSKI LF

Pace Project No.: 40235044

Sample: 670 CTH B Lab ID: 40235044005 Collected: 10/11/21 09:55 Received: 10/13/21 07:35 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV	Analytical Method: EPA 8260								
	Pace Analytical Services - Green Bay								
Benzene	<0.30	ug/L	1.0	0.30	1		10/14/21 21:12	71-43-2	
Bromobenzene	<0.36	ug/L	1.0	0.36	1		10/14/21 21:12	108-86-1	
Bromo(chloromethane)	<0.36	ug/L	5.0	0.36	1		10/14/21 21:12	74-97-5	
Bromodichloromethane	<0.42	ug/L	1.0	0.42	1		10/14/21 21:12	75-27-4	
Bromoform	<3.8	ug/L	5.0	3.8	1		10/14/21 21:12	75-25-2	
Bromomethane	<1.2	ug/L	5.0	1.2	1		10/14/21 21:12	74-83-9	
n-Butylbenzene	<0.86	ug/L	1.0	0.86	1		10/14/21 21:12	104-51-8	
sec-Butylbenzene	<0.42	ug/L	1.0	0.42	1		10/14/21 21:12	135-98-8	
tert-Butylbenzene	<0.59	ug/L	1.0	0.59	1		10/14/21 21:12	98-06-6	
Carbon tetrachloride	<0.37	ug/L	1.0	0.37	1		10/14/21 21:12	56-23-5	
Chlorobenzene	<0.86	ug/L	1.0	0.86	1		10/14/21 21:12	108-90-7	
Chloroethane	<1.4	ug/L	5.0	1.4	1		10/14/21 21:12	75-00-3	
Chloroform	<1.2	ug/L	5.0	1.2	1		10/14/21 21:12	67-66-3	
Chloromethane	<1.6	ug/L	5.0	1.6	1		10/14/21 21:12	74-87-3	
2-Chlorotoluene	<0.89	ug/L	5.0	0.89	1		10/14/21 21:12	95-49-8	
4-Chlorotoluene	<0.89	ug/L	5.0	0.89	1		10/14/21 21:12	106-43-4	
1,2-Dibromo-3-chloropropane	<2.4	ug/L	5.0	2.4	1		10/14/21 21:12	96-12-8	
Dibromochloromethane	<2.6	ug/L	5.0	2.6	1		10/14/21 21:12	124-48-1	
1,2-Dibromoethane (EDB)	<0.31	ug/L	1.0	0.31	1		10/14/21 21:12	106-93-4	
Dibromomethane	<0.99	ug/L	5.0	0.99	1		10/14/21 21:12	74-95-3	
1,2-Dichlorobenzene	<0.33	ug/L	1.0	0.33	1		10/14/21 21:12	95-50-1	
1,3-Dichlorobenzene	<0.35	ug/L	1.0	0.35	1		10/14/21 21:12	541-73-1	
1,4-Dichlorobenzene	<0.89	ug/L	1.0	0.89	1		10/14/21 21:12	106-46-7	
Dichlorodifluoromethane	<0.46	ug/L	5.0	0.46	1		10/14/21 21:12	75-71-8	
1,1-Dichloroethane	<0.30	ug/L	1.0	0.30	1		10/14/21 21:12	75-34-3	
1,2-Dichloroethane	<0.29	ug/L	1.0	0.29	1		10/14/21 21:12	107-06-2	
1,1-Dichloroethene	<0.58	ug/L	1.0	0.58	1		10/14/21 21:12	75-35-4	
cis-1,2-Dichloroethene	<0.47	ug/L	1.0	0.47	1		10/14/21 21:12	156-59-2	
trans-1,2-Dichloroethene	<0.53	ug/L	1.0	0.53	1		10/14/21 21:12	156-60-5	
1,2-Dichloropropane	<0.45	ug/L	1.0	0.45	1		10/14/21 21:12	78-87-5	
1,3-Dichloropropane	<0.30	ug/L	1.0	0.30	1		10/14/21 21:12	142-28-9	
2,2-Dichloropropane	<4.2	ug/L	5.0	4.2	1		10/14/21 21:12	594-20-7	
1,1-Dichloropropene	<0.41	ug/L	1.0	0.41	1		10/14/21 21:12	563-58-6	
cis-1,3-Dichloropropene	<0.36	ug/L	1.0	0.36	1		10/14/21 21:12	10061-01-5	
trans-1,3-Dichloropropene	<3.5	ug/L	5.0	3.5	1		10/14/21 21:12	10061-02-6	
Diisopropyl ether	<1.1	ug/L	5.0	1.1	1		10/14/21 21:12	108-20-3	
Ethylbenzene	<0.33	ug/L	1.0	0.33	1		10/14/21 21:12	100-41-4	
Hexachloro-1,3-butadiene	<2.7	ug/L	5.0	2.7	1		10/14/21 21:12	87-68-3	
Isopropylbenzene (Cumene)	<1.0	ug/L	5.0	1.0	1		10/14/21 21:12	98-82-8	
p-Isopropyltoluene	<1.0	ug/L	5.0	1.0	1		10/14/21 21:12	99-87-6	
Methylene Chloride	<0.32	ug/L	5.0	0.32	1		10/14/21 21:12	75-09-2	
Methyl-tert-butyl ether	<1.1	ug/L	5.0	1.1	1		10/14/21 21:12	1634-04-4	
Naphthalene	<1.1	ug/L	5.0	1.1	1		10/14/21 21:12	91-20-3	
n-Propylbenzene	<0.35	ug/L	1.0	0.35	1		10/14/21 21:12	103-65-1	
Styrene	<0.36	ug/L	1.0	0.36	1		10/14/21 21:12	100-42-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 1690019237 GORSKI LF

Pace Project No.: 40235044

Sample: 670 CTH B Lab ID: 40235044005 Collected: 10/11/21 09:55 Received: 10/13/21 07:35 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV	Analytical Method: EPA 8260								
	Pace Analytical Services - Green Bay								
1,1,1,2-Tetrachloroethane	<0.36	ug/L	1.0	0.36	1		10/14/21 21:12	630-20-6	
1,1,2,2-Tetrachloroethane	<0.38	ug/L	1.0	0.38	1		10/14/21 21:12	79-34-5	
Tetrachloroethene	<0.41	ug/L	1.0	0.41	1		10/14/21 21:12	127-18-4	
Toluene	<0.29	ug/L	1.0	0.29	1		10/14/21 21:12	108-88-3	
1,2,3-Trichlorobenzene	<1.0	ug/L	5.0	1.0	1		10/14/21 21:12	87-61-6	
1,2,4-Trichlorobenzene	<0.95	ug/L	5.0	0.95	1		10/14/21 21:12	120-82-1	
1,1,1-Trichloroethane	<0.30	ug/L	1.0	0.30	1		10/14/21 21:12	71-55-6	
1,1,2-Trichloroethane	<0.34	ug/L	5.0	0.34	1		10/14/21 21:12	79-00-5	
Trichloroethene	<0.32	ug/L	1.0	0.32	1		10/14/21 21:12	79-01-6	
Trichlorofluoromethane	<0.42	ug/L	1.0	0.42	1		10/14/21 21:12	75-69-4	
1,2,3-Trichloropropane	<0.56	ug/L	5.0	0.56	1		10/14/21 21:12	96-18-4	
1,2,4-Trimethylbenzene	<0.45	ug/L	1.0	0.45	1		10/14/21 21:12	95-63-6	
1,3,5-Trimethylbenzene	<0.36	ug/L	1.0	0.36	1		10/14/21 21:12	108-67-8	
Vinyl chloride	<0.17	ug/L	1.0	0.17	1		10/14/21 21:12	75-01-4	
Xylene (Total)	<1.0	ug/L	3.0	1.0	1		10/14/21 21:12	1330-20-7	
m&p-Xylene	<0.70	ug/L	2.0	0.70	1		10/14/21 21:12	179601-23-1	
o-Xylene	<0.35	ug/L	1.0	0.35	1		10/14/21 21:12	95-47-6	
Surrogates									
4-Bromofluorobenzene (S)	96	%	70-130		1		10/14/21 21:12	460-00-4	
1,2-Dichlorobenzene-d4 (S)	99	%	70-130		1		10/14/21 21:12	2199-69-1	
Toluene-d8 (S)	104	%	70-130		1		10/14/21 21:12	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 1690019237 GORSKI LF

Pace Project No.: 40235044

Sample: 1096 CTH KK Lab ID: 40235044006 Collected: 10/11/21 11:15 Received: 10/13/21 07:35 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV	Analytical Method: EPA 8260								
	Pace Analytical Services - Green Bay								
Benzene	<0.30	ug/L	1.0	0.30	1		10/14/21 21:32	71-43-2	
Bromobenzene	<0.36	ug/L	1.0	0.36	1		10/14/21 21:32	108-86-1	
Bromo(chloromethane)	<0.36	ug/L	5.0	0.36	1		10/14/21 21:32	74-97-5	
Bromodichloromethane	<0.42	ug/L	1.0	0.42	1		10/14/21 21:32	75-27-4	
Bromoform	<3.8	ug/L	5.0	3.8	1		10/14/21 21:32	75-25-2	
Bromomethane	<1.2	ug/L	5.0	1.2	1		10/14/21 21:32	74-83-9	
n-Butylbenzene	<0.86	ug/L	1.0	0.86	1		10/14/21 21:32	104-51-8	
sec-Butylbenzene	<0.42	ug/L	1.0	0.42	1		10/14/21 21:32	135-98-8	
tert-Butylbenzene	<0.59	ug/L	1.0	0.59	1		10/14/21 21:32	98-06-6	
Carbon tetrachloride	<0.37	ug/L	1.0	0.37	1		10/14/21 21:32	56-23-5	
Chlorobenzene	<0.86	ug/L	1.0	0.86	1		10/14/21 21:32	108-90-7	
Chloroethane	<1.4	ug/L	5.0	1.4	1		10/14/21 21:32	75-00-3	
Chloroform	<1.2	ug/L	5.0	1.2	1		10/14/21 21:32	67-66-3	
Chloromethane	<1.6	ug/L	5.0	1.6	1		10/14/21 21:32	74-87-3	
2-Chlorotoluene	<0.89	ug/L	5.0	0.89	1		10/14/21 21:32	95-49-8	
4-Chlorotoluene	<0.89	ug/L	5.0	0.89	1		10/14/21 21:32	106-43-4	
1,2-Dibromo-3-chloropropane	<2.4	ug/L	5.0	2.4	1		10/14/21 21:32	96-12-8	
Dibromochloromethane	<2.6	ug/L	5.0	2.6	1		10/14/21 21:32	124-48-1	
1,2-Dibromoethane (EDB)	<0.31	ug/L	1.0	0.31	1		10/14/21 21:32	106-93-4	
Dibromomethane	<0.99	ug/L	5.0	0.99	1		10/14/21 21:32	74-95-3	
1,2-Dichlorobenzene	<0.33	ug/L	1.0	0.33	1		10/14/21 21:32	95-50-1	
1,3-Dichlorobenzene	<0.35	ug/L	1.0	0.35	1		10/14/21 21:32	541-73-1	
1,4-Dichlorobenzene	<0.89	ug/L	1.0	0.89	1		10/14/21 21:32	106-46-7	
Dichlorodifluoromethane	<0.46	ug/L	5.0	0.46	1		10/14/21 21:32	75-71-8	
1,1-Dichloroethane	<0.30	ug/L	1.0	0.30	1		10/14/21 21:32	75-34-3	
1,2-Dichloroethane	<0.29	ug/L	1.0	0.29	1		10/14/21 21:32	107-06-2	
1,1-Dichloroethene	<0.58	ug/L	1.0	0.58	1		10/14/21 21:32	75-35-4	
cis-1,2-Dichloroethene	<0.47	ug/L	1.0	0.47	1		10/14/21 21:32	156-59-2	
trans-1,2-Dichloroethene	<0.53	ug/L	1.0	0.53	1		10/14/21 21:32	156-60-5	
1,2-Dichloropropane	<0.45	ug/L	1.0	0.45	1		10/14/21 21:32	78-87-5	
1,3-Dichloropropane	<0.30	ug/L	1.0	0.30	1		10/14/21 21:32	142-28-9	
2,2-Dichloropropane	<4.2	ug/L	5.0	4.2	1		10/14/21 21:32	594-20-7	
1,1-Dichloropropene	<0.41	ug/L	1.0	0.41	1		10/14/21 21:32	563-58-6	
cis-1,3-Dichloropropene	<0.36	ug/L	1.0	0.36	1		10/14/21 21:32	10061-01-5	
trans-1,3-Dichloropropene	<3.5	ug/L	5.0	3.5	1		10/14/21 21:32	10061-02-6	
Diisopropyl ether	<1.1	ug/L	5.0	1.1	1		10/14/21 21:32	108-20-3	
Ethylbenzene	<0.33	ug/L	1.0	0.33	1		10/14/21 21:32	100-41-4	
Hexachloro-1,3-butadiene	<2.7	ug/L	5.0	2.7	1		10/14/21 21:32	87-68-3	
Isopropylbenzene (Cumene)	<1.0	ug/L	5.0	1.0	1		10/14/21 21:32	98-82-8	
p-Isopropyltoluene	<1.0	ug/L	5.0	1.0	1		10/14/21 21:32	99-87-6	
Methylene Chloride	<0.32	ug/L	5.0	0.32	1		10/14/21 21:32	75-09-2	
Methyl-tert-butyl ether	<1.1	ug/L	5.0	1.1	1		10/14/21 21:32	1634-04-4	
Naphthalene	<1.1	ug/L	5.0	1.1	1		10/14/21 21:32	91-20-3	
n-Propylbenzene	<0.35	ug/L	1.0	0.35	1		10/14/21 21:32	103-65-1	
Styrene	<0.36	ug/L	1.0	0.36	1		10/14/21 21:32	100-42-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 1690019237 GORSKI LF

Pace Project No.: 40235044

Sample: 1096 CTH KK Lab ID: 40235044006 Collected: 10/11/21 11:15 Received: 10/13/21 07:35 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV	Analytical Method: EPA 8260 Pace Analytical Services - Green Bay								
1,1,1,2-Tetrachloroethane	<0.36	ug/L	1.0	0.36	1		10/14/21 21:32	630-20-6	
1,1,2,2-Tetrachloroethane	<0.38	ug/L	1.0	0.38	1		10/14/21 21:32	79-34-5	
Tetrachloroethene	<0.41	ug/L	1.0	0.41	1		10/14/21 21:32	127-18-4	
Toluene	<0.29	ug/L	1.0	0.29	1		10/14/21 21:32	108-88-3	
1,2,3-Trichlorobenzene	<1.0	ug/L	5.0	1.0	1		10/14/21 21:32	87-61-6	
1,2,4-Trichlorobenzene	<0.95	ug/L	5.0	0.95	1		10/14/21 21:32	120-82-1	
1,1,1-Trichloroethane	<0.30	ug/L	1.0	0.30	1		10/14/21 21:32	71-55-6	
1,1,2-Trichloroethane	<0.34	ug/L	5.0	0.34	1		10/14/21 21:32	79-00-5	
Trichloroethene	<0.32	ug/L	1.0	0.32	1		10/14/21 21:32	79-01-6	
Trichlorofluoromethane	<0.42	ug/L	1.0	0.42	1		10/14/21 21:32	75-69-4	
1,2,3-Trichloropropane	<0.56	ug/L	5.0	0.56	1		10/14/21 21:32	96-18-4	
1,2,4-Trimethylbenzene	<0.45	ug/L	1.0	0.45	1		10/14/21 21:32	95-63-6	
1,3,5-Trimethylbenzene	<0.36	ug/L	1.0	0.36	1		10/14/21 21:32	108-67-8	
Vinyl chloride	<0.17	ug/L	1.0	0.17	1		10/14/21 21:32	75-01-4	
Xylene (Total)	<1.0	ug/L	3.0	1.0	1		10/14/21 21:32	1330-20-7	
m&p-Xylene	<0.70	ug/L	2.0	0.70	1		10/14/21 21:32	179601-23-1	
o-Xylene	<0.35	ug/L	1.0	0.35	1		10/14/21 21:32	95-47-6	
Surrogates									
4-Bromofluorobenzene (S)	95	%	70-130		1		10/14/21 21:32	460-00-4	
1,2-Dichlorobenzene-d4 (S)	99	%	70-130		1		10/14/21 21:32	2199-69-1	
Toluene-d8 (S)	103	%	70-130		1		10/14/21 21:32	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 1690019237 GORSKI LF

Pace Project No.: 40235044

Sample: 1101 CTH KK Lab ID: 40235044007 Collected: 10/11/21 11:05 Received: 10/13/21 07:35 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV	Analytical Method: EPA 8260								
	Pace Analytical Services - Green Bay								
Benzene	<0.30	ug/L	1.0	0.30	1		10/14/21 21:51	71-43-2	
Bromobenzene	<0.36	ug/L	1.0	0.36	1		10/14/21 21:51	108-86-1	
Bromo(chloromethane)	<0.36	ug/L	5.0	0.36	1		10/14/21 21:51	74-97-5	
Bromodichloromethane	<0.42	ug/L	1.0	0.42	1		10/14/21 21:51	75-27-4	
Bromoform	<3.8	ug/L	5.0	3.8	1		10/14/21 21:51	75-25-2	
Bromomethane	<1.2	ug/L	5.0	1.2	1		10/14/21 21:51	74-83-9	
n-Butylbenzene	<0.86	ug/L	1.0	0.86	1		10/14/21 21:51	104-51-8	
sec-Butylbenzene	<0.42	ug/L	1.0	0.42	1		10/14/21 21:51	135-98-8	
tert-Butylbenzene	<0.59	ug/L	1.0	0.59	1		10/14/21 21:51	98-06-6	
Carbon tetrachloride	<0.37	ug/L	1.0	0.37	1		10/14/21 21:51	56-23-5	
Chlorobenzene	<0.86	ug/L	1.0	0.86	1		10/14/21 21:51	108-90-7	
Chloroethane	<1.4	ug/L	5.0	1.4	1		10/14/21 21:51	75-00-3	
Chloroform	<1.2	ug/L	5.0	1.2	1		10/14/21 21:51	67-66-3	
Chloromethane	<1.6	ug/L	5.0	1.6	1		10/14/21 21:51	74-87-3	
2-Chlorotoluene	<0.89	ug/L	5.0	0.89	1		10/14/21 21:51	95-49-8	
4-Chlorotoluene	<0.89	ug/L	5.0	0.89	1		10/14/21 21:51	106-43-4	
1,2-Dibromo-3-chloropropane	<2.4	ug/L	5.0	2.4	1		10/14/21 21:51	96-12-8	
Dibromochloromethane	<2.6	ug/L	5.0	2.6	1		10/14/21 21:51	124-48-1	
1,2-Dibromoethane (EDB)	<0.31	ug/L	1.0	0.31	1		10/14/21 21:51	106-93-4	
Dibromomethane	<0.99	ug/L	5.0	0.99	1		10/14/21 21:51	74-95-3	
1,2-Dichlorobenzene	<0.33	ug/L	1.0	0.33	1		10/14/21 21:51	95-50-1	
1,3-Dichlorobenzene	<0.35	ug/L	1.0	0.35	1		10/14/21 21:51	541-73-1	
1,4-Dichlorobenzene	<0.89	ug/L	1.0	0.89	1		10/14/21 21:51	106-46-7	
Dichlorodifluoromethane	<0.46	ug/L	5.0	0.46	1		10/14/21 21:51	75-71-8	
1,1-Dichloroethane	<0.30	ug/L	1.0	0.30	1		10/14/21 21:51	75-34-3	
1,2-Dichloroethane	<0.29	ug/L	1.0	0.29	1		10/14/21 21:51	107-06-2	
1,1-Dichloroethene	<0.58	ug/L	1.0	0.58	1		10/14/21 21:51	75-35-4	
cis-1,2-Dichloroethene	<0.47	ug/L	1.0	0.47	1		10/14/21 21:51	156-59-2	
trans-1,2-Dichloroethene	<0.53	ug/L	1.0	0.53	1		10/14/21 21:51	156-60-5	
1,2-Dichloropropane	<0.45	ug/L	1.0	0.45	1		10/14/21 21:51	78-87-5	
1,3-Dichloropropane	<0.30	ug/L	1.0	0.30	1		10/14/21 21:51	142-28-9	
2,2-Dichloropropane	<4.2	ug/L	5.0	4.2	1		10/14/21 21:51	594-20-7	
1,1-Dichloropropene	<0.41	ug/L	1.0	0.41	1		10/14/21 21:51	563-58-6	
cis-1,3-Dichloropropene	<0.36	ug/L	1.0	0.36	1		10/14/21 21:51	10061-01-5	
trans-1,3-Dichloropropene	<3.5	ug/L	5.0	3.5	1		10/14/21 21:51	10061-02-6	
Diisopropyl ether	<1.1	ug/L	5.0	1.1	1		10/14/21 21:51	108-20-3	
Ethylbenzene	<0.33	ug/L	1.0	0.33	1		10/14/21 21:51	100-41-4	
Hexachloro-1,3-butadiene	<2.7	ug/L	5.0	2.7	1		10/14/21 21:51	87-68-3	
Isopropylbenzene (Cumene)	<1.0	ug/L	5.0	1.0	1		10/14/21 21:51	98-82-8	
p-Isopropyltoluene	<1.0	ug/L	5.0	1.0	1		10/14/21 21:51	99-87-6	
Methylene Chloride	<0.32	ug/L	5.0	0.32	1		10/14/21 21:51	75-09-2	
Methyl-tert-butyl ether	<1.1	ug/L	5.0	1.1	1		10/14/21 21:51	1634-04-4	
Naphthalene	<1.1	ug/L	5.0	1.1	1		10/14/21 21:51	91-20-3	
n-Propylbenzene	<0.35	ug/L	1.0	0.35	1		10/14/21 21:51	103-65-1	
Styrene	<0.36	ug/L	1.0	0.36	1		10/14/21 21:51	100-42-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 1690019237 GORSKI LF

Pace Project No.: 40235044

Sample: 1101 CTH KK Lab ID: 40235044007 Collected: 10/11/21 11:05 Received: 10/13/21 07:35 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV	Analytical Method: EPA 8260								
	Pace Analytical Services - Green Bay								
1,1,1,2-Tetrachloroethane	<0.36	ug/L	1.0	0.36	1		10/14/21 21:51	630-20-6	
1,1,2,2-Tetrachloroethane	<0.38	ug/L	1.0	0.38	1		10/14/21 21:51	79-34-5	
Tetrachloroethene	<0.41	ug/L	1.0	0.41	1		10/14/21 21:51	127-18-4	
Toluene	<0.29	ug/L	1.0	0.29	1		10/14/21 21:51	108-88-3	
1,2,3-Trichlorobenzene	<1.0	ug/L	5.0	1.0	1		10/14/21 21:51	87-61-6	
1,2,4-Trichlorobenzene	<0.95	ug/L	5.0	0.95	1		10/14/21 21:51	120-82-1	
1,1,1-Trichloroethane	<0.30	ug/L	1.0	0.30	1		10/14/21 21:51	71-55-6	
1,1,2-Trichloroethane	<0.34	ug/L	5.0	0.34	1		10/14/21 21:51	79-00-5	
Trichloroethene	<0.32	ug/L	1.0	0.32	1		10/14/21 21:51	79-01-6	
Trichlorofluoromethane	<0.42	ug/L	1.0	0.42	1		10/14/21 21:51	75-69-4	
1,2,3-Trichloropropane	<0.56	ug/L	5.0	0.56	1		10/14/21 21:51	96-18-4	
1,2,4-Trimethylbenzene	<0.45	ug/L	1.0	0.45	1		10/14/21 21:51	95-63-6	
1,3,5-Trimethylbenzene	<0.36	ug/L	1.0	0.36	1		10/14/21 21:51	108-67-8	
Vinyl chloride	<0.17	ug/L	1.0	0.17	1		10/14/21 21:51	75-01-4	
Xylene (Total)	<1.0	ug/L	3.0	1.0	1		10/14/21 21:51	1330-20-7	
m&p-Xylene	<0.70	ug/L	2.0	0.70	1		10/14/21 21:51	179601-23-1	
o-Xylene	<0.35	ug/L	1.0	0.35	1		10/14/21 21:51	95-47-6	
Surrogates									
4-Bromofluorobenzene (S)	95	%	70-130		1		10/14/21 21:51	460-00-4	
1,2-Dichlorobenzene-d4 (S)	99	%	70-130		1		10/14/21 21:51	2199-69-1	
Toluene-d8 (S)	104	%	70-130		1		10/14/21 21:51	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 1690019237 GORSKI LF

Pace Project No.: 40235044

Sample: 1058 CTH KK Lab ID: 40235044008 Collected: 10/11/21 11:25 Received: 10/13/21 07:35 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV	Analytical Method: EPA 8260								
	Pace Analytical Services - Green Bay								
Benzene	<0.30	ug/L	1.0	0.30	1		10/14/21 22:10	71-43-2	
Bromobenzene	<0.36	ug/L	1.0	0.36	1		10/14/21 22:10	108-86-1	
Bromo(chloromethane)	<0.36	ug/L	5.0	0.36	1		10/14/21 22:10	74-97-5	
Bromodichloromethane	<0.42	ug/L	1.0	0.42	1		10/14/21 22:10	75-27-4	
Bromoform	<3.8	ug/L	5.0	3.8	1		10/14/21 22:10	75-25-2	
Bromomethane	<1.2	ug/L	5.0	1.2	1		10/14/21 22:10	74-83-9	
n-Butylbenzene	<0.86	ug/L	1.0	0.86	1		10/14/21 22:10	104-51-8	
sec-Butylbenzene	<0.42	ug/L	1.0	0.42	1		10/14/21 22:10	135-98-8	
tert-Butylbenzene	<0.59	ug/L	1.0	0.59	1		10/14/21 22:10	98-06-6	
Carbon tetrachloride	<0.37	ug/L	1.0	0.37	1		10/14/21 22:10	56-23-5	
Chlorobenzene	<0.86	ug/L	1.0	0.86	1		10/14/21 22:10	108-90-7	
Chloroethane	<1.4	ug/L	5.0	1.4	1		10/14/21 22:10	75-00-3	
Chloroform	<1.2	ug/L	5.0	1.2	1		10/14/21 22:10	67-66-3	
Chloromethane	<1.6	ug/L	5.0	1.6	1		10/14/21 22:10	74-87-3	
2-Chlorotoluene	<0.89	ug/L	5.0	0.89	1		10/14/21 22:10	95-49-8	
4-Chlorotoluene	<0.89	ug/L	5.0	0.89	1		10/14/21 22:10	106-43-4	
1,2-Dibromo-3-chloropropane	<2.4	ug/L	5.0	2.4	1		10/14/21 22:10	96-12-8	
Dibromochloromethane	<2.6	ug/L	5.0	2.6	1		10/14/21 22:10	124-48-1	
1,2-Dibromoethane (EDB)	<0.31	ug/L	1.0	0.31	1		10/14/21 22:10	106-93-4	
Dibromomethane	<0.99	ug/L	5.0	0.99	1		10/14/21 22:10	74-95-3	
1,2-Dichlorobenzene	<0.33	ug/L	1.0	0.33	1		10/14/21 22:10	95-50-1	
1,3-Dichlorobenzene	<0.35	ug/L	1.0	0.35	1		10/14/21 22:10	541-73-1	
1,4-Dichlorobenzene	<0.89	ug/L	1.0	0.89	1		10/14/21 22:10	106-46-7	
Dichlorodifluoromethane	<0.46	ug/L	5.0	0.46	1		10/14/21 22:10	75-71-8	
1,1-Dichloroethane	<0.30	ug/L	1.0	0.30	1		10/14/21 22:10	75-34-3	
1,2-Dichloroethane	<0.29	ug/L	1.0	0.29	1		10/14/21 22:10	107-06-2	
1,1-Dichloroethene	<0.58	ug/L	1.0	0.58	1		10/14/21 22:10	75-35-4	
cis-1,2-Dichloroethene	<0.47	ug/L	1.0	0.47	1		10/14/21 22:10	156-59-2	
trans-1,2-Dichloroethene	<0.53	ug/L	1.0	0.53	1		10/14/21 22:10	156-60-5	
1,2-Dichloropropane	<0.45	ug/L	1.0	0.45	1		10/14/21 22:10	78-87-5	
1,3-Dichloropropane	<0.30	ug/L	1.0	0.30	1		10/14/21 22:10	142-28-9	
2,2-Dichloropropane	<4.2	ug/L	5.0	4.2	1		10/14/21 22:10	594-20-7	
1,1-Dichloropropene	<0.41	ug/L	1.0	0.41	1		10/14/21 22:10	563-58-6	
cis-1,3-Dichloropropene	<0.36	ug/L	1.0	0.36	1		10/14/21 22:10	10061-01-5	
trans-1,3-Dichloropropene	<3.5	ug/L	5.0	3.5	1		10/14/21 22:10	10061-02-6	
Diisopropyl ether	<1.1	ug/L	5.0	1.1	1		10/14/21 22:10	108-20-3	
Ethylbenzene	<0.33	ug/L	1.0	0.33	1		10/14/21 22:10	100-41-4	
Hexachloro-1,3-butadiene	<2.7	ug/L	5.0	2.7	1		10/14/21 22:10	87-68-3	
Isopropylbenzene (Cumene)	<1.0	ug/L	5.0	1.0	1		10/14/21 22:10	98-82-8	
p-Isopropyltoluene	<1.0	ug/L	5.0	1.0	1		10/14/21 22:10	99-87-6	
Methylene Chloride	<0.32	ug/L	5.0	0.32	1		10/14/21 22:10	75-09-2	
Methyl-tert-butyl ether	<1.1	ug/L	5.0	1.1	1		10/14/21 22:10	1634-04-4	
Naphthalene	<1.1	ug/L	5.0	1.1	1		10/14/21 22:10	91-20-3	
n-Propylbenzene	<0.35	ug/L	1.0	0.35	1		10/14/21 22:10	103-65-1	
Styrene	<0.36	ug/L	1.0	0.36	1		10/14/21 22:10	100-42-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 1690019237 GORSKI LF

Pace Project No.: 40235044

Sample: 1058 CTH KK Lab ID: 40235044008 Collected: 10/11/21 11:25 Received: 10/13/21 07:35 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV	Analytical Method: EPA 8260								
	Pace Analytical Services - Green Bay								
1,1,1,2-Tetrachloroethane	<0.36	ug/L	1.0	0.36	1		10/14/21 22:10	630-20-6	
1,1,2,2-Tetrachloroethane	<0.38	ug/L	1.0	0.38	1		10/14/21 22:10	79-34-5	
Tetrachloroethene	<0.41	ug/L	1.0	0.41	1		10/14/21 22:10	127-18-4	
Toluene	<0.29	ug/L	1.0	0.29	1		10/14/21 22:10	108-88-3	
1,2,3-Trichlorobenzene	<1.0	ug/L	5.0	1.0	1		10/14/21 22:10	87-61-6	
1,2,4-Trichlorobenzene	<0.95	ug/L	5.0	0.95	1		10/14/21 22:10	120-82-1	
1,1,1-Trichloroethane	<0.30	ug/L	1.0	0.30	1		10/14/21 22:10	71-55-6	
1,1,2-Trichloroethane	<0.34	ug/L	5.0	0.34	1		10/14/21 22:10	79-00-5	
Trichloroethene	<0.32	ug/L	1.0	0.32	1		10/14/21 22:10	79-01-6	
Trichlorofluoromethane	<0.42	ug/L	1.0	0.42	1		10/14/21 22:10	75-69-4	
1,2,3-Trichloropropane	<0.56	ug/L	5.0	0.56	1		10/14/21 22:10	96-18-4	
1,2,4-Trimethylbenzene	<0.45	ug/L	1.0	0.45	1		10/14/21 22:10	95-63-6	
1,3,5-Trimethylbenzene	<0.36	ug/L	1.0	0.36	1		10/14/21 22:10	108-67-8	
Vinyl chloride	<0.17	ug/L	1.0	0.17	1		10/14/21 22:10	75-01-4	
Xylene (Total)	<1.0	ug/L	3.0	1.0	1		10/14/21 22:10	1330-20-7	
m&p-Xylene	<0.70	ug/L	2.0	0.70	1		10/14/21 22:10	179601-23-1	
o-Xylene	<0.35	ug/L	1.0	0.35	1		10/14/21 22:10	95-47-6	
Surrogates									
4-Bromofluorobenzene (S)	95	%	70-130		1		10/14/21 22:10	460-00-4	
1,2-Dichlorobenzene-d4 (S)	99	%	70-130		1		10/14/21 22:10	2199-69-1	
Toluene-d8 (S)	103	%	70-130		1		10/14/21 22:10	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 1690019237 GORSKI LF

Pace Project No.: 40235044

Sample: PZ-3	Lab ID: 40235044009	Collected: 10/11/21 12:30	Received: 10/13/21 07:35	Matrix: Water					
Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV	Analytical Method: EPA 8260								
	Pace Analytical Services - Green Bay								
Benzene	<0.30	ug/L	1.0	0.30	1		10/14/21 22:30	71-43-2	
Bromobenzene	<0.36	ug/L	1.0	0.36	1		10/14/21 22:30	108-86-1	
Bromoform	<3.8	ug/L	5.0	0.36	1		10/14/21 22:30	74-97-5	
Bromochloromethane	<0.42	ug/L	1.0	0.42	1		10/14/21 22:30	75-27-4	
Bromodichloromethane	<0.42	ug/L	5.0	3.8	1		10/14/21 22:30	75-25-2	
Bromoform	<1.2	ug/L	5.0	1.2	1		10/14/21 22:30	74-83-9	
Bromomethane	<0.86	ug/L	1.0	0.86	1		10/14/21 22:30	104-51-8	
n-Butylbenzene	<0.42	ug/L	1.0	0.42	1		10/14/21 22:30	135-98-8	
sec-Butylbenzene	<0.59	ug/L	1.0	0.59	1		10/14/21 22:30	98-06-6	
Carbon tetrachloride	<0.37	ug/L	1.0	0.37	1		10/14/21 22:30	56-23-5	
Chlorobenzene	<0.86	ug/L	1.0	0.86	1		10/14/21 22:30	108-90-7	
Chloroethane	<1.4	ug/L	5.0	1.4	1		10/14/21 22:30	75-00-3	
Chloroform	<1.2	ug/L	5.0	1.2	1		10/14/21 22:30	67-66-3	
Chloromethane	<1.6	ug/L	5.0	1.6	1		10/14/21 22:30	74-87-3	
2-Chlorotoluene	<0.89	ug/L	5.0	0.89	1		10/14/21 22:30	95-49-8	
4-Chlorotoluene	<0.89	ug/L	5.0	0.89	1		10/14/21 22:30	106-43-4	
1,2-Dibromo-3-chloropropane	<2.4	ug/L	5.0	2.4	1		10/14/21 22:30	96-12-8	
Dibromochloromethane	<2.6	ug/L	5.0	2.6	1		10/14/21 22:30	124-48-1	
1,2-Dibromoethane (EDB)	<0.31	ug/L	1.0	0.31	1		10/14/21 22:30	106-93-4	
Dibromomethane	<0.99	ug/L	5.0	0.99	1		10/14/21 22:30	74-95-3	
1,2-Dichlorobenzene	<0.33	ug/L	1.0	0.33	1		10/14/21 22:30	95-50-1	
1,3-Dichlorobenzene	<0.35	ug/L	1.0	0.35	1		10/14/21 22:30	541-73-1	
1,4-Dichlorobenzene	<0.89	ug/L	1.0	0.89	1		10/14/21 22:30	106-46-7	
Dichlorodifluoromethane	<0.46	ug/L	5.0	0.46	1		10/14/21 22:30	75-71-8	
1,1-Dichloroethane	<0.30	ug/L	1.0	0.30	1		10/14/21 22:30	75-34-3	
1,2-Dichloroethane	<0.29	ug/L	1.0	0.29	1		10/14/21 22:30	107-06-2	
1,1-Dichloroethene	<0.58	ug/L	1.0	0.58	1		10/14/21 22:30	75-35-4	
cis-1,2-Dichloroethene	7.4	ug/L	1.0	0.47	1		10/14/21 22:30	156-59-2	
trans-1,2-Dichloroethene	<0.53	ug/L	1.0	0.53	1		10/14/21 22:30	156-60-5	
1,2-Dichloropropane	<0.45	ug/L	1.0	0.45	1		10/14/21 22:30	78-87-5	
1,3-Dichloropropane	<0.30	ug/L	1.0	0.30	1		10/14/21 22:30	142-28-9	
2,2-Dichloropropane	<4.2	ug/L	5.0	4.2	1		10/14/21 22:30	594-20-7	
1,1-Dichloropropene	<0.41	ug/L	1.0	0.41	1		10/14/21 22:30	563-58-6	
cis-1,3-Dichloropropene	<0.36	ug/L	1.0	0.36	1		10/14/21 22:30	10061-01-5	
trans-1,3-Dichloropropene	<3.5	ug/L	5.0	3.5	1		10/14/21 22:30	10061-02-6	
Diisopropyl ether	<1.1	ug/L	5.0	1.1	1		10/14/21 22:30	108-20-3	
Ethylbenzene	<0.33	ug/L	1.0	0.33	1		10/14/21 22:30	100-41-4	
Hexachloro-1,3-butadiene	<2.7	ug/L	5.0	2.7	1		10/14/21 22:30	87-68-3	
Isopropylbenzene (Cumene)	<1.0	ug/L	5.0	1.0	1		10/14/21 22:30	98-82-8	
p-Isopropyltoluene	<1.0	ug/L	5.0	1.0	1		10/14/21 22:30	99-87-6	
Methylene Chloride	<0.32	ug/L	5.0	0.32	1		10/14/21 22:30	75-09-2	
Methyl-tert-butyl ether	<1.1	ug/L	5.0	1.1	1		10/14/21 22:30	1634-04-4	
Naphthalene	<1.1	ug/L	5.0	1.1	1		10/14/21 22:30	91-20-3	
n-Propylbenzene	<0.35	ug/L	1.0	0.35	1		10/14/21 22:30	103-65-1	
Styrene	<0.36	ug/L	1.0	0.36	1		10/14/21 22:30	100-42-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 1690019237 GORSKI LF

Pace Project No.: 40235044

Sample: PZ-3 **Lab ID: 40235044009** Collected: 10/11/21 12:30 Received: 10/13/21 07:35 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV	Analytical Method: EPA 8260								
	Pace Analytical Services - Green Bay								
1,1,1,2-Tetrachloroethane	<0.36	ug/L	1.0	0.36	1		10/14/21 22:30	630-20-6	
1,1,2,2-Tetrachloroethane	<0.38	ug/L	1.0	0.38	1		10/14/21 22:30	79-34-5	
Tetrachloroethene	<0.41	ug/L	1.0	0.41	1		10/14/21 22:30	127-18-4	
Toluene	<0.29	ug/L	1.0	0.29	1		10/14/21 22:30	108-88-3	
1,2,3-Trichlorobenzene	<1.0	ug/L	5.0	1.0	1		10/14/21 22:30	87-61-6	
1,2,4-Trichlorobenzene	<0.95	ug/L	5.0	0.95	1		10/14/21 22:30	120-82-1	
1,1,1-Trichloroethane	<0.30	ug/L	1.0	0.30	1		10/14/21 22:30	71-55-6	
1,1,2-Trichloroethane	<0.34	ug/L	5.0	0.34	1		10/14/21 22:30	79-00-5	
Trichloroethene	1.1	ug/L	1.0	0.32	1		10/14/21 22:30	79-01-6	
Trichlorofluoromethane	<0.42	ug/L	1.0	0.42	1		10/14/21 22:30	75-69-4	
1,2,3-Trichloropropane	<0.56	ug/L	5.0	0.56	1		10/14/21 22:30	96-18-4	
1,2,4-Trimethylbenzene	<0.45	ug/L	1.0	0.45	1		10/14/21 22:30	95-63-6	
1,3,5-Trimethylbenzene	<0.36	ug/L	1.0	0.36	1		10/14/21 22:30	108-67-8	
Vinyl chloride	<0.17	ug/L	1.0	0.17	1		10/14/21 22:30	75-01-4	
Xylene (Total)	<1.0	ug/L	3.0	1.0	1		10/14/21 22:30	1330-20-7	
m&p-Xylene	<0.70	ug/L	2.0	0.70	1		10/14/21 22:30	179601-23-1	
o-Xylene	<0.35	ug/L	1.0	0.35	1		10/14/21 22:30	95-47-6	
Surrogates									
4-Bromofluorobenzene (S)	94	%	70-130		1		10/14/21 22:30	460-00-4	
1,2-Dichlorobenzene-d4 (S)	101	%	70-130		1		10/14/21 22:30	2199-69-1	
Toluene-d8 (S)	103	%	70-130		1		10/14/21 22:30	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 1690019237 GORSKI LF

Pace Project No.: 40235044

Sample: MW-4 **Lab ID: 40235044010** Collected: 10/11/21 14:30 Received: 10/13/21 07:35 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV	Analytical Method: EPA 8260								
	Pace Analytical Services - Green Bay								
Benzene	<0.30	ug/L	1.0	0.30	1		10/14/21 22:49	71-43-2	
Bromobenzene	<0.36	ug/L	1.0	0.36	1		10/14/21 22:49	108-86-1	
Bromo(chloromethane)	<0.36	ug/L	5.0	0.36	1		10/14/21 22:49	74-97-5	
Bromodichloromethane	<0.42	ug/L	1.0	0.42	1		10/14/21 22:49	75-27-4	
Bromoform	<3.8	ug/L	5.0	3.8	1		10/14/21 22:49	75-25-2	
Bromomethane	<1.2	ug/L	5.0	1.2	1		10/14/21 22:49	74-83-9	
n-Butylbenzene	<0.86	ug/L	1.0	0.86	1		10/14/21 22:49	104-51-8	
sec-Butylbenzene	<0.42	ug/L	1.0	0.42	1		10/14/21 22:49	135-98-8	
tert-Butylbenzene	<0.59	ug/L	1.0	0.59	1		10/14/21 22:49	98-06-6	
Carbon tetrachloride	<0.37	ug/L	1.0	0.37	1		10/14/21 22:49	56-23-5	
Chlorobenzene	<0.86	ug/L	1.0	0.86	1		10/14/21 22:49	108-90-7	
Chloroethane	<1.4	ug/L	5.0	1.4	1		10/14/21 22:49	75-00-3	
Chloroform	<1.2	ug/L	5.0	1.2	1		10/14/21 22:49	67-66-3	
Chloromethane	<1.6	ug/L	5.0	1.6	1		10/14/21 22:49	74-87-3	
2-Chlorotoluene	<0.89	ug/L	5.0	0.89	1		10/14/21 22:49	95-49-8	
4-Chlorotoluene	<0.89	ug/L	5.0	0.89	1		10/14/21 22:49	106-43-4	
1,2-Dibromo-3-chloropropane	<2.4	ug/L	5.0	2.4	1		10/14/21 22:49	96-12-8	
Dibromochloromethane	<2.6	ug/L	5.0	2.6	1		10/14/21 22:49	124-48-1	
1,2-Dibromoethane (EDB)	<0.31	ug/L	1.0	0.31	1		10/14/21 22:49	106-93-4	
Dibromomethane	<0.99	ug/L	5.0	0.99	1		10/14/21 22:49	74-95-3	
1,2-Dichlorobenzene	<0.33	ug/L	1.0	0.33	1		10/14/21 22:49	95-50-1	
1,3-Dichlorobenzene	<0.35	ug/L	1.0	0.35	1		10/14/21 22:49	541-73-1	
1,4-Dichlorobenzene	<0.89	ug/L	1.0	0.89	1		10/14/21 22:49	106-46-7	
Dichlorodifluoromethane	<0.46	ug/L	5.0	0.46	1		10/14/21 22:49	75-71-8	
1,1-Dichloroethane	<0.30	ug/L	1.0	0.30	1		10/14/21 22:49	75-34-3	
1,2-Dichloroethane	<0.29	ug/L	1.0	0.29	1		10/14/21 22:49	107-06-2	
1,1-Dichloroethene	<0.58	ug/L	1.0	0.58	1		10/14/21 22:49	75-35-4	
cis-1,2-Dichloroethene	0.71J	ug/L	1.0	0.47	1		10/14/21 22:49	156-59-2	
trans-1,2-Dichloroethene	<0.53	ug/L	1.0	0.53	1		10/14/21 22:49	156-60-5	
1,2-Dichloropropane	<0.45	ug/L	1.0	0.45	1		10/14/21 22:49	78-87-5	
1,3-Dichloropropane	<0.30	ug/L	1.0	0.30	1		10/14/21 22:49	142-28-9	
2,2-Dichloropropane	<4.2	ug/L	5.0	4.2	1		10/14/21 22:49	594-20-7	
1,1-Dichloropropene	<0.41	ug/L	1.0	0.41	1		10/14/21 22:49	563-58-6	
cis-1,3-Dichloropropene	<0.36	ug/L	1.0	0.36	1		10/14/21 22:49	10061-01-5	
trans-1,3-Dichloropropene	<3.5	ug/L	5.0	3.5	1		10/14/21 22:49	10061-02-6	
Diisopropyl ether	<1.1	ug/L	5.0	1.1	1		10/14/21 22:49	108-20-3	
Ethylbenzene	<0.33	ug/L	1.0	0.33	1		10/14/21 22:49	100-41-4	
Hexachloro-1,3-butadiene	<2.7	ug/L	5.0	2.7	1		10/14/21 22:49	87-68-3	
Isopropylbenzene (Cumene)	<1.0	ug/L	5.0	1.0	1		10/14/21 22:49	98-82-8	
p-Isopropyltoluene	<1.0	ug/L	5.0	1.0	1		10/14/21 22:49	99-87-6	
Methylene Chloride	<0.32	ug/L	5.0	0.32	1		10/14/21 22:49	75-09-2	
Methyl-tert-butyl ether	<1.1	ug/L	5.0	1.1	1		10/14/21 22:49	1634-04-4	
Naphthalene	<1.1	ug/L	5.0	1.1	1		10/14/21 22:49	91-20-3	
n-Propylbenzene	<0.35	ug/L	1.0	0.35	1		10/14/21 22:49	103-65-1	
Styrene	<0.36	ug/L	1.0	0.36	1		10/14/21 22:49	100-42-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 1690019237 GORSKI LF

Pace Project No.: 40235044

Sample: MW-4 **Lab ID: 40235044010** Collected: 10/11/21 14:30 Received: 10/13/21 07:35 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV	Analytical Method: EPA 8260								
	Pace Analytical Services - Green Bay								
1,1,1,2-Tetrachloroethane	<0.36	ug/L	1.0	0.36	1		10/14/21 22:49	630-20-6	
1,1,2,2-Tetrachloroethane	<0.38	ug/L	1.0	0.38	1		10/14/21 22:49	79-34-5	
Tetrachloroethene	<0.41	ug/L	1.0	0.41	1		10/14/21 22:49	127-18-4	
Toluene	<0.29	ug/L	1.0	0.29	1		10/14/21 22:49	108-88-3	
1,2,3-Trichlorobenzene	<1.0	ug/L	5.0	1.0	1		10/14/21 22:49	87-61-6	
1,2,4-Trichlorobenzene	<0.95	ug/L	5.0	0.95	1		10/14/21 22:49	120-82-1	
1,1,1-Trichloroethane	<0.30	ug/L	1.0	0.30	1		10/14/21 22:49	71-55-6	
1,1,2-Trichloroethane	<0.34	ug/L	5.0	0.34	1		10/14/21 22:49	79-00-5	
Trichloroethene	4.1	ug/L	1.0	0.32	1		10/14/21 22:49	79-01-6	
Trichlorofluoromethane	<0.42	ug/L	1.0	0.42	1		10/14/21 22:49	75-69-4	
1,2,3-Trichloropropane	<0.56	ug/L	5.0	0.56	1		10/14/21 22:49	96-18-4	
1,2,4-Trimethylbenzene	<0.45	ug/L	1.0	0.45	1		10/14/21 22:49	95-63-6	
1,3,5-Trimethylbenzene	<0.36	ug/L	1.0	0.36	1		10/14/21 22:49	108-67-8	
Vinyl chloride	<0.17	ug/L	1.0	0.17	1		10/14/21 22:49	75-01-4	
Xylene (Total)	<1.0	ug/L	3.0	1.0	1		10/14/21 22:49	1330-20-7	
m&p-Xylene	<0.70	ug/L	2.0	0.70	1		10/14/21 22:49	179601-23-1	
o-Xylene	<0.35	ug/L	1.0	0.35	1		10/14/21 22:49	95-47-6	
Surrogates									
4-Bromofluorobenzene (S)	96	%	70-130		1		10/14/21 22:49	460-00-4	
1,2-Dichlorobenzene-d4 (S)	102	%	70-130		1		10/14/21 22:49	2199-69-1	
Toluene-d8 (S)	102	%	70-130		1		10/14/21 22:49	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 1690019237 GORSKI LF

Pace Project No.: 40235044

Sample: MW-6	Lab ID: 40235044011	Collected: 10/11/21 14:00	Received: 10/13/21 07:35	Matrix: Water					
Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV	Analytical Method: EPA 8260								
	Pace Analytical Services - Green Bay								
Benzene	<0.30	ug/L	1.0	0.30	1		10/14/21 23:08	71-43-2	
Bromobenzene	<0.36	ug/L	1.0	0.36	1		10/14/21 23:08	108-86-1	
Bromoform	<3.8	ug/L	5.0	0.36	1		10/14/21 23:08	74-97-5	
Bromochloromethane	<0.42	ug/L	1.0	0.42	1		10/14/21 23:08	75-27-4	
Bromodichloromethane	<0.42	ug/L	5.0	3.8	1		10/14/21 23:08	75-25-2	
Bromoform	<1.2	ug/L	5.0	1.2	1		10/14/21 23:08	74-83-9	
Bromomethane	<0.86	ug/L	1.0	0.86	1		10/14/21 23:08	104-51-8	
n-Butylbenzene	<0.42	ug/L	1.0	0.42	1		10/14/21 23:08	135-98-8	
sec-Butylbenzene	<0.59	ug/L	1.0	0.59	1		10/14/21 23:08	98-06-6	
Carbon tetrachloride	<0.37	ug/L	1.0	0.37	1		10/14/21 23:08	56-23-5	
Chlorobenzene	<0.86	ug/L	1.0	0.86	1		10/14/21 23:08	108-90-7	
Chloroethane	<1.4	ug/L	5.0	1.4	1		10/14/21 23:08	75-00-3	
Chloroform	<1.2	ug/L	5.0	1.2	1		10/14/21 23:08	67-66-3	
Chloromethane	<1.6	ug/L	5.0	1.6	1		10/14/21 23:08	74-87-3	
2-Chlorotoluene	<0.89	ug/L	5.0	0.89	1		10/14/21 23:08	95-49-8	
4-Chlorotoluene	<0.89	ug/L	5.0	0.89	1		10/14/21 23:08	106-43-4	
1,2-Dibromo-3-chloropropane	<2.4	ug/L	5.0	2.4	1		10/14/21 23:08	96-12-8	
Dibromochloromethane	<2.6	ug/L	5.0	2.6	1		10/14/21 23:08	124-48-1	
1,2-Dibromoethane (EDB)	<0.31	ug/L	1.0	0.31	1		10/14/21 23:08	106-93-4	
Dibromomethane	<0.99	ug/L	5.0	0.99	1		10/14/21 23:08	74-95-3	
1,2-Dichlorobenzene	<0.33	ug/L	1.0	0.33	1		10/14/21 23:08	95-50-1	
1,3-Dichlorobenzene	<0.35	ug/L	1.0	0.35	1		10/14/21 23:08	541-73-1	
1,4-Dichlorobenzene	<0.89	ug/L	1.0	0.89	1		10/14/21 23:08	106-46-7	
Dichlorodifluoromethane	<0.46	ug/L	5.0	0.46	1		10/14/21 23:08	75-71-8	
1,1-Dichloroethane	<0.30	ug/L	1.0	0.30	1		10/14/21 23:08	75-34-3	
1,2-Dichloroethane	<0.29	ug/L	1.0	0.29	1		10/14/21 23:08	107-06-2	
1,1-Dichloroethene	<0.58	ug/L	1.0	0.58	1		10/14/21 23:08	75-35-4	
cis-1,2-Dichloroethene	2.1	ug/L	1.0	0.47	1		10/14/21 23:08	156-59-2	
trans-1,2-Dichloroethene	<0.53	ug/L	1.0	0.53	1		10/14/21 23:08	156-60-5	
1,2-Dichloropropane	<0.45	ug/L	1.0	0.45	1		10/14/21 23:08	78-87-5	
1,3-Dichloropropane	<0.30	ug/L	1.0	0.30	1		10/14/21 23:08	142-28-9	
2,2-Dichloropropane	<4.2	ug/L	5.0	4.2	1		10/14/21 23:08	594-20-7	
1,1-Dichloropropene	<0.41	ug/L	1.0	0.41	1		10/14/21 23:08	563-58-6	
cis-1,3-Dichloropropene	<0.36	ug/L	1.0	0.36	1		10/14/21 23:08	10061-01-5	
trans-1,3-Dichloropropene	<3.5	ug/L	5.0	3.5	1		10/14/21 23:08	10061-02-6	
Diisopropyl ether	<1.1	ug/L	5.0	1.1	1		10/14/21 23:08	108-20-3	
Ethylbenzene	<0.33	ug/L	1.0	0.33	1		10/14/21 23:08	100-41-4	
Hexachloro-1,3-butadiene	<2.7	ug/L	5.0	2.7	1		10/14/21 23:08	87-68-3	
Isopropylbenzene (Cumene)	<1.0	ug/L	5.0	1.0	1		10/14/21 23:08	98-82-8	
p-Isopropyltoluene	<1.0	ug/L	5.0	1.0	1		10/14/21 23:08	99-87-6	
Methylene Chloride	<0.32	ug/L	5.0	0.32	1		10/14/21 23:08	75-09-2	
Methyl-tert-butyl ether	<1.1	ug/L	5.0	1.1	1		10/14/21 23:08	1634-04-4	
Naphthalene	<1.1	ug/L	5.0	1.1	1		10/14/21 23:08	91-20-3	
n-Propylbenzene	<0.35	ug/L	1.0	0.35	1		10/14/21 23:08	103-65-1	
Styrene	<0.36	ug/L	1.0	0.36	1		10/14/21 23:08	100-42-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 1690019237 GORSKI LF

Pace Project No.: 40235044

Sample: MW-6 **Lab ID: 40235044011** Collected: 10/11/21 14:00 Received: 10/13/21 07:35 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV	Analytical Method: EPA 8260								
	Pace Analytical Services - Green Bay								
1,1,1,2-Tetrachloroethane	<0.36	ug/L	1.0	0.36	1		10/14/21 23:08	630-20-6	
1,1,2,2-Tetrachloroethane	<0.38	ug/L	1.0	0.38	1		10/14/21 23:08	79-34-5	
Tetrachloroethene	<0.41	ug/L	1.0	0.41	1		10/14/21 23:08	127-18-4	
Toluene	<0.29	ug/L	1.0	0.29	1		10/14/21 23:08	108-88-3	
1,2,3-Trichlorobenzene	<1.0	ug/L	5.0	1.0	1		10/14/21 23:08	87-61-6	
1,2,4-Trichlorobenzene	<0.95	ug/L	5.0	0.95	1		10/14/21 23:08	120-82-1	
1,1,1-Trichloroethane	<0.30	ug/L	1.0	0.30	1		10/14/21 23:08	71-55-6	
1,1,2-Trichloroethane	<0.34	ug/L	5.0	0.34	1		10/14/21 23:08	79-00-5	
Trichloroethene	4.1	ug/L	1.0	0.32	1		10/14/21 23:08	79-01-6	
Trichlorofluoromethane	<0.42	ug/L	1.0	0.42	1		10/14/21 23:08	75-69-4	
1,2,3-Trichloropropane	<0.56	ug/L	5.0	0.56	1		10/14/21 23:08	96-18-4	
1,2,4-Trimethylbenzene	<0.45	ug/L	1.0	0.45	1		10/14/21 23:08	95-63-6	
1,3,5-Trimethylbenzene	<0.36	ug/L	1.0	0.36	1		10/14/21 23:08	108-67-8	
Vinyl chloride	<0.17	ug/L	1.0	0.17	1		10/14/21 23:08	75-01-4	
Xylene (Total)	<1.0	ug/L	3.0	1.0	1		10/14/21 23:08	1330-20-7	
m&p-Xylene	<0.70	ug/L	2.0	0.70	1		10/14/21 23:08	179601-23-1	
o-Xylene	<0.35	ug/L	1.0	0.35	1		10/14/21 23:08	95-47-6	
Surrogates									
4-Bromofluorobenzene (S)	97	%	70-130		1		10/14/21 23:08	460-00-4	
1,2-Dichlorobenzene-d4 (S)	102	%	70-130		1		10/14/21 23:08	2199-69-1	
Toluene-d8 (S)	103	%	70-130		1		10/14/21 23:08	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 1690019237 GORSKI LF

Pace Project No.: 40235044

Sample: PZ-4	Lab ID: 40235044012	Collected: 10/11/21 13:30	Received: 10/13/21 07:35	Matrix: Water					
Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV	Analytical Method: EPA 8260								
	Pace Analytical Services - Green Bay								
Benzene	<0.30	ug/L	1.0	0.30	1		10/14/21 23:28	71-43-2	
Bromobenzene	<0.36	ug/L	1.0	0.36	1		10/14/21 23:28	108-86-1	
Bromoform	<3.8	ug/L	5.0	0.36	1		10/14/21 23:28	74-97-5	
Bromochloromethane	<0.42	ug/L	1.0	0.42	1		10/14/21 23:28	75-27-4	
Bromodichloromethane	<0.42	ug/L	5.0	3.8	1		10/14/21 23:28	75-25-2	
Bromoform	<1.2	ug/L	5.0	1.2	1		10/14/21 23:28	74-83-9	
Bromomethane	<0.86	ug/L	1.0	0.86	1		10/14/21 23:28	104-51-8	
n-Butylbenzene	<0.42	ug/L	1.0	0.42	1		10/14/21 23:28	135-98-8	
sec-Butylbenzene	<0.59	ug/L	1.0	0.59	1		10/14/21 23:28	98-06-6	
Carbon tetrachloride	<0.37	ug/L	1.0	0.37	1		10/14/21 23:28	56-23-5	
Chlorobenzene	<0.86	ug/L	1.0	0.86	1		10/14/21 23:28	108-90-7	
Chloroethane	<1.4	ug/L	5.0	1.4	1		10/14/21 23:28	75-00-3	
Chloroform	<1.2	ug/L	5.0	1.2	1		10/14/21 23:28	67-66-3	
Chloromethane	<1.6	ug/L	5.0	1.6	1		10/14/21 23:28	74-87-3	
2-Chlorotoluene	<0.89	ug/L	5.0	0.89	1		10/14/21 23:28	95-49-8	
4-Chlorotoluene	<0.89	ug/L	5.0	0.89	1		10/14/21 23:28	106-43-4	
1,2-Dibromo-3-chloropropane	<2.4	ug/L	5.0	2.4	1		10/14/21 23:28	96-12-8	
Dibromochloromethane	<2.6	ug/L	5.0	2.6	1		10/14/21 23:28	124-48-1	
1,2-Dibromoethane (EDB)	<0.31	ug/L	1.0	0.31	1		10/14/21 23:28	106-93-4	
Dibromomethane	<0.99	ug/L	5.0	0.99	1		10/14/21 23:28	74-95-3	
1,2-Dichlorobenzene	<0.33	ug/L	1.0	0.33	1		10/14/21 23:28	95-50-1	
1,3-Dichlorobenzene	<0.35	ug/L	1.0	0.35	1		10/14/21 23:28	541-73-1	
1,4-Dichlorobenzene	<0.89	ug/L	1.0	0.89	1		10/14/21 23:28	106-46-7	
Dichlorodifluoromethane	<0.46	ug/L	5.0	0.46	1		10/14/21 23:28	75-71-8	
1,1-Dichloroethane	<0.30	ug/L	1.0	0.30	1		10/14/21 23:28	75-34-3	
1,2-Dichloroethane	<0.29	ug/L	1.0	0.29	1		10/14/21 23:28	107-06-2	
1,1-Dichloroethene	<0.58	ug/L	1.0	0.58	1		10/14/21 23:28	75-35-4	
cis-1,2-Dichloroethene	1.3	ug/L	1.0	0.47	1		10/14/21 23:28	156-59-2	
trans-1,2-Dichloroethene	<0.53	ug/L	1.0	0.53	1		10/14/21 23:28	156-60-5	
1,2-Dichloropropane	<0.45	ug/L	1.0	0.45	1		10/14/21 23:28	78-87-5	
1,3-Dichloropropane	<0.30	ug/L	1.0	0.30	1		10/14/21 23:28	142-28-9	
2,2-Dichloropropane	<4.2	ug/L	5.0	4.2	1		10/14/21 23:28	594-20-7	
1,1-Dichloropropene	<0.41	ug/L	1.0	0.41	1		10/14/21 23:28	563-58-6	
cis-1,3-Dichloropropene	<0.36	ug/L	1.0	0.36	1		10/14/21 23:28	10061-01-5	
trans-1,3-Dichloropropene	<3.5	ug/L	5.0	3.5	1		10/14/21 23:28	10061-02-6	
Diisopropyl ether	<1.1	ug/L	5.0	1.1	1		10/14/21 23:28	108-20-3	
Ethylbenzene	<0.33	ug/L	1.0	0.33	1		10/14/21 23:28	100-41-4	
Hexachloro-1,3-butadiene	<2.7	ug/L	5.0	2.7	1		10/14/21 23:28	87-68-3	
Isopropylbenzene (Cumene)	<1.0	ug/L	5.0	1.0	1		10/14/21 23:28	98-82-8	
p-Isopropyltoluene	<1.0	ug/L	5.0	1.0	1		10/14/21 23:28	99-87-6	
Methylene Chloride	<0.32	ug/L	5.0	0.32	1		10/14/21 23:28	75-09-2	
Methyl-tert-butyl ether	<1.1	ug/L	5.0	1.1	1		10/14/21 23:28	1634-04-4	
Naphthalene	<1.1	ug/L	5.0	1.1	1		10/14/21 23:28	91-20-3	
n-Propylbenzene	<0.35	ug/L	1.0	0.35	1		10/14/21 23:28	103-65-1	
Styrene	<0.36	ug/L	1.0	0.36	1		10/14/21 23:28	100-42-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 1690019237 GORSKI LF

Pace Project No.: 40235044

Sample: PZ-4 **Lab ID: 40235044012** Collected: 10/11/21 13:30 Received: 10/13/21 07:35 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV	Analytical Method: EPA 8260								
	Pace Analytical Services - Green Bay								
1,1,1,2-Tetrachloroethane	<0.36	ug/L	1.0	0.36	1		10/14/21 23:28	630-20-6	
1,1,2,2-Tetrachloroethane	<0.38	ug/L	1.0	0.38	1		10/14/21 23:28	79-34-5	
Tetrachloroethene	<0.41	ug/L	1.0	0.41	1		10/14/21 23:28	127-18-4	
Toluene	<0.29	ug/L	1.0	0.29	1		10/14/21 23:28	108-88-3	
1,2,3-Trichlorobenzene	<1.0	ug/L	5.0	1.0	1		10/14/21 23:28	87-61-6	
1,2,4-Trichlorobenzene	<0.95	ug/L	5.0	0.95	1		10/14/21 23:28	120-82-1	
1,1,1-Trichloroethane	<0.30	ug/L	1.0	0.30	1		10/14/21 23:28	71-55-6	
1,1,2-Trichloroethane	<0.34	ug/L	5.0	0.34	1		10/14/21 23:28	79-00-5	
Trichloroethene	5.6	ug/L	1.0	0.32	1		10/14/21 23:28	79-01-6	
Trichlorofluoromethane	<0.42	ug/L	1.0	0.42	1		10/14/21 23:28	75-69-4	
1,2,3-Trichloropropane	<0.56	ug/L	5.0	0.56	1		10/14/21 23:28	96-18-4	
1,2,4-Trimethylbenzene	<0.45	ug/L	1.0	0.45	1		10/14/21 23:28	95-63-6	
1,3,5-Trimethylbenzene	<0.36	ug/L	1.0	0.36	1		10/14/21 23:28	108-67-8	
Vinyl chloride	<0.17	ug/L	1.0	0.17	1		10/14/21 23:28	75-01-4	
Xylene (Total)	<1.0	ug/L	3.0	1.0	1		10/14/21 23:28	1330-20-7	
m&p-Xylene	<0.70	ug/L	2.0	0.70	1		10/14/21 23:28	179601-23-1	
o-Xylene	<0.35	ug/L	1.0	0.35	1		10/14/21 23:28	95-47-6	
Surrogates									
4-Bromofluorobenzene (S)	96	%	70-130		1		10/14/21 23:28	460-00-4	
1,2-Dichlorobenzene-d4 (S)	99	%	70-130		1		10/14/21 23:28	2199-69-1	
Toluene-d8 (S)	103	%	70-130		1		10/14/21 23:28	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 1690019237 GORSKI LF

Pace Project No.: 40235044

Sample: MW-4D **Lab ID: 40235044013** Collected: 10/11/21 14:32 Received: 10/13/21 07:35 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV	Analytical Method: EPA 8260								
	Pace Analytical Services - Green Bay								
Benzene	<0.30	ug/L	1.0	0.30	1		10/14/21 23:47	71-43-2	
Bromobenzene	<0.36	ug/L	1.0	0.36	1		10/14/21 23:47	108-86-1	
Bromo(chloromethane)	<0.36	ug/L	5.0	0.36	1		10/14/21 23:47	74-97-5	
Bromodichloromethane	<0.42	ug/L	1.0	0.42	1		10/14/21 23:47	75-27-4	
Bromoform	<3.8	ug/L	5.0	3.8	1		10/14/21 23:47	75-25-2	
Bromomethane	<1.2	ug/L	5.0	1.2	1		10/14/21 23:47	74-83-9	
n-Butylbenzene	<0.86	ug/L	1.0	0.86	1		10/14/21 23:47	104-51-8	
sec-Butylbenzene	<0.42	ug/L	1.0	0.42	1		10/14/21 23:47	135-98-8	
tert-Butylbenzene	<0.59	ug/L	1.0	0.59	1		10/14/21 23:47	98-06-6	
Carbon tetrachloride	<0.37	ug/L	1.0	0.37	1		10/14/21 23:47	56-23-5	
Chlorobenzene	<0.86	ug/L	1.0	0.86	1		10/14/21 23:47	108-90-7	
Chloroethane	<1.4	ug/L	5.0	1.4	1		10/14/21 23:47	75-00-3	
Chloroform	<1.2	ug/L	5.0	1.2	1		10/14/21 23:47	67-66-3	
Chloromethane	<1.6	ug/L	5.0	1.6	1		10/14/21 23:47	74-87-3	
2-Chlorotoluene	<0.89	ug/L	5.0	0.89	1		10/14/21 23:47	95-49-8	
4-Chlorotoluene	<0.89	ug/L	5.0	0.89	1		10/14/21 23:47	106-43-4	
1,2-Dibromo-3-chloropropane	<2.4	ug/L	5.0	2.4	1		10/14/21 23:47	96-12-8	
Dibromochloromethane	<2.6	ug/L	5.0	2.6	1		10/14/21 23:47	124-48-1	
1,2-Dibromoethane (EDB)	<0.31	ug/L	1.0	0.31	1		10/14/21 23:47	106-93-4	
Dibromomethane	<0.99	ug/L	5.0	0.99	1		10/14/21 23:47	74-95-3	
1,2-Dichlorobenzene	<0.33	ug/L	1.0	0.33	1		10/14/21 23:47	95-50-1	
1,3-Dichlorobenzene	<0.35	ug/L	1.0	0.35	1		10/14/21 23:47	541-73-1	
1,4-Dichlorobenzene	<0.89	ug/L	1.0	0.89	1		10/14/21 23:47	106-46-7	
Dichlorodifluoromethane	<0.46	ug/L	5.0	0.46	1		10/14/21 23:47	75-71-8	
1,1-Dichloroethane	<0.30	ug/L	1.0	0.30	1		10/14/21 23:47	75-34-3	
1,2-Dichloroethane	<0.29	ug/L	1.0	0.29	1		10/14/21 23:47	107-06-2	
1,1-Dichloroethene	<0.58	ug/L	1.0	0.58	1		10/14/21 23:47	75-35-4	
cis-1,2-Dichloroethene	0.82J	ug/L	1.0	0.47	1		10/14/21 23:47	156-59-2	
trans-1,2-Dichloroethene	<0.53	ug/L	1.0	0.53	1		10/14/21 23:47	156-60-5	
1,2-Dichloropropane	<0.45	ug/L	1.0	0.45	1		10/14/21 23:47	78-87-5	
1,3-Dichloropropane	<0.30	ug/L	1.0	0.30	1		10/14/21 23:47	142-28-9	
2,2-Dichloropropane	<4.2	ug/L	5.0	4.2	1		10/14/21 23:47	594-20-7	
1,1-Dichloropropene	<0.41	ug/L	1.0	0.41	1		10/14/21 23:47	563-58-6	
cis-1,3-Dichloropropene	<0.36	ug/L	1.0	0.36	1		10/14/21 23:47	10061-01-5	
trans-1,3-Dichloropropene	<3.5	ug/L	5.0	3.5	1		10/14/21 23:47	10061-02-6	
Diisopropyl ether	<1.1	ug/L	5.0	1.1	1		10/14/21 23:47	108-20-3	
Ethylbenzene	<0.33	ug/L	1.0	0.33	1		10/14/21 23:47	100-41-4	
Hexachloro-1,3-butadiene	<2.7	ug/L	5.0	2.7	1		10/14/21 23:47	87-68-3	
Isopropylbenzene (Cumene)	<1.0	ug/L	5.0	1.0	1		10/14/21 23:47	98-82-8	
p-Isopropyltoluene	<1.0	ug/L	5.0	1.0	1		10/14/21 23:47	99-87-6	
Methylene Chloride	<0.32	ug/L	5.0	0.32	1		10/14/21 23:47	75-09-2	
Methyl-tert-butyl ether	<1.1	ug/L	5.0	1.1	1		10/14/21 23:47	1634-04-4	
Naphthalene	<1.1	ug/L	5.0	1.1	1		10/14/21 23:47	91-20-3	
n-Propylbenzene	<0.35	ug/L	1.0	0.35	1		10/14/21 23:47	103-65-1	
Styrene	<0.36	ug/L	1.0	0.36	1		10/14/21 23:47	100-42-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 1690019237 GORSKI LF

Pace Project No.: 40235044

Sample: MW-4D **Lab ID: 40235044013** Collected: 10/11/21 14:32 Received: 10/13/21 07:35 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV	Analytical Method: EPA 8260								
	Pace Analytical Services - Green Bay								
1,1,1,2-Tetrachloroethane	<0.36	ug/L	1.0	0.36	1		10/14/21 23:47	630-20-6	
1,1,2,2-Tetrachloroethane	<0.38	ug/L	1.0	0.38	1		10/14/21 23:47	79-34-5	
Tetrachloroethene	<0.41	ug/L	1.0	0.41	1		10/14/21 23:47	127-18-4	
Toluene	<0.29	ug/L	1.0	0.29	1		10/14/21 23:47	108-88-3	
1,2,3-Trichlorobenzene	<1.0	ug/L	5.0	1.0	1		10/14/21 23:47	87-61-6	
1,2,4-Trichlorobenzene	<0.95	ug/L	5.0	0.95	1		10/14/21 23:47	120-82-1	
1,1,1-Trichloroethane	<0.30	ug/L	1.0	0.30	1		10/14/21 23:47	71-55-6	
1,1,2-Trichloroethane	<0.34	ug/L	5.0	0.34	1		10/14/21 23:47	79-00-5	
Trichloroethene	4.6	ug/L	1.0	0.32	1		10/14/21 23:47	79-01-6	
Trichlorofluoromethane	<0.42	ug/L	1.0	0.42	1		10/14/21 23:47	75-69-4	
1,2,3-Trichloropropane	<0.56	ug/L	5.0	0.56	1		10/14/21 23:47	96-18-4	
1,2,4-Trimethylbenzene	<0.45	ug/L	1.0	0.45	1		10/14/21 23:47	95-63-6	
1,3,5-Trimethylbenzene	<0.36	ug/L	1.0	0.36	1		10/14/21 23:47	108-67-8	
Vinyl chloride	<0.17	ug/L	1.0	0.17	1		10/14/21 23:47	75-01-4	
Xylene (Total)	<1.0	ug/L	3.0	1.0	1		10/14/21 23:47	1330-20-7	
m&p-Xylene	<0.70	ug/L	2.0	0.70	1		10/14/21 23:47	179601-23-1	
o-Xylene	<0.35	ug/L	1.0	0.35	1		10/14/21 23:47	95-47-6	
Surrogates									
4-Bromofluorobenzene (S)	96	%	70-130		1		10/14/21 23:47	460-00-4	
1,2-Dichlorobenzene-d4 (S)	99	%	70-130		1		10/14/21 23:47	2199-69-1	
Toluene-d8 (S)	103	%	70-130		1		10/14/21 23:47	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 1690019237 GORSKI LF

Pace Project No.: 40235044

Sample: 669 CTH BD Lab ID: 40235044014 Collected: 10/11/21 09:45 Received: 10/13/21 07:35 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV	Analytical Method: EPA 8260								
	Pace Analytical Services - Green Bay								
Benzene	<0.30	ug/L	1.0	0.30	1		10/15/21 00:06	71-43-2	
Bromobenzene	<0.36	ug/L	1.0	0.36	1		10/15/21 00:06	108-86-1	
Bromo(chloromethane)	<0.36	ug/L	5.0	0.36	1		10/15/21 00:06	74-97-5	
Bromodichloromethane	<0.42	ug/L	1.0	0.42	1		10/15/21 00:06	75-27-4	
Bromoform	<3.8	ug/L	5.0	3.8	1		10/15/21 00:06	75-25-2	
Bromomethane	<1.2	ug/L	5.0	1.2	1		10/15/21 00:06	74-83-9	
n-Butylbenzene	<0.86	ug/L	1.0	0.86	1		10/15/21 00:06	104-51-8	
sec-Butylbenzene	<0.42	ug/L	1.0	0.42	1		10/15/21 00:06	135-98-8	
tert-Butylbenzene	<0.59	ug/L	1.0	0.59	1		10/15/21 00:06	98-06-6	
Carbon tetrachloride	<0.37	ug/L	1.0	0.37	1		10/15/21 00:06	56-23-5	
Chlorobenzene	<0.86	ug/L	1.0	0.86	1		10/15/21 00:06	108-90-7	
Chloroethane	<1.4	ug/L	5.0	1.4	1		10/15/21 00:06	75-00-3	
Chloroform	<1.2	ug/L	5.0	1.2	1		10/15/21 00:06	67-66-3	
Chloromethane	<1.6	ug/L	5.0	1.6	1		10/15/21 00:06	74-87-3	
2-Chlorotoluene	<0.89	ug/L	5.0	0.89	1		10/15/21 00:06	95-49-8	
4-Chlorotoluene	<0.89	ug/L	5.0	0.89	1		10/15/21 00:06	106-43-4	
1,2-Dibromo-3-chloropropane	<2.4	ug/L	5.0	2.4	1		10/15/21 00:06	96-12-8	
Dibromochloromethane	<2.6	ug/L	5.0	2.6	1		10/15/21 00:06	124-48-1	
1,2-Dibromoethane (EDB)	<0.31	ug/L	1.0	0.31	1		10/15/21 00:06	106-93-4	
Dibromomethane	<0.99	ug/L	5.0	0.99	1		10/15/21 00:06	74-95-3	
1,2-Dichlorobenzene	<0.33	ug/L	1.0	0.33	1		10/15/21 00:06	95-50-1	
1,3-Dichlorobenzene	<0.35	ug/L	1.0	0.35	1		10/15/21 00:06	541-73-1	
1,4-Dichlorobenzene	<0.89	ug/L	1.0	0.89	1		10/15/21 00:06	106-46-7	
Dichlorodifluoromethane	<0.46	ug/L	5.0	0.46	1		10/15/21 00:06	75-71-8	
1,1-Dichloroethane	<0.30	ug/L	1.0	0.30	1		10/15/21 00:06	75-34-3	
1,2-Dichloroethane	<0.29	ug/L	1.0	0.29	1		10/15/21 00:06	107-06-2	
1,1-Dichloroethene	<0.58	ug/L	1.0	0.58	1		10/15/21 00:06	75-35-4	
cis-1,2-Dichloroethene	<0.47	ug/L	1.0	0.47	1		10/15/21 00:06	156-59-2	
trans-1,2-Dichloroethene	<0.53	ug/L	1.0	0.53	1		10/15/21 00:06	156-60-5	
1,2-Dichloropropane	<0.45	ug/L	1.0	0.45	1		10/15/21 00:06	78-87-5	
1,3-Dichloropropane	<0.30	ug/L	1.0	0.30	1		10/15/21 00:06	142-28-9	
2,2-Dichloropropane	<4.2	ug/L	5.0	4.2	1		10/15/21 00:06	594-20-7	
1,1-Dichloropropene	<0.41	ug/L	1.0	0.41	1		10/15/21 00:06	563-58-6	
cis-1,3-Dichloropropene	<0.36	ug/L	1.0	0.36	1		10/15/21 00:06	10061-01-5	
trans-1,3-Dichloropropene	<3.5	ug/L	5.0	3.5	1		10/15/21 00:06	10061-02-6	
Diisopropyl ether	<1.1	ug/L	5.0	1.1	1		10/15/21 00:06	108-20-3	
Ethylbenzene	<0.33	ug/L	1.0	0.33	1		10/15/21 00:06	100-41-4	
Hexachloro-1,3-butadiene	<2.7	ug/L	5.0	2.7	1		10/15/21 00:06	87-68-3	
Isopropylbenzene (Cumene)	<1.0	ug/L	5.0	1.0	1		10/15/21 00:06	98-82-8	
p-Isopropyltoluene	<1.0	ug/L	5.0	1.0	1		10/15/21 00:06	99-87-6	
Methylene Chloride	<0.32	ug/L	5.0	0.32	1		10/15/21 00:06	75-09-2	
Methyl-tert-butyl ether	<1.1	ug/L	5.0	1.1	1		10/15/21 00:06	1634-04-4	
Naphthalene	<1.1	ug/L	5.0	1.1	1		10/15/21 00:06	91-20-3	
n-Propylbenzene	<0.35	ug/L	1.0	0.35	1		10/15/21 00:06	103-65-1	
Styrene	<0.36	ug/L	1.0	0.36	1		10/15/21 00:06	100-42-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 1690019237 GORSKI LF

Pace Project No.: 40235044

Sample: 669 CTH BD Lab ID: 40235044014 Collected: 10/11/21 09:45 Received: 10/13/21 07:35 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV	Analytical Method: EPA 8260								
	Pace Analytical Services - Green Bay								
1,1,1,2-Tetrachloroethane	<0.36	ug/L	1.0	0.36	1		10/15/21 00:06	630-20-6	
1,1,2,2-Tetrachloroethane	<0.38	ug/L	1.0	0.38	1		10/15/21 00:06	79-34-5	
Tetrachloroethene	<0.41	ug/L	1.0	0.41	1		10/15/21 00:06	127-18-4	
Toluene	<0.29	ug/L	1.0	0.29	1		10/15/21 00:06	108-88-3	
1,2,3-Trichlorobenzene	<1.0	ug/L	5.0	1.0	1		10/15/21 00:06	87-61-6	
1,2,4-Trichlorobenzene	<0.95	ug/L	5.0	0.95	1		10/15/21 00:06	120-82-1	
1,1,1-Trichloroethane	<0.30	ug/L	1.0	0.30	1		10/15/21 00:06	71-55-6	
1,1,2-Trichloroethane	<0.34	ug/L	5.0	0.34	1		10/15/21 00:06	79-00-5	
Trichloroethene	<0.32	ug/L	1.0	0.32	1		10/15/21 00:06	79-01-6	
Trichlorofluoromethane	<0.42	ug/L	1.0	0.42	1		10/15/21 00:06	75-69-4	
1,2,3-Trichloropropane	<0.56	ug/L	5.0	0.56	1		10/15/21 00:06	96-18-4	
1,2,4-Trimethylbenzene	<0.45	ug/L	1.0	0.45	1		10/15/21 00:06	95-63-6	
1,3,5-Trimethylbenzene	<0.36	ug/L	1.0	0.36	1		10/15/21 00:06	108-67-8	
Vinyl chloride	<0.17	ug/L	1.0	0.17	1		10/15/21 00:06	75-01-4	
Xylene (Total)	<1.0	ug/L	3.0	1.0	1		10/15/21 00:06	1330-20-7	
m&p-Xylene	<0.70	ug/L	2.0	0.70	1		10/15/21 00:06	179601-23-1	
o-Xylene	<0.35	ug/L	1.0	0.35	1		10/15/21 00:06	95-47-6	
Surrogates									
4-Bromofluorobenzene (S)	94	%	70-130		1		10/15/21 00:06	460-00-4	
1,2-Dichlorobenzene-d4 (S)	99	%	70-130		1		10/15/21 00:06	2199-69-1	
Toluene-d8 (S)	104	%	70-130		1		10/15/21 00:06	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 1690019237 GORSKI LF

Pace Project No.: 40235044

Sample: 666 CTH B Lab ID: 40235044015 Collected: 10/11/21 10:10 Received: 10/13/21 07:35 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV	Analytical Method: EPA 8260								
	Pace Analytical Services - Green Bay								
Benzene	<0.30	ug/L	1.0	0.30	1		10/15/21 00:25	71-43-2	
Bromobenzene	<0.36	ug/L	1.0	0.36	1		10/15/21 00:25	108-86-1	
Bromo(chloromethane)	<0.36	ug/L	5.0	0.36	1		10/15/21 00:25	74-97-5	
Bromodichloromethane	<0.42	ug/L	1.0	0.42	1		10/15/21 00:25	75-27-4	
Bromoform	<3.8	ug/L	5.0	3.8	1		10/15/21 00:25	75-25-2	
Bromomethane	<1.2	ug/L	5.0	1.2	1		10/15/21 00:25	74-83-9	
n-Butylbenzene	<0.86	ug/L	1.0	0.86	1		10/15/21 00:25	104-51-8	
sec-Butylbenzene	<0.42	ug/L	1.0	0.42	1		10/15/21 00:25	135-98-8	
tert-Butylbenzene	<0.59	ug/L	1.0	0.59	1		10/15/21 00:25	98-06-6	
Carbon tetrachloride	<0.37	ug/L	1.0	0.37	1		10/15/21 00:25	56-23-5	
Chlorobenzene	<0.86	ug/L	1.0	0.86	1		10/15/21 00:25	108-90-7	
Chloroethane	<1.4	ug/L	5.0	1.4	1		10/15/21 00:25	75-00-3	
Chloroform	<1.2	ug/L	5.0	1.2	1		10/15/21 00:25	67-66-3	
Chloromethane	<1.6	ug/L	5.0	1.6	1		10/15/21 00:25	74-87-3	
2-Chlorotoluene	<0.89	ug/L	5.0	0.89	1		10/15/21 00:25	95-49-8	
4-Chlorotoluene	<0.89	ug/L	5.0	0.89	1		10/15/21 00:25	106-43-4	
1,2-Dibromo-3-chloropropane	<2.4	ug/L	5.0	2.4	1		10/15/21 00:25	96-12-8	
Dibromochloromethane	<2.6	ug/L	5.0	2.6	1		10/15/21 00:25	124-48-1	
1,2-Dibromoethane (EDB)	<0.31	ug/L	1.0	0.31	1		10/15/21 00:25	106-93-4	
Dibromomethane	<0.99	ug/L	5.0	0.99	1		10/15/21 00:25	74-95-3	
1,2-Dichlorobenzene	<0.33	ug/L	1.0	0.33	1		10/15/21 00:25	95-50-1	
1,3-Dichlorobenzene	<0.35	ug/L	1.0	0.35	1		10/15/21 00:25	541-73-1	
1,4-Dichlorobenzene	<0.89	ug/L	1.0	0.89	1		10/15/21 00:25	106-46-7	
Dichlorodifluoromethane	<0.46	ug/L	5.0	0.46	1		10/15/21 00:25	75-71-8	
1,1-Dichloroethane	<0.30	ug/L	1.0	0.30	1		10/15/21 00:25	75-34-3	
1,2-Dichloroethane	<0.29	ug/L	1.0	0.29	1		10/15/21 00:25	107-06-2	
1,1-Dichloroethene	<0.58	ug/L	1.0	0.58	1		10/15/21 00:25	75-35-4	
cis-1,2-Dichloroethene	<0.47	ug/L	1.0	0.47	1		10/15/21 00:25	156-59-2	
trans-1,2-Dichloroethene	<0.53	ug/L	1.0	0.53	1		10/15/21 00:25	156-60-5	
1,2-Dichloropropane	<0.45	ug/L	1.0	0.45	1		10/15/21 00:25	78-87-5	
1,3-Dichloropropane	<0.30	ug/L	1.0	0.30	1		10/15/21 00:25	142-28-9	
2,2-Dichloropropane	<4.2	ug/L	5.0	4.2	1		10/15/21 00:25	594-20-7	
1,1-Dichloropropene	<0.41	ug/L	1.0	0.41	1		10/15/21 00:25	563-58-6	
cis-1,3-Dichloropropene	<0.36	ug/L	1.0	0.36	1		10/15/21 00:25	10061-01-5	
trans-1,3-Dichloropropene	<3.5	ug/L	5.0	3.5	1		10/15/21 00:25	10061-02-6	
Diisopropyl ether	<1.1	ug/L	5.0	1.1	1		10/15/21 00:25	108-20-3	
Ethylbenzene	<0.33	ug/L	1.0	0.33	1		10/15/21 00:25	100-41-4	
Hexachloro-1,3-butadiene	<2.7	ug/L	5.0	2.7	1		10/15/21 00:25	87-68-3	
Isopropylbenzene (Cumene)	<1.0	ug/L	5.0	1.0	1		10/15/21 00:25	98-82-8	
p-Isopropyltoluene	<1.0	ug/L	5.0	1.0	1		10/15/21 00:25	99-87-6	
Methylene Chloride	<0.32	ug/L	5.0	0.32	1		10/15/21 00:25	75-09-2	
Methyl-tert-butyl ether	<1.1	ug/L	5.0	1.1	1		10/15/21 00:25	1634-04-4	
Naphthalene	<1.1	ug/L	5.0	1.1	1		10/15/21 00:25	91-20-3	
n-Propylbenzene	<0.35	ug/L	1.0	0.35	1		10/15/21 00:25	103-65-1	
Styrene	<0.36	ug/L	1.0	0.36	1		10/15/21 00:25	100-42-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 1690019237 GORSKI LF

Pace Project No.: 40235044

Sample: 666 CTH B Lab ID: 40235044015 Collected: 10/11/21 10:10 Received: 10/13/21 07:35 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV	Analytical Method: EPA 8260								
	Pace Analytical Services - Green Bay								
1,1,1,2-Tetrachloroethane	<0.36	ug/L	1.0	0.36	1		10/15/21 00:25	630-20-6	
1,1,2,2-Tetrachloroethane	<0.38	ug/L	1.0	0.38	1		10/15/21 00:25	79-34-5	
Tetrachloroethene	<0.41	ug/L	1.0	0.41	1		10/15/21 00:25	127-18-4	
Toluene	<0.29	ug/L	1.0	0.29	1		10/15/21 00:25	108-88-3	
1,2,3-Trichlorobenzene	<1.0	ug/L	5.0	1.0	1		10/15/21 00:25	87-61-6	
1,2,4-Trichlorobenzene	<0.95	ug/L	5.0	0.95	1		10/15/21 00:25	120-82-1	
1,1,1-Trichloroethane	<0.30	ug/L	1.0	0.30	1		10/15/21 00:25	71-55-6	
1,1,2-Trichloroethane	<0.34	ug/L	5.0	0.34	1		10/15/21 00:25	79-00-5	
Trichloroethene	<0.32	ug/L	1.0	0.32	1		10/15/21 00:25	79-01-6	
Trichlorofluoromethane	<0.42	ug/L	1.0	0.42	1		10/15/21 00:25	75-69-4	
1,2,3-Trichloropropane	<0.56	ug/L	5.0	0.56	1		10/15/21 00:25	96-18-4	
1,2,4-Trimethylbenzene	<0.45	ug/L	1.0	0.45	1		10/15/21 00:25	95-63-6	
1,3,5-Trimethylbenzene	<0.36	ug/L	1.0	0.36	1		10/15/21 00:25	108-67-8	
Vinyl chloride	<0.17	ug/L	1.0	0.17	1		10/15/21 00:25	75-01-4	
Xylene (Total)	<1.0	ug/L	3.0	1.0	1		10/15/21 00:25	1330-20-7	
m&p-Xylene	<0.70	ug/L	2.0	0.70	1		10/15/21 00:25	179601-23-1	
o-Xylene	<0.35	ug/L	1.0	0.35	1		10/15/21 00:25	95-47-6	
Surrogates									
4-Bromofluorobenzene (S)	95	%	70-130		1		10/15/21 00:25	460-00-4	
1,2-Dichlorobenzene-d4 (S)	99	%	70-130		1		10/15/21 00:25	2199-69-1	
Toluene-d8 (S)	103	%	70-130		1		10/15/21 00:25	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 1690019237 GORSKI LF

Pace Project No.: 40235044

Sample: 1054 CTH KK Lab ID: 40235044016 Collected: 10/11/21 11:35 Received: 10/13/21 07:35 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV	Analytical Method: EPA 8260								
	Pace Analytical Services - Green Bay								
Benzene	<0.30	ug/L	1.0	0.30	1		10/15/21 00:45	71-43-2	
Bromobenzene	<0.36	ug/L	1.0	0.36	1		10/15/21 00:45	108-86-1	
Bromo(chloromethane)	<0.36	ug/L	5.0	0.36	1		10/15/21 00:45	74-97-5	
Bromodichloromethane	<0.42	ug/L	1.0	0.42	1		10/15/21 00:45	75-27-4	
Bromoform	<3.8	ug/L	5.0	3.8	1		10/15/21 00:45	75-25-2	
Bromomethane	<1.2	ug/L	5.0	1.2	1		10/15/21 00:45	74-83-9	
n-Butylbenzene	<0.86	ug/L	1.0	0.86	1		10/15/21 00:45	104-51-8	
sec-Butylbenzene	<0.42	ug/L	1.0	0.42	1		10/15/21 00:45	135-98-8	
tert-Butylbenzene	<0.59	ug/L	1.0	0.59	1		10/15/21 00:45	98-06-6	
Carbon tetrachloride	<0.37	ug/L	1.0	0.37	1		10/15/21 00:45	56-23-5	
Chlorobenzene	<0.86	ug/L	1.0	0.86	1		10/15/21 00:45	108-90-7	
Chloroethane	<1.4	ug/L	5.0	1.4	1		10/15/21 00:45	75-00-3	
Chloroform	<1.2	ug/L	5.0	1.2	1		10/15/21 00:45	67-66-3	
Chloromethane	<1.6	ug/L	5.0	1.6	1		10/15/21 00:45	74-87-3	
2-Chlorotoluene	<0.89	ug/L	5.0	0.89	1		10/15/21 00:45	95-49-8	
4-Chlorotoluene	<0.89	ug/L	5.0	0.89	1		10/15/21 00:45	106-43-4	
1,2-Dibromo-3-chloropropane	<2.4	ug/L	5.0	2.4	1		10/15/21 00:45	96-12-8	
Dibromochloromethane	<2.6	ug/L	5.0	2.6	1		10/15/21 00:45	124-48-1	
1,2-Dibromoethane (EDB)	<0.31	ug/L	1.0	0.31	1		10/15/21 00:45	106-93-4	
Dibromomethane	<0.99	ug/L	5.0	0.99	1		10/15/21 00:45	74-95-3	
1,2-Dichlorobenzene	<0.33	ug/L	1.0	0.33	1		10/15/21 00:45	95-50-1	
1,3-Dichlorobenzene	<0.35	ug/L	1.0	0.35	1		10/15/21 00:45	541-73-1	
1,4-Dichlorobenzene	<0.89	ug/L	1.0	0.89	1		10/15/21 00:45	106-46-7	
Dichlorodifluoromethane	<0.46	ug/L	5.0	0.46	1		10/15/21 00:45	75-71-8	
1,1-Dichloroethane	<0.30	ug/L	1.0	0.30	1		10/15/21 00:45	75-34-3	
1,2-Dichloroethane	<0.29	ug/L	1.0	0.29	1		10/15/21 00:45	107-06-2	
1,1-Dichloroethene	<0.58	ug/L	1.0	0.58	1		10/15/21 00:45	75-35-4	
cis-1,2-Dichloroethene	<0.47	ug/L	1.0	0.47	1		10/15/21 00:45	156-59-2	
trans-1,2-Dichloroethene	<0.53	ug/L	1.0	0.53	1		10/15/21 00:45	156-60-5	
1,2-Dichloropropane	<0.45	ug/L	1.0	0.45	1		10/15/21 00:45	78-87-5	
1,3-Dichloropropane	<0.30	ug/L	1.0	0.30	1		10/15/21 00:45	142-28-9	
2,2-Dichloropropane	<4.2	ug/L	5.0	4.2	1		10/15/21 00:45	594-20-7	
1,1-Dichloropropene	<0.41	ug/L	1.0	0.41	1		10/15/21 00:45	563-58-6	
cis-1,3-Dichloropropene	<0.36	ug/L	1.0	0.36	1		10/15/21 00:45	10061-01-5	
trans-1,3-Dichloropropene	<3.5	ug/L	5.0	3.5	1		10/15/21 00:45	10061-02-6	
Diisopropyl ether	<1.1	ug/L	5.0	1.1	1		10/15/21 00:45	108-20-3	
Ethylbenzene	<0.33	ug/L	1.0	0.33	1		10/15/21 00:45	100-41-4	
Hexachloro-1,3-butadiene	<2.7	ug/L	5.0	2.7	1		10/15/21 00:45	87-68-3	
Isopropylbenzene (Cumene)	<1.0	ug/L	5.0	1.0	1		10/15/21 00:45	98-82-8	
p-Isopropyltoluene	<1.0	ug/L	5.0	1.0	1		10/15/21 00:45	99-87-6	
Methylene Chloride	<0.32	ug/L	5.0	0.32	1		10/15/21 00:45	75-09-2	
Methyl-tert-butyl ether	<1.1	ug/L	5.0	1.1	1		10/15/21 00:45	1634-04-4	
Naphthalene	<1.1	ug/L	5.0	1.1	1		10/15/21 00:45	91-20-3	
n-Propylbenzene	<0.35	ug/L	1.0	0.35	1		10/15/21 00:45	103-65-1	
Styrene	<0.36	ug/L	1.0	0.36	1		10/15/21 00:45	100-42-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 1690019237 GORSKI LF

Pace Project No.: 40235044

Sample: 1054 CTH KK Lab ID: 40235044016 Collected: 10/11/21 11:35 Received: 10/13/21 07:35 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV	Analytical Method: EPA 8260								
	Pace Analytical Services - Green Bay								
1,1,1,2-Tetrachloroethane	<0.36	ug/L	1.0	0.36	1		10/15/21 00:45	630-20-6	
1,1,2,2-Tetrachloroethane	<0.38	ug/L	1.0	0.38	1		10/15/21 00:45	79-34-5	
Tetrachloroethene	<0.41	ug/L	1.0	0.41	1		10/15/21 00:45	127-18-4	
Toluene	<0.29	ug/L	1.0	0.29	1		10/15/21 00:45	108-88-3	
1,2,3-Trichlorobenzene	<1.0	ug/L	5.0	1.0	1		10/15/21 00:45	87-61-6	
1,2,4-Trichlorobenzene	<0.95	ug/L	5.0	0.95	1		10/15/21 00:45	120-82-1	
1,1,1-Trichloroethane	<0.30	ug/L	1.0	0.30	1		10/15/21 00:45	71-55-6	
1,1,2-Trichloroethane	<0.34	ug/L	5.0	0.34	1		10/15/21 00:45	79-00-5	
Trichloroethene	<0.32	ug/L	1.0	0.32	1		10/15/21 00:45	79-01-6	
Trichlorofluoromethane	<0.42	ug/L	1.0	0.42	1		10/15/21 00:45	75-69-4	
1,2,3-Trichloropropane	<0.56	ug/L	5.0	0.56	1		10/15/21 00:45	96-18-4	
1,2,4-Trimethylbenzene	<0.45	ug/L	1.0	0.45	1		10/15/21 00:45	95-63-6	
1,3,5-Trimethylbenzene	<0.36	ug/L	1.0	0.36	1		10/15/21 00:45	108-67-8	
Vinyl chloride	<0.17	ug/L	1.0	0.17	1		10/15/21 00:45	75-01-4	
Xylene (Total)	<1.0	ug/L	3.0	1.0	1		10/15/21 00:45	1330-20-7	
m&p-Xylene	<0.70	ug/L	2.0	0.70	1		10/15/21 00:45	179601-23-1	
o-Xylene	<0.35	ug/L	1.0	0.35	1		10/15/21 00:45	95-47-6	
Surrogates									
4-Bromofluorobenzene (S)	96	%	70-130		1		10/15/21 00:45	460-00-4	
1,2-Dichlorobenzene-d4 (S)	100	%	70-130		1		10/15/21 00:45	2199-69-1	
Toluene-d8 (S)	103	%	70-130		1		10/15/21 00:45	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 1690019237 GORSKI LF

Pace Project No.: 40235044

Sample: TRIP BLANK Lab ID: **40235044017** Collected: 10/11/21 00:00 Received: 10/13/21 07:35 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV	Analytical Method: EPA 8260								
	Pace Analytical Services - Green Bay								
Benzene	<0.30	ug/L	1.0	0.30	1		10/14/21 19:36	71-43-2	
Bromobenzene	<0.36	ug/L	1.0	0.36	1		10/14/21 19:36	108-86-1	
Bromo(chloromethane)	<0.36	ug/L	5.0	0.36	1		10/14/21 19:36	74-97-5	
Bromodichloromethane	<0.42	ug/L	1.0	0.42	1		10/14/21 19:36	75-27-4	
Bromoform	<3.8	ug/L	5.0	3.8	1		10/14/21 19:36	75-25-2	
Bromomethane	<1.2	ug/L	5.0	1.2	1		10/14/21 19:36	74-83-9	
n-Butylbenzene	<0.86	ug/L	1.0	0.86	1		10/14/21 19:36	104-51-8	
sec-Butylbenzene	<0.42	ug/L	1.0	0.42	1		10/14/21 19:36	135-98-8	
tert-Butylbenzene	<0.59	ug/L	1.0	0.59	1		10/14/21 19:36	98-06-6	
Carbon tetrachloride	<0.37	ug/L	1.0	0.37	1		10/14/21 19:36	56-23-5	
Chlorobenzene	<0.86	ug/L	1.0	0.86	1		10/14/21 19:36	108-90-7	
Chloroethane	<1.4	ug/L	5.0	1.4	1		10/14/21 19:36	75-00-3	
Chloroform	<1.2	ug/L	5.0	1.2	1		10/14/21 19:36	67-66-3	
Chloromethane	<1.6	ug/L	5.0	1.6	1		10/14/21 19:36	74-87-3	
2-Chlorotoluene	<0.89	ug/L	5.0	0.89	1		10/14/21 19:36	95-49-8	
4-Chlorotoluene	<0.89	ug/L	5.0	0.89	1		10/14/21 19:36	106-43-4	
1,2-Dibromo-3-chloropropane	<2.4	ug/L	5.0	2.4	1		10/14/21 19:36	96-12-8	
Dibromochloromethane	<2.6	ug/L	5.0	2.6	1		10/14/21 19:36	124-48-1	
1,2-Dibromoethane (EDB)	<0.31	ug/L	1.0	0.31	1		10/14/21 19:36	106-93-4	
Dibromomethane	<0.99	ug/L	5.0	0.99	1		10/14/21 19:36	74-95-3	
1,2-Dichlorobenzene	<0.33	ug/L	1.0	0.33	1		10/14/21 19:36	95-50-1	
1,3-Dichlorobenzene	<0.35	ug/L	1.0	0.35	1		10/14/21 19:36	541-73-1	
1,4-Dichlorobenzene	<0.89	ug/L	1.0	0.89	1		10/14/21 19:36	106-46-7	
Dichlorodifluoromethane	<0.46	ug/L	5.0	0.46	1		10/14/21 19:36	75-71-8	
1,1-Dichloroethane	<0.30	ug/L	1.0	0.30	1		10/14/21 19:36	75-34-3	
1,2-Dichloroethane	<0.29	ug/L	1.0	0.29	1		10/14/21 19:36	107-06-2	
1,1-Dichloroethene	<0.58	ug/L	1.0	0.58	1		10/14/21 19:36	75-35-4	
cis-1,2-Dichloroethene	<0.47	ug/L	1.0	0.47	1		10/14/21 19:36	156-59-2	
trans-1,2-Dichloroethene	<0.53	ug/L	1.0	0.53	1		10/14/21 19:36	156-60-5	
1,2-Dichloropropane	<0.45	ug/L	1.0	0.45	1		10/14/21 19:36	78-87-5	
1,3-Dichloropropane	<0.30	ug/L	1.0	0.30	1		10/14/21 19:36	142-28-9	
2,2-Dichloropropane	<4.2	ug/L	5.0	4.2	1		10/14/21 19:36	594-20-7	
1,1-Dichloropropene	<0.41	ug/L	1.0	0.41	1		10/14/21 19:36	563-58-6	
cis-1,3-Dichloropropene	<0.36	ug/L	1.0	0.36	1		10/14/21 19:36	10061-01-5	
trans-1,3-Dichloropropene	<3.5	ug/L	5.0	3.5	1		10/14/21 19:36	10061-02-6	
Diisopropyl ether	<1.1	ug/L	5.0	1.1	1		10/14/21 19:36	108-20-3	
Ethylbenzene	<0.33	ug/L	1.0	0.33	1		10/14/21 19:36	100-41-4	
Hexachloro-1,3-butadiene	<2.7	ug/L	5.0	2.7	1		10/14/21 19:36	87-68-3	
Isopropylbenzene (Cumene)	<1.0	ug/L	5.0	1.0	1		10/14/21 19:36	98-82-8	
p-Isopropyltoluene	<1.0	ug/L	5.0	1.0	1		10/14/21 19:36	99-87-6	
Methylene Chloride	<0.32	ug/L	5.0	0.32	1		10/14/21 19:36	75-09-2	
Methyl-tert-butyl ether	<1.1	ug/L	5.0	1.1	1		10/14/21 19:36	1634-04-4	
Naphthalene	<1.1	ug/L	5.0	1.1	1		10/14/21 19:36	91-20-3	
n-Propylbenzene	<0.35	ug/L	1.0	0.35	1		10/14/21 19:36	103-65-1	
Styrene	<0.36	ug/L	1.0	0.36	1		10/14/21 19:36	100-42-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 1690019237 GORSKI LF

Pace Project No.: 40235044

Sample: TRIP BLANK Lab ID: 40235044017 Collected: 10/11/21 00:00 Received: 10/13/21 07:35 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV	Analytical Method: EPA 8260								
	Pace Analytical Services - Green Bay								
1,1,1,2-Tetrachloroethane	<0.36	ug/L	1.0	0.36	1		10/14/21 19:36	630-20-6	
1,1,2,2-Tetrachloroethane	<0.38	ug/L	1.0	0.38	1		10/14/21 19:36	79-34-5	
Tetrachloroethene	<0.41	ug/L	1.0	0.41	1		10/14/21 19:36	127-18-4	
Toluene	<0.29	ug/L	1.0	0.29	1		10/14/21 19:36	108-88-3	
1,2,3-Trichlorobenzene	<1.0	ug/L	5.0	1.0	1		10/14/21 19:36	87-61-6	
1,2,4-Trichlorobenzene	<0.95	ug/L	5.0	0.95	1		10/14/21 19:36	120-82-1	
1,1,1-Trichloroethane	<0.30	ug/L	1.0	0.30	1		10/14/21 19:36	71-55-6	
1,1,2-Trichloroethane	<0.34	ug/L	5.0	0.34	1		10/14/21 19:36	79-00-5	
Trichloroethene	<0.32	ug/L	1.0	0.32	1		10/14/21 19:36	79-01-6	
Trichlorofluoromethane	<0.42	ug/L	1.0	0.42	1		10/14/21 19:36	75-69-4	
1,2,3-Trichloropropane	<0.56	ug/L	5.0	0.56	1		10/14/21 19:36	96-18-4	
1,2,4-Trimethylbenzene	<0.45	ug/L	1.0	0.45	1		10/14/21 19:36	95-63-6	
1,3,5-Trimethylbenzene	<0.36	ug/L	1.0	0.36	1		10/14/21 19:36	108-67-8	
Vinyl chloride	<0.17	ug/L	1.0	0.17	1		10/14/21 19:36	75-01-4	
Xylene (Total)	<1.0	ug/L	3.0	1.0	1		10/14/21 19:36	1330-20-7	
m&p-Xylene	<0.70	ug/L	2.0	0.70	1		10/14/21 19:36	179601-23-1	
o-Xylene	<0.35	ug/L	1.0	0.35	1		10/14/21 19:36	95-47-6	
Surrogates									
4-Bromofluorobenzene (S)	96	%	70-130		1		10/14/21 19:36	460-00-4	
1,2-Dichlorobenzene-d4 (S)	100	%	70-130		1		10/14/21 19:36	2199-69-1	
Toluene-d8 (S)	103	%	70-130		1		10/14/21 19:36	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: 1690019237 GORSKI LF

Pace Project No.: 40235044

QC Batch: 398518 Analysis Method: EPA 8260

QC Batch Method: EPA 8260 Analysis Description: 8260 MSV

Laboratory: Pace Analytical Services - Green Bay

Associated Lab Samples: 40235044001, 40235044002, 40235044003, 40235044004, 40235044005, 40235044006, 40235044007,
40235044008, 40235044009, 40235044010, 40235044011, 40235044012, 40235044013, 40235044014,
40235044015, 40235044016, 40235044017

METHOD BLANK: 2300505

Matrix: Water

Associated Lab Samples: 40235044001, 40235044002, 40235044003, 40235044004, 40235044005, 40235044006, 40235044007,
40235044008, 40235044009, 40235044010, 40235044011, 40235044012, 40235044013, 40235044014,
40235044015, 40235044016, 40235044017

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
1,1,1,2-Tetrachloroethane	ug/L	<0.36	1.0	10/14/21 17:40	
1,1,1-Trichloroethane	ug/L	<0.30	1.0	10/14/21 17:40	
1,1,2,2-Tetrachloroethane	ug/L	<0.38	1.0	10/14/21 17:40	
1,1,2-Trichloroethane	ug/L	<0.34	5.0	10/14/21 17:40	
1,1-Dichloroethane	ug/L	<0.30	1.0	10/14/21 17:40	
1,1-Dichloroethene	ug/L	<0.58	1.0	10/14/21 17:40	
1,1-Dichloropropene	ug/L	<0.41	1.0	10/14/21 17:40	
1,2,3-Trichlorobenzene	ug/L	<1.0	5.0	10/14/21 17:40	
1,2,3-Trichloropropane	ug/L	<0.56	5.0	10/14/21 17:40	
1,2,4-Trichlorobenzene	ug/L	<0.95	5.0	10/14/21 17:40	
1,2,4-Trimethylbenzene	ug/L	<0.45	1.0	10/14/21 17:40	
1,2-Dibromo-3-chloropropane	ug/L	<2.4	5.0	10/14/21 17:40	
1,2-Dibromoethane (EDB)	ug/L	<0.31	1.0	10/14/21 17:40	
1,2-Dichlorobenzene	ug/L	<0.33	1.0	10/14/21 17:40	
1,2-Dichloroethane	ug/L	<0.29	1.0	10/14/21 17:40	
1,2-Dichloropropane	ug/L	<0.45	1.0	10/14/21 17:40	
1,3,5-Trimethylbenzene	ug/L	<0.36	1.0	10/14/21 17:40	
1,3-Dichlorobenzene	ug/L	<0.35	1.0	10/14/21 17:40	
1,3-Dichloropropane	ug/L	<0.30	1.0	10/14/21 17:40	
1,4-Dichlorobenzene	ug/L	<0.89	1.0	10/14/21 17:40	
2,2-Dichloropropane	ug/L	<4.2	5.0	10/14/21 17:40	
2-Chlorotoluene	ug/L	<0.89	5.0	10/14/21 17:40	
4-Chlorotoluene	ug/L	<0.89	5.0	10/14/21 17:40	
Benzene	ug/L	<0.30	1.0	10/14/21 17:40	
Bromobenzene	ug/L	<0.36	1.0	10/14/21 17:40	
Bromochloromethane	ug/L	<0.36	5.0	10/14/21 17:40	
Bromodichloromethane	ug/L	<0.42	1.0	10/14/21 17:40	
Bromoform	ug/L	<3.8	5.0	10/14/21 17:40	
Bromomethane	ug/L	<1.2	5.0	10/14/21 17:40	
Carbon tetrachloride	ug/L	<0.37	1.0	10/14/21 17:40	
Chlorobenzene	ug/L	<0.86	1.0	10/14/21 17:40	
Chloroethane	ug/L	<1.4	5.0	10/14/21 17:40	
Chloroform	ug/L	<1.2	5.0	10/14/21 17:40	
Chloromethane	ug/L	<1.6	5.0	10/14/21 17:40	
cis-1,2-Dichloroethene	ug/L	<0.47	1.0	10/14/21 17:40	
cis-1,3-Dichloropropene	ug/L	<0.36	1.0	10/14/21 17:40	
Dibromochloromethane	ug/L	<2.6	5.0	10/14/21 17:40	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,

without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: 1690019237 GORSKI LF

Pace Project No.: 40235044

METHOD BLANK: 2300505 Matrix: Water

Associated Lab Samples: 40235044001, 40235044002, 40235044003, 40235044004, 40235044005, 40235044006, 40235044007,
40235044008, 40235044009, 40235044010, 40235044011, 40235044012, 40235044013, 40235044014,
40235044015, 40235044016, 40235044017

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
Dibromomethane	ug/L	<0.99	5.0	10/14/21 17:40	
Dichlorodifluoromethane	ug/L	<0.46	5.0	10/14/21 17:40	
Diisopropyl ether	ug/L	<1.1	5.0	10/14/21 17:40	
Ethylbenzene	ug/L	<0.33	1.0	10/14/21 17:40	
Hexachloro-1,3-butadiene	ug/L	<2.7	5.0	10/14/21 17:40	
Isopropylbenzene (Cumene)	ug/L	<1.0	5.0	10/14/21 17:40	
m&p-Xylene	ug/L	<0.70	2.0	10/14/21 17:40	
Methyl-tert-butyl ether	ug/L	<1.1	5.0	10/14/21 17:40	
Methylene Chloride	ug/L	<0.32	5.0	10/14/21 17:40	
n-Butylbenzene	ug/L	<0.86	1.0	10/14/21 17:40	
n-Propylbenzene	ug/L	<0.35	1.0	10/14/21 17:40	
Naphthalene	ug/L	<1.1	5.0	10/14/21 17:40	
o-Xylene	ug/L	<0.35	1.0	10/14/21 17:40	
p-Isopropyltoluene	ug/L	<1.0	5.0	10/14/21 17:40	
sec-Butylbenzene	ug/L	<0.42	1.0	10/14/21 17:40	
Styrene	ug/L	<0.36	1.0	10/14/21 17:40	
tert-Butylbenzene	ug/L	<0.59	1.0	10/14/21 17:40	
Tetrachloroethene	ug/L	<0.41	1.0	10/14/21 17:40	
Toluene	ug/L	<0.29	1.0	10/14/21 17:40	
trans-1,2-Dichloroethene	ug/L	<0.53	1.0	10/14/21 17:40	
trans-1,3-Dichloropropene	ug/L	<3.5	5.0	10/14/21 17:40	
Trichloroethene	ug/L	<0.32	1.0	10/14/21 17:40	
Trichlorofluoromethane	ug/L	<0.42	1.0	10/14/21 17:40	
Vinyl chloride	ug/L	<0.17	1.0	10/14/21 17:40	
Xylene (Total)	ug/L	<1.0	3.0	10/14/21 17:40	
1,2-Dichlorobenzene-d4 (S)	%	102	70-130	10/14/21 17:40	
4-Bromofluorobenzene (S)	%	97	70-130	10/14/21 17:40	
Toluene-d8 (S)	%	102	70-130	10/14/21 17:40	

LABORATORY CONTROL SAMPLE: 2300506

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
1,1,1-Trichloroethane	ug/L	50	52.9	106	70-130	
1,1,2,2-Tetrachloroethane	ug/L	50	58.8	118	66-130	
1,1,2-Trichloroethane	ug/L	50	58.4	117	70-130	
1,1-Dichloroethane	ug/L	50	60.9	122	68-132	
1,1-Dichloroethene	ug/L	50	50.8	102	85-126	
1,2,4-Trichlorobenzene	ug/L	50	50.9	102	70-130	
1,2-Dibromo-3-chloropropane	ug/L	50	47.5	95	51-126	
1,2-Dibromoethane (EDB)	ug/L	50	54.7	109	70-130	
1,2-Dichlorobenzene	ug/L	50	58.1	116	70-130	
1,2-Dichloroethane	ug/L	50	54.7	109	70-130	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,

without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: 1690019237 GORSKI LF

Pace Project No.: 40235044

LABORATORY CONTROL SAMPLE: 2300506

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
1,2-Dichloropropane	ug/L	50	59.3	119	78-125	
1,3-Dichlorobenzene	ug/L	50	57.8	116	70-130	
1,4-Dichlorobenzene	ug/L	50	57.8	116	70-130	
Benzene	ug/L	50	56.1	112	70-132	
Bromodichloromethane	ug/L	50	53.3	107	70-130	
Bromoform	ug/L	50	42.5	85	65-130	
Bromomethane	ug/L	50	38.4	77	44-128	
Carbon tetrachloride	ug/L	50	54.1	108	70-130	
Chlorobenzene	ug/L	50	58.8	118	70-130	
Chloroethane	ug/L	50	57.2	114	73-137	
Chloroform	ug/L	50	54.9	110	80-122	
Chloromethane	ug/L	50	37.8	76	27-148	
cis-1,2-Dichloroethene	ug/L	50	52.3	105	70-130	
cis-1,3-Dichloropropene	ug/L	50	49.7	99	70-130	
Dibromochloromethane	ug/L	50	51.5	103	70-130	
Dichlorodifluoromethane	ug/L	50	22.7	45	22-151	
Ethylbenzene	ug/L	50	58.9	118	80-123	
Isopropylbenzene (Cumene)	ug/L	50	59.7	119	70-130	
m&p-Xylene	ug/L	100	116	116	70-130	
Methyl-tert-butyl ether	ug/L	50	48.1	96	66-130	
Methylene Chloride	ug/L	50	50.2	100	70-130	
o-Xylene	ug/L	50	57.8	116	70-130	
Styrene	ug/L	50	59.5	119	70-130	
Tetrachloroethene	ug/L	50	55.9	112	70-130	
Toluene	ug/L	50	57.4	115	80-121	
trans-1,2-Dichloroethene	ug/L	50	55.1	110	70-130	
trans-1,3-Dichloropropene	ug/L	50	48.4	97	58-125	
Trichloroethene	ug/L	50	54.8	110	70-130	
Trichlorofluoromethane	ug/L	50	47.2	94	84-148	
Vinyl chloride	ug/L	50	45.5	91	63-142	
Xylene (Total)	ug/L	150	173	116	70-130	
1,2-Dichlorobenzene-d4 (S)	%			98	70-130	
4-Bromofluorobenzene (S)	%			98	70-130	
Toluene-d8 (S)	%			103	70-130	

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 2300507 2300508

Parameter	Units	MS		MSD		MS		MSD		% Rec Limits	RPD	Max RPD	Qual
		40235044003	Result	Spike Conc.	Spike Conc.	Result	MSD	% Rec	% Rec				
1,1,1-Trichloroethane	ug/L	<0.30	50	50	52.6	53.3	105	107	70-130	1	20		
1,1,2,2-Tetrachloroethane	ug/L	<0.38	50	50	57.7	57.2	115	114	66-130	1	20		
1,1,2-Trichloroethane	ug/L	<0.34	50	50	58.5	57.1	117	114	70-130	2	20		
1,1-Dichloroethane	ug/L	<0.30	50	50	60.3	60.0	121	120	68-132	1	20		
1,1-Dichloroethene	ug/L	<0.58	50	50	49.9	50.7	100	101	76-132	2	20		
1,2,4-Trichlorobenzene	ug/L	<0.95	50	50	53.0	52.5	106	105	70-130	1	20		

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,

without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: 1690019237 GORSKI LF

Pace Project No.: 40235044

Parameter	Units	40235044003		MS		MSD		2300508		% Rec	Limits	RPD	Max RPD	Qual
		Result	Spike Conc.	Spike Conc.	MS Result	MSD Result	MS % Rec	MSD % Rec						
1,2-Dibromo-3-chloropropane	ug/L	<2.4	50	50	47.3	46.7	95	93	51-126	1	20			
1,2-Dibromoethane (EDB)	ug/L	<0.31	50	50	55.9	54.7	112	109	70-130	2	20			
1,2-Dichlorobenzene	ug/L	<0.33	50	50	58.7	57.9	117	116	70-130	1	20			
1,2-Dichloroethane	ug/L	<0.29	50	50	53.5	53.8	107	108	70-130	0	20			
1,2-Dichloropropane	ug/L	<0.45	50	50	58.7	59.3	117	119	77-125	1	20			
1,3-Dichlorobenzene	ug/L	<0.35	50	50	56.3	56.5	113	113	70-130	0	20			
1,4-Dichlorobenzene	ug/L	<0.89	50	50	58.6	58.5	117	117	70-130	0	20			
Benzene	ug/L	<0.30	50	50	55.7	55.7	111	111	70-132	0	20			
Bromodichloromethane	ug/L	<0.42	50	50	53.4	53.6	107	107	70-130	0	20			
Bromoform	ug/L	<3.8	50	50	42.9	42.9	86	86	65-130	0	20			
Bromomethane	ug/L	<1.2	50	50	45.3	48.9	91	98	44-128	8	21			
Carbon tetrachloride	ug/L	<0.37	50	50	53.7	53.9	107	108	70-132	0	20			
Chlorobenzene	ug/L	<0.86	50	50	58.4	58.5	117	117	70-130	0	20			
Chloroethane	ug/L	<1.4	50	50	55.7	55.6	111	111	70-137	0	20			
Chloroform	ug/L	<1.2	50	50	55.4	56.3	111	113	80-122	2	20			
Chloromethane	ug/L	<1.6	50	50	36.6	36.3	73	73	17-149	1	20			
cis-1,2-Dichloroethene	ug/L	<0.47	50	50	52.9	52.4	106	105	70-130	1	20			
cis-1,3-Dichloropropene	ug/L	<0.36	50	50	50.2	49.5	100	99	70-130	1	20			
Dibromochloromethane	ug/L	<2.6	50	50	52.4	52.2	105	104	70-130	0	20			
Dichlorodifluoromethane	ug/L	<0.46	50	50	22.4	21.5	45	43	22-158	4	20			
Ethylbenzene	ug/L	<0.33	50	50	58.7	57.4	117	115	80-123	2	20			
Isopropylbenzene (Cumene)	ug/L	<1.0	50	50	59.7	59.5	119	119	70-130	0	20			
m&p-Xylene	ug/L	<0.70	100	100	116	115	116	115	70-130	0	20			
Methyl-tert-butyl ether	ug/L	<1.1	50	50	46.5	46.2	93	92	66-130	1	20			
Methylene Chloride	ug/L	<0.32	50	50	49.6	49.7	99	99	70-130	0	20			
o-Xylene	ug/L	<0.35	50	50	57.6	57.2	115	114	70-130	1	20			
Styrene	ug/L	<0.36	50	50	59.7	59.7	119	119	70-130	0	20			
Tetrachloroethene	ug/L	<0.41	50	50	56.2	55.3	112	111	70-130	2	20			
Toluene	ug/L	<0.29	50	50	57.4	56.7	115	113	80-121	1	20			
trans-1,2-Dichloroethene	ug/L	<0.53	50	50	52.1	52.9	104	106	70-134	1	20			
trans-1,3-Dichloropropene	ug/L	<3.5	50	50	49.7	49.1	99	98	58-130	1	20			
Trichloroethene	ug/L	<0.32	50	50	53.4	54.2	107	108	70-130	1	20			
Trichlorofluoromethane	ug/L	<0.42	50	50	46.2	45.6	92	91	82-151	1	20			
Vinyl chloride	ug/L	<0.17	50	50	45.3	43.8	91	88	61-143	3	20			
Xylene (Total)	ug/L	<1.0	150	150	173	173	116	115	70-130	0	20			
1,2-Dichlorobenzene-d4 (S)	%						98	96	70-130					
4-Bromofluorobenzene (S)	%						98	98	70-130					
Toluene-d8 (S)	%						103	103	70-130					

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALIFIERS

Project: 1690019237 GORSKI LF

Pace Project No.: 40235044

DEFINITIONS

DF - Dilution Factor, if reported, represents the factor applied to the reported data due to dilution of the sample aliquot.

ND - Not Detected at or above LOD.

J - Estimated concentration at or above the LOD and below the LOQ.

LOD - Limit of Detection adjusted for dilution factor, percent moisture, initial weight and final volume.

LOQ - Limit of Quantitation adjusted for dilution factor, percent moisture, initial weight and final volume.

S - Surrogate

1,2-Diphenylhydrazine decomposes to and cannot be separated from Azobenzene using Method 8270. The result for each analyte is a combined concentration.

Consistent with EPA guidelines, unrounded data are displayed and have been used to calculate % recovery and RPD values.

LCS(D) - Laboratory Control Sample (Duplicate)

MS(D) - Matrix Spike (Duplicate)

DUP - Sample Duplicate

RPD - Relative Percent Difference

NC - Not Calculable.

SG - Silica Gel - Clean-Up

U - Indicates the compound was analyzed for, but not detected at or above the adjusted LOD.

N-Nitrosodiphenylamine decomposes and cannot be separated from Diphenylamine using Method 8270. The result reported for each analyte is a combined concentration.

Pace Analytical is TNI accredited. Contact your Pace PM for the current list of accredited analytes.

TNI - The NELAC Institute.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA CROSS REFERENCE TABLE


Project: 1690019237 GORSKI LF

Pace Project No.: 40235044

Lab ID	Sample ID	QC Batch Method	QC Batch	Analytical Method	Analytical Batch
40235044001	652R CTH B	EPA 8260	398518		
40235044002	642R CTH B	EPA 8260	398518		
40235044003	626 CTH B	EPA 8260	398518		
40235044004	669 CTH B	EPA 8260	398518		
40235044005	670 CTH B	EPA 8260	398518		
40235044006	1096 CTH KK	EPA 8260	398518		
40235044007	1101 CTH KK	EPA 8260	398518		
40235044008	1058 CTH KK	EPA 8260	398518		
40235044009	PZ-3	EPA 8260	398518		
40235044010	MW-4	EPA 8260	398518		
40235044011	MW-6	EPA 8260	398518		
40235044012	PZ-4	EPA 8260	398518		
40235044013	MW-4D	EPA 8260	398518		
40235044014	669 CTH BD	EPA 8260	398518		
40235044015	666 CTH B	EPA 8260	398518		
40235044016	1054 CTH KK	EPA 8260	398518		
40235044017	TRIP BLANK	EPA 8260	398518		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

(Please Print Clearly)	
Company Name:	RAMBOLL
Branch/Location:	MILWAUKEE
Project Contact:	MARK MEJAC
Phone:	
Project Number:	1690019237
Project Name:	GORSKI LF
Project State:	WISCONSIN
Sampled By (Print):	DUNCAN GUSFORD
Sampled By (Sign):	
PO #:	
	Regulatory Program:



UPPER MIDWEST REGION

MN: 612-607-1700 WI: 920-469-2436

Page 1 of 2


CHAIN OF CUSTODY

*Preservation Codes							
A=None	B=HCl	C=H ₂ SO ₄	D=HNO ₃	E=DI Water	F=Methanol	G=NaOH	
H=Sodium Bisulfate Solution	I=Sodium Thiosulfate	J=Other					

PRESERVATION (CODE)*		Y/N	N					
		Pick Letter	B					
ix Codes		Analyses Requested						
W = Water								
DW = Drinking Water								
GW = Ground Water								
SW = Surface Water								
WW = Waste Water								
WP = Wipe								
SECTION	MATRIX							
TIME								
1025	W	X	X	X	X	X	X	X
1030	1	X	X	X	X	X	X	X
1045		X	X	X	X	X	X	X
947		X	X	X	X	X	X	X
955		X	X	X	X	X	X	X
1115		X	X	X	X	X	X	X
1105		X	X	X	X	X	X	X
1125		X	X	X	X	X	X	X
1230		X	X	X	X	X	X	X
1430		X	X	X	X	X	X	X
1400		X	X	X	X	X	X	X
1330		X	X	X	X	X	X	X
1432	14	X	X	X	X	X	X	X

Rush Turnaround Time Requested - Prelims (Rush TAT subject to approval/surcharge)	Relinquished By:	Date/Time:	Received By:	Date/Time:	PACE Project No.
Date Needed:	<i>W.H. 10/12/21 1255</i>		<i>Cs Logistics</i>	<i>10-12-21 1255</i>	<i>100235044</i>
Transmit Prelim Rush Results by (complete what you want):	Relinquished By:	Date/Time:	Received By:	Date/Time:	Receipt Temp = 5 °C
Email #1:	<i>Cs Logistics</i>	<i>10/13/21 0735</i>	<i>W.H. 10/13/21 0735</i>	<i>10/13/21 0735</i>	Sample Receipt pH
Email #2:					OK / Adjusted
Telephone:	Relinquished By:	Date/Time:	Received By:	Date/Time:	Cooler Custody Seal
Fax:					Present / Not Present
Samples on HOLD are subject to special pricing and release of liability	Relinquished By:	Date/Time:	Received By:	Date/Time:	Intact / Not Intact

(Please Print Clearly)

Company Name:	RAMBOll
Branch/Location:	MILWAUKEE
Project Contact:	MARK MEDAC
Phone:	
Project Number:	169Q019237
Project Name:	GORSKI LF
Project State:	WISCONSIN
Sampled By (Print):	DUNCAN GLASFORD
Sampled By (Sign):	
PO #:	
	Regulatory Program

CHAIN OF CUSTODY

*Preservation Codes							
A=None	B=HCl	C=H2SO4	D=HNO3	E=DI Water	F=Methanol	G=NaOH	H=Sodium Bisulfate Solution
			I=Sodium Thiosulfate	J=Other			

UPPER MIDWEST REGION

MN: 612-607-1700 **WI:** 920-469-2436

Page 2 of 2

40235044

Rush Turnaround Time Requested - Prelims (Rush TAT subject to approval/surcharge) Date Needed:	Relinquished By: <i>Wulford</i>	Date/Time: 10-12-21 1255	Received By: <i>CS LOGISTICS</i>	Date/Time: 10/12/21 1255	PACE Project No. <i>40235044</i>
Transmit Prelim Rush Results by (complete what you want):	Relinquished By: <i>CS Logistics</i>	Date/Time: 10/13/21 0735	Received By: <i>Wulford</i>	Date/Time: 10/13/21 0735	Receipt Temp = 5 °C
Email #1:	Relinquished By:	Date/Time:	Received By:	Date/Time:	Sample Receipt pH
Email #2:	Relinquished By:	Date/Time:	Received By:	Date/Time:	OK / Adjusted
Telephone:	Relinquished By:	Date/Time:	Received By:	Date/Time:	Cooler Custody Seal
Fax:	Relinquished By:	Date/Time:	Received By:	Date/Time:	Present <input checked="" type="checkbox"/> Not Present <input type="checkbox"/> Intact / Not Intact <input type="checkbox"/>
Samples on HOLD are subject to special pricing and release of liability	Relinquished By:	Date/Time:	Received By:	Date/Time:	Page 47 of 49

Sample Preservation Receipt Form

Client Name: Ramball

All containers needing preservation have been checked and noted below: Yes No N/A

Lab Lot# of pH paper:

Lab Std #ID of preservation (if pH adjusted):

Pace Analytical Services, LLC
1241 Bellevue Street, Suite 9
Green Bay, WI 54302

Initial when completed:

Date/
Time:

Pace Lab #	Glass					Plastic					Vials					Jars			General			VOA Vials (>6mm) *	H2SO4 pH ≤2	NaOH+Zn Act pH ≥9	NaOH pH ≥12	HNO3 pH ≤2	pH after adjusted	Volume (mL)
	AG1U	BG1U	AG1H	AG4S	AG4U	AG5U	AG2S	BG3U	BP1U	BP3U	BP3B	BP3N	BP3S	VG9A	DG9T	VG9U	VG9H	VG9M	VG9D	JGFU	JG9U	WGFU	WPFU	SP5T	ZPLC	GN		
001																												2.5/5/10
002																												2.5/5/10
003																												2.5/5/10
004																												2.5/5/10
005																												2.5/5/10
006																												2.5/5/10
007																												2.5/5/10
008																												2.5/5/10
009																												2.5/5/10
010																												2.5/5/10
011																												2.5/5/10
012																												2.5/5/10
013																												2.5/5/10
014																												2.5/5/10
015																												2.5/5/10
016																												2.5/5/10
017																												2.5/5/10
018																												2.5/5/10
019																												2.5/5/10
020																												2.5/5/10

Exceptions to preservation check: VOA, Coliform, TOC, TOX, TOH, O&G, WI DRO, Phenolics, Other:

Headspace in VOA Vials (>6mm) : Yes No N/A *If yes look in headspace column

AG1U	1 liter amber glass	BP1U	1 liter plastic unpres	VG9A	40 mL clear ascorbic	JGFU	4 oz amber jar unpres
BG1U	1 liter clear glass	BP3U	250 mL plastic unpres	DG9T	40 mL amber Na Thio	JG9U	9 oz amber jar unpres
AG1H	1 liter amber glass HCL	BP3B	250 mL plastic NaOH	VG9U	40 mL clear vial unpres	WGFU	4 oz clear jar unpres
AG4S	125 mL amber glass H2SO4	BP3N	250 mL plastic HNO3	VG9H	40 mL clear vial HCL	WPFU	4 oz plastic jar unpres
AG4U	120 mL amber glass unpres	BP3S	250 mL plastic H2SO4	VG9M	40 mL clear vial MeOH	SP5T	120 mL plastic Na Thiosulfate
AG5U	100 mL amber glass unpres			VG9D	40 mL clear vial DI	ZPLC	ziploc bag
AG2S	500 mL amber glass H2SO4					GN	
BG3U	250 mL clear glass unpres						



Document Name:
Sample Condition Upon Receipt (SCUR)

Document Revised: 26Mar2020

Document No.:
ENV-FRM-GBAY-0014-Rev.00

Author:
Pace Green Bay Quality Office

Sample Condition Upon Receipt Form (SCUR)

Project #:

WO# : 40235044

Client Name: Bamball

Courier: ACS Logistics Fed Ex Speedee UPS Waltco

Client Pace Other: _____

Tracking #: 750.101221



40235044

Custody Seal on Cooler/Box Present: yes no Seals intact: yes no

Custody Seal on Samples Present: yes no Seals intact: yes no

Packing Material: Bubble Wrap Bubble Bags None Other

Thermometer Used SR - 107 Type of Ice: Wet Blue Dry None

Cooler Temperature Uncorr: 5 /Corr: 5

Temp Blank Present: yes no

Biological Tissue is Frozen: yes no

Temp should be above freezing to 6°C.

Biota Samples may be received at ≤ 0°C if shipped on Dry Ice.

Samples on ice, cooling process has begun

Person examining contents:

Date: 10/13/21 /Initials: AL

Labeled By Initials: OPD

Chain of Custody Present:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	1.
Chain of Custody Filled Out:	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A	<u>no phone, mail info 10/13/21 AL</u>
Chain of Custody Relinquished:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	3.
Sampler Name & Signature on COC:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	4.
Samples Arrived within Hold Time: - VOA Samples frozen upon receipt	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	5. Date/Time:
Short Hold Time Analysis (<72hr):	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	6.
Rush Turn Around Time Requested:	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	7.
Sufficient Volume: For Analysis: <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No MS/MSD: <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	8.	
Correct Containers Used: -Pace Containers Used: -Pace IR Containers Used:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	9.
Containers Intact:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	10.
Filtered volume received for Dissolved tests	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	11.
Sample Labels match COC: -Includes date/time/ID/Analysis	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A	12. <u>ON: "47" 10/13/21 AL</u>
Trip Blank Present:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	13.
Trip Blank Custody Seals Present	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	
Pace Trip Blank Lot # (if purchased): <u>471</u>		

Client Notification/ Resolution:

Person Contacted: _____ Date/Time: _____

If checked, see attached form for additional comments

Comments/ Resolution: _____

PM Review is documented electronically in LIMs. By releasing the project, the PM acknowledges they have reviewed the sample logir