



October 17, 2023

Mark Mejac  
Ramboll US Consulting  
234 W. Florida Street  
Fifth Floor  
Milwaukee, WI 53204

RE: Project: 1690028158\_CONV GORSKI LF  
Pace Project No.: 40269256

Dear Mark Mejac:

Enclosed are the analytical results for sample(s) received by the laboratory on October 09, 2023. The results relate only to the samples included in this report. Results reported herein conform to the applicable TNI/NELAC Standards and the laboratory's Quality Manual, where applicable, unless otherwise noted in the body of the report.

The test results provided in this final report were generated by each of the following laboratories within the Pace Network:

- Pace Analytical Services - Green Bay

If you have any questions concerning this report, please feel free to contact me.

Sincerely,

Steven Mleczko  
steve.mleczko@pacelabs.com  
(920)469-2436  
Project Manager

Enclosures

cc: David L. Markelz, Ramboll US Consulting, Inc.



## REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.



## CERTIFICATIONS

Project: 1690028158\_CONV GORSKI LF

Pace Project No.: 40269256

---

### **Pace Analytical Services Green Bay**

1241 Bellevue Street, Green Bay, WI 54302

Florida/NELAP Certification #: E87948

Illinois Certification #: 200050

Kentucky UST Certification #: 82

Louisiana Certification #: 04168

Minnesota Certification #: 055-999-334

New York Certification #: 12064

North Dakota Certification #: R-150

South Carolina Certification #: 83006001

Texas Certification #: T104704529-21-8

Virginia VELAP Certification ID: 11873

Wisconsin Certification #: 405132750

Wisconsin DATCP Certification #: 105-444

USDA Soil Permit #: P330-21-00008

Federal Fish & Wildlife Permit #: 51774A

---

## REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.



### SAMPLE SUMMARY

Project: 1690028158\_CONV GORSKI LF

Pace Project No.: 40269256

Lab ID	Sample ID	Matrix	Date Collected	Date Received
40269256001	1096 CTH KK	Water	10/09/23 11:20	10/09/23 16:40
40269256002	1101 CTH KK	Water	10/09/23 11:10	10/09/23 16:40
40269256003	626 CTH B	Water	10/09/23 11:00	10/09/23 16:40
40269256004	642R CTH B	Water	10/09/23 10:55	10/09/23 16:40
40269256005	652R CTH B	Water	10/09/23 10:45	10/09/23 16:40
40269256006	666 CTH B	Water	10/09/23 10:15	10/09/23 16:40
40269256007	669 CTH B	Water	10/09/23 10:25	10/09/23 16:40
40269256008	669 CTH BD	Water	10/09/23 10:30	10/09/23 16:40
40269256009	670 CTH B	Water	10/09/23 10:35	10/09/23 16:40
40269256010	MW-4	Water	10/09/23 12:20	10/09/23 16:40
40269256011	MW-4D	Water	10/09/23 12:25	10/09/23 16:40
40269256012	MW-6	Water	10/09/23 13:45	10/09/23 16:40
40269256013	PZ-3	Water	10/09/23 14:30	10/09/23 16:40
40269256014	PZ-4	Water	10/09/23 13:10	10/09/23 16:40
40269256015	TRIP BLANK	Water	10/09/23 00:00	10/09/23 16:40
40269256016	1054 CTH KK	Water	10/09/23 11:40	10/09/23 16:40
40269256017	1058 CTH KK	Water	10/09/23 11:30	10/09/23 16:40

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.



### SAMPLE ANALYTE COUNT

Project: 1690028158\_CONV GORSKI LF

Pace Project No.: 40269256

Lab ID	Sample ID	Method	Analysts	Analytes Reported	Laboratory
40269256001	1096 CTH KK	EPA 8260	CXJ	65	PASI-G
40269256002	1101 CTH KK	EPA 8260	CXJ	65	PASI-G
40269256003	626 CTH B	EPA 8260	CXJ	65	PASI-G
40269256004	642R CTH B	EPA 8260	CXJ	65	PASI-G
40269256005	652R CTH B	EPA 8260	CXJ	65	PASI-G
40269256006	666 CTH B	EPA 8260	CXJ	65	PASI-G
40269256007	669 CTH B	EPA 8260	CXJ	65	PASI-G
40269256008	669 CTH BD	EPA 8260	CXJ	65	PASI-G
40269256009	670 CTH B	EPA 8260	CXJ	65	PASI-G
40269256010	MW-4	EPA 8260	CXJ	65	PASI-G
40269256011	MW-4D	EPA 8260	CXJ	65	PASI-G
40269256012	MW-6	EPA 8260	CXJ	65	PASI-G
40269256013	PZ-3	EPA 8260	CXJ	65	PASI-G
40269256014	PZ-4	EPA 8260	EIB	65	PASI-G
40269256015	TRIP BLANK	EPA 8260	EIB	65	PASI-G
40269256016	1054 CTH KK	EPA 8260	EIB	65	PASI-G
40269256017	1058 CTH KK	EPA 8260	EIB	65	PASI-G

PASI-G = Pace Analytical Services - Green Bay

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.



### SUMMARY OF DETECTION

Project: 1690028158\_CONV GORSKI LF

Pace Project No.: 40269256

Lab Sample ID Method	Client Sample ID Parameters	Result	Units	Report Limit	Analyzed	Qualifiers
<b>40269256007</b>	<b>669 CTH B</b>					
EPA 8260	Trichloroethene	0.64J	ug/L	1.0	10/11/23 13:31	
<b>40269256008</b>	<b>669 CTH BD</b>					
EPA 8260	Trichloroethene	0.69J	ug/L	1.0	10/11/23 13:50	
<b>40269256010</b>	<b>MW-4</b>					
EPA 8260	Trichloroethene	2.0	ug/L	1.0	10/11/23 14:27	
<b>40269256011</b>	<b>MW-4D</b>					
EPA 8260	Trichloroethene	1.8	ug/L	1.0	10/11/23 14:45	
<b>40269256012</b>	<b>MW-6</b>					
EPA 8260	cis-1,2-Dichloroethene	1.1	ug/L	1.0	10/11/23 15:04	
EPA 8260	Trichloroethene	2.1	ug/L	1.0	10/11/23 15:04	
<b>40269256013</b>	<b>PZ-3</b>					
EPA 8260	cis-1,2-Dichloroethene	4.3	ug/L	1.0	10/16/23 12:06	
EPA 8260	Trichloroethene	0.72J	ug/L	1.0	10/16/23 12:06	
<b>40269256014</b>	<b>PZ-4</b>					
EPA 8260	cis-1,2-Dichloroethene	2.6	ug/L	1.0	10/11/23 13:45	
EPA 8260	Trichloroethene	6.4	ug/L	1.0	10/11/23 13:45	

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.



## ANALYTICAL RESULTS

Project: 1690028158\_CONV GORSKI LF

Pace Project No.: 40269256

Sample: 1096 CTH KK Lab ID: 40269256001 Collected: 10/09/23 11:20 Received: 10/09/23 16:40 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
<b>8260 MSV</b>									
Analytical Method: EPA 8260									
Pace Analytical Services - Green Bay									
Benzene	<0.30	ug/L	1.0	0.30	1		10/11/23 12:17	71-43-2	
Bromobenzene	<0.36	ug/L	1.0	0.36	1		10/11/23 12:17	108-86-1	
Bromochloromethane	<0.36	ug/L	1.0	0.36	1		10/11/23 12:17	74-97-5	
Bromodichloromethane	<0.42	ug/L	1.0	0.42	1		10/11/23 12:17	75-27-4	
Bromoform	<0.43	ug/L	1.0	0.43	1		10/11/23 12:17	75-25-2	
Bromomethane	<1.2	ug/L	5.0	1.2	1		10/11/23 12:17	74-83-9	
n-Butylbenzene	<0.86	ug/L	1.0	0.86	1		10/11/23 12:17	104-51-8	
sec-Butylbenzene	<0.42	ug/L	1.0	0.42	1		10/11/23 12:17	135-98-8	
tert-Butylbenzene	<0.59	ug/L	1.0	0.59	1		10/11/23 12:17	98-06-6	
Carbon tetrachloride	<0.37	ug/L	1.0	0.37	1		10/11/23 12:17	56-23-5	
Chlorobenzene	<0.86	ug/L	1.0	0.86	1		10/11/23 12:17	108-90-7	
Chloroethane	<1.4	ug/L	5.0	1.4	1		10/11/23 12:17	75-00-3	
Chloroform	<0.50	ug/L	5.0	0.50	1		10/11/23 12:17	67-66-3	
Chloromethane	<1.6	ug/L	5.0	1.6	1		10/11/23 12:17	74-87-3	
2-Chlorotoluene	<0.89	ug/L	5.0	0.89	1		10/11/23 12:17	95-49-8	
4-Chlorotoluene	<0.89	ug/L	5.0	0.89	1		10/11/23 12:17	106-43-4	
1,2-Dibromo-3-chloropropane	<2.4	ug/L	5.0	2.4	1		10/11/23 12:17	96-12-8	
Dibromochloromethane	<2.6	ug/L	5.0	2.6	1		10/11/23 12:17	124-48-1	
1,2-Dibromoethane (EDB)	<0.31	ug/L	1.0	0.31	1		10/11/23 12:17	106-93-4	
Dibromomethane	<0.99	ug/L	5.0	0.99	1		10/11/23 12:17	74-95-3	
1,2-Dichlorobenzene	<0.33	ug/L	1.0	0.33	1		10/11/23 12:17	95-50-1	
1,3-Dichlorobenzene	<0.35	ug/L	1.0	0.35	1		10/11/23 12:17	541-73-1	
1,4-Dichlorobenzene	<0.89	ug/L	1.0	0.89	1		10/11/23 12:17	106-46-7	
Dichlorodifluoromethane	<0.46	ug/L	5.0	0.46	1		10/11/23 12:17	75-71-8	
1,1-Dichloroethane	<0.30	ug/L	1.0	0.30	1		10/11/23 12:17	75-34-3	
1,2-Dichloroethane	<0.29	ug/L	1.0	0.29	1		10/11/23 12:17	107-06-2	
1,1-Dichloroethene	<0.58	ug/L	1.0	0.58	1		10/11/23 12:17	75-35-4	
cis-1,2-Dichloroethene	<0.47	ug/L	1.0	0.47	1		10/11/23 12:17	156-59-2	
trans-1,2-Dichloroethene	<0.53	ug/L	1.0	0.53	1		10/11/23 12:17	156-60-5	
1,2-Dichloropropane	<0.45	ug/L	1.0	0.45	1		10/11/23 12:17	78-87-5	
1,3-Dichloropropane	<0.30	ug/L	1.0	0.30	1		10/11/23 12:17	142-28-9	
2,2-Dichloropropane	<0.42	ug/L	1.0	0.42	1		10/11/23 12:17	594-20-7	
1,1-Dichloropropene	<0.41	ug/L	1.0	0.41	1		10/11/23 12:17	563-58-6	
cis-1,3-Dichloropropene	<0.24	ug/L	1.0	0.24	1		10/11/23 12:17	10061-01-5	
trans-1,3-Dichloropropene	<0.27	ug/L	1.0	0.27	1		10/11/23 12:17	10061-02-6	
Diisopropyl ether	<1.1	ug/L	5.0	1.1	1		10/11/23 12:17	108-20-3	
Ethylbenzene	<0.33	ug/L	1.0	0.33	1		10/11/23 12:17	100-41-4	
Hexachloro-1,3-butadiene	<2.7	ug/L	5.0	2.7	1		10/11/23 12:17	87-68-3	
Isopropylbenzene (Cumene)	<1.0	ug/L	5.0	1.0	1		10/11/23 12:17	98-82-8	
p-Isopropyltoluene	<1.0	ug/L	5.0	1.0	1		10/11/23 12:17	99-87-6	
Methylene Chloride	<0.32	ug/L	5.0	0.32	1		10/11/23 12:17	75-09-2	
Methyl-tert-butyl ether	<1.1	ug/L	5.0	1.1	1		10/11/23 12:17	1634-04-4	
Naphthalene	<1.9	ug/L	5.0	1.9	1		10/11/23 12:17	91-20-3	L1
n-Propylbenzene	<0.35	ug/L	1.0	0.35	1		10/11/23 12:17	103-65-1	
Styrene	<0.36	ug/L	1.0	0.36	1		10/11/23 12:17	100-42-5	

## REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.



## ANALYTICAL RESULTS

Project: 1690028158\_CONV GORSKI LF

Pace Project No.: 40269256

Sample: 1096 CTH KK Lab ID: 40269256001 Collected: 10/09/23 11:20 Received: 10/09/23 16:40 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
<b>8260 MSV</b>									
Analytical Method: EPA 8260									
Pace Analytical Services - Green Bay									
1,1,1,2-Tetrachloroethane	<0.36	ug/L	1.0	0.36	1		10/11/23 12:17	630-20-6	
1,1,1,2-Tetrachloroethane	<0.38	ug/L	1.0	0.38	1		10/11/23 12:17	79-34-5	
Tetrachloroethene	<0.41	ug/L	1.0	0.41	1		10/11/23 12:17	127-18-4	
Toluene	<0.29	ug/L	1.0	0.29	1		10/11/23 12:17	108-88-3	
1,2,3-Trichlorobenzene	<1.0	ug/L	5.0	1.0	1		10/11/23 12:17	87-61-6	
1,2,4-Trichlorobenzene	<0.95	ug/L	5.0	0.95	1		10/11/23 12:17	120-82-1	
1,1,1-Trichloroethane	<0.30	ug/L	1.0	0.30	1		10/11/23 12:17	71-55-6	
1,1,2-Trichloroethane	<0.34	ug/L	1.0	0.34	1		10/11/23 12:17	79-00-5	
Trichloroethene	<0.32	ug/L	1.0	0.32	1		10/11/23 12:17	79-01-6	
Trichlorofluoromethane	<0.42	ug/L	1.0	0.42	1		10/11/23 12:17	75-69-4	
1,2,3-Trichloropropane	<0.56	ug/L	1.0	0.56	1		10/11/23 12:17	96-18-4	
1,2,4-Trimethylbenzene	<0.45	ug/L	1.0	0.45	1		10/11/23 12:17	95-63-6	
1,3,5-Trimethylbenzene	<0.36	ug/L	1.0	0.36	1		10/11/23 12:17	108-67-8	
Vinyl chloride	<0.17	ug/L	1.0	0.17	1		10/11/23 12:17	75-01-4	
Xylene (Total)	<1.0	ug/L	3.0	1.0	1		10/11/23 12:17	1330-20-7	
m&p-Xylene	<0.70	ug/L	2.0	0.70	1		10/11/23 12:17	179601-23-1	
o-Xylene	<0.35	ug/L	1.0	0.35	1		10/11/23 12:17	95-47-6	
<b>Surrogates</b>									
4-Bromofluorobenzene (S)	104	%	70-130		1		10/11/23 12:17	460-00-4	
1,2-Dichlorobenzene-d4 (S)	106	%	70-130		1		10/11/23 12:17	2199-69-1	
Toluene-d8 (S)	100	%	70-130		1		10/11/23 12:17	2037-26-5	

## REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.



## ANALYTICAL RESULTS

Project: 1690028158\_CONV GORSKI LF

Pace Project No.: 40269256

Sample: 1101 CTH KK Lab ID: 40269256002 Collected: 10/09/23 11:10 Received: 10/09/23 16:40 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
<b>8260 MSV</b>									
Analytical Method: EPA 8260									
Pace Analytical Services - Green Bay									
Benzene	<0.30	ug/L	1.0	0.30	1		10/11/23 11:40	71-43-2	
Bromobenzene	<0.36	ug/L	1.0	0.36	1		10/11/23 11:40	108-86-1	
Bromochloromethane	<0.36	ug/L	1.0	0.36	1		10/11/23 11:40	74-97-5	
Bromodichloromethane	<0.42	ug/L	1.0	0.42	1		10/11/23 11:40	75-27-4	
Bromoform	<0.43	ug/L	1.0	0.43	1		10/11/23 11:40	75-25-2	
Bromomethane	<1.2	ug/L	5.0	1.2	1		10/11/23 11:40	74-83-9	
n-Butylbenzene	<0.86	ug/L	1.0	0.86	1		10/11/23 11:40	104-51-8	
sec-Butylbenzene	<0.42	ug/L	1.0	0.42	1		10/11/23 11:40	135-98-8	
tert-Butylbenzene	<0.59	ug/L	1.0	0.59	1		10/11/23 11:40	98-06-6	
Carbon tetrachloride	<0.37	ug/L	1.0	0.37	1		10/11/23 11:40	56-23-5	
Chlorobenzene	<0.86	ug/L	1.0	0.86	1		10/11/23 11:40	108-90-7	
Chloroethane	<1.4	ug/L	5.0	1.4	1		10/11/23 11:40	75-00-3	
Chloroform	<0.50	ug/L	5.0	0.50	1		10/11/23 11:40	67-66-3	
Chloromethane	<1.6	ug/L	5.0	1.6	1		10/11/23 11:40	74-87-3	
2-Chlorotoluene	<0.89	ug/L	5.0	0.89	1		10/11/23 11:40	95-49-8	
4-Chlorotoluene	<0.89	ug/L	5.0	0.89	1		10/11/23 11:40	106-43-4	
1,2-Dibromo-3-chloropropane	<2.4	ug/L	5.0	2.4	1		10/11/23 11:40	96-12-8	
Dibromochloromethane	<2.6	ug/L	5.0	2.6	1		10/11/23 11:40	124-48-1	
1,2-Dibromoethane (EDB)	<0.31	ug/L	1.0	0.31	1		10/11/23 11:40	106-93-4	
Dibromomethane	<0.99	ug/L	5.0	0.99	1		10/11/23 11:40	74-95-3	
1,2-Dichlorobenzene	<0.33	ug/L	1.0	0.33	1		10/11/23 11:40	95-50-1	
1,3-Dichlorobenzene	<0.35	ug/L	1.0	0.35	1		10/11/23 11:40	541-73-1	
1,4-Dichlorobenzene	<0.89	ug/L	1.0	0.89	1		10/11/23 11:40	106-46-7	
Dichlorodifluoromethane	<0.46	ug/L	5.0	0.46	1		10/11/23 11:40	75-71-8	
1,1-Dichloroethane	<0.30	ug/L	1.0	0.30	1		10/11/23 11:40	75-34-3	
1,2-Dichloroethane	<0.29	ug/L	1.0	0.29	1		10/11/23 11:40	107-06-2	
1,1-Dichloroethene	<0.58	ug/L	1.0	0.58	1		10/11/23 11:40	75-35-4	
cis-1,2-Dichloroethene	<0.47	ug/L	1.0	0.47	1		10/11/23 11:40	156-59-2	
trans-1,2-Dichloroethene	<0.53	ug/L	1.0	0.53	1		10/11/23 11:40	156-60-5	
1,2-Dichloropropane	<0.45	ug/L	1.0	0.45	1		10/11/23 11:40	78-87-5	
1,3-Dichloropropane	<0.30	ug/L	1.0	0.30	1		10/11/23 11:40	142-28-9	
2,2-Dichloropropane	<0.42	ug/L	1.0	0.42	1		10/11/23 11:40	594-20-7	
1,1-Dichloropropene	<0.41	ug/L	1.0	0.41	1		10/11/23 11:40	563-58-6	
cis-1,3-Dichloropropene	<0.24	ug/L	1.0	0.24	1		10/11/23 11:40	10061-01-5	
trans-1,3-Dichloropropene	<0.27	ug/L	1.0	0.27	1		10/11/23 11:40	10061-02-6	
Diisopropyl ether	<1.1	ug/L	5.0	1.1	1		10/11/23 11:40	108-20-3	
Ethylbenzene	<0.33	ug/L	1.0	0.33	1		10/11/23 11:40	100-41-4	
Hexachloro-1,3-butadiene	<2.7	ug/L	5.0	2.7	1		10/11/23 11:40	87-68-3	
Isopropylbenzene (Cumene)	<1.0	ug/L	5.0	1.0	1		10/11/23 11:40	98-82-8	
p-Isopropyltoluene	<1.0	ug/L	5.0	1.0	1		10/11/23 11:40	99-87-6	
Methylene Chloride	<0.32	ug/L	5.0	0.32	1		10/11/23 11:40	75-09-2	
Methyl-tert-butyl ether	<1.1	ug/L	5.0	1.1	1		10/11/23 11:40	1634-04-4	
Naphthalene	<1.9	ug/L	5.0	1.9	1		10/11/23 11:40	91-20-3	L1
n-Propylbenzene	<0.35	ug/L	1.0	0.35	1		10/11/23 11:40	103-65-1	
Styrene	<0.36	ug/L	1.0	0.36	1		10/11/23 11:40	100-42-5	

## REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.





## ANALYTICAL RESULTS

Project: 1690028158\_CONV GORSKI LF

Pace Project No.: 40269256

Sample: 1101 CTH KK Lab ID: 40269256002 Collected: 10/09/23 11:10 Received: 10/09/23 16:40 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
<b>8260 MSV</b>									
Analytical Method: EPA 8260									
Pace Analytical Services - Green Bay									
1,1,1,2-Tetrachloroethane	<0.36	ug/L	1.0	0.36	1		10/11/23 11:40	630-20-6	
1,1,2,2-Tetrachloroethane	<0.38	ug/L	1.0	0.38	1		10/11/23 11:40	79-34-5	
Tetrachloroethene	<0.41	ug/L	1.0	0.41	1		10/11/23 11:40	127-18-4	
Toluene	<0.29	ug/L	1.0	0.29	1		10/11/23 11:40	108-88-3	
1,2,3-Trichlorobenzene	<1.0	ug/L	5.0	1.0	1		10/11/23 11:40	87-61-6	
1,2,4-Trichlorobenzene	<0.95	ug/L	5.0	0.95	1		10/11/23 11:40	120-82-1	
1,1,1-Trichloroethane	<0.30	ug/L	1.0	0.30	1		10/11/23 11:40	71-55-6	
1,1,2-Trichloroethane	<0.34	ug/L	1.0	0.34	1		10/11/23 11:40	79-00-5	
Trichloroethene	<0.32	ug/L	1.0	0.32	1		10/11/23 11:40	79-01-6	
Trichlorofluoromethane	<0.42	ug/L	1.0	0.42	1		10/11/23 11:40	75-69-4	
1,2,3-Trichloropropane	<0.56	ug/L	1.0	0.56	1		10/11/23 11:40	96-18-4	
1,2,4-Trimethylbenzene	<0.45	ug/L	1.0	0.45	1		10/11/23 11:40	95-63-6	
1,3,5-Trimethylbenzene	<0.36	ug/L	1.0	0.36	1		10/11/23 11:40	108-67-8	
Vinyl chloride	<0.17	ug/L	1.0	0.17	1		10/11/23 11:40	75-01-4	
Xylene (Total)	<1.0	ug/L	3.0	1.0	1		10/11/23 11:40	1330-20-7	
m&p-Xylene	<0.70	ug/L	2.0	0.70	1		10/11/23 11:40	179601-23-1	
o-Xylene	<0.35	ug/L	1.0	0.35	1		10/11/23 11:40	95-47-6	
<b>Surrogates</b>									
4-Bromofluorobenzene (S)	100	%	70-130		1		10/11/23 11:40	460-00-4	
1,2-Dichlorobenzene-d4 (S)	103	%	70-130		1		10/11/23 11:40	2199-69-1	
Toluene-d8 (S)	102	%	70-130		1		10/11/23 11:40	2037-26-5	

## REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.



## ANALYTICAL RESULTS

Project: 1690028158\_CONV GORSKI LF

Pace Project No.: 40269256

Sample: 626 CTH B Lab ID: 40269256003 Collected: 10/09/23 11:00 Received: 10/09/23 16:40 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
<b>8260 MSV</b>									
Analytical Method: EPA 8260									
Pace Analytical Services - Green Bay									
Benzene	<0.30	ug/L	1.0	0.30	1		10/11/23 11:21	71-43-2	
Bromobenzene	<0.36	ug/L	1.0	0.36	1		10/11/23 11:21	108-86-1	
Bromochloromethane	<0.36	ug/L	1.0	0.36	1		10/11/23 11:21	74-97-5	
Bromodichloromethane	<0.42	ug/L	1.0	0.42	1		10/11/23 11:21	75-27-4	
Bromoform	<0.43	ug/L	1.0	0.43	1		10/11/23 11:21	75-25-2	
Bromomethane	<1.2	ug/L	5.0	1.2	1		10/11/23 11:21	74-83-9	
n-Butylbenzene	<0.86	ug/L	1.0	0.86	1		10/11/23 11:21	104-51-8	
sec-Butylbenzene	<0.42	ug/L	1.0	0.42	1		10/11/23 11:21	135-98-8	
tert-Butylbenzene	<0.59	ug/L	1.0	0.59	1		10/11/23 11:21	98-06-6	
Carbon tetrachloride	<0.37	ug/L	1.0	0.37	1		10/11/23 11:21	56-23-5	
Chlorobenzene	<0.86	ug/L	1.0	0.86	1		10/11/23 11:21	108-90-7	
Chloroethane	<1.4	ug/L	5.0	1.4	1		10/11/23 11:21	75-00-3	M1
Chloroform	<0.50	ug/L	5.0	0.50	1		10/11/23 11:21	67-66-3	
Chloromethane	<1.6	ug/L	5.0	1.6	1		10/11/23 11:21	74-87-3	
2-Chlorotoluene	<0.89	ug/L	5.0	0.89	1		10/11/23 11:21	95-49-8	
4-Chlorotoluene	<0.89	ug/L	5.0	0.89	1		10/11/23 11:21	106-43-4	
1,2-Dibromo-3-chloropropane	<2.4	ug/L	5.0	2.4	1		10/11/23 11:21	96-12-8	
Dibromochloromethane	<2.6	ug/L	5.0	2.6	1		10/11/23 11:21	124-48-1	
1,2-Dibromoethane (EDB)	<0.31	ug/L	1.0	0.31	1		10/11/23 11:21	106-93-4	
Dibromomethane	<0.99	ug/L	5.0	0.99	1		10/11/23 11:21	74-95-3	
1,2-Dichlorobenzene	<0.33	ug/L	1.0	0.33	1		10/11/23 11:21	95-50-1	
1,3-Dichlorobenzene	<0.35	ug/L	1.0	0.35	1		10/11/23 11:21	541-73-1	
1,4-Dichlorobenzene	<0.89	ug/L	1.0	0.89	1		10/11/23 11:21	106-46-7	
Dichlorodifluoromethane	<0.46	ug/L	5.0	0.46	1		10/11/23 11:21	75-71-8	
1,1-Dichloroethane	<0.30	ug/L	1.0	0.30	1		10/11/23 11:21	75-34-3	
1,2-Dichloroethane	<0.29	ug/L	1.0	0.29	1		10/11/23 11:21	107-06-2	
1,1-Dichloroethene	<0.58	ug/L	1.0	0.58	1		10/11/23 11:21	75-35-4	
cis-1,2-Dichloroethene	<0.47	ug/L	1.0	0.47	1		10/11/23 11:21	156-59-2	
trans-1,2-Dichloroethene	<0.53	ug/L	1.0	0.53	1		10/11/23 11:21	156-60-5	
1,2-Dichloropropane	<0.45	ug/L	1.0	0.45	1		10/11/23 11:21	78-87-5	
1,3-Dichloropropane	<0.30	ug/L	1.0	0.30	1		10/11/23 11:21	142-28-9	
2,2-Dichloropropane	<0.42	ug/L	1.0	0.42	1		10/11/23 11:21	594-20-7	
1,1-Dichloropropene	<0.41	ug/L	1.0	0.41	1		10/11/23 11:21	563-58-6	
cis-1,3-Dichloropropene	<0.24	ug/L	1.0	0.24	1		10/11/23 11:21	10061-01-5	
trans-1,3-Dichloropropene	<0.27	ug/L	1.0	0.27	1		10/11/23 11:21	10061-02-6	
Diisopropyl ether	<1.1	ug/L	5.0	1.1	1		10/11/23 11:21	108-20-3	
Ethylbenzene	<0.33	ug/L	1.0	0.33	1		10/11/23 11:21	100-41-4	
Hexachloro-1,3-butadiene	<2.7	ug/L	5.0	2.7	1		10/11/23 11:21	87-68-3	
Isopropylbenzene (Cumene)	<1.0	ug/L	5.0	1.0	1		10/11/23 11:21	98-82-8	
p-Isopropyltoluene	<1.0	ug/L	5.0	1.0	1		10/11/23 11:21	99-87-6	
Methylene Chloride	<0.32	ug/L	5.0	0.32	1		10/11/23 11:21	75-09-2	
Methyl-tert-butyl ether	<1.1	ug/L	5.0	1.1	1		10/11/23 11:21	1634-04-4	
Naphthalene	<1.9	ug/L	5.0	1.9	1		10/11/23 11:21	91-20-3	L1
n-Propylbenzene	<0.35	ug/L	1.0	0.35	1		10/11/23 11:21	103-65-1	
Styrene	<0.36	ug/L	1.0	0.36	1		10/11/23 11:21	100-42-5	

## REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.



## ANALYTICAL RESULTS

Project: 1690028158\_CONV GORSKI LF

Pace Project No.: 40269256

Sample: 626 CTH B Lab ID: 40269256003 Collected: 10/09/23 11:00 Received: 10/09/23 16:40 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
<b>8260 MSV</b>		Analytical Method: EPA 8260 Pace Analytical Services - Green Bay							
1,1,1,2-Tetrachloroethane	<0.36	ug/L	1.0	0.36	1		10/11/23 11:21	630-20-6	
1,1,1,2-Tetrachloroethane	<0.38	ug/L	1.0	0.38	1		10/11/23 11:21	79-34-5	
Tetrachloroethene	<0.41	ug/L	1.0	0.41	1		10/11/23 11:21	127-18-4	
Toluene	<0.29	ug/L	1.0	0.29	1		10/11/23 11:21	108-88-3	
1,2,3-Trichlorobenzene	<1.0	ug/L	5.0	1.0	1		10/11/23 11:21	87-61-6	
1,2,4-Trichlorobenzene	<0.95	ug/L	5.0	0.95	1		10/11/23 11:21	120-82-1	
1,1,1-Trichloroethane	<0.30	ug/L	1.0	0.30	1		10/11/23 11:21	71-55-6	
1,1,2-Trichloroethane	<0.34	ug/L	1.0	0.34	1		10/11/23 11:21	79-00-5	
Trichloroethene	<0.32	ug/L	1.0	0.32	1		10/11/23 11:21	79-01-6	
Trichlorofluoromethane	<0.42	ug/L	1.0	0.42	1		10/11/23 11:21	75-69-4	
1,2,3-Trichloropropane	<0.56	ug/L	1.0	0.56	1		10/11/23 11:21	96-18-4	
1,2,4-Trimethylbenzene	<0.45	ug/L	1.0	0.45	1		10/11/23 11:21	95-63-6	
1,3,5-Trimethylbenzene	<0.36	ug/L	1.0	0.36	1		10/11/23 11:21	108-67-8	
Vinyl chloride	<0.17	ug/L	1.0	0.17	1		10/11/23 11:21	75-01-4	
Xylene (Total)	<1.0	ug/L	3.0	1.0	1		10/11/23 11:21	1330-20-7	
m&p-Xylene	<0.70	ug/L	2.0	0.70	1		10/11/23 11:21	179601-23-1	
o-Xylene	<0.35	ug/L	1.0	0.35	1		10/11/23 11:21	95-47-6	
<b>Surrogates</b>									
4-Bromofluorobenzene (S)	101	%	70-130		1		10/11/23 11:21	460-00-4	
1,2-Dichlorobenzene-d4 (S)	104	%	70-130		1		10/11/23 11:21	2199-69-1	
Toluene-d8 (S)	101	%	70-130		1		10/11/23 11:21	2037-26-5	

## REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.



## ANALYTICAL RESULTS

Project: 1690028158\_CONV GORSKI LF

Pace Project No.: 40269256

Sample: 642R CTH B Lab ID: 40269256004 Collected: 10/09/23 10:55 Received: 10/09/23 16:40 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
<b>8260 MSV</b>									
Analytical Method: EPA 8260									
Pace Analytical Services - Green Bay									
Benzene	<0.30	ug/L	1.0	0.30	1		10/11/23 12:36	71-43-2	
Bromobenzene	<0.36	ug/L	1.0	0.36	1		10/11/23 12:36	108-86-1	
Bromochloromethane	<0.36	ug/L	1.0	0.36	1		10/11/23 12:36	74-97-5	
Bromodichloromethane	<0.42	ug/L	1.0	0.42	1		10/11/23 12:36	75-27-4	
Bromoform	<0.43	ug/L	1.0	0.43	1		10/11/23 12:36	75-25-2	
Bromomethane	<1.2	ug/L	5.0	1.2	1		10/11/23 12:36	74-83-9	
n-Butylbenzene	<0.86	ug/L	1.0	0.86	1		10/11/23 12:36	104-51-8	
sec-Butylbenzene	<0.42	ug/L	1.0	0.42	1		10/11/23 12:36	135-98-8	
tert-Butylbenzene	<0.59	ug/L	1.0	0.59	1		10/11/23 12:36	98-06-6	
Carbon tetrachloride	<0.37	ug/L	1.0	0.37	1		10/11/23 12:36	56-23-5	
Chlorobenzene	<0.86	ug/L	1.0	0.86	1		10/11/23 12:36	108-90-7	
Chloroethane	<1.4	ug/L	5.0	1.4	1		10/11/23 12:36	75-00-3	
Chloroform	<0.50	ug/L	5.0	0.50	1		10/11/23 12:36	67-66-3	
Chloromethane	<1.6	ug/L	5.0	1.6	1		10/11/23 12:36	74-87-3	
2-Chlorotoluene	<0.89	ug/L	5.0	0.89	1		10/11/23 12:36	95-49-8	
4-Chlorotoluene	<0.89	ug/L	5.0	0.89	1		10/11/23 12:36	106-43-4	
1,2-Dibromo-3-chloropropane	<2.4	ug/L	5.0	2.4	1		10/11/23 12:36	96-12-8	
Dibromochloromethane	<2.6	ug/L	5.0	2.6	1		10/11/23 12:36	124-48-1	
1,2-Dibromoethane (EDB)	<0.31	ug/L	1.0	0.31	1		10/11/23 12:36	106-93-4	
Dibromomethane	<0.99	ug/L	5.0	0.99	1		10/11/23 12:36	74-95-3	
1,2-Dichlorobenzene	<0.33	ug/L	1.0	0.33	1		10/11/23 12:36	95-50-1	
1,3-Dichlorobenzene	<0.35	ug/L	1.0	0.35	1		10/11/23 12:36	541-73-1	
1,4-Dichlorobenzene	<0.89	ug/L	1.0	0.89	1		10/11/23 12:36	106-46-7	
Dichlorodifluoromethane	<0.46	ug/L	5.0	0.46	1		10/11/23 12:36	75-71-8	
1,1-Dichloroethane	<0.30	ug/L	1.0	0.30	1		10/11/23 12:36	75-34-3	
1,2-Dichloroethane	<0.29	ug/L	1.0	0.29	1		10/11/23 12:36	107-06-2	
1,1-Dichloroethene	<0.58	ug/L	1.0	0.58	1		10/11/23 12:36	75-35-4	
cis-1,2-Dichloroethene	<0.47	ug/L	1.0	0.47	1		10/11/23 12:36	156-59-2	
trans-1,2-Dichloroethene	<0.53	ug/L	1.0	0.53	1		10/11/23 12:36	156-60-5	
1,2-Dichloropropane	<0.45	ug/L	1.0	0.45	1		10/11/23 12:36	78-87-5	
1,3-Dichloropropane	<0.30	ug/L	1.0	0.30	1		10/11/23 12:36	142-28-9	
2,2-Dichloropropane	<0.42	ug/L	1.0	0.42	1		10/11/23 12:36	594-20-7	
1,1-Dichloropropene	<0.41	ug/L	1.0	0.41	1		10/11/23 12:36	563-58-6	
cis-1,3-Dichloropropene	<0.24	ug/L	1.0	0.24	1		10/11/23 12:36	10061-01-5	
trans-1,3-Dichloropropene	<0.27	ug/L	1.0	0.27	1		10/11/23 12:36	10061-02-6	
Diisopropyl ether	<1.1	ug/L	5.0	1.1	1		10/11/23 12:36	108-20-3	
Ethylbenzene	<0.33	ug/L	1.0	0.33	1		10/11/23 12:36	100-41-4	
Hexachloro-1,3-butadiene	<2.7	ug/L	5.0	2.7	1		10/11/23 12:36	87-68-3	
Isopropylbenzene (Cumene)	<1.0	ug/L	5.0	1.0	1		10/11/23 12:36	98-82-8	
p-Isopropyltoluene	<1.0	ug/L	5.0	1.0	1		10/11/23 12:36	99-87-6	
Methylene Chloride	<0.32	ug/L	5.0	0.32	1		10/11/23 12:36	75-09-2	
Methyl-tert-butyl ether	<1.1	ug/L	5.0	1.1	1		10/11/23 12:36	1634-04-4	
Naphthalene	<1.9	ug/L	5.0	1.9	1		10/11/23 12:36	91-20-3	L1
n-Propylbenzene	<0.35	ug/L	1.0	0.35	1		10/11/23 12:36	103-65-1	
Styrene	<0.36	ug/L	1.0	0.36	1		10/11/23 12:36	100-42-5	

## REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.



## ANALYTICAL RESULTS

Project: 1690028158\_CONV GORSKI LF

Pace Project No.: 40269256

Sample: 642R CTH B Lab ID: 40269256004 Collected: 10/09/23 10:55 Received: 10/09/23 16:40 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
<b>8260 MSV</b>									
Analytical Method: EPA 8260									
Pace Analytical Services - Green Bay									
1,1,1,2-Tetrachloroethane	<0.36	ug/L	1.0	0.36	1		10/11/23 12:36	630-20-6	
1,1,2,2-Tetrachloroethane	<0.38	ug/L	1.0	0.38	1		10/11/23 12:36	79-34-5	
Tetrachloroethene	<0.41	ug/L	1.0	0.41	1		10/11/23 12:36	127-18-4	
Toluene	<0.29	ug/L	1.0	0.29	1		10/11/23 12:36	108-88-3	
1,2,3-Trichlorobenzene	<1.0	ug/L	5.0	1.0	1		10/11/23 12:36	87-61-6	
1,2,4-Trichlorobenzene	<0.95	ug/L	5.0	0.95	1		10/11/23 12:36	120-82-1	
1,1,1-Trichloroethane	<0.30	ug/L	1.0	0.30	1		10/11/23 12:36	71-55-6	
1,1,2-Trichloroethane	<0.34	ug/L	1.0	0.34	1		10/11/23 12:36	79-00-5	
Trichloroethene	<0.32	ug/L	1.0	0.32	1		10/11/23 12:36	79-01-6	
Trichlorofluoromethane	<0.42	ug/L	1.0	0.42	1		10/11/23 12:36	75-69-4	
1,2,3-Trichloropropane	<0.56	ug/L	1.0	0.56	1		10/11/23 12:36	96-18-4	
1,2,4-Trimethylbenzene	<0.45	ug/L	1.0	0.45	1		10/11/23 12:36	95-63-6	
1,3,5-Trimethylbenzene	<0.36	ug/L	1.0	0.36	1		10/11/23 12:36	108-67-8	
Vinyl chloride	<0.17	ug/L	1.0	0.17	1		10/11/23 12:36	75-01-4	
Xylene (Total)	<1.0	ug/L	3.0	1.0	1		10/11/23 12:36	1330-20-7	
m&p-Xylene	<0.70	ug/L	2.0	0.70	1		10/11/23 12:36	179601-23-1	
o-Xylene	<0.35	ug/L	1.0	0.35	1		10/11/23 12:36	95-47-6	
<b>Surrogates</b>									
4-Bromofluorobenzene (S)	99	%	70-130		1		10/11/23 12:36	460-00-4	
1,2-Dichlorobenzene-d4 (S)	104	%	70-130		1		10/11/23 12:36	2199-69-1	
Toluene-d8 (S)	100	%	70-130		1		10/11/23 12:36	2037-26-5	

## REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.



## ANALYTICAL RESULTS

Project: 1690028158\_CONV GORSKI LF

Pace Project No.: 40269256

Sample: 652R CTH B Lab ID: 40269256005 Collected: 10/09/23 10:45 Received: 10/09/23 16:40 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
<b>8260 MSV</b>									
Analytical Method: EPA 8260									
Pace Analytical Services - Green Bay									
Benzene	<0.30	ug/L	1.0	0.30	1		10/11/23 12:54	71-43-2	
Bromobenzene	<0.36	ug/L	1.0	0.36	1		10/11/23 12:54	108-86-1	
Bromochloromethane	<0.36	ug/L	1.0	0.36	1		10/11/23 12:54	74-97-5	
Bromodichloromethane	<0.42	ug/L	1.0	0.42	1		10/11/23 12:54	75-27-4	
Bromoform	<0.43	ug/L	1.0	0.43	1		10/11/23 12:54	75-25-2	
Bromomethane	<1.2	ug/L	5.0	1.2	1		10/11/23 12:54	74-83-9	
n-Butylbenzene	<0.86	ug/L	1.0	0.86	1		10/11/23 12:54	104-51-8	
sec-Butylbenzene	<0.42	ug/L	1.0	0.42	1		10/11/23 12:54	135-98-8	
tert-Butylbenzene	<0.59	ug/L	1.0	0.59	1		10/11/23 12:54	98-06-6	
Carbon tetrachloride	<0.37	ug/L	1.0	0.37	1		10/11/23 12:54	56-23-5	
Chlorobenzene	<0.86	ug/L	1.0	0.86	1		10/11/23 12:54	108-90-7	
Chloroethane	<1.4	ug/L	5.0	1.4	1		10/11/23 12:54	75-00-3	
Chloroform	<0.50	ug/L	5.0	0.50	1		10/11/23 12:54	67-66-3	
Chloromethane	<1.6	ug/L	5.0	1.6	1		10/11/23 12:54	74-87-3	
2-Chlorotoluene	<0.89	ug/L	5.0	0.89	1		10/11/23 12:54	95-49-8	
4-Chlorotoluene	<0.89	ug/L	5.0	0.89	1		10/11/23 12:54	106-43-4	
1,2-Dibromo-3-chloropropane	<2.4	ug/L	5.0	2.4	1		10/11/23 12:54	96-12-8	
Dibromochloromethane	<2.6	ug/L	5.0	2.6	1		10/11/23 12:54	124-48-1	
1,2-Dibromoethane (EDB)	<0.31	ug/L	1.0	0.31	1		10/11/23 12:54	106-93-4	
Dibromomethane	<0.99	ug/L	5.0	0.99	1		10/11/23 12:54	74-95-3	
1,2-Dichlorobenzene	<0.33	ug/L	1.0	0.33	1		10/11/23 12:54	95-50-1	
1,3-Dichlorobenzene	<0.35	ug/L	1.0	0.35	1		10/11/23 12:54	541-73-1	
1,4-Dichlorobenzene	<0.89	ug/L	1.0	0.89	1		10/11/23 12:54	106-46-7	
Dichlorodifluoromethane	<0.46	ug/L	5.0	0.46	1		10/11/23 12:54	75-71-8	
1,1-Dichloroethane	<0.30	ug/L	1.0	0.30	1		10/11/23 12:54	75-34-3	
1,2-Dichloroethane	<0.29	ug/L	1.0	0.29	1		10/11/23 12:54	107-06-2	
1,1-Dichloroethene	<0.58	ug/L	1.0	0.58	1		10/11/23 12:54	75-35-4	
cis-1,2-Dichloroethene	<0.47	ug/L	1.0	0.47	1		10/11/23 12:54	156-59-2	
trans-1,2-Dichloroethene	<0.53	ug/L	1.0	0.53	1		10/11/23 12:54	156-60-5	
1,2-Dichloropropane	<0.45	ug/L	1.0	0.45	1		10/11/23 12:54	78-87-5	
1,3-Dichloropropane	<0.30	ug/L	1.0	0.30	1		10/11/23 12:54	142-28-9	
2,2-Dichloropropane	<0.42	ug/L	1.0	0.42	1		10/11/23 12:54	594-20-7	
1,1-Dichloropropene	<0.41	ug/L	1.0	0.41	1		10/11/23 12:54	563-58-6	
cis-1,3-Dichloropropene	<0.24	ug/L	1.0	0.24	1		10/11/23 12:54	10061-01-5	
trans-1,3-Dichloropropene	<0.27	ug/L	1.0	0.27	1		10/11/23 12:54	10061-02-6	
Diisopropyl ether	<1.1	ug/L	5.0	1.1	1		10/11/23 12:54	108-20-3	
Ethylbenzene	<0.33	ug/L	1.0	0.33	1		10/11/23 12:54	100-41-4	
Hexachloro-1,3-butadiene	<2.7	ug/L	5.0	2.7	1		10/11/23 12:54	87-68-3	
Isopropylbenzene (Cumene)	<1.0	ug/L	5.0	1.0	1		10/11/23 12:54	98-82-8	
p-Isopropyltoluene	<1.0	ug/L	5.0	1.0	1		10/11/23 12:54	99-87-6	
Methylene Chloride	<0.32	ug/L	5.0	0.32	1		10/11/23 12:54	75-09-2	
Methyl-tert-butyl ether	<1.1	ug/L	5.0	1.1	1		10/11/23 12:54	1634-04-4	
Naphthalene	<1.9	ug/L	5.0	1.9	1		10/11/23 12:54	91-20-3	L1
n-Propylbenzene	<0.35	ug/L	1.0	0.35	1		10/11/23 12:54	103-65-1	
Styrene	<0.36	ug/L	1.0	0.36	1		10/11/23 12:54	100-42-5	

## REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.



## ANALYTICAL RESULTS

Project: 1690028158\_CONV GORSKI LF

Pace Project No.: 40269256

Sample: 652R CTH B Lab ID: 40269256005 Collected: 10/09/23 10:45 Received: 10/09/23 16:40 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
<b>8260 MSV</b>									
Analytical Method: EPA 8260									
Pace Analytical Services - Green Bay									
1,1,1,2-Tetrachloroethane	<0.36	ug/L	1.0	0.36	1		10/11/23 12:54	630-20-6	
1,1,2,2-Tetrachloroethane	<0.38	ug/L	1.0	0.38	1		10/11/23 12:54	79-34-5	
Tetrachloroethene	<0.41	ug/L	1.0	0.41	1		10/11/23 12:54	127-18-4	
Toluene	<0.29	ug/L	1.0	0.29	1		10/11/23 12:54	108-88-3	
1,2,3-Trichlorobenzene	<1.0	ug/L	5.0	1.0	1		10/11/23 12:54	87-61-6	
1,2,4-Trichlorobenzene	<0.95	ug/L	5.0	0.95	1		10/11/23 12:54	120-82-1	
1,1,1-Trichloroethane	<0.30	ug/L	1.0	0.30	1		10/11/23 12:54	71-55-6	
1,1,2-Trichloroethane	<0.34	ug/L	1.0	0.34	1		10/11/23 12:54	79-00-5	
Trichloroethene	<0.32	ug/L	1.0	0.32	1		10/11/23 12:54	79-01-6	
Trichlorofluoromethane	<0.42	ug/L	1.0	0.42	1		10/11/23 12:54	75-69-4	
1,2,3-Trichloropropane	<0.56	ug/L	1.0	0.56	1		10/11/23 12:54	96-18-4	
1,2,4-Trimethylbenzene	<0.45	ug/L	1.0	0.45	1		10/11/23 12:54	95-63-6	
1,3,5-Trimethylbenzene	<0.36	ug/L	1.0	0.36	1		10/11/23 12:54	108-67-8	
Vinyl chloride	<0.17	ug/L	1.0	0.17	1		10/11/23 12:54	75-01-4	
Xylene (Total)	<1.0	ug/L	3.0	1.0	1		10/11/23 12:54	1330-20-7	
m&p-Xylene	<0.70	ug/L	2.0	0.70	1		10/11/23 12:54	179601-23-1	
o-Xylene	<0.35	ug/L	1.0	0.35	1		10/11/23 12:54	95-47-6	
<b>Surrogates</b>									
4-Bromofluorobenzene (S)	99	%	70-130		1		10/11/23 12:54	460-00-4	
1,2-Dichlorobenzene-d4 (S)	103	%	70-130		1		10/11/23 12:54	2199-69-1	
Toluene-d8 (S)	99	%	70-130		1		10/11/23 12:54	2037-26-5	

## REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.



## ANALYTICAL RESULTS

Project: 1690028158\_CONV GORSKI LF

Pace Project No.: 40269256

Sample: 666 CTH B Lab ID: 40269256006 Collected: 10/09/23 10:15 Received: 10/09/23 16:40 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
<b>8260 MSV</b>									
Analytical Method: EPA 8260									
Pace Analytical Services - Green Bay									
Benzene	<0.30	ug/L	1.0	0.30	1		10/11/23 13:13	71-43-2	
Bromobenzene	<0.36	ug/L	1.0	0.36	1		10/11/23 13:13	108-86-1	
Bromochloromethane	<0.36	ug/L	1.0	0.36	1		10/11/23 13:13	74-97-5	
Bromodichloromethane	<0.42	ug/L	1.0	0.42	1		10/11/23 13:13	75-27-4	
Bromoform	<0.43	ug/L	1.0	0.43	1		10/11/23 13:13	75-25-2	
Bromomethane	<1.2	ug/L	5.0	1.2	1		10/11/23 13:13	74-83-9	
n-Butylbenzene	<0.86	ug/L	1.0	0.86	1		10/11/23 13:13	104-51-8	
sec-Butylbenzene	<0.42	ug/L	1.0	0.42	1		10/11/23 13:13	135-98-8	
tert-Butylbenzene	<0.59	ug/L	1.0	0.59	1		10/11/23 13:13	98-06-6	
Carbon tetrachloride	<0.37	ug/L	1.0	0.37	1		10/11/23 13:13	56-23-5	
Chlorobenzene	<0.86	ug/L	1.0	0.86	1		10/11/23 13:13	108-90-7	
Chloroethane	<1.4	ug/L	5.0	1.4	1		10/11/23 13:13	75-00-3	
Chloroform	<0.50	ug/L	5.0	0.50	1		10/11/23 13:13	67-66-3	
Chloromethane	<1.6	ug/L	5.0	1.6	1		10/11/23 13:13	74-87-3	
2-Chlorotoluene	<0.89	ug/L	5.0	0.89	1		10/11/23 13:13	95-49-8	
4-Chlorotoluene	<0.89	ug/L	5.0	0.89	1		10/11/23 13:13	106-43-4	
1,2-Dibromo-3-chloropropane	<2.4	ug/L	5.0	2.4	1		10/11/23 13:13	96-12-8	
Dibromochloromethane	<2.6	ug/L	5.0	2.6	1		10/11/23 13:13	124-48-1	
1,2-Dibromoethane (EDB)	<0.31	ug/L	1.0	0.31	1		10/11/23 13:13	106-93-4	
Dibromomethane	<0.99	ug/L	5.0	0.99	1		10/11/23 13:13	74-95-3	
1,2-Dichlorobenzene	<0.33	ug/L	1.0	0.33	1		10/11/23 13:13	95-50-1	
1,3-Dichlorobenzene	<0.35	ug/L	1.0	0.35	1		10/11/23 13:13	541-73-1	
1,4-Dichlorobenzene	<0.89	ug/L	1.0	0.89	1		10/11/23 13:13	106-46-7	
Dichlorodifluoromethane	<0.46	ug/L	5.0	0.46	1		10/11/23 13:13	75-71-8	
1,1-Dichloroethane	<0.30	ug/L	1.0	0.30	1		10/11/23 13:13	75-34-3	
1,2-Dichloroethane	<0.29	ug/L	1.0	0.29	1		10/11/23 13:13	107-06-2	
1,1-Dichloroethene	<0.58	ug/L	1.0	0.58	1		10/11/23 13:13	75-35-4	
cis-1,2-Dichloroethene	<0.47	ug/L	1.0	0.47	1		10/11/23 13:13	156-59-2	
trans-1,2-Dichloroethene	<0.53	ug/L	1.0	0.53	1		10/11/23 13:13	156-60-5	
1,2-Dichloropropane	<0.45	ug/L	1.0	0.45	1		10/11/23 13:13	78-87-5	
1,3-Dichloropropane	<0.30	ug/L	1.0	0.30	1		10/11/23 13:13	142-28-9	
2,2-Dichloropropane	<0.42	ug/L	1.0	0.42	1		10/11/23 13:13	594-20-7	
1,1-Dichloropropene	<0.41	ug/L	1.0	0.41	1		10/11/23 13:13	563-58-6	
cis-1,3-Dichloropropene	<0.24	ug/L	1.0	0.24	1		10/11/23 13:13	10061-01-5	
trans-1,3-Dichloropropene	<0.27	ug/L	1.0	0.27	1		10/11/23 13:13	10061-02-6	
Diisopropyl ether	<1.1	ug/L	5.0	1.1	1		10/11/23 13:13	108-20-3	
Ethylbenzene	<0.33	ug/L	1.0	0.33	1		10/11/23 13:13	100-41-4	
Hexachloro-1,3-butadiene	<2.7	ug/L	5.0	2.7	1		10/11/23 13:13	87-68-3	
Isopropylbenzene (Cumene)	<1.0	ug/L	5.0	1.0	1		10/11/23 13:13	98-82-8	
p-Isopropyltoluene	<1.0	ug/L	5.0	1.0	1		10/11/23 13:13	99-87-6	
Methylene Chloride	<0.32	ug/L	5.0	0.32	1		10/11/23 13:13	75-09-2	
Methyl-tert-butyl ether	<1.1	ug/L	5.0	1.1	1		10/11/23 13:13	1634-04-4	
Naphthalene	<1.9	ug/L	5.0	1.9	1		10/11/23 13:13	91-20-3	L1
n-Propylbenzene	<0.35	ug/L	1.0	0.35	1		10/11/23 13:13	103-65-1	
Styrene	<0.36	ug/L	1.0	0.36	1		10/11/23 13:13	100-42-5	

## REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.





## ANALYTICAL RESULTS

Project: 1690028158\_CONV GORSKI LF

Pace Project No.: 40269256

Sample: 666 CTH B Lab ID: 40269256006 Collected: 10/09/23 10:15 Received: 10/09/23 16:40 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
<b>8260 MSV</b>									
Analytical Method: EPA 8260									
Pace Analytical Services - Green Bay									
1,1,1,2-Tetrachloroethane	<0.36	ug/L	1.0	0.36	1		10/11/23 13:13	630-20-6	
1,1,2,2-Tetrachloroethane	<0.38	ug/L	1.0	0.38	1		10/11/23 13:13	79-34-5	
Tetrachloroethene	<0.41	ug/L	1.0	0.41	1		10/11/23 13:13	127-18-4	
Toluene	<0.29	ug/L	1.0	0.29	1		10/11/23 13:13	108-88-3	
1,2,3-Trichlorobenzene	<1.0	ug/L	5.0	1.0	1		10/11/23 13:13	87-61-6	
1,2,4-Trichlorobenzene	<0.95	ug/L	5.0	0.95	1		10/11/23 13:13	120-82-1	
1,1,1-Trichloroethane	<0.30	ug/L	1.0	0.30	1		10/11/23 13:13	71-55-6	
1,1,2-Trichloroethane	<0.34	ug/L	1.0	0.34	1		10/11/23 13:13	79-00-5	
Trichloroethene	<0.32	ug/L	1.0	0.32	1		10/11/23 13:13	79-01-6	
Trichlorofluoromethane	<0.42	ug/L	1.0	0.42	1		10/11/23 13:13	75-69-4	
1,2,3-Trichloropropane	<0.56	ug/L	1.0	0.56	1		10/11/23 13:13	96-18-4	
1,2,4-Trimethylbenzene	<0.45	ug/L	1.0	0.45	1		10/11/23 13:13	95-63-6	
1,3,5-Trimethylbenzene	<0.36	ug/L	1.0	0.36	1		10/11/23 13:13	108-67-8	
Vinyl chloride	<0.17	ug/L	1.0	0.17	1		10/11/23 13:13	75-01-4	
Xylene (Total)	<1.0	ug/L	3.0	1.0	1		10/11/23 13:13	1330-20-7	
m&p-Xylene	<0.70	ug/L	2.0	0.70	1		10/11/23 13:13	179601-23-1	
o-Xylene	<0.35	ug/L	1.0	0.35	1		10/11/23 13:13	95-47-6	
<b>Surrogates</b>									
4-Bromofluorobenzene (S)	102	%	70-130		1		10/11/23 13:13	460-00-4	
1,2-Dichlorobenzene-d4 (S)	104	%	70-130		1		10/11/23 13:13	2199-69-1	
Toluene-d8 (S)	101	%	70-130		1		10/11/23 13:13	2037-26-5	

## REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.



## ANALYTICAL RESULTS

Project: 1690028158\_CONV GORSKI LF

Pace Project No.: 40269256

Sample: 669 CTH B Lab ID: 40269256007 Collected: 10/09/23 10:25 Received: 10/09/23 16:40 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
<b>8260 MSV</b>									
Analytical Method: EPA 8260									
Pace Analytical Services - Green Bay									
Benzene	<0.30	ug/L	1.0	0.30	1		10/11/23 13:31	71-43-2	
Bromobenzene	<0.36	ug/L	1.0	0.36	1		10/11/23 13:31	108-86-1	
Bromochloromethane	<0.36	ug/L	1.0	0.36	1		10/11/23 13:31	74-97-5	
Bromodichloromethane	<0.42	ug/L	1.0	0.42	1		10/11/23 13:31	75-27-4	
Bromoform	<0.43	ug/L	1.0	0.43	1		10/11/23 13:31	75-25-2	
Bromomethane	<1.2	ug/L	5.0	1.2	1		10/11/23 13:31	74-83-9	
n-Butylbenzene	<0.86	ug/L	1.0	0.86	1		10/11/23 13:31	104-51-8	
sec-Butylbenzene	<0.42	ug/L	1.0	0.42	1		10/11/23 13:31	135-98-8	
tert-Butylbenzene	<0.59	ug/L	1.0	0.59	1		10/11/23 13:31	98-06-6	
Carbon tetrachloride	<0.37	ug/L	1.0	0.37	1		10/11/23 13:31	56-23-5	
Chlorobenzene	<0.86	ug/L	1.0	0.86	1		10/11/23 13:31	108-90-7	
Chloroethane	<1.4	ug/L	5.0	1.4	1		10/11/23 13:31	75-00-3	
Chloroform	<0.50	ug/L	5.0	0.50	1		10/11/23 13:31	67-66-3	
Chloromethane	<1.6	ug/L	5.0	1.6	1		10/11/23 13:31	74-87-3	
2-Chlorotoluene	<0.89	ug/L	5.0	0.89	1		10/11/23 13:31	95-49-8	
4-Chlorotoluene	<0.89	ug/L	5.0	0.89	1		10/11/23 13:31	106-43-4	
1,2-Dibromo-3-chloropropane	<2.4	ug/L	5.0	2.4	1		10/11/23 13:31	96-12-8	
Dibromochloromethane	<2.6	ug/L	5.0	2.6	1		10/11/23 13:31	124-48-1	
1,2-Dibromoethane (EDB)	<0.31	ug/L	1.0	0.31	1		10/11/23 13:31	106-93-4	
Dibromomethane	<0.99	ug/L	5.0	0.99	1		10/11/23 13:31	74-95-3	
1,2-Dichlorobenzene	<0.33	ug/L	1.0	0.33	1		10/11/23 13:31	95-50-1	
1,3-Dichlorobenzene	<0.35	ug/L	1.0	0.35	1		10/11/23 13:31	541-73-1	
1,4-Dichlorobenzene	<0.89	ug/L	1.0	0.89	1		10/11/23 13:31	106-46-7	
Dichlorodifluoromethane	<0.46	ug/L	5.0	0.46	1		10/11/23 13:31	75-71-8	
1,1-Dichloroethane	<0.30	ug/L	1.0	0.30	1		10/11/23 13:31	75-34-3	
1,2-Dichloroethane	<0.29	ug/L	1.0	0.29	1		10/11/23 13:31	107-06-2	
1,1-Dichloroethene	<0.58	ug/L	1.0	0.58	1		10/11/23 13:31	75-35-4	
cis-1,2-Dichloroethene	<0.47	ug/L	1.0	0.47	1		10/11/23 13:31	156-59-2	
trans-1,2-Dichloroethene	<0.53	ug/L	1.0	0.53	1		10/11/23 13:31	156-60-5	
1,2-Dichloropropane	<0.45	ug/L	1.0	0.45	1		10/11/23 13:31	78-87-5	
1,3-Dichloropropane	<0.30	ug/L	1.0	0.30	1		10/11/23 13:31	142-28-9	
2,2-Dichloropropane	<0.42	ug/L	1.0	0.42	1		10/11/23 13:31	594-20-7	
1,1-Dichloropropene	<0.41	ug/L	1.0	0.41	1		10/11/23 13:31	563-58-6	
cis-1,3-Dichloropropene	<0.24	ug/L	1.0	0.24	1		10/11/23 13:31	10061-01-5	
trans-1,3-Dichloropropene	<0.27	ug/L	1.0	0.27	1		10/11/23 13:31	10061-02-6	
Diisopropyl ether	<1.1	ug/L	5.0	1.1	1		10/11/23 13:31	108-20-3	
Ethylbenzene	<0.33	ug/L	1.0	0.33	1		10/11/23 13:31	100-41-4	
Hexachloro-1,3-butadiene	<2.7	ug/L	5.0	2.7	1		10/11/23 13:31	87-68-3	
Isopropylbenzene (Cumene)	<1.0	ug/L	5.0	1.0	1		10/11/23 13:31	98-82-8	
p-Isopropyltoluene	<1.0	ug/L	5.0	1.0	1		10/11/23 13:31	99-87-6	
Methylene Chloride	<0.32	ug/L	5.0	0.32	1		10/11/23 13:31	75-09-2	
Methyl-tert-butyl ether	<1.1	ug/L	5.0	1.1	1		10/11/23 13:31	1634-04-4	
Naphthalene	<1.9	ug/L	5.0	1.9	1		10/11/23 13:31	91-20-3	L1
n-Propylbenzene	<0.35	ug/L	1.0	0.35	1		10/11/23 13:31	103-65-1	
Styrene	<0.36	ug/L	1.0	0.36	1		10/11/23 13:31	100-42-5	

## REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.



## ANALYTICAL RESULTS

Project: 1690028158\_CONV GORSKI LF

Pace Project No.: 40269256

Sample: 669 CTH B Lab ID: 40269256007 Collected: 10/09/23 10:25 Received: 10/09/23 16:40 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
<b>8260 MSV</b>									
Analytical Method: EPA 8260									
Pace Analytical Services - Green Bay									
1,1,1,2-Tetrachloroethane	<0.36	ug/L	1.0	0.36	1		10/11/23 13:31	630-20-6	
1,1,2,2-Tetrachloroethane	<0.38	ug/L	1.0	0.38	1		10/11/23 13:31	79-34-5	
Tetrachloroethene	<0.41	ug/L	1.0	0.41	1		10/11/23 13:31	127-18-4	
Toluene	<0.29	ug/L	1.0	0.29	1		10/11/23 13:31	108-88-3	
1,2,3-Trichlorobenzene	<1.0	ug/L	5.0	1.0	1		10/11/23 13:31	87-61-6	
1,2,4-Trichlorobenzene	<0.95	ug/L	5.0	0.95	1		10/11/23 13:31	120-82-1	
1,1,1-Trichloroethane	<0.30	ug/L	1.0	0.30	1		10/11/23 13:31	71-55-6	
1,1,2-Trichloroethane	<0.34	ug/L	1.0	0.34	1		10/11/23 13:31	79-00-5	
Trichloroethene	0.64J	ug/L	1.0	0.32	1		10/11/23 13:31	79-01-6	
Trichlorofluoromethane	<0.42	ug/L	1.0	0.42	1		10/11/23 13:31	75-69-4	
1,2,3-Trichloropropane	<0.56	ug/L	1.0	0.56	1		10/11/23 13:31	96-18-4	
1,2,4-Trimethylbenzene	<0.45	ug/L	1.0	0.45	1		10/11/23 13:31	95-63-6	
1,3,5-Trimethylbenzene	<0.36	ug/L	1.0	0.36	1		10/11/23 13:31	108-67-8	
Vinyl chloride	<0.17	ug/L	1.0	0.17	1		10/11/23 13:31	75-01-4	
Xylene (Total)	<1.0	ug/L	3.0	1.0	1		10/11/23 13:31	1330-20-7	
m&p-Xylene	<0.70	ug/L	2.0	0.70	1		10/11/23 13:31	179601-23-1	
o-Xylene	<0.35	ug/L	1.0	0.35	1		10/11/23 13:31	95-47-6	
<b>Surrogates</b>									
4-Bromofluorobenzene (S)	101	%	70-130		1		10/11/23 13:31	460-00-4	
1,2-Dichlorobenzene-d4 (S)	106	%	70-130		1		10/11/23 13:31	2199-69-1	
Toluene-d8 (S)	102	%	70-130		1		10/11/23 13:31	2037-26-5	

## REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.



## ANALYTICAL RESULTS

Project: 1690028158\_CONV GORSKI LF

Pace Project No.: 40269256

Sample: 669 CTH BD Lab ID: 40269256008 Collected: 10/09/23 10:30 Received: 10/09/23 16:40 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
<b>8260 MSV</b>									
Analytical Method: EPA 8260									
Pace Analytical Services - Green Bay									
Benzene	<0.30	ug/L	1.0	0.30	1		10/11/23 13:50	71-43-2	
Bromobenzene	<0.36	ug/L	1.0	0.36	1		10/11/23 13:50	108-86-1	
Bromochloromethane	<0.36	ug/L	1.0	0.36	1		10/11/23 13:50	74-97-5	
Bromodichloromethane	<0.42	ug/L	1.0	0.42	1		10/11/23 13:50	75-27-4	
Bromoform	<0.43	ug/L	1.0	0.43	1		10/11/23 13:50	75-25-2	
Bromomethane	<1.2	ug/L	5.0	1.2	1		10/11/23 13:50	74-83-9	
n-Butylbenzene	<0.86	ug/L	1.0	0.86	1		10/11/23 13:50	104-51-8	
sec-Butylbenzene	<0.42	ug/L	1.0	0.42	1		10/11/23 13:50	135-98-8	
tert-Butylbenzene	<0.59	ug/L	1.0	0.59	1		10/11/23 13:50	98-06-6	
Carbon tetrachloride	<0.37	ug/L	1.0	0.37	1		10/11/23 13:50	56-23-5	
Chlorobenzene	<0.86	ug/L	1.0	0.86	1		10/11/23 13:50	108-90-7	
Chloroethane	<1.4	ug/L	5.0	1.4	1		10/11/23 13:50	75-00-3	
Chloroform	<0.50	ug/L	5.0	0.50	1		10/11/23 13:50	67-66-3	
Chloromethane	<1.6	ug/L	5.0	1.6	1		10/11/23 13:50	74-87-3	
2-Chlorotoluene	<0.89	ug/L	5.0	0.89	1		10/11/23 13:50	95-49-8	
4-Chlorotoluene	<0.89	ug/L	5.0	0.89	1		10/11/23 13:50	106-43-4	
1,2-Dibromo-3-chloropropane	<2.4	ug/L	5.0	2.4	1		10/11/23 13:50	96-12-8	
Dibromochloromethane	<2.6	ug/L	5.0	2.6	1		10/11/23 13:50	124-48-1	
1,2-Dibromoethane (EDB)	<0.31	ug/L	1.0	0.31	1		10/11/23 13:50	106-93-4	
Dibromomethane	<0.99	ug/L	5.0	0.99	1		10/11/23 13:50	74-95-3	
1,2-Dichlorobenzene	<0.33	ug/L	1.0	0.33	1		10/11/23 13:50	95-50-1	
1,3-Dichlorobenzene	<0.35	ug/L	1.0	0.35	1		10/11/23 13:50	541-73-1	
1,4-Dichlorobenzene	<0.89	ug/L	1.0	0.89	1		10/11/23 13:50	106-46-7	
Dichlorodifluoromethane	<0.46	ug/L	5.0	0.46	1		10/11/23 13:50	75-71-8	
1,1-Dichloroethane	<0.30	ug/L	1.0	0.30	1		10/11/23 13:50	75-34-3	
1,2-Dichloroethane	<0.29	ug/L	1.0	0.29	1		10/11/23 13:50	107-06-2	
1,1-Dichloroethene	<0.58	ug/L	1.0	0.58	1		10/11/23 13:50	75-35-4	
cis-1,2-Dichloroethene	<0.47	ug/L	1.0	0.47	1		10/11/23 13:50	156-59-2	
trans-1,2-Dichloroethene	<0.53	ug/L	1.0	0.53	1		10/11/23 13:50	156-60-5	
1,2-Dichloropropane	<0.45	ug/L	1.0	0.45	1		10/11/23 13:50	78-87-5	
1,3-Dichloropropane	<0.30	ug/L	1.0	0.30	1		10/11/23 13:50	142-28-9	
2,2-Dichloropropane	<0.42	ug/L	1.0	0.42	1		10/11/23 13:50	594-20-7	
1,1-Dichloropropene	<0.41	ug/L	1.0	0.41	1		10/11/23 13:50	563-58-6	
cis-1,3-Dichloropropene	<0.24	ug/L	1.0	0.24	1		10/11/23 13:50	10061-01-5	
trans-1,3-Dichloropropene	<0.27	ug/L	1.0	0.27	1		10/11/23 13:50	10061-02-6	
Diisopropyl ether	<1.1	ug/L	5.0	1.1	1		10/11/23 13:50	108-20-3	
Ethylbenzene	<0.33	ug/L	1.0	0.33	1		10/11/23 13:50	100-41-4	
Hexachloro-1,3-butadiene	<2.7	ug/L	5.0	2.7	1		10/11/23 13:50	87-68-3	
Isopropylbenzene (Cumene)	<1.0	ug/L	5.0	1.0	1		10/11/23 13:50	98-82-8	
p-Isopropyltoluene	<1.0	ug/L	5.0	1.0	1		10/11/23 13:50	99-87-6	
Methylene Chloride	<0.32	ug/L	5.0	0.32	1		10/11/23 13:50	75-09-2	
Methyl-tert-butyl ether	<1.1	ug/L	5.0	1.1	1		10/11/23 13:50	1634-04-4	
Naphthalene	<1.9	ug/L	5.0	1.9	1		10/11/23 13:50	91-20-3	L1
n-Propylbenzene	<0.35	ug/L	1.0	0.35	1		10/11/23 13:50	103-65-1	
Styrene	<0.36	ug/L	1.0	0.36	1		10/11/23 13:50	100-42-5	

## REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.



## ANALYTICAL RESULTS

Project: 1690028158\_CONV GORSKI LF

Pace Project No.: 40269256

Sample: 669 CTH BD Lab ID: 40269256008 Collected: 10/09/23 10:30 Received: 10/09/23 16:40 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
<b>8260 MSV</b>		Analytical Method: EPA 8260 Pace Analytical Services - Green Bay							
1,1,1,2-Tetrachloroethane	<0.36	ug/L	1.0	0.36	1		10/11/23 13:50	630-20-6	
1,1,2,2-Tetrachloroethane	<0.38	ug/L	1.0	0.38	1		10/11/23 13:50	79-34-5	
Tetrachloroethene	<0.41	ug/L	1.0	0.41	1		10/11/23 13:50	127-18-4	
Toluene	<0.29	ug/L	1.0	0.29	1		10/11/23 13:50	108-88-3	
1,2,3-Trichlorobenzene	<1.0	ug/L	5.0	1.0	1		10/11/23 13:50	87-61-6	
1,2,4-Trichlorobenzene	<0.95	ug/L	5.0	0.95	1		10/11/23 13:50	120-82-1	
1,1,1-Trichloroethane	<0.30	ug/L	1.0	0.30	1		10/11/23 13:50	71-55-6	
1,1,2-Trichloroethane	<0.34	ug/L	1.0	0.34	1		10/11/23 13:50	79-00-5	
Trichloroethene	0.69J	ug/L	1.0	0.32	1		10/11/23 13:50	79-01-6	
Trichlorofluoromethane	<0.42	ug/L	1.0	0.42	1		10/11/23 13:50	75-69-4	
1,2,3-Trichloropropane	<0.56	ug/L	1.0	0.56	1		10/11/23 13:50	96-18-4	
1,2,4-Trimethylbenzene	<0.45	ug/L	1.0	0.45	1		10/11/23 13:50	95-63-6	
1,3,5-Trimethylbenzene	<0.36	ug/L	1.0	0.36	1		10/11/23 13:50	108-67-8	
Vinyl chloride	<0.17	ug/L	1.0	0.17	1		10/11/23 13:50	75-01-4	
Xylene (Total)	<1.0	ug/L	3.0	1.0	1		10/11/23 13:50	1330-20-7	
m&p-Xylene	<0.70	ug/L	2.0	0.70	1		10/11/23 13:50	179601-23-1	
o-Xylene	<0.35	ug/L	1.0	0.35	1		10/11/23 13:50	95-47-6	
<b>Surrogates</b>									
4-Bromofluorobenzene (S)	101	%	70-130		1		10/11/23 13:50	460-00-4	
1,2-Dichlorobenzene-d4 (S)	105	%	70-130		1		10/11/23 13:50	2199-69-1	
Toluene-d8 (S)	100	%	70-130		1		10/11/23 13:50	2037-26-5	

## REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.



## ANALYTICAL RESULTS

Project: 1690028158\_CONV GORSKI LF

Pace Project No.: 40269256

Sample: 670 CTH B Lab ID: 40269256009 Collected: 10/09/23 10:35 Received: 10/09/23 16:40 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
<b>8260 MSV</b>									
Analytical Method: EPA 8260									
Pace Analytical Services - Green Bay									
Benzene	<0.30	ug/L	1.0	0.30	1		10/11/23 14:08	71-43-2	
Bromobenzene	<0.36	ug/L	1.0	0.36	1		10/11/23 14:08	108-86-1	
Bromochloromethane	<0.36	ug/L	1.0	0.36	1		10/11/23 14:08	74-97-5	
Bromodichloromethane	<0.42	ug/L	1.0	0.42	1		10/11/23 14:08	75-27-4	
Bromoform	<0.43	ug/L	1.0	0.43	1		10/11/23 14:08	75-25-2	
Bromomethane	<1.2	ug/L	5.0	1.2	1		10/11/23 14:08	74-83-9	
n-Butylbenzene	<0.86	ug/L	1.0	0.86	1		10/11/23 14:08	104-51-8	
sec-Butylbenzene	<0.42	ug/L	1.0	0.42	1		10/11/23 14:08	135-98-8	
tert-Butylbenzene	<0.59	ug/L	1.0	0.59	1		10/11/23 14:08	98-06-6	
Carbon tetrachloride	<0.37	ug/L	1.0	0.37	1		10/11/23 14:08	56-23-5	
Chlorobenzene	<0.86	ug/L	1.0	0.86	1		10/11/23 14:08	108-90-7	
Chloroethane	<1.4	ug/L	5.0	1.4	1		10/11/23 14:08	75-00-3	
Chloroform	<0.50	ug/L	5.0	0.50	1		10/11/23 14:08	67-66-3	
Chloromethane	<1.6	ug/L	5.0	1.6	1		10/11/23 14:08	74-87-3	
2-Chlorotoluene	<0.89	ug/L	5.0	0.89	1		10/11/23 14:08	95-49-8	
4-Chlorotoluene	<0.89	ug/L	5.0	0.89	1		10/11/23 14:08	106-43-4	
1,2-Dibromo-3-chloropropane	<2.4	ug/L	5.0	2.4	1		10/11/23 14:08	96-12-8	
Dibromochloromethane	<2.6	ug/L	5.0	2.6	1		10/11/23 14:08	124-48-1	
1,2-Dibromoethane (EDB)	<0.31	ug/L	1.0	0.31	1		10/11/23 14:08	106-93-4	
Dibromomethane	<0.99	ug/L	5.0	0.99	1		10/11/23 14:08	74-95-3	
1,2-Dichlorobenzene	<0.33	ug/L	1.0	0.33	1		10/11/23 14:08	95-50-1	
1,3-Dichlorobenzene	<0.35	ug/L	1.0	0.35	1		10/11/23 14:08	541-73-1	
1,4-Dichlorobenzene	<0.89	ug/L	1.0	0.89	1		10/11/23 14:08	106-46-7	
Dichlorodifluoromethane	<0.46	ug/L	5.0	0.46	1		10/11/23 14:08	75-71-8	
1,1-Dichloroethane	<0.30	ug/L	1.0	0.30	1		10/11/23 14:08	75-34-3	
1,2-Dichloroethane	<0.29	ug/L	1.0	0.29	1		10/11/23 14:08	107-06-2	
1,1-Dichloroethene	<0.58	ug/L	1.0	0.58	1		10/11/23 14:08	75-35-4	
cis-1,2-Dichloroethene	<0.47	ug/L	1.0	0.47	1		10/11/23 14:08	156-59-2	
trans-1,2-Dichloroethene	<0.53	ug/L	1.0	0.53	1		10/11/23 14:08	156-60-5	
1,2-Dichloropropane	<0.45	ug/L	1.0	0.45	1		10/11/23 14:08	78-87-5	
1,3-Dichloropropane	<0.30	ug/L	1.0	0.30	1		10/11/23 14:08	142-28-9	
2,2-Dichloropropane	<0.42	ug/L	1.0	0.42	1		10/11/23 14:08	594-20-7	
1,1-Dichloropropene	<0.41	ug/L	1.0	0.41	1		10/11/23 14:08	563-58-6	
cis-1,3-Dichloropropene	<0.24	ug/L	1.0	0.24	1		10/11/23 14:08	10061-01-5	
trans-1,3-Dichloropropene	<0.27	ug/L	1.0	0.27	1		10/11/23 14:08	10061-02-6	
Diisopropyl ether	<1.1	ug/L	5.0	1.1	1		10/11/23 14:08	108-20-3	
Ethylbenzene	<0.33	ug/L	1.0	0.33	1		10/11/23 14:08	100-41-4	
Hexachloro-1,3-butadiene	<2.7	ug/L	5.0	2.7	1		10/11/23 14:08	87-68-3	
Isopropylbenzene (Cumene)	<1.0	ug/L	5.0	1.0	1		10/11/23 14:08	98-82-8	
p-Isopropyltoluene	<1.0	ug/L	5.0	1.0	1		10/11/23 14:08	99-87-6	
Methylene Chloride	<0.32	ug/L	5.0	0.32	1		10/11/23 14:08	75-09-2	
Methyl-tert-butyl ether	<1.1	ug/L	5.0	1.1	1		10/11/23 14:08	1634-04-4	
Naphthalene	<1.9	ug/L	5.0	1.9	1		10/11/23 14:08	91-20-3	L1
n-Propylbenzene	<0.35	ug/L	1.0	0.35	1		10/11/23 14:08	103-65-1	
Styrene	<0.36	ug/L	1.0	0.36	1		10/11/23 14:08	100-42-5	

## REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.



### ANALYTICAL RESULTS

Project: 1690028158\_CONV GORSKI LF

Pace Project No.: 40269256

**Sample: 670 CTH B**      **Lab ID: 40269256009**      Collected: 10/09/23 10:35      Received: 10/09/23 16:40      Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
<b>8260 MSV</b>									
Analytical Method: EPA 8260									
Pace Analytical Services - Green Bay									
1,1,1,2-Tetrachloroethane	<0.36	ug/L	1.0	0.36	1		10/11/23 14:08	630-20-6	
1,1,2,2-Tetrachloroethane	<0.38	ug/L	1.0	0.38	1		10/11/23 14:08	79-34-5	
Tetrachloroethene	<0.41	ug/L	1.0	0.41	1		10/11/23 14:08	127-18-4	
Toluene	<0.29	ug/L	1.0	0.29	1		10/11/23 14:08	108-88-3	
1,2,3-Trichlorobenzene	<1.0	ug/L	5.0	1.0	1		10/11/23 14:08	87-61-6	
1,2,4-Trichlorobenzene	<0.95	ug/L	5.0	0.95	1		10/11/23 14:08	120-82-1	
1,1,1-Trichloroethane	<0.30	ug/L	1.0	0.30	1		10/11/23 14:08	71-55-6	
1,1,2-Trichloroethane	<0.34	ug/L	1.0	0.34	1		10/11/23 14:08	79-00-5	
Trichloroethene	<0.32	ug/L	1.0	0.32	1		10/11/23 14:08	79-01-6	
Trichlorofluoromethane	<0.42	ug/L	1.0	0.42	1		10/11/23 14:08	75-69-4	
1,2,3-Trichloropropane	<0.56	ug/L	1.0	0.56	1		10/11/23 14:08	96-18-4	
1,2,4-Trimethylbenzene	<0.45	ug/L	1.0	0.45	1		10/11/23 14:08	95-63-6	
1,3,5-Trimethylbenzene	<0.36	ug/L	1.0	0.36	1		10/11/23 14:08	108-67-8	
Vinyl chloride	<0.17	ug/L	1.0	0.17	1		10/11/23 14:08	75-01-4	
Xylene (Total)	<1.0	ug/L	3.0	1.0	1		10/11/23 14:08	1330-20-7	
m&p-Xylene	<0.70	ug/L	2.0	0.70	1		10/11/23 14:08	179601-23-1	
o-Xylene	<0.35	ug/L	1.0	0.35	1		10/11/23 14:08	95-47-6	
<b>Surrogates</b>									
4-Bromofluorobenzene (S)	101	%	70-130		1		10/11/23 14:08	460-00-4	
1,2-Dichlorobenzene-d4 (S)	105	%	70-130		1		10/11/23 14:08	2199-69-1	
Toluene-d8 (S)	102	%	70-130		1		10/11/23 14:08	2037-26-5	

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.



## ANALYTICAL RESULTS

Project: 1690028158\_CONV GORSKI LF

Pace Project No.: 40269256

Sample: MW-4 Lab ID: 40269256010 Collected: 10/09/23 12:20 Received: 10/09/23 16:40 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
<b>8260 MSV</b>									
Analytical Method: EPA 8260									
Pace Analytical Services - Green Bay									
Benzene	<0.30	ug/L	1.0	0.30	1		10/11/23 14:27	71-43-2	
Bromobenzene	<0.36	ug/L	1.0	0.36	1		10/11/23 14:27	108-86-1	
Bromochloromethane	<0.36	ug/L	1.0	0.36	1		10/11/23 14:27	74-97-5	
Bromodichloromethane	<0.42	ug/L	1.0	0.42	1		10/11/23 14:27	75-27-4	
Bromoform	<0.43	ug/L	1.0	0.43	1		10/11/23 14:27	75-25-2	
Bromomethane	<1.2	ug/L	5.0	1.2	1		10/11/23 14:27	74-83-9	
n-Butylbenzene	<0.86	ug/L	1.0	0.86	1		10/11/23 14:27	104-51-8	
sec-Butylbenzene	<0.42	ug/L	1.0	0.42	1		10/11/23 14:27	135-98-8	
tert-Butylbenzene	<0.59	ug/L	1.0	0.59	1		10/11/23 14:27	98-06-6	
Carbon tetrachloride	<0.37	ug/L	1.0	0.37	1		10/11/23 14:27	56-23-5	
Chlorobenzene	<0.86	ug/L	1.0	0.86	1		10/11/23 14:27	108-90-7	
Chloroethane	<1.4	ug/L	5.0	1.4	1		10/11/23 14:27	75-00-3	
Chloroform	<0.50	ug/L	5.0	0.50	1		10/11/23 14:27	67-66-3	
Chloromethane	<1.6	ug/L	5.0	1.6	1		10/11/23 14:27	74-87-3	
2-Chlorotoluene	<0.89	ug/L	5.0	0.89	1		10/11/23 14:27	95-49-8	
4-Chlorotoluene	<0.89	ug/L	5.0	0.89	1		10/11/23 14:27	106-43-4	
1,2-Dibromo-3-chloropropane	<2.4	ug/L	5.0	2.4	1		10/11/23 14:27	96-12-8	
Dibromochloromethane	<2.6	ug/L	5.0	2.6	1		10/11/23 14:27	124-48-1	
1,2-Dibromoethane (EDB)	<0.31	ug/L	1.0	0.31	1		10/11/23 14:27	106-93-4	
Dibromomethane	<0.99	ug/L	5.0	0.99	1		10/11/23 14:27	74-95-3	
1,2-Dichlorobenzene	<0.33	ug/L	1.0	0.33	1		10/11/23 14:27	95-50-1	
1,3-Dichlorobenzene	<0.35	ug/L	1.0	0.35	1		10/11/23 14:27	541-73-1	
1,4-Dichlorobenzene	<0.89	ug/L	1.0	0.89	1		10/11/23 14:27	106-46-7	
Dichlorodifluoromethane	<0.46	ug/L	5.0	0.46	1		10/11/23 14:27	75-71-8	
1,1-Dichloroethane	<0.30	ug/L	1.0	0.30	1		10/11/23 14:27	75-34-3	
1,2-Dichloroethane	<0.29	ug/L	1.0	0.29	1		10/11/23 14:27	107-06-2	
1,1-Dichloroethene	<0.58	ug/L	1.0	0.58	1		10/11/23 14:27	75-35-4	
cis-1,2-Dichloroethene	<0.47	ug/L	1.0	0.47	1		10/11/23 14:27	156-59-2	
trans-1,2-Dichloroethene	<0.53	ug/L	1.0	0.53	1		10/11/23 14:27	156-60-5	
1,2-Dichloropropane	<0.45	ug/L	1.0	0.45	1		10/11/23 14:27	78-87-5	
1,3-Dichloropropane	<0.30	ug/L	1.0	0.30	1		10/11/23 14:27	142-28-9	
2,2-Dichloropropane	<0.42	ug/L	1.0	0.42	1		10/11/23 14:27	594-20-7	
1,1-Dichloropropene	<0.41	ug/L	1.0	0.41	1		10/11/23 14:27	563-58-6	
cis-1,3-Dichloropropene	<0.24	ug/L	1.0	0.24	1		10/11/23 14:27	10061-01-5	
trans-1,3-Dichloropropene	<0.27	ug/L	1.0	0.27	1		10/11/23 14:27	10061-02-6	
Diisopropyl ether	<1.1	ug/L	5.0	1.1	1		10/11/23 14:27	108-20-3	
Ethylbenzene	<0.33	ug/L	1.0	0.33	1		10/11/23 14:27	100-41-4	
Hexachloro-1,3-butadiene	<2.7	ug/L	5.0	2.7	1		10/11/23 14:27	87-68-3	
Isopropylbenzene (Cumene)	<1.0	ug/L	5.0	1.0	1		10/11/23 14:27	98-82-8	
p-Isopropyltoluene	<1.0	ug/L	5.0	1.0	1		10/11/23 14:27	99-87-6	
Methylene Chloride	<0.32	ug/L	5.0	0.32	1		10/11/23 14:27	75-09-2	
Methyl-tert-butyl ether	<1.1	ug/L	5.0	1.1	1		10/11/23 14:27	1634-04-4	
Naphthalene	<1.9	ug/L	5.0	1.9	1		10/11/23 14:27	91-20-3	L1
n-Propylbenzene	<0.35	ug/L	1.0	0.35	1		10/11/23 14:27	103-65-1	
Styrene	<0.36	ug/L	1.0	0.36	1		10/11/23 14:27	100-42-5	

## REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.





## ANALYTICAL RESULTS

Project: 1690028158\_CONV GORSKI LF

Pace Project No.: 40269256

Sample: MW-4 Lab ID: 40269256010 Collected: 10/09/23 12:20 Received: 10/09/23 16:40 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
<b>8260 MSV</b>									
Analytical Method: EPA 8260									
Pace Analytical Services - Green Bay									
1,1,1,2-Tetrachloroethane	<0.36	ug/L	1.0	0.36	1		10/11/23 14:27	630-20-6	
1,1,2,2-Tetrachloroethane	<0.38	ug/L	1.0	0.38	1		10/11/23 14:27	79-34-5	
Tetrachloroethene	<0.41	ug/L	1.0	0.41	1		10/11/23 14:27	127-18-4	
Toluene	<0.29	ug/L	1.0	0.29	1		10/11/23 14:27	108-88-3	
1,2,3-Trichlorobenzene	<1.0	ug/L	5.0	1.0	1		10/11/23 14:27	87-61-6	
1,2,4-Trichlorobenzene	<0.95	ug/L	5.0	0.95	1		10/11/23 14:27	120-82-1	
1,1,1-Trichloroethane	<0.30	ug/L	1.0	0.30	1		10/11/23 14:27	71-55-6	
1,1,2-Trichloroethane	<0.34	ug/L	1.0	0.34	1		10/11/23 14:27	79-00-5	
Trichloroethene	2.0	ug/L	1.0	0.32	1		10/11/23 14:27	79-01-6	
Trichlorofluoromethane	<0.42	ug/L	1.0	0.42	1		10/11/23 14:27	75-69-4	
1,2,3-Trichloropropane	<0.56	ug/L	1.0	0.56	1		10/11/23 14:27	96-18-4	
1,2,4-Trimethylbenzene	<0.45	ug/L	1.0	0.45	1		10/11/23 14:27	95-63-6	
1,3,5-Trimethylbenzene	<0.36	ug/L	1.0	0.36	1		10/11/23 14:27	108-67-8	
Vinyl chloride	<0.17	ug/L	1.0	0.17	1		10/11/23 14:27	75-01-4	
Xylene (Total)	<1.0	ug/L	3.0	1.0	1		10/11/23 14:27	1330-20-7	
m&p-Xylene	<0.70	ug/L	2.0	0.70	1		10/11/23 14:27	179601-23-1	
o-Xylene	<0.35	ug/L	1.0	0.35	1		10/11/23 14:27	95-47-6	
<b>Surrogates</b>									
4-Bromofluorobenzene (S)	102	%	70-130		1		10/11/23 14:27	460-00-4	
1,2-Dichlorobenzene-d4 (S)	106	%	70-130		1		10/11/23 14:27	2199-69-1	
Toluene-d8 (S)	103	%	70-130		1		10/11/23 14:27	2037-26-5	

## REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.



## ANALYTICAL RESULTS

Project: 1690028158\_CONV GORSKI LF

Pace Project No.: 40269256

Sample: MW-4D Lab ID: 40269256011 Collected: 10/09/23 12:25 Received: 10/09/23 16:40 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
<b>8260 MSV</b>									
Analytical Method: EPA 8260									
Pace Analytical Services - Green Bay									
Benzene	<0.30	ug/L	1.0	0.30	1		10/11/23 14:45	71-43-2	
Bromobenzene	<0.36	ug/L	1.0	0.36	1		10/11/23 14:45	108-86-1	
Bromochloromethane	<0.36	ug/L	1.0	0.36	1		10/11/23 14:45	74-97-5	
Bromodichloromethane	<0.42	ug/L	1.0	0.42	1		10/11/23 14:45	75-27-4	
Bromoform	<0.43	ug/L	1.0	0.43	1		10/11/23 14:45	75-25-2	
Bromomethane	<1.2	ug/L	5.0	1.2	1		10/11/23 14:45	74-83-9	
n-Butylbenzene	<0.86	ug/L	1.0	0.86	1		10/11/23 14:45	104-51-8	
sec-Butylbenzene	<0.42	ug/L	1.0	0.42	1		10/11/23 14:45	135-98-8	
tert-Butylbenzene	<0.59	ug/L	1.0	0.59	1		10/11/23 14:45	98-06-6	
Carbon tetrachloride	<0.37	ug/L	1.0	0.37	1		10/11/23 14:45	56-23-5	
Chlorobenzene	<0.86	ug/L	1.0	0.86	1		10/11/23 14:45	108-90-7	
Chloroethane	<1.4	ug/L	5.0	1.4	1		10/11/23 14:45	75-00-3	
Chloroform	<0.50	ug/L	5.0	0.50	1		10/11/23 14:45	67-66-3	
Chloromethane	<1.6	ug/L	5.0	1.6	1		10/11/23 14:45	74-87-3	
2-Chlorotoluene	<0.89	ug/L	5.0	0.89	1		10/11/23 14:45	95-49-8	
4-Chlorotoluene	<0.89	ug/L	5.0	0.89	1		10/11/23 14:45	106-43-4	
1,2-Dibromo-3-chloropropane	<2.4	ug/L	5.0	2.4	1		10/11/23 14:45	96-12-8	
Dibromochloromethane	<2.6	ug/L	5.0	2.6	1		10/11/23 14:45	124-48-1	
1,2-Dibromoethane (EDB)	<0.31	ug/L	1.0	0.31	1		10/11/23 14:45	106-93-4	
Dibromomethane	<0.99	ug/L	5.0	0.99	1		10/11/23 14:45	74-95-3	
1,2-Dichlorobenzene	<0.33	ug/L	1.0	0.33	1		10/11/23 14:45	95-50-1	
1,3-Dichlorobenzene	<0.35	ug/L	1.0	0.35	1		10/11/23 14:45	541-73-1	
1,4-Dichlorobenzene	<0.89	ug/L	1.0	0.89	1		10/11/23 14:45	106-46-7	
Dichlorodifluoromethane	<0.46	ug/L	5.0	0.46	1		10/11/23 14:45	75-71-8	
1,1-Dichloroethane	<0.30	ug/L	1.0	0.30	1		10/11/23 14:45	75-34-3	
1,2-Dichloroethane	<0.29	ug/L	1.0	0.29	1		10/11/23 14:45	107-06-2	
1,1-Dichloroethene	<0.58	ug/L	1.0	0.58	1		10/11/23 14:45	75-35-4	
cis-1,2-Dichloroethene	<0.47	ug/L	1.0	0.47	1		10/11/23 14:45	156-59-2	
trans-1,2-Dichloroethene	<0.53	ug/L	1.0	0.53	1		10/11/23 14:45	156-60-5	
1,2-Dichloropropane	<0.45	ug/L	1.0	0.45	1		10/11/23 14:45	78-87-5	
1,3-Dichloropropane	<0.30	ug/L	1.0	0.30	1		10/11/23 14:45	142-28-9	
2,2-Dichloropropane	<0.42	ug/L	1.0	0.42	1		10/11/23 14:45	594-20-7	
1,1-Dichloropropene	<0.41	ug/L	1.0	0.41	1		10/11/23 14:45	563-58-6	
cis-1,3-Dichloropropene	<0.24	ug/L	1.0	0.24	1		10/11/23 14:45	10061-01-5	
trans-1,3-Dichloropropene	<0.27	ug/L	1.0	0.27	1		10/11/23 14:45	10061-02-6	
Diisopropyl ether	<1.1	ug/L	5.0	1.1	1		10/11/23 14:45	108-20-3	
Ethylbenzene	<0.33	ug/L	1.0	0.33	1		10/11/23 14:45	100-41-4	
Hexachloro-1,3-butadiene	<2.7	ug/L	5.0	2.7	1		10/11/23 14:45	87-68-3	
Isopropylbenzene (Cumene)	<1.0	ug/L	5.0	1.0	1		10/11/23 14:45	98-82-8	
p-Isopropyltoluene	<1.0	ug/L	5.0	1.0	1		10/11/23 14:45	99-87-6	
Methylene Chloride	<0.32	ug/L	5.0	0.32	1		10/11/23 14:45	75-09-2	
Methyl-tert-butyl ether	<1.1	ug/L	5.0	1.1	1		10/11/23 14:45	1634-04-4	
Naphthalene	<1.9	ug/L	5.0	1.9	1		10/11/23 14:45	91-20-3	L1
n-Propylbenzene	<0.35	ug/L	1.0	0.35	1		10/11/23 14:45	103-65-1	
Styrene	<0.36	ug/L	1.0	0.36	1		10/11/23 14:45	100-42-5	

## REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.



## ANALYTICAL RESULTS

Project: 1690028158\_CONV GORSKI LF

Pace Project No.: 40269256

Sample: MW-4D Lab ID: 40269256011 Collected: 10/09/23 12:25 Received: 10/09/23 16:40 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
<b>8260 MSV</b>		Analytical Method: EPA 8260 Pace Analytical Services - Green Bay							
1,1,1,2-Tetrachloroethane	<0.36	ug/L	1.0	0.36	1		10/11/23 14:45	630-20-6	
1,1,2,2-Tetrachloroethane	<0.38	ug/L	1.0	0.38	1		10/11/23 14:45	79-34-5	
Tetrachloroethene	<0.41	ug/L	1.0	0.41	1		10/11/23 14:45	127-18-4	
Toluene	<0.29	ug/L	1.0	0.29	1		10/11/23 14:45	108-88-3	
1,2,3-Trichlorobenzene	<1.0	ug/L	5.0	1.0	1		10/11/23 14:45	87-61-6	
1,2,4-Trichlorobenzene	<0.95	ug/L	5.0	0.95	1		10/11/23 14:45	120-82-1	
1,1,1-Trichloroethane	<0.30	ug/L	1.0	0.30	1		10/11/23 14:45	71-55-6	
1,1,2-Trichloroethane	<0.34	ug/L	1.0	0.34	1		10/11/23 14:45	79-00-5	
Trichloroethene	1.8	ug/L	1.0	0.32	1		10/11/23 14:45	79-01-6	
Trichlorofluoromethane	<0.42	ug/L	1.0	0.42	1		10/11/23 14:45	75-69-4	
1,2,3-Trichloropropane	<0.56	ug/L	1.0	0.56	1		10/11/23 14:45	96-18-4	
1,2,4-Trimethylbenzene	<0.45	ug/L	1.0	0.45	1		10/11/23 14:45	95-63-6	
1,3,5-Trimethylbenzene	<0.36	ug/L	1.0	0.36	1		10/11/23 14:45	108-67-8	
Vinyl chloride	<0.17	ug/L	1.0	0.17	1		10/11/23 14:45	75-01-4	
Xylene (Total)	<1.0	ug/L	3.0	1.0	1		10/11/23 14:45	1330-20-7	
m&p-Xylene	<0.70	ug/L	2.0	0.70	1		10/11/23 14:45	179601-23-1	
o-Xylene	<0.35	ug/L	1.0	0.35	1		10/11/23 14:45	95-47-6	
<b>Surrogates</b>									
4-Bromofluorobenzene (S)	102	%	70-130		1		10/11/23 14:45	460-00-4	
1,2-Dichlorobenzene-d4 (S)	106	%	70-130		1		10/11/23 14:45	2199-69-1	
Toluene-d8 (S)	104	%	70-130		1		10/11/23 14:45	2037-26-5	

## REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.



## ANALYTICAL RESULTS

Project: 1690028158\_CONV GORSKI LF

Pace Project No.: 40269256

Sample: MW-6 Lab ID: 40269256012 Collected: 10/09/23 13:45 Received: 10/09/23 16:40 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
<b>8260 MSV</b>									
Analytical Method: EPA 8260									
Pace Analytical Services - Green Bay									
Benzene	<0.30	ug/L	1.0	0.30	1		10/11/23 15:04	71-43-2	
Bromobenzene	<0.36	ug/L	1.0	0.36	1		10/11/23 15:04	108-86-1	
Bromochloromethane	<0.36	ug/L	1.0	0.36	1		10/11/23 15:04	74-97-5	
Bromodichloromethane	<0.42	ug/L	1.0	0.42	1		10/11/23 15:04	75-27-4	
Bromoform	<0.43	ug/L	1.0	0.43	1		10/11/23 15:04	75-25-2	
Bromomethane	<1.2	ug/L	5.0	1.2	1		10/11/23 15:04	74-83-9	
n-Butylbenzene	<0.86	ug/L	1.0	0.86	1		10/11/23 15:04	104-51-8	
sec-Butylbenzene	<0.42	ug/L	1.0	0.42	1		10/11/23 15:04	135-98-8	
tert-Butylbenzene	<0.59	ug/L	1.0	0.59	1		10/11/23 15:04	98-06-6	
Carbon tetrachloride	<0.37	ug/L	1.0	0.37	1		10/11/23 15:04	56-23-5	
Chlorobenzene	<0.86	ug/L	1.0	0.86	1		10/11/23 15:04	108-90-7	
Chloroethane	<1.4	ug/L	5.0	1.4	1		10/11/23 15:04	75-00-3	
Chloroform	<0.50	ug/L	5.0	0.50	1		10/11/23 15:04	67-66-3	
Chloromethane	<1.6	ug/L	5.0	1.6	1		10/11/23 15:04	74-87-3	
2-Chlorotoluene	<0.89	ug/L	5.0	0.89	1		10/11/23 15:04	95-49-8	
4-Chlorotoluene	<0.89	ug/L	5.0	0.89	1		10/11/23 15:04	106-43-4	
1,2-Dibromo-3-chloropropane	<2.4	ug/L	5.0	2.4	1		10/11/23 15:04	96-12-8	
Dibromochloromethane	<2.6	ug/L	5.0	2.6	1		10/11/23 15:04	124-48-1	
1,2-Dibromoethane (EDB)	<0.31	ug/L	1.0	0.31	1		10/11/23 15:04	106-93-4	
Dibromomethane	<0.99	ug/L	5.0	0.99	1		10/11/23 15:04	74-95-3	
1,2-Dichlorobenzene	<0.33	ug/L	1.0	0.33	1		10/11/23 15:04	95-50-1	
1,3-Dichlorobenzene	<0.35	ug/L	1.0	0.35	1		10/11/23 15:04	541-73-1	
1,4-Dichlorobenzene	<0.89	ug/L	1.0	0.89	1		10/11/23 15:04	106-46-7	
Dichlorodifluoromethane	<0.46	ug/L	5.0	0.46	1		10/11/23 15:04	75-71-8	
1,1-Dichloroethane	<0.30	ug/L	1.0	0.30	1		10/11/23 15:04	75-34-3	
1,2-Dichloroethane	<0.29	ug/L	1.0	0.29	1		10/11/23 15:04	107-06-2	
1,1-Dichloroethene	<0.58	ug/L	1.0	0.58	1		10/11/23 15:04	75-35-4	
cis-1,2-Dichloroethene	1.1	ug/L	1.0	0.47	1		10/11/23 15:04	156-59-2	
trans-1,2-Dichloroethene	<0.53	ug/L	1.0	0.53	1		10/11/23 15:04	156-60-5	
1,2-Dichloropropane	<0.45	ug/L	1.0	0.45	1		10/11/23 15:04	78-87-5	
1,3-Dichloropropane	<0.30	ug/L	1.0	0.30	1		10/11/23 15:04	142-28-9	
2,2-Dichloropropane	<0.42	ug/L	1.0	0.42	1		10/11/23 15:04	594-20-7	
1,1-Dichloropropene	<0.41	ug/L	1.0	0.41	1		10/11/23 15:04	563-58-6	
cis-1,3-Dichloropropene	<0.24	ug/L	1.0	0.24	1		10/11/23 15:04	10061-01-5	
trans-1,3-Dichloropropene	<0.27	ug/L	1.0	0.27	1		10/11/23 15:04	10061-02-6	
Diisopropyl ether	<1.1	ug/L	5.0	1.1	1		10/11/23 15:04	108-20-3	
Ethylbenzene	<0.33	ug/L	1.0	0.33	1		10/11/23 15:04	100-41-4	
Hexachloro-1,3-butadiene	<2.7	ug/L	5.0	2.7	1		10/11/23 15:04	87-68-3	
Isopropylbenzene (Cumene)	<1.0	ug/L	5.0	1.0	1		10/11/23 15:04	98-82-8	
p-Isopropyltoluene	<1.0	ug/L	5.0	1.0	1		10/11/23 15:04	99-87-6	
Methylene Chloride	<0.32	ug/L	5.0	0.32	1		10/11/23 15:04	75-09-2	
Methyl-tert-butyl ether	<1.1	ug/L	5.0	1.1	1		10/11/23 15:04	1634-04-4	
Naphthalene	<1.9	ug/L	5.0	1.9	1		10/11/23 15:04	91-20-3	L1
n-Propylbenzene	<0.35	ug/L	1.0	0.35	1		10/11/23 15:04	103-65-1	
Styrene	<0.36	ug/L	1.0	0.36	1		10/11/23 15:04	100-42-5	

## REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.



## ANALYTICAL RESULTS

Project: 1690028158\_CONV GORSKI LF

Pace Project No.: 40269256

Sample: MW-6 Lab ID: 40269256012 Collected: 10/09/23 13:45 Received: 10/09/23 16:40 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
<b>8260 MSV</b>									
Analytical Method: EPA 8260									
Pace Analytical Services - Green Bay									
1,1,1,2-Tetrachloroethane	<0.36	ug/L	1.0	0.36	1		10/11/23 15:04	630-20-6	
1,1,2,2-Tetrachloroethane	<0.38	ug/L	1.0	0.38	1		10/11/23 15:04	79-34-5	
Tetrachloroethene	<0.41	ug/L	1.0	0.41	1		10/11/23 15:04	127-18-4	
Toluene	<0.29	ug/L	1.0	0.29	1		10/11/23 15:04	108-88-3	
1,2,3-Trichlorobenzene	<1.0	ug/L	5.0	1.0	1		10/11/23 15:04	87-61-6	
1,2,4-Trichlorobenzene	<0.95	ug/L	5.0	0.95	1		10/11/23 15:04	120-82-1	
1,1,1-Trichloroethane	<0.30	ug/L	1.0	0.30	1		10/11/23 15:04	71-55-6	
1,1,2-Trichloroethane	<0.34	ug/L	1.0	0.34	1		10/11/23 15:04	79-00-5	
Trichloroethene	2.1	ug/L	1.0	0.32	1		10/11/23 15:04	79-01-6	
Trichlorofluoromethane	<0.42	ug/L	1.0	0.42	1		10/11/23 15:04	75-69-4	
1,2,3-Trichloropropane	<0.56	ug/L	1.0	0.56	1		10/11/23 15:04	96-18-4	
1,2,4-Trimethylbenzene	<0.45	ug/L	1.0	0.45	1		10/11/23 15:04	95-63-6	
1,3,5-Trimethylbenzene	<0.36	ug/L	1.0	0.36	1		10/11/23 15:04	108-67-8	
Vinyl chloride	<0.17	ug/L	1.0	0.17	1		10/11/23 15:04	75-01-4	
Xylene (Total)	<1.0	ug/L	3.0	1.0	1		10/11/23 15:04	1330-20-7	
m&p-Xylene	<0.70	ug/L	2.0	0.70	1		10/11/23 15:04	179601-23-1	
o-Xylene	<0.35	ug/L	1.0	0.35	1		10/11/23 15:04	95-47-6	
<b>Surrogates</b>									
4-Bromofluorobenzene (S)	102	%	70-130		1		10/11/23 15:04	460-00-4	
1,2-Dichlorobenzene-d4 (S)	106	%	70-130		1		10/11/23 15:04	2199-69-1	
Toluene-d8 (S)	103	%	70-130		1		10/11/23 15:04	2037-26-5	

## REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.



## ANALYTICAL RESULTS

Project: 1690028158\_CONV GORSKI LF

Pace Project No.: 40269256

Sample: PZ-3 Lab ID: 40269256013 Collected: 10/09/23 14:30 Received: 10/09/23 16:40 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
<b>8260 MSV</b>									
Analytical Method: EPA 8260									
Pace Analytical Services - Green Bay									
Benzene	<0.30	ug/L	1.0	0.30	1		10/16/23 12:06	71-43-2	
Bromobenzene	<0.36	ug/L	1.0	0.36	1		10/16/23 12:06	108-86-1	
Bromochloromethane	<0.36	ug/L	1.0	0.36	1		10/16/23 12:06	74-97-5	
Bromodichloromethane	<0.42	ug/L	1.0	0.42	1		10/16/23 12:06	75-27-4	
Bromoform	<0.43	ug/L	1.0	0.43	1		10/16/23 12:06	75-25-2	
Bromomethane	<1.2	ug/L	5.0	1.2	1		10/16/23 12:06	74-83-9	
n-Butylbenzene	<0.86	ug/L	1.0	0.86	1		10/16/23 12:06	104-51-8	
sec-Butylbenzene	<0.42	ug/L	1.0	0.42	1		10/16/23 12:06	135-98-8	
tert-Butylbenzene	<0.59	ug/L	1.0	0.59	1		10/16/23 12:06	98-06-6	
Carbon tetrachloride	<0.37	ug/L	1.0	0.37	1		10/16/23 12:06	56-23-5	
Chlorobenzene	<0.86	ug/L	1.0	0.86	1		10/16/23 12:06	108-90-7	
Chloroethane	<1.4	ug/L	5.0	1.4	1		10/16/23 12:06	75-00-3	
Chloroform	<0.50	ug/L	5.0	0.50	1		10/16/23 12:06	67-66-3	
Chloromethane	<1.6	ug/L	5.0	1.6	1		10/16/23 12:06	74-87-3	
2-Chlorotoluene	<0.89	ug/L	5.0	0.89	1		10/16/23 12:06	95-49-8	
4-Chlorotoluene	<0.89	ug/L	5.0	0.89	1		10/16/23 12:06	106-43-4	
1,2-Dibromo-3-chloropropane	<2.4	ug/L	5.0	2.4	1		10/16/23 12:06	96-12-8	
Dibromochloromethane	<2.6	ug/L	5.0	2.6	1		10/16/23 12:06	124-48-1	
1,2-Dibromoethane (EDB)	<0.31	ug/L	1.0	0.31	1		10/16/23 12:06	106-93-4	
Dibromomethane	<0.99	ug/L	5.0	0.99	1		10/16/23 12:06	74-95-3	
1,2-Dichlorobenzene	<0.33	ug/L	1.0	0.33	1		10/16/23 12:06	95-50-1	
1,3-Dichlorobenzene	<0.35	ug/L	1.0	0.35	1		10/16/23 12:06	541-73-1	
1,4-Dichlorobenzene	<0.89	ug/L	1.0	0.89	1		10/16/23 12:06	106-46-7	
Dichlorodifluoromethane	<0.46	ug/L	5.0	0.46	1		10/16/23 12:06	75-71-8	
1,1-Dichloroethane	<0.30	ug/L	1.0	0.30	1		10/16/23 12:06	75-34-3	
1,2-Dichloroethane	<0.29	ug/L	1.0	0.29	1		10/16/23 12:06	107-06-2	
1,1-Dichloroethene	<0.58	ug/L	1.0	0.58	1		10/16/23 12:06	75-35-4	
cis-1,2-Dichloroethene	4.3	ug/L	1.0	0.47	1		10/16/23 12:06	156-59-2	
trans-1,2-Dichloroethene	<0.53	ug/L	1.0	0.53	1		10/16/23 12:06	156-60-5	
1,2-Dichloropropane	<0.45	ug/L	1.0	0.45	1		10/16/23 12:06	78-87-5	
1,3-Dichloropropane	<0.30	ug/L	1.0	0.30	1		10/16/23 12:06	142-28-9	
2,2-Dichloropropane	<0.42	ug/L	1.0	0.42	1		10/16/23 12:06	594-20-7	
1,1-Dichloropropene	<0.41	ug/L	1.0	0.41	1		10/16/23 12:06	563-58-6	
cis-1,3-Dichloropropene	<0.24	ug/L	1.0	0.24	1		10/16/23 12:06	10061-01-5	
trans-1,3-Dichloropropene	<0.27	ug/L	1.0	0.27	1		10/16/23 12:06	10061-02-6	
Diisopropyl ether	<1.1	ug/L	5.0	1.1	1		10/16/23 12:06	108-20-3	
Ethylbenzene	<0.33	ug/L	1.0	0.33	1		10/16/23 12:06	100-41-4	
Hexachloro-1,3-butadiene	<2.7	ug/L	5.0	2.7	1		10/16/23 12:06	87-68-3	
Isopropylbenzene (Cumene)	<1.0	ug/L	5.0	1.0	1		10/16/23 12:06	98-82-8	
p-Isopropyltoluene	<1.0	ug/L	5.0	1.0	1		10/16/23 12:06	99-87-6	
Methylene Chloride	<0.32	ug/L	5.0	0.32	1		10/16/23 12:06	75-09-2	
Methyl-tert-butyl ether	<1.1	ug/L	5.0	1.1	1		10/16/23 12:06	1634-04-4	
Naphthalene	<1.9	ug/L	5.0	1.9	1		10/16/23 12:06	91-20-3	
n-Propylbenzene	<0.35	ug/L	1.0	0.35	1		10/16/23 12:06	103-65-1	
Styrene	<0.36	ug/L	1.0	0.36	1		10/16/23 12:06	100-42-5	

## REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.



### ANALYTICAL RESULTS

Project: 1690028158\_CONV GORSKI LF

Pace Project No.: 40269256

**Sample: PZ-3**      **Lab ID: 40269256013**      Collected: 10/09/23 14:30      Received: 10/09/23 16:40      Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
<b>8260 MSV</b>		Analytical Method: EPA 8260 Pace Analytical Services - Green Bay							
1,1,1,2-Tetrachloroethane	<0.36	ug/L	1.0	0.36	1		10/16/23 12:06	630-20-6	
1,1,2,2-Tetrachloroethane	<0.38	ug/L	1.0	0.38	1		10/16/23 12:06	79-34-5	
Tetrachloroethene	<0.41	ug/L	1.0	0.41	1		10/16/23 12:06	127-18-4	
Toluene	<0.29	ug/L	1.0	0.29	1		10/16/23 12:06	108-88-3	
1,2,3-Trichlorobenzene	<1.0	ug/L	5.0	1.0	1		10/16/23 12:06	87-61-6	
1,2,4-Trichlorobenzene	<0.95	ug/L	5.0	0.95	1		10/16/23 12:06	120-82-1	
1,1,1-Trichloroethane	<0.30	ug/L	1.0	0.30	1		10/16/23 12:06	71-55-6	
1,1,2-Trichloroethane	<0.34	ug/L	1.0	0.34	1		10/16/23 12:06	79-00-5	
Trichloroethene	0.72J	ug/L	1.0	0.32	1		10/16/23 12:06	79-01-6	
Trichlorofluoromethane	<0.42	ug/L	1.0	0.42	1		10/16/23 12:06	75-69-4	
1,2,3-Trichloropropane	<0.56	ug/L	1.0	0.56	1		10/16/23 12:06	96-18-4	
1,2,4-Trimethylbenzene	<0.45	ug/L	1.0	0.45	1		10/16/23 12:06	95-63-6	
1,3,5-Trimethylbenzene	<0.36	ug/L	1.0	0.36	1		10/16/23 12:06	108-67-8	
Vinyl chloride	<0.17	ug/L	1.0	0.17	1		10/16/23 12:06	75-01-4	
Xylene (Total)	<1.0	ug/L	3.0	1.0	1		10/16/23 12:06	1330-20-7	
m&p-Xylene	<0.70	ug/L	2.0	0.70	1		10/16/23 12:06	179601-23-1	
o-Xylene	<0.35	ug/L	1.0	0.35	1		10/16/23 12:06	95-47-6	
<b>Surrogates</b>									
4-Bromofluorobenzene (S)	95	%	70-130		1		10/16/23 12:06	460-00-4	
1,2-Dichlorobenzene-d4 (S)	112	%	70-130		1		10/16/23 12:06	2199-69-1	
Toluene-d8 (S)	94	%	70-130		1		10/16/23 12:06	2037-26-5	

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.



## ANALYTICAL RESULTS

Project: 1690028158\_CONV GORSKI LF

Pace Project No.: 40269256

Sample: PZ-4 Lab ID: 40269256014 Collected: 10/09/23 13:10 Received: 10/09/23 16:40 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
<b>8260 MSV</b>									
Analytical Method: EPA 8260									
Pace Analytical Services - Green Bay									
Benzene	<0.30	ug/L	1.0	0.30	1		10/11/23 13:45	71-43-2	
Bromobenzene	<0.36	ug/L	1.0	0.36	1		10/11/23 13:45	108-86-1	
Bromochloromethane	<0.36	ug/L	1.0	0.36	1		10/11/23 13:45	74-97-5	
Bromodichloromethane	<0.42	ug/L	1.0	0.42	1		10/11/23 13:45	75-27-4	
Bromoform	<0.43	ug/L	1.0	0.43	1		10/11/23 13:45	75-25-2	
Bromomethane	<1.2	ug/L	5.0	1.2	1		10/11/23 13:45	74-83-9	
n-Butylbenzene	<0.86	ug/L	1.0	0.86	1		10/11/23 13:45	104-51-8	
sec-Butylbenzene	<0.42	ug/L	1.0	0.42	1		10/11/23 13:45	135-98-8	
tert-Butylbenzene	<0.59	ug/L	1.0	0.59	1		10/11/23 13:45	98-06-6	
Carbon tetrachloride	<0.37	ug/L	1.0	0.37	1		10/11/23 13:45	56-23-5	
Chlorobenzene	<0.86	ug/L	1.0	0.86	1		10/11/23 13:45	108-90-7	
Chloroethane	<1.4	ug/L	5.0	1.4	1		10/11/23 13:45	75-00-3	
Chloroform	<0.50	ug/L	5.0	0.50	1		10/11/23 13:45	67-66-3	
Chloromethane	<1.6	ug/L	5.0	1.6	1		10/11/23 13:45	74-87-3	
2-Chlorotoluene	<0.89	ug/L	5.0	0.89	1		10/11/23 13:45	95-49-8	
4-Chlorotoluene	<0.89	ug/L	5.0	0.89	1		10/11/23 13:45	106-43-4	
1,2-Dibromo-3-chloropropane	<2.4	ug/L	5.0	2.4	1		10/11/23 13:45	96-12-8	
Dibromochloromethane	<2.6	ug/L	5.0	2.6	1		10/11/23 13:45	124-48-1	
1,2-Dibromoethane (EDB)	<0.31	ug/L	1.0	0.31	1		10/11/23 13:45	106-93-4	
Dibromomethane	<0.99	ug/L	5.0	0.99	1		10/11/23 13:45	74-95-3	
1,2-Dichlorobenzene	<0.33	ug/L	1.0	0.33	1		10/11/23 13:45	95-50-1	
1,3-Dichlorobenzene	<0.35	ug/L	1.0	0.35	1		10/11/23 13:45	541-73-1	
1,4-Dichlorobenzene	<0.89	ug/L	1.0	0.89	1		10/11/23 13:45	106-46-7	
Dichlorodifluoromethane	<0.46	ug/L	5.0	0.46	1		10/11/23 13:45	75-71-8	
1,1-Dichloroethane	<0.30	ug/L	1.0	0.30	1		10/11/23 13:45	75-34-3	
1,2-Dichloroethane	<0.29	ug/L	1.0	0.29	1		10/11/23 13:45	107-06-2	
1,1-Dichloroethene	<0.58	ug/L	1.0	0.58	1		10/11/23 13:45	75-35-4	
cis-1,2-Dichloroethene	2.6	ug/L	1.0	0.47	1		10/11/23 13:45	156-59-2	
trans-1,2-Dichloroethene	<0.53	ug/L	1.0	0.53	1		10/11/23 13:45	156-60-5	
1,2-Dichloropropane	<0.45	ug/L	1.0	0.45	1		10/11/23 13:45	78-87-5	
1,3-Dichloropropane	<0.30	ug/L	1.0	0.30	1		10/11/23 13:45	142-28-9	
2,2-Dichloropropane	<0.42	ug/L	1.0	0.42	1		10/11/23 13:45	594-20-7	
1,1-Dichloropropene	<0.41	ug/L	1.0	0.41	1		10/11/23 13:45	563-58-6	
cis-1,3-Dichloropropene	<0.24	ug/L	1.0	0.24	1		10/11/23 13:45	10061-01-5	
trans-1,3-Dichloropropene	<0.27	ug/L	1.0	0.27	1		10/11/23 13:45	10061-02-6	
Diisopropyl ether	<1.1	ug/L	5.0	1.1	1		10/11/23 13:45	108-20-3	
Ethylbenzene	<0.33	ug/L	1.0	0.33	1		10/11/23 13:45	100-41-4	
Hexachloro-1,3-butadiene	<2.7	ug/L	5.0	2.7	1		10/11/23 13:45	87-68-3	
Isopropylbenzene (Cumene)	<1.0	ug/L	5.0	1.0	1		10/11/23 13:45	98-82-8	
p-Isopropyltoluene	<1.0	ug/L	5.0	1.0	1		10/11/23 13:45	99-87-6	
Methylene Chloride	<0.32	ug/L	5.0	0.32	1		10/11/23 13:45	75-09-2	
Methyl-tert-butyl ether	<1.1	ug/L	5.0	1.1	1		10/11/23 13:45	1634-04-4	
Naphthalene	<1.9	ug/L	5.0	1.9	1		10/11/23 13:45	91-20-3	
n-Propylbenzene	<0.35	ug/L	1.0	0.35	1		10/11/23 13:45	103-65-1	
Styrene	<0.36	ug/L	1.0	0.36	1		10/11/23 13:45	100-42-5	

## REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.





### ANALYTICAL RESULTS

Project: 1690028158\_CONV GORSKI LF

Pace Project No.: 40269256

Sample: PZ-4 Lab ID: 40269256014 Collected: 10/09/23 13:10 Received: 10/09/23 16:40 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
<b>8260 MSV</b>									
Analytical Method: EPA 8260									
Pace Analytical Services - Green Bay									
1,1,1,2-Tetrachloroethane	<0.36	ug/L	1.0	0.36	1		10/11/23 13:45	630-20-6	
1,1,2,2-Tetrachloroethane	<0.38	ug/L	1.0	0.38	1		10/11/23 13:45	79-34-5	
Tetrachloroethene	<0.41	ug/L	1.0	0.41	1		10/11/23 13:45	127-18-4	
Toluene	<0.29	ug/L	1.0	0.29	1		10/11/23 13:45	108-88-3	
1,2,3-Trichlorobenzene	<1.0	ug/L	5.0	1.0	1		10/11/23 13:45	87-61-6	
1,2,4-Trichlorobenzene	<0.95	ug/L	5.0	0.95	1		10/11/23 13:45	120-82-1	L2,M0
1,1,1-Trichloroethane	<0.30	ug/L	1.0	0.30	1		10/11/23 13:45	71-55-6	
1,1,2-Trichloroethane	<0.34	ug/L	1.0	0.34	1		10/11/23 13:45	79-00-5	
Trichloroethene	6.4	ug/L	1.0	0.32	1		10/11/23 13:45	79-01-6	
Trichlorofluoromethane	<0.42	ug/L	1.0	0.42	1		10/11/23 13:45	75-69-4	
1,2,3-Trichloropropane	<0.56	ug/L	1.0	0.56	1		10/11/23 13:45	96-18-4	
1,2,4-Trimethylbenzene	<0.45	ug/L	1.0	0.45	1		10/11/23 13:45	95-63-6	
1,3,5-Trimethylbenzene	<0.36	ug/L	1.0	0.36	1		10/11/23 13:45	108-67-8	
Vinyl chloride	<0.17	ug/L	1.0	0.17	1		10/11/23 13:45	75-01-4	
Xylene (Total)	<1.0	ug/L	3.0	1.0	1		10/11/23 13:45	1330-20-7	
m&p-Xylene	<0.70	ug/L	2.0	0.70	1		10/11/23 13:45	179601-23-1	
o-Xylene	<0.35	ug/L	1.0	0.35	1		10/11/23 13:45	95-47-6	
<b>Surrogates</b>									
4-Bromofluorobenzene (S)	100	%	70-130		1		10/11/23 13:45	460-00-4	
1,2-Dichlorobenzene-d4 (S)	101	%	70-130		1		10/11/23 13:45	2199-69-1	
Toluene-d8 (S)	95	%	70-130		1		10/11/23 13:45	2037-26-5	

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full, without the written consent of Pace Analytical Services, LLC.



## ANALYTICAL RESULTS

Project: 1690028158\_CONV GORSKI LF

Pace Project No.: 40269256

Sample: TRIP BLANK Lab ID: 40269256015 Collected: 10/09/23 00:00 Received: 10/09/23 16:40 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
<b>8260 MSV</b>									
Analytical Method: EPA 8260									
Pace Analytical Services - Green Bay									
Benzene	<0.30	ug/L	1.0	0.30	1		10/11/23 12:28	71-43-2	
Bromobenzene	<0.36	ug/L	1.0	0.36	1		10/11/23 12:28	108-86-1	
Bromochloromethane	<0.36	ug/L	1.0	0.36	1		10/11/23 12:28	74-97-5	
Bromodichloromethane	<0.42	ug/L	1.0	0.42	1		10/11/23 12:28	75-27-4	
Bromoform	<0.43	ug/L	1.0	0.43	1		10/11/23 12:28	75-25-2	
Bromomethane	<1.2	ug/L	5.0	1.2	1		10/11/23 12:28	74-83-9	
n-Butylbenzene	<0.86	ug/L	1.0	0.86	1		10/11/23 12:28	104-51-8	
sec-Butylbenzene	<0.42	ug/L	1.0	0.42	1		10/11/23 12:28	135-98-8	
tert-Butylbenzene	<0.59	ug/L	1.0	0.59	1		10/11/23 12:28	98-06-6	
Carbon tetrachloride	<0.37	ug/L	1.0	0.37	1		10/11/23 12:28	56-23-5	
Chlorobenzene	<0.86	ug/L	1.0	0.86	1		10/11/23 12:28	108-90-7	
Chloroethane	<1.4	ug/L	5.0	1.4	1		10/11/23 12:28	75-00-3	
Chloroform	<0.50	ug/L	5.0	0.50	1		10/11/23 12:28	67-66-3	
Chloromethane	<1.6	ug/L	5.0	1.6	1		10/11/23 12:28	74-87-3	
2-Chlorotoluene	<0.89	ug/L	5.0	0.89	1		10/11/23 12:28	95-49-8	
4-Chlorotoluene	<0.89	ug/L	5.0	0.89	1		10/11/23 12:28	106-43-4	
1,2-Dibromo-3-chloropropane	<2.4	ug/L	5.0	2.4	1		10/11/23 12:28	96-12-8	
Dibromochloromethane	<2.6	ug/L	5.0	2.6	1		10/11/23 12:28	124-48-1	
1,2-Dibromoethane (EDB)	<0.31	ug/L	1.0	0.31	1		10/11/23 12:28	106-93-4	
Dibromomethane	<0.99	ug/L	5.0	0.99	1		10/11/23 12:28	74-95-3	
1,2-Dichlorobenzene	<0.33	ug/L	1.0	0.33	1		10/11/23 12:28	95-50-1	
1,3-Dichlorobenzene	<0.35	ug/L	1.0	0.35	1		10/11/23 12:28	541-73-1	
1,4-Dichlorobenzene	<0.89	ug/L	1.0	0.89	1		10/11/23 12:28	106-46-7	
Dichlorodifluoromethane	<0.46	ug/L	5.0	0.46	1		10/11/23 12:28	75-71-8	
1,1-Dichloroethane	<0.30	ug/L	1.0	0.30	1		10/11/23 12:28	75-34-3	
1,2-Dichloroethane	<0.29	ug/L	1.0	0.29	1		10/11/23 12:28	107-06-2	
1,1-Dichloroethene	<0.58	ug/L	1.0	0.58	1		10/11/23 12:28	75-35-4	
cis-1,2-Dichloroethene	<0.47	ug/L	1.0	0.47	1		10/11/23 12:28	156-59-2	
trans-1,2-Dichloroethene	<0.53	ug/L	1.0	0.53	1		10/11/23 12:28	156-60-5	
1,2-Dichloropropane	<0.45	ug/L	1.0	0.45	1		10/11/23 12:28	78-87-5	
1,3-Dichloropropane	<0.30	ug/L	1.0	0.30	1		10/11/23 12:28	142-28-9	
2,2-Dichloropropane	<0.42	ug/L	1.0	0.42	1		10/11/23 12:28	594-20-7	
1,1-Dichloropropene	<0.41	ug/L	1.0	0.41	1		10/11/23 12:28	563-58-6	
cis-1,3-Dichloropropene	<0.24	ug/L	1.0	0.24	1		10/11/23 12:28	10061-01-5	
trans-1,3-Dichloropropene	<0.27	ug/L	1.0	0.27	1		10/11/23 12:28	10061-02-6	
Diisopropyl ether	<1.1	ug/L	5.0	1.1	1		10/11/23 12:28	108-20-3	
Ethylbenzene	<0.33	ug/L	1.0	0.33	1		10/11/23 12:28	100-41-4	
Hexachloro-1,3-butadiene	<2.7	ug/L	5.0	2.7	1		10/11/23 12:28	87-68-3	
Isopropylbenzene (Cumene)	<1.0	ug/L	5.0	1.0	1		10/11/23 12:28	98-82-8	
p-Isopropyltoluene	<1.0	ug/L	5.0	1.0	1		10/11/23 12:28	99-87-6	
Methylene Chloride	<0.32	ug/L	5.0	0.32	1		10/11/23 12:28	75-09-2	
Methyl-tert-butyl ether	<1.1	ug/L	5.0	1.1	1		10/11/23 12:28	1634-04-4	
Naphthalene	<1.9	ug/L	5.0	1.9	1		10/11/23 12:28	91-20-3	
n-Propylbenzene	<0.35	ug/L	1.0	0.35	1		10/11/23 12:28	103-65-1	
Styrene	<0.36	ug/L	1.0	0.36	1		10/11/23 12:28	100-42-5	

## REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.



## ANALYTICAL RESULTS

Project: 1690028158\_CONV GORSKI LF

Pace Project No.: 40269256

Sample: TRIP BLANK Lab ID: 40269256015 Collected: 10/09/23 00:00 Received: 10/09/23 16:40 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
<b>8260 MSV</b>									
Analytical Method: EPA 8260									
Pace Analytical Services - Green Bay									
1,1,1,2-Tetrachloroethane	<0.36	ug/L	1.0	0.36	1		10/11/23 12:28	630-20-6	
1,1,2,2-Tetrachloroethane	<0.38	ug/L	1.0	0.38	1		10/11/23 12:28	79-34-5	
Tetrachloroethene	<0.41	ug/L	1.0	0.41	1		10/11/23 12:28	127-18-4	
Toluene	<0.29	ug/L	1.0	0.29	1		10/11/23 12:28	108-88-3	
1,2,3-Trichlorobenzene	<1.0	ug/L	5.0	1.0	1		10/11/23 12:28	87-61-6	
1,2,4-Trichlorobenzene	<0.95	ug/L	5.0	0.95	1		10/11/23 12:28	120-82-1	L2
1,1,1-Trichloroethane	<0.30	ug/L	1.0	0.30	1		10/11/23 12:28	71-55-6	
1,1,2-Trichloroethane	<0.34	ug/L	1.0	0.34	1		10/11/23 12:28	79-00-5	
Trichloroethene	<0.32	ug/L	1.0	0.32	1		10/11/23 12:28	79-01-6	
Trichlorofluoromethane	<0.42	ug/L	1.0	0.42	1		10/11/23 12:28	75-69-4	
1,2,3-Trichloropropane	<0.56	ug/L	1.0	0.56	1		10/11/23 12:28	96-18-4	
1,2,4-Trimethylbenzene	<0.45	ug/L	1.0	0.45	1		10/11/23 12:28	95-63-6	
1,3,5-Trimethylbenzene	<0.36	ug/L	1.0	0.36	1		10/11/23 12:28	108-67-8	
Vinyl chloride	<0.17	ug/L	1.0	0.17	1		10/11/23 12:28	75-01-4	
Xylene (Total)	<1.0	ug/L	3.0	1.0	1		10/11/23 12:28	1330-20-7	
m&p-Xylene	<0.70	ug/L	2.0	0.70	1		10/11/23 12:28	179601-23-1	
o-Xylene	<0.35	ug/L	1.0	0.35	1		10/11/23 12:28	95-47-6	
<b>Surrogates</b>									
4-Bromofluorobenzene (S)	104	%	70-130		1		10/11/23 12:28	460-00-4	
1,2-Dichlorobenzene-d4 (S)	101	%	70-130		1		10/11/23 12:28	2199-69-1	
Toluene-d8 (S)	97	%	70-130		1		10/11/23 12:28	2037-26-5	

## REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.



## ANALYTICAL RESULTS

Project: 1690028158\_CONV GORSKI LF

Pace Project No.: 40269256

Sample: 1054 CTH KK Lab ID: 40269256016 Collected: 10/09/23 11:40 Received: 10/09/23 16:40 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
<b>8260 MSV</b>									
Analytical Method: EPA 8260									
Pace Analytical Services - Green Bay									
Benzene	<0.30	ug/L	1.0	0.30	1		10/11/23 14:04	71-43-2	
Bromobenzene	<0.36	ug/L	1.0	0.36	1		10/11/23 14:04	108-86-1	
Bromochloromethane	<0.36	ug/L	1.0	0.36	1		10/11/23 14:04	74-97-5	
Bromodichloromethane	<0.42	ug/L	1.0	0.42	1		10/11/23 14:04	75-27-4	
Bromoform	<0.43	ug/L	1.0	0.43	1		10/11/23 14:04	75-25-2	
Bromomethane	<1.2	ug/L	5.0	1.2	1		10/11/23 14:04	74-83-9	
n-Butylbenzene	<0.86	ug/L	1.0	0.86	1		10/11/23 14:04	104-51-8	
sec-Butylbenzene	<0.42	ug/L	1.0	0.42	1		10/11/23 14:04	135-98-8	
tert-Butylbenzene	<0.59	ug/L	1.0	0.59	1		10/11/23 14:04	98-06-6	
Carbon tetrachloride	<0.37	ug/L	1.0	0.37	1		10/11/23 14:04	56-23-5	
Chlorobenzene	<0.86	ug/L	1.0	0.86	1		10/11/23 14:04	108-90-7	
Chloroethane	<1.4	ug/L	5.0	1.4	1		10/11/23 14:04	75-00-3	
Chloroform	<0.50	ug/L	5.0	0.50	1		10/11/23 14:04	67-66-3	
Chloromethane	<1.6	ug/L	5.0	1.6	1		10/11/23 14:04	74-87-3	
2-Chlorotoluene	<0.89	ug/L	5.0	0.89	1		10/11/23 14:04	95-49-8	
4-Chlorotoluene	<0.89	ug/L	5.0	0.89	1		10/11/23 14:04	106-43-4	
1,2-Dibromo-3-chloropropane	<2.4	ug/L	5.0	2.4	1		10/11/23 14:04	96-12-8	
Dibromochloromethane	<2.6	ug/L	5.0	2.6	1		10/11/23 14:04	124-48-1	
1,2-Dibromoethane (EDB)	<0.31	ug/L	1.0	0.31	1		10/11/23 14:04	106-93-4	
Dibromomethane	<0.99	ug/L	5.0	0.99	1		10/11/23 14:04	74-95-3	
1,2-Dichlorobenzene	<0.33	ug/L	1.0	0.33	1		10/11/23 14:04	95-50-1	
1,3-Dichlorobenzene	<0.35	ug/L	1.0	0.35	1		10/11/23 14:04	541-73-1	
1,4-Dichlorobenzene	<0.89	ug/L	1.0	0.89	1		10/11/23 14:04	106-46-7	
Dichlorodifluoromethane	<0.46	ug/L	5.0	0.46	1		10/11/23 14:04	75-71-8	
1,1-Dichloroethane	<0.30	ug/L	1.0	0.30	1		10/11/23 14:04	75-34-3	
1,2-Dichloroethane	<0.29	ug/L	1.0	0.29	1		10/11/23 14:04	107-06-2	
1,1-Dichloroethene	<0.58	ug/L	1.0	0.58	1		10/11/23 14:04	75-35-4	
cis-1,2-Dichloroethene	<0.47	ug/L	1.0	0.47	1		10/11/23 14:04	156-59-2	
trans-1,2-Dichloroethene	<0.53	ug/L	1.0	0.53	1		10/11/23 14:04	156-60-5	
1,2-Dichloropropane	<0.45	ug/L	1.0	0.45	1		10/11/23 14:04	78-87-5	
1,3-Dichloropropane	<0.30	ug/L	1.0	0.30	1		10/11/23 14:04	142-28-9	
2,2-Dichloropropane	<0.42	ug/L	1.0	0.42	1		10/11/23 14:04	594-20-7	
1,1-Dichloropropene	<0.41	ug/L	1.0	0.41	1		10/11/23 14:04	563-58-6	
cis-1,3-Dichloropropene	<0.24	ug/L	1.0	0.24	1		10/11/23 14:04	10061-01-5	
trans-1,3-Dichloropropene	<0.27	ug/L	1.0	0.27	1		10/11/23 14:04	10061-02-6	
Diisopropyl ether	<1.1	ug/L	5.0	1.1	1		10/11/23 14:04	108-20-3	
Ethylbenzene	<0.33	ug/L	1.0	0.33	1		10/11/23 14:04	100-41-4	
Hexachloro-1,3-butadiene	<2.7	ug/L	5.0	2.7	1		10/11/23 14:04	87-68-3	
Isopropylbenzene (Cumene)	<1.0	ug/L	5.0	1.0	1		10/11/23 14:04	98-82-8	
p-Isopropyltoluene	<1.0	ug/L	5.0	1.0	1		10/11/23 14:04	99-87-6	
Methylene Chloride	<0.32	ug/L	5.0	0.32	1		10/11/23 14:04	75-09-2	
Methyl-tert-butyl ether	<1.1	ug/L	5.0	1.1	1		10/11/23 14:04	1634-04-4	
Naphthalene	<1.9	ug/L	5.0	1.9	1		10/11/23 14:04	91-20-3	
n-Propylbenzene	<0.35	ug/L	1.0	0.35	1		10/11/23 14:04	103-65-1	
Styrene	<0.36	ug/L	1.0	0.36	1		10/11/23 14:04	100-42-5	

## REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.



### ANALYTICAL RESULTS

Project: 1690028158\_CONV GORSKI LF

Pace Project No.: 40269256

Sample: 1054 CTH KK Lab ID: 40269256016 Collected: 10/09/23 11:40 Received: 10/09/23 16:40 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
<b>8260 MSV</b>									
Analytical Method: EPA 8260									
Pace Analytical Services - Green Bay									
1,1,1,2-Tetrachloroethane	<0.36	ug/L	1.0	0.36	1		10/11/23 14:04	630-20-6	
1,1,2,2-Tetrachloroethane	<0.38	ug/L	1.0	0.38	1		10/11/23 14:04	79-34-5	
Tetrachloroethene	<0.41	ug/L	1.0	0.41	1		10/11/23 14:04	127-18-4	
Toluene	<0.29	ug/L	1.0	0.29	1		10/11/23 14:04	108-88-3	
1,2,3-Trichlorobenzene	<1.0	ug/L	5.0	1.0	1		10/11/23 14:04	87-61-6	
1,2,4-Trichlorobenzene	<0.95	ug/L	5.0	0.95	1		10/11/23 14:04	120-82-1	L2
1,1,1-Trichloroethane	<0.30	ug/L	1.0	0.30	1		10/11/23 14:04	71-55-6	
1,1,2-Trichloroethane	<0.34	ug/L	1.0	0.34	1		10/11/23 14:04	79-00-5	
Trichloroethene	<0.32	ug/L	1.0	0.32	1		10/11/23 14:04	79-01-6	
Trichlorofluoromethane	<0.42	ug/L	1.0	0.42	1		10/11/23 14:04	75-69-4	
1,2,3-Trichloropropane	<0.56	ug/L	1.0	0.56	1		10/11/23 14:04	96-18-4	
1,2,4-Trimethylbenzene	<0.45	ug/L	1.0	0.45	1		10/11/23 14:04	95-63-6	
1,3,5-Trimethylbenzene	<0.36	ug/L	1.0	0.36	1		10/11/23 14:04	108-67-8	
Vinyl chloride	<0.17	ug/L	1.0	0.17	1		10/11/23 14:04	75-01-4	
Xylene (Total)	<1.0	ug/L	3.0	1.0	1		10/11/23 14:04	1330-20-7	
m&p-Xylene	<0.70	ug/L	2.0	0.70	1		10/11/23 14:04	179601-23-1	
o-Xylene	<0.35	ug/L	1.0	0.35	1		10/11/23 14:04	95-47-6	
<b>Surrogates</b>									
4-Bromofluorobenzene (S)	103	%	70-130		1		10/11/23 14:04	460-00-4	
1,2-Dichlorobenzene-d4 (S)	102	%	70-130		1		10/11/23 14:04	2199-69-1	
Toluene-d8 (S)	96	%	70-130		1		10/11/23 14:04	2037-26-5	

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.



## ANALYTICAL RESULTS

Project: 1690028158\_CONV GORSKI LF

Pace Project No.: 40269256

Sample: 1058 CTH KK Lab ID: 40269256017 Collected: 10/09/23 11:30 Received: 10/09/23 16:40 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
<b>8260 MSV</b>									
Analytical Method: EPA 8260									
Pace Analytical Services - Green Bay									
Benzene	<0.30	ug/L	1.0	0.30	1		10/11/23 14:24	71-43-2	
Bromobenzene	<0.36	ug/L	1.0	0.36	1		10/11/23 14:24	108-86-1	
Bromochloromethane	<0.36	ug/L	1.0	0.36	1		10/11/23 14:24	74-97-5	
Bromodichloromethane	<0.42	ug/L	1.0	0.42	1		10/11/23 14:24	75-27-4	
Bromoform	<0.43	ug/L	1.0	0.43	1		10/11/23 14:24	75-25-2	
Bromomethane	<1.2	ug/L	5.0	1.2	1		10/11/23 14:24	74-83-9	
n-Butylbenzene	<0.86	ug/L	1.0	0.86	1		10/11/23 14:24	104-51-8	
sec-Butylbenzene	<0.42	ug/L	1.0	0.42	1		10/11/23 14:24	135-98-8	
tert-Butylbenzene	<0.59	ug/L	1.0	0.59	1		10/11/23 14:24	98-06-6	
Carbon tetrachloride	<0.37	ug/L	1.0	0.37	1		10/11/23 14:24	56-23-5	
Chlorobenzene	<0.86	ug/L	1.0	0.86	1		10/11/23 14:24	108-90-7	
Chloroethane	<1.4	ug/L	5.0	1.4	1		10/11/23 14:24	75-00-3	
Chloroform	<0.50	ug/L	5.0	0.50	1		10/11/23 14:24	67-66-3	
Chloromethane	<1.6	ug/L	5.0	1.6	1		10/11/23 14:24	74-87-3	
2-Chlorotoluene	<0.89	ug/L	5.0	0.89	1		10/11/23 14:24	95-49-8	
4-Chlorotoluene	<0.89	ug/L	5.0	0.89	1		10/11/23 14:24	106-43-4	
1,2-Dibromo-3-chloropropane	<2.4	ug/L	5.0	2.4	1		10/11/23 14:24	96-12-8	
Dibromochloromethane	<2.6	ug/L	5.0	2.6	1		10/11/23 14:24	124-48-1	
1,2-Dibromoethane (EDB)	<0.31	ug/L	1.0	0.31	1		10/11/23 14:24	106-93-4	
Dibromomethane	<0.99	ug/L	5.0	0.99	1		10/11/23 14:24	74-95-3	
1,2-Dichlorobenzene	<0.33	ug/L	1.0	0.33	1		10/11/23 14:24	95-50-1	
1,3-Dichlorobenzene	<0.35	ug/L	1.0	0.35	1		10/11/23 14:24	541-73-1	
1,4-Dichlorobenzene	<0.89	ug/L	1.0	0.89	1		10/11/23 14:24	106-46-7	
Dichlorodifluoromethane	<0.46	ug/L	5.0	0.46	1		10/11/23 14:24	75-71-8	
1,1-Dichloroethane	<0.30	ug/L	1.0	0.30	1		10/11/23 14:24	75-34-3	
1,2-Dichloroethane	<0.29	ug/L	1.0	0.29	1		10/11/23 14:24	107-06-2	
1,1-Dichloroethene	<0.58	ug/L	1.0	0.58	1		10/11/23 14:24	75-35-4	
cis-1,2-Dichloroethene	<0.47	ug/L	1.0	0.47	1		10/11/23 14:24	156-59-2	
trans-1,2-Dichloroethene	<0.53	ug/L	1.0	0.53	1		10/11/23 14:24	156-60-5	
1,2-Dichloropropane	<0.45	ug/L	1.0	0.45	1		10/11/23 14:24	78-87-5	
1,3-Dichloropropane	<0.30	ug/L	1.0	0.30	1		10/11/23 14:24	142-28-9	
2,2-Dichloropropane	<0.42	ug/L	1.0	0.42	1		10/11/23 14:24	594-20-7	
1,1-Dichloropropene	<0.41	ug/L	1.0	0.41	1		10/11/23 14:24	563-58-6	
cis-1,3-Dichloropropene	<0.24	ug/L	1.0	0.24	1		10/11/23 14:24	10061-01-5	
trans-1,3-Dichloropropene	<0.27	ug/L	1.0	0.27	1		10/11/23 14:24	10061-02-6	
Diisopropyl ether	<1.1	ug/L	5.0	1.1	1		10/11/23 14:24	108-20-3	
Ethylbenzene	<0.33	ug/L	1.0	0.33	1		10/11/23 14:24	100-41-4	
Hexachloro-1,3-butadiene	<2.7	ug/L	5.0	2.7	1		10/11/23 14:24	87-68-3	
Isopropylbenzene (Cumene)	<1.0	ug/L	5.0	1.0	1		10/11/23 14:24	98-82-8	
p-Isopropyltoluene	<1.0	ug/L	5.0	1.0	1		10/11/23 14:24	99-87-6	
Methylene Chloride	<0.32	ug/L	5.0	0.32	1		10/11/23 14:24	75-09-2	
Methyl-tert-butyl ether	<1.1	ug/L	5.0	1.1	1		10/11/23 14:24	1634-04-4	
Naphthalene	<1.9	ug/L	5.0	1.9	1		10/11/23 14:24	91-20-3	
n-Propylbenzene	<0.35	ug/L	1.0	0.35	1		10/11/23 14:24	103-65-1	
Styrene	<0.36	ug/L	1.0	0.36	1		10/11/23 14:24	100-42-5	

## REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.



## ANALYTICAL RESULTS

Project: 1690028158\_CONV GORSKI LF

Pace Project No.: 40269256

Sample: 1058 CTH KK Lab ID: 40269256017 Collected: 10/09/23 11:30 Received: 10/09/23 16:40 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
<b>8260 MSV</b>									
Analytical Method: EPA 8260									
Pace Analytical Services - Green Bay									
1,1,1,2-Tetrachloroethane	<0.36	ug/L	1.0	0.36	1		10/11/23 14:24	630-20-6	
1,1,2,2-Tetrachloroethane	<0.38	ug/L	1.0	0.38	1		10/11/23 14:24	79-34-5	
Tetrachloroethene	<0.41	ug/L	1.0	0.41	1		10/11/23 14:24	127-18-4	
Toluene	<0.29	ug/L	1.0	0.29	1		10/11/23 14:24	108-88-3	
1,2,3-Trichlorobenzene	<1.0	ug/L	5.0	1.0	1		10/11/23 14:24	87-61-6	
1,2,4-Trichlorobenzene	<0.95	ug/L	5.0	0.95	1		10/11/23 14:24	120-82-1	L2
1,1,1-Trichloroethane	<0.30	ug/L	1.0	0.30	1		10/11/23 14:24	71-55-6	
1,1,2-Trichloroethane	<0.34	ug/L	1.0	0.34	1		10/11/23 14:24	79-00-5	
Trichloroethene	<0.32	ug/L	1.0	0.32	1		10/11/23 14:24	79-01-6	
Trichlorofluoromethane	<0.42	ug/L	1.0	0.42	1		10/11/23 14:24	75-69-4	
1,2,3-Trichloropropane	<0.56	ug/L	1.0	0.56	1		10/11/23 14:24	96-18-4	
1,2,4-Trimethylbenzene	<0.45	ug/L	1.0	0.45	1		10/11/23 14:24	95-63-6	
1,3,5-Trimethylbenzene	<0.36	ug/L	1.0	0.36	1		10/11/23 14:24	108-67-8	
Vinyl chloride	<0.17	ug/L	1.0	0.17	1		10/11/23 14:24	75-01-4	
Xylene (Total)	<1.0	ug/L	3.0	1.0	1		10/11/23 14:24	1330-20-7	
m&p-Xylene	<0.70	ug/L	2.0	0.70	1		10/11/23 14:24	179601-23-1	
o-Xylene	<0.35	ug/L	1.0	0.35	1		10/11/23 14:24	95-47-6	
<b>Surrogates</b>									
4-Bromofluorobenzene (S)	105	%	70-130		1		10/11/23 14:24	460-00-4	
1,2-Dichlorobenzene-d4 (S)	103	%	70-130		1		10/11/23 14:24	2199-69-1	
Toluene-d8 (S)	96	%	70-130		1		10/11/23 14:24	2037-26-5	

## REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.



### QUALITY CONTROL DATA

Project: 1690028158\_CONV GORSKI LF

Pace Project No.: 40269256

QC Batch:	457145	Analysis Method:	EPA 8260
QC Batch Method:	EPA 8260	Analysis Description:	8260 MSV
		Laboratory:	Pace Analytical Services - Green Bay

Associated Lab Samples: 40269256001, 40269256002, 40269256003, 40269256004, 40269256005, 40269256006, 40269256007, 40269256008, 40269256009, 40269256010, 40269256011, 40269256012

METHOD BLANK: 2625138 Matrix: Water

Associated Lab Samples: 40269256001, 40269256002, 40269256003, 40269256004, 40269256005, 40269256006, 40269256007, 40269256008, 40269256009, 40269256010, 40269256011, 40269256012

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
1,1,1,2-Tetrachloroethane	ug/L	<0.36	1.0	10/11/23 08:53	
1,1,1-Trichloroethane	ug/L	<0.30	1.0	10/11/23 08:53	
1,1,2,2-Tetrachloroethane	ug/L	<0.38	1.0	10/11/23 08:53	
1,1,2-Trichloroethane	ug/L	<0.34	1.0	10/11/23 08:53	
1,1-Dichloroethane	ug/L	<0.30	1.0	10/11/23 08:53	
1,1-Dichloroethene	ug/L	<0.58	1.0	10/11/23 08:53	
1,1-Dichloropropene	ug/L	<0.41	1.0	10/11/23 08:53	
1,2,3-Trichlorobenzene	ug/L	<1.0	5.0	10/11/23 08:53	
1,2,3-Trichloropropane	ug/L	<0.56	1.0	10/11/23 08:53	
1,2,4-Trichlorobenzene	ug/L	<0.95	5.0	10/11/23 08:53	
1,2,4-Trimethylbenzene	ug/L	<0.45	1.0	10/11/23 08:53	
1,2-Dibromo-3-chloropropane	ug/L	<2.4	5.0	10/11/23 08:53	
1,2-Dibromoethane (EDB)	ug/L	<0.31	1.0	10/11/23 08:53	
1,2-Dichlorobenzene	ug/L	<0.33	1.0	10/11/23 08:53	
1,2-Dichloroethane	ug/L	<0.29	1.0	10/11/23 08:53	
1,2-Dichloropropane	ug/L	<0.45	1.0	10/11/23 08:53	
1,3,5-Trimethylbenzene	ug/L	<0.36	1.0	10/11/23 08:53	
1,3-Dichlorobenzene	ug/L	<0.35	1.0	10/11/23 08:53	
1,3-Dichloropropane	ug/L	<0.30	1.0	10/11/23 08:53	
1,4-Dichlorobenzene	ug/L	<0.89	1.0	10/11/23 08:53	
2,2-Dichloropropane	ug/L	<0.42	1.0	10/11/23 08:53	
2-Chlorotoluene	ug/L	<0.89	5.0	10/11/23 08:53	
4-Chlorotoluene	ug/L	<0.89	5.0	10/11/23 08:53	
Benzene	ug/L	<0.30	1.0	10/11/23 08:53	
Bromobenzene	ug/L	<0.36	1.0	10/11/23 08:53	
Bromochloromethane	ug/L	<0.36	1.0	10/11/23 08:53	
Bromodichloromethane	ug/L	<0.42	1.0	10/11/23 08:53	
Bromoform	ug/L	<0.43	1.0	10/11/23 08:53	
Bromomethane	ug/L	<1.2	5.0	10/11/23 08:53	
Carbon tetrachloride	ug/L	<0.37	1.0	10/11/23 08:53	
Chlorobenzene	ug/L	<0.86	1.0	10/11/23 08:53	
Chloroethane	ug/L	<1.4	5.0	10/11/23 08:53	
Chloroform	ug/L	<0.50	5.0	10/11/23 08:53	
Chloromethane	ug/L	<1.6	5.0	10/11/23 08:53	
cis-1,2-Dichloroethene	ug/L	<0.47	1.0	10/11/23 08:53	
cis-1,3-Dichloropropene	ug/L	<0.24	1.0	10/11/23 08:53	
Dibromochloromethane	ug/L	<2.6	5.0	10/11/23 08:53	
Dibromomethane	ug/L	<0.99	5.0	10/11/23 08:53	
Dichlorodifluoromethane	ug/L	<0.46	5.0	10/11/23 08:53	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full, without the written consent of Pace Analytical Services, LLC.





**QUALITY CONTROL DATA**

Project: 1690028158\_CONV GORSKI LF

Pace Project No.: 40269256

METHOD BLANK: 2625138

Matrix: Water

Associated Lab Samples: 40269256001, 40269256002, 40269256003, 40269256004, 40269256005, 40269256006, 40269256007, 40269256008, 40269256009, 40269256010, 40269256011, 40269256012

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
Diisopropyl ether	ug/L	<1.1	5.0	10/11/23 08:53	
Ethylbenzene	ug/L	<0.33	1.0	10/11/23 08:53	
Hexachloro-1,3-butadiene	ug/L	<2.7	5.0	10/11/23 08:53	
Isopropylbenzene (Cumene)	ug/L	<1.0	5.0	10/11/23 08:53	
m&p-Xylene	ug/L	<0.70	2.0	10/11/23 08:53	
Methyl-tert-butyl ether	ug/L	<1.1	5.0	10/11/23 08:53	
Methylene Chloride	ug/L	<0.32	5.0	10/11/23 08:53	
n-Butylbenzene	ug/L	<0.86	1.0	10/11/23 08:53	
n-Propylbenzene	ug/L	<0.35	1.0	10/11/23 08:53	
Naphthalene	ug/L	<1.9	5.0	10/11/23 08:53	
o-Xylene	ug/L	<0.35	1.0	10/11/23 08:53	
p-Isopropyltoluene	ug/L	<1.0	5.0	10/11/23 08:53	
sec-Butylbenzene	ug/L	<0.42	1.0	10/11/23 08:53	
Styrene	ug/L	<0.36	1.0	10/11/23 08:53	
tert-Butylbenzene	ug/L	<0.59	1.0	10/11/23 08:53	
Tetrachloroethene	ug/L	<0.41	1.0	10/11/23 08:53	
Toluene	ug/L	<0.29	1.0	10/11/23 08:53	
trans-1,2-Dichloroethene	ug/L	<0.53	1.0	10/11/23 08:53	
trans-1,3-Dichloropropene	ug/L	<0.27	1.0	10/11/23 08:53	
Trichloroethene	ug/L	<0.32	1.0	10/11/23 08:53	
Trichlorofluoromethane	ug/L	<0.42	1.0	10/11/23 08:53	
Vinyl chloride	ug/L	<0.17	1.0	10/11/23 08:53	
Xylene (Total)	ug/L	<1.0	3.0	10/11/23 08:53	
1,2-Dichlorobenzene-d4 (S)	%	105	70-130	10/11/23 08:53	
4-Bromofluorobenzene (S)	%	101	70-130	10/11/23 08:53	
Toluene-d8 (S)	%	100	70-130	10/11/23 08:53	

LABORATORY CONTROL SAMPLE: 2625139

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
1,1,1,2-Tetrachloroethane	ug/L	50	45.6	91	70-130	
1,1,1-Trichloroethane	ug/L	50	53.6	107	70-132	
1,1,2,2-Tetrachloroethane	ug/L	50	49.2	98	70-130	
1,1,2-Trichloroethane	ug/L	50	49.3	99	70-130	
1,1-Dichloroethane	ug/L	50	50.2	100	70-130	
1,1-Dichloroethene	ug/L	50	57.6	115	73-140	
1,1-Dichloropropene	ug/L	50	50.5	101	70-130	
1,2,3-Trichlorobenzene	ug/L	50	44.4	89	70-130	
1,2,3-Trichloropropane	ug/L	50	46.1	92	70-130	
1,2,4-Trichlorobenzene	ug/L	50	45.3	91	70-130	
1,2,4-Trimethylbenzene	ug/L	50	49.2	98	70-130	
1,2-Dibromo-3-chloropropane	ug/L	50	48.8	98	58-130	
1,2-Dibromoethane (EDB)	ug/L	50	51.1	102	70-130	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

**REPORT OF LABORATORY ANALYSIS**

This report shall not be reproduced, except in full, without the written consent of Pace Analytical Services, LLC.



## QUALITY CONTROL DATA

Project: 1690028158\_CONV GORSKI LF

Pace Project No.: 40269256

LABORATORY CONTROL SAMPLE: 2625139

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
1,2-Dichlorobenzene	ug/L	50	46.8	94	70-130	
1,2-Dichloroethane	ug/L	50	55.8	112	70-130	
1,2-Dichloropropane	ug/L	50	52.6	105	77-127	
1,3,5-Trimethylbenzene	ug/L	50	47.8	96	70-130	
1,3-Dichlorobenzene	ug/L	50	46.6	93	70-130	
1,3-Dichloropropane	ug/L	50	50.2	100	70-130	
1,4-Dichlorobenzene	ug/L	50	46.8	94	70-130	
2,2-Dichloropropane	ug/L	50	41.9	84	65-131	
2-Chlorotoluene	ug/L	50	46.4	93	70-130	
4-Chlorotoluene	ug/L	50	45.8	92	70-130	
Benzene	ug/L	50	49.8	100	70-130	
Bromobenzene	ug/L	50	46.0	92	70-130	
Bromochloromethane	ug/L	50	48.4	97	70-130	
Bromodichloromethane	ug/L	50	54.0	108	70-130	
Bromoform	ug/L	50	44.8	90	70-130	
Bromomethane	ug/L	50	45.8	92	22-141	
Carbon tetrachloride	ug/L	50	47.2	94	70-135	
Chlorobenzene	ug/L	50	48.4	97	70-130	
Chloroethane	ug/L	50	69.7	139	59-141	
Chloroform	ug/L	50	49.9	100	80-124	
Chloromethane	ug/L	50	57.6	115	29-150	
cis-1,2-Dichloroethene	ug/L	50	48.8	98	70-130	
cis-1,3-Dichloropropene	ug/L	50	54.9	110	70-130	
Dibromochloromethane	ug/L	50	46.4	93	70-130	
Dibromomethane	ug/L	50	50.1	100	70-130	
Dichlorodifluoromethane	ug/L	50	47.6	95	10-147	
Diisopropyl ether	ug/L	50	54.8	110	57-136	
Ethylbenzene	ug/L	50	49.6	99	80-125	
Hexachloro-1,3-butadiene	ug/L	50	43.1	86	64-130	
Isopropylbenzene (Cumene)	ug/L	50	50.3	101	70-130	
m&p-Xylene	ug/L	100	98.0	98	70-130	
Methyl-tert-butyl ether	ug/L	50	49.3	99	64-131	
Methylene Chloride	ug/L	50	47.6	95	70-137	
n-Butylbenzene	ug/L	50	48.2	96	70-130	
n-Propylbenzene	ug/L	50	49.0	98	70-130	
Naphthalene	ug/L	50	68.8	138	70-130 L1	
o-Xylene	ug/L	50	48.8	98	70-130	
p-Isopropyltoluene	ug/L	50	49.4	99	70-130	
sec-Butylbenzene	ug/L	50	50.8	102	70-130	
Styrene	ug/L	50	54.8	110	70-130	
tert-Butylbenzene	ug/L	50	48.8	98	70-130	
Tetrachloroethene	ug/L	50	49.6	99	70-130	
Toluene	ug/L	50	48.2	96	80-120	
trans-1,2-Dichloroethene	ug/L	50	47.6	95	70-131	
trans-1,3-Dichloropropene	ug/L	50	43.5	87	70-130	
Trichloroethene	ug/L	50	49.8	100	70-130	
Trichlorofluoromethane	ug/L	50	62.0	124	69-141	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

## REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.



**QUALITY CONTROL DATA**

Project: 1690028158\_CONV GORSKI LF

Pace Project No.: 40269256

LABORATORY CONTROL SAMPLE: 2625139

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Vinyl chloride	ug/L	50	61.9	124	51-145	
Xylene (Total)	ug/L	150	147	98	70-130	
1,2-Dichlorobenzene-d4 (S)	%			99	70-130	
4-Bromofluorobenzene (S)	%			97	70-130	
Toluene-d8 (S)	%			101	70-130	

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 2625140 2625141

Parameter	Units	MS		MSD		MS % Rec	MSD % Rec	% Rec Limits	RPD	Max RPD	Qual	
		40269256003 Result	Spike Conc.	Spike Conc.	MS Result							MSD Result
1,1,1,2-Tetrachloroethane	ug/L	<0.36	50	50	47.4	47.3	95	95	70-130	0	20	
1,1,1-Trichloroethane	ug/L	<0.30	50	50	55.9	55.5	112	111	70-132	1	20	
1,1,2,2-Tetrachloroethane	ug/L	<0.38	50	50	50.2	50.7	100	101	70-131	1	20	
1,1,2-Trichloroethane	ug/L	<0.34	50	50	50.1	49.7	100	99	70-130	1	20	
1,1-Dichloroethane	ug/L	<0.30	50	50	51.6	50.9	103	102	70-131	1	20	
1,1-Dichloroethene	ug/L	<0.58	50	50	59.5	59.4	119	119	69-146	0	20	
1,1-Dichloropropene	ug/L	<0.41	50	50	50.5	52.8	101	106	70-130	4	20	
1,2,3-Trichlorobenzene	ug/L	<1.0	50	50	47.2	46.8	94	94	70-130	1	20	
1,2,3-Trichloropropane	ug/L	<0.56	50	50	48.0	47.1	96	94	70-130	2	20	
1,2,4-Trichlorobenzene	ug/L	<0.95	50	50	46.0	48.0	92	96	70-130	4	20	
1,2,4-Trimethylbenzene	ug/L	<0.45	50	50	51.4	52.8	103	106	70-130	3	20	
1,2-Dibromo-3-chloropropane	ug/L	<2.4	50	50	49.2	53.7	98	107	56-130	9	20	
1,2-Dibromoethane (EDB)	ug/L	<0.31	50	50	52.0	50.7	104	101	70-130	3	20	
1,2-Dichlorobenzene	ug/L	<0.33	50	50	48.9	49.3	98	99	70-130	1	20	
1,2-Dichloroethane	ug/L	<0.29	50	50	57.0	56.2	114	112	70-130	1	20	
1,2-Dichloropropane	ug/L	<0.45	50	50	54.9	54.5	110	109	77-129	1	20	
1,3,5-Trimethylbenzene	ug/L	<0.36	50	50	50.3	51.2	101	102	70-130	2	20	
1,3-Dichlorobenzene	ug/L	<0.35	50	50	48.2	49.5	96	99	70-130	3	20	
1,3-Dichloropropane	ug/L	<0.30	50	50	51.5	50.2	103	100	70-130	3	20	
1,4-Dichlorobenzene	ug/L	<0.89	50	50	48.0	50.0	96	100	70-130	4	20	
2,2-Dichloropropane	ug/L	<0.42	50	50	45.6	46.1	91	92	65-131	1	20	
2-Chlorotoluene	ug/L	<0.89	50	50	49.0	49.7	98	99	70-130	1	20	
4-Chlorotoluene	ug/L	<0.89	50	50	49.3	49.2	99	98	70-130	0	20	
Benzene	ug/L	<0.30	50	50	52.3	51.6	105	103	70-130	1	20	
Bromobenzene	ug/L	<0.36	50	50	48.2	48.7	96	97	70-130	1	20	
Bromochloromethane	ug/L	<0.36	50	50	50.1	47.8	100	96	70-130	5	20	
Bromodichloromethane	ug/L	<0.42	50	50	55.7	54.5	111	109	70-130	2	20	
Bromoform	ug/L	<0.43	50	50	45.1	44.9	90	90	70-130	0	20	
Bromomethane	ug/L	<1.2	50	50	49.5	54.6	99	109	12-159	10	26	
Carbon tetrachloride	ug/L	<0.37	50	50	49.3	49.1	99	98	70-135	0	20	
Chlorobenzene	ug/L	<0.86	50	50	49.3	49.2	99	98	70-130	0	20	
Chloroethane	ug/L	<1.4	50	50	69.3	76.2	139	152	56-143	10	20	M1
Chloroform	ug/L	<0.50	50	50	51.7	50.8	103	102	80-126	2	20	
Chloromethane	ug/L	<1.6	50	50	61.6	60.1	123	120	22-156	2	20	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

**REPORT OF LABORATORY ANALYSIS**

This report shall not be reproduced, except in full, without the written consent of Pace Analytical Services, LLC.



**QUALITY CONTROL DATA**

Project: 1690028158\_CONV GORSKI LF

Pace Project No.: 40269256

Parameter	Units	MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 2625140		2625141		MS Result	MSD Result	MS % Rec	MSD % Rec	% Rec Limits	RPD	Max RPD	Qual
		40269256003 Result	MS Spike Conc.	MSD Spike Conc.	MS Result								
cis-1,2-Dichloroethene	ug/L	<0.47	50	50	51.3	50.9	103	102	70-130	1	20		
cis-1,3-Dichloropropene	ug/L	<0.24	50	50	55.0	54.6	110	109	70-130	1	20		
Dibromochloromethane	ug/L	<2.6	50	50	48.5	48.1	97	96	70-130	1	20		
Dibromomethane	ug/L	<0.99	50	50	51.5	50.0	103	100	70-130	3	20		
Dichlorodifluoromethane	ug/L	<0.46	50	50	49.3	48.9	99	98	10-147	1	20		
Diisopropyl ether	ug/L	<1.1	50	50	56.0	55.6	112	111	57-136	1	20		
Ethylbenzene	ug/L	<0.33	50	50	51.5	50.6	103	101	80-126	2	20		
Hexachloro-1,3-butadiene	ug/L	<2.7	50	50	43.2	47.6	86	95	64-130	10	20		
Isopropylbenzene (Cumene)	ug/L	<1.0	50	50	52.1	52.2	104	104	70-130	0	20		
m&p-Xylene	ug/L	<0.70	100	100	101	100	101	100	70-130	1	20		
Methyl-tert-butyl ether	ug/L	<1.1	50	50	51.8	50.7	104	101	64-136	2	20		
Methylene Chloride	ug/L	<0.32	50	50	49.1	48.4	98	97	70-137	1	20		
n-Butylbenzene	ug/L	<0.86	50	50	51.0	52.2	102	104	70-130	2	20		
n-Propylbenzene	ug/L	<0.35	50	50	50.5	52.1	101	104	70-130	3	20		
Naphthalene	ug/L	<1.9	50	50	52.5	50.4	105	101	70-130	4	20		
o-Xylene	ug/L	<0.35	50	50	50.3	50.1	101	100	70-130	0	20		
p-Isopropyltoluene	ug/L	<1.0	50	50	51.5	52.8	103	106	70-130	2	20		
sec-Butylbenzene	ug/L	<0.42	50	50	52.7	54.3	105	109	70-130	3	20		
Styrene	ug/L	<0.36	50	50	56.6	56.2	113	112	70-133	1	20		
tert-Butylbenzene	ug/L	<0.59	50	50	51.2	52.0	102	104	70-130	2	20		
Tetrachloroethene	ug/L	<0.41	50	50	52.1	50.8	104	102	70-131	3	20		
Toluene	ug/L	<0.29	50	50	50.0	49.2	100	98	80-121	2	20		
trans-1,2-Dichloroethene	ug/L	<0.53	50	50	49.2	49.9	98	100	70-135	1	20		
trans-1,3-Dichloropropene	ug/L	<0.27	50	50	46.3	46.0	93	92	70-130	1	20		
Trichloroethene	ug/L	<0.32	50	50	51.8	52.2	104	104	70-130	1	20		
Trichlorofluoromethane	ug/L	<0.42	50	50	64.1	62.7	128	125	67-142	2	20		
Vinyl chloride	ug/L	<0.17	50	50	64.0	62.1	128	124	45-147	3	20		
Xylene (Total)	ug/L	<1.0	150	150	151	150	101	100	70-130	1	20		
1,2-Dichlorobenzene-d4 (S)	%						100	102	70-130				
4-Bromofluorobenzene (S)	%						97	98	70-130				
Toluene-d8 (S)	%						100	99	70-130				

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

**REPORT OF LABORATORY ANALYSIS**

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.



## QUALITY CONTROL DATA

Project: 1690028158\_CONV GORSKI LF

Pace Project No.: 40269256

QC Batch: 457146

Analysis Method: EPA 8260

QC Batch Method: EPA 8260

Analysis Description: 8260 MSV

Laboratory: Pace Analytical Services - Green Bay

Associated Lab Samples: 40269256014, 40269256015, 40269256016, 40269256017

METHOD BLANK: 2625142

Matrix: Water

Associated Lab Samples: 40269256014, 40269256015, 40269256016, 40269256017

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
1,1,1,2-Tetrachloroethane	ug/L	<0.36	1.0	10/11/23 09:35	
1,1,1-Trichloroethane	ug/L	<0.30	1.0	10/11/23 09:35	
1,1,2,2-Tetrachloroethane	ug/L	<0.38	1.0	10/11/23 09:35	
1,1,2-Trichloroethane	ug/L	<0.34	1.0	10/11/23 09:35	
1,1-Dichloroethane	ug/L	<0.30	1.0	10/11/23 09:35	
1,1-Dichloroethene	ug/L	<0.58	1.0	10/11/23 09:35	
1,1-Dichloropropene	ug/L	<0.41	1.0	10/11/23 09:35	
1,2,3-Trichlorobenzene	ug/L	<1.0	5.0	10/11/23 09:35	
1,2,3-Trichloropropane	ug/L	<0.56	1.0	10/11/23 09:35	
1,2,4-Trichlorobenzene	ug/L	<0.95	5.0	10/11/23 09:35	
1,2,4-Trimethylbenzene	ug/L	<0.45	1.0	10/11/23 09:35	
1,2-Dibromo-3-chloropropane	ug/L	<2.4	5.0	10/11/23 09:35	
1,2-Dibromoethane (EDB)	ug/L	<0.31	1.0	10/11/23 09:35	
1,2-Dichlorobenzene	ug/L	<0.33	1.0	10/11/23 09:35	
1,2-Dichloroethane	ug/L	<0.29	1.0	10/11/23 09:35	
1,2-Dichloropropane	ug/L	<0.45	1.0	10/11/23 09:35	
1,3,5-Trimethylbenzene	ug/L	<0.36	1.0	10/11/23 09:35	
1,3-Dichlorobenzene	ug/L	<0.35	1.0	10/11/23 09:35	
1,3-Dichloropropane	ug/L	<0.30	1.0	10/11/23 09:35	
1,4-Dichlorobenzene	ug/L	<0.89	1.0	10/11/23 09:35	
2,2-Dichloropropane	ug/L	<0.42	1.0	10/11/23 09:35	
2-Chlorotoluene	ug/L	<0.89	5.0	10/11/23 09:35	
4-Chlorotoluene	ug/L	<0.89	5.0	10/11/23 09:35	
Benzene	ug/L	<0.30	1.0	10/11/23 09:35	
Bromobenzene	ug/L	<0.36	1.0	10/11/23 09:35	
Bromochloromethane	ug/L	<0.36	1.0	10/11/23 09:35	
Bromodichloromethane	ug/L	<0.42	1.0	10/11/23 09:35	
Bromoform	ug/L	<0.43	1.0	10/11/23 09:35	
Bromomethane	ug/L	<1.2	5.0	10/11/23 09:35	
Carbon tetrachloride	ug/L	<0.37	1.0	10/11/23 09:35	
Chlorobenzene	ug/L	<0.86	1.0	10/11/23 09:35	
Chloroethane	ug/L	<1.4	5.0	10/11/23 09:35	
Chloroform	ug/L	<0.50	5.0	10/11/23 09:35	
Chloromethane	ug/L	<1.6	5.0	10/11/23 09:35	
cis-1,2-Dichloroethene	ug/L	<0.47	1.0	10/11/23 09:35	
cis-1,3-Dichloropropene	ug/L	<0.24	1.0	10/11/23 09:35	
Dibromochloromethane	ug/L	<2.6	5.0	10/11/23 09:35	
Dibromomethane	ug/L	<0.99	5.0	10/11/23 09:35	
Dichlorodifluoromethane	ug/L	<0.46	5.0	10/11/23 09:35	
Diisopropyl ether	ug/L	<1.1	5.0	10/11/23 09:35	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

## REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.



**QUALITY CONTROL DATA**

Project: 1690028158\_CONV GORSKI LF

Pace Project No.: 40269256

METHOD BLANK: 2625142

Matrix: Water

Associated Lab Samples: 40269256014, 40269256015, 40269256016, 40269256017

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
Ethylbenzene	ug/L	<0.33	1.0	10/11/23 09:35	
Hexachloro-1,3-butadiene	ug/L	<2.7	5.0	10/11/23 09:35	
Isopropylbenzene (Cumene)	ug/L	<1.0	5.0	10/11/23 09:35	
m&p-Xylene	ug/L	<0.70	2.0	10/11/23 09:35	
Methyl-tert-butyl ether	ug/L	<1.1	5.0	10/11/23 09:35	
Methylene Chloride	ug/L	<0.32	5.0	10/11/23 09:35	
n-Butylbenzene	ug/L	<0.86	1.0	10/11/23 09:35	
n-Propylbenzene	ug/L	<0.35	1.0	10/11/23 09:35	
Naphthalene	ug/L	<1.9	5.0	10/11/23 09:35	
o-Xylene	ug/L	<0.35	1.0	10/11/23 09:35	
p-Isopropyltoluene	ug/L	<1.0	5.0	10/11/23 09:35	
sec-Butylbenzene	ug/L	<0.42	1.0	10/11/23 09:35	
Styrene	ug/L	<0.36	1.0	10/11/23 09:35	
tert-Butylbenzene	ug/L	<0.59	1.0	10/11/23 09:35	
Tetrachloroethene	ug/L	<0.41	1.0	10/11/23 09:35	
Toluene	ug/L	<0.29	1.0	10/11/23 09:35	
trans-1,2-Dichloroethene	ug/L	<0.53	1.0	10/11/23 09:35	
trans-1,3-Dichloropropene	ug/L	<0.27	1.0	10/11/23 09:35	
Trichloroethene	ug/L	<0.32	1.0	10/11/23 09:35	
Trichlorofluoromethane	ug/L	<0.42	1.0	10/11/23 09:35	
Vinyl chloride	ug/L	<0.17	1.0	10/11/23 09:35	
Xylene (Total)	ug/L	<1.0	3.0	10/11/23 09:35	
1,2-Dichlorobenzene-d4 (S)	%	99	70-130	10/11/23 09:35	
4-Bromofluorobenzene (S)	%	102	70-130	10/11/23 09:35	
Toluene-d8 (S)	%	97	70-130	10/11/23 09:35	

LABORATORY CONTROL SAMPLE: 2625143

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
1,1,1-Trichloroethane	ug/L	50	59.2	118	70-132	
1,1,2,2-Tetrachloroethane	ug/L	50	41.1	82	70-130	
1,1,2-Trichloroethane	ug/L	50	46.6	93	70-130	
1,1-Dichloroethane	ug/L	50	60.3	121	70-130	
1,1-Dichloroethene	ug/L	50	51.5	103	73-140	
1,2,4-Trichlorobenzene	ug/L	50	34.4	69	70-130 L2	
1,2-Dibromo-3-chloropropane	ug/L	50	34.2	68	58-130	
1,2-Dibromoethane (EDB)	ug/L	50	42.8	86	70-130	
1,2-Dichlorobenzene	ug/L	50	43.1	86	70-130	
1,2-Dichloroethane	ug/L	50	55.1	110	70-130	
1,2-Dichloropropane	ug/L	50	56.3	113	77-127	
1,3-Dichlorobenzene	ug/L	50	44.8	90	70-130	
1,4-Dichlorobenzene	ug/L	50	42.5	85	70-130	
Benzene	ug/L	50	58.4	117	70-130	
Bromodichloromethane	ug/L	50	56.9	114	70-130	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

**REPORT OF LABORATORY ANALYSIS**

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.



### QUALITY CONTROL DATA

Project: 1690028158\_CONV GORSKI LF

Pace Project No.: 40269256

LABORATORY CONTROL SAMPLE: 2625143

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Bromoform	ug/L	50	47.2	94	70-130	
Bromomethane	ug/L	50	43.9	88	22-141	
Carbon tetrachloride	ug/L	50	63.9	128	70-135	
Chlorobenzene	ug/L	50	49.9	100	70-130	
Chloroethane	ug/L	50	51.1	102	59-141	
Chloroform	ug/L	50	59.3	119	80-124	
Chloromethane	ug/L	50	56.0	112	29-150	
cis-1,2-Dichloroethene	ug/L	50	55.5	111	70-130	
cis-1,3-Dichloropropene	ug/L	50	52.7	105	70-130	
Dibromochloromethane	ug/L	50	48.1	96	70-130	
Dichlorodifluoromethane	ug/L	50	62.3	125	10-147	
Ethylbenzene	ug/L	50	49.5	99	80-125	
Isopropylbenzene (Cumene)	ug/L	50	44.9	90	70-130	
m&p-Xylene	ug/L	100	96.9	97	70-130	
Methyl-tert-butyl ether	ug/L	50	43.3	87	64-131	
Methylene Chloride	ug/L	50	51.5	103	70-137	
o-Xylene	ug/L	50	48.3	97	70-130	
Styrene	ug/L	50	54.7	109	70-130	
Tetrachloroethene	ug/L	50	48.5	97	70-130	
Toluene	ug/L	50	50.2	100	80-120	
trans-1,2-Dichloroethene	ug/L	50	52.1	104	70-131	
trans-1,3-Dichloropropene	ug/L	50	43.8	88	70-130	
Trichloroethene	ug/L	50	55.2	110	70-130	
Trichlorofluoromethane	ug/L	50	51.6	103	69-141	
Vinyl chloride	ug/L	50	50.0	100	51-145	
Xylene (Total)	ug/L	150	145	97	70-130	
1,2-Dichlorobenzene-d4 (S)	%			96	70-130	
4-Bromofluorobenzene (S)	%			97	70-130	
Toluene-d8 (S)	%			96	70-130	

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 2625191 2625192

Parameter	Units	MS		MSD		MS Result	MSD Result	MS % Rec	MSD % Rec	% Rec Limits	RPD	Max RPD	Qual
		40269256014	Result	Spike Conc.	Spike Conc.								
1,1,1-Trichloroethane	ug/L	<0.30	50	50	54.8	58.0	110	116	70-132	6	20		
1,1,2,2-Tetrachloroethane	ug/L	<0.38	50	50	38.8	42.4	78	85	70-131	9	20		
1,1,2-Trichloroethane	ug/L	<0.34	50	50	42.0	47.1	84	94	70-130	11	20		
1,1-Dichloroethane	ug/L	<0.30	50	50	54.9	59.0	110	118	70-131	7	20		
1,1-Dichloroethene	ug/L	<0.58	50	50	47.0	49.9	94	100	69-146	6	20		
1,2,4-Trichlorobenzene	ug/L	<0.95	50	50	34.4	35.7	69	71	70-130	4	20	M0	
1,2-Dibromo-3-chloropropane	ug/L	<2.4	50	50	33.0	35.1	66	70	56-130	6	20		
1,2-Dibromoethane (EDB)	ug/L	<0.31	50	50	38.9	42.9	78	86	70-130	10	20		
1,2-Dichlorobenzene	ug/L	<0.33	50	50	39.4	42.1	79	84	70-130	7	20		
1,2-Dichloroethane	ug/L	<0.29	50	50	50.4	54.6	101	109	70-130	8	20		

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full, without the written consent of Pace Analytical Services, LLC.





**QUALITY CONTROL DATA**

Project: 1690028158\_CONV GORSKI LF

Pace Project No.: 40269256

Parameter	Units	2625191		2625192		MS Result	MSD Result	MS % Rec	MSD % Rec	% Rec Limits	Max RPD	Qual
		40269256014 Result	MS Spike Conc.	MSD Spike Conc.	MS Result							
1,2-Dichloropropane	ug/L	<0.45	50	50	50.8	55.5	102	111	77-129	9	20	
1,3-Dichlorobenzene	ug/L	<0.35	50	50	41.4	45.1	83	90	70-130	9	20	
1,4-Dichlorobenzene	ug/L	<0.89	50	50	40.1	42.6	80	85	70-130	6	20	
Benzene	ug/L	<0.30	50	50	53.6	56.7	107	113	70-130	6	20	
Bromodichloromethane	ug/L	<0.42	50	50	51.1	56.1	102	112	70-130	9	20	
Bromoform	ug/L	<0.43	50	50	42.8	48.0	86	96	70-130	11	20	
Bromomethane	ug/L	<1.2	50	50	42.5	45.4	85	91	12-159	7	26	
Carbon tetrachloride	ug/L	<0.37	50	50	58.9	63.2	118	126	70-135	7	20	
Chlorobenzene	ug/L	<0.86	50	50	44.6	49.5	89	99	70-130	10	20	
Chloroethane	ug/L	<1.4	50	50	45.7	49.5	91	99	56-143	8	20	
Chloroform	ug/L	<0.50	50	50	54.6	58.2	109	116	80-126	6	20	
Chloromethane	ug/L	<1.6	50	50	51.2	54.3	102	109	22-156	6	20	
cis-1,2-Dichloroethene	ug/L	2.6	50	50	53.6	57.3	102	109	70-130	7	20	
cis-1,3-Dichloropropene	ug/L	<0.24	50	50	45.7	53.2	91	106	70-130	15	20	
Dibromochloromethane	ug/L	<2.6	50	50	42.9	48.8	86	98	70-130	13	20	
Dichlorodifluoromethane	ug/L	<0.46	50	50	57.6	60.2	115	120	10-147	4	20	
Ethylbenzene	ug/L	<0.33	50	50	44.6	48.7	89	97	80-126	9	20	
Isopropylbenzene (Cumene)	ug/L	<1.0	50	50	40.4	44.3	81	89	70-130	9	20	
m&p-Xylene	ug/L	<0.70	100	100	86.6	93.2	87	93	70-130	7	20	
Methyl-tert-butyl ether	ug/L	<1.1	50	50	39.2	41.7	78	83	64-136	6	20	
Methylene Chloride	ug/L	<0.32	50	50	46.0	51.3	92	103	70-137	11	20	
o-Xylene	ug/L	<0.35	50	50	42.7	47.1	85	94	70-130	10	20	
Styrene	ug/L	<0.36	50	50	48.5	53.9	97	108	70-133	11	20	
Tetrachloroethene	ug/L	<0.41	50	50	42.8	48.4	86	97	70-131	12	20	
Toluene	ug/L	<0.29	50	50	44.8	48.7	90	97	80-121	8	20	
trans-1,2-Dichloroethene	ug/L	<0.53	50	50	47.8	48.1	96	96	70-135	1	20	
trans-1,3-Dichloropropene	ug/L	<0.27	50	50	39.4	42.5	79	85	70-130	8	20	
Trichloroethene	ug/L	6.4	50	50	58.7	61.9	105	111	70-130	5	20	
Trichlorofluoromethane	ug/L	<0.42	50	50	47.2	49.9	94	100	67-142	6	20	
Vinyl chloride	ug/L	<0.17	50	50	47.3	48.5	95	97	45-147	3	20	
Xylene (Total)	ug/L	<1.0	150	150	129	140	86	94	70-130	8	20	
1,2-Dichlorobenzene-d4 (S)	%						98	96	70-130			
4-Bromofluorobenzene (S)	%						102	98	70-130			
Toluene-d8 (S)	%						96	97	70-130			

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

**REPORT OF LABORATORY ANALYSIS**

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.





## QUALITY CONTROL DATA

Project: 1690028158\_CONV GORSKI LF

Pace Project No.: 40269256

QC Batch: 457346

Analysis Method: EPA 8260

QC Batch Method: EPA 8260

Analysis Description: 8260 MSV

Laboratory: Pace Analytical Services - Green Bay

Associated Lab Samples: 40269256013

METHOD BLANK: 2626374

Matrix: Water

Associated Lab Samples: 40269256013

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
1,1,1,2-Tetrachloroethane	ug/L	<0.36	1.0	10/16/23 09:09	
1,1,1-Trichloroethane	ug/L	<0.30	1.0	10/16/23 09:09	
1,1,2,2-Tetrachloroethane	ug/L	<0.38	1.0	10/16/23 09:09	
1,1,2-Trichloroethane	ug/L	<0.34	1.0	10/16/23 09:09	
1,1-Dichloroethane	ug/L	<0.30	1.0	10/16/23 09:09	
1,1-Dichloroethene	ug/L	<0.58	1.0	10/16/23 09:09	
1,1-Dichloropropene	ug/L	<0.41	1.0	10/16/23 09:09	
1,2,3-Trichlorobenzene	ug/L	<1.0	5.0	10/16/23 09:09	
1,2,3-Trichloropropane	ug/L	<0.56	1.0	10/16/23 09:09	
1,2,4-Trichlorobenzene	ug/L	<0.95	5.0	10/16/23 09:09	
1,2,4-Trimethylbenzene	ug/L	<0.45	1.0	10/16/23 09:09	
1,2-Dibromo-3-chloropropane	ug/L	<2.4	5.0	10/16/23 09:09	
1,2-Dibromoethane (EDB)	ug/L	<0.31	1.0	10/16/23 09:09	
1,2-Dichlorobenzene	ug/L	<0.33	1.0	10/16/23 09:09	
1,2-Dichloroethane	ug/L	<0.29	1.0	10/16/23 09:09	
1,2-Dichloropropane	ug/L	<0.45	1.0	10/16/23 09:09	
1,3,5-Trimethylbenzene	ug/L	<0.36	1.0	10/16/23 09:09	
1,3-Dichlorobenzene	ug/L	<0.35	1.0	10/16/23 09:09	
1,3-Dichloropropane	ug/L	<0.30	1.0	10/16/23 09:09	
1,4-Dichlorobenzene	ug/L	<0.89	1.0	10/16/23 09:09	
2,2-Dichloropropane	ug/L	<0.42	1.0	10/16/23 09:09	
2-Chlorotoluene	ug/L	<0.89	5.0	10/16/23 09:09	
4-Chlorotoluene	ug/L	<0.89	5.0	10/16/23 09:09	
Benzene	ug/L	<0.30	1.0	10/16/23 09:09	
Bromobenzene	ug/L	<0.36	1.0	10/16/23 09:09	
Bromochloromethane	ug/L	<0.36	1.0	10/16/23 09:09	
Bromodichloromethane	ug/L	<0.42	1.0	10/16/23 09:09	
Bromoform	ug/L	<0.43	1.0	10/16/23 09:09	
Bromomethane	ug/L	<1.2	5.0	10/16/23 09:09	
Carbon tetrachloride	ug/L	<0.37	1.0	10/16/23 09:09	
Chlorobenzene	ug/L	<0.86	1.0	10/16/23 09:09	
Chloroethane	ug/L	<1.4	5.0	10/16/23 09:09	
Chloroform	ug/L	<0.50	5.0	10/16/23 09:09	
Chloromethane	ug/L	<1.6	5.0	10/16/23 09:09	
cis-1,2-Dichloroethene	ug/L	<0.47	1.0	10/16/23 09:09	
cis-1,3-Dichloropropene	ug/L	<0.24	1.0	10/16/23 09:09	
Dibromochloromethane	ug/L	<2.6	5.0	10/16/23 09:09	
Dibromomethane	ug/L	<0.99	5.0	10/16/23 09:09	
Dichlorodifluoromethane	ug/L	<0.46	5.0	10/16/23 09:09	
Diisopropyl ether	ug/L	<1.1	5.0	10/16/23 09:09	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

## REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.



## QUALITY CONTROL DATA

Project: 1690028158\_CONV GORSKI LF

Pace Project No.: 40269256

METHOD BLANK: 2626374

Matrix: Water

Associated Lab Samples: 40269256013

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
Ethylbenzene	ug/L	<0.33	1.0	10/16/23 09:09	
Hexachloro-1,3-butadiene	ug/L	<2.7	5.0	10/16/23 09:09	
Isopropylbenzene (Cumene)	ug/L	<1.0	5.0	10/16/23 09:09	
m&p-Xylene	ug/L	<0.70	2.0	10/16/23 09:09	
Methyl-tert-butyl ether	ug/L	<1.1	5.0	10/16/23 09:09	
Methylene Chloride	ug/L	<0.32	5.0	10/16/23 09:09	
n-Butylbenzene	ug/L	<0.86	1.0	10/16/23 09:09	
n-Propylbenzene	ug/L	<0.35	1.0	10/16/23 09:09	
Naphthalene	ug/L	<1.9	5.0	10/16/23 09:09	
o-Xylene	ug/L	<0.35	1.0	10/16/23 09:09	
p-Isopropyltoluene	ug/L	<1.0	5.0	10/16/23 09:09	
sec-Butylbenzene	ug/L	<0.42	1.0	10/16/23 09:09	
Styrene	ug/L	<0.36	1.0	10/16/23 09:09	
tert-Butylbenzene	ug/L	<0.59	1.0	10/16/23 09:09	
Tetrachloroethene	ug/L	<0.41	1.0	10/16/23 09:09	
Toluene	ug/L	<0.29	1.0	10/16/23 09:09	
trans-1,2-Dichloroethene	ug/L	<0.53	1.0	10/16/23 09:09	
trans-1,3-Dichloropropene	ug/L	<0.27	1.0	10/16/23 09:09	
Trichloroethene	ug/L	<0.32	1.0	10/16/23 09:09	
Trichlorofluoromethane	ug/L	<0.42	1.0	10/16/23 09:09	
Vinyl chloride	ug/L	<0.17	1.0	10/16/23 09:09	
Xylene (Total)	ug/L	<1.0	3.0	10/16/23 09:09	
1,2-Dichlorobenzene-d4 (S)	%	105	70-130	10/16/23 09:09	
4-Bromofluorobenzene (S)	%	92	70-130	10/16/23 09:09	
Toluene-d8 (S)	%	93	70-130	10/16/23 09:09	

LABORATORY CONTROL SAMPLE: 2626375

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
1,1,1-Trichloroethane	ug/L	50	55.4	111	70-132	
1,1,2,2-Tetrachloroethane	ug/L	50	47.2	94	70-130	
1,1,2-Trichloroethane	ug/L	50	48.6	97	70-130	
1,1-Dichloroethane	ug/L	50	48.6	97	70-130	
1,1-Dichloroethene	ug/L	50	57.9	116	73-140	
1,2,4-Trichlorobenzene	ug/L	50	48.0	96	70-130	
1,2-Dibromo-3-chloropropane	ug/L	50	45.8	92	58-130	
1,2-Dibromoethane (EDB)	ug/L	50	49.1	98	70-130	
1,2-Dichlorobenzene	ug/L	50	54.5	109	70-130	
1,2-Dichloroethane	ug/L	50	49.6	99	70-130	
1,2-Dichloropropane	ug/L	50	49.8	100	77-127	
1,3-Dichlorobenzene	ug/L	50	52.6	105	70-130	
1,4-Dichlorobenzene	ug/L	50	53.4	107	70-130	
Benzene	ug/L	50	51.2	102	70-130	
Bromodichloromethane	ug/L	50	51.1	102	70-130	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

## REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.



**QUALITY CONTROL DATA**

Project: 1690028158\_CONV GORSKI LF

Pace Project No.: 40269256

LABORATORY CONTROL SAMPLE: 2626375

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Bromoform	ug/L	50	59.5	119	70-130	
Bromomethane	ug/L	50	46.7	93	22-141	
Carbon tetrachloride	ug/L	50	62.1	124	70-135	
Chlorobenzene	ug/L	50	53.7	107	70-130	
Chloroethane	ug/L	50	51.1	102	59-141	
Chloroform	ug/L	50	51.1	102	80-124	
Chloromethane	ug/L	50	44.7	89	29-150	
cis-1,2-Dichloroethene	ug/L	50	49.6	99	70-130	
cis-1,3-Dichloropropene	ug/L	50	49.0	98	70-130	
Dibromochloromethane	ug/L	50	53.1	106	70-130	
Dichlorodifluoromethane	ug/L	50	27.1	54	10-147	
Ethylbenzene	ug/L	50	51.1	102	80-125	
Isopropylbenzene (Cumene)	ug/L	50	53.8	108	70-130	
m&p-Xylene	ug/L	100	112	112	70-130	
Methyl-tert-butyl ether	ug/L	50	46.6	93	64-131	
Methylene Chloride	ug/L	50	54.3	109	70-137	
o-Xylene	ug/L	50	55.8	112	70-130	
Styrene	ug/L	50	58.7	117	70-130	
Tetrachloroethene	ug/L	50	55.8	112	70-130	
Toluene	ug/L	50	49.3	99	80-120	
trans-1,2-Dichloroethene	ug/L	50	52.4	105	70-131	
trans-1,3-Dichloropropene	ug/L	50	47.0	94	70-130	
Trichloroethene	ug/L	50	53.2	106	70-130	
Trichlorofluoromethane	ug/L	50	56.1	112	69-141	
Vinyl chloride	ug/L	50	43.4	87	51-145	
Xylene (Total)	ug/L	150	168	112	70-130	
1,2-Dichlorobenzene-d4 (S)	%			102	70-130	
4-Bromofluorobenzene (S)	%			93	70-130	
Toluene-d8 (S)	%			94	70-130	

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 2628058 2628059

Parameter	Units	MS		MSD		MS Result	MSD Result	MS % Rec	MSD % Rec	% Rec Limits	RPD	Max RPD	Qual
		40269329005	Result	Spike Conc.	Spike Conc.								
1,1,1-Trichloroethane	ug/L	<0.30	50	50	53.9	56.6	108	113	70-132	5	20		
1,1,2,2-Tetrachloroethane	ug/L	<0.38	50	50	46.5	49.1	93	98	70-131	5	20		
1,1,2-Trichloroethane	ug/L	<0.34	50	50	48.2	51.5	96	103	70-130	7	20		
1,1-Dichloroethane	ug/L	<0.30	50	50	48.3	49.3	97	99	70-131	2	20		
1,1-Dichloroethene	ug/L	<0.58	50	50	58.4	61.7	117	123	69-146	6	20		
1,2,4-Trichlorobenzene	ug/L	<0.95	50	50	46.2	50.6	92	101	70-130	9	20		
1,2-Dibromo-3-chloropropane	ug/L	<2.4	50	50	45.0	46.2	90	92	56-130	3	20		
1,2-Dibromoethane (EDB)	ug/L	<0.31	50	50	49.8	51.0	100	102	70-130	2	20		
1,2-Dichlorobenzene	ug/L	<0.33	50	50	54.9	56.6	110	113	70-130	3	20		
1,2-Dichloroethane	ug/L	<0.29	50	50	50.6	50.8	101	102	70-130	0	20		

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

**REPORT OF LABORATORY ANALYSIS**

This report shall not be reproduced, except in full, without the written consent of Pace Analytical Services, LLC.



**QUALITY CONTROL DATA**

Project: 1690028158\_CONV GORSKI LF

Pace Project No.: 40269256

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 2628058 2628059												
Parameter	Units	MS		MSD		MS Result	MSD Result	MS % Rec	MSD % Rec	% Rec Limits	Max RPD	Qual
		40269329005 Result	Spike Conc.	Spike Conc.	MS Result							
1,2-Dichloropropane	ug/L	<0.45	50	50	50.7	53.9	101	108	77-129	6	20	
1,3-Dichlorobenzene	ug/L	<0.35	50	50	52.0	54.7	104	109	70-130	5	20	
1,4-Dichlorobenzene	ug/L	<0.89	50	50	53.6	56.0	107	112	70-130	4	20	
Benzene	ug/L	<0.30	50	50	52.0	52.7	104	105	70-130	1	20	
Bromodichloromethane	ug/L	<0.42	50	50	52.9	54.1	106	108	70-130	2	20	
Bromoform	ug/L	<0.43	50	50	58.4	59.9	117	120	70-130	3	20	
Bromomethane	ug/L	<1.2	50	50	46.7	46.9	93	94	12-159	0	26	
Carbon tetrachloride	ug/L	<0.37	50	50	61.0	64.0	122	128	70-135	5	20	
Chlorobenzene	ug/L	<0.86	50	50	53.8	55.8	108	112	70-130	4	20	
Chloroethane	ug/L	<1.4	50	50	52.4	52.3	105	105	56-143	0	20	
Chloroform	ug/L	<0.50	50	50	52.5	53.9	105	108	80-126	3	20	
Chloromethane	ug/L	<1.6	50	50	43.3	45.2	87	90	22-156	4	20	
cis-1,2-Dichloroethene	ug/L	<0.47	50	50	52.2	52.1	104	104	70-130	0	20	
cis-1,3-Dichloropropene	ug/L	<0.24	50	50	50.2	51.5	100	103	70-130	3	20	
Dibromochloromethane	ug/L	<2.6	50	50	53.3	55.5	107	111	70-130	4	20	
Dichlorodifluoromethane	ug/L	<0.46	50	50	25.9	25.8	52	52	10-147	1	20	
Ethylbenzene	ug/L	<0.33	50	50	50.6	52.6	101	105	80-126	4	20	
Isopropylbenzene (Cumene)	ug/L	<1.0	50	50	53.5	56.7	107	113	70-130	6	20	
m&p-Xylene	ug/L	<0.70	100	100	112	114	112	114	70-130	2	20	
Methyl-tert-butyl ether	ug/L	<1.1	50	50	47.1	48.5	94	97	64-136	3	20	
Methylene Chloride	ug/L	<0.32	50	50	54.4	54.6	109	109	70-137	0	20	
o-Xylene	ug/L	<0.35	50	50	55.5	57.8	111	116	70-130	4	20	
Styrene	ug/L	<0.36	50	50	59.0	62.0	118	124	70-133	5	20	
Tetrachloroethene	ug/L	<0.41	50	50	55.2	57.1	110	114	70-131	3	20	
Toluene	ug/L	<0.29	50	50	48.7	51.1	97	102	80-121	5	20	
trans-1,2-Dichloroethene	ug/L	<0.53	50	50	50.7	54.0	101	108	70-135	6	20	
trans-1,3-Dichloropropene	ug/L	<0.27	50	50	49.0	49.8	98	100	70-130	2	20	
Trichloroethene	ug/L	<0.32	50	50	52.6	55.8	105	112	70-130	6	20	
Trichlorofluoromethane	ug/L	<0.42	50	50	55.7	57.2	111	114	67-142	3	20	
Vinyl chloride	ug/L	<0.17	50	50	41.8	45.0	84	90	45-147	7	20	
Xylene (Total)	ug/L	<1.0	150	150	168	172	112	115	70-130	3	20	
1,2-Dichlorobenzene-d4 (S)	%						97	103	70-130			
4-Bromofluorobenzene (S)	%						92	95	70-130			
Toluene-d8 (S)	%						93	94	70-130			

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

**REPORT OF LABORATORY ANALYSIS**

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.



## QUALIFIERS

Project: 1690028158\_CONV GORSKI LF

Pace Project No.: 40269256

---

### DEFINITIONS

DF - Dilution Factor, if reported, represents the factor applied to the reported data due to dilution of the sample aliquot.

ND - Not Detected at or above LOD.

J - Estimated concentration at or above the LOD and below the LOQ.

LOD - Limit of Detection adjusted for dilution factor, percent moisture, initial weight and final volume.

LOQ - Limit of Quantitation adjusted for dilution factor, percent moisture, initial weight and final volume.

DL - Adjusted Method Detection Limit.

S - Surrogate

1,2-Diphenylhydrazine decomposes to and cannot be separated from Azobenzene using Method 8270. The result for each analyte is a combined concentration.

Consistent with EPA guidelines, unrounded data are displayed and have been used to calculate % recovery and RPD values.

LCS(D) - Laboratory Control Sample (Duplicate)

MS(D) - Matrix Spike (Duplicate)

DUP - Sample Duplicate

RPD - Relative Percent Difference

NC - Not Calculable.

SG - Silica Gel - Clean-Up

U - Indicates the compound was analyzed for, but not detected at or above the adjusted LOD.

N-Nitrosodiphenylamine decomposes and cannot be separated from Diphenylamine using Method 8270. The result reported for each analyte is a combined concentration.

Pace Analytical is TNI accredited. Contact your Pace PM for the current list of accredited analytes.

TNI - The NELAC Institute.

### ANALYTE QUALIFIERS

L1 Analyte recovery in the laboratory control sample (LCS) was above QC limits. Results may be biased high.

L2 Analyte recovery in the laboratory control sample (LCS) was below QC limits. Results may be biased low.

M0 Matrix spike recovery and/or matrix spike duplicate recovery was outside laboratory control limits.

M1 Matrix spike recovery exceeded QC limits. Batch accepted based on laboratory control sample (LCS) recovery.

## REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.



### QUALITY CONTROL DATA CROSS REFERENCE TABLE

Project: 1690028158\_CONV GORSKI LF

Pace Project No.: 40269256

Lab ID	Sample ID	QC Batch Method	QC Batch	Analytical Method	Analytical Batch
40269256001	1096 CTH KK	EPA 8260	457145		
40269256002	1101 CTH KK	EPA 8260	457145		
40269256003	626 CTH B	EPA 8260	457145		
40269256004	642R CTH B	EPA 8260	457145		
40269256005	652R CTH B	EPA 8260	457145		
40269256006	666 CTH B	EPA 8260	457145		
40269256007	669 CTH B	EPA 8260	457145		
40269256008	669 CTH BD	EPA 8260	457145		
40269256009	670 CTH B	EPA 8260	457145		
40269256010	MW-4	EPA 8260	457145		
40269256011	MW-4D	EPA 8260	457145		
40269256012	MW-6	EPA 8260	457145		
40269256013	PZ-3	EPA 8260	457346		
40269256014	PZ-4	EPA 8260	457146		
40269256015	TRIP BLANK	EPA 8260	457146		
40269256016	1054 CTH KK	EPA 8260	457146		
40269256017	1058 CTH KK	EPA 8260	457146		

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full, without the written consent of Pace Analytical Services, LLC.










**Sample Condition Upon Receipt Form (SCUR)**

Project #:

Client Name: Ramboll

WO#: **40269256**  
  
 40269256

Courier:  CS Logistics  Fed Ex  Speedee  UPS  Waltco  
 Client  Pace Other: \_\_\_\_\_

Tracking #: \_\_\_\_\_

Custody Seal on Cooler/Box Present:  yes  no Seals intact:  yes  no

Custody Seal on Samples Present:  yes  no Seals intact:  yes  no

Packing Material:  Bubble Wrap  Bubble Bags  None  Other

Thermometer Used SR-118 Type of Ice: Wet Blue Dry None  Meltwater Only

Cooler Temperature Uncorr: 2.0 / Corr: 2.5

Temp Blank Present:  yes  no

Biological Tissue is Frozen:  yes  no

Person examining contents:  
 Date: 10/9/23 / Initials: NK  
 Labeled By Initials: JB

Temp should be above freezing to 6°C.  
 Biota Samples may be received at ≤ 0°C if shipped on Dry Ice.

Chain of Custody Present:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	1.
Chain of Custody Filled Out:	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A	2. <u>invoice, proj. #</u> <u>10/9/23 NK</u>
Chain of Custody Relinquished:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	3.
Sampler Name & Signature on COC:	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A	4.
Samples Arrived within Hold Time:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	5.
- DI VOA Samples frozen upon receipt	<input type="checkbox"/> Yes <input type="checkbox"/> No	Date/Time
Short Hold Time Analysis (<72hr):	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	6.
Rush Turn Around Time Requested:	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	7.
Sufficient Volume:		8.
For Analysis: <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No MS/MSD: <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A		
Correct Containers Used:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	9.
Correct Type: <u>Pace Green Bay</u> Pace IR, Non-Pace		
Containers Intact:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	10.
Filtered volume received for Dissolved tests	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	11.
Sample Labels match COC:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	12.
-Includes date/time/ID/Analysis Matrix: <u>W</u>		
Trip Blank Present:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	13.
Trip Blank Custody Seals Present	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	
Pace Trip Blank Lot # (if purchased): <u>506</u>		

Client Notification/ Resolution: \_\_\_\_\_ If checked, see attached form for additional comments   
 Person Contacted: \_\_\_\_\_ Date/Time: \_\_\_\_\_  
 Comments/ Resolution: \_\_\_\_\_

PM Review is documented electronically in LIMs. By releasing the project, the PM acknowledges they have reviewed the sample logir