

Ms. Candace Sykora
Hydrogeologist – Remediation and Redevelopment
Wisconsin Department of Natural Resources
890 Spruce Street
Baldwin, WI 54002

**ANNUAL LANDFILL MONITORING REPORT
FORMER GORSKI LANDFILL, MOSINEE, WISCONSIN**

Dear Ms. Sykora:

This Annual Landfill Monitoring Report has been prepared by Ramboll Americas Engineering Solutions, Inc. (Ramboll) on behalf of an ad hoc group of parties (the "Group") associated with the former Gorski Landfill located in Mosinee, Wisconsin (Figure 1). Contact information for the involved parties is provided in Attachment A. Pursuant to the Wisconsin Department of Natural Resources (WDNR) correspondence dated February 17, 2017, regarding the former Gorski Landfill site, Ramboll has prepared this report to document the annual landfill cover inspection and groundwater monitoring event that was conducted in October 2023. The methodology and results of these October 2023 activities are provided as follows.

April 18, 2024

Ramboll
234 W. Florida Street
Fifth Floor
Milwaukee, WI 53204
USA

T +1 414 837 3607
F +1 414 837 3608
www.ramboll.com

Ref. 1940104932

LANDFILL COVER INSPECTION

The annual landfill cover inspection was conducted by Ramboll on October 9, 2023, by traversing the entire site and observing the surface of the cover for evidence of erosion and exposed waste materials. The adequacy of the cover integrity was reviewed. Photographs were also taken to document site conditions. No exposed waste materials and no erosion of the vegetated landfill cover was observed. Based on the results of the October 2023 landfill cover inspection, the condition of the landfill cover is concluded to be consistent with its designed intent such that repairs to the landfill cover are not necessary at this time.

MONITORING WELL SAMPLES

In conformance with the February 2017 WDNR correspondence, the following monitoring wells in the vicinity of the former landfill were sampled in October 2023 as part of the annual landfill monitoring event: MW-4, MW-6, PZ-3, and PZ-4 (Figure 2). The groundwater samples collected from these monitoring wells were submitted to Pace Analytical Services, Inc. (Pace) of Green Bay, Wisconsin, a Wisconsin-certified laboratory, and the laboratory reports are provided in Attachment B. The groundwater samples were analyzed for volatile organic compounds (VOCs) and the following field parameters: groundwater elevation, temperature, specific conductivity, pH, oxidation-reduction potential (ORP), and dissolved oxygen (DO).

The results of field parameter analyses are summarized in Table 1. As shown in Table 1, the measured temperatures of the October 2023 groundwater samples ranged from 13.3 to 15.2 degrees Celsius (56 to 59 degrees Fahrenheit). The

October 2023 groundwater samples revealed pH values that ranged from 6.15 to 6.23, and specific conductivity values ranged from 54 to 170 microsiemens (μs).

DO concentrations ranged from 0.84 to 9.18 milligrams per liter (mg/L), and ORP values ranged from +32 to +52 millivolts (mV). Some degree of reductive dechlorination may occur at DO concentrations as high as 5 mg/L and ORP values as high as +50 mV (United States Environmental Protection Agency [USEPA], 1998: "Technical Protocol for Evaluating Natural Attenuation of Chlorinated Solvents in Groundwater," EPA/600/R-98/128). Based on the detected DO and ORP values, however, the groundwater monitoring information lead to the conclusion that groundwater within the vicinity of the former Gorski Landfill is generally aerobic and not highly favorable for naturally occurring reductive dechlorination of more halogenated chlorinated volatile organic compounds (CVOCs) such as tetrachloroethene (PCE) and trichloroethene (TCE). Lesser halogenated VOCs such as vinyl chloride (VC), however, can be biodegraded in an aerobic environment.

Previous *Annual Groundwater Monitoring Reports* have included evaluations of PCE, TCE, cis-1,2-dichloroethene (cDCE), and VC concentration trends for the monitoring wells by using the Mann-Kendall Statistical Test for Trends, as formerly recommended by the WDNR for evaluating natural attenuation processes. Per current WDNR guidance, the Mann-Whitney U Test should be conducted by assembling well data for the most recent eight consecutive quarterly or semi-annual sampling events for each contaminant that has exceeded the Wisconsin Administrative Code (WAC) NR 140 Enforcement Standard (ES) at one or more monitoring wells. Because the monitoring well sampling frequency was modified from semi-annual to annual in 2011, the October 2023 groundwater sampling event was not preceded by consecutive quarterly or semi-annual sampling events. Post-2011 groundwater monitoring results have therefore not been analyzed using the Mann-Whitney U Test. As such, qualitative discussions of the October 2023 groundwater sampling results (Table 2, Figure 3, and Attachment B) are provided as follows:

- At deep on-site monitoring well PZ-3, concentrations of TCE, cDCE, trans-1,2-dichloroethene (tDCE), and VC have been generally decreasing since 2009. The October 2023 groundwater sample contained 0.72¹ micrograms per liter ($\mu\text{g}/\text{L}$) TCE, which is above the WAC NR 140 Preventive Action Limit (PAL) (0.5 $\mu\text{g}/\text{L}$) and below the WAC NR 140 ES (5 $\mu\text{g}/\text{L}$). The October 2023 groundwater sample also contained 4.3 $\mu\text{g}/\text{L}$ cDCE, which is below the WAC NR 140 PAL (7 $\mu\text{g}/\text{L}$) and WAC NR 140 ES (70 $\mu\text{g}/\text{L}$). The TCE concentration has not exceeded the WAC NR 140 ES (5 $\mu\text{g}/\text{L}$) since October 2013 and the October 2023 sample contained the second lowest TCE concentration detected to date (slightly above the TCE PAL of 0.5 $\mu\text{g}/\text{L}$). The cDCE concentration has not exceeded the WAC NR 140 ES (70 $\mu\text{g}/\text{L}$) since October 2014 and the October 2023 sample contained the same concentration as that measured in October 2022, which are the lowest cDCE concentrations detected to date (below the cDCE PAL of 7 $\mu\text{g}/\text{L}$). VC has not been detected at on-site monitoring well PZ-3 since October 2014.
- At shallow off-site monitoring well MW-4, historical TCE concentrations have ranged from <0.13 to 14.9 $\mu\text{g}/\text{L}$ and have remained less than 10 $\mu\text{g}/\text{L}$ since April 2008. The October 2023 groundwater sample contained 2.0 $\mu\text{g}/\text{L}$ of TCE, which is above the WAC NR 140 PAL (0.5 $\mu\text{g}/\text{L}$) but less than the WAC NR 140 ES (5 $\mu\text{g}/\text{L}$). The October 2023 groundwater sample did not contain detectable concentrations of any other VOCs.
- At off-site shallow monitoring well MW-6, detected concentrations of TCE have been generally decreasing since 2009. The October 2023 groundwater sample contained a TCE concentration of 2.1 $\mu\text{g}/\text{L}$, which is above the WAC NR 140 PAL (0.5 $\mu\text{g}/\text{L}$) but less than the WAC NR 140 ES (5 $\mu\text{g}/\text{L}$). The October 2023

¹ Estimated value between limit of detection and limit of quantification.

sample also contained cDCE at a concentration of 1.1 µg/L, which is below the WAC NR 140 PAL (7 µg/L) and consistent with historical results has remained below the WAC NR 140 PAL. The October 2023 groundwater sample did not contain detectable concentrations of any other analyzed parameters.

- At deep monitoring well PZ-4 adjacent to MW-6, concentrations of TCE have been generally decreasing since 2010. The October 2023 groundwater sample contained 6.4 µg/L TCE, which is above the WAC NR 140 PAL (0.5 µg/L) and slightly above the WAC NR 140 ES (5 µg/L). The October 2023 sample also contained 2.6 µg/L cDCE, which consistent with historical results has remained below the WAC NR 140 PAL (7 µg/L). The October 2023 groundwater sample did not contain detectable concentrations of any other VOCs.

Based on the October 2023 groundwater monitoring results, a slight exceedance of the WAC NR 140 ES for TCE was detected in the groundwater sample from one monitoring well (6.4 µg/L at PZ-4). No other exceedances of WAC NR 140 ES values were detected. The continued overall decreasing CVOC concentrations support the conclusion that the residual (low parts per billion) CVOCs in groundwater are naturally attenuating.

RESIDENTIAL WELL SAMPLES

In conformance with the February 2017 WDNR correspondence, the following residential wells were sampled in October 2023 as part of the annual landfill monitoring event: 626 CTHB, 642R CTH B, 652R CTH B, 666 CTH B, 669 CTH B, 670 CTHB, 1054 CTHKK, 1058 CTHKK, 1096 CTHKK, and 1101 CTHKK. The water samples obtained from the residential wells were submitted to the Wisconsin-certified laboratory and were analyzed for VOCs, the results of which are provided in Attachment B and summarized in Table 3.

As shown in Table 3, groundwater samples from one of the ten residential wells sampled in October 2023 contained one detectable VOC. The residential well water sample obtained from 669 CTH B contained TCE at a laboratory-qualified estimated concentration of 0.64J µg/L, and the duplicate water sample from this well contained 0.69J µg/L. This detected TCE concentration is consistent with historical values (generally less than 1 µg/L) from this well, which are well below the USEPA Safe Drinking Water Act Maximum Contaminant Level (MCL) of 5 µg/L for TCE.

SUMMARY OF SITE CONDITIONS

On-Site Receptors

Sediment quality was evaluated through the collection and laboratory analysis of sediment samples from surface waters immediately adjacent to the former landfill as part of the AECOM WAC NR 716 Site Investigation that was conducted in 2003. The occurrence of waste materials and possible leachate seeps at the landfill site were also evaluated at that time.

Field observations during the 2003 site investigation activities and a May 2006 site visit revealed the presence of several small, isolated areas of exposed non-soil materials (mainly metallic debris) within the former Gorski Landfill footprint. During both the 2003 and 2006 site investigations, leachate seeps were not observed by AECOM such that no leachate samples were collected. Two sediment samples collected from areas of standing water within the former landfill limits in 2003 revealed detected concentrations of arsenic, barium, chromium, and lead that were within their respective observed ranges of naturally-occurring concentrations in soils. Detected concentrations of cadmium were substantially lower than the non-industrial land use WAC NR 720 direct contact Residual Contaminant Level (RCL). Moreover, the former Gorski Landfill

was reportedly covered with 8 to 12 inches of decomposed granite after landfilling activities ceased in approximately 1976. In addition, waste mitigation activities were completed in June and July 2010. The presence of the 8 to 12-inch layer of decomposed granite followed by imported clean fill and vegetation in 2010 over the former landfill serves to restrict completion of the direct contact pathway.

Based on toxicity, concentration, and frequency of detection, the remaining constituent of interest in groundwater near the former Gorski Landfill site is TCE. Historically, the most heavily impacted well was PZ-3, which is located on site. As shown in Table 2, TCE concentrations in groundwater samples obtained from well PZ-3 have been decreasing since 2006. The detected TCE concentrations historically ranged as high as 356 µg/L in 2006 but declined to 0.72J µg/L as of October 2023, which is greater than its WAC NR 140 PAL value of 0.5 µg/L but less than its WAC NR 140 ES value of 5 µg/L. Based on the October 2023 groundwater monitoring results, TCE was the only VOC detected at a concentration greater than a WAC NR 140 PAL value at well PZ-3. It can therefore be concluded that the source of TCE in groundwater at the landfill has been substantially depleted, and the downgradient residual TCE concentrations (2.0 to 6.4 µg/L at wells MW-4, MW-6, and PZ-4 as shown on Figure 3) should continue to decline in response to the upgradient source depletion.

Off-Site Receptors

Two replacement water-supply wells were installed in April 2007 in the northeast portion of the adjacent east property (St. Paul's Cemetery) to provide potable groundwater for the 642 and 652 CTH B residences. The existing water-supply wells on the 642 and 652 CTH B properties were abandoned in June 2007, and the properties were connected via water supply pipeline to the new off-site water-supply wells. The replacement private wells are identified as 642R and 652R CTH B on Figure 2. Since the replacement of these water-supply wells in April 2007, none of the water samples obtained from any of the residential wells identified in Table 3 have contained concentrations of any analyzed parameter greater than its respective USEPA Safe Drinking Water Act MCL.

The Mosinee Flowage, located approximately 2,000 feet to the east of the former Gorski Landfill site, represents a potential surface water receptor. Possible impact to the Mosinee Flowage was evaluated as part of the 2003 WAC NR 716 Site Investigation through the installation and sampling of monitoring wells MW-2, MW-3, MW-4, and PZ-2, and as part of the 2006 to 2008 Supplemental Site Investigation through the installation and sampling of monitoring wells MW-6 and PZ-4 (as well as monitoring of previously-installed monitoring wells MW-2, MW-3, MW-4, and PZ-2).

Remedial objectives for surface water in the downgradient Mosinee Flowage are contained in WAC NR 105.08 non-public water supply surface water quality human threshold criteria, and WAC NR 105.09 human cancer criteria. The probable site-specific remedial objectives are located under the surface water classification "Warm Water Forage, Limited Forage, and Warm Water Sport Fish Communities." Based on concentration, toxicity and frequency of detection, TCE was selected as the constituent of concern for the purpose of evaluating the extent of affected groundwater within the vicinity of the former Gorski Landfill. The applicable WAC NR 105 non-public water supply human cancer criterion for TCE is 539 µg/L. The greatest detected TCE concentration in a monitoring well near the Mosinee Flowage occurred at well PZ-4 in October 2010 (21.6 µg/L TCE). This maximum detected TCE concentration at PZ-4 is substantially lower than the WAC NR 105 surface water quality human cancer criterion for TCE. Moreover, the residual TCE concentrations at well PZ-4 have steadily declined from 21.6 µg/L in October 2010 to 6.4 µg/L in October 2023 (as shown in Table 2). Similar declines in TCE concentrations have been observed at the other two downgradient

monitoring wells MW-4 (14.9 µg/L in 2008 to 2.0 µg/L in October 2023) and MW-6 (23.9 µg/L in 2006 to 2.1 µg/L in October 2023).

WDNR vapor intrusion guidance for CVOCs indicates that the vapor intrusion pathway should be investigated if any of the following conditions are met:

- The building of interest is located over a CVOC source.
- The building is located within 100 feet of a VOC source that has the potential to enter preferential pathways that connect to the building.
- The building overlies a groundwater plume that exceeds WAC NR 140 ES concentrations.
- Groundwater with CVOC concentrations that exceed WAC NR 140 PAL values is entering the building or is in contact with the building foundation or sump.
- Vapors have the potential to enter preferential pathways that connect to the building.

As none of the conditions identified above have been met, Ramboll concludes that an investigation of the vapor intrusion pathway is not warranted near the site, based on the available groundwater quality data and WDNR guidance.


CONCLUSIONS AND RECOMMENDATIONS

Based on the presence of the 8 to 12-inch layer of decomposed granite followed by imported clean fill and vegetation in 2010 over the former landfill, the sole slight exceedance of the ES value for TCE detected in the October 2023 groundwater sample from monitoring well PZ-4, and the decreasing CVOC concentrations in the collected groundwater samples since 2006, Ramboll concludes that natural attenuation processes are occurring, and that regulatory case closure is appropriate for the former Gorski Landfill site. Based on the slight exceedance of the ES value for TCE at well PZ-4, the regulatory case closure would be subject to the provisions that: 1) the site would be included on the WDNR geographic information system (GIS) Registry of Closed Remediation Sites; 2) the landfill cover be maintained consistent with its designed intent; and 3) in the event of future site development, evaluation of the vapor intrusion pathway would be conducted in accordance with WAC NR 700.

Ramboll respectfully requests WDNR's concurrence that natural attenuation processes are occurring to the extent that regulatory case closure in accordance with WAC NR 726 can be requested for the former Gorski Landfill site, subject to the two provisions identified above. Upon receipt of regulatory case closure, existing monitoring wells MW-4, MW-6, PZ-3, and PZ-4 would be abandoned in accordance with WAC NR 141.

If you have any questions regarding the information contained herein, please feel free to contact us. Thank you very much for your continued assistance with this matter.

Yours sincerely,




Mark M. Mejac, PG

Senior Managing Consultant

D +1 262 901 0127

mmejac@ramboll.com



Jeanne M. Tarvin, PG, CPG

E&H Americas Country Market Director

D +1 262 901 0085

jtarvin@ramboll.com

cc: Tracey Driessen, Essity
Jeff Gates, City of Mosinee
Troy Williams, CNH Industrial

TABLES

TABLE 1
FIELD PARAMETER RESULTS OF GROUNDWATER SAMPLES
FORMER GORSKI LANDFILL, MOSINEE, WI
RAMBOLL PROJECT NO. 1940104932

Well Location	Sample Date	Top of PVC Elevation	Depth to Groundwater	Potentiometric Surface (MSL)	pH	ORP (mV)	Temperature (°C)	Specific Conductivity @ 25°C (µs)	Dissolved Oxygen (ppm)
MW-1	7/27/2006	1,177.31	12.91	1,164.40	4.80	128	12.3	470	3
	10/17/06	1,177.31	11.52	1,165.79	5.65	211	12.6	290	4
	1/18/07	1,177.31	10.32	1,166.99	5.30	129	8.0	410	5
	4/17/07	1,177.31	9.95	1,167.36	5.32	149	8.4	310	8
	7/19/07	1,177.31	12.68	1,164.63	5.49	141	13.9	560	5
	10/23/07	1,177.31	10.26	1,167.05	5.46	162	12.1	590	4
	2/6/08	1,177.31	NS	NS	NS	NS	NS	NS	NS
	4/29/08	1,177.31	8.86	1,168.45	5.68	209	7.2	330	9
	7/28/08	1,177.31	10.71	1,166.60	6.44	193	14.3	320	6
	10/22/08	1,177.31	13.60	1,163.71	5.76	180	11.9	650	5
	1/8/09	1,177.31	13.98	1,163.33	6.25	200	8.0	590	4
	10/17/09	1,177.31	12.73	1,164.58	6.63	209	11.4	710	4
	4/1/10	1,177.31	14.08	1,163.23	NS	NS	NS	NS	NS
	10/25/10	1,177.31	10.55	1,166.76	5.38	211	12.6	580	3
	10/25/11	1,177.31	11.51	1,165.80	5.50	391	10.46	450	3
	10/23/12	1,177.31	13.17	1,164.14	5.17	205	12.29	452	3
	10/21/13	1,177.31	10.20	1,167.11					Abandoned 10-21-2013
MW-2	7/27/2006	1,156.24	17.27	1,138.97	5.09	168	11.1	40	8
	10/17/06	1,156.24	17.45	1,138.79	5.75	238	11.5	40	3
	1/16/07	1,156.24	16.77	1,139.47	5.76	178	8.5	60	6
	4/18/07	1,156.24	16.18	1,140.06	5.64	240	9.1	80	8
	7/17/07	1,156.24	17.41	1,138.83	6.01	229	10.8	60	6
	10/25/07	1,156.24	16.70	1,139.54	5.67	105	10.9	60	7
	2/7/08	1,156.24	17.95	1,138.29	5.85	20	7.4	60	NS
	4/28/08	1,156.24	14.30	1,141.94	6.35	160	6.6	40	8
	7/28/08	1,156.26	16.40	1,139.86	7.10	163	11.0	80	9
	10/22/08	1,156.26	17.36	1,138.90	5.76	118	10.3	80	8
	1/9/09	1,156.26	18.05	1,138.21	5.81	90	8.3	90	5
	10/18/09	1,156.26	17.72	1,138.54	6.46	235	11.5	80	4
	4/1/10	1,156.26	17.12	1,139.14	7.53	50	11.2	60	7
	10/25/10	1,156.26	15.61	1,140.65	6.04	196	11.9	110	4
	10/24/11	1,156.26	17.25	1,139.01	6.68	300	17.87	50	7
	10/24/12	1,156.26	17.95	1,138.31	5.01	183	12.03	59	6
	10/21/13	1,156.26	16.55	1,139.71	4.45	200	9.5	61	7
	10/8/2014	1,156.26	15.70	1,140.56	5.83	100	10.19	36	10.40
	10/7/2015	1,156.26	17.29	1,138.97	5.67	121	11.94	92	8.50
	10/18/2016	1,156.26	16.63	1,139.63	5.44	109	12.05	49	9.54
	10/24/2017								Abandoned 10-24-2017
MW-3	7/27/2006	1,156.19	16.68	1,139.51	4.97	198	9.8	460	4
	10/17/06	1,156.19	17.08	1,139.11	5.42	275	10.4	210	3
	1/18/07	1,156.19	16.45	1,139.74	5.47	124	7.9	520	5
	4/17/07	1,156.19	15.43	1,140.76	5.38	353	9.1	580	7
	7/17/07	1,156.19	16.91	1,139.28	5.83	190	10.3	440	7
	10/23/07	1,156.19	17.30	1,138.89	5.44	206	8.8	800	6
	2/6/08	1,156.19	17.65	1,138.54	5.54	182	8.1	800	5
	4/28/08	1,156.19	13.06	1,143.13	5.80	189	7.0	1000	8
	7/28/08	1,156.19	15.61	1,140.58	6.90	171	10.4	390	8
	10/23/08	1,156.19	17.11	1,139.08	5.61	189	8.4	500	7
	1/8/09	1,156.19	17.05	1,139.14	6.65	220	8.0	590	6
	10/18/09	1,156.19	17.42	1,138.77	6.35	181	8.1	800	5
	4/1/10	1,156.19	14.08	1,142.11	NS	NS	NS	NS	NS
	10/22/10	1,156.19	14.42	1,141.77	6.11	203	10.9	690	5
	10/24/11	1,156.19	17.25	1,138.94	5.88	248	14.24	430	5
	10/24/12	1,156.19	17.68	1,138.51	5.30	166	10.77	366	6
	10/21/13	1,156.19	18.10	1,138.09					Abandoned 10-21-2013

TABLE 1
FIELD PARAMETER RESULTS OF GROUNDWATER SAMPLES
FORMER GORSKI LANDFILL, MOSINEE, WI
RAMBOLL PROJECT NO. 1940104932

Well Location	Sample Date	Top of PVC Elevation	Depth to Groundwater	Potentiometric Surface (MSL)	pH	ORP (mV)	Temperature (°C)	Specific Conductivity @ 25°C (µs)	Dissolved Oxygen (ppm)
MW-4	7/27/2006	1,155.34	16.82	1,138.52	5.21	150	11.0	90	5
	10/17/06	1,155.34	16.86	1,138.48	5.73	232	11.4	70	5
	1/16/07	1,155.34	15.98	1,139.36	5.70	141	8.6	70	5
	4/18/07	1,155.34	15.61	1,139.73	6.14	202	9.7	110	5
	7/17/07	1,155.34	17.02	1,138.32	6.22	196	12.1	80	8
	10/25/07	1,155.34	15.90	1,139.44	5.74	110	11.3	90	6
	2/6/08	1,155.34	17.35	1,137.99	5.98	158	8.3	120	6
	4/29/08	1,155.34	14.83	1,140.51	6.23	133	9.1	110	6
	7/28/08	1,155.34	15.95	1,139.39	7.48	175	11.9	60	8
	10/22/08	1,155.34	16.71	1,138.63	5.85	103	10.6	70	8
	1/8/09	1,155.34	17.52	1,137.82	7.19	170	8.2	110	5
	10/19/09	1,155.34	17.12	1,138.22	6.63	181	11.3	80	4
	4/1/10	1,155.34	16.21	1,139.13	6.99	158	11.51	50	7
	10/25/10	1,155.34	15.50	1,139.84	5.93	168	11.9	100	5
	10/25/11	1,155.34	16.62	1,138.72	7.99	316	10.40	80	7
	10/24/12	1,155.34	17.35	1,137.99	5.38	168	12.11	106	7
	10/21/13	1,155.34	15.93	1,139.41	5.30	134	10.55	97	6
	10/8/2014	1,155.34	15.46	1,139.88	5.80	141	11.38	91	7.76
	10/7/2015	1,155.34	16.68	1,138.66	5.94	114	12.12	47	10.74
	10/18/2016	1,155.34	16.00	1,139.34	5.64	130	11.47	93	7.40
	10/24/2017	1,155.34	19.05	1,136.29	5.62	148	9.89	68	9.77
	10/24/2018	1,155.34	15.05	1,140.29	5.89	167	18.39	65	8.78
	10/21/2019	1,155.34	15.05	1,140.29	5.08	203	10.42	88	8.07
	10/23/2020	1,155.34	16.33	1,139.01	6.06	227	9.1	88.4	9.04
	10/11/2021	1,155.34	15.90	1,139.44	5.85	170.1	12.37	44.26	9.75
	10/10/2022	1,155.34	16.40	1,138.94	6.20	202.3	15.06	72.06	8.89
	10/9/2023	1,155.34	16.69	1,138.65	6.18	32.4	13.29	82.04	9.00
MW-5	7/26/2006	1,197.85	17.85	1,180.00	5.21	150	11.0	90	5
	10/18/06	1,197.85	16.98	1,180.87	5.76	216	9.7	110	4
	1/17/07	1,197.85	13.77	1,184.08	5.38	262	8.2	180	4
	4/17/07	1,197.85	12.03	1,185.82	5.39	195	9.3	80	7
	7/19/07	1,197.85	15.91	1,181.94	5.95	280	12.2	110	6
	10/23/07	1,197.85	12.92	1,184.93	5.54	181	12.5	100	6
	2/6/08	1,197.85	19.47	1,178.38	5.87	180	7.4	110	5
	4/29/08	1,197.85	10.42	1,187.43	5.70	165	6.7	90	7
	7/29/08	1,197.85	13.67	1,184.18	6.57	176	12.6	80	8
	10/23/08	1,197.85	20.39	1,177.46	5.70	197	12.1	80	6
	1/8/09	1,197.85	21.72	1,176.13	6.84	172	7.9	100	6
	10/17/09	1,197.85	14.15	1,183.70	6.74	107	9.8	290	5
	4/1/10	1,197.85	11.51	1,186.34	5.60	142	11.21	220	6
	10/27/10	1,197.85	12.22	1,185.63	5.39	93	12.5	320	5
	10/24/11	1,197.85	13.76	1,184.09	5.36	355	13.63	100	3
	10/23/12	1,197.85	12.43	1,185.42	4.70	162	13.50	144	4
	10/21/13	1,197.85	11.24	1,186.61	4.94	250	11.97	170	4
	10/7/2014	1,197.85	11.15	1,186.70	5.41	110	12.80	131	6.10
	10/7/2015	1,197.85	14.41	1,183.44	5.43	103	13.10	144	6.38
	10/18/2016	1,197.85	13.45	1,184.40	5.16	200	13.65	128	5.2
	10/24/2017						Abandoned 10-24-2017		
MW-6	7/26/2006	1,154.92	16.33	1,138.59	5.21	150	11.0	90	5
	10/17/06	1,154.92	16.45	1,138.47	5.69	125	11.8	80	5
	1/16/07	1,154.92	15.68	1,139.24	6.11	150	9.6	80	5
	4/17/07	1,154.92	15.05	1,139.87	5.82	253	10.8	100	6
	7/17/07	1,154.92	16.58	1,138.34	4.46	212	12.8	90	7
	10/25/07	1,154.92	16.20	1,138.72	5.88	113	11.3	100	6
	2/7/08	1,154.92	16.89	1,138.03	5.89	73	7.4	140	NS
	4/28/08	1,154.92	19.06	1,135.86	6.11	123	6.6	110	8
	7/28/08	1,154.92	15.17	1,139.75	7.40	160	13.0	50	7
	10/22/08	1,154.92	16.35	1,138.57	6.02	133	10.5	90	6
	1/8/09	1,154.92	17.05	1,137.87	6.23	153	9.5	110	4
	10/18/09	1,154.92	16.68	1,138.24	6.19	183	10.8	80	3
	4/1/10	1,154.92	17.02	1,137.90	6.80	86	10.8	100	8
	10/25/10	1,154.92	14.91	1,140.01	6.00	169	12.1	60	3
	10/24/11	1,154.92	13.76	1,141.16	6.15	270	14.34	60	8
	10/24/12	1,154.92	16.90	1,138.02	5.47	143	12.11	94	7
	10/21/13	1,154.92	15.51	1,139.41	5.28	141	10.70	97	6
	10/8/2014	1,154.92	14.88	1,140.04	5.75	101	11.00	77	10.03
	10/7/2015	1,154.92	16.27	1,138.65	5.87	132	11.79	102	9.90
	10/18/2016	1,154.92	15.57	1,139.35	5.89	118	11.77	81	9.19
	10/24/2017	1,154.92	17.62	1,137.30	5.66	150	9.77	99	8.53
	10/24/2018	1,154.92	14.40	1,140.52	5.71	196	12.99	60	13.00
	10/21/2019	1,154.92	14.41	1,140.51	4.87	163	10.49	99	8.57
	10/23/2020	1,154.92	15.92	1,139.00	5.96	210	9.7	75.5	9.63
	10/11/2021	1,154.92	15.40	1,139.52	5.94	147.3	12.53	68.09	9.90
	10/10/2022	1,154.92	16.00	1,138.92	6.04	128.7	14.01	69.88	9.13
	10/9/2023	1,154.92	16.30	1,138.62	6.15	36.5	15.20	53.58	9.18

TABLE 1
FIELD PARAMETER RESULTS OF GROUNDWATER SAMPLES
FORMER GORSKI LANDFILL, MOSINEE, WI
RAMBOLL PROJECT NO. 1940104932

Well Location	Sample Date	Top of PVC Elevation	Depth to Groundwater	Potentiometric Surface (MSL)	pH	ORP (mV)	Temperature (°C)	Specific Conductivity @ 25°C (µs)	Dissolved Oxygen (ppm)
PZ-1	7/27/2006	1,194.22	16.73	1,177.49	5.71	194	10.6	110	4
	10/17/06	1,194.22	17.38	1,176.84	6.17	221	9.0	240	5
	1/17/07	1,194.22	14.20	1,180.02	6.07	143	7.9	340	5
	4/18/07	1,194.22	13.32	1,180.90	6.34	196	9.1	270	7
	7/19/07	1,194.22	16.25	1,177.97	6.21	166	14.9	410	5
	10/24/07	1,194.22	13.00	1,181.22	6.04	121	9.9	200	7
	2/6/08	1,194.22	19.03	1,175.19	6.09	170	7.4	190	7
	4/29/08	1,194.22	11.58	1,182.64	6.26	187	7.7	250	8
	7/29/08	1,194.22	14.42	1,179.80	6.90	192	14.8	150	7
	10/23/08	1,194.22	21.51	1,172.71	5.85	157	9.2	170	6
	1/9/09	1,194.22	23.66	1,170.56	6.43	163	7.7	370	5
	10/17/09	1,194.22	16.80	1,177.42	7.91	139	9.8	290	6
	4/1/10	1,194.22	14.01	1,180.21	6.03	161	11.0	260	5
	10/27/10	1,194.22	15.45	1,178.77	5.75	117	9.3	240	5
	10/25/11	1,194.22	15.71	1,178.51	5.67	364	8.91	360	7
	10/23/12	1,194.22	15.52	1,178.70	5.24	189	11.16	293	6
	10/21/13	1,194.22	13.50	1,180.72	5.91	201	9.47	211	3
	10/7/2014	1,194.22	13.38	1,180.84	5.85	81	12.49	335	5.21
	10/7/2015	1,194.22	16.65	1,177.57	5.74	124	10.49	311	6.81
	10/19/2016	1,194.22	15.73	1,178.49	5.70	197	11.45	275	5.74
	10/24/2017						Abandoned 10-24-2017		
PZ-2	7/27/2006	1,156.40	17.44	1,138.96	5.71	194	10.6	110	4
	10/17/06	1,156.40	17.60	1,138.80	5.83	198	10.8	110	4
	1/16/07	1,156.40	17.01	1,139.39	6.28	102	7.8	120	5
	4/18/07	1,156.40	16.22	1,140.18	6.37	108	10.2	140	6
	7/17/07	1,156.40	17.65	1,138.75	5.78	120	11.1	110	5
	10/25/07	1,156.40	16.62	1,139.78	5.75	64	10.1	120	5
	2/7/08	1,156.40	18.15	1,138.25	6.31	15	7.5	110	NS
	4/28/08	1,156.40	14.51	1,141.89	6.61	143	7.2	170	4
	7/28/08	1,156.40	16.52	1,139.88	6.99	151	11.4	100	8
	10/22/08	1,156.40	17.50	1,138.90	5.81	110	9.6	130	4
	1/9/09	1,156.40	18.11	1,138.29	6.01	131	8.2	120	5
	10/18/09	1,156.40	17.82	1,138.58	6.59	165	10.4	130	4
	4/1/10	1,156.40	17.00	1,139.40	7.60	62	11.3	120	3
	10/25/10	1,156.40	15.74	1,140.66	6.50	135	11.9	110	4
	10/24/11	1,156.40	17.41	1,138.99	6.77	152	17.35	120	1
	10/24/12	1,156.40	18.11	1,138.29	5.79	52	9.35	127	7
	10/21/12	1,156.40	16.69	1,139.71	5.79	49	9.14	128	0.29
	10/8/2014	1,156.40	15.90	1,140.50	6.38	39	9.46	101	0.64
	10/7/2015	1,156.40	17.45	1,138.95	6.54	102	10.80	111	10.40
	10/18/2016	1,156.40	16.81	1,139.59	6.64	-22.1	9.88	103	0.29
	10/24/2017						Abandoned 10-24-2017		
PZ-3	7/26/2006	1,197.98	34.85	1,163.13	5.71	194	10.6	110	4
	10/17/06	1,197.98	26.81	1,171.17	6.56	139	8.9	250	5
	1/17/07	1,197.98	23.73	1,174.25	6.13	235	7.6	500	5
	4/17/07	1,197.98	22.45	1,175.53	6.31	150	10.6	360	3
	7/19/07	1,197.98	27.13	1,170.85	6.20	260	12.4	480	5
	10/24/07	1,197.98	22.95	1,175.03	6.00	128	9.9	410	6
	2/6/08	1,197.98	28.73	1,169.25	6.28	208	5.5	320	6
	4/29/08	1,197.98	20.45	1,177.53	6.40	128	7.8	510	5
	7/29/08	1,197.98	24.11	1,173.87	6.65	210	12.8	330	5
	10/23/08	1,197.98	29.95	1,168.03	5.96	145	11.9	410	6
	1/9/09	1,197.98	31.02	1,166.96	6.33	210	7.6	560	5
	10/17/09	1,197.98	26.60	1,171.38	5.66	145	11.4	140	4
	4/1/10	1,197.98	22.80	1,175.18	6.35	144	11.4	110	4
	10/27/10	1,197.98	23.70	1,174.28	6.09	160	10.8	150	4
	10/24/11	1,197.98	22.38	1,175.60	6.22	184	12.48	2320	2
	10/23/12	1,197.98	23.66	1,174.32	5.41	127	11.19	212	5
	10/21/14	1,197.98	19.85	1,178.13	5.84	98	8.41	170	4
	10/7/2014	1,197.98	19.81	1,178.17	6.24	60.7	10.26	131	2.92
	10/7/2015	1,197.98	23.13	1,174.85	6.41	97.5	11.17	147	4.40
	10/19/2016	1,197.98	22.10	1,175.88	5.96	165	11.29	169	7.31
	10/24/2017	1,197.98	20.88	1,177.10	5.67	115	10.34	212	4.53
	10/24/2018	1,197.98	17.82	1,180.16	5.91	-4	14.43	157	4.32
	10/21/2019	1,197.98	18.85	1,179.13	5.68	130	11.90	200	1.97
	10/23/2020	1,197.98	22.02	1,175.96	6.40	148	10.4	190	4.10
	10/11/2021	1,197.98	21.65	1,176.33	5.91	82.1	13.52	172.73	4.21
	10/10/2022	1,197.98	21.30	1,176.68	6.34	-49.8	17.99	191.62	0.66
	10/9/2023	1,197.98	20.10	1,177.88	6.18	46.5	14.35	169.98	0.84

TABLE 1
FIELD PARAMETER RESULTS OF GROUNDWATER SAMPLES
FORMER GORSKI LANDFILL, MOSINEE, WI
RAMBOLL PROJECT NO. 1940104932

Well Location	Sample Date	Top of PVC Elevation	Depth to Groundwater	Potentiometric Surface (MSL)	pH	ORP (mV)	Temperature (°C)	Specific Conductivity @ 25°C (µs)	Dissolved Oxygen (ppm)
PZ-4	7/26/2006	1,155.27	16.60	1,138.67	5.71	194	10.6	110	4
	10/17/06	1,155.27	16.68	1,138.59	5.97	302	10.8	90	5
	1/16/07	1,155.27	15.95	1,139.32	5.92	116	9.1	110	5
	4/18/07	1,155.27	15.51	1,139.76	6.14	262	11.0	130	6
	7/17/07	1,155.27	18.80	1,136.47	5.52	131	11.2	80	7
	10/25/07	1,155.27	15.97	1,139.30	5.70	135	10.5	90	6
	2/7/08	1,155.27	17.22	1,138.05	6.25	98	8.1	130	NS
	4/28/08	1,155.27	14.20	1,141.07	6.27	121	8.2	130	7
	7/28/08	1,155.27	15.69	1,139.58	6.72	152	11.6	100	8
	10/22/08	1,155.27	16.61	1,138.66	5.68	148	9.9	110	7
	1/9/09	1,155.27	17.25	1,138.02	6.01	165	8.7	130	5
	10/18/09	1,155.27	16.94	1,138.33	6.21	152	10.2	100	4
	4/1/10	1,155.27	16.09	1,139.18	7.16	135	10.61	130	6
	10/22/10	1,155.27	15.22	1,140.05	6.09	160	10.8	150	4
	10/24/11	1,155.27	16.50	1,138.77	6.13	298	12.76	110	7
	10/24/12	1,155.27	17.17	1,138.10	5.56	143	10.40	110	7
	10/21/13	1,155.27	15.80	1,139.47	5.32	126	9.82	137	5
	10/8/2014	1,155.27	15.23	1,140.04	5.85	64.4	10.06	112	7.77
	10/7/2015	1,155.27	16.54	1,138.73	6.02	122.2	10.81	122	11.55
	10/18/2016	1,155.27	15.85	1,139.42	6.02	81	10.54	112	8.06
	10/24/2017	1,155.27	15.42	1,139.85	5.74	158	8.95	107	8.17
	10/24/2018	1,155.27	14.77	1,140.50	5.89	182	15.91	89	6.75
	10/21/2019	1,155.27	14.70	1,140.57	5.36	199	10.42	116	7.57
	10/23/2020	1,155.27	16.22	1,139.05	6.04	188	9.1	134.2	7.41
	10/11/2021	1,155.27	15.68	1,139.59	6.06	114.7	13.15	99.97	7.13
	10/10/2022	1,155.27	16.29	1,138.98	6.14	211.4	13.38	128.25	6.21
	10/9/2023	1,155.27	16.58	1,138.69	6.23	51.8	13.74	121.74	6.41
G-2	7/27/2006	1,198.71	dry	dry	dry	dry	dry	dry	dry
	10/17/06	1,198.71	dry	dry	dry	dry	dry	dry	dry
	1/16/07	1,198.71	dry	dry	dry	dry	dry	dry	dry
	4/18/07	1,198.71	12.67	1,186.04	6.10	230	5.5	50	8
	7/17/07	1,198.71	dry	dry	dry	dry	dry	dry	dry
	10/23/07	1,198.71	12.46	1,186.25	5.36	173	14.7	50	7
	2/6/08	1,198.71	dry	dry	dry	dry	dry	dry	dry
	4/29/08	1,198.71	9.26	1,189.45	5.90	185	6.8	40	7
	7/29/08	1,198.71	16.15	1,182.56	NS	NS	NS	NS	NS
	10/23/08	1,198.71	dry	dry	NS	NS	NS	NS	NS
	1/8/09	1,198.71	dry	dry	NS	NS	NS	NS	NS
	10/17/09	1,198.71	dry	dry	NS	NS	NS	NS	NS
	4/1/10	1,198.71	dry	dry	NS	NS	NS	NS	NS
	10/22/10	1,198.71	16.67	1,182.04	5.71	158	14.8	260	5
	10/24/11	1,198.71	dry	dry	NS	NS	NS	NS	NS
	10/23/12	1,198.71	dry	dry	NS	NS	NS	NS	NS
	10/21/13	1,198.71	13.35	1,185.36	Abandoned 10-21-2013				
G-3	7/26/2006	1,185.99	13.65	1,172.34	5.71	194	10.6	110	4
	10/18/06	1,185.99	13.88	1,172.11	5.69	201	10.1	220	4
	1/18/07	1,185.99	12.48	1,173.51	5.56	140	9.5	260	4
	4/17/07	1,185.99	11.24	1,174.75	5.52	123	10	220	3
	7/19/07	1,185.99	14.63	1,171.36	5.61	153	14.8	300	5
	10/24/07	1,185.99	12.30	1,173.69	5.40	137	12.7	310	5
	2/6/08	1,185.99	15.10	1,170.89	5.82	152	6.5	600	5
	4/28/08	1,185.99	9.23	1,176.76	5.83	145	7.1	290	4
	7/29/08	1,185.99	12.29	1,173.70	6.04	143	15.1	310	6
	10/22/08	1,185.99	16.57	1,169.42	5.52	153	12.1	330	4
	1/8/09	1,185.99	17.60	1,168.39	5.61	153	9.2	310	4
	10/17/09	1,185.99	15.31	1,170.68	6.60	151	12.8	310	3
	4/1/10	1,185.99	16.90	1,169.09	NS	NS	NS	NS	NS
	10/22/10	1,185.99	12.34	1,173.65	5.76	130	13.1	240	3
	10/24/11	1,185.99	NS	NS	NS	NS	NS	NS	NS
	10/23/12	1,185.99	NS	NS	NS	NS	NS	NS	NS
	10/21/13	1,185.99	NS	NS	NS	NS	NS	NS	NS
	10/7/2014	1,185.99	NS	NS	NS	NS	NS	NS	NS
	10/7/2015	1,185.99	NS	NS	NS	NS	NS	NS	NS
	10/18/2016	1,185.99	NS	NS	NS	NS	NS	NS	NS

TABLE 1
FIELD PARAMETER RESULTS OF GROUNDWATER SAMPLES
FORMER GORSKI LANDFILL, MOSINEE, WI
RAMBOLL PROJECT NO. 1940104932

Well Location	Sample Date	Top of PVC Elevation	Depth to Groundwater	Potentiometric Surface (MSL)	pH	ORP (mV)	Temperature (°C)	Specific Conductivity @ 25°C (µs)	Dissolved Oxygen (ppm)
G-4A	7/27/2006	1,195.74	15.07	1,180.67	5.71	194	10.6	110	4
	10/17/06	1,195.74	11.80	1,183.94	6.07	126	9.9	40	5
	1/17/07	1,195.74	8.77	1,186.97	5.01	162	4.3	50	5
	4/18/07	1,195.74	7.90	1,187.84	6.94	182	5.9	70	8
	7/19/07	1,195.74	14.00	1,181.74	5.43	211	16.7	30	7
	10/24/07	1,195.74	8.95	1,186.79	5.51	73	12.1	50	7
	2/6/08	1,195.74	12.90	1,182.84	5.83	230	4.9	50	7
	4/29/08	1,195.74	6.10	1,189.64	5.93	91	8.0	30	6
	7/29/08	1,195.74	10.72	1,185.02	6.04	230	16.9	70	8
	10/23/08	1,195.74	18.65	1,177.09	5.63	96	12.0	60	8
	1/9/09	1,195.74	19.49	1,176.25	NS	NS	NS	NS	NS
	10/17/09	1,195.74	16.09	1,179.65	5.50	191	12.8	60	6
	4/1/10	1,195.74	19.27	1,176.47	NS	NS	NS	NS	NS
	10/29/10	1,195.74	10.76	1,184.98	6.21	210	12.2	110	6
	10/25/11	1,195.74	12.10	1,183.64	10.86	148	10.04	550	7
	10/24/12	1,195.74	14.97	1,180.77	4.42	210	13.70	43	8
	10/21/13	1,195.74	9.00	1,186.74					Abandoned 10-21-2013
G-4B	7/27/2006	1,195.50	NS	NS	NS	NS	NS	NS	NS
	10/18/06	1,195.50	49.05	1,146.45	11.46	126	7.9	760	4
	1/17/07	1,195.50	53.60	1,141.90	11.62	-39	7.5	320	5
	4/18/07	1,195.50	49.91	1,145.59	11.95	24	8.9	290	6
	7/19/07	1,195.50	52.05	1,143.45	11.58	-7	15.4	1700	8
	10/24/07	1,195.50	55.40	1,140.10	11.54	-88	9.1	2600	8
	2/26/08	1,195.50	53.88	1,141.62	12.43	108	7.4	2300	7
	4/29/08	1,195.50	55.90	1,139.60	11.99	-35	11.0	2700	8
	7/29/08	1,195.50	54.20	1,141.30	11.83	10	16.0	1900	7
	10/23/08	1,195.50	60.90	1,134.60	11.27	-3	8.7	1900	8
	1/9/09	1,195.50	63.25	1,132.25	11.09	-11	7.2	1400	7
	10/17/09	1,195.50	26.05	1,169.45	11.10	87	8.8	1210	6
	4/1/10	1,195.50	63.94	1,131.56	NS	NS	NS	NS	NS
	10/29/10	1,195.50	15.40	1,180.10	11.21	123	9.6	1030	5
	10/25/11	1,195.50	19.20	1,176.30	12.42	148	8.25	1670	8
	10/24/12	1,195.50	21.77	1,173.73	11.27	95	11.13	1885	8
	10/21/13	1,195.50	8.45	1,187.05					Abandoned 10-21-2013
G-5	7/26/2006	1,194.20	15.97	1,178.23	5.71	194	10.6	110	4
	10/18/06	1,194.20	14.60	1,179.60	5.40	251	10.7	110	5
	1/17/07	1,194.20	11.89	1,182.31	5.04	151	7.2	140	5
	4/18/07	1,194.20	11.38	1,182.82	5.41	283	6.3	130	7
	7/19/07	1,194.20	14.98	1,179.22	5.68	137	13.8	90	5
	10/23/07	1,194.20	11.35	1,182.85	5.21	293	13.6	130	7
	2/6/08	1,194.20	16.56	1,177.64	5.35	156	7.7	100	6
	4/29/08	1,194.20	10.60	1,183.60	5.48	171	6.5	190	8
	7/29/08	1,194.20	12.50	1,181.70	6.69	191	13.9	90	8
	10/23/08	1,194.20	21.16	1,173.04	5.40	219	12.6	110	8
	1/9/09	1,194.20	dry	dry	NS	NS	NS	NS	NS
	10/17/09	1,194.20	14.16	1,180.04	7.02	173	12.7	580	5
	4/1/10	1,194.20	11.98	1,182.22	5.61	158	9.3	158	6
	10/27/10	1,194.20	12.24	1,181.96	5.32	147	12.4	260	3
	10/25/11	1,194.20	13.45	1,180.75	5.31	406	8.25	270	5
	10/23/12	1,194.20	12.61	1,181.59	4.99	187	13.75	164	7
	10/21/13	1,194.20	11.86	1,182.34	4.92	235	11.62	247	4
	10/7/2014	1,194.20	11.54	1,182.66	5.23	186	13.84	242	5.28
	10/7/2015	1,194.20	14.54	1,179.66	5.31	128	13.24	248	5.21
	10/19/2016	1,194.20	13.92	1,180.28	5.21	198	13.41	249	4.27
	10/24/2017								Abandoned 10-24-2017

Notes:

NS = Not sampled

MSL = Mean Sea Level

ORP = Oxidation Reduction Potential

µs = Microsiemens

ppm = Parts per million

mV = Millivolts

PVC = Polyvinyl chloride

TABLE 2
LABORATORY RESULTS OF GROUNDWATER SAMPLES COLLECTED FROM MONITORING WELLS
FORMER GORSKI LANDFILL, MOSINEE, WI
RAMBOLL PROJECT NO. 1940104932

Well Location	Sample Date	Iron (mg/L)	Sulfate (mg/L)	Acetone (ug/L)	Benzene (ug/L)	Chloro methane (ug/L)	1,1-DCE (ug/L)	cDCE (ug/L)	Ethyl benzene (ug/L)	Methylene Chloride (ug/L)	Naphthalene (ug/L)	Tetrachloroethene (ug/L)	tDCE (ug/L)	Toluene (ug/L)	TCE (ug/L)	VC (ug/L)	Xylene Totals (ug/L)	Styrene (ug/L)	1,1,2-TCA (ug/L)	1,1-DCA (ug/L)	THF (ug/L)
G-4A	7/28/03	NA	NA	NA	<1	ND	<1	<1	<5	<5	<1	<1	<1	<1	<2	<3	<1	<1	<1	<2.0	
	8/8/03	0.016	7.13	NA	<0.31	ND	<0.39	<0.23	<0.5	<0.51	<0.8	<0.32	<0.39	<0.3	<0.36	<0.2	<0.92	<0.32	<0.5	<0.36	<2.0
	10/2/03	0.0482	8.29	NA	<0.31	ND	<0.39	<0.23	<0.5	<0.51	<0.8	<0.32	<0.39	<0.3	<0.36	<0.2	<0.92	<0.32	<0.5	<0.36	<2.0
	7/28/06	<0.010	11.5	<1.4	<0.23	ND	<0.25	<0.20	<0.21	<0.24	<0.37	<0.18	<0.29	<0.18	<0.13	<0.16	<0.19	<0.10	<0.10	<0.15	<2.0
	10/18/06	<0.010	5.7	<6.5	<0.15	ND	<0.15	<0.20	<0.10	<0.40	<1.0	<0.70	<0.10	<0.40	<0.20	<0.15	<0.40	<0.10	<0.10	<0.15	<2.0
	1/17/07	<0.010	7.76	<6.5	<0.15	ND	<0.15	0.73	<0.10	<0.40	<1.0	<0.70	<0.10	<0.40	<0.20	<0.15	<0.40	<0.10	<0.10	<0.15	<2.0
	4/18/07	0.31	6.69	<6.5	<0.20	ND	<0.15	<0.20	<0.10	<0.40	<1.0	<0.70	<0.10	<0.40	<0.20	<0.20	<0.40	<0.10	<0.20	<0.20	<2.0
	7/19/07	<0.010	9.23	<6.5	<0.20	ND	<0.15	<0.20	<0.10	<0.40	<1.0	<0.70	<0.10	<0.40	<0.20	<0.20	<0.40	<0.10	<0.20	<0.20	<2.0
	10/23/07	0.016 J	10.7	<6.5	<0.20	ND	<0.15	<0.20	<0.10	<0.40	<1.0	<0.70	<0.10	<0.40	<0.20	<0.20	<0.40	<0.10	<0.20	<0.20	<2.0
	2/6/08	<0.010	7.32	<6.5	<0.20	ND	<0.40	<0.30	<0.20	<0.40	<1.0	<0.30	<0.20	<0.40	<0.40	<0.20	<0.40	<0.10	<0.30	<0.20	<2.0
	4/29/08	<0.010	9.25	<6.5	<0.20	ND	<0.40	<0.30	<0.20	<0.40	<1.0	<0.30	<0.20	<0.40	<0.20	<0.40	<0.10	<0.30	<0.20	<2.0	
	7/29/08	<0.010	6.72	<6.5	<0.20	ND	<0.40	<0.30	<0.20	<0.40	<1.0	<0.30	<0.20	<0.40	<0.20	<0.40	<0.10	<0.30	<0.20	<2.0	
	10/23/08	<0.010	10.4	<6.5	<0.20	ND	<0.40	<0.30	<0.20	<0.40	<1.0	<0.30	<0.20	<0.40	<0.40	<0.20	<0.40	<0.10	<0.30	<0.20	<2.0
	10/17/09	NA	NA	<6.5	<0.20	ND	<0.40	<0.30	<0.20	<0.40	<1.0	<0.30	<0.20	<0.40	<0.40	<0.20	<0.40	<0.10	<0.30	<0.20	<2.0
	10/29/10	NA	NA	<6.5	<0.20	ND	<0.40	<0.30	<0.20	<0.40	<1.0	<0.30	<0.20	<0.40	<0.40	<0.20	<0.40	<0.10	<0.30	<0.20	<2.0
	10/25/11	NA	NA	<6.5	<0.20	ND	<0.40	<0.30	<0.20	<0.40	<1.0	<0.30	<0.20	<0.40	<0.40	<0.20	<0.40	<0.10	<0.30	<0.20	<2.0
	10/24/12	NA	NA	NA	<0.41	ND	<0.57	<0.83	<0.54	<0.43	<0.89	<0.45	<0.89	<0.67	<0.48	<0.18	<1.8	<0.86	<0.42	<0.75	NA
Abandoned 10-21-2013																					
G-4B	7/28/03	NA	NA	NA	<1	ND	<1	<1	<5	<5	<1	<1	<1	<1	<2	<3	<1	<1	<1	<2.0	
	8/8/03	0.04	6.15	NA	<0.31	ND	<0.39	<0.23	<0.5	<0.51	<0.8	<0.32	<0.39	<0.3	<0.36	<0.2	<0.92	<0.32	<0.5	<0.36	<2.0
	10/2/03	0.0433	7.47	NA	<0.31	ND	<0.39	<0.23	<0.5	<0.51	<0.8	<0.32	<0.39	<0.3	<0.36	<0.2	<0.92	<0.32	<0.5	<0.36	<2.0
	7/28/06	<0.010	12.1	20	<0.23	ND	<0.25	<0.20	<0.21	<0.24	<0.37	<0.18	<0.29	<0.18	<0.13	<0.16	<0.19	<0.18	<0.10	<0.15	<2.0
	10/18/06	0.041 J	11.4	19.7	<0.15	ND	<0.15	<0.20	0.14 J	<0.40	<1.00	<0.10	<0.40	<0.20	<0.15	<0.40	<0.10	<0.10	<0.15	<2.0	
	1/17/07	0.032 J	14.1	15.7 J	<0.15	ND	<0.15	0.20 J	<0.10	<0.40	<1.00	<0.10	<0.40	<0.10	<0.20	<0.15	<0.40	<0.10	<0.15	<2.0	
	4/18/07	0.052	13.4	8.67	<0.20	ND	<0.15	<0.10	<0.40	<1.00	<0.10	<0.40	<0.10	<0.20	<0.20	<0.40	<0.10	<0.20	<0.20	<2.0	
	7/19/07	0.025	14.7	9.37	<0.20	ND	<0.15	<0.10	<0.40	<1.00	<0.10	<0.40	<1.00	<0.10	<0.40	<0.20	<0.40	0.21 J	<0.20	<0.20	<2.0
	10/24/07	0.021 J	14.5	10.9 J	<0.20	ND	<0.15	<0.10	0.10 J	<0.40	<1.00	<0.10	<0.40	<0.20	<0.20	<0.40	<0.10	<0.20	<0.20	<2.0	
	2/6/08	0.017 J	12.9	9.92 J	<0.20	ND	<0.40	0.60 J	<0.20	<0.40	<1.00	<0.30	<0.20	<0.40	<0.20	<0.40	0.337 J	<0.30	<0.20	<2.0	
	4/29/08	0.020 J	12.6	9.06 J	<0.20	ND	<0.40	<0.30	<0.20	<0.40	<1.00	<0.30	<0.20	<0.40	<0.20	<0.40	0.21 J	<0.30	<0.20	<2.0	
	7/29/08	0.017 J	11.7	8.23J	<0.20	ND	<0.40	0.48J	<0.20	<0.40	<1.00	<0.30	<0.20	<0.40	<0.20	<0.40	0.31J	<0.30	<0.20	<2.0	
	10/23/08	0.017 J	12.6	6.97 J	<0.20	ND	<0.40	<0.30	<0.20	<0.40	<1.00	<0.30	<0.20	<0.40	<0.20	<0.40	0.31J	<0.30	<0.20	<2.0	
	1/9/09	0.016 J	11.2	7.73 J	<0.20	ND	<0.40	<0.30	<0.20	<0.40	<1.00	<0.30	<0.20	<0.40	<0.20	<0.40	0.28 J	<0.30	<0.20	<2.0	
	10/17/09	NA	NA	10.9	<0.20	ND	<0.40	<0.30	<0.20	<0.40	<1.00	<0.30	<0.20	<0.40	<0.20	<0.40	0.22	<0.30	<0.20	<2.0	
	10/29/10	NA	NA	11.1	<0.20	ND	<0.40	<0.30	<0.20	<0.40	<1.00	<0.30	<0.20	<0.40	<0.20	<0.40	0.12	<0.30	<0.20	<2.0	
	10/25/11	NA	NA	10.5 J	<0.20	ND	<0.40	<0.30	<0.20	<0.40	<1.00	<0.30	<0.20	<0.40	<0.20	<0.40	0.25 J	<0.30	<0.20	<2.0	
	10/24/12	NA	NA	NA	<0.41	ND	<0.57	<0.83	<0.54	<0.43	<0.89	<0.45	<0.89	<0.67	<0.48	<0.18	<1.8	<0.86	<0.42	<0.75	NA
Abandoned 10-21-2013																					

TABLE 2
LABORATORY RESULTS OF GROUNDWATER SAMPLES COLLECTED FROM MONITORING WELLS
FORMER GORSKI LANDFILL, MOSINEE, WI
RAMBOLL PROJECT NO. 1940104932

Well Location	Sample Date	Iron (mg/L)	Sulfate (mg/L)	Acetone (ug/L)	Benzene (ug/L)	Chloro methane (ug/L)	1,1-DCE (ug/L)	cDCE (ug/L)	Ethyl benzene (ug/L)	Methylene Chloride (ug/L)	Naphthalene (ug/L)	Tetrachloroethene (ug/L)	tDCE (ug/L)	Toluene (ug/L)	TCE (ug/L)	VC (ug/L)	Xylene Totals (ug/L)	Styrene (ug/L)	1,1,2-TCA (ug/L)	1,1-DCA (ug/L)	THF (ug/L)
G-5	7/28/03	NA	NA	NA	<1	ND	<1	<u>15</u>	<1	<5	<5	<1	<1	<1	6.2	<2	<3	<1	<1	<1	<2.0
	8/8/03	<0.01	11.7	NA	<0.31	ND	<0.39	<u>19.9</u>	<0.5	<0.51	<0.8	<u>0.813</u>	<0.39	<0.3	8.09	<0.2	<0.92	<0.5	<0.5	<0.36	<2.0
	10/2/03	0.0213	10.5	NA	<0.31	ND	<0.39	<u>10.6</u>	<0.5	<0.51	<0.8	<u>0.739</u>	<0.39	<0.3	5.07	<0.2	<0.92	<0.5	<0.5	<0.36	<2.0
	7/26/06	<0.010	20.8	<6.5	<0.15	ND	<0.15	<u>6.33</u>	<0.10	<0.40	<1.0	<u>0.37 J</u>	<0.10	<0.40	<u>1.73</u>	<0.15	<0.50	<0.1	<0.10	<0.15	<2.0
	10/18/06	<0.010	13.9	<6.5	<0.15	ND	<0.15	<u>4.39</u>	<0.10	<0.40	<1.0	<u>0.48</u>	<0.10	<0.40	<u>1.26</u>	<0.15	<0.40	<0.1	<0.10	<0.15	<2.0
	1/17/07	0.021 J	25.6	<6.5	<0.15	ND	<0.15	<u>3.31</u>	<0.10	<0.40	<1.0	<u>0.32 J</u>	<0.10	<0.40	<u>0.82</u>	<0.15	<0.40	<0.1	<0.10	<0.15	<2.0
	4/18/07	0.017	13.2	<6.5	<0.20	ND	<0.15	<u>4.83</u>	<0.10	<0.40	<1.0	<u>0.88</u>	<0.10	<0.40	<0.20	<0.20	<0.40	<0.1	<0.20	<0.20	<2.0
	7/19/07	<0.010	17.5	<6.5	<0.20	ND	<0.15	<u>8.57</u>	<0.10	<0.40	<1.0	<u>0.37 J</u>	<0.10	<0.40	<u>1.61</u>	<0.20	<17.5	<0.1	<0.20	<0.20	<2.0
	10/23/07	0.010 J	23	<6.5	<0.20	ND	<0.15	<u>1.65</u>	<0.10	<0.40	<1.0	<0.30	<0.20	<0.40	<u>0.43 J</u>	<0.20	<0.20	<0.10	<0.20	<0.20	<2.0
	2/6/08	<0.010	16.2	<6.5	<0.20	ND	<0.40	<u>0.39 J</u>	<0.20	<0.40	<1.0	<0.30	<0.20	<0.40	<0.40	<0.20	<0.40	<0.10	<0.30	<0.20	<2.0
	4/29/08	<0.010	10.2	<6.5	<0.20	ND	<0.40	<u>2.29</u>	<0.20	<0.40	<1.0	<0.30	<0.20	<0.40	<u>0.58 J</u>	<0.20	<0.40	<0.10	<0.30	<0.20	<2.0
	7/29/08	<0.010	10.6	<6.5	<0.20	ND	<0.40	<u>11.1</u>	<0.20	<0.40	<1.0	<u>0.57 J</u>	<0.41 J	<0.40	<u>1.91</u>	<0.20	<0.40	<0.10	<0.30	<0.20	<2.0
	10/23/08	<0.010	13.5	<6.5	<0.20	ND	<0.40	<u>7.31</u>	<0.20	<0.40	<1.0	<u>0.48 J</u>	<0.20	<0.40	<u>2.13</u>	<0.20	<0.40	<0.10	<0.30	<0.20	<2.0
	4/30/09	NA	NA	<6.5	<0.20	ND	<0.40	<u>1.59</u>	<0.20	<0.40	<1.0	<0.30	<0.20	<0.40	<0.40	<0.20	<0.40	<0.10	<0.30	<0.20	<2.0
	10/17/09	NA	NA	<6.5	<0.20	ND	<0.40	<u>7.58</u>	<0.20	<0.40	<1.0	<u>0.47 J</u>	<0.20	<0.40	<u>1.29 J</u>	<0.20	<0.40	<0.10	<0.30	<0.20	<2.0
	4/1/10	NA	NA	<6.5	<0.20	ND	<0.40	<u>1.82</u>	<0.20	<0.40	<1.0	<0.30	<0.20	<0.40	<u>0.42 J</u>	<0.20	<0.40	<0.10	<0.30	<0.20	2.30 J
	10/22/10	NA	NA	<6.5	<0.20	ND	<0.40	<u>5.14</u>	<0.20	<0.40	<1.0	<u>1.04</u>	<0.20	<0.40	<u>0.95</u>	<0.20	<0.40	<0.10	<0.30	<0.20	<2.0
	10/25/11	NA	NA	<6.5	<0.20	ND	<0.40	<u>4.04</u>	<0.20	<0.40	<1.0	<u>0.47 J</u>	<0.20	<0.40	<u>0.57 J</u>	<0.20	<0.40	<0.10	<0.30	<0.20	<2.0
	10/24/12	NA	NA	NA	<0.41	ND	<0.57	<u><0.83</u>	<0.54	<0.43	<0.89	<0.45	<0.89	<0.67	<0.48	<0.18	<1.8	<0.86	<0.42	<0.75	NA
	10/21/13	NA	NA	NA	<0.50	ND	<0.43	<u>0.49 J</u>	<0.50	<0.36	<2.5	<0.47	<0.37	<0.44	<0.36	<0.18	<1.32	<0.35	<0.39	<0.28	NA
	10/7/14	NA	NA	NA	<0.50	ND	<0.41	<u>0.64 J</u>	<0.50	<0.23	<2.5	<0.50	<0.26	<0.50	<0.33	0.60 J	<1.50	<0.50	<0.16	<0.24	NA
	10/7/15	NA	NA	NA	<0.50	ND	<0.41	1.5	<0.50	<0.23	<2.5	<0.50	<0.26	<0.50	<0.33	<0.18	<1.5	<0.50	<0.20	<0.24	NA
	10/19/16	NA	NA	NA	<0.50	ND	<0.41	1.3	<0.50	<0.23	<2.5	<0.50	<0.26	<0.50	<0.33	<0.18	<1.5	<0.50	<0.20	<0.24	NA
Abandoned 10-24-2017																					
G-5D	7/28/03	NA	NA	NA	<0.31	ND	<0.39	<u>18.3</u>	<0.5	<0.51	<0.8	<u>0.921</u>	<0.39	<0.3	6.72	<0.2	<0.92	<0.5	<0.5	<0.36	<2.0
	8/8/03	0.015	13.6	NA	<0.31	ND	<0.39	<u>19.4</u>	<0.5	<0.51	<0.8	<u>0.895</u>	<0.39	<0.3	8.18	<0.2	<0.92	<0.5	<0.5	<0.36	<2.0
	7/26/06	<0.010	21	<6.5	<0.15	ND	<0.15	<u>6.86</u>	<0.10	<0.40	<1.0	<u>0.41 J</u>	<0.10	<0.40	<u>2.02</u>	<0.15	<0.50	<0.10	<0.10	<0.15	<2.0
	10/18/06	<0.010	13.8	<6.5	<0.15	ND	<u>0.21 J</u>	<u>4.37</u>	<0.10	<0.40	<1.0	<u>0.43 J</u>	<0.10	<0.40	<u>1.18</u>	<0.15	<0.40	<0.10	<0.10	<0.15	<2.0
	1/17/07	0.015 J	27.6	<6.5	<0.15	ND	<u>0.21 J</u>	<u>3.18</u>	<0.10	<0.40	<1.0	<u>0.36 J</u>	<0.10	<0.40	<u>0.71</u>	<0.15	<0.40	<0.10	<0.10	<0.15	<2.0
	7/29/08	<0.010	10.6	<6.5	<0.15	ND	<0.40	<u>10.7</u>	<0.20	<0.40	<1.0	<u>0.49 J</u>	<0.40	<0.40	<u>2.21</u>	<0.20	<0.20	<0.10	<0.30	<0.20	<2.0
	10/25/11	NA	NA	<6.5	<0.20	ND	<0.40	<u>3.8</u>	<0.20	<0.40	<1.0	<u>0.50 J</u>	<0.20	<0.40	<u>0.59 J</u>	<0.20	<0.40	<0.10	<0.30	<0.20	<2.0
	10/24/12	NA	NA	NA	<0.41	ND	<0.57	<u>0.86 J</u>	<0.54	<0.43	<0.89	<0.45	<0.89	<0.67	<0.48	<0.18	<1.8	<0.86	<0.42	<0.75	NA
	10/21/13	NA	NA	NA	<0.50	ND	<0.43	<u>0.52 J</u>	<0.50	<0.36	<2.5	<0.47	<0.37	<0.44	<0.36	<0.18	<1.32	<0.35	<0.39	<0.28	NA
	Abandoned 10-24-2017																				
PAL ^A		0.15	125	1800	0.5	3	0.7	7	140	0.5	10	0.5	20	160	0.5	0.02	400	10	0.5	85	10
ES ^B		0.3	250	9000	5	30	7	70	700	5	100	5	100	800	5	0.2	2,000	100	5	850	50

Notes:

PAL - Preventive Action Limit, Wisconsin Administrative Code NR 140.10 Table 1, January 2011, exceedances are *underlined italics*.

ES - Enforcement Standard, Wisconsin Administrative Code NR 140.10 Table 1, January 2011, exceedances are **bold**.

*PAL or ES is for total trimethylbenzenes or total xylenes


J = Estimated value

Abbreviations:

1,1-DCE = 1,1-Dichloroethene
 cDCE = cis-1,2-Dichloroethene
 tDCE = trans-1,2-Dichloroethene
 TCE = Trichloroethene
 VC = Vinyl Chloride
 1,1,2-TCA = 1,1,2-Trichloroethane
 1,1-DCA = 1,1-Dichloroethane
 THF = Tetrahydrofuran

ug/L = micrograms per liter
 mg/L = milligrams per liter
 NA = Not Analyzed
 ND or < = Analyte was not detected above laboratory method detection limit
 NE = Not Established

FIGURES



Map Scale: 1:24,000 | Map Center: 44.8104, -89.7319

SITE LOCATION

FIGURE 01




KEY MAP

RAMBOLL AMERICAS
ENGINEERING SOLUTIONS, INC.
A RAMBOLL COMPANY

FORMER GORSKI LANDFILL
MOSINEEE, WISCONSIN


RAMBOLL

**LEGEND**

- PARCEL BOUNDARY (APPROXIMATE))
- METALLIC DEBRIS AREA (INTERPOLATED)
- MONITORING WELL
- ABANDONED MONITORING WELL (OCTOBER 2013)
- ABANDONED MONITORING WELL (OCTOBER 2017)
- PRIVATE WELL
- ABANDONED PRIVATE WELL (JUNE 2007)
- PIEZOMETER
- ABANDONED PIEZOMETER (OCTOBER 2017)
- STAFF GAUGE
- SHALLOW LANDFILL GAS WELL POINT
- HYDROPUCK BORING

SAMPLE LOCATIONSFORMER GORSKI LANDFILL
MOSINEE, WISCONSIN**FIGURE 2**RAMBOLL AMERICAS
ENGINEERING SOLUTIONS, INC.
A RAMBOLL COMPANY

RAMBOLL

**LEGEND**

- PARCEL BOUNDARY (APPROXIMATE))
- METALLIC DEBRIS AREA (INTERPOLATED)
- MONITORING WELL
- ABANDONED MONITORING WELL (OCTOBER 2013)
- ABANDONED MONITORING WELL (OCTOBER 2017)
- PRIVATE WELL
- ABANDONED PRIVATE WELL (JUNE 2007)
- PIEZOMETER
- ABANDONED PIEZOMETER (OCTOBER 2017)
- STAFF GAUGE
- SHALLOW LANDFILL GAS WELL POINT
- HYDROPUCK BORING
- TCE CONCENTRATION IN OCTOBER 2023 GROUNDWATER SAMPLE ($\mu\text{g/L}$)
- ESTIMATED TCE CONCENTRATION AT OR ABOVE THE LIMIT OF DETECTION (LOD) AND BELOW THE LIMIT OF QUANTITATION (LOQ).

OCTOBER 2023 TCE CONCENTRATIONS IN GROUNDWATER

FORMER GORSKI LANDFILL
MOSINEE, WISCONSIN

FIGURE 3

RAMBOLL AMERICAS
ENGINEERING SOLUTIONS, INC.
A RAMBOLL COMPANY

RAMBOLL

ATTACHMENT A
INVOLVED PARTIES LIST

INVOLVED PARTIES LIST

Responsible Parties:

ad hoc Group
c/o City of Mosinee
225 Main Street
Mosinee, WI 54445

ad hoc Group Members:

Ms. Tracey Driessen
Environmental and Risk Manager
Global Manufacturing – Tissue North America
Essity Professional Hygiene North America LLC
(920) 224-2857
tracey.driessen@essity.com

Mr. Troy Williams
NA Region EHSE Manager
CNH Industrial (f/k/a Case Corporation)
3301 South Hoover Road
Wichita, KS 67215-1215
(316) 941-2265
troy.williams@cnhind.com

Mr. Jeff Gates
City Administrator
City of Mosinee
225 Main Street
Mosinee, WI 54455
(715) 693-2275
cityadmn@mosinee.wi.us

Consultant:

Ramboll Americas Engineering Solutions, Inc.
234 W. Florida Street, Fifth Floor
Milwaukee, WI 53204
Contact: Ms. Jeanne Tarvin, (262) 901-0085
Mr. Mark Mejac, (262) 901-0127

Agency:

Wisconsin Department of Natural Resources
890 Spruce Street
Baldwin, WI 54002
Contact: Ms. Candace Sykora, (715) 684-2914

ATTACHMENT B
LABORATORY RESULTS OF GROUNDWATER SAMPLES



Pace Analytical Services, LLC
1241 Bellevue Street - Suite 9
Green Bay, WI 54302
(920)469-2436

October 17, 2023

Mark Mejac
Ramboll US Consulting
234 W. Florida Street
Fifth Floor
Milwaukee, WI 53204

RE: Project: 1690028158_CONV GORSKI LF
Pace Project No.: 40269256

Dear Mark Mejac:

Enclosed are the analytical results for sample(s) received by the laboratory on October 09, 2023. The results relate only to the samples included in this report. Results reported herein conform to the applicable TNI/NELAC Standards and the laboratory's Quality Manual, where applicable, unless otherwise noted in the body of the report.

The test results provided in this final report were generated by each of the following laboratories within the Pace Network:

- Pace Analytical Services - Green Bay

If you have any questions concerning this report, please feel free to contact me.

Sincerely,

Steven Mleczko
steve.mleczko@pacelabs.com
(920)469-2436
Project Manager

Enclosures

cc: David L. Markelz, Ramboll US Consulting, Inc.



REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



Pace Analytical Services, LLC
1241 Bellevue Street - Suite 9
Green Bay, WI 54302
(920)469-2436

CERTIFICATIONS

Project: 1690028158_CONV GORSKI LF
Pace Project No.: 40269256

Pace Analytical Services Green Bay

1241 Bellevue Street, Green Bay, WI 54302
Florida/NELAP Certification #: E87948
Illinois Certification #: 200050
Kentucky UST Certification #: 82
Louisiana Certification #: 04168
Minnesota Certification #: 055-999-334
New York Certification #: 12064
North Dakota Certification #: R-150

South Carolina Certification #: 83006001
Texas Certification #: T104704529-21-8
Virginia VELAP Certification ID: 11873
Wisconsin Certification #: 405132750
Wisconsin DATCP Certification #: 105-444
USDA Soil Permit #: P330-21-00008
Federal Fish & Wildlife Permit #: 51774A

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

SAMPLE SUMMARY

Project: 1690028158_CONV GORSKI LF

Pace Project No.: 40269256

Lab ID	Sample ID	Matrix	Date Collected	Date Received
40269256001	1096 CTH KK	Water	10/09/23 11:20	10/09/23 16:40
40269256002	1101 CTH KK	Water	10/09/23 11:10	10/09/23 16:40
40269256003	626 CTH B	Water	10/09/23 11:00	10/09/23 16:40
40269256004	642R CTH B	Water	10/09/23 10:55	10/09/23 16:40
40269256005	652R CTH B	Water	10/09/23 10:45	10/09/23 16:40
40269256006	666 CTH B	Water	10/09/23 10:15	10/09/23 16:40
40269256007	669 CTH B	Water	10/09/23 10:25	10/09/23 16:40
40269256008	669 CTH BD	Water	10/09/23 10:30	10/09/23 16:40
40269256009	670 CTH B	Water	10/09/23 10:35	10/09/23 16:40
40269256010	MW-4	Water	10/09/23 12:20	10/09/23 16:40
40269256011	MW-4D	Water	10/09/23 12:25	10/09/23 16:40
40269256012	MW-6	Water	10/09/23 13:45	10/09/23 16:40
40269256013	PZ-3	Water	10/09/23 14:30	10/09/23 16:40
40269256014	PZ-4	Water	10/09/23 13:10	10/09/23 16:40
40269256015	TRIP BLANK	Water	10/09/23 00:00	10/09/23 16:40
40269256016	1054 CTH KK	Water	10/09/23 11:40	10/09/23 16:40
40269256017	1058 CTH KK	Water	10/09/23 11:30	10/09/23 16:40

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
 without the written consent of Pace Analytical Services, LLC.

SAMPLE ANALYTE COUNT

Project: 1690028158_CONV GORSKI LF

Pace Project No.: 40269256

Lab ID	Sample ID	Method	Analysts	Analytes Reported	Laboratory
40269256001	1096 CTH KK	EPA 8260	CXJ	65	PASI-G
40269256002	1101 CTH KK	EPA 8260	CXJ	65	PASI-G
40269256003	626 CTH B	EPA 8260	CXJ	65	PASI-G
40269256004	642R CTH B	EPA 8260	CXJ	65	PASI-G
40269256005	652R CTH B	EPA 8260	CXJ	65	PASI-G
40269256006	666 CTH B	EPA 8260	CXJ	65	PASI-G
40269256007	669 CTH B	EPA 8260	CXJ	65	PASI-G
40269256008	669 CTH BD	EPA 8260	CXJ	65	PASI-G
40269256009	670 CTH B	EPA 8260	CXJ	65	PASI-G
40269256010	MW-4	EPA 8260	CXJ	65	PASI-G
40269256011	MW-4D	EPA 8260	CXJ	65	PASI-G
40269256012	MW-6	EPA 8260	CXJ	65	PASI-G
40269256013	PZ-3	EPA 8260	CXJ	65	PASI-G
40269256014	PZ-4	EPA 8260	EIB	65	PASI-G
40269256015	TRIP BLANK	EPA 8260	EIB	65	PASI-G
40269256016	1054 CTH KK	EPA 8260	EIB	65	PASI-G
40269256017	1058 CTH KK	EPA 8260	EIB	65	PASI-G

PASI-G = Pace Analytical Services - Green Bay

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
 without the written consent of Pace Analytical Services, LLC.

SUMMARY OF DETECTION

Project: 1690028158_CONV GORSKI LF
 Pace Project No.: 40269256

Lab Sample ID	Client Sample ID					
Method	Parameters	Result	Units	Report Limit	Analyzed	Qualifiers
40269256007	669 CTH B					
EPA 8260	Trichloroethene	0.64J	ug/L	1.0	10/11/23 13:31	
40269256008	669 CTH BD					
EPA 8260	Trichloroethene	0.69J	ug/L	1.0	10/11/23 13:50	
40269256010	MW-4					
EPA 8260	Trichloroethene	2.0	ug/L	1.0	10/11/23 14:27	
40269256011	MW-4D					
EPA 8260	Trichloroethene	1.8	ug/L	1.0	10/11/23 14:45	
40269256012	MW-6					
EPA 8260	cis-1,2-Dichloroethene	1.1	ug/L	1.0	10/11/23 15:04	
EPA 8260	Trichloroethene	2.1	ug/L	1.0	10/11/23 15:04	
40269256013	PZ-3					
EPA 8260	cis-1,2-Dichloroethene	4.3	ug/L	1.0	10/16/23 12:06	
EPA 8260	Trichloroethene	0.72J	ug/L	1.0	10/16/23 12:06	
40269256014	PZ-4					
EPA 8260	cis-1,2-Dichloroethene	2.6	ug/L	1.0	10/11/23 13:45	
EPA 8260	Trichloroethene	6.4	ug/L	1.0	10/11/23 13:45	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
 without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: 1690028158_CONV GORSKI LF

Pace Project No.: 40269256

Sample: 1096 CTH KK Lab ID: 40269256001 Collected: 10/09/23 11:20 Received: 10/09/23 16:40 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV	Analytical Method: EPA 8260 Pace Analytical Services - Green Bay								
Benzene	<0.30	ug/L	1.0	0.30	1			10/11/23 12:17	71-43-2
Bromobenzene	<0.36	ug/L	1.0	0.36	1			10/11/23 12:17	108-86-1
Bromo(chloromethane)	<0.36	ug/L	1.0	0.36	1			10/11/23 12:17	74-97-5
Bromodichloromethane	<0.42	ug/L	1.0	0.42	1			10/11/23 12:17	75-27-4
Bromoform	<0.43	ug/L	1.0	0.43	1			10/11/23 12:17	75-25-2
Bromomethane	<1.2	ug/L	5.0	1.2	1			10/11/23 12:17	74-83-9
n-Butylbenzene	<0.86	ug/L	1.0	0.86	1			10/11/23 12:17	104-51-8
sec-Butylbenzene	<0.42	ug/L	1.0	0.42	1			10/11/23 12:17	135-98-8
tert-Butylbenzene	<0.59	ug/L	1.0	0.59	1			10/11/23 12:17	98-06-6
Carbon tetrachloride	<0.37	ug/L	1.0	0.37	1			10/11/23 12:17	56-23-5
Chlorobenzene	<0.86	ug/L	1.0	0.86	1			10/11/23 12:17	108-90-7
Chloroethane	<1.4	ug/L	5.0	1.4	1			10/11/23 12:17	75-00-3
Chloroform	<0.50	ug/L	5.0	0.50	1			10/11/23 12:17	67-66-3
Chloromethane	<1.6	ug/L	5.0	1.6	1			10/11/23 12:17	74-87-3
2-Chlorotoluene	<0.89	ug/L	5.0	0.89	1			10/11/23 12:17	95-49-8
4-Chlorotoluene	<0.89	ug/L	5.0	0.89	1			10/11/23 12:17	106-43-4
1,2-Dibromo-3-chloropropane	<2.4	ug/L	5.0	2.4	1			10/11/23 12:17	96-12-8
Dibromochloromethane	<2.6	ug/L	5.0	2.6	1			10/11/23 12:17	124-48-1
1,2-Dibromoethane (EDB)	<0.31	ug/L	1.0	0.31	1			10/11/23 12:17	106-93-4
Dibromomethane	<0.99	ug/L	5.0	0.99	1			10/11/23 12:17	74-95-3
1,2-Dichlorobenzene	<0.33	ug/L	1.0	0.33	1			10/11/23 12:17	95-50-1
1,3-Dichlorobenzene	<0.35	ug/L	1.0	0.35	1			10/11/23 12:17	541-73-1
1,4-Dichlorobenzene	<0.89	ug/L	1.0	0.89	1			10/11/23 12:17	106-46-7
Dichlorodifluoromethane	<0.46	ug/L	5.0	0.46	1			10/11/23 12:17	75-71-8
1,1-Dichloroethane	<0.30	ug/L	1.0	0.30	1			10/11/23 12:17	75-34-3
1,2-Dichloroethane	<0.29	ug/L	1.0	0.29	1			10/11/23 12:17	107-06-2
1,1-Dichloroethene	<0.58	ug/L	1.0	0.58	1			10/11/23 12:17	75-35-4
cis-1,2-Dichloroethene	<0.47	ug/L	1.0	0.47	1			10/11/23 12:17	156-59-2
trans-1,2-Dichloroethene	<0.53	ug/L	1.0	0.53	1			10/11/23 12:17	156-60-5
1,2-Dichloropropane	<0.45	ug/L	1.0	0.45	1			10/11/23 12:17	78-87-5
1,3-Dichloropropane	<0.30	ug/L	1.0	0.30	1			10/11/23 12:17	142-28-9
2,2-Dichloropropane	<0.42	ug/L	1.0	0.42	1			10/11/23 12:17	594-20-7
1,1-Dichloropropene	<0.41	ug/L	1.0	0.41	1			10/11/23 12:17	563-58-6
cis-1,3-Dichloropropene	<0.24	ug/L	1.0	0.24	1			10/11/23 12:17	10061-01-5
trans-1,3-Dichloropropene	<0.27	ug/L	1.0	0.27	1			10/11/23 12:17	10061-02-6
Diisopropyl ether	<1.1	ug/L	5.0	1.1	1			10/11/23 12:17	108-20-3
Ethylbenzene	<0.33	ug/L	1.0	0.33	1			10/11/23 12:17	100-41-4
Hexachloro-1,3-butadiene	<2.7	ug/L	5.0	2.7	1			10/11/23 12:17	87-68-3
Isopropylbenzene (Cumene)	<1.0	ug/L	5.0	1.0	1			10/11/23 12:17	98-82-8
p-Isopropyltoluene	<1.0	ug/L	5.0	1.0	1			10/11/23 12:17	99-87-6
Methylene Chloride	<0.32	ug/L	5.0	0.32	1			10/11/23 12:17	75-09-2
Methyl-tert-butyl ether	<1.1	ug/L	5.0	1.1	1			10/11/23 12:17	1634-04-4
Naphthalene	<1.9	ug/L	5.0	1.9	1			10/11/23 12:17	91-20-3
n-Propylbenzene	<0.35	ug/L	1.0	0.35	1			10/11/23 12:17	103-65-1
Styrene	<0.36	ug/L	1.0	0.36	1			10/11/23 12:17	100-42-5

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: 1690028158_CONV GORSKI LF

Pace Project No.: 40269256

Sample: 1096 CTH KK Lab ID: 40269256001 Collected: 10/09/23 11:20 Received: 10/09/23 16:40 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV	Analytical Method: EPA 8260 Pace Analytical Services - Green Bay								
1,1,1,2-Tetrachloroethane	<0.36	ug/L	1.0	0.36	1		10/11/23 12:17	630-20-6	
1,1,2,2-Tetrachloroethane	<0.38	ug/L	1.0	0.38	1		10/11/23 12:17	79-34-5	
Tetrachloroethene	<0.41	ug/L	1.0	0.41	1		10/11/23 12:17	127-18-4	
Toluene	<0.29	ug/L	1.0	0.29	1		10/11/23 12:17	108-88-3	
1,2,3-Trichlorobenzene	<1.0	ug/L	5.0	1.0	1		10/11/23 12:17	87-61-6	
1,2,4-Trichlorobenzene	<0.95	ug/L	5.0	0.95	1		10/11/23 12:17	120-82-1	
1,1,1-Trichloroethane	<0.30	ug/L	1.0	0.30	1		10/11/23 12:17	71-55-6	
1,1,2-Trichloroethane	<0.34	ug/L	1.0	0.34	1		10/11/23 12:17	79-00-5	
Trichloroethene	<0.32	ug/L	1.0	0.32	1		10/11/23 12:17	79-01-6	
Trichlorofluoromethane	<0.42	ug/L	1.0	0.42	1		10/11/23 12:17	75-69-4	
1,2,3-Trichloropropane	<0.56	ug/L	1.0	0.56	1		10/11/23 12:17	96-18-4	
1,2,4-Trimethylbenzene	<0.45	ug/L	1.0	0.45	1		10/11/23 12:17	95-63-6	
1,3,5-Trimethylbenzene	<0.36	ug/L	1.0	0.36	1		10/11/23 12:17	108-67-8	
Vinyl chloride	<0.17	ug/L	1.0	0.17	1		10/11/23 12:17	75-01-4	
Xylene (Total)	<1.0	ug/L	3.0	1.0	1		10/11/23 12:17	1330-20-7	
m&p-Xylene	<0.70	ug/L	2.0	0.70	1		10/11/23 12:17	179601-23-1	
o-Xylene	<0.35	ug/L	1.0	0.35	1		10/11/23 12:17	95-47-6	
Surrogates									
4-Bromofluorobenzene (S)	104	%	70-130		1		10/11/23 12:17	460-00-4	
1,2-Dichlorobenzene-d4 (S)	106	%	70-130		1		10/11/23 12:17	2199-69-1	
Toluene-d8 (S)	100	%	70-130		1		10/11/23 12:17	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: 1690028158_CONV GORSKI LF

Pace Project No.: 40269256

Sample: 1101 CTH KK Lab ID: 40269256002 Collected: 10/09/23 11:10 Received: 10/09/23 16:40 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV	Analytical Method: EPA 8260 Pace Analytical Services - Green Bay								
Benzene	<0.30	ug/L	1.0	0.30	1		10/11/23 11:40	71-43-2	
Bromobenzene	<0.36	ug/L	1.0	0.36	1		10/11/23 11:40	108-86-1	
Bromo(chloromethane)	<0.36	ug/L	1.0	0.36	1		10/11/23 11:40	74-97-5	
Bromodichloromethane	<0.42	ug/L	1.0	0.42	1		10/11/23 11:40	75-27-4	
Bromoform	<0.43	ug/L	1.0	0.43	1		10/11/23 11:40	75-25-2	
Bromomethane	<1.2	ug/L	5.0	1.2	1		10/11/23 11:40	74-83-9	
n-Butylbenzene	<0.86	ug/L	1.0	0.86	1		10/11/23 11:40	104-51-8	
sec-Butylbenzene	<0.42	ug/L	1.0	0.42	1		10/11/23 11:40	135-98-8	
tert-Butylbenzene	<0.59	ug/L	1.0	0.59	1		10/11/23 11:40	98-06-6	
Carbon tetrachloride	<0.37	ug/L	1.0	0.37	1		10/11/23 11:40	56-23-5	
Chlorobenzene	<0.86	ug/L	1.0	0.86	1		10/11/23 11:40	108-90-7	
Chloroethane	<1.4	ug/L	5.0	1.4	1		10/11/23 11:40	75-00-3	
Chloroform	<0.50	ug/L	5.0	0.50	1		10/11/23 11:40	67-66-3	
Chloromethane	<1.6	ug/L	5.0	1.6	1		10/11/23 11:40	74-87-3	
2-Chlorotoluene	<0.89	ug/L	5.0	0.89	1		10/11/23 11:40	95-49-8	
4-Chlorotoluene	<0.89	ug/L	5.0	0.89	1		10/11/23 11:40	106-43-4	
1,2-Dibromo-3-chloropropane	<2.4	ug/L	5.0	2.4	1		10/11/23 11:40	96-12-8	
Dibromochloromethane	<2.6	ug/L	5.0	2.6	1		10/11/23 11:40	124-48-1	
1,2-Dibromoethane (EDB)	<0.31	ug/L	1.0	0.31	1		10/11/23 11:40	106-93-4	
Dibromomethane	<0.99	ug/L	5.0	0.99	1		10/11/23 11:40	74-95-3	
1,2-Dichlorobenzene	<0.33	ug/L	1.0	0.33	1		10/11/23 11:40	95-50-1	
1,3-Dichlorobenzene	<0.35	ug/L	1.0	0.35	1		10/11/23 11:40	541-73-1	
1,4-Dichlorobenzene	<0.89	ug/L	1.0	0.89	1		10/11/23 11:40	106-46-7	
Dichlorodifluoromethane	<0.46	ug/L	5.0	0.46	1		10/11/23 11:40	75-71-8	
1,1-Dichloroethane	<0.30	ug/L	1.0	0.30	1		10/11/23 11:40	75-34-3	
1,2-Dichloroethane	<0.29	ug/L	1.0	0.29	1		10/11/23 11:40	107-06-2	
1,1-Dichloroethene	<0.58	ug/L	1.0	0.58	1		10/11/23 11:40	75-35-4	
cis-1,2-Dichloroethene	<0.47	ug/L	1.0	0.47	1		10/11/23 11:40	156-59-2	
trans-1,2-Dichloroethene	<0.53	ug/L	1.0	0.53	1		10/11/23 11:40	156-60-5	
1,2-Dichloropropane	<0.45	ug/L	1.0	0.45	1		10/11/23 11:40	78-87-5	
1,3-Dichloropropane	<0.30	ug/L	1.0	0.30	1		10/11/23 11:40	142-28-9	
2,2-Dichloropropane	<0.42	ug/L	1.0	0.42	1		10/11/23 11:40	594-20-7	
1,1-Dichloropropene	<0.41	ug/L	1.0	0.41	1		10/11/23 11:40	563-58-6	
cis-1,3-Dichloropropene	<0.24	ug/L	1.0	0.24	1		10/11/23 11:40	10061-01-5	
trans-1,3-Dichloropropene	<0.27	ug/L	1.0	0.27	1		10/11/23 11:40	10061-02-6	
Diisopropyl ether	<1.1	ug/L	5.0	1.1	1		10/11/23 11:40	108-20-3	
Ethylbenzene	<0.33	ug/L	1.0	0.33	1		10/11/23 11:40	100-41-4	
Hexachloro-1,3-butadiene	<2.7	ug/L	5.0	2.7	1		10/11/23 11:40	87-68-3	
Isopropylbenzene (Cumene)	<1.0	ug/L	5.0	1.0	1		10/11/23 11:40	98-82-8	
p-Isopropyltoluene	<1.0	ug/L	5.0	1.0	1		10/11/23 11:40	99-87-6	
Methylene Chloride	<0.32	ug/L	5.0	0.32	1		10/11/23 11:40	75-09-2	
Methyl-tert-butyl ether	<1.1	ug/L	5.0	1.1	1		10/11/23 11:40	1634-04-4	
Naphthalene	<1.9	ug/L	5.0	1.9	1		10/11/23 11:40	91-20-3	L1
n-Propylbenzene	<0.35	ug/L	1.0	0.35	1		10/11/23 11:40	103-65-1	
Styrene	<0.36	ug/L	1.0	0.36	1		10/11/23 11:40	100-42-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: 1690028158_CONV GORSKI LF

Pace Project No.: 40269256

Sample: 1101 CTH KK Lab ID: 40269256002 Collected: 10/09/23 11:10 Received: 10/09/23 16:40 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV	Analytical Method: EPA 8260 Pace Analytical Services - Green Bay								
1,1,1,2-Tetrachloroethane	<0.36	ug/L	1.0	0.36	1		10/11/23 11:40	630-20-6	
1,1,2,2-Tetrachloroethane	<0.38	ug/L	1.0	0.38	1		10/11/23 11:40	79-34-5	
Tetrachloroethene	<0.41	ug/L	1.0	0.41	1		10/11/23 11:40	127-18-4	
Toluene	<0.29	ug/L	1.0	0.29	1		10/11/23 11:40	108-88-3	
1,2,3-Trichlorobenzene	<1.0	ug/L	5.0	1.0	1		10/11/23 11:40	87-61-6	
1,2,4-Trichlorobenzene	<0.95	ug/L	5.0	0.95	1		10/11/23 11:40	120-82-1	
1,1,1-Trichloroethane	<0.30	ug/L	1.0	0.30	1		10/11/23 11:40	71-55-6	
1,1,2-Trichloroethane	<0.34	ug/L	1.0	0.34	1		10/11/23 11:40	79-00-5	
Trichloroethene	<0.32	ug/L	1.0	0.32	1		10/11/23 11:40	79-01-6	
Trichlorofluoromethane	<0.42	ug/L	1.0	0.42	1		10/11/23 11:40	75-69-4	
1,2,3-Trichloropropane	<0.56	ug/L	1.0	0.56	1		10/11/23 11:40	96-18-4	
1,2,4-Trimethylbenzene	<0.45	ug/L	1.0	0.45	1		10/11/23 11:40	95-63-6	
1,3,5-Trimethylbenzene	<0.36	ug/L	1.0	0.36	1		10/11/23 11:40	108-67-8	
Vinyl chloride	<0.17	ug/L	1.0	0.17	1		10/11/23 11:40	75-01-4	
Xylene (Total)	<1.0	ug/L	3.0	1.0	1		10/11/23 11:40	1330-20-7	
m&p-Xylene	<0.70	ug/L	2.0	0.70	1		10/11/23 11:40	179601-23-1	
o-Xylene	<0.35	ug/L	1.0	0.35	1		10/11/23 11:40	95-47-6	
Surrogates									
4-Bromofluorobenzene (S)	100	%	70-130		1		10/11/23 11:40	460-00-4	
1,2-Dichlorobenzene-d4 (S)	103	%	70-130		1		10/11/23 11:40	2199-69-1	
Toluene-d8 (S)	102	%	70-130		1		10/11/23 11:40	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: 1690028158_CONV GORSKI LF

Pace Project No.: 40269256

Sample: 626 CTH B	Lab ID: 40269256003	Collected: 10/09/23 11:00	Received: 10/09/23 16:40	Matrix: Water					
Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV	Analytical Method: EPA 8260								
	Pace Analytical Services - Green Bay								
Benzene	<0.30	ug/L	1.0	0.30	1		10/11/23 11:21	71-43-2	
Bromobenzene	<0.36	ug/L	1.0	0.36	1		10/11/23 11:21	108-86-1	
Bromoform	<0.43	ug/L	1.0	0.43	1		10/11/23 11:21	75-25-2	
Bromochloromethane	<0.36	ug/L	1.0	0.36	1		10/11/23 11:21	74-97-5	
Bromodichloromethane	<0.42	ug/L	1.0	0.42	1		10/11/23 11:21	75-27-4	
Bromomethane	<1.2	ug/L	5.0	1.2	1		10/11/23 11:21	74-83-9	
n-Butylbenzene	<0.86	ug/L	1.0	0.86	1		10/11/23 11:21	104-51-8	
sec-Butylbenzene	<0.42	ug/L	1.0	0.42	1		10/11/23 11:21	135-98-8	
tert-Butylbenzene	<0.59	ug/L	1.0	0.59	1		10/11/23 11:21	98-06-6	
Carbon tetrachloride	<0.37	ug/L	1.0	0.37	1		10/11/23 11:21	56-23-5	
Chlorobenzene	<0.86	ug/L	1.0	0.86	1		10/11/23 11:21	108-90-7	
Chloroethane	<1.4	ug/L	5.0	1.4	1		10/11/23 11:21	75-00-3	M1
Chloroform	<0.50	ug/L	5.0	0.50	1		10/11/23 11:21	67-66-3	
Chloromethane	<1.6	ug/L	5.0	1.6	1		10/11/23 11:21	74-87-3	
2-Chlorotoluene	<0.89	ug/L	5.0	0.89	1		10/11/23 11:21	95-49-8	
4-Chlorotoluene	<0.89	ug/L	5.0	0.89	1		10/11/23 11:21	106-43-4	
1,2-Dibromo-3-chloropropane	<2.4	ug/L	5.0	2.4	1		10/11/23 11:21	96-12-8	
Dibromochloromethane	<2.6	ug/L	5.0	2.6	1		10/11/23 11:21	124-48-1	
1,2-Dibromoethane (EDB)	<0.31	ug/L	1.0	0.31	1		10/11/23 11:21	106-93-4	
Dibromomethane	<0.99	ug/L	5.0	0.99	1		10/11/23 11:21	74-95-3	
1,2-Dichlorobenzene	<0.33	ug/L	1.0	0.33	1		10/11/23 11:21	95-50-1	
1,3-Dichlorobenzene	<0.35	ug/L	1.0	0.35	1		10/11/23 11:21	541-73-1	
1,4-Dichlorobenzene	<0.89	ug/L	1.0	0.89	1		10/11/23 11:21	106-46-7	
Dichlorodifluoromethane	<0.46	ug/L	5.0	0.46	1		10/11/23 11:21	75-71-8	
1,1-Dichloroethane	<0.30	ug/L	1.0	0.30	1		10/11/23 11:21	75-34-3	
1,2-Dichloroethane	<0.29	ug/L	1.0	0.29	1		10/11/23 11:21	107-06-2	
1,1-Dichloroethene	<0.58	ug/L	1.0	0.58	1		10/11/23 11:21	75-35-4	
cis-1,2-Dichloroethene	<0.47	ug/L	1.0	0.47	1		10/11/23 11:21	156-59-2	
trans-1,2-Dichloroethene	<0.53	ug/L	1.0	0.53	1		10/11/23 11:21	156-60-5	
1,2-Dichloropropane	<0.45	ug/L	1.0	0.45	1		10/11/23 11:21	78-87-5	
1,3-Dichloropropane	<0.30	ug/L	1.0	0.30	1		10/11/23 11:21	142-28-9	
2,2-Dichloropropane	<0.42	ug/L	1.0	0.42	1		10/11/23 11:21	594-20-7	
1,1-Dichloropropene	<0.41	ug/L	1.0	0.41	1		10/11/23 11:21	563-58-6	
cis-1,3-Dichloropropene	<0.24	ug/L	1.0	0.24	1		10/11/23 11:21	10061-01-5	
trans-1,3-Dichloropropene	<0.27	ug/L	1.0	0.27	1		10/11/23 11:21	10061-02-6	
Diisopropyl ether	<1.1	ug/L	5.0	1.1	1		10/11/23 11:21	108-20-3	
Ethylbenzene	<0.33	ug/L	1.0	0.33	1		10/11/23 11:21	100-41-4	
Hexachloro-1,3-butadiene	<2.7	ug/L	5.0	2.7	1		10/11/23 11:21	87-68-3	
Isopropylbenzene (Cumene)	<1.0	ug/L	5.0	1.0	1		10/11/23 11:21	98-82-8	
p-Isopropyltoluene	<1.0	ug/L	5.0	1.0	1		10/11/23 11:21	99-87-6	
Methylene Chloride	<0.32	ug/L	5.0	0.32	1		10/11/23 11:21	75-09-2	
Methyl-tert-butyl ether	<1.1	ug/L	5.0	1.1	1		10/11/23 11:21	1634-04-4	
Naphthalene	<1.9	ug/L	5.0	1.9	1		10/11/23 11:21	91-20-3	L1
n-Propylbenzene	<0.35	ug/L	1.0	0.35	1		10/11/23 11:21	103-65-1	
Styrene	<0.36	ug/L	1.0	0.36	1		10/11/23 11:21	100-42-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 1690028158_CONV GORSKI LF

Pace Project No.: 40269256

Sample: 626 CTH B Lab ID: 40269256003 Collected: 10/09/23 11:00 Received: 10/09/23 16:40 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV	Analytical Method: EPA 8260								
	Pace Analytical Services - Green Bay								
1,1,1,2-Tetrachloroethane	<0.36	ug/L	1.0	0.36	1		10/11/23 11:21	630-20-6	
1,1,2,2-Tetrachloroethane	<0.38	ug/L	1.0	0.38	1		10/11/23 11:21	79-34-5	
Tetrachloroethene	<0.41	ug/L	1.0	0.41	1		10/11/23 11:21	127-18-4	
Toluene	<0.29	ug/L	1.0	0.29	1		10/11/23 11:21	108-88-3	
1,2,3-Trichlorobenzene	<1.0	ug/L	5.0	1.0	1		10/11/23 11:21	87-61-6	
1,2,4-Trichlorobenzene	<0.95	ug/L	5.0	0.95	1		10/11/23 11:21	120-82-1	
1,1,1-Trichloroethane	<0.30	ug/L	1.0	0.30	1		10/11/23 11:21	71-55-6	
1,1,2-Trichloroethane	<0.34	ug/L	1.0	0.34	1		10/11/23 11:21	79-00-5	
Trichloroethene	<0.32	ug/L	1.0	0.32	1		10/11/23 11:21	79-01-6	
Trichlorofluoromethane	<0.42	ug/L	1.0	0.42	1		10/11/23 11:21	75-69-4	
1,2,3-Trichloropropane	<0.56	ug/L	1.0	0.56	1		10/11/23 11:21	96-18-4	
1,2,4-Trimethylbenzene	<0.45	ug/L	1.0	0.45	1		10/11/23 11:21	95-63-6	
1,3,5-Trimethylbenzene	<0.36	ug/L	1.0	0.36	1		10/11/23 11:21	108-67-8	
Vinyl chloride	<0.17	ug/L	1.0	0.17	1		10/11/23 11:21	75-01-4	
Xylene (Total)	<1.0	ug/L	3.0	1.0	1		10/11/23 11:21	1330-20-7	
m&p-Xylene	<0.70	ug/L	2.0	0.70	1		10/11/23 11:21	179601-23-1	
o-Xylene	<0.35	ug/L	1.0	0.35	1		10/11/23 11:21	95-47-6	
Surrogates									
4-Bromofluorobenzene (S)	101	%	70-130		1		10/11/23 11:21	460-00-4	
1,2-Dichlorobenzene-d4 (S)	104	%	70-130		1		10/11/23 11:21	2199-69-1	
Toluene-d8 (S)	101	%	70-130		1		10/11/23 11:21	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
 without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 1690028158_CONV GORSKI LF

Pace Project No.: 40269256

Sample: 642R CTH B **Lab ID: 40269256004** Collected: 10/09/23 10:55 Received: 10/09/23 16:40 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV	Analytical Method: EPA 8260								
	Pace Analytical Services - Green Bay								
Benzene	<0.30	ug/L	1.0	0.30	1		10/11/23 12:36	71-43-2	
Bromobenzene	<0.36	ug/L	1.0	0.36	1		10/11/23 12:36	108-86-1	
Bromoform	<0.43	ug/L	1.0	0.43	1		10/11/23 12:36	75-25-2	
Bromochloromethane	<0.36	ug/L	1.0	0.36	1		10/11/23 12:36	74-97-5	
Bromodichloromethane	<0.42	ug/L	1.0	0.42	1		10/11/23 12:36	75-27-4	
Bromoform	<0.43	ug/L	1.0	0.43	1		10/11/23 12:36	75-25-2	
Bromomethane	<1.2	ug/L	5.0	1.2	1		10/11/23 12:36	74-83-9	
n-Butylbenzene	<0.86	ug/L	1.0	0.86	1		10/11/23 12:36	104-51-8	
sec-Butylbenzene	<0.42	ug/L	1.0	0.42	1		10/11/23 12:36	135-98-8	
tert-Butylbenzene	<0.59	ug/L	1.0	0.59	1		10/11/23 12:36	98-06-6	
Carbon tetrachloride	<0.37	ug/L	1.0	0.37	1		10/11/23 12:36	56-23-5	
Chlorobenzene	<0.86	ug/L	1.0	0.86	1		10/11/23 12:36	108-90-7	
Chloroethane	<1.4	ug/L	5.0	1.4	1		10/11/23 12:36	75-00-3	
Chloroform	<0.50	ug/L	5.0	0.50	1		10/11/23 12:36	67-66-3	
Chloromethane	<1.6	ug/L	5.0	1.6	1		10/11/23 12:36	74-87-3	
2-Chlorotoluene	<0.89	ug/L	5.0	0.89	1		10/11/23 12:36	95-49-8	
4-Chlorotoluene	<0.89	ug/L	5.0	0.89	1		10/11/23 12:36	106-43-4	
1,2-Dibromo-3-chloropropane	<2.4	ug/L	5.0	2.4	1		10/11/23 12:36	96-12-8	
Dibromochloromethane	<2.6	ug/L	5.0	2.6	1		10/11/23 12:36	124-48-1	
1,2-Dibromoethane (EDB)	<0.31	ug/L	1.0	0.31	1		10/11/23 12:36	106-93-4	
Dibromomethane	<0.99	ug/L	5.0	0.99	1		10/11/23 12:36	74-95-3	
1,2-Dichlorobenzene	<0.33	ug/L	1.0	0.33	1		10/11/23 12:36	95-50-1	
1,3-Dichlorobenzene	<0.35	ug/L	1.0	0.35	1		10/11/23 12:36	541-73-1	
1,4-Dichlorobenzene	<0.89	ug/L	1.0	0.89	1		10/11/23 12:36	106-46-7	
Dichlorodifluoromethane	<0.46	ug/L	5.0	0.46	1		10/11/23 12:36	75-71-8	
1,1-Dichloroethane	<0.30	ug/L	1.0	0.30	1		10/11/23 12:36	75-34-3	
1,2-Dichloroethane	<0.29	ug/L	1.0	0.29	1		10/11/23 12:36	107-06-2	
1,1-Dichloroethene	<0.58	ug/L	1.0	0.58	1		10/11/23 12:36	75-35-4	
cis-1,2-Dichloroethene	<0.47	ug/L	1.0	0.47	1		10/11/23 12:36	156-59-2	
trans-1,2-Dichloroethene	<0.53	ug/L	1.0	0.53	1		10/11/23 12:36	156-60-5	
1,2-Dichloropropane	<0.45	ug/L	1.0	0.45	1		10/11/23 12:36	78-87-5	
1,3-Dichloropropane	<0.30	ug/L	1.0	0.30	1		10/11/23 12:36	142-28-9	
2,2-Dichloropropane	<0.42	ug/L	1.0	0.42	1		10/11/23 12:36	594-20-7	
1,1-Dichloropropene	<0.41	ug/L	1.0	0.41	1		10/11/23 12:36	563-58-6	
cis-1,3-Dichloropropene	<0.24	ug/L	1.0	0.24	1		10/11/23 12:36	10061-01-5	
trans-1,3-Dichloropropene	<0.27	ug/L	1.0	0.27	1		10/11/23 12:36	10061-02-6	
Diisopropyl ether	<1.1	ug/L	5.0	1.1	1		10/11/23 12:36	108-20-3	
Ethylbenzene	<0.33	ug/L	1.0	0.33	1		10/11/23 12:36	100-41-4	
Hexachloro-1,3-butadiene	<2.7	ug/L	5.0	2.7	1		10/11/23 12:36	87-68-3	
Isopropylbenzene (Cumene)	<1.0	ug/L	5.0	1.0	1		10/11/23 12:36	98-82-8	
p-Isopropyltoluene	<1.0	ug/L	5.0	1.0	1		10/11/23 12:36	99-87-6	
Methylene Chloride	<0.32	ug/L	5.0	0.32	1		10/11/23 12:36	75-09-2	
Methyl-tert-butyl ether	<1.1	ug/L	5.0	1.1	1		10/11/23 12:36	1634-04-4	
Naphthalene	<1.9	ug/L	5.0	1.9	1		10/11/23 12:36	91-20-3	L1
n-Propylbenzene	<0.35	ug/L	1.0	0.35	1		10/11/23 12:36	103-65-1	
Styrene	<0.36	ug/L	1.0	0.36	1		10/11/23 12:36	100-42-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
 without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 1690028158_CONV GORSKI LF

Pace Project No.: 40269256

Sample: 642R CTH B Lab ID: 40269256004 Collected: 10/09/23 10:55 Received: 10/09/23 16:40 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV	Analytical Method: EPA 8260								
	Pace Analytical Services - Green Bay								
1,1,1,2-Tetrachloroethane	<0.36	ug/L	1.0	0.36	1		10/11/23 12:36	630-20-6	
1,1,2,2-Tetrachloroethane	<0.38	ug/L	1.0	0.38	1		10/11/23 12:36	79-34-5	
Tetrachloroethene	<0.41	ug/L	1.0	0.41	1		10/11/23 12:36	127-18-4	
Toluene	<0.29	ug/L	1.0	0.29	1		10/11/23 12:36	108-88-3	
1,2,3-Trichlorobenzene	<1.0	ug/L	5.0	1.0	1		10/11/23 12:36	87-61-6	
1,2,4-Trichlorobenzene	<0.95	ug/L	5.0	0.95	1		10/11/23 12:36	120-82-1	
1,1,1-Trichloroethane	<0.30	ug/L	1.0	0.30	1		10/11/23 12:36	71-55-6	
1,1,2-Trichloroethane	<0.34	ug/L	1.0	0.34	1		10/11/23 12:36	79-00-5	
Trichloroethene	<0.32	ug/L	1.0	0.32	1		10/11/23 12:36	79-01-6	
Trichlorofluoromethane	<0.42	ug/L	1.0	0.42	1		10/11/23 12:36	75-69-4	
1,2,3-Trichloropropane	<0.56	ug/L	1.0	0.56	1		10/11/23 12:36	96-18-4	
1,2,4-Trimethylbenzene	<0.45	ug/L	1.0	0.45	1		10/11/23 12:36	95-63-6	
1,3,5-Trimethylbenzene	<0.36	ug/L	1.0	0.36	1		10/11/23 12:36	108-67-8	
Vinyl chloride	<0.17	ug/L	1.0	0.17	1		10/11/23 12:36	75-01-4	
Xylene (Total)	<1.0	ug/L	3.0	1.0	1		10/11/23 12:36	1330-20-7	
m&p-Xylene	<0.70	ug/L	2.0	0.70	1		10/11/23 12:36	179601-23-1	
o-Xylene	<0.35	ug/L	1.0	0.35	1		10/11/23 12:36	95-47-6	
Surrogates									
4-Bromofluorobenzene (S)	99	%	70-130		1		10/11/23 12:36	460-00-4	
1,2-Dichlorobenzene-d4 (S)	104	%	70-130		1		10/11/23 12:36	2199-69-1	
Toluene-d8 (S)	100	%	70-130		1		10/11/23 12:36	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
 without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: 1690028158_CONV GORSKI LF
Pace Project No.: 40269256

Sample: 652R CTH B Lab ID: 40269256005 Collected: 10/09/23 10:45 Received: 10/09/23 16:40 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV	Analytical Method: EPA 8260 Pace Analytical Services - Green Bay								
Benzene	<0.30	ug/L	1.0	0.30	1			10/11/23 12:54	71-43-2
Bromobenzene	<0.36	ug/L	1.0	0.36	1			10/11/23 12:54	108-86-1
Bromoform	<0.43	ug/L	1.0	0.43	1			10/11/23 12:54	75-25-2
Bromochloromethane	<0.36	ug/L	1.0	0.36	1			10/11/23 12:54	74-97-5
Bromodichloromethane	<0.42	ug/L	1.0	0.42	1			10/11/23 12:54	75-27-4
Bromomethane	<1.2	ug/L	5.0	1.2	1			10/11/23 12:54	74-83-9
n-Butylbenzene	<0.86	ug/L	1.0	0.86	1			10/11/23 12:54	104-51-8
sec-Butylbenzene	<0.42	ug/L	1.0	0.42	1			10/11/23 12:54	135-98-8
tert-Butylbenzene	<0.59	ug/L	1.0	0.59	1			10/11/23 12:54	98-06-6
Carbon tetrachloride	<0.37	ug/L	1.0	0.37	1			10/11/23 12:54	56-23-5
Chlorobenzene	<0.86	ug/L	1.0	0.86	1			10/11/23 12:54	108-90-7
Chloroethane	<1.4	ug/L	5.0	1.4	1			10/11/23 12:54	75-00-3
Chloroform	<0.50	ug/L	5.0	0.50	1			10/11/23 12:54	67-66-3
Chloromethane	<1.6	ug/L	5.0	1.6	1			10/11/23 12:54	74-87-3
2-Chlorotoluene	<0.89	ug/L	5.0	0.89	1			10/11/23 12:54	95-49-8
4-Chlorotoluene	<0.89	ug/L	5.0	0.89	1			10/11/23 12:54	106-43-4
1,2-Dibromo-3-chloropropane	<2.4	ug/L	5.0	2.4	1			10/11/23 12:54	96-12-8
Dibromochloromethane	<2.6	ug/L	5.0	2.6	1			10/11/23 12:54	124-48-1
1,2-Dibromoethane (EDB)	<0.31	ug/L	1.0	0.31	1			10/11/23 12:54	106-93-4
Dibromomethane	<0.99	ug/L	5.0	0.99	1			10/11/23 12:54	74-95-3
1,2-Dichlorobenzene	<0.33	ug/L	1.0	0.33	1			10/11/23 12:54	95-50-1
1,3-Dichlorobenzene	<0.35	ug/L	1.0	0.35	1			10/11/23 12:54	541-73-1
1,4-Dichlorobenzene	<0.89	ug/L	1.0	0.89	1			10/11/23 12:54	106-46-7
Dichlorodifluoromethane	<0.46	ug/L	5.0	0.46	1			10/11/23 12:54	75-71-8
1,1-Dichloroethane	<0.30	ug/L	1.0	0.30	1			10/11/23 12:54	75-34-3
1,2-Dichloroethane	<0.29	ug/L	1.0	0.29	1			10/11/23 12:54	107-06-2
1,1-Dichloroethene	<0.58	ug/L	1.0	0.58	1			10/11/23 12:54	75-35-4
cis-1,2-Dichloroethene	<0.47	ug/L	1.0	0.47	1			10/11/23 12:54	156-59-2
trans-1,2-Dichloroethene	<0.53	ug/L	1.0	0.53	1			10/11/23 12:54	156-60-5
1,2-Dichloropropane	<0.45	ug/L	1.0	0.45	1			10/11/23 12:54	78-87-5
1,3-Dichloropropane	<0.30	ug/L	1.0	0.30	1			10/11/23 12:54	142-28-9
2,2-Dichloropropane	<0.42	ug/L	1.0	0.42	1			10/11/23 12:54	594-20-7
1,1-Dichloropropene	<0.41	ug/L	1.0	0.41	1			10/11/23 12:54	563-58-6
cis-1,3-Dichloropropene	<0.24	ug/L	1.0	0.24	1			10/11/23 12:54	10061-01-5
trans-1,3-Dichloropropene	<0.27	ug/L	1.0	0.27	1			10/11/23 12:54	10061-02-6
Diisopropyl ether	<1.1	ug/L	5.0	1.1	1			10/11/23 12:54	108-20-3
Ethylbenzene	<0.33	ug/L	1.0	0.33	1			10/11/23 12:54	100-41-4
Hexachloro-1,3-butadiene	<2.7	ug/L	5.0	2.7	1			10/11/23 12:54	87-68-3
Isopropylbenzene (Cumene)	<1.0	ug/L	5.0	1.0	1			10/11/23 12:54	98-82-8
p-Isopropyltoluene	<1.0	ug/L	5.0	1.0	1			10/11/23 12:54	99-87-6
Methylene Chloride	<0.32	ug/L	5.0	0.32	1			10/11/23 12:54	75-09-2
Methyl-tert-butyl ether	<1.1	ug/L	5.0	1.1	1			10/11/23 12:54	1634-04-4
Naphthalene	<1.9	ug/L	5.0	1.9	1			10/11/23 12:54	91-20-3
n-Propylbenzene	<0.35	ug/L	1.0	0.35	1			10/11/23 12:54	103-65-1
Styrene	<0.36	ug/L	1.0	0.36	1			10/11/23 12:54	100-42-5

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 1690028158_CONV GORSKI LF

Pace Project No.: 40269256

Sample: 652R CTH B Lab ID: 40269256005 Collected: 10/09/23 10:45 Received: 10/09/23 16:40 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV	Analytical Method: EPA 8260								
	Pace Analytical Services - Green Bay								
1,1,1,2-Tetrachloroethane	<0.36	ug/L	1.0	0.36	1		10/11/23 12:54	630-20-6	
1,1,2,2-Tetrachloroethane	<0.38	ug/L	1.0	0.38	1		10/11/23 12:54	79-34-5	
Tetrachloroethene	<0.41	ug/L	1.0	0.41	1		10/11/23 12:54	127-18-4	
Toluene	<0.29	ug/L	1.0	0.29	1		10/11/23 12:54	108-88-3	
1,2,3-Trichlorobenzene	<1.0	ug/L	5.0	1.0	1		10/11/23 12:54	87-61-6	
1,2,4-Trichlorobenzene	<0.95	ug/L	5.0	0.95	1		10/11/23 12:54	120-82-1	
1,1,1-Trichloroethane	<0.30	ug/L	1.0	0.30	1		10/11/23 12:54	71-55-6	
1,1,2-Trichloroethane	<0.34	ug/L	1.0	0.34	1		10/11/23 12:54	79-00-5	
Trichloroethene	<0.32	ug/L	1.0	0.32	1		10/11/23 12:54	79-01-6	
Trichlorofluoromethane	<0.42	ug/L	1.0	0.42	1		10/11/23 12:54	75-69-4	
1,2,3-Trichloropropane	<0.56	ug/L	1.0	0.56	1		10/11/23 12:54	96-18-4	
1,2,4-Trimethylbenzene	<0.45	ug/L	1.0	0.45	1		10/11/23 12:54	95-63-6	
1,3,5-Trimethylbenzene	<0.36	ug/L	1.0	0.36	1		10/11/23 12:54	108-67-8	
Vinyl chloride	<0.17	ug/L	1.0	0.17	1		10/11/23 12:54	75-01-4	
Xylene (Total)	<1.0	ug/L	3.0	1.0	1		10/11/23 12:54	1330-20-7	
m&p-Xylene	<0.70	ug/L	2.0	0.70	1		10/11/23 12:54	179601-23-1	
o-Xylene	<0.35	ug/L	1.0	0.35	1		10/11/23 12:54	95-47-6	
Surrogates									
4-Bromofluorobenzene (S)	99	%	70-130		1		10/11/23 12:54	460-00-4	
1,2-Dichlorobenzene-d4 (S)	103	%	70-130		1		10/11/23 12:54	2199-69-1	
Toluene-d8 (S)	99	%	70-130		1		10/11/23 12:54	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
 without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 1690028158_CONV GORSKI LF

Pace Project No.: 40269256

Sample: 666 CTH B	Lab ID: 40269256006	Collected: 10/09/23 10:15	Received: 10/09/23 16:40	Matrix: Water					
Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV	Analytical Method: EPA 8260 Pace Analytical Services - Green Bay								
Benzene	<0.30	ug/L	1.0	0.30	1			10/11/23 13:13	71-43-2
Bromobenzene	<0.36	ug/L	1.0	0.36	1			10/11/23 13:13	108-86-1
Bromoform	<0.43	ug/L	1.0	0.43	1			10/11/23 13:13	75-25-2
Bromochloromethane	<0.36	ug/L	1.0	0.36	1			10/11/23 13:13	74-97-5
Bromodichloromethane	<0.42	ug/L	1.0	0.42	1			10/11/23 13:13	75-27-4
Bromomethane	<1.2	ug/L	5.0	1.2	1			10/11/23 13:13	74-83-9
n-Butylbenzene	<0.86	ug/L	1.0	0.86	1			10/11/23 13:13	104-51-8
sec-Butylbenzene	<0.42	ug/L	1.0	0.42	1			10/11/23 13:13	135-98-8
tert-Butylbenzene	<0.59	ug/L	1.0	0.59	1			10/11/23 13:13	98-06-6
Carbon tetrachloride	<0.37	ug/L	1.0	0.37	1			10/11/23 13:13	56-23-5
Chlorobenzene	<0.86	ug/L	1.0	0.86	1			10/11/23 13:13	108-90-7
Chloroethane	<1.4	ug/L	5.0	1.4	1			10/11/23 13:13	75-00-3
Chloroform	<0.50	ug/L	5.0	0.50	1			10/11/23 13:13	67-66-3
Chloromethane	<1.6	ug/L	5.0	1.6	1			10/11/23 13:13	74-87-3
2-Chlorotoluene	<0.89	ug/L	5.0	0.89	1			10/11/23 13:13	95-49-8
4-Chlorotoluene	<0.89	ug/L	5.0	0.89	1			10/11/23 13:13	106-43-4
1,2-Dibromo-3-chloropropane	<2.4	ug/L	5.0	2.4	1			10/11/23 13:13	96-12-8
Dibromochloromethane	<2.6	ug/L	5.0	2.6	1			10/11/23 13:13	124-48-1
1,2-Dibromoethane (EDB)	<0.31	ug/L	1.0	0.31	1			10/11/23 13:13	106-93-4
Dibromomethane	<0.99	ug/L	5.0	0.99	1			10/11/23 13:13	74-95-3
1,2-Dichlorobenzene	<0.33	ug/L	1.0	0.33	1			10/11/23 13:13	95-50-1
1,3-Dichlorobenzene	<0.35	ug/L	1.0	0.35	1			10/11/23 13:13	541-73-1
1,4-Dichlorobenzene	<0.89	ug/L	1.0	0.89	1			10/11/23 13:13	106-46-7
Dichlorodifluoromethane	<0.46	ug/L	5.0	0.46	1			10/11/23 13:13	75-71-8
1,1-Dichloroethane	<0.30	ug/L	1.0	0.30	1			10/11/23 13:13	75-34-3
1,2-Dichloroethane	<0.29	ug/L	1.0	0.29	1			10/11/23 13:13	107-06-2
1,1-Dichloroethene	<0.58	ug/L	1.0	0.58	1			10/11/23 13:13	75-35-4
cis-1,2-Dichloroethene	<0.47	ug/L	1.0	0.47	1			10/11/23 13:13	156-59-2
trans-1,2-Dichloroethene	<0.53	ug/L	1.0	0.53	1			10/11/23 13:13	156-60-5
1,2-Dichloropropane	<0.45	ug/L	1.0	0.45	1			10/11/23 13:13	78-87-5
1,3-Dichloropropane	<0.30	ug/L	1.0	0.30	1			10/11/23 13:13	142-28-9
2,2-Dichloropropane	<0.42	ug/L	1.0	0.42	1			10/11/23 13:13	594-20-7
1,1-Dichloropropene	<0.41	ug/L	1.0	0.41	1			10/11/23 13:13	563-58-6
cis-1,3-Dichloropropene	<0.24	ug/L	1.0	0.24	1			10/11/23 13:13	10061-01-5
trans-1,3-Dichloropropene	<0.27	ug/L	1.0	0.27	1			10/11/23 13:13	10061-02-6
Diisopropyl ether	<1.1	ug/L	5.0	1.1	1			10/11/23 13:13	108-20-3
Ethylbenzene	<0.33	ug/L	1.0	0.33	1			10/11/23 13:13	100-41-4
Hexachloro-1,3-butadiene	<2.7	ug/L	5.0	2.7	1			10/11/23 13:13	87-68-3
Isopropylbenzene (Cumene)	<1.0	ug/L	5.0	1.0	1			10/11/23 13:13	98-82-8
p-Isopropyltoluene	<1.0	ug/L	5.0	1.0	1			10/11/23 13:13	99-87-6
Methylene Chloride	<0.32	ug/L	5.0	0.32	1			10/11/23 13:13	75-09-2
Methyl-tert-butyl ether	<1.1	ug/L	5.0	1.1	1			10/11/23 13:13	1634-04-4
Naphthalene	<1.9	ug/L	5.0	1.9	1			10/11/23 13:13	91-20-3
n-Propylbenzene	<0.35	ug/L	1.0	0.35	1			10/11/23 13:13	103-65-1
Styrene	<0.36	ug/L	1.0	0.36	1			10/11/23 13:13	100-42-5

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 1690028158_CONV GORSKI LF

Pace Project No.: 40269256

Sample: 666 CTH B Lab ID: 40269256006 Collected: 10/09/23 10:15 Received: 10/09/23 16:40 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV	Analytical Method: EPA 8260								
	Pace Analytical Services - Green Bay								
1,1,1,2-Tetrachloroethane	<0.36	ug/L	1.0	0.36	1		10/11/23 13:13	630-20-6	
1,1,2,2-Tetrachloroethane	<0.38	ug/L	1.0	0.38	1		10/11/23 13:13	79-34-5	
Tetrachloroethene	<0.41	ug/L	1.0	0.41	1		10/11/23 13:13	127-18-4	
Toluene	<0.29	ug/L	1.0	0.29	1		10/11/23 13:13	108-88-3	
1,2,3-Trichlorobenzene	<1.0	ug/L	5.0	1.0	1		10/11/23 13:13	87-61-6	
1,2,4-Trichlorobenzene	<0.95	ug/L	5.0	0.95	1		10/11/23 13:13	120-82-1	
1,1,1-Trichloroethane	<0.30	ug/L	1.0	0.30	1		10/11/23 13:13	71-55-6	
1,1,2-Trichloroethane	<0.34	ug/L	1.0	0.34	1		10/11/23 13:13	79-00-5	
Trichloroethene	<0.32	ug/L	1.0	0.32	1		10/11/23 13:13	79-01-6	
Trichlorofluoromethane	<0.42	ug/L	1.0	0.42	1		10/11/23 13:13	75-69-4	
1,2,3-Trichloropropane	<0.56	ug/L	1.0	0.56	1		10/11/23 13:13	96-18-4	
1,2,4-Trimethylbenzene	<0.45	ug/L	1.0	0.45	1		10/11/23 13:13	95-63-6	
1,3,5-Trimethylbenzene	<0.36	ug/L	1.0	0.36	1		10/11/23 13:13	108-67-8	
Vinyl chloride	<0.17	ug/L	1.0	0.17	1		10/11/23 13:13	75-01-4	
Xylene (Total)	<1.0	ug/L	3.0	1.0	1		10/11/23 13:13	1330-20-7	
m&p-Xylene	<0.70	ug/L	2.0	0.70	1		10/11/23 13:13	179601-23-1	
o-Xylene	<0.35	ug/L	1.0	0.35	1		10/11/23 13:13	95-47-6	
Surrogates									
4-Bromofluorobenzene (S)	102	%	70-130		1		10/11/23 13:13	460-00-4	
1,2-Dichlorobenzene-d4 (S)	104	%	70-130		1		10/11/23 13:13	2199-69-1	
Toluene-d8 (S)	101	%	70-130		1		10/11/23 13:13	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
 without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 1690028158_CONV GORSKI LF

Pace Project No.: 40269256

Sample: 669 CTH B	Lab ID: 40269256007	Collected: 10/09/23 10:25	Received: 10/09/23 16:40	Matrix: Water					
Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV	Analytical Method: EPA 8260								
	Pace Analytical Services - Green Bay								
Benzene	<0.30	ug/L	1.0	0.30	1		10/11/23 13:31	71-43-2	
Bromobenzene	<0.36	ug/L	1.0	0.36	1		10/11/23 13:31	108-86-1	
Bromoform	<0.43	ug/L	1.0	0.43	1		10/11/23 13:31	75-25-2	
Bromochloromethane	<0.36	ug/L	1.0	0.36	1		10/11/23 13:31	74-97-5	
Bromodichloromethane	<0.42	ug/L	1.0	0.42	1		10/11/23 13:31	75-27-4	
Bromomethane	<1.2	ug/L	5.0	1.2	1		10/11/23 13:31	74-83-9	
n-Butylbenzene	<0.86	ug/L	1.0	0.86	1		10/11/23 13:31	104-51-8	
sec-Butylbenzene	<0.42	ug/L	1.0	0.42	1		10/11/23 13:31	135-98-8	
tert-Butylbenzene	<0.59	ug/L	1.0	0.59	1		10/11/23 13:31	98-06-6	
Carbon tetrachloride	<0.37	ug/L	1.0	0.37	1		10/11/23 13:31	56-23-5	
Chlorobenzene	<0.86	ug/L	1.0	0.86	1		10/11/23 13:31	108-90-7	
Chloroethane	<1.4	ug/L	5.0	1.4	1		10/11/23 13:31	75-00-3	
Chloroform	<0.50	ug/L	5.0	0.50	1		10/11/23 13:31	67-66-3	
Chloromethane	<1.6	ug/L	5.0	1.6	1		10/11/23 13:31	74-87-3	
2-Chlorotoluene	<0.89	ug/L	5.0	0.89	1		10/11/23 13:31	95-49-8	
4-Chlorotoluene	<0.89	ug/L	5.0	0.89	1		10/11/23 13:31	106-43-4	
1,2-Dibromo-3-chloropropane	<2.4	ug/L	5.0	2.4	1		10/11/23 13:31	96-12-8	
Dibromochloromethane	<2.6	ug/L	5.0	2.6	1		10/11/23 13:31	124-48-1	
1,2-Dibromoethane (EDB)	<0.31	ug/L	1.0	0.31	1		10/11/23 13:31	106-93-4	
Dibromomethane	<0.99	ug/L	5.0	0.99	1		10/11/23 13:31	74-95-3	
1,2-Dichlorobenzene	<0.33	ug/L	1.0	0.33	1		10/11/23 13:31	95-50-1	
1,3-Dichlorobenzene	<0.35	ug/L	1.0	0.35	1		10/11/23 13:31	541-73-1	
1,4-Dichlorobenzene	<0.89	ug/L	1.0	0.89	1		10/11/23 13:31	106-46-7	
Dichlorodifluoromethane	<0.46	ug/L	5.0	0.46	1		10/11/23 13:31	75-71-8	
1,1-Dichloroethane	<0.30	ug/L	1.0	0.30	1		10/11/23 13:31	75-34-3	
1,2-Dichloroethane	<0.29	ug/L	1.0	0.29	1		10/11/23 13:31	107-06-2	
1,1-Dichloroethene	<0.58	ug/L	1.0	0.58	1		10/11/23 13:31	75-35-4	
cis-1,2-Dichloroethene	<0.47	ug/L	1.0	0.47	1		10/11/23 13:31	156-59-2	
trans-1,2-Dichloroethene	<0.53	ug/L	1.0	0.53	1		10/11/23 13:31	156-60-5	
1,2-Dichloropropane	<0.45	ug/L	1.0	0.45	1		10/11/23 13:31	78-87-5	
1,3-Dichloropropane	<0.30	ug/L	1.0	0.30	1		10/11/23 13:31	142-28-9	
2,2-Dichloropropane	<0.42	ug/L	1.0	0.42	1		10/11/23 13:31	594-20-7	
1,1-Dichloropropene	<0.41	ug/L	1.0	0.41	1		10/11/23 13:31	563-58-6	
cis-1,3-Dichloropropene	<0.24	ug/L	1.0	0.24	1		10/11/23 13:31	10061-01-5	
trans-1,3-Dichloropropene	<0.27	ug/L	1.0	0.27	1		10/11/23 13:31	10061-02-6	
Diisopropyl ether	<1.1	ug/L	5.0	1.1	1		10/11/23 13:31	108-20-3	
Ethylbenzene	<0.33	ug/L	1.0	0.33	1		10/11/23 13:31	100-41-4	
Hexachloro-1,3-butadiene	<2.7	ug/L	5.0	2.7	1		10/11/23 13:31	87-68-3	
Isopropylbenzene (Cumene)	<1.0	ug/L	5.0	1.0	1		10/11/23 13:31	98-82-8	
p-Isopropyltoluene	<1.0	ug/L	5.0	1.0	1		10/11/23 13:31	99-87-6	
Methylene Chloride	<0.32	ug/L	5.0	0.32	1		10/11/23 13:31	75-09-2	
Methyl-tert-butyl ether	<1.1	ug/L	5.0	1.1	1		10/11/23 13:31	1634-04-4	
Naphthalene	<1.9	ug/L	5.0	1.9	1		10/11/23 13:31	91-20-3	L1
n-Propylbenzene	<0.35	ug/L	1.0	0.35	1		10/11/23 13:31	103-65-1	
Styrene	<0.36	ug/L	1.0	0.36	1		10/11/23 13:31	100-42-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
 without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 1690028158_CONV GORSKI LF

Pace Project No.: 40269256

Sample: 669 CTH B Lab ID: 40269256007 Collected: 10/09/23 10:25 Received: 10/09/23 16:40 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV	Analytical Method: EPA 8260								
	Pace Analytical Services - Green Bay								
1,1,1,2-Tetrachloroethane	<0.36	ug/L	1.0	0.36	1		10/11/23 13:31	630-20-6	
1,1,2,2-Tetrachloroethane	<0.38	ug/L	1.0	0.38	1		10/11/23 13:31	79-34-5	
Tetrachloroethene	<0.41	ug/L	1.0	0.41	1		10/11/23 13:31	127-18-4	
Toluene	<0.29	ug/L	1.0	0.29	1		10/11/23 13:31	108-88-3	
1,2,3-Trichlorobenzene	<1.0	ug/L	5.0	1.0	1		10/11/23 13:31	87-61-6	
1,2,4-Trichlorobenzene	<0.95	ug/L	5.0	0.95	1		10/11/23 13:31	120-82-1	
1,1,1-Trichloroethane	<0.30	ug/L	1.0	0.30	1		10/11/23 13:31	71-55-6	
1,1,2-Trichloroethane	<0.34	ug/L	1.0	0.34	1		10/11/23 13:31	79-00-5	
Trichloroethene	0.64J	ug/L	1.0	0.32	1		10/11/23 13:31	79-01-6	
Trichlorofluoromethane	<0.42	ug/L	1.0	0.42	1		10/11/23 13:31	75-69-4	
1,2,3-Trichloropropane	<0.56	ug/L	1.0	0.56	1		10/11/23 13:31	96-18-4	
1,2,4-Trimethylbenzene	<0.45	ug/L	1.0	0.45	1		10/11/23 13:31	95-63-6	
1,3,5-Trimethylbenzene	<0.36	ug/L	1.0	0.36	1		10/11/23 13:31	108-67-8	
Vinyl chloride	<0.17	ug/L	1.0	0.17	1		10/11/23 13:31	75-01-4	
Xylene (Total)	<1.0	ug/L	3.0	1.0	1		10/11/23 13:31	1330-20-7	
m&p-Xylene	<0.70	ug/L	2.0	0.70	1		10/11/23 13:31	179601-23-1	
o-Xylene	<0.35	ug/L	1.0	0.35	1		10/11/23 13:31	95-47-6	
Surrogates									
4-Bromofluorobenzene (S)	101	%	70-130		1		10/11/23 13:31	460-00-4	
1,2-Dichlorobenzene-d4 (S)	106	%	70-130		1		10/11/23 13:31	2199-69-1	
Toluene-d8 (S)	102	%	70-130		1		10/11/23 13:31	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
 without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: 1690028158_CONV GORSKI LF
Pace Project No.: 40269256

Sample: 669 CTH BD	Lab ID: 40269256008	Collected: 10/09/23 10:30	Received: 10/09/23 16:40	Matrix: Water					
Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV	Analytical Method: EPA 8260 Pace Analytical Services - Green Bay								
Benzene	<0.30	ug/L	1.0	0.30	1			10/11/23 13:50	71-43-2
Bromobenzene	<0.36	ug/L	1.0	0.36	1			10/11/23 13:50	108-86-1
Bromoform	<0.43	ug/L	1.0	0.43	1			10/11/23 13:50	75-25-2
Bromochloromethane	<0.36	ug/L	1.0	0.36	1			10/11/23 13:50	74-97-5
Bromodichloromethane	<0.42	ug/L	1.0	0.42	1			10/11/23 13:50	75-27-4
n-Butylbenzene	<1.2	ug/L	5.0	1.2	1			10/11/23 13:50	74-83-9
sec-Butylbenzene	<0.86	ug/L	1.0	0.86	1			10/11/23 13:50	104-51-8
tert-Butylbenzene	<0.42	ug/L	1.0	0.42	1			10/11/23 13:50	135-98-8
Carbon tetrachloride	<0.37	ug/L	1.0	0.37	1			10/11/23 13:50	56-23-5
Chlorobenzene	<0.86	ug/L	1.0	0.86	1			10/11/23 13:50	108-90-7
Chloroethane	<1.4	ug/L	5.0	1.4	1			10/11/23 13:50	75-00-3
Chloroform	<0.50	ug/L	5.0	0.50	1			10/11/23 13:50	67-66-3
Chloromethane	<1.6	ug/L	5.0	1.6	1			10/11/23 13:50	74-87-3
2-Chlorotoluene	<0.89	ug/L	5.0	0.89	1			10/11/23 13:50	95-49-8
4-Chlorotoluene	<0.89	ug/L	5.0	0.89	1			10/11/23 13:50	106-43-4
1,2-Dibromo-3-chloropropane	<2.4	ug/L	5.0	2.4	1			10/11/23 13:50	96-12-8
Dibromochloromethane	<2.6	ug/L	5.0	2.6	1			10/11/23 13:50	124-48-1
1,2-Dibromoethane (EDB)	<0.31	ug/L	1.0	0.31	1			10/11/23 13:50	106-93-4
Dibromomethane	<0.99	ug/L	5.0	0.99	1			10/11/23 13:50	74-95-3
1,2-Dichlorobenzene	<0.33	ug/L	1.0	0.33	1			10/11/23 13:50	95-50-1
1,3-Dichlorobenzene	<0.35	ug/L	1.0	0.35	1			10/11/23 13:50	541-73-1
1,4-Dichlorobenzene	<0.89	ug/L	1.0	0.89	1			10/11/23 13:50	106-46-7
Dichlorodifluoromethane	<0.46	ug/L	5.0	0.46	1			10/11/23 13:50	75-71-8
1,1-Dichloroethane	<0.30	ug/L	1.0	0.30	1			10/11/23 13:50	75-34-3
1,2-Dichloroethane	<0.29	ug/L	1.0	0.29	1			10/11/23 13:50	107-06-2
1,1-Dichloroethene	<0.58	ug/L	1.0	0.58	1			10/11/23 13:50	75-35-4
cis-1,2-Dichloroethene	<0.47	ug/L	1.0	0.47	1			10/11/23 13:50	156-59-2
trans-1,2-Dichloroethene	<0.53	ug/L	1.0	0.53	1			10/11/23 13:50	156-60-5
1,2-Dichloropropane	<0.45	ug/L	1.0	0.45	1			10/11/23 13:50	78-87-5
1,3-Dichloropropane	<0.30	ug/L	1.0	0.30	1			10/11/23 13:50	142-28-9
2,2-Dichloropropane	<0.42	ug/L	1.0	0.42	1			10/11/23 13:50	594-20-7
1,1-Dichloropropene	<0.41	ug/L	1.0	0.41	1			10/11/23 13:50	563-58-6
cis-1,3-Dichloropropene	<0.24	ug/L	1.0	0.24	1			10/11/23 13:50	10061-01-5
trans-1,3-Dichloropropene	<0.27	ug/L	1.0	0.27	1			10/11/23 13:50	10061-02-6
Diisopropyl ether	<1.1	ug/L	5.0	1.1	1			10/11/23 13:50	108-20-3
Ethylbenzene	<0.33	ug/L	1.0	0.33	1			10/11/23 13:50	100-41-4
Hexachloro-1,3-butadiene	<2.7	ug/L	5.0	2.7	1			10/11/23 13:50	87-68-3
Isopropylbenzene (Cumene)	<1.0	ug/L	5.0	1.0	1			10/11/23 13:50	98-82-8
p-Isopropyltoluene	<1.0	ug/L	5.0	1.0	1			10/11/23 13:50	99-87-6
Methylene Chloride	<0.32	ug/L	5.0	0.32	1			10/11/23 13:50	75-09-2
Methyl-tert-butyl ether	<1.1	ug/L	5.0	1.1	1			10/11/23 13:50	1634-04-4
Naphthalene	<1.9	ug/L	5.0	1.9	1			10/11/23 13:50	91-20-3
n-Propylbenzene	<0.35	ug/L	1.0	0.35	1			10/11/23 13:50	103-65-1
Styrene	<0.36	ug/L	1.0	0.36	1			10/11/23 13:50	100-42-5

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: 1690028158_CONV GORSKI LF

Pace Project No.: 40269256

Sample: 669 CTH BD Lab ID: 40269256008 Collected: 10/09/23 10:30 Received: 10/09/23 16:40 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV	Analytical Method: EPA 8260 Pace Analytical Services - Green Bay								
1,1,1,2-Tetrachloroethane	<0.36	ug/L	1.0	0.36	1		10/11/23 13:50	630-20-6	
1,1,2,2-Tetrachloroethane	<0.38	ug/L	1.0	0.38	1		10/11/23 13:50	79-34-5	
Tetrachloroethene	<0.41	ug/L	1.0	0.41	1		10/11/23 13:50	127-18-4	
Toluene	<0.29	ug/L	1.0	0.29	1		10/11/23 13:50	108-88-3	
1,2,3-Trichlorobenzene	<1.0	ug/L	5.0	1.0	1		10/11/23 13:50	87-61-6	
1,2,4-Trichlorobenzene	<0.95	ug/L	5.0	0.95	1		10/11/23 13:50	120-82-1	
1,1,1-Trichloroethane	<0.30	ug/L	1.0	0.30	1		10/11/23 13:50	71-55-6	
1,1,2-Trichloroethane	<0.34	ug/L	1.0	0.34	1		10/11/23 13:50	79-00-5	
Trichloroethene	0.69J	ug/L	1.0	0.32	1		10/11/23 13:50	79-01-6	
Trichlorofluoromethane	<0.42	ug/L	1.0	0.42	1		10/11/23 13:50	75-69-4	
1,2,3-Trichloropropane	<0.56	ug/L	1.0	0.56	1		10/11/23 13:50	96-18-4	
1,2,4-Trimethylbenzene	<0.45	ug/L	1.0	0.45	1		10/11/23 13:50	95-63-6	
1,3,5-Trimethylbenzene	<0.36	ug/L	1.0	0.36	1		10/11/23 13:50	108-67-8	
Vinyl chloride	<0.17	ug/L	1.0	0.17	1		10/11/23 13:50	75-01-4	
Xylene (Total)	<1.0	ug/L	3.0	1.0	1		10/11/23 13:50	1330-20-7	
m&p-Xylene	<0.70	ug/L	2.0	0.70	1		10/11/23 13:50	179601-23-1	
o-Xylene	<0.35	ug/L	1.0	0.35	1		10/11/23 13:50	95-47-6	
Surrogates									
4-Bromofluorobenzene (S)	101	%	70-130		1		10/11/23 13:50	460-00-4	
1,2-Dichlorobenzene-d4 (S)	105	%	70-130		1		10/11/23 13:50	2199-69-1	
Toluene-d8 (S)	100	%	70-130		1		10/11/23 13:50	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: 1690028158_CONV GORSKI LF

Pace Project No.: 40269256

Sample: 670 CTH B Lab ID: 40269256009 Collected: 10/09/23 10:35 Received: 10/09/23 16:40 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV	Analytical Method: EPA 8260 Pace Analytical Services - Green Bay								
Benzene	<0.30	ug/L	1.0	0.30	1		10/11/23 14:08	71-43-2	
Bromobenzene	<0.36	ug/L	1.0	0.36	1		10/11/23 14:08	108-86-1	
Bromoform	<0.43	ug/L	1.0	0.43	1		10/11/23 14:08	75-25-2	
Bromochloromethane	<0.36	ug/L	1.0	0.36	1		10/11/23 14:08	74-97-5	
Bromodichloromethane	<0.42	ug/L	1.0	0.42	1		10/11/23 14:08	75-27-4	
Bromomethane	<1.2	ug/L	5.0	1.2	1		10/11/23 14:08	74-83-9	
n-Butylbenzene	<0.86	ug/L	1.0	0.86	1		10/11/23 14:08	104-51-8	
sec-Butylbenzene	<0.42	ug/L	1.0	0.42	1		10/11/23 14:08	135-98-8	
tert-Butylbenzene	<0.59	ug/L	1.0	0.59	1		10/11/23 14:08	98-06-6	
Carbon tetrachloride	<0.37	ug/L	1.0	0.37	1		10/11/23 14:08	56-23-5	
Chlorobenzene	<0.86	ug/L	1.0	0.86	1		10/11/23 14:08	108-90-7	
Chloroethane	<1.4	ug/L	5.0	1.4	1		10/11/23 14:08	75-00-3	
Chloroform	<0.50	ug/L	5.0	0.50	1		10/11/23 14:08	67-66-3	
Chloromethane	<1.6	ug/L	5.0	1.6	1		10/11/23 14:08	74-87-3	
2-Chlorotoluene	<0.89	ug/L	5.0	0.89	1		10/11/23 14:08	95-49-8	
4-Chlorotoluene	<0.89	ug/L	5.0	0.89	1		10/11/23 14:08	106-43-4	
1,2-Dibromo-3-chloropropane	<2.4	ug/L	5.0	2.4	1		10/11/23 14:08	96-12-8	
Dibromochloromethane	<2.6	ug/L	5.0	2.6	1		10/11/23 14:08	124-48-1	
1,2-Dibromoethane (EDB)	<0.31	ug/L	1.0	0.31	1		10/11/23 14:08	106-93-4	
Dibromomethane	<0.99	ug/L	5.0	0.99	1		10/11/23 14:08	74-95-3	
1,2-Dichlorobenzene	<0.33	ug/L	1.0	0.33	1		10/11/23 14:08	95-50-1	
1,3-Dichlorobenzene	<0.35	ug/L	1.0	0.35	1		10/11/23 14:08	541-73-1	
1,4-Dichlorobenzene	<0.89	ug/L	1.0	0.89	1		10/11/23 14:08	106-46-7	
Dichlorodifluoromethane	<0.46	ug/L	5.0	0.46	1		10/11/23 14:08	75-71-8	
1,1-Dichloroethane	<0.30	ug/L	1.0	0.30	1		10/11/23 14:08	75-34-3	
1,2-Dichloroethane	<0.29	ug/L	1.0	0.29	1		10/11/23 14:08	107-06-2	
1,1-Dichloroethene	<0.58	ug/L	1.0	0.58	1		10/11/23 14:08	75-35-4	
cis-1,2-Dichloroethene	<0.47	ug/L	1.0	0.47	1		10/11/23 14:08	156-59-2	
trans-1,2-Dichloroethene	<0.53	ug/L	1.0	0.53	1		10/11/23 14:08	156-60-5	
1,2-Dichloropropane	<0.45	ug/L	1.0	0.45	1		10/11/23 14:08	78-87-5	
1,3-Dichloropropane	<0.30	ug/L	1.0	0.30	1		10/11/23 14:08	142-28-9	
2,2-Dichloropropane	<0.42	ug/L	1.0	0.42	1		10/11/23 14:08	594-20-7	
1,1-Dichloropropene	<0.41	ug/L	1.0	0.41	1		10/11/23 14:08	563-58-6	
cis-1,3-Dichloropropene	<0.24	ug/L	1.0	0.24	1		10/11/23 14:08	10061-01-5	
trans-1,3-Dichloropropene	<0.27	ug/L	1.0	0.27	1		10/11/23 14:08	10061-02-6	
Diisopropyl ether	<1.1	ug/L	5.0	1.1	1		10/11/23 14:08	108-20-3	
Ethylbenzene	<0.33	ug/L	1.0	0.33	1		10/11/23 14:08	100-41-4	
Hexachloro-1,3-butadiene	<2.7	ug/L	5.0	2.7	1		10/11/23 14:08	87-68-3	
Isopropylbenzene (Cumene)	<1.0	ug/L	5.0	1.0	1		10/11/23 14:08	98-82-8	
p-Isopropyltoluene	<1.0	ug/L	5.0	1.0	1		10/11/23 14:08	99-87-6	
Methylene Chloride	<0.32	ug/L	5.0	0.32	1		10/11/23 14:08	75-09-2	
Methyl-tert-butyl ether	<1.1	ug/L	5.0	1.1	1		10/11/23 14:08	1634-04-4	
Naphthalene	<1.9	ug/L	5.0	1.9	1		10/11/23 14:08	91-20-3	L1
n-Propylbenzene	<0.35	ug/L	1.0	0.35	1		10/11/23 14:08	103-65-1	
Styrene	<0.36	ug/L	1.0	0.36	1		10/11/23 14:08	100-42-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: 1690028158_CONV GORSKI LF

Pace Project No.: 40269256

Sample: 670 CTH B Lab ID: 40269256009 Collected: 10/09/23 10:35 Received: 10/09/23 16:40 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV	Analytical Method: EPA 8260 Pace Analytical Services - Green Bay								
1,1,1,2-Tetrachloroethane	<0.36	ug/L	1.0	0.36	1		10/11/23 14:08	630-20-6	
1,1,2,2-Tetrachloroethane	<0.38	ug/L	1.0	0.38	1		10/11/23 14:08	79-34-5	
Tetrachloroethene	<0.41	ug/L	1.0	0.41	1		10/11/23 14:08	127-18-4	
Toluene	<0.29	ug/L	1.0	0.29	1		10/11/23 14:08	108-88-3	
1,2,3-Trichlorobenzene	<1.0	ug/L	5.0	1.0	1		10/11/23 14:08	87-61-6	
1,2,4-Trichlorobenzene	<0.95	ug/L	5.0	0.95	1		10/11/23 14:08	120-82-1	
1,1,1-Trichloroethane	<0.30	ug/L	1.0	0.30	1		10/11/23 14:08	71-55-6	
1,1,2-Trichloroethane	<0.34	ug/L	1.0	0.34	1		10/11/23 14:08	79-00-5	
Trichloroethene	<0.32	ug/L	1.0	0.32	1		10/11/23 14:08	79-01-6	
Trichlorofluoromethane	<0.42	ug/L	1.0	0.42	1		10/11/23 14:08	75-69-4	
1,2,3-Trichloropropane	<0.56	ug/L	1.0	0.56	1		10/11/23 14:08	96-18-4	
1,2,4-Trimethylbenzene	<0.45	ug/L	1.0	0.45	1		10/11/23 14:08	95-63-6	
1,3,5-Trimethylbenzene	<0.36	ug/L	1.0	0.36	1		10/11/23 14:08	108-67-8	
Vinyl chloride	<0.17	ug/L	1.0	0.17	1		10/11/23 14:08	75-01-4	
Xylene (Total)	<1.0	ug/L	3.0	1.0	1		10/11/23 14:08	1330-20-7	
m&p-Xylene	<0.70	ug/L	2.0	0.70	1		10/11/23 14:08	179601-23-1	
o-Xylene	<0.35	ug/L	1.0	0.35	1		10/11/23 14:08	95-47-6	
Surrogates									
4-Bromofluorobenzene (S)	101	%	70-130		1		10/11/23 14:08	460-00-4	
1,2-Dichlorobenzene-d4 (S)	105	%	70-130		1		10/11/23 14:08	2199-69-1	
Toluene-d8 (S)	102	%	70-130		1		10/11/23 14:08	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: 1690028158_CONV GORSKI LF

Pace Project No.: 40269256

Sample: MW-4	Lab ID: 40269256010	Collected: 10/09/23 12:20	Received: 10/09/23 16:40	Matrix: Water					
Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV	Analytical Method: EPA 8260								
	Pace Analytical Services - Green Bay								
Benzene	<0.30	ug/L	1.0	0.30	1		10/11/23 14:27	71-43-2	
Bromobenzene	<0.36	ug/L	1.0	0.36	1		10/11/23 14:27	108-86-1	
Bromoform	<0.43	ug/L	1.0	0.43	1		10/11/23 14:27	75-25-2	
Bromochloromethane	<0.36	ug/L	1.0	0.36	1		10/11/23 14:27	74-97-5	
Bromodichloromethane	<0.42	ug/L	1.0	0.42	1		10/11/23 14:27	75-27-4	
Bromomethane	<1.2	ug/L	5.0	1.2	1		10/11/23 14:27	74-83-9	
n-Butylbenzene	<0.86	ug/L	1.0	0.86	1		10/11/23 14:27	104-51-8	
sec-Butylbenzene	<0.42	ug/L	1.0	0.42	1		10/11/23 14:27	135-98-8	
tert-Butylbenzene	<0.59	ug/L	1.0	0.59	1		10/11/23 14:27	98-06-6	
Carbon tetrachloride	<0.37	ug/L	1.0	0.37	1		10/11/23 14:27	56-23-5	
Chlorobenzene	<0.86	ug/L	1.0	0.86	1		10/11/23 14:27	108-90-7	
Chloroethane	<1.4	ug/L	5.0	1.4	1		10/11/23 14:27	75-00-3	
Chloroform	<0.50	ug/L	5.0	0.50	1		10/11/23 14:27	67-66-3	
Chloromethane	<1.6	ug/L	5.0	1.6	1		10/11/23 14:27	74-87-3	
2-Chlorotoluene	<0.89	ug/L	5.0	0.89	1		10/11/23 14:27	95-49-8	
4-Chlorotoluene	<0.89	ug/L	5.0	0.89	1		10/11/23 14:27	106-43-4	
1,2-Dibromo-3-chloropropane	<2.4	ug/L	5.0	2.4	1		10/11/23 14:27	96-12-8	
Dibromochloromethane	<2.6	ug/L	5.0	2.6	1		10/11/23 14:27	124-48-1	
1,2-Dibromoethane (EDB)	<0.31	ug/L	1.0	0.31	1		10/11/23 14:27	106-93-4	
Dibromomethane	<0.99	ug/L	5.0	0.99	1		10/11/23 14:27	74-95-3	
1,2-Dichlorobenzene	<0.33	ug/L	1.0	0.33	1		10/11/23 14:27	95-50-1	
1,3-Dichlorobenzene	<0.35	ug/L	1.0	0.35	1		10/11/23 14:27	541-73-1	
1,4-Dichlorobenzene	<0.89	ug/L	1.0	0.89	1		10/11/23 14:27	106-46-7	
Dichlorodifluoromethane	<0.46	ug/L	5.0	0.46	1		10/11/23 14:27	75-71-8	
1,1-Dichloroethane	<0.30	ug/L	1.0	0.30	1		10/11/23 14:27	75-34-3	
1,2-Dichloroethane	<0.29	ug/L	1.0	0.29	1		10/11/23 14:27	107-06-2	
1,1-Dichloroethene	<0.58	ug/L	1.0	0.58	1		10/11/23 14:27	75-35-4	
cis-1,2-Dichloroethene	<0.47	ug/L	1.0	0.47	1		10/11/23 14:27	156-59-2	
trans-1,2-Dichloroethene	<0.53	ug/L	1.0	0.53	1		10/11/23 14:27	156-60-5	
1,2-Dichloropropane	<0.45	ug/L	1.0	0.45	1		10/11/23 14:27	78-87-5	
1,3-Dichloropropane	<0.30	ug/L	1.0	0.30	1		10/11/23 14:27	142-28-9	
2,2-Dichloropropane	<0.42	ug/L	1.0	0.42	1		10/11/23 14:27	594-20-7	
1,1-Dichloropropene	<0.41	ug/L	1.0	0.41	1		10/11/23 14:27	563-58-6	
cis-1,3-Dichloropropene	<0.24	ug/L	1.0	0.24	1		10/11/23 14:27	10061-01-5	
trans-1,3-Dichloropropene	<0.27	ug/L	1.0	0.27	1		10/11/23 14:27	10061-02-6	
Diisopropyl ether	<1.1	ug/L	5.0	1.1	1		10/11/23 14:27	108-20-3	
Ethylbenzene	<0.33	ug/L	1.0	0.33	1		10/11/23 14:27	100-41-4	
Hexachloro-1,3-butadiene	<2.7	ug/L	5.0	2.7	1		10/11/23 14:27	87-68-3	
Isopropylbenzene (Cumene)	<1.0	ug/L	5.0	1.0	1		10/11/23 14:27	98-82-8	
p-Isopropyltoluene	<1.0	ug/L	5.0	1.0	1		10/11/23 14:27	99-87-6	
Methylene Chloride	<0.32	ug/L	5.0	0.32	1		10/11/23 14:27	75-09-2	
Methyl-tert-butyl ether	<1.1	ug/L	5.0	1.1	1		10/11/23 14:27	1634-04-4	
Naphthalene	<1.9	ug/L	5.0	1.9	1		10/11/23 14:27	91-20-3	L1
n-Propylbenzene	<0.35	ug/L	1.0	0.35	1		10/11/23 14:27	103-65-1	
Styrene	<0.36	ug/L	1.0	0.36	1		10/11/23 14:27	100-42-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: 1690028158_CONV GORSKI LF

Pace Project No.: 40269256

Sample: MW-4 Lab ID: 40269256010 Collected: 10/09/23 12:20 Received: 10/09/23 16:40 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV	Analytical Method: EPA 8260 Pace Analytical Services - Green Bay								
1,1,1,2-Tetrachloroethane	<0.36	ug/L	1.0	0.36	1		10/11/23 14:27	630-20-6	
1,1,2,2-Tetrachloroethane	<0.38	ug/L	1.0	0.38	1		10/11/23 14:27	79-34-5	
Tetrachloroethene	<0.41	ug/L	1.0	0.41	1		10/11/23 14:27	127-18-4	
Toluene	<0.29	ug/L	1.0	0.29	1		10/11/23 14:27	108-88-3	
1,2,3-Trichlorobenzene	<1.0	ug/L	5.0	1.0	1		10/11/23 14:27	87-61-6	
1,2,4-Trichlorobenzene	<0.95	ug/L	5.0	0.95	1		10/11/23 14:27	120-82-1	
1,1,1-Trichloroethane	<0.30	ug/L	1.0	0.30	1		10/11/23 14:27	71-55-6	
1,1,2-Trichloroethane	<0.34	ug/L	1.0	0.34	1		10/11/23 14:27	79-00-5	
Trichloroethene	2.0	ug/L	1.0	0.32	1		10/11/23 14:27	79-01-6	
Trichlorofluoromethane	<0.42	ug/L	1.0	0.42	1		10/11/23 14:27	75-69-4	
1,2,3-Trichloropropane	<0.56	ug/L	1.0	0.56	1		10/11/23 14:27	96-18-4	
1,2,4-Trimethylbenzene	<0.45	ug/L	1.0	0.45	1		10/11/23 14:27	95-63-6	
1,3,5-Trimethylbenzene	<0.36	ug/L	1.0	0.36	1		10/11/23 14:27	108-67-8	
Vinyl chloride	<0.17	ug/L	1.0	0.17	1		10/11/23 14:27	75-01-4	
Xylene (Total)	<1.0	ug/L	3.0	1.0	1		10/11/23 14:27	1330-20-7	
m&p-Xylene	<0.70	ug/L	2.0	0.70	1		10/11/23 14:27	179601-23-1	
o-Xylene	<0.35	ug/L	1.0	0.35	1		10/11/23 14:27	95-47-6	
Surrogates									
4-Bromofluorobenzene (S)	102	%	70-130		1		10/11/23 14:27	460-00-4	
1,2-Dichlorobenzene-d4 (S)	106	%	70-130		1		10/11/23 14:27	2199-69-1	
Toluene-d8 (S)	103	%	70-130		1		10/11/23 14:27	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 1690028158_CONV GORSKI LF

Pace Project No.: 40269256

Sample: MW-4D	Lab ID: 40269256011	Collected: 10/09/23 12:25	Received: 10/09/23 16:40	Matrix: Water					
Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV	Analytical Method: EPA 8260 Pace Analytical Services - Green Bay								
Benzene	<0.30	ug/L	1.0	0.30	1		10/11/23 14:45	71-43-2	
Bromobenzene	<0.36	ug/L	1.0	0.36	1		10/11/23 14:45	108-86-1	
Bromoform	<0.43	ug/L	1.0	0.43	1		10/11/23 14:45	75-25-2	
Bromochloromethane	<0.36	ug/L	1.0	0.36	1		10/11/23 14:45	74-97-5	
Bromodichloromethane	<0.42	ug/L	1.0	0.42	1		10/11/23 14:45	75-27-4	
Bromomethane	<1.2	ug/L	5.0	1.2	1		10/11/23 14:45	74-83-9	
n-Butylbenzene	<0.86	ug/L	1.0	0.86	1		10/11/23 14:45	104-51-8	
sec-Butylbenzene	<0.42	ug/L	1.0	0.42	1		10/11/23 14:45	135-98-8	
tert-Butylbenzene	<0.59	ug/L	1.0	0.59	1		10/11/23 14:45	98-06-6	
Carbon tetrachloride	<0.37	ug/L	1.0	0.37	1		10/11/23 14:45	56-23-5	
Chlorobenzene	<0.86	ug/L	1.0	0.86	1		10/11/23 14:45	108-90-7	
Chloroethane	<1.4	ug/L	5.0	1.4	1		10/11/23 14:45	75-00-3	
Chloroform	<0.50	ug/L	5.0	0.50	1		10/11/23 14:45	67-66-3	
Chloromethane	<1.6	ug/L	5.0	1.6	1		10/11/23 14:45	74-87-3	
2-Chlorotoluene	<0.89	ug/L	5.0	0.89	1		10/11/23 14:45	95-49-8	
4-Chlorotoluene	<0.89	ug/L	5.0	0.89	1		10/11/23 14:45	106-43-4	
1,2-Dibromo-3-chloropropane	<2.4	ug/L	5.0	2.4	1		10/11/23 14:45	96-12-8	
Dibromochloromethane	<2.6	ug/L	5.0	2.6	1		10/11/23 14:45	124-48-1	
1,2-Dibromoethane (EDB)	<0.31	ug/L	1.0	0.31	1		10/11/23 14:45	106-93-4	
Dibromomethane	<0.99	ug/L	5.0	0.99	1		10/11/23 14:45	74-95-3	
1,2-Dichlorobenzene	<0.33	ug/L	1.0	0.33	1		10/11/23 14:45	95-50-1	
1,3-Dichlorobenzene	<0.35	ug/L	1.0	0.35	1		10/11/23 14:45	541-73-1	
1,4-Dichlorobenzene	<0.89	ug/L	1.0	0.89	1		10/11/23 14:45	106-46-7	
Dichlorodifluoromethane	<0.46	ug/L	5.0	0.46	1		10/11/23 14:45	75-71-8	
1,1-Dichloroethane	<0.30	ug/L	1.0	0.30	1		10/11/23 14:45	75-34-3	
1,2-Dichloroethane	<0.29	ug/L	1.0	0.29	1		10/11/23 14:45	107-06-2	
1,1-Dichloroethene	<0.58	ug/L	1.0	0.58	1		10/11/23 14:45	75-35-4	
cis-1,2-Dichloroethene	<0.47	ug/L	1.0	0.47	1		10/11/23 14:45	156-59-2	
trans-1,2-Dichloroethene	<0.53	ug/L	1.0	0.53	1		10/11/23 14:45	156-60-5	
1,2-Dichloropropane	<0.45	ug/L	1.0	0.45	1		10/11/23 14:45	78-87-5	
1,3-Dichloropropane	<0.30	ug/L	1.0	0.30	1		10/11/23 14:45	142-28-9	
2,2-Dichloropropane	<0.42	ug/L	1.0	0.42	1		10/11/23 14:45	594-20-7	
1,1-Dichloropropene	<0.41	ug/L	1.0	0.41	1		10/11/23 14:45	563-58-6	
cis-1,3-Dichloropropene	<0.24	ug/L	1.0	0.24	1		10/11/23 14:45	10061-01-5	
trans-1,3-Dichloropropene	<0.27	ug/L	1.0	0.27	1		10/11/23 14:45	10061-02-6	
Diisopropyl ether	<1.1	ug/L	5.0	1.1	1		10/11/23 14:45	108-20-3	
Ethylbenzene	<0.33	ug/L	1.0	0.33	1		10/11/23 14:45	100-41-4	
Hexachloro-1,3-butadiene	<2.7	ug/L	5.0	2.7	1		10/11/23 14:45	87-68-3	
Isopropylbenzene (Cumene)	<1.0	ug/L	5.0	1.0	1		10/11/23 14:45	98-82-8	
p-Isopropyltoluene	<1.0	ug/L	5.0	1.0	1		10/11/23 14:45	99-87-6	
Methylene Chloride	<0.32	ug/L	5.0	0.32	1		10/11/23 14:45	75-09-2	
Methyl-tert-butyl ether	<1.1	ug/L	5.0	1.1	1		10/11/23 14:45	1634-04-4	
Naphthalene	<1.9	ug/L	5.0	1.9	1		10/11/23 14:45	91-20-3	L1
n-Propylbenzene	<0.35	ug/L	1.0	0.35	1		10/11/23 14:45	103-65-1	
Styrene	<0.36	ug/L	1.0	0.36	1		10/11/23 14:45	100-42-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 1690028158_CONV GORSKI LF

Pace Project No.: 40269256

Sample: MW-4D **Lab ID: 40269256011** Collected: 10/09/23 12:25 Received: 10/09/23 16:40 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV	Analytical Method: EPA 8260 Pace Analytical Services - Green Bay								
1,1,1,2-Tetrachloroethane	<0.36	ug/L	1.0	0.36	1		10/11/23 14:45	630-20-6	
1,1,2,2-Tetrachloroethane	<0.38	ug/L	1.0	0.38	1		10/11/23 14:45	79-34-5	
Tetrachloroethene	<0.41	ug/L	1.0	0.41	1		10/11/23 14:45	127-18-4	
Toluene	<0.29	ug/L	1.0	0.29	1		10/11/23 14:45	108-88-3	
1,2,3-Trichlorobenzene	<1.0	ug/L	5.0	1.0	1		10/11/23 14:45	87-61-6	
1,2,4-Trichlorobenzene	<0.95	ug/L	5.0	0.95	1		10/11/23 14:45	120-82-1	
1,1,1-Trichloroethane	<0.30	ug/L	1.0	0.30	1		10/11/23 14:45	71-55-6	
1,1,2-Trichloroethane	<0.34	ug/L	1.0	0.34	1		10/11/23 14:45	79-00-5	
Trichloroethene	1.8	ug/L	1.0	0.32	1		10/11/23 14:45	79-01-6	
Trichlorofluoromethane	<0.42	ug/L	1.0	0.42	1		10/11/23 14:45	75-69-4	
1,2,3-Trichloropropane	<0.56	ug/L	1.0	0.56	1		10/11/23 14:45	96-18-4	
1,2,4-Trimethylbenzene	<0.45	ug/L	1.0	0.45	1		10/11/23 14:45	95-63-6	
1,3,5-Trimethylbenzene	<0.36	ug/L	1.0	0.36	1		10/11/23 14:45	108-67-8	
Vinyl chloride	<0.17	ug/L	1.0	0.17	1		10/11/23 14:45	75-01-4	
Xylene (Total)	<1.0	ug/L	3.0	1.0	1		10/11/23 14:45	1330-20-7	
m&p-Xylene	<0.70	ug/L	2.0	0.70	1		10/11/23 14:45	179601-23-1	
o-Xylene	<0.35	ug/L	1.0	0.35	1		10/11/23 14:45	95-47-6	
Surrogates									
4-Bromofluorobenzene (S)	102	%	70-130		1		10/11/23 14:45	460-00-4	
1,2-Dichlorobenzene-d4 (S)	106	%	70-130		1		10/11/23 14:45	2199-69-1	
Toluene-d8 (S)	104	%	70-130		1		10/11/23 14:45	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: 1690028158_CONV GORSKI LF
 Pace Project No.: 40269256

Sample: MW-6 Lab ID: 40269256012 Collected: 10/09/23 13:45 Received: 10/09/23 16:40 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV	Analytical Method: EPA 8260 Pace Analytical Services - Green Bay								
Benzene	<0.30	ug/L	1.0	0.30	1		10/11/23 15:04	71-43-2	
Bromobenzene	<0.36	ug/L	1.0	0.36	1		10/11/23 15:04	108-86-1	
Bromochloromethane	<0.36	ug/L	1.0	0.36	1		10/11/23 15:04	74-97-5	
Bromodichloromethane	<0.42	ug/L	1.0	0.42	1		10/11/23 15:04	75-27-4	
Bromoform	<0.43	ug/L	1.0	0.43	1		10/11/23 15:04	75-25-2	
Bromomethane	<1.2	ug/L	5.0	1.2	1		10/11/23 15:04	74-83-9	
n-Butylbenzene	<0.86	ug/L	1.0	0.86	1		10/11/23 15:04	104-51-8	
sec-Butylbenzene	<0.42	ug/L	1.0	0.42	1		10/11/23 15:04	135-98-8	
tert-Butylbenzene	<0.59	ug/L	1.0	0.59	1		10/11/23 15:04	98-06-6	
Carbon tetrachloride	<0.37	ug/L	1.0	0.37	1		10/11/23 15:04	56-23-5	
Chlorobenzene	<0.86	ug/L	1.0	0.86	1		10/11/23 15:04	108-90-7	
Chloroethane	<1.4	ug/L	5.0	1.4	1		10/11/23 15:04	75-00-3	
Chloroform	<0.50	ug/L	5.0	0.50	1		10/11/23 15:04	67-66-3	
Chloromethane	<1.6	ug/L	5.0	1.6	1		10/11/23 15:04	74-87-3	
2-Chlorotoluene	<0.89	ug/L	5.0	0.89	1		10/11/23 15:04	95-49-8	
4-Chlorotoluene	<0.89	ug/L	5.0	0.89	1		10/11/23 15:04	106-43-4	
1,2-Dibromo-3-chloropropane	<2.4	ug/L	5.0	2.4	1		10/11/23 15:04	96-12-8	
Dibromochloromethane	<2.6	ug/L	5.0	2.6	1		10/11/23 15:04	124-48-1	
1,2-Dibromoethane (EDB)	<0.31	ug/L	1.0	0.31	1		10/11/23 15:04	106-93-4	
Dibromomethane	<0.99	ug/L	5.0	0.99	1		10/11/23 15:04	74-95-3	
1,2-Dichlorobenzene	<0.33	ug/L	1.0	0.33	1		10/11/23 15:04	95-50-1	
1,3-Dichlorobenzene	<0.35	ug/L	1.0	0.35	1		10/11/23 15:04	541-73-1	
1,4-Dichlorobenzene	<0.89	ug/L	1.0	0.89	1		10/11/23 15:04	106-46-7	
Dichlorodifluoromethane	<0.46	ug/L	5.0	0.46	1		10/11/23 15:04	75-71-8	
1,1-Dichloroethane	<0.30	ug/L	1.0	0.30	1		10/11/23 15:04	75-34-3	
1,2-Dichloroethane	<0.29	ug/L	1.0	0.29	1		10/11/23 15:04	107-06-2	
1,1-Dichloroethene	<0.58	ug/L	1.0	0.58	1		10/11/23 15:04	75-35-4	
cis-1,2-Dichloroethene	1.1	ug/L	1.0	0.47	1		10/11/23 15:04	156-59-2	
trans-1,2-Dichloroethene	<0.53	ug/L	1.0	0.53	1		10/11/23 15:04	156-60-5	
1,2-Dichloropropane	<0.45	ug/L	1.0	0.45	1		10/11/23 15:04	78-87-5	
1,3-Dichloropropane	<0.30	ug/L	1.0	0.30	1		10/11/23 15:04	142-28-9	
2,2-Dichloropropane	<0.42	ug/L	1.0	0.42	1		10/11/23 15:04	594-20-7	
1,1-Dichloropropene	<0.41	ug/L	1.0	0.41	1		10/11/23 15:04	563-58-6	
cis-1,3-Dichloropropene	<0.24	ug/L	1.0	0.24	1		10/11/23 15:04	10061-01-5	
trans-1,3-Dichloropropene	<0.27	ug/L	1.0	0.27	1		10/11/23 15:04	10061-02-6	
Diisopropyl ether	<1.1	ug/L	5.0	1.1	1		10/11/23 15:04	108-20-3	
Ethylbenzene	<0.33	ug/L	1.0	0.33	1		10/11/23 15:04	100-41-4	
Hexachloro-1,3-butadiene	<2.7	ug/L	5.0	2.7	1		10/11/23 15:04	87-68-3	
Isopropylbenzene (Cumene)	<1.0	ug/L	5.0	1.0	1		10/11/23 15:04	98-82-8	
p-Isopropyltoluene	<1.0	ug/L	5.0	1.0	1		10/11/23 15:04	99-87-6	
Methylene Chloride	<0.32	ug/L	5.0	0.32	1		10/11/23 15:04	75-09-2	
Methyl-tert-butyl ether	<1.1	ug/L	5.0	1.1	1		10/11/23 15:04	1634-04-4	
Naphthalene	<1.9	ug/L	5.0	1.9	1		10/11/23 15:04	91-20-3	L1
n-Propylbenzene	<0.35	ug/L	1.0	0.35	1		10/11/23 15:04	103-65-1	
Styrene	<0.36	ug/L	1.0	0.36	1		10/11/23 15:04	100-42-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
 without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 1690028158_CONV GORSKI LF

Pace Project No.: 40269256

Sample: MW-6 **Lab ID: 40269256012** Collected: 10/09/23 13:45 Received: 10/09/23 16:40 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV	Analytical Method: EPA 8260								
	Pace Analytical Services - Green Bay								
1,1,1,2-Tetrachloroethane	<0.36	ug/L	1.0	0.36	1		10/11/23 15:04	630-20-6	
1,1,2,2-Tetrachloroethane	<0.38	ug/L	1.0	0.38	1		10/11/23 15:04	79-34-5	
Tetrachloroethene	<0.41	ug/L	1.0	0.41	1		10/11/23 15:04	127-18-4	
Toluene	<0.29	ug/L	1.0	0.29	1		10/11/23 15:04	108-88-3	
1,2,3-Trichlorobenzene	<1.0	ug/L	5.0	1.0	1		10/11/23 15:04	87-61-6	
1,2,4-Trichlorobenzene	<0.95	ug/L	5.0	0.95	1		10/11/23 15:04	120-82-1	
1,1,1-Trichloroethane	<0.30	ug/L	1.0	0.30	1		10/11/23 15:04	71-55-6	
1,1,2-Trichloroethane	<0.34	ug/L	1.0	0.34	1		10/11/23 15:04	79-00-5	
Trichloroethene	2.1	ug/L	1.0	0.32	1		10/11/23 15:04	79-01-6	
Trichlorofluoromethane	<0.42	ug/L	1.0	0.42	1		10/11/23 15:04	75-69-4	
1,2,3-Trichloropropane	<0.56	ug/L	1.0	0.56	1		10/11/23 15:04	96-18-4	
1,2,4-Trimethylbenzene	<0.45	ug/L	1.0	0.45	1		10/11/23 15:04	95-63-6	
1,3,5-Trimethylbenzene	<0.36	ug/L	1.0	0.36	1		10/11/23 15:04	108-67-8	
Vinyl chloride	<0.17	ug/L	1.0	0.17	1		10/11/23 15:04	75-01-4	
Xylene (Total)	<1.0	ug/L	3.0	1.0	1		10/11/23 15:04	1330-20-7	
m&p-Xylene	<0.70	ug/L	2.0	0.70	1		10/11/23 15:04	179601-23-1	
o-Xylene	<0.35	ug/L	1.0	0.35	1		10/11/23 15:04	95-47-6	
Surrogates									
4-Bromofluorobenzene (S)	102	%	70-130		1		10/11/23 15:04	460-00-4	
1,2-Dichlorobenzene-d4 (S)	106	%	70-130		1		10/11/23 15:04	2199-69-1	
Toluene-d8 (S)	103	%	70-130		1		10/11/23 15:04	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
 without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: 1690028158_CONV GORSKI LF
Pace Project No.: 40269256

Sample: PZ-3	Lab ID: 40269256013	Collected: 10/09/23 14:30	Received: 10/09/23 16:40	Matrix: Water					
Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV	Analytical Method: EPA 8260								
	Pace Analytical Services - Green Bay								
Benzene	<0.30	ug/L	1.0	0.30	1		10/16/23 12:06	71-43-2	
Bromobenzene	<0.36	ug/L	1.0	0.36	1		10/16/23 12:06	108-86-1	
Bromo(chloromethane)	<0.36	ug/L	1.0	0.36	1		10/16/23 12:06	74-97-5	
Bromodichloromethane	<0.42	ug/L	1.0	0.42	1		10/16/23 12:06	75-27-4	
Bromoform	<0.43	ug/L	1.0	0.43	1		10/16/23 12:06	75-25-2	
Bromomethane	<1.2	ug/L	5.0	1.2	1		10/16/23 12:06	74-83-9	
n-Butylbenzene	<0.86	ug/L	1.0	0.86	1		10/16/23 12:06	104-51-8	
sec-Butylbenzene	<0.42	ug/L	1.0	0.42	1		10/16/23 12:06	135-98-8	
tert-Butylbenzene	<0.59	ug/L	1.0	0.59	1		10/16/23 12:06	98-06-6	
Carbon tetrachloride	<0.37	ug/L	1.0	0.37	1		10/16/23 12:06	56-23-5	
Chlorobenzene	<0.86	ug/L	1.0	0.86	1		10/16/23 12:06	108-90-7	
Chloroethane	<1.4	ug/L	5.0	1.4	1		10/16/23 12:06	75-00-3	
Chloroform	<0.50	ug/L	5.0	0.50	1		10/16/23 12:06	67-66-3	
Chloromethane	<1.6	ug/L	5.0	1.6	1		10/16/23 12:06	74-87-3	
2-Chlorotoluene	<0.89	ug/L	5.0	0.89	1		10/16/23 12:06	95-49-8	
4-Chlorotoluene	<0.89	ug/L	5.0	0.89	1		10/16/23 12:06	106-43-4	
1,2-Dibromo-3-chloropropane	<2.4	ug/L	5.0	2.4	1		10/16/23 12:06	96-12-8	
Dibromochloromethane	<2.6	ug/L	5.0	2.6	1		10/16/23 12:06	124-48-1	
1,2-Dibromoethane (EDB)	<0.31	ug/L	1.0	0.31	1		10/16/23 12:06	106-93-4	
Dibromomethane	<0.99	ug/L	5.0	0.99	1		10/16/23 12:06	74-95-3	
1,2-Dichlorobenzene	<0.33	ug/L	1.0	0.33	1		10/16/23 12:06	95-50-1	
1,3-Dichlorobenzene	<0.35	ug/L	1.0	0.35	1		10/16/23 12:06	541-73-1	
1,4-Dichlorobenzene	<0.89	ug/L	1.0	0.89	1		10/16/23 12:06	106-46-7	
Dichlorodifluoromethane	<0.46	ug/L	5.0	0.46	1		10/16/23 12:06	75-71-8	
1,1-Dichloroethane	<0.30	ug/L	1.0	0.30	1		10/16/23 12:06	75-34-3	
1,2-Dichloroethane	<0.29	ug/L	1.0	0.29	1		10/16/23 12:06	107-06-2	
1,1-Dichloroethene	<0.58	ug/L	1.0	0.58	1		10/16/23 12:06	75-35-4	
cis-1,2-Dichloroethene	4.3	ug/L	1.0	0.47	1		10/16/23 12:06	156-59-2	
trans-1,2-Dichloroethene	<0.53	ug/L	1.0	0.53	1		10/16/23 12:06	156-60-5	
1,2-Dichloropropane	<0.45	ug/L	1.0	0.45	1		10/16/23 12:06	78-87-5	
1,3-Dichloropropane	<0.30	ug/L	1.0	0.30	1		10/16/23 12:06	142-28-9	
2,2-Dichloropropane	<0.42	ug/L	1.0	0.42	1		10/16/23 12:06	594-20-7	
1,1-Dichloropropene	<0.41	ug/L	1.0	0.41	1		10/16/23 12:06	563-58-6	
cis-1,3-Dichloropropene	<0.24	ug/L	1.0	0.24	1		10/16/23 12:06	10061-01-5	
trans-1,3-Dichloropropene	<0.27	ug/L	1.0	0.27	1		10/16/23 12:06	10061-02-6	
Diisopropyl ether	<1.1	ug/L	5.0	1.1	1		10/16/23 12:06	108-20-3	
Ethylbenzene	<0.33	ug/L	1.0	0.33	1		10/16/23 12:06	100-41-4	
Hexachloro-1,3-butadiene	<2.7	ug/L	5.0	2.7	1		10/16/23 12:06	87-68-3	
Isopropylbenzene (Cumene)	<1.0	ug/L	5.0	1.0	1		10/16/23 12:06	98-82-8	
p-Isopropyltoluene	<1.0	ug/L	5.0	1.0	1		10/16/23 12:06	99-87-6	
Methylene Chloride	<0.32	ug/L	5.0	0.32	1		10/16/23 12:06	75-09-2	
Methyl-tert-butyl ether	<1.1	ug/L	5.0	1.1	1		10/16/23 12:06	1634-04-4	
Naphthalene	<1.9	ug/L	5.0	1.9	1		10/16/23 12:06	91-20-3	
n-Propylbenzene	<0.35	ug/L	1.0	0.35	1		10/16/23 12:06	103-65-1	
Styrene	<0.36	ug/L	1.0	0.36	1		10/16/23 12:06	100-42-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 1690028158_CONV GORSKI LF

Pace Project No.: 40269256

Sample: PZ-3	Lab ID: 40269256013	Collected: 10/09/23 14:30	Received: 10/09/23 16:40	Matrix: Water
--------------	---------------------	---------------------------	--------------------------	---------------

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV	Analytical Method: EPA 8260								
	Pace Analytical Services - Green Bay								
1,1,1,2-Tetrachloroethane	<0.36	ug/L	1.0	0.36	1		10/16/23 12:06	630-20-6	
1,1,2,2-Tetrachloroethane	<0.38	ug/L	1.0	0.38	1		10/16/23 12:06	79-34-5	
Tetrachloroethene	<0.41	ug/L	1.0	0.41	1		10/16/23 12:06	127-18-4	
Toluene	<0.29	ug/L	1.0	0.29	1		10/16/23 12:06	108-88-3	
1,2,3-Trichlorobenzene	<1.0	ug/L	5.0	1.0	1		10/16/23 12:06	87-61-6	
1,2,4-Trichlorobenzene	<0.95	ug/L	5.0	0.95	1		10/16/23 12:06	120-82-1	
1,1,1-Trichloroethane	<0.30	ug/L	1.0	0.30	1		10/16/23 12:06	71-55-6	
1,1,2-Trichloroethane	<0.34	ug/L	1.0	0.34	1		10/16/23 12:06	79-00-5	
Trichloroethene	0.72J	ug/L	1.0	0.32	1		10/16/23 12:06	79-01-6	
Trichlorofluoromethane	<0.42	ug/L	1.0	0.42	1		10/16/23 12:06	75-69-4	
1,2,3-Trichloropropane	<0.56	ug/L	1.0	0.56	1		10/16/23 12:06	96-18-4	
1,2,4-Trimethylbenzene	<0.45	ug/L	1.0	0.45	1		10/16/23 12:06	95-63-6	
1,3,5-Trimethylbenzene	<0.36	ug/L	1.0	0.36	1		10/16/23 12:06	108-67-8	
Vinyl chloride	<0.17	ug/L	1.0	0.17	1		10/16/23 12:06	75-01-4	
Xylene (Total)	<1.0	ug/L	3.0	1.0	1		10/16/23 12:06	1330-20-7	
m&p-Xylene	<0.70	ug/L	2.0	0.70	1		10/16/23 12:06	179601-23-1	
o-Xylene	<0.35	ug/L	1.0	0.35	1		10/16/23 12:06	95-47-6	
Surrogates									
4-Bromofluorobenzene (S)	95	%	70-130		1		10/16/23 12:06	460-00-4	
1,2-Dichlorobenzene-d4 (S)	112	%	70-130		1		10/16/23 12:06	2199-69-1	
Toluene-d8 (S)	94	%	70-130		1		10/16/23 12:06	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
 without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: 1690028158_CONV GORSKI LF

Pace Project No.: 40269256

Sample: PZ-4	Lab ID: 40269256014	Collected: 10/09/23 13:10	Received: 10/09/23 16:40	Matrix: Water					
Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV	Analytical Method: EPA 8260								
	Pace Analytical Services - Green Bay								
Benzene	<0.30	ug/L	1.0	0.30	1		10/11/23 13:45	71-43-2	
Bromobenzene	<0.36	ug/L	1.0	0.36	1		10/11/23 13:45	108-86-1	
Bromoform	<0.43	ug/L	1.0	0.43	1		10/11/23 13:45	75-25-2	
Bromochloromethane	<0.36	ug/L	1.0	0.36	1		10/11/23 13:45	74-97-5	
Bromodichloromethane	<0.42	ug/L	1.0	0.42	1		10/11/23 13:45	75-27-4	
Bromomethane	<1.2	ug/L	5.0	1.2	1		10/11/23 13:45	74-83-9	
n-Butylbenzene	<0.86	ug/L	1.0	0.86	1		10/11/23 13:45	104-51-8	
sec-Butylbenzene	<0.42	ug/L	1.0	0.42	1		10/11/23 13:45	135-98-8	
tert-Butylbenzene	<0.59	ug/L	1.0	0.59	1		10/11/23 13:45	98-06-6	
Carbon tetrachloride	<0.37	ug/L	1.0	0.37	1		10/11/23 13:45	56-23-5	
Chlorobenzene	<0.86	ug/L	1.0	0.86	1		10/11/23 13:45	108-90-7	
Chloroethane	<1.4	ug/L	5.0	1.4	1		10/11/23 13:45	75-00-3	
Chloroform	<0.50	ug/L	5.0	0.50	1		10/11/23 13:45	67-66-3	
Chloromethane	<1.6	ug/L	5.0	1.6	1		10/11/23 13:45	74-87-3	
2-Chlorotoluene	<0.89	ug/L	5.0	0.89	1		10/11/23 13:45	95-49-8	
4-Chlorotoluene	<0.89	ug/L	5.0	0.89	1		10/11/23 13:45	106-43-4	
1,2-Dibromo-3-chloropropane	<2.4	ug/L	5.0	2.4	1		10/11/23 13:45	96-12-8	
Dibromochloromethane	<2.6	ug/L	5.0	2.6	1		10/11/23 13:45	124-48-1	
1,2-Dibromoethane (EDB)	<0.31	ug/L	1.0	0.31	1		10/11/23 13:45	106-93-4	
Dibromomethane	<0.99	ug/L	5.0	0.99	1		10/11/23 13:45	74-95-3	
1,2-Dichlorobenzene	<0.33	ug/L	1.0	0.33	1		10/11/23 13:45	95-50-1	
1,3-Dichlorobenzene	<0.35	ug/L	1.0	0.35	1		10/11/23 13:45	541-73-1	
1,4-Dichlorobenzene	<0.89	ug/L	1.0	0.89	1		10/11/23 13:45	106-46-7	
Dichlorodifluoromethane	<0.46	ug/L	5.0	0.46	1		10/11/23 13:45	75-71-8	
1,1-Dichloroethane	<0.30	ug/L	1.0	0.30	1		10/11/23 13:45	75-34-3	
1,2-Dichloroethane	<0.29	ug/L	1.0	0.29	1		10/11/23 13:45	107-06-2	
1,1-Dichloroethene	<0.58	ug/L	1.0	0.58	1		10/11/23 13:45	75-35-4	
cis-1,2-Dichloroethene	2.6	ug/L	1.0	0.47	1		10/11/23 13:45	156-59-2	
trans-1,2-Dichloroethene	<0.53	ug/L	1.0	0.53	1		10/11/23 13:45	156-60-5	
1,2-Dichloropropane	<0.45	ug/L	1.0	0.45	1		10/11/23 13:45	78-87-5	
1,3-Dichloropropane	<0.30	ug/L	1.0	0.30	1		10/11/23 13:45	142-28-9	
2,2-Dichloropropane	<0.42	ug/L	1.0	0.42	1		10/11/23 13:45	594-20-7	
1,1-Dichloropropene	<0.41	ug/L	1.0	0.41	1		10/11/23 13:45	563-58-6	
cis-1,3-Dichloropropene	<0.24	ug/L	1.0	0.24	1		10/11/23 13:45	10061-01-5	
trans-1,3-Dichloropropene	<0.27	ug/L	1.0	0.27	1		10/11/23 13:45	10061-02-6	
Diisopropyl ether	<1.1	ug/L	5.0	1.1	1		10/11/23 13:45	108-20-3	
Ethylbenzene	<0.33	ug/L	1.0	0.33	1		10/11/23 13:45	100-41-4	
Hexachloro-1,3-butadiene	<2.7	ug/L	5.0	2.7	1		10/11/23 13:45	87-68-3	
Isopropylbenzene (Cumene)	<1.0	ug/L	5.0	1.0	1		10/11/23 13:45	98-82-8	
p-Isopropyltoluene	<1.0	ug/L	5.0	1.0	1		10/11/23 13:45	99-87-6	
Methylene Chloride	<0.32	ug/L	5.0	0.32	1		10/11/23 13:45	75-09-2	
Methyl-tert-butyl ether	<1.1	ug/L	5.0	1.1	1		10/11/23 13:45	1634-04-4	
Naphthalene	<1.9	ug/L	5.0	1.9	1		10/11/23 13:45	91-20-3	
n-Propylbenzene	<0.35	ug/L	1.0	0.35	1		10/11/23 13:45	103-65-1	
Styrene	<0.36	ug/L	1.0	0.36	1		10/11/23 13:45	100-42-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: 1690028158_CONV GORSKI LF

Pace Project No.: 40269256

Sample: PZ-4	Lab ID: 40269256014	Collected: 10/09/23 13:10	Received: 10/09/23 16:40	Matrix: Water					
Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV	Analytical Method: EPA 8260								
	Pace Analytical Services - Green Bay								
1,1,1,2-Tetrachloroethane	<0.36	ug/L	1.0	0.36	1		10/11/23 13:45	630-20-6	
1,1,2,2-Tetrachloroethane	<0.38	ug/L	1.0	0.38	1		10/11/23 13:45	79-34-5	
Tetrachloroethene	<0.41	ug/L	1.0	0.41	1		10/11/23 13:45	127-18-4	
Toluene	<0.29	ug/L	1.0	0.29	1		10/11/23 13:45	108-88-3	
1,2,3-Trichlorobenzene	<1.0	ug/L	5.0	1.0	1		10/11/23 13:45	87-61-6	
1,2,4-Trichlorobenzene	<0.95	ug/L	5.0	0.95	1		10/11/23 13:45	120-82-1	L2,M0
1,1,1-Trichloroethane	<0.30	ug/L	1.0	0.30	1		10/11/23 13:45	71-55-6	
1,1,2-Trichloroethane	<0.34	ug/L	1.0	0.34	1		10/11/23 13:45	79-00-5	
Trichloroethene	6.4	ug/L	1.0	0.32	1		10/11/23 13:45	79-01-6	
Trichlorofluoromethane	<0.42	ug/L	1.0	0.42	1		10/11/23 13:45	75-69-4	
1,2,3-Trichloropropane	<0.56	ug/L	1.0	0.56	1		10/11/23 13:45	96-18-4	
1,2,4-Trimethylbenzene	<0.45	ug/L	1.0	0.45	1		10/11/23 13:45	95-63-6	
1,3,5-Trimethylbenzene	<0.36	ug/L	1.0	0.36	1		10/11/23 13:45	108-67-8	
Vinyl chloride	<0.17	ug/L	1.0	0.17	1		10/11/23 13:45	75-01-4	
Xylene (Total)	<1.0	ug/L	3.0	1.0	1		10/11/23 13:45	1330-20-7	
m&p-Xylene	<0.70	ug/L	2.0	0.70	1		10/11/23 13:45	179601-23-1	
o-Xylene	<0.35	ug/L	1.0	0.35	1		10/11/23 13:45	95-47-6	
Surrogates									
4-Bromofluorobenzene (S)	100	%	70-130		1		10/11/23 13:45	460-00-4	
1,2-Dichlorobenzene-d4 (S)	101	%	70-130		1		10/11/23 13:45	2199-69-1	
Toluene-d8 (S)	95	%	70-130		1		10/11/23 13:45	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: 1690028158_CONV GORSKI LF

Pace Project No.: 40269256

Sample: TRIP BLANK Lab ID: 40269256015 Collected: 10/09/23 00:00 Received: 10/09/23 16:40 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV	Analytical Method: EPA 8260 Pace Analytical Services - Green Bay								
Benzene	<0.30	ug/L	1.0	0.30	1			10/11/23 12:28	71-43-2
Bromobenzene	<0.36	ug/L	1.0	0.36	1			10/11/23 12:28	108-86-1
Bromoform	<0.43	ug/L	1.0	0.43	1			10/11/23 12:28	75-25-2
Bromochloromethane	<0.36	ug/L	1.0	0.36	1			10/11/23 12:28	74-97-5
Bromodichloromethane	<0.42	ug/L	1.0	0.42	1			10/11/23 12:28	75-27-4
Bromomethane	<1.2	ug/L	5.0	1.2	1			10/11/23 12:28	74-83-9
n-Butylbenzene	<0.86	ug/L	1.0	0.86	1			10/11/23 12:28	104-51-8
sec-Butylbenzene	<0.42	ug/L	1.0	0.42	1			10/11/23 12:28	135-98-8
tert-Butylbenzene	<0.59	ug/L	1.0	0.59	1			10/11/23 12:28	98-06-6
Carbon tetrachloride	<0.37	ug/L	1.0	0.37	1			10/11/23 12:28	56-23-5
Chlorobenzene	<0.86	ug/L	1.0	0.86	1			10/11/23 12:28	108-90-7
Chloroethane	<1.4	ug/L	5.0	1.4	1			10/11/23 12:28	75-00-3
Chloroform	<0.50	ug/L	5.0	0.50	1			10/11/23 12:28	67-66-3
Chloromethane	<1.6	ug/L	5.0	1.6	1			10/11/23 12:28	74-87-3
2-Chlorotoluene	<0.89	ug/L	5.0	0.89	1			10/11/23 12:28	95-49-8
4-Chlorotoluene	<0.89	ug/L	5.0	0.89	1			10/11/23 12:28	106-43-4
1,2-Dibromo-3-chloropropane	<2.4	ug/L	5.0	2.4	1			10/11/23 12:28	96-12-8
Dibromochloromethane	<2.6	ug/L	5.0	2.6	1			10/11/23 12:28	124-48-1
1,2-Dibromoethane (EDB)	<0.31	ug/L	1.0	0.31	1			10/11/23 12:28	106-93-4
Dibromomethane	<0.99	ug/L	5.0	0.99	1			10/11/23 12:28	74-95-3
1,2-Dichlorobenzene	<0.33	ug/L	1.0	0.33	1			10/11/23 12:28	95-50-1
1,3-Dichlorobenzene	<0.35	ug/L	1.0	0.35	1			10/11/23 12:28	541-73-1
1,4-Dichlorobenzene	<0.89	ug/L	1.0	0.89	1			10/11/23 12:28	106-46-7
Dichlorodifluoromethane	<0.46	ug/L	5.0	0.46	1			10/11/23 12:28	75-71-8
1,1-Dichloroethane	<0.30	ug/L	1.0	0.30	1			10/11/23 12:28	75-34-3
1,2-Dichloroethane	<0.29	ug/L	1.0	0.29	1			10/11/23 12:28	107-06-2
1,1-Dichloroethene	<0.58	ug/L	1.0	0.58	1			10/11/23 12:28	75-35-4
cis-1,2-Dichloroethene	<0.47	ug/L	1.0	0.47	1			10/11/23 12:28	156-59-2
trans-1,2-Dichloroethene	<0.53	ug/L	1.0	0.53	1			10/11/23 12:28	156-60-5
1,2-Dichloropropane	<0.45	ug/L	1.0	0.45	1			10/11/23 12:28	78-87-5
1,3-Dichloropropane	<0.30	ug/L	1.0	0.30	1			10/11/23 12:28	142-28-9
2,2-Dichloropropane	<0.42	ug/L	1.0	0.42	1			10/11/23 12:28	594-20-7
1,1-Dichloropropene	<0.41	ug/L	1.0	0.41	1			10/11/23 12:28	563-58-6
cis-1,3-Dichloropropene	<0.24	ug/L	1.0	0.24	1			10/11/23 12:28	10061-01-5
trans-1,3-Dichloropropene	<0.27	ug/L	1.0	0.27	1			10/11/23 12:28	10061-02-6
Diisopropyl ether	<1.1	ug/L	5.0	1.1	1			10/11/23 12:28	108-20-3
Ethylbenzene	<0.33	ug/L	1.0	0.33	1			10/11/23 12:28	100-41-4
Hexachloro-1,3-butadiene	<2.7	ug/L	5.0	2.7	1			10/11/23 12:28	87-68-3
Isopropylbenzene (Cumene)	<1.0	ug/L	5.0	1.0	1			10/11/23 12:28	98-82-8
p-Isopropyltoluene	<1.0	ug/L	5.0	1.0	1			10/11/23 12:28	99-87-6
Methylene Chloride	<0.32	ug/L	5.0	0.32	1			10/11/23 12:28	75-09-2
Methyl-tert-butyl ether	<1.1	ug/L	5.0	1.1	1			10/11/23 12:28	1634-04-4
Naphthalene	<1.9	ug/L	5.0	1.9	1			10/11/23 12:28	91-20-3
n-Propylbenzene	<0.35	ug/L	1.0	0.35	1			10/11/23 12:28	103-65-1
Styrene	<0.36	ug/L	1.0	0.36	1			10/11/23 12:28	100-42-5

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: 1690028158_CONV GORSKI LF

Pace Project No.: 40269256

Sample: TRIP BLANK	Lab ID: 40269256015	Collected: 10/09/23 00:00	Received: 10/09/23 16:40	Matrix: Water					
Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV	Analytical Method: EPA 8260								
	Pace Analytical Services - Green Bay								
1,1,1,2-Tetrachloroethane	<0.36	ug/L	1.0	0.36	1		10/11/23 12:28	630-20-6	
1,1,2,2-Tetrachloroethane	<0.38	ug/L	1.0	0.38	1		10/11/23 12:28	79-34-5	
Tetrachloroethene	<0.41	ug/L	1.0	0.41	1		10/11/23 12:28	127-18-4	
Toluene	<0.29	ug/L	1.0	0.29	1		10/11/23 12:28	108-88-3	
1,2,3-Trichlorobenzene	<1.0	ug/L	5.0	1.0	1		10/11/23 12:28	87-61-6	
1,2,4-Trichlorobenzene	<0.95	ug/L	5.0	0.95	1		10/11/23 12:28	120-82-1	L2
1,1,1-Trichloroethane	<0.30	ug/L	1.0	0.30	1		10/11/23 12:28	71-55-6	
1,1,2-Trichloroethane	<0.34	ug/L	1.0	0.34	1		10/11/23 12:28	79-00-5	
Trichloroethene	<0.32	ug/L	1.0	0.32	1		10/11/23 12:28	79-01-6	
Trichlorofluoromethane	<0.42	ug/L	1.0	0.42	1		10/11/23 12:28	75-69-4	
1,2,3-Trichloropropane	<0.56	ug/L	1.0	0.56	1		10/11/23 12:28	96-18-4	
1,2,4-Trimethylbenzene	<0.45	ug/L	1.0	0.45	1		10/11/23 12:28	95-63-6	
1,3,5-Trimethylbenzene	<0.36	ug/L	1.0	0.36	1		10/11/23 12:28	108-67-8	
Vinyl chloride	<0.17	ug/L	1.0	0.17	1		10/11/23 12:28	75-01-4	
Xylene (Total)	<1.0	ug/L	3.0	1.0	1		10/11/23 12:28	1330-20-7	
m&p-Xylene	<0.70	ug/L	2.0	0.70	1		10/11/23 12:28	179601-23-1	
o-Xylene	<0.35	ug/L	1.0	0.35	1		10/11/23 12:28	95-47-6	
Surrogates									
4-Bromofluorobenzene (S)	104	%	70-130		1		10/11/23 12:28	460-00-4	
1,2-Dichlorobenzene-d4 (S)	101	%	70-130		1		10/11/23 12:28	2199-69-1	
Toluene-d8 (S)	97	%	70-130		1		10/11/23 12:28	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 1690028158_CONV GORSKI LF

Pace Project No.: 40269256

Sample: 1054 CTH KK Lab ID: 40269256016 Collected: 10/09/23 11:40 Received: 10/09/23 16:40 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV	Analytical Method: EPA 8260								
	Pace Analytical Services - Green Bay								
Benzene	<0.30	ug/L	1.0	0.30	1		10/11/23 14:04	71-43-2	
Bromobenzene	<0.36	ug/L	1.0	0.36	1		10/11/23 14:04	108-86-1	
Bromoform	<0.42	ug/L	1.0	0.42	1		10/11/23 14:04	74-97-5	
Bromochloromethane	<0.42	ug/L	1.0	0.42	1		10/11/23 14:04	75-27-4	
Bromodichloromethane	<0.43	ug/L	1.0	0.43	1		10/11/23 14:04	75-25-2	
Bromoform	<1.2	ug/L	5.0	1.2	1		10/11/23 14:04	74-83-9	
Bromomethane	<0.86	ug/L	1.0	0.86	1		10/11/23 14:04	104-51-8	
n-Butylbenzene	<0.42	ug/L	1.0	0.42	1		10/11/23 14:04	135-98-8	
sec-Butylbenzene	<0.42	ug/L	1.0	0.42	1		10/11/23 14:04	98-06-6	
Carbon tetrachloride	<0.37	ug/L	1.0	0.37	1		10/11/23 14:04	56-23-5	
Chlorobenzene	<0.86	ug/L	1.0	0.86	1		10/11/23 14:04	108-90-7	
Chloroethane	<1.4	ug/L	5.0	1.4	1		10/11/23 14:04	75-00-3	
Chloroform	<0.50	ug/L	5.0	0.50	1		10/11/23 14:04	67-66-3	
Chloromethane	<1.6	ug/L	5.0	1.6	1		10/11/23 14:04	74-87-3	
2-Chlorotoluene	<0.89	ug/L	5.0	0.89	1		10/11/23 14:04	95-49-8	
4-Chlorotoluene	<0.89	ug/L	5.0	0.89	1		10/11/23 14:04	106-43-4	
1,2-Dibromo-3-chloropropane	<2.4	ug/L	5.0	2.4	1		10/11/23 14:04	96-12-8	
Dibromochloromethane	<2.6	ug/L	5.0	2.6	1		10/11/23 14:04	124-48-1	
1,2-Dibromoethane (EDB)	<0.31	ug/L	1.0	0.31	1		10/11/23 14:04	106-93-4	
Dibromomethane	<0.99	ug/L	5.0	0.99	1		10/11/23 14:04	74-95-3	
1,2-Dichlorobenzene	<0.33	ug/L	1.0	0.33	1		10/11/23 14:04	95-50-1	
1,3-Dichlorobenzene	<0.35	ug/L	1.0	0.35	1		10/11/23 14:04	541-73-1	
1,4-Dichlorobenzene	<0.89	ug/L	1.0	0.89	1		10/11/23 14:04	106-46-7	
Dichlorodifluoromethane	<0.46	ug/L	5.0	0.46	1		10/11/23 14:04	75-71-8	
1,1-Dichloroethane	<0.30	ug/L	1.0	0.30	1		10/11/23 14:04	75-34-3	
1,2-Dichloroethane	<0.29	ug/L	1.0	0.29	1		10/11/23 14:04	107-06-2	
1,1-Dichloroethene	<0.58	ug/L	1.0	0.58	1		10/11/23 14:04	75-35-4	
cis-1,2-Dichloroethene	<0.47	ug/L	1.0	0.47	1		10/11/23 14:04	156-59-2	
trans-1,2-Dichloroethene	<0.53	ug/L	1.0	0.53	1		10/11/23 14:04	156-60-5	
1,2-Dichloropropane	<0.45	ug/L	1.0	0.45	1		10/11/23 14:04	78-87-5	
1,3-Dichloropropane	<0.30	ug/L	1.0	0.30	1		10/11/23 14:04	142-28-9	
2,2-Dichloropropane	<0.42	ug/L	1.0	0.42	1		10/11/23 14:04	594-20-7	
1,1-Dichloropropene	<0.41	ug/L	1.0	0.41	1		10/11/23 14:04	563-58-6	
cis-1,3-Dichloropropene	<0.24	ug/L	1.0	0.24	1		10/11/23 14:04	10061-01-5	
trans-1,3-Dichloropropene	<0.27	ug/L	1.0	0.27	1		10/11/23 14:04	10061-02-6	
Diisopropyl ether	<1.1	ug/L	5.0	1.1	1		10/11/23 14:04	108-20-3	
Ethylbenzene	<0.33	ug/L	1.0	0.33	1		10/11/23 14:04	100-41-4	
Hexachloro-1,3-butadiene	<2.7	ug/L	5.0	2.7	1		10/11/23 14:04	87-68-3	
Isopropylbenzene (Cumene)	<1.0	ug/L	5.0	1.0	1		10/11/23 14:04	98-82-8	
p-Isopropyltoluene	<1.0	ug/L	5.0	1.0	1		10/11/23 14:04	99-87-6	
Methylene Chloride	<0.32	ug/L	5.0	0.32	1		10/11/23 14:04	75-09-2	
Methyl-tert-butyl ether	<1.1	ug/L	5.0	1.1	1		10/11/23 14:04	1634-04-4	
Naphthalene	<1.9	ug/L	5.0	1.9	1		10/11/23 14:04	91-20-3	
n-Propylbenzene	<0.35	ug/L	1.0	0.35	1		10/11/23 14:04	103-65-1	
Styrene	<0.36	ug/L	1.0	0.36	1		10/11/23 14:04	100-42-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
 without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 1690028158_CONV GORSKI LF

Pace Project No.: 40269256

Sample: 1054 CTH KK Lab ID: 40269256016 Collected: 10/09/23 11:40 Received: 10/09/23 16:40 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV	Analytical Method: EPA 8260								
	Pace Analytical Services - Green Bay								
1,1,1,2-Tetrachloroethane	<0.36	ug/L	1.0	0.36	1		10/11/23 14:04	630-20-6	
1,1,2,2-Tetrachloroethane	<0.38	ug/L	1.0	0.38	1		10/11/23 14:04	79-34-5	
Tetrachloroethene	<0.41	ug/L	1.0	0.41	1		10/11/23 14:04	127-18-4	
Toluene	<0.29	ug/L	1.0	0.29	1		10/11/23 14:04	108-88-3	
1,2,3-Trichlorobenzene	<1.0	ug/L	5.0	1.0	1		10/11/23 14:04	87-61-6	
1,2,4-Trichlorobenzene	<0.95	ug/L	5.0	0.95	1		10/11/23 14:04	120-82-1	L2
1,1,1-Trichloroethane	<0.30	ug/L	1.0	0.30	1		10/11/23 14:04	71-55-6	
1,1,2-Trichloroethane	<0.34	ug/L	1.0	0.34	1		10/11/23 14:04	79-00-5	
Trichloroethene	<0.32	ug/L	1.0	0.32	1		10/11/23 14:04	79-01-6	
Trichlorofluoromethane	<0.42	ug/L	1.0	0.42	1		10/11/23 14:04	75-69-4	
1,2,3-Trichloropropane	<0.56	ug/L	1.0	0.56	1		10/11/23 14:04	96-18-4	
1,2,4-Trimethylbenzene	<0.45	ug/L	1.0	0.45	1		10/11/23 14:04	95-63-6	
1,3,5-Trimethylbenzene	<0.36	ug/L	1.0	0.36	1		10/11/23 14:04	108-67-8	
Vinyl chloride	<0.17	ug/L	1.0	0.17	1		10/11/23 14:04	75-01-4	
Xylene (Total)	<1.0	ug/L	3.0	1.0	1		10/11/23 14:04	1330-20-7	
m&p-Xylene	<0.70	ug/L	2.0	0.70	1		10/11/23 14:04	179601-23-1	
o-Xylene	<0.35	ug/L	1.0	0.35	1		10/11/23 14:04	95-47-6	
Surrogates									
4-Bromofluorobenzene (S)	103	%	70-130		1		10/11/23 14:04	460-00-4	
1,2-Dichlorobenzene-d4 (S)	102	%	70-130		1		10/11/23 14:04	2199-69-1	
Toluene-d8 (S)	96	%	70-130		1		10/11/23 14:04	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
 without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 1690028158_CONV GORSKI LF

Pace Project No.: 40269256

Sample: 1058 CTH KK Lab ID: 40269256017 Collected: 10/09/23 11:30 Received: 10/09/23 16:40 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV	Analytical Method: EPA 8260								
	Pace Analytical Services - Green Bay								
Benzene	<0.30	ug/L	1.0	0.30	1		10/11/23 14:24	71-43-2	
Bromobenzene	<0.36	ug/L	1.0	0.36	1		10/11/23 14:24	108-86-1	
Bromoform	<0.42	ug/L	1.0	0.42	1		10/11/23 14:24	74-97-5	
Bromochloromethane	<0.42	ug/L	1.0	0.42	1		10/11/23 14:24	75-27-4	
Bromodichloromethane	<0.43	ug/L	1.0	0.43	1		10/11/23 14:24	75-25-2	
Bromoform	<1.2	ug/L	5.0	1.2	1		10/11/23 14:24	74-83-9	
Bromomethane	<0.86	ug/L	1.0	0.86	1		10/11/23 14:24	104-51-8	
n-Butylbenzene	<0.42	ug/L	1.0	0.42	1		10/11/23 14:24	135-98-8	
sec-Butylbenzene	<0.42	ug/L	1.0	0.42	1		10/11/23 14:24	98-06-6	
Carbon tetrachloride	<0.37	ug/L	1.0	0.37	1		10/11/23 14:24	56-23-5	
Chlorobenzene	<0.86	ug/L	1.0	0.86	1		10/11/23 14:24	108-90-7	
Chloroethane	<1.4	ug/L	5.0	1.4	1		10/11/23 14:24	75-00-3	
Chloroform	<0.50	ug/L	5.0	0.50	1		10/11/23 14:24	67-66-3	
Chloromethane	<1.6	ug/L	5.0	1.6	1		10/11/23 14:24	74-87-3	
2-Chlorotoluene	<0.89	ug/L	5.0	0.89	1		10/11/23 14:24	95-49-8	
4-Chlorotoluene	<0.89	ug/L	5.0	0.89	1		10/11/23 14:24	106-43-4	
1,2-Dibromo-3-chloropropane	<2.4	ug/L	5.0	2.4	1		10/11/23 14:24	96-12-8	
Dibromochloromethane	<2.6	ug/L	5.0	2.6	1		10/11/23 14:24	124-48-1	
1,2-Dibromoethane (EDB)	<0.31	ug/L	1.0	0.31	1		10/11/23 14:24	106-93-4	
Dibromomethane	<0.99	ug/L	5.0	0.99	1		10/11/23 14:24	74-95-3	
1,2-Dichlorobenzene	<0.33	ug/L	1.0	0.33	1		10/11/23 14:24	95-50-1	
1,3-Dichlorobenzene	<0.35	ug/L	1.0	0.35	1		10/11/23 14:24	541-73-1	
1,4-Dichlorobenzene	<0.89	ug/L	1.0	0.89	1		10/11/23 14:24	106-46-7	
Dichlorodifluoromethane	<0.46	ug/L	5.0	0.46	1		10/11/23 14:24	75-71-8	
1,1-Dichloroethane	<0.30	ug/L	1.0	0.30	1		10/11/23 14:24	75-34-3	
1,2-Dichloroethane	<0.29	ug/L	1.0	0.29	1		10/11/23 14:24	107-06-2	
1,1-Dichloroethene	<0.58	ug/L	1.0	0.58	1		10/11/23 14:24	75-35-4	
cis-1,2-Dichloroethene	<0.47	ug/L	1.0	0.47	1		10/11/23 14:24	156-59-2	
trans-1,2-Dichloroethene	<0.53	ug/L	1.0	0.53	1		10/11/23 14:24	156-60-5	
1,2-Dichloropropane	<0.45	ug/L	1.0	0.45	1		10/11/23 14:24	78-87-5	
1,3-Dichloropropane	<0.30	ug/L	1.0	0.30	1		10/11/23 14:24	142-28-9	
2,2-Dichloropropane	<0.42	ug/L	1.0	0.42	1		10/11/23 14:24	594-20-7	
1,1-Dichloropropene	<0.41	ug/L	1.0	0.41	1		10/11/23 14:24	563-58-6	
cis-1,3-Dichloropropene	<0.24	ug/L	1.0	0.24	1		10/11/23 14:24	10061-01-5	
trans-1,3-Dichloropropene	<0.27	ug/L	1.0	0.27	1		10/11/23 14:24	10061-02-6	
Diisopropyl ether	<1.1	ug/L	5.0	1.1	1		10/11/23 14:24	108-20-3	
Ethylbenzene	<0.33	ug/L	1.0	0.33	1		10/11/23 14:24	100-41-4	
Hexachloro-1,3-butadiene	<2.7	ug/L	5.0	2.7	1		10/11/23 14:24	87-68-3	
Isopropylbenzene (Cumene)	<1.0	ug/L	5.0	1.0	1		10/11/23 14:24	98-82-8	
p-Isopropyltoluene	<1.0	ug/L	5.0	1.0	1		10/11/23 14:24	99-87-6	
Methylene Chloride	<0.32	ug/L	5.0	0.32	1		10/11/23 14:24	75-09-2	
Methyl-tert-butyl ether	<1.1	ug/L	5.0	1.1	1		10/11/23 14:24	1634-04-4	
Naphthalene	<1.9	ug/L	5.0	1.9	1		10/11/23 14:24	91-20-3	
n-Propylbenzene	<0.35	ug/L	1.0	0.35	1		10/11/23 14:24	103-65-1	
Styrene	<0.36	ug/L	1.0	0.36	1		10/11/23 14:24	100-42-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
 without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 1690028158_CONV GORSKI LF

Pace Project No.: 40269256

Sample: 1058 CTH KK Lab ID: 40269256017 Collected: 10/09/23 11:30 Received: 10/09/23 16:40 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV	Analytical Method: EPA 8260								
	Pace Analytical Services - Green Bay								
1,1,1,2-Tetrachloroethane	<0.36	ug/L	1.0	0.36	1		10/11/23 14:24	630-20-6	
1,1,2,2-Tetrachloroethane	<0.38	ug/L	1.0	0.38	1		10/11/23 14:24	79-34-5	
Tetrachloroethene	<0.41	ug/L	1.0	0.41	1		10/11/23 14:24	127-18-4	
Toluene	<0.29	ug/L	1.0	0.29	1		10/11/23 14:24	108-88-3	
1,2,3-Trichlorobenzene	<1.0	ug/L	5.0	1.0	1		10/11/23 14:24	87-61-6	
1,2,4-Trichlorobenzene	<0.95	ug/L	5.0	0.95	1		10/11/23 14:24	120-82-1	L2
1,1,1-Trichloroethane	<0.30	ug/L	1.0	0.30	1		10/11/23 14:24	71-55-6	
1,1,2-Trichloroethane	<0.34	ug/L	1.0	0.34	1		10/11/23 14:24	79-00-5	
Trichloroethene	<0.32	ug/L	1.0	0.32	1		10/11/23 14:24	79-01-6	
Trichlorofluoromethane	<0.42	ug/L	1.0	0.42	1		10/11/23 14:24	75-69-4	
1,2,3-Trichloropropane	<0.56	ug/L	1.0	0.56	1		10/11/23 14:24	96-18-4	
1,2,4-Trimethylbenzene	<0.45	ug/L	1.0	0.45	1		10/11/23 14:24	95-63-6	
1,3,5-Trimethylbenzene	<0.36	ug/L	1.0	0.36	1		10/11/23 14:24	108-67-8	
Vinyl chloride	<0.17	ug/L	1.0	0.17	1		10/11/23 14:24	75-01-4	
Xylene (Total)	<1.0	ug/L	3.0	1.0	1		10/11/23 14:24	1330-20-7	
m&p-Xylene	<0.70	ug/L	2.0	0.70	1		10/11/23 14:24	179601-23-1	
o-Xylene	<0.35	ug/L	1.0	0.35	1		10/11/23 14:24	95-47-6	
Surrogates									
4-Bromofluorobenzene (S)	105	%	70-130		1		10/11/23 14:24	460-00-4	
1,2-Dichlorobenzene-d4 (S)	103	%	70-130		1		10/11/23 14:24	2199-69-1	
Toluene-d8 (S)	96	%	70-130		1		10/11/23 14:24	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
 without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: 1690028158_CONV GORSKI LF

Pace Project No.: 40269256

QC Batch:	457145	Analysis Method:	EPA 8260
QC Batch Method:	EPA 8260	Analysis Description:	8260 MSV
		Laboratory:	Pace Analytical Services - Green Bay
Associated Lab Samples:	40269256001, 40269256002, 40269256003, 40269256004, 40269256005, 40269256006, 40269256007, 40269256008, 40269256009, 40269256010, 40269256011, 40269256012		

METHOD BLANK: 2625138 Matrix: Water

Associated Lab Samples: 40269256001, 40269256002, 40269256003, 40269256004, 40269256005, 40269256006, 40269256007,
40269256008, 40269256009, 40269256010, 40269256011, 40269256012

Parameter	Units	Blank	Reporting	Qualifiers
		Result	Limit	
1,1,1,2-Tetrachloroethane	ug/L	<0.36	1.0	10/11/23 08:53
1,1,1-Trichloroethane	ug/L	<0.30	1.0	10/11/23 08:53
1,1,2,2-Tetrachloroethane	ug/L	<0.38	1.0	10/11/23 08:53
1,1,2-Trichloroethane	ug/L	<0.34	1.0	10/11/23 08:53
1,1-Dichloroethane	ug/L	<0.30	1.0	10/11/23 08:53
1,1-Dichloroethene	ug/L	<0.58	1.0	10/11/23 08:53
1,1-Dichloropropene	ug/L	<0.41	1.0	10/11/23 08:53
1,2,3-Trichlorobenzene	ug/L	<1.0	5.0	10/11/23 08:53
1,2,3-Trichloropropane	ug/L	<0.56	1.0	10/11/23 08:53
1,2,4-Trichlorobenzene	ug/L	<0.95	5.0	10/11/23 08:53
1,2,4-Trimethylbenzene	ug/L	<0.45	1.0	10/11/23 08:53
1,2-Dibromo-3-chloropropane	ug/L	<2.4	5.0	10/11/23 08:53
1,2-Dibromoethane (EDB)	ug/L	<0.31	1.0	10/11/23 08:53
1,2-Dichlorobenzene	ug/L	<0.33	1.0	10/11/23 08:53
1,2-Dichloroethane	ug/L	<0.29	1.0	10/11/23 08:53
1,2-Dichloropropane	ug/L	<0.45	1.0	10/11/23 08:53
1,3,5-Trimethylbenzene	ug/L	<0.36	1.0	10/11/23 08:53
1,3-Dichlorobenzene	ug/L	<0.35	1.0	10/11/23 08:53
1,3-Dichloropropane	ug/L	<0.30	1.0	10/11/23 08:53
1,4-Dichlorobenzene	ug/L	<0.89	1.0	10/11/23 08:53
2,2-Dichloropropane	ug/L	<0.42	1.0	10/11/23 08:53
2-Chlorotoluene	ug/L	<0.89	5.0	10/11/23 08:53
4-Chlorotoluene	ug/L	<0.89	5.0	10/11/23 08:53
Benzene	ug/L	<0.30	1.0	10/11/23 08:53
Bromobenzene	ug/L	<0.36	1.0	10/11/23 08:53
Bromochloromethane	ug/L	<0.36	1.0	10/11/23 08:53
Bromodichloromethane	ug/L	<0.42	1.0	10/11/23 08:53
Bromoform	ug/L	<0.43	1.0	10/11/23 08:53
Bromomethane	ug/L	<1.2	5.0	10/11/23 08:53
Carbon tetrachloride	ug/L	<0.37	1.0	10/11/23 08:53
Chlorobenzene	ug/L	<0.86	1.0	10/11/23 08:53
Chloroethane	ug/L	<1.4	5.0	10/11/23 08:53
Chloroform	ug/L	<0.50	5.0	10/11/23 08:53
Chloromethane	ug/L	<1.6	5.0	10/11/23 08:53
cis-1,2-Dichloroethene	ug/L	<0.47	1.0	10/11/23 08:53
cis-1,3-Dichloropropene	ug/L	<0.24	1.0	10/11/23 08:53
Dibromochloromethane	ug/L	<2.6	5.0	10/11/23 08:53
Dibromomethane	ug/L	<0.99	5.0	10/11/23 08:53
Dichlorodifluoromethane	ug/L	<0.46	5.0	10/11/23 08:53

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
 without the written consent of Pace Analytical Services, LLC.



QUALITY CONTROL DATA

Project: 1690028158_CONV GORSKI LF

Pace Project No.: 40269256

METHOD BLANK: 2625138

Matrix: Water

Associated Lab Samples: 40269256001, 40269256002, 40269256003, 40269256004, 40269256005, 40269256006, 40269256007,
40269256008, 40269256009, 40269256010, 40269256011, 40269256012

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
Diisopropyl ether	ug/L	<1.1	5.0	10/11/23 08:53	
Ethylbenzene	ug/L	<0.33	1.0	10/11/23 08:53	
Hexachloro-1,3-butadiene	ug/L	<2.7	5.0	10/11/23 08:53	
Isopropylbenzene (Cumene)	ug/L	<1.0	5.0	10/11/23 08:53	
m&p-Xylene	ug/L	<0.70	2.0	10/11/23 08:53	
Methyl-tert-butyl ether	ug/L	<1.1	5.0	10/11/23 08:53	
Methylene Chloride	ug/L	<0.32	5.0	10/11/23 08:53	
n-Butylbenzene	ug/L	<0.86	1.0	10/11/23 08:53	
n-Propylbenzene	ug/L	<0.35	1.0	10/11/23 08:53	
Naphthalene	ug/L	<1.9	5.0	10/11/23 08:53	
o-Xylene	ug/L	<0.35	1.0	10/11/23 08:53	
p-Isopropyltoluene	ug/L	<1.0	5.0	10/11/23 08:53	
sec-Butylbenzene	ug/L	<0.42	1.0	10/11/23 08:53	
Styrene	ug/L	<0.36	1.0	10/11/23 08:53	
tert-Butylbenzene	ug/L	<0.59	1.0	10/11/23 08:53	
Tetrachloroethene	ug/L	<0.41	1.0	10/11/23 08:53	
Toluene	ug/L	<0.29	1.0	10/11/23 08:53	
trans-1,2-Dichloroethene	ug/L	<0.53	1.0	10/11/23 08:53	
trans-1,3-Dichloropropene	ug/L	<0.27	1.0	10/11/23 08:53	
Trichloroethene	ug/L	<0.32	1.0	10/11/23 08:53	
Trichlorofluoromethane	ug/L	<0.42	1.0	10/11/23 08:53	
Vinyl chloride	ug/L	<0.17	1.0	10/11/23 08:53	
Xylene (Total)	ug/L	<1.0	3.0	10/11/23 08:53	
1,2-Dichlorobenzene-d4 (S)	%	105	70-130	10/11/23 08:53	
4-Bromofluorobenzene (S)	%	101	70-130	10/11/23 08:53	
Toluene-d8 (S)	%	100	70-130	10/11/23 08:53	

LABORATORY CONTROL SAMPLE: 2625139

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
1,1,1,2-Tetrachloroethane	ug/L	50	45.6	91	70-130	
1,1,1-Trichloroethane	ug/L	50	53.6	107	70-132	
1,1,2,2-Tetrachloroethane	ug/L	50	49.2	98	70-130	
1,1,2-Trichloroethane	ug/L	50	49.3	99	70-130	
1,1-Dichloroethane	ug/L	50	50.2	100	70-130	
1,1-Dichloroethene	ug/L	50	57.6	115	73-140	
1,1-Dichloropropene	ug/L	50	50.5	101	70-130	
1,2,3-Trichlorobenzene	ug/L	50	44.4	89	70-130	
1,2,3-Trichloropropane	ug/L	50	46.1	92	70-130	
1,2,4-Trichlorobenzene	ug/L	50	45.3	91	70-130	
1,2,4-Trimethylbenzene	ug/L	50	49.2	98	70-130	
1,2-Dibromo-3-chloropropane	ug/L	50	48.8	98	58-130	
1,2-Dibromoethane (EDB)	ug/L	50	51.1	102	70-130	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: 1690028158_CONV GORSKI LF

Pace Project No.: 40269256

LABORATORY CONTROL SAMPLE: 2625139

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
1,2-Dichlorobenzene	ug/L	50	46.8	94	70-130	
1,2-Dichloroethane	ug/L	50	55.8	112	70-130	
1,2-Dichloropropane	ug/L	50	52.6	105	77-127	
1,3,5-Trimethylbenzene	ug/L	50	47.8	96	70-130	
1,3-Dichlorobenzene	ug/L	50	46.6	93	70-130	
1,3-Dichloropropane	ug/L	50	50.2	100	70-130	
1,4-Dichlorobenzene	ug/L	50	46.8	94	70-130	
2,2-Dichloropropane	ug/L	50	41.9	84	65-131	
2-Chlorotoluene	ug/L	50	46.4	93	70-130	
4-Chlorotoluene	ug/L	50	45.8	92	70-130	
Benzene	ug/L	50	49.8	100	70-130	
Bromobenzene	ug/L	50	46.0	92	70-130	
Bromochloromethane	ug/L	50	48.4	97	70-130	
Bromodichloromethane	ug/L	50	54.0	108	70-130	
Bromoform	ug/L	50	44.8	90	70-130	
Bromomethane	ug/L	50	45.8	92	22-141	
Carbon tetrachloride	ug/L	50	47.2	94	70-135	
Chlorobenzene	ug/L	50	48.4	97	70-130	
Chloroethane	ug/L	50	69.7	139	59-141	
Chloroform	ug/L	50	49.9	100	80-124	
Chloromethane	ug/L	50	57.6	115	29-150	
cis-1,2-Dichloroethene	ug/L	50	48.8	98	70-130	
cis-1,3-Dichloropropene	ug/L	50	54.9	110	70-130	
Dibromochloromethane	ug/L	50	46.4	93	70-130	
Dibromomethane	ug/L	50	50.1	100	70-130	
Dichlorodifluoromethane	ug/L	50	47.6	95	10-147	
Diisopropyl ether	ug/L	50	54.8	110	57-136	
Ethylbenzene	ug/L	50	49.6	99	80-125	
Hexachloro-1,3-butadiene	ug/L	50	43.1	86	64-130	
Isopropylbenzene (Cumene)	ug/L	50	50.3	101	70-130	
m&p-Xylene	ug/L	100	98.0	98	70-130	
Methyl-tert-butyl ether	ug/L	50	49.3	99	64-131	
Methylene Chloride	ug/L	50	47.6	95	70-137	
n-Butylbenzene	ug/L	50	48.2	96	70-130	
n-Propylbenzene	ug/L	50	49.0	98	70-130	
Naphthalene	ug/L	50	68.8	138	70-130 L1	
o-Xylene	ug/L	50	48.8	98	70-130	
p-Isopropyltoluene	ug/L	50	49.4	99	70-130	
sec-Butylbenzene	ug/L	50	50.8	102	70-130	
Styrene	ug/L	50	54.8	110	70-130	
tert-Butylbenzene	ug/L	50	48.8	98	70-130	
Tetrachloroethene	ug/L	50	49.6	99	70-130	
Toluene	ug/L	50	48.2	96	80-120	
trans-1,2-Dichloroethene	ug/L	50	47.6	95	70-131	
trans-1,3-Dichloropropene	ug/L	50	43.5	87	70-130	
Trichloroethene	ug/L	50	49.8	100	70-130	
Trichlorofluoromethane	ug/L	50	62.0	124	69-141	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
 without the written consent of Pace Analytical Services, LLC.



QUALITY CONTROL DATA

Project: 1690028158_CONV GORSKI LF

Pace Project No.: 40269256

LABORATORY CONTROL SAMPLE: 2625139

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Vinyl chloride	ug/L	50	61.9	124	51-145	
Xylene (Total)	ug/L	150	147	98	70-130	
1,2-Dichlorobenzene-d4 (S)	%			99	70-130	
4-Bromofluorobenzene (S)	%			97	70-130	
Toluene-d8 (S)	%			101	70-130	

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 2625140 2625141

Parameter	Units	MS		MSD		MS % Rec	MSD % Rec	% Rec Limits	RPD	Max RPD	Qual
		40269256003	Result	Spike Conc.	MSD Result						
1,1,1,2-Tetrachloroethane	ug/L	<0.36	50	50	47.4	47.3	95	95	70-130	0	20
1,1,1-Trichloroethane	ug/L	<0.30	50	50	55.9	55.5	112	111	70-132	1	20
1,1,2,2-Tetrachloroethane	ug/L	<0.38	50	50	50.2	50.7	100	101	70-131	1	20
1,1,2-Trichloroethane	ug/L	<0.34	50	50	50.1	49.7	100	99	70-130	1	20
1,1-Dichloroethane	ug/L	<0.30	50	50	51.6	50.9	103	102	70-131	1	20
1,1-Dichloroethene	ug/L	<0.58	50	50	59.5	59.4	119	119	69-146	0	20
1,1-Dichloropropene	ug/L	<0.41	50	50	50.5	52.8	101	106	70-130	4	20
1,2,3-Trichlorobenzene	ug/L	<1.0	50	50	47.2	46.8	94	94	70-130	1	20
1,2,3-Trichloropropane	ug/L	<0.56	50	50	48.0	47.1	96	94	70-130	2	20
1,2,4-Trichlorobenzene	ug/L	<0.95	50	50	46.0	48.0	92	96	70-130	4	20
1,2,4-Trimethylbenzene	ug/L	<0.45	50	50	51.4	52.8	103	106	70-130	3	20
1,2-Dibromo-3-chloropropane	ug/L	<2.4	50	50	49.2	53.7	98	107	56-130	9	20
1,2-Dibromoethane (EDB)	ug/L	<0.31	50	50	52.0	50.7	104	101	70-130	3	20
1,2-Dichlorobenzene	ug/L	<0.33	50	50	48.9	49.3	98	99	70-130	1	20
1,2-Dichloroethane	ug/L	<0.29	50	50	57.0	56.2	114	112	70-130	1	20
1,2-Dichloropropane	ug/L	<0.45	50	50	54.9	54.5	110	109	77-129	1	20
1,3,5-Trimethylbenzene	ug/L	<0.36	50	50	50.3	51.2	101	102	70-130	2	20
1,3-Dichlorobenzene	ug/L	<0.35	50	50	48.2	49.5	96	99	70-130	3	20
1,3-Dichloropropane	ug/L	<0.30	50	50	51.5	50.2	103	100	70-130	3	20
1,4-Dichlorobenzene	ug/L	<0.89	50	50	48.0	50.0	96	100	70-130	4	20
2,2-Dichloropropane	ug/L	<0.42	50	50	45.6	46.1	91	92	65-131	1	20
2-Chlorotoluene	ug/L	<0.89	50	50	49.0	49.7	98	99	70-130	1	20
4-Chlorotoluene	ug/L	<0.89	50	50	49.3	49.2	99	98	70-130	0	20
Benzene	ug/L	<0.30	50	50	52.3	51.6	105	103	70-130	1	20
Bromobenzene	ug/L	<0.36	50	50	48.2	48.7	96	97	70-130	1	20
Bromochloromethane	ug/L	<0.36	50	50	50.1	47.8	100	96	70-130	5	20
Bromodichloromethane	ug/L	<0.42	50	50	55.7	54.5	111	109	70-130	2	20
Bromoform	ug/L	<0.43	50	50	45.1	44.9	90	90	70-130	0	20
Bromomethane	ug/L	<1.2	50	50	49.5	54.6	99	109	12-159	10	26
Carbon tetrachloride	ug/L	<0.37	50	50	49.3	49.1	99	98	70-135	0	20
Chlorobenzene	ug/L	<0.86	50	50	49.3	49.2	99	98	70-130	0	20
Chloroethane	ug/L	<1.4	50	50	69.3	76.2	139	152	56-143	10	20 M1
Chloroform	ug/L	<0.50	50	50	51.7	50.8	103	102	80-126	2	20
Chloromethane	ug/L	<1.6	50	50	61.6	60.1	123	120	22-156	2	20

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: 1690028158_CONV GORSKI LF

Pace Project No.: 40269256

		MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 2625140				2625141							
Parameter	Units	MS		MSD		MS Result	MS % Rec	MSD Result	MSD % Rec	% Rec Limits	RPD	Max RPD	Qual
		40269256003	Spike Conc.	Spike Conc.	MS Result								
cis-1,2-Dichloroethene	ug/L	<0.47	50	50	51.3	50.9	103	102	70-130	1	20		
cis-1,3-Dichloropropene	ug/L	<0.24	50	50	55.0	54.6	110	109	70-130	1	20		
Dibromochloromethane	ug/L	<2.6	50	50	48.5	48.1	97	96	70-130	1	20		
Dibromomethane	ug/L	<0.99	50	50	51.5	50.0	103	100	70-130	3	20		
Dichlorodifluoromethane	ug/L	<0.46	50	50	49.3	48.9	99	98	10-147	1	20		
Diisopropyl ether	ug/L	<1.1	50	50	56.0	55.6	112	111	57-136	1	20		
Ethylbenzene	ug/L	<0.33	50	50	51.5	50.6	103	101	80-126	2	20		
Hexachloro-1,3-butadiene	ug/L	<2.7	50	50	43.2	47.6	86	95	64-130	10	20		
Isopropylbenzene (Cumene)	ug/L	<1.0	50	50	52.1	52.2	104	104	70-130	0	20		
m&p-Xylene	ug/L	<0.70	100	100	101	100	101	100	70-130	1	20		
Methyl-tert-butyl ether	ug/L	<1.1	50	50	51.8	50.7	104	101	64-136	2	20		
Methylene Chloride	ug/L	<0.32	50	50	49.1	48.4	98	97	70-137	1	20		
n-Butylbenzene	ug/L	<0.86	50	50	51.0	52.2	102	104	70-130	2	20		
n-Propylbenzene	ug/L	<0.35	50	50	50.5	52.1	101	104	70-130	3	20		
Naphthalene	ug/L	<1.9	50	50	52.5	50.4	105	101	70-130	4	20		
o-Xylene	ug/L	<0.35	50	50	50.3	50.1	101	100	70-130	0	20		
p-Isopropyltoluene	ug/L	<1.0	50	50	51.5	52.8	103	106	70-130	2	20		
sec-Butylbenzene	ug/L	<0.42	50	50	52.7	54.3	105	109	70-130	3	20		
Styrene	ug/L	<0.36	50	50	56.6	56.2	113	112	70-133	1	20		
tert-Butylbenzene	ug/L	<0.59	50	50	51.2	52.0	102	104	70-130	2	20		
Tetrachloroethene	ug/L	<0.41	50	50	52.1	50.8	104	102	70-131	3	20		
Toluene	ug/L	<0.29	50	50	50.0	49.2	100	98	80-121	2	20		
trans-1,2-Dichloroethene	ug/L	<0.53	50	50	49.2	49.9	98	100	70-135	1	20		
trans-1,3-Dichloropropene	ug/L	<0.27	50	50	46.3	46.0	93	92	70-130	1	20		
Trichloroethene	ug/L	<0.32	50	50	51.8	52.2	104	104	70-130	1	20		
Trichlorofluoromethane	ug/L	<0.42	50	50	64.1	62.7	128	125	67-142	2	20		
Vinyl chloride	ug/L	<0.17	50	50	64.0	62.1	128	124	45-147	3	20		
Xylene (Total)	ug/L	<1.0	150	150	151	150	101	100	70-130	1	20		
1,2-Dichlorobenzene-d4 (S)	%						100	102	70-130				
4-Bromofluorobenzene (S)	%						97	98	70-130				
Toluene-d8 (S)	%						100	99	70-130				

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,

without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: 1690028158_CONV GORSKI LF

Pace Project No.: 40269256

QC Batch:	457146	Analysis Method:	EPA 8260
QC Batch Method:	EPA 8260	Analysis Description:	8260 MSV
		Laboratory:	Pace Analytical Services - Green Bay

Associated Lab Samples: 40269256014, 40269256015, 40269256016, 40269256017

METHOD BLANK: 2625142 Matrix: Water

Associated Lab Samples: 40269256014, 40269256015, 40269256016, 40269256017

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
1,1,1,2-Tetrachloroethane	ug/L	<0.36	1.0	10/11/23 09:35	
1,1,1-Trichloroethane	ug/L	<0.30	1.0	10/11/23 09:35	
1,1,2,2-Tetrachloroethane	ug/L	<0.38	1.0	10/11/23 09:35	
1,1,2-Trichloroethane	ug/L	<0.34	1.0	10/11/23 09:35	
1,1-Dichloroethane	ug/L	<0.30	1.0	10/11/23 09:35	
1,1-Dichloroethene	ug/L	<0.58	1.0	10/11/23 09:35	
1,1-Dichloropropene	ug/L	<0.41	1.0	10/11/23 09:35	
1,2,3-Trichlorobenzene	ug/L	<1.0	5.0	10/11/23 09:35	
1,2,3-Trichloropropane	ug/L	<0.56	1.0	10/11/23 09:35	
1,2,4-Trichlorobenzene	ug/L	<0.95	5.0	10/11/23 09:35	
1,2,4-Trimethylbenzene	ug/L	<0.45	1.0	10/11/23 09:35	
1,2-Dibromo-3-chloropropane	ug/L	<2.4	5.0	10/11/23 09:35	
1,2-Dibromoethane (EDB)	ug/L	<0.31	1.0	10/11/23 09:35	
1,2-Dichlorobenzene	ug/L	<0.33	1.0	10/11/23 09:35	
1,2-Dichloroethane	ug/L	<0.29	1.0	10/11/23 09:35	
1,2-Dichloropropane	ug/L	<0.45	1.0	10/11/23 09:35	
1,3,5-Trimethylbenzene	ug/L	<0.36	1.0	10/11/23 09:35	
1,3-Dichlorobenzene	ug/L	<0.35	1.0	10/11/23 09:35	
1,3-Dichloropropane	ug/L	<0.30	1.0	10/11/23 09:35	
1,4-Dichlorobenzene	ug/L	<0.89	1.0	10/11/23 09:35	
2,2-Dichloropropane	ug/L	<0.42	1.0	10/11/23 09:35	
2-Chlorotoluene	ug/L	<0.89	5.0	10/11/23 09:35	
4-Chlorotoluene	ug/L	<0.89	5.0	10/11/23 09:35	
Benzene	ug/L	<0.30	1.0	10/11/23 09:35	
Bromobenzene	ug/L	<0.36	1.0	10/11/23 09:35	
Bromochloromethane	ug/L	<0.36	1.0	10/11/23 09:35	
Bromodichloromethane	ug/L	<0.42	1.0	10/11/23 09:35	
Bromoform	ug/L	<0.43	1.0	10/11/23 09:35	
Bromomethane	ug/L	<1.2	5.0	10/11/23 09:35	
Carbon tetrachloride	ug/L	<0.37	1.0	10/11/23 09:35	
Chlorobenzene	ug/L	<0.86	1.0	10/11/23 09:35	
Chloroethane	ug/L	<1.4	5.0	10/11/23 09:35	
Chloroform	ug/L	<0.50	5.0	10/11/23 09:35	
Chloromethane	ug/L	<1.6	5.0	10/11/23 09:35	
cis-1,2-Dichloroethene	ug/L	<0.47	1.0	10/11/23 09:35	
cis-1,3-Dichloropropene	ug/L	<0.24	1.0	10/11/23 09:35	
Dibromochloromethane	ug/L	<2.6	5.0	10/11/23 09:35	
Dibromomethane	ug/L	<0.99	5.0	10/11/23 09:35	
Dichlorodifluoromethane	ug/L	<0.46	5.0	10/11/23 09:35	
Diisopropyl ether	ug/L	<1.1	5.0	10/11/23 09:35	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
 without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: 1690028158_CONV GORSKI LF

Pace Project No.: 40269256

METHOD BLANK: 2625142

Matrix: Water

Associated Lab Samples: 40269256014, 40269256015, 40269256016, 40269256017

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
Ethylbenzene	ug/L	<0.33	1.0	10/11/23 09:35	
Hexachloro-1,3-butadiene	ug/L	<2.7	5.0	10/11/23 09:35	
Isopropylbenzene (Cumene)	ug/L	<1.0	5.0	10/11/23 09:35	
m&p-Xylene	ug/L	<0.70	2.0	10/11/23 09:35	
Methyl-tert-butyl ether	ug/L	<1.1	5.0	10/11/23 09:35	
Methylene Chloride	ug/L	<0.32	5.0	10/11/23 09:35	
n-Butylbenzene	ug/L	<0.86	1.0	10/11/23 09:35	
n-Propylbenzene	ug/L	<0.35	1.0	10/11/23 09:35	
Naphthalene	ug/L	<1.9	5.0	10/11/23 09:35	
o-Xylene	ug/L	<0.35	1.0	10/11/23 09:35	
p-Isopropyltoluene	ug/L	<1.0	5.0	10/11/23 09:35	
sec-Butylbenzene	ug/L	<0.42	1.0	10/11/23 09:35	
Styrene	ug/L	<0.36	1.0	10/11/23 09:35	
tert-Butylbenzene	ug/L	<0.59	1.0	10/11/23 09:35	
Tetrachloroethene	ug/L	<0.41	1.0	10/11/23 09:35	
Toluene	ug/L	<0.29	1.0	10/11/23 09:35	
trans-1,2-Dichloroethene	ug/L	<0.53	1.0	10/11/23 09:35	
trans-1,3-Dichloropropene	ug/L	<0.27	1.0	10/11/23 09:35	
Trichloroethene	ug/L	<0.32	1.0	10/11/23 09:35	
Trichlorofluoromethane	ug/L	<0.42	1.0	10/11/23 09:35	
Vinyl chloride	ug/L	<0.17	1.0	10/11/23 09:35	
Xylene (Total)	ug/L	<1.0	3.0	10/11/23 09:35	
1,2-Dichlorobenzene-d4 (S)	%	99	70-130	10/11/23 09:35	
4-Bromofluorobenzene (S)	%	102	70-130	10/11/23 09:35	
Toluene-d8 (S)	%	97	70-130	10/11/23 09:35	

LABORATORY CONTROL SAMPLE: 2625143

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
1,1,1-Trichloroethane	ug/L	50	59.2	118	70-132	
1,1,2,2-Tetrachloroethane	ug/L	50	41.1	82	70-130	
1,1,2-Trichloroethane	ug/L	50	46.6	93	70-130	
1,1-Dichloroethane	ug/L	50	60.3	121	70-130	
1,1-Dichloroethene	ug/L	50	51.5	103	73-140	
1,2,4-Trichlorobenzene	ug/L	50	34.4	69	70-130 L2	
1,2-Dibromo-3-chloropropane	ug/L	50	34.2	68	58-130	
1,2-Dibromoethane (EDB)	ug/L	50	42.8	86	70-130	
1,2-Dichlorobenzene	ug/L	50	43.1	86	70-130	
1,2-Dichloroethane	ug/L	50	55.1	110	70-130	
1,2-Dichloropropane	ug/L	50	56.3	113	77-127	
1,3-Dichlorobenzene	ug/L	50	44.8	90	70-130	
1,4-Dichlorobenzene	ug/L	50	42.5	85	70-130	
Benzene	ug/L	50	58.4	117	70-130	
Bromodichloromethane	ug/L	50	56.9	114	70-130	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
 without the written consent of Pace Analytical Services, LLC.



QUALITY CONTROL DATA

Project: 1690028158_CONV GORSKI LF

Pace Project No.: 40269256

LABORATORY CONTROL SAMPLE: 2625143

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Bromoform	ug/L	50	47.2	94	70-130	
Bromomethane	ug/L	50	43.9	88	22-141	
Carbon tetrachloride	ug/L	50	63.9	128	70-135	
Chlorobenzene	ug/L	50	49.9	100	70-130	
Chloroethane	ug/L	50	51.1	102	59-141	
Chloroform	ug/L	50	59.3	119	80-124	
Chloromethane	ug/L	50	56.0	112	29-150	
cis-1,2-Dichloroethene	ug/L	50	55.5	111	70-130	
cis-1,3-Dichloropropene	ug/L	50	52.7	105	70-130	
Dibromochloromethane	ug/L	50	48.1	96	70-130	
Dichlorodifluoromethane	ug/L	50	62.3	125	10-147	
Ethylbenzene	ug/L	50	49.5	99	80-125	
Isopropylbenzene (Cumene)	ug/L	50	44.9	90	70-130	
m&p-Xylene	ug/L	100	96.9	97	70-130	
Methyl-tert-butyl ether	ug/L	50	43.3	87	64-131	
Methylene Chloride	ug/L	50	51.5	103	70-137	
o-Xylene	ug/L	50	48.3	97	70-130	
Styrene	ug/L	50	54.7	109	70-130	
Tetrachloroethene	ug/L	50	48.5	97	70-130	
Toluene	ug/L	50	50.2	100	80-120	
trans-1,2-Dichloroethene	ug/L	50	52.1	104	70-131	
trans-1,3-Dichloropropene	ug/L	50	43.8	88	70-130	
Trichloroethene	ug/L	50	55.2	110	70-130	
Trichlorofluoromethane	ug/L	50	51.6	103	69-141	
Vinyl chloride	ug/L	50	50.0	100	51-145	
Xylene (Total)	ug/L	150	145	97	70-130	
1,2-Dichlorobenzene-d4 (S)	%			96	70-130	
4-Bromofluorobenzene (S)	%			97	70-130	
Toluene-d8 (S)	%			96	70-130	

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 2625191 2625192

Parameter	Units	MS		MSD		MS		MSD		% Rec		Max	
		40269256014	Spike Result	Spike Conc.	Conc.	Result	% Rec	Result	% Rec	Limits	RPD	RPD	Qual
1,1,1-Trichloroethane	ug/L	<0.30	50	50	54.8	58.0	110	116	70-132	6	20		
1,1,2,2-Tetrachloroethane	ug/L	<0.38	50	50	38.8	42.4	78	85	70-131	9	20		
1,1,2-Trichloroethane	ug/L	<0.34	50	50	42.0	47.1	84	94	70-130	11	20		
1,1-Dichloroethane	ug/L	<0.30	50	50	54.9	59.0	110	118	70-131	7	20		
1,1-Dichloroethene	ug/L	<0.58	50	50	47.0	49.9	94	100	69-146	6	20		
1,2,4-Trichlorobenzene	ug/L	<0.95	50	50	34.4	35.7	69	71	70-130	4	20	M0	
1,2-Dibromo-3-chloropropane	ug/L	<2.4	50	50	33.0	35.1	66	70	56-130	6	20		
1,2-Dibromoethane (EDB)	ug/L	<0.31	50	50	38.9	42.9	78	86	70-130	10	20		
1,2-Dichlorobenzene	ug/L	<0.33	50	50	39.4	42.1	79	84	70-130	7	20		
1,2-Dichloroethane	ug/L	<0.29	50	50	50.4	54.6	101	109	70-130	8	20		

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: 1690028158_CONV GORSKI LF

Pace Project No.: 40269256

Parameter	Units	40269256014		MS		MSD		2625192				
		Result	Spike Conc.	Spike	Conc.	MS Result	MSD	MS % Rec	MSD % Rec	% Rec	RPD	Max RPD
										Limits		Qual
1,2-Dichloropropane	ug/L	<0.45	50	50	50.8	55.5	102	111	77-129	9	20	
1,3-Dichlorobenzene	ug/L	<0.35	50	50	41.4	45.1	83	90	70-130	9	20	
1,4-Dichlorobenzene	ug/L	<0.89	50	50	40.1	42.6	80	85	70-130	6	20	
Benzene	ug/L	<0.30	50	50	53.6	56.7	107	113	70-130	6	20	
Bromodichloromethane	ug/L	<0.42	50	50	51.1	56.1	102	112	70-130	9	20	
Bromoform	ug/L	<0.43	50	50	42.8	48.0	86	96	70-130	11	20	
Bromomethane	ug/L	<1.2	50	50	42.5	45.4	85	91	12-159	7	26	
Carbon tetrachloride	ug/L	<0.37	50	50	58.9	63.2	118	126	70-135	7	20	
Chlorobenzene	ug/L	<0.86	50	50	44.6	49.5	89	99	70-130	10	20	
Chloroethane	ug/L	<1.4	50	50	45.7	49.5	91	99	56-143	8	20	
Chloroform	ug/L	<0.50	50	50	54.6	58.2	109	116	80-126	6	20	
Chloromethane	ug/L	<1.6	50	50	51.2	54.3	102	109	22-156	6	20	
cis-1,2-Dichloroethene	ug/L	2.6	50	50	53.6	57.3	102	109	70-130	7	20	
cis-1,3-Dichloropropene	ug/L	<0.24	50	50	45.7	53.2	91	106	70-130	15	20	
Dibromochloromethane	ug/L	<2.6	50	50	42.9	48.8	86	98	70-130	13	20	
Dichlorodifluoromethane	ug/L	<0.46	50	50	57.6	60.2	115	120	10-147	4	20	
Ethylbenzene	ug/L	<0.33	50	50	44.6	48.7	89	97	80-126	9	20	
Isopropylbenzene (Cumene)	ug/L	<1.0	50	50	40.4	44.3	81	89	70-130	9	20	
m&p-Xylene	ug/L	<0.70	100	100	86.6	93.2	87	93	70-130	7	20	
Methyl-tert-butyl ether	ug/L	<1.1	50	50	39.2	41.7	78	83	64-136	6	20	
Methylene Chloride	ug/L	<0.32	50	50	46.0	51.3	92	103	70-137	11	20	
o-Xylene	ug/L	<0.35	50	50	42.7	47.1	85	94	70-130	10	20	
Styrene	ug/L	<0.36	50	50	48.5	53.9	97	108	70-133	11	20	
Tetrachloroethene	ug/L	<0.41	50	50	42.8	48.4	86	97	70-131	12	20	
Toluene	ug/L	<0.29	50	50	44.8	48.7	90	97	80-121	8	20	
trans-1,2-Dichloroethene	ug/L	<0.53	50	50	47.8	48.1	96	96	70-135	1	20	
trans-1,3-Dichloropropene	ug/L	<0.27	50	50	39.4	42.5	79	85	70-130	8	20	
Trichloroethene	ug/L	6.4	50	50	58.7	61.9	105	111	70-130	5	20	
Trichlorofluoromethane	ug/L	<0.42	50	50	47.2	49.9	94	100	67-142	6	20	
Vinyl chloride	ug/L	<0.17	50	50	47.3	48.5	95	97	45-147	3	20	
Xylene (Total)	ug/L	<1.0	150	150	129	140	86	94	70-130	8	20	
1,2-Dichlorobenzene-d4 (S)	%							98	96	70-130		
4-Bromofluorobenzene (S)	%							102	98	70-130		
Toluene-d8 (S)	%							96	97	70-130		

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
 without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: 1690028158_CONV GORSKI LF

Pace Project No.: 40269256

QC Batch:	457346	Analysis Method:	EPA 8260
QC Batch Method:	EPA 8260	Analysis Description:	8260 MSV
		Laboratory:	Pace Analytical Services - Green Bay

Associated Lab Samples: 40269256013

METHOD BLANK: 2626374 Matrix: Water

Associated Lab Samples: 40269256013

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
1,1,1,2-Tetrachloroethane	ug/L	<0.36	1.0	10/16/23 09:09	
1,1,1-Trichloroethane	ug/L	<0.30	1.0	10/16/23 09:09	
1,1,2,2-Tetrachloroethane	ug/L	<0.38	1.0	10/16/23 09:09	
1,1,2-Trichloroethane	ug/L	<0.34	1.0	10/16/23 09:09	
1,1-Dichloroethane	ug/L	<0.30	1.0	10/16/23 09:09	
1,1-Dichloroethene	ug/L	<0.58	1.0	10/16/23 09:09	
1,1-Dichloropropene	ug/L	<0.41	1.0	10/16/23 09:09	
1,2,3-Trichlorobenzene	ug/L	<1.0	5.0	10/16/23 09:09	
1,2,3-Trichloropropane	ug/L	<0.56	1.0	10/16/23 09:09	
1,2,4-Trichlorobenzene	ug/L	<0.95	5.0	10/16/23 09:09	
1,2,4-Trimethylbenzene	ug/L	<0.45	1.0	10/16/23 09:09	
1,2-Dibromo-3-chloropropane	ug/L	<2.4	5.0	10/16/23 09:09	
1,2-Dibromoethane (EDB)	ug/L	<0.31	1.0	10/16/23 09:09	
1,2-Dichlorobenzene	ug/L	<0.33	1.0	10/16/23 09:09	
1,2-Dichloroethane	ug/L	<0.29	1.0	10/16/23 09:09	
1,2-Dichloropropane	ug/L	<0.45	1.0	10/16/23 09:09	
1,3,5-Trimethylbenzene	ug/L	<0.36	1.0	10/16/23 09:09	
1,3-Dichlorobenzene	ug/L	<0.35	1.0	10/16/23 09:09	
1,3-Dichloropropane	ug/L	<0.30	1.0	10/16/23 09:09	
1,4-Dichlorobenzene	ug/L	<0.89	1.0	10/16/23 09:09	
2,2-Dichloropropane	ug/L	<0.42	1.0	10/16/23 09:09	
2-Chlorotoluene	ug/L	<0.89	5.0	10/16/23 09:09	
4-Chlorotoluene	ug/L	<0.89	5.0	10/16/23 09:09	
Benzene	ug/L	<0.30	1.0	10/16/23 09:09	
Bromobenzene	ug/L	<0.36	1.0	10/16/23 09:09	
Bromochloromethane	ug/L	<0.36	1.0	10/16/23 09:09	
Bromodichloromethane	ug/L	<0.42	1.0	10/16/23 09:09	
Bromoform	ug/L	<0.43	1.0	10/16/23 09:09	
Bromomethane	ug/L	<1.2	5.0	10/16/23 09:09	
Carbon tetrachloride	ug/L	<0.37	1.0	10/16/23 09:09	
Chlorobenzene	ug/L	<0.86	1.0	10/16/23 09:09	
Chloroethane	ug/L	<1.4	5.0	10/16/23 09:09	
Chloroform	ug/L	<0.50	5.0	10/16/23 09:09	
Chloromethane	ug/L	<1.6	5.0	10/16/23 09:09	
cis-1,2-Dichloroethene	ug/L	<0.47	1.0	10/16/23 09:09	
cis-1,3-Dichloropropene	ug/L	<0.24	1.0	10/16/23 09:09	
Dibromochloromethane	ug/L	<2.6	5.0	10/16/23 09:09	
Dibromomethane	ug/L	<0.99	5.0	10/16/23 09:09	
Dichlorodifluoromethane	ug/L	<0.46	5.0	10/16/23 09:09	
Diisopropyl ether	ug/L	<1.1	5.0	10/16/23 09:09	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
 without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: 1690028158_CONV GORSKI LF

Pace Project No.: 40269256

METHOD BLANK: 2626374

Matrix: Water

Associated Lab Samples: 40269256013

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
Ethylbenzene	ug/L	<0.33	1.0	10/16/23 09:09	
Hexachloro-1,3-butadiene	ug/L	<2.7	5.0	10/16/23 09:09	
Isopropylbenzene (Cumene)	ug/L	<1.0	5.0	10/16/23 09:09	
m&p-Xylene	ug/L	<0.70	2.0	10/16/23 09:09	
Methyl-tert-butyl ether	ug/L	<1.1	5.0	10/16/23 09:09	
Methylene Chloride	ug/L	<0.32	5.0	10/16/23 09:09	
n-Butylbenzene	ug/L	<0.86	1.0	10/16/23 09:09	
n-Propylbenzene	ug/L	<0.35	1.0	10/16/23 09:09	
Naphthalene	ug/L	<1.9	5.0	10/16/23 09:09	
o-Xylene	ug/L	<0.35	1.0	10/16/23 09:09	
p-Isopropyltoluene	ug/L	<1.0	5.0	10/16/23 09:09	
sec-Butylbenzene	ug/L	<0.42	1.0	10/16/23 09:09	
Styrene	ug/L	<0.36	1.0	10/16/23 09:09	
tert-Butylbenzene	ug/L	<0.59	1.0	10/16/23 09:09	
Tetrachloroethene	ug/L	<0.41	1.0	10/16/23 09:09	
Toluene	ug/L	<0.29	1.0	10/16/23 09:09	
trans-1,2-Dichloroethene	ug/L	<0.53	1.0	10/16/23 09:09	
trans-1,3-Dichloropropene	ug/L	<0.27	1.0	10/16/23 09:09	
Trichloroethene	ug/L	<0.32	1.0	10/16/23 09:09	
Trichlorofluoromethane	ug/L	<0.42	1.0	10/16/23 09:09	
Vinyl chloride	ug/L	<0.17	1.0	10/16/23 09:09	
Xylene (Total)	ug/L	<1.0	3.0	10/16/23 09:09	
1,2-Dichlorobenzene-d4 (S)	%	105	70-130	10/16/23 09:09	
4-Bromofluorobenzene (S)	%	92	70-130	10/16/23 09:09	
Toluene-d8 (S)	%	93	70-130	10/16/23 09:09	

LABORATORY CONTROL SAMPLE: 2626375

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
1,1,1-Trichloroethane	ug/L	50	55.4	111	70-132	
1,1,2,2-Tetrachloroethane	ug/L	50	47.2	94	70-130	
1,1,2-Trichloroethane	ug/L	50	48.6	97	70-130	
1,1-Dichloroethane	ug/L	50	48.6	97	70-130	
1,1-Dichloroethene	ug/L	50	57.9	116	73-140	
1,2,4-Trichlorobenzene	ug/L	50	48.0	96	70-130	
1,2-Dibromo-3-chloropropane	ug/L	50	45.8	92	58-130	
1,2-Dibromoethane (EDB)	ug/L	50	49.1	98	70-130	
1,2-Dichlorobenzene	ug/L	50	54.5	109	70-130	
1,2-Dichloroethane	ug/L	50	49.6	99	70-130	
1,2-Dichloropropane	ug/L	50	49.8	100	77-127	
1,3-Dichlorobenzene	ug/L	50	52.6	105	70-130	
1,4-Dichlorobenzene	ug/L	50	53.4	107	70-130	
Benzene	ug/L	50	51.2	102	70-130	
Bromodichloromethane	ug/L	50	51.1	102	70-130	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
 without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: 1690028158_CONV GORSKI LF

Pace Project No.: 40269256

LABORATORY CONTROL SAMPLE: 2626375

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Bromoform	ug/L	50	59.5	119	70-130	
Bromomethane	ug/L	50	46.7	93	22-141	
Carbon tetrachloride	ug/L	50	62.1	124	70-135	
Chlorobenzene	ug/L	50	53.7	107	70-130	
Chloroethane	ug/L	50	51.1	102	59-141	
Chloroform	ug/L	50	51.1	102	80-124	
Chloromethane	ug/L	50	44.7	89	29-150	
cis-1,2-Dichloroethene	ug/L	50	49.6	99	70-130	
cis-1,3-Dichloropropene	ug/L	50	49.0	98	70-130	
Dibromochloromethane	ug/L	50	53.1	106	70-130	
Dichlorodifluoromethane	ug/L	50	27.1	54	10-147	
Ethylbenzene	ug/L	50	51.1	102	80-125	
Isopropylbenzene (Cumene)	ug/L	50	53.8	108	70-130	
m&p-Xylene	ug/L	100	112	112	70-130	
Methyl-tert-butyl ether	ug/L	50	46.6	93	64-131	
Methylene Chloride	ug/L	50	54.3	109	70-137	
o-Xylene	ug/L	50	55.8	112	70-130	
Styrene	ug/L	50	58.7	117	70-130	
Tetrachloroethene	ug/L	50	55.8	112	70-130	
Toluene	ug/L	50	49.3	99	80-120	
trans-1,2-Dichloroethene	ug/L	50	52.4	105	70-131	
trans-1,3-Dichloropropene	ug/L	50	47.0	94	70-130	
Trichloroethene	ug/L	50	53.2	106	70-130	
Trichlorofluoromethane	ug/L	50	56.1	112	69-141	
Vinyl chloride	ug/L	50	43.4	87	51-145	
Xylene (Total)	ug/L	150	168	112	70-130	
1,2-Dichlorobenzene-d4 (S)	%			102	70-130	
4-Bromofluorobenzene (S)	%			93	70-130	
Toluene-d8 (S)	%			94	70-130	

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 2628058 2628059

Parameter	Units	MS		MSD		MS		MSD		% Rec		Max	
		40269329005	Spike Result	Spike Conc.	Conc.	MS Result	% Rec	MS Result	% Rec	MSD % Rec	Limits	RPD	RPD
1,1,1-Trichloroethane	ug/L	<0.30	50	50	53.9	56.6	108	113	70-132	5	20		
1,1,2,2-Tetrachloroethane	ug/L	<0.38	50	50	46.5	49.1	93	98	70-131	5	20		
1,1,2-Trichloroethane	ug/L	<0.34	50	50	48.2	51.5	96	103	70-130	7	20		
1,1-Dichloroethane	ug/L	<0.30	50	50	48.3	49.3	97	99	70-131	2	20		
1,1-Dichloroethene	ug/L	<0.58	50	50	58.4	61.7	117	123	69-146	6	20		
1,2,4-Trichlorobenzene	ug/L	<0.95	50	50	46.2	50.6	92	101	70-130	9	20		
1,2-Dibromo-3-chloropropane	ug/L	<2.4	50	50	45.0	46.2	90	92	56-130	3	20		
1,2-Dibromoethane (EDB)	ug/L	<0.31	50	50	49.8	51.0	100	102	70-130	2	20		
1,2-Dichlorobenzene	ug/L	<0.33	50	50	54.9	56.6	110	113	70-130	3	20		
1,2-Dichloroethane	ug/L	<0.29	50	50	50.6	50.8	101	102	70-130	0	20		

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
 without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: 1690028158_CONV GORSKI LF

Pace Project No.: 40269256

Parameter	Units	40269329005		MS		MSD		2628058		2628059		% Rec Limits	RPD	Max RPD	Qual	
		Result	Spike Conc.	Spike	Conc.	MS Result	MSD Result	MS % Rec	MSD % Rec							
1,2-Dichloropropane	ug/L	<0.45	50	50	50.7	53.9	101	108	77-129	6	20					
1,3-Dichlorobenzene	ug/L	<0.35	50	50	52.0	54.7	104	109	70-130	5	20					
1,4-Dichlorobenzene	ug/L	<0.89	50	50	53.6	56.0	107	112	70-130	4	20					
Benzene	ug/L	<0.30	50	50	52.0	52.7	104	105	70-130	1	20					
Bromodichloromethane	ug/L	<0.42	50	50	52.9	54.1	106	108	70-130	2	20					
Bromoform	ug/L	<0.43	50	50	58.4	59.9	117	120	70-130	3	20					
Bromomethane	ug/L	<1.2	50	50	46.7	46.9	93	94	12-159	0	26					
Carbon tetrachloride	ug/L	<0.37	50	50	61.0	64.0	122	128	70-135	5	20					
Chlorobenzene	ug/L	<0.86	50	50	53.8	55.8	108	112	70-130	4	20					
Chloroethane	ug/L	<1.4	50	50	52.4	52.3	105	105	56-143	0	20					
Chloroform	ug/L	<0.50	50	50	52.5	53.9	105	108	80-126	3	20					
Chloromethane	ug/L	<1.6	50	50	43.3	45.2	87	90	22-156	4	20					
cis-1,2-Dichloroethene	ug/L	<0.47	50	50	52.2	52.1	104	104	70-130	0	20					
cis-1,3-Dichloropropene	ug/L	<0.24	50	50	50.2	51.5	100	103	70-130	3	20					
Dibromochloromethane	ug/L	<2.6	50	50	53.3	55.5	107	111	70-130	4	20					
Dichlorodifluoromethane	ug/L	<0.46	50	50	25.9	25.8	52	52	10-147	1	20					
Ethylbenzene	ug/L	<0.33	50	50	50.6	52.6	101	105	80-126	4	20					
Isopropylbenzene (Cumene)	ug/L	<1.0	50	50	53.5	56.7	107	113	70-130	6	20					
m&p-Xylene	ug/L	<0.70	100	100	112	114	112	114	70-130	2	20					
Methyl-tert-butyl ether	ug/L	<1.1	50	50	47.1	48.5	94	97	64-136	3	20					
Methylene Chloride	ug/L	<0.32	50	50	54.4	54.6	109	109	70-137	0	20					
o-Xylene	ug/L	<0.35	50	50	55.5	57.8	111	116	70-130	4	20					
Styrene	ug/L	<0.36	50	50	59.0	62.0	118	124	70-133	5	20					
Tetrachloroethene	ug/L	<0.41	50	50	55.2	57.1	110	114	70-131	3	20					
Toluene	ug/L	<0.29	50	50	48.7	51.1	97	102	80-121	5	20					
trans-1,2-Dichloroethene	ug/L	<0.53	50	50	50.7	54.0	101	108	70-135	6	20					
trans-1,3-Dichloropropene	ug/L	<0.27	50	50	49.0	49.8	98	100	70-130	2	20					
Trichloroethene	ug/L	<0.32	50	50	52.6	55.8	105	112	70-130	6	20					
Trichlorofluoromethane	ug/L	<0.42	50	50	55.7	57.2	111	114	67-142	3	20					
Vinyl chloride	ug/L	<0.17	50	50	41.8	45.0	84	90	45-147	7	20					
Xylene (Total)	ug/L	<1.0	150	150	168	172	112	115	70-130	3	20					
1,2-Dichlorobenzene-d4 (S)	%							97	103	70-130						
4-Bromofluorobenzene (S)	%							92	95	70-130						
Toluene-d8 (S)	%							93	94	70-130						

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
 without the written consent of Pace Analytical Services, LLC.

QUALIFIERS

Project: 1690028158_CONV GORSKI LF

Pace Project No.: 40269256

DEFINITIONS

DF - Dilution Factor, if reported, represents the factor applied to the reported data due to dilution of the sample aliquot.

ND - Not Detected at or above LOD.

J - Estimated concentration at or above the LOD and below the LOQ.

LOD - Limit of Detection adjusted for dilution factor, percent moisture, initial weight and final volume.

LOQ - Limit of Quantitation adjusted for dilution factor, percent moisture, initial weight and final volume.

DL - Adjusted Method Detection Limit.

S - Surrogate

1,2-Diphenylhydrazine decomposes to and cannot be separated from Azobenzene using Method 8270. The result for each analyte is a combined concentration.

Consistent with EPA guidelines, unrounded data are displayed and have been used to calculate % recovery and RPD values.

LCS(D) - Laboratory Control Sample (Duplicate)

MS(D) - Matrix Spike (Duplicate)

DUP - Sample Duplicate

RPD - Relative Percent Difference

NC - Not Calculable.

SG - Silica Gel - Clean-Up

U - Indicates the compound was analyzed for, but not detected at or above the adjusted LOD.

N-Nitrosodiphenylamine decomposes and cannot be separated from Diphenylamine using Method 8270. The result reported for each analyte is a combined concentration.

Pace Analytical is TNI accredited. Contact your Pace PM for the current list of accredited analytes.

TNI - The NELAC Institute.

ANALYTE QUALIFIERS

L1 Analyte recovery in the laboratory control sample (LCS) was above QC limits. Results may be biased high.

L2 Analyte recovery in the laboratory control sample (LCS) was below QC limits. Results may be biased low.

M0 Matrix spike recovery and/or matrix spike duplicate recovery was outside laboratory control limits.

M1 Matrix spike recovery exceeded QC limits. Batch accepted based on laboratory control sample (LCS) recovery.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



QUALITY CONTROL DATA CROSS REFERENCE TABLE

Project: 1690028158_CONV GORSKI LF

Pace Project No.: 40269256

Lab ID	Sample ID	QC Batch Method	QC Batch	Analytical Method	Analytical Batch
40269256001	1096 CTH KK	EPA 8260	457145		
40269256002	1101 CTH KK	EPA 8260	457145		
40269256003	626 CTH B	EPA 8260	457145		
40269256004	642R CTH B	EPA 8260	457145		
40269256005	652R CTH B	EPA 8260	457145		
40269256006	666 CTH B	EPA 8260	457145		
40269256007	669 CTH B	EPA 8260	457145		
40269256008	669 CTH BD	EPA 8260	457145		
40269256009	670 CTH B	EPA 8260	457145		
40269256010	MW-4	EPA 8260	457145		
40269256011	MW-4D	EPA 8260	457145		
40269256012	MW-6	EPA 8260	457145		
40269256013	PZ-3	EPA 8260	457346		
40269256014	PZ-4	EPA 8260	457146		
40269256015	TRIP BLANK	EPA 8260	457146		
40269256016	1054 CTH KK	EPA 8260	457146		
40269256017	1058 CTH KK	EPA 8260	457146		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

40269256

Pace® Location Requested (City/State)

Pace Analytical Green Bay
1241 Bellevue Street, Suite 9
Green Bay, WI 54302

CHAIN-OF-CUSTODY Analytical Request Document

Chain-of-Custody is a LEGAL DOCUMENT - Complete all relevant fields

LAB USE ONLY- Affix Workorder/Login Label Here

Company Name. Ramboll US Consulting, Inc.
Street Address. 234 W. Florida Street, Fifth Floor
Milwaukee, WI 53204

Contact/Report To

Phone #

E-Mail *MMEJAC@RAMBOLL.COM*
Cc E-Mail *DMARKEZ@RAMBOLL.COM*

Invoice To

Invoice E-Mail

Purchase Order # (if applicable).

Quote #.

Scan QR Code for instructions

Customer Project #.

Project Name. 1690028158_Conv Gorski LF

Site Collection Info/Facility ID (as applicable).

Time Zone Collected AK PT MT CT ET

County / State origin of sample(s) Wisconsin

Data Deliverables

Regulatory Program (DW, RCRA, etc.) as applicable.

 Level II Level III Level IV

Rush (Pre-approval required): DW PWSID # or WW Permit # as applicable.

 EQUIS 2 Day 3 day 5 day Other _____ Other _____Date Results Requested: *SOD*Field Filtered (if applicable) Yes No

Analysis

* Matrix Codes (Insert in Matrix box below). Drinking Water (DW), Ground Water (GW), Waste Water (WW), Product (P), Soil/Solid (SS), Oil (OL), Wipe (WP), Tissue (TS), Bioassay (B), Vapor (V), Other (OT), Surface Water (SW), Sediment (SED), Sludge (SL), Caulk

Customer Sample ID	Matrix *	Comp / Grab	Collected (or Composite Start)		Composite End		Res. CL2	Number & Type of Containers		Trip Blank	VOC by 8260	Lab Use Only	Proj. Mgr. Steven Mleczko	AcctNum / Client ID.	Table #.	Profile / Template. 1	Prelog / Bottle Ord. ID: 1145854	Preservation non-conformance identified for sample
			Date	Time	Date	Time		Plastic	Glass									
1096 CTH KK	WT		<i>109.23</i>	<i>1120</i>				<i>3</i>	<i>X</i>								<i>001</i>	
1101 CTH KK	WT			<i>1110</i>				<i>3</i>	<i>X</i>								<i>002</i>	
626 CTH B	WT			<i>1100</i>				<i>7</i>	<i>X</i>								<i>003</i>	
642R CTH B	WT			<i>1055</i>				<i>3</i>	<i>X</i>								<i>004</i>	
652R CTH B	WT			<i>1045</i>				<i>3</i>	<i>X</i>								<i>005</i>	
666 CTH B	WT			<i>1015</i>				<i>3</i>	<i>X</i>								<i>006</i>	
669 CTH B	WT			<i>1025</i>				<i>3</i>	<i>X</i>								<i>007</i>	
669 CTH BD	WT			<i>1030</i>				<i>3</i>	<i>X</i>								<i>008</i>	
670 CTH B	WT			<i>1035</i>				<i>3</i>	<i>X</i>								<i>009</i>	
MW-4	WT			<i>1220</i>				<i>3</i>	<i>X</i>								<i>010</i>	

Customer Remarks / Special Conditions / Possible Hazards:

Collected By:

Printed Name.

Signature

Additional Instructions from Pace®:

Relinquished by/Company (Signature)	Date/Time	Received by/Company (Signature)	Date/Time	Tracking Number.
<i>Din Colle Ramboll</i>	<i>10.9.23 1640</i>	<i>Philippe J. PACE</i>	<i>10/9/23 1640</i>	
Delivered by: <input checked="" type="checkbox"/> In-Person <input type="checkbox"/> Courier				
<input type="checkbox"/> FedEx <input type="checkbox"/> UPS <input type="checkbox"/> Other				

Submitting a sample via this chain of custody constitutes acknowledgment and acceptance of the Pace® Terms and Conditions found at <https://www.pacelabs.com/resource-library/resource/pace-terms-and-conditions/>

ENV-FRM-CORQ-0019_v01_082123 ©

40269256

Pace® Location Requested (City/State)

Pace Analytical Green Bay
1241 Bellevue Street, Suite 9
Green Bay, WI 54302

CHAIN-OF-CUSTODY Analytical Request Document

Chain-of-Custody is a LEGAL DOCUMENT - Complete all relevant fields

LAB USE ONLY- Affix Workorder/Login Label Here

Company Name. Ramboll US Consulting, Inc. Street Address 234 W. Florida Street, Fifth Floor Milwaukee, WI 53204 Customer Project #. Project Name 1690028158_Conv Gorski LF Site Collection Info/Facility ID (as applicable).							Contact/Report To Phone #. E-Mail MMEYAC@RAMBOLL.COM Cc E-Mail. DMARKELES@RAMBOLL.COM Invoice To Invoice E-Mail Purchase Order # (if applicable). Quote #							Scan QR Code for instructions Specify Container Size ** 6 Identify Container Preservative Type*** 4 Analysis Requested							**Container Size (1) 1L, (2) 500mL, (3) 250mL, (4) 125mL, (5) 100mL, (6) 40mL vial, (7) EnCore, (8) TerraCore, (9) Other *** Preservative Types. (1) None, (2) HNO3, (3) H2SO4, (4) HCl, (5) NaOH, (6) Zn Acetate, (7) NaHSO4, (8) Sod Thiosulfate, (9) Ascorbic Acid, (10) MeOH, (11) Other	
Time Zone Collected [] AK [] PT [] MT [] CT [] ET							County / State origin of sample(s). Wisconsin							Proj. Mgr: Steven Mleczko AcctNum / Client ID Lab Use Only Table #: 1 Profile / Template. 1 Prelog / Bottle Ord. ID, 1145854							Project Manager: Steven Mleczko Account Number / Client ID: 1145854	
Data Deliverables [] Level II [] Level III [] Level IV [] EQUIIS [] Other _____							Regulatory Program (DW, RCRA, etc) as applicable Rush (Pre-approval required): DW PWSID # or WW Permit # as applicable. [] 2 Day [] 3 day [] 5 day [] Other _____ Date Results Requested: STD Field Filtered (if applicable) [] Yes X No Analysis														Sample Comment: 011	
* Matrix Codes (Insert in Matrix box below) Drinking Water (DW), Ground Water (GW), Waste Water (WW), Product (P), Soil/Solid (SS), Oil (OL), Wipe (WP), Tissue (TS), Bioassay (B), Vapor (V), Other (OT), Surface Water (SW), Sediment (SED), Sludge (SL), Caulk														Sample Comment: 012								
Customer Sample ID		Matrix *	Comp / Grab	Collected (or Composite Start)		Composite End		Res. CL2	Number & Type of Containers													
				Date	Time	Date	Time		Plastic	Glass	Trip Blank	VOC by 8260										
MW-4D		WT		10-9-23	1225				3	X												
MW-6		WT		1	1345				3	X												
PZ-3		WT		1	1430				3	X												
PZ-4		WT		1	1310				3	X												
Trip Blank		WT		1	—				2	X												
1054 CTH KK		WT		1	1140				3	X												
1058 CTH KK		WT		1	1130				3	X												
Customer Remarks / Special Conditions / Possible Hazards:							Collected By: Printed Name _____ Signature. _____							Additional Instructions from Pace*: _____								
Relinquished by/Company (Signature)		Date/Time		Received by/Company (Signature)			Date/Time		Tracking Number													
Relinquished by/Company (Signature)		Date/Time		Received by/Company (Signature)			Date/Time		Tracking Number													
Relinquished by/Company (Signature)		Date/Time		Received by/Company (Signature)			Date/Time		Tracking Number													
Relinquished by/Company (Signature)		Date/Time		Received by/Company (Signature)			Date/Time		Tracking Number													
Delivered by: X In-Person [] Courier [] FedEx [] UPS [] Other																						
Page: 2 of 2																						

Effective Date: 8/16/2022

Client Name: RamboAll containers needing preservation have been checked and noted below.
Lab Lot# of pH paper

Sample Preservation Receipt Form

Project #
 Yes No N/A40769256

Lab Std #ID of preservation (if pH adjusted):

Initial when completed.

Date/
Time.

Pace Lab #	AG1U	BG1U	AG1H	AG4S	AG5U	AG2S	BG3U	BP1U	BP3U	BP3B	BP3N	BP3S	BP2Z	VG9C	DG9T	VG9U	VG9H	VG9M	VG9D	JGFU	JG9U	WGFU	WPFU	SP5T	ZPLC	GN 1	GN 2	VOA Vials (>6mm)*	H2SO4 pH ≤2	NaOH+Zn Act pH ≥9	NaOH pH ≥12	HNO3 pH ≤2	pH after adjusted	Volume (mL)
001																	3												2.5 / 5					
002																	3												2.5 / 5					
003																	7												2.5 / 5					
004																	3												2.5 / 5					
005																	3												2.5 / 5					
006																	3												2.5 / 5					
007																	3												2.5 / 5					
008																	3												2.5 / 5					
009																	3												2.5 / 5					
010																	3												2.5 / 5					
011																	3												2.5 / 5					
012																	3												2.5 / 5					
013																	3												2.5 / 5					
014																	3												2.5 / 5					
015																	4												2.5 / 5					
016																	3												2.5 / 5					
017																	3												2.5 / 5					
018																													2.5 / 5					
019																													2.5 / 5					
020																													2.5 / 5					

Exceptions to preservation check (VOA) Coliform, TOC, TOX, TOH, O&G, WI DRO, Phenolics, Other.

Headspace in VOA Vials (>6mm) · Yes No N/A

*If yes look in headspace column

AG1U	1 liter amber glass	BP1U	1 liter plastic unpres	VG9C	40 mL clear ascorbic w/ HCl	JGFU	4 oz amber jar unpres
BG1U	1 liter clear glass	BP3U	250 mL plastic unpres	DG9T	40 mL amber Na Thio	JG9U	9 oz amber jar unpres
AG1H	1 liter amber glass HCL	BP3B	250 mL plastic NaOH	VG9U	40 mL clear vial unpres	WGFU	4 oz clear jar unpres
AG4S	125 mL amber glass H2SO4	BP3N	250 mL plastic HNO3	VG9H	40 mL clear vial HCL	WPFU	4 oz plastic jar unpres
AG5U	100 mL amber glass unpres	BP3S	250 mL plastic H2SO4	VG9M	40 mL clear vial MeOH	SP5T	120 mL plastic Na Thiosulfate
AG2S	500 mL amber glass H2SO4	BP2Z	500 mL plastic NaOH + Zn	VG9D	40 mL clear vial DI	ZPLC	ziploc bag
BG3U	250 mL clear glass unpres					GN 1	
						GN 2	

Page 1 of 2

Sample Condition Upon Receipt Form (SCUR)

Project #:

Client Name: RambollCourier: CS Logistics Fed Ex Speedee UPS Waltco Client Pace Other: _____WO#: **40269256**

40269256

Tracking #: _____

Custody Seal on Cooler/Box Present: yes no Seals intact: yes noCustody Seal on Samples Present: yes no Seals intact: yes noPacking Material: Bubble Wrap Bubble Bags None OtherThermometer Used SR - 118 Type of Ice: Wet Blue Dry None Meltwater OnlyCooler Temperature Uncorr: 2.0 /Corr: 2.5Temp Blank Present: yes noBiological Tissue is Frozen: yes no

Temp should be above freezing to 6°C.

Biota Samples may be received at ≤ 0°C if shipped on Dry Ice.

Person examining contents:

Date: 10/9/23 /Initials: NVJB

Labeled By Initials:

Chain of Custody Present:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	1.
Chain of Custody Filled Out:	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A	2. <u>INVOICE, Proj. #</u> <u>10/9/23 NV</u>
Chain of Custody Relinquished:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	3.
Sampler Name & Signature on COC:	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A	4.
Samples Arrived within Hold Time: - DI VOA Samples frozen upon receipt	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	5. Date/Time
Short Hold Time Analysis (<72hr):	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	6.
Rush Turn Around Time Requested:	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	7.
Sufficient Volume: For Analysis: <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No MS/MSD: <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	8.	
Correct Containers Used:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	9.
Correct Type: <u>Pace Green Bay</u> Pace IR, Non-Pace		
Containers Intact:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	10.
Filtered volume received for Dissolved tests	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	11.
Sample Labels match COC: -Includes date/time/ID/Analysis	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	12.
Trip Blank Present:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	13.
Trip Blank Custody Seals Present	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	
Pace Trip Blank Lot # (if purchased): <u>504</u>		

If checked, see attached form for additional comments

Client Notification/ Resolution:

Person Contacted: _____ Date/Time: _____

Comments/ Resolution: _____

PM Review is documented electronically in LIMs. By releasing the project, the PM acknowledges they have reviewed the sample log in

Page 2 of 2