



June 19, 2020

Mr. Mark Yokom
Appvion, Holding Corp.
825 E. Wisconsin Avenue
P.O. Box 359
Appleton, WI 54912-0359

Subject: Environmental Investigation Sampling Results
BRRTS#: 02-45-000015

Dear Mr. Yokom:

In accordance with the executed Agreement to Provide Access for Sampling Activities, and in accordance with Wisconsin Department of Natural Resources (WDNR) regulation NR 716.14, EnviroForensics, LLC (EnviroForensics) is providing the results of the soil and groundwater samples collected at three (3) locations on the Appvion, Inc. property located at 714 North Lawe Street in Appleton, Wisconsin. The soil samples were collected on June 1, 2020 and small-diameter wells installed at the same locations. Because groundwater recharges very slowly, the wells were sampled a few days later on June 5, 2020.

Soil samples were collected in 5-foot long cores to a depth of 15 feet to determine the soil lithology. Soil samples for laboratory analysis were collected from the upper 4 feet of unsaturated soil, which is considered the direct contact zone. A sample was collected from the 0-2 foot interval and another from the 2-4 foot interval and sent to the laboratory for analysis. The wells were sampled using disposable polyvinyl chloride (PVC) bailers. All soil and groundwater samples were analyzed for chlorinated volatile organic compounds (CVOCs), which are the chemicals of concern. The soil boring/monitoring well locations are designated GP-42/TW-7, GP-43/TW-8, and GP-44/TW-9 as shown on the attached **Figure 1**.

The sampling activities were conducted at the direction of the WDNR as part of an environmental investigation being performed for the Former Albany International facility located at 908 North Lawe Street in Appleton, Wisconsin. The WDNR has assigned the following identification to the former cleaning facility: BRRTS# 02-45-000015.

The Responsible Party is:

Albany International.
P.O. Box 1939

Document: 6486-0685
EnviroForensics, LLC
N16 W23390 Stone Ridge Dr, Suite G, Waukesha, WI 53188
Phone: 262-290-4001 • Fax 317-972-7875


Appleton, WI 54913

Sampling Results

All of the soil and groundwater samples collected from your property at the locations shown on **Figure 1** did not contain CVOCs at concentrations exceeding the laboratory detection limits for these compounds (refer to attached analytical reports).

If you have any questions or concerns, please contact me at 414-982-3988 or by email at wfassbender@enviroforensics.com. The WDNR project manager, Jennifer Borski, can be reached at 920-424-7887. We greatly appreciate your help and patience with this matter.

Sincerely,
EnviroForensics, LLC


A handwritten signature in black ink that reads "Wayne P. Fassbender".

Wayne Fassbender, PG, PMP
Senior Project Manager

Copy: Jennifer Borski, Wisconsin Department of Natural Resources

Attachments:

Figure 1: Locations of Additional CVOC Data Collection Points
Soil and Groundwater Laboratory Analytical Reports



Legend

- Property boundary
- GAS - Underground gas utility line
- WTR - Underground water utility line
- SAN - Underground sanitary utility line
- UGT - Fiber optics line
- STM - Underground storm utility line
- Pipe chase
- French drain and associated piping
- Sump
- Former Sump
- Floor drain
- Manhole
- MW-4 - Monitoring well
- GP-36/TW-1 - Soil boring/1-inch diameter well
- Dairy tile floor

Analyte	Soil to Groundwater Residual Contaminant Level	Non-Industrial Residual Contaminant Level	Industrial Residual Contaminant Level
PCE	4.5	33,000	145,000
TCE	3.6	1,300	8,410
cis-1,2-DCE	41.2	156,000	2,340,000

- Note:
1. Bold shaded blue values exceed WDNR Soil to Groundwater Residual Contaminant Level
 2. Results are reported in micrograms per kilogram (µg/kg)
 3. PCE = Tetrachloroethene
 4. TCE = Trichloroethene
 5. cis-1,2-DCE = cis-1,2-Dichloroethene
 6. CVOCs = Chlorinated Volatile Organic Compounds
 7. ND = Not detected above laboratory detection limits

Extent of CVOC concentrations in soil exceeding a Soil to Groundwater Residual Contaminant Level

Additional soil boring and small-diameter well locations

LOCATIONS OF ADDITIONAL CVOC DATA COLLECTION POINTS
 Albany International - Luvata Site
 908 North Lawe Street
 Appleton, Wisconsin

Date:	6/19/20		Figure
Designed:	EB		1
Drawn:	EB		Project
Checked:	WF		6486
DWG file:	6486-2201		

825 North Capitol Avenue • Indianapolis, IN 46204
 EnviroForensics.com

Synergy Environmental Lab, INC

1990 Prospect Ct., Appleton, WI 54914 *P 920-830-2455 * F 920-733-0631

WAYNE FASSBENDER
ENVIROFORENSICS
N16 W 23390 STONERIDGE DR
WAUKESHA WI 53188

Report Date 11-Jun-20

Project Name ALBANY INTL
Project # 6486 PO#2020-1492
Lab Code 5037962A
Sample ID GP-42 0-2
Sample Matrix Soil
Sample Date 6/1/2020

Invoice # E37962

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
General										
General										
Solids Percent	78.3	%			1	5021		6/2/2020	NJC	1
Organic										
VOC's										
cis-1,2-Dichloroethene	< 0.032	mg/kg	0.032	0.1	1	8260B		6/10/2020	CJR	1
trans-1,2-Dichloroethene	< 0.028	mg/kg	0.028	0.09	1	8260B		6/10/2020	CJR	1
Tetrachloroethene	< 0.032	mg/kg	0.032	0.1	1	8260B		6/10/2020	CJR	1
Trichloroethene (TCE)	< 0.041	mg/kg	0.041	0.13	1	8260B		6/10/2020	CJR	1
Vinyl Chloride	< 0.019	mg/kg	0.019	0.062	1	8260B		6/10/2020	CJR	1
SUR - 1,2-Dichloroethane-d4	99	Rec %			1	8260B		6/10/2020	CJR	1
SUR - 4-Bromofluorobenzene	104	Rec %			1	8260B		6/10/2020	CJR	1
SUR - Dibromofluoromethane	105	Rec %			1	8260B		6/10/2020	CJR	1
SUR - Toluene-d8	91	Rec %			1	8260B		6/10/2020	CJR	1

Project Name ALBANY INTL
Project # 6486 PO#2020-1492

Invoice # E37962

Lab Code 5037962B
Sample ID GP-42 2-4
Sample Matrix Soil
Sample Date 6/1/2020

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
General										
General										
Solids Percent	85.8	%			1	5021		6/2/2020	NJC	1
Organic										
VOC's										
cis-1,2-Dichloroethene	< 0.032	mg/kg	0.032	0.1	1	8260B		6/10/2020	CJR	1
trans-1,2-Dichloroethene	< 0.028	mg/kg	0.028	0.09	1	8260B		6/10/2020	CJR	1
Tetrachloroethene	< 0.032	mg/kg	0.032	0.1	1	8260B		6/10/2020	CJR	1
Trichloroethene (TCE)	< 0.041	mg/kg	0.041	0.13	1	8260B		6/10/2020	CJR	1
Vinyl Chloride	< 0.019	mg/kg	0.019	0.062	1	8260B		6/10/2020	CJR	1
SUR - 1,2-Dichloroethane-d4	104	Rec %			1	8260B		6/10/2020	CJR	1
SUR - 4-Bromofluorobenzene	104	Rec %			1	8260B		6/10/2020	CJR	1
SUR - Dibromofluoromethane	108	Rec %			1	8260B		6/10/2020	CJR	1
SUR - Toluene-d8	91	Rec %			1	8260B		6/10/2020	CJR	1

Lab Code 5037962C
Sample ID GP-43 0-2
Sample Matrix Soil
Sample Date 6/1/2020

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
General										
General										
Solids Percent	86.1	%			1	5021		6/2/2020	NJC	1
Organic										
VOC's										
cis-1,2-Dichloroethene	< 0.032	mg/kg	0.032	0.1	1	8260B		6/10/2020	CJR	1
trans-1,2-Dichloroethene	< 0.028	mg/kg	0.028	0.09	1	8260B		6/10/2020	CJR	1
Tetrachloroethene	< 0.032	mg/kg	0.032	0.1	1	8260B		6/10/2020	CJR	1
Trichloroethene (TCE)	< 0.041	mg/kg	0.041	0.13	1	8260B		6/10/2020	CJR	1
Vinyl Chloride	< 0.019	mg/kg	0.019	0.062	1	8260B		6/10/2020	CJR	1
SUR - 4-Bromofluorobenzene	101	Rec %			1	8260B		6/10/2020	CJR	1
SUR - Dibromofluoromethane	123	Rec %			1	8260B		6/10/2020	CJR	1
SUR - Toluene-d8	95	Rec %			1	8260B		6/10/2020	CJR	1
SUR - 1,2-Dichloroethane-d4	92	Rec %			1	8260B		6/10/2020	CJR	1

Project Name ALBANY INTL
Project # 6486 PO#2020-1492

Invoice # E37962

Lab Code 5037962D
Sample ID GP-43 2-4
Sample Matrix Soil
Sample Date 6/1/2020

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
General										
General										
Solids Percent	81.9	%			1	5021		6/2/2020	NJC	1
Organic										
VOC's										
cis-1,2-Dichloroethene	< 0.032	mg/kg	0.032	0.1	1	8260B		6/10/2020	CJR	1
trans-1,2-Dichloroethene	< 0.028	mg/kg	0.028	0.09	1	8260B		6/10/2020	CJR	1
Tetrachloroethene	< 0.032	mg/kg	0.032	0.1	1	8260B		6/10/2020	CJR	1
Trichloroethene (TCE)	< 0.041	mg/kg	0.041	0.13	1	8260B		6/10/2020	CJR	1
Vinyl Chloride	< 0.019	mg/kg	0.019	0.062	1	8260B		6/10/2020	CJR	1
SUR - 1,2-Dichloroethane-d4	91	Rec %			1	8260B		6/10/2020	CJR	1
SUR - Toluene-d8	96	Rec %			1	8260B		6/10/2020	CJR	1
SUR - 4-Bromofluorobenzene	104	Rec %			1	8260B		6/10/2020	CJR	1
SUR - Dibromofluoromethane	122	Rec %			1	8260B		6/10/2020	CJR	1

Lab Code 5037962E
Sample ID GP-44 0-2
Sample Matrix Soil
Sample Date 6/1/2020

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
General										
General										
Solids Percent	87.1	%			1	5021		6/2/2020	NJC	1
Organic										
VOC's										
cis-1,2-Dichloroethene	< 0.032	mg/kg	0.032	0.1	1	8260B		6/10/2020	CJR	1
trans-1,2-Dichloroethene	< 0.028	mg/kg	0.028	0.09	1	8260B		6/10/2020	CJR	1
Tetrachloroethene	< 0.032	mg/kg	0.032	0.1	1	8260B		6/10/2020	CJR	1
Trichloroethene (TCE)	< 0.041	mg/kg	0.041	0.13	1	8260B		6/10/2020	CJR	1
Vinyl Chloride	< 0.019	mg/kg	0.019	0.062	1	8260B		6/10/2020	CJR	1
SUR - Dibromofluoromethane	109	Rec %			1	8260B		6/10/2020	CJR	1
SUR - 1,2-Dichloroethane-d4	100	Rec %			1	8260B		6/10/2020	CJR	1
SUR - 4-Bromofluorobenzene	103	Rec %			1	8260B		6/10/2020	CJR	1
SUR - Toluene-d8	90	Rec %			1	8260B		6/10/2020	CJR	1

Project Name ALBANY INTL
Project # 6486 PO#2020-1492

Invoice # E37962

Lab Code 5037962F
Sample ID GP-44 2-4'
Sample Matrix Soil
Sample Date 6/1/2020

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
General										
General										
Solids Percent	83.0	%			1	5021		6/2/2020	NJC	1
Organic										
VOC's										
cis-1,2-Dichloroethene	< 0.032	mg/kg	0.032	0.1	1	8260B		6/10/2020	CJR	1
trans-1,2-Dichloroethene	< 0.028	mg/kg	0.028	0.09	1	8260B		6/10/2020	CJR	1
Tetrachloroethene	< 0.032	mg/kg	0.032	0.1	1	8260B		6/10/2020	CJR	1
Trichloroethene (TCE)	< 0.041	mg/kg	0.041	0.13	1	8260B		6/10/2020	CJR	1
Vinyl Chloride	< 0.019	mg/kg	0.019	0.062	1	8260B		6/10/2020	CJR	1
SUR - 1,2-Dichloroethane-d4	104	Rec %			1	8260B		6/10/2020	CJR	1
SUR - 4-Bromofluorobenzene	103	Rec %			1	8260B		6/10/2020	CJR	1
SUR - Dibromofluoromethane	111	Rec %			1	8260B		6/10/2020	CJR	1
SUR - Toluene-d8	88	Rec %			1	8260B		6/10/2020	CJR	1

Lab Code 5037962G
Sample ID GP-45 0-2
Sample Matrix Soil
Sample Date 6/1/2020

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
General										
General										
Solids Percent	79.8	%			1	5021		6/2/2020	NJC	1
Organic										
VOC's										
cis-1,2-Dichloroethene	< 0.032	mg/kg	0.032	0.1	1	8260B		6/10/2020	CJR	1
trans-1,2-Dichloroethene	< 0.028	mg/kg	0.028	0.09	1	8260B		6/10/2020	CJR	1
Tetrachloroethene	< 0.032	mg/kg	0.032	0.1	1	8260B		6/10/2020	CJR	1
Trichloroethene (TCE)	< 0.041	mg/kg	0.041	0.13	1	8260B		6/10/2020	CJR	1
Vinyl Chloride	< 0.019	mg/kg	0.019	0.062	1	8260B		6/10/2020	CJR	1
SUR - 1,2-Dichloroethane-d4	101	Rec %			1	8260B		6/10/2020	CJR	1
SUR - 4-Bromofluorobenzene	106	Rec %			1	8260B		6/10/2020	CJR	1
SUR - Dibromofluoromethane	111	Rec %			1	8260B		6/10/2020	CJR	1
SUR - Toluene-d8	89	Rec %			1	8260B		6/10/2020	CJR	1

Project Name ALBANY INTL
Project # 6486 PO#2020-1492

Invoice # E37962

Lab Code 5037962H
Sample ID GP-45 2-4
Sample Matrix Soil
Sample Date 6/1/2020

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
General										
General										
Solids Percent	81.5	%			1	5021		6/2/2020	NJC	1
Organic										
VOC's										
cis-1,2-Dichloroethene	< 0.032	mg/kg	0.032	0.1	1	8260B		6/11/2020	CJR	1
trans-1,2-Dichloroethene	< 0.028	mg/kg	0.028	0.09	1	8260B		6/11/2020	CJR	1
Tetrachloroethene	< 0.032	mg/kg	0.032	0.1	1	8260B		6/11/2020	CJR	1
Trichloroethene (TCE)	< 0.041	mg/kg	0.041	0.13	1	8260B		6/11/2020	CJR	1
Vinyl Chloride	< 0.019	mg/kg	0.019	0.062	1	8260B		6/11/2020	CJR	1
SUR - 4-Bromofluorobenzene	102	Rec %			1	8260B		6/11/2020	CJR	1
SUR - Dibromofluoromethane	118	Rec %			1	8260B		6/11/2020	CJR	1
SUR - Toluene-d8	92	Rec %			1	8260B		6/11/2020	CJR	1
SUR - 1,2-Dichloroethane-d4	99	Rec %			1	8260B		6/11/2020	CJR	1

Lab Code 5037962I
Sample ID GP-46 0-2
Sample Matrix Soil
Sample Date 6/1/2020

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
General										
General										
Solids Percent	86.8	%			1	5021		6/2/2020	NJC	1
Organic										
VOC's										
cis-1,2-Dichloroethene	< 0.032	mg/kg	0.032	0.1	1	8260B		6/11/2020	CJR	1
trans-1,2-Dichloroethene	< 0.028	mg/kg	0.028	0.09	1	8260B		6/11/2020	CJR	1
Tetrachloroethene	< 0.032	mg/kg	0.032	0.1	1	8260B		6/11/2020	CJR	1
Trichloroethene (TCE)	< 0.041	mg/kg	0.041	0.13	1	8260B		6/11/2020	CJR	1
Vinyl Chloride	< 0.019	mg/kg	0.019	0.062	1	8260B		6/11/2020	CJR	1
SUR - 1,2-Dichloroethane-d4	50	Rec %			1	8260B		6/11/2020	CJR	6
SUR - Toluene-d8	85	Rec %			1	8260B		6/11/2020	CJR	1
SUR - 4-Bromofluorobenzene	102	Rec %			1	8260B		6/11/2020	CJR	1
SUR - Dibromofluoromethane	102	Rec %			1	8260B		6/11/2020	CJR	1

Project Name ALBANY INTL
Project # 6486 PO#2020-1492

Invoice # E37962

Lab Code 5037962J
Sample ID GP-46 2-4
Sample Matrix Soil
Sample Date 6/1/2020

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
General										
General										
Solids Percent	86.3	%			1	5021		6/2/2020	NJC	1
Organic										
VOC's										
cis-1,2-Dichloroethene	< 0.032	mg/kg	0.032	0.1	1	8260B		6/11/2020	CJR	1
trans-1,2-Dichloroethene	< 0.028	mg/kg	0.028	0.09	1	8260B		6/11/2020	CJR	1
Tetrachloroethene	< 0.032	mg/kg	0.032	0.1	1	8260B		6/11/2020	CJR	1
Trichloroethene (TCE)	< 0.041	mg/kg	0.041	0.13	1	8260B		6/11/2020	CJR	1
Vinyl Chloride	< 0.019	mg/kg	0.019	0.062	1	8260B		6/11/2020	CJR	1
SUR - Toluene-d8	92	Rec %			1	8260B		6/11/2020	CJR	1
SUR - 1,2-Dichloroethane-d4	99	Rec %			1	8260B		6/11/2020	CJR	1
SUR - 4-Bromofluorobenzene	101	Rec %			1	8260B		6/11/2020	CJR	1
SUR - Dibromofluoromethane	110	Rec %			1	8260B		6/11/2020	CJR	1

"J" Flag: Analyte detected between LOD and LOQ

LOD Limit of Detection

LOQ Limit of Quantitation

Code **Comment**

- 1 Laboratory QC within limits.
- 6 The surrogate recovery not within established limits.

All solid sample results reported on a dry weight basis unless otherwise indicated. All LOD's and LOQ's are adjusted for dilutions but not dry weight. Subcontracted results are denoted by SUB in the analyst field.

Authorized Signature



CHAIN OF CUSTODY RECORD

Synergy

Environmental Lab, Inc.

Chain # **N^o 3036**

Page 1 of 1

Sample Handling Request

Rush Analysis Date Required _____
(Rushes accepted only with prior authorization)

Normal Turn Around

1990 Prospect Ct. • Appleton, WI 54914
920-830-2455 • FAX 920-733-0631

Lab I.D. # _____
Account No. : _____ Quote No.: _____
Project #: 6486
Sampler: (signature) Wayne Fassbender

Project (Name / Location): Albany International - Appleton
Reports To: W. Fassbender Invoice To: Game
Company: Enviro Forensics Company: _____
Address: Waukesha Address: _____
City State Zip: _____ City State Zip: _____
Phone: 414-982-3988 Phone: _____
FAX: _____ FAX: _____

				Analysis Requested													Other Analysis			
				DRO (Mod DRO Sep 95)	GRO (Mod GRO Sep 95)	LEAD	NITRATE/NITRITE	OIL & GREASE	PAH (EPA 8270)	PCB	PVOC (EPA 8021)	PVOC + NAPHTHALENE	SULFATE	TOTAL SUSPENDED SOLIDS	VOC DW (EPA 542.2)	VOC (EPA 8260)	8-RCRA METALS		PID/ FID	
<u>5037962A</u>	<u>GP-42 0-2'</u>	<u>6/1</u>																		
<u>B</u>	<u>GP-42 2-4'</u>	<u>11</u>																		
<u>C</u>	<u>GP-43 0-2'</u>	<u>11</u>																		
<u>D</u>	<u>GP-43 2-4'</u>	<u>11</u>																		
<u>E</u>	<u>GP-44 0-2'</u>	<u>11</u>																		
<u>F</u>	<u>GP-44 2-4'</u>	<u>11</u>																		
<u>G</u>	<u>GP-45 0-2'</u>	<u>11</u>																		
<u>H</u>	<u>GP-45 2-4'</u>	<u>11</u>																		
<u>I</u>	<u>GP-46 0-2'</u>	<u>11</u>																		
<u>J</u>	<u>GP-46 2-4'</u>	<u>11</u>																		

Lab I.D.	Sample I.D.	Collection Date	Time	Comp	Grab	Filtered Y/N	No. of Containers	Sample Type (Matrix)*	Preservation
<u>5037962A</u>	<u>GP-42 0-2'</u>	<u>6/1</u>			<u>X</u>		<u>1</u>	<u>Soil</u>	<u>Methanol</u>
<u>B</u>	<u>GP-42 2-4'</u>	<u>11</u>			<u>11</u>		<u>11</u>	<u>11</u>	<u>11</u>
<u>C</u>	<u>GP-43 0-2'</u>	<u>11</u>			<u>11</u>		<u>11</u>	<u>11</u>	<u>11</u>
<u>D</u>	<u>GP-43 2-4'</u>	<u>11</u>			<u>11</u>		<u>11</u>	<u>11</u>	<u>11</u>
<u>E</u>	<u>GP-44 0-2'</u>	<u>11</u>			<u>11</u>		<u>11</u>	<u>11</u>	<u>11</u>
<u>F</u>	<u>GP-44 2-4'</u>	<u>11</u>			<u>11</u>		<u>11</u>	<u>11</u>	<u>11</u>
<u>G</u>	<u>GP-45 0-2'</u>	<u>11</u>			<u>11</u>		<u>11</u>	<u>11</u>	<u>11</u>
<u>H</u>	<u>GP-45 2-4'</u>	<u>11</u>			<u>11</u>		<u>11</u>	<u>11</u>	<u>11</u>
<u>I</u>	<u>GP-46 0-2'</u>	<u>11</u>			<u>11</u>		<u>11</u>	<u>11</u>	<u>11</u>
<u>J</u>	<u>GP-46 2-4'</u>	<u>11</u>			<u>11</u>		<u>11</u>	<u>11</u>	<u>11</u>

Comments/Special Instructions (*Specify groundwater "GW", Drinking Water "DW", Waste Water "WW", Soil "S", Air "A", Oil, Sludge etc.)

Use P.O. # 2020-1492

Sample Integrity - To be completed by receiving lab.
Method of Shipment: Client
Temp. of Temp. Blank: _____ °C On Ice: X
Cooler seal intact upon receipt: Yes No

Relinquished By: (sign) Wayne Fassbender Time 13:00 Date 6/1/20
Received By: (sign) [Signature] Time 13:00 Date 6-1-20

Synergy Environmental Lab, INC

1990 Prospect Ct., Appleton, WI 54914 *P 920-830-2455 * F 920-733-0631

WAYNE FASSBENDER
ENVIROFORENSICS
N16 W 23390 STONERIDGE DR
WAUKESHA WI 53188

Report Date 15-Jun-20

Project Name ALBANY
Project # 6486

Invoice # E37989

Lab Code 5037989A
Sample ID TW-7
Sample Matrix Water
Sample Date 6/5/2020

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
cis-1,2-Dichloroethene	< 0.39	ug/l	0.39	1.2	1	8260B		6/11/2020	CJR	1
trans-1,2-Dichloroethene	< 0.37	ug/l	0.37	1.2	1	8260B		6/11/2020	CJR	1
Tetrachloroethene	< 0.33	ug/l	0.33	1	1	8260B		6/11/2020	CJR	1
Trichloroethene (TCE)	< 0.47	ug/l	0.47	1.5	1	8260B		6/11/2020	CJR	1
Vinyl Chloride	< 0.2	ug/l	0.2	0.65	1	8260B		6/11/2020	CJR	1
SUR - 1,2-Dichloroethane-d4	103	REC %			1	8260B		6/11/2020	CJR	1
SUR - 4-Bromofluorobenzene	96	REC %			1	8260B		6/11/2020	CJR	1
SUR - Dibromofluoromethane	110	REC %			1	8260B		6/11/2020	CJR	1
SUR - Toluene-d8	95	REC %			1	8260B		6/11/2020	CJR	1

Project Name ALBANY
Project # 6486

Invoice # E37989

Lab Code 5037989B
Sample ID TW-8
Sample Matrix Water
Sample Date 6/5/2020

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
cis-1,2-Dichloroethene	< 0.39	ug/l	0.39	1.2	1	8260B		6/11/2020	CJR	1
trans-1,2-Dichloroethene	< 0.37	ug/l	0.37	1.2	1	8260B		6/11/2020	CJR	1
Tetrachloroethene	< 0.33	ug/l	0.33	1	1	8260B		6/11/2020	CJR	1
Trichloroethene (TCE)	< 0.47	ug/l	0.47	1.5	1	8260B		6/11/2020	CJR	1
Vinyl Chloride	< 0.2	ug/l	0.2	0.65	1	8260B		6/11/2020	CJR	1
SUR - 4-Bromofluorobenzene	99	REC %			1	8260B		6/11/2020	CJR	1
SUR - Dibromofluoromethane	115	REC %			1	8260B		6/11/2020	CJR	1
SUR - Toluene-d8	94	REC %			1	8260B		6/11/2020	CJR	1
SUR - 1,2-Dichloroethane-d4	99	REC %			1	8260B		6/11/2020	CJR	1

Lab Code 5037989C
Sample ID TW-9
Sample Matrix Water
Sample Date 6/5/2020

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
cis-1,2-Dichloroethene	< 0.39	ug/l	0.39	1.2	1	8260B		6/11/2020	CJR	1
trans-1,2-Dichloroethene	< 0.37	ug/l	0.37	1.2	1	8260B		6/11/2020	CJR	1
Tetrachloroethene	< 0.33	ug/l	0.33	1	1	8260B		6/11/2020	CJR	1
Trichloroethene (TCE)	< 0.47	ug/l	0.47	1.5	1	8260B		6/11/2020	CJR	1
Vinyl Chloride	< 0.2	ug/l	0.2	0.65	1	8260B		6/11/2020	CJR	1
SUR - Dibromofluoromethane	118	REC %			1	8260B		6/11/2020	CJR	1
SUR - 1,2-Dichloroethane-d4	106	REC %			1	8260B		6/11/2020	CJR	1
SUR - 4-Bromofluorobenzene	96	REC %			1	8260B		6/11/2020	CJR	1
SUR - Toluene-d8	91	REC %			1	8260B		6/11/2020	CJR	1

Lab Code 5037989D
Sample ID TW-10
Sample Matrix Water
Sample Date 6/5/2020

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
cis-1,2-Dichloroethene	< 0.39	ug/l	0.39	1.2	1	8260B		6/11/2020	CJR	1
trans-1,2-Dichloroethene	< 0.37	ug/l	0.37	1.2	1	8260B		6/11/2020	CJR	1
Tetrachloroethene	< 0.33	ug/l	0.33	1	1	8260B		6/11/2020	CJR	1
Trichloroethene (TCE)	< 0.47	ug/l	0.47	1.5	1	8260B		6/11/2020	CJR	1
Vinyl Chloride	< 0.2	ug/l	0.2	0.65	1	8260B		6/11/2020	CJR	1
SUR - 1,2-Dichloroethane-d4	95	REC %			1	8260B		6/11/2020	CJR	1
SUR - 4-Bromofluorobenzene	97	REC %			1	8260B		6/11/2020	CJR	1
SUR - Dibromofluoromethane	109	REC %			1	8260B		6/11/2020	CJR	1
SUR - Toluene-d8	96	REC %			1	8260B		6/11/2020	CJR	1

Project Name ALBANY
Project # 6486

Invoice # E37989

Lab Code 5037989E
Sample ID TW-11
Sample Matrix Water
Sample Date 6/5/2020

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
cis-1,2-Dichloroethene	< 0.39	ug/l	0.39	1.2	1	8260B		6/12/2020	CJR	1
trans-1,2-Dichloroethene	< 0.37	ug/l	0.37	1.2	1	8260B		6/12/2020	CJR	1
Tetrachloroethene	< 0.33	ug/l	0.33	1	1	8260B		6/12/2020	CJR	1
Trichloroethene (TCE)	< 0.47	ug/l	0.47	1.5	1	8260B		6/12/2020	CJR	1
Vinyl Chloride	< 0.2	ug/l	0.2	0.65	1	8260B		6/12/2020	CJR	1
SUR - 4-Bromofluorobenzene	100	REC %				8260B		6/12/2020	CJR	1
SUR - Dibromofluoromethane	112	REC %				8260B		6/12/2020	CJR	1
SUR - Toluene-d8	93	REC %				8260B		6/12/2020	CJR	1
SUR - 1,2-Dichloroethane-d4	99	REC %				8260B		6/12/2020	CJR	1

Lab Code 5037989F
Sample ID DUPLICATE 1
Sample Matrix Water
Sample Date 6/5/2020

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
cis-1,2-Dichloroethene	< 0.39	ug/l	0.39	1.2	1	8260B		6/12/2020	CJR	1
trans-1,2-Dichloroethene	< 0.37	ug/l	0.37	1.2	1	8260B		6/12/2020	CJR	1
Tetrachloroethene	< 0.33	ug/l	0.33	1	1	8260B		6/12/2020	CJR	1
Trichloroethene (TCE)	< 0.47	ug/l	0.47	1.5	1	8260B		6/12/2020	CJR	1
Vinyl Chloride	< 0.2	ug/l	0.2	0.65	1	8260B		6/12/2020	CJR	1
SUR - Toluene-d8	93	REC %				8260B		6/12/2020	CJR	1
SUR - 1,2-Dichloroethane-d4	109	REC %				8260B		6/12/2020	CJR	1
SUR - 4-Bromofluorobenzene	98	REC %				8260B		6/12/2020	CJR	1
SUR - Dibromofluoromethane	117	REC %				8260B		6/12/2020	CJR	1

"J" Flag: Analyte detected between LOD and LOQ

LOD Limit of Detection

LOQ Limit of Quantitation

Code	Comment
1	Laboratory QC within limits.

All solid sample results reported on a dry weight basis unless otherwise indicated. All LOD's and LOQ's are adjusted for dilutions but not dry weight. Subcontracted results are denoted by SUB in the analyst field.

Authorized Signature

Environmental Lab, Inc.

www.synergy-lab.net
 1990 Prospect Ct. • Appleton, WI 54914
 920-830-2455 • mrsynergy@wi.twcbc.com

Sample Handling Request

Rush Analysis Date Required: _____
 (Rushes accepted only with prior authorization)
 Normal Turn Around

Lab I.D. # _____
 QUOTE # : _____
 Project #: 6486 - Albany
 Sampler: (signature) Wayne Fassbender

Project (Name / Location): Albany - Appleton, WI
 Reports To: Wayne Fassbender Invoice To: Same
 Company: Enviro Forensics Company: _____
 Address: Waukesha, WI Address: _____
 City State Zip: _____ City State Zip: _____
 Phone: 414-982-3988 Phone: _____
 Email: wfassbender@enviroforensics.com Email: _____

Analysis Requested

Other Analysis

Lab I.D.	Sample I.D.	Collection		Filtered Y/N	No. of Containers	Sample Type (Matrix)*	Preservation	DRO (Mod DRO Sep 95)	GRO (Mod GRO Sep 95)	LEAD	NITRATE/NITRITE	OIL & GREASE	PAH (EPA 8270)	PCB	PVC (EPA 8021)	PVC + NAPHTHALENE	SULFATE	TOTAL SUSPENDED SOLIDS	VOC DW (EPA 524.2)	VOC (EPA 8260)	VOC AIR (TO - 15)	8-PCRA METALS	PID/ FID	
		Date	Time																					
<u>S037989A</u>	<u>TW-7</u>	<u>6/5/20</u>	<u>0830</u>	<u>N</u>	<u>3</u>	<u>GW</u>	<u>HCL</u>																	
<u>B</u>	<u>TW-8</u>	<u>6/5/20</u>	<u>0855</u>	<u>1</u>	<u>2</u>	<u>11</u>	<u>11</u>																	
<u>C</u>	<u>TW-9</u>	<u>6/5/20</u>	<u>0905</u>	<u>11</u>	<u>3</u>	<u>11</u>	<u>11</u>																	
<u>D</u>	<u>TW-10</u>	<u>6/5/20</u>	<u>0945</u>	<u>11</u>	<u>3</u>	<u>11</u>	<u>11</u>																	
<u>E</u>	<u>TW-11</u>	<u>6/5/20</u>	<u>0955</u>	<u>11</u>	<u>3</u>	<u>11</u>	<u>11</u>																	
<u>F</u>	<u>Duplicate 1</u>	<u>6/5/20</u>	<u>11</u>	<u>11</u>	<u>3</u>	<u>11</u>	<u>11</u>																	

XXXXXXXXXXXX 3260

Comments/Special Instructions (*Specify groundwater "GW", Drinking Water "DW", Waste Water "WW", Soil "S", Air "A", Oil, Sludge, etc.)

Sample Integrity - To be completed by receiving lab.

Method of Shipment: air

Temp. of Temp. Blank: _____ °C On Ice: _____

Cooler seal intact upon receipt: Yes No

Relinquished By: (sign) Wayne Fassbender Time 1055 Date 6/5/20

Received in Laboratory By: [Signature] Time: 10:55 Date: 6/4/20

Received By: (sign) _____ Time _____ Date _____