
PREPARED BY
EnviroForensics, LLC
N16W23390 Stone Ridge Drive, Suite G
Waukesha, WI 53188



February 18, 2022

Mr. David Neste
Wisconsin Department of Natural Resources
625 East County Road Y, Suite No. 700
Oshkosh, WI 54901-9731

Subject: Semi-Annual Remedial Status Update
Former Appleton Wire
BRRTS# 02-45-000015

Dear Mr. Neste:

EnviroForensics, LLC (EnviroForensics) is submitting this semi-annual remedial status update to provide the Wisconsin Department of Natural Resources (Department) for the former Appleton Wire facility located at 908 N. Lawe Street in Appleton, Wisconsin (Site). This report includes the results of post-remediation groundwater monitoring performed during the second half of 2021 and replaces Department Form 4400-194 as there are no active remedial systems in operation at the Site. Post-remediation monitoring is being performed according to the approved program described in the *Remedial Action Plan* dated April 11, 2019.

Groundwater samples were collected on September 23 and December 28-29, 2021, representing the 7th and 8th post-remediation monitoring events of the eight (8) events planned. The December 2021 event included sample collection from all monitoring wells to document the current plume distribution in addition to remediation performance. The monitoring well locations are shown on the attached **Figure 1**.

MONITORING RESULTS

A summary of the sampling results both prior to and following remediation is presented in attached **Table 1**, and groundwater elevations for the current monitoring period are provided in **Table 2**. Copies of the complete laboratory analytical reports are attached. A water table contour map for December 27, 2021 is presented on the attached **Figure 2**. Groundwater elevations and indicated flow direction are consistent with previous post-remediation data.

The performance monitoring data continues to demonstrate that the remedial action was extremely effective in reducing chromium concentrations in groundwater. As of December

2021, dissolved chromium concentrations were less than the preventive action limit of 10 micrograms per liter ($\mu\text{g/L}$) in all wells except for MW-31 which was just over the PAL at 12 $\mu\text{g/L}$. A nearly 100% reduction in chromium concentration is observed at all monitoring wells within the treatment area.

As a consequence of the remedial approach, iron and manganese concentrations are above their respective enforcement standards at several monitoring locations. We expect the already decreasing concentrations of these constituents to continue.

CLOSURE EVALUATION

Post-remedial monitoring as presented in the approved *Remedial Action Plan* has been completed, and the data demonstrate that subsurface conditions have drastically improved as a result of the remedial actions. Additional investigation activities related to chlorinated volatile organic compound (CVOC) impacts in groundwater and vapor have also been completed as documented in the *Supplement to the Site Investigation Report* (August 21, 2020). The CVOC investigation results indicated that the impacts are limited in magnitude, do not extend beyond Site boundaries, and do not present further risk to human health or the environment.

The Site, BRRTS# 02-45-000015, is now in a position for case closure consideration. On behalf of Albany International, EnviroForensics plans to prepare a closure request that includes maintenance of the existing building floor and asphalt paving as a continuing obligation to prevent exposure to residual soil contamination.

If you have any questions or require additional information, feel free to contact me at 262-290-4001, or by email at rhoverman@enviroforensics.com.

Sincerely,

EnviroForensics, LLC

A handwritten signature in blue ink, appearing to read "Rob Hoverman".

Rob Hoverman, PG
Regional Manager














Copy (via email): Joe Gaug, Albany International
Michael Boozer, Envocor, Inc. (in care of Luvata Appleton, LLC)


List of Attachments

Figure 1 – Post-Remedial Groundwater Monitoring Well Network
Figure 2 – Water Table Contour Map, December 27, 2021
Table 1 – Groundwater Remediation Performance Monitoring Data
Table 2 – Groundwater Elevation Data
Attachment 1 – Laboratory Analytical Results

FIGURES

Legend

-  Property boundary
-  GAS Underground gas utility line
-  WTR Underground water utility line
-  SAN Underground sanitary utility line
-  UGT Fiber optics line
-  STM Underground storm utility line
-  Pipe chase
-  Floor drain
-  Manhole
-  TW-1 1-inch diameter groundwater monitoring well for sampling of chlorinated compounds
-  Monitoring well designated for remediation performance monitoring
-  Monitoring well designated for plume distribution evaluation
-  Monitoring well designated to be sampled once pre-closure



POST-REMEDIATION GROUNDWATER MONITORING WELL NETWORK

Albany International - Luvata Site
 908 North Lawe Street
 Appleton, Wisconsin














Date:	11/21/19
Designed:	EB
Drawn:	EB
Checked:	WF
DWG file:	6486-1317




825 North Capitol Avenue • Indianapolis, IN 46204
 EnviroForensics.com

Figure	1
Project	6486

Legend

-  Property boundary
-  GAS Underground gas utility line
-  WTR Underground water utility line
-  SAN Underground sanitary utility line
-  UGT Fiber optics line
-  STM Underground storm utility line
-  Pipe chase
-  Floor drain
-  Manhole
-  TW-1 Monitoring well
-  764 Groundwater elevation contour
-  761.41 Groundwater elevation (feet above mean sea level)
-  Approximate groundwater flow direction



WATER TABLE CONTOUR MAP
DECEMBER 27, 2021

Albany International - Luvata Site
908 North Lawe Street
Appleton, Wisconsin

Date:	1/25/22
Designed:	EB
Drawn:	EB
Checked:	BK
DWG file:	6486-2627



825 North Capitol Avenue • Indianapolis, IN 46204
EnviroForensics.com

Figure	2
Project	6486

APPROXIMATE SCALE: 1" = 40'

TABLES

TABLE 1
GROUNDWATER REMEDIATION PERFORMANCE MONITORING DATA

Former Appleton Wire
908 North Lawe Street, Appleton, Wisconsin

Monitoring Well Identification	Screen Interval	Remediation Status	Sample Date	Dissolved Metals			Field Parameters						
				Chromium	Manganese	Iron	Temperature	pH	Specific Conductance	Oxidation Reduction Potential	Turbidity	Dissolved Oxygen	
Reporting Units				µg/L	µg/L	µg/L	Celsius	S.U.	mS/cm	mV	NTU	mg/L	
NR 140 Enforcement Standard (ES)				100	300	300*							
NR 140 Preventative Action Limit (PAL)				10	60	150*							
MW-1	10.3-20.3	Pre	08/31/17	<2.5	NA	NA	NA	NA	NA	NA	NA	NA	
		Post Full-Scale	12/29/21	4.0 J	NA	NA	13.37	7.21	2.86	33.5	32	8.27	
MW-1B	45-50	Pre	08/31/17	<2.5	NA	NA	NA	NA	NA	NA	N	NA	
		Post Full-Scale	12/29/21	<1.7	NA	NA	12.38	7.96	0.49	15	105	3.08	
MW-2	9.7 - 19.7	Pre	06/29/17	29.5	NA	NA	NA	NA	NA	NA	NA	NA	
			08/31/17	<2.5	NA	NA	NA	NA	NA	NA	NA	NA	
		Post Full-Scale	07/01/20	<3.9	14.8	100	17.40	7.74	2.87	41.7	319.5	7.24	
			07/08/21	<3.9	<4.2	<30	15.56	7.65	2.66	132.4	31.14	8.74	
MW-2A	34.8-39.8	Pre	08/31/17	<2.5	NA	NA	NA	NA	NA	NA	NA	NA	
		Post Full-Scale	12/29/21	2.0 J	NA	NA	11.35	6.72	1.73	-14.2	71	2.93	
MW-5	10.4 - 20.4	Pre	08/31/17	256	NA	NA	NA	NA	NA	NA	NA	NA	
		Post Full-Scale	04/10/20	12.7 J	462	13,800	12.65	6.94	2.93	-43	39.0	1.35	
			07/01/20	<3.9	408	11,500	18.94	7.45	2.53	-58	138.0	3.25	
			09/29/20	<3.9	346	10,100	17.01	6.93	2.79	-37.1	45.0	1.95	
			12/29/20	<3.9	353	4,110	10.37	7.16	2.80	-144.8	7.8	6.74	
			03/17/21	<3.9	299	4,170	15.32	7.21	2.91	-102.7	15.5	5.82	
			07/08/21	<3.8	315	3,140	17.64	7.27	0.31	-25.8	7.1	4.39	
			09/23/21	2.99 J	313	3,690	17.75	7.36	2.94	-36.5	16.6	4.39	
DUP-1	12/28/21	3.0 J	293	1,400	11.06	6.80	3.05	27.4	16.6	3.96			
MW-5A	42 - 47	Post Full-Scale	07/01/20	<3.9	1,050	13,500	16.03	6.88	3.37	-47.6	163.0	2.90	
			07/08/21	<3.9	431	3,410	16.45	6.98	4.88	58.9	59.5	6.45	
			12/29/21	2.0 J	591	3,940	13.70	6.78	7.74	21.4	42	7.16	
MW-10R	10.0-20.0	Pre	08/31/17	<2.5	NA	NA	NA	NA	NA	NA	NA	NA	
		Post Full-Scale	12/29/21	3.0 J	NA	NA	8.33	7.04	4.29	67.4	171	4.01	
MW-10B	45.0-50.0	Pre	08/31/17	<2.5	NA	NA	NA	NA	NA	NA	NA	NA	
		Post Full-Scale	12/29/21	2.0 J	NA	NA	10.01	7.80	1.48	53.5	87	8.08	
MW-17	9.7-19.7	Pre	08/31/17	<2.5	NA	NA	NA	NA	NA	NA	NA	NA	
		Post Full-Scale	12/29/21	<1.7	NA	NA	8.55	6.85	15.50	1.31	38	8.61	
MW-17A	35.0-40.0	Pre	08/31/17	<2.5	NA	NA	NA	NA	NA	NA	NA	NA	
		Post Full-Scale	12/29/21	<1.7	NA	NA	10.22	7.57	3.94	94.2	70	4.52	
MW-18	10.0-20.0	Pre	08/31/17	<2.5	NA	NA	NA	NA	NA	NA	NA	NA	
		Post Full-Scale	12/28/21	<1.7	NA	NA	11.57	6.72	3.86	47.4	4.34	8.05	
MW-18A	35.0-40.0	Pre	08/31/17	<2.5	NA	NA	NA	NA	NA	NA	NA	NA	
		Post Full-Scale	12/28/21	3.0 J	NA	NA	10.18	6.74	3.86	64.0	4.16	8.02	
MW-19/19R	4.8 - 14.8	Pre	06/29/17	23,600	NA	NA	NA	NA	NA	NA	NA	NA	
			08/31/17	13,600	NA	NA	NA	NA	NA	NA	NA	NA	
			04/23/18	18,900	<11.3	<155	16.60	7.53	1.31	177	0.0	10.17	
		Post Full-Scale	Post Pilot Test	07/16/18	172	948	22,400	20.20	6.55	2.35	27	0.0	8.56
			Post Pilot Test	08/20/18	97.6	1640	88,200	19.66	6.26	2.67	-45	265	10.04
			Post Pilot Test	1/21/2019**	16.1	608	12,200	18.30	7.52	2.56	-81	373	0.06
			04/10/20	<3.9	59.4	6,870	18.98	7.04	1.33	-56	118	2.17	
			06/30/20	<3.9	111	8,880	21.90	6.91	1.40	-71.2	176	1.34	
			09/29/20	<3.9	40.6	2,930	18.64	7.43	1.15	44.8	19.3	3.06	
			12/29/20	<3.9	32.1	120	13.55	7.47	1.25	-61.0	184.4	6.27	
DUP-1	12/29/20	<3.9	23.3	30 J	13.55	7.47	1.25	-61.0	184.4	6.27			
MW-19R		Post Full-Scale	03/17/21	<3.9	19.2	670 J	16.94	7.45	1.05	-42.7	48.75	5.23	
			07/07/21	<3.9	28.5	1,400	19.50	7.34	1.12	272.3	3.83	5.84	
DUP-1		Post Full-Scale	09/23/21	2.49 J	57.5	2,080	20.59	7.33	1.24	-23.2	7.44	3.86	
DUP-1		Post Full-Scale	09/23/21	1.66 J	95.7	4,340	20.59	7.33	1.24	-23.2	7.44	3.86	
DUP-1		Post Full-Scale	12/28/21	4.0 J	9.0 J	318	18.34	6.99	0.03	12.8	200	7.75	
MW-19A/19AR	37.5 - 42.5	Pre	06/29/17	8.1 J	17.8	29.0 J	18.44	8.04	0.44	4	26.3	9.75	
			04/23/17	<2.5	26.2	<15.5	15.60	7.95	0.49	27	81.4	10.83	
		Post Full-Scale	07/01/20	<3.9	28.9	130	19.12	8.29	0.67	86.4	371.0	3.48	
			07/07/21	<3.9	52.2	1,380	18.26	7.98	0.66	150.1	379.6	4.23	
MW-20/20R	5.1 - 15.1	Pre	06/28/17	265,000	NA	NA	NA	NA	NA	NA	NA	NA	
			08/31/17	331,000	NA	NA	NA	NA	NA	NA	NA	NA	
			04/23/18	296,000	<11.3	<155	15.73	7.21	2.70	282	50.4	NA	
		Post Pilot Test	07/16/18	161,000	99.1	929 J	20.33	7.10	2.73	78	47.8	8.76	
			08/20/18	174,000	73.1	156	19.93	7.54	2.52	103	0.0	10.05	
			01/21/19	179,000	37.1	<35.4	17.09	8.20	2.55	126	1.9	5.02	
			04/10/20	7.0	114	9,250	17.90	7.48	1.41	-114	149	1.47	
		Post Full-Scale	06/30/20	10.9	166	23,000	20.62	6.98	2.25	-102.7	934	1.01	
			09/29/20	16.7	178	17,800	20.36	7.09	2.15	-78.4	57.8	0.69	
			09/29/20	22.8	179	17,200	NA	NA	NA	NA	NA	NA	
12/29/20	<3.9		160	1,950	15.24	7.02	2.41	-81.9	235.4	4.09			
03/17/21	145		328	23,100	16.41	7.14	2.17	-51.2	59.96	2.58			
07/07/21	4.9 J		130	10,700	20.68	7.14	2.10	-80.6	36.16	4.60			
MW-20R		Post Full-Scale	09/23/21	14.6	186	13,500	20.23	7.06	1.98	-100.7	72.74	1.91	
			12/28/21	5.1 J	220	14,500	17.76	6.71	1.94	-68.4	120	2.10	
MW-20A/20AR	29.7 - 34.7	Pre	06/28/17	6.5 J	78.6	2,060	15.88	7.83	0.66	-2	0.0	11.67	
			04/23/18	<2.5	24.5	<15.5	15.19	7.95	0.83	247	97.0	10.24	
		Post Full-Scale	07/01/20	<3.9	51.4	430	18.40	9.12	0.81	-3.7	0.1	1.77	
			07/07/21	<3.9	34.4	510	17.97	8.40	0.85	259.7	86.4	4.37	
			12/28/21	<1.7	35 J	815	15.73	7.71	0.80	-58.8	22.0	3.15	

TABLE 1
GROUNDWATER REMEDIATION PERFORMANCE MONITORING DATA

Former Appleton Wire
908 North Lawe Street, Appleton, Wisconsin

Monitoring Well Identification	Screen Interval	Remediation Status	Sample Date	Dissolved Metals			Field Parameters					
				Chromium	Manganese	Iron	Temperature	pH	Specific Conductance	Oxidation Reduction Potential	Turbidity	Dissolved Oxygen
Reporting Units				µg/L	µg/L	µg/L	Celsius	S.U.	mS/cm	mV	NTU	mg/L
MW-21	4.4-14.4	Pre	08/31/17	<2.5	NA	NA	NA	NA	NA	NA	NA	NA
		Post Full-Scale	12/28/21	5.0 J	NA	NA	18.37	6.82	1.39	69.7	147	3.09
MW-21A	29.4-34.4	Pre	08/31/17	<2.5	NA	NA	NA	NA	NA	NA	NA	NA
		Post Full-Scale	12/28/21	5.0 J	NA	NA	17.48	7.52	0.73	-24.0	345	2.71
MW-22	4.0-14.0	Pre	08/31/17	<2.5	NA	NA	NA	NA	NA	NA	NA	NA
		Post Full-Scale	12/28/21	3.0 J	NA	NA	10.17	7.13	3.04	55.6	678	5.70
MW-22A	35.0-40.0	Pre	08/31/17	<2.5	NA	NA	NA	NA	NA	NA	NA	NA
		Post Full-Scale	12/28/21	2.0 J	NA	NA	10.86	7.99	0.55	-25.2	591	3.01
MW-23	4.0-14.0	Pre	08/31/17	<2.5	NA	NA	NA	NA	NA	NA	NA	NA
		Post Full-Scale	12/29/21	<1.7	NA	NA	9.72	7.47	0.67	87.6	294	10.78
MW-23A	35.0-40.0	Pre	08/31/17	<2.5	NA	NA	NA	NA	NA	NA	NA	NA
		Post Full-Scale	12/29/21	<1.7	NA	NA	9.52	7.87	0.48	78.6	39	3.92
MW-24	4.0-14.0	Pre	08/31/17	2.6 J	NA	NA	NA	NA	NA	NA	NA	NA
		Post Full-Scale	12/29/21	4.0 J	NA	NA	9.78	7.21	1.46	76.2	222	4.54
MW-24A	35.0-40.0	Pre	08/31/17	<2.5	NA	NA	NA	NA	NA	NA	NA	NA
		Post Full-Scale	12/29/21	2.0 J	NA	NA	10.37	7.84	0.64	47.7	22	5.65
MW-25	3.9 - 13.9	Post Full-Scale	07/01/20	<3.9	139	680	20.22	8.49	1.46	97.9	354.6	4.61
			07/07/21	<3.9	188	2,280	19.24	7.39	1.53	-50.6	52.1	5.05
			12/28/21	<1.7	224	2500	17.48	6.43	1.43	-20.5	90.0	2.58
MW-25A	35.0-40.0	Pre	08/31/17	<2.5	NA	NA	NA	NA	NA	NA	NA	NA
		Post Full-Scale	12/28/21	2.0 J	NA	NA	15.90	7.65	0.47	45.1	2	4.43
MW-26/26R	4.0 - 14.0	Pre	06/28/17	72,900	NA	NA	NA	NA	NA	NA	NA	NA
			08/31/17	84,900	NA	NA	NA	NA	NA	NA	NA	NA
		Post Pilot Test	07/16/18	21,600	115	3,550	19.66	7.45	1.39	-94	227	8.74
			08/20/18	17,100	15.6	<15.5	20.48	7.36	1.24	72	0.0	9.94
			01/21/19	26,700	1.5 J	<35.4	16.46	8.24	1.31	95	2.7	4.40
			04/10/20	<3.9	17.9	220	16.42	8.38	1.03	-117	194.0	2.15
		Post Full-Scale	07/01/20	<3.9	39.3	110	19.64	9.12	1.05	82.8	85.9	3.92
			09/29/20	<3.9	98.3	910	19.95	7.73	1.30	-45.1	12.9	1.03
			12/29/20	<3.9	87.2	40 J	15.08	7.84	1.44	-32.0	7.59	4.07
			03/17/21	<3.9	94.5	600	15.92	7.63	1.45	-81.6	14.47	1.92
DUP-1		03/17/21	<3.9	16.3	1,130	NA	NA	NA	NA	NA	NA	
MW-26/26R		07/07/21	<3.9	173	2,690	18.95	7.69	1.47	-38.0	20.17	5.36	
		09/23/21	<1.4	104	665	19.26	7.65	1.43	-42.7	11.10	3.62	
		12/28/21	<1.7	259	1,630	17.14	7.18	1.20	-28.3	8.50	3.89	
MW-28/28R	4.0 - 14.0	Pre	06/28/17	3,890	43.2	53.6 J	17.43	7.27	1.88	194	33.7	11.29
			08/31/17	390	NA	NA	NA	NA	NA	NA	NA	NA
		Post Full-Scale	4/10/2020**	<3.9	67.8	680 J	16.63	7.16	1.53	-46	94	0.34
			06/30/20	<3.9	206	20,800	21.11	7.07	1.62	-114.5	208	1.49
			09/29/20	<3.9	<4.2	90 J	19.15	7.27	1.11	138.2	16.5	2.23
			12/29/20	<3.9	62.6	<30	15.71	7.50	1.39	-97.0	40.07	4.89
			03/17/21	<3.9	82.0	2,510	16.46	7.35	1.38	-55.8	82.36	2.33
			07/07/21	<3.9	123	4,700	19.12	7.54	1.35	29.8	15.39	5.85
09/23/21	<1.4	155	5,940	19.75	7.28	1.36	-70.9	72.5	2.65			
MW-30/30R	4.8 - 14.8	Pre	08/31/17	3,540	NA	NA	NA	NA	NA	NA	NA	NA
			04/10/20	<3.9	20.1	900	17.35	11.59	1.29	-175	230.0	0.97
		Post Full-Scale	07/01/20	<3.9	<4.2	80 J	20.23	11.20	1.88	40.4	163.9	3.57
			09/29/20	<3.9	52.2	2,240	20.16	11.46	1.56	-107.2	48.2	1.01
			12/29/20	<3.9	<4.2	70 J	13.69	11.67	1.49	-89.6	148	4.78
			03/17/21	<3.9	23.9	270	15.57	10.14	0.94	-88.4	5.58	3.54
			07/07/21	<3.9	<4.2	50 J	20.03	11.58	1.43	186.9	6.05	4.38
			09/23/21	<1.4	<0.934	23.2 J	17.75	11.60	1.35	-117.3	102.50	3.71
12/28/21	<1.7	0.69 J	51	17.12	11.52	1.38	-145.1	19.00	3.35			
MW-31	4.2 - 14.2	Post Full-Scale	07/02/20	<3.9	615	26,400	22.55	6.72	8.92	-57.7	498.6	1.74
			07/07/21	<3.9	366	26,900	21.94	6.84	5.76	-134.1	122.2	3.89
			12/29/21	12 J	35 J	2,070	6.44	8.19	3.68	-101.1	136.0	2.56
MW-31A	29.5 - 34.5	Post Full-Scale	07/02/20	<3.9	7,310	217,000	16.22	7.71	1.96	-141.2	1718.0	0.11
			07/07/21	<3.19	12.1 J	430	20.31	8.53	1.40	-249.1	105.99	6.12
MW-32	4.3 - 14.3	Post Full-Scale	07/02/20	<3.9	59.9	60 J	16.34	7.84	5.39	123.7	174.6	4.04
			07/07/21	<3.9	12.6 J	110	15.07	7.66	5.03	286.2	20.32	6.40
			12/29/21	9.0 J	49 J	1,040	10.00	6.88	4.98	103.6	2.94	7.42
MW-32A	27.5 - 32.5	Post Full-Scale	07/02/20	<3.9	38	160	15.33	8.04	1.62	124.4	608.0	5.52
			07/07/21	<3.9	65.2	1,060	14.12	8.34	1.33	259.8	105.8	6.36

Notes:

- Bolded** values are above laboratory detection limits
- Bolded and blue colored** values are above the groundwater preventative action limit (PAL)
- Bolded and orange colored** values are above the groundwater enforcement standard (ES)

J = Analyte concentration detected between the laboratory Reporting Limit and Method Detection Limit
 * = Values based on Public Welfare Groundwater Quality Standards
 ** = Purging and sampling performed using low-flow methods. All other samples collected using a bailer.
 NA = Not Analyzed
 S.U. = Standard Units
 mS/cm = Millisiemens per centimeter
 mV = millivolt
 NTU = Nephelometric Turbidity Unit
 µg/L = micrograms per liter
 mg/L = milligrams per liter

TABLE 2
GROUNDWATER ELEVATION DATA
Former Appleton Wire
908 N. Lawe Street., Appleton, Wisconsin

Well Identification	Date	TOC Elevation (feet AMSL)	Depth to Water (feet below TOC)	Groundwater Elevation (feet AMSL)
MW-1	09/22/21	767.62	6.00	761.62
	12/27/21	767.62	6.02	761.60
MW-1B	12/27/21	767.72	23.86	743.86
MW-2	09/22/21	770.75	7.12	763.63
	12/27/21	770.75	7.51	763.24
MW-2A	12/27/21	770.56	13.86	756.70
MW-5	09/22/21	767.86	3.10	764.76
	12/27/21	767.86	3.40	764.46
MW-5A	12/27/21	767.61	2.76	764.85
MW-10R	09/22/21	767.31	5.47	761.84
	12/27/21	767.31	5.16	762.15
MW-10B	12/27/21	767.01	11.13	755.88
MW-17	09/22/21	771.92	5.70	766.22
	12/27/21	771.92	6.20	765.72
MW-17A	12/27/21	771.66	12.40	759.26
MW-18	09/22/21	769.97	8.31	761.66
	12/27/21	769.97	8.53	761.44
MW-18A	12/27/21	770.61	24.37	746.24
MW-19R	09/22/21	768.42	3.27	765.15
	12/27/21	768.42	3.60	764.82
MW-19AR	12/27/21	768.44	7.14	761.30
MW-20R	09/22/21	768.44	2.51	765.93
	12/27/21	768.44	3.33	765.11
MW-20AR	12/27/21	768.38	12.33	756.05
MW-21	09/22/21	769.02	4.24	764.78
	12/27/21	769.02	5.11	763.91
MW-21A	12/27/21	769.09	11.56	757.53
MW-22	09/22/21	769.01	2.69	766.32
	12/27/21	769.01	3.61	765.40
MW-22A	12/27/21	769.17	13.25	755.92
MW-23	09/22/21	767.95	6.60	761.35
	12/27/21	767.95	6.61	761.34
MW-23A	12/27/21	767.75	20.05	747.70
MW-24	09/22/21	766.89	5.54	761.35
	12/27/21	766.89	6.33	760.56
MW-24A	12/27/21	767.02	15.21	751.81
MW-25	09/22/21	768.46	2.03	766.43
	12/27/21	768.46	2.43	766.03
MW-25A	12/27/21	768.45	10.75	757.70
MW-26R	09/22/21		2.29	
	12/27/21		2.72	
MW-28R	09/22/21	768.38	5.21	763.17
	12/27/21	768.38	5.58	762.80
MW-30R	09/22/21	768.42	3.01	765.41
	12/27/21	768.42	3.96	764.46
MW-31	09/22/21	768.65	1.28	767.37
	12/27/21	768.65	2.81	765.84
MW-31A	12/27/21	768.70	10.03	758.67
MW-32	09/22/21	767.20	5.51	761.69
	12/27/21	767.20	4.76	762.44

Notes

All values are in feet
AMSL = above mean sea level
TOC = Top of Casing
Monitoring wells re-surveyed in May 2017. Replacement wells surveyed April 2020.

ATTACHMENT 1

LABORATORY ANALYTICAL RESULTS

Synergy Environmental Lab, INC

1990 Prospect Ct., Appleton, WI 54914 *P 920-830-2455 * F 920-733-0631

BRIAN KAPPEN
ENVIROFORENSICS
N16 W 23390 STONERIDGE DR
WAUKESHA WI 53188

Report Date 06-Oct-21

Project Name ALBANY INTERNATIONAL
Project # 6486 PO#2021-0576

Invoice # E39983

Lab Code 5039983A
Sample ID 6486-MW-5
Sample Matrix Water
Sample Date 9/23/2021

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Inorganic										
Metals										
Chromium, Dissolved	2.99 "J"	ug/l	1.4	4.67	1	6010B		10/5/2021	ESC	1
Iron, Dissolved	3690	ug/l	18	60	1	6010B		10/5/2021	ESC	1
Manganese, Dissolved	313	ug/l	0.934	3.11	1	6010B		10/5/2021	ESC	1

Lab Code 5039983B
Sample ID 6486-MW-19R
Sample Matrix Water
Sample Date 9/23/2021

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Inorganic										
Metals										
Chromium, Dissolved	2.49 "J"	ug/l	1.4	4.67	1	6010B		10/5/2021	ESC	1
Iron, Dissolved	2080	ug/l	18	60	1	6010B		10/5/2021	ESC	1
Manganese, Dissolved	57.5	ug/l	0.934	3.11	1	6010B		10/5/2021	ESC	1

Lab Code 5039983C
Sample ID 6486-MW-20R
Sample Matrix Water
Sample Date 9/23/2021

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Inorganic										
Metals										
Chromium, Dissolved	14.6	ug/l	1.4	4.67	1	6010B		10/5/2021	ESC	1
Iron, Dissolved	13500	ug/l	18	60	1	6010B		10/5/2021	ESC	1
Manganese, Dissolved	186	ug/l	0.934	3.11	1	6010B		10/5/2021	ESC	1

Project Name ALBANY INTERNATIONAL
Project # 6486 PO#2021-0576

Invoice # E39983

Lab Code 5039983D
Sample ID 6486-MW-26R
Sample Matrix Water
Sample Date 9/23/2021

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Inorganic										
Metals										
Chromium, Dissolved	< 1.4	ug/l	1.4	4.67	1	6010B		10/5/2021	ESC	1
Iron, Dissolved	665	ug/l	18	60	1	6010B		10/5/2021	ESC	1
Manganese, Dissolved	104	ug/l	0.934	3.11	1	6010B		10/5/2021	ESC	1

Lab Code 5039983E
Sample ID 6486-MW-28R
Sample Matrix Water
Sample Date 9/23/2021

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Inorganic										
Metals										
Chromium, Dissolved	< 1.4	ug/l	1.4	4.67	1	6010B		10/5/2021	ESC	1
Iron, Dissolved	5940	ug/l	18	60	1	6010B		10/5/2021	ESC	1
Manganese, Dissolved	155	ug/l	0.934	3.11	1	6010B		10/5/2021	ESC	1

Lab Code 5039983F
Sample ID 6486-MW-30R
Sample Matrix Water
Sample Date 9/23/2021

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Inorganic										
Metals										
Chromium, Dissolved	< 1.4	ug/l	1.4	4.67	1	6010B		10/5/2021	ESC	1
Iron, Dissolved	23.2 "J"	ug/l	18	60	1	6010B		10/5/2021	ESC	1
Manganese, Dissolved	< 0.934	ug/l	0.934	3.11	1	6010B		10/5/2021	ESC	1

Lab Code 5039983G
Sample ID 6486-DUP-1
Sample Matrix Water
Sample Date 9/23/2021

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Inorganic										
Metals										
Chromium, Dissolved	1.66 "J"	ug/l	1.4	4.67	1	6010B		10/5/2021	ESC	1
Iron, Dissolved	4340	ug/l	18	60	1	6010B		10/5/2021	ESC	1
Manganese, Dissolved	95.7	ug/l	0.934	3.11	1	6010B		10/5/2021	ESC	1

"J" Flag: Analyte detected between LOD and LOQ

LOD Limit of Detection

LOQ Limit of Quantitation

Code ***Comment***

1 Laboratory QC within limits.

ESC denotes sub contract lab - Certification #998093910

All solid sample results reported on a dry weight basis unless otherwise indicated. All LOD's and LOQ's are adjusted for dilutions but not dry weight. Subcontracted results are denoted by SUB in the analyst field.

Authorized Signature



A handwritten signature in blue ink, appearing to read "Michael J. [unclear]", is written over a horizontal line.

Synergy Environmental Lab, LLC.

1990 Prospect Ct., Appleton, WI 54914 *P 920-830-2455 * F 920-733-0631

ROB HOVERMAN
ENVIROFORENSICS
N16 W 23390 STONERIDGE DR
WAUKESHA WI 53188

Report Date 20-Jan-22

Project Name FMR ALBANY INTL
Project # 6486 PO#2021-0791

Invoice # E40398

Lab Code 5040398A
Sample ID 6486 MW-1
Sample Matrix Water
Sample Date 12/29/2021

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Inorganic Metals Chromium, Dissolved	4.0 "J"	ug/l	1.7	25	1	6010B		1/14/2022	SL	1

Lab Code 5040398B
Sample ID 6486 MW-1B
Sample Matrix Water
Sample Date 12/29/2021

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Inorganic Metals Chromium, Dissolved	< 1.7	ug/l	1.7	25	1	6010B		1/14/2022	SL	1

Lab Code 5040398C
Sample ID 6486 MW-2
Sample Matrix Water
Sample Date 12/29/2021

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Inorganic Metals Chromium, Dissolved	6.0 "J"	ug/l	1.7	25	1	6010B		1/14/2022	SL	1
Iron, Dissolved	96	ug/l	5.5	25	1	6010B		1/14/2022	SL	1
Manganese, Dissolved	14 "J"	ug/l	0.6	50	1	6010B		1/14/2022	SL	1

Project Name FMR ALBANY INTL
Project # 6486 PO#2021-0791

Invoice # E40398

Lab Code 5040398D
Sample ID 6486 MW-2A
Sample Matrix Water
Sample Date 12/28/2021

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Inorganic Metals Chromium, Dissolved	2.0 "J"	ug/l	1.7	25	1	6010B		1/14/2022	SL	1

Lab Code 5040398E
Sample ID 6486 MW-5
Sample Matrix Water
Sample Date 12/28/2021

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Inorganic Metals Chromium, Dissolved	3.0 "J"	ug/l	1.7	25	1	6010B		1/14/2022	SL	1
Iron, Dissolved	1400	ug/l	5.5	25	1	6010B		1/14/2022	SL	1
Manganese, Dissolved	293	ug/l	0.6	50	1	6010B		1/14/2022	SL	1

Lab Code 5040398F
Sample ID 6486 MW-5A
Sample Matrix Water
Sample Date 12/29/2021

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Inorganic Metals Chromium, Dissolved	2.0 "J"	ug/l	1.7	25	1	6010B		1/14/2022	SL	1
Iron, Dissolved	3940	ug/l	5.5	25	1	6010B		1/14/2022	SL	1
Manganese, Dissolved	591	ug/l	0.6	50	1	6010B		1/14/2022	SL	1

Lab Code 5040398G
Sample ID 6486 MW-10R
Sample Matrix Water
Sample Date 12/29/2021

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Inorganic Metals Chromium, Dissolved	3.0 "J"	ug/l	1.7	25	1	6010B		1/14/2022	SL	1

Lab Code 5040398H
Sample ID 6486 MW-10B
Sample Matrix Water
Sample Date 12/29/2021

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Inorganic Metals Chromium, Dissolved	2.0 "J"	ug/l	1.7	25	1	6010B		1/14/2022	SL	1

Project Name FMR ALBANY INTL
Project # 6486 PO#2021-0791

Invoice # E40398

Lab Code 5040398I
Sample ID 6486 MW-17
Sample Matrix Water
Sample Date 12/28/2021

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Inorganic Metals Chromium, Dissolved	< 1.7	ug/l	1.7	25	1	6010B		1/14/2022	SL	1

Lab Code 5040398J
Sample ID 6486 MW-17A
Sample Matrix Water
Sample Date 12/28/2021

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Inorganic Metals Chromium, Dissolved	< 1.7	ug/l	1.7	25	1	6010B		1/14/2022	SL	1

Lab Code 5040398K
Sample ID 6486 MW-18
Sample Matrix Water
Sample Date 12/28/2021

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Inorganic Metals Chromium, Dissolved	< 1.7	ug/l	1.7	25	1	6010B		1/14/2022	SL	1

Lab Code 5040398L
Sample ID 6486 MW-18A
Sample Matrix Water
Sample Date 12/28/2021

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Inorganic Metals Chromium, Dissolved	3.0 "J"	ug/l	1.7	25	1	6010B		1/14/2022	SL	1

Lab Code 5040398M
Sample ID 6486 MW-19R
Sample Matrix Water
Sample Date 12/28/2021

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Inorganic Metals Chromium, Dissolved	4.0 "J"	ug/l	1.7	25	1	6010B		1/14/2022	SL	1
Iron, Dissolved	318	ug/l	5.5	25	1	6010B		1/14/2022	SL	1
Manganese, Dissolved	9.0 "J"	ug/l	0.6	50	1	6010B		1/14/2022	SL	1

Project Name FMR ALBANY INTL
Project # 6486 PO#2021-0791

Invoice # E40398

Lab Code 5040398N
Sample ID 6486 MW-19AR
Sample Matrix Water
Sample Date 12/28/2021

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Inorganic										
Metals										
Chromium, Dissolved	< 1.7	ug/l	1.7	25	1	6010B		1/14/2022	SL	1
Iron, Dissolved	786	ug/l	5.5	25	1	6010B		1/14/2022	SL	1
Manganese, Dissolved	35	ug/l	0.6	50	1	6010B		1/14/2022	SL	1

Lab Code 5040398O
Sample ID 6486 MW-20R
Sample Matrix Water
Sample Date 12/28/2021

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Inorganic										
Metals										
Chromium, Dissolved	5.1 "J"	ug/l	1.7	25	1	6010B		1/14/2022	SL	1
Iron, Dissolved	14500	ug/l	5.5	25	1	6010B		1/14/2022	SL	1
Manganese, Dissolved	220	ug/l	0.6	50	1	6010B		1/14/2022	SL	1

Lab Code 5040398P
Sample ID 6486 MW-20AR
Sample Matrix Water
Sample Date 12/28/2021

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Inorganic										
Metals										
Chromium, Dissolved	< 1.7	ug/l	1.7	25	1	6010B		1/14/2022	SL	1
Iron, Dissolved	815	ug/l	5.5	25	1	6010B		1/14/2022	SL	1
Manganese, Dissolved	35 "J"	ug/l	0.6	50	1	6010B		1/14/2022	SL	1

Lab Code 5040398Q
Sample ID 6486 MW-21
Sample Matrix Water
Sample Date 12/28/2021

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Inorganic										
Metals										
Chromium, Dissolved	5.0 "J"	ug/l	1.7	25	1	6010B		1/14/2022	SL	1

Lab Code 5040398R
Sample ID 6486 MW-21A
Sample Matrix Water
Sample Date 12/28/2021

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Inorganic										
Metals										
Chromium, Dissolved	5.0 "J"	ug/l	1.7	25	1	6010B		1/14/2022	SL	1

Project Name FMR ALBANY INTL
Project # 6486 PO#2021-0791

Invoice # E40398

Lab Code 5040398S
Sample ID 6486 MW-22
Sample Matrix Water
Sample Date 12/28/2021

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Inorganic Metals Chromium, Dissolved	3.0 "J"	ug/l	1.7	25	1	6010B		1/14/2022	SL	1

Lab Code 5040398T
Sample ID 6486 MW-22A
Sample Matrix Water
Sample Date 12/28/2021

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Inorganic Metals Chromium, Dissolved	2.0 "J"	ug/l	1.7	25	1	6010B		1/14/2022	SL	1

Lab Code 5040398U
Sample ID 6486 MW-23
Sample Matrix Water
Sample Date 12/29/2021

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Inorganic Metals Chromium, Dissolved	< 1.7	ug/l	1.7	25	1	6010B		1/14/2022	SL	1

Lab Code 5040398V
Sample ID 6486 MW-23A
Sample Matrix Water
Sample Date 12/29/2021

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Inorganic Metals Chromium, Dissolved	< 1.7	ug/l	1.7	25	1	6010B		1/14/2022	SL	1

Lab Code 5040398W
Sample ID 6486 MW-24
Sample Matrix Water
Sample Date 12/29/2021

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Inorganic Metals Chromium, Dissolved	4.0 "J"	ug/l	1.7	25	1	6010B		1/14/2022	SL	1

Project Name FMR ALBANY INTL
Project # 6486 PO#2021-0791

Invoice # E40398

Lab Code 5040398X
Sample ID 6486 MW-24A
Sample Matrix Water
Sample Date 12/29/2021

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Inorganic Metals Chromium, Dissolved	2.0 "J"	ug/l	1.7	25	1	6010B		1/14/2022	SL	1

Lab Code 5040398Y
Sample ID 6486 MW-25
Sample Matrix Water
Sample Date 12/28/2021

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Inorganic Metals Chromium, Dissolved	< 1.7	ug/l	1.7	25	1	6010B		1/14/2022	SL	1
Iron, Dissolved	2500	ug/l	5.5	25	1	6010B		1/14/2022	SL	1
Manganese, Dissolved	224	ug/l	0.6	50	1	6010B		1/14/2022	SL	1

Lab Code 5040398Z
Sample ID 6486 MW-25A
Sample Matrix Water
Sample Date 12/28/2021

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Inorganic Metals Chromium, Dissolved	2.0 "J"	ug/l	1.7	25	1	6010B		1/14/2022	SL	1

Lab Code 540398AA
Sample ID 6486 MW-26R
Sample Matrix Water
Sample Date 12/28/2021

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Inorganic Metals Chromium, Dissolved	< 1.7	ug/l	1.7	25	1	6010B		1/14/2022	SL	1
Iron, Dissolved	1630	ug/l	5.5	25	1	6010B		1/14/2022	SL	1
Manganese, Dissolved	259	ug/l	0.6	50	1	6010B		1/14/2022	SL	1

Lab Code 540398BB
Sample ID 6486 MW-28R
Sample Matrix Water
Sample Date 12/28/2021

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Inorganic Metals Chromium, Dissolved	< 1.7	ug/l	1.7	25	1	6010B		1/14/2022	SL	1
Iron, Dissolved	1900	ug/l	5.5	25	1	6010B		1/14/2022	SL	1
Manganese, Dissolved	78	ug/l	0.6	50	1	6010B		1/14/2022	SL	1

Project Name FMR ALBANY INTL
Project # 6486 PO#2021-0791

Invoice # E40398

Lab Code 540398CC
Sample ID 6486 MW-30R
Sample Matrix Water
Sample Date 12/28/2021

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Inorganic										
Metals										
Chromium, Dissolved	< 1.7	ug/l	1.7	25	1	6010B		1/14/2022	SL	1
Iron, Dissolved	51	ug/l	5.5	25	1	6010B		1/14/2022	SL	1
Manganese, Dissolved	0.69 "J"	ug/l	0.6	50	1	6010B		1/14/2022	SL	1

Lab Code 540398DD
Sample ID 6486 MW-31
Sample Matrix Water
Sample Date 12/29/2021

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Inorganic										
Metals										
Chromium, Dissolved	12 "J"	ug/l	1.7	25	1	6010B		1/14/2022	SL	1
Iron, Dissolved	2070	ug/l	5.5	25	1	6010B		1/14/2022	SL	1
Manganese, Dissolved	35 "J"	ug/l	0.6	50	1	6010B		1/14/2022	SL	1

Lab Code 540398EE
Sample ID 6486 MW-31A
Sample Matrix Water
Sample Date 12/29/2021

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Inorganic										
Metals										
Chromium, Dissolved	7.0 "J"	ug/l	1.7	25	1	6010B		1/14/2022	SL	1
Iron, Dissolved	44500	ug/l	5.5	25	1	6010B		1/14/2022	SL	1
Manganese, Dissolved	1620	ug/l	0.6	50	1	6010B		1/14/2022	SL	1

Lab Code 540398FF
Sample ID 6486 MW-32
Sample Matrix Water
Sample Date 12/29/2021

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Inorganic										
Metals										
Chromium, Dissolved	9.0 "J"	ug/l	1.7	25	1	6010B		1/14/2022	SL	1
Iron, Dissolved	1040	ug/l	5.5	25	1	6010B		1/14/2022	SL	1
Manganese, Dissolved	49 "J"	ug/l	0.6	50	1	6010B		1/14/2022	SL	1

Project Name FMR ALBANY INTL
Project # 6486 PO#2021-0791

Invoice # E40398

Lab Code 540398GG
Sample ID 6486 DUP-1
Sample Matrix Water
Sample Date 12/28/2021

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Inorganic Metals Chromium, Dissolved	3.0 "J"	ug/l	1.7	25	1	6010B		1/14/2022	SL	1

"J" Flag: Analyte detected between LOD and LOQ

LOD Limit of Detection

LOQ Limit of Quantitation

Code ***Comment***

1 Laboratory QC within limits.

SL denotes sub contract lab - Certification #399089350

All solid sample results reported on a dry weight basis unless otherwise indicated. All LOD's and LOQ's are adjusted for dilutions but not dry weight. Subcontracted results are denoted by SUB in the analyst field.

Authorized Signature

Environmental Lab, Inc.

www.synergy-lab.net
 1990 Prospect Ct. • Appleton, WI 54914
 920-830-2455 • mrsynergy@wi.twcbc.com

Sample Handling Request

Rush Analysis Date Required: _____
 (Rushes accepted only with prior authorization)

Normal Turn Around

Lab I.D. #
 QUOTE #: 8242
 Project #: 6486
 Sampler: (signature) *B. J. Zyr*

Project (Name / Location): Former Albany Intl, Appleton, WI
 Reports To: R. Hoverman
 Invoice To: Accounts Payable
 Company: Enviroforensics LLC
 Address: rhoverman@enviroforensics.com
 City State Zip:
 Phone: 317-972-7870
 Email:

Analysis Requested										Other Analysis			PID/ FID					
DRO (Mod DRO Sep 95)	GRO (Mod GRO Sep 95)	LEAD	NITRATE/NITRITE	OIL & GREASE	PAH (EPA 8270)	PCB	PVOC (EPA 8021)	PVOC + NAPHTHALENE	SULFATE	TOTAL SUSPENDED SOLIDS	VOC DW (EPA 524.2)	VOC (EPA 8260)		VOC AIR (TO - 15)	8-RCRA METALS	Chromium	Iron	Manganese
															X	X	X	
															X	X	X	
															X	X	X	
															X	X	X	
															X	X	X	
															X	X	X	
															X	X	X	
															X	X	X	
															X	X	X	
															X	X	X	

Lab I.D.	Sample I.D.	Collection		Filtered Y/N	No. of Containers	Sample Type (Matrix)*	Preservation
		Date	Time				
5040398A	6486-MW-1	12/29/21	740	Y	1	GW	HNO3
B	6486-MW-1B	12/29/21	750		1		
C	6486-MW-2	12/29/21	945		1		
D	6486-MW-2A	12/28/21	1440		1		
E	6486-MW-5	12/28/21	1500		1		
F	6486-MW-5A	12/29/21	730		1		
G	6486-MW-10R	12/29/21	835		1		
H	6486-MW-10B	12/29/21	845		1		
I	6486-MW-17	12/28/21	1405		1		
J	6486-MW-17A	12/28/21	1410		1		
K	6486-MW-18	12/28/21	1445		1		
L	6486-MW-18A	12/28/21	1450		1		

Comments/Special Instructions ("Specify groundwater "GW", Drinking Water "DW", Waste Water "WW", Soil "S", Air "A", Oil, Sludge, etc.)
 PO# 2021-0791

Sample Integrity - To be completed by receiving lab.
 Method of Shipment: *del*
 Temp. of Temp. Blank: _____ °C On Ice:
 Cooler seal intact upon receipt: Yes No

Relinquished By: (sign) *B. J. Zyr* Time 1100 Date 12/29/21
 Received By: (sign) _____ Time _____ Date _____
 Received in Laboratory By: *del* Time 11:00 Date 12/29/21

Environmental Lab, Inc.

www.synergy-lab.net

1990 Prospect Ct. • Appleton, WI 54914
920-830-2455 • mrsynergy@wi.twcabc.com

Sample Handling Request

Rush Analysis Date Required: _____

(Rushes accepted only with prior authorization)

Normal Turn Around

Lab I.D. # _____
 QUOTE #: 8242
 Project #: 6486
 Sampler: (signature) [Signature]

Project (Name / Location): Former Albany Intl, Appleton, WI
 Reports To: _____ Invoice To: _____
 Company: _____ Company: _____
 Address: _____ Address: _____
 City State Zip: _____ City State Zip: _____
 Phone: _____ Phone: _____
 Email: _____ Email: _____

Analysis Requested **Other Analysis**

Lab I.D.	Sample I.D.	Collection		Filtered Y/N	No. of Containers	Sample Type (Matrix)*	Preservation	DRO (Mod DRO Sep 95)	GRO (Mod GRO Sep 95)	LEAD	NITRATE/NITRITE	OIL & GREASE	PAH (EPA 8270)	PCB	PVOC (EPA 8021)	PVOC + NAPHTHALENE	SULFATE	TOTAL SUSPENDED SOLIDS	VOC DW (EPA 524.2)	VOC (EPA 8260)	VOC AIR (TO - 15)	8-PCRA METALS	Chromium	Iron	Manganese	PID/ FID		
		Date	Time																									
<u>5040398M</u>	<u>6486-MW-19R</u>	<u>12/28/21</u>	<u>1150</u>	<u>Y</u>	<u>1</u>	<u>GW</u>	<u>HNO3</u>																					
<u>N</u>	<u>6486-MW-19AR</u>	<u>12/28/21</u>	<u>1200</u>		<u>1</u>																		<u>X</u>	<u>X</u>				
<u>O</u>	<u>6486-MW-20R</u>	<u>12/28/21</u>	<u>1240</u>		<u>1</u>																		<u>X</u>	<u>X</u>				
<u>P</u>	<u>6486-MW-20AR</u>	<u>12/28/21</u>	<u>1245</u>		<u>1</u>																		<u>X</u>	<u>X</u>				
<u>Q</u>	<u>6486-MW-21</u>	<u>12/28/21</u>	<u>1315</u>		<u>1</u>																		<u>X</u>	<u>X</u>				
<u>R</u>	<u>6486-MW-21A</u>	<u>12/28/21</u>	<u>1320</u>		<u>1</u>																		<u>X</u>	<u>X</u>				
<u>S</u>	<u>6486-MW-22</u>	<u>12/28/21</u>	<u>1430</u>		<u>1</u>																		<u>X</u>	<u>X</u>				
<u>T</u>	<u>6486-MW-22A</u>	<u>12/28/21</u>	<u>1425</u>		<u>1</u>																		<u>X</u>	<u>X</u>				
<u>U</u>	<u>6486-MW-23</u>	<u>12/29/21</u>	<u>905</u>		<u>1</u>																		<u>X</u>	<u>X</u>				
<u>V</u>	<u>6486-MW-23A</u>	<u>12/29/21</u>	<u>915</u>		<u>1</u>																		<u>X</u>	<u>X</u>				
<u>W</u>	<u>6486-MW-24</u>	<u>12/29/21</u>	<u>810</u>		<u>1</u>																		<u>X</u>	<u>X</u>				
<u>X</u>	<u>6486-MW-24A</u>	<u>12/29/21</u>	<u>800</u>		<u>1</u>																		<u>X</u>	<u>X</u>				

Comments/Special Instructions (*Specify groundwater "GW", Drinking Water "DW", Waste Water "WW", Soil "S", Air "A", Oil, Sludge, etc.)

PO# 2021-0791

Sample Integrity - To be completed by receiving lab.

Method of Shipment: club

Temp. of Temp. Blank: _____ °C On Ice: X

Cooler seal intact upon receipt: X Yes ___ No

Relinquished By: (sign)

[Signature]

Time

1100

Date

12/29/21

Received By: (sign)

[Signature]

Time

Date

Received in Laboratory By:

Time: 11:00

Date: 12/29/21

