



2121 Innovation Court, Suite 100  
P.O. Box 5095  
De Pere, WI 54115-5095  
(920) 497-2500  
foth.com

February 10, 2023

Gwen Saliaries  
Wisconsin Department of Natural Resources  
Northeast Region RR  
625 East County Road Y, Suite 700  
Oshkosh, WI 54901

Re: Summary of the November 2022 Groundwater Sampling Event at the Former Better Brite  
Chrome and Zinc Shops

Dear Gwen Saliaries:

The purpose of this letter is to summarize the groundwater sampling event conducted on November 9 and 10, 2022, at the former Better Brite Chrome and Zinc shop locations. The former Better Brite chrome shop site is located at 500 Lande Street (BRRTS #02-05-000030) and the zinc shop site is located at 315 6<sup>th</sup> Street (BRRTS #02-05-000031), De Pere, Wisconsin as illustrated on Figure 1. This summary includes the following:

- ◆ Figure 1 – Site Location Map
- ◆ Figure 2 – Monitoring Wells – Chrome Shop
- ◆ Figure 3 – Monitoring Wells – Zinc Shop
- ◆ Well-Specific Field Forms
- ◆ Table 1 – Groundwater Analytical Summary – Chrome Shop
- ◆ Table 2 – Groundwater Analytical Summary – Zinc Shop
- ◆ Monitoring Well Photograph Log
- ◆ Laboratory Reports

Groundwater elevations were collected at all available monitoring well network locations at both sites. The groundwater elevations were recorded on the well-specific field forms.

At the Zinc Shop site, monitoring locations W-1, W-1A, and MW-2, were purged utilizing a peristaltic pump as the well column integrity does not allow a standard bailer to pass through the well column. The wells were purged dry and allowed to recover before the sample was collected.

Monitoring well covers were inspected at all locations during the sampling event. The conditions of the monitoring well protective casing were noted on the field forms and photographs of the covers were collected.

Color, odor, and turbidity observations were recorded on the field form. The well-specific field forms also provide the measured depth to water, mean sea level groundwater elevation, time spent purging, and approximate volume of water removed prior to sample collection. The purged groundwater was containerized in five-gallon buckets and disposed of in the sump located inside the zinc shop treatment facility where it will be treated before being discharged to the NEW Water.

The unfiltered groundwater samples collected from the monitoring well network were submitted to Pace Laboratories for analysis. The sample analysis per monitoring location is summarized below:

**Better Brite Analysis per Monitoring Location**

<b>Chrome Shop Site</b>	<b>Zinc Shop Site</b>
<b>VOCs:</b> MW-106, MW-106A, MW-107, MW-107A, MW-108, MW-108A, MW-110, MW-110A, MW-111, MW-112, MW-113, MW-115, MW-115A, MW-116	<b>VOCs:</b> W-1, W-1A, MW-2, MW-3R, MW-5, MW-6, MW-7, MW-8, MW-9, MW-10, MW-11, MW-12, Zinc Sump
<b>Hexavalent Chrome:</b> MW-106, MW-106A, MW-107, MW-107A, MW-108, MW-108A, MW-110, MW-110A, MW-111, MW-112, MW-113, MW-115, MW-115A, MW-116	<b>Hexavalent Chromium:</b> W-1, W-1A, MW-2, MW-3R, MW-5, MW-5A, MW-6, MW-6A, MW-7, MW-7A, MW-8, MW-8A, MW-9, MW-10, MW-11, MW-12, Zinc Sump
<b>Iron and Sulfate:</b> MW-115, MW-116	<b>Cyanide:</b> Zinc Sump

VOC = volatile organic compound

The groundwater analytical methods are included in the analytical reports. The laboratory analysis has been summarized in Table 1 and Table 2. Monitoring well MW-106 was unable to be sampled due to not being able to open the protective well cover.

Monitoring wells MW-116, W-1, W-1A, and the Zinc Sump have Hexavalent Chromium analytical results above the NR 140 Enforcement Standard (ES); however, the results depict a decreasing trend from previous years. MW-3R has a NR140 Preventive Action Limit (PAL) exceedance for 1,1-Dichloroethene. The zinc sump analytical results detected PAL exceedances for Cyanide, 1,1-Dichloroethene, and Tetrachloroethene. Monitoring wells MW-115 had an ES exceedance for Iron. Monitoring location MW-116 had ES exceedances for Sulfate, 1,1-Dichloroethene, and Vinyl Chloride and PAL exceedances for Iron, Tetrachloroethene, Trichloroethene, and 1,1,1-Trichloroethane. The remaining VOC results were below groundwater PAL for all other constituents and monitoring locations.

If you have any questions regarding the enclosed information, please contact me at (920) 496-6758 or by email at [nick.glander@foth.com](mailto:nick.glander@foth.com).

Sincerely,

Foth Infrastructure & Environment, LLC



Nicholas M. Glander  
Lead Environmental Scientist




Sharon V. Kozicki, PG, MBA, PMP®  
Senior Project Manager  
Licensed PG in WI

Attachments:

- |              |   |
|--------------|---|
| Attachment 1 | Figure 1 – Site Location Map                                |
| Attachment 2 | Figure 2 – Monitoring Well Locations – Chrome Shop          |
| Attachment 3 | Figure 3 – Monitoring Well Locations – Zinc Shop            |
| Attachment 4 | Well-Specific Field Forms                                   |
| Attachment 5 | Table 1 – Groundwater Analytical Summary – Chrome Shop Site |
| Attachment 6 | Table 2 – Groundwater Analytical Summary – Zinc Shop Site   |
| Attachment 7 | Monitoring Well Photographic Log                            |
| Attachment 8 | Laboratory Analytical Reports                               |


**Attachment 1**  
**Figure 1 – Site Location Map**





**NOTES:**

1. Basemap from esri.com, courtesy of the Microsoft Corporation and its data suppliers.



**BETTER BRITE SUPERFUND SITE**

**FIGURE 1 - SITE LOCATION MAP**

BETTER BRITE SUPERFUND SITE  
315 S. 6TH ST. & 500 LANDE ST. BLK  
DE PERE, WI 54115

This drawing is neither a legally recorded map nor a survey and is not intended to be used as one. This drawing is a compilation of records, information and data used for reference purposes only.

Date: JULY 2022

Revision Date:

Drawn By: TRN


Checked By: NMG1

Scope: 22W016



## **Attachment 2**

### **Figure 2 – Monitoring Well Locations – Chrome Shop**



**LEGEND**

- Groundwater Monitoring Well
- Abandoned Groundwater Monitoring Well
- Groundwater Elevation Contour
- Inferred Groundwater Elevation Contour
- Site Boundary
- Tax Parcel

**NOTES:**  
 1. 2022 - 6" resolution air photo from Brown County Land Information Office.



**BETTER BRITE SUPERFUND SITE**  
**FIGURE 2 - BETTER BRITE - CHROME SHOP**  
 BETTER BRITE SUPERFUND SITE  
 315 S. 6TH STREET, DE PERE, WI 54115

This drawing is neither a legally recorded map nor a survey and is not intended to be used as one. This drawing is a compilation of records, information and data used for reference purposes only.

Date: MARCH 2023		Revision Date:	
Drawn By: BJW1	Checked By: NMG1	Scope: 22W016	

## **Attachment 3**

### **Figure 3 – Monitoring Well Locations – Zinc Shop**





**LEGEND**

- Groundwater Monitoring Well
- Abandoned Groundwater Monitoring Well
- Groundwater Elevation Contour
- Site Boundary
- Tax Parcel

- NOTES:**
- 2022 - 6" resolution air photo from Brown County Land Information Office.
  - Sump water elevation not used in creation of groundwater contours.



**BETTER BRITE SUPERFUND SITE**  
**FIGURE 3 - BETTER BRITE - ZINC SHOP**  
 BETTER BRITE SUPERFUND SITE  
 315 S. 6TH STREET, DE PERE, WI 54115

This drawing is neither a legally recorded map nor a survey and is not intended to be used as one. This drawing is a compilation of records, information and data used for reference purposes only.

Date: MARCH 2023		Revision Date:	
Drawn By: BJW1	Checked By: NMG1	Scope: 22W016	

**Attachment 4**  
**Well-Specific Field Forms**

## Well Specific Field Sheets

Facility Name: Former Better Brite - Chrome Shop  
 Date: November 10, 2022  
 Weather Conditions: Partly Cloudy, High of 71 F, Southwest winds 10-15mph.  
 Person(s) Sampling: Dale Chervenka  
 Sampling Equipment: Dedicated bailers, Solonist 101 water level meter.

Well Name	MW101	MW104A	MW106	MW106A	MW107	MW107A	MW108	MW108A	MW110	MW110A	MW111	MW112	MW113	MW115	MW115A	MW116
Top of PVC Casing Elevation (MSL)			606.21	606.36	608.41	608.33	604.22	604.44	603.05	603.31	600.76	600.61	611.08	601.04	601.01	604.28
Depth to Bottom of Well (ft)		18.30	14.58	32.09	15.39	39.33	15.82	33.27	14.76	23.80	14.38	15.86	15.08	14.48	23.45	18.88
Water Elevation (MSL)	--	--	--	598.61	605.74	592.78	599.9	590.66	600.94	593.14	596.76	587.53	607.69	598.03	589.76	603.04
Measured Depth to Water (ft)			Unable to sample as well could not be opened	7.8	2.67	15.6	4.3	13.8	2.1	10.2	4.0	13.1	3.4	3.01	11.25	1.24
Time Purging Begun				13:42	14:47	15:07	9:54	10:05	12:00	12:17	10:53	12:53	14:08	11:22	11:38	13:13
Time Purging Completed				14:04	15:00	15:29	10:03	10:37	12:13	12:29	11:00	13:00	14:19	11:34	11:58	13:28
Amount Purged (gal)				16.0	8.0	15.0	8.0	12.5	8.0	9.0	7.0	2.0	7.5	7.5	8.0	11.5
Purged Dry? (Y/N)				N	N	N	N	N	N	N	N	N	N	N	N	N
Color (Y/N)				N	Y	Y	N	N	N	Y	N	Y	N	N	Y	Y
Odor (Y/N)				N	N	N	N	N	N	N	N	N	N	N	N	N
Turbidity (Y/N)				N	Y	Y	N	N	N	Y	N	Y	Y	N	Y	N
Time Sample Withdrawn				14:05	15:01	15:30	10:04	10:38	12:14	12:30	11:01	13:01	14:20	11:35	11:59	13:29
Well secured? (Y/N)			Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y
Cover Condition	Well broke.	Cap stuck.	Cover has shifted over, PVC well lower and lid cannot open.	Well in good condition. Bolts secure.	Well in good condition. One bolt missing.	Well in good condition. Bolts secure.	Well in good condition. Bolts secure.	Well in good condition. Bolts secure.	Well in good condition. Bolts secure.	Well in good condition. Bolts secure.	Well in good condition. Bolts secure.	Well in good condition. Bolts secure.	Well in good condition. Bolts secure.	Well in good condition. Bolts secure.	Well in good condition. Bolts secure.	Well in good condition. Bolts secure.

## Well Specific Field Sheets

Facility Name: Former Better Brite - Zinc Shop  
 Date: November 9, 2022  
 Weather Conditions: Partly Cloudy, High of 65 F, South / Southwest winds 10-15mph.  
 Person(s) Sampling: Dale Chervenka  
 Sampling Equipment: Dedicated bailers, Solonist 101 water level meter, perastaltic pump for W-1, W-1A, MW2.

Well Name	W-1 (1,2,4)	W-1A (1,2,4)	MW2 (2)	MW3R	MW5	MW5A	MW6 (4)	MW6A (4)	MW7	MW7A	MW8	MW8A	MW9	MW10 (4)	MW11	MW12	Zinc Sump (3)
Top of PVC Casing Elevation (MSL)				602.88	600.81	600.81			600.60	600.51	598.18	598.59	601.66		602.41	599.65	603.99
Depth to Bottom of Well (ft)	19.9	31.52	17.65	16.72	15.53	29.67	18.43	31.74	15.86	26.73	11.41	21.73	16.30	15.00	15.62	10.04	20.40
Water Elevation (MSL)	--	--	--	598.15	592.89	590.33	--	--	595.13	600.02	595.10	589.50	594.55	--	598.06	596.26	586.96
Measured Depth to Water (ft)	13.05	15.60	10.10	4.73	7.92	10.48	11.81	12.55	5.47	0.49	3.08	9.09	7.11	5.63	4.35	3.39	17.03
Time Purging Begun	10:00	10:12	13:38	10:40	14:08	13:40	12:15	12:40	11:27	11:00	13:13	10:23	14:36	11:24	12:45	12:04	--
Time Purging Completed	10:12	10:38	13:59	10:54	14:19	14:03	12:25	13:00	11:35	11:14	13:24	10:36	14:44	11:35	12:56	12:11	--
Amount Purged (gal)	1.5	5.5	4.0	7.8	4.0	8.0	4.5	12.5	6.7	10.0	5.3	8.0	6.0	6.0	7.0	4.0	--
Purged Dry? (Y/N)	Y	Y	Y	N	N	Y	Y	N	N	N	N	N	N	N	N	Y	--
Color (Y/N)	brown	N	brown	brown	brown	brown	brown	brown	brown	brown	brown	brown	brown	brown	brown	brown	yellow
Odor (Y/N)	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N
Turbidity (Y/N)	N	N	N	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y
Time Sample Withdrawn	11:50	11:45	14:00	10:55	14:21	14:04	12:26	13:10	11:36	11:15	11:25	10:37	14:47	11:36	12:57	12:13	10:20
Well secured? (Y/N)	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	N	Y	Y	Y	N	Y
Cover Condition	Well in good condition. Bolts secure.	Well in good condition. Bolts secure.	Pro-top in good condition. Lock in place.	Missing 1 bolt. Still secure	Well in good condition. Bolts secure.	Well in good condition. Bolts secure.	Pro-top in good condition. Lock in place.	Pro-top in good condition. Lock in place.	Well in good condition. Bolts secure.	Well in good condition. Bolts secure.	Well in good condition. Bolts secure.	Well in good condition. One bolt does not thread.	Well in good condition. Bolts secure.	Cover is flush when bolted. Both bolts secure.	Well in good condition. Bolts secure.	cap broke. Screws broke in well, casing broke.	Gate overgrown with vegetation. Cover in good condition. Locks secure.

- 1 Depth to bottom of the well is suspect. Felt like soft bottom (sediment).
- 2 A standard bailer would not fit down the monitoring well.
- 3 Sump was not running at time of sample collection.
- 4 Well height modified. New elevation unknown.



## **Attachment 5**

### **Table 1 – Groundwater Analytical Summary – Chrome Shop Site**

**Table 1 Groundwater Analytical Summary, Better Brite - Chrome Shop**  
 519 Lande Street, De Pere, WI BRRS # 02-05-000030

Sample Location	Date	Detected Parameters (µg/L)																						
		Hexavalent Chromium	Chromium	Iron	Sulfate	Sulfide	Antimony	Arsenic	Cadmium	Cyanide	Nickel	Silver	Thallium	Cobalt	Vanadium	1,1-DCA	1,2-DCA	1,1-DCE	cis-1,2-DCE	PCE	1,1,1-TCA	1,1,2-TCA	TCE	VC
NR140 Preventive Action Limit		10	10	150	125,000	NO PAL	1.2	1	0.5	40	20	10	0.4	8	6	85	0.5	0.7	7	0.5	40	0.5	0.5	0.02
NR140 Enforcement Standard		100	100	300	250,000	NO ES	6	10	5	200	100	50	2	40	30	850	5	7	70	5	200	5	5	0.2
Units		µg/L	µg/L	µg/L	µg/L	--	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L
Chrome Sump (Abandoned)	8/1/94	620000	694000	NA	NA	NA																		
	10/1/94	300200	297000	NA	NA	NA																		
	4/1/98	195000	192000	NA	NA	NA																		
	7/1/98	132000		NA	NA	NA																		
French Drain	8/1/94	25800	22000	NA	NA	NA																		
	10/1/94	32000	31700	NA	NA	NA																		
	4/1/98	1060	1010	NA	NA	NA																		
B-101	7/1/98	336	312	NA	NA	NA																		
	8/1/94	<10	<3.4	NA	NA	NA																		
	10/1/94	<10		NA	NA	NA																		
MW-106	8/1/94	7	<2.8	NA	NA	NA																		
	DUP.	<10	<2.8	NA	NA	NA																		
	10/1/94	<10 J	<3.4 J	NA	NA	NA																		
	DUP.	<10 J	<3.4 J	NA	NA	NA																		
	4/1/98	<10	<5	NA	NA	NA																		
	DUP.	<10	<5	NA	NA	NA																		
	5/1/00	<4.2	4	NA	NA	NA																		
	8/26/10	<3.9	5.4	NA	NA	NA																		
	6/16/11	<3.9	NA	NA	NA	NA																		
	10/14/21	<0.18	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	<0.30	<0.29	<0.58	<0.47	<0.41	<0.30	<0.34	<0.32	<0.17
11/10/22	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	
MW-106A	8/1/94	<10	<2.8	NA	NA	NA																		
	10/1/94	<10 J	<3.4 J	NA	NA	NA																		
	4/1/98	<10	<5	NA	NA	NA																		
	5/1/00	<4.2	9.4	NA	NA	NA																		
	8/26/10	<3.9	1.1"J"	NA	NA	NA																		
	6/16/11	<3.9	NA	NA	NA	NA																		
11/10/22	<370 D3	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	<0.30	<0.29	<0.58	<0.47	<0.41	<0.30	<0.34	<0.32	<0.17	
MW-106B (Abandoned)	8/1/94	<10	NA	NA	NA	NA																		
MW-107	8/1/94	<10	4.1 BJ	NA	NA	NA																		
	10/1/94	<10 J	<3.4	NA	NA	NA																		
	4/1/98	<10	<5	NA	NA	NA																		
	5/1/00	<4.2	4.2	NA	NA	NA																		
	6/1/01	NA	NA	530	50	NA																		
	11/28/01	<4.2	26	3900	NA	1800																		
	5/1/02	7.8	1.2	230	NA	2300																		
	DUP.	100	1.9	490	NA	2800																		
	11/2/02	NA	NA	8200	140000	2300																		
	5/3/03	<4.2	1.6	490	95000	1700																		
	5/4/04	6.5	1.7	260	100000	NA																		
	5/12/05	<5.0	0.89	380	97000	NA																		
	8/26/10	<3.9	16.4	4010	16400	NA																		
6/16/11	<3.9	NA	3130	83600	NA																			
10/14/21	<0.18	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	<0.30	<0.29	<0.58	<0.47	<0.41	<0.30	<0.34	<0.32	<0.17	
11/10/22	<180 D3	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	<0.30	<0.29	<0.58	<0.47	<0.41	<0.30	<0.34	<0.32	<0.17	
MW-107A	8/1/94	<10	<2.8	NA	NA	NA																		
	10/1/94	<10 J	<3.4 J	NA	NA	NA																		
	4/1/98	<10	<5	NA	NA	NA																		
	5/1/00	<4.2	16	NA	NA	NA																		
	8/26/10	<3.9	23.2	NA	NA	NA																		
	6/16/11	<3.9	NA	NA	NA	NA																		
11/10/22	<370 D3	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	<0.30	<0.29	<0.58	<0.47	<0.41	<0.30	<0.34	<0.32	<0.17	
MW-107B (Abandoned)	8/1/94	<10	NA	NA	NA	NA																		

**Table 1 Groundwater Analytical Summary, Better Brite - Chrome Shop**  
 519 Lande Street, De Pere, WI BRRS # 02-05-000030

Sample Location	Date	Detected Parameters (µg/L)																						
		Hexavalent Chromium	Chromium	Iron	Sulfate	Sulfide	Antimony	Arsenic	Cadmium	Cyanide	Nickel	Silver	Thallium	Cobalt	Vanadium	1,1-DCA	1,2-DCA	1,1-DCE	cis-1,2-DCE	PCE	1,1,1-TCA	1,1,2-TCA	TCE	VC
NR140 Preventive Action Limit		10	10	150	125,000	NO PAL	1.2	1	0.5	40	20	10	0.4	8	6	85	0.5	0.7	7	0.5	40	0.5	0.5	0.02
NR140 Enforcement Standard		100	100	300	250,000	NO ES	6	10	5	200	100	50	2	40	30	850	5	7	70	5	200	5	5	0.2
Units		µg/L	µg/L	µg/L	µg/L	--	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L
MW-108	8/1/94	<10	<2.8	NA	NA	NA																		
	10/1/94	<10	<3.4 J	NA	NA	NA																		
	4/1/98	<10	NA	NA	NA	NA																		
	DUP	<10	<5	NA	NA	NA																		
	7/21/09	NA	16.0	NA	NA	NA																		
	8/26/10	<3.9	4.6"J"	NA	NA	NA																		
	6/16/11	<3.9	NA	NA	NA	NA																		
	12/5/13	<3.4	NA	NA	NA	NA																		
11/10/22	<370 D3	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	<0.30	<0.29	<0.58	<0.47	<0.41	<0.30	<0.34	<0.32	<0.17
MW-108A	8/1/94	<10	3.0 BJ	NA	NA	NA																		
	10/1/94	<10	<3.4 J	NA	NA	NA																		
	4/1/98	<10	<5	NA	NA	NA																		
	5/1/00	<4.2	55	NA	NA	NA																		
	7/9/09	NA	NA	NA	NA	NA																		
	8/26/10	<3.9	1.3"J"	NA	NA	NA																		
	6/16/11	<3.9	1.3"J"	NA	NA	NA																		
	12/5/13	<8.6	NA	NA	NA	NA																		
11/10/22	<180 D3	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	<0.30	<0.29	<0.58	<0.47	<0.41	<0.30	<0.34	<0.32	<0.17
MW-108B (Abandoned)	8/1/94	<10	NA	NA	NA	NA																		
MW-109 (Abandoned)	8/1/94	<b>6780</b>	<b>9570</b>	NA	NA	NA																		
	10/1/94	<b>2400</b>	<b>1980</b>	NA	NA	NA																		
	DUP	<b>3100</b>	<b>1700</b>	NA	NA	NA																		
	4/1/98	<b>16500</b>	<b>18600</b>	NA	NA	NA																		
	7/1/98	<b>12200</b>	<b>11100</b>	NA	NA	NA																		
MW-109A (Abandoned)	8/1/94	<10	<2.8	NA	NA	NA																		
	10/1/94	<10	1.3 B	NA	NA	NA																		
	4/1/98	<10	<5	NA	NA	NA																		
	7/1/98	<10	7	NA	NA	NA																		
MW-109B (Abandoned)	8/1/94	<10	NA	NA	NA	NA																		
	10/1/94	<10	NA	NA	NA	NA																		
MW-110	8/1/94	<10	3.6 BJ	NA	NA	NA																		
	10/1/94	<10	<3.4 J	NA	NA	NA																		
	4/1/98	<10	<5	NA	NA	NA																		
	5/1/00	<4.2	37	NA	NA	NA																		
	5/4/04	<2.5	11	<b>3400</b>	<b>230000</b>	NA																		
	5/12/05	<5.0	0.89	82	<b>70000</b>	NA																		
	10/5/06	<6.8	1.8	NA	NA	NA																		
	8/21/07	NA	7.4	NA	NA	NA																		
	7/21/09	NA	5.3	NA	NA	NA																		
	8/26/10	<3.9	2.0 J	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	<0.75	NA	<0.57	NA	<0.45	<0.9	NA	<0.48	<0.18
	6/16/11	<3.9	NA	NA	NA	NA																		
	10/24/12	<3.9	NA	NA	NA	NA																		
12/5/13	<3.4	NA	NA	NA	NA																			
11/10/22	<180 D3	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	<0.30	<0.29	<0.58	<0.47	<0.41	<0.30	<0.34	<0.32	<0.17

**Table 1 Groundwater Analytical Summary, Better Brite - Chrome Shop**  
 519 Lande Street, De Pere, WI BRRS # 02-05-000030

Sample Location	Date	Detected Parameters (µg/L)																							
		Hexavalent Chromium	Chromium	Iron	Sulfate	Sulfide	Antimony	Arsenic	Cadmium	Cyanide	Nickel	Silver	Thallium	Cobalt	Vanadium	1,1-DCA	1,2-DCA	1,1-DCE	cis-1,2-DCE	PCE	1,1,1-TCA	1,1,2-TCA	TCE	VC	
NR140 Preventive Action Limit		10	10	150	125,000	NO PAL	1.2	1	0.5	40	20	10	0.4	8	6	85	0.5	0.7	7	0.5	40	0.5	0.5	0.02	
NR140 Enforcement Standard		100	100	300	250,000	NO ES	6	10	5	200	100	50	2	40	30	850	5	7	70	5	200	5	5	0.2	
Units		µg/L	µg/L	µg/L	µg/L	--	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	
MW-110A	8/1/94	<10	<2.8	NA	NA	NA																			
	10/1/94	<10	<3.4 J	NA	NA	NA																			
	4/1/98	<10	<5	NA	NA	NA																			
	5/1/00	<4.2	25	NA	NA	NA																			
	10/5/06	<6.8	4.2	NA	NA	NA																			
	8/21/07	NA	1.9	NA	NA	NA																			
	7/21/09	NA	1.3	NA	NA	NA																			
	8/26/10	<3.9	1.8 J	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	<0.75	NA	<0.57	NA	<0.45	<0.9	NA	<0.48	<0.18
	6/16/11	<3.9	NA	NA	NA	NA																			
11/10/22	<370 D3	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	<0.30	<0.29	<0.58	<0.47	<0.41	<0.30	<0.34	<0.32	<0.17	
MW-111	8/1/94	<10	<3.4	NA	NA	NA																			
	DUP.	<10	<3.4	NA	NA	NA																			
	10/1/94	<10	<0.70	NA	NA	NA																			
	4/1/98	226	<5	NA	NA	NA																			
	7/1/98	22	27	NA	NA	NA																			
	11/1/98	<0.5	<0.5	NA	NA	NA																			
	5/1/00	<4.2	36	NA	NA	NA																			
	11/2/02	<4.2	43	4400	130000	2600																			
	DUP	<4.2	38	3400	100000	280																			
	5/3/03	5.2	33	2700	98000	1400																			
	5/4/04	50	150	5000	93000	NA																			
	5/12/05	250	260	200	87000	NA																			
	11/28/05	<5.0	39	12000	98000	NA																			
	DUP	<5.0	55	21000	96000	NA																			
	10/5/06	<6.8	16	NA	NA	NA																			
	8/21/07	NA	25	NA	NA	NA																			
	7/21/09	NA	23.6	NA	NA	NA																			
	8/26/10	<3.9	19.8	NA	NA	NA																			
	6/16/11	<3.9	NA	NA	NA	NA																			
	10/24/11	<3.9	NA	NA	NA	NA																			
10/24/12	<3.9	NA	NA	NA	NA																				
12/5/13	<3.4	NA	NA	NA	NA																				
10/22/15	<3.9	NA	NA	NA	NA																				
9/20/16	<51	NA	NA	NA	NA																				
6/13/18	<130	NA	NA	NA	NA																				
5/15/19	<130	NA	NA	NA	NA																				
11/10/22	<180 D3	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	<0.30	<0.29	<0.58	<0.47	<0.41	<0.30	<0.34	<0.32	<0.17	
MW-112	10/1/94	<10	<0.70	NA	NA	NA																			
	11/1/94	<10	<2.5	NA	NA	NA																			
	4/1/98	<10	<5	NA	NA	NA																			
	5/1/00	<4.2	4.1	NA	NA	NA																			
	8/26/10	<3.9	3.9	NA	NA	NA																			
	6/16/11	<3.9	NA	NA	NA	NA																			
11/10/22	<180 D3	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	<0.30	<0.29	<0.58	<0.47	<0.41	<0.30	<0.34	<0.32	<0.17	
MW-113	8/1/94	140	99.7	NA	NA	NA																			
	10/1/94	<10 J	8.6 B	NA	NA	NA																			
	5/1/95	43	20.3	NA	NA	NA																			
	4/1/98	<10	<5	NA	NA	NA																			
	7/1/98	<10	12	NA	NA	NA																			
	5/1/00	<4.2	22	NA	NA	NA																			
	8/26/10	<3.9	24.3	NA	NA	NA																			
	6/16/11	<3.9	NA	NA	NA	NA																			
	11/10/22	<180 D3	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	<0.30	<0.29	<0.58	<0.47	<0.41	<0.30	<0.34	<0.32	<0.17

**Table 1 Groundwater Analytical Summary, Better Brite - Chrome Shop**  
 519 Lande Street, De Pere, WI BRRS # 02-05-000030

Sample Location	Date	Detected Parameters (µg/L)																							
		Hexavalent Chromium	Chromium	Iron	Sulfate	Sulfide	Antimony	Arsenic	Cadmium	Cyanide	Nickel	Silver	Thallium	Cobalt	Vanadium	1,1-DCA	1,2-DCA	1,1-DCE	cis-1,2-DCE	PCE	1,1,1-TCA	1,1,2-TCA	TCE	VC	
NR140 Preventive Action Limit		10	10	150	125,000	NO PAL	1.2	1	0.5	40	20	10	0.4	8	6	85	0.5	0.7	7	0.5	40	0.5	0.5	0.02	
NR140 Enforcement Standard		100	100	300	250,000	NO ES	6	10	5	200	100	50	2	40	30	850	5	7	70	5	200	5	5	0.2	
Units		µg/L	µg/L	µg/L	µg/L	--	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	
MW-114 (Abandoned)	3/1/95	<10 J	<2.9	NA	NA	NA																			
	DUP.	<10 J	<2.9	NA	NA	NA																			
	5/1/95	<10 J	<1.0	NA	NA	NA																			
	DUP.	<10 J	<1.0	NA	NA	NA																			
	4/1/98	<10	<5	NA	NA	NA																			
MW-115	5/1/00	<4.2	6.0	NA	NA	NA																			
	6/1/01	<4.2	<0.52	160	92	NA																			
	11/28/01	<4.2	12	1100	NA	3000																			
	DUP	<4.2	10	3300	NA	3300																			
	5/1/02	<4.2	38	19000	NA	2800																			
	11/2/02	<4.2	38	7000	130000	3100																			
	5/3/03	<4.2	260	9700	90000	1400																			
	DUP	<4.2	56	3600	89000	1400																			
	5/4/04	<2.5	1.3	130	34000	NA																			
	5/12/05	<5.0	1.1	320	44000	NA																			
	10/5/06	<6.8	2.6	NA	NA	NA																			
	8/21/07	NA	10	NA	NA	NA																			
	7/21/09	NA	5.8	NA	NA	NA																			
	8/26/10	<3.9	1.6 J	3530	24800	NA																			
	6/16/11	<3.9	NA	4460	10000	NA																			
	10/24/11	<3.9	NA	NA	NA	NA																			
	10/24/12	<3.9	NA	NA	NA	NA																			
	12/5/13	<5.7	NA	NA	NA	NA																			
	10/16/14	<3.9	NA	NA	NA	NA																			
	10/22/15	<3.9	NA	NA	NA	NA																			
	9/20/16	<26	NA	NA	NA	NA																			
	6/13/18	<130	NA	NA	NA	NA																			
5/15/19	<51	NA	NA	NA	NA																				
10/14/21	<0.073	NA	11300	48.7	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	<0.30	<0.29	<0.58	<0.47	<0.41	<0.30	<0.34	<0.32	<0.17	
11/10/22	<180 D3	NA	21000	33200	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	<0.30	<0.29	<0.58	<0.47	<0.41	<0.30	<0.34	<0.32	<0.17	
MW-115A	5/1/00	<4.2	12.0	NA	NA	NA																			
	10/5/06	<6.8	4.6	NA	NA	NA																			
	8/21/07	NA	2.7	NA	NA	NA																			
	7/21/09	NA	2.9	NA	NA	NA																			
	8/26/10	<3.9	1.4 J	NA	NA	NA																			
	6/16/11	<3.9	NA	NA	NA	NA																			
	10/24/12	<3.9	NA	NA	NA	NA																			
	12/5/13	<8.6	NA	NA	NA	NA																			
	10/16/14	<3.9	NA	NA	NA	NA																			
	10/22/15	<3.9	NA	NA	NA	NA																			
	9/20/16	<26	NA	NA	NA	NA																			
	6/13/18	<130	NA	NA	NA	NA																			
	5/15/19	<51	NA	NA	NA	NA																			
10/14/21	<0.37	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	<0.30	<0.29	<0.58	<0.47	<0.41	<0.30	<0.34	<0.32	<0.17	
11/10/22	<180 D3	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	<0.30	<0.29	<0.58	<0.47	<0.41	<0.30	<0.34	<0.32	<0.17	

**Table 1 Groundwater Analytical Summary, Better Brite - Chrome Shop**  
 519 Lande Street, De Pere, WI BRRS # 02-05-000030

Sample Location	Date	Detected Parameters (µg/L)																						
		Hexavalent Chromium	Chromium	Iron	Sulfate	Sulfide	Antimony	Arsenic	Cadmium	Cyanide	Nickel	Silver	Thallium	Cobalt	Vanadium	1,1-DCA	1,2-DCA	1,1-DCE	cis-1,2-DCE	PCE	1,1,1-TCA	1,1,2-TCA	TCE	VC
NR140 Preventive Action Limit		10	10	150	125,000	NO PAL	1.2	1	0.5	40	20	10	0.4	8	6	85	0.5	0.7	7	0.5	40	0.5	0.5	0.02
NR140 Enforcement Standard		100	100	300	250,000	NO ES	6	10	5	200	100	50	2	40	30	850	5	7	70	5	200	5	5	0.2
Units		µg/L	µg/L	µg/L	µg/L	--	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L
MW-116	5/1/00	<b>1600</b>	<b>470</b>	NA	NA	NA																		
	DUP	<b>1500</b>	<b>460</b>	NA	NA	NA																		
	11/1/00	<u>37</u>	<u>23</u>	NA	NA	NA																		
	DUP	<u>46</u>	<u>24</u>	NA	NA	NA																		
	6/1/01	<b>4400</b>	<b>2300</b>	<b>840</b>	2100	NA																		
	11/28/01	<b>3300</b>	<b>2100</b>	<b>690</b>	NA	2400																		
	5/1/02	<b>12000</b>	<b>7300</b>	<b>530</b>	NA	2500																		
	11/2/02	<b>5100</b>	<b>3200</b>	<b>720</b>	20000	2900																		
	5/3/03	<b>8900</b>	<b>6000</b>	<b>410</b>	<b>2700000</b>	1700																		
	5/4/04	<b>28000</b>	<b>22000</b>	43	19000	NA																		
	DUP	<b>28000</b>	<b>22000</b>	<u>280</u>	24000	NA																		
	5/12/05	<b>52000</b>	<b>52000</b>	<b>950</b>	<b>1900000</b>	NA																		
	DUP	<b>54000</b>	<b>53000</b>	<b>710</b>	<b>1800000</b>	NA																		
	11/28/05	<b>50000</b>	<b>61000</b>	<b>840</b>	<b>1800000</b>	NA																		
	10/5/06	<b>39000</b>	<b>36000</b>	<b>900</b>	<b>1800000</b>	NA																		
	DUP	<b>42000</b>	<b>36000</b>	NA	NA	NA																		
	8/21/07	NA	<b>39,000</b>	NA	NA	NA																		
	7/21/09	NA	<b>25,500</b>	NA	NA	NA																		
	8/26/10	<b>21,300</b>	<b>19,200</b>	<b>478</b>	<b>1330000</b>	NA	<b>162</b>	<u>2.4 J</u>	0.43 J	NA	10.3	<0.46	<2.2	NA	NA	30.9	NA	<b>22.1</b>	NA	<u>3.2</u>	<u>76.9</u>	NA	<u>1.1</u>	<b>0.21 J</b>
	8/26/10 LF	<b>20,200</b>	<b>17,700</b>	NA	NA	NA																		
	4/25/11	<b>34,600</b>	NA	NA	<b>1030000</b>	NA																		
	6/16/11	<b>13,800</b>	NA	<u>240</u>	<b>1660000</b>	NA	3.4 "J"	NA	NA	NA	NA	NA	NA	NA	NA	28.1	NA	<b>25.9</b>	NA	<u>1.2</u>	<u>84.1</u>	NA	<u>2.2</u>	<0.18
	10/24/11	<b>18,300</b>	NA	NA	NA	NA																		
10/24/12	<b>22,300</b>	NA	NA	NA	NA																			
12/5/13	<b>17,600</b>	NA	NA	NA	NA																			
DUP	<b>17,500</b>	NA	NA	NA	NA																			
10/16/14	<b>13,300</b>	NA	NA	NA	NA																			
10/22/15	<b>16,500</b>	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	43.5	0.32 J	<b>40.6</b>	1.5	<u>1.7</u>	<u>145</u>	0.46 J	<u>1.6</u>	<b>0.27 J</b>	
9/20/16	<b>16,100</b>	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	34.8	<0.34	<b>34.8</b>	1.2 J	<u>1.4 J</u>	<u>135</u>	<0.39	<u>1.5 J</u>	<0.35	
6/13/18	<b>12,100</b>	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	34.4	<0.34	<b>37.4</b>	0.93 J	<u>1.1 J</u>	<u>125</u>	<0.39	<u>1.5 J</u>	<0.35	
5/15/19	<b>9,800</b>	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	38.9	<0.28	<b>44.3</b>	1.3	<u>1.2</u>	<u>142</u>	<0.55	<u>2.1</u>	<0.17	
10/14/21	<u>7.1</u>	NA	<u>177</u>	1020	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	36.7	<0.29	<b>28.9</b>	0.92J	<u>1.2</u>	<u>118</u>	<0.34	<u>2.2</u>	<b>0.22J</b>	
11/10/22	<b>640</b>	NA	<u>153 J</u>	<b>945,000</b>	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	39.7	<0.29	<b>34</b>	0.92J	<u>1</u>	<u>116</u>	<0.34	<u>2</u>	<b>0.27 J</b>	
CSTW1	4/25/11	<3.9	NA	NA	<b>1,180,000</b>	NA																		
CSTW2	4/25/11	<3.9	NA	NA	<b>2,840,000</b>	NA																		
CSTW3	4/25/11	<b>1,000</b>	NA	NA	<b>2,010,000</b>	NA																		
CSTW4	4/25/11	<3.9	NA	NA	<b>426,000</b>	NA																		
CSTW5	4/25/11	4.9 "J"	NA	NA	<b>592,000</b>	NA																		
CSTW6	4/25/11	<3.9	NA	NA	<b>608000</b>	NA																		

Notes:  
 1,1-DCA = 1,1-Dichloroethane / 1,2-DCA = 1,2-Dichloroethane / 1,1-DCE = 1,1-Dichloroethylene / cis-1,2-DCE = cis-1,2-dichloroethylene / PCE = Tetrachloroethylene / 1,1,1-TCA = 1,1,1-Trichloroethane / 1,1,2-TCA = 1,1,2-Trichloroethane  
 TCE - Trichloroethylene / VC = Vinyl Chloride  
 µg/L = microgram/Liter  
 NA - Compound not analyzed  
 NS - Not Sampled  
 Underlined - Concentration exceeds preventive action limit  
 Bolded - Concentration exceeds enforcement standard  
 D3 - Sample was diluted due to the presence of high levels of non-target analytes or other matrix interference.  
 J - Estimate concentration at or above the Limit of Detection and below the Limit of Quantitation

## **Attachment 6**

### **Table 2 – Groundwater Analytical Summary – Zinc Shop Site**

**Table 2 Groundwater Analytical Summary, Better Brite - Zinc Shop**  
 315 6th Street, De Pere, WI BRRTS # 02-05-00031

Sample Location	Date	Detected Parameters (µg/L)																				
		Hexavalent Chromium	Chromium	Iron	Sulfate	Sulfide	Antimony	Arsenic	Cadmium	Cyanide	Nickel	Silver	Thallium	Cobalt	Vanadium	Chloroethane	1,1-DCA	1,1-DCE	PCE	1,1,1-TCA	TCE	VC
NR140 Preventive Action Limit		10	10	150	125,000	NO PAL	1.2	1	0.5	40	20	10	0.4	8	6	80	85	0.7	0.5	40	0.5	0.02
NR140 Enforcement Standard		100	100	300	250,000	NO ES	6	10	5	200	100	50	2	40	30	400	850	7	5	200	5	0.2
Units		µg/L	µg/L	µg/L	µg/L	--	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L
W-1	10/22/15	<b>10,300</b>	NA	NA	NA	NA	(Grab Sample, no purging)															
	9/19/16	<b>9600</b>	NA	NA	NA	NA	(Grab Sample, previously purged)															
	6/12/18	<b>6600</b>	NA	NA	NA	NA	(Grab Sample, previously purged)															
	5/14/19	<b>4400</b>	NA	NA	NA	NA	(Grab Sample, previously purged)															
	10/14/21	6.1	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	1.1	<0.58	<0.41	9.7	<0.32	<0.17
	11/9/22	<b>2000</b>	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	<1.4	<0.30	<0.58	<0.41	4.4	<0.32	<0.17
W-1A	10/22/15	<b>3,300</b>	NA	NA	NA	NA	(Grab Sample, no purging)															
	9/19/16	<b>2800</b>	NA	NA	NA	NA	(Grab Sample, previously purged)															
	6/12/18	<b>2700</b>	NA	NA	NA	NA	(Grab Sample, previously purged)															
	5/14/19	<b>1800</b>	NA	NA	NA	NA	(Grab Sample, previously purged)															
	10/14/21	0.64	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	2	<0.58	<0.41	4.5	<0.32	<0.17	
	11/9/22	<b>790</b>	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	<1.4	1.4	<0.58	<0.41	5	<0.32	<0.17
PF-MW-2	May-00	<4.2	7.6	NA	NA	NA																
	Jun-01	<4.2	7.1	NA	NA	NA																
	Nov-01	<4.2	10	NA	NA	NA																
	May-02	<4.2	<0.52	NA	NA	NA																
	Nov-02	<4.2	2.4	NA	NA	NA																
	May-03	<4.2	49	NA	NA	NA																
	10/22/15	<3.9	NA	NA	NA	NA	(Grab Sample, no purging)															
	9/19/16	<5.1	NA	NA	NA	NA	(Grab Sample, previously purged)															
	6/13/18	<26	NA	NA	NA	NA	(Grab Sample, previously purged)															
	11/9/22	<7.3	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	<1.4	<0.30	<0.58	<0.41	<0.30	<0.32	<0.17
MW-3/MW3R	5/1/00	<b>230</b>	<b>330</b>	NA	NA	NA																
	11/1/00	<b>50</b>	<b>130</b>	NA	NA	NA																
	6/1/01	<b>3500</b>	<b>2200</b>	NA	NA	NA																
	11/28/01	<b>38</b>	<b>1700</b>	NA	NA	NA																
	5/1/02	<4.2	<b>220</b>	NA	NA	NA																
	11/2/02	<4.2	<b>18</b>	NA	NA	NA																
	5/3/03	<b>110</b>	<b>55</b>	NA	NA	NA																
	Dup	<b>83</b>	<b>49</b>	NA	NA	NA																
	5/4/04	<b>89</b>	<b>190</b>	NA	NA	NA																
	5/12/05	<5.0	<b>17</b>	NA	NA	NA																
	7/21/09	NA	<b>717</b>	NA	NA	NA																
	8/24/10	<b>660</b>	<b>552</b>	NA	NA	NA																
	6/28/11	<b>2800</b>	NA	NA	NA	NA																
	10/24/11	<b>2200</b>	NA	NA	NA	NA																
	10/23/12	<b>560</b>	NA	NA	NA	NA																
	12/5/13	<b>140</b>	NA	NA	NA	NA																
	10/16/14	<b>190</b>	NA	NA	NA	NA																
	10/22/15	<b>100</b>	NA	NA	NA	NA																
	9/19/16	<b>380</b>	NA	NA	NA	NA																
	6/12/18	<130	NA	NA	NA	NA																
5/14/19	<b>88</b>	NA	NA	NA	NA																	
10/14/21	<0.18	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	1.7 J	4.6	<u>0.96J</u>	<0.41	8.9	<0.32	<0.17	
11/9/22	<73 D3	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	1.5 J	3.6	<u>1.1</u>	<0.41	10.2	<0.32	<0.17	



**Table 2 Groundwater Analytical Summary, Better Brite - Zinc Shop**  
 315 6th Street, De Pere, WI BRRTS # 02-05-000031

Sample Location	Date	Detected Parameters (µg/L)																				
		Hexavalent Chromium	Chromium	Iron	Sulfate	Sulfide	Antimony	Arsenic	Cadmium	Cyanide	Nickel	Silver	Thallium	Cobalt	Vanadium	Chloroethane	1,1-DCA	1,1-DCE	PCE	1,1,1-TCA	TCE	VC
NR140 Preventive Action Limit		10	10	150	125,000	NO PAL	1.2	1	0.5	40	20	10	0.4	8	6	80	85	0.7	0.5	40	0.5	0.02
NR140 Enforcement Standard		100	100	300	250,000	NO ES	6	10	5	200	100	50	2	40	30	400	850	7	5	200	5	0.2
Units		µg/L	µg/L	µg/L	µg/L	--	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L
MW-4 (Abandoned)	8/1/94	<10	<3.4	NA	NA	NA																
	DUP	<10	<3.4	NA	NA	NA																
	10/1/94	<10 J	<3.4 J	NA	NA	NA																
	DUP	<10 J	<3.4 J	NA	NA	NA																
	4/1/98	<10	<5	NA	NA	NA																
	5/1/00	<4.2	4.6	NA	NA	NA																
	11/1/00	<4.2	2.4	NA	NA	NA																
	6/1/01	<4.2	12	NA	NA	NA																
	11/28/01	<4.2	7.4	NA	NA	NA																
	5/1/02	<4.2	1.4	NA	NA	NA																
	11/2/02	<4.2	15	NA	NA	NA																
	5/3/03	<4.2	27	NA	NA	NA																
5/4/04	<2.5	1.8	NA	NA	NA																	
5/12/05	<5.0	9	NA	NA	NA																	
11/28/05	<5.0	12	NA	NA	NA																	
MW-4A (Abandoned)	8/1/94	<10	<3.4	NA	NA	NA																
	10/1/94	<10 J	6.0 B	NA	NA	NA																
	4/1/98	<10	<5	NA	NA	NA																
	5/1/00	<4.2	8.7	NA	NA	NA																
	11/1/00	<4.2	3.7	NA	NA	NA																
	6/1/01	<4.2	3.7	NA	NA	NA																
	11/28/01	<4.2	13	NA	NA	NA																
	5/1/02	<4.2	38	NA	NA	NA																
	11/2/02	<4.2	28	NA	NA	NA																
	5/3/03	<4.2	32	NA	NA	NA																
	5/4/04	<2.5	0.75	NA	NA	NA																
	5/12/05	<5.0	2	NA	NA	NA																
11/28/05	<5.0	2.8	NA	NA	NA																	
MW-4B (Abandoned)	10/1/94	<10	<0.70	NA	NA	NA																
	11/1/94	<10	<2.5	NA	NA	NA																

**Table 2 Groundwater Analytical Summary, Better Brite - Zinc Shop**  
 315 6th Street, De Pere, WI BRRTS # 02-05-000031

Sample Location	Date	Detected Parameters (µg/L)																					
		Hexavalent Chromium	Chromium	Iron	Sulfate	Sulfide	Antimony	Arsenic	Cadmium	Cyanide	Nickel	Silver	Thallium	Cobalt	Vanadium	Chloroethane	1,1-DCA	1,1-DCE	PCE	1,1,1-TCA	TCE	VC	
NR140 Preventive Action Limit		10	10	150	125,000	NO PAL	1.2	1	0.5	40	20	10	0.4	8	6	80	85	0.7	0.5	40	0.5	0.02	
NR140 Enforcement Standard		100	100	300	250,000	NO ES	6	10	5	200	100	50	2	40	30	400	850	7	5	200	5	0.2	
Units		µg/L	µg/L	µg/L	µg/L	--	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	
MW-5	8/1/94	1590	827	NA	NA	NA																	
	10/1/94	460 J	299 J	NA	NA	NA																	
	DUP	510 J	763 J	NA	NA	NA																	
	4/1/98	212	631	NA	NA	NA																	
	DUP	207	667	NA	NA	NA																	
	7/1/98	1420	1230	NA	NA	NA																	
	5/1/00	120	190	NA	NA	NA																	
	11/1/00	<4.2	6.6	NA	NA	NA																	
	6/1/01	590	450	NA	NA	NA																	
	11/2/02	2200	2200	NA	NA	NA																	
	DUP	2200	2200	NA	NA	NA																	
	5/3/03	4900	3600	NA	NA	NA																	
	5/4/04	4700	3100	NA	NA	NA																	
	5/12/05	4000	3200	NA	NA	NA																	
	Oct-06	4900	4000	NA	NA	NA																	
	8/21/07	NA	2,700	NA	NA	NA																	
	7/21/09	NA	2,210	NA	NA	NA																	
	8/24/10	1,300	1,180	NA	NA	NA																	
	6/28/11	970	NA	NA	NA	NA																	
	10/24/11	1,100	NA	NA	NA	NA																	
	10/23/12	970	NA	NA	NA	NA																	
	12/5/13	1000	NA	NA	NA	NA																	
10/22/15	330	NA	NA	NA	NA																		
9/19/16	460	NA	NA	NA	NA																		
6/12/18	180	NA	NA	NA	NA																		
5/14/19	<51	NA	NA	NA	NA																		
10/14/21	<0.073	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	<1.4	<0.30	<0.58	<0.41	<0.30	<0.32	<0.17	
11/9/22	<370 D3	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	<1.4	<0.30	<0.58	<0.41	<0.30	<0.32	<0.17	
MW-5A	8/1/94	<10	<3.4	NA	NA	NA																	
	10/1/94	<10	<3.4 J	NA	NA	NA																	
	4/1/98	<10	<5	NA	NA	NA																	
	5/1/00	<4.2	6.5	NA	NA	NA																	
	11/1/00	340	380	NA	NA	NA																	
	6/1/01	<4.2	3.9	NA	NA	NA																	
	11/2/02	<4.2	34	NA	NA	NA																	
	5/3/03	<4.2	22	NA	NA	NA																	
	DUP	<4.2	49	NA	NA	NA																	
	5/4/04	<2.5	2.7	NA	NA	NA																	
	5/12/05	<5.0	7.6	NA	NA	NA																	
	8/24/10	<3.9	2.5"J"	NA	NA	NA																	
	6/28/11	<3.9	NA	NA	NA	NA																	
10/14/21	<1.8	NA	NA	NA	NA																		
11/9/22	<1800 D3	NA	NA	NA	NA																		
MW-5B (Abandoned)	8/1/94	NA	NA	NA	NA	NA																	
	10/1/94	<10	<5	NA	NA	NA																	

**Table 2 Groundwater Analytical Summary, Better Brite - Zinc Shop**  
 315 6th Street, De Pere, WI BRRTS # 02-05-000031

Sample Location	Date	Detected Parameters (µg/L)																					
		Hexavalent Chromium	Chromium	Iron	Sulfate	Sulfide	Antimony	Arsenic	Cadmium	Cyanide	Nickel	Silver	Thallium	Cobalt	Vanadium	Chloroethane	1,1-DCA	1,1-DCE	PCE	1,1,1-TCA	TCE	VC	
NR140 Preventive Action Limit		10	10	150	125,000	NO PAL	1.2	1	0.5	40	20	10	0.4	8	6	80	85	0.7	0.5	40	0.5	0.02	
NR140 Enforcement Standard		100	100	300	250,000	NO ES	6	10	5	200	100	50	2	40	30	400	850	7	5	200	5	0.2	
Units		µg/L	µg/L	µg/L	µg/L	--	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	
MW-6	8/1/94	15900	39200	NA	NA	NA																	
	10/1/94	47000	41,900 J	NA	NA	NA																	
	4/1/98	7650	4560	NA	NA	NA																	
	5/1/00	23000	26000	NA	NA	NA																	
	11/1/00	26000	23000	NA	NA	NA																	
	6/1/01	14000	15000	NA	NA	NA																	
	11/1/01	25000	29000	NA	NA	NA																	
	5/1/02	13000	13000	NA	NA	NA																	
	11/2/02	21000	22000	NA	NA	NA																	
	5/3/03	11000	9300	NA	NA	NA																	
	5/4/04	13000	15000	NA	NA	NA																	
	5/12/05	12000	11000	NA	NA	NA																	
	DUP	12000	11000	NA	NA	NA																	
	10/5/06	12000	12000	NA	NA	NA																	
	DUP	14000	12000	NA	NA	NA																	
	8/21/07	NA	8,900	NA	NA	NA																	
	7/21/09	NA	10,400	NA	NA	NA																	
	8/24/10	8400	7,540	NA	NA	NA																	
	6/28/11	5200	NA	NA	NA	NA																	
	10/24/11	6,500	NA	NA	NA	NA																	
	10/23/12	7,300	NA	NA	NA	NA																	
	12/5/13	6,100	NA	NA	NA	NA																	
10/16/14	3,300	NA	NA	NA	NA																		
10/22/15	360	NA	NA	NA	NA																		
9/20/16	3500	NA	NA	NA	NA																		
6/13/18	1400	NA	NA	NA	NA																		
5/14/19	1200	NA	NA	NA	NA																		
10/14/21	1.4	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	<1.4	<0.30	<0.58	<0.41	<0.30	<0.32	<0.17	
11/9/22	<1800 D3	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	<1.4	<0.30	<0.58	<0.41	<0.30	<0.32	<0.17	
MW-6A	8/1/94	<10	4.9 B	NA	NA	NA																	
	10/1/94	<10	<3.4 J	NA	NA	NA																	
	4/1/98	<10	<5	NA	NA	NA																	
	5/1/00	6.6	22	NA	NA	NA																	
	11/1/00	<4.2	13	NA	NA	NA																	
	6/01	<4.2	11	NA	NA	NA																	
	11/1/01	<4.2	7.1	NA	NA	NA																	
	5/1/02	<4.2	51	NA	NA	NA																	
	11/2/02	<4.2	83	NA	NA	NA																	
	5/3/03	<4.2	59	NA	NA	NA																	
	5/4/04	<2.5	3.4	NA	NA	NA																	
	5/12/05	<5.0	12	NA	NA	NA																	
	8/24/10	<3.9	1.7"J"	NA	NA	NA																	
	6/28/11	<3.9	NA	NA	NA	NA																	
10/14/21	<0.073	NA	NA	NA	NA																		
11/9/22	<370	NA	NA	NA	NA																		

**Table 2 Groundwater Analytical Summary, Better Brite - Zinc Shop**  
 315 6th Street, De Pere, WI BRRTS # 02-05-000031

Sample Location	Date	Detected Parameters (µg/L)																				
		Hexavalent Chromium	Chromium	Iron	Sulfate	Sulfide	Antimony	Arsenic	Cadmium	Cyanide	Nickel	Silver	Thallium	Cobalt	Vanadium	Chloroethane	1,1-DCA	1,1-DCE	PCE	1,1,1-TCA	TCE	VC
NR140 Preventive Action Limit		10	10	150	125,000	NO PAL	1.2	1	0.5	40	20	10	0.4	8	6	80	85	0.7	0.5	40	0.5	0.02
NR140 Enforcement Standard		100	100	300	250,000	NO ES	6	10	5	200	100	50	2	40	30	400	850	7	5	200	5	0.2
Units		µg/L	µg/L	µg/L	µg/L	--	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L
MW-6B (Abandoned)	8/1/94	<10	NA	NA	NA	NA																
MW-7	8/1/94	<10	6.6 BJ	NA	NA	NA																
	DUP.	<10	<2.8	NA	NA	NA																
	10/1/94	<10 J	36.4 J	NA	NA	NA																
	4/1/98	<10	<5	NA	NA	NA																
	DUP	<10	<5	NA	NA	NA																
	5/1/00	<4.2	3.9	NA	NA	NA																
	11/1/00	<4.2	1.1	NA	NA	NA																
	6/1/01	<4.2	2.7	NA	NA	NA																
	11/28/01	<4.2	9.7	NA	NA	NA																
	5/1/02	<4.2	3.2	NA	NA	NA																
	11/2/02	<4.2	1.9	NA	NA	NA																
	5/3/03	<4.2	0.91	NA	NA	NA																
	5/4/04	<2.5	0.88	NA	NA	NA																
	5/12/05	<5.0	32	NA	NA	NA																
	8/21/07	NA	4.4	NA	NA	NA																
	7/21/09	NA	9	NA	NA	NA																
8/24/10	<3.9	3.7"J"	NA	NA	NA																	
6/28/11	<3.9	NA	NA	NA	NA																	
11/9/22	<370 D3	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	<1.4	<0.30	<0.58	<0.41	<0.30	<0.32	<0.17
MW-7A	8/1/94	<10	<2.8	NA	NA	NA																
	10/1/94	<10 J	<3.4 J	NA	NA	NA																
	4/1/98	<10	<5	NA	NA	NA																
	5/1/00	<4.2	4.7	NA	NA	NA																
	11/1/00	7.9	5	NA	NA	NA																
	6/1/01	<4.2	2.5	NA	NA	NA																
	11/28/01	<4.2	<5.2	NA	NA	NA																
	5/1/02	<4.2	1.4	NA	NA	NA																
	11/2/02	<4.2	0.98	NA	NA	NA																
	5/3/03	<4.2	0.85	NA	NA	NA																
	5/4/04	3.9	2.2	NA	NA	NA																
	5/12/05	<5.0	0.65	NA	NA	NA																
	8/24/10	<3.9	1.6"J"	NA	NA	NA																
6/28/11	<3.9	NA	NA	NA	NA																	
11/9/22	<370 D3	NA	NA	NA	NA																	

**Table 2 Groundwater Analytical Summary, Better Brite - Zinc Shop**  
 315 6th Street, De Pere, WI BRRTS # 02-05-000031

Sample Location	Date	Detected Parameters (µg/L)																				
		Hexavalent Chromium	Chromium	Iron	Sulfate	Sulfide	Antimony	Arsenic	Cadmium	Cyanide	Nickel	Silver	Thallium	Cobalt	Vanadium	Chloroethane	1,1-DCA	1,1-DCE	PCE	1,1,1-TCA	TCE	VC
NR140 Preventive Action Limit		10	10	150	125,000	NO PAL	1.2	1	0.5	40	20	10	0.4	8	6	80	85	0.7	0.5	40	0.5	0.02
NR140 Enforcement Standard		100	100	300	250,000	NO ES	6	10	5	200	100	50	2	40	30	400	850	7	5	200	5	0.2
Units		µg/L	µg/L	µg/L	µg/L	--	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L
MW-8	10/1/94	<10	<0.70	NA	NA	NA																
	11/1/94	<10	<2.5	NA	NA	NA																
	DUP.	<10	<2.5	NA	NA	NA																
	4/1/98	<10	<5	NA	NA	NA																
	5/1/00	<4.2	15	NA	NA	NA																
	11/1/00	13	13	NA	NA	NA																
	6/1/01	5.3	2	NA	NA	NA																
	11/28/01	<4.2	2.3	NA	NA	NA																
	DUP	<4.2	6.7	NA	NA	NA																
	5/1/02	<4.2	4	NA	NA	NA																
	11/3/02	<4.2	23	NA	NA	NA																
	5/3/03	<4.2	2.2	NA	NA	NA																
	5/6/04	<2.5	1.7	NA	NA	NA																
	5/12/05	<5.0	1.1	NA	NA	NA																
8/21/07	NA	2.3	NA	NA	NA																	
8/24/10	<3.9	96	NA	NA	NA																	
6/28/11	<3.9	NA	NA	NA	NA																	
11/9/22	<1800 D3	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	<1.4	<0.30	<0.58	<0.41	<0.30	<0.32	<0.17
MW-8A	10/1/94	<10	<0.70	NA	NA	NA																
	11/1/94	<10	<2.5	NA	NA	NA																
	4/1/98	<10	<5	NA	NA	NA																
	5/1/00	<4.2	16	NA	NA	NA																
	11/1/00	<4.2	34	NA	NA	NA																
	6/1/01	<4.2	3.7	NA	NA	NA																
	11/28/01	<4.2	14	NA	NA	NA																
	5/1/02	<4.2	2.5	NA	NA	NA																
	DUP	<4.2	11	NA	NA	NA																
	11/2/02	<4.2	20	NA	NA	NA																
	5/3/03	<4.2	13	NA	NA	NA																
	5/4/04	3.9	0.59	NA	NA	NA																
	5/12/05	<5.0	2.6	NA	NA	NA																
	8/21/07	NA	0.92	NA	NA	NA																
8/24/10	<3.9	1.7"J"	NA	NA	NA																	
6/28/11	<3.9	NA	NA	NA	NA																	
11/9/22	<370 D3	NA	NA	NA	NA																	

**Table 2 Groundwater Analytical Summary, Better Brite - Zinc Shop**  
 315 6th Street, De Pere, WI BRRTS # 02-05-000031

Sample Location	Date	Detected Parameters (µg/L)																				
		Hexavalent Chromium	Chromium	Iron	Sulfate	Sulfide	Antimony	Arsenic	Cadmium	Cyanide	Nickel	Silver	Thallium	Cobalt	Vanadium	Chloroethane	1,1-DCA	1,1-DCE	PCE	1,1,1-TCA	TCE	VC
NR140 Preventive Action Limit		10	10	150	125,000	NO PAL	1.2	1	0.5	40	20	10	0.4	8	6	80	85	0.7	0.5	40	0.5	0.02
NR140 Enforcement Standard		100	100	300	250,000	NO ES	6	10	5	200	100	50	2	40	30	400	850	7	5	200	5	0.2
Units		µg/L	µg/L	µg/L	µg/L	--	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L
MW-9	8/1/94	400	697	NA	NA	NA																
	10/1/94	470 J	442 J	NA	NA	NA																
	4/1/98	209	<5	NA	NA	NA																
	7/1/98	60	75	NA	NA	NA																
	11/1/00	13	15	NA	NA	NA																
	DUP	19	51	NA	NA	NA																
	6/1/01	28	180	NA	NA	NA																
	11/1/01	35	76	NA	NA	NA																
	5/1/02	75	72	NA	NA	NA																
	11/2/02	67	80	NA	NA	NA																
	5/3/03	32	53	NA	NA	NA																
	5/4/04	54	63	NA	NA	NA																
	Dup	50	46	NA	NA	NA																
	5/12/05	28	41	NA	NA	NA																
	10/5/06	17	34	NA	NA	NA																
	8/21/07	NA	52	NA	NA	NA																
	7/21/09	NA	33.3	NA	NA	NA																
	8/24/10	27	30.3	NA	NA	NA																
	6/28/11	14	NA	NA	NA	NA																
	10/23/12	18 J	NA	NA	NA	NA																
	12/5/13	<3.4	NA	NA	NA	NA																
	10/16/14	<3.9	NA	NA	NA	NA																
	10/22/15	<3.9	NA	NA	NA	NA																
9/19/16	<26	NA	NA	NA	NA																	
6/12/18	<130	NA	NA	NA	NA																	
5/14/19	<51	NA	NA	NA	NA																	
10/14/21	<0.73	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	<1.4	<0.30	<0.58	<0.41	<0.30	<0.32	<0.17
11/9/22	<370 D3	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	<1.4	<0.30	<0.58	<0.41	<0.30	<0.32	<0.17
MW-10	8/1/94	60300	53100	NA	NA	NA																
	10/1/94	60800 J	43,500 J	NA	NA	NA																
	11/1/00	20000	18000	NA	NA	NA																
	6/1/01	<4.2	20	NA	NA	NA																
	11/2/02	35000	38000	NA	NA	NA																
	5/3/03	38000	37000	NA	NA	NA																
	5/4/04	25000	22000	NA	NA	NA																
	11/28/05	13000	13000	NA	NA	NA																
	10/5/06	14000	13000	NA	NA	NA																
	8/21/07	NA	17,000	NA	NA	NA																
	10/22/15	10,300	NA	NA	NA	NA																
	9/19/16	9,800	NA	NA	NA	NA																
	6/12/18	3,200	NA	NA	NA	NA																
	5/14/19	1,500	NA	NA	NA	NA																
	10/14/21	<0.18	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	<1.4	<0.30	<0.58	<0.41	<0.30	<0.32
11/9/22	<370 D3	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	<1.4	<0.30	<0.58	<0.41	<0.30	<0.32	<0.17

**Table 2 Groundwater Analytical Summary, Better Brite - Zinc Shop**  
 315 6th Street, De Pere, WI BRRTS # 02-05-000031

Sample Location	Date	Detected Parameters (µg/L)																						
		Hexavalent Chromium	Chromium	Iron	Sulfate	Sulfide	Antimony	Arsenic	Cadmium	Cyanide	Nickel	Silver	Thallium	Cobalt	Vanadium	Chloroethane	1,1-DCA	1,1-DCE	PCE	1,1,1-TCA	TCE	VC		
NR140 Preventive Action Limit		10	10	150	125,000	NO PAL	1.2	1	0.5	40	20	10	0.4	8	6	80	85	0.7	0.5	40	0.5	0.02		
NR140 Enforcement Standard		100	100	300	250,000	NO ES	6	10	5	200	100	50	2	40	30	400	850	7	5	200	5	0.2		
Units		µg/L	µg/L	µg/L	µg/L	--	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L		
MW-11	5/1/95	<10	<1.0	NA	NA	NA																		
	4/1/98	<10	<5	NA	NA	NA																		
	5/1/00	<4.2	7.0	NA	NA	NA																		
	11/1/00	<4.2	4.1	NA	NA	NA																		
	6/1/01	<4.2	3.6	NA	NA	NA																		
	11/1/01	<4.2	7.8	NA	NA	NA																		
	5/1/02	17	<20	NA	NA	NA																		
	11/2/02	<4.2	27	NA	NA	NA																		
	5/3/03	<4.2	12	NA	NA	NA																		
	5/4/04	<2.5	2.3	NA	NA	NA																		
	5/12/05	<5.0	2.8	NA	NA	NA																		
	8/24/10	<3.9	8.9	NA	NA	NA																		
	6/28/11	<3.9	NA	NA	NA	NA																		
11/9/22	<370 D3	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	<1.4	<0.30	<0.58	<0.41	<0.30	<0.32	<0.17		
MW-12	3/1/95	<10 J	<2.9	NA	NA	NA																		
	5/1/95	<10	<1.0	NA	NA	NA																		
	4/1/98	<10	<5	NA	NA	NA																		
	5/1/00	<4.2	4.8	NA	NA	NA																		
	11/1/00	<4.2	6	NA	NA	NA																		
	jun-01	<4.2	6.4	NA	NA	NA																		
	11/28/01	<4.2	<0.52	NA	NA	NA																		
	5/1/02	<4.2	4.8	NA	NA	NA																		
	11/2/02	<4.2	1.3	NA	NA	NA																		
	5/3/03	<4.2	1.3	NA	NA	NA																		
	5/4/04	<2.5	1.8	NA	NA	NA																		
	5/12/05	<5.0	8.1	NA	NA	NA																		
	8/24/10	<3.9	6.5	NA	NA	NA																		
6/28/11	<3.9	NA	NA	NA	NA																			
11/9/22	<180 D3	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	<1.4	<0.30	<0.58	<0.41	<0.30	<0.32	<0.17		

**Table 2 Groundwater Analytical Summary, Better Brite - Zinc Shop**  
 315 6th Street, De Pere, WI BRRTS # 02-05-000031

Sample Location	Date	Detected Parameters (µg/L)																					
		Hexavalent Chromium	Chromium	Iron	Sulfate	Sulfide	Antimony	Arsenic	Cadmium	Cyanide	Nickel	Silver	Thallium	Cobalt	Vanadium	Chloroethane	1,1-DCA	1,1-DCE	PCE	1,1,1-TCA	TCE	VC	
NR140 Preventive Action Limit		10	10	150	125,000	NO PAL	1.2	1	0.5	40	20	10	0.4	8	6	80	85	0.7	0.5	40	0.5	0.02	
NR140 Enforcement Standard		100	100	300	250,000	NO ES	6	10	5	200	100	50	2	40	30	400	850	7	5	200	5	0.2	
Units		µg/L	µg/L	µg/L	µg/L	--	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	
MW-13	3/1/95	<10 J	<2.9	NA	NA	NA																	
	5/1/95	<10	<1.0	NA	NA	NA																	
Zinc Sump	8/1/94	<b>89000</b>	<b>209000</b>	NA	NA	NA																	
	10/1/94	<b>144900</b>	<b>277000</b>	NA	NA	NA																	
	4/1/98	<b>66000</b>	<b>38300</b>	NA	NA	NA																	
	7/1/98	<b>131000</b>	<b>131000</b>	NA	NA	NA																	
	5/1/00	<b>1800</b>	<b>1700</b>	NA	NA	NA																	
	11/1/00	<b>41000</b>	<b>27000</b>	NA	NA	NA																	
	6/1/01	<b>40000</b>	<b>110000</b>	NA	NA	NA																	
	11/28/01	<b>23000</b>	<b>56000</b>	NA	NA	NA																	
	5/1/02	<b>43000</b>	<b>14000</b>	NA	NA	NA																	
	11/2/03	<b>23000</b>	<b>30000</b>	NA	NA	NA																	
	5/3/03	<b>8400</b>	<b>6800</b>	NA	NA	NA																	
	5/4/04	<b>24000</b>	<b>6400</b>	NA	NA	NA																	
	5/12/05	<b>15000</b>	<b>13000</b>	NA	NA	NA																	
	10/5/06	<b>7500</b>	<b>5900</b>	NA	NA	NA																	
	8/21/07	NA	<b>20,000</b>	NA	NA	NA																	
	7/21/09	NA	<b>14,800</b>	NA	NA	NA																	
	8/24/10	<b>12,100</b>	<b>11,300</b>	NA	NA	NA	<b>90.6</b>	NA	NA	<u>40</u>	NA	NA	<2.2	2.5 J	4.7 J		<0.75	<0.57	<0.45	1.5	<0.48	<0.18	
	6/28/11	<b>4100</b>	NA	NA	NA	NA	<b>6.6</b>	NA	NA	<b>250</b>	NA	NA	<2.2	2.5 J	4.7 J		1.2	<b>2.8</b>	<i>0.84</i>	38.9	<0.48	<0.18	
	10/24/11	<b>3,700</b>	NA	NA	NA	NA	<b>6.0 "J"</b>	NA	NA	<b>220</b>	NA	NA	NA	NA	NA		NA	NA	NA	NA	NA	NA	
	10/23/12	<b>110</b>	NA	NA	NA	NA	NA	NA	NA	<u>40</u>	NA	NA	NA	NA	NA		NA	NA	NA	NA	NA	NA	
12/5/13	<b>5,100</b>	NA	NA	NA	NA	NA	NA	NA	<b>340</b>	NA	NA	NA	NA	NA		NA	NA	NA	NA	NA	NA		
10/16/14	<b>9,600</b>	NA	NA	NA	NA	NA	NA	NA	<u>190</u>	NA	NA	NA	NA	NA		NA	NA	NA	NA	NA	NA		
10/22/15	<b>10,200</b>	NA	NA	NA	NA	NA	NA	NA	<b>220</b>	NA	NA	NA	NA	NA		2.9	<u>2.5</u>	<u>1.2</u>	<u>49.0</u>	<0.33	<0.18		
9/19/16	<b>14,000</b>	NA	NA	NA	NA	< <b>7.3</b>	NA	NA	<u>160</u>	NA	NA	NA	NA	NA		1.4	<u>1.2</u>	<u>0.79J</u>	22.6	<0.33	<0.18		
6/13/18	<b>9900</b>	NA	NA	NA	NA	NA	NA	NA	<u>51</u>	NA	NA	NA	NA	NA		<0.24	<0.41	<0.50	2.1	<0.33	<0.18		
5/14/19	<b>8100</b>	NA	NA	NA	NA	NA	NA	NA	<u>100</u>	NA	NA	NA	NA	NA		0.68J	<u>1.2</u>	0.45J	14.1	<0.26	<0.17		
10/14/21	6.5	NA	NA	NA	NA	NA	NA	NA	0.089J	NA	NA	NA	NA	NA		1.5	<u>0.81J</u>	<u>0.75J</u>	15.7	<0.32	<0.17		
11/9/22	<b>420</b>	NA	NA	NA	NA	NA	NA	NA	<u>75 J</u>	NA	NA	NA	NA	NA		<1.4	1.9	<u>1.4</u>	<u>0.93J</u>	20.2	<0.32	<0.17	
Private	8/1/94	<10	<10	NA	NA	NA																	
Municipal	8/1/94	<10	<10	NA	NA	NA																	
	DUP.	<10	<10	NA	NA	NA																	
	10/1/94	<10	<10	NA	NA	NA																	
	DUP.	<10	<10	NA	NA	NA																	
USGS	10/1/94	<10	0.75 B	NA	NA	NA																	
USGS-A	10/1/94	<10	<u>11.9</u>	NA	NA	NA																	

Notes:  
 1,1-DCA = 1,1-Dichloroethane / 1,1-DCE = 1,1-Dichloroethylene / PCE = Tetrachloroethylene / 1,1,1-TCA = 1,1,1-Trichloroethane / TCE - Trichloroethylene / VC = Vinyl Chloride  
 µg/L = microgram/Liter  
 NA - Compound not analyzed  
 NS - Not Sampled  
 Underlined - Concentration exceeds preventive action limit  
 Bolded - Concentration exceeds enforcement standard  
 D3 - Sample was diluted due to the presence of high levels of non-target analytes or other matrix interference.  
 J - Estimate concentration at or above the Limit of Detection and below the Limit of Quantitation



**Attachment 7**  
**Monitoring Well Photographic Log**

**Client's Name:**  
WDNR - Better Brite

**Site Location:**  
De Pere, Wisconsin

**Project No.**  
22W016

**Photo No.**  
1

**Date:**  
11/9/2022

**Photo Taken Location:**  
Zinc Shop Site

**Photo Taken By:**  
Dale C.

**Description:**  
Zinc Shop Sump



**Photo No.**  
3

**Date:**  
11/9/2022

**Photo Taken Location:**  
Zinc Shop Site

**Photo Taken By:**  
Dale C.

**Description:**  
W-1A Monitoring Well



**Photo No.**  
2

**Date:**  
11/9/2022

**Photo Taken Location:**  
Zinc Shop Site

**Photo Taken By:**  
Dale C.

**Description:**  
W-1 Monitoring Well



**Photo No.**  
4

**Date:**  
11/9/2022

**Photo Taken Location:**  
Zinc Shop Site

**Photo Taken By:**  
Dale C.

**Description:**  
MW2 Monitoring Well





**Client's Name:**  
WDNR - Better Brite

**Site Location:**  
De Pere, Wisconsin

**Project No.**  
22W016

**Photo No.**  
5

**Date:**  
11/9/2022

**Photo Taken Location:**  
Zinc Shop Site

**Photo Taken By:**  
Dale C.

**Description:**  
MW-3R Monitoring Well



**Photo No.**  
7

**Date:**  
11/9/2022

**Photo Taken Location:**  
Zinc Shop Site

**Photo Taken By:**  
Dale C.

**Description:**  
MW-5 Monitoring Well



**Photo No.**  
6

**Date:**  
11/9/2022

**Photo Taken Location:**  
Zinc Shop Site

**Photo Taken By:**  
Dale C.

**Description:**  
MW-5A Monitoring Well



**Photo No.**  
8

**Date:**  
11/9/2022

**Photo Taken Location:**  
Zinc Shop Site

**Photo Taken By:**  
Dale C.

**Description:**  
MW-6 Monitoring Well





**Client's Name:**  
WDNR - Better Brite

**Site Location:**  
De Pere, Wisconsin

**Project No.**  
22W016

**Photo No.**  
9

**Date:**  
11/9/2022

**Photo Taken Location:**  
Zinc Shop Site

**Photo Taken By:**  
Dale C.

**Description:**  
MW-6A Monitoring Well



**Photo No.**  
11

**Date:**  
11/9/2022

**Photo Taken Location:**  
Zinc Shop Site

**Photo Taken By:**  
Dale C.

**Description:**  
MW-7 Monitoring Well



**Photo No.**  
10

**Date:**  
11/9/2022

**Photo Taken Location:**  
Zinc Shop Site

**Photo Taken By:**  
Dale C.

**Description:**  
MW-7A Monitoring Well



**Photo No.**  
12

**Date:**  
11/9/2022

**Photo Taken Location:**  
Zinc Shop Site

**Photo Taken By:**  
Dale C.

**Description:**  
MW-8 Monitoring Well





**Client's Name:**  
WDNR - Better Brite

**Site Location:**  
De Pere, Wisconsin

**Project No.**  
22W016

**Photo No.**  
13

**Date:**  
11/9/2022

**Photo Taken Location:**  
Zinc Shop Site

**Photo Taken By:**  
Dale C.

**Description:**  
MW-8A Monitoring Well



**Photo No.**  
15

**Date:**  
11/9/2022

**Photo Taken Location:**  
Zinc Shop Site

**Photo Taken By:**  
Dale C.

**Description:**  
MW-9 Monitoring Well



**Photo No.**  
14

**Date:**  
11/9/2022

**Photo Taken Location:**  
Zinc Shop Site

**Photo Taken By:**  
Dale C.

**Description:**  
MW-10 Monitoring Well



**Photo No.**  
16

**Date:**  
11/9/2022

**Photo Taken Location:**  
Zinc Shop Site

**Photo Taken By:**  
Dale C.

**Description:**  
MW-11 Monitoring Well





**Client's Name:**  
WDNR - Better Brite

**Site Location:**  
De Pere, Wisconsin

**Project No.**  
22W016

**Photo No.**  
17

**Date:**  
11/9/2022



**Photo Taken Location:**  
Zinc Shop Site

**Photo Taken By:**  
Dale C.

**Description:**  
MW-12 Monitoring Well

**Photo No.**  
19

**Date:**  
11/10/2022



**Photo Taken Location:**  
Chrome Shop Site

**Photo Taken By:**  
Dale C.

**Description:**  
MW-106 Monitoring Well

**Photo No.**  
18

**Date:**  
11/10/2022



**Photo Taken Location:**  
Chrome Shop Site

**Photo Taken By:**  
Dale C.

**Description:**  
MW-106A Monitoring Well

**Photo No.**  
20

**Date:**  
11/10/2022



**Photo Taken Location:**  
Chrome Shop Site

**Photo Taken By:**  
Dale C.

**Description:**  
MW-107 Monitoring Well



**Client's Name:**  
WDNR - Better Brite

**Site Location:**  
De Pere, Wisconsin

**Project No.**  
22W016

**Photo No.**  
21

**Date:**  
11/10/2022



**Photo Taken Location:**  
Chrome Shop Site

**Photo Taken By:**  
Dale C.

**Description:**  
MW-107A  
Monitoring Well

**Photo No.**  
23

**Date:**  
11/10/2022



**Photo Taken Location:**  
Chrome Shop Site

**Photo Taken By:**  
Dale C.

**Description:**  
MW-108  
Monitoring Well

**Photo No.**  
22

**Date:**  
11/10/2022



**Photo Taken Location:**  
Chrome Shop Site

**Photo Taken By:**  
Dale C.

**Description:**  
MW-108A  
Monitoring Well

**Photo No.**  
24

**Date:**  
11/10/2022



**Photo Taken Location:**  
Chrome Shop Site

**Photo Taken By:**  
Dale C.

**Description:**  
MW-110  
Monitoring Well



**Client's Name:**  
WDNR - Better Brite

**Site Location:**  
De Pere, Wisconsin

**Project No.**  
22W016

<b>Photo No.</b> 25	<b>Date:</b> 11/10/2022	
<b>Photo Taken Location:</b> Chrome Shop Site		
<b>Photo Taken By:</b> Dale C.		
<b>Description:</b> MW-110A Monitoring Well		

<b>Photo No.</b> 27	<b>Date:</b> 11/10/2022	
<b>Photo Taken Location:</b> Chrome Shop Site		
<b>Photo Taken By:</b> Dale C.		
<b>Description:</b> MW-111 Monitoring Well		

<b>Photo No.</b> 26	<b>Date:</b> 11/10/2022	
<b>Photo Taken Location:</b> Chrome Shop Site		
<b>Photo Taken By:</b> Dale C.		
<b>Description:</b> MW-112 Monitoring Well		

<b>Photo No.</b> 28	<b>Date:</b> 11/10/2022	
<b>Photo Taken Location:</b> Chrome Shop Site		
<b>Photo Taken By:</b> Dale C.		
<b>Description:</b> MW-113 Monitoring Well		



**Client's Name:**  
WDNR - Better Brite

**Site Location:**  
De Pere, Wisconsin

**Project No.**  
22W016

**Photo No.**  
29

**Date:**  
11/10/2022

**Photo Taken Location:**  
Chrome Shop Site

**Photo Taken By:**  
Dale C.

**Description:**  
MW-115  
Monitoring Well



**Photo No.**  
31

**Date:**  
11/10/2022

**Photo Taken Location:**  
Chrome Shop Site

**Photo Taken By:**  
Dale C.

**Description:**  
MW-115A  
Monitoring Well



**Photo No.**  
30

**Date:**  
11/10/2022

**Photo Taken Location:**  
Chrome Shop Site

**Photo Taken By:**  
Dale C.

**Description:**  
MW-116  
Monitoring Well



**Attachment 8**  
**Laboratory Analytical Reports**



## Foth Infrastructure & Environment, LLC

### Data Verification Checklist Form

<b>Event:</b> Better Brite Superfund Site Groundwater Monitoring	
<b>Sample Date(s):</b> 11/09/2022	<b>Sample Matrix:</b> Groundwater
<b>Field Technician:</b> Dale Chervenka	<b>Prepared by:</b> T. Scott Barton
<b>Laboratory:</b> Pace Analytical Services, Green Bay, WI	<b>Checked by:</b> Nick Glander
<b>Laboratory Batch Number(s):</b> 40254467	<b>Date:</b> 02/02/2023

The data review is to be performed in accordance with the procedures specified in the USEPA Functional Guidelines for Inorganic, Organic, and High-Resolution Superfund Methods Data Review (USEPA 2020a, 2020b, and 2020c), and quality assurance and control parameters set by the project laboratories.

This checklist verifies that sampling and analytical activities followed relevant methods, procedures, and project-specific documents (e.g., QAPPs and SAPs) for the following:

- Sample documentation and chain-of-custody protocol;
- Sample container requirements;
- Quality control (QC) procedures; and
- Quality assurance (QA) management including data management and data verification procedures.

### Data Verification Overview

Sample results subjected to a data verification review include an evaluation of the following QC parameters:

- Sample preservation and temperature upon receipt;
- Holding times;
- Method blank detections;
- Method duplicates and relative percent difference (RPD);
- Laboratory control samples/laboratory control samples duplicate (LCS/LCSD) recovery and RPD;
- Matrix spike/matrix spike duplicate (MS/MSD) recovery and RPD;
- Surrogate recovery (for organic parameters);
- Field QA/QC samples and RPD;
- Simplified charge balance calculation (for ion balancing); and
- Completeness summary.



## Foth Infrastructure & Environment, LLC

The following tables summarize data verification results:

### Analytes and Methods

VOCs	EPA 8260
Chromium, Hexavalent	SM 3500-Cr B
Cyanide, Total	EPA 335.4

### Sample Summary

Lab ID	Sample ID
40254467001	W-1_202211
40254467002	W-1A_202211
40254467003	MW-2_202211
40254467004	MW-3R_202211
40254467005	MW-5_202211
40254467006	MW-5A_202211
40254467007	MW-6_202211
40254467008	MW-6A_202211
40254467009	MW-7_202211
40254467010	MW-7A_202211
40254467011	MW-8_202211
40254467012	MW-8A_202211
40254467013	MW-9_202211
40254467014	MW-10_202211
40254467015	MW-11_202211
40254467016	MW-12_202211
40254467017	ZINC SHOP_202211
40254467018	MW-3RD_202211

### Quality Assurance Sample IDs

Lab ID	Sample ID
40254467019	TB1_202211

### Data Verification Checklist

Data Verification Criteria	Yes	No	Not Applicable
<b>CHAIN OF CUSTODY (COC)</b>			
1. Are relinquish and receipt signatures present on the COC?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
2. Do the analyte and analytical methods requested on the COC agree with the project requirements (e.g., QAPP, SAP)?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
<b>SAMPLE PRESERVATION &amp; HOLDING TIMES</b>			
3. Samples received by the project laboratory, intact, with correct preservation, and at the correct temperature (less than or equal to [ $\leq$ ] 6 degrees Celsius [ $^{\circ}$ C] but not frozen)?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>





**Foth Infrastructure & Environment, LLC**

Data Verification Criteria	Yes	No	Not Applicable
Comments: <ul style="list-style-type: none"> <li>Post-analysis pH measurement indicates insufficient VOA sample preservation in MW-8_202211 (Lab ID# 40254467011). No qualifier is assigned because the sample was analyzed within the technical holding time of 7 days specified in the National Functional Guidelines for Organic Superfund Methods Data Review (USEPA 2020).</li> </ul>			
4. Samples extracted and analyzed within the holding time limits set by the respective analytical method(s)? Comments: <ul style="list-style-type: none"> <li>Analyses for hexavalent chromium (SM 3500-Cr B) for all samples were performed outside the recommended holding time of 24 hours. No qualifiers are assigned because samples were analyzed within the technical holding time of 14 days specified in the National Functional Guidelines for Inorganic Superfund Methods Data Review (USEPA 2020).</li> </ul>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
<b>ANALYTICAL METHOD REQUIREMENTS</b>			
5. Method blanks analyzed at the required frequencies?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
6. Target compounds detected in the method blanks? Compounds detected: <ul style="list-style-type: none"> <li>None</li> </ul>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
7. Method duplicate samples performed at the required frequency? Comments: <ul style="list-style-type: none"> <li>No method duplicates were reported for this Sample Delivery Group.</li> </ul>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
8. Were LCS/LCSD analyses performed at the required frequency? Comments:	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
9. Are the percent recoveries and RPDs for the LCS/LCSD within acceptance limits? Comments: <ul style="list-style-type: none"> <li>The LCS % Recovery for trans-1,2-Dichloroethene was outside control limits for LCS# 2483116. Project samples associated with this LCS are MW-3RD_202211 and TB1_202211. No qualification of data required because associated results were non-detect.</li> </ul>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
10. Were MS/MSD analyses performed at the required frequency?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
11. Are percent recoveries and RPDs for the MS/MSD within acceptable limits? Comments: <ul style="list-style-type: none"> <li>The MS/MSD % Recoveries for Bromomethane were outside control limits in MS/MSD# 2484281 and 2484282. This MS/MSD analysis was not performed using a project sample, so no qualification of data is required.</li> </ul>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
<b>QUALITY ASSURANCE REQUIREMENTS</b>			



**Foth Infrastructure & Environment, LLC**

<b>Data Verification Criteria</b>	<b>Yes</b>	<b>No</b>	<b>Not Applicable</b>
12. Were the appropriate number of trip blanks collected? Comments: <ul style="list-style-type: none"> <li>• One trip blank was collected and analyzed for this Sample Delivery Group.</li> </ul>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
13. Were the appropriate number of field blanks collected? Comments: <ul style="list-style-type: none"> <li>• None specified in the QAPP.</li> </ul>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
14. Were the appropriate number of duplicates collected? Comments: <ul style="list-style-type: none"> <li>• None specified in the QAPP.</li> </ul>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
15. Were the appropriate number of equipment blanks collected? Comments: <ul style="list-style-type: none"> <li>• None specified in the QAPP.</li> </ul>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
16. Were the appropriate number of mercury field blanks collected? Comments: <ul style="list-style-type: none"> <li>• Mercury is not an analyte of interest for this project.</li> </ul>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
<b>QUALITY CONTROL REQUIREMENTS</b>			
17. Is the charge balance error less than 10% or 1 milliequivalents per liter (meq/L), whichever is greater? Comments: <ul style="list-style-type: none"> <li>• None specified in the QAPP.</li> </ul>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
18. Were all samples analyzed as defined in the sampling plan? Comments:	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
19. Is the completeness check greater than or equal to 90% of the plan? Comments:	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
20. Do the analytical results meet the data quality objectives? Comments:	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
21. Was a trend evaluation completed as part of the data verification? Comments: <ul style="list-style-type: none"> <li>• None specified in the QAPP.</li> </ul>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>

November 18, 2022

Nick Glander  
Foth Infrastructure & Environment, LLC  
2121 Innovation Court  
Suite 300  
De Pere, WI 54115

RE: Project: 22W016 BETTER BRITE  
Pace Project No.: 40254467

Dear Nick Glander:

Enclosed are the analytical results for sample(s) received by the laboratory on November 09, 2022. The results relate only to the samples included in this report. Results reported herein conform to the applicable TNI/NELAC Standards and the laboratory's Quality Manual, where applicable, unless otherwise noted in the body of the report.

The test results provided in this final report were generated by each of the following laboratories within the Pace Network:

- Pace Analytical Services - Green Bay

If you have any questions concerning this report, please feel free to contact me.

Sincerely,



Tod Noltemeyer  
tod.noltemeyer@pacelabs.com  
(920)469-2436  
Project Manager

Enclosures



## REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

## CERTIFICATIONS

Project: 22W016 BETTER BRITE

Pace Project No.: 40254467

---

### **Pace Analytical Services Green Bay**

1241 Bellevue Street, Green Bay, WI 54302

Florida/NELAP Certification #: E87948

Illinois Certification #: 200050

Kentucky UST Certification #: 82

Louisiana Certification #: 04168

Minnesota Certification #: 055-999-334

New York Certification #: 12064

North Dakota Certification #: R-150

South Carolina Certification #: 83006001

Texas Certification #: T104704529-21-8

Virginia VELAP Certification ID: 11873

Wisconsin Certification #: 405132750

Wisconsin DATCP Certification #: 105-444

USDA Soil Permit #: P330-21-00008

Federal Fish & Wildlife Permit #: 51774A

---

## REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.



## SAMPLE SUMMARY

Project: 22W016 BETTER BRITE  
Pace Project No.: 40254467

Lab ID	Sample ID	Matrix	Date Collected	Date Received
40254467001	W-1_202211	Water	11/09/22 11:50	11/09/22 15:43
40254467002	W-1A_202211	Water	11/09/22 11:45	11/09/22 15:43
40254467003	MW-2_202211	Water	11/09/22 14:00	11/09/22 15:43
40254467004	MW-3R_202211	Water	11/09/22 10:55	11/09/22 15:43
40254467005	MW-5_202211	Water	11/09/22 14:21	11/09/22 15:43
40254467006	MW-5A_202211	Water	11/09/22 14:04	11/09/22 15:43
40254467007	MW-6_202211	Water	11/09/22 12:26	11/09/22 15:43
40254467008	MW-6A_202211	Water	11/09/22 13:10	11/09/22 15:43
40254467009	MW-7_202211	Water	11/09/22 11:36	11/09/22 15:43
40254467010	MW-7A_202211	Water	11/09/22 11:15	11/09/22 15:43
40254467011	MW-8_202211	Water	11/09/22 11:25	11/09/22 15:43
40254467012	MW-8A_202211	Water	11/09/22 10:37	11/09/22 15:43
40254467013	MW-9_202211	Water	11/09/22 14:47	11/09/22 15:43
40254467014	MW-10_202211	Water	11/09/22 14:30	11/09/22 15:43
40254467015	MW-11_202211	Water	11/09/22 12:57	11/09/22 15:43
40254467016	MW-12_202211	Water	11/09/22 12:13	11/09/22 15:43
40254467017	ZINC SHOP_202211	Water	11/09/22 10:20	11/09/22 15:43
40254467018	MW-3RD_202211	Water	11/09/22 10:55	11/09/22 15:43
40254467019	TB1_202211	Water	11/09/22 00:00	11/09/22 15:43

## REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

### SAMPLE ANALYTE COUNT

Project: 22W016 BETTER BRITE  
Pace Project No.: 40254467

Lab ID	Sample ID	Method	Analysts	Analytes Reported
40254467001	W-1_202211	EPA 8260	EIB	64
		SM 3500-Cr B	EXM	1
40254467002	W-1A_202211	EPA 8260	EIB	64
		SM 3500-Cr B	EXM	1
40254467003	MW-2_202211	EPA 8260	EIB	64
		SM 3500-Cr B	EXM	1
40254467004	MW-3R_202211	EPA 8260	EIB	64
		SM 3500-Cr B	EXM	1
40254467005	MW-5_202211	EPA 8260	EIB	64
		SM 3500-Cr B	EXM	1
40254467006	MW-5A_202211	SM 3500-Cr B	EXM	1
		40254467007	MW-6_202211	EPA 8260
40254467008	MW-6A_202211	SM 3500-Cr B		EXM
		40254467009	MW-7_202211	EPA 8260
40254467010	MW-7A_202211	SM 3500-Cr B		EXM
		40254467011	MW-8_202211	EPA 8260
40254467012	MW-8A_202211	SM 3500-Cr B		EXM
		40254467013	MW-9_202211	EPA 8260
40254467014	MW-10_202211	SM 3500-Cr B		EXM
		40254467015	MW-11_202211	EPA 8260
40254467016	MW-12_202211			SM 3500-Cr B
		40254467017	ZINC SHOP_202211	EPA 8260
40254467018	MW-3RD_202211			SM 3500-Cr B
		40254467019	TB1_202211	EPA 335.4
SM 3500-Cr B	JAV			64
		EPA 8260	JAV	64

PASI-G = Pace Analytical Services - Green Bay

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

## PROJECT NARRATIVE

Project: 22W016 BETTER BRITE  
Pace Project No.: 40254467

---

**Method:** EPA 8260  
**Description:** 8260 MSV  
**Client:** FOTH INFRASTRUCTURE & ENVIRONMENT  
**Date:** November 18, 2022

### General Information:

15 samples were analyzed for EPA 8260 by Pace Analytical Services Green Bay. All samples were received in acceptable condition with any exceptions noted below or on the chain-of custody and/or the sample condition upon receipt form (SCUR) attached at the end of this report.

- pH: Post-analysis pH measurement indicates insufficient VOA sample preservation.
- MW-8\_202211 (Lab ID: 40254467011)

### Hold Time:

The samples were analyzed within the method required hold times with any exceptions noted below.

### Initial Calibrations (including MS Tune as applicable):

All criteria were within method requirements with any exceptions noted below.

### Continuing Calibration:

All criteria were within method requirements with any exceptions noted below.

QC Batch: 431217

v1: The continuing calibration verification was above the method acceptance limit. Any detection for the analyte in the associated samples may have a high bias.

- BLANK (Lab ID: 2483115)
  - Bromomethane
- LCS (Lab ID: 2483116)
  - Bromomethane
- MS (Lab ID: 2484281)
  - Bromomethane
- MSD (Lab ID: 2484282)
  - Bromomethane
- MW-3RD\_202211 (Lab ID: 40254467018)
  - Bromomethane
- TB1\_202211 (Lab ID: 40254467019)
  - Bromomethane

### Internal Standards:

All internal standards were within QC limits with any exceptions noted below.

### Surrogates:

All surrogates were within QC limits with any exceptions noted below.

### Method Blank:

All analytes were below the report limit in the method blank, where applicable, with any exceptions noted below.

### Laboratory Control Spike:

All laboratory control spike compounds were within QC limits with any exceptions noted below.

## REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

## PROJECT NARRATIVE

Project: 22W016 BETTER BRITE

Pace Project No.: 40254467

---

**Method:** EPA 8260

**Description:** 8260 MSV

**Client:** FOTH INFRASTRUCTURE & ENVIRONMENT

**Date:** November 18, 2022

QC Batch: 431217

L1: Analyte recovery in the laboratory control sample (LCS) was above QC limits. Results may be biased high.

- LCS (Lab ID: 2483116)
  - trans-1,2-Dichloroethene

### Matrix Spikes:

All percent recoveries and relative percent differences (RPDs) were within acceptance criteria with any exceptions noted below.

QC Batch: 431217

A matrix spike and/or matrix spike duplicate (MS/MSD) were performed on the following sample(s): 40254535001

M0: Matrix spike recovery and/or matrix spike duplicate recovery was outside laboratory control limits.

- MS (Lab ID: 2484281)
  - trans-1,2-Dichloroethene
- MSD (Lab ID: 2484282)
  - trans-1,2-Dichloroethene

M1: Matrix spike recovery exceeded QC limits. Batch accepted based on laboratory control sample (LCS) recovery.

- MS (Lab ID: 2484281)
  - Bromomethane
- MSD (Lab ID: 2484282)
  - Bromomethane

R1: RPD value was outside control limits.

- MSD (Lab ID: 2484282)
  - Methyl-tert-butyl ether

### Additional Comments:

## REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

## PROJECT NARRATIVE

Project: 22W016 BETTER BRITE

Pace Project No.: 40254467

---

**Method:** SM 3500-Cr B

**Description:** Chromium, Hexavalent

**Client:** FOTH INFRASTRUCTURE & ENVIRONMENT

**Date:** November 18, 2022

### General Information:

18 samples were analyzed for SM 3500-Cr B by Pace Analytical Services Green Bay. All samples were received in acceptable condition with any exceptions noted below or on the chain-of custody and/or the sample condition upon receipt form (SCUR) attached at the end of this report.

### Hold Time:

The samples were analyzed within the method required hold times with any exceptions noted below.

### Method Blank:

All analytes were below the report limit in the method blank, where applicable, with any exceptions noted below.

### Laboratory Control Spike:

All laboratory control spike compounds were within QC limits with any exceptions noted below.

### Matrix Spikes:

All percent recoveries and relative percent differences (RPDs) were within acceptance criteria with any exceptions noted below.

QC Batch: 431224

A matrix spike and/or matrix spike duplicate (MS/MSD) were performed on the following sample(s): 40254467001

M0: Matrix spike recovery and/or matrix spike duplicate recovery was outside laboratory control limits.

- MS (Lab ID: 2483142)
  - Chromium, Hexavalent
- MSD (Lab ID: 2483143)
  - Chromium, Hexavalent

### Additional Comments:

Analyte Comments:

QC Batch: 431224

D3: Sample was diluted due to the presence of high levels of non-target analytes or other matrix interference.

- MW-10\_202211 (Lab ID: 40254467014)
  - Chromium, Hexavalent
- MW-11\_202211 (Lab ID: 40254467015)
  - Chromium, Hexavalent
- MW-12\_202211 (Lab ID: 40254467016)
  - Chromium, Hexavalent
- MW-3RD\_202211 (Lab ID: 40254467018)
  - Chromium, Hexavalent
- MW-3R\_202211 (Lab ID: 40254467004)
  - Chromium, Hexavalent
- MW-5A\_202211 (Lab ID: 40254467006)
  - Chromium, Hexavalent
- MW-5\_202211 (Lab ID: 40254467005)
  - Chromium, Hexavalent

## REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

## PROJECT NARRATIVE

Project: 22W016 BETTER BRITE

Pace Project No.: 40254467

---

**Method:** SM 3500-Cr B

**Description:** Chromium, Hexavalent

**Client:** FOTH INFRASTRUCTURE & ENVIRONMENT

**Date:** November 18, 2022

Analyte Comments:

QC Batch: 431224

D3: Sample was diluted due to the presence of high levels of non-target analytes or other matrix interference.

- MW-6A\_202211 (Lab ID: 40254467008)
  - Chromium, Hexavalent
- MW-6\_202211 (Lab ID: 40254467007)
  - Chromium, Hexavalent
- MW-7A\_202211 (Lab ID: 40254467010)
  - Chromium, Hexavalent
- MW-7\_202211 (Lab ID: 40254467009)
  - Chromium, Hexavalent
- MW-8A\_202211 (Lab ID: 40254467012)
  - Chromium, Hexavalent
- MW-8\_202211 (Lab ID: 40254467011)
  - Chromium, Hexavalent
- MW-9\_202211 (Lab ID: 40254467013)
  - Chromium, Hexavalent

## REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

## PROJECT NARRATIVE

Project: 22W016 BETTER BRITE

Pace Project No.: 40254467

---

**Method:** EPA 335.4

**Description:** 335.4 Cyanide, Total

**Client:** FOTH INFRASTRUCTURE & ENVIRONMENT

**Date:** November 18, 2022

### General Information:

1 sample was analyzed for EPA 335.4 by Pace Analytical Services Green Bay. All samples were received in acceptable condition with any exceptions noted below or on the chain-of custody and/or the sample condition upon receipt form (SCUR) attached at the end of this report.

### Hold Time:

The samples were analyzed within the method required hold times with any exceptions noted below.

### Sample Preparation:

The samples were prepared in accordance with EPA 335.4 with any exceptions noted below.

### Method Blank:

All analytes were below the report limit in the method blank, where applicable, with any exceptions noted below.

### Laboratory Control Spike:

All laboratory control spike compounds were within QC limits with any exceptions noted below.

### Matrix Spikes:

All percent recoveries and relative percent differences (RPDs) were within acceptance criteria with any exceptions noted below.

QC Batch: 431488

A matrix spike and/or matrix spike duplicate (MS/MSD) were performed on the following sample(s): 40254224001,40254629001

M0: Matrix spike recovery and/or matrix spike duplicate recovery was outside laboratory control limits.

- MS (Lab ID: 2484904)
  - Cyanide
- MS (Lab ID: 2484906)
  - Cyanide
- MSD (Lab ID: 2484905)
  - Cyanide
- MSD (Lab ID: 2484907)
  - Cyanide

### Additional Comments:

Analyte Comments:

QC Batch: 431488

D3: Sample was diluted due to the presence of high levels of non-target analytes or other matrix interference.

- ZINC SHOP\_202211 (Lab ID: 40254467017)
  - Cyanide

This data package has been reviewed for quality and completeness and is approved for release.

## REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

## ANALYTICAL RESULTS

Project: 22W016 BETTER BRITE  
Pace Project No.: 40254467

Sample: W-1\_202211 Lab ID: 40254467001 Collected: 11/09/22 11:50 Received: 11/09/22 15:43 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
<b>8260 MSV</b>									
Analytical Method: EPA 8260									
Pace Analytical Services - Green Bay									
Benzene	<0.30	ug/L	1.0	0.30	1		11/10/22 23:43	71-43-2	
Bromobenzene	<0.36	ug/L	1.0	0.36	1		11/10/22 23:43	108-86-1	
Bromochloromethane	<0.36	ug/L	5.0	0.36	1		11/10/22 23:43	74-97-5	
Bromodichloromethane	<0.42	ug/L	1.0	0.42	1		11/10/22 23:43	75-27-4	
Bromoform	<3.8	ug/L	5.0	3.8	1		11/10/22 23:43	75-25-2	
Bromomethane	<1.2	ug/L	5.0	1.2	1		11/10/22 23:43	74-83-9	
n-Butylbenzene	<0.86	ug/L	1.0	0.86	1		11/10/22 23:43	104-51-8	
sec-Butylbenzene	<0.42	ug/L	1.0	0.42	1		11/10/22 23:43	135-98-8	
tert-Butylbenzene	<0.59	ug/L	1.0	0.59	1		11/10/22 23:43	98-06-6	
Carbon tetrachloride	<0.37	ug/L	1.0	0.37	1		11/10/22 23:43	56-23-5	
Chlorobenzene	<0.86	ug/L	1.0	0.86	1		11/10/22 23:43	108-90-7	
Chloroethane	<1.4	ug/L	5.0	1.4	1		11/10/22 23:43	75-00-3	
Chloroform	<1.2	ug/L	5.0	1.2	1		11/10/22 23:43	67-66-3	
Chloromethane	<1.6	ug/L	5.0	1.6	1		11/10/22 23:43	74-87-3	
2-Chlorotoluene	<0.89	ug/L	5.0	0.89	1		11/10/22 23:43	95-49-8	
4-Chlorotoluene	<0.89	ug/L	5.0	0.89	1		11/10/22 23:43	106-43-4	
1,2-Dibromo-3-chloropropane	<2.4	ug/L	5.0	2.4	1		11/10/22 23:43	96-12-8	
Dibromochloromethane	<2.6	ug/L	5.0	2.6	1		11/10/22 23:43	124-48-1	
1,2-Dibromoethane (EDB)	<0.31	ug/L	1.0	0.31	1		11/10/22 23:43	106-93-4	
Dibromomethane	<0.99	ug/L	5.0	0.99	1		11/10/22 23:43	74-95-3	
1,2-Dichlorobenzene	<0.33	ug/L	1.0	0.33	1		11/10/22 23:43	95-50-1	
1,3-Dichlorobenzene	<0.35	ug/L	1.0	0.35	1		11/10/22 23:43	541-73-1	
1,4-Dichlorobenzene	<0.89	ug/L	1.0	0.89	1		11/10/22 23:43	106-46-7	
Dichlorodifluoromethane	<0.46	ug/L	5.0	0.46	1		11/10/22 23:43	75-71-8	
1,1-Dichloroethane	<0.30	ug/L	1.0	0.30	1		11/10/22 23:43	75-34-3	
1,2-Dichloroethane	<0.29	ug/L	1.0	0.29	1		11/10/22 23:43	107-06-2	
1,1-Dichloroethene	<0.58	ug/L	1.0	0.58	1		11/10/22 23:43	75-35-4	
cis-1,2-Dichloroethene	<0.47	ug/L	1.0	0.47	1		11/10/22 23:43	156-59-2	
trans-1,2-Dichloroethene	<0.53	ug/L	1.0	0.53	1		11/10/22 23:43	156-60-5	
1,2-Dichloropropane	<0.45	ug/L	1.0	0.45	1		11/10/22 23:43	78-87-5	
1,3-Dichloropropane	<0.30	ug/L	1.0	0.30	1		11/10/22 23:43	142-28-9	
2,2-Dichloropropane	<4.2	ug/L	5.0	4.2	1		11/10/22 23:43	594-20-7	
1,1-Dichloropropene	<0.41	ug/L	1.0	0.41	1		11/10/22 23:43	563-58-6	
cis-1,3-Dichloropropene	<0.36	ug/L	1.0	0.36	1		11/10/22 23:43	10061-01-5	
trans-1,3-Dichloropropene	<3.5	ug/L	5.0	3.5	1		11/10/22 23:43	10061-02-6	
Diisopropyl ether	<1.1	ug/L	5.0	1.1	1		11/10/22 23:43	108-20-3	
Ethylbenzene	<0.33	ug/L	1.0	0.33	1		11/10/22 23:43	100-41-4	
Hexachloro-1,3-butadiene	<2.7	ug/L	5.0	2.7	1		11/10/22 23:43	87-68-3	
Isopropylbenzene (Cumene)	<1.0	ug/L	5.0	1.0	1		11/10/22 23:43	98-82-8	
p-Isopropyltoluene	<1.0	ug/L	5.0	1.0	1		11/10/22 23:43	99-87-6	
Methylene Chloride	<0.32	ug/L	5.0	0.32	1		11/10/22 23:43	75-09-2	
Methyl-tert-butyl ether	<1.1	ug/L	5.0	1.1	1		11/10/22 23:43	1634-04-4	
Naphthalene	<1.1	ug/L	5.0	1.1	1		11/10/22 23:43	91-20-3	
n-Propylbenzene	<0.35	ug/L	1.0	0.35	1		11/10/22 23:43	103-65-1	
Styrene	<0.36	ug/L	1.0	0.36	1		11/10/22 23:43	100-42-5	

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.



### ANALYTICAL RESULTS

Project: 22W016 BETTER BRITE

Pace Project No.: 40254467

**Sample: W-1\_202211**      **Lab ID: 40254467001**      Collected: 11/09/22 11:50      Received: 11/09/22 15:43      Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
<b>8260 MSV</b>									
Analytical Method: EPA 8260									
Pace Analytical Services - Green Bay									
1,1,1,2-Tetrachloroethane	<0.36	ug/L	1.0	0.36	1		11/10/22 23:43	630-20-6	
1,1,2,2-Tetrachloroethane	<0.38	ug/L	1.0	0.38	1		11/10/22 23:43	79-34-5	
Tetrachloroethene	<0.41	ug/L	1.0	0.41	1		11/10/22 23:43	127-18-4	
Toluene	<0.29	ug/L	1.0	0.29	1		11/10/22 23:43	108-88-3	
1,2,3-Trichlorobenzene	<1.0	ug/L	5.0	1.0	1		11/10/22 23:43	87-61-6	
1,2,4-Trichlorobenzene	<0.95	ug/L	5.0	0.95	1		11/10/22 23:43	120-82-1	
1,1,1-Trichloroethane	4.4	ug/L	1.0	0.30	1		11/10/22 23:43	71-55-6	
1,1,2-Trichloroethane	<0.34	ug/L	5.0	0.34	1		11/10/22 23:43	79-00-5	
Trichloroethene	<0.32	ug/L	1.0	0.32	1		11/10/22 23:43	79-01-6	
Trichlorofluoromethane	<0.42	ug/L	1.0	0.42	1		11/10/22 23:43	75-69-4	
1,2,3-Trichloropropane	<0.56	ug/L	5.0	0.56	1		11/10/22 23:43	96-18-4	
1,2,4-Trimethylbenzene	<0.45	ug/L	1.0	0.45	1		11/10/22 23:43	95-63-6	
1,3,5-Trimethylbenzene	<0.36	ug/L	1.0	0.36	1		11/10/22 23:43	108-67-8	
Vinyl chloride	<0.17	ug/L	1.0	0.17	1		11/10/22 23:43	75-01-4	
m&p-Xylene	<0.70	ug/L	2.0	0.70	1		11/10/22 23:43	179601-23-1	
o-Xylene	<0.35	ug/L	1.0	0.35	1		11/10/22 23:43	95-47-6	
<b>Surrogates</b>									
4-Bromofluorobenzene (S)	102	%	70-130		1		11/10/22 23:43	460-00-4	
1,2-Dichlorobenzene-d4 (S)	103	%	70-130		1		11/10/22 23:43	2199-69-1	
Toluene-d8 (S)	93	%	70-130		1		11/10/22 23:43	2037-26-5	
<b>Chromium, Hexavalent</b>									
Analytical Method: SM 3500-Cr B									
Pace Analytical Services - Green Bay									
Chromium, Hexavalent	2.0	mg/L	0.24	0.073	10		11/11/22 13:55		M0

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

### ANALYTICAL RESULTS

Project: 22W016 BETTER BRITE  
Pace Project No.: 40254467

**Sample: W-1A\_202211**      **Lab ID: 40254467002**      Collected: 11/09/22 11:45      Received: 11/09/22 15:43      Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
<b>8260 MSV</b>									
Analytical Method: EPA 8260									
Pace Analytical Services - Green Bay									
Benzene	<0.30	ug/L	1.0	0.30	1		11/11/22 00:03	71-43-2	
Bromobenzene	<0.36	ug/L	1.0	0.36	1		11/11/22 00:03	108-86-1	
Bromochloromethane	<0.36	ug/L	5.0	0.36	1		11/11/22 00:03	74-97-5	
Bromodichloromethane	<0.42	ug/L	1.0	0.42	1		11/11/22 00:03	75-27-4	
Bromoform	<3.8	ug/L	5.0	3.8	1		11/11/22 00:03	75-25-2	
Bromomethane	<1.2	ug/L	5.0	1.2	1		11/11/22 00:03	74-83-9	
n-Butylbenzene	<0.86	ug/L	1.0	0.86	1		11/11/22 00:03	104-51-8	
sec-Butylbenzene	<0.42	ug/L	1.0	0.42	1		11/11/22 00:03	135-98-8	
tert-Butylbenzene	<0.59	ug/L	1.0	0.59	1		11/11/22 00:03	98-06-6	
Carbon tetrachloride	<0.37	ug/L	1.0	0.37	1		11/11/22 00:03	56-23-5	
Chlorobenzene	<0.86	ug/L	1.0	0.86	1		11/11/22 00:03	108-90-7	
Chloroethane	<1.4	ug/L	5.0	1.4	1		11/11/22 00:03	75-00-3	
Chloroform	<1.2	ug/L	5.0	1.2	1		11/11/22 00:03	67-66-3	
Chloromethane	<1.6	ug/L	5.0	1.6	1		11/11/22 00:03	74-87-3	
2-Chlorotoluene	<0.89	ug/L	5.0	0.89	1		11/11/22 00:03	95-49-8	
4-Chlorotoluene	<0.89	ug/L	5.0	0.89	1		11/11/22 00:03	106-43-4	
1,2-Dibromo-3-chloropropane	<2.4	ug/L	5.0	2.4	1		11/11/22 00:03	96-12-8	
Dibromochloromethane	<2.6	ug/L	5.0	2.6	1		11/11/22 00:03	124-48-1	
1,2-Dibromoethane (EDB)	<0.31	ug/L	1.0	0.31	1		11/11/22 00:03	106-93-4	
Dibromomethane	<0.99	ug/L	5.0	0.99	1		11/11/22 00:03	74-95-3	
1,2-Dichlorobenzene	<0.33	ug/L	1.0	0.33	1		11/11/22 00:03	95-50-1	
1,3-Dichlorobenzene	<0.35	ug/L	1.0	0.35	1		11/11/22 00:03	541-73-1	
1,4-Dichlorobenzene	<0.89	ug/L	1.0	0.89	1		11/11/22 00:03	106-46-7	
Dichlorodifluoromethane	<0.46	ug/L	5.0	0.46	1		11/11/22 00:03	75-71-8	
1,1-Dichloroethane	1.4	ug/L	1.0	0.30	1		11/11/22 00:03	75-34-3	
1,2-Dichloroethane	<0.29	ug/L	1.0	0.29	1		11/11/22 00:03	107-06-2	
1,1-Dichloroethene	<0.58	ug/L	1.0	0.58	1		11/11/22 00:03	75-35-4	
cis-1,2-Dichloroethene	<0.47	ug/L	1.0	0.47	1		11/11/22 00:03	156-59-2	
trans-1,2-Dichloroethene	<0.53	ug/L	1.0	0.53	1		11/11/22 00:03	156-60-5	
1,2-Dichloropropane	<0.45	ug/L	1.0	0.45	1		11/11/22 00:03	78-87-5	
1,3-Dichloropropane	<0.30	ug/L	1.0	0.30	1		11/11/22 00:03	142-28-9	
2,2-Dichloropropane	<4.2	ug/L	5.0	4.2	1		11/11/22 00:03	594-20-7	
1,1-Dichloropropene	<0.41	ug/L	1.0	0.41	1		11/11/22 00:03	563-58-6	
cis-1,3-Dichloropropene	<0.36	ug/L	1.0	0.36	1		11/11/22 00:03	10061-01-5	
trans-1,3-Dichloropropene	<3.5	ug/L	5.0	3.5	1		11/11/22 00:03	10061-02-6	
Diisopropyl ether	<1.1	ug/L	5.0	1.1	1		11/11/22 00:03	108-20-3	
Ethylbenzene	<0.33	ug/L	1.0	0.33	1		11/11/22 00:03	100-41-4	
Hexachloro-1,3-butadiene	<2.7	ug/L	5.0	2.7	1		11/11/22 00:03	87-68-3	
Isopropylbenzene (Cumene)	<1.0	ug/L	5.0	1.0	1		11/11/22 00:03	98-82-8	
p-Isopropyltoluene	<1.0	ug/L	5.0	1.0	1		11/11/22 00:03	99-87-6	
Methylene Chloride	<0.32	ug/L	5.0	0.32	1		11/11/22 00:03	75-09-2	
Methyl-tert-butyl ether	<1.1	ug/L	5.0	1.1	1		11/11/22 00:03	1634-04-4	
Naphthalene	<1.1	ug/L	5.0	1.1	1		11/11/22 00:03	91-20-3	
n-Propylbenzene	<0.35	ug/L	1.0	0.35	1		11/11/22 00:03	103-65-1	
Styrene	<0.36	ug/L	1.0	0.36	1		11/11/22 00:03	100-42-5	

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

### ANALYTICAL RESULTS

Project: 22W016 BETTER BRITE  
Pace Project No.: 40254467

**Sample: W-1A\_202211**      **Lab ID: 40254467002**      Collected: 11/09/22 11:45      Received: 11/09/22 15:43      Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
<b>8260 MSV</b>									
Analytical Method: EPA 8260									
Pace Analytical Services - Green Bay									
1,1,1,2-Tetrachloroethane	<0.36	ug/L	1.0	0.36	1		11/11/22 00:03	630-20-6	
1,1,1,2-Tetrachloroethane	<0.38	ug/L	1.0	0.38	1		11/11/22 00:03	79-34-5	
Tetrachloroethene	<0.41	ug/L	1.0	0.41	1		11/11/22 00:03	127-18-4	
Toluene	<0.29	ug/L	1.0	0.29	1		11/11/22 00:03	108-88-3	
1,2,3-Trichlorobenzene	<1.0	ug/L	5.0	1.0	1		11/11/22 00:03	87-61-6	
1,2,4-Trichlorobenzene	<0.95	ug/L	5.0	0.95	1		11/11/22 00:03	120-82-1	
1,1,1-Trichloroethane	5.0	ug/L	1.0	0.30	1		11/11/22 00:03	71-55-6	
1,1,2-Trichloroethane	<0.34	ug/L	5.0	0.34	1		11/11/22 00:03	79-00-5	
Trichloroethene	<0.32	ug/L	1.0	0.32	1		11/11/22 00:03	79-01-6	
Trichlorofluoromethane	<0.42	ug/L	1.0	0.42	1		11/11/22 00:03	75-69-4	
1,2,3-Trichloropropane	<0.56	ug/L	5.0	0.56	1		11/11/22 00:03	96-18-4	
1,2,4-Trimethylbenzene	<0.45	ug/L	1.0	0.45	1		11/11/22 00:03	95-63-6	
1,3,5-Trimethylbenzene	<0.36	ug/L	1.0	0.36	1		11/11/22 00:03	108-67-8	
Vinyl chloride	<0.17	ug/L	1.0	0.17	1		11/11/22 00:03	75-01-4	
m&p-Xylene	<0.70	ug/L	2.0	0.70	1		11/11/22 00:03	179601-23-1	
o-Xylene	<0.35	ug/L	1.0	0.35	1		11/11/22 00:03	95-47-6	
<b>Surrogates</b>									
4-Bromofluorobenzene (S)	99	%	70-130		1		11/11/22 00:03	460-00-4	
1,2-Dichlorobenzene-d4 (S)	98	%	70-130		1		11/11/22 00:03	2199-69-1	
Toluene-d8 (S)	89	%	70-130		1		11/11/22 00:03	2037-26-5	
<b>Chromium, Hexavalent</b>									
Analytical Method: SM 3500-Cr B									
Pace Analytical Services - Green Bay									
Chromium, Hexavalent	0.79	mg/L	0.061	0.018	2.5		11/11/22 13:56		

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

## ANALYTICAL RESULTS

Project: 22W016 BETTER BRITE

Pace Project No.: 40254467

**Sample: MW-2\_202211**      **Lab ID: 40254467003**      Collected: 11/09/22 14:00      Received: 11/09/22 15:43      Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
<b>8260 MSV</b>									
Analytical Method: EPA 8260									
Pace Analytical Services - Green Bay									
Benzene	<0.30	ug/L	1.0	0.30	1		11/11/22 00:22	71-43-2	
Bromobenzene	<0.36	ug/L	1.0	0.36	1		11/11/22 00:22	108-86-1	
Bromochloromethane	<0.36	ug/L	5.0	0.36	1		11/11/22 00:22	74-97-5	
Bromodichloromethane	<0.42	ug/L	1.0	0.42	1		11/11/22 00:22	75-27-4	
Bromoform	<3.8	ug/L	5.0	3.8	1		11/11/22 00:22	75-25-2	
Bromomethane	<1.2	ug/L	5.0	1.2	1		11/11/22 00:22	74-83-9	
n-Butylbenzene	<0.86	ug/L	1.0	0.86	1		11/11/22 00:22	104-51-8	
sec-Butylbenzene	<0.42	ug/L	1.0	0.42	1		11/11/22 00:22	135-98-8	
tert-Butylbenzene	<0.59	ug/L	1.0	0.59	1		11/11/22 00:22	98-06-6	
Carbon tetrachloride	<0.37	ug/L	1.0	0.37	1		11/11/22 00:22	56-23-5	
Chlorobenzene	<0.86	ug/L	1.0	0.86	1		11/11/22 00:22	108-90-7	
Chloroethane	<1.4	ug/L	5.0	1.4	1		11/11/22 00:22	75-00-3	
Chloroform	<1.2	ug/L	5.0	1.2	1		11/11/22 00:22	67-66-3	
Chloromethane	<1.6	ug/L	5.0	1.6	1		11/11/22 00:22	74-87-3	
2-Chlorotoluene	<0.89	ug/L	5.0	0.89	1		11/11/22 00:22	95-49-8	
4-Chlorotoluene	<0.89	ug/L	5.0	0.89	1		11/11/22 00:22	106-43-4	
1,2-Dibromo-3-chloropropane	<2.4	ug/L	5.0	2.4	1		11/11/22 00:22	96-12-8	
Dibromochloromethane	<2.6	ug/L	5.0	2.6	1		11/11/22 00:22	124-48-1	
1,2-Dibromoethane (EDB)	<0.31	ug/L	1.0	0.31	1		11/11/22 00:22	106-93-4	
Dibromomethane	<0.99	ug/L	5.0	0.99	1		11/11/22 00:22	74-95-3	
1,2-Dichlorobenzene	<0.33	ug/L	1.0	0.33	1		11/11/22 00:22	95-50-1	
1,3-Dichlorobenzene	<0.35	ug/L	1.0	0.35	1		11/11/22 00:22	541-73-1	
1,4-Dichlorobenzene	<0.89	ug/L	1.0	0.89	1		11/11/22 00:22	106-46-7	
Dichlorodifluoromethane	<0.46	ug/L	5.0	0.46	1		11/11/22 00:22	75-71-8	
1,1-Dichloroethane	<0.30	ug/L	1.0	0.30	1		11/11/22 00:22	75-34-3	
1,2-Dichloroethane	<0.29	ug/L	1.0	0.29	1		11/11/22 00:22	107-06-2	
1,1-Dichloroethene	<0.58	ug/L	1.0	0.58	1		11/11/22 00:22	75-35-4	
cis-1,2-Dichloroethene	<0.47	ug/L	1.0	0.47	1		11/11/22 00:22	156-59-2	
trans-1,2-Dichloroethene	<0.53	ug/L	1.0	0.53	1		11/11/22 00:22	156-60-5	
1,2-Dichloropropane	<0.45	ug/L	1.0	0.45	1		11/11/22 00:22	78-87-5	
1,3-Dichloropropane	<0.30	ug/L	1.0	0.30	1		11/11/22 00:22	142-28-9	
2,2-Dichloropropane	<4.2	ug/L	5.0	4.2	1		11/11/22 00:22	594-20-7	
1,1-Dichloropropene	<0.41	ug/L	1.0	0.41	1		11/11/22 00:22	563-58-6	
cis-1,3-Dichloropropene	<0.36	ug/L	1.0	0.36	1		11/11/22 00:22	10061-01-5	
trans-1,3-Dichloropropene	<3.5	ug/L	5.0	3.5	1		11/11/22 00:22	10061-02-6	
Diisopropyl ether	<1.1	ug/L	5.0	1.1	1		11/11/22 00:22	108-20-3	
Ethylbenzene	<0.33	ug/L	1.0	0.33	1		11/11/22 00:22	100-41-4	
Hexachloro-1,3-butadiene	<2.7	ug/L	5.0	2.7	1		11/11/22 00:22	87-68-3	
Isopropylbenzene (Cumene)	<1.0	ug/L	5.0	1.0	1		11/11/22 00:22	98-82-8	
p-Isopropyltoluene	<1.0	ug/L	5.0	1.0	1		11/11/22 00:22	99-87-6	
Methylene Chloride	<0.32	ug/L	5.0	0.32	1		11/11/22 00:22	75-09-2	
Methyl-tert-butyl ether	<1.1	ug/L	5.0	1.1	1		11/11/22 00:22	1634-04-4	
Naphthalene	<1.1	ug/L	5.0	1.1	1		11/11/22 00:22	91-20-3	
n-Propylbenzene	<0.35	ug/L	1.0	0.35	1		11/11/22 00:22	103-65-1	
Styrene	<0.36	ug/L	1.0	0.36	1		11/11/22 00:22	100-42-5	

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

### ANALYTICAL RESULTS

Project: 22W016 BETTER BRITE  
Pace Project No.: 40254467

**Sample: MW-2\_202211**      **Lab ID: 40254467003**      Collected: 11/09/22 14:00      Received: 11/09/22 15:43      Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
<b>8260 MSV</b>									
Analytical Method: EPA 8260									
Pace Analytical Services - Green Bay									
1,1,1,2-Tetrachloroethane	<0.36	ug/L	1.0	0.36	1		11/11/22 00:22	630-20-6	
1,1,2,2-Tetrachloroethane	<0.38	ug/L	1.0	0.38	1		11/11/22 00:22	79-34-5	
Tetrachloroethene	<0.41	ug/L	1.0	0.41	1		11/11/22 00:22	127-18-4	
Toluene	<0.29	ug/L	1.0	0.29	1		11/11/22 00:22	108-88-3	
1,2,3-Trichlorobenzene	<1.0	ug/L	5.0	1.0	1		11/11/22 00:22	87-61-6	
1,2,4-Trichlorobenzene	<0.95	ug/L	5.0	0.95	1		11/11/22 00:22	120-82-1	
1,1,1-Trichloroethane	<0.30	ug/L	1.0	0.30	1		11/11/22 00:22	71-55-6	
1,1,2-Trichloroethane	<0.34	ug/L	5.0	0.34	1		11/11/22 00:22	79-00-5	
Trichloroethene	<0.32	ug/L	1.0	0.32	1		11/11/22 00:22	79-01-6	
Trichlorofluoromethane	<0.42	ug/L	1.0	0.42	1		11/11/22 00:22	75-69-4	
1,2,3-Trichloropropane	<0.56	ug/L	5.0	0.56	1		11/11/22 00:22	96-18-4	
1,2,4-Trimethylbenzene	<0.45	ug/L	1.0	0.45	1		11/11/22 00:22	95-63-6	
1,3,5-Trimethylbenzene	<0.36	ug/L	1.0	0.36	1		11/11/22 00:22	108-67-8	
Vinyl chloride	<0.17	ug/L	1.0	0.17	1		11/11/22 00:22	75-01-4	
m&p-Xylene	<0.70	ug/L	2.0	0.70	1		11/11/22 00:22	179601-23-1	
o-Xylene	<0.35	ug/L	1.0	0.35	1		11/11/22 00:22	95-47-6	
<b>Surrogates</b>									
4-Bromofluorobenzene (S)	101	%	70-130		1		11/11/22 00:22	460-00-4	
1,2-Dichlorobenzene-d4 (S)	101	%	70-130		1		11/11/22 00:22	2199-69-1	
Toluene-d8 (S)	93	%	70-130		1		11/11/22 00:22	2037-26-5	
<b>Chromium, Hexavalent</b>									
Analytical Method: SM 3500-Cr B									
Pace Analytical Services - Green Bay									
Chromium, Hexavalent	<0.0073	mg/L	0.024	0.0073	1		11/11/22 13:58		

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

## ANALYTICAL RESULTS

Project: 22W016 BETTER BRITE

Pace Project No.: 40254467

Sample: MW-3R\_202211 Lab ID: 40254467004 Collected: 11/09/22 10:55 Received: 11/09/22 15:43 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
<b>8260 MSV</b>									
Analytical Method: EPA 8260									
Pace Analytical Services - Green Bay									
Benzene	<0.30	ug/L	1.0	0.30	1		11/11/22 00:42	71-43-2	
Bromobenzene	<0.36	ug/L	1.0	0.36	1		11/11/22 00:42	108-86-1	
Bromochloromethane	<0.36	ug/L	5.0	0.36	1		11/11/22 00:42	74-97-5	
Bromodichloromethane	<0.42	ug/L	1.0	0.42	1		11/11/22 00:42	75-27-4	
Bromoform	<3.8	ug/L	5.0	3.8	1		11/11/22 00:42	75-25-2	
Bromomethane	<1.2	ug/L	5.0	1.2	1		11/11/22 00:42	74-83-9	
n-Butylbenzene	<0.86	ug/L	1.0	0.86	1		11/11/22 00:42	104-51-8	
sec-Butylbenzene	<0.42	ug/L	1.0	0.42	1		11/11/22 00:42	135-98-8	
tert-Butylbenzene	<0.59	ug/L	1.0	0.59	1		11/11/22 00:42	98-06-6	
Carbon tetrachloride	<0.37	ug/L	1.0	0.37	1		11/11/22 00:42	56-23-5	
Chlorobenzene	<0.86	ug/L	1.0	0.86	1		11/11/22 00:42	108-90-7	
Chloroethane	1.5J	ug/L	5.0	1.4	1		11/11/22 00:42	75-00-3	
Chloroform	<1.2	ug/L	5.0	1.2	1		11/11/22 00:42	67-66-3	
Chloromethane	<1.6	ug/L	5.0	1.6	1		11/11/22 00:42	74-87-3	
2-Chlorotoluene	<0.89	ug/L	5.0	0.89	1		11/11/22 00:42	95-49-8	
4-Chlorotoluene	<0.89	ug/L	5.0	0.89	1		11/11/22 00:42	106-43-4	
1,2-Dibromo-3-chloropropane	<2.4	ug/L	5.0	2.4	1		11/11/22 00:42	96-12-8	
Dibromochloromethane	<2.6	ug/L	5.0	2.6	1		11/11/22 00:42	124-48-1	
1,2-Dibromoethane (EDB)	<0.31	ug/L	1.0	0.31	1		11/11/22 00:42	106-93-4	
Dibromomethane	<0.99	ug/L	5.0	0.99	1		11/11/22 00:42	74-95-3	
1,2-Dichlorobenzene	<0.33	ug/L	1.0	0.33	1		11/11/22 00:42	95-50-1	
1,3-Dichlorobenzene	<0.35	ug/L	1.0	0.35	1		11/11/22 00:42	541-73-1	
1,4-Dichlorobenzene	<0.89	ug/L	1.0	0.89	1		11/11/22 00:42	106-46-7	
Dichlorodifluoromethane	<0.46	ug/L	5.0	0.46	1		11/11/22 00:42	75-71-8	
1,1-Dichloroethane	3.6	ug/L	1.0	0.30	1		11/11/22 00:42	75-34-3	
1,2-Dichloroethane	<0.29	ug/L	1.0	0.29	1		11/11/22 00:42	107-06-2	
1,1-Dichloroethene	1.1	ug/L	1.0	0.58	1		11/11/22 00:42	75-35-4	
cis-1,2-Dichloroethene	<0.47	ug/L	1.0	0.47	1		11/11/22 00:42	156-59-2	
trans-1,2-Dichloroethene	<0.53	ug/L	1.0	0.53	1		11/11/22 00:42	156-60-5	
1,2-Dichloropropane	<0.45	ug/L	1.0	0.45	1		11/11/22 00:42	78-87-5	
1,3-Dichloropropane	<0.30	ug/L	1.0	0.30	1		11/11/22 00:42	142-28-9	
2,2-Dichloropropane	<4.2	ug/L	5.0	4.2	1		11/11/22 00:42	594-20-7	
1,1-Dichloropropene	<0.41	ug/L	1.0	0.41	1		11/11/22 00:42	563-58-6	
cis-1,3-Dichloropropene	<0.36	ug/L	1.0	0.36	1		11/11/22 00:42	10061-01-5	
trans-1,3-Dichloropropene	<3.5	ug/L	5.0	3.5	1		11/11/22 00:42	10061-02-6	
Diisopropyl ether	<1.1	ug/L	5.0	1.1	1		11/11/22 00:42	108-20-3	
Ethylbenzene	<0.33	ug/L	1.0	0.33	1		11/11/22 00:42	100-41-4	
Hexachloro-1,3-butadiene	<2.7	ug/L	5.0	2.7	1		11/11/22 00:42	87-68-3	
Isopropylbenzene (Cumene)	<1.0	ug/L	5.0	1.0	1		11/11/22 00:42	98-82-8	
p-Isopropyltoluene	<1.0	ug/L	5.0	1.0	1		11/11/22 00:42	99-87-6	
Methylene Chloride	<0.32	ug/L	5.0	0.32	1		11/11/22 00:42	75-09-2	
Methyl-tert-butyl ether	<1.1	ug/L	5.0	1.1	1		11/11/22 00:42	1634-04-4	
Naphthalene	<1.1	ug/L	5.0	1.1	1		11/11/22 00:42	91-20-3	
n-Propylbenzene	<0.35	ug/L	1.0	0.35	1		11/11/22 00:42	103-65-1	
Styrene	<0.36	ug/L	1.0	0.36	1		11/11/22 00:42	100-42-5	

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

### ANALYTICAL RESULTS

Project: 22W016 BETTER BRITE  
Pace Project No.: 40254467

**Sample:** MW-3R\_202211      **Lab ID:** 40254467004      Collected: 11/09/22 10:55      Received: 11/09/22 15:43      Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
<b>8260 MSV</b>									
Analytical Method: EPA 8260									
Pace Analytical Services - Green Bay									
1,1,1,2-Tetrachloroethane	<0.36	ug/L	1.0	0.36	1		11/11/22 00:42	630-20-6	
1,1,2,2-Tetrachloroethane	<0.38	ug/L	1.0	0.38	1		11/11/22 00:42	79-34-5	
Tetrachloroethene	<0.41	ug/L	1.0	0.41	1		11/11/22 00:42	127-18-4	
Toluene	<0.29	ug/L	1.0	0.29	1		11/11/22 00:42	108-88-3	
1,2,3-Trichlorobenzene	<1.0	ug/L	5.0	1.0	1		11/11/22 00:42	87-61-6	
1,2,4-Trichlorobenzene	<0.95	ug/L	5.0	0.95	1		11/11/22 00:42	120-82-1	
1,1,1-Trichloroethane	10.2	ug/L	1.0	0.30	1		11/11/22 00:42	71-55-6	
1,1,2-Trichloroethane	<0.34	ug/L	5.0	0.34	1		11/11/22 00:42	79-00-5	
Trichloroethene	<0.32	ug/L	1.0	0.32	1		11/11/22 00:42	79-01-6	
Trichlorofluoromethane	<0.42	ug/L	1.0	0.42	1		11/11/22 00:42	75-69-4	
1,2,3-Trichloropropane	<0.56	ug/L	5.0	0.56	1		11/11/22 00:42	96-18-4	
1,2,4-Trimethylbenzene	<0.45	ug/L	1.0	0.45	1		11/11/22 00:42	95-63-6	
1,3,5-Trimethylbenzene	<0.36	ug/L	1.0	0.36	1		11/11/22 00:42	108-67-8	
Vinyl chloride	<0.17	ug/L	1.0	0.17	1		11/11/22 00:42	75-01-4	
m&p-Xylene	<0.70	ug/L	2.0	0.70	1		11/11/22 00:42	179601-23-1	
o-Xylene	<0.35	ug/L	1.0	0.35	1		11/11/22 00:42	95-47-6	
<b>Surrogates</b>									
4-Bromofluorobenzene (S)	100	%	70-130		1		11/11/22 00:42	460-00-4	
1,2-Dichlorobenzene-d4 (S)	102	%	70-130		1		11/11/22 00:42	2199-69-1	
Toluene-d8 (S)	89	%	70-130		1		11/11/22 00:42	2037-26-5	
<b>Chromium, Hexavalent</b>									
Analytical Method: SM 3500-Cr B									
Pace Analytical Services - Green Bay									
Chromium, Hexavalent	<0.073	mg/L	0.24	0.073	10		11/11/22 13:58		D3

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.



## ANALYTICAL RESULTS

Project: 22W016 BETTER BRITE  
Pace Project No.: 40254467

**Sample: MW-5\_202211**      **Lab ID: 40254467005**      Collected: 11/09/22 14:21      Received: 11/09/22 15:43      Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
<b>8260 MSV</b>									
Analytical Method: EPA 8260									
Pace Analytical Services - Green Bay									
Benzene	<0.30	ug/L	1.0	0.30	1		11/11/22 01:01	71-43-2	
Bromobenzene	<0.36	ug/L	1.0	0.36	1		11/11/22 01:01	108-86-1	
Bromochloromethane	<0.36	ug/L	5.0	0.36	1		11/11/22 01:01	74-97-5	
Bromodichloromethane	<0.42	ug/L	1.0	0.42	1		11/11/22 01:01	75-27-4	
Bromoform	<3.8	ug/L	5.0	3.8	1		11/11/22 01:01	75-25-2	
Bromomethane	<1.2	ug/L	5.0	1.2	1		11/11/22 01:01	74-83-9	
n-Butylbenzene	<0.86	ug/L	1.0	0.86	1		11/11/22 01:01	104-51-8	
sec-Butylbenzene	<0.42	ug/L	1.0	0.42	1		11/11/22 01:01	135-98-8	
tert-Butylbenzene	<0.59	ug/L	1.0	0.59	1		11/11/22 01:01	98-06-6	
Carbon tetrachloride	<0.37	ug/L	1.0	0.37	1		11/11/22 01:01	56-23-5	
Chlorobenzene	<0.86	ug/L	1.0	0.86	1		11/11/22 01:01	108-90-7	
Chloroethane	<1.4	ug/L	5.0	1.4	1		11/11/22 01:01	75-00-3	
Chloroform	<1.2	ug/L	5.0	1.2	1		11/11/22 01:01	67-66-3	
Chloromethane	<1.6	ug/L	5.0	1.6	1		11/11/22 01:01	74-87-3	
2-Chlorotoluene	<0.89	ug/L	5.0	0.89	1		11/11/22 01:01	95-49-8	
4-Chlorotoluene	<0.89	ug/L	5.0	0.89	1		11/11/22 01:01	106-43-4	
1,2-Dibromo-3-chloropropane	<2.4	ug/L	5.0	2.4	1		11/11/22 01:01	96-12-8	
Dibromochloromethane	<2.6	ug/L	5.0	2.6	1		11/11/22 01:01	124-48-1	
1,2-Dibromoethane (EDB)	<0.31	ug/L	1.0	0.31	1		11/11/22 01:01	106-93-4	
Dibromomethane	<0.99	ug/L	5.0	0.99	1		11/11/22 01:01	74-95-3	
1,2-Dichlorobenzene	<0.33	ug/L	1.0	0.33	1		11/11/22 01:01	95-50-1	
1,3-Dichlorobenzene	<0.35	ug/L	1.0	0.35	1		11/11/22 01:01	541-73-1	
1,4-Dichlorobenzene	<0.89	ug/L	1.0	0.89	1		11/11/22 01:01	106-46-7	
Dichlorodifluoromethane	<0.46	ug/L	5.0	0.46	1		11/11/22 01:01	75-71-8	
1,1-Dichloroethane	<0.30	ug/L	1.0	0.30	1		11/11/22 01:01	75-34-3	
1,2-Dichloroethane	<0.29	ug/L	1.0	0.29	1		11/11/22 01:01	107-06-2	
1,1-Dichloroethene	<0.58	ug/L	1.0	0.58	1		11/11/22 01:01	75-35-4	
cis-1,2-Dichloroethene	<0.47	ug/L	1.0	0.47	1		11/11/22 01:01	156-59-2	
trans-1,2-Dichloroethene	<0.53	ug/L	1.0	0.53	1		11/11/22 01:01	156-60-5	
1,2-Dichloropropane	<0.45	ug/L	1.0	0.45	1		11/11/22 01:01	78-87-5	
1,3-Dichloropropane	<0.30	ug/L	1.0	0.30	1		11/11/22 01:01	142-28-9	
2,2-Dichloropropane	<4.2	ug/L	5.0	4.2	1		11/11/22 01:01	594-20-7	
1,1-Dichloropropene	<0.41	ug/L	1.0	0.41	1		11/11/22 01:01	563-58-6	
cis-1,3-Dichloropropene	<0.36	ug/L	1.0	0.36	1		11/11/22 01:01	10061-01-5	
trans-1,3-Dichloropropene	<3.5	ug/L	5.0	3.5	1		11/11/22 01:01	10061-02-6	
Diisopropyl ether	<1.1	ug/L	5.0	1.1	1		11/11/22 01:01	108-20-3	
Ethylbenzene	<0.33	ug/L	1.0	0.33	1		11/11/22 01:01	100-41-4	
Hexachloro-1,3-butadiene	<2.7	ug/L	5.0	2.7	1		11/11/22 01:01	87-68-3	
Isopropylbenzene (Cumene)	<1.0	ug/L	5.0	1.0	1		11/11/22 01:01	98-82-8	
p-Isopropyltoluene	<1.0	ug/L	5.0	1.0	1		11/11/22 01:01	99-87-6	
Methylene Chloride	<0.32	ug/L	5.0	0.32	1		11/11/22 01:01	75-09-2	
Methyl-tert-butyl ether	<1.1	ug/L	5.0	1.1	1		11/11/22 01:01	1634-04-4	
Naphthalene	<1.1	ug/L	5.0	1.1	1		11/11/22 01:01	91-20-3	
n-Propylbenzene	<0.35	ug/L	1.0	0.35	1		11/11/22 01:01	103-65-1	
Styrene	<0.36	ug/L	1.0	0.36	1		11/11/22 01:01	100-42-5	

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

### ANALYTICAL RESULTS

Project: 22W016 BETTER BRITE

Pace Project No.: 40254467

**Sample:** MW-5\_202211      **Lab ID:** 40254467005      Collected: 11/09/22 14:21      Received: 11/09/22 15:43      Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
<b>8260 MSV</b>									
Analytical Method: EPA 8260									
Pace Analytical Services - Green Bay									
1,1,1,2-Tetrachloroethane	<0.36	ug/L	1.0	0.36	1		11/11/22 01:01	630-20-6	
1,1,2,2-Tetrachloroethane	<0.38	ug/L	1.0	0.38	1		11/11/22 01:01	79-34-5	
Tetrachloroethene	<0.41	ug/L	1.0	0.41	1		11/11/22 01:01	127-18-4	
Toluene	<0.29	ug/L	1.0	0.29	1		11/11/22 01:01	108-88-3	
1,2,3-Trichlorobenzene	<1.0	ug/L	5.0	1.0	1		11/11/22 01:01	87-61-6	
1,2,4-Trichlorobenzene	<0.95	ug/L	5.0	0.95	1		11/11/22 01:01	120-82-1	
1,1,1-Trichloroethane	<0.30	ug/L	1.0	0.30	1		11/11/22 01:01	71-55-6	
1,1,2-Trichloroethane	<0.34	ug/L	5.0	0.34	1		11/11/22 01:01	79-00-5	
Trichloroethene	<0.32	ug/L	1.0	0.32	1		11/11/22 01:01	79-01-6	
Trichlorofluoromethane	<0.42	ug/L	1.0	0.42	1		11/11/22 01:01	75-69-4	
1,2,3-Trichloropropane	<0.56	ug/L	5.0	0.56	1		11/11/22 01:01	96-18-4	
1,2,4-Trimethylbenzene	<0.45	ug/L	1.0	0.45	1		11/11/22 01:01	95-63-6	
1,3,5-Trimethylbenzene	<0.36	ug/L	1.0	0.36	1		11/11/22 01:01	108-67-8	
Vinyl chloride	<0.17	ug/L	1.0	0.17	1		11/11/22 01:01	75-01-4	
m&p-Xylene	<0.70	ug/L	2.0	0.70	1		11/11/22 01:01	179601-23-1	
o-Xylene	<0.35	ug/L	1.0	0.35	1		11/11/22 01:01	95-47-6	
<b>Surrogates</b>									
4-Bromofluorobenzene (S)	102	%	70-130		1		11/11/22 01:01	460-00-4	
1,2-Dichlorobenzene-d4 (S)	102	%	70-130		1		11/11/22 01:01	2199-69-1	
Toluene-d8 (S)	92	%	70-130		1		11/11/22 01:01	2037-26-5	
<b>Chromium, Hexavalent</b>									
Analytical Method: SM 3500-Cr B									
Pace Analytical Services - Green Bay									
Chromium, Hexavalent	<0.37	mg/L	1.2	0.37	50		11/11/22 13:58		D3

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

### ANALYTICAL RESULTS

Project: 22W016 BETTER BRITE

Pace Project No.: 40254467

---

**Sample:** MW-5A\_202211      **Lab ID:** 40254467006      Collected: 11/09/22 14:04      Received: 11/09/22 15:43      Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
<b>Chromium, Hexavalent</b>	Analytical Method: SM 3500-Cr B Pace Analytical Services - Green Bay								
Chromium, Hexavalent	<1.8	mg/L	6.1	1.8	250		11/11/22 13:58		D3

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

### ANALYTICAL RESULTS

Project: 22W016 BETTER BRITE  
Pace Project No.: 40254467

Sample: MW-6\_202211 Lab ID: 40254467007 Collected: 11/09/22 12:26 Received: 11/09/22 15:43 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
<b>8260 MSV</b>									
Analytical Method: EPA 8260									
Pace Analytical Services - Green Bay									
Benzene	<0.30	ug/L	1.0	0.30	1		11/11/22 01:21	71-43-2	
Bromobenzene	<0.36	ug/L	1.0	0.36	1		11/11/22 01:21	108-86-1	
Bromochloromethane	<0.36	ug/L	5.0	0.36	1		11/11/22 01:21	74-97-5	
Bromodichloromethane	<0.42	ug/L	1.0	0.42	1		11/11/22 01:21	75-27-4	
Bromoform	<3.8	ug/L	5.0	3.8	1		11/11/22 01:21	75-25-2	
Bromomethane	<1.2	ug/L	5.0	1.2	1		11/11/22 01:21	74-83-9	
n-Butylbenzene	<0.86	ug/L	1.0	0.86	1		11/11/22 01:21	104-51-8	
sec-Butylbenzene	<0.42	ug/L	1.0	0.42	1		11/11/22 01:21	135-98-8	
tert-Butylbenzene	<0.59	ug/L	1.0	0.59	1		11/11/22 01:21	98-06-6	
Carbon tetrachloride	<0.37	ug/L	1.0	0.37	1		11/11/22 01:21	56-23-5	
Chlorobenzene	<0.86	ug/L	1.0	0.86	1		11/11/22 01:21	108-90-7	
Chloroethane	<1.4	ug/L	5.0	1.4	1		11/11/22 01:21	75-00-3	
Chloroform	<1.2	ug/L	5.0	1.2	1		11/11/22 01:21	67-66-3	
Chloromethane	<1.6	ug/L	5.0	1.6	1		11/11/22 01:21	74-87-3	
2-Chlorotoluene	<0.89	ug/L	5.0	0.89	1		11/11/22 01:21	95-49-8	
4-Chlorotoluene	<0.89	ug/L	5.0	0.89	1		11/11/22 01:21	106-43-4	
1,2-Dibromo-3-chloropropane	<2.4	ug/L	5.0	2.4	1		11/11/22 01:21	96-12-8	
Dibromochloromethane	<2.6	ug/L	5.0	2.6	1		11/11/22 01:21	124-48-1	
1,2-Dibromoethane (EDB)	<0.31	ug/L	1.0	0.31	1		11/11/22 01:21	106-93-4	
Dibromomethane	<0.99	ug/L	5.0	0.99	1		11/11/22 01:21	74-95-3	
1,2-Dichlorobenzene	<0.33	ug/L	1.0	0.33	1		11/11/22 01:21	95-50-1	
1,3-Dichlorobenzene	<0.35	ug/L	1.0	0.35	1		11/11/22 01:21	541-73-1	
1,4-Dichlorobenzene	<0.89	ug/L	1.0	0.89	1		11/11/22 01:21	106-46-7	
Dichlorodifluoromethane	<0.46	ug/L	5.0	0.46	1		11/11/22 01:21	75-71-8	
1,1-Dichloroethane	<0.30	ug/L	1.0	0.30	1		11/11/22 01:21	75-34-3	
1,2-Dichloroethane	<0.29	ug/L	1.0	0.29	1		11/11/22 01:21	107-06-2	
1,1-Dichloroethene	<0.58	ug/L	1.0	0.58	1		11/11/22 01:21	75-35-4	
cis-1,2-Dichloroethene	<0.47	ug/L	1.0	0.47	1		11/11/22 01:21	156-59-2	
trans-1,2-Dichloroethene	<0.53	ug/L	1.0	0.53	1		11/11/22 01:21	156-60-5	
1,2-Dichloropropane	<0.45	ug/L	1.0	0.45	1		11/11/22 01:21	78-87-5	
1,3-Dichloropropane	<0.30	ug/L	1.0	0.30	1		11/11/22 01:21	142-28-9	
2,2-Dichloropropane	<4.2	ug/L	5.0	4.2	1		11/11/22 01:21	594-20-7	
1,1-Dichloropropene	<0.41	ug/L	1.0	0.41	1		11/11/22 01:21	563-58-6	
cis-1,3-Dichloropropene	<0.36	ug/L	1.0	0.36	1		11/11/22 01:21	10061-01-5	
trans-1,3-Dichloropropene	<3.5	ug/L	5.0	3.5	1		11/11/22 01:21	10061-02-6	
Diisopropyl ether	<1.1	ug/L	5.0	1.1	1		11/11/22 01:21	108-20-3	
Ethylbenzene	<0.33	ug/L	1.0	0.33	1		11/11/22 01:21	100-41-4	
Hexachloro-1,3-butadiene	<2.7	ug/L	5.0	2.7	1		11/11/22 01:21	87-68-3	
Isopropylbenzene (Cumene)	<1.0	ug/L	5.0	1.0	1		11/11/22 01:21	98-82-8	
p-Isopropyltoluene	<1.0	ug/L	5.0	1.0	1		11/11/22 01:21	99-87-6	
Methylene Chloride	<0.32	ug/L	5.0	0.32	1		11/11/22 01:21	75-09-2	
Methyl-tert-butyl ether	<1.1	ug/L	5.0	1.1	1		11/11/22 01:21	1634-04-4	
Naphthalene	<1.1	ug/L	5.0	1.1	1		11/11/22 01:21	91-20-3	
n-Propylbenzene	<0.35	ug/L	1.0	0.35	1		11/11/22 01:21	103-65-1	
Styrene	<0.36	ug/L	1.0	0.36	1		11/11/22 01:21	100-42-5	

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

### ANALYTICAL RESULTS

Project: 22W016 BETTER BRITE  
Pace Project No.: 40254467

**Sample:** MW-6\_202211      **Lab ID:** 40254467007      Collected: 11/09/22 12:26      Received: 11/09/22 15:43      Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
<b>8260 MSV</b>									
Analytical Method: EPA 8260									
Pace Analytical Services - Green Bay									
1,1,1,2-Tetrachloroethane	<0.36	ug/L	1.0	0.36	1		11/11/22 01:21	630-20-6	
1,1,2,2-Tetrachloroethane	<0.38	ug/L	1.0	0.38	1		11/11/22 01:21	79-34-5	
Tetrachloroethene	<0.41	ug/L	1.0	0.41	1		11/11/22 01:21	127-18-4	
Toluene	<0.29	ug/L	1.0	0.29	1		11/11/22 01:21	108-88-3	
1,2,3-Trichlorobenzene	<1.0	ug/L	5.0	1.0	1		11/11/22 01:21	87-61-6	
1,2,4-Trichlorobenzene	<0.95	ug/L	5.0	0.95	1		11/11/22 01:21	120-82-1	
1,1,1-Trichloroethane	<0.30	ug/L	1.0	0.30	1		11/11/22 01:21	71-55-6	
1,1,2-Trichloroethane	<0.34	ug/L	5.0	0.34	1		11/11/22 01:21	79-00-5	
Trichloroethene	<0.32	ug/L	1.0	0.32	1		11/11/22 01:21	79-01-6	
Trichlorofluoromethane	<0.42	ug/L	1.0	0.42	1		11/11/22 01:21	75-69-4	
1,2,3-Trichloropropane	<0.56	ug/L	5.0	0.56	1		11/11/22 01:21	96-18-4	
1,2,4-Trimethylbenzene	<0.45	ug/L	1.0	0.45	1		11/11/22 01:21	95-63-6	
1,3,5-Trimethylbenzene	<0.36	ug/L	1.0	0.36	1		11/11/22 01:21	108-67-8	
Vinyl chloride	<0.17	ug/L	1.0	0.17	1		11/11/22 01:21	75-01-4	
m&p-Xylene	<0.70	ug/L	2.0	0.70	1		11/11/22 01:21	179601-23-1	
o-Xylene	<0.35	ug/L	1.0	0.35	1		11/11/22 01:21	95-47-6	
<b>Surrogates</b>									
4-Bromofluorobenzene (S)	99	%	70-130		1		11/11/22 01:21	460-00-4	
1,2-Dichlorobenzene-d4 (S)	100	%	70-130		1		11/11/22 01:21	2199-69-1	
Toluene-d8 (S)	94	%	70-130		1		11/11/22 01:21	2037-26-5	
<b>Chromium, Hexavalent</b>									
Analytical Method: SM 3500-Cr B									
Pace Analytical Services - Green Bay									
Chromium, Hexavalent	<1.8	mg/L	6.1	1.8	250		11/11/22 13:59		D3

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

### ANALYTICAL RESULTS

Project: 22W016 BETTER BRITE

Pace Project No.: 40254467

---

**Sample:** MW-6A\_202211      **Lab ID:** 40254467008      Collected: 11/09/22 13:10      Received: 11/09/22 15:43      Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
<b>Chromium, Hexavalent</b>	Analytical Method: SM 3500-Cr B Pace Analytical Services - Green Bay								
Chromium, Hexavalent	<0.37	mg/L	1.2	0.37	50		11/11/22 13:59		D3

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

### ANALYTICAL RESULTS

Project: 22W016 BETTER BRITE  
Pace Project No.: 40254467

Sample: MW-7\_202211 Lab ID: 40254467009 Collected: 11/09/22 11:36 Received: 11/09/22 15:43 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
<b>8260 MSV</b>									
Analytical Method: EPA 8260									
Pace Analytical Services - Green Bay									
Benzene	<0.30	ug/L	1.0	0.30	1		11/11/22 01:40	71-43-2	
Bromobenzene	<0.36	ug/L	1.0	0.36	1		11/11/22 01:40	108-86-1	
Bromochloromethane	<0.36	ug/L	5.0	0.36	1		11/11/22 01:40	74-97-5	
Bromodichloromethane	<0.42	ug/L	1.0	0.42	1		11/11/22 01:40	75-27-4	
Bromoform	<3.8	ug/L	5.0	3.8	1		11/11/22 01:40	75-25-2	
Bromomethane	<1.2	ug/L	5.0	1.2	1		11/11/22 01:40	74-83-9	
n-Butylbenzene	<0.86	ug/L	1.0	0.86	1		11/11/22 01:40	104-51-8	
sec-Butylbenzene	<0.42	ug/L	1.0	0.42	1		11/11/22 01:40	135-98-8	
tert-Butylbenzene	<0.59	ug/L	1.0	0.59	1		11/11/22 01:40	98-06-6	
Carbon tetrachloride	<0.37	ug/L	1.0	0.37	1		11/11/22 01:40	56-23-5	
Chlorobenzene	<0.86	ug/L	1.0	0.86	1		11/11/22 01:40	108-90-7	
Chloroethane	<1.4	ug/L	5.0	1.4	1		11/11/22 01:40	75-00-3	
Chloroform	<1.2	ug/L	5.0	1.2	1		11/11/22 01:40	67-66-3	
Chloromethane	<1.6	ug/L	5.0	1.6	1		11/11/22 01:40	74-87-3	
2-Chlorotoluene	<0.89	ug/L	5.0	0.89	1		11/11/22 01:40	95-49-8	
4-Chlorotoluene	<0.89	ug/L	5.0	0.89	1		11/11/22 01:40	106-43-4	
1,2-Dibromo-3-chloropropane	<2.4	ug/L	5.0	2.4	1		11/11/22 01:40	96-12-8	
Dibromochloromethane	<2.6	ug/L	5.0	2.6	1		11/11/22 01:40	124-48-1	
1,2-Dibromoethane (EDB)	<0.31	ug/L	1.0	0.31	1		11/11/22 01:40	106-93-4	
Dibromomethane	<0.99	ug/L	5.0	0.99	1		11/11/22 01:40	74-95-3	
1,2-Dichlorobenzene	<0.33	ug/L	1.0	0.33	1		11/11/22 01:40	95-50-1	
1,3-Dichlorobenzene	<0.35	ug/L	1.0	0.35	1		11/11/22 01:40	541-73-1	
1,4-Dichlorobenzene	<0.89	ug/L	1.0	0.89	1		11/11/22 01:40	106-46-7	
Dichlorodifluoromethane	<0.46	ug/L	5.0	0.46	1		11/11/22 01:40	75-71-8	
1,1-Dichloroethane	<0.30	ug/L	1.0	0.30	1		11/11/22 01:40	75-34-3	
1,2-Dichloroethane	<0.29	ug/L	1.0	0.29	1		11/11/22 01:40	107-06-2	
1,1-Dichloroethene	<0.58	ug/L	1.0	0.58	1		11/11/22 01:40	75-35-4	
cis-1,2-Dichloroethene	<0.47	ug/L	1.0	0.47	1		11/11/22 01:40	156-59-2	
trans-1,2-Dichloroethene	<0.53	ug/L	1.0	0.53	1		11/11/22 01:40	156-60-5	
1,2-Dichloropropane	<0.45	ug/L	1.0	0.45	1		11/11/22 01:40	78-87-5	
1,3-Dichloropropane	<0.30	ug/L	1.0	0.30	1		11/11/22 01:40	142-28-9	
2,2-Dichloropropane	<4.2	ug/L	5.0	4.2	1		11/11/22 01:40	594-20-7	
1,1-Dichloropropene	<0.41	ug/L	1.0	0.41	1		11/11/22 01:40	563-58-6	
cis-1,3-Dichloropropene	<0.36	ug/L	1.0	0.36	1		11/11/22 01:40	10061-01-5	
trans-1,3-Dichloropropene	<3.5	ug/L	5.0	3.5	1		11/11/22 01:40	10061-02-6	
Diisopropyl ether	<1.1	ug/L	5.0	1.1	1		11/11/22 01:40	108-20-3	
Ethylbenzene	<0.33	ug/L	1.0	0.33	1		11/11/22 01:40	100-41-4	
Hexachloro-1,3-butadiene	<2.7	ug/L	5.0	2.7	1		11/11/22 01:40	87-68-3	
Isopropylbenzene (Cumene)	<1.0	ug/L	5.0	1.0	1		11/11/22 01:40	98-82-8	
p-Isopropyltoluene	<1.0	ug/L	5.0	1.0	1		11/11/22 01:40	99-87-6	
Methylene Chloride	<0.32	ug/L	5.0	0.32	1		11/11/22 01:40	75-09-2	
Methyl-tert-butyl ether	<1.1	ug/L	5.0	1.1	1		11/11/22 01:40	1634-04-4	
Naphthalene	<1.1	ug/L	5.0	1.1	1		11/11/22 01:40	91-20-3	
n-Propylbenzene	<0.35	ug/L	1.0	0.35	1		11/11/22 01:40	103-65-1	
Styrene	<0.36	ug/L	1.0	0.36	1		11/11/22 01:40	100-42-5	

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.



### ANALYTICAL RESULTS

Project: 22W016 BETTER BRITE

Pace Project No.: 40254467

**Sample: MW-7\_202211**      **Lab ID: 40254467009**      Collected: 11/09/22 11:36      Received: 11/09/22 15:43      Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
<b>8260 MSV</b>									
Analytical Method: EPA 8260									
Pace Analytical Services - Green Bay									
1,1,1,2-Tetrachloroethane	<0.36	ug/L	1.0	0.36	1		11/11/22 01:40	630-20-6	
1,1,2,2-Tetrachloroethane	<0.38	ug/L	1.0	0.38	1		11/11/22 01:40	79-34-5	
Tetrachloroethene	<0.41	ug/L	1.0	0.41	1		11/11/22 01:40	127-18-4	
Toluene	<0.29	ug/L	1.0	0.29	1		11/11/22 01:40	108-88-3	
1,2,3-Trichlorobenzene	<1.0	ug/L	5.0	1.0	1		11/11/22 01:40	87-61-6	
1,2,4-Trichlorobenzene	<0.95	ug/L	5.0	0.95	1		11/11/22 01:40	120-82-1	
1,1,1-Trichloroethane	<0.30	ug/L	1.0	0.30	1		11/11/22 01:40	71-55-6	
1,1,2-Trichloroethane	<0.34	ug/L	5.0	0.34	1		11/11/22 01:40	79-00-5	
Trichloroethene	<0.32	ug/L	1.0	0.32	1		11/11/22 01:40	79-01-6	
Trichlorofluoromethane	<0.42	ug/L	1.0	0.42	1		11/11/22 01:40	75-69-4	
1,2,3-Trichloropropane	<0.56	ug/L	5.0	0.56	1		11/11/22 01:40	96-18-4	
1,2,4-Trimethylbenzene	<0.45	ug/L	1.0	0.45	1		11/11/22 01:40	95-63-6	
1,3,5-Trimethylbenzene	<0.36	ug/L	1.0	0.36	1		11/11/22 01:40	108-67-8	
Vinyl chloride	<0.17	ug/L	1.0	0.17	1		11/11/22 01:40	75-01-4	
m&p-Xylene	<0.70	ug/L	2.0	0.70	1		11/11/22 01:40	179601-23-1	
o-Xylene	<0.35	ug/L	1.0	0.35	1		11/11/22 01:40	95-47-6	
<b>Surrogates</b>									
4-Bromofluorobenzene (S)	99	%	70-130		1		11/11/22 01:40	460-00-4	
1,2-Dichlorobenzene-d4 (S)	101	%	70-130		1		11/11/22 01:40	2199-69-1	
Toluene-d8 (S)	93	%	70-130		1		11/11/22 01:40	2037-26-5	
<b>Chromium, Hexavalent</b>									
Analytical Method: SM 3500-Cr B									
Pace Analytical Services - Green Bay									
Chromium, Hexavalent	<0.37	mg/L	1.2	0.37	50		11/11/22 13:59		D3

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

### ANALYTICAL RESULTS

Project: 22W016 BETTER BRITE

Pace Project No.: 40254467

---

**Sample: MW-7A\_202211**      **Lab ID: 40254467010**      Collected: 11/09/22 11:15      Received: 11/09/22 15:43      Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
<b>Chromium, Hexavalent</b>	Analytical Method: SM 3500-Cr B Pace Analytical Services - Green Bay								
Chromium, Hexavalent	<b>&lt;0.37</b>	mg/L	1.2	0.37	50		11/11/22 13:59		D3

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

### ANALYTICAL RESULTS

Project: 22W016 BETTER BRITE  
Pace Project No.: 40254467

**Sample: MW-8\_202211**      **Lab ID: 40254467011**      Collected: 11/09/22 11:25      Received: 11/09/22 15:43      Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
<b>8260 MSV</b>									
Analytical Method: EPA 8260									
Pace Analytical Services - Green Bay									
Benzene	<0.30	ug/L	1.0	0.30	1		11/11/22 02:00	71-43-2	
Bromobenzene	<0.36	ug/L	1.0	0.36	1		11/11/22 02:00	108-86-1	
Bromochloromethane	<0.36	ug/L	5.0	0.36	1		11/11/22 02:00	74-97-5	
Bromodichloromethane	<0.42	ug/L	1.0	0.42	1		11/11/22 02:00	75-27-4	
Bromoform	<3.8	ug/L	5.0	3.8	1		11/11/22 02:00	75-25-2	
Bromomethane	<1.2	ug/L	5.0	1.2	1		11/11/22 02:00	74-83-9	
n-Butylbenzene	<0.86	ug/L	1.0	0.86	1		11/11/22 02:00	104-51-8	
sec-Butylbenzene	<0.42	ug/L	1.0	0.42	1		11/11/22 02:00	135-98-8	
tert-Butylbenzene	<0.59	ug/L	1.0	0.59	1		11/11/22 02:00	98-06-6	
Carbon tetrachloride	<0.37	ug/L	1.0	0.37	1		11/11/22 02:00	56-23-5	
Chlorobenzene	<0.86	ug/L	1.0	0.86	1		11/11/22 02:00	108-90-7	
Chloroethane	<1.4	ug/L	5.0	1.4	1		11/11/22 02:00	75-00-3	
Chloroform	<1.2	ug/L	5.0	1.2	1		11/11/22 02:00	67-66-3	
Chloromethane	<1.6	ug/L	5.0	1.6	1		11/11/22 02:00	74-87-3	
2-Chlorotoluene	<0.89	ug/L	5.0	0.89	1		11/11/22 02:00	95-49-8	
4-Chlorotoluene	<0.89	ug/L	5.0	0.89	1		11/11/22 02:00	106-43-4	
1,2-Dibromo-3-chloropropane	<2.4	ug/L	5.0	2.4	1		11/11/22 02:00	96-12-8	
Dibromochloromethane	<2.6	ug/L	5.0	2.6	1		11/11/22 02:00	124-48-1	
1,2-Dibromoethane (EDB)	<0.31	ug/L	1.0	0.31	1		11/11/22 02:00	106-93-4	
Dibromomethane	<0.99	ug/L	5.0	0.99	1		11/11/22 02:00	74-95-3	
1,2-Dichlorobenzene	<0.33	ug/L	1.0	0.33	1		11/11/22 02:00	95-50-1	
1,3-Dichlorobenzene	<0.35	ug/L	1.0	0.35	1		11/11/22 02:00	541-73-1	
1,4-Dichlorobenzene	<0.89	ug/L	1.0	0.89	1		11/11/22 02:00	106-46-7	
Dichlorodifluoromethane	<0.46	ug/L	5.0	0.46	1		11/11/22 02:00	75-71-8	
1,1-Dichloroethane	<0.30	ug/L	1.0	0.30	1		11/11/22 02:00	75-34-3	
1,2-Dichloroethane	<0.29	ug/L	1.0	0.29	1		11/11/22 02:00	107-06-2	
1,1-Dichloroethene	<0.58	ug/L	1.0	0.58	1		11/11/22 02:00	75-35-4	
cis-1,2-Dichloroethene	<0.47	ug/L	1.0	0.47	1		11/11/22 02:00	156-59-2	
trans-1,2-Dichloroethene	<0.53	ug/L	1.0	0.53	1		11/11/22 02:00	156-60-5	
1,2-Dichloropropane	<0.45	ug/L	1.0	0.45	1		11/11/22 02:00	78-87-5	
1,3-Dichloropropane	<0.30	ug/L	1.0	0.30	1		11/11/22 02:00	142-28-9	
2,2-Dichloropropane	<4.2	ug/L	5.0	4.2	1		11/11/22 02:00	594-20-7	
1,1-Dichloropropene	<0.41	ug/L	1.0	0.41	1		11/11/22 02:00	563-58-6	
cis-1,3-Dichloropropene	<0.36	ug/L	1.0	0.36	1		11/11/22 02:00	10061-01-5	
trans-1,3-Dichloropropene	<3.5	ug/L	5.0	3.5	1		11/11/22 02:00	10061-02-6	
Diisopropyl ether	<1.1	ug/L	5.0	1.1	1		11/11/22 02:00	108-20-3	
Ethylbenzene	<0.33	ug/L	1.0	0.33	1		11/11/22 02:00	100-41-4	
Hexachloro-1,3-butadiene	<2.7	ug/L	5.0	2.7	1		11/11/22 02:00	87-68-3	
Isopropylbenzene (Cumene)	<1.0	ug/L	5.0	1.0	1		11/11/22 02:00	98-82-8	
p-Isopropyltoluene	<1.0	ug/L	5.0	1.0	1		11/11/22 02:00	99-87-6	
Methylene Chloride	<0.32	ug/L	5.0	0.32	1		11/11/22 02:00	75-09-2	
Methyl-tert-butyl ether	<1.1	ug/L	5.0	1.1	1		11/11/22 02:00	1634-04-4	
Naphthalene	<1.1	ug/L	5.0	1.1	1		11/11/22 02:00	91-20-3	
n-Propylbenzene	<0.35	ug/L	1.0	0.35	1		11/11/22 02:00	103-65-1	
Styrene	<0.36	ug/L	1.0	0.36	1		11/11/22 02:00	100-42-5	

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

### ANALYTICAL RESULTS

Project: 22W016 BETTER BRITE

Pace Project No.: 40254467

**Sample: MW-8\_202211**      **Lab ID: 40254467011**      Collected: 11/09/22 11:25      Received: 11/09/22 15:43      Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
<b>8260 MSV</b>									
Analytical Method: EPA 8260									
Pace Analytical Services - Green Bay									
1,1,1,2-Tetrachloroethane	<0.36	ug/L	1.0	0.36	1		11/11/22 02:00	630-20-6	
1,1,2,2-Tetrachloroethane	<0.38	ug/L	1.0	0.38	1		11/11/22 02:00	79-34-5	
Tetrachloroethene	<0.41	ug/L	1.0	0.41	1		11/11/22 02:00	127-18-4	
Toluene	<0.29	ug/L	1.0	0.29	1		11/11/22 02:00	108-88-3	
1,2,3-Trichlorobenzene	<1.0	ug/L	5.0	1.0	1		11/11/22 02:00	87-61-6	
1,2,4-Trichlorobenzene	<0.95	ug/L	5.0	0.95	1		11/11/22 02:00	120-82-1	
1,1,1-Trichloroethane	<0.30	ug/L	1.0	0.30	1		11/11/22 02:00	71-55-6	
1,1,2-Trichloroethane	<0.34	ug/L	5.0	0.34	1		11/11/22 02:00	79-00-5	
Trichloroethene	<0.32	ug/L	1.0	0.32	1		11/11/22 02:00	79-01-6	
Trichlorofluoromethane	<0.42	ug/L	1.0	0.42	1		11/11/22 02:00	75-69-4	
1,2,3-Trichloropropane	<0.56	ug/L	5.0	0.56	1		11/11/22 02:00	96-18-4	
1,2,4-Trimethylbenzene	<0.45	ug/L	1.0	0.45	1		11/11/22 02:00	95-63-6	
1,3,5-Trimethylbenzene	<0.36	ug/L	1.0	0.36	1		11/11/22 02:00	108-67-8	
Vinyl chloride	<0.17	ug/L	1.0	0.17	1		11/11/22 02:00	75-01-4	
m&p-Xylene	<0.70	ug/L	2.0	0.70	1		11/11/22 02:00	179601-23-1	
o-Xylene	<0.35	ug/L	1.0	0.35	1		11/11/22 02:00	95-47-6	
<b>Surrogates</b>									
4-Bromofluorobenzene (S)	99	%	70-130		1		11/11/22 02:00	460-00-4	pH
1,2-Dichlorobenzene-d4 (S)	101	%	70-130		1		11/11/22 02:00	2199-69-1	
Toluene-d8 (S)	92	%	70-130		1		11/11/22 02:00	2037-26-5	
<b>Chromium, Hexavalent</b>									
Analytical Method: SM 3500-Cr B									
Pace Analytical Services - Green Bay									
Chromium, Hexavalent	<1.8	mg/L	6.1	1.8	250		11/11/22 14:00		D3

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

### ANALYTICAL RESULTS

Project: 22W016 BETTER BRITE

Pace Project No.: 40254467

---

**Sample: MW-8A\_202211**      **Lab ID: 40254467012**      Collected: 11/09/22 10:37      Received: 11/09/22 15:43      Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
<b>Chromium, Hexavalent</b>	Analytical Method: SM 3500-Cr B Pace Analytical Services - Green Bay								
Chromium, Hexavalent	<b>&lt;0.37</b>	mg/L	1.2	0.37	50		11/11/22 14:00		D3

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

### ANALYTICAL RESULTS

Project: 22W016 BETTER BRITE

Pace Project No.: 40254467

Sample: MW-9\_202211 Lab ID: 40254467013 Collected: 11/09/22 14:47 Received: 11/09/22 15:43 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
<b>8260 MSV</b>		Analytical Method: EPA 8260 Pace Analytical Services - Green Bay							
Benzene	<0.30	ug/L	1.0	0.30	1		11/11/22 02:19	71-43-2	
Bromobenzene	<0.36	ug/L	1.0	0.36	1		11/11/22 02:19	108-86-1	
Bromochloromethane	<0.36	ug/L	5.0	0.36	1		11/11/22 02:19	74-97-5	
Bromodichloromethane	<0.42	ug/L	1.0	0.42	1		11/11/22 02:19	75-27-4	
Bromoform	<3.8	ug/L	5.0	3.8	1		11/11/22 02:19	75-25-2	
Bromomethane	<1.2	ug/L	5.0	1.2	1		11/11/22 02:19	74-83-9	
n-Butylbenzene	<0.86	ug/L	1.0	0.86	1		11/11/22 02:19	104-51-8	
sec-Butylbenzene	<0.42	ug/L	1.0	0.42	1		11/11/22 02:19	135-98-8	
tert-Butylbenzene	<0.59	ug/L	1.0	0.59	1		11/11/22 02:19	98-06-6	
Carbon tetrachloride	<0.37	ug/L	1.0	0.37	1		11/11/22 02:19	56-23-5	
Chlorobenzene	<0.86	ug/L	1.0	0.86	1		11/11/22 02:19	108-90-7	
Chloroethane	<1.4	ug/L	5.0	1.4	1		11/11/22 02:19	75-00-3	
Chloroform	<1.2	ug/L	5.0	1.2	1		11/11/22 02:19	67-66-3	
Chloromethane	<1.6	ug/L	5.0	1.6	1		11/11/22 02:19	74-87-3	
2-Chlorotoluene	<0.89	ug/L	5.0	0.89	1		11/11/22 02:19	95-49-8	
4-Chlorotoluene	<0.89	ug/L	5.0	0.89	1		11/11/22 02:19	106-43-4	
1,2-Dibromo-3-chloropropane	<2.4	ug/L	5.0	2.4	1		11/11/22 02:19	96-12-8	
Dibromochloromethane	<2.6	ug/L	5.0	2.6	1		11/11/22 02:19	124-48-1	
1,2-Dibromoethane (EDB)	<0.31	ug/L	1.0	0.31	1		11/11/22 02:19	106-93-4	
Dibromomethane	<0.99	ug/L	5.0	0.99	1		11/11/22 02:19	74-95-3	
1,2-Dichlorobenzene	<0.33	ug/L	1.0	0.33	1		11/11/22 02:19	95-50-1	
1,3-Dichlorobenzene	<0.35	ug/L	1.0	0.35	1		11/11/22 02:19	541-73-1	
1,4-Dichlorobenzene	<0.89	ug/L	1.0	0.89	1		11/11/22 02:19	106-46-7	
Dichlorodifluoromethane	<0.46	ug/L	5.0	0.46	1		11/11/22 02:19	75-71-8	
1,1-Dichloroethane	<0.30	ug/L	1.0	0.30	1		11/11/22 02:19	75-34-3	
1,2-Dichloroethane	<0.29	ug/L	1.0	0.29	1		11/11/22 02:19	107-06-2	
1,1-Dichloroethene	<0.58	ug/L	1.0	0.58	1		11/11/22 02:19	75-35-4	
cis-1,2-Dichloroethene	<0.47	ug/L	1.0	0.47	1		11/11/22 02:19	156-59-2	
trans-1,2-Dichloroethene	<0.53	ug/L	1.0	0.53	1		11/11/22 02:19	156-60-5	
1,2-Dichloropropane	<0.45	ug/L	1.0	0.45	1		11/11/22 02:19	78-87-5	
1,3-Dichloropropane	<0.30	ug/L	1.0	0.30	1		11/11/22 02:19	142-28-9	
2,2-Dichloropropane	<4.2	ug/L	5.0	4.2	1		11/11/22 02:19	594-20-7	
1,1-Dichloropropene	<0.41	ug/L	1.0	0.41	1		11/11/22 02:19	563-58-6	
cis-1,3-Dichloropropene	<0.36	ug/L	1.0	0.36	1		11/11/22 02:19	10061-01-5	
trans-1,3-Dichloropropene	<3.5	ug/L	5.0	3.5	1		11/11/22 02:19	10061-02-6	
Diisopropyl ether	<1.1	ug/L	5.0	1.1	1		11/11/22 02:19	108-20-3	
Ethylbenzene	<0.33	ug/L	1.0	0.33	1		11/11/22 02:19	100-41-4	
Hexachloro-1,3-butadiene	<2.7	ug/L	5.0	2.7	1		11/11/22 02:19	87-68-3	
Isopropylbenzene (Cumene)	<1.0	ug/L	5.0	1.0	1		11/11/22 02:19	98-82-8	
p-Isopropyltoluene	<1.0	ug/L	5.0	1.0	1		11/11/22 02:19	99-87-6	
Methylene Chloride	<0.32	ug/L	5.0	0.32	1		11/11/22 02:19	75-09-2	
Methyl-tert-butyl ether	<1.1	ug/L	5.0	1.1	1		11/11/22 02:19	1634-04-4	
Naphthalene	<1.1	ug/L	5.0	1.1	1		11/11/22 02:19	91-20-3	
n-Propylbenzene	<0.35	ug/L	1.0	0.35	1		11/11/22 02:19	103-65-1	
Styrene	<0.36	ug/L	1.0	0.36	1		11/11/22 02:19	100-42-5	

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

### ANALYTICAL RESULTS

Project: 22W016 BETTER BRITE  
Pace Project No.: 40254467

**Sample: MW-9\_202211**      **Lab ID: 40254467013**      Collected: 11/09/22 14:47      Received: 11/09/22 15:43      Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
<b>8260 MSV</b>									
Analytical Method: EPA 8260									
Pace Analytical Services - Green Bay									
1,1,1,2-Tetrachloroethane	<0.36	ug/L	1.0	0.36	1		11/11/22 02:19	630-20-6	
1,1,2,2-Tetrachloroethane	<0.38	ug/L	1.0	0.38	1		11/11/22 02:19	79-34-5	
Tetrachloroethene	<0.41	ug/L	1.0	0.41	1		11/11/22 02:19	127-18-4	
Toluene	<0.29	ug/L	1.0	0.29	1		11/11/22 02:19	108-88-3	
1,2,3-Trichlorobenzene	<1.0	ug/L	5.0	1.0	1		11/11/22 02:19	87-61-6	
1,2,4-Trichlorobenzene	<0.95	ug/L	5.0	0.95	1		11/11/22 02:19	120-82-1	
1,1,1-Trichloroethane	<0.30	ug/L	1.0	0.30	1		11/11/22 02:19	71-55-6	
1,1,2-Trichloroethane	<0.34	ug/L	5.0	0.34	1		11/11/22 02:19	79-00-5	
Trichloroethene	<0.32	ug/L	1.0	0.32	1		11/11/22 02:19	79-01-6	
Trichlorofluoromethane	<0.42	ug/L	1.0	0.42	1		11/11/22 02:19	75-69-4	
1,2,3-Trichloropropane	<0.56	ug/L	5.0	0.56	1		11/11/22 02:19	96-18-4	
1,2,4-Trimethylbenzene	<0.45	ug/L	1.0	0.45	1		11/11/22 02:19	95-63-6	
1,3,5-Trimethylbenzene	<0.36	ug/L	1.0	0.36	1		11/11/22 02:19	108-67-8	
Vinyl chloride	<0.17	ug/L	1.0	0.17	1		11/11/22 02:19	75-01-4	
m&p-Xylene	<0.70	ug/L	2.0	0.70	1		11/11/22 02:19	179601-23-1	
o-Xylene	<0.35	ug/L	1.0	0.35	1		11/11/22 02:19	95-47-6	
<b>Surrogates</b>									
4-Bromofluorobenzene (S)	95	%	70-130		1		11/11/22 02:19	460-00-4	
1,2-Dichlorobenzene-d4 (S)	100	%	70-130		1		11/11/22 02:19	2199-69-1	
Toluene-d8 (S)	93	%	70-130		1		11/11/22 02:19	2037-26-5	
<b>Chromium, Hexavalent</b>									
Analytical Method: SM 3500-Cr B									
Pace Analytical Services - Green Bay									
Chromium, Hexavalent	<0.37	mg/L	1.2	0.37	50		11/11/22 14:00		D3

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.



## ANALYTICAL RESULTS

Project: 22W016 BETTER BRITE

Pace Project No.: 40254467

**Sample: MW-10\_202211**      **Lab ID: 40254467014**      Collected: 11/09/22 14:30      Received: 11/09/22 15:43      Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
<b>8260 MSV</b>									
Analytical Method: EPA 8260									
Pace Analytical Services - Green Bay									
Benzene	<0.30	ug/L	1.0	0.30	1		11/11/22 02:38	71-43-2	
Bromobenzene	<0.36	ug/L	1.0	0.36	1		11/11/22 02:38	108-86-1	
Bromochloromethane	<0.36	ug/L	5.0	0.36	1		11/11/22 02:38	74-97-5	
Bromodichloromethane	<0.42	ug/L	1.0	0.42	1		11/11/22 02:38	75-27-4	
Bromoform	<3.8	ug/L	5.0	3.8	1		11/11/22 02:38	75-25-2	
Bromomethane	<1.2	ug/L	5.0	1.2	1		11/11/22 02:38	74-83-9	
n-Butylbenzene	<0.86	ug/L	1.0	0.86	1		11/11/22 02:38	104-51-8	
sec-Butylbenzene	<0.42	ug/L	1.0	0.42	1		11/11/22 02:38	135-98-8	
tert-Butylbenzene	<0.59	ug/L	1.0	0.59	1		11/11/22 02:38	98-06-6	
Carbon tetrachloride	<0.37	ug/L	1.0	0.37	1		11/11/22 02:38	56-23-5	
Chlorobenzene	<0.86	ug/L	1.0	0.86	1		11/11/22 02:38	108-90-7	
Chloroethane	<1.4	ug/L	5.0	1.4	1		11/11/22 02:38	75-00-3	
Chloroform	<1.2	ug/L	5.0	1.2	1		11/11/22 02:38	67-66-3	
Chloromethane	<1.6	ug/L	5.0	1.6	1		11/11/22 02:38	74-87-3	
2-Chlorotoluene	<0.89	ug/L	5.0	0.89	1		11/11/22 02:38	95-49-8	
4-Chlorotoluene	<0.89	ug/L	5.0	0.89	1		11/11/22 02:38	106-43-4	
1,2-Dibromo-3-chloropropane	<2.4	ug/L	5.0	2.4	1		11/11/22 02:38	96-12-8	
Dibromochloromethane	<2.6	ug/L	5.0	2.6	1		11/11/22 02:38	124-48-1	
1,2-Dibromoethane (EDB)	<0.31	ug/L	1.0	0.31	1		11/11/22 02:38	106-93-4	
Dibromomethane	<0.99	ug/L	5.0	0.99	1		11/11/22 02:38	74-95-3	
1,2-Dichlorobenzene	<0.33	ug/L	1.0	0.33	1		11/11/22 02:38	95-50-1	
1,3-Dichlorobenzene	<0.35	ug/L	1.0	0.35	1		11/11/22 02:38	541-73-1	
1,4-Dichlorobenzene	<0.89	ug/L	1.0	0.89	1		11/11/22 02:38	106-46-7	
Dichlorodifluoromethane	<0.46	ug/L	5.0	0.46	1		11/11/22 02:38	75-71-8	
1,1-Dichloroethane	<0.30	ug/L	1.0	0.30	1		11/11/22 02:38	75-34-3	
1,2-Dichloroethane	<0.29	ug/L	1.0	0.29	1		11/11/22 02:38	107-06-2	
1,1-Dichloroethene	<0.58	ug/L	1.0	0.58	1		11/11/22 02:38	75-35-4	
cis-1,2-Dichloroethene	<0.47	ug/L	1.0	0.47	1		11/11/22 02:38	156-59-2	
trans-1,2-Dichloroethene	<0.53	ug/L	1.0	0.53	1		11/11/22 02:38	156-60-5	
1,2-Dichloropropane	<0.45	ug/L	1.0	0.45	1		11/11/22 02:38	78-87-5	
1,3-Dichloropropane	<0.30	ug/L	1.0	0.30	1		11/11/22 02:38	142-28-9	
2,2-Dichloropropane	<4.2	ug/L	5.0	4.2	1		11/11/22 02:38	594-20-7	
1,1-Dichloropropene	<0.41	ug/L	1.0	0.41	1		11/11/22 02:38	563-58-6	
cis-1,3-Dichloropropene	<0.36	ug/L	1.0	0.36	1		11/11/22 02:38	10061-01-5	
trans-1,3-Dichloropropene	<3.5	ug/L	5.0	3.5	1		11/11/22 02:38	10061-02-6	
Diisopropyl ether	<1.1	ug/L	5.0	1.1	1		11/11/22 02:38	108-20-3	
Ethylbenzene	<0.33	ug/L	1.0	0.33	1		11/11/22 02:38	100-41-4	
Hexachloro-1,3-butadiene	<2.7	ug/L	5.0	2.7	1		11/11/22 02:38	87-68-3	
Isopropylbenzene (Cumene)	<1.0	ug/L	5.0	1.0	1		11/11/22 02:38	98-82-8	
p-Isopropyltoluene	<1.0	ug/L	5.0	1.0	1		11/11/22 02:38	99-87-6	
Methylene Chloride	<0.32	ug/L	5.0	0.32	1		11/11/22 02:38	75-09-2	
Methyl-tert-butyl ether	<1.1	ug/L	5.0	1.1	1		11/11/22 02:38	1634-04-4	
Naphthalene	<1.1	ug/L	5.0	1.1	1		11/11/22 02:38	91-20-3	
n-Propylbenzene	<0.35	ug/L	1.0	0.35	1		11/11/22 02:38	103-65-1	
Styrene	<0.36	ug/L	1.0	0.36	1		11/11/22 02:38	100-42-5	

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

### ANALYTICAL RESULTS

Project: 22W016 BETTER BRITE  
Pace Project No.: 40254467

**Sample: MW-10\_202211**      **Lab ID: 40254467014**      Collected: 11/09/22 14:30      Received: 11/09/22 15:43      Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
<b>8260 MSV</b>									
Analytical Method: EPA 8260									
Pace Analytical Services - Green Bay									
1,1,1,2-Tetrachloroethane	<0.36	ug/L	1.0	0.36	1		11/11/22 02:38	630-20-6	
1,1,2,2-Tetrachloroethane	<0.38	ug/L	1.0	0.38	1		11/11/22 02:38	79-34-5	
Tetrachloroethene	<0.41	ug/L	1.0	0.41	1		11/11/22 02:38	127-18-4	
Toluene	<0.29	ug/L	1.0	0.29	1		11/11/22 02:38	108-88-3	
1,2,3-Trichlorobenzene	<1.0	ug/L	5.0	1.0	1		11/11/22 02:38	87-61-6	
1,2,4-Trichlorobenzene	<0.95	ug/L	5.0	0.95	1		11/11/22 02:38	120-82-1	
1,1,1-Trichloroethane	<0.30	ug/L	1.0	0.30	1		11/11/22 02:38	71-55-6	
1,1,2-Trichloroethane	<0.34	ug/L	5.0	0.34	1		11/11/22 02:38	79-00-5	
Trichloroethene	<0.32	ug/L	1.0	0.32	1		11/11/22 02:38	79-01-6	
Trichlorofluoromethane	<0.42	ug/L	1.0	0.42	1		11/11/22 02:38	75-69-4	
1,2,3-Trichloropropane	<0.56	ug/L	5.0	0.56	1		11/11/22 02:38	96-18-4	
1,2,4-Trimethylbenzene	<0.45	ug/L	1.0	0.45	1		11/11/22 02:38	95-63-6	
1,3,5-Trimethylbenzene	<0.36	ug/L	1.0	0.36	1		11/11/22 02:38	108-67-8	
Vinyl chloride	<0.17	ug/L	1.0	0.17	1		11/11/22 02:38	75-01-4	
m&p-Xylene	<0.70	ug/L	2.0	0.70	1		11/11/22 02:38	179601-23-1	
o-Xylene	<0.35	ug/L	1.0	0.35	1		11/11/22 02:38	95-47-6	
<b>Surrogates</b>									
4-Bromofluorobenzene (S)	97	%	70-130		1		11/11/22 02:38	460-00-4	
1,2-Dichlorobenzene-d4 (S)	101	%	70-130		1		11/11/22 02:38	2199-69-1	
Toluene-d8 (S)	90	%	70-130		1		11/11/22 02:38	2037-26-5	
<b>Chromium, Hexavalent</b>									
Analytical Method: SM 3500-Cr B									
Pace Analytical Services - Green Bay									
Chromium, Hexavalent	<0.37	mg/L	1.2	0.37	50		11/11/22 14:00		D3

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

### ANALYTICAL RESULTS

Project: 22W016 BETTER BRITE  
Pace Project No.: 40254467

**Sample: MW-11\_202211**      **Lab ID: 40254467015**      Collected: 11/09/22 12:57      Received: 11/09/22 15:43      Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
<b>8260 MSV</b>									
Analytical Method: EPA 8260									
Pace Analytical Services - Green Bay									
Benzene	<0.30	ug/L	1.0	0.30	1		11/11/22 02:58	71-43-2	
Bromobenzene	<0.36	ug/L	1.0	0.36	1		11/11/22 02:58	108-86-1	
Bromochloromethane	<0.36	ug/L	5.0	0.36	1		11/11/22 02:58	74-97-5	
Bromodichloromethane	<0.42	ug/L	1.0	0.42	1		11/11/22 02:58	75-27-4	
Bromoform	<3.8	ug/L	5.0	3.8	1		11/11/22 02:58	75-25-2	
Bromomethane	<1.2	ug/L	5.0	1.2	1		11/11/22 02:58	74-83-9	
n-Butylbenzene	<0.86	ug/L	1.0	0.86	1		11/11/22 02:58	104-51-8	
sec-Butylbenzene	<0.42	ug/L	1.0	0.42	1		11/11/22 02:58	135-98-8	
tert-Butylbenzene	<0.59	ug/L	1.0	0.59	1		11/11/22 02:58	98-06-6	
Carbon tetrachloride	<0.37	ug/L	1.0	0.37	1		11/11/22 02:58	56-23-5	
Chlorobenzene	<0.86	ug/L	1.0	0.86	1		11/11/22 02:58	108-90-7	
Chloroethane	<1.4	ug/L	5.0	1.4	1		11/11/22 02:58	75-00-3	
Chloroform	<1.2	ug/L	5.0	1.2	1		11/11/22 02:58	67-66-3	
Chloromethane	<1.6	ug/L	5.0	1.6	1		11/11/22 02:58	74-87-3	
2-Chlorotoluene	<0.89	ug/L	5.0	0.89	1		11/11/22 02:58	95-49-8	
4-Chlorotoluene	<0.89	ug/L	5.0	0.89	1		11/11/22 02:58	106-43-4	
1,2-Dibromo-3-chloropropane	<2.4	ug/L	5.0	2.4	1		11/11/22 02:58	96-12-8	
Dibromochloromethane	<2.6	ug/L	5.0	2.6	1		11/11/22 02:58	124-48-1	
1,2-Dibromoethane (EDB)	<0.31	ug/L	1.0	0.31	1		11/11/22 02:58	106-93-4	
Dibromomethane	<0.99	ug/L	5.0	0.99	1		11/11/22 02:58	74-95-3	
1,2-Dichlorobenzene	<0.33	ug/L	1.0	0.33	1		11/11/22 02:58	95-50-1	
1,3-Dichlorobenzene	<0.35	ug/L	1.0	0.35	1		11/11/22 02:58	541-73-1	
1,4-Dichlorobenzene	<0.89	ug/L	1.0	0.89	1		11/11/22 02:58	106-46-7	
Dichlorodifluoromethane	<0.46	ug/L	5.0	0.46	1		11/11/22 02:58	75-71-8	
1,1-Dichloroethane	<0.30	ug/L	1.0	0.30	1		11/11/22 02:58	75-34-3	
1,2-Dichloroethane	<0.29	ug/L	1.0	0.29	1		11/11/22 02:58	107-06-2	
1,1-Dichloroethene	<0.58	ug/L	1.0	0.58	1		11/11/22 02:58	75-35-4	
cis-1,2-Dichloroethene	<0.47	ug/L	1.0	0.47	1		11/11/22 02:58	156-59-2	
trans-1,2-Dichloroethene	<0.53	ug/L	1.0	0.53	1		11/11/22 02:58	156-60-5	
1,2-Dichloropropane	<0.45	ug/L	1.0	0.45	1		11/11/22 02:58	78-87-5	
1,3-Dichloropropane	<0.30	ug/L	1.0	0.30	1		11/11/22 02:58	142-28-9	
2,2-Dichloropropane	<4.2	ug/L	5.0	4.2	1		11/11/22 02:58	594-20-7	
1,1-Dichloropropene	<0.41	ug/L	1.0	0.41	1		11/11/22 02:58	563-58-6	
cis-1,3-Dichloropropene	<0.36	ug/L	1.0	0.36	1		11/11/22 02:58	10061-01-5	
trans-1,3-Dichloropropene	<3.5	ug/L	5.0	3.5	1		11/11/22 02:58	10061-02-6	
Diisopropyl ether	<1.1	ug/L	5.0	1.1	1		11/11/22 02:58	108-20-3	
Ethylbenzene	<0.33	ug/L	1.0	0.33	1		11/11/22 02:58	100-41-4	
Hexachloro-1,3-butadiene	<2.7	ug/L	5.0	2.7	1		11/11/22 02:58	87-68-3	
Isopropylbenzene (Cumene)	<1.0	ug/L	5.0	1.0	1		11/11/22 02:58	98-82-8	
p-Isopropyltoluene	<1.0	ug/L	5.0	1.0	1		11/11/22 02:58	99-87-6	
Methylene Chloride	<0.32	ug/L	5.0	0.32	1		11/11/22 02:58	75-09-2	
Methyl-tert-butyl ether	<1.1	ug/L	5.0	1.1	1		11/11/22 02:58	1634-04-4	
Naphthalene	<1.1	ug/L	5.0	1.1	1		11/11/22 02:58	91-20-3	
n-Propylbenzene	<0.35	ug/L	1.0	0.35	1		11/11/22 02:58	103-65-1	
Styrene	<0.36	ug/L	1.0	0.36	1		11/11/22 02:58	100-42-5	

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

### ANALYTICAL RESULTS

Project: 22W016 BETTER BRITE  
Pace Project No.: 40254467

**Sample: MW-11\_202211**      **Lab ID: 40254467015**      Collected: 11/09/22 12:57      Received: 11/09/22 15:43      Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
<b>8260 MSV</b>									
Analytical Method: EPA 8260									
Pace Analytical Services - Green Bay									
1,1,1,2-Tetrachloroethane	<0.36	ug/L	1.0	0.36	1		11/11/22 02:58	630-20-6	
1,1,2,2-Tetrachloroethane	<0.38	ug/L	1.0	0.38	1		11/11/22 02:58	79-34-5	
Tetrachloroethene	<0.41	ug/L	1.0	0.41	1		11/11/22 02:58	127-18-4	
Toluene	<0.29	ug/L	1.0	0.29	1		11/11/22 02:58	108-88-3	
1,2,3-Trichlorobenzene	<1.0	ug/L	5.0	1.0	1		11/11/22 02:58	87-61-6	
1,2,4-Trichlorobenzene	<0.95	ug/L	5.0	0.95	1		11/11/22 02:58	120-82-1	
1,1,1-Trichloroethane	0.34J	ug/L	1.0	0.30	1		11/11/22 02:58	71-55-6	
1,1,2-Trichloroethane	<0.34	ug/L	5.0	0.34	1		11/11/22 02:58	79-00-5	
Trichloroethene	<0.32	ug/L	1.0	0.32	1		11/11/22 02:58	79-01-6	
Trichlorofluoromethane	<0.42	ug/L	1.0	0.42	1		11/11/22 02:58	75-69-4	
1,2,3-Trichloropropane	<0.56	ug/L	5.0	0.56	1		11/11/22 02:58	96-18-4	
1,2,4-Trimethylbenzene	<0.45	ug/L	1.0	0.45	1		11/11/22 02:58	95-63-6	
1,3,5-Trimethylbenzene	<0.36	ug/L	1.0	0.36	1		11/11/22 02:58	108-67-8	
Vinyl chloride	<0.17	ug/L	1.0	0.17	1		11/11/22 02:58	75-01-4	
m&p-Xylene	<0.70	ug/L	2.0	0.70	1		11/11/22 02:58	179601-23-1	
o-Xylene	<0.35	ug/L	1.0	0.35	1		11/11/22 02:58	95-47-6	
<b>Surrogates</b>									
4-Bromofluorobenzene (S)	100	%	70-130		1		11/11/22 02:58	460-00-4	
1,2-Dichlorobenzene-d4 (S)	103	%	70-130		1		11/11/22 02:58	2199-69-1	
Toluene-d8 (S)	92	%	70-130		1		11/11/22 02:58	2037-26-5	
<b>Chromium, Hexavalent</b>									
Analytical Method: SM 3500-Cr B									
Pace Analytical Services - Green Bay									
Chromium, Hexavalent	<0.37	mg/L	1.2	0.37	50		11/11/22 14:00		D3

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.



## ANALYTICAL RESULTS

Project: 22W016 BETTER BRITE  
Pace Project No.: 40254467

**Sample: MW-12\_202211**      **Lab ID: 40254467016**      Collected: 11/09/22 12:13      Received: 11/09/22 15:43      Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
<b>8260 MSV</b>									
Analytical Method: EPA 8260									
Pace Analytical Services - Green Bay									
Benzene	<0.30	ug/L	1.0	0.30	1		11/11/22 03:18	71-43-2	
Bromobenzene	<0.36	ug/L	1.0	0.36	1		11/11/22 03:18	108-86-1	
Bromochloromethane	<0.36	ug/L	5.0	0.36	1		11/11/22 03:18	74-97-5	
Bromodichloromethane	<0.42	ug/L	1.0	0.42	1		11/11/22 03:18	75-27-4	
Bromoform	<3.8	ug/L	5.0	3.8	1		11/11/22 03:18	75-25-2	
Bromomethane	<1.2	ug/L	5.0	1.2	1		11/11/22 03:18	74-83-9	
n-Butylbenzene	<0.86	ug/L	1.0	0.86	1		11/11/22 03:18	104-51-8	
sec-Butylbenzene	<0.42	ug/L	1.0	0.42	1		11/11/22 03:18	135-98-8	
tert-Butylbenzene	<0.59	ug/L	1.0	0.59	1		11/11/22 03:18	98-06-6	
Carbon tetrachloride	<0.37	ug/L	1.0	0.37	1		11/11/22 03:18	56-23-5	
Chlorobenzene	<0.86	ug/L	1.0	0.86	1		11/11/22 03:18	108-90-7	
Chloroethane	<1.4	ug/L	5.0	1.4	1		11/11/22 03:18	75-00-3	
Chloroform	<1.2	ug/L	5.0	1.2	1		11/11/22 03:18	67-66-3	
Chloromethane	<1.6	ug/L	5.0	1.6	1		11/11/22 03:18	74-87-3	
2-Chlorotoluene	<0.89	ug/L	5.0	0.89	1		11/11/22 03:18	95-49-8	
4-Chlorotoluene	<0.89	ug/L	5.0	0.89	1		11/11/22 03:18	106-43-4	
1,2-Dibromo-3-chloropropane	<2.4	ug/L	5.0	2.4	1		11/11/22 03:18	96-12-8	
Dibromochloromethane	<2.6	ug/L	5.0	2.6	1		11/11/22 03:18	124-48-1	
1,2-Dibromoethane (EDB)	<0.31	ug/L	1.0	0.31	1		11/11/22 03:18	106-93-4	
Dibromomethane	<0.99	ug/L	5.0	0.99	1		11/11/22 03:18	74-95-3	
1,2-Dichlorobenzene	<0.33	ug/L	1.0	0.33	1		11/11/22 03:18	95-50-1	
1,3-Dichlorobenzene	<0.35	ug/L	1.0	0.35	1		11/11/22 03:18	541-73-1	
1,4-Dichlorobenzene	<0.89	ug/L	1.0	0.89	1		11/11/22 03:18	106-46-7	
Dichlorodifluoromethane	<0.46	ug/L	5.0	0.46	1		11/11/22 03:18	75-71-8	
1,1-Dichloroethane	<0.30	ug/L	1.0	0.30	1		11/11/22 03:18	75-34-3	
1,2-Dichloroethane	<0.29	ug/L	1.0	0.29	1		11/11/22 03:18	107-06-2	
1,1-Dichloroethene	<0.58	ug/L	1.0	0.58	1		11/11/22 03:18	75-35-4	
cis-1,2-Dichloroethene	<0.47	ug/L	1.0	0.47	1		11/11/22 03:18	156-59-2	
trans-1,2-Dichloroethene	<0.53	ug/L	1.0	0.53	1		11/11/22 03:18	156-60-5	
1,2-Dichloropropane	<0.45	ug/L	1.0	0.45	1		11/11/22 03:18	78-87-5	
1,3-Dichloropropane	<0.30	ug/L	1.0	0.30	1		11/11/22 03:18	142-28-9	
2,2-Dichloropropane	<4.2	ug/L	5.0	4.2	1		11/11/22 03:18	594-20-7	
1,1-Dichloropropene	<0.41	ug/L	1.0	0.41	1		11/11/22 03:18	563-58-6	
cis-1,3-Dichloropropene	<0.36	ug/L	1.0	0.36	1		11/11/22 03:18	10061-01-5	
trans-1,3-Dichloropropene	<3.5	ug/L	5.0	3.5	1		11/11/22 03:18	10061-02-6	
Diisopropyl ether	<1.1	ug/L	5.0	1.1	1		11/11/22 03:18	108-20-3	
Ethylbenzene	<0.33	ug/L	1.0	0.33	1		11/11/22 03:18	100-41-4	
Hexachloro-1,3-butadiene	<2.7	ug/L	5.0	2.7	1		11/11/22 03:18	87-68-3	
Isopropylbenzene (Cumene)	<1.0	ug/L	5.0	1.0	1		11/11/22 03:18	98-82-8	
p-Isopropyltoluene	<1.0	ug/L	5.0	1.0	1		11/11/22 03:18	99-87-6	
Methylene Chloride	<0.32	ug/L	5.0	0.32	1		11/11/22 03:18	75-09-2	
Methyl-tert-butyl ether	<1.1	ug/L	5.0	1.1	1		11/11/22 03:18	1634-04-4	
Naphthalene	<1.1	ug/L	5.0	1.1	1		11/11/22 03:18	91-20-3	
n-Propylbenzene	<0.35	ug/L	1.0	0.35	1		11/11/22 03:18	103-65-1	
Styrene	<0.36	ug/L	1.0	0.36	1		11/11/22 03:18	100-42-5	

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

### ANALYTICAL RESULTS

Project: 22W016 BETTER BRITE  
Pace Project No.: 40254467

**Sample: MW-12\_202211**      **Lab ID: 40254467016**      Collected: 11/09/22 12:13      Received: 11/09/22 15:43      Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
<b>8260 MSV</b>									
Analytical Method: EPA 8260									
Pace Analytical Services - Green Bay									
1,1,1,2-Tetrachloroethane	<0.36	ug/L	1.0	0.36	1		11/11/22 03:18	630-20-6	
1,1,2,2-Tetrachloroethane	<0.38	ug/L	1.0	0.38	1		11/11/22 03:18	79-34-5	
Tetrachloroethene	<0.41	ug/L	1.0	0.41	1		11/11/22 03:18	127-18-4	
Toluene	<0.29	ug/L	1.0	0.29	1		11/11/22 03:18	108-88-3	
1,2,3-Trichlorobenzene	<1.0	ug/L	5.0	1.0	1		11/11/22 03:18	87-61-6	
1,2,4-Trichlorobenzene	<0.95	ug/L	5.0	0.95	1		11/11/22 03:18	120-82-1	
1,1,1-Trichloroethane	<0.30	ug/L	1.0	0.30	1		11/11/22 03:18	71-55-6	
1,1,2-Trichloroethane	<0.34	ug/L	5.0	0.34	1		11/11/22 03:18	79-00-5	
Trichloroethene	<0.32	ug/L	1.0	0.32	1		11/11/22 03:18	79-01-6	
Trichlorofluoromethane	<0.42	ug/L	1.0	0.42	1		11/11/22 03:18	75-69-4	
1,2,3-Trichloropropane	<0.56	ug/L	5.0	0.56	1		11/11/22 03:18	96-18-4	
1,2,4-Trimethylbenzene	<0.45	ug/L	1.0	0.45	1		11/11/22 03:18	95-63-6	
1,3,5-Trimethylbenzene	<0.36	ug/L	1.0	0.36	1		11/11/22 03:18	108-67-8	
Vinyl chloride	<0.17	ug/L	1.0	0.17	1		11/11/22 03:18	75-01-4	
m&p-Xylene	<0.70	ug/L	2.0	0.70	1		11/11/22 03:18	179601-23-1	
o-Xylene	<0.35	ug/L	1.0	0.35	1		11/11/22 03:18	95-47-6	
<b>Surrogates</b>									
4-Bromofluorobenzene (S)	95	%	70-130		1		11/11/22 03:18	460-00-4	
1,2-Dichlorobenzene-d4 (S)	99	%	70-130		1		11/11/22 03:18	2199-69-1	
Toluene-d8 (S)	91	%	70-130		1		11/11/22 03:18	2037-26-5	
<b>Chromium, Hexavalent</b>									
Analytical Method: SM 3500-Cr B									
Pace Analytical Services - Green Bay									
Chromium, Hexavalent	<0.18	mg/L	0.61	0.18	25		11/11/22 14:00		D3

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

## ANALYTICAL RESULTS

Project: 22W016 BETTER BRITE

Pace Project No.: 40254467

**Sample: ZINC SHOP\_202211**      **Lab ID: 40254467017**      Collected: 11/09/22 10:20      Received: 11/09/22 15:43      Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
<b>8260 MSV</b>									
Analytical Method: EPA 8260									
Pace Analytical Services - Green Bay									
Benzene	<0.30	ug/L	1.0	0.30	1		11/11/22 03:37	71-43-2	
Bromobenzene	<0.36	ug/L	1.0	0.36	1		11/11/22 03:37	108-86-1	
Bromochloromethane	<0.36	ug/L	5.0	0.36	1		11/11/22 03:37	74-97-5	
Bromodichloromethane	<0.42	ug/L	1.0	0.42	1		11/11/22 03:37	75-27-4	
Bromoform	<3.8	ug/L	5.0	3.8	1		11/11/22 03:37	75-25-2	
Bromomethane	<1.2	ug/L	5.0	1.2	1		11/11/22 03:37	74-83-9	
n-Butylbenzene	<0.86	ug/L	1.0	0.86	1		11/11/22 03:37	104-51-8	
sec-Butylbenzene	<0.42	ug/L	1.0	0.42	1		11/11/22 03:37	135-98-8	
tert-Butylbenzene	<0.59	ug/L	1.0	0.59	1		11/11/22 03:37	98-06-6	
Carbon tetrachloride	<0.37	ug/L	1.0	0.37	1		11/11/22 03:37	56-23-5	
Chlorobenzene	<0.86	ug/L	1.0	0.86	1		11/11/22 03:37	108-90-7	
Chloroethane	<1.4	ug/L	5.0	1.4	1		11/11/22 03:37	75-00-3	
Chloroform	<1.2	ug/L	5.0	1.2	1		11/11/22 03:37	67-66-3	
Chloromethane	<1.6	ug/L	5.0	1.6	1		11/11/22 03:37	74-87-3	
2-Chlorotoluene	<0.89	ug/L	5.0	0.89	1		11/11/22 03:37	95-49-8	
4-Chlorotoluene	<0.89	ug/L	5.0	0.89	1		11/11/22 03:37	106-43-4	
1,2-Dibromo-3-chloropropane	<2.4	ug/L	5.0	2.4	1		11/11/22 03:37	96-12-8	
Dibromochloromethane	<2.6	ug/L	5.0	2.6	1		11/11/22 03:37	124-48-1	
1,2-Dibromoethane (EDB)	<0.31	ug/L	1.0	0.31	1		11/11/22 03:37	106-93-4	
Dibromomethane	<0.99	ug/L	5.0	0.99	1		11/11/22 03:37	74-95-3	
1,2-Dichlorobenzene	<0.33	ug/L	1.0	0.33	1		11/11/22 03:37	95-50-1	
1,3-Dichlorobenzene	<0.35	ug/L	1.0	0.35	1		11/11/22 03:37	541-73-1	
1,4-Dichlorobenzene	<0.89	ug/L	1.0	0.89	1		11/11/22 03:37	106-46-7	
Dichlorodifluoromethane	<0.46	ug/L	5.0	0.46	1		11/11/22 03:37	75-71-8	
1,1-Dichloroethane	1.9	ug/L	1.0	0.30	1		11/11/22 03:37	75-34-3	
1,2-Dichloroethane	<0.29	ug/L	1.0	0.29	1		11/11/22 03:37	107-06-2	
1,1-Dichloroethene	1.4	ug/L	1.0	0.58	1		11/11/22 03:37	75-35-4	
cis-1,2-Dichloroethene	<0.47	ug/L	1.0	0.47	1		11/11/22 03:37	156-59-2	
trans-1,2-Dichloroethene	<0.53	ug/L	1.0	0.53	1		11/11/22 03:37	156-60-5	
1,2-Dichloropropane	<0.45	ug/L	1.0	0.45	1		11/11/22 03:37	78-87-5	
1,3-Dichloropropane	<0.30	ug/L	1.0	0.30	1		11/11/22 03:37	142-28-9	
2,2-Dichloropropane	<4.2	ug/L	5.0	4.2	1		11/11/22 03:37	594-20-7	
1,1-Dichloropropene	<0.41	ug/L	1.0	0.41	1		11/11/22 03:37	563-58-6	
cis-1,3-Dichloropropene	<0.36	ug/L	1.0	0.36	1		11/11/22 03:37	10061-01-5	
trans-1,3-Dichloropropene	<3.5	ug/L	5.0	3.5	1		11/11/22 03:37	10061-02-6	
Diisopropyl ether	<1.1	ug/L	5.0	1.1	1		11/11/22 03:37	108-20-3	
Ethylbenzene	<0.33	ug/L	1.0	0.33	1		11/11/22 03:37	100-41-4	
Hexachloro-1,3-butadiene	<2.7	ug/L	5.0	2.7	1		11/11/22 03:37	87-68-3	
Isopropylbenzene (Cumene)	<1.0	ug/L	5.0	1.0	1		11/11/22 03:37	98-82-8	
p-Isopropyltoluene	<1.0	ug/L	5.0	1.0	1		11/11/22 03:37	99-87-6	
Methylene Chloride	<0.32	ug/L	5.0	0.32	1		11/11/22 03:37	75-09-2	
Methyl-tert-butyl ether	<1.1	ug/L	5.0	1.1	1		11/11/22 03:37	1634-04-4	
Naphthalene	<1.1	ug/L	5.0	1.1	1		11/11/22 03:37	91-20-3	
n-Propylbenzene	<0.35	ug/L	1.0	0.35	1		11/11/22 03:37	103-65-1	
Styrene	<0.36	ug/L	1.0	0.36	1		11/11/22 03:37	100-42-5	

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

### ANALYTICAL RESULTS

Project: 22W016 BETTER BRITE

Pace Project No.: 40254467

**Sample: ZINC SHOP\_202211**      **Lab ID: 40254467017**      Collected: 11/09/22 10:20      Received: 11/09/22 15:43      Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
<b>8260 MSV</b>									
Analytical Method: EPA 8260									
Pace Analytical Services - Green Bay									
1,1,1,2-Tetrachloroethane	<0.36	ug/L	1.0	0.36	1		11/11/22 03:37	630-20-6	
1,1,2,2-Tetrachloroethane	<0.38	ug/L	1.0	0.38	1		11/11/22 03:37	79-34-5	
Tetrachloroethene	<b>0.93J</b>	ug/L	1.0	0.41	1		11/11/22 03:37	127-18-4	
Toluene	<0.29	ug/L	1.0	0.29	1		11/11/22 03:37	108-88-3	
1,2,3-Trichlorobenzene	<1.0	ug/L	5.0	1.0	1		11/11/22 03:37	87-61-6	
1,2,4-Trichlorobenzene	<0.95	ug/L	5.0	0.95	1		11/11/22 03:37	120-82-1	
1,1,1-Trichloroethane	<b>20.2</b>	ug/L	1.0	0.30	1		11/11/22 03:37	71-55-6	
1,1,2-Trichloroethane	<0.34	ug/L	5.0	0.34	1		11/11/22 03:37	79-00-5	
Trichloroethene	<0.32	ug/L	1.0	0.32	1		11/11/22 03:37	79-01-6	
Trichlorofluoromethane	<0.42	ug/L	1.0	0.42	1		11/11/22 03:37	75-69-4	
1,2,3-Trichloropropane	<0.56	ug/L	5.0	0.56	1		11/11/22 03:37	96-18-4	
1,2,4-Trimethylbenzene	<0.45	ug/L	1.0	0.45	1		11/11/22 03:37	95-63-6	
1,3,5-Trimethylbenzene	<0.36	ug/L	1.0	0.36	1		11/11/22 03:37	108-67-8	
Vinyl chloride	<0.17	ug/L	1.0	0.17	1		11/11/22 03:37	75-01-4	
m&p-Xylene	<0.70	ug/L	2.0	0.70	1		11/11/22 03:37	179601-23-1	
o-Xylene	<0.35	ug/L	1.0	0.35	1		11/11/22 03:37	95-47-6	
<b>Surrogates</b>									
4-Bromofluorobenzene (S)	99	%	70-130		1		11/11/22 03:37	460-00-4	
1,2-Dichlorobenzene-d4 (S)	102	%	70-130		1		11/11/22 03:37	2199-69-1	
Toluene-d8 (S)	91	%	70-130		1		11/11/22 03:37	2037-26-5	
<b>Chromium, Hexavalent</b>									
Analytical Method: SM 3500-Cr B									
Pace Analytical Services - Green Bay									
Chromium, Hexavalent	<b>4.2</b>	mg/L	0.24	0.073	10		11/11/22 14:02		
<b>335.4 Cyanide, Total</b>									
Analytical Method: EPA 335.4 Preparation Method: EPA 335.4									
Pace Analytical Services - Green Bay									
Cyanide	<b>0.075J</b>	mg/L	0.14	0.041	1	11/15/22 10:30	11/15/22 12:46	57-12-5	D3

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.



## ANALYTICAL RESULTS

Project: 22W016 BETTER BRITE

Pace Project No.: 40254467

Sample: MW-3RD\_202211 Lab ID: 40254467018 Collected: 11/09/22 10:55 Received: 11/09/22 15:43 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
<b>8260 MSV</b>									
Analytical Method: EPA 8260									
Pace Analytical Services - Green Bay									
Benzene	<0.30	ug/L	1.0	0.30	1		11/11/22 23:11	71-43-2	
Bromobenzene	<0.36	ug/L	1.0	0.36	1		11/11/22 23:11	108-86-1	
Bromochloromethane	<0.36	ug/L	5.0	0.36	1		11/11/22 23:11	74-97-5	
Bromodichloromethane	<0.42	ug/L	1.0	0.42	1		11/11/22 23:11	75-27-4	
Bromoform	<3.8	ug/L	5.0	3.8	1		11/11/22 23:11	75-25-2	
Bromomethane	<1.2	ug/L	5.0	1.2	1		11/11/22 23:11	74-83-9	v1
n-Butylbenzene	<0.86	ug/L	1.0	0.86	1		11/11/22 23:11	104-51-8	
sec-Butylbenzene	<0.42	ug/L	1.0	0.42	1		11/11/22 23:11	135-98-8	
tert-Butylbenzene	<0.59	ug/L	1.0	0.59	1		11/11/22 23:11	98-06-6	
Carbon tetrachloride	<0.37	ug/L	1.0	0.37	1		11/11/22 23:11	56-23-5	
Chlorobenzene	<0.86	ug/L	1.0	0.86	1		11/11/22 23:11	108-90-7	
Chloroethane	1.5J	ug/L	5.0	1.4	1		11/11/22 23:11	75-00-3	
Chloroform	<1.2	ug/L	5.0	1.2	1		11/11/22 23:11	67-66-3	
Chloromethane	<1.6	ug/L	5.0	1.6	1		11/11/22 23:11	74-87-3	
2-Chlorotoluene	<0.89	ug/L	5.0	0.89	1		11/11/22 23:11	95-49-8	
4-Chlorotoluene	<0.89	ug/L	5.0	0.89	1		11/11/22 23:11	106-43-4	
1,2-Dibromo-3-chloropropane	<2.4	ug/L	5.0	2.4	1		11/11/22 23:11	96-12-8	
Dibromochloromethane	<2.6	ug/L	5.0	2.6	1		11/11/22 23:11	124-48-1	
1,2-Dibromoethane (EDB)	<0.31	ug/L	1.0	0.31	1		11/11/22 23:11	106-93-4	
Dibromomethane	<0.99	ug/L	5.0	0.99	1		11/11/22 23:11	74-95-3	
1,2-Dichlorobenzene	<0.33	ug/L	1.0	0.33	1		11/11/22 23:11	95-50-1	
1,3-Dichlorobenzene	<0.35	ug/L	1.0	0.35	1		11/11/22 23:11	541-73-1	
1,4-Dichlorobenzene	<0.89	ug/L	1.0	0.89	1		11/11/22 23:11	106-46-7	
Dichlorodifluoromethane	<0.46	ug/L	5.0	0.46	1		11/11/22 23:11	75-71-8	
1,1-Dichloroethane	3.8	ug/L	1.0	0.30	1		11/11/22 23:11	75-34-3	
1,2-Dichloroethane	<0.29	ug/L	1.0	0.29	1		11/11/22 23:11	107-06-2	
1,1-Dichloroethene	0.91J	ug/L	1.0	0.58	1		11/11/22 23:11	75-35-4	
cis-1,2-Dichloroethene	<0.47	ug/L	1.0	0.47	1		11/11/22 23:11	156-59-2	
trans-1,2-Dichloroethene	<0.53	ug/L	1.0	0.53	1		11/11/22 23:11	156-60-5	L1
1,2-Dichloropropane	<0.45	ug/L	1.0	0.45	1		11/11/22 23:11	78-87-5	
1,3-Dichloropropane	<0.30	ug/L	1.0	0.30	1		11/11/22 23:11	142-28-9	
2,2-Dichloropropane	<4.2	ug/L	5.0	4.2	1		11/11/22 23:11	594-20-7	
1,1-Dichloropropene	<0.41	ug/L	1.0	0.41	1		11/11/22 23:11	563-58-6	
cis-1,3-Dichloropropene	<0.36	ug/L	1.0	0.36	1		11/11/22 23:11	10061-01-5	
trans-1,3-Dichloropropene	<3.5	ug/L	5.0	3.5	1		11/11/22 23:11	10061-02-6	
Diisopropyl ether	<1.1	ug/L	5.0	1.1	1		11/11/22 23:11	108-20-3	
Ethylbenzene	<0.33	ug/L	1.0	0.33	1		11/11/22 23:11	100-41-4	
Hexachloro-1,3-butadiene	<2.7	ug/L	5.0	2.7	1		11/11/22 23:11	87-68-3	
Isopropylbenzene (Cumene)	<1.0	ug/L	5.0	1.0	1		11/11/22 23:11	98-82-8	
p-Isopropyltoluene	<1.0	ug/L	5.0	1.0	1		11/11/22 23:11	99-87-6	
Methylene Chloride	<0.32	ug/L	5.0	0.32	1		11/11/22 23:11	75-09-2	
Methyl-tert-butyl ether	<1.1	ug/L	5.0	1.1	1		11/11/22 23:11	1634-04-4	
Naphthalene	<1.1	ug/L	5.0	1.1	1		11/11/22 23:11	91-20-3	
n-Propylbenzene	<0.35	ug/L	1.0	0.35	1		11/11/22 23:11	103-65-1	
Styrene	<0.36	ug/L	1.0	0.36	1		11/11/22 23:11	100-42-5	

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

### ANALYTICAL RESULTS

Project: 22W016 BETTER BRITE  
Pace Project No.: 40254467

**Sample: MW-3RD\_202211**      **Lab ID: 40254467018**      Collected: 11/09/22 10:55      Received: 11/09/22 15:43      Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
<b>8260 MSV</b>									
Analytical Method: EPA 8260									
Pace Analytical Services - Green Bay									
1,1,1,2-Tetrachloroethane	<0.36	ug/L	1.0	0.36	1		11/11/22 23:11	630-20-6	
1,1,2,2-Tetrachloroethane	<0.38	ug/L	1.0	0.38	1		11/11/22 23:11	79-34-5	
Tetrachloroethene	<0.41	ug/L	1.0	0.41	1		11/11/22 23:11	127-18-4	
Toluene	<0.29	ug/L	1.0	0.29	1		11/11/22 23:11	108-88-3	
1,2,3-Trichlorobenzene	<1.0	ug/L	5.0	1.0	1		11/11/22 23:11	87-61-6	
1,2,4-Trichlorobenzene	<0.95	ug/L	5.0	0.95	1		11/11/22 23:11	120-82-1	
1,1,1-Trichloroethane	9.5	ug/L	1.0	0.30	1		11/11/22 23:11	71-55-6	
1,1,2-Trichloroethane	<0.34	ug/L	5.0	0.34	1		11/11/22 23:11	79-00-5	
Trichloroethene	<0.32	ug/L	1.0	0.32	1		11/11/22 23:11	79-01-6	
Trichlorofluoromethane	<0.42	ug/L	1.0	0.42	1		11/11/22 23:11	75-69-4	
1,2,3-Trichloropropane	<0.56	ug/L	5.0	0.56	1		11/11/22 23:11	96-18-4	
1,2,4-Trimethylbenzene	<0.45	ug/L	1.0	0.45	1		11/11/22 23:11	95-63-6	
1,3,5-Trimethylbenzene	<0.36	ug/L	1.0	0.36	1		11/11/22 23:11	108-67-8	
Vinyl chloride	<0.17	ug/L	1.0	0.17	1		11/11/22 23:11	75-01-4	
m&p-Xylene	<0.70	ug/L	2.0	0.70	1		11/11/22 23:11	179601-23-1	
o-Xylene	<0.35	ug/L	1.0	0.35	1		11/11/22 23:11	95-47-6	
<b>Surrogates</b>									
4-Bromofluorobenzene (S)	108	%	70-130		1		11/11/22 23:11	460-00-4	
1,2-Dichlorobenzene-d4 (S)	101	%	70-130		1		11/11/22 23:11	2199-69-1	
Toluene-d8 (S)	101	%	70-130		1		11/11/22 23:11	2037-26-5	
<b>Chromium, Hexavalent</b>									
Analytical Method: SM 3500-Cr B									
Pace Analytical Services - Green Bay									
Chromium, Hexavalent	<0.18	mg/L	0.61	0.18	25		11/11/22 14:03		D3

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

### ANALYTICAL RESULTS

Project: 22W016 BETTER BRITE

Pace Project No.: 40254467

**Sample:** TB1\_202211      **Lab ID:** 40254467019      Collected: 11/09/22 00:00      Received: 11/09/22 15:43      Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
<b>8260 MSV</b>									
Analytical Method: EPA 8260									
Pace Analytical Services - Green Bay									
Benzene	<0.30	ug/L	1.0	0.30	1		11/11/22 18:33	71-43-2	
Bromobenzene	<0.36	ug/L	1.0	0.36	1		11/11/22 18:33	108-86-1	
Bromochloromethane	<0.36	ug/L	5.0	0.36	1		11/11/22 18:33	74-97-5	
Bromodichloromethane	<0.42	ug/L	1.0	0.42	1		11/11/22 18:33	75-27-4	
Bromoform	<3.8	ug/L	5.0	3.8	1		11/11/22 18:33	75-25-2	
Bromomethane	<1.2	ug/L	5.0	1.2	1		11/11/22 18:33	74-83-9	v1
n-Butylbenzene	<0.86	ug/L	1.0	0.86	1		11/11/22 18:33	104-51-8	
sec-Butylbenzene	<0.42	ug/L	1.0	0.42	1		11/11/22 18:33	135-98-8	
tert-Butylbenzene	<0.59	ug/L	1.0	0.59	1		11/11/22 18:33	98-06-6	
Carbon tetrachloride	<0.37	ug/L	1.0	0.37	1		11/11/22 18:33	56-23-5	
Chlorobenzene	<0.86	ug/L	1.0	0.86	1		11/11/22 18:33	108-90-7	
Chloroethane	<1.4	ug/L	5.0	1.4	1		11/11/22 18:33	75-00-3	
Chloroform	<1.2	ug/L	5.0	1.2	1		11/11/22 18:33	67-66-3	
Chloromethane	<1.6	ug/L	5.0	1.6	1		11/11/22 18:33	74-87-3	
2-Chlorotoluene	<0.89	ug/L	5.0	0.89	1		11/11/22 18:33	95-49-8	
4-Chlorotoluene	<0.89	ug/L	5.0	0.89	1		11/11/22 18:33	106-43-4	
1,2-Dibromo-3-chloropropane	<2.4	ug/L	5.0	2.4	1		11/11/22 18:33	96-12-8	
Dibromochloromethane	<2.6	ug/L	5.0	2.6	1		11/11/22 18:33	124-48-1	
1,2-Dibromoethane (EDB)	<0.31	ug/L	1.0	0.31	1		11/11/22 18:33	106-93-4	
Dibromomethane	<0.99	ug/L	5.0	0.99	1		11/11/22 18:33	74-95-3	
1,2-Dichlorobenzene	<0.33	ug/L	1.0	0.33	1		11/11/22 18:33	95-50-1	
1,3-Dichlorobenzene	<0.35	ug/L	1.0	0.35	1		11/11/22 18:33	541-73-1	
1,4-Dichlorobenzene	<0.89	ug/L	1.0	0.89	1		11/11/22 18:33	106-46-7	
Dichlorodifluoromethane	<0.46	ug/L	5.0	0.46	1		11/11/22 18:33	75-71-8	
1,1-Dichloroethane	<0.30	ug/L	1.0	0.30	1		11/11/22 18:33	75-34-3	
1,2-Dichloroethane	<0.29	ug/L	1.0	0.29	1		11/11/22 18:33	107-06-2	
1,1-Dichloroethene	<0.58	ug/L	1.0	0.58	1		11/11/22 18:33	75-35-4	
cis-1,2-Dichloroethene	<0.47	ug/L	1.0	0.47	1		11/11/22 18:33	156-59-2	
trans-1,2-Dichloroethene	<0.53	ug/L	1.0	0.53	1		11/11/22 18:33	156-60-5	L1
1,2-Dichloropropane	<0.45	ug/L	1.0	0.45	1		11/11/22 18:33	78-87-5	
1,3-Dichloropropane	<0.30	ug/L	1.0	0.30	1		11/11/22 18:33	142-28-9	
2,2-Dichloropropane	<4.2	ug/L	5.0	4.2	1		11/11/22 18:33	594-20-7	
1,1-Dichloropropene	<0.41	ug/L	1.0	0.41	1		11/11/22 18:33	563-58-6	
cis-1,3-Dichloropropene	<0.36	ug/L	1.0	0.36	1		11/11/22 18:33	10061-01-5	
trans-1,3-Dichloropropene	<3.5	ug/L	5.0	3.5	1		11/11/22 18:33	10061-02-6	
Diisopropyl ether	<1.1	ug/L	5.0	1.1	1		11/11/22 18:33	108-20-3	
Ethylbenzene	<0.33	ug/L	1.0	0.33	1		11/11/22 18:33	100-41-4	
Hexachloro-1,3-butadiene	<2.7	ug/L	5.0	2.7	1		11/11/22 18:33	87-68-3	
Isopropylbenzene (Cumene)	<1.0	ug/L	5.0	1.0	1		11/11/22 18:33	98-82-8	
p-Isopropyltoluene	<1.0	ug/L	5.0	1.0	1		11/11/22 18:33	99-87-6	
Methylene Chloride	<0.32	ug/L	5.0	0.32	1		11/11/22 18:33	75-09-2	
Methyl-tert-butyl ether	<1.1	ug/L	5.0	1.1	1		11/11/22 18:33	1634-04-4	
Naphthalene	<1.1	ug/L	5.0	1.1	1		11/11/22 18:33	91-20-3	
n-Propylbenzene	<0.35	ug/L	1.0	0.35	1		11/11/22 18:33	103-65-1	
Styrene	<0.36	ug/L	1.0	0.36	1		11/11/22 18:33	100-42-5	

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

### ANALYTICAL RESULTS

Project: 22W016 BETTER BRITE  
Pace Project No.: 40254467

**Sample: TB1\_202211**      **Lab ID: 40254467019**      Collected: 11/09/22 00:00      Received: 11/09/22 15:43      Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
<b>8260 MSV</b>									
Analytical Method: EPA 8260									
Pace Analytical Services - Green Bay									
1,1,1,2-Tetrachloroethane	<0.36	ug/L	1.0	0.36	1		11/11/22 18:33	630-20-6	
1,1,2,2-Tetrachloroethane	<0.38	ug/L	1.0	0.38	1		11/11/22 18:33	79-34-5	
Tetrachloroethene	<0.41	ug/L	1.0	0.41	1		11/11/22 18:33	127-18-4	
Toluene	<0.29	ug/L	1.0	0.29	1		11/11/22 18:33	108-88-3	
1,2,3-Trichlorobenzene	<1.0	ug/L	5.0	1.0	1		11/11/22 18:33	87-61-6	
1,2,4-Trichlorobenzene	<0.95	ug/L	5.0	0.95	1		11/11/22 18:33	120-82-1	
1,1,1-Trichloroethane	<0.30	ug/L	1.0	0.30	1		11/11/22 18:33	71-55-6	
1,1,2-Trichloroethane	<0.34	ug/L	5.0	0.34	1		11/11/22 18:33	79-00-5	
Trichloroethene	<0.32	ug/L	1.0	0.32	1		11/11/22 18:33	79-01-6	
Trichlorofluoromethane	<0.42	ug/L	1.0	0.42	1		11/11/22 18:33	75-69-4	
1,2,3-Trichloropropane	<0.56	ug/L	5.0	0.56	1		11/11/22 18:33	96-18-4	
1,2,4-Trimethylbenzene	<0.45	ug/L	1.0	0.45	1		11/11/22 18:33	95-63-6	
1,3,5-Trimethylbenzene	<0.36	ug/L	1.0	0.36	1		11/11/22 18:33	108-67-8	
Vinyl chloride	<0.17	ug/L	1.0	0.17	1		11/11/22 18:33	75-01-4	
m&p-Xylene	<0.70	ug/L	2.0	0.70	1		11/11/22 18:33	179601-23-1	
o-Xylene	<0.35	ug/L	1.0	0.35	1		11/11/22 18:33	95-47-6	
<b>Surrogates</b>									
4-Bromofluorobenzene (S)	106	%	70-130		1		11/11/22 18:33	460-00-4	
1,2-Dichlorobenzene-d4 (S)	99	%	70-130		1		11/11/22 18:33	2199-69-1	
Toluene-d8 (S)	101	%	70-130		1		11/11/22 18:33	2037-26-5	

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.



### QUALITY CONTROL DATA

Project: 22W016 BETTER BRITE  
Pace Project No.: 40254467

QC Batch:	431146	Analysis Method:	EPA 8260
QC Batch Method:	EPA 8260	Analysis Description:	8260 MSV
		Laboratory:	Pace Analytical Services - Green Bay

Associated Lab Samples: 40254467001, 40254467002, 40254467003, 40254467004, 40254467005, 40254467007, 40254467009, 40254467011, 40254467013, 40254467014, 40254467015, 40254467016, 40254467017

METHOD BLANK: 2482694 Matrix: Water  
Associated Lab Samples: 40254467001, 40254467002, 40254467003, 40254467004, 40254467005, 40254467007, 40254467009, 40254467011, 40254467013, 40254467014, 40254467015, 40254467016, 40254467017

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
1,1,1,2-Tetrachloroethane	ug/L	<0.36	1.0	11/10/22 17:32	
1,1,1-Trichloroethane	ug/L	<0.30	1.0	11/10/22 17:32	
1,1,2,2-Tetrachloroethane	ug/L	<0.38	1.0	11/10/22 17:32	
1,1,2-Trichloroethane	ug/L	<0.34	5.0	11/10/22 17:32	
1,1-Dichloroethane	ug/L	<0.30	1.0	11/10/22 17:32	
1,1-Dichloroethene	ug/L	<0.58	1.0	11/10/22 17:32	
1,1-Dichloropropene	ug/L	<0.41	1.0	11/10/22 17:32	
1,2,3-Trichlorobenzene	ug/L	<1.0	5.0	11/10/22 17:32	
1,2,3-Trichloropropane	ug/L	<0.56	5.0	11/10/22 17:32	
1,2,4-Trichlorobenzene	ug/L	<0.95	5.0	11/10/22 17:32	
1,2,4-Trimethylbenzene	ug/L	<0.45	1.0	11/10/22 17:32	
1,2-Dibromo-3-chloropropane	ug/L	<2.4	5.0	11/10/22 17:32	
1,2-Dibromoethane (EDB)	ug/L	<0.31	1.0	11/10/22 17:32	
1,2-Dichlorobenzene	ug/L	<0.33	1.0	11/10/22 17:32	
1,2-Dichloroethane	ug/L	<0.29	1.0	11/10/22 17:32	
1,2-Dichloropropane	ug/L	<0.45	1.0	11/10/22 17:32	
1,3,5-Trimethylbenzene	ug/L	<0.36	1.0	11/10/22 17:32	
1,3-Dichlorobenzene	ug/L	<0.35	1.0	11/10/22 17:32	
1,3-Dichloropropane	ug/L	<0.30	1.0	11/10/22 17:32	
1,4-Dichlorobenzene	ug/L	<0.89	1.0	11/10/22 17:32	
2,2-Dichloropropane	ug/L	<4.2	5.0	11/10/22 17:32	
2-Chlorotoluene	ug/L	<0.89	5.0	11/10/22 17:32	
4-Chlorotoluene	ug/L	<0.89	5.0	11/10/22 17:32	
Benzene	ug/L	<0.30	1.0	11/10/22 17:32	
Bromobenzene	ug/L	<0.36	1.0	11/10/22 17:32	
Bromochloromethane	ug/L	<0.36	5.0	11/10/22 17:32	
Bromodichloromethane	ug/L	<0.42	1.0	11/10/22 17:32	
Bromoform	ug/L	<3.8	5.0	11/10/22 17:32	
Bromomethane	ug/L	<1.2	5.0	11/10/22 17:32	
Carbon tetrachloride	ug/L	<0.37	1.0	11/10/22 17:32	
Chlorobenzene	ug/L	<0.86	1.0	11/10/22 17:32	
Chloroethane	ug/L	<1.4	5.0	11/10/22 17:32	
Chloroform	ug/L	<1.2	5.0	11/10/22 17:32	
Chloromethane	ug/L	<1.6	5.0	11/10/22 17:32	
cis-1,2-Dichloroethene	ug/L	<0.47	1.0	11/10/22 17:32	
cis-1,3-Dichloropropene	ug/L	<0.36	1.0	11/10/22 17:32	
Dibromochloromethane	ug/L	<2.6	5.0	11/10/22 17:32	
Dibromomethane	ug/L	<0.99	5.0	11/10/22 17:32	
Dichlorodifluoromethane	ug/L	<0.46	5.0	11/10/22 17:32	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

### QUALITY CONTROL DATA

Project: 22W016 BETTER BRITE  
Pace Project No.: 40254467

METHOD BLANK: 2482694 Matrix: Water  
Associated Lab Samples: 40254467001, 40254467002, 40254467003, 40254467004, 40254467005, 40254467007, 40254467009, 40254467011, 40254467013, 40254467014, 40254467015, 40254467016, 40254467017

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
Diisopropyl ether	ug/L	<1.1	5.0	11/10/22 17:32	
Ethylbenzene	ug/L	<0.33	1.0	11/10/22 17:32	
Hexachloro-1,3-butadiene	ug/L	<2.7	5.0	11/10/22 17:32	
Isopropylbenzene (Cumene)	ug/L	<1.0	5.0	11/10/22 17:32	
m&p-Xylene	ug/L	<0.70	2.0	11/10/22 17:32	
Methyl-tert-butyl ether	ug/L	<1.1	5.0	11/10/22 17:32	
Methylene Chloride	ug/L	<0.32	5.0	11/10/22 17:32	
n-Butylbenzene	ug/L	<0.86	1.0	11/10/22 17:32	
n-Propylbenzene	ug/L	<0.35	1.0	11/10/22 17:32	
Naphthalene	ug/L	<1.1	5.0	11/10/22 17:32	
o-Xylene	ug/L	<0.35	1.0	11/10/22 17:32	
p-Isopropyltoluene	ug/L	<1.0	5.0	11/10/22 17:32	
sec-Butylbenzene	ug/L	<0.42	1.0	11/10/22 17:32	
Styrene	ug/L	<0.36	1.0	11/10/22 17:32	
tert-Butylbenzene	ug/L	<0.59	1.0	11/10/22 17:32	
Tetrachloroethene	ug/L	<0.41	1.0	11/10/22 17:32	
Toluene	ug/L	<0.29	1.0	11/10/22 17:32	
trans-1,2-Dichloroethene	ug/L	<0.53	1.0	11/10/22 17:32	
trans-1,3-Dichloropropene	ug/L	<3.5	5.0	11/10/22 17:32	
Trichloroethene	ug/L	<0.32	1.0	11/10/22 17:32	
Trichlorofluoromethane	ug/L	<0.42	1.0	11/10/22 17:32	
Vinyl chloride	ug/L	<0.17	1.0	11/10/22 17:32	
1,2-Dichlorobenzene-d4 (S)	%	100	70-130	11/10/22 17:32	
4-Bromofluorobenzene (S)	%	101	70-130	11/10/22 17:32	
Toluene-d8 (S)	%	95	70-130	11/10/22 17:32	

LABORATORY CONTROL SAMPLE: 2482695

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
1,1,1-Trichloroethane	ug/L	50	52.7	105	70-134	
1,1,2,2-Tetrachloroethane	ug/L	50	42.8	86	69-130	
1,1,2-Trichloroethane	ug/L	50	45.4	91	70-130	
1,1-Dichloroethane	ug/L	50	53.9	108	70-130	
1,1-Dichloroethene	ug/L	50	59.9	120	74-131	
1,2,4-Trichlorobenzene	ug/L	50	43.9	88	68-130	
1,2-Dibromo-3-chloropropane	ug/L	50	35.2	70	64-137	
1,2-Dibromoethane (EDB)	ug/L	50	47.0	94	70-130	
1,2-Dichlorobenzene	ug/L	50	45.1	90	70-130	
1,2-Dichloroethane	ug/L	50	56.1	112	70-137	
1,2-Dichloropropane	ug/L	50	51.2	102	80-121	
1,3-Dichlorobenzene	ug/L	50	48.4	97	70-130	
1,4-Dichlorobenzene	ug/L	50	43.9	88	70-130	
Benzene	ug/L	50	54.8	110	70-130	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

### QUALITY CONTROL DATA

Project: 22W016 BETTER BRITE  
Pace Project No.: 40254467

LABORATORY CONTROL SAMPLE: 2482695

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Bromodichloromethane	ug/L	50	49.1	98	70-130	
Bromoform	ug/L	50	51.5	103	70-130	
Bromomethane	ug/L	50	38.2	76	21-147	
Carbon tetrachloride	ug/L	50	58.2	116	80-146	
Chlorobenzene	ug/L	50	47.8	96	70-130	
Chloroethane	ug/L	50	50.5	101	52-165	
Chloroform	ug/L	50	51.8	104	80-123	
Chloromethane	ug/L	50	42.1	84	51-122	
cis-1,2-Dichloroethene	ug/L	50	53.2	106	70-130	
cis-1,3-Dichloropropene	ug/L	50	49.5	99	70-130	
Dibromochloromethane	ug/L	50	46.0	92	70-130	
Dichlorodifluoromethane	ug/L	50	27.7	55	25-121	
Ethylbenzene	ug/L	50	48.0	96	80-120	
Isopropylbenzene (Cumene)	ug/L	50	48.1	96	70-130	
m&p-Xylene	ug/L	100	95.9	96	70-130	
Methyl-tert-butyl ether	ug/L	50	53.9	108	70-130	
Methylene Chloride	ug/L	50	52.7	105	70-130	
o-Xylene	ug/L	50	47.7	95	70-130	
Styrene	ug/L	50	47.2	94	70-130	
Tetrachloroethene	ug/L	50	52.2	104	70-130	
Toluene	ug/L	50	47.3	95	80-120	
trans-1,2-Dichloroethene	ug/L	50	55.8	112	70-130	
trans-1,3-Dichloropropene	ug/L	50	44.4	89	70-130	
Trichloroethene	ug/L	50	55.8	112	70-130	
Trichlorofluoromethane	ug/L	50	61.6	123	65-160	
Vinyl chloride	ug/L	50	46.3	93	63-134	
1,2-Dichlorobenzene-d4 (S)	%			100	70-130	
4-Bromofluorobenzene (S)	%			97	70-130	
Toluene-d8 (S)	%			91	70-130	

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 2483004 2483005

Parameter	Units	MS		MSD		MS Result	MSD Result	MS % Rec	MSD % Rec	% Rec Limits	RPD	Max RPD	Qual
		40254459014 Result	Spike Conc.	Spike Conc.	Conc.								
1,1,1-Trichloroethane	ug/L	<0.30	50	50	53.4	53.9	107	108	70-134	1	20		
1,1,2,2-Tetrachloroethane	ug/L	<0.38	50	50	45.0	45.6	90	91	61-135	1	20		
1,1,2-Trichloroethane	ug/L	<0.34	50	50	46.3	47.8	93	96	70-130	3	20		
1,1-Dichloroethane	ug/L	0.59J	50	50	55.4	55.3	110	110	70-130	0	20		
1,1-Dichloroethene	ug/L	<0.58	50	50	59.9	58.0	120	116	71-130	3	20		
1,2,4-Trichlorobenzene	ug/L	<0.95	50	50	47.8	48.8	96	98	68-131	2	20		
1,2-Dibromo-3-chloropropane	ug/L	<2.4	50	50	36.6	39.2	73	78	51-141	7	20		
1,2-Dibromoethane (EDB)	ug/L	<0.31	50	50	48.0	48.7	96	97	70-130	1	20		
1,2-Dichlorobenzene	ug/L	<0.33	50	50	46.7	48.1	93	96	70-130	3	20		
1,2-Dichloroethane	ug/L	<0.29	50	50	55.6	58.2	111	116	70-137	4	20		

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

### QUALITY CONTROL DATA

Project: 22W016 BETTER BRITE  
Pace Project No.: 40254467

Parameter	Units	MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 2483004		2483005		MS Result	MSD Result	MS % Rec	MSD % Rec	% Rec Limits	Max RPD	RPD	Qual
		40254459014 Result	MS Spike Conc.	MSD Spike Conc.									
1,2-Dichloropropane	ug/L	0.48J	50	50	54.0	53.4	107	106	80-121	1	20		
1,3-Dichlorobenzene	ug/L	<0.35	50	50	50.8	51.0	102	102	70-130	0	20		
1,4-Dichlorobenzene	ug/L	<0.89	50	50	45.8	46.2	92	92	70-130	1	20		
Benzene	ug/L	<0.30	50	50	55.7	55.0	111	110	70-130	1	20		
Bromodichloromethane	ug/L	<0.42	50	50	51.4	51.4	103	103	70-130	0	20		
Bromoform	ug/L	<3.8	50	50	52.6	53.8	105	108	70-133	2	20		
Bromomethane	ug/L	<1.2	50	50	45.0	45.1	90	90	21-149	0	22		
Carbon tetrachloride	ug/L	<0.37	50	50	59.0	58.9	118	118	80-146	0	20		
Chlorobenzene	ug/L	<0.86	50	50	49.3	49.8	99	100	70-130	1	20		
Chloroethane	ug/L	2.1J	50	50	53.9	53.0	104	102	52-165	2	20		
Chloroform	ug/L	<1.2	50	50	54.7	54.2	109	108	80-123	1	20		
Chloromethane	ug/L	<1.6	50	50	41.6	42.2	83	84	42-125	1	20		
cis-1,2-Dichloroethene	ug/L	1.1	50	50	56.9	56.6	112	111	70-130	1	20		
cis-1,3-Dichloropropene	ug/L	<0.36	50	50	51.8	52.0	104	104	70-130	0	20		
Dibromochloromethane	ug/L	<2.6	50	50	48.2	49.6	96	99	70-130	3	20		
Dichlorodifluoromethane	ug/L	<0.46	50	50	28.8	28.3	58	57	25-121	2	20		
Ethylbenzene	ug/L	<0.33	50	50	48.9	49.9	98	100	80-121	2	20		
Isopropylbenzene (Cumene)	ug/L	<1.0	50	50	49.4	49.2	99	98	70-130	0	20		
m&p-Xylene	ug/L	<0.70	100	100	99.3	98.1	99	98	70-130	1	20		
Methyl-tert-butyl ether	ug/L	<1.1	50	50	56.6	55.6	113	111	70-130	2	20		
Methylene Chloride	ug/L	<0.32	50	50	55.8	54.0	112	108	70-130	3	20		
o-Xylene	ug/L	<0.35	50	50	49.3	48.2	99	96	70-130	2	20		
Styrene	ug/L	<0.36	50	50	49.4	49.4	99	99	70-132	0	20		
Tetrachloroethene	ug/L	<0.41	50	50	54.2	52.1	108	104	70-130	4	20		
Toluene	ug/L	<0.29	50	50	49.8	49.9	100	100	80-120	0	20		
trans-1,2-Dichloroethene	ug/L	<0.53	50	50	57.4	56.9	115	114	70-130	1	20		
trans-1,3-Dichloropropene	ug/L	<3.5	50	50	46.3	47.0	93	94	70-130	1	20		
Trichloroethene	ug/L	<0.32	50	50	56.1	55.5	112	111	70-130	1	20		
Trichlorofluoromethane	ug/L	<0.42	50	50	61.1	61.0	122	122	65-160	0	20		
Vinyl chloride	ug/L	0.48J	50	50	47.4	47.5	94	94	60-137	0	20		
1,2-Dichlorobenzene-d4 (S)	%						100	100	70-130				
4-Bromofluorobenzene (S)	%						99	100	70-130				
Toluene-d8 (S)	%						93	92	70-130				

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.



### QUALITY CONTROL DATA

Project: 22W016 BETTER BRITE  
Pace Project No.: 40254467

QC Batch: 431217	Analysis Method: EPA 8260
QC Batch Method: EPA 8260	Analysis Description: 8260 MSV
	Laboratory: Pace Analytical Services - Green Bay

Associated Lab Samples: 40254467018, 40254467019

METHOD BLANK: 2483115 Matrix: Water

Associated Lab Samples: 40254467018, 40254467019

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
1,1,1,2-Tetrachloroethane	ug/L	<0.36	1.0	11/11/22 15:23	
1,1,1-Trichloroethane	ug/L	<0.30	1.0	11/11/22 15:23	
1,1,2,2-Tetrachloroethane	ug/L	<0.38	1.0	11/11/22 15:23	
1,1,2-Trichloroethane	ug/L	<0.34	5.0	11/11/22 15:23	
1,1-Dichloroethane	ug/L	<0.30	1.0	11/11/22 15:23	
1,1-Dichloroethene	ug/L	<0.58	1.0	11/11/22 15:23	
1,1-Dichloropropene	ug/L	<0.41	1.0	11/11/22 15:23	
1,2,3-Trichlorobenzene	ug/L	<1.0	5.0	11/11/22 15:23	
1,2,3-Trichloropropane	ug/L	<0.56	5.0	11/11/22 15:23	
1,2,4-Trichlorobenzene	ug/L	<0.95	5.0	11/11/22 15:23	
1,2,4-Trimethylbenzene	ug/L	<0.45	1.0	11/11/22 15:23	
1,2-Dibromo-3-chloropropane	ug/L	<2.4	5.0	11/11/22 15:23	
1,2-Dibromoethane (EDB)	ug/L	<0.31	1.0	11/11/22 15:23	
1,2-Dichlorobenzene	ug/L	<0.33	1.0	11/11/22 15:23	
1,2-Dichloroethane	ug/L	<0.29	1.0	11/11/22 15:23	
1,2-Dichloropropane	ug/L	<0.45	1.0	11/11/22 15:23	
1,3,5-Trimethylbenzene	ug/L	<0.36	1.0	11/11/22 15:23	
1,3-Dichlorobenzene	ug/L	<0.35	1.0	11/11/22 15:23	
1,3-Dichloropropane	ug/L	<0.30	1.0	11/11/22 15:23	
1,4-Dichlorobenzene	ug/L	<0.89	1.0	11/11/22 15:23	
2,2-Dichloropropane	ug/L	<4.2	5.0	11/11/22 15:23	
2-Chlorotoluene	ug/L	<0.89	5.0	11/11/22 15:23	
4-Chlorotoluene	ug/L	<0.89	5.0	11/11/22 15:23	
Benzene	ug/L	<0.30	1.0	11/11/22 15:23	
Bromobenzene	ug/L	<0.36	1.0	11/11/22 15:23	
Bromochloromethane	ug/L	<0.36	5.0	11/11/22 15:23	
Bromodichloromethane	ug/L	<0.42	1.0	11/11/22 15:23	
Bromoform	ug/L	<3.8	5.0	11/11/22 15:23	
Bromomethane	ug/L	<1.2	5.0	11/11/22 15:23	v1
Carbon tetrachloride	ug/L	<0.37	1.0	11/11/22 15:23	
Chlorobenzene	ug/L	<0.86	1.0	11/11/22 15:23	
Chloroethane	ug/L	<1.4	5.0	11/11/22 15:23	
Chloroform	ug/L	<1.2	5.0	11/11/22 15:23	
Chloromethane	ug/L	<1.6	5.0	11/11/22 15:23	
cis-1,2-Dichloroethene	ug/L	<0.47	1.0	11/11/22 15:23	
cis-1,3-Dichloropropene	ug/L	<0.36	1.0	11/11/22 15:23	
Dibromochloromethane	ug/L	<2.6	5.0	11/11/22 15:23	
Dibromomethane	ug/L	<0.99	5.0	11/11/22 15:23	
Dichlorodifluoromethane	ug/L	<0.46	5.0	11/11/22 15:23	
Diisopropyl ether	ug/L	<1.1	5.0	11/11/22 15:23	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

### QUALITY CONTROL DATA

Project: 22W016 BETTER BRITE

Pace Project No.: 40254467

METHOD BLANK: 2483115

Matrix: Water

Associated Lab Samples: 40254467018, 40254467019

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
Ethylbenzene	ug/L	<0.33	1.0	11/11/22 15:23	
Hexachloro-1,3-butadiene	ug/L	<2.7	5.0	11/11/22 15:23	
Isopropylbenzene (Cumene)	ug/L	<1.0	5.0	11/11/22 15:23	
m&p-Xylene	ug/L	<0.70	2.0	11/11/22 15:23	
Methyl-tert-butyl ether	ug/L	<1.1	5.0	11/11/22 15:23	
Methylene Chloride	ug/L	<0.32	5.0	11/11/22 15:23	
n-Butylbenzene	ug/L	<0.86	1.0	11/11/22 15:23	
n-Propylbenzene	ug/L	<0.35	1.0	11/11/22 15:23	
Naphthalene	ug/L	<1.1	5.0	11/11/22 15:23	
o-Xylene	ug/L	<0.35	1.0	11/11/22 15:23	
p-Isopropyltoluene	ug/L	<1.0	5.0	11/11/22 15:23	
sec-Butylbenzene	ug/L	<0.42	1.0	11/11/22 15:23	
Styrene	ug/L	<0.36	1.0	11/11/22 15:23	
tert-Butylbenzene	ug/L	<0.59	1.0	11/11/22 15:23	
Tetrachloroethene	ug/L	<0.41	1.0	11/11/22 15:23	
Toluene	ug/L	<0.29	1.0	11/11/22 15:23	
trans-1,2-Dichloroethene	ug/L	<0.53	1.0	11/11/22 15:23	
trans-1,3-Dichloropropene	ug/L	<3.5	5.0	11/11/22 15:23	
Trichloroethene	ug/L	<0.32	1.0	11/11/22 15:23	
Trichlorofluoromethane	ug/L	<0.42	1.0	11/11/22 15:23	
Vinyl chloride	ug/L	<0.17	1.0	11/11/22 15:23	
1,2-Dichlorobenzene-d4 (S)	%	101	70-130	11/11/22 15:23	
4-Bromofluorobenzene (S)	%	108	70-130	11/11/22 15:23	
Toluene-d8 (S)	%	102	70-130	11/11/22 15:23	

LABORATORY CONTROL SAMPLE: 2483116

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
1,1,1-Trichloroethane	ug/L	50	47.6	95	70-134	
1,1,2,2-Tetrachloroethane	ug/L	50	56.5	113	69-130	
1,1,2-Trichloroethane	ug/L	50	54.6	109	70-130	
1,1-Dichloroethane	ug/L	50	52.3	105	70-130	
1,1-Dichloroethene	ug/L	50	52.0	104	74-131	
1,2,4-Trichlorobenzene	ug/L	50	41.5	83	68-130	
1,2-Dibromo-3-chloropropane	ug/L	50	49.1	98	64-137	
1,2-Dibromoethane (EDB)	ug/L	50	49.7	99	70-130	
1,2-Dichlorobenzene	ug/L	50	50.8	102	70-130	
1,2-Dichloroethane	ug/L	50	54.5	109	70-137	
1,2-Dichloropropane	ug/L	50	55.4	111	80-121	
1,3-Dichlorobenzene	ug/L	50	50.2	100	70-130	
1,4-Dichlorobenzene	ug/L	50	49.7	99	70-130	
Benzene	ug/L	50	52.6	105	70-130	
Bromodichloromethane	ug/L	50	50.0	100	70-130	
Bromoform	ug/L	50	43.8	88	70-130	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

### QUALITY CONTROL DATA

Project: 22W016 BETTER BRITE  
Pace Project No.: 40254467

LABORATORY CONTROL SAMPLE: 2483116

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Bromomethane	ug/L	50	64.9	130	21-147	v1
Carbon tetrachloride	ug/L	50	47.9	96	80-146	
Chlorobenzene	ug/L	50	50.4	101	70-130	
Chloroethane	ug/L	50	51.8	104	52-165	
Chloroform	ug/L	50	52.2	104	80-123	
Chloromethane	ug/L	50	42.7	85	51-122	
cis-1,2-Dichloroethene	ug/L	50	46.4	93	70-130	
cis-1,3-Dichloropropene	ug/L	50	45.6	91	70-130	
Dibromochloromethane	ug/L	50	46.4	93	70-130	
Dichlorodifluoromethane	ug/L	50	23.7	47	25-121	
Ethylbenzene	ug/L	50	54.7	109	80-120	
Isopropylbenzene (Cumene)	ug/L	50	53.0	106	70-130	
m&p-Xylene	ug/L	100	105	105	70-130	
Methyl-tert-butyl ether	ug/L	50	64.6	129	70-130	
Methylene Chloride	ug/L	50	57.1	114	70-130	
o-Xylene	ug/L	50	51.5	103	70-130	
Styrene	ug/L	50	54.7	109	70-130	
Tetrachloroethene	ug/L	50	45.1	90	70-130	
Toluene	ug/L	50	53.0	106	80-120	
trans-1,2-Dichloroethene	ug/L	50	66.8	134	70-130	L1
trans-1,3-Dichloropropene	ug/L	50	47.5	95	70-130	
Trichloroethene	ug/L	50	49.8	100	70-130	
Trichlorofluoromethane	ug/L	50	50.7	101	65-160	
Vinyl chloride	ug/L	50	42.8	86	63-134	
1,2-Dichlorobenzene-d4 (S)	%			97	70-130	
4-Bromofluorobenzene (S)	%			108	70-130	
Toluene-d8 (S)	%			101	70-130	

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 2484281 2484282

Parameter	Units	MS		MSD		MS Result	MSD Result	MS % Rec	MSD % Rec	% Rec Limits	RPD	Max RPD	Qual
		40254535001 Result	Spike Conc.	Spike Conc.	Conc.								
1,1,1-Trichloroethane	ug/L	<0.30	50	50	50.1	51.0	100	102	70-134	2	20		
1,1,2,2-Tetrachloroethane	ug/L	<0.38	50	50	60.0	58.6	120	117	61-135	2	20		
1,1,2-Trichloroethane	ug/L	<0.34	50	50	59.2	55.6	118	111	70-130	6	20		
1,1-Dichloroethane	ug/L	<0.30	50	50	55.6	55.1	111	110	70-130	1	20		
1,1-Dichloroethene	ug/L	<0.58	50	50	57.3	56.9	115	114	71-130	1	20		
1,2,4-Trichlorobenzene	ug/L	<0.95	50	50	44.8	43.3	90	87	68-131	3	20		
1,2-Dibromo-3-chloropropane	ug/L	<2.4	50	50	51.6	50.8	103	102	51-141	2	20		
1,2-Dibromoethane (EDB)	ug/L	<0.31	50	50	53.0	51.2	106	102	70-130	3	20		
1,2-Dichlorobenzene	ug/L	<0.33	50	50	54.2	51.9	108	104	70-130	4	20		
1,2-Dichloroethane	ug/L	<0.29	50	50	58.2	55.1	116	110	70-137	5	20		
1,2-Dichloropropane	ug/L	<0.45	50	50	57.2	55.1	114	110	80-121	4	20		
1,3-Dichlorobenzene	ug/L	<0.35	50	50	52.6	50.4	105	101	70-130	4	20		

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

### QUALITY CONTROL DATA

Project: 22W016 BETTER BRITE

Pace Project No.: 40254467

Parameter	Units	MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 2484281		2484282		MS Result	MSD Result	MS % Rec	MSD % Rec	% Rec Limits	RPD	Max RPD	Qual
		40254535001 Result	MS Spike Conc.	MSD Spike Conc.	MS Result								
1,4-Dichlorobenzene	ug/L	<0.89	50	50	52.0	50.3	104	101	70-130	3	20		
Benzene	ug/L	<0.30	50	50	55.1	54.6	110	109	70-130	1	20		
Bromodichloromethane	ug/L	<0.42	50	50	53.8	51.1	108	102	70-130	5	20		
Bromoform	ug/L	<3.8	50	50	46.7	44.9	93	90	70-133	4	20		
Bromomethane	ug/L	<1.2	50	50	86.9	90.5	174	181	21-149	4	22	M1,v1	
Carbon tetrachloride	ug/L	<0.37	50	50	51.9	51.9	104	104	80-146	0	20		
Chlorobenzene	ug/L	<0.86	50	50	53.2	51.8	106	104	70-130	3	20		
Chloroethane	ug/L	<1.4	50	50	58.3	59.4	117	119	52-165	2	20		
Chloroform	ug/L	<1.2	50	50	55.1	53.4	110	107	80-123	3	20		
Chloromethane	ug/L	<1.6	50	50	56.6	57.7	113	115	42-125	2	20		
cis-1,2-Dichloroethene	ug/L	2.1	50	50	52.0	51.2	100	98	70-130	2	20		
cis-1,3-Dichloropropene	ug/L	<0.36	50	50	48.4	46.7	97	93	70-130	4	20		
Dibromochloromethane	ug/L	<2.6	50	50	50.0	47.1	100	94	70-130	6	20		
Dichlorodifluoromethane	ug/L	<0.46	50	50	39.8	40.3	80	81	25-121	1	20		
Ethylbenzene	ug/L	<0.33	50	50	56.9	55.6	114	111	80-121	2	20		
Isopropylbenzene (Cumene)	ug/L	<1.0	50	50	56.6	54.6	113	109	70-130	4	20		
m&p-Xylene	ug/L	<0.70	100	100	110	107	110	107	70-130	3	20		
Methyl-tert-butyl ether	ug/L	<1.1	50	50	48.9	60.3	98	121	70-130	21	20	R1	
Methylene Chloride	ug/L	<0.32	50	50	60.0	58.1	120	116	70-130	3	20		
o-Xylene	ug/L	<0.35	50	50	54.2	53.0	108	106	70-130	2	20		
Styrene	ug/L	<0.36	50	50	58.5	56.1	117	112	70-132	4	20		
Tetrachloroethene	ug/L	1.4	50	50	49.1	48.8	95	95	70-130	1	20		
Toluene	ug/L	<0.29	50	50	55.8	55.2	112	110	80-120	1	20		
trans-1,2-Dichloroethene	ug/L	<0.53	50	50	69.8	69.8	140	140	70-130	0	20	MO	
trans-1,3-Dichloropropene	ug/L	<3.5	50	50	52.2	50.4	104	101	70-130	4	20		
Trichloroethene	ug/L	0.52J	50	50	53.8	52.1	107	103	70-130	3	20		
Trichlorofluoromethane	ug/L	<0.42	50	50	57.0	55.4	114	111	65-160	3	20		
Vinyl chloride	ug/L	<0.17	50	50	52.5	52.9	105	106	60-137	1	20		
1,2-Dichlorobenzene-d4 (S)	%						98	98	70-130				
4-Bromofluorobenzene (S)	%						108	111	70-130				
Toluene-d8 (S)	%						101	100	70-130				

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

### QUALITY CONTROL DATA

Project: 22W016 BETTER BRITE  
Pace Project No.: 40254467

QC Batch:	431224	Analysis Method:	SM 3500-Cr B
QC Batch Method:	SM 3500-Cr B	Analysis Description:	Chromium, Hexavalent by 3500
		Laboratory:	Pace Analytical Services - Green Bay

Associated Lab Samples: 40254467001, 40254467002, 40254467003, 40254467004, 40254467005, 40254467006, 40254467007, 40254467008, 40254467009, 40254467010, 40254467011, 40254467012, 40254467013, 40254467014, 40254467015, 40254467016, 40254467017, 40254467018

METHOD BLANK: 2483140 Matrix: Water  
Associated Lab Samples: 40254467001, 40254467002, 40254467003, 40254467004, 40254467005, 40254467006, 40254467007, 40254467008, 40254467009, 40254467010, 40254467011, 40254467012, 40254467013, 40254467014, 40254467015, 40254467016, 40254467017, 40254467018

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
Chromium, Hexavalent	mg/L	<0.0073	0.024	11/11/22 13:55	

LABORATORY CONTROL SAMPLE: 2483141

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Chromium, Hexavalent	mg/L	0.3	0.30	101	90-110	

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 2483142 2483143

Parameter	Units	40254467001 Result	MS Spike Conc.	MSD Spike Conc.	MS Result	MSD Result	MS % Rec	MSD % Rec	% Rec Limits	RPD	Max RPD	Qual
Chromium, Hexavalent	mg/L	2.0	3	3	4.6	4.5	87	86	90-110	1	20	M0

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.



### QUALITY CONTROL DATA

Project: 22W016 BETTER BRITE  
Pace Project No.: 40254467

QC Batch: 431488      Analysis Method: EPA 335.4  
QC Batch Method: EPA 335.4      Analysis Description: 335.4 Cyanide, Total  
Laboratory: Pace Analytical Services - Green Bay

Associated Lab Samples: 40254467017

METHOD BLANK: 2484902      Matrix: Water  
Associated Lab Samples: 40254467017

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
Cyanide	mg/L	<0.0069	0.023	11/15/22 12:35	

LABORATORY CONTROL SAMPLE: 2484903

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Cyanide	mg/L	0.1	0.094	94	90-110	

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 2484904      2484905

Parameter	Units	40254224001		2484905		MS % Rec	MSD % Rec	% Rec Limits	RPD	Max RPD	Qual	
		Result	MS Spike Conc.	MSD Spike Conc.	MS Result							MSD Result
Cyanide	mg/L	<0.0069	0.1	0.1	0.054	0.059	54	59	90-110	9	20	M0

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 2484906      2484907

Parameter	Units	40254629001		2484907		MS % Rec	MSD % Rec	% Rec Limits	RPD	Max RPD	Qual	
		Result	MS Spike Conc.	MSD Spike Conc.	MS Result							MSD Result
Cyanide	mg/L	<0.041	0.6	0.6	0.70	0.70	115	116	90-110	1	20	M0

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

## QUALIFIERS

Project: 22W016 BETTER BRITE

Pace Project No.: 40254467

---

### DEFINITIONS

DF - Dilution Factor, if reported, represents the factor applied to the reported data due to dilution of the sample aliquot.

ND - Not Detected at or above LOD.

J - Estimated concentration at or above the LOD and below the LOQ.

LOD - Limit of Detection adjusted for dilution factor, percent moisture, initial weight and final volume.

LOQ - Limit of Quantitation adjusted for dilution factor, percent moisture, initial weight and final volume.

S - Surrogate

1,2-Diphenylhydrazine decomposes to and cannot be separated from Azobenzene using Method 8270. The result for each analyte is a combined concentration.

Consistent with EPA guidelines, unrounded data are displayed and have been used to calculate % recovery and RPD values.

LCS(D) - Laboratory Control Sample (Duplicate)

MS(D) - Matrix Spike (Duplicate)

DUP - Sample Duplicate

RPD - Relative Percent Difference

NC - Not Calculable.

SG - Silica Gel - Clean-Up

U - Indicates the compound was analyzed for, but not detected at or above the adjusted LOD.

N-Nitrosodiphenylamine decomposes and cannot be separated from Diphenylamine using Method 8270. The result reported for each analyte is a combined concentration.

Pace Analytical is TNI accredited. Contact your Pace PM for the current list of accredited analytes.

TNI - The NELAC Institute.

### ANALYTE QUALIFIERS

D3 Sample was diluted due to the presence of high levels of non-target analytes or other matrix interference.

L1 Analyte recovery in the laboratory control sample (LCS) was above QC limits. Results may be biased high.

M0 Matrix spike recovery and/or matrix spike duplicate recovery was outside laboratory control limits.

M1 Matrix spike recovery exceeded QC limits. Batch accepted based on laboratory control sample (LCS) recovery.

R1 RPD value was outside control limits.

pH Post-analysis pH measurement indicates insufficient VOA sample preservation.

v1 The continuing calibration verification was above the method acceptance limit. Any detection for the analyte in the associated samples may have a high bias.

## REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

### QUALITY CONTROL DATA CROSS REFERENCE TABLE

Project: 22W016 BETTER BRITE  
Pace Project No.: 40254467

Lab ID	Sample ID	QC Batch Method	QC Batch	Analytical Method	Analytical Batch
40254467001	W-1_202211	EPA 8260	431146		
40254467002	W-1A_202211	EPA 8260	431146		
40254467003	MW-2_202211	EPA 8260	431146		
40254467004	MW-3R_202211	EPA 8260	431146		
40254467005	MW-5_202211	EPA 8260	431146		
40254467007	MW-6_202211	EPA 8260	431146		
40254467009	MW-7_202211	EPA 8260	431146		
40254467011	MW-8_202211	EPA 8260	431146		
40254467013	MW-9_202211	EPA 8260	431146		
40254467014	MW-10_202211	EPA 8260	431146		
40254467015	MW-11_202211	EPA 8260	431146		
40254467016	MW-12_202211	EPA 8260	431146		
40254467017	ZINC SHOP_202211	EPA 8260	431146		
40254467018	MW-3RD_202211	EPA 8260	431217		
40254467019	TB1_202211	EPA 8260	431217		
40254467001	W-1_202211	SM 3500-Cr B	431224		
40254467002	W-1A_202211	SM 3500-Cr B	431224		
40254467003	MW-2_202211	SM 3500-Cr B	431224		
40254467004	MW-3R_202211	SM 3500-Cr B	431224		
40254467005	MW-5_202211	SM 3500-Cr B	431224		
40254467006	MW-5A_202211	SM 3500-Cr B	431224		
40254467007	MW-6_202211	SM 3500-Cr B	431224		
40254467008	MW-6A_202211	SM 3500-Cr B	431224		
40254467009	MW-7_202211	SM 3500-Cr B	431224		
40254467010	MW-7A_202211	SM 3500-Cr B	431224		
40254467011	MW-8_202211	SM 3500-Cr B	431224		
40254467012	MW-8A_202211	SM 3500-Cr B	431224		
40254467013	MW-9_202211	SM 3500-Cr B	431224		
40254467014	MW-10_202211	SM 3500-Cr B	431224		
40254467015	MW-11_202211	SM 3500-Cr B	431224		
40254467016	MW-12_202211	SM 3500-Cr B	431224		
40254467017	ZINC SHOP_202211	SM 3500-Cr B	431224		
40254467018	MW-3RD_202211	SM 3500-Cr B	431224		
40254467017	ZINC SHOP_202211	EPA 335.4	431488	EPA 335.4	431537

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

(Please Print Clearly)

Company Name: FSTH  
 Branch/Location: De Pere  
 Project Contact: Nick Gladows  
 Phone: 920/362-8744  
 Project Number: 221016  
 Project Name: Better Brite  
 Project State: WI  
 Sampled By (Print):  
 Sampled By (Sign):  
 PO #:  
 Regulatory Program:



UPPER MIDWEST REGION

MN: 612-607-1700 WI: 920-469-2436

41054467

### CHAIN OF CUSTODY

**\*Preservation Codes**  
 A=None B=HCL C=H2SO4 D=HNO3 E=DI Water F=Methanol G=NaOH  
 H=Sodium Bisulfate Solution I=Sodium Thiosulfate J=Other

FILTERED?  
(YES/NO)  
 PRESERVATION  
(CODE)\*

Y/N	Pick Letter	Analyses Requested																			
N	A	Hex Chrome																			
N	B	VOCs																			
N		CYANIDE																			

Quote #:  
 Mail To Contact:  
 Mail To Company:  
 Mail To Address:  
 Invoice To Contact:  
 Invoice To Company:  
 Invoice To Address:  
 Invoice To Phone:  
 CLIENT COMMENTS  
 LAB COMMENTS (Lab Use Only)  
 Profile #

*Invoking FSTH.com*

	001	
	002	
	003	
	004	
	005	
	006 -	
	007	
	008 -	
	009	
	010 -	
	011	
	012 -	
	013	

**Data Package Options** (billable)  
 EPA Level III  
 EPA Level IV

**MS/MSD**  
 On your sample (billable)  
 NOT needed on your sample

**Matrix Codes**  
 A = Air W = Water  
 B = Biota DW = Drinking Water  
 C = Charcoal GW = Ground Water  
 O = Oil SW = Surface Water  
 S = Soil WW = Waste Water  
 SI = Sludge WP = Wipe

PACE LAB #	CLIENT FIELD ID	COLLECTION		MATRIX
		DATE	TIME	
	W-1-202211	11/9/22	1150	GW
	W-1A-202211		1145	
	MW-2-202211		1400	
	MW-3R-202211		1055	
	MW-5-202211		1421	
	MW-5A-202211		1404	
	MW-6-202211		1226	
	MW-6AL-202211		1310	
	MW-7-202211		1136	
	MW-7A-202211		1115	
	MW-8-202211		1125	
	MW-8A-202211		1037	
	MW-9-202211		1447	

Rush Turnaround Time Requested - Prelims (Rush TAT subject to approval/surcharge)  
 Date Needed: 11/9/22 1543

Relinquished By: Dave Cherry Date/Time: 11/9/22 1543  
 Received By: Morgan D. Pease Date/Time: 11/9/22 1543

Transmit Prelim Rush Results by (complete what you want):

Email #1: Relinquished By: Date/Time: Received By: Date/Time:  
 Email #2: Relinquished By: Date/Time: Received By: Date/Time:  
 Telephone: Relinquished By: Date/Time: Received By: Date/Time:  
 Fax: Relinquished By: Date/Time: Received By: Date/Time:

Samples on HOLD are subject to special pricing and release of liability

PACE Project No. 41054467  
 Receipt Temp = 30 °C  
 Sample Receipt pH OK / Adjusted  
 Cooler Custody Seal Present / Not Present  
 Intact / Not Intact

(Please Print Clearly)

Company Name: FoxtH  
 Branch/Location: De Pere  
 Project Contact: Nick Glondie  
 Phone: 920/362-8744  
 Project Number: 22wd6  
 Project Name: Better Beite  
 Project State: WI  
 Sampled By (Print):  
 Sampled By (Sign):



UPPER MIDWEST REGION

MN: 612-607-1700 WI: 920-469-2436

40254467

### CHAIN OF CUSTODY

**\*Preservation Codes**  
 A=None B=HCL C=H2SO4 D=HNO3 E=DI Water F=Methanol G=NaOH  
 H=Sodium Bisulfate Solution I=Sodium Thiosulfate J=Other

FILTERED?  
(YES/NO)  
 PRESERVATION  
(CODE)\*

Y/N	N	N	N															
Pick Letter	A	B																
Analyses Requested	Hex Chlorene	VOC	Cyanide															

Quote #: \_\_\_\_\_  
 Mail To Contact: \_\_\_\_\_  
 Mail To Company: \_\_\_\_\_  
 Mail To Address: \_\_\_\_\_  
 Invoice To Contact: \_\_\_\_\_  
 Invoice To Company: \_\_\_\_\_  
 Invoice To Address: \_\_\_\_\_  
 Invoice To Phone: \_\_\_\_\_

*Invoking e-FOI.com*

CLIENT COMMENTS	LAB COMMENTS (Lab Use Only)	Profile #
	004	
	015	
	016	
	017	
	018	
	019	

**Data Package Options** (billable)  
 EPA Level III  
 EPA Level IV

**MS/MSD**  
 On your sample (billable)  
 NOT needed on your sample

**Matrix Codes**  
 A = Air W = Water  
 B = Biota DW = Drinking Water  
 C = Charcoal GW = Ground Water  
 O = Oil SW = Surface Water  
 S = Soil WW = Waste Water  
 SI = Sludge WP = Wipe

PACE LAB #	CLIENT FIELD ID	COLLECTION		MATRIX
		DATE	TIME	
	MW-10-202211	11/9/22	1430	AW
	MW-11-202211		1257	
	MW-12-202211		1213	
	Zinc Shop 202211		1020	
	MW-32-202211		1055	
	<del>AW-10-202211</del>			
	TBI-202211	11/9/22	-	

Rush Turnaround Time Requested - Prelims (Rush TAT subject to approval/surcharge) Date Needed:	Relinquished By: <u>M</u>	Date/Time: <u>11/9/22 1543</u>	Received By: <u>M</u>	Date/Time: <u>11/9/22 1543</u>	PACE Project No. <u>40254467</u>
	Transmit Prelim Rush Results by (complete what you want):	Relinquished By:	Date/Time:	Received By:	
Email #1:	Relinquished By:	Date/Time:	Received By:	Date/Time:	Receipt Temp = <u>3°</u> °C
Email #2:	Relinquished By:	Date/Time:	Received By:	Date/Time:	Sample Receipt pH OK / Adjusted
Telephone:	Relinquished By:	Date/Time:	Received By:	Date/Time:	Cooler Custody Seal Present / Not Present
Fax:	Relinquished By:	Date/Time:	Received By:	Date/Time:	Intact <u>Page 57 of 59</u>





**Sample Condition Upon Receipt Form (SCUR)**

Project #: \_\_\_\_\_

Client Name: Foehn

**WO#: 40254467**

Courier:  CS Logistics  Fed Ex  Speedee  UPS  Walco

Client  Pace Other: \_\_\_\_\_



Tracking #: RB 11/09/22

Custody Seal on Cooler/Box Present:  yes  no Seals intact:  yes  no

Custody Seal on Samples Present:  yes  no Seals intact:  yes  no

Packing Material:  Bubble Wrap  Bubble Bags  None  Other \_\_\_\_\_

Thermometer Used SR-125 Type of Ice:  Wet  Blue  Dry  None  Meltwater Only

Cooler Temperature Uncorr: 0 /Corr: -0.9

Temp Blank Present:  yes  no Biological Tissue is Frozen:  yes  no

Person examining contents:  
 Date: 11/09/22 Initials: RS  
 Labeled By Initials: SE

Temp should be above freezing to 6°C.  
 Biota Samples may be received at ≤ 0°C if shipped on Dry Ice

Chain of Custody Present:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	1.
Chain of Custody Filled Out:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	2.
Chain of Custody Relinquished:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	3.
Sampler Name & Signature on COC:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	4.
Samples Arrived within Hold Time:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	5.
- DI VOA Samples frozen upon receipt	<input type="checkbox"/> Yes <input type="checkbox"/> No	Date/Time:
Short Hold Time Analysis (<72hr):	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	6.
Rush Turn Around Time Requested:	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	7.
Sufficient Volume:		8.
For Analysis: <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No MS/MSD: <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A		
Correct Containers Used:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	9.
Correct Type: <u>Pace Green Bay, Pace IR, Non-Pace</u>		
Containers Intact:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	10.
Filtered volume received for Dissolved tests	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A	11.
Sample Labels match COC:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	12.
-Includes date/time/ID/Analysis Matrix: <u>W</u>		
Trip Blank Present:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	13.
Trip Blank Custody Seals Present	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	
Pace Trip Blank Lot # (if purchased): <u>492</u>		

Client Notification/ Resolution: \_\_\_\_\_ If checked, see attached form for additional comments

Person Contacted: \_\_\_\_\_ Date/Time: \_\_\_\_\_

Comments/ Resolution: \_\_\_\_\_

PM Review is documented electronically in LIMs. By releasing the project, the PM acknowledges they have reviewed the sample log in



**Foth Infrastructure & Environment, LLC**

**Data Verification Checklist Form**

<b>Event:</b> Better Brite Superfund Site Groundwater Monitoring	
<b>Sample Date(s):</b> 11/10/2022	<b>Sample Matrix:</b> Groundwater
<b>Field Technician:</b> Dale Chervenka	<b>Prepared by:</b> T. Scott Barton
<b>Laboratory:</b> Pace Analytical Services, Green Bay, WI	<b>Checked by:</b> Nick Glander
<b>Laboratory Batch Number(s):</b> 40254542	<b>Date:</b> 02/02/2023

The data review is to be performed in accordance with the procedures specified in the USEPA Functional Guidelines for Inorganic, Organic, and High-Resolution Superfund Methods Data Review (USEPA 2020a, 2020b, and 2020c), and quality assurance and control parameters set by the project laboratories.

This checklist verifies that sampling and analytical activities followed relevant methods, procedures, and project-specific documents (e.g., QAPPs and SAPs) for the following:

- Sample documentation and chain-of-custody protocol;
- Sample container requirements;
- Quality control (QC) procedures; and
- Quality assurance (QA) management including data management and data verification procedures.

**Data Verification Overview**

Sample results subjected to a data verification review include an evaluation of the following QC parameters:

- Sample preservation and temperature upon receipt;
- Holding times;
- Method blank detections;
- Method duplicates and relative percent difference (RPD);
- Laboratory control samples/laboratory control samples duplicate (LCS/LCSD) recovery and RPD;
- Matrix spike/matrix spike duplicate (MS/MSD) recovery and RPD;
- Surrogate recovery (for organic parameters);
- Field QA/QC samples and RPD;
- Simplified charge balance calculation (for ion balancing); and
- Completeness summary.



## Foth Infrastructure & Environment, LLC

The following tables summarize data verification results:

### Analytes and Methods

VOCs	EPA 8260
Chromium, Hexavalent	SM 3500-Cr B
Cyanide, Total	EPA 335.4
Iron	EPA 6010D
Sulfate	EPA 300.0

### Sample Summary

Lab ID	Sample ID
40254542001	MW-106A_202211
40254542002	MW-107_202211
40254542003	MW-107A_202211
40254542004	MW-108_202211
40254542005	MW-108A_202211
40254542006	MW-110_202211
40254542007	MW-110A_202211
40254542008	MW-111_202211
40254542009	MW-112_202211
40254542010	MW-113_202211
40254542011	MW-115_202211
40254542012	MW-115A_202211
40254542013	MW-116_202211
40254542015	MW-116D_202211

### Quality Assurance Sample IDs

Lab ID	Sample ID
40254542014	TB-202211

### Data Verification Checklist

Data Verification Criteria	Yes	No	Not Applicable
<b>CHAIN OF CUSTODY (COC)</b>			
1. Are relinquish and receipt signatures present on the COC?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
2. Do the analyte and analytical methods requested on the COC agree with the project requirements (e.g., QAPP, SAP)?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
<b>SAMPLE PRESERVATION &amp; HOLDING TIMES</b>			
3. Samples received by the project laboratory, intact, with correct preservation, and at the correct temperature (less than or equal to [≤] 6 degrees Celsius [°C] but not frozen)? Comments:	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>



**Foth Infrastructure & Environment, LLC**

<b>Data Verification Criteria</b>	<b>Yes</b>	<b>No</b>	<b>Not Applicable</b>
4. Samples extracted and analyzed within the holding time limits set by the respective analytical method(s)? Comments: <ul style="list-style-type: none"> <li>Analyses for hexavalent chromium (SM 3500-Cr B) for all samples were performed outside the recommended holding time of 24 hours. No qualifiers are assigned because samples were analyzed within the technical holding time of 14 days specified in the National Functional Guidelines for Inorganic Superfund Methods Data Review (USEPA 2020).</li> </ul>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
<b>ANALYTICAL METHOD REQUIREMENTS</b>			
5. Method blanks analyzed at the required frequencies?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
6. Target compounds detected in the method blanks? Compounds detected: <ul style="list-style-type: none"> <li>None</li> </ul>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
7. Method duplicate samples performed at the required frequency? Comments: <ul style="list-style-type: none"> <li>No method duplicates were reported for this Sample Delivery Group.</li> </ul>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
8. Were LCS/LCSD analyses performed at the required frequency? Comments:	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
9. Are the percent recoveries and RPDs for the LCS/LCSD within acceptance limits? Comments: <ul style="list-style-type: none"> <li>The LCS % Recovery for 1,2-Dichloropropane was outside control limits for LCS# 2483776. No qualification of data is required because associated results were non-detect.</li> <li>The LCS % Recoveries for Chloromethane and Dichlorodifluoromethane were outside control limits for LCS# 2485523. No qualification of data is required because associated results were non-detect.</li> </ul>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
10. Were MS/MSD analyses performed at the required frequency?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
11. Are percent recoveries and RPDs for the MS/MSD within acceptable limits? Comments: <ul style="list-style-type: none"> <li>The MS and/or MSD % Recoveries for 1,2-Dichloropropane and Dichlorodifluoromethane were outside control limits in MS# 2484500 and/or MSD# 2484501. The Dichlorodifluoromethane result for the parent sample used for the MS/MSD analysis (MW-116_202211) is assigned a "UJ" qualifier due to recoveries less than the control limit.</li> </ul>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
<b>QUALITY ASSURANCE REQUIREMENTS</b>			





**Foth Infrastructure & Environment, LLC**

<b>Data Verification Criteria</b>	<b>Yes</b>	<b>No</b>	<b>Not Applicable</b>
12. Were the appropriate number of trip blanks collected? Comments: <ul style="list-style-type: none"> <li>One trip blank was collected and analyzed for this Sample Delivery Group. No analytes were detected.</li> </ul>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
13. Were the appropriate number of field blanks collected? Comments: <ul style="list-style-type: none"> <li>None specified in the QAPP.</li> </ul>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
14. Were the appropriate number of duplicates collected? Comments: <ul style="list-style-type: none"> <li>None specified in the QAPP.</li> </ul>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
15. Were the appropriate number of equipment blanks collected? Comments: <ul style="list-style-type: none"> <li>None specified in the QAPP.</li> </ul>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
16. Were the appropriate number of mercury field blanks collected? Comments: <ul style="list-style-type: none"> <li>Mercury is not an analyte of interest for this project.</li> </ul>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
<b>QUALITY CONTROL REQUIREMENTS</b>			
17. Is the charge balance error less than 10% or 1 milliequivalents per liter (meq/L), whichever is greater? Comments: <ul style="list-style-type: none"> <li>None specified in the QAPP.</li> </ul>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
18. Were all samples analyzed as defined in the sampling plan? Comments:	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
19. Is the completeness check greater than or equal to 90% of the plan? Comments:	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
20. Do the analytical results meet the data quality objectives? Comments:	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
21. Was a trend evaluation completed as part of the data verification? Comments: <ul style="list-style-type: none"> <li>None specified in the QAPP.</li> </ul>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>

January 04, 2023

Nick Glander  
Foth Infrastructure & Environment, LLC  
2121 Innovation Court  
Suite 300  
De Pere, WI 54115

RE: Project: 22W016 BETTER BRITE  
Pace Project No.: 40254542

Dear Nick Glander:

Enclosed are the analytical results for sample(s) received by the laboratory on November 10, 2022. The results relate only to the samples included in this report. Results reported herein conform to the applicable TNI/NELAC Standards and the laboratory's Quality Manual, where applicable, unless otherwise noted in the body of the report.

The test results provided in this final report were generated by each of the following laboratories within the Pace Network:

- Pace Analytical Services - Green Bay

Report revised to present Iron analysis.

If you have any questions concerning this report, please feel free to contact me.

Sincerely,



Tod Noltemeyer  
tod.noltemeyer@pacelabs.com  
(920)469-2436  
Project Manager

Enclosures



## REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

## CERTIFICATIONS

Project: 22W016 BETTER BRITE

Pace Project No.: 40254542

---

### **Pace Analytical Services Green Bay**

1241 Bellevue Street, Green Bay, WI 54302

Florida/NELAP Certification #: E87948

Illinois Certification #: 200050

Kentucky UST Certification #: 82

Louisiana Certification #: 04168

Minnesota Certification #: 055-999-334

New York Certification #: 12064

North Dakota Certification #: R-150

South Carolina Certification #: 83006001

Texas Certification #: T104704529-21-8

Virginia VELAP Certification ID: 11873

Wisconsin Certification #: 405132750

Wisconsin DATCP Certification #: 105-444

USDA Soil Permit #: P330-21-00008

Federal Fish & Wildlife Permit #: 51774A

---

## REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

## SAMPLE SUMMARY

Project: 22W016 BETTER BRITE

Pace Project No.: 40254542

Lab ID	Sample ID	Matrix	Date Collected	Date Received
40254542001	MW-106A_202211	Water	11/10/22 14:05	11/10/22 16:20
40254542002	MW-107_202211	Water	11/10/22 15:01	11/10/22 16:20
40254542003	MW-107A_202211	Water	11/10/22 15:30	11/10/22 16:20
40254542004	MW-108_202211	Water	11/10/22 10:04	11/10/22 16:20
40254542005	MW-108A_202211	Water	11/10/22 10:38	11/10/22 16:20
40254542006	MW-110_202211	Water	11/10/22 12:14	11/10/22 16:20
40254542007	MW-110A_202211	Water	11/10/22 12:30	11/10/22 16:20
40254542008	MW-111_202211	Water	11/10/22 11:01	11/10/22 16:20
40254542009	MW-112_202211	Water	11/10/22 13:01	11/10/22 16:20
40254542010	MW-113_202211	Water	11/10/22 14:20	11/10/22 16:20
40254542011	MW-115_202211	Water	11/10/22 11:35	11/10/22 16:20
40254542012	MW-115A_202211	Water	11/10/22 11:59	11/10/22 16:20
40254542013	MW-116_202211	Water	11/10/22 13:29	11/10/22 16:20
40254542014	TB-202211	Water	11/10/22 15:35	11/10/22 16:20
40254542015	MW-116D_202211	Water	11/10/22 13:29	11/10/22 16:20

## REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

### SAMPLE ANALYTE COUNT

Project: 22W016 BETTER BRITE  
Pace Project No.: 40254542

Lab ID	Sample ID	Method	Analysts	Analytes Reported
40254542001	MW-106A_202211	EPA 8260	EIB	64
		SM 3500-Cr B	EXM	1
40254542002	MW-107_202211	EPA 8260	EIB	64
		SM 3500-Cr B	EXM	1
40254542003	MW-107A_202211	EPA 8260	EIB	64
		SM 3500-Cr B	EXM	1
40254542004	MW-108_202211	EPA 8260	EIB	64
		SM 3500-Cr B	EXM	1
40254542005	MW-108A_202211	EPA 8260	EIB	64
		SM 3500-Cr B	EXM	1
40254542006	MW-110_202211	EPA 8260	EIB	64
		SM 3500-Cr B	EXM	1
40254542007	MW-110A_202211	EPA 8260	EIB	64
		SM 3500-Cr B	EXM	1
40254542008	MW-111_202211	EPA 8260	EIB	64
		SM 3500-Cr B	EXM	1
40254542009	MW-112_202211	EPA 8260	JAV	64
		SM 3500-Cr B	EXM	1
40254542010	MW-113_202211	EPA 8260	EIB	64
		SM 3500-Cr B	EXM	1
40254542011	MW-115_202211	EPA 6010D	TXW	1
		EPA 8260	EIB	64
		SM 3500-Cr B	EXM	1
40254542012	MW-115A_202211	EPA 300.0	HMB	1
		EPA 8260	EIB	64
		SM 3500-Cr B	EXM	1
40254542013	MW-116_202211	EPA 6010D	TXW	1
		EPA 8260	EIB	64
		SM 3500-Cr B	EXM	1
40254542014	TB-202211	EPA 300.0	HMB	1
		EPA 8260	EIB	64
40254542015	MW-116D_202211	EPA 8260	JAV	64
		SM 3500-Cr B	EXM	1

PASI-G = Pace Analytical Services - Green Bay

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.



## PROJECT NARRATIVE

Project: 22W016 BETTER BRITE  
Pace Project No.: 40254542

---

**Method:** EPA 6010D  
**Description:** 6010D MET ICP  
**Client:** FOTH INFRASTRUCTURE & ENVIRONMENT  
**Date:** January 04, 2023

### General Information:

2 samples were analyzed for EPA 6010D by Pace Analytical Services Green Bay. All samples were received in acceptable condition with any exceptions noted below or on the chain-of custody and/or the sample condition upon receipt form (SCUR) attached at the end of this report.

### Hold Time:

The samples were analyzed within the method required hold times with any exceptions noted below.

### Sample Preparation:

The samples were prepared in accordance with EPA 3010A with any exceptions noted below.

### Initial Calibrations (including MS Tune as applicable):

All criteria were within method requirements with any exceptions noted below.

### Continuing Calibration:

All criteria were within method requirements with any exceptions noted below.

### Method Blank:

All analytes were below the report limit in the method blank, where applicable, with any exceptions noted below.

### Laboratory Control Spike:

All laboratory control spike compounds were within QC limits with any exceptions noted below.

### Matrix Spikes:

All percent recoveries and relative percent differences (RPDs) were within acceptance criteria with any exceptions noted below.

### Additional Comments:

Analyte Comments:

QC Batch: 431728

D3: Sample was diluted due to the presence of high levels of non-target analytes or other matrix interference.

- MW-116\_202211 (Lab ID: 40254542013)
  - Iron

## REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

## PROJECT NARRATIVE

Project: 22W016 BETTER BRITE

Pace Project No.: 40254542

---

**Method:** EPA 8260

**Description:** 8260 MSV

**Client:** FOTH INFRASTRUCTURE & ENVIRONMENT

**Date:** January 04, 2023

### General Information:

15 samples were analyzed for EPA 8260 by Pace Analytical Services Green Bay. All samples were received in acceptable condition with any exceptions noted below or on the chain-of custody and/or the sample condition upon receipt form (SCUR) attached at the end of this report.

### Hold Time:

The samples were analyzed within the method required hold times with any exceptions noted below.

### Initial Calibrations (including MS Tune as applicable):

All criteria were within method requirements with any exceptions noted below.

### Continuing Calibration:

All criteria were within method requirements with any exceptions noted below.

### Internal Standards:

All internal standards were within QC limits with any exceptions noted below.

### Surrogates:

All surrogates were within QC limits with any exceptions noted below.

### Method Blank:

All analytes were below the report limit in the method blank, where applicable, with any exceptions noted below.

### Laboratory Control Spike:

All laboratory control spike compounds were within QC limits with any exceptions noted below.

QC Batch: 431290

L1: Analyte recovery in the laboratory control sample (LCS) was above QC limits. Results may be biased high.

- LCS (Lab ID: 2483776)
- 1,2-Dichloropropane

QC Batch: 431626

L1: Analyte recovery in the laboratory control sample (LCS) was above QC limits. Results may be biased high.

- LCS (Lab ID: 2485523)
- Chloromethane
- Dichlorodifluoromethane

### Matrix Spikes:

All percent recoveries and relative percent differences (RPDs) were within acceptance criteria with any exceptions noted below.

QC Batch: 431290

A matrix spike and/or matrix spike duplicate (MS/MSD) were performed on the following sample(s): 40254542013

M0: Matrix spike recovery and/or matrix spike duplicate recovery was outside laboratory control limits.

- MS (Lab ID: 2484500)
- 1,2-Dichloropropane

## REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

## PROJECT NARRATIVE

Project: 22W016 BETTER BRITE

Pace Project No.: 40254542

---

**Method:** EPA 8260

**Description:** 8260 MSV

**Client:** FOTH INFRASTRUCTURE & ENVIRONMENT

**Date:** January 04, 2023

QC Batch: 431290

A matrix spike and/or matrix spike duplicate (MS/MSD) were performed on the following sample(s): 40254542013

M0: Matrix spike recovery and/or matrix spike duplicate recovery was outside laboratory control limits.

- MSD (Lab ID: 2484501)
  - 1,2-Dichloropropane

M1: Matrix spike recovery exceeded QC limits. Batch accepted based on laboratory control sample (LCS) recovery.

- MS (Lab ID: 2484500)
  - Dichlorodifluoromethane
- MSD (Lab ID: 2484501)
  - Dichlorodifluoromethane

**Additional Comments:**

## REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

## PROJECT NARRATIVE

Project: 22W016 BETTER BRITE

Pace Project No.: 40254542

---

**Method:** SM 3500-Cr B

**Description:** Chromium, Hexavalent

**Client:** FOTH INFRASTRUCTURE & ENVIRONMENT

**Date:** January 04, 2023

### General Information:

14 samples were analyzed for SM 3500-Cr B by Pace Analytical Services Green Bay. All samples were received in acceptable condition with any exceptions noted below or on the chain-of custody and/or the sample condition upon receipt form (SCUR) attached at the end of this report.

### Hold Time:

The samples were analyzed within the method required hold times with any exceptions noted below.

### Method Blank:

All analytes were below the report limit in the method blank, where applicable, with any exceptions noted below.

### Laboratory Control Spike:

All laboratory control spike compounds were within QC limits with any exceptions noted below.

### Matrix Spikes:

All percent recoveries and relative percent differences (RPDs) were within acceptance criteria with any exceptions noted below.

### Additional Comments:

Analyte Comments:

QC Batch: 432022

D3: Sample was diluted due to the presence of high levels of non-target analytes or other matrix interference.

- MW-106A\_202211 (Lab ID: 40254542001)
  - Chromium, Hexavalent
- MW-107A\_202211 (Lab ID: 40254542003)
  - Chromium, Hexavalent
- MW-107\_202211 (Lab ID: 40254542002)
  - Chromium, Hexavalent
- MW-108A\_202211 (Lab ID: 40254542005)
  - Chromium, Hexavalent
- MW-108\_202211 (Lab ID: 40254542004)
  - Chromium, Hexavalent
- MW-110A\_202211 (Lab ID: 40254542007)
  - Chromium, Hexavalent
- MW-110\_202211 (Lab ID: 40254542006)
  - Chromium, Hexavalent
- MW-111\_202211 (Lab ID: 40254542008)
  - Chromium, Hexavalent
- MW-112\_202211 (Lab ID: 40254542009)
  - Chromium, Hexavalent
- MW-113\_202211 (Lab ID: 40254542010)
  - Chromium, Hexavalent
- MW-115A\_202211 (Lab ID: 40254542012)
  - Chromium, Hexavalent

## REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

## PROJECT NARRATIVE

Project: 22W016 BETTER BRITE

Pace Project No.: 40254542

---

**Method:** SM 3500-Cr B

**Description:** Chromium, Hexavalent

**Client:** FOTH INFRASTRUCTURE & ENVIRONMENT

**Date:** January 04, 2023

Analyte Comments:

QC Batch: 432022

D3: Sample was diluted due to the presence of high levels of non-target analytes or other matrix interference.

- MW-115\_202211 (Lab ID: 40254542011)
  - Chromium, Hexavalent

## REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.



## PROJECT NARRATIVE

Project: 22W016 BETTER BRITE

Pace Project No.: 40254542

---

**Method:** EPA 300.0

**Description:** 300.0 IC Anions

**Client:** FOTH INFRASTRUCTURE & ENVIRONMENT

**Date:** January 04, 2023

**General Information:**

2 samples were analyzed for EPA 300.0 by Pace Analytical Services Green Bay. All samples were received in acceptable condition with any exceptions noted below or on the chain-of custody and/or the sample condition upon receipt form (SCUR) attached at the end of this report.

**Hold Time:**

The samples were analyzed within the method required hold times with any exceptions noted below.

**Method Blank:**

All analytes were below the report limit in the method blank, where applicable, with any exceptions noted below.

**Laboratory Control Spike:**

All laboratory control spike compounds were within QC limits with any exceptions noted below.

**Matrix Spikes:**

All percent recoveries and relative percent differences (RPDs) were within acceptance criteria with any exceptions noted below.

QC Batch: 432219

A matrix spike and/or matrix spike duplicate (MS/MSD) were performed on the following sample(s): 40254553001,40254841002

M0: Matrix spike recovery and/or matrix spike duplicate recovery was outside laboratory control limits.

- MS (Lab ID: 2488997)
- Sulfate

**Additional Comments:**

This data package has been reviewed for quality and completeness and is approved for release.

## REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

### ANALYTICAL RESULTS

Project: 22W016 BETTER BRITE

Pace Project No.: 40254542

Sample: MW-106A\_202211 Lab ID: 40254542001 Collected: 11/10/22 14:05 Received: 11/10/22 16:20 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
<b>8260 MSV</b>									
Analytical Method: EPA 8260									
Pace Analytical Services - Green Bay									
Benzene	<0.30	ug/L	1.0	0.30	1		11/14/22 15:30	71-43-2	
Bromobenzene	<0.36	ug/L	1.0	0.36	1		11/14/22 15:30	108-86-1	
Bromochloromethane	<0.36	ug/L	5.0	0.36	1		11/14/22 15:30	74-97-5	
Bromodichloromethane	<0.42	ug/L	1.0	0.42	1		11/14/22 15:30	75-27-4	
Bromoform	<3.8	ug/L	5.0	3.8	1		11/14/22 15:30	75-25-2	
Bromomethane	<1.2	ug/L	5.0	1.2	1		11/14/22 15:30	74-83-9	
n-Butylbenzene	<0.86	ug/L	1.0	0.86	1		11/14/22 15:30	104-51-8	
sec-Butylbenzene	<0.42	ug/L	1.0	0.42	1		11/14/22 15:30	135-98-8	
tert-Butylbenzene	<0.59	ug/L	1.0	0.59	1		11/14/22 15:30	98-06-6	
Carbon tetrachloride	<0.37	ug/L	1.0	0.37	1		11/14/22 15:30	56-23-5	
Chlorobenzene	<0.86	ug/L	1.0	0.86	1		11/14/22 15:30	108-90-7	
Chloroethane	<1.4	ug/L	5.0	1.4	1		11/14/22 15:30	75-00-3	
Chloroform	<1.2	ug/L	5.0	1.2	1		11/14/22 15:30	67-66-3	
Chloromethane	<1.6	ug/L	5.0	1.6	1		11/14/22 15:30	74-87-3	
2-Chlorotoluene	<0.89	ug/L	5.0	0.89	1		11/14/22 15:30	95-49-8	
4-Chlorotoluene	<0.89	ug/L	5.0	0.89	1		11/14/22 15:30	106-43-4	
1,2-Dibromo-3-chloropropane	<2.4	ug/L	5.0	2.4	1		11/14/22 15:30	96-12-8	
Dibromochloromethane	<2.6	ug/L	5.0	2.6	1		11/14/22 15:30	124-48-1	
1,2-Dibromoethane (EDB)	<0.31	ug/L	1.0	0.31	1		11/14/22 15:30	106-93-4	
Dibromomethane	<0.99	ug/L	5.0	0.99	1		11/14/22 15:30	74-95-3	
1,2-Dichlorobenzene	<0.33	ug/L	1.0	0.33	1		11/14/22 15:30	95-50-1	
1,3-Dichlorobenzene	<0.35	ug/L	1.0	0.35	1		11/14/22 15:30	541-73-1	
1,4-Dichlorobenzene	<0.89	ug/L	1.0	0.89	1		11/14/22 15:30	106-46-7	
Dichlorodifluoromethane	<0.46	ug/L	5.0	0.46	1		11/14/22 15:30	75-71-8	
1,1-Dichloroethane	<0.30	ug/L	1.0	0.30	1		11/14/22 15:30	75-34-3	
1,2-Dichloroethane	<0.29	ug/L	1.0	0.29	1		11/14/22 15:30	107-06-2	
1,1-Dichloroethene	<0.58	ug/L	1.0	0.58	1		11/14/22 15:30	75-35-4	
cis-1,2-Dichloroethene	<0.47	ug/L	1.0	0.47	1		11/14/22 15:30	156-59-2	
trans-1,2-Dichloroethene	<0.53	ug/L	1.0	0.53	1		11/14/22 15:30	156-60-5	
1,2-Dichloropropane	<0.45	ug/L	1.0	0.45	1		11/14/22 15:30	78-87-5	L1
1,3-Dichloropropane	<0.30	ug/L	1.0	0.30	1		11/14/22 15:30	142-28-9	
2,2-Dichloropropane	<4.2	ug/L	5.0	4.2	1		11/14/22 15:30	594-20-7	
1,1-Dichloropropene	<0.41	ug/L	1.0	0.41	1		11/14/22 15:30	563-58-6	
cis-1,3-Dichloropropene	<0.36	ug/L	1.0	0.36	1		11/14/22 15:30	10061-01-5	
trans-1,3-Dichloropropene	<3.5	ug/L	5.0	3.5	1		11/14/22 15:30	10061-02-6	
Diisopropyl ether	<1.1	ug/L	5.0	1.1	1		11/14/22 15:30	108-20-3	
Ethylbenzene	<0.33	ug/L	1.0	0.33	1		11/14/22 15:30	100-41-4	
Hexachloro-1,3-butadiene	<2.7	ug/L	5.0	2.7	1		11/14/22 15:30	87-68-3	
Isopropylbenzene (Cumene)	<1.0	ug/L	5.0	1.0	1		11/14/22 15:30	98-82-8	
p-Isopropyltoluene	<1.0	ug/L	5.0	1.0	1		11/14/22 15:30	99-87-6	
Methylene Chloride	<0.32	ug/L	5.0	0.32	1		11/14/22 15:30	75-09-2	
Methyl-tert-butyl ether	<1.1	ug/L	5.0	1.1	1		11/14/22 15:30	1634-04-4	
Naphthalene	<1.1	ug/L	5.0	1.1	1		11/14/22 15:30	91-20-3	
n-Propylbenzene	<0.35	ug/L	1.0	0.35	1		11/14/22 15:30	103-65-1	
Styrene	<0.36	ug/L	1.0	0.36	1		11/14/22 15:30	100-42-5	

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

### ANALYTICAL RESULTS

Project: 22W016 BETTER BRITE

Pace Project No.: 40254542

**Sample: MW-106A\_202211**      **Lab ID: 40254542001**      Collected: 11/10/22 14:05      Received: 11/10/22 16:20      Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
<b>8260 MSV</b>									
Analytical Method: EPA 8260									
Pace Analytical Services - Green Bay									
1,1,1,2-Tetrachloroethane	<0.36	ug/L	1.0	0.36	1		11/14/22 15:30	630-20-6	
1,1,2,2-Tetrachloroethane	<0.38	ug/L	1.0	0.38	1		11/14/22 15:30	79-34-5	
Tetrachloroethene	<0.41	ug/L	1.0	0.41	1		11/14/22 15:30	127-18-4	
Toluene	<0.29	ug/L	1.0	0.29	1		11/14/22 15:30	108-88-3	
1,2,3-Trichlorobenzene	<1.0	ug/L	5.0	1.0	1		11/14/22 15:30	87-61-6	
1,2,4-Trichlorobenzene	<0.95	ug/L	5.0	0.95	1		11/14/22 15:30	120-82-1	
1,1,1-Trichloroethane	<0.30	ug/L	1.0	0.30	1		11/14/22 15:30	71-55-6	
1,1,2-Trichloroethane	<0.34	ug/L	5.0	0.34	1		11/14/22 15:30	79-00-5	
Trichloroethene	<0.32	ug/L	1.0	0.32	1		11/14/22 15:30	79-01-6	
Trichlorofluoromethane	<0.42	ug/L	1.0	0.42	1		11/14/22 15:30	75-69-4	
1,2,3-Trichloropropane	<0.56	ug/L	5.0	0.56	1		11/14/22 15:30	96-18-4	
1,2,4-Trimethylbenzene	<0.45	ug/L	1.0	0.45	1		11/14/22 15:30	95-63-6	
1,3,5-Trimethylbenzene	<0.36	ug/L	1.0	0.36	1		11/14/22 15:30	108-67-8	
Vinyl chloride	<0.17	ug/L	1.0	0.17	1		11/14/22 15:30	75-01-4	
m&p-Xylene	<0.70	ug/L	2.0	0.70	1		11/14/22 15:30	179601-23-1	
o-Xylene	<0.35	ug/L	1.0	0.35	1		11/14/22 15:30	95-47-6	
<b>Surrogates</b>									
4-Bromofluorobenzene (S)	109	%	70-130		1		11/14/22 15:30	460-00-4	
1,2-Dichlorobenzene-d4 (S)	104	%	70-130		1		11/14/22 15:30	2199-69-1	
Toluene-d8 (S)	106	%	70-130		1		11/14/22 15:30	2037-26-5	
<b>Chromium, Hexavalent</b>									
Analytical Method: SM 3500-Cr B									
Pace Analytical Services - Green Bay									
Chromium, Hexavalent	<0.37	mg/L	1.2	0.37	50		11/21/22 13:25		D3

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

### ANALYTICAL RESULTS

Project: 22W016 BETTER BRITE  
Pace Project No.: 40254542

Sample: MW-107\_202211 Lab ID: 40254542002 Collected: 11/10/22 15:01 Received: 11/10/22 16:20 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
<b>8260 MSV</b>									
Analytical Method: EPA 8260									
Pace Analytical Services - Green Bay									
Benzene	<0.30	ug/L	1.0	0.30	1		11/14/22 12:24	71-43-2	
Bromobenzene	<0.36	ug/L	1.0	0.36	1		11/14/22 12:24	108-86-1	
Bromochloromethane	<0.36	ug/L	5.0	0.36	1		11/14/22 12:24	74-97-5	
Bromodichloromethane	<0.42	ug/L	1.0	0.42	1		11/14/22 12:24	75-27-4	
Bromoform	<3.8	ug/L	5.0	3.8	1		11/14/22 12:24	75-25-2	
Bromomethane	<1.2	ug/L	5.0	1.2	1		11/14/22 12:24	74-83-9	
n-Butylbenzene	<0.86	ug/L	1.0	0.86	1		11/14/22 12:24	104-51-8	
sec-Butylbenzene	<0.42	ug/L	1.0	0.42	1		11/14/22 12:24	135-98-8	
tert-Butylbenzene	<0.59	ug/L	1.0	0.59	1		11/14/22 12:24	98-06-6	
Carbon tetrachloride	<0.37	ug/L	1.0	0.37	1		11/14/22 12:24	56-23-5	
Chlorobenzene	<0.86	ug/L	1.0	0.86	1		11/14/22 12:24	108-90-7	
Chloroethane	<1.4	ug/L	5.0	1.4	1		11/14/22 12:24	75-00-3	
Chloroform	<1.2	ug/L	5.0	1.2	1		11/14/22 12:24	67-66-3	
Chloromethane	<1.6	ug/L	5.0	1.6	1		11/14/22 12:24	74-87-3	
2-Chlorotoluene	<0.89	ug/L	5.0	0.89	1		11/14/22 12:24	95-49-8	
4-Chlorotoluene	<0.89	ug/L	5.0	0.89	1		11/14/22 12:24	106-43-4	
1,2-Dibromo-3-chloropropane	<2.4	ug/L	5.0	2.4	1		11/14/22 12:24	96-12-8	
Dibromochloromethane	<2.6	ug/L	5.0	2.6	1		11/14/22 12:24	124-48-1	
1,2-Dibromoethane (EDB)	<0.31	ug/L	1.0	0.31	1		11/14/22 12:24	106-93-4	
Dibromomethane	<0.99	ug/L	5.0	0.99	1		11/14/22 12:24	74-95-3	
1,2-Dichlorobenzene	<0.33	ug/L	1.0	0.33	1		11/14/22 12:24	95-50-1	
1,3-Dichlorobenzene	<0.35	ug/L	1.0	0.35	1		11/14/22 12:24	541-73-1	
1,4-Dichlorobenzene	<0.89	ug/L	1.0	0.89	1		11/14/22 12:24	106-46-7	
Dichlorodifluoromethane	<0.46	ug/L	5.0	0.46	1		11/14/22 12:24	75-71-8	
1,1-Dichloroethane	<0.30	ug/L	1.0	0.30	1		11/14/22 12:24	75-34-3	
1,2-Dichloroethane	<0.29	ug/L	1.0	0.29	1		11/14/22 12:24	107-06-2	
1,1-Dichloroethene	<0.58	ug/L	1.0	0.58	1		11/14/22 12:24	75-35-4	
cis-1,2-Dichloroethene	<0.47	ug/L	1.0	0.47	1		11/14/22 12:24	156-59-2	
trans-1,2-Dichloroethene	<0.53	ug/L	1.0	0.53	1		11/14/22 12:24	156-60-5	
1,2-Dichloropropane	<0.45	ug/L	1.0	0.45	1		11/14/22 12:24	78-87-5	L1
1,3-Dichloropropane	<0.30	ug/L	1.0	0.30	1		11/14/22 12:24	142-28-9	
2,2-Dichloropropane	<4.2	ug/L	5.0	4.2	1		11/14/22 12:24	594-20-7	
1,1-Dichloropropene	<0.41	ug/L	1.0	0.41	1		11/14/22 12:24	563-58-6	
cis-1,3-Dichloropropene	<0.36	ug/L	1.0	0.36	1		11/14/22 12:24	10061-01-5	
trans-1,3-Dichloropropene	<3.5	ug/L	5.0	3.5	1		11/14/22 12:24	10061-02-6	
Diisopropyl ether	<1.1	ug/L	5.0	1.1	1		11/14/22 12:24	108-20-3	
Ethylbenzene	<0.33	ug/L	1.0	0.33	1		11/14/22 12:24	100-41-4	
Hexachloro-1,3-butadiene	<2.7	ug/L	5.0	2.7	1		11/14/22 12:24	87-68-3	
Isopropylbenzene (Cumene)	<1.0	ug/L	5.0	1.0	1		11/14/22 12:24	98-82-8	
p-Isopropyltoluene	<1.0	ug/L	5.0	1.0	1		11/14/22 12:24	99-87-6	
Methylene Chloride	<0.32	ug/L	5.0	0.32	1		11/14/22 12:24	75-09-2	
Methyl-tert-butyl ether	<1.1	ug/L	5.0	1.1	1		11/14/22 12:24	1634-04-4	
Naphthalene	<1.1	ug/L	5.0	1.1	1		11/14/22 12:24	91-20-3	
n-Propylbenzene	<0.35	ug/L	1.0	0.35	1		11/14/22 12:24	103-65-1	
Styrene	<0.36	ug/L	1.0	0.36	1		11/14/22 12:24	100-42-5	

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

### ANALYTICAL RESULTS

Project: 22W016 BETTER BRITE

Pace Project No.: 40254542

**Sample: MW-107\_202211**      **Lab ID: 40254542002**      Collected: 11/10/22 15:01      Received: 11/10/22 16:20      Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
<b>8260 MSV</b>									
Analytical Method: EPA 8260									
Pace Analytical Services - Green Bay									
1,1,1,2-Tetrachloroethane	<0.36	ug/L	1.0	0.36	1		11/14/22 12:24	630-20-6	
1,1,2,2-Tetrachloroethane	<0.38	ug/L	1.0	0.38	1		11/14/22 12:24	79-34-5	
Tetrachloroethene	<0.41	ug/L	1.0	0.41	1		11/14/22 12:24	127-18-4	
Toluene	<0.29	ug/L	1.0	0.29	1		11/14/22 12:24	108-88-3	
1,2,3-Trichlorobenzene	<1.0	ug/L	5.0	1.0	1		11/14/22 12:24	87-61-6	
1,2,4-Trichlorobenzene	<0.95	ug/L	5.0	0.95	1		11/14/22 12:24	120-82-1	
1,1,1-Trichloroethane	<0.30	ug/L	1.0	0.30	1		11/14/22 12:24	71-55-6	
1,1,2-Trichloroethane	<0.34	ug/L	5.0	0.34	1		11/14/22 12:24	79-00-5	
Trichloroethene	<0.32	ug/L	1.0	0.32	1		11/14/22 12:24	79-01-6	
Trichlorofluoromethane	<0.42	ug/L	1.0	0.42	1		11/14/22 12:24	75-69-4	
1,2,3-Trichloropropane	<0.56	ug/L	5.0	0.56	1		11/14/22 12:24	96-18-4	
1,2,4-Trimethylbenzene	<0.45	ug/L	1.0	0.45	1		11/14/22 12:24	95-63-6	
1,3,5-Trimethylbenzene	<0.36	ug/L	1.0	0.36	1		11/14/22 12:24	108-67-8	
Vinyl chloride	<0.17	ug/L	1.0	0.17	1		11/14/22 12:24	75-01-4	
m&p-Xylene	<0.70	ug/L	2.0	0.70	1		11/14/22 12:24	179601-23-1	
o-Xylene	<0.35	ug/L	1.0	0.35	1		11/14/22 12:24	95-47-6	
<b>Surrogates</b>									
4-Bromofluorobenzene (S)	112	%	70-130		1		11/14/22 12:24	460-00-4	
1,2-Dichlorobenzene-d4 (S)	102	%	70-130		1		11/14/22 12:24	2199-69-1	
Toluene-d8 (S)	102	%	70-130		1		11/14/22 12:24	2037-26-5	
<b>Chromium, Hexavalent</b>									
Analytical Method: SM 3500-Cr B									
Pace Analytical Services - Green Bay									
Chromium, Hexavalent	<1.8	mg/L	6.1	1.8	250		11/21/22 13:25		D3

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.



### ANALYTICAL RESULTS

Project: 22W016 BETTER BRITE

Pace Project No.: 40254542

Sample: MW-107A\_202211 Lab ID: 40254542003 Collected: 11/10/22 15:30 Received: 11/10/22 16:20 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
<b>8260 MSV</b>									
Analytical Method: EPA 8260									
Pace Analytical Services - Green Bay									
Benzene	<0.30	ug/L	1.0	0.30	1		11/14/22 15:51	71-43-2	
Bromobenzene	<0.36	ug/L	1.0	0.36	1		11/14/22 15:51	108-86-1	
Bromochloromethane	<0.36	ug/L	5.0	0.36	1		11/14/22 15:51	74-97-5	
Bromodichloromethane	<0.42	ug/L	1.0	0.42	1		11/14/22 15:51	75-27-4	
Bromoform	<3.8	ug/L	5.0	3.8	1		11/14/22 15:51	75-25-2	
Bromomethane	<1.2	ug/L	5.0	1.2	1		11/14/22 15:51	74-83-9	
n-Butylbenzene	<0.86	ug/L	1.0	0.86	1		11/14/22 15:51	104-51-8	
sec-Butylbenzene	<0.42	ug/L	1.0	0.42	1		11/14/22 15:51	135-98-8	
tert-Butylbenzene	<0.59	ug/L	1.0	0.59	1		11/14/22 15:51	98-06-6	
Carbon tetrachloride	<0.37	ug/L	1.0	0.37	1		11/14/22 15:51	56-23-5	
Chlorobenzene	<0.86	ug/L	1.0	0.86	1		11/14/22 15:51	108-90-7	
Chloroethane	<1.4	ug/L	5.0	1.4	1		11/14/22 15:51	75-00-3	
Chloroform	<1.2	ug/L	5.0	1.2	1		11/14/22 15:51	67-66-3	
Chloromethane	<1.6	ug/L	5.0	1.6	1		11/14/22 15:51	74-87-3	
2-Chlorotoluene	<0.89	ug/L	5.0	0.89	1		11/14/22 15:51	95-49-8	
4-Chlorotoluene	<0.89	ug/L	5.0	0.89	1		11/14/22 15:51	106-43-4	
1,2-Dibromo-3-chloropropane	<2.4	ug/L	5.0	2.4	1		11/14/22 15:51	96-12-8	
Dibromochloromethane	<2.6	ug/L	5.0	2.6	1		11/14/22 15:51	124-48-1	
1,2-Dibromoethane (EDB)	<0.31	ug/L	1.0	0.31	1		11/14/22 15:51	106-93-4	
Dibromomethane	<0.99	ug/L	5.0	0.99	1		11/14/22 15:51	74-95-3	
1,2-Dichlorobenzene	<0.33	ug/L	1.0	0.33	1		11/14/22 15:51	95-50-1	
1,3-Dichlorobenzene	<0.35	ug/L	1.0	0.35	1		11/14/22 15:51	541-73-1	
1,4-Dichlorobenzene	<0.89	ug/L	1.0	0.89	1		11/14/22 15:51	106-46-7	
Dichlorodifluoromethane	<0.46	ug/L	5.0	0.46	1		11/14/22 15:51	75-71-8	
1,1-Dichloroethane	<0.30	ug/L	1.0	0.30	1		11/14/22 15:51	75-34-3	
1,2-Dichloroethane	<0.29	ug/L	1.0	0.29	1		11/14/22 15:51	107-06-2	
1,1-Dichloroethene	<0.58	ug/L	1.0	0.58	1		11/14/22 15:51	75-35-4	
cis-1,2-Dichloroethene	<0.47	ug/L	1.0	0.47	1		11/14/22 15:51	156-59-2	
trans-1,2-Dichloroethene	<0.53	ug/L	1.0	0.53	1		11/14/22 15:51	156-60-5	
1,2-Dichloropropane	<0.45	ug/L	1.0	0.45	1		11/14/22 15:51	78-87-5	L1
1,3-Dichloropropane	<0.30	ug/L	1.0	0.30	1		11/14/22 15:51	142-28-9	
2,2-Dichloropropane	<4.2	ug/L	5.0	4.2	1		11/14/22 15:51	594-20-7	
1,1-Dichloropropene	<0.41	ug/L	1.0	0.41	1		11/14/22 15:51	563-58-6	
cis-1,3-Dichloropropene	<0.36	ug/L	1.0	0.36	1		11/14/22 15:51	10061-01-5	
trans-1,3-Dichloropropene	<3.5	ug/L	5.0	3.5	1		11/14/22 15:51	10061-02-6	
Diisopropyl ether	<1.1	ug/L	5.0	1.1	1		11/14/22 15:51	108-20-3	
Ethylbenzene	<0.33	ug/L	1.0	0.33	1		11/14/22 15:51	100-41-4	
Hexachloro-1,3-butadiene	<2.7	ug/L	5.0	2.7	1		11/14/22 15:51	87-68-3	
Isopropylbenzene (Cumene)	<1.0	ug/L	5.0	1.0	1		11/14/22 15:51	98-82-8	
p-Isopropyltoluene	<1.0	ug/L	5.0	1.0	1		11/14/22 15:51	99-87-6	
Methylene Chloride	<0.32	ug/L	5.0	0.32	1		11/14/22 15:51	75-09-2	
Methyl-tert-butyl ether	<1.1	ug/L	5.0	1.1	1		11/14/22 15:51	1634-04-4	
Naphthalene	<1.1	ug/L	5.0	1.1	1		11/14/22 15:51	91-20-3	
n-Propylbenzene	<0.35	ug/L	1.0	0.35	1		11/14/22 15:51	103-65-1	
Styrene	<0.36	ug/L	1.0	0.36	1		11/14/22 15:51	100-42-5	

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

### ANALYTICAL RESULTS

Project: 22W016 BETTER BRITE

Pace Project No.: 40254542

**Sample: MW-107A\_202211**      **Lab ID: 40254542003**      Collected: 11/10/22 15:30      Received: 11/10/22 16:20      Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
<b>8260 MSV</b>									
Analytical Method: EPA 8260									
Pace Analytical Services - Green Bay									
1,1,1,2-Tetrachloroethane	<0.36	ug/L	1.0	0.36	1		11/14/22 15:51	630-20-6	
1,1,1,2-Tetrachloroethane	<0.38	ug/L	1.0	0.38	1		11/14/22 15:51	79-34-5	
Tetrachloroethene	<0.41	ug/L	1.0	0.41	1		11/14/22 15:51	127-18-4	
Toluene	<0.29	ug/L	1.0	0.29	1		11/14/22 15:51	108-88-3	
1,2,3-Trichlorobenzene	<1.0	ug/L	5.0	1.0	1		11/14/22 15:51	87-61-6	
1,2,4-Trichlorobenzene	<0.95	ug/L	5.0	0.95	1		11/14/22 15:51	120-82-1	
1,1,1-Trichloroethane	<0.30	ug/L	1.0	0.30	1		11/14/22 15:51	71-55-6	
1,1,2-Trichloroethane	<0.34	ug/L	5.0	0.34	1		11/14/22 15:51	79-00-5	
Trichloroethene	<0.32	ug/L	1.0	0.32	1		11/14/22 15:51	79-01-6	
Trichlorofluoromethane	<0.42	ug/L	1.0	0.42	1		11/14/22 15:51	75-69-4	
1,2,3-Trichloropropane	<0.56	ug/L	5.0	0.56	1		11/14/22 15:51	96-18-4	
1,2,4-Trimethylbenzene	<0.45	ug/L	1.0	0.45	1		11/14/22 15:51	95-63-6	
1,3,5-Trimethylbenzene	<0.36	ug/L	1.0	0.36	1		11/14/22 15:51	108-67-8	
Vinyl chloride	<0.17	ug/L	1.0	0.17	1		11/14/22 15:51	75-01-4	
m&p-Xylene	<0.70	ug/L	2.0	0.70	1		11/14/22 15:51	179601-23-1	
o-Xylene	<0.35	ug/L	1.0	0.35	1		11/14/22 15:51	95-47-6	
<b>Surrogates</b>									
4-Bromofluorobenzene (S)	110	%	70-130		1		11/14/22 15:51	460-00-4	
1,2-Dichlorobenzene-d4 (S)	101	%	70-130		1		11/14/22 15:51	2199-69-1	
Toluene-d8 (S)	106	%	70-130		1		11/14/22 15:51	2037-26-5	
<b>Chromium, Hexavalent</b>									
Analytical Method: SM 3500-Cr B									
Pace Analytical Services - Green Bay									
Chromium, Hexavalent	<0.37	mg/L	1.2	0.37	50		11/21/22 13:26		D3

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

### ANALYTICAL RESULTS

Project: 22W016 BETTER BRITE  
Pace Project No.: 40254542

Sample: MW-108\_202211 Lab ID: 40254542004 Collected: 11/10/22 10:04 Received: 11/10/22 16:20 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
<b>8260 MSV</b>									
Analytical Method: EPA 8260									
Pace Analytical Services - Green Bay									
Benzene	<0.30	ug/L	1.0	0.30	1		11/14/22 16:11	71-43-2	
Bromobenzene	<0.36	ug/L	1.0	0.36	1		11/14/22 16:11	108-86-1	
Bromochloromethane	<0.36	ug/L	5.0	0.36	1		11/14/22 16:11	74-97-5	
Bromodichloromethane	<0.42	ug/L	1.0	0.42	1		11/14/22 16:11	75-27-4	
Bromoform	<3.8	ug/L	5.0	3.8	1		11/14/22 16:11	75-25-2	
Bromomethane	<1.2	ug/L	5.0	1.2	1		11/14/22 16:11	74-83-9	
n-Butylbenzene	<0.86	ug/L	1.0	0.86	1		11/14/22 16:11	104-51-8	
sec-Butylbenzene	<0.42	ug/L	1.0	0.42	1		11/14/22 16:11	135-98-8	
tert-Butylbenzene	<0.59	ug/L	1.0	0.59	1		11/14/22 16:11	98-06-6	
Carbon tetrachloride	<0.37	ug/L	1.0	0.37	1		11/14/22 16:11	56-23-5	
Chlorobenzene	<0.86	ug/L	1.0	0.86	1		11/14/22 16:11	108-90-7	
Chloroethane	<1.4	ug/L	5.0	1.4	1		11/14/22 16:11	75-00-3	
Chloroform	<1.2	ug/L	5.0	1.2	1		11/14/22 16:11	67-66-3	
Chloromethane	<1.6	ug/L	5.0	1.6	1		11/14/22 16:11	74-87-3	
2-Chlorotoluene	<0.89	ug/L	5.0	0.89	1		11/14/22 16:11	95-49-8	
4-Chlorotoluene	<0.89	ug/L	5.0	0.89	1		11/14/22 16:11	106-43-4	
1,2-Dibromo-3-chloropropane	<2.4	ug/L	5.0	2.4	1		11/14/22 16:11	96-12-8	
Dibromochloromethane	<2.6	ug/L	5.0	2.6	1		11/14/22 16:11	124-48-1	
1,2-Dibromoethane (EDB)	<0.31	ug/L	1.0	0.31	1		11/14/22 16:11	106-93-4	
Dibromomethane	<0.99	ug/L	5.0	0.99	1		11/14/22 16:11	74-95-3	
1,2-Dichlorobenzene	<0.33	ug/L	1.0	0.33	1		11/14/22 16:11	95-50-1	
1,3-Dichlorobenzene	<0.35	ug/L	1.0	0.35	1		11/14/22 16:11	541-73-1	
1,4-Dichlorobenzene	<0.89	ug/L	1.0	0.89	1		11/14/22 16:11	106-46-7	
Dichlorodifluoromethane	<0.46	ug/L	5.0	0.46	1		11/14/22 16:11	75-71-8	
1,1-Dichloroethane	<0.30	ug/L	1.0	0.30	1		11/14/22 16:11	75-34-3	
1,2-Dichloroethane	<0.29	ug/L	1.0	0.29	1		11/14/22 16:11	107-06-2	
1,1-Dichloroethene	<0.58	ug/L	1.0	0.58	1		11/14/22 16:11	75-35-4	
cis-1,2-Dichloroethene	<0.47	ug/L	1.0	0.47	1		11/14/22 16:11	156-59-2	
trans-1,2-Dichloroethene	<0.53	ug/L	1.0	0.53	1		11/14/22 16:11	156-60-5	
1,2-Dichloropropane	<0.45	ug/L	1.0	0.45	1		11/14/22 16:11	78-87-5	L1
1,3-Dichloropropane	<0.30	ug/L	1.0	0.30	1		11/14/22 16:11	142-28-9	
2,2-Dichloropropane	<4.2	ug/L	5.0	4.2	1		11/14/22 16:11	594-20-7	
1,1-Dichloropropene	<0.41	ug/L	1.0	0.41	1		11/14/22 16:11	563-58-6	
cis-1,3-Dichloropropene	<0.36	ug/L	1.0	0.36	1		11/14/22 16:11	10061-01-5	
trans-1,3-Dichloropropene	<3.5	ug/L	5.0	3.5	1		11/14/22 16:11	10061-02-6	
Diisopropyl ether	<1.1	ug/L	5.0	1.1	1		11/14/22 16:11	108-20-3	
Ethylbenzene	<0.33	ug/L	1.0	0.33	1		11/14/22 16:11	100-41-4	
Hexachloro-1,3-butadiene	<2.7	ug/L	5.0	2.7	1		11/14/22 16:11	87-68-3	
Isopropylbenzene (Cumene)	<1.0	ug/L	5.0	1.0	1		11/14/22 16:11	98-82-8	
p-Isopropyltoluene	<1.0	ug/L	5.0	1.0	1		11/14/22 16:11	99-87-6	
Methylene Chloride	<0.32	ug/L	5.0	0.32	1		11/14/22 16:11	75-09-2	
Methyl-tert-butyl ether	<1.1	ug/L	5.0	1.1	1		11/14/22 16:11	1634-04-4	
Naphthalene	<1.1	ug/L	5.0	1.1	1		11/14/22 16:11	91-20-3	
n-Propylbenzene	<0.35	ug/L	1.0	0.35	1		11/14/22 16:11	103-65-1	
Styrene	<0.36	ug/L	1.0	0.36	1		11/14/22 16:11	100-42-5	

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

### ANALYTICAL RESULTS

Project: 22W016 BETTER BRITE  
Pace Project No.: 40254542

**Sample: MW-108\_202211**      **Lab ID: 40254542004**      Collected: 11/10/22 10:04      Received: 11/10/22 16:20      Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
<b>8260 MSV</b>									
Analytical Method: EPA 8260									
Pace Analytical Services - Green Bay									
1,1,1,2-Tetrachloroethane	<0.36	ug/L	1.0	0.36	1		11/14/22 16:11	630-20-6	
1,1,2,2-Tetrachloroethane	<0.38	ug/L	1.0	0.38	1		11/14/22 16:11	79-34-5	
Tetrachloroethene	<0.41	ug/L	1.0	0.41	1		11/14/22 16:11	127-18-4	
Toluene	<0.29	ug/L	1.0	0.29	1		11/14/22 16:11	108-88-3	
1,2,3-Trichlorobenzene	<1.0	ug/L	5.0	1.0	1		11/14/22 16:11	87-61-6	
1,2,4-Trichlorobenzene	<0.95	ug/L	5.0	0.95	1		11/14/22 16:11	120-82-1	
1,1,1-Trichloroethane	<0.30	ug/L	1.0	0.30	1		11/14/22 16:11	71-55-6	
1,1,2-Trichloroethane	<0.34	ug/L	5.0	0.34	1		11/14/22 16:11	79-00-5	
Trichloroethene	<0.32	ug/L	1.0	0.32	1		11/14/22 16:11	79-01-6	
Trichlorofluoromethane	<0.42	ug/L	1.0	0.42	1		11/14/22 16:11	75-69-4	
1,2,3-Trichloropropane	<0.56	ug/L	5.0	0.56	1		11/14/22 16:11	96-18-4	
1,2,4-Trimethylbenzene	<0.45	ug/L	1.0	0.45	1		11/14/22 16:11	95-63-6	
1,3,5-Trimethylbenzene	<0.36	ug/L	1.0	0.36	1		11/14/22 16:11	108-67-8	
Vinyl chloride	<0.17	ug/L	1.0	0.17	1		11/14/22 16:11	75-01-4	
m&p-Xylene	<0.70	ug/L	2.0	0.70	1		11/14/22 16:11	179601-23-1	
o-Xylene	<0.35	ug/L	1.0	0.35	1		11/14/22 16:11	95-47-6	
<b>Surrogates</b>									
4-Bromofluorobenzene (S)	109	%	70-130		1		11/14/22 16:11	460-00-4	
1,2-Dichlorobenzene-d4 (S)	102	%	70-130		1		11/14/22 16:11	2199-69-1	
Toluene-d8 (S)	106	%	70-130		1		11/14/22 16:11	2037-26-5	
<b>Chromium, Hexavalent</b>									
Analytical Method: SM 3500-Cr B									
Pace Analytical Services - Green Bay									
Chromium, Hexavalent	<0.37	mg/L	1.2	0.37	50		11/21/22 13:26		D3

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

### ANALYTICAL RESULTS

Project: 22W016 BETTER BRITE  
Pace Project No.: 40254542

**Sample: MW-108A\_202211**      **Lab ID: 40254542005**      Collected: 11/10/22 10:38      Received: 11/10/22 16:20      Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
<b>8260 MSV</b>									
Analytical Method: EPA 8260									
Pace Analytical Services - Green Bay									
Benzene	<0.30	ug/L	1.0	0.30	1		11/14/22 17:55	71-43-2	
Bromobenzene	<0.36	ug/L	1.0	0.36	1		11/14/22 17:55	108-86-1	
Bromochloromethane	<0.36	ug/L	5.0	0.36	1		11/14/22 17:55	74-97-5	
Bromodichloromethane	<0.42	ug/L	1.0	0.42	1		11/14/22 17:55	75-27-4	
Bromoform	<3.8	ug/L	5.0	3.8	1		11/14/22 17:55	75-25-2	
Bromomethane	<1.2	ug/L	5.0	1.2	1		11/14/22 17:55	74-83-9	
n-Butylbenzene	<0.86	ug/L	1.0	0.86	1		11/14/22 17:55	104-51-8	
sec-Butylbenzene	<0.42	ug/L	1.0	0.42	1		11/14/22 17:55	135-98-8	
tert-Butylbenzene	<0.59	ug/L	1.0	0.59	1		11/14/22 17:55	98-06-6	
Carbon tetrachloride	<0.37	ug/L	1.0	0.37	1		11/14/22 17:55	56-23-5	
Chlorobenzene	<0.86	ug/L	1.0	0.86	1		11/14/22 17:55	108-90-7	
Chloroethane	<1.4	ug/L	5.0	1.4	1		11/14/22 17:55	75-00-3	
Chloroform	<1.2	ug/L	5.0	1.2	1		11/14/22 17:55	67-66-3	
Chloromethane	<1.6	ug/L	5.0	1.6	1		11/14/22 17:55	74-87-3	
2-Chlorotoluene	<0.89	ug/L	5.0	0.89	1		11/14/22 17:55	95-49-8	
4-Chlorotoluene	<0.89	ug/L	5.0	0.89	1		11/14/22 17:55	106-43-4	
1,2-Dibromo-3-chloropropane	<2.4	ug/L	5.0	2.4	1		11/14/22 17:55	96-12-8	
Dibromochloromethane	<2.6	ug/L	5.0	2.6	1		11/14/22 17:55	124-48-1	
1,2-Dibromoethane (EDB)	<0.31	ug/L	1.0	0.31	1		11/14/22 17:55	106-93-4	
Dibromomethane	<0.99	ug/L	5.0	0.99	1		11/14/22 17:55	74-95-3	
1,2-Dichlorobenzene	<0.33	ug/L	1.0	0.33	1		11/14/22 17:55	95-50-1	
1,3-Dichlorobenzene	<0.35	ug/L	1.0	0.35	1		11/14/22 17:55	541-73-1	
1,4-Dichlorobenzene	<0.89	ug/L	1.0	0.89	1		11/14/22 17:55	106-46-7	
Dichlorodifluoromethane	<0.46	ug/L	5.0	0.46	1		11/14/22 17:55	75-71-8	
1,1-Dichloroethane	<0.30	ug/L	1.0	0.30	1		11/14/22 17:55	75-34-3	
1,2-Dichloroethane	<0.29	ug/L	1.0	0.29	1		11/14/22 17:55	107-06-2	
1,1-Dichloroethene	<0.58	ug/L	1.0	0.58	1		11/14/22 17:55	75-35-4	
cis-1,2-Dichloroethene	<0.47	ug/L	1.0	0.47	1		11/14/22 17:55	156-59-2	
trans-1,2-Dichloroethene	<0.53	ug/L	1.0	0.53	1		11/14/22 17:55	156-60-5	
1,2-Dichloropropane	<0.45	ug/L	1.0	0.45	1		11/14/22 17:55	78-87-5	L1
1,3-Dichloropropane	<0.30	ug/L	1.0	0.30	1		11/14/22 17:55	142-28-9	
2,2-Dichloropropane	<4.2	ug/L	5.0	4.2	1		11/14/22 17:55	594-20-7	
1,1-Dichloropropene	<0.41	ug/L	1.0	0.41	1		11/14/22 17:55	563-58-6	
cis-1,3-Dichloropropene	<0.36	ug/L	1.0	0.36	1		11/14/22 17:55	10061-01-5	
trans-1,3-Dichloropropene	<3.5	ug/L	5.0	3.5	1		11/14/22 17:55	10061-02-6	
Diisopropyl ether	<1.1	ug/L	5.0	1.1	1		11/14/22 17:55	108-20-3	
Ethylbenzene	<0.33	ug/L	1.0	0.33	1		11/14/22 17:55	100-41-4	
Hexachloro-1,3-butadiene	<2.7	ug/L	5.0	2.7	1		11/14/22 17:55	87-68-3	
Isopropylbenzene (Cumene)	<1.0	ug/L	5.0	1.0	1		11/14/22 17:55	98-82-8	
p-Isopropyltoluene	<1.0	ug/L	5.0	1.0	1		11/14/22 17:55	99-87-6	
Methylene Chloride	<0.32	ug/L	5.0	0.32	1		11/14/22 17:55	75-09-2	
Methyl-tert-butyl ether	<1.1	ug/L	5.0	1.1	1		11/14/22 17:55	1634-04-4	
Naphthalene	<1.1	ug/L	5.0	1.1	1		11/14/22 17:55	91-20-3	
n-Propylbenzene	<0.35	ug/L	1.0	0.35	1		11/14/22 17:55	103-65-1	
Styrene	<0.36	ug/L	1.0	0.36	1		11/14/22 17:55	100-42-5	

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

### ANALYTICAL RESULTS

Project: 22W016 BETTER BRITE  
Pace Project No.: 40254542

**Sample: MW-108A\_202211**      **Lab ID: 40254542005**      Collected: 11/10/22 10:38      Received: 11/10/22 16:20      Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
<b>8260 MSV</b>									
Analytical Method: EPA 8260									
Pace Analytical Services - Green Bay									
1,1,1,2-Tetrachloroethane	<0.36	ug/L	1.0	0.36	1		11/14/22 17:55	630-20-6	
1,1,2,2-Tetrachloroethane	<0.38	ug/L	1.0	0.38	1		11/14/22 17:55	79-34-5	
Tetrachloroethene	<0.41	ug/L	1.0	0.41	1		11/14/22 17:55	127-18-4	
Toluene	<0.29	ug/L	1.0	0.29	1		11/14/22 17:55	108-88-3	
1,2,3-Trichlorobenzene	<1.0	ug/L	5.0	1.0	1		11/14/22 17:55	87-61-6	
1,2,4-Trichlorobenzene	<0.95	ug/L	5.0	0.95	1		11/14/22 17:55	120-82-1	
1,1,1-Trichloroethane	<0.30	ug/L	1.0	0.30	1		11/14/22 17:55	71-55-6	
1,1,2-Trichloroethane	<0.34	ug/L	5.0	0.34	1		11/14/22 17:55	79-00-5	
Trichloroethene	<0.32	ug/L	1.0	0.32	1		11/14/22 17:55	79-01-6	
Trichlorofluoromethane	<0.42	ug/L	1.0	0.42	1		11/14/22 17:55	75-69-4	
1,2,3-Trichloropropane	<0.56	ug/L	5.0	0.56	1		11/14/22 17:55	96-18-4	
1,2,4-Trimethylbenzene	<0.45	ug/L	1.0	0.45	1		11/14/22 17:55	95-63-6	
1,3,5-Trimethylbenzene	<0.36	ug/L	1.0	0.36	1		11/14/22 17:55	108-67-8	
Vinyl chloride	<0.17	ug/L	1.0	0.17	1		11/14/22 17:55	75-01-4	
m&p-Xylene	<0.70	ug/L	2.0	0.70	1		11/14/22 17:55	179601-23-1	
o-Xylene	<0.35	ug/L	1.0	0.35	1		11/14/22 17:55	95-47-6	
<b>Surrogates</b>									
4-Bromofluorobenzene (S)	109	%	70-130		1		11/14/22 17:55	460-00-4	
1,2-Dichlorobenzene-d4 (S)	100	%	70-130		1		11/14/22 17:55	2199-69-1	
Toluene-d8 (S)	105	%	70-130		1		11/14/22 17:55	2037-26-5	
<b>Chromium, Hexavalent</b>									
Analytical Method: SM 3500-Cr B									
Pace Analytical Services - Green Bay									
Chromium, Hexavalent	<0.18	mg/L	0.61	0.18	25		11/21/22 13:26		D3

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.



### ANALYTICAL RESULTS

Project: 22W016 BETTER BRITE

Pace Project No.: 40254542

Sample: MW-110\_202211 Lab ID: 40254542006 Collected: 11/10/22 12:14 Received: 11/10/22 16:20 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
<b>8260 MSV</b>									
Analytical Method: EPA 8260									
Pace Analytical Services - Green Bay									
Benzene	<0.30	ug/L	1.0	0.30	1		11/14/22 16:32	71-43-2	
Bromobenzene	<0.36	ug/L	1.0	0.36	1		11/14/22 16:32	108-86-1	
Bromochloromethane	<0.36	ug/L	5.0	0.36	1		11/14/22 16:32	74-97-5	
Bromodichloromethane	<0.42	ug/L	1.0	0.42	1		11/14/22 16:32	75-27-4	
Bromoform	<3.8	ug/L	5.0	3.8	1		11/14/22 16:32	75-25-2	
Bromomethane	<1.2	ug/L	5.0	1.2	1		11/14/22 16:32	74-83-9	
n-Butylbenzene	<0.86	ug/L	1.0	0.86	1		11/14/22 16:32	104-51-8	
sec-Butylbenzene	<0.42	ug/L	1.0	0.42	1		11/14/22 16:32	135-98-8	
tert-Butylbenzene	<0.59	ug/L	1.0	0.59	1		11/14/22 16:32	98-06-6	
Carbon tetrachloride	<0.37	ug/L	1.0	0.37	1		11/14/22 16:32	56-23-5	
Chlorobenzene	<0.86	ug/L	1.0	0.86	1		11/14/22 16:32	108-90-7	
Chloroethane	<1.4	ug/L	5.0	1.4	1		11/14/22 16:32	75-00-3	
Chloroform	<1.2	ug/L	5.0	1.2	1		11/14/22 16:32	67-66-3	
Chloromethane	<1.6	ug/L	5.0	1.6	1		11/14/22 16:32	74-87-3	
2-Chlorotoluene	<0.89	ug/L	5.0	0.89	1		11/14/22 16:32	95-49-8	
4-Chlorotoluene	<0.89	ug/L	5.0	0.89	1		11/14/22 16:32	106-43-4	
1,2-Dibromo-3-chloropropane	<2.4	ug/L	5.0	2.4	1		11/14/22 16:32	96-12-8	
Dibromochloromethane	<2.6	ug/L	5.0	2.6	1		11/14/22 16:32	124-48-1	
1,2-Dibromoethane (EDB)	<0.31	ug/L	1.0	0.31	1		11/14/22 16:32	106-93-4	
Dibromomethane	<0.99	ug/L	5.0	0.99	1		11/14/22 16:32	74-95-3	
1,2-Dichlorobenzene	<0.33	ug/L	1.0	0.33	1		11/14/22 16:32	95-50-1	
1,3-Dichlorobenzene	<0.35	ug/L	1.0	0.35	1		11/14/22 16:32	541-73-1	
1,4-Dichlorobenzene	<0.89	ug/L	1.0	0.89	1		11/14/22 16:32	106-46-7	
Dichlorodifluoromethane	<0.46	ug/L	5.0	0.46	1		11/14/22 16:32	75-71-8	
1,1-Dichloroethane	<0.30	ug/L	1.0	0.30	1		11/14/22 16:32	75-34-3	
1,2-Dichloroethane	<0.29	ug/L	1.0	0.29	1		11/14/22 16:32	107-06-2	
1,1-Dichloroethene	<0.58	ug/L	1.0	0.58	1		11/14/22 16:32	75-35-4	
cis-1,2-Dichloroethene	<0.47	ug/L	1.0	0.47	1		11/14/22 16:32	156-59-2	
trans-1,2-Dichloroethene	<0.53	ug/L	1.0	0.53	1		11/14/22 16:32	156-60-5	
1,2-Dichloropropane	<0.45	ug/L	1.0	0.45	1		11/14/22 16:32	78-87-5	L1
1,3-Dichloropropane	<0.30	ug/L	1.0	0.30	1		11/14/22 16:32	142-28-9	
2,2-Dichloropropane	<4.2	ug/L	5.0	4.2	1		11/14/22 16:32	594-20-7	
1,1-Dichloropropene	<0.41	ug/L	1.0	0.41	1		11/14/22 16:32	563-58-6	
cis-1,3-Dichloropropene	<0.36	ug/L	1.0	0.36	1		11/14/22 16:32	10061-01-5	
trans-1,3-Dichloropropene	<3.5	ug/L	5.0	3.5	1		11/14/22 16:32	10061-02-6	
Diisopropyl ether	<1.1	ug/L	5.0	1.1	1		11/14/22 16:32	108-20-3	
Ethylbenzene	<0.33	ug/L	1.0	0.33	1		11/14/22 16:32	100-41-4	
Hexachloro-1,3-butadiene	<2.7	ug/L	5.0	2.7	1		11/14/22 16:32	87-68-3	
Isopropylbenzene (Cumene)	<1.0	ug/L	5.0	1.0	1		11/14/22 16:32	98-82-8	
p-Isopropyltoluene	<1.0	ug/L	5.0	1.0	1		11/14/22 16:32	99-87-6	
Methylene Chloride	<0.32	ug/L	5.0	0.32	1		11/14/22 16:32	75-09-2	
Methyl-tert-butyl ether	<1.1	ug/L	5.0	1.1	1		11/14/22 16:32	1634-04-4	
Naphthalene	<1.1	ug/L	5.0	1.1	1		11/14/22 16:32	91-20-3	
n-Propylbenzene	<0.35	ug/L	1.0	0.35	1		11/14/22 16:32	103-65-1	
Styrene	<0.36	ug/L	1.0	0.36	1		11/14/22 16:32	100-42-5	

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

### ANALYTICAL RESULTS

Project: 22W016 BETTER BRITE  
Pace Project No.: 40254542

**Sample: MW-110\_202211**      **Lab ID: 40254542006**      Collected: 11/10/22 12:14      Received: 11/10/22 16:20      Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
<b>8260 MSV</b>									
Analytical Method: EPA 8260									
Pace Analytical Services - Green Bay									
1,1,1,2-Tetrachloroethane	<0.36	ug/L	1.0	0.36	1		11/14/22 16:32	630-20-6	
1,1,2,2-Tetrachloroethane	<0.38	ug/L	1.0	0.38	1		11/14/22 16:32	79-34-5	
Tetrachloroethene	<0.41	ug/L	1.0	0.41	1		11/14/22 16:32	127-18-4	
Toluene	<0.29	ug/L	1.0	0.29	1		11/14/22 16:32	108-88-3	
1,2,3-Trichlorobenzene	<1.0	ug/L	5.0	1.0	1		11/14/22 16:32	87-61-6	
1,2,4-Trichlorobenzene	<0.95	ug/L	5.0	0.95	1		11/14/22 16:32	120-82-1	
1,1,1-Trichloroethane	<0.30	ug/L	1.0	0.30	1		11/14/22 16:32	71-55-6	
1,1,2-Trichloroethane	<0.34	ug/L	5.0	0.34	1		11/14/22 16:32	79-00-5	
Trichloroethene	<0.32	ug/L	1.0	0.32	1		11/14/22 16:32	79-01-6	
Trichlorofluoromethane	<0.42	ug/L	1.0	0.42	1		11/14/22 16:32	75-69-4	
1,2,3-Trichloropropane	<0.56	ug/L	5.0	0.56	1		11/14/22 16:32	96-18-4	
1,2,4-Trimethylbenzene	<0.45	ug/L	1.0	0.45	1		11/14/22 16:32	95-63-6	
1,3,5-Trimethylbenzene	<0.36	ug/L	1.0	0.36	1		11/14/22 16:32	108-67-8	
Vinyl chloride	<0.17	ug/L	1.0	0.17	1		11/14/22 16:32	75-01-4	
m&p-Xylene	<0.70	ug/L	2.0	0.70	1		11/14/22 16:32	179601-23-1	
o-Xylene	<0.35	ug/L	1.0	0.35	1		11/14/22 16:32	95-47-6	
<b>Surrogates</b>									
4-Bromofluorobenzene (S)	108	%	70-130		1		11/14/22 16:32	460-00-4	
1,2-Dichlorobenzene-d4 (S)	102	%	70-130		1		11/14/22 16:32	2199-69-1	
Toluene-d8 (S)	107	%	70-130		1		11/14/22 16:32	2037-26-5	
<b>Chromium, Hexavalent</b>									
Analytical Method: SM 3500-Cr B									
Pace Analytical Services - Green Bay									
Chromium, Hexavalent	<0.18	mg/L	0.61	0.18	25		11/21/22 13:26		D3

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

### ANALYTICAL RESULTS

Project: 22W016 BETTER BRITE  
Pace Project No.: 40254542

**Sample: MW-110A\_202211**      **Lab ID: 40254542007**      Collected: 11/10/22 12:30      Received: 11/10/22 16:20      Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
<b>8260 MSV</b>									
Analytical Method: EPA 8260									
Pace Analytical Services - Green Bay									
Benzene	<0.30	ug/L	1.0	0.30	1		11/14/22 16:53	71-43-2	
Bromobenzene	<0.36	ug/L	1.0	0.36	1		11/14/22 16:53	108-86-1	
Bromochloromethane	<0.36	ug/L	5.0	0.36	1		11/14/22 16:53	74-97-5	
Bromodichloromethane	<0.42	ug/L	1.0	0.42	1		11/14/22 16:53	75-27-4	
Bromoform	<3.8	ug/L	5.0	3.8	1		11/14/22 16:53	75-25-2	
Bromomethane	<1.2	ug/L	5.0	1.2	1		11/14/22 16:53	74-83-9	
n-Butylbenzene	<0.86	ug/L	1.0	0.86	1		11/14/22 16:53	104-51-8	
sec-Butylbenzene	<0.42	ug/L	1.0	0.42	1		11/14/22 16:53	135-98-8	
tert-Butylbenzene	<0.59	ug/L	1.0	0.59	1		11/14/22 16:53	98-06-6	
Carbon tetrachloride	<0.37	ug/L	1.0	0.37	1		11/14/22 16:53	56-23-5	
Chlorobenzene	<0.86	ug/L	1.0	0.86	1		11/14/22 16:53	108-90-7	
Chloroethane	<1.4	ug/L	5.0	1.4	1		11/14/22 16:53	75-00-3	
Chloroform	<1.2	ug/L	5.0	1.2	1		11/14/22 16:53	67-66-3	
Chloromethane	<1.6	ug/L	5.0	1.6	1		11/14/22 16:53	74-87-3	
2-Chlorotoluene	<0.89	ug/L	5.0	0.89	1		11/14/22 16:53	95-49-8	
4-Chlorotoluene	<0.89	ug/L	5.0	0.89	1		11/14/22 16:53	106-43-4	
1,2-Dibromo-3-chloropropane	<2.4	ug/L	5.0	2.4	1		11/14/22 16:53	96-12-8	
Dibromochloromethane	<2.6	ug/L	5.0	2.6	1		11/14/22 16:53	124-48-1	
1,2-Dibromoethane (EDB)	<0.31	ug/L	1.0	0.31	1		11/14/22 16:53	106-93-4	
Dibromomethane	<0.99	ug/L	5.0	0.99	1		11/14/22 16:53	74-95-3	
1,2-Dichlorobenzene	<0.33	ug/L	1.0	0.33	1		11/14/22 16:53	95-50-1	
1,3-Dichlorobenzene	<0.35	ug/L	1.0	0.35	1		11/14/22 16:53	541-73-1	
1,4-Dichlorobenzene	<0.89	ug/L	1.0	0.89	1		11/14/22 16:53	106-46-7	
Dichlorodifluoromethane	<0.46	ug/L	5.0	0.46	1		11/14/22 16:53	75-71-8	
1,1-Dichloroethane	<0.30	ug/L	1.0	0.30	1		11/14/22 16:53	75-34-3	
1,2-Dichloroethane	<0.29	ug/L	1.0	0.29	1		11/14/22 16:53	107-06-2	
1,1-Dichloroethene	<0.58	ug/L	1.0	0.58	1		11/14/22 16:53	75-35-4	
cis-1,2-Dichloroethene	<0.47	ug/L	1.0	0.47	1		11/14/22 16:53	156-59-2	
trans-1,2-Dichloroethene	<0.53	ug/L	1.0	0.53	1		11/14/22 16:53	156-60-5	
1,2-Dichloropropane	<0.45	ug/L	1.0	0.45	1		11/14/22 16:53	78-87-5	L1
1,3-Dichloropropane	<0.30	ug/L	1.0	0.30	1		11/14/22 16:53	142-28-9	
2,2-Dichloropropane	<4.2	ug/L	5.0	4.2	1		11/14/22 16:53	594-20-7	
1,1-Dichloropropene	<0.41	ug/L	1.0	0.41	1		11/14/22 16:53	563-58-6	
cis-1,3-Dichloropropene	<0.36	ug/L	1.0	0.36	1		11/14/22 16:53	10061-01-5	
trans-1,3-Dichloropropene	<3.5	ug/L	5.0	3.5	1		11/14/22 16:53	10061-02-6	
Diisopropyl ether	<1.1	ug/L	5.0	1.1	1		11/14/22 16:53	108-20-3	
Ethylbenzene	<0.33	ug/L	1.0	0.33	1		11/14/22 16:53	100-41-4	
Hexachloro-1,3-butadiene	<2.7	ug/L	5.0	2.7	1		11/14/22 16:53	87-68-3	
Isopropylbenzene (Cumene)	<1.0	ug/L	5.0	1.0	1		11/14/22 16:53	98-82-8	
p-Isopropyltoluene	<1.0	ug/L	5.0	1.0	1		11/14/22 16:53	99-87-6	
Methylene Chloride	<0.32	ug/L	5.0	0.32	1		11/14/22 16:53	75-09-2	
Methyl-tert-butyl ether	<1.1	ug/L	5.0	1.1	1		11/14/22 16:53	1634-04-4	
Naphthalene	<1.1	ug/L	5.0	1.1	1		11/14/22 16:53	91-20-3	
n-Propylbenzene	<0.35	ug/L	1.0	0.35	1		11/14/22 16:53	103-65-1	
Styrene	<0.36	ug/L	1.0	0.36	1		11/14/22 16:53	100-42-5	

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

## ANALYTICAL RESULTS

Project: 22W016 BETTER BRITE

Pace Project No.: 40254542

**Sample: MW-110A\_202211**      **Lab ID: 40254542007**      Collected: 11/10/22 12:30      Received: 11/10/22 16:20      Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
<b>8260 MSV</b>									
Analytical Method: EPA 8260									
Pace Analytical Services - Green Bay									
1,1,1,2-Tetrachloroethane	<0.36	ug/L	1.0	0.36	1		11/14/22 16:53	630-20-6	
1,1,2,2-Tetrachloroethane	<0.38	ug/L	1.0	0.38	1		11/14/22 16:53	79-34-5	
Tetrachloroethene	<0.41	ug/L	1.0	0.41	1		11/14/22 16:53	127-18-4	
Toluene	<0.29	ug/L	1.0	0.29	1		11/14/22 16:53	108-88-3	
1,2,3-Trichlorobenzene	<1.0	ug/L	5.0	1.0	1		11/14/22 16:53	87-61-6	
1,2,4-Trichlorobenzene	<0.95	ug/L	5.0	0.95	1		11/14/22 16:53	120-82-1	
1,1,1-Trichloroethane	<0.30	ug/L	1.0	0.30	1		11/14/22 16:53	71-55-6	
1,1,2-Trichloroethane	<0.34	ug/L	5.0	0.34	1		11/14/22 16:53	79-00-5	
Trichloroethene	<0.32	ug/L	1.0	0.32	1		11/14/22 16:53	79-01-6	
Trichlorofluoromethane	<0.42	ug/L	1.0	0.42	1		11/14/22 16:53	75-69-4	
1,2,3-Trichloropropane	<0.56	ug/L	5.0	0.56	1		11/14/22 16:53	96-18-4	
1,2,4-Trimethylbenzene	<0.45	ug/L	1.0	0.45	1		11/14/22 16:53	95-63-6	
1,3,5-Trimethylbenzene	<0.36	ug/L	1.0	0.36	1		11/14/22 16:53	108-67-8	
Vinyl chloride	<0.17	ug/L	1.0	0.17	1		11/14/22 16:53	75-01-4	
m&p-Xylene	<0.70	ug/L	2.0	0.70	1		11/14/22 16:53	179601-23-1	
o-Xylene	<0.35	ug/L	1.0	0.35	1		11/14/22 16:53	95-47-6	
<b>Surrogates</b>									
4-Bromofluorobenzene (S)	111	%	70-130		1		11/14/22 16:53	460-00-4	
1,2-Dichlorobenzene-d4 (S)	105	%	70-130		1		11/14/22 16:53	2199-69-1	
Toluene-d8 (S)	106	%	70-130		1		11/14/22 16:53	2037-26-5	
<b>Chromium, Hexavalent</b>									
Analytical Method: SM 3500-Cr B									
Pace Analytical Services - Green Bay									
Chromium, Hexavalent	<0.37	mg/L	1.2	0.37	50		11/21/22 13:27		D3

## REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

### ANALYTICAL RESULTS

Project: 22W016 BETTER BRITE  
Pace Project No.: 40254542

Sample: MW-111\_202211 Lab ID: 40254542008 Collected: 11/10/22 11:01 Received: 11/10/22 16:20 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
<b>8260 MSV</b>									
Analytical Method: EPA 8260									
Pace Analytical Services - Green Bay									
Benzene	<0.30	ug/L	1.0	0.30	1		11/14/22 17:13	71-43-2	
Bromobenzene	<0.36	ug/L	1.0	0.36	1		11/14/22 17:13	108-86-1	
Bromochloromethane	<0.36	ug/L	5.0	0.36	1		11/14/22 17:13	74-97-5	
Bromodichloromethane	<0.42	ug/L	1.0	0.42	1		11/14/22 17:13	75-27-4	
Bromoform	<3.8	ug/L	5.0	3.8	1		11/14/22 17:13	75-25-2	
Bromomethane	<1.2	ug/L	5.0	1.2	1		11/14/22 17:13	74-83-9	
n-Butylbenzene	<0.86	ug/L	1.0	0.86	1		11/14/22 17:13	104-51-8	
sec-Butylbenzene	<0.42	ug/L	1.0	0.42	1		11/14/22 17:13	135-98-8	
tert-Butylbenzene	<0.59	ug/L	1.0	0.59	1		11/14/22 17:13	98-06-6	
Carbon tetrachloride	<0.37	ug/L	1.0	0.37	1		11/14/22 17:13	56-23-5	
Chlorobenzene	<0.86	ug/L	1.0	0.86	1		11/14/22 17:13	108-90-7	
Chloroethane	<1.4	ug/L	5.0	1.4	1		11/14/22 17:13	75-00-3	
Chloroform	<1.2	ug/L	5.0	1.2	1		11/14/22 17:13	67-66-3	
Chloromethane	<1.6	ug/L	5.0	1.6	1		11/14/22 17:13	74-87-3	
2-Chlorotoluene	<0.89	ug/L	5.0	0.89	1		11/14/22 17:13	95-49-8	
4-Chlorotoluene	<0.89	ug/L	5.0	0.89	1		11/14/22 17:13	106-43-4	
1,2-Dibromo-3-chloropropane	<2.4	ug/L	5.0	2.4	1		11/14/22 17:13	96-12-8	
Dibromochloromethane	<2.6	ug/L	5.0	2.6	1		11/14/22 17:13	124-48-1	
1,2-Dibromoethane (EDB)	<0.31	ug/L	1.0	0.31	1		11/14/22 17:13	106-93-4	
Dibromomethane	<0.99	ug/L	5.0	0.99	1		11/14/22 17:13	74-95-3	
1,2-Dichlorobenzene	<0.33	ug/L	1.0	0.33	1		11/14/22 17:13	95-50-1	
1,3-Dichlorobenzene	<0.35	ug/L	1.0	0.35	1		11/14/22 17:13	541-73-1	
1,4-Dichlorobenzene	<0.89	ug/L	1.0	0.89	1		11/14/22 17:13	106-46-7	
Dichlorodifluoromethane	<0.46	ug/L	5.0	0.46	1		11/14/22 17:13	75-71-8	
1,1-Dichloroethane	<0.30	ug/L	1.0	0.30	1		11/14/22 17:13	75-34-3	
1,2-Dichloroethane	<0.29	ug/L	1.0	0.29	1		11/14/22 17:13	107-06-2	
1,1-Dichloroethene	<0.58	ug/L	1.0	0.58	1		11/14/22 17:13	75-35-4	
cis-1,2-Dichloroethene	<0.47	ug/L	1.0	0.47	1		11/14/22 17:13	156-59-2	
trans-1,2-Dichloroethene	<0.53	ug/L	1.0	0.53	1		11/14/22 17:13	156-60-5	
1,2-Dichloropropane	<0.45	ug/L	1.0	0.45	1		11/14/22 17:13	78-87-5	L1
1,3-Dichloropropane	<0.30	ug/L	1.0	0.30	1		11/14/22 17:13	142-28-9	
2,2-Dichloropropane	<4.2	ug/L	5.0	4.2	1		11/14/22 17:13	594-20-7	
1,1-Dichloropropene	<0.41	ug/L	1.0	0.41	1		11/14/22 17:13	563-58-6	
cis-1,3-Dichloropropene	<0.36	ug/L	1.0	0.36	1		11/14/22 17:13	10061-01-5	
trans-1,3-Dichloropropene	<3.5	ug/L	5.0	3.5	1		11/14/22 17:13	10061-02-6	
Diisopropyl ether	<1.1	ug/L	5.0	1.1	1		11/14/22 17:13	108-20-3	
Ethylbenzene	<0.33	ug/L	1.0	0.33	1		11/14/22 17:13	100-41-4	
Hexachloro-1,3-butadiene	<2.7	ug/L	5.0	2.7	1		11/14/22 17:13	87-68-3	
Isopropylbenzene (Cumene)	<1.0	ug/L	5.0	1.0	1		11/14/22 17:13	98-82-8	
p-Isopropyltoluene	<1.0	ug/L	5.0	1.0	1		11/14/22 17:13	99-87-6	
Methylene Chloride	<0.32	ug/L	5.0	0.32	1		11/14/22 17:13	75-09-2	
Methyl-tert-butyl ether	<1.1	ug/L	5.0	1.1	1		11/14/22 17:13	1634-04-4	
Naphthalene	<1.1	ug/L	5.0	1.1	1		11/14/22 17:13	91-20-3	
n-Propylbenzene	<0.35	ug/L	1.0	0.35	1		11/14/22 17:13	103-65-1	
Styrene	<0.36	ug/L	1.0	0.36	1		11/14/22 17:13	100-42-5	

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

### ANALYTICAL RESULTS

Project: 22W016 BETTER BRITE  
Pace Project No.: 40254542

**Sample: MW-111\_202211**      **Lab ID: 40254542008**      Collected: 11/10/22 11:01      Received: 11/10/22 16:20      Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
<b>8260 MSV</b>									
Analytical Method: EPA 8260									
Pace Analytical Services - Green Bay									
1,1,1,2-Tetrachloroethane	<0.36	ug/L	1.0	0.36	1		11/14/22 17:13	630-20-6	
1,1,2,2-Tetrachloroethane	<0.38	ug/L	1.0	0.38	1		11/14/22 17:13	79-34-5	
Tetrachloroethene	<0.41	ug/L	1.0	0.41	1		11/14/22 17:13	127-18-4	
Toluene	<0.29	ug/L	1.0	0.29	1		11/14/22 17:13	108-88-3	
1,2,3-Trichlorobenzene	<1.0	ug/L	5.0	1.0	1		11/14/22 17:13	87-61-6	
1,2,4-Trichlorobenzene	<0.95	ug/L	5.0	0.95	1		11/14/22 17:13	120-82-1	
1,1,1-Trichloroethane	<0.30	ug/L	1.0	0.30	1		11/14/22 17:13	71-55-6	
1,1,2-Trichloroethane	<0.34	ug/L	5.0	0.34	1		11/14/22 17:13	79-00-5	
Trichloroethene	<0.32	ug/L	1.0	0.32	1		11/14/22 17:13	79-01-6	
Trichlorofluoromethane	<0.42	ug/L	1.0	0.42	1		11/14/22 17:13	75-69-4	
1,2,3-Trichloropropane	<0.56	ug/L	5.0	0.56	1		11/14/22 17:13	96-18-4	
1,2,4-Trimethylbenzene	<0.45	ug/L	1.0	0.45	1		11/14/22 17:13	95-63-6	
1,3,5-Trimethylbenzene	<0.36	ug/L	1.0	0.36	1		11/14/22 17:13	108-67-8	
Vinyl chloride	<0.17	ug/L	1.0	0.17	1		11/14/22 17:13	75-01-4	
m&p-Xylene	<0.70	ug/L	2.0	0.70	1		11/14/22 17:13	179601-23-1	
o-Xylene	<0.35	ug/L	1.0	0.35	1		11/14/22 17:13	95-47-6	
<b>Surrogates</b>									
4-Bromofluorobenzene (S)	109	%	70-130		1		11/14/22 17:13	460-00-4	
1,2-Dichlorobenzene-d4 (S)	103	%	70-130		1		11/14/22 17:13	2199-69-1	
Toluene-d8 (S)	103	%	70-130		1		11/14/22 17:13	2037-26-5	
<b>Chromium, Hexavalent</b>									
Analytical Method: SM 3500-Cr B									
Pace Analytical Services - Green Bay									
Chromium, Hexavalent	<1.8	mg/L	6.1	1.8	250		11/21/22 13:27		D3

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.



## ANALYTICAL RESULTS

Project: 22W016 BETTER BRITE

Pace Project No.: 40254542

Sample: MW-112\_202211 Lab ID: 40254542009 Collected: 11/10/22 13:01 Received: 11/10/22 16:20 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
<b>8260 MSV</b>									
Analytical Method: EPA 8260									
Pace Analytical Services - Green Bay									
Benzene	<0.30	ug/L	1.0	0.30	1		11/16/22 14:11	71-43-2	
Bromobenzene	<0.36	ug/L	1.0	0.36	1		11/16/22 14:11	108-86-1	
Bromochloromethane	<0.36	ug/L	5.0	0.36	1		11/16/22 14:11	74-97-5	
Bromodichloromethane	<0.42	ug/L	1.0	0.42	1		11/16/22 14:11	75-27-4	
Bromoform	<3.8	ug/L	5.0	3.8	1		11/16/22 14:11	75-25-2	
Bromomethane	<1.2	ug/L	5.0	1.2	1		11/16/22 14:11	74-83-9	
n-Butylbenzene	<0.86	ug/L	1.0	0.86	1		11/16/22 14:11	104-51-8	
sec-Butylbenzene	<0.42	ug/L	1.0	0.42	1		11/16/22 14:11	135-98-8	
tert-Butylbenzene	<0.59	ug/L	1.0	0.59	1		11/16/22 14:11	98-06-6	
Carbon tetrachloride	<0.37	ug/L	1.0	0.37	1		11/16/22 14:11	56-23-5	
Chlorobenzene	<0.86	ug/L	1.0	0.86	1		11/16/22 14:11	108-90-7	
Chloroethane	<1.4	ug/L	5.0	1.4	1		11/16/22 14:11	75-00-3	
Chloroform	<1.2	ug/L	5.0	1.2	1		11/16/22 14:11	67-66-3	
Chloromethane	<1.6	ug/L	5.0	1.6	1		11/16/22 14:11	74-87-3	L1
2-Chlorotoluene	<0.89	ug/L	5.0	0.89	1		11/16/22 14:11	95-49-8	
4-Chlorotoluene	<0.89	ug/L	5.0	0.89	1		11/16/22 14:11	106-43-4	
1,2-Dibromo-3-chloropropane	<2.4	ug/L	5.0	2.4	1		11/16/22 14:11	96-12-8	
Dibromochloromethane	<2.6	ug/L	5.0	2.6	1		11/16/22 14:11	124-48-1	
1,2-Dibromoethane (EDB)	<0.31	ug/L	1.0	0.31	1		11/16/22 14:11	106-93-4	
Dibromomethane	<0.99	ug/L	5.0	0.99	1		11/16/22 14:11	74-95-3	
1,2-Dichlorobenzene	<0.33	ug/L	1.0	0.33	1		11/16/22 14:11	95-50-1	
1,3-Dichlorobenzene	<0.35	ug/L	1.0	0.35	1		11/16/22 14:11	541-73-1	
1,4-Dichlorobenzene	<0.89	ug/L	1.0	0.89	1		11/16/22 14:11	106-46-7	
Dichlorodifluoromethane	<0.46	ug/L	5.0	0.46	1		11/16/22 14:11	75-71-8	L1
1,1-Dichloroethane	<0.30	ug/L	1.0	0.30	1		11/16/22 14:11	75-34-3	
1,2-Dichloroethane	<0.29	ug/L	1.0	0.29	1		11/16/22 14:11	107-06-2	
1,1-Dichloroethene	<0.58	ug/L	1.0	0.58	1		11/16/22 14:11	75-35-4	
cis-1,2-Dichloroethene	<0.47	ug/L	1.0	0.47	1		11/16/22 14:11	156-59-2	
trans-1,2-Dichloroethene	<0.53	ug/L	1.0	0.53	1		11/16/22 14:11	156-60-5	
1,2-Dichloropropane	<0.45	ug/L	1.0	0.45	1		11/16/22 14:11	78-87-5	
1,3-Dichloropropane	<0.30	ug/L	1.0	0.30	1		11/16/22 14:11	142-28-9	
2,2-Dichloropropane	<4.2	ug/L	5.0	4.2	1		11/16/22 14:11	594-20-7	
1,1-Dichloropropene	<0.41	ug/L	1.0	0.41	1		11/16/22 14:11	563-58-6	
cis-1,3-Dichloropropene	<0.36	ug/L	1.0	0.36	1		11/16/22 14:11	10061-01-5	
trans-1,3-Dichloropropene	<3.5	ug/L	5.0	3.5	1		11/16/22 14:11	10061-02-6	
Diisopropyl ether	<1.1	ug/L	5.0	1.1	1		11/16/22 14:11	108-20-3	
Ethylbenzene	<0.33	ug/L	1.0	0.33	1		11/16/22 14:11	100-41-4	
Hexachloro-1,3-butadiene	<2.7	ug/L	5.0	2.7	1		11/16/22 14:11	87-68-3	
Isopropylbenzene (Cumene)	<1.0	ug/L	5.0	1.0	1		11/16/22 14:11	98-82-8	
p-Isopropyltoluene	<1.0	ug/L	5.0	1.0	1		11/16/22 14:11	99-87-6	
Methylene Chloride	<0.32	ug/L	5.0	0.32	1		11/16/22 14:11	75-09-2	
Methyl-tert-butyl ether	<1.1	ug/L	5.0	1.1	1		11/16/22 14:11	1634-04-4	
Naphthalene	<1.1	ug/L	5.0	1.1	1		11/16/22 14:11	91-20-3	
n-Propylbenzene	<0.35	ug/L	1.0	0.35	1		11/16/22 14:11	103-65-1	
Styrene	<0.36	ug/L	1.0	0.36	1		11/16/22 14:11	100-42-5	

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

### ANALYTICAL RESULTS

Project: 22W016 BETTER BRITE

Pace Project No.: 40254542

**Sample: MW-112\_202211**      **Lab ID: 40254542009**      Collected: 11/10/22 13:01      Received: 11/10/22 16:20      Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
<b>8260 MSV</b>									
Analytical Method: EPA 8260									
Pace Analytical Services - Green Bay									
1,1,1,2-Tetrachloroethane	<0.36	ug/L	1.0	0.36	1		11/16/22 14:11	630-20-6	
1,1,1,2-Tetrachloroethane	<0.38	ug/L	1.0	0.38	1		11/16/22 14:11	79-34-5	
Tetrachloroethene	<0.41	ug/L	1.0	0.41	1		11/16/22 14:11	127-18-4	
Toluene	<0.29	ug/L	1.0	0.29	1		11/16/22 14:11	108-88-3	
1,2,3-Trichlorobenzene	<1.0	ug/L	5.0	1.0	1		11/16/22 14:11	87-61-6	
1,2,4-Trichlorobenzene	<0.95	ug/L	5.0	0.95	1		11/16/22 14:11	120-82-1	
1,1,1-Trichloroethane	<0.30	ug/L	1.0	0.30	1		11/16/22 14:11	71-55-6	
1,1,2-Trichloroethane	<0.34	ug/L	5.0	0.34	1		11/16/22 14:11	79-00-5	
Trichloroethene	<0.32	ug/L	1.0	0.32	1		11/16/22 14:11	79-01-6	
Trichlorofluoromethane	<0.42	ug/L	1.0	0.42	1		11/16/22 14:11	75-69-4	
1,2,3-Trichloropropane	<0.56	ug/L	5.0	0.56	1		11/16/22 14:11	96-18-4	
1,2,4-Trimethylbenzene	<0.45	ug/L	1.0	0.45	1		11/16/22 14:11	95-63-6	
1,3,5-Trimethylbenzene	<0.36	ug/L	1.0	0.36	1		11/16/22 14:11	108-67-8	
Vinyl chloride	<0.17	ug/L	1.0	0.17	1		11/16/22 14:11	75-01-4	
m&p-Xylene	<0.70	ug/L	2.0	0.70	1		11/16/22 14:11	179601-23-1	
o-Xylene	<0.35	ug/L	1.0	0.35	1		11/16/22 14:11	95-47-6	
<b>Surrogates</b>									
4-Bromofluorobenzene (S)	100	%	70-130		1		11/16/22 14:11	460-00-4	
1,2-Dichlorobenzene-d4 (S)	102	%	70-130		1		11/16/22 14:11	2199-69-1	
Toluene-d8 (S)	96	%	70-130		1		11/16/22 14:11	2037-26-5	
<b>Chromium, Hexavalent</b>									
Analytical Method: SM 3500-Cr B									
Pace Analytical Services - Green Bay									
Chromium, Hexavalent	<0.18	mg/L	0.61	0.18	25		11/21/22 13:27		D3

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

### ANALYTICAL RESULTS

Project: 22W016 BETTER BRITE  
Pace Project No.: 40254542

Sample: MW-113\_202211 Lab ID: 40254542010 Collected: 11/10/22 14:20 Received: 11/10/22 16:20 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
<b>8260 MSV</b>									
Analytical Method: EPA 8260									
Pace Analytical Services - Green Bay									
Benzene	<0.30	ug/L	1.0	0.30	1		11/14/22 17:34	71-43-2	
Bromobenzene	<0.36	ug/L	1.0	0.36	1		11/14/22 17:34	108-86-1	
Bromochloromethane	<0.36	ug/L	5.0	0.36	1		11/14/22 17:34	74-97-5	
Bromodichloromethane	<0.42	ug/L	1.0	0.42	1		11/14/22 17:34	75-27-4	
Bromoform	<3.8	ug/L	5.0	3.8	1		11/14/22 17:34	75-25-2	
Bromomethane	<1.2	ug/L	5.0	1.2	1		11/14/22 17:34	74-83-9	
n-Butylbenzene	<0.86	ug/L	1.0	0.86	1		11/14/22 17:34	104-51-8	
sec-Butylbenzene	<0.42	ug/L	1.0	0.42	1		11/14/22 17:34	135-98-8	
tert-Butylbenzene	<0.59	ug/L	1.0	0.59	1		11/14/22 17:34	98-06-6	
Carbon tetrachloride	<0.37	ug/L	1.0	0.37	1		11/14/22 17:34	56-23-5	
Chlorobenzene	<0.86	ug/L	1.0	0.86	1		11/14/22 17:34	108-90-7	
Chloroethane	<1.4	ug/L	5.0	1.4	1		11/14/22 17:34	75-00-3	
Chloroform	<1.2	ug/L	5.0	1.2	1		11/14/22 17:34	67-66-3	
Chloromethane	<1.6	ug/L	5.0	1.6	1		11/14/22 17:34	74-87-3	
2-Chlorotoluene	<0.89	ug/L	5.0	0.89	1		11/14/22 17:34	95-49-8	
4-Chlorotoluene	<0.89	ug/L	5.0	0.89	1		11/14/22 17:34	106-43-4	
1,2-Dibromo-3-chloropropane	<2.4	ug/L	5.0	2.4	1		11/14/22 17:34	96-12-8	
Dibromochloromethane	<2.6	ug/L	5.0	2.6	1		11/14/22 17:34	124-48-1	
1,2-Dibromoethane (EDB)	<0.31	ug/L	1.0	0.31	1		11/14/22 17:34	106-93-4	
Dibromomethane	<0.99	ug/L	5.0	0.99	1		11/14/22 17:34	74-95-3	
1,2-Dichlorobenzene	<0.33	ug/L	1.0	0.33	1		11/14/22 17:34	95-50-1	
1,3-Dichlorobenzene	<0.35	ug/L	1.0	0.35	1		11/14/22 17:34	541-73-1	
1,4-Dichlorobenzene	<0.89	ug/L	1.0	0.89	1		11/14/22 17:34	106-46-7	
Dichlorodifluoromethane	<0.46	ug/L	5.0	0.46	1		11/14/22 17:34	75-71-8	
1,1-Dichloroethane	<0.30	ug/L	1.0	0.30	1		11/14/22 17:34	75-34-3	
1,2-Dichloroethane	<0.29	ug/L	1.0	0.29	1		11/14/22 17:34	107-06-2	
1,1-Dichloroethene	<0.58	ug/L	1.0	0.58	1		11/14/22 17:34	75-35-4	
cis-1,2-Dichloroethene	<0.47	ug/L	1.0	0.47	1		11/14/22 17:34	156-59-2	
trans-1,2-Dichloroethene	<0.53	ug/L	1.0	0.53	1		11/14/22 17:34	156-60-5	
1,2-Dichloropropane	<0.45	ug/L	1.0	0.45	1		11/14/22 17:34	78-87-5	L1
1,3-Dichloropropane	<0.30	ug/L	1.0	0.30	1		11/14/22 17:34	142-28-9	
2,2-Dichloropropane	<4.2	ug/L	5.0	4.2	1		11/14/22 17:34	594-20-7	
1,1-Dichloropropene	<0.41	ug/L	1.0	0.41	1		11/14/22 17:34	563-58-6	
cis-1,3-Dichloropropene	<0.36	ug/L	1.0	0.36	1		11/14/22 17:34	10061-01-5	
trans-1,3-Dichloropropene	<3.5	ug/L	5.0	3.5	1		11/14/22 17:34	10061-02-6	
Diisopropyl ether	<1.1	ug/L	5.0	1.1	1		11/14/22 17:34	108-20-3	
Ethylbenzene	<0.33	ug/L	1.0	0.33	1		11/14/22 17:34	100-41-4	
Hexachloro-1,3-butadiene	<2.7	ug/L	5.0	2.7	1		11/14/22 17:34	87-68-3	
Isopropylbenzene (Cumene)	<1.0	ug/L	5.0	1.0	1		11/14/22 17:34	98-82-8	
p-Isopropyltoluene	<1.0	ug/L	5.0	1.0	1		11/14/22 17:34	99-87-6	
Methylene Chloride	<0.32	ug/L	5.0	0.32	1		11/14/22 17:34	75-09-2	
Methyl-tert-butyl ether	<1.1	ug/L	5.0	1.1	1		11/14/22 17:34	1634-04-4	
Naphthalene	<1.1	ug/L	5.0	1.1	1		11/14/22 17:34	91-20-3	
n-Propylbenzene	<0.35	ug/L	1.0	0.35	1		11/14/22 17:34	103-65-1	
Styrene	<0.36	ug/L	1.0	0.36	1		11/14/22 17:34	100-42-5	

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

### ANALYTICAL RESULTS

Project: 22W016 BETTER BRITE

Pace Project No.: 40254542

**Sample: MW-113\_202211**      **Lab ID: 40254542010**      Collected: 11/10/22 14:20      Received: 11/10/22 16:20      Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
<b>8260 MSV</b>									
Analytical Method: EPA 8260									
Pace Analytical Services - Green Bay									
1,1,1,2-Tetrachloroethane	<0.36	ug/L	1.0	0.36	1		11/14/22 17:34	630-20-6	
1,1,2,2-Tetrachloroethane	<0.38	ug/L	1.0	0.38	1		11/14/22 17:34	79-34-5	
Tetrachloroethene	<0.41	ug/L	1.0	0.41	1		11/14/22 17:34	127-18-4	
Toluene	<0.29	ug/L	1.0	0.29	1		11/14/22 17:34	108-88-3	
1,2,3-Trichlorobenzene	<1.0	ug/L	5.0	1.0	1		11/14/22 17:34	87-61-6	
1,2,4-Trichlorobenzene	<0.95	ug/L	5.0	0.95	1		11/14/22 17:34	120-82-1	
1,1,1-Trichloroethane	<0.30	ug/L	1.0	0.30	1		11/14/22 17:34	71-55-6	
1,1,2-Trichloroethane	<0.34	ug/L	5.0	0.34	1		11/14/22 17:34	79-00-5	
Trichloroethene	<0.32	ug/L	1.0	0.32	1		11/14/22 17:34	79-01-6	
Trichlorofluoromethane	<0.42	ug/L	1.0	0.42	1		11/14/22 17:34	75-69-4	
1,2,3-Trichloropropane	<0.56	ug/L	5.0	0.56	1		11/14/22 17:34	96-18-4	
1,2,4-Trimethylbenzene	<0.45	ug/L	1.0	0.45	1		11/14/22 17:34	95-63-6	
1,3,5-Trimethylbenzene	<0.36	ug/L	1.0	0.36	1		11/14/22 17:34	108-67-8	
Vinyl chloride	<0.17	ug/L	1.0	0.17	1		11/14/22 17:34	75-01-4	
m&p-Xylene	<0.70	ug/L	2.0	0.70	1		11/14/22 17:34	179601-23-1	
o-Xylene	<0.35	ug/L	1.0	0.35	1		11/14/22 17:34	95-47-6	
<b>Surrogates</b>									
4-Bromofluorobenzene (S)	107	%	70-130		1		11/14/22 17:34	460-00-4	
1,2-Dichlorobenzene-d4 (S)	102	%	70-130		1		11/14/22 17:34	2199-69-1	
Toluene-d8 (S)	104	%	70-130		1		11/14/22 17:34	2037-26-5	
<b>Chromium, Hexavalent</b>									
Analytical Method: SM 3500-Cr B									
Pace Analytical Services - Green Bay									
Chromium, Hexavalent	<0.18	mg/L	0.61	0.18	25		11/21/22 13:29		D3

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

### ANALYTICAL RESULTS

Project: 22W016 BETTER BRITE

Pace Project No.: 40254542

Sample: MW-115\_202211 Lab ID: 40254542011 Collected: 11/10/22 11:35 Received: 11/10/22 16:20 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
<b>6010D MET ICP</b>									
Analytical Method: EPA 6010D Preparation Method: EPA 3010A									
Pace Analytical Services - Green Bay									
Iron	21000	ug/L	100	56.7	1	11/17/22 05:54	11/18/22 00:47	7439-89-6	
<b>8260 MSV</b>									
Analytical Method: EPA 8260									
Pace Analytical Services - Green Bay									
Benzene	<0.30	ug/L	1.0	0.30	1		11/14/22 12:44	71-43-2	
Bromobenzene	<0.36	ug/L	1.0	0.36	1		11/14/22 12:44	108-86-1	
Bromochloromethane	<0.36	ug/L	5.0	0.36	1		11/14/22 12:44	74-97-5	
Bromodichloromethane	<0.42	ug/L	1.0	0.42	1		11/14/22 12:44	75-27-4	
Bromoform	<3.8	ug/L	5.0	3.8	1		11/14/22 12:44	75-25-2	
Bromomethane	<1.2	ug/L	5.0	1.2	1		11/14/22 12:44	74-83-9	
n-Butylbenzene	<0.86	ug/L	1.0	0.86	1		11/14/22 12:44	104-51-8	
sec-Butylbenzene	<0.42	ug/L	1.0	0.42	1		11/14/22 12:44	135-98-8	
tert-Butylbenzene	<0.59	ug/L	1.0	0.59	1		11/14/22 12:44	98-06-6	
Carbon tetrachloride	<0.37	ug/L	1.0	0.37	1		11/14/22 12:44	56-23-5	
Chlorobenzene	<0.86	ug/L	1.0	0.86	1		11/14/22 12:44	108-90-7	
Chloroethane	<1.4	ug/L	5.0	1.4	1		11/14/22 12:44	75-00-3	
Chloroform	<1.2	ug/L	5.0	1.2	1		11/14/22 12:44	67-66-3	
Chloromethane	<1.6	ug/L	5.0	1.6	1		11/14/22 12:44	74-87-3	
2-Chlorotoluene	<0.89	ug/L	5.0	0.89	1		11/14/22 12:44	95-49-8	
4-Chlorotoluene	<0.89	ug/L	5.0	0.89	1		11/14/22 12:44	106-43-4	
1,2-Dibromo-3-chloropropane	<2.4	ug/L	5.0	2.4	1		11/14/22 12:44	96-12-8	
Dibromochloromethane	<2.6	ug/L	5.0	2.6	1		11/14/22 12:44	124-48-1	
1,2-Dibromoethane (EDB)	<0.31	ug/L	1.0	0.31	1		11/14/22 12:44	106-93-4	
Dibromomethane	<0.99	ug/L	5.0	0.99	1		11/14/22 12:44	74-95-3	
1,2-Dichlorobenzene	<0.33	ug/L	1.0	0.33	1		11/14/22 12:44	95-50-1	
1,3-Dichlorobenzene	<0.35	ug/L	1.0	0.35	1		11/14/22 12:44	541-73-1	
1,4-Dichlorobenzene	<0.89	ug/L	1.0	0.89	1		11/14/22 12:44	106-46-7	
Dichlorodifluoromethane	<0.46	ug/L	5.0	0.46	1		11/14/22 12:44	75-71-8	
1,1-Dichloroethane	<0.30	ug/L	1.0	0.30	1		11/14/22 12:44	75-34-3	
1,2-Dichloroethane	<0.29	ug/L	1.0	0.29	1		11/14/22 12:44	107-06-2	
1,1-Dichloroethene	<0.58	ug/L	1.0	0.58	1		11/14/22 12:44	75-35-4	
cis-1,2-Dichloroethene	<0.47	ug/L	1.0	0.47	1		11/14/22 12:44	156-59-2	
trans-1,2-Dichloroethene	<0.53	ug/L	1.0	0.53	1		11/14/22 12:44	156-60-5	
1,2-Dichloropropane	<0.45	ug/L	1.0	0.45	1		11/14/22 12:44	78-87-5	L1
1,3-Dichloropropane	<0.30	ug/L	1.0	0.30	1		11/14/22 12:44	142-28-9	
2,2-Dichloropropane	<4.2	ug/L	5.0	4.2	1		11/14/22 12:44	594-20-7	
1,1-Dichloropropene	<0.41	ug/L	1.0	0.41	1		11/14/22 12:44	563-58-6	
cis-1,3-Dichloropropene	<0.36	ug/L	1.0	0.36	1		11/14/22 12:44	10061-01-5	
trans-1,3-Dichloropropene	<3.5	ug/L	5.0	3.5	1		11/14/22 12:44	10061-02-6	
Diisopropyl ether	<1.1	ug/L	5.0	1.1	1		11/14/22 12:44	108-20-3	
Ethylbenzene	<0.33	ug/L	1.0	0.33	1		11/14/22 12:44	100-41-4	
Hexachloro-1,3-butadiene	<2.7	ug/L	5.0	2.7	1		11/14/22 12:44	87-68-3	
Isopropylbenzene (Cumene)	<1.0	ug/L	5.0	1.0	1		11/14/22 12:44	98-82-8	
p-Isopropyltoluene	<1.0	ug/L	5.0	1.0	1		11/14/22 12:44	99-87-6	
Methylene Chloride	<0.32	ug/L	5.0	0.32	1		11/14/22 12:44	75-09-2	

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

### ANALYTICAL RESULTS

Project: 22W016 BETTER BRITE  
Pace Project No.: 40254542

**Sample: MW-115\_202211**      **Lab ID: 40254542011**      Collected: 11/10/22 11:35      Received: 11/10/22 16:20      Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
<b>8260 MSV</b>									
Analytical Method: EPA 8260									
Pace Analytical Services - Green Bay									
Methyl-tert-butyl ether	<1.1	ug/L	5.0	1.1	1		11/14/22 12:44	1634-04-4	
Naphthalene	<1.1	ug/L	5.0	1.1	1		11/14/22 12:44	91-20-3	
n-Propylbenzene	<0.35	ug/L	1.0	0.35	1		11/14/22 12:44	103-65-1	
Styrene	<0.36	ug/L	1.0	0.36	1		11/14/22 12:44	100-42-5	
1,1,1,2-Tetrachloroethane	<0.36	ug/L	1.0	0.36	1		11/14/22 12:44	630-20-6	
1,1,2,2-Tetrachloroethane	<0.38	ug/L	1.0	0.38	1		11/14/22 12:44	79-34-5	
Tetrachloroethene	<0.41	ug/L	1.0	0.41	1		11/14/22 12:44	127-18-4	
Toluene	<0.29	ug/L	1.0	0.29	1		11/14/22 12:44	108-88-3	
1,2,3-Trichlorobenzene	<1.0	ug/L	5.0	1.0	1		11/14/22 12:44	87-61-6	
1,2,4-Trichlorobenzene	<0.95	ug/L	5.0	0.95	1		11/14/22 12:44	120-82-1	
1,1,1-Trichloroethane	<0.30	ug/L	1.0	0.30	1		11/14/22 12:44	71-55-6	
1,1,2-Trichloroethane	<0.34	ug/L	5.0	0.34	1		11/14/22 12:44	79-00-5	
Trichloroethene	<0.32	ug/L	1.0	0.32	1		11/14/22 12:44	79-01-6	
Trichlorofluoromethane	<0.42	ug/L	1.0	0.42	1		11/14/22 12:44	75-69-4	
1,2,3-Trichloropropane	<0.56	ug/L	5.0	0.56	1		11/14/22 12:44	96-18-4	
1,2,4-Trimethylbenzene	<0.45	ug/L	1.0	0.45	1		11/14/22 12:44	95-63-6	
1,3,5-Trimethylbenzene	<0.36	ug/L	1.0	0.36	1		11/14/22 12:44	108-67-8	
Vinyl chloride	<0.17	ug/L	1.0	0.17	1		11/14/22 12:44	75-01-4	
m&p-Xylene	<0.70	ug/L	2.0	0.70	1		11/14/22 12:44	179601-23-1	
o-Xylene	<0.35	ug/L	1.0	0.35	1		11/14/22 12:44	95-47-6	
<b>Surrogates</b>									
4-Bromofluorobenzene (S)	109	%	70-130		1		11/14/22 12:44	460-00-4	
1,2-Dichlorobenzene-d4 (S)	103	%	70-130		1		11/14/22 12:44	2199-69-1	
Toluene-d8 (S)	107	%	70-130		1		11/14/22 12:44	2037-26-5	
<b>Chromium, Hexavalent</b>									
Analytical Method: SM 3500-Cr B									
Pace Analytical Services - Green Bay									
Chromium, Hexavalent	<1.8	mg/L	6.1	1.8	250		11/21/22 13:29		D3
<b>300.0 IC Anions</b>									
Analytical Method: EPA 300.0									
Pace Analytical Services - Green Bay									
Sulfate	33.2	mg/L	10.0	2.2	5		11/27/22 15:50	14808-79-8	

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.



### ANALYTICAL RESULTS

Project: 22W016 BETTER BRITE

Pace Project No.: 40254542

Sample: MW-115A\_202211 Lab ID: 40254542012 Collected: 11/10/22 11:59 Received: 11/10/22 16:20 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
<b>8260 MSV</b>									
Analytical Method: EPA 8260									
Pace Analytical Services - Green Bay									
Benzene	<0.30	ug/L	1.0	0.30	1		11/14/22 13:05	71-43-2	
Bromobenzene	<0.36	ug/L	1.0	0.36	1		11/14/22 13:05	108-86-1	
Bromochloromethane	<0.36	ug/L	5.0	0.36	1		11/14/22 13:05	74-97-5	
Bromodichloromethane	<0.42	ug/L	1.0	0.42	1		11/14/22 13:05	75-27-4	
Bromoform	<3.8	ug/L	5.0	3.8	1		11/14/22 13:05	75-25-2	
Bromomethane	<1.2	ug/L	5.0	1.2	1		11/14/22 13:05	74-83-9	
n-Butylbenzene	<0.86	ug/L	1.0	0.86	1		11/14/22 13:05	104-51-8	
sec-Butylbenzene	<0.42	ug/L	1.0	0.42	1		11/14/22 13:05	135-98-8	
tert-Butylbenzene	<0.59	ug/L	1.0	0.59	1		11/14/22 13:05	98-06-6	
Carbon tetrachloride	<0.37	ug/L	1.0	0.37	1		11/14/22 13:05	56-23-5	
Chlorobenzene	<0.86	ug/L	1.0	0.86	1		11/14/22 13:05	108-90-7	
Chloroethane	<1.4	ug/L	5.0	1.4	1		11/14/22 13:05	75-00-3	
Chloroform	<1.2	ug/L	5.0	1.2	1		11/14/22 13:05	67-66-3	
Chloromethane	<1.6	ug/L	5.0	1.6	1		11/14/22 13:05	74-87-3	
2-Chlorotoluene	<0.89	ug/L	5.0	0.89	1		11/14/22 13:05	95-49-8	
4-Chlorotoluene	<0.89	ug/L	5.0	0.89	1		11/14/22 13:05	106-43-4	
1,2-Dibromo-3-chloropropane	<2.4	ug/L	5.0	2.4	1		11/14/22 13:05	96-12-8	
Dibromochloromethane	<2.6	ug/L	5.0	2.6	1		11/14/22 13:05	124-48-1	
1,2-Dibromoethane (EDB)	<0.31	ug/L	1.0	0.31	1		11/14/22 13:05	106-93-4	
Dibromomethane	<0.99	ug/L	5.0	0.99	1		11/14/22 13:05	74-95-3	
1,2-Dichlorobenzene	<0.33	ug/L	1.0	0.33	1		11/14/22 13:05	95-50-1	
1,3-Dichlorobenzene	<0.35	ug/L	1.0	0.35	1		11/14/22 13:05	541-73-1	
1,4-Dichlorobenzene	<0.89	ug/L	1.0	0.89	1		11/14/22 13:05	106-46-7	
Dichlorodifluoromethane	<0.46	ug/L	5.0	0.46	1		11/14/22 13:05	75-71-8	
1,1-Dichloroethane	<0.30	ug/L	1.0	0.30	1		11/14/22 13:05	75-34-3	
1,2-Dichloroethane	<0.29	ug/L	1.0	0.29	1		11/14/22 13:05	107-06-2	
1,1-Dichloroethene	<0.58	ug/L	1.0	0.58	1		11/14/22 13:05	75-35-4	
cis-1,2-Dichloroethene	<0.47	ug/L	1.0	0.47	1		11/14/22 13:05	156-59-2	
trans-1,2-Dichloroethene	<0.53	ug/L	1.0	0.53	1		11/14/22 13:05	156-60-5	
1,2-Dichloropropane	<0.45	ug/L	1.0	0.45	1		11/14/22 13:05	78-87-5	L1
1,3-Dichloropropane	<0.30	ug/L	1.0	0.30	1		11/14/22 13:05	142-28-9	
2,2-Dichloropropane	<4.2	ug/L	5.0	4.2	1		11/14/22 13:05	594-20-7	
1,1-Dichloropropene	<0.41	ug/L	1.0	0.41	1		11/14/22 13:05	563-58-6	
cis-1,3-Dichloropropene	<0.36	ug/L	1.0	0.36	1		11/14/22 13:05	10061-01-5	
trans-1,3-Dichloropropene	<3.5	ug/L	5.0	3.5	1		11/14/22 13:05	10061-02-6	
Diisopropyl ether	<1.1	ug/L	5.0	1.1	1		11/14/22 13:05	108-20-3	
Ethylbenzene	<0.33	ug/L	1.0	0.33	1		11/14/22 13:05	100-41-4	
Hexachloro-1,3-butadiene	<2.7	ug/L	5.0	2.7	1		11/14/22 13:05	87-68-3	
Isopropylbenzene (Cumene)	<1.0	ug/L	5.0	1.0	1		11/14/22 13:05	98-82-8	
p-Isopropyltoluene	<1.0	ug/L	5.0	1.0	1		11/14/22 13:05	99-87-6	
Methylene Chloride	<0.32	ug/L	5.0	0.32	1		11/14/22 13:05	75-09-2	
Methyl-tert-butyl ether	<1.1	ug/L	5.0	1.1	1		11/14/22 13:05	1634-04-4	
Naphthalene	<1.1	ug/L	5.0	1.1	1		11/14/22 13:05	91-20-3	
n-Propylbenzene	<0.35	ug/L	1.0	0.35	1		11/14/22 13:05	103-65-1	
Styrene	<0.36	ug/L	1.0	0.36	1		11/14/22 13:05	100-42-5	

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

### ANALYTICAL RESULTS

Project: 22W016 BETTER BRITE  
Pace Project No.: 40254542

**Sample: MW-115A\_202211**      **Lab ID: 40254542012**      Collected: 11/10/22 11:59      Received: 11/10/22 16:20      Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
<b>8260 MSV</b>									
Analytical Method: EPA 8260									
Pace Analytical Services - Green Bay									
1,1,1,2-Tetrachloroethane	<0.36	ug/L	1.0	0.36	1		11/14/22 13:05	630-20-6	
1,1,2,2-Tetrachloroethane	<0.38	ug/L	1.0	0.38	1		11/14/22 13:05	79-34-5	
Tetrachloroethene	<0.41	ug/L	1.0	0.41	1		11/14/22 13:05	127-18-4	
Toluene	<0.29	ug/L	1.0	0.29	1		11/14/22 13:05	108-88-3	
1,2,3-Trichlorobenzene	<1.0	ug/L	5.0	1.0	1		11/14/22 13:05	87-61-6	
1,2,4-Trichlorobenzene	<0.95	ug/L	5.0	0.95	1		11/14/22 13:05	120-82-1	
1,1,1-Trichloroethane	<0.30	ug/L	1.0	0.30	1		11/14/22 13:05	71-55-6	
1,1,2-Trichloroethane	<0.34	ug/L	5.0	0.34	1		11/14/22 13:05	79-00-5	
Trichloroethene	<0.32	ug/L	1.0	0.32	1		11/14/22 13:05	79-01-6	
Trichlorofluoromethane	<0.42	ug/L	1.0	0.42	1		11/14/22 13:05	75-69-4	
1,2,3-Trichloropropane	<0.56	ug/L	5.0	0.56	1		11/14/22 13:05	96-18-4	
1,2,4-Trimethylbenzene	<0.45	ug/L	1.0	0.45	1		11/14/22 13:05	95-63-6	
1,3,5-Trimethylbenzene	<0.36	ug/L	1.0	0.36	1		11/14/22 13:05	108-67-8	
Vinyl chloride	<0.17	ug/L	1.0	0.17	1		11/14/22 13:05	75-01-4	
m&p-Xylene	<0.70	ug/L	2.0	0.70	1		11/14/22 13:05	179601-23-1	
o-Xylene	<0.35	ug/L	1.0	0.35	1		11/14/22 13:05	95-47-6	
<b>Surrogates</b>									
4-Bromofluorobenzene (S)	113	%	70-130		1		11/14/22 13:05	460-00-4	
1,2-Dichlorobenzene-d4 (S)	103	%	70-130		1		11/14/22 13:05	2199-69-1	
Toluene-d8 (S)	103	%	70-130		1		11/14/22 13:05	2037-26-5	
<b>Chromium, Hexavalent</b>									
Analytical Method: SM 3500-Cr B									
Pace Analytical Services - Green Bay									
Chromium, Hexavalent	<1.8	mg/L	6.1	1.8	250		11/21/22 13:29		D3

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

### ANALYTICAL RESULTS

Project: 22W016 BETTER BRITE  
Pace Project No.: 40254542

Sample: MW-116\_202211 Lab ID: 40254542013 Collected: 11/10/22 13:29 Received: 11/10/22 16:20 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
<b>6010D MET ICP</b>									
Analytical Method: EPA 6010D Preparation Method: EPA 3010A Pace Analytical Services - Green Bay									
Iron	153J	ug/L	200	113	2	11/17/22 05:54	11/18/22 14:44	7439-89-6	D3
<b>8260 MSV</b>									
Analytical Method: EPA 8260 Pace Analytical Services - Green Bay									
Benzene	<0.30	ug/L	1.0	0.30	1		11/14/22 12:03	71-43-2	
Bromobenzene	<0.36	ug/L	1.0	0.36	1		11/14/22 12:03	108-86-1	
Bromochloromethane	<0.36	ug/L	5.0	0.36	1		11/14/22 12:03	74-97-5	
Bromodichloromethane	<0.42	ug/L	1.0	0.42	1		11/14/22 12:03	75-27-4	
Bromoform	<3.8	ug/L	5.0	3.8	1		11/14/22 12:03	75-25-2	
Bromomethane	<1.2	ug/L	5.0	1.2	1		11/14/22 12:03	74-83-9	
n-Butylbenzene	<0.86	ug/L	1.0	0.86	1		11/14/22 12:03	104-51-8	
sec-Butylbenzene	<0.42	ug/L	1.0	0.42	1		11/14/22 12:03	135-98-8	
tert-Butylbenzene	<0.59	ug/L	1.0	0.59	1		11/14/22 12:03	98-06-6	
Carbon tetrachloride	<0.37	ug/L	1.0	0.37	1		11/14/22 12:03	56-23-5	
Chlorobenzene	<0.86	ug/L	1.0	0.86	1		11/14/22 12:03	108-90-7	
Chloroethane	<1.4	ug/L	5.0	1.4	1		11/14/22 12:03	75-00-3	
Chloroform	<1.2	ug/L	5.0	1.2	1		11/14/22 12:03	67-66-3	
Chloromethane	<1.6	ug/L	5.0	1.6	1		11/14/22 12:03	74-87-3	
2-Chlorotoluene	<0.89	ug/L	5.0	0.89	1		11/14/22 12:03	95-49-8	
4-Chlorotoluene	<0.89	ug/L	5.0	0.89	1		11/14/22 12:03	106-43-4	
1,2-Dibromo-3-chloropropane	<2.4	ug/L	5.0	2.4	1		11/14/22 12:03	96-12-8	
Dibromochloromethane	<2.6	ug/L	5.0	2.6	1		11/14/22 12:03	124-48-1	
1,2-Dibromoethane (EDB)	<0.31	ug/L	1.0	0.31	1		11/14/22 12:03	106-93-4	
Dibromomethane	<0.99	ug/L	5.0	0.99	1		11/14/22 12:03	74-95-3	
1,2-Dichlorobenzene	<0.33	ug/L	1.0	0.33	1		11/14/22 12:03	95-50-1	
1,3-Dichlorobenzene	<0.35	ug/L	1.0	0.35	1		11/14/22 12:03	541-73-1	
1,4-Dichlorobenzene	<0.89	ug/L	1.0	0.89	1		11/14/22 12:03	106-46-7	
Dichlorodifluoromethane	<0.46	ug/L	5.0	0.46	1		11/14/22 12:03	75-71-8	M1
1,1-Dichloroethane	39.7	ug/L	1.0	0.30	1		11/14/22 12:03	75-34-3	
1,2-Dichloroethane	<0.29	ug/L	1.0	0.29	1		11/14/22 12:03	107-06-2	
1,1-Dichloroethene	34.0	ug/L	1.0	0.58	1		11/14/22 12:03	75-35-4	
cis-1,2-Dichloroethene	0.92J	ug/L	1.0	0.47	1		11/14/22 12:03	156-59-2	
trans-1,2-Dichloroethene	<0.53	ug/L	1.0	0.53	1		11/14/22 12:03	156-60-5	
1,2-Dichloropropane	<0.45	ug/L	1.0	0.45	1		11/14/22 12:03	78-87-5	L1,M0
1,3-Dichloropropane	<0.30	ug/L	1.0	0.30	1		11/14/22 12:03	142-28-9	
2,2-Dichloropropane	<4.2	ug/L	5.0	4.2	1		11/14/22 12:03	594-20-7	
1,1-Dichloropropene	<0.41	ug/L	1.0	0.41	1		11/14/22 12:03	563-58-6	
cis-1,3-Dichloropropene	<0.36	ug/L	1.0	0.36	1		11/14/22 12:03	10061-01-5	
trans-1,3-Dichloropropene	<3.5	ug/L	5.0	3.5	1		11/14/22 12:03	10061-02-6	
Diisopropyl ether	<1.1	ug/L	5.0	1.1	1		11/14/22 12:03	108-20-3	
Ethylbenzene	<0.33	ug/L	1.0	0.33	1		11/14/22 12:03	100-41-4	
Hexachloro-1,3-butadiene	<2.7	ug/L	5.0	2.7	1		11/14/22 12:03	87-68-3	
Isopropylbenzene (Cumene)	<1.0	ug/L	5.0	1.0	1		11/14/22 12:03	98-82-8	
p-Isopropyltoluene	<1.0	ug/L	5.0	1.0	1		11/14/22 12:03	99-87-6	
Methylene Chloride	<0.32	ug/L	5.0	0.32	1		11/14/22 12:03	75-09-2	

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

### ANALYTICAL RESULTS

Project: 22W016 BETTER BRITE  
Pace Project No.: 40254542

**Sample: MW-116\_202211**      **Lab ID: 40254542013**      Collected: 11/10/22 13:29      Received: 11/10/22 16:20      Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
<b>8260 MSV</b>									
Analytical Method: EPA 8260									
Pace Analytical Services - Green Bay									
Methyl-tert-butyl ether	<1.1	ug/L	5.0	1.1	1		11/14/22 12:03	1634-04-4	
Naphthalene	<1.1	ug/L	5.0	1.1	1		11/14/22 12:03	91-20-3	
n-Propylbenzene	<0.35	ug/L	1.0	0.35	1		11/14/22 12:03	103-65-1	
Styrene	<0.36	ug/L	1.0	0.36	1		11/14/22 12:03	100-42-5	
1,1,1,2-Tetrachloroethane	<0.36	ug/L	1.0	0.36	1		11/14/22 12:03	630-20-6	
1,1,2,2-Tetrachloroethane	<0.38	ug/L	1.0	0.38	1		11/14/22 12:03	79-34-5	
Tetrachloroethene	1.0	ug/L	1.0	0.41	1		11/14/22 12:03	127-18-4	
Toluene	<0.29	ug/L	1.0	0.29	1		11/14/22 12:03	108-88-3	
1,2,3-Trichlorobenzene	<1.0	ug/L	5.0	1.0	1		11/14/22 12:03	87-61-6	
1,2,4-Trichlorobenzene	<0.95	ug/L	5.0	0.95	1		11/14/22 12:03	120-82-1	
1,1,1-Trichloroethane	116	ug/L	1.0	0.30	1		11/14/22 12:03	71-55-6	
1,1,2-Trichloroethane	<0.34	ug/L	5.0	0.34	1		11/14/22 12:03	79-00-5	
Trichloroethene	2.0	ug/L	1.0	0.32	1		11/14/22 12:03	79-01-6	
Trichlorofluoromethane	<0.42	ug/L	1.0	0.42	1		11/14/22 12:03	75-69-4	
1,2,3-Trichloropropane	<0.56	ug/L	5.0	0.56	1		11/14/22 12:03	96-18-4	
1,2,4-Trimethylbenzene	<0.45	ug/L	1.0	0.45	1		11/14/22 12:03	95-63-6	
1,3,5-Trimethylbenzene	<0.36	ug/L	1.0	0.36	1		11/14/22 12:03	108-67-8	
Vinyl chloride	0.27J	ug/L	1.0	0.17	1		11/14/22 12:03	75-01-4	
m&p-Xylene	<0.70	ug/L	2.0	0.70	1		11/14/22 12:03	179601-23-1	
o-Xylene	<0.35	ug/L	1.0	0.35	1		11/14/22 12:03	95-47-6	
<b>Surrogates</b>									
4-Bromofluorobenzene (S)	110	%	70-130		1		11/14/22 12:03	460-00-4	
1,2-Dichlorobenzene-d4 (S)	99	%	70-130		1		11/14/22 12:03	2199-69-1	
Toluene-d8 (S)	106	%	70-130		1		11/14/22 12:03	2037-26-5	
<b>Chromium, Hexavalent</b>									
Analytical Method: SM 3500-Cr B									
Pace Analytical Services - Green Bay									
Chromium, Hexavalent	6.4	mg/L	0.61	0.18	25		11/21/22 13:29		
<b>300.0 IC Anions</b>									
Analytical Method: EPA 300.0									
Pace Analytical Services - Green Bay									
Sulfate	946	mg/L	100	22.2	50		11/28/22 11:54	14808-79-8	

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

### ANALYTICAL RESULTS

Project: 22W016 BETTER BRITE

Pace Project No.: 40254542

**Sample: TB-202211**      **Lab ID: 40254542014**      Collected: 11/10/22 15:35      Received: 11/10/22 16:20      Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
<b>8260 MSV</b>									
Analytical Method: EPA 8260									
Pace Analytical Services - Green Bay									
Benzene	<0.30	ug/L	1.0	0.30	1		11/14/22 11:42	71-43-2	
Bromobenzene	<0.36	ug/L	1.0	0.36	1		11/14/22 11:42	108-86-1	
Bromochloromethane	<0.36	ug/L	5.0	0.36	1		11/14/22 11:42	74-97-5	
Bromodichloromethane	<0.42	ug/L	1.0	0.42	1		11/14/22 11:42	75-27-4	
Bromoform	<3.8	ug/L	5.0	3.8	1		11/14/22 11:42	75-25-2	
Bromomethane	<1.2	ug/L	5.0	1.2	1		11/14/22 11:42	74-83-9	
n-Butylbenzene	<0.86	ug/L	1.0	0.86	1		11/14/22 11:42	104-51-8	
sec-Butylbenzene	<0.42	ug/L	1.0	0.42	1		11/14/22 11:42	135-98-8	
tert-Butylbenzene	<0.59	ug/L	1.0	0.59	1		11/14/22 11:42	98-06-6	
Carbon tetrachloride	<0.37	ug/L	1.0	0.37	1		11/14/22 11:42	56-23-5	
Chlorobenzene	<0.86	ug/L	1.0	0.86	1		11/14/22 11:42	108-90-7	
Chloroethane	<1.4	ug/L	5.0	1.4	1		11/14/22 11:42	75-00-3	
Chloroform	<1.2	ug/L	5.0	1.2	1		11/14/22 11:42	67-66-3	
Chloromethane	<1.6	ug/L	5.0	1.6	1		11/14/22 11:42	74-87-3	
2-Chlorotoluene	<0.89	ug/L	5.0	0.89	1		11/14/22 11:42	95-49-8	
4-Chlorotoluene	<0.89	ug/L	5.0	0.89	1		11/14/22 11:42	106-43-4	
1,2-Dibromo-3-chloropropane	<2.4	ug/L	5.0	2.4	1		11/14/22 11:42	96-12-8	
Dibromochloromethane	<2.6	ug/L	5.0	2.6	1		11/14/22 11:42	124-48-1	
1,2-Dibromoethane (EDB)	<0.31	ug/L	1.0	0.31	1		11/14/22 11:42	106-93-4	
Dibromomethane	<0.99	ug/L	5.0	0.99	1		11/14/22 11:42	74-95-3	
1,2-Dichlorobenzene	<0.33	ug/L	1.0	0.33	1		11/14/22 11:42	95-50-1	
1,3-Dichlorobenzene	<0.35	ug/L	1.0	0.35	1		11/14/22 11:42	541-73-1	
1,4-Dichlorobenzene	<0.89	ug/L	1.0	0.89	1		11/14/22 11:42	106-46-7	
Dichlorodifluoromethane	<0.46	ug/L	5.0	0.46	1		11/14/22 11:42	75-71-8	
1,1-Dichloroethane	<0.30	ug/L	1.0	0.30	1		11/14/22 11:42	75-34-3	
1,2-Dichloroethane	<0.29	ug/L	1.0	0.29	1		11/14/22 11:42	107-06-2	
1,1-Dichloroethene	<0.58	ug/L	1.0	0.58	1		11/14/22 11:42	75-35-4	
cis-1,2-Dichloroethene	<0.47	ug/L	1.0	0.47	1		11/14/22 11:42	156-59-2	
trans-1,2-Dichloroethene	<0.53	ug/L	1.0	0.53	1		11/14/22 11:42	156-60-5	
1,2-Dichloropropane	<0.45	ug/L	1.0	0.45	1		11/14/22 11:42	78-87-5	L1
1,3-Dichloropropane	<0.30	ug/L	1.0	0.30	1		11/14/22 11:42	142-28-9	
2,2-Dichloropropane	<4.2	ug/L	5.0	4.2	1		11/14/22 11:42	594-20-7	
1,1-Dichloropropene	<0.41	ug/L	1.0	0.41	1		11/14/22 11:42	563-58-6	
cis-1,3-Dichloropropene	<0.36	ug/L	1.0	0.36	1		11/14/22 11:42	10061-01-5	
trans-1,3-Dichloropropene	<3.5	ug/L	5.0	3.5	1		11/14/22 11:42	10061-02-6	
Diisopropyl ether	<1.1	ug/L	5.0	1.1	1		11/14/22 11:42	108-20-3	
Ethylbenzene	<0.33	ug/L	1.0	0.33	1		11/14/22 11:42	100-41-4	
Hexachloro-1,3-butadiene	<2.7	ug/L	5.0	2.7	1		11/14/22 11:42	87-68-3	
Isopropylbenzene (Cumene)	<1.0	ug/L	5.0	1.0	1		11/14/22 11:42	98-82-8	
p-Isopropyltoluene	<1.0	ug/L	5.0	1.0	1		11/14/22 11:42	99-87-6	
Methylene Chloride	<0.32	ug/L	5.0	0.32	1		11/14/22 11:42	75-09-2	
Methyl-tert-butyl ether	<1.1	ug/L	5.0	1.1	1		11/14/22 11:42	1634-04-4	
Naphthalene	<1.1	ug/L	5.0	1.1	1		11/14/22 11:42	91-20-3	
n-Propylbenzene	<0.35	ug/L	1.0	0.35	1		11/14/22 11:42	103-65-1	
Styrene	<0.36	ug/L	1.0	0.36	1		11/14/22 11:42	100-42-5	

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

### ANALYTICAL RESULTS

Project: 22W016 BETTER BRITE  
Pace Project No.: 40254542

**Sample: TB-202211**      **Lab ID: 40254542014**      Collected: 11/10/22 15:35      Received: 11/10/22 16:20      Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
<b>8260 MSV</b>									
Analytical Method: EPA 8260									
Pace Analytical Services - Green Bay									
1,1,1,2-Tetrachloroethane	<0.36	ug/L	1.0	0.36	1		11/14/22 11:42	630-20-6	
1,1,1,2-Tetrachloroethane	<0.38	ug/L	1.0	0.38	1		11/14/22 11:42	79-34-5	
Tetrachloroethene	<0.41	ug/L	1.0	0.41	1		11/14/22 11:42	127-18-4	
Toluene	<0.29	ug/L	1.0	0.29	1		11/14/22 11:42	108-88-3	
1,2,3-Trichlorobenzene	<1.0	ug/L	5.0	1.0	1		11/14/22 11:42	87-61-6	
1,2,4-Trichlorobenzene	<0.95	ug/L	5.0	0.95	1		11/14/22 11:42	120-82-1	
1,1,1-Trichloroethane	<0.30	ug/L	1.0	0.30	1		11/14/22 11:42	71-55-6	
1,1,2-Trichloroethane	<0.34	ug/L	5.0	0.34	1		11/14/22 11:42	79-00-5	
Trichloroethene	<0.32	ug/L	1.0	0.32	1		11/14/22 11:42	79-01-6	
Trichlorofluoromethane	<0.42	ug/L	1.0	0.42	1		11/14/22 11:42	75-69-4	
1,2,3-Trichloropropane	<0.56	ug/L	5.0	0.56	1		11/14/22 11:42	96-18-4	
1,2,4-Trimethylbenzene	<0.45	ug/L	1.0	0.45	1		11/14/22 11:42	95-63-6	
1,3,5-Trimethylbenzene	<0.36	ug/L	1.0	0.36	1		11/14/22 11:42	108-67-8	
Vinyl chloride	<0.17	ug/L	1.0	0.17	1		11/14/22 11:42	75-01-4	
m&p-Xylene	<0.70	ug/L	2.0	0.70	1		11/14/22 11:42	179601-23-1	
o-Xylene	<0.35	ug/L	1.0	0.35	1		11/14/22 11:42	95-47-6	
<b>Surrogates</b>									
4-Bromofluorobenzene (S)	108	%	70-130		1		11/14/22 11:42	460-00-4	
1,2-Dichlorobenzene-d4 (S)	101	%	70-130		1		11/14/22 11:42	2199-69-1	
Toluene-d8 (S)	109	%	70-130		1		11/14/22 11:42	2037-26-5	

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.



### ANALYTICAL RESULTS

Project: 22W016 BETTER BRITE

Pace Project No.: 40254542

**Sample: MW-116D\_202211**      **Lab ID: 40254542015**      Collected: 11/10/22 13:29      Received: 11/10/22 16:20      Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
<b>8260 MSV</b>									
Analytical Method: EPA 8260									
Pace Analytical Services - Green Bay									
Benzene	<0.30	ug/L	1.0	0.30	1		11/15/22 14:33	71-43-2	
Bromobenzene	<0.36	ug/L	1.0	0.36	1		11/15/22 14:33	108-86-1	
Bromochloromethane	<0.36	ug/L	5.0	0.36	1		11/15/22 14:33	74-97-5	
Bromodichloromethane	<0.42	ug/L	1.0	0.42	1		11/15/22 14:33	75-27-4	
Bromoform	<3.8	ug/L	5.0	3.8	1		11/15/22 14:33	75-25-2	
Bromomethane	<1.2	ug/L	5.0	1.2	1		11/15/22 14:33	74-83-9	
n-Butylbenzene	<0.86	ug/L	1.0	0.86	1		11/15/22 14:33	104-51-8	
sec-Butylbenzene	<0.42	ug/L	1.0	0.42	1		11/15/22 14:33	135-98-8	
tert-Butylbenzene	<0.59	ug/L	1.0	0.59	1		11/15/22 14:33	98-06-6	
Carbon tetrachloride	<0.37	ug/L	1.0	0.37	1		11/15/22 14:33	56-23-5	
Chlorobenzene	<0.86	ug/L	1.0	0.86	1		11/15/22 14:33	108-90-7	
Chloroethane	<1.4	ug/L	5.0	1.4	1		11/15/22 14:33	75-00-3	
Chloroform	<1.2	ug/L	5.0	1.2	1		11/15/22 14:33	67-66-3	
Chloromethane	<1.6	ug/L	5.0	1.6	1		11/15/22 14:33	74-87-3	
2-Chlorotoluene	<0.89	ug/L	5.0	0.89	1		11/15/22 14:33	95-49-8	
4-Chlorotoluene	<0.89	ug/L	5.0	0.89	1		11/15/22 14:33	106-43-4	
1,2-Dibromo-3-chloropropane	<2.4	ug/L	5.0	2.4	1		11/15/22 14:33	96-12-8	
Dibromochloromethane	<2.6	ug/L	5.0	2.6	1		11/15/22 14:33	124-48-1	
1,2-Dibromoethane (EDB)	<0.31	ug/L	1.0	0.31	1		11/15/22 14:33	106-93-4	
Dibromomethane	<0.99	ug/L	5.0	0.99	1		11/15/22 14:33	74-95-3	
1,2-Dichlorobenzene	<0.33	ug/L	1.0	0.33	1		11/15/22 14:33	95-50-1	
1,3-Dichlorobenzene	<0.35	ug/L	1.0	0.35	1		11/15/22 14:33	541-73-1	
1,4-Dichlorobenzene	<0.89	ug/L	1.0	0.89	1		11/15/22 14:33	106-46-7	
Dichlorodifluoromethane	<0.46	ug/L	5.0	0.46	1		11/15/22 14:33	75-71-8	
1,1-Dichloroethane	35.1	ug/L	1.0	0.30	1		11/15/22 14:33	75-34-3	
1,2-Dichloroethane	<0.29	ug/L	1.0	0.29	1		11/15/22 14:33	107-06-2	
1,1-Dichloroethene	30.7	ug/L	1.0	0.58	1		11/15/22 14:33	75-35-4	
cis-1,2-Dichloroethene	1.0	ug/L	1.0	0.47	1		11/15/22 14:33	156-59-2	
trans-1,2-Dichloroethene	<0.53	ug/L	1.0	0.53	1		11/15/22 14:33	156-60-5	
1,2-Dichloropropane	<0.45	ug/L	1.0	0.45	1		11/15/22 14:33	78-87-5	
1,3-Dichloropropane	<0.30	ug/L	1.0	0.30	1		11/15/22 14:33	142-28-9	
2,2-Dichloropropane	<4.2	ug/L	5.0	4.2	1		11/15/22 14:33	594-20-7	
1,1-Dichloropropene	<0.41	ug/L	1.0	0.41	1		11/15/22 14:33	563-58-6	
cis-1,3-Dichloropropene	<0.36	ug/L	1.0	0.36	1		11/15/22 14:33	10061-01-5	
trans-1,3-Dichloropropene	<3.5	ug/L	5.0	3.5	1		11/15/22 14:33	10061-02-6	
Diisopropyl ether	<1.1	ug/L	5.0	1.1	1		11/15/22 14:33	108-20-3	
Ethylbenzene	<0.33	ug/L	1.0	0.33	1		11/15/22 14:33	100-41-4	
Hexachloro-1,3-butadiene	<2.7	ug/L	5.0	2.7	1		11/15/22 14:33	87-68-3	
Isopropylbenzene (Cumene)	<1.0	ug/L	5.0	1.0	1		11/15/22 14:33	98-82-8	
p-Isopropyltoluene	<1.0	ug/L	5.0	1.0	1		11/15/22 14:33	99-87-6	
Methylene Chloride	<0.32	ug/L	5.0	0.32	1		11/15/22 14:33	75-09-2	
Methyl-tert-butyl ether	<1.1	ug/L	5.0	1.1	1		11/15/22 14:33	1634-04-4	
Naphthalene	<1.1	ug/L	5.0	1.1	1		11/15/22 14:33	91-20-3	
n-Propylbenzene	<0.35	ug/L	1.0	0.35	1		11/15/22 14:33	103-65-1	
Styrene	<0.36	ug/L	1.0	0.36	1		11/15/22 14:33	100-42-5	

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

### ANALYTICAL RESULTS

Project: 22W016 BETTER BRITE

Pace Project No.: 40254542

Sample: MW-116D\_202211 Lab ID: 40254542015 Collected: 11/10/22 13:29 Received: 11/10/22 16:20 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
<b>8260 MSV</b>									
Analytical Method: EPA 8260									
Pace Analytical Services - Green Bay									
1,1,1,2-Tetrachloroethane	<0.36	ug/L	1.0	0.36	1		11/15/22 14:33	630-20-6	
1,1,2,2-Tetrachloroethane	<0.38	ug/L	1.0	0.38	1		11/15/22 14:33	79-34-5	
Tetrachloroethene	1.0	ug/L	1.0	0.41	1		11/15/22 14:33	127-18-4	
Toluene	<0.29	ug/L	1.0	0.29	1		11/15/22 14:33	108-88-3	
1,2,3-Trichlorobenzene	<1.0	ug/L	5.0	1.0	1		11/15/22 14:33	87-61-6	
1,2,4-Trichlorobenzene	<0.95	ug/L	5.0	0.95	1		11/15/22 14:33	120-82-1	
1,1,1-Trichloroethane	114	ug/L	1.0	0.30	1		11/15/22 14:33	71-55-6	
1,1,2-Trichloroethane	<0.34	ug/L	5.0	0.34	1		11/15/22 14:33	79-00-5	
Trichloroethene	2.1	ug/L	1.0	0.32	1		11/15/22 14:33	79-01-6	
Trichlorofluoromethane	<0.42	ug/L	1.0	0.42	1		11/15/22 14:33	75-69-4	
1,2,3-Trichloropropane	<0.56	ug/L	5.0	0.56	1		11/15/22 14:33	96-18-4	
1,2,4-Trimethylbenzene	<0.45	ug/L	1.0	0.45	1		11/15/22 14:33	95-63-6	
1,3,5-Trimethylbenzene	<0.36	ug/L	1.0	0.36	1		11/15/22 14:33	108-67-8	
Vinyl chloride	<0.17	ug/L	1.0	0.17	1		11/15/22 14:33	75-01-4	
m&p-Xylene	<0.70	ug/L	2.0	0.70	1		11/15/22 14:33	179601-23-1	
o-Xylene	<0.35	ug/L	1.0	0.35	1		11/15/22 14:33	95-47-6	
<b>Surrogates</b>									
4-Bromofluorobenzene (S)	100	%	70-130		1		11/15/22 14:33	460-00-4	
1,2-Dichlorobenzene-d4 (S)	100	%	70-130		1		11/15/22 14:33	2199-69-1	
Toluene-d8 (S)	101	%	70-130		1		11/15/22 14:33	2037-26-5	
<b>Chromium, Hexavalent</b>									
Analytical Method: SM 3500-Cr B									
Pace Analytical Services - Green Bay									
Chromium, Hexavalent	6.5	mg/L	0.61	0.18	25		11/21/22 13:30		

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

### QUALITY CONTROL DATA

Project: 22W016 BETTER BRITE  
Pace Project No.: 40254542

QC Batch: 431728	Analysis Method: EPA 6010D
QC Batch Method: EPA 3010A	Analysis Description: 6010D MET
	Laboratory: Pace Analytical Services - Green Bay

Associated Lab Samples: 40254542011, 40254542013

METHOD BLANK: 2486246 Matrix: Water

Associated Lab Samples: 40254542011, 40254542013

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
Iron	ug/L	<56.7	100	11/18/22 00:07	

LABORATORY CONTROL SAMPLE: 2486247

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Iron	ug/L	10000	10300	103	80-120	

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 2486248 2486249

Parameter	Units	40254693037		2486249		MS % Rec	MSD % Rec	% Rec Limits	RPD	Max RPD	Qual
		MS Spike Conc.	MSD Spike Conc.	MS Result	MSD Result						
Iron	ug/L	5360	10000	15500	15300	102	99	75-125	1	20	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.



### QUALITY CONTROL DATA

Project: 22W016 BETTER BRITE

Pace Project No.: 40254542

METHOD BLANK: 2483775

Matrix: Water

Associated Lab Samples: 40254542001, 40254542002, 40254542003, 40254542004, 40254542005, 40254542006, 40254542007, 40254542008, 40254542010, 40254542011, 40254542012, 40254542013, 40254542014

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
Diisopropyl ether	ug/L	<1.1	5.0	11/14/22 07:53	
Ethylbenzene	ug/L	<0.33	1.0	11/14/22 07:53	
Hexachloro-1,3-butadiene	ug/L	<2.7	5.0	11/14/22 07:53	
Isopropylbenzene (Cumene)	ug/L	<1.0	5.0	11/14/22 07:53	
m&p-Xylene	ug/L	<0.70	2.0	11/14/22 07:53	
Methyl-tert-butyl ether	ug/L	<1.1	5.0	11/14/22 07:53	
Methylene Chloride	ug/L	<0.32	5.0	11/14/22 07:53	
n-Butylbenzene	ug/L	<0.86	1.0	11/14/22 07:53	
n-Propylbenzene	ug/L	<0.35	1.0	11/14/22 07:53	
Naphthalene	ug/L	<1.1	5.0	11/14/22 07:53	
o-Xylene	ug/L	<0.35	1.0	11/14/22 07:53	
p-Isopropyltoluene	ug/L	<1.0	5.0	11/14/22 07:53	
sec-Butylbenzene	ug/L	<0.42	1.0	11/14/22 07:53	
Styrene	ug/L	<0.36	1.0	11/14/22 07:53	
tert-Butylbenzene	ug/L	<0.59	1.0	11/14/22 07:53	
Tetrachloroethene	ug/L	<0.41	1.0	11/14/22 07:53	
Toluene	ug/L	<0.29	1.0	11/14/22 07:53	
trans-1,2-Dichloroethene	ug/L	<0.53	1.0	11/14/22 07:53	
trans-1,3-Dichloropropene	ug/L	<3.5	5.0	11/14/22 07:53	
Trichloroethene	ug/L	<0.32	1.0	11/14/22 07:53	
Trichlorofluoromethane	ug/L	<0.42	1.0	11/14/22 07:53	
Vinyl chloride	ug/L	<0.17	1.0	11/14/22 07:53	
1,2-Dichlorobenzene-d4 (S)	%	103	70-130	11/14/22 07:53	
4-Bromofluorobenzene (S)	%	111	70-130	11/14/22 07:53	
Toluene-d8 (S)	%	107	70-130	11/14/22 07:53	

LABORATORY CONTROL SAMPLE: 2483776

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
1,1,1-Trichloroethane	ug/L	50	51.7	103	70-134	
1,1,2,2-Tetrachloroethane	ug/L	50	58.3	117	69-130	
1,1,2-Trichloroethane	ug/L	50	55.5	111	70-130	
1,1-Dichloroethane	ug/L	50	60.3	121	70-130	
1,1-Dichloroethene	ug/L	50	57.3	115	74-131	
1,2,4-Trichlorobenzene	ug/L	50	45.8	92	68-130	
1,2-Dibromo-3-chloropropane	ug/L	50	48.3	97	64-137	
1,2-Dibromoethane (EDB)	ug/L	50	48.3	97	70-130	
1,2-Dichlorobenzene	ug/L	50	52.0	104	70-130	
1,2-Dichloroethane	ug/L	50	50.8	102	70-137	
1,2-Dichloropropane	ug/L	50	62.9	126	80-121 L1	
1,3-Dichlorobenzene	ug/L	50	53.0	106	70-130	
1,4-Dichlorobenzene	ug/L	50	48.8	98	70-130	
Benzene	ug/L	50	56.3	113	70-130	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

### QUALITY CONTROL DATA

Project: 22W016 BETTER BRITE  
Pace Project No.: 40254542

LABORATORY CONTROL SAMPLE: 2483776

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Bromodichloromethane	ug/L	50	52.5	105	70-130	
Bromoform	ug/L	50	43.7	87	70-130	
Bromomethane	ug/L	50	44.5	89	21-147	
Carbon tetrachloride	ug/L	50	48.2	96	80-146	
Chlorobenzene	ug/L	50	52.7	105	70-130	
Chloroethane	ug/L	50	65.1	130	52-165	
Chloroform	ug/L	50	54.7	109	80-123	
Chloromethane	ug/L	50	57.9	116	51-122	
cis-1,2-Dichloroethene	ug/L	50	52.6	105	70-130	
cis-1,3-Dichloropropene	ug/L	50	56.6	113	70-130	
Dibromochloromethane	ug/L	50	49.7	99	70-130	
Dichlorodifluoromethane	ug/L	50	35.2	70	25-121	
Ethylbenzene	ug/L	50	57.8	116	80-120	
Isopropylbenzene (Cumene)	ug/L	50	54.7	109	70-130	
m&p-Xylene	ug/L	100	109	109	70-130	
Methyl-tert-butyl ether	ug/L	50	51.0	102	70-130	
Methylene Chloride	ug/L	50	56.1	112	70-130	
o-Xylene	ug/L	50	56.4	113	70-130	
Styrene	ug/L	50	56.9	114	70-130	
Tetrachloroethene	ug/L	50	47.5	95	70-130	
Toluene	ug/L	50	58.1	116	80-120	
trans-1,2-Dichloroethene	ug/L	50	56.9	114	70-130	
trans-1,3-Dichloropropene	ug/L	50	51.0	102	70-130	
Trichloroethene	ug/L	50	52.4	105	70-130	
Trichlorofluoromethane	ug/L	50	52.4	105	65-160	
Vinyl chloride	ug/L	50	54.0	108	63-134	
1,2-Dichlorobenzene-d4 (S)	%			100	70-130	
4-Bromofluorobenzene (S)	%			111	70-130	
Toluene-d8 (S)	%			107	70-130	

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 2484500 2484501

Parameter	Units	MS		MSD		MS Result	MSD Result	MS % Rec	MSD % Rec	% Rec Limits	RPD	Max RPD	Qual
		40254542013	Result	Spike Conc.	Spike Conc.								
1,1,1-Trichloroethane	ug/L	116	50	50	152	154	71	76	70-134	1	20		
1,1,2,2-Tetrachloroethane	ug/L	<0.38	50	50	62.7	62.1	125	124	61-135	1	20		
1,1,2-Trichloroethane	ug/L	<0.34	50	50	56.9	58.5	114	117	70-130	3	20		
1,1-Dichloroethane	ug/L	39.7	50	50	91.8	94.0	104	109	70-130	2	20		
1,1-Dichloroethene	ug/L	34.0	50	50	80.2	82.0	92	96	71-130	2	20		
1,2,4-Trichlorobenzene	ug/L	<0.95	50	50	46.2	46.6	92	93	68-131	1	20		
1,2-Dibromo-3-chloropropane	ug/L	<2.4	50	50	54.8	53.0	110	106	51-141	3	20		
1,2-Dibromoethane (EDB)	ug/L	<0.31	50	50	49.9	50.5	100	101	70-130	1	20		
1,2-Dichlorobenzene	ug/L	<0.33	50	50	52.7	53.6	105	107	70-130	2	20		
1,2-Dichloroethane	ug/L	<0.29	50	50	51.3	52.8	103	106	70-137	3	20		

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.



### QUALITY CONTROL DATA

Project: 22W016 BETTER BRITE

Pace Project No.: 40254542

Parameter	Units	2484500		2484501		MS Result	MSD Result	MS % Rec	MSD % Rec	% Rec Limits	RPD	Max RPD	Qual
		40254542013 Result	MS Spike Conc.	MSD Spike Conc.	MS Result								
1,2-Dichloropropane	ug/L	<0.45	50	50	61.7	63.3	123	127	80-121	3	20	M0	
1,3-Dichlorobenzene	ug/L	<0.35	50	50	53.5	52.8	107	106	70-130	1	20		
1,4-Dichlorobenzene	ug/L	<0.89	50	50	49.1	50.2	98	100	70-130	2	20		
Benzene	ug/L	<0.30	50	50	55.9	56.4	112	113	70-130	1	20		
Bromodichloromethane	ug/L	<0.42	50	50	52.9	53.9	106	108	70-130	2	20		
Bromoform	ug/L	<3.8	50	50	46.1	46.4	92	93	70-133	1	20		
Bromomethane	ug/L	<1.2	50	50	36.1	37.1	72	74	21-149	3	22		
Carbon tetrachloride	ug/L	<0.37	50	50	47.4	48.1	95	96	80-146	2	20		
Chlorobenzene	ug/L	<0.86	50	50	52.8	54.3	106	109	70-130	3	20		
Chloroethane	ug/L	<1.4	50	50	47.1	47.8	94	96	52-165	2	20		
Chloroform	ug/L	<1.2	50	50	53.9	54.4	108	109	80-123	1	20		
Chloromethane	ug/L	<1.6	50	50	31.2	30.9	62	62	42-125	1	20		
cis-1,2-Dichloroethene	ug/L	0.92J	50	50	53.2	53.8	105	106	70-130	1	20		
cis-1,3-Dichloropropene	ug/L	<0.36	50	50	56.3	57.0	113	114	70-130	1	20		
Dibromochloromethane	ug/L	<2.6	50	50	51.6	51.9	103	104	70-130	1	20		
Dichlorodifluoromethane	ug/L	<0.46	50	50	10.5	9.4	21	19	25-121	11	20	M1	
Ethylbenzene	ug/L	<0.33	50	50	58.6	60.1	117	120	80-121	2	20		
Isopropylbenzene (Cumene)	ug/L	<1.0	50	50	54.1	55.2	108	110	70-130	2	20		
m&p-Xylene	ug/L	<0.70	100	100	109	113	109	113	70-130	3	20		
Methyl-tert-butyl ether	ug/L	<1.1	50	50	52.1	51.3	104	103	70-130	2	20		
Methylene Chloride	ug/L	<0.32	50	50	52.2	53.1	104	106	70-130	2	20		
o-Xylene	ug/L	<0.35	50	50	55.9	56.7	112	113	70-130	1	20		
Styrene	ug/L	<0.36	50	50	56.4	56.6	113	113	70-132	0	20		
Tetrachloroethene	ug/L	1.0	50	50	49.1	51.2	96	100	70-130	4	20		
Toluene	ug/L	<0.29	50	50	57.2	58.1	114	116	80-120	2	20		
trans-1,2-Dichloroethene	ug/L	<0.53	50	50	54.8	54.3	110	109	70-130	1	20		
trans-1,3-Dichloropropene	ug/L	<3.5	50	50	50.9	52.3	102	105	70-130	3	20		
Trichloroethene	ug/L	2.0	50	50	53.3	55.8	103	108	70-130	5	20		
Trichlorofluoromethane	ug/L	<0.42	50	50	42.8	43.1	86	86	65-160	1	20		
Vinyl chloride	ug/L	0.27J	50	50	34.7	35.0	69	69	60-137	1	20		
1,2-Dichlorobenzene-d4 (S)	%						100	102	70-130				
4-Bromofluorobenzene (S)	%						113	112	70-130				
Toluene-d8 (S)	%						106	107	70-130				

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

### QUALITY CONTROL DATA

Project: 22W016 BETTER BRITE  
Pace Project No.: 40254542

QC Batch: 431428	Analysis Method: EPA 8260
QC Batch Method: EPA 8260	Analysis Description: 8260 MSV
	Laboratory: Pace Analytical Services - Green Bay

Associated Lab Samples: 40254542015

METHOD BLANK: 2484684 Matrix: Water  
Associated Lab Samples: 40254542015

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
1,1,1,2-Tetrachloroethane	ug/L	<0.36	1.0	11/15/22 07:55	
1,1,1-Trichloroethane	ug/L	<0.30	1.0	11/15/22 07:55	
1,1,2,2-Tetrachloroethane	ug/L	<0.38	1.0	11/15/22 07:55	
1,1,2-Trichloroethane	ug/L	<0.34	5.0	11/15/22 07:55	
1,1-Dichloroethane	ug/L	<0.30	1.0	11/15/22 07:55	
1,1-Dichloroethene	ug/L	<0.58	1.0	11/15/22 07:55	
1,1-Dichloropropene	ug/L	<0.41	1.0	11/15/22 07:55	
1,2,3-Trichlorobenzene	ug/L	<1.0	5.0	11/15/22 07:55	
1,2,3-Trichloropropane	ug/L	<0.56	5.0	11/15/22 07:55	
1,2,4-Trichlorobenzene	ug/L	<0.95	5.0	11/15/22 07:55	
1,2,4-Trimethylbenzene	ug/L	<0.45	1.0	11/15/22 07:55	
1,2-Dibromo-3-chloropropane	ug/L	<2.4	5.0	11/15/22 07:55	
1,2-Dibromoethane (EDB)	ug/L	<0.31	1.0	11/15/22 07:55	
1,2-Dichlorobenzene	ug/L	<0.33	1.0	11/15/22 07:55	
1,2-Dichloroethane	ug/L	<0.29	1.0	11/15/22 07:55	
1,2-Dichloropropane	ug/L	<0.45	1.0	11/15/22 07:55	
1,3,5-Trimethylbenzene	ug/L	<0.36	1.0	11/15/22 07:55	
1,3-Dichlorobenzene	ug/L	<0.35	1.0	11/15/22 07:55	
1,3-Dichloropropane	ug/L	<0.30	1.0	11/15/22 07:55	
1,4-Dichlorobenzene	ug/L	<0.89	1.0	11/15/22 07:55	
2,2-Dichloropropane	ug/L	<4.2	5.0	11/15/22 07:55	
2-Chlorotoluene	ug/L	<0.89	5.0	11/15/22 07:55	
4-Chlorotoluene	ug/L	<0.89	5.0	11/15/22 07:55	
Benzene	ug/L	<0.30	1.0	11/15/22 07:55	
Bromobenzene	ug/L	<0.36	1.0	11/15/22 07:55	
Bromochloromethane	ug/L	<0.36	5.0	11/15/22 07:55	
Bromodichloromethane	ug/L	<0.42	1.0	11/15/22 07:55	
Bromoform	ug/L	<3.8	5.0	11/15/22 07:55	
Bromomethane	ug/L	<1.2	5.0	11/15/22 07:55	
Carbon tetrachloride	ug/L	<0.37	1.0	11/15/22 07:55	
Chlorobenzene	ug/L	<0.86	1.0	11/15/22 07:55	
Chloroethane	ug/L	<1.4	5.0	11/15/22 07:55	
Chloroform	ug/L	<1.2	5.0	11/15/22 07:55	
Chloromethane	ug/L	<1.6	5.0	11/15/22 07:55	
cis-1,2-Dichloroethene	ug/L	<0.47	1.0	11/15/22 07:55	
cis-1,3-Dichloropropene	ug/L	<0.36	1.0	11/15/22 07:55	
Dibromochloromethane	ug/L	<2.6	5.0	11/15/22 07:55	
Dibromomethane	ug/L	<0.99	5.0	11/15/22 07:55	
Dichlorodifluoromethane	ug/L	<0.46	5.0	11/15/22 07:55	
Diisopropyl ether	ug/L	<1.1	5.0	11/15/22 07:55	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

### QUALITY CONTROL DATA

Project: 22W016 BETTER BRITE  
Pace Project No.: 40254542

METHOD BLANK: 2484684 Matrix: Water  
Associated Lab Samples: 40254542015

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
Ethylbenzene	ug/L	<0.33	1.0	11/15/22 07:55	
Hexachloro-1,3-butadiene	ug/L	<2.7	5.0	11/15/22 07:55	
Isopropylbenzene (Cumene)	ug/L	<1.0	5.0	11/15/22 07:55	
m&p-Xylene	ug/L	<0.70	2.0	11/15/22 07:55	
Methyl-tert-butyl ether	ug/L	<1.1	5.0	11/15/22 07:55	
Methylene Chloride	ug/L	<0.32	5.0	11/15/22 07:55	
n-Butylbenzene	ug/L	<0.86	1.0	11/15/22 07:55	
n-Propylbenzene	ug/L	<0.35	1.0	11/15/22 07:55	
Naphthalene	ug/L	<1.1	5.0	11/15/22 07:55	
o-Xylene	ug/L	<0.35	1.0	11/15/22 07:55	
p-Isopropyltoluene	ug/L	<1.0	5.0	11/15/22 07:55	
sec-Butylbenzene	ug/L	<0.42	1.0	11/15/22 07:55	
Styrene	ug/L	<0.36	1.0	11/15/22 07:55	
tert-Butylbenzene	ug/L	<0.59	1.0	11/15/22 07:55	
Tetrachloroethene	ug/L	<0.41	1.0	11/15/22 07:55	
Toluene	ug/L	<0.29	1.0	11/15/22 07:55	
trans-1,2-Dichloroethene	ug/L	<0.53	1.0	11/15/22 07:55	
trans-1,3-Dichloropropene	ug/L	<3.5	5.0	11/15/22 07:55	
Trichloroethene	ug/L	<0.32	1.0	11/15/22 07:55	
Trichlorofluoromethane	ug/L	<0.42	1.0	11/15/22 07:55	
Vinyl chloride	ug/L	<0.17	1.0	11/15/22 07:55	
1,2-Dichlorobenzene-d4 (S)	%	99	70-130	11/15/22 07:55	
4-Bromofluorobenzene (S)	%	100	70-130	11/15/22 07:55	
Toluene-d8 (S)	%	102	70-130	11/15/22 07:55	

LABORATORY CONTROL SAMPLE: 2484685

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
1,1,1-Trichloroethane	ug/L	50	55.2	110	70-134	
1,1,2,2-Tetrachloroethane	ug/L	50	50.3	101	69-130	
1,1,2-Trichloroethane	ug/L	50	53.4	107	70-130	
1,1-Dichloroethane	ug/L	50	55.9	112	70-130	
1,1-Dichloroethene	ug/L	50	54.6	109	74-131	
1,2,4-Trichlorobenzene	ug/L	50	49.2	98	68-130	
1,2-Dibromo-3-chloropropane	ug/L	50	46.6	93	64-137	
1,2-Dibromoethane (EDB)	ug/L	50	50.2	100	70-130	
1,2-Dichlorobenzene	ug/L	50	50.8	102	70-130	
1,2-Dichloroethane	ug/L	50	51.6	103	70-137	
1,2-Dichloropropane	ug/L	50	54.8	110	80-121	
1,3-Dichlorobenzene	ug/L	50	52.0	104	70-130	
1,4-Dichlorobenzene	ug/L	50	48.8	98	70-130	
Benzene	ug/L	50	55.6	111	70-130	
Bromodichloromethane	ug/L	50	53.6	107	70-130	
Bromoform	ug/L	50	51.4	103	70-130	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

### QUALITY CONTROL DATA

Project: 22W016 BETTER BRITE

Pace Project No.: 40254542

LABORATORY CONTROL SAMPLE: 2484685

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Bromomethane	ug/L	50	48.3	97	21-147	
Carbon tetrachloride	ug/L	50	56.2	112	80-146	
Chlorobenzene	ug/L	50	54.0	108	70-130	
Chloroethane	ug/L	50	51.9	104	52-165	
Chloroform	ug/L	50	55.6	111	80-123	
Chloromethane	ug/L	50	50.4	101	51-122	
cis-1,2-Dichloroethene	ug/L	50	52.2	104	70-130	
cis-1,3-Dichloropropene	ug/L	50	54.4	109	70-130	
Dibromochloromethane	ug/L	50	51.6	103	70-130	
Dichlorodifluoromethane	ug/L	50	38.8	78	25-121	
Ethylbenzene	ug/L	50	57.6	115	80-120	
Isopropylbenzene (Cumene)	ug/L	50	58.5	117	70-130	
m&p-Xylene	ug/L	100	115	115	70-130	
Methyl-tert-butyl ether	ug/L	50	52.0	104	70-130	
Methylene Chloride	ug/L	50	54.8	110	70-130	
o-Xylene	ug/L	50	55.2	110	70-130	
Styrene	ug/L	50	56.6	113	70-130	
Tetrachloroethene	ug/L	50	49.5	99	70-130	
Toluene	ug/L	50	54.3	109	80-120	
trans-1,2-Dichloroethene	ug/L	50	53.8	108	70-130	
trans-1,3-Dichloropropene	ug/L	50	53.9	108	70-130	
Trichloroethene	ug/L	50	52.7	105	70-130	
Trichlorofluoromethane	ug/L	50	53.5	107	65-160	
Vinyl chloride	ug/L	50	48.1	96	63-134	
1,2-Dichlorobenzene-d4 (S)	%			96	70-130	
4-Bromofluorobenzene (S)	%			101	70-130	
Toluene-d8 (S)	%			100	70-130	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

### QUALITY CONTROL DATA

Project: 22W016 BETTER BRITE  
Pace Project No.: 40254542

QC Batch: 431626	Analysis Method: EPA 8260
QC Batch Method: EPA 8260	Analysis Description: 8260 MSV
	Laboratory: Pace Analytical Services - Green Bay

Associated Lab Samples: 40254542009

METHOD BLANK: 2485522 Matrix: Water

Associated Lab Samples: 40254542009

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
1,1,1,2-Tetrachloroethane	ug/L	<0.36	1.0	11/16/22 08:33	
1,1,1-Trichloroethane	ug/L	<0.30	1.0	11/16/22 08:33	
1,1,2,2-Tetrachloroethane	ug/L	<0.38	1.0	11/16/22 08:33	
1,1,2-Trichloroethane	ug/L	<0.34	5.0	11/16/22 08:33	
1,1-Dichloroethane	ug/L	<0.30	1.0	11/16/22 08:33	
1,1-Dichloroethene	ug/L	<0.58	1.0	11/16/22 08:33	
1,1-Dichloropropene	ug/L	<0.41	1.0	11/16/22 08:33	
1,2,3-Trichlorobenzene	ug/L	<1.0	5.0	11/16/22 08:33	
1,2,3-Trichloropropane	ug/L	<0.56	5.0	11/16/22 08:33	
1,2,4-Trichlorobenzene	ug/L	<0.95	5.0	11/16/22 08:33	
1,2,4-Trimethylbenzene	ug/L	<0.45	1.0	11/16/22 08:33	
1,2-Dibromo-3-chloropropane	ug/L	<2.4	5.0	11/16/22 08:33	
1,2-Dibromoethane (EDB)	ug/L	<0.31	1.0	11/16/22 08:33	
1,2-Dichlorobenzene	ug/L	<0.33	1.0	11/16/22 08:33	
1,2-Dichloroethane	ug/L	<0.29	1.0	11/16/22 08:33	
1,2-Dichloropropane	ug/L	<0.45	1.0	11/16/22 08:33	
1,3,5-Trimethylbenzene	ug/L	<0.36	1.0	11/16/22 08:33	
1,3-Dichlorobenzene	ug/L	<0.35	1.0	11/16/22 08:33	
1,3-Dichloropropane	ug/L	<0.30	1.0	11/16/22 08:33	
1,4-Dichlorobenzene	ug/L	<0.89	1.0	11/16/22 08:33	
2,2-Dichloropropane	ug/L	<4.2	5.0	11/16/22 08:33	
2-Chlorotoluene	ug/L	<0.89	5.0	11/16/22 08:33	
4-Chlorotoluene	ug/L	<0.89	5.0	11/16/22 08:33	
Benzene	ug/L	<0.30	1.0	11/16/22 08:33	
Bromobenzene	ug/L	<0.36	1.0	11/16/22 08:33	
Bromochloromethane	ug/L	<0.36	5.0	11/16/22 08:33	
Bromodichloromethane	ug/L	<0.42	1.0	11/16/22 08:33	
Bromoform	ug/L	<3.8	5.0	11/16/22 08:33	
Bromomethane	ug/L	<1.2	5.0	11/16/22 08:33	
Carbon tetrachloride	ug/L	<0.37	1.0	11/16/22 08:33	
Chlorobenzene	ug/L	<0.86	1.0	11/16/22 08:33	
Chloroethane	ug/L	<1.4	5.0	11/16/22 08:33	
Chloroform	ug/L	<1.2	5.0	11/16/22 08:33	
Chloromethane	ug/L	<1.6	5.0	11/16/22 08:33	
cis-1,2-Dichloroethene	ug/L	<0.47	1.0	11/16/22 08:33	
cis-1,3-Dichloropropene	ug/L	<0.36	1.0	11/16/22 08:33	
Dibromochloromethane	ug/L	<2.6	5.0	11/16/22 08:33	
Dibromomethane	ug/L	<0.99	5.0	11/16/22 08:33	
Dichlorodifluoromethane	ug/L	<0.46	5.0	11/16/22 08:33	
Diisopropyl ether	ug/L	<1.1	5.0	11/16/22 08:33	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

### QUALITY CONTROL DATA

Project: 22W016 BETTER BRITE  
Pace Project No.: 40254542

METHOD BLANK: 2485522 Matrix: Water  
Associated Lab Samples: 40254542009

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
Ethylbenzene	ug/L	<0.33	1.0	11/16/22 08:33	
Hexachloro-1,3-butadiene	ug/L	<2.7	5.0	11/16/22 08:33	
Isopropylbenzene (Cumene)	ug/L	<1.0	5.0	11/16/22 08:33	
m&p-Xylene	ug/L	<0.70	2.0	11/16/22 08:33	
Methyl-tert-butyl ether	ug/L	<1.1	5.0	11/16/22 08:33	
Methylene Chloride	ug/L	<0.32	5.0	11/16/22 08:33	
n-Butylbenzene	ug/L	<0.86	1.0	11/16/22 08:33	
n-Propylbenzene	ug/L	<0.35	1.0	11/16/22 08:33	
Naphthalene	ug/L	<1.1	5.0	11/16/22 08:33	
o-Xylene	ug/L	<0.35	1.0	11/16/22 08:33	
p-Isopropyltoluene	ug/L	<1.0	5.0	11/16/22 08:33	
sec-Butylbenzene	ug/L	<0.42	1.0	11/16/22 08:33	
Styrene	ug/L	<0.36	1.0	11/16/22 08:33	
tert-Butylbenzene	ug/L	<0.59	1.0	11/16/22 08:33	
Tetrachloroethene	ug/L	<0.41	1.0	11/16/22 08:33	
Toluene	ug/L	<0.29	1.0	11/16/22 08:33	
trans-1,2-Dichloroethene	ug/L	<0.53	1.0	11/16/22 08:33	
trans-1,3-Dichloropropene	ug/L	<3.5	5.0	11/16/22 08:33	
Trichloroethene	ug/L	<0.32	1.0	11/16/22 08:33	
Trichlorofluoromethane	ug/L	<0.42	1.0	11/16/22 08:33	
Vinyl chloride	ug/L	<0.17	1.0	11/16/22 08:33	
1,2-Dichlorobenzene-d4 (S)	%	100	70-130	11/16/22 08:33	
4-Bromofluorobenzene (S)	%	101	70-130	11/16/22 08:33	
Toluene-d8 (S)	%	103	70-130	11/16/22 08:33	

LABORATORY CONTROL SAMPLE: 2485523

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
1,1,1-Trichloroethane	ug/L	50	56.9	114	70-134	
1,1,1,2-Tetrachloroethane	ug/L	50	51.3	103	69-130	
1,1,2-Trichloroethane	ug/L	50	55.6	111	70-130	
1,1-Dichloroethane	ug/L	50	57.3	115	70-130	
1,1-Dichloroethene	ug/L	50	59.1	118	74-131	
1,2,4-Trichlorobenzene	ug/L	50	50.0	100	68-130	
1,2-Dibromo-3-chloropropane	ug/L	50	50.3	101	64-137	
1,2-Dibromoethane (EDB)	ug/L	50	53.1	106	70-130	
1,2-Dichlorobenzene	ug/L	50	53.5	107	70-130	
1,2-Dichloroethane	ug/L	50	54.3	109	70-137	
1,2-Dichloropropane	ug/L	50	55.2	110	80-121	
1,3-Dichlorobenzene	ug/L	50	53.6	107	70-130	
1,4-Dichlorobenzene	ug/L	50	50.7	101	70-130	
Benzene	ug/L	50	57.2	114	70-130	
Bromodichloromethane	ug/L	50	54.4	109	70-130	
Bromoform	ug/L	50	53.7	107	70-130	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.



### QUALITY CONTROL DATA

Project: 22W016 BETTER BRITE  
Pace Project No.: 40254542

LABORATORY CONTROL SAMPLE: 2485523

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Bromomethane	ug/L	50	55.2	110	21-147	
Carbon tetrachloride	ug/L	50	57.3	115	80-146	
Chlorobenzene	ug/L	50	56.2	112	70-130	
Chloroethane	ug/L	50	56.2	112	52-165	
Chloroform	ug/L	50	56.7	113	80-123	
Chloromethane	ug/L	50	64.3	129	51-122	L1
cis-1,2-Dichloroethene	ug/L	50	53.5	107	70-130	
cis-1,3-Dichloropropene	ug/L	50	56.0	112	70-130	
Dibromochloromethane	ug/L	50	53.3	107	70-130	
Dichlorodifluoromethane	ug/L	50	62.4	125	25-121	L1
Ethylbenzene	ug/L	50	59.9	120	80-120	
Isopropylbenzene (Cumene)	ug/L	50	59.9	120	70-130	
m&p-Xylene	ug/L	100	120	120	70-130	
Methyl-tert-butyl ether	ug/L	50	53.1	106	70-130	
Methylene Chloride	ug/L	50	57.8	116	70-130	
o-Xylene	ug/L	50	57.9	116	70-130	
Styrene	ug/L	50	59.4	119	70-130	
Tetrachloroethene	ug/L	50	50.9	102	70-130	
Toluene	ug/L	50	56.8	114	80-120	
trans-1,2-Dichloroethene	ug/L	50	56.2	112	70-130	
trans-1,3-Dichloropropene	ug/L	50	55.4	111	70-130	
Trichloroethene	ug/L	50	54.5	109	70-130	
Trichlorofluoromethane	ug/L	50	56.9	114	65-160	
Vinyl chloride	ug/L	50	58.9	118	63-134	
1,2-Dichlorobenzene-d4 (S)	%			97	70-130	
4-Bromofluorobenzene (S)	%			101	70-130	
Toluene-d8 (S)	%			102	70-130	

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 2485524 2485525

Parameter	Units	MS		MSD		MS Result	MSD Result	MS % Rec	MSD % Rec	% Rec Limits	RPD	Max RPD	Qual
		40254739002	Spike Conc.	Spike Conc.	Result								
1,1,1-Trichloroethane	ug/L	<0.30	50	50	53.1	54.4	106	109	70-134	2	20		
1,1,2,2-Tetrachloroethane	ug/L	<0.38	50	50	50.1	52.4	100	105	61-135	4	20		
1,1,2-Trichloroethane	ug/L	<0.34	50	50	52.5	54.2	105	108	70-130	3	20		
1,1-Dichloroethane	ug/L	<0.30	50	50	54.6	56.1	109	112	70-130	3	20		
1,1-Dichloroethene	ug/L	<0.58	50	50	55.4	57.4	111	115	71-130	4	20		
1,2,4-Trichlorobenzene	ug/L	<0.95	50	50	47.0	49.7	94	99	68-131	6	20		
1,2-Dibromo-3-chloropropane	ug/L	<2.4	50	50	47.3	48.3	95	97	51-141	2	20		
1,2-Dibromoethane (EDB)	ug/L	<0.31	50	50	50.3	50.9	101	102	70-130	1	20		
1,2-Dichlorobenzene	ug/L	<0.33	50	50	50.2	52.7	100	105	70-130	5	20		
1,2-Dichloroethane	ug/L	<0.29	50	50	50.4	51.9	101	104	70-137	3	20		
1,2-Dichloropropane	ug/L	<0.45	50	50	53.1	52.9	106	106	80-121	0	20		
1,3-Dichlorobenzene	ug/L	<0.35	50	50	50.4	53.1	101	106	70-130	5	20		

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

### QUALITY CONTROL DATA

Project: 22W016 BETTER BRITE

Pace Project No.: 40254542

Parameter	Units	MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 2485524			2485525			% Rec	% Rec	% Rec	Limits	RPD	Max RPD	Qual
		40254739002	MS Spike Conc.	MSD Spike Conc.	MS Result	MSD Result	MS % Rec							
1,4-Dichlorobenzene	ug/L	<0.89	50	50	47.7	50.4	95	101	70-130	5	20			
Benzene	ug/L	<0.30	50	50	54.7	56.1	109	112	70-130	2	20			
Bromodichloromethane	ug/L	<0.42	50	50	52.2	53.7	104	107	70-130	3	20			
Bromoform	ug/L	<3.8	50	50	49.8	50.8	100	102	70-133	2	20			
Bromomethane	ug/L	<1.2	50	50	57.0	61.0	114	122	21-149	7	22			
Carbon tetrachloride	ug/L	<0.37	50	50	54.5	55.7	109	111	80-146	2	20			
Chlorobenzene	ug/L	<0.86	50	50	52.2	53.7	104	107	70-130	3	20			
Chloroethane	ug/L	<1.4	50	50	52.3	56.7	105	113	52-165	8	20			
Chloroform	ug/L	<1.2	50	50	54.0	55.2	108	110	80-123	2	20			
Chloromethane	ug/L	<1.6	50	50	60.0	61.4	119	122	42-125	2	20			
cis-1,2-Dichloroethene	ug/L	<0.47	50	50	51.1	52.6	102	105	70-130	3	20			
cis-1,3-Dichloropropene	ug/L	<0.36	50	50	51.6	53.2	103	106	70-130	3	20			
Dibromochloromethane	ug/L	<2.6	50	50	49.8	51.7	100	103	70-130	4	20			
Dichlorodifluoromethane	ug/L	<0.46	50	50	55.3	57.5	111	115	25-121	4	20			
Ethylbenzene	ug/L	<0.33	50	50	55.5	57.1	111	114	80-121	3	20			
Isopropylbenzene (Cumene)	ug/L	<1.0	50	50	55.2	57.0	110	114	70-130	3	20			
m&p-Xylene	ug/L	<0.70	100	100	107	112	107	112	70-130	4	20			
Methyl-tert-butyl ether	ug/L	<1.1	50	50	51.4	51.7	103	103	70-130	1	20			
Methylene Chloride	ug/L	<0.32	50	50	55.5	55.6	111	111	70-130	0	20			
o-Xylene	ug/L	<0.35	50	50	52.4	54.6	105	109	70-130	4	20			
Styrene	ug/L	<0.36	50	50	47.3	50.0	95	100	70-132	6	20			
Tetrachloroethene	ug/L	<0.41	50	50	47.7	49.0	95	98	70-130	3	20			
Toluene	ug/L	<0.29	50	50	52.5	54.4	105	109	80-120	4	20			
trans-1,2-Dichloroethene	ug/L	<0.53	50	50	53.5	54.8	107	110	70-130	2	20			
trans-1,3-Dichloropropene	ug/L	<3.5	50	50	51.2	52.6	102	105	70-130	3	20			
Trichloroethene	ug/L	<0.32	50	50	51.4	52.7	103	105	70-130	2	20			
Trichlorofluoromethane	ug/L	<0.42	50	50	54.5	55.9	109	112	65-160	2	20			
Vinyl chloride	ug/L	<0.17	50	50	54.2	55.2	108	110	60-137	2	20			
1,2-Dichlorobenzene-d4 (S)	%						98	101	70-130					
4-Bromofluorobenzene (S)	%						101	103	70-130					
Toluene-d8 (S)	%						101	101	70-130					

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

### QUALITY CONTROL DATA

Project: 22W016 BETTER BRITE  
Pace Project No.: 40254542

QC Batch:	432022	Analysis Method:	SM 3500-Cr B
QC Batch Method:	SM 3500-Cr B	Analysis Description:	Chromium, Hexavalent by 3500
		Laboratory:	Pace Analytical Services - Green Bay

Associated Lab Samples: 40254542001, 40254542002, 40254542003, 40254542004, 40254542005, 40254542006, 40254542007, 40254542008, 40254542009, 40254542010, 40254542011, 40254542012, 40254542013, 40254542015

METHOD BLANK: 2488278 Matrix: Water  
Associated Lab Samples: 40254542001, 40254542002, 40254542003, 40254542004, 40254542005, 40254542006, 40254542007, 40254542008, 40254542009, 40254542010, 40254542011, 40254542012, 40254542013, 40254542015

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
Chromium, Hexavalent	mg/L	<0.0073	0.024	11/21/22 13:24	

LABORATORY CONTROL SAMPLE: 2488279

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Chromium, Hexavalent	mg/L	0.3	0.30	101	90-110	

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 2488280 2488281

Parameter	Units	40254542001 Result	MS Spike Conc.	MSD Spike Conc.	MS Result	MSD Result	MS % Rec	MSD % Rec	% Rec Limits	RPD	Max RPD	Qual
Chromium, Hexavalent	mg/L	<0.37	15	15	16.1	15.6	107	104	90-110	3	20	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

### QUALITY CONTROL DATA

Project: 22W016 BETTER BRITE  
Pace Project No.: 40254542

QC Batch: 432219	Analysis Method: EPA 300.0
QC Batch Method: EPA 300.0	Analysis Description: 300.0 IC Anions
	Laboratory: Pace Analytical Services - Green Bay

Associated Lab Samples: 40254542011, 40254542013

METHOD BLANK: 2488995 Matrix: Water

Associated Lab Samples: 40254542011, 40254542013

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
Sulfate	mg/L	<0.44	2.0	11/27/22 11:53	

LABORATORY CONTROL SAMPLE: 2488996

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Sulfate	mg/L	20	18.5	93	90-110	

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 2488997 2488998

Parameter	Units	40254841002		MS		MSD		% Rec		Limits	RPD	Max RPD	Qual
		Result	Conc.	Spike Conc.	Conc.	Result	Result	% Rec	% Rec				
Sulfate	mg/L	<2.2	100	100	100	100	112	109	111	108	90-110	3	15 M0

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 2488999 2489000

Parameter	Units	40254553001		MS		MSD		% Rec		Limits	RPD	Max RPD	Qual
		Result	Conc.	Spike Conc.	Conc.	Result	Result	% Rec	% Rec				
Sulfate	mg/L	56.1	400	400	400	458	458	101	100	90-110	0	15	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

## QUALIFIERS

Project: 22W016 BETTER BRITE

Pace Project No.: 40254542

---

### DEFINITIONS

DF - Dilution Factor, if reported, represents the factor applied to the reported data due to dilution of the sample aliquot.

ND - Not Detected at or above LOD.

J - Estimated concentration at or above the LOD and below the LOQ.

LOD - Limit of Detection adjusted for dilution factor, percent moisture, initial weight and final volume.

LOQ - Limit of Quantitation adjusted for dilution factor, percent moisture, initial weight and final volume.

S - Surrogate

1,2-Diphenylhydrazine decomposes to and cannot be separated from Azobenzene using Method 8270. The result for each analyte is a combined concentration.

Consistent with EPA guidelines, unrounded data are displayed and have been used to calculate % recovery and RPD values.

LCS(D) - Laboratory Control Sample (Duplicate)

MS(D) - Matrix Spike (Duplicate)

DUP - Sample Duplicate

RPD - Relative Percent Difference

NC - Not Calculable.

SG - Silica Gel - Clean-Up

U - Indicates the compound was analyzed for, but not detected at or above the adjusted LOD.

N-Nitrosodiphenylamine decomposes and cannot be separated from Diphenylamine using Method 8270. The result reported for each analyte is a combined concentration.

Pace Analytical is TNI accredited. Contact your Pace PM for the current list of accredited analytes.

TNI - The NELAC Institute.

### ANALYTE QUALIFIERS

D3 Sample was diluted due to the presence of high levels of non-target analytes or other matrix interference.

L1 Analyte recovery in the laboratory control sample (LCS) was above QC limits. Results may be biased high.

M0 Matrix spike recovery and/or matrix spike duplicate recovery was outside laboratory control limits.

M1 Matrix spike recovery exceeded QC limits. Batch accepted based on laboratory control sample (LCS) recovery.

## REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

### QUALITY CONTROL DATA CROSS REFERENCE TABLE

Project: 22W016 BETTER BRITE  
Pace Project No.: 40254542

Lab ID	Sample ID	QC Batch Method	QC Batch	Analytical Method	Analytical Batch
40254542011	MW-115_202211	EPA 3010A	431728	EPA 6010D	431859
40254542013	MW-116_202211	EPA 3010A	431728	EPA 6010D	431859
40254542001	MW-106A_202211	EPA 8260	431290		
40254542002	MW-107_202211	EPA 8260	431290		
40254542003	MW-107A_202211	EPA 8260	431290		
40254542004	MW-108_202211	EPA 8260	431290		
40254542005	MW-108A_202211	EPA 8260	431290		
40254542006	MW-110_202211	EPA 8260	431290		
40254542007	MW-110A_202211	EPA 8260	431290		
40254542008	MW-111_202211	EPA 8260	431290		
40254542009	MW-112_202211	EPA 8260	431626		
40254542010	MW-113_202211	EPA 8260	431290		
40254542011	MW-115_202211	EPA 8260	431290		
40254542012	MW-115A_202211	EPA 8260	431290		
40254542013	MW-116_202211	EPA 8260	431290		
40254542014	TB-202211	EPA 8260	431290		
40254542015	MW-116D_202211	EPA 8260	431428		
40254542001	MW-106A_202211	SM 3500-Cr B	432022		
40254542002	MW-107_202211	SM 3500-Cr B	432022		
40254542003	MW-107A_202211	SM 3500-Cr B	432022		
40254542004	MW-108_202211	SM 3500-Cr B	432022		
40254542005	MW-108A_202211	SM 3500-Cr B	432022		
40254542006	MW-110_202211	SM 3500-Cr B	432022		
40254542007	MW-110A_202211	SM 3500-Cr B	432022		
40254542008	MW-111_202211	SM 3500-Cr B	432022		
40254542009	MW-112_202211	SM 3500-Cr B	432022		
40254542010	MW-113_202211	SM 3500-Cr B	432022		
40254542011	MW-115_202211	SM 3500-Cr B	432022		
40254542012	MW-115A_202211	SM 3500-Cr B	432022		
40254542013	MW-116_202211	SM 3500-Cr B	432022		
40254542015	MW-116D_202211	SM 3500-Cr B	432022		
40254542011	MW-115_202211	EPA 300.0	432219		
40254542013	MW-116_202211	EPA 300.0	432219		

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.



(Please Print Clearly)

Company Name: FOTH  
 Branch/Location: DE PERE  
 Project Contact: Nick Glander  
 Phone: 920/362-8744  
 Project Number: 22W016  
 Project Name: Better Beite  
 Project State: WI  
 Sampled By (Print):  
 Sampled By (Sign):  
 PO #:  
 Regulatory Program:



UPPER MIDWEST REGION  
 MN: 612-607-1700 WI: 920-469-2436

410254542

### CHAIN OF CUSTODY

**\*Preservation Codes**  
 A=None B=HCL C=H2SO4 D=HNO3 E=DI Water F=Methanol G=NaOH  
 H=Sodium Bisulfate Solution I=Sodium Thiosulfate J=Other

FILTERED?  
(YES/NO)  
 PRESERVATION  
(CODE)\*

Y/N	A	N	M	M						
Pick Letter	A	B	D	A						
Analyses Requested	Hex Chlorine									
	VOCs									
	Iron									
	Sulfate									

Quote #:  
 Mail To Contact:  
 Mail To Company:  
 Mail To Address:  
 Invoice To Contact:  
 Invoice To Company:  
 Invoice To Address:  
 Invoice To Phone:  
 CLIENT COMMENTS  
 LAB COMMENTS (Lab Use Only)  
 Profile #

*Invoicing@FOTH.com*

Grab

**Data Package Options** (billable)  
 EPA Level III  
 EPA Level IV

**MS/MSD**  
 On your sample (billable)  
 NOT needed on your sample

**Matrix Codes**  
 A = Air W = Water  
 B = Biota DW = Drinking Water  
 C = Charcoal GW = Ground Water  
 O = Oil SW = Surface Water  
 S = Soil WW = Waste Water  
 SI = Sludge WP = Wipe

PACE LAB #	CLIENT FIELD ID	COLLECTION		MATRIX
		DATE	TIME	
001	MW-106A-202211	11/10/22	1405	GW
002	MW-107-202211		1501	
003	MW-107A-202211		1530	
004	MW-108-202211		1004	
005	MW-109A-202211		1038	
006	MW-110-202211		1214	
007	MW-110A-202211		1230	
008	MW-111-202211		1101	
009	MW-112-202211		1301	
010	MW-113-202211		1420	
011	MW-115-202211		1135	
012	MW-115A-202211		1159	

Rush Turnaround Time Requested - Prelims (Rush TAT subject to approval/surcharge)  
 Date Needed: \_\_\_\_\_

Relinquished By: Nick Glander Date/Time: 11/10/22 1620  
 Received By: John Glander Date/Time: 11/10/22 1620

Transmit Prelim Rush Results by (complete what you want):

Email #1: \_\_\_\_\_ Relinquished By: \_\_\_\_\_ Date/Time: \_\_\_\_\_ Received By: \_\_\_\_\_ Date/Time: \_\_\_\_\_  
 Email #2: \_\_\_\_\_ Relinquished By: \_\_\_\_\_ Date/Time: \_\_\_\_\_ Received By: \_\_\_\_\_ Date/Time: \_\_\_\_\_  
 Telephone: \_\_\_\_\_ Relinquished By: \_\_\_\_\_ Date/Time: \_\_\_\_\_ Received By: \_\_\_\_\_ Date/Time: \_\_\_\_\_  
 Fax: \_\_\_\_\_ Relinquished By: \_\_\_\_\_ Date/Time: \_\_\_\_\_ Received By: \_\_\_\_\_ Date/Time: \_\_\_\_\_

Samples on HOLD are subject to special pricing and release of liability

PACE Project No. 410254542  
 Receipt Temp = 3.5 °C  
 Sample Receipt pH (OK) Adjusted  
 Cooler Custody Seal Present / Not Present Present  
 Intact / Not Intact Intact

(Please Print Clearly)

Company Name: FOTH  
 Branch/Location: DC PEKE  
 Project Contact: Nick Glander  
 Phone: 920/362-8744  
 Project Number: 22W016  
 Project Name: Better Beite  
 Project State: WI  
 Sampled By (Print):  
 Sampled By (Sign):  
 PO #:  
 Regulatory Program:



UPPER MIDWEST REGION  
 MN: 612-607-1700 WI: 920-469-2436

40254542

### CHAIN OF CUSTODY

**\*Preservation Codes**  
 A=None B=HCL C=H2SO4 D=HNO3 E=DI Water F=Methanol G=NaOH  
 H=Sodium Bisulfate Solution I=Sodium Thiosulfate J=Other

FILTERED?  
(YES/NO)  
 PRESERVATION  
(CODE)\*

Y/N	Pick Letter	Analyses Requested																		
N	A	Hex Chrome																		
N	B	VOCs																		
N	D	Iron																		
N	A	Sulfate																		

Quote #:  
 Mail To Contact:  
 Mail To Company:  
 Mail To Address:  
 Invoice To Contact:  
 Invoice To Company:  
 Invoice To Address:  
 Invoice To Phone:  
 CLIENT COMMENTS  
 LAB COMMENTS (Lab Use Only)  
 Profile #

*Invoicing@FOTH.com*

Grab  
↓

**Data Package Options** (billable)  
 EPA Level III  
 EPA Level IV

**MS/MSD**  
 On your sample (billable)  
 NOT needed on your sample

**Matrix Codes**  
 A = Air W = Water  
 B = Biota DW = Drinking Water  
 C = Charcoal GW = Ground Water  
 O = Oil SW = Surface Water  
 S = Soil WW = Waste Water  
 SI = Sludge WP = Wipe

PACE LAB #	CLIENT FIELD ID	COLLECTION		MATRIX
		DATE	TIME	
013014	MW-116-202211	11/10/22	1329	GW
014015	TB2-202211	↓	1535	GW
015016	MW-116D-202211	↓	1329	GW
11/10/22				

Rush Turnaround Time Requested - Prelims (Rush TAT subject to approval/surcharge)  
 Date Needed: \_\_\_\_\_

Relinquished By: Nick Glander Date/Time: 11/10/22 1620  
 Received By: [Signature] Date/Time: 11/10/22 1620

Transmit Prelim Rush Results by (complete what you want):

Email #1: \_\_\_\_\_ Relinquished By: \_\_\_\_\_ Date/Time: \_\_\_\_\_ Received By: \_\_\_\_\_ Date/Time: \_\_\_\_\_  
 Email #2: \_\_\_\_\_ Relinquished By: \_\_\_\_\_ Date/Time: \_\_\_\_\_ Received By: \_\_\_\_\_ Date/Time: \_\_\_\_\_  
 Telephone: \_\_\_\_\_ Relinquished By: \_\_\_\_\_ Date/Time: \_\_\_\_\_ Received By: \_\_\_\_\_ Date/Time: \_\_\_\_\_  
 Fax: \_\_\_\_\_ Relinquished By: \_\_\_\_\_ Date/Time: \_\_\_\_\_ Received By: \_\_\_\_\_ Date/Time: \_\_\_\_\_

Samples on HOLD are subject to special pricing and release of liability

PACE Project No. 40254542  
 Receipt Temp = 3.5 °C  
 Sample Receipt pH (OK) Adjusted  
 Cooler Custody Seal Present / Not Present Intact



**Sample Condition Upon Receipt Form (SCUR)**

Project #:

Client Name: Foth

**WO# : 40254542**

Courier:  CS Logistics  Fed Ex  Speedee  UPS  Waltco  
 Client  Pace Other: \_\_\_\_\_



Tracking #: \_\_\_\_\_

Custody Seal on Cooler/Box Present:  yes  no Seals intact:  yes  no

Custody Seal on Samples Present:  yes  no Seals intact:  yes  no

Packing Material:  Bubble Wrap  Bubble Bags  None  Other

Thermometer Used SR - 9 Type of Ice: Wet Blue Dry None  Meltwater Only

Cooler Temperature Uncorr: 2.5 / Corr: 3.5

Temp Blank Present:  yes  no

Biological Tissue is Frozen:  yes  no

Person examining contents:  
 Date: 11/10/22 / Initials: SG  
 Labeled By Initials: RJK

Temp should be above freezing to 6°C.

Biota Samples may be received at ≤ 0°C if shipped on Dry Ice

Chain of Custody Present:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	1.
Chain of Custody Filled Out:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	2.
Chain of Custody Relinquished:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	3.
Sampler Name & Signature on COC:	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A	4.
Samples Arrived within Hold Time:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	5.
- DI VOA Samples frozen upon receipt	<input type="checkbox"/> Yes <input type="checkbox"/> No	Date/Time
Short Hold Time Analysis (<72hr):	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	6.
Rush Turn Around Time Requested:	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	7.
Sufficient Volume:		8.
For Analysis: <input type="checkbox"/> Yes <input type="checkbox"/> No MS/MSD: <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A		
Correct Containers Used:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	9.
Correct Type: <u>Pace Green Bay, Pace IR, Non-Pace</u>		
Containers Intact:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	10.
Filtered volume received for Dissolved tests	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	11.
Sample Labels match COC:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	12.
-Includes date/time/ID/Analysis Matrix: <u>W/</u>		
Trip Blank Present:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	13. <u>SG</u>
Trip Blank Custody Seals Present	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	
Pace Trip Blank Lot # (if purchased): <u>492</u>		

**Client Notification/ Resolution:**

If checked, see attached form for additional comments

Person Contacted: \_\_\_\_\_ Date/Time: \_\_\_\_\_

Comments/ Resolution: \_\_\_\_\_

PM Review is documented electronically in LIMs. By releasing the project, the PM acknowledges they have reviewed the sample login